

Asbestos (CASRN: 1332-21-4) Bibliography: Supplemental File for the TSCA Scope Document

TABLE OF CONTENTS

Peer Reviewed Literature Search Results	2
Fate Literature Search Results.....	2
On Topic	2
Off Topic	6
Engineering Literature Search Results	231
On Topic	231
Off Topic	296
Exposure Literature Search Results.....	464
On Topic	464
Off Topic	496
Environmental Hazard Literature Search Results.....	697
On Topic	697
Off Topic	698
Human Health Hazard Literature Search Results	783
On Topic	783
Off Topic	1127
OPPT Risk Assessment, Problem Formulation or Scope Document	1424
On Topic	1424
Gray Literature Search Results	1427

This document provides the bibliographic citations that were identified and screened from the initial literature search and the initial categorization of whether citations are *on topic* or *off topic*. *On topic* references are those that may contain data and/or information relevant to the risk evaluation. *Off topic* references are those that do not appear to contain data or information relevant to the risk evaluation.

Because systematic review is an iterative process, EPA/OPPT expects that some references may move from the *on topic* to the *off topic* category and vice versa. Additional *on topic* references not initially identified in the initial search may also be identified as the systematic review process proceeds. Moreover, targeted supplemental searches may be conducted to address specific needs for the analysis phase (e.g., to locate specific data needed for modeling).

Some of the references supporting the “Scope of the Risk Evaluation for Asbestos” may not be reflected in the “OPPT Risk Assessment, Problem Formulation or Scope Document” section of this bibliography document. Thus, please refer to the bibliography included in the final scope document for the full list of references.

PEER REVIEWED LITERATURE SEARCH RESULTS

The peer reviewed literature search results include results from comprehensive searches of bibliographic databases. The results were reviewed and determined to either be *on topic* or *off topic* with respect to the data needs of the five topic areas presented below. The full literature search strategy is presented in the *Strategy for Conducting Literature Searches for Asbestos: Supplemental File for the TSCA Scope Document*.

Citations are presented in the format returned from database searches. In some instances citations may be incomplete (e.g., publication year or journal information may be missing). Efforts to complete citation information are underway. Because each reference was considered for each topic area during screening, a citation may be listed as *on topic* or *off topic* in more than one topic area.

Fate Literature Search Results

On Topic

- Abakay, A; Tanrikulu, AC; Ayhan, M; Imamoglu, MS; Taylan, M; Kaplan, MA; Abakay, O. (2015). High-risk mesothelioma relation to meteorological and geological condition and distance from naturally occurring asbestos. *Environ Health Prev Med.* 21: 82-90. <http://dx.doi.org/10.1007/s12199-015-0501-3>.
- acirc; Ery, M; Possoz, C; Kauffer, E. (1997). Occupational exposure of asbestos removal workers. *Cahiers de notes documentaires. Hygi and aacute:* 217-224.
- Adgate, JL; Cho, SJ; Alexander, BH; Ramachandran, G; Raleigh, KK; Johnson, J; Messing, RB; Williams, AL; Kelly, J; Pratt, GC. (2011). Modeling community asbestos exposure near a vermiculite processing facility: Impact of human activities on cumulative exposure. *J Expo Sci Environ Epidemiol.* 21: 529-535. <http://dx.doi.org/10.1038/jes.2011.8>.
- Adomeit, W. (1991). CENTRAL ASBESTOS DISPOSAL PLANT. *Staub, Reinhaltung der Luft.* 51: 341-343.
- Agency, EP. (1985). ASBESTOS WASTE MANAGEMENT GUIDANCE-GENERATION, TRANSPORT, DISPOSAL (pp. U). (HMTc/85/0004116). Environmental Protection Agency.
- Alexander, BH; Raleigh, KK; Johnson, J; Mandel, JH; Adgate, JL; Ramachandran, G; Messing, RB; Eshenaur, T; Williams, A. (2012). Radiographic evidence of nonoccupational asbestos exposure from processing Libby vermiculite in Minneapolis, Minnesota. *Environ Health Perspect.* 120: 44-49. <http://dx.doi.org/10.1289/ehp.1103529>.
- Amrhein, TA. (1994). Negative Pressure Glove Bags for Operations and Maintenance and Large Scale Abatement Projects. *Appl Occup Environ Hyg.* 9: 891-894.
- Anderson, BA; Dearwent, SM; Durant, JT; Dyken, JJ; Freed, JA; Moore, SM; Wheeler, JS. (2005). Exposure pathway evaluations for sites that processed asbestos-contaminated vermiculite. *Int J Hyg Environ Health.* 208: 55-65. <http://dx.doi.org/10.1016/j.ijheh.2005.01.008>.
- ANON. (1995). Asbestos - Recommendation No.347 of the National Health Insurance Fund concerning work on or repair of sprayed asbestos or on building components containing asbestos. *es de Pr and acirc:* 36-39.
- Balashazy, I; Martonen, TB; Hofmann, W. (1990). FIBER DEPOSITION IN AIRWAY BIFURCATIONS. *J Aerosol Med.* 3: 243-260.
- Bales, RC; Morgan, JJ. (1985). DISSOLUTION KINETICS OF CHRYSOTILE AT PH 7 TO 10. *Geochim Cosmo Acta.* 49: 2281-2288.

Fate Literature Search Results

On Topic

- Bales, RC; Morgan, JJ. (1985). SURFACE-CHARGE AND ADSORPTION PROPERTIES OF CHRYSOTILE ASBESTOS IN NATURAL-WATERS. *Environ Sci Technol.* 19: 1213-1219.
- Bales, RC; Newkirk, DD; Hayward, SB. (1984). CHRYSOTILE ASBESTOS IN CALIFORNIA SURFACE WATERS - FROM UPSTREAM RIVERS THROUGH WATER-TREATMENT. *J Am Water Works Assoc.* 76: 66-74.
- Belanger, SE; Cherry, DS; Cairns, J; Mcguire, MJ. (1987). USING ASIATIC CLAMS AS A BIOMONITOR FOR CHRYSOTILE ASBESTOS IN PUBLIC WATER-SUPPLIES. *J Am Water Works Assoc.* 79: 69-74.
- Belardi, G; Vignaroli, G; Plescia, P; Passeri, L. (2013). The assessment of particulate matter emitted from stone-crushing industry by correlating rock textures with particles generated after comminution and dispersed in air environment. *Environ Sci Pollut Res Int.* 20: 4711-4728. <http://dx.doi.org/10.1007/s11356-012-1434-7>.
- Bensted, J; Smith, JR. (2011). Asbestos legacy impacts on future prospects. 16: 161-+.
- Berg, R. (2004). When science crosses politics, I: The case of naturally occurring asbestos. *J Environ Health.* 66: 31-39.
- Berman, DW; Brorby, GP; Sheehan, PJ; Bogen, KT; Holm, SE. (2012). More on the dynamics of dust generation: the effects of mixing and sanding chrysotile, calcium carbonate, and other components on the characteristics of joint-compound dusts. *Ann Occup Hyg.* 56: 852-867. <http://dx.doi.org/10.1093/annhyg/mes008>.
- Berman, DW; Case, BW. (2012). Overreliance on a Single Study: There is no Real Evidence that Applying Quality Criteria to Exposure in Asbestos Epidemiology Affects the Estimated Risk. *Ann Occup Hyg.* 56: 869-878. <http://dx.doi.org/10.1093/annhyg/mes027>.
- Bernardo, E; Esposito, L; Rambaldi, E; Tucci, A. (2011). Sintered glass ceramic articles from plasma vitrified asbestos containing waste. *Advances in Applied Ceramics: Structural, Functional and Bioceramics.* 110: 346-352. <http://dx.doi.org/10.1179/1743676111Y.0000000020>.
- Bloise, A; Barca, D; Gualtieri, AF; Pollastri, S; Belluso, E. (2016). Trace elements in hazardous mineral fibres. *Environ Pollut.* 216: 314-323. <http://dx.doi.org/10.1016/j.envpol.2016.06.007>.
- Bornemann, P; Hildebrandt, U. (1986). ABOUT THE PROBLEM CONCERNING ENVIRONMENTAL DUST EVIDENCE BY WEATHERED OFF ASBESTOS-CEMENT. *Staub, Reinhaltung der Luft.* 46: 487-489.
- Boulanger, G; Andujar, P; Pairen, JC; Billon-Galland, MA; Dion, C; Dumortier, P; Brochard, P; Sobaszek, A; Bartsch, P; Paris, C; Jaurand, MC. (2014). Quantification of short and long asbestos fibers to assess asbestos exposure: a review of fiber size toxicity [Review]. *Environ Health.* 13: 59. <http://dx.doi.org/10.1186/1476-069X-13-59>.
- Brody, AR. (1998). Asbestos-induced lung injury and fibrosis: A month in the life of an inhaled asbestos fiber. *J Clean Technol, Environ Toxicol, Occup Med.* 7: 397-412.
- Cohen, KS. (1985). ASBESTOS IN BUILDINGS - TO REMOVE, OR NOT TO REMOVE, THAT IS THE QUESTION. *Am Ind Hyg Assoc J.* 46: A4-A4.
- Contour, JP; Guerin, I; Mouvier, G. (1980). ADSORPTION OF AMINE ORGANIC POLLUTANTS IN ASBESTOS FIBERS. *Environmental Pollution Series B: Chemical and Physical.* 1: 243-257.
- Cralley, LJ. (1971). Identification and control of asbestos exposures. *Am Ind Hyg Assoc J.* 32: 82-85. <http://dx.doi.org/10.1080/0002889718506414>.
- Denner, JM; Langridge, RE; Affleck, MJ. (1988). DEVELOPMENT OF AN ASBESTOS-CONTAMINATED SITE - THE FASLANE PROJECT. *J Inst Water Environ Manag.* 2: 300-304.
- Dodson, RF; O'Sullivan, M; Corn, CJ. (1996). Relationships between ferruginous bodies and uncoated asbestos fibers in lung tissue. *Arch Environ Health.* 51: 462-466. <http://dx.doi.org/10.1080/00039896.1996.9936047>.
- Enrico Favero-Longo, S; Turci, F; Tomatis, M; Compagnoni, R; Piervittori, R; Fubini, B. (2009). The effect of weathering on ecopersistence, reactivity, and potential toxicity of naturally occurring asbestos and asbestiform minerals. *J Toxicol Environ Health A.* 72: 305-314. <http://dx.doi.org/10.1080/15287390802529864>.
- Favero-Longo, SE; Castelli, D; Fubini, B; Piervittori, R. (2009). Lichens on asbestos-cement roofs: bioweathering and biocovering effects. *J Hazard Mater.* 162: 1300-1308. <http://dx.doi.org/10.1016/j.jhazmat.2008.06.060>.
- Favero-Longo, SE; Matteucci, E; Siniscalco, C. (2009). Plant Colonization Limits Dispersion in the Air of Asbestos Fibers in an Abandoned Asbestos Mine. *Northeast Nat.* 16: 163-177.
- Favero-Longo, SE; Turci, F; Fubini, B; Castelli, D; Piervittori, R. (2013). Lichen deterioration of asbestos and asbestiform minerals of serpentinite rocks in Western Alps. *Int Biodeterior Biodegradation.* 84: 342-350. <http://dx.doi.org/10.1016/j.ibiod.2012.07.018>.
- Favero-Longo, SE; Turci, F; Tomatis, M; Castelli, D; Bonfante, P; Hochella, MF; Piervittori, R; Fubini, B. (2005). Chrysotile asbestos is progressively converted into a non-fibrous amorphous material by the chelating action of lichen metabolites. *J Environ Monit.* 7: 764-766. <http://dx.doi.org/10.1039/b507569f>.
- Feric, T; Krstulovic, R; Peric, J; Krolo, P. (1997). Effect of chrysotile asbestos on cement hydration. *Cement and Concrete Composites.* 19: 301-305.
- Fodero, SD. (1977). REMOVAL AND DISPOSAL OF AN ENVIRONMENTAL CARCINOGEN - ASBESTOS. *J Environ Health.* 40: 133-137.
- Germine, M; Puffer, JH. (1981). DISTRIBUTION OF ASBESTOS IN THE BEDROCK OF THE NORTHERN NEW-JERSEY AREA. *Environ Geol.* 3: 337-351.
- Gregson, N; Watkins, H; Calestani, M. (2010). Inextinguishable Fibres: Demolition and the Vital Materialisms of Asbestos. *Environ Plan A.* 42: 1065-1083.
- Haendeler, F; Hofmann, S. (1990). COMPARISON OF LEAKAGE AND STABILITY OF RUBBER-ASBESTOS, RUBBER-ASBESTOS SUBSTITUTE, AND GRAPHITE SEALS IN CHLOROBENZENE UNDER CONDITIONS OF THERMAL AND ALTERNATING STRESS. *Chem Ing Tech.* 62: 958-959.
- Hamm, G; Krause, J. (1993). OCCUPATIONAL-SAFETY IN ASBESTOS REMOVAL - JANUARY 25-26, 1993. *Staub, Reinhaltung der Luft.* 53: 403-404.
- Harper, M; Butler, C; Berry, D; Wroble, J. (2015). Where occupation and environment overlap: US Forest Service worker exposure to Libby Amphibole fibers. *J Occup Environ Hyg.* 12: D47-D53. <http://dx.doi.org/10.1080/15459624.2014.989362>.

Fate Literature Search Results

On Topic

- Hart, J; Ward, T; Spear, T; Crispen, K; Zolnikov, T. (2007). Evaluation of asbestos exposures during firewood-harvesting simulations in Libby, MT, USA--preliminary data. *Ann Occup Hyg.* 51: 717-723. <http://dx.doi.org/10.1093/annhyg/mem052>.
- Harwood, CF; Oestreich, DK; Siebert, P; Stockham, JD. (1975). Asbestos emissions from baghouse controlled sources. *Am Ind Hyg Assoc J.* 36: 595-603.
- Hawkins, JW; Hayes, DC; Istone, WK; Schmidt, AF. (1987). ASBESTOS ABATEMENT .1. SAMPLING AND IDENTIFICATION. *Tappi Journal.* 70: 233-235.
- Heasman, L; Baldwin, G. (1986). THE DESTRUCTION OF CHRYSOTILE ASBESTOS USING WASTE ACIDS (pp. 215223; 211986). (ISSN 0734-242X; EISSN 1096-3669; HMTC/86/0004660). Heasman, L; Baldwin, G.
- Hesse, CS; Hallenbeck, WH; Chen, EH; Brenniman, GR. (1977). Determination of chrysotile asbestos in rainwater. *Atmos Environ.* 11: 1233-1238.
- Holmes, EP; Lavkulich, LM. (2014). The effects of naturally occurring acids on the surface properties of chrysotile asbestos. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 49: 1445-1452. <http://dx.doi.org/10.1080/10934529.2014.928558>.
- Horikoshi, S; Sumi, T; Ito, S; Dillert, R; Kashimura, K; Yoshikawa, N; Sato, M; Shinohara, N. (2014). Microwave-driven asbestos treatment and its scale-up for use after natural disasters. *Environ Sci Technol.* 48: 6882-6890. <http://dx.doi.org/10.1021/es500551b>.
- Huang, ZH, ui; Li, W, enJ; Pan, Z, iHe; Liu, Y, anGai; Fang, MH, ao. (2013). HIGH-TEMPERATURE TRANSFORMATION OF ASBESTOS TAILINGS BY CARBOTHERMAL REDUCTION. *Clays and Clay Minerals.* 61: 75-82. <http://dx.doi.org/10.1346/CCMN.2013.0610106>.
- Hunsinger, RB; Roberts, KJ; Lawrence, J. (1980). CHRYSOTILE ASBESTOS FIBER REMOVAL DURING POTABLE WATER-TREATMENT - PILOT-PLANT STUDIES. *Environ Sci Technol.* 14: 333-336.
- Ilgren, EB. (2002). Response to the California EPA's Office of Environmental Health Hazard Assessment critical assessment of Ilgren and Chatfield's studies of Coalinga chrysotile's fibrogenicity, tumorigenicity, and biopersistence. *Indoor Built Environ.* 11: 243-245. <http://dx.doi.org/10.1159/000066013>.
- Jones, J; McGuire, MJ. (1987). DREDGING TO REDUCE ASBESTOS CONCENTRATIONS IN THE CALIFORNIA AQUEDUCT. *J Am Water Works Assoc.* 79: 30-38.
- Kraybill, HF. (1976). Distribution of chemical carcinogens in aquatic environments [Review]. *Prog Exp Tumor Res.* 20: 3-34.
- Kraybill, HF. (1978). ORIGIN CLASSIFICATION AND DISTRIBUTION OF CHEMICALS IN DRINKING WATER WITH AN ASSESSMENT OF THEIR CARCINOGENIC POTENTIAL (pp. ANN ARBOR). (HEEP/79/05672). Kraybill, HF.
- Kuschner, ML, R.; Robeck, GG; Rossum, JR; Scheniderman, MA; Taylor, EW; Wright, GW. (1974). A study of the problem of asbestos in water. *J Am Water Works Assoc.* 66: 1-22.
- Langer, AM; Nolan, RP. (1994). CHRYSOTILE - ITS OCCURRENCE AND PROPERTIES AS VARIABLES CONTROLLING BIOLOGICAL EFFECTS. *Ann Occup Hyg.* 38: 427-451.
- Lawrence, J; Tosine, HM; Zimmermann, HW; Pang, TWS. (1975). REMOVAL OF ASBESTOS FIBERS FROM POTABLE WATER BY COAGULATION AND FILTRATION. *Water Res.* 9: 397-400.
- Lawrence, J; Zimmermann, HW. (1977). ASBESTOS IN WATER - MINING AND PROCESSING EFFLUENT TREATMENT. *J Water Pollut Control Fed.* 49: 156-160.
- Lemen, RA. (2004). Asbestos in brakes: exposure and risk of disease [Review]. *Am J Ind Med.* 45: 229-237. <http://dx.doi.org/10.1002/ajim.10334>.
- Liebenberg, D; Claassens, S; Van Rensburg, L. (2012). A multidisciplinary approach for the assessment of rehabilitation at asbestos mines in South Africa. *Environ Earth Sci.* 67: 1237-1244. <http://dx.doi.org/10.1007/s12665-012-1650-y>.
- Lim, HS; Kim, JY; Sakai, K; Hisanaga, N. (2004). Airborne asbestos and non-asbestos fiber concentrations in non-occupational environments in Korea. *Ind Health.* 42: 171-178.
- Lippmann, M. (1994). Nature of exposure to chrysotile. *Ann Occup Hyg.* 38: 459-467, 408.
- Lippy, BE; Boggs, JA. (1989). MEASURING AIRBORNE ASBESTOS - THE SIGNIFICANCE OF SMALL FIBERS DETECTED UNDER TEM. *J Environ Health.* 52: 157-160.
- Logsdon, GS. (1983). ENGINEERING AND OPERATING APPROACHES FOR CONTROLLING ASBESTOS FIBERS IN DRINKING-WATER. *Environ Health Perspect.* 53: 169-176.
- Logsdon, GS; Schleppenbach, FX; Zaudtke, TM. (1979). FILTRATION WORKS OUT ASBESTOS FIBERS. 126: 44-46.
- Logsdon, GS; Symons, JM; Sorg, TJ. (1981). MONITORING WATER FILTERS FOR ASBESTOS REMOVAL. *J Environ Eng Div (ASCE).* 107: 1297-1315.
- Lopez DE SA, A; Cirugeda, ME; Blanco, C. (1987). ASBESTOS FIBERS IN WATER-DISTRIBUTING SYSTEMS A REVIEW. *Alimentaria.* 24: 37-42.
- Lynch, JR; Ayer, HE; Johnson, DL. (1970). The interrelationships of selected asbestos exposure indices. *Am Ind Hyg Assoc J.* 31: 598-604. <http://dx.doi.org/10.1080/0002889708506298>.
- Mah, M; Boatman, ES. (1978). Scanning and transmission electron microscopy of new and used asbestos-cement pipe utilized in the distribution of water supplies (pp. 85-92). (HEEP/79/00474). Mah, M; Boatman, ES.
- Manos, CG; Patelmandlik, KJ; Lisk, DJ. (1992). PREVALENCE OF ASBESTOS IN COMPOSTED WASTE FROM 26 COMMUNITIES IN THE UNITED-STATES. *Arch Environ Contam Toxicol.* 23: 266-269.
- Manos, CG; Patelmandlik, KJ; Lisk, DJ. (1993). ASBESTOS IN YARD OR SLUDGE COMPOSTS FROM THE SAME COMMUNITY AS A FUNCTION OF TIME-OF-WASTE-COLLECTION. *Chemosphere.* 26: 1537-1540.
- Manos, CG; Patelmandlik, KJ; Ross, BJ; Jenkins, EJ; Lisk, DJ. (1991). PREVALENCE OF ASBESTOS IN SEWAGE SLUDGES FROM 51 LARGE AND SMALL CITIES IN THE UNITED-STATES. *Chemosphere.* 22: 963-973.
- Marfels, H; Spurny, K; Boose, C; Althaus, W; Wulbeck, FJ; Weiss, G; Schormann, J; Opiela, H. (1988). MEASUREMENTS OF FIBROUS DUSTS IN AMBIENT AIR OF THE FEDERAL-REPUBLIC-OF-GERMANY .6. ASBESTOS IN AMBIENT AIR OF WASTE DUMPS. *Staub, Reinhaltung der Luft.* 48: 463-464.

Fate Literature Search Results

On Topic

- Mccutcheon, J; Dipple, GM; Wilson, SA; Southam, G. (2015). Production of magnesium-rich solutions by acid leaching of chrysotile: A precursor to field-scale deployment of microbially enabled carbonate mineral precipitation. *Chem Geol.* 413: 119-131. <http://dx.doi.org/10.1016/j.chemgeo.2015.08.023>.
- Mcguire, MJ; Bowers, AE; Bowers, DA. (1983). OPTIMIZING LARGE-SCALE WATER-TREATMENT PLANTS FOR ASBESTOS-FIBER REMOVAL. *J Am Water Works Assoc.* 75: 364-370.
- Morse, HN. (1992). REMOVAL OF ASBESTOS DUST. *J Air Waste Manag Assoc.* 42: 1133-1133.
- NASA. (1990). Environmental Projects. Volume 12: Friable Asbestos Abatement, GDSCC. 210.
- Nawrat, G; Gnot, W. (2000). Diaphragms and membranes used in electrolyzers for chlorine production. *Przemysł Chemiczny.* 79: 407-+.
- Nayebzadeh, A; Dufresne, A; Case, B; Vali, H; Williams-Jones, AE; Martin, R; Normand, C; Clark, J. (2001). Lung mineral fibers of former miners and millers from Thetford-Mines and asbestos regions: a comparative study of fiber concentration and dimension. *Arch Environ Health.* 56: 65-76. <http://dx.doi.org/10.1080/00039890109604056>.
- Neumann, V; Günthe, S; Mülle, KM; Fischer, M. (2001). Malignant mesothelioma--German mesothelioma register 1987-1999. *Int Arch Occup Environ Health.* 74: 383-395.
- Osada, M; Takamiya, K, en; Manako, K; Noguchi, M; Sakai, SI. (2013). Demonstration study of high temperature melting for asbestos-containing waste (ACW). *Journal of Material Cycles and Waste Management.* 15: 25-36. <http://dx.doi.org/10.1007/s10163-012-0088-3>.
- Paik, NW; Walcott, RJ; Brogan, PA. (1983). WORKER EXPOSURE TO ASBESTOS DURING REMOVAL OF SPRAYED MATERIAL AND RENOVATION ACTIVITY IN BUILDINGS CONTAINING SPRAYED MATERIAL. *Am Ind Hyg Assoc J.* 44: 428-432. <http://dx.doi.org/10.1080/15298668391405085>.
- Patelmandlik, KJ; Manos, CG; Jahson, KEB; Norton, VL; Lisk, DJ. (1994). PREVALENCE OF ASBESTOS IN SLUDGES FROM 16 SEWAGE PLANTS IN LARGE AMERICAN CITIES IN 1993. *Chemosphere.* 29: 1369-1372.
- Patelmandlik, KJ; Manos, CG; Lisk, DJ. (1988). ABSENCE OF ASBESTOS IN MUNICIPAL SEWAGE-SLUDGE ASHES. *Bull Environ Contam Toxicol.* 40: 703-706.
- Patelmandlik, KJ; Manos, CG; Lisk, DJ. (1988). ANALYSIS OF MUNICIPAL REFUSE INCINERATOR ASHES FOR ASBESTOS. *Bull Environ Contam Toxicol.* 41: 844-846.
- Patelmandlik, KJ; Manos, CG; Lisk, DJ. (1988). IDENTIFICATION OF ASBESTOS AND GLASS-FIBERS IN SEWAGE SLUDGES OF SMALL NEW YORK STATE CITIES. *Chemosphere.* 17: 1025-1032.
- Patton, JL. (1977). UNUSUAL WATER TREATMENT-PLANT LICKS ASBESTOS FIBER PROBLEM. 14: 41-&.
- Pellegrini, L; Montoneri, E; Savarino, P; Pappalardo, GC. (1991). ORGANO-INORGANIC COMPOSITE MEMBRANES - A MATHEMATICAL-MODELING APPROACH TO THE SOLID LIQUID INTERACTION PROPERTIES OF ASBESTOS IN ITS COMPOSITES. *Journal of Materials Science.* 26: 2557-2565.
- Peterson, DL. (1978). DULUTH EXPERIENCE - ASBESTOS, WATER, AND PUBLIC. *J Am Water Works Assoc.* 70: 24-28.
- Peterson, DL; Schleppenbach, FX; Zaudtke, TM. (1980). STUDIES OF ASBESTOS REMOVAL BY DIRECT-FILTRATION OF A LAKE-SUPERIOR WATER. *J Am Water Works Assoc.* 72: 155-161.
- Prentice, J; Gonsalves, B. (1985). REPRODUCIBILITY OF DUST DISTURBANCE TECHNIQUES DURING CLEARANCE SAMPLING AFTER ASBESTOS REMOVAL. *Ann Occup Hyg.* 29: 435-437.
- Pyssa, J; Rokita, GM. (2007). The asbestos - occurrence, using and the way of dealing with asbestic waste material. *Gospodarka Surowcami Mineralnymi.* 23: 49-61.
- Ryan, D. (1986). MOVING TO RID AMERICA OF ASBESTOS (pp. 7-8; 1986). (HMTC/86/0004145). Ryan, D.
- Sarkar, SL; Jolicoeur, C; Khorami, J. (1987). MICROCHEMICAL AND MICROSTRUCTURAL INVESTIGATIONS OF DEGRADATION IN ASBESTOS-CEMENT SHEET. *Cement and Concrete Research.* 17: 864-874.
- Schmitt, RP; Lindsten, DC; Shannon, TF. (1977). DECONTAMINATING LAKE-SUPERIOR OF ASBESTOS FIBERS. *Environ Sci Technol.* 11: 462-465.
- Schreier, H; Lavkulich, L, es. (2015). Cumulative effects of the transport of asbestos-rich serpentine sediments in the trans-boundary Sumas Watershed in Washington State and British Columbia. *Can Water Resour J.* 40: 262-271. <http://dx.doi.org/10.1080/07011784.2015.1051495>.
- Sebastien, P. (1987). Measuring Asbestos Dust in the Environment (pp. 97-108). (NIOSH/00170705). Sebastien, P.
- Silvestri, S; Benvenuti, A. (2007). [Asbestos exposure circumstances and malignant mesothelioma casuistry of the Tuscan Registry: preliminary indications on the efficacy of dust control measures introduced during the Seventies]. *Epidemiol Prev.* 31: 75-80.
- Smolders, S; Verhoest, L; De Gueldre, G; Van De Steene, B. (2009). Inspection of deteriorating asbestos cement force mains with georadar technique. *Water Sci Technol.* 60: 995-1001. <http://dx.doi.org/10.2166/wst.2009.429>.
- Spurny, K; Marfels, H; Boose, C; Weiss, G; Opiela, H; Wulbeck, FJ. (1989). ON THE MEASUREMENT OF FIBER EMISSIONS FROM WEATHERED AND CORRODED ASBESTOS-CEMENT-PRODUCTS .2. PHYSICAL AND CHEMICAL-PROPERTIES OF THE RELEASED ASBESTOS FIBERS. *Zentralblatt fuer Hygiene und Umweltmedizin.* 188: 262-270.
- Stevens, WH. (1997). Thermal removal of asbestos pipeline coating. *Pipeline and Gas Journal.* 224: 41-43.
- Szeszenia-Dąbrowska, N; Sobala, W; Świętkowska, B; Stroszejn-Mrowca, G; Wilczyńska, U. (2012). Environmental asbestos pollution -- situation in Poland. *Int J Occup Med Environ Health.* 25: 3-13. <http://dx.doi.org/10.2478/s13382-012-0003-0>.
- Thayer, WC; Griffith, DA; Diamond, GL. (2007). Geography of asbestos contamination near the World Trade Center site. *Stoch Environ Res Risk Assess.* 21: 461-471. <http://dx.doi.org/10.1007/s00477-007-0129-y>.
- Theophilus, JP. (1988). EXPERIENCES IN CLEARING LARGE SITES SEVERELY CONTAMINATED WITH ASBESTOS (pp. DORDRECHT). (BIOSIS/88/35770). Theophilus, JP.

Fate Literature Search Results

On Topic

- Tomasichio, GR; D'Alessandro, F; Musci, F. (2010). A multi-layer capping of a coastal area contaminated with materials dangerous to health. *Chem Ecol.* 26: 155-168. <http://dx.doi.org/10.1080/02757541003689811>.
- Trivedi, AK; Ahmad, I. (2011). Effects of Chrysotile Asbestos Contaminated Soil on Crop Plants. *Soil Sediment Contam.* 20: 767-776. <http://dx.doi.org/10.1080/15320383.2011.609197>.
- Trivedi, AK; Ahmad, I; Musthapa, MS; Ansari, FA. (2007). Environmental contamination of chrysotile asbestos and its toxic effects on antioxidative system of Lemna gibba. *Arch Environ Contam Toxicol.* 52: 355-362. <http://dx.doi.org/10.1007/s00244-006-0056-9>.
- Trivedi, AK; Ahmad, I; Musthapa, MS; Ansari, FA; Rahman, Q. (2004). Environmental contamination of chrysotile asbestos and its toxic effects on growth and physiological and biochemical parameters of Lemna gibba. *Arch Environ Contam Toxicol.* 47: 281-289. <http://dx.doi.org/10.1007/s00244-004-3161-7>.
- Turci, F; Colonna, M; Tomatis, M; Mantegna, S; Cravotto, G; Fubini, B. (2010). New detoxification processes for asbestos fibers in the environment. *J Toxicol Environ Health A.* 73: 368-377. <http://dx.doi.org/10.1080/15287390903442678>.
- Turci, F; Favero-Longo, SE; Gazzano, C; Tomatis, M; Gentile-Garofalo, L; Bergamini, M. (2016). Assessment of asbestos exposure during a simulated agricultural activity in the proximity of the former asbestos mine of Balangero, Italy. *J Hazard Mater.* 308: 321-327. <http://dx.doi.org/10.1016/j.jhazmat.2016.01.056>.
- U.S. EPA. (1991). Superfund Record of Decision (EPA Region 2): Asbestos Dump, New Vernon Road and White Bridge Road Sites, Passaic Township, Meyersville, NJ. (Second Remedial Action), September 1991. 68.
- Villa, M; Hubert, G; Lima, S; Kauffer, E; acirc; Ery, M. (1995). Asbestos removal in an office building - Efficacy of personal protection. *Cahiers de notes documentaires. Hygi and aacute:* 463-467.
- Villa, M; Hubert, G; Lima, S; Kauffer, E; Hery, M. (1994). Occupational Exposure during Asbestos Removal Operations (pp. 7-14). (NIOSH/00225667). Villa, M; Hubert, G; Lima, S; Kauffer, E; Hery, M.
- Vrancic, T. (2008). Remedial activities at the asbestos polluted areas in Solin and Ploce. 60: 569-574.
- Yearwood, P. (1991). Asbestos fibre exposure during a removal project. (CIS/93/00786). Yearwood, P.

Fate Literature Search Results

Off Topic

- A-AM, K; El Khafif, M; Koraah, S; Massoud, A; J-F, C. (1992). Blood Superoxide Dismutase and Plasma Malondialdehyde among Workers Exposed to Asbestos. *Am J Ind Med.* 21: 353-361.
- Abakay, A; Tanrikulu, AC; Imamoglu, MS; Ayhan, M; Taylan, M; Kaplan, MA; Abakay, O. (2016). Erratum to: High-risk mesothelioma relation to meteorological and geological condition and distance from naturally occurring asbestos [Erratum]. *Environ Health Prev Med.* 21: 91. <http://dx.doi.org/10.1007/s12199-016-0508-4>.
- Abbaszadegan, M; Yi, M; Alum, A. (2015). Stimulation of 2-methylisoborneol (MIB) production by actinomycetes after cyclic chlorination in drinking water distribution systems. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 50: 365-371. <http://dx.doi.org/10.1080/10934529.2015.987526>.
- Abbott, RN; Burnham, CW. (1991). ENERGY CALCULATIONS BEARING ON BIOPYRIBOLES. *Am Mineral.* 76: 728-732.
- Abecassis, JC. (1995). Exposure to asbestos and man-made mineral fibres. Nationwide investigation in the construction and civil engineering sectors. *DMT. Documents pour le m and acirc:* 107-112.
- Abejie, BA; Chung, EH; Nesto, RW; Kales, SN. (2008). Grand rounds: asbestos-related pericarditis in a boiler operator. *Environ Health Perspect.* 116: 86-89. <http://dx.doi.org/10.1289/ehp.10354>.
- Abejie, BA; Wang, X; Kales, SN; Christiani, DC. (2010). Patterns of pulmonary dysfunction in asbestos workers: a cross-sectional study. *J Occup Med Toxicol.* 5: 12. <http://dx.doi.org/10.1186/1745-6673-5-12>.
- Abell, M. (1989). X-Ray Powder Diffraction (pp. 214-218). (NIOSH/00205582). Abell, M.
- Abell, MT. (1988). Quality Audit Samples and the Asbestos Analyst Registry. *Appl Ind Hyg.* 3.
- Abell, MT; Doemeny, LJ. (1991). MONITORING THE PERFORMANCE OF OCCUPATIONAL-HEALTH LABORATORIES. *Am Ind Hyg Assoc J.* 52: 336-339.
- Abeysondra, UGY; Babel, S; Gheewala, S. (2007). A decision making matrix with life cycle perspective of materials for roofs in Sri Lanka. *Materials & Design.* 28: 2478-2487. <http://dx.doi.org/10.1016/j.matdes.2006.09.011>.
- Abraham, JL. (1994). Asbestos inhalation, not asbestosis, causes lung cancer. *Am J Ind Med.* 26: 839-842.
- Abraham, JL; Cohen, KS; Powell, B; Merritt, C. (1988). ANALYSES OF BULK AND AEROSOLIZED ASBESTOS FIBERS FROM CHILDREN'S PLAY SAND REVEAL A POTENTIAL HEALTH HAZARD (pp. 8-11). (BIOSIS/88/21272). Abraham, JL; Cohen, KS; Powell, B; Merritt, C.
- Abzalov, MZ. (1998). Chrome spinels in gabbro wehrlite intrusions of the Pechenga area, Kola Peninsula, Russia: emphasis on alteration features. *Lithos.* 43: 109-134.
- Accardo, G; Cioffi, R; Colangelo, F; D'Angelo, R; De Stefano, L; Paglietti, F. (2014). Diffuse Reflectance Infrared Fourier Transform Spectroscopy for the Determination of Asbestos Species in Bulk Building Materials. *Materials.* 7: 457-470. <http://dx.doi.org/10.3390/ma7010457>.
- Acheson, ED; Gardner, MJ. (1979). Mesothelioma and exposure to mixtures of chrysotile and amphibole asbestos. *Arch Environ Health.* 34: 240-242.
- Acheson, ED; Gardner, MJ; Pippard, EC; Grime, LP. (1982). Mortality of 2 groups of women who manufactured gas masks from chrysotile and crocidolite asbestos: A 40-year follow-up. *Br J Ind Med.* 39: 344-348.

Fate Literature Search Results

Off Topic

- Acheson, ED; Gardner, MJ; Winter, PD; Bennett, C. (1984). Cancer in a factory using amosite asbestos. *Int J Epidemiol.* 13: 3-10.
- Acosta-Gongora, P; Gleeson, SA; Samson, IM; Ootes, L; Corriveau, L. (2015). Gold Refining by Bismuth Melts in the Iron Oxide-Dominated NICO Au-Co-Bi (+/- Cu +/- W) Deposit, NWT, Canada. *Econ Geol.* 110: 291-314.
- Adachi, S; Kawamura, K; Kimura, K; Takemoto, K. (1992). Tumor incidence was not related to the thickness of visceral pleural in female Syrian hamsters intratracheally administered amphibole asbestos or manmade fibers. *Environ Res.* 58: 55-65.
- Adachi, S; Kawamura, K; Takemoto, K. (2001). A trial on the quantitative risk assessment of man-made mineral fibers by the rat intraperitoneal administration assay using the JFM standard fibrous samples. *Ind Health.* 39: 168-174. <http://dx.doi.org/10.2486/indhealth.39.168>.
- Adachi, S; Kawamura, K; Yoshida, S; Takemoto, K. (1992). OXIDATIVE DAMAGE ON DNA INDUCED BY ASBESTOS AND MAN-MADE FIBERS INVITRO. *Int Arch Occup Environ Health.* 63: 553-557.
- Adachi, S; Takemoto, K; Kimura, K. (1991). Tumorigenicity of fine man-made fibers after intratracheal administrations to hamsters. *Environ Res.* 54: 52-73.
- Adamis, Z; Kerényi, T; Honma, K; Jäckel, M; Tátrai, E; Ungváry, G. (2001). Study of inflammatory responses to crocidolite and basalt wool in the rat lung. *J Toxicol Environ Health A.* 62: 409-415. <http://dx.doi.org/10.1080/152873901300018174>.
- Adamis, Z; Krass, BK. (1991). Studies on the Cytotoxicity of Ceramic Respirable Dusts Using In Vitro and In Vivo Test Systems. *Ann Occup Hyg.* 35: 469-483.
- Adamis, Z; Tatrai, E; Honma, K; Six, E; Ungváry, G. (2000). In vitro and in vivo tests for determination of the pathogenicity of quartz, diatomaceous earth, mordenite and clinoptilolite. *Ann Occup Hyg.* 44: 67-74. [http://dx.doi.org/10.1016/S0003-4878\(99\)00054-X](http://dx.doi.org/10.1016/S0003-4878(99)00054-X).
- Adams, DT; Langer, WH; Hoefen, TM; Vangosen, BS; Meeker, GP. (2010). Examination of Libby, Montana, Fill Material for Background Levels of Amphibole from the Rainy Creek Complex Using Scanning Electron Microscopy and X-Ray Microanalysis. 13.
- Adamson, I; Prieditis, H. (1995). Response of mouse lung to carbon deposition during injury and repair. *Environ Health Perspect.* 103: 72-76.
- Adamson, IY; Prieditis, H; Hedgecock, C. (1995). Pulmonary response of mice to fiberglass: cytokinetic and biochemical studies. *J Toxicol Environ Health.* 46: 411-424. <http://dx.doi.org/10.1080/15287399509532046>.
- Adamson, IYR. (1997). Early mesothelial cell proliferation after asbestos exposure: In vivo and in vitro studies. *Environ Health Perspect.* 105: 1205-1208. <http://dx.doi.org/10.2307/3433533>.
- Adamus, J; Sniegowski, A. (1990). Fibres in Lower Silesia Hard Coal Mines Respirable Dusts. *Ann Occup Hyg.* 34: 91-95.
- Addison, J. (1999). Minimising health hazards associated with derogated products containing chrysotile asbestos. *Ann Occup Hyg.* 43: 496-498.
- Addison, J; Browne, K; Davis, JM; Gruber, UF. (1993). Asbestos fibers in parenteral medication [Review]. *Regul Toxicol Pharmacol.* 18: 371-380. <http://dx.doi.org/10.1006/rtph.1993.1063>.
- Addison, J; Davies, LST. (1990). ANALYSIS OF AMPHIBOLE ASBESTOS IN CHRYSOTILE AND OTHER MINERALS. *Ann Occup Hyg.* 34: 159-&.
- Addison, J; Davies, LST; Robertson, A; Willey, RJ. (1988). The Release of Dispersed Asbestos Fibres from Soils. (NIOSH/00190884). Addison, J; Davies, LST; Robertson, A; Willey, RJ.
- Addley, K; Mckeagney, P. (2012). The RMS Titanic. *Occup Med (Lond).* 62: 165-166. <http://dx.doi.org/10.1093/occmed/kqs015>.
- Adebayo, GA; Zhanabergenov, Z, h; Emazarov, U; Badmus, BS; Anusionwu, BC. (2014). First principles study of electronic structure, structural and optical properties of Mg₃Si₂O₅(OH)₄. *Appl Clay Sci.* 93-94: 8-11. <http://dx.doi.org/10.1016/j.clay.2014.03.003>.
- Adee, RR; Laidler, JJ. (1973). Subcellular identification of exogenous particles by high-voltage electron microscopy. *Am Ind Hyg Assoc J.* 34: 507-511.
- Adeli, M; Beyranvand, S; Hamid, M. (2012). Noncovalent interactions between linear-dendritic copolymers and carbon nanotubes lead to liposome-like nanocapsules. *J Mater Chem.* 22: 6947-6952. <http://dx.doi.org/10.1039/c2jm16919c>.
- Adeniyi, IF; Olabanji, IO. (2005). The physico-chemical and bacteriological quality of rainwater collected over different roofing materials in Ile-Ife, Southwestern Nigeria. *Chem Ecol.* 21: 149-166. <http://dx.doi.org/10.1080/02757540500117318>.
- Adesanya, DA. (1996). Evaluation of blended cement mortar, concrete and stabilized earth made from ordinary Portland cement and corn cob ash. *Construction and Building Materials.* 10: 451-456.
- Adib, G; Labrèche, F; De Guire, L; Dion, C; Dufresne, A. (2013). Short, fine and WHO asbestos fibers in the lungs of quebec workers with an asbestos-related disease. *Am J Ind Med.* 56: 1001-1014. <http://dx.doi.org/10.1002/ajim.22180>.
- Adolfsson, K; Schneider, M; Hammarin, G; Häcker, U; Prinz, CN. (2013). Ingestion of gallium phosphide nanowires has no adverse effect on Drosophila tissue function. *Nanotechnology.* 24: 285101. <http://dx.doi.org/10.1088/0957-4484/24/28/285101>.
- Afanas'ev, AI; Lyaptsev, SA; Potapov, VY, a. (2013). Characteristics of Asbestos-Containing Rock and the Selection of Efficient Parameters of Equipment for their Separation. *Refractories and Industrial Ceramics.* 54: 281-284. <http://dx.doi.org/10.1007/s11148-013-9592-9>.
- Agassi, M; Levy, GJ. (1991). STONE-COVER AND RAIN INTENSITY - EFFECTS ON INFILTRATION, EROSION AND WATER SPLASH. *Aust J Soil Res.* 29: 565-575.
- Agemar, T; Worner, G; Heumann, A. (1999). Stable isotopes and amphibole chemistry on hydrothermally altered granitoids in the North Chilean Precordillera: a limited role for meteoric water? *Contributions to Mineralogy and Petrology.* 136: 331-344.
- Agency, USATAHM. (1990). Report of Sampling and Analysis Results, Manhattan Beach Army Housing Units, Brooklyn, New York (pp. 57). (NTIS/02972330_a).
- Agopyan, V; Savastano, H; John, VM; Cincotto, MA. (2005). Developments on vegetable fibre-cement based materials in Sao Paulo, Brazil: an overview. *Cement and Concrete Composites.* 27: 527-536. <http://dx.doi.org/10.1016/j.cemconcomp.2004.09.004>.
- Agranier, A; Lee, CTA; Li, ZXA; Leeman, WP. (2007). Fluid-mobile element budgets in serpentinized oceanic lithospheric mantle: Insights from B, As, Li, Pb, PGEs and os isotopes in the feather river Ophiolite, California. *Chem Geol.* 245: 230-241. <http://dx.doi.org/10.1016/j.chemgeo.2007.08.008>.
- Agrinier, P; Mevel, C; Bosch, D; Javoy, M. (1993). METASOMATIC HYDROUS FLUIDS IN AMPHIBOLE PERIDOTITES FROM ZABARGAD ISLAND (RED-SEA). *Earth Planet Sci Lett.* 120: 187-205.

Fate Literature Search Results

Off Topic

- Agudo, A; González, CA; Bleda, MJ; Ramírez, J; Hernández, S; López, F; Calleja, A; Panadès, R; Turuguet, D; Escolar, A; Beltrán, M; González-Moya, JE. (2000). Occupation and risk of malignant pleural mesothelioma: A case-control study in Spain. *Am J Ind Med.* 37: 159-168.
- Aguilar, M; Aguilar, CG. (2001). Comments on the reconstruction of asbestos exposure in cases of pleural mesothelioma in Mexico. *Salud Publica Mex.* 43: 263-264.
- Aguilar Madrid, G. (2001). [Reconstruction of the exposure to asbestos in cases of pleural mesothelioma in Mexico] [Letter]. *Salud Publica Mex.* 43: 263-265.
- Aguilar Madrid, G; Beaudry, M; Bell, W; Bowes, D; Brophy, J; Burdorf, A; Carlsten, C; Castleman, B; Chaturvedi, S; Conti, ME; Corra, L; Corrêa Filho, HR; Cranor, CF; Cullen, E; Dalvie, A; Dickson, RC; Digon, A; Egilman, D; Eisner Falvo, C; Fischer, E; Frank, AL; Frank, E; Gee, D; Giannasi, F; Goldstein, BD; Greenberg, M; Guidotti, TL; Harris, WA; Hindry, M; Houlson, A; Hu, H; Huff, J; Infante, PF; Thambyappa, J; Juarez Perez, CA; Jeebhay, MF; Joshi, TK; Keith, M; Keyserlingk, J. R.; Khatler, K; King, D; Kodeih, N; Kristensen, J; Kulsomboon, V; Landrigan, PJ; Lee, CW; Leigh, J; Lemen, RA; Lippman, A; London, L; Matzopoulos, R; Mcculloch, J; Mcdiarmid, MA; Mehrdad, R; Mirabelli, D; Moshhammer, H; Notebaert, É; Nycz, Z; Oberta, AF; O'Connor, J; O'Neill, R; Orris, P; Ozonoff, D; Paek, D; Rickard, C; Rodriguez, EJ; Sass, J; Sentes, KE; Simpson, IM; Soffritti, M; Soskolne, CL; Sparling, SP; Spiegel, J; Takahashi, K; Takaro, TK; Terracini, B; Thébaud-Mony, A; Trosic, I; Turcotte, F; Vakil, C; Van Der Walt, A; Waterman, YR; Watterson, A; Wegman, DH; Welch, LS; Weiss, SH; Winston, R; Yassi, A. (2013). Statement in response to asbestos industry efforts to prevent a ban on asbestos in Pakistan: chrysotile asbestos use is not safe and must be banned [Letter]. *Arch Environ Occup Health.* 68: 243-249. <http://dx.doi.org/10.1080/19338244.2013.780807>.
- Aguilar-Madrid, G; Juárez-Pérez, CA; Markowitz, S; Hernández-Avila, M; Sanchez Roman, FR; Vázquez Grameix, JH. (2003). Globalization and the transfer of hazardous industry: asbestos in Mexico, 1979-2000. *Int J Occup Environ Health.* 9: 272-279. <http://dx.doi.org/10.1179/oeh.2003.9.3.272>.
- Aguilar-Madrid, G; Robles-Perez, E; Arturo Juarez-Perez, C; Alvarado-Cabrero, I; Gerardo Rico-Mendez, F; Javier, KG. (2010). Case-Control Study of Pleural Mesothelioma in Workers With Social Security in Mexico. *Am J Ind Med.* 53: 241-251. <http://dx.doi.org/10.1002/ajim.20780>.
- Ahmad, I; Siddiqui, H; Akhtar, MJ; Khan, MI; Patil, G; Ashquin, M; Patel, DK; Arif, JM. (2011). Toxic responses in primary rat hepatocytes exposed with occupational dust collected from work environment of bone-based industrial unit. *Chemosphere.* 83: 455-460. <http://dx.doi.org/10.1016/j.chemosphere.2010.12.074>.
- Ahmad, M; Bajahlan, AS. (2009). Quality comparison of tap water vs. bottled water in the industrial city of Yanbu (Saudi Arabia). *Environ Monit Assess.* 159: 1-14. <http://dx.doi.org/10.1007/s10661-008-0608-8>.
- Ahmed, AF; Hoa, SV. (2012). Thermal insulation by heat resistant polymers for solid rocket motor insulation. *Journal of Composite Materials.* 46: 1549-1559. <http://dx.doi.org/10.1177/0021998311418850>.
- Ahmed, AH; Gharib, ME; Arai, S. (2012). Characterization of the thermally metamorphosed mantle-crust transition zone of the Neoproterozoic ophiolite at Gebel Mudarjaj, south Eastern Desert, Egypt. *Lithos.* 142: 67-83. <http://dx.doi.org/10.1016/j.lithos.2012.02.014>.
- Ahmed, AK; Macleod, DF; Carmody, J. (1972). Control for Asbestos. *Environment.* 14: 16-29.
- Ahn, JH; Buseck, PR. (1991). MICROSTRUCTURES AND FIBER-FORMATION MECHANISMS OF CROCIDOLITE ASBESTOS. *Am Mineral.* 76: 1467-1478.
- Ahn, JH; Cho, M; Jenkins, DM; Buseck, PR. (1991). STRUCTURAL DEFECTS IN SYNTHETIC TREMOLITIC AMPHIBOLES. *Am Mineral.* 76: 1811-1823.
- Ahn, YS; Kang, SK. (2009). Asbestos-related occupational cancers compensated under the Industrial Accident Compensation Insurance in Korea. *Ind Health.* 47: 113-122.
- Ahrenholz, SH. (1986). Health Hazard Evaluation Report No. HETA-84-483-1669, National Aluminum Rolling Division, Salisbury, North Carolina (pp. 84-483). (NIOSH/00163101). Ahrenholz, SH.
- Ahrenholz, SH. (1988). Health Hazard Evaluation Report No. HETA-86-422-1891, City of Ames Municipal Power Plant, Ames, Iowa (pp. 86-422). (NIOSH/00181807). Ahrenholz, SH.
- Ahrenholz, SH; Bochnak, PM; Goldoft, M. (1989). Health Hazard Evaluation Report No. HETA-86-231-1954, Reade Manufacturing Company, Lakehurst, New Jersey (pp. 86-231). (NIOSH/00188717). Ahrenholz, SH; Bochnak, PM; Goldoft, M.
- Ahrenholz, SH; Lipscomb, J. (1983). Health Hazard Evaluation Report, No. HETA-82-96-1259, Kaiser Aluminum and Chemical Corporation, Ravenswood, West Virginia (pp. 19831983). (NIOSH/00127796). Ahrenholz, SH; Lipscomb, J.
- Ahrens, W; Jöckel, KH; Brochard, P; Bolm-Audorff, U; Grossgarten, K; Iwatsubo, Y; Orłowski, E; Pohlabein, H; Berrino, F. (1993). Retrospective assessment of asbestos exposure--I. Case-control analysis in a study of lung cancer: efficiency of job-specific questionnaires and job exposure matrices. *Int J Epidemiol.* 22 Suppl 2: S83-S95.
- Ahrens, W; Jockel, KH; Patzak, W; Elsner, G. (1991). ALCOHOL, SMOKING, AND OCCUPATIONAL FACTORS IN CANCER OF THE LARYNX - A CASE-CONTROL STUDY. *Am J Ind Med.* 20: 477-493.
- AIHA-ACGIH. (1975). RECOMMENDED PROCEDURES FOR SAMPLING AND COUNTING ASBESTOS FIBERS (pp. 83-90; 1975). (HMT/75/0003199). AIHA-ACGIH.
- Aiso, S; Yamazaki, K; Umeda, Y; Asakura, M; Kasai, T; Takaya, M; Toya, T; Koda, S; Nagano, K; Arito, H; Fukushima, S. (2010). Pulmonary Toxicity of Intratracheally Instilled Multiwall Carbon Nanotubes in Male Fischer 344 Rats. *Ind Health.* 48: 783-795.
- Aitcin, PC; Cossette, M. (1979). LIGHTWEIGHT CONCRETES WITH AGGREGATES MADE FROM ASBESTOS MINE TAILINGS. 72: 95-96.
- Aitcin, PC; Delvaux, P; Bradt, RC. (1981). ELASTIC PROPERTIES OF ASBESTOS FIBER-CEMENT COMPOSITES. *American Ceramic Society Bulletin.* 60: 388-388.
- Aitio, A. (2008). Research needs for environmental health risk assessment. *J Toxicol Environ Health A.* 71: 1254-1258. <http://dx.doi.org/10.1080/15287390802211786>.

Fate Literature Search Results

Off Topic

- Akai, J; Nomura, N, ao; Matsushita, S; Kudo, H; Fukuhara, H; Matsuoka, S; Matsumoto, J. (2013). Mineralogical and geomicrobial examination of soil contamination by radioactive Cs due to 2011 Fukushima Daiichi Nuclear Power Plant accident. *Phys Chem Earth*. 58-60: 57-67. <http://dx.doi.org/10.1016/j.pce.2013.04.010>.
- Akers, SAS; Garrett, GG. (1983). FIBER MATRIX INTERFACE EFFECTS IN ASBESTOS CEMENT COMPOSITES. *Journal of Materials Science*. 18: 2200-2208.
- Akers, SAS; Garrett, GG. (1983). OBSERVATIONS AND PREDICTIONS OF FRACTURE IN ASBESTOS CEMENT COMPOSITES. *Journal of Materials Science*. 18: 2209-2214.
- Akiska, S; Demirela, G; Sayili, SI. (2013). Geology, mineralogy and the Pb, S isotope study of the Kalkim Pb-Zn +/- Cu deposits, Biga Peninsula, NW Turkey. *Journal of Geosciences*. 58: 379-396. <http://dx.doi.org/10.3190/jgeosci.154>.
- Akkersdijk, H; Bremmer, CF; Schlizka, C; Spee, T. (1989). Effect of respiratory protective equipment on exposure to asbestos fibres during removal of asbestos insulation. *Ann Occup Hyg*. 33: 113-116.
- Akkurt, I; Onal, B; Demir, AU; Tüzün, D; Sabir, H; Ulusoy, L; Karadağ, KO; Ersoy, N; Cöplü, L. (2006). Respiratory health in Turkish asbestos cement workers: the role of environmental exposure. *Am J Ind Med*. 49: 609-616. <http://dx.doi.org/10.1002/ajim.20326>.
- Al Jarad, N; Macey, M; Uthayakumar, S; Newland, AC; Rudd, RM. (1992). Lymphocyte subsets in subjects exposed to asbestos: changes in circulating natural killer cells. *Br J Ind Med*. 49: 811-814.
- Al Jarad, N; Uthayakumar, S; Buckland, EJ; Green, TS; Ord, J; Newland, AC; Rudd, RM. (1992). The histocompatibility antigen in asbestos related disease. *Br J Ind Med*. 49: 826-831.
- Alamshahi, V; Taeb, A; Ghaffarzadeh, R; Rezaee, MA. (2012). Effect of composition and length of PP and polyester fibres on mechanical properties of cement based composites. *Construction and Building Materials*. 36: 534-537. <http://dx.doi.org/10.1016/j.conbuildmat.2012.06.005>.
- Al-Barqawi, H; Zayed, T. (2006). Condition rating model for underground infrastructure sustainable water mains. *Journal of Performance of Constructed Facilities*. 20: 126-135. [http://dx.doi.org/10.1061/\(ASCE\)0887-3828\(2006\)20:2\(126\)](http://dx.doi.org/10.1061/(ASCE)0887-3828(2006)20:2(126)).
- Albedi, FM; Paoletti, L; Falchi, M; Carrieri, MP; Cassano, AM; Donelli, G. (1990). Mineral Fibers and Dusts in the Lungs of Subjects Living in an Urban Environment. *Toxicology*. 60: 1-2.
- Albers, A. (1982). Mining Surveillance Investigation. Natural Zeolites. Final Report (pp. 19821982). (NIOSH/00183523). Albers, A.
- Alberto Padron-Navarta, J; Hermann, J; Garrido, CJ; Lopez Sanchez-Vizcaino, V; Teresa Gomez-Pugnaire, M. (2010). An experimental investigation of antigorite dehydration in natural silica-enriched serpentinite. *Contributions to Mineralogy and Petrology*. 159: 25-42. <http://dx.doi.org/10.1007/s00410-009-0414-5>.
- Alberto Padron-Navarta, J; Lopez Sanchez-Vizcaino, V; Garrido, CJ; Teresa Gomez-Pugnaire, M. (2011). Metamorphic Record of High-pressure Dehydration of Antigorite Serpentinite to Chlorite Harzburgite in a Subduction Setting (Cerro del Almirez, Nevado-Filabride Complex, Southern Spain). *Journal of Petrology*. 52: 2047-2078. <http://dx.doi.org/10.1093/petrology/egr039>.
- Alberto Padron-Navarta, J; Tommasi, A; Garrido, CJ; Lopez Sanchez-Vizcaino, V; Teresa Gomez-Pugnaire, M; Jabaloy, A; Vaquez, A. (2010). Fluid transfer into the wedge controlled by high-pressure hydrofracturing in the cold top-slab mantle. *Earth Planet Sci Lett*. 297: 271-286. <http://dx.doi.org/10.1016/j.epsl.2010.06.029>.
- Albin, M; Engholm, G; Frostrom, K; Kheddache, S; Larsson, S; Swantesson, L. (1992). CHEST-X-RAY FILMS FROM CONSTRUCTION WORKERS - INTERNATIONAL-LABOR-OFFICE (ILO 1980) CLASSIFICATION COMPARED WITH ROUTINE READINGS. *Br J Ind Med*. 49: 862-868.
- Albin, M; Engholm, G; Hallin, N; Hagmar, L. (1998). Impact of exposure to insulation wool on lung function and cough in Swedish construction workers. *Occup Environ Med*. 55: 661-667.
- Albin, M; Horstmann, V; Jakobsson, K; Welinder, H. (1996). Survival in cohorts of asbestos cement workers and controls. *Occup Environ Med*. 53: 87-93.
- Albin, M; Jakobsson, K; Attewell, R; Johansson, L; Welinder, H. (1990). Mortality and cancer morbidity in cohorts of asbestos cement workers and referents. *Br J Ind Med*. 47: 602-610.
- Albin, M; Johansson, L; Pooley, FD; Jakobsson, K; Attewell, R; Mitha, R. (1990). Mineral fibres, fibrosis, and asbestos bodies in lung tissue from deceased asbestos cement workers. *Br J Ind Med*. 47: 767-774.
- Albin, M; Magnani, C; Krstev, S; Rapiti, E; Shefer, I. (1999). Asbestos and cancer: An overview of current trends in Europe [Review]. *Environ Health Perspect*. 107 Suppl 2: 289-298.
- Albin, M; Pooley, FD; Strömberg, U; Attewell, R; Mitha, R; Johansson, L; Welinder, H. (1994). Retention patterns of asbestos fibres in lung tissue among asbestos cement workers. *Occup Environ Med*. 51: 205-211.
- Albrecht, K. (1987). ASBESTOS PARTICLES AS EVIDENCE OF AN OCCUPATIONAL HAZARD RESULTING FROM EXPOSURE TO CHRYSOTILE. *Arbeitsmedizin, Sozialmedizin, Praeventivmedizin*. 22: 87-87.
- Albuquerque, ILT; Cavalcanti, EB; Vilar, EO. (2009). Mass transfer study of electrochemical processes with gas production. *Chemical Engineering and Processing: Process Intensification*. 48: 1432-1436. <http://dx.doi.org/10.1016/j.cep.2009.08.006>.
- Aldea, F; Craciun, ME; Iarca, L; Nechifor, G. (2010). DETERMINATION OF AEROSOLS POLLUTANTS ON MEMBRANES. 1. MEMBRANES PREPARATION AND CHARACTERIZATION. *Environmental Engineering and Management Journal*. 9: 1097-1103.
- Alderisio, M; Giovagnoli, MR; Cenci, M; Vecchione, A. (1996). Asbestos bodies in the sputum of workers exposed to environmental pollution. *Anticancer Res*. 16: 2965-2968.
- Aldieri, E; Fenoglio, I; Cesano, F; Gazzano, E; Gulino, G; Scarano, D; Attanasio, A; Mazzucco, G; Ghigo, D; Fubini, B. (2013). The role of iron impurities in the toxic effects exerted by short multiwalled carbon nanotubes (MWCNT) in murine alveolar macrophages. *J Toxicol Environ Health A*. 76: 1056-1071. <http://dx.doi.org/10.1080/15287394.2013.834855>.
- Alexander, B; Johnson, J; Raleigh, K; Mandel, J; Messing, R; Ramachandran, G; Adgate, J; Williams, A. (2009). Pleural Abnormalities and Community Exposure to Asbestos Contaminated Vermiculite. *Epidemiology*. 20: S88-S89.

Fate Literature Search Results

Off Topic

- Alexander, IC; Brown, RC; Jubb, GA; Pickering, P; Hoskins, JA. (1994). DURABILITY OF CERAMIC AND NOVEL MAN-MADE MINERAL FIBERS. *Environ Health Perspect.* 102: 67-71.
- Alexandre, Y. (1979). ASBESTOS CEMENT INDUSTRY AND THE ENVIRONMENT. 185: 61-62.
- Alexandrescu, L; Popa, M; Georgescu, M; Leca, M. (2013). Development of new processes intended to obtain fireproof non-asbestos textiles covered with nanodispersions based on modified polychloroprene elastomers. 64: 277-284.
- Alexandrov, M; Ichida, E; Nishimura, T; Aoki, K; Ishida, T; Hirota, R; Ikeda, T; Kawasaki, T; Kuroda, A. (2015). Development of an automated asbestos counting software based on fluorescence microscopy. *Environ Monit Assess.* 187: 4166. <http://dx.doi.org/10.1007/s10661-014-4166-y>.
- Alexopoulos, EC; Bouras, D; Dimadi, M; Serbescu, A; Bakoyannis, G; Kokkinis, FP. (2011). Comparative analysis of induced sputum and bronchoalveolar lavage fluid (BALF) profile in asbestos exposed workers. *J Occup Med Toxicol.* 6: 23. <http://dx.doi.org/10.1186/1745-6673-6-23>.
- Alfonso, HS; Fritschi, L; de Klerk, NH; Ambrosini, G; Beilby, J; Olsen, N; Musk, AW. (2005). Plasma concentrations of retinol, carotene, and vitamin E and mortality in subjects with asbestosis in a cohort exposed to crocidolite in Wittenoom, Western Australia. *J Occup Environ Med.* 47: 573-579. <http://dx.doi.org/10.1097/07.jom.0000165750.54747.27>.
- Alfonso, HS; Fritschi, L; de Klerk, NH; Ambrosini, G; Beilby, J; Olsen, N; Musk, WA. (2005). Plasma concentrations of retinol, carotene, and vitamin E and mortality in subjects with asbestosis in a cohort exposed to crocidolite in Wittenoom, WesternAustralia (vol 47, pg 573, 2005). *J Occup Environ Med.* 47: 972-972.
- Al-Ghamdi, AS. (2011). Leakage-pressure relationship and leakage detection in intermittent water distribution systems. *Journal of Water Supply: Research and Technology-AQUA.* 60: 178-183. <http://dx.doi.org/10.2166/aqua.2011.003>.
- Algranti, E; Mendonça, EM; Decapitani, EM; Freitas, JB; Silva, HC; Bussacos, MA. (2001). Non-malignant asbestos-related diseases in Brazilian asbestos-cement workers. *Am J Ind Med.* 40: 240-254.
- Algranti, E; Mendonça, EM; Hnizdo, E; De Capitani, EM; Freitas, JB; Raile, V; Bussacos, MA. (2013). Longitudinal decline in lung function in former asbestos exposed workers. *Occup Environ Med.* 70: 15-21. <http://dx.doi.org/10.1136/oemed-2012-100715>.
- Algranti, E; Saito, CA; Carneiro, AP; Moreira, B; Mendonça, EM; Bussacos, MA. (2015). The next mesothelioma wave: mortality trends and forecast to 2030 in Brazil. *Cancer Epidemiology.* 39: 687-692. <http://dx.doi.org/10.1016/j.canep.2015.08.007>.
- Ali, A; Suhail, M; Mathew, S; Shah, M; Harakeh, SM; Ahmad, S; Kazmi, Z; Alhamdan, MAR; Chaudhary, A; Damanhour, GA; Qadri, I. (2016). Nanomaterial Induced Immune Responses and Cytotoxicity [Review]. *J Nanosci Nanotechnol.* 16: 40-57. <http://dx.doi.org/10.1166/jnn.2016.10885>.
- Alies-Patin, AM; Valleron, AJ. (1985). Mortality of workers in a French asbestos cement factory 1940-82. *Br J Ind Med.* 42: 219-225.
- Alirezaei, S; Hassanzadeh, J. (2012). Geochemistry and zircon geochronology of the Permian A-type Hasanrobat granite, Sanandaj-Sirjan belt: A new record of the Gondwana break-up in Iran. *Lithos.* 151: 122-134. <http://dx.doi.org/10.1016/j.lithos.2011.11.015>.
- Aliyu, OA; Cullen, MR; Barnett, MJ; Balmes, JR; Cartmel, B; Redlich, CA; Brodtkin, CA; Barnhart, S; Rosenstock, L; Israel, L; Goodman, GE; Thornquist, MD; Omenn, GS. (2005). Evidence for excess colorectal cancer incidence among asbestos-exposed men in the Beta-Carotene and Retinol Efficacy Trial. *Am J Epidemiol.* 162: 868-878. <http://dx.doi.org/10.1093/aje/kwi285>.
- Alkaseh, JMA; Adlan, MN; Abustan, I; Aziz, HA; Hanif, A, buBM. (2013). Applying Minimum Night Flow to Estimate Water Loss Using Statistical Modeling: A Case Study in Kinta Valley, Malaysia. *Water Resources Management.* 27: 1439-1455. <http://dx.doi.org/10.1007/s11269-012-0247-2>.
- Al-Khribash, S. (2015). Genesis and mineralogical classification of Ni-laterites, Oman Mountains. *Ore Geol Rev.* 65: 199-212. <http://dx.doi.org/10.1016/j.oregeorev.2014.09.022>.
- Alkhuja, S; Miller, A; Mastellone, AJ; Markowitz, S. (2000). Malignant pleural mesothelioma presenting as spontaneous pneumothorax: a case series and review. *Am J Ind Med.* 38: 219-223.
- Allen, DE; Seyfried, WE. (2003). Compositional controls on vent fluids from ultramafic-hosted hydrothermal systems at mid-ocean ridges: An experimental study at 400 degrees C, 500 bars. *Geochim Cosmo Acta.* 67: 1531-1542. [http://dx.doi.org/10.1016/S0016-7037\(02\)01173-0](http://dx.doi.org/10.1016/S0016-7037(02)01173-0).
- Allen, EM; Alexander, BH; Maclehorse, RF; Nelson, HH; Ramachandran, G; Mandel, JH. (2015). Cancer incidence among Minnesota taconite mining industry workers. *Ann Epidemiol.* 25: 811-815. <http://dx.doi.org/10.1016/j.annepidem.2015.08.003>.
- Allen, EM; Alexander, BH; Maclehorse, RF; Nelson, HH; Ryan, AD; Ramachandran, G; Mandel, JH. (2015). Occupational exposures and lung cancer risk among Minnesota taconite mining workers. *Occup Environ Med.* 72: 633-639. <http://dx.doi.org/10.1136/oemed-2015-102825>.
- Allen, MP; Smith, RW. (1994). DISSOLUTION OF FIBROUS SILICATES IN ACID AND BUFFERED SALT-SOLUTIONS. *Miner Eng.* 7: 1527-1537.
- Allibone, AH; Windh, J; Etheridge, MA; Burton, D; Anderson, G; Edwards, PW; Miller, A; Graves, C; Fanning, CM; Wysoczanski, R. (1998). Timing relationships and structural controls on the location of Au-Cu mineralization at the Boddington gold mine, western Australia. *Econ Geol.* 93: 245-270.
- Allred, M; Campolucci, S; Falk, H; Ganguly, NK; Saiyed, HN; Shah, B. (2003). Bilateral environmental and occupational health program with India. *Int J Hyg Environ Health.* 206: 323-332. <http://dx.doi.org/10.1078/1438-4639-00228>.
- Almeida Filho, EM; Vilar, EO; Feitoza, ACO. (2011). Physical-chemical characterization and statistical modeling applied in a chlor-alkali diaphragm-cell process. *Chem Eng Res Des.* 89: 491-498. <http://dx.doi.org/10.1016/j.cherd.2010.08.007>.
- Alt, JC; Garrido, CJ; Shanks, WC, III; Turchyn, A; Alberto Padron-Navarta, J; Lopez Sanchez-Vizcaino, V; Gomez Pugnaire, MT; Marchesi, C. (2012). Recycling of water, carbon, and sulfur during subduction of serpentinites: A stable isotope study of Cerro del Almirez, Spain. *Earth Planet Sci Lett.* 327: 50-60. <http://dx.doi.org/10.1016/j.epsl.2012.01.029>.

Fate Literature Search Results

Off Topic

- Alt, JC; Schwarzenbach, EM; Frueh-Green, GL; Shanks, WC, III; Bernasconi, SM; Garrido, CJ; Crispini, L; Gaggero, L; Padron-Navarta, JA; Marchesi, C. (2013). The role of serpentinites in cycling of carbon and sulfur: Seafloor serpentinization and subduction metamorphism. *Lithos*. 178: 40-54. <http://dx.doi.org/10.1016/j.lithos.2012.12.006>.
- Alt, JC; Shanks, WC. (2006). Stable isotope compositions of serpentinite seamounts in the Mariana forearc: Serpentinization processes, fluid sources and sulfur metasomatism. *Earth Planet Sci Lett*. 242: 272-285. <http://dx.doi.org/10.1016/j.epsl.2005.11.063>.
- Alt, JC; Shanks, WC, III; Crispini, L; Gaggero, L; Schwarzenbach, EM; Frueh-Green, GL; Bernasconi, SM. (2012). Uptake of carbon and sulfur during seafloor serpentinization and the effects of subduction metamorphism in Ligurian peridotites. *Chem Geol*. 322: 268-277. <http://dx.doi.org/10.1016/j.chemgeo.2012.07.009>.
- Altherr, R; Topuz, G; Marschall, H; Zack, T; Ludwig, T. (2004). Evolution of a tourmaline-bearing lawsonite eclogite from the Elekdag area (Central Pontides, N Turkey): evidence for infiltration of slab-derived B-rich fluids during exhumation. *Contributions to Mineralogy and Petrology*. 148: 409-425. <http://dx.doi.org/10.1007/s00410-004-0611-1>.
- Altoft, RG. (1996). Demolition of the Connah's Quay coal-fired power station. *Institution of Civil Engineers Proceedings Civil Engineering*. 114: 64-72.
- Altreewilliams, S; Preston, JS. (1985). ASBESTOS AND OTHER FIBER LEVELS IN BUILDINGS. *Ann Occup Hyg*. 29: 357-363.
- Altree-Williams, S; Preston, JS. (1985). Asbestos and other fibre levels in buildings. *Ann Occup Hyg*. 29: 357-363.
- Amacher, DE; Alarif, A; Epstein, SS. (1975). The dose-dependent effects of ingested chrysotile on DNA synthesis in the gastrointestinal tract, liver, and pancreas of the rat. *Environ Res*. 10: 208-216.
- Amandus, HE; Shy, C; Wing, S; Blair, A; Heineman, EF. (1991). SILICOSIS AND LUNG-CANCER IN NORTH-CAROLINA DUSTY TRADES WORKERS. *Am J Ind Med*. 20: 57-70.
- Amandus, HE; Wheeler, R; Janković, J; Tucker, J. (1987). The morbidity and mortality of vermiculite miners and millers exposed to tremolite-actinolite: Part I. Exposure estimates. *Am J Ind Med*. 11: 1-14.
- Amaren, SG; Yawas, DS; Aku, SY. (2013). Effect of periwinkles shell particle size on the wear behavior of asbestos free brake pad. 3: 109-114. <http://dx.doi.org/10.1016/j.rinp.2013.06.004>.
- Amati, M; Tomasetti, M; Scartozzi, M; Mariotti, L; Alleva, R; Pignotti, E; Borghi, B; Valentino, M; Governa, M; Neuzil, J; Santarelli, L. (2008). Profiling tumor-associated markers for early detection of malignant mesothelioma: an epidemiologic study. *Cancer Epidemiol Biomarkers Prev*. 17: 163-170. <http://dx.doi.org/10.1158/1055-9965.EPI-07-0607>.
- Ambroise, D; Wild, P; Moulin, JJ. (2006). Update of a meta-analysis on lung cancer and welding. *Scand J Work Environ Health*. 32: 22-31.
- Ambrosini, GL; de Klerk, NH; Musk, AW; Mackerras, D. (2001). Agreement between a brief food frequency questionnaire and diet records using two statistical methods. *Public Health Nutr*. 4: 255-264. <http://dx.doi.org/10.1079/PHN200062>.
- Ambrosini, GL; Mackerras, D; de Klerk, NH; Musk, AW. (2003). Comparison of an Australian food-frequency questionnaire with diet records: implications for nutrition surveillance. *Public Health Nutr*. 6: 415-422. <http://dx.doi.org/10.1079/PHN2002434>.
- Ambrosius, S; Gundlach, H; Kieser, J. (1996). Thermal utilization of cement-bound asbestos products in cement kilns. 49: 444-&.
- Ameille, J; Brochard, P; Brechot, JM; Pascano, T; Cherin, A; Raix, A; Fredy, M; Bignon, J. (1993). Pleural thickening: a comparison of oblique chest radiographs and high-resolution computed tomography in subjects exposed to low levels of asbestos pollution. *Int Arch Occup Environ Health*. 64: 545-548.
- Ameille, J; Brochard, P; Cordier, S; Bignon, J; Rochemaure, J; Raix, A; Proteau, J. (1987). CROSS SECTIONAL SURVEY OF A POPULATION EXPOSED TO INDOOR POLLUTION BY ASBESTOS INSIDE INSULATED BUILDINGS (pp. 15-18). (BIOSIS/87/21451). Ameille, J; Brochard, P; Cordier, S; Bignon, J; Rochemaure, J; Raix, A; Proteau, J.
- Ameille, J; Matrat, M; Paris, C; Joly, N; Raffaelli, C; Brochard, P; Iwatsubo, Y; Pairon, JC; Letourneux, M. (2004). Asbestos-related pleural diseases: Dimensional criteria are not appropriate to differentiate diffuse pleural thickening from pleural plaques. *Am J Ind Med*. 45: 289-296. <http://dx.doi.org/10.1002/ajim.10341>.
- Ameille, J; Rosenberg, N; Matrat, M; Descatha, A; Mompoin, D; Hamzi, L; Atassi, C; Vasile, M; Garnier, R; Pairon, JC. (2012). Asbestos-related diseases in automobile mechanics. *Ann Occup Hyg*. 56: 55-60. <http://dx.doi.org/10.1093/annhyg/mer066>.
- Ames, DE; Franklin, JM; Froese, E. (1991). ZONATION OF HYDROTHERMAL ALTERATION AT THE SAN-ANTONIO GOLD MINE, BISSETT, MANITOBA, CANADA. *Econ Geol*. 86: 600-619.
- Amiguet, E; Van De Moortele, B; Cordier, P; Hilairt, N; Reynard, B. (2014). Deformation mechanisms and rheology of serpentines in experiments and in nature. *J Geophys Res Solid Earth*. 119: 4640-4655. <http://dx.doi.org/10.1002/2013JB010791>.
- Amre, DK; Infante-Rivard, C; Dufresne, A; Durgawale, PM; Ernst, P. (1999). Case-control study of lung cancer among sugar cane farmers in India. *Occup Environ Med*. 56: 548-552.
- Ams, BE; Jenkins, DM. (2011). Formation conditions for triple-chain silicates. *Am Mineral*. 96: 814-819. <http://dx.doi.org/10.2138/am.2011.3568>.
- Ams, BE; Jenkins, DM; Boero-Goates, J; Morcos, RM; Navrotsky, A; Bozhilov, KN. (2009). Thermochemistry of a synthetic Na-Mg-rich triple-chain silicate: Determination of thermodynamic variables. *Am Mineral*. 94: 1242-1254. <http://dx.doi.org/10.2138/am.2009.2980>.
- Anania, T. (1976). Hazard Evaluation and Technical Assistance Report No. TA-76-103, Law Building, Charlotte, North Carolina. NIOSH: 19761976.
- Anania, T; Price, J. (1977). Hazard Evaluation and Technical Assistance, Report No. TA-77-41, Vimasco Corporation, Nitro, West Virginia. NIOSH: 19771977.
- Anania, TL. (1976). Hazard Evaluation and Technical Assistance Report No. TA-76-40, National Science Foundation Building, Washington, DC (pp. 76-40). (NIOSH/00179002). Anania, TL.
- Anania, TL; Price, JH; Evans, WA. (1978). Health Hazard Evaluation Determination Report No. HHE-77-34-471, Midwest Steel Division, National Steel Corporation, Portage, Indiana (pp. 77-34). (NIOSH/00080314). Anania, TL; Price, JH; Evans, WA.
- Anastasiadou, K; Axiotis, D; Gidarakos, E. (2010). Hydrothermal conversion of chrysotile asbestos using near supercritical conditions. *J Hazard Mater*. 179: 926-932. <http://dx.doi.org/10.1016/j.jhazmat.2010.03.094>.

Fate Literature Search Results

Off Topic

- Anastasiadou, K; Gidarakos, E. (2007). Toxicity evaluation for the broad area of the asbestos mine of northern Greece. *J Hazard Mater.* 139: 9-18. <http://dx.doi.org/10.1016/j.jhazmat.2006.06.031>.
- Anbalagan, G; Sakthimurugesan, K; Balakrishnan, A; Gunasekaran, S. (2008). Structural analysis, optical absorption and EPR spectroscopic studies on chrysotile. *Appl Clay Sci.* 42: 175-179. <http://dx.doi.org/10.1016/j.clay.2008.01.011>.
- Ancona, C; Ascoli, V; Bellino, M; Benedetti, M; Bianchi, F; Bruno, C; Carboni, C; Comba, P; Conti, S; D'Ottavi, S; De Nardo, P; De Santis, M; Falleni, F; Fano, V; Fazzo, L; Forastiere, F; Iavarone, I; Leonardi, M; Marinaccio, A; Martuzzi, M; Minelli, G; Minichilli, F; Mitis, F; Musmeci, L; Pasetto, R; Piccardi, A; Pierini, A; Pirastu, R; Rago, G; Sampaolo, L; Vanacore, N; Zona, A; Grp, SW. (2010). SENTIERI Project Mortality study of residents in Italian polluted sites: evaluation of the epidemiological evidence. *Epidemiol Prev.* 34: 7-+.
- Anczkiewicz, R; Burg, JP; Villa, IM; Meier, M. (2000). Late Cretaceous blueschist metamorphism in the Indus Suture Zone, Shangla region, Pakistan Himalaya. *Tectonophysics.* 324: 111-134.
- And, AD; Mcdonald, JC. (1985). MESOTHELIOMA AND ASBESTOS FIBER TYPE. *Br J Ind Med.* 42: 567-568.
- Andersen, A; Barlow, L; Engeland, A; Kjaerheim, K; Lynge, E; Pukkala, E. (1999). Work-related cancer in the Nordic countries [Review]. *Scand J Work Environ Health.* 25: 1-116.
- Andersen, A; Glattre, E; Johansen, BV. (1993). INCIDENCE OF CANCER AMONG LIGHTHOUSE KEEPERS EXPOSED TO ASBESTOS IN DRINKING-WATER. *Am J Epidemiol.* 138: 682-687.
- Anderson, HA; Hanrahan, LP; Higgins, DN; Sarow, PG. (1992). A radiographic survey of public school building maintenance and custodial employees. *Environ Res.* 59: 159-166.
- Anderson, JL; Daniels, RD; Fleming, DA; Tseng, CY. (2012). Exposure assessment for a cohort of workers at a former uranium processing facility. *J Expo Sci Environ Epidemiol.* 22: 324-330. <http://dx.doi.org/10.1038/jes.2012.20>.
- Anderson, K. (1982). Health Hazard Evaluation Report, No. HETA-81-230-1093, Michigan State University, East Lansing, Michigan (pp. 19821982). (NIOSH/00127569). Anderson, K.
- Andersson, E; Hagberg, S; Nilsson, T; Persson, B; Wingren, G; Torén, K. (2001). A case-referent study of cancer mortality among sulfate mill workers in Sweden. *Occup Environ Med.* 58: 321-324.
- Andersson, E; Torén, K. (1995). Pleural mesotheliomas are underreported as occupational cancer in Sweden. *Am J Ind Med.* 27: 577-580.
- Andersson, E; Westberg, H; Bryngelsson, IL; Magnuson, A; Persson, B. (2012). Cancer incidence among Swedish pulp and paper mill workers: a cohort study of sulphate and sulphite mills. *Int Arch Occup Environ Health.* 86: 529-540. <http://dx.doi.org/10.1007/s00420-012-0785-1>.
- Andersson, L; Bryngelsson, I; Ngo, Y, en; Ohlson, CG; Westberg, H. (2012). Exposure Assessment and Modeling of Quartz in Swedish Iron Foundries for a Nested Case-Control Study on Lung Cancer. *J Occup Environ Hyg.* 9: 110-119. <http://dx.doi.org/10.1080/15459624.2011.645397>.
- Andersson, M; Selin, F; Järholm, B. (2016). Asbestos exposure and the risk of sinonasal cancer. *Occup Med (Lond).* 66: 326-331. <http://dx.doi.org/10.1093/ocmed/kqw018>.
- Andersson, N. (1991). TECHNOLOGICAL DISASTERS TOWARDS A PREVENTIVE STRATEGY A REVIEW [Review]. *Trop Doct.* 21: 70-81.
- Andra, SS; Makris, KC; Botsaris, G; Charisiadis, P; Kalyvas, H; Costa, CN. (2014). Evidence of arsenic release promoted by disinfection by-products within drinking-water distribution systems. *Sci Total Environ.* 472: 1145-1151. <http://dx.doi.org/10.1016/j.scitotenv.2013.11.045>.
- Andreozzi, GB; Ballirano, P; Gianfagna, A; Mazziotti-Tagliani, S; Pacella, A. (2009). Structural and spectroscopic characterization of a suite of fibrous amphiboles with high environmental and health relevance from Biancavilla (Sicily, Italy). *Am Mineral.* 94: 1333-1340. <http://dx.doi.org/10.2138/am.2009.3214>.
- Andrion, A; Colombo, A; Dacorsi, M; Mollo, F. (1982). Pleural plaques at autopsy in Turin (Italy): A study of 1019 adult subjects. *Eur J Respir Dis.* 63: 107-112.
- Andrion, A; Colombo, A; Mollo, F. (1982). Lung asbestos bodies and pleural plaques at autopsy. 12: 461-468.
- Andrion, A; Pira, E; Barocelli, MP; Mollo, F. (1983). Indicators of asbestos exposure in autopsy routine. 1. Lung asbestos bodies and occupation. *Med Lav.* 74: 35-41.
- Andrut, M; Gottschalk, M; Melzer, S; Najorka, J. (2000). Lattice vibrational modes in synthetic tremolite-Sr-tremolite and tremolite-richterite solid solutions. *Physics and Chemistry of Minerals.* 27: 301-309.
- Andujar, P; Lacourt, A; Brochard, P; Pairon, JC; Jaurand, MC; Jean, D. (2016). Five years update on relationships between malignant pleural mesothelioma and exposure to asbestos and other elongated mineral particles. *J Toxicol Environ Health B Crit Rev.* 19: 151-172. <http://dx.doi.org/10.1080/10937404.2016.1193361>.
- Angel, RJ; Frost, DJ; Ross, NL; Hemley, R. (2001). Stabilities and equations of state of dense hydrous magnesium silicates. *Phys Earth Planet In.* 127: 181-196.
- Angiboust, S; Pettke, T; De Hoog, J, anCM; Caron, B; Oncken, O. (2014). Channelized Fluid Flow and Eclogite-facies Metasomatism along the Subduction Shear Zone. *Journal of Petrology.* 55: 883-916. <http://dx.doi.org/10.1093/petrology/egu010>.
- Angrisano, EF; Iervoglini, A; Rubino, A. (1977). [Hazards involved in the working stages of a plant for the manufacture of cement-asbestos]. *Ann Ist Super Sanita.* 13: 211-221.
- Anhaeusser, CR. (1976). NATURE OF CHRYSOTILE ASBESTOS OCCURRENCES IN SOUTHERN AFRICA - REVIEW. *Econ Geol.* 71: 96-116.
- Anjilvel, L; Thurlbeck, WM. (1966). The incidence of asbestos bodies in the lungs at random necropsies in Montreal. *Can Med Assoc J.* 95: 1179-1182.
- Anon. (1973). ASBESTOS-CEMENT SLATE - FOR ROOF AND WALL COVERINGS. 7-11.
- Anon. (1973). EPA SETS FINAL EMISSION STANDARDS FOR ASBESTOS, BERYLLIUM, MERCURY. *J Air Pollut Control Assoc.* 23: 398-398.
- Anon. (1975). Background documentation of evaluation of occupational exposure to airborne asbestos [Review]. *Am Ind Hyg Assoc J.* 36: 91-103. <http://dx.doi.org/10.1080/0002889758507216>.

Fate Literature Search Results

Off Topic

- Anon. (1977). 5 ASBESTOS PRODUCTS STUDIED FOR MANUFACTURE IN CANADA. 98: 46-&.
- Anon. (1977). CORROSION-RESISTANCE OF ASBESTOS-CEMENT PIPES. 82: 152-152.
- Anon. (1977). HANDLING ASBESTOS DUSTS WITH SAFETY. 23: 41-41.
- Anon. (1978). Risks of environmental exposure to asbestos [Editorial]. Br Med J. 1: 1164-1165.
- Anon. (1978). USE OF ASBESTOS IN WATER UTILITY CONSTRUCTION. J Am Water Works Assoc. 70: 217-219.
- Anon. (1979). ASBESTOS SEALANT. 23: 14-15.
- Anon. (1979). Greater public awareness of health hazards of asbestos exposure. Public Health Rep. 94: 388-389.
- Anon. (1981). ARAMID-GLASS FABRIC REPLACES ASBESTOS. 93: 18-18.
- Anon. (1981). Electro-microscopy mineral fibre particle counting and size distribution analysis in asbestos-exposed and unexposed lungs. 1981: 118-122.
- Anon. (1981). NON-ASBESTOS GASKETING USES ACRYLIC FIBERS. 93: 24-24.
- Anon. (1981). PROTECTION OF WORKERS FROM THE RISKS DUE TO EXPOSURE TO CHEMICAL, PHYSICAL AND BIOLOGICAL AGENTS AT WORK - ASBESTOS. J Soc Occup Med. 31: 126-127.
- Anon. (1982). Criteria for the diagnosis of asbestosis and considerations in the attribution of lung cancer and mesothelioma to asbestos exposure. Prepared by the Medical Advisory Panel to the Asbestos International Association. Int Arch Occup Environ Health. 49: 357-361.
- Anon. (1982). THE WORLD BIGGEST PRODUCER OF ASBESTOS PRODUCTS OVERROLLED THROUGH AN AVALANCHE FROM LAWSUITS. 35: 677-677.
- Anon. (1983). ASBESTOS AND LUNG FIBROSIS A COMPARISON OF THE CONTENT OF ASBESTOS BODIES AND FIBRES IN THE LUNGS AND LUNG FIBROSIS IN A FINNISH SERIES OF ADULT AUTOPSIES PREPARED BY DEPT OF. (TSCATS/018140).
- Anon. (1983). ASBESTOS FIBER IN AIR SAMPLING RESULTS, CELL RENEWAL ROOM OPERATIONS, WITH COVER LETTER. (TSCATS/018816).
- Anon. (1983). ASBESTOS IN WATER-SUPPLY - A NON-PROBLEM. 87: 340-340.
- Anon. (1983). ASBESTOS INVESTIGATION OF WORKER EXPOSURE. (TSCATS/016875).
- Anon. (1983). ASBESTOS RULE REVIVES WORK PRACTICE CONCEPT. 69: 4-4.
- Anon. (1983). CONVERSION OF THE OBLIGATION TO MEASURE ASBESTOS DUST. Staub, Reinhaltung der Luft. 43: 207-207.
- Anon. (1983). TRADES AIR ASBESTOS RULE. 211: 60-61.
- Anon. (1984). ASBESTOS CONCERNS CONTINUE. 212: 11-12.
- Anon. (1984). ASBESTOS DISPOSAL PROBLEMS SIMPLY MELT AWAY. Process Engineering. 65: 11-11.
- Anon. (1984). LOWER LIMITS PROPOSED FOR ASBESTOS EXPOSURE. Chem Eng News. 62: 9-9.
- Anon. (1984). OSHA AIRS ASBESTOS RULE PROPOSAL. 212: 66-66.
- ANON. (1984). Working with asbestos in building construction and the manufacturing industry. (CIS/85/00329). ANON.
- Anon. (1985). [Industrial hygiene: dusts and fibers as hazards in the industrial milieu]. Soz Praventivmed. 30: 44-53.
- Anon. (1986). OCCUPATION CANCER STUDY ON ASBESTOS - POSSIBILITIES AND LIMITS OF EPIDEMIOLOGIC RESEARCH INTO CAUSES OF DEATH IN THE FEDERAL-REPUBLIC-OF-GERMANY. Arbeitsmedizin, Sozialmedizin, Praeventivmedizin. 21: 331-332.
- Anon. (1986). OSHA ANNOUNCES SHARP REDUCTION IN PERMISSIBLE WORKER ASBESTOS EXPOSURE. J Air Pollut Control Assoc. 36: 936-938.
- ANON. (1987). Revised text of 40 CFR Part 763: Asbestos Abatement Projects; Worker protection and eth;USA. 1987: 5618-5650.
- Anon. (1988). ASBESTOSIS, OR ASBESTOS-FIBERS IN THE ETIOLOGY OF PLEURAL-DISEASE. Arbeitsmedizin, Sozialmedizin, Praeventivmedizin. 23: 195-196.
- Anon. (1988). LUNG-CANCER AND ASBESTOS, OR ASBESTOS-FIBERS IN THE ETIOLOGY OF PLEURAL-DISEASE. Arbeitsmedizin, Sozialmedizin, Praeventivmedizin. 23: 197-197.
- Anon. (1989). READING ASBESTOS EXPOSURE FILMS. J Occup Environ Med. 31: 728-&.
- Anon. (1989). WATER PLANTS ASBESTOS INSULATION SEALED FOR SAFETY. W E M. 136: 30-31.
- Anon. (1990). ALTERATIONS IN LARYNGEAL MUCOSA AFTER EXPOSURE TO ASBESTOS - REPLY. Br J Ind Med. 47: 844-844.
- Anon. (1990). ASBESTOSIS OR PLEURAL DISEASES CAUSED BY AIRBORNE ASBESTOS. Arbeitsmedizin, Sozialmedizin, Praeventivmedizin. 25: 505-&.
- Anon. (1990). Book Reviews. Risk Anal. 10: 349-349.
- Anon. (1990). LUNG-CANCER ASSOCIATED WITH ASBESTOSIS OR WITH PLEURISY CAUSED BY ASBESTOS-DUST. Arbeitsmedizin, Sozialmedizin, Praeventivmedizin. 25: 512-512.
- Anon. (1991). ON TALC, TREMOLITE, AND TERGIVERSATION TER-GI-VER-SATE .2. TO USE SUBTERFUGES - REPLY. Br J Ind Med. 48: 358-359.
- Anon. (1991). ON THE REMOVAL OF ASBESTOS-CONTAINING MATERIALS (ACM) FROM BUILDINGS. Am Ind Hyg Assoc J. 52: A324-&.
- Anon. (1992). Health Assessment for Industrial Waste Processing, Pinedale, Fresno County, California, Region 9. CERCLIS No. CAD980736284. 50.
- Anon. (1994). ASBESTOS = FIBER = SAME RISK. American Ceramic Society Bulletin. 73: 14-14.
- Anon. (1994). COMPENSATION FOR JOB-RELATED CANCER OF THE LARYNX DUE TO ASBESTOS EXPOSURE. Staub, Reinhaltung der Luft. 54: 282-282.
- Anon. (1994). Public Health Assessment for Spickler Landfill, Spencer,. Marathon County, Wisconsin, Region 5. CERCLIS No. WID980902969. Final Report. 53.
- Anon. (1995). ASBESTOS-RELATED DISEASES - A DEADLY LEGACY. The Naval ArchitectE411-E411.
- Anon. (1995). Public Health Assessment for Blackburn and Union Privileges, Walpole, Norfolk County, Massachusetts, Region 1. CERCLIS No. MAD982191363. 78.
- Anon. (1996). Asbestos-free brake linings for winches. The Naval Architect27-27.
- Anon. (1997). Inert asbestos material used as ballast for road building in France. Mater Perform. 36: 11-11.

Fate Literature Search Results

Off Topic

- Anon. (1998). Process destroys asbestos installed fireproofing. *Chemical Engineering Progress*. 94: 16-16.
- Anon. (2000). Call for an international ban on asbestos. *Environ Res*. 83: 79-81.
- Anon. (2001). Luzenac detects asbestos, closes Quebec talc mine. 94: 32-32.
- Anon. (2002). Asbestos settlements give companies hope - Fresenius and sealed air settle asbestos suits out of court. *Chem Eng (London)*4-4.
- Anon. (2002). BHR Solutions sealing performance evaluation - asbestos replacement materials. *Industrial Lubrication & Tribology*. 54: 84-84.
- Anon. (2003). UN calls for tight controls on chemicals - DNOC, parathion, asbestos, tetraethyl and tetramethyl lead could require prior informed consent. *Chem Eng (London)*6-6.
- Anon. (2005). [Exposures to carcinogens]. (CIS/06/00362).
- Anon. (2007). Asbestos ban allows chlor-alkali use. *Chem Eng News*. 85: 29-29.
- Anon. (2007). Ultrasound and oxalic acid degrade asbestos in soil. *Chem Eng (London)*18-18.
- Anon. (2008). Remedial activities at the asbestos polluted areas in Solin and Ploce. 60: 569-569.
- Anon. (2008). W.R. Grace settles asbestos cleanup. *Chem Eng News*. 86: 30-30.
- Anon. (2015). New reports from the NIOSH health hazard evaluation program. *Int J Occup Environ Health*. 21: 180-181.
<http://dx.doi.org/10.1179/1077352515Z.000000000169>.
- Anonymous. (1965). Results of Air Samples at Johns-Manville, Textile Plant, Manville, New Jersey. (NIOSH/00105344). Anonymous.
- Anonymous. (1968). Preliminary Report Result of Air Samples at H. K. Porter Company, Middletown, Connecticut. (NIOSH/00105993). Anonymous.
- Anonymous. (1969). Environmental Asbestos: Threat or Phantom. *J Am Med Assoc*. 208.
- Anonymous. (1969). Provisional Notes for Guidance for Stripping and Fitting of Asbestos Containing Thermal Insulation Materials. (NIOSH/00000213). Anonymous.
- Anonymous. (1970). Exposure to Asbestos During Brake and Clutch Maintenance. *Ann Occup Hyg*. 13: 1-41.
- Anonymous. (1971). Airborne Asbestos (pp. 1150-1155). (NIOSH/00000191). Anonymous.
- Anonymous. (1971). Asbestos The Need for and Feasibility of Air Pollution Controls (pp. 19711971). (NIOSH/00000263). Anonymous.
- Anonymous. (1971). Determination of Magnitude of Exposure to Asbestos Fibers Associated with a Woman's Coat Containing 8 Percent Asbestos (pp. 1150-1155). (NIOSH/00000223). Anonymous.
- Anonymous. (1971). Results of U.S.P.H.S. Survey at Raybestos-Manhattan Marshville, North Carolina. 19711971: 19711971.
- Anonymous. (1972). Evaluation Of Exposure To Asbestosis In The Work Environment (pp. 1-6). (NIOSH/00136281). Anonymous.
- Anonymous. (1972). Occupational Exposure to Asbestos Criteria for a Recommended Standard (pp. 76). (NIOSH/00012192). Anonymous.
- Anonymous. (1972). U.S.P.H.S. Survey at Abex Corporation, American Brakeblok Division, Winchester, Virginia. 3: 19721972.
- Anonymous. (1973). Industrial Hygiene Survey at Johns-Manville Industrial Products Division-Textiles, Manville, New Jersey. 4: 19731973.
- Anonymous. (1973). Probable Asbestos Dust Concentrations at Construction Processes. (NIOSH/00179935). Anonymous.
- Anonymous. (1975). Current Intelligence Bulletin 5 Asbestos. Asbestos Exposure during Servicing of Motor Vehicle Brake and Clutch Assemblies (with reference package). 5: 6.
- Anonymous. (1975). Information Indicating a Potential Health Hazard for Persons Exposed to Asbestos during the Servicing of Motor Vehicle Brake and Clutch Assemblies. (NIOSH/00052026). Anonymous.
- Anonymous. (1977). Industrial Hygiene Survey Report at Asbestos Roofing Company, 8060 Armour St., San Diego, California (pp. 19771977). (NIOSH/00106171). Anonymous.
- Anonymous. (1977). Roofing Industry IN: "Information Profiles on Potential Occupational Hazards", NIOSH Contract No. 210-77-0120, October 1977, p. 316-320 (pp. 210-277). (NIOSH/00075438). Anonymous.
- Anonymous. (1979). Asbestos-Containing Materials In School Buildings: A Guidance Document (pp. 19791979). (NIOSH/00145464). Anonymous.
- Anonymous. (1979). Preliminary Study on the Possible Release of Asbestos Fibres during the Operation of Hand-Held Hair Dryers. 7: 1979.
- Anonymous. (1981). The Bay Area Asbestos Surveillance Project. Case Study Of A Community Health Screening Project January 1981 (pp. 81-2327). (NIOSH/00145550). Anonymous.
- Anonymous. (1982). Dust In The London Underground. A Report By London Transport. 17: 19821982.
- Anonymous. (1982). The Safe Asbestos Treatment Program. U: 19821982.
- Anonymous. (1983). Guidance For Controlling Friable Asbestos-Containing Materials In Buildings. 560: 5-83.
- Anonymous. (1988). National Occupational Health Survey of Mining, Asbestos Report (pp. 1988). (NIOSH/00192797). Anonymous.
- Ansari, FA; Ahmad, I; Ashquin, M; Yunus, M; Rahman, Q. (2007). Monitoring and identification of airborne asbestos in unorganized sectors, India. *Chemosphere*. 68: 716-723. <http://dx.doi.org/10.1016/j.chemosphere.2007.01.040>.
- Ansari, FA; Ashquin, M; Siddiqui, H; Ahmad, I. (2007). Asbestos fiber counts in work zone area of an asbestos-cement factory. *Journal of Sci Ind Res*. 66: 935-937.
- Ansari, FA; Ashquin, M; Siddiqui, H; Prasad, R; Khan, MI; Ahmad, I. (2010). Workplace atmospheric asbestos levels in different plants manufacturing asbestos-cement roofing sheets in India. *Atmos Pollut Res*. 1: 128-131. <http://dx.doi.org/10.5094/APR.2010.016>.
- Antao, VC; Pinheiro, GA; Wassell, JT. (2009). Asbestosis mortality in the USA: facts and predictions. *Occup Environ Med*. 66: 335-338. <http://dx.doi.org/10.1136/oem.2008.039172>.
- Antipin, VS; Savina, EA; Mitichkin, MA. (2006). Geochemistry and formation conditions of rare-metal granites with various fluorine-bearing minerals (fluorite, topaz, and cryolite). *Geochem Int*. 44: 965-975. <http://dx.doi.org/10.1134/S0016702906100028>.
- Anton-Culver, H; Culver, BD; Kurosaki, T. (1988). IMMUNE RESPONSE IN SHIPYARD WORKERS WITH X-RAY ABNORMALITIES CONSISTENT WITH ASBESTOS EXPOSURE. *Br J Ind Med*. 45: 464-468.
- Anton-Culver, H; Culver, BD; Kurosaki, T; Osann, KE. (1989). Pulmonary function and pleural plaques in asbestos-exposed shipyard workers [Abstract]. *Am J Epidemiol*. 130: 841.

Fate Literature Search Results

Off Topic

- Antonini, JM; Reasor, MJ. (1994). Effect of short-term exogenous pulmonary surfactant treatment on acute lung damage associated with the intratracheal instillation of silica. *J Toxicol Environ Health*. 43: 85-101.
- Anttila, A; Sallmen, M; Hemminki, K. (1993). CARCINOGENIC CHEMICALS IN THE OCCUPATIONAL ENVIRONMENT (pp. PREVENTION OF CANCER). (BIOSIS/93/21369). Anttila, A; Sallmen, M; Hemminki, K.
- Anttila, P; Heikkilä, P; Mäkelä, M; Schlünssen, V; Priha, E. (2009). Retrospective exposure assessment for carcinogenic agents in bitumen waterproofing industry in Finland and Denmark. *Ann Occup Hyg*. 53: 139-151. <http://dx.doi.org/10.1093/annhyg/men082>.
- Anttila, S; Karjalainen, A; Taikina-Aho, O; Kyyrönen, P; Vainio, H. (1993). Lung cancer in the lower lobe is associated with pulmonary asbestos fiber count and fiber size. *Environ Health Perspect*. 101: 166-170.
- Antwi, SO; Eckert, EC; Sabaque, CV; Leof, ER; Hawthorne, KM; Bamlet, WR; Chaffee, KG; Oberg, AL; Petersen, GM. (2015). Exposure to environmental chemicals and heavy metals, and risk of pancreatic cancer. *Cancer Causes Control*. 26: 1583-1591. <http://dx.doi.org/10.1007/s10552-015-0652-y>.
- Anwar, WA. (1993). CHEMICAL INTERACTION - ENHANCEMENT AND INHIBITION OF CLASTOGENICITY. *Environ Health Perspect*. 101: 203-206.
- Apollaro, C; Marini, L; Critelli, T; Barca, D; Bloise, A; De Rosa, R; Liberi, F; Miriello, D. (2011). Investigation of rock-to-water release and fate of major, minor, and trace elements in the metabasalt-serpentinite shallow aquifer of Mt. Reventino (CZ, Italy) by reaction path modelling. *Appl Geochem*. 26: 1722-1740. <http://dx.doi.org/10.1016/j.apgeochem.2011.04.028>.
- Appleman, N. (1985). ASBESTOS EXPOSURE. *Professional Safety*. 30: 8-9.
- Arai, S; Ishimaru, S; Mizukami, T. (2012). Methane and propane micro-inclusions in olivine in titanoclinohumite-bearing dunites from the Sanbagawa high-P metamorphic belt, Japan: Hydrocarbon activity in a subduction zone and Ti mobility. *Earth Planet Sci Lett*. 353: 1-11. <http://dx.doi.org/10.1016/j.epsl.2012.07.043>.
- Aranganathan, N; Bijwe, J. (2015). Special grade of graphite in NAO friction materials for possible replacement of copper. *Wear*. 330: 515-523. <http://dx.doi.org/10.1016/j.wear.2014.12.037>.
- Aranganathan, N; Bijwe, J; Khatri, DS. (2016). Role of combination of hexagonal boron nitride and graphite in NAO friction material. *Institution of Mechanical Engineers Proceedings Part J: Journal of Engineering Tribology*. 230: 1107-1112. <http://dx.doi.org/10.1177/1350650116629355>.
- Aranganathan, N; Mahale, V; Bijwe, J. (2016). Effects of aramid fiber concentration on the friction and wear characteristics of non-asbestos organic friction composites using standardized braking tests. *Wear*. 354-355: 69-77. <http://dx.doi.org/10.1016/j.wear.2016.03.002>.
- Araujo, SM; Scott, SD; Longstaffe, FJ. (1996). Oxygen isotope composition of alteration zones of highly metamorphosed volcanogenic massive sulfide deposits: Geco, Canada, and Palmeiropolis, Brazil. *Econ Geol*. 91: 697-712.
- Arblaster, L; Hatton, P; Howel, D; Renvoize, E; Schweiger, M; Swinburne, LM. (1995). Occupational and environmental links to mesothelioma deaths occurring in Leeds during 1971-1987. *J Publ Health Med*. 17: 297-304.
- Arce, GLA, F; Neto, TGS; Avila, I; Luna, CMR; Carvalho, JA, Jr. (2017). Leaching optimization of mining wastes with lizardite and brucite contents for use in indirect mineral carbonation through the pH swing method. *J Clean Prod*. 141: 1324-1336. <http://dx.doi.org/10.1016/j.jclepro.2016.09.204>.
- Arcof, DK. (2010). Asbestos Exposure Assessment Database. 22.
- Arduzzone, M; Vizio, C; Bozzetta, E; Pezzolato, M; Meistro, S; Dondo, A; Giorgi, I; Seghesio, A; Mirabelli, D; Capella, S; Vigliaturo, R; Belluso, E. (2014). The wild rat as sentinel animal in the environmental risk assessment of asbestos pollution: a pilot study. *Sci Total Environ*. 479-480: 31-38. <http://dx.doi.org/10.1016/j.scitotenv.2014.01.108>.
- Arenas, JP; Crocker, MJ. (2010). Recent Trends in Porous Sound-Absorbing Materials. *Sound and Vibration*. 44: 12-17.
- Arenas-Huetero, FJ; Salazar-Flores, M; Osornio-Vargas, AR. (1994). Ferruginous Bodies as Markers of Environmental Exposure to Inorganic Particles: Experience with 270 Autopsy Cases in Mexico. *Environ Res*. 64: 10-17.
- Arghir, OC; Halichidis, S; Cambrea, SC; Ruta, MV; Ciobotaru, C; Man, MA. (2014). ENVIRONMENTAL RISK FACTORS FOR LUNG CANCER IN NEVER-SMOKERS. *J Environ Prot Ecol*. 15: 348-352.
- Arhelger, R; Rödelsperger, K; Giesen, T; Sieben, J; Weitowitz, HJ. (1983). [Suitability of published measurements of asbestos dust in the work area for the evaluation of industrial medicine risk]. 33: 274-281.
- Arif, JM; Khan, SG; Ahmad, I; Joshi, LD; Rahman, Q. (1997). Effect of kerosene and its soot on the chrysotile-mediated toxicity to the rat alveolar macrophages. *Environ Res*. 72: 151-161. <http://dx.doi.org/10.1006/enrs.1996.3722>.
- Arif, JM; Khan, SG; Mahmood, N; Aslam, M; Rahman, Q. (1994). Effect of coexposure to asbestos and kerosene soot on pulmonary drug-metabolizing enzyme system. *Environ Health Perspect*. 102 Suppl 5: 181-183.
- Armbruster, T; Gnos, E. (2000). P4/n and P4nc long-range ordering in low-temperature vesuvianites. *Am Mineral*. 85: 563-569.
- Arndt, V; Bochmans, F; Hohmann, S; Naumann, C; Ponto, K; Seibt, A. (2002). Carcinogenicity of occupational cadmium and arsenic exposure - First results from the Saxonia-study. *Gefahrst Reinhalt Luft*. 62: 159-163.
- Arndt, V; Rothenbacher, D; Daniel, U; Zschenderlein, B; Schubert, S; Brenner, H. (2004). All-cause and cause specific mortality in a cohort of 20000 construction workers; results from a 10 year follow up. *Occup Environ Med*. 61: 419-425. <http://dx.doi.org/10.1136/oem.2003.008680>.
- Arocena, JM; Pawluk, S. (1991). THE NATURE AND ORIGIN OF NODULES IN PODZOLIC SOILS FROM ALBERTA. *Can J Soil Sci*. 71: 411-426.
- Aronson, MC; Stixrude, L; Davis, MK; Gannon, W; Ahilan, K. (2007). Magnetic excitations and heat capacity of fayalite, Fe₂SiO₄. *Am Mineral*. 92: 481-490. <http://dx.doi.org/10.2138/am.2007.2305>.
- Arroyo, MC; Rojo, JM. (1998). National versus international asbestos fibre counting schemes: comparison between the Spanish Interlaboratory Quality Control Programme (PICC-FA) and the Asbestos Fibre Regular Informal Counting Arrangement (AFRICA). *Ann Occup Hyg*. 42: 97-104.

Fate Literature Search Results

Off Topic

- Arroyo, MC; Rojo, JM. (2001). A proposal for harmonising laboratory performance assessment criteria in national asbestos fibre counting schemes. *Ann Occup Hyg.* 45: 447-455.
- Arsene, MA; Bilba, K; Onesippe, C; Rodier, L. (2015). Thermal and flexural properties of bagasse/cement composites. 3: 132-143. <http://dx.doi.org/10.1680/jgrma.15.00012>.
- Arsenio, AM; Dheenathayalan, P; Hanssen, R; Vreeburg, J, an; Rietveld, L. (2015). Pipe failure predictions in drinking water systems using satellite observations. *Structure & Infrastructure Engineering.* 11: 1102-1111. <http://dx.doi.org/10.1080/15732479.2014.938660>.
- Arsenio, AM; Vreeburg, J, an; Rietveld, L. (2014). Quantitative non-destructive evaluation of push-fit joints. *Urban Water Journal.* 11: 657-667. <http://dx.doi.org/10.1080/1573062X.2013.806562>.
- Arul, KJ; Holt, PF. (1977). Mesothelioma possibly due to environmental exposure to asbestos in childhood. *Int Arch Occup Environ Health.* 40: 141-143. <http://dx.doi.org/10.1007/BF00575158>.
- Arul, KJ; Holt, PF. (1980). Clearance of asbestos bodies from the lung: a personal view. *Br J Ind Med.* 37: 273-277.
- Arvanitidis, N. (1998). Northern Greece's industrial minerals: production and environmental technology developments. *J Geochem Explor.* 62: 217-227.
- Asakura, M; Sasaki, T; Sugiyama, T; Takaya, M; Koda, S; Nagano, K; Arito, H; Fukushima, S. (2010). Genotoxicity and cytotoxicity of multi-wall carbon nanotubes in cultured Chinese hamster lung cells in comparison with chrysotile A fibers. *J Occup Health.* 52: 155-166.
- Ascoli, V; Calisti, R; Carnovale-Scalzo, C; Nardi, F. (2001). Malignant pleural mesothelioma in bakers and pastry cooks. *Am J Ind Med.* 40: 371-373.
- Ascoli, V; Carnovale-Scalzo, C; Nardi, F; Efrati, C; Menegozzo, M. (2003). A one-generation cluster of malignant mesothelioma within a family reveals exposure to asbestos-contaminated jute bags in Naples, Italy. *Eur J Epidemiol.* 18: 171-174. <http://dx.doi.org/10.1023/A:1023032214444>.
- Ascoli, V; Cavone, D; Merler, E; Barbieri, PG; Romeo, L; Nardi, F; Musti, M. (2007). Mesothelioma in blood related subjects: report of 11 clusters among 1954 Italy cases and review of the literature. *Am J Ind Med.* 50: 357-369. <http://dx.doi.org/10.1002/ajim.20451>.
- Ascoli, V; Romeo, E; Carnovale Scalzo, C; Cozzi, I; Ancona, L; Cavariani, F; Balestri, A; Gasperini, L; Forastiere, F. (2014). Familial malignant mesothelioma: a population-based study in central Italy (1980-2012). *Cancer Epidemiology.* 38: 273-278. <http://dx.doi.org/10.1016/j.canep.2014.02.014>.
- Asgharian, B; Cheng, YS. (2002). The filtration of fibrous aerosols. *Aerosol Sci Technol.* 36: 10-17.
- Ashbaugh, N. (1979). Letter Explaining Chem Hazards in Starter Plant GM. (TSCATS/029211). Washington, DC. Office of Toxic Substances.
 Office of Toxic Substances.
- Ashford, NA; Castleman, B; Frank, AL; Giannasi, F; Goldman, LR; Greenberg, M; Huff, J; Joshi, KT; Ladou, J; Lemen, RA; Maltoni, C; O'Neil, R; Richter, E; Silbergeld, EK; Teitelbaum, DT; Thebaud-Mony, A; Tomatis, L; Watterson, A. (2002). The International Commission on Occupational Health (ICOH) and its influence on international organizations. *Int J Occup Environ Health.* 8: 156-162. <http://dx.doi.org/10.1179/107735202800338984>.
- Ashley, PM; Lottermoser, BG; Westaway, JM. (1998). Iron-formations and epigenetic ironstones in the Palaeoproterozoic Willyama Supergroup, Olary Domain, South Australia. *Mineralogy and Petrology.* 64: 187-218.
- Ashley, S. (1998). Easier asbestos remediation. *Mech Eng (Am Soc Mech Eng).* 120: 30-+.
- Ashworth, J. R.; Birdi, JJ; Emmett, TF. (1992). DIFFUSION IN CORONAS AROUND CLINOPYROXENE - MODELING WITH LOCAL EQUILIBRIUM AND STEADY-STATE, AND A NON-STEADY-STATE MODIFICATION TO ACCOUNT FOR ZONED ACTINOLITE-HORNBLÉNDE. *Contributions to Mineralogy and Petrology.* 109: 307-325.
- Aslam, M; Ashquin, M; Rahman, Q. (1992). In Vitro Cytotoxic Effects of Wollastonites on Rat Hepatocytes: II. Lipid Peroxidation and Glutathione Depletion. *Bull Environ Contam Toxicol.* 49: 547-554.
- Assennato, G; Biscaglia, L; De Nichilo, G; Grassi, ME; Lo Izzo, A. (2005). Late industrial development and occupational health in southern Italy. *Int J Occup Environ Health.* 11: 82-87. <http://dx.doi.org/10.1179/oe.2005.11.1.82>.
- Assima, GP; Larachi, F; Beaudoin, G; Molson, J. (2012). CO₂ Sequestration in Chrysotile Mining Residues-Implication of Watering and Passivation under Environmental Conditions. *Ind Eng Chem Res.* 51: 8726-8734. <http://dx.doi.org/10.1021/ie202693q>.
- Assima, GP; Larachi, F; Beaudoin, G; Molson, J. (2013). Dynamics of carbon dioxide uptake in chrysotile mining residues - Effect of mineralogy and liquid saturation. *Int J Greenhouse Gas Control.* 12: 124-135. <http://dx.doi.org/10.1016/j.ijggc.2012.10.001>.
- Assima, GP; Larachi, F; Molson, J; Beaudoin, G. (2014). Comparative study of five Quebec ultramafic mining residues for use in direct ambient carbon dioxide mineral sequestration. *Chem Eng J.* 245: 56-64. <http://dx.doi.org/10.1016/j.cej.2014.02.010>.
- Assima, GP; Larachi, F; Molson, J; Beaudoin, G. (2014). Impact of temperature and oxygen availability on the dynamics of ambient CO₂ mineral sequestration by nickel mining residues. *Chem Eng J.* 240: 394-403. <http://dx.doi.org/10.1016/j.cej.2013.12.010>.
- Assima, GP; Larachi, F; Molson, J; Beaudoin, G. (2014). NEW TOOLS FOR STIMULATING DISSOLUTION AND CARBONATION OF ULTRAMAFIC MINING RESIDUES. *Can J Chem Eng.* 92: 2029-2038. <http://dx.doi.org/10.1002/cjce.22066>.
- Association, BTaT. (1972). SURVEY OF PLEURAL THICKENING - ITS RELATION TO ASBESTOS EXPOSURE AND PREVIOUS PLEURAL DISEASE. *Environ Res.* 5: 142-&.
- Assuncao, J; Corn, M. (1975). EFFECTS OF MILLING ON DIAMETERS AND LENGTHS OF FIBROUS GLASS AND CHRYSOTILE ASBESTOS FIBERS. *Am Ind Hyg Assoc J.* 36: 811-819.
- Ates, G; Yildiz, T; Akyildiz, L; Topcu, F; Erturk, B. (2010). Environmental asbestos-related pleural plaque in southeast of Turkey. *Arch Environ Occup Health.* 65: 34-37. <http://dx.doi.org/10.1080/19338240903390321>.
- Atkinson, MA; O'sullivan, M; Zuber, S; Dodson, RF. (2004). Evaluation of the size and type of free particulates collected from unused asbestos-containing brake components as related to potential for respirability. *Am J Ind Med.* 46: 545-553. <http://dx.doi.org/10.1002/ajim.20097>.

Fate Literature Search Results

Off Topic

- Atkinson, MAL; Dodson, RF. (2006). Re: Evaluation of the size and type of free particulates collected from unused asbestos-containing brake components as related to potential for respirability - Response. *Am J Ind Med.* 49: 62-64. <http://dx.doi.org/10.1002/ajim.20237>.
- Atkinson, WD; Law, DV; Bromley, KJ; Inskip, HM. (2004). Mortality of employees of the United Kingdom Atomic Energy Authority, 1946-97. *Occup Environ Med.* 61: 577-585. <http://dx.doi.org/10.1136/oem.2003.012443>.
- ATSDR. (2005). Health Consultation: Gila Crossing Presbyterian Church, District 6, Gila River Indian Community, Maricopa County, Arizona. EPA Facility ID: AZD981621881. 30.
- ATSDR. (2005). Health Consultation: Results of Air Exposure Investigation, Prima Asphalt Concrete, Inc., (PAVCO), Holbrook, Suffolk County, New York. EPA Facility ID: NYD041869645. 18.
- ATSDR. (2006). Health Consultation: Review of Activity-Based Sampling on the Hancock/Ripley Trail, Former Quincy Smelter Site, Town of Ripley, Houghton County, Michigan (Included in the Torch Lake Superfund Site, EPA Facility ID: MID980901946). 34.
- ATSDR. (2011). Letter Health Consultation: Powhatan Mining Company, Woodlawn, Baltimore County, Maryland, November 14, 2011. 9.
- ATSDR. (2012). Letter Health Consultation: 1st Offsite Residence Indoor Air Sampling, Powhatan Mining Company, Woodlawn, Baltimore County, Maryland, February 23, 2012. 5.
- ATSDR. (2012). Letter Health Consultation: 2nd Offsite Residence Indoor Air Sampling, Powhatan Mining Company, Woodlawn, Baltimore County, Maryland, February 23, 2012. 5.
- ATSDR. (2012). Letter Health Consultation: 3rd Offsite Residence Indoor Air Sampling, Powhatan Mining Company, Woodlawn, Baltimore County, Maryland, March 20, 2012. 5.
- ATSDR. (2012). Letter Health Consultation: 4th Offsite Residence Indoor Air Sampling, Powhatan Mining Company, Woodlawn, Baltimore County, Maryland, March 20, 2012. 5.
- ATSDR. (2012). Letter Health Consultation: 5th Offsite Residence Indoor Air Sampling, Powhatan Mining Company, Woodlawn, Baltimore County, Maryland, March 20, 2012. 5.
- ATSDR. (2012). Letter Health Consultation: Bald Friar Quarry NOA Site, Conowingo, Maryland, December 14, 2012. 8.
- ATSDR. (2012). Letter Health Consultation: Onsite Residence Indoor Air Sampling, Powhatan Mining Company, Woodlawn, Baltimore County, Maryland, February 23, 2012. 6.
- ATSDR. (2014). Letter Health Consultation: Hunting Point on the Potomac Residential Asbestos Site, Alexandria, Virginia, December 4, 2014. 11.
- Attfeld, M; Beckett, ST. (1985). VOID-COUNTING OF ASBESTOS FIBERS - REPLY. *Ann Occup Hyg.* 29: 124-125.
- Attfeld, MD; Beckett, ST. (1983). VOID-COUNTING IN ASSESSING MEMBRANE-FILTER SAMPLES OF ASBESTOS FIBER. *Ann Occup Hyg.* 27: 273-282.
- Auerbach, O; Hammond, EC; Selikoff, IJ; Parks, VR; Kaslow, HD; Garfinkel, L. (1977). Asbestos bodies in lung parenchyma in relation to ingestion and inhalation of mineral fibers. *Environ Res.* 14: 286-304.
- Aust, AE; Cook, PM; Dodson, RF. (2011). Morphological and chemical mechanisms of elongated mineral particle toxicities [Review]. *J Toxicol Environ Health B Crit Rev.* 14: 40-75. <http://dx.doi.org/10.1080/10937404.2011.556046>.
- Auzende, AL; Daniel, I; Reynard, B; Lemaire, C; Guyot, F. (2004). High-pressure behaviour of serpentine minerals: a Raman spectroscopic study. *Physics and Chemistry of Minerals.* 31: 269-277. <http://dx.doi.org/10.1007/s00269-004-0384-0>.
- Auzende, AL; Escartin, J; Walte, NP; Guillot, S; Hirth, G; Frost, DJ. (2015). Deformation mechanisms of antigorite serpentinite at subduction zone conditions determined from experimentally and naturally deformed rocks. *Earth Planet Sci Lett.* 411: 229-240. <http://dx.doi.org/10.1016/j.epsl.2014.11.053>.
- Averroes, A; Sekiguchi, H; Sakamoto, K. (2011). Treatment of airborne asbestos and asbestos-like microfiber particles using atmospheric microwave air plasma. *J Hazard Mater.* 195: 405-413. <http://dx.doi.org/10.1016/j.jhazmat.2011.08.062>.
- Avril, J; Champeix, J. (1970). [Results of exposure to asbestos in France]. *Arch Mal Prof Med Trav Secur Soc.* 31: 197-200.
- Awad, A., AH. (2011). Airborne asbestos fibres and mesothelioma in the last 20 years in Egypt: a review. *Atmos Pollut Res.* 2: 445-451. <http://dx.doi.org/10.5094/APR.2011.051>.
- Awate, PG; Tabucanon, MT. (1993). CYCLIC MACHINE LOADING, PRODUCT ALLOCATION AND LOT SIZING IN AN ASBESTOS CEMENT SHEET FACTORY. *International Journal of Production Economics.* 29: 1-10.
- Ayer, HE. (1964). Results of Air samples at H.K. Porter Company, Charlotte, North Carolina. (NIOSH/00105820). Ayer, HE.
- Ayer, HE. (1964). Results of Air Samples H.K. Porter Company, Davidson, North Carolina. (NIOSH/00105821). Ayer, HE.
- Ayer, HE. (1964). Results of Sampling at American Asbestos Textile, Meredith, New Hampshire. (NIOSH/00105815). Ayer, HE.
- Ayer, HE; Oster, CV; Ligo, RN; Weidner, RB; Raymond, HW; Knight, RM. (1970). PUBLIC HEALTH SERVICE STUDY OF ASBESTOS PROCESSING WORKERS - PROGRESS REPORT. *Am Ind Hyg Assoc J.* 31: 26-&.
- Azari, MR; Nasermoaddeli, A; Movahadi, M; Mehrabi, Y; Hatami, H; Soori, H; Moshfegh, E; Ramazni, B. (2010). Risk assessment of lung cancer and asbestosis in workers exposed to asbestos fibers in brake shoe factory in Iran. *Ind Health.* 48: 38-42.
- Azen, SP; Niland, J; Hayward, SB; Liu, KS; Redinger, C; Porter, P. (1992). ESTIMATION OF THE COST OF ASBESTOS ABATEMENT IN PUBLIC BUILDINGS IN THE STATE OF CALIFORNIA - AN APPLICATION OF THE BOOTSTRAP. *Environmetrics.* 3: 193-209.
- Azuma, K; Uchiyama, I; Chiba, Y; Okumura, J. (2009). Mesothelioma risk and environmental exposure to asbestos: past and future trends in Japan. *Int J Occup Environ Health.* 15: 166-172. <http://dx.doi.org/10.1179/oeh.2009.15.2.166>.
- Baba, AA; Ibrahim, AS; Bale, RB; Adekola, FA; Alabi, AGF. (2015). Purification of a Nigerian talc ore by acid leaching. *Appl Clay Sci.* 114: 476-483. <http://dx.doi.org/10.1016/j.clay.2015.06.031>.
- Bach, W; Garrido, CJ; Paulick, H; Harvey, J; Rosner, M. (2004). Seawater-peridotite interactions: First insights from ODP Leg 209, MAR 15 degrees N. G-cubed. 5. <http://dx.doi.org/10.1029/2004GC000744>.
- Bach, W; Klein, F. (2009). The petrology of seafloor rodingites: Insights from geochemical reaction path modeling. *Lithos.* 112: 103-117. <http://dx.doi.org/10.1016/j.lithos.2008.10.022>.

Fate Literature Search Results

Off Topic

- Bach, W; Rosner, M; Joens, N; Rausch, S; Robinson, LF; Paulick, H; Erzinger, J. (2011). Carbonate veins trace seawater circulation during exhumation and uplift of mantle rock: Results from ODP Leg 209. *Earth Planet Sci Lett.* 311: 242-252. <http://dx.doi.org/10.1016/j.epsl.2011.09.021>.
- Bachinski, DJ. (1978). SULFUR ISOTOPIC COMPOSITION OF THERMALLY METAMORPHOSED CUPRIFEROUS IRON SULFIDE ORES ASSOCIATED WITH CORDIERITE-ANTHOPHYLLITE ROCKS, GULL POND, NEWFOUNDLAND. *Econ Geol.* 73: 64-72.
- Backer, LC; Grindem, CB; Corbett, WT; Cullins, L; Hunter, JL. (2001). Pet dogs as sentinels for environmental contamination. *Sci Total Environ.* 274: 161-169.
- Bacon, DW; Coomes, OT; Marsan, AA; Rowlands, N. (1986). ASSESSING POTENTIAL SOURCES OF ASBESTOS FIBERS IN WATER-SUPPLIES OF SE QUEBEC. *Water Resour Bull.* 22: 29-38.
- Baek, SC; Kim, YC; Choi, J, unHo; Hong, W, onHwa. (2016). Determination of the essential activity elements of an asbestos management system in the event of a disaster and their prioritization. *J Clean Prod.* 137: 414-426. <http://dx.doi.org/10.1016/j.jclepro.2016.07.117>.
- Baeten, J; Helsen, J; Deruyttere, A. (1980). Nature, structure, and properties of asbestos cement dust. *Br J Ind Med.* 37: 33-41.
- Bagatin, E; Neder, JA; Nery, LE; Terra-Filho, M; Kavakama, J; Castelo, A; Capelozzi, V; Sette, A; Kitamura, S; Favero, M; Moreira-Filho, DC; Tavares, R; Peres, C; Becklake, MR. (2005). Non-malignant consequences of decreasing asbestos exposure in the Brazil chrysotile mines and mills. *Occup Environ Med.* 62: 381-389. <http://dx.doi.org/10.1136/oem.2004.016188>.
- Bagchi, N. (1992). What Makes Silica Toxic? *Br J Ind Med.* 49: 163-166.
- Baghban, S; Hosseinzadeh, MR; Moayyed, M; Mokhtari, M, irAliA; Gregory, D. (2015). Geology, mineral chemistry and formation conditions of calc-silicate minerals of Astamal Fe-LREE distal skarn deposit, Eastern Azarbaijan Province, NW Iran. *Ore Geol Rev.* 68: 79-96. <http://dx.doi.org/10.1016/j.oregeorev.2014.12.016>.
- Bagioni, RP. (1975). SEPARATION OF CHRYSOTILE ASBESTOS FROM MINERALS THAT INTERFERE WITH ITS INFRARED ANALYSIS. *Environ Sci Technol.* 9: 262-263.
- Bahk, J; Choi, Y; Lim, S; Paek, D. (2013). Why some, but not all, countries have banned asbestos. *Int J Occup Environ Health.* 19: 127-135. <http://dx.doi.org/10.1179/2049396712Y.0000000011>.
- Bahramian, AR; Kokabi, M. (2009). Ablation mechanism of polymer layered silicate nanocomposite heat shield. *J Hazard Mater.* 166: 445-454. <http://dx.doi.org/10.1016/j.jhazmat.2008.11.061>.
- Bahramian, AR; Kokabi, M; Famili, MH; Beheshty, MH. (2008). High temperature ablation of kaolinite layered silicate/phenolic resin/asbestos cloth nanocomposite. *J Hazard Mater.* 150: 136-145. <http://dx.doi.org/10.1016/j.jhazmat.2007.04.104>.
- Bai, W, ei; Wu, Z; Mitra, S; Brown, JM. (2016). Effects of Multiwalled Carbon Nanotube Surface Modification and Purification on Bovine Serum Albumin Binding and Biological Responses. *Journal of Nanomaterials.* <http://dx.doi.org/10.1155/2016/2159537>.
- Bai, Z, hiMin; Yang, N, a; Guo, M, an; Li, S. (2016). Antigorite: Mineralogical characterization and friction performances. *Tribology International.* 101: 115-121. <http://dx.doi.org/10.1016/j.triboint.2016.03.036>.
- Baidya, A, buS; Paul, J; Pal, DC; Upadhyay, D. (2017). Mode of occurrences and geochemistry of amphibole in the Kolihan-Chandmari copper deposits, Rajasthan, India: insight into the ore-forming process. *Ore Geol Rev.* 80: 1092-1110. <http://dx.doi.org/10.1016/j.oregeorev.2016.08.032>.
- Baier, R; Meyer, A; Graves-Ra, D; Axelson, E; Forsberg, R; Kozak, M; Nickerson, P. (2000). The body's response to inadvertent implants: Respirable particles in lung tissues. *Journal of Adhesion.* 74: 103-124.
- Baigenzhenov, OS; Kozlov, VA; Lukanov, VA; Mishra, B; Shayahmetova, RA; Aimbetova, IO. (2015). Complex Processing of Wastes Generated in Chrysotile Asbestos Production. *Mineral Processing and Extractive Metallurgy Review.* 36: 242-248. <http://dx.doi.org/10.1080/08827508.2014.955610>.
- Bailar, JC; Ballal, SG; Boback, M; Castleman, B; Chee, HL; Cherniack, M; Christiani, D; Cicolella, A; Fernández de D'Pool, J; Egilman, D; Frank, AL; Garcia, MA; Giannasi, F; Greenberg, M; Harrison, RJ; Huff, J; Infante, P; de Souza, EJ; Joshi, TK; Kamuzora, P; Kazan-Allen, L; Kern, DG; Kromhout, H; Kuswadji, S; Ladou, J; Lemen, RA; Levenstein, C; Luethje, B; Mancini, F; Meel, BL; Mekonnen, Y; Mendes, R; Murie, F; Myers, J; O'Neill, R; Osaro, E; Paek, D; Richter, E; Robertson, E; Samuels, SW; Soskolne, CL; Stuckey, R; Teitelbaum, DT; Terracini, B; Thébaud-Mony, A; Vanhoorne, M; Wang, X; Watterson, A; Wedeen, R. (2006). FIOH-sponsored newsletter misrepresents asbestos hazards in Zimbabwe. *Int J Occup Environ Health.* 12: 254-258. <http://dx.doi.org/10.1179/oeh.2006.12.3.254>.
- Bailey, S; Conchie, A; Hiatt, DM; Thomas, C. (1988). Personal exposure to asbestos dust during clearance certification. *Ann Occup Hyg.* 32: 423-426.
- Bailey, WJ. (2001). RE: Mesothelioma and lung tumors attributable to asbestos among petroleum workers. *Am. J. Ind. Med.* 2000. 37:275-282 [Letter]. *Am J Ind Med.* 39: 513-514, 522-513; author reply 517-521.
- Bakdash, MB; Frydman, A. (1976). Asbestos in periodontal dressings: a possible health hazard. 7: 61-65.
- Baker, DB. (1991). Limitations in drawing etiologic inferences based on measurement of asbestos fibers from lung tissue [Review]. *Ann N Y Acad Sci.* 643: 61-70.
- Baker, DEL; Seccombe, PK; Collins, WJ. (2002). Structural history and timing of gold mineralization in the northern East Strelley belt, Pilbara Craton, Western Australia. *Econ Geol.* 97: 775-785.
- Baker, EL; Dagg, T; Greene, RE. (1985). RESPIRATORY ILLNESS IN THE CONSTRUCTION TRADES .1. THE SIGNIFICANCE OF ASBESTOS-ASSOCIATED PLEURAL DISEASE AMONG SHEET-METAL WORKERS. *J Occup Environ Med.* 27: 483-489.
- Baker, T. (1998). Alteration, mineralization, and fluid evolution at the Eloise Cu-Au deposit, Cloncurry District, northwest Queensland, Australia. *Econ Geol.* 93: 1213-1236.
- Baker, T; Perkins, C; Blake, KL; Williams, PJ. (2001). Radiogenic and stable isotope constraints on the genesis of the Eloise Cu-Au deposit, Cloncurry district, northwest Queensland. *Econ Geol.* 96: 723-742.
- Bakhterev, VV; Solomonov, VI. (1998). Properties of chrysotile asbestos in the temperature range 290-1230 K. *Inorg Mater.* 34: 289-292.

Fate Literature Search Results

Off Topic

- Bakke, P; Baste, V; Hanao, R; Gulsvik, A. (1992). Occupational Airborne Exposure of the General Population of a Norwegian County (pp. 44-51). (ISSN 0355-3140; EISSN 1795-990X; NIOSH/00206720). Bakke, P; Baste, V; Hanao, R; Gulsvik, A.
- Bakke, P; Gulsvik, A; Eide, GE; Hanao, R. (1990). Smoking habits and lifetime occupational exposure to gases or dusts, including asbestos and quartz, in a Norwegian community. *Scand J Work Environ Health*. 16: 195-202.
- Bakke, PS; Hanao, R; Gulsvik, A. (2001). Relation of occupational exposure to respiratory symptoms and asthma in a general population sample: self-reported versus interview-based exposure data. *Am J Epidemiol*. 154: 477-483.
- Bakry, M; Mousa, MO; Ali, WY. (2013). Friction and wear of friction composites reinforced by natural fibres. *Materwiss Werksttech*. 44: 21-28. <http://dx.doi.org/10.1002/mawe.201300962>.
- Balaji, MAS, ai; Kalaichelvan, K. (2012). Experimental studies of various reinforcing fibres in automotive disc brake pad on friction stability, thermal stability and wear. *International Journal of Materials and Product Technology*. 45: 132-144.
- Balaji, MAS, ai; Kalaichelvan, K. (2014). Effect of varying cashew dust and resin on friction material formulation: stability and sensitivity of mu to pressure, speed and temperature. *International Journal of Surface Science and Engineering*. 8: 327-344. <http://dx.doi.org/10.1504/IJSURFSE.2014.065837>.
- BALAKRIS.TD; Udupa, HVK; Udupa, KS; SUBRAMAN.GS. (1972). CROCIDOLITE FABRICS AS DIAPHRAGMS IN ELECTROLYTIC REDUCTION OF NITROBENZENE TO PARA AMINOPHENOL. *Chem Ing Tech*. 44: 626-&.
- Balducci, D; Valerio, F. (1986). QUALITATIVE AND QUANTITATIVE-EVALUATION OF CHRYSOTILE AND CROCIDOLITE FIBERS WITH IR-SPECTROSCOPY - APPLICATION TO ASBESTOS-CEMENT PRODUCTS. *Int J Environ Anal Chem*. 27: 315-323.
- Baldwin, CA; Beaulieu, HJ; Buchan, RM; Johnson, HH. (1982). Asbestos in Colorado schools. *Public Health Rep*. 97: 325-331.
- Baletic, N; Jakovljevic, B; Marmut, Z; Petrovic, Z; Paunovic, K. (2005). Chronic laryngitis in glassblowers. *Ind Health*. 43: 302-307.
- Bali, E; Audetat, A; Keppler, H. (2011). The mobility of U and Th in subduction zone fluids: an indicator of oxygen fugacity and fluid salinity. *Contributions to Mineralogy and Petrology*. 161: 597-613. <http://dx.doi.org/10.1007/s00410-010-0552-9>.
- Ballan, G; Del Brocco, A; Loizzo, S; Fabbri, A; Maroccia, Z; Fiorentini, C; Travaglione, S. (2014). Mode of action of fibrous amphiboles: the case of Biancavilla (Sicily, Italy) [Review]. *Ann Ist Super Sanita*. 50: 133-138. http://dx.doi.org/DOI: 10.4415/ANN_14_02_05.
- Ballaran, TB; Carpenter, MA; Domeneghetti, MC. (2001). Phase transition and mixing behaviour of the cummingtonite-grunerite solid solution. *Physics and Chemistry of Minerals*. 28: 87-101.
- Ballirano, P; Andreozzi, GB; Belardi, G. (2008). Crystal chemical and structural characterization of fibrous tremolite from Susa Valley, Italy, with comments on potential harmful effects on human health. *Am Mineral*. 93: 1349-1355. <http://dx.doi.org/10.2138/am.2008.2869>.
- Ballirano, P; Cametti, G. (2015). Crystal chemical and structural modifications of erionite fibers leached with simulated lung fluids. *Am Mineral*. 100: 1003-1012. <http://dx.doi.org/10.2138/am-2015-4922>.
- Balmes, J; Rempel, D; Alexander, M; Reiter, R; Harrison, R; Bernard, B; Benner, D; Cone, J. (1992). Hospital records as a data source for occupational disease surveillance: a feasibility study. *Am J Ind Med*. 21: 341-351.
- Balucan, RD; Dlugogorski, BZ. (2013). Thermal activation of antigorite for mineralization of CO₂. *Environ Sci Technol*. 47: 182-190. <http://dx.doi.org/10.1021/es303566z>.
- Balucan, RD; Dlugogorski, BZ; Kennedy, EM; Belova, IV; Murch, GE. (2013). Energy cost of heat activating serpentinites for CO₂ storage by mineralisation. *Int J Greenhouse Gas Control*. 17: 225-239. <http://dx.doi.org/10.1016/j.ijggc.2013.05.004>.
- Balucan, RD; Kennedy, EM; Mackie, JF; Dlugogorski, BZ. (2011). Optimization of antigorite heat pre-treatment via kinetic modeling of the dehydroxylation reaction for CO₂ mineralization. *Greenhouse Gases*. 1: 294-304. <http://dx.doi.org/10.1002/ghg.33>.
- Bamber, HA; Butterworth, R. (1970). Asbestos hazard from protective clothing. *Ann Occup Hyg*. 13: 77-79.
- Bamblin, WP. (1959). Dust Control in the Asbestos Textile Industry. *Ann Occup Hyg*. 2: 54-74.
- Banaei, A; Auvert, B; Goldberg, M; Gueguen, A; Luce, D; Goldberg, S. (2000). Future trends in mortality of French men from mesothelioma. *Occup Environ Med*. 57: 488-494.
- Band, PR; Le, ND; Fang, R; Astrakianakis, G; Bert, J; Keefe, A; Krewski, D. (2001). Cohort cancer incidence among pulp and paper mill workers in British Columbia. *Scand J Work Environ Health*. 27: 113-119.
- Band, PR; Le, ND; Fang, R; Threlfall, WJ; Astrakianakis, G; Anderson, JT; Keefe, A; Krewski, D. (1997). Cohort mortality study of pulp and paper mill workers in British Columbia, Canada. *Am J Epidemiol*. 146: 186-194.
- Bandli, BR; Gunter, ME. (2014). Scanning electron microscopy and transmitted electron backscatter diffraction examination of asbestos standard reference materials, amphibole particles of differing morphology, and particle phase discrimination from talc ores. 20: 1805-1816. <http://dx.doi.org/10.1017/S1431927614013415>.
- Banfield, JF; Bailey, SW; Barker, WW. (1994). POLYSOMATISM, POLYTPISM, DEFECT MICROSTRUCTURES, AND REACTION-MECHANISMS IN REGULARLY AND RANDOMLY INTERSTRATIFIED SERPENTINE AND CHLORITE. *Contributions to Mineralogy and Petrology*. 117: 137-150.
- Banfield, JF; Bailey, SW; Barker, WW; Smith, RC. (1995). Complex polytypism: Relationships between serpentine structural characteristics and deformation. *Am Mineral*. 80: 1116-1131.
- Banfield, JF; Barker, WW. (1994). DIRECT OBSERVATION OF REACTANT-PRODUCT INTERFACES FORMED IN NATURAL WEATHERING OF EXSOLVED, DEFECTIVE AMPHIBOLE TO SMECTITE - EVIDENCE FOR EPISODIC, ISOVOLUMETRIC REACTIONS INVOLVING STRUCTURAL INHERITANCE. *Geochim Cosmo Acta*. 58: 1419-1429.
- Bang, KM; Mazurek, JM; Wood, JM; Hendricks, SA. (2014). Diseases attributable to asbestos exposure: years of potential life lost, United States, 1999-2010. *Am J Ind Med*. 57: 38-48. <http://dx.doi.org/10.1002/ajim.22261>.
- Bang, KM; Pinheiro, GA; Wood, JM; Syamlal, G. (2006). Malignant mesothelioma mortality in the United States, 1999-2001. *Int J Occup Environ Health*. 12: 9-15. <http://dx.doi.org/10.1179/oeh.2006.12.1.9>.
- Banica, A; Breaban, IG; Paiu, M. (2016). FROM VULNERABILITY TOWARDS RESILIENCE APPROACH IN WATER DISTRIBUTION NETWORK - THE ISSUE OF ASBESTOS CEMENT PIPES. *J Environ Prot Ecol*. 17: 885-895.

Fate Literature Search Results

Off Topic

- Banks, DE. (2014). Clinical aspects of asbestos-related diseases--what are the unresolved topics? [Review]. *J Occup Environ Med.* 56 Suppl 10: S8-S12. <http://dx.doi.org/10.1097/JOM.0000000000000242>.
- Banno, Y. (2000). Intermediate high-pressure exhumation of the northern segment of the Sanbagawa belt, Saruta-gawa area, central Shikoku, Japan. *Lithos.* 50: 289-303.
- Bao, J; Yin, Y, an; Zhu, Z; Tong, M; Lu, Y; Peng, Y. (2013). Wear Modalities and Mechanisms of the Mining Non-asbestos Composite Brake Material. *Applied Composite Materials.* 20: 331-339. <http://dx.doi.org/10.1007/s10443-012-9269-4>.
- Bao, J; Zhu, Z; Tong, M; Yin, Y, an; Peng, Y. (2012). Influence of braking pressure on tribological performance of non-asbestos brake shoe for mine hoister during emergency braking. *Industrial Lubrication & Tribology.* 64: 230-236. <http://dx.doi.org/10.1108/00368791211232780>.
- Baoguo, Z; Linshuang, Z; Zhiming, D; Huizhen, N; Shuai, Y. (2012). Preparation and characterization of the Zr/CuO pyrotechnical battery. *Journal of Wuhan University of Technology--Materials Science Edition.* 27: 489-494. <http://dx.doi.org/10.1007/s11595-012-0490-7>.
- Baoguo, Z; Zhiming, D; Linshuang, Z; Shuai, Y. (2011). Preparation and Characterization of Pyrotechnical Battery. 40: 191-195.
- Barber, CM; Wiggans, RE; Fishwick, D. (2016). Estimating Lifetime Asbestos Exposure in Patients With Idiopathic Pulmonary Fibrosis [Letter]. *Ann Occup Hyg.* 60: 649-650. <http://dx.doi.org/10.1093/annhyg/mew017>.
- Barber, CM; Wiggans, RE; Young, C; Fishwick, D. (2015). UK asbestos imports and mortality due to idiopathic pulmonary fibrosis. *Occup Med (Lond).* 66: 106-111. <http://dx.doi.org/10.1093/occmed/kqv142>.
- Barbers, RG; Oishi, J. (1987). Effects of in vitro asbestos exposure on natural killer and antibody-dependent cellular cytotoxicity. *Environ Res.* 43: 217-226.
- Barbieri, PG; Merler, E; Mirabelli, D; Cavone, D; Somigliana, A. (2010). ASBESTOS FIBER BURDEN OF THE LUNGS IN PATIENTS WITH MESOTHELIOMAS WHO LIVED NEAR CEMENT-ASBESTOS FACTORIES. *Epidemiol Prev.* 34: 139-139.
- Barbieri, PG; Mirabelli, D; Somigliana, A; Cavone, D; Merler, E. (2012). Asbestos fibre burden in the lungs of patients with mesothelioma who lived near asbestos-cement factories. *Ann Occup Hyg.* 56: 660-670. <http://dx.doi.org/10.1093/annhyg/mer126>.
- Barbieri, PG; Somigliana, A; Caironi, M; Migliori, M. (2007). [The epidemiologic surveillance of malignant mesothelioma in the Lower Iseo Lake area]. *Epidemiol Prev.* 31: 16-22.
- Barbieri, PG; Somigliana, A; Girelli, R; Lombardi, S; Festa, R; Silvestri, S. (2008). [Malignant mesothelioma in garment sewing-machine workers]. *Med Lav.* 99: 187-193.
- Barbieri, PG; Somigliana, A; Girelli, R; Lombardi, S; Sarnico, M; Silvestri, S. (2016). [Pleural mesothelioma in a school teacher: asbestos exposure due to DAS paste]. *Med Lav.* 107: 141-147.
- Barbieri, PG; Somigliana, A; Lombardi, S; Girelli, R; Benvenuti, A. (2009). [Asbestos fibre lung burden and exposure indices in asbestos-cement workers]. *Med Lav.* 100: 21-28.
- Barbieri, PG; Somigliana, A; Tironi, A. (2010). [Lung asbestos fibre burden in textile workers with malignant mesothelioma]. *Med Lav.* 101: 199-206.
- Barbieri, PG; Somigliana, AB. (2016). [Not Available]. *Med Lav.* 107: 315-326.
- Barbiero, F; Giangreco, M; Pisa, FE; Negro, C; Bovenzi, M; Rosolen, V; Barbone, F. (2016). [Not Available]. *Med Lav.* 107: 307-314.
- Barbone, F; Delzell, E; Austin, H; Cole, P. (1992). A case-control study of lung cancer at a dye and resin manufacturing plant. *Am J Ind Med.* 22: 835-849.
- Barca, D; Cirrincione, R; De Vuono, E; Fiannacca, P; Ietto, F; Lo Giudice, A. (2010). The Triassic rift system in the northern Calabrian-Peloritani Orogen: evidence from basaltic dyke magmatism in the San Donato Unit. *Periodico di Mineralogia.* 79: 61-72. <http://dx.doi.org/10.2451/2010PM0010>.
- Barchowsky, A; Lannon, BM; Elmore, LC; Treadwell, MD. (1997). Increased Focal Adhesion Kinase and Urokinase-Type Plasminogen Activator Receptor-Associated Cell Signaling in Endothelial Cells Exposed to Asbestos. *Environ Health Perspect.* 105: 1131-1137.
- Bard, D; Burdett, G. (2007). Exposure of UK industrial plumbers to asbestos, Part II: Awareness and responses of plumbers to working with asbestos during a survey in parallel with personal sampling. *Ann Occup Hyg.* 51: 113-119. <http://dx.doi.org/10.1093/annhyg/mel077>.
- Bardosova, M; Romanov, SG; Torres, CMS; Gaponik, N; Eychmueller, A; Kumzerov, YA; Bendall, JS. (2008). Effect of template defects in radiative energy relaxation of CdTe nanocrystals in nanotubes of chrysotile asbestos. *Microporous and Mesoporous Materials.* 107: 212-218. <http://dx.doi.org/10.1016/j.micromeso.2007.05.035>.
- Barış, YI; Artvinli, M; Sahin, AA; Bilir, N; Kalyoncu, F; Sebastien, P. (1988). Non-occupational asbestos related chest diseases in a small Anatolian village. *Br J Ind Med.* 45: 841-842.
- Bark, LS; Moran, D; Percival, SJ. (1975). CHEMICAL CHANGES IN ASBESTOS-BASED FRICTION MATERIALS DURING PERFORMANCE - REVIEW. *Wear.* 34: 131-139.
- Barkov, AY; Martin, RF; Halkoaho, TAA; Poirier, G. (2000). The mechanism of charge compensation in Cu-Fe-PGE thiospinels from the Penikat layered intrusion, Finland. *Am Mineral.* 85: 694-697.
- Barnabe, JMC; Pandorfi, H; de Almeida, GLP; Guiselini, C; Jacob, AL. (2014). Surface temperature of materials used to cover of calf hutches. *Revista Brasileira de Engenharia Agrícola e Ambiental - Agriambi.* 18: 545-550.
- Barnes, JD; Selverstone, J; Sharp, ZD. (2006). Chlorine isotope chemistry of serpentinites from Elba, Italy, as an indicator of fluid source and subsequent tectonic history. *G-cubed.* 7. <http://dx.doi.org/10.1029/2006GC001296>.
- Barnes, JD; Sharp, ZD. (2006). A chlorine isotope study of DSDP/ODP serpentinitized ultramafic rocks: Insights into the serpentinization process. *Chem Geol.* 228: 246-265. <http://dx.doi.org/10.1016/j.chemgeo.2005.10.011>.
- Barnes, R. (1976). Asbestos spraying, an occupational and environmental hazard. *Med J Aust.* 2: 599-602.
- Barnes, R. (1986). Progression of radiographic changes in asbestos workers and ex-workers. *J Soc Occup Med.* 36: 9-12.

Fate Literature Search Results

Off Topic

- Barnes, SJ; Wells, MA; Verrall, MR. (2009). Effects of Magmatic Processes, Serpentinization, and Talc-Carbonate Alteration on Sulfide Mineralogy and Ore Textures in the Black Swan Disseminated Nickel Sulfide Deposit, Yilgarn Craton. *Econ Geol.* 104: 539-562.
- Barnett, DE; Chamberlain, CP. (1991). RELATIVE SCALES OF THERMAL INFILTRATION-DRIVEN AND FLUID INFILTRATION-DRIVEN METAMORPHISM IN FOLD NAPPES, NEW-ENGLAND, USA. *Am Mineral.* 76: 713-727.
- Barnhart, S; Keogh, J; Cullen, MR; Brodtkin, C; Liu, D; Goodman, G; Valanis, B; Glass, A; Thornquist, M; Rosenstock, L; Omenn, G; Balmes, J. (1997). The CARET asbestos-exposed cohort: baseline characteristics and comparison to other asbestos-exposed cohorts. *Am J Ind Med.* 32: 573-581. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199712\)32:6<573::AID-AJIM1>3.0.CO;2-R](http://dx.doi.org/10.1002/(SICI)1097-0274(199712)32:6<573::AID-AJIM1>3.0.CO;2-R).
- Baron, PA. (1987). OVERLOADING AND ELECTROSTATIC EFFECTS IN ASBESTOS FIBER SAMPLING. *Am Ind Hyg Assoc J.* 48: A709-A710.
- Baron, PA. (1996). Application of the thoracic sampling definition to fiber measurement. *Am Ind Hyg Assoc J.* 57: 820-824.
- Baron, PA. (2001). Measurement of airborne fibers: a review [Review]. *Ind Health.* 39: 39-50.
- Baron, PA; C-C, C; Hemenway, DR; O'Shaughnessy, P. (1994). Nonuniform Air Flow in Inlets: The Effect on Filter Deposits in the Fiber Sampling Cassette. *Am Ind Hyg Assoc J.* 55: 722-732.
- Baron, PA; Deye, GJ. (1990). ELECTROSTATIC EFFECTS IN ASBESTOS SAMPLING .2. COMPARISON OF THEORY AND EXPERIMENT. *Am Ind Hyg Assoc J.* 51: 63-69.
- Baron, PA; Deye, GJ. (1990). Electrostatic effects in asbestos sampling. I: Experimental measurements [Review]. *Am Ind Hyg Assoc J.* 51: 51-62.
- Baron, PA; Deye, GJ; Fernback, J. (1994). LENGTH SEPARATION OF FIBERS. *Aerosol Sci Technol.* 21: 179-192.
- Baron, PA; Platek, SF. (1990). NIOSH METHOD 7402-ASBESTOS FIBERS (REVISION =1) - LOW-TEMPERATURE ASHING OF FILTER SAMPLES. *Am Ind Hyg Assoc J.* 51: A730-A731.
- Baron, PA; Shulman, SA. (1987). Evaluation of the Magiscan image analyzer for asbestos fiber counting. *Am Ind Hyg Assoc J.* 48: 39-46.
- Barone-Adesi, F; Richiardi, L; Merletti, F. (2005). Population attributable risk for occupational cancer in Italy [Review]. *Int J Occup Environ Health.* 11: 23-31.
- Baronnet, A; Andreani, M; Grauby, O; Devouard, B; Nitsche, S; Chaudanson, D. (2007). Onion morphology and microstructure of polyhedral serpentine. *Am Mineral.* 92: 687-690.
- Baronnet, A; Devouard, B. (1996). Topology and crystal growth of natural chrysotile and polygonal serpentine. *J Cryst Growth.* 166: 952-960.
- Baronnet, A; Mellini, M; Devouard, B. (1994). SECTORS IN POLYGONAL SERPENTINE - A MODEL-BASED ON DISLOCATIONS. *Physics and Chemistry of Minerals.* 21: 330-343.
- Barrett, JC. (1994). Cellular and molecular mechanisms of asbestos carcinogenicity: implications for biopersistence [Review]. *Environ Health Perspect.* 102 Suppl 5: 19-23.
- Barrett, JC; Lamb, PW; Wiseman, RW. (1989). Multiple mechanisms for the carcinogenic effects of asbestos and other mineral fibers [Review]. *Environ Health Perspect.* 81: 81-89.
- Barrett, TJ; Maclean, WH; Areback, H. (2005). The Palaeoproterozoic Kristineberg VMS deposit, Skellefte district, northern Sweden. Part II: chemostratigraphy and alteration. *Miner Depos.* 40: 368-395. <http://dx.doi.org/10.1007/s00126-005-0001-2>.
- Barroetavena, MC; Teschke, K; Bates, DV. (1996). Unrecognized asbestos-induced disease. *Am J Ind Med.* 29: 183-185. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199602\)29:2<183::AID-AJIM8>3.0.CO;2-T](http://dx.doi.org/10.1002/(SICI)1097-0274(199602)29:2<183::AID-AJIM8>3.0.CO;2-T).
- Barros, LY; Neis, PD; Ferreira, NF; Pavlak, RP; Masotti, D; Matozo, LT; Sukumaran, J; De Baets, R; Ando, M. (2016). Morphological analysis of pad-disc system during braking operations. *Wear.* 352-353: 112-121. <http://dx.doi.org/10.1016/j.wear.2016.02.005>.
- Bartlett, P; Enkerlin, E. (1983). GROWTH OF THE PRAWN MACROBRACHIUM-ROSENBERGII IN ASBESTOS ASPHALT PONDS IN HARD WATER AND ON A LOW PROTEIN-DIET. *Aquaculture.* 30: 353-356.
- Bartosova, M; Glovinova, E; Povolny, D. (1997). Use of flesh-flies (Diptera, Sarcophagidae) for ecotoxicological bioindication. *Ekologia.* 16: 319-322.
- Baser, S; Duzce, O; Evyapan, F; Akdag, B; Ozkurt, S; Kiter, G. (2013). Occupational exposure and thoracic malignancies, is there a relationship? *J Occup Health.* 55: 301-306.
- Bashtannik, PI; Ovcharenko, VG; Boot, YA. (1997). Effect of combined extrusion parameters on mechanical properties of basalt fiber-reinforced plastics based on polypropylene. *Mechanics of Composite Materials.* 33: 600-603.
- Bassani, C; Cavalli, RM; Cavalcante, F; Cuomo, V; Palombo, A; Pascucci, S; Pignatti, S. (2007). Deterioration status of asbestos-cement roofing sheets assessed by analyzing hyperspectral data. *Rem Sens Environ.* 109: 361-378. <http://dx.doi.org/10.1016/j.rse.2007.01.014>.
- Bastener, H; Hublet, P; Pinto-Quezada, C. (1967). [Origin. Pollution of the general atmosphere in working places]. 58: 459-478.
- Basu, S; Fletcher, A; Shale, D; Adishes, A. (2015). Death and work: recognition of occupational association and coroner's investigation. *Occup Med (Lond).* 65: 197-201. <http://dx.doi.org/10.1093/occmed/kqv001>.
- Bateman, R; Martin, MP; Castro, A. (1992). MIXING OF CORDIERITE GRANITOID AND PYROXENE GABBRO, AND FRACTIONATION, IN THE SANTA-OLALLA TONALITE (ANDALUSIA). *Lithos.* 28: 111-131.
- Bateson, C. (1992). RESULTS OF A SURVEY DESIGNED TO DETERMINE THE SCIENTIFIC AND ECONOMIC-BENEFITS OF ASBESTOS ABATEMENT. *Am Ind Hyg Assoc J.* 53: 381-386.
- Bateson, T; Kopylev, L; Sullivan, P; Cooper, G; Vinukoor, L; De Voney, D. (2009). Evaluation of Alternative Exposure Metrics for Assessing Mortality Risk from Lung Cancer and Mesothelioma among an Occupational Cohort Exposed to Amphibole Asbestos from Vermiculite Mining Operations in Libby, Montana. *Epidemiology.* 20: S78-S79.
- Bateson, TF; Kopylev, L. (2014). Influence of exposure assessment and parameterization on exposure response. Aspects of epidemiologic cohort analysis using the Libby Amphibole asbestos worker cohort. *J Expo Sci Environ Epidemiol.* e-pub: 12-17. <http://dx.doi.org/doi:10.1038/jes.2014.3>.

Fate Literature Search Results

Off Topic

- Bath, AB; Cooke, DR; Friedman, RM; Faure, K; Kamenetsky, VS; Tosdal, RM; Berry, R, on F. (2014). Mineralization, U-Pb Geochronology, and Stable Isotope Geochemistry of the Lower Main Zone of the Lorraine Deposit, North-Central British Columbia: A Replacement-Style Alkalic Cu-Au Porphyry. *Econ Geol.* 109: 979-1004.
- Batra, P; Brown, K. (1991). Radiology in prevention and surveillance of occupational lung disease [Review]. *Occup Med: State of the Art Rev.* 6: 81-100.
- Battigelli, A; Wang, JT; Russier, J; Da Ros, T; Kostarelos, K; Al-Jamal, KT; Prato, M; Bianco, A. (2013). Ammonium and guanidinium dendron-carbon nanotubes by amidation and click chemistry and their use for siRNA delivery. *Small.* 9: 3610-3619. <http://dx.doi.org/10.1002/smll.201300264>.
- Battista, G; Belli, S; Comba, P; Fiumalbi, C; Grignoli, M; Loi, F; Orsi, D; Paredes, I. (1999). Mortality due to asbestos-related causes among railway carriage construction and repair workers. *Occup Med (Lond).* 49: 536-539.
- Battista, G; Costantini, AS; Gorini, G; Orsi, D; Paredes, I; Miceli, GB; De Vuono, G; Peccetti, V. (2007). [Mortality in a cohort of sugar refinery workers in Arezzo Province, Italy]. *Med Lav.* 98: 289-295.
- Bauge, SMY; Lavkulich, LM; Schreier, HE. (2013). Serpentine affected soils and the formation of magnesium phosphates (struvite). *Can J Soil Sci.* 93: 161-172. <http://dx.doi.org/10.4141/CJSS2012-117>.
- Baum, GL. (1986). PUBLIC AWARENESS OF THE PROBLEM OF ASBESTOS USE IN ISRAEL (pp. 5-6). (ISSN 0271-3586; EISSN 1097-0274; BIOSIS/87/09236). Baum, GL.
- Baumann, F; Carbone, M. (2016). Environmental risk of mesothelioma in the United States: An emerging concern-epidemiological issues. *J Toxicol Environ Health B Crit Rev.* 19: 231-249. <http://dx.doi.org/10.1080/10937404.2016.1195322>.
- Baumann, F; Maurizot, P; Mangeas, M; Ambrosi, JP; Douwes, J; Robineau, B. (2011). Pleural mesothelioma in New Caledonia: associations with environmental risk factors. *Environ Health Perspect.* 119: 695-700. <http://dx.doi.org/10.1289/ehp.1002862>.
- Baumeister, JL; Hausrath, EM; Olsen, AA; Tschauener, O; Adcock, CT; Metcalf, RV. (2015). Biogeochemical weathering of serpentinites: An examination of incipient dissolution affecting serpentine soil formation. *Appl Geochem.* 54: 74-84. <http://dx.doi.org/10.1016/j.apgeochem.2015.01.002>.
- Baur, X; Frank, AL; Budnik, LT; Woitowitz, HJ; Oliver, LC; Welch, LS; Landrigan, P; Lemen, R; Ramazzini, C. (2016). Collegium Ramazzini: Comments on the 2014 Helsinki consensus report on asbestos. *Am J Ind Med.* 59: 591-594. <http://dx.doi.org/10.1002/ajim.22595>.
- Baur, X; Latza, U. (2005). Non-malignant occupational respiratory diseases in Germany in comparison with those of other countries. *Int Arch Occup Environ Health.* 78: 593-602. <http://dx.doi.org/10.1007/s00420-005-0613-y>.
- Baur, X; Soskolne, CL; Lemen, RA; Schneider, J; Woitowitz, HJ; Budnik, LT. (2015). How conflicted authors undermine the World Health Organization (WHO) campaign to stop all use of asbestos: spotlight on studies showing that chrysotile is carcinogenic and facilitates other non-cancer asbestos-related diseases. *Int J Occup Environ Health.* 21: 176-179. <http://dx.doi.org/10.1179/2049396714Y.0000000105>.
- Beall, C; Corn, M; Cheng, H; Matthews, R; Delzell, E. (2007). Mortality and cancer incidence among tire manufacturing workers hired in or after 1962. *J Occup Environ Med.* 49: 680-690. <http://dx.doi.org/10.1097/JOM.0b013e318074bb30>.
- Beard, JS; Frost, BR; Fryer, P; Mccaig, A; Searle, R; Ildefonse, B; Zinin, P; Sharma, SK. (2009). Onset and Progression of Serpentinization and Magnetite Formation in Olivine-rich Troctolite from IODP Hole U1309D. *Journal of Petrology.* 50: 387-403. <http://dx.doi.org/10.1093/petrology/egp004>.
- Beard, ME; Millette, JR; Montague, N; Longo, WE; Hatfield, RL. (1996). Effect of indirect sample preparation procedures on the apparent concentration of asbestos in settled dusts - Comment. *Environ Sci Technol.* 30: 1404-1405.
- Bebout, GE; Barton, MD. (2002). Tectonic and metasomatic mixing in a high-T, subduction-zone melange - insights into the geochemical evolution of the slab-mantle interface. *Chem Geol.* 187: 79-106.
- Beck, EG; Holt, PF; Manojlovic, N. (1972). Comparison of effects on macrophage cultures of glass fibre, glass powder, and chrysotile asbestos. *Occup Environ Med.* 29: 280-286.
- Beck, EG; Schmidt, P. (1985). Epidemiological investigations of decreased employees of the asbestos cement industry in the Federal Republic of Germany. *Zentralbl Bakteriell Mikrobiol Hyg.* 181: 207-215.
- Becker, A; Kruse, CL; Patzelt, T; Overath, H. (1996). Reduction of copper loss in potable water in domestic installations by water treatment. *Mater Corros.* 47: 89-95.
- Becker, H; Herzberg, F; Schulte, A; Kolossa-Gehring, M. (2011). The carcinogenic potential of nanomaterials, their release from products and options for regulating them [Review]. *Int J Hyg Environ Health.* 214: 231-238. <http://dx.doi.org/10.1016/j.ijheh.2010.11.004>.
- Becker, N. (1999). Cancer mortality among arc welders exposed to fumes containing chromium and nickel. Results of a third follow-up: 1989-1995. *J Occup Environ Med.* 41: 294-303.
- Becker, N; Berger, J; Bolm-Audorff, U. (2001). Asbestos exposure and malignant lymphomas--a review of the epidemiological literature [Review]. *Int Arch Occup Environ Health.* 74: 459-469.
- Becker, N; Changclaude, J; Frentzelbeyme, R. (1991). RISK OF CANCER FOR ARC WELDERS IN THE FEDERAL-REPUBLIC-OF-GERMANY - RESULTS OF A 2ND FOLLOW-UP (1983-8). *Br J Ind Med.* 48: 675-683.
- Beckett, RR. (1976). ASBESTOS EXPOSURE CONTROL AT PUGET SOUND NAVAL SHIPYARD. *Environ Res.* 11: 248-260.
- Beckett, ST. (1980). THE EFFECTS OF SAMPLING PRACTICE ON THE MEASURED CONCENTRATION OF AIRBORNE ASBESTOS. *Ann Occup Hyg.* 23: 259-272.
- Beckett, ST; Gylseth, B; Krantz, S; Paris, IM; Schneider, T. (1979). EXCHANGE OF MEMBRANE-FILTER SAMPLES OF AIRBORNE ASBESTOS BETWEEN ONE UNITED-KINGDOM AND 3 SCANDINAVIAN LABORATORIES. *Scand J Work Environ Health.* 5: 42-49.
- Beckett, ST; Jarvis, JL. (1979). A study of the size distributions of airborne amosite fibres in the manufacture of asbestos insulation boards. *Ann Occup Hyg.* 22: 273-284.

Fate Literature Search Results

Off Topic

- Beckett, ST; Paris, I; Attfield, MD. (1980). THE EFFECT OF NON-ASBESTOS FIBERS AND SAMPLE FIBER DENSITY ON THE AGREEMENT BETWEEN LABORATORIES EVALUATING MEMBRANE-FILTER SAMPLES OF AIRBORNE ASBESTOS DUST. *Atmos Environ.* 14: 565-569.
- Beckett, WS. (2007). Shipyard workers and asbestos: a persistent and international problem [Editorial]. *Occup Environ Med.* 64: 639-641. <http://dx.doi.org/10.1136/oem.2006.032284>.
- Becklake, M; Toyoto, B; Stewart, M; Hansen, R; Hanley, J. (1983). LUNG GEOMETRY AS A RISK FACTOR IN THE RESPONSE TO ASBESTOS EXPOSURE - A CASE-REFERENT STUDY ON QUEBEC CHRYSOTILE WORKERS. *Scand J Work Environ Health.* 9: 70-70.
- Becklake, MR. (1994). Symptoms and pulmonary functions as measures of morbidity. *Ann Occup Hyg.* 38: 569-580, 418.
- Becklake, MR; Fournier-Massey, G; Rossiter, CE; Mcdonald, JC. (1972). Lung function in chrysotile asbestos mine and mill workers of Quebec. *Arch Environ Health.* 24: 401-409.
- Becklake, MR; Liddell, FD; Manfreda, J; Mcdonald, JC. (1979). Radiological changes after withdrawal from asbestos exposure. *Br J Ind Med.* 36: 23-28.
- Bedard, E; Hebert, R; Guilmette, C; Dostal, J. (2008). The supra-ophiolitic sedimentary cover of the Asbestos ophiolite, Quebec, Canada: First geochemical evidence of transition from oceanic to continental sediment flux. *Lithos.* 105: 239-252. <http://dx.doi.org/10.1016/j.lithos.2008.04.005>.
- Beddows, NA. (1976). FIBROUS ASBESTOS - ITS USE IN CONVERTER INDUSTRIES. *Adhesives Age.* 19: 42-44.
- Beebe-Dimmer, JL; Fryzek, JP; Yee, CL; Dalvi, TB; Garabrant, DH; Schwartz, AG; Gadgeel, S. (2016). Mesothelioma in the United States: a Surveillance, Epidemiology, and End Results (SEER)-Medicare investigation of treatment patterns and overall survival. *Clinical Epidemiology.* 8: 743-750. <http://dx.doi.org/10.2147/CLEP.S105396>.
- Beeckmans, JM. (1970). The deposition of asbestos particles in the human respiratory tract. *Int J Environ Stud.* 1: 31-34. <http://dx.doi.org/10.1080/00207237008709392>.
- Beeckmans, JM. (1970). The deposition of asbestos particles in the human respiratory tract. *Int J Environ Stud.* 1: 31-34.
- Begander, P; Mattenklott, M. (2015). Amendments to and updates of TRGS 517-harmonisation with the risk-related concept of the Committee on Hazardous Substances. *Gefahrst Reinhalt Luft.* 75: 211-215.
- Begin, NJ; Carmichael, DM. (1992). TEXTURAL AND COMPOSITIONAL RELATIONSHIPS OF CA-AMPHIBOLES IN METABASITES OF THE CAPE SMITH BELT, NORTHERN QUEBEC - IMPLICATIONS FOR A MISCIBILITY GAP AT MEDIUM PRESSURE. *Journal of Petrology.* 33: 1317-1343.
- Begin, R; Boctor, M; Bergeron, D; Cantin, A; Berthiaume, Y; Peloquin, S; Bisson, G; Lamoureux, G. (1984). Radiographic assessment of pleuropulmonary disease in asbestos workers: Posteroanterior, 4 view films, and computed tomograms of the thorax. *Br J Ind Med.* 41: 373-383.
- Bégin, R; Boileau, R; Péloquin, S. (1987). Asbestos exposure, cigarette smoking, and airflow limitation in long-term Canadian chrysotile miners and millers. *Am J Ind Med.* 11: 55-66.
- Bégin, R; Cantin, A; Berthiaume, Y; Boileau, R; Bisson, G; Lamoureux, G; Rola-Pleszczynski, M; Drapeau, G; Massé, S; Boctor, M. (1985). Clinical features to stage alveolitis in asbestos workers. *Am J Ind Med.* 8: 521-536.
- Begin, R; Gauthier, JJ; Desmeules, M; Ostiguy, G. (1993). FURTHERANCE OF INFORMATION ON ASBESTOS AND MESOTHELIOMA. *Am J Ind Med.* 24: 247-248.
- Bégin, R; Gauthier, JJ; Desmeules, M; Ostiguy, G. (1992). Work-related mesothelioma in Québec, 1967-1990. *Am J Ind Med.* 22: 531-542.
- Begin, R; Lamoureux, G; Cantin, A; Bisson, G; Masse, S. (1983). DETECTION OF ALVEOLITIS IN ASBESTOS WORKERS (pp. 8-11). (HEEP/84/09079). Begin, R; Lamoureux, G; Cantin, A; Bisson, G; Masse, S.
- Bégin, R; Ostiguy, G; Filion, R; Colman, N; Bertrand, P. (1993). Computed tomography in the early detection of asbestosis. *Br J Ind Med.* 50: 689-698.
- Begin, R; Rola-Pleszczynski, M; Sirois, P; Lemaire, I; Nadeau, D; Bureau, MA; Masse, S. (1981). Early lung events following low-dose asbestos exposure. *Environ Res.* 26: 392-401.
- Bégin, R; Sébastien, P. (1989). Excessive accumulation of asbestos fibre in the bronchoalveolar space may be a marker of individual susceptibility to developing asbestosis: experimental evidence. *Br J Ind Med.* 46: 853-855.
- Beh, EJ; Smith, DR. (2011). Real world occupational epidemiology, part 2: a visual interpretation of statistical significance. *Arch Environ Occup Health.* 66: 245-248. <http://dx.doi.org/10.1080/19338244.2011.564235>.
- Beierl, L. (1980). CENTRAL RECORDING OF EMPLOYEES ENDANGERED BY ASBESTOS DUST EXPOSURE - DUTIES, RESULTS, ANALYSES. *Staub, Reinhaltung der Luft.* 40: 187-190.
- Beigelman-Aubry, C; Ferretti, G; Mompoin, D; Ameille, J; Letourneux, M; Laurent, F. (2008). Computed tomographic atlas of benign asbestos related pathology. *Arch Mal Prof Environ.* 69: 5-23. <http://dx.doi.org/10.1016/j.admp.2008.03.020>.
- Beiler, M. (2014). Change of Downstream Navigation Lock Gates at Germany's deepest Lock Chambers. 104: 28-33.
- Beinlich, A; Mavromatis, V; Austrheim, H; Oelkers, EH. (2014). Inter-mineral Mg isotope fractionation during hydrothermal ultramafic rock alteration - Implications for the global Mg-cycle. *Earth Planet Sci Lett.* 392: 166-176. <http://dx.doi.org/10.1016/j.epsl.2014.02.028>.
- Belanger, M; Jacob, HL. (1999). Industrial minerals in Quebec: Production, major projects, and opportunities. 92: 61-66.
- Belanger, PL. (1982). Health Hazard Evaluation Report, No. HETA-81-348-1225, Public Utilities Commission, San Francisco, California. 15: 19821982.
- Belanger, PL. (1982). Health Hazards Evaluation Report, No. HETA-81-365-1083, Studio 311, Novato, California. 7: 19821982.
- Belanger, PL. (1984). Health Hazard Evaluation Report No. HETA-84-408-1522, U.S. Forest Service, Redding, California (pp. 84-408). (NIOSH/00144843). Belanger, PL.
- Belanger, PL; Coye, MJ. (1982). Health Hazard Evaluation Report, No. HETA-80-197-1215, Pacific, Gas and Electric-Geyers Facility, San Francisco, California (pp. 19821982). (NIOSH/00127560). International Programme on Chemical Safety (IPCS).

Fate Literature Search Results

Off Topic

- Belanger, PL; Coye, MJ. (1983). Health Hazard Evaluation Report No. HETA-79-129-1350, San Francisco Newspaper Agency, San Francisco, California (pp. 79-129). (NIOSH/00133420). Belanger, PL; Coye, MJ.
- Belanger, PL; Coye, MJ. (1985). Health Hazard Evaluation Report No. HETA-84-368-1624, FMC Corporation, San Jose, California (pp. 84-368). (NIOSH/00146595). Belanger, PL; Coye, MJ.
- Belanger, PL; Elesh, E. (1979). Hazard Evaluation and Technical Assistance, Report No. HHE-78-71-663, Kentile Floors, Inc., Brooklyn, New York. NIOSH: 19791979.
- Belanger, PL; Lockey, JE. (1984). Health Hazard Evaluation Report No. HETA-81-227-1408, Manville Corporation, Corona, California (pp. 81-227). (NIOSH/00149678). Belanger, PL; Lockey, JE.
- Belanger, SE; Cherry, DS; Cairns, J. (1990). FUNCTIONAL AND PATHOLOGICAL IMPAIRMENT OF JAPANESE MEDAKA (ORYZIAS-LATIPES) BY LONG-TERM ASBESTOS EXPOSURE. *Aquat Toxicol.* 17: 133-154.
- Belanger, SE; Cherry, DS; Cairns J, J. R. (1986). UPTAKE OF CHRYSOTILE ASBESTOS FIBERS ALTERS GROWTH AND REPRODUCTION OF ASIATIC CLAMS. *Can J Fish Aquat Sci.* 43: 43-52.
- Belanger, SE; Schurr, K; Allen, DJ; Gohara, AF. (1986). Effects of chrysotile asbestos on coho salmon and green sunfish: evidence of behavioral and pathological stress. *Environ Res.* 39: 74-85.
- Belhouideg, S; Lagache, M. (2014). PREDICTION OF THE EFFECTIVE PERMEABILITY COEFFICIENT IN RANDOM POROUS MEDIA USING THE FINITE ELEMENT METHOD. *Journal of Porous Media.* 17: 819-830.
- Belka, M; Lizal, F; Jedelsky, J, an; Starha, P; Druckmullerova, H; Hopke, PK; Jicha, M. (2016). Application of image analysis method to detection and counting of glass fibers from filter samples. *Aerosol Sci Technol.* 50: 353-362. <http://dx.doi.org/10.1080/02786826.2016.1151858>.
- Bellmann, B; Konig, H; Muhle, H; Pott, F. (1986). Chemical Durability of Asbestos and of Man-Made Mineral Fibres In Vivo. *J Aerosol Sci.* 17: 341-345.
- Bellmann, B; Muhle, H. (1994). Investigation of the Biodurability of Wollastonite and Xonotlite. *Environ Health Perspect.* 102: 191-195.
- Bellmann, B; Muhle, H; Kamstrup, O; Draeger, UF. (1994). Investigation on the durability of man-made vitreous fibers in rat lungs. *Environ Health Perspect.* 102 Suppl 5: 185-189.
- Bellmann, B; Muhle, H; Pott, F; Konig, H; Kloppel, H; Spurny, K. (1987). PERSISTENCE OF MAN-MADE MINERAL FIBERS (MMMMF) AND ASBESTOS IN RAT LUNGS. *Ann Occup Hyg.* 31: 693-&.
- Bello, D; Wardle, BL; Zhang, J; Yamamoto, N; Santeufemio, C; Hallock, M; Virji, MA. (2010). Characterization of exposures to nanoscale particles and fibers during solid core drilling of hybrid carbon nanotube advanced composites. *Int J Occup Environ Health.* 16: 434-450. <http://dx.doi.org/10.1179/oeh.2010.16.4.434>.
- Bell-Sakyi, L; Kohl, A; Bente, DA; Fazakerley, JK. (2012). Tick cell lines for study of Crimean-Congo hemorrhagic fever virus and other arboviruses [Review]. *Vector Borne and Zoonotic Diseases.* 12: 769-781. <http://dx.doi.org/10.1089/vbz.2011.0766>.
- Belogub, EV; Krivovichev, SV; Pekov, IV; Kuznetsov, AM; Yapaskurt, VO; Kotlyarov, VA; Chukanov, NV; Belakovskiy, DI. (2015). Nickelpicromerite, K₂Ni(SO₄)₂aEuro cent 6H(2)O, a new picromerite-group mineral from Slyudorudnik, South Urals, Russia. *Mineralogy and Petrology.* 109: 143-152. <http://dx.doi.org/10.1007/s00710-014-0360-4>.
- Below, JE; Cox, NJ; Fukagawa, NK; Hirvonen, A; Testa, JR. (2011). Factors that impact susceptibility to fiber-induced health effects. *J Toxicol Environ Health B Crit Rev.* 14: 246-266. <http://dx.doi.org/10.1080/10937404.2011.556052>.
- Belrose, JS. (2002). Reginald Aubrey Fessenden and the birth of wireless telephony. *I E E Antennas and Propagation Magazine.* 44: 38-47. <http://dx.doi.org/10.1109/MAP.2002.1003633>.
- Benarde, MA. (1991). Assessment of low level asbestos exposure in the urban environment [Review]. *Perspect Public Health.* 111: 54-56. <http://dx.doi.org/10.1177/146642409111100204>.
- Benarie, M; Bodin, D. (1979). PRESUMPTIVE IDENTIFICATION OF ASBESTOS IN URBAN AIR. *Sci Total Environ.* 12: 199-203.
- Benavides, J; Kyser, TK; Clark, AH; Stanley, C; Oates, C. (2008). Exploration guidelines for copper-rich iron oxide-copper-gold deposits in the Mantoverde area, northern Chile: the integration of host-rock molar element ratios and oxygen isotope compositions. *Geochemistry: Exploration, Environment, Analysis.* 8: 343-367.
- Bender, AP; Williams, AN; Parker, DL. (1993). Experiences of a state-sponsored notification and screening program for asbestos workers. *Am J Ind Med.* 23: 161-169.
- Benea, M; Gorea, M; Har, N. (2007). Tegular materials from Sarmizegetusa - 1. Mineralogical and physical characteristics. 37: 219-227.
- Benkó, Z; Mogessie, A; Molnár, F; Krenn, K; Poulson, SR; Hauck, S; Severson, M; Arehart, GB. (2015). Hydrothermal alteration and Cu-Ni-PGE mobilization in the charnockitic rocks of the footwall of the South Kawishiwi intrusion, Duluth Complex, USA. *Ore Geol Rev.* 67: 170-188. <http://dx.doi.org/10.1016/j.oregeorev.2014.11.010>.
- Benmokrane, B; Chekired, M; Xu, H. (1995). MONITORING BEHAVIOR OF GROUTED ANCHORS USING VIBRATING-WIRE GAUGES. 121: 466-475.
- Ben-Shlomo, R; Shanas, U. (2011). Genetic ecotoxicology of asbestos pollution in the house mouse *Mus musculus domesticus*. *Environ Sci Pollut Res Int.* 18: 1264-1269. <http://dx.doi.org/10.1007/s11356-011-0481-9>.
- Bentabol, M; Ruiz Cruz, MD. (2013). Chemistry, morphology and structural characteristics of synthetic Al-Ni and Al-Co-lizardites. *Appl Clay Sci.* 77-78: 68-78. <http://dx.doi.org/10.1016/j.clay.2013.04.001>.
- Bera, SC; Pillai, KKS; Rangan, PN; Arankale, AR; Chirmade, JH. (1989). FRICTIONAL AND WEAR PROPERTIES OF ASBESTOS SHORT FIBER FILLED PHOSPHORYLATED CNSL POLYMERS FOR AUTOMOBILE BRAKELINING APPLICATIONS. 27: 393-397.
- Berge, SR; Skyberg, K. (2003). Radiographic evidence of pulmonary fibrosis and possible etiologic factors at a nickel refinery in Norway. *J Environ Monit.* 5: 681-688. <http://dx.doi.org/10.1039/b209623b>.
- Berger, H. (1975). DEVELOPMENT OF CONTROL-SYSTEM FOR JEFFREY MINES ASBESTOS PROCESSING COMPLEX. 68: 52-59.
- Bergner, D. (1997). 20 years' development of a bipolar membrane cell for alkali chloride electrolysis from laboratory to global application. *Chem Ing Tech.* 69: 438-445.

Fate Literature Search Results

Off Topic

- Beritić, T; Kovac, S. (1985). Asbestos-related disease without asbestosis--why not pleural asbestosis? [Editorial]. *Am J Ind Med.* 8: 517-520.
- Berk, S; Yalcin, H; Dogan, OT; Epozturk, K; Akkurt, I; Seyfikli, Z. (2014). The assessment of the malignant mesothelioma cases and environmental asbestos exposure in Sivas province, Turkey. *Environ Geochem Health.* 36: 55-64. <http://dx.doi.org/10.1007/s10653-013-9518-y>.
- Berkheiser, VE. (1982). ADSORPTION OF STEARIC-ACID BY CHRYSOTILE. *Clays and Clay Minerals.* 30: 91-96.
- Berlin, J; Frumkin, H. (1988). EXPOSURE TO ASBESTOS AND THE RISK OF GASTROINTESTINAL CANCER. *Br J Ind Med.* 45: 575-575.
- Berman, DM. (1986). Asbestos and health in the Third World: the case of Brazil. *Int J Health Serv.* 16: 253-263.
- Berman, DW. (2011). Apples to apples: The origin and magnitude of differences in asbestos cancer risk estimates derived using varying protocols. *Risk Anal.* 55: 565-568. <http://dx.doi.org/10.1111/j.1539-6924.2010.01581.x>.
- Berman, DW; Case, BW. (2013). Quality of evidence must guide risk assessment of asbestos, by Lenters, V; Burdorf, A; Vermeulen, R; Stayner, L; Heederik, D [Letter]. *Ann Occup Hyg.* 57: 667-669. <http://dx.doi.org/10.1093/annhyg/met015>.
- Berman, DW; Crump, KS; Chatfield, EJ; Davis, JM; Jones, AD. (1995). The sizes, shapes, and mineralogy of asbestos structures that induce lung tumors or mesothelioma in AF/HAN rats following inhalation. *Risk Anal.* 15: 181-195.
- Berman DW, C, rump KS, C.,hatfield EJ, D.,avis JM, J.,ones AD. (1995). The sizes, shapes, and mineralogy of asbestos structures that induce lung tumors or mesothelioma in AF/HAN rats following inhalation. Erratum in *Risk Anal* 1995 Aug; 15(4):541. *Risk Anal.* 15: 181-195.
- Bernardet, C; Bonneterre, V; Bicout, D; Larabi, L; De Gaudemaris, R. (2007). Analysis of trends pathology-nuisance pairing in the french national occupational disease surveillance and prevention network (RNV3P). *Arch Mal Prof Environ.* 68: 438-444.
- Bernardo, E; Scarinci, G. (2008). Fast sinter crystallisation of waste glasses. *Advances in Applied Ceramics: Structural, Functional and Bioceramics.* 107: 344-349. <http://dx.doi.org/10.1179/174367508X289451>.
- Bernatchez, SF; Parks, PJ; Gibbons, DF. (1996). Interaction of macrophages with fibrous materials in vitro. *Biomaterials.* 17: 2077-2086.
- Bernstein, D; Gibbs, A; Pooley, F; Langer, A; Donaldson, K, en; Hoskins, J; Dunnigan, J. (2007). Misconceptions and Misuse of International Agency for Research on Cancer 'Classification of Carcinogenic Substances'. The Case of Asbestos. *Indoor Built Environ.* 16: 94-98. <http://dx.doi.org/10.1177/1420326X06076258>.
- Bernstein, DM; Mast, R; Anderson, R; Hesterberg, TW; Musselman, R; Kamstrup, O; Hadley, J. (1994). An experimental approach to the evaluation of the biopersistence of respirable synthetic fibers and minerals. *Environ Health Perspect.* 102 Suppl 5: 15-18.
- Bernstein, DM; Rossiter, CE; Grimm, HG; Rodelsperger, K; Woitowitz, HJ. (1994). LENGTH DISTRIBUTION OF ASBESTOS FIBERS AND MMVFS AT WORKPLACE AND IN INHALATION EXPERIMENTS WITH RATS. *Staub, Reinhaltung der Luft.* 54: 203-214.
- Bernstein, IL; Moteff, J. (1976). Possible asbestos hazards in clinical allergy. *J Allergy Clin Immunol.* 57: 489-492.
- Berrigan, D. (2002). Respiratory cancer and exposure to man-made vitreous fibers: a systematic review. *Am J Ind Med.* 42: 354-362. <http://dx.doi.org/10.1002/ajim.10111>.
- Berrino, F; Richiardi, L; Boffetta, P; Estève, J; Belletti, I; Raymond, L; Troschel, L; Pisani, P; Zubiri, L; Ascunce, N; Gubéran, E; Tuyns, A; Terracini, B; Merletti, F; Group, MJW. (2003). Occupation and larynx and hypopharynx cancer: A job-exposure matrix approach in an international case-control study in France, Italy, Spain and Switzerland. *Cancer Causes Control.* 14: 213-223. <http://dx.doi.org/10.1023/a:1023661206177>.
- Berry, G. (1991). Prediction of mesothelioma, lung cancer, and asbestosis in former Wittenoom asbestos workers. *Br J Ind Med.* 48: 793-802.
- Berry, G. (1992). Re: "Changing opinions and attitudes regarding asbestos and cancer 1934-1965". *Am J Ind Med.* 22: 447-448.
- Berry, G. (1994). Mortality and cancer incidence of workers exposed to chrysotile asbestos in the friction-products industry. *Ann Occup Hyg.* 38: 539-546, 413.
- Berry, G. (1995). Environmental mesothelioma incidence, time since exposure to asbestos and level of exposure. *Environmetrics.* 6: 221-228. <http://dx.doi.org/10.1002/env.3170060211>.
- Berry, G. (2002). Asbestos lung fibre analysis in the United Kingdom, 1976-96. *Ann Occup Hyg.* 46: 523-526. <http://dx.doi.org/10.1093/annhyg/mef066>.
- Berry, G; de Klerk, N; Reid, A; Ambrosini, G; Fritschi, L; Olsen, N; Merler, E; Musk, A. (2004). Malignant pleural and peritoneal mesotheliomas in former miners and millers of crocidolite at Wittenoom, Western Australia. *Occup Environ Med.* 61: e14. <http://dx.doi.org/10.1136/oem.2003.008128>.
- Berry, G; Gilson, JC; Holmes, S; Lewinsohn, HC; Roach, SA. (1979). Asbestosis: A study of dose-response relationships in an asbestos textile factory. *Occup Environ Med.* 36: 98-112. <http://dx.doi.org/10.1136/oem.36.2.98>.
- Berry, G; Liddell, FD. (2004). The interaction of asbestos and smoking in lung cancer: a modified measure of effect. *Ann Occup Hyg.* 48: 459-462. <http://dx.doi.org/10.1093/annhyg/meh023>.
- Berry, G; Newhouse, ML. (1983). Mortality of workers manufacturing friction materials using asbestos. *Occup Environ Med.* 40: 1-7.
- Berry, G; Newhouse, ML; Antonis, P. (1985). Combined effect of asbestos and smoking on mortality from lung cancer and mesothelioma in factory workers. *Br J Ind Med.* 42: 12-18.
- Berry, G; Newhouse, ML; Wagner, JC. (2000). Mortality from all cancers of asbestos factory workers in east London 1933-80. *Occup Environ Med.* 57: 782-785.
- Berry, M. (1997). Mesothelioma incidence and community asbestos exposure. *Environ Res.* 75: 34-40.
- Bertazzi, PA. (1976). [Glass fibers: exposure and risks for man]. *Med Lav.* 67: 535-550.
- Bertolotti, M; Ferrante, D; Mirabelli, D; Botta, M; Nonnato, M; Todesco, A; Terracini, B; Magnani, C. (2008). [Mortality in the cohort of the asbestos cement workers in the Eternit plant in Casale Monferrato (Italy)]. *Epidemiol Prev.* 32: 218-228.
- Besson, P; Lalanne, FX; Wang, Y; Guyot, F. (1999). Multi-parameter observation of environmental asbestos pollution at the Institut de Physique du Globe de Paris (Jussieu Campus, France). *Ann Occup Hyg.* 43: 527-541.
- Betta, PG. (1982). [Asbestos bodies in the general population of the district of Alessandria: an autoptical survey and correlation of quantitative asbestos body counts, occupation and place of residence (author's transl)]. *Med Lav.* 73: 58-64.

Fate Literature Search Results

Off Topic

- Betti, M; Neri, M; Ferrante, D; Landi, S; Biava, A; Gemignani, F; Bertolotti, M; Mirabelli, D; Padoan, M; Ugolini, D; Botta, M; Bonassi, S; Magnani, C; Dianzani, I. (2009). Pooled analysis of NAT2 genotypes as risk factors for asbestos-related malignant mesothelioma. *Int J Hyg Environ Health*. 212: 322-329. <http://dx.doi.org/10.1016/j.ijheh.2008.08.001>.
- Bevilacqua, M; Ciarapica, FE; Mazzuto, G. (2012). Analysis of injury events with fuzzy cognitive maps. *J Loss Prev Process Ind*. 25: 677-685. <http://dx.doi.org/10.1016/j.jlp.2012.02.004>.
- Bezacier, L; Reynard, B; Bass, J, ayD; Sanchez-Valle, C; Van De Moortele, B. (2010). Elasticity of antigorite, seismic detection of serpentinites, and anisotropy in subduction zones. *Earth Planet Sci Lett*. 289: 198-208. <http://dx.doi.org/10.1016/j.epsl.2009.11.009>.
- Bezacier, L; Reynard, B; Cardon, H; Montagnac, G; Bass, JD. (2013). High-pressure elasticity of serpentine and seismic properties of the hydrated mantle wedge. *J Geophys Res Solid Earth*. 118: 527-535. <http://dx.doi.org/10.1002/jgrb.50076>.
- Bezerra, EM; Joaquim, AP; Savastano, H; John, VM; Agopyan, V. (2006). The effect of different mineral additions and synthetic fiber contents on properties of cement based composites. *Cement and Concrete Composites*. 28: 555-563. <http://dx.doi.org/10.1016/j.cemconcomp.2006.02.001>.
- Bezuidenhout, JJ; Liebenberg, D; Claassens, S; Van Rensburg, L. (2013). Application of evolutionary algorithms to develop a rule set for assessing the rehabilitation status of asbestos mines in South Africa. *Environ Earth Sci*. 70: 3267-3275. <http://dx.doi.org/10.1007/s12665-013-2391-2>.
- Bhadra, S; Bhattacharya, A. (2007). The barometer tremolite plus tschermakite+2 albite=2 pargasite+8 quartz: Constraints from experimental data at unit silica activity, with application to garnet-free natural assemblages. *Am Mineral*. 92: 491-502. <http://dx.doi.org/10.2138/am.2007.2067>.
- Bhagavan, BS; Koss, LG. (1976). Secular trends in prevalence and concentration of pulmonary asbestos bodies--1940 to 1972. A necropsy study. *Arch Pathol Lab Med*. 100: 539-541.
- Bhagia, L; Vyas, JB; Shaikh, MI; Dodia, SL. (2010). Chrysotile asbestos exposure in the manufacturing of thermal insulating boards. *Environ Monit Assess*. 167: 559-564. <http://dx.doi.org/10.1007/s10661-009-1072-9>.
- Bhatta, R; Swain, N; Verma, DL; Singh, NP. (2004). Studies on feed intake and nutrient utilization of sheep under two housing systems in a semi-arid region of India. *Asian-Australas J Anim Sci*. 17: 814-819.
- Bhatta, R; Swain, N; Verma, DL; Singh, NP. (2005). Effect of housing on physiological responses and energy expenditure of sheep in a semi-arid region of India. *Asian-Australas J Anim Sci*. 18: 1188-1193.
- Bhatta, R; Vaithyanathan, S; Shinde, AK; Jakhmola, RC. (2005). Effect of feeding complete feed block containing Prosopis cineraria leaves and polyethylene glycol (PEG)-6000 on nutrient intake, its utilization, rumen fermentation pattern and rumen enzyme profile in kids. *J Sci Food Agric*. 85: 1788-1794. <http://dx.doi.org/10.1002/jsfa.2111>.
- Bhattacharjee, P; Paul, S; Bhattacharjee, P. (2016). Risk of occupational exposure to asbestos, silicon and arsenic on pulmonary disorders: Understanding the genetic-epigenetic interplay and future prospects [Review]. *Environ Res*. 147: 425-434. <http://dx.doi.org/10.1016/j.envres.2016.02.038>.
- Bhattacharya, S; John, PJ; Ledwani, L. (2015). Bacterial Weathering of Asbestos. *Silicon*. 7: 419-431. <http://dx.doi.org/10.1007/s12633-014-9260-9>.
- Bhattacharya, S; John, PJ; Ledwani, L. (2016). Fungal weathering of asbestos in semi arid regions of India. *Ecotoxicol Environ Saf*. 124: 186-192. <http://dx.doi.org/10.1016/j.ecoenv.2015.10.022>.
- Bhattacharjee, S; Paul, A. (1992). CORRELATION BETWEEN CHEMICAL CORROSION AND STRUCTURAL VARIATIONS IN FIBROUS TREMOLITE. *Journal of Materials Science*. 27: 704-710.
- Bhowmik, SK; Spiering, B. (2004). Constraining the prograde and retrograde P-T paths of granulites using decomposition of initially zoned garnets: an example from the Central Indian Tectonic Zone. *Contributions to Mineralogy and Petrology*. 147: 581-603. <http://dx.doi.org/10.1007/s00410-004-0573-3>.
- Bial, J; Trepmann, CA. (2013). The microstructural record of porphyroclasts and matrix of partly serpentinized peridotite mylonites - from brittle and crystal-plastic deformation to dissolution-precipitation creep. 4: 315-330. <http://dx.doi.org/10.5194/se-4-315-2013>.
- Bianchi, C; Bianchi, T. (2007). Malignant mesothelioma in telephone workers [Letter]. *J Occup Environ Med*. 49: 359. <http://dx.doi.org/10.1097/JOM.0b013e318046eb20>.
- Bianchi, C; Bianchi, T. (2007). Malignant mesothelioma: global incidence and relationship with asbestos [Review]. *Ind Health*. 45: 379-387.
- Bianchi, C; Bianchi, T. (2015). [Asbestos at the time of the First World War]. *Med Lav*. 106: 424-430.
- Bianchi, C; Bianchi, T. (2015). Asbestos between science and myth. A 6,000-year story. *Med Lav*. 106: 83-90.
- Bianchi, C; Bianchi, T. (2016). [Non-Hodgkin lymphoma and asbestos exposure] [Letter]. *Med Lav*. 107: 73-74.
- Bianchi, C; Bianchi, T; Tommasi, M. (2007). [Mesothelioma of the pleura in the Province of Trieste]. *Med Lav*. 98: 374-380.
- Bianchi, C; Brollo, A; Ramani, L. (2000). Asbestos exposure in a shipyard area, northeastern Italy. *Ind Health*. 38: 301-308.
- Bianchi, C; Brollo, A; Ramani, L; Bianchi, T; Giarelli, L. (2001). Asbestos exposure in malignant mesothelioma of the pleura: a survey of 557 cases. *Ind Health*. 39: 161-167.
- Bianchi, C; Brollo, A; Ramani, L; Bianchi, T; Giarelli, L. (2004). Familial mesothelioma of the pleura--a report of 40 cases [Review]. *Ind Health*. 42: 235-239.
- Bianchi, C; Brollo, A; Ramani, L; Zuch, C. (1993). ASBESTOS EXPOSURE IN THE GENERAL POPULATION RELEVANCE OF NECROPSY-BASED STUDIES (pp. 5-10). (BIOSIS/94/36877). Bianchi, C; Brollo, A; Ramani, L; Zuch, C.
- Bianchi, C; Brollo, A; Ramani, L; Zuch, C. (1993). Asbestos-related mesothelioma in Monfalcone, Italy. *Am J Ind Med*. 24: 149-160.
- Bianchi, C; Brollo, A; Ramani, L; Zuch, C. (1997). Pleural plaques as risk indicators for malignant pleural mesothelioma: A necropsy-based study. *Am J Ind Med*. 32: 445-449. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199711\)32:5<445::AID-AJIM3>3.0.CO;2-R](http://dx.doi.org/10.1002/(SICI)1097-0274(199711)32:5<445::AID-AJIM3>3.0.CO;2-R).

Fate Literature Search Results

Off Topic

- Bianchi, C; Brollo, A; Ramani, L; Zuch, C. (1999). Asbestos exposure in lung carcinoma: a necropsy-based study of 414 cases. *Am J Ind Med.* 36: 360-364.
- Bianchi, C; Carluccio, L; Castelli, M. (1974). [Frequency of pulmonary asbestos bodies in autopsy material in Trieste. II]. *Minerva Med.* 65: 1144-1145.
- Bianchi, C; Castelli, M; Carluccio, L. (1976). [Frequency of lung asbestos bodies in autopsy material at Udine]. *Minerva Med.* 67: 1511-1512.
- Bianchi, C; Pegan, M; Carluccio, L. (1974). [Frequency of pulmonary asbestos bodies in autopsy material in Trieste. I]. *Minerva Med.* 65: 1141-1143.
- Bianchi, C; Ramani, L; Bianchi, T. (2002). Concurrent malignant mesothelioma of the pleura and hepatocellular carcinoma in the same patient: a report of five cases [Review]. *Ind Health.* 40: 383-387.
- Bidassey-Manilal, S; Wright, CY; Engelbrecht, JC; Albers, PN; Garland, RM; Matookane, M. (2016). Students' Perceived Heat-Health Symptoms Increased with Warmer Classroom Temperatures. *Int J Environ Res Public Health.* 13. <http://dx.doi.org/10.3390/ijerph13060566>.
- Bieda, W; Herbut, P. (2007). Effect of a change in housing system on the productivity of Polish Red cattle using the example of the Cistercian monastic farm in Szczyrzyc. *Annals of Animal Science.* 7: 295-303.
- Biedermann, AR; Koch, CB; Pettke, T; Hirt, A, nmM. (2015). Magnetic anisotropy in natural amphibole crystals. *Am Mineral.* 100: 1940-1951. <http://dx.doi.org/10.2138/am-2015-5173>.
- Bierl, A; Kremer, H. (1978). CALCULATION OF GASEOUS LEAKAGE FROM FLANGED JOINTS WITH ASBESTOS-METAL SEALS. *Chem Ing Tech.* 50: 542-543.
- Bignon, J. (1989). Non-occupational exposure to mineral fibres Mineral fibres in the non-occupational environment [Review]. In IARC Scientific Publication. Lyon, France: International Agency on the Research of Cancer.
- Bignon, J; Bientz, M; Bonnaud, G; Sébastien, P. (1977). [Numerical estimation of asbestos fibers in wine samples] [Letter]. *La Nouvelle presse médicale.* 6: 1148-1149.
- Bignon, J; Bientz, M; Sébastien, P; Bonnaud, G. (1976). [Asbestos and environment: possible risk of cancer for the general population?] [Review]. *Rev Prat.* 26: 2353-2357.
- Bignon, J; Saracci, R; Touray, JC. (1994). Introduction: INSERM-IARC-CNRS workshop on biopersistence of respirable synthetic fibers and minerals. *Environ Health Perspect.* 102 Suppl 5: 3-5.
- Bignon, J; Sebastien, P; Gaudichet, A. (1978). Measurement of asbestos retention in the human respiratory system related to health effects. In CC Gravatt; PD LaFleur; KFJ Heinrich (Eds.), NBS special publication (pp. 95-119). Washington, DC: National Bureau of Standards.
- Bignon, J; Sebastien, P; Jaurand, MC; Hem, B. (1974). Microfiltration method for quantitative study of fibrous particles in biological specimens. *Environ Health Perspect.* 9: 155-160.
- Bijwe; Jayashree, AN. (2016). Development of copper-free eco-friendly brake-friction material using novel ingredients. *Wear.* 352-353: 79-91. <http://dx.doi.org/10.1016/j.wear.2016.01.023>.
- Bijwe, J. (1997). Composites as friction materials: Recent developments in non-asbestos fiber reinforced friction materials - A review. *Polymer Composites.* 18: 378-396.
- Bijwe, J; Aranganathan, N; Sharma, S; Dureja, N; Kumar, R, am. (2012). Nano-abrasives in friction materials-influence on tribological properties. *Wear.* 296: 693-701. <http://dx.doi.org/10.1016/j.wear.2012.07.023>.
- Bijwe, J; Kumar, M. (2007). Optimization of steel wool contents in non-asbestos organic (NAO) friction composites for best combination of thermal conductivity. *Wear.* 263: 1243-1248. <http://dx.doi.org/10.1016/j.wear.2007.01.125>.
- Bijwe, J; Kumar, M; Gurunath, PV; Desplanques, Y; Degallaix, G. (2008). Optimization of brass contents for best combination of tribo-performance and thermal conductivity of non-asbestos organic (NAO) friction composites. *Wear.* 265: 699-712. <http://dx.doi.org/10.1016/j.wear.2007.12.016>.
- Bijwe, NJ. (2007). NBR-modified resin in fade and recovery module in non-asbestos organic (NAO) friction materials. *Tribology Letters.* 27: 189-196. <http://dx.doi.org/10.1007/s11249-007-9225-x>.
- Bilenker, LD; Simon, AC; Reich, M; Lundstrom, CC; Gajos, N; Bindeman, I; Barra, F; Munizaga, R. (2016). Fe-O stable isotope pairs elucidate a high-temperature origin of Chilean iron oxide-apatite deposits. *Geochim Cosmo Acta.* 177: 94-104. <http://dx.doi.org/10.1016/j.gca.2016.01.009>.
- Billay, AY; Kisters, AFM; Meyer, FM; Schneider, J. (1997). The geology of the Lega Dembi gold deposit, southern Ethiopia: implications for Pan-African gold exploration. *Miner Depos.* 32: 491-504.
- Billon-Galland, MA. (2012). [Exposition markers: mineralogical analysis in the sputum and the bronchoalveolar lavage--asbestos bodies--uncoated fibres] [Review]. *Rev Mal Respir.* 29: 521-528. <http://dx.doi.org/10.1016/j.rmr.2012.03.001>.
- Binazzi, A; Scarselli, A; Corfiati, M; Di Marzio, D; Branchi, C; Verardo, M; Mirabelli, D; Gennaro, V; Mensi, C; Schallenberg, G; Merler, E; De Zotti, R; Romanelli, A; Chellini, E; Pascucci, C; D'Alò, D; Forastiere, F; Trafficante, L; Menegozzo, S; Musti, M; Cauzillo, G; Leotta, A; Tumino, R; Melis, M; Marinaccio, A; ReNaM, Gdl. (2013). [Epidemiologic surveillance of mesothelioma for the prevention of asbestos exposure also in non-traditional settings]. *Epidemiol Prev.* 37: 35-42.
- Bin-Bin, G; Hong-Cai, W; Wei-Hua, Z; Shao-Cheng, J; Dong-Sheng, S; A-Wei, L; Chang-Xing, L. (2014). Analysis of seismic anisotropy of slate and its application of slate. *Diqiu Wuli Xuebao.* 57: 837-846. <http://dx.doi.org/10.6038/cjg20140313>.
- Binet, P. (2009). An evaluation of asbestos occupational exposures through an activity-exposure matrix. *Arch Mal Prof Environ.* 70: 425-436. <http://dx.doi.org/10.1016/j.admp.2009.02.016>.
- Binette, MB; Binette, JP. (1987). A Method of Airborne Asbestos Fiber Collection. *Am Ind Hyg Assoc J.* 48: A332-A333.
- Biondi, JC. (2014). Neoproterozoic Cana Brava chrysotile deposit (Goias, Brazil): Geology and geochemistry of chrysotile vein formation. *Lithos.* 184: 132-154. <http://dx.doi.org/10.1016/j.lithos2013.10.017>.

Fate Literature Search Results

Off Topic

- Biondi, JC; Santos, RV; Cury, LF. (2013). The Paleoproterozoic Aripuana Zn-Pb-Ag (Au, Cu) Volcanogenic Massive Sulfide Deposit, Mato Grosso, Brazil: Geology, Geochemistry of Alteration, Carbon and Oxygen Isotope Modeling, and Implications for Genesis. *Econ Geol.* 108: 781-811.
- Bird, B. (2002). The asbestos in buildings conundrum: who pays? *Chem Eng (London)* 13-13.
- Bird, MJ; Macintosh, DL; Williams, PL. (2004). Occupational exposures during routine activities in coal-fueled power plants. *J Occup Environ Hyg.* 1: 403-413. <http://dx.doi.org/10.1080/15459620490453346>.
- Bish, DL; Chipera, SJ. (1991). DETECTION OF TRACE AMOUNTS OF ERIONITE USING X-RAY-POWDER DIFFRACTION - ERIONITE IN TUFFS OF YUCCA MOUNTAIN, NEVADA, AND CENTRAL TURKEY. *Clays and Clay Minerals.* 39: 437-445.
- Bishop, K; Ring, SJ; Zoltai, T; Manos, CG; Ahrens, VD; Lisk, DJ. (1985). IDENTIFICATION OF ASBESTOS AND GLASS-FIBERS IN MUNICIPAL SEWAGE SLUDGES. *Bull Environ Contam Toxicol.* 34: 301-308.
- Black, B; Szeinuk, J; Whitehouse, AC; Levin, SM; Henschke, CI; Yankelevitz, DF; Flores, RM. (2014). Rapid progression of pleural disease due to exposure to Libby amphibole: "Not your grandfather's asbestos related disease". *Am J Ind Med.* 57: 1197-1206. <http://dx.doi.org/10.1002/ajim.22330>.
- Blair, A; Zahm, SH; Silverman, DT. (1999). Occupational cancer among women: Research status and methodologic consideration [Review]. *Am J Ind Med.* 36: 6-17. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199907\)36:1<6::AID-AJIM2>3.0.CO;2-F](http://dx.doi.org/10.1002/(SICI)1097-0274(199907)36:1<6::AID-AJIM2>3.0.CO;2-F).
- Blake, CL; Dotson, GS; Harbison, RD. (2006). Assessment of airborne asbestos exposure during the servicing and handling of automobile asbestos-containing gaskets. *Regul Toxicol Pharmacol.* 45: 214-222. <http://dx.doi.org/10.1016/j.yrtph.2006.04.007>.
- Blake, CL; Dotson, GS; Harbison, RD. (2008). Evaluation of asbestos exposure within the automotive repair industry: a study involving removal of asbestos-containing body sealants and drive clutch replacement. *Regul Toxicol Pharmacol.* 52: 324-331. <http://dx.doi.org/10.1016/j.yrtph.2008.09.001>.
- Blake, CL; Harbison, SC; Johnson, GT; Harbison, RD. (2011). Airborne asbestos exposures associated with work on asbestos fire sleeve materials. *Regul Toxicol Pharmacol.* 61: 236-242. <http://dx.doi.org/10.1016/j.yrtph.2011.08.003>.
- Blake, CL; Johnson, GT; Harbison, RD. (2009). Airborne asbestos exposure during light aircraft brake replacement. *Regul Toxicol Pharmacol.* 54: 242-246. <http://dx.doi.org/10.1016/j.yrtph.2009.04.007>.
- Blake, CL; Van Orden, DR; Banasik, M; Harbison, RD. (2003). Airborne asbestos concentration from brake changing does not exceed permissible exposure limit. *Regul Toxicol Pharmacol.* 38: 58-70. [http://dx.doi.org/10.1016/S0273-2300\(03\)00069-2](http://dx.doi.org/10.1016/S0273-2300(03)00069-2).
- Blanchette, RA; Held, BW; Jurgens, JA; Aislabie, J; Duncan, S; Farrell, RL. (2004). Environmental pollutants from the Scott and Shackleton expeditions during the 'Heroic Age' of Antarctic exploration. *Polar Rec (Gr Brit).* 40: 143-151.
- Blanco, A; Negro, C; Fuente, E; Miguel Sanchez, L. (2008). ALTERNATIVE USE OF DEINKING SLUDGE AS A SOURCE OF FIBERS IN FIBER-CEMENT MANUFACTURE. *Cellulose Chemistry and Technology.* 42: 89-95.
- Block, J; Petrakis, L; Dolhert, LE; Myers, DF; Hegedus, LL; Webster, RP; Kukacka, LE. (2000). A novel approach for the in-situ chemical elimination of chrysotile from asbestos-containing fireproofing materials. *Environ Sci Technol.* 34: 2293-2298.
- Bloise, A; Belluso, E; Catalano, M; Barrese, E; Miriello, D; Apollaro, C. (2012). Hydrothermal Alteration of Glass to Chrysotile. *Journal of the American Ceramic Society.* 95: 3050-3055. <http://dx.doi.org/10.1111/j.1551-2916.2012.05323.x>.
- Bloise, A; Belluso, E; Fornero, E; Rinaudo, C; Barrese, E; Capella, S. (2010). Influence of synthesis conditions on growth of Ni-doped chrysotile. *Microporous and Mesoporous Materials.* 132: 239-245. <http://dx.doi.org/10.1016/j.micromeso.2010.03.003>.
- Bloise, A; Critelli, T; Catalano, M; Apollaro, C; Miriello, D; Croce, A; Barrese, E; Liberi, F; Piluso, E; Rinaudo, C; Belluso, E. (2014). Asbestos and other fibrous minerals contained in the serpentinites of the Gimigliano-Mount Reventino Unit (Calabria, S-Italy). *Environ Earth Sci.* 71: 3773-3786. <http://dx.doi.org/10.1007/s12665-013-3035-2>.
- Blomqvist, AM; Palmer, M. (1995). ASBESTOS, ERGOT ALKALOIDS, AND PLEURITIS. *Int J Occup Med Toxicol.* 4: 277-283.
- Blount, AM. (1991). AMPHIBOLE CONTENT OF COSMETIC AND PHARMACEUTICAL TALCS. *Environ Health Perspect.* 94: 225-230.
- Boatman, ES. (1982). ANALYZING ASBESTOS FIBERS IN WATER BY MEANS OF TRANSMISSION ELECTRON-MICROSCOPY. *J Am Water Works Assoc.* 74: 532-536.
- Boatman, ES. (1983). ADDITIONAL NOTES ON THE USE OF QUANTITATIVE-ANALYSIS OF URINE TO ASSESS EXPOSURE TO ASBESTOS FIBERS IN DRINKING-WATER IN THE PUGET-SOUND REGION. *Environ Health Perspect.* 53: 195-195.
- Boatman, ES; Merrill, T; Oneill, A; Polissar, L; Millette, J. R. (1983). USE OF QUANTITATIVE-ANALYSIS OF URINE TO ASSESS EXPOSURE TO ASBESTOS FIBERS IN DRINKING-WATER IN THE PUGET-SOUND REGION. *Environ Health Perspect.* 53: 131-141.
- Bobicki, ER; Liu, Q; Xu, Z. (2014). Effect of microwave pre-treatment on ultramafic nickel ore slurry rheology. *Miner Eng.* 61: 97-104. <http://dx.doi.org/10.1016/j.mineng.2014.03.025>.
- Bobicki, ER; Liu, Q; Xu, Z. (2014). Ligand-promoted dissolution of serpentine in ultramafic nickel ores. *Miner Eng.* 64: 109-119. <http://dx.doi.org/10.1016/j.mineng.2014.05.020>.
- Bobicki, ER; Liu, Q; Xu, Z. (2014). Microwave heating of ultramafic nickel ores and mineralogical effects. *Miner Eng.* 58: 22-25. <http://dx.doi.org/10.1016/j.mineng.2014.01.003>.
- Boccaccini, DN; Leonelli, C; Rivasi, MR; Romagnoli, M; Veronesi, P; Pellacani, GC; Boccaccini, AR. (2007). Recycling of microwave inertised asbestos containing waste in refractory materials. *J Eur Ceram Soc.* 27: 1855-1858. <http://dx.doi.org/10.1016/j.jeurceramsoc.2006.05.003>.
- Bochkov, NP; Katosova, LD; Platonova, VI; Sapacheva, VA; Titenko, NV; Tsurikova, GV. (1991). [Cytogenetic examination of workers engaged in manufacturing of asbestos technical products]. *Gig Tr Prof Zabol* 10-11.
- Boelter, F; Simmons, C; Hewett, P. (2011). Exposure data from multi-application, multi-industry maintenance of surfaces and joints sealed with asbestos-containing gaskets and packing. *J Occup Environ Hyg.* 8: 194-209. <http://dx.doi.org/10.1080/15459624.2011.557936>.
- Boelter, FW. (2003). Asbestos exposures from gasket removal - Reply. *AIHA J.* 64: 595-597.

Fate Literature Search Results

Off Topic

- Boelter, FW; Crawford, GN; Podraza, DM. (2002). Airborne fiber exposure assessment of dry asbestos-containing gaskets and packings found in intact industrial and maritime fittings. *AIHA J.* 63: 732-740.
- Boelter, FW; Persky, JD; Podraza, DM; Bullock, WH. (2016). Characterizing and Communicating Risk with Exposure Reconstruction and Bayesian Analysis: Historical Locomotive Maintenance/Repair Associated with Asbestos Woven Tape Pipe Lagging. *Risk Anal.* 36: 228-243. <http://dx.doi.org/10.1111/risa.12458>.
- Boelter, FW; Spencer, JW; Simmons, CE. (2007). Heavy equipment maintenance exposure assessment: using a time-activity model to estimate surrogate values for replacement of missing data. *J Occup Environ Hyg.* 4: 525-537. <http://dx.doi.org/10.1080/15459620701411109>.
- Boelter, FW; Xia, Y; Dell, L. (2014). Comparative Risks of Cancer from Drywall Finishing Based on Stochastic Modeling of Cumulative Exposures to Respirable Dusts and Chrysotile Asbestos Fibers. *Risk Anal.* 35: 859-871. <http://dx.doi.org/10.1111/risa.12297>.
- Boelter, FW; Xia, Y; Persky, JD. (2016). A Bayesian Model and Stochastic Exposure (Dose) Estimation for Relative Exposure Risk Comparison Involving Asbestos-Containing Dropped Ceiling Panel Installation and Maintenance Tasks. *Risk Anal.* <http://dx.doi.org/10.1111/risa.12733>.
- Boev, B; Stafilov, T; Bačeva, K; Šorša, A; Boev, I. (2013). Influence of a nickel smelter plant on the mineralogical composition of attic dust in the Tikveš Valley, Republic of Macedonia. *Environ Sci Pollut Res Int.* 20: 3781-3788. <http://dx.doi.org/10.1007/s11356-012-1318-x>.
- Boffetta, P. (1994). Biopersistence of respirable synthetic fibers and minerals: the point of view of the epidemiologist [Review]. *Environ Health Perspect.* 102 Suppl 5: 11-13.
- Boffetta, P. (2016). Re: Terracini et al. Comments on the causation of malignant mesothelioma: Rebutting the false concept that recent exposures to asbestos do not contribute to causation of mesothelioma. *Am J Ind Med* 2016;59:506-507. *Am J Ind Med.* 59: 1177-1179. <http://dx.doi.org/10.1002/ajim.22672>.
- Boffetta, P. (2016). Response to: Pleural mesothelioma, and occupational and non-occupational asbestos exposure: a case-control study with quantitative risk assessment [Letter]. *Occup Environ Med.* 73: 712. <http://dx.doi.org/10.1136/oemed-2016-103776>.
- Boffetta, P; Autier, P; Boniol, M; Boyle, P; Hill, C; Aurengo, A; Masse, R; Thé, G; Valleron, AJ; Monier, R; Tubiana, M. (2010). An estimate of cancers attributable to occupational exposures in France. *J Occup Environ Med.* 52: 399-406. <http://dx.doi.org/10.1097/JOM.0b013e3181d5e355>.
- Boffetta, P; Burstyn, I; Partanen, T; Kromhout, H; Svane, O; Langard, S; Jarvholm, B; Frentzel-Beyme, R; Kauppinen, T; Stucker, I; Shaham, J; Heederik, D; Ahrens, W; Bergdahl, IA; Cenee, S; Ferro, G; Heikkilä, P; Hooiveld, M; Johansen, C; Randem, BG; Schill, W. (2003). Cancer mortality among European asphalt workers: an international epidemiological study II Exposure to bitumen fume and other agents. *Am J Ind Med.* 43: 28-39. <http://dx.doi.org/10.1002/ajim.10182>.
- Boffetta, P; Saracci, R; Andersen, A; Bertazzi, PA; Chang-Claude, J; Cherrie, J; Ferro, G; Frentzel-Beyme, R; Hansen, J; Olsen, J; Plato, N; Teppo, L; Westerholm, P; Winter, PD; Zocchetti, C. (1997). Cancer mortality among man-made vitreous fiber production workers. *Epidemiology.* 8: 259-268.
- Bogen, KT; Brorby, G; Berman, DW; Sheehan, P; Floyd, M. (2011). Measuring mixed cellulose ester (MCE) filter mass under variable humidity conditions. *Ann Occup Hyg.* 55: 485-494. <http://dx.doi.org/10.1093/annhyg/mer003>.
- Bohan, P; Hertzberg, V; Burg, W; Clark, S. (1991). Airborne Lead, Dust, and Asbestos-Like Fibers in Mechanical Street Cleaner Environments and an Evaluation of Some Contributory Factors. *Appl Occup Environ Hyg.* 6: 54-58.
- Bohlig, H. (1993). ASBESTOS AND CANCER, 1934-1965. *Am J Ind Med.* 23: 519-519.
- Bohlig, H; Calavrezos, A. (1987). Development, radiological zone patterns, and importance of diffuse pleural thickening in relation to occupational exposure to asbestos. *Br J Ind Med.* 44: 673-681.
- Bohlig, H; Weitowitz, HJ. (1980). PROBLEMS IN MEDICAL CHECK UP OF ASBESTOS WORKERS ACCORDING TO G-1 - NEW REGULATIONS SINCE 1971 (EFFECTS OF FINE ASBESTOS DUST). *Arbeitsmedizin, Sozialmedizin, Praeventivmedizin.* 15: 127-130.
- Bohme, SR. (2012). Expression of concern: false claim to be free of conflicts in asbestos biopersistence debate [Letter]. *Int J Occup Environ Health.* 18: 85-88. <http://dx.doi.org/10.1179/1077352512Z.00000000024>.
- Bohnker, BK; Betts, LS; Sack, DM; Craft, N. (2001). Navy Asbestos Medical Surveillance Program, 1995-1999: demographic characteristics and smoking status. *Mil Med.* 166: 966-971.
- BOHS. (1983). Report from the committee on asbestos: A study of the health experience in two UK asbestos factories. *Ann Occup Hyg.* 27: 1-55.
- Bolognesi, C; Martini, F; Tognon, M; Filiberti, R; Neri, M; Perrone, E; Landini, E; Canessa, PA; Ivaldi, GP; Betta, P; Mutti, L; Puntoni, R. (2005). A molecular epidemiology case control study on pleural malignant mesothelioma. *Cancer Epidemiol Biomarkers Prev.* 14: 1741-1746. <http://dx.doi.org/10.1158/1055-9965.EPI-04-0903>.
- Bolstad-Johnson, DM; Burgess, JL; Crutchfield, CD; Stormont, S; Gerkin, R; Wilson, JR. (2000). Characterization of firefighter exposures during fire overhaul. *Am Ind Hyg Assoc J.* 61: 636-641.
- Bolton, RE; Davis, JMG; Lamb, D. (1982). THE PATHOLOGICAL EFFECTS OF PROLONGED ASBESTOS INGESTION IN RATS. *Environ Res.* 29: 134-150.
- Bolton, RE; Vincent, JH; Jones, AD; Addison, J; Beckett, ST. (1983). AN OVERLOAD HYPOTHESIS FOR PULMONARY CLEARANCE OF UICC AMOSITE FIBERS INHALED BY RATS. *Br J Ind Med.* 40: 264-272.
- Bonar, GM; Leitch, PA. (1991). IN-HOUSE ASBESTOS MANAGEMENT. *Pulp and Paper Canada.* 92: 131-133.
- Bonneau, L; Malard, C; Pezerat, H. (1986). Studies on Surface Properties of Asbestos. II. Role of Dimensional Characteristics and Surface Properties of Mineral Fibers in the Induction of Pleural Tumors. *Environ Res.* 41: 268-275.
- Bonneau, L; Suquet, H; Malard, C; Pezerat, H. (1986). STUDIES ON SURFACE-PROPERTIES OF ASBESTOS .1. ACTIVE-SITES ON SURFACE OF CHRYSOTILE AND AMPHIBOLES. *Environ Res.* 41: 251-267.
- Bonnetterre, V; Faisandier, L; Bicout, D; Bernardet, C; Piollat, J; Ameille, J; de Claviere, C; Aptel, M; Lasfargues, G; de Gaudemaris, R; RNV3P. (2010). Programmed health surveillance and detection of emerging diseases in occupational health: contribution of the French

Fate Literature Search Results

Off Topic

- national occupational disease surveillance and prevention network (RNV3P). *Occup Environ Med.* 67: 178-186. <http://dx.doi.org/10.1136/oem.2008.044610>.
- Bonnetterre, V; Mathern, G; Pelen, O; Balthazard, AL; Delafosse, P; Mitton, N; Colonna, M. (2012). Cancer incidence in a chlorochemical plant in Isère, France: an occupational cohort study, 1979-2002. *Am J Ind Med.* 55: 756-767. <http://dx.doi.org/10.1002/ajim.22069>.
- Bonyadi, Z; Davidson, GJ; Mehrabi, B; Meffre, S; Ghazban, F. (2011). Significance of apatite REE depletion and monazite inclusions in the brecciated Se-Chahun iron oxide-apatite deposit, Bafq district, Iran: Insights from paragenesis and geochemistry. *Chem Geol.* 281: 253-269. <http://dx.doi.org/10.1016/j.chemgeo.2010.12.013>.
- Booker, JM; Catlin, M; Weiss, LD. (1991). ASBESTOS TRAINING - EVALUATION OF A STATE CERTIFIED PROGRAM IN ALASKA. *J Environ Health.* 54: 18-21.
- Booth, CA; Haley, MH; Joyce, IH; Kuntze, RA. (1984). WET PROCESSING OF ASBESTOS. 77: 74-74.
- Boqin, G; Chen, Y, e; Dasheng, Z. (2007). Prediction of leakage rates through sealing connections with nonmetallic gaskets. *Chinese Journal of Chemical Engineering.* 15: 837-841.
- Boraschi, P; Neri, S; Braccini, G; Gigoni, R; Leoncini, B; Perri, G. (1999). Magnetic resonance appearance of asbestos-related benign and malignant pleural diseases. *Scand J Work Environ Health.* 25: 18-23.
- Borcherding, CH. (1976). Health Hazard Evaluation Report No. HHE-75-192-330, Pittsburgh Plate Glass Ind., Mt. Zion, Illinois. NIOSH: 19761976.
- Bordeleau, LM; Lalande, R; Dekimpe, CR; Zizka, J; Tabi, M. (1977). EFFECTS OF ASBESTOS DUST ON SOIL MICROFLORA. *Plant Soil.* 46: 619-627.
- Borelli, V; Brochetta, C; Melato, M; Rizzardi, C; Polentarutti, M; Busatto, C; Vita, F; Abbate, R; Gotter, R; Zabucchi, G. (2007). A procedure for the isolation of asbestos bodies from lung tissue by exploiting their magnetic properties: A new approach to asbestos body study. *J Toxicol Environ Health A.* 70: 1232-1240. <http://dx.doi.org/10.1080/15287390701380906>.
- Borelli, V; Trevisan, E; Vita, F; Bottin, C; Melato, M; Rizzardi, C; Zabucchi, G. (2012). Peroxidase-like activity of ferruginous bodies isolated by exploiting their magnetic property. *J Toxicol Environ Health A.* 75: 603-623. <http://dx.doi.org/10.1080/15287394.2012.688478>.
- Borisov, MV; Bychkov, DA; Shvarov, YV. (2002). Thermodynamic simulation of the genesis of filling veins. *Geochem Int.* 40: S92-S102.
- Borley, GD; Beckinsale, RD; Suddaby, P; Durham, JJ. (1976). VARIATIONS IN COMPOSITION AND DELTA-O-18 VALUES WITHIN KAFFO ALBITE-RIEBECKITE GRANITE OF LIRUEI COMPLEX, YOUNGER GRANITES OF NIGERIA. *Chem Geol.* 18: 297-308.
- Bornemann, P. (1980). INDUSTRIAL USE OF ASBESTOS SUBSTITUTES - EXPERIENCES, PROBLEMS, PERSPECTIVES. *Staub, Reinhaltung der Luft.* 40: 217-222.
- Borrok, DM; Kesler, SE; Boer, RH; Essene, EJ. (1998). The Vergenoeg magnetite-fluorite deposit, South Africa: Support for a hydrothermal model for massive iron oxide deposits. *Econ Geol.* 93: 564-586.
- Borron, SW; Forman, SA; Lockey, JE; Lemasters, GK; Yee, LM. (1997). An early study of pulmonary asbestosis among manufacturing workers: original data and reconstruction of the 1932 cohort. *Am J Ind Med.* 31: 324-334.
- Borschgaletke, E. (1991). ASBESTOS-INDUCED LUNG-CANCER - THE PROBLEMS ENTAILED IN OCCUPATIONAL-DISEASE LITIGATION. *Arbeitsmedizin, Sozialmedizin, Praeventivmedizin.* 26: 351-356.
- Borton, EK; Lemasters, GK; Hilbert, TJ; Lockey, JE; Dunning, KK; Rice, CH. (2012). Exposure estimates for workers in a facility expanding Libby vermiculite: updated values and comparison with original 1980 values. *J Occup Environ Med.* 54: 1350-1358. <http://dx.doi.org/10.1097/JOM.0b013e31824fe174>.
- Boschetti, T; Etiope, G; Pennisi, M; Romain, M; Toscani, L. (2013). Boron, lithium and methane isotope composition of hyperalkaline waters (Northern Apennines, Italy): Terrestrial serpentinization or mixing with brine? *Appl Geochem.* 32: 17-25. <http://dx.doi.org/10.1016/j.apgeochem.2012.08.018>.
- Boschetti, T; Toscani, L. (2008). Springs and streams of the Taro-Ceno Valleys (Northern Apennine, Italy): Reaction path modeling of waters interacting with serpentinized ultramafic rocks. *Chem Geol.* 257: 76-91. <http://dx.doi.org/10.1016/j.chemgeo.2008.08.017>.
- Bose, K; Ganguly, J. (1995). Experimental and theoretical studies of the stabilities of talc, antigorite and phase A at high pressures with applications to subduction processes. *Earth Planet Sci Lett.* 136: 109-121.
- Bose, K; Navrotsky, A. (1998). Thermochemistry and phase equilibria of hydrous phases in the system MgO-SiO₂-H₂O: Implications for volatile transport to the mantle. *J Geophys Res Solid Earth.* 103: 9713-9719.
- Böse-O'Reilly, S; Heudorf, U; Lob-Corzilius, T; von Mühlendahl, KE; Otto, M; Schmidt, S. (2007). Children's environment in Central Europe: threats and chances. *Int J Hyg Environ Health.* 210: 503-507. <http://dx.doi.org/10.1016/j.ijheh.2007.07.010>.
- Bosi, F; Reznitskii, L; Skogby, H. (2012). Oxy-chromium-dravite, NaCr₃(Cr₄Mg₂)(Si₆O₁₈)(BO₃)₃(OH)₃O, a new mineral species of the tourmaline supergroup. *Am Mineral.* 97: 2024-2030. <http://dx.doi.org/10.2138/am.2012.4210>.
- Bosi, F; Reznitskii, L; Skogby, H; Halenius, U, lf. (2014). Vanadio-oxy-chromium-dravite, NaV₃(Cr₄Mg₂)(Si₆O₁₈)(BO₃)₃(OH)₃O, a new mineral species of the tourmaline supergroup. *Am Mineral.* 99: 1155-1162. <http://dx.doi.org/10.2138/am.2014.4568>.
- Bosi, F; Skogby, H; Reznitskii, L; Halenius, U, lf. (2014). Vanadio-oxy-dravite, NaV₃(Al₄Mg₂)(Si₆O₁₈)(BO₃)₃(OH)₃O, a new mineral species of the tourmaline supergroup. *Am Mineral.* 99: 218-224. <http://dx.doi.org/10.2138/am.2014.4605>.
- Bostrom, CE; Almen, J; Steen, B; Westerholm, R. (1994). Human exposure to urban air pollution [Review]. *Environ Health Perspect Suppl.* 102: 39-47. <http://dx.doi.org/10.2307/3431929>.
- Both, K; Turner, DR; Henderson, DW. (1995). LOSS OF HETEROZYGOSITY IN ASBESTOS-INDUCED MUTATIONS IN A HUMAN MESOTHELIOMA CELL-LINE. *Environ Mol Mutagen.* 26: 67-71.
- Botros, NS. (2003). On the relationship between auriferous talc deposits hosted in volcanic rocks and massive sulphide deposits in Egypt. *Ore Geol Rev.* 23: 223-257. <http://dx.doi.org/10.1016/j.oregeorev.2003.07.003>.
- Bottazzi, M. (2007). [The work of the social security and welfare branch of the Trade Union supporting workers suffering from mesothelioma and asbestos related diseases]. *Epidemiol Prev.* 31: 31-34.

Fate Literature Search Results

Off Topic

- Bouchardy, C; Schüler, G; Minder, C; Hotz, P; Bousquet, A; Levi, F; Fisch, T; Torhorst, J; Raymond, L. (2002). Cancer risk by occupation and socioeconomic group among men--A study by the Association of Swiss Cancer Registries. *Scand J Work Environ Health*. 28: 1-88.
- Boudier, F; Baronnet, A; Mainprice, D. (2010). Serpentine Mineral Replacements of Natural Olivine and their Seismic Implications: Oceanic Lizardite versus Subduction-Related Antigorite. *Journal of Petrology*. 51: 495-512. <http://dx.doi.org/10.1093/petrology/egp049>.
- Boudreau, A; Djon, L; Tchalikian, A; Corkery, J. (2014). The Lac Des Iles Palladium Deposit, Ontario, Canada part I. The effect of variable alteration on the Offset Zone. *Miner Depos*. 49: 625-654. <http://dx.doi.org/10.1007/s00126-014-0510-y>.
- Boudriche, L; Chamayou, A; Calvet, R; Hamdi, B; Balard, H. (2014). Influence of different dry milling processes on the properties of an attapulgite clay, contribution of inverse gas chromatography. *Powder Technology*. 254: 352-363. <http://dx.doi.org/10.1016/j.powtec.2014.01.041>.
- Bouharoun, S; Leklou, N; Mounanga, P. (2015). Use of asbestos-free fiber-cement waste as a partial substitute of Portland cement in mortar. *Mater Struct*. 48: 1679-1687. <http://dx.doi.org/10.1617/s11527-014-0264-0>.
- Bouige, D. (1990). Dust Exposure Results in 359 Asbestos-using Factories from 26 Countries (pp. 23-26). (NIOSH/00198574). Bouige, D.
- Boulanger, M; Morlais, F; Bouvier, V; Galateau-Salle, F; Guittet, L; Marquignon, MF; Paris, C; Raffaelli, C; Launoy, G; Clin, B. (2015). Digestive cancers and occupational asbestos exposure: incidence study in a cohort of asbestos plant workers. *Occup Environ Med*. 72: 792-797. <http://dx.doi.org/10.1136/oemed-2015-102871>.
- Boullier, AM; Firdaous, K; Robert, F. (1998). On the significance of aqueous fluid inclusions in gold-bearing quartz vein deposits from the southeastern Abitibi subprovince (Quebec, Canada). *Econ Geol*. 93: 216-223.
- Bounds, EB. (1989). A study of asbestos-related disease and disability in federal workers' compensation claims. *Toxicol Ind Health*. 5: 1111-1115.
- Bourdès, V; Boffetta, P; Pisani, P. (2000). Environmental exposure to asbestos and risk of pleural mesothelioma: review and meta-analysis [Review]. *Eur J Epidemiol*. 16: 411-417. <http://dx.doi.org/10.1023/A:1007691003600>.
- Bourgault, MH; Gagné, M; Valcke, M. (2014). Lung cancer and mesothelioma risk assessment for a population environmentally exposed to asbestos. *Int J Hyg Environ Health*. 217: 340-346. <http://dx.doi.org/10.1016/j.ijheh.2013.07.008>.
- Bourgkard, E; Wild, P; Gonzalez, M; Févotte, J; Penven, E; Paris, C. (2013). Comparison of exposure assessment methods in a lung cancer case-control study: performance of a lifelong task-based questionnaire for asbestos and PAHs. *Occup Environ Med*. 70: 884-891. <http://dx.doi.org/10.1136/oemed-2013-101467>.
- Boutin, C; Sébastien, P; Janson, X; Viallat, JR. (1981). [The metrology of mineral fibres in thoracoscopic lung and pleural biopsies. Preliminary results (author's transl)]. *Poumon Coeur*. 37: 253-257.
- Bovenzi, M; Stanta, G; Antiga, G; Peruzzo, P; Cavallieri, F. (1993). Occupational exposure and lung cancer risk in a coastal area of northeastern Italy. *Int Arch Occup Environ Health*. 65: 35-41.
- Bovy, J. (1996). Air pollution and asbestos (pp. 3-4). (IPA/97/1118512). Bovy, J.
- Bowen, DJ. (1994). PLATINUM EXPLORATION ON THE GREAT DYKE OF ZIMBABWE. *Exploration & Mining Geology*. 3: 329-335.
- Bowen, DJ; Cartmel, B; Barnett, M; Goodman, G; Omenn, GS. (1999). Predictors of participant retention in two chemoprevention feasibility trials. *Ann Behav Med*. 21: 210-215.
- Bowes, DR; CMBTIAJoIM, F. (1997). Major and trace element compositions of the UICC standard asbestos samples. *Am J Ind Med*. 32: 592-594.
- Bowes, DR; Farrow, CM. (1998). Major trace element compositions of the UICC standard asbestos samples (vol 32, pg 592, 1997). *Am J Ind Med*. 33: 425-425.
- Bowles, DR; Farrow, CM. (1998). Major trace element compositions of the UICC standard asbestos samples (vol 32, pg 592, 1997). *Am J Ind Med*. 33: 192-192.
- Boxall, JB; O'Hagan, A; Pooladsaz, S; Saul, AJ; Unwin, DM. (2007). Estimation of burst rates in water distribution mains. *Institution of Civil Engineers Proceedings Water Management*. 160: 73-82. <http://dx.doi.org/10.1680/wama.2007.160.2.73>.
- Boyle, CA; Brann, EA. (1992). Proxy respondents and the validity of occupational and other exposure data. The Selected Cancers Cooperative Study Group. *Am J Epidemiol*. 136: 712-721.
- Bozelka, BE; Sestini, P; Hammad, Y; Salvaggio, JE. (1986). Effects of asbestos fibers on alveolar macrophage-mediated lymphocyte cytostasis. *Environ Res*. 40: 172-180.
- Bozhilov, KN; Brownstein, D; Jenkins, DM. (2007). Biopyribole evolution during tremolite synthesis from dolomite and quartz in CO₂-H₂O fluid. *Am Mineral*. 92: 898-908. <http://dx.doi.org/10.2138/am.2007.2376>.
- Bozhilov, KN; Jenkins, DM; Veblen, DR. (2004). Pyribole evolution during tremolite synthesis from oxides. *Am Mineral*. 89: 74-84.
- Bozzelli, JW; Russell, JF. (1982). AIRBORNE ASBESTOS LEVELS IN SEVERAL SCHOOL BUILDINGS BEFORE AND AFTER BULK ASBESTOS REMOVAL. *Int J Environ Stud*. 20: 27-30.
- Brabander, DJ; Giletti, BJ. (1995). STRONTIUM DIFFUSION KINETICS IN AMPHIBOLES AND SIGNIFICANCE TO THERMAL HISTORY DETERMINATIONS. *Geochim Cosmo Acta*. 59: 2223-2238.
- Brabander, DJ; Hervig, RL; Jenkins, DM. (1995). EXPERIMENTAL-DETERMINATION OF F-OH INTERDIFFUSION IN TREMOLITE AND SIGNIFICANCE TO FLUORINE-ZONED AMPHIBOLES. *Geochim Cosmo Acta*. 59: 3549-3560.
- Brackney, MM; Marfin, AA; Staples, JE; Stallones, L; Keefe, T; Black, WC; Campbell, GL. (2010). Epidemiology of Colorado tick fever in Montana, Utah, and Wyoming, 1995-2003. *Vector Borne and Zoonotic Diseases*. 10: 381-385. <http://dx.doi.org/10.1089/vbz.2009.0065>.
- Bradbury, KK; Davis, CR; Shervais, JW; Janecke, SU; Evans, JP. (2015). Composition, Alteration, and Texture of Fault-Related Rocks from Safod Core and Surface Outcrop Analogs: Evidence for Deformation Processes and Fluid-Rock Interactions. *Pure Appl Geophys*. 172: 1053-1078. <http://dx.doi.org/10.1007/s00024-014-0896-6>.
- Bradbury, KK; Evans, JP; Chester, JS; Chester, FM; Kirschner, DL. (2011). Lithology and internal structure of the San Andreas fault at depth. based on characterization of Phase 3 whole-rock core in the San Andreas Fault Observatory at Depth (SAFOD) borehole. *Earth Planet Sci Lett*. 310: 131-144. <http://dx.doi.org/10.1016/j.epsl.2011.07.020>.
- Bragg, GM. (1987). Effective Control of Asbestos Dust Emissions (pp. 192-197). (NIOSH/00170707). Bragg, GM.

Fate Literature Search Results

Off Topic

- Bragg, GM. (1990). The behaviour of airborne asbestos fibres in indoor air.
- Brandi, G; Di Girolamo, S; Farioli, A; de Rosa, F; Curti, S; Pinna, AD; Ercolani, G; Violante, FS; Biasco, G; Mattioli, S. (2013). Asbestos: a hidden player behind the cholangiocarcinoma increase? Findings from a case-control analysis. *Cancer Causes Control*. 24: 911-918. <http://dx.doi.org/10.1007/s10552-013-0167-3>.
- Brandi, G; Farioli, A; Di Girolamo, S; Curti, S; De Rosa, F; Violante, FS; Biasco, G; Mattioli, S. (2011). ASSOCIATION BETWEEN OCCUPATIONAL EXPOSURE TO ASBESTOS AND CHOLANGIOCARCINOMA: RESULTS OF A CASE- CONTROLLED ANALYSIS. *Epidemiol Prev*. 35: 55-56.
- Brandriss, ME; Nevle, RJ; Bird, DK; Oneil, J. R. (1995). IMPRINT OF METEORIC WATER ON THE STABLE-ISOTOPE COMPOSITIONS OF IGNEOUS AND SECONDARY MINERALS, KAP-EDVARD-HOLM-COMPLEX, EAST GREENLAND. *Contributions to Mineralogy and Petrology*. 121: 74-86.
- Brandt, LPA; Kirk, NU; Jensen, OC; Hansen, HL. (1994). MORTALITY AMONG DANISH MERCHANT SEAMEN FROM 1970 TO 1985. *Am J Ind Med*. 25: 867-876.
- Brankovic, SR; Glisic, RM; Dekic, VR; Marin, MA. (2015). METAL ACCUMULATION AND TOLERANCE OF SELECTED PLANTS OF ASBESTOS TAILINGS (STRAGARI). *Hemijaska Industrija*. 69: 313-321. <http://dx.doi.org/10.2298/HEMIND131017045B>.
- Brattin, W; Barry, T; Foster, S. (2012). Estimation of the Upper Confidence Limit on the Mean of Datasets with Count-Based Concentration Values. *Hum Ecol Risk Assess*. 18: 435-455. <http://dx.doi.org/10.1080/10807039.2012.652469>.
- Bratzdrum, C; Grapes, R; Giere, R. (2009). Late-stage hydrothermal alteration and heteromorphism of calc-alkaline lamprophyre dykes in Late Jurassic Granite, Southeast China. *Lithos*. 113: 820-830. <http://dx.doi.org/10.1016/j.lithos.2009.07.008>.
- Braun, L; Greene, A; Manseau, M; Singhal, R; Kisting, S; Jacobs, N. (2003). Scientific controversy and asbestos: making disease invisible [Review]. *Int J Occup Environ Health*. 9: 194-205. <http://dx.doi.org/10.1179/oeh.2003.9.3.194>.
- Braun, L; Kisting, S. (2006). Asbestos-related disease in South Africa: the social production of an invisible epidemic. *Am J Public Health*. 96: 1386-1396. <http://dx.doi.org/10.2105/AJPH.2005.064998>.
- Brautbar, N; Wu, MP; Gabel, E; Regev, L, ee. (2006). Occupational kidney cancer - Exposure to industrial solvents. *Ann N Y Acad Sci*. 1076: 753-764. <http://dx.doi.org/10.1196/annals.1371.012>.
- Brayner, R. (2008). The toxicological impact of nanoparticles. *Nano Today*. 3: 48-55.
- Breedin, PH; Buss, DH. (1976). Ferruginous (asbestos) bodies in the lungs of rural dwellers, urban dwellers, and patients with pulmonary neoplasms. *South Med J*. 69: 401-404.
- Breen, JJ. (1987). Evaluating Asbestos Exposures in Buildings (pp. 71-78). (NIOSH/00170703). Breen, JJ.
- Bresnitz, EA. (1986). SCREENING GUIDELINES FOR ASBESTOS DISEASE. *Am J Public Health*. 76: 816-817.
- Bresnitz, EA; Frumkin, H; Goldstein, L; Neumark, D; Hodgson, M; Needleman, C. (1994). OCCUPATIONAL IMPAIRMENT AND DISABILITY AMONG APPLICANTS FOR SOCIAL-SECURITY DISABILITY BENEFITS IN PENNSYLVANIA. *Am J Public Health*. 84: 1786-1790.
- Breyse, J; Dixon, SL; Jacobs, DE; Lopez, J; Weber, W. (2015). Self-reported health outcomes associated with green-renovated public housing among primarily elderly residents. *J Public Health Manag Pract*. 21: 355-367. <http://dx.doi.org/10.1097/PHH.000000000000199>.
- Breyse, PN; Cherrie, JW; Addison, J; Dodgson, J. (1989). EVALUATION OF AIRBORNE ASBESTOS CONCENTRATIONS USING TEM AND SEM DURING RESIDENTIAL WATER TANK REMOVAL. *Ann Occup Hyg*. 33: 243-&.
- Breyse, PN; Weaver, V; Cadorette, M; Wiggs, L; Curbow, B; Stefaniak, A; Melius, J; Newman, L; Smith, H; Schwartz, B. (2002). Development of a medical examination program for former workers at a department of energy national laboratory. *Am J Ind Med*. 42: 443-454. <http://dx.doi.org/10.1002/ajim.10136>.
- Breyse, PN; Williams, DA; Henshaw, S; Rees, K; Herbstman, J; Symons, JM; Watson, M; Geyh, A. (2002). Asbestos exposures to truck drivers during World Trade Center clean up operations. *Epidemiology*. 13: S122-S122.
- Breyse, PN; Williams, DL; Herbstman, JB; Symons, JM; Chillrud, SN; Ross, J; Henshaw, S; Rees, K; Watson, M; Geyh, AS. (2005). Asbestos exposures to truck drivers during World Trade Center cleanup operations. *J Occup Environ Hyg*. 2: 400-405. <http://dx.doi.org/10.1080/15459620500194286>.
- Brhel, P. (2003). Occupational respiratory diseases in the Czech Republic. *Ind Health*. 41: 121-123.
- Briand, E. (2007). Vers une approche prédictive des politiques de santé environnementale en France. *E R S*. 6: 21-35. <http://dx.doi.org/10.1684/ers.2007.0029>.
- Bridgman, S. (2001). Community health risk assessment after a fire with asbestos containing fallout. *J Epidemiol Community Health*. 55: 921-927.
- Bridgman, SA. (1999). Lessons learnt from a factory fire with asbestos-containing fallout. *J Publ Health Med*. 21: 158-165. <http://dx.doi.org/10.1093/pubmed/21.2.158>.
- Bridgman, SA. (2000). Acute health effects of a fire associated with asbestos-containing fallout. *J Publ Health Med*. 22: 400-405.
- Brindley, GW; DESOUZAS.P. (1971). ANTIGORITE - ITS OCCURRENCE AS A CLAY MINERAL. *Clays and Clay Minerals*. 19: 187-&.
- Bristol, SK; Spry, PG; Voudouris, PC, h; Melfos, V; Mathur, RD; Fornadel, AP; Sakellaris, GA. (2015). Geochemical and geochronological constraints on the formation of shear-zone hosted Cu-Au-Bi-Te mineralization in the Stanos area, Chalkidiki, northern Greece. *Ore Geol Rev*. 66: 266-282. <http://dx.doi.org/10.1016/j.oregeorev.2014.11.001>.
- Broadbuss, VC; Everitt, JI; Black, B; Kane, AB. (2011). Non-neoplastic and neoplastic pleural endpoints following fiber exposure [Review]. *J Toxicol Environ Health B Crit Rev*. 14: 153-178. <http://dx.doi.org/10.1080/10937404.2011.556049>.
- Broadbuss, VC; Yang, L; Scavo, LM; Ernst, JD; Boylan, AM. (1997). Crocidolite asbestos induces apoptosis of pleural mesothelial cells: Role of reactive oxygen species and poly(ADP-ribosyl) polymerase. *Environ Health Perspect*. 105: 1147-1152. <http://dx.doi.org/10.2307/3433524>.
- Brockmann, M; Fischer, M; Müller, KM. (1998). Exposure to carbon black: a cancer risk? [Review]. *Int Arch Occup Environ Health*. 71: 85-99.
- Brodoy, D; Fichman, M; Shapiro, M; Gutfinger, C. (1997). Motion of diffusionless particles in vertical stagnation flows .2. Deposition efficiency of elongated particles. *J Aerosol Sci*. 28: 35-52.
- Brodeur, P. (1980). Indirect Occupational Exposure (pp. 41-43). (NIOSH/00153958). Brodeur, P.

Fate Literature Search Results

Off Topic

- Brodeur, P. (1980). The Insulation Workers (pp. 18-21). (NIOSH/00153947). Brodeur, P.
- Brodeur, P. (1980). Miners And Millers (pp. 22-28). (NIOSH/00153938). Brodeur, P.
- Brodeur, P. (1980). The Shipyard Problem (pp. 34-40). (NIOSH/00153971). Brodeur, P.
- Brodkin, CA; Mccullough, J; Stover, B; Balmes, J; Hammar, S; Omenn, GS; Checkoway, H; Barnhart, S. (1997). Lobe of origin and histologic type of lung cancer associated with asbestos exposure in the Carotene and Retinol Efficacy Trial (CARET). *Am J Ind Med.* 32: 582-591.
- Brody, AR. (1993). ASBESTOS FINDINGS QUESTIONED - RESPONSE. *Environ Health Perspect.* 101: 564-565.
- Brody, AR. (1993). Asbestos-induced lung disease [Review]. *Environ Health Perspect.* 100: 21-30.
- Brody, AR; Crapo, JD. (1979). TRANSLOCATION AND ELEMENTAL CONTENT OF INHALED CHRYSOTILE ASBESTOS IN THE LUNGS OF RATS. *Environ Health Perspect.* 33: 337-337.
- Brody, AR; Hill, LH. (1983). INTERSTITIAL ACCUMULATION OF INHALED CHRYSOTILE ASBESTOS FIBERS AND CONSEQUENT FORMATION OF MICROCALCIFICATIONS. *Environ Health Perspect.* 52: 287-288.
- Brody, AR; Hill, LH; Adkins, B; Oconnor, RW. (1983). CHRYSOTILE ASBESTOS INHALATION IN RATS - DEPOSITION PATTERN AND REACTION OF ALVEOLAR EPITHELIUM AND PULMONARY MACROPHAGES. *Environ Health Perspect.* 52: 287-287.
- Brody, AR; Liu, JY; Brass, D; Corti, M. (1997). Analyzing the genes and peptide growth factors expressed in lung cells in vivo consequent to asbestos exposure and in vitro [Review]. *Environ Health Perspect.* 105 Suppl 5: 1165-1171.
- Bromiley, GD; Pawley, AR. (2002). The high-pressure stability of Mg-sursassite in a model hydrous peridotite: a possible mechanism for the deep subduction of significant volumes of H₂O. *Contributions to Mineralogy and Petrology.* 142: 714-723.
<http://dx.doi.org/10.1007/s00410-001-0318-5>.
- Bromiley, GD; Pawley, AR. (2003). The stability of antigorite in the systems MgO-SiO₂-H₂O (MSH) and MgO-Al₂O₃-SiO₂-H₂O (MASH): The effects of Al³⁺ substitution on high-pressure stability. *Am Mineral.* 88: 99-108.
- Brooker, M; Jaireth, S. (1995). Mount Rawdon, southeast Queensland, Australia - A diatreme-hosted gold-silver deposit. *Econ Geol.* 90: 1799-1817.
- Brophy, JT; Keith, MM; Schieman, J. (2007). Canada's asbestos legacy at home and abroad. *Int J Occup Environ Health.* 13: 236-243.
<http://dx.doi.org/10.1179/oeh.2007.13.2.236>.
- Brorby, GP; Sheehan, PJ; Berman, DW; Bogen, KT; Holm, SE. (2011). Potential artifacts associated with historical preparation of joint compound samples and reported airborne asbestos concentrations. *J Occup Environ Hyg.* 8: 271-278.
<http://dx.doi.org/10.1080/15459624.2011.566805>.
- Brorby, GP; Sheehan, PJ; Berman, DW; Bogen, KT; Holm, SE. (2013). Exposures from chrysotile-containing joint compound: evaluation of new model relating respirable dust to fiber concentrations. *Risk Anal.* 33: 161-176. <http://dx.doi.org/10.1111/j.1539-6924.2012.01847.x>.
- Broser, M; Zhang, Y; Aston, C; Harkin, T; Rom, WN. (1996). Elevated Interleukin-8 in the Alveolitis of Individuals with Asbestos Exposure. *Int Arch Occup Environ Health.* 68: 109-114.
- Brosseau, LM; Ellenbecker, MJ; Evans, JS. (1990). Collection of silica and asbestos aerosols by respirators at steady and cyclic flow. *Am Ind Hyg Assoc J.* 51: 420-426. <http://dx.doi.org/10.1080/15298669091369880>.
- Brosseau, LM; Evans, JS; Ellenbecker, MJ. (1993). An empirical model for estimating the collection efficiency of dust-mist respirators. *Ann Occup Hyg.* 37: 135-150.
- Brotzu, P; Gomes, CB; Melluso, L; Morbidelli, L; Morra, V; Ruberti, E. (1997). Petrogenesis of coexisting SiO₂-undersaturated to SiO₂-oversaturated felsic igneous rocks: The alkaline complex of Itatiaia, southeastern Brazil. *Lithos.* 40: 133-156.
- Brouet, G; Bignon, J; Bonnaud, G; Goni, J. (1971). Effect on public health of air pollution with asbestos and other fibrous dust particles (pp. 461-478). (HEEP/72/09598). Brouet, G; Bignon, J; Bonnaud, G; Goni, J.
- Brown, C; Coleman, D; Dobson-Brown, D; Forman, K; Langmaack, M. (2004). Final Environmental Assessment Cape San Blas Towers Project Eglin Air Force Base, Florida, RCS 02-852 & 03-190. 74.
- Brown, DM; Beswick, PH; Bell, KS; Donaldson, K. (2000). Depletion of glutathione and ascorbate in lung lining fluid by respirable fibres. *Ann Occup Hyg.* 44: 101-108.
- Brown, DM; Fisher, C; Donaldson, K. (1998). Free radical activity of synthetic vitreous fibers: iron chelation inhibits hydroxyl radical generation by refractory ceramic fiber. *J Toxicol Environ Health A.* 53: 545-561.
- Brown, DM; Kinloch, IA; Bangert, U; Windle, AH; Walter, DM; Walker, GS; Scotchford, CA; Donaldson, K; Stone, V. (2007). An in vitro study of the potential of carbon nanotubes and nanofibres to induce inflammatory mediators and frustrated phagocytosis. *Carbon.* 45: 1743-1756.
<http://dx.doi.org/10.1016/j.carbon.2007.05.011>.
- Brown, DP; Dement, JM; Okun, A. (1994). Mortality patterns among female and male chrysotile asbestos textile workers. *J Occup Med.* 36: 882-888.
- Brown, JM; Abramson, EH. (2016). Elasticity of calcium and calcium-sodium amphiboles. *Phys Earth Planet In.* 261: 161-171.
<http://dx.doi.org/10.1016/j.pepi.2016.10.010>.
- Brown, PW; Crawford, NP; Jones, AD; Miller, BG; Maclaren, WM. (1994). Development of the Regular Interlaboratory Counting Exchanges (RICE) scheme to include visual reference counts and samples from asbestos clearance operations. *Ann Occup Hyg.* 38: 687-703.
- Brown, PW; Jones, AD. (2001). Interlaboratory comparison schemes for fibre counting: AFRICA and the WHO/EURO reference scheme. *Staub, Reinhaltung der Luft.* 61: 101-104.
- Brown, PW; Jones, AD; Miller, BG. (2002). Developments in the RICE asbestos fibre counting scheme, 1992-2000. Regular Interlaboratory Counting Exchanges. *Ann Occup Hyg.* 46: 329-339. <http://dx.doi.org/10.1093/annhyg/mef033>.
- Brown, RC; Fleming, GT; Knight, AI. (1983). Asbestos affects the in vitro uptake and detoxification of aromatic compounds. *Environ Health Perspect.* 51: 315-318.
- Brown, RC; Hoskins, JA; Glass, LR. (1995). The in vivo biological activity of ceramic fibres. *Ann Occup Hyg.* 39: 705-713.

Fate Literature Search Results

Off Topic

- Brown, RC; Pigott, GH; Alexander, I. (1995). CLASSIFICATION OF MMMF. *Ann Occup Hyg.* 39: 135-140.
- Brown, RC; Sara, EA; Hoskins, JA; Evans, CE. (1991). Factors Affecting the Interaction of Asbestos Fibres with Mammalian Cells: A Study Using Cells in Suspension. *Ann Occup Hyg.* 35: 25-34.
- Brown, RC; Sara, EA; Hoskins, JA; Evans, CE; Young, J; Laskowski, JJ; Acheson, R; Forder, SD; Rood, AP. (1992). THE EFFECTS OF HEATING AND DEVITRIFICATION ON THE STRUCTURE AND BIOLOGICAL-ACTIVITY OF ALUMINOSILICATE REFRACTORY CERAMIC FIBERS. *Ann Occup Hyg.* 36: 115-129.
- Brown, SC; Kamal, M; Nasreen, N; Baumuratov, A; Sharma, P; Antony, VB; Moudgil, BM. (2007). Influence of shape, adhesion and simulated lung mechanics on amorphous silica nanoparticle toxicity. *Adv Powder Tech.* 18: 69-79.
- Brown, SC; Schonbeck, MF; McClure, D; Barón, AE; Navidi, WC; Byers, T; Rutenber, AJ. (2004). Lung cancer and internal lung doses among plutonium workers at the Rocky Flats Plant: a case-control study. *Am J Epidemiol.* 160: 163-172. <http://dx.doi.org/10.1093/aje/kwh192>.
- Brown, SK. (1987). Asbestos exposure during renovation and demolition of asbestos-cement clad buildings. *Am Ind Hyg Assoc J.* 48: 478-486. <http://dx.doi.org/10.1080/15298668791385075>.
- Brown, SK. (1990). DEVELOPMENT OF TEST METHODS FOR ASSESSING ENCAPSULANTS FOR FRIABLE ASBESTOS INSULATION PRODUCTS. *J Coating Tech.* 62: 35-40.
- Brown, SK. (1990). Effect of Wetting Agents on Water Penetration into Asbestos Insulations. *Am Ind Hyg Assoc J.* 51: 384-389.
- Brown, SK. (1990). PENETRATION WETTING OF ASBESTOS INSULATION PRODUCTS. *Ind Eng Chem Res.* 29: 2123-2128.
- Brown, SK; Angelopoulos, M. (1991). EVALUATION OF EROSION RELEASE AND SUPPRESSION OF ASBESTOS FIBERS FROM ASBESTOS BUILDING PRODUCTS. *Am Ind Hyg Assoc J.* 52: 363-371.
- Browne, K. (1982). ASBESTOS IN DRINKING-WATER AND CANCER INCIDENCE IN THE SAN-FRANCISCO BAY AREA. *Am J Epidemiol.* 115: 142-143.
- Browne, K. (1986). Is asbestos or asbestosis the cause of the increased risk of lung cancer in asbestos workers? [Review]. *Br J Ind Med.* 43: 145-149.
- Browne, K. (1988). Risk assessment in the asbestos cement industry [Letter]. *Br J Ind Med.* 45: 720.
- Browne, K. (1991). Asbestos related malignancy and the Cairns hypothesis [Editorial]. *Br J Ind Med.* 48: 73-76.
- Browne, K. (1997). Pathogenesis, diagnosis and clinical relevance of pleural plaques. *Indoor Built Environ.* 6: 125-130. <http://dx.doi.org/10.1177/1420326X9700600212>.
- Browne, K. (2001). The quantitative risks of mesothelioma and lung cancer in relation to asbestos exposure [Letter]. *Ann Occup Hyg.* 45: 327-329; author reply 336-328.
- Browne, K; Gee, JB. (2000). Asbestos exposure and laryngeal cancer [Review]. *Ann Occup Hyg.* 44: 239-250.
- Browne, K; Smither, WJ. (1983). Asbestos-related mesothelioma: factors discriminating between pleural and peritoneal sites. *Br J Ind Med.* 40: 145-152.
- Browne, ML; Varadarajulu, D; Lewis-Michl, EL; Fitzgerald, EF. (2005). Cancer incidence and asbestos in drinking water, Town of Woodstock, New York, 1980-1998. *Environ Res.* 98: 224-232. <http://dx.doi.org/10.1016/j.envres.2004.07.017>.
- Brownlee, SJ; Hacker, BR; Harlow, GE; Seward, G. (2013). Seismic signatures of a hydrated mantle wedge from antigorite crystal-preferred orientation (CPO). *Earth Planet Sci Lett.* 375: 395-407. <http://dx.doi.org/10.1016/j.epsl.2013.06.003>.
- Brownson, RC; Alavanja, MC; Chang, JC. (1993). Occupational risk factors for lung cancer among nonsmoking women: A case-control study in Missouri (United States). *Cancer Causes Control.* 4: 449-454. <http://dx.doi.org/10.1007/bf00050864>.
- Bruckman, L. (1978). A Study Of Airborne Asbestos Fibers In Connecticut (pp. Definitions and Measurement Methods). (NIOSH/00145902). Bruckman, L.
- Bruckman, L; Rubino, RA. (1975). Asbestos: Rationale behind a proposed air quality standard. *J Air Pollut Control Assoc.* 25: 1207-1215.
- Bruckman, L; Rubino, RA. (1976). PROPOSED ASBESTOS AIR-QUALITY STANDARD - REPLY. *J Air Pollut Control Assoc.* 26: 415-416.
- Bruckman, L; Rubino, RA. (1978). MONITORED ASBESTOS CONCENTRATIONS IN CONNECTICUT. *J Air Pollut Control Assoc.* 28: 1221-1226.
- Brunner, TJ; Wick, P; Manser, P; Spohn, P; Grass, RN; Limbach, LK; Bruinink, A; Stark, WJ. (2006). In vitro cytotoxicity of oxide nanoparticles: comparison to asbestos, silica, and the effect of particle solubility. *Environ Sci Technol.* 40: 4374-4381. <http://dx.doi.org/10.1021/es052069i>.
- Brunner, WM; Williams, AN; Bender, AP. (2008). Investigation of exposures to commercial asbestos in northeastern Minnesota iron miners who developed mesothelioma. *Regul Toxicol Pharmacol.* 52: S116-S120. <http://dx.doi.org/10.1016/j.yrtph.2007.09.014>.
- Bruno, C; Tumino, R; Fazzo, L; Cascone, G; Cernigliaro, A; De Santis, M; Giurdanella, MC; Nicita, C; Rollo, PC; Scondotto, S; Spata, E; Zona, A; Comba, P. (2014). Incidence of pleural mesothelioma in a community exposed to fibres with fluoro-edenitic composition in Biancavilla (Sicily, Italy). *Ann Ist Super Sanita.* 50: 111-118. http://dx.doi.org/DOI:10.4415/ANN_14_02_02.
- Brüske-Hohlfeld, I. (1999). Occupational cancer in Germany [Review]. *Environ Health Perspect.* 107 Suppl 2: 253-258.
- Brüske-Hohlfeld, I; Mohner, M; Ahrens, W; Pohlabein, H; Heinrich, J; Kreuzer, M; Jockel, KH; Wichmann, HE. (1999). Lung cancer risk in male workers occupationally exposed to diesel motor emissions in Germany. *Am J Ind Med.* 36: 405-414.
- Brüske-Hohlfeld, I; Möhner, M; Pohlabein, H; Ahrens, W; Bolm-Audorff, U; Kreienbrock, L; Kreuzer, M; Jahn, I; Wichmann, HE; Jöckel, KH. (2000). Occupational lung cancer risk for men in Germany: results from a pooled case-control study. *Am J Epidemiol.* 151: 384-395.
- Brüske-Hohlfeld, I; Rosario, AS; Wölke, G; Heinrich, J; Kreuzer, M; Kreienbrock, L; Wichmann, HE. (2006). Lung cancer risk among former uranium miners of the WISMUT Company in Germany. *Health Phys.* 90: 208-216. <http://dx.doi.org/10.1097/01.HP.0000175443.08832.84>.
- Bryant, RS; Cotruvo, JA; Jackson, JC; Wade, JA; Covey, J. R.; Warden, JL. (1986). ARE ASBESTOS FIBERS IN DRINKING-WATER HARMFUL. *J Am Water Works Assoc.* 78: 18-&.

Fate Literature Search Results

Off Topic

- Bucci, LA; Hagemann, SG; Groves, DT; Standing, JG. (2002). The Archean Chalice gold deposit: a record of complex, multistage, high-temperature hydrothermal activity and gold mineralisation associated with granitic rocks in the Yilgarn Craton, Western Australia. *Ore Geol Rev.* 19: 23-67.
- Bucci, LA; Mcnaughton, NJ; Fletcher, IR; Groves, DI; Kositcin, N; Stein, HJ; Hagemann, SG. (2004). Timing and duration of high-temperature gold mineralization and spatially associated granitoid magmatism at Chalice, Yilgarn craton, Western Australia. *Econ Geol.* 99: 1123-1144.
- Buccolieri, G; De Stefano, L. (2001). Accurate quantitative measurements of asbestos in XRPD analysis. *Ann Chim.* 91: 277-283.
- Buchan, RM; Richardson, DC; Beaulieu, HJ; Keefe, TJ. (1984). DEVELOPMENT OF A MATHEMATICAL-MODEL FOR PREDICTING CONCENTRATIONS OF SMALL ASBESTOS FIBERS. *Environ Res.* 33: 296-299.
- Bucher, K. (1998). Growth mechanisms of metasomatic reaction veins in dolomite marbles from the Bergell Alps. *Mineralogy and Petrology.* 63: 151-171.
- Bucher, K; Fazis, Y; De Capitani, C; Grapes, R. (2005). Blueschists, eclogites, and decompression assemblages of the Zermatt-Saas ophiolite: High-pressure metamorphism of subducted Tethys lithosphere. *Am Mineral.* 90: 821-835. <http://dx.doi.org/10.2138/am.2005.1718>.
- Büchte, SF; Morfeld, P; Wellmann, J; Bolm-Audorff, U; Mccunney, RJ; Piekarski, C; Association, ICB. (2006). Lung cancer mortality and carbon black exposure: a nested case-control study at a German carbon black production plant. *J Occup Environ Med.* 48: 1242-1252. <http://dx.doi.org/10.1097/01.jom.0000215710.17519.cd>.
- Buck, BJ; Goossens, D; Metcalf, RV; Mclaurin, B; Ren, M; Freudenberger, F. (2013). Naturally Occurring Asbestos: Potential for Human Exposure, Southern Nevada, USA. *Soil Sci Soc Am J.* 77: 2192-2204. <http://dx.doi.org/10.2136/sssaj2013.05.0183>.
- Buck, M. (1986). [Sources, emissions and trends in air pollutants in concentrated areas--the Ruhr district]. *Schriftenr Ver Wasser Boden Lufthyg.* 69: 25-54.
- Buckley, JP; Keil, AP; Mcgrath, LJ; Edwards, JK. (2015). Evolving Methods for Inference in the Presence of Healthy Worker Survivor Bias [Review]. *Epidemiology.* 26: 204-212. <http://dx.doi.org/10.1097/EDE.0000000000000217>.
- Buczaj, A; Brzana, W; Tarasińska, J; Buczaj, M; Choina, P. (2014). Study on the concentration of airborne respirable asbestos fibres in rural areas of the Lublin region in south-east Poland. *Ann Agric Environ Med.* 21: 639-643. <http://dx.doi.org/10.5604/12321966.1120617>.
- Budroni, M; Sechi, O; Cesaraccio, R; Pirino, D; Fadda, A; Grottin, S; Flore, MV; Sale, P; Satta, G; Cossu, A; Tanda, F; Cocco, PL. (2010). [Cancer incidence among petrochemical workers in the Porto Torres industrial area, 1990-2006]. *Med Lav.* 101: 189-198.
- Buelow, RW; Millette, J. R.; Mcfarren, EF; Symons, JM. (1980). BEHAVIOR OF ASBESTOS-CEMENT PIPE UNDER VARIOUS WATER-QUALITY CONDITIONS - PROGRESS REPORT. *J Am Water Works Assoc.* 72: 91-102.
- Buick, R; Marais, DJD; Knoll, AH. (1995). STABLE ISOTOPIC COMPOSITIONS OF CARBONATES FROM THE MESOPROTEROZOIC BANGEMALL GROUP, NORTHWESTERN AUSTRALIA. *Chem Geol.* 123: 153-171.
- Bujak-Pietrek, S; Szadkowska-Stańczyk, I. (2012). [Exposure to respirable asbestos fibers at various stage of asbestos removal work]. *Med Pr.* 63: 191-198.
- Bulbulyan, MA; Ilychova, SA; Zahm, SH; Astashevsky, SV; Zaridze, DG. (1999). Cancer mortality among women in the Russian printing industry. *Am J Ind Med.* 36: 166-171.
- Bunderson-Schelvan, M; Pfau, JC; Crouch, R; Holian, A. (2011). Nonpulmonary outcomes of asbestos exposure [Review]. *J Toxicol Environ Health B Crit Rev.* 14: 122-152. <http://dx.doi.org/10.1080/10937404.2011.556048>.
- Bunn, WB; Bender, JR; Hesterberg, TW; Chase, GR; Konzen, JL. (1993). Recent studies of man-made vitreous fibers. Chronic animal inhalation studies [Review]. *J Occup Med.* 35: 101-113.
- Burdett, G. (1998). A comparison of historic asbestos measurements using a thermal precipitator with the membrane filter-phase contrast microscopy method. *Ann Occup Hyg.* 42: 21-31.
- Burdett, G; Bard, D. (2007). Exposure of UK industrial plumbers to asbestos, Part I: Monitoring of exposure using personal passive samplers. *Ann Occup Hyg.* 51: 121-130. <http://dx.doi.org/10.1093/annhyg/mel078>.
- Burdett, GJ; Dewberry, K; Staff, J. (2016). Airborne Asbestos Exposures from Warm Air Heating Systems in Schools. *Ann Occup Hyg.* 60: 27-39. <http://dx.doi.org/10.1093/annhyg/mev062>.
- Burdett, GJ; Jaffrey, SA; Rood, AP. (1989). Non-occupational exposure to mineral fibres: Airborne asbestos fibre levels in buildings: a summary of UK measurements. In IARC Scientific Publication. Lyon, France: International Agency on the Research of Cancer.
- Burdett, GJ; Jaffrey, SAM, T. (1986). Airborne asbestos concentrations in buildings. *Ann Occup Hyg.* 30: 185-199.
- Burdett, GJ; le Guen, JM; Rood, AP. (1984). Mass concentrations of airborne asbestos in the non-occupational environment--a preliminary report of U.K. measurements. *Ann Occup Hyg.* 28: 31-38. <http://dx.doi.org/10.1093/annhyg/28.1.31>.
- Burdett, GJ; Nagar, N; Smith, L. (1994). Removal of Asbestos from Difficult-to-Access Large Diameter Pipes: A Comparison of Wet Removal Methods. *Appl Occup Environ Hyg.* 9: 836-844.
- Burdett, GJ; Rood, AP. (1983). Membrane-filter, direct-transfer technique for the analysis of asbestos fibers or other inorganic particles by transmission electron microscopy. *Environ Sci Technol.* 17: 643-648.
- Burdorf, A; Dahhan, M; Swuste, P. (2003). Occupational characteristics of cases with asbestos-related diseases in The Netherlands. *Ann Occup Hyg.* 47: 485-492. <http://dx.doi.org/10.1093/annhyg/meg062>.
- Burdorf, A; Heederik, D. (2011). Applying quality criteria to exposure in asbestos epidemiology increases the estimated risk. *Ann Occup Hyg.* 55: 565-568. <http://dx.doi.org/10.1093/annhyg/mer042>.
- Burdorf, A; Järholm, B; Englund, A. (2005). Explaining differences in incidence rates of pleural mesothelioma between Sweden and the Netherlands. *Int J Cancer.* 113: 298-301. <http://dx.doi.org/10.1002/ijc.20552>.
- Burdorf, A; Järholm, B; Siesling, S. (2007). Asbestos exposure and differences in occurrence of peritoneal mesothelioma between men and women across countries. *Occup Environ Med.* 64: 839-842. <http://dx.doi.org/10.1136/oem.2006.031724>.

Fate Literature Search Results

Off Topic

- Burdorf, A; Swuste, P. (1999). An expert system for the evaluation of historical asbestos exposure as diagnostic criterion in asbestos-related diseases. *Ann Occup Hyg.* 43: 57-66.
- Burdorf, L; Swuste, PH; Heederik, D. (1991). A history of awareness of asbestos disease and the control of occupational asbestos exposures in The Netherlands. *Am J Ind Med.* 20: 547-555.
- Burilkov, T; Michailova, L. (1970). ASBESTOS CONTENT OF SOIL AND ENDEMIC PLEURAL ASBESTOSIS. *Environ Res.* 3: 443-+.
- Burilkov, T; Michailova, L; Babadjov, L. (1973). Amphibol asbestos in the soil and its significance for the endemic occurrence of pleural plaques. *Z Gesamte Hyg Grenzgeb.* 18: 802-809.
- Burkart, W; Finch, GL; Jung, T. (1997). Quantifying health effects from the combined action of low-level radiation and other environmental agents: Can new approaches solve the enigma? [Review]. *Sci Total Environ.* 205: 51-70.
- Burkhard, DJM. (1993). ACCESSORY CHROMIUM SPINELS - THEIR COEXISTENCE AND ALTERATION IN SERPENTINITES. *Geochim Cosmo Acta.* 57: 1297-1306.
- Burkhardt, G; Schulte, PA; Robinson, C; Sieber, WK; Vossen, P; Ringen, K. (1993). Job tasks, potential exposures, and health risks of laborers employed in the construction industry [Review]. *Am J Ind Med.* 24: 413-425.
- Burki, T. (2009). Asbestos production increases despite WHO opposition. *Lancet Oncol.* 10: 846.
- Burnat, D; Schlupp, M; Wichser, A; Lothenbach, B; Gorbar, M; Zuetzel, A; Vogt, UF. (2015). Composite membranes for alkaline electrolysis based on polysulfone and mineral fillers. *J Power Sources.* 291: 163-172. <http://dx.doi.org/10.1016/j.jpowsour.2015.04.066>.
- Burns, C; Harrison, K; Jammer, B; Zuccarini, D; Lafrance, B. (2005). A cancer incidence and mortality study of Dow Chemical Canada Inc. manufacturing sites. *Occup Med (Lond).* 55: 618-624. <http://dx.doi.org/10.1093/occmed/kqi145>.
- Burns, PB; Swanson, GM. (1991). THE OCCUPATIONAL-CANCER INCIDENCE SURVEILLANCE STUDY (OCISS) - RISK OF LUNG-CANCER BY USUAL OCCUPATION AND INDUSTRY IN THE DETROIT METROPOLITAN-AREA. *Am J Ind Med.* 19: 655-671.
- Burns, PB; Swanson, GM. (1995). STOMACH-CANCER RISK AMONG BLACK-AND-WHITE MEN AND WOMEN - THE ROLE OF OCCUPATION AND CIGARETTE-SMOKING. *J Occup Environ Med.* 37: 1218-1223.
- Burnsky, PJ; Kirkland, L; McArthur, JC; Drozak, F; Luciano, P; Rice, ML; Jr, KI; Bennett, CE; Lemen, RA. (1984). Proceedings Metal Trades Department Third Biennial National Shipbuilding Conference (pp. 14-16). (NIOSH/00209356). Burnsky, PJ; Kirkland, L; McArthur, JC; Drozak, F; Luciano, P; Rice, ML; Kidd IC Jr; Bennett, CE; Lemen, RA.
- Burrigato, F; Comba, P; Baiocchi, V; Palladino, D; Simej, S; Gianfagna, A; Paoletti, L; Pasetto, R. (2005). Geo-volcanological, mineralogical and environmental aspects of quarry materials related to pleural neoplasm in the area of Biancavilla, Mount Etna (Eastern Sicily, Italy). *Environ Geol.* 47: 855-868. <http://dx.doi.org/10.1007/s00254-004-1217-7>.
- Burrigato, F; Gaglianone, G; Gerbasi, G; Mazziotti-Tagliani, S; Papacchini, L; Rossini, F; Sperduto, B. (2010). Fibrous mineral detection in natural soil and risk mitigation (1(st) paper). *Periodico di Mineralogia.* 79: 21-35. <http://dx.doi.org/10.2451/2010PM0015>.
- Burstyn, I; Boffetta, P; Kauppinen, T; Heikkilä, P; Svane, O; Partanen, T; Stücker, I; Frentzel-Beyme, R; Ahrens, W; Merzenich, H; Heederik, D; Hooiveld, M; Langård, S; Randem, BG; Järholm, B; Bergdahl, I; Shaham, J; Ribak, J; Kromhout, H. (2003). Estimating exposures in the asphalt industry for an international epidemiological cohort study of cancer risk. *Am J Ind Med.* 43: 3-17. <http://dx.doi.org/10.1002/ajim.10183>.
- Bursztyn, NE, va; Olivo, GR. (2010). PGE-Rich Ni-Cu Sulfide Mineralization in the Flin Flon Greenstone Belt, Manitoba, Canada: Implications for Hydrothermal Remobilization of Platinum Group Elements in Basic-Ultrabasic Sequences. *Econ Geol.* 105: 1469-1490.
- Bussy, C; Al-Jamal, KT; Boczkowski, J; Lanone, S; Prato, M; Bianco, A; Kostarelos, K. (2015). Microglia Determine Brain Region-Specific Neurotoxic Responses to Chemically Functionalized Carbon Nano tubes. *ACS Nano.* 9: 7815-7830. <http://dx.doi.org/10.1021/acsnano.5b02358>.
- Bustinza Mantrana, JL; Jos, QS; eacute; MJ. (1997). Chemical agents - Exposure assessment. *Erga. Ediciones y Publicaciones.*
- Butnor, KJ; Sporn, TA; Roggli, VL. (2003). Exposure to brake dust and malignant mesothelioma: A study of 10 cases with mineral fiber analyses. *Ann Occup Hyg.* 47: 325-330. <http://dx.doi.org/10.1093/annhyg/meg048>.
- Butt, CA. (2016). Untitled: Tayo Adenaike. *JAMA.* 316: 252-253. <http://dx.doi.org/10.1139/cjb-2016-0104>.
- Buzio, S; Pesando, G; Zuppi, GM. (2000). Hydrogeological study on the presence of asbestos fibres in water of northern Italy. *Water Res.* 34: 1817-1822.
- Cabana, L; Bourgognon, M; Wang, JT; Protti, A; Klippstein, R; de Rosales, RT; Shah, AM; Fontcuberta, J; Tobias-Rossell, E; Sosabowski, JK; Al-Jamal, KT; Tobias, G. (2016). The Shortening of MWNT-SPION Hybrids by Steam Treatment Improves Their Magnetic Resonance Imaging Properties In Vitro and In Vivo. *Small.* 12: 2893-2905. <http://dx.doi.org/10.1002/smll.201502721>.
- Caby, R; Bruguier, O; Fernandez, L; Hammor, D; Bosch, D; Mechat, M; Laouar, R; Ouabadi, A; Abdallah, N; Douchet, C. (2014). Metamorphic diamonds in a garnet megacryst from the Edough Massif (northeastern Algeria). Recognition and geodynamic consequences. *Tectonophysics.* 637: 341-353. <http://dx.doi.org/10.1016/j.tecto.2014.10.017>.
- Cadieux, A; Massé, S; Sirois, P. (1983). Effect of asbestos on the metabolism of vasoactive substances in isolated perfused guinea pig lungs. *Environ Health Perspect.* 51: 287-291.
- Cahill, C. (1982). PUBLIC-PARTICIPATION CITIZENS CHALLENGE ASBESTOS PIPE USE. *Environment.* 24: 43-44.
- Cahill, TA; Cliff, SS; Perry, KD; Jimenez-Cruz, M; Bench, G; Grant, P; Ueda, D; Shackelford, JF; Dunlap, M; Kelly, PB; Riddle, S; Selco, J; Leifer, RZ. (2004). Analysis of aerosols from the World Trade Center collapse site, New York, October 2 to October 30, 2001. *Aerosol Sci Technol.* 38: 165-183. <http://dx.doi.org/10.1080/02786820490250836>.
- Cai, SX; Zhang, CH; Zhang, X; Morinaga, K. (2001). Epidemiology of occupational asbestos-related diseases in China [Review]. *Ind Health.* 39: 75-83.
- Caironi, M; Polini, S; Storto, T; Bertoli, M. (2007). [The productive district of textile asbestos in the Lower Iseo Lake area]. *Epidemiol Prev.* 31: 10-15.

Fate Literature Search Results

Off Topic

- Calagari, A, IIA; Abedini, A, Ii. (2007). Geochemical investigations on Permo-Triassic bauxite horizon at Kanisheeteh, east of Bukan, West-Azarbaidjan, Iran. *J Geochem Explor.* 94: 1-18. <http://dx.doi.org/10.1016/j.gexplo.2007.04.003>.
- Calcabrini, A; Meschini, S; Marra, M; Falzano, L; Colone, M; De Berardis, B; Paoletti, L; Arancia, G; Fiorentini, C. (2004). Fine environmental particulate engenders alterations in human lung epithelial A549 cells. *Environ Res.* 95: 82-91. <http://dx.doi.org/10.1016/j.envres.2003.07.011>.
- Calderon, M; Fosdick, JC; Warren, C; Massonne, HJ; Fanning, CM; Fadel Cury, L; Schwanethal, J; Fonseca, PE; Galaz, G; Gaytan, D; Herve, F. (2012). The low-grade Canal de las Montanas Shear Zone and its role in the tectonic emplacement of the Sarmiento Ophiolitic Complex and Late Cretaceous Patagonian Andes orogeny, Chile. *Tectonophysics.* 524: 165-185. <http://dx.doi.org/10.1016/j.tecto.2011.12.034>.
- Callahan, KC. (2004). Monitoring for asbestos: U.S. EPA methods [Letter]. *Environ Health Perspect.* 112: A728.
- Calvert, GM; Moore, M; Hessel, SM. (1991). Ventilatory function after exposure to various respirable hazards in a population of former coal miners. *Br J Ind Med.* 48: 38-40.
- Calvet, N; Gomez, JC; Faik, A; Roddatis, VV; Meffre, A; Glatzmaier, GC; Doppiu, S; Py, X. (2013). Compatibility of a post-industrial ceramic with nitrate molten salts for use as filler material in a thermocline storage system. *Appl Energ.* 109: 387-393. <http://dx.doi.org/10.1016/j.apenergy.2012.12.078>.
- Camara, F; Oberti, R; Iezzi, G; Della Ventura, G. (2003). The P21/m <-> C2/m phase transition in synthetic amphibole NaNaMgMg5Si8O22(OH)2: thermodynamic and crystal-chemical evaluation. *Physics and Chemistry of Minerals.* 30: 570-581. <http://dx.doi.org/10.1007/s00269-003-0348-9>.
- Camargo, MC; Stayner, LT; Straif, K; Reina, M; Al-Alem, U; Demers, PA; Landrigan, PJ. (2011). Occupational exposure to asbestos and ovarian cancer: a meta-analysis. *Environ Health Perspect.* 119: 1211-1217. <http://dx.doi.org/10.1289/ehp.1003283>.
- Cambelova, M; Juck, A. (1994). FIBROGENIC EFFECT OF WOLLASTONITE COMPARED WITH ASBESTOS DUST AND DUSTS CONTAINING QUARTZ. *Occup Environ Med.* 51: 343-346.
- Cametti, G; Pacella, A; Mura, F; Rossi, M; Ballirano, P. (2013). New morphological, chemical, and structural data of woolly erionite-Na from Durkee, Oregon, USA. *Am Mineral.* 98: 2155-2163. <http://dx.doi.org/10.2138/am.2013.4474>.
- Camiade, E; Gramond, C; Jutand, MA; Audignon, S; Rinaldo, M; Imbernon, E; Luce, D; Galateau-Sallé, F; Astoul, P; Pairon, JC; Brochard, P; Lacourt, A. (2013). Characterization of a French series of female cases of mesothelioma. *Am J Ind Med.* 56: 1307-1316. <http://dx.doi.org/10.1002/ajim.22229>.
- Campbell, MJ; Langlands, JH. (1982). Analysis of a follow-up study: an example from asbestos-exposed insulation workers. *Scand J Work Environ Health.* 8 Suppl 1: 43-47.
- Campbell, WJ. (1979). IDENTIFICATION AND QUANTIFICATION OF ASBESTOS AND OTHER MINERAL PARTICULATES. *American Ceramic Society Bulletin.* 58: 330-330.
- Campopiano, A; Casciardi, S; Fioravanti, F; Ramires, D. (2004). Airborne asbestos levels in school buildings in Italy. *J Occup Environ Hyg.* 1: 256-261. <http://dx.doi.org/10.1080/15459620490433771>.
- Campopiano, A; Ramires, D; Zakrzewska, AM; Ferri, R; D'annibale, A; Pizzutelli, G. (2009). Risk assessment of the decay of asbestos cement roofs. *Ann Occup Hyg.* 53: 627-638. <http://dx.doi.org/10.1093/annhyg/mep036>.
- Campos, TFC; Nieva, AMR; Nardi, LSV. (2000). Geochemistry of granites and their minerals from Serra Negra do Norte Pluton, northeastern Brazil. *Chem Erde.* 60: 279-303.
- Camprubi, A; Gonzalez-Partida, E; Lopez-Martinez, M; Iriondo, A; Alfonso, P; Cienfuegos-Alvarado, E; Gutierrez-Armendariz, E; Morales-Puente, P; Canet, C; Gonzalez-Ruiz, L. (2017). The Upper Cretaceous Guaynopa IOCG and Guaynopita porphyry copper deposits, Chihuahua, Mexico. *Ore Geol Rev.* 81: 1096-1112. <http://dx.doi.org/10.1016/j.oregeorev.2016.01.006>.
- Candela, PA; Crummett, CD; Earnest, DJ; Frank, MR; Wylie, AG. (2007). Low-pressure decomposition of chrysotile as a function of time and temperature. *Am Mineral.* 92: 1704-1713. <http://dx.doi.org/10.2138/am.2007.2559>.
- Candura, SM; Boeri, R; Teragni, C; Chen, Y; Scafa, F. (2016). Renal cell carcinoma and malignant peritoneal mesothelioma after occupational asbestos exposure: case report. *Med Lav.* 107: 172-177.
- Canet, C; Gonzalez-Partida, E; Camprubi, A; Castro-Mora, J; Martin Romero, F; Maria Prol-Ledesma, R; Linares, C; Romero-Guadarrama, JA; Sanchez-Vargas, LI. (2011). The Zn-Pb-Ag skarns of Zacatepec, Northeastern Oaxaca, Mexico: A study of mineral assemblages and ore-forming fluids. *Ore Geol Rev.* 39: 277-290. <http://dx.doi.org/10.1016/j.oregeorev.2011.03.007>.
- Cannao, E; Agostini, S; Scambelluri, M; Tonarini, S; Godard, M. (2015). B, Sr and Pb isotope geochemistry of high-pressure Alpine metaperidotites monitors fluid-mediated element recycling during serpentinite dehydration in subduction melange (Cima di Gagnone, Swiss Central Alps). *Geochim Cosmo Acta.* 163: 80-100. <http://dx.doi.org/10.1016/j.gca.2015.04.024>.
- Cannao, E; Scambelluri, M; Agostini, S; Tonarini, S; Godard, M. (2016). Linking serpentinite geochemistry with tectonic evolution at the subduction plate-interface: The Voltri Massif case study (Ligurian Western Alps, Italy). *Geochim Cosmo Acta.* 190: 115-133. <http://dx.doi.org/10.1016/j.gca.2016.06.034>.
- Cannell, J; Davidson, GJ. (1998). A carbonate-dominated copper-cobalt Breccia-Vein system at the great Australia deposit, Mount Isa Eastern succession. *Econ Geol.* 93: 1406-1421.
- Canti, Z; Scillia, R; Cantoni, S; Mensi, C. (2007). [Malignant mesothelioma of the pleura in a truck driver]. *Med Lav.* 98: 216-220.
- Cantor, KP. (1997). Drinking water and cancer [Review]. *Cancer Causes Control.* 8: 292-308. <http://dx.doi.org/10.1023/A:1018444902486>.
- Cao, M; Qin, K; Li, G; Evans, NJ; Jin, L. (2015). In situ LA-(MC)-ICP-MS trace element and Nd isotopic compositions and genesis of polygenetic titanite from the Baogutu reduced porphyry Cu deposit, Western Junggar, NW China. *Ore Geol Rev.* 65: 940-954. <http://dx.doi.org/10.1016/j.oregeorev.2014.07.014>.

Fate Literature Search Results

Off Topic

- Cao, Y, i; Du, Y; Gao, F; Hu, L; Xin, F; Pang, Z. (2012). Origin and evolution of hydrothermal fluids in the Taochong iron deposit, Middle-Lower Yangtze Valley, Eastern China: Evidence from microthermometric and stable isotope analyses of fluid inclusions. *Ore Geol Rev.* 48: 225-238. <http://dx.doi.org/10.1016/j.oregeorev.2012.03.009>.
- Cao, Y, i; Du, Y; Pang, Z; Gao, F; Du, Y; Liu, X. (2016). Iron transport and deposition mechanisms in the Taochong iron-rich skarn deposit, Middle-Lower Yangtze Valley, Eastern China. *Ore Geol Rev.* 72: 1037-1052. <http://dx.doi.org/10.1016/j.oregeorev.2015.10.001>.
- Cao, Y, i; Jung, H; Song, S; Park, M; Jung, S; Lee, J. (2015). Plastic Deformation and Seismic Properties in Fore-arc Mantles: A Petrofabric Analysis of the Yushigou Harzburgites, North Qilian Suture Zone, NW China. *Journal of Petrology.* 56: 1897-1943. <http://dx.doi.org/10.1093/petrology/egv053>.
- Cao, Y, i; Song, S; Su, L, i; Jung, H; Niu, Y. (2016). Highly refractory peridotites in Songshugou, Qinling orogen: Insights into partial melting and melt/fluid-rock reactions in forearc mantle. *Lithos.* 252: 234-254. <http://dx.doi.org/10.1016/j.lithos.2016.03.002>.
- Capitani, G; Mellini, M. (2004). The modulated crystal structure of antigorite: The m=17 polysome. *Am Mineral.* 89: 147-158.
- Capitani, G; Mellini, M. (2005). HRTEM evidence for 8-reversals in the m=17 antigorite polysome. *Am Mineral.* 90: 991-999. <http://dx.doi.org/10.2138/am.2005.1634>.
- Capitani, GC; Mellini, M. (2006). The crystal structure of a second antigorite polysome (m=16), by single-crystal synchrotron diffraction. *Am Mineral.* 91: 394-399. <http://dx.doi.org/10.2138/am.2006.1919>.
- Capitani, GC; Mellini, M. (2007). High-resolution transmission electron microscopy (HRTEM) investigation of antigorite polysomes (m=15 to 18). *Am Mineral.* 92: 64-71. <http://dx.doi.org/10.2138/am.2007.2188>.
- Capitani, GC; Mellini, M. (2008). Rationale for the existence of four- and eight-reversals in antigorite. *Am Mineral.* 93: 796-799. <http://dx.doi.org/10.2138/am.2008.2538>.
- Capitani, GC; Stixrude, L. (2012). A first-principle investigation of antigorite up to 30 GPa: Structural behavior under compression. *Am Mineral.* 97: 1177-1186. <http://dx.doi.org/10.2138/am.2012.3956>.
- Capitani, GC; Stixrude, L; Mellini, M. (2009). First-principles energetics and structural relaxation of antigorite. *Am Mineral.* 94: 1271-1278. <http://dx.doi.org/10.2138/am.2009.3218>.
- Caplan, PE. (1985). Preliminary Survey Report: Control Technology For Asbestos Removal Industry, Report No. CT-147-15a, Gateway High School, Aurora, Colorado (pp. 147-115). (NIOSH/00152202). Caplan, PE.
- Caplan, PE. (1985). Preliminary Survey Report: Control Technology For Asbestos Removal Industry, Report No. CT-147-16a, Veterans Administration Hospital, Denver, Colorado (pp. 147-116). (NIOSH/00152206). Caplan, PE.
- Caplan, PE. (1985). Preliminary Survey Report: Control Technology Of Asbestos Removal Industry, Report No. CT-147-17a, Baseline Junior High School, Boulder, Colorado (pp. 147-117). (NIOSH/00152204). Caplan, PE.
- Cappelletto, F; Merler, E. (2003). Perceptions of health hazards in the narratives of Italian migrant workers at an Australian asbestos mine (1943-1966). *Soc Sci Med.* 56: 1047-1059.
- Carel, R; Boffetta, P; Kauppinen, T; Teschke, K; Andersen, A; Jäppinen, P; Pearce, N; Rix, BA; Bergeret, A; Coggon, D; Persson, B; Szadkowska-Stanczyk, I; Kielkowski, D; Henneberger, P; Kishi, R; Facchini, LA; Sala, M; Colin, D; Kogevinas, M. (2002). Exposure to asbestos and lung and pleural cancer mortality among pulp and paper industry workers. *J Occup Environ Med.* 44: 579-584.
- Carel, R; Olsson, AC; Zaridze, D; Szeszenia-Dabrowska, N; Rudnai, P; Lissowska, J; Fabianova, E; Cassidy, A; Mates, D; Bencko, V; Foretova, L; Janout, V; Fevotte, J; Fletcher, T; 'T Mannelje, A; Brennan, P; Boffetta, P. (2007). Occupational exposure to asbestos and man-made vitreous fibres and risk of lung cancer: a multicentre case-control study in Europe. *Occup Environ Med.* 64: 502-508. <http://dx.doi.org/10.1136/oem.2006.027748>.
- Carlin, DJ; Larson, TC; Pfau, JC; Gavett, SH; Shukla, A; Miller, A; Hines, R. (2015). Current Research and Opportunities to Address Environmental Asbestos Exposures. *Environ Health Perspect.* 123: A194-A197. <http://dx.doi.org/10.1289/ehp.1409662>.
- Carlo, HL; Fonseca, RB; Goncalves, L; Correr-Sobrinho, L; Soares, CJ; Coelho Sinhorette, MA. (2010). Analysis of Filler Particle Levels and Sizes in Dental Alginates. *Mater Res.* 13: 261-264.
- Carneiro, C; Sottomaior, AP; Andreoli, CV. (2005). Nitrogen dynamics in sewage sludge stored under distinct conditions. *Revista Brasileira de Ciencia do Solo.* 29: 987-994.
- Carnevale, F. (2007). [Asbestos: a long lasting tragedy. Useful considerations for a historical reconstruction of the most remarkable facts]. *Epidemiol Prev.* 31: 53-74.
- Carnevale, F. (2008). Grey and the color of dust. A factory, the clouds of asbestos, hundreds of workers died. A forgotten story. *Epidemiol Prev.* 32: 332-332.
- Carnevale, F. (2012). [Asbestos in pre-industrial times: from natural wonder to subject of scientific investigation]. *Med Lav.* 103: 3-16.
- Carpenter, PS; Walker, NW. (1992). ORIGIN AND TECTONIC SIGNIFICANCE OF THE ALDRICH MOUNTAINS SERPENTINITE MATRIX MELANGE, NORTHEASTERN OREGON. *Tectonics.* 11: 690-708.
- Carretier, J; Charbotel, B; Baan, R; Talla, L; Grosse, V; Philip, T; Straif, K; Fervers, B. (2013). [Reassessment of human carcinogens (volumes 100C and 100F of IARC monographs) and recognition as occupational diseases]. *E R S.* 12: 41-53. <http://dx.doi.org/10.1684/ers.2013.0593>.
- Carruth, RS; Goldstein, BD. (2004). The asbestos case: a comment on the appointment and use of nonpartisan experts in world trade organization dispute resolution involving health risk. *Risk Anal.* 24: 471-481. <http://dx.doi.org/10.1111/j.0272-4332.2004.00450.x>.
- Carson, PG; Johnston, MV; Wexler, AS. (1997). Real-time monitoring of the surface and total composition of aerosol particles. *Aerosol Sci Technol.* 26: 291-300.
- Carter, RE; Taylor, WF. (1980). Identification of a particular amphibole asbestos fiber in tissues of persons exposed to a high oral intake of the mineral. *Environ Res.* 21: 85-93.

Fate Literature Search Results

Off Topic

- Carton, M; Bonnaud, S; Nachtigal, M; Serrano, A; Carole, C; Bonenfant, S; Coste, D; Lepinay, P; Varsat, B; Wadoux, B; Zins, M; Goldberg, M. (2011). Post-retirement surveillance of workers exposed to asbestos or wood dust: first results of the French national SPIRALE Program. *Epidemiol Prev.* 35: 315-323.
- Cartwright, I; Valley, JW. (1991). STEEP OXYGEN-ISOTOPE GRADIENTS AT MARBLE METAGRANITE CONTACTS IN THE NORTHWEST ADIRONDACK MOUNTAINS, NEW-YORK, USA - PRODUCTS OF FLUID-HOSTED DIFFUSION. *Earth Planet Sci Lett.* 107: 148-163.
- Carugno, M; Mensi, C; Sieno, C; Consonni, D; Riboldi, L. (2012). Asbestos exposure among hairdressers [Letter]. *Med Lav.* 103: 70-71.
- Casali, M; Carugno, M; Cattaneo, A; Consonni, D; Mensi, C; Genovese, U; Cavallo, DM; Somigliana, A; Pesatori, AC. (2015). Asbestos Lung Burden in Necroscopic Samples from the General Population of Milan, Italy. *Ann Occup Hyg.* 59: 909-921. <http://dx.doi.org/10.1093/annhyg/mev028>.
- Casanovas Boixereu, X; Jim, T; eacute; Nez, L; Freixa Blanxart, A. (2004). [Asbestos detection in buildings (I): Basic aspects]. *Erga. Ediciones y Publicaciones.*
- Casanovas Boixereu, X; Trujillo Jim, Nez, L; Freixa Blanxart, A. (2004). [Asbestos detection in buildings (II): Identification and analysis methodology]. 73.
- Case, BW. (1991). On talc, tremolite, and tergiversation ter-gi-ver-sate: 2: to use subterfuges [Letter]. *Occup Environ Med.* 48: 357-358.
- Case, BW. (1994). Biological indicators of chrysotile exposure. *Ann Occup Hyg.* 38: 503-518, 410-501.
- Case, BW. (2006). Asbestos, smoking, and lung cancer: interaction and attribution [Comment]. *Occup Environ Med.* 63: 507-508. <http://dx.doi.org/10.1136/oem.2006.027631>.
- Case, BW. (2016). Pathology analysis for mesothelioma study in the United Kingdom: Current practice and historical development. *J Toxicol Environ Health B Crit Rev.* 19: 201-212. <http://dx.doi.org/10.1080/10937404.2016.1195320>.
- Case, BW; Abraham, JL; Meeker, G; Pooley, FD; Pinkerton, KE. (2011). Applying definitions of "asbestos" to environmental and "low-dose" exposure levels and health effects, particularly malignant mesothelioma [Review]. *J Toxicol Environ Health B Crit Rev.* 14: 3-39. <http://dx.doi.org/10.1080/10937404.2011.556045>.
- Case, BW; Dufresne, A. (1997). Asbestos, asbestosis, and lung cancer: observations in Quebec chrysotile workers. *Environ Health Perspect.* 105 Suppl 5: 1113-1119.
- Case, BW; Dufresne, A; Sebastien, P. (2006). Lung-retained asbestos fibre analysis: Trends over 25 years in one institution and their implications. *Epidemiology.* 17: S136-S137.
- Case, BW; Sebastien, P. (1985). BIOLOGICAL ESTIMATION OF ENVIRONMENTAL EXPOSURE TO ASBESTOS (pp. 12-15). (BIOSIS/85/16452). Case, BW; Sebastien, P.
- Case, BW; Sebastien, P. (1987). Environmental and occupational exposures to chrysotile asbestos: a comparative microanalytic study. *Arch Environ Health.* 42: 185-191.
- Case, BW; Sébastien, P. (1989). Fibre levels in lung and correlation with air samples [Review]. In J Bignon; J Peto; R Saracci (Eds.), *IARC Sci Publ* (pp. 207-218). Lyon, France: International Agency for Research on Cancer.
- Case, BW; Sebastien, P; McDonald, JC. (1988). Lung fiber analysis in accident victims: a biological assessment of general environmental exposures. *Arch Environ Health.* 43: 178-179. <http://dx.doi.org/10.1080/00039896.1988.9935849>.
- Cassa, AM; van Zyl, JE; Laubscher, RF. (2010). A numerical investigation into the effect of pressure on holes and cracks in water supply pipes. *Urban Water Journal.* 7: 109-120. <http://dx.doi.org/10.1080/15730620903447613>.
- Cassan, G; LESTERLI.P; Brun, J. (1973). ASBESTOS DUST IN INDUSTRY OF AUTOMOBILE ENGINE JOINTS AND MEDICAL DETECTION OF ASBESTOSIS. *Arch Mal Prof Med Trav Secur Soc.* 34: 560-563.
- Cassiola, F; Rogers, RA; Kiyohara, PK; Joekes, I. (2005). Yeast cells long-term interaction with asbestos fibers. *Colloids Surf B Biointerfaces.* 41: 277-283. <http://dx.doi.org/10.1016/j.colsurfb.2004.12.006>.
- Cassiola, F; Santos, HS; Joekes, I. (2003). *Saccharomyces cerevisiae* entrapped in chrysotile increases life-span for up to 3 years. *Colloids Surf B Biointerfaces.* 30: 283-289. [http://dx.doi.org/10.1016/S0927-7765\(03\)00099-7](http://dx.doi.org/10.1016/S0927-7765(03)00099-7).
- Castellanos R, MA; Salazar, S; Gomez, LB; Lima G, RM. (1991). ASBESTOS IN THE URBAN AREA OF MEXICO CITY MEXICO (pp. 25-30). (BIOSIS/92/36905). Castellanos R, MA; Salazar, S; Gomez, LB; Lima G, RM.
- Castleman, B. (2003). "Controlled use" of asbestos. *Int J Occup Environ Health.* 9: 294-298. <http://dx.doi.org/10.1179/oeh.2003.9.3.294>.
- Castleman, B. (2016). The export of hazardous industries in 2015. *Environ Health.* 15: 8. <http://dx.doi.org/10.1186/s12940-016-0091-6>.
- Castleman, B; Camarota, LA; Fritsch, AJ; Mazzocchi, S; Crawley, RG. (1975). HAZARDS OF ASBESTOS FOR BRAKE MECHANICS. *Public Health Rep.* 90: 254-256.
- Castleman, B; Turcotte, F; Greenberg, M. (2010). Comment on: Ogden T (2009) 'data sharing, federal rule of evidence 702, and the lions in the undergrowth' [Letter]. *Ann Occup Hyg.* 54: 360-361; author reply 365-366. <http://dx.doi.org/10.1093/annhyg/meq013>.
- Castranova, V. (2009). The Nanotoxicology Research Program in NIOSH. *J Nanopart Res.* 11: 5-13. <http://dx.doi.org/10.1007/s11051-008-9421-0>.
- Castranova, V; Pailles, W; Judy, D; Blake, T; Schwegler-Berry, D; Jones, W. (1996). In vitro effects of large and small glass fibers on rat alveolar macrophages. *J Toxicol Environ Health.* 49: 357-369.
- Cathelineau, M; Marignac, C; Boiron, MC; Gianelli, G; Puxeddu, M. (1994). EVIDENCE FOR LI-RICH BRINES AND EARLY MAGMATIC FLUID-ROCK INTERACTION IN THE LARDERELLO GEOTHERMAL SYSTEM. *Geochim Cosmo Acta.* 58: 1083-1099.
- Catherine, H; Skinner, W. (2003). Mineralogy of asbestos minerals. *Indoor Built Environ.* 12: 385-389. <http://dx.doi.org/10.1177/1420326X03037003>.
- Cattaneo, A; Cavallo, DM; Chiappino, G. (2009). [Improvement of a sedimentation method for measuring dispersion of fibres from asbestos cement roofs]. *Med Lav.* 100: 187-196.

Fate Literature Search Results

Off Topic

- Cattaneo, A; Gualtieri, AF; Artioli, G. (2003). Kinetic study of the dehydroxylation of chrysotile asbestos with temperature by in situ XRPD. *Physics and Chemistry of Minerals*. 30: 177-183. <http://dx.doi.org/10.1007/s00269-003-0298-2>.
- Cattaneo, A; Somigliana, A; Gemmi, M; Bernabeo, F; Savoca, D; Cavallo, DM; Bertazzi, PA. (2012). Airborne concentrations of chrysotile asbestos in serpentine quarries and stone processing facilities in Valmalenco, Italy. *Ann Occup Hyg*. 56: 671-683. <http://dx.doi.org/10.1093/annhyg/mer119>.
- Cavalleri, A; Gobba, F; Bacchella, L; Ferrari, D. (1991). Evaluation of serum amino-terminal propeptide of type III procollagen as an early marker of the active fibrotic process in asbestos-exposed workers. *Scand J Work Environ Health*. 17: 139-144.
- Cavalleri, A; Gobba, F; Bacchella, L; Luberto, F; Ziccardi, A. (1988). Serum type III procollagen peptide in asbestos workers: an early indicator of pulmonary fibrosis. *Br J Ind Med*. 45: 818-823.
- Cavallo, A; Rimoldi, B. (2013). Chrysotile asbestos in serpentinite quarries: a case study in Valmalenco, Central Alps, Northern Italy. *Environ Sci Process Impacts*. 15: 1341-1350. <http://dx.doi.org/10.1039/c3em00193h>.
- Cavariani, F. (2016). Asbestos contamination in feldspar extraction sites: a failure of prevention? Commentary. *Ann Ist Super Sanita*. 52: 6-8. http://dx.doi.org/10.4415/ANN_16_01_03.
- Cazzadori, A; Malesani, F; Romeo, L. (1992). Malignant pleural mesothelioma caused by non-occupational childhood exposure to asbestos. *Br J Ind Med*. 49: 599. <http://dx.doi.org/10.1136/oem.49.8.599>.
- Cecchetti, G; Fruttero, A; Conti, ME. (2005). Asbestos reclamation at a disused industrial plant, Bagnoli (Naples, Italy). *J Hazard Mater*. 122: 65-73. <http://dx.doi.org/10.1016/j.jhazmat.2005.02.014>.
- Cecchi, E; Mercier, G, uy; Bergeron, M. (2009). A feasibility study of carbochlorination of chrysotile tailings. *Int J Miner Process*. 93: 278-283. <http://dx.doi.org/10.1016/j.minpro.2009.08.003>.
- Cegolon, L; Lange, JH; Mastrangelo, G. (2010). The Primary Care Practitioner and the diagnosis of occupational diseases. *BMC Public Health*. 10: 405. <http://dx.doi.org/10.1186/1471-2458-10-405>.
- Cele, EN; Maboeta, M. (2016). Response of soil enzyme activities to synergistic effects of biosolids and plants in iron ore mine soils. *Int J Environ Sci Tech*. 13: 2117-2126. <http://dx.doi.org/10.1007/s13762-016-1043-y>.
- Cely-García, MF; Curriero, FC; Giraldo, M; Méndez, L; Breyse, PN; Durán, M; Torres-Duque, CA; González-García, M; Pérez, C; Parada, P; Ramos-Bonilla, JP. (2016). Factors Associated With Non-compliance of Asbestos Occupational Standards in Brake Repair Workers. *Ann Occup Hyg*. 60: 1020-1035. <http://dx.doi.org/10.1093/annhyg/mew028>.
- Cely-García, MF; Sánchez, M; Breyse, PN; Ramos-Bonilla, JP. (2012). Personal exposures to asbestos fibers during brake maintenance of passenger vehicles. *Ann Occup Hyg*. 56: 985-999. <http://dx.doi.org/10.1093/annhyg/mes030>.
- Cely-García, MF; Torres-Duque, CA; Durán, M; Parada, P; Sarmiento, OL; Breyse, PN; Ramos-Bonilla, JP. (2015). Personal exposure to asbestos and respiratory health of heavy vehicle brake mechanics. *J Expo Sci Environ Epidemiol*. 25: 26-36. <http://dx.doi.org/10.1038/jes.2014.8>.
- Centner, TJ; Colson, G. (2013). Rationing health protection: a proposal to exempt nuisance dust from US Clean Air Act regulations. *J Environ Manage*. 117: 219-225. <http://dx.doi.org/10.1016/j.jenvman.2012.12.016>.
- Cepedal, A; Martin-Izard, A; Reguilon, R; Rodriguez-Pevida, L; Spiering, E; Gonzalez-Nistal, S. (2000). Origin and evolution of the calcic and magnesian skarns hosting the El Valle-Boinas copper-gold deposit, Asturias (Spain). *J Geochem Explor*. 71: 119-151.
- Ceraso, J. (1986). BAN ON ASBESTOS CEMENT PIPE NEEDED. *J Am Water Works Assoc*. 78: 8-8.
- Cervini-Silva, J; Nieto-Camacho, A; Gómez-Vidales, V. (2015). Oxidative stress inhibition and oxidant activity by fibrous clays. *Colloids Surf B Biointerfaces*. 133: 32-35. <http://dx.doi.org/10.1016/j.colsurfb.2015.05.042>.
- Cervini-Silva, J; Nieto-Camacho, A; Ramírez-Apan, MT; Gómez-Vidales, V; Palacios, E; Montoya, A; Ronquillo de Jesús, E. (2015). Anti-inflammatory, anti-bacterial, and cytotoxic activity of fibrous clays. *Colloids Surf B Biointerfaces*. 129: 1-6. <http://dx.doi.org/10.1016/j.colsurfb.2015.03.019>.
- Chadwick, DA; Buchan, RM; Beaulieu, HJ. (1985). Airborne asbestos in Colorado public schools. *Environ Res*. 36: 1-13.
- Chalokwu, CI; Kuehner, SM. (1992). MINERAL CHEMISTRY AND THERMOBAROMETRY OF A SOUTHERN APPALACHIAN AMPHIBOLITE WITH EPIDOTE + QUARTZ SYMPLECTITE. *Am Mineral*. 77: 617-630.
- Chamming's, S; Clin, B; Brochard, P; Astoul, P; Ducamp, S; Galateau-Salle, F; Ilg, AG; Goldberg, M; Gramond, C; Imbernon, E; Rolland, P; Pairon, JC. (2013). Compensation of pleural mesothelioma in France: data from the French National Mesothelioma Surveillance Programme. *Am J Ind Med*. 56: 146-154. <http://dx.doi.org/10.1002/ajim.22106>.
- Chan, CK; Gee J, BL. (1988). Asbestos exposure and laryngeal cancer: An analysis of the epidemiologic evidence [Review]. *J Occup Med*. 30: 23-27.
- Chan, D; Stachowiak, GW. (2004). Review of automotive brake friction materials. *Institution of Mechanical Engineers Proceedings Part D: Journal of Automobile Engineering*. 218: 953-966.
- Chan, HK; Gonda, I. (1993). PREPARATION OF RADIOLABELED MATERIALS FOR STUDIES OF DEPOSITION OF FIBERS IN THE HUMAN RESPIRATORY-TRACT. *J Aerosol Med*. 6: 241-249.
- Chan, YM; Agamuthu, P; Mahalingam, R. (2000). Solidification and stabilization of asbestos brake lining dust using polymeric resins. *Environ Eng Sci*. 17: 203-213.
- Chan, YM; Agamuthu, P; Mahalingam, R. (2000). Solidification and stabilization of asbestos waste from an automobile brake manufacturing facility using cement. *J Hazard Mater*. 77: 209-226.
- Chang, HY; Chen, CR; Wang, JD. (1999). Risk assessment of lung cancer and mesothelioma in people living near asbestos-related factories in Taiwan. *Arch Environ Occup Health*. 54: 194-201. <http://dx.doi.org/10.1080/00039899909602259>.
- Chang, MJW; Singh, NP; Hart, RW. (1983). EFFECTS OF CHRYSOTILE CO-EXPOSURE ON BAP BINDING IN NORMAL HUMAN-FIBROBLASTS. *Environ Health Perspect*. 51: 241-244.

Fate Literature Search Results

Off Topic

- Chang, SN; White, LE; Scott, WD. (1987). Assessing asbestos exposure potential in nonindustrial settings. *J Community Health*. 12: 176-184. <http://dx.doi.org/10.1007/BF01323479>.
- Chang, Z; Meinert, LD. (2008). The Empire Cu-Zn Mine, Idaho: Exploration Implications of Unusual Skarn Features Related to High Fluorine Activity. *Econ Geol*. 103: 909-938.
- Chang-Macchiu, P; Alvarez, D; Jesus Cruz, M; Perez, C; Curull, V; Guadalupe Silveira, M; Pijuan, L; Sanchez-Font, A; De Gracia, J; Ferrer, J. (2013). Utility of bronchoalveolar lavage in the determination of lung asbestos burden in Barcelona, Spain. *Eur Respir J*. 42.
- Chapman, S; Heidemann, A; Woodward, S. (1996). Were asbestos-filtered Kent cigarettes sold in Australia? [Letter]. *Aust N Z J Public Health*. 20: 218-219.
- Chapman, TR; Niesz, DE; Fox, RT; Fawcett, T. (1999). Wear-resistant aluminum-boron-carbide cermets for automotive brake applications. *Wear*. 236: 81-87.
- Chardot-Jacques, V; Calvaruso, C; Simon, B; Turpault, MP; Echevarria, G; Morel, JL. (2013). Chrysotile dissolution in the rhizosphere of the nickel hyperaccumulator *Leptoplax emarginata*. *Environ Sci Technol*. 47: 2612-2620. <http://dx.doi.org/10.1021/es301229m>.
- Chase, GR. (1985). APPROACH TO ASBESTOS WORKER COMPENSATION PLAN ALLEGED TO BE FLAWED - RESPONSE. *J Occup Environ Med*. 27: 790-791.
- Chashchin, VV. (2007). Mineral assemblages and genesis of hornfelses in the outer contact zone of the Khibina Massif, Kola Peninsula, Russia. *Geochem Int*. 45: 15-31. <http://dx.doi.org/10.1134/S0016702907010028>.
- Chatzis, C; Danaka, G; Linos, A; Kales, SN; Christiani, DC. (1999). Lung cancer and occupational risk factors in Greece. *J Occup Environ Med*. 41: 29-35. <http://dx.doi.org/10.1097/00043764-199901000-00006>.
- Chau, JL, ikH; Lee, CC; Yang, CC; Shih, H, siH. (2016). Zeolite-coated steel fibers for friction materials applications. *Institution of Mechanical Engineers Proceedings Part L: Journal of Materials: Design and Applicati*. 230: 35-42. <http://dx.doi.org/10.1177/1464420714542053>.
- Chaves, A, deO; de Oliveira, DV; Rodrigues Crincoli Pacheco, FE; Barroso, MF; de Magalhaes, MG; Dalla Vecchia Chaves, AM. (2011). Mineralogy and provenance of black sands from Iriri - ES. *Revista da Escola de Minas*. 64: 421-428.
- Checkoway, H; Heyer, NJ; Demers, PA; Gibbs, GW. (1996). Reanalysis of mortality from lung cancer among diatomaceous earth industry workers, with consideration of potential confounding by asbestos exposure. *Occup Environ Med*. 53: 645-647.
- Checkoway, H; Heyer, NJ; Seixas, NS; Welp, EA; Demers, PA; Hughes, JM; Weill, H. (1997). Dose-response associations of silica with nonmalignant respiratory disease and lung cancer mortality in the diatomaceous earth industry. *Am J Epidemiol*. 145: 680-688.
- Chellini, E; Fornaciai, G; Merler, E; Paci, E; Constantini, AS; Silvestri, S; Zappa, M; Buiatti, E. (1992). Pleural malignant mesothelioma in Tuscany, Italy (1970-1988): II. Identification of occupational exposure to asbestos. *Am J Ind Med*. 21: 577-585.
- Chellini, E; Martini, A; Cacciarini, V; Badiali, AM; toscane, RdAsl. (2013). [Considerations about the epidemiologic surveillance system on mesothelioma in Tuscany (Italy) after 25 years of activity]. *Epidemiol Prev*. 37: 43-50.
- Chellini, E; Martino, G; Grillo, A; Fedi, A; Martini, A; Indiani, L; Mauro, L. (2015). Malignant Mesotheliomas in Textile Rag Sorters. *Ann Occup Hyg*. 59: 547-553. <http://dx.doi.org/10.1093/annhyg/meu114>.
- Chen, CC; Lai, CY; Shih, TS; Yeh, WY. (1998). Development of respirable aerosol samplers using porous foams. *Am Ind Hyg Assoc J*. 59: 766-773. <http://dx.doi.org/10.1080/15428119891010938>.
- Chen, CC; Yu, TS; Shih, TS; Baron, P. (2001). Computer simulation of particle overlap in fiber count samples. *AIHAJ*. 62: 281-287.
- Chen, D; Stueckle, TA; Luanpitpong, S; Rojanasakul, Y; Lu, Y; Wang, L. (2015). Gene expression profile of human lung epithelial cells chronically exposed to single-walled carbon nanotubes. *Nanoscale Res Lett*. 10: 12. <http://dx.doi.org/10.1186/s11671-014-0707-0>.
- Chen, H; Clark, AH; Kyser, TK; Ullrich, TD; Baxter, R; Chen, Y; Moody, TC. (2010). Evolution of the Giant Marcona-Mina Justa Iron Oxide-Copper-Gold District, South-Central Peru. *Econ Geol*. 105: 155-185.
- Chen, H; Xu, Q. (2010). Experimental study of fibers in stabilizing and reinforcing asphalt binder. *Fuel*. 89: 1616-1622. <http://dx.doi.org/10.1016/j.fuel.2009.08.020>.
- Chen, H; Xu, Q; Chen, S; Zhang, Z. (2009). Evaluation and design of fiber-reinforced asphalt mixtures. *Materials & Design*. 30: 2595-2603. <http://dx.doi.org/10.1016/j.matdes.2008.09.030>.
- Chen, J; Halls, C; Stanley, CJ. (1992). TIN-BEARING SKARNS OF SOUTH CHINA - GEOLOGICAL SETTING AND MINERALOGY. *Ore Geol Rev*. 7: 225-248.
- Chen, M; Koeberl, C; Xiao, W; Xie, X; Tan, D. (2011). Planar deformation features in quartz from impact-produced polymict breccia of the Xiuyan crater, China. *Meteoritics and Planetary Science*. 46: 729-736. <http://dx.doi.org/10.1111/j.1945-5100.2011.01186.x>.
- Chen, M; Tse, LA. (2012). Laryngeal cancer and silica dust exposure: a systematic review and meta-analysis [Review]. *Am J Ind Med*. 55: 669-676. <http://dx.doi.org/10.1002/ajim.22037>.
- Chen, MS; Huang, CL. (1997). Industrial workers' health and environmental pollution under the new international division of labor: The Taiwan experience. *Am J Public Health*. 87: 1223-1231.
- Chen, R; Froom, P. (2003). The CUSCORE test and the q-interval in cluster analyses of colon cancer and of lymphoma among asbestos workers. *Stat Med*. 22: 3101-3109. <http://dx.doi.org/10.1002/sim.1534>.
- Chen, SC; Hu, Y; Pui, DYH; Wang, J. (2016). Explicit expressions for the minimum efficiency and most penetrating particle size of Nuclepore filters. *J Aerosol Sci*. 100: 108-117. <http://dx.doi.org/10.1016/j.jaerosci.2016.07.008>.
- Chen, TH; Calligaro, T; Pages-Camagna, S; Menu, M. (2004). Investigation of Chinese archaic jade by PIXE and mu Raman spectrometry. *Applied Physics A: Materials Science and Processing*. 79: 177-180. <http://dx.doi.org/10.1007/s00339-004-2648-4>.
- Chen, W, eiT; Zhou, M, eiFu. (2012). Paragenesis, Stable Isotopes, and Molybdenite Re-Os Isotope Age of the Lala Iron-Copper Deposit, Southwest China. *Econ Geol*. 107: 459-480.
- Chen, WJ; Mottet, NK. (1978). Malignant mesothelioma with minimal asbestos exposure. *Hum Pathol*. 9: 253-258.
- Chen, Y; Brantley, SL. (1998). Diopside and anthophyllite dissolution at 25 degrees and 90 degrees C and acid pH. *Chem Geol*. 147: 233-248.

Fate Literature Search Results

Off Topic

- Chen, Y, iX; Schertl, HP; Zheng, YF, ei; Huang, F; Zhou, K, un; Gong, YZ. (2016). Mg-O isotopes trace the origin of Mg-rich fluids in the deeply subducted continental crust of Western Alps. *Earth Planet Sci Lett.* 456: 157-167. <http://dx.doi.org/10.1016/j.epsl.2016.09.010>.
- Cheng, L; Ren, X; Wei, X; Sun, X; Yu, S. (2015). Facile Synthesis and Characterization of Chrysotile Nanotubes and Their Application for Lead(II) Removal from Aqueous Solution. *Separation Science and Technology.* 50: 700-709. <http://dx.doi.org/10.1080/01496395.2014.960936>.
- Cheng, L; Yu, S; Zha, C; Yao, Y; Pan, X. (2012). Removal of simulated radionuclide Ce(III) from aqueous solution by as-synthesized chrysotile nanotubes. *Chem Eng J.* 213: 22-30. <http://dx.doi.org/10.1016/j.cej.2012.09.083>.
- Cheng, VK; O'Kelly, FJ. (1986). Asbestos exposure in the motor vehicle repair and servicing industry in Hong Kong. *J Soc Occup Med.* 36: 104-106.
- Cheng, WN; Kong, J. (1992). A retrospective mortality cohort study of chrysotile asbestos products workers in Tianjin 1972-1987. *Environ Res.* 59: 271-278.
- Cheng, Y; Mao, J; Rusk, B; Yang, Z. (2012). Geology and genesis of Kafang Cu-Sn deposit, Gejiu district, SW China. *Ore Geol Rev.* 48: 180-196. <http://dx.doi.org/10.1016/j.oregeorev.2012.03.004>.
- Cheng, YS. (1986). Bivariate lognormal distribution for characterizing asbestos fiber aerosols. *Aerosol Sci Technol.* 5: 359-368. <http://dx.doi.org/10.1080/02786828608959100>.
- Cheng, YS; Holmes, TD; Fan, B. (2006). Evaluation of respirator filters for asbestos fibers. *J Occup Environ Hyg.* 3: 26-35. <http://dx.doi.org/10.1080/15459620500444046>.
- Cheng, YS; Su, WC. (2013). Thoracic fraction of inhaled fiber aerosol. *J Occup Environ Hyg.* 10: 194-202. <http://dx.doi.org/10.1080/15459624.2012.762608>.
- Chernak, LJ; Hirth, G. (2010). Deformation of antigorite serpentinite at high temperature and pressure. *Earth Planet Sci Lett.* 296: 23-33. <http://dx.doi.org/10.1016/j.epsl.2010.04.035>.
- CHERNOSK.JV. (1974). AGGREGATE REFRACTIVE-INDEXES AND UNIT-CELL PARAMETERS OF SYNTHETIC CHRYSOTILE AND ALUMINOUS SERPENTINE IN SYSTEM MGO-A12O3-SIO2-H2O. *Trans Am Geophys Union.* 55: 462-462.
- Chernosky, JV; Berman, RG; Jenkins, DM. (1998). The stability of tremolite: New experimental data and a thermodynamic assessment. *Am Mineral.* 83: 726-738.
- Cherrie, J; Addison, J; Dodgson, J. (1989). Comparative Studies of Airborne Asbestos in Occupational and Non-occupational Environments Using Optical and Electron Microscope Techniques (pp. 304-309). (NIOSH/00191366). Cherrie, J; Addison, J; Dodgson, J.
- Cherrie, J; Dodgson, J. (1986). Past exposures to airborne fibers and other potential risk factors in the European man-made mineral fiber production industry. *Scand J Work Environ Health.* 1: 26-33.
- Cherrie, J; Dodgson, J. (1987). A Historical Environmental Investigation at 13 European Man-Made Mineral Fibre Production Plants. (NIOSH/00187938). Cherrie, J; Dodgson, J.
- Cherrie, JW; Dodgson, J; Groat, S; Carson, M. (1987). Comparison of Optical and Electron Microscopy for Evaluating Airborne Asbestos (pp. 533). (NIOSH/00172177). Cherrie, JW; Dodgson, J; Groat, S; Carson, M.
- Cherrie, JW; Gibson, H; McIntosh, C; Maclaren, WM; Lynch, G. (1995). EXPOSURE TO FINE AIRBORNE FIBROUS DUST AMONGST PROCESSORS OF PARA-ARAMID. *Ann Occup Hyg.* 39: 403-8.
- Cherrie, JW; Schneider, T. (1999). Validation of a new method for structured subjective assessment of past concentrations. *Ann Occup Hyg.* 43: 235-245.
- Cherubini, M; Fornaciai, G; Mantelli, F; Chellini, E; Sacco, C. (1998). Results of a survey on asbestos fibre contamination of drinking water in Tuscany, Italy. *Journal of Water Supply: Research and Technology-AQUA.* 47: 1-8.
- Cheshire, M; Guven, N. (2005). Conversion of chrysotile to a magnesian smectite. *Clays and Clay Minerals.* 53: 155-161. <http://dx.doi.org/10.1346/CCMN.2005.0530205>.
- Chesson, J; Hatfield, J; Schultz, B; Dutrow, E; Blake, J. (1990). Airborne asbestos in public buildings. *Environ Res.* 51: 100-107.
- Chesson, J; Rench, JD; Schultz, BD; Milne, KL. (1990). Interpretation of airborne asbestos measurements. *Risk Anal.* 10: 437-447. <http://dx.doi.org/10.1111/j.1539-6924.1990.tb00527.x>.
- Chestney, AAW. (1980). PERFORMANCE OF LUBRICATED OVERLOAD CLUTCHES WITH ASBESTOS PAPER FRICTION MATERIALS. *Wear.* 58: 313-324.
- Chetelat, J; Kalbermatten, M; Lannas, KSM; Spiegelberger, T; Wettstein, JB; Gillet, F; Peringer, A; Buttler, A. (2013). A Contextual Analysis of Land-Use and Vegetation Changes in Two Wooded Pastures in the Swiss Jura Mountains. *Ecology and Society.* 18. <http://dx.doi.org/10.5751/ES-05287-180139>.
- Chew, PK; Chia, M; Chew, SF; Supramaniam, JM; Chan, W; Chew, CH; Ng, YK; Gandevia, B. (1973). Asbestos workers in Singapore. A clinical, functional, and radiological survey. *Arch Environ Health.* 26: 290-293.
- Chiappino, G; Friedrichs, KH; Forni, A; Rivolta, G; Todaro, A. (1989). Alveolar and lung fibre levels in non-occupationally exposed subjects. *IARC Sci Publ. occupational Exposure to Mineral Fibres:* 310-313.
- Chiappino, G; Friedrichs, KH; Rivolta, G; Forni, A. (1988). Alveolar fiber load in asbestos workers and in subjects with no occupational asbestos exposure: an electron microscopy study. *Am J Ind Med.* 14: 37-46.
- Chiappino, G; Sebastien, P; Todaro, A. (1991). [Atmospheric asbestos pollution in the urban environment: Milan, Casale Monferrato, Brescia, Ancona, Bologna and Florence]. *Med Lav.* 82: 424-438.
- Chiazze, L, Jr; Watkins, DK; Fryar, C. (1997). Historical cohort mortality study of a continuous filament fiberglass manufacturing plant. I. White men. *J Occup Environ Med.* 39: 432-441. <http://dx.doi.org/10.1097/00043764-199705000-00009>.
- Chiazze, L; Watkins, DK; Fryar, C; Kozono, J. (1993). A CASE-CONTROL STUDY OF MALIGNANT AND NONMALIGNANT RESPIRATORY-DISEASE AMONG EMPLOYEES OF A FIBERGLASS MANUFACTURING FACILITY .2. EXPOSURE ASSESSMENT. *Br J Ind Med.* 50: 717-725.
- Chida, T; Iida, K. (1989). Exposure to asbestos dust of house construction workers in Japan. 3: 3-14.

Fate Literature Search Results

Off Topic

- Childs, P. (1988). NON-METALLIC ASBESTOS-FREE GASKETS. *Institution of Mechanical Engineers Proceedings Part A: Journal of Power and Energy*. 202: 63-68.
- Childs, P. (1992). ASBESTOS-FREE GASKETS. *Chem Eng (London)*19-21.
- Chiu, C, hiC; Shinoda, W; Devane, RH; Nielsen, SO. (2012). Effects of spherical fullerene nanoparticles on a dipalmitoyl phosphatidylcholine lipid monolayer: a coarse grain molecular dynamics approach. *Soft Matter*. 8: 9610-9616. <http://dx.doi.org/10.1039/c2sm26357b>.
- Chmielowski, RM; Jansson, N; Persson, M, acF; Fagerstroem, P, ia. (2016). 3D modelling of hydrothermal alteration associated with VHMS deposits in the Kristineberg area, Skellefte district, northern Sweden. *Miner Depos*. 51: 113-130. <http://dx.doi.org/10.1007/s00126-014-0572-x>.
- Cho, B, umRae; Heo, D, aeH. (2006). Preparation of mullite composite using liquid infiltration technique. *Key Eng Mater*. 317-318: 105-109.
- Cho, H; Rossman, GR. (1993). SINGLE-CRYSTAL NMR-STUDIES OF LOW-CONCENTRATION HYDROUS SPECIES IN MINERALS - GROSSULAR GARNET. *Am Mineral*. 78: 1149-1164.
- Cho, KH; Cho, M, inH; Kim, SJ, in; Jang, H, o. (2008). Tribological properties of potassium titanate in the brake friction material; Morphological effects. *Tribology Letters*. 32: 59-66. <http://dx.doi.org/10.1007/s11249-008-9362-x>.
- Cho, MH; Kim, SJ; Kim, D; Jang, H. (2005). Effects of ingredients on tribological characteristics of a brake lining: an experimental case study. *Wear*. 258: 1682-1687. <http://dx.doi.org/10.1016/j.wear.2004.11.021>.
- Cho, MS; Ernst, WG. (1991). AN EXPERIMENTAL-DETERMINATION OF CALCIC AMPHIBOLE SOLID-SOLUTION ALONG THE JOIN TREMOLITE-TSCHERMAKITE. *Am Mineral*. 76: 985-1001.
- Choe, N; Tanaka, S; Xia, W; Hemenway, DR; Roggli, VL; Kagan, E. (1997). Pleural macrophage recruitment and activation in asbestos-induced pleural injury. *Environ Health Perspect*. 105 Suppl 5: 1257-1260.
- Choi, IK; Smith, RW. (1973). THEORETICAL MODEL OF SURFACE-AREA OF ASBESTOS MINERALS. *J Electrochem Soc*. 120: C250-C250.
- Choi, JY; Neuhauser, ML; Barnett, M; Hudson, M; Kristal, AR; Thornquist, M; King, IB; Goodman, GE; Ambrosone, CB. (2007). Polymorphisms in oxidative stress-related genes are not associated with prostate cancer risk in heavy smokers. *Cancer Epidemiol Biomarkers Prev*. 16: 1115-1120. <http://dx.doi.org/10.1158/1055-9965.EPI-07-0040>.
- Choi, SY; Kahyo, H. (1991). EFFECT OF CIGARETTE-SMOKING AND ALCOHOL-CONSUMPTION IN THE ETIOLOGY OF CANCER OF THE ORAL CAVITY, PHARYNX AND LARYNX. *Int J Epidemiol*. 20: 878-885.
- Choi, Y; Lim, S; Paek, D. (2013). Trades of dangers: a study of asbestos industry transfer cases in Asia. *Am J Ind Med*. 56: 335-346. <http://dx.doi.org/10.1002/ajim.22144>.
- Chollet, M; Daniel, I; Koga, KT; Morard, G; van De Moortele, B. (2011). Kinetics and mechanism of antigorite dehydration: Implications for subduction zone seismicity. *J Geophys Res Solid Earth*. 116. <http://dx.doi.org/10.1029/2010JB007739>.
- Chollet, M; Daniel, I; Koga, KT; Petitgirard, S; Morard, G. (2009). Dehydration kinetics of talc and 10 angstrom phase: Consequences for subduction zone seismicity. *Earth Planet Sci Lett*. 284: 57-64. <http://dx.doi.org/10.1016/j.epsl.2009.04.008>.
- Chou, S, ul; Lo, CH, ua; He, Y, unAo; Zhang, JG, uo; Iizuka, Y; Na, J, uYu; Yeh, TK. (2009). Argon Isotopic Dating of Neolithic Jade Artifacts and Raw Materials from Eastern China and Its Implications. *Terr Atmos Ocean Sci*. 20: 501-509. [http://dx.doi.org/10.3319/TAO.2008.07.07.01\(TT\)](http://dx.doi.org/10.3319/TAO.2008.07.07.01(TT)).
- Choudat, D; Causse, E. (2009). Asbestos exposure and medical surveillance: State of the rules 10 years after the Consensus Conference. *Arch Mal Prof Environ*. 70: 471-474. <http://dx.doi.org/10.1016/j.admp.2009.07.001>.
- Choudhuri, A. (1974). DISTRIBUTION OF FE AND MG IN ACTINOLITE, HORNBLende AND BIOTITE IN SOME PRECAMBRIAN METAGREYWACKES FROM GUYANA, SOUTH-AMERICA. *Contributions to Mineralogy and Petrology*. 44: 45-55.
- Chow, WH; Malker, HSR; Hsing, AW; McLaughlin, JK; Weiner, JA; Stone, BJ; Ericsson, JLE; Blot, WJ. (1994). OCCUPATIONAL RISKS FOR COLON-CANCER IN SWEDEN. *J Occup Environ Med*. 36: 647-651.
- Chowdhury, S; Lentz, DR. (2011). Mineralogical and geochemical characteristics of scheelite-bearing skarns, and genetic relations between skarn mineralization and petrogenesis of the associated granitoid pluton at Sargipali, Sundergarh District, Eastern India. *J Geochem Explor*. 108: 39-61. <http://dx.doi.org/10.1016/j.jgexplo.2010.07.005>.
- Chowdhury, ZK; Amy, GL; Bales, RC. (1991). Coagulation of submicron colloids in water treatment by incorporation into aluminum hydroxide floc. *Environ Sci Technol*. 25: 1766-1773.
- Chowdhury, ZK; Amy, GL; Bales, RC. (1993). INCORPORATION OF SUBMICRON COLLOIDS INTO LARGER FLOC IN WATER-TREATMENT. *J Environ Eng*. 119: 192-199.
- Christen, B; Wegmann, W; Vogt, P. (1997). Clinical pathology and histology of pleural plaques. *Indoor Built Environ*. 6: 79-85.
- Christensen, AM; Holm, PM; Schuessler, U; Petrasch, J. (2006). Indications of a major Neolithic trade route? An archaeometric geochemical and Sr, Pb isotope study on amphibolitic raw material from present day Europe. *Appl Geochem*. 21: 1635-1655. <http://dx.doi.org/10.1016/j.apgeochem.2006.07.009>.
- Christensen, BC; Godleski, JJ; Roelofs, CR; Longacker, JL; Bueno, R; Sugarbaker, DJ; Marsit, CJ; Nelson, HH; Kelsey, KT. (2008). Asbestos burden predicts survival in pleural mesothelioma. *Environ Health Perspect*. 116: 723-726. <http://dx.doi.org/10.1289/ehp.11151>.
- Christensen, KY; Bateson, TF; Kopylev, L. (2013). Low levels exposure to Libby amphibole asbestos and localized pleural thickening [Review]. *J Occup Environ Med*. 55: 1350-1355. <http://dx.doi.org/10.1097/JOM.0b013e3182a3bb25>.
- Christensen, KY; Kopylev, L. (2012). Localized pleural thickening: smoking and exposure to Libby vermiculite. *J Expo Sci Environ Epidemiol*. 22: 320-323. <http://dx.doi.org/10.1038/jes.2012.18>.
- Christie, D; Robinson, K; Gordon, I; Bisby, J. (1991). A prospective study in the Australian petroleum industry. I. Mortality. *Br J Ind Med*. 48: 507-510.
- Christoffel, T; Teret, SP. (1991). EPIDEMIOLOGY AND THE LAW - COURTS AND CONFIDENCE-INTERVALS. *Am J Public Health*. 81: 1661-1666.

Fate Literature Search Results

Off Topic

- Chrostek, W. (1982). Health Hazard Evaluation Report, No. HETA-82-086-1126, Pennsylvania Department of Transportation, Montoursville, Pennsylvania. (NIOSH/00127109). Chrostek, W.
- Chrostek, WJ. (1984). Health Hazard Evaluation Report No. HETA-84-029-1427, Jewish Family And Childrens Agency, Ardmore, Pennsylvania (pp. 89-029). (NIOSH/00150033). Chrostek, WJ.
- Chrostek, WJ. (1984). Health Hazard Evaluation Report No. HETA-84-043-1429, Pennsylvania Department Of Transportation, Transportation And Safety Building, Harrisburg, Pennsylvania (pp. 84-043). (NIOSH/00149688). Chrostek, WJ.
- Chrostowski, PC; Foster, SA; Anderson, EL. (1991). Human health risks associated with asbestos abatement. *Risk Anal.* 11: 465-481.
- Chughtai, F; Zayed, T. (2008). Infrastructure condition prediction models for sustainable sewer pipelines. *Journal of Performance of Constructed Facilities.* 22: 333-341. [http://dx.doi.org/10.1061/\(ASCE\)0887-3828\(2008\)22:5\(333\)](http://dx.doi.org/10.1061/(ASCE)0887-3828(2008)22:5(333)).
- Chung, DA; Yang, RR; Verma, DK; Luo, J. (2015). Retrospective Exposure Assessment for Occupational Disease of an Individual Worker Using an Exposure Database and Trend Analysis. *J Occup Environ Hyg.* 12: 1-37. <http://dx.doi.org/10.1080/15459624.2015.1072630>.
- Chuppina, SV; Zhabrev, VA. (2008). Chemical reactions in the course of curing of organosilicate composites and aging of organosilicate coatings. *Glass Physics and Chemistry.* 34: 82-90. <http://dx.doi.org/10.1134/S1087659608010124>.
- Churg, A. (1985). FIBER SIZE AND NUMBER IN WORKERS EXPOSED TO PROCESSED CHRYSOTILE ASBESTOS (pp. 12-15). (BIOSIS/85/16447). Churg, A.
- Churg, A. (1990). The distribution of amosite asbestos in the periphery of the normal human lung. *Br J Ind Med.* 47: 677-681.
- Churg, A. (1991). Analysis of lung asbestos content [Editorial]. *Br J Ind Med.* 48: 649-652.
- Churg, A. (1994). Deposition and clearance of chrysotile asbestos. *Ann Occup Hyg.* 38: 625-633. <http://dx.doi.org/10.1093/annhyg/38.4.625>.
- Churg, A. (1997). The pathogenesis of pleural plaques. *Indoor Built Environ.* 6: 73-78.
- Churg, A; Stevens, B. (1993). Absence of amosite asbestos in airway mucosa of non-smoking long term workers with occupational exposure to asbestos. *Br J Ind Med.* 50: 355-359.
- Churg, A; Wiggs, B. (1986). Fiber size and number in workers exposed to processed chrysotile asbestos, chrysotile miners, and the general population. *Am J Ind Med.* 9: 143-152.
- Churg, A; Wiggs, B. (1987). Accumulation of long asbestos fibers in the peripheral upper lobe in cases of malignant mesothelioma. *Am J Ind Med.* 11: 563-569.
- Churg, A; Wood, P. (1983). Observations on the distribution of asbestos fibers in human lungs. *Environ Res.* 31: 374-380.
- Churg, A; Wright, JL. (1994). Persistence of natural mineral fibers in human lungs: an overview [Review]. *Environ Health Perspect.* 102 Suppl 5: 229-233.
- Churg, A; Zay, K; Li, K. (1997). Mechanisms of mineral dust-induced emphysema. *Environ Health Perspect.* 105: 1215-1218.
- Cicioni, C; London, SJ; Garabrant, DH; Bernstein, L; Phillips, K; Peters, JM. (1991). Occupational asbestos exposure and mesothelioma risk in Los Angeles County: application of an occupational hazard survey job-exposure matrix. *Am J Ind Med.* 20: 371-379.
- Circone, S; Navrotsky, A. (1992). SUBSTITUTION OF AL-6, AL-4 IN PHLOGOPITE - HIGH-TEMPERATURE SOLUTION CALORIMETRY, HEAT-CAPACITIES, AND THERMODYNAMIC PROPERTIES OF THE PHLOGOPITE-EASTONITE JOIN. *Am Mineral.* 77: 1191-1205.
- Cirrincone, R; Atzori, P; Pezzino, A. (1999). Sub-greenschist facies assemblages of metabasites from south-eastern Peloritani range (NE-Sicily). *Mineralogy and Petrology.* 67: 193-212.
- Claassens, S; van Rensburg, PJ; Liebenberg, D; van Rensburg, L. (2012). A Comparison of Microbial Community Function and Structure in Rehabilitated Asbestos and Coal Discard Sites. *Water Air Soil Pollut.* 223: 1091-1100. <http://dx.doi.org/10.1007/s11270-011-0927-1>.
- Clapp, JT; Roberts, JA; Dahlberg, B; Berry, LS; Jacobs, LM; Emmett, EA; Barg, FK. (2016). Realities of environmental toxicity and their ramifications for community engagement. 170: 143-151. <http://dx.doi.org/10.1016/j.socscimed.2016.10.019>.
- Clark, NE; Verma, DK; Julian, JA. (1995). DETERMINATION OF THE VARIABILITY IN ELEMENTAL COMPOSITION OF ASBESTOS FIBERS BY ANALYTICAL TRANSMISSION ELECTRON-MICROSCOPY. *Ann Occup Hyg.* 39: 79-88.
- Clark, PJ; Millette, JR; Boone, RL. (1980). Asbestos-cement products in contact with drinking water: Scanning electron microscope observations. 1980: 341-346.
- Clark, SHB; Gray, KJ; Back, JM. (1999). Geology of the barite hill gold-silver deposit in the southern Carolina slate belt. *Econ Geol.* 94: 1329-1346.
- Clarke, CC; Mowat, FS; Kelsh, MA; Roberts, MA. (2006). Pleural plaques: a review of diagnostic issues and possible nonasbestos factors [Review]. *Arch Environ Occup Health.* 61: 183-192. <http://dx.doi.org/10.3200/AEOH.61.4.183-192>.
- Class, P; Brown, RC. (2002). Exposure to artificial mineral fibers - Overview of the available information on possible health hazards - Reply. *Staub, Reinhaltung der Luft.* 62: 488-491.
- Class, P; Brown, RC. (2002). Exposure to man-made mineral fibres - an attempt to summarise the available information on potential health risks. *Gefahrst Reinhalt Luft.* 62: 197-201.
- Clausen, J; Netterstrøm, B; Wolff, C. (1993). Lung function in insulation workers. *Br J Ind Med.* 50: 252-256.
- Clayton, GD; Clayton, FE. (1991). Patty's industrial hygiene and toxicology. Vols.1A and 1B: General principles (pp. xviii). (CIS/92/01282). Clayton, GD; Clayton, FE.
- Clayton, MP; Bailey, AE; Vaughan, NP; Rajan, R. (2002). Performance of power assisted respirators during simulated asbestos removal. *Ann Occup Hyg.* 46: 49-59. <http://dx.doi.org/10.1093/annhyg/mef020>.
- Clemens, JD. (1995). PHLOGOPITE STABILITY IN THE SILICA-SATURATED PORTION OF THE SYSTEM KALO2-MGO-SIO2-H2O - NEW DATA AND A REAPPRAISAL OF PHASE-RELATIONS TO 1.5 GPA. *Am Mineral.* 80: 982-997.
- Clemente, M; Reig-Botella, A; Prados, JC. (2015). Alterations in psychosocial health of people affected by asbestos poisoning. *Rev Saude Publica.* 49: 24. <http://dx.doi.org/10.1590/S0034-8910.2015049005445>.
- Clements, M; Berry, G; Shi, J; Ware, S; Yates, D; Johnson, A. (2007). Projected mesothelioma incidence in men in New South Wales. *Occup Environ Med.* 64: 747-752. <http://dx.doi.org/10.1136/oem.2006.031823>.

Fate Literature Search Results

Off Topic

- Clemmesen, J; Hjalgrim-Jensen, S. (1981). Cancer incidence among 5686 asbestos-cement workers followed from 1943 through 1976. *Ecotoxicol Environ Saf.* 5: 15-23.
- Cleverley, JS; Oliver, NHS. (2005). Comparing closed system, flow-through and fluid infiltration geochemical modelling: examples from K-alteration in the Ernest Henry Fe-oxide-Cu-Au system. *Geofluids.* 5: 289-307.
- Clin, B; Andujar, P; Abd Al Samad, I; Azpitarte, C; Le Pimpec-Barthes, F; Billon-Galland, MA; Danel, C; Galateau-Salle, F; Housset, B; Legrand-Cattan, K; Matrat, M; Monnet, I; Riquet, M; Pairon, JC. (2012). Pulmonary carcinoid tumors and asbestos exposure. *Ann Occup Hyg.* 56: 789-795. <http://dx.doi.org/10.1093/annhyg/mes017>.
- Clin, B; Morlais, F; Guittet, L; Gislard, A; Marquignon, MF; Paris, C; Caillard, JF; Launoy, G; Letourneux, M. (2009). Performance of chest radiograph and CT scan for lung cancer screening in asbestos-exposed workers. *Occup Environ Med.* 66: 529-534. <http://dx.doi.org/10.1136/oem.2008.041525>.
- Clin, B; Morlais, F; Launoy, G; Guizard, AV; Dubois, B; Bouvier, V; Desoubeaux, N; Marquignon, MF; Raffaelli, C; Paris, C; Galateau-Salle, F; Guittet, L; Letourneux, M. (2011). Cancer incidence within a cohort occupationally exposed to asbestos: a study of dose--response relationships. *Occup Environ Med.* 68: 832-836. <http://dx.doi.org/10.1136/oem.2010.059790>.
- Cline, RJ; Orom, H; Berry-Bobovski, L; Hernandez, T; Black, CB; Schwartz, AG; Ruckdeschel, JC. (2010). Community-level social support responses in a slow-motion technological disaster: the case of Libby, Montana. *Am J Community Psychol.* 46: 1-18. <http://dx.doi.org/10.1007/s10464-010-9329-6>.
- Cline, RJW; Orom, H; Chung, JE; Hernandez, T. (2014). The Role of Social Toxicity in Responses to a Slowly-Evolving Environmental Disaster: The Case of Amphibole Asbestos Exposure in Libby, Montana, USA. *Am J Community Psychol.* 54: 12-27. <http://dx.doi.org/10.1007/s10464-014-9660-4>.
- Cluff, DL; Patitsas, AJ. (1992). Size Characterization of Asbestos Fibers by Means of Electrostatic Alignment and Light-Scattering Techniques. *Aerosol Sci Technol.* 17: 186-198.
- Coates, TJ; Li, VC. (1983). DOES SMOKING CESSATION LEAD TO WEIGHT-GAIN - THE EXPERIENCE OF ASBESTOS-EXPOSED SHIPYARD WORKERS. *Am J Public Health.* 73: 1303-1304.
- Cocco, P; Dosemeci, M. (1999). Peritoneal cancer and occupational exposure to asbestos: results from the application of a job-exposure matrix. *Am J Ind Med.* 35: 9-14.
- Cocco, P; Palli, D; Buiatti, E; Cipriani, F; Decarli, A; Manca, P; Ward, MH; Blot, WJ; Fraumeni, JF. (1994). OCCUPATIONAL EXPOSURES AS RISK-FACTORS FOR GASTRIC-CANCER IN ITALY. *Cancer Causes Control.* 5: 241-248.
- Cocco, P; Ward, MH; Dosemeci, M. (1998). Occupational risk factors for cancer of the gastric cardia: Analysis of death certificates from 24 US states. *J Occup Environ Med.* 40: 855-861.
- Cocco, P; Ward, MH; Dosemeci, M. (1999). Risk of stomach cancer associated with 12 workplace hazards: Analysis of death certificates from 24 states of the United States with the aid of job exposure matrices. *Occup Environ Med.* 56: 781-787.
- Cockerton, A, myBD; Tomkins, AG. (2012). Insights into the Liquid Bismuth Collector Model Through Analysis of the Bi-Au Stormont Skarn Prospect, Northwest Tasmania. *Econ Geol.* 107: 667-682.
- Coenen, W; Kuhnen, G; Heimann, M. (1984). RECOMMENDATIONS OF BERUFSGENOSSENSCHAFTLICHES-INSTITUT-FUR-ARBEITSSICHERHEIT-BIA FOR TESTING DEVICES USED IN PROCESSING BRAKE LININGS RELATIVE TO THE ASBESTOS DUST EMISSION. *Staub, Reinhaltung der Luft.* 44: 250-252.
- Coffin, DL; Palekar, LD; Cook, PM. (1983). Correlation of in vitro and in vivo methods by means of mass dose and fiber distribution for amosite and fibrous ferroactinolite. *Environ Health Perspect.* 51: 49-53.
- Coggon, D. (1999). Occupational cancer in the United Kingdom [Review]. *Environ Health Perspect.* 107: 239-244.
- Coggon, D; Harris, EC; Brown, T; Rice, S; Palmer, KT. (2010). Work-related mortality in England and Wales, 1979-2000. *Occup Environ Med.* 67: 816-822. <http://dx.doi.org/10.1136/oem.2009.052670>.
- Coggon, D; Inskip, H; Winter, P; Pannett, B. (1995). Differences in occupational mortality from pleural cancer, peritoneal cancer, and asbestosis. *Occup Environ Med.* 52: 775-777.
- Coggon, D; Pannett, B; Wield, G. (1996). Upper aerodigestive cancer in battery manufacturers and steel workers exposed to mineral acid mists. *Occup Environ Med.* 53: 445-449.
- Coggon, J. (2003). Magnetism - key to the Wallaby gold deposit. *Exploration Geophysics.* 34: 125-130.
- Cohen, D; Crowther, TS; Gibbs, GW; Becklake, MR. (1981). Magnetic lung measurements of relation to occupational exposure in asbestos miners and millers of Quebec. *Environ Res.* 26: 535-550.
- Cohen, HJ; Van Orden, DR. (2008). Asbestos exposures of mechanics performing clutch service on motor vehicles. *J Occup Environ Hyg.* 5: 148-156. <http://dx.doi.org/10.1080/15459620701853227>.
- Cohen, N. (1991). Regulation of in-place asbestos-containing material [Review]. *Environ Res.* 55: 97-106.
- Cohn, CA; Borda, MJ; Schoonen, MA. (2004). RNA decomposition by pyrite-induced radicals and possible role of lipids during the emergence of life. *Earth Planet Sci Lett.* 225: 271-278. <http://dx.doi.org/10.1016/j.epsl.2004.07.007>.
- Cohn, CA; Laffers, R; Schoonen, MAA. (2006). Using yeast RNA as a probe for generation of hydroxyl radicals by earth materials. *Environ Sci Technol.* 40: 2838-2843. <http://dx.doi.org/10.1021/es052301k>.
- Cohn, MS; White, PD; Preuss, PW. (1981). CONSUMER PRODUCT-SAFETY - RISK ASSESSMENT OF EXPOSURE TO ASBESTOS EMISSIONS FROM HAND-HELD HAIR DRYERS - CRITIQUE. *Environ Manage.* 5: 15-18.
- Cohn, MS; White, PD; Preuss, PW. (1981). CONSUMER PRODUCT-SAFETY - RISK ASSESSMENT OF EXPOSURE TO ASBESTOS EMISSIONS FROM HAND-HELD HAIR DRYERS - RESPONSE. *Environ Manage.* 5: 91-93.
- Coin, PG; Roggli, VL; Brody, AR. (1992). Deposition, clearance, and translocation of chrysotile asbestos from peripheral and central regions of the rat lung. *Environ Res.* 58: 97-116. [http://dx.doi.org/10.1016/S0013-9351\(05\)80207-5](http://dx.doi.org/10.1016/S0013-9351(05)80207-5).

Fate Literature Search Results

Off Topic

- Coin, PG; Roggli, VL; Brody, AR. (1994). Persistence of long, thin chrysotile asbestos fibers in the lungs of rats [Review]. *Environ Health Perspect.* 102: 197-199.
- Colangelo, F; Cioffi, R; Lavorgna, M; Verdolotti, L; De Stefano, L. (2011). Treatment and recycling of asbestos-cement containing waste. *J Hazard Mater.* 195: 391-397. <http://dx.doi.org/10.1016/j.jhazmat.2011.08.057>.
- Cole, HM. (1977). Industrial Hygiene Experience in the Reduction Plant (pp. 133-136). (NIOSH/00191455). Cole, HM.
- Cole, SR, SR; Richardson, DB. (2009). STRUCTURAL MODELS FOR THE EFFECT OF OCCUPATIONAL ASBESTOS EXPOSURE ON LUNG-RELATED MORTALITY. *Am J Epidemiol.* 169: S41-S41.
- Cole, SR; Richardson, DB; Chu, H; Naimi, AI. (2013). Analysis of occupational asbestos exposure and lung cancer mortality using the g formula. *Am J Epidemiol.* 177: 989-996. <http://dx.doi.org/10.1093/aje/kws343>.
- Coleman, RG. (2014). THE OPHIOLITE CONCEPT EVOLVES. *Elements.* 10: 82-84. <http://dx.doi.org/10.2113/gselements.10.2.82>.
- Coles, GV. (1993). TLVS FOR ASBESTOS [Letter]. *Am J Ind Med.* 23: 955-957.
- Collegium Ramazzini. (2010). Asbestos is still with us: repeat call. *J Occup Environ Hyg.* 7: D57-D61. <http://dx.doi.org/10.1080/15459624.2010.486307>.
- Collegium Ramazzini. (2010). Asbestos is still with us: repeat call for a universal ban. *Int J Occup Med Environ Health.* 23: 201-207. <http://dx.doi.org/10.2478/v10001-010-0017-4>.
- Collegium Ramazzini. (2016). The 18th Collegium Ramazzini statement: The global health dimensions of asbestos and asbestos-related diseases. *Scand J Work Environ Health.* 42: 86-90. <http://dx.doi.org/10.5271/sjweh.3541>.
- Collegium Ramazzini. (2016). Collegium Ramazzini response to 'Asbestos, asbestosis, and cancer, the Helsinki criteria for diagnosis and attribution 2014: recommendations' [Letter]. *Scand J Work Environ Health.* 42: 91-94. <http://dx.doi.org/10.5271/sjweh.3535>.
- Collingwood, KW; Raabe, GK; Wong, O. (1996). An updated cohort mortality study of workers at a northeastern United States petroleum refinery. *Int Arch Occup Environ Health.* 68: 277-288.
- Comba, P; Consonni, D; Marinaccio, A; Mirabelli, D. (2010). Occupational epidemiology in Italy: a contribution to the European framework. *Epidemiol Prev.* 34: 25-30.
- Comba, P; Gianfagna, A; Paoletti, L. (2003). Pleural mesothelioma cases in Biancavilla are related to a new fluoro-edenite fibrous amphibole. *Arch Environ Health.* 58: 229-232. <http://dx.doi.org/10.3200/AEOH.58.4.229-232>.
- Comba, P; Merler, E; Pasetto, R. (2005). Asbestos-related diseases in Italy: epidemiologic evidences and public health issues [Review]. *Int J Occup Environ Health.* 11: 36-44. <http://dx.doi.org/10.1179/oeh.2005.11.1.36>.
- Comba, P; Scondotto, S; Musmeci, L. (2014). The fibres with fluoro-edenitic composition in Biancavilla (Sicily, Italy): health impact and clues for environmental remediation. *Ann Ist Super Sanita.* 50: 108-110. http://dx.doi.org/DOI: 10.4415/ANN_14_02_01.
- Comes, NS; Evangelista, HJ; de Medeiros Junior, EB; Filippo, RC; Germano, LF. (2010). Occurrence of granulite-facies rocks in the Mineiro Belt, Minas Gerais, Brazil. *Revista da Escola de Minas.* 63: 433-440.
- Committee, JA-AAHE. (1975). Recommended procedures for sampling and counting asbestos fibers. Procedures for the evaluation of occupational exposures to airborne asbestos. *Am Ind Hyg Assoc J.* 36: 83-90.
- Company, SO. (1983). ASBESTOS SAMPLING OF TELECOM WORKERS WITH ATTACHMENT. (TSCATS/016900).
- Company, SO. (1983). RESULTS OF AIR SAMPLES TAKEN DURING HEALTH HAZARD EVALUATION WITH ATTACHED DATA SHEETS. (TSCATS/016877). OREGON WORKERS COMP DEPT.
- Conforti, PM; Kanarek, MS; Jackson, LA; Cooper, RC; Murchio, JC. (1981). Asbestos in drinking water and cancer in the San Francisco Bay area: 1969-1974 incidence. *J Clin Epidemiol.* 34: 211-224. [http://dx.doi.org/10.1016/0021-9681\(81\)90065-5](http://dx.doi.org/10.1016/0021-9681(81)90065-5).
- Connolly, JAD; Trommsdorff, V. (1991). PETROGENETIC GRIDS FOR METACARBONATE ROCKS - PRESSURE-TEMPERATURE PHASE-DIAGRAM PROJECTION FOR MIXED-VOLATILE SYSTEMS. *Contributions to Mineralogy and Petrology.* 108: 93-105.
- Conrad, ME; Petersen, U; Oneil, J. R. (1992). EVOLUTION OF AN AU-AG-PRODUCING HYDROTHERMAL SYSTEM - THE TAYOLTITA MINE, DURANGO, MEXICO. *Econ Geol.* 87: 1451-1474.
- Conradt, R. (2009). On the entropy difference between the vitreous and the crystalline state. *Journal of Non-Crystalline Solids.* 355: 636-641. <http://dx.doi.org/10.1016/j.jnoncrysol.2008.12.013>.
- Conti, S; Minelli, G; Ascoli, V; Marinaccio, A; Bonafede, M; Manno, V; Crialesi, R; Straif, K. (2015). Peritoneal mesothelioma in Italy: Trends and geography of mortality and incidence. *Am J Ind Med.* 58: 1050-1058. <http://dx.doi.org/10.1002/ajim.22491>.
- Conti, S; Minelli, G; Manno, V; Iavarone, I; Comba, P; Scondotto, S; Cernigliaro, A. (2014). Health impact of the exposure to fibres with fluoro-edenitic composition on the residents in Biancavilla (Sicily, Italy): mortality and hospitalization from current data. *Ann Ist Super Sanita.* 50: 127-132. http://dx.doi.org/DOI: 10.4415/ANN_14_02_04.
- Cook, PM. (1983). REVIEW OF PUBLISHED STUDIES ON GUT PENETRATION BY INGESTED ASBESTOS FIBERS. *Environ Health Perspect.* 53: 121-130.
- Cook, PM; Glass, GE; Tucker, JH. (1974). Asbestiform amphibole minerals: detection and measurement of high concentrations in municipal water supplies. *Science.* 185: 853-855.
- Cook, PM; Swintek, J; Dawson, TD; Chapman, D; Etersson, MA; Hoff, D. (2016). Quantitative structure-mesothelioma potency model optimization for complex mixtures of elongated particles in rat pleura: A retrospective study. *J Toxicol Environ Health B Crit Rev.* 19: 266-288. <http://dx.doi.org/10.1080/10937404.2016.1195326>.
- Cook, SJ; Bowman, J. R. (1994). CONTACT-METAMORPHISM SURROUNDING THE ALTA STOCK - THERMAL CONSTRAINTS AND EVIDENCE OF ADVECTIVE HEAT-TRANSPORT FROM CALCITE PLUS DOLOMITE GEOTHERMOMETRY. *Am Mineral.* 79: 513-525.
- Cook, SJ; Bowman, JR. (2000). Mineralogical evidence for fluid-rock interaction accompanying prograde contact metamorphism of siliceous dolomites: Alta Stock Aureole, Utah, USA. *Journal of Petrology.* 41: 739-757.
- Cook, WA. (1992). TLVS FOR ASBESTOS [Letter]. *Am J Ind Med.* 21: 765-766.

Fate Literature Search Results

Off Topic

- Cooke, DR; Bull, SW; Donovan, S; Rogers, JR. (1998). K-metasomatism and base metal depletion in volcanic rocks from the McArthur basin, northern territory - Implications for base metal mineralization. *Econ Geol.* 93: 1237-1263.
- Cooke, TF. (1991). INORGANIC FIBERS - A LITERATURE-REVIEW. *Journal of the American Ceramic Society.* 74: 2959-2978.
- Coombspayac, J. (1985). CEMENT ASBESTOS AND OCCUPATIONAL-HEALTH. 31: 25-26.
- Cooper, AF; Palin, JM; Collins, AK. (2016). Fenitization of metabasic rocks by ferrocarnatites at Haast River, New Zealand. *Lithos.* 244: 109-121. <http://dx.doi.org/10.1016/j.lithos.2015.11.035>.
- Cooper, GS; Brown, RC. (2010). The ghost of public health journalism: past, present, and future. *Epidemiology.* 21: 263-266. <http://dx.doi.org/10.1097/EDE.0b013e3181cb8c3d>.
- Cooper, RC; Cooper, WC. (1978). PUBLIC-HEALTH ASPECTS OF ASBESTOS FIBERS IN DRINKING-WATER. *J Am Water Works Assoc.* 70: 338-340.
- Cooper, WC; Balzer, JL. (1969). Evaluation and Control of Asbestos Exposures in the Insulating Trade (pp. 22-25). (NIOSH/00036280). Cooper, WC; Balzer, JL.
- Cooper, WC; Murchio, J; Pependorf, W; Wenk, HR. (1979). Chrysotile asbestos in a California recreational area. *Science.* 206: 685-688.
- Copes, R; Thomas, D; Becklake, MR. (1985). Temporal patterns of exposure and nonmalignant pulmonary abnormality in Quebec chrysotile workers. *Arch Environ Health.* 40: 80-87.
- Corbett, RA. (1986). SUBSTITUTES SUCCESSFULLY REPLACING ASBESTOS FOR GASKETS AND PACKINGS. *Oil and Gas Journal.* 84: 39-44.
- Corbin, M; Mclean, D; Mannetje, A; Dryson, E; Walls, C; Mckenzie, F; Maule, M; Cheng, S; Cunningham, C; Kromhout, H; Blair, A; Pearce, N. (2011). Lung cancer and occupation: A New Zealand cancer registry-based case-control study. *Am J Ind Med.* 54: 89-101. <http://dx.doi.org/10.1002/ajim.20906>.
- Cordier, S; Lazar, P; Brochard, P; Bignon, J; Ameille, J; Proteau, J. (1987). Epidemiologic investigation of respiratory effects related to environmental exposure to asbestos inside insulated buildings. *Arch Environ Health.* 42: 303-309. <http://dx.doi.org/10.1080/00039896.1987.9935825>.
- Cordier, S; Theriault, G; Provencher, S. (1984). Radiographic changes in a group of chrysotile miners and millers exposed to low asbestos dust concentrations. *Br J Ind Med.* 41: 384-388.
- Corella, J; Asua, JM; Bilbao, J. (1980). KINETICS OF THE DEACTIVATION OF A 10-PERCENT CU-0,5-PERCENT CR2O3-ASBESTOS CATALYST FOR BENZYL ALCOHOL DEHYDROGENATION. *Chem Eng Sci.* 35: 1447-1449.
- Corhay, JL; Bury, T; Delavignette, JP; Baharloo, F; Radermecker, M; Hereng, P; Fransolet, AM; Weber, G; Roelandts, I. (1995). Nonfibrous mineralogical analysis of bronchoalveolar lavage fluid from blast-furnace workers. *Arch Environ Health.* 50: 312-319. <http://dx.doi.org/10.1080/00039896.1995.9935960>.
- Corhay, JL; Delavignette, JP; Bury, T; Saint-Remy, P; Radermecker, MF. (1990). Occult exposure to asbestos in steel workers revealed by bronchoalveolar lavage. *Arch Environ Health.* 45: 278-282. <http://dx.doi.org/10.1080/00039896.1990.10118746>.
- Corn, JK; Starr, J. (1987). Historical perspective on asbestos: policies and protective measures in World War II shipbuilding. *Am J Ind Med.* 11: 359-373.
- Corn, M. (1986). Asbestos and disease: an industrial hygienist's perspective. *Am Ind Hyg Assoc J.* 47: 515-523. <http://dx.doi.org/10.1080/15298668691390151>.
- Corn, M. (1990). Airborne concentrations of asbestos-in-air in buildings and exposures of occupants: risk and regulatory implications.
- Corn, M. (1993). TLVS FOR ASBESTOS. *Am J Ind Med.* 23: 959-959.
- Corn, M. (1994). Airborne concentrations of asbestos in non-occupational environments. *Ann Occup Hyg.* 38: 495-502.
- Corn, M. (2003). Risk assessment in the courtroom. *Hum Ecol Risk Assess.* 9: 1101-1103. <http://dx.doi.org/10.1080/10807030390240247>.
- Corn, M; Crump, K; Farrar, DB; Lee, RJ; Mcfee, DR. (1991). Airborne concentrations of asbestos in 71 school buildings. *Regul Toxicol Pharmacol.* 13: 99-114.
- Corn, M; Mearthur, B; Dellarco, M. (1994). Asbestos Exposures of Building Maintenance Personnel. *Appl Occup Environ Hyg.* 9: 845-852.
- Cossette, M; Aitcin, PC. (1972). CONCEPTS OF DENSITY AND POROSITY FOR ASBESTOS. 65: 48-&.
- Cossette, M; Aitcin, PC. (1972). DENSITY AND POROSITY CONCEPTS FOR ASBESTOS AND OTHER MINERALS. 65: 46-&.
- Cossette, M; Tran, VH. (1991). ASBESTOS IN ASPHALT. 84: 40-43.
- Costantini, AS; Pirastu, R; Lagorio, S; Miligi, L; Costa, G. (1994). Studying cancer among female workers: Methods and preliminary results from a record-linkage system in Italy. *J Occup Med.* 36: 1180-1186.
- Costello, J; Castellan, RM; Swecker, GS; Kullman, GK. (1992). Mortality of a cohort of U.S. workers employed in the crushed stone industry, 1940-1980. *Am J Ind Med.* 27: 625-640. <http://dx.doi.org/10.1002/ajim.4700270502>.
- Cotes, JE. (2000). The Medical Research Council Pneumoconiosis Research Unit, 1945-1985: a short history and tribute. *Occup Med (Lond).* 50: 440-449.
- Cotruvo, JA. (1983). ASBESTOS IN DRINKING-WATER - A STATUS-REPORT. *Environ Health Perspect.* 53: 181-183.
- Coulton, AJ; Harper, GD; Ohanley, DS. (1995). OCEANIC VERSUS EMPLACEMENT AGE SERPENTINIZATION IN THE JOSEPHINE OPHIOLITE - IMPLICATIONS FOR THE NATURE OF THE MOHO AT INTERMEDIATE AND SLOW-SPREADING RIDGES. *J Geophys Res Solid Earth.* 100: 22245-22260.
- Counil, E. (2013). The role of the research epidemiologist in responding to an environmental alert. Lessons from operational experience dealing with a former asbestos-grinding factory (Cmmp, Aulnay-sous-Bois, France). *E R S.* 12: 330-337. <http://dx.doi.org/10.1684/ers.2013.0631>.
- Courtice, MN; Berman, DW; Yano, E; Kohyama, N; Wang, X. (2016). Size- and type-specific exposure assessment of an asbestos products factory in China. *J Expo Sci Environ Epidemiol.* 26: 63-69. <http://dx.doi.org/10.1038/jes.2015.46>.
- Courtice, MN; Demers, PA; Takaro, TK; Vedal, S; Ahmad, SK; Davies, HW; Siddique, Z. (2011). Asbestos-related disease in Bangladeshi ship breakers: a pilot study. *Int J Occup Environ Health.* 17: 144-153. <http://dx.doi.org/10.1179/oeh.2011.17.2.144>.

Fate Literature Search Results

Off Topic

- Courtice, MN; Lin, S; Wang, X. (2012). An updated review on asbestos and related diseases in China [Review]. *Int J Occup Environ Health*. 18: 247-253. <http://dx.doi.org/10.1179/1077352512Z.00000000021>.
- Courtice, MN; Wang, X; Lin, S; Yu, IT; Berman, DW; Yano, E. (2016). Exposure-response estimate for lung cancer and asbestosis in a predominantly chrysotile-exposed Chinese factory cohort. *Am J Ind Med*. 59: 369-378. <http://dx.doi.org/10.1002/ajim.22579>.
- Coutts, RSP. (2005). A review of Australian research into natural fibre cement composites. *Cement and Concrete Composites*. 27: 518-526. <http://dx.doi.org/10.1016/j.cemconcomp.20047.09.003>.
- Cowan, DM; Cheng, TJ; Ground, M; Sahmel, J; Varughese, A; Madl, AK. (2015). Analysis of workplace compliance measurements of asbestos by the U.S. Occupational Safety and Health Administration (1984-2011). *Regul Toxicol Pharmacol*. 72: 615-629. <http://dx.doi.org/10.1016/j.yrtph.2015.05.002>.
- Cowie, HA; Wild, P; Beck, J; Auburtin, G; Piekarski, C; Massin, N; Cherrie, JW; Hurley, JF; Miller, BG; Groat, S; Soutar, CA. (2001). An epidemiological study of the respiratory health of workers in the European refractory ceramic fibre industry. *Occup Environ Med*. 58: 800-810.
- Cox, JE. (1986). ASBESTOS EXPOSURE LIMIT REDUCED. *ASHRAE Journal*. 28: 6-6.
- Cox, JE. (1988). ASBESTOS STUDY RELEASED. *ASHRAE Journal*. 30: 16-16.
- Cox, JE; Miro, CR. (1989). EPA BANS ASBESTOS USE - 3-PHASED PLAN SETS 1997 AS THE DEADLINE FOR ELIMINATING VIRTUALLY ALL USES. *ASHRAE Journal*. 31: 15-15.
- Cox, LA; Popken, DA. (2007). Some limitations of aggregate exposure metrics. *Risk Anal*. 27: 439-445. <http://dx.doi.org/10.1111/j.1539-6924.2007.00896.x>.
- Craciun, ME; Badea, NN; Gales, O; Aldea, F. (2011). DETERMINATION OF AEROSOLS POLLUTANTS ON MEMBRANES. EVALUATION OF PARTICLE COLLECTION EFFICIENCY AND LEAD CONCENTRATION IN AEROSOLS. *Environmental Engineering and Management Journal*. 10: 621-627.
- Craig, DK; Wehner, AP. (1971). GENERATION AND CHARACTERIZATION OF A RESPIRABLE AEROSOL OF CHRYSOTILE ASBESTOS FOR CHRONIC INHALATION STUDIES. *Am Ind Hyg Assoc J*. 32: 61-&.
- Craig, DK; Wehner, AP; Morrow, WG. (1972). The generation and characterization of a respirable aerosol of chrysotile asbestos for chronic inhalation studies. *Am Ind Hyg Assoc J*. 33: 283-292. <http://dx.doi.org/10.1080/0002889728506651>.
- Craighead, JE. (1992). Re: "Changing attitudes and opinions regarding asbestos and cancer 1934-1965" [Comment]. *Am J Ind Med*. 22: 271-273.
- Cralley, LJ. (1971). Electromotive phenomenon in metal and mineral particulate exposures: relevance to exposure to asbestos and occurrence of cancer. *Am Ind Hyg Assoc J*. 32: 653-661. <http://dx.doi.org/10.1080/0002889718506520>.
- Cralley, LJ; Keenan, RG; Lynch, JR. (1967). Exposure to metals in the manufacture of asbestos textile products. *Am Ind Hyg Assoc J*. 28: 452-461. <http://dx.doi.org/10.1080/00028896709342664>.
- Craun, GF; Millette, JR; Woodhull, RS; Laiuppa, R. (1977). EXPOSURE TO ASBESTOS FIBERS IN WATER DISTRIBUTION SYSTEMS. (EPIDEM/002191). *Craun, GF; Millette, JR; Woodhull, RS; Laiuppa, R.*
- Crawford, NP; Brown, P; Cowie, AJ. (1992). THE RICE AND AFRICA SCHEMES FOR ASBESTOS FIBER COUNTING. *Ann Occup Hyg*. 36: 59-69.
- Crawford, NP; Cowie, AJ. (1984). QUALITY-CONTROL OF AIRBORNE ASBESTOS FIBER COUNTS IN THE UNITED-KINGDOM - THE PRESENT POSITION. *Ann Occup Hyg*. 28: 391-398.
- Creaney, J; Olsen, NJ; Brims, F; Dick, I; Musk, AW; de Klerk, NH; Skates, SJ; Robinson, BWS. (2010). Serum Mesothelin for Early Detection of Asbestos-Induced Cancer Malignant Mesothelioma. *Cancer Epidemiol Biomarkers Prev*. 19: 2238-2246. <http://dx.doi.org/10.1158/1055-9965.EPI-10-0346>.
- Cree, M; Lalji, M; Jiang, B; Carriere, KC; Beach, J; Kamruzzaman, A. (2009). Explaining Alberta's rising mesothelioma rates. *Chronic Dis Can*. 29: 144-152.
- Cree, MW; Lalji, M; Jiang, B; Carriere, KC. (2009). Under-reporting of compensable mesothelioma in Alberta. *Am J Ind Med*. 52: 526-533. <http://dx.doi.org/10.1002/ajim.20705>.
- Cristaudo, A; Foddis, R; Bonotti, A; Simonini, S; Vivaldi, A; Guglielmi, G; Bruno, R; Landi, D; Gemignani, F; Landi, S. (2010). Polymorphisms in the putative micro-RNA-binding sites of mesothelin gene are associated with serum levels of mesothelin-related protein. *Occup Environ Med*. 67: 233-236. <http://dx.doi.org/10.1136/oem.2009.049205>.
- Critelli, T; Marini, L; Schott, J; Mavromatis, V; Apollaro, C; Rinder, T; De Rosa, R; Oelkers, EH. (2014). Dissolution rates of actinolite and chlorite from a whole-rock experimental study of metabasalt dissolution from 2 <= pH <= 12 at 25 degrees C. *Chem Geol*. 390: 100-108. <http://dx.doi.org/10.1016/j.chemgeo.2014.10.013>.
- Critelli, T; Marini, L; Schott, J; Mavromatis, V; Apollaro, C; Rinder, T; De Rosa, R; Oelkers, EH. (2015). Dissolution rate of antigorite from a whole-rock experimental study of serpentinite dissolution from 2 < pH < 9 at 25 degrees C: Implications for carbon mitigation via enhanced serpentinite weathering. *Appl Geochem*. 61: 259-271. <http://dx.doi.org/10.1016/j.apgeochem.2015.06.004>.
- Croce, A; Allegrina, M; Rinaudo, C; Gaudino, G; Yang, H; Carbone, M. (2015). Numerous Iron-Rich Particles Lie on the Surface of Erionite Fibers from Rome (Oregon, USA) and Karlik (Cappadocia, Turkey). *Microsc Microanal*. 21: 1341-1347. <http://dx.doi.org/10.1017/S1431927615014762>.
- Croce, A; Musa, M; Allegrina, M; Trivero, P; Rinaudo, C. (2013). Environmental scanning electron microscopy technique to identify asbestos phases inside ferruginous bodies. *Microsc Microanal*. 19: 420-424. <http://dx.doi.org/10.1017/S1431927612014390>.
- Croke, K; Mensah, E; Fabian, R; Tolley, G. (1989). ASBESTOS REMOVAL AND TREATMENT IMPACTS ON HOUSING AND URBAN NEIGHBORHOODS. *Journal of Environmental Systems*. 18: 123-131.
- Cromley, J. (1992). SOME LESSONS LEARNED FROM USING PARTICIPATORY METHODS IN ASBESTOS WORKER TRAINING. *Am J Ind Med*. 22: 781-784.

Fate Literature Search Results

Off Topic

- Crook, J; Mousavi, A. (2016). The chlor-alkali process: A review of history and pollution. *Environ Forensics*. 17: 211-217. <http://dx.doi.org/10.1080/15275922.2016.1177755>.
- Crosignani, P; Forastiere, F; Petrelli, G; Merler, E; Chellini, E; Pupp, N; Donelli, S; Magarotto, G; Rotondo, E; Perucci, C. (1995). Malignant mesothelioma in thermoelectric power plant workers in Italy. *Am J Ind Med*. 27: 573-576.
- Crossman, G. (1985). DISPERSION STAINING MICROSCOPY FOR ASBESTOS IDENTIFICATION. *Chem Eng News*. 63: 2-2.
- Crovella, S; Bianco, AM; Vuch, J; Zupin, L; Rodrigues Moura, R; Trevisan, E; Schneider, M; Brollo, A; Nicastro, EM; Cosenzi, A; Zabucchi, G; Borelli, V. (2016). Iron signature in asbestos-induced malignant pleural mesothelioma: A population-based autopsy study. *J Toxicol Environ Health A*. 79: 1-13. <http://dx.doi.org/10.1080/15287394.2015.1123452>.
- Crump, KS; Berman, DW. (2011). Counting rules for estimating concentrations of long asbestos fibers. *Ann Occup Hyg*. 55: 723-735. <http://dx.doi.org/10.1093/annhyg/mer027>.
- Crump, KS; Farrar, DB. (1989). STATISTICAL ANALYSIS OF DATA ON AIRBORNE ASBESTOS LEVELS COLLECTED IN AN EPA SURVEY OF PUBLIC BUILDINGS. *Regul Toxicol Pharmacol*. 10: 51-62.
- Cruz, MJ; Curull, V; Pijuan, L; Álvarez-Simón, D; Sánchez-Font, A; de Gracia, J; Culebras, M; Ferrer, J. (2016). Utility of Bronchoalveolar Lavage for the Diagnosis of Asbestos-Related Diseases. *Arch Bronconeumol*. <http://dx.doi.org/10.1016/j.arbres.2016.08.016>.
- Cryberg, RL. (1989). THE ASBESTOS HAZARD - POST-ABATEMENT MONITORING USING TEM. *J Environ Health*. 52: 168-169.
- Cubrinovski, M; Hughes, M; O'Rourke, TD. (2014). Impacts of liquefaction on the potable water system of Christchurch in the 2010-2011 Canterbury (NZ) earthquakes. *Journal of Water Supply: Research and Technology-AQUA*. 63: 95-105. <http://dx.doi.org/10.2166/aqua.2013.004>.
- Cudahy, TJ; Whitbourn, LB; Conner, PM; Mason, P; Phillips, RN. (1999). Mapping surface mineralogy and scattering behavior using backscattered reflectance from a hyperspectral midinfrared airborne CO2 laser system (MIRACO(2)LAS). *IEEE Trans Geosci Remote Sens*. 37: 2019-2034.
- Cuendet, PA; Bilat, D. (1984). [Evaluation of the degree of protection provided by a cartridge-mask system during working with asbestos]. *Soz Praventivmed*. 29: 42-43.
- Cullen, MR. (1996). The amphibole hypothesis of asbestos-related cancer--gone but not forgotten [Editorial]. *Am J Public Health*. 86: 158-159.
- Cullen, MR; Baloyi, RS. (1991). Chrysotile asbestos and health in Zimbabwe: I. Analysis of miners and millers compensated for asbestos-related diseases since independence (1980). *Am J Ind Med*. 19: 161-169.
- Cullen, MR; Barnett, MJ; Balmes, JR; Cartmel, B; Redlich, CA; Brodtkin, CA; Barnhart, S; Rosenstock, L; Goodman, GE; Hammar, SP; Thornquist, MD; Omenn, GS. (2005). Predictors of lung cancer among asbestos-exposed men in the beta-carotene and retinol efficacy trial. *Am J Epidemiol*. 161: 260-270. <http://dx.doi.org/10.1093/aje/kwi034>.
- Cullen, MR; Lopez-Carrillo, L; Alli, B; Pace, PE; Shalat, SL; Baloyi, RS. (1991). Chrysotile asbestos and health in Zimbabwe: II. Health status survey of active miners and millers. *Am J Ind Med*. 19: 171-182. <http://dx.doi.org/10.1002/ajim.4700190205>.
- Cullen, R; Miller, B; Davis, J; Brown, D; Donaldson, K. (1997). Short-term inhalation and in vitro tests as predictors of fiber pathogenicity. *Environ Health Perspect*. 105 Suppl 5: 1235-1240.
- Culley, MR; Zorland, J; Freire, K. (2010). Community responses to naturally occurring asbestos: implications for public health practice. *Health Educ Res*. 25: 877-891. <http://dx.doi.org/10.1093/her/cyq039>.
- Cunningham, HM; Pontefract, RD; O'Brien, RC. (1976). Quantitative Relationship Of Fecal Asbestos To Asbestos Exposure. *J Toxicol Environ Health*. 1: 377-379. <http://dx.doi.org/10.1080/15287397609529337>.
- Curiel-Esparza, J; Canto-Perello, J. (2005). Indoor atmosphere hazard identification in person entry urban utility tunnels. *Tunnelling and Underground Space Technology*. 20: 426-434. <http://dx.doi.org/10.1016/j.tust.2005.02.003>.
- Curran, AD. (1999). Flow cytometry in the exploration of the physiopathology of occupational lung disease. *Occup Environ Med*. 56: 742-746.
- Currie, KL; Knutson, J; Temby, PA. (1992). THE MUD TANK CARBONATITE COMPLEX, CENTRAL AUSTRALIA - AN EXAMPLE OF METASOMATISM AT MIDCRUSTAL LEVELS. *Contributions to Mineralogy and Petrology*. 109: 326-339.
- Curtis, F. (1991). Monitoring the presence of asbestos in a residential apartment building. *Environ Pollut*. 71: 69-81.
- Curtis, RA. (1974). Industrial Hygiene of Raybestos-Manhattan Asbestos Textile Plant, North Charleston, South Carolina. (NIOSH/00105097). Curtis, RA.
- Curtis, RA; Bierbaum, PJ. (1975). TECHNOLOGICAL FEASIBILITY OF 2 FIBERS-CC ASBESTOS STANDARD IN ASBESTOS TEXTILE FACILITIES. *Am Ind Hyg Assoc J*. 36: 115-125.
- Cury Camargo, PH; Satyanarayana, KG; Wypych, F. (2009). Nanocomposites: Synthesis, Structure, Properties and New Application Opportunities. *Mater Res*. 12: 1-39.
- Cyphert, JM; Carlin, DJ; Nyska, A; Schladweiler, MC; Ledbetter, AD; Shannahan, JH; Kodavanti, UP; Gavett, SH. (2015). Comparative long-term toxicity of Libby amphibole and amosite asbestos in rats after single or multiple intratracheal exposures. *J Toxicol Environ Health A*. 78: 151-165. <http://dx.doi.org/10.1080/15287394.2014.947455>.
- Cyphert, JM; Mcgee, MA; Nyska, A; Schladweiler, MC; Kodavanti, UP; Gavett, SH. (2016). Long-term toxicity of naturally occurring asbestos in male Fischer 344 rats. *J Toxicol Environ Health A*. 79: 49-60. <http://dx.doi.org/10.1080/15287394.2015.1099123>.
- Cyphert, JM; Padilla-Carlin, DJ; Schladweiler, MC; Shannahan, JH; Nyska, A; Kodavanti, UP; Gavett, SH. (2012). Long-term response of rats to single intratracheal exposure of libby amphibole or amosite. *J Toxicol Environ Health A*. 75: 183-200. <http://dx.doi.org/10.1080/15287394.2012.641203>.
- Czuba, R; Andruszczak, E; Chodak, T; Bogda, A; Straczynski, S. (1992). The impact of the Naslawice mine on the crops growing in its vicinity. *Med Pr*. 43: 227-233.

Fate Literature Search Results

Off Topic

- da Costa Silva, AR; Nobre Villas, RN; Lafon, JM; Craveiro, GS; Ferreira, VP. (2015). Stable isotope systematics and fluid inclusion studies in the Cu-Au Visconde deposit, Carajas Mineral Province, Brazil: implications for fluid source generation. *Miner Depos.* 50: 547-569. <http://dx.doi.org/10.1007/s00126-014-0558-8>.
- da Fonseca, MG; Airoldi, C. (1999). Action of silylating agents on a chrysotile surface and subsequent reactions with 2-pyridine and 2-thiophene carbaldehydes. *J Mater Chem.* 9: 1375-1380.
- da Silva, SP; Wander, AP; Bisatto, R; Galland, GB. (2011). Preparation and characterization of chrysotile for use as nanofiller in polyolefins. *Nanotechnology.* 22: 105701. <http://dx.doi.org/10.1088/0957-4484/22/10/105701>.
- D'Acri, V; De Souza, KR; Dos Santos, MBM; De Castro, HA. (2009). Workers Education and Research in the Construction of the Solidarity Action Movement for the Struggle for Health: the case of the Brazilian Association of the Exposed to Asbestos (ABREA/RJ). 18: 154-163.
- D'acri, V; Souza, KR, d; Santos, M; Castro, HA, d. (2009). Formação de trabalhadores e pesquisa na construção do movimento de ação solidária de luta pela saúde: o caso da Associação Brasileira de Expostos ao Amianto do Rio de Janeiro (ABREA/RJ). 18: 154-163.
- Daghino, S; Turci, F; Tomatis, M; Favier, A; Perotto, S; Douki, T; Fubini, B. (2006). Soil fungi reduce the iron content and the DNA damaging effects of asbestos fibers. *Environ Sci Technol.* 40: 5793-5798. <http://dx.doi.org/10.1021/es060881v>.
- D'Agostin, F; Negro, C; Barbati, G; De Zotti, R. (2012). [Anti-smoking counseling in a group of workers with past exposure to asbestos]. *Med Lav.* 103: 449-458.
- Dahl, PS. (1996). The effects of composition on retentivity of argon and oxygen in hornblende and related amphiboles: A field-tested empirical model. *Geochim Cosmo Acta.* 60: 3687-3700.
- Dahlgren, J; Peckham, T. (2012). Mesothelioma associated with use of drywall joint compound: a case series and review of literature [Review]. *Int J Occup Environ Health.* 18: 337-343. <http://dx.doi.org/10.1179/2049396712Y.0000000009>.
- Dahlgren, J; Talbott, P. (2015). Case report: peritoneal mesothelioma from asbestos in hairdryers [Review]. *Int J Occup Environ Health.* 21: 1-4. <http://dx.doi.org/10.1179/2049396714Y.0000000092>.
- Dahlgren, JG; Talbott, PJ. (2016). Lung cancer from asbestos textured ceilings: a case study. *Int J Occup Environ Health.* 22: 175-178. <http://dx.doi.org/10.1080/10773525.2016.1162952>.
- Dahlqvist, M; Alexandersson, R; Hedenstierna, G. (1992). LUNG-FUNCTION AND EXPOSURE TO ASBESTOS AMONG VEHICLE MECHANICS. *Am J Ind Med.* 22: 59-68. <http://dx.doi.org/10.1002/ajim.4700220106>.
- Damiran, N; Davaajav, K; Erdenebayar, E; Gomboloi, B; Frank, AL. (2015). Mesothelioma in Mongolia: case report. *Int J Occup Environ Health.* 21: 166-168. <http://dx.doi.org/10.1179/2049396714Y.0000000101>.
- Damiran, N; Silbergeld, EK; Frank, AL; Lkhasuren, O; Ochir, C; Breysse, PN. (2015). Exposure to airborne asbestos in thermal power plants in Mongolia [Erratum]. *Int J Occup Environ Health.* 21: 137-141. <http://dx.doi.org/10.1179/2049396715Y.0000000001>.
- Daniel, H; Wastiaux, A; Sebastien, P; Begin, R. (1993). EFFECTS OF PHOSPHORYLATION OF CHRYSOTILE ON PLEUROPULMONARY FIBROGENICITY AND CARCINOGENICITY. *Br J Ind Med.* 50: 167-171.
- Daniel, LN; Mao, Y; Wang, TC; Markey, CJ; Markey, SP; Shi, X; Saffiotti, U. (1995). DNA strand breakage, thymine glycol production, and hydroxyl radical generation induced by different samples of crystalline silica in vitro. *Environ Res.* 71: 60-73. <http://dx.doi.org/10.1006/enrs.1995.1068>.
- Daniels, RD; Kubale, TL; Yiin, JH; Dahm, MM; Hales, TR; Baris, D; Zahm, SH; Beaumont, JJ; Waters, KM; Pinkerton, LE. (2014). Mortality and cancer incidence in a pooled cohort of US firefighters from San Francisco, Chicago and Philadelphia (1950-2009). *Occup Environ Med.* 71: 388-397. <http://dx.doi.org/10.1136/oemed-2013-101662>.
- Danielsen, TE; Langård, S; Andersen, A. (1996). Incidence of cancer among Norwegian boiler welders. *Occup Environ Med.* 53: 231-234.
- Danielsen, TE; Langård, S; Andersen, A. (2000). Incidence of cancer among welders and other shipyard workers with information on previous work history. *J Occup Environ Med.* 42: 101-109.
- Danielsen, TE; Langard, S; Andersen, A; Knudsen, O. (1993). INCIDENCE OF CANCER AMONG WELDERS OF MILD-STEEL AND OTHER SHIPYARD WORKERS. *Br J Ind Med.* 50: 1097-1103.
- Darne, C; Terzetti, F; Coulais, C; Fournier, J; Guichard, Y; Gaté, L; Binet, S. (2010). In vitro cytotoxicity and transforming potential of industrial carbon dust (fibers and particles) in syrian hamster embryo (SHE) cells. *Ann Occup Hyg.* 54: 532-544. <http://dx.doi.org/10.1093/annhyg/meq012>.
- Darnton, A; Hodgson, J; Benson, P; Coggon, D. (2012). Mortality from asbestosis and mesothelioma in Britain by birth cohort. *Occup Med (Lond).* 62: 549-552. <http://dx.doi.org/10.1093/occmed/kqs119>.
- Darnton, AJ; Mcelvenny, DM; Hodgson, JT. (2006). Estimating the number of asbestos-related lung cancer deaths in Great Britain from 1980 to 2000. *Ann Occup Hyg.* 50: 29-38. <http://dx.doi.org/10.1093/annhyg/mei038>.
- Datta, AK. (1991). DEHYDRATION OF CHRYSOTILE ASBESTOS - AN INFRARED-ABSORPTION STUDY. *Journal of Mater Sci Lett.* 10: 870-871.
- Datta, AK; Mathur, BK; Samantaray, BK; Bhattacharjee, S. (1987). DEHYDRATION AND PHASE-TRANSFORMATION IN CHRYSOTILE ASBESTOS - A RADIAL-DISTRIBUTION ANALYSIS STUDY. *Bulletin of Materials Science.* 9: 103-110.
- Datta, AK; Samantaray, BK; Bhattacharjee, S. (1986). THERMAL TRANSFORMATION IN A CHRYSOTILE ASBESTOS. *Bulletin of Materials Science.* 8: 497-503.
- Daude, G; Lasnier, JM; Guillabert, B; Filliatre, C; Sabouraud, A; Guilhemat, R. (1996). Extraction and identification of organic fibres from fibre-reinforced cement composites without asbestos. *Cement and Concrete Research.* 26: 791-798.
- Daval, D; Hellmann, R; Martinez, I; Gangloff, S; Guyot, F. (2013). Lizardite serpentine dissolution kinetics as a function of pH and temperature, including effects of elevated pCO₂. *Chem Geol.* 351: 245-256. <http://dx.doi.org/10.1016/j.chemgeo.2013.05.020>.
- Dave, SK; Beckett, WS. (2005). Occupational asbestos exposure and predictable asbestos-related diseases in India. *Am J Ind Med.* 48: 137-143. <http://dx.doi.org/10.1002/ajim.20198>.

Fate Literature Search Results

Off Topic

- David, AM; Ogawa, H; Takahashi, K. (2012). A baseline profile of asbestos in the US-affiliated Pacific Islands. *Int J Occup Environ Health*. 18: 22-28. <http://dx.doi.org/10.1179/1077352512Z.0000000003>.
- Davidson, GJ; Paterson, H; Meffre, S; Berry, RF. (2007). Characteristics and origin of the Oak Dam East breccia-hosted, iron oxide Cu-U-(Au) deposit: Olympic Dam region, Gawler craton, South Australia. *Econ Geol*. 102: 1471-1498.
- Davies, D. (1990). ALTERATIONS IN LARYNGEAL MUCOSA AFTER EXPOSURE TO ASBESTOS [Letter]. *Br J Ind Med*. 47: 844-844.
- Davies, JC; Kielkowski, D; Phillips, JI; Govuzela, M; Solomon, A; Makofane, MR; Sekgobela, ML; Garton, E. (2004). Asbestos in the sputum, crackles in the lungs, and radiologic changes in women exposed to asbestos. *Int J Occup Environ Health*. 10: 220-225. <http://dx.doi.org/10.1179/oeh.2004.10.2.220>.
- Davies, JCA. (1991). DEJA-VU. *Am J Ind Med*. 19: 141-143.
- Davies, L; Cherrie, JW. (1992). AIRBORNE FIBER CONCENTRATIONS IN A GLASS CONTINUOUS FILAMENT FACTORY. *Ann Occup Hyg*. 36: 609-627.
- Davis, BL. (1990). QUANTITATIVE-ANALYSIS OF ASBESTOS MINERALS BY THE REFERENCE INTENSITY-X-RAY DIFFRACTION PROCEDURE. *Am Ind Hyg Assoc J*. 51: 297-303.
- Davis, DR. (1987). Potential health hazards of ceramic ring lining material. *J Prosthet Dent*. 57: 362-369.
- Davis, DR. (1995). Release of asbestos fibers during casting ring liner manipulation. *J Prosthet Dent*. 74: 294-298.
- Davis, HV; Reeves, AL. (1971). Collagen biosynthesis in rat lungs during exposure to asbestos. *Am Ind Hyg Assoc J*. 32: 599-602. <http://dx.doi.org/10.1080/0002889718506512>.
- Davis, JJ; Gulson, BL. (2005). Ceiling (attic) dust: a "museum" of contamination and potential hazard. *Environ Res*. 99: 177-194. <http://dx.doi.org/10.1016/j.envres.2004.10.011>.
- Davis, JM. (1994). Other diseases in animals. *Ann Occup Hyg*. 38: 581-587, 420.
- Davis, JM. (1994). The role of clearance and dissolution in determining the durability or biopersistence of mineral fibers. *Environ Health Perspect*. 102: 113-117.
- Davis, JM; McDonald, JC. (1988). Low level exposure to asbestos: is there a cancer risk? [Review]. *Br J Ind Med*. 45: 505-508.
- Davis, JMG. (1980). THE USE OF ANIMAL INHALATION EXPERIMENTS IN THE STUDY OF ASBESTOS BIOEFFECTS. *Staub, Reinhaltung der Luft*. 40: 453-455.
- Davis, JMG. (1993). THE NEED FOR STANDARDIZED TESTING PROCEDURES FOR ALL PRODUCTS CAPABLE OF LIBERATING RESPIRABLE FIBERS - THE EXAMPLE OF MATERIALS BASED ON CELLULOSE. *Br J Ind Med*. 50: 187-190.
- Davis, JMG; Cowie, HA. (1990). The Relationship between Fibrosis and Cancer in Experimental Animals Exposed to Asbestos and Other Fibers [Review]. *Environ Health Perspect*. 88: 305-309.
- Davis, JMG; Donaldson, K. (1993). RESPIRABLE INDUSTRIAL FIBERS - PATHOLOGY IN ANIMAL-MODELS. *Ann Occup Hyg*. 37: 227-236.
- Davis, P; Burn, S; Moglia, M; Gould, S. (2007). A physical probabilistic model to predict failure rates in buried PVC pipelines. *Reliab Eng Syst Saf*. 92: 1258-1266. <http://dx.doi.org/10.1016/j.res.2006.08.001>.
- Davis, P; De Silva, D; Marlow, D; Moglia, M; Gould, S; Burn, S. (2008). Failure prediction and optimal scheduling of replacements in asbestos cement water pipes. *Journal of Water Supply: Research and Technology-AQUA*. 57: 239-252. <http://dx.doi.org/10.2166/aqua.2008.035>.
- Davis, TE. (1990). ASBESTOS ABATEMENT COST RECOVERY UNDER THE COMPREHENSIVE ENVIRONMENTAL RESPONSE, COMPENSATION, AND LIABILITY ACT. *Harvard Environmental Law Review*. 14: 253-276.
- Daynard, RA; Howard, PT; Wilking, CL. (2004). Private enforcement: Litigation as a tool to prevent obesity. *J Public Health Policy*. 25: 408-417.
- de Abreu, PG; Abreu, VMN; Coldebella, A; Lopes, L, dosS; da Conceicao, V; Tomazelli, IL. (2011). Thermographic analysis of the superficial temperature of roof tiles. *Revista Brasileira de Engenharia Agrícola e Ambiental - Agriambi*. 15: 1193-1198.
- de Almeida, EA; Passini, R. (2013). THERMAL COMFORT IN REDUCED MODELS OF BROILERS' HOUSES, UNDER DIFFERENT TYPES OF ROOFING MATERIALS. *Engenharia Agricola*. 33: 19-27.
- de Assis, SA; Fernandes, P; Ferreira, BS; Cabral, JMS; Oliveira, OMM, F. (2004). Screening of supports for the immobilization of pectinmethylesterase from acerola (*Malpighia glabra* L). *J Chem Tech Biotechnol*. 79: 277-280. <http://dx.doi.org/10.1002/jctb.973>.
- de Castro, AB; Garcia, G; Gee, GC; Tsai, JHC; Rue, T; Takeuchi, DT. (2010). Smoking and the Asian American Workforce in the National Latino and Asian American Study. *Am J Ind Med*. 53: 171-178. <http://dx.doi.org/10.1002/ajim.20697>.
- de Haller, A; Corfu, F; Fontbote, L; Schaltegger, U; Barra, F; Chiaradia, M; Frank, M; Alvarado, JZ. (2006). Geology, geochronology, and Hf and Pb isotope data of the Raul-Condostable iron oxide-copper-gold deposit, central coast of Peru. *Econ Geol*. 101: 281-310.
- De Hoog, J, anCM; Hattori, K; Jung, H. (2014). Titanium- and water-rich metamorphic olivine in high-pressure serpentinites from the Voltri Massif (Ligurian Alps, Italy): evidence for deep subduction of high-field strength and fluid-mobile elements. *Contributions to Mineralogy and Petrology*. 167. <http://dx.doi.org/10.1007/s00410-014-0990-x>.
- de Klerk, NH; Armstrong, BK; Musk, AW; Hobbs, MST. (1989). Cancer mortality in relation to measures of occupational exposure to crocidolite at Wittenoom Gorge in Western Australia. *Br J Ind Med*. 46: 529-536. <http://dx.doi.org/10.1136/oem.46.8.529>.
- de Klerk, NH; Cookson, WO; Musk, AW; Armstrong, BK; Glancy, JJ. (1989). Natural history of pleural thickening after exposure to crocidolite. *Br J Ind Med*. 46: 461-467.
- de Klerk, NH; Musk, AW; Armstrong, BK; Hobbs, MS. (1991). Smoking, exposure to crocidolite, and the incidence of lung cancer and asbestosis. *Br J Ind Med*. 48: 412-417.
- de Klerk, NH; Musk, AW; Cookson, WO; Glancy, JJ; Hobbs, MS. (1993). Radiographic abnormalities and mortality in subjects with exposure to crocidolite. *Br J Ind Med*. 50: 902-906.
- de Klerk, NH; Musk, AW; Eccles, JL; Hansen, J; Hobbs, MS. (1996). Exposure to crocidolite and the incidence of different histological types of lung cancer. *Occup Environ Med*. 53: 157-159.

Fate Literature Search Results

Off Topic

- de Klerk, NH; Musk, AW; James, A; Glancy, JJ; Cookson, WO. (1990). Comparison of chest radiograph reading methods for assessing progress of pneumoconiosis over 10 years in Wittenoom crocidolite workers. *Br J Ind Med.* 47: 127-131.
- de Klerk, NH; Musk, AW; Williams, V; Fillion, PR; Whitaker, D; Shilkin, KB. (1996). Comparison of measures of exposure to asbestos in former crocidolite workers from Wittenoom Gorge, W. Australia. *Am J Ind Med.* 30: 579-587. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199611\)30:5<579::AID-AJIM5>3.0.CO;2-O](http://dx.doi.org/10.1002/(SICI)1097-0274(199611)30:5<579::AID-AJIM5>3.0.CO;2-O).
- De Matteis, S; Consonni, D; Lubin, J; Tucker, M; Peters, S; Vermeulen, RCH; Kromhout, H; Bertazzi, PA; Caporaso, NE; Pesatori, AC; Wacholder, S; Landi, MT. (2012). Impact of occupational carcinogens on lung cancer risk in a general population. *Int J Epidemiol.* 41: 711-721. <http://dx.doi.org/10.1093/ije/dys042>.
- de Miranda, S; Molari, L; Scalet, G; Ubertini, F. (2012). Simple Beam Model to Estimate Leakage in Longitudinally Cracked Pressurized Pipes. *Journal of Structural Engineering.* 138: 1065-1074. [http://dx.doi.org/10.1061/\(ASCE\)ST.1943-541X.0000535](http://dx.doi.org/10.1061/(ASCE)ST.1943-541X.0000535).
- De Pedrini, C. (1968). [Observations on methods of collection and counting asbestos dust in work environments]. *Arch Sci Med.* 125: 769-776.
- De Stefani, E; Boffetta, P; Brennan, P; Deneo-Pellegrini, H; Ronco, A; Gutiérrez, LP. (2005). Occupational exposures and risk of adenocarcinoma of the lung in Uruguay. *Cancer Causes Control.* 16: 851-856. <http://dx.doi.org/10.1007/s10552-005-2819-4>.
- De Stefani, E; Boffetta, P; Oreggia, F; Ronco, A; Kogevinas, M; Mendilaharsu, M. (1998). Occupation and the risk of laryngeal cancer in Uruguay. *Am J Ind Med.* 33: 537-542. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199806\)33:6<537::AID-AJIM3>3.0.CO;2-N](http://dx.doi.org/10.1002/(SICI)1097-0274(199806)33:6<537::AID-AJIM3>3.0.CO;2-N).
- De Stefani, E; Kogevinas, M; Boffetta, P; Ronco, A; Mendilaharsu, M. (1996). Occupation and the risk of lung cancer in Uruguay. *Scand J Work Environ Health.* 22: 346-352.
- De Stefano, L; De Luca, F; Buccolieri, G. (1998). Analytical methods for quantitative asbestos determination by X-ray diffraction. *Ann Chim.* 88: 11-12.
- De Stefano, L; De Luca, F; Buccolieri, G; Plescia, P. (2000). Milling effects upon quantitative determinations of chrysotile asbestos by the reference intensity ratio method. *Powder Diffraction.* 15: 26-29.
- De Vita, J; Wall, S; Wagner, J; Wang, ZM; Rao, LE. (2012). Determining the frequency of asbestos use in automotive brakes from a fleet of on-road California vehicles. *Environ Sci Technol.* 46: 1344-1351. <http://dx.doi.org/10.1021/es202667d>.
- de Vries, H; Lechner, L. (2000). Motives for protective behavior against carcinogenic substances in the workplace: a pilot study among Dutch workers. *J Occup Environ Med.* 42: 88-95.
- De Vuyst, P. (1994). Biopersistence of respirable synthetic fibers and minerals: point of view of the chest physician [Review]. *Environ Health Perspect.* 102 Suppl 5: 7-9.
- De Vuyst, P; Dumortier, P; Gevenois, PA. (1997). Analysis of asbestos bodies in BAL from subjects with particular exposures. *Am J Ind Med.* 31: 699-704.
- De Vuyst, P; Dumortier, P; Moulin, E; Yourassowsky, N; Yernault, JC. (1987). Diagnostic value of asbestos bodies in bronchoalveolar lavage fluid. *Am Rev Respir Dis.* 136: 1219-1224. <http://dx.doi.org/10.1164/ajrccm/136.5.1219>.
- De Zotti, R; Barbati, G; Negro, C. (2013). [Autopsy findings and pleural plaques in the Malignant Mesothelioma (MM) Regional Register of Friuli-Venezia-Giulia]. *Med Lav.* 104: 55-66.
- De Zotti, R; Fiorito, A. (2007). A case of malignant mesothelioma in a rice-starch factory. *Int Arch Occup Environ Health.* 80: 743-745. <http://dx.doi.org/10.1007/s00420-007-0184-1>.
- Deadman, JE; Church, G; Bradley, C; Armstrong, B; Theriault, G. (1995). Retrospective Estimation of Exposures to Confirmed or Suspected Carcinogens in an Electrical Utility. *Appl Occup Environ Hyg.* 10: 856-869.
- Deangelis, MT; Labotka, TC; Cole, DR; Fayek, M; Anovitz, LM. (2007). Experimental investigation of the breakdown of dolomite in rock cores at 100 MPa, 650-750 degrees C. *Am Mineral.* 92: 510-517. <http://dx.doi.org/10.2138/am.2007.2164>.
- Dearwent, SM; Mumtaz, M; Godfrey, G; Sinks, T; Falk, H. (2006). Health Effects of Hazardous Waste. *Ann N Y Acad Sci.* 1076: 439-448. <http://dx.doi.org/10.1196/annals.1371.043>.
- Debret, B; Andreani, M; Godard, M; Nicollet, C; Schwartz, S; Lafay, R. (2013). Trace element behavior during serpentization/de-serpentization of an eclogitized oceanic lithosphere: A LA-ICPMS study of the Lanzo ultramafic massif (Western Alps). *Chem Geol.* 357: 117-133. <http://dx.doi.org/10.1016/j.chemgeo.2013.08.025>.
- Debret, B; Andreani, M; Munoz, M; Bolfan-Casanova, N; Carlut, J; Nicollet, C; Schwart, S; Trcera, N. (2014). Evolution of Fe redox state in serpentine during subduction. *Earth Planet Sci Lett.* 400: 206-218. <http://dx.doi.org/10.1016/j.epsl.2014.05.038>.
- Debret, B; Bolfan-Casanova, N; Padron-Navarta, JA; Martin-Hernandez, F; Andreani, M; Garrido, CJ; Lopez Sanchez-Vizcaino, V; Teresa Gomez-Pugnaire, M; Munoz, M; Trcera, N. (2015). Redox state of iron during high-pressure serpentinite dehydration. *Contributions to Mineralogy and Petrology.* 169. <http://dx.doi.org/10.1007/s00410-015-1130-y>.
- Dechant, R; Piantanida, L. (1984). REDUCTION OF EXPOSURE DURING ASBESTOS LAGGING RIP-OUT. *Am Ind Hyg Assoc J.* 45: B9-B9.
- Degiovanni, D; Pesce, B; Pondrano, N. (2004). Asbestos in Italy. *Int J Occup Environ Health.* 10: 193-197. <http://dx.doi.org/10.1179/oeh.2004.10.2.193>.
- Degryse, P; Muech, P; Six, S; Waelkens, M. (2003). Identification of ore extraction and metal working in ancient times: a case study of Sagalassos (SW Turkey). *J Geochem Explor.* 77: 65-80. [http://dx.doi.org/10.1016/S0375-6742\(02\)00270-4](http://dx.doi.org/10.1016/S0375-6742(02)00270-4).
- DEKLERK. (1990). CANCER MORTALITY AND EXPOSURE TO CROCIDOLITE - REPLY. *Br J Ind Med.* 47: 286-286.
- Deklerk, NH; Armstrong, BK; Musk, WA; Hobbs, MST. (1988). CROCIDOLITE EXPOSURE AT WITTENOOM AND SUBSEQUENT DEVELOPMENT OF MALIGNANT MESOTHELIOMA. *Community Health Stud.* 12: 472-472.
- del Piano, M; Palagiano, C; Rimatori, V. (1989). Asbestos hazards in the city of Rome, Italy [Review]. *Soc Sci Med.* 29: 1009-1013.
- Delclos, GL; Flitcraft, DG; Brousseau, KP; Windsor, NT; Nelson, DL; Wilson, RK; Lawrence, EC. (1989). Bronchoalveolar lavage analysis, gallium-67 lung scanning and soluble interleukin-2 receptor levels in asbestos exposure. *Environ Res.* 48: 164-178.

Fate Literature Search Results

Off Topic

- Delfino, R; Ernst, P; Bourbeau, J. (1989). Relationship of lung geometry to the development of pleural abnormalities in insulation workers exposed to asbestos. *Am J Ind Med.* 15: 417-425.
- Delgermaa, V; Takahashi, K; Park, EK; Le, GV; Hara, T; Sorahan, T. (2011). Global mesothelioma deaths reported to the World Health Organization between 1994 and 2008. *Bull World Health Organ.* 89: 716-724, 724A-724C. <http://dx.doi.org/10.2471/BLT.11.086678>.
- Dell, L; Teta, MJ. (1995). Mortality among workers at a plastics manufacturing and research and development facility: 1946-1988. *Am J Ind Med.* 28: 373-384. <http://dx.doi.org/10.1002/ajim.4700280307>.
- Della Ventura, G; Iezzi, G; Redhammer, GJ; Hawthorne, FC; Scaillet, B; Novembre, D. (2005). Synthesis and crystal-chemistry of alkali amphiboles in the system Na₂O-MgO-FeO-Fe₂O₃SiO₂-H₂O as a function of f(o₂). *Am Mineral.* 90: 1375-1383.
- Della Ventura, G; Redhammer, GJ; Iezzi, G; Hawthorne, FC; Papin, A; Robert, JL. (2005). A Mossbauer and FTIR study of synthetic amphiboles along the magnesioriebeckite-ferri-clinoholmquistite join. *Physics and Chemistry of Minerals.* 32: 103-113. <http://dx.doi.org/10.1007/s00269-005-0451-1>.
- Della VENTURA, G; Robert, JL; Beny, JM. (1991). TETRAHEDRALLY COORDINATED TI-4(+) IN SYNTHETIC TI-RICH POTASSIC RICHTERITE - EVIDENCE FROM XRD, FTIR, AND RAMAN STUDIES. *Am Mineral.* 76: 1134-1140.
- Dellisanti, F; Rossi, PL; G, V. (2009). In-field remediation of tons of heavy metal-rich waste by Joule heating vitrification. *Int J Miner Process.* 93: 239-245. <http://dx.doi.org/10.1016/j.minpro.2009.09.002>.
- Dellisanti, F; Rossi, PL; Valdre, G. (2009). Remediation of asbestos containing materials by Joule heating vitrification performed in a pre-pilot apparatus. *Int J Miner Process.* 91: 61-67. <http://dx.doi.org/10.1016/j.minpro.2008.12.001>.
- Delon, J; Charretton, M; Prost, G; Cicolella, A. (1992). Short-term exposures and exposures close to threshold limit values - The response. 53: 91-98.
- Delpierre, S; Delvolgo-Gori, MJ; Faucher, M; Jammes, Y. (2002). High prevalence of reversible airway obstruction in asbestos-exposed workers. *Arch Environ Health.* 57: 441-445. <http://dx.doi.org/10.1080/00039890209601435>.
- Delvasto, S; Toro, EF; Perdomo, F; Mejia de Gutierrez, R. (2010). An appropriate vacuum technology for manufacture of corrugated fique fiber reinforced cementitious sheets. *Construction and Building Materials.* 24: 187-192. <http://dx.doi.org/10.1016/j.conbuildmat.2009.01.010>.
- Dement, J; Welch, L; Haile, E; Myers, D. (2009). Mortality among sheet metal workers participating in a medical screening program. *Am J Ind Med.* 52: 603-613. <http://dx.doi.org/10.1002/ajim.20725>.
- Dement, JM; Brown, DP. (1994). Lung cancer mortality among asbestos textile workers: a review and update. *Ann Occup Hyg.* 38: 525-532, 412.
- Dement, JM; Brown, DP. (1998). Cohort mortality and case-control studies of white male chrysotile asbestos textile workers. *J Clean Technol, Environ Toxicol, Occup Med.* 7: 413-419.
- Dement, JM; Brown, DP; Okun, A. (1994). Follow-up study of chrysotile asbestos textile workers: cohort mortality and case-control analyses. *Am J Ind Med.* 26: 431-447.
- Dement, JM; Harris, RL, Jr; Symons, MJ; Shy, C. (1982). Estimates of dose-response for respiratory cancer among chrysotile asbestos textile workers. *Ann Occup Hyg.* 26: 869-887.
- Dement, JM; Harris, RL, Jr; Symons, MJ; Shy, CM. (1983). Exposures and mortality among chrysotile asbestos workers Part I: exposure estimates. *Am J Ind Med.* 4: 399-419.
- Dement, JM; Harris, RL, Jr; Symons, MJ; Shy, CM. (1983). Exposures and mortality among chrysotile asbestos workers Part II: mortality. *Am J Ind Med.* 4: 421-433.
- Dement, JM; Hensley, L; Kieding, S; Lipscomb, H. (1998). Proportionate mortality among union members employed at three Texas refineries. *Am J Ind Med.* 33: 327-340. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199804\)33:4<327::AID-AJIM3>3.0.CO;2-R](http://dx.doi.org/10.1002/(SICI)1097-0274(199804)33:4<327::AID-AJIM3>3.0.CO;2-R).
- Dement, JM; Johnson, W. (1972). Walk Through Survey of Avon Products, Inc., Springdale, Ohio. 5: 19721972.
- Dement, JM; Kuempel, ED; Zumwalde, RD; Ristich, AM; Fernback, JE; Smith, RJ. (2015). Airborne fiber size characterization in exposure estimation: Evaluation of a modified transmission electron microscopy protocol for asbestos and potential use for carbon nanotubes and nanofibers. *Am J Ind Med.* 58: 494-508. <http://dx.doi.org/10.1002/ajim.22422>.
- Dement, JM; Loomis, D; Richardson, D; Wolf, SH; Kuempel, ED. (2011). Estimates of historical exposures by phase contrast and transmission electron microscopy for pooled exposure--response analyses of North Carolina and South Carolina, USA asbestos textile cohorts. *Occup Environ Med.* 68: 593-598. <http://dx.doi.org/10.1136/oem.2010.059972>.
- Dement, JM; Myers, D; Loomis, D; Richardson, D; Wolf, S. (2009). Estimates of historical exposures by phase contrast and transmission electron microscopy in North Carolina USA asbestos textile plants. *Occup Environ Med.* 66: 574-583. <http://dx.doi.org/10.1136/oem.2008.040410>.
- Dement, JM; Ringen, K; Welch, LS; Bingham, E; Quinn, P. (2009). Mortality of older construction and craft workers employed at Department of Energy (DOE) nuclear sites. *Am J Ind Med.* 52: 671-682. <http://dx.doi.org/10.1002/ajim.20729>.
- Dement, JM; Welch, L; Bingham, E; Cameron, B; Rice, C; Quinn, P; Ringen, K. (2003). Surveillance of respiratory diseases among construction and trade workers at Department of Energy nuclear sites. *Am J Ind Med.* 43: 559-573. <http://dx.doi.org/10.1002/ajim.10226>.
- Dement, JM; Welch, L; Ringen, K; Bingham, E; Quinn, P. (2010). Airways obstruction among older construction and trade workers at Department of Energy nuclear sites. *Am J Ind Med.* 53: 224-240. <http://dx.doi.org/10.1002/ajim.20792>.
- Dement, JM; Zumwalde, RD. (1979). Occupational exposures to talcs containing asbestiform minerals.
- Dement, JM; Zumwalde, RD; Wallingford, KM. (1976). Discussion Paper: Asbestos Fiber Exposures In A Hard Rock Gold Mine. *Ann N Y Acad Sci.* 271: 345-352.
- Dement JMI Kuempel, ED; Zumwalde, RD; Smith, RJ; Stayner, LT; Loomis, D. (2008). Development of a fibre size-specific job-exposure matrix for airborne asbestos fibres. *J Occup Environ Med.* 65: 605-612. <http://dx.doi.org/10.1136/oem.2007.033712>.

Fate Literature Search Results

Off Topic

- Demers, PA; Schade, WJ; Demers, RY. (1994). LYMPHOCYTOPENIA AND OCCUPATIONAL EXPOSURES AMONG PATTERN AND MODEL MAKERS. *Scand J Work Environ Health*. 20: 107-112.
- Demers, PA; Stellman, SD; Colin, D; Boffetta, P. (1998). Nonmalignant respiratory disease mortality among woodworkers participating in the American Cancer Society Cancer Prevention Study-II (CPS-II). *Am J Ind Med*. 34: 238-243.
- Demers, RY; Burns, PB; Swanson, GM. (1994). Construction occupations, asbestos exposure, and cancer of the colon and rectum. *J Occup Med*. 36: 1027-1031.
- Demers, RY; Neale, AV; Robins, T; Herman, SC. (1990). Asbestos-related pulmonary disease in boilermakers. *Am J Ind Med*. 17: 327-339. <http://dx.doi.org/10.1002/ajim.4700170305>.
- Denardo, P; Bruni, B; Paoletti, L; Pasetto, R; Sirianni, B. (2004). Pulmonary fibre burden in sheep living in the Biancavilla area (Sicily): preliminary results. *Sci Total Environ*. 325: 51-58. <http://dx.doi.org/10.1016/j.scitotenv.2003.11.018>.
- Denes, G; Vaillancourt, A; Kipkemboi, P; Levanmao, R. (1988). MAGNESIUM LEACHING OF ASBESTOS CHRYSOTILE AS A NEW SYNTHETIC ROUTE TO MICROCRYSTALLINE SILICON DIOXIDE. 81: 98-98.
- Deng, JF; Sinks, T; Elliot, L; Smith, D; Singal, M; Fine, L. (1991). Characterisation of respiratory health and exposures at a sintered permanent magnet manufacturer. *Br J Ind Med*. 48: 609-615.
- Deng, Q; Wang, X; Wang, M; Lan, Y. (2012). Exposure-response relationship between chrysotile exposure and mortality from lung cancer and asbestosis. *Occup Environ Med*. 69: 81-86. <http://dx.doi.org/10.1136/oem.2011.064899>.
- Deng, XD; Li, JW, ei; Wen, G. (2014). Dating iron skarn mineralization using hydrothermal allanite-(La) U-Th-Pb isotopes by laser ablation ICP-MS. *Chem Geol*. 382: 95-110. <http://dx.doi.org/10.1016/j.chemgeo.2014.05.023>.
- Deng, XD; Li, JW, ei; Zhou, M, eiFu; Zhao, X, inFu; Yan, D, aiR. (2015). In-situ LA-ICPMS trace elements and U-Pb analysis of titanite from the Mesozoic Ruanjiawan W-Cu-Mo skarn deposit, Daye district, China. *Ore Geol Rev*. 65: 990-1004. <http://dx.doi.org/10.1016/j.oregeorev.2014.08.011>.
- Deng, XH, ua; Chen, Y, anJ; Santosh, M; Wang, JB, in; Li, C; Yue, S, uWei; Zheng, Z; Chen, HJ, in; Tang, H, aoShu; Dong, LH, ui; Qu, X, un. (2017). U-Pb zircon, Re-Os molybdenite geochronology and Rb-Sr geochemistry from the Xiaobaishitou W (-Mo) deposit: Implications for Triassic tectonic setting in eastern Tianshan, NW China. *Ore Geol Rev*. 80: 332-351. <http://dx.doi.org/10.1016/j.oregeorev.2016.05.013>.
- Denizeau, F; Marion, M; Fleury, J; Chevalier, G; Cote, MG. (1984). 2-ACETYLAMINOFLUORENE-INDUCED UDS IN THE PRESENCE OF CHRYSOTILE ASBESTOS FIBERS. *Environ Mutagen*. 6: 427-428.
- Denson, FG. (1972). DESIGN CONSIDERATIONS IN USE OF ASBESTOS-CEMENT PRESSURE PIPE. *J Am Water Works Assoc*. 64: 441-&.
- Denzin Tonoli, GH; dos Santos, SF; Rabi, JA; dos Santos, WN; Savastano Junior, H. (2011). Thermal performance of sisal fiber-cement roofing tiles for rural constructions. *Scientia Agricola*. 68: 1-7.
- Depasse, J. (1982). INFLUENCE OF THE SIALIC-ACID CONTENT OF THE MEMBRANE ON ITS SUSCEPTIBILITY TO CHRYSOTILE. *Environ Res*. 27: 384-388.
- Derbyshire, EJ; O'Driscoll, B; Lenaz, D; Gertisser, R; Kronz, A. (2013). Compositionally heterogeneous podiform chromitite in the Shetland Ophiolite Complex (Scotland): Implications for chromitite petrogenesis and late-stage alteration in the upper mantle portion of a supra-subduction zone ophiolite. *Lithos*. 162: 279-300. <http://dx.doi.org/10.1016/j.lithos.2012.11.013>.
- Dermatas, D; Mpouras, T; Chrysochoou, M; Panagiotakis, I; Vatseris, C; Linardos, N; Theologou, E; Boboti, N; Xenidis, A; Papassiopi, N; Sakellariou, L. (2015). Origin and concentration profile of chromium in a Greek aquifer. *J Hazard Mater*. 281: 35-46. <http://dx.doi.org/10.1016/j.jhazmat.2014.09.050>.
- D'Errico, A; Mirabelli, D; Costa, G. (1999). Cancer mortality of a cohort of widows of asbestos workers. *Epidemiology*. 10: S62-S62.
- Derunt, JM; Shuler, PJ; Zumwalde, RD. (1972). Fiber Exposure During Use of Baby Powders. (NIOSH/00106056). Derunt, JM; Shuler, PJ; Zumwalde, RD.
- Deruyttere, A; Helsen, J; Baeten, J. (1980). Characterization And Properties Of Asbestos-Cement Dust (pp. 43-51). (NIOSH/00149443). Deruyttere, A; Helsen, J; Baeten, J.
- Desai, R; Richards, RJ. (1983). Effects of chrysotile on a lysosomal enzyme preparation and on the hydrolytic enzyme activity of cultured alveolar macrophages. *Environ Health Perspect*. 51: 125-130.
- Descatha, A; Ollivier, S; Despreaux, T. (2015). Re: Fitzgerald et al. "Eligibility for low-dose computerized tomography screening among asbestos-exposed individuals" [Comment]. *Scand J Work Environ Health*. 41: 417-418. <http://dx.doi.org/10.5271/sjweh.3503>.
- Deschamps, E; Le Nalbault, J; Descatha, A. (2014). Association between the reasoned opinion of occupational physicians and the decisions of a regional occupational disease commission (CRRMP). *Arch Mal Prof Environ*. 75: 566-573. <http://dx.doi.org/10.1016/j.admp.2014.04.004>.
- Deschamps, F; Barouh, M; Deslee, G; Prevost, A; Munck, JN. (2006). Estimates of work-related cancers in workers exposed to carcinogens. *Occup Med (Lond)*. 56: 204-209. <http://dx.doi.org/10.1093/occmed/kqj038>.
- Deschamps, F; Godard, M; Guillot, S; Chauvel, C; Andreani, M; Hattori, K; Wunder, B; France, L. (2012). Behavior of fluid-mobile elements in serpentines from abyssal to subduction environments: Examples from Cuba and Dominican Republic. *Chem Geol*. 312: 93-117. <http://dx.doi.org/10.1016/j.chemgeo.2012.04.009>.
- Deschamps, F; Guillot, S; Godard, M; Chauvel, C; Andreani, M; Hattori, K. (2010). In situ characterization of serpentinites from forearc mantle wedges: Timing of serpentinization and behavior of fluid-mobile elements in subduction zones. *Chem Geol*. In Press, Corrected Proof: 262-277. <http://dx.doi.org/10.1016/j.chemgeo.2009.10.002>.
- Deseta, N; Ashwal, LD; Andersen, TB. (2014). Initiating intermediate-depth earthquakes: Insights from a HP-LT ophiolite from Corsica. *Lithos*. 206: 127-146. <http://dx.doi.org/10.1016/j.lithos.2014.07.022>.

Fate Literature Search Results

Off Topic

- Desoubeaux, N; Bouvier, V; Gervais, R; Galateau-Salle, F; Thibon, P; Leplumey, T; Herbert, C; Lecherbonnier, Y; Daviet, JP; Letourneux, M. (2001). [Malignant mesothelioma in Basse-Normandie, a French population study. Descriptive analysis, prognostic factors and survival]. *Rev Epidemiol Sante Publique*. 49: 523-529.
- Desouza, JL; Mendes, JC; Bello, RMD; Svisero, DP; Valarelli, JV. (1992). PETROGRAPHIC AND MICROTHERMOMETRICAL STUDIES OF EMERALDS IN THE GARIMPO OF CAPOEIRANA, NOVA ERA, MINAS-GERAIS STATE, BRAZIL. *Miner Depos*. 27: 161-168.
- Devecerski, A; Posarac, M; Egelja, A; Radosavljevic-Mihajlovic, A; Boskovic, S; Logar, M; Matovic, B. (2008). Fabrication of SiC by carbothermal-reduction reactions of mountain leather asbestos. *J Alloy Comp*. 464: 270-276. <http://dx.doi.org/10.1016/j.jallcom.2007.09.090>.
- Dewit, LA; Scholten, JJ. (1975). STUDIES ON PORE STRUCTURE OF ADSORBENTS AND CATALYSTS .2. PORE-SIZE DISTRIBUTION IN SYNTHETIC CHRYSOTILE - CLASSICAL AND CORRECTED KELVIN EQUATION APPLIED TO NITROGEN CAPILLARY CONDENSATION. *J Catal*. 36: 30-35.
- Dewit, LA; Scholten, JJ. (1975). STUDIES ON PORE STRUCTURE OF ADSORBENTS AND CATALYSTS .3. COMPARISON OF PORE-SIZE DISTRIBUTIONS DETERMINED IN CHRYSOTILE AND ZIRCONIA SAMPLES BY MERCURY POROSIMETRY AND NITROGEN CAPILLARY CONDENSATION. *J Catal*. 36: 36-47.
- Dhariyal, KD; Rai, M. (1979). CALCIUM SILICATE BONDED ASBESTOS INSULATION PRODUCTS. 24: 90-101.
- di Bentivoglio, C; Ramazzini, C. (1999). Call for an international ban on asbestos. *Am J Ind Med*. 36: 227-229.
- Di Ciaula, A; Gennaro, V. (2016). [Possible health risks from asbestos in drinking water]. *Epidemiol Prev*. 40: 472-475. <http://dx.doi.org/10.19191/EP16.6.P472.129>.
- Di Lorenzo, L; Mele, M; Pegorari, MM; Fratello, A; Zocchetti, C; Capozzi, D. (1996). Lung cinescintigraphy in the dynamic assessment of ventilation and mucociliary clearance of asbestos cement workers. *Occup Environ Med*. 53: 628-635. <http://dx.doi.org/10.1136/oem.53.9.628>.
- Di Viesto, PL; Annibali, M; Cardellini, F; Marucci, G; Sica, M; Portofino, S. (2004). Asbestos Inertization Through Microwave Thermal Treatment: Materials Characterization And Economic Evaluation. *Mater Res Innovat*. 8: 58-62.
- Diandini, R; Takahashi, K; Park, EK; Jiang, Y; Movahed, M; Le, GV; Lee, LJ; Delgermaa, V; Kim, R. (2013). Potential years of life lost (PYLL) caused by asbestos-related diseases in the world. *Am J Ind Med*. 56: 993-1000. <http://dx.doi.org/10.1002/ajim.22206>.
- Dias, CMR; Cincotto, MA; Savastano, H, Jr; John, VM. (2008). Long-term aging of fiber-cement corrugated sheets - The effect of carbonation, leaching and acid rain. *Cement and Concrete Composites*. 30: 255-265. <http://dx.doi.org/10.1016/j.cemconcomp.2007.11.001>.
- Dias, GFD; Alves, PLD, A; Dias, TCD. (2004). Brachiaria decumbens supresses the initial growth of Coffea arabica. *Scientia Agricola*. 61: 579-583.
- Dicicco, M; Compton, R; Duong, T; Jansen-Varnum, SA. (2005). Electron paramagnetic resonance analyses of surface radical chemistries of gamma-sterilized orthopedic materials: implications pointing to cytotoxicity via wear debris-induced inflammation. *J Biomed Mater Res B Appl Biomater*. 75: 6-17. <http://dx.doi.org/10.1002/jbm.b.30164>.
- Dicicco, M; Compton, R; Jansen-Varnum, SA. (2005). In vitro evaluation of orthopedic composite cytotoxicity: assessing the potential for postsurgical production of hydroxyl radicals. *J Biomed Mater Res B Appl Biomater*. 72: 146-155. <http://dx.doi.org/10.1002/jbm.b.30127>.
- Diella, V; Ferrario, A; Girardi, VAV. (1995). PGE AND PGM IN THE LUANGA MAFIC-ULTRAMAFIC INTRUSION IN SERRA-DOS-CARAJAS (PARA STATE, BRAZIL). *Ore Geol Rev*. 9: 445-453.
- Dilek, Y; Whitney, DL. (1997). Counterclockwise P-T-t trajectory from the metamorphic sole of a Neo-Tethyan ophiolite (Turkey). *Tectonophysics*. 280: 295-310.
- Dilles, JH; Einaudi, MT. (1992). WALL-ROCK ALTERATION AND HYDROTHERMAL FLOW PATHS ABOUT THE ANN-MASON PORPHYRY COPPER-DEPOSIT, NEVADA - A 6-KM VERTICAL RECONSTRUCTION. *Econ Geol*. 87: 1963-2001.
- Dilles, JH; Solomon, GC; Taylor, HP; Einaudi, MT. (1992). OXYGEN AND HYDROGEN ISOTOPE CHARACTERISTICS OF HYDROTHERMAL ALTERATION AT THE ANN-MASON PORPHYRY COPPER-DEPOSIT, YERINGTON, NEVADA. *Econ Geol*. 87: 44-63.
- Dimiskovska, B. (2010). ENVIRONMENTAL RISKS DUE TO DEBRIS CONTAINING ASBESTOS IN POST-EARTHQUAKE CONDITIONS. 45: 299-306. <http://dx.doi.org/10.1556/AGeod.45.2010.3.4>.
- Ding, JY; Yu, CP; Zhang, L; Chen, YK. (1997). Deposition modeling of fibrous particles in rats: Comparisons with available experimental data. *Aerosol Sci Technol*. 26: 403-414.
- Ding, L; Morimoto, Y; Oyabu, T; Kim, H; Ohgami, A; Yatera, K; Hirohashi, M; Yamato, H; Hori, H; Higashi, T; Tanaka, I. (2001). Gene expression of Clara cell secretory protein, surfactant protein-A and thyroid transcription factor-1 in the lungs of rats exposed to potassium octatitanate whiskers in vivo. *J Occup Health*. 43: 111-117.
- Dingle, P; Lalla, F. (2002). Indoor Air Health Risk Perceptions in Australia. *Indoor Built Environ*. 11: 275-284. <http://dx.doi.org/10.1159/000066527>.
- Divine, BJ; Hartman, CM; Wendt, JK. (1999). Update of the Texaco mortality study 1947-93: part II. Analyses of specific causes of death for white men employed in refining, research, and petrochemicals. *Occup Environ Med*. 56: 174-180.
- Dixon, WC. (1978). Occupational Safety And Health Administration Methods. 506: 431-440.
- Djon, MLN; Barnes, SJ. (2012). Changes in sulfides and platinum-group minerals with the degree of alteration in the Roby, Twilight, and High Grade Zones of the Lac des Iles Complex, Ontario, Canada. *Miner Depos*. 47: 875-896. <http://dx.doi.org/10.1007/s00126-012-0401-z>.
- Dneprovskii, V; Karavanskii, V; Poborchii, V; Salamatina, I; Zhukov, E. (1997). Semiconductor quantum wires: Nonlinear optical properties. *Institute of Physics Conference Series*825-828.
- Dobbe, RTM. (1991). TELLURIDES, SELENIDES AND ASSOCIATED MINERALS IN THE TUNABERG COPPER-DEPOSITS, SE BERGSLAGEN, CENTRAL SWEDEN. *Mineralogy and Petrology*. 44: 89-106.
- Dobbe, RTM. (1994). GEOCHEMISTRY OF CORDIERITE-ANTHOPHYLLITE ROCKS, TUNABERG, BERGSLAGEN, SWEDEN. *Econ Geol*. 89: 919-930.
- Dobbertin, S. (1977). HAZARDS TO HEALTH DUE TO AIR-POLLUTION WITH ASBESTOS. *Staub, Reinhaltung der Luft*. 37: 65-67.
- Dobrev, M. (1976). Criteria for standardization and methods for measurement of asbestos dust in the air of working areas. 19: 290-296.

Fate Literature Search Results

Off Topic

- Dobrev, M. (1988). Some aspects of methodology of measuring and hygienic evaluation of dust in the air of the working environment. 31: 12-15.
- Dobrev, M. (1988). SOME METHODOLOGICAL ASPECTS OF THE MEASUREMENT AND HYGIENIC EVALUATION OF DUST IN THE AIR OF WORKING ENVIRONMENT (pp. 12-16). (BIOSIS/89/07613). Dobrev, M.
- Dobrev, M; Burilkov, T; Tocheva, V; Mikhaïlova, L; Lukanova, R. (1979). [Occupational risk in asbestos textile manufacture]. *Probl Khig.* 4: 32-40.
- Dobrev, M; Dinolova, B. (1978). Hygienic evaluation of dust in the production and usage of asbestos materials. 21: 339-344.
- Dodgson, J; Ottery, J; Cherrie, JW; Harrison, GE. (1980). Fibre concentrations and size distributions of airborne fibres in several European man-made mineral fibre plants. *IARC Sci Publ*913-925.
- Dodic Fikfak, M; Kriebel, D; Quinn, MM; Eisen, EA; Wegman, DH. (2007). A case control study of lung cancer and exposure to chrysotile and amphibole at a slovenian asbestos-cement plant. *Ann Occup Hyg.* 51: 261-268. <http://dx.doi.org/10.1093/annhyg/mem003>.
- Dodoli, D; Del Nevo, M; Fiumalbi, C; Iaia, TE; Cristaudo, A; Comba, P; Viti, C; Battista, G. (1992). Environmental household exposures to asbestos and occurrence of pleural mesothelioma. *Am J Ind Med.* 21: 681-687. <http://dx.doi.org/10.1002/ajim.4700210508>.
- Dodony, I. (1997). Structure of the 30-sectored polygonal serpentinite. A model based on TEM and SAED studies. *Physics and Chemistry of Minerals.* 24: 39-49.
- Dodony, I; Posfai, M; Buseck, PR. (2002). Revised structure models for antigorite: An HRTEM study. *Am Mineral.* 87: 1443-1457.
- Dodony, I; Posfai, M; Buseck, PR. (2006). Does antigorite really contain 4- and 8-membered rings of tetrahedra? *Am Mineral.* 91: 1831-1838. <http://dx.doi.org/10.2138/am.2006.1971>.
- Dodson, R; Hurst, G; Williams, M; Corn, C; Greenberg, S. (1987). A COMPARISON OF LIGHT AND ELECTRON MICROSCOPY TECHNIQUES FOR DEFINING OCCUPATIONAL EXPOSURE TO ASBESTOS (pp. 8-13). (BIOSIS/87/12329). Dodson, R; Hurst, G; Williams, M; Corn, C; Greenberg, S.
- Dodson, R; O'Sullivan, M; Brooks, D; Bruce, J. (2001). Asbestos content of omentum and mesentery in nonoccupationally exposed individuals. *Toxicol Ind Health.* 17: 138-143. <http://dx.doi.org/10.1191/0748233701th1010a>.
- Dodson, R; O'Sullivan, M; Brooks, D; Hammar, S. (2003). Quantitative analysis of asbestos burden in women with mesothelioma. *Am J Ind Med.* 43: 188-195. <http://dx.doi.org/10.1002/ajim.10164>.
- Dodson, RF; Akematsu, T; Jr, WM; Ford, JO; Hurst, GA. (1984). The Influence of Amosite Asbestos Exposure on Lung Permeability. *Environ Res.* 35: 497-506.
- Dodson, RF; Atkinson, MA. (2006). Measurements of asbestos burden in tissues. *Ann N Y Acad Sci.* 1076: 281-291. <http://dx.doi.org/10.1196/annals.1371.015>.
- Dodson, RF; Atkinson, MA; O'sullivan, M. (2005). Stability of ferruginous bodies in human lung tissue following death, embalment, and burial. *Inhal Toxicol.* 17: 789-795. <http://dx.doi.org/10.1080/08958370500240199>.
- Dodson, RF; Atkinson, MAL; Levin, JL. (2003). Asbestos fiber length as related to potential pathogenicity: A critical review [Review]. *Am J Ind Med.* 44: 291-297. <http://dx.doi.org/10.1002/ajim.10263>.
- Dodson, RF; Ford, JO. (1985). Early response of the visceral pleura following asbestos exposure: an ultrastructural study. *J Toxicol Environ Health.* 15: 673-686. <http://dx.doi.org/10.1080/15287398509530695>.
- Dodson, RF; Garcia, JG; O'Sullivan, M; Corn, C; Levin, JL; Griffith, DE; Kronenberg, RS. (1991). The usefulness of bronchoalveolar lavage in identifying past occupational exposure to asbestos: a light and electron microscopy study. *Am J Ind Med.* 19: 619-628.
- Dodson, RF; Hammar, SP; Poye, LW. (2011). Mesothelioma in an individual following exposure to crocidolite-containing gaskets as a teenager. *Int J Occup Environ Health.* 17: 190-194. <http://dx.doi.org/10.1179/oeh.2011.17.3.190>.
- Dodson, RF; Huang, J; Bruce, JR. (2000). Asbestos content in the lymph nodes of nonoccupationally exposed individuals. *Am J Ind Med.* 37: 169-174. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(200002\)37:2<169::AID-AJIM2>3.0.CO;2-V](http://dx.doi.org/10.1002/(SICI)1097-0274(200002)37:2<169::AID-AJIM2>3.0.CO;2-V).
- Dodson, RF; Levin, JL. (2001). An unusual case of mixed-dust exposure involving a "noncommercial" asbestos. *Environ Health Perspect.* 109: 199-203. <http://dx.doi.org/10.2307/3434777>.
- Dodson, RF; O'Sullivan, M; Corn, C. (1993). Technique dependent variations in asbestos burden as illustrated in a case of nonoccupational exposed mesothelioma. *Am J Ind Med.* 24: 235-240. <http://dx.doi.org/10.1002/ajim.4700240210>.
- Dodson, RF; O'Sullivan, M; Corn, CJ; Garcia, JG; Stocks, JM; Griffith, DE. (1993). Analysis of ferruginous bodies in bronchoalveolar lavage from foundry workers. *Br J Ind Med.* 50: 1032-1038.
- Dodson, RF; O'Sullivan, M; Corn, CJ; Hammar, SP. (1995). Quantitative comparison of asbestos and talc bodies in an individual with mixed exposure. *Am J Ind Med.* 27: 207-215.
- Dodson, RF; O'Sullivan, MF; Williams, MG; Hurst, GA. (1982). Analysis of cores of ferruginous bodies from former asbestos workers. *Environ Res.* 28: 171-178.
- Dodson, RF; Williams, MG; Huang, J; Bruce, JR. (1999). Tissue burden of asbestos in nonoccupationally exposed individuals from east Texas. *Am J Ind Med.* 35: 281-286.
- Dodson, RF; Williams, MG; Hurst, GA. (1983). Method for removing the ferruginous coating from asbestos bodies. *J Toxicol Environ Health.* 11: 959-966. <http://dx.doi.org/10.1080/15287398309530398>.
- Dodson, RF; Williams, MG; Satterley, JD. (2002). Asbestos burden in two cases of mesothelioma where the work history included manufacturing of cigarette filters. *J Toxicol Environ Health A.* 65: 1109-1120. <http://dx.doi.org/10.1080/152873902760125354>.
- Dogan, A. (2003). Zeolite Mineralogy and Cappadocian Erionite. *Indoor Built Environ.* 12: 337-342.
- Dogan, AU. (2003). Mesothelioma in Cappadocian villages. *Indoor Built Environ.* 12: 367-375. <http://dx.doi.org/10.1177/1420326X03039065>.
- Dogan, AU; Dogan, M. (2008). Re-evaluation and re-classification of erionite series minerals. *Environ Geochem Health.* 30: 355-366. <http://dx.doi.org/10.1007/s10653-008-9163-z>.

Fate Literature Search Results

Off Topic

- Dogan, AU; Dogan, M; Hoskins, JA. (2008). Erionite series minerals: mineralogical and carcinogenic properties. *Environ Geochem Health*. 30: 367-381. <http://dx.doi.org/10.1007/s10653-008-9165-x>.
- Dogan, M. (2002). Environmental pulmonary health problems related to mineral dusts: Examples from central Anatolia, Turkey. *Environ Geol*. 41: 571-578. <http://dx.doi.org/10.1007/s002540100435>.
- Dogan, M. (2003). Sources and types of mineral dust in regions of Turkey with endemic malignant mesothelioma. *Indoor Built Environ*. 12: 377-383. <http://dx.doi.org/10.1177/1420326X03038960>.
- Dogra, S; Donaldson, K. (1995). Effect of long and short fibre amosite asbestos on in vitro TNF production by rat alveolar macrophages: The modifying effect of lipopolysaccharide. *Ind Health*. 33: 131-141.
- DOLINSKA,ES; Chemlewa, TA. (1970). INVESTIGATION OF A 3-COMPONENT SYSTEM OF ASBESTOS FIBERS IN ASBESTOS CEMENT USING SIMPLEX-LATTICE PLANNING OF EXPERIMENT. *Industrial Laboratory*. 36: 1567-&.
- Doll, R. (1987). The quantitative significance of asbestos fibres in the ambient air. *Experientia, Suppl*. 51: 213-219.
- Doll, R. (1989). Mineral fibres in the non-occupational environment: Concluding remarks. In J Bignon; J Peto; R Saracci (Eds.), *IARC Sci Publ* (pp. 511-518). Lyon, France: International Agency for Research on Cancer.
- Doll, R. (1993). MORTALITY FROM LUNG-CANCER IN ASBESTOS WORKERS (REPRINTED FROM BRIT J INDUSTR MED, VOL 12, PG 81, 1955). *Br J Ind Med*. 50: 484-490.
- Domanski, L; Dubielzig, R; Glickman, L. (1982). CANINE MESOTHELIOMA AND ASBESTOS - A CASE-CONTROL STUDY. *Am J Epidemiol*. 116: 586-586.
- Donaldson, K; Brown, DM; Mitchell, C; Dineva, M; Beswick, PH; Gilmour, P; Macnee, W. (1997). Free radical activity of PM10: iron-mediated generation of hydroxyl radicals. *Environ Health Perspect*. 105: 1285-1289.
- Donaldson, K; Brown, GM; Brown, DM; Bolton, RE; Davis, JMG. (1989). Inflammation Generating Potential of Long and Short Fibre Amosite Asbestos Samples. *Br J Ind Med*. 46: 271-276.
- Donaldson, K; Davis, JM; James, K. (1984). Asbestos-activated peritoneal macrophages release a factor(s) which inhibits lymphocyte mitogenesis. *Environ Res*. 35: 104-114.
- Donaldson, K; Oberdörster, G. (2011). Continued controversy on chrysotile biopersistence [Letter]. *Int J Occup Environ Health*. 17: 98-99; discussion 99-102. <http://dx.doi.org/10.1179/107735211799031121>.
- Dong, FQ; Wan, P; Feng, QN; Song, GB; Peng, TJ; Li, P; Li, GW. (2004). The surface groups and active site of fibrous mineral materials. *Journal of Wuhan University of Technology--Materials Science Edition*. 19: 94-97.
- Doniach, I; Swettenham, KV; Hathorn, MK. (1975). Prevalence of asbestos bodies in a necropsy series in East London: association with disease, occupation, and domiciliary address. *Br J Ind Med*. 32: 16-30.
- Dönmez, H; Ozkul, Y; Uçak, R. (1996). Sister chromatid exchange frequency in inhabitants exposed to asbestos in Turkey. *Mutat Res*. 361: 129-132.
- Dönmez-Altuntas, H; Baran, M; Oymak, FS; Hamurcu, Z; Imamoğlu, N; Ozesmi, M; Demirtas, H. (2007). Investigation of micronucleus frequencies in lymphocytes of inhabitants environmentally exposed to chrysotile asbestos. *Int J Environ Health Res*. 17: 45-51. <http://dx.doi.org/10.1080/09603120601124231>.
- Donoghue, AM. (2004). Occupational health hazards in mining: an overview [Review]. *Occup Med (Lond)*. 54: 283-289. <http://dx.doi.org/10.1093/occmed/kqh072>.
- Donovan, BL; Donovan, E; Sahmel, J; Epstien, B; Paustenbach, DJ. (2008). Evaluation of Bystander Exposure to Asbestos: Review of the Literature (1950s-Present). *Epidemiology*. 19: S186-S186.
- Donovan, EP; Donovan, BL; Sahmel, J; Scott, PK; Paustenbach, DJ. (2011). Evaluation of bystander exposures to asbestos in occupational settings: a review of the literature and application of a simple eddy diffusion model [Review]. *Crit Rev Toxicol*. 41: 52-74. <http://dx.doi.org/10.3109/10408444.2010.506639>.
- Donovan, S; Pickin, J. (2016). An Australian stocks and flows model for asbestos. *Waste Manag Res*. 34: 1081-1088. <http://dx.doi.org/10.1177/0734242X16659353>.
- Dopp, E; Jonas, L; Nebe, B; Budde, A; Knippel, E. (2000). Dielectric changes in membrane properties and cell interiors of human mesothelial cells in vitro after crocidolite asbestos exposure. *Environ Health Perspect*. 108: 153-158.
- Dopp, E; Saedler, J; Stopper, H; Weiss, DG; Schiffmann, D. (1995). Mitotic disturbances and micronucleus induction in Syrian hamster embryo fibroblast cells caused by asbestos fibers. *Environ Health Perspect*. 103: 268-271.
- Dorbath, C; Gerbault, M; Carlier, G; Guiraud, M. (2008). Double seismic zone of the Nazca plate in northern Chile: High-resolution velocity structure, petrological implications, and thermomechanical modeling. *G-cubed*. 9. <http://dx.doi.org/10.1029/2008GC002020>.
- Dorevitch, S; Demirtas, H; Perksy, VW; Erdal, S; Conroy, L; Schoonover, T; Scheff, PA. (2006). Demolition of high-rise public housing increases particulate matter air pollution in communities of high-risk asthmatics. *Journal of the Air and Waste Management Association*. 56: 1022-1032.
- Dorger, M; Munzing, S; Allmeling, AM; Messmer, K; Krombach, F. (2001). Differential responses of rat alveolar and peritoneal macrophages to man-made vitreous fibers in vitro. *Environ Res*. 85: 207-214. <http://dx.doi.org/10.1006/enrs.2001.4234>.
- dos Santos, LD; Furuya, WM; Matsushita, M; da Silva, LCR; Silva, TS, deC; Botaro, D; Sales, PP. (2007). Deposition of conjugated linoleic acid (CLA) in Nile tilapia. *Revista Brasileira de Zootecnia*. 36: 1225-1230.
- dos Santos Teixeira, R, uij; Ribeiro Neiva, A, naM; Preto Gomes, ME. (2012). Chromian spinels and magnetite of serpentinites, steatitic rocks, tremolite asbestos and chloritites from Braganca massif, northeastern Portugal. *Periodico di Mineralogia*. 81: 237-256. <http://dx.doi.org/10.2451/2012PM00014>.
- Dosemeci, M; Gokmen, I; Unsal, H; Hayes, RB; Blair, A. (1997). Tobacco, alcohol use, and risks of laryngeal and lung cancer by subsite and histologic type in Turkey. *Cancer Causes Control*. 8: 729-737. <http://dx.doi.org/10.1023/A:1018479304728>.

Fate Literature Search Results

Off Topic

- Døssing, M; Langer, SW. (1994). Asbestos-induced lung injury among Danish jewelry workers [Review]. *Am J Ind Med.* 26: 755-758.
- Dotzel, O; Schneider, L. (2002). Asbestos-free diaphragms for the diaphragm process of chlor-alkali electrolysis. *Chem Ing Tech.* 74: 1289-1294.
- Dotzel, O; Schneider, L. (2002). Non-asbestos diaphragm in chlorine-alkali electrolysis. *Chem Eng Tech.* 25: 167-171.
- Downs, FM; Giles, GM; Johnson, MJ. (2002). Palliative physicians persuade procurators fiscal. *Palliative Medicine.* 16: 532-539.
<http://dx.doi.org/10.1191/0269216302pm594oa>.
- Doyen, W; Leysen, R; Mottar, J; Waes, G. (1990). NEW COMPOSITE TUBULAR MEMBRANES FOR ULTRAFILTRATION. *Desalination.* 79: 163-179.
- Draeger, U; Teichert, U; Schneider, T; Trappmann, J. (1998). Criteria for the identification of insulation wool fibres by microscopic evaluation of filter samples. *Staub, Reinhaltung der Luft.* 58: 343-346.
- Dragicevic, JS. (2009). REMEDY OF ASBESTOS POLLUTION IN VRANJIC. 61: 983-986.
- Dreassi, E; Lagazio, C; Maule, MM; Magnani, C; Biggeri, A. (2008). Sensitivity analysis of the relationship between disease occurrence and distance from a putative source of pollution. *Geospat Health.* 2: 263-271. <http://dx.doi.org/10.4081/gh.2008.249>.
- Driece, HAL; Siesling, S; Swuste, PHJ, J; Burdorf, A. (2010). Assessment of cancer risks due to environmental exposure to asbestos. *J Expo Sci Environ Epidemiol.* 20: 478-485. <http://dx.doi.org/10.1038/jes.2009.56>.
- Drief, A; Nieto, F. (1999). The effect of dry grinding on antigorite from Mulhacen, Spain. *Clays and Clay Minerals.* 47: 417-424.
- Driscoll, J; Jenkins, DM; Dyar, MD; Bozhilov, KN. (2005). Cation ordering in synthetic low-calcium actinolite. *Am Mineral.* 90: 900-911.
<http://dx.doi.org/10.2138/am.2005.1655>.
- Driscoll, KE; Carter, JM; Hassenbein, DG; Howard, B. (1997). Cytokines and particle-induced inflammatory cell recruitment [Review].
- Driscoll, KE; Carter, JM; Howard, BW; Hassenbein, D; Janssen, YMW; Mossman, BT. (1998). Crocidolite activates NF-kappa B and MIP-2 gene expression in rat alveolar epithelial cells. Role of mitochondrial-derived oxidants. *Environ Health Perspect.* 106: 1171-1174.
- Driscoll, KE; Maurer, JK; Higgins, J; Poynter, J. (1995). Alveolar macrophage cytokine and growth factor production in a rat model of crocidolite-induced pulmonary inflammation and fibrosis. *J Toxicol Environ Health.* 46: 155-169. <http://dx.doi.org/10.1080/15287399509532026>.
- Driscoll, RJ; Elliott, LJ. (1990). Health Hazard Evaluation Report HETA 87-126-2019, Chrysler Chemical Division, Trenton, Michigan. 42.
- Driscoll, T; Nelson, DI; Steenland, K; Leigh, J; Concha-Barrientos, M; Fingerhut, M; Pr; uuml; ss-Ust; uuml; N, A. (2005). The global burden of disease due to occupational carcinogens. *Am J Ind Med.* 48: 419-431. <http://dx.doi.org/10.1002/ajim.20209>.
- Driscoll, T; Nelson, DI; Steenland, K; Leigh, J; Concha-Barrientos, M; Fingerhut, M; Pr; uuml; ss-Ust; uuml; N, A. (2005). The global burden of non-malignant respiratory disease due to occupational airborne exposures. *Am J Ind Med.* 48: 432-445.
<http://dx.doi.org/10.1002/ajim.20210>.
- Droop, R., GT. (2013). Paragonite in marbles from the Tauern Window, Austria: Compositional and thermobaric controls. *Lithos.* 162: 1-13.
<http://dx.doi.org/10.1016/j.lithos.2012.12.013>.
- Drucker, E; Nagin, D; Michaels, D; Lacher, M; Zoloth, S. (1987). Exposure of Sheet-Metal Workers to Asbestos during the Construction and Renovation of Commercial Buildings in New York City. A Case Study in Social Medicine. *Ann N Y Acad Sci.* 502: 230-244.
- Drury, MR; Vissers, RLM; Vanderwal, D; Strating, EHH. (1991). SHEAR LOCALIZATION IN UPPER MANTLE PERIDOTITES. *Pure Appl Geophys.* 137: 439-460.
- Druzhinin, EA; Yakushev, YI. (1987). FILTER ASBESTOS-POLYMERIC DIAPHRAGM MANUFACTURE AND COMPLEX TECHNOLOGY OF CHLORIDE ELECTROLYSIS WITH ASBESTOS-POLYMERIC DIAPHRAGM. 353-356.
- Dtsch, FOR, SCHUNGSGEM. (1987). MAXIMUM CONCENTRATIONS AT THE WORKPLACE AND BIOLOGICAL TOLERANCE VALUES FOR WORKING MATERIALS 1987 REPORT NO. XXIII COMMISSION FOR THE INVESTIGATION OF HEALTH HAZARDS OF CHEMICAL COMPOUNDS IN THE WORK AREA (pp. REPORT NO). (BIOSIS/88/30306). Dtsch, FORSCHUNGSGEM.
- Du Toit R, SJ; Gilfillan, TC. (1977). Simultaneous airborne dust samples with konimeter, thermal precipitator and dosimeter in asbestos mines. *Ann Occup Hyg.* 20: 333-344.
- Du Toit, RS. (1991). An estimate of the rate at which crocidolite asbestos fibres are cleared from the lung. *Ann Occup Hyg.* 35: 433-438.
- du Toit, RS. (1992). [Factors which may mask a possible safe threshold for asbestos fibre]. *S Afr Med J.* 82: 424-427.
- du Toit, RS; Gilfillan, TC. (1979). Conversion of the asbestos fibre concentration recorded by means of the konimeter and the thermal precipitator to that expected by means of the membrane filter method. *Ann Occup Hyg.* 22: 67-83.
- Du Toit, RSJ. (1978). Methods Used in the Measurement of Asbestos-Dust Exposures (pp. 3-7). (NIOSH/00172124). Du Toit, RSJ.
- Du Toit, RSJ; Isserow, LW; Gilfillan, TC; Robock, K; Teichert, U. (1983). Relationships Between Simultaneous Airborne Dust Samples Taken With Five Types Of Instruments At South African Asbestos Mines And Mills. *Ann Occup Hyg.* 27: 373-387.
- Dubey, P; Ghia, U; Turkevich, LA. (2014). Numerical Investigation of Sheath and Aerosol Flows in the Flow Combination Section of a Baron Fiber Classifier. *Aerosol Sci Technol.* 48: 896-905. <http://dx.doi.org/10.1080/02786826.2014.936342>.
- Dubinska, E; Wiewiora, A. (1999). Layer silicates from a rodingite and its blackwall from Przemiłow (Lower Silesia, Poland): mineralogical record of metasomatic processes during serpentinization and serpentinite recrystallization. *Mineralogy and Petrology.* 67: 223-237.
- Ducatman, AM. (1993). OCCUPATIONAL PHYSICIANS AND ENVIRONMENTAL MEDICINE. *J Occup Environ Med.* 35: 251-259.
- Ducea, MN; Negulescu, E; Profeta, L; Sabau, G; Jianu, D; Petrescu, L; Hoffman, D. (2016). Evolution of the Sibiel Shear Zone (South Carpathians): A study of its type locality near Rinari (Romania) and tectonic implications. *Tectonics.* 35: 2131-2157.
<http://dx.doi.org/10.1002/2016TC004193>.
- Dueva, LA; Elovskaja, LT; Kovalevskaia, EV. (1997). [Evaluation of health hazards of asbestos containing wastes in the mining industry and prospects of their utilization]. *Med Tr Prom Ekol* 9-13.
- Dufaud, F; Martinez, I; Shilobreeva, S. (2009). Experimental study of Mg-rich silicates carbonation at 400 and 500 degrees C and 1 kbar. *Chem Geol.* 265: 79-87. <http://dx.doi.org/10.1016/j.chemgeo.2009.01.026>.
- Dufault, R; Abelquist, E; Crooks, S; Demers, D; Diberardinis, L; Franklin, T; Horowitz, M; Petullo, C; Sturchio, G. (2000). Reducing environmental risk associated with laboratory decommissioning and property transfer. *Environ Health Perspect.* 108: 1015-1022.

Fate Literature Search Results

Off Topic

- Dufresne, A; Begin, R; Dion, C; Jagirdar, J; Rom, WN; Loosereewanich, P; Muir D, CF; Ritchie, AC; Perrault, G. (1998). Angular and fibrous particles in lung in relation to silica-induced diseases. *Int Arch Occup Environ Health*. 71: 263-269.
- Dufresne, A; Begin, R; Dion, C; Jagirdar, J; Rom, WN; Loosereewanich, P; Muir, DCF; Ritchie, AC; Perrault, G. (1997). Angular and Fibrous Particles in Lung are Markers of Job Categories. *Sci Total Environ*. 206: 127-136.
- Dufresne, A; Bégin, R; Massé, S; Dufresne, CM; Loosereewanich, P; Perrault, G. (1996). Retention of asbestos fibres in lungs of workers with asbestosis, asbestosis and lung cancer, and mesothelioma in Asbestos township. *Occup Environ Med*. 53: 801-807.
- Dufresne, A; Dion, C; Frielaender, A; Audet, E; Perrault, G. (2009). Personal and static sample measurements of asbestos fibres during two abatement projects. *Bull Environ Contam Toxicol*. 82: 440-443. <http://dx.doi.org/10.1007/s00128-009-9661-4>.
- Dufresne, A; Harrigan, M; Massé, S; Bégin, R. (1995). Fibers in lung tissues of mesothelioma cases among miners and millers of the township of Asbestos, Quebec. *Am J Ind Med*. 27: 581-592.
- Dufresne, A; Loosereewanich, P; Armstrong, B; Infanterivard, C; Perrault, G; Dion, C; Masse, S; Begin, R. (1995). PULMONARY RETENTION OF CERAMIC FIBERS IN SILICON-CARBIDE (SiC) WORKERS. *Am Ind Hyg Assoc J*. 56: 490-498.
- Dufresne, A; Loosereewanich, P; Armstrong, B; Thériault, G; Bégin, R. (1996). Inorganic particles in the lungs of five aluminum smelter workers with pleuro-pulmonary cancer. *Am Ind Hyg Assoc J*. 57: 370-375. <http://dx.doi.org/10.1080/15428119691014918>.
- Dufresne, A; Loosereewanich, P; Harrigan, M; Sébastien, P; Perrault, G; Bégin, R. (1993). Pulmonary dust retention in a silicon carbide worker [Review]. *Am Ind Hyg Assoc J*. 54: 327-330. <http://dx.doi.org/10.1080/15298669391354748>.
- Dufresne, A; Perrault, G; Yamato, H; Massé, S; Bégin, R. (1999). Clearance of man made mineral fibres from the lungs of sheep. *Occup Environ Med*. 56: 684-690.
- Dufresne, A; Sebastien, P; Perrault, G; Masse, S; Begin, R. (1992). PULMONARY CLEARANCE OF FIBROUS AND ANGULAR SiC PARTICULATES IN THE SHEEP MODEL OF PNEUMOCONIOSIS. *Ann Occup Hyg*. 36: 519-530.
- Duggan, MJ; Culley, EW. (1978). COUNTING OF SMALL NUMBERS OF ASBESTOS FIBERS ON MEMBRANE FILTERS - COMPARISON OF RESULTS FROM SOME COMMERCIAL LABORATORIES. *Ann Occup Hyg*. 21: 85-89.
- Dujić, Z; Eterović, D; Tocilj, J. (1993). Association between asbestos-related pleural plaques and resting hyperventilation. *Scand J Work Environ Health*. 19: 346-351. <http://dx.doi.org/10.5271/sjweh.1464>.
- Dujić, Z; Tocilj, J; Boschi, S; Sarić, M; Eterović, D. (1992). Biphasic lung diffusing capacity: Detection of early asbestos induced changes in lung function. *Br J Ind Med*. 49: 260-267. <http://dx.doi.org/10.1136/oem.49.4.260>.
- Dujić, Z; Tocilj, J; Saric, M. (1991). Early detection of interstitial lung disease in asbestos exposed non-smoking workers by mid-expiratory flow rate and high resolution computed tomography. *Br J Ind Med*. 48: 663-664.
- Dumanska-Slowik, M; Heflik, W. (2016). ULTRAMAFIC AND MAFIC ROCKS FOUND IN THE NEAR VICINITY OF MARIUPOLITES WITHIN THE ALKALINE OKTIABRSKI MASSIF (SE UKRAINE) - PRELIMINARY INVESTIGATIONS. *Gospodarka Surowcami Mineralnymi*. 32: 63-77. <http://dx.doi.org/10.1515/gospo-2016-0015>.
- Dumas, A; Martin, F; Le Roux, C; Micoud, P; Petit, S; Ferrage, E; Brendle, J; Grauby, O; Greenhill-Hooper, M. (2013). Phyllosilicates synthesis: a way of accessing edges contributions in NMR and FTIR spectroscopies. Example of synthetic talc. *Physics and Chemistry of Minerals*. 40: 361-373. <http://dx.doi.org/10.1007/s00269-013-0577-5>.
- Dumortier, P; Coplü, L; Broucke, I; Emri, S; Selcuk, T; de Maertelaer, V; De Vuyst, P; Baris, I. (2001). Erionite bodies and fibres in bronchoalveolar lavage fluid (BALF) of residents from Tuzköy, Cappadocia, Turkey. *Occup Environ Med*. 58: 261-266.
- Dumortier, P; De Vuyst, P. (2012). Asbestos exposure during uncontrolled removal of sprayed-on asbestos. *Ann Occup Hyg*. 56: 49-54. <http://dx.doi.org/10.1093/annhyg/mer096>.
- Dumortier, P; De Vuyst, P; Rey, F; Boutin, C. (1998). RE main asbestos type in pleural mesothelioma [Letter]. *Am J Ind Med*. 33: 94-96.
- Dumortier, P; De Vuyst, P; Strauss, P; Yernault, JC. (1990). Asbestos bodies in bronchoalveolar lavage fluids of brake lining and asbestos cement workers. *Br J Ind Med*. 47: 91-98.
- Dumortier, P; Rey, F; Viallat, JR; Broucke, I; Boutin, C; De Vuyst, P. (2002). Chrysotile and tremolite asbestos fibres in the lungs and parietal pleura of Corsican goats. *Occup Environ Med*. 59: 643-646.
- Dunlop, DJ; Zhang, BX; Ozdemir, O. (2005). Linear and nonlinear Thellier paleointensity behavior of natural minerals. *J Geophys Res*. 110. <http://dx.doi.org/10.1029/2004jb003095>.
- Dunnigan, J. (1986). THRESHOLD EXPOSURE LEVEL FOR CHRYSOTILE. *Can J Public Health*. 77: 41-42.
- Dunning, KK; Adjei, S; Levin, L; Rohs, AM; Hilbert, T; Borton, E; Kapil, V; Rice, C; Lemasters, GK; Lockey, JE. (2012). Mesothelioma associated with commercial use of vermiculite containing Libby amphibole. *J Occup Environ Med*. 54: 1359-1363. <http://dx.doi.org/10.1097/JOM.0b013e318250b5f5>.
- Dutoit, RSJ. (1991). AN ESTIMATE OF THE RATE AT WHICH CROCIDOLITE ASBESTOS FIBERS ARE CLEARED FROM THE LUNG. *Ann Occup Hyg*. 35: 433-438.
- Dutoit, RSJ; Isserow, LW; Gilfillan, TC; Robock, K; Teichert, U. (1983). RELATIONSHIPS BETWEEN SIMULTANEOUS AIRBORNE DUST SAMPLES TAKEN WITH 5 TYPES OF INSTRUMENTS AT SOUTH-AFRICAN ASBESTOS MINES AND MILLS. *Ann Occup Hyg*. 27: 373-387.
- Dutt, AK; Achmatowiczotok, A; Mukhopadhyay, A; Carney, MC. (1992). URBAN AND RURAL HOUSING CHARACTERISTICS OF POLAND. *Landscape Urban Plan*. 22: 153-160.
- Dutta, M; Sreedhar, R; Basu, A. (2003). The blighted hills of Roro, Jharkhand, India: A tale of corporate greed and abandonment. *Int J Occup Environ Health*. 9: 254-259. <http://dx.doi.org/10.1179/oeh.2003.9.3.254>.
- Duuring, P; Hassan, L, ee; Zelic, M; Gessner, K. (2016). Geochemical and Spectral Footprint of Metamorphosed and Deformed VMS-Style Mineralization in the Quinns District, Yilgarn Craton, Western Australia. *Econ Geol*. 111: 1411-1438.
- Duvis, T; Papaspyrides, CD; Andreopoulos, AG. (1991). ASBESTOS REPLACEMENT ASPECTS - THE EFFECT OF ASBESTOS PRETREATMENT ON THE TENSILE PROPERTIES OF EPOXY-KEVLAR-ASBESTOS HYBRID COMPOSITES. *J Adhes Sci Tech*. 5: 191-199.

Fate Literature Search Results

Off Topic

- Duwe, K; Beck, B. (1983). Measurement and evaluation of non-toxic dusts in occupational hygiene - TGL 32620 and 32621. 22: 12-15.
- Dyar, MD; Breves, EA; Gunter, ME; Lanzirrotti, A; Tucker, JM; Carey, CJ; Peel, SE; Buown, EB; Oberti, R; Lerotic, M; Delaney, JS. (2016). Use of multivariate analysis for synchrotron micro-XANES analysis of iron valence state in amphiboles. *Am Mineral*. 101: 1171-1189. <http://dx.doi.org/10.2138/am-2016-5556>.
- Dyken, JJ; Wheeler, JS; ATSDR. (2008). ATSDR's experience with community exposure to "naturally occurring asbestos". *J Environ Health*. 70: 74-76.
- Dzemua, GL; Gleeson, SA. (2012). Petrography, Mineralogy, and Geochemistry of the Nkamouna Serpentinite: Implications for the Formation of the Cobalt-Manganese Laterite Deposit, Southeast Cameroon. *Econ Geol*. 107: 25-41.
- Dziggel, A; Wulff, K; Kolb, J; Meyer, FM. (2009). Processes of high-T fluid-rock interaction during gold mineralization in carbonate-bearing metasediments: the Navachab gold deposit, Namibia. *Miner Depos*. 44: 665-687. <http://dx.doi.org/10.1007/s00126-009-0231-9>.
- Dzikowski, TJ; Cempirek, J, an; Groat, L, eeA; Dipple, GM; Giuliani, G. (2014). Origin of gem corundum in calcite marble: The Revelstoke occurrence in the Canadian Cordillera of British Columbia. *Lithos*. 198: 281-297. <http://dx.doi.org/10.1016/j.lithos.2014.03.030>.
- Earley, D; Stout, JH. (1991). CORDIERITE CUMMINGTONITE FACIES ROCKS FROM THE GOLD BRICK DISTRICT, COLORADO. *Journal of Petrology*. 32: 1169-1201.
- Ebert, R. (1988). [Register for work sites and workers exposed to asbestos dust pollution--organization and initial results]. *Z Gesamte Hyg Grenzgeb*. 34: 399-400.
- EDELMAN. (1988). EXPOSURE TO ASBESTOS AND THE RISK OF GASTROINTESTINAL CANCER - REPLY. *Br J Ind Med*. 45: 574-575.
- Edelman, DA. (1988). Asbestos exposure, pleural plaques and the risk of lung cancer [Review]. *Int Arch Occup Environ Health*. 60: 389-393.
- Edelman, DA. (1988). Exposure to asbestos and the risk of gastrointestinal cancer: a reassessment. *Br J Ind Med*. 45: 75-82.
- Edelman, DA. (1989). LARYNGEAL CANCER AND OCCUPATIONAL EXPOSURE TO ASBESTOS [Review]. *Int Arch Occup Environ Health*. 61: 223-228.
- Edelman, DA. (1992). DOES ASBESTOS EXPOSURE INCREASE THE RISK OF UROGENITAL CANCER [Review]. *Int Arch Occup Environ Health*. 63: 469-475.
- Edelman, P. (1987). ASBESTOS AND AIR-FLOW LIMITATION [Letter]. *J Occup Environ Med*. 29: 264-265.
- Edge, JR. (1976). Asbestos related disease in Barrow-in-Furness. *Environ Res*. 11: 244-247.
- Edkins, DJ; Orense, RP; Henry, RS; Ingham, JM. (2016). Signature Failure Modes of Pipelines Constructed of Different Materials When Subjected to Earthquakes. 7. [http://dx.doi.org/10.1061/\(ASCE\)PS.1949-1204.0000213](http://dx.doi.org/10.1061/(ASCE)PS.1949-1204.0000213).
- Edward, AT; Whitaker, D; Browne, K; Pooley, FD; Gibbs, AR. (1996). Mesothelioma in a community in the north of England. *Occup Environ Med*. 53: 547-552.
- Edwards, AT; Whitaker, D; Browne, K; Pooley, FD; Gibbs, AR. (1997). Mesothelioma in a community in the north of England - Reply. *Occup Environ Med*. 54: 67-68.
- Edwards, CR; Kipkie, WB; Agar, GE. (1980). THE EFFECT OF SLIME COATINGS OF THE SERPENTINE MINERALS, CHRYSOTILE AND LIZARDITE, ON PENTLANDITE FLOTATION. *Int J Miner Process*. 7: 33-42.
- Edwards, H. (1976). POLLUTION-CONTROL IN ASBESTOS, CEMENT, GLASS AND ALLIED MINERAL INDUSTRIES - SITTING, M. *Int J Environ Stud*. 9: 222-223.
- Edwards, JK; Cole, SR; Chu, H; Olshan, AF; Richardson, DB. (2014). Accounting for outcome misclassification in estimates of the effect of occupational asbestos exposure on lung cancer death. *Am J Epidemiol*. 179: 641-647. <http://dx.doi.org/10.1093/aje/kwt309>.
- Edwards, RE; Wagner, MM; Moncrieff, CB. (1984). Cell population and histochemistry of asbestos related lesions of rat pleural cavity after injection of various inorganic dusts. *Br J Ind Med*. 41: 506-513.
- Egan, H. (1979). Organic and inorganic compounds: analytical aspects (pp. The Use of Biological Specimens for the Assessment of Human Exposure to Environmental Pollutants). (PESTAB/80/2810). Egan, H.
- Eggler, DH; Ehmann, A, myN. (2010). Rate of antigorite dehydration at 2 GPa applied to subduction zones. *Am Mineral*. 95: 761-769. <http://dx.doi.org/10.2138/am.2010.3227>.
- Egilman, D. (2000). Researchers should talk to workers [Letter]. *Am J Ind Med*. 37: 668.
- Egilman, D. (2001). Re: Researchers should talk to workers - Am. J. Ind. Med. 2000. 37 : 668. *Am J Ind Med*. 39: 347-347.
- Egilman, D. (2009). Fiber types, asbestos potency, and environmental causation: a peer review of published work and legal and regulatory scientific testimony. *Int J Occup Environ Health*. 15: 202-228. <http://dx.doi.org/10.1179/oeh.2009.15.2.202>.
- Egilman, D. (2009). Fiber Types, Asbestos Potency, and Environmental Causation: A Peer Review of Published Work and Legal and Regulatory Scientific Testimony (vol 15, pg 202, 2009). *Int J Occup Environ Health*. 15: 248-248.
- Egilman, D; Baur, X; Soskolne, CL. (2016). Unreliable proposed 'new standard' for assessing asbestos exposure [Letter]. *Occup Environ Med*. 73: 709. <http://dx.doi.org/10.1136/oemed-2016-103704>.
- Egilman, D; Bird, T. (2016). Short fiber tremolite free chrysotile mesothelioma cohort revealed. *Am J Ind Med*. 59: 196-199. <http://dx.doi.org/10.1002/ajim.22552>.
- Egilman, D; Bird, T; Lee, C. (2014). Dust diseases and the legacy of corporate manipulation of science and law. *Int J Occup Environ Health*. 20: 115-125. <http://dx.doi.org/10.1179/1077352514Z.000000000104>.
- Egilman, D; Fehnel, C; Bohme, SR. (2003). Exposing the "myth" of ABC, "anything but chrysotile": a critique of the Canadian asbestos mining industry and McGill University chrysotile studies. *Am J Ind Med*. 44: 540-557. <http://dx.doi.org/10.1002/ajim.10300>.
- Egilman, D; Howe, S. (2007). Against anti-health epidemiology: Corporate obstruction of public health via manipulation of epidemiology. *Int J Occup Environ Health*. 13: 118-124.
- Egilman, D; Menéndez, LM. (2011). A case of occupational peritoneal mesothelioma from exposure to tremolite-free chrysotile in Quebec, Canada: A black swan case. *Am J Ind Med*. 54: 153-156. <http://dx.doi.org/10.1002/ajim.20882>.

Fate Literature Search Results

Off Topic

- Egilman, D; Rankin Bohme, S. (2004). Attorney-directed screenings can be hazardous. *Am J Ind Med.* 45: 305-307. <http://dx.doi.org/10.1002/ajim.10347>.
- Egilman, D; Reinert, A. (1996). The asbestos TLV: early evidence of inadequacy. *Am J Ind Med.* 30: 369-370. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199609\)30:3<369::AID-AJIM17>3.0.CO;2-U](http://dx.doi.org/10.1002/(SICI)1097-0274(199609)30:3<369::AID-AJIM17>3.0.CO;2-U).
- Egilman, D; Reinert, A. (1996). Lung cancer and asbestos exposure: asbestosis is not necessary [Review]. *Am J Ind Med.* 30: 398-406. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199610\)30:4<398::AID-AJIM4>3.0.CO;2-S](http://dx.doi.org/10.1002/(SICI)1097-0274(199610)30:4<398::AID-AJIM4>3.0.CO;2-S).
- Egilman, D; Roberts, M. (2004). Re: Controlled use of asbestos [Letter]. *Int J Occup Environ Health.* 10: 99-103. <http://dx.doi.org/10.1179/oeh.2004.10.1.99>.
- Egilman, D; Schilling, JH. (2012). Letter to the Editor regarding the Donovan et al. (2011) article [Letter]. *Crit Rev Toxicol.* 42: 169-172; author reply 173-183. <http://dx.doi.org/10.3109/10408444.2011.651011>.
- Egilman, D; Tran, T. (2016). A commentary on Roggli's 'The So-Called Short-Fiber Controversy'. *Int J Occup Environ Health* 1-6. <http://dx.doi.org/10.1080/10773525.2016.1153866>.
- Egilman, DS. (1992). PUBLIC-HEALTH AND EPISTEMOLOGY. *Am J Ind Med.* 22: 457-459.
- Egilman, DS. (2011). Continued Controversy on Chrysotile Biopersistence Reply. *Int J Occup Environ Health.* 17: 99-102.
- Egilman, DS. (2013). The importance of scientific debate [Editorial]. *Int J Occup Environ Health.* 19: 157-159. <http://dx.doi.org/10.1179/1077352513Z.00000000076>.
- Egilman, DS. (2016). The production of corporate research to manufacture doubt about the health hazards of products: an overview of the Exponent Bakelite™ simulation study. *Int J Occup Environ Health.* 22: 18-26. <http://dx.doi.org/10.1080/10773525.2015.1123379>.
- Egilman, DS; Billings, MA. (2005). Abuse of epidemiology: Automobile manufacturers manufacture a defense to asbestos liability. *Int J Occup Environ Health.* 11: 360-371. <http://dx.doi.org/10.1179/oeh.2005.11.4.360>.
- Egilman, DS; Bird, T; Lee, C. (2013). MetLife and its corporate allies: dust diseases and the manipulation of science. *Int J Occup Environ Health.* 19: 287-303. <http://dx.doi.org/10.1179/2049396713Y.00000000033>.
- Egilman, DS; Druar, NM. (2013). Commentary on 'evaluation of take home (para-occupational) exposure to asbestos and disease: a review of the literature', Donovan et al.1 [Editorial]. *Int J Occup Environ Health.* 19: 163-168. <http://dx.doi.org/10.1179/1077352513Z.00000000072>.
- Egorova, IV. (1990). ON THE MATERIAL SOURCE IN THE PROCESSES OF FORMATION OF CHRYSOTILE-ASBEST. *Geokhimiya* 1788-1792.
- egrave; Onig, R; Heide, H. (1983). Development of a procedure for automatic counting of (asbestos) fibre concentrations on membrane filters. (CIS/84/01221). K and egrave; Onig, R; Heide, H.
- EHRENREI.T; Mackler, AD; Langer, AN; Selikoff, IJ. (1973). ASBESTOS FIBERS IN HUMAN LUNGS - FORENSIC SIGNIFICANCE IN ENVIRONMENTAL DISEASE. *Arch Mal Prof Med Trav Secur Soc.* 34: 189-204.
- Ehrlich, A; Gordon, RE; Dikman, SH. (1991). CARCINOMA OF THE COLON IN ASBESTOS-EXPOSED WORKERS - ANALYSIS OF ASBESTOS CONTENT IN COLON TISSUE. *Am J Ind Med.* 19: 629-636.
- Ehrlich, R; Lilis, R; Chan, E; Nicholson, WJ; Selikoff, IJ. (1992). Long term radiological effects of short term exposure to amosite asbestos among factory workers. *Br J Ind Med.* 49: 268-275.
- Ehrlich, R; Myers, J. (1992). CHANGING ATTITUDES AND OPINIONS REGARDING ASBESTOS AND CANCER 1934-1965 - COMMENT [Comment]. *Am J Ind Med.* 22: 279-280.
- Eisen, EA; Tolbert, PE; Hallock, MF; Monson, RR; Smith, TJ; Woskie, SR. (1994). Mortality studies of machining fluid exposure in the automobile industry III: A case-control study of larynx cancer. *Am J Ind Med.* 26: 185-202.
- Eisenhawer, C; Felten, MK; Tamm, M; Das, M; Kraus, T. (2014). Radiological surveillance of formerly asbestos-exposed power industry workers: rates and risk factors of benign changes on chest X-ray and MDCT. *J Occup Med Toxicol.* 9: 18. <http://dx.doi.org/10.1186/1745-6673-9-18>.
- Eitner, F. (1988). Substantiating hazardous exposure to asbestos by examination of pulmonary dust. *Int Arch Occup Environ Health.* 61: 163-166.
- Eitner, F; Otto, H. (1984). THE PATHOLOGICAL RELEVANCE OF ASBESTOS PARTICLE COUNTS IN LUNG-TISSUE. *Arbeitsmedizin, Sozialmedizin, Praeventivmedizin.* 19: 1-5.
- Ekimov, SP; Krizhanskii, LM; Krotikov, VA; Filina, LV; Kharitonov, NP. (1982). NUCLEAR-GAMMA-RESONANCE-SPECTRAL ANALYSIS OF STRUCTURAL TRANSFORMATIONS OF IRON-CONTAINING CHRYSOTILE ASBESTOS AND ITS COMPOSITION WITH POLYORGANOSILOXANE DURING HEAT-TREATMENT. *Inorg Mater.* 18: 724-730.
- Ekosse, GI, voE. (2008). MICROMORPHOLOGICAL AND MICROCHEMICAL CHARACTERISATION OF MOSHENENG SERPENTINITE ASSOCIATED WITH THE NEO-ARCHAEN TAUPONE DOLOMITE GROUP, BOTSWANA. *Fresen Environ Bull.* 17: 2126-2133.
- El Adnani, M; Plante, B; Benzaazoua, M; Hakkou, R; Bouzahzah, H. (2016). Tailings Weathering and Arsenic Mobility at the Abandoned Zgounder Silver Mine, Morocco. *Mine Water Environ.* 35: 508-524. <http://dx.doi.org/10.1007/s10230-015-0370-4>.
- El Yamani, M; Boulanger, G; Nerrriere-Cateliniois, E; Paillat, A; Modelon, H; Soyey, A; Paquet, F; Binet, S; Paris, C; Brochard, P. (2012). Revision of French Occupational Exposure Limits of Asbestos and Recommendation of Measurement Method: Can the Dimensional Characteristics of the Asbestos Fibers (Long, Thin, Short) Be Taken Into Account? *Crit Rev Environ Sci Tech.* 42: 1441-1484. <http://dx.doi.org/10.1080/10643389.2011.556895>.
- Elbra, T; Karlqvist, R; Lassila, I; Haeggstrom, E; Pesonen, LJ. (2011). Laboratory measurements of the seismic velocities and other petrophysical properties of the Outokumpu deep drill core samples, eastern Finland. *Geophysical Journal International.* 184: 405-415. <http://dx.doi.org/10.1111/j.1365-246X.2010.04845.x>.
- Elburg, MA. (1996). Evidence of isotopic equilibration between microgranitoid enclaves and host granodiorite, Warburton Granodiorite, Lachlan Fold Belt, Australia. *Lithos.* 38: 1-22.
- Elci, OC; Akpınar-Elci, M; Blair, A; Dosemeci, M. (2002). Occupational dust exposure and the risk of laryngeal cancer in Turkey. *Scand J Work Environ Health.* 28: 278-284.

Fate Literature Search Results

Off Topic

- Elder, D; Abramson, M; Fish, D; Johnson, A; Mckenzie, D; Sim, M. (2004). Surveillance of Australian workplace Based Respiratory Events (SABRE): notifications for the first 3.5 years and validation of occupational asthma cases. *Occup Med (Lond)*. 54: 395-399. <http://dx.doi.org/10.1093/ocmed/kqh050>.
- Elias, Z; Poirot, O; Danière, MC; Terzetti, F; Binet, S; Tomatis, M; Fubini, B. (2002). Surface reactivity, cytotoxicity, and transforming potency of iron-covered compared to untreated refractory ceramic fibers. *J Toxicol Environ Health A*. 65: 2007-2027. <http://dx.doi.org/10.1080/00984100290071360>.
- Elliehausen, HJ; Paur, R; Rodelsperger, K; Weitowitz, HJ. (1985). THE RISK OF SEQUELAE OF ASBESTOS INHALATION IN MOTOR MECHANICS WORKING IN BRAKES SERVICES. *Arbeitsmedizin, Sozialmedizin, Praeventivmedizin*. 20: 256-261.
- Ellingsen, DG; Andersen, A; Nordhagen, HP; Efskind, J; Kjuus, H. (1993). Incidence of cancer and mortality among workers exposed to mercury vapour in the Norwegian chloralkali industry. *Br J Ind Med*. 50: 875-880.
- Elliott, L; Loomis, D; Dement, J; Hein, MJ; Richardson, D; Stayner, L. (2012). Lung cancer mortality in North Carolina and South Carolina chrysotile asbestos textile workers. *Occup Environ Med*. 69: 385-390. <http://dx.doi.org/10.1136/oemed-2011-100229>.
- Elliottmeadows, S. R.; Appleyard, EC. (1991). THE ALTERATION GEOCHEMISTRY AND PETROLOGY OF THE LAR CU-ZN DEPOSIT, LYNN LAKE AREA, MANITOBA, CANADA. *Econ Geol*. 86: 486-505.
- Ellison, JM; Howard, WP. (1970). The control of asbestos in the working environment. *Ann Occup Hyg*. 13: 153-158.
- Ellouk, SA; Jaurand, MC. (1994). Review of animal/in vitro data on biological effects of man-made fibers [Review]. *Environ Health Perspect*. 102 Suppl 2: 47-61.
- Elmaghraby, SE; Elimam, AA. (1984). COMPOSITE MIX DESIGN IN THE PRODUCTION OF ASBESTOS CEMENT PIPES. *Appl Math Model*. 8: 425-432.
- Elmer, FL; Powell, R; White, RW; Phillips, GN. (2007). Timing of gold mineralization relative to the peak of metamorphism at Bronzewing, Western Australia. *Econ Geol*. 102: 379-392.
- Elmes, PC; Simpson, MJC. (1977). INSULATION WORKERS IN BELFAST - FURTHER STUDY OF MORTALITY DUE TO ASBESTOS EXPOSURE (1940-75). *Br J Ind Med*. 34: 174-180.
- El-Sharkawy, MF. (2000). Talc mineralization of ultramafic affinity in the Eastern Desert of Egypt. *Miner Depos*. 35: 346-363.
- Elshazley, M; Shibata, E; Hisanaga, N; Ichihara, G; Ewis, AA; Kamijima, M; Ichihara, S; Sakai, K; Sato, M; Kondo, M; Hasegawa, Y. (2011). Pleural plaque profiles on the chest radiographs and CT scans of asbestos-exposed Japanese construction workers. *Ind Health*. 49: 626-633.
- Elvira Espinosa, M; Garcia Regidor, C; Fernandez Rodriguez, J; Vegas Prieto, L; Ibanez Martin, JC; Aguado Cuenca, E; Velayos Pablo, T; Sanchez Gonzalez, ML; Susinos Arroyo, B. (2009). THE HEALTH MONITORING BY PREVENTION SERVICES IN ACTIVE WORKERS EXPOSED AND POST-EXPOSED WITHING THE ACTION PLAN IN PEOPLE WITH OCCUPATIONAL EXPOSURE TO ASBESTOS Y CASTILLA AND LEON. *Gac Sanit*. 23: 6-6.
- Emmanouil, K; Kalliopi, A; Dimitrios, K; Evangelos, G. (2009). Asbestos pollution in an inactive mine: Determination of asbestos fibers in the deposit tailings and water. *J Hazard Mater*. 167: 1080-1088. <http://dx.doi.org/10.1016/j.jhazmat.2009.01.102>.
- Emri, S. (2003). Recent developments in the therapy of malignant pleural mesothelioma. *Indoor Built Environ*. 12: 391-393. <http://dx.doi.org/10.1177/1420326X03039011>.
- Enders, M; Speer, D; Maresch, WV; Mccammon, CA. (2000). Ferric/ferrous iron ratios in sodic amphiboles: Mossbauer analysis, stoichiometry-based model calculations and the high-resolution microanalytical flank method. *Contributions to Mineralogy and Petrology*. 140: 135-147.
- Endo, S; Mizukami, T; Wallis, SR; Tamura, A; Arai, S. (2015). Orthopyroxene-rich Rocks from the Sanbagawa Belt (SW Japan): Fluid-Rock Interaction in the Forearc Slab-Mantle Wedge Interface. *Journal of Petrology*. 56: 1113-1137. <http://dx.doi.org/10.1093/petrology/egv031>.
- Engholm, G; Englund, A. (2005). Asbestos hazard in the Swedish construction industry--recent trends in mesothelioma incidence. *Scand J Work Environ Health*. 31 Suppl 2: 27-30.
- Engholm, G; Englund, A; Fletcher, A. (1987). RESPIRATORY CANCER AMONG SWEDISH CONSTRUCTION WORKERS IN RELATION TO EXPOSURE TO ASBESTOS AND MAN-MADE MINERAL FIBERS. *Scand J Work Environ Health*. 13: 162-162.
- Engholm, G; Englund, A; Fletcher, AC; Hallin, N. (1987). Respiratory cancer incidence in Swedish construction workers exposed to man-made mineral fibres and asbestos. *Ann Occup Hyg*. 31: 663-675.
- Englund, A. (1991). SWEDISH APPROACHES TO INDUSTRY-WIDE STUDIES THE CONSTRUCTION INDUSTRY (pp. EXPOSURE TO ASBESTOS IN PLACE: PUBLIC HEALTH CONTROL; CONFERENCE). (ISSN 0077-8923; EISSN 1749-6632; BIOSIS/93/34944). Englund, A.
- Engvik, AK; Austrheim, H; Erambert, M. (2001). Interaction between fluid flow, fracturing and mineral growth during eclogitization, an example from the Sunnfjord area, Western Gneiss Region, Norway. *Lithos*. 57: 111-141.
- Enterline, P; de Coufle, P; Henderson, V. (1973). Respiratory cancer in relation to occupational exposures among retired asbestos workers. *Br J Ind Med*. 30: 162-166.
- Enterline, PE. (1983). ASBESTOS EXPOSURE - REPLY. *J Air Pollut Control Assoc*. 33: 820-820.
- Enterline, PE. (1983). Cancer produced by nonoccupational asbestos exposure in the United States. *J Air Pollut Control Assoc*. 33: 318-322.
- Enterline, PE. (1991). Carcinogenic Effects of Man-Made Vitreous Fibers. *Annu Rev Public Health*. 12: 459-480.
- Enterline, PE. (1991). Changing attitudes and opinions regarding asbestos and cancer 1934-1965. *Am J Ind Med*. 20: 685-700.
- Er, O; Tanrikulu, AC; Abakay, A; Temurtas, F. (2012). An approach based on probabilistic neural network for diagnosis of Mesothelioma's disease. *Computers & Electrical Engineering*. 38: 75-81. <http://dx.doi.org/10.1016/j.compeleceng.2011.09.001>.
- Erdinc, M; Erdinc, E; Cok, G; Polatli, M. (2003). Respiratory impairment due to asbestos exposure in brake-lining workers. *Environ Res*. 91: 151-156. [http://dx.doi.org/10.1016/S0013-9351\(02\)00063-4](http://dx.doi.org/10.1016/S0013-9351(02)00063-4).
- Erdinc, W; Erdinc, E; Cok, G; Polatli, M. (2003). Respiratory impairment due to asbestos exposure in brake-lining workers (vol 91, pg 151, 2003). *Environ Res*. 92: 282-282. [http://dx.doi.org/10.1016/S0013-9351\(03\)00072-0](http://dx.doi.org/10.1016/S0013-9351(03)00072-0).

Fate Literature Search Results

Off Topic

- Erdogdu, G; Hasirci, V. (1998). An overview of the role of mineral solubility in silicosis and asbestosis [Review]. *Environ Res.* 78: 38-42. <http://dx.doi.org/10.1006/enrs.1998.3842>.
- Erdreich, LS. (1983). Comparing epidemiologic studies of ingested asbestos for use in risk assessment. *Environ Health Perspect.* 53: 99-104.
- Eriksson, M; Karlsson, M. (1992). Occupational and other environmental factors and multiple myeloma: a population based case-control study. *Br J Ind Med.* 49: 95-103.
- Eriksson, PG; Hattingh, PJ; Altermann, W. (1995). AN OVERVIEW OF THE GEOLOGY OF THE TRANSVAAL SEQUENCE AND BUSHVELD COMPLEX, SOUTH-AFRICA. *Miner Depos.* 30: 98-111.
- Ernst, G. (1986). EMISSION OF ASBESTOS FIBERS FROM NATURAL-DRAFT WET COOLING-TOWERS. *Brennstoff-Waerme-Kraft.* 38: 229-229.
- Ernst, P. (2004). A conversation with Margaret Becklake. *Epidemiology.* 15: 245-249. <http://dx.doi.org/10.1097/01.ede.0000112785.81971.07>.
- Ernst, P; Shapiro, S; Dales, RE; Becklake, MR. (1987). Determinants of respiratory symptoms in insulation workers exposed to asbestos and synthetic mineral fibres. *Br J Ind Med.* 44: 90-95.
- Ernst, WG. (1997). Metamorphism of mafic dikes from the central White-Inyo Range, eastern California. *Contributions to Mineralogy and Petrology.* 128: 30-44.
- Ernst, WG. (2002). Paragenesis and thermobarometry of Ca-amphiboles in the Barcroft granodioritic pluton, central White Mountains, eastern California. *Am Mineral.* 87: 478-490.
- Ernst, WG. (2005). Contact metamorphism of the White Mountain Peak metavolcanic complex, eastern California. *Am Mineral.* 90: 1-12. <http://dx.doi.org/10.2138/am.2005.1620>.
- Ernst, WG; Rumble, D. (2003). Oxygen isotopic study of late mesozoic cooling of the mount Barcroft Area, central White Mountains, Eastern California. *Contributions to Mineralogy and Petrology.* 144: 639-651. <http://dx.doi.org/10.1007/s00410-002-0427-9>.
- Erren, TC; Jacobsen, M; Piekarski, C. (1999). Synergy between asbestos and smoking on lung cancer risks. *Epidemiology.* 10: 405-411.
- Erren, TC; Piekarski, C. (1999). A meta-analysis of synergy between asbestos and smoking on lung cancer. *Epidemiology.* 10: S62-S62.
- Errico, JC; Barnes, JD; Strickland, A; Valley, JW. (2013). Oxygen isotope zoning in garnets from Franciscan eclogite blocks: evidence for rock-buffered fluid interaction in the mantle wedge. *Contributions to Mineralogy and Petrology.* 166: 1161-1176. <http://dx.doi.org/10.1007/s00410-013-0915-0>.
- Ertan, R; Yavuz, N. (2011). The effects of graphite, coke and ZnS on the tribological and surface characteristics of automotive brake friction materials. *Industrial Lubrication & Tribology.* 63: 245-253. <http://dx.doi.org/10.1108/00368791111140468>.
- Erzinger, BF. (1987). METHOD AND COMPOSITION FOR REMOVING ASBESTOS-CONTAINING MATERIALS US PATENT-4693755. SEPTEMBER 15 1987. (BIOSIS/87/33126). Erzinger, BF.
- Escartin, J; Hirth, G; Evans, B. (1997). Nondilatant brittle deformation of serpentinites: Implications for Mohr-Coulomb theory and the strength of faults. *J Geophys Res Solid Earth.* 102: 2897-2913.
- Esmen, N; Corn, M; Hammad, Y; Whittier, D; Kotsko, N. (1979). Summary of measurements of employee exposure to airborne dust and fiber in sixteen facilities producing man-made mineral fibers. *Am Ind Hyg Assoc J.* 40: 108-117.
- Esmen, NA; Corn, M. (1998). Airborne fiber concentrations during splitting open and boxing bags of asbestos. *Toxicol Ind Health.* 14: 843-856.
- Esmen, NA; Erdal, S. (1990). Human occupational and nonoccupational exposure to fibers [Review]. *Environ Health Perspect.* 88: 277-286.
- Esmen, NA; Hammad, YY; Corn, M; Whittier, D; Kotsko, N; Haller, M; Kahn, RA. (1978). Exposure of employees to man-made mineral fibers: mineral wool production. *Environ Res.* 15: 262-277.
- Esposito, MP; Mcardle, J; Greber, JS; Clark, R. (1984). Guidelines For Decontaminating Buildings, Structures And Equipment At Superfund Sites (pp. 486-488). (NIOSH/00155016). Esposito, MP; Mcardle, J; Greber, JS; Clark, R.
- Esposito, MP; Mcardle, JL; Crone, AH; Greber, JS; Clark, R; Brown, S; Hallowell, JB; Langham, A; Mccandlish, CD. (1987). Decontamination techniques for buildings, structures and equipment. (CIS/87/01391). Esposito, MP; Mcardle, JL; Crone, AH; Greber, JS; Clark, R; Brown, S; Hallowell, JB; Langham, A; Mccandlish, CD.
- Esswein, EJ; Tubbs, RL. (1994). Health Hazard Evaluation Report HETA 93-0696-2395, Hardy Road Landfill, Akron, Ohio. 27.
- Etz, ES; Rosasco, GJ; Blaha, JJ. (1977). Observation of the Raman effect from small, single particles: its use in the chemical identification of airborne particulates. (PESTAB/79/0739). Etz, ES; Rosasco, GJ; Blaha, JJ.
- Etzel, K; Benisek, A; Dachs, E; Cemic, L. (2007). Thermodynamic mixing behavior of synthetic Ca-Tschermak-diopside pyroxene solid solutions: I. Volume and heat capacity of mixing. *Physics and Chemistry of Minerals.* 34: 733-746. <http://dx.doi.org/10.1007/s00269-007-0191-5>.
- Eugenie, S. (2003). T&N's asbestos-affected workers win court case, but delays go on. *Prof Eng.* 16: 8-8.
- Evans, BW. (2008). Control of the Products of Serpentinization by the (FeMg1)-Mg-2 Exchange Potential of Olivine and Orthopyroxene. *Journal of Petrology.* 49: 1873-1887. <http://dx.doi.org/10.1093/petrology/egn050>.
- Evans, BW; Dyar, MD; Kuehner, SM. (2012). Implications of ferrous and ferric iron in antigorite. *Am Mineral.* 97: 184-196. <http://dx.doi.org/10.2138/am.2012.3926>.
- Evans, BW; Ghiorso, MS; Kuehner, SM. (2000). Thermodynamic properties of tremolite: A correction and some comments. *Am Mineral.* 85: 466-472.
- Evans, BW; Ghiorso, MS; Yang, HX; Medenbach, O. (2001). Thermodynamics of the amphiboles: Anthophyllite-ferroanthophyllite and the ortho-clino phase loop. *Am Mineral.* 86: 640-651.
- Evans, BW; Hattori, K; Baronnet, A. (2013). Serpentinite: What, Why, Where? *Elements.* 9: 99-106. <http://dx.doi.org/10.2113/gselements.9.2.99>.
- Evans, BW; Yang, HX. (1998). Fe-Mg order-disorder in tremolite-actinolite-ferro-actinolite at ambient and high temperature. *Am Mineral.* 83: 458-475.
- Evans, CA. (1993). PUBLIC-HEALTH IMPACT OF THE 1992 LOS-ANGELES CIVIL UNREST. *Public Health Rep.* 108: 265-272.

Fate Literature Search Results

Off Topic

- Evans, JC; Evans, RJ; Holmes, A; Hounam, RF; Jones, DM; Morgan, A; Walsh, M. (1973). Studies on the deposition of inhaled fibrous material in the respiratory tract of the rat and its subsequent clearance using radioactive tracer techniques: 1 UICC crocidolite asbestos. *Environ Res.* 6: 180-201.
- Evans, PH; Brown, RC; Poole, A. (1983). Modification of the in vitro activities of amosite asbestos by surface derivatization. *J Toxicol Environ Health.* 11: 535-543. <http://dx.doi.org/10.1080/15287398309530365>.
- Evans, RE; Pfeiffer, RE. (1991). A NEW GENERATION OF FIBRILLATED ACRYLIC FIBER FOR HIGH-PERFORMANCE NONWOVENS AND SPECIALTY COMPOSITES. *Tappi Journal.* 74: 155-162.
- Evans, RG. (1975). OPERATIONAL PARAMETERS, DESIGN CONCEPTS AND PRE-INSTALLATION TESTING FOR A NEW ASBESTOS PROCESSING COMPLEX AT JEFFREY MINE. 68: 105-110.
- Evelo, CTA; Bos, RP; Borm, PJA. (1993). DECREASED GLUTATHIONE CONTENT AND GLUTATHIONE-S-TRANSFERASE ACTIVITY IN RED-BLOOD-CELLS OF COAL-MINERS WITH EARLY STAGES OF PNEUMOCONIOSIS. *Br J Ind Med.* 50: 633-636.
- Everatt, R; Jankauskas, R; Kuciauskaite, A. (2006). Status of occupational cancer in Lithuania. *Int J Occup Environ Health.* 12: 24-27.
- Everatt, RP; Smolianskiene, G; Tossavainen, A; Cicenias, S; Jankauskas, R. (2007). Occupational asbestos exposure among respiratory cancer patients in Lithuania. *Am J Ind Med.* 50: 455-463. <http://dx.doi.org/10.1002/ajim.20467>.
- Everett, G. (1974). ANALYSIS FOR ASBESTOS IN ENVIRONMENTAL SAMPLES. *Environ Health Perspect.* 9: 181-182.
- Everitt, JI; Gelzleichter, TR; Bermudez, E; Mangum, JB; Wong, BA; Janszen, DB; Moss, OR. (1997). Comparison of pleural responses of rats and hamsters to subchronic inhalation of refractory ceramic fibers. *Environ Health Perspect.* 105: 1209-1213.
- Evison, M; Barber, P. (2015). Diffuse pleural thickening following heart failure-related pleural effusions in an asbestos exposed patient. *Int J Occup Environ Health.* 21: 169-171. <http://dx.doi.org/10.1179/2049396714Y.0000000104>.
- Ewing, WM; Hays, SM; Hatfield, R; Longo, WE; Millette, JR. (2010). Zonolite attic insulation exposure studies. *Int J Occup Environ Health.* 16: 279-290. <http://dx.doi.org/10.1179/oe.2010.16.3.279>.
- Eypert-Blaison, C; Veissiere, S; Rastoix, O; Kauffer, E. (2010). Comparison of direct and indirect methods of measuring airborne chrysotile fibre concentration. *Ann Occup Hyg.* 54: 55-67. <http://dx.doi.org/10.1093/annhyg/mep066>.
- Ezejiolor, TI; Ezejiolor, AN; Orisakwe, OE; Nwigwe, HC; Osuala, FO; Iwuala, MO. (2014). Anicteric hepatotoxicity: a potential health risk of occupational exposures in Nigerian petroleum oil refining and distribution industry. 9: 3. <http://dx.doi.org/10.1186/1745-6673-9-3>.
- Ezhov, SV; Akinfiyev, NN. (1997). A study of mineral formation in a contact between silicate and carbonate rocks using the BALANCE program. *Geokhimiya*1058-1065.
- Fabian, F; Bulzan, V. (1986). ASSESSING THE RISK OF EXPOSURE TO CHRYSOTILE FIBERS IN THE COURSE OF THE MANUFACTURING OF ASBESTOS-CEMENT PLATES AND OF ASBESTOS-CARDBOARD. *Rev Ig Bacteriol Virusol Parazitol Epidemiol Pneumoftziol Ser Ig.* 35: 213-218.
- Facer, J; Downes, H; Beard, A. (2009). In situ Serpentinization and Hydrous Fluid Metasomatism in Spinel Dunite Xenoliths from the Bearpaw Mountains, Montana, USA. *Journal of Petrology.* 50: 1443-1475. <http://dx.doi.org/10.1093/petrology/egp037>.
- Fach, E; Kristovich, R; Long, JF; Waldman, WJ; Dutta, PK; Williams, MV. (2003). The effect of iron on the biological activities of erionite and mordenite. *Environ Int.* 29: 451-458. [http://dx.doi.org/10.1016/S0160-4120\(02\)00193-9](http://dx.doi.org/10.1016/S0160-4120(02)00193-9).
- Fach, E; Waldman, WJ; Williams, M; Long, J; Meister, RK; Dutta, PK. (2002). Analysis of the biological and chemical reactivity of zeolite-based aluminosilicate fibers and particulates. *Environ Health Perspect.* 110: 1087-1096.
- Fachini, A; Joekes, I. (2007). Use of chrysotile fibres in the degradation of cationic and nonionic surfactants in aqueous solutions. *CLEAN - Soil, Air, Water.* 35: 100-103. <http://dx.doi.org/10.1002/clen.200600002>.
- Fachini, A; Mendes, MA; Joekes, I; Eberlin, MN. (2007). Oxidation of sodium dodecylbenzenesulfonate with chrysotile: On-line monitoring by membrane introduction mass spectrometry. *Journal of Surfactants and Detergents.* 10: 207-210. <http://dx.doi.org/10.1007/s11743-007-1032-8>.
- Fadrilan-Camacho, VF, eF; Quizon, RR; Diaz, DV; Manalato, ANP. (2016). CHALLENGES IN THE DEVELOPMENT OF A MEDICAL SURVEILLANCE SYSTEM FOR PNEUMOCONIOSES AND OTHER ASBESTOS-RELATED DISEASES IN THE PHILIPPINES. *Southeast Asian J Trop Med Public Health.* 47: 822-832.
- Faich, GA. (1980). Asbestos hazard evaluation in Rhode Island schools. *Am J Public Health.* 70: 162-164.
- Fairfax, R; 19Ed. (1994). Construction Health Exposures. *Appl Occup Environ Hyg.* 9: 168-170.
- Fajen, JM; Hills, B; Calvert, GM. (1990). Health Hazard Evaluation Report HETA 89-126-2057, Hagaman Finishing, Hagaman, New York. 40.
- Falchi, M; Donelli, G; Paoletti, L. (1994). INFLUENCE OF PARTICLE-SIZE AND CHEMICAL-COMPOSITION ON EFFICIENCY OF CLEARANCE MECHANISMS - ELECTRON-MICROSCOPY STUDIES ON HUMANS. *Environ Health Perspect.* 102: 241-243.
- Falchi, M; Paoletti, L; Mariotta, S; Giosue, S; Guidi, L; Biondo, L; Scavalli, P; Bisetti, A. (1996). Non-fibrous inorganic particles in bronchoalveolar lavage fluid of pottery workers. *Occup Environ Med.* 53: 762-766.
- Falcone, M; Capone, PP; Tarzia, V; Campopiano, A; Giardino, R; Iannò, A; De Simone, P; Spagnoli, G; Macri, G. (2006). [Mount Reventino greenstone: assessment of tremolite fibre dispersion in the workplace]. *Med Lav.* 97: 36-43.
- Falini, G; Foresti, E; Gazzano, M; Gualtieri, AF; Lesci, IG; Pecchini, G; Renna, E; Roveri, N. (2003). A new method for the detection of low levels of free fibres of chrysotile in contaminated soils by X-ray powder diffraction. *J Environ Monit.* 5: 654-660. <http://dx.doi.org/10.1039/b300328k>.
- Falk, ES; Kelemen, PB. (2015). Geochemistry and petrology of listvenite in the Samail ophiolite, Sultanate of Oman: Complete carbonation of peridotite during ophiolite emplacement. *Geochim Cosmo Acta.* 160: 70-90. <http://dx.doi.org/10.1016/j.gca.2015.03.014>.
- Famoso, D; Mangiameli, M; Roccaro, P; Mussumeci, G; Vagliasindi, FGA. (2012). Asbestiform fibers in the Biancavilla site of national interest (Sicily, Italy): review of environmental data via GIS platforms. *Reviews in Environmental Science and Biotechnology.* 11: 417-427. <http://dx.doi.org/10.1007/s11157-012-9284-9>.

Fate Literature Search Results

Off Topic

- Fan, JG; Wang, QE; Liu, SJ. (2000). Chrysotile-induced cell transformation and transcriptional changes of c-myc oncogene in human embryo lung cells. *Biomed Environ Sci.* 13: 163-169.
- Fan, JG; Wang, QE; Liu, SJ. (2001). Ameliorated chrysotile-induced DNA damage in human embryo lung cells by surface modification of chrysotile with rare earth compounds. *Biomed Environ Sci.* 14: 220-228.
- Fan, JG; Wang, QE; Liu, SJ; Wu, WD; Jia, G; Zhou, LL. (1998). Pretreatment of chrysotile with rare earth compounds lowered its cytotoxicity by lessening surface charges. *Biomed Environ Sci.* 11: 125-132.
- Fan, W; Wang, Y; Zhang, Y; Zhang, Y; Jourdan, F; Zi, J; Liu, H. (2015). Paleotethyan subduction process revealed from Triassic blueschists in the Lancang tectonic belt of Southwest China. *Tectonophysics.* 662: 95-108. <http://dx.doi.org/10.1016/j.tecto.2014.12.021>.
- Fang, R; Le, N; Band, P. (2011). Identification of occupational cancer risks in British Columbia, Canada: a population-based case-control study of 1,155 cases of colon cancer. *Int J Environ Res Public Health.* 8: 3821-3843. <http://dx.doi.org/10.3390/ijerph8103821>.
- Fano, V; Michelozzi, P; Ancona, C; Capon, A; Forastiere, F; Perucci, CA. (2004). Occupational and environmental exposures and lung cancer in an industrialised area in Italy. *Occup Environ Med.* 61: 757-763. <http://dx.doi.org/10.1136/oem.2003.010728>.
- Farioli, A; Violante, FS; Mattioli, S; Curti, S; Kriebel, D. (2013). Risk of mesothelioma following external beam radiotherapy for prostate cancer: a cohort analysis of SEER database. *Cancer Causes Control.* 24: 1535-1545. <http://dx.doi.org/10.1007/s10552-013-0230-0>.
- Farrera, C; Bhattacharya, K; Lazzaretto, B; Andon, FT; Hulthenby, K; Kotchey, GP; Star, A; Fadeel, B. (2014). Extracellular entrapment and degradation of single-walled carbon nanotubes. *Nanoscale.* 6: 6974-6983. <http://dx.doi.org/10.1039/c3nr06047k>.
- Farrow, A; Farrow, SC; Little, R; Golding, J. (1996). The repeatability of self-reported exposure after miscarriage. ALSPAC Study Team. Avon Longitudinal Study of Pregnancy and Childhood. *Int J Epidemiol.* 25: 797-806.
- Farrow, CEG; Watkinson, DH. (1992). ALTERATION AND THE ROLE OF FLUIDS IN NI, CU AND PLATINUM-GROUP ELEMENT DEPOSITION, SUDBURY IGENEOUS COMPLEX CONTACT, ONAPING-LEVACK AREA, ONTARIO. *Mineralogy and Petrology.* 46: 67-83.
- Farrow, CEG; Watkinson, DH. (1996). Geochemical evolution of the Epidote Zone, Fraser Mine, Sudbury, Ontario: Ni-Cu-PGE remobilization by saline fluids. *Exploration & Mining Geology.* 5: 17-31.
- Faryad, SW; Melcher, F; Hoinkes, G; Puhl, J; Meisel, T; Frank, W. (2002). Relics of eclogite facies metamorphism in the Austroalpine basement, Hochgrossen (Speik complex), Austria. *Mineralogy and Petrology.* 74: 49-73.
- Fatma, N; Jain, AK; Rahman, Q. (1991). Frequency of sister chromatid exchange and chromosomal aberrations in asbestos cement workers. *Br J Ind Med.* 48: 103-105.
- Faulring, GM; Forgeng, WD; Kleber, EJ; Rhodes, HB. (1975). DETECTION OF CHRYSOTILE ASBESTOS IN AIRBORNE DUST FROM THERMOSETTING RESIN GRINDING. *Journal of Testing and Evaluation.* 3: 482-490.
- Faux, SP; Howden, PJ. (1997). Possible role of lipid peroxidation in the induction of NF-kappa B and AP-1 in RFL-6 cells by crocidolite asbestos: evidence following protection by vitamin E. *Environ Health Perspect.* 105 Suppl 5: 1127-1130.
- Favero-Longo, SE; Castelli, D; Salvadori, O; Belluso, E; Piervittori, R. (2005). Pedogenetic action of the lichens *Lecidea atrobrunnea*, *Rhizocarpon geographicum* gr. and *Sporastatia testudinea* on serpentinized ultramafic rocks in an alpine environment. *Int Biodeterior Biodegradation.* 56: 17-27. <http://dx.doi.org/10.1016/j.ibiod.2004.11.006>.
- Favero-Longo, SE; Gazzano, C; Girlanda, M; Castelli, D; Tretiach, M; Baiocchi, C; Piervittori, R. (2011). Physical and Chemical Deterioration of Silicate and Carbonate Rocks by Meristematic Microcolonial Fungi and Endolithic Lichens (*Chaetothyriomycetidae*). *Geomicrobiology Journal.* 28: 732-744. <http://dx.doi.org/10.1080/01490451.2010.517696>.
- Fazzo, L; Carere, M; Tisano, F; Bruno, C; Cernigliaro, A; Cicero, MR; Comba, P; Contrino, ML; De Santis, M; Falleni, F; Ingallinella, V; Madeddu, A; Marcello, I; Regalbuto, C; Sciacca, G; Soggiu, ME; Zona, A. (2016). Cancer incidence in Priolo, Sicily: a spatial approach for estimation of industrial air pollution impact. *Geospat Health.* 11: 320. <http://dx.doi.org/10.4081/gh.2016.320>.
- Fazzo, L; De Santis, M; Minelli, G; Bruno, C; Zona, A; Conti, S; Comb, P. (2011). Mesothelioma Mortality and Asbestos Exposure Mapping in Italy. *Epidemiology.* 22: S107-S107.
- Fazzo, L; De Santis, M; Minelli, G; Bruno, C; Zona, A; Marinaccio, A; Conti, S; Comba, P. (2012). Pleural mesothelioma mortality and asbestos exposure mapping in Italy. *Am J Ind Med.* 55: 11-24. <http://dx.doi.org/10.1002/ajim.21015>.
- Fazzo, L; Menegozzo, S; Soggiu, ME; De Santis, M; Santoro, M; Cozza, V; Brangi, A; Menegozzo, M; Comba, P. (2014). Mesothelioma incidence in the neighbourhood of an asbestos-cement plant located in a national priority contaminated site. *Ann Ist Super Sanita.* 50: 322-327. http://dx.doi.org/DOI: 10.4415/ANN_14_04_05.
- Fazzo, L; Minelli, G; De Santis, M; Bruno, C; Zona, A; Marinaccio, A; Conti, S; Pirastu, R; Comba, P. (2012). Mesothelioma mortality surveillance and asbestos exposure tracking in Italy. *Ann Ist Super Sanita.* 48: 300-310. http://dx.doi.org/DOI: 10.4415/ANN_12_03_11.
- Fazzo, L; Nicita, C; Cernigliaro, A; Zona, A; Bruno, C; Fiumanò, G; Villari, C; Puglisi, G; Marinaccio, A; Comba, P; Tumino, R. (2010). [Mortality from asbestos-related causes and incidence of pleural mesothelioma among former asbestos cement workers in San Filippo del Mela (Sicily)]. *Epidemiol Prev.* 34: 87-92.
- Fediuk, F; Balogh, K. (2009). CONTRIBUTION TO PETROLOGY AND K/Ar AMPHIBOLE DATA FOR PLUTONIC ROCKS OF THE HAGGIER MTS., SOCOTRA ISLAND, YEMEN. *Acta Geodynamica et Geomaterialia.* 6: 441-451.
- Fedorockova, A; Raschman, P; Sucik, G; Ivanova, D; Kavulicova, J. (2016). Utilization of Chrysotile-Type Tailings for Synthesis of High-Grade Silica by Controlled Precipitation. *Mineral Processing and Extractive Metallurgy Review.* 37: 287-294. <http://dx.doi.org/10.1080/08827508.2016.1195738>.
- Fedorowich, J; Stauffer, M; Kerrich, R. (1991). STRUCTURAL SETTING AND FLUID CHARACTERISTICS OF THE PROTEROZOIC TARTAN LAKE GOLD DEPOSIT, TRANS-HUDSON OROGEN, NORTHERN MANITOBA. *Econ Geol.* 86: 1434-1467.
- Fehnel, JW. (1990). AIR SAMPLING OF ASBESTOS DUST - COMPARISON OF IMPINGER AND ELECTROSTATIC PRECIPITATOR METHODS. *Am Ind Hyg Assoc J.* 51: A19-A21.

Fate Literature Search Results

Off Topic

- Feigley, CE; Chen, HC. (1992). PENETRATION OF SEVERAL FILTER MATERIALS BY ASBESTOS AS A FUNCTION OF FIBER DIMENSIONS. *Am Ind Hyg Assoc J.* 53: 767-772.
- Feigley, CE; Maguire, KE; Hussey, JR. (1992). Asbestos Fiber Deposition Patterns on Various 25-mm Cassette Filters at a High Flow Rate. *Appl Occup Environ Hyg.* 7: 749-757.
- Feldman, RS. (1982). Development Of An Asbestos Reference Suspension (pp. Materials and Analytical Methods). (NIOSH/00145892). Feldman, RS.
- Feliu, LA; Polanco, A; Martinez, M; Centeno, JA. (1992). Identification of polynuclear aromatic hydrocarbons in automobile exhaust by high-performance liquid chromatography with a fluorescence detector. 203: ENVR64.
- Felten, MK; Khatab, K; Knoll, L; Schettgen, T; Müller-Berndorff, H; Kraus, T. (2014). Changes of mesothelin and osteopontin levels over time in formerly asbestos-exposed power industry workers. *Int Arch Occup Environ Health.* 87: 195-204. <http://dx.doi.org/10.1007/s00420-013-0853-1>.
- Felten, MK; Knoll, L; Eisenhawer, C; Ackermann, D; Khatab, K; Hüdepohl, J; Zschesche, W; Kraus, T. (2010). Retrospective exposure assessment to airborne asbestos among power industry workers. *J Occup Med Toxicol.* 5: 15. <http://dx.doi.org/10.1186/1745-6673-5-15>.
- Felten, MK; Knoll, L; Schikowsky, C; Das, M; Feldhaus, C; Hering, KG; Böcking, A; Kraus, T. (2014). Is it useful to combine sputum cytology and low-dose spiral computed tomography for early detection of lung cancer in formerly asbestos-exposed power industry workers? *J Occup Med Toxicol.* 9: 14. <http://dx.doi.org/10.1186/1745-6673-9-14>.
- Felton, JS; Sargent, EN; Gordonson, JS. (1980). Radiographic changes following asbestos exposure: experience with 7,500 workers. *J Occup Med.* 22: 15-20.
- Fenner, EM. (1979). United States regulations for control of asbestos exposure. *Ann N Y Acad Sci.* 330: 179-183.
- Fenner, EM. (1979). USA REGULATIONS FOR CONTROL OF ASBESTOS EXPOSURE (pp. NEW YORK). (HEEP/81/07839). Fenner, EM.
- Fent, KW; Dowell, CH. (2010). Health Hazard Evaluation Report: HETA-2009-0085-3107, Consolidation Coal Company, Blacksville, West Virginia, April 2010. Evaluation of Isocyanate Exposure during Polyurethane Foam Application and Silica Exposure during Rock Dusting at an Underground Coal Mine. 28.
- Ferguson, D. (1991). Asbestos: insufficient action, overreaction, action for tomorrow. 12: 140-145.
- Feric, T; Krstulovic, R; Krolo, P; Peric, J; Vucak, M. (1996). Adsorption of calcium hydroxide onto polyacrylonitrile, cellulose and chrysotile fibres. 49: 58-60.
- Ferin, J; Leach, LJ. (1976). The Effect of Amosite and Chrysotile Asbestos on the Clearance of TiO₂ Particles from the Lung. *Environ Res.* 12: 250-254.
- Ferland, RH. (1988). NEW COMPRESSION PACKINGS AIM TO REPLACE ASBESTOS. *Power Engineering.* 92: 28-31.
- Fernandez-Caldas, E; Fox, RW. (1992). Environmental control of indoor air pollution. *Med Clin North Am.* 76: 935-952.
- Ferrandino, D; Reich, A; Ryer, FH. (1980). LABELING IN THE WORKPLACE AS REQUIRED BY THE OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION USA (pp. COLD SPRING HARBOR). (HEEP/82/01962). Ferrandino, D; Reich, A; Ryer, FH.
- Ferrante, D; Bertolotti, M; Todesco, A; Mirabelli, D; Terracini, B; Magnani, C. (2007). Cancer mortality and incidence of mesothelioma in a cohort of wives of asbestos workers in Casale Monferrato, Italy. *Environ Health Perspect.* 115: 1401-1405. <http://dx.doi.org/10.1289/ehp.10195>.
- Ferrante, D; Mirabelli, D; Tunesi, S; Terracini, B; Magnani, C. (2015). Pleural mesothelioma and occupational and non-occupational asbestos exposure: a case-control study with quantitative risk assessment. *Occup Environ Med.* 73: 147-153. <http://dx.doi.org/10.1136/oemed-2015-102803>.
- Ferrante, D; Mirabelli, D; Tunesi, S; Terracini, B; Magnani, C. (2016). Authors's response: Pleural mesothelioma and occupational and non-occupational asbestos exposure: a case-control study with quantitative risk assessment [Letter]. *Occup Environ Med.* 73: 713-714. <http://dx.doi.org/10.1136/oemed-2016-103851>.
- Ferrante, D; Tunesi, S; Mirabelli, D; Terracini, B; Magnani, C. (2010). INCIDENCE OF MALIGNANT PLEURAL MESOTHELIOMA AFTER OCCUPATIONAL AND HOUSEHOLD EXPOSURE TO ASBESTOS IN THE PERIOD 1990-2008. *Epidemiol Prev.* 34: 71-71.
- Ferrante, P; Binazzi, A; Branchi, C; Marinaccio, A. (2016). [National epidemiological surveillance systems of mesothelioma cases]. *Epidemiol Prev.* 40: 336-343. <http://dx.doi.org/10.19191/EP16.5.P336.108>.
- Ferrante, P; Mastrantonio, M; Uccelli, R; Corfiati, M; Marinaccio, A. (2016). [Pleural mesothelioma mortality in Italy: time series reconstruction (1970-2009) and comparison with incidence (2003-2008)]. *Epidemiol Prev.* 40: 205-214. <http://dx.doi.org/10.19191/EP16.3-4.P205.087>.
- Ferrari, M; Viti, C. (2010). Retrograde hydration sequence in disordered Mg amphiboles: A TEM investigation. *Am Mineral.* 95: 81-91. <http://dx.doi.org/10.2138/am.2010.3254>.
- Ferreccio, C; Yuan, Y; Calle, J; Benítez, H; Parra, RL; Acevedo, J; Smith, AH; Liaw, J; Steinmaus, C. (2013). Arsenic, tobacco smoke, and occupation: Associations of multiple agents with lung and bladder cancer. *Epidemiology.* 24: 898-905. <http://dx.doi.org/10.1097/EDE.0b013e31829e3e03>.
- Ferry, JM. (1995). FLUID-FLOW DURING CONTACT-METAMORPHISM OF OPHICARBONATE ROCKS IN THE BERGELL-AUREOLE, VAL-MALENCO, ITALIAN ALPS. *Journal of Petrology.* 36: 1039-1053.
- Ferry, JM. (1996). Prograde and retrograde fluid flow during contact metamorphism of siliceous carbonate rocks from the Ballachulish aureole, Scotland. *Contributions to Mineralogy and Petrology.* 124: 235-254.
- Ferry, JM. (1996). Three novel isograds in metamorphosed siliceous dolomites from the Ballachulish aureole, Scotland. *Am Mineral.* 81: 485-494.
- Ferry, JM. (2000). Patterns of mineral occurrence in metamorphic rocks. *Am Mineral.* 85: 1573-1588.
- Ferry, JM; Dipple, GM. (1992). MODELS FOR COUPLED FLUID-FLOW, MINERAL REACTION, AND ISOTOPIC ALTERATION DURING CONTACT-METAMORPHISM - THE NOTCH PEAK AUREOLE, UTAH. *Am Mineral.* 77: 577-591.

Fate Literature Search Results

Off Topic

- Févotte, J; Charbotel, B; Muller-Beauté, P; Martin, JL; Hours, M; Bergeret, A. (2006). Case-control study on renal cell cancer and occupational exposure to trichloroethylene. Part I: Exposure assessment. *Ann Occup Hyg.* 50: 765-775. <http://dx.doi.org/10.1093/annhyg/mel040>.
- Févotte, J; Dananché, B; Delabre, L; Ducamp, S; Garras, L; Houot, M; Luce, D; Orłowski, E; Pilorget, C; Lacourt, A; Brochard, P; Goldberg, M; Imbernon, E. (2011). Matgéné: a program to develop job-exposure matrices in the general population in France. *Ann Occup Hyg.* 55: 865-878. <http://dx.doi.org/10.1093/annhyg/mer067>.
- Filip, I; Orlandea, E. (2015). EVOLUTION & TIMING OF ALTERATION-MINERALIZATION PROCESSES IN TIGRESA-TRANSITO IOCG VEIN DEPOSITS FROM OJANCOS TECTONIC ALIGNMENTS, ATACAMA REGION, CHILE. *Carpath J Earth Env.* 10: 247-260.
- Filizzola, C; Pergola, N; Pignatti, S; Tramutoli, V. (2002). Aerial remote sensing hyperspectral techniques for rocky outcrops mapping. *Annals of Geophysics.* 45: 233-245.
- Finendale, MJ. (1993). Beyond notification: a case study from Cloquet, Minnesota. *Am J Ind Med.* 23: 153-159.
- Finkelstein, M. (1985). On the relative toxicity of asbestos fibres [Letter]. *Br J Ind Med.* 42: 69-70.
- Finkelstein, M. (1986). Pulmonary function in asbestos cement workers: a dose-response study. *Br J Ind Med.* 43: 406-413.
- Finkelstein, M. (2011). Regarding "Absence of Radiographic Asbestosis and the Risk of Lung Cancer among Asbestos-Cement Workers: Extended Follow-Up of a Cohort", by Murray Finkelstein, *American Journal of Industrial Medicine* 2010 Response. *Am J Ind Med.* 54: 497-498. <http://dx.doi.org/10.1002/ajim.20938>.
- Finkelstein, M. (2013). Reply to letter by Nolan and colleagues-re: The carcinogenicity of New York state talc dusts in humans [Letter]. *Am J Ind Med.* 56: 1119-1124. <http://dx.doi.org/10.1002/ajim.22208>.
- Finkelstein, MM. (1983). MORTALITY AMONG ASBESTOS-CEMENT FACTORY-WORKERS. *Scand J Work Environ Health.* 9: 69-69.
- Finkelstein, MM. (1983). Mortality among long-term employees of an Ontario (Canada) asbestos-cement factory. *Br J Ind Med.* 40: 138-144.
- Finkelstein, MM. (1984). EXPOSURES AND MORTALITY AMONG CHRYSOTILE ASBESTOS WORKERS. *Am J Ind Med.* 5: 407-408.
- Finkelstein, MM. (1985). A study of dose-response relationships for asbestos associated disease. *Br J Ind Med.* 42: 319-325.
- Finkelstein, MM. (1988). Risk assessment in the asbestos cement industry [Letter]. *Br J Ind Med.* 45: 201-203.
- Finkelstein, MM. (1989). Analysis of mortality patterns and workers' compensation awards among asbestos insulation workers in Ontario. *Am J Ind Med.* 16: 523-528.
- Finkelstein, MM. (1989). Mortality among employees of an Ontario factory manufacturing insulation materials from amosite asbestos. *Am J Ind Med.* 15: 477-481.
- Finkelstein, MM. (1989). Mortality among employees of an Ontario factory that manufactured construction materials using chrysotile asbestos and coal tar pitch. *Am J Ind Med.* 16: 281-287.
- Finkelstein, MM. (1990). The exposure-response relationship for mesothelioma among asbestos-cement factory workers. *Toxicol Ind Health.* 6: 623-627.
- Finkelstein, MM. (1995). Potential pitfall in using cumulative exposure in exposure-response relationships: demonstration and discussion. *Am J Ind Med.* 28: 41-47.
- Finkelstein, MM. (1996). Asbestos-associated cancers in the Ontario refinery and petrochemical sector. *Am J Ind Med.* 30: 610-615. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199611\)30:5<610::AID-AJIM9>3.0.CO;2-W](http://dx.doi.org/10.1002/(SICI)1097-0274(199611)30:5<610::AID-AJIM9>3.0.CO;2-W).
- Finkelstein, MM. (1997). Radiographic asbestosis is not a prerequisite for asbestos-associated lung cancer in Ontario asbestos-cement workers. *Am J Ind Med.* 32: 341-348.
- Finkelstein, MM. (1999). Maintenance work and asbestos-related cancers in the refinery and petrochemical sector [Letter]. *Am J Ind Med.* 36: 326. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199908\)36:2<326::AID-AJIM12>3.0.CO;2-Q](http://dx.doi.org/10.1002/(SICI)1097-0274(199908)36:2<326::AID-AJIM12>3.0.CO;2-Q).
- Finkelstein, MM. (2008). Asbestos fibre concentrations in the lungs of brake workers: another look. *Ann Occup Hyg.* 52: 455-461. <http://dx.doi.org/10.1093/annhyg/men036>.
- Finkelstein, MM. (2009). Comments on Asbestos Fibre Concentrations in the Lungs of Brake Workers: Another Look Reply. *Ann Occup Hyg.* 53: 192-193. <http://dx.doi.org/10.1093/annhyg/men080>.
- Finkelstein, MM. (2010). Absence of radiographic asbestosis and the risk of lung cancer among asbestos-cement workers: Extended follow-up of a cohort. *Am J Ind Med.* 53: 1065-1069. <http://dx.doi.org/10.1002/ajim.20881>.
- Finkelstein, MM. (2011). Mesothelioma in a Connecticut Friction Plant: The Need for Transparency and Exposure Information in Attribution of Risk Reply. *Ann Occup Hyg.* 55: 820-822. <http://dx.doi.org/10.1093/annhyg/mer052>.
- Finkelstein, MM. (2012). Malignant mesothelioma incidence among talc miners and millers in New York State. *Am J Ind Med.* 55: 863-868. <http://dx.doi.org/10.1002/ajim.22063>.
- Finkelstein, MM. (2013). The analysis of asbestos count data with "nondetects": the example of asbestos fiber concentrations in the lungs of brake workers. *Am J Ind Med.* 56: 1482-1489. <http://dx.doi.org/10.1002/ajim.22262>.
- Finkelstein, MM. (2013). Pneumoconiosis and malignant mesothelioma in a family operated metal casting business that used industrial talc from New York state. *Am J Ind Med.* 56: 550-555. <http://dx.doi.org/10.1002/ajim.22159>.
- Finkelstein, MM. (2015). Asbestos Fibres in the Lungs of an American Mechanic Who Drilled, Riveted, and Ground Brake Linings: A Case Report and Discussion [Letter]. *Ann Occup Hyg.* 59: 525-527. <http://dx.doi.org/10.1093/annhyg/mev008>.
- Finkelstein, MM; Dufresne, A. (1999). Inferences on the kinetics of asbestos deposition and clearance among chrysotile miners and millers. *Am J Ind Med.* 35: 401-412. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199904\)35:4<401::AID-AJIM12>3.0.CO;2-4](http://dx.doi.org/10.1002/(SICI)1097-0274(199904)35:4<401::AID-AJIM12>3.0.CO;2-4).
- Finkelstein, MM; Meisenkothen, C. (2010). Malignant mesothelioma among employees of a Connecticut factory that manufactured friction materials using chrysotile asbestos. *Ann Occup Hyg.* 54: 692-696. <http://dx.doi.org/10.1093/annhyg/meq046>.
- Finkelstein, MM; Verma, DK. (2004). A cohort study of mortality among Ontario pipe trades workers. *Occup Environ Med.* 61: 736-742. <http://dx.doi.org/10.1136/oem.2003.011916>.

Fate Literature Search Results

Off Topic

- Finley, BL; Richter, RO; Mowat, FS; Mlynarek, S; Paustenbach, DJ; Warmerdam, JM; Sheehan, PJ. (2007). Cumulative asbestos exposure for US automobile mechanics involved in brake repair (circa 1950s-2000). *J Expo Sci Environ Epidemiol.* 17: 644-655. <http://dx.doi.org/10.1038/sj.jes.7500553>.
- Finn, MB; Hallenbeck, WH. (1984). Detection of chrysotile asbestos in workers' urine. *Am Ind Hyg Assoc J.* 45: 752-759. <http://dx.doi.org/10.1080/15298668491400566>.
- Finn, MB; Hallenbeck, WH. (1985). Detection of chrysotile asbestos in workers' urine. *Am Ind Hyg Assoc J.* 46: 162-169. <http://dx.doi.org/10.1080/15298668591394581>.
- Finocchiaro, C; Lark, A; Keating, M; Ugoni, A; Abramson, M. (1997). Does occupational exposure to brown coal dust cause a decline in lung function? *Occup Environ Med.* 54: 642-645.
- Fiorelli, J; Schmidt, R; Kawabata, CY; Lins de Oliveira, CE; Savastano Junior, H; Rossignolo, JA. (2012). Thermal efficiency of fiber cement corrugated sheets applied to individual housing for calves exposed to sun and shade. *Ciencia Rural.* 42: 64-67.
- First, MW; Love, D. (1982). ENGINEERING CONTROL OF ASBESTOS. *Am Ind Hyg Assoc J.* 43: 634-639.
- Firth, HM; Elwood, JM; Cox, B; Herbison, GP. (1999). Historical cohort study of a New Zealand foundry and heavy engineering plant. *Occup Environ Med.* 56: 134-138.
- Fischbein, A; Luo, JC; Lacher, M; Rosenfeld, S; Rosenbaum, A; Miller, A; Solomon, SJ. (1993). Respiratory findings among millwright and machinery erectors: identification of health hazards from asbestos in place at work. *Environ Res.* 61: 25-35. <http://dx.doi.org/10.1006/enrs.1993.1046>.
- Fischbein, A; Luo, JC; Pinkston, GR. (1991). Asbestosis, laryngeal carcinoma, and malignant peritoneal mesothelioma in an insulation worker. *Br J Ind Med.* 48: 338-341.
- Fischbein, A; Luo, JC; Rosenfeld, S; Lacher, M; Miller, A; Rosenbaum, A. (1991). Respiratory findings among ironworkers: Results from a clinical survey in the New York metropolitan area and identification of health hazards from asbestos in place at work. *Br J Ind Med.* 48: 404-411. <http://dx.doi.org/10.1136/oem.48.6.404>.
- Fischbein, A; Rohl, AN; Langer, AM; Selikoff, IJ. (1979). Drywall construction and asbestos exposure. *Am Ind Hyg Assoc J.* 40: 402-407. <http://dx.doi.org/10.1080/15298667991429750>.
- Fischbein, A; Rohl, AN; Langer, AM; Selikoff, IJ. (1979). DRYWALL CONSTRUCTION AND ASBESTOS EXPOSURE - REPLY. *Am Ind Hyg Assoc J.* 40: 829-830.
- Fischbein, A; Rohl, AN; Langer, AM; Selikoff, IJ. (1981). Past asbestos exposure among cable splicers. *Am J Public Health.* 71: 1277-1278.
- Fischer, M; Günther, S; Müller, KM. (2002). Fibre-years, pulmonary asbestos burden and asbestosis. *Int J Hyg Environ Health.* 205: 245-248. <http://dx.doi.org/10.1078/1438-4639-00149>.
- Fish, R. (1977). GRAPHS SHOW LAKE ASBESTOS AT 2 FIBERS PER CC. 98: 38-&.
- Fisher, CE; Brown, DM; Shaw, J; Beswick, PH; Donaldson, K. (1998). Respirable fibres: surfactant coated fibres release more Fe³⁺ than native fibres at both pH 4.5 and 7.2. *Ann Occup Hyg.* 42: 337-345.
- Fitzgerald, NR; Flanagan, WM; Evans, WK; Miller, AB; Working, CPaCCRMLC. (2015). Eligibility for low-dose computerized tomography screening among asbestos-exposed individuals. *Scand J Work Environ Health.* 41: 407-412. <http://dx.doi.org/10.5271/sjweh.3496>.
- Fitz-Simons, T; Beard, ME. (1982). Simulation Of The EPA Provisional Method For Airborne Asbestos Concentrations (pp. Materials and Analytical Methods). (NIOSH/00146036). Fitz-Simons, T; Beard, ME.
- Flechsig, R. (1991). Peritoneal Mesothelioma How a Good Occupational Case History Can Best Be Used [Letter]. *Ind Health.* 29: 73-76.
- Fleming, DW; Rubin, GA. (1978). DIELECTRIC CHARACTERIZATION OF UICC ASBESTOS SAMPLES. *Powder Technology.* 20: 261-271.
- Fletcher, AC; Engholm, G; Englund, A. (1993). The risk of lung cancer from asbestos among Swedish construction workers: self-reported exposure and a job exposure matrix compared. *Int J Epidemiol.* 22 Suppl 2: S29-S35.
- Fletcher, LS; Barber, S; Anderson, AE; Fobian, J; Gratch, S; McCullogh, J; Nelson, R; Rabins, MJ; Radlinski, R; Rabinowicz, E. (1990). FEASIBILITY ANALYSIS OF ASBESTOS REPLACEMENT IN AUTOMOBILE AND TRUCK BRAKE SYSTEMS. *Mech Eng (Am Soc Mech Eng).* 112: 50-56.
- Fletcher, RA; Small, JA; Blackburn, DH. (1998). Heated inlet sampling system for removing carbonaceous aerosol. *Aerosol Sci Technol.* 28: 283-291.
- Flick, K. (1981). MEASUREMENTS FOR THE DETERMINATION OF THE CONCENTRATION OF RESPIRABLE ASBESTOS DUST PRODUCED IN THE PROCESSING OF ASBESTOS IN THE TEXTILE-INDUSTRY. *Staub, Reinhaltung der Luft.* 41: 113-117.
- Flohr, MJK. (1994). TITANIUM, VANADIUM, AND NIOBIUM MINERALIZATION AND ALKALI METASOMATISM FROM THE MAGNET COVE COMPLEX, ARKANSAS. *Econ Geol.* 89: 105-130.
- Flohr, MJK; Huebner, JS. (1992). MINERALOGY AND GEOCHEMISTRY OF 2 METAMORPHOSED SEDIMENTARY MANGANESE DEPOSITS, SIERRA-NEVADA, CALIFORNIA, USA. *Lithos.* 29: 57-85.
- Flowers, ES. (1974). Relationship between exposure to asbestos, collagen formation, ferruginous bodies, and carcinoma. *Am Ind Hyg Assoc J.* 35: 724-729. <http://dx.doi.org/10.1080/0002889748507093>.
- Fokin, MA; Cohn, CA; Hylton, S; Schoonen, MA. (2009). Detecting asbestos-promoted (OH)-O-center dot using APF. *Geochim Cosmo Acta.* 73: A387-A387.
- Fonseca, PC, deF; de Almeida, EA; Passini, R. (2011). THERMAL COMFORT INDICES IN INDIVIDUAL SHELTERS FOR DAIRY CALVES WITH DIFFERENT TYPES OF ROOFS. *Engenharia Agricola.* 31: 1044-1051.
- Fonseca, PC, deF; de Almeida, EA; Passini, R. (2012). EVALUATION OF COVERING MATERIALS IN INDIVIDUAL SHELTERS AND ITS EFFECTS ON PHYSIOLOGICAL RESPONSES AND PERFORMANCE OF DAIRY CALVES. *Engenharia Agricola.* 32: 1041-1047.
- Fontaine, JH; Trayer, DM. (1975). Asbestos control in steam-electric generating plants. *Am Ind Hyg Assoc J.* 36: 126-130. <http://dx.doi.org/10.1080/0002889758507220>.

Fate Literature Search Results

Off Topic

- Fonte, R; Gambettino, S; Melazzini, M; Scelsi, M; Zanon, C; Candura, SM. (2004). Asbestos-induced peritoneal mesothelioma in a construction worker. *Environ Health Perspect.* 112: 616-619.
- Force, DotA. (1994). Disposal and Reuse of Castle Air Force Base, California. Final Environmental Impact Statement (pp. 791). (NTIS/03005364_a).
- Force, ER. (1998). Laramide alteration of Proterozoic diabase: A likely contributor of copper to porphyry systems in the Dripping Spring mountains area, southeastern Arizona. *Econ Geol.* 93: 171-183.
- Foreland, S; Bugge, MD; Bakke, B; Bye, E; Eduard, W. (2012). A Novel Strategy for Retrospective Exposure Assessment in the Norwegian Silicon Carbide Industry. *J Occup Environ Hyg.* 9: 230-241. <http://dx.doi.org/10.1080/15459624.2012.666189>.
- Foresti, E; Fornero, E; Lesci, IG; Rinaudo, C; Zuccheri, T; Roveri, N. (2009). Asbestos health hazard: a spectroscopic study of synthetic geoinspired Fe-doped chrysotile. *J Hazard Mater.* 167: 1070-1079. <http://dx.doi.org/10.1016/j.jhazmat.2009.01.103>.
- Foresti, E; Hochella, MF; Konishi, H; Lesci, IG; Madden, AS; Roveri, N; Xu, HF. (2005). Morphological and chemical/physical characterization of Fe-doped synthetic chrysotile nanotubes. *Adv Funct Mater.* 15: 1009-1016. <http://dx.doi.org/10.1002/adfm.200400355>.
- Fornero, E; Allegrina, M; Rinaudo, C; Mazziotti-Tagliani, S; Gianfagna, A. (2008). Micro-Raman spectroscopy applied on oriented crystals of fluoro-edenite amphibole. *Periodico di Mineralogia.* 77: 5-14. <http://dx.doi.org/10.2451/2008PM0008>.
- Fornero, E; Belluso, E; Capella, S; Bellis, D. (2009). Environmental exposure to asbestos and other inorganic fibres using animal lung model. *Sci Total Environ.* 407: 1010-1018. <http://dx.doi.org/10.1016/j.scitotenv.2008.10.021>.
- Forster, H; Tiesler, H. (1993). CONTRIBUTION TO COMPARABILITY OF IN-VITRO AND IN-VIVO MAN-MADE MINERAL FIBER (MMMMF) DURABILITY EXPERIMENTS. 66: 255-266.
- Fouillac, AM; Girard, JP. (1996). Laser oxygen isotope analysis of silicate/oxide grain separates: Evidence for a grain size effect? *Chem Geol.* 130: 31-54.
- Fournier, E. (1996). [Asbestos and protection of the population exposed to inhalation of asbestos fibers in public and private buildings]. *Bull Acad Natl Med.* 180: 887-905.
- Fournier-Massey, G; Wong, G; Hall, TC. (1984). Retired and former asbestos workers in Hawaii. *Am J Ind Med.* 6: 139-153.
- Foustoukos, DI; Savov, IP; Janecky, DR. (2008). Chemical and isotopic constraints on water/rock interactions at the Lost City hydrothermal field, 30 degrees N Mid-Atlantic Ridge. *Geochim Cosmo Acta.* 72: 5457-5474. <http://dx.doi.org/10.1016/j.gca.2008.07.035>.
- Fowler, DP. (1977). Industrial Hygiene Survey Report at Celotex Corporation, Pittston, Pennsylvania (pp. 210-276). (NIOSH/00106256). Fowler, DP.
- Fowler, DP. (2000). Exposures to asbestos arising from bandsawing gasket material. *Appl Occup Environ Hyg.* 15: 404-408. <http://dx.doi.org/10.1080/104732200301359>.
- Fowler, DP; et al. (1978). Industrial Hygiene Survey Report, Forty-Eight Insulations, Inc. in Aurora, Illinois (pp. 19781978). (NIOSH/00106151). Fowler, DP; Et al.
- Fox, DL. (1987). Air pollution [Review]. *Anal Chem.* 59: 280R-294R.
- Fox, DL. (1993). AIR-POLLUTION. *Anal Chem.* 65: R156-R170.
- Franceschelli, M; Carcangiu, G; Caredda, AM; Cruciani, G; Memmi, I; Zucca, M. (2002). Transformation of cumulate mafic rocks to granulite and re-equilibration in amphibolite and greenschist facies in NE Sardinia, Italy. *Lithos.* 63: 1-18.
- Franceschelli, M; Eltrudis, A; Memmi, I; Palmeri, R; Carcangiu, G. (1998). Multi-stage metamorphic re-equilibration in eclogitic rocks from the Hercynian basement of NE Sardinia (Italy). *Mineralogy and Petrology.* 62: 167-193.
- Franchini, MB; Meinert, LD; Valles, JM. (2002). First occurrence of ilvaite in a gold skarn deposit. *Econ Geol.* 97: 1119-1126.
- Frank, A; Rohl, A; Wade, M; Lipkin, L. (1979). Biological activity in vitro of chrysotile compared to its quarried parent rock (platy serpentine). *J Environ Pathol Toxicol.* 2: 1041-1046.
- Frank, AL. (1980). Clinical observations following asbestos exposure. *Environ Health Perspect.* 34: 27-30.
- Frank, AL. (1993). GLOBAL PROBLEMS FROM EXPOSURE TO ASBESTOS [Review]. *Environ Health Perspect.* 101: 165-167.
- Frank, AL. (2007). Ban on asbestos diaphragms in the chlorine-related chemical industry and efforts toward a worldwide ban - Comment. *Int J Occup Environ Health.* 13: 84-84.
- Frank, AL; Dodson, RF; Williams, MG. (1998). Carcinogenic implications of the lack of tremolite in UICC reference chrysotile. *Am J Ind Med.* 34: 314-317.
- Frank, AL; Joshi, TK. (2014). The global spread of asbestos [Review]. 80: 257-262. <http://dx.doi.org/10.1016/j.aogh.2014.09.016>.
- Franklin, P; Alfonso, H; Reid, A; Olsen, N; Shilkin, KB; Brims, F; de Klerk, N; Musk, AW. (2016). Asbestos exposure and histological subtype of malignant mesothelioma. *Occup Environ Med.* 73: 749-752. <http://dx.doi.org/10.1136/oemed-2016-103721>.
- Franklin, P; Reid, A; Olsen, N; Peters, S; de Klerk, N; Brims, F; Threlfall, T; Murray, R; Musk, AB. (2016). Incidence of malignant mesothelioma in Aboriginal people in Western Australia. *Aust N Z J Public Health.* 40: 383-387. <http://dx.doi.org/10.1111/1753-6405.12542>.
- Franklin, P; Robinson, M; Abaogye-Sarfo, P; Samuel, L; Olsen, N; Mina, R; Musk, AW; Reid, A. (2015). The mental health of asbestos-exposed subjects with pleural abnormalities. *Int Arch Occup Environ Health.* 88: 343-350. <http://dx.doi.org/10.1007/s00420-014-0960-7>.
- Franko, A; Dodic-Fikfak, M; Arnerić, N; Dolzan, V. (2007). Glutathione S-transferases GSTM1 and GSTT1 polymorphisms and asbestosis. *J Occup Environ Med.* 49: 667-671. <http://dx.doi.org/10.1097/JOM.0b013e318065b855>.
- Franko, A; Dolzan, V; Arnerić, N; Dodic-Fikfak, M. (2008). Asbestosis and catalase genetic polymorphism. *Arh Hig Rada Toksikol.* 59: 233-240. <http://dx.doi.org/10.2478/10004-1254-59-2008-1907>.
- Franko, A; Dolzan, V; Arnerić, N; Dodic-Fikfak, M. (2008). The influence of genetic polymorphisms of GSTP1 on the development of asbestosis. *J Occup Environ Med.* 50: 7-12. <http://dx.doi.org/10.1097/JOM.0b013e31815cbab5>.
- Franzblau, A; Garabrant, DH. (2004). Respiratory impairment due to asbestos exposure in brake-lining workers [Letter]. *Environ Res.* 96: 105-106; author reply 106-108. <http://dx.doi.org/10.1016/j.envres.2004.04.005>.

Fate Literature Search Results

Off Topic

- Freed, JA; Miller, A; Gordon, RE; Fischbein, A; Kleinerman, J; Langer, AM. (1991). Desquamative interstitial pneumonia associated with chrysotile asbestos fibres. *Br J Ind Med.* 48: 332-337.
- Freeman, MD; Kohles, SS. (2012). Assessing specific causation of mesothelioma following exposure to chrysotile asbestos-containing brake dust [Review]. *Int J Occup Environ Health.* 18: 329-336. <http://dx.doi.org/10.1179/2049396712Y.0000000002>.
- Frei, R; Bridgwater, D; Rosing, T; Stecher, O. (1999). Controversial Pb-Pb and Sm-Nd isotope results in the early Archean Isua (West Greenland) oxide iron formation: Preservation of primary signatures versus secondary disturbances. *Geochim Cosmo Acta.* 63: 473-488.
- Freimuth, VS; Vannevel, JP. (1993). CHANNELS AND VEHICLES OF COMMUNICATION - THE ASBESTOS AWARENESS CAMPAIGN. *Am J Ind Med.* 23: 105-111.
- Freville, L; Moulut, JC; Grzebyk, M; Kauffer, E. (2010). Producing samples for the organization of proficiency tests. Study of the homogeneity of replicas produced from two atmosphere generation systems. *Ann Occup Hyg.* 54: 659-670. <http://dx.doi.org/10.1093/annhyg/meq031>.
- Friedrichs, KH. (1987). IMMISSION THROUGH ASBESTOS CEMENT PRODUCTS .2. COMMENT. *Staub, Reinhaltung der Luft.* 47: 122-122.
- Friedrichs, KH; Brockmann, M; Fischer, M; Wick, G. (1992). Electron microscopy analysis of mineral fibers in human lung tissue. *Am J Ind Med.* 22: 49-58.
- Friedrichs, KH; Chiappino, G; Forni, A; Wick, G. (1993). ASBESTOS BODIES IN LUNG-TISSUE - A COMPARISON STUDY OF LM, SEM, AND TEM. 3: 243-254.
- Friedrichs, KH; Einbrodt, HJ. (1976). The measurement of fibre concentration in lung dusts (pp. 5-6). (HEEP/77/00258). Friedrichs, KH; Einbrodt, HJ.
- Friedrichs, KH; Otto, H. (1981). Fibers in human lung dust samples: a scanning electron microscope study. *Am Ind Hyg Assoc J.* 42: 150-156. <http://dx.doi.org/10.1080/15298668191419497>.
- Friedrichs, KH; Otto, H. (1981). METHODOLOGY OF LUNG DUST ANALYSIS FOR DEMONSTRATION OF OCCUPATIONAL ASBESTOS EXPOSURE. *Arbeitsmedizin, Sozialmedizin, Praeventivmedizin.* 16: 189-191.
- Friedrichs, KH; Otto, H; Fischer, M. (1992). CRITERIA FOR ANALYSIS OF FIBERS IN PULMONARY DUSTS. *Arbeitsmedizin, Sozialmedizin, Praeventivmedizin.* 27: 228-232.
- Friedrichs, KH; Teschler, H; Wick, G; Konietzko, N; Costabel, U. (1991). [Asbestos content in bronchoalveolar lavage fluid]. *Zentralblatt fuer Hygiene und Umweltmedizin.* 192: 336-343.
- Frimmel, HE. (1996). Witwatersrand iron-formations and their significance for gold genesis and the composition limits of orthoamphibole. *Mineralogy and Petrology.* 56: 273-295.
- Fritschi, L; Chan, J; Hutchings, SJ; Driscoll, TR; Wong, AY; Carey, RN. (2016). The future excess fraction model for calculating burden of disease. *BMC Public Health.* 16: 386. <http://dx.doi.org/10.1186/s12889-016-3066-1>.
- Froom, P; Lahat, N; Kristal-Boneh, E; Cohen, C; Lerman, Y; Ribak, J. (2000). Circulating natural killer cells in retired asbestos cement workers. *J Occup Environ Med.* 42: 19-24.
- Frost, BR; Evans, KA; Swapp, SM; Beard, JS; Mothersole, FE. (2013). The process of serpentinization in dunite from New Caledonia. *Lithos.* 178: 24-39. <http://dx.doi.org/10.1016/j.lithos.2013.02.002>.
- Frost, G; Darnton, A; Harding, AH. (2011). The effect of smoking on the risk of lung cancer mortality for asbestos workers in Great Britain (1971-2005). *Ann Occup Hyg.* 55: 239-247. <http://dx.doi.org/10.1093/annhyg/meq089>.
- Frost, V; Wesnik, E. (1983). EXPERIENCES WITH THE SUBSTITUTION OF ASBESTOS IN PLANTS PRODUCING BREAK LININGS, SEALS ETC. *Chem Tech (Leipzig).* 35: 485-485.
- Fruh-Green, GL; Scambelluri, M; Vallis, F. (2001). O-H isotope ratios of high pressure ultramafic rocks: implications for fluid sources and mobility in the subducted hydrous mantle. *Contributions to Mineralogy and Petrology.* 141: 145-159.
- Frumkin, H; Berlin, J. (1988). Asbestos exposure and gastrointestinal malignancy review and meta-analysis [Review]. *Am J Ind Med.* 14: 79-95.
- Frumkin, H; Berlin, JA. (1991). ASBESTOS EXPOSURE AND GASTROINTESTINAL CANCER - A RESPONSE. *Am J Ind Med.* 19: 409-411.
- Fry, JS; Woolley, AJ; McDonald, JC; McDonald, AD. (1983). RESPIRATORY CANCER IN CHRYSOTILE PRODUCTION AND TEXTILE MANUFACTURE. *Scand J Work Environ Health.* 9: 69-70.
- Fryirs, K; Snape, I, an; Babicka, N. (2013). The type and spatial distribution of past waste at the abandoned Wilkes Station, East Antarctica. *Polar Rec (Gr Brit).* 49: 328-347. <http://dx.doi.org/10.1017/S0032247412000721>.
- Fu, B, in; Valley, JW; Kita, NT; Spicuzza, MJ; Paton, C; Tsujimori, T; Broecker, M; Harlow, GE. (2010). Multiple origins of zircons in jadeitite. *Contributions to Mineralogy and Petrology.* 159: 769-780. <http://dx.doi.org/10.1007/s00410-009-0453-y>.
- Fubini, B. (1997). Surface reactivity in the pathogenic response to particulates [Review]. <http://dx.doi.org/10.2307/3433502>.
- Fubini, B; Barcelo, F; Arean, CO. (1997). Ferritin adsorption on amosite fibers: Possible implications in the formation and toxicity of asbestos bodies. *J Toxicol Environ Health.* 52: 343-352. <http://dx.doi.org/10.1080/00984109708984069>.
- Fubini, B; Fenoglio, I. (2007). Toxic potential of mineral dusts. *Elements.* 3: 407-414. <http://dx.doi.org/10.2113/GSELEMENTS.3.6.407>.
- Fubini, B; Mollo, L; Bodoardo, S; Onida, B; Oberson, D; Lafuma, C. (1997). Evaluation of the surface acidity of some phyllosilicates in relation to their inactivating activity toward the enzyme human leucocyte elastase. *Langmuir.* 13: 919-927.
- Fuertes-Fuente, M; Martin-Izard, A; Nieto, JG; Maldonado, C; Varela, A. (2000). Preliminary mineralogical and petrological study of the Ortosa Au-Bi-Te ore deposit: a reduced gold skarn in the northern part of the Rio Narcea Gold Belt, Asturias, Spain. *J Geochem Explor.* 71: 177-190.
- Fujii, H; Matsumoto, T; Hata, N; Nakano, T; Kohno, M; Nogi, K. (2000). Surface tension of molten silicon measured by the electromagnetic levitation method under microgravity. *Metallurgical and Materials Transactions A.* 31: 1585-1589.
- Fujii, H; Matsumoto, T; Izutani, S; Kiguchi, S; Nogi, K. (2006). Surface tension of molten silicon measured by microgravity oscillating drop method and improved sessile drop method. *Acta Materialia.* 54: 1221-1225. <http://dx.doi.org/10.1016/j.actamat.2005.10.058>.

Fate Literature Search Results

Off Topic

- Fujishige, M; Kuribara, A; Karasawa, I; Kojima, A. (2007). Low-temperature pyrolysis of crocidolite and amosite using calcium salts as a flux. *Ceramic Society of Japan Journal*. 115: 434-439.
- Fujishige, M; Obuchi, H; Sato, R; Kojima, A. (2006). Low temperature decomposition of Chrysotile in sprayed asbestos using salts. *Ceramic Society of Japan Journal*. 114: 355-358.
- Fujishige, M; Sato, R; Kuribara, A; Karasawa, I; Kojima, A. (2006). CaCl₂ addition effect and melt formation in low-temperature decomposition of chrysotile with CaCO₃. *Ceramic Society of Japan Journal*. 114: 844-848.
- Fujishige, M; Sato, R; Kuribara, A; Karasawa, I; Kojima, A. (2006). Low-temperature decomposition of sprayed-on asbestos. *Ceramic Society of Japan Journal*. 114: 1133-1137.
- Fujita, T; Sugimori, K; Nakazawa, H. (1993). FORMATION OF NA-SEPIOLITE FIBERS BY HYDROTHERMAL TREATMENT OF NA-FLUOR-TAENIOLITE AND NA-FLUOR-TETRA-SILICIC MICA. 101: 600-603.
- Fujiwara, H; Kamimori, T; Morinaga, K; Takeda, Y; Kohyama, N; Miki, Y; Inai, K; Yamamoto, S. (2005). An autopsy case of primary pericardial mesothelioma in arc cutter exposed to asbestos through talc pencils. *Ind Health*. 43: 346-350.
- Fukagawa, NK; Li, M; Sabo-Attwood, T; Timblin, CR; Butnor, KJ; Gagne, J; Steele, C; Taatjes, DJ; Huber, S; Mossman, BT. (2008). Inhaled Asbestos Exacerbates Atherosclerosis in Apolipoprotein E--Deficient Mice via CD4⁺ T Cells. *Environ Health Perspect*. 116: 1218-1225. <http://dx.doi.org/10.1289/ehp.11172>.
- Funari, E; Bastone, A; Bottoni, P; De Donno, D; Donati, L. (1991). Quality problems in waters used for drinking purposes in Italy. *Biomed Environ Sci*. 4: 339-347.
- Furlan, C; Mortarino, C. (2012). Pleural mesothelioma: forecasts of the death toll in the area of Casale Monferrato, Italy. *Stat Med*. 31: 4114-4134. <http://dx.doi.org/10.1002/sim.5523>.
- Furness, IW; Reed, PJ. (1985). The Assessment Of A Modification To The Acetoneriacetin Clearing Technique As Used In The Measurement Of Airborne Asbestos Dust. *Ann Occup Hyg*. 29: 109-112.
- Furuya, S; Natori, Y; Ikeda, R. (2003). Asbestos in Japan. *Int J Occup Environ Health*. 9: 260-265. <http://dx.doi.org/10.1179/oeh.2003.9.3.260>.
- Fuxi, G; JingYan, C; HuanSheng, C; DongHong, G; GuoYao, R; XiangMing, F; JunQing, D; HongXia, Z. (2010). The non-destructive analysis of ancient jade artifacts unearthed from the Liangzhu sites at Yuhang, Zhejiang. *Science China Technological Sciences*. 53: 3404-3419. <http://dx.doi.org/10.1007/s11431-010-4167-1>.
- Gabbanelli, F; Mattioli-Belmonte, M; Giantomassi, F; Rimondini, L; Viticchi, C; Biagini, G; Torricelli, P; Gualtieri, AF; Lesci, IG; Giardino, R. (2003). Exploring the damage limitation possibilities of mineral fibres for future integrated solutions: an in vitro study. *Int J Artif Organs*. 26: 73-79.
- Gadikota, G; Natali, C; Boschi, C; Park, AH. (2014). Morphological changes during enhanced carbonation of asbestos containing material and its comparison to magnesium silicate minerals. *J Hazard Mater*. 264: 42-52. <http://dx.doi.org/10.1016/j.jhazmat.2013.09.068>.
- Gaensler, EA. (1977). Pleural Complications from Asbestos Exposure. *J Occup Environ Med*. 19: 286.
- Gaensler, EA. (1994). ASBESTOS EXPOSURE IN BUILDINGS (pp. S98-S110). (ISSN 0341-3055; BIOSIS/94/30152). Gaensler, EA.
- Gaffuri, E. (2009). The lung burden of amphibole asbestos fibers in workers exposed and dead. *Med Lav*. 100: 315-315.
- Gaggero, L; Cortesogno, L. (1997). Metamorphic evolution of oceanic gabbros: recrystallization from subsolidus to hydrothermal conditions in the MARK area (ODP Leg 153). *Lithos*. 40: 105-131.
- Gagnon, MDN; Normand, C. (2008). Distribution of Ni-Fe alloys in the serpentinized harzburgites of the Jeffrey Mine, Asbestos, Quebec. *Geochim Cosmo Acta*. 72: A289-A289.
- Galgani, F; Chiffolleau, JF; Orsoni, V; Costantini, L; Boissery, P; Calendini, S; Andral, B. (2006). Chemical contamination and sediment toxicity along the coast of Corsica. *Chem Ecol*. 22: 299-312. <http://dx.doi.org/10.1080/02757540600812156>.
- Galimany, E; Ramón, M; Delgado, M. (2009). First evidence of fiberglass ingestion by a marine invertebrate (*Mytilus galloprovincialis* L.) in a N.W. Mediterranean estuary. *Mar Pollut Bull*. 58: 1334-1338. <http://dx.doi.org/10.1016/j.marpolbul.2009.04.027>.
- Gall, CA; Reif, KE; Scoles, GA; Mason, KL; Mousel, M; Noh, SM; Brayton, KA. (2016). The bacterial microbiome of *Dermacentor andersoni* ticks influences pathogen susceptibility. *ISME J*. 10: 1846-1855. <http://dx.doi.org/10.1038/ismej.2015.266>.
- Gallagher, LG; Park, RM; Checkoway, H. (2015). Extended follow-up of lung cancer and non-malignant respiratory disease mortality among California diatomaceous earth workers. *Occup Environ Med*. 72: 360-365. <http://dx.doi.org/10.1136/oemed-2014-102412>.
- Gällentoft, L; Pettersson, LM; Danielsen, N; Schouenborg, J; Prinz, CN; Linsmeier, CE. (2015). Size-dependent long-term tissue response to biostable nanowires in the brain. *Biomaterials*. 42: 172-183. <http://dx.doi.org/10.1016/j.biomaterials.2014.11.051>.
- Galley, AG; Jonasson, IR; Watkinson, DH. (2000). Magnetite-rich calc-silicate alteration in relation to synvolcanic intrusion at the Ansil volcanogenic massive sulfide deposit, Rouyn-Noranda, Quebec, Canada. *Miner Depos*. 35: 619-637.
- Gamble, JF. (1993). A NESTED CASE CONTROL STUDY OF LUNG-CANCER AMONG NEW-YORK TALC WORKERS. *Int Arch Occup Environ Health*. 64: 449-456.
- Gamble, JF. (1994). Asbestos and colon cancer: a weight-of-the-evidence review. *Environ Health Perspect*. 102: 1038-1050.
- Gamble, JF; Lewis, RJ; Jorgensen, G. (2000). Mortality among three refinery/petrochemical plant cohorts. II. Retirees. *J Occup Environ Med*. 42: 730-736.
- Gamsu, G. (1989). High-resolution CT in the diagnosis of asbestos-related pleuroparenchymal disease [Editorial]. *Am J Ind Med*. 16: 115-117.
- Gamsu, G. (1991). Computed tomography and high-resolution computed tomography of pneumoconioses [Review]. *J Occup Med*. 33: 794-796.
- Gan, L; Savransky, EF; Fasy, TM; Johnson, EM. (1993). Transfection of human mesothelial cells mediated by different asbestos fiber types. *Environ Res*. 62: 28-42.
- Gandhi, S; Lyon, R; Speitel, L. (1999). Potential health hazards from burning aircraft composites. *J Fire Sci*. 17: 20-41.

Fate Literature Search Results

Off Topic

- Gandolfi, NB; Gualtieri, AF; Pollastri, S; Tibaldi, E; Belpoggi, F. (2015). Assessment of asbestos body formation by high resolution FEG-SEM after exposure of Sprague-Dawley rats to chrysotile, crocidolite, or erionite. *J Hazard Mater.* 306: 95-104. <http://dx.doi.org/10.1016/j.jhazmat.2015.11.050>.
- Gandy, M. (1999). Rethinking the ecological leviathan: environmental regulation in an age of risk. *Global Environ Change.* 9: 59-69.
- Gangemi, S; Rapisarda, V; Minciullo, PL; Di Pasquale, G; Lombardo, G; Valentino, M; Fenga, C. (2005). Circulating levels of interleukin-18 in asbestos-exposed workers. *Toxicol Ind Health.* 21: 125-129. <http://dx.doi.org/10.1191/0748233705th221oa>.
- Ganguly, A; George, R. (2008). Asbestos free friction composition for brake linings. *Bulletin of Materials Science.* 31: 19-22.
- Ganor, E; Fischbein, A; Brenner, S; Froom, P. (1992). Extreme airborne asbestos concentrations in a public building. *Br J Ind Med.* 49: 486-488.
- Ganotes, JT; Tan, HT. (1980). ASBESTOS IDENTIFICATION BY DISPERSION STAINING MICROSCOPY. *Am Ind Hyg Assoc J.* 41: 70-73.
- Gao, Z; Hiroshima, K; Wu, X; Zhang, J; Shao, D; Shao, H; Yang, H; Yusa, T; Kiyokawa, T; Kobayashi, M; Shinohara, Y; Røe, OD; Zhang, X; Morinaga, K. (2015). Asbestos textile production linked to malignant peritoneal and pleural mesothelioma in women: Analysis of 28 cases in Southeast China. *Am J Ind Med.* 58: 1040-1049. <http://dx.doi.org/10.1002/ajim.22494>.
- GaoXiang, D; ShuiLin, Z; Hao, D. (2009). Process optimization of reaction of acid leaching residue of asbestos tailing and sodium hydroxide aqueous solution. *Science in China Series E: Technological Sciences.* 52: 204-209. <http://dx.doi.org/10.1007/s11431-009-0030-7>.
- Garabrant, DH; Alexander, DD; Miller, PE; Fryzek, JP; Boffetta, P; Teta, MJ; Hessel, PA; Craven, VA; Kelsh, MA; Goodman, M. (2015). Mesothelioma among Motor Vehicle Mechanics: An Updated Review and Meta-analysis [Review]. *Ann Occup Hyg.* 60: 8-26. <http://dx.doi.org/10.1093/annhyg/mev060>.
- Garabrant, DH; Peters, RK; Homa, DM. (1992). Asbestos and colon cancer: Lack of association in a large case-control study. *Am J Epidemiol.* 135: 843-853.
- García C, BM; Fonseca J, AC; Gutierrez, J. R.; De La MAZA M, CR. (1987). ASBESTOS CONTAMINATION IN A MOZAMBIKAN LUSALITE FACTORY (pp. 8-11). (BIOSIS/87/34579). García C, BM; Fonseca J, AC; Gutierrez, JR; De La MAZA M, CR.
- García Gómez, M; Artieda Pellejero, L; Esteban Buedo, V; Guzmán Fernández, A; Camino Durán, F; Martínez Castillo, A; Lezzáun Goñi, M; Gallo Fernández, M; González García, I; Martínez Arguisuelas, N; Elvira Espinosa, M; Sánchez de Navas, AM; Zimmermann Verdejo, M; Campos Acedo, R; Galván Olivares, F; Castañeda López, R; Estaún Blasco, E; Castell Salvá, R; Martínez-Portillo, LM; Rubio Sanz, A; Unamuno Achúcarro, A; Fernández Fernández, I; Lama Herrera, C; Mayoral Cortés, JM. (2006). [Health surveillance of workers exposed to asbestos: an example of cooperation between the occupational prevention system and the national health system]. *Rev Esp Salud Publica.* 80: 27-39.
- García Gomez, M; Castaneda Lopez, R. (2009). EVALUATION OF THE HEALTH SURVEILLANCE OF WORKERS WHO HAVE BEEN EXPOSED TO ASBESTOS IN SPAIN 2004-2007. *Gac Sanit.* 23: 5-5.
- García Gómez, M; Menéndez-Navarro, A; Castañeda López, R. (2012). [Incidence of asbestosis and other benign lung diseases: Spain, 1962-2010]. *Rev Esp Salud Publica.* 86: 613-625. <http://dx.doi.org/10.4321/S1135-57272012000600007>.
- García, JG; Griffith, DE; Cohen, AB; Callahan, KS. (1989). Alveolar macrophages from patients with asbestos exposure release increased levels of leukotriene B4. *Am Rev Respir Dis.* 139: 1494-1501. <http://dx.doi.org/10.1164/ajrccm/139.6.1494>.
- García Lopez, V; Beloqui, A; Parra, A; Hoyo, A; Alsua, C; Palomino, M; Cipriain, C; Artieda, L. (2009). EVALUATION OF THE HEALTH SURVEILLANCE OF WORKERS EXPOSED TO ASBESTOS IN NAVARRA. YEAR 2007. *Gac Sanit.* 23: 6-6.
- García-Casco, A; Lazaro, C; Rojas-Agramonte, Y; Kroener, A; Torres-Roldan, RL; Nunez, K; Neubauer, F; Millan, G; Blanco-Quintero, I. (2008). Partial melting and counterclockwise P-T path of subducted oceanic crust (Sierra del Convento Melange, Cuba). *Journal of Petrology.* 49: 129-161. <http://dx.doi.org/10.1093/petrology/egm074>.
- García-Closas, M; Christiani, DC. (1995). Asbestos-related diseases in construction carpenters. *Am J Ind Med.* 27: 115-125. <http://dx.doi.org/10.1002/ajim.4700270111>.
- García-Gómez, M; Menéndez-Navarro, A; López, RC. (2015). Asbestos-related occupational cancers compensated under the Spanish National Insurance System, 1978-2011. *Int J Occup Environ Health.* 21: 31-39. <http://dx.doi.org/10.1179/2049396714Y.0000000087>.
- García-Guinea, J; Sapalski, C; Cardenas, V; Lombardero, M. (2000). Mineral inlays in natural stone slabs: techniques, materials and preservation. *Construction and Building Materials.* 14: 365-373.
- García-Lopez, MD; Barrera-Rodriguez, R. (2000). Malignant mesothelioma: Clinical and radiological picture of 45 cases with or without exposure to asbestos. *Salud Publica Mex.* 42: 511-519.
- García-López, MP; Barrera-Rodríguez, R. (2000). [Malignant mesothelioma: clinical and radiological description of 45 cases with and without asbestos exposure] [Review]. *Salud Publica Mex.* 42: 511-519.
- García-Montero, LG; Manjon, JL; Martin-Fernandez, S; Di Massimo, G. (2007). Problems of using pines in Tuber melanosporum culture: soils and truffle harvest associated with Pinus nigra and P-sylvestris. *Agroforestry Systems.* 70: 243-249. <http://dx.doi.org/10.1007/s10457-007-9052-y>.
- Gardner, MJ; Powell, CA. (1986). Mortality of asbestos cement workers using almost exclusively chrysotile fibre. *J Soc Occup Med.* 36: 124-126.
- Gardner, MJ; Powell, CA. (1987). MORTALITY OF ASBESTOS-CEMENT WORKERS USING ALMOST EXCLUSIVELY CHRYSOTILE FIBER. *Scand J Work Environ Health.* 13: 170-170.
- Gardner, MJ; Powell, CA; Gardner, AW; Winter, PD; Fletcher, AC. (1988). Continuing high lung cancer mortality among ex-amosite asbestos factory workers and a pilot study of individual anti-smoking advice. *J Soc Occup Med.* 38: 69-72.
- Gardner, MJ; Winter, PD; Pannett, B; Powell, CA. (1986). Follow up study of workers manufacturing chrysotile asbestos cement products. *Br J Ind Med.* 43: 726-732.
- Garg, BD; Cadle, SH; Mulawa, PA; Groblicki, PJ. (2000). Brake wear particulate matter emissions. *Environ Sci Technol.* 34: 4463-4469.

Fate Literature Search Results

Off Topic

- Garrido, CJ; Sanchez-Vizcaino, VL; Gomez-Pugnaire, MT; Trommsdorff, V; Alard, O; Bodinier, JL; Godard, M. (2005). Enrichment of HFSE in chlorite-harzburgite produced by high-pressure dehydration of antigorite-serpentinite: Implications for subduction magmatism. *G-cubed*. 6. <http://dx.doi.org/10.1029/2004gc000791>.
- Garshick, E; Schenker, MB; Woskie, SR; Speizer, FE. (1987). Past Exposure to Asbestos among Active Railroad Workers. *Am J Ind Med*. 12: 399-406.
- Gasc, J; Schubnel, A; Brunet, F; Guillon, S; Mueller, HJ; Lathe, C. (2011). Simultaneous acoustic emissions monitoring and synchrotron X-ray diffraction at high pressure and temperature: Calibration and application to serpentinite dehydration. *Phys Earth Planet In*. 189: 121-133. <http://dx.doi.org/10.1016/j.pepi.2011.08.003>.
- Gaspar, LM; Inverno, CMC. (2000). Mineralogy and metasomatic evolution of distal strata-bound scheelite skarns in the Riba de Alva mine, northeastern Portugal. *Econ Geol*. 95: 1259-1275.
- Gasparrini, A; Pizzo, AM; Gorini, G; Costantini, AS; Silvestri, S; Ciapini, C; Innocenti, A; Berry, G. (2008). Prediction of mesothelioma and lung cancer in a cohort of asbestos exposed workers. *Eur J Epidemiol*. 23: 541-546. <http://dx.doi.org/10.1007/s10654-008-9257-z>.
- Gates, AE. (1995). MIDDLE PROTEROZOIC DEXTRAL STRIKE-SLIP EVENT IN THE CENTRAL APPALACHIANS - EVIDENCE FROM THE RESERVOIR FAULT, NJ. *J Geodyn*. 19: 195-212.
- Gates, MA; Tworoger, SS; Terry, KL; Titus-Ernstoff, L; Rosner, B; De Vivo, I; Cramer, DW; Hankinson, SE. (2008). Talc use, variants of the GSTM1, GSTT1, and NAT2 genes, and risk of epithelial ovarian cancer. *Cancer Epidemiol Biomarkers Prev*. 17: 2436-2444. <http://dx.doi.org/10.1158/1055-9965.EPI-08-0399>.
- Gatto, MP; Tanna, D; Tanna, GL. (2013). Distribution and trends in mesothelioma mortality in Italy from 1974 to 2006. *Int Arch Occup Environ Health*. 86: 489-496. <http://dx.doi.org/10.1007/s00420-012-0780-6>.
- Gaudichet, A; Bientz, M; Sebastien, P; Dufour, G; Bignon, J; Bonnaud, G; Puisais, J. (1978). ASBESTOS FIBERS IN WINES - RELATION TO FILTRATION PROCESS. *J Toxicol Environ Health*. 4: 853-860.
- Gaudichet, A; Petit, G; Billon-Galland, MA; Dufour, G. (1989). Levels of atmospheric pollution by man-made mineral fibres in buildings. *IARC Sci Publ. occupational Exposure to Mineral Fibres*: 291-298.
- Gautam, AK; Yunus, M; Rahman, A; Reddy, SS. (2003). Environmental monitoring of asbestos products manufacturing units--a case study. *Indian J Environ Health*. 45: 289-292.
- Gavett, SH. (2006). Physical characteristics and health effects of aerosols from collapsed buildings [Review]. *J Aerosol Med*. 19: 84-91. <http://dx.doi.org/10.1089/jam.2006.19.84>.
- Gazzano, E; Riganti, C; Tomatis, M; Turci, F; Bosia, A; Fubini, B; Ghigo, D. (2005). Potential toxicity of nonregulated asbestiform minerals: balangeroite from the western Alps. Part 3: Depletion of antioxidant defenses. *J Toxicol Environ Health A*. 68: 41-49. <http://dx.doi.org/10.1080/15287390590523957>.
- Gazzi, D; Crockford, GW. (1987). INDOOR ASBESTOS LEVELS ON A HOUSING ESTATE DETERMINED BY TRANSMISSION ELECTRON MICROSCOPY. *Ann Occup Hyg*. 31: 429-440.
- Gehanno, JF; Paris, C; Thirion, B; Caillard, JF. (1998). Assessment of bibliographic databases performance in information retrieval for occupational and environmental toxicology. *Occup Environ Med*. 55: 562-566.
- Geiser, M; Matter, M; Maye, I; Hof, VI; Gehr, P; Schurch, S. (2003). Influence of airspace geometry and surfactant on the retention of man-made vitreous fibers (MMVF 10a). *Environ Health Perspect*. 111: 895-901. <http://dx.doi.org/10.1289/ehp.5888>.
- Gelcich, S; Davis, DW; Spooner, ETC. (2005). Testing the apatite-magnetite geochronometer: U-Pb and Ar-40/Ar-39 geochronology of plutonic rocks, massive magnetite-apatite tabular bodies, and IOCG mineralization in Northern Chile. *Geochim Cosmo Acta*. 69: 3367-3384. <http://dx.doi.org/10.1016/j.gca.2004.12.020>.
- Gellert, AR; Kitajewska, JY; Uthayakumar, S; Kirkham, JB; Rudd, RM. (1986). Asbestos fibres in bronchoalveolar lavage fluid from asbestos workers: examination by electron microscopy. *Br J Ind Med*. 43: 170-176.
- Gellert, AR; Langford, JA; Uthayakumar, S; Rudd, RM. (1985). Bronchoalveolar lavage and clearance of 99m-Tc-DTPA in asbestos workers without evidence of asbestosis. *Br J Dis Chest*. 79: 251-257.
- Gellert, AR; Langford, JA; Winter, RJ; Lewis, CA; Tolfree, SE; Rudd, RM. (1985). Clearance of 99m-technetium-labelled DTPA in asbestos-exposed subjects without clinical or radiological evidence of interstitial lung disease. *Br J Dis Chest*. 79: 37-42.
- Gellert, AR; Macey, MG; Uthayakumar, S; Newland, AC; Rudd, RM. (1985). Lymphocyte subpopulations in bronchoalveolar lavage fluid in asbestos workers. *Am Rev Respir Dis*. 132: 824-828. <http://dx.doi.org/10.1164/arrd.1985.132.4.824>.
- Gelono, C; Gianelli, G. (2007). A preliminary geochemical model of the fluid-rock interaction processes forming the eastern Liguria ophicalcite (northern Apennines, Italy). *Periodico di Mineralogia*. 76: 137-154. <http://dx.doi.org/10.2451/2007PM00112>.
- Gemmell, JB; Zantop, H; Meinert, LD. (1992). GENESIS OF THE AGUILAR ZINC-LEAD-SILVER DEPOSIT, ARGENTINA - CONTACT METASOMATIC VS SEDIMENTARY EXHALATIVE. *Econ Geol*. 87: 2085-2112.
- Gendek, EG; Brody, AR. (1990). Changes in lipid ordering of model phospholipid membranes treated with chrysotile and crocidolite asbestos. *Environ Res*. 53: 152-167.
- Gennaro, V; Ceppi, M; Boffetta, P; Fontana, V; Perrotta, A. (1994). Pleural mesothelioma and asbestos exposure among Italian oil refinery workers. *Scand J Work Environ Health*. 20: 213-215.
- Gennaro, V; Ceppi, M; Fontana, V; Perrotta, A; Silvano, S; Boffetta, P. (1995). PLEURAL MESOTHELIOMA IN OIL REFINERY WORKERS - REPLY. *Scand J Work Environ Health*. 21: 303-309.
- Gennaro, V; Finkelstein, MM; Ceppi, M; Fontana, V; Montanaro, F; Perrotta, A; Puntoni, R; Silvano, S. (1999). Lung tumors attributable to asbestos among oil refinery workers. *Epidemiology*. 10: S76-S76.
- Gennaro, V; Finkelstein, MM; Ceppi, M; Fontana, V; Montanaro, F; Perrotta, A; Puntoni, R; Silvano, S. (2000). Mesothelioma and lung tumors attributable to asbestos among petroleum workers. *Am J Ind Med*. 37: 275-282.

Fate Literature Search Results

Off Topic

- Gennaro, V; Montanaro, F; Ceppi, M; Fontana, V; Perrotta, A; Puntoni, R. (2001). RE: Mesothelioma and lung tumors attributable to asbestos among petroleum workers. *Am. J. Ind. Med.* 2000. 37 : 275-282. I. Reply to Tsai et al.'s letter to the editor and new evidence. *Am J Ind Med.* 39: 517-521.
- Gennaro, V; Montanaro, F; Ceppi, M; Fontana, V; Perrotta, A; Puntoni, R; Finkelstein, MM; Silvano, S. (2001). RE: Mesothelioma and lung tumors attributable to asbestos among petroleum workers. *Am. J. Ind. Med.* 2000. 37 : 275-282. II. Reply to William J. Bailey's letter to the editor. *Am J Ind Med.* 39: 522-523.
- Gennaro, V; Tomatis, L. (2005). Business bias: How epidemiologic studies may underestimate or fail to detect increased risks of cancer and other diseases. *Int J Occup Environ Health.* 11: 356-359.
- Gentry, JW. (1987). SURVEY OF RECENT MEASUREMENTS WITH ASBESTOS FIBERS. *J Aerosol Sci.* 18: 47-486.
- Gentry, JW; Spurny, KR; Opiela, H; Weiss, G. (1980). MEASUREMENT OF COLLECTION EFFICIENCY OF AMOSITE FIBERS. *Ind Eng Chem Process Des Dev.* 19: 47-52.
- Gentry, JW; Spurny, KR; Schormann, J. (1989). COLLECTION EFFICIENCY OF ULTRAFINE ASBESTOS FIBERS EXPERIMENT AND THEORY. *Aerosol Sci Technol.* 11: 184-195.
- Gentry, JW; Spurny, KR; Schormann, J. (1991). THE DIFFUSION-COEFFICIENTS FOR ULTRATHIN CHRYSOTILE FIBERS. *J Aerosol Sci.* 22: 869-880.
- Gentry, JW; Spurny, KR; Schormann, J; Chang, YC; Han, RJ; Lien, P. (1992). ALGORITHM FOR CALCULATING THE COLLECTION EFFICIENCY OF NUCLEOPORE FILTERS FOR FIBERS. *J Aerosol Sci.* 23: 139-152.
- Gentry, JW; Spurny, KR; Schormann, J; Han, RJ. (1990). FILTRATION AND DIFFUSION OF ASBESTOS FIBERS - COMPARISON OF EXPERIMENT AND THEORY. *J Aerosol Sci.* 21: S711-S714.
- Gentry, JW; Spurny, KR; Schormann, J; Opiela, H; Weiss, G. (1982). MEASUREMENT OF THE DIFFUSION-COEFFICIENT FOR CHRYSOTILE AND CROCIDOLITE FIBERS. *Atmos Environ.* 16: 2947-2957.
- Gentry, JW; Spurny, KR; Soulen, SA; Schormann, J. (1988). MEASUREMENTS OF THE DIFFUSION-COEFFICIENTS OF ULTRATHIN ASBESTOS FIBERS. *J Aerosol Sci.* 19: 1041-1044.
- George, G; Vishnu, VS; Reddy, MLP. (2011). The synthesis, characterization and optical properties of silicon and praseodymium doped Y6MoO12 compounds: Environmentally benign inorganic pigments with high NIR reflectance. *Dyes and Pigments.* 88: 109-115. <http://dx.doi.org/10.1016/j.dyepig.2010.05.010>.
- Gerde, P; Scholander, P. (1987). A hypothesis concerning asbestos carcinogenicity: the migration of lipophilic carcinogens in adsorbed lipid bilayers. *Ann Occup Hyg.* 31: 395-400.
- Gerde, P; Scholander, P. (1988). Adsorption of benzo(a)pyrene on to asbestos and manmade mineral fibres in an aqueous solution and in a biological model solution. *Br J Ind Med.* 45: 682-688.
- Gerhardsson de Verdier, M; Plato, N; Steineck, G; Peters, JM. (1992). Occupational exposures and cancer of the colon and rectum. *Am J Ind Med.* 22: 291-303.
- Germani, D; Belli, S; Bruno, C; Grignoli, M; Nesti, M; Pirastu, R; Comba, P. (1999). Cohort mortality study of women compensated for asbestosis in Italy. *Am J Ind Med.* 36: 129-134.
- Germine, M; Puffer, JH. (2015). Analytical Transmission Electron Microscopy of Amphibole Fibers From the Lungs of Quebec Miners. *Arch Environ Occup Health.* 70: 323-331. <http://dx.doi.org/10.1080/19338244.2014.918928>.
- Gervilla, F; Padron-Navarta, JA; Kerestedjian, T; Sergeeva, I; Gonzalez-Jimenez, JM; Fanlo, I. (2012). Formation of ferrian chromite in podiform chromitites from the Golyamo Kamenyane serpentinite, Eastern Rhodopes, SE Bulgaria: a two-stage process. *Contributions to Mineralogy and Petrology.* 164: 643-657. <http://dx.doi.org/10.1007/s00410-012-0763-3>.
- Geyh, A; Chillrud, S; Williams, D; Herbstman, J; Symons, J; Rees, K; Ross, J; Kim, S; Lim, H; Turpin, B; Breysse, P. (2005). Assessing truck driver exposure at the World Trade Center disaster site: personal and area monitoring for particulate matter and volatile organic compounds during October 2001 and April 2002. *J Occup Environ Hyg.* 2: 179-193. <http://dx.doi.org/10.1080/15459620590923154>.
- Ghaderi, N; Zhang, H; Sun, T, ao. (2015). Relative stability and contrasting elastic properties of serpentine polymorphs from first-principles calculations. *J Geophys Res Solid Earth.* 120: 4831-4842. <http://dx.doi.org/10.1002/2015JB012148>.
- Ghent, ED. (1988). TREMOLITE AND H2O ACTIVITY ATTENDING METAMORPHISM OF HORNBLende-PLAGIOCLASE-GARNET ASSEMBLAGES. *Contributions to Mineralogy and Petrology.* 98: 163-168.
- Ghio, AJ; Lefurgey, A; Roggli, VL. (1997). In vivo accumulation of iron on crocidolite is associated with decrements in oxidant generation by the fiber. *J Toxicol Environ Health.* 50: 125-142.
- Ghiorso, MS; Evans, BW. (2002). Thermodynamics of the amphiboles: Ca-Mg-Fe2+ quadrilateral. *Am Mineral.* 87: 79-98.
- Ghiorso, MS; Evans, BW; Hirschmann, MM; Yang, HX. (1995). THERMODYNAMICS OF THE AMPHIBOLES - FE-MG CUMMINGTONITE SOLID-SOLUTIONS. *Am Mineral.* 80: 502-519.
- Ghoorah, M; Dlugogorski, BZ; Oskierski, HC; Kennedy, EM. (2014). Study of thermally conditioned and weak acid-treated serpentinites for mineralisation of carbon dioxide. *Miner Eng.* 59: 17-30. <http://dx.doi.org/10.1016/j.mineng.2014.02.005>.
- Ghosh, D; Deb, A; Bera, S; Sengupta, R; Patra, KK. (2008). Assessment of alpha activity of building materials commonly used in West Bengal, India. *J Environ Radioact.* 99: 316-321. <http://dx.doi.org/10.1016/j.jenvrad.2007.08.002>.
- Giacco, G; Mcclarty, J; Buffer, P; Reeve, G; Guinee, V; Hurst, G. (1982). THE MORTALITY EXPERIENCE IN A COHORT OF WORKERS EXPOSED TO AMOSITE ASBESTOS. *Am J Epidemiol.* 116: 569-569.
- Giacomini, F; Boerio, V; Polattini, S; Tiepolo, M; Tribuzio, R; Zanetti, A. (2010). Evaluating asbestos fibre concentration in metaophiolites: a case study from the Voltri Massif and Sestri-Voltaggio Zone (Liguria, NW Italy). *Environ Earth Sci.* 61: 1621-1639. <http://dx.doi.org/10.1007/s12665-010-0475-9>.
- Giacomini, S; Mensi, C; Sieno, C; Riboldi, L. (2009). Malignant pleural mesothelioma related to asbestos in young subjects. *Med Lav.* 100: 396-396.

Fate Literature Search Results

Off Topic

- Giannasi, F. (2007). Ban on asbestos diaphragms in the chlorine-related chemical industry and efforts toward a worldwide ban. *Int J Occup Environ Health*. 13: 80-84. <http://dx.doi.org/10.1179/107735207800244983>.
- Giarelli, L; Bianchi, C; Grandi, G. (1992). Malignant mesothelioma of the pleura in Trieste, Italy. *Am J Ind Med*. 22: 521-530.
- Giaroli, C; Belli, S; Bruno, C; Candela, S; Grignoli, M; Minisci, S; Poletti, R; Ricco, G; Vecchi, G; Et, AL. (1994). Mortality study of asbestos cement workers. *Int Arch Occup Environ Health*. 66: 7-11.
- Gibb, H; Fulcher, K; Nagarajan, S; Mccord, S; Fallahian, NA; Hoffman, HJ; Haver, C; Tolmachev, S. (2013). Analyses of radiation and mesothelioma in the US Transuranium and Uranium Registries. *Am J Public Health*. 103: 710-716. <http://dx.doi.org/10.2105/AJPH.2012.300928>.
- Gibbons, W. (1998). The exploitation and environmental legacy of amphibole asbestos: A late 20th century overview. *Environ Geochem Health*. 20: 213-230.
- Gibbs, AR; Gardner, MJ; Pooley, FD; Griffiths, DM; Blight, B; Wagner, JC. (1994). Fiber levels and disease in workers from a factory predominantly using amosite. *Environ Health Perspect*. 102 Suppl 5: 261-263.
- Gibbs, AR; Stephens, M; Griffiths, DM; Blight, BJ; Pooley, FD. (1991). Fibre distribution in the lungs and pleura of subjects with asbestos related diffuse pleural fibrosis. *Br J Ind Med*. 48: 762-770. <http://dx.doi.org/10.1136/oem.48.11.762>.
- Gibbs, GV; Cox, DF; Ross, NL; Crawford, TD; Burt, JB; Rosso, KM. (2005). A mapping of the electron localization function for earth materials. *Physics and Chemistry of Minerals*. 32: 208-221. <http://dx.doi.org/10.1007/s00269-005-0463-x>.
- Gibbs, GW. (1970). Qualitative aspects of dust exposure in the Quebec asbestos mining and milling industry. *Inhaled Particles*. 2: 783-799.
- Gibbs, GW. (1975). Fibre release from asbestos garments. *Ann Occup Hyg*. 18: 143-149.
- Gibbs, GW. (1994). THE ASSESSMENT OF EXPOSURE IN TERMS OF FIBERS. *Ann Occup Hyg*. 38: 477-487.
- Gibbs, GW; Baron, P; Beckett, ST; Dillen, R; Du Toit, RS; Koponen, M; Robock, K. (1977). A summary of asbestos fibre counting experience in seven countries. *Ann Occup Hyg*. 20: 321-332.
- Gibbs, GW; Du Toit, RSJ. (1973). Environmental Data In Mining. 8: 138-144.
- Gibbs, GW; Hwang, CY. (1975). Physical parameters of airborne asbestos fibres in various work environments--preliminary findings. *Am Ind Hyg Assoc J*. 36: 459-466. <http://dx.doi.org/10.1080/0002889758507271>.
- Gibbs, GW; Hwang, CY. (1980). Dimensions of airborne asbestos fibres. *IARC Sci Publ*. 1: 69-78.
- Gibbs, GW; Lachance, M. (1972). DUST EXPOSURE IN CHRYSOTILE ASBESTOS MINES AND MILLS OF QUEBEC. *Arch Environ Health*. 24: 189-&.
- Gibbs, GW; Lachance, M. (1974). Dust-fiber relationships in the Quebec chrysotile industry. *Arch Environ Occup Health*. 28: 69-71.
- Gibbs, GW; Valic, F; Browne, K. (1994). HEALTH RISKS ASSOCIATED WITH CHRYSOTILE ASBESTOS - A REPORT ON A WORKSHOP HELD IN JERSEY, CHANNEL-ISLANDS - 14-17 NOVEMBER 1993. *Ann Occup Hyg*. 38: 399-426.
- Gidaracos, E; Anastasiadou, K; Koumantakis, E; Nikolaos, S. (2008). Investigative studies for the use of an inactive asbestos mine as a disposal site for asbestos wastes. *J Hazard Mater*. 153: 955-965. <http://dx.doi.org/10.1016/j.jhazmat.2007.09.060>.
- Gil, L; Perez, MA; Bernat, E; Cruz, JJ. (2011). Loss of strength in asbestos-cement water pipes due to leaching. *Structural Engineering and Mechanics*. 40: 655-663.
- Gilham, C; Rake, C; Burdett, G; Nicholson, AG; Davison, L; Franchini, A; Carpenter, J; Hodgson, J; Darnton, A; Peto, J. (2015). Pleural mesothelioma and lung cancer risks in relation to occupational history and asbestos lung burden. *Occup Environ Med*. 73: 290-299. <http://dx.doi.org/10.1136/oemed-2015-103074>.
- Gill, SPS; Kansal, ML. (1993). EFFECT OF REARING SYSTEM AND SHED DESIGN ON LAYER PERFORMANCE UNDER FIELD CONDITIONS. *Indian J Anim Sci*. 63: 1291-1294.
- Gillard, AC. (2012). Evaluation of routine screening of ethmoid adenocarcinoma (EADC) by ENT and nasal fibroscopy among employees and former employees exposed to wood dust for over 20 years. *Arch Mal Prof Environ*. 73: 3-8. <http://dx.doi.org/10.1016/j.admp.2011.12.009>.
- Gillen, TR. (1972). ASBESTOS-CEMENT PRESSURE PIPE. *J Am Water Works Assoc*. 64: 682-&.
- Gillis, KM; Thompson, G. (1993). METABASALTS FROM THE MID-ATLANTIC RIDGE - NEW INSIGHTS INTO HYDROTHERMAL SYSTEMS IN SLOW-SPREADING CRUST. *Contributions to Mineralogy and Petrology*. 113: 502-523.
- Gilmour, PS; Brown, DM; Beswick, PH; Macnee, W; Rahman, I; Donaldson, K. (1997). Free radical activity of industrial fibers: role of iron in oxidative stress and activation of transcription factors. *Environ Health Perspect*. 105 Suppl 5: 1313-1317.
- Gilmour, PS; Brown, DM; Lindsay, TG; Beswick, PH; Macnee, W; Donaldson, K. (1996). Adverse health effects of PM10 particles: involvement of iron in generation of hydroxyl radical. *Occup Environ Med*. 53: 817-822.
- Ginder-Vogel, M; Borch, T; Mayes, MA; Jardine, PM; Fendorf, S. (2005). Chromate reduction and retention processes within arid subsurface environments. *Environ Sci Technol*. 39: 7833-7839. <http://dx.doi.org/10.1021/es050535y>.
- Giordani, M; Mattioli, M; Dogan, M; Dogan, AU. (2016). Potential carcinogenic erionite from Lessini Mounts, NE Italy: Morphological, mineralogical and chemical characterization. *J Toxicol Environ Health A*. 79: 808-824. <http://dx.doi.org/10.1080/15287394.2016.1182453>.
- Giordano, F; Dell'orco, V; Fantini, F; Grippo, F; Perretta, V; Testa, A; Figà-Talamanca, I. (2012). Mortality in a cohort of cement workers in a plant of Central Italy. *Int Arch Occup Environ Health*. 85: 373-379. <http://dx.doi.org/10.1007/s00420-011-0678-8>.
- Girardi, P; Bressan, V; Merler, E. (2014). Past trends and future prediction of mesothelioma incidence in an industrialized area of Italy, the Veneto Region. *Cancer Epidemiology*. 38: 496-503. <http://dx.doi.org/10.1016/j.canep.2014.08.007>.
- Girnis, AV; Plaksenko, AN; Ryabchikov, ID; Suddaby, P. (1991). GEOCHEMICAL-PECULIARITIES OF ULTRAMAFIC XENOLITHS FROM NORITIC INTRUSIONS OF VORONEZH CRYSTALLINE MASSIF. *Geokhimiya*451-460.
- Gislard, A; Schorle, E; Letourneux, M; Ameille, J; Brochard, P; Clin, B; Conso, F; Laurent, F; Luc, A; Paris, C; Pairon, JC. (2013). [Compensation for occupational diseases after tomodesitometry screening for benign pleuro-pulmonary disease in a multiregional post-occupational

Fate Literature Search Results

Off Topic

- medical surveillance program of asbestos-exposed retired workers]. *Rev Epidemiol Sante Publique*. 61: 11-20. <http://dx.doi.org/10.1016/j.respe.2012.06.402>.
- Gislason, S. R.; Veblen, DR; Livi, KT. (1993). EXPERIMENTAL METEORIC WATER-BASALT INTERACTIONS - CHARACTERIZATION AND INTERPRETATION OF ALTERATION PRODUCTS. *Geochim Cosmo Acta*. 57: 1459-1471.
- Gisquet, E; Chamming's, S; Pairon, JC; Gilg Soit Ilg, A; Imbernon, E; Goldberg, M. (2011). [The determinants of under-reporting occupational diseases. The case of mesothelioma]. *Rev Epidemiol Sante Publique*. 59: 393-400. <http://dx.doi.org/10.1016/j.respe.2011.06.006>.
- Glantz, CS; Laws, GL. (1990). Air quality monitoring program for the 1100-EM-1 remedial investigation. 173.
- Glass, LR; Brown, RC; Hoskins, JA. (1995). Health effects of refractory ceramic fibres: scientific issues and policy considerations [Review]. *Occup Environ Med*. 52: 433-440.
- Glencross, PM; Weinberg, JM; Ibrahim, JG; Christiani, DC. (1997). Loss of lung function among sheet metal workers: ten-year study. *Am J Ind Med*. 32: 460-466.
- Glickman, LT; Domanski, LM; Maguire, TG; Dubielzig, RR; Churg, A. (1983). Mesothelioma in pet dogs associated with exposure of their owners to asbestos. *Environ Res*. 32: 305-313. [http://dx.doi.org/10.1016/0013-9351\(83\)90114-7](http://dx.doi.org/10.1016/0013-9351(83)90114-7).
- Gloag, D. (1981). Asbestos fibers and the environment. *Br Med J*. 282: 1982.
- Gloag, D. (1981). Asbestos fibres and the environment. *Br Med J (Clin Res Ed)*. 282: 623-626.
- Glovinova, E; Kucera, M; Pavel, J. (1994). TESTING HAZARDOUS ASBESTOS FIBERS IN ANIMAL-TISSUES. *Toxicol Environ Chem*. 43: 13-17.
- Gluckman, J. (1983). ASBESTOS IN DRINKING-WATER. 63: 217-218.
- Gochfeld, M. (2005). Chronologic history of occupational medicine. *J Occup Environ Med*. 47: 96-114. <http://dx.doi.org/10.1097/01.jom.0000152917.0349.0e>.
- Godard, P; Delvaux, P; DELLAFAI.M; Mercier, JP. (1974). MECHANICAL-PROPERTIES OF IMPREGNATED ASBESTOS-CEMENT. *Polymer Engineering and Science*. 14: 429-434.
- Godbey, FW. (1988). Preliminary Survey Report: Evaluation of Brake Drum Service Controls at U.S. Army Armor Center, Fort Knox, Kentucky, Report No. CT-152-15A (pp. 152-115). (NIOSH/00181819). Godbey, FW.
- Godbey, FW; Cooper, TC; Sheehy, JW; O'Brien, DM; Van Wagenen, HD; Mcglothlin, JD; Todd, WF. (1987). In-Depth Survey Report: Evaluation of Brake Drum Service Controls at United States Postal Service, Vehicle Maintenance Facility, Nashville, Tennessee, Report No. CT-152-20B (pp. 152-120). (NIOSH/00175415). Godbey, FW; Cooper, TC; Sheehy, JW; O'Brien, DM; Van Wagenen, HD; Mcglothlin, JD; Todd, WF.
- Godish, D. (1989). Asbestos exposure in schools. *J Sch Health*. 59: 362-363.
- Godoi, RH; Gonçalves, SJ; Sayama, C; Polezer, G; Reis Neto, JM; Alföldy, B; Van Grieken, R; Riedi, CA; Yamamoto, CI; Godoi, AF; Bencs, L. (2016). Health implications of atmospheric aerosols from asbestos-bearing road pavements traditionally used in Southern Brazil. *Environ Sci Pollut Res Int*. 23: 25180-25190. <http://dx.doi.org/10.1007/s11356-016-7586-0>.
- Goergen, S; Saada, MA, li; Soulaud, M; Rouleau, L; Patarin, J. (2010). Dry gel conversion synthesis of shape controlled MFI type zeolite materials. *Journal of Porous Materials*. 17: 635-641. <http://dx.doi.org/10.1007/s10934-009-9333-0>.
- Gold, B; Kathren, RL. (1998). Causes of death in a cohort of 260 plutonium workers. *Health Phys*. 75: 236-240.
- Gold, J; Amandusson, H; Krozer, A; Kasemo, B; Ericsson, T; Zanetti, G; Fubini, B. (1997). Chemical characterization and reactivity of iron chelator-treated amphibole asbestos. *Environ Health Perspect*. 105: 1021-1030. <http://dx.doi.org/10.2307/3433503>.
- Gold, J; Nilsson, B; Kasemo, B. (1995). MICROFABRICATED METAL AND OXIDE FIBERS FOR BIOLOGICAL APPLICATIONS. *Journal of Vacuum Science and Technology A*. 13: 2638-2644.
- Gold, KW; Naugle, DF; Berry, MA. (1991). Indoor Air-Assessment: Indoor Concentrations of Environmental Carcinogens (pp. 1-56). (NTIS/O2976355_a). Gold, KW; Naugle, DF; Berry, MA.
- Gold, KW; Naugle, DF; Berry, MA. (1993). Indoor concentrations of environmental carcinogens [Review]. *IARC Sci Publ*41-71.
- Goldade, MP; O'Brien, WP. (2014). Use of direct versus indirect preparation data for assessing risk associated with airborne exposures at asbestos-contaminated sites. *J Occup Environ Hyg*. 11: 67-76. <http://dx.doi.org/10.1080/15459624.2013.843779>.
- Goldberg, M. (2001). [Asbestos: is there still a future for epidemiology?] [Editorial]. *Rev Epidemiol Sante Publique*. 49: 505-511.
- Goldberg, M. (2005). Are lung and pleural benign asbestos induced diseases a preliminary step in the pathogenic process of mesothelioma and lung cancer development? [Comment]. *Occup Environ Med*. 62: 663-664. <http://dx.doi.org/10.1136/oem.2005.021865>.
- Goldberg, M; Banaei, A; Goldberg, S; Auvert, B; Luce, D; Gueguen, A. (2000). Past occupational exposure to asbestos among men in France. *Scand J Work Environ Health*. 26: 52-61.
- Goldberg, M; Goldberg, S; Luce, D. (1999). [Regional differences in the compensation of pleural mesothelioma as occupational disease in France (1986-1993)]. *Rev Epidemiol Sante Publique*. 47: 421-431.
- Goldberg, M; Imbernon, E; Rolland, P; Gilg Soit Ilg, A; Savès, M; de Quillacq, A; Frenay, C; Chamming's, S; Arveux, P; Boutin, C; Launoy, G; Pairon, JC; Astoul, P; Galateau-Sallé, F; Brochard, P. (2006). The French National Mesothelioma Surveillance Program. *Occup Environ Med*. 63: 390-395. <http://dx.doi.org/10.1136/oem.2005.023200>.
- Goldberg, M; Parent, M; Siemiatiycki, J; Désy, M; Nadon, L; Richardson, L; Lakhani, R; Latreille, B; Valois, M. (2001). A case-control study of the relationship between the risk of colon cancer in men and exposures to occupational agents. *Am J Ind Med*. 39: 531-546.
- Goldberg, P; Goldberg, M; M-J, M; Hirsch, A; Tredaniel, J. (1991). Incidence of Pleural Mesothelioma in New Caledonia: A 10-Year Survey (1978-1987). *Arch Environ Health*. 46: 306-309.
- Goldberg, P; Leclerc, A; Luce, D; Morcet, JF; Brugere, J. (1997). Laryngeal and hypopharyngeal cancer and occupation: Results of a case-control study. *Occup Environ Med*. 54: 477-482.
- Goldberg, P; Luce, D; Billon-Galland, MA; Quénel, P; Salomon-Nekiriai, C; Nicolau, J; Brochard, P; Goldberg, M. (1995). Potential role of environmental and domestic exposure to tremolite in pleural cancer in New Caledonia. *Rev Epidemiol Sante Publique*. 43: 444-450.

Fate Literature Search Results

Off Topic

- Goldberg, S; Rey, G; Luce, D; Gilg Soit Ilg, A; Rolland, P; Brochard, P; Imbernon, E; Goldberg, M. (2010). Possible effect of environmental exposure to asbestos on geographical variation in mesothelioma rates. *Occup Environ Med.* 67: 417-421.
<http://dx.doi.org/10.1136/oem.2009.050336>.
- Goldberg, S; Suarez, DL. (2011). Influence of Soil Solution Cation Composition on Boron Adsorption by Soils. *Soil Sci.* 176: 80-83.
<http://dx.doi.org/10.1097/SS.0b013e318203aec5>.
- Golden, RL. (1974). LONG-RANGE IMPACT OF ASBESTOS EXPOSURE. *Int J Occup Health Saf.* 43: 18-19.
- Goldfield, J; Brandt, FE. (1974). Dust control techniques in the asbestos industry. *Am Ind Hyg Assoc J.* 35: 799-808.
- Goldsmith, DF; Dellarco, M; Greer, MA. (2007). Risks and precautionary policies related to naturally occurring asbestos. *Epidemiology.* 18: S154-S155.
- Goldsmith, JR. (1986). Comparative epidemiology of men exposed to asbestos and man-made mineral fibers. *Am J Ind Med.* 10: 543-552.
- Goldstein, B; Carruth, RS. (2004). The precautionary principle and/or risk assessment in World Trade Organization decisions: A possible role for risk perception. *Risk Anal.* 24: 491-499.
- Goldstein, B; Rendall, REG; Webster, I. (1983). A comparison of the effects of exposure of baboons to crocidolite and fibrous-glass dusts. *Environ Res.* 32: 344-359.
- Goldstein, B; Webster, I; Rendall, REG; Skikne, MI. (1978). EFFECTS OF ASBESTOS - CEMENT DUST INHALATION ON BABOONS. *Environ Res.* 16: 216-225.
- Golladay, SA; Park, SH; Aust, AE. (1997). Efflux of reduced glutathione after exposure of human lung epithelial cells to crocidolite asbestos. *Environ Health Perspect.* 105 Suppl 5: 1273-1277.
- Gollmann, MAC; Capeletti, LB; Fisch, AG; dos Santos, JHZ; Miranda, MSL. (2008). Adsorbents for acetone in cyclohexane effluent employed in Ziegler-Natta catalyst process. *Adsorption.* 14: 805-813. <http://dx.doi.org/10.1007/s10450-008-9143-8>.
- Gollmann, MAC; Capeletti, LB; Miranda, MSL; dos Santos, JHZ. (2009). Modified-sorbents for acetone adsorption: Application in ethylene polymerization process. *Chem Eng J.* 147: 383-390. <http://dx.doi.org/10.1016/j.cej.2008.11.023>.
- Golmohammadi, A; Karimpour, MH; Shafaroudi, AM; Mazaheri, SA. (2015). Alteration-mineralization, and radiometric ages of the source pluton at the Sangan iron skarn deposit, northeastern Iran. *Ore Geol Rev.* 65: 545-563. <http://dx.doi.org/10.1016/j.oregeorev.2014.07.005>.
- Golubev, Y, uA; Ivanenko, VV. (2009). A calculation method of energy intensity of brake lining wear as related to temperature. *Journal of Friction and Wear.* 30: 258-260. <http://dx.doi.org/10.3103/S1068366609040059>.
- Golubeva, OY, u; Maslennikova, TP; Ulyanova, NY, u; Dyakina, MP. (2014). Sorption of lead(II) ions and water vapors by synthetic hydro- and aluminosilicates with layered, framework, and nanotube morphology. *Glass Physics and Chemistry.* 40: 250-255.
<http://dx.doi.org/10.1134/S1087659614020084>.
- Gomes, MEP. (2008). Geochemistry of microgranular enclaves and host granite from Teloas (Vila Pouca de Aguiar), Northern Portugal. *Chem Erde.* 68: 69-80. <http://dx.doi.org/10.1016/j.chemer.2005.08.001>.
- Gomez, E; Rani, DA; Cheeseman, CR; Deegan, D; Wise, M; Boccacini, AR. (2009). Thermal plasma technology for the treatment of wastes: A critical review [Review]. *J Hazard Mater.* 161: 614-626. <http://dx.doi.org/10.1016/j.jhazmat.2008.04.017>.
- Gómez, MG; Castañeda, R; López, VG; Vidal, MM; Villanueva, V; Espinosa, ME; Health, WGoOHotCCoP. (2012). Evaluation of the national health surveillance program of workers previously exposed to asbestos in Spain (2008). *Gac Sanit.* 26: 45-50.
<http://dx.doi.org/10.1016/j.gaceta.2011.06.012>.
- Gomezpugnaire, MT; Karsten, L; Sanchezvizcaino, VL. (1997). Phase relationships and P-T conditions of coexisting eclogite-blueschists and their transformation to greenschist-facies rocks in the Nerka Complex (Northern Urals). *Tectonophysics.* 276: 195-216.
- Goncalves, MRF; Filipeto, CK; Vicenzi, J; Bergmann, CF. (2011). Evaluation of mechanical performance of cement matrix composites with dispersed phases used in substitution to asbestos. *Construction and Building Materials.* 25: 320-327.
<http://dx.doi.org/10.1016/j.conbuildmat.2010.06.022>.
- Gong, J; Lambert, M; Zecchin, A; Simpson, A; Arbon, N; Kim, Y, il. (2016). Field study on non-invasive and non-destructive condition assessment for asbestos cement pipelines by time-domain fluid transient analysis. *Structural Health Monitoring.* 15: 113-124.
<http://dx.doi.org/10.1177/1475921715624505>.
- Gong, KC; Zheng, YC. (1981). STRUCTURAL-CHANGES OF CIS-7,4-POLYBUTADIENE-PHENOL RESIN-ASBESTOS SYSTEMS IN HOT AIR. *Kautschuk Gummi Kunststoffe.* 34: 757-&.
- Gontier, F. (1972). [Asbestos dust, pleural calcifications and ship-building]. *Arch Mal Prof Med Trav Secur Soc.* 23: 124-126.
- Gonzalez Gomez, MF; Alvarez Castillo, MC; Martinez Vidal, M; Zimmermann Verdejo, M; Saguees Cifuentes, MJ. (2009). RECONSTRUCTION OF DYNAMIC COHORT OF WORKERS EXPOSED TO ASBESTOS IN THE COMMUNITY OF MADRID. PROBLEMS ENCOUNTERED. *Gac Sanit.* 23: 5-5.
- Gonzalez-Alvarez, I; Sweetapple, M; Lindley, ID; Kirakar, J. (2013). Hydrothermal Ni: Doriri Creek, Papua New Guinea. *Ore Geol Rev.* 52: 37-57.
<http://dx.doi.org/10.1016/j.oregeorev.2012.10.001>.
- Gonzalezfernandez, E; Delaosa, PD; Martin, FR. (1987). COMPARISON OF AIA AND NIOSH METHODS ON ASBESTOS FIBER MEASUREMENTS IN THE WORKPLACE. *Ann Occup Hyg.* 31: 363-373.
- Gonzalez-Fernandez, E; Martín, FR. (1986). Comparison of NIOSH and AIA methods for evaluating asbestos fibres: effects of asbestos type, mounting medium, graticule type and counting rules. *Ann Occup Hyg.* 30: 397-410.
- Gonzalez-Jimenez, JM; Barra, F; Garrido, LNF; Reich, M; Satsukawa, T; Romero, R; Salazar, E; Colas, V; Orellana, F; Rabbia, O; Plissart, G; Morata, D. (2016). A secondary precious and base metal mineralization in chromitites linked to the development of a Paleozoic accretionary complex in Central Chile. *Ore Geol Rev.* 78: 14-40. <http://dx.doi.org/10.1016/j.oregeorev.2016.02.017>.
- Goodman, GE; Schaffer, S; Bankson, DD; Hughes, MP; Omenn, GS; Carotene; Co-Investigators, RET. (2001). Predictors of serum selenium in cigarette smokers and the lack of association with lung and prostate cancer risk. *Cancer Epidemiol Biomarkers Prev.* 10: 1069-1076.

Fate Literature Search Results

Off Topic

- Goodman, GE; Thornquist, M; Kestin, M; Metch, B; Anderson, G; Omenn, GS. (1996). The association between participant characteristics and serum concentrations of beta-carotene, retinol, retinyl palmitate, and alpha-tocopherol among participants in the Carotene and Retinol Efficacy Trial (CARET) for prevention of lung cancer. *Cancer Epidemiol Biomarkers Prev.* 5: 815-821.
- Goodman, JE; Nascarella, MA; Valberg, PA. (2009). Ionizing radiation: a risk factor for mesothelioma [Review]. *Cancer Causes Control.* 20: 1237-1254. <http://dx.doi.org/10.1007/s10552-009-9357-4>.
- Goodman, M; Morgan, RW; Ray, R; Malloy, CD; Zhao, K. (1999). Cancer in asbestos-exposed occupational cohorts: a meta-analysis. *Cancer Causes Control.* 10: 453-465.
- Goodman, M; Teta, MJ; Hessel, PA; Garabrant, DH; Craven, VA; Scrafford, CG; Kelsh, MA. (2004). Mesothelioma and lung cancer among motor vehicle mechanics: a meta-analysis [Review]. *Ann Occup Hyg.* 48: 309-326. <http://dx.doi.org/10.1093/annhyg/meh022>.
- Goodwin, LB; Renne, PR. (1991). EFFECTS OF PROGRESSIVE MYLONITIZATION ON AR RETENTION IN BIOTITES FROM THE SANTA ROSA MYLONITE ZONE, CALIFORNIA, AND THERMOCHRONOLOGICAL IMPLICATIONS. *Contributions to Mineralogy and Petrology.* 108: 283-297.
- Goodwin, SS; Stanbury, M; Wang, ML; Silbergeld, E; Parker, JE. (2003). Previously undetected silicosis in New Jersey decedents. *Am J Ind Med.* 44: 304-311. <http://dx.doi.org/10.1002/ajim.10260>.
- Gordon, R; Fitzgerald, S; Millette, J. (2015). Asbestos in commercial cosmetic talcum powder as a cause of mesothelioma in women [Erratum]. *Int J Occup Environ Health.* 21: 347-348. <http://dx.doi.org/10.1080/10773525.2015.1122368>.
- Gordon, RE. (2015). Response to RE: Gordon R, Fitzgerald S, and Millette J. Asbestos in commercial cosmetic talcum powder as a cause of mesothelioma in women. *Int J Occup Environ Health.* 2014;20(4):318-332 [Letter]. *Int J Occup Environ Health.* 21: 342-346. <http://dx.doi.org/10.1080/10773525.2015.1122367>.
- Gordon, RE; Fitzgerald, S; Millette, J. (2014). Asbestos in commercial cosmetic talcum powder as a cause of mesothelioma in women. *Int J Occup Environ Health.* 20: 318-332. <http://dx.doi.org/10.1179/2049396714Y.0000000081>.
- Gori, F; Corasaniti, S. (2014). Effective thermal conductivity of composites. *Int J Heat Mass Tran.* 77: 653-661. <http://dx.doi.org/10.1016/j.ijheatmasstransfer.2014.05.047>.
- Gorman, RW. (1979). Hazard Evaluation and Technical Assistance, Report No. TA-79-2, Department of Transportation Vehicle Inspection Stations, Washington, D.C (pp. 79-72). (NIOSH/00092153). Gorman, RW.
- Gorman, T; Johnston, R; Mcivor, A; Watterson, A. (2004). Asbestos in Scotland [Review]. *Int J Occup Environ Health.* 10: 183-192. <http://dx.doi.org/10.1179/oeh.2004.10.2.183>.
- Gormley, IP; Bolton, RE; Brown, GM; Davis, JMG; Wright, A. (1983). Some Observations On The In Vitro Cytotoxicity Of Chrysotile Prepared By The Wet Dispersion Process. *Environ Health Perspect.* 51: 35-39.
- Gorski, CH; Stettler, LE. (1975). ADSORPTION OF WATER AND BENZENE ON AMOSITE AND CHRYSOTILE ASBESTOS. *Am Ind Hyg Assoc J.* 36: 292-298.
- Goswami, E; Craven, V; Dahlstrom, DL; Alexander, D; Mowat, F. (2013). Domestic asbestos exposure: a review of epidemiologic and exposure data [Review]. *Int J Environ Res Public Health.* 10: 5629-5670. <http://dx.doi.org/10.3390/ijerph10115629>.
- Got, C. (2008). [Processes involved in decision-making: the asbestos example]. *Sante Publique.* 20: 357-366.
- Gotloib, L; Wajsbrot, V; Shostak, A. (2005). A short review of experimental peritoneal sclerosis: from mice to men [Review]. *Int J Artif Organs.* 28: 97-104.
- Gottesfeld, P. (1989). EVALUATING STRATEGIES FOR COLLECTING AND ANALYZING BULK SAMPLES - A CASE-STUDY OF AN ASBESTOS HAZARD EMERGENCY RESPONSE ACT (AHERA) BUILDING INSPECTION. *Am Ind Hyg Assoc J.* 50: A428-A430.
- Gottesfeld, P. (2010). Libby trial ends but asbestos hazards remain in buildings. *Int J Occup Environ Health.* 16: 87-88. <http://dx.doi.org/10.1179/107735210800546083>.
- Gottschalk, M; Andrut, M. (1998). Structural and chemical characterization of synthetic (Na,K)-richterite solid solutions by EMP, HRTEM, XRD and OH-valence vibrational spectroscopy. *Physics and Chemistry of Minerals.* 25: 101-111.
- Gottschalk, M; Najorka, J; Andrut, M. (1998). Structural and compositional characterization of synthetic (Ca,Sr)-tremolite and (Ca,Sr)-diopside solid solutions. *Physics and Chemistry of Minerals.* 25: 415-428.
- Gotze, JP; Lindeskog, P; Tornquist, CSI. (1994). EFFECTS OF INDUCTION AND AGE-DEPENDENT ENZYME EXPRESSION ON LUNG BIOAVAILABILITY, METABOLISM, AND DNA-BINDING OF URBAN AIR PARTICULATE-ABSORBED BENZO[A]PYRENE, 2-NITROFLUORENE, AND 3-AMINO-1,4-DIMETHYL-5H-PYRIDOL-(4,3)-INDOLE. *Environ Health Perspect.* 102: 147-156.
- Gough, M. (1983). Sources and interpretation of asbestos exposure data. *J Toxicol Clin Toxicol.* 21: 211-235.
- Gough, M. (1988). UNCLE-SAM FLUNKS ASBESTOS CONTROL IN SCHOOLS. *Issues Sci Technol.* 4: 81-85.
- Goulding, R. (1988). ASBESTOS AND OTHER NATURAL MINERAL FIBERS - UN-ENVIRONM-PROGRAMME-INT-LAB-ORG-WHO. *J R Soc Health.* 108: 38-38. <http://dx.doi.org/10.1177/146642408810800125>.
- Goulding, R. (1988). Book Reviews : EHC 53: Asbestos and Other Natural Mineral Fibres by The United Nations Environmental Programme, the International Labour Organisation and the WHO. Published by WHO, Geneva, 1986. Price Sw. Fr. 16. Paperback. Pp 194. ISBN: 92 4 154193 8. *J Roy Soc Promot Health.* 108: 38-38.
- Goung, SJ; Yang, J; Kim, YS; Lee, CM. (2015). A pilot study of indoor air quality in screen golf courses. *Environ Sci Pollut Res Int.* 22: 7176-7182. <http://dx.doi.org/10.1007/s11356-014-3947-8>.
- Gouriet, K; Hilairret, N; Amiguet, E; Bolfan-Casanova, N; Wang, Y; Reynard, B; Cordier, P. (2015). Plasticity of the dense hydrous magnesium silicate phase A at subduction zones conditions. *Phys Earth Planet In.* 248: 1-11. <http://dx.doi.org/10.1016/j.pepi.2015.09.004>.
- Gournis, D; Karakassides, MA; Petridis, D. (2002). Formation of hydroxyl radicals catalyzed by clay surfaces. *Physics and Chemistry of Minerals.* 29: 155-158. <http://dx.doi.org/10.1007/s002690100215>.

Fate Literature Search Results

Off Topic

- Governa, M; Amati, M; Fontana, S; Visona, I; Botta, G; Mollo, F; Bellis, D; Bo, P. (1999). Role of iron in asbestos-body-induced oxidant radical generation (pp. 279-287). (ISSN 1528-7394; BIOSIS/00/05436). Governa, M; Amati, M; Fontana, S; Visona, I; Botta, G; Mollo, F; Bellis, D; Bo, P.
- Governa, M; Amati, M; Valentino, M; Visonà, I; Fubini, B; Botta, GC; Volpe, AR; Carmignani, M. (2000). In vitro cleavage by asbestos fibers of the fifth component of human complement through free-radical generation and kallikrein activation. *J Toxicol Environ Health A*. 59: 539-552.
- Governa, M; Rosanda, C. (1972). HISTOCHEMICAL STUDY OF ASBESTOS BODY COATING. *Br J Ind Med*. 29: 154-&.
- Governa, M; Vadala, CR. (1973). HISTOCHEMICAL STUDY OF ASBESTOS FIBER COATING IN EXPERIMENTAL CARRAGEENIN GRANULOMAS. *Br J Ind Med*. 30: 248-252.
- Graham, A; Higinbotham, J; Allan, D; Donaldson, K; Beswick, PH. (1999). Chemical differences between long and short amosite asbestos: differences in oxidation state and coordination sites of iron, detected by infrared spectroscopy. *Occup Environ Med*. 56: 606-611.
- Graham, CM; Navrotsky, A. (1986). THERMOCHEMISTRY OF THE TREMOLITE-EDENITE AMPHIBOLES USING FLUORINE ANALOGS, AND APPLICATIONS TO AMPHIBOLE-PLAGIOCLASE-QUARTZ EQUILIBRIA. *Contributions to Mineralogy and Petrology*. 93: 18-32.
- Graham, IT; Franklin, BJ; Marshall, B. (1996). Chemistry and mineralogy of podiform chromitite deposits, southern NSW, Australia: A guide to their origin and evolution. *Mineralogy and Petrology*. 57: 129-150.
- Gralley, L; Ayer, H; Amoudri, C; Holmes, S; Ocella, E. (1973). [Assessment of the effect of asbestos in the industrial environment. (Recommendations of the Subcommittee on Asbestosis of the Permanent Committee and of the International Occupational Disease Association)]. *Gig Sanit*. 38: 76-79.
- Gramond, C; Rolland, P; Lacourt, A; Ducamp, S; Chamming's, S; Creau, Y; Hery, M; Laureillard, J; Mohammed-Brahim, B; Orłowski, E, wa; Paris, C; Pairon, JC; Goldberg, M; Brochard, P; Grp, PS. (2012). Choice of rating method for assessing occupational asbestos exposure: Study for compensation purposes in France. *Am J Ind Med*. 55: 440-449. <http://dx.doi.org/10.1002/ajim.22008>.
- Granat, K; Nowak, D; Pigiel, M; Florczak, W; Opyd, B. (2015). Application of microwave radiation in innovative process of neutralising asbestos-containing wastes. 15: 188-194. <http://dx.doi.org/10.1016/j.acme.2014.05.012>.
- Grandjean, P; Bach, E. (1986). Indirect exposures: the significance of bystanders at work and at home. *Am Ind Hyg Assoc J*. 47: 819-824. <http://dx.doi.org/10.1080/15298668691390719>.
- Granieri, A. (2015). Community exposure to asbestos in Casale Monferrato: from research on psychological impact to a community needs-centered healthcare organization. *Ann Ist Super Sanita*. 51: 336-341. http://dx.doi.org/10.4415/ANN_15_04_14.
- Grant, CD; Campbell, CJ; Charnock, NR. (2002). Selection of species suitable for derelict mine site rehabilitation in New South Wales, Australia. *Water Air Soil Pollut*. 139: 215-235.
- Graveland, A. (1998). Particle and micro-organism removal in conventional and advanced treatment technology. *Water Sci Technol*. 37: 125-134.
- Gray, C; Carey, RN; Reid, A. (2016). Current and future risks of asbestos exposure in the Australian community. *Int J Occup Environ Health*. 22: 292-299. <http://dx.doi.org/10.1080/10773525.2016.1227037>.
- Graziano, G; Bilancia, M; Bisceglia, L; de Nichilo, G; Pollice, A; Assennato, G. (2009). [Statistical analysis of the incidence of some cancers in the province of Taranto 1999-2001]. *Epidemiol Prev*. 33: 37-44.
- Green, FHY; Harley, R; Vallyathan, V; Althouse, R; Fick, G; Dement, J; Mitha, R; Pooley, F. (1997). Exposure and mineralogical correlates of pulmonary fibrosis in chrysotile asbestos workers. *Occup Environ Med*. 54: 549-559.
- Greenberg, M. (1970). Asbestos release from battery boxes. *Ann Occup Hyg*. 13: 79-80.
- Greenberg, M. (1994). DUST EXPOSURE AND MORTALITY IN CHRYSOTILE MINING, 1910-76 [Letter]. *Occup Environ Med*. 51: 431-431.
- Greenberg, M. (1994). Thoughts inspired by reading the correspondence: Hughes and Weill vs. Roggli et al., April 1994. *Am J Ind Med*. 26: 843-844.
- Greenberg, M. (1996). Malignant mesothelioma in paper mill workers: Where might the asbestos have come from? [Letter]. *Am J Ind Med*. 30: 641-641. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199611\)30:5<641::AID-AJIM13>3.0.CO;2-3](http://dx.doi.org/10.1002/(SICI)1097-0274(199611)30:5<641::AID-AJIM13>3.0.CO;2-3).
- Greenberg, M. (1997). A battle for compensation for Welsh coal miners: JS Haldane v "Sericite"; Jones, 1932-1934. *Am J Ind Med*. 32: 309-314. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199709\)32:3<309::AID-AJIM19>3.0.CO;2-Z](http://dx.doi.org/10.1002/(SICI)1097-0274(199709)32:3<309::AID-AJIM19>3.0.CO;2-Z).
- Greenberg, M. (1997). Lung cancer in asbestos cement workers in Denmark [Letter]. *Occup Environ Med*. 54: 143.
- Greenberg, M. (1997). Professor Matthew Stewart: asbestosis research 1929-1934. *Am J Ind Med*. 32: 562-569.
- Greenberg, M. (1999). A study of lung cancer mortality in asbestos workers: Doll, 1955. *Am J Ind Med*. 36: 331-347.
- Greenberg, M. (2003). Biological effects of asbestos: New York Academy of Sciences 1964. *Am J Ind Med*. 43: 543-552. <http://dx.doi.org/10.1002/ajim.10192>.
- Greenberg, M. (2003). Cape Asbestos, Barking, health and environment: 1928-1946. *Am J Ind Med*. 43: 109-119. <http://dx.doi.org/10.1002/ajim.10147>.
- Greenberg, M. (2004). The British approach to asbestos standard setting: 1898-2000. *Am J Ind Med*. 46: 534-541. <http://dx.doi.org/10.1002/ajim.20083>.
- Greenberg, M. (2004). The doctors and the dockers. *Am J Ind Med*. 45: 573-581. <http://dx.doi.org/10.1002/ajim.20011>.
- Greenberg, M. (2004). Loyalty of the asbestos worker: a brief historical note. *Am J Ind Med*. 45: 475-477. <http://dx.doi.org/10.1002/ajim.10366>.
- Greenberg, M. (2004). Mineral fiber problems and their management: UK 1890-1935. *Am J Ind Med*. 46: 304-311. <http://dx.doi.org/10.1002/ajim.20056>.
- Greenberg, M. (2005). The art of perpetuating a public health hazard [Review]. *J Occup Environ Med*. 47: 137-144. <http://dx.doi.org/10.1097/01.jom.0000152921.94835.f3>.
- Greenberg, M. (2005). Changing trends in US mesothelioma incidence [Letter]. *Occup Environ Med*. 62: 134. <http://dx.doi.org/10.1136/oem.2004.018051>.

Fate Literature Search Results

Off Topic

- Greenberg, M. (2005). A report on the health of asbestos, Quebec miners 1940. *Am J Ind Med.* 48: 230-237. <http://dx.doi.org/10.1002/ajim.20206>.
- Greenberg, M. (2006). Estimating the number of asbestos-related cancer deaths in Great Britain [Letter]. *Ann Occup Hyg.* 50: 107-107. <http://dx.doi.org/10.1093/annhyg/mei067>.
- Greenberg, M. (2006). Revising the British Occupational Hygiene Society asbestos standard: 1968-1982. *Am J Ind Med.* 49: 577-604. <http://dx.doi.org/10.1002/ajim.20321>.
- Greenberg, M. (2008). The defence of chrysotile, 1912-2007. *Int J Occup Environ Health.* 14: 57-66. <http://dx.doi.org/10.1179/oeh.2008.14.1.57>.
- Greenberger, RN; Mustard, JF; Cloutis, EA; Pratt, LM; Sauer, PE; Mann, P; Turner, K; Dyar, MD; Bish, DL. (2015). Serpentinization, iron oxidation, and aqueous conditions in an ophiolite: Implications for hydrogen production and habitability on Mars. *Earth Planet Sci Lett.* 416: 21-34. <http://dx.doi.org/10.1016/j.epsl.2015.02.002>.
- Greenland, S; Salvan, A; Wegman, DH; Hallock, MF; Smith, TJ. (1994). A case-control study of cancer mortality at a transformer-assembly facility. *Int Arch Occup Environ Health.* 66: 49-54. <http://dx.doi.org/10.1007/BF00386579>.
- Grew, ES; Pertsev, NN; Vrana, S; Yates, MG; Shearer, CK; Wiedenbeck, M. (1998). Kornerupine parageneses in whiteschists and other magnesian rocks: is kornerupine plus talc a high-pressure assemblage equivalent to tourmaline plus orthoamphibole? *Contributions to Mineralogy and Petrology.* 131: 22-38.
- Greyvenstein, B; van Zyl, JE. (2007). An experimental investigation into the pressure-leakage relationship of some failed water pipes. *Journal of Water Supply: Research and Technology-AQUA.* 56: 117-124. <http://dx.doi.org/10.2166/aqua.2007.065>.
- Griffin, WL; Afonso, JC; Belousova, EA; Gain, SE; Gong, XH; Gonzalez-Jimenez, JM; Howell, D; Huang, JX; MCGowan, N; Pearson, NJ; Satsukawa, T; Shi, R; Williams, P; Xiong, Q; Yang, JS; Zhang, M; O'Reilly, SY. (2016). Mantle Recycling: Transition Zone Metamorphism of Tibetan Ophiolitic Peridotites and its Tectonic Implications. *Journal of Petrology.* 57: 655-684. <http://dx.doi.org/10.1093/petrology/egw011>.
- Griffis, LC; Pickrell, JA; Carpenter, RL; Wolff, RK; Mcallen, SJ; Yerkes, KL. (1983). Deposition of crocidolite asbestos and glass microfibers inhaled by the beagle dog. *Am Ind Hyg Assoc J.* 44: 216-222. <http://dx.doi.org/10.1080/15298668391404671>.
- Grimson, RC. (1987). Apportionment of risk among environmental exposures: application to asbestos exposure and cigarette smoking. *J Occup Med.* 29: 253-255.
- Grimsrud, TK; Andersen, A. (2010). Evidence of carcinogenicity in humans of water-soluble nickel salts [Editorial]. *J Occup Med Toxicol.* 5: 7. <http://dx.doi.org/10.1186/1745-6673-5-7>.
- Grimsrud, TK; Berge, SR; Haldorsen, T; Andersen, A. (2005). Can lung cancer risk among nickel refinery workers be explained by occupational exposures other than nickel? *Epidemiology.* 16: 146-154. <http://dx.doi.org/10.1097/01.ede.0000152902.48916.d7>.
- Grimsrud, TK; Langseth, H; Engeland, A; Andersen, A. (1998). Lung and bladder cancer in a Norwegian municipality with iron and steel producing industry: population based case-control studies. *Occup Environ Med.* 55: 387-392.
- Grobety, B. (2003). Polytypes and higher-order structures of antigorite: A TEM study. *Am Mineral.* 88: 27-36.
- Grobety, BH. (1996). New short-range biopyribole polysomes from the Lepontine Alps, Switzerland. *Am Mineral.* 81: 404-417.
- Grobety, BH. (1997). The replacement of anthophyllite by jimthompsonite: A model for hydration reactions in biopyriboles. *Contributions to Mineralogy and Petrology.* 127: 237-247.
- Groppo, C; Compagnoni, R. (2007). Metamorphic veins from the serpentinites of the Piemonte Zone, western Alps, Italy: a review. *Periodico di Mineralogia.* 76: 127-153. <http://dx.doi.org/10.2451/2007PM0021>.
- Groppo, C; Compagnoni, R. (2007). Ubiquitous fibrous antigorite veins from the Lanzo Ultramafic Massif, Internal Western Alps (Italy): characterisation and genetic conditions. *Periodico di Mineralogia.* 76: 169-181. <http://dx.doi.org/10.2451/2007PM0014>.
- Groppo, C; Forster, M; Lister, G; Compagnoni, R. (2009). Glaucofane schists and associated rocks from Sifnos (Cyclades, Greece): New constraints on the P-T evolution from oxidized systems. *Lithos.* 109: 254-273. <http://dx.doi.org/10.1016/j.lithos.2008.10.005>.
- Groppo, C; Tomatis, M; Turci, F; Gazzano, E; Ghigo, D; Compagnoni, R; Fubini, B. (2005). Potential toxicity of nonregulated asbestiform minerals: Balangeroite from the western Alps. Part 1: Identification and characterization. *J Toxicol Environ Health A.* 68: 1-19. <http://dx.doi.org/10.1080/15287390590523867>.
- Gross, P. (1974). ASBESTOS FIBERS IN DRINKING-WATER. *JAMA.* 229: 767-767.
- Gross, P. (1974). Is short-fibered asbestos dust a biological hazard? *Arch Environ Health.* 29: 115-117.
- Gross, P; Davis, JM; Harley, RA; de Treville, RT. (1973). Lymphatic transport of fibrous dust from the lungs. *J Occup Med.* 15: 186-189.
- Gross, P; DETREVIL.RT; Haller, MN. (1970). ASBESTOS VERSUS NONASBESTOS FIBERS - ULTRAMICROSCOPIC CRITERIA. *Arch Environ Health.* 20: 571-&.
- Gross, P; Harley, RA. (1973). LOCUS OF PATHOGENICITY OF ASBESTOS DUST - THEORY. *Arch Environ Health.* 27: 240-242.
- Gross, P; Harley, RA; Davis, JM; Cralley, LJ. (1974). Mineral fiber content of human lungs. *Am Ind Hyg Assoc J.* 35: 148-151.
- Grosse, I; Huetter, B; Hartmann, I; Binde, G; Gruber, H; Kurz, G. (1998). Asbestos on textiles: is there an endangering during washing and wearing? *J Hazard Mater.* 63: 119-130.
- Grove, M; Bebout, GE. (1995). Cretaceous tectonic evolution of coastal southern California: Insights from the Catalina Schist. *Tectonics.* 14: 1290-1308.
- Gruenwald G, JS. (1988). ASBESTOS LEVELS IN A LOS ANGELES CALIFORNIA USA BUILDING BEFORE AND AFTER AN EARTHQUAKE. *Am Ind Hyg Assoc J.* 49.
- Gruenwald, GJS. (1988). ASBESTOS LEVELS IN A LOS-ANGELES BUILDING BEFORE AND AFTER AN EARTHQUAKE. *Am Ind Hyg Assoc J.* 49: A87-A88.
- Grunthaler, KH; Konig, R; Poeschel, E. (1986). FIBROUS SUBSTITUTE FOR ASBESTOS IN BRAKE LININGS - POSSIBLE CANCERIGENIC EMISSIONS IN PROCESSING AND PREPARATION. *Arbeitsmedizin, Sozialmedizin, Praeventivmedizin.* 21: 331-331.

Fate Literature Search Results

Off Topic

- Gu, L; Zheng, Y; Tang, X; Zaw, K; Della-Pasque, F; Wu, C; Tian, Z; Lu, J; Ni, P; Li, X; Yang, F; Wang, X. (2007). Copper, gold and silver enrichment in ore mylonites within massive sulphide orebodies at Hongtoushan VHMS deposit, N.E. China. *Ore Geol Rev.* 30: 1-29. <http://dx.doi.org/10.1016/j.oregeorev.2005.09.001>.
- Gualtieri, AF; Andreozzi, GB; Giacobbe, C; Lusvardi, G; Viti, C. (2011). Structural and spectroscopic characterization of anorthite synthesized from secondary raw materials. *Periodico di Mineralogia.* 80: 231-245. <http://dx.doi.org/10.2451/2011PM0018>.
- Gualtieri, AF; Boccaletti, M. (2011). Recycling of the product of thermal inertization of cement-asbestos for the production of concrete. *Construction and Building Materials.* 25: 3561-3569. <http://dx.doi.org/10.1016/j.conbuildmat.2011.03.049>.
- Gualtieri, AF; Cavenati, C; Zanatto, I; Meloni, M; Elmi, G; Gualtieri, ML. (2008). The transformation sequence of cement-asbestos slates up to 1200 degrees C and safe recycling of the reaction product in stoneware tile mixtures. *J Hazard Mater.* 152: 563-570. <http://dx.doi.org/10.1016/j.jhazmat.2007.07.037>.
- Gualtieri, AF; Foresti, E; Lesci, IG; Roveri, N; Gualtieri, ML; Dondi, M; Zapparoli, M. (2009). The thermal transformation of Man Made Vitreous Fibers (MMVF) and safe recycling as secondary raw materials (SRM). *J Hazard Mater.* 162: 1494-1506. <http://dx.doi.org/10.1016/j.jhazmat.2008.06.066>.
- Gualtieri, AF; Giacobbe, C; Rinaudo, C; Croce, A; Allegrina, M; Gaudino, G; Yang, H; Carbone, M. (2013). Preliminary results of the spectroscopic and structural characterization of mesothelioma inducing crocidolite fibers injected in mice. *Periodico di Mineralogia.* 82: 299-312. <http://dx.doi.org/10.2451/2013PM0018>.
- Gualtieri, AF; Giacobbe, C; Sardisco, L; Saraceno, M; Gualtieri, ML; Lusvardi, G; Cavenati, C; Zanatto, I. (2011). Recycling of the product of thermal inertization of cement-asbestos for various industrial applications. *Waste Manag.* 31: 91-100. <http://dx.doi.org/10.1016/j.wasman.2010.07.006>.
- Gualtieri, AF; Giacobbe, C; Viti, C. (2012). The dehydroxylation of serpentine group minerals. *Am Mineral.* 97: 666-680. <http://dx.doi.org/10.2138/am.2012.3952>.
- Gualtieri, AF; Gualtieri, ML; Meneghini, C. (2008). In situ high-temperature synchrotron powder diffraction study of the thermal decomposition of cement-asbestos. *Powder Diffraction.* 23: 323-328. <http://dx.doi.org/10.1154/1.2991362>.
- Gualtieri, AF; Gualtieri, ML; Tonelli, M. (2008). In situ ESEM study of the thermal decomposition of chrysotile asbestos in view of safe recycling of the transformation product. *J Hazard Mater.* 156: 260-266. <http://dx.doi.org/10.1016/j.jhazmat.2007.12.016>.
- Gualtieri, AF; Levy, D; Belluso, E; Dapiaggi, M. (2004). Kinetics of the decomposition of crocidolite asbestos: A preliminary real-time X-ray powder diffraction study. *Materials Science Forum.* 443-4: 291-294.
- Gualtieri, AF; Mangano, D; Gualtieri, ML; Ricchi, A; Foresti, E; Lesci, G; Roveri, N; Mariotti, M; Pecchini, G. (2009). Ambient monitoring of asbestos in selected Italian living areas. *J Environ Manage.* 90: 3540-3552. <http://dx.doi.org/10.1016/j.jenvman.2009.06.007>.
- Gualtieri, AF; Pollastri, S; Gandolfi, NB; Ronchetti, F; Albino, C; Cavallo, A; Zanetti, G; Marini, P; Sala, O. (2014). Determination of the concentration of asbestos minerals in highly contaminated mine tailings: An example from abandoned mine waste of Cretaz and Emarese (Valle d'Aosta, Italy). *Am Mineral.* 99: 1233-1247. <http://dx.doi.org/10.2138/am.2014.4708>.
- Gualtieri, AF; Tartaglia, A. (2000). Thermal decomposition of asbestos and recycling in traditional ceramics. *J Eur Ceram Soc.* 20: 1409-1418.
- Gualtieri, AF; Veratti, L; Tucci, A; Esposito, L. (2012). Recycling of the product of thermal inertization of cement-asbestos in geopolymers. *Construction and Building Materials.* 31: 47-51. <http://dx.doi.org/10.1016/j.conbuildmat.2011.12.087>.
- Gualtieri, AF; Viani, A; Sgarbi, G; Lusvardi, G. (2012). In vitro biodurability of the product of thermal transformation of cement-asbestos. *J Hazard Mater.* 205-206: 63-71. <http://dx.doi.org/10.1016/j.jhazmat.2011.12.005>.
- Gualtieri, AF; Zanni, M. (1998). Quantitative determination of crystalline and amorphous phase in traditional ceramics by combined Rietveld-RIR method. *Materials Science Forum.* 278-2: 834-839.
- Guberan, E; Usel, M. (1987). RISK OF CANCER IN BUILDINGS CONTAINING SPRAYED ASBESTOS INSULATING MATERIAL - MYTH OR REALITY. *Soz Praventivmed.* 32: 246-248.
- Guénel, P; Imbernon, E; Chevalier, A; Crinquand-Calastreng, A; Goldberg, M. (2002). Leukemia in relation to occupational exposures to benzene and other agents: A case-control study nested in a cohort of gas and electric utility workers. *Am J Ind Med.* 42: 87-97. <http://dx.doi.org/10.1002/ajim.10090>.
- Guida, F; Paget-Bailly, S; Lamkarkach, F; Gaye, O; Ducamp, S; Menvielle, G; Papadopoulos, A; Matrat, M; Févotte, J; Cénéé, S; Cyr, D; Schmaus, A; Carton, M; Radoï, L; Lapôtre-Ledoux, B; Molinié, F; Luce, D; Stücker, I. (2013). Risk of lung cancer associated with occupational exposure to mineral wools: updating knowledge from a french population-based case-control study, the ICARE study. *J Occup Environ Med.* 55: 786-795. <http://dx.doi.org/10.1097/JOM.0b013e318289ee8b>.
- Guidotti, TL. (1988). QUANTITATIVE RISK ASSESSMENT OF EXPOSURE TO AIRBORNE ASBESTOS IN AN OFFICE BUILDING. *Can J Public Health.* 79: 249-254.
- Guidotti, TL. (2002). Apportionment in asbestos-related disease for purposes of compensation [Review]. *Ind Health.* 40: 295-311.
- Guidotti, TL. (2013). Why pretend that "non-asbestos" fibrous silicates are not "asbestos"? [Editorial]. *Arch Environ Occup Health.* 68: 187-189. <http://dx.doi.org/10.1080/19338244.2012.760363>.
- Guidotti, TL. (2016). Conflict of interest in EOH research. *Arch Environ Occup Health.* 71: 127-128. <http://dx.doi.org/10.1080/19338244.2016.1171090>.
- Guignon, N; Sandret, N; Vincent, R. (2005). [Exposures to carcinogens, mutagens and reprotoxic substances]. *DMT*471-483.
- Guilhaumou, N; Sautter, V; Dumas, P. (2005). Synchrotron FTIR microanalysis of volatiles in melt inclusions and exsolved particles in ultramafic deep-seated garnets. *Chem Geol.* 223: 82-92. <http://dx.doi.org/10.1016/j.chemgeo.2005.05.008>.
- Guilianelli, C; Baeza-Squiban, A; Boisvieux-Ulrich, E; Houcine, O; Zalma, R; Guennou, C; Pezerat, H; Marano, F. (1993). Effect of mineral particles containing iron on primary cultures of rabbit tracheal epithelial cells: possible implication of oxidative stress. *Environ Health Perspect.* 101: 436-442.

Fate Literature Search Results

Off Topic

- Guillemin, MP; Litzistorf, G; Buffat, PA. (1989). URINARY FIBERS IN OCCUPATIONAL EXPOSURE TO ASBESTOS. *Ann Occup Hyg.* 33: 219-234.
- Guillemin, MP; Madelaine, P; Litzistorf, G; Buffat, P; Iselin, F. (1989). ASBESTOS IN BUILDINGS - THE DIFFICULTIES OF A RELIABLE EXPOSURE ASSESSMENT. *Aerosol Sci Technol.* 11: 221-243.
- Guillot, S; Faik, A; Rakhmatullin, A; Lambert, J; Veron, E; Echegut, P; Bessada, C; Calvet, N; Py, X. (2012). Corrosion effects between molten salts and thermal storage material for concentrated solar power plants. *Appl Energ.* 94: 174-181. <http://dx.doi.org/10.1016/j.apenergy.2011.12.057>.
- Guillot, S; Hattori, K. (2013). Serpentinites: Essential Roles in Geodynamics, Arc Volcanism, Sustainable Development, and the Origin of Life. *Elements.* 9: 95-98. <http://dx.doi.org/10.2113/gselements.9.2.95>.
- Guillot, S; Hattori, KH; de Sigoyer, J; Nagler, T; Auzende, AL. (2001). Evidence of hydration of the mantle wedge and its role in the exhumation of eclogites. *Earth Planet Sci Lett.* 193: 115-127.
- Guillot, S; Schwartz, S; Reynard, B; Agard, P; Prigent, C. (2015). Tectonic significance of serpentinites. *Tectonophysics.* 646: 1-19. <http://dx.doi.org/10.1016/j.tecto.2015.01.020>.
- Guimaraes, L; Enyashin, AN; Seifert, G; Duarte, HA. (2010). Structural, Electronic, and Mechanical Properties of Single-Walled Halloysite Nanotube Models. *J Phys Chem C.* 114: 11358-11363. <http://dx.doi.org/10.1021/jp100902e>.
- Gul, J; Saleemi, AR; Mirza, S; Feroze, N; Mansha, M. (2010). Thermal and mechanical characteristics of cork filled insulation for aerospace applications. *Plastics, Rubber and Composites.* 39: 28-32. <http://dx.doi.org/10.1179/174328910X12608851832010>.
- Gulino, GR; Polimeni, M; Prato, M; Gazzano, E; Kopecka, J; Colombatto, S; Ghigo, D; Aldieri, E. (2015). Effect of Chrysotile Exposure in Human Bronchial Epithelial Cells: Insights on the Pathogenic Mechanisms of Asbestos-Related Diseases. *Environ Health Perspect.* 124: 776-784. <http://dx.doi.org/10.1289/ehp.1409627>.
- Gulumian, M. (2005). An update on the detoxification processes for silica particles and asbestos fibers: success and limitations [Review]. *J Toxicol Environ Health B Crit Rev.* 8: 453-483. <http://dx.doi.org/10.1080/10937400590952547>.
- Gulumian, M; Bhoolia, DJ; Du Toit, RSJ; Rendall, REG; Pollak, H; Van Wyk, JA; Rhempula, M. (1993). Activation of UICC Crocidolite: The Effect of Conversion of Some Ferric Ions to Ferrous Ions. *Environ Res.* 60: 193-206.
- Gulumian, M; Nkosibomvu, ZL; Channa, K; Pollak, H. (1997). Can microwave radiation at high temperatures reduce the toxicity of fibrous crocidolite asbestos? *Environ Health Perspect.* 105: 1041-1044.
- Gun, R; Pratt, NL; Roder, DM; Ryan, P. (2006). Asbestos-related cancers in refinery workers in the Australian petroleum industry. *Arch Environ Occup Health.* 61: 11-16. <http://dx.doi.org/10.3200/AEOH.61.1.11-16>.
- Gun, RT; Parsons, J; Crouch, P; Ryan, P; Hiller, JE. (2008). Mortality and cancer incidence of Australian participants in the British nuclear tests in Australia. *Occup Environ Med.* 65: 843-848. <http://dx.doi.org/10.1136/oem.2007.034652>.
- Gun, RT; Pratt, N; Ryan, P; Roder, D. (2006). Update of mortality and cancer incidence in the Australian petroleum industry cohort. *Occup Environ Med.* 63: 476-481. <http://dx.doi.org/10.1136/oem.2005.023796>.
- Gun, RT; Pratt, NL; Griffith, EC; Adams, GG; Bisby, JA; Robinson, KL. (2004). Update of a prospective study of mortality and cancer incidence in the Australian petroleum industry. *Occup Environ Med.* 61: 150-156. <http://dx.doi.org/10.1136/oem.2002.005199>.
- Gunnarsson, I; Arnorsson, S; Jakobsson, S. (2005). Precipitation of poorly crystalline antigorite under hydrothermal conditions. *Geochim Cosmochim Acta.* 69: 2813-2828. <http://dx.doi.org/10.1016/j.gca.2005.02.001>.
- Gunter, BJ. (1978). Health Hazard Evaluation Determination, Report No. HHE-78-112-535, Beech Aircraft Corporation, Boulder, Colorado, November, 1978. NIOSH: 19781978.
- Gunter, ME; Belluso, E; Mottana, A. (2007). Amphiboles: environmental and health concerns. *Rev Mineral Geochem.* 67: 453-516. <http://dx.doi.org/10.2138/rmg.2007.67.12>.
- Gunter, ME; Dyar, MD; Lanzirrotti, A; Tucker, JM; Speicher, EA. (2011). Differences in Fe-redox for asbestiform and nonasbestiform amphiboles from the former vermiculite mine, near Libby, Montana, USA. *Am Mineral.* 96: 1414-1417. <http://dx.doi.org/10.2138/am.2011.3800>.
- Gunter, ME; Dyar, MD; Twamley, B; Foit, FF, Jr; Cornelius, S. (2003). Composition, Fe³⁺/ΣFe, and crystal structure of non-asbestiform and asbestiform amphiboles from Libby, Montana, USA. *Am Mineral.* 88: 1970-1978.
- Gunter, ME; Sanchez, MS. (2008). Amphibole content of commercial vermiculites by powder X-ray diffraction. *Periodico di Mineralogia.* 77: 35-41. <http://dx.doi.org/10.2451/2008PM0011>.
- Gunter, ME; Sanchez, MS. (2009). Amphibole forensics: Using the composition of amphiboles to determine their source, the Libby, Montana, example. *Am Mineral.* 94: 837-840. <http://dx.doi.org/10.2138/am.2009.3224>.
- Guo, J; Kauppinen, T; Kyrrönen, P; Lindbohm, ML; Heikkilä, P; Pukkala, E. (2004). Occupational exposure to diesel and gasoline engine exhausts and risk of lung cancer among Finnish workers. *Am J Ind Med.* 45: 483-490. <http://dx.doi.org/10.1002/ajim.20013>.
- Guo, L, in; Morris, DG; Liu, X; Vaslet, C; Hurt, RH; Kane, AB. (2007). Iron bioavailability and redox activity in diverse carbon nanotube samples. *Chem Mater.* 19: 3472-3478. <http://dx.doi.org/10.1021/cm062691p>.
- Guo, X; Xiang, D; Duan, G; Mou, P. (2010). A review of mechanochemistry applications in waste management [Review]. *Waste Manag.* 30: 4-10. <http://dx.doi.org/10.1016/j.wasman.2009.08.017>.
- Gurtner, F; Minder, CE. (1993). [Cancer mortality according to occupation: implications for prevention]. *Soz Praventivmed.* 38 Suppl 2: S137-S139.
- Gurunath, PV; Bijwe, J. (2007). Friction and wear studies on brake-pad materials based on newly developed resin. *Wear.* 263: 1212-1219. <http://dx.doi.org/10.1016/j.wear.2006.12.050>.
- Gurunath, PV; Bijwe, J. (2009). Potential exploration of novel green resins as binders for NAO friction composites in severe operating conditions. *Wear.* 267: 789-796. <http://dx.doi.org/10.1016/j.wear.2009.02.012>.
- Gurvich, VB; Kogan, FM; Deminov, AG; Gusel'nikova, NA. (1983). [Current problems in occupational hygiene during extraction and concentration of asbestos]. *Gig Tr Prof Zabol.* 0: 1-5.

Fate Literature Search Results

Off Topic

- Gurzau, ES; Neagu, C; Gurzau, AE. (2003). Essential metals--case study on iron [Review]. *Ecotoxicol Environ Saf.* 56: 190-200. [http://dx.doi.org/10.1016/S0147-6513\(03\)00062-9](http://dx.doi.org/10.1016/S0147-6513(03)00062-9).
- Guseva Canu, I; Cardis, E; Metz-Flamant, C; Caër-Lorho, S; Auriol, B; Wild, P; Laurier, D; Tirmarche, M. (2010). French cohort of the uranium processing workers: mortality pattern after 30-year follow-up. *Int Arch Occup Environ Health.* 83: 301-308. <http://dx.doi.org/10.1007/s00420-009-0455-0>.
- Guseva Canu, I; Paquet, F; Goldberg, M; Auriol, B; Bérard, P; Collomb, P; David, JC; Molina, G; Perez, P; Tirmarche, M. (2009). Comparative assessing for radiological, chemical, and physical exposures at the French uranium conversion plant: Is uranium the only stressor. *Int J Hyg Environ Health.* 212: 398-413. <http://dx.doi.org/10.1016/j.ijheh.2008.09.002>.
- Gustafson, LB; Quiroga, J. (1995). PATTERNS OF MINERALIZATION AND ALTERATION BELOW THE PORPHYRY COPPER OREBODY AT EL SALVADOR, CHILE. *Econ Geol.* 90: 2-16.
- Gustavsson, P; Ahlbom, A; Andersson, T; Schéele, P. (2003). Calculation of fractions of lung cancer incidence attributable to occupational exposure to asbestos and combustion products in Stockholm, Sweden. *Eur J Epidemiol.* 18: 937-940.
- Gustavsson, P; Evanoff, B; Hogstedt, C. (1993). INCREASED RISK OF ESOPHAGEAL CANCER AMONG WORKERS EXPOSED TO COMBUSTION PRODUCTS. *Arch Environ Health.* 48: 243-245.
- Gustavsson, P; Jakobsson, R. (2001). Re: "Occupational exposure and lung cancer risk: A population-based case-referent study in Sweden" - The first two authors reply. *Am J Epidemiol.* 153: 1029-1029.
- Gustavsson, P; Jakobsson, R; Johansson, H; Lewin, F; Norell, S; Rutkvist, LE. (1998). Occupational exposures and squamous cell carcinoma of the oral cavity, pharynx, larynx, and oesophagus: A case-control study in Sweden. *Occup Environ Med.* 55: 393-400.
- Gustavsson, P; Jakobsson, R; Nyberg, F; Pershagen, G; Järup, L; Schéele, P. (2000). Occupational exposure and lung cancer risk: a population-based case-referent study in Sweden. *Am J Epidemiol.* 152: 32-40.
- Gustavsson, P; Nyberg, F; Pershagen, G; Scheele, P; Jakobsson, R; Plato, N. (2002). Low-dose exposure to asbestos and lung cancer: Dose-response relations and interaction with smoking in a population-based case-referent study in Stockholm, Sweden. *Am J Epidemiol.* 155: 1016-1022. <http://dx.doi.org/10.1093/aje/155.11.1016>.
- Guthrie, GD. (1992). BIOLOGICAL EFFECTS OF INHALED MINERALS. *Am Mineral.* 77: 225-243.
- Guthrie, GD. (1995). EAT, BREATHE, AND BE WARY - MINERALOGY IN ENVIRONMENTAL-HEALTH. *Rev Geophys.* 33: 117-121.
- Guthrie, GD. (1997). Mineral properties and their contributions to particle toxicity. *Environ Health Perspect.* 105: 1003-1011.
- Gwinn, MR. (2011). Multiple modes of action of asbestos and related mineral fibers. *J Toxicol Environ Health B Crit Rev.* 14: 1-2. <http://dx.doi.org/10.1080/10937404.2011.556044>.
- Gwinn, MR; Devoney, D; Jarabek, A; Sonawane, B; Wheeler, J; Weissman, DN; Masten, SA; Thompson, C. (2011). Mode(s) of Action of Asbestos and Related Mineral Fibers: A meeting summary report. *Environ Health Perspect.* 119: 1806-1810. <http://dx.doi.org/10.1289/ehp.1003240>.
- Gylseth, B; Baunan, R. (1981). Topographic and size distribution of asbestos bodies in exposed human lungs. *Scand J Work Environ Health.* 7: 190-195.
- Gylseth, B; Churg, A; Davis, JM; Johnson, N; Morgan, A; Mowe, G; Rogers, A; Roggli, V. (1985). Analysis of asbestos fibers and asbestos bodies in tissue samples from human lung. An international interlaboratory trial. *Scand J Work Environ Health.* 11: 107-110.
- Gylseth, B; Mowé, G; Wannag, A. (1983). Fibre type and concentration in the lungs of workers in an asbestos cement factory. *Br J Ind Med.* 40: 375-379.
- Gylseth, B; Ophus, EM; Mowé, G. (1979). Determination of inorganic fiber density in human lung tissue by scanning electron microscopy after low temperature ashing. *Scand J Work Environ Health.* 5: 151-157.
- Habashi, F. (1992). DYEING ASBESTOS FIBERS. *Text Chem Color.* 24: 23-25.
- Habashi, F; Awadalla, FT; Page, M. (1991). SURFACE MODIFICATION OF CHRYSOTILE ASBESTOS WITH ORGANIC-REAGENTS - A PRELIMINARY INVITRO TOXICOLOGICAL STUDY. 84: 67-79.
- Haber, SE; Haber, JM. (2011). Malignant mesothelioma: a clinical study of 238 cases. *Ind Health.* 49: 166-172.
- Habib, RR; Abdallah, SM; Law, M; Kaldor, J. (2005). Mortality rates among nuclear industry workers at Lucas Heights Science and Technology Centre. *Aust N Z J Public Health.* 29: 229-237.
- Habib, RR; Abdallah, SM; Law, M; Kaldor, J. (2006). Cancer incidence among Australian nuclear industry workers. *J Occup Health.* 48: 358-365.
- Hacker, BR; Abers, GA. (2012). Subduction Factory 5: Unusually low Poisson's ratios in subduction zones from elastic anisotropy of peridotite. *J Geophys Res Solid Earth.* 117. <http://dx.doi.org/10.1029/2012JB009187>.
- Ha-Duong, M; Casman, EA; Morgan, MG. (2004). Bounding poorly characterized risks: a lung cancer example. *Risk Anal.* 24: 1071-1083. <http://dx.doi.org/10.1111/j.0272-4332.2004.00508.x>.
- Hagemann, SG; Brown, PE; Ridley, J; Stern, P; Fournelle, J. (1998). Ore petrology, chemistry, and timing of electrum in the archean hypozonal transvaal lode gold deposit, western Australia. *Econ Geol.* 93: 271-291.
- Hagemeyer, O; Otten, H; Kraus, T. (2006). Asbestos consumption, asbestos exposure and asbestos-related occupational diseases in Germany [Review]. *Int Arch Occup Environ Health.* 79: 613-620. <http://dx.doi.org/10.1007/s00420-006-0091-x>.
- Hagino, H; Oyama, M; Sasaki, S. (2015). Airborne brake wear particle emission due to braking and accelerating. *Wear.* 334: 44-48. <http://dx.doi.org/10.1016/j.wear.2015.04.012>.
- Hagino, H; Oyama, M; Sasaki, S. (2016). Laboratory testing of airborne brake wear particle emissions using a dynamometer system under urban city driving cycles. *Atmos Environ.* 131: 269-278. <http://dx.doi.org/10.1016/j.atmosenv.2016.02.014>.
- Hahne, RMA; Landenberger, BD. (1993). THE USE OF SPIKED ASBESTOS SAMPLES TO DETERMINE ANALYTICAL PROFICIENCY OF COMMERCIAL LABORATORIES DOING FIBER COUNTING. *Am Ind Hyg Assoc J.* 54: 560-563.

Fate Literature Search Results

Off Topic

- Hahon, N; Booth, JA; Eckert, HL. (1977). Antagonistic activity of poly (4-vinylpyridine-N-oxide) to the inhibition of viral interferon induction by asbestos fibres. *Br J Ind Med.* 34: 119-125.
- Hahon, N; Eckert, HL. (1976). Depression of viral interferon induction in cell monolayers by asbestos fibers. *Environ Res.* 11: 52-65.
- Hain, E. (1980). OCCUPATIONAL MEDICAL PROPHYLACTIC CHECK-UPS FOR ASBESTOS DUST EXPOSED PERSONS - EXPERIENCES AND PERSPECTIVES. *Staub, Reinhaltung der Luft.* 40: 190-194.
- Hain, E; Hinz, I; Dalquen, P. (1975). [Retrospective study in 236 asbestos textile workers at hamburg (author's transl)]. *Int Arch Occup Environ Health.* 36: 119-136.
- Halama, R; Konrad-Schmolke, M. (2015). Retrograde metasomatic effects on phase assemblages in an interlayered blueschist-greenschist sequence (Coastal Cordillera, Chile). *Lithos.* 216: 31-47. <http://dx.doi.org/10.1016/j.lithos.2014.12.004>.
- Hall, SA. (1971). Occupational exposures to pollution. *J R Coll Physicians Lond.* 5: 379-384.
- Hall, SK. (1989). PULMONARY HEALTH RISK - ABNORMALITIES FOUND IN WORKERS HANDLING ASBESTOS PRODUCTS. *J Environ Health.* 52: 165-167.
- Hall, SK; Cissik, JH. (1982). Effects of cigarette smoking on pulmonary function in asymptomatic asbestos workers with normal chest radiograms. *Am Ind Hyg Assoc J.* 43: 381-386. <http://dx.doi.org/10.1080/15298668291409901>.
- Hallenbeck, W; Finn, M; Chen, E. (1900). Urine as a Biological Index of Human Exposure to Airborne Asbestos. 16.
- Hallenbeck, WH. (1981). CONSUMER PRODUCT-SAFETY - RISK ASSESSMENT OF EXPOSURE TO ASBESTOS EMISSIONS FROM HAND-HELD HAIR DRYERS. *Environ Manage.* 5: 23-32.
- Hallenbeck, WH. (1981). CONSUMER PRODUCT-SAFETY - RISK ASSESSMENT OF EXPOSURE TO ASBESTOS EMISSIONS FROM HAND-HELD HAIR DRYERS - REBUTTAL. *Environ Manage.* 5: 19-22.
- Hallenbeck, WH; Chen, EH; Hesse, CS; Patelmandlik, K; Wolff, AH. (1978). IS CHRYSOTILE ASBESTOS RELEASED FROM ASBESTOS-CEMENT PIPE INTO DRINKING-WATER. *J Am Water Works Assoc.* 70: 97-102.
- Hallenbeck, WH; Chen, EH; Patelmandlik, K; Wolff, AH. (1977). PRECISION OF ANALYSIS FOR WATERBORNE CHRYSOTILE ASBESTOS BY TRANSMISSION ELECTRON-MICROSCOPY. *Bull Environ Contam Toxicol.* 17: 551-558.
- Hallenbeck, WH; Hesse, CS; Chen, EH; Patel-Mandlik, K; Wolff, AH. (1977). Asbestos in potable water. 118: 1-78.
- Hallenbeck, WH; Markey, DR; Dolan, DG. (1981). ANALYSES OF TISSUE, BLOOD, AND URINE SAMPLES FROM A BABOON RAVAGED WITH CHRYSOTILE AND CROCIDOLITE ASBESTOS. *Environ Res.* 25: 349-360.
- Hallenbeck, WH; Patelmandlik, KJ. (1979). PRESENCE OF FIBERS IN THE URINE OF A BABOON GAVAGED WITH CHRYSOTILE ASBESTOS. *Environ Res.* 20: 335-340.
- Hama, GM; Curley, LC. (1971). STUDY OF EXPOSURES IN SPRAYING OF ASBESTOS FIREPROOFING MATERIAL. *Am Ind Hyg Assoc J.* 32: 36-&.
- Hamblin, C; Ensor, B. (2004). Decommissioning of a liquid effluent treatment R&D facility. *Institution of Mechanical Engineers Proceedings Part E: Journal of Process Mechanical Engineering.* 218: 169-174.
- Hamedianfar, A; Shafri, HZM. (2016). Integrated approach using data mining-based decision tree and object-based image analysis for high-resolution urban mapping of WorldView-2 satellite sensor data. *J of Applied Remote Sensing.* 10. <http://dx.doi.org/10.1117/1.JRS.10.025001>.
- Hamedianfar, A; Shafri, HZM; Mansor, S; Ahmad, N. (2014). Combining data mining algorithm and object-based image analysis for detailed urban mapping of hyperspectral images. *J of Applied Remote Sensing.* 8. <http://dx.doi.org/10.1117/1.JRS.8.085091>.
- Hamilton, JA. (1983). Asbestos fibers, plasma and inflammation. *Environ Health Perspect.* 51: 281-285.
- Hamilton, JA. (1983). Suppression of the neutral protease activity of macrophages treated with asbestos in vitro. *Environ Health Perspect.* 51: 103-108.
- Hamilton, JA; Chan, JY; Movat, HZ. (1981). COAGULATION OF HUMAN-PLASMA BY ASBESTOS FIBERS. *Environ Res.* 26: 119-124.
- Hamilton, JA; Vadas, P; Hay, JB. (1981). MEASUREMENT OF BLOOD-FLOW AND VASCULAR-PERMEABILITY CHANGES IN RESPONSE TO 12-ORTHO-TETRADECANOYL-PHORBOL-13-ACETATE AND TO ASBESTOS FIBERS. *J Toxicol Environ Health.* 8: 205-214. <http://dx.doi.org/10.1080/15287398109530064>.
- Hamilton, WT; Round, AP; Sharp, DJ; Peters, TJ. (2004). High incidence of mesothelioma in an English city without heavy industrial use of asbestos. *J Public Health (Oxf).* 26: 77-78. <http://dx.doi.org/10.1093/pubmed/fdh116>.
- Hammad, YY; Diem, J; Weill, H. (1979). Evaluation of dust exposure in asbestos cement manufacturing operations. *Am Ind Hyg Assoc J.* 40: 490-495. <http://dx.doi.org/10.1080/15298667991429877>.
- Hammar, SP; Abraham, JL. (2015). Commentary on pathologic diagnosis of asbestosis and critique of the 2010 Asbestosis Committee of the College of American Pathologists (CAP) and Pulmonary Pathology Society's (PPS) update on the diagnostic criteria for pathologic asbestosis. *Am J Ind Med.* 58: 1034-1039. <http://dx.doi.org/10.1002/ajim.22512>.
- Hammons, AS; Huff, JE. (1974). ASBESTOS - WORLD CONCERN, INVOLVEMENT AND CULPABILITY. *Int J Environ Stud.* 6: 247-252. <http://dx.doi.org/10.1080/00207237408709659>.
- Hammons, AS; Huff, JE. (2007). Asbestos: world concern, involvement and culpability. *Int J Environ Stud.* 6: 247-251.
- Hamra, GB; Loomis, D; Dement, J. (2014). Examining the association of lung cancer and highly correlated fibre size-specific asbestos exposures with a hierarchical Bayesian model. *Occup Environ Med.* 71: 353-357. <http://dx.doi.org/10.1136/oemed-2013-101965>.
- Han, JH; Park, JD; Sakai, K; Hisanaga, N; Chang, HK; Lee, YH; Kwon, IH; Choi, BS; Chung, YH; Kim, HY; Yang, JS; Cho, MH; Yu, IJ. (2009). Comparison of lung asbestos fiber content in cancer subjects with healthy individuals with no known history of occupational asbestos exposure in Korea. *J Toxicol Environ Health A.* 72: 1292-1295. <http://dx.doi.org/10.1080/15287390903212345>.
- Hanaoka, T; Tsugane, S; Yamano, Y; Takahashi, T; Kasai, H; Natori, Y; Watanabe, S. (1993). Quantitative analysis of 8-hydroxyguanine in peripheral blood cells: an application for asbestosis patients. *Int Arch Occup Environ Health.* 65: S215-S217.

Fate Literature Search Results

Off Topic

- Hanley, JJ; Bray, CJ. (2009). THE TRACE METAL CONTENT OF AMPHIBOLE AS A PROXIMITY INDICATOR FOR Cu-Ni-PGE MINERALIZATION IN THE FOOTWALL OF THE SUDBURY IGNEOUS COMPLEX, ONTARIO, CANADA. *Econ Geol.* 104: 113-125.
- Hannaford-Turner, K; Elder, D; Sim, MR; Abramson, MJ; Johnson, AR; Yates, DH. (2010). Surveillance of Australian workplace Based Respiratory Events (SABRE) in New South Wales. *Occup Med (Lond).* 60: 376-382. <http://dx.doi.org/10.1093/occmed/kq0011>.
- Hannant, DJ. (1995). FIBER REINFORCEMENT IN THE CEMENT AND CONCRETE INDUSTRY. *Mater Sci Tech.* 11: 853-861.
- Hannila, HH; Hallman, ED. (1979). ADSORPTION OF GOLD SOLS ON ASBESTOS SURFACE-CHARGE SITES. *Powder Technology.* 23: 149-157.
- Hannington, MD; Kjarsgaard, IM; Galley, AG; Taylor, B. (2003). Mineral-chemical studies of metamorphosed hydrothermal alteration in the Kristineberg volcanogenic massive sulfide district, Sweden. *Miner Depos.* 38: 423-442. <http://dx.doi.org/10.1007/s00126-002-0299-y>.
- Hannington, MD; Santaguida, F; Kjarsgaard, IM; Cathles, LM. (2003). Regional-scale hydrothermal alteration in the Central Blake River Group, western Abitibi subprovince, Canada: implications for VMS prospectivity. *Miner Depos.* 38: 393-422. <http://dx.doi.org/10.1007/s00126-002-0298-z>.
- Hansell, A. (2008). Airborne environmental exposure to asbestos [Editorial]. *Am J Respir Crit Care Med.* 178: 556-557. <http://dx.doi.org/10.1164/rccm.200806-859ED>.
- Hansen, ES. (2002). No effect or no information? Comments on a nested case-control study of lung cancer among European rock and slag wool production workers. *Int J Occup Environ Health.* 8: 281-283. <http://dx.doi.org/10.1179/oeh.2002.8.3.281>.
- Haque, AK; Ali, I; Vrazel, DM; Uchida, T. (2001). Chrysotile asbestos fibers detected in the newborn pups following gavage feeding of pregnant mice. *J Toxicol Environ Health A.* 62: 23-31.
- Haque, AK; Mancuso, MG; Williams, MG; Dodson, RF. (1992). Asbestos in organs and placenta of five stillborn infants suggests transplacental transfer. *Environ Res.* 58: 163-175.
- Haque, AK; Vrazel, DM. (1998). Transplacental transfer of asbestos in pregnant mice. *Bull Environ Contam Toxicol.* 60: 620-625. <http://dx.doi.org/10.1007/s001289900671>.
- Haque, AK; Vrazel, DM; Uchida, T. (1998). Assessment of asbestos burden in the placenta and tissue digests of stillborn infants in South Texas. *Arch Environ Contam Toxicol.* 35: 532-538. <http://dx.doi.org/10.1007/s002449900413>.
- Harber, AJ; Forth, RA. (2001). The contamination of former iron and steel works sites. *Environ Geol.* 40: 324-330.
- Harber, P; Lew, M; Tashkin, DP; Simmons, M. (1987). Factor analysis of clinical data from asbestos workers: implications for diagnosis and screening. *Br J Ind Med.* 44: 780-784.
- Harber, P; Merz, B; Lam, I; Yuan, M; Parker, JE; Chen, WL. (2000). Intelligent database generated occupational questionnaire system. *J Occup Environ Med.* 42: 483-490. <http://dx.doi.org/10.1097/00043764-200005000-00004>.
- Harber, P; Oren, A; Mohsenifar, Z; Lew, M. (1986). Obstructive airway disease as a risk factor for asbestos-associated malignancy. *J Occup Med.* 28: 82-86.
- Harber, P; Smitherman, J. (1991). Asbestosis: Diagnostic Dilution [Review]. *J Occup Environ Med.* 33: 786-793. <http://dx.doi.org/10.1097/00043764-199107000-00011>.
- Harbut, MR. (2007). Treatment of nonmalignant asbestos-related diseases [Editorial]. *Am J Ind Med.* 50: 71-72. <http://dx.doi.org/10.1002/ajim.20416>.
- Harbut, MR; Endress, C; Graff, JJ; Weis, C; Pass, H. (2009). Clinical Presentation of Asbestosis with Intractable Pleural Pain in the Adult Child of a Taconite Miner and Radiographic Demonstration of the Probable Pathology Causing the Pain. *Int J Occup Environ Health.* 15: 269-273. <http://dx.doi.org/10.1179/oeh.2009.15.3.269>.
- Harding, AH; Darnton, A; Osman, J. (2012). Cardiovascular disease mortality among British asbestos workers (1971-2005). *Occup Environ Med.* 69: 417-421. <http://dx.doi.org/10.1136/oemed-2011-100313>.
- Harding, AH; Darnton, A; Wegerdt, J; McElvenny, D. (2009). Mortality among British asbestos workers undergoing regular medical examinations (1971-2005). *Occup Environ Med.* 66: 487-495. <http://dx.doi.org/10.1136/oem.2008.043414>.
- Harding, AH; Darnton, AJ. (2010). Asbestosis and mesothelioma among British asbestos workers (1971-2005). *Am J Ind Med.* 53: 1070-1080. <http://dx.doi.org/10.1002/ajim.20844>.
- Hardt, JS; Vermeulen, R; Peters, S; Kromhout, H; McLaughlin, J. R.; Demers, PA. (2014). A comparison of exposure assessment approaches: lung cancer and occupational asbestos exposure in a population-based case-control study. *Occup Environ Med.* 71: 282-288. <http://dx.doi.org/10.1136/oemed-2013-101735>.
- Hardy, H; Egilman, D. (1991). Corruption of occupational medical literature: the asbestos example [Letter]. *Am J Ind Med.* 20: 127-129.
- Hardy, RJ; Highsmith, VR; Costa, DL; Krewer, JA. (1992). Indoor asbestos concentrations associated with the use of asbestos-contaminated tap water in portable home humidifiers. *Environ Sci Technol.* 26: 680-689.
- Harigane, Y; Michibayashi, K; Ohara, Y. (2008). Shearing within lower crust during progressive retrogression: Structural analysis of gabbroic rocks from the Godzilla Mullion, an oceanic core complex in the Parece Vela backarc basin. *Tectonophysics.* 457: 183-196. <http://dx.doi.org/10.1016/j.tecto.2008.06.009>.
- Harigane, Y; Michibayashi, K; Ohara, Y. (2011). Deformation and hydrothermal metamorphism of gabbroic rocks within the Godzilla Megamullion, Parece Vela Basin, Philippine Sea. *Lithos.* 124: 185-199. <http://dx.doi.org/10.1016/j.lithos.2011.02.001>.
- Harington, JS. (1992). MESOTHELIOMA AMONG WORKERS IN THE QUEBEC CHRYSOTILE MINING AND MILLING INDUSTRY [Letter]. *Am J Ind Med.* 22: 925-926.
- Harington, JS; Mcglashan, ND. (1998). South African asbestos: Production, exports, and destinations, 1959-1993 [Review]. *Am J Ind Med.* 33: 321-326.
- Harington, JS; Mcglashan, ND; Chelkowska, EZ. (2010). South Africa's export trade in asbestos: demise of an industry. *Am J Ind Med.* 53: 524-534. <http://dx.doi.org/10.1002/ajim.20784>.

Fate Literature Search Results

Off Topic

- Harkin, TJ; Mcguinness, G; Goldring, R; Cohen, H; Parker, JE; Crane, M; Naidich, DP; Rom, WN. (1996). Differentiation of the ILO boundary chest roentgenograph (0/1 to 1/0) in asbestosis by high-resolution computed tomography scan, alveolitis, and respiratory impairment. *J Occup Environ Med.* 38: 46-52.
- Harless, KW; Watanabe, S; Renzetti, AD. (1978). The acute effects of chrysotile asbestos exposure on lung function. *Environ Res.* 16: 360-372.
- Harlov, DE; Andersson, UB; Forster, HJ; Nystrom, JO; Dulski, P; Broman, C. (2002). Apatite-monazite relations in the Kiirunavaara magnetite-apatite ore, northern Sweden. *Chem Geol.* 191: 47-72.
- Harper, GD; Grady, K; Coulton, AJ. (1996). Origin of the amphibolite "sole" of the Josephine ophiolite: Emplacement of a cold ophiolite over a hot arc. *Tectonics.* 15: 296-313.
- Harper, M. (2008). 10th Anniversary Critical Review: Naturally occurring asbestos [Review]. *J Environ Monit.* 10: 1394-1408. <http://dx.doi.org/10.1039/b810541n>.
- Harper, M; Bartolucci, A. (2003). Preparation and examination of proposed consensus reference standards for fiber-counting. *AIHA J.* 64: 283-287.
- Harper, M; Lee, E; Doorn, SS; Hammond, O. (2008). Differentiating Non-Asbestiform Amphibole and Amphibole Asbestos by Size Characteristics. *J Occup Environ Hyg.* 5: 761-770. <http://dx.doi.org/10.1080/15459620802462290>.
- Harper, M; Lee, EG; Slaven, JE; Bartley, DL. (2012). An inter-laboratory study to determine the effectiveness of procedures for discriminating amphibole asbestos fibers from amphibole cleavage fragments in fiber counting by phase-contrast microscopy. *Ann Occup Hyg.* 56: 645-659. <http://dx.doi.org/10.1093/annhyg/mer123>.
- Harper, M; Slaven, JE; Pang, TW. (2009). Continued participation in an asbestos fiber-counting proficiency test with relocatable grid slides. *J Environ Monit.* 11: 434-438. <http://dx.doi.org/10.1039/b813893a>.
- Harper, M; Van Gosen, B; Crankshaw, OS; Doorn, SS; Ennis, TJ; Harrison, SE. (2015). Characterization of Lone Pine, California, tremolite asbestos and preparation of research material. *Ann Occup Hyg.* 59: 91-103. <http://dx.doi.org/10.1093/annhyg/meu074>.
- Harper, S. (1981). THE DEVELOPMENT OF ASBESTOS FREE INSULATING BOARDS. *Trans J Br Ceram Soc.* 80: 75-75.
- Harper, S. (1982). DEVELOPING ASBESTOS-FREE CALCIUM SILICATE BUILDING BOARDS. 13: 123-128.
- Harries, PG. (1971). Asbestos dust concentrations in ship repairing: a practical approach to improving asbestos hygiene in naval dockyards. *Ann Occup Hyg.* 14: 241-254.
- Harries, PG. (1976). Experience with asbestos disease and its control in Great Britain's naval dockyards. *Environ Res.* 11: 261-267.
- Harrington, JM. (1999). 1998 and beyond--Legge's legacy to modern occupational health. *Ann Occup Hyg.* 43: 1-6.
- Harrington, JM; Craun, GF; Meigs, JW; Landrigan, PJ; Flannery, JT; Woodhull, RS. (1978). An investigation of the use of asbestos cement pipe for public water supply and the incidence of gastrointestinal cancer in Connecticut, 1935-1973. *Am J Epidemiol.* 107: 96-103.
- Harris, EC; Palmer, KT; Cox, V; Darnton, A; Osman, J; Coggon, D. (2016). Trends in mortality from occupational hazards among men in England and Wales during 1979-2010. *Occup Environ Med.* 73: 385-393. <http://dx.doi.org/10.1136/oemed-2015-103336>.
- Harris, LV; Kahwa, IA. (2003). Asbestos: old foe in 21st century developing countries [Editorial]. *Sci Total Environ.* 307: 1-9. [http://dx.doi.org/10.1016/S0048-9697\(02\)00504-1](http://dx.doi.org/10.1016/S0048-9697(02)00504-1).
- Harrison, AL; Dipple, GM; Power, I, anM; Mayer, KU. (2016). The impact of evolving mineral-water-gas interfacial areas on mineral-fluid reaction rates in unsaturated porous media. *Chem Geol.* 421: 65-80. <http://dx.doi.org/10.1016/j.chemgeo.2015.12.005>.
- Harrison, J; Sepai, O. (2000). Should control measures be based on air measurements or biological/biological effect monitoring? *Occup Med (Lond).* 50: 61-63.
- Harrison, PT; Levy, LS; Patrick, G; Pigott, GH; Smith, LL. (1999). Comparative hazards of chrysotile asbestos and its substitutes: A European perspective. *Environ Health Perspect.* 107: 607-611.
- Hart, GA; Hesterberg, TW. (1998). In vitro toxicity of respirable-size particles of diatomaceous earth and crystalline silica compared with asbestos and titanium dioxide. *J Occup Environ Med.* 40: 29-42.
- Hartford, WH. (1983). Asbestos exposure [Letter]. *J Air Pollut Control Assoc.* 33: 820.
- Hartikainen, T; Tossavainen, A. (1997). Quantification of silicate fiber concentrations in rock products and dusts by electron microscopy. *Am Ind Hyg Assoc J.* 58: 264-269.
- Hartung, M. (1980). OCCUPATIONALLY CONDITIONED PLEURAMESOTHELIOMA AFTER HANDLING WITH ASBESTOS CONTAINING PROTECTIVE CLOTHES. *Arbeitsmedizin, Sozialmedizin, Praeventivmedizin.* 15: 153-154.
- Harvey, BW; Winstead, WG. (2008). Analysis of the analytical performance of laboratories participating in two major U.S. bulk asbestos proficiency testing programs. *J Occup Environ Hyg.* 5: 455-462. <http://dx.doi.org/10.1080/15459620802138197>.
- Harvey, G; Pagé, M; Dumas, L. (1984). Binding of environmental carcinogens to asbestos and mineral fibres. *Br J Ind Med.* 41: 396-400.
- Harvey, G; Page, M; Paquin, R; Dumas, L. (1983). BINDING OF ENVIRONMENTAL CARCINOGENS TO ASBESTOS AND MINERAL FIBERS. *Environ Health Perspect.* 51: 375-375.
- Harvey, J; Garrido, CJ; Savov, I; Agostini, S; Padron-Navarta, JA; Marchesi, C; Lopez Sanchez-Vizcaino, V; Teresa Gomez-Pugnaire, M. (2014). B-11-rich fluids in subduction zones: The role of antigorite dehydration in subducting slabs and boron isotope heterogeneity in the mantle. *Chem Geol.* 376: 20-30. <http://dx.doi.org/10.1016/j.chemgeo.2014.03.015>.
- Harwood, CF; Siebert, PC; Oestreich, DK. (1977). OPTIMIZING BAGHOUSE PERFORMANCE TO CONTROL ASBESTOS EMISSIONS. *Chemical Engineering Progress.* 73: 54-56.
- Hasanoglu, HC; Bayram, E; Hasanoglu, A; Demirag, F. (2008). Orally ingested chrysotile asbestos affects rat lungs and pleura. *Arch Environ Occup Health.* 63: 71-75. <http://dx.doi.org/10.3200/AEOH.63.2.71-75>.
- Hasanoglu, HC; Gokirmak, M; Baysal, T; Yildirim, Z; Koksall, N; Onal, Y. (2003). Environmental exposure to asbestos in eastern Turkey. *Arch Environ Health.* 58: 144-150. <http://dx.doi.org/10.3200/AEOH.58.3.144-150>.

Fate Literature Search Results

Off Topic

- Hasanoglu, HC; Yildirim, Z; Ermis, H; Kilic, T; Koksall, N. (2006). Lung cancer and mesothelioma in towns with environmental exposure to asbestos in Eastern Anatolia. *Int Arch Occup Environ Health*. 79: 89-91. <http://dx.doi.org/10.1007/s00420-005-0010-6>.
- Hashim, D; Boffetta, P. (2014). Occupational and Environmental Exposures and Cancers in Developing Countries [Review]. 80: 393-411. <http://dx.doi.org/10.1016/j.aogh.2014.10.002>.
- Hashim, D; Gaughan, D; Boffetta, P; Lucchini, RG. (2015). Baseline serum β -carotene concentration and mortality among long-term asbestos-exposed insulators. *Cancer Epidemiol Biomarkers Prev*. 24: 555-560. <http://dx.doi.org/10.1158/1055-9965.EPI-14-0952>.
- Hashimoto, S; Okuda, A; Kambayashi, A; Honda, S; Awaji, H; Fukuda, K. (2006). Detoxification of sprayed crocidolite. *Ceramic Society of Japan Journal*. 114: 1150-1154.
- Hashimoto, S; Okuda, A; Kanbayashi, A; Honda, S; Awar, H; Fukuda, K. (2006). Evaluation of heated chrysotile using phase-contrast microscope. *Ceramic Society of Japan Journal*. 114: 716-718.
- Hashimoto, S; Takeda, H; Okuda, A; Kambayashi, A; Honda, S; Awaji, H; Fukuda, K. (2007). Detoxification of asbestos-containing building material waste and its application to cement product. *Ceramic Society of Japan Journal*. 115: 290-293.
- Hashimoto, S; Takeda, H; Okuda, A; Kambayashi, A; Honda, S; Iwamoto, Y; Fukuda, K. (2008). Detoxification of industrial asbestos waste by low-temperature heating in a vacuum. *Ceramic Society of Japan Journal*. 116: 242-246.
- Hashimoto, S; Yamaguchi, A. (2005). Comminution of asbestos by a mechanical grinding and its sinterability. *Ceramic Society of Japan Journal*. 113: 312-316.
- Hashimoto, S; Yamaguchi, A; Honda, S; Awaji, H; Fukuda, K. (2005). Comminution of asbestos by a mechanical grinding in asbestos-containing cement board. *Ceramic Society of Japan Journal*. 113: 804-807.
- Hassanen, MA; Mohamed, FH; Meguid, AAA; Schmidt, W; Shalaby, IM. (1997). Geochemistry and petrogenesis of a Cambrian ring complex: An example of alkaline magmatism at Wadi Dib, Eastern Desert, Egypt. *Chem Erde*. 57: 63-89.
- Hassanin, SH; Abdalla, EB; Kotby, EA; Abdelaziz, AMS; Elfouly, MA. (1996). Efficiency of asbestos shading for growth of Barki rams during hot summer. *Small Ruminant Research*. 20: 199-203.
- Hatch, M; Moline, J. (1997). Women, work, and health. *Am J Ind Med*. 32: 303-308.
- Hatfield, R; Longo, W; Newton, L; Templin, J. (2003). Asbestos exposure from gasket removal [Letter]. 64: 595; author reply 595-597.
- Hatfield, R; Longo, W; Newton, L; Templin, J. (2003). Asbestos exposures from gasket removal. *AIHA J*. 64: 595-595.
- Hattori, K; Takahashi, Y; Guillot, S; Johanson, B. (2005). Occurrence of arsenic (V) in forearc mantle serpentinites based on X-ray absorption spectroscopy study. *Geochim Cosmo Acta*. 69: 5585-5596. <http://dx.doi.org/10.1016/j.gca.2005.07.009>.
- Haugaard, R; Ootes, L; Creaser, RA; Konhauser, KO. (2016). The nature of Mesoarchaean seawater and continental weathering in 2.85 Ga banded iron formation, Slave craton, NW Canada. *Geochim Cosmo Acta*. 194: 34-56. <http://dx.doi.org/10.1016/j.gca.2016.08.020>.
- Hauptmann, M; Pohlabeled, H; Lubin, JH; Jöckel, KH; Ahrens, W; Brüske-Hohlfeld, I; Wichmann, HE. (2002). The exposure-time-response relationship between occupational asbestos exposure and lung cancer in two German case-control studies. *Am J Ind Med*. 41: 89-97.
- Hauptmann, M; Pohlabeled, H; Lubin, JH; Joeckel, KH; Ahrens, W; Brueske-Hohlfeld, I; Wichmann, HE. (2001). On the exposure-time-response-relationship between occupational asbestos exposure and lung cancer in two German case-control studies. *Epidemiology*. 12: S62-S62.
- Hawthorne, FC; Della Ventura, G. (2007). Short-range order in amphiboles. *Rev Mineral Geochem*. 67: 173-222. <http://dx.doi.org/10.2138/rmg.2007.67.5>.
- Hawthorne, FC; Della Ventura, G; Robert, JL. (1996). Short-range order of (Na,K) and Al in tremolite: An infrared study. *Am Mineral*. 81: 782-784.
- Hawthorne, FC; Della Ventura, G; Robert, JL; Welch, MD; Raudsepp, M; Jenkins, DM. (1997). A Rietveld and infrared study of synthetic amphiboles along the potassium-richterite-tremolite join. *Am Mineral*. 82: 708-716.
- Hawthorne, FC; Welch, MD; Della Ventrua, G; Liu, SX; Robert, JL; Jenkins, DM. (2000). Short-range order in synthetic aluminous tremolites: An infrared and triple-quantum MAS NMR study. *Am Mineral*. 85: 1716-1724.
- Hay, I. (1992). Place, Power, and Medical Liability Insurance in the United States. *Environ Plan A*. 24: 645-661.
- Hayashi, H. (1974). Quantitative determination of airborne asbestos dust in occupational environment by X-ray diffraction using conventional and rotating anode X-ray tube. *Ind Health*. 11: 225-236.
- Hayashi, H; Aita, S; Suzuki, M. (1978). SEMI-QUANTITATIVE CHEMICAL-ANALYSIS OF ASBESTOS FIBERS AND CLAY-MINERALS WITH AN ANALYTICAL ELECTRON-MICROSCOPE. *Clays and Clay Minerals*. 26: 181-188.
- Hayman, NW; Karson, JA. (2007). Faults and damage zones in fast-spread crust exposed on the north wall of the Hess Deep Rift: Conduits and seals in seafloor hydrothermal systems. *G-cubed*. 8. <http://dx.doi.org/10.1029/2007GC001623>.
- Hayward, SB. (1984). FIELD MONITORING OF CHRYSOTILE ASBESTOS IN CALIFORNIA WATERS. *J Am Water Works Assoc*. 76: 66-73.
- Hayward, SB; Smith, GR. (1984). ASBESTOS CONTAMINATION OF VERMICULITE [Letter]. *Am J Public Health*. 74: 519-519.
- Hazarika, P; Mishra, B; Pruseth, KL. (2016). Scheelite, apatite, calcite and tourmaline compositions from the late Archean Hutti orogenic gold deposit: Implications for analogous two stage ore fluids. *Ore Geol Rev*. 72: 989-1003. <http://dx.doi.org/10.1016/j.oregeorev.2015.09.004>.
- Health; Safety, E. (1999). Surveying, sampling and assessment of asbestos-containing materials. 21: 00.
- Health, IDo. (2000). Public Health Assessment for Illinois Beach Park Zion, Lake County, Illinois, Region 5. CERCLIS No. ILD984840140. 36.
- Health, PDo. (2015). Health Assessment Final Release: Borit Asbestos National Priorities List Site, Ambler, Montgomery County, Pennsylvania, January 9, 2015.
- Hebert, C; Ruffinatto, S; Eon, D; Mermoux, M; Gheeraert, E; Omnes, F; Mailley, P. (2013). A composite material made of carbon nanotubes partially embedded in a nanocrystalline diamond film. *Carbon*. 52: 408-417. <http://dx.doi.org/10.1016/j.carbon.2012.09.051>.
- Hechler, B; Klein, B; Bruch, J. (1994). PREREQUISITES FOR TESTING THE TUMORGENICITY AND BIODURABILITY OF MAN-MADE MINERAL FIBERS (MMMMF) USING STANDARDIZED FINE FIBER SAMPLES. *Staub, Reinhaltung der Luft*. 54: 253-258.

Fate Literature Search Results

Off Topic

- Hedmer, M; Isaxon, C; Nilsson, PT; Ludvigsson, L; Messing, ME; Genberg, J; Skaug, V; Bohgard, M; Tinnerberg, H; Pagels, JH. (2014). Exposure and emission measurements during production, purification, and functionalization of arc-discharge-produced multi-walled carbon nanotubes. *Ann Occup Hyg.* 58: 355-379. <http://dx.doi.org/10.1093/annhyg/met072>.
- Heederik, D; Lenters, V; Vermeulen, R. (2013). Reply: Response to the letter by Drs Berman and Case [Letter]. *Ann Occup Hyg.* 57: 675-677. <http://dx.doi.org/10.1093/annhyg/met017>.
- Heegn, H; Scheibe, W; Schlegel, R. (2000). Comminution of permanent lining material of asbestos cement to be used in the cement industry mixed with waste oil. 53: 622-+.
- Heer, S; Ruttner, J. R. (1986). NUMBER AND LENGTH DISTRIBUTION OF FIBERS AND FERRUGINOUS BODIES FROM LUNGS OF INDIVIDUALS EXPOSED AND NOT EXPOSED TO ASBESTOS. *Arbeitsmedizin, Sozialmedizin, Praeventivmedizin.* 21: 233-235.
- HEI. (1991). Asbestos in public and commercial buildings: A literature review and synthesis of current knowledge [HEI] (pp. 422). (Special Report). Cambridge, MA: Health Effects Institute-Asbestos Research.
- Hei, TK; Wu, LJ; Piao, CQ. (1997). Malignant transformation of immortalized human bronchial epithelial cells by asbestos fibers. *Environ Health Perspect.* 105 Suppl 5: 1085-1088.
- Heidermanns, G. (1978). INFLUENCE OF CONTRAST IN CASE OF PHASE-CONTRAST COUNTING OF FIBERS, IN PARTICULAR OF ASBESTOS, UNDER MICROSCOPE. *Staub, Reinhaltung der Luft.* 38: 423-425.
- Heidermanns, G; Riediger, G; Pflaumbaum, W; Blome, H. (1990). APPLICATION OF THE NEW TECHNICAL GUIDANCE CONCENTRATION VALUE FOR ASBESTOS. *Staub, Reinhaltung der Luft.* 50: 197-201.
- Heidermanns, G; Riediger, G; Schütz, A. (1975). [Asbestos determination in industrial microdusts and in lung dusts]. 574-584.
- Heidermanns, G; Riediger, G; Schütz, A. (1975). [Asbestos determination in industrial microdusts and in pulmonary dusts]. 617-623.
- Heikkilä, P; Kauppinen, T. (1992). Occupational exposure to carcinogens in Finland. *Am J Ind Med.* 21: 467-480.
- Hein, MJ; Stayner, LT; Lehman, E; Dement, JM. (2007). Follow-up study of chrysotile textile workers: Cohort mortality and exposure-response. *Occup Environ Med.* 64: 616-625. <http://dx.doi.org/10.1136/oem.2006.031005>.
- Heinrich, W. (1993). FLUID INFILTRATION THROUGH METACHERT LAYERS AT THE CONTACT AUREOLE OF THE BUFA-DEL-DIENTE INTRUSION, NORTHEAST MEXICO - IMPLICATIONS FOR WOLLASTONITE FORMATION AND FLUID IMMISCIBILITY. *Am Mineral.* 78: 804-818.
- Heinrich, W. (1994). POTASSIUM-FLUOR-RICHTERITE IN METACHERTS FROM THE BUFA-DEL-DIENTE CONTACT-METAMORPHIC AUREOLE, NE-MEXICO. *Mineralogy and Petrology.* 50: 259-270.
- Heinrich, W; Metz, P; Gottschalk, M. (1989). EXPERIMENTAL INVESTIGATION OF THE KINETICS OF THE REACTION 1 TREMOLITE + 11 DOLOMITE-REVERSIBLE-8 FORSTERITE + 13 CALCITE + 9 CO₂ + 1 H₂O. *Contributions to Mineralogy and Petrology.* 102: 163-173.
- Hekinian, R; Hoffert, M; Larque, P; Cheminee, JL; Stoffers, P; Bideau, D. (1993). HYDROTHERMAL FE AND SI OXYHYDROXIDE DEPOSITS FROM SOUTH-PACIFIC INTRAPLATE VOLCANOS AND EAST PACIFIC RISE AXIAL AND OFF-AXIAL REGIONS. *Econ Geol.* 88: 2099-2121.
- Heller, D; Gordon, R; Westhoff, C; Gerber, S. (1996). Asbestos exposure and ovarian fiber burden. *Am J Ind Med.* 29: 435-439. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199605\)29:5<435::AID-AJIM1>3.0.CO;2-L](http://dx.doi.org/10.1002/(SICI)1097-0274(199605)29:5<435::AID-AJIM1>3.0.CO;2-L).
- Heller, DS; Gordon, RE. (1991). Demonstration of asbestos fibers in a ten-year-old sputum sample [Letter]. *Am J Ind Med.* 20: 415-419.
- Helsen, JA; Vandeveld, P; Kuczumow, A; Deruyttere, A. (1989). SURFACE CHARACTERISTICS OF ASBESTOS FIBERS RELEASED FROM ASBESTOS-CEMENT PRODUCTS. *Am Ind Hyg Assoc J.* 50: 655-663.
- Hemminki, K; Li, X. (2003). Time trends and occupational risk factors for pleural mesothelioma in Sweden. *J Occup Environ Med.* 45: 456-461. <http://dx.doi.org/10.1097/01.jom.0000058341.05741.7e>.
- Hemminki, K; Li, XJ. (2003). Time, trends and occupational risk factors for peritoneal mesothelioma in Sweden. *J Occup Environ Med.* 45: 451-455. <http://dx.doi.org/10.1097/01.jom.0000052960.59271.d4>.
- Henderson, DW. (2003). Commentary regarding the article by Fischer et al.: Fibre years, pulmonary asbestos burden and asbestosis. *Int. J. Hyg. Environ. Health* 205, 245-248 (2002) [Letter]. *Int J Hyg Environ Health.* 206: 249-250; author reply 251-242. <http://dx.doi.org/10.1078/1438-4639-00211>.
- Henderson, DW; Jones, ML; De Klerk, N; Leigh, J; Musk, AW; Shilkin, KB; Williams, VM. (2004). The diagnosis and attribution of asbestos-related diseases in an Australian context: report of the Adelaide Workshop on Asbestos-Related Diseases. October 6-7, 2000 [Review]. *Int J Occup Environ Health.* 10: 40-46. <http://dx.doi.org/10.1179/oeht.2004.10.1.40>.
- Henderson, WJ; Gough, J; Harse, J. (1970). Identification of mineral particles in pneumoconiotic lungs. *J Clin Pathol.* 23: 104-109.
- Hendrickx, M. (2008). Naturally occurring asbestos in eastern Australia: a review of geological occurrence, disturbance and mesothelioma risk. *Environ Geol.* 57: 909-926. <http://dx.doi.org/10.1007/s00254-008-1370-5>.
- Henley, SJ; Larson, TC; Wu, M; Antao, VC; Lewis, M; Pinheiro, GA; Ehemann, C. (2013). Mesothelioma incidence in 50 states and the District of Columbia, United States, 2003-2008. *Int J Occup Environ Health.* 19: 1-10. <http://dx.doi.org/10.1179/2049396712Y.0000000016>.
- Henne, A; Craw, D. (2012). Synmetamorphic carbon mobility and graphite enrichment in metaturbidites as a precursor to orogenic gold mineralisation, Otago Schist, New Zealand. *Miner Depos.* 47: 781-797. <http://dx.doi.org/10.1007/s00126-012-0399-2>.
- Henneberger, PK; Stanbury, MJ. (1992). Patterns of asbestosis in New Jersey. *Am J Ind Med.* 21: 689-697.
- Heppleston, AG. (1991). MINERALS, FIBROSIS, AND THE LUNG. *Environ Health Perspect.* 94: 149-168.
- Heran-Leroy, O; Sandret, N. (1998). Results of the "SUMER 94" survey - Occupational exposure to carcinogens. *D M T. Documents pour le médecin du travail* 3th Quarter 1998: 265-272.
- Herd-Loosavio, ML; Mauer, MP; Carlson, GA. (2008). Development of an exposure assessment method for epidemiological studies of New York State personnel who responded to the World Trade Center disaster. *Ann Occup Hyg.* 52: 83-93. <http://dx.doi.org/10.1093/annhyg/mem065>.
- Hermann, J; Muntener, O; Scambelluri, M. (2000). The importance of serpentinite mylonites for subduction and exhumation of oceanic crust. *Tectonophysics.* 327: 225-238.

Fate Literature Search Results

Off Topic

- Hermes, P; John, T; Bakker, RJ; Schenk, V. (2012). Evidence for channelized external fluid flow and element transfer in subducting slabs (Raspas Complex, Ecuador). *Chem Geol.* 310: 79-96. <http://dx.doi.org/10.1016/j.chemgeo.2012.03.023>.
- Heron, K; Jessell, M; Benn, K; Harris, E; Crowley, QG. (2016). The Tasiast deposit, Mauritania. *Ore Geol Rev.* 78: 564-572. <http://dx.doi.org/10.1016/j.oregeorev.2015.08.020>.
- Herrmann, W; Hill, AP. (2001). The origin of chlorite-tremolite-carbonate rocks associated with the Thalanga Volcanic-hosted massive sulfide deposit, North Queensland, Australia. *Econ Geol.* 96: 1149-1173.
- Hertzberg, T. (2005). Dangers relating to fires in carbon-fibre based composite material. *Fire and Materials.* 29: 231-248. <http://dx.doi.org/10.1002/fam.882>.
- Hertzberg, T; Blomqvist, P. (2003). Particles from fires - a screening of common materials found in buildings. *Fire and Materials.* 27: 295-314. <http://dx.doi.org/10.1002/fam.837>.
- Hervin, RL. (1979). Hazard Evaluation and Technical Assistance Report No. TA-79-18, Cedar Rapids School District, Bureau of Labor, State of Iowa, Des Moines, Iowa. NIOSH: 19791979.
- Hesse, CS; Hallenbeck, WH. (1978). Potential sources of asbestos in lake michigan usa. *J Great Lakes Res.* 4: 1979).
- Hessel, PA. (1999). Methodological issues related to studies of workers in the diatomaceous earth industry. *Indoor Built Environ.* 8: 127-131.
- Hessel, PA. (2009). Inaccuracies in article on mesothelioma in brake workers [Letter]. *Int J Occup Environ Health.* 15: 232-234; author reply 234-238. <http://dx.doi.org/10.1179/oeh.2009.15.2.232>.
- Hessel, PA; Melenka, LS; Michaelchuk, D; Herbert, FA; Cowie, RL. (1998). Lung health among boilermakers in Edmonton, Alberta. *Am J Ind Med.* 34: 381-386. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199810\)34:4<381::AID-AJIM12>3.0.CO;2-Z](http://dx.doi.org/10.1002/(SICI)1097-0274(199810)34:4<381::AID-AJIM12>3.0.CO;2-Z).
- Hessel, PA; Melenka, LS; Michaelchuk, D; Herbert, FA; Cowie, RL. (1998). Lung health among plumbers and pipefitters in Edmonton, Alberta. *Occup Environ Med.* 55: 678-683. <http://dx.doi.org/10.1136/oem.55.10.678>.
- Hessel, PA; Teta, MJ; Goodman, M; Lau, E. (2004). Mesothelioma among brake mechanics: an expanded analysis of a case-control study. *Risk Anal.* 24: 547-552. <http://dx.doi.org/10.1111/j.0272-4332.2004.00458.x>.
- Hesterberg, TW; Axten, C; Mcconnell, EE; Oberdörster, G; Everitt, J; Miiller, WC; Chevalier, J; Chase, GR; Thevenaz, P. (1997). Chronic inhalation study of fiber glass and amosite asbestos in hamsters: twelve-month preliminary results. *Environ Health Perspect.* 105 Suppl 5: 1223-1229.
- Hesterberg, TW; Miiller, WC; Thevenaz, P; Anderson, R. (1995). Chronic inhalation studies of man-made vitreous fibres: characterization of fibres in the exposure aerosol and lungs. *Ann Occup Hyg.* 39: 637-653.
- Hesterberg, TW; Oshimura, M; Barrett, JC. (1985). ASBESTOS INDUCES ANAPHASE ABNORMALITIES IN MAMMALIAN-CELLS IN CULTURE AT DOSES WHICH INDUCE CELL-TRANSFORMATION AND HETEROPLIIDY. *Environ Mutagen.* 7: 88-89.
- Hiatt, GF; Den, AR; Johnson, JM. (2006). Personal exposures to naturally-occurring asbestos during sports and play activities in a California community in the Sierra foothills [Abstract]. *Toxicologist.* 90: 174.
- Hibbert, L, ee. (2011). Asbestos lies hidden in many older buildings and plants - posing a hidden danger to maintenance workers. *Prof Eng.* 24: 18-+.
- Hickey, J; Saunders, J; Davern, P. (2015). The extent and influence of Asbestos Safety Awareness training among managers who had previously commissioned an asbestos survey in their workplace buildings. *Ind Health.* 53: 398-409. <http://dx.doi.org/10.2486/indhealth.2014-0162>.
- Hickey, JE. (1987). Rhode island asbestos abatement program. *Appl Ind Hyg.* 2: 128-132.
- Hickish, DE; Knight, KL. (1970). Exposure to asbestos during brake maintenance. *Ann Occup Hyg.* 13: 17-21.
- Hiatt, DM. (1978). Experimental asbestosis: an investigation of functional and pathological disturbances. II. Results for chrysotile and amosite exposures. *Br J Ind Med.* 35: 135-145.
- Higashi, T; Hori, H; Sakurai, H; Omae, K; Tsuda, T; Tanaka, I; Satoh, T; Hoshi, H. (1994). Work environment of plants manufacturing asbestos-containing products in Japan. *Ann Occup Hyg.* 38: 489-494, 409.
- Higgins, ITT. (1981). ASBESTOS IN DRINKING-WATER AND CANCER INCIDENCE IN THE SAN-FRANCISCO BAY AREA. *Am J Epidemiol.* 114: 161-162.
- Hilairt, N; Daniel, I; Reynard, B. (2006). P-V Equations of State and the relative stabilities of serpentine varieties. *Physics and Chemistry of Minerals.* 33: 629-637. <http://dx.doi.org/10.1007/s00269-006-0111-0>.
- Hilairt, N; Reynard, B. (2009). Stability and dynamics of serpentinite layer in subduction zone. *Tectonophysics.* 465: 24-29. <http://dx.doi.org/10.1016/j.tecto.2008.10.005>.
- Hilbert, TJ; Franzblau, A; Dunning, KK; Borton, EK; Rohs, AM; Lockey, JE. (2013). Asbestos-related radiographic findings among household contacts of workers exposed to Libby vermiculite: impact of workers' personal hygiene practices. *J Occup Environ Med.* 55: 1300-1304. <http://dx.doi.org/10.1097/JOM.0b013e31829f1a>.
- Hilding, AC; Hilding, DA; Larson, DM; Aufderheide, AC. (1981). Biological Effects of Ingested Amosite Asbestos, Taconite Tailings, Diatomaceous Earth and Lake Superior Water in Rats. *Arch Environ Health.* 36: 298-303.
- Hileman, B. (1983). Indoor air pollution. *Environ Sci Technol.* 17: 469A-472A.
- Hill, IM; Beswick, PH; Donaldson, K. (1995). Differential release of superoxide anions by macrophages treated with long and short fibre amosite asbestos is a consequence of differential affinity for opsonin. *Occup Environ Med.* 52: 92-96.
- Hillegass, JM; Shukla, A; Macpherson, MB; Bond, JP; Steele, C; Mossman, BT. (2010). Utilization of gene profiling and proteomics to determine mineral pathogenicity in a human mesothelial cell line (LP9/TERT-1). *J Toxicol Environ Health A.* 73: 423-436. <http://dx.doi.org/10.1080/15287390903486568>.
- Hiller, U; Lange, H; Fichtmüller, A; Paul, M; Hiller, M; Rämisch, R. (1984). [Detection and monitoring of asbestos exposed persons in a district area]. 78: 733-736.
- Hillerdal, G. (1991). Pleural lesions and the ILO classification: the need for a revision. *Am J Ind Med.* 19: 125-130.

Fate Literature Search Results

Off Topic

- Hillerdal, G. (1994). The human evidence: Parenchymal and pleural changes. *Ann Occup Hyg.* 38: 561-567. <http://dx.doi.org/10.1093/annhyg/38.4.561>.
- Hillerdal, G. (1997). Pleural plaques: Incidence and epidemiology, exposed workers and the general population. *Indoor Built Environ.* 6: 86-95.
- Hillerdal, G. (1999). Mesothelioma: Cases associated with non-occupational and low dose exposures [Review]. *Occup Environ Med.* 56: 505-513.
- Hillerdal, G. (2004). The Swedish experience with asbestos: history of use, diseases, legislation, and compensation [Review]. *Int J Occup Environ Health.* 10: 154-158. <http://dx.doi.org/10.1179/oeh.2004.10.2.154>.
- Hillerdal, G; Henderson, DW. (1997). Asbestos, asbestosis, pleural plaques and lung cancer [Review]. *Scand J Work Environ Health.* 23: 93-103.
- Hillerdal, G; Karlén, E; Aberg, T. (1983). Tobacco consumption and asbestos exposure in patients with lung cancer: a three year prospective study. *Br J Ind Med.* 40: 380-383.
- Hillerdal, G; Musk, AW. (1990). Pleural lesions in crocidolite workers from Western Australia. *Br J Ind Med.* 47: 782-783.
- Hillerdal, G; Rask-Andersen, A. (2005). Pleuropulmonary lesions, ergotamines and asbestos exposure. *Scand J Work Environ Health.* 31: 459-464.
- Hilliard, AK; Lovett, JK; Mcgavin, CR. (2003). The rise and fall in incidence of malignant mesothelioma from a British Naval Dockyard, 1979-1999. *Occup Med (Lond).* 53: 209-212. <http://dx.doi.org/10.1093/occmed/kqg051>.
- Hills, B. (1986). Industrywide Studies Report of an Industrial Hygiene Survey at the Clermont Sun, Batavia, Ohio, Report No. IWS-77-37 (pp. 77-37). (NIOSH/00163299). Hills, B.
- Hills, B. (2005). The James Hardie story: asbestos victims' claims evaded by manufacturer. *Int J Occup Environ Health.* 11: 212-214. <http://dx.doi.org/10.1179/oeh.2005.11.2.212>.
- Hilt, B. (1987). Non-malignant asbestos diseases in workers in an electrochemical plant. *Br J Ind Med.* 44: 621-626.
- Hilt, B; Andersen, A; Rosenberg, J; Langård, S. (1991). Cancer incidence among asbestos-exposed chemical industry workers: an extended observation period. *Am J Ind Med.* 20: 261-264.
- Hilt, B; Borgerson, A; Lien, JT; Langård, S. (1992). Chest radiographs in subjects with asbestos-related abnormalities: comparison between ILO categorizations and clinical reading. *Am J Ind Med.* 21: 855-861.
- Hilt, B; Hillerdal, G; Lund-Larsen, PG; Lien, JT; Langård, S. (1995). Asbestos-related radiographic changes by ILO classification of 10 x 10 cm chest X-rays in a screening of the general population. *J Occup Environ Med.* 37: 189-193.
- Hilt, B; Langård, S; Andersen, A; Rosenberg, J. (1985). Asbestos exposure, smoking habits, and cancer incidence among production and maintenance workers in an electrochemical plant. *Am J Ind Med.* 8: 565-577.
- Hilt, B; Langård, S; Lund-Larsen, PG; Lien, JT. (1986). Previous asbestos exposure and smoking habits in the county of Telemark, Norway--a cross-sectional population study. *Scand J Work Environ Health.* 12: 561-566. <http://dx.doi.org/10.5271/sjweh.2106>.
- Hilt, B; Lien, JT; Lund-Larsen, PG; Lund, K; Langård, S. (1986). Asbestos-related findings in chest radiographs of the male population of the county of Telemark, Norway--a cross-sectional study. *Scand J Work Environ Health.* 12: 567-573. <http://dx.doi.org/10.5271/sjweh.2105>.
- Hilt, B; Rosenberg, J; Lang, S; Ard, S. (1981). Occurrence of cancer in a small cohort of asbestos-exposed workers. *Scand J Work Environ Health.* 7: 185-189.
- Hinchey, JG; Hattori, KH. (2005). Magmatic mineralization and hydrothermal enrichment of the High Grade Zone at the Lac des Iles palladium mine, northern Ontario, Canada. *Miner Depos.* 40: 13-23. <http://dx.doi.org/10.1007/s00126-005-0472-1>.
- Hinchey, JG; Hattori, KH; Langne, MJ. (2005). Geology, petrology, and controls on PGE mineralization of the southern Roby and Twilight zones, Lac des Iles mine, Canada. *Econ Geol.* 100: 43-61.
- Hine, F; Yasuda, M. (1971). STUDIES ON DEPOSITED ASBESTOS DIAPHRAGM WITH A MINIATURE DIAPHRAGM-TYPE CHLORINE CELL. *J Electrochem Soc.* 118: 166-8.
- Hiraku, Y; Sakai, K; Shibata, E; Kamijima, M; Hisanaga, N; Ma, N; Kawanishi, S; Murata, M. (2014). Formation of the Nitrate DNA Lesion 8-Nitroguanine is Associated with Asbestos Contents in Human Lung Tissues: A Pilot Study. *J Occup Health.* 56: 186-196.
- Hiraoka, K; Horie, A; Kido, M. (1990). Study of asbestos bodies in Japanese urban patients. *Am J Ind Med.* 18: 547-554.
- Hiraoka, T; Ohkura, M; Morinaga, K; Kohyama, N; Shimazu, K; Ando, M. (1998). Anthophyllite exposure and endemic pleural plaques in Kumamoto, Japan. *Scand J Work Environ Health.* 24: 392-397.
- Hiraoka, T; Watanabe, A; Usuma, Y; Mori, T; Kohyama, N; Takata, A. (2001). An operated case of lung cancer with pleural plaques: its asbestos bodies, fiber analysis and asbestos exposure. *Ind Health.* 39: 194-197.
- Hirauchi, K, eni; Katayama, I. (2013). Rheological contrast between serpentinite species and implications for slab-mantle wedge decoupling. *Tectonophysics.* 608: 545-551. <http://dx.doi.org/10.1016/j.tecto.2013.08.027>.
- Hirauchi, K, eni; Michibayashi, K; Ueda, H; Katayama, I. (2010). Spatial variations in antigorite fabric across a serpentinite subduction channel: Insights from the Ohmachi Seamount, Izu-Bonin frontal arc. *Earth Planet Sci Lett.* 299: 196-206. <http://dx.doi.org/10.1016/j.epsl.2010.08.035>.
- Hiroi, Y; Haradakondo, H; Ogo, Y. (1992). CUPRIAN MANGANOAN PHLOGOPITE IN HIGHLY OXIDIZED MINEOKA SILICEOUS SCHISTS FROM KAMOGAWA, BOSO PENINSULA, CENTRAL JAPAN. *Am Mineral.* 77: 1099-1106.
- Hirose, T; Bystricky, M; Kunze, K; Stuenitz, H. (2006). Semi-brittle flow during dehydration of lizardite-chrysotile serpentinite deformed in torsion: Implications for the rheology of oceanic lithosphere. *Earth Planet Sci Lett.* 249: 484-493. <http://dx.doi.org/10.1016/j.epsl.2006.07.014>.
- Hiroshima, K; Murai, Y; Suzuki, Y; Goldstein, B; Webster, I. (1993). Characterization of asbestos fibers in lungs and mesotheliomatous tissues of baboons following long-term inhalation. *Am J Ind Med.* 23: 883-901.
- Hirschmann, M; Evans, BW; Yang, HX. (1994). COMPOSITION AND TEMPERATURE-DEPENDENCE OF FE-MG ORDERING IN CUMMINGTONITE-GRUNERITE AS DETERMINED BY X-RAY-DIFFRACTION. *Am Mineral.* 79: 862-877.
- Hirst, E; Kaye, PH; Hoskins, JA. (1995). POTENTIAL FOR RECOGNITION OF AIRBORNE ASBESTOS FIBERS FROM SPATIAL LASER SCATTERING PROFILES. *Ann Occup Hyg.* 39: 623-8.

Fate Literature Search Results

Off Topic

- Hisanaga, N; Hosokawa, T; Sakai, K; Shibata, E; O, T; Takeuchi, Y; Ono, Y. (1988). THE PRESENT STATE OF THE USE OF ASBESTOS-CONTAINING CONSTRUCTION MATERIAL BY CONSTRUCTION WORKERS RESULTS OF A QUESTIONNAIRE SURVEY (pp. 292). (BIOSIS/89/08458). Hisanaga, N; Hosokawa, T; Sakai, K; Shibata, E; O, T; Takeuchi, Y; Ono, Y.
- Hisanaga, N; Takeuchi, Y; Ono, Y; Shibata, E; O, T. (1988). PROBLEMS OF INDUSTRIAL HYGIENE IN THE AUTOMOBILE FRICTION MATERIAL REGENERATING INDUSTRY (pp. 305). (BIOSIS/89/08440). Hisanaga, N; Takeuchi, Y; Ono, Y; Shibata, E; O, T.
- Hjortsberg, U; Orbaek, P; Aborelius, M; Ranstam, J; Welinder, H. (1988). Railroad workers with pleural plaques: II. Small airway dysfunction among asbestos-exposed workers. *Am J Ind Med.* 14: 643-647.
- Hjortsberg, U; Ørbaek, P; Aborelius, M, Jr; Ranstam, J; Welinder, H. (1988). Railroad workers with pleural plaques: I. Spirometric and nitrogen washout investigation on smoking and nonsmoking asbestos-exposed workers. *Am J Ind Med.* 14: 635-641. <http://dx.doi.org/10.1002/ajim.4700140602>.
- Hlavay, J; Antal, L; Gyorgy-Pozsonyi, L; Inczedy, J. (1984). Determination of Chrysotile Content of Asbestos Cement Dusts by IR-Spectroscopy (pp. 547-551). (NIOSH/00192020). Hlavay, J; Antal, L; Gyorgy-Pozsonyi, L; Inczedy, J.
- Hlavay, J; Oravetz, D. (1991). MORPHOLOGICAL STUDY ON RESPIRABLE DUST (pp. 19-21). (BIOSIS/92/02634). Hlavay, J; Oravetz, D.
- Hlavay, J; Wesemann, G. (1993). DISTRIBUTION OF MINERALOGICAL PHASES IN DUSTS COLLECTED AT DIFFERENT WORKSHOPS. *Sci Total Environ.* 136: 33-42.
- Hoar, SK. (1981). *Epidemiology And Occupational Classification Systems.* 9: 455-466.
- Hoar, SK; Morrison, AS; Cole, P; Silverman, DT. (1980). An occupation and exposure linkage system for the study of occupational carcinogenesis. *J Occup Environ Med.* 22: 722-726.
- Hodgson, AA. (1993). INDUSTRIAL FIBERS - A TECHNICAL AND COMMERCIAL REVIEW. *Ann Occup Hyg.* 37: 203-210.
- Hodgson, J; Darnton, A. (2001). Untitled. *Ann Occup Hyg.* 45: 336-338.
- Hodgson, JT. (2013). Quality of evidence must guide risk assessment of asbestos, by Lenters, V; Burdorf, A; Vermeulen, R; Stayner, L; Heederik, D [Letter]. *Ann Occup Hyg.* 57: 670-674. <http://dx.doi.org/10.1093/annhyg/met016>.
- Hodgson, JT; Darnton, A. (2000). The quantitative risks of mesothelioma and lung cancer in relation to asbestos exposure. *Ann Occup Hyg.* 44: 565-601.
- Hodgson, JT; Jones, RD. (1986). Mortality of asbestos workers in England and Wales 1971-81. *Br J Ind Med.* 43: 158-164.
- Hodson, MJ; Smith, RJ; Vanblaaderen, A; Crafton, T; Oneill, CH. (1994). DETECTING PLANT SILICA FIBERS IN ANIMAL TISSUE BY CONFOCAL FLUORESCENCE MICROSCOPY. *Ann Occup Hyg.* 38: 149-160.
- Hoefelmann, J; Austrheim, H; Putnis, A. (2014). Cordierite formation during the experimental reaction of plagioclase with Mg-rich aqueous solutions. *Contributions to Mineralogy and Petrology.* 168. <http://dx.doi.org/10.1007/s00410-014-1063-x>.
- Hofert, N; Konig, R; Grefen, K; Rodelsperger, K; Teichert, U. (1996). Measurement of fibrous particles - First interlaboratory comparison test based on guideline VDI 3492 .1. Background, procedure, results .1. *Staub, Reinhaltung der Luft.* 56: 11-15.
- Hofert, N; Konig, R; Grefen, K; Rodelsperger, K; Teichert, U. (1996). Measurement of fibrous particles - First interlaboratory comparison test based on guideline VDI 3492 .1. Background, procedure, results .2. *Staub, Reinhaltung der Luft.* 56: 63-68.
- Hoffman, D; Wynder, EL. (1978). Identification and reduction of carcinogens in the respiratory environment [Review]. 113-135.
- Hoffmann, B; Jockel, KH. (2006). Diesel exhaust and coal mine dust - Lung cancer risk in occupational settings. *Ann N Y Acad Sci.* 1076: 253-265. <http://dx.doi.org/10.1196/annals.1371.025>.
- Hoffmann, E. (1980). INDUSTRIAL USE OF ASBESTOS - REGISTRATION OF ENTERPRISES AND EMPLOYEES - PROTECTION MEASURES. *Staub, Reinhaltung der Luft.* 40: 202-207.
- Hoffmann, O. (1994). HIGH-TEMPERATURE DILATOMETRY OF FIBER, REINFORCED CALCIUM HYDROSILICATES. *Ceramics - Silikaty.* 38: 1-3.
- Hogan, TJ. (1988). AIRBORNE ASBESTOS MONITORING TECHNIQUES THAT WORK. *Power Engineering.* 92: 30-32.
- Hogstedt, C; Jansson, C; Hugosson, M; Tinnerberg, H; Gustavsson, P. (2013). Cancer incidence in a cohort of Swedish chimney sweeps, 1958-2006. *Am J Public Health.* 103: 1708-1714. <http://dx.doi.org/10.2105/AJPH.2012.300860>.
- Hohenadel, K; Pichora, E; Marrett, L; Bukvic, D; Brown, J; Harris, SA; Demers, PA; Blair, A. (2011). Priority issues in occupational cancer research: Ontario stakeholder perspectives. *Chronic Dis Inj Can.* 31: 147-151.
- Holaday, DA; Reitze, WB. (1972). Control of Exposure to Asbestos-Containing Dusts in Shipyards. 40: 53-58.
- Holbrook, RD; Kline, CN; Filliben, JJ. (2010). Impact of source water quality on multiwall carbon nanotube coagulation. *Environ Sci Technol.* 44: 1386-1391. <http://dx.doi.org/10.1021/es902946j>.
- Holcapek, O; Reiterman, P; Konvalinka, P. (2015). Fracture characteristics of refractory composites containing metakaolin and ceramic fibers. *Advances in Mechanical Engineering.* 7. <http://dx.doi.org/10.1177/1687814015573619>.
- Holden, J; Churg, A. (1986). Asbestos bodies and the diagnosis of asbestosis in chrysotile workers. *Environ Res.* 39: 232-236.
- Holder, M; O'Brien, T. (2007). Protest and survive, the U.K. Construction Safety Campaign: a case study of workers' and victims' family action and legal and regulatory inaction on construction health and safety. *Int J Occup Environ Health.* 13: 27-31. <http://dx.doi.org/10.1179/107735207800245072>.
- Holian, A; Kelley, K; Hamilton, RF. (1994). Mechanisms associated with human alveolar macrophage stimulation by particulates. *Environ Health Perspect.* 102 Suppl 10: 69-74.
- Holian, A; Uthman, MO; Goltsova, T; Brown, SD; Hamilton, RF, Jr. (1997). Asbestos and silica-induced changes in human alveolar macrophage phenotype. *Environ Health Perspect.* 105: 1139-1142.
- Holland, T; Blundy, J. (1994). NONIDEAL INTERACTIONS IN CALCIC AMPHIBOLES AND THEIR BEARING ON AMPHIBOLE-PLAGIOCLASE THERMOMETRY. *Contributions to Mineralogy and Petrology.* 116: 433-447.
- Holland, T; Powell, R. (1996). Thermodynamics of order-disorder in minerals .2. Symmetric formalism applied to solid solutions. *Am Mineral.* 81: 1425-1437.

Fate Literature Search Results

Off Topic

- Hollett, B; Moody, PL. (1984). Health Hazard Evaluation Report No. HETA-80-115-1401, U.S. Steel, Lorain-Cuyahoga Works, Lorain, Ohio (pp. 80-115). (NIOSH/00149671). Hollett, B; Moody, PL.
- Hollett, BA. (1976). Health Hazard Evaluation Determination Report No. HHE-76-25-539, Quincy Steel Casting Company, Inc., North Quincy, Massachusetts (pp. 76-25). (NIOSH/00058640). Hollett, BA.
- Hollett, BA. (1983). Walk-Through Survey Report, Control Technology for Asbestos Removal, Contractor at Duall Inc., Mt. Laurel, New Jersey (pp. 145-114). (NIOSH/00130215). Hollett, BA.
- Hollett, BA. (1985). Walk-Through Survey Report No. CT-147-12a: Control Technology For Asbestos Removal Industry At James Monroe Elementary School, Norfolk, Virginia (pp. 147-112). (NIOSH/00148160). Hollett, BA.
- Hollett, BA. (1985). Walk-Through Survey Report No. CT-147-13a: Control Technology For Asbestos Removal Industry At Tidewater Park Elementary School, Norfolk, Virginia (pp. 147-113). (NIOSH/00148162). Hollett, BA.
- Hollett, BA. (1985). Walk-Through Survey Report No. CT-147-14a: Control Technology For Asbestos Removal Industry At Tarrallton Elementary School, Norfolk, Virginia (pp. 147-114). (NIOSH/00148161). Hollett, BA.
- Hollett, BA. (1985). Walk-Through Survey Report: Control Technology For Asbestos Removal Industry, Report No. CT-147-11a, Columbus East High School, Columbus, Indiana (pp. 147-111). (NIOSH/00152211). Hollett, BA.
- Hollett, BA; Caplan, PE; Cooper, TC; Froehlich, PA. (1987). In-Depth Survey Report: Control Technology for Asbestos Removal at Bloom Middle School, Cincinnati, Ohio, Report No. CT-147-19C (pp. 147-119). (NIOSH/00177555). Hollett, BA; Caplan, PE; Cooper, TC; Froehlich, PA.
- Hollett, BA; Caplan, PE; Cooper, TC; Froehlich, PA. (1987). In-Depth Survey Report: Control Technology for Asbestos Removal at Sands Elementary School, Cincinnati, Ohio, Report No. CT-147-19B (pp. 147-119). (NIOSH/00175438). Hollett, BA; Caplan, PE; Cooper, TC; Froehlich, PA.
- Hollett, BA; Caplan, PE; Cooper, TC; Froehlich, PA. (1987). In-Depth Survey Report: Control Technology for Asbestos Removal at Washburn Elementary School, Cincinnati, Ohio, Report No. CT-147-19A (pp. 147-119). (NIOSH/00175432). Hollett, BA; Caplan, PE; Cooper, TC; Froehlich, PA.
- Hollett, BA; Caplan, PE; Cooper, TC; Froehlich, PA. (1987). In-Depth Survey Report: Control Technology for Asbestos Removal at Winton Place Elementary School, Cincinnati, Ohio, Report No. CT-147-19D (pp. 147-119). (NIOSH/00175423). Hollett, BA; Caplan, PE; Cooper, TC; Froehlich, PA.
- Hollett, BA; Froehlich, PA; Caplan, PE; Cooper, TC; Shulman, SA. (1990). An Evaluation of Glove Bag Containment in Asbestos Removal. NIOSH: 88-22.
- Hollins, DM; Paustenbach, DJ; Clark, K; Mangold, CA. (2009). A visual historical review of exposure to asbestos at puget sound naval shipyard (1962-1972) [Review]. *J Toxicol Environ Health B Crit Rev.* 12: 124-156. <http://dx.doi.org/10.1080/10937400902729176>.
- Hollins, DM; Paustenbach, DJ; Clark, K; Mangold, CA. (2009). A Visual Historical Review of Exposure to Asbestos at Puget Sound Naval Shipyard (1962-1972) (vol 12, pg 124, 2009). *J Toxicol Environ Health B Crit Rev.* 12: 224-224. <http://dx.doi.org/10.1080/10937400903038288>.
- Hollis, SP; Cooper, MR; Herrington, RJ; Roberts, S; Earls, G; Verbeeten, A; Piercey, SJ; Archibald, SM. (2015). Distribution, mineralogy and geochemistry of silica-iron exhalites and related rocks from the Tyrone Igneous Complex: Implications for VMS mineralization in Northern Ireland. *J Geochem Explor.* 159: 148-168. <http://dx.doi.org/10.1016/j.gexplo.2015.09.001>.
- Holly, EA; Aston, DA; Ahm, DK; Smith, AH. (1996). Intraocular Melanoma Linked to Occupations and Chemical Exposures. *Epidemiology.* 7: 55-61. <http://dx.doi.org/10.1097/00001648-199601000-00010>.
- Holmen, A; Karlsson, A; Bratt, I; Raihle, G; Hogstedt, B. (1994). INCREASED FREQUENCY OF MICRONUCLEI IN LYMPHOCYTES OF SWEDISH CHIMNEY SWEEPS. *Int Arch Occup Environ Health.* 66: 185-187.
- Holmer, I; Nilsson, H; Rissanen, S; Hirata, K; Smolander, J. (1992). QUANTIFICATION OF HEAT-BALANCE DURING WORK IN 3 TYPES OF ASBESTOS-PROTECTIVE CLOTHING. *Int Arch Occup Environ Health.* 64: 243-249.
- Holmes, A; Morgan, A. (1980). Clearance of anthophyllite fibers from the rat lung and the formation of asbestos bodies. *Environ Res.* 22: 13-21.
- Holmes, A; Morgan, A; Davison, W. (1983). Formation of pseudo-asbestos bodies on sized glass fibres in the hamster lung. *Ann Occup Hyg.* 27: 301-313.
- Holmes, A; Morgan, A; Sandalls, FJ. (1971). DETERMINATION OF IRON, CHROMIUM, COBALT, NICKEL, AND SCANDIUM IN ASBESTOS BY NEUTRON ACTIVATION ANALYSIS. *Am Ind Hyg Assoc J.* 32: 281-&. <http://dx.doi.org/10.1080/0002889718506461>.
- Holmes, E; Garshick, E. (1991). The reproducibility of the self-report of occupational exposure to asbestos and dust. *J Occup Med.* 33: 134-138.
- Holmes, EP; Wilson, J; Schreier, H; Lavkulich, L, esM. (2012). Processes affecting surface and chemical properties of chrysotile: Implications for reclamation of asbestos in the natural environment. *Can J Soil Sci.* 92: 229-242. <http://dx.doi.org/10.4141/CJSS2010-014>.
- Holness, MB. (1992). METAMORPHISM AND FLUID INFILTRATION OF THE CALC-SILICATE AUREOLE OF THE BEINN AN DUBHAICH GRANITE, SKYE. *Journal of Petrology.* 33: 1261-1293.
- Holopainen, M; Hirvonen, MR; Komulainen, H; Klockars, M. (2004). Effect of the shape of mica particles on the production of tumor necrosis factor alpha in mouse macrophages. *Scand J Work Environ Health.* 30 Suppl 2: 91-98.
- Holt, P. (1982). Translocation of asbestos dust through the bronchiolar wall. *Environ Res.* 27: 255-260. [http://dx.doi.org/10.1016/0013-9351\(82\)90080-9](http://dx.doi.org/10.1016/0013-9351(82)90080-9).
- Holt, PF; Young, DK. (1973). ASBESTOS FIBERS IN AIR OF TOWNS. *Atmos Environ.* 7: 481-&.
- Holt, PF; Young, DK. (1973). ASBESTOS FIBERS IN AIR OF TOWNS - REPLY. *Atmos Environ.* 7: 669-669.
- Holt, PF; Young, DK. (1973). Asbestos fibres in the air of towns. *Atmos Environ* (1967). 7: 481-483.
- Holwell, DA; Jenkin, GRT; Butterworth, KG; Abraham-James, T; Boyce, AJ. (2013). Orogenic gold mineralisation hosted by Archaean basement rocks at Sortekap, Kangerlussuaq area, East Greenland. *Miner Depos.* 48: 453-466. <http://dx.doi.org/10.1007/s00126-012-0434-3>.
- Homa, DM; Garabrant, DH; Gillespie, BW. (1994). A meta-analysis of colorectal cancer and asbestos exposure. *Am J Epidemiol.* 139: 1210-1222.

Fate Literature Search Results

Off Topic

- Honda, Y; Beall, C; Delzell, E; Oestenstad, K; Brill, I; Matthews, R. (2002). Mortality among workers at a talc mining and milling facility. *Ann Occup Hyg.* 46: 575-585. <http://dx.doi.org/10.1093/annhyg/mef075>.
- Honda, Y; Delzell, E; Cole, P. (1995). An updated study of mortality among workers at a petroleum manufacturing plant. *J Occup Environ Med.* 37: 194-200.
- Hook, MB; Feigley, CE; Ludwig, DA. (1983). Interwedge Variation In The Membrane Filter Method For Airborne Asbestos Fibers. *Am Ind Hyg Assoc J.* 44: 542-546. <http://dx.doi.org/10.1080/15298668391405274>.
- Hook, SJ; Cudahy, TJ; Kahle, AB; Whitbourn, LB. (1998). Synergy of active and passive airborne thermal infrared systems for surface compositional mapping. *J Geophys Res Solid Earth.* 103: 18269-18276.
- Hooper, K; Ladou, J; Rosenbaum, JS; Book, SA. (1992). Regulation of priority carcinogens and reproductive or developmental toxicants. *Am J Ind Med.* 22: 793-808. <http://dx.doi.org/10.1002/ajim.4700220603>.
- Hopf, NB; Waters, MA; Ruder, AM. (2009). Cumulative exposure estimates for polychlorinated biphenyls using a job-exposure matrix. *Chemosphere.* 76: 185-193. <http://dx.doi.org/10.1016/j.chemosphere.2009.03.058>.
- Hoppe, KA; Metwali, N; Perry, SS; Hart, T; Kastle, PA; Thorne, PS. (2012). Assessment of airborne exposures and health in flooded homes undergoing renovation. *Indoor Air.* 22: 446-456. <http://dx.doi.org/10.1111/j.1600-0668.2012.00785.x>.
- Horbe, AMC; da Costa, ML. (1999). Geochemical evolution of a lateritic Sn-Zr-Th-Nb-Y-REE-bearing ore body derived from apogranite: the case of Pitinga, Amazonas - Brazil. *J Geochem Explor.* 66: 339-351.
- Horbe, MA; Horbe, AC; Costi, HT; Teixeira, JT. (1991). GEOCHEMICAL CHARACTERISTICS OF CRYOLITE-TIN-BEARING GRANITES FROM THE PITINGA MINE, NORTHWESTERN BRAZIL - A REVIEW. *J Geochem Explor.* 40: 227-249.
- Hori, H; Kasai, T; Haratake, J; Ishimatsu, S; Oyabu, T; Yamato, H; Higashi, T; Tanaka, I. (1994). BIOLOGICAL EFFECTS OF INHALED MAGNESIUM-SULFATE WHISKERS IN RATS. *Occup Environ Med.* 51: 492-499.
- Horie, M; Stowe, M; Kambara, T; Lee, B; Endoh, S; Maru, J; Oyabu, T; Myojo, T; Ogami, A; Uchida, K; Yamamoto, K; Kobayashi, N; Kuroda, E; Nakazato, T; Morimoto, Y. (2012). Pulmonary Inflammation of Well-Dispersed Multi-Wall Carbon Nanotubes Following Intratracheal Instillation: Toxicity by Fiber of 1-5 μ m in Length. *Materials.* 5: 2833-2849. <http://dx.doi.org/10.3390/ma5122833>.
- Horii, H; Nagasaka, Y; Yamada, Y. (1992). Asbestos-related pleural thickenings in Japanese sake brewers. *Int Arch Occup Environ Health.* 64: 315-319.
- Horiuchi, Y, u; Ohno, T; Hoshino, M; Shin, K, iC; Murakami, H; Tsunematsu, M; Watanabe, Y. (2014). Geochemical prospecting for rare earth elements using termite mound materials. *Miner Depos.* 49: 1013-1023. <http://dx.doi.org/10.1007/s00126-014-0550-3>.
- Horvath, P; Arkai, P. (2005). Amphibole-bearing assemblages as indicators of microdomain-scale equilibrium conditions in metabasites: an example from Alpine ophiolites of the Meliata Unit, NE Hungary. *Mineralogy and Petrology.* 84: 233-258. <http://dx.doi.org/10.1007/s00710-005-0078-4>.
- Horwell, CJ; Baxter, PJ; Hillman, SE; Calkins, JA; Damby, DE; Delmelle, P; Donaldson, K; Dunster, C; Fubini, B; Kelly, FJ; Le Blond, JS; Livi, KJ; Murphy, F; Natrass, C; Sweeney, S; Tetley, TD; Thordarson, T; Tomatis, M. (2013). Physicochemical and toxicological profiling of ash from the 2010 and 2011 eruptions of Eyjafjallajökull and Grimsvötn volcanoes, Iceland using a rapid respiratory hazard assessment protocol. *Environ Res.* 127: 63-73. <http://dx.doi.org/10.1016/j.envres.2013.08.011>.
- Hosey, AD. (1970). Development of Criteria for Standards. May 10: 19701970.
- Hoshino, T. (1993). FRICTION MATERIALS OF NONASBESTOS FOR AUTOMOBILES - WEAR CHARACTERISTICS OF BRAKE PADS USING FIBROUS POTASSIUM TITANATE. 47: 117-129.
- Hoskins, JA. (2001). Mineral fibres and health. *Indoor Built Environ.* 10: 244-251.
- Hoskins, JA; Brown, RC. (1994). Contamination of the air with mineral fibers following the explosive destruction of buildings and fire [Review]. *Drug Metab Rev.* 26: 663-673. <http://dx.doi.org/10.3109/03602539408998321>.
- Hoskins, JA; Brown, RC; Alexander, IC. (1992). BIOLOGICAL PERSISTENCE OF MINERAL FIBERS FOUND AS CONTAMINANTS OF INDOOR AIR. *Environ Technol.* 13: 361-366.
- Hosny, G; Akel, M. (2006). Assessment of asbestos in drinking water in Alexandria, Egypt. *J Egypt Public Health Assoc.* 81: 181-198.
- Hosoda, Y; Hiraga, Y; Sasagawa, S. (2008). Railways and asbestos in Japan (1928-1987)--epidemiology of pleural plaques, malignancies and pneumoconioses [Review]. *J Occup Health.* 50: 297-307.
- Hossain, M, dS; Fakhruddin, A, buNM; Chowdhury, MAZ; Gan, SH, ua. (2016). Impact of ship-Breaking activities on the coastal environment of Bangladesh and a management system for its sustainability. *Environ Sci Pol.* 60: 84-94. <http://dx.doi.org/10.1016/j.envsci.2016.03.005>.
- Hosseinpourpia, R; Varshoe, A; Soltani, M; Hosseini, P; Tabari, HZ. (2012). Production of waste bio-fiber cement-based composites reinforced with nano-SiO₂ particles as a substitute for asbestos cement composites. *Construction and Building Materials.* 31: 105-111. <http://dx.doi.org/10.1016/j.conbuildmat.2011.12.102>.
- Hou, ZQ; Zeng, PS; Gao, YF; Du, AD; Fu, DM. (2006). Himalayan Cu-Mo-Au mineralization in the eastern Indo-Asian collision zone: constraints from Re-Os dating of molybdenite. *Trans Nonferrous Met Soc China.* 41: 33-45. <http://dx.doi.org/10.1007/s00126-005-0038-2>.
- Howard, J; Middendorf, P. (2010). Exposure science can increase protection of workers and their families from exposure to asbestos and inform on the effects of other elongate mineral particles. *J Expo Sci Environ Epidemiol.* 20: 485-486. <http://dx.doi.org/10.1038/jes.2010.40>.
- Howard, J; Middendorf, P. (2011). Response to 'Exposure science will not increase protection of workers from asbestos-caused diseases: NIOSH fails to provide needed public health action and leadership'. *J Expo Sci Environ Epidemiol.* 21: 116-116. <http://dx.doi.org/10.1038/jes.2010.54>.
- Howard, J; Mohsenifar, Z; Brown, HV; Koerner, SK. (1982). Role of exercise testing in assessing functional respiratory impairment due to asbestos exposure. *J Occup Med.* 24: 685-689.
- Howard, TP. (2003). Pneumoconiosis in a vermiculite end-product user. *Am J Ind Med.* 44: 214-217. <http://dx.doi.org/10.1002/ajim.10245>.
- Howard, WP. (1970). ASBESTOS AND RESPIRATORY DISEASES. 41: 33-&

Fate Literature Search Results

Off Topic

- Howe, HL; Wolfgang, PE; Burnett, WS; Nasca, PC; Youngblood, L. (1987). CANCER INCIDENCE FOLLOWING EXPOSURE TO DRINKING WATER WITH ASBESTOS LEACHATE (pp. 17-19). (ISSN 0002-9262; EISSN 1476-6256; BIOSIS/88/02954). Howe, HL; Wolfgang, PE; Burnett, WS; Nasca, PC; Youngblood, L. <Go to ISI>://WOS:A1987K258000058.
- Howe, HL; Wolfgang, PE; Burnett, WS; Nasca, PC; Youngblood, L. (1989). Cancer incidence following exposure to drinking water with asbestos leachate. *Public Health Rep.* 104: 251-256.
- Howel, D; Arblaster, L. (2000). Identifying industrial sites with potential for residential exposure to asbestos. *J Publ Health Med.* 22: 146-148.
- Howel, D; Arblaster, L; Swinburne, L; Schweiger, M; Renvoize, E; Hatton, P. (1997). Routes of asbestos exposure and the development of mesothelioma in an English region. *Occup Environ Med.* 54: 403-409.
- Howel, D; Gibbs, A; Arblaster, L; Swinburne, L; Schweiger, M; Renvoize, E; Hatton, P; Pooley, F. (1999). Mineral fibre analysis and routes of exposure to asbestos in the development of mesothelioma in an English region. *Occup Environ Med.* 56: 51-58.
- Howie, R. (2005). Asbestos lung residue and asbestosis risk - Reply. *Ann Occup Hyg.* 49: 364-365. <http://dx.doi.org/10.1093/annhyg/mei006>.
- Howie, RM. (1999). Minimising health hazards associated with derogated products and in-situ materials containing chrysotile contaminated with amphibole asbestos fibres [Letter]. *Ann Occup Hyg.* 43: 493-498.
- Howie, RM. (2000). An important source of error in asbestos-related lung cancer estimates [Letter]. *Ann Occup Hyg.* 44: 484-487.
- Howitt, DG; Hatfield, J; Fishler, G. (1993). The difficulties with low-level asbestos exposure assessments in public, commercial, and industrial buildings. *AIHA J.* 54: 267-271.
- Howlett, L. (1994). IN SEARCH OF THE HOLY-GRAIL. *Process Engineering.* 75: 39-39.
- Howse, R. (2004). The WHO/WTO study on trade and public health: A critical assessment. *Risk Anal.* 24: 501-507.
- Hoyes, JR; Clayton, R. (1980). A routine for the control of the performance of microscopists evaluating airborne asbestos fibre samples on membrane filters by phase contrast microscopy. *Ann Occup Hyg.* 23: 381-401.
- Hrapka, LW; Poczky, L. (1991). CORROSION OF SYNTHETIC INORGANIC FIBERS IN CEMENT MATRIX. *Hungarian Journal of Industrial Chemistry.* 19: 223-230.
- Hraste, M; Vidovic, K. (1986). ASBESTOS PARTICLE CHARACTERISTICS IMPORTANT FOR THE FILTER CAKE FORMATION. 3: 40-42.
- HSE. (1999). Occupational exposure limits 1999 (pp. GBP 8). (CIS/00/01100).
- Hu, S; Evans, K; Craw, D; Rempel, K; Bourdet, J; Dick, J; Grice, K. (2015). Raman characterization of carbonaceous material in the Macraes orogenic gold deposit and metasedimentary host rocks, New Zealand. *Ore Geol Rev.* 70: 80-95. <http://dx.doi.org/10.1016/j.oregeorev.2015.03.021>.
- Hu, Y; Hubble, DW. (2007). Factors contributing to the failure of asbestos cement water mains. *Can J Civ Eng.* 34: 608-621. <http://dx.doi.org/10.1139/L06-162>.
- Hu, Y; Wang, D; Cossitt, K; Chowdhury, R. (2010). AC Pipe in North America: Inventory, Breakage, and Working Environments. 1: 156-172. [http://dx.doi.org/10.1061/\(ASCE\)PS.1949-1204.0000064](http://dx.doi.org/10.1061/(ASCE)PS.1949-1204.0000064).
- Huang, J; Hisanaga, N; Sakai, K; Iwata, M; Ono, Y; Shibata, E; Takeuchi, Y. (1988). Asbestos fibers in human pulmonary and extrapulmonary tissues. *Am J Ind Med.* 14: 331-339.
- Huang, SX; Jaurand, MC; Kamp, DW; Whysner, J; Hei, TK. (2011). Role of mutagenicity in asbestos fiber-induced carcinogenicity and other diseases [Review]. *J Toxicol Environ Health B Crit Rev.* 14: 179-245. <http://dx.doi.org/10.1080/10937404.2011.556051>.
- Huang, SX; Partridge, MA; Ghandhi, SA; Davidson, MM; Amundson, SA; Hei, TK. (2012). Mitochondria-derived reactive intermediate species mediate asbestos-induced genotoxicity and oxidative stress-responsive signaling pathways. *Environ Health Perspect.* 120: 840-847. <http://dx.doi.org/10.1289/ehp.1104287>.
- Huang, X; Li, WH; Atfield, MD; Nadas, A; Frenkel, K; Finkelman, RB. (2005). Mapping and prediction of coal workers' pneumoconiosis with bioavailable iron content in the bituminous coals. *Environ Health Perspect.* 113: 964-968. <http://dx.doi.org/10.1289/ehp.7679>.
- Huang, XW, en; Gao, JF; Qi, L; Zhou, M, elFu. (2015). In-situ LA-ICP-MS trace elemental analyses of magnetite and Re-Os dating of pyrite: The Tianhu hydrothermally remobilized sedimentary Fe deposit, NW China. *Ore Geol Rev.* 65: 900-916. <http://dx.doi.org/10.1016/j.oregeorev.2014.07.020>.
- Hubaux, R; Becker-Santos, DD; Enfield, KSS; Lam, S; Lam, WL; Martinez, VD. (2012). Arsenic, asbestos and radon: Emerging players in lung tumorigenesis [Review]. *Environ Health.* 11: 89. <http://dx.doi.org/10.1186/1476-069X-11-89>.
- Huck, PM; Toft, P. (1987). TREATMENT OF DRINKING WATER FOR ORGANIC CONTAMINANTS SECOND NATIONAL CONFERENCE EDMONTON ALBERTA CANADA APRIL 7-8 1986 (pp. NEW YORK). (BIOSIS/88/35585). Gesellschaft Deutscher Chemiker (GDCh) Advisory Committee on Existing Chemicals of Environmental Relevance (BUA).
- Huczko, A; Lange, H; Calko, E; Grubek-Jaworska, H; Droszcz, P. (2001). Physiological testing of carbon nanotubes: are they asbestos-like? *Fullerene Sci Technol.* 9: 251-254.
- Hueper, WC. (1949). Occupational Cancer Hazards Found in Industry. *Ind Hyg Newsl.* 9: 7-9.
- Hueper, WC. (1965). Occupational and nonoccupational exposures to asbestos. *Ann N Y Acad Sci.* 132: 184-195.
- Hueper, WC. (1966). Occupational and environmental cancers of the respiratory system. In *Recent Results in Cancer Research*, vol 3. New York, NY: Springer. <http://www.springer.com/medicine/book/978-3-642-87685-1>.
- Huff, J. (1993). ISSUES AN CONTROVERSIES SURROUNDING QUALITATIVE STRATEGIES FOR IDENTIFYING AND FORECASTING CANCER CAUSING AGENTS IN THE HUMAN ENVIRONMENT (pp. PREVENTION OF CANCER). (BIOSIS/93/21361). Huff, J.
- Huffman, LJ; Judy, DJ; Castranova, V. (1998). Regulation of nitric oxide production by rat alveolar macrophages in response to silica exposure. *J Toxicol Environ Health.* 53: 29-46.
- HUGHES; WEILL. (1988). RISK ASSESSMENT IN THE ASBESTOS CEMENT INDUSTRY - REPLY. *Br J Ind Med.* 45: 202-203.
- Hughes, JM. (1994). Human evidence: lung cancer mortality risk from chrysotile exposure. *Ann Occup Hyg.* 38: 555-560, 415-556.

Fate Literature Search Results

Off Topic

- Hughes, JM; Weill, H. (1991). Asbestosis as a precursor of asbestos related lung cancer: Results of a prospective mortality study. *Br J Ind Med.* 48: 229-233.
- Hughes, JM; Weill, H. (1994). Potency versus importance in fiber pathogenicity [Letter]. *Am J Ind Med.* 25: 609-610.
- Hughes, JM; Weill, H; Hammad, YY. (1987). MORTALITY OF WORKERS EMPLOYED IN 2 ASBESTOS CEMENT MANUFACTURING PLANTS. *Br J Ind Med.* 44: 161-174.
- Hume, LA; Rimstidt, JD. (1992). THE BIODURABILITY OF CHRYSOTILE ASBESTOS. *Am Mineral.* 77: 1125-1128.
- Humerfelt, S; Gulsvik, A; Skjaerven, R; Nilssen, S; Kvale, G; Sulheim, O; Ramm, E; Eilertsen, E; Humerfelt, SB. (1993). Decline in FEV1 and Airflow Limitation Related to Occupational Exposures in Men of an Urban Community. *Eur Respir J.* 6: 1095-1103.
- Humerfelt, S; Stensvold, I; Kvaale, G; Lund-Larsen, P; Bjartveit, K; Gulsvik, A. (1990). SMOKING HABITS AND ASBESTOS EXPOSURE IN RELATION TO AIRFLOW LIMITATION IN A MALE POPULATION OF AGE 30-44 YEARS IN NORWAY (pp. 20-24). (BIOSIS/90/18838). Humerfelt, S; Stensvold, I; Kvaale, G; Lund-Larsen, P; Bjartveit, K; Gulsvik, A.
- Huncharek, M. (1987). Chrysotile asbestos exposure and mesothelioma [Letter]. *Br J Ind Med.* 44: 287-288.
- Huncharek, M. (1991). Occult asbestos exposure [Letter]. *Am J Ind Med.* 20: 713-714.
- Huncharek, M. (1994). Pleural mesothelioma in a cigarette filter factory worker. *Scand J Work Environ Health.* 20: 146-147.
- Huncharek, M; Capotorto, J. (1988). Asbestos related lung disease in maintenance workers [Letter]. *Br J Ind Med.* 45: 203-204.
- Huncharek, M; Capotorto, JV; Muscat, J. (1989). Domestic asbestos exposure, lung fibre burden, and pleural mesothelioma in a housewife. *Br J Ind Med.* 46: 354-355.
- Hung, IF; Yu, CC; Tung, CJ. (1994). INDOOR RADON CONCENTRATIONS IN TAIWANESE HOMES. *Journal of Environmental Science and Health, Part A: Environmental Science and Engineering and Toxi.* 29: 1859-1870.
- Hunting, KL; Welch, LS. (1992). Health Hazards of Shipbuilding and Ship Repairing (pp. 634-641). (NIOSH/00211671). Hunting, KL; Welch, LS.
- Hunting, KL; Welch, LS. (1993). OCCUPATIONAL EXPOSURE TO DUST AND LUNG-DISEASE AMONG SHEET-METAL WORKERS. *Br J Ind Med.* 50: 432-442.
- Huntington, JC; Ptasienski, JJ; Bunker, KL; Strohmeier, BR; Van Orden, DR; Lee, RJ. (2008). A new method for fracturing mineral particles for cross-sectional FESEM analysis. *Periodico di Mineralogia.* 77: 43-50. <http://dx.doi.org/10.2451/2008PM0012>.
- Huoi, C; Olsson, A; Lightfoot, T; Roman, E; Clavel, J; Lacour, B; Kaatsch, P; Kromhout, H; Vermeulen, R; Peters, S; Bailey, HD; Schüz, J. (2014). Parental occupational exposure and risk of childhood central nervous system tumors: a pooled analysis of case-control studies from Germany, France, and the UK. *Cancer Causes Control.* 25: 1603-1613. <http://dx.doi.org/10.1007/s10552-014-0465-4>.
- Hurbankova, M. (1993). DYNAMIC STUDY OF THE PHAGOCYtic ACTIVITY OF RATS LEUKOCYTES AFTER EXPOSURE TO ASBESTOS AND BASALT FIBERS. *Zentralblatt fuer Hygiene und Umweltmedizin.* 194: 292-300.
- Hurbankova, M. (1994). ONE-YEAR FOLLOW-UP OF THE PHAGOCYtic ACTIVITY OF LEUKOCYTES AFTER EXPOSURE OF RATS TO ASBESTOS AND BASALT FIBERS. *Environ Health Perspect.* 102: 201-203.
- Hurbánková, M; Hraškov, D; Beňo, M; Černa, S; Wimmerova, S; Moricová, Š. (2014). Combined effect of selected mineral fibres and tobacco smoke on respiratory tract in rats. *Cent Eur J Public Health.* 22: 159-163. <http://dx.doi.org/10.21101/cejph.a3894>.
- Hurbánková, M; Kaiglová, A. (1993). The changes of some immunological parameters in subjects exposed to asbestos in dependence on age, duration of exposure, radiological findings and smoking habits. *Zentralblatt fuer Hygiene und Umweltmedizin.* 195: 55-65.
- Hurbankova, M; Ulrich, L. (1992). SOME IMMUNOLOGICAL RESPONSES TO OCCUPATIONAL EXPOSURE TO ASBESTOS AND OTHER FIBROUS DUSTS. *Zentralblatt fuer Hygiene und Umweltmedizin.* 193: 130-139.
- Hurbankova, M; Ulrich, L; Barlogova, S; Malik, E. (1991). Application of some immunological methods in preventive examinations of workers exposed to asbestos (pp. 5-8). (BIOSIS/92/35865). Hurbankova, M; Ulrich, L; Barlogova, S; Malik, E.
- Hurst, GA; Spivey, CG; Matlage, WT; Miller, JM; Faulk, G; Hieger, LR; Mclarty, JW; Greenberg, SD. (1979). The Tyler Asbestos Workers Program. I. A medical surveillance model and method. *Arch Environ Health.* 34: 432-439.
- Husgafvelpursiainen, K; Kannio, A. (1996). Cigarette smoking and p53 mutations in lung cancer and bladder cancer. *Environ Health Perspect.* 104: 553-556.
- Husgafvel-Pursiainen, K; Kannio, A; Oksa, P; Suitiala, T; Koskinen, H; Partanen, R; Hemminki, K; Smith, S; Rosenstock-Leibu, R; Brandt-Rauf, PW. (1997). Mutations, tissue accumulations, and serum levels of p53 in patients with occupational cancers from asbestos and silica exposure. *Environ Mol Mutagen.* 30: 224-230.
- Husgafvel-Pursiainen, K; Ridanpää, M; Anttila, S; Vainio, H. (1995). p53 and ras gene mutations in lung cancer: implications for smoking and occupational exposures [Review]. *J Occup Environ Med.* 37: 69-76.
- HUTCHESO JR. (1971). ENVIRONMENTAL CONTROL IN ASBESTOS INDUSTRY. 64: 65-&.
- HUTCHESO JR. (1971). ENVIRONMENTAL CONTROL IN ASBESTOS INDUSTRY OF QUEBEC. 64: 83-&.
- Hutchison, JL; Whittaker, EJW. (1979). NATURE OF ELECTRON-DIFFRACTION PATTERNS OF AMPHIBOLE ASBESTOS AND THEIR USE IN IDENTIFICATION. *Environ Res.* 20: 445-449.
- Huuskonen, MS. (1992). Screening for occupational cancer [Review]. *Scand J Work Environ Health.* 18 Suppl 1: 110-114.
- Huuskonen, MS; Ahlman, K; Mattsson, T; Tossavainen, A. (1980). Asbestos disease in Finland. *J Occup Med.* 22: 751-754.
- Huuskonen, MS; Koskinen, K; Tossavainen, A; Karjalainen, A; Rinne, JP; Rantanen, J. (1995). Finnish Institute of Occupational Health Asbestos Program 1987-1992. *Am J Ind Med.* 28: 123-142.
- Huuskonen, MS; Rantanen, J. (2006). Finnish Institute of Occupational Health (FIOH): prevention and detection of asbestos-related diseases, 1987-2005. *Am J Ind Med.* 49: 215-220. <http://dx.doi.org/10.1002/ajim.20282>.
- Huuskonen, O; Kivisaari, L; Zitting, A; Kaleva, S; Vehmas, T. (2004). Emphysema findings associated with heavy asbestos-exposure in high resolution computed tomography of Finnish construction workers. *J Occup Health.* 46: 266-271.

Fate Literature Search Results

Off Topic

- Huuskonen, O; Kivisaari, L; Zitting, A; Taskinen, K; Tossavainen, A; Vehmas, T. (2001). High-resolution computed tomography classification of lung fibrosis for patients with asbestos-related disease. *Scand J Work Environ Health*. 27: 106-112.
- Hwang, CY. (1983). Size and shape of airborne asbestos fibres in mines and mills. *Br J Ind Med*. 40: 273-279.
- Hwang, CY; Gibbs, GW. (1981). The dimensions of airborne asbestos fibres--I. Crocidolite from Kuruman area, Cape Province, South Africa. *Ann Occup Hyg*. 24: 23-41.
- Hwang, CY; Wang, ZM. (1983). Comparison of methods of assessing asbestos fiber concentrations. *Arch Environ Health*. 38: 5-10.
- Hwang, J; Ramachandran, G; Raynor, PC; Alexander, BH; Mandel, JH. (2013). Comprehensive assessment of exposures to elongate mineral particles in the taconite mining industry. *Ann Occup Hyg*. 57: 966-978. <http://dx.doi.org/10.1093/annhyg/met026>.
- Hwang, J; Ramachandran, G; Raynor, PC; Alexander, BH; Mandel, JH. (2014). The Relationship Between Various Exposure Metrics for Elongate Mineral Particles (EMP) in the Taconite Mining and Processing Industry. *J Occup Environ Hyg*. 11: 613-624. <http://dx.doi.org/10.1080/15459624.2014.890287>.
- Hwang, SH, o; Park, W, haMe. (2016). Application of asbestos management index and asbestos recognition in public buildings in South Korea. *Hum Ecol Risk Assess*. 22: 1542-1551. <http://dx.doi.org/10.1080/10807039.2016.1197768>.
- Hwang, SH; Park, WM. (2016). Evaluation of asbestos-containing products and released fibers in home appliances. 66: 922-929. <http://dx.doi.org/10.1080/10962247.2016.1180329>.
- Hwang, Y; Kang, D; Kim, J; Lee, S, u; Lim, Y; Jeon, B. (2011). Environmental Exposures From Asbestos Textiles Process: Old Versus New. *Epidemiology*. 22: S76-S76.
- Hyland, RA; Ware, S; Johnson, AR; Yates, DH. (2007). Incidence trends and gender differences in malignant mesothelioma in New South Wales, Australia. *Scand J Work Environ Health*. 33: 286-292.
- Hyland, RA; Yates, DH; Benke, G; Sim, M; Johnson, AR. (2010). Occupational exposure to asbestos in New South Wales, Australia (1970-1989): development of an asbestos task exposure matrix. *Occup Environ Med*. 67: 201-206. <http://dx.doi.org/10.1136/oem.2008.039347>.
- Iakhiaev, A; Idell, S. (2004). Asbestos induces tissue factor in Beas-2B cells via PI3 kinase-PKC-mediated signaling. *J Toxicol Environ Health A*. 67: 1537-1547. <http://dx.doi.org/10.1080/15287390490486716>.
- IARC. (1989). Non-occupational exposure to mineral fibres. *IARC Sci Publ*1-529.
- Ibhadode, AOA; Dagwa, IM. (2008). Development of asbestos-free friction lining material from palm kernel shell. *J Braz Soc Mech Sci & Eng*. 30: 166-173.
- Ibrahim, N. (1999). Determination of natural activity in building materials by direct gamma spectrometry. *Fresen Environ Bull*. 8: 72-77.
- Ibrahim, N. (1999). Natural activities of U-238, Th-232 and K-40 in building materials. *J Environ Radioact*. 43: 255-258.
- Ichikawa, I; Matsumura, T. (1997). [Recent circumstances of standards for indoor air environment]. *J Toxicol Environ Health A*. 43: 162-173.
- Ide, G; Hofman, G; Vanruymbeke, M; Ossemerct, C. (1986). PROBLEMS CONCERNING THE PRESENCE OF ASBESTOS IN POWDER MADE FROM STEATITE-CHLORITE ROCKS, USED AS AN ADDITIVE IN CATTLE FEEDS. 39: 855-864.
- Iezzi, G; Camara, F; Della Ventura, G; Oberti, R; Pedrazzi, G; Robert, JL. (2004). Synthesis, crystal structure and crystal chemistry of ferri-clinoholmquistite, square $\text{Li}_2\text{Mg}_3\text{Fe}_{23}\text{Si}_8\text{O}_{22}(\text{OH})_2$. *Physics and Chemistry of Minerals*. 31: 375-385. <http://dx.doi.org/10.1007/s00269-004-0402-2>.
- Iezzi, G; Della Ventura, G; Camara, F; Pedrazzi, G; Robert, JL. (2003). Na-B-Li-B solid-solution in A-site-vacant amphiboles: synthesis and cation ordering along the ferri-clinoferroholmquistite-riebeckite join. *Am Mineral*. 88: 955-961.
- Iezzi, G; Della Ventura, G; Oberti, R; Camara, F; Holtz, F. (2004). Synthesis and crystal-chemistry of $\text{Na}(\text{NaMg})\text{Mg}_5\text{Si}_8\text{O}_{22}(\text{OH})_2$, a P2(1)/m amphibole. *Am Mineral*. 89: 640-646.
- Iezzi, G; Della Ventura, G; Tribaudino, M. (2006). Synthetic P2(1)/m amphiboles in the system $\text{Li}_2\text{O}-\text{Na}_2\text{O}-\text{MgO}-\text{SiO}_2-\text{H}_2\text{O}(\text{LNMSH})$. *Am Mineral*. 91: 425-429. <http://dx.doi.org/10.2138/am.2006.1964>.
- Iezzi, G; Tribaudino, M; Della Ventura, G; Nestola, F; Bellatreccia, F. (2005). High-T phase transition of synthetic Na-A(B)(LiMg)(Mg₅Si₈O₂₂)-Mg-C(OH)₂ amphibole: an X-ray synchrotron powder diffraction and FTIR spectroscopic study. *Physics and Chemistry of Minerals*. 32: 515-523. <http://dx.doi.org/10.1007/s00269-005-0032-3>.
- Igwe, O; Omonona, OV; Onwuka, OS; Nnebedum, OD. (2014). Evaluation of the impact of asbestos wastes on soils in Emene-Enugu, Southeastern Nigeria. *Environ Monit Assess*. 186: 8063-8080. <http://dx.doi.org/10.1007/s10661-014-3987-z>.
- Ikai, S; Reichert, JR, JR; Rodrigues, AV; Zampieri, VA. (2010). Asbestos-free technology with new high toughness polypropylene (PP) fibers in air-cured Hatschek process. *Construction and Building Materials*. 24: 171-180. <http://dx.doi.org/10.1016/j.conbuildmat.2009.06.019>.
- Ikeda, T; Nishiyama, T; Yamada, S; Yanagi, T. (2007). Microstructures of olivine-plagioclase corona in meta-ultramafic rocks from Sefuri Mountains, NW Kyushu, Japan. *Lithos*. 97: 289-306. <http://dx.doi.org/10.1016/j.lithos.2006.12.016>.
- Ilanko, AK; Vijayaraghavan, S. (2016). Wear behavior of asbestos-free eco-friendly composites for automobile brake materials. 4: 144-152. <http://dx.doi.org/10.1007/s40544-016-0111-0>.
- Iles, KA; Hergt, JM; Sircombe, KN; Woodhead, J, onD; Bodorkos, S; Williams, I, anS. (2015). Portrait of a reference material: Zircon production in the Middledale Gabbroic Diorite, Australia, and its implications for the TEMORA standard. *Chem Geol*. 402: 140-152. <http://dx.doi.org/10.1016/j.chemgeo.2015.02.036>.
- Iles, PJ; Johnston, AM. (1983). Problems of Asbestos Fibre Counting in the Presence of Fibre-Fibre and Particle-Fibre Overlap. *Ann Occup Hyg*. 27: 389-403.
- Iles, PJ; Shenton-Taylor, T. (1986). Comparison of a fibrous aerosol monitor (FAM) with the membrane filter method for measuring airborne asbestos concentrations. *Ann Occup Hyg*. 30: 77-87.
- Ilg, AG; Bignon, J; Valleron, AJ. (1998). Estimation of the past and future burden of mortality from mesothelioma in France. *Occup Environ Med*. 55: 760-765.
- Ilgren; Chatfield. (1998). Coalginga fibre - A short, amphibole-free chrysotile (vol 7, pg 18, 1998). *Indoor Built Environ*. 7: 241-241.

Fate Literature Search Results

Off Topic

- Ilgren, E. (2008). The fiber length of Coalinga chrysotile: Enhanced clearance due to its short nature in aqueous solution with a brief critique on "Short Fiber Toxicity". *Indoor Built Environ.* 17: 5-26. <http://dx.doi.org/10.1177/1420326X07086427>.
- Ilgren, E. (2008). The fiber width of Coalinga chrysotile: Reduced respirability due to its thick nature in an aerosol and its "Ultra-Thin" nature in aqueous solution (In vivo). *Indoor Built Environ.* 17: 27-41. <http://dx.doi.org/10.1177/1420326X07086428>.
- Ilgren, E; Chatfield, E. (1997). Coalinga fibre - A short, amphibole-free chrysotile .1. Evidence for a lack of fibrogenic activity. *Indoor Built Environ.* 6: 264-276.
- Ilgren, E; Chatfield, E. (1998). Coalinga fibre - A short, amphibole-free chrysotile - Part 2: Evidence for lack of tumourigenic activity. *Indoor Built Environ.* 7: 18-31.
- Ilgren, E; Chatfield, E. (1998). Coalinga fibre: A short, amphibole-free chrysotile Part 3: Lack of biopersistence. *Indoor Built Environ.* 7: 98-109.
- Ilgren, EB. (2001). Health risks from exposures to asbestos, metals, and various chemicals due to collapse of the World Trade Center: An environmental residential survey with a commentary related to Ground Zero workers. *Indoor Built Environ.* 10: 361-383. <http://dx.doi.org/10.1177/1420326X0101000604>.
- Ilgren, EB. (2002). Coalinga fibre: A short-fibre, amphibole-free chrysotile - Part 4: Further evidence for a lack of fibrogenic and tumorigenic activity. *Indoor Built Environ.* 11: 171-177.
- Ilgren, EB. (2004). The biology of cleavage fragments: A brief synthesis and analysis of current knowledge. *Indoor Built Environ.* 13: 343-356. <http://dx.doi.org/10.1177/1420326X04047563>.
- Ilgren, EB. (2004). Coalinga chrysotile - The case of the missing "asbestos study": Corporate connivance or plaintiff ploy? *Indoor Built Environ.* 13: 357-373. <http://dx.doi.org/10.1177/1420326X04047763>.
- Ilgren, EB. (2004). Coalinga Chrysotile: A Short Fibre, Amphibole Free, Chrysotile: Part V - Lack of Amphibole Asbestos Contamination. *Indoor Built Environ.* 13: 325-341. <http://dx.doi.org/10.1177/1420326X04047657>.
- Ilgren, EB. (2004). Coalinga chrysotile: A short-fibre, amphibole-free, chrysotile: Part VI - Additional evidence for lack of fibrogenicity. *Indoor Built Environ.* 13: 375-382. <http://dx.doi.org/10.1177/1420326X04047764>.
- Ilgren, EB. (2008). Coalinga chrysotile: Dissolution, concentration, regulation and general relevance. *Indoor Built Environ.* 17: 42-57. <http://dx.doi.org/10.1177/1420326X07086944>.
- Ilgren, EB. (2010). The California Coalinga Chrysotile Miners and Millers - Further Evidence for a Lack of Attributable Disease. *Indoor Built Environ.* 19: 562-585. <http://dx.doi.org/10.1177/1420326X09359969>.
- Ilgren, EB; Ortega brena, M; Castro larragoitia, J; Loustaunau navarrete, G; Fuentes brena, A; Krauss, E; Feher, G. (2008). A reconnaissance study of a potential emerging Mexican mesothelioma epidemic due to fibrous zeolite exposure. *Indoor Built Environ.* 17: 496-515. <http://dx.doi.org/10.1177/1420326X08096610>.
- Il'ina, VP; Lebedeva, GA. (2012). Effect of talc stone and chlorite-tremolite rock on ceramic tile phase composition and properties. *Glass Ceram.* 68: 369-372. <http://dx.doi.org/10.1007/s10717-012-9392-6>.
- Ilmen, S; Alansari, A; Baidada, B; Maacha, L; Bajddi, A. (2016). Minerals of the Ag-Bi-Cu-Pb-S system from the Amensif carbonate -replacement deposit (western High Atlas, Morocco). *J Geochem Explor.* 161: 85-97. <http://dx.doi.org/10.1016/j.gexplo.2015.11.008>.
- Imam, M; Racherla, V; Biswas, K. (2015). Effect of backing plate material in friction stir butt and lap welding of 6063-T4 aluminium alloy. *International Journal of Advanced Manufacturing Technology.* 77: 2181-2195. <http://dx.doi.org/10.1007/s00170-014-6617-6>.
- Imanari, Y; Nonogawa, T; Miyoshi, J; Toda, K; Uematsu, K; Sato, M; Kosuge, K; Nishisu, Y; Kobayashi, M. (2003). Synthesis of phosphor materials using natural ore "serpentine". *Ceramic Society of Japan Journal.* 111: 151-154.
- Imbernon, E; Goldberg, M; Bonenfant, S; Chevalier, A; Guénel, P; Vatré, R; Dehaye, J. (1995). Occupational respiratory cancer and exposure to asbestos: a case-control study in a cohort of workers in the electricity and gas industry. *Am J Ind Med.* 28: 339-352.
- Imbernon, E; Goldberg, M; Guenel, P; Chevalier, A; Vatre, R; Bonenfant, S. (1996). Validation of Asbestos Exposure Assessment in a Job-Exposure Matrix in the Electricity and Gas Industry in France: The Matex Project. *Occup Hyg.* 3: 1-3.
- Imbernon, E; Goldberg, M; Spycerelle, Y; Steinmetz, J; Bonenfant, S; Fournier, B. (2004). Use of a job-exposure matrix for the screening of occupational exposure to asbestos. *Rev Epidemiol Sante Publique.* 52: 7-17. [http://dx.doi.org/10.1016/S0398-7620\(04\)99018-9](http://dx.doi.org/10.1016/S0398-7620(04)99018-9).
- Imbernon, E; Marchand, JL; Garras, L; Goldberg, M. (2005). [Quantitative assessment of the risk of lung cancer and pleural mesothelioma among automobile mechanics]. *Rev Epidemiol Sante Publique.* 53: 491-500.
- Impivaara, O; Zitting, AJ; Kuusela, T; Alanen, E; Karjalainen, A. (1998). Observer variation in classifying chest radiographs for small lung opacities and pleural abnormalities in a population sample. *Am J Ind Med.* 34: 261-265. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199809\)34:3<261::AID-AJIM8>3.0.CO;2-Y](http://dx.doi.org/10.1002/(SICI)1097-0274(199809)34:3<261::AID-AJIM8>3.0.CO;2-Y).
- Inaba, T; Iwao, T. (2000). Treatment of waste by dc arc discharge plasmas. *I E E E Transactions on Dielectrics and Electrical Insulation.* 7: 684-692.
- Inaba, T; Nagano, M; Endo, M. (1999). Investigation of plasma treatment for hazardous wastes such as fly ash and asbestos. *Electrical Engineering in Japan.* 126: 73-82.
- Infante, PF; Schuman, LD; Dement, J; Huff, J. (1994). Fibrous glass and cancer [Review]. *Am J Ind Med.* 26: 559-584.
- Inoko, M; Ariiso, K. (1982). DETERMINATION OF CHRYSOTILE FIBERS IN RESIDUAL DUST ON ROAD VEHICLE BRAKE DRUMS. *Environmental Pollution Series B: Chemical and Physical.* 4: 249-255.
- Inoue, A; Utada, M. (1991). SMECTITE-TO-CHLORITE TRANSFORMATION IN THERMALLY METAMORPHOSED VOLCANOCLASTIC ROCKS IN THE KAMIKITA AREA, NORTHERN HONSHU, JAPAN. *Am Mineral.* 76: 628-640.
- Inoue, Y; Kaga, A; Yamaguchi, K; Kamoi, S. (1998). Development of an automatic system for counting asbestos fibers using image processing. *Part Sci Technol.* 16: 263-279.
- Inthavong, K; Wen, H, an; Tian, Z; Tu, J. (2008). Numerical study of fibre deposition in a human nasal cavity. *J Aerosol Sci.* 39: 253-265. <http://dx.doi.org/10.1016/j.jaerosci.2007.11.007>.

Fate Literature Search Results

Off Topic

- Ionescu, S; Deac, V; Corpodean, C. (2011). RISK OF EXPOSURE TO ASBESTOS IN CASE OF THE MECHANICAL DEGRADATION OF SOME ASBOCEMENT COMPOSITES. *Environmental Engineering and Management Journal*. 10: 1773-1777.
- Irannajad, M; Mehdilo, A; Nuri, OS. (2014). Influence of microwave irradiation on ilmenite flotation behavior in the presence of different gangue minerals. *Separation and Purification Technology*. 132: 401-412. <http://dx.doi.org/10.1016/j.seppur.2014.05.046>.
- Irving, KF; Alexander, RG; Bavley, H. (1980). ASBESTOS EXPOSURES IN MASSACHUSETTS PUBLIC-SCHOOLS. *Am Ind Hyg Assoc J*. 41: 270-276. <http://dx.doi.org/10.1080/15298668091424735>.
- Irwig, HG; Oliver, LC; Page, T; Wegman, DH; Ellenbecker, MJ. (1991). Asbestos in Place: A Building Management Perspective. *Ann N Y Acad Sci*. 643: 589-596.
- Isabel Velasco-Garcia, M; Recuero, R; Jesus Cruz, M; Panades, R; Marti, G; Ferrer, J. (2010). Prevalence and Distribution of Asbestos Lung Residue in a Spanish Urban Population. *Arch Bronconeumol*. 46: 176-181. <http://dx.doi.org/10.1016/j.arbres.2009.12.008>.
- Ishida, K. (1998). Cation disordering in heat-treated anthophyllites through oxidation and dehydrogenation. *Physics and Chemistry of Minerals*. 25: 160-167.
- Ishida, K; Hawthorne, FC. (2001). Assignment of infrared OH-stretching bands in manganoan magnesio-arfvedsonite and richterite through heat-treatment. *Am Mineral*. 86: 965-972.
- Ishida, K; Hawthorne, FC. (2003). Fine structure in the infrared OH-stretching bands of holmquistite and anthophyllite. *Physics and Chemistry of Minerals*. 30: 330-336. <http://dx.doi.org/10.1007/s00269-003-0311-9>.
- Ishida, K; Hawthorne, FC. (2006). Assignment of infrared OH-stretching bands in calcic amphiboles through deuteration and heat treatment. *Am Mineral*. 91: 871-879.
- Ishida, K; Hawthorne, FC; Ando, Y. (2002). Fine structure of infrared OH-stretching bands in natural and heat-treated amphiboles of the tremolite-ferro-actinolite series. *Am Mineral*. 87: 891-898.
- Ishida, K; Jenkins, DM; Hawthorne, FC. (2008). Mid-IR bands of synthetic calcic amphiboles of tremolite-pargasite series and of natural calcic amphiboles. *Am Mineral*. 93: 1112-1118. <http://dx.doi.org/10.2138/am.2008.2756>.
- Ishida, T; Alexandrov, M; Nishimura, T; Minakawa, K; Hirota, R; Sekiguchi, K; Kohyama, N; Kuroda, A. (2010). Selective detection of airborne asbestos fibers using protein-based fluorescent probes. *Environ Sci Technol*. 44: 755-759. <http://dx.doi.org/10.1021/es902395h>.
- Ishihara, Y. (2001). In vitro studies on biological effects of fibrous minerals [Review]. *Ind Health*. 39: 94-105.
- Ishimatsu, S; Oyabu, T; Hori, H; Tanaka, I. (1999). A new digestion method for recovery of MMMFs from lungs. *Ind Health*. 37: 307-312. <http://dx.doi.org/10.2486/indhealth.37.307>.
- Ishizaki, T; Yano, E; Evans, PH. (1997). Cellular mechanisms of reactive oxygen metabolite generation from human polymorphonuclear leukocytes induced by crocidolite asbestos. *Environ Res*. 75: 135-140. <http://dx.doi.org/10.1006/enrs.1997.3772>.
- Ishizaki, T; Yano, E; Urano, N; Evans, PH. (1994). Crocidolite-induced reactive oxygen metabolites generation from human polymorphonuclear leukocytes. *Environ Res*. 66: 208-216. <http://dx.doi.org/10.1006/enrs.1994.1056>.
- Ismail, R; Ciobanu, CL; Cook, NJ; Teale, GS; Giles, D; Mumm, AS; Wade, B. (2014). Rare earths and other trace elements in minerals from skarn assemblages, Hillside iron oxide-copper-gold deposit, Yorke Peninsula, South Australia. *Lithos*. 184: 456-477. <http://dx.doi.org/10.1016/j.lithos.2013.07.023>.
- Issa, SS. (1990). RESIDUAL-STRESSES IN ASBESTOS-CEMENT PIPES. *Journal of Engineering Mechanics*. 116: 1125-1141.
- Iudicello, JJ; Englehardt, JD. (2009). A Predictive Bayesian Dose-Response Assessment for Evaluating the Toxicity of Carbon Nanotubes Relative to Crocidolite Using a Proposed Emergent Model. *Hum Ecol Risk Assess*. 15: 1168-1186. <http://dx.doi.org/10.1080/10807030903304781>.
- Ivanov, AV; Ivanova, MA; Kononkova, NN. (2007). Concentrically zonal textures in a sample of the Kaidun meteorite. *Geochem Int*. 45: 957-970. <http://dx.doi.org/10.1134/S0016702907100011>.
- Ivanova, MS; Kumzerov, YA; Poborchii, VV; Ulashkevich, YV; Zhuravlev, VV. (1995). ULTRATHIN WIRES INCORPORATED WITHIN CHRYSOTILE ASBESTOS NANOTUBES - OPTICAL AND ELECTRICAL-PROPERTIES. 4: 319-322.
- Iwata, T; Kohyama, N; Yano, E. (2002). Chemiluminescent detection of induced reactive oxygen metabolite production of human polymorphonuclear leukocytes by anthophyllite asbestos. *Environ Res*. 88: 36-40. <http://dx.doi.org/10.1006/enrs.2001.4314>.
- Iwata, T; Yano, E. (2003). Reactive oxygen metabolite production induced by asbestos and glass fibers: effect of fiber milling. *Ind Health*. 41: 32-38.
- Iwatsubo, Y; Benezet, L; Boutou-Kempf, O; Fevotte, J; Garras, L; Goldberg, M; Luce, D; Pilorget, C; Imbernon, E. (2014). An extensive epidemiological investigation of a kidney cancer cluster in a chemical plant: what have we learned? *Occup Environ Med*. 71: 4-11. <http://dx.doi.org/10.1136/oemed-2013-101477>.
- Iwatsubo, Y; Matrat, M; Michel, E; Boutin, C; Galateau-Salle, F; Jouglu, E; Bignon, J; Pairon, JC; Brochard, P. (2002). Estimation of the incidence of pleural mesothelioma according to death certificates in France. *Am J Ind Med*. 42: 188-199. <http://dx.doi.org/10.1002/ajim.10098>.
- Iwatsubo, Y; Pairon, JC; Boutin, C; Ménard, O; Massin, N; Caillaud, D; Orłowski, E; Galateau-Salle, F; Bignon, J; Brochard, P. (1998). Pleural mesothelioma: dose-response relation at low levels of asbestos exposure in a French population-based case-control study. *Am J Epidemiol*. 148: 133-142.
- Iwatsubo, Y; Pairon, JC; Debeaune, CA; Chamings, S; Bignon, J; Brochard, P. (1994). PLEURAL MESOTHELIOMA - A DESCRIPTIVE ANALYSIS BASED ON A CASE-CONTROL STUDY AND MORTALITY DATA IN ILE-DE-FRANCE, 1987-1990. *Am J Ind Med*. 26: 77-88.
- Izumi, H; Morimoto, Y. (2014). Physicochemical Properties and Factors that Induce Asbestos-Related Respiratory Disease. 126-134.
- Jabaloy-Sanchez, A; Teresa Gomez-Pugnaire, M; Padron-Navarta, JA; Lopez Sanchez-Vizcaino, V; Garrido, CJ. (2015). Subduction- and exhumation-related structures preserved in metaserpentinites and associated metasediments from the Nevado-Filabride Complex (Betic Cordillera, SE Spain). *Tectonophysics*. 644: 40-57. <http://dx.doi.org/10.1016/j.tecto.2014.12.022>.

Fate Literature Search Results

Off Topic

- Jackson, CRM; Parman, SW; Kelley, SP; Cooper, RF. (2015). Light noble gas dissolution into ring structure-bearing materials and lattice influences on noble gas recycling. *Geochim Cosmo Acta*. 159: 1-15. <http://dx.doi.org/10.1016/j.gca.2015.02.036>.
- Jackson, HM; West, NG. (1992). Initial Experience with the Workplace Analysis Scheme for Proficiency (WASP). *Ann Occup Hyg*. 36: 545-561.
- Jacobs, N; Kisting, S; Braun, L. (2004). Collaborative research, participatory solutions: research on asbestos in Kuruman, South Africa [Review]. *Int J Occup Environ Health*. 10: 226-232. <http://dx.doi.org/10.1179/oeh.2004.10.2.226>.
- Jacobs, R; Richards, RJ. (1980). DISTRIBUTION OF 6-6(N)-3[H]SUCROSE AND ITS RADIOLABELED DEGRADATION PRODUCTS FROM ISOLATED, PERFUSED RAT SMALL-INTESTINE LOOPS FOLLOWING PROLONGED INGESTION OF CHRYSOTILE ASBESTOS. *Environ Res*. 21: 423-431.
- Jacobsen, M; Dodgson, J; Maclaren, W. (1983). ESTIMATING FACTORY-WORKERS CUMULATIVE EXPOSURE TO LOW CONCENTRATIONS OF ASBESTOS DUST. *Scand J Work Environ Health*. 9: 61-61.
- Jacobsen, M; Ducatman, B; Cox-Ganser, J. (2000). Study of the Feasibility of Research on Pathologic Types of Lung Cancer in Silica- and Radon-Exposed Miners, Final Report. 66.
- Jacobsen, M; Foda, A; Ronk, C; Mckinley, M, eg. (2013). CHRYSOTILE ASBESTOS EXPOSURE AND OVARIAN CANCER: IS THERE AN ASSOCIATION? *Am J Epidemiol*. 177: S123-S123.
- Jaenchen, R; Defren, K; Reinhardt, M. (1995). QUALIFICATION OF MICROBIOLOGY VALIDATED FILTERS FOR THE ELIMINATION OF ASBESTOS FIBERS FROM PARENTERALS. 57: 183-187.
- Jaffrey, S. (1990). ENVIRONMENTAL ASBESTOS FIBER RELEASE FROM BRAKE AND CLUTCH LININGS OF VEHICULAR TRAFFIC. *Ann Occup Hyg*. 34: 529-534.
- Jaffrey, SAM, T; Rood, AP; Scott, RM. (1992). Fibrous Dust Release from Asbestos Substitutes in Friction Products. *Ann Occup Hyg*. 36: 173-181.
- Jagirdar, J; Lee, TC; Reibman, J; Gold, LI; Aston, C; Bégin, R; Rom, WN. (1997). Immunohistochemical localization of transforming growth factor beta isoforms in asbestos-related diseases. *Environ Health Perspect*. 105 Suppl 5: 1197-1203.
- Jahn, H; Rodelsperger, K; Bruckel, B; Manke, J; Woitowitz, HJ. (1985). ASBESTOS DUST RISKS IN BRAKE REPAIR SERVICES. *Staub, Reinhaltung der Luft*. 45: 80-83.
- Jahn, I; Ahrens, W; Brüske-Hohlfeld, I; Kreuzer, M; Möhner, M; Pohlabein, H; Wichmann, HE; Jöckel, KH. (1999). Occupational risk factors for lung cancer in women: results of a case-control study in Germany. *Am J Ind Med*. 36: 90-100.
- Jahn, I; Becker, U; Jöckel, KH; Pohlabein, H. (1995). Occupational life course and lung cancer risk in men. Findings from a socio-epidemiological analysis of job-changing histories in a case-control study. *Soc Sci Med*. 40: 961-975.
- Jajte, J; Lao, I; Wiśniewska-Knypl, JM. (1987). Enhanced lipid peroxidation and lysosomal enzyme activity in the lungs of rats with prolonged pulmonary deposition of crocidolite asbestos. *Br J Ind Med*. 44: 180-186.
- Jakobsson, K. (1994). ASBESTOS, CEMENT, AND CANCER IN THE RIGHT PART OF THE COLON (VOL 51, PG 95, 1994). *Occup Environ Med*. 51: 576-576.
- Jakobsson, K; Albin, M; Hagmar, L. (1994). Asbestos, cement, and cancer in the right part of the colon. *Occup Environ Med*. 51: 95-101.
- Jakobsson, K; Rannug, A; Alexandrie, AK; Rylander, L; Albin, M; Hagmar, L. (1994). Genetic polymorphism for glutathione-S-transferase mu in asbestos cement workers. *Occup Environ Med*. 51: 812-816.
- Jakobsson, K; Strömberg, U; Albin, M; Welinder, H; Hagmar, L. (1995). Radiological changes in asbestos cement workers. *Occup Environ Med*. 52: 20-27.
- Jakubec, P; Pelclova, D; Smolkova, P; Kolek, V; Nakladalova, M. (2015). Significance of serum mesothelin in an asbestos-exposed population in the Czech Republic. *Biomed Pap Med Fac Univ Palacky Olomouc Czech Repub*. 159: 472-479. <http://dx.doi.org/10.5507/bp.2014.015>.
- Jamshaid, H; Mishra, R. (2016). A green material from rock: basalt fiber - a review. *J Text Inst*. 107: 923-937. <http://dx.doi.org/10.1080/00405000.2015.1071940>.
- Jamshidi, M; Ramezani-pour, AA. (2011). Laboratory and industrial investigations on hybrid of acrylic and glass short fibers as an alternative for substituting asbestos in Hatschek process. *Construction and Building Materials*. 25: 298-302. <http://dx.doi.org/10.1016/j.conbuildmat.2010.06.026>.
- Janak, M; Obrien, PJ; Hurai, V; Reutel, C. (1996). Metamorphic evolution and fluid composition of garnet-clinopyroxene amphibolites from the Tatra Mountains, Western Carpathians. *Lithos*. 39: 57-79.
- Jancar, B; Suvorov, D. (2006). The influence of hydrothermal-reaction parameters on the formation of chrysotile nanotubes. *Nanotechnology*. 17: 25-29. <http://dx.doi.org/10.1088/0957-4484/17/1/005>.
- Jankovic, JT. (1985). ASBESTOS BULK SAMPLING PROCEDURE. *Am Ind Hyg Assoc J*. 46: B8-&.
- Janssen, YMW; Driscoll, KE; Timblin, CR; Hassenbein, D; Mossman, BT. (1998). Modulation of mitochondrial gene expression in pulmonary epithelial cells exposed to oxidants. *Environ Health Perspect*. 106: 1191-1195.
- Jansson, C; Johansson, AL; Bergdahl, IA; Dickman, PW; Plato, N; Adami, J; Boffetta, P; Lagergren, J. (2005). Occupational exposures and risk of esophageal and gastric cardia cancers among male Swedish construction workers. *Cancer Causes Control*. 16: 755-764. <http://dx.doi.org/10.1007/s10552-005-1723-2>.
- Jansson, NF; Allen, RL. (2011). The origin of skarn beds, Ryllshyttan Zn-Pb-Ag plus magnetite deposit, Bergslagen, Sweden. *Mineralogy and Petrology*. 103: 49-78. <http://dx.doi.org/10.1007/s00710-011-0154-x>.
- Jarabo, R; Fuente, E; Savastano, H, Jr; Negro, C. (2014). Effect of Sepiolite on Mechanical and Physical Properties of Fiber Cement. *ACI Mater J*. 111: 355-362.
- Jarad, NA; Wilkinson, P; Pearson, MC; Rudd, RM. (1992). A new high resolution computed tomography scoring system for pulmonary fibrosis, pleural disease, and emphysema in patients with asbestos related disease. *Br J Ind Med*. 49: 73-84.
- Jarc, S; Zupancic, N. (2009). A cathodoluminescence and petrographical study of marbles from the Pohorje area in Slovenia. *Chem Erde*. 69: 75-80. <http://dx.doi.org/10.1016/j.chemer.2008.01.001>.
- Järholm, B. (1993). Incidence of lung cancer by histological type among asbestos cement workers in Denmark [Letter]. *Br J Ind Med*. 50: 767.

Fate Literature Search Results

Off Topic

- Järholm, B. (1992). DOSE-RESPONSE IN EPIDEMIOLOGY - AGE AND TIME ASPECTS. *Am J Ind Med.* 21: 101-106.
- Järholm, B. (2006). Carcinogens in the construction industry. *Ann N Y Acad Sci.* 1076: 421-428. <http://dx.doi.org/10.1196/annals.1371.055>.
- Järholm, B. (1992). Pleural plaques and exposure to asbestos: a mathematical model. *Int J Epidemiol.* 21: 1180-1184.
- Järholm, B. (2000). Natural organic fibers--health effects [Review]. *Int Arch Occup Environ Health.* 73 Suppl: S69-S74.
- Järholm, B; Aström, E. (2014). The risk of lung cancer after cessation of asbestos exposure in construction workers using pleural malignant mesothelioma as a marker of exposure. *J Occup Environ Med.* 56: 1297-1301. <http://dx.doi.org/10.1097/JOM.0000000000000258>.
- Järholm, B; Burdorf, A. (2015). Emerging evidence that the ban on asbestos use is reducing the occurrence of pleural mesothelioma in Sweden. *Scand J Public Health.* 43: 875-881. <http://dx.doi.org/10.1177/1403494815596500>.
- Järholm, B; Englund, A. (2014). The impact of asbestos exposure in Swedish construction workers. *Am J Ind Med.* 57: 49-55. <http://dx.doi.org/10.1002/ajim.22264>.
- Järholm, B; Englund, A; Albin, M. (1999). Pleural mesothelioma in Sweden: an analysis of the incidence according to the use of asbestos. *Occup Environ Med.* 56: 110-113.
- Järholm, B; Hillerdal, G; Jarliden, AK; Hansson, A; Lilja, BG; Tornling, G; Westerholm, P. (1995). OCCURRENCE OF PLEURAL PLAQUES IN WORKERS WITH EXPOSURE TO MINERAL WOOL. *Int Arch Occup Environ Health.* 67: 343-346.
- Järholm, B; Malke, H; Malke, B; Ericsson, J; Sällsten, G. (1988). Pleural mesotheliomas and asbestos exposure in the pulp and paper industries: a new risk group identified by linkage of official registers. *Am J Ind Med.* 13: 561-567.
- Järholm, B; Reuterwall, C; Bystedt, J. (2013). Mortality attributable to occupational exposure in Sweden. *Scand J Work Environ Health.* 39: 106-111. <http://dx.doi.org/10.5271/sjweh.3284>.
- Järholm, B; Sandén, A. (1987). Estimating asbestos exposure: a comparison of methods. *J Occup Med.* 29: 361-363.
- Järholm, B; Sandén, A. (1998). Lung cancer and mesothelioma in the pleura and peritoneum among Swedish insulation workers. *Occup Environ Med.* 55: 766-770.
- Jaszczak, JA; Rumsey, MS; Bindi, L; Hackney, SA; Wise, MA; Stanley, CJ; Spratt, J. (2016). Merelaniite, Mo₄Pb₄V₈Sb₁₅, a New Molybdenum-Essential Member of the Cylindrite Group, from the Merelani Tanzanite Deposit, Lelatema Mountains, Manyara Region, Tanzania. 6. <http://dx.doi.org/10.3390/min6040115>.
- Jaurand, M; Bastie-Sigeac, I; Magne, L; Hubert-Habart, M; Bignon, J. (1983). Studies on in vitro chrysotile-pleural mesothelial cell interaction: morphological aspects and metabolism of benzo-3,4-pyrene. *Environ Health Perspect.* 51: 159-165.
- Jaurand, MC. (1994). IN-VITRO ASSESSMENT OF BIOPERSISTENCE USING MAMMALIAN-CELL SYSTEMS. *Environ Health Perspect.* 102: 55-59.
- Jaurand, MC. (1997). Mechanisms of fiber-induced genotoxicity [Review]. *Environ Health Perspect.* 105: 1073-1084.
- Jaurand, MC; Bignon, J; Gaudichet, A; Magne, L; Oblin, A. (1978). Biological effects of chrysotile after SO₂ sorption. II. Effects on alveolar macrophages and red blood cells. *Environ Res.* 17: 216-227. [http://dx.doi.org/10.1016/0013-9351\(78\)90023-3](http://dx.doi.org/10.1016/0013-9351(78)90023-3).
- Jaurand, MC; Bignon, J; Sebastien, P; Goni, J. (1977). Leaching of chrysotile asbestos in human lungs. Correlation with in vitro studies using rabbit alveolar macrophages. *Environ Res.* 14: 245-254.
- Jaurand, MC; Gaudichet, A; Halpern, S; Bignon, J. (1984). INVITRO BIODEGRADATION OF CHRYSOTILE FIBERS BY ALVEOLAR MACROPHAGES AND MESOTHELIAL CELLS IN CULTURE - COMPARISON WITH A PH EFFECT. *Br J Ind Med.* 41: 389-395.
- Jaurand, MC; Thomassin, JH; Baillif, P; Magne, L; Touray, JC; Bignon, J. (1980). Chemical and photoelectron spectrometry analysis of the adsorption of phospholipid model membranes and red blood cell membranes on to chrysotile fibres. *Br J Ind Med.* 37: 169-174.
- Jayanty, RKM; Peterson, MR; Naugle, DF; Berry, MA. (1990). Exposure Assessment: Methods of Analysis for Environmental Carcinogens¹. *Risk Anal.* 10: 587-595. <http://dx.doi.org/10.1111/j.1539-6924.1990.tb00543.x>.
- Jayasuriya, N; Navaratne, CM; Weerasignhe, KD, onN; Nawarathna, B; Adams, R. (2014). Roof Runoff Capture for Home Garden Crop Cultivation in Sri Lanka. *Journal of Irrigation and Drainage Engineering.* 140. [http://dx.doi.org/10.1061/\(ASCE\)IR.1943-4774.0000711](http://dx.doi.org/10.1061/(ASCE)IR.1943-4774.0000711).
- Jaynes, LM. (1981). MISLEADING STATEMENT REGARDING ASBESTOS DUST IN A BRAKE REPAIR OPERATION. *J Occup Environ Med.* 23: 389-389.
- Jeanjean, A; Olives, R; Py, X. (2013). Selection criteria of thermal mass materials for low-energy building construction applied to conventional and alternative materials. *Energy and Buildings.* 63: 36-48. <http://dx.doi.org/10.1016/j.enbuild.2013.03.047>.
- Jeebun, V; Stenton, SC. (2012). The presentation and natural history of asbestos-induced diffuse pleural thickening. *Occup Med (Lond).* 62: 266-268. <http://dx.doi.org/10.1093/occmed/kqs028>.
- Jemal, A; Grauman, D; Devesa, S. (2000). Recent geographic patterns of lung cancer and mesothelioma mortality rates in 49 shipyard counties in the United States, 1970-94. *Am J Ind Med.* 37: 512-521.
- Jenchuraeva, RJ. (1997). Tectonic settings of porphyry-type mineralization and hydrothermal alteration in Paleozoic island arcs and active continental margins, Kyrghyz range, (Tien Shan) Kyrghyzstan. *Miner Depos.* 32: 434-440.
- Jenkins, DM. (2011). The transition from blueschist to greenschist facies modeled by the reaction glaucophane+2 diopside+2 quartz = tremolite+2 albite. *Contributions to Mineralogy and Petrology.* 162: 725-738. <http://dx.doi.org/10.1007/s00410-011-0621-8>.
- Jenkins, DM; Bozhilov, KN; Ishida, K. (2003). Infrared and TEM characterization of amphiboles synthesized near the tremolite-pargasite join in the ternary system tremolite-pargasite-cummingtonite. *Am Mineral.* 88: 1104-1114.
- Jenkins, DM; Carpenter, MA; Zhang, M. (2014). Experimental and infrared characterization of the miscibility gap along the tremolite-glaucophane join. *Am Mineral.* 99: 730-741. <http://dx.doi.org/10.2138/am.2014.4590>.
- Jenkins, DM; Corona, JC. (2006). Molar volume and thermal expansion of glaucophane. *Physics and Chemistry of Minerals.* 33: 356-362. <http://dx.doi.org/10.1007/s00269-006-0083-0>.
- Jenkins, DM; Della Ventura, G; Oberti, R; Bozhilov, K. (2013). Synthesis and characterization of amphiboles along the tremolite-glaucophane join. *Am Mineral.* 98: 588-600. <http://dx.doi.org/10.2138/am.2013.4281>.
- Jenkins, DM; Gilleaudeau, GJ; Kawa, C; Dibiase, JM; Fokin, M. (2012). Compositional limits and analogs of monoclinic triple-chain silicates. *Contributions to Mineralogy and Petrology.* 164: 229-244. <http://dx.doi.org/10.1007/s00410-012-0735-7>.

Fate Literature Search Results

Off Topic

- Jenkins, DM; Holland, TJB; Clare, AK. (1991). EXPERIMENTAL-DETERMINATION OF THE PRESSURE-TEMPERATURE STABILITY FIELD AND THERMOCHEMICAL PROPERTIES OF SYNTHETIC TREMOLITE. *Am Mineral*. 76: 458-469.
- Jenkins, DM; Ishida, K; Liogys, V; Ghosh, D. (2002). Cation distribution in amphiboles synthesized along the Ga analogue of the tremolite-aluminotschermakite join. *Physics and Chemistry of Minerals*. 29: 87-97. <http://dx.doi.org/10.1007/s002690100214>.
- Jenkins, DM; Sherriff, BL; Cramer, J; Xu, Z. (1997). Al, Si, and Mg occupancies in tetrahedrally and octahedrally coordinated sites in synthetic aluminous tremolite. *Am Mineral*. 82: 280-290.
- Jennings, CJ; Walsh, PM; Deady, S; Harvey, BJ; Thomas, W. (2014). Malignant pleural mesothelioma incidence and survival in the Republic of Ireland 1994-2009. *Cancer Epidemiology*. 38: 35-41. <http://dx.doi.org/10.1016/j.canep.2013.12.002>.
- Jeon, SS; O'Rourke, TD. (2005). Northridge earthquake effects on pipelines and residential buildings. *Seismological Society of America Bulletin*. 95: 294-318.
- Jeong, KS; Kim, Y; Kim, MC; Yoo, CI, n. (2011). Comparison of Cancer Incidence Between Production and Office Workers at a Shipyard in Korea: A Retrospective Cohort Study From 1992 to 2005. *Am J Ind Med*. 54: 719-725. <http://dx.doi.org/10.1002/ajim.20957>.
- Jeyaratnam, M; West, NG. (1994). A STUDY OF HEAT-DEGRADED CHRYSOTILE, AMOSITE AND CROCIDOLITE BY X-RAY-DIFFRACTION. *Ann Occup Hyg*. 38: 137-148.
- Ji, S; Li, A; Wang, Q; Long, C; Wang, H; Marcotte, D; Salisbury, M. (2013). Seismic velocities, anisotropy, and shear-wave splitting of antigorite serpentinites and tectonic implications for subduction zones. *J Geophys Res Solid Earth*. 118: 1015-1037. <http://dx.doi.org/10.1002/jgrb.50110>.
- Ji, WD; Chen, JK; Lu, JC; Wu, ZL; Yi, F; Feng, SM. (2006). Alterations of FHIT gene and P16 gene in nickel transformed human bronchial epithelial cells. *Biomed Environ Sci*. 19: 277-284.
- Ji, Z; Wang, X; Zhang, H; Lin, S; Meng, H; Sun, B; George, S; Xia, T; Nel, AE; Zink, JL. (2012). Designed Synthesis of CeO₂ Nanorods and Nanowires for Studying Toxicological Effects of High Aspect Ratio Nanomaterials. *ACS Nano*. 6: 5366-5380. <http://dx.doi.org/10.1021/nn3012114>.
- Jiang, GC; Madl, AK; Ingmundson, KJ; Murbach, DM; Fehling, KA; Paustenbach, DJ; Finley, BL. (2008). A study of airborne chrysotile concentrations associated with handling, unpacking, and repacking boxes of automobile clutch discs. *Regul Toxicol Pharmacol*. 51: 87-97. <http://dx.doi.org/10.1016/j.yrtph.2008.02.009>.
- Jiang, H; Lee, C, inTyA; Morgan, JK; Ross, CH. (2015). Geochemistry and thermodynamics of an earthquake: A case study of pseudotachylites within mylonitic granitoid. *Earth Planet Sci Lett*. 430: 235-248. <http://dx.doi.org/10.1016/j.epsl.2015.08.027>.
- Jiang, Z; Chen, J; Lou, J; Miao, C; Shao, D; Zhang, X. (2015). [Monitoring and analysis of asbestos concentration in working environment of different asbestos-producing technologies in a certain area]. *Zhonghua Lao Dong Wei Sheng Zhi Ye Bing Za Zhi*. 33: 833-837.
- Jiang, Z; Zhang, Z; Wang, Z; Duan, S; Li, F; Tian, J. (2014). Geology, geochemistry, and geochronology of the Zhibo iron deposit in the Western Tianshan, NW China: Constraints on metallogenesis and tectonic setting. *Ore Geol Rev*. 57: 406-424. <http://dx.doi.org/10.1016/j.oregeorev.2013.09.016>.
- Jin, H, ui; Wang, Y. (2012). Synthesis and characterization of the novel meta-modified aramid fibers with liquid crystalline properties. *Polymer Composites*. 33: 1620-1627. <http://dx.doi.org/10.1002/pc.22263>.
- Jiusheng, B; Zhencai, Z; Yan, Y; Guoan, C. (2009). Catastrophe Model for the Friction Coefficient of Mine Hoister's Brake Shoe During Emergency Braking. *Journal of Computational and Theoretical Nanoscience*. 6: 1622-1625. <http://dx.doi.org/10.1166/jctn.2009.1221>.
- Jiusheng, B; Zhencai, Z; Yan, Y; Guoan, C. (2009). Influence of initial braking velocity and braking frequency on tribological performance of non-asbestos brake shoe. *Industrial Lubrication & Tribology*. 61: 332-338. <http://dx.doi.org/10.1108/00368790910988453>.
- Jo, H; Jo, H, oY; Rha, S; Lee, PK, oo. (2015). Direct Aqueous Mineral Carbonation of Waste Slate Using Ammonium Salt Solutions. 5: 2413-2427.
- Jöckel, KH; Ahrens, W; Bolm-Audorff, U. (1994). Lung cancer risk and welding--preliminary results from an ongoing case-control study. *Am J Ind Med*. 25: 805-812.
- Jöckel, KH; Ahrens, W; Jahn, I; Pohlabein, H; Bolm-Audorff, U. (1998). Occupational risk factors for lung cancer: a case-control study in West Germany. *Int J Epidemiol*. 27: 549-560.
- Jöckel, KH; Ahrens, W; Pohlabein, H; Bolm-Audorff, U; Müller, KM. (1998). Lung cancer risk and welding: results from a case-control study in Germany. *Am J Ind Med*. 33: 313-320.
- Jöckel, KH; Pohlabein, H; Bolm-Audorff, U; Brüske-Hohlfeld, I; Wichmann, HE. (2000). Lung cancer risk of workers in shoe manufacture and repair. *Am J Ind Med*. 37: 575-580.
- Joekes, I; Moran, PJS; Rodrigues, JAR; Wendhausen, R; Tonella, E; Cassiola, F. (1998). Characterization of *Saccharomyces cerevisiae* immobilized onto chrysotile for ethanol production. *J Chem Tech Biotechnol*. 73: 54-58.
- Joens, N; Bach, W; Schroeder, T. (2009). Formation and alteration of plagiogranites in an ultramafic-hosted detachment fault at the Mid-Atlantic Ridge (ODP Leg 209). *Contributions to Mineralogy and Petrology*. 157: 625-639. <http://dx.doi.org/10.1007/s00410-008-0357-2>.
- Joesten, R. (1991). LOCAL EQUILIBRIUM IN METASOMATIC PROCESSES REVISITED - DIFFUSION-CONTROLLED GROWTH OF CHERT NODULE REACTION RIMS IN DOLOMITE. *Am Mineral*. 76: 743-755.
- Johan, Z. (2006). Platinum-group minerals from placers related to the Nizhni Tagil (Middle Urals, Russia) Uralian-Alaskan-type ultramafic complex: ore-mineralogy and study of silicate inclusions in (Pt, Fe) alloys. *Mineralogy and Petrology*. 87: 1-30. <http://dx.doi.org/10.1007/s00710-005-0117-1>.
- Johanning, E; Goldberg, M; Kim, R. (1994). Asbestos hazard evaluation in South Korean textile production. *Int J Health Serv*. 24: 131-144.
- Johansen, C. (2004). Electromagnetic fields and health effects--epidemiologic studies of cancer, diseases of the central nervous system and arrhythmia-related heart disease [Review]. *Scand J Work Environ Health*. 30 Suppl 1: 1-30.
- Johansen, C; Olsen, JH. (1998). Mortality from amyotrophic lateral sclerosis, other chronic disorders, and electric shocks among utility workers. *Am J Epidemiol*. 148: 362-368.
- Johansen, C; Olsen, JH. (1998). Risk of cancer among Danish utility workers--a nationwide cohort study. *Am J Epidemiol*. 147: 548-555.

Fate Literature Search Results

Off Topic

- Johansson, L; Albin, M; Jakobsson, K; Mikoczy, Z. (1992). Histological type of lung carcinoma in asbestos cement workers and matched controls. *Br J Ind Med.* 49: 626-630.
- Johansson, LG; Albin, MP; Jakobsson, KM; Welinder, HE; Ranstam, PJ; Attewell, RG. (1987). Ferruginous bodies and pulmonary fibrosis in dead low to moderately exposed asbestos cement workers: histological examination. *Br J Ind Med.* 44: 550-558.
- John, T; Scambelluri, M; Frische, M; Barnes, JD; Bach, W. (2011). Dehydration of subducting serpentinite: Implications for halogen mobility in subduction zones and the deep halogen cycle. *Earth Planet Sci Lett.* 308: 65-76. <http://dx.doi.org/10.1016/j.epsl.2011.05.038>.
- John, W; Smith, G; Hayward, S. (1985). ASBESTOS IN BRAKE LININGS. *Chem Eng News.* 63: 5-5.
- Johnson, A; Farrow, P; Jenkins, R. (2006). Effectiveness of smoking cessation advice for asbestos workers. *Occup Med (Lond).* 56: 59-60. <http://dx.doi.org/10.1093/occmed/kqj001>.
- Johnson, BB. (2002). Stability and inoculation of risk comparisons' effects under conflict: replicating and extending the 'asbestos jury' study by Slovic et al. *Risk Anal.* 22: 777-788.
- Johnson, BB. (2004). Varying risk comparison elements: effects on public reactions. *Risk Anal.* 24: 103-114. <http://dx.doi.org/10.1111/j.0272-4332.2004.00415.x>.
- Johnson, CA; Day, WC; Rye, RO. (2016). Oxygen, Hydrogen, Sulfur, and Carbon Isotopes in the Pea Ridge Magnetite-Apatite Deposit, Southeast Missouri, and Sulfur Isotope Comparisons to Other Iron Deposits in the Region. *Econ Geol.* 111: 2017-2032.
- Johnson, DL; Martonen, TB. (1994). PREDICTED AND OBSERVED BEHAVIOR OF PLATELET AEROSOLS. *Part Sci Technol.* 12: 149-159.
- Johnson, FM. (2002). How many food additives are rodent carcinogens? *Environ Mol Mutagen.* 39: 69-80. <http://dx.doi.org/10.1002/em.10037>.
- Johnson, J; Messing, R; Kelly, J; Souther, L. (2004). Community asbestos exposure from a vermiculite processing facility. *Epidemiology.* 15: S168-S169.
- Johnson, NF. (1994). Phagosomal pH and glass fiber dissolution in cultured nasal epithelial cells and alveolar macrophages: a preliminary study. *Environ Health Perspect.* 102 Suppl 5: 97-102.
- Johnson, NF; Carpenter, TR; Jaramillo, RJ; Liberati, TA. (1997). DNA damage-inducible genes as biomarkers for exposures to environmental agents. *Environ Health Perspect.* 105: 913-918. <http://dx.doi.org/10.2307/3433303>.
- Johnson, NF; Hahn, FF. (1996). Induction of mesothelioma after intrapleural inoculation of F344 rats with silicon carbide whiskers or continuous ceramic filaments. *Occup Environ Med.* 53: 813-816.
- Johnson, NF; Hoover, MD; Thomassen, DG; Cheng, YS; Dalley, A; Brooks, AL. (1992). In vitro activity of silicon carbide whiskers in comparison to other industrial fibers using four cell culture systems. *Am J Ind Med.* 21: 807-823.
- Johnson, NF; Jaramillo, RJ. (1997). p53, Cip1, and Gadd153 expression following treatment of A549 cells with natural and man-made vitreous fibers. *Environ Health Perspect.* 105 Suppl 5: 1143-1145.
- Johnson, PL. (1976). Preliminary Industrial Hygiene Survey at Auto Brake Clinic, Cincinnati, Ohio. 3: 19761976.
- Johnson, PL. (1978). Industrial Hygiene Study of Tuffy Service Center. 11: 19781978.
- Johnson, TW; Thompson, TB. (2006). Breccia- and carbonate-hosted Au-Cu-Ag replacement mineralization associated with the Homestake porphyry intrusive complex, New World district, Montana. *Econ Geol.* 101: 955-980.
- Johnson, WG; Heler, E. (1983). The costs of asbestos-associated disease and death. 61: 177-194.
- Johnson, WM; Lemen, RA; Hurst, GA; Spiegel, RM; Liu, FH. (1982). Respiratory morbidity among workers in an amosite asbestos insulation plant. *J Occup Med.* 24: 994-999.
- Johnston, AM; Jones, AD; Vincent, JH. (1982). THE INFLUENCE OF EXTERNAL AERODYNAMIC FACTORS ON THE MEASUREMENT OF THE AIRBORNE CONCENTRATION OF ASBESTOS FIBERS BY THE MEMBRANE-FILTER METHOD. *Ann Occup Hyg.* 25: 309-316.
- Johnston, AM; Jones, AD; Vincent, JH. (1987). The effect of electrostatic charge on the aspiration efficiencies of airborne dust samplers: with special reference to asbestos. *Am Ind Hyg Assoc J.* 48: 613-621. <http://dx.doi.org/10.1080/15298668791385291>.
- Johnston, WL. (1985). Evaluation Of Asbestos Fibers In The Exhaust Air Of Industrial Vacuum Cleaners. *Am Ind Hyg Assoc J.* 46: 402-406.
- Jones, AD. (1993). RESPIRABLE INDUSTRIAL FIBERS - DEPOSITION, CLEARANCE AND DISSOLUTION IN ANIMAL-MODELS. *Ann Occup Hyg.* 37: 211-226.
- Jones, AD; Apsley, A; Clark, S; Addison, J; Van Orden, DR; Lee, RJ. (2010). Laboratory Tests to Compare Airborne Respirable Mass and Fibre Concentrations from Soil Samples from Libby, Montana. *Indoor Built Environ.* 19: 286-297. <http://dx.doi.org/10.1177/1420326X09349908>.
- Jones, AD; Arroyo, MC; Grosjean, R; Tylee, B; Miller, BG; Brown, P. (2005). A comparison of fibre counting across three European national proficiency testing schemes. *Ann Occup Hyg.* 49: 309-324. <http://dx.doi.org/10.1093/annhyg/meh100>.
- Jones, AD; Gale, RW. (1982). Industrial trials with the Vickers M88 rapid asbestos fibre counter. *Ann Occup Hyg.* 25: 39-51.
- Jones, AD; Gale, RW. (1983). VICKERS INSTRUMENTS-M88 RAPID ASBESTOS FIBER MONITOR - REPLY. *Ann Occup Hyg.* 27: 112-112.
- Jones, AD; Mcmillan, CH; Johnston, AM; McIntosh, C; Cowie, H; Bolton, RE; Borzucki, G; Vincent, JH. (1988). Pulmonary clearance of UICC amosite fibres inhaled by rats during chronic exposure at low concentration. *Br J Ind Med.* 45: 300-304.
- Jones, AP. (1999). Indoor air quality and health. *Atmos Environ.* 33: 4535-4564.
- Jones, DR. (1979). Assessment of Asbestos Concentrations in the Engineeroom Environment of Marine Vessels, Phase I. (NIOSH/00191929). Jones, DR.
- Jones, RN. (1997). Pleural plaques: Diagnostic problems and significance. *Indoor Built Environ.* 6: 106-113.
- Jones, TD; Morris, MD; Basavaraju, SR. (1998). Atherosclerotic risks from chemicals: Part II. A RASH analysis of in vitro and in vivo bioassay data to evaluate 45 potentially hazardous compounds. *Arch Environ Contam Toxicol.* 35: 165-177. <http://dx.doi.org/10.1007/s002449900364>.
- Jones, WF; Seth, BB. (1992). REPLACING ASBESTOS STEAM PATH GASKETS. *Power Engineering.* 96: 43-45.
- Jones, WF; Seth, BB. (1993). ASBESTOS-FREE GASKET MATERIALS FOR TURBINES. *Journal of Testing and Evaluation.* 21: 94-96.

Fate Literature Search Results

Off Topic

- Jordan, RC. (1980). The identification of asbestos minerals in insulation materials. 96: 102.
- Jørgensen, NK. (1981). [Pleural plaques after indirect, non work-related exposure to asbestos]. *Ugeskr Laeger*. 143: 548-550.
- Jose, DJ; Salzenberg, CH. (1992). The Effectiveness of Decontamination Procedures Used by Asbestos Abatement Workers (pp. Fourth Volume). (NIOSH/00238265). Jose, DJ; Salzenberg, CH.
- Joseph, LB; Stephens, RE; Ottolenghi, AC; Lipetz, PD; Newman, HA. (1983). Morphological transformation in vitro of normal human fibroblasts by chrysotile. *Environ Health Perspect*. 51: 17-22.
- Joshi, N; Mukhopadhyay, A; Basak, S; De, G; Chattopadhyay, K. (2013). Surface Coating Rescues Proteins from Magnetite Nanoparticle Induced Damage. *Particle & Particle Systems Characterization*. 30: 683-694. <http://dx.doi.org/10.1002/ppsc.201200148>.
- Joshi, TK; Bhuvu, UB; Katoch, P. (2006). Asbestos ban in India: challenges ahead. *Ann N Y Acad Sci*. 1076: 292-308. <http://dx.doi.org/10.1196/annals.1371.072>.
- Joshi, TK; Gupta, RK. (2003). Asbestos-related morbidity in India. *Int J Occup Environ Health*. 9: 249-253. <http://dx.doi.org/10.1179/oeh.2003.9.3.249>.
- Jovanovski, G; Makreski, P. (2016). MINERALS FROM MACEDONIA. XXX. COMPLEMENTARY USE OF VIBRATIONAL SPECTROSCOPY AND X-RAY POWDER DIFFRACTION FOR SPECTRA-STRUCTURAL STUDY OF SOME CYCLO-, PHYLLO- AND TECTOSILICATE MINERALS. A REVIEW. *Macedonian Journal of Chemistry and Chemical Engineering*. 35: 125-155. <http://dx.doi.org/10.20450/mjcc.2016.1047>.
- Jr, CR; Jr, WM; Lauderdale, J; Schosek, K; Dodson, RE. (1996). Quantification of Fiber Releases for Various Floor Tile Removal Methods. *Appl Occup Environ Hyg*. 11: 1113-1124.
- Jr, GC; Baron, PA; Carter, JW; Smith, DL. (1979). Testing of Hair Dryers for Asbestos Emissions (pp. 79-29). (NIOSH/00185315). Geraci CL Jr; Baron, PA; Carter, JW; Smith, DL.
- Jr, KG. (1988). Limited-Use Garments Have Expanded Role in Protective Clothing Industry. *Occup Health Saf*. 57: 35-36.
- Jung, H. (2011). Seismic anisotropy produced by serpentine in mantle wedge. *Earth Planet Sci Lett*. 307: 535-543. <http://dx.doi.org/10.1016/j.epsl.2011.05.041>.
- Jung, HS; Cha, J; Kim, S; Lee, W; Lim, H; Kim, H. (2015). Evaluating the efficiency of an asbestos stabilizer on ceiling tiles and the characteristics of the released asbestos fibers. *J Hazard Mater*. 300: 378-386. <http://dx.doi.org/10.1016/j.jhazmat.2015.07.021>.
- Jung, SH; Kim, HR; Koh, SB; Yong, SJ; Chung, MJ; Lee, CH; Han, J; Eom, MS; Oh, SS. (2012). A decade of malignant mesothelioma surveillance in Korea. *Am J Ind Med*. 55: 869-875. <http://dx.doi.org/10.1002/ajim.22065>.
- Junqueira, PA; Lobato, LM; Ladeira, EA; Simes, EJM. (2007). Structural control and hydrothermal alteration at the BIF-hosted Raposos lode-gold deposit, Quadrilatero Ferrifero, Brazil. *Ore Geol Rev*. 32: 629-650. <http://dx.doi.org/10.1016/j.oregeorev.2006.03.004>.
- Junttila, S; Tossavainen, A; Hartikainen, T; Harma, P; Korhonen, K; Suominen, V; Pyy, L. (1996). Airborne Mineral Fibers and Quartz Dust in Precambrian Metamorphic Limestone and Dolomite Mines in Finland. *Appl Occup Environ Hyg*. 11: 1075-1080.
- Jurinski, JB; Rimstidt, JD. (2001). Biodurability of talc. *Am Mineral*. 86: 392-399.
- Kachuri, L; Villeneuve, PJ; Parent, M; Johnson, KC; Group, CCRER; Harris, SA. (2016). Workplace exposure to diesel and gasoline engine exhausts and the risk of colorectal cancer in Canadian men. *Environ Health*. 15: 4. <http://dx.doi.org/10.1186/s12940-016-0088-1>.
- Kaczinski, JH; Hallenbeck, WH. (1984). MIGRATION OF INGESTED ASBESTOS. *Environ Res*. 35: 531-551.
- Kaden, H; Pohl, A. (1978). POROSITY AND STRUCTURE OF PORES IN ASBESTOS DIAPHRAGMS. *Chem Tech (Leipzig)*. 30: 25-28.
- Kaden, H; Schonherr, S; Hofmann, H; Zimmermann, K. (1980). INVESTIGATIONS ON MODIFICATED ASBESTOS DIAPHRAGMS FOR ALKALINE CHLORIDE ELECTROLYSIS. *Chem Tech (Leipzig)*. 32: 38-40.
- Kadir, S; Onen-Hall, AP; Aydin, SN; Yakicier, C; Akarsu, N; Tuncer, M. (2008). Environmental effect and genetic influence: a regional cancer predisposition survey in the Zonguldak region of Northwest Turkey. *Environ Geol*. 54: 391-409. <http://dx.doi.org/10.1007/s00254-007-0826-3>.
- Kaerlev, L; Hansen, J; Hansen, HL; Nielsen, PS. (2005). Cancer incidence among Danish seafarers: a population based cohort study. *Occup Environ Med*. 62: 761-765. <http://dx.doi.org/10.1136/oem.2005.020818>.
- Kagan, E; Oghiso, Y; Hartmann, DP. (1983). The effects of chrysotile and crocidolite asbestos on the lower respiratory tract: analysis of bronchoalveolar lavage constituents. *Environ Res*. 32: 382-397.
- Kahl, WA; Joens, N; Bach, W; Klein, F; Alt, JC. (2015). Ultramafic clasts from the South Chamorro serpentinite mud volcano reveal a polyphase serpentinization history of the Mariana forearc mantle. *Lithos*. 227: 1-20. <http://dx.doi.org/10.1016/j.lithos.2015.03.015>.
- Kahl, WA; Maresch, WV. (2001). Enthalpies of formation of tremolite and talc by high-temperature solution calorimetry - a consistent picture. *Am Mineral*. 86: 1345-1357.
- Kahl, WA; Schumacher, JC. (2000). Multiple pyroxene and amphibole assemblages in the amphibolite facies: Bulk compositional controls. *Am Mineral*. 85: 1606-1616.
- Kahn, EI; Rohl, A; Barrett, EW; Suzuki, Y. (1980). PRIMARY PERICARDIAL MESOTHELIOMA FOLLOWING EXPOSURE TO ASBESTOS. *Environ Res*. 23: 270-281.
- Kaiglová, A; Kováčiková, Z; Hurbánková, M. (1999). Impact of acute and subchronic asbestos exposure on some parameters of antioxidant defense system and lung tissue injury. *Ind Health*. 37: 348-351.
- Kakooei, H; Hormozy, M; Marioryad, H. (2011). Evaluation of asbestos exposure during brake repair and replacement. *Ind Health*. 49: 374-380.
- Kakooei, H; Meshkani, M; Azam, K. (2013). Ambient monitoring of airborne asbestos in non-occupational environments in Tehran, Iran. *Atmos Environ*. 81: 671-675. <http://dx.doi.org/10.1016/j.atmosenv.2013.09.022>.
- Kakooei, H; Normohammadi, M. (2014). Asbestos exposure among construction workers during demolition of old houses in Tehran, Iran. *Ind Health*. 52: 71-77.
- Kakooei, H; Sameti, M; Kakooei, AA. (2006). Occupational exposure to asbestos during routine brake lining manufacture in Iran. *Epidemiology*. 17: S515-S515.

Fate Literature Search Results

Off Topic

- Kakooei, H; Sameti, M; Kakooei, AA. (2007). Asbestos exposure during routine brake lining manufacture. *Ind Health*. 45: 787-792.
- Kakooei, H; Yunesian, M; Marioryad, H; Azam, K. (2009). Assessment of airborne asbestos fiber concentrations in urban area of Tehran, Iran. *Air Qual Atmos Health*. 2: 39-45. <http://dx.doi.org/10.1007/s11869-009-0032-4>.
- Kalapathy, U; Proctor, A; Shultz, J. (2003). Silicate thermal insulation material from rice hull ash. *Ind Eng Chem Res*. 42: 46-49. <http://dx.doi.org/10.1002/ie0203227>.
- Kalinin, DV; DENISKIN.ND; Lokhova, GG. (1971). CONDITIONS OF SYNTHESIS OF FIBROUS AMPHIBOLES AND GENESIS OF NATURAL AMPHIBOLE ASBESTOS. *Geochem Int*. 8: 628-&.
- Kamal, AA; Gomaa, A; El Khafif, M; Hammad, AS. (1989). Plasma lipid peroxides among workers exposed to silica or asbestos dusts. *Environ Res*. 49: 173-180.
- Kamal, AA; Sayed, GM; Hassan, MH; Massoud, AA. (1988). Usage of personal protective devices among Egyptian industrial workers. *Am J Ind Med*. 13: 707-716.
- Kamal, R; Dutt, T; Patel, BHM; Singh, G; Chandran, PC; Dey, A; Barari, SK. (2016). Effect of shade materials on rectal temperature, respiration rate and body surface temperature of crossbred calves during rainy season. *Indian J Anim Sci*. 86: 75-81.
- Kamal, R; Dutt, T; Patel, M; Dey, A; Chandran, PC; Bharti, PK; Barari, SK. (2016). Behavioural, biochemical and hormonal responses of heat-stressed crossbred calves to different shade materials. *Journal of Applied Animal Research*. 44: 347-354. <http://dx.doi.org/10.1080/09712119.2015.1074076>.
- Kambic, V; Radsel, Z; Gale, N. (1989). Alterations in the laryngeal mucosa after exposure to asbestos. *Br J Ind Med*. 46: 717-723.
- Kambouchner, M; Bernaudin, JF. (2015). The pathologist's view of silicosis in 1930 and in 2015. The Johannesburg Conference legacy. *Am J Ind Med*. 58: 48-58. <http://dx.doi.org/10.1002/ajim.22506>.
- Kameda, T; Takahashi, K; Kim, R; Jiang, Y; Movahed, M; Park, EK; Rantanen, J. (2014). Asbestos: use, bans and disease burden in Europe. *Bull World Health Organ*. 92: 790-797. <http://dx.doi.org/10.2471/BLT.13.132118>.
- Kamimura, A; Kasahara, J; Shinohara, M; Hino, R; Shiobara, H; Fujie, G; Kanazawa, T. (2002). Crustal structure study at the Izu-Bonin subduction zone around 31 degrees N: implications of serpentinized materials along the subduction plate boundary. *Phys Earth Planet In*. 132: 105-129.
- Kampmann, TC; Stephens, MB; Weihed, P, ar. (2016). 3D modelling and sheath folding at the Falun pyritic Zn-Pb-Cu-(Au-Ag) sulphide deposit and implications for exploration in a 1.9 Ga ore district, Fennoscandian Shield, Sweden. *Miner Depos*. 51: 665-680. <http://dx.doi.org/10.1007/s00126-016-0638-z>.
- Kamstrup, O; Ellehauge, A; Bellmann, B; Chevalier, J; Davis, JMG. (2004). Subchronic inhalation study of stone wool fibres in rats. *Ann Occup Hyg*. 48: 91-104. <http://dx.doi.org/10.1093/annhyg/meg093>.
- Kamstrup, O; Ellehauge, A; Collier, CG; Davis, JMG. (2002). Carcinogenicity studies after intraperitoneal injection of two types of stone wool fibres in rats. *Ann Occup Hyg*. 46: 135-142. <http://dx.doi.org/10.1093/annhyg/mf034>.
- Kanarek, MS. (1983). THE SAN-FRANCISCO BAY EPIDEMIOLOGY STUDIES ON ASBESTOS IN DRINKING-WATER AND CANCER INCIDENCE - RELATIONSHIP TO STUDIES IN OTHER LOCATIONS AND POINTERS FOR FURTHER RESEARCH. *Environ Health Perspect*. 53: 105-106.
- Kanarek, MS. (2011). Mesothelioma from chrysotile asbestos: update [Review]. *Ann Epidemiol*. 21: 688-697. <http://dx.doi.org/10.1016/j.annepidem.2011.05.010>.
- Kanarek, MS; Conforti, PM. (1981). ASBESTOS IN DRINKING-WATER AND CANCER INCIDENCE IN THE SAN-FRANCISCO BAY AREA - REPLY. *Am J Epidemiol*. 114: 163-164.
- Kanarek, MS; Conforti, PM. (1982). ASBESTOS IN DRINKING-WATER AND CANCER INCIDENCE IN THE SAN-FRANCISCO BAY AREA - REPLY. *Am J Epidemiol*. 115: 143-144.
- Kanarek, MS; Conforti, PM; Jackson, LA. (1981). CHRYSOTILE ASBESTOS FIBERS IN DRINKING-WATER FROM ASBESTOS-CEMENT PIPE. *Environ Sci Technol*. 15: 923-925. <http://dx.doi.org/10.1021/es00090a006>.
- Kanarek, MS; Conforti, PM; Jackson, LA; Cooper, RC; Murchio, JC. (1980). Asbestos in drinking water and cancer incidence in the San Francisco Bay area. *Am J Epidemiol*. 112: 54-72.
- Kandaswami, C; Obrien, PJ. (1983). EFFECT OF CHRYSOTILE ASBESTOS AND SILICA ON THE MICROSOMAL METABOLISM OF BENZO(A)PYRENE. *Environ Health Perspect*. 51: 311-314.
- Kang, DM; Kim, JE; Kim, JY; Lee, HH; Hwang, YS; Kim, YK; Lee, YJ. (2016). Environmental asbestos exposure sources in Korea. *Int J Occup Environ Health*. 22: 307-314. <http://dx.doi.org/10.1080/10773525.2016.1231948>.
- Kang, KY; Bice, D; D'Amato, R; Ziskind, M; Salvaggio, J. (1979). Effects of asbestos and beryllium on release of alveolar macrophage enzymes. *Arch Environ Health*. 34: 133-140.
- Kang, SK; Burnett, CA; Freund, E; Walker, J; Lalach, N; Sestito, J. (1997). Gastrointestinal cancer mortality of workers in occupations with high asbestos exposures. *Am J Ind Med*. 31: 713-718.
- Kangur, M. (2007). Occupational exposure to asbestos during renovation of oil-shale fuelled power plants in Estonia. *Int J Occup Saf Ergon*. 13: 341-346. <http://dx.doi.org/10.1080/10803548.2007.11076733>.
- Kannio, A; Ridanpää, M; Koskinen, H; Partanen, T; Anttila, S; Collan, Y; Hietanen, E; Vainio, H; Husgafvel-Pursiainen, K. (1996). A molecular and epidemiological study on bladder cancer: p53 mutations, tobacco smoking, and occupational exposure to asbestos. *Cancer Epidemiol Biomarkers Prev*. 5: 33-39.
- Kano, T. (1991). METASOMATIC ORIGIN OF AUGEN GNEISSES AND RELATED MYLONITIC ROCKS IN THE HIDA METAMORPHIC COMPLEX, CENTRAL JAPAN. *Mineralogy and Petrology*. 45: 29-45.
- Kantz, ME. (1976). PROPOSED ASBESTOS AIR-QUALITY STANDARD. *J Air Pollut Control Assoc*. 26: 413-414.
- Kaplan, DE. (1993). UNREGULATED DISPOSAL OF ASBESTOS CONTAMINATED SHOWER WATER EFFLUENT - A QUESTION OF PUBLIC-HEALTH RISK. *J Environ Health*. 55: 6-8.

Fate Literature Search Results

Off Topic

- Kaplan, DE. (1993). UNREGULATED DISPOSAL OF ASBESTOS CONTAMINATED SHOWER WATER EFFLUENT (VOL 55, PG 6, 1993). *J Environ Health*. 55: 39-39.
- Karadagli, F. (2011). Comparative Assessment of Asbestos-Containing and Alternative Materials in Turkish Industrial Facilities. *Indoor Built Environ*. 20: 471-478. <http://dx.doi.org/10.1177/1420326X11410089>.
- Karaffa, MA; Amick, RS; Crone, A; Powers, TJ. (1987). An Evaluation of Asbestos Removal Effectiveness: The Potential for Exposures (pp. 59-70). (NIOSH/00170702). Karaffa, MA; Amick, RS; Crone, A; Powers, TJ.
- Karageorgi, S; Gates, MA; Hankinson, SE; De Vivo, I. (2010). Perineal Use of Talcum Powder and Endometrial Cancer Risk. *Cancer Epidemiol Biomarkers Prev*. 19: 1269-1275. <http://dx.doi.org/10.1158/1055-9965.EPI-09-1221>.
- Karakoca, Y; Emri, S; Cangir, AK; Er, M; Findik, S; Baris, YI. (1997). Environmental Pleural Plaques Due to Asbestos and Fibrous Zeolite Exposure in Turkey. Berlin, Germany.
- Karasaki, Y; Urano, H; Shirahata, A; Nambu, Z; Ohji, T; Miura, M; Gotoh, S. (1998). Increases in DNA and protein syntheses in human umbilical vein endothelial cells treated with asbestos. *J Occup Health*. 40: 302-306.
- Karches, GJ. (1990). Personal Protection (pp. The Hazardous Fiber). (NIOSH/00210919). Karches, GJ.
- Karches, GJ; Faas, JC. (1987). Proper Asbestos Abatement Techniques and Respirator Selection. *Appl Ind Hyg*. 2: 28-30.
- Karipi, S; Tsikouras, B; Hatzipanagiotou, K; Grammatikopoulos, TA. (2007). Petrogenetic significance of spinel-group minerals from the ultramafic rocks of the Itri and Kallidromon ophiolites (Central Greece). *Lithos*. 99: 136-149. <http://dx.doi.org/10.1016/j.lithos.2007.06.005>.
- Karjalainen, A. (1997). Asbestos--a continuing concern [Editorial]. *Scand J Work Environ Health*. 23: 81-82.
- Karjalainen, A; Anttila, S; Heikkilä, L; Karhunen, P; Vainio, H. (1993). Asbestos exposure among Finnish lung cancer patients: occupational history and fiber concentration in lung tissue. *Am J Ind Med*. 23: 461-471.
- Karjalainen, A; Anttila, S; Heikkilä, L; Kyyrönen, P; Vainio, H. (1993). Lobe of origin of lung cancer among asbestos-exposed patients with or without diffuse interstitial fibrosis. *Scand J Work Environ Health*. 19: 102-107.
- Karjalainen, A; Anttila, S; Mäntylä, T; Taskinen, E; Kyyrönen, P; Tukiainen, P. (1994). Asbestos bodies in bronchoalveolar lavage fluid in relation to occupational history. *Am J Ind Med*. 26: 645-654.
- Karjalainen, A; Anttila, S; Vanhala, E; Vainio, H. (1994). Asbestos exposure and the risk of lung cancer in a general urban population. *Scand J Work Environ Health*. 20: 243-250.
- Karjalainen, A; Karhunen, PJ; Lalu, K; Penttilä, A; Vanhala, E; Kyyrönen, P; Tossavainen, A. (1994). Pleural plaques and exposure to mineral fibres in a male urban necropsy population. *Occup Environ Med*. 51: 456-460.
- Karjalainen, A; Martikainen, R; Oksa, P; Saarinen, K; Uitti, J. (2002). Incidence of asthma among Finnish construction workers. *J Occup Environ Med*. 44: 752-757. <http://dx.doi.org/10.1097/01.jom.0000026043.24145.50>.
- Karjalainen, A; Meurman, LO; Pukkala, E. (1994). Four cases of mesothelioma among Finnish anthophyllite miners. *Occup Environ Med*. 51: 212-215.
- Karjalainen, A; Nurminen, M; Vanhala, E; Vainio, H; Anttila, S. (1996). Pulmonary asbestos bodies and asbestos fibers as indicators of exposure. *Scand J Work Environ Health*. 22: 34-38.
- Karjalainen, A; Pukkala, E; Kauppinen, T; Partanen, T. (1999). Incidence of cancer among Finnish patients with asbestos-related pulmonary or pleural fibrosis. *Cancer Causes Control*. 10: 51-57.
- Karjalainen, A; Pukkala, E; Mattson, K; Tammilehto, L; Vainio, H. (1997). Trends in mesothelioma incidence and occupational mesotheliomas in Finland in 1960-1995. *Scand J Work Environ Health*. 23: 266-270.
- Karjalainen, A; Vanhala, E; Karhunen, PJ; Lalu, K; Penttilä, A; Tossavainen, A. (1994). Asbestos exposure and pulmonary fiber concentrations of 300 Finnish urban men. *Scand J Work Environ Health*. 20: 34-41.
- Karkanas, P. (1995). THE SLIP-FIBER CHRYSOTILE ASBESTOS DEPOSIT IN THE ZIDANI AREA, NORTHERN GREECE. *Ore Geol Rev*. 10: 19-29.
- Karl, U; Rentz, O; Kemper, BM; Kamm, K. (2002). Uncertainties in the evaluation of emissions of carcinogenic air pollutants. *Gefahrst Reinhalt Luft*. 62: 53-59.
- Karstadt, M. (1998). Availability of epidemiologic data for chemicals known to cause cancer in animals: An update. *Am J Ind Med*. 34: 519-525. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199811\)34:5<519::AID-AJIM15>3.0.CO;2-4](http://dx.doi.org/10.1002/(SICI)1097-0274(199811)34:5<519::AID-AJIM15>3.0.CO;2-4).
- Karsten, H. (1985). Strategy of conimetric sampling of asbestos-containing dusts. 31: 163-165.
- Kasai, E; Goto, H; Mase, Y. (2011). Vitrification Treatment of Asbestos Waste with Incineration Ash of Solid Waste. *High Temperature Materials and Processes*. 30: 353-357. <http://dx.doi.org/10.1515/HTMP.2011.056>.
- Kashanskiĭ, SV; Kogan, FM; Shcherbakov, SV. (1997). [Occupational health issues at enterprises and utilization of road-building materials derived from the wastes of lead-containing enriched ore from the Aktovrak mines]. *Med Tr Prom Ekol*. 0: 13-16.
- Kashansky, SV; Domnin, SG; Kochelayev, VA; Monakhov, DD; Kogan, FM. (2001). Retrospective view of airborne dust levels in workplace of a chrysotile mine in Ural, Russia. *Ind Health*. 39: 51-56.
- Kassolifournaraki, A; Filippidis, A; Kolcheva, K; Hatzipanayotou, K; Koepke, J; Dimadis, E. (1995). Multi-stage alteration of the Gorgona ultramafic body, central Rhodope Massif, Greece. *Chem Erde*. 55: 331-344.
- Katayama, I; Kurosaki, I; Hirauchi, K, enl. (2010). Low silica activity for hydrogen generation during serpentinization: An example of natural serpentinites in the Mineoka ophiolite complex, central Japan. *Earth Planet Sci Lett*. 298: 199-204. <http://dx.doi.org/10.1016/j.epsl.2010.07.045>.
- Katt, R; Elias, G; Moore, E. (1982). Final Report On The Sampling Design For The OHSMI, Volume 2 (pp. 210-280). (NIOSH/00133327). Katt, R; Elias, G; Moore, E.
- Kauffer, E; Billon-Galland, MA; Vigneron, JC; Veissiere, S; Brochard, P. (1996). Effect of preparation methods on the assessment of airborne concentrations of asbestos fibres by transmission electron microscopy. *Ann Occup Hyg*. 40: 321-330.

Fate Literature Search Results

Off Topic

- Kauffer, E; Martin, P; Grzebyk, M; Villa, M; Vigneron, JC. (2003). Comparison of two direct-reading instruments (FM-7400 and Fibrecheck FC-2) with phase contrast optical microscopy to measure the airborne fibre number concentration. *Ann Occup Hyg.* 47: 413-426. <http://dx.doi.org/10.1093/annhyg/meg055>.
- Kauffer, E; Martine, M; Grzebyk, M; Vigneron, JC; Sandino, JP. (2001). Performance of asbestos fibre counting laboratories by transmission electron microscopy. *Ann Occup Hyg.* 45: 61-69.
- Kauffer, E; Martine, M; Grzebyk, M; Vigneron, JC; Sandino, JP. (2001). Performance of asbestos fibre counting laboratories by transmission electron microscopy - Reply. *Ann Occup Hyg.* 45: 501-501.
- Kauffer, E; Schneider, T; Vigneron, JC. (1993). ASSESSMENT OF MAN-MADE MINERAL FIBER SIZE DISTRIBUTIONS BY SCANNING ELECTRON-MICROSCOPY. *Ann Occup Hyg.* 37: 469-479.
- Kauffer, E; Vigneron, JC; Fabriès, JC; Billon-Galland, MA; Brochard, P. (1996). The use of a new static device based on the collection of the thoracic fraction for the assessment of the airborne concentration of asbestos fibres by transmission electron microscopy. *Ann Occup Hyg.* 40: 311-319.
- Kauffer, E; Vigneron, JC; Hesbert, A; Lemonnier, M. (1987). A study of the length and diameter of fibres, in lung and in broncho-alveolar lavage fluid, following exposure of rats to chrysotile asbestos. *Ann Occup Hyg.* 31: 233-240.
- Kauffer, E; Vincent, R. (2007). Occupational exposure to mineral fibres: Analysis of results stored on colchic database. *Ann Occup Hyg.* 51: 131-142. <http://dx.doi.org/10.1093/annhyg/mel063>.
- Kauppinen, T; Korhonen, K. (1987). Exposure to Asbestos During Brake Maintenance of Automotive Vehicles by Different Methods. *Am Ind Hyg Assoc J.* 48: 499-504.
- Kauppinen, T; Pajarskiene, B; Podniece, Z; Rjazanov, V; Smerhovsky, Z; Veidebaum, T; Leino, T. (2001). Occupational exposure to carcinogens in Estonia, Latvia, Lithuania and the Czech Republic in 1997. *Scand J Work Environ Health.* 27: 343-345.
- Kauppinen, T; Partanen, T; Degerth, R; Ojajarvi, A. (1995). Pancreatic cancer and occupational exposures. *Epidemiology.* 6: 498-502.
- Kauppinen, T; Saalo, A; Pukkala, E; Virtanen, S; Karjalainen, A; Vuorela, R. (2007). Evaluation of a national register on occupational exposure to carcinogens: effectiveness in the prevention of occupational cancer, and cancer risks among the exposed workers. *Ann Occup Hyg.* 51: 463-470. <http://dx.doi.org/10.1093/annhyg/mem030>.
- Kauppinen, T; Teschke, K; Savela, A; Kogevinas, M; Boffetta, P. (1997). International data base of exposure measurements in the pulp, paper and paper product industries. *Int Arch Occup Environ Health.* 70: 119-127. <http://dx.doi.org/10.1007/s004200050195>.
- Kauppinen, T; Uuskulainen, S; Saalo, A; Makinen, I. (2013). Trends of Occupational Exposure to Chemical Agents in Finland in 1950-2020. *Ann Occup Hyg.* 57: 593-609. <http://dx.doi.org/10.1093/annhyg/mes090>.
- Kaur, P; Chaudhri, N; Hofmann, AW; Raczek, I; Okrusch, M; Skora, S; Baumgartner, LP. (2012). Two-Stage, Extreme Albitization of A-type Granites from Rajasthan, NW India. *Journal of Petrology.* 53: 919-948. <http://dx.doi.org/10.1093/petrology/egs003>.
- Kaw, JL. (1981). HEALTH HAZARDS OF ASBESTOS EXPOSURE (pp. 342-346). (ISSN 0022-4456; HEEP/82/06850). Kaw, JL.
- Kaw, JL; Waseem, M. (1992). SOME ADVANCES IN DUST-RELATED PULMONARY TOXICOLOGY DURING THE LAST DECADE. *Journal of Sci Ind Res.* 51: 791-801.
- Kawabata, CY; de Jesus, L, deA; da Silva, PV; de Sousa, TVR; da Cruz, LFB. (2013). PHYSIOLOGICAL RESPONSES OF CAPRINES RAISED UNDER DIFFERENT TYPES OF COVERING. *Engenharia Agricola.* 33: 910-918.
- Kawabata, K; Komori, Y; Mishima, T; Asama, H. (2009). An Asbestos Fiber Detection Technique Utilizing Image Processing Based on Dispersion Color. *Part Sci Technol.* 27: 177-192. <http://dx.doi.org/10.1080/02726350902776259>.
- Kawahara, H; Endo, S; Wallis, SR; Nagaya, T; Mori, H; Asahara, Y. (2016). Brucite as an important phase of the shallow mantle wedge: Evidence from the Shiraga unit of the Sanbagawa subduction zone, SW Japan. *Lithos.* 254: 53-66. <http://dx.doi.org/10.1016/j.lithos.2016.02.022>.
- Kawahata, H; Nohara, M; Ishizuka, H; Hasebe, S; Chiba, H. (2001). Sr isotope geochemistry and hydrothermal alteration of the Oman ophiolite. *J Geophys Res Solid Earth.* 106: 11083-11099.
- Kawai, T; Windley, BF; Shibuya, T; Omori, S; Sawaki, Y; Maruyama, S. (2008). Large P-T gap between Ballantrae blueschist/garnet pyroxenite and surrounding ophiolite, southern Scotland, UK: Diapiric exhumation of a Caledonian serpentinite melange. *Lithos.* 104: 337-354. <http://dx.doi.org/10.1016/j.lithos.2008.01.005>.
- Kay, GH. (1974). ASBESTOS IN DRINKING-WATER. *J Am Water Works Assoc.* 66: 513-514.
- Kaye, PH. (1998). Spatial light-scattering analysis as a means of characterizing and classifying non-spherical particles. *Meas Sci Technol.* 9: 141-149.
- Kazan-Allen, L. (2004). Asbestos dispatches. *Int J Occup Environ Health.* 10: 111-120. <http://dx.doi.org/10.1179/oeh.2004.10.2.111>.
- Kazan-Allen, L. (2004). Canadian asbestos: a global concern. *Int J Occup Environ Health.* 10: 121-143. <http://dx.doi.org/10.1179/oeh.2004.10.2.121>.
- Kazan-Allen, L; ed. (2003). The asbestos war [Review]. *Int J Occup Environ Health.* 9: 173-193. <http://dx.doi.org/10.1179/oeh.2003.9.3.173>.
- Keane, MJ; Stephens, JW; Zhong, BZ; Miller, WE; Ong, TM; Wallace, WE. (1999). A study of the effect of chrysotile fiber surface composition on genotoxicity in vitro. *J Toxicol Environ Health A.* 57: 529-541.
- Keating, GM. (1984). HOSPITAL AS WORKPLACE - ASBESTOS AND OCCUPATIONAL-HEALTH. *Community Health Stud.* 8: 340-340.
- Keil, AP; Richardson, DB; Troester, MA. (2015). Healthy worker survivor bias in the colorado plateau uranium miners cohort. *Am J Epidemiol.* 181: 762-770. <http://dx.doi.org/10.1093/aje/kwu348>.
- Keirn, MA; Mousa, JJ; Stratton, CL; Brown, JK. (1982). Environmental Survey and Assessment of Gateway Army Ammunition Plant (pp. 166). (NTIS/03450011). Keirn, MA; Mousa, JJ; Stratton, CL; Brown, JK.
- Keith, MM; Brophy, JT. (2004). Participatory mapping of occupational hazards and disease among asbestos-exposed workers from a foundry and insulation complex in Canada. *Int J Occup Environ Health.* 10: 144-153. <http://dx.doi.org/10.1179/oeh.2004.10.2.144>.

Fate Literature Search Results

Off Topic

- Kelleher, P; Pacheco, K; Newman, LS. (2000). Inorganic dust pneumonias: the metal-related parenchymal disorders [Review]. *Environ Health Perspect.* 108 Suppl 4: 685-696.
- Kelly, JE. (1993). Health Hazard Evaluation Report HETA 92-314-2308, Ohio University, Athens, Ohio. (HHE Report No. HETA-92-314-2308). Cincinnati, OH: National Institute for Occupational Safety and Health (NIOSH).
- Kelly, JE; Moss, CE; Tepper, A. (1992). Health Hazard Evaluation Report HETA 91-390-2270, Warner Amex, Cincinnati, Ohio. 36.
- Kelly, RJ. (1984). Effective Method for Thermal Insulation Core Sampling. *Am Ind Hyg Assoc J.* 45.
- Kelse, JW; Thompson, CS. (1989). THE REGULATORY AND MINERALOGICAL DEFINITIONS OF ASBESTOS AND THEIR IMPACT ON AMPHIBOLE DUST ANALYSIS. *Am Ind Hyg Assoc J.* 50: 613-622.
- Kelsey, KT; Christiani, DC. (1985). Approach to asbestos worker compensation plan alleged to be flawed [Letter]. *J Occup Med.* 27: 790-791.
- Kelsey, KT; Nelson, HH; Wiencke, JK; Smith, CM; Levin, S. (1997). The glutathione S-transferase theta and mu deletion polymorphisms in asbestosis. *Am J Ind Med.* 31: 274-279.
- Kelsh, MA; Craven, VA; Teta, MJ; Mowat, FS; Goodman, M. (2007). Mesothelioma in vehicle mechanics: is the risk different for Australians? [Review]. *Occup Med (Lond).* 57: 581-589. <http://dx.doi.org/10.1093/occmed/kqm114>.
- Kemplin, MG. (1980). DRY WALL CONSTRUCTION AND ASBESTOS EXPOSURE. *Am Ind Hyg Assoc J.* 41: 462-462.
- Kendrick, MA; Honda, M; Pettke, T; Scambelluri, M; Phillips, D; Giuliani, A. (2013). Subduction zone fluxes of halogens and noble gases in seafloor and forearc serpentinites. *Earth Planet Sci Lett.* 365: 86-96. <http://dx.doi.org/10.1016/j.epsl.2013.01.006>.
- Kenne, K; Ljungquist, S; Ringertz, NR. (1986). EFFECTS OF ASBESTOS FIBERS ON CELL-DIVISION, CELL-SURVIVAL, AND FORMATION OF THIOGUANINE-RESISTANT MUTANTS IN CHINESE-HAMSTER OVARY CELLS. *Environ Res.* 39: 448-464.
- Kennedy, SM; Vedal, S; Müller, N; Kassam, A; Chan-Yeung, M. (1991). Lung function and chest radiograph abnormalities among construction insulators. *Am J Ind Med.* 20: 673-684. <http://dx.doi.org/10.1002/ajim.4700200510>.
- Kenny, LC. (1984). ASBESTOS FIBER COUNTING BY IMAGE-ANALYSIS - THE PERFORMANCE OF THE MANCHESTER ASBESTOS PROGRAM ON MAGISCAN. *Ann Occup Hyg.* 28: 401-415.
- Kenny, LC. (1988). AUTOMATED-ANALYSIS OF ASBESTOS CLEARANCE SAMPLES. *Ann Occup Hyg.* 32: 115-128.
- Kenny, LC; Rood, AP; Blight, BJN. (1987). A DIRECT MEASUREMENT OF THE VISIBILITY OF AMOSITE ASBESTOS FIBERS BY PHASE-CONTRAST OPTICAL MICROSCOPY. *Ann Occup Hyg.* 31: 261-264.
- Kent, AJR; Ashley, PM; Fanning, CM. (2000). Metasomatic alteration associated with regional metamorphism: an example from the Willyama Supergroup, South Australia. *Lithos.* 54: 33-62.
- Kent, AJR; Mccuaig, TC. (1997). Disturbed Ar-40-Ar-39 systematics in hydrothermal biotite and hornblende at the Scotia gold mine, western Australia: Evidence for argon loss associated with post-mineralisation fluid movement. *Geochim Cosmo Acta.* 61: 4655-4669.
- Kentner, M; Valentin, H. (1993). Identification and prevention of work-related diseases and premature incapacity. *Zentralblatt fuer Hygiene und Umweltmedizin.* 193: 495-512.
- Kern, DG; Frumkin, H. (1988). Asbestos-related disease in the jewelry industry: report of two cases. *Am J Ind Med.* 13: 407-410.
- Kern, DG; Frumkin, H. (1990). Asbestos-related disease in the jewelry industry [Letter]. *J Occup Med.* 32: 87.
- Kern, DG; Hanley, KT; Roggli, VL. (1992). Malignant mesothelioma in the jewelry industry. *Am J Ind Med.* 21: 409-416.
- Kern, H. (1993). P-WAVE AND S-WAVE ANISOTROPY AND SHEAR-WAVE SPLITTING AT PRESSURE AND TEMPERATURE IN POSSIBLE MANTLE ROCKS AND THEIR RELATION TO THE ROCK FABRIC. *Phys Earth Planet In.* 78: 245-256.
- Kern, H; Liu, B; Popp, T. (1997). Relationship between anisotropy of P and S wave velocities and anisotropy of attenuation in serpentinite and amphibolite. *J Geophys Res Solid Earth.* 102: 3051-3065.
- Kern, H; Lokajicek, T; Svitek, T; Wenk, HR. (2015). Seismic anisotropy of serpentinite from Val Malenco, Italy. *J Geophys Res Solid Earth.* 120: 4113-4129. <http://dx.doi.org/10.1002/2015JB012030>.
- Kesting, A. (1980). 20 YEARS DEVELOPMENT OF TECHNICAL AND PERSONAL PROTECTION MEASURES AGAINST ASBESTOS EXPOSURE. *Staub, Reinhaltung der Luft.* 40: 198-201.
- Keyes, DL; Chesson, J; Ewing, WM; Faas, JC; Hatfield, RL; Hays, SM; Longo, WE; Millette, J. R. (1991). EXPOSURE TO AIRBORNE ASBESTOS ASSOCIATED WITH SIMULATED CABLE INSTALLATION ABOVE A SUSPENDED CEILING. *Am Ind Hyg Assoc J.* 52: 479-484. <http://dx.doi.org/10.1080/15298669191365081>.
- Keyes, DL; Ewing, WM; Hays, SM; Longo, WE; Millette, JR. (1994). Baseline Studies of Asbestos Exposure during Operations and Maintenance Activities. *Appl Occup Environ Hyg.* 9: 853-860.
- Keyes, DL; Millette, JR. (1991). Asbestos exposure from activities in buildings with asbestos-containing materials. *Ann N Y Acad Sci.* 643: 509-510.
- Keyf, F; Erman, G. (2000). Full-crown castings made with water-saturated and dry casting ring liners. *J Biomater Appl.* 14: 399-408.
- Keys, DL; Millette, JR. (1991). ASBESTOS EXPOSURE FROM ACTIVITIES IN BUILDINGS WITH ASBESTOS-CONTAINING MATERIALS (pp. EXPOSURE TO ASBESTOS IN PLACE: PUBLIC HEALTH CONTROL; CONFERENCE). (BIOSIS/93/34961). Keys, DL; Millette, JR.
- Kgalamono, SM; Rees, D; Kielkowski, D; Solomon, A. (2005). Asbestos in the non-mining industry on the Witwatersrand, South Africa. *S Afr Med J.* 95: 47-51.
- Khan, AH; Ansari, FA; Misra, D; Bhargava, SK. (2006). Study of asbestos fibre levels in and around a brake-lining industry. *Journal of Sci Ind Res.* 65: 437-439.
- Khan, G; Mahmood, N; Arif, JM; Rahman, Q. (1992). ASBESTOS AND LUNG-DISEASES - A MECHANISTIC APPROACH. *Journal of Sci Ind Res.* 51: 507-514.
- Khan, SG; Ali, S; Rahman, Q. (1991). Diminution of Phase I and Phase II Drug Metabolizing Enzymes of Rat Lung by Asbestos: An In Vitro Study. *Bull Environ Contam Toxicol.* 47: 660-667.
- Khan, SG; Ali, S; Rahman, Q. (1992). INTERACTION OF MINERAL FIBERS WITH LUNG CYTOCHROME-P-450 SYSTEM - IMPAIRMENT OF DRUG-METABOLIZING ENZYME-ACTIVITIES. *Chemosphere.* 24: 959-968.

Fate Literature Search Results

Off Topic

- Khan, SG; Rizvi, RY; Hadi, SM; Rahman, Q. (1991). INFLUENCE OF SILICIC-ACID ON INVITRO DEPURINATION OF DNA. *Bull Environ Contam Toxicol.* 47: 342-349.
- Khedr, MZ; Arai, S. (2010). Hydrous peridotites with Ti-rich chromian spinel as a low-temperature forearc mantle facies: evidence from the Happo-O'ne metaperidotites (Japan). *Contributions to Mineralogy and Petrology.* 159: 137-157. <http://dx.doi.org/10.1007/s00410-009-0420-7>.
- Khedr, MZ; Arai, S. (2013). Origin of Neoproterozoic ophiolitic peridotites in south Eastern Desert, Egypt, constrained from primary mantle mineral chemistry. *Mineralogy and Petrology.* 107: 807-828. <http://dx.doi.org/10.1007/s00710-012-0213-y>.
- Khedr, MZ; Arai, S; Tamura, A; Morishita, T. (2010). Clinopyroxenes in high-P metaperidotites from Happo-O'ne, central Japan: Implications for wedge-transversal chemical change of slab-derived fluids. *Lithos.* 119: 439-456. <http://dx.doi.org/10.1016/j.lithos.2010.07.021>.
- Khisina, NR; Wirth, R. (2002). Hydrous olivine (Mg_{1-y}Fe_y2+)(2-x)v(x)SiO(4)H(2x) - a new DHMS phase of variable composition observed as nanometer-sized precipitations in mantle olivine. *Physics and Chemistry of Minerals.* 29: 98-111. <http://dx.doi.org/10.1007/s002690100205>.
- Khorami, M; Sobhani, J. (2013). An experimental study on the flexural performance of agro-waste cement composite boards. 11: 207-216.
- Khudu-Petersen, K; Bard, D; Garrington, N; Yarwood, J; Tylee, B. (2000). Microscopic identification of asbestos fibres associated with African clay crafts manufacture. *Ann Occup Hyg.* 44: 137-141.
- Kiakouama, L; Faucon, D. (2010). Refractory ceramic fibres: A human health hazard? A literature review. *Arch Mal Prof Environ.* 71: 759-770. <http://dx.doi.org/10.1016/j.admp.2010.06.015>.
- Kiec-Swierczynska, M; Wojtczak, J. (2000). Occupational ceramic fibres dermatitis in Poland. *Occup Med (Lond).* 50: 337-342.
- Kiefer, MJ; Buchan, RM; Keefe, TJ; Blehm, KD. (1987). A PREDICTIVE MODEL FOR DETERMINING ASBESTOS CONCENTRATIONS FOR FIBERS LESS THAN FIVE MICROMETERS IN LENGTH. *Environ Res.* 43: 31-38.
- Kielkowski, D; Nelson, G; Bello, B; Kgalamono, S; Phillips, JI. (2011). Trends in mesothelioma mortality rates in South Africa: 1995-2007. *Occup Environ Med.* 68: 547-549. <http://dx.doi.org/10.1136/oem.2010.062182>.
- Kielkowski, D; Nelson, G; Rees, D. (2000). Risk of mesothelioma from exposure to crocidolite asbestos: a 1995 update of a South African mortality study. *Occup Environ Med.* 57: 563-567.
- Kienast, K; Kaes, C; Drumm, K; Buhl, R; Micke, P; Oesch, F; Hengstler, JG. (2000). Asbestos-exposed blood monocytes--deoxyribonucleic acid strand lesions in co-cultured bronchial epithelial cells. *Scand J Work Environ Health.* 26: 71-77.
- Kilburn, KH. (2000). Prevalence and features of advanced asbestosis (ILO profusion scores above 2/2). International Labour Office. *Arch Environ Health.* 55: 104-108. <http://dx.doi.org/10.1080/00039890009603395>.
- Kilburn, KH; Lilis, R; Anderson, HA; Boylen, CT; Einstein, HE; Johnson, SJS; Warshaw, R. (1985). Asbestos disease in family contacts of shipyard workers. *Am J Public Health.* 75: 615-617.
- Kilburn, KH; Powers, D; Warshaw, RH. (1992). Pulmonary effects of exposure to fine fibreglass: irregular opacities and small airways obstruction. *Br J Ind Med.* 49: 714-720.
- Kilburn, KH; Powers, D; Warshaw, RH. (1993). PULMONARY EFFECTS OF EXPOSURE TO FINE FIBERGLASS - IRREGULAR OPACITIES AND SMALL AIRWAYS OBSTRUCTION - REPLY. *Br J Ind Med.* 50: 863-864.
- Kilburn, KH; Warshaw, RH. (1990). Abnormal pulmonary function associated with diaphragmatic pleural plaques due to exposure to asbestos. *Br J Ind Med.* 47: 611-614. <http://dx.doi.org/10.1136/oem.47.9.611>.
- Kilburn, KH; Warshaw, RH. (1991). Difficulties of attribution of effect in workers exposed to fiberglass and asbestos. *Am J Ind Med.* 20: 745-751. <http://dx.doi.org/10.1002/ajim.4700200605>.
- Kilburn, KH; Warshaw, RH. (1992). Irregular opacities in the lung, occupational asthma, and airways dysfunction in aluminum workers. *Am J Ind Med.* 21: 845-853.
- Kilburn, KH; Warshaw, RH; Einstein, K; Bernstein, J. (1985). Airway disease in non-smoking asbestos workers. *Arch Environ Health.* 40: 293-295.
- Kilic, AD; Inceoz, M. (2015). Mineralogical, Geochemical and Isotopic Effect of Silica in Ultramafic Systems, Eastern Anatolian Turkey. *Geochem Int.* 53: 369-382. <http://dx.doi.org/10.1134/S0016702915040035>.
- Kilpatrick, N; Frumkin, H; Trowbridge, J; Escoffery, C; Geller, R; Rubin, L; Teague, G; Nodvin, J. (2002). The environmental history in pediatric practice: A study of pediatricians' attitudes, beliefs, and practices. *Environ Health Perspect.* 110: 823-827.
- Kim, H; Morimoto, Y; Ogami, A; Nagatomo, H; Hirohashi, M; Oyabu, T; Kawanami, Y; Kuroda, E; Higashi, T; Tanaka, I. (2007). Differential expression of EC-SOD, Mn-SOD and CuZn-SOD in rat lung exposed to crystalline silica. *J Occup Health.* 49: 242-248.
- Kim, J; Oak, C; Jang, T; Jung, M; Chun, B; Park, EK; Takahashi, K. (2013). Lung cancer probably related to talc exposure: a case report. *Ind Health.* 51: 228-231.
- Kim, J; Song, KS; Yu, I. (2015). Evaluation of in vitro and in vivo genotoxicity of single-walled carbon nanotubes. *Toxicol Ind Health.* 31: 747-757. <http://dx.doi.org/10.1177/0748233713483201>.
- Kim, J; Yu, I. (2014). SINGLE-WALL CARBON NANOTUBES (SWCNT) INDUCE CYTOTOXICITY AND GENOTOXICITY PRODUCED BY REACTIVE OXYGEN SPECIES (ROS) GENERATION IN PHYTOHEMAGGLUTININ (PHA)-STIMULATED MALE HUMAN PERIPHERAL BLOOD LYMPHOCYTES. *J Toxicol Environ Health A.* 77: 1141-1153. <http://dx.doi.org/10.1080/15287394.2014.917062>.
- Kim, JE; Lim, HT; Minai-Tehrani, A; Kwon, JT; Shin, JY; Woo, CG; Choi, M; Baek, J; Jeong, DH; Ha, YC; Chae, CH; Song, KS; Ahn, KH; Lee, JH; Sung, HJ; Yu, IJ; Beck, GR; Cho, MH. (2010). Toxicity and clearance of intratracheally administered multiwalled carbon nanotubes from murine lung. *J Toxicol Environ Health A.* 73: 1530-1543. <http://dx.doi.org/10.1080/15287394.2010.511578>.
- Kim, JH; Chang, HS; Kim, KY; Park, WM; Lee, YJ; Choi, HC; Kim, KA; Lim, Y. (1999). Environmental measurements of total dust and fiber concentration in manufacturer and user of man-made mineral fibers. *Ind Health.* 37: 322-328.
- Kim, JS; Song, KS; Joo, HJ; Lee, JH; Yu, IJ. (2010). Determination of cytotoxicity attributed to multiwall carbon nanotubes (MWCNT) in normal human embryonic lung cell (WI-38) line. *J Toxicol Environ Health A.* 73: 1521-1529. <http://dx.doi.org/10.1080/15287394.2010.511577>.

Fate Literature Search Results

Off Topic

- Kim, JT, ai; Hoskins, JA. (2010). Asbestos in Korean Buildings, Safety Concerns, and Sensible Risk Assessment. *Indoor Built Environ.* 19: 21-29. <http://dx.doi.org/10.1177/1420326X09357997>.
- Kim, JT, ai; Yu, CWF. (2014). Hazardous materials in buildings. *Indoor Built Environ.* 23: 44-61. <http://dx.doi.org/10.1177/1420326X14524073>.
- Kim, KA; Lee, WK; Kim, JK; Seo, MS; Lim, Y; Lee, KH; Chae, G; Lee, SH; Chung, Y. (2001). Mechanism of refractory ceramic fiber- and rock wool-induced cytotoxicity in alveolar macrophages. *Int Arch Occup Environ Health.* 74: 9-15.
- Kim, M; Bae, M; Na, H; Yang, M. (2012). Environmental toxicants--induced epigenetic alterations and their reversers [Review]. 30: 323-367. <http://dx.doi.org/10.1080/10590501.2012.731959>.
- Kim, SJ, in; Cho, M, inH; Cho, KH; Jang, H, o. (2007). Complementary effects of solid lubricants in the automotive brake lining. *Tribology International.* 40: 15-20. <http://dx.doi.org/10.1016/j.triboint.2006.01.022>.
- Kim, SY; Kim, YC; Kim, Y; Hong, WH. (2016). Predicting the mortality from asbestos-related diseases based on the amount of asbestos used and the effects of slate buildings in Korea. *Sci Total Environ.* 542: 1-11. <http://dx.doi.org/10.1016/j.scitotenv.2015.10.115>.
- Kim, Y, unC; Cho, M, inH; Kim, SJ, in; Jang, H, o. (2008). The effect of phenolic resin, potassium titanate, and CNSL on the tribological properties of brake friction materials. *Wear.* 264: 204-210. <http://dx.doi.org/10.1016/j.wear.2007.03.004>.
- Kim, YC; Hong, W, onHwa; Zhang, YL. (2015). Development of a model to calculate asbestos fiber from damaged asbestos slates depending on the degree of damage. *J Clean Prod.* 86: 88-97. <http://dx.doi.org/10.1016/j.jclepro.2014.08.092>.
- Kim, YC; Hong, WH; Zhang, YL; Son, BH; Seo, YK; Choi, JH. (2016). Estimating the Additional Greenhouse Gas Emissions in Korea: Focused on Demolition of Asbestos Containing Materials in Building. *Int J Environ Res Public Health.* 13. <http://dx.doi.org/10.3390/ijerph13090902>.
- King, JA; Wong, SW. (1996). Autopsy evaluation of asbestos exposure: retrospective study of 135 cases with quantitation of ferruginous bodies in digested lung tissue. *South Med J.* 89: 380-385.
- Kingsley, I. (1976). Health Hazard Evaluation Report No. HHE-76-40-341, 919 Third Garage Company, New York, New York (pp. 76-40). (NIOSH/00057818). Kingsley, I.
- Kinnes, GM; Lushniak, BD. (1990). Health Hazard Evaluation Report No. HETA-89-244-2068, Thomson Consumer Electronics, Inc., Circleville, Ohio (pp. 89-244). (NIOSH/00197953). Kinnes, GM; Lushniak, BD.
- Kinney, PL; Satterfield, MH; Shaikh, RA. (1994). Airborne Fiber Levels during Asbestos Operations and Maintenance Work in a Large Office Building. *Appl Occup Environ Hyg.* 9: 825-835.
- Kipen, HM; Lilis, R; Suzuki, Y; Valciukas, JA; Selikoff, IJ. (1987). Pulmonary fibrosis in asbestos insulation workers with lung cancer: a radiological and histopathological evaluation. *Br J Ind Med.* 44: 96-100.
- Kirkham, TL; Koehoorn, MW; Mcleod, CB; Demers, PA. (2011). Surveillance of mesothelioma and workers' compensation in British Columbia, Canada. *Occup Environ Med.* 68: 30-35. <http://dx.doi.org/10.1136/oem.2009.048629>.
- Kirkham, TL; Siemiatycki, J; Labrèche, F; Lavoué, J. (2016). Impact of aggregating exposure information from cases and controls when building a population-based job-exposure matrix from past expert evaluations. *Occup Environ Med.* 73: 474-481. <http://dx.doi.org/10.1136/oemed-2014-102690>.
- Kirshner, M; Bleach, K. (1994). ENVIRONMENTAL AND OCCUPATIONAL REMEDIATION SUBSEQUENT TO THE WORLD-TRADE-CENTER BOMBING. *Environ Int.* 20: 253-261.
- Kiseleva, IA; Ogorodova, LP. (1983). ON USING OF THE HIGH-TEMPERATURE CALORIMETRY OF DISSOLUTION FOR DETERMINATION OF ENTHALPIES OF FORMATION OF HYDROXYL-BEARING MINERALS (ON THE EXAMPLES OF TALC AND TREMOLITE). *Geokhimiya*1745-1755.
- Kishimoto, T; Gemba, K; Fujimoto, N; Aoe, K; Kato, K; Takeshima, Y; Inai, K. (2010). Clinical study on mesothelioma in Japan: Relevance to occupational asbestos exposure. *Am J Ind Med.* 53: 1081-1087. <http://dx.doi.org/10.1002/ajim.20868>.
- Kishimoto, T; Kato, K; Arakawa, H; Ashizawa, K; Inai, K; Takeshima, Y. (2011). Clinical, radiological, and pathological investigation of asbestosis. *Int J Environ Res Public Health.* 8: 899-912. <http://dx.doi.org/10.3390/ijerph8030899>.
- Kishimoto, T; Morinaga, K; Kira, S. (2000). The prevalence of pleural plaques and/or pulmonary changes among construction workers in Okayama, Japan. *Am J Ind Med.* 37: 291-295.
- Kishimoto, T; Ohnishi, K; Saito, Y. (2003). Clinical study of asbestos-related lung cancer. *Ind Health.* 41: 94-100.
- Kishimoto, T; Okada, K. (1988). [Cases of suspected asbestos exposure in the family]. *Sangyo Igaku.* 30: 212-213.
- Kishimoto, T; Okada, K; Sato, T; Ono, T; Ito, H. (1989). Evaluation of the pleural malignant mesothelioma patients with the relation of asbestos exposure. *Environ Res.* 48: 42-48.
- Kishimoto, T; Ozaki, S; Kato, K; Nishi, H; Genba, K. (2004). Malignant pleural mesothelioma in parts of Japan in relationship to asbestos exposure. *Ind Health.* 42: 435-439.
- Kishimoto, T; Tsuda, K. (2001). A patient with asbestos-induced lung cancer complicated by silicosis. *Ind Health.* 39: 189-193.
- Kisting, S. (2005). South African environmental justice: Struggles by asbestos exposed communities. *Epidemiology.* 16: S155-S156.
- Kitamura, F; Araki, S; Suzuki, Y; Yokoyama, K; Tanigawa, T; Iwasaki, R. (2002). Assessment of the mutations of p53 suppressor gene and Ha- and Ki-ras oncogenes in malignant mesothelioma in relation to asbestos exposure: a study of 12 American patients. *Ind Health.* 40: 175-181.
- Kitamura, F; Araki, S; Tanigawa, T; Miura, H; Akabane, H; Iwasaki, R. (1998). Assessment of mutations of Ha- and Ki-ras oncogenes and the p53 suppressor gene in seven malignant mesothelioma patients exposed to asbestos--PCR-SSCP and sequencing analyses of paraffin-embedded primary tumors. *Ind Health.* 36: 52-56.
- Kittaka, S; Matsuda, T; Yamaguchi, K; Yamashita, A. (2006). Formation of ultra-thin nanotubular chrysotile particles and their thermal properties. *AST.* 24: 531-545.

Fate Literature Search Results

Off Topic

- Kittl, P; Diaz, G. (1987). FRACTURE STATISTICS AND LOW THERMAL-SHOCK FATIGUE OF ASBESTOS-CEMENT COMPOSITE. *Cement and Concrete Research*. 17: 31-36.
- Kjaergaard, J; Andersson, M. (2000). Incidence rates of malignant mesothelioma in Denmark and predicted future number of cases among men. *Scand J Work Environ Health*. 26: 112-117.
- Kjaerheim, K. (1999). Occupational cancer research in the Nordic countries. *Environ Health Perspect*. 107: 233-238. <http://dx.doi.org/10.2307/3434411>.
- Kjaerheim, K; Ulvestad, B; Martinsen, JI; Andersen, A. (2005). Cancer of the gastrointestinal tract and exposure to asbestos in drinking water among lighthouse keepers (Norway). *Cancer Causes Control*. 16: 593-598. <http://dx.doi.org/10.1007/s10552-004-7844-1>.
- Kjellstrom, T. (1984). ASBESTOS, AN OCCUPATIONAL-DISEASE TIME-BOMB IN NEW-ZEALAND. *Community Health Stud*. 8: 268-269.
- Kjellstrom, TE. (2004). The epidemic of asbestos-related diseases in New Zealand [Review]. *Int J Occup Environ Health*. 10: 212-219. <http://dx.doi.org/10.1179/oeh.2004.10.2.212>.
- Kjuus, H; Skjaerven, R; Langård, S; Lien, JT; Aamodt, T. (1986). A case-referent study of lung cancer, occupational exposures and smoking. II. Role of asbestos exposure. *Scand J Work Environ Health*. 12: 203-209.
- Klaas, VE. (1993). A diagnostic approach to asbestosis, utilizing clinical criteria, high resolution computed tomography, and gallium scanning. *Am J Ind Med*. 23: 801-809. <http://dx.doi.org/10.1002/ajim.4700230513>.
- Klein, C. (2005). Some Precambrian banded iron-formations (BIFs) from around the world: Their age, geologic setting, mineralogy, metamorphism, geochemistry, and origin. *Am Mineral*. 90: 1473-1499. <http://dx.doi.org/10.2138/am.2005.1871>.
- Klein, F; Bach, W; Mccollom, TM. (2013). Compositional controls on hydrogen generation during serpentinization of ultramafic rocks. *Lithos*. 178: 55-69. <http://dx.doi.org/10.1016/j.lithos.2013.03.008>.
- Klein, F; Bauer, J. (1993). Cleanup of dioxins and asbestos in a hospital incinerator - From planning to implementation. 19: 40-43.
- Kleine, BI; Skelton, ADL; Huet, B; Pitcairn, IK. (2014). Preservation of Blueschist-facies Minerals along a Shear Zone by Coupled Metasomatism and Fast-flowing CO₂-bearing Fluids. *Journal of Petrology*. 55: 1905-1939. <http://dx.doi.org/10.1093/petrology/egu045>.
- Klemm, DD; Krautner, HG. (2000). Hydrothermal alteration and associated mineralization in the Freda-Rebecca gold deposit - Bindura District, Zimbabwe. *Miner Depos*. 35: 90-108.
- Klerks, PL; Fraleigh, PC. (1991). CONTROLLING ADULT ZEBRA MUSSELS WITH OXIDANTS. *J Am Water Works Assoc*. 83: 92-100.
- Kline, ER; Mattson, VR; Pickering, QH; Spehar, DL; Stephan, CE. (1987). EFFECTS OF POLLUTION ON FRESHWATER ORGANISMS. *J Water Pollut Control Fed*. 59: 539-572.
- Klippe, J. (1979). ASBESTOS CEMENT AS MATERIAL IN VENTILATORS AND AIR CONDITIONERS. 32: 156-157.
- Klockars, M; Hedenborg, M; Vanhala, E. (1990). Effect of two particle surface-modifying agents, polyvinylpyridine-N-oxide and carboxymethylcellulose, on the quartz and asbestos mineral fiber-induced production of reactive oxygen metabolites by human polymorphonuclear leukocytes. *Arch Environ Health*. 45: 8-14. <http://dx.doi.org/10.1080/00039896.1990.9935917>.
- Klojzy-Karczmarczyk, B; Makoudi, S. (2011). Assessment of Index of Asbestos Containing Waste Generation in Rural Areas of Selected Communes. *Rocznik Ochrona Srodowiska*. 13: 1823-1833.
- Kloprooge, JT; Hammond, M; Hickey, L; Frost, RL. (2001). A new low temperature synthesis route of Fraipontite (Zn,Al)(3)(Si,Al)(2)O-5(OH)(4). *Materials Research Bulletin*. 36: 1091-1098.
- Kneller, EA; Long, MD; van Keken, PE. (2008). Olivine fabric transitions and shear wave anisotropy in the Ryukyu subduction system. *Earth Planet Sci Lett*. 268: 268-282. <http://dx.doi.org/10.1016/j.epsl.2008.01.004>.
- Knight, G. (1982). DIFFERENCES BETWEEN ASBESTOS FIBER SIZE DISTRIBUTIONS IN AIR AND IN THE LUNG (pp. 7-10). (ISSN 0003-4878; EISSN 1475-3162; HEEP/83/07555). Knight, G.
- Knight, JL; Sleeth, DK; Larson, RR; Pahler, LF. (2013). An analysis of OSHA inspections assessing contaminant exposures in general medical and surgical hospitals. 61: 153-160. <http://dx.doi.org/10.3928/21650799-20130318-27>.
- Knight, KL; Bloor, DM; Miller, F. (1985). Use of a cowl in asbestos air sampling [Letter]. *Ann Occup Hyg*. 29: 289-291.
- Knishkowsy, B; Baker, EL. (1986). Transmission of occupational disease to family contacts. *Am J Ind Med*. 9: 543-550. <http://dx.doi.org/10.1002/ajim.4700090606>.
- Knobloch, S. (1980). CODICIL OF THE ACCIDENT PREVENTION REGULATION PROTECTION AGAINST HARMFUL MINERAL DUST (VBG 119) .2. PROPOSALS FOR ASBESTOS USE RESTRICTIONS. *Staub, Reinhaltung der Luft*. 40: 207-210.
- Knoff, WF. (1993). MECHANICAL-BEHAVIOR OF RESPIRABLE FIBRILS OF KEVLAR ARAMID FIBER, GLASS, AND ASBESTOS. *J Text Inst*. 84: 130-137.
- Knoll, L; Felten, MK; Ackermann, D; Kraus, T. (2011). Non-response bias in a surveillance program for asbestos-related lung cancer. *J Occup Health*. 53: 16-22.
- Kobusch, AB; Simard, A; Feldstein, M; Vauclair, R; Gibbs, GW; Bergeron, F; Morissette, N; Davis, R. (1984). Pulmonary cytology in chrysotile asbestos workers. *J Chronic Dis*. 37: 599-607.
- Koc, AC, em; Ciner, F; Toprak, S; Selcuk, H; Aktan, B. (2010). The Geographical Information System (GIS) based water quality assessment of a drinking water distribution system in the Denizli City. *Desalination and Water Treatment*. 19: 318-324. <http://dx.doi.org/10.5004/dwt.2010.1940>.
- Kocak, F; Ergen, Z; Cinar, ME. (1999). Fouling organisms and their developments in a polluted and an unpolluted marina in the Aegean Sea (Turkey). *Ophelia*. 50: 1-20.
- Kodavanti, UP; Andrews, D; Schladweiler, MC; Gavett, SH; Dodd, DE; Cyphert, JM. (2014). EARLY AND DELAYED EFFECTS OF NATURALLY OCCURRING ASBESTOS ON SERUM BIOMARKERS OF INFLAMMATION AND METABOLISM. *J Toxicol Environ Health A*. 77: 1024-1039. <http://dx.doi.org/10.1080/15287394.2014.899171>.
- Kodolanyi, J; Pettke, T. (2011). Loss of trace elements from serpentinites during fluid-assisted transformation of chrysotile to antigorite - An example from Guatemala. *Chem Geol*. 284: 351-362. <http://dx.doi.org/10.1016/j.chemgeo.2011.03.016>.

Fate Literature Search Results

Off Topic

- Kodolanyi, J; Pettke, T; Spandler, C; Kamber, BS; Gmeling, K. (2012). Geochemistry of Ocean Floor and Fore-arc Serpentinites: Constraints on the Ultramafic Input to Subduction Zones. *Journal of Petrology*. 53: 235-270. <http://dx.doi.org/10.1093/petrology/egr058>.
- Koeman, T, om; Offermans, NSM; Christopher-De Vries, Y; Slottje, P; Van Den Brandt, PA; Goldbohm, RA; Kromhout, H; Vermeulen, R. (2013). JEMs and Incompatible Occupational Coding Systems: Effect of Manual and Automatic Recoding of Job Codes on Exposure Assignment. *Ann Occup Hyg*. 57: 107-114. <http://dx.doi.org/10.1093/annhyg/mes046>.
- Koga, KT; Daniel, I; Reynard, B. (2004). Trace element distribution between antigorite and fluid at the condition relevant to subduction zone tectonic settings. *Lithos*. 73: S60-S60.
- Koga, KT; Daniel, I; Reynard, B. (2005). Determination of trace element partition coefficients between water and minerals by high-pressure and high-temperature experiments: Leaching technique. *G-cubed*. 6. <http://dx.doi.org/10.1029/2005GC000944>.
- Koga, KT; Reynard, B; Daniel, I. (2004). Trace element distribution between antigorite and fluid near the dehydration conditions. *Geochim Cosmo Acta*. 68: A597-A597.
- Koga, Y; Satoh, T; Kaira, K; Koka, M; Hisada, T; Hirato, J; Altan, B; Yatomi, M; Ono, A; Kamide, Y; Shimizu, Y; Aoki-Saito, H; Tsurumaki, H; Shimizu, K; Mogi, A; Ishizuka, T; Yamada, M; Dobashi, K. (2016). Elemental and immunohistochemical analysis of the lungs and hilar lymph node in a patient with asbestos exposure, a pilot study. *Environ Health Prev Med*. 21: 492-500. <http://dx.doi.org/10.1007/s12199-016-0576-5>.
- Kogan, FM. (1977). [Maximum Permissible Exposure Level (MPEL) of asbestos powders]. *Med Lav*. 68: 142-148.
- Kogan, FM; Deminov, AG; Troitskaia, EE; Kolesnikova, TN; Kopytova, MV. (1977). [Working conditions of women track maintenance workers in asbestos mines]. *Gig Sanit* 19-23.
- Kogan, FM; Nikitina, OV. (1994). Solubility of chrysotile asbestos and basalt fibers in relation to their fibrogenic and carcinogenic action. *Environ Health Perspect*. 102 Suppl 5: 205-206.
- Kogan, FM; Polzik, EV. (1990). Prophylaxis of asbestos-induced diseases: studies and perspectives [Review]. *Am J Ind Med*. 18: 95-99.
- Kogan, FM; Polzik, EV. (1991). RESPONSE TO QUALMS ABOUT MEDICAL SCREENING AS A DISCRIMINATORY TOOL [Letter]. *Am J Ind Med*. 20: 273-274.
- Kogevinas, M; Boffetta, P; Pearce, N. (1994). Occupational Exposure to Carcinogens in Developing Countries [Review] (pp. 63-95). (ISSN 0300-5038; NIOSH/00229412). Kogevinas, M; Boffetta, P; Pearce, N.
- Koh, DH; Chung, EK; Jang, JK; Lee, HE; Ryu, HW; Yoo, KM; Kim, EA; Kim, KS. (2014). Cancer incidence and mortality among temporary maintenance workers in a refinery/petrochemical complex in Korea. *Int J Occup Environ Health*. 20: 141-145. <http://dx.doi.org/10.1179/2049396714Y.0000000059>.
- Koh, WH. (1980). CHARACTERIZATION OF STRUCTURAL-PROPERTIES OF POLYMER-MODIFIED ASBESTOS CHLOR-ALKALI SEPARATORS. *J Electrochem Soc*. 127: C121-C121.
- Kohler, F; Gillet, F; Reust, S; Wagner, HH; Gadallah, F; Gobat, JM; Buttler, A. (2006). Spatial and seasonal patterns of cattle habitat use in a mountain wooded pasture. *Landsc Ecol*. 21: 281-295. <http://dx.doi.org/10.1007/s10980-005-0144-7>.
- Kohli, AH; Goldsby, DL; Hirth, G; Tullis, T. (2011). Flash weakening of serpentinite at near-seismic slip rates. *J Geophys Res Solid Earth*. 116. <http://dx.doi.org/10.1029/2010JB007833>.
- Kohn, MJ; Valley, JW. (1998). Oxygen isotope geochemistry of the amphiboles: Isotope effects of cation substitutions in minerals. *Geochim Cosmo Acta*. 62: 1947-1958.
- Kohyama, N. (1997). Length-reduction method for man-made mineral fibers for biological experiments. *Ind Health*. 35: 126-134.
- Kohyama, N; Kurimori, S. (1996). A total sample preparation method for the measurement of airborne asbestos and other fibers by optical and electron microscopy. *Ind Health*. 34: 185-203.
- Kohyama, N; Morinaga, K; Tanaka, I. (2001). Special issue: "Health effects of asbestos and other mineral fibers" - Preface. *Ind Health*. 39: 37-37.
- Kohyama, N; Shinohara, Y; Suzuki, Y. (1996). Mineral phases and some reexamined characteristics of the International Union Against Cancer standard asbestos samples. *Am J Ind Med*. 30: 515-528. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199611\)30:5<515::AID-AJIM1>3.0.CO;2-S](http://dx.doi.org/10.1002/(SICI)1097-0274(199611)30:5<515::AID-AJIM1>3.0.CO;2-S).
- Kohyama, N; Tanaka, I; Tomita, M; Shinohara, Y. (1997). Preparation and characteristics of standard reference samples of fibrous minerals for biological experiments. *Ind Health*. 35: 415-432. <http://dx.doi.org/10.2486/indhealth.35.415>.
- Kokki, E; Ranta, J; Penttinen, A; Pukkala, E; Pekkanen, J. (2001). Small area estimation of incidence of cancer around a known source of exposure with fine resolution data. *Occup Environ Med*. 58: 315-320.
- Kokkinis, FP; Bouros, D; Hadjistavrou, K; Ulmeanu, R; Serbescu, A; Alexopoulos, EC. (2011). Bronchoalveolar lavage fluid cellular profile in workers exposed to chrysotile asbestos. *Toxicol Ind Health*. 27: 849-856. <http://dx.doi.org/10.1177/0748233711399315>.
- Köksal, N; Celik, M; Kahraman, H; Ekerbiçer, HC; Dağlı, CE; Ozkan, F. (2012). Survey of environmental exposure to asbestos in the town of Buyuktatlar, Turkey. *Int J Occup Environ Health*. 18: 130-134. <http://dx.doi.org/10.1179/1077352512Z.00000000011>.
- Kolb, J; Sakellaris, GA; Meyer, FM. (2006). Controls on hydrothermal Fe oxide-Cu-Au-Co mineralization at the Guelb Moghrein deposit, Akjoujt area, Mauritania. *Miner Depos*. 41: 68-81. <http://dx.doi.org/10.1007/s00126-005-0041-7>.
- Kolb, J; Sindern, S; Kisters, AFM; Meyer, FM; Hoernes, S; Schneider, J. (2005). Timing of Uralian orogenic gold mineralization at Kochkar in the evolution of the East Uralian granite-gneiss terrane. *Trans Nonferrous Met Soc China*. 40: 473-491. <http://dx.doi.org/10.1007/s00126-005-0020-z>.
- Kolev, K. (1982). EXPERIMENTALLY INDUCED MESOTHELIOMA IN WHITE-RATS IN RESPONSE TO INTRAPERITONEAL ADMINISTRATION OF AMORPHOUS CROCIDOLITE ASBESTOS - PRELIMINARY-REPORT. *Environ Res*. 29: 123-133.
- Kolmsee, K; Kieser, D; Kraus, J; Landauer, P; Mattenklott, M; Muller, L; Riediger, G; Ziem, H. (2000). Pilot measurements of asbestos exposure in road construction - Application of unbonded mineral products from quarries covered by the German TRGS 954. *Staub, Reinhaltung der Luft*. 60: 351-354.

Fate Literature Search Results

Off Topic

- Kolmsee, K; Koch, J; Ziem, H; Binde, G; Hagedorn, W; Kieser, D; Kraus, J; Landauer, P; Mattenklott, M; Riediger, G; Muller, L; Schneck, H. (2001). Guidelines for the application of TRGS 954 "Recommendations relating to exceptional authorisations to derogate from 15 a par. 1 GefStoffV regulating the handling of asbestos-containing mineral raw material and products in quarries". Staub, Reinhaltung der Luft. 61: 267-274.
- Kolmsee, K; Mattenklott, M; Goetz, M; Spod, U. (2010). Asbestos in mineral raw materials - Part 1: The law, scope of TRGS 517 and exposure situation. Gefahrst Reinhalt Luft. 70: 37-42.
- Kolmsee, K; Mattenklott, M; Goetz, M; Spod, U. (2010). Asbestos in mineral raw materials - Part 2: Protective measures under TRGS 517. Gefahrst Reinhalt Luft. 70: 155-158.
- Kolopp-Sarda, MN; Bene, MC; Massin, N; Wild, P; Faure, GC. (1995). Altered partition of T cell subsets in the peripheral blood of healthy workers exposed to flour dust. Am J Ind Med. 28: 497-504.
- Kolstad, H; Lynge, E; Olsen, J; Sabroe, S. (1992). OCCUPATIONAL CAUSES OF SOME RARE CANCERS - A LITERATURE-REVIEW. Scand J Soc Med1-148.
- Koltsov, AB; Kostitsyn, YA. (1995). ISOTOPIC AND THERMODYNAMIC MODEL OF THE MURUNTAU SKARN SERIES. Geokhimiya512-523.
- Komabayashi, T; Hirose, K; Funakoshi, K; Takafuji, N. (2005). Stability of phase A in antigorite (serpentine) composition determined by in situ X-ray pressure observations. Phys Earth Planet In. 151: 276-289. <http://dx.doi.org/10.1016/j.pepi.2005.04.002>.
- Komabayashi, T; Omori, S; Maruyama, S. (2004). Petrogenetic grid in the system MgO-SiO₂-H₂O up to 30 GPa, 1600 degrees C: Applications to hydrous peridotite subducting into the Earth's deep interior. J Geophys Res Solid Earth. 109. <http://dx.doi.org/10.1029/2003JB002651>.
- Komabayashi, T; Omori, S; Maruyama, S. (2005). Experimental and theoretical study of stability of dense hydrous magnesium silicates in the deep upper mantle. Phys Earth Planet In. 153: 191-209. <http://dx.doi.org/10.1016/j.pepi.2005.07.001>.
- Kominsky, J. R.; Freyberg, RW; Chesson, J; Cain, WC; Powers, TJ; Wilmoth, RC. (1990). EVALUATION OF 2 CLEANING METHODS FOR THE REMOVAL OF ASBESTOS FIBERS FROM CARPET. Am Ind Hyg Assoc J. 51: 500-504.
- Kominsky, JR; Freyberg, RW; Boiano, JM. (1995). Airborne Asbestos Concentrations during Buffing, Burnishing, and Stripping of Resilient Floor Tile. 114.
- Kominsky, JR; Freyberg, RW; Brownlee, JA; Brackett, KA. (1992). Airborne Asbestos Concentrations Three Years After Abatement in Seventeen Schools. 131.
- Kominsky, JR; Freyberg, RW; Brownlee, JA; Gerber, DR. (1992). Asbestos Concentrations Two Years After Abatement in Seventeen Schools. 52.
- Kominsky, JR; Freyberg, RW; Clark, PJ; Edwards, A; Wilmoth, RC; Brackett, KA. (1998). Asbestos Exposures During Routine Floor Tile Maintenance. Part 1: Spray-Buffering and Wet-Stripping. Appl Occup Environ Hyg. 13: 101-106.
- Kominsky, JR; Freyberg, RW; Clark, PJ; Hollett, BA; Edwards, A; Wilmoth, RC; Boiano, JM; Brackett, KA. (1998). Asbestos Exposures During Routine Floor Tile Maintenance. Part 2: Ultra High Speed Burnishing and Wet-Stripping. Appl Occup Environ Hyg. 13: 107-112.
- Kominsky, JR; Freyberg, RW; Hollett, BA; Clark, PJ; Brackett, KA. (1991). Asbestos Fiber Release during Change-Out of Filter Bags from HEPA-Filtered Vacuum Cleaners. 8.
- Kominsky, JR; Freyberg, RW; Hubert, CS; Brownlee, JA; Gerber, DR. (1994). Evaluation of Asbestos Management Programs in 17 New Jersey Schools: A Case Studies Report. 328.
- Kominsky, JR; Freyberg, RW; Powers, TJ; Wilmoth, RC; Frebis, CP. (1990). Airborne Asbestos Levels Measured Before, during and After Abatement. 10.
- Kominsky, JR; Freyburg, R. (1991). Assessment of Asbestos Removal Carried Out Using EPA Purple Book Guidance. 106.
- Kominsky, JR; Thornburg, JW; Shaul, GM; Barrett, WM; Hall, FD; Konz, JJ. (2010). Development of the releasable asbestos field sampler. Journal of the Air and Waste Management Association. 60: 294-301. <http://dx.doi.org/10.3155/1047-3289.60.3.294>.
- Koné Pefoyo, AJ; Genesove, L; Moore, K; Del Bianco, A; Kramer, D. (2014). Exploring the usefulness of occupational exposure registries for surveillance: the case of the Ontario Asbestos Workers Registry (1986-2012). J Occup Environ Med. 56: 1100-1110. <http://dx.doi.org/10.1097/JOM.0000000000000235>.
- Konieczko, K; Palaszewska-Tkacz, A; Czerczak, S. (2013). [Chemical carcinogenic and mutagenic agents in the workplace, Poland, 2008-2010]. Med Pr. 64: 181-192.
- Konishi, H; Alviola, R; Buseck, PR. (2004). 2111 biopyribole intermediate between pyroxene and amphibole: Artifact or natural product? Am Mineral. 89: 15-19.
- Konishi, H; Dodony, I; Buseck, PR. (2002). Protoanthophyllite from three metamorphosed serpentinites. Am Mineral. 87: 1096-1103.
- Konishi, H; Groy, TL; Dodony, I; Miyawaki, R; Matsubara, S; Buseck, PR. (2003). Crystal structure of protoanthophyllite: A new mineral from the Takase ultramafic complex, Japan. Am Mineral. 88: 1718-1723.
- Konishi, H; Xu, H; Dymek, RF. (2010). High-resolution TEM study of jimthompsonite, chesterite, and chain-width disorder in Archean ultramafic rocks from Isua, West Greenland. Am Mineral. 95: 73-80. <http://dx.doi.org/10.2138/am.2010.3212>.
- Konovalov, EA; Artamonov, VY; Belei, II; Afonin, VN. (1989). USE OF ASBESTOS HELIUM DRILLING MUDS. 6-10.
- Kontonikas-Charos, A; Ciobanu, CL; Cook, NJ. (2014). Albitization and redistribution of REE and Y in IOCG systems: Insights from Moonta-Wallaroo, Yorke Peninsula, South Australia. Lithos. 208: 178-201. <http://dx.doi.org/10.1016/j.lithos.2014.09.001>.
- Konzett, J; Libowitzky, E; Hejny, C; Miller, C; Zanetti, A. (2008). Oriented quartz plus calcic amphibole inclusions in omphacite from the Saualpe and Pohorje Mountain eclogites, Eastern Alps-An assessment of possible formation mechanisms based on IR- and mineral chemical data and water storage in Eastern Alpine eclogites. Lithos. 106: 336-350. <http://dx.doi.org/10.1016/j.lithos.2008.09.002>.
- Kopczyk, M; Tabat, S; Szczesniak, B; Styczynski, S; Brudka, Z. (2003). The technology for making new thermally activated batteries (BTR-03). Przemysł Chemiczny. 82: 1295-1297.
- Kopczykmyslon, T. (1984). COMPARATIVE-ANALYSIS OF THE INDEXES FOR ASBESTOS DUST CONTAMINATION. Arbeitsmedizin, Sozialmedizin, Praeventivmedizin. 19: 6-8.

Fate Literature Search Results

Off Topic

- Kopel, D; Brook, A; Wittenberg, L, ea; Malkinson, D, an. (2016). Spectroscopy application for soil differentiation in urban landscape. *Journal of Soils and Sediments*. 16: 2557-2567. <http://dx.doi.org/10.1007/s11368-016-1502-6>.
- Kopylev, L; Christensen, KY; Brown, JS; Cooper, GS. (2014). A systematic review of the association between pleural plaques and changes in lung function [Review]. *Occup Environ Med*. 72: 606-614. <http://dx.doi.org/10.1136/oemed-2014-102468>.
- Korallus, U; Ulm, K; Steinmann-Steiner-Haldenstaett, W. (1993). Bronchial carcinoma mortality in the German chromate-producing industry: the effects of process modification. *Int Arch Occup Environ Health*. 65: 171-178. <http://dx.doi.org/10.1007/BF00381153>.
- Korhola, O; Hiltunen, A; Karjalainen, A; Martikainen, R; Riihimäki, H. (2001). Association between pleural plaques and coronary heart disease. *Scand J Work Environ Health*. 27: 154-155.
- Korhonen, K; Liukkonen, T; Ahrens, W; Astrakianakis, G; Boffetta, P; Burdorf, A; Heederik, D; Kauppinen, T; Kogevinas, M; Osvoll, P; Rix, BA; Saalo, A; Sunyer, J; Szadkowska-Stanczyk, I; Teschke, K; Westberg, H; Widerkiewicz, K. (2004). Occupational exposure to chemical agents in the paper industry. *Int Arch Occup Environ Health*. 77: 451-460. <http://dx.doi.org/10.1007/s00420-004-0530-5>.
- Korytkova, EN; Brovkin, AS; Maslennikova, TP; Pivovarova, LN; Drozdova, IA. (2011). Influence of the physicochemical parameters of synthesis on the growth of nanotubes of the Mg₃Si₂O₅(OH)₄ composition under hydrothermal conditions. *Glass Physics and Chemistry*. 37: 161-171. <http://dx.doi.org/10.1134/S1087659611020076>.
- Korytkova, EN; Maslov, AV; Pivovarova, LN; Drozdova, IA; Gusarov, VV. (2004). Formation of Mg₃Si₂O₅(OH)₄ nanotubes under hydrothermal conditions. *Glass Physics and Chemistry*. 30: 51-55.
- Korytkova, EN; Maslov, AV; Pivovarova, LN; Polegotchenkova, YV; Povinich, VF; Gusarov, VV. (2005). Synthesis of nanotubular Mg₃Si₂O₅(OH)₄-Ni₃Si₂O₅(OH)₄ silicates at elevated temperatures and pressures. *Inorg Mater*. 41: 743-749.
- Korytkova, EN; Pivovarova, LN; Drozdova, IA; Gusarov, VV. (2005). Synthesis of nanotubular nickel hydrosilicates and nickel-magnesium hydrosilicates under hydrothermal conditions. *Glass Physics and Chemistry*. 31: 797-802.
- Korytkova, EN; Pivovarova, LN; Gusarov, VV. (2007). Influence of iron on the kinetics of formation of chrysotile nanotubes of composition (Mg, Fe)₃Si₂O₅(OH)₄ under hydrothermal conditions. *Geochem Int*. 45: 825-831. <http://dx.doi.org/10.1134/S0016702907080083>.
- Korytkova, EN; Semyashkina, MP; Maslennikova, TP; Pivovarova, LN; Al'myashev, VI; Ugolkov, VL. (2013). Synthesis and growth of nanotubes Mg₃Si₂O₅(OH,F)₄ composition under hydrothermal conditions. *Glass Physics and Chemistry*. 39: 294-300. <http://dx.doi.org/10.1134/S1087659613030103>.
- Koshi, K; Kohyama, N; Myojo, T; Fukuda, K. (1991). CELL TOXICITY, HEMOLYTIC ACTION AND CLASTOGENIC ACTIVITY OF ASBESTOS AND ITS SUBSTITUTES. *Ind Health*. 29: 37-56.
- Koskinen, HO; Nordman, HL; Zitting, AJ; Suoranta, HT; Anttila, SL; Taikina-Aho, OS; Luukkonen, RA. (1997). Fibrosis of the lung and pleura and long-term exposure to wollastonite. *Scand J Work Environ Health*. 23: 41-47.
- Koskinen, K; Pukkala, E; Martikainen, R; Reijula, K; Karjalainen, A. (2002). Different measures of asbestos exposure in estimating risk of lung cancer and mesothelioma among construction workers. *J Occup Environ Med*. 44: 1190-1196. <http://dx.doi.org/10.1097/O1.jom.0000044129.59147.6e>.
- Koskinen, K; Pukkala, E; Reijula, K; Karjalainen, A. (2003). Incidence of cancer among the participants of the Finnish Asbestos Screening Campaign. *Scand J Work Environ Health*. 29: 64-70.
- Koskinen, K; Rinne, JP; Zitting, A; Tossavainen, A; Kivekas, J; Reijula, K; Roto, P; Huuskonen, MS. (1996). Screening for asbestos-induced diseases in Finland. *Am J Ind Med*. 30: 241-251. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199609\)30:3<241::AID-AJIM1>3.0.CO;2-1](http://dx.doi.org/10.1002/(SICI)1097-0274(199609)30:3<241::AID-AJIM1>3.0.CO;2-1).
- Koskinen, K; Zitting, A; Tossavainen, A; Rinne, JP; Roto, P; Kivekäs, J; Reijula, K; Huuskonen, MS. (1998). Radiographic abnormalities among Finnish construction, shipyard and asbestos industry workers. *Scand J Work Environ Health*. 24: 109-117.
- Kosolapova, AV; Ulenkova, LV. (1984). [Hygienic characteristics of working conditions in the manufacture of asbestos-cement slag cotton products]. *Gig Tr Prof Zabol*49-51.
- Kosuge, K; Shimada, K; Tsunashima, A. (1995). Micropore formation by acid treatment of antigorite. *Chem Mater*. 7: 2241-2246.
- Kottek, M; Kilpatrick, D. (2002). Re: Malignant mesothelioma from neighborhood exposure to anthophyllite asbestos [Letter]. *Am J Ind Med*. 41: 514. <http://dx.doi.org/10.1002/ajim.10071>.
- Kottek, M; Kilpatrick, DJ. (2016). Estimating Occupational Exposure to Asbestos in Australia [Letter]. *Ann Occup Hyg*. 60: 531-532. <http://dx.doi.org/10.1093/annhyg/mew002>.
- Kouris, SP; Parker, DL; Bender, AP; Williams, AN. (1991). Effects of asbestos-related pleural disease on pulmonary function. *Scand J Work Environ Health*. 17: 179-183.
- Kousta, RN. (1991). CONTROL OF INCIDENTAL ASBESTOS EXPOSURE AT HAZARDOUS-WASTE SITES. *J Air Waste Manag Assoc*. 41: 1004-1009.
- Kovacs, G; Radovics, BG; Toth, TM. (2016). Petrologic comparison of the Gyod and Helesfa serpentinite bodies (Tisia Mega Unit, SW Hungary). *Journal of Geosciences*. 61: 255-279. <http://dx.doi.org/10.3190/jgeosci.218>.
- Kovalevskii, EV. (1993). [Hygienic evaluation of contact with asbestos-containing dusts at thermoelectric power plants]. *Med Tr Prom Ekol*17-20.
- Kovalevskiy, EV; Schonfeld, SJ; Feletto, E; Moissonnier, M; Kashanskiy, SV; Bukhtiyarov, IV; Schüz, J. (2016). Comparison of mortality in Asbest city and the Sverdlovsk region in the Russian Federation: 1997-2010. *Environ Health*. 15: 42. <http://dx.doi.org/10.1186/s12940-016-0125-0>.
- Koyama, S; Endo, M; Kim, YA; Hayashi, T; Yanagisawa, T; Osaka, K; Koyama, H; Haniu, H; Kuroiwa, N. (2006). Role of systemic T-cells and histopathological aspects after subcutaneous implantation of various carbon nanotubes in mice. *Carbon*. 44: 1079-1092. <http://dx.doi.org/10.1016/j.carbon.2005.08.006>.
- Kozak, PK; Duke, EF; Roselle, GT. (2004). Mineral distribution in contact-metamorphosed siliceous dolomite at Ubehebe Peak, California, based on airborne imaging spectrometer data. *Am Mineral*. 89: 701-713.
- Kozawa, T; Onda, A; Yanagisawa, K; Chiba, O; Ishiwata, H; Takami, T. (2010). Thermal decomposition of chrysotile-containing wastes in a water vapor atmosphere. *Ceramic Society of Japan Journal*. 118: 1199-1201. <http://dx.doi.org/10.2109/jcersj2.118.1199>.

Fate Literature Search Results

Off Topic

- Kracisin, GJ. (1979). Drywall construction and asbestos exposure [Letter]. *Am Ind Hyg Assoc J.* 40: 829-830.
- Krakowiak, E; Górny, RL; Cembrzyńska, J; Sakol, G; Boissier-Draghi, M; Anczyk, E. (2009). Environmental exposure to airborne asbestos fibres in a highly urbanized city. *Ann Agric Environ Med.* 16: 121-128.
- Kralj, P. (2016). Hydrothermal alteration of chlorite to randomly interstratified corrensite-chlorite: Geological evidence from the Oligocene Smrekovec Volcanic Complex, Slovenia. *Appl Clay Sci.* 134: 235-245. <http://dx.doi.org/10.1016/j.clay.2016.10.025>.
- Kram, P; Oulehle, F; Stedra, V; Hruska, J; Shanley, JB; Minocha, R; Traister, E. (2009). Geoecology of a Forest Watershed Underlain by Serpentine in Central Europe. *Northeast Nat.* 16: 309-328.
- Krasilin, AA; Suprun, AM; Ubyivovk, EV; Gusarov, VV. (2016). Morphology vs. chemical composition of single Ni-doped hydrosilicate nanoscroll. *Mater Lett.* 171: 68-71. <http://dx.doi.org/10.1016/j.matlet.2016.01.152>.
- Krasinskaia, GF; Migair, KV. (1953). [Preventive measures in preparation and working with products from asbestos and cement]. *Gig Sanit.* 9: 47-49.
- Krasovskii, GN; Egorova, NA. (1985). [Asbestos and the quality of drinking water] [Review]. *Gig Sanit*64-67.
- Krasovskii, GN; Mozhaev, EA. (1993). ASBESTOS IN DRINKING WATER (pp. 20-22). (BIOSIS/94/10733). Krasovskii, GN; Mozhaev, EA.
- Krasovskii, GN; Mozhaev, EA. (1993). [Asbestos in drinking water (review)] [Review]. *Gig Sanit*20-22.
- Kraus, T; Raithel, HJ; Hering, KG. (1996). Evaluation and classification of high-resolution computed tomographic findings in patients with pneumoconiosis. *Int Arch Occup Environ Health.* 68: 249-254.
- Kraus, T; Raithel, HJ; Lehnert, G. (1997). Computer-assisted classification system for chest X-ray and computed tomography findings in occupational lung disease. *Int Arch Occup Environ Health.* 69: 482-486.
- Kraut, AG. (2009). Hospitalization in Winnipeg, Canada due to Occupational Disease: A Pilot Study. *Am J Ind Med.* 52: 372-379. <http://dx.doi.org/10.1002/ajim.20681>.
- Kreienbrock, L; Kreuzer, M; Gerken, M; Dingerkus, G; Wellmann, J; Keller, G; Wichmann, HE. (2001). Case-control study on lung cancer and residential radon in western Germany. *Am J Epidemiol.* 153: 42-52. <http://dx.doi.org/10.1093/aje/153.1.42>.
- Kreuzer, M; Heinrich, J; Wolke, G; Rosario, AS; Gerken, M; Wellmann, J; Keller, G; Kreienbrock, L; Wichmann, HE. (2003). Residential radon and risk of lung cancer in Eastern Germany. *Epidemiology.* 14: 559-568. <http://dx.doi.org/10.1097/01.ede.0000071410.26053.c4>.
- Kreuzer, M; Pohlabeln, H; Ahrens, W; Kreienbrock, L; Brüske-Hohlfeld, I; Jöckel, KH; Wichmann, HE. (1999). Occupational risk factors for lung cancer among young men. *Scand J Work Environ Health.* 25: 422-429.
- Krevor, SCM; Lackner, KS. (2011). Enhancing serpentine dissolution kinetics for mineral carbon dioxide sequestration. *Int J Greenhouse Gas Control.* 5: 1073-1080. <http://dx.doi.org/10.1016/j.ijggc.2011.01.006>.
- Krewer, JA. (1987). ANALYSIS OF ASBESTOS FIBERS IN WATER BY TRANSMISSION ELECTRON-MICROSCOPY. *J Am Water Works Assoc.* 79: 56-56.
- Krinari, GA; Khalitov, ZY. (1995). DEFECTS IN CRYSTALLINE-STRUCTURE OF CHRYSOTILE AND THEIR ROLE IN DEVELOPMENT OF TECHNOLOGICAL PROPERTIES OF ASBESTOS FIBER. *Journal of Mining Science.* 31: 314-320.
- Kristein, MM. (1981). Asbestos workers and lung cancer [Letter]. *Am J Public Health.* 71: 1409.
- Kromhout, H; Heederik, D; Dalderup, LM; Kromhout, D. (1992). Performance of two general job-exposure matrices in a study of lung cancer morbidity in the Zutphen cohort. *Am J Epidemiol.* 136: 698-711.
- Kronenberg, RS; Levin, JL; Dodson, RF; Garcia, JG; Griffith, DE. (1991). Asbestos-related disease in employees of a steel mill and a glass bottle-manufacturing plant. *Ann N Y Acad Sci.* 643: 397-403. <http://dx.doi.org/10.1177/074823379100700104>.
- Krstev, S; Dosemeci, M; Lissowska, J; Chow, WH; Zatonski, W; Ward, MH. (2005). Occupation and risk of stomach cancer in Poland. *Occup Environ Med.* 62: 318-324. <http://dx.doi.org/10.1136/oem.2004.015883>.
- Krstev, S; Stewart, P; Rusiecki, J; Blair, A. (2007). Mortality among shipyard Coast Guard workers: a retrospective cohort study. *Occup Environ Med.* 64: 651-658. <http://dx.doi.org/10.1136/oem.2006.029652>.
- Krupoves, A; Camus, M; De Guire, L. (2015). Incidence of malignant mesothelioma of the pleura in Québec and Canada from 1984 to 2007, and projections from 2008 to 2032. *Am J Ind Med.* 58: 473-482. <http://dx.doi.org/10.1002/ajim.22442>.
- Kryvdik, SG. (2002). Rare-metal syenites of the Ukrainian Shield. *Geochem Int.* 40: 639-648.
- Kudo, Y; Aizawa, Y. (2011). Safety evaluation of rock wool after nasal inhalation in rats. *Ind Health.* 49: 47-55.
- Kudo, Y; Kohyama, N; Satoh, T; Konishi, Y; Aizawa, Y. (2006). Behavior of rock wool in rat lungs after exposure by nasal inhalation. *J Occup Health.* 48: 437-445.
- Kudo, Y; Kotani, M; Aizawa, Y. (2010). Cytotoxicity study of high temperature wool (HT wool) by cell magnetometric evaluation. *J Occup Health.* 52: 106-114.
- Kuempel, ED; Stayner, LT; Dement, JD; Gilbert, SJ; Hein, MJ. (2006). Fiber Size-Specific Exposure Estimates And Updated Mortality Analysis Of Chrysotile Asbestos Textile Workers. *Toxicol Sci.* 90: 71.
- Kuhns, RJ; Sawkins, FJ; Ito, E. (1994). MAGMATISM, METAMORPHISM AND DEFORMATION AT HEMLO, ONTARIO, AND THE TIMING OF AU-MO MINERALIZATION IN THE GOLDEN GIANT MINE. *Econ Geol.* 89: 720-756.
- Kukkonen, MK; Vehmas, T; Piirilä, P; Hirvonen, A. (2014). Genes involved in innate immunity associated with asbestos-related fibrotic changes. *Occup Environ Med.* 71: 48-54. <http://dx.doi.org/10.1136/oemed-2013-101555>.
- Kullman, GJ; Greife, AL; Costello, J; Hearl, FJ. (1995). Occupational exposures to fibers and quartz at 19 crushed stone mining and milling operations. *Am J Ind Med.* 27: 641-660.
- Kumada, N; Yonesaki, Y; Takei, T; Kinomura, N; Kobayashi, M; Horiguchi, H. (2009). Hydrothermal conversion of chrysotile to amorphous silica or brucite. *Ceramic Society of Japan Journal.* 117: 1240-1242. <http://dx.doi.org/10.2109/jcersj2.117.1240>.
- Kumagai, S. (2010). Increased Risk of Lung Cancer Mortality among Residents near an Asbestos Product Manufacturing Plant (July, pg 271, 2010). *Int J Occup Environ Health.* 16: 387-387.

Fate Literature Search Results

Off Topic

- Kumagai, S; Kurumatani, N. (2009). Asbestos fiber concentration in the area surrounding a former asbestos cement plant and excess mesothelioma deaths in residents. *Am J Ind Med.* 52: 790-798. <http://dx.doi.org/10.1002/ajim.20743>.
- Kumagai, S; Kurumatani, N; Tsuda, T; Yorifuji, T; Suzuki, E. (2010). Increased risk of lung cancer mortality among residents near an asbestos product manufacturing plant. *Int J Occup Environ Health.* 16: 268-278. <http://dx.doi.org/10.1179/oeht.2010.16.3.268>.
- Kumagai, S; Kurumatani, N; Tsuda, T; Yorifuji, T; Suzuki, E. (2011). Increased Risk of Lung Cancer Mortality Among Residents Who Had Lived Near an Asbestos Product Manufacturing Plant. *Epidemiology.* 22: S75-S76.
- Kumagai, S; Nakachi, S; Kurumatani, N; Nakagiri, S; Kataoka, A. (1993). [Estimation of asbestos exposure among workers repairing asbestos cement pipes used for conduits]. *Sangyo Igaku.* 35: 178-187.
- Kumar, A; Maiti, SK. (2014). Translocation and bioaccumulation of metals in *Oryza sativa* and *Zea mays* growing in chromite-asbestos contaminated agricultural fields, Jharkhand, India. *Bull Environ Contam Toxicol.* 93: 434-441. <http://dx.doi.org/10.1007/s00128-014-1339-x>.
- Kumar, A; Maiti, SK. (2015). Assessment of potentially toxic heavy metal contamination in agricultural fields, sediment, and water from an abandoned chromite-asbestos mine waste of Roro hill, Chaibasa, India. *Environ Earth Sci.* 74: 2617-2633. <http://dx.doi.org/10.1007/s12665-015-4282-1>.
- Kumar, A; Maiti, SK. (2015). Effect of Organic Manures on the Growth of *Cymbopogon citratus* and *Chrysopogon zizanioides* for the Phytoremediation of Chromite-Asbestos Mine Waste: A Pot Scale Experiment. *Int J Phytoremediation.* 17: 437-447. <http://dx.doi.org/10.1080/15226514.2014.910174>.
- Kumar, M; Bijwe, J. (2010). Role of different metallic fillers in non-asbestos organic (NAO) friction composites for controlling sensitivity of coefficient of friction to load and speed. *Tribology International.* 43: 965-974. <http://dx.doi.org/10.1016/j.triboint.2009.12.062>.
- Kumar, M; Bijwe, J. (2011). Non-asbestos organic (NAO) friction composites: Role of copper; its shape and amount. *Wear.* 270: 269-280. <http://dx.doi.org/10.1016/j.wear.2010.10.068>.
- Kumar, M; Bijwe, J. (2013). Optimized selection of metallic fillers for best combination of performance properties of friction materials: A comprehensive study. *Wear.* 303: 569-583. <http://dx.doi.org/10.1016/j.wear.2013.03.053>.
- Kumar, M; Bijwe, J. (2014). Influence of different types of binder in non-asbestos-organic brake lining materials: A case study on inertia brake dynamometer. *Institution of Mechanical Engineers Proceedings Part J: Journal of Engineering Tribology.* 228: 584-592. <http://dx.doi.org/10.1177/1350650113515459>.
- Kumar, M; Boidin, X; Desplanques, Y; Bijwe, J. (2011). Influence of various metallic fillers in friction materials on hot-spot appearance during stop braking. *Wear.* 270: 371-381. <http://dx.doi.org/10.1016/j.wear.2010.11.009>.
- Kundiev, I, ul; Cherniuk, VI; Karakashian, AN; Kucheruk, TK; Martynovskaia, TI, u; Demetskaia, AV; Sal'nikova, NA; Chuř, TS; Piatnitsa-Gorpinchenko, NK. (2008). [Hygienic characteristics of work conditions for main occupations in asbestos cement production of Ukraine]. *Med Tr Prom Ekol*21-27.
- Kuntz, SW; Winters, CA; Hill, WG; Weinert, C; Rowse, K; Hernandez, T; Black, B. (2009). Rural public health policy models to address an evolving environmental asbestos disaster. *Public Health Nursing.* 26: 70-78. <http://dx.doi.org/10.1111/j.1525-1446.2008.00755.x>.
- Kurihara, N; Wada, O. (2004). Silicosis and smoking strongly increase lung cancer risk in silica-exposed workers [Review]. *Ind Health.* 42: 303-314. <http://dx.doi.org/10.2486/indhealth.42.303>.
- Kurrer, KE; Gock, E; Vogt, V; Florescu, R. (2004). Centrifugal tube mill for finest grinding. *Int J Miner Process.* 74: S75-S83. <http://dx.doi.org/10.1016/j.minpro.2004.07.021>.
- Kurt, A; Boz, M. (2005). Wear behaviour of organic asbestos based and bronze based powder metal brake linings. *Materials & Design.* 26: 717-721. <http://dx.doi.org/10.1016/j.matdes.2004.09.006>.
- Kurumatani, N; Kumagai, S. (2011). Significant Clustering of Mesothelioma Caused by Neighborhood Exposure to Crocidolite From a Large Asbestos Cement Pipe Plant in Japan. *Epidemiology.* 22: S75-S75.
- Kurumatani, N; Natori, Y; Mizutani, R; Kumagai, S; Haruta, M; Miura, H; Yonemasu, K. (1999). A historical cohort mortality study of workers exposed to asbestos in a refitting shipyard. *Ind Health.* 37: 9-17.
- Kuscu, I; Yilmazer, E; Gulec, N; Bayir, S; Demirela, G; Kuscu, GG; Kuru, GS; Kaymakci, N. (2011). U-Pb and Ar-40-Ar-39 Geochronology and Isotopic Constraints on the Genesis of Copper-Gold-Bearing Iron Oxide Deposits in the Hasancelebi District, Eastern Turkey. *Econ Geol.* 106: 261-288.
- Kusiorowski, R; Zaremba, T; Piotrowski, J. (2014). The potential use of cement-asbestos waste in the ceramic masses destined for sintered wall clay brick manufacture. *Ceramics International.* 40: 11995-12002. <http://dx.doi.org/10.1016/j.ceramint.2014.04.037>.
- Kusiorowski, R; Zaremba, T; Piotrowski, J. (2016). Influence of the type of pre-calcined asbestos containing wastes on the properties of sintered ceramics. *Construction and Building Materials.* 106: 422-429. <http://dx.doi.org/10.1016/j.conbuildmat.2015.12.110>.
- Kusiorowski, R; Zaremba, T; Piotrowski, J; Podworny, J. (2015). Utilisation of cement-asbestos wastes by thermal treatment and the potential possibility use of obtained product for the clinker bricks manufacture. *Journal of Materials Science.* 50: 6757-6767. <http://dx.doi.org/10.1007/s10853-015-9231-6>.
- Kutty, TRN. (1984). NITROGEN AND WATER-VAPOR ADSORPTION ON AMPHIBOLE ASBESTOS. 22: 228-232.
- Kuyper, LN. (1970). Dust Problems in the Mining, Milling and Packaging of Asbestos (pp. 42-50). (NIOSH/00177487). Kuyper, LN.
- Labagnara, D; Patrucco, M; Rossetti, P; Pellegrino, V. (2013). Predictive assessment of the asbestos content in the Western Italian Alps: an essential tool for an effective approach to risk analysis and management in tunneling operations and muck reuse. *Environ Earth Sci.* 70: 857-868. <http://dx.doi.org/10.1007/s12665-012-2174-1>.
- Laborde, A; Tomasina, F; Bianchi, F; Bruné, MN; Buka, I; Comba, P; Corra, L; Cori, L; Duffert, CM; Harari, R; Iavarone, I; Mcdiarmid, MA; Gray, KA; Sly, PD; Soares, A; Suk, WA; Landrigan, PJ. (2014). Children's Health in Latin America: The Influence of Environmental Exposures [Review]. *Environ Health Perspect.* 123: 201-209. <http://dx.doi.org/10.1289/ehp.1408292>.

Fate Literature Search Results

Off Topic

- Labrada-Delgado, G; Aragon-Pina, A; Campos-Ramos, A; Castro-Romero, T; Amador-Munoz, O; Villalobos-Pietrini, R. (2012). Chemical and morphological characterization of PM2.5 collected during MILAGRO campaign using scanning electron microscopy. *Atmos Pollut Res.* 3: 289-300. <http://dx.doi.org/10.5094/APR.2012.032>.
- Lacinska, AM; Styles, MT; Bateman, K; Wagner, D; Hall, MR; Gowing, C; Brown, PD. (2016). Acid-dissolution of antigorite, chrysotile and lizardite for ex situ carbon capture and storage by mineralisation. *Chem Geol.* 437: 153-169. <http://dx.doi.org/10.1016/j.chemgeo.2016.05.015>.
- Lacki, P. (2013). Friction conditions in the friction brake system of Mi-2 helicopter. 13: 297-303. <http://dx.doi.org/10.1016/j.acme.2013.04.005>.
- Lacourt, A; Cardis, E; Pintos, J; Richardson, L; Kincl, L; Benke, G; Fleming, S; Hours, M; Krewski, D; Mclean, D; Parent, ME; Sadetzki, S; Schlaefer, K; Schlehofer, B; Lavoue, J; van Tongeren, M; Siemiatycki, J. (2013). INTEROCC case-control study: lack of association between glioma tumors and occupational exposure to selected combustion products, dusts and other chemical agents. *BMC Public Health.* 13: 340. <http://dx.doi.org/10.1186/1471-2458-13-340>.
- Lacourt, A; Pintos, J; Lavoué, J; Richardson, L; Siemiatycki, J. (2015). Lung cancer risk among workers in the construction industry: results from two case-control studies in Montreal. *BMC Public Health.* 15: 941. <http://dx.doi.org/10.1186/s12889-015-2237-9>.
- Lacourt, A; Rolland, P; Gramond, C; Astoul, P; Chamming's, S; Ducamp, S; Frenay, C; Galateau-Sallé, F; Gilg Soit Ilg, A; Imbernon, E; Le Stang, N; Pairon, JC; Goldberg, M; Iwatsubo, Y; Salmi, LR; Brochard, P. (2010). Attributable risk in men in two French case-control studies on mesothelioma and asbestos. *Eur J Epidemiol.* 25: 799-806. <http://dx.doi.org/10.1007/s10654-010-9502-0>.
- Ladou, J. (2004). The asbestos cancer epidemic. *Environ Health Perspect.* 112: 285-290. <http://dx.doi.org/10.1289/ehp.6704>.
- Ladou, J; Castleman, B; Frank, A; Gochfeld, M; Greenberg, M; Huff, J; Joshi, TK; Landrigan, PJ; Lemen, R; Myers, J; Soffritti, M; Soskolne, CL; Takahashi, K; Teitelbaum, D; Terracini, B; Watterson, A. (2010). The case for a global ban on asbestos. *Environ Health Perspect.* 118: 897-901. <http://dx.doi.org/10.1289/ehp.1002285>.
- Lafabrie, C; Pergent, G; Pergent-Martini, C. (2009). Utilization of the seagrass *Posidonia oceanica* to evaluate the spatial dispersion of metal contamination. *Sci Total Environ.* 407: 2440-2446. <http://dx.doi.org/10.1016/j.scitotenv.2008.11.001>.
- Lafabrie, C; Pergent-Martini, C; Pergent, G. (2008). First results on the study of metal contamination along the Corsican coastline using *Posidonia oceanica*. *Mar Pollut Bull.* 57: 155-159. <http://dx.doi.org/10.1016/j.marpolbul.2007.10.007>.
- Lafabrie, C; Pergent-Martini, C; Pergent, G. (2008). Metal contamination of *Posidonia oceanica* meadows along the Corsican coastline (Mediterranean). *Environ Pollut.* 151: 262-268. <http://dx.doi.org/10.1016/j.envpol.2007.01.047>.
- Lafay, R; Deschamps, F; Schwartz, S; Guillot, S; Godard, M; Debret, B; Nicollet, C. (2013). High-pressure serpentinites, a trap-and-release system controlled by metamorphic conditions: Example from the Piedmont zone of the western Alps. *Chem Geol.* 343: 38-54. <http://dx.doi.org/10.1016/j.chemgeo.2013.02.008>.
- Lafay, R; Montes-Hernandez, G; Janots, E; Auzende, AL; Chiriach, R; Lemarchand, D; Toche, F. (2014). Influence of trace elements on the textural properties of synthetic chrysotile: Complementary insights from macroscopic and nanoscopic measurements. *Microporous and Mesoporous Materials.* 183: 81-90. <http://dx.doi.org/10.1016/j.micromeso.2013.08.032>.
- Lafay, R; Montes-Hernandez, G; Janots, E; Chiriach, R; Findling, N; Toche, F. (2012). Mineral replacement rate of olivine by chrysotile and brucite under high alkaline conditions. *J Cryst Growth.* 347: 62-72. <http://dx.doi.org/10.1016/j.jcrysgro.2012.02.040>.
- Lafay, R; Montes-Hernandez, G; Janots, E; Chiriach, R; Findling, N; Toche, F. (2014). Simultaneous precipitation of magnesite and lizardite from hydrothermal alteration of olivine under high-carbonate alkalinity. *Chem Geol.* 368: 63-75. <http://dx.doi.org/10.1016/j.chemgeo.2014.01.008>.
- Lafay, R; Montes-Hernandez, G; Janots, E; Munoz, M; Auzende, AL; Gehin, A; Chiriach, R; Proux, O. (2016). Experimental investigation of As, Sb and Cs behavior during olivine serpentinization in hydrothermal alkaline systems. *Geochim Cosmo Acta.* 179: 177-202. <http://dx.doi.org/10.1016/j.gca.2016.02.014>.
- Lafleur, J; Vena, JE. (1991). RETROSPECTIVE COHORT MORTALITY STUDY OF CANCER AMONG SEWAGE PLANT WORKERS. *Am J Ind Med.* 19: 75-86. <http://dx.doi.org/10.1002/ajim.4700190110>.
- Laforest, L; Luce, D; Goldberg, P; Bégin, D; Gérin, M; Demers, PA; Brugère, J; Leclerc, A. (2000). Laryngeal and hypopharyngeal cancers and occupational exposure to formaldehyde and various dusts: A case-control study in France. *Occup Environ Med.* 57: 767-773. <http://dx.doi.org/10.1136/oem.57.11.767>.
- Lahat, N; Froom, P; Kristal-Boneh, E; Cohen, C; Lerman, Y; Ribak, J. (1999). Increased serum concentrations of growth factor receptors and Neu in workers previously exposed to asbestos. *Occup Environ Med.* 56: 114-117.
- Lahat, N; Sobel, E; Djerassi, L; Kaufman, G; Horenstein, L; Gruener, N. (1988). IMMUNOLOGICAL PROFILE OF CHEST X-RAY-NEGATIVE ASYMPTOMATIC ASBESTOS WORKERS. *Am J Ind Med.* 13: 473-482.
- Lai, CY; Chen, CC; Hwang, JS; Shih, TS. (2002). Overall performance evaluation of aerosol number samplers. *Aerosol Sci Technol.* 36: 84-95.
- Lai, CY; Kuo, YM; Hwang, JS; Shih, TS; Chen, CC. (2006). Determination of Uniformity of Filter Deposits. *Aerosol Sci Technol.* 40: 607-614. <http://dx.doi.org/10.1080/02786820600754615>.
- Lakshmanan, S; Murugesan, T. (2014). The chlor-alkali process: Work in Progress. *Clean Tech Environ Pol.* 16: 225-234. <http://dx.doi.org/10.1007/s10098-013-0630-6>.
- Lam R, HF; Brown, JP; Fan, AM. (1994). CHEMICALS IN CALIFORNIA DRINKING WATER SOURCE OF CONTAMINATION RISK ASSESSMENT AND DRINKING WATER STANDARDS (pp. INTEGRATION OF EXPOSURE ASSESSMENT). (BIOSIS/94/23224). Lam R, HF; Brown, JP; Fan, AM.
- Lam, WK; Kung, TM; Ma, PL; So, SY; Mok, CK. (1983). First report of asbestos-related diseases in Hong Kong. *Trop Geogr Med.* 35: 225-229.
- Lambert, C; Scott, LLF; Raleigh, K; Adgate, J; Ramachandran, G; Mandel, JH; Johnson, J; Messing, R; Alexander, BH. (2011). ENVIRONMENTAL EXPOSURE TO ASBESTOS-CONTAMINATED VERMICULITE AND PREVALENCE OF RESTRICTIVE LUNG DISEASE. *Am J Epidemiol.* 173: S260-S260.
- Lambert, CS; Alexander, BH; Ramachandran, G; Maclellan, RF; Nelson, HH; Ryan, AD; Mandel, JH. (2016). A case-control study of mesothelioma in Minnesota iron ore (taconite) miners. *Occup Environ Med.* 73: 103-109. <http://dx.doi.org/10.1136/oemed-2015-103105>.

Fate Literature Search Results

Off Topic

- Lamote, K; Nackaerts, K; van Meerbeeck, J. (2014). Strengths, Weaknesses, and Opportunities of Diagnostic Breathomics in Pleural Mesothelioma-A Hypothesis. *Cancer Epidemiol Biomarkers Prev.* 23: 898-908. <http://dx.doi.org/10.1158/1055-9965.EPI-13-0737>.
- Landers, J, ay. (2009). US EPA Declares Libby Asbestos Site a 'Public Health Emergency'. *Civil Engineering.* 79: 16-19.
- Landrigan, P. (2004). Dr. T.K. Joshi and asbestos in India: a message from the Collegium Ramazzini. *Am J Ind Med.* 45: 125-128. <http://dx.doi.org/10.1002/ajim.10346>.
- Landrigan, PJ. (1991). A population of children at risk of exposure to asbestos in place. *Ann N Y Acad Sci.* 643: 283-286.
- Landrigan, PJ. (1992). Commentary: environmental disease--a preventable epidemic [Comment]. *Am J Public Health.* 82: 941-943.
- Landrigan, PJ. (2004). The WTC disaster: Landrigan's response. *Environ Health Perspect.* 112: A607-A607.
- Landrigan, PJ. (2005). Children as a vulnerable population. *Hum Ecol Risk Assess.* 11: 235-238. <http://dx.doi.org/10.1080/10807030590920051>.
- Landrigan, PJ. (2016). Comments on the 2014 Helsinki consensus report on asbestos. *Ind Health.* 54: 94-97. <http://dx.doi.org/10.2486/indhealth.cr03>.
- Landrigan, PJ; Liou, PJ; Thurston, G; Berkowitz, G; Chen, LC; Chillrud, SN; Gavett, SH; Georgopoulos, PG; Geyh, AS; Levin, S; Perera, F; Rappaport, SM; Small, C. (2004). Health and environmental consequences of the world trade center disaster [Review]. *Environ Health Perspect.* 112: 731-739. <http://dx.doi.org/10.1289/ehp.6702>.
- Landrigan, PJ; Melius, JM; Rinsky, RA; Thun, MJ. (1985). APPROACHES TO THE ESTIMATION OF EXPOSURE IN OCCUPATIONAL EPIDEMIOLOGY (pp. COLD SPRING HARBOR). (BIOSIS/86/16406). Landrigan, PJ; Melius, JM; Rinsky, RA; Thun, MJ.
- Landrigan, PJ; Nicholson, WJ; Suzuki, Y; Ladou, J. (1999). The hazards of chrysotile asbestos: a critical review [Review]. *Ind Health.* 37: 271-280.
- Landrigan, PJ; Ramazzini, C. (2016). Comments on the 2014 Helsinki Consensus Report on Asbestos. 82: 217-220. <http://dx.doi.org/10.1016/j.aogh.2016.01.018>.
- Landrigan, PJ; Ramazzini, C. (2016). Comments on the Causation of Malignant Mesothelioma: Rebutting the False Concept That Recent Exposures to Asbestos Do Not Contribute to Causation of Mesothelioma. 82: 214-216. <http://dx.doi.org/10.1016/j.aogh.2016.01.017>.
- Landrigan, PJ; Soffritti, M. (2005). Collegium Ramazzini call for an international ban on asbestos [Editorial]. *Am J Ind Med.* 47: 471-474. <http://dx.doi.org/10.1002/ajim.20173>.
- Landucci, G; Rossi, F; Nicoletta, C; Zanelli, S. (2009). Design and testing of innovative materials for passive fire protection. *Fire Safety Journal.* 44: 1103-1109. <http://dx.doi.org/10.1016/j.firesaf.2009.08.004>.
- Langard, S. (1992). ATTITUDES AND OPINIONS REGARDING ASBESTOS AND CANCER 1934-1965 - COMMENT. *Am J Ind Med.* 22: 267-269.
- Langard, S. (1992). PROPOSAL FOR FUTURE USES IN EPIDEMIOLOGY FOR COHORT STUDIES ON THE PREVENTION OF WORK-RELATED CANCER. *Scand J Work Environ Health.* 18: 57-63.
- Langard, S. (1994). PREVENTION OF LUNG-CANCER THROUGH THE USE OF KNOWLEDGE ON ASBESTOS AND OTHER WORK-RELATED CAUSES - NORWEGIAN EXPERIENCES [Review]. *Scand J Work Environ Health.* 20: 100-107.
- Langård, S. (1994). Nickel-related cancer in welders [Review]. *Sci Total Environ.* 148: 303-309.
- Lange, A. (1980). An epidemiological survey of immunological abnormalities in asbestos workers. I. Nonorgan and organ-specific autoantibodies. *Environ Res.* 22: 162-175.
- Lange, A. (1980). An epidemiological survey of immunological abnormalities in asbestos workers. II. Serum immunoglobulin levels. *Environ Res.* 22: 176-183.
- Lange, A; Garncarek, D; Tomeczko, J; Ciechanowski, G; Bisikiewicz, R. (1986). Outcome of asbestos exposure (lung fibrosis and antinuclear antibodies) with respect to skin reactivity: an 8-year longitudinal study. *Environ Res.* 41: 1-13.
- Lange, J; Mastrangelo, G; Cegolon, L. (2011). Asbestos abatement workers versus asbestos workers: exposure and health-effects differ [Letter]. *Int J Occup Med Environ Health.* 24: 418-419; author reply 420-411. <http://dx.doi.org/10.2478/s13382-011-0039-6>.
- Lange, JH. (1999). A statistical evaluation of asbestos air concentrations. *Indoor Built Environ.* 8: 293-303.
- Lange, JH. (2000). Cost and distribution of bids for asbestos abatement projects in the public sector. *Indoor Built Environ.* 9: 201-206.
- Lange, JH. (2001). Airborne asbestos concentrations during abatement of floor tile and mastic: Evaluation of two different containment systems and discussion of regulatory issues. *Indoor Built Environ.* 10: 193-199.
- Lange, JH. (2001). Has the World Trade Center tragedy established a new standard for asbestos? *Indoor Built Environ.* 10: 346-349.
- Lange, JH. (2001). Levels of aerosol trace metals along the Mediterranean coast of Israel (1996-1997) - Barak Herut, *Fres Environm Bulletin* 10, 89-93, 2001. *Fresen Environ Bull.* 10: 741-742.
- Lange, JH. (2001). Occupational exposure during removal of windows with lead-based paint and asbestos caulking. *Bull Environ Contam Toxicol.* 66: 146-149.
- Lange, JH. (2002). Airborne exposure and soil levels associated with lead abatement of a steel tank. *Toxicol Ind Health.* 18: 28-38. <http://dx.doi.org/10.1191/0748233702th1270a>.
- Lange, JH. (2002). How do you interpret regulations: through science or agency rules? [Letter]. *Toxicol Ind Health.* 18: 107-108. <http://dx.doi.org/10.1191/0748233702th134xx>.
- Lange, JH. (2002). Impact of asbestos concentrations in floor tiles on exposure during removal. *Int J Environ Health Res.* 12: 293-300. <http://dx.doi.org/10.1080/0960312021000056401>.
- Lange, JH. (2003). Are personal and static samples related? (letter on Harrison, R M; Thornton, C A; Lawrence, R G; Mark, D; Kinnersley, R P; Ayres, J G (2002) Personal exposure monitoring of particulate matter, nitrogen dioxide, and carbon monoxide, including susceptible groups. *Occup. Environ. Med.* 59: 671-679) [Letter]. *Occup Environ Med.* 60: 224-225.
- Lange, JH. (2004). Arsenic exposure levels during cleanup of fly ash and dermatitis in an air sampling technician. *Bull Environ Contam Toxicol.* 72: 1098-1100. <http://dx.doi.org/10.1007/s00128-004-0356-6>.
- Lange, JH. (2004). Asbestos abatement of pipe and floor tile/mastic and comparison of critical plastic barrier controls. *Bull Environ Contam Toxicol.* 72: 542-546. <http://dx.doi.org/10.1007/s00128-001-0278-3>.

Fate Literature Search Results

Off Topic

- Lange, JH. (2004). Emergence of a new policy for asbestos: A result of the World Trade Center tragedy. *Indoor Built Environ.* 13: 21-33. <http://dx.doi.org/10.1177/1420326x04038959>.
- Lange, JH. (2005). Airborne exposure during asbestos abatement of floor tile, wall plaster, and pipe insulation. *Bull Environ Contam Toxicol.* 74: 70-72. <http://dx.doi.org/10.1007/s00128-004-0549-z>.
- Lange, JH. (2005). Asbestos-containing floor tile and mastic abatement: Is there enough exposure to cause asbestos-related disease? *Indoor Built Environ.* 14: 83-88. <http://dx.doi.org/10.1177/142032X05050675>.
- Lange, JH. (2006). Type and amount of asbestos in floor tile and mastic. *Bull Environ Contam Toxicol.* 77: 807-809. <http://dx.doi.org/10.1007/s00128-006-1215-4>.
- Lange, JH; Bules, M; Lindquist, J; Gray, M; Ivarone, C. (2000). A survey of publicly funded asbestos abatement projects in the county of Erie, Pennsylvania, USA, during the time period 1996-1999. *Indoor Built Environ.* 9: 342-347.
- Lange, JH; Grad, JW; Lange, PA; Thomulka, KW; Dunmyre, GR; Lee, RJ; Richardson, CF; Blumershine, RVH. (1993). Asbestos abatement of ceiling panels and mold growth in a public school building after water damage: a case study of contaminant levels. *Fresen Environ Bull.* 2: 13-18.
- Lange, JH; Hoskins, JA; Mastrangelo, G. (2006). Smoking rates in asbestos workers [Letter]. *Occup Med (Lond).* 56: 581. <http://dx.doi.org/10.1093/occmed/kql090>.
- Lange, JH; Kaiser, G; Thomulka, KW. (1994). Environmental site assessments and audits: building inspection requirements. *J Environ Manage.* 18: 151-160.
- Lange, JH; Kuhn, BD; Thomulka, KW; Sites, SLM. (2000). A study of area and personal airborne asbestos samples during abatement in a crawl space. *Indoor Built Environ.* 9: 192-200.
- Lange, JH; Lange, PR; Reinhard, TK; Thomulka, KW. (1996). A study of personal and area airborne asbestos concentrations during asbestos abatement: A statistical evaluation of fibre concentration data. *Ann Occup Hyg.* 40: 449-466.
- Lange, JH; Marangi, G; Mastrangelo, G. (2009). Non-asbestos Risks of Asbestos Abatement Workers. *Indoor Built Environ.* 18: 90-92. <http://dx.doi.org/10.1177/1420326X08100810>.
- Lange, JH; Mastrangelo, G. (2008). What are the real risks for asbestos abatement workers? *Indoor Built Environ.* 17: 274-276. <http://dx.doi.org/10.1177/1420326X08091055>.
- Lange, JH; Mastrangelo, G. (2009). Real Risk. *Indoor Built Environ.* 18: 187-188. <http://dx.doi.org/10.1177/1420326X09105604>.
- Lange, JH; Mastrangelo, G; Buja, A. (2006). Smoking and alcohol use in asbestos abatement workers. *Bull Environ Contam Toxicol.* 77: 338-342. <http://dx.doi.org/10.1007/s00128-006-1071-2>.
- Lange, JH; Mastrangelo, G; Cegolon, L. (2012). Infectious disease risk in asbestos abatement workers. *BMC Public Health.* 12: 665. <http://dx.doi.org/10.1186/1471-2458-12-665>.
- Lange, JH; Mastrangelo, G; Cegolon, L. (2012). A proposed threshold exposure for airborne asbestos [Letter]. *Occup Environ Med.* 69: 227-228. <http://dx.doi.org/10.1136/oemed-2011-100225>.
- Lange, JH; Priolo, G; Mastrangelo, G. (2004). Smoking trend in a high-risk group: asbestos abatement workers [Letter]. *J Occup Environ Med.* 46: 1195. <http://dx.doi.org/10.1097/01.jom.0000147221.40883.68>.
- Lange, JH; Sites, SL; Mastrangelo, G; Thomulka, KW. (2006). Exposure to airborne asbestos during abatement of ceiling material, window caulking, floor tile, and roofing material. *Bull Environ Contam Toxicol.* 77: 718-722. <http://dx.doi.org/10.1007/s00128-006-1122-8>.
- Lange, JH; Sites, SL; Mastrangelo, G; Thomulka, KW. (2008). Exposure to airborne asbestos during abatement of ceiling material, window caulking, floor tile and roofing material. *Bull Environ Contam Toxicol.* 80: 10-13. <http://dx.doi.org/10.1007/s00128-007-9280-x>.
- Lange, JH; Spence, PL; Rosato, PA. (1991). A MEDICAL-SURVEILLANCE PROGRAM FOR HAZARDOUS-WASTE ACTIVITIES AND ASBESTOS-ABATEMENT OPERATION FOR A CONSULTING ENGINEERING FIRM. *Journal of Environmental Science and Health, Part A: Environmental Science and Engineering and Toxi.* 26: 953-970.
- Lange, JH; Thomulka, KW. (2000). Air sampling during asbestos abatement of floor tile and mastic. *Bull Environ Contam Toxicol.* 64: 497-501.
- Lange, JH; Thomulka, KW. (2000). Area and personal airborne exposure during abatement of asbestos-containing roofing material. *Bull Environ Contam Toxicol.* 64: 673-678.
- Lange, JH; Thomulka, KW. (2000). An evaluation of personal airborne asbestos exposure measurements during abatement of dry wall and floor tile/mastic. *Int J Environ Health Res.* 10: 5-19.
- Lange, JH; Thomulka, KW. (2000). Occupational exposure to airborne asbestos during abatement of asbestos-containing pipe and boiler insulation. *Fresen Environ Bull.* 9: 477-482.
- Lange, JH; Thomulka, KW. (2001). Personal exposure to asbestos during removal of asbestos-containing window caulking and floor tile/pipe insulation. *Fresen Environ Bull.* 10: 688-691.
- Lange, JH; Thomulka, KW. (2002). Airborne exposure concentrations during asbestos abatement of ceiling and wall plaster. *Bull Environ Contam Toxicol.* 69: 712-718. <http://dx.doi.org/10.1007/s00128-002-0119-1>.
- Lange, JH; Thomulka, KW. (2003). Smoking prevalence of asbestos workers: a comment [Letter]. *Am J Ind Med.* 44: 218-219; author reply 220-211. <http://dx.doi.org/10.1002/ajim.10247>.
- Lange, JH; Thomulka, KW; Lee, RH; Van Orden, DR. (2002). Surface and passive monitoring for asbestos in an industrial facility. *Indoor Built Environ.* 11: 327-333. <http://dx.doi.org/10.1159/000068233>.
- Lange, JH; Thomulka, KW; Lee, RJ; Dunmyre, GR. (1995). EVALUATION OF LIFT AND PASSIVE SAMPLING METHODS DURING ASBESTOS ABATEMENT ACTIVITIES. *Bull Environ Contam Toxicol.* 55: 325-331.
- Lange, JH; Thomulka, KW; Sites, SL. (2002). Comparison of asbestos exposure in a containment system with and without employment of glovebags. *Bull Environ Contam Toxicol.* 69: 843-846. <http://dx.doi.org/10.1007/s00128-002-0136-0>.

Fate Literature Search Results

Off Topic

- Lange, JH; Thomulka, KW; Sites, SL; Priolo, G; Mastrangelo, G. (2006). Personal airborne asbestos exposure levels associated with various types of abatement. *Bull Environ Contam Toxicol*. 76: 389-391. <http://dx.doi.org/10.1007/s00128-006-0933-y>.
- Lange, JH; Thomulka, KW; Sites, SLM. (2003). Airborne concentrations of asbestos during removal of pipe/boiler insulation using glovebags with and without containments. *Fresen Environ Bull*. 12: 431-434.
- Lange, JH; Thomulka, KW; Sites, SS; Priolo, G; Buja, A; Mastrangelo, G. (2005). Personal exposure during abatement of various asbestos-containing materials in the same work area. *Bull Environ Contam Toxicol*. 74: 1034-1036.
- Lange, JH; Wade, JW; Thomulka, KW. (1994). ENVIRONMENTAL CLEANUP - A DISCUSSION OF COST, QUALITY AND LIABILITY IN THE ASBESTOS ABATEMENT INDUSTRY. *Fresen Environ Bull*. 3: 269-274.
- Lange, JH; Wang, M; Buja, A; Mastrangelo, G. (2005). Area and personal exposure measurements during asbestos abatement of a crawl space and boiler room. *Bull Environ Contam Toxicol*. 74: 388-390. <http://dx.doi.org/10.1007/s00128-004-0596-5>.
- Lange, JH; Weyel, DA; Rosato, LM; Tucker, D; Malek, DE; Mayernik, JA; Ryan, LK. (1987). PRELIMINARY RESULTS ON SMOKING PATTERNS FOR WORKERS ATTENDING AN ASBESTOS ABATEMENT COURSE [Letter]. *Scand J Work Environ Health*. 13: 459-459.
- Langer, AM. (1979). SIGNIFICANCE OF ASPECT RATIO IN REGULATION OF ASBESTOS FIBER EXPOSURE (pp. NEW YORK). (HEEP/81/07875). Langer, AM.
- Langer, AM; Maggiore, CM; Nicholson, WJ; Rohl, AN; Rubin, IB; Selikoff, IJ. (1979). The contamination of Lake Superior with amphibole gangue minerals. *Ann N Y Acad Sci*. 330: 549-572.
- Langer, AM; Morse, RG. (2001). The World Trade Center catastrophe: Was the type of spray fire proofing a factor in the collapse of the Twin Towers? *Indoor Built Environ*. 10: 350-360.
- Langer, AM; Nolan, RP. (1994). Chrysotile biopersistence in the lungs of persons in the general population and exposed workers. *Environ Health Perspect*. 102 Suppl 5: 235-239.
- Langer, AM; Nolan, RP. (1997). Asbestos disease in foundrymen [Letter]. *J Occup Environ Med*. 39: 699-700.
- Langer, AM; Selikoff, IJ; Sastre, A. (1971). CHRYSOTILE ASBESTOS IN LUNGS OF PERSONS IN NEW YORK CITY. *Arch Environ Health*. 22: 348-&.
- Langer, WH; Van Gosen, BS; Meeker, GP; Adams, DT; Hoefen, TM. (2011). The dispersion of fibrous amphiboles by glacial processes in the area surrounding Libby, Montana, USA. *Environ Earth Sci*. 64: 157-168. <http://dx.doi.org/10.1007/s12665-010-0832-8>.
- Langevin, SM; O'Sullivan, MH; Valerio, JL; Pawlita, M; Applebaum, KM; Eliot, M; Mcclean, MD; Kelsey, KT. (2013). Occupational asbestos exposure is associated with pharyngeal squamous cell carcinoma in men from the greater Boston area. *Occup Environ Med*. 70: 858-863. <http://dx.doi.org/10.1136/oemed-2013-101528>.
- Langseth, H; Andersen, A. (1999). Cancer incidence among women in the Norwegian pulp and paper industry. *Am J Ind Med*. 36: 108-113. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199907\)36:1<108::AID-AJIM15>3.0.CO;2-N](http://dx.doi.org/10.1002/(SICI)1097-0274(199907)36:1<108::AID-AJIM15>3.0.CO;2-N).
- Langseth, H; Andersen, A. (2000). Cancer incidence among male pulp and paper workers in Norway. *Scand J Work Environ Health*. 26: 99-105.
- Langseth, H; Hankinson, SE; Siemiatycki, J; Weiderpass, E. (2008). Perineal use of talc and risk of ovarian cancer [Review]. *J Epidemiol Community Health*. 62: 358-360. <http://dx.doi.org/10.1136/jech.2006.047894>.
- Langseth, H; Kjaerheim, K. (2004). Ovarian cancer and occupational exposure among pulp and paper employees in Norway. *Scand J Work Environ Health*. 30: 356-361.
- Lanphear, BP; Buncher, CR. (1992). Latent period for malignant mesothelioma of occupational origin [Review]. *J Occup Med*. 34: 718-721.
- Lapalme, R; Patitsas, TAJ. (1993). LIGHT-SCATTERING BY ANTHOPHYLLITE-CROCIDOLITE ASBESTOS FIBERS .1. THE DOMAIN OF CONVERGENCE OF THE EBCM THEORY. *Particle & Particle Systems Characterization*. 10: 111-117.
- Lapalme, R; Patitsas, TAJ. (1993). LIGHT-SCATTERING BY ANTHOPHYLLITE-CROCIDOLITE ASBESTOS FIBERS .2. COMPARISON OF VARIOUS APPROXIMATE THEORIES WITH THE EBCM THEORY. *Particle & Particle Systems Characterization*. 10: 212-221.
- Laquatra, J; Maxwell, LE; Pierce, M. (2005). Indoor air pollutants: Limited-resource households and child care facilities. *J Environ Health*. 67: 39-43.
- Larachi, F; Daldoul, I; Beaudoin, G. (2010). Fixation of CO2 by chrysotile in low-pressure dry and moist carbonation: Ex-situ and in-situ characterizations. *Geochim Cosmo Acta*. 74: 3051-3075. <http://dx.doi.org/10.1016/j.gca.2010.03.007>.
- Larachi, F; Gravel, JP; Grandjean, BPA; Beaudoin, G. (2012). Role of steam, hydrogen and pretreatment in chrysotile gas-solid carbonation: Opportunities for pre-combustion CO2 capture. *Int J Greenhouse Gas Control*. 6: 69-76. <http://dx.doi.org/10.1016/j.ijggc.2011.10.010>.
- Larsen, JF; Knittle, E; Williams, Q. (2003). Constraints on the speciation of hydrogen in earth's transition zone. *Phys Earth Planet In*. 136: 93-105. [http://dx.doi.org/10.1016/S0031-9201\(03\)00025-6](http://dx.doi.org/10.1016/S0031-9201(03)00025-6).
- Larsen, RI. (2003). An air quality data analysis system for interrelating effects, standards, and needed source reductions: Part 13 - Applying the EPA proposed guidelines for carcinogen risk assessment to a set of asbestos lung cancer mortality data. *J Air Waste Manag Assoc*. 53: 1326-1339.
- Larson, CD; Love, OT; Reynolds, G. (1983). TETRACHLOROETHYLENE LEACHED FROM LINED ASBESTOS CEMENT PIPE INTO DRINKING-WATER. *J Am Water Works Assoc*. 75: 184-188.
- Larson, D; Powers, A; Ambrosi, JP; Tanji, M; Napolitano, A; Flores, EG; Baumann, F; Pellegrini, L; Jennings, CJ; Buck, BJ; Mclaurin, BT; Merkler, D; Robinson, C; Morris, P; Dogan, M; Dogan, AU; Pass, HI; Pastorino, S; Carbone, M; Yang, H. (2016). Investigating palygorskite's role in the development of mesothelioma in southern Nevada: Insights into fiber-induced carcinogenicity. *J Toxicol Environ Health B Crit Rev*. 19: 213-230. <http://dx.doi.org/10.1080/10937404.2016.1195321>.
- Larson, T; Melnikova, N; Davis, SI; Jamison, P. (2007). Incidence and descriptive epidemiology of mesothelioma in the United States, 1999-2002. *Int J Occup Environ Health*. 13: 398-403.
- Larson, TC; Antao, VC; Bove, FJ. (2010). Vermiculite worker mortality: Estimated effects of occupational exposure to Libby amphibole. *J Occup Environ Med*. 52: 555-560. <http://dx.doi.org/10.1097/JOM.0b013e3181dc6d45>.

Fate Literature Search Results

Off Topic

- Larson, TC; Antao, VC; Bove, FJ; Cusack, C. (2012). Association between cumulative fiber exposure and respiratory outcomes among Libby vermiculite workers. *J Occup Environ Med.* 54: 56-63. <http://dx.doi.org/10.1097/JOM.0b013e31823c141c>.
- Larson, TC; Lewin, M; Gottschall, EB; Antao, VC; Kapil, V; Rose, CS. (2012). Associations between radiographic findings and spirometry in a community exposed to Libby amphibole. *Occup Environ Med.* 69: 361-366. <http://dx.doi.org/10.1136/oemed-2011-100316>.
- Lash, TL; Crouch, EA; Green, LC. (1997). A meta-analysis of the relation between cumulative exposure to asbestos and relative risk of lung cancer. *Occup Environ Med.* 54: 254-263.
- Laster, R. (1992). EXPOSURE OF WORKERS TO TOXIC SUBSTANCES AND PHYSICAL HAZARDS THE LAW IN THEORY AND PRACTICE. *Isr J Med Sci.* 28: 8-9.
- Latif, MT; Baharudin, NH; Velayutham, P; Awang, N; Hamdan, H; Mohamad, R; Mokhtar, MB. (2011). Composition of heavy metals and airborne fibers in the indoor environment of a building during renovation. *Environ Monit Assess.* 181: 479-489. <http://dx.doi.org/10.1007/s10661-010-1843-3>.
- Latour, I; Miranda, R; Blanco, A. (2015). Silica removal with sparingly soluble magnesium compounds. Part II. Separation and Purification Technology. 149: 331-338. <http://dx.doi.org/10.1016/j.seppur.2015.05.037>.
- Latour, I; Miranda, R; Blanco, A. (2016). Optimization of silica removal with magnesium chloride in papermaking effluents: mechanistic and kinetic studies. *Environ Sci Pollut Res Int.* 23: 3707-3717. <http://dx.doi.org/10.1007/s11356-015-5542-z>.
- Laubscher, DH. (1978). NEW METHOD FOR EXAMINING CHRYSOTILE ASBESTOS FIBER PADS. 31: 308-&.
- Lauenstein, HD; Quarcoo, D; Welte, T; Braun, A; Groneberg, DA. (2013). Expression of VPAC1 in a murine model of allergic asthma. *J Occup Med Toxicol.* 8: 28. <http://dx.doi.org/10.1186/1745-6673-8-28>.
- Laurent, F; Paris, C; Ferretti, GR; Beigelman, C; Montaudon, M; Latrabe, V; Jankowski, A; Badachi, Y; Clin, B; Gislard, A; Letourneux, M; Luc, A; Schorlé, E; Brochard, P; Ameille, J; Pairon, JC. (2014). Inter-reader agreement in HRCT detection of pleural plaques and asbestosis in participants with previous occupational exposure to asbestos. *Occup Environ Med.* 71: 865-870. <http://dx.doi.org/10.1136/oemed-2014-102336>.
- Lauretti, RLB; Machado, JR; Cruscio, CAC; Andreotti, M. (2001). Effects of different water management on the plants settlement of the pre-germinated rice seeds system. *Pesqui Agropecu Bras.* 36: 1093-1099.
- Lave, LB. (1984). REPORT OF THE ROYAL-COMMISSION-ON-THE-MATTERS-OF-HEALTH-AND-SAFETY ARISING FROM THE USE OF ASBESTOS IN ONTARIO - ONTARIO-MINIST-ATTORNEY-GEN. *Issues Sci Technol.* 1: 132-132.
- Lave, LB. (1987). CONTROLLING ASBESTOS IN BUILDINGS - AN ECONOMIC INVESTIGATION - DEWEES, DN. *Issues Sci Technol.* 3: 124-124.
- Lavikko, S; Eklund, O. (2016). The significance of the serpentinite characteristics in mineral carbonation by "the AA Route". *Int J Miner Process.* 152: 7-15. <http://dx.doi.org/10.1016/j.minpro.2016.04.009>.
- Lavkulich, LM; Schreier, HE; Wilson, JE. (2014). Effects of natural acids on surface properties of asbestos minerals and kaolinite. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 49: 617-624. <http://dx.doi.org/10.1080/10934529.2014.865401>.
- Lavrent'ev, OV. (2001). Asbestos board - An 87-year-long history of the heat-insulating materials market. *Refractories and Industrial Ceramics.* 42: 402-404.
- Lazar, M; Carnogurska, M; Brestovic, TG; Jasminska, N; Kmet'ova, L; Kapustova, L; Jezny, T. (2016). High-Temperature Processing of Asbestos-Cement Roofing Material in a Plasma Reactor. *Pol J Environ Stud.* 25: 2027-2033. <http://dx.doi.org/10.15244/pjoes/62959>.
- Le Bas, MJ; Xueming, Y; Taylor, RN; Spiro, B; Milton, JA; Peishan, Z. (2007). New evidence from a calcite-dolomite carbonatite dyke for the magmatic origin of the massive Bayan Obo ore-bearing dolomite marble, Inner Mongolia, China. *Mineralogy and Petrology.* 90: 223-248. <http://dx.doi.org/10.1007/s00710-006-0177-x>.
- le Bouffant, L. (1978). [Asbestos fibers in alcoholic beverages. Contaminating role of filtration material]. 32: 1011-1019.
- Le Guen, JM; Burdett, G. (1981). Asbestos concentration in public buildings: A preliminary report. *Ann Occup Hyg.* 24: 185-190.
- Le, GV; Takahashi, K; Karjalainen, A; Delgermaa, V; Hoshuyama, T; Miyamura, Y; Furuya, S; Higashi, T; Pan, G; Wagner, G. (2010). National use of asbestos in relation to economic development. *Environ Health Perspect.* 118: 116-119. <http://dx.doi.org/10.1289/ehp.0901196>.
- Le Neindre, B; Bouvier, V; Galateau-Sallé, F; de Quillacq, A; Launoy, G; Letourneux, M. (2007). [Compensation of malignant mesothelioma as an occupational disease in Lower Normandy, from 1995 to 2002]. *Rev Epidemiol Sante Publique.* 55: 123-131. <http://dx.doi.org/10.1016/j.respe.2006.10.002>.
- Lea, CS; Hertz-Picciotto, I; Andersen, A; Chang-Claude, J; Olsen, JH; Pesatori, AC; Teppo, L; Westerholm, P; Winter, PD; Boffetta, P. (1999). Gender differences in the healthy worker effect among synthetic vitreous fiber workers. *Am J Epidemiol.* 150: 1099-1106.
- Leake, BE; Woolley, AR; Arps, CES; Birch, WD; Gilbert, MC; Grice, JD; Hawthorne, FC; Kato, A; Kisch, HJ; Krivovichev, VG; Linthout, K; Laird, J; Mandarino, J; Maresch, WV; Nickel, EH; Rock, NMS; Schumacher, JC; Smith, DC; Shephenson, NCN; Ungaretti, L; Whittake, EJW; Youzhi, G. (1997). Nomenclature of amphiboles: report of the Subcommittee on Amphiboles of the International Mineralogical Association Commission on New Minerals and Mineral Names. *Can Mineral.* 35: 219-246.
- Leanderson, P. (1992). HYDROGEN-PEROXIDE RELEASE AND HYDROXYL RADICAL FORMATION IN MIXTURES CONTAINING MINERAL FIBERS AND HUMAN NEUTROPHILS. *Br J Ind Med.* 49: 745-749.
- Leanderson, P; Lagesson, V; Tagesson, C. (1997). Demonstration of nitric oxide on asbestos and silicon carbide fibers with a new ultraviolet spectrophotometric assay. *Environ Health Perspect.* 105: 1037-1040.
- Leanderson, P; Soderkvist, P; Tagesson, C; Axelson, O. (1988). FORMATION OF 8-HYDROXYDEOXYGUANOSINE BY ASBESTOS AND MAN-MADE MINERAL FIBERS. *Br J Ind Med.* 45: 309-311.
- Leanderson, P; Tagesson, C. (1994). Cigarette tar promotes neutrophil-induced DNA damage in cultured lung cells. *Environ Res.* 64: 103-111. <http://dx.doi.org/10.1006/enrs.1994.1009>.
- Lebas, MJ; Keller, J; Tao, KJ; Wall, F; Williams, CT; Zhang, PS. (1992). CARBONATITE DYKES AT BAYAN OBO, INNER-MONGOLIA, CHINA. *Mineralogy and Petrology.* 46: 195-228.

Fate Literature Search Results

Off Topic

- Lebedova, J; Dlouha, B; Rychla, L; Neuwirth, J; Brabec, M; Pelclova, D; Fenclova, Z. (2003). Lung function impairment in relation to asbestos-induced pleural lesions with reference to the extent of the lesions and the initial parenchymal fibrosis. *Scand J Work Environ Health*. 29: 388-395. <http://dx.doi.org/10.5271/sjweh.745>.
- Lebkuchnerneugebauer, J; Buchmann, C. (1992). EXPERIMENTS ON SURFACE-TREATMENT OF ASBESTOS MATERIALS BY LASER-BEAM. *Staub, Reinhaltung der Luft*. 52: 49-53.
- Lebovits, AH; Byrne, M; Bernstein, J; Strain, JJ. (1988). CHRONIC OCCUPATIONAL EXPOSURE TO ASBESTOS - MORE THAN MEDICAL EFFECTS. *J Occup Environ Med*. 30: 49-54.
- Lebovits, AH; Chahinian, AP; Holland, JC. (1983). Exposure To Asbestos: Psychological Responses Of Mesothelioma Patients. *Am J Ind Med*. 4: 459-466.
- Lechat, K; Lemieux, JM; Molson, J; Beaudoin, G; Hebert, R. (2016). Field evidence of CO₂ sequestration by mineral carbonation in ultramafic milling wastes, Thetford Mines, Canada. *Int J Greenhouse Gas Control*. 47: 110-121. <http://dx.doi.org/10.1016/j.ijggc.2016.01.036>.
- Lechner, JF; Tesfaigzi, J; Gerwin, BI. (1997). Oncogenes and tumor-suppressor genes in mesothelioma - A synopsis. *Environ Health Perspect*. 105: 1061-1067. <http://dx.doi.org/10.2307/3433510>.
- Ledda, C; Loreto, C; Pomara, C; Rapisarda, G; Fiore, M; Ferrante, M; Bracci, M; Santarelli, L; Fenga, C; Rapisarda, V. (2016). Sheep lymph-nodes as a biological indicator of environmental exposure to fluoro-edenite. *Environ Res*. 147: 97-101. <http://dx.doi.org/10.1016/j.envres.2016.01.043>.
- Ledda, C; Pomara, C; Bracci, M; Mangano, D; Ricceri, V; Musumeci, A; Ferrante, M; Musumeci, G; Loreto, C; Fenga, C; Santarelli, L; Rapisarda, V. (2016). Natural carcinogenic fiber and pleural plaques assessment in a general population: A cross-sectional study. *Environ Res*. 150: 23-29. <http://dx.doi.org/10.1016/j.envres.2016.05.024>.
- Lee, C, inTyA; Oka, M; Luffi, P; Agranier, A. (2008). Internal distribution of Li and B in serpentinites from the Feather River Ophiolite, California, based on laser ablation inductively coupled plasma mass spectrometry. *G-cubed*. 9. <http://dx.doi.org/10.1029/2008GC002078>.
- Lee, DG; Kim, SS. (2004). Failure analysis of asbestos-phenolic composite journal bearing. *Composite Structures*. 65: 37-46. <http://dx.doi.org/10.1016/j.compstruct.2003.10.004>.
- Lee, DJ; Fleming, LE; Mccollister, KE; Caban, AJ; Arheart, KL; Leblanc, WG; Chung-Bridges, K; Christ, SL; Dietz, N; Clark, JD. (2007). Healthcare provider smoking cessation advice among US worker groups. *Tob Control*. 16: 325-328. <http://dx.doi.org/10.1136/tc.2006.019117>.
- Lee, EG; Nelson, J; Hintz, PJ; Joy, G; Andrew, ME; Harper, M. (2010). Field performance of the CATHIA-T sampler and two cyclones against the standard Cowled sampler for thoracic fiber concentrations. *Ann Occup Hyg*. 54: 545-556. <http://dx.doi.org/10.1093/annhyg/meq019>.
- Lee, EG; Nelson, JH; Kashon, ML; Harper, M. (2015). Evaluation of the dark-medium objective lens in counting asbestos fibers by phase-contrast microscopy. *Ann Occup Hyg*. 59: 616-628. <http://dx.doi.org/10.1093/annhyg/mev007>.
- Lee, EG; Pang, TW; Nelson, J; Andrew, M; Harper, M. (2011). Comparison of mounting methods for the evaluation of fibers by phase contrast microscopy. *Ann Occup Hyg*. 55: 644-657. <http://dx.doi.org/10.1093/annhyg/mer015>.
- Lee, IM; Hennekens, CH; Trichopoulos, D; Buring, JE. (1995). Man-made vitreous fibers and risk of respiratory system cancer: a review of the epidemiologic evidence [Review]. *J Occup Environ Med*. 37: 725-738.
- Lee, J; Vandervort, R. (1970). Report On Survey Of Sager Glove Corporation, Murray, Kentucky, Hazard Evaluation And Technical Assistance Report No. HETA-70-036 (pp. 70-036). (NIOSH/00133819). Lee, J; Vandervort, R.
- Lee, J; Yoon, C; SeunghonHam; Tsai, PJ, y. (2015). Optimal Treatment Condition for Changing Characteristics of Naturally Occurring Asbestos. *Aerosol Air Qual Res*. 15: 2332-2345. <http://dx.doi.org/10.4209/aaqr.2015.02.0108>.
- Lee, JG; Lee, KH; Choi, H; Moon, HL; Byeon, SH. (2012). Total Dust and Asbestos Concentrations during Asbestos-Containing Materials Abatement in Korea. *International Journal of Environmental Research*. 6: 849-852.
- Lee, JW; Won, EJ; Kang, HM; Hwang, DS; Kim, DH; Kim, RK; Lee, SJ; Lee, JS. (2016). Effects of multi-walled carbon nanotube (MWCNT) on antioxidant depletion, the ERK signaling pathway, and copper bioavailability in the copepod (*Tigriopus japonicus*). *Aquat Toxicol*. 171: 9-19. <http://dx.doi.org/10.1016/j.aquatox.2015.12.005>.
- Lee, KP; Barras, CE; Griffith, FD; Waritz, RS; Lapin, CA. (1981). Comparative pulmonary responses to inhaled inorganic fibers with asbestos and fiberglass. *Environ Res*. 24: 167-191.
- Lee, LJH; Chang, Y; Liou, SH; Wang, J. (2012). Estimation of benefit of prevention of occupational cancer for comparative risk assessment: methods and examples. *Occup Environ Med*. 69: 582-586. <http://dx.doi.org/10.1136/oemed-2011-100462>.
- Lee, P. (2002). Joint action of smoking and asbestos exposure on lung cancer - Reply. *Occup Environ Med*. 59: 495-496.
- Lee, PN. (2001). Relation between exposure to asbestos and smoking jointly and the risk of lung cancer [Review]. *Occup Environ Med*. 58: 145-153.
- Lee, R; Van Orden, D. (2015). Asbestos in commercial cosmetic talcum powder as a cause of mesothelioma in women [Letter]. *Int J Occup Environ Health*. 21: 337-341. <http://dx.doi.org/10.1080/10773525.2015.1122370>.
- Lee, RJ; Dagenhart, TV; Dunmyre, GR; Stewart, IM; Vanorden, DR. (1995). EFFECT OF INDIRECT SAMPLE PREPARATION PROCEDURES ON THE APPARENT CONCENTRATION OF ASBESTOS IN SETTLED DUSTS. *Environ Sci Technol*. 29: 1728-1736.
- Lee, RJ; Dagenhart, TV; Dunmyre, GR; Stewart, IM; Vanorden, DR. (1996). Effect of indirect sample preparation procedures on the apparent concentration of asbestos in settled dusts - Response. *Environ Sci Technol*. 30: 1405-1406.
- Lee, RJ; Strohmeier, BR; Bunker, KL; Van Orden, DR. (2008). Naturally occurring asbestos - A recurring public policy challenge [Review]. *J Hazard Mater*. 153: 1-21. <http://dx.doi.org/10.1016/j.jhazmat.2007.11.079>.
- Lee, RJ; Van Orden, DR. (2008). Airborne asbestos in buildings. *Regul Toxicol Pharmacol*. 50: 218-225. <http://dx.doi.org/10.1016/j.yrtph.2007.10.005>.
- Lee, RJ; Van Orden, DR; Allison, KA; Bunker, KL; Huntington, C. (2009). Characterization of Airborne Amphibole Particles in Libby, MT. *Indoor Built Environ*. 18: 524-530. <http://dx.doi.org/10.1177/1420326X09341518>.

Fate Literature Search Results

Off Topic

- Lee, RJ; Van Orden, DR; Corn, M; Crump, KS. (1992). Exposure to airborne asbestos in buildings. *Regul Toxicol Pharmacol.* 16: 93-107.
- Lee, RJ; Vanorden, DR; Dunmyre, GR. (1996). Interlaboratory evaluation of the breakup of asbestos containing dust particles by ultrasonic agitation. *Environ Sci Technol.* 30: 3010-3015.
- Lee, S; Matsuzaki, H; Kumagai-Takei, N; Yoshitome, K; Maeda, M; Chen, Y; Kusaka, M; Urakami, K; Hayashi, H; Fujimoto, W; Nishimura, Y; Otsuki, T. (2014). Silica exposure and altered regulation of autoimmunity [Review]. *Environ Health Prev Med.* 19: 322-329. <http://dx.doi.org/10.1007/s12199-014-0403-9>.
- Lee, SF; O'Connor, MM; Chapman, Y; Hamilton, V; Francis, K. (2009). A very public death: dying of mesothelioma and asbestos-related lung cancer (M/ARLC) in the Latrobe Valley, Victoria, Australia. *Rural Remote Health.* 9: 1183.
- Lee, TC; Gold, LI; Reibman, J; Aston, C; Begin, R; Rom, WN; Jagirdar, J. (1997). Immunohistochemical localization of transforming growth factor-beta and insulin-like growth factor-I in asbestosis in the sheep model. *Int Arch Occup Environ Health.* 69: 157-164. <http://dx.doi.org/10.1007/s004200050132>.
- Lee, WR. (1994). THE OCCUPATIONAL HISTORY (pp. LONDON). (BIOSIS/94/33339). Lee, WR.
- Lee, YC; Rynnion, CK; Pang, SC; de Klerk, NH; Musk, AW. (2001). Increased body mass index is related to apparent circumscribed pleural thickening on plain chest radiographs. *Am J Ind Med.* 39: 112-116.
- Lee, YCG; Singh, B; Pang, SC; de Klerk, NH; Hillman, DR; Musk, AW. (2003). Earlier study on asbestos workers, ILO scores, and oxygenation more comprehensive - Reply. *Occup Environ Med.* 60: 611-611.
- Lee, YCG; Singh, B; Pang, SC; de Klerk, NH; Hillman, DR; Musk, AW. (2003). Radiographic (ILO) readings predict arterial oxygen desaturation during exercise in subjects with asbestosis. *Occup Environ Med.* 60: 201-206.
- Lees, R, .E.M. (1986). THRESHOLD EXPOSURE LEVEL FOR CHRYSOTILE - Comment. *Can J Public Health.* 77: 42-43.
- Legales, C. (1984). AN EVALUATION MODEL FOR OCCUPATIONAL MORTALITY IN ASBESTOS INDUSTRY. *Rev Epidemiol Sante Publique.* 32: 122-133.
- Legales, C; Oudiz, A. (1984). METHODOLOGICAL CONTRIBUTION TO THE DETERMINATION OF PERMISSIBLE OCCUPATIONAL EXPOSURE LIMITS TO ASBESTOS - EXPOSURE-RISK RELATIONS AND ECONOMIC CRITERIA. *Rev Epidemiol Sante Publique.* 32: 113-121.
- Leger, A; Ferry, JM. (1991). HIGHLY ALUMINOUS HORNBLLENDE FROM LOW-PRESSURE METACARBONATES AND A PRELIMINARY THERMODYNAMIC MODEL FOR THE AL CONTENT OF CALCIC AMPHIBOLE. *Am Mineral.* 76: 1002-1017.
- Legittimo, P; Silvestri, S. (2010). MASTER COMPANY/EXPOSURE TO ASBESTOS: A USEFUL IN-DEPTH ANALYSIS TOOL FOR EPIDEMIOLOGICAL DETERMINANTS FOR ASBESTOS-RELATED ILLNESSES. *Epidemiol Prev.* 34: 209-209.
- Leguen, JM; Burdett, G. (1981). ASBESTOS CONCENTRATIONS IN PUBLIC BUILDINGS - A PRELIMINARY-REPORT. *Ann Occup Hyg.* 24: 185-189.
- Leguen, JMM; Galvin, S. (1981). CLEARING AND MOUNTING TECHNIQUES FOR THE EVALUATION OF ASBESTOS FIBERS BY THE MEMBRANE-FILTER METHOD. *Ann Occup Hyg.* 24: 273-280.
- Lehman, EJ; Hein, MJ; Estill, CF. (2008). Proportionate mortality study of the United Association of Journeymen and Apprentices of the Plumbing and Pipe Fitting Industry. *Am J Ind Med.* 51: 950-963. <http://dx.doi.org/10.1002/ajim.20640>.
- Lehnert, G; Raithel, HJ; Valentin, H. (1992). ASBESTOS EXPOSURE, ASBESTOSIS AND LUNG-CANCER. *Arbeitsmedizin, Sozialmedizin, Praeventivmedizin.* 27: 96-101.
- Lei, J, ie; Jenkins, DM; Ishida, K. (2015). Experimental study along the magnesio-hornblende-glaucophane join. *Am Mineral.* 100: 495-509. <http://dx.doi.org/10.2138/am-2015-5026>.
- Leibowitz, MC; Goldstein, B. (1987). Some investigations into the nature and cause of massive fibrosis (MF) in the lungs of South African gold, coal, and asbestos mine workers. *Am J Ind Med.* 12: 129-143.
- Leidel, NA; Bayer, SG; Zumwalde, RD; Busch, KA. (1979). USPHS Membrane Filter Method for Evaluating Airborne Asbestos Fibers (pp. 79-127). (NIOSH/00133465). Leidel, NA; Bayer, SG; Zumwalde, RD; Busch, KA.
- Leigh, J; Corvalán, CF; Grimwood, A; Berry, G; Ferguson, DA; Thompson, R. (1991). The incidence of malignant mesothelioma in Australia 1982-1988. *Am J Ind Med.* 20: 643-655.
- Leigh, J; Davidson, P; Hendrie, L; Berry, D. (2002). Malignant mesothelioma in Australia, 1945-2000. *Am J Ind Med.* 41: 188-201. <http://dx.doi.org/10.1002/ajim.10047>.
- Leigh, J; Driscoll, T. (2003). Malignant mesothelioma in Australia, 1945-2002. *Int J Occup Environ Health.* 9: 206-217. <http://dx.doi.org/10.1179/oeht.2003.9.3.206>.
- Leigh, JP; De Vogli, R. (2016). Low Wages as Occupational Health Hazards. *J Occup Environ Med.* 58: 444-447. <http://dx.doi.org/10.1097/JOM.0000000000000717>.
- Lemaire, I; Gingras, D; Lemaire, S. (1982). THYMIDINE INCORPORATION BY LUNG FIBROBLASTS AS A SENSITIVE ASSAY FOR BIOLOGICALACTIVITY OF ASBESTOS (pp. 399-409). (ISSN 0013-9351; EISSN 1096-0953; EMICBACK/46565). Lemaire, I; Gingras, D; Lemaire, S.
- Lemaire, I; Gingras, G; Lemaire, S. (1983). THYMIDINE INCORPORATION BY LUNG FIBROBLASTS AS A SENSITIVE ASSAY FOR BIOLOGICAL-ACTIVITY OF ASBESTOS. *Environ Health Perspect.* 51: 373-373.
- Lemaire, I; Ouellet, S. (1996). Distinctive profile of alveolar macrophage-derived cytokine release induced by fibrogenic and nonfibrogenic mineral dusts. *J Toxicol Environ Health.* 47: 465-478. <http://dx.doi.org/10.1080/009841096161618>.
- Lemen, R. (1987). REPORT ON CANCER RISKS ASSOCIATED WITH THE INGESTION OF ASBESTOS. *Environ Health Perspect.* 72: 253-265.
- Lemen, RA. (1972). Spray Application of Fireproof Insulation at the Construction Site of the Proctor and Gamble Technical Center, Blue Ash, Ohio. (NIOSH/00192309). Lemen, RA.
- Lemen, RA. (1994). WAGONER,JOSEPH,K. DECEMBER 4, 1935 - MAY 30, 1993 - IN-MEMORIAM. *Am J Ind Med.* 25: 923-925.
- Lemen, RA. (2004). Chrysotile asbestos as a cause of mesothelioma: Application of the Hill Causation Model [Review]. *Int J Occup Environ Health.* 10: 233-239. <http://dx.doi.org/10.1179/oeht.2004.10.2.233>.
- Lemen, RA. (2004). RE: Asbestos in brakes: Exposure and risk of disease. *Am J Ind Med.* 46: 315-318. <http://dx.doi.org/10.1002/ajim.20061>.

Fate Literature Search Results

Off Topic

- Lemen, RA. (2005). RE: Asbestos in brakes: Exposure and risk of disease - Reply. *Am J Ind Med.* 47: 278-280. <http://dx.doi.org/10.1002/ajim.20130>.
- Lemen, RA. (2008). Re: Reply to Jay Turim, PhD letter of July 9, 2007 to the editor concerning 'asbestos in brakes', by Richard A. Lemen, PhD. *Am J Ind Med.* 51: 476-476. <http://dx.doi.org/10.1002/ajim.20574>.
- Lemen, RA. (2016). Mesothelioma from asbestos exposures: Epidemiologic patterns and impact in the United States. *J Toxicol Environ Health B Crit Rev.* 19: 250-265. <http://dx.doi.org/10.1080/10937404.2016.1195323>.
- Lemen, RA; Anderson, H; Bailar, JC; Bingham, E; Castleman, B; Frank, AL; Huff, J; Ladou, J; Melius, J; Monforton, C; Robbins, A; Teitelbaum, DT; Welch, LS. (2011). Exposure science will not increase protection of workers from asbestos-caused diseases: NIOSH fails to provide needed public health action and leadership [Letter]. *J Expo Sci Environ Epidemiol.* 21: 114-115; author reply 116. <http://dx.doi.org/10.1038/jes.2010.53>.
- Lemen, RA; Bingham, E. (1994). CASE-STUDY IN AVOIDING A DEADLY LEGACY IN DEVELOPING-COUNTRIES [Review]. *Toxicol Ind Health.* 10: 59-87.
- Lemen, RA; Dement, JM; Wagoner, JK. (1980). Epidemiology of asbestos-related diseases [Review]. *Environ Health Perspect.* 34: 1-11.
- Lemos, BR; Soares, ÉA; Teixeira, AP; Ardisson, JD; Fernandez-Outon, LE; Amorim, CC; Lago, RM; Moura, FC. (2016). Growth of carbon structures on chrysotile surface for organic contaminants removal from wastewater. *Chemosphere.* 159: 602-609. <http://dx.doi.org/10.1016/j.chemosphere.2016.06.022>.
- Lemos, BRS; Teixeira, A, naPC; Ardisson, JD; Macedo, WAA; Fernandez-Outon, LE; Amorim, CC; Moura, FCC; Lago, RM. (2012). Magnetic Amphiphilic Composites Applied for the Treatment of Biodiesel Wastewaters. 2: 513-524. <http://dx.doi.org/10.3390/app2020513>.
- Lenain, JC; Bunsell, AR. (1979). RESISTANCE TO CRACK GROWTH OF ASBESTOS CEMENT. *Journal of Materials Science.* 14: 321-332.
- Lenters, V; Burdorf, A; Vermeulen, R; Stayner, L; Heederik, D. (2012). Quality of evidence must guide risk assessment of asbestos. *Ann Occup Hyg.* 56: 879-887. <http://dx.doi.org/10.1093/annhyg/mes065>.
- Lenters, V; Vermeulen, R; Dogger, S; Stayner, L; Portengen, L; Burdorf, A; Heederik, D. (2011). A meta-analysis of asbestos and lung cancer: is better quality exposure assessment associated with steeper slopes of the exposure-response relationships? [Review]. *Environ Health Perspect.* 119: 1547-1555. <http://dx.doi.org/10.1289/ehp.1002879>.
- Lentz, DR; Suzuki, K. (2000). A low F pegmatite-related Mo skarn from the southwestern Grenville Province, Ontario, Canada: Phase equilibria and petrogenetic implications. *Econ Geol.* 95: 1319-1337.
- Lentz, TJ; Rice, CH; Lockey, JE; Succop, PA; Lemasters, GK. (1999). Potential significance of airborne fiber dimensions measured in the U.S. refractory ceramic fiber manufacturing industry. *Am J Ind Med.* 36: 286-298.
- Lentzen, DE; Lee, RJ; Casuccio, GS; Dunmyre, GR. (1986). SAMPLING AND ANALYSIS FOR AIRBORNE ASBESTOS AND OTHER INORGANIC PARTICULATES (pp. 7-12). (BIOSIS/86/37132). Lentzen, DE; Lee, RJ; Casuccio, GS; Dunmyre, GR.
- Leonelli, C; Veronesi, P; Boccaccini, DN; Rivasi, MR; Barbieri, L; Andreola, F; Lancellotti, I; Rabitti, D; Pellacani, GC. (2006). Microwave thermal inertisation of asbestos containing waste and its recycling in traditional ceramics. *J Hazard Mater.* 135: 149-155. <http://dx.doi.org/10.1016/j.jhazmat.2005.11.035>.
- Leong, BKJ; Kociba, RJ; Pernel, HC; Lisowe, RW; Rumpy, LW. (1978). INDUCTION OF PULMONARY CARCINOMA IN RATS BY CHRONIC INHALATION OF DUST FROM PULVERIZED ASBESTOS PIPE COVERING. *J Toxicol Environ Health.* 4: 645-659. <http://dx.doi.org/10.1080/15287397809529687>.
- Lerman, Y; Finkelstein, A; Levo, Y; Tupilsky, M; Baratz, M; Solomon, A; Sackstein, G. (1990). Asbestos related health hazards among power plant workers. *Br J Ind Med.* 47: 281-282.
- Lerman, Y; Ribak, J; Selikoff, IJ. (1986). Hazards of lung biopsy in asbestos workers. *Br J Ind Med.* 43: 165-169.
- Lerman, Y; Schwarz, Y; Kaufman, G; Ganor, E; Fireman, E. (2003). Case series: Use of induced sputum in the evaluation of occupational lung diseases. *Arch Environ Health.* 58: 284-289.
- Lerman, Y; Segal, B; Rochvarger, M; Weinberg, D; Kivity, O; Fireman, E. (2003). Induced-sputum particle size distribution and pulmonary function in foundry workers. *Arch Environ Health.* 58: 565-571.
- Lerman, Y; Seidman, H; Gelb, S; Miller, A; Selikoff, IJ. (1988). Spirometric abnormalities among asbestos insulation workers. *J Occup Med.* 30: 228-233.
- Lerman, Y; Selikoff, IJ; Lilis, R; Seidman, H; Gelb, SK. (1986). Clinical findings among asbestos workers in U.S.: influence of cigarette smoking. *Am J Ind Med.* 10: 449-458.
- Leroi, R; Aires, FJC, S; de Monsabert, TG; Le Poche, H; Dijon, J; Rousset, JL; Bertolini, JC. (2005). Nickel antigorite synthesis and carbon tubular nanostructures formation on antigorite-based nickel particles by acetylene decomposition. *Appl Catal A-Gen.* 294: 131-140. <http://dx.doi.org/10.1016/j.apcata.2005.06.006>.
- Lescano, L; Gandini, NA; Marfil, SA; Maiza, PJ. (2015). Biological effects of argentine asbestos: mineralogical and morphological characterisation. *Environ Earth Sci.* 73: 3433-3444. <http://dx.doi.org/10.1007/s12665-014-3638-2>.
- Lesci, IG; Balducci, G; Pierini, F; Soavi, F; Roveri, N. (2014). Surface features and thermal stability of mesoporous Fe doped geoinspired synthetic chrysotile nanotubes. *Microporous and Mesoporous Materials.* 197: 8-16. <http://dx.doi.org/10.1016/j.micromeso.2014.06.002>.
- Leslie, GB. (2000). Health risks from indoor air pollutants: public alarm and toxicological reality. *Indoor Built Environ.* 9: 5-16.
- Letargo, CMR; Lamb, WM; Park, JS. (1995). COMPARISON OF CALCITE PLUS DOLOMITE THERMOMETRY AND CARBONATE PLUS SILICATE EQUILIBRIA - CONSTRAINTS ON THE CONDITIONS OF METAMORPHISM OF THE LLANO UPLIFT, CENTRAL TEXAS, USA. *Am Mineral.* 80: 131-143.
- Leticia, L; Silvina, M; Pedro, M; Jorge, S; Aldo, B. (2013). Amphibole in vermiculite mined in Argentina. Morphology, quantitative and chemical studies on the different phases of production and their environmental impact. *Environ Earth Sci.* 70: 1809-1821. <http://dx.doi.org/10.1007/s12665-013-2268-4>.

Fate Literature Search Results

Off Topic

- Levan, TD; Koh, WP; Lee, H; Koh, D; Yu, MC; London, SJ. (2006). Vapor, dust, and smoke exposure in relation to adult-onset asthma and chronic respiratory symptoms - The Singapore Chinese Health Study. *Am J Epidemiol.* 163: 1118-1128. <http://dx.doi.org/10.1093/aje/kwj144>.
- Levin, JL; Frank, AL; Williams, MG; McConnell, W; Suzuki, Y; Dodson, RF. (1996). Kaolinosis in a cotton mill worker. *Am J Ind Med.* 29: 215-221. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199602\)29:2<215::AID-AJIM13>3.0.CO;2-6](http://dx.doi.org/10.1002/(SICI)1097-0274(199602)29:2<215::AID-AJIM13>3.0.CO;2-6).
- Levin, JL; McLarty, JW; Hurst, GA; Smith, AN; Frank, AL. (1998). Tyler asbestos workers: mortality experience in a cohort exposed to amosite. *Occup Environ Med.* 55: 155-160.
- Levin, JL; O'Sullivan, MF; Corn, CJ; Dodson, RF. (1995). An individual with a majority of ferruginous bodies formed on chrysotile cores. *Arch Environ Health.* 50: 462-465. <http://dx.doi.org/10.1080/00039896.1995.9935984>.
- Levin, JL; O'Sullivan, MF; Corn, CJ; Williams, MG; Dodson, RF. (1999). Asbestosis and small cell lung cancer in a clutch refabricator. *Occup Environ Med.* 56: 602-605.
- Levin, JL; Rouk, A; Shepherd, S; Hurst, GA; McLarty, JW. (2016). Tyler asbestos workers: A mortality update in a cohort exposed to amosite. *J Toxicol Environ Health B Crit Rev.* 19: 190-200. <http://dx.doi.org/10.1080/10937404.2016.1195319>.
- Levin, JL; Stocks, JM; Shepherd, JR; Fagan, MF; Dodson, RF. (1992). Asbestos exposures: known and underrecognized sources [Letter]. *Am J Ind Med.* 22: 607-608.
- Levin, L; Purdom, PW. (1984). ASBESTOS CONTAMINATION OF VERMICULITE - REPLY. *Am J Public Health.* 74: 519-520.
- Levin, SM; Kann, PE; Lax, MB. (2000). Medical examination for asbestos-related disease [Review]. *Am J Ind Med.* 37: 6-22.
- Levine, RJ. (1978). HOW INDUSTRIAL PHYSICIAN CAN REDUCE MORTALITY FROM ASBESTOS-RELATED DISEASES. *J Occup Environ Med.* 20: 464-468.
- Levitan, DM; Hammarstrom, JM; Gunter, ME; Seal, RR; Chou, IM; Piatak, NM. (2009). Mineralogy of mine waste at the Vermont Asbestos Group mine, Belvidere Mountain, Vermont. *Am Mineral.* 94: 1063-1066. <http://dx.doi.org/10.2138/am.2009.3258>.
- Levy, BS; Seplow, A. (1992). Asbestos-Related Hazards in Developing Countries [Review]. *Environ Res.* 59: 167-174.
- Levy, BS; Sigurdson, E; Mandel, J; Laudon, E; Pearson, J. (1976). Investigating possible effects of asbestos in city water: surveillance of gastrointestinal cancer incidence in Duluth, Minnesota. *Am J Epidemiol.* 103: 362-368.
- Lewinsohn, HC. (1972). The medical surveillance of asbestos workers. *J Roy Soc Promot Health.* 92: 69-77.
- Lewinsohn, HC; Kennedy, CA; Day, JE; Cooper, PH. (1979). Dust control in a conventional asbestos textile factory. *Ann N Y Acad Sci.* 330: 225-241.
- Lewis, NJ; Curtis, MF. (1990). Occupational health and hygiene following a fire in a warehouse with an asbestos cement roof. *J Soc Occup Med.* 40: 53-54.
- Lewis, PG. (2000). Occupational and environmental medicine: moving the factory fence or hedging our bets? *Occup Med (Lond).* 50: 217-220.
- Lewis, RJ; Gamble, JF. (2002). Mortality among three refinery/petrochemical plant cohorts - Reply. *J Occup Environ Med.* 44: 396-397.
- Lewis, RJ; Schnatter, AR; Drummond, I; Murray, N; Thompson, FS; Katz, AM; Jorgensen, G; Nicolich, MJ; Dahlman, D; Thériault, G. (2003). Mortality and cancer morbidity in a cohort of Canadian petroleum workers. *Occup Environ Med.* 60: 918-928.
- Lewis, RJ; Schnatter, AR; Katz, AM; Thompson, FS; Murray, N; Jorgensen, G; Thériault, G. (2000). Updated mortality among diverse operating segments of a petroleum company. *Occup Environ Med.* 57: 595-604.
- Leyko, W; Gendek, E. (1985). A spin label study of the effects of asbestos, quartz, and titanium dioxide dusts on the bovine erythrocyte membrane. *Br J Ind Med.* 42: 281-284.
- Lezongeyda, K; Jaime, CM; Godbold, JH; Savransky, EF; Hope, A; Kheiri, SA; Dzmura, ZM; Uehara, H; Johnson, EM; Fasy, TM. (1996). Chrysotile asbestos fibers mediate homologous recombination in Rat2 lambda fibroblasts: Implications for carcinogenesis. *Mutat Res Environ Mutagen Relat Subj.* 361: 113-120.
- Li, C; Naldrett, AJ. (1993). HIGH CHLORINE ALTERATION MINERALS AND CALCIUM-RICH BRINES IN FLUID INCLUSIONS FROM THE STRATHCONA DEEP COPPER ZONE, SUDBURY, ONTARIO. *Econ Geol.* 88: 1780-1796.
- Li, C; Ripley, EM; Merino, E; Maier, WD. (2004). Replacement of base metal sulfides by actinolite, epidote, calcite, and magnetite in the UG2 and merensky reef of the Bushveld Complex, South Africa. *Econ Geol.* 99: 173-184.
- Li, CS; Xu, ZH; de Waal, SA; Ripley, EM; Maier, WD. (2004). Compositional variations of olivine from the Jinchuan Ni-Cu sulfide deposit, western China: implications for ore genesis. *Miner Depos.* 39: 159-172. <http://dx.doi.org/10.1007/s00126-003-0389-5>.
- Li, DF; Chen, H, uaY; Zhang, L, i; Hollings, P; Chen, Y, anJ; Lu, W, anJ; Zheng, Y, i; Wang, CM; Fang, J; Chen, G; Zhou, G. (2016). Ore geology and fluid evolution of the giant Caixiashan carbonate-hosted Zn-Pb deposit in the Eastern Tianshan, NW China. *Ore Geol Rev.* 72: 355-372. <http://dx.doi.org/10.1016/j.oregeorev.2015.08.007>.
- Li, J; Dong, Q; Yu, K; Liu, L. (2014). Asbestos and asbestos waste management in the Asian-Pacific region: trends, challenges and solutions. *J Clean Prod.* 81: 218-226. <http://dx.doi.org/10.1016/j.jclepro.2014.06.022>.
- Li, J; Hitch, M. (2016). Carbon dioxide adsorption isotherm study on mine waste for integrated CO2 capture and sequestration processes. *Powder Technology.* 291: 408-413. <http://dx.doi.org/10.1016/j.powtec.2015.12.011>.
- Li, L; Sun, TD; Zhang, X; Lai, RN; Li, XY; Fan, XJ; Morinaga, K. (2004). Cohort studies on cancer mortality among workers exposed only to chrysotile asbestos: a meta-analysis. *Biomed Environ Sci.* 17: 459-468.
- Li, P; Deng, SS; Wang, JB; Iwata, A; Qiao, YL; Dai, XB; Boffetta, P. (2012). Occupational and environmental cancer incidence and mortality in China. *Occup Med (Lond).* 62: 281-287. <http://dx.doi.org/10.1093/occmed/kqs016>.
- Li, Q; Lu, S; Yang, F; Geng, X; Chai, F. (2015). Geological characteristics and genesis of the Laoshankou Fe-Cu-Au deposit in Junggar, Xinjiang, Central Asian Orogenic Belt. *Ore Geol Rev.* 68: 59-78. <http://dx.doi.org/10.1016/j.oregeorev.2015.01.006>.
- Li, VC; Kim, YJ; Ewart, CK; Terry, PB; Cuthie, JC; Wood, J; Emmett, EA; Permutt, S. (1984). Effects of physician counseling on the smoking behavior of asbestos-exposed workers. *Prev Med.* 13: 462-476.

Fate Literature Search Results

Off Topic

- Li, VC; Kim, YJ; Terry, PB; Cuthie, JC; Roter, D; Emmett, EA; Harvey, A; Permutt, S. (1983). Behavioral, attitudinal, and physiologic characteristics of smoking and nonsmoking asbestos-exposed shipyard workers. *J Occup Med.* 25: 864-870.
- Li, WJ; Huang, ZH; Liu, YG; Fang, MH; Ouyang, X; Huang, SF. (2012). Phase behavior of serpentine mineral by carbothermal reduction nitridation. *Appl Clay Sci.* 57: 86-90. <http://dx.doi.org/10.1016/j.clay.2012.01.006>.
- Li, XY; Brown, GM; Lamb, D; Donaldson, K. (1991). Increased production of plasminogen activator inhibitor in vitro by pleural leukocytes from rats intratracheally instilled with crocidolite asbestos. *Environ Res.* 55: 135-144.
- Li, XY; Lamb, D; Donaldson, K. (1993). Production of interleukin 1 by rat pleural leukocytes in culture after intratracheal instillation of crocidolite asbestos. *Br J Ind Med.* 50: 90-94.
- Li, XY; Lamb, D; Donaldson, K. (1994). Mesothelial cell injury caused by pleural leukocytes from rats treated with intratracheal instillation of crocidolite asbestos or *Corynebacterium parvum*. *Environ Res.* 64: 181-191. <http://dx.doi.org/10.1006/enrs.1994.1014>.
- Li, Z; Xiuping, D; Heng, Z. (2009). Application research on self-healing technology with microcapsules for automobile brake pad. *Journal of Wuhan University of Technology--Materials Science Edition.* 24: 91-94. <http://dx.doi.org/10.1007/s11595-009-1091-y>.
- Li, Z; Xu, J, ie; Teng, HH; Liu, L; Chen, J, un; Chen, Y; Zhao, L; Ji, J. (2015). Bioleaching of Lizardite by Magnesium- and Nickel-Resistant Fungal Isolate from Serpentinite Soils-Implication for Carbon Capture and Storage. *Geomicrobiology Journal.* 32: 181-192. <http://dx.doi.org/10.1080/01490451.2013.835888>.
- Li, Z; Zhang, T; Hu, J, ie; Tang, Y, ue; Niu, Y; Wei, J; Yu, Q. (2014). Characterization of reaction products and reaction process of MgO-SiO₂-H₂O system at room temperature. *Construction and Building Materials.* 61: 252-259. <http://dx.doi.org/10.1016/j.conbuildmat.2014.03.004>.
- Liddell, D. (1994). Cancer mortality in chrysotile mining and milling: exposure-response. *Ann Occup Hyg.* 38: 519-523, 412.
- Liddell, D. (2001). Asbestos and cancer [Letter]. *Ann Occup Hyg.* 45: 329-335; author reply 336-328.
- Liddell, FD. (2001). The interaction of asbestos and smoking in lung cancer. *Ann Occup Hyg.* 45: 341-356.
- Liddell, FD. (2002). Joint action of smoking and asbestos exposure on lung cancer [Letter]. *Occup Environ Med.* 59: 494-495; author reply 495-496.
- Liddell, FD; Armstrong, BG. (2002). The combination of effects on lung cancer of cigarette smoking and exposure in quebec chrysotile miners and millers. *Ann Occup Hyg.* 46: 5-13. <http://dx.doi.org/10.1093/annhyg/mef008>.
- Liddell, FD; Gibbs, GW; Mcdonald, JC. (1982). Radiological changes and fibre exposure in chrysotile workers aged 60-69 years at Thetford Mines. *Ann Occup Hyg.* 26: 889-898.
- Liddell, FD; Mcdonald, AD; Mcdonald, JC. (1997). The 1891-1920 birth cohort of Quebec chrysotile miners and millers: development from 1904 and mortality to 1992. *Ann Occup Hyg.* 41: 13-36. [http://dx.doi.org/10.1016/S0003-4878\(96\)00044-0](http://dx.doi.org/10.1016/S0003-4878(96)00044-0).
- Liddell, FD; Mcdonald, AD; Mcdonald, JC. (1998). Dust exposure and lung cancer in Quebec chrysotile miners and millers. *Ann Occup Hyg.* 42: 7-20.
- Liddell, FDK; Hanley, JA. (1985). Relations between asbestos exposure and lung cancer SMRs in occupational cohort studies. *Occup Environ Med.* 42: 389-396.
- Liddell, FDK; Mcdonald, JC. (1980). Radiological findings as predictors of mortality in Quebec asbestos workers. *Br Med J.* 37: 257-267.
- Liddell, FDK; Thomas, DC; Gibbs, GW; Mcdonald, JC. (1984). FIBER EXPOSURE AND MORTALITY IN CHRYSOTILE PRODUCTION IN QUEBEC, 1910-1975. *Scand J Work Environ Health.* 10: 127-128.
- LIEBERMA, J. (1971). ENVIRONMENTAL AND OCCUPATIONAL HAZARDS OF SPRAY ASBESTOS FIBERS. *Am Ind Hyg Assoc J.* 32: 53-&.
- Liebling, RS. (1972). OPTICAL PROPERTIES OF FIBROUS BRUCITE FROM ASBESTOS, QUEBEC. *Am Mineral.* 57: 857-&.
- Liew, KW; Nirmal, U. (2013). Frictional performance evaluation of newly designed brake pad materials. *Materials & Design.* 48: 25-33. <http://dx.doi.org/10.1016/j.matdes.2012.07.055>.
- Light, WG; Wei, ET. (1977). Surface charge and hemolytic activity of asbestos. *Environ Res.* 13: 135-145.
- Lilienfeld, DE. (1991). The silence: the asbestos industry and early occupational cancer research--a case study. *Am J Public Health.* 81: 791-800.
- Lilienfeld, DE; Mandel, JS; Coin, P; Schuman, LM. (1988). Projection of asbestos related diseases in the United States, 1985-2009. I. *Cancer. Br J Ind Med.* 45: 283-291.
- Lilis, R. (2006). Ruth Lilis' award acceptance speech at the NY/NJ NIOSH Occupational Safety and Health Education and Research Center's 25th Anniversary Dinner. *Am J Ind Med.* 49: 705-707. <http://dx.doi.org/10.1002/ajim.20367>.
- Lilis, R; Lerman, Y; Selikoff, IJ. (1988). Symptomatic benign pleural effusions among asbestos insulation workers: Residual radiographic abnormalities. *Br J Ind Med.* 45: 443-449. <http://dx.doi.org/10.1136/oem.45.7.443>.
- Lilis, R; Miller, A; Godbold, J; Benkert, S; Wu, X; Selikoff, IJ. (1992). Comparative quantitative evaluation of pleural fibrosis and its effects on pulmonary function in two large asbestos-exposed occupational groups--insulators and sheet metal workers. *Environ Res.* 59: 49-66. [http://dx.doi.org/10.1016/S0013-9351\(05\)80225-7](http://dx.doi.org/10.1016/S0013-9351(05)80225-7).
- Lilis, R; Miller, A; Godbold, J; Benkert, S; Wu, XC; Selikoff, IJ. (1993). COMPARATIVE QUANTITATIVE-EVALUATION OF PLEURAL FIBROSIS AND ITS EFFECTS ON PULMONARY-FUNCTION IN 2 LARGE ASBESTOS-EXPOSED OCCUPATIONAL GROUPS - INSULATORS AND SHEET-METAL WORKERS (VOL 59, PG 49, 1992). *Environ Res.* 60: 332-332.
- Lilis, R; Miller, A; Godbold, J; Chan, E; Selikoff, IJ. (1991). Pulmonary function and pleural fibrosis: Quantitative relationships with an integrative index of pleural abnormalities. *Am J Ind Med.* 20: 145-161. <http://dx.doi.org/10.1002/ajim.4700200203>.
- Lilis, R; Miller, A; Godbold, J; Chan, E; Selikoff, IJ. (1991). Radiographic abnormalities in asbestos insulators: Effects of duration from onset of exposure and smoking. Relationships of dyspnea with parenchymal and pleural fibrosis. *Am J Ind Med.* 20: 1-15. <http://dx.doi.org/10.1002/ajim.4700200102>.
- Lilis, R; Ribak, J; Suzuki, Y; Penner, L; Bernstein, N; Selikoff, IJ. (1987). Non-malignant chest x ray changes in patients with mesothelioma in a large cohort of asbestos insulation workers. *Br J Ind Med.* 44: 402-406.

Fate Literature Search Results

Off Topic

- Lilis, R; Selikoff, IJ; Lerman, Y; Seidman, H; Gelb, SK. (1986). Asbestosis: interstitial pulmonary fibrosis and pleural fibrosis in a cohort of asbestos insulation workers: influence of cigarette smoking. *Am J Ind Med.* 10: 459-470.
- Lim, HS; Kim, JY; Sakai, K; Hisanaga, N. (2004). Pulmonary asbestos and non-asbestos fiber concentrations in autopsied inhabitants in Pohang, Korea. *Ind Health.* 42: 163-170.
- Lim, MK. (1992). Asbestos in Buildings: Risk Assessment and Control Measures. *J Occup Med.* 4: 26-30.
- Lim, Y; Kim, SH; Kim, KA; Oh, MW; Lee, KH. (1997). Involvement of protein kinase C, phospholipase C, and protein tyrosine kinase pathways in oxygen radical generation by asbestos-stimulated alveolar macrophage. *Environ Health Perspect.* 105 Suppl 5: 1325-1327.
- Lima Cunha, P, deS; Teixeira Lanna, EA; Xavier Bastos, RK; Quadros, M; Rezende, FP; de Freitas, LM. (2010). Fertilizers for *Daphnia* sp (Crustacea, Cladocera) production in experimental tanks. *Revista Brasileira de Zootecnia.* 39: 955-960.
- Lin, C; Fugetsu, B; Su, Y; Watari, F. (2009). Studies on toxicity of multi-walled carbon nanotubes on *Arabidopsis* T87 suspension cells. *J Hazard Mater.* 170: 578-583. <http://dx.doi.org/10.1016/j.jhazmat.2009.05.025>.
- Lin, FB; Chang, JW. (1988). MEASUREMENT OF AIRBORNE ASBESTOS DUST IN WORKSITES (pp. KOBE). (BIOSIS/89/32761). Lin, FB; Chang, JW.
- Lin, FC; Clemency, CV. (1981). THE DISSOLUTION KINETICS OF BRUCITE, ANTIGORITE, TALC, AND PHLOGOPITE AT ROOM-TEMPERATURE AND PRESSURE. *Am Mineral.* 66: 801-806.
- Lin, LY; Kuo, JT; Bai, H. (2011). Silica materials recovered from photonic industrial waste powder: its extraction, modification, characterization and application. *J Hazard Mater.* 192: 255-262. <http://dx.doi.org/10.1016/j.jhazmat.2011.05.011>.
- Lin, Q; Jiang, CQ; Lam, T; Xu, L, in; Jin, Y; Cheng, K. (2014). Past Occupational Dust Exposure, Depressive Symptoms and Anxiety in Retired Chinese Factory Workers: The Guangzhou Biobank Cohort Study. *J Occup Health.* 56: 444-452. <http://dx.doi.org/10.1539/joh.14-0100-OA>.
- Lin, S; Wang, X; Yano, E; Yu, I; Lan, Y; Courtice, MN; Christiani, DC. (2014). Exposure to chrysotile mining dust and digestive cancer mortality in a Chinese miner/miller cohort. *Occup Environ Med.* 71: 323-328. <http://dx.doi.org/10.1136/oemed-2013-101360>.
- Linder, DE; Wylie, AG; Candela, PA. (1992). MINERALOGY AND ORIGIN OF THE STATE LINE TALC DEPOSIT, PENNSYLVANIA. *Econ Geol.* 87: 1607-1615.
- Lindsay, JP; Stavrakys, KM; Howe, GR. (1993). THE CANADIAN LABOR-FORCE 10-PERCENT SAMPLE STUDY - CANCER MORTALITY AMONG MEN, 1965-1979. *J Occup Environ Med.* 35: 408-414.
- Ling, XX; Schmaedicke, E; Li, Q, iuLi; Gose, J; Wu, R, uiHua; Wang, S, hiQi; Liu, Y, u; Tang, G, uoQ; Li, XH, ua. (2015). Age determination of nephrite by in-situ SIMS U-Pb dating syngenetic titanite: A case study of the nephrite deposit from Luanchuan, Henan, China. *Lithos.* 220: 289-299. <http://dx.doi.org/10.1016/j.lithos.2015.02.019>.
- Linnainmaa, M; Kangas, J; Mäkinen, M; Metsärinne, S; Tossavainen, A; Sääntti, J; Veteli, M; Savolainen, H; Kalliokoski, P. (2007). Exposure to refractory ceramic fibres in the metal industry. *Ann Occup Hyg.* 51: 509-516. <http://dx.doi.org/10.1093/annhyg/mem027>.
- Lioy, PJ; Weisel, CP; Millette, JR; Eisenreich, S; Vallero, D; Offenberg, J; Buckley, B; Turpin, B; Zhong, M; Cohen, MD; Prophete, C; Yang, I; Stiles, R; Chee, G; Johnson, W; Porcja, R; Alimokhtari, S; Hale, RC; Weschler, C; Chen, LC. (2002). Characterization of the dust/smoke aerosol that settled east of the World Trade Center (WTC) in lower Manhattan after the collapse of the WTC 11 September 2001. *Environ Health Perspect.* 110: 703-714. <http://dx.doi.org/10.1289/ehp.02110703>.
- Lipkin, LE. (1980). Cellular effects of asbestos and other fibers: correlations with in vivo induction of pleural sarcoma. *Environ Health Perspect.* 34: 91-102.
- Lippmann, M. (1988). Asbestos exposure indices [Review]. *Environ Res.* 46: 86-106.
- Lippmann, M. (1991). INDUSTRIAL AND ENVIRONMENTAL HYGIENE - PROFESSIONAL GROWTH IN A CHANGING ENVIRONMENT. *Am Ind Hyg Assoc J.* 52: 341-348. <http://dx.doi.org/10.1080/15298669191364857>.
- Lippmann, M. (1994). Deposition and retention of inhaled fibres: effects on incidence of lung cancer and mesothelioma [Review]. *Occup Environ Med.* 51: 793-798.
- Lippmann, M. (1994). Workshop on the health risks associated with chrysotile asbestos: a brief review [Letter]. *Ann Occup Hyg.* 38: 639-642.
- Lippmann, M; Samet, J; Shaikh, R; eds. (1994). Proceedings of operations and maintenance programs in buildings containing asbestos - A workshop organized by the Health Effects Institute - Asbestos Research. *Appl Occup Environ Hyg.* 9: 773-926.
- Lippmann, M; Timbrell, V. (1990). PARTICLE LOADING IN THE HUMAN LUNG - HUMAN-EXPERIENCE AND IMPLICATIONS FOR EXPOSURE LIMITS. *J Aerosol Med.* 3: S155-S168.
- Lippy, BE. (2002). Safety and health of heavy equipment operators at Ground Zero. *Am J Ind Med.* 42: 539-542. <http://dx.doi.org/10.1002/ajim.10152>.
- Lipworth, L; La Vecchia, C; Bosetti, C; McLaughlin, JK. (2009). Occupational exposure to rock wool and glass wool and risk of cancers of the lung and the head and neck: a systematic review and meta-analysis [Review]. *J Occup Environ Med.* 51: 1075-1087. <http://dx.doi.org/10.1097/JOM.0b013e3181b35125>.
- Lison, D; Knoop, B; Lauwerys, R. (1989). Effect of retinoic acid on asbestos induced plasminogen activator activity of peritoneal macrophages. *Br J Ind Med.* 46: 496-497.
- Liss, GM; Kusiak, RA; Gailitis, MM. (1997). Hospital records: an underutilized source of information regarding occupational diseases and exposures. *Am J Ind Med.* 31: 100-106.
- Littman, AJ; Thornquist, MD; White, E; Jackson, LA; Goodman, GE; Vaughan, TL. (2004). Prior lung disease and risk of lung cancer in a large prospective study. *Cancer Causes Control.* 15: 819-827. <http://dx.doi.org/10.1023/B:CACO.0000043432.71626.45>.
- Litzistorf, G; Guillemin, MP; Buffat, P; Iselin, F. (1985). Influence of human activity on the airborne fiber level in paraoccupational environments. *Journal of the Air and Waste Management Association.* 35: 836-837.
- Liu, BC; Fu, DC; Miao, Q; Wang, HH; You, BR. (1998). p53 gene mutations in asbestos associated cancers. *Biomed Environ Sci.* 11: 226-232.

Fate Literature Search Results

Off Topic

- Liu, CY; Stücker, I; Chen, C; Goodman, G; Mchugh, MK; D'Amelio, AM; Etzel, CJ; Li, S; Lin, X; Christiani, DC. (2015). Genome-wide Gene-Asbestos Exposure Interaction Association Study Identifies a Common Susceptibility Variant on 22q13.31 Associated with Lung Cancer Risk. *Cancer Epidemiol Biomarkers Prev.* 24: 1564-1573. <http://dx.doi.org/10.1158/1055-9965.EPI-15-0021>.
- Liu, H; Peng, T; Ma, G; Sun, H; Hu, H. (2012). Simple chemical solution coating and gas sensing properties of alpha-Fe₂O₃/chrysotile fibrous composites. *Appl Surf Sci.* 258: 4866-4870. <http://dx.doi.org/10.1016/j.apsusc.2012.01.095>.
- Liu, J; Li, J; Chi, X; Qu, J; Hu, Z; Fang, S, hu; Zhang, Z. (2013). A late-Carboniferous to early early-Permian subduction-accretion complex in Daqing pasture, southeastern Inner Mongolia: Evidence of northward subduction beneath the Siberian paleoplate southern margin. *Lithos.* 177: 285-296. <http://dx.doi.org/10.1016/j.lithos.2013.07.008>.
- Liu, JB; Ye, K; Sun, M. (2006). Exhumation P-T path of UHP eclogites in the Hong'an area, western Dabie Mountains, China. *Lithos.* 89: 154-173. <http://dx.doi.org/10.1016/j.lithos.2005.12.002>.
- Liu, K, ui; Chen, Q; Hu, H; Yin, Z. (2010). Characterization and leaching behaviour of lizardite in Yuanjiang laterite ore. *Appl Clay Sci.* 47: 311-316. <http://dx.doi.org/10.1016/j.clay.2009.11.034>.
- Liu, K, un; Feng, Q; Yang, Y; Zhang, G; Ou, L; Lu, Y. (2007). Preparation and characterization of amorphous silica nanowires from natural chrysotile. *Journal of Non-Crystalline Solids.* 353: 1534-1539. <http://dx.doi.org/10.1016/j.jnoncrysol.2007.01.033>.
- Liu, K, un; Zhu, B; Duan, T, ao; Du, C; Tan, Y, an; Sheng, S, u. (2015). Transparency of chrysotile nanofiber-reinforced nanocomposite films: Effect of Rayleigh scattering. *Compos Sci Tech.* 119: 68-74. <http://dx.doi.org/10.1016/j.compscitech.2015.10.001>.
- Liu, K, un; Zhu, B; Feng, Q; Duan, T, ao. (2013). Novel transparent and flexible nanocomposite film prepared from chrysotile nanofibres. *Mater Chem Phys.* 142: 412-419. <http://dx.doi.org/10.1016/j.matchemphys.2013.07.037>.
- Liu, K, un; Zhu, B; Feng, Q; Wang, Q; Duan, T, ao; Ou, L; Zhang, G; Lu, Y. (2013). Adsorption of Cu(II) ions from aqueous solutions on modified chrysotile: Thermodynamic and kinetic studies. *Appl Clay Sci.* 80-81: 38-45. <http://dx.doi.org/10.1016/j.clay.2013.05.014>.
- Liu, L, inLin; He, G, uoQ; Wang, YH; Liu, P, eijin. (2014). Factors Affecting the Measurement of the Percentage of Gaseous Products from Boron-based Fuel-rich Propellants. *Central European Journal of Energetic Materials.* 11: 15-29.
- Liu, MH; Li, ZH; Zhou, R; Yu, XQ; Cai, RL; Xie, SJ. (2005). Study on the assorted non-asbestos fiber reinforce composite by beater-addition process. *Materials Science Forum.* 475-479: 1051-1054.
- Liu, Q; Li, X; Cheng, H. (2016). Insight into the self-adaptive deformation of kaolinite layers into nanoscrolls. *Appl Clay Sci.* 124: 175-182. <http://dx.doi.org/10.1016/j.clay.2016.02.015>.
- Liu, Q; Zeng, Q; Zheng, J; Yang, T, ao; Qiu, N; Liu, Z; Luo, Y; Jin, Z. (2010). Magnetic properties of serpentinized garnet peridotites from the CCSD main hole in the Sulu ultrahigh-pressure metamorphic belt, eastern China. *J Geophys Res.* 115. <http://dx.doi.org/10.1029/2009JB000814>.
- Liu, T; Rhee, SK. (1976). HIGH-TEMPERATURE WEAR OF ASBESTOS-REINFORCED FRICTION MATERIALS. *Wear.* 37: 291-297.
- Liu, X; Guo, L, in; Morris, D; Kane, AB; Hurt, RH. (2008). Targeted removal of bioavailable metal as a detoxification strategy for carbon nanotubes. *Carbon.* 46: 489-500. <http://dx.doi.org/10.1016/j.carbon.2007.12.018>.
- Liu, X; Hurt, RH; Kane, AB. (2010). Biodurability of Single-Walled Carbon Nanotubes Depends on Surface Functionalization. *Carbon.* 48: 1961-1969. <http://dx.doi.org/10.1016/j.carbon.2010.02.002>.
- Liu, X; Liu, W, ei; Si, C. (2016). Fluid metasomatic genesis of stratiform skarn in the Suoerkuduke Cu-Mo deposit, East Junggar, NW China. *Ore Geol Rev.* 78: 239-251. <http://dx.doi.org/10.1016/j.oregeorev.2016.04.009>.
- Liu, XR; Keane, MJ; Zhong, BZ; Ong, TM; Wallace, WE. (1996). Micronucleus formation in V79 cells treated with respirable silica dispersed in medium and in simulated pulmonary surfactant. *Mutat Res Environ Mutagen Relat Subj.* 361: 89-94.
- Liu, XZ. (1983). [Evaluation of wet technic dust control in an asbestos textile factory]. *Zhonghua Yufang Yixue Zazhi.* 17: 26-28.
- Liu, XZ; Luo, SQ. (1983). [Determination of airborne asbestos fiber concentration and fiber size distribution by phase contrast microscopy]. *Zhonghua Yufang Yixue Zazhi.* 17: 82-85.
- Liu, Y, an; Deng, J, un; Shi, G; Sun, X; Yang, L. (2011). Geochemistry and petrogenesis of placer nephrite from Hetian, Xinjiang, Northwest China. *Ore Geol Rev.* 41: 122-132. <http://dx.doi.org/10.1016/j.oregeorev.2011.07.004>.
- Liu, Y; Mungall, JE; Ames, DE. (2016). Hydrothermal Redistribution and Local Enrichment of Platinum Group Elements in the Tootoo and Mequillon Magmatic Sulfide Deposits, South Raglan Trend, Cape Smith Belt, New Quebec Orogen. *Econ Geol.* 111: 467-485.
- Liu, Y, an; Zhang, R; Zhang, Z; Shi, G; Zhang, Q; Abuduwayiti, M; Liu, J. (2015). Mineral inclusions and SHRIMP U-Pb dating of zircons from the Alamas nephrite and granodiorite: Implications for the genesis of a magnesian skarn deposit. *Lithos.* 212: 128-144. <http://dx.doi.org/10.1016/j.lithos.2014.11.002>.
- Liu, Y, an; Zhang, RQ; Abuduwayiti, M; Wang, C; Zhang, S; Shen, C; Zhang, Z; He, M; Zhang, Y; Yang, X. (2016). SHRIMP U-Pb zircon ages, mineral compositions and geochemistry of placer nephrite in the Yurungkash and Karakash River deposits, West Kunlun, Xinjiang, northwest China: Implication for a Magnesian Skarn. *Ore Geol Rev.* 72: 699-727. <http://dx.doi.org/10.1016/j.oregeorev.2015.08.023>.
- Liu, YK; Yang, GY; Wu, TN; Lin, RS; Sung, FC. (2003). Mortality among former shipbreaking workers - A 13-year retrospective follow-up study in Taiwan. *J Occup Health.* 45: 36-42. <http://dx.doi.org/10.1539/joh.45.36>.
- Liukonen, LR; Weir, FW. (2005). Asbestos exposure from gaskets during disassembly of a medium duty diesel engine. *Regul Toxicol Pharmacol.* 41: 113-121. <http://dx.doi.org/10.1016/j.yrtph.2004.10.003>.
- Liveright, T; Gann, P; Mcana, J. (1986). Health Hazard Evaluation Report No. HETA-81-372-1727, Exxon Corporation, Bayway Refinery and Chemical Plant, Linden, New Jersey (pp. 81-372). (NIOSH/00165825). Liveright, T; Gann, P; Mcana, J.
- Ljungman, AG; Lindahl, M; Tagesson, C. (1994). Asbestos fibres and man made mineral fibres: induction and release of tumour necrosis factor-alpha from rat alveolar macrophages. *Occup Environ Med.* 51: 777-783.
- Lledo, HL; Jenkins, DM. (2008). Experimental investigation of the upper thermal stability of Mg-rich actinolite; Implications for Kiruna-type iron deposits. *Journal of Petrology.* 49: 225-238. <http://dx.doi.org/10.1093/petrology/egm078>.

Fate Literature Search Results

Off Topic

- Lloyd, AO. (1977). FOULING OF ASBESTOS CEMENT ROOFING. 13: R6-R6.
- Lloyd, M, axK; Eiler, JM; Nabelek, PI. (2017). Clumped isotope thermometry of calcite and dolomite in a contact metamorphic environment. *Geochim Cosmo Acta*. 197: 323-344. <http://dx.doi.org/10.1016/j.gca.2016.10.037>.
- Lockey, JE; Dunning, K; Hilbert, TJ; Borton, E; Levin, L; Rice, CH; Mckay, RT; Shipley, R; Meyer, CA; Perme, C; Lemasters, GK. (2015). HRCT/CT and associated spirometric effects of low Libby amphibole asbestos exposure. *J Occup Environ Med*. 57: 6-13. <http://dx.doi.org/10.1097/JOM.0000000000000373>.
- Lockey, JE; Dunning, K; Hilbert, TJ; Borton, E; Levin, L; Rice, CH; Mckay, RT; Shipley, R; Meyer, CA; Perme, C; Lemasters, GK. (2015). Response Comment on "HRCT/CT and associated apirometric effects of low libby amphibole asbestos exposure" by lockey et al (2015) [Comment]. *J Occup Environ Med*. 57: e80-e82. <http://dx.doi.org/10.1097/JOM.0000000000000492>.
- Lockey, JE; Roggli, VL; Hitbert, TJ; Rice, CH; Levin, LS; Borton, EK; Biddinger, PW; Lemasters, GK. (2012). Biopersistence of Refractory Ceramic Fiber in Human Lung Tissue and a 20-Year Follow-Up of Radiographic Pleural Changes in Workers. *J Occup Environ Med*. 54: 781-788. <http://dx.doi.org/10.1097/JOM.0b013e31825296fd>.
- Lockwood, TH. (1974). THE ANALYSIS OF ASBESTOS FOR TRACE METALS (pp. 245-251; 1974). (ISSN 0002-8894; HMTC/74/0003525). Lockwood, TH.
- Logan, MD. (1986). Extent Of Asbestos Danger Is International Disagreement. *Occup Health Saf*. 55: 63-64.
- Logsdon, GS; Evavold, GL; Patton, JL; Watkins, J. (1983). FILTER PLANT-DESIGN FOR ASBESTOS FIBER REMOVAL. *J Environ Eng*. 109: 900-914.
- Lohcharoenkal, W; Wang, L; Stueckle, TA; Dinu, CZ; Castranova, V; Liu, Y; Rojanasakul, Y. (2013). Chronic exposure to carbon nanotubes induces invasion of human mesothelial cells through matrix metalloproteinase-2. *ACS Nano*. 7: 7711-7723. <http://dx.doi.org/10.1021/nn402241b>.
- Lohmar, HJ. (1976). NEW CONCEPTION OF INDUSTRIAL POLICY FOR ASBESTOS INDUSTRY. *Kautschuk Gummi Kunststoffe*. 29: 389-391.
- Lohrer, W. (1981). AIR-POLLUTION BY ASBESTOS AND OTHER FIBROUS DUSTS - A REVIEW ON THE WHOLE OF THE PROBLEM. *Staub, Reinhaltung der Luft*. 41: 387-395.
- Lohrer, W. (1983). ASBESTOS EXPOSED INTERIORS - ANALYSIS AND EVALUATION OF RISK POTENTIALS. *Staub, Reinhaltung der Luft*. 43: 434-438.
- Lohrer, W; Heide, H; Konig, R. (1979). ASBESTOS EMISSION OF ASBESTOS CEMENT AND ASBESTOS-CONTAINING FLOOR COVERINGS. *Staub, Reinhaltung der Luft*. 39: 417-422.
- Lohrer, W; H-J, N. (1987). Asbestos in the Environment, Part II (pp. 519-522). (NIOSH/00193064). Lohrer, W; Nantke H-J.
- Lohrer, W; Mierheim, H. (1983). SUBSTITUTION OF ASBESTOS IN FRICTION LININGS - ANALYSES OF PROBLEMS AND DEVELOPMENT TRENDS. *Staub, Reinhaltung der Luft*. 43: 78-85.
- Lohrer, W; Poeschel, E. (1980). ASBESTOS SUBSTITUTES - POSSIBILITIES OF APPLICATION - IMPORTANCE OF INDUSTRIAL-HYGIENE. *Staub, Reinhaltung der Luft*. 40: 210-217.
- London, L. (2005). Dual loyalties and the ethical and human rights obligations of occupational health professionals. *Am J Ind Med*. 47: 322-332. <http://dx.doi.org/10.1002/ajim.20148>.
- London, M; Rinsky, R. (1986). Health Hazard Evaluation Report No. HETA-81-025-1668, Operative Plasterers' and Cement Masons' International Association, Washington, D.C (pp. 81-025). (NIOSH/00163124). London, M; Rinsky, R.
- Long, JF; Dutta, PK; Hogg, BD. (1997). Fluorescence imaging of reactive oxygen metabolites generated in single macrophage cells (NR8383) upon phagocytosis of natural zeolite (erionite) fibers. *Environ Health Perspect*. 105: 706-711. <http://dx.doi.org/10.1289/ehp.97105706>.
- Longo, WE; Egeland, WB; Hatfield, RL; Newton, LR. (2002). Fiber release during the removal of asbestos-containing gaskets: a work practice simulation. *Appl Occup Environ Hyg*. 17: 55-62. <http://dx.doi.org/10.1080/104732202753306168>.
- Longo, WE; Rigler, MW; Slade, J. (1995). Crocidolite asbestos fibers in smoke from original Kent cigarettes. *Cancer Res*. 55: 2232-2235.
- Loomis, D; Dement, J; Richardson, D; Wolf, S. (2010). Asbestos fibre dimensions and lung cancer mortality among workers exposed to chrysotile. *Occup Environ Med*. 67: 580-584. <http://dx.doi.org/10.1136/oem.2009.050120>.
- Loomis, D; Dement, JM; Elliott, L; Richardson, D; Kuempel, ED; Stayner, L. (2012). Increased lung cancer mortality among chrysotile asbestos textile workers is more strongly associated with exposure to long thin fibres. *Occup Environ Med*. 69: 564-568. <http://dx.doi.org/10.1136/oemed-2012-100676>.
- Loomis, D; Dement, JM; Wolf, SH; Richardson, DB. (2009). Lung cancer mortality and fibre exposures among North Carolina asbestos textile workers. *Occup Environ Med*. 66: 535-542. <http://dx.doi.org/10.1136/oem.2008.044362>.
- Loomis, D; Schulz, M. (2000). Mortality from six work-related cancers among African Americans and Latinos. *Am J Ind Med*. 38: 565-575.
- Lopatin, S; Tsay, JC; Addrizzo-Harris, D; Munger, JS; Pass, H; Rom, WN. (2016). Erratum to "reduced lung function in smokers in a lung cancer screening cohort with asbestos exposure and pleural plaques" [Erratum]. *Am J Ind Med*. 59: 424. <http://dx.doi.org/10.1002/ajim.22583>.
- Lope, V; Pollan, M; Gustavsson, P; Plato, N; Perez-Gomez, B; Aragones, N; Suarez, B; Carrasco, JM; Rodriguez, S; Ramis, R; Boldo, E; Lopez-Abente, G. (2005). Occupation and thyroid cancer risk in Sweden. *J Occup Environ Med*. 47: 948-957. <http://dx.doi.org/10.1097/01.jom.0000169564.21523.5d>.
- Lopez, GP; Hitzman, MW; Nelson, EP. (2014). Alteration patterns and structural controls of the El Espino IOCG mining district, Chile. *Miner Depos*. 49: 235-259. <http://dx.doi.org/10.1007/s00126-013-0485-0>.
- Lopez Sanchez-Vizcaino, V; Teresa Gomez-Pugnaire, M; Garrido, CJ; Alberto Padron-Navarta, J; Mellini, M. (2009). Breakdown mechanisms of titanclinochumite in antigorite serpentinite (Cerro del Almiraz massif, S. Spain): A petrological and TEM study. *Lithos*. 107: 216-226. <http://dx.doi.org/10.1016/j.lithos.2008.10.008>.
- López-Abente, G; Fernández-Navarro, P; Boldo, E; Ramis, R; García-Pérez, J. (2012). Industrial pollution and pleural cancer mortality in Spain. *Sci Total Environ*. 424: 57-62. <http://dx.doi.org/10.1016/j.scitotenv.2012.02.047>.

Fate Literature Search Results

Off Topic

- López-Abente, G; García-Pérez, J; Fernández-Navarro, P; Boldo, E; Ramis, R. (2012). Colorectal cancer mortality and industrial pollution in Spain. *BMC Public Health*. 12: 589. <http://dx.doi.org/10.1186/1471-2458-12-589>.
- López-Abente, G; Hernández-Barrera, V; Pollán, M; Aragonés, N; Pérez-Gómez, B. (2005). Municipal pleural cancer mortality in Spain. *Occup Environ Med*. 62: 195-199. <http://dx.doi.org/10.1136/oem.2004.015743>.
- Lopez-Arquillos, A; Carlos Rubio-Romero, J; Suarez-Cebador, M; del Carmen Pardo-Ferreira, M. (2015). Comparative risk assessment of vehicle maintenance activities: Hybrid, battery electric, and hydrogen fuel cell cars. *International Journal of Industrial Ergonomics*. 47: 53-60. <http://dx.doi.org/10.1016/j.ergon.2015.02.005>.
- Lopez-Cima, MF; Garcia-Perez, J; Perez-Gomez, B; Aragones, N; Lopez-Abente, G; Pascual, T; Tardon, A; Pollan, M. (2013). Lung cancer risk associated with residential proximity to industrial installations: a spatial analysis. *Int J Environ Sci Tech*. 10: 891-902. <http://dx.doi.org/10.1007/s13762-013-0248-6>.
- Lorber, M; Gibb, H; Grant, L; Pinto, J; Pleil, J; Cleverly, D. (2007). Assessment of inhalation exposures and potential health risks to the general population that resulted from the collapse of the world trade center towers. *Risk Anal*. 27: 1203-1221. <http://dx.doi.org/10.1111/j.1539-6924.2007.00956.x>.
- Lord, BN; Jongedyk, HA. (1985). ASBESTOS IN BRAKE LININGS. *Chem Eng News*. 63: 4-4.
- Lordi, GM; Reichman, LB. (1993). Pulmonary complications of asbestos exposure [Review]. *Am Fam Physician*. 48: 1471-1477.
- Lorimer, WV; Rohl, AN; Miller, A; Nicholson, WJ; Selikoff, JJ. (1976). ASBESTOS EXPOSURE OF BRAKE REPAIR WORKERS IN UNITED-STATES. *Mt Sinai J Med*. 43: 207-218.
- Losman, D. (1979). Detection and analysis of asbestos in environmental-samples collected on membrane-filters - multiple-choice procedure integrating the Im, the sem and the emp. *Bull Environ Contam Toxicol*. 23: 170-178.
- Lott, PF. (1991). The detection of asbestos in floor tiles by X-ray diffractometry. *Microchem J*. 44: 161-167.
- Lotter, JT; Roberts, B; Henshaw, JL; Pierce, JS. (2016). Airborne asbestos exposures associated with the installation and removal of roofing products. *J Occup Environ Hyg*. 13: D121-D131. <http://dx.doi.org/10.1080/15459624.2016.1183010>.
- Loughrey, L; Marshall, D; Ihlen, P; Jones, P. (2013). Boiling as a mechanism for colour zonations observed at the Byrud emerald deposit, Eidsvoll, Norway: fluid inclusion, stable isotope and Ar-Ar studies. *Geofluids*. 13: 542-558. <http://dx.doi.org/10.1111/gfl.12051>.
- Lourenco, MP; de Oliveira, C; Oliveira, AF; Guimaraes, L; Duarte, HA. (2012). Structural, Electronic, and Mechanical Properties of Single-Walled Chrysotile Nanotube Models. *J Phys Chem C*. 116: 9405-9411. <http://dx.doi.org/10.1021/jp301048p>.
- Love, DA; Roberts, RG. (1991). THE GEOLOGY AND GEOCHEMISTRY OF GOLD MINERALIZATION AND ASSOCIATED ALTERATION AT THE RUNDLE GOLD DEPOSIT, ABITIBI SUBPROVINCE, ONTARIO. *Econ Geol*. 86: 644-666.
- Lowenthal, G. (1994). Occupational Health Programs in Clinics and Hospitals. *Occup Med (Lond)*. Third Edition: 875-882.
- Lowers, HA; Meeker, GP; Lioy, PJ; Lippmann, M. (2009). Summary of the development of a signature for detection of residual dust from collapse of the World Trade Center buildings. *J Expo Sci Environ Epidemiol*. 19: 325-335. <http://dx.doi.org/10.1038/jes.2008.25>.
- Lowry, SJ; Weiss, NS. (2016). Geographic distribution of incidence of pericardial and paratesticular mesotheliomas in the USA. *Cancer Causes Control*. 27: 1487-1489. <http://dx.doi.org/10.1007/s10552-016-0825-3>.
- Loyola, RC; Carneiro, AP; Silveira, AM; La Rocca, P; Nascimento, MS; Chaves, RH. (2010). Respiratory effects from industrial talc exposure among former mining workers. *Rev Saude Publica*. 44: 541-547.
- Lozewicz, S; Reznick, RH; Herdman, M; Dacie, JE; Mclean, A; Davies, RJ. (1989). Role of computed tomography in evaluating asbestos related lung disease. *Br J Ind Med*. 46: 777-781.
- Lu, BQ; Xia, YB; Qi, LJ. (2005). Infrared absorption spectra of serpentine cat's eye and the mechanism of its thermotransformation. *Wuji Cailiao Xuebao*. 20: 285-290.
- Lu, S; Zhuang, L, in; Lu, J. (2007). Homogeneous blend membrane made from poly(ether sulphone) and poly(vinylpyrrolidone) and its application to water electrolysis. *J Memb Sci*. 300: 205-210. <http://dx.doi.org/10.1016/j.memsci.2007.05.026>.
- Luanpitpong, S; Wang, L; Davidson, DC; Riedel, H; Rojanasakul, Y. (2016). Carcinogenic Potential of High Aspect Ratio Carbon Nanomaterials. 3: 483-493. <http://dx.doi.org/10.1039/C5EN00238A>.
- Lubis, H; Prihatmoko, S; James, LP. (1994). BULAGIDUN PROSPECT - A COPPER, GOLD AND TOURMALINE BEARING PORPHYRY AND BRECCIA SYSTEM IN NORTHERN SULAWESI, INDONESIA. *J Geochem Explor*. 50: 257-278.
- Lucas, JE; Kronoveter, KJ. (1982). Health Hazard Evaluation Report, No. HETA-81-297-1116, U. S. Postal Service, Washington Bulk Mail Center, Washington, D.C. (NIOSH/00127498). Lucas, JE; Kronoveter, KJ.
- Luce, D; Billon-Galland, MA; Bugel, I; Goldberg, P; Salomon, C; Févotte, J; Goldberg, M. (2004). Assessment of environmental and domestic exposure to tremolite in New Caledonia. *Arch Environ Health*. 59: 91-100. <http://dx.doi.org/10.3200/AEOH.59.2.91-100>.
- Luce, D; Bugel, I; Goldberg, P; Goldberg, M; Salomon, C; Billon-Galland, MA; Nicolau, J; Quenel, P; Févotte, J; Brochard, P. (2000). Environmental exposure to tremolite and respiratory cancer in New Caledonia: a case-control study. *Am J Epidemiol*. 151: 259-265.
- Luce, D; Leclerc, A; Bégin, D; Demers, PA; Gérin, M; Orłowski, E; Kogevinas, M; Belli, S; Bugel, I; Bolm-Audorff, U; Brinton, LA; Comba, P; Hardell, L; Hayes, RB; Magnani, C; Merler, E; Preston-Martin, S; Vaughan, TL; Zheng, W; Boffetta, P. (2002). Sinonasal cancer and occupational exposures: a pooled analysis of 12 case-control studies. *Cancer Causes Control*. 13: 147-157. <http://dx.doi.org/10.1023/A:1014350004255>.
- Luce, D; Stücker, I; Group, IS. (2011). Investigation of occupational and environmental causes of respiratory cancers (ICARE): A multicenter, population-based case-control study in France. *BMC Public Health*. 11: 928. <http://dx.doi.org/10.1186/1471-2458-11-928>.
- Ludwig, ER; Madeksho, L; Egilman, D. (2001). RE: Mesothelioma and lung tumors attributable to asbestos among petroleum workers. *Am. J. Ind. Med*. 2000. 37:275-282 [Letter]. *Am J Ind Med*. 39: 524-527.
- Lumley, KP. (1971). Asbestos dust levels inside firefighting helmets with chrysotile asbestos covers. *Ann Occup Hyg*. 14: 285-286.

Fate Literature Search Results

Off Topic

- Lumpkin, GR; Ewing, RC. (1995). GEOCHEMICAL ALTERATION OF PYROCHLORE GROUP MINERALS - PYROCHLORE SUBGROUP. *Am Mineral.* 80: 732-743.
- Lun, H; Ouyang, J; Yang, H. (2014). Enhancing dispersion of halloysite nanotubes via chemical modification. *Physics and Chemistry of Minerals.* 41: 281-288. <http://dx.doi.org/10.1007/s00269-013-0646-9>.
- Lund, LG; Williams, MG; Dodson, RF; Aust, AE. (1994). Iron associated with asbestos bodies is responsible for the formation of single strand breaks in phi X174 RFI DNA. *Occup Environ Med.* 51: 200-204.
- Lundgren, DA; Vanderpool, RW; Liu, BYH. (1991). ASBESTOS FIBER CONCENTRATIONS RESULTING FROM THE INSTALLATION, MAINTENANCE AND REMOVAL OF VINYL-ASBESTOS FLOOR TILE. *Particle & Particle Systems Characterization.* 8: 233-236.
- Lundgren, DA; Vanderpool, RW; Liu, BYH. (1991). MEASUREMENT OF ASBESTOS FIBER CONCENTRATION ABOVE FLOOR TILE. *Particle & Particle Systems Characterization.* 8: 229-232.
- Lundgren, L; Lundstrom, S; Laszlo, I; Westling, B. (1995). MODERN FIBER COUNTING - A TECHNIQUE WITH THE PHASE-CONTRAST MICROSCOPE ONLINE TO A MACINTOSH COMPUTER. *Ann Occup Hyg.* 39: 455-&.
- Lundgren, L; Lundstrom, S; Sundstrom, G; Bergman, G; Krantz, S. (1996). A quantitative method using a light microscope on-line to a Macintosh computer for the analysis of tremolite fibres in dolomite. *Ann Occup Hyg.* 40: 197-&.
- Lundy, P; Barer, M. (1992). Asbestos-containing materials in New York City buildings. *Environ Res.* 58: 15-24.
- Luo, JC; Zehab, R; Anttila, S; Ridanpaa, M; Husgafvel-Pursiainen, K; Vainio, H; Carney, W; De Vivo, I; Milling, C; Brandt-Rauf, PW. (1994). Detection of serum p53 protein in lung cancer patients. *J Occup Med.* 36: 155-160.
- Luo, S; Liu, X; Mu, S; Tsai, SP; Wen, CP. (2003). Asbestos related diseases from environmental exposure to crocidolite in Da-yao, China. I. Review of exposure and epidemiological data [Review]. *Occup Environ Med.* 60: 35-41; discussion 41-32. <http://dx.doi.org/10.1136/oem.60.1.35>.
- Luo, W, ei; Feng, Q; Ou, L; Zhang, G; Chen, Y, un. (2010). Kinetics of saprolitic laterite leaching by sulphuric acid at atmospheric pressure. *Miner Eng.* 23: 458-462. <http://dx.doi.org/10.1016/j.mineng.2009.10.006>.
- Luoto, K; Holopainen, M; Kangas, J; Kalliokoski, P; Savolainen, K. (1995). The effect of fiber length on the dissolution by macrophages of rockwool and glasswool fibers. *Environ Res.* 70: 51-61. <http://dx.doi.org/10.1006/enrs.1995.1046>.
- Luoto, K; Holopainen, M; Kangas, J; Kalliokoski, P; Savolainen, K. (1998). Dissolution of short and long rockwool and glasswool fibers by macrophages in flowthrough cell culture. *Environ Res.* 78: 25-37. <http://dx.doi.org/10.1006/enrs.1997.3825>.
- Luoto, K; Holopainen, M; Sarataho, M; Savolainen, K. (1997). Comparison of cytotoxicity of man-made vitreous fibres. *Ann Occup Hyg.* 41: 37-50. [http://dx.doi.org/10.1016/S0003-4878\(96\)00031-2](http://dx.doi.org/10.1016/S0003-4878(96)00031-2).
- Luoto, K; Holopainen, M; Savolainen, K. (1994). SCANNING ELECTRON-MICROSCOPIC STUDY ON THE CHANGES IN THE CELL-SURFACE MORPHOLOGY OF RAT ALVEOLAR MACROPHAGES AFTER THEIR EXPOSURE TO MAN-MADE VITREOUS FIBERS. *Environ Res.* 66: 198-207.
- Luster, MI; Rosenthal, GJ. (1993). Chemical Agents and the Immune Response [Review]. *Environ Health Perspect.* 100: 219-226.
- Lustrato, G; Alfano, G; Andreotti, A; Colombini, MP; Ranalli, G. (2012). Fast biocleaning of mediaeval frescoes using viable bacterial cells. *Int Biodeterior Biodegradation.* 69: 51-61. <http://dx.doi.org/10.1016/j.ibiod.2011.12.010>.
- Luttge, A; Metz, P. (1993). MECHANISM AND KINETICS OF THE REACTION - 1 DOLOMITE PLUS 2 QUARTZ = 1 DIOPSIDE PLUS 2 CO2 - A COMPARISON OF ROCK-SAMPLE AND OF POWDER EXPERIMENTS. *Contributions to Mineralogy and Petrology.* 115: 155-164.
- Luttge, A; Neumann, U; Lasaga, AC. (1998). The influence of heating rate on the kinetics of mineral reactions: An experimental study and computer models. *Am Mineral.* 83: 501-515.
- Lutz, EH; Swain, MV; Cook, PS. (1994). SIGNIFICANCE OF SPECIMEN SIZE FOR THE K(R)-CURVE BEHAVIOR OF QUASI-BRITTLE MATERIALS. *J Eur Ceram Soc.* 13: 501-507.
- Lutz, W; Krajewska, B; Piñacik, B. (1997). Determination of tissue polypeptide antigens (TPA) and carcinoembryonic antigen (CEA) in serum: its value in the preliminary cancer risk assessment in asbestos exposed workers. *Int J Occup Med Environ Health.* 10: 259-265.
- Luxon, SG. (1971). USE OF DUST RESPIRATORS AGAINST ASBESTOS DUST HAZARDS IN UNITED-KINGDOM. *Am Ind Hyg Assoc J.* 32: 723-&.
- Lyaptev, SA; Potapov, VY, a; Davydov, SY, a; Potapov, VV; Semerikov, LA; Vasil'ev, EA. (2015). Classification of Granular Material in an Impact with a Separation Surface. *Refractories and Industrial Ceramics.* 55: 570-572. <http://dx.doi.org/10.1007/s11148-015-9767-7>.
- Lykins, RW; Jenkins, DM. (1992). EXPERIMENTAL-DETERMINATION OF PARGASITE STABILITY RELATIONS IN THE PRESENCE OF ORTHO-PYROXENE. *Contributions to Mineralogy and Petrology.* 112: 405-413.
- Lynch, JR. (1966). Results of Air Samples at American Asbestos Textile Corporation, Meredith, New Hampshire. (NIOSH/00105827). Lynch, JR.
- Lynch, JR. (1967). Result of Air Sample at Flint-Kote, Ravenna, Ohio. (NIOSH/00105346). Lynch, JR.
- Lynch, JR. (1968). Results of Air Samples at Certain-Teed Products, Santa Clara, California. (NIOSH/00105989). Lynch, JR.
- Lynch, JR. (1968). Results of Air Samples at Fabco Industrial Insulation, Emeryville, California. (NIOSH/00105995). Lynch, JR.
- Lynch, JR. (1968). Results of Air Samples at Pittsburg Corning in Tyler, Texas. (NIOSH/00106145). Lynch, JR.
- Lynch, JR. (1971). Environmental Sampling and Analysis of Particulate Matter: Asbestos. *Arch Dermatol.* 85: 441-454.
- Lynch, JR; Ayer, HE. (1966). Measurement of dust exposures in the asbestos textile industry. *Am Ind Hyg Assoc J.* 27: 431-437. <http://dx.doi.org/10.1080/00028896609342449>.
- Lynch, JR; Ayer, HE. (1968). Measurement of asbestos exposure. *J Occup Med.* 10: 21-24.
- Lynge, E; Villadsen, E; Raffn, E; Engholm, G. (1997). Lung cancer in asbestos cement workers in Denmark - Reply. *Occup Environ Med.* 54: 143-143.
- Lyons, TJ; Knapik, JP. (1996). WORKER EXPOSURE DURING ENVIRONMENTAL SAMPLING THE HAZARDS INVOLVED (pp. PHILADELPHIA). (BIOSIS/96/38447). Lyons, TJ; Knapik, JP.

Fate Literature Search Results

Off Topic

- Lyster, R. (2015). A Fossil Fuel-Funded Climate Disaster Response Fund under the Warsaw International Mechanism for Loss and Damage Associated with Climate Change Impacts. 4: 125-151.
- Macarthur, A; Le, N; Fang, R; Band, P. (2009). Identification of occupational cancer risk in British Columbia: A population-based case-control study of 2,998 lung cancers by histopathological subtype. *Am J Ind Med.* 52: 221-232. <http://dx.doi.org/10.1002/ajim.20663>.
- Maccarthy, J; Addai-Mensah, J; Nosrati, A. (2014). Atmospheric acid leaching of siliceous goethitic Ni laterite ore: Effect of solid loading and temperature. *Miner Eng.* 69: 154-164. <http://dx.doi.org/10.1016/j.mineng.2014.08.005>.
- Macher, JM; Hayward, SB. (1991). Public inquiries about indoor air quality in California. *Environ Health Perspect.* 92: 175-180.
- Maciejewska, A. (2012). [Application of infrared spectrometry (FT-IR) for mineral identification of asbestos in bulk samples]. *Med Pr.* 63: 181-189.
- Mackenzie, KJD; Bradley, S; Hanna, JV; Smith, ME. (2013). Magnesium analogues of aluminosilicate inorganic polymers (geopolymers) from magnesium minerals. *Journal of Materials Science.* 48: 1787-1793. <http://dx.doi.org/10.1007/s10853-012-6940-y>.
- Mackenzie, KJD; Meinhold, RH. (1994). A GLASS-BONDED CERAMIC MATERIAL FROM CHRYSOTILE (WHITE ASBESTOS). *Journal of Materials Science.* 29: 2775-2783.
- Mackenzie, KJD; Meinhold, RH. (1994). THERMAL-REACTIONS OF CHRYSOTILE REVISITED - A SI-29 AND MG-25 MAS NMR-STUDY. *Am Mineral.* 79: 43-50.
- Maclure, M. (1987). ASBESTOS AND RENAL ADENOCARCINOMA A CASE-CONTROL STUDY. *Environ Res.* 42: 353-361.
- Mactiernan, A; Fritschi, L; Slevin, T; Jalleh, G; Donovan, R; Heyworth, J. (2014). Public perceptions of cancer risk factors: a Western Australian study. *Health Promot J Austr.* 25: 90-96. <http://dx.doi.org/10.1071/HE13081>.
- Maddalon, G; Patroni, M; Trimarchi, R; Clerici, C; Occella, E. (1991). [Sensitivity, precision and resolution of the optical microscope in the study of environmental pollution by asbestos fibers]. *Med Lav.* 82: 358-371.
- Madl, AK; Clark, K; Paustenbach, DJ. (2007). Exposure to airborne asbestos during removal and installation of gaskets and packings: a review of published and unpublished studies [Review]. *J Toxicol Environ Health B Crit Rev.* 10: 259-286. <http://dx.doi.org/10.1080/15287390600974957>.
- Madl, AK; Devlin, KD; Perez, AL; Hollins, DM; Cowan, DM; Scott, PK; White, K; Cheng, TJ; Henshaw, JL. (2015). Airborne asbestos exposures associated with gasket and packing replacement: a simulation study of flange and valve repair work and an assessment of exposure variables. *Regul Toxicol Pharmacol.* 71: 35-51. <http://dx.doi.org/10.1016/j.yrtph.2014.10.017>.
- Madl, AK; Gaffney, SH; Balzer, JL; Paustenbach, DJ. (2009). Airborne asbestos concentrations associated with heavy equipment brake removal. *Ann Occup Hyg.* 53: 839-857. <http://dx.doi.org/10.1093/annhyg/mep056>.
- Madl, AK; Hollins, DM; Devlin, KD; Donovan, EP; Dopart, PJ; Scott, PK; Perez, AL. (2014). Airborne asbestos exposures associated with gasket and packing replacement: a simulation study and meta-analysis. *Regul Toxicol Pharmacol.* 69: 304-319. <http://dx.doi.org/10.1016/j.yrtph.2014.04.007>.
- Madl, AK; Scott, LL; Murbach, DM; Fehling, KA; Finley, BL; Paustenbach, DJ. (2008). Exposure to chrysotile asbestos associated with unpacking and repacking boxes of automobile brake pads and shoes. *Ann Occup Hyg.* 52: 463-479. <http://dx.doi.org/10.1093/annhyg/men028>.
- Madugalla, TBN, S; Pitawala, HMT, GA; Naumann, R; Trumbull, RB. (2015). Hydrothermal mica deposits in altered meta-ultrabasites from north-central Sri Lanka. *J Geochem Explor.* 153: 66-78. <http://dx.doi.org/10.1016/j.gexplo.2015.03.002>.
- Maeda, M; Yamamoto, S; Chen, Y; Kumagai-Takei, N; Hayashi, H; Matsuzaki, H; Lee, S; Hatayama, T; Miyahara, N; Katoh, M; Hiratsuka, J; Nishimura, Y; Otsuki, T. (2012). Resistance to asbestos-induced apoptosis with continuous exposure to crocidolite on a human T cell. *Sci Total Environ.* 429: 174-182. <http://dx.doi.org/10.1016/j.scitotenv.2012.04.043>.
- Magee, F; Wright, JL; Chan, N; Lawson, L; Churg, A. (1986). Malignant mesothelioma caused by childhood exposure to long-fiber low aspect ratio tremolite. *Am J Ind Med.* 9: 529-533. <http://dx.doi.org/10.1002/ajim.4700090604>.
- Magnani, C; Bianchi, C; Chellini, E; Consonni, D; Fubini, B; Gennaro, V; Marinaccio, A; Menegozzo, M; Mirabelli, D; Merler, E; Merletti, F; Musti, M; Oddone, E; Romanelli, A; Terracini, B; Zona, A; Zocchetti, C; Alessi, M; Baldassarre, A; Dianzani, I; Maule, M; Mensi, C; Silvestri, S. (2015). III Italian Consensus Conference on Malignant Mesothelioma of the Pleura. *Epidemiology, Public Health and Occupational Medicine related issues.* *Med Lav.* 106: 325-332.
- Magnani, C; Dalmasso, P; Biggeri, A; Ivaldi, C; Mirabelli, D; Terracini, B. (2001). Increased risk of malignant mesothelioma of the pleura after residential or domestic exposure to asbestos: A case-control study in Casale Monferrato, Italy. *Environ Health Perspect.* 109: 915-919. <http://dx.doi.org/10.1289/ehp.01109915>.
- Magnani, C; Ferrante, D; Barone-Adesi, F; Bertolotti, M; Todesco, A; Mirabelli, D; Terracini, B. (2008). Cancer risk after cessation of asbestos exposure: A cohort study of Italian asbestos cement workers. *Occup Environ Med.* 65: 164-170. <http://dx.doi.org/10.1136/oem.2007.032847>.
- Magnani, C; Fubini, B; Mirabelli, D; Bertazzi, PA; Bianchi, C; Chellini, E; Gennaro, V; Marinaccio, A; Menegozzo, M; Merler, E; Merletti, F; Musti, M; Pira, E; Romanelli, A; Terracini, B; Zona, A. (2013). Pleural mesothelioma: epidemiological and public health issues. Report from the Second Italian Consensus Conference on Pleural Mesothelioma. *Med Lav.* 104: 191-202.
- Magnani, C; Leporati, M. (1998). Mortality from lung cancer and population risk attributable to asbestos in an asbestos cement manufacturing town in Italy. *Occup Environ Med.* 55: 111-114.
- Magnani, C; Mollo, F; Paoletti, L; Bellis, D; Bernardi, P; Betta, P; Botta, M; Falchi, M; Ivaldi, C; Pavesi, M. (1998). Asbestos lung burden and asbestosis after occupational and environmental exposure in an asbestos cement manufacturing area: a necropsy study. *Occup Environ Med.* 55: 840-846.
- Magnani, C; Terracini, B; Ivaldi, C; Botta, M; Budel, P; Mancini, A; Zanetti, R. (1993). A cohort study on mortality among wives of workers in the asbestos cement industry in Casale Monferrato, Italy. *Br J Ind Med.* 50: 779-784.

Fate Literature Search Results

Off Topic

- Magnani, C; Terracini, B; Ivaldi, C; Botta, M; Mancini, A; Andron, A. (1995). Pleural malignant mesothelioma and non-occupational exposure to asbestos in Casale Monferrato, Italy. *Occup Environ Med.* 52: 362-367.
- Magrez, A; Kasas, S; Salicio, V; Pasquier, N; Seo, JW; Celio, M; Catsicas, S; Schwaller, B; Forró, L. (2006). Cellular toxicity of carbon-based nanomaterials. *Nano Lett.* 6: 1121-1125. <http://dx.doi.org/10.1021/nl060162e>.
- Mahmood, N; Khan, SG; Ali, S; Athar, M; Rahman, Q. (1993). Asbestos Induced Oxidative Injury to DNA. *Ann Occup Hyg.* 37: 315-319.
- Mai, YW. (1979). STRENGTH AND FRACTURE PROPERTIES OF ASBESTOS-CEMENT MORTAR COMPOSITES. *Journal of Materials Science.* 14: 2091-2102.
- Mai, YW. (1980). STRENGTH AND FRACTURE PROPERTIES OF ASBESTOS-CEMENT MORTAR COMPOSITES - REPLY. *Journal of Materials Science.* 15: 2388-2389.
- Maino, A; Gianelle, V; Onida, F; Albiero, S. (1995). [Occupational exposure to asbestos in removal and protective treatment of roof coverings]. *Med Lav.* 86: 546-554.
- Mainprice, D; Le Page, Y; Rodgers, J; Jouanna, P. (2008). Ab initio elastic properties of talc from 0 to 12 GPa: Interpretation of seismic velocities at mantle pressures and prediction of auxetic behaviour at low pressure. *Earth Planet Sci Lett.* 274: 327-338. <http://dx.doi.org/10.1016/j.epsl.2008.07.047>.
- Major, G; Vardy, GF. (1989). Public perception of risk and its consequences: the case of a natural fibrous mineral deposit. *IARC Sci Publ*497-508.
- Majumdar, AS; Hoevelmann, J; Mondal, SK; Putnis, A. (2016). The role of reacting solution and temperature on compositional evolution during harzburgite alteration: Constraints from the Mesoarchean Nuasahi Massif (eastern India). *Lithos.* 256: 228-242. <http://dx.doi.org/10.1016/j.lithos.2016.04.016>.
- Majumdar, AS; Hoevelmann, J; Vollmer, C; Berndt, J; Mondal, SK; Putnis, A. (2016). Formation of Mg-rich Olivine Pseudomorphs in Serpentinized Dunite from the Mesoarchean Nuasahi Massif, Eastern India: Insights into the Evolution of Fluid Composition at the Mineral-Fluid Interface. *Journal of Petrology.* 57: 3-26. <http://dx.doi.org/10.1093/petrology/egv070>.
- Makie, T; Adcock, D; Lackland, DT; Hoel, DG. (2005). Pulmonary abnormalities associated with occupational exposures at the Savannah River Site. *Am J Ind Med.* 48: 365-372. <http://dx.doi.org/10.1002/ajim.20224>.
- Maksimov, AP. (2009). The influence of water on the temperature of amphibole stability in melts. *Journal of Volcanology and Seismology.* 3: 27-33. <http://dx.doi.org/10.1134/S0742046309010035>.
- Makvandi, S; Beaudoin, G; Mcclenaghan, BM; Layton-Matthews, D. (2015). The surface texture and morphology of magnetite from the Izok Lake volcanogenic massive sulfide deposit and local glacial sediments, Nunavut, Canada: Application to mineral exploration. *J Geochem Explor.* 150: 84-103. <http://dx.doi.org/10.1016/j.gexplo.2014.12.013>.
- Makvandi, S; Ghasemzadeh-Barvarz, M; Beaudoin, G; Grunsky, EC; Mcclenaghan, MB; Duchesne, C; Boutroy, E. (2016). Partial least squares-discriminant analysis of trace element compositions of magnetite from various VMS deposit subtypes: Application to mineral exploration. *Ore Geol Rev.* 78: 388-408. <http://dx.doi.org/10.1016/j.oregeorev.2016.04.014>.
- Malaspina, N; Hermann, J; Scambelluri, M; Compagnoni, R. (2006). Polyphase inclusions in garnet-orthopyroxenite (Dabie Shan, China) as monitors for metasomatism and fluid-related trace element transfer in subduction zone peridotite. *Earth Planet Sci Lett.* 249: 173-187. <http://dx.doi.org/10.1016/j.epsl.2006.07.017>.
- Malhotra, VM; Winer, A. (1976). USE OF ASBESTOS FIBER IN PORTLAND-CEMENT AND SULFUR CONCRETES. 69: 131-138.
- Malorni, W; Iosi, F; Falchi, M; Donelli, G. (1990). On the mechanism of cell internalization of chrysotile fibers: An immunocytochemical and ultrastructural study. *Environ Res.* 52: 164-177. [http://dx.doi.org/10.1016/S0013-9351\(05\)80251-8](http://dx.doi.org/10.1016/S0013-9351(05)80251-8).
- Maltoni, C. (1997). The Long-Lasting Legacy of Industrial Carcinogens: The Lesson of Asbestos. Irving J. Selikoff Memorial Lecture, 1995. *Ann N Y Acad Sci.* 837: 570-586.
- Maltoni, C. (1999). Call for an international ban on asbestos [Review]. *Toxicol Ind Health.* 15: 529-531. <http://dx.doi.org/10.1177/074823379901500601>.
- Maltoni, C; Pinto, C; Mobiglia, A. (1991). Mesotheliomas following exposure to asbestos used in railroads: the Italian cases. *Toxicol Ind Health.* 7: 1-45.
- Malvoisin, B; Austrheim, H; Malthe-Sorensen, A; Glodny, J. (2012). Deformation-related alteration of basaltic clasts during deep burial in sedimentary basins. *Chem Geol.* 322: 47-67. <http://dx.doi.org/10.1016/j.chemgeo.2012.06.011>.
- Malvoisin, B; Brunet, F; Carlut, J; Roumejon, S; Cannat, M. (2012). Serpentinization of oceanic peridotites: 2. Kinetics and processes of San Carlos olivine hydrothermal alteration. *J Geophys Res Solid Earth.* 117. <http://dx.doi.org/10.1029/2011JB008842>.
- Mameri, N; Piron, DL; Bouzid, A; Derenne, M; Marchand, L; Birembaut, Y. (2000). Corrosion quantification test for flanges with graphite-based gaskets. *Mater Perform.* 39: 64-69.
- Man, SF; Noujaim, AA; Lee, TK; Gibney, RT; Logus, JW. (1980). Canine tracheal mucus transport of particulate pollutants: comparison of radiolabeled corn pollen, ragweed pollen, asbestos, silica, and talc to Dowex anion exchange particles. *Arch Environ Health.* 35: 283-286.
- Manabe, M; Tatarazako, N; Kinoshita, M. (2011). Uptake, excretion and toxicity of nano-sized latex particles on medaka (*Oryzias latipes*) embryos and larvae. *Aquat Toxicol.* 105: 576-581. <http://dx.doi.org/10.1016/j.aquatox.2011.08.020>.
- Manavendra, G; Kumarappa, S; Kumar, GCM; Bharath, KN. (2011). Experimental Investigation of Thermal Properties of Areca Fiber Reinforced Phenol Formaldehyde Composites. 43: 87-93.
- Mancini, F; Marshall, B; Papunen, H. (1996). Petrography and metamorphism of the Saaksjarvi ultramafic body, southwest Finland. *Mineralogy and Petrology.* 56: 185-208.
- Mancuso, TF. (1993). Re: "TLVs for asbestos" [Letter]. *Am J Ind Med.* 23: 961-965.
- Mancuso, TF. (1994). Unpublished data on asbestos dust continue to surface [Letter]. *Am J Ind Med.* 25: 457-460.

Fate Literature Search Results

Off Topic

- Mancuso, TF. (1997). Chromium as an industrial carcinogen: Part II. Chromium in human tissues. *Am J Ind Med.* 31: 140-147. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(19970204\)31:2<140::AID-AJIM2>3.0.CO;2-3](http://dx.doi.org/10.1002/(SICI)1097-0274(19970204)31:2<140::AID-AJIM2>3.0.CO;2-3).
- Mándi, A; Posgay, M; Vadász, P; Major, K; Rödelberger, K; Tossavainen, A; Ungváry, G; Woitowitz, HJ; Galambos, E; Németh, L; Soltész, I; Egerváry, M; Böszörményi Nagy, G. (2000). Role of occupational asbestos exposure in Hungarian lung cancer patients. *Int Arch Occup Environ Health.* 73: 555-560.
- Manfredo, I. (2015). Accidental discovery of asbestos-related occupational pleural disease in unemployed carpenter: a healthcare safety net that needs mending. *Arh Hig Rada Toksikol.* 66: 213-215. <http://dx.doi.org/10.1515/aiht-2015-66-2682>.
- Mangold, C; Clark, K; Madl, A; Paustenbach, D. (2006). An exposure study of bystanders and workers during the installation and removal of asbestos gaskets and packing. *J Occup Environ Hyg.* 3: 87-98. <http://dx.doi.org/10.1080/15459620500498067>.
- Manke, J; Bruckel, B; Rodelsperger, K; Woitowitz, HJ. (1984). ANALYSIS OF LUNG DUST AFTER OCCUPATIONAL EXPOSURE TO WHITE ASBESTOS (CHRYSOTIL). *Arbeitsmedizin, Sozialmedizin, Praeventivmedizin.* 19: 257-261.
- Manke, J; Roedelsperger, K; H-J, W; Scharmann, A. (1990). ELECTRON MICROSCOPE IDENTIFICATION OF MINERAL FIBERS IN HUMAN LUNG TISSUE. *Naturwissenschaften.* 77: 433-435.
- Mann, JH. (1990). An industrial hygiene evaluation of beet sugar processing plants. *Am Ind Hyg Assoc J.* 51: 313-318. <http://dx.doi.org/10.1080/15298669091369727>.
- Manning, DP; Jones, C. (1995). HIGH HEELS AND POLISHED FLOORS - THE ULTIMATE CHALLENGE IN RESEARCH ON SLIP-RESISTANCE. *Safety Sci.* 19: 19-29.
- Manning, DP; Jones, C; Rowland, FJ; Roff, M. (1998). The surface roughness of a rubber soling material determines the coefficient of friction on water-lubricated surfaces. *J Safety Res.* 29: 275-283.
- Manos, CG; Patel-Mandlik, KJ; Ross, BJ; Jenkins, EJ; Lisk, DJ. (1991). Prevalence of asbestos in sewage sludges from 51 lae and small cites in the USA. *Chemosphere.* 22: 9-10.
- Manske, SL; Paul, AH. (2002). Geology of a major new porphyry copper center in the Superior (Pioneer) district, Arizona. *Econ Geol.* 97: 197-220.
- Manti, A; Bancomina, C; Capano, G. (2013). [Greenstones mining is a risk for public health?]. *Epidemiol Prev.* 37: 74-76.
- Manuella, FC. (2011). Vein mineral assemblage in partially serpentinized peridotite xenoliths from Hyblean Plateau (south-eastern Sicily, Italy). *Periodico di Mineralogia.* 80: 247-266. <http://dx.doi.org/10.2451/2011PM0019>.
- Manuella, FC; Carbone, S; Barreca, G. (2012). ORIGIN OF SAPONITE-RICH CLAYS IN A FOSSIL SERPENTINITE-HOSTED HYDROTHERMAL SYSTEM IN THE CRUSTAL BASEMENT OF THE HYBLEAN PLATEAU (SICILY, ITALY). *Clays and Clay Minerals.* 60: 18-31. <http://dx.doi.org/10.1346/CCMN.2012.0600102>.
- Manuella, FC; Ottolini, L; Carbone, S; Scavo, L. (2016). Metasomatizing effects of serpentinization-related hydrothermal fluids in abyssal peridotites: new contributions from Hyblean peridotite xenoliths (southeastern Sicily). *Lithos.* 264: 405-421. <http://dx.doi.org/10.1016/j.lithos.2016.09.010>.
- Manz, A. (1994). ASBESTOS FIBERS AND MAN-MADE MINERAL FIBERS - CARCINOGENS OR TRANSPORT MEDIA FOR CARCINOGEN - MEMORIES OF AN ALMOST FORGOTTEN THEORY. *Staub, Reinhaltung der Luft.* 54: 363-367.
- Mao, IF; Yeh, HR; Chen, ML. (2002). Comparison of fiber counting by TV screen and eyepieces of phase contrast microscopy. *AIHA J.* 63: 756-761.
- Marchand, JL; Luce, D; Leclerc, A; Goldberg, P; Orlowski, E; Bugel, I; Brugère, J. (2000). Laryngeal and hypopharyngeal cancer and occupational exposure to asbestos and man-made vitreous fibers: results of a case-control study. *Am J Ind Med.* 37: 581-589.
- Marchand, L; Derenne, M; Bazergui, A. (1992). WEIGHT-LOSS CORRELATION FOR SHEET GASKET MATERIALS. *Journal of Pressure Vessel Technology.* 114: 1-7.
- Marchand, PE. (1991). HISTORICAL PERSPECTIVES IN OCCUPATIONAL MEDICINE THE DISCOVERY OF MESOTHELIOMA IN THE NORTHWESTERN CAPE PROVINCE IN THE REPUBLIC OF SOUTH AFRICA. *Am J Ind Med.* 19: 241-246.
- Marchesan, S; Kostarelos, K; Bianco, A; Prato, M. (2015). The winding road for carbon nanotubes in nanomedicine. *Mater Today.* 18. <http://dx.doi.org/10.1016/j.mattod.2014.07.009>.
- Marchesi, C; Garrido, CJ; Padron-Navarta, JA; Lopez Sanchez-Vizcaino, V; Teresa Gomez-Pugnaire, M. (2013). Element mobility from seafloor serpentinization to high-pressure dehydration of antigorite in subducted serpentinite: Insights from the Cerro del Almirez ultramafic massif (southern Spain). *Lithos.* 178: 128-142. <http://dx.doi.org/10.1016/j.lithos.2012.11.025>.
- Marconi, A; Cecchetti, G; Barbieri, M. (1989). Airborne Mineral Fibre Concentrations in an Urban Area Near an Asbestos-Cement Plant (pp. 336-346). (ISSN 0300-5038; NIOSH/00191370). Marconi, A; Cecchetti, G; Barbieri, M.
- Marconi, A; Falleni, F; Campanella, E. (1993). Comparison between phase contrast optical microscopy and electron scanning microscopy for analysis of airborne asbestos fibres in office environments. 84: 211-216.
- Marconi, A; Maccione, M; Rossi, L. (1986). Asbestos and Talc: Determination of Mineral Fiber Content in Commercial Talc Powders by Combined Optical Microscopy Techniques (pp. 496-510). (NIOSH/00175467). Marconi, A; Maccione, M; Rossi, L.
- Marconi, A; Menichini, E; Paoletti, L. (1984). A comparison of light microscopy and transmission electron microscopy results in the evaluation of the occupational exposure to airborne chrysotile fibres. *Ann Occup Hyg.* 28: 321-331.
- Marczynski, B; Kraus, T; Rozynek, P; Schlösser, S; Raitel, HJ; Baur, X. (2001). Changes in low molecular weight DNA fragmentation in white blood cells of workers highly exposed to asbestos. *Int Arch Occup Environ Health.* 74: 315-324.
- Maresca, GP; Puffer, JH; Germine, M. (1984). ASBESTOS IN LAKE AND RESERVOIR WATERS OF STATEN-ISLAND, NEW-YORK - SOURCE, CONCENTRATION, MINERALOGY, AND SIZE DISTRIBUTION. *Environ Geol Water Sci.* 6: 201-210.
- Maresch, WV; Czank, M; Schreyer, W. (1994). GROWTH MECHANISMS, STRUCTURAL DEFECTS AND COMPOSITION OF SYNTHETIC TREMOLITE - WHAT ARE THE EFFECTS ON MACROSCOPIC PROPERTIES. *Contributions to Mineralogy and Petrology.* 118: 297-313.

Fate Literature Search Results

Off Topic

- Marfels, H; Spurny, K; Chr, B; Schoermann, J; Opiela, H; Arthaus, W; Weiss, G. (1984). Measurements Of Fibrous Dusts In Ambient Air Of The Federal Republic Of Germany I. Measurements In The Vicinity Of An Industrial Sourc (pp. 259-263). (NIOSH/00152502). Marfels, H; Spurny, K; Boose Chr; Schoermann, J; Opiela, H; Arthaus, W; Weiss, G.
- Marfels, H; Spurny, KR. (1988). FIBER DUST EMISSIONS ON DUMPS AND THEIR ASSESSMENT (pp. DORDRECHT). (BIOSIS/88/35673). Marfels, H; Spurny, KR.
- Marfels, H; Spurny, KR; Ibburg, J; Wenzel, A; Glaser, U. (1990). Anthropogene Staeube in der Aussenluft in Baden-Wuerttemberg: Physikalisch-chemische Analyse und toxikologische Bewertung. (Anthropogenic airborne dust in the ambient air of Baden-Wuerttemberg: Physical/chemical analysis and toxicological investigation) (pp. 51). (NTIS/02974643_a). Marfels, H; Spurny, KR; Ibburg, J; Wenzel, A; Glaser, U.
- Marfels, H; Spurny, KR; Jaekel, F; Boose, C; Althaus, W; Opiela, H; Schormann, J; Weiss, G; Wulbeck, FJ. (1987). ASBESTOS FIBER MEASUREMENTS IN THE VICINITY OF EMITTENTS. *J Aerosol Sci.* 18: 627-630.
- Margler, LW; Rogozen, MB; Ziskind, RA; Reynolds, R. (1979). Rapid screening and identification of airborne carcinogens of greatest concern in California, USA. *J Air Pollut Control Assoc.* 29: 1153-1157.
- Margolis, SE; Morris, GE. (1986). Asbestos fibre supply and the regulation of asbestos exposure. *Resources Policy.* 12: 335-345.
- Marier, M; Charney, W; Rousseau, R; Lanthier, R; van Raalte, J. (2007). Exploratory sampling of asbestos in residences near Thetford Mines: the public health threat in Quebec. *Int J Occup Environ Health.* 13: 386-397. <http://dx.doi.org/10.1179/oeh.2007.13.4.386>.
- Marijnissen, J; Zeckendorf, A; Lemkowitz, S; Bibo, H. (1991). TRANSPORT AND DEPOSITION OF UNIFORM RESPIRABLE FIBERS IN A PHYSICAL LUNG MODEL. *J Aerosol Sci.* 22: S859-S862.
- Marinaccio, A. (2009). Epidemiologic surveillance of occupational cancers in the light of the new laws. *Epidemiol Prev.* 33: 80-84.
- Marinaccio, A. (2010). [Scientific research, epidemiologic surveillance, and compensation criteria for asbestos-related diseases] [Letter]. *Med Lav.* 101: 146-148.
- Marinaccio, A; Belli, S; Binazzi, A; Scarselli, A; Massari, S; Bruni, A; Conversano, M; Crosignani, P; Minerba, A; Zona, A; Comba, P. (2011). Residential proximity to industrial sites in the area of Taranto (Southern Italy). A case-control cancer incidence study. *Ann Ist Super Sanita.* 47: 192-199. http://dx.doi.org/10.4415/ANN_11_02_11.
- Marinaccio, A; Binazzi, A; Bonafede, M; Corfiati, M; Di Marzio, D; Scarselli, A; Verardo, M; Mirabelli, D; Gennaro, V; Mensi, C; Schallemborg, G; Merler, E; Negro, C; Romanelli, A; Chellini, E; Silvestri, S; Cocchioni, M; Pascucci, C; Stracci, F; Ascoli, V; Trafficante, L; Angelillo, I; Musti, M; Cavone, D; Cauzillo, G; Tallarigo, F; Tumino, R; Melis, M; Group, RW. (2015). Malignant mesothelioma due to non-occupational asbestos exposure from the Italian national surveillance system (ReNaM): epidemiology and public health issues. *Occup Environ Med.* 72: 648-655. <http://dx.doi.org/10.1136/oemed-2014-102297>.
- Marinaccio, A; Binazzi, A; Cauzillo, G; Chellini, E; De Zotti, R; Gennaro, V; Menegozzo, M; Mensi, C; Merler, E; Mirabelli, D; Musti, M; Pannelli, F; Romanelli, A; Scarselli, A; Tosi, S; Tumino, R; Nesti, M; ReNaM, Gdl. (2007). [Epidemiological surveillance of malignant mesothelioma cases in Italy: incidence and asbestos exposure figures by the Italian mesothelioma registry (ReNaM)]. *Epidemiol Prev.* 31: 23-26.
- Marinaccio, A; Binazzi, A; Di Marzio, D; Scarselli, A; Verardo, M; Mirabelli, D; Gennaro, V; Mensi, C; Merler, E; De Zotti, R; Mangone, L; Chellini, E; Pascucci, C; Ascoli, V; Menegozzo, S; Cavone, D; Cauzillo, G; Nicita, C; Melis, M; Iavicoli, S. (2010). Incidence of extrapleural malignant mesothelioma and asbestos exposure, from the Italian national register. *Occup Environ Med.* 67: 760-765. <http://dx.doi.org/10.1136/oem.2009.051466>.
- Marinaccio, A; Scarselli, A; Binazzi, A; Altavista, P; Belli, S; Mastrantonio, M; Pasetto, R; Uccelli, R; Comba, P. (2008). Asbestos related diseases in Italy: an integrated approach to identify unexpected professional or environmental exposure risks at municipal level. *Int Arch Occup Environ Health.* 81: 993-1001. <http://dx.doi.org/10.1007/s00420-007-0293-x>.
- Marinaccio, A; Scarselli, A; Merler, E; Iavicoli, S. (2012). Mesothelioma incidence surveillance systems and claims for workers' compensation. Epidemiological evidence and prospects for an integrated framework. *BMC Public Health.* 12: 314. <http://dx.doi.org/10.1186/1471-2458-12-314>.
- Marino, O; Palumbo, M; Mascolo, G. (1995). Destruction of asbestos fibres by sintering asbestos-volcanic tuff mixtures. *Environ Technol.* 16: 89-94.
- Marioryad, H; Kakooei, H; Shahtaheri, SJ; Yunesian, M; Azam, K. (2011). Assessment of airborne asbestos exposure at an asbestos cement sheet and pipe factory in Iran. *Regul Toxicol Pharmacol.* 60: 200-205. <http://dx.doi.org/10.1016/j.yrtph.2011.03.005>.
- Mariotte, P; Buttler, A; Johnson, D; Thebault, A; Vandenberghe, C. (2012). Exclusion of root competition increases competitive abilities of subordinate plant species through root-shoot interactions. *J Veg Sci.* 23: 1148-1158. <http://dx.doi.org/10.1111/j.1654-1103.2012.01432.x>.
- Maris, JK. (1991). State of the Environment Report at Fort Lewis and Its Sub-Installations: A Program Review of the Environmental and Natural Resources Division at Fort Lewis (pp. 103). (NTIS/02980552). Maris, JK.
- Mark, G; Foster, DRW. (2000). Magmatic-hydrothermal albite-actinolite-apatite-rich rocks from the Cloncurry district, NW Queensland, Australia. *Lithos.* 51: 223-245.
- Markham, MC; Wosczyzna, K. (1976). DETERMINATION OF MICRO-QUANTITIES OF CHRYSOTILE ASBESTOS BY DYE ADSORPTION. *Environ Sci Technol.* 10: 930-931.
- Markl, G; Piazzolo, S. (1998). Halogen-bearing minerals in syenites and high-grade marbles of Dronning Maud Land, Antarctica: monitors of fluid compositional changes during late-magmatic fluid-rock interaction processes. *Contributions to Mineralogy and Petrology.* 132: 246-268.
- Markowitz, G; Rosner, D. (2016). "Unleashed on an Unsuspecting World": The Asbestos Information Association and Its Role in Perpetuating a National Epidemic. *Am J Public Health.* 106: 834-840. <http://dx.doi.org/10.2105/AJPH.2015.303023>.

Fate Literature Search Results

Off Topic

- Markowski, A; Vallance, J; Chiaradia, M; Fontbote, L. (2006). Mineral zoning and gold occurrence in the Fortuna skarn mine, Nambija district, Ecuador. *Miner Depos.* 41: 301-321. <http://dx.doi.org/10.1007/s00126-006-0062-x>.
- Marks, M; Vennemann, T; Siebel, W; Markl, G. (2003). Quantification of magmatic and hydrothermal processes in a peralkaline syenite-alkali granite complex based on textures, phase equilibria, and stable and radiogenic isotopes. *Journal of Petrology.* 44: 1247-1280.
- Marmorato Gomes, CE; Savastano, H, Jr. (2014). Study of Hygral Behavior of NON-asbestos Fiber Cement Made by Similar Hatschek Process. *Mater Res.* 17: 121-129. <http://dx.doi.org/10.1590/S1516-14392013005000180>.
- Marocchi, M; Hermann, J; Morten, L. (2007). Evidence for multi-stage metasomatism of chlorite-amphibole peridotites (Ulten Zone, Italy): Constraints from trace element compositions of hydrous phases. *Lithos.* 99: 85-104. <http://dx.doi.org/10.1016/j.lithos.2007.05.010>.
- Marocchi, M; Hermann, J; Tropper, P; Bargossi, GM; Mair, V. (2010). Amphibole and phlogopite in "hybrid" metasomatic bands monitor trace element transfer at the interface between felsic and ultramafic rocks (Eastern Alps, Italy). *Lithos.* 117: 135-148. <http://dx.doi.org/10.1016/j.lithos.2010.02.011>.
- Marocchi, M; Mair, V; Tropper, P; Bargossi, GM. (2009). Metasomatic reaction bands at the Mt. Hochwart gneiss-peridotite contact (Ulten Zone, Italy): insights into fluid-rock interaction in subduction zones. *Mineralogy and Petrology.* 95: 251-272. <http://dx.doi.org/10.1007/s00710-009-0043-8>.
- Marquardt, H; Marquardt, K. (2012). Focused ion beam preparation and characterization of single-crystal samples for high-pressure experiments in the diamond-anvil cell. *Am Mineral.* 97: 299-304. <http://dx.doi.org/10.2138/am.2012.3911>.
- Marquardt, H; Speziale, S; Koch-Mueller, M; Marquardt, K; Capitani, GC. (2015). Structural insights and elasticity of single-crystal antigorite from high-pressure Raman and Brillouin spectroscopy measured in the (010) plane. *Am Mineral.* 100: 1932-1939. <http://dx.doi.org/10.2138/am-2015-5198>.
- Marques, JM; Carreira, PM; Carvalho, MR; Matias, MJ; Goff, FE; Basto, MJ; Graãşa, RC; Aires-Barros, L; Rocha, L. (2008). Origins of high pH mineral waters from ultramafic rocks, Central Portugal. *Appl Geochem.* 23: 3278-3289. <http://dx.doi.org/10.1016/j.apgeochem.2008.06.029>.
- Marr, WT. (1964). ASBESTOS EXPOSURE DURING NAVAL VESSEL OVERHAUL. *Am Ind Hyg Assoc J.* 25: 264-268. <http://dx.doi.org/10.1080/00028896409342585>.
- Marsella, JM; Liu, BL; Vaslet, CA; Kane, AB. (1997). Susceptibility of p53-deficient mice to induction of mesothelioma by crocidolite asbestos fibers. *Environ Health Perspect.* 105: 1069-1072.
- Marsh, G; Youk, A; Stone, R; Buchanich, J; Gula, M; Smith, T; Quinn, M. (2001). Historical cohort study of US man-made vitreous fiber production workers: I. 1992 fiberglass cohort follow-up: Initial findings. *J Occup Environ Med.* 43: 741-756.
- Marsh, GM; Gula, MJ; Roggli, VL; Churg, A. (2003). The role of smoking and exposure to asbestos and man-made vitreous fibers in a questionable case of mesothelioma. *Ind Health.* 41: 332-334.
- Marsh, GM; Gula, MJ; Youk, AO; Buchanich, JM; Churg, A; Colby, TV. (2001). Historical cohort study of US man-made vitreous fiber production workers: II. Mortality from mesothelioma. *J Occup Environ Med.* 43: 757-766.
- Marsh, GM; Stone, RA; Esmen, NA; Gula, MJ; Gause, CK; Petersen, NJ; Meaney, FJ; Rodney, S; Prybylski, D. (1997). A case-control study of lung cancer mortality in six Gila Basin, Arizona smelter towns. *Environ Res.* 75: 56-72. <http://dx.doi.org/10.1006/enrs.1997.3768>.
- Marsh, GM; Stone, RA; Henderson, VL. (1992). Lung cancer mortality among industrial workers exposed to formaldehyde: a Poisson regression analysis of the National Cancer Institute study. *AIHA J.* 53: 681-691. <http://dx.doi.org/10.1080/15298669291360373>.
- Marsh, GM; Youk, AO; Roggli, VL. (2011). Asbestos fiber concentrations in the lungs of brake repair workers: commercial amphiboles levels are predictive of chrysotile levels. *Inhal Toxicol.* 23: 681-688. <http://dx.doi.org/10.3109/08958378.2011.580472>.
- Marshall, LJ; Oliver, NHS. (2006). Monitoring fluid chemistry in iron oxide-copper-gold-related metasomatic processes, eastern Mt Isa Block, Australia. *Geofluids.* 6: 45-66.
- Marsili, D; Comba, P. (2013). Asbestos case and its current implications for global health. *Ann Ist Super Sanita.* 49: 249-251. http://dx.doi.org/DOI: 10.4415/ANN_13_03_03.
- Marsili, D; Comba, P; De Castro, P. (2015). Environmental health literacy within the Italian Asbestos Project: experience in Italy and Latin American contexts. *Commentary. Ann Ist Super Sanita.* 51: 180-182. http://dx.doi.org/10.4415/ANN_15_03_02.
- Marsili, D; Comba, P; Pasetto, R; Terracini, B. (2014). International scientific cooperation on asbestos-related disease prevention in Latin America [Editorial]. *80: 247-250.* <http://dx.doi.org/10.1016/j.aogh.2014.09.002>.
- Marsili, D; Terracini, B; Santana, VS; Ramos-Bonilla, JP; Pasetto, R; Mazzeo, A; Loomis, D; Comba, P; Algranti, E. (2016). Prevention of Asbestos-Related Disease in Countries Currently Using Asbestos [Review]. *Int J Environ Res Public Health.* 13. <http://dx.doi.org/10.3390/ijerph13050494>.
- Martikainen, P; Lahelma, E; Ripatti, S; Albanes, D; Virtamo, J. (2001). Educational differences in lung cancer mortality in male smokers. *Int J Epidemiol.* 30: 264-267.
- Martin, AK; Johnson, GC; Mccarthy, DF; Filson, RB. (1992). ATTEMPTS TO CONTROL LICHENS ON ASBESTOS CEMENT ROOFING. *Int Biodeterior Biodegradation.* 30: 261-271.
- Martin, B. (1900). Asbestos Removal or Treatment in Oklahoma Schools. (NIOSH/00181247). Martin, B.
- Martin, C; Ponzevera, E; Harlow, G. (2015). In situ lithium and boron isotope determinations in mica, pyroxene, and serpentine by LA-MC-ICP-MS. *Chem Geol.* 412: 107-116. <http://dx.doi.org/10.1016/j.chemgeo.2015.07.022>.
- Martin, J; Beauparlant, M; Sauv e, S; L'Esp rance, G. (2016). On the threshold conditions for electron beam damage of asbestos amosite fibers in the transmission electron microscope (TEM). *J Occup Environ Hyg.* 13: 924-935. <http://dx.doi.org/10.1080/15459624.2016.1191638>.
- Martinez, E. (1979). MAGNETIC CONCENTRATION OF ASBESTOS ORE. *72: 100-104.*
- Mart nez-Miranda, MD; Nielsen, B; Nielsen, JP. (2016). Simple benchmark for mesothelioma projection for Great Britain. *Occup Environ Med.* 73: 561-563. <http://dx.doi.org/10.1136/oemed-2015-103303>.

Fate Literature Search Results

Off Topic

- Martini, E. (1980). [The measurements of asbestos fibres in the working environment. Methods and problems (author's transl)]. *Med Lav*. 71: 174-182.
- Martino, E; Cerminara, S; Prandi, L; Fubini, B; Perotto, S. (2004). Physical and biochemical interactions of soil fungi with asbestos fibers. *Environ Toxicol Chem*. 23: 938-944. <http://dx.doi.org/10.1897/03-266>.
- Martonik, JF; Nash, E; Grossman, E. (2001). The history of OSHA's asbestos rule makings and some distinctive approaches that they introduced for regulating occupational exposure to toxic substances. *AIHAJ*. 62: 208-217.
- Martra, G; Chiardola, E; Coluccia, S; Marchese, L; Tomatis, M; Fubini, B. (1999). Reactive sites at the surface of crocidolite asbestos. *Langmuir*. 15: 5742-5752.
- Martuzzi, M; Comba, P; De Santis, M; Iavarone, I; Di Paola, M; Mastrantonio, M; Pirastu, R. (1998). Asbestos-related lung cancer mortality in Piedmont, Italy. *Am J Ind Med*. 33: 565-570.
- Marty, NCM; Fritz, B; Clement, A; Michau, N. (2010). Modelling the long term alteration of the engineered bentonite barrier in an underground radioactive waste repository. *Appl Clay Sci*. 47: 82-90. <http://dx.doi.org/10.1016/j.clay.2008.10.002>.
- Marwa, EMM; Meharg, AA; Rice, CM. (2011). Accessory Minerals and Potentially Toxic Elements in Tanzanian Vermiculites with Respect to Agricultural Applications. *Commun Soil Sci Plant Anal*. 42: 1123-1142. <http://dx.doi.org/10.1080/00103624.2011.566958>.
- Mas, S; Casterad, X; Laso, N; Lafuente, MJ; Panades, R; Calleja, A; Hernandez, S; Turuguet, D; Deulofeu, R; Ballesta, A; Ascaso, C; Lafuente, A. (2004). Concentration of hydroxyproline in blood: a biological marker in occupational exposure to asbestos and its relationship with Pi*Z and Pi*S polymorphism in the alpha-1 antitrypsin gene. *Am J Ind Med*. 45: 186-193. <http://dx.doi.org/10.1002/ajim.10350>.
- Maslennikova, TP; Korytkova, EN. (2010). Aqueous solutions of cesium salts and cesium hydroxide in hydrosilicate nanotubes of the Mg₃Si₂O₅(OH)₄ composition. *Glass Physics and Chemistry*. 36: 345-350. <http://dx.doi.org/10.1134/S1087659610030119>.
- Maslennikova, TP; Korytkova, EN. (2013). Influence of synthesis of physicochemical parameters on growth of Ni₃Si₂O₅(OH)₄ nanotubes and their filling with solutions of hydroxides and chlorides of alkaline metals. *Glass Physics and Chemistry*. 39: 67-72. <http://dx.doi.org/10.1134/S1087659613010082>.
- Maslennikova, TP; Korytkova, EN; Kuznetsova, OM; Pivovarova, LN. (2016). Thermochemical Modification of Mg₃Si₂O₅(OH)₄ Hydrosilicate Nanotubes by Silver Nitrate Solutions. *Glass Physics and Chemistry*. 42: 288-294. <http://dx.doi.org/10.1134/S1087659616030093>.
- Masood, A; Zuberi, MU; Husain, E. (2008). Breakdown strength of solid dielectrics in liquid nitrogen. *I E E Transactions on Dielectrics and Electrical Insulation*. 15: 1051-1055.
- Massaro, T; Baldassarre, A; Pinca, A; Martina, GL; Fiore, S; Lettino, A; Cassano, F; Musti, M. (2012). [Exposure to asbestos in buildings in areas of Basilicata characterized by the presence of rocks containing tremolite]. *G Ital Med Lav Ergon*. 34: 568-570.
- Massaro, T; Dragonieri, S; Martina, GL; Baldassarre, A; Cassano, F; Musti, M. (2012). [Asbestos and agriculture: new perspectives of risk]. *G Ital Med Lav Ergon*. 34: 581-582.
- Massawe, E. (2013). Nanomaterials for Environmental Remediation: Investigating the Role of Nanoinformatics in Support of Environmental, Health, and Safety Oversight of Nanotechnologies at the Local Level. *J Environ Health*. 76: 8-17.
- Massola, A. (2005). [Air-dispersed asbestos fiber pollution in urban areas: current and previous levels]. *G Ital Med Lav Ergon*. 27: 431-435.
- Mast, MA; Drever, JI. (1987). THE EFFECT OF OXALATE ON THE DISSOLUTION RATES OF OLIGOCLEASE AND TREMOLITE. *Geochim Cosmo Acta*. 51: 2559-2568.
- Mast, RW; Hesterberg, TW; Glass, LR; Mcconnell, EE; Anderson, R; Bernstein, DM. (1994). Chronic inhalation and biopersistence of refractory ceramic fiber in rats and hamsters. *Environ Health Perspect*. 102 Suppl 5: 207-209.
- Mastrangelo, G; Ballarin, MN; Bellini, E; Bicciato, F; Zannol, F; Gioffrè, F; Zedde, A; Tessadri, G; Fedeli, U; Valentini, F; Scoizzato, L; Marangi, G; Lange, JH. (2009). Asbestos exposure and benign asbestos diseases in 772 formerly exposed workers: dose-response relationships. *Am J Ind Med*. 52: 596-602. <http://dx.doi.org/10.1002/ajim.20713>.
- Mastrangelo, G; Ballarin, MN; Bellini, E; Bizzotto, R; Zannol, F; Gioffrè, F; Gobbi, M; Tessadri, G; Marchiori, L; Marangi, G; Bozzolan, S; Lange, JH; Valentini, F; Spolaore, P. (2008). Feasibility of a screening programme for lung cancer in former asbestos workers. *Occup Med (Lond)*. 58: 175-180. <http://dx.doi.org/10.1093/ocmed/kqn018>.
- Mastrangelo, G; Fadda, E; Comiati, V; Dell'Aquila, M; Zamprogno, E; Fedeli, U; Bellini, E. (2014). A rare occupation causing mesothelioma: mechanisms and differential etiology. *Med Lav*. 105: 337-345.
- Mastrangelo, G; Marangi, G; Ballarin, MN; Bellini, E; De Marzo, N; Eder, M; Finchi, A; Gioffrè, F; Marcolina, D; Tessadri, G; Zannol, F; Altafini, I; Belluso, E; Zaina, S; Agnesi, R; Scoizzato, L; Fedeli, U; Cegolon, L; Valentini, F; Marchiori, L. (2013). Post-occupational health surveillance of asbestos workers. *Med Lav*. 104: 351-358.
- Mastrangelo, G; Marangi, G; Ballarin, MN; Fadda, E; Scoizzato, L; Fedeli, U; Marchiori, L; Valentini, F. (2016). Lung cancer risk in past asbestos workers few decades after exposure cessation and prospects for screening. *Arch Environ Occup Health*. 71: 0. <http://dx.doi.org/10.1080/19338244.2015.1134423>.
- Mastrangelo, G; Marangi, G; Ballarin, MN; Michilin, S; Fabricio, AS; Valentini, F; Lange, JH; Fedeli, U; Cegolon, L; Gion, M. (2011). Osteopontin, asbestos exposure and pleural plaques: a cross-sectional study. *BMC Public Health*. 11: 220. <http://dx.doi.org/10.1186/1471-2458-11-220>.
- Matei, E; Cocos, O; Manea, G; Vijulie, I. (2015). SOCIAL PERCEPTION OF PASSIVE POLLUTION BY ASBESTOS IN DARABANI TOWN, BOTOSANI COUNTY, ROMANIA. *Environmental Engineering and Management Journal*. 14: 1137-1142.
- Matejka, V; Fu, Z; Kukutschova, J; Qi, S; Jiang, S; Zhang, X; Yun, R; Vaculik, M; Heliova, M; Lu, Y. (2013). Jute fibers and powdered hazelnut shells as natural fillers in non-asbestos organic non-metallic friction composites. *Materials & Design*. 51: 847-853. <http://dx.doi.org/10.1016/j.matdes.2013.04.079>.
- Mateo, M; Perez-Carraminana, C; Chinchon, S. (2013). Varieties of asbestos in buildings and risks associated with the work of deconstruction. *Informes de la Construcción*. 65: 311-324. <http://dx.doi.org/10.3989/ic.11.118>.

Fate Literature Search Results

Off Topic

- Mathee, A; Von Schirnding, YER; De Wet, T; Mokoetle, K. (2000). Potential risk factors for asbestos exposure amongst six-month-old infants living in the township of Soweto, South Africa. *Int J Environ Health Res.* 10: 135-139.
- Matos, EL; Vilensky, M; Mirabelli, D; Boffetta, P. (2000). Occupational exposures and lung cancer in Buenos Aires, Argentina. *J Occup Environ Med.* 42: 653-659.
- Matrat, M; Guida, F; Mattei, F; C enee, S; Cyr, D; F evotte, J; Sanchez, M; Menvielle, G; Radoi, L; Schmaus, A; Woronoff, AS; Luce, D; St ucker, I; Group, IS. (2016). Welding, a risk factor of lung cancer: the ICARE study. *Occup Environ Med.* 73: 254-261. <http://dx.doi.org/10.1136/oemed-2015-102964>.
- Matrat, M; Pairon, JC; Paolillo, AG; Joly, N; Iwatsubo, Y; Orłowski, E; Letourneux, M; Ameille, J. (2004). Asbestos exposure and radiological abnormalities among maintenance and custodian workers in buildings with friable asbestos-containing materials. *Int Arch Occup Environ Health.* 77: 307-312. <http://dx.doi.org/10.1007/s00420-004-0520-7>.
- Matsuda, M; Hunt, G. (2009). Research on the societal impacts of nanotechnology: a preliminary comparison of USA, Europe and Japan [Review]. *Biomed Mater Eng.* 19: 259-267. <http://dx.doi.org/10.3233/BME-2009-0588>.
- Matsuoka, M; Igisu, H; Morimoto, Y. (2003). Phosphorylation of p53 protein in A549 human pulmonary epithelial cells exposed to asbestos fibers. *Environ Health Perspect.* 111: 509-512. <http://dx.doi.org/10.1289/ehp.5945>.
- Mattei, F; Guida, F; Matrat, M; C enee, S; Cyr, D; Sanchez, M; Radoi, L; Menvielle, G; Jellouli, F; Carton, M; Bara, S; Marrer, E; Luce, D; St ucker, I. (2014). Exposure to chlorinated solvents and lung cancer: results of the ICARE study. *Occup Environ Med.* 71: 681-689. <http://dx.doi.org/10.1136/oemed-2014-102182>.
- Mattei, F; Liverani, S; Guida, F; Matrat, M; C enee, S; Azizi, L; Menvielle, G; Sanchez, M; Pilorget, C; Lap otre-Ledoux, B; Luce, D; Richardson, S; St ucker, I; Group, IS. (2016). Multidimensional analysis of the effect of occupational exposure to organic solvents on lung cancer risk: the ICARE study. *Occup Environ Med.* 73: 368-377. <http://dx.doi.org/10.1136/oemed-2015-103177>.
- Mattenklott, M. (1998). Identification of asbestos fibres in dusts and powders from mineral raw materials. Part 1: Fundamentals, catalogue of criteria. *Staub, Reinhaltung der Luft.* 58: 15-22.
- Mattenklott, M. (2004). Analytics of thermally treated asbestos cement. *Staub, Reinhaltung der Luft.* 64: 480-484.
- Mattenklott, M. (2007). Asbestos in talc powders and in soapstone - The present state. *Staub, Reinhaltung der Luft.* 67: 287-292.
- Matthes, S; Okrusch, M; Rohr, C; Schussler, U; Richter, P; Vongehlen, K. (1995). TALC-CHLORITE-AMPHIBOLE FELSSES OF THE KTB PILOT HOLE, OBERPFALZ, BAVARIA - PROTOLITH CHARACTERISTICS AND PHASE-RELATIONSHIPS. *Mineralogy and Petrology.* 52: 25-59.
- Matthews, JC; Stowe, R. (2015). Critical Data Needs Associated with Asbestos Cement Pipe Renewal Methods. *Journal of Construction Engineering and Management.* 141. [http://dx.doi.org/10.1061/\(ASCE\)CO.1943-7862.0000914](http://dx.doi.org/10.1061/(ASCE)CO.1943-7862.0000914).
- Mattioli, M; Giordani, M; Dogan, M; Cangiotti, M; Avella, G; Giorgi, R; Dogan, AU; Ottaviani, MF. (2016). Morpho-chemical characterization and surface properties of carcinogenic zeolite fibers. *J Hazard Mater.* 306: 140-148. <http://dx.doi.org/10.1016/j.jhazmat.2015.11.015>.
- Mattioli, S; Nini, D; Mancini, G; Violante, FS. (2002). Past asbestos exposure levels in foundries and cement-asbestos factories [Letter]. *Am J Ind Med.* 42: 363. <http://dx.doi.org/10.1002/ajim.10114>.
- Mattioli, S; Truffelli, D; Baldasseroni, A; Risi, A; Marchesini, B; Giacomini, C; Bacchini, P; Violante, FS; Buiatti, E. (2002). Occupational risk factors for renal cell cancer: A case-control study in northern Italy. *J Occup Environ Med.* 44: 1028-1036. <http://dx.doi.org/10.1097/01.jom.0000038320.36316.cb>.
- Mattson, SM. (1994). Glass Fibres in Simulated Lung Fluid: Dissolution Behaviour and Analytical Requirements. *Ann Occup Hyg.* 38: 857-877.
- Matzka, RA. (1989). A REVIEW OF THE APPLICATION OF NON-ASBESTOS PACKING AND GASKET MATERIALS IN THE PULP AND PAPER-INDUSTRY. *Tappi Journal.* 72: 233-238.
- Mauderly, JL. (1997). Relevance of particle-induced rat lung tumors for assessing lung carcinogenic hazard and human lung cancer risk [Review]. *Environ Health Perspect.* 105 (Suppl 5): 1337-1346.
- Maulana, A, di; Christy, AG; Ellis, DJ. (2015). Petrology, geochemistry and tectonic significance of serpentinized ultramafic rocks from the South Arm of Sulawesi, Indonesia. *Chem Erde.* 75: 73-87. <http://dx.doi.org/10.1016/j.chemer.2014.09.003>.
- Maule, MM; Biggeri, A; Dalmasso, P; Merletti, F; Magnani, C. (2006). Environmental exposure increases dramatically the risk of mesothelioma in an asbestos manufacturing area. *Eur J Epidemiol.* 21: 47-47.
- Maule, MM; Magnani, C; Dalmasso, P; Mirabelli, D; Merletti, F; Biggeri, A. (2007). Modeling mesothelioma risk associated with environmental asbestos exposure. *Environ Health Perspect.* 115: 1066-1071. <http://dx.doi.org/10.1289/ehp.9900>.
- Maurel, M; Stoufflet, A; Thorel, L; Berna, V; Gislard, A; Letourneux, M; Pairon, JC; Survey, NNoAP-E; Paris, C. (2009). Factors associated with cancer distress in the Asbestos Post-Exposure Survey (APEXS). *Am J Ind Med.* 52: 288-296. <http://dx.doi.org/10.1002/ajim.20672>.
- Maurya, VP; Sejjan, V; Naqvi, SMK. (2013). Effect of cold stress on growth, physiological responses, blood metabolites and hormonal profile of native Malpura lambs under hot semi-arid tropics of India. *Indian J Anim Sci.* 83: 370-373.
- Mauskopf, JA. (1987). Projections of cancer risks attributable to future exposure to asbestos. *Risk Anal.* 7: 477-486.
- Mazza, R; Invernizzi, G; Sbrogio, L. (2010). Smoking while driving: do we need a law? [Editorial]. *Epidemiol Prev.* 34: 7-8.
- Mazziotti-Tagliani, S; Andreozzi, GB; Bruni, BM; Gianfagna, A; Pacella, A; Paoletti, L. (2009). Quantitative chemistry and compositional variability of fluorine fibrous amphiboles from Biancavilla (Sicily, Italy). *Periodico di Mineralogia.* 78: 65-74. <http://dx.doi.org/10.2451/2009PM0004>.
- Mccafferty, AE; Van Gosen, BS. (2009). Airborne gamma-ray and magnetic anomaly signatures of serpentinite in relation to soil geochemistry, northern California. *Appl Geochem.* 24: 1524-1537. <http://dx.doi.org/10.1016/j.apgeochem.2009.04.007>.
- Mccallum, IS; Thurber, MW; O'Brien, HE; Nelson, BK. (1999). Lead isotopes in sulfides from the Stillwater Complex, Montana: evidence for subsolidus remobilization. *Contributions to Mineralogy and Petrology.* 137: 206-219.
- Mccammon, C; Lee, S. (1990). Hazard Evaluation and Technical Assistance Report HETA 90-151-L2067, Department of Energy, Westside Energy Co-Op, Denver, Colorado. 13.

Fate Literature Search Results

Off Topic

- Mccammon, C; Lee, S. (1990). Hazard Evaluation and Technical Assistance Report No. HETA-90-151-L2067, Department of Energy, Westside Energy Co-Op, Denver, Colorado (pp. 90-151). (NIOSH/00196019). Mccammon, C; Lee, S.
- Mccammon, JB; Hills, B; Orgel, D. (1990). Health Hazard Evaluation Report HETA 88-348-2081, A.E. Staley Manufacturing Company, Decatur, Illinois. 45.
- Mcclean, MD; Kelsey, KT; Sison, JD; Quesenberry, CP; Wrensch, MR; Wiencke, JK. (2011). A case-control study of asphalt and tar exposure and lung cancer in minorities. *Am J Ind Med.* 54: 811-818. <http://dx.doi.org/10.1002/ajim.21007>.
- Mcclellan, RO; Hesterberg, TW. (1994). ROLE OF BIOPERSISTENCE IN THE PATHOGENICITY OF MAN-MADE FIBERS AND METHODS FOR EVALUATING BIOPERSISTENCE - A SUMMARY OF 2 ROUND-TABLE DISCUSSIONS. *Environ Health Perspect.* 102: 277-283.
- Mccollom, TM; Klein, F; Robbins, M; Moskowitz, B; Berquo, TS; Joens, N; Bach, W; Templeton, A. (2016). Temperature trends for reaction rates, hydrogen generation, and partitioning of iron during experimental serpentinization of olivine. *Geochim Cosmo Acta.* 181: 175-200. <http://dx.doi.org/10.1016/j.gca.2016.03.002>.
- Mccollom, TM; Shock, EL. (1998). Fluid-rock interactions in the lower oceanic crust: Thermodynamic models of hydrothermal alteration. *J Geophys Res Solid Earth.* 103: 547-575.
- Mcconnell, EE. (1995). FIBROGENIC EFFECT OF WOLLASTONITE COMPARED WITH ASBESTOS DUST AND DUSTS CONTAINING QUARTZ [Letter]. *Occup Environ Med.* 52: 621-621.
- Mcconnell, EE; Rutter, HA; Ulland, BM; Moore, JA. (1983). Chronic effects of dietary exposure to amosite asbestos and tremolite in F344 rats. *Environ Health Perspect.* 53: 27-44.
- Mcconnell, EE; Shefner, AM; Rust, JH; Moore, JA. (1983). Chronic effects of dietary exposure to amosite and chrysotile asbestos in Syrian golden hamsters. *Environ Health Perspect.* 53: 11-25.
- Mccredie, M; Stewart, JH. (1993). RISK-FACTORS FOR KIDNEY CANCER IN NEW-SOUTH-WALES .4. OCCUPATION. *Br J Ind Med.* 50: 349-354.
- Mccuaig, TC; Kerrich, R; Groves, DI; Archer, N. (1993). THE NATURE AND DIMENSIONS OF REGIONAL AND LOCAL GOLD-RELATED HYDROTHERMAL ALTERATION IN THOLEIITIC METABASALTS IN THE NORSEMAN GOLDFIELDS - THE MISSING LINK IN A CRUSTAL CONTINUUM OF GOLD DEPOSITS. *Miner Depos.* 28: 420-435.
- Mccullagh, SF. (1980). Is There A Risk To Health In Using Asbestos-Cement Pipes For The Carriage Of Drinking Water. *Ann Occup Hyg.* 23: 189-193.
- Mcculloch, J. (2003). Asbestos mining in Southern Africa, 1893-2002. *Int J Occup Environ Health.* 9: 230-235. <http://dx.doi.org/10.1179/oeh.2003.9.3.230>.
- Mcculloch, J. (2005). Mining and mendacity, or how to keep a toxic product in the marketplace. *Int J Occup Environ Health.* 11: 398-403. <http://dx.doi.org/10.1179/oeh.2005.11.4.398>.
- Mccunney, RJ; Russo, PK; Doyle, JR. (1987). Occupational illness in the Arts. *Am Fam Physician.* 36: 145-153.
- Mccutcheon, J; Wilson, SA; Southam, G. (2016). Microbially Accelerated Carbonate Mineral Precipitation as a Strategy for in Situ Carbon Sequestration and Rehabilitation of Asbestos Mine Sites. *Environ Sci Technol.* 50: 1419-1427. <http://dx.doi.org/10.1021/acs.est.5b04293>.
- Mcdermott, M; Bevan, MM; Elmes, PC; Allardice, JT; Bradley, AC. (1982). Lung function and radiographic change in chrysotile workers in Swaziland. *Br J Ind Med.* 39: 338-343. <http://dx.doi.org/10.1136/oem.39.4.338>.
- Mcdonald, A; Fry, JS. (1982). MESOTHELIOMA AND FIBER TYPE IN 3 AMERICAN ASBESTOS FACTORIES PRELIMINARY REPORT (pp. 10-12). (ISSN 0355-3140; EISSN 1795-990X; HEEP/83/07739). Mcdonald, A; Fry, JS.
- Mcdonald, A; Scott, B; Villemure, G. (2009). Hydrothermal preparation of nanotubular particles of a 1:1 nickel phyllosilicate. *Microporous and Mesoporous Materials.* 120: 263-266. <http://dx.doi.org/10.1016/j.micromeso.2008.11.013>.
- Mcdonald, AD; Case, BW; Churg, A; Dufresne, A; Gibbs, GW; Sébastien, P; Mcdonald, JC. (1997). Mesothelioma in Quebec chrysotile miners and millers: epidemiology and aetiology. *Ann Occup Hyg.* 41: 707-719. [http://dx.doi.org/10.1016/S0003-4878\(97\)00020-3](http://dx.doi.org/10.1016/S0003-4878(97)00020-3).
- Mcdonald, AD; Fry, JS; Woolley, AJ; Mcdonald, JC. (1983). Dust exposure and mortality in an American chrysotile textile plant. *Occup Environ Med.* 40: 361-367.
- Mcdonald, AD; Fry, JS; Woolley, AJ; Mcdonald, JC. (1983). Dust exposure and mortality in an American factory using chrysotile, amosite, and crocidolite in mainly textile manufacture. *Occup Environ Med.* 40: 368-374.
- Mcdonald, AD; Fry, JS; Woolley, AJ; Mcdonald, JC. (1984). Dust exposure and mortality in an American chrysotile asbestos friction products plant. *Occup Environ Med.* 41: 151-157.
- Mcdonald, AD; Mcdonald, JC. (1978). Mesothelioma after crocidolite exposure during gas mask manufacture. *Environ Res.* 17: 340-346.
- Mcdonald, C. (1997). Some observations on the epidemiology of benign pleural disease. *Indoor Built Environ.* 6: 96-99.
- Mcdonald, JC. (1971). HEALTH OF QUEBEC ASBESTOS WORKERS. 64: 65-&.
- Mcdonald, JC. (1985). Health implications of environmental exposure to asbestos. *Environ Health Perspect.* 62: 319-328.
- Mcdonald, JC. (1991). An epidemiological view of asbestos in buildings. *Toxicol Ind Health.* 7: 187-193.
- Mcdonald, JC. (1994). Epidemiological significance of mineral fiber persistence in human lung tissue [Review]. *Environ Health Perspect.* 102 Suppl 5: 221-224.
- Mcdonald, JC. (1998). Mineral fibre persistence and carcinogenicity. *Ind Health.* 36: 372-375.
- Mcdonald, JC. (1998). Unfinished business: the asbestos textiles mystery [Review]. *Ann Occup Hyg.* 42: 3-5.
- Mcdonald, JC. (2010). Epidemiology of malignant mesothelioma--an outline. *Ann Occup Hyg.* 54: 851-857. <http://dx.doi.org/10.1093/annhyg/meq076>.
- Mcdonald, JC; Armstrong, B; Case, B; Doell, D; Mccaughey, WT; Mcdonald, AD; Sébastien, P. (1989). Mesothelioma and asbestos fiber type. Evidence from lung tissue analyses. *Cancer.* 63: 1544-1547.

Fate Literature Search Results

Off Topic

- Mcdonald, JC; Armstrong, BG; Edwards, CW; Gibbs, AR; Lloyd, HM; Pooley, FD; Ross, DJ; Rudd, RM. (2001). Case-referent survey of young adults with mesothelioma: I. Lung fibre analyses. *Ann Occup Hyg.* 45: 513-518.
- Mcdonald, JC; Becklake, MR; Fournier-Massey, G; Rossiter, CE. (1972). Respiratory symptoms in chrysotile asbestos mine and mill workers of Quebec. *Arch Environ Health.* 24: 358-363.
- Mcdonald, JC; Becklake, MR; Gibbs, GW; Mcdonald, AD; Rossiter, CE. (1974). The health of chrysotile asbestos mine and mill workers of Quebec. *Arch Environ Health.* 28: 61-68.
- Mcdonald, JC; Case, BW; Enterline, PE; Henderson, V; Mcdonald, AD; Plourde, M; Sebastien, P. (1990). Lung dust analysis in the assessment of past exposure of man-made mineral fibre workers. *Ann Occup Hyg.* 34: 427-441.
- Mcdonald, JC; Cherry, N; McNamee, R; Burgess, G; Turner, S. (1995). Preliminary analysis of proportional mortality in a cohort of British pottery workers exposed to crystalline silica. *Scand J Work Environ Health.* 21 Suppl 2: 63-65.
- Mcdonald, JC; Edwards, CW; Gibbs, AR; Lloyd, HM; Pooley, FD; Ross, DJ; Rudd, RM. (2001). Case-referent survey of young adults with mesothelioma: II. Occupational analyses. *Ann Occup Hyg.* 45: 519-523. <http://dx.doi.org/10.1093/annhyg/45.7.519>.
- Mcdonald, JC; Harris, J; Armstrong, B. (2004). Mortality in a cohort of vermiculite miners exposed to fibrous amphibole in Libby, Montana. *Occup Environ Med.* 61: 363-366. <http://dx.doi.org/10.1136/oem.2003.008649>.
- Mcdonald, JC; Harris, JM; Berry, G. (2006). Sixty years on: The price of assembling military gas masks in 1940. *Occup Environ Med.* 63: 852-855. <http://dx.doi.org/10.1136/oem.2006.028258>.
- Mcdonald, JC; Liddell, FD; Dufresne, A; Mcdonald, AD. (1993). The 1891-1920 birth cohort of Quebec chrysotile miners and millers: mortality 1976-88. *Br J Ind Med.* 50: 1073-1081.
- Mcdonald, JC; Liddell, FD; Gibbs, GW; Eyssen, GE; Mcdonald, AD. (1993). Dust exposure and mortality in chrysotile mining, 1910-75. 1980. *Br J Ind Med.* 50: 1058-1072.
- Mcdonald, JC; Liddell, FD; Gibbs, GW; Eyssen, GE; Mcdonald, AD. (1980). Dust exposure and mortality in chrysotile mining, 1910-75. *Occup Environ Med.* 37: 11-24.
- Mcdonald, JC; Mcdonald, A. (1993). WORK-RELATED MESOTHELIOMA IN QUEBEC, 1967-1990. *Am J Ind Med.* 24: 245-246.
- Mcdonald, JC; Mcdonald, AD. (1997). Chrysotile, tremolite and carcinogenicity. *Ann Occup Hyg.* 41: 699-705. [http://dx.doi.org/10.1016/S0003-4878\(97\)89350-7](http://dx.doi.org/10.1016/S0003-4878(97)89350-7).
- Mcdonald, JC; Mcdonald, AD; Hughes, JM. (1999). Chrysotile, tremolite and fibrogenicity. *Ann Occup Hyg.* 43: 439-442.
- Mcdonald, JC; Mcdonald, AD; Sebastien, P; Moy, K. (1988). Health of vermiculite miners exposed to trace amounts of fibrous tremolite. *Occup Environ Med.* 45: 630-634. <http://dx.doi.org/10.1136/oem.45.9.630>.
- Mcdonald, JC; Sébastien, P; Case, B; Mcdonald, AD; Dufresne, A. (1992). Ferruginous body counts in sputum as an index of past exposure to mineral fibres. *Ann Occup Hyg.* 36: 271-282.
- Mcelvenny, DM; Armstrong, BG; Jarup, L; Higgins, JPT. (2004). Meta-analysis in occupational epidemiology: a review of practice [Review]. *Occup Med (Lond).* 54: 336-344. <http://dx.doi.org/10.1093/occmed/kqh049>.
- Mcelvenny, DM; Darnton, AJ; Price, MJ; Hodgson, JT. (2005). Mesothelioma mortality in Great Britain from 1968 to 2001. *Occup Med (Lond).* 55: 79-87. <http://dx.doi.org/10.1093/occmed/kqi034>.
- Mcgahan, DG; Southard, RJ; Claassen, VP. (2008). Tectonic inclusions in serpentinite landscapes contribute plant nutrient calcium. *Soil Sci Soc Am J.* 72: 838-847. <http://dx.doi.org/10.2136/sssaj2007.0159>.
- Mcgavin, DG; Palmer, RA; Tennant, WC; Devine, SD. (1982). USE OF ULTRASONICALLY MODULATED ELECTRON RESONANCE TO STUDY S-STATE IONS IN MINERAL CRYSTALS - MN-2+,FE-3+, IN TREMOLITE. *Physics and Chemistry of Minerals.* 8: 200-205.
- Mcgrath, DB; Van Orden, DR; Howard, RM; Guerrero, P; Davis, SC. (2010). Two different methods, three different variations, four different sources: what bulk asbestos PLM method is your laboratory using? Part 1. *J Occup Environ Hyg.* 7: D53-D56. <http://dx.doi.org/10.1080/15459624.2010.486305>.
- Mcguire, MJ; Bowers, AE; Bowers, DA. (1982). ASBESTOS ANALYSIS CASE-HISTORY - SURFACE-WATER SUPPLIES IN SOUTHERN-CALIFORNIA. *J Am Water Works Assoc.* 74: 470-478.
- Mckernan, JL; Toraason, MA; Fernback, JE. (2008). Presence of airborne fibers in tungsten refining and manufacturing processes: preliminary characterization. *J Occup Environ Hyg.* 5: 463-474. <http://dx.doi.org/10.1080/15459620802143742>.
- Mckiernan, M. (2012). Giovanni Antonio Canale (Canaletto): The Arsenal The Water Entrance 1732. *Occup Med (Lond).* 62: 86-87. <http://dx.doi.org/10.1093/occmed/kqs003>.
- Mckinley, M; Ronk, C; Jacobsen, M; Williams, E; Galbraith, D. (2012). CHRYSOTILE ASBESTOS EXPOSURE AND UPPER RESPIRATORY CANCERS: IS THERE AN ASSOCIATION? *Am J Epidemiol.* 175: S101-S101.
- Mckinnery, WN, Jr; Moore, RW. (1992). Evaluation of airborne asbestos fiber levels during removal and installation of valve gaskets and packing. *AIHA J.* 53: 531-532.
- Mclarty, J; Zinkgraf, S; Smith, K. (1986). VALIDATION OF SELF-REPORTED TOBACCO USE IN FORMER ASBESTOS WORKERS USING PLASMA COTININE AND THIOCYANATE - THE TYLER-CANCER-PREVENTION-PROGRAM. *Am J Epidemiol.* 124: 538-538.
- Mclaughlin, JK; Malker, HSR; Blot, WJ; Weiner, JA; Stone, BJ; Ericsson, JLE; Fraumeni, JF. (1992). RENAL-CELL CANCER AMONG ARCHITECTS AND ALLIED PROFESSIONALS IN SWEDEN. *Am J Ind Med.* 21: 873-876.
- Mcmartin, I; Corriveau, L; Beaudoin, G. (2011). An orientation study of the heavy mineral signature of the NICO Co-Au-Bi deposit, Great Bear magmatic zone, NW Territories, Canada. *Geochemistry: Exploration, Environment, Analysis.* 11: 293-307. <http://dx.doi.org/10.1144/1467-7873/10-IM-023>.
- Mcmillan, GH. (1983). The health of welders in naval dockyards. The risk of asbestos-related diseases occurring in welders. *J Occup Med.* 25: 727-730.

Fate Literature Search Results

Off Topic

- Mcmillan, GH; Pethybridge, RJ; Sheers, G. (1980). Effect of smoking on attack rates of pulmonary and pleural lesions related to exposure to asbestos dust. *Br J Ind Med.* 37: 268-272. <http://dx.doi.org/10.1136/oem.37.3.268>.
- Mcmillan, LM; Stout, RG; Willey, BF. (1977). ASBESTOS IN RAW AND TREATED WATER - ELECTRON-MICROSCOPY STUDY. *Environ Sci Technol.* 11: 390-394.
- Mcneil, BJ; Eddy, DM. (1982). The costs and effects of screening for cancer among asbestos-exposed workers. *J Chronic Dis.* 35: 351-358.
- McNulty, JC. (1970). Asbestos Exposure in Australia (pp. 201-203). (NIOSH/00177268). McNulty, JC.
- Mcsween, HY, Jr; Labotka, TC; Viviano-Beck, CE. (2015). Metamorphism in the Martian crust. *Meteoritics and Planetary Science.* 50: 590-603. <http://dx.doi.org/10.1111/maps.12330>.
- Mead Technology Labs, D, OH. (1982). Industrial Hygiene Survey with Cover Memo and Cover Letter. 53.
- Meck, M; Love, D; Mapani, B. (2006). Zimbabwean mine dumps and their impacts on river water quality - a reconnaissance study. *Phys Chem Earth.* 31: 797-803. <http://dx.doi.org/10.1016/j.pce.2006.08.029>.
- Meek, ME; Long, G. (1994). MAN-MADE VITREOUS FIBERS - EVALUATION OF RISKS TO HEALTH FROM ENVIRONMENTAL EXPOSURE IN CANADA. *J Environ Sci Health C Environ Carcinog Ecotoxicol Rev.* 12: 361-387.
- Meeker, GP; Bern, AM; Brownfield, IK; Lowers, HA; Sutley, SJ; Hoefen, TM; Vance, JS. (2003). The composition and morphology of amphiboles from the Rainy Creek Complex, near Libby, Montana. *Am Mineral.* 88: 1955-1969.
- Meel, BL; Meel, R. (2005). Prevalence of asbestos exposure of the mine workforce from Transkei, South Africa. *Chest.* 128: 345S-345S.
- Meeran, R. (2003). Cape Plc: South African mineworkers' quest for justice. *Int J Occup Environ Health.* 9: 218-229. <http://dx.doi.org/10.1179/oeh.2003.9.3.218>.
- Meguelliati-Hakkas, D; Cyr, D; Stücker, I; Févotte, J; Pilorget, C; Luce, D; Guénel, P. (2006). Lung cancer mortality and occupational exposure to asbestos among telephone linemen: a historical cohort study in France. *J Occup Environ Med.* 48: 1166-1172. <http://dx.doi.org/10.1097/O1.jom.0000243357.70143.47>.
- Mehlman, MA. (1991). Dangerous and cancer-causing properties of products and chemicals in the oil refining and petrochemical industry: Part V--Asbestos-caused cancers and exposure of workers in the oil refining industry. *Toxicol Ind Health.* 7: 53-71.
- Mehlman, MA. (1991). Dangerous and cancer-causing properties of products and chemicals in the oil-refining and petrochemical industries. Part IX: Asbestos exposure and analysis of exposures [Review]. *Ann N Y Acad Sci.* 643: 368-389.
- Mei, N; Tamae, K; Kunugita, N; Hirano, T; Kasai, H. (2003). Analysis of 8-hydroxydeoxyguanosine 5'-monophosphate (8-OH-dGMP) as a reliable marker of cellular oxidative DNA damage after gamma-irradiation. *Environ Mol Mutagen.* 41: 332-338. <http://dx.doi.org/10.1002/em.10165>.
- Meigs, JW. (1983). ASSESSMENT OF STUDIES ON CANCER RISKS FROM ASBESTOS IN CONNECTICUT DRINKING-WATER. *Environ Health Perspect.* 53: 107-108.
- Meigs, JW; Walter, SD; Heston, JF; Millette, J. R.; Craun, GF; Woodhull, RS; Flannery, JT. (1980). ASBESTOS-CEMENT PIPE IS NO DANGER IN CONNECTICUT. 127: 66-&.
- Meigs, JW; Walter, SD; Heston, JF; Millette, JR; Craun, GF; Woodhull, RS; Flannery, JT. (1980). Asbestos cement pipe and cancer in Connecticut 1955-1974. *J Environ Health.* 42: 187-191.
- Melcher, F; Meisel, T. (2004). A metamorphosed early Cambrian crust-mantle transition in the Eastern Alps, Austria. *Journal of Petrology.* 45: 1689-1723. <http://dx.doi.org/10.1093/petrology/egh030>.
- Melchior, M; Goldberg, M; Krieger, N; Kawachi, I; Menvielle, G; Zins, M; Berkman, LF. (2005). Occupational class, occupational mobility and cancer incidence among middle-aged men and women: a prospective study of the French GAZEL cohort. *Cancer Causes Control.* 16: 515-524. <http://dx.doi.org/10.1007/s10552-004-7116-0>.
- Melchiorre, EB; Bottrill, R; Huss, GR; Lopez, A. (2017). Conditions of stichtite (Mg6Cr2(OH)(16)[CO3]center dot 4H(2)O) formation and its geochemical and isotope record of early phanerozoic serpentinizing environments. *Geochim Cosmo Acta.* 197: 43-61. <http://dx.doi.org/10.1016/j.gca.2016.10.020>.
- Melekhova, E; Schmidt, M, axW; Ulmer, P; Guggenbuehl, E. (2006). The reaction talc plus forsterite = enstatite plus H2O revisited: Application of conventional and novel experimental techniques and derivation of revised thermodynamic properties. *Am Mineral.* 91: 1081-1088. <http://dx.doi.org/10.2138/am.2006.2065>.
- Melezhik, VA; Fallick, AE. (2003). delta C-13 and delta O-18 variations in primary and secondary carbonate phases: several contrasting examples from Palaeoproterozoic C-13-rich metamorphosed dolostones. *Chem Geol.* 201: 213-228. <http://dx.doi.org/10.1016/j.chemgeo.2003.07.003>.
- Mellemsgaard, A; Engholm, G; Mclaughlin, JK; Olsen, JH. (1994). Occupational risk factors for renal-cell carcinoma in Denmark. *Scand J Work Environ Health.* 20: 160-165.
- Melling, DR; Watkinson, DH; Fox, PE; Cameron, RS. (1990). CARBONATIZATION AND PROPYLITIC ALTERATION OF FRAGMENTAL BASALTIC ROCKS, QUESNEL RIVER GOLD DEPOSIT, CENTRAL BRITISH-COLUMBIA. *Miner Depos.* 25: S115-S124.
- Mellini, M. (2005). Micro- and mesoporous carbon forms, chrysotile, and clathrates. *Rev Mineral Geochem.* 57: 435-448. <http://dx.doi.org/10.2138/rmg.2005.57.12>.
- Melnick, RL; Ward, JM; Huff, J. (2013). War on carcinogens: Industry disputes human relevance of chemicals causing cancer in laboratory animals based on unproven hypotheses, using kidney tumors as an example [Editorial]. *Int J Occup Environ Health.* 19: 255-260. <http://dx.doi.org/10.1179/1077352513Z.00000000090>.
- Melo, T; Furlan, R; Milani, A; Buzanskas, M; Moura, A; Mota, D; Cardoso, D. (2013). Evaluation of different roof slopes and exposure in three types of coverage in models of animal installations. 34: 1327-1338. <http://dx.doi.org/10.5433/1679-0359.2013v34n3p1327>.
- Melzer, S; Gottschalk, M; Heinrich, W. (1998). Experimentally determined partitioning of Rb between richterites and aqueous (Na, K)-chloride solutions. *Contributions to Mineralogy and Petrology.* 133: 315-328.

Fate Literature Search Results

Off Topic

- Menala, J; Alves, R; Sanches, S; Santos, G; Mesquita, E. (2003). Monitoring the active sessile-colonisation of two drinking water distribution systems based on the protein contents in native biofilm samples. *Water Sci Technol.* 47: 169-173.
- Menapace, C; Leonardi, M; Perricone, G; Bortolotti, M; Straffellini, G; Gialanella, S. (2017). Pin-on-disc study of brake friction materials with ball-milled nanostructured components. *Materials & Design.* 115: 287-298. <http://dx.doi.org/10.1016/j.matdes.2016.11.065>.
- Menard, H; Noel, L; Khorami, J; Jouve, JL; Dunnigan, J. (1986). The adsorption of polyaromatic hydrocarbons on natural and chemically modified asbestos fibers. *Environ Res.* 40: 84-91.
- Menard, JJ. (1995). RELATIONSHIP BETWEEN ALTERED PYROXENE DIORITE AND THE MAGNETITE MINERALIZATION IN THE CHILEAN IRON BELT, WITH EMPHASIS ON THE EL-ALGARROBO IRON DEPOSITS (ATACAMA REGION, CHILE). *Miner Depos.* 30: 268-274.
- Menard, T; Leshner, CM; Stowell, HH; Price, DP; Pickell, JR; Onstott, TC; Hulbert, L. (1996). Geology, genesis, and metamorphic history of the Nameew Lake Ni-Cu deposit, Manitoba. *Econ Geol.* 91: 1394-1413.
- Menegozzo, S; Comba, P; Ferrante, D; De Santis, M; Gorini, G; Izzo, F; Magnani, C; Pirastu, R; Simonetti, A; Tunesi, S; Menegozzo, M. (2011). Mortality study in an asbestos cement factory in Naples, Italy. *Ann Ist Super Sanita.* 47: 296-304. http://dx.doi.org/DOI:10.4415/ANN_11_03_10.
- Menichini, E; Marconi, A. (1982). Asbestos in brake and clutch factories: Results of an environmental survey. *G Ital Med Lav.* 4: 4-5.
- Mensi, C; Bonzini, M; Macchione, M; Sieno, C; Riboldi, L; Pesatori, AC. (2011). Differences among peritoneal and pleural mesothelioma: data from the Lombardy Region Mesothelioma Register (Italy). *Med Lav.* 102: 409-416.
- Mensi, C; De Matteis, S; Dallari, B; Riboldi, L; Bertazzi, PA; Consonni, D. (2016). Incidence of mesothelioma in Lombardy, Italy: exposure to asbestos, time patterns and future projections. *Occup Environ Med.* 73: 607-613. <http://dx.doi.org/10.1136/oemed-2016-103652>.
- Mensi, C; Garberi, A; Bordini, L; Sieno, C; Riboldi, L. (2010). Asbestos-related diseases in entertainment workers. *Med Lav.* 101: 416-418.
- Mensi, C; Garberi, A; Trinco, R; Riboldi, L. (2009). The upholsterer and the asbestos [Letter]. *Occup Environ Med.* 66: 855. <http://dx.doi.org/10.1136/oem.2009.050658>.
- Mensi, C; Giacomini, S; Sieno, C; Consonni, D; Riboldi, L. (2011). Pericardial mesothelioma and asbestos exposure. *Int J Hyg Environ Health.* 214: 276-279. <http://dx.doi.org/10.1016/j.ijheh.2010.11.005>.
- Mensi, C; Macchione, M; Termine, L; Canti, Z; Rivolta, G; Riboldi, L; Chiappino, G. (2007). [Asbestos exposure in the non-asbestos textile industry: the experience of the Lombardy Mesothelioma Registry]. *Epidemiol Prev.* 31: 27-30.
- Mensi, C; Poltronieri, A; Romano, A; Dallari, B; Riboldi, L; Bertazzi, PA; Consonni, D. (2016). [Malignant mesotheliomas with unknown exposure to asbestos: a re-examination]. *Med Lav.* 107: 22-28.
- Mensi, C; Riboldi, L; De Matteis, S; Bertazzi, PA; Consonni, D. (2015). Impact of an asbestos cement factory on mesothelioma incidence: global assessment of effects of occupational, familial, and environmental exposure. *Environ Int.* 74: 191-199. <http://dx.doi.org/10.1016/j.envint.2014.10.016>.
- Mensi, C; Sieno, C; Consonni, D; Riboldi, L. (2010). MALIGNANT MESOTHELIOMA AND ASBESTOS EXPOSURE IN THE LOMBARDY REGION, ITALY, 2000-2004. *Epidemiol Prev.* 34: 161-161.
- Mensi, C; Termine, L; Canti, Z; Rivolta, G; Riboldi, L; Pesatori, AC; Chiappino, G. (2007). [The Lombardy Mesothelioma Register, Regional Operating Centre (ROC) of National Mesothelioma Register: organizational aspects]. *Epidemiol Prev.* 31: 283-289.
- Menvielle, G; Fayosse, A; Radoi, L; Guida, F; Sanchez, M; Carton, M; Cyr, D; Schmaus, A; Cenee, S; Fevotte, J; Delafosse, P; Stuecker, I; Luce, D; Grp, IS. (2016). The joint effect of asbestos exposure, tobacco smoking and alcohol drinking on laryngeal cancer risk: evidence from the French population-based case-control study, ICARE. *Occup Environ Med.* 73: 28-33. <http://dx.doi.org/10.1136/oemed-2015-102954>.
- Menvielle, G; Franck, JE; Radoi, L; Sanchez, M; Févotte, J; Guizard, AV; Stücker, I; Luce, D; group, Is. (2016). Quantifying the mediating effects of smoking and occupational exposures in the relation between education and lung cancer: the ICARE study. *Eur J Epidemiol.* 31: 1213-1221. <http://dx.doi.org/10.1007/s10654-016-0182-2>.
- Menvielle, G; Luce, D; Fevotte, J; Bugel, I; Salomon, C; Goldberg, P; Billon-Galland, MA; Goldberg, M. (2003). Occupational exposures and lung cancer in New Caledonia. *Occup Environ Med.* 60: 584-589.
- Meo, SA; Rasheed, S; Khan, MM; Shujauddin, S; Al-Tuwaijri, AS. (2008). Effect of cement dust exposure on phagocytic function of polymorphonuclear neutrophils in cement mill workers. *Int J Occup Med Environ Health.* 21: 133-139. <http://dx.doi.org/10.2478/v10001-008-0017-9>.
- Méranger, JC; Reid, WW; Davey, AB. (1979). The transfer of asbestos from water to air via a portable drum-type home humidifier. *Can J Public Health.* 70: 276-278.
- Merchant, JA; Klouda, PT; Soutar, CA; Parkes, WR; Lawler, SD; Turner-Warwick, M. (1975). The HL-A system in asbestos workers. *Br Med J.* 1: 189-191.
- Meredith, SK; McDonald, JC. (1994). Work-related respiratory disease in the United Kingdom, 1989-1992: report on the SWORD project. *Occup Med (Lond).* 44: 183-189.
- Meredith, SK; Taylor, VM; McDonald, JC. (1991). Occupational respiratory disease in the United Kingdom 1989: a report to the British Thoracic Society and the Society of Occupational Medicine by the SWORD project group. *Br J Ind Med.* 48: 292-298.
- Merkulova, M; Munoz, M; Vidal, O; Brunet, F. (2016). Role of iron content on serpentine dehydration depth in subduction zones: Experiments and thermodynamic modeling. *Lithos.* 264: 441-452. <http://dx.doi.org/10.1016/j.lithos.2016.09.007>.
- Merler, E. (1998). A cross-sectional study on asbestos workers carried out in Italy in 1940: a forgotten study. *Am J Ind Med.* 33: 90-93.
- Merler, E. (2007). [Mesothelioma incidence decreases parallel to asbestos exposure decrement or interruption: a confirmation of a dose-response relationship, with implications in public health] [Review]. *Epidemiol Prev.* 31: 46-52.
- Merler, E. (2014). [Importance of screening the exposed to asbestos with LDCT] [Letter]. *Med Lav.* 105: 307-308.

Fate Literature Search Results

Off Topic

- Merler, E; Barbieri, PG; Bressan, V; Somigliana, A. (2010). LUNG FIBER BURDEN AMONG ITALIAN SUBJECTS WITH MESOTHELIOMAS OCCUPATIONALLY OR OTHERWISE EXPOSED TO ASBESTOS. *Epidemiol Prev.* 34: 160-161.
- Merler, E; Barbieri, PG; Mirabelli, D; Cavone, D; Somigliana, A. (2010). ASBESTOS FIBER BURDEN OF THE LUNGS IN PATIENTS WITH MESOTHELIOMAS WHO LIVED NEAR CEMENT-ASBESTOS FACTORIES. *Epidemiol Prev.* 34: 210-211.
- Merler, E; Bizzotto, R; Calisti, R; Cavone, D; De Marzo, N; Gioffrè, F; Mabilia, T; Marcolina, D; Musti, M; Munafò, MG; Roberti, S; Zambon, P. (2003). Mesotheliomas among Italians, returned to the home country, who worked when migrant at a cement-asbestos factory in Switzerland. *Soz Praventivmed.* 48: 65-69.
- Merler, E; Bressan, V; Bilato, AM; Marinaccio, A; maligni, Grvsm. (2011). [The effectiveness of compensation system for mesotheliomas due to occupational exposure to asbestos and determinants for requests and awards: an evaluation based on record-linkage between the Veneto Mesothelioma Register and the claims and compensations recorded by the National Insurance Institute (INAIL)]. *Epidemiol Prev.* 35: 331-338.
- Merler, E; Bressan, V; Somigliana, A; Maligni, GRVSM. (2009). [Mesothelioma in construction workers: risk estimate, lung content of asbestos fibres, claims for compensation for occupational disease in the Veneto Region mesothelioma register]. *Med Lav.* 100: 120-132.
- Merler, E; Buiatti, E; Vainio, H. (1997). Surveillance and intervention studies on respiratory cancers in asbestos-exposed workers [Review]. *Scand J Work Environ Health.* 23: 83-92.
- Merler, E; Vineis, P; Alhague, D; Miligi, L. (1999). Occupational cancer in Italy [Review]. *Environ Health Perspect.* 107: 259-271.
- Merletti, F; Boffetta, P; Ferro, G; Pisani, P; Terracini, B. (1991). Occupation and cancer of the oral cavity or oropharynx in Turin, Italy. *Scand J Work Environ Health.* 17: 248-254.
- Merli, M; Ungaretti, L; Oberti, R. (2000). Leverage analysis and structure refinement of minerals. *Am Mineral.* 85: 532-542.
- Merliss, RR. (1971). Talc and asbestos contaminant of rice. *JAMA.* 216: 2144.
- Merlo, DF; Garattini, S; Gelatti, U; Simonati, C; Covolo, L; Ceppi, M; Donato, F. (2004). A mortality cohort study among workers in a graphite electrode production plant in Italy. *Occup Environ Med.* 61.
- Mertig, HJ; Rubin, JN; Kyle, J. R. (1994). SKARN CU-AU OREBODIES OF THE GUNUNG-BIJIH (ERTSBERG) DISTRICT, IRIAN-JAYA, INDONESIA. *J Geochem Explor.* 50: 179-202.
- Mervat, H. (2008). Microstructure of calcined Mg-rich clay minerals of Egyptian serpentinites. *Periodico di Mineralogia.* 77: 93-107. <http://dx.doi.org/10.2451/2008PM0007>.
- Meshida, EA. (2006). Highway failure over talc-tremolite schist terrain: a case study of the Ife to Ilesha highway, South Western Nigeria. *Bulletin of Engineering Geology and the Environment.* 65: 457-461. <http://dx.doi.org/10.1007/s10064-005-0037-7>.
- Messier, L. (1984). ASBESTOS - IS THE NEW PERMISSIBLE EXPOSURE LEVEL JUSTIFIED. *Professional Safety.* 29: 35-37.
- Mester, B; Nieters, A; Deeg, E; Elsner, G; Becker, N; Seidler, A. (2006). Occupation and malignant lymphoma: A population based case control study in Germany. *Occup Environ Med.* 63: 17-26. <http://dx.doi.org/10.1136/oem.2005.020453>.
- Metayer, C; Scelo, G; Kang, AY; Gunier, RB; Reinier, K; Lea, S; Chang, JS; Selvin, S; Kirsch, J; Crouse, V; Does, M; Quinlan, P; Hammond, SK. (2016). A task-based assessment of parental occupational exposure to organic solvents and other compounds and the risk of childhood leukemia in California. *Environ Res.* 151: 174-183. <http://dx.doi.org/10.1016/j.envres.2016.06.047>.
- Metintas, M; Hillerdal, G; Metintas, S; Dumortier, P. (2010). Endemic malignant mesothelioma: exposure to erionite is more important than genetic factors. *Arch Environ Occup Health.* 65: 86-93. <http://dx.doi.org/10.1080/19338240903390305>.
- Metintas, S; Metintas, M; Ak, G; Kalyoncu, C. (2012). Environmental asbestos exposure in rural Turkey and risk of lung cancer. *Int J Environ Health Res.* 22: 468-479. <http://dx.doi.org/10.1080/09603123.2011.654330>.
- Metraux, C; Grobety, B; Ulmer, P. (2002). Filling of chrysotile nanotubes with metals. *J Mater Res.* 17: 1129-1135.
- Metz, P; Milke, R. (2004). A rock-sample experiment to investigate the mechanism and resulting textures of the reaction: 1 tremolite plus 11 dolomite = 8 forsterite plus 13 calcite plus 9 CO₂ plus 1 H₂O. *Lithos.* 73: S75-S75.
- Metz-Flamant, C; Canu, IG; Laurier, D. (2011). Malignant pleural mesothelioma risk among nuclear workers: a review [Review]. *J Radiol Prot.* 31: 9-23. <http://dx.doi.org/10.1088/0952-4746/31/1/R01>.
- Meurman, LO. (1993). CHANGING ATTITUDES AND OPINIONS REGARDING ASBESTOS AND CANCER, 1934-1965. *Am J Ind Med.* 23: 517-517.
- Meurman, LO; Pukkala, E; Hakama, M. (1994). Incidence of cancer among anthophyllite asbestos miners in Finland. *Occup Environ Med.* 51: 421-425.
- Mevel, C; Cannat, M; Gente, P; Marion, E; Auzende, JM; Karson, JA. (1991). EMPLACEMENT OF DEEP CRUSTAL AND MANTLE ROCKS ON THE WEST MEDIAN VALLEY WALL OF THE MARK AREA (MAR, 23-DEGREES-N). *Tectonophysics.* 190: 31-53.
- Meyer, E. (1986). EXAMINATION OF THE IMPORTANCE OF WEATHERING ASBESTOS CEMENT PLANES FOR THE CONCENTRATION OF ASBESTOS FIBERS IN THE ENVIRONMENT. *Staub, Reinhaltung der Luft.* 46: 482-484.
- Meyer, JL; Aljibury, FK. (1976). LOW-HEAD IRRIGATION PIPE - CONCRETE ASBESTOS CEMENT PLASTIC. 2-12.
- Meyerowitz, BE; Sullivan, CD; Premeau, CL. (1989). Reactions of asbestos-exposed workers to notification and screening. *Am J Ind Med.* 15: 463-475.
- Mezger, J; Pethran, A; Weitowitz, HJ. (1992). MESOTHELIOMA AFTER EXPOSURE TO ASBESTOS AS PRISONER OF WAR. *Arbeitsmedizin, Sozialmedizin, Praeventivmedizin.* 27: 23-25.
- Michaels, D. (2006). Manufactured uncertainty: protecting public health in the age of contested science and product defense. *Ann N Y Acad Sci.* 1076: 149-162. <http://dx.doi.org/10.1196/annals.1371.058>.
- Michaels, D; Zoloth, S. (1988). Asbestos disease in sheet metal workers: proportional mortality update. *Am J Ind Med.* 13: 731-734.
- Michaels, D; Zoloth, S; Lacher, M; Holstein, E; Lilis, R; Drucker, E. (1987). Asbestos disease in sheet metal workers: II. Radiologic signs of asbestosis among active workers. *Am J Ind Med.* 12: 595-603.

Fate Literature Search Results

Off Topic

- Michailidis, KM. (1995). COMPOSITIONAL VARIATION OF ZONED CHROMIAN SPINELS IN SERPENTINITES FROM THE KILKIS AREA, NORTHERN GREECE. *Chem Erde*. 55: 81-96.
- Michel, A. (1993). FLAT SEALS WITHOUT ASBESTOS. 83: 626-627.
- Michels, C; Larnberts, R; Gueths, S. (2008). Theoretical/experimental comparison of heat flux reduction in roofs achieved through the use of reflective thermal insulators. *Energy and Buildings*. 40: 438-444. <http://dx.doi.org/10.1016/j.enbuild.2007.03.012>.
- Michibayashi, K; Hirose, T; Nozaka, T; Harigane, Y; Escartin, J; Delius, H; Linek, M; Ohara, Y. (2008). Hydration due to high-T brittle failure within in situ oceanic crust, 30 degrees N Mid-Atlantic Ridge. *Earth Planet Sci Lett*. 275: 348-354. <http://dx.doi.org/10.1016/j.epsl.2008.08.033>.
- Middleton, AP. (1978). OCCURRENCE OF FIBERS OF CALCIUM-SULFATE RESEMBLING AMPHIBOLE ASBESTOS IN SAMPLES TAKEN FOR EVALUATION OF AIRBORNE ASBESTOS. *Ann Occup Hyg*. 21: 91-93.
- Middleton, AP. (1978). On the occurrence of fibres of calcium sulphate resembling amphibole asbestos in samples taken for the evaluation of airborne asbestos. *Ann Occup Hyg*. 21: 91-94.
- Middleton, AP. (1982). Analysis Of Airborne Dust Samples For Chrysotile By X-Ray Diffraction: Interference By Non-Asbestiforon Serpentine. *Ann Occup Hyg*. 25: 443-447.
- Middleton, AP. (1982). Visibility of fine fibres of asbestos during routine electron microscopical analysis. *Ann Occup Hyg*. 25: 53-62.
- Middleton, AP; Beckett, ST; Davis J, MG. (1979). Further observations on the short-term retention and clearance of asbestos by rats, using International Union Against Cancer reference samples. *Ann Occup Hyg*. 22: 141-152.
- Middleton, AP; Jackson, EA. (1982). A PROCEDURE FOR THE ESTIMATION OF ASBESTOS COLLECTED ON MEMBRANE FILTERS USING TRANSMISSION ELECTRON-MICROSCOPY (TEM). *Ann Occup Hyg*. 25: 381-&.
- Mijailovich, SM; Hamada, K; Tsuda, A. (2007). IL-8 response of cyclically stretching alveolar epithelial cells exposed to non-fibrous particles. *Ann Biomed Eng*. 35: 582-594. <http://dx.doi.org/10.1007/s10439-006-9233-2>.
- Mikata, K; Kiyosawa, S. (1998). Development of gland packing using graphite pellets. *JSME Int J Ser B*. 41: 746-751.
- Mikkola, P; Salminen, P; Torppa, A; Huhma, H. (2011). The 2.74 Ga Likamannikko complex in Suomussalmi, East Finland: Lost between sanukitoids and truly alkaline rocks? *Lithos*. 125: 716-728. <http://dx.doi.org/10.1016/j.lithos.2011.04.002>.
- Mikouchi, T; Miyamoto, M. (2000). Micro Raman spectroscopy of amphiboles and pyroxenes in the martian meteorites Zagami and Lewis Cliff 88516. *Meteoritics and Planetary Science*. 35: 155-159.
- Mikulski, MA; Hartley, PG; Sprince, NL; Sanderson, WT; Lourens, S; Worden, NE; Wang, K; Fuortes, LJ. (2011). Risk and significance of chest radiograph and pulmonary function abnormalities in an elderly cohort of former nuclear weapons workers. *J Occup Environ Med*. 53: 1046-1053. <http://dx.doi.org/10.1097/JOM.0b013e318229aaff>.
- Milashuk, S; Crane, W. (2012). Pipeline damage caused by transient ground deformation: Case study of 2010 Darfield and 2011 Christchurch earthquakes. *Soil Dynamics and Earthquake Engineering*. 41: 84-88. <http://dx.doi.org/10.1016/j.soildyn.2012.05.011>.
- Milke, R. (2004). Spiral growth of grossular under hydrothermal conditions. *Am Mineral*. 89: 211-218.
- Miller, A. (1984). DECREASED LUNG-FUNCTION IN LONG-TERM ASBESTOS CEMENT WORKERS - A CROSS-SECTIONAL STUDY. *Am J Ind Med*. 6: 321-321.
- Miller, A. (1993). Pulmonary function in asbestosis and asbestos-related pleural disease [Review]. *Environ Res*. 61: 1-18. <http://dx.doi.org/10.1006/enrs.1993.1044>.
- Miller, A. (2005). Mesothelioma in household members of asbestos-exposed workers: 32 United States cases since 1990. *Am J Ind Med*. 47: 458-462. <http://dx.doi.org/10.1002/ajim.20167>.
- Miller, A. (2007). Radiographic readings for asbestosis: misuse of science--validation of the ILO classification [Review]. *Am J Ind Med*. 50: 63-67. <http://dx.doi.org/10.1002/ajim.20401>.
- Miller, A. (2014). "Not your grandfather's pleural disease": rapid progression, ventilatory impairment, and chronic pleuritic pain from Libby vermiculite/amphibole [Comment]. *Am J Ind Med*. 57: 1195-1196. <http://dx.doi.org/10.1002/ajim.22370>.
- Miller, A. (2015). From the Clinic to the Field: Joint Pulmonary Medicine-Environmental Sciences Laboratory Investigations, 1973-1992 and Beyond. *Am J Ind Med*. 58: 1017-1020. <http://dx.doi.org/10.1002/ajim.22502>.
- Miller, A; Lillis, R; Godbold, J; Wu, X. (1996). Relation of spirometric function to radiographic interstitial fibrosis in two large workforces exposed to asbestos: An evaluation of the ILO profusion score. *Occup Environ Med*. 53: 808-812. <http://dx.doi.org/10.1136/oem.53.12.808>.
- Miller, A; Miller, JA. (1993). Diffuse thickening superimposed on circumscribed pleural thickening related to asbestos exposure. *Am J Ind Med*. 23: 859-871.
- Miller, A; Warshaw, R; Nezamis, J. (2013). Diffusing capacity and forced vital capacity in 5,003 asbestos-exposed workers: Relationships to interstitial fibrosis (ILO profusion score) and pleural thickening. *Am J Ind Med*. 56: 1383-1393. <http://dx.doi.org/10.1002/ajim.22239>.
- Miller, A; Widman, SA; Miller, JA; Manowitz, A; Markowitz, SB. (2013). Comparison of x-ray films and low-dose computed tomographic scans: demonstration of asbestos-related changes in 2760 nuclear weapons workers screened for lung cancer. *J Occup Environ Med*. 55: 741-745. <http://dx.doi.org/10.1097/JOM.0b013e3182954067>.
- Miller, AB. (1978). Asbestos fibre dust and gastro-intestinal malignancies. Review of literature with regard to a cause/effect relationship [Review]. *J Chronic Dis*. 31: 23-33.
- Miller, AK. (2005). Libby, Montana: Overview of asbestos exposures and health effects. *Geochim Cosmo Acta*. 69: A189-A189.
- Miller, BG; Jones, AD; Searl, A; Buchanan, D; Cullen, RT; Soutar, CA; Davis, JMG; Donaldson, K. (1999). Influence of characteristics of inhaled fibres on development of tumours in the rat lung. *Ann Occup Hyg*. 43: 167-179. [http://dx.doi.org/10.1016/S0003-4878\(99\)00019-8](http://dx.doi.org/10.1016/S0003-4878(99)00019-8).
- Miller, BG; Searl, A; Davis, JM; Donaldson, K; Cullen, RT; Bolton, RE; Buchanan, D; Soutar, CA. (1999). Influence of fibre length, dissolution and biopersistence on the production of mesothelioma in the rat peritoneal cavity. *Ann Occup Hyg*. 43: 155-166.

Fate Literature Search Results

Off Topic

- Miller, J, and; Nalaskowski, J; Abdul, B; Du, H, ao. (2007). Surface characteristics of kaolinite and other selected two layer silicate minerals. *Can J Chem Eng.* 85: 617-624.
- Miller, JA; Zurlo, JV. (1996). Asbestos plaques in a typical Veteran's hospital population. *Am J Ind Med.* 30: 726-729. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199612\)30:6<726::AID-AJIM9>3.0.CO;2-O](http://dx.doi.org/10.1002/(SICI)1097-0274(199612)30:6<726::AID-AJIM9>3.0.CO;2-O).
- Miller, K. (1979). Alterations in the Surface-Related Phenomena of Alveolar Macrophages Following Inhalation of Crocidolite Asbestos and Quartz Dusts: An Overview. *Environ Res.* 20: 162-182.
- Miller, K; Kagan, E. (1981). Manifestations of cellular immunity in the rat after prolonged asbestos inhalation. II. Alveolar macrophage-induced splenic lymphocyte proliferation. *Environ Res.* 26: 182-194.
- Millette, J. R. (1981). USE OF ASBESTOS-CEMENT PIPE [Letter]. *J Occup Environ Med.* 23: 226-226.
- Millette, J. R.; Boone, RL; Rosenthal, MT; McCabe, LJ. (1981). The need to control asbestos fibers in potable water supply systems. *Sci Total Environ.* 18: 91-102.
- Millette, J. R.; Logsdon, GS; Clark, PJ; Kinman, RN. (1984). EVALUATING THE CONDITION OF ASBESTOS-CEMENT PIPE. *Mater Perform.* 23: 14-20.
- Millette, J. R.; Pansing, MF; Boone, RL. (1981). ASBESTOS-CEMENT MATERIALS USED IN WATER-SUPPLY. *W E M.* 128: 48-&.
- Millette, JR. (1986). ANALYSIS OF ASBESTOS IN ENVIRONMENTAL SAMPLES BY TEM (pp. 21-24). (BIOSIS/87/11344). Millette, JR.
- Millette, JR. (1986). ASBESTOS IN WATER. *Microscope.* 34: 371-374.
- Millette, JR; Brown, RS; Hill, WB. (2008). Using environmental forensic microscopy in exposure science. *J Expo Sci Environ Epidemiol.* 18: 20-30. <http://dx.doi.org/10.1038/sj.jes.7500613>.
- Millette, JR; Clark, PJ; Pansing, MF; Twyman, JD. (1980). Concentration and size of asbestos in water supplies. *Environ Health Perspect.* 34: 13-25.
- Millette, JR; Clark, PJ; Stober, J; Rosenthal, M. (1983). Asbestos in water supplies of the United States. *Environ Health Perspect.* 53: 45-48.
- Millette, JR; Craun, GF; Stober, JA; Kraemer, DF; Tousignant, HG; Hildago, E; Duboise, RL; Benedict, J. (1983). Epidemiology study of the use of asbestos-cement pipe for the distribution of drinking water in Escambia County, Florida. *Environ Health Perspect.* 53: 91-98.
- Millette, JR; Mount, MD. (1993). A Study Determining Asbestos Fiber Release during the Removal of Valve Packing. *Appl Occup Environ Hyg.* 8: 790-793.
- Mills, SJ; Whitfield, PS; Wilson, SA; Woodhouse, JN; Dipple, GM; Raudsepp, M; Francis, CA. (2011). The crystal structure of stichtite, re-examination of barbertonite, and the nature of polytypism in MgCr hydrotalcites. *Am Mineral.* 96: 179-187. <http://dx.doi.org/10.2138/am.2011.3531>.
- Milne, JE. (1976). Thirty-two cases of mesothelioma in Victoria, Australia: a retrospective survey related to occupational asbestos exposure. *Br J Ind Med.* 33: 115-122.
- Milner, G. (1995). UTILIZING MODIFIED PTFE AS ASBESTOS GASKET ALTERNATIVE - MATERIAL REDUCES FLUID LOSS, CREEP RELAXATION, COLD FLOW, ENERGY-CONSUMPTION AND MAINTENANCE. *Chemical Processing.* 58: 50-51.
- Min, SY; Maken, S; Park, J, inWon; Gaur, A; Hyun, JS, oo. (2008). Melting treatment of waste asbestos using mixture of hydrogen and oxygen produced from water electrolysis. *Korean J Chem Eng.* 25: 323-328.
- Minowa, M; Hatano, S; Ashizawa, M; Oguro, H; Naruhashi, H; Suzuki, M; Mitoku, K; Miwa, M; Wakamatsu, C; Yasuda, Y. (1991). A case-control study of lung cancer with special reference to asbestos exposure. *Environ Health Perspect.* 94: 39-42.
- Mirabelli, D. (2009). [Evidence of effectiveness and prevention of occupational cancer]. *Epidemiol Prev.* 33: 74-78.
- Mirabelli, D; Calisti, R; Barone-Adesi, F; Fornero, E; Merletti, F; Magnani, C. (2008). Excess of mesotheliomas after exposure to chrysotile in Balangero, Italy. *Occup Environ Med.* 65: 815-819. <http://dx.doi.org/10.1136/oem.2007.037689>.
- Mirabelli, D; Cavone, D; Merler, E; Gennaro, V; Romanelli, A; Mensi, C; Chellini, E; Nicita, C; Marinaccio, A; Magnani, C; Musti, M. (2010). Non-occupational exposure to asbestos and malignant mesothelioma in the Italian National Registry of Mesotheliomas. *Occup Environ Med.* 67: 792-794. <http://dx.doi.org/10.1136/oem.2009.047019>.
- Mirabelli, D; Stura, A; Gangemi, M; Bertolotti, M; Maule, MM; Magnani, C. (2007). Incidence of malignant mesothelioma in Piedmont, 1990-2001. *Epidemiol Prev.* 31: 132-138.
- Miralles Martinez-Portillo, L. (2009). ACHIEVEMENTS OF COLLABORATION WITH SOCIAL SECURITY IN THE POST-OCCUPATIONAL SURVEILLANCE OF WORKERS EXPOSED TO ASBESTOS IN LA RIOJA. *Gac Sanit.* 23: 6-7.
- Mirer, FE. (2002). Does the emperor have any clothes: Using mechanistic information or doing Houdini Risk Assessments? *Hum Ecol Risk Assess.* 8: 1229-1242.
- Mirzapour, M, irA; Haghghat, HR; Eslami, Z. (2013). Effect of zirconia on ablation mechanism of asbestos fiber/phenolic composites in oxyacetylene torch environment. *Ceramics International.* 39: 9263-9272. <http://dx.doi.org/10.1016/j.ceramint.2013.05.034>.
- Miscetti, G; Bodo, P; Garofani, P; Abbritti, EP; Lumare, A. (2014). [Levels of exposure to respirable fibres at worksites for abatement of compact and friable asbestos]. *Med Lav.* 105: 63-73.
- Miscetti, G; Bodo, P; Luciani, G; Garofani, P; Mazzanti, M; Marsili, G; Bessi, L. (2008). [Carcinogens project in a Local Health Unit in Umbria: updating of risk so as to estimate worker exposure levels]. *Med Lav.* 99: 454-465.
- Miscetti, G; Bodo, P; Lumare, A; Abbritti, EP; Garofani, P; Burani, V. (2016). [Asbestos exposure assessment in the first case of intrasplenic mesothelioma]. *Med Lav.* 107: 29-36.
- Miserocchi, G; Sancini, G; Mantegazza, F; Chiappino, G. (2008). Translocation pathways for inhaled asbestos fibers [Review]. *Environ Health.* 7: 4. <http://dx.doi.org/10.1186/1476-069X-7-4>.
- Mishra, B; Pal, N; Sarbadhikari, AB. (2005). Fluid inclusion characteristics of the Uti gold deposit, Hutti-Maski greenstone belt, southern India. *Ore Geol Rev.* 26: 1-16. <http://dx.doi.org/10.1016/j.oregeorev.2004.10.002>.
- Mishra, G; Viljoen, KS; Mouri, H. (2013). Influence of mineralogy and ore texture on pentlandite flotation at the Nkomati nickel mine, South Africa. *Miner Eng.* 54: 63-78. <http://dx.doi.org/10.1016/j.mineng.2013.04.009>.

Fate Literature Search Results

Off Topic

- Mitchell, RH. (1990). A REVIEW OF THE COMPOSITIONAL VARIATION OF AMPHIBOLES IN ALKALINE PLUTONIC COMPLEXES. *Lithos*. 26: 135-156.
- Mitchell, RS. (1973). ASBESTOS FIBERS IN AIR OF TOWNS. *Atmos Environ*. 7: 668-669.
- Mitsis, I; Economou-Eliopoulos, M. (2001). Occurrence of apatite associated with magnetite in an ophiolite complex (Othrys), Greece. *Am Mineral*. 86: 1143-1150.
- Miyahara, M; Kitagawa, R; Uehara, S. (2005). Chlorite in metabasites from the Mikabu and North Chichibu belts, southwest Japan. *Clays and Clay Minerals*. 53: 466-477. <http://dx.doi.org/10.1346/CCMN.2005.0530504>.
- Miyano, T; Beukes, NJ. (1997). Mineralogy and petrology of the contact metamorphosed amphibole asbestos-bearing Penge iron formation, eastern Transvaal, South Africa. *Journal of Petrology*. 38: 651-676.
- Miyazaki, M; Une, H. (2001). Risk of lung cancer among Japanese coal miners on hazard risk and interaction between smoking and coal mining. *J Occup Health*. 43: 225-230.
- Miyoshi, A; Kogiso, T; Ishikawa, N; Mibe, K. (2014). Role of silica for the progress of serpentinization reactions: Constraints from successive changes in mineralogical textures of serpentinites from Iwanaidake ultramafic body, Japan. *Am Mineral*. 99: 1035-1044. <http://dx.doi.org/10.2138/am.2014.4748>.
- Mizukami, T; Kagi, H; Wallis, SR; Fukura, S. (2007). Pressure-induced change in the compressional behavior of the O-H bond in chrysotile: A Raman high-pressure study up to 4.5 GPa. *Am Mineral*. 92: 1456-1463. <http://dx.doi.org/10.2138/am.2007.2489>.
- Mizukami, T; Wallis, SR. (2005). Structural and petrological constraints on the tectonic evolution of the garnet-lherzolite facies Higashi-akaishi peridotite body, Sanbagawa belt, SW Japan. *Tectonics*. 24. <http://dx.doi.org/10.1029/2004TC001733>.
- Mizukami, T; Yokoyama, H; Hiramatsu, Y; Arai, S; Kawahara, H; Nagaya, T; Wallis, SR. (2014). Two types of antigorite serpentinite controlling heterogeneous slow-slip behaviours of slab-mantle interface. *Earth Planet Sci Lett*. 401: 148-158. <http://dx.doi.org/10.1016/j.epsl.2014.06.009>.
- Mizutani, Y; Obara, H; Nakajima, K. (1973). X-RAY STUDY OF FRICTION AND WEAR OF RESIN-BONDED ASBESTOS. *Wear*. 23: 387-392.
- Mlynarek, S; Corn, M; Blake, C. (1996). Asbestos exposure of building maintenance personnel. *Regul Toxicol Pharmacol*. 23: 213-224. <http://dx.doi.org/10.1006/rtph.1996.0045>.
- Mlynarek, SP; Van Orden, DR. (2012). Asbestos exposure from the overhaul of a Pratt & Whitney R2800 engine. *Regul Toxicol Pharmacol*. 64: 189-194. <http://dx.doi.org/10.1016/j.yrtph.2012.07.004>.
- Mlynarek, SP; Van Orden, DR. (2012). Assessment of potential asbestos exposures from jet engine overhaul work. *Regul Toxicol Pharmacol*. 63: 78-83. <http://dx.doi.org/10.1016/j.yrtph.2012.02.010>.
- Moatamed, F; Lockey, JE; Parry, WT. (1986). Fiber contamination of vermiculites: A potential occupational and environmental health hazard. *Environ Res*. 41: 207-218. [http://dx.doi.org/10.1016/S0013-9351\(86\)80183-9](http://dx.doi.org/10.1016/S0013-9351(86)80183-9).
- Mobius, K. (1986). ASBESTOS WORLD MARKET WITH REDUCED LEVEL OF ACTIVITY. 39: 87-88.
- Mocciola, M. (2007). [Criminal responsibility in non pre-meditated personal injury caused by inhalation of asbestos]. *Epidemiol Prev*. 31: 38-40.
- Mocek, B. (2001). Geochemical evidence for arc-type volcanism in the Aegean Sea: the blueschist unit of Siphnos, Cyclades (Greece). *Lithos*. 57: 263-289.
- Moen, BE; Nilsson, R; Nordlinder, R; Ovrebo, S; Bleie, K; Skorve, AH; Hollund, BE. (1996). Assessment of exposure to polycyclic aromatic hydrocarbons in engine rooms by measurement of urinary 1-hydroxypyrene. *Occup Environ Med*. 53: 692-696. <http://dx.doi.org/10.1136/oem.53.10.692>.
- Moene, R; Tijssen, EPA, M; Makkee, M; Moulijn, JA. (1999). Synthesis and thermal stability of Ni, Cu, Co, and Mo catalysts based on high surface area silicon carbide. *Appl Catal A-Gen*. 184: 127-141.
- Mogessie, A; Stumpfl, EF; Weiblen, PW. (1991). THE ROLE OF FLUIDS IN THE FORMATION OF PLATINUM-GROUP MINERALS, DULUTH COMPLEX, MINNESOTA - MINERALOGIC, TEXTURAL, AND CHEMICAL EVIDENCE. *Econ Geol*. 86: 1506-1518.
- Moghissi, AA. (1991). STRATEGIES FOR THE DEVELOPMENT OF INDOOR AIR-QUALITY STANDARDS. *Environ Int*. 17: 365-370.
- Mohamed, IY. (1990). Asbestos-cement pneumoconiosis: first surgically confirmed case in Kuwait. *Am J Ind Med*. 17: 241-245.
- Mohammadian, Y; Shahtaheri, SJ; Yaraghi, A, liAS; Kakooei, H; Hajaghazadeh, M. (2013). Cytotoxicity of single-walled carbon nanotubes, multi-walled carbon nanotubes, and chrysotile to human lung epithelial cells. *Toxicol Environ Chem*. 95: 1037-1047. <http://dx.doi.org/10.1080/02772248.2013.840371>.
- Mohammad-Taheri, Z; Nadji, SA; Raisi, F; Mohammadi, F; Bahadori, M; Mark, EJ. (2013). No association between simian virus 40 and diffuse malignant mesothelioma of the pleura in Iranian patients: a molecular and epidemiologic case-control study of 60 patients. *Am J Ind Med*. 56: 1221-1225. <http://dx.doi.org/10.1002/ajim.22160>.
- Mohiuddin, AKM; Kant, K; Sen, S. (1992). AN EXPERIMENTAL-STUDY ON PACKING AND DRIFT ELIMINATORS IN AN EVAPORATIVE CONDENSER WITH INDUCED DRAFT. 30: 507-511.
- Mohsenifar, Z. (1987). ASBESTOS AND AIR-FLOW LIMITATION - REPLY. *J Occup Environ Med*. 29: 265-265.
- Mohsenifar, Z; Jasper, AJ; Mahrer, T; Koerner, SK. (1986). Asbestos and airflow limitation. *J Occup Med*. 28: 817-820. <http://dx.doi.org/10.1097/00043764-198609000-00012>.
- Moir, W; Zeig-Owens, R; Daniels, RD; Hall, CB; Webber, MP; Jaber, N; Yiin, JH; Schwartz, T; Liu, X; Vossbrinck, M; Kelly, K; Prezant, DJ. (2016). Post-9/11 cancer incidence in World Trade Center-exposed New York City firefighters as compared to a pooled cohort of firefighters from San Francisco, Chicago and Philadelphia (9/11/2001-2009). *Am J Ind Med*. 59: 722-730. <http://dx.doi.org/10.1002/ajim.22635>.
- Molinini, R; Paoletti, L; Albrizio, M; Pennella, A; Nardulli, F; Caruso, G. (1992). Occupational exposure to asbestos and urinary bladder cancer. *Environ Res*. 58: 176-183.
- Moller, V; Williams-Jones, AE. (2016). Stable and radiogenic isotope constraints on the magmatic and hydrothermal evolution of the Nechalacho Layered Suite, northwest Canada. *Chem Geol*. 440: 248-274. <http://dx.doi.org/10.1016/j.chemgeo.2016.07.010>.

Fate Literature Search Results

Off Topic

- Mollo, F; Andrión, A; Bellis, D; Bertoldo, E; Colombo, A. (1987). Screening of autopsy populations for previous occupational exposure to asbestos. *Arch Environ Health*. 42: 44-50. <http://dx.doi.org/10.1080/00039896.1987.9935794>.
- Mollo, F; Cravello, M; Andreozzi, A; Burlo, P; Bo, P; Attanasio, A; De Giuli, P. (2000). Asbestos body burden in decomposed human lungs. *Am J Forensic Med Pathol*. 21: 148-150.
- Mollo, F; Tomatis, L. (2007). [Asbestos fibers and mesothelioma pathogenesis]. *Epidemiol Prev*. 31: 43-45.
- Molloy, LB. (1991). Asbestos in place in Metropolitan New York. *Ann N Y Acad Sci*. 643: 614-621.
- Molnar, F; Watkinson, DH; Jones, PC. (2001). Multiple hydrothermal processes in footwall units of the North Range, Sudbury Igneous Complex, Canada, and implications for the genesis of vein-type Cu-Ni-PGE deposits. *Econ Geol*. 96: 1645-1670.
- Molter, W. (1985). AERODYNAMIC SEPARATION AND CLASSIFICATION OF ASBESTOS FIBERS. *Staub, Reinhaltung der Luft*. 45: 211-214.
- Momba, MNB; Makala, N. (2004). Comparing the effect of various pipe materials on biofilm formation in chlorinated and combined chlorine-chloraminated water systems. *Water SA*. 30: 175-182.
- Monaro, S; Landsberger, S; Lecomte, R; Paradis, P; Desaulniers, G; Pan, A. (1983). ASBESTOS POLLUTION LEVELS IN RIVER WATER MEASURED BY PROTON-INDUCED X-RAY-EMISSION (PIXE) TECHNIQUES. *Environmental Pollution Series B: Chemical and Physical*. 5: 83-90.
- Monaro, S; Landsberger, S; Lecomte, R; Paradis, P; Desaulniers, G; P'An, A. (1983). Asbestos pollution levels in river water measured by proton-induced X-ray emission techniques (pp. 83-90). (HEEP/83/10378). Monaro, S; Landsberger, S; Lecomte, R; Paradis, P; Desaulniers, G; P'An, A.
- Monchaux, G; Morlier, JP; Fritsch, P; Rochefort, P; Douriez, E; Morin, M; Maximilien, R. (1996). Co-carcinogenic effects of various agents in rats following exposure to radon and radon daughters. *Environ Int*. 22: S917-S925.
- Monchaux, G; Morlier, JP; Morin, M; Chameaud, J; Lafuma, J; Masse, R. (1994). CARCINOGENIC AND COCARCINOGENIC EFFECTS OF RADON AND RADON DAUGHTERS IN RATS [Review]. *Environ Health Perspect*. 102: 64-73.
- Monechi, MV; Di Natale, M; Vannucchi, G; Zappa, M. (1987). [Asbestos pollution in the Prato textile cycle: environmental study]. *Med Lav*. 78: 293-300.
- Monechi, MV; Di Natale, M; Vannucchi, G; Zappa, M. (1987). Asbestos pollution in the Prato textile industry: Environmental investigation. 78: 293-300.
- Money, A; Carder, M; Noone, P; Bourke, J; Hayes, J; Turner, S; Agius, R. (2015). Work-related ill-health: Republic of Ireland, Northern Ireland, Great Britain 2005-2012. *Occup Med (Lond)*. 65: 15-21. <http://dx.doi.org/10.1093/occmed/kqu137>.
- Moniz, M; de Castro, HA; Peres, F. (2012). [Asbestos, danger and invisibility: perception of environmental risks and health of the residents of Bom Jesus da Serra/Bahia state]. *Cien Saude Colet*. 17: 327-336.
- Monkman, LJ. (1979). PROCEDURE FOR THE DETECTION AND IDENTIFICATION OF ASBESTOS AND OTHER FIBERS IN FIBROUS INORGANIC MATERIALS. *Ann Occup Hyg*. 22: 127-139.
- Monso, E; Carreres, A; Tura, JM; Ruiz, J; Fiz, J; Xaus, C; Llatjos, M; Morera, J. (1997). Electron microscopic microanalysis of bronchoalveolar lavage: a way to identify exposure to silica and silicate dust. *Occup Environ Med*. 54: 560-565.
- Monsó, E; Teixidó, A; Lopez, D; Aguilar, X; Fiz, J; Ruiz, J; Rosell, A; Vaqueró, M; Morera, J. (1995). Asbestos bodies in normal lung of western Mediterranean populations with no occupational exposure to inorganic dust. *Arch Environ Health*. 50: 305-311. <http://dx.doi.org/10.1080/00039896.1995.9935959>.
- Monsó, E; Tura, JM; Pujadas, J; Morell, F; Ruiz, J; Morera, J. (1991). Lung dust content in idiopathic pulmonary fibrosis: a study with scanning electron microscopy and energy dispersive x ray analysis. *Br J Ind Med*. 48: 327-331.
- Montanaro, F; Bray, F; Gennaro, V; Merler, E; Tyczynski, JE; Parkin, DM; Strnad, M; Jechov'a, M; Storm, HH; Aareleid, T; Hakulinen, T; Velten, M; Lef'evre, H; Danzon, A; Buemi, A; Daur'es, JP; Ménégöz, F; Raverdy, N; Sauvage, M; Ziegler, H; Comber, H; Paci, E; Vercellij, M; De Lisi, V; Tumino, R; Zanetti, R; Berrino, F; Stanta, G; Langmark, F; Rachtan, J; Mezyk, R; Blaszczyk, J; Ivan, P; Primic-Zakelj, M; Martínez, AC; Izarzugaza, I; Borràs, J; Garcia, CM; Garau, I; Sánchez, NC; Aicua, A; Barlow, L; Torhorst, J; Bouchardy, C; Levi, F; Fisch, T; Probst, N; Visser, O; Quinn, M; Gavin, A; Brewster, D; Mikov, M; Group, EW. (2003). Pleural mesothelioma incidence in Europe: evidence of some deceleration in the increasing trends. *Cancer Causes Control*. 14: 791-803.
- Montanaro, F; Ceppi, M; Puntoni, R; Silvano, S; Gennaro, V. (2004). Asbestos exposure and cancer mortality among petroleum refinery workers: a Poisson regression analysis of updated data. *Arch Environ Health*. 59: 188-193. <http://dx.doi.org/10.3200/AEOH.59.4.188-193>.
- Monteiro, LVS; Xavier, RP; de Carvalho, ER; Hitzman, MW; Johnson, CA; de Souza, CR; Torresi, I. (2008). Spatial and temporal zoning of hydrothermal alteration and mineralization in the Sossego iron oxide-copper-gold deposit, Caraja's Mineral Province, Brazil: paragenesis and stable isotope constraints. *Trans Nonferrous Met Soc China*. 43: 129-159. <http://dx.doi.org/10.1007/s00126-006-0121-3>.
- Montoneri, E; Modica, G; Maffi, S. (1986). ASBESTOS-BRUCITE-POLYPHENYLENE SULFIDE COMPOSITES .1. CHEMICAL AND ELECTROCHEMICAL DEGRADATION IN HOT ALKALI. *Journal of Composite Materials*. 20: 504-519.
- Montoneri, E; Ranzi, E; Modica, G; Hofmann, H. (1987). POLYPHENYLENE SULFIDE-ASBESTOS-BRUCITE COMPOSITES .2. PROPERTIES AND PERFORMANCE IN ADVANCED WATER ELECTROLYSIS. *Journal of Composite Materials*. 21: 690-707.
- Montoya Cabrera, MA; Pérez Reyes, MA; Alonso de Ruíz, P; Gutiérrez-Pastrana, MD; Maldonado Torres, L. (1988). [Investigation of ferruginous bodies in the sputum of individuals exposed to asbestos fibers. Comparative study of 3 identification technics]. *Arch Invest Med*. 19: 97-106.
- Montreuil, JF; Corriveau, L; Potter, EG. (2015). Formation of albitite-hosted uranium within IOCG systems: the Southern Breccia, Great Bear magmatic zone, Northwest Territories, Canada. *Miner Depos*. 50: 293-325. <http://dx.doi.org/10.1007/s00126-014-0530-7>.
- Moolgavkar, SH; Luebeck, EG; Turim, J; Hanna, L. (1999). Quantitative assessment of the risk of lung cancer associated with occupational exposure to refractory ceramic fibers. *Risk Anal*. 19: 599-611.

Fate Literature Search Results

Off Topic

- Moolgavkar, SH; Meza, R; Turim, J, ay. (2009). Pleural and peritoneal mesotheliomas in SEER: age effects and temporal trends, 1973-2005. *Cancer Causes Control*. 20: 935-944. <http://dx.doi.org/10.1007/s10552-009-9328-9>.
- Moolgavkar, SH; Turim, J; Alexander, DD; Lau, EC; Cushing, CA. (2010). Potency factors for risk assessment at Libby, Montana. *Risk Anal*. 30: 1240-1248. <http://dx.doi.org/10.1111/j.1539-6924.2010.01411.x>.
- Moon, EK; Son, M; Jin, YW; Park, S; Lee, WJ. (2013). Variations of lung cancer risk from asbestos exposure: impact on estimation of population attributable fraction [Review]. *Ind Health*. 51: 128-133.
- Moon, MC; Park, JD; Choi, BS; Park, SY; Kim, DW; Chung, YH; Hisanaga, N; Yu, IJ. (2011). Risk Assessment of Baby Powder Exposure through Inhalation. *Toxicological Research*. 27: 137-141. <http://dx.doi.org/10.5487/TR.2011.27.3.137>.
- Moorcroft, JS; Duggan, MJ. (1984). RATE OF DECLINE OF ASBESTOS FIBER CONCENTRATION IN ROOM AIR. *Ann Occup Hyg*. 28: 453-457.
- Moore, DE; Lockner, DA. (2011). Frictional strengths of talc-serpentine and talc-quartz mixtures. *J Geophys Res Solid Earth*. 116. <http://dx.doi.org/10.1029/2010JB007881>.
- Moore, DE; Lockner, DA. (2013). Chemical controls on fault behavior: Weakening of serpentinite sheared against quartz-bearing rocks and its significance for fault creep in the San Andreas system. *J Geophys Res Solid Earth*. 118: 2558-2570. <http://dx.doi.org/10.1002/jgrb.50140>.
- Moore, DE; Lockner, DA; Ma, SL; Summers, R; Byerlee, JD. (1997). Strengths of serpentinite gouges at elevated temperatures. *J Geophys Res Solid Earth*. 102: 14787-14801.
- Moore, JN; Gunderson, RP. (1995). FLUID INCLUSION AND ISOTOPIC SYSTEMATICS OF AN EVOLVING MAGMATIC-HYDROTHERMAL SYSTEM. *Geochim Cosmo Acta*. 59: 3887-3907.
- Moore, JN; Powell, TS; Heizler, MT; Norman, DI. (2000). Mineralization and hydrothermal history of the Tiwi geothermal system, Philippines. *Econ Geol*. 95: 1001-1023.
- Moore, LL. (1988). ASBESTOS EXPOSURE ASSOCIATED WITH AUTOMOTIVE BRAKE REPAIR IN PENNSYLVANIA. *Am Ind Hyg Assoc J*. 49: A12-A13.
- Moore, LL. (1988). ASBESTOS EXPOSURE ASSOCIATED WITH AUTOMOTIVE BRAKE REPAIR IN PENNSYLVANIA USA. *Am Ind Hyg Assoc J*. 49.
- Morabia, A; Markowitz, S; Garibaldi, K; Wynder, EL. (1992). LUNG-CANCER AND OCCUPATION - RESULTS OF A MULTICENTER CASE-CONTROL STUDY. *Br J Ind Med*. 49: 721-727.
- Moraes, KAK; Valadares Filho, SC; Moraes, EHB, K; Pina, DS. (2015). CALCIUM OXIDE LEVELS IN SUGARCANE SILAGE, FRESH SUGARCANE OR CORN SILAGE FOR FEEDLOT NELLORE HEIFERS. *The J A P S*. 25: 989-996.
- Morales, LFG; Mainprice, D; Boudier, F. (2013). The influence of hydrous phases on the microstructure and seismic properties of a hydrated mantle rock. *Tectonophysics*. 594: 103-117. <http://dx.doi.org/10.1016/j.tecto.2013.03.022>.
- Moreto, CPN; Monteiro, LVS; Xavier, RP; Creaser, RA; Dufrane, SA; Tassinari, CCG; Sato, K; Kemp, AIS; Amaral, WS. (2015). Neoproterozoic and Paleoproterozoic Iron Oxide-Copper-Gold Events at the Sossego Deposit, Carajas Province, Brazil: Re-Os and U-Pb Geochronological Evidence. *Econ Geol*. 110: 809-835.
- Morfeld, P; Mccunney, RJ. (2009). Carbon Black and Lung Cancer-Testing a Novel Exposure Metric by Multi-Model Inference. *Am J Ind Med*. 52: 890-899. <http://dx.doi.org/10.1002/ajim.20754>.
- Morgan, A. (1974). ADSORPTION OF HUMAN-SERUM ALBUMIN BY ASBESTIFORM MINERALS AND ITS APPLICATION TO MEASUREMENT OF SURFACE-AREAS OF DISPERSED SAMPLES OF CHRYSOTILE. *Environ Res*. 7: 330-341.
- Morgan, A. (1994). IN-VIVO EVALUATION OF CHEMICAL BIOPERSISTENCE OF MAN-MADE MINERAL FIBERS. *Environ Health Perspect*. 102: 127-131.
- Morgan, A. (1994). The removal of fibres of chrysotile asbestos from lung [Letter]. *Ann Occup Hyg*. 38: 643-646.
- Morgan, A. (1995). Deposition of inhaled asbestos and man-made mineral fibres in the respiratory tract [Review]. *Ann Occup Hyg*. 39: 747-758.
- Morgan, A. (1997). Acid leaching studies of chrysotile asbestos from mines in the Coalinga region of California and from Quebec and British Columbia. *Ann Occup Hyg*. 41: 249-&.
- Morgan, A; Collier, CG; Kellington, JP. (1993). DISTRIBUTION OF GLASS-FIBERS IN THE PERITONEAL-CAVITY OF THE RAT FOLLOWING ADMINISTRATION BY INTRAPERITONEAL INJECTION. *J Toxicol Environ Health*. 38: 245-256.
- Morgan, A; Evans, JC; Evans, RJ; Hounam, RF; Holmes, A; Doyle, SG. (1975). Studies on the deposition of inhaled fibrous material in the respiratory tract of the rat and its subsequent clearance using radioactive tracer techniques II Deposition of the UICC standard reference samples of asbestos. *Environ Res*. 10: 196-207.
- Morgan, A; Gold, C; Holmes, A. (1971). STUDIES OF SOLUBILITY OF CONSTITUENTS OF CHRYSOTILE ASBESTOS IN-VIVO USING RADIOACTIVE TRACER TECHNIQUES. *Environ Res*. 4: 558-&.
- Morgan, A; Holmes, A. (1980). Concentrations and dimensions of coated and uncoated asbestos fibres in the human lung. *Occup Environ Med*. 37: 25-32.
- Morgan, A; Holmes, A. (1982). Concentrations and characteristics of amphibole fibres in the lungs of workers exposed to crocidolite in the British gas-mask factories, and elsewhere, during the second world war. *Br J Ind Med*. 39: 62-69.
- Morgan, A; Holmes, A. (1983). Distribution and characteristics of amphibole asbestos fibres, measured with the light microscope, in the left lung of an insulation worker. *Occup Environ Med*. 40: 45-50.
- Morgan, A; Holmes, A. (1984). The distribution and characteristics of asbestos fibers in the lungs of Finnish anthophyllite mine-workers. *Environ Res*. 33: 62-75.
- Morgan, A; Holmes, A. (1984). Solubility of rockwool fibres in vivo and the formation of pseudo-asbestos bodies. *Ann Occup Hyg*. 28: 307-314.
- Morgan, A; Holmes, A. (1985). The enigmatic asbestos body: its formation and significance in asbestos-related disease. *Environ Res*. 38: 283-292.
- Morgan, A; Holmes, A. (1986). Solubility of asbestos and man-made mineral fibers in vitro and in vivo: its significance in lung disease. *Environ Res*. 39: 475-484.

Fate Literature Search Results

Off Topic

- Morgan, A; Lally, AE; Holmes, A. (1973). Some observations on the distribution of trace metals in chrysotile asbestos. *Ann Occup Hyg.* 16: 231-240.
- Morgan, A; Talbot, RJ. (1997). Acid Leaching Studies of Neutron-Irradiated Chrysotile Asbestos. *Ann Occup Hyg.* 41: 269-279. [http://dx.doi.org/10.1016/S0003-4878\(97\)00002-1](http://dx.doi.org/10.1016/S0003-4878(97)00002-1).
- Morgan, A; Talbot, RJ; Holmes, A. (1978). Significance of fibre length in the clearance of asbestos fibres from the lung. *Br J Ind Med.* 35: 146-153. <http://dx.doi.org/10.1136/oem.35.2.146>.
- Morgan, RW. (1991). METAANALYSIS OF ASBESTOS AND GASTROINTESTINAL CANCER. *Am J Ind Med.* 19: 407-408.
- Morgan, RW. (1992). Attitudes about asbestos and lung cancer. *Am J Ind Med.* 22: 437-441.
- Morgan, RW; Zhao, KE. (1994). Study of occupational lung cancer in asbestos factories in China [Letter]. *Occup Environ Med.* 51: 719.
- Morgan, WK; Bracken, M; Sargent, N; Wheeler, P. (1992). On the diagnostic accuracy of asbestos-induced disease [Letter]. *J Occup Med.* 34: 1205-1206.
- Morgenroth, K. (1982). SIZING AND IDENTIFICATION OF ASBESTOS FIBERS AND OTHER MINERALS WITH ANALYTICAL ELECTRON MICROSCOPY IN AUTOPSY AND BIOPSY MATERIAL (pp. 24-26). (HEEP/84/05467). Morgenroth, K.
- Morimoto, T; Biswas, G; Kono, T; Sakai, M; Hikima, J. (2016). Immune responses in the Japanese pufferfish (Takifugu rubripes) head kidney cells stimulated with particulate silica. *Fish Shellfish Immunol.* 49: 84-90. <http://dx.doi.org/10.1016/j.fsi.2015.12.023>.
- Morimoto, Y; Ding, L; Oyabu, T; Kim, H; Ogami, A; Hirohashi, M; Nagatomo, H; Yamato, H; Akiyama, I; Hori, H; Higashi, T; Tanaka, I. (2003). Gene expression of surfactant protein-A and thyroid transcription factor-1 in lungs of rats exposed to silicon-carbide whisker in vivo. *J Occup Health.* 45: 307-312.
- Morimoto, Y; Kido, M; Tanaka, I; Fujino, A; Higashi, T; Yokosaki, Y. (1993). Synergistic effects of mineral fibres and cigarette smoke on the production of tumour necrosis factor by alveolar macrophages of rats. *Br J Ind Med.* 50: 955-960.
- Morimoto, Y; Tanaka, I. (2001). In vivo studies of man-made mineral fibers--fibrosis-related factors [Review]. *Ind Health.* 39: 106-113.
- Morimoto, Y; Tsuda, T; Hirohashi, M; Yamato, H; Hori, H; Ohgami, A; Yatera, K; Kim, HN; Ding, L; Kido, M; Higashi, T; Tanaka, I. (1999). Effects of mineral fibers on the gene expression of proinflammatory cytokines and inducible nitric-oxide synthase in alveolar macrophages. *Ind Health.* 37: 329-334.
- Morimoto, Y; Tsuda, T; Hori, H; Yamato, H; Ohgami, A; Higashi, T; Nagata, N; Kido, M; Tanaka, I. (1999). Combined effect of cigarette smoke and mineral fibers on the gene expression of cytokine mRNA. *Environ Health Perspect.* 107: 495-500.
- Morimoto, Y; Tsuda, T; Nakamura, H; Hori, H; Yamato, H; Nagata, N; Higashi, T; Kido, M; Tanaka, I. (1997). Expression of Matrix Metalloproteinases, Tissue Inhibitors of Metalloproteinases, and Extracellular Matrix mRNA Following Exposure to Mineral Fibers and Cigarette Smoke In Vivo. *Environ Health Perspect.* 105: 1247-1251.
- Morimoto, Y; Yamato, H; Kido, M; Tanaka, I; Higashi, T; Fujino, A; Yokosaki, Y. (1994). Effects of Inhaled Ceramic Fibres on Macrophage Function of Rat Lungs. *Occup Environ Med.* 51: 62-67.
- Morinaga, K; Kishimoto, T; Sakatani, M; Akira, M; Yokoyama, K; Sera, Y. (2001). Asbestos-related lung cancer and mesothelioma in Japan [Review]. *Ind Health.* 39: 65-74.
- Morlier, P; Khenfer, MM. (1991). EFFECT OF THE LENGTH OF FIBERS ON THE MECHANICAL-PROPERTIES OF CEMENTS REINFORCED WITH CELLULOSIC FIBERS. *Mater Struct.* 24: 185-190.
- Morris, RD. (1995). Drinking water and cancer [Review]. *Environ Health Perspect.* 103 Suppl 8: 225-231. <http://dx.doi.org/10.2307/3432315>.
- Morrison, JM; Goldhaber, MB; Mills, CT; Breit, GN; Hooper, RL; Holloway, JM; Diehl, SF; Ranville, JF. (2015). Weathering and transport of chromium and nickel from serpentinite in the Coast Range ophiolite to the Sacramento Valley, California, USA. *Appl Geochem.* 61: 72-86. <http://dx.doi.org/10.1016/j.apgeochem.2015.05.018>.
- Morshed, MM; Haseeb, ASM, A. (2004). Physical and chemical characteristics of commercially available brake shoe lining materials: a comparative study. *J Mater Process Tech.* 155: 1422-1427. <http://dx.doi.org/10.1016/j.matprotec.2004.04.232>.
- Moshhammer, H; Neuberger, M. (2009). Lung function predicts survival in a cohort of asbestos cement workers. *Int Arch Occup Environ Health.* 82: 199-207. <http://dx.doi.org/10.1007/s00420-008-0322-4>.
- Mossman, BT. (1988). CARCINOGENIC POTENTIAL OF ASBESTOS AND NONASBESTOS FIBERS. *J Environ Sci Health, Part C: Environ Carcinog Rev.* 6: 151-196.
- Mossman, BT. (1993). Mechanisms of asbestos carcinogenesis and toxicity: the amphibole hypothesis revisited [Editorial]. *Br J Ind Med.* 50: 673-676.
- Mossman, BT. (1994). Carcinogenesis and related cell and tissue responses to asbestos: a review [Review]. *Ann Occup Hyg.* 38: 617-624, 423.
- Mossman, BT; Eastman, A; Landesman, JM; Bresnick, E. (1983). Effects of crocidolite and chrysotile asbestos on cellular uptake and metabolism of benzo(a)pyrene in hamster tracheal epithelial cells. *Environ Health Perspect.* 51: 331-335.
- Mossman, BT; Faux, S; Janssen, Y; Jimenez, LA; Timblin, C; Zanello, C; Goldberg, J; Walsh, E; Barchowsky, A; Driscoll, K. (1997). Cell Signaling Pathways Elicited by Asbestos. *Environ Health Perspect.* 105: 1121. <http://dx.doi.org/10.2307/3433519>.
- Mossman, BT; Janssen, YMW; Marsh, JP; Manohar, M; Garrone, M; Shull, S; Hemenway, D. (1990). ANTIOXIDANT DEFENSE-MECHANISMS IN ASBESTOS-INDUCED LUNG-DISEASE. *J Aerosol Med.* 3: S75-S82.
- Mossman, BT; Lippmann, M; Hesterberg, TW; Kelsey, KT; Barchowsky, A; Bonner, JC. (2011). Pulmonary endpoints (lung carcinomas and asbestosis) following inhalation exposure to asbestos [Review]. *J Toxicol Environ Health B Crit Rev.* 14: 76-121. <http://dx.doi.org/10.1080/10937404.2011.556047>.
- Mossman, BT; Marsh, JP. (1989). Evidence Supporting a Role for Active Oxygen Species in Asbestos-Induced Toxicity and Lung Disease [Review]. *Environ Health Perspect.* 81: 91-94.
- Mota, LC; Urena-Benavides, EE; Yoon, Y; Son, A. (2013). Quantitative Detection of Single Walled Carbon Nanotube in Water Using DNA and Magnetic Fluorescent Spheres. *Environ Sci Technol.* 47: 493-501. <http://dx.doi.org/10.1021/es303671u>.

Fate Literature Search Results

Off Topic

- Motte, F; Falcoz, Q; Veron, E; Py, X. (2015). Compatibility tests between Solar Salt and thermal storage ceramics from inorganic industrial wastes. *Appl Energ.* 155: 14-22. <http://dx.doi.org/10.1016/j.apenergy.2015.05.074>.
- Moudgal, RP; Misra, RP; Panda, JN; Ahuja, SD. (1992). CATECHOLAMINES IN EGG-YOLK OF GOOD OR POOR LAYERS DURING SUMMER UNDER DIFFERENT HOUSING SYSTEMS. *Indian J Anim Sci.* 62: 886-889.
- Moulin, JJ. (1997). A meta-analysis of epidemiologic studies of lung cancer in welders. *Scand J Work Environ Health.* 23: 104-113.
- Moulin, JJ; Clavel, T; Roy, D; Dananché, B; Marquis, N; Févotte, J; Fontana, JM. (2000). Risk of lung cancer in workers producing stainless steel and metallic alloys. *Int Arch Occup Environ Health.* 73: 171-180.
- Moulin, JJ; Lafontaine, M; Mantout, B; Belanger, A; Michel, M; Wild, P; Clavel, T; Fournier, M; Fontana, JM. (1995). [Mortality due to bronchopulmonary cancers in workers of 2 foundries]. *Rev Epidemiol Sante Publique.* 43: 107-121.
- Moulin, JJ; Wild, P; Haguenoer, JM; Faucon, D; De Gaudemaris, R; Mur, JM; Mereau, M; Gary, Y; Toamain, JP; Birembaut, Y. (1993). A mortality study among mild steel and stainless steel welders. *Br J Ind Med.* 50: 234-243.
- Mowat, F; Bono, M; Lee, RJ; Tamburello, S; Paustenbach, D. (2005). Occupational exposure to airborne asbestos from phenolic molding material (Bakelite) during sanding, drilling, and related activities. *J Occup Environ Hyg.* 2: 497-507. <http://dx.doi.org/10.1080/15459620500274237>.
- Mowat, F; Weidling, R; Sheehan, P. (2007). Simulation tests to assess occupational exposure to airborne asbestos from asphalt-based roofing products. *Ann Occup Hyg.* 51: 451-462. <http://dx.doi.org/10.1093/annhyg/mem020>.
- Mowat, FS; Bono, M; Paustenbach, DJ. (2004). Occupational Exposure To Airborne Chrysotile Asbestos During Use And Removal Of Mastics, Coating, And Adhesives (CIRCA 1940s-Present Day). *Toxicologist.* 78: 108.
- Mowé, G; Gylseth, B; Hartveit, F; Skaug, V. (1984). Occupational asbestos exposure, lung-fiber concentration and latency time in malignant mesothelioma. *Scand J Work Environ Health.* 10: 293-298.
- Moy, EV; Hu, H; Christiani, DC. (1999). A retired shipyard worker with rapidly progressive pulmonary interstitial fibrosis. *Environ Health Perspect.* 107: 321-327.
- Moyer, VD; Cistulli, CA; Vaslet, CA; Kane, AB. (1994). OXYGEN RADICALS AND ASBESTOS CARCINOGENESIS [Review]. *Environ Health Perspect.* 102: 131-136.
- Moys, AL; Sabersky, RH. (1978). HEAT-TRANSFER AND FRICTION COEFFICIENTS FOR DILUTE SUSPENSIONS OF ASBESTOS FIBERS. *Int J Heat Mass Tran.* 21: 7-14.
- Mposkos, E; Baziotis, I; Leontakianakos, G; Barry, PH. (2013). The metamorphic evolution of the high-pressure Kechros complex in East Rhodope (NE Greece): Implications from Na-Al-rich leucocratic rocks within antigorite serpentinites. *Lithos.* 177: 17-33. <http://dx.doi.org/10.1016/j.lithos.2013.06.012>.
- Mposkos, E; Baziotis, I; Proyer, A. (2010). Metamorphic reprocessing of a serpentinized carbonate-bearing peridotite after detachment from the mantle wedge: A P-T path constrained from textures and phase diagrams in the system CaO-MgO-Al₂O₃-SiO₂-CO₂-H₂O. *Lithos.* 118: 349-364. <http://dx.doi.org/10.1016/j.lithos.2010.05.009>.
- Mucke, A; Younessi, R. (1994). MAGNETITE-APATITE DEPOSITS (KIRUNA-TYPE) ALONG THE SANANDAJ-SIRJAN ZONE AND IN THE BAFQ AREA, IRAN, ASSOCIATED WITH ULTRAMAFIC AND CALCALKALINE ROCKS AND CARBONATITES. *Mineralogy and Petrology.* 50: 219-244.
- Mueller, AG. (1997). The Nevorio gold skarn deposit in Archean iron-formation, southern cross greenstone belt, western Australia .1. Tectonic setting, petrography and classification. *Econ Geol.* 92: 181-209.
- Mueller, AG. (2007). Copper-gold endoskarns and high-Mg monzodiorite-tonalite intrusions at Mt. Shea, Kalgoorlie, Australia: implications for the origin of gold-pyrite-tennantite mineralization in the Golden Mile. *Miner Depos.* 42: 737-769. <http://dx.doi.org/10.1007/s00126-007-0132-8>.
- Mueller, AG; Hall, GC; Nemchin, AA; Stein, HJ; Creaser, RA; Mason, DR. (2008). Archean high-Mg monzodiorite-syenite, epidote skarn, and biotite-sericite gold lodes in the Granny Smith-Wallaby district, Australia: U-Pb and Re-Os chronometry of two intrusion-related hydrothermal systems. *Trans Nonferrous Met Soc China.* 43: 337-362. <http://dx.doi.org/10.1007/s00126-007-0164-0>.
- Mueller, AG; Nemchin, AA; Frei, R. (2004). The Nevorio gold skarn deposit, Southern Cross greenstone belt, western Australia: II. Pressure-temperature-time path and relationship to postorogenic granites. *Econ Geol.* 99: 453-478.
- Mugnaioli, E; Logar, M; Mellini, M; Viti, C. (2007). Complexity in 15-and 30-sectors polygonal serpentine: Longitudinal sections, intrasector stacking faults and XR-PD satellites. *Am Mineral.* 92: 603-616. <http://dx.doi.org/10.2138/am.2007.2272>.
- Muhle, H; Bellmann, B; Pott, F. (1994). Comparative investigations of the biodurability of mineral fibers in the rat lung. *Environ Health Perspect.* 102 Suppl 5: 163-168.
- Muhle, H; Pott, F. (2000). Asbestos as reference material for fibre-induced cancer [Review]. *Int Arch Occup Environ Health.* 73 Suppl: S53-S59.
- Muir, DC; Julian, J; Jadon, N; Roberts, R; Roos, J; Chan, J; Maehle, W; Morgan, WK. (1993). Prevalence of small opacities in chest radiographs of nickel sinter plant workers. *Br J Ind Med.* 50: 428-431.
- Mukerjee, S; Mukerjee, D; Powers, TJ; Wassermann, O. (1991). STRATEGY TO REDUCE RISK OF ASBESTOS IN THE UNITED-STATES. 1: 193-207.
- Mukherjee, AK; Rajmohan, HR; Dave, SK; Rajan, BK; Kakde, Y; Rao, SR. (1992). An environmental survey in chrysotile asbestos milling processes in India. *Am J Ind Med.* 22: 543-551.
- Mukherjee, AK; Rajmohan, RR; Dave, SK; Rajan, BK; Kakde, Y; Rao, SR. (1996). Pollution and its control in asbestos milling processes in India. *Ind Health.* 34: 35-43.
- Mukherjee, PS; De, AK; Bhattacharjee, S. (1978). ELECTRICAL ANISOTROPY OF ASBESTOS - A FIBROUS TREMOLITE. *Journal of Materials Science.* 13: 1824-1827.
- Mukherjee, R, ia; Mondal, SK; Frei, R; Rosing, MT; Waight, T, odE; Zhong, H; Kumar, GRR. (2012). The 3.1 Ga Nuggihalli chromite deposits, Western Dharwar craton (India): Geochemical and isotopic constraints on mantle sources, crustal evolution and implications for supercontinent formation and ore mineralization. *Lithos.* 155: 392-409. <http://dx.doi.org/10.1016/j.lithos.2012.10.001>.

Fate Literature Search Results

Off Topic

- Mukherjee, R, ia; Mondal, SK; Gonzalez-Jimenez, JM; Griffin, WL; Pearson, NJ; O'Reilly, SY. (2015). Trace-element fingerprints of chromite, magnetite and sulfides from the 3.1 Ga ultramafic-mafic rocks of the Nuggihalli greenstone belt, Western Dharwar craton India). *Contributions to Mineralogy and Petrology*. 169. <http://dx.doi.org/10.1007/s00410-015-1148-1>.
- Mukhopadhyay, S; Annamalai, D; Srikantha, R. (2011). Coir Fiber for Heat Insulation. *Journal of Natural Fibers*. 8: 48-58. <http://dx.doi.org/10.1080/15440478.2010.551001>.
- Mullan, RJ; Murthy, LI. (1991). OCCUPATIONAL SENTINEL HEALTH EVENTS - AN UP-DATED LIST FOR PHYSICIAN RECOGNITION AND PUBLIC-HEALTH SURVEILLANCE. *Am J Ind Med*. 19: 775-799.
- Muller, D; Morris, BJ; Farrand, MG. (1993). POTASSIC ALKALINE LAMPROPHYRES WITH AFFINITIES TO LAMPROITES FROM THE KARINYA-SYNCLINE, SOUTH-AUSTRALIA. *Lithos*. 30: 123-137.
- Muller, JG; Rudolph, WG; Lieske, JM; Hernandez, JE; Jan, MH; Kubiak, G. (2007). Changes in B-readings over time in the United States Navy Asbestos Medical Surveillance Program. *J Occup Environ Med*. 49: 194-203. <http://dx.doi.org/10.1097/JOM.0b013e31802df12c>.
- Mullins, M; Murphy, F; Baublyte, L; Mcalea, EM; Tofail, SA. (2013). The insurability of nanomaterial production risk. *Nat Nanotechnol*. 8: 222-224. <http://dx.doi.org/10.1038/nnano.2013.53>.
- Mundt, DJ; Marano, KM; Nunes, AP; Adams, RC. (2009). A review of changes in composition of hot mix asphalt in the United States. *J Occup Environ Hyg*. 6: 714-725. <http://dx.doi.org/10.1080/15459620903249125>.
- Mundt, DJ; van Wijngaarden, E; Mundt, KA. (2007). An assessment of the possible extent of confounding in epidemiological studies of lung cancer risk among roofers. *J Occup Environ Hyg*. 4: 163-174. <http://dx.doi.org/10.1080/15459620701354382>.
- Munoz, M; Vidal, O; Marcaillou, C; Pascarelli, S; Mathon, O; Farges, F. (2013). Iron oxidation state in phyllosilicate single crystals using Fe-K pre-edge and XANES spectroscopy: Effects of the linear polarization of the synchrotron X-ray beam. *Am Mineral*. 98: 1187-1197. <http://dx.doi.org/10.2138/am.2013.4289>.
- Muntener, O; Hermann, J. (1994). TITANIAN ANDRADITE IN A METAPYROXENITE LAYER FROM THE MALENCO ULTRAMAFICS (ITALY) - IMPLICATIONS FOR TI-MOBILITY AND LOW-OXYGEN FUGACITY. *Contributions to Mineralogy and Petrology*. 116: 156-168.
- Muntener, O; Hermann, J; Trommsdorff, V. (2000). Cooling history and exhumation of lower crustal granulite and Upper Mantle (Malenco, Eastern Central Alps). *Journal of Petrology*. 41: 175-200.
- Munz, IA; Wayne, D; Austrheim, H. (1994). RETROGRADE FLUID INFILTRATION IN THE HIGH-GRADE MODUM COMPLEX, SOUTH NORWAY - EVIDENCE FOR AGE, SOURCE AND REE MOBILITY. *Contributions to Mineralogy and Petrology*. 116: 32-46.
- Mur, JM. (1992). Epidemiology of respiratory hazards: recent advances [Review]. *Rev Epidemiol Sante Publique*. 40 Suppl 1: S27-S41.
- Murai, Y. (2001). Malignant mesothelioma in Japan: analysis of registered autopsy cases. *Arch Environ Health*. 56: 84-88. <http://dx.doi.org/10.1080/00039890109604058>.
- Murai, Y; Kitagawa, M. (1992). Asbestos fiber analysis in 27 malignant mesothelioma cases. *Am J Ind Med*. 22: 193-207.
- Murai, Y; Kitagawa, M. (2000). Autopsy cases of asbestosis in Japan: a statistical analysis on registered cases. *Arch Environ Health*. 55: 447-452. <http://dx.doi.org/10.1080/00039890009604044>.
- Murai, Y; Kitagawa, M; Hiraoka, T. (1995). Asbestos body formation in the human lung: distinctions, by type and size. *Arch Environ Health*. 50: 19-25. <http://dx.doi.org/10.1080/00039896.1995.9955008>.
- Murai, Y; Kitagawa, M; Hiraoka, T. (1997). Fiber analysis in lungs of residents of a Japanese town with endemic pleural plaques. *Arch Environ Health*. 52: 263-269. <http://dx.doi.org/10.1080/0003989709602196>.
- Murai, Y; Kitagawa, M; Matsui, K; Koizumi, F; Miwa, A. (1995). Asbestos fiber analysis in nine lung cancer cases with high asbestos exposure [Review]. *Arch Environ Health*. 50: 320-325. <http://dx.doi.org/10.1080/00039896.1995.9935961>.
- Murai, Y; Kitagawa, M; Yasuda, M; Okada, E; Koizumi, F; Miwa, A. (1994). Asbestos fiber analysis in seven asbestosis cases. *Arch Environ Health*. 49: 67-72. <http://dx.doi.org/10.1080/00039896.1994.9934418>.
- Murata-Kamiya, N; Tsutsui, T; Fujino, A; Kasai, H; Kaji, H. (1997). Determination of carcinogenic potential of mineral fibers by 8-hydroxydeoxyguanosine as a marker of oxidative DNA damage in mammalian cells. *Int Arch Occup Environ Health*. 70: 321-326.
- Muravov, OI; Kaye, WE; Lewin, M; Berkowitz, Z; Lybarger, JA; Campolucci, SS; Parker, JE. (2005). The usefulness of computed tomography in detecting asbestos-related pleural abnormalities in people who had indeterminate chest radiographs: the Libby, MT, experience. *Int J Hyg Environ Health*. 208: 87-99. <http://dx.doi.org/10.1016/j.ijheh.2005.01.019>.
- Murayama, T; Takahashi, K; Natori, Y; Kurumatani, N. (2006). Estimation of future mortality from pleural malignant mesothelioma in Japan based on an age-cohort model. *Am J Ind Med*. 49: 1-7. <http://dx.doi.org/10.1002/ajim.20246>.
- Murbach, D; Chapman, P; Madl, A; Brown, J; Paustenbach, D. (2006). Evaluation of bricklayer exposures to airborne asbestos in steel mills (1972-1981). *Epidemiology*. 17: S462-S463.
- Murbach, D; Chapman, P; Madl, A; Paustenbach, D. (2006). Evaluation of background exposures to airborne asbestos on maritime shipping vessels (1972-1992). *Epidemiology*. 17: S462-S462.
- Murbach, DM; Devlin, KD; Franke, KS; Paustenbach, DJ. (2008). A Review of Historical Ambient Airborne Asbestos Concentrations in Cities and Buildings: 1950s to the Present Day. *Epidemiology*. 19: S256-S257.
- Murbach, DM; Madl, AK; Unice, KM; Knutsen, JS; Chapman, PS; Brown, JL; Paustenbach, DJ. (2008). Airborne concentrations of asbestos onboard maritime shipping vessels (1978-1992). *Ann Occup Hyg*. 52: 267-279. <http://dx.doi.org/10.1093/annhyg/men015>.
- Murphy, RL; Gaensler, EA; Redding, RA; Belleau, R; Keelan, PJ; Smith, AA; Goff, AM; Ferris, BG. (1972). Low exposure to asbestos. Gas exchange in ship pipe coverers and controls. *Arch Environ Health*. 25: 253-264.
- Murr, LE. (2009). Nanoparticulate materials in antiquity: The good, the bad and the ugly. *Materials Characterization*. 60: 261-270. <http://dx.doi.org/10.1016/j.matchar.2008.03.012>.
- Murr, LE; Garza, KM. (2009). Natural and anthropogenic environmental nanoparticulates: Their microstructural characterization and respiratory health implications. *Atmos Environ*. 43: 2683-2692. <http://dx.doi.org/10.1016/j.atmosenv.2009.03.002>.

Fate Literature Search Results

Off Topic

- Murr, LE; Kloska, K. (1976). The detection and analysis of particulates in municipal water supplies by transmission electron microscopy. *Water Res.* 10: 469-477.
- Murr, LE; Soto, KF. (2004). TEM comparison of chrysotile (asbestos) nanotubes and carbon nanotubes. *Journal of Materials Science.* 39: 4941-4947.
- Murray, JS. (1985). FIBER DISPERSION SURVEY - A NEW PROSPECTING METHOD FOR ASBESTOS. 78: 64-64.
- Murzin, VV; Shanina, SN. (2007). Fluid regime and origin of gold-bearing rodingites from the Karabash alpine-type ultrabasic massif, Southern Ural. *Geochem Int.* 45: 998-1011. <http://dx.doi.org/10.1134/S0016702907100047>.
- Muscat, JE; Stellman, SD; Richie, JP; Wynder, EL. (1998). Lung cancer risk and workplace exposures in black men and women. *Environ Res.* 76: 78-84. <http://dx.doi.org/10.1006/enrs.1997.3787>.
- Muscat, JE; Stellman, SD; Wynder, EL. (1995). Insulation, asbestos, smoking habits, and lung cancer cell types. *Am J Ind Med.* 27: 257-269.
- Music, S; Filipovic-Vincekovic, N; Sekovanic, L. (2011). PRECIPITATION OF AMORPHOUS SiO₂ PARTICLES AND THEIR PROPERTIES. *Brazilian Journal of Chemical Engineering.* 28: 89-94.
- Musingwini, C; Muzoriwa, C; Phuti, D; Mbirikira, D. (2005). First cycle experience of a business process re-engineering programme at Shabanie Mine. *J S Afr Inst Min Metall.* 105: 215-221.
- Musk, AW; De Klerk, NH. (2002). The quantitative risks of mesothelioma and lung cancer in relation to asbestos exposure: The Wittenoom data - Reply. *Ann Occup Hyg.* 46: 128-129. <http://dx.doi.org/10.1093/annhyg/mef003>.
- Musk, AW; de Klerk, NH; Eccles, JL; Hansen, J; Shilkin, KB. (1995). Malignant mesothelioma in Pilbara Aborigines [Review]. 19: 520-522.
- Musk, AW; de Klerk, NH; Reid, A; Ambrosini, GL; Fritschi, L; Olsen, NJ; Merler, E; Hobbs, MST; Berry, G. (2008). Mortality of former crocidolite (blue asbestos) miners and millers at Wittenoom. *Occup Environ Med.* 65: 541-543. <http://dx.doi.org/10.1136/oem.2007.034280>.
- Musk, AW; Deklerk, NH; Eccles, JL; Hobbs, MST; Armstrong, BK; Layman, L; McNulty, JC. (1992). WITTENOOM, WESTERN-AUSTRALIA - A MODERN INDUSTRIAL DISASTER. *Am J Ind Med.* 21: 735-747.
- Musk, AW; Olsen, NJ; Reid, A; Threlfall, T; de Klerk, NH. (2006). Asbestos-related disease from recycled hessian superphosphate bags in rural Western Australia. *Aust N Z J Public Health.* 30: 312-313.
- Musselman, RP; Miiller, WC; Eastes, W; Hadley, JG; Kamstrup, O; Thevenaz, P; Hesterberg, TW. (1994). Biopersistences of man-made vitreous fibers and crocidolite fibers in rat lungs following short-term exposures. *Environ Health Perspect.* 102 Suppl 5: 139-143.
- Mustafa, A; Abdollah, MFB; Ismail, N; Amiruddin, H; Umehara, N. (2014). Materials selection for eco-aware lightweight friction material. 15: 279-285. <http://dx.doi.org/10.1051/meca/2014039>.
- Mustard, JF. (1992). CHEMICAL-ANALYSIS OF ACTINOLITE FROM REFLECTANCE SPECTRA. *Am Mineral.* 77: 345-358.
- Musthapa, MS; Ahmad, I; Trivedi, AK; Rahman, Q. (2003). Asbestos contamination in biota and abiota in the vicinity of asbestos-cement factory. *Bull Environ Contam Toxicol.* 70: 1170-1177. <http://dx.doi.org/10.1007/s00128-003-0105-2>.
- Musti, M; Pollice, A; Cavone, D; Dragonieri, S; Bilancia, M. (2009). The relationship between malignant mesothelioma and an asbestos cement plant environmental risk: a spatial case-control study in the city of Bari (Italy). *Int Arch Occup Environ Health.* 82: 489-497. <http://dx.doi.org/10.1007/s00420-008-0358-5>.
- Mutetwa, B; Chikonyora, M; Dozva, R; Mazibuko, D. (2005). The evaluation of chrysotile asbestos fibre levels in major chrysotile cement manufacturing companies in Zimbabwe. 11: 7-11.
- Mutlu, GM; Budinger, GR; Green, AA; Urich, D; Soberanes, S; Chiarella, SE; Alheid, GF; Mccrimmon, DR; Szleifer, I; Hersam, MC. (2010). Biocompatible nanoscale dispersion of single-walled carbon nanotubes minimizes in vivo pulmonary toxicity. *Nano Lett.* 10: 1664-1670. <http://dx.doi.org/10.1021/nl9042483>.
- Mutlu, I; Alma, MH; Basturk, MA; Oner, C. (2005). Preparation and characterization of brake linings from modified tannin-phenol formaldehyde resin and asbestos-free fillers. *Journal of Materials Science.* 40: 3003-3005. <http://dx.doi.org/10.1007/s10853-005-2396-7>.
- Mutlu, I; Eldogan, O; Findik, F. (2005). Production of ceramic additive automotive brake lining and investigation of its braking characterisation. *Industrial Lubrication & Tribology.* 57: 84-92. <http://dx.doi.org/10.1108/00368790510583401>.
- Mutlu, I; Oner, C; Cevik, I; Findik, F. (2007). Wear performance of some phenolic composites with boric acid. *Industrial Lubrication & Tribology.* 59: 38-45. <http://dx.doi.org/10.1108/00368790710723124>.
- Muzembo, BA; Deguchi, Y; Ngatu, NR; Eitoku, M; Hirota, R; Suganuma, N. (2015). Selenium and exposure to fibrogenic mineral dust: a mini-review [Review]. *Environ Int.* 77: 16-24. <http://dx.doi.org/10.1016/j.envint.2015.01.002>.
- Mwaiselage, J; Bratveit, M; Moen, B; Mashalla, Y. (2004). Cement dust exposure and ventilatory function impairment: An exposure-response study. *J Occup Environ Med.* 46: 658-667. <http://dx.doi.org/10.1097/01.jom.0000131787.02250.79>.
- Myalski, J; Sleziona, J. (2005). The assessment of possibilities for utilisation of composites with thermosetting matrix. *J Mater Process Tech.* 162: 96-101. <http://dx.doi.org/10.1016/j.jmatprotec.2005.02.184>.
- Myers, JE. (1992). MERCHANT-MARINE IS NOT SUCH A STRANGE PLACE FOR ASBESTOS EXPOSURE [Letter]. *Am J Ind Med.* 21: 457-457.
- Myers, JL. (1975). HANDLING ASBESTOS - CHRYSOTILE ASBESTOS IN PLASTICS. *J Paint Technol.* 47: 63-67.
- Myojin, T; Azuma, K; Okumura, J; Uchiyama, I. (2012). Future Trends of Mesothelioma Mortality in Japan Based on a Risk Function. *Ind Health.* 50: 197-204.
- Myojo, T; Ogami, A; Oyabu, T; Morimoto, Y; Hirohashi, M; Murakami, M; Nishi, K; Kadoya, C; Tanaka, I. (2010). Risk assessment of airborne fine particles and nanoparticles. *Adv Powder Tech.* 21: 507-512. <http://dx.doi.org/10.1016/j.apt.2010.05.004>.
- Myojo, T; Takaya, M. (2001). Estimation of fibrous aerosol deposition in upper bronchi based on experimental data with model bifurcation. *Ind Health.* 39: 141-149.
- Myrvik, QN; Knox, EA; Gordon, M; Shirley, PS. (1985). Effects of asbestos on the random migration of rabbit alveolar macrophages. *Environ Health Perspect.* 60: 387-393.

Fate Literature Search Results

Off Topic

- Mzileni, O; Sitas, F; Steyn, K; Carrara, H; Bekker, P. (1999). Lung cancer, tobacco, and environmental factors in the African population of the Northern Province, South Africa. *Tob Control*. 8: 398-401.
- Nabeshi, H; Yoshikawa, T; Matsuyama, K; Nakazato, Y; Matsuo, K; Arimori, A; Isobe, M; Tochigi, S; Kondoh, S; Hirai, T; Akase, T; Yamashita, T; Yamashita, K; Yoshida, T; Nagano, K; Abe, Y; Yoshioka, Y; Kamada, H; Imazawa, T; Itoh, N; Nakagawa, S; Mayumi, T; Tsunoda, S; Tsutsumi, Y. (2011). Systemic distribution, nuclear entry and cytotoxicity of amorphous nanosilica following topical application. *Biomaterials*. 32: 2713-2724. <http://dx.doi.org/10.1016/j.biomaterials.2010.12.042>.
- Nadeau, O; Cayer, A; Pelletier, M; Stevenson, R; Jebrak, M. (2015). The Paleoproterozoic Montviel carbonatite-hosted REE-Nb deposit, Abitibi, Canada: Geology, mineralogy, geochemistry and genesis. *Ore Geol Rev*. 67: 314-335. <http://dx.doi.org/10.1016/j.oregeorev.2014.12.017>.
- Nagaya, T; Wallis, SR; Kobayashi, H; Michibayashi, K; Mizukami, T; Seto, Y; Miyake, A; Matsumoto, M. (2014). Dehydration breakdown of antigorite and the formation of B-type olivine CPO. *Earth Planet Sci Lett*. 387: 67-76. <http://dx.doi.org/10.1016/j.epsl.2013.11.025>.
- Naidoo, RN; Robins, TG; Solomon, A; White, N; Franzblau, A. (2004). Radiographic outcomes among South African coal miners. *Int Arch Occup Environ Health*. 77: 471-481. <http://dx.doi.org/10.1007/s00420-004-0532-3>.
- Naimi. (2015). Estimating the Effect of Cumulative Occupational Asbestos Exposure on Time to Lung Cancer Mortality: using structural nested failure-time models to account for healthy-worker survivor bias (vol 25, pg 246, 2014). *Epidemiology*. 26: 778-778.
- Naimi, AI; Cole, SR; Hudgens, MG; Brookhart, MA; Richardson, DB. (2013). Assessing the component associations of the healthy worker survivor bias: occupational asbestos exposure and lung cancer mortality. *Ann Epidemiol*. 23: 334-341. <http://dx.doi.org/10.1016/j.annepidem.2013.03.013>.
- Naimi, AI; Cole, SR; Hudgens, MG; Richardson, DB. (2014). Estimating the effect of cumulative occupational asbestos exposure on time to lung cancer mortality: using structural nested failure-time models to account for healthy-worker survivor bias. *Epidemiology*. 25: 246-254. <http://dx.doi.org/10.1097/EDE.0000000000000045>.
- Naimi, AI; Cole, SR; Richardson, DB. (2012). ESTIMATING THE ASSOCIATION BETWEEN ASBESTOS AND LUNG CANCER MORTALITY USING STRUCTURAL NESTED MODELS. *Am J Epidemiol*. 175: S41-S41.
- Naimi, AI; Richardson, DB; Cole, SR. (2013). Causal Inference in Occupational Epidemiology: Accounting for the Healthy Worker Effect by Using Structural Nested Models [Comment]. *Am J Epidemiol*. 178: 1681-1686. <http://dx.doi.org/10.1093/aje/kwt215>.
- Najorka, J; Gottschalk, M. (2003). Crystal chemistry of tremolite-tschemmakite solid solutions. *Physics and Chemistry of Minerals*. 30: 108-124. <http://dx.doi.org/10.1007/s00269-002-0291-1>.
- Najorka, J; Gottschalk, M; Franz, G; Heinrich, W. (1999). Ca-Sr distribution among amphibole, clinopyroxene, and chloride-bearing solutions. *Am Mineral*. 84: 596-606.
- Najorka, J; Gottschalk, M; Heinrich, W. (2002). Composition of synthetic tremolite-tschemmakite solid solutions in amphibole+anorthite- and amphibole+zoisite-bearing assemblages. *Am Mineral*. 87: 462-477.
- Nakadate, T. (1995). Decline in annual lung function in workers exposed to asbestos with and without pre-existing fibrotic changes on chest radiography. *Occup Environ Med*. 52: 368-373.
- Nakadate, T; Sato, T; Kagawa, J; Yagami, T. (1994). Effect of lifetime cigarette consumption on time domain spirogram indices. *Ind Health*. 32: 29-40.
- Nakamura, H; Kanazawa, K; Mizuhira, V. (1977). AN ATTEMPT TO IDENTIFY ASBESTOS BY WAVELENGTH DISPERSIVE X-RAY MICRO ANALYZER. (HEEP/79/01086). Nakamura, H; Kanazawa, K; Mizuhira, V.
- Nakamura, K; Kato, Y. (2004). Carbonatization of oceanic crust by the seafloor hydrothermal activity and its significance as a CO₂ sink in the Early Archean. *Geochim Cosmo Acta*. 68: 4595-4618. <http://dx.doi.org/10.1016/j.gca.2004.05.023>.
- Nakamura, M; Fukushima, T; Kamitani, M. (1992). MICROSTRUCTURE AND FROST DURABILITY OF CEMENTITIOUS BUILDING-MATERIALS REINFORCED WITH NONASBESTOS FIBERS. 100: 858-863.
- Nakamura, M; Ishibashi, Y. (1997). Frost durability of non-asbestos fiber-reinforced cement board fabricated from modified raw powders. *Ceramic Society of Japan Journal*. 105: 906-910. <http://dx.doi.org/10.2109/jcersj.105.906>.
- Nakamura, M; Takanori, D. (1996). Improvement of frost durability of vinylon fiber reinforced cement board. *Ceramic Society of Japan Journal*. 104: 989-991. <http://dx.doi.org/10.2109/jcersj.104.989>.
- Nakatani, T; Nakamura, M. (2016). Experimental constraints on the serpentinization rate of fore-arc peridotites: Implications for the upwelling condition of the slab-derived fluid. *G-cubed*. 17: 3393-3419. <http://dx.doi.org/10.1002/2016GC006295>.
- Nakayama, N; Hagiwara, K; Ito, Y; Ijiri, K; Osada, Y; Sano, K. (2015). Superior cell penetration by a rigid and anisotropic synthetic protein. *Langmuir*. 31: 2826-2832. <http://dx.doi.org/10.1021/la504494x>.
- Nam, IS; Oh, HJ; Kim, JM; Yang, JH; Kim, JS; Sohn, JR, JR. (2015). Comparison of Risk Assessment Criteria and Distribution of Asbestos-Containing Materials in School Building. *International Journal of Environmental Research*. 9: 1341-1350.
- Nam, JM. (2007). Comparison of validity of assessment methods using indices of adjusted agreement. *Stat Med*. 26: 620-632. <http://dx.doi.org/10.1002/sim.2562>.
- Nam, JM; Rice, C; Gail, MH. (2005). Comparison of asbestos exposure assessments by next-of-kin respondents, by an occupational hygienist, and by a job-exposure matrix from the National Occupational Hazard Survey. *Am J Ind Med*. 47: 443-450. <http://dx.doi.org/10.1002/ajim.20168>.
- Nam, SN; Jeong, S; Lim, H. (2014). Thermochemical destruction of asbestos-containing roofing slate and the feasibility of using recycled waste sulfuric acid. *J Hazard Mater*. 265: 151-157. <http://dx.doi.org/10.1016/j.jhazmat.2013.11.004>.
- Narayan, S; Sinha, BR; Blum, FD; Dharani, LR; Chen, YR. (1990). NON-ASBESTOS FRICTION MATERIALS - MECHANICAL-PROPERTIES OF BINARY-SYSTEMS. 21: 17-22.

Fate Literature Search Results

Off Topic

- Nascimento, RSC; Sial, AN; Pimentel, MM. (2007). C- and Sr-isotope systematics applied to Neoproterozoic marbles of the Serido belt, northeastern Brazil. *Chem Geol.* 237: 191-210. <http://dx.doi.org/10.1016/j.chemgeo.2006.06.017>.
- Nash, DR; Fortson, NG; McLarty, JW; Hurst, GA. (1981). Serum protein concentrations and respiratory tract abnormalities following short-term exposure to amosite: A comparison between former asbestos workers and unexposed controls. *J Toxicol Environ Health.* 7: 733-744. <http://dx.doi.org/10.1080/15287398109530015>.
- Natale, A. (1987). METHOD OF DISPOSING OF ASBESTOS WASTE MATERIAL US PATENT-4705429. NOVEMBER 10 1987. (BIOSIS/88/02681). Natale, A.
- Natarajan, MP; Rajmohan, B. (2016). Performance of non-asbestos organic brake liners for light motor vehicles. 58: 252-259. <http://dx.doi.org/10.3139/120.110849>.
- Nath, S. (1985). PREVALENCE OF ASBESTOSIS IN ASBESTOS FIBER PROCESSING UNIT (pp. 139-150). (BIOSIS/86/14066). Nath, S.
- Naumczyk, J; Kucharska, M. (2011). TANNERY WASTEWATER TREATMENT BY ANODIC ELECTROOXIDATION COUPLED WITH ELECTRO-FENTON PROCESS. *Environ Protect Eng.* 37: 47-54.
- Navrátil, M; Dobiáš, J. (1973). Development of pleural hyalinosis in long term studies of persons exposed to asbestos dust. *Environ Res.* 6: 455-472.
- Navrátil, M; Morávková, K; Trippé, F. (1978). Follow-up study of pleural hyalinosis in individuals not exposed to asbestos dust. *Environ Res.* 15: 108-118.
- Navratil, M; Trippe, F. (1972). PREVALENCE OF PLEURAL CALCIFICATION IN PERSONS EXPOSED TO ASBESTOS DUST, AND IN GENERAL POPULATION IN SAME DISTRICT. *Environ Res.* 5: 210-&.
- Nawrat, G; Kopyto, D; Gonet, M. (2007). Integrated diaphragm-cathode systems in the process of electrolysis production of chlorine. *Przemysł Chemiczny.* 86: 866-871.
- Nay, SY. (2003). Asbestos in Belgium: use and abuse. *Int J Occup Environ Health.* 9: 287-293. <http://dx.doi.org/10.1179/oeh.2003.9.3.287>.
- Nayebzadeh, A; Case, BW; Massé, J; Dufresne, A. (2006). Mineralogical and exposure determinants of pulmonary fibrosis among Québec chrysotile miners and millers. *Int Arch Occup Environ Health.* 79: 227-236. <http://dx.doi.org/10.1007/s00420-005-0046-7>.
- Naylor, LM. (1989). ASBESTOS IN SLUDGE A SIGNIFICANT RISK. *Biocycle.* 30: 51-53.
- Ndiaye, M; Kasse, AA; Kebe, B; Sow, ML. (2010). Malignant pleural mesothelioma in an employee of a ship repair company. *Arch Mal Prof Environ.* 71: 157-160. <http://dx.doi.org/10.1016/j.admp.2010.02.010>.
- Ndlovu, B; Becker, M; Forbes, E; Deglon, D; Franzidis, JP. (2011). The influence of phyllosilicate mineralogy on the rheology of mineral slurries. *Miner Eng.* 24: 1314-1322. <http://dx.doi.org/10.1016/j.mineng.2011.05.008>.
- Ndlovu, B; Forbes, E; Farrokhpay, S; Becker, M; Bradshaw, D, ee; Deglon, D. (2014). A preliminary rheological classification of phyllosilicate group minerals. *Miner Eng.* 55: 190-200. <http://dx.doi.org/10.1016/j.mineng.2013.06.004>.
- Ndlovu, BN; Forbes, E; Becker, M; Deglon, DA; Franzidis, JP; Laskowski, JS. (2011). The effects of chrysotile mineralogical properties on the rheology of chrysotile suspensions. *Miner Eng.* 24: 1004-1009. <http://dx.doi.org/10.1016/j.mineng.2011.04.025>.
- Ndlovu, N; Naude, J, t; Murray, J. (2013). Compensation for environmental asbestos-related diseases in South Africa: a neglected issue. *Global Health Action.* 6: 19410. <http://dx.doi.org/10.3402/gha.v6i0.19410>.
- Nebel, ML; Hutchinson, RW; Zartman, RE. (1991). METAMORPHISM AND POLYGENESIS OF THE MADEM LAKKOS POLYMETALLIC SULFIDE DEPOSIT, CHALKIDIKI, GREECE. *Econ Geol.* 86: 81-105.
- Nebesar, B. (1984). THE MEASUREMENT OF CORROSION OF ASBESTOS-CEMENT PIPE. 77: 82-82.
- Negro, C; Blanco, A; Pio, IS; Tijero, J. (2006). Methodology for flocculant selection in fibre-cement manufacture. *Cement and Concrete Composites.* 28: 90-96. <http://dx.doi.org/10.1016/j.cemconcomp.2005.07.003>.
- Negro, C; Fuente, E; Sanchez, LM; Blanco, A; Tijero, J. (2006). Evaluation of an alternative flocculation system for manufacture of fiber-cement composites. *Ind Eng Chem Res.* 45: 6672-6678. <http://dx.doi.org/10.1021/ie060580u>.
- Negro, C; Sanchez, LM; Fuente, E; Blanco, A; Tijero, J. (2006). Polyacrylamide induced flocculation of a cement suspension. *Chem Eng Sci.* 61: 2522-2532. <http://dx.doi.org/10.1016/j.ces.2005.11.013>.
- Negro, C; Sanchez, LM; Fuente, H; Blanco, A. (2005). Effects of flocculants and sizing agents on bending strength of fiber cement composites. *Cement and Concrete Research.* 35: 2104-2109. <http://dx.doi.org/10.1016/j.cemconres.2005.06.009>.
- Nehlig, P; Juteau, T; Bendel, V; Cotten, J. (1994). THE ROOT ZONES OF OCEANIC HYDROTHERMAL SYSTEMS - CONSTRAINTS FROM THE SAMAIL OPHIOLITE (OMAN). *J Geophys Res Solid Earth.* 99: 4703-4713.
- Neis, PD; Ferreira, NF; da Silva, FP. (2014). Comparison between methods for measuring wear in brake friction materials. *Wear.* 319: 191-199. <http://dx.doi.org/10.1016/j.wear.2014.08.004>.
- Neis, PD; Ferreira, NF; Fekete, G; Matozo, LT; Masotti, D. (2017). Towards a better understanding of the structures existing on the surface of brake pads. *Tribology International.* 105: 135-147. <http://dx.doi.org/10.1016/j.triboint.2016.09.033>.
- Nejjari, A; Fournier, J; Pezerat, H; Leanderson, P. (1993). Mineral fibres: Correlation between oxidising surface activity and DNA base hydroxylation. *Br J Ind Med.* 50: 501-504.
- Nelson, BJ; Wood, SA; Gunter, ME. (2005). Dissolution of tremolite: An experimental study simulating conditions in the human lung. *Geochim Cosmo Acta.* 69: A195-A195.
- Nelson, G. (2013). Occupational respiratory diseases in the South African mining industry. *Global Health Action.* 6: 19520. <http://dx.doi.org/10.3402/gha.v6i0.19520>.
- Nelson, G; Murray, J; Phillips, JI. (2011). The risk of asbestos exposure in South African diamond mine workers. *Ann Occup Hyg.* 55: 569-577. <http://dx.doi.org/10.1093/annhyg/mer028>.
- Nemo, A; Boccuzzi, MT; Silvestri, S. (2009). [Asbestos import in Italy: the transit through Livorno harbour from 1957 to 1995]. *Epidemiol Prev.* 33: 59-64.

Fate Literature Search Results

Off Topic

- Nemo, A; Silvestri, S. (2014). Mesothelioma in a wine cellar man: detailed description of working procedures and past asbestos exposure estimation. *Ann Occup Hyg.* 58: 1168-1174. <http://dx.doi.org/10.1093/annhyg/meu062>.
- Neophytou, AM; Picciotto, S; Costello, S; Eisen, EA. (2016). Occupational Diesel Exposure, Duration of Employment, and Lung Cancer An Application of the Parametric G-Formula. *Epidemiology.* 27: 21-28. <http://dx.doi.org/10.1097/EDE.0000000000000389>.
- Neri, M; Taioli, E; Filiberti, R; Paolo Ivaldi, G; Aldo Canessa, P; Verna, A; Marroni, P; Puntoni, R; Hirvonen, A; Garte, S. (2006). Metabolic genotypes as modulators of asbestos-related pleural malignant mesothelioma risk: a comparison of Finnish and Italian populations. *Int J Hyg Environ Health.* 209: 393-398. <http://dx.doi.org/10.1016/j.ijheh.2006.03.002>.
- Neri, S; Antonelli, A; Falaschi, F; Boraschi, P; Baschieri, L. (1994). Findings from high resolution computed tomography of the lung and pleura of symptom free workers exposed to amosite who had normal chest radiographs and pulmonary function tests. *Occup Environ Med.* 51: 239-243.
- Neri, S; Boraschi, P; Antonelli, A; Falaschi, F; Baschieri, L. (1996). Pulmonary function, smoking habits, and high resolution computed tomography (HRCT) early abnormalities of lung and pleural fibrosis in shipyard workers exposed to asbestos. *Am J Ind Med.* 30: 588-595. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199611\)30:5<588::AID-AJIM6>3.0.CO;2-P](http://dx.doi.org/10.1002/(SICI)1097-0274(199611)30:5<588::AID-AJIM6>3.0.CO;2-P).
- Ness, RB; Nelson, DB; Kumanyika, SK; Grisso, JA. (1997). Evaluating minority recruitment into clinical studies: How good are the data? *Ann Epidemiol.* 7: 472-478. [http://dx.doi.org/10.1016/S1047-2797\(97\)00080-X](http://dx.doi.org/10.1016/S1047-2797(97)00080-X).
- Nesti, M; Marinaccio, A; Chellini, E. (2004). Malignant mesothelioma in Italy, 1997. *Am J Ind Med.* 45: 55-62. <http://dx.doi.org/10.1002/ajim.10313>.
- Nestola, F; Angel, RJ; Zhao, J; Garrido, CJ; Lopez Sanchez-Vizcaino, V; Capitani, G; Mellini, M. (2010). Antigorite equation of state and anomalous softening at 6 GPa: an in situ single-crystal X-ray diffraction study. *Contributions to Mineralogy and Petrology.* 160: 33-43. <http://dx.doi.org/10.1007/s00410-009-0463-9>.
- Neto, JAS; Legrand, JM; Volfinger, M; Pascal, ML; Sonnet, P. (2008). W-Au skarns in the Neo-Proterozoic Serido Mobile Belt, Borborema Province in northeastern Brazil: an overview with emphasis on the Bonfim deposit. *Miner Depos.* 43: 185-205. <http://dx.doi.org/10.1007/s00126-007-0155-1>.
- Neuberger, M. (1979). ASBESTOS INDUCED OCCUPATIONAL-DISEASES IN AUSTRIA. *Arbeitsmedizin, Sozialmedizin, Praeventivmedizin.* 14: 35-39.
- Neuberger, M. (1983). OCCUPATIONAL ASBESTOS DISEASES IN AUSTRIA. *Arbeitsmedizin, Sozialmedizin, Praeventivmedizin.* 18: 54-58.
- Neuberger, M; Ambrosch, P; Kundi, M. (1985). [Prevention of occupational cancer in the asbestos cement industry (preliminary report)]. *Zentralbl Bakteriol Mikrobiol Hyg.* 181: 81-86.
- Neuberger, M; Frank, W; Golob, P; Warbichler, P. (1996). Asbestos concentrations in drinking water - Asbestos cement pipes and geogen sources in Austria. *Zentralblatt fuer Hygiene und Umweltmedizin.* 198: 293-306.
- Neuberger, M; Kundi, M. (1990). Individual asbestos exposure: smoking and mortality--a cohort study in the asbestos cement industry. *Br J Ind Med.* 47: 615-620.
- Neuberger, M; Kundi, M; Friedl, HP. (1984). Environmental asbestos exposure and cancer mortality. *Arch Environ Health.* 39: 261-265.
- Neuberger, M; Vutuc, C. (2003). Three decades of pleural cancer and mesothelioma registration in Austria where asbestos cement was invented. *Int Arch Occup Environ Health.* 76: 161-166. <http://dx.doi.org/10.1007/s00420-002-0397-2>.
- Neuhouser, ML; Patterson, RE; Thornquist, MD; Omenn, GS; King, IB; Goodman, GE. (2003). Fruits and vegetables are associated with lower lung cancer risk only in the placebo arm of the beta-carotene and retinol efficacy trial (CARET). *Cancer Epidemiol Biomarkers Prev.* 12: 350-358.
- Neumann, ER; Abu El-Rus, MA; Tiepolo, M; Ottolini, L; Vannucci, R; Whitehouse, M. (2015). Serpentinization and Deserpentinization Reactions in the Upper Mantle beneath Fuerteventura Revealed by Peridotite Xenoliths with Fibrous Orthopyroxene and Mottled Olivine. *Journal of Petrology.* 56: 3-31. <http://dx.doi.org/10.1093/petrology/egu069>.
- Neumann, V; Rütten, A; Scharmach, M; Müller, KM; Fischer, M. (2004). Factors influencing long-term survival in mesothelioma patients--results of the German mesothelioma register. *Int Arch Occup Environ Health.* 77: 191-199. <http://dx.doi.org/10.1007/s00420-003-0498-6>.
- Nevitt, C; Daniell, W; Rosenstock, L. (1994). Workers' compensation for nonmalignant asbestos-related lung disease. *Am J Ind Med.* 26: 821-830.
- Newhouse, ML. (1977). Asbestos content of dust encountered in brake maintenance and repair. *Proc R Soc Med.* 70: 291.
- Newhouse, ML. (1991). MESOTHELIOMA IN THE LONDON AREA. *Am J Ind Med.* 20: 411-413.
- Newhouse, ML; Berry, G. (1976). Predictions of mortality from mesothelial tumours in asbestos factory workers. *Br J Ind Med.* 33: 147-151.
- Newhouse, ML; Berry, G; Skidmore, JW. (1982). A mortality study of workers manufacturing friction materials with chrysotile asbestos. *Ann Occup Hyg.* 26: 899-909.
- Newhouse, ML; Thompson, H. (1993). MESOTHELIOMA OF PLEURA AND PERITONEUM FOLLOWING EXPOSURE TO ASBESTOS IN THE LONDON AREA (REPRINTED FROM BRITISH JOURNAL OF INDUSTRIAL MEDICINE, VOL 22, PG 262-269, 1965). *Br J Ind Med.* 50: 769-769.
- Newhouse, ML; Wagner, JC; Turok, ME; Berry, G. (1972). STUDY OF MORTALITY OF FEMALE ASBESTOS WORKERS. *Br J Ind Med.* 29: 134-&.
- Newman, HA; Saat, YA; Hart, RW. (1980). Putative inhibitory effects of chrysotile, crocidolite and amosite mineral fibers on the more complex surface membrane glycolipids and glycoproteins. *Environ Health Perspect.* 34: 103-111.
- Newman Taylor, A. (2009). Asbestos, lung cancer and mesothelioma in the British Journal of Industrial Medicine [Editorial]. *Occup Environ Med.* 66: 426-427. <http://dx.doi.org/10.1136/oem.2006.026724>.
- Ngatu, NR; Suzuki, S; Kusaka, Y; Shida, H; Akira, M; Sukanuma, N. (2010). Effect of a two-hour training on physicians' skill in interpreting Pneumoconiotic chest radiographs. *J Occup Health.* 52: 294-301.
- Nguyen-Thanh, L; Hoang-Minh, T; Kasbohm, J; Herbert, HJ; Thuy, DN; Thi, LL. (2014). Characterization of Fe-smectites and their alteration potential in relation to engineered barriers for HLW repositories: The Nui Nua clay, Thanh Hoa Province, Vietnam. *Appl Clay Sci.* 101: 168-176. <http://dx.doi.org/10.1016/j.clay.2014.07.032>.

Fate Literature Search Results

Off Topic

- Nichols, L; Sorahan, T. (2005). Mortality of UK electricity generation and transmission workers, 1973-2002. *Occup Med (Lond)*. 55: 541-548. <http://dx.doi.org/10.1093/ocmed/kqi157>.
- NICHOLSO,WJ; Langer, AM; Selikoff, JJ. (1973). ASBESTOS FIBERS IN AIR OF TOWNS. *Atmos Environ*. 7: 667-668.
- Nicholson, WJ. (1989). Airborne mineral fibre levels in the non-occupational environment. In J Bignon; J Peto; R Saracci (Eds.), *IARC Sci Publ* (pp. 239-261). Lyon, France: International Agency for Research on Cancer.
- Nicholson, WJ. (2000). Re: Call for an International Ban on Asbestos [Letter]. *Am J Ind Med*. 37: 238.
- Nicholson, WJ. (2001). The carcinogenicity of chrysotile asbestos--a review [Review]. *Ind Health*. 39: 57-64.
- Nicholson, WJ; Pundsack, FL. (1973). Asbestos in the environment.
- Nicholson, WJ; Rohl, A; Fischbein, SA; Selikoff, IJ. (1975). OCCUPATIONAL AND COMMUNITY ASBESTOS EXPOSURE FROM WALLBOARD FINISHING COMPOUNDS. *Bull NY Acad Med*. 51: 1180-1181.
- Nicholson, WJ; Rohl, AN; Weisman, I; Selikoff, IJ. (1980). Environmental asbestos concentrations in the United States.
- Nicholson, WJ; Swoszowski, EJ, Jr; Rohl, AN; Todaro, JD; Adams, A. (1979). Asbestos contamination in United States schools from use of asbestos surfacing materials. *Ann N Y Acad Sci*. 330: 587-596.
- Nicita, C; Buzzoni, C; Chellini, E; Ferretti, S; Marinaccio, A; Mensi, C; Grp, AW; Grp, RW; Grp, PR-AW. (2014). A comparative analysis between regional mesothelioma registries and cancer registries: results of the ReNaM-AIRTUM project. *Epidemiol Prev*. 38: 191-199.
- Nicol, M; Maudet, M. (2000). Carotenoids and vitamin A. Latest data. 7: 266-270.
- Nidhi; Bijwe, J; Mazumdar, N. (2006). Influence of amount and modification of resin on fade and recovery behavior of non-asbestos organic (NAO) friction materials. *Tribology Letters*. 23: 215-222. <http://dx.doi.org/10.1007/s11249-006-9055-2>.
- Nidhi; Satapathy, BK; Bijwe, J; Majumdar, N. (2006). Influence of modified phenolic resins on the fade and recovery properties of the friction materials: Supportive evidence multiple criteria decision-making method (MCDM). *Journal of Reinforced Plastics and Composites*. 25: 1333-1340. <http://dx.doi.org/10.1177/0731684406063527>.
- Nied, D; Enemark-Rasmussen, K; L'Hopital, E; Skibsted, J; Lothenbach, B. (2016). Properties of magnesium silicate hydrates (M-S-H). *Cement and Concrete Research*. 79: 323-332. <http://dx.doi.org/10.1016/j.cemconres.2015.10.003>.
- Nielsen, A. (1986). [Asbestos in the indoor atmosphere and environment]. *Ugeskr Laeger*. 148: 3323-3328.
- Nielsen, LS; Baelum, J; Rasmussen, J; Dahl, S; Olsen, K; Albin, M; Hansen, NC; Sherson, D. (2014). Occupational Asbestos Exposure and Lung Cancer-A Systematic Review of the Literature [Review]. *Arch Environ Occup Health*. 69: 191-206. <http://dx.doi.org/10.1080/19338244.2013.863752>.
- Niemeyer, IC; Gerchman, LL. (1981). PREPARATION OF ASBESTOS FILTER SAMPLES FOR REFERENCE-STANDARDS USING A WET GENERATION TECHNIQUE. *Am Ind Hyg Assoc J*. 42: 757-759.
- Nies, E. (1995). IN-VITRO TESTS - A CONTRIBUTION TO THE ESTIMATION OF THE CARCINOGENIC POTENCY OF MINERAL FIBERS. *Staub, Reinhaltung der Luft*. 55: 1-6.
- NIH. (1977). Educational needs of physicians and public regarding asbestos exposure [Review]. 1: 9-12.
- Niiranen, T; Manttari, I; Poutiainen, M; Oliver, NHS; Miller, JA. (2005). Genesis of Palaeoproterozoic iron skarns in the Misi region, northern Finland. *Trans Nonferrous Met Soc China*. 40: 192-217. <http://dx.doi.org/10.1007/s00126-005-0481-0>.
- Nikolaev, AI; Borodai, NV; Pleshakov, Y, uV. (2008). Components of Materials for Welding Electrodes Produced Using Products of Concentration of Olivinite Ores. *Theoretical Foundations of Chemical Engineering*. 42: 724-727. <http://dx.doi.org/10.1134/S0040579508050424>.
- Nikonova, NS; Tikhomirova, IN; Zakharov, AI; Belyakov, AV. (2004). Wollastonite-based structural and heat-insulating materials for nonferrous metallurgy. *Refractories and Industrial Ceramics*. 45: 300-303.
- Nikulin, A; Levin, V; Park, J. (2009). Receiver function study of the Cascadia megathrust: Evidence for localized serpentinization. *G-cubed*. 10. <http://dx.doi.org/10.1029/2009GC002376>.
- Nimis, P; Tesalina, SG; Omenetto, P; Tartarotti, P; Lerouge, C. (2004). Phyllosilicate minerals in the hydrothermal mafic-ultramafic-hosted massive-sulfide deposit of Ivanovka (southern Urals): comparison with modern ocean seafloor analogues. *Contributions to Mineralogy and Petrology*. 147: 363-383. <http://dx.doi.org/10.1007/s00410-004-0565-3>.
- Niquette, P; Servais, P; Savoie, R. (2000). Impacts of pipe materials on densities of fixed bacterial biomass in a drinking water distribution system. *Water Res*. 34: 1952-1956.
- Nishi, M; Irifune, T; Greaux, S; Tange, Y; Higo, Y. (2015). Phase transitions of serpentine in the lower mantle. *Phys Earth Planet In*. 245: 52-58. <http://dx.doi.org/10.1016/j.pepi.2015.05.007>.
- Nishikawa, K; Takahashi, K; Karjalainen, A; Wen, CP; Furuya, S; Hoshuyama, T; Todoroki, M; Kiyomoto, Y; Wilson, D; Higashi, T; Ohtaki, M; Pan, G; Wagner, G. (2008). Recent mortality from pleural mesothelioma, historical patterns of asbestos use, and adoption of bans: a global assessment. *Environ Health Perspect*. 116: 1675-1680. <http://dx.doi.org/10.1289/ehp.11272>.
- Nishimura, Y; Coombs, DS; Landis, CA; Itaya, T. (2000). Continuous metamorphic gradient documented by graphitization and K-Ar age, southeast Otago, New Zealand. *Am Mineral*. 85: 1625-1636.
- Nishimura, Y; Maeda, M; Kumagai-Takei, N; Lee, S; Matsuzaki, H; Wada, Y; Nishiike-Wada, T; Iguchi, H; Otsuki, T. (2013). Altered functions of alveolar macrophages and NK cells involved in asbestos-related diseases [Review]. *Environ Health Prev Med*. 18: 198-204. <http://dx.doi.org/10.1007/s12199-013-0333-y>.
- Niu, JL; Burnett, J. (2001). Setting up the criteria and credit-awarding scheme for building interior material selection to achieve better indoor air quality. *Environ Int*. 26: 573-580.
- Niu, YL; Leshner, CM. (1991). HYDROTHERMAL ALTERATION OF MAFIC METAVOLCANIC ROCKS AND GENESIS OF FE-ZN-CU SULFIDE DEPOSITS, STONE HILL DISTRICT, ALABAMA. *Econ Geol*. 86: 983-1001.
- Nizze, H. (1971). [Frequency of so-called asbestos bodies in human lungs]. *Int Arch Arbeitsmed*. 28: 71-82.

Fate Literature Search Results

Off Topic

- Nkoumbou, C; Villieras, F; Njopwouo, D; Ngoune, CY; Barres, O; Pelletier, M; Razafitianamaharavo, A; Yvon, J. (2008). Physicochemical properties of talc ore from three deposits of Lamal Pougue area (Yaounde Pan-African Belt, Cameroon), in relation to industrial uses. *Appl Clay Sci.* 41: 113-132. <http://dx.doi.org/10.1016/j.clay.2007.10.006>.
- Noah, V; Bullock, B; Horne, DK. (1995). Woodbridge Research Facility 1995 Asbestos Survey, Woodbridge, Virginia. 86.
- Noda, H; Miyagawa, K; Kobayashi, M; Horiguchi, H; Ozawa, K; Kumada, N; Yonesaki, Y; Takei, T; Kinomura, N. (2009). Preparation of cordierite from fibrous sepiolite. *Ceramic Society of Japan Journal.* 117: 1236-1239. <http://dx.doi.org/10.2109/jcersj2.117.1236>.
- Noguchi, N; Moriwaki, T; Ikemoto, Y; Shinoda, K. (2012). OH group behavior and pressure-induced amorphization of antigorite examined under high pressure and temperature using synchrotron infrared spectroscopy. *Am Mineral.* 97: 134-142. <http://dx.doi.org/10.2138/am.2012.3904>.
- Nogueira, CR; Nápolis, LM; Bagatin, E; Terra-Filho, M; Müller, NL; Silva, CI; Rodrigues, RT; Neder, JA; Nery, LE. (2011). Lung diffusing capacity relates better to short-term progression on HRCT abnormalities than spirometry in mild asbestosis. *Am J Ind Med.* 54: 185-193. <http://dx.doi.org/10.1002/ajim.20922>.
- Nokso-Koivisto, P; Pukkala, E. (1994). Past exposure to asbestos and combustion products and incidence of cancer among Finnish locomotive drivers. *Occup Environ Med.* 51: 330-334.
- Nolan, RP; Gamble, JF; Gibbs, GW. (2013). Letter to the editor on commentary: malignant mesothelioma incidence among talc miners and millers in New York state by M M Finkelstein [Letter]. *Am J Ind Med.* 56: 1116-1118. <http://dx.doi.org/10.1002/ajim.22161>.
- Nolan, RP; Langer, AM; Addison, J. (1994). Lung content analysis of cases occupationally exposed to chrysotile asbestos. *Environ Health Perspect.* 102 Suppl 5: 245-250.
- Nolan, RP; Langer, AM; Herson, GB. (1991). Characterisation of Palygorskite Specimens from Different Geological Locales for Health Hazard Evaluation. *Br J Ind Med.* 48: 463-475.
- Nolan, RP; Langer, AM; Wilson, R. (1999). A risk assessment for exposure to grunerite asbestos (amosite) in an iron ore mine. *Proc Natl Acad Sci USA.* 96: 3412-3419.
- Nolan, RP; Ross, M; Nord, GL; Axten, CW; Osleeb, JP; Dornin, SG; Price, B; Wilson, R. (2005). Risk assessment for asbestos-related cancer from the 9/11 attack on the World Trade Center. *J Occup Environ Med.* 47: 817-825. <http://dx.doi.org/10.1097/01.jom.000167273.17109.6d>.
- Noonan, C; Pfau, J; Larson, T; Spence, M. (2006). Nested case-control study of autoimmune disease in an asbestos-exposed population. *Environ Health Perspect.* 114: 1243-1247. <http://dx.doi.org/10.1289/ehp.9203>.
- Noonan, CW; Conway, K; Landguth, EL; Mcnew, T; Linker, L; Pfau, J; Black, B; Szeinuk, J; Flores, R. (2015). Multiple pathway asbestos exposure assessment for a Superfund community. *J Expo Sci Environ Epidemiol.* 25: 18-25. <http://dx.doi.org/10.1038/jes.2014.25>.
- Noonan, CW; Pfau, JC; Larson, TC; Spence, MR. (2005). Asbestos exposure and risk of autoimmune disease. *Am J Epidemiol.* 161: S31-S31.
- Noonan, GP; Linn, HI; Reed, LD. (1986). A Guide to Respiratory Protection for the Asbestos Abatement Industry (pp. 85-86). (NIOSH/00166988). Noonan, GP; Linn, HI; Reed, LD.
- Norman, DK; Parry, WT; Bowman, J. R. (1991). PETROLOGY AND GEOCHEMISTRY OF PROPYLITIC ALTERATION AT SOUTHWEST TINTIC, UTAH. *Econ Geol.* 86: 13-28.
- Normand, C; Williams-Jones, AE. (2007). Physicochemical conditions and timing of rodingite formation: evidence from rodingite-hosted fluid inclusions in the JM Asbestos mine, Asbestos, Québec. *Geochemical Transactions.* 8: 11. <http://dx.doi.org/10.1186/1467-4866-8-11>.
- Normand, C; Williams-Jones, AE; Martin, RF; Vali, H. (2002). Hydrothermal alteration of olivine in a flow-through autoclave: Nucleation and growth of serpentine phases. *Am Mineral.* 87: 1699-1709.
- Novick, LF; Rice, C; Freedman, MA; Jillson, D. (1981). ASBESTOS IN VERMONT SCHOOLS - FINDINGS OF A STATEWIDE ON-SITE INVESTIGATION. *Am J Public Health.* 71: 744-746.
- Novikov YU, V; Tulakin, AV; Tsyplakova, GP; Ustyugov, VA; Ekhina, RS; Ampleeva, GP; Tyuleneva, IS; Semenova, OG. (1998). IMPACT OF PIPELINE CORROSION AND GROWTH PRODUCTS ON DRINKING WATER QUALITY (pp. 8-11). (BIOSIS/98/20876). Novikov YU, V; Tulakin, AV; Tsyplakova, GP; Ustyugov, VA; Ekhina, RS; Ampleeva, GP; Tyuleneva, IS; Semenova, OG.
- Nozaka, T. (2003). Compositional heterogeneity of olivine in thermally metamorphosed serpentinite from Southwest Japan. *Am Mineral.* 88: 1377-1384.
- Nozaka, T. (2014). Comment on "Dehydration breakdown of antigorite and the formation of B-type olivine CPO" by Nagaya et al. (2014). *Earth Planet Sci Lett.* 408: 402-405. <http://dx.doi.org/10.1016/j.epsl.2014.10.023>.
- Nozaka, T. (2014). Metasomatic hydration of the Oeyama forearc peridotites: Tectonic implications. *Lithos.* 184: 346-360. <http://dx.doi.org/10.1016/j.lithos.2013.11.012>.
- Nozaka, T; Fryer, P. (2011). Alteration of the Oceanic Lower Crust at a Slow-spreading Axis: Insight from Vein-related Zoned Halos in Olivine Gabbro from Atlantis Massif, Mid-Atlantic Ridge. *Journal of Petrology.* 52: 643-664. <http://dx.doi.org/10.1093/petrology/egq098>.
- Nozaka, T; Fryer, P; Andreani, M. (2008). Formation of clay minerals and exhumation of lower-crustal rocks at Atlantis Massif, Mid-Atlantic Ridge. *G-cubed.* 9. <http://dx.doi.org/10.1029/2008GC002207>.
- Nozaka, T; Meyer, R; Wintsch, RP; Wathen, B. (2016). Hydrothermal spinel, corundum and diaspore in lower oceanic crustal troctolites from the Hess Deep Rift. *Contributions to Mineralogy and Petrology.* 171. <http://dx.doi.org/10.1007/s00410-016-1266-4>.
- Nukushina, J. (1995). Japanese earthquake victims are being exposed to high density of asbestos. We need protective masks desperately [Letter]. *Epidemiol Prev.* 19: 226-227.
- Nuriel, P; Katzir, Y; Abelson, M; Valley, JW; Matthews, A; Spicuzza, MJ; Ayalon, A. (2009). Fault-related oceanic serpentinization in the Troodos ophiolite, Cyprus: Implications for a fossil oceanic core complex. *Earth Planet Sci Lett.* 282: 34-46. <http://dx.doi.org/10.1016/j.epsl.2009.02.029>.

Fate Literature Search Results

Off Topic

- Nurminen, M; Karjalainen, A. (2001). Epidemiologic estimate of the proportion of fatalities related to occupational factors in Finland. *Scand J Work Environ Health*. 27: 161-213.
- Nurminen, M; Karjalainen, A; Takahashi, K. (2003). Estimating the induction period of pleural mesothelioma from aggregate data on asbestos consumption. *J Occup Environ Med*. 45: 1107-1115. <http://dx.doi.org/10.1097/01.jom.0000091682.95314.01>.
- Nurminen, M; Tossavainen, A. (1994). Is there an association between pleural plaques and lung cancer without asbestosis? *Scand J Work Environ Health*. 20: 62-64.
- Nuyts, V; Vanhooren, H; Begyn, S; Nackaerts, K; Nemery, B. (2017). Asbestos bodies in bronchoalveolar lavage in the 21st century: a time-trend analysis in a clinical population. *Occup Environ Med*. 74: 59-65. <http://dx.doi.org/10.1136/oemed-2016-103710>.
- Nyberg, F; Gustavsson, P; Jarup, L; Bellander, T; Berglind, N; Jakobsson, R; Pershagen, G. (2000). Urban air pollution and lung cancer in Stockholm. *Epidemiology*. 11: 487-495.
- Nyberg, P. (1991). Polyvinylpyridine-N-oxide and carboxymethyl cellulose inhibit mineral dust-induced production of reactive oxygen species by human macrophages. *Environ Res*. 55: 157-164.
- Nygren, J; Suhonen, S; Norppa, H; Linnainmaa, K. (2004). DNA damage in bronchial epithelial and mesothelial cells with and without associated crocidolite asbestos fibers. *Environ Mol Mutagen*. 44: 477-482. <http://dx.doi.org/10.1002/em.20066>.
- Nzimande, Z; Chauke, H. (2012). Sustainability through responsible environmental mining. 112: 135-139.
- Obata, Y; Morimoto, Y; Hirohashi, M; Ogami, A; Oyabu, T; Myojo, T; Kawanami, S; Horie, S; Nagatomo, H; Murakami, M; Tanaka, I. (2011). Expression of heme oxygenase-1 in the lungs of rats exposed to potassium octatitanate whiskers. *J Occup Health*. 53: 267-273.
- Oberdorster, G. (1991). Lung dosimetry and extrapolation of results from animal inhalation studies to man. *J Aerosol Med Pulm Drug Deliv*. 4: 335-347.
- Oberdorster, G. (1997). Pulmonary carcinogenicity of inhaled particles and the maximum tolerated dose [Review]. <http://dx.doi.org/10.2307/3433558>.
- Oberdorster, G. (1994). Macrophage-associated responses to chrysotile. *Ann Occup Hyg*. 38: 601-615, 421-602.
- Oberdorster, G. (2000). Determinants of the pathogenicity of man-made vitreous fibers (MMVF) [Review]. *Int Arch Occup Environ Health*. 73 Suppl: S60-S68.
- Oberti, R; Camara, F; Della Ventura, G; Iezzi, G; Benimoff, AI. (2006). Parvo-mangano-edenite, parvo-manganotremolite, and the solid solution between Ca and Mn²⁺ at the M4 site in amphiboles. *Am Mineral*. 91: 526-532. <http://dx.doi.org/10.2138/am.2006.1905>.
- Oberti, R; Camara, F; Ottolini, L. (2005). Clinoholmquistite discredited: The new amphibole end-member fluoro-sodic-pedrizite. *Am Mineral*. 90: 732-736. <http://dx.doi.org/10.2138/am.2005.1763>.
- Obiakor, EK. (1981). BRICKS AND ASBESCRETE BUILDING-BLOCKS FROM ASBESTOS-CEMENT FACTORY WASTES. 4: 123-128.
- O'Brien, DM; Todd, WF. (1984). Preliminary Survey Report No. CT-148-16a: Control Technology For New Materials At International Harvester, Columbus Plastics Plant, Columbus, Ohio (pp. 148-116). (NIOSH/00135181). O'Brien, DM; Todd, WF.
- Ochsmann, E; Carl, T; Brand, P; Raithel, HJ; Kraus, T. (2010). Inter-reader variability in chest radiography and HRCT for the early detection of asbestos-related lung and pleural abnormalities in a cohort of 636 asbestos-exposed subjects. *Int Arch Occup Environ Health*. 83: 39-46. <http://dx.doi.org/10.1007/s00420-009-0443-4>.
- Oddone, E; Ferrante, D; Cena, T; Tunesi, S; Amendola, P; Magnani, C. (2014). [Asbestos cement factory in Broni (Pavia, Italy): a mortality study]. *Med Lav*. 105: 15-29.
- Oddone, E; Imbriani, M. (2016). Pleural mesothelioma: Case-report of uncommon occupational asbestos exposure in a small furniture industry. *Int J Occup Med Environ Health*. 29: 523-526. <http://dx.doi.org/10.13075/ijom.1896.00597>.
- O'Dell, RE; Claassen, VP. (2006). Relative performance of native and exotic grass species in response to amendment of drastically disturbed serpentine substrates. *J Appl Ecol*. 43: 898-908. <http://dx.doi.org/10.1111/j.1365-2664.2006.01193.x>.
- O'Dell, RE; Claassen, VP. (2009). Serpentine Revegetation: A Review. *Northeast Nat*. 16: 253-271.
- Oehlert, GW; Lee, RJ; Vanorden, D. (1995). STATISTICAL-ANALYSIS OF ASBESTOS FIBER COUNTS. *Environmetrics*. 6: 115-126.
- Offermans, NS; Vermeulen, R; Burdorf, A; Goldbohm, RA; Kauppinen, T; Kromhout, H; van den Brandt, PA. (2014). Occupational asbestos exposure and risk of pleural mesothelioma, lung cancer, and laryngeal cancer in the prospective Netherlands cohort study. *J Occup Environ Med*. 56: 6-19. <http://dx.doi.org/10.1097/JOM.0000000000000060>.
- Offermans, NSM; Vermeulen, R; Burdorf, A; Goldbohm, RA; Keszei, AP; Peters, S; Kauppinen, T; Kromhout, H; van Den Brandt, PA. (2014). Occupational asbestos exposure and risk of oral cavity and pharyngeal cancer in the prospective Netherlands Cohort Study. *Scand J Work Environ Health*. 40: 420-427. <http://dx.doi.org/10.5271/sjweh.3434>.
- Offermans, NSM; Vermeulen, R; Burdorf, A; Peters, S; Goldbohm, RA; Koeman, T, om; van Tongeren, M; Kauppinen, T; Kant, I; Kromhout, H; van Den Brandt, PA. (2012). Comparison of expert and job-exposure matrix-based retrospective exposure assessment of occupational carcinogens in the Netherlands Cohort Study. *Occup Environ Med*. 69: 745-751. <http://dx.doi.org/10.1136/oemed-2011-100556>.
- Ogami, A; Morimoto, Y; Yamato, H; Oyabu, T; Akiyama, I; Tanaka, I. (2001). Short term effect of silicon carbide whisker to the rat lung. *Ind Health*. 39: 175-182.
- Ogata, H. (2011). A review of some epidemiological studies on cancer risk from low-dose radiation or other carcinogenic agents [Review]. *Radiat Prot Dosimetry*. 146: 268-271. <http://dx.doi.org/10.1093/rpd/ncr167>.
- Ogden, T. (2006). Annals of occupational Hygiene at volume 50: Many achievements, a few mistakes, and an interesting future [Review]. *Ann Occup Hyg*. 50: 751-764. <http://dx.doi.org/10.1093/annhyg/mel070>.
- Ogden, T. (2009). Data Sharing, Federal Rule of Evidence 702, and the Lions in the Undergrowth. *Ann Occup Hyg*. 53: 651-655. <http://dx.doi.org/10.1093/annhyg/mep065>.
- Ogden, TL. (2009). Canadian chrysotile report released--at last [Editorial]. *Ann Occup Hyg*. 53: 307-309. <http://dx.doi.org/10.1093/annhyg/mep031>.

Fate Literature Search Results

Off Topic

- Ogden, TL; Shentontaylor, T; Cherrie, JW; Crawford, NP; Moorcroft, S; Duggan, MJ; Jackson, PA; Treble, RD. (1986). WITHIN-LABORATORY QUALITY-CONTROL OF ASBESTOS COUNTING. *Ann Occup Hyg.* 30: 411-425.
- Oghiso, Y; Yamada, Y; Shibata, Y. (1992). Effects of instilled fibrogenic particles on the clonal growth of murine pulmonary alveolar macrophages. *Environ Health Perspect.* 97: 159-161.
- Ogino, S; Fukumori, N; Yasuno, T; Koseki, M; Kazama, M. (1988). ASBESTOS FIBERS IN SAKE. *J Food Prot.* 51: 737-739.
- Ogorodova, LP; Kiseleva, IA; Korytkova, EN; Gusarov, VV. (2007). Calorimetric investigation of nanotubular hydrosilicates in the $Mg_3Si_2O_5(OH)_4$ - $Ni_3Si_2O_5(OH)_4$ system. *Glass Physics and Chemistry.* 33: 303-305. <http://dx.doi.org/10.1134/S1087659607040013>.
- Ogunseitán, OA. (2015). The asbestos paradox: global gaps in the translational science of disease prevention. *Bull World Health Organ.* 93: 359-360. <http://dx.doi.org/10.2471/BLT.14.142307>.
- Ogunseitán, OA. (2015). The asbestos paradox: global gaps in the translational science of disease prevention (vol 93, pg 359, 2015). *Bull World Health Organ.* 93: 436-436.
- Oh, CW; Liou, JG; Maruyama, S. (1991). LOW-TEMPERATURE ECLOGITES AND ECLOGITIC SCHISTS IN MN-RICH METABASITES IN WARD CREEK, CALIFORNIA - MN AND FE EFFECTS ON THE TRANSITION BETWEEN BLUESCHIST AND ECLOGITE. *Journal of Petrology.* 32: 275-302.
- Ohanley, DS. (1988). THE ORIGIN OF ALPINE PERIDOTITE-HOSTED, CROSS FIBER, CHRYSOTILE ASBESTOS DEPOSITS. *Econ Geol.* 83: 256-265.
- Ohanley, DS; Dyar, MD. (1993). THE COMPOSITION OF LIZARDITE 1T AND THE FORMATION OF MAGNETITE IN SERPENTINITES. *Am Mineral.* 78: 391-404.
- Ohanley, DS; Schandl, ES; Wicks, FJ. (1992). THE ORIGIN OF RODINGITES FROM CASSIAR, BRITISH-COLUMBIA, AND THEIR USE TO ESTIMATE T AND P(H₂O) DURING SERPENTINIZATION. *Geochim Cosmo Acta.* 56: 97-108.
- Ohlson, CG; Bodin, L; Rydman, T; Hogstedt, C. (1985). Ventilatory decrements in former asbestos cement workers: a four year follow up. *Br J Ind Med.* 42: 612-616.
- Ohlson, CG; Hogstedt, C. (1985). Lung cancer among asbestos cement workers. A Swedish cohort study and a review. *Br J Ind Med.* 42: 397-402.
- Ohlson, CG; Klaesson, B; Hogstedt, C. (1984). Mortality among asbestos-exposed workers in a railroad workshop. *Scand J Work Environ Health.* 10: 283-291.
- Ohlson, CG; Rydman, T; Sundell, L; Bodin, L; Hogstedt, C. (1984). Decreased lung function in long-term asbestos cement workers: a cross-sectional study. *Am J Ind Med.* 5: 359-366.
- Ohnaka, T; Tochiyama, Y; Muramatsu, T. (1993). Physiological strains in hot-humid conditions while wearing disposable protective clothing commonly used by the asbestos removal industry. *Ergonomics.* 36: 1241-1250. <http://dx.doi.org/10.1080/00140139308967990>.
- Ohnishi, M; Yajima, H; Kasai, T; Umeda, Y; Yamamoto, M; Yamamoto, S; Okuda, H; Suzuki, M; Nishizawa, T; Fukushima, S. (2013). Novel method using hybrid markers: development of an approach for pulmonary measurement of multi-walled carbon nanotubes. *J Occup Med Toxicol.* 8: 30. <http://dx.doi.org/10.1186/1745-6673-8-30>.
- Ohyama, M; Otake, T; Morinaga, K. (2000). The chemiluminescent response from human monocyte-derived macrophages exposed to various mineral fibers of different sizes. *Ind Health.* 38: 289-293. <http://dx.doi.org/10.2486/indhealth.38.289>.
- Ohyama, M; Otake, T; Morinaga, K. (2001). Effect of size of man-made and natural mineral fibers on chemiluminescent response in human monocyte-derived macrophages. *Environ Health Perspect.* 109: 1033-1038.
- Ojajärvi, IA; Partanen, TJ; Ahlbom, A; Boffetta, P; Hakulinen, T; Jourenkova, N; Kauppinen, TP; Kogevinas, M; Porta, M; Vainio, HU; Weiderpass, E; Wesseling, CH. (2000). Occupational exposures and pancreatic cancer: A meta-analysis. *Occup Environ Med.* 57: 316-324. <http://dx.doi.org/10.1136/oem.57.5.316>.
- Okamoto, A; Ogasawara, Y; Ogawa, Y; Tsuchiya, N. (2011). Progress of hydration reactions in olivine-H₂O and orthopyroxene-H₂O systems at 250 degrees C and vapor-saturated pressure. *Chem Geol.* 289: 245-255. <http://dx.doi.org/10.1016/j.chemgeo.2011.08.007>.
- Okamoto, A; Toriumi, M. (2001). Application of differential thermodynamics (Gibbs' method) to amphibole zonings in the metabasic system. *Contributions to Mineralogy and Petrology.* 141: 268-286.
- Okamoto, A; Toriumi, M. (2004). Optimal mixing properties of calcic and subcalcic amphiboles: application of Gibbs' method to the Sanbagawa schists, SW Japan. *Contributions to Mineralogy and Petrology.* 146: 529-545. <http://dx.doi.org/10.1007/s00410-003-0526-2>.
- Okazaki, I; Maruyama, K; Kobayashi, Y; Lilis, R; Suzuki, Y. (1987). Serum type III procollagen peptide: indicator for pulmonary fibrosis: II. Application in 80 asbestos insulation workers. *Am J Ind Med.* 11: 439-446.
- Okazaki, K; Katayama, I; Takahashi, M. (2013). Effect of pore fluid pressure on the frictional strength of antigorite serpentinite. *Tectonophysics.* 583: 49-53. <http://dx.doi.org/10.1016/j.tecto.2012.10.017>.
- Okazaki, M; Kimura, SD; Kikuchi, T; Igura, M; Hattori, T; Abe, T. (2008). Suppressive effects of magnesium oxide materials on cadmium uptake and accumulation into rice grains I: Characteristics of magnesium oxide materials for cadmium sorption. *J Hazard Mater.* 154: 287-293. <http://dx.doi.org/10.1016/j.jhazmat.2007.10.119>.
- Oke, Y; Yamasaki, N; Yamamoto, G, o; Sasaki, K; Maeta, N; Fujimaki, H; Hashida, T. (2008). Novel selective dyeing method for chrysotile asbestos detection in concrete materials. *Environ Sci Technol.* 42: 1638-1642. <http://dx.doi.org/10.1021/es071805a>.
- Okeefe, GF. (1989). ASBESTOS SUBSTITUTE GASKETS - EXPERIENCE AT KINLEITH PULP AND PAPER-MILLS. *Appita.* 42: 141-143.
- Okland, I; Huang, S; Dahle, H; Thorseth, IH; Pedersen, RB. (2012). Low temperature alteration of serpentinized ultramafic rock and implications for microbial life. *Chem Geol.* 318: 75-87. <http://dx.doi.org/10.1016/j.chemgeo.2012.05.015>.
- Oksa, P; Huuskonen, MS; Järvisalo, J; Klockars, M; Zitting, A; Suoranta, H; Tossavainen, A; Vattulainen, K; Laippala, P. (1998). Follow-up of asbestosis patients and predictors for radiographic progression. *Int Arch Occup Environ Health.* 71: 465-471.
- Oksa, P; Koskinen, H; Rinne, JP; Zitting, A; Roto, P; Huuskonen, MS. (1992). Parenchymal and pleural fibrosis in construction workers. *Am J Ind Med.* 21: 561-567.

Fate Literature Search Results

Off Topic

- Oksa, P; Pukkala, E; Karjalainen, A; Ojajarvi, A; Huuskonen, MS. (1997). Cancer incidence and mortality among Finnish asbestos sprayers and in asbestosis and silicosis patients. *Am J Ind Med.* 31: 693-698.
- Oksa, P; Suoranta, H; Koskinen, H; Zitting, A; Nordman, H. (1994). High-resolution computed tomography in the early detection of asbestosis. *Int Arch Occup Environ Health.* 65: 299-304. <http://dx.doi.org/10.1007/BF00405693>.
- Olabanji, IO; Adeniyi, IF. (2005). Trace metals in bulk freefall and roof intercepted rainwater at Ile-Ife, Southwest Nigeria. *Chem Ecol.* 21: 167-179. <http://dx.doi.org/10.1080/02757540500151648>.
- Olcerst, R. (1987). A Field Portable Asbestos Monitoring Statistical System (pp. 180-191). (NIOSH/00170706). Olcerst, R.
- Oldham, S. (1970). ASBESTOS AND RESPIRATORY DISEASES - REPLY. 41: 33-&.
- Oleru, UG. (1980). Pulmonary function of control and industrially exposed Nigerians in asbestos, textile, and toluene diisocyanate-foam factories. *Environ Res.* 23: 137-148.
- Oliveira, JR; Do Carmo, JL; Cavalcanti Oliveira, KK; Figueredo Soares, M, doC. (2009). Sodium chloride, benzocaine and clove oil in tilapia transport water. *Revista Brasileira de Zootecnia.* 38: 1163-1169.
- Oliveira, SF; Bisker, G; Bakh, NA; Gibbs, SL; Landry, MP; Strano, MS. (2015). Protein functionalized carbon nanomaterials for biomedical applications. *Carbon.* 95: 767-779. <http://dx.doi.org/10.1016/j.carbon.2015.08.076>.
- Oliver, LC. (1998). Asbestos in building: Management and related health effects. *J Clean Technol, Environ Toxicol, Occup Med.* 7: 433-443.
- Oliver, LC; Sprince, NL; Greene, R. (1990). Asbestos-related radiographic abnormalities in public school custodians. *Toxicol Ind Health.* 6: 629-636.
- Oliver, LC; Sprince, NL; Greene, R. (1991). Asbestos-related disease in public school custodians. *Am J Ind Med.* 19: 303-316. <http://dx.doi.org/10.1002/ajim.4700190305>.
- Oliver, LC; Sprince, NL; Greene, R. (1992). ASBESTOS-RELATED RADIOGRAPHIC ABNORMALITIES IN PUBLIC-SCHOOL CUSTODIANS. 2: 93-99.
- Oliver, LC; Welch, L; Frank, AL; Lemen, RA; Mutti, L. (2016). New standard for assessing asbestos exposure and its consequences? [Letter]. *Occup Environ Med.* 73: 709-710. <http://dx.doi.org/10.1136/oemed-2016-103693>.
- Oliver, NHS; Cleverley, JS; Mark, G; Pollard, PJ; Fu, B; Marshall, LJ; Rubenach, MJ; Williams, PJ; Baker, T. (2004). Modeling the role of sodic alteration in the genesis of iron oxide-copper-gold deposits, Eastern Mount Isa block, Australia. *Econ Geol.* 99: 1145-1176.
- Oliver, T; Murr, LE. (1977). An electron microscope study of asbestiform fiber concentrations in Rio Grande valley water supplies (pp. 428-431). (HEEP/78/05704). Oliver, T; Murr, LE.
- Oliveros, V; Trista-Aguilera, D; Feraud, G; Morata, D; Aguirre, L; Kojima, S; Ferraris, F. (2008). Time relationships between volcanism-plutonism-alteration-mineralization in Cu-stratabound ore deposits from the Michilla mining district, northern Chile: a Ar-40/Ar-39 geochronological approach. *Miner Depos.* 43: 61-78. <http://dx.doi.org/10.1007/s00126-007-0147-1>.
- Olivier, CA. (1972). ASBESTOS MILLING DISCARDS AS A SOURCE OF MAGNESIUM COMPOUNDS. 65: 48-&.
- Ollikainen, T; Linnainmaa, K; Kinnula, VL. (1999). DNA single strand breaks induced by asbestos fibers in human pleural mesothelial cells in vitro. *Environ Mol Mutagen.* 33: 153-160.
- Olson, BG; Decker, JJ; Nazarenko, S; Yudin, VE; Otaigbe, JU; Korytkova, EN; Gusarovo, VV. (2008). Aggregation of synthetic chrysotile nanotubes in the bulk and in solution probed by nitrogen adsorption and viscosity measurements. *J Phys Chem C.* 112: 12943-12950. <http://dx.doi.org/10.1021/jp801522q>.
- Olson, HL. (1974). Asbestos in Potable-Water Supplies. *J Am Water Works Assoc.* 66: 515-518.
- Olson, M. (1981). Part 2: Insulating your hospital from asbestos risk. 3: 135-140.
- Olsson, A; Gustavsson, P, er; Zaridze, D; Mukeriya, A; Szeszenia-Dabrowska, N; Rudnai, P; Lissowska, J; Fabianova, E; Mates, D; Bencko, V; Foretova, L; Janout, V; Fevotte, J; T Mannelje, A; Fletcher, T; Brennan, P; Boffetta, P. (2011). Lung Cancer Risk Attributable to Occupational Exposures in a Multicenter Case-Control Study in Central and Eastern Europe. *J Occup Environ Med.* 53: 1262-1267. <http://dx.doi.org/10.1097/JOM.0b013e318234e2d2>.
- Olsson, A; Kromhout, H; Agostini, M; Hansen, J; Lassen, CF; Johansen, C; Kjaerheim, K; Langård, S; Stücker, I; Ahrens, W; Behrens, T; Lindbohm, ML; Heikkilä, P; Heederik, D; Portengen, L; Shaham, J; Ferro, G; de Vocht, F; Burstyn, I; Boffetta, P. (2010). A case-control study of lung cancer nested in a cohort of European asphalt workers. *Environ Health Perspect.* 118: 1418-1424. <http://dx.doi.org/10.1289/ehp.0901800>.
- Olsson, A; Skogh, T; Axelson, O; Wingren, G. (2004). Occupations and exposures in the work environment as determinants for rheumatoid arthritis. *Occup Environ Med.* 61: 233-238. <http://dx.doi.org/10.1136/oem.2003.007971>.
- Olsson, AC; Fevotte, J; Fletcher, T; Cassidy, A; T Mannelje, A; Zaridze, D; Szeszenia-Dabrowska, N; Rudnai, P; Lissowska, J; Fabianova, E; Mates, D; Bencko, V; Foretova, L; Janout, V; Brennan, P; Boffetta, P. (2010). Occupational exposure to polycyclic aromatic hydrocarbons and lung cancer risk: a multicenter study in Europe. *Occup Environ Med.* 67: 98-103. <http://dx.doi.org/10.1136/oem.2009.046680>.
- Omenn, GS. (1987). CHEMOPREVENTION OF LUNG-CANCER WITH RETINOLIDS IN WORKERS WITH EXTENSIVE HISTORY OR SIGNS OF ASBESTOS EXPOSURES. *J Occup Environ Med.* 29: 367-367.
- Omenn, GS. (2004). Adverse effects in chemoprevention trials: Evidence of adverse interaction between asbestos exposure and the beta-carotene/retinyl palmitate intervention in CARET. *Cancer Epidemiol Biomarkers Prev.* 13: 1938S-1938S.
- Omenn, GS; Goodman, GE; Thornquist, MD; Rosenstock, L; Barnhart, S; Gyls-Colwell, I; Metch, B; Lund, B. (1993). The Carotene and Retinol Efficacy Trial (CARET) to prevent lung cancer in high-risk populations: pilot study with asbestos-exposed workers. *Cancer Epidemiol Biomarkers Prev.* 2: 381-387.
- Omori, S; Komabayashi, T; Maruyama, S. (2004). Dehydration and earthquakes in the subducting slab: empirical link in intermediate and deep seismic zones. *Phys Earth Planet In.* 146: 297-311. <http://dx.doi.org/10.1016/j.pepi.2003.08.014>.
- O'Neil, J; Francis, D, on; Carlson, RW. (2011). Implications of the Nuvvuagittuq Greenstone Belt for the Formation of Earth's Early Crust. *Journal of Petrology.* 52: 985-1009. <http://dx.doi.org/10.1093/petrology/egr014>.

Fate Literature Search Results

Off Topic

- O'Neill, M; Schwar, M. (1998). Prioritizing asbestos remedial works in buildings. *Institution of Civil Engineers Proceedings Municipal Engineer*. 127: 174-180.
- Ong, T; Liu, Y; Zhong, BZ; Jones, WG; Whong, WZ. (1997). Induction of micronucleated and multinucleated cells by man-made fibers in vitro in mammalian cells. *J Toxicol Environ Health*. 50: 409-414. <http://dx.doi.org/10.1080/009841097160447>.
- O'Reilly, D; Reid, J; Middleton, R; Gavin, AT. (1999). Asbestos related mortality in Northern Ireland: 1985-1994. *J Publ Health Med*. 21: 95-101.
- Orlando, A; Borrini, D; Marini, L. (2011). Dissolution and carbonation of a serpentinite: Inferences from acid attack and high P-T experiments performed in aqueous solutions at variable salinity. *Appl Geochem*. 26: 1569-1583. <http://dx.doi.org/10.1016/j.apgeochem.2011.06.023>.
- Orlando, A; Lelli, M; Marini, L. (2012). Production of amorphous hydrated impure magnesium carbonate through ex situ carbonation. *Appl Geochem*. 27: 2500-2510. <http://dx.doi.org/10.1016/j.apgeochem.2012.07.021>.
- Orlowski, E, wa; Audignon-Durand, S; Goldberg, M; Imbernon, E; Brochard, P. (2015). EV@LUTIL: An Open Access Database on Occupational Exposures to Asbestos and Man-Made Mineral Fibres. *Am J Ind Med*. 58: 1059-1074. <http://dx.doi.org/10.1002/ajim.22498>.
- Orlowski, E; Billon Galland, MA. (1998). [The assessment of asbestos exposure]. *Rev Mal Respir*. 15: 239-245.
- Orlowski, E; et al. (1997). EVALUTIL: Data base for assessing asbestos exposure among users of asbestos containing materials. *Cahiers de notes documentaires. Hygi and aacute*: 5-16.
- Orlowski, E; Galland, MA. (1999). [Assessment of exposure to asbestos]. *Rev Mal Respir*. 16 Suppl 2: S18-S24.
- Orlowski, E; Pairon, JC; Ameille, J; Janson, X; Iwatsubo, Y; Dufour, G; Bignon, J; Brochard, P. (1994). Pleural plaques, asbestos exposure, and asbestos bodies in bronchoalveolar lavage fluid. *Am J Ind Med*. 26: 349-358.
- Orlowski, E; Pohlabein, H; Berrino, F; Ahrens, W; Bolmaudorff, U; Grossgarten, K; Iwatsubo, Y; Jockel, KH; Brochard, P. (1993). RETROSPECTIVE ASSESSMENT OF ASBESTOS EXPOSURE .2. AT THE JOB LEVEL - COMPLEMENTARITY OF JOB-SPECIFIC QUESTIONNAIRE AND JOB EXPOSURE MATRICES. *Int J Epidemiol*. 22: S96-S105.
- Orlowski, E; Pohlabein, H; Berrino, F; Ahrens, W; Bolm-Audorff, U; Grossgarten, K; Iwatsubo, Y; Jöckel, KH; Brochard, P. (1993). Retrospective assessment of asbestos exposure--II. At the job level: complementarity of job-specific questionnaire and job exposure matrices. *Int J Epidemiol*. 22 Suppl 2: S96-105.
- Orriols, R; Costa, R; Albanell, M; Alberti, C; Castejon, J; Monso, E; Panades, R; Rubira, N; Zock, JP; Group, MOR. (2006). Reported occupational respiratory diseases in Catalonia. *Occup Environ Med*. 63: 255-260. <http://dx.doi.org/10.1136/oem.2005.022525>.
- Orriols, R; Isidro, I; Abu-Shams, K; Costa, R; Boldu, J; Rego, G; Zock, J; Y, ERO. (2010). Reported Occupational Respiratory Diseases in Three Spanish Regions. *Am J Ind Med*. 53: 922-930. <http://dx.doi.org/10.1002/ajim.20862>.
- Orriols, R; Munoz, X; Sunyer, J; Isidro, I; Tura, JM; Ferrer, J. (2005). Radiologically recognized pleural changes in nonpneumoconiotic silica-exposed coal miners. *Scand J Work Environ Health*. 31: 115-121.
- Orris, P; Cone, J; Mcquilk, S. (1983). Health Hazard Evaluation Report No. HETA-80-096-1359, Eureka Company, Bloomington, Illinois (pp. 80-096). (NIOSH/00134196). Orris, P; Cone, J; Mcquilk, S.
- Ortega-Guerrero, MA; Carrasco-Núñez, G; Barragán-Campos, H; Ortega, MR. (2014). High incidence of lung cancer and malignant mesothelioma linked to erionite fibre exposure in a rural community in Central Mexico. *Occup Environ Med*. 72: 216-218. <http://dx.doi.org/10.1136/oemed-2013-101957>.
- Ortiz, LW; Soderholm, SC; Valdez, FO. (1988). Penetration of Respirator Filters by an Asbestos Aerosol. *Am Ind Hyg Assoc J*. 49: 451-460. <http://dx.doi.org/10.1080/15298668891380060>.
- Osako, M; Yoneda, A; Ito, E. (2010). Thermal diffusivity, thermal conductivity and heat capacity of serpentine (antigorite) under high pressure. *Phys Earth Planet In*. 183: 229-233. <http://dx.doi.org/10.1016/j.pepi.2010.07.005>.
- Osawa, T; Kagi, H; Nakamura, T; Noguchi, T. (2005). Infrared spectroscopic taxonomy for carbonaceous chondrites from speciation of hydrous components. *Meteoritics and Planetary Science*. 40: 71-86.
- Osim, EE; Tandayi, M; Chinyanga, HM; Matarira, HT; Mudambo, KK; Musabayane, CT. (1999). Lung function, blood gases, pH and serum electrolytes of small-scale miners exposed to chrome ore dust on the Great Dyke in Zimbabwe. *Trop Med Int Health*. 4: 621-628. <http://dx.doi.org/10.1046/j.1365-3156.1999.00460.x>.
- Osinubi, OY; Gochfeld, M; Kipen, HM. (2000). Health effects of asbestos and nonasbestos fibers [Review]. *Environ Health Perspect*. 108 Suppl 4: 665-674.
- Osinubi, OY; Moline, J; Rovner, E; Sinha, S; Perez-Lugo, M; Demissie, K; Kipen, HM. (2003). A pilot study of telephone-based smoking cessation intervention in asbestos workers. *J Occup Environ Med*. 45: 569-574. <http://dx.doi.org/10.1097/01.jom.0000063618.37065.ab>.
- Osinubi, OYO. (2003). RE: study of smoking behavior in asbestos workers by Osinubi et al. *Am J Ind Med* 41 : 62-69 2002. Reply to Lange and Thomulka's letter to the editor "smoking prevalence of asbestos workers: A comment". *Am J Ind Med*. 44: 220-221. <http://dx.doi.org/10.1002/ajim.10248>.
- Osinubi, OYO; Afilaka, AA; Doucette, J; Golden, A; Soriano, T; Rovner, E; Anselm, E. (2002). Study of smoking behavior in asbestos workers. *Am J Ind Med*. 41: 62-69. <http://dx.doi.org/10.1002/ajim.10031>.
- Oskierski, HC; Dlugogorski, BZ; Jacobsen, G. (2013). Sequestration of atmospheric CO₂ in chrysotile mine tailings of the Woodsreef Asbestos Mine, Australia: Quantitative mineralogy, isotopic fingerprinting and carbonation rates. *Chem Geol*. 358: 156-169. <http://dx.doi.org/10.1016/j.chemgeo.2013.09.001>.
- Oskierski, HC; Dlugogorski, BZ; Oliver, TK; Jacobsen, G. (2016). Chemical and isotopic signatures of waters associated with the carbonation of ultramafic mine tailings, Woodsreef Asbestos Mine, Australia. *Chem Geol*. 436: 11-23. <http://dx.doi.org/10.1016/j.chemgeo.2016.04.014>.
- Osornio-Vargas, AR; Hernández-Rodríguez, NA; Yáñez-Buruel, AG; Ussler, W; Overby, LH; Brody, AR. (1991). Lung cell toxicity experimentally induced by a mixed dust from Mexicali, Baja California, Mexico. *Environ Res*. 56: 31-47.

Fate Literature Search Results

Off Topic

- Oster, CV. (1971). Results of Sampling at American Asbestos Textile Company, Meredith, New Hampshire. (NIOSH/00105833). Oster, CV. Ostiguy, G; Vaillancourt, C; Bégin, R. (1995). Respiratory health of workers exposed to metal dusts and foundry fumes in a copper refinery. *Occup Environ Med.* 52: 204-210.
- Ota, T; Terabayashi, M; Katayama, I. (2004). Thermobaric structure and metamorphic evolution of the Iratsu eclogite body in the Sanbagawa belt, central Shikoku, Japan. *Lithos.* 73: 95-126. <http://dx.doi.org/10.1016/j.lithos.2004.01.001>.
- Otofuji, Y; Uno, K; Higashi, T; Ichikawa, T; Ueno, T; Mishima, T; Matsuda, T. (2000). Secondary remanent magnetization carried by magnetite inclusions in silicates: a comparative study of unremagnetized and remagnetized granites. *Earth Planet Sci Lett.* 180: 271-285.
- Otsuki, T; Matsuzaki, H; Lee, S; Kumagai-Takei, N; Yamamoto, S; Hatayama, T; Yoshitome, K; Nishimura, Y. (2016). Environmental factors and human health: fibrous and particulate substance-induced immunological disorders and construction of a health-promoting living environment [Review]. *Environ Health Prev Med.* 21: 71-81. <http://dx.doi.org/10.1007/s12199-015-0499-6>.
- Otsuki, T; Tomokuni, A; Sakaguchi, H; Hyodoh, F; Kusaka, M; Ueki, A. (2000). Reduced expression of the inhibitory genes for Fas-mediated apoptosis in silicosis patients. *J Occup Health.* 42: 163-168.
- Otte, KE; Sigsgaard, TI; Kjaerulf, J. (1990). Malignant mesothelioma: clustering in a family producing asbestos cement in their home. *Br J Ind Med.* 47: 10-13.
- Otten, MT. (1993). HIGH-RESOLUTION TRANSMISSION ELECTRON-MICROSCOPY OF POLYSOMATISM AND STACKING DEFECTS IN ANTIGORITE. *Am Mineral.* 78: 75-84.
- Otto, H. (1991). BIOLOGICAL MONITORING USING ASBESTOS FIBER LEVELS - LIGHT-MICROSCOPY VERSUS ELECTRON-MICROSCOPY. *Arbeitsmedizin, Sozialmedizin, Praeventivmedizin.* 26: 438-439.
- Ouellette, RP; Cheremisinoff, PN. (1987). ASBESTOS HAZARD MANAGEMENT (pp. 36-43; 1987). (HMT/87/0004442). Ouellette, RP; Cheremisinoff, PN.
- Ovrevik, J; Myran, T; Refsnæs, M; Låg, M; Becher, R; Hetland, RB; Schwarze, PE. (2005). Mineral particles of varying composition induce differential chemokine release from epithelial lung cells: importance of physico-chemical characteristics. *Ann Occup Hyg.* 49: 219-231. <http://dx.doi.org/10.1093/annhyg/meh087>.
- Owen, OS. (1975). Natural resource conservation. An ecological approach. (HEEP/75/11320). Owen, OS.
- Oyabu, T; Yamato, H; Ogami, A; Morimoto, Y; Akiyama, I; Ishimatsu, S; Hori, H; Tanaka, I. (2004). The effect of lung burden on biopersistence and pulmonary effects in rats exposed to potassium octatitanate whiskers by inhalation. *J Occup Health.* 46: 382-390.
- Oyabu, T; Yamato, H; Ogami, A; Morimoto, Y; Akiyama, I; Ishimatsu, S; Hori, H; Tanaka, I. (2006). The effect of lung burden on biopersistence and pulmonary effects in rats exposed to potassium octatitanate whiskers by intratracheal instillation. *J Occup Health.* 48: 44-48.
- Oyanagi, R; Okamoto, A; Hirano, N; Tsuchiya, N. (2015). Competitive hydration and dehydration at olivine-quartz boundary revealed by hydrothermal experiments: Implications for silica metasomatism at the crust-mantle boundary. *Earth Planet Sci Lett.* 425: 44-54. <http://dx.doi.org/10.1016/j.epsl.2015.05.046>.
- Oyman, T. (2010). Geochemistry, mineralogy and genesis of the Ayazmant Fe-Cu skarn deposit in Ayvalik, (Balıkesir), Turkey. *Ore Geol Rev.* 37: 175-201. <http://dx.doi.org/10.1016/j.oregeorev.2010.03.002>.
- Ozdemir, T; Coplu, L; Dincer, N; Isik, L; Dumortier, P; Artvinli, M. (1997). ENVIRONMENTAL TREMOLITE EXPOSURE IN A VILLAGE LOCATED IN SOUTHWEST OF TURKEY (pp. 20-24). (BIOSIS/98/15088). Ozdemir, T; Coplu, L; Dincer, N; Isik, L; Dumortier, P; Artvinli, M.
- Oze, C; Solt, K. (2010). Biodurability of chrysotile and tremolite asbestos in simulated lung and gastric fluids. *Am Mineral.* 95: 825-831. <http://dx.doi.org/10.2138/am.2010.3265>.
- Ozeki, S; Masuda, Y; Nishimoto, Y; Henmi, T. (1994). STUDIES IN SURFACE SCIENCE AND CATALYSIS WATER IN SPHERICAL, CYLINDRICAL AND SLITLIKE PORES.
- Ozeki, S; Uchiyama, H; Katada, M. (1994). HYDROLYSIS OF IRON-ION IN CHRYSOTILE NANOTUBULES - A TEMPLATE EFFECT ON CRYSTAL-GROWTH. *Langmuir.* 10: 923-928.
- Ozturk, YY; Helvacı, C; Satir, M. (2008). The influence of meteoric water on skarn formation and late-stage hydrothermal alteration at the Evciler skarn occurrences, Kazdag, NW Turkey. *Ore Geol Rev.* 34: 271-284. <http://dx.doi.org/10.1016/j.oregeorev.2008.01.001>.
- Pabst, S; Zack, T; Savov, IP; Ludwig, T; Rost, D; Vicenzi, EP. (2011). Evidence for boron incorporation into the serpentine crystal structure. *Am Mineral.* 96: 1112-1119. <http://dx.doi.org/10.2138/am.2011.3709>.
- Pacella, A; Andreozzi, GB; Ballirano, P; Gianfagna, A. (2008). Crystal chemical and structural characterization of fibrous tremolite from Ala di Stura (Lanzo Valley, Italy). *Periodico di Mineralogia.* 77: 51-62. <http://dx.doi.org/10.2451/2008PM0013>.
- Pacella, A; Andreozzi, GB; Fournier, J. (2010). Detailed crystal chemistry and iron topochemistry of asbestos occurring in its natural setting: A first step to understanding its chemical reactivity. *Chem Geol.* 277: 197-206. <http://dx.doi.org/10.1016/j.chemgeo.2010.07.018>.
- Pacella, A; Ballirano, P. (2016). Chemical and structural characterization of fibrous richterite with high environmental and health relevance from Libby, Montana (USA). *Periodico di Mineralogia.* 85: 169-177. <http://dx.doi.org/10.2451/2016PM638>.
- Pacella, A; Fantauzzi, M; Turci, F; Cremisini, C; Montereali, MR; Nardi, E; Atzei, D; Rossi, A; Andreozzi, GB. (2014). Dissolution reaction and surface iron speciation of UICC crocidolite in buffered solution at pH 7.4: A combined ICP-OES, XPS and TEM investigation. *Geochim Cosmo Acta.* 127: 221-232. <http://dx.doi.org/10.1016/j.gca.2013.11.035>.
- Pacella, A; Fantauzzi, M; Turci, F; Cremisini, C; Montereali, MR; Nardi, E; Atzei, D; Rossi, A; Andreozzi, GB. (2015). Surface alteration mechanism and topochemistry of iron in tremolite asbestos: A step toward understanding the potential hazard of amphibole asbestos. *Chem Geol.* 405: 28-38. <http://dx.doi.org/10.1016/j.chemgeo.2015.03.028>.
- Pacurari, M; Castranova, V; Vallyathan, V. (2010). Single- and multi-wall carbon nanotubes versus asbestos: Are the carbon nanotubes a new health risk to humans [Review]. *J Toxicol Environ Health A.* 73: 378-395. <http://dx.doi.org/10.1080/15287390903486527>.

Fate Literature Search Results

Off Topic

- Pacurari, M; Qian, Y; Fu, W; Schwegler-Berry, D; Ding, M; Castranova, V; Guo, NL. (2012). Cell permeability, migration, and reactive oxygen species induced by multiwalled carbon nanotubes in human microvascular endothelial cells. *J Toxicol Environ Health A*. 75: 112-128. <http://dx.doi.org/10.1080/15287394.2011.615110>.
- Pacurari, M; Schwegler-Berry, D; Friend, S; Leonard, S; Mercer, R; Vallyathan, V; Castranova, V. (2011). Raw single-walled carbon nanotube-induced cytotoxic effects in human bronchial epithelial cells: comparison to asbestos. *Toxicol Environ Chem*. 93: 1045-1072. <http://dx.doi.org/10.1080/02772248.2011.571530>.
- Pacurari, M; Xuejun, JY; Jinshun, Z; Ming, D; Leonard, SS; Schwegler-Berry, D; Ducatman, BS; Sbarra, D; Hoover, MD; Castranova, V; Vallyathan, V. (2008). Raw Single-Wall Carbon Nanotubes Induce Oxidative Stress and Activate MAPKs, AP-1, NF- κ B, and Akt in Normal and Malignant Human Mesothelial Cells. *Environ Health Perspect*. 116: 1211-1217. <http://dx.doi.org/10.1289/ehp.10924>.
- Padilla-Carlin, DJ; Schladweiler, MCJ; Shannahan, JH; Kodavanti, UP; Nyska, A; Burgoon, LD; Gavett, SH. (2011). Pulmonary inflammatory and fibrotic responses in Fischer 344 rats after intratracheal instillation exposure to Libby amphibole. *J Toxicol Environ Health A*. 74: 1111-1132. <http://dx.doi.org/10.1080/15287394.2011.586940>.
- Padron-Navarta, JA; Lopez Sanchez-Vizcaino, V; Hermann, J; Connolly, JAD; Garrido, CJ; Teresa Gomez-Pugnaire, M; Marchesi, C. (2013). Tschermak's substitution in antigorite and consequences for phase relations and water liberation in high-grade serpentinites. *Lithos*. 178: 186-196. <http://dx.doi.org/10.1016/j.lithos.2013.02.001>.
- Padron-Navarta, JA; Lopez-Sanchez-Vizcaino, V; Garrido, CJ; Gomez-Pugnaire, MT; Jabaloy, A; Capitani, GC; Mellini, M. (2008). Highly ordered antigorite from Cerro del Almirez HP-HT serpentinites, SE Spain. *Contributions to Mineralogy and Petrology*. 156: 679-688. <http://dx.doi.org/10.1007/s00410-008-0309-x>.
- Padron-Navarta, JA; Tommasi, A; Garrido, CJ; Lopez Sanchez-Vizcaino, V. (2012). Plastic deformation and development of antigorite crystal preferred orientation in high-pressure serpentinites. *Earth Planet Sci Lett*. 349: 75-86. <http://dx.doi.org/10.1016/j.epsl.2012.06.049>.
- Padron-Navarta, JA; Tommasi, A; Garrido, CJ; Mainprice, D. (2015). On topotaxy and compaction during antigorite and chlorite dehydration: an experimental and natural study. *Contributions to Mineralogy and Petrology*. 169. <http://dx.doi.org/10.1007/s00410-015-1129-4>.
- Paek, D. (2003). Asbestos problems yet to explode in Korea. *Int J Occup Environ Health*. 9: 266-271. <http://dx.doi.org/10.1179/oeht.2003.9.3.266>.
- Page, M; Dumas, L. (1985). MULTIPARAMETRIC IN-VITRO EVALUATION OF THE TOXICITY AND MUTAGENICITY OF ASBESTOS AND OTHER MINERAL FIBERS (pp. 28-28). (ISSN 0192-2521; BIOSIS/85/04815). Page, M; Dumas, L.
- Page, RT; Bloomfield, JJ. (1937). A Study of Dust Control Methods in an Asbestos Fabricating Plant. *Public Health Rep*. 52: 1713-1727.
- Paget-Bailly, S; Cyr, D; Luce, D. (2012). Occupational exposures to asbestos, polycyclic aromatic hydrocarbons and solvents, and cancers of the oral cavity and pharynx: a quantitative literature review [Review]. *Int Arch Occup Environ Health*. 85: 341-351. <http://dx.doi.org/10.1007/s00420-011-0683-y>.
- Paget-Bailly, S; Guida, F; Carton, M; Menvielle, G; Radoï, L; Cyr, D; Schmaus, A; Cénée, S; Papadopoulos, A; Févotte, J; Pilorget, C; Velten, M; Guizard, AV; Stücker, I; Luce, D. (2013). Occupation and head and neck cancer risk in men: results from the ICARE study, a French population-based case-control study. *J Occup Environ Med*. 55: 1065-1073. <http://dx.doi.org/10.1097/JOM.0b013e318298fae4>.
- Paglietti, F; Malinconico, S; della Staffa, BC; Bellagamba, S; De Simone, P. (2016). Classification and management of asbestos-containing waste: European legislation and the Italian experience. *Waste Manag*. 50: 130-150. <http://dx.doi.org/10.1016/j.wasman.2016.02.014>.
- Paglietti, F; Malinconico, S; Di Molfetta, V; Bellagamba, S; Damiani, F; Gennari, F; De Simone, P; Sallusti, F; Giangrasso, M. (2012). Asbestos Risk: From Raw Material to Waste Management: The Italian Experience. *Crit Rev Environ Sci Tech*. 42: 1781-1861. <http://dx.doi.org/10.1080/10643389.2011.569875>.
- Paglietti, F; Malinconico, S; Di Molfetta, V; Giangrasso, M. (2012). Guidelines for asbestos remediation at Italian superfund sites [Review]. 30: 253-286. <http://dx.doi.org/10.1080/10590501.2012.705161>.
- Pagoto, S; Hillhouse, J; Heckman, CJ; Coups, EJ; Stapleton, J; Buller, D; Turrisi, R; Robinson, J; Geller, AC. (2014). Society of Behavioral Medicine (SBM) position statement: ban indoor tanning for minors. 4: 124-126. <http://dx.doi.org/10.1007/s13142-013-0240-1>.
- Pairon, JC; Billongalland, MA; Iwatsubo, Y; Bernstein, M; Gaudichet, A; Bignon, J; Brochard, P. (1994). BIOPERSISTENCE OF NONFIBROUS MINERAL PARTICLES IN THE RESPIRATORY TRACTS OF SUBJECTS FOLLOWING OCCUPATIONAL EXPOSURE. *Environ Health Perspect*. 102: 269-275. <http://dx.doi.org/10.2307/3432102>.
- Pairon, JC; Jaurand, MC; Laurent, F; Salmi, R; Astoul, P; Galateau-Sallé, F; Brochard, P. (2006). [How to assess asbestos exposure and identify a population at risk?]. *Rev Mal Respir*. 23: 11S19-27.
- Pairon, JC; Martinon, L; Iwatsubo, Y; Vallentin, F; Billon-Galland, MA; Bignon, J; Brochard, P. (1994). Retention of asbestos bodies in the lungs of welders. *Am J Ind Med*. 25: 793-804.
- Pairon, JC; Orłowski, E; Iwatsubo, Y; Billon-Galland, MA; Dufour, G; Chamming's, S; Archambault, C; Bignon, J; Brochard, P. (1994). Pleural mesothelioma and exposure to asbestos: evaluation from work histories and analysis of asbestos bodies in bronchoalveolar lavage fluid or lung tissue in 131 patients. *Occup Environ Med*. 51: 244-249.
- Pairon, JC; Roos, F; Sebastien, P; Chamak, B; Abd-alsamad, I; Bernaudin, JF; Bignon, J; Brochard, P. (1995). Biopersistence of cerium in the human respiratory tract and ultrastructural findings. *Am J Ind Med*. 27: 349-358.
- Pal, T; Maity, PK; Das, D; Mitra, S. (1993). OXIDATION CHARACTER OF CHLORITE FROM BYRAPUR CHROMITE DEPOSIT, INDIA - A FE-57 MOSSBAUER EVALUATION. *Bulletin of Materials Science*. 16: 229-237.
- Pałaszewska-Tkacz, A; Czerczak, S; Konieczko, K. (2015). [Carcinogenic and mutagenic agents in the workplace, Poland, 2011-2012]. *Med Pr*. 66: 29-38.
- Palinkas, LA; Sostaric, SB; Palinkas, SS. (2008). Metallogeny of the Northwestern and Central Dinarides and Southern Tisia. *Ore Geol Rev*. 34: 501-520. <http://dx.doi.org/10.1016/j.oregeorev.2008.05.006>.
- Pallesen, BE. (1996). The quality of combine-harvested fibre flax for industrial purposes depends on the degree of retting. *Ind Crop Prod*. 5: 65-78.

Fate Literature Search Results

Off Topic

- Palomäki, J; Välimäki, E; Sund, J; Vippola, M; Clausen, PA; Jensen, KA; Savolainen, K; Matikainen, S; Alenius, H. (2011). Long, needle-like carbon nanotubes and asbestos activate the NLRP3 inflammasome through a similar mechanism. *ACS Nano*. 5: 6861-6870. <http://dx.doi.org/10.1021/nn200595c>.
- Pan, SY; Ugnat, AM; Mao, Y; Group, CCRER. (2005). Occupational risk factors for brain cancer in Canada. *J Occup Environ Med*. 47: 704-717.
- Pan, YM; Fleet, ME. (1992). CALC-SILICATE ALTERATION IN THE HEMLO GOLD DEPOSIT, ONTARIO - MINERAL ASSEMBLAGES, P-T-X CONSTRAINTS, AND SIGNIFICANCE. *Econ Geol*. 87: 1104-1120.
- Pan, YM; Fleet, ME. (1992). MINERAL CHEMISTRY AND GEOCHEMISTRY OF VANADIAN SILICATES IN THE HEMLO GOLD DEPOSIT, ONTARIO, CANADA. *Contributions to Mineralogy and Petrology*. 109: 511-525.
- Panahi, D; Kakooei, H; Marioryad, H; Mehrdad, R; Golhosseini, M. (2011). Evaluation of exposure to the airborne asbestos in an asbestos cement sheet manufacturing industry in Iran. *Environ Monit Assess*. 178: 449-454. <http://dx.doi.org/10.1007/s10661-010-1703-1>.
- Pandita, S. (2006). Banning asbestos in Asia: campaigns and strategies by the Asian Network for the Rights of Occupational Accident Victims (ANROAV). *Int J Occup Environ Health*. 12: 248-253. <http://dx.doi.org/10.1179/oeh.2006.12.3.248>.
- Pang, D. (1999). A relative power table for nested matched case-control studies. *Occup Environ Med*. 56: 67-69.
- Pang, TW. (2000). Precision and accuracy of asbestos fiber counting by phase contrast microscopy. *AIHAJ*. 61: 529-538.
- Pang, TW; Harper, M. (2008). The quality of fiber counts using improved slides with relocatable fields. *J Environ Monit*. 10: 89-95. <http://dx.doi.org/10.1039/b712323j>.
- Pang, TWS; Dicker, WL; Nazar, MA. (1984). An Evaluation Of The Precision And Accuracy Of The Direct Transfer Method For The Analysis Of Asbestos Fibers With Comparison To The NIOSH Method. *Am Ind Hyg Assoc J*. 45: 329-335. <http://dx.doi.org/10.1080/15298668491399875>.
- Pang, TWS; Robinson, AE. (1981). A TECHNIQUE TO PREPARE ASBESTOS AIR SAMPLES FOR LIGHT AND ELECTRON-MICROSCOPY. *Br J Ind Med*. 38: 389-393.
- Pang, TWS; Schonfeld, FA; Nazar, MA. (1987). THE DETERMINATION OF TREMOLITE ASBESTOS IN TALC POWDER SAMPLES. *Ann Occup Hyg*. 31: 219-&.
- Pang, TWS; Schonfeld, FA; Patel, K. (1988). THE PRECISION AND ACCURACY OF A METHOD FOR THE ANALYSIS OF AMOSITE ASBESTOS. *Am Ind Hyg Assoc J*. 49: 351-356.
- Pang, TWS; Schonfeldstarr, FA; Patel, K. (1989). AN IMPROVED MEMBRANE-FILTER TECHNIQUE FOR EVALUATION OF ASBESTOS FIBERS. *Am Ind Hyg Assoc J*. 50: 174-180.
- Pang, ZC; Zhang, Z; Wang, Y; Zhang, H. (1997). Mortality from a Chinese asbestos plant: overall cancer mortality. *Am J Ind Med*. 32: 442-444.
- Pantelica, A; Georgescu, Il; Murariu-Magureanu, MD; Margaritescu, I; Cincu, E. (2001). Thorium determination in intercomparison samples and in some romanian building materials by gamma ray spectrometry. *Radiat Prot Dosimetry*. 97: 187-191.
- Paoletti, L; Batisti, D; Bruno, C; Di Paola, M; Gianfagna, A; Mastrantonio, M; Nesti, M; Comba, P. (2000). Unusually high incidence of malignant pleural mesothelioma in a town of eastern Sicily: an epidemiological and environmental study. *Arch Environ Health*. 55: 392-398. <http://dx.doi.org/10.1080/00039890009604036>.
- Paoletti, L; Bruni, BM. (2009). [Size distribution of amphibole fibres from lung and pleural tissues sampled from mesothelioma cases due to environmental exposure]. *Med Lav*. 100: 11-20.
- Paoletti, L; Caiazza, S; Chessa, E; Notargiacomo, S; Donelli, G. (1982). ASBESTOS CONTAMINATION OF TALC - ELECTRON-MICROSCOPY AND X-RAY-MICROANALYSIS STUDY. 7: A74-A74.
- Paoletti, L; Caiazza, S; Donelli, G; Pocchiari, F. (1984). Evaluation by electron microscopy techniques of asbestos contamination in industrial, cosmetic, and pharmaceutical talcs. *Regul Toxicol Pharmacol*. 4: 222-235.
- Paoletti, L; Puledra, S. (1992). An approach to the classification and assessment of asbestos-containing wastes - Description of a survey conducted in an industrial area. 83: 371-380.
- Papanicolaou, GC; Paspaspyrides, CD. (1987). THE INFLUENCE OF FIBER PRETREATMENT ON THE MECHANICAL-PROPERTIES OF EPOXY-ASBESTOS COMPOSITES. *Mater Chem Phys*. 17: 453-460.
- Papanicolaou, GC; Paspaspyrides, CD. (1988). EFFECT OF FIBER PRE-TREATMENT ON THERMAL-CHARACTERISTICS OF ASBESTOS NYLON EPOXY COMPOSITES. *Compos Sci Tech*. 31: 261-272.
- Papirer, E. (1981). UNUSUAL APPLICATION OF CHRYSOTILE ASBESTOS - THE ELIMINATION OF USED OIL-EMULSIONS. *Clays and Clay Minerals*. 29: 69-70.
- Papirer, E; Roland, P. (1981). GRINDING OF CHRYSOTILE IN HYDROCARBONS, ALCOHOL, AND WATER. *Clays and Clay Minerals*. 29: 161-170.
- Parent, ME; Hua, Y; Siemiatycki, J. (2000). Occupational risk factors for renal cell carcinoma in Montreal. *Am J Ind Med*. 38: 609-618.
- Parent, ME; Siemiatycki, J; Fritschi, L. (2000). Workplace exposures and oesophageal cancer. *Occup Environ Med*. 57: 325-334.
- Parent, ME; Siemiatycki, J; Laplante, E; Desy, M. (2003). Risk of lung cancer and mesothelioma associated with occupational exposure to asbestos: A population-based case-control study in Montreal, Canada. *Epidemiology*. 14: S69-S70.
- Paris, C; Benichou, J; Raffaelli, C; Genevois, A; Fournier, L; Menard, G; Broessel, N; Ameille, J; Brochard, P; Gillon, JC; Gislard, A; Letourneux, M. (2004). Factors associated with early-stage pulmonary fibrosis as determined by high-resolution computed tomography among persons occupationally exposed to asbestos. *Scand J Work Environ Health*. 30: 206-214.
- Paris, C; Gonzalez, M. (2010). Epidemiology and traceability of occupational exposures to carcinogens. *Arch Mal Prof Environ*. 71: 242-247. <http://dx.doi.org/10.1016/j.admp.2010.03.062>.
- Paris, C; Martin, A; Letourneux, M; Wild, P. (2008). Modelling prevalence and incidence of fibrosis and pleural plaques in asbestos-exposed populations for screening and follow-up: a cross-sectional study. *Environ Health*. 7: 30. <http://dx.doi.org/10.1186/1476-069X-7-30>.
- Paris, C; Maurel, M; Luc, A; Stoufflet, A; Pairon, JC; Letourneux, M. (2010). CT scan screening is associated with increased distress among subjects of the APExS. *BMC Public Health*. 10: 647. <http://dx.doi.org/10.1186/1471-2458-10-647>.

Fate Literature Search Results

Off Topic

- Park, D. (2008). Trends in occupational asbestos exposure and asbestos consumption over recent decades in Korea (vol 14, pg 18, 2008). *Int J Occup Environ Health*. 14: 93-93.
- Park, D; Choi, S; Ryu, K; Park, J; Paik, N. (2008). Trends in occupational asbestos exposure and asbestos consumption over recent decades in Korea. *Int J Occup Environ Health*. 14: 18-24. <http://dx.doi.org/10.1179/oeh.2008.14.1.18>.
- Park, EK; Hannaford-Turner, KM; Hyland, RA; Johnson, AR; Yates, DH. (2008). Asbestos-related occupational lung diseases in NSW, Australia and potential exposure of the general population [Review]. *Ind Health*. 46: 535-540.
- Park, EK; Takahashi, K; Hoshuyama, T; Cheng, TJ; Delgermaa, V; Le, GV; Sorahan, T. (2011). Global magnitude of reported and unreported mesothelioma. *Environ Health Perspect*. 119: 514-518. <http://dx.doi.org/10.1289/ehp.1002845>.
- Park, EK; Thomas, PS; Wilson, D; Choi, HJ; Johnson, AR; Yates, DH. (2011). Chest pain in asbestos and silica-exposed workers. *Occup Med (Lond)*. 61: 178-183. <http://dx.doi.org/10.1093/occmed/kqr011>.
- Park, J; Hisanaga, N; Kim, Y. (2009). Transfer of occupational health problems from a developed to a developing country: Lessons from the Japan-South Korea experience. *Am J Ind Med*. 52: 625-632. <http://dx.doi.org/10.1002/ajim.2072>.
- Park, JK; Moon, YP; Park, BC; Song, MJ; Ko, KS; Cho, JM. (2001). Non-combustible waste vitrification with plasma torch melter. *J Environ Sci Health A Tox Hazard Subst Environ Eng*. 36: 861-871.
- Parker, GE. (1982). OCCUPATIONAL-DISEASE - THE ASBESTOS EXPERIENCE. 68: 19-&.
- Parker, LM; Patterson, JE. (1994). CATALYSTS FOR LOW-TEMPERATURE OXIDATION OF ETHENE. *ACS Symp Ser Am Chem Soc*. 552: 301-315.
- Parkin, DM; Vizcaino, AP; Skinner, MEG; Ndhlovu, A. (1994). CANCER PATTERNS AND RISK-FACTORS IN THE AFRICAN POPULATION OF SOUTHWESTERN ZIMBABWE, 1963-1977. *Cancer Epidemiol Biomarkers Prev*. 3: 537-547.
- Parkinson, DK. (1981). ASBESTOS WORKERS AND LUNG-CANCER - REPLY. *Am J Public Health*. 71: 1409-1409.
- Parkinson, G. (1986). MAKERS OF GASKETS, PACKING, TRY ASBESTOS REPLACEMENTS. *Chem Eng*. 93: 23-&.
- Parks, HJ. (1983). WATER JET SLICES ASBESTOS SAFELY. 36: 10-&.
- Parmar, JP. (1992). ESOPHAGEAL CARCINOMA WITH ASBESTOS BODIES [Letter]. *Am J Ind Med*. 21: 605-608.
- Parrish, RG; Hartle, R; Groth, D. (1985). Health Hazard Evaluation Report No. HETA-83-044-1596, General Electric Plant, Evendale, Ohio (pp. 83-044). (NIOSH/00153673). Parrish, RG; Hartle, R; Groth, D.
- Parsons, RC; Bryant, DG; Edstrom, HW. (1986). Variation in fibre and dust counts in an asbestos mine and mill. *Ann Occup Hyg*. 30: 63-75.
- Partanen, R; Hemminki, K; Koskinen, H; Luo, JC; Carney, WP; Brandt-Rauf, PW. (1994). The detection of increased amounts of the extracellular domain of the epidermal growth factor receptor in serum during carcinogenesis in asbestosis patients. *J Occup Med*. 36: 1324-1328.
- Partanen, T; Heikkila, P; Hernberg, S; Kauppinen, T; Moneta, G; Ojarjarvi, A. (1991). Renal cell cancer and occupational exposure to chemical agents. *Scand J Work Environ Health*. 17: 231-239.
- Partanen, T; Nurminen, M; Zitting, A; Koskinen, H; Wiikeri, M; Ahlman, K. (1992). Localized pleural plaques and lung cancer. *Am J Ind Med*. 22: 185-192.
- Partridge, MA; Huang, SXL; Kibriya, MG; Ahsan, H; Davidson, MM; Hei, TK. (2009). Environmental mutagens induced transversions but not transitions in regulatory region of mitochondrial DNA. *J Toxicol Environ Health A*. 72: 301-304. <http://dx.doi.org/10.1080/15287390802526381>.
- Pascolo, L; Gianoncelli, A; Rizzardi, C; de Jonge, M; Howard, D; Paterson, D; Cammisuli, F; Salomé, M; De Paoli, P; Melato, M; Canzonieri, V. (2016). Focused X-Ray Histological Analyses to Reveal Asbestos Fibers and Bodies in Lungs and Pleura of Asbestos-Exposed Subjects. 22: 1062-1071. <http://dx.doi.org/10.1017/S1431927616011685>.
- Pasetto, R; Biggeri, A; Comba, P; Pirastu, R. (2007). Mortality in the cohort of workers of the petrochemical plant in Gela (Sicily) 1960-2002. *Epidemiol Prev*. 31: 39-45.
- Pasetto, R; Terracini, B; Marsili, D; Comba, P. (2014). Occupational burden of asbestos-related cancer in Argentina, Brazil, Colombia, and Mexico. 80: 263-268. <http://dx.doi.org/10.1016/j.aogh.2014.09.003>.
- Pasquier, LC; Mercier, G; Blais, JF; Cecchi, E; Kentish, S. (2014). Parameters optimization for direct flue gas CO2 capture and sequestration by aqueous mineral carbonation using activated serpentinite based mining residue. *Appl Geochem*. 50: 66-73. <http://dx.doi.org/10.1016/j.apgeochem.2014.08.008>.
- Pasquier, LC; Mercier, G; Blais, JF; Cecchi, E; Kentish, S. (2014). Reaction mechanism for the aqueous-phase mineral carbonation of heat-activated serpentine at low temperatures and pressures in flue gas conditions. *Environ Sci Technol*. 48: 5163-5170. <http://dx.doi.org/10.1021/es405449v>.
- Pastuszka, JS. (2009). Emission of airborne fibers from mechanically impacted asbestos-cement sheets and concentration of fibrous aerosol in the home environment in Upper Silesia, Poland. *J Hazard Mater*. 162: 1171-1177. <http://dx.doi.org/10.1016/j.jhazmat.2008.06.045>.
- Pastuszka, JS. (2010). EMISSION OF AIRBORNE FIBERS FROM MECHANICALLY IMPACTED NON-ASBESTOS FIBER-CONTAINING MATERIALS: PRELIMINARY RESULTS. *Arch Environ Prot*. 36: 3-12.
- Pastuszka, JS; Kabala-Dzik, A; Paw, KT. (1999). A study of fibrous aerosols in the home environment in Sosnowiec, Poland. *Sci Total Environ*. 229: 131-136.
- Patel, HJ; Kwon, S. (2013). Length-dependent effect of single-walled carbon nanotube exposure in a dynamic cell growth environment of human alveolar epithelial cells. *J Expo Sci Environ Epidemiol*. 23: 101-108. <http://dx.doi.org/10.1038/jes.2012.75>.
- Patel-Mandlik, K; Millette, J. (1983). Accumulation of ingested asbestos fibers in rat tissues over time. *Environ Health Perspect*. 53: 197-200.
- Patel-Mandlik, KJ. (1981). Asbestos fibers in normal and cancerous human kidneys. *Arch Environ Contam Toxicol*. 10: 47-54. <http://dx.doi.org/10.1007/BF01057574>.
- Patelmandlik, KJ; Hallenbeck, WH; Millette, J. R. (1979). ASBESTOS FIBERS .1. MODIFIED PREPARATION OF TISSUE SAMPLES FOR ANALYSIS BY ELECTRON-MICROSCOPY .2. PRESENCE OF FIBERS IN TISSUES OF BABOON FED CHRYSOTILE ASBESTOS. *J Environ Pathol Toxicol*. 2: 1385-1395.

Fate Literature Search Results

Off Topic

- Patrick, G; Rood, AP; Hoskins, JA; Mongan, LC; Houghton, CE; Jones, T; Dinsdale, D. (2001). A novel synthetic erionite fibre radiolabelled with Co-57. *Ann Occup Hyg.* 45: 365-370.
- Pattnaik, BK; Equeenuddin, S, kMd. (2016). Potentially toxic metal contamination and enzyme activities in soil around chromite mines at Sukinda Ultramafic Complex, India. *J Geochem Explor.* 168: 127-136. <http://dx.doi.org/10.1016/j.gexplo.2016.06.011>.
- Paul, BN; Prakash, A; Kumar, S; Yadav, AK; Mani, U; Saxena, AK; Sahu, AP; Lal, K; Dutta, KK. (2002). Silica induced early fibrogenic reaction in lung of mice ameliorated by *Nyctanthes arbortristis* extract. *Biomed Environ Sci.* 15: 215-222.
- Paull, JM; Corn, M; Lees P, SJ; Breyse, PN. (1986). NON-OCCUPATIONAL EXPOSURE TO ASBESTOS IN BUILDINGS A PRACTICAL RISK MANAGEMENT PROGRAM. *Am Ind Hyg Assoc J.* 47: 497-504.
- Pauly, JL; Stegmeier, SJ; Allaart, HA; Cheney, RT; Zhang, PJ; Mayer, AG; Streck, RJ. (1998). Inhaled cellulosic and plastic fibers found in human lung tissue. *Cancer Epidemiol Biomarkers Prev.* 7: 419-428.
- Paunescu, M. (2010). Behaviour of Non-Metallic Gaskets in Small and Medium Pressure Conditions. *Rev Chim.* 61: 118-120.
- Paustenbach, DJ; Finley, BL; Lu, ET; Brorby, GP; Sheehan, PJ. (2004). Environmental and occupational health hazards associated with the presence of asbestos in brake linings and pads (1900 to present): a "state-of-the-art" review [Review]. *J Toxicol Environ Health B Crit Rev.* 7: 25-80. <http://dx.doi.org/10.1080/10937400490231494>.
- Paustenbach, DJ; Finley, BL; Sheehan, PJ; Brorby, GP. (2006). Re: Evaluation of the size and type of free particulates collected from unused asbestos-containing brake components as related to potential for respirability [Letter]. *Am J Ind Med.* 49: 60-61; author reply 62-64. <http://dx.doi.org/10.1002/ajim.20236>.
- Paustenbach, DJ; Madl, AK; Donovan, E; Clark, K; Fehling, K; Lee, TC. (2006). Chrysotile asbestos exposure associated with removal of automobile exhaust systems (ca. 1945-1975) by mechanics: results of a simulation study. *J Expo Sci Environ Epidemiol.* 16: 156-171. <http://dx.doi.org/10.1038/sj.jea.7500450>.
- Paustenbach, DJ; Richter, RO; Finley, BL; Sheehan, PJ. (2003). An evaluation of the historical exposures of mechanics to asbestos in brake dust. *Appl Occup Environ Hyg.* 18: 786-804. <http://dx.doi.org/10.1080/10473220301439>.
- Paustenbach, DJ; Sage, A; Bono, M; Mowat, F. (2004). Occupational exposure to airborne asbestos from coatings, mastics, and adhesives. *J Expo Anal Environ Epidemiol.* 14: 234-244. <http://dx.doi.org/10.1038/sj.jea.7500320>.
- Pavlidis, T; Steiglit, K. (1978). AUTOMATIC COUNTING OF ASBESTOS FIBERS IN AIR SAMPLES. *I E E Transactions on Computers.* 27: 258-261.
- Pavlovich, MS; Jenkins, DM. (2003). Assessment of cation substitutions along the gallium and fluorine analogue of the tremolite-glaucophane join. *Am Mineral.* 88: 1486-1495.
- Pavone, VL; Scarnato, C; Marinilli, P; Costellati, L; Tiranno, A; Alberghini, V; Pandolfi, P. (2012). [Mortality in a cohort of railway rolling stock construction and repair workers in Bologna]. *Med Lav.* 103: 112-122.
- Pawełczyk, A; Božek, F. (2015). Health risk associated with airborne asbestos. *Environ Monit Assess.* 187: 428. <http://dx.doi.org/10.1007/s10661-015-4614-3>.
- Pawley, AR. (1998). The reaction talc plus forsterite = enstatite plus H₂O: New experimental results and petrological implication. *Am Mineral.* 83: 51-57.
- Pawley, AR; Graham, CM; Navrotsky, A. (1993). TREMOLITE-RICHTERITE AMPHIBOLES - SYNTHESIS, COMPOSITIONAL AND STRUCTURAL CHARACTERIZATION, AND THERMOCHEMISTRY. *Am Mineral.* 78: 23-35.
- Pearce, N. (1988). Multistage modelling of lung cancer mortality in asbestos textile workers. *Int J Epidemiol.* 17: 747-752.
- Pearce, N; Checkoway, H; Dement, J. (1988). Exponential models for analyses of time-related factors, illustrated with asbestos textile worker mortality data. *J Occup Med.* 30: 517-522.
- Pearce, N; Matos, E; Boffetta, P; Kogevinas, M; Vainio, H. (1994). Occupational Exposures to Carcinogens in Developing Countries (pp. 684-689). (NIOSH/00225268). Pearce, N; Matos, E; Boffetta, P; Kogevinas, M; Vainio, H.
- Pearle, JL. (1982). Smoking and duration of asbestos exposure in the production of functional and roentgenographic abnormalities in shipyard workers. *J Occup Med.* 24: 37-40.
- Pearson, VAH; Sims, PA. (1992). AN ASBESTOS HAZARD IN NORTH DEVON. *J Publ Health Med.* 14: 376-379.
- Pearson, WL. (1985). CEMENT ASBESTOS AND OCCUPATIONAL-HEALTH. 31: 13-14.
- Peck, AS; Serocki, JJ; Dicker, LC. (1985). AIRBORNE ASBESTOS MEASUREMENT - PRELIMINARY FINDINGS IDENTIFY A NEW SOURCE OF VARIABILITY IN THE MEMBRANE-FILTER METHOD. *Am Ind Hyg Assoc J.* 46: B14-B16.
- Peck, AS; Serocki, JJ; Dicker, LC. (1986). SAMPLE DENSITY AND THE QUANTITATIVE CAPABILITIES OF PCM ANALYSIS FOR THE MEASUREMENT OF AIRBORNE ASBESTOS. *Am Ind Hyg Assoc J.* 47: A230-&.
- Pedra, F; Tambellini, AT; Pereira, B; da Costa, AC; de Castro, HA. (2008). Mesothelioma mortality in Brazil, 1980-2003. *Int J Occup Environ Health.* 14: 170-175. <http://dx.doi.org/10.1179/oeh.2008.14.3.170>.
- Pedreira-Segade, U; Feuillie, C; Pelletier, M; Michot, LJ; Daniel, I. (2016). Adsorption of nucleotides onto ferromagnesian phyllosilicates: Significance for the origin of life. *Geochim Cosmo Acta.* 176: 81-95. <http://dx.doi.org/10.1016/j.gca.2015.12.025>.
- Peipins, LA; Lewin, M; Campolucci, S; Lybarger, JA; Miller, A; Middleton, D; Weis, C; Spence, M; Black, B; Kapil, V. (2003). Radiographic abnormalities and exposure to asbestos-contaminated vermiculite in the community of Libby, Montana, USA. *Environ Health Perspect.* 111: 1753-1759. <http://dx.doi.org/10.1289/ehp.6346>.
- Pekarskii, GS; Volchenko, YA; Katsman, YY; Kucher, GA. (1978). NONDESTRUCTIVE NEUTRON-RADIATION TESTING OF MOISTURE-CONTENT IN NEWLY FORMED ASBESTOS-CEMENT PIPES. *Measurement Techniques.* 21: 713-715.
- Pelclová, D; Bartůnková, J; Fenclová, Z; Lebedová, J; Hladíková, M; Benáková, H. (2003). Asbestos exposure and antineutrophil cytoplasmic Antibody (ANCA) positivity. *Arch Environ Health.* 58: 662-668. <http://dx.doi.org/10.3200/AEOH.58.10.662-668>.
- Pelclová, D; Fenclová, Z; Kacer, P; Kuzma, M; Navrátil, T; Lebedová, J. (2008). Increased 8-isoprostane, a marker of oxidative stress in exhaled breath condensate in subjects with asbestos exposure. *Ind Health.* 46: 484-489.

Fate Literature Search Results

Off Topic

- Pelclová, D; Fenclová, Z; Syslová, K; Vlčková, S; Lebedová, J; Pecha, O; Běláček, J; Navrátil, T; Kuzma, M; Kačer, P. (2011). Oxidative stress markers in exhaled breath condensate in lung fibroses are not significantly affected by systemic diseases. *Ind Health*. 49: 746-754.
- Pelclová, D; Fenclová, Z; Vlčková, S; Lebedová, J; Syslová, K; Pecha, O; Beláček, J; Navrátil, T; Kuzma, M; Kacer, P. (2012). Leukotrienes B4, C4, D4 and E4 in the exhaled breath condensate (EBC), blood and urine in patients with pneumoconiosis. *Ind Health*. 50: 299-306.
- Pelcova, D; Zdimal, V; Fenclova, Z; Vlckova, S; Turci, F; Corazzari, I; Kacer, P; Schwarz, J; Zikova, N; Makes, O; Syslova, K; Komarc, M; Belacek, J; Navratil, T; Machajova, M; Zakharov, S. (2016). Markers of oxidative damage of nucleic acids and proteins among workers exposed to TiO2 (nano) particles. *Occup Environ Med*. 73: 110-118. <http://dx.doi.org/10.1136/oemed-2015-103161>.
- Pele, JP; Calvert, R. (1983). A COMPARATIVE-STUDY ON THE HEMOLYTIC ACTION OF SHORT ASBESTOS FIBERS ON HUMAN, RAT, AND SHEEP ERYTHROCYTES. *Environ Res*. 31: 164-175.
- Pele, JP; Calvert, R. (1983). HEMOLYSIS BY CHRYSOTILE ASBESTOS FIBERS .1. INFLUENCE OF THE SIALIC-ACID CONTENT IN HUMAN, RAT, AND SHEEP RED-BLOOD-CELL MEMBRANES. *J Toxicol Environ Health*. 12: 827-840.
- Pele, JP; Dunnigan, J; Calvert, R. (1983). THE HEMOLYTIC-ACTIVITY OF CHRYSOTILE ASBESTOS FIBERS - A FREEZE-FRACTURE STUDY. *Environ Res*. 31: 152-163.
- Pelin, K; Hirvonen, A; Taavitsainen, M; Linnainmaa, K. (1995). Cytogenetic response to asbestos fibers in cultured human primary mesothelial cells from 10 different donors. *Mutat Res*. 334: 225-233.
- Pelin, K; Kivipensas, P; Linnainmaa, K. (1995). Effects of asbestos and man-made vitreous fibers on cell division in cultured human mesothelial cells in comparison to rodent cells. *Environ Mol Mutagen*. 25: 118-125.
- Pellerin, N; Bessada, C; Gruener, G; Boizot, B. (2001). Plasma: A possible solution for stabilisation of waste? *High Temperature Material Processes*. 5: 301-312.
- Pelletier, L; Muntener, O; Kalt, A; Vennemann, TW; Belgya, T. (2008). Emplacement of ultramafic rocks into the continental crust monitored by light and other trace elements: An example from the Geisspfad body (Swiss-Italian Alps). *Chem Geol*. 255: 143-159. <http://dx.doi.org/10.1016/j.chemgeo.2008.06.024>.
- Pelletier, L; Vils, F; Kalt, A; Gmeling, K. (2008). Li, B and Be Contents of Harzburgites from the Dramala Complex (Pindos Ophiolite, Greece): Evidence for a MOR-type Mantle in a Supra-subduction Zone Environment. *Journal of Petrology*. 49: 2043-2080. <http://dx.doi.org/10.1093/petrology/egn057>.
- Penczak, RS; Mason, R. (1997). Metamorphosed Archean epithermal Au-As-Sb-Zn-(Hg) vein mineralization at the Campbell mine, northwestern Ontario. *Econ Geol*. 92: 696-719.
- Penczak, RS; Mason, R. (1999). Characteristics and origin of Archean premetamorphic hydrothermal alteration at the Campbell gold mine, northwestern Ontario, Canada. *Econ Geol*. 94: 507-527.
- Peng, L; Wang, X. (1993). Lymphocyte B and T cell subsets in peripheral blood from patients with asbestosis. *Br J Ind Med*. 50: 183-184.
- Peng, Y; Jing, Y. (2014). Hydrothermal preparation of analogous matrix minerals of CM carbonaceous chondrites from metal alloy particles. *Earth Planet Sci Lett*. 408: 252-262. <http://dx.doi.org/10.1016/j.epsl.2014.10.020>.
- Peng, Y; Xu, L; Xi, G; Zhong, C; Lu, J, un; Meng, Z; Li, G; Zhang, S; Zhang, G; Qian, Y. (2007). An experimental study on the hydrothermal preparation of tochilinite nanotubes and tochilinite-serpentine-intergrowth nanotubes from metal particles. *Geochim Cosmo Acta*. 71: 2858-2875. <http://dx.doi.org/10.1016/j.gca.2007.03.012>.
- Pens, M; Andreani, M; Daniel, I; Perrillat, JP; Cardon, H. (2016). Contrasted effect of aluminum on the serpentinization rate of olivine and orthopyroxene under hydrothermal conditions. *Chem Geol*. 441: 256-264. <http://dx.doi.org/10.1016/j.chemgeo.2016.08.007>.
- Pepelko, WE. (1996). Evaluation of the carcinogenic risk of biochemically inert insoluble particles by the EPAa using rat inhalation data. *Part Sci Technol*. 14: 123-134.
- Pereda, MP; Gromaz, LE. (2007). Asbestos: Modification of regulation and methodology of fiber evaluation. *Dyna*. 82: 61-63.
- Pereira, D; Blanco, JA; Peinado, M. (2013). Study on Serpentinities and the Consequence of the Misuse of Natural Stone in Buildings for Construction. *Journal of Materials in Civil Engineering*. 25: 1563-1567. [http://dx.doi.org/10.1061/\(ASCE\)MT.1943-5533.0000689](http://dx.doi.org/10.1061/(ASCE)MT.1943-5533.0000689).
- Pereira, MJ; Lima, MMF; Lima, RMF. (2014). Calcination and characterisation studies of a Brazilian manganese ore tailing. *Int J Miner Process*. 131: 26-30. <http://dx.doi.org/10.1016/j.minpro.2014.08.003>.
- Pereira, MM; Raposo, NR; Brayner, R; Teixeira, EM; Oliveira, V; Quintão, CC; Camargo, LS; Mattoso, LH; Brandão, HM. (2013). Cytotoxicity and expression of genes involved in the cellular stress response and apoptosis in mammalian fibroblast exposed to cotton cellulose nanofibers. *Nanotechnology*. 24: 075103. <http://dx.doi.org/10.1088/0957-4484/24/7/075103>.
- Peretti, A; Dubessy, J; Mullis, J; Frost, BR; Trommsdorff, V. (1992). HIGHLY REDUCING CONDITIONS DURING ALPINE METAMORPHISM OF THE MALENCO PERIDOTITE (SONDRIO, NORTHERN ITALY) INDICATED BY MINERAL PARAGENESIS AND H-2 IN FLUID INCLUSIONS. *Contributions to Mineralogy and Petrology*. 112: 329-340.
- Perić, I; Novak, K; Barisić, I; Mise, K; Vucković, M; Janković, S; Tocilj, J. (2009). Interobserver variations in diagnosing asbestosis according to the ILO classification. *Arh Hig Rada Toksikol*. 60: 191-195. <http://dx.doi.org/10.2478/10004-1254-60-2009-1904>.
- Perkins, JL; Cutter, GN; Cleveland, MS. (1990). Estimating the mean, variance, and confidence limits from censored (less than limit of detection), lognormally/distributed exposure data. *Am Ind Hyg Assoc J*. 51: 416-419.
- Perkins, RA; Hargesheimer, J; Fourie, W. (2007). Asbestos release from whole-building demolition of buildings with asbestos-containing material. *J Occup Environ Hyg*. 4: 889-894. <http://dx.doi.org/10.1080/15459620701691023>.
- Perkins, RA; Hargesheimer, J; Vaara, L. (2008). Evaluation of public and worker exposure due to naturally occurring asbestos in gravel discovered during a road construction project. *J Occup Environ Hyg*. 5: 609-616. <http://dx.doi.org/10.1080/15459620802289941>.
- Pernía Leal, M; Assali, M; Cid, JJ; Valdivia, V; Franco, JM; Fernández, I; Pozo, D; Khair, N. (2015). Synthesis of 1D-glyconanomaterials by a hybrid noncovalent-covalent functionalization of single wall carbon nanotubes: a study of their selective interactions with lectins and with live cells. *Nanoscale*. 7: 19259-19272. <http://dx.doi.org/10.1039/c5nr05956a>.

Fate Literature Search Results

Off Topic

- Perrillat, JP; Daniel, I; Koga, KT; Reynard, B; Cardon, H; Crichton, WA. (2005). Kinetics of antigorite dehydration: A real-time X-ray diffraction study. *Earth Planet Sci Lett.* 236: 899-913. <http://dx.doi.org/10.1016/j.epsl.2005.06.006>.
- Perry, HM; Aldon, EF; Brock, JH. (1987). RECLAMATION OF AN ASBESTOS MILL WASTE SITE IN THE SOUTHWESTERN UNITED-STATES. 6: 187-196.
- Perticaroli, P; Mengucci, R; Carletti, M; Magnini, P; Marcellini, M; Pettinari, A; Durastanti, M. (2013). [Asbestos-related diseases in former asbestos-cement workers in Senigallia]. *Med Lav.* 104: 277-288.
- Perumal, P; Khan, MH; Chang, S; Sangma, CTR. (2016). Effect of walking and summer stress on physiological, hematological and antioxidant profiles in mithun bulls. *Indian J Anim Sci.* 86: 751-757.
- Perunicic, B; Jablanov, L. (1987). AIRBORNE DUST LEVELS IN AN ASBESTOS PLANT USING CHRYSOTILE RESULTS OF SIMULTANEOUS MEASUREMENTS WITH FOUR METHODS (pp. 323-330). (BIOSIS/88/35152). Perunicic, B; Jablanov, L.
- Pesch, B; Haerting, J; Ranft, U; Klimpel, A; Oelschlägel, B; Schill, W. (2000). Occupational risk factors for renal cell carcinoma: Agent-specific results from a case-control study in Germany. *Int J Epidemiol.* 29: 1014-1024. <http://dx.doi.org/10.1093/ije/29.6.1014>.
- Pesch, B; Taeger, D; Johnen, G; Gross, IM; Weber, DG; Gube, M; Müller-Lux, A; Heinze, E; Wiethage, T; Neumann, V; Tannapfel, A; Raithele, HJ; Brüning, T; Kraus, T. (2010). Cancer mortality in a surveillance cohort of German males formerly exposed to asbestos. *Int J Hyg Environ Health.* 213: 44-51. <http://dx.doi.org/10.1016/j.ijheh.2009.09.001>.
- Peters, BJ. (1983). Systematic Safety Analysis of Asbestos Disease and Its Prevention. *Professional Safety.* pages 21: 21-27.
- Peters, GA; Peters, BJ. (1981). ASBESTOS PRODUCT LIABILITY. 4: 49-54.
- Peters, R. (1981). ASBESTOS-CEMENT PIPES FOR THE WATER INDUSTRY. 85: 297-&.
- Peters, S; van Oyen, SC; Alfonso, H; Fritschi, L; de Klerk, NH; Reid, A; Franklin, P; Gordon, L; Benke, G; Musk, AW. (2016). Response to Kottek and Kilpatrick, 'Estimating Occupational Exposure to Asbestos in Australia' [Letter]. *Ann Occup Hyg.* 60: 533-535. <http://dx.doi.org/10.1093/annhyg/mew010>.
- Peters, S; Vermeulen, R; Cassidy, A; Mannetje, AT; van Tongeren, M; Boffetta, P; Straif, K; Kromhout, H. (2011). Comparison of exposure assessment methods for occupational carcinogens in a multi-centre lung cancer case-control study. *Occup Environ Med.* 68: 148-153. <http://dx.doi.org/10.1136/oem.2010.055608>.
- Peters, S; Vermeulen, R; Olsson, A; Van Gelder, R; Kendzia, B; Vincent, R; Savary, B; Williams, N; Woldbæk, T; Lavoué, J; Cavallo, D; Cattaneo, A; Mirabelli, D; Plato, N; Dahmann, D; Fevotte, J; Pesch, B; Brüning, T; Straif, K; Kromhout, H. (2012). Development of an exposure measurement database on five lung carcinogens (ExpoSYN) for quantitative retrospective occupational exposure assessment. *Ann Occup Hyg.* 56: 70-79. <http://dx.doi.org/10.1093/annhyg/mer081>.
- Peters, S; Vermeulen, R; Portengen, L; Olsson, A; Kendzia, B; Vincent, R; Savary, B; Lavoué, J; Cavallo, D; Cattaneo, A; Mirabelli, D; Plato, N; Fevotte, J; Pesch, B; Brüning, T; Straif, K; Kromhout, H. (2016). SYN-JEM: A Quantitative Job-Exposure Matrix for Five Lung Carcinogens. *Ann Occup Hyg.* 60: 795-811. <http://dx.doi.org/10.1093/annhyg/mew034>.
- Peterson, MR; Naugle, DF; Berry, MA. (1990). Indoor Air - Assessment: Methods of Analysis for Environmental Carcinogens. 52.
- Pettersson, PE. (1980). COMMENTS ON STRENGTH AND FRACTURE PROPERTIES OF ASBESTOS-CEMENT MORTAR COMPOSITES. *Journal of Materials Science.* 15: 2387-2388.
- Pethran, A. (1990). ASBESTOS IN THE WORLD OF WORK - REVIEW OF POSSIBLE EXPOSURES TO ASBESTOS DUST. *Arbeitsmedizin, Sozialmedizin, Praeventivmedizin.* 25: 446-450.
- Petkowicz, DI; Brambilla, R; Radtke, C; Silva da Silva, CD; da Rocha, ZN; Pergher, SBC; dos Santos, JHZ. (2009). Photodegradation of methylene blue by in situ generated titania supported on a NaA zeolite. *Appl Catal A-Gen.* 357: 125-134. <http://dx.doi.org/10.1016/j.apcata.2008.12.040>.
- Petkowicz, DI; Rigo, RT; Radtke, C; Pergher, SB; dos Santos, JHZ. (2008). Zeolite NaA from Brazilian chrysotile and rice husk. *Microporous and Mesoporous Materials.* 116: 548-554. <http://dx.doi.org/10.1016/j.micromeso.2008.05.014>.
- Peto, J; Doll, R; Howard, SV; Kinlen, LJ; Lewinsohn, HC. (1977). A mortality study among workers in an English asbestos factory. *Br J Ind Med.* 34: 169-173.
- Peto, J; Gilham, C; Rake, C; Darnton, A; Hodgson, J; Burdett, G. (2016). Authors' reply to letters from Egilman et al and Oliver et al [Letter]. *Occup Environ Med.* 73: 710-711. <http://dx.doi.org/10.1136/oemed-2016-103870>.
- Petrisor, IG; Kanner, A. (2010). Chinese Drywall Environmental Forensic Opportunities. *Environ Forensics.* 11: 6-16. <http://dx.doi.org/10.1080/15275920903526445>.
- Petsonk, EL; Wang, M. (2010). Interpreting Screening Questionnaires Specific Respiratory Symptoms and Their Relationship to Objective Test Results. *J Occup Environ Med.* 52: 1225-1229. <http://dx.doi.org/10.1097/JOM.0b013e3181fd728f>.
- Pettazoni, M; Rivolta, G; Mascagni, P; Carcano, M; Porro, S; Toffoletto, F. (2007). [The presence of asbestos bodies in induced sputum as an indicator of asbestos exposure]. *Med Lav.* 98: 25-29.
- Pezerat, H. (2009). Chrysotile biopersistence: the misuse of biased studies. *Int J Occup Environ Health.* 15: 102-106. <http://dx.doi.org/10.1179/107735209799449770>.
- Pezerat, H; Guignard, J; Cherrie, JW. (1992). Man-made mineral fibers and lung cancer: An hypothesis. *Toxicol Ind Health.* 8: 1-2.
- Pfau, JC; Sentissi, JJ; Weller, G; Putnam, EA. (2005). Assessment of autoimmune responses associated with asbestos exposure in Libby, Montana, USA. *Environ Health Perspect.* 113: 25-30. <http://dx.doi.org/10.1289/ehp.7431>.
- Pflaumbaum, W. (2007). Activities with asbestos exposure. *Staub, Reinhaltung der Luft.* 67: 222-223.
- Phanpravit, W; Sujirarat, D; Musigapong, P; Sripaiboonkij, P; Chaikittiporn, C. (2012). Asbestos Exposure among Mitering Workers. *Saf Health Work.* 3: 235-240. <http://dx.doi.org/10.5491/SHAW.2012.3.3.235>.
- Phillips, CC; Hamilton, CB. (1994). A PRELIMINARY ASSESSMENT OF ASBESTOS AWARENESS AND CONTROL MEASURES IN BRAKE AND CLUTCH REPAIR SERVICES IN KNOXVILLE AND KNOX COUNTY, TENNESSEE. *J Environ Health.* 56: 7-12.

Fate Literature Search Results

Off Topic

- Phillips, G; Hand, M; Offler, R. (2008). P-T-t deformation framework of an accretionary prism, southern New England Orogen, eastern Australia: Implications for blueschist exhumation and metamorphic switching. *Tectonics*. 27. <http://dx.doi.org/10.1029/2008TC002323>.
- Phillips, JI; Murray, J. (2010). Malignant mesothelioma in a patient with anthophyllite asbestos fibres in the lungs. *Ann Occup Hyg*. 54: 412-416. <http://dx.doi.org/10.1093/annhyg/meq034>.
- Phoon, WO. (1998). Occupational health in Australia. *Int Arch Occup Environ Health*. 71: 363-371.
- Pi, Q; Zhong, R; Hu, R. (2015). Tracing the ore-formation history of the shear-zone-controlled Huoqeqi Cu-Pb-Zn deposit in Inner Mongolia, northern China, using H, O, S, and Fe isotopes. *Ore Geol Rev*. 71: 263-272. <http://dx.doi.org/10.1016/j.oregeorev.2015.06.003>.
- Picango, M, deS; Ghavami, K. (2008). Behavior of cement mortar reinforced with Amazonian fibers subjected to compression. *Revista da Escola de Minas*. 61: 13-18.
- Picazo, S; Cannat, M; Delacour, A; Escartin, J; Roumejon, S; Silantyev, S. (2012). Deformation associated with the denudation of mantle-derived rocks at the Mid-Atlantic Ridge 13 degrees-15 degrees N: The role of magmatic injections and hydrothermal alteration. *G-cubed*. 13. <http://dx.doi.org/10.1029/2012GC004121>.
- Picciotto, S; Ljungman, PL; Eisen, EA. (2016). Straight Metalworking Fluids and All-Cause and Cardiovascular Mortality Analyzed by Using G-Estimation of an Accelerated Failure Time Model With Quantitative Exposure: Methods and Interpretations. *Am J Epidemiol*. 183: 680-688. <http://dx.doi.org/10.1093/aje/kwv232>.
- Pichora, EC; Payne, JI. (2007). Trends and characteristics of compensated occupational cancer in Ontario, Canada, 1937-2003. *Am J Ind Med*. 50: 980-991. <http://dx.doi.org/10.1002/ajim.20530>.
- Pickrell, JA; Hill, JO; Carpenter, RL; Hahn, FF; Rebar, AH. (1983). In vitro and in vivo response after exposure to man-made mineral and asbestos insulation fibers. *Am Ind Hyg Assoc J*. 44: 557-561. <http://dx.doi.org/10.1080/15298668391405319>.
- Pierce, J; Mowat, F; Finley, BL. (2006). Characterization Of Chrysotile Asbestos Exposures For Garage Mechanics. *Toxicol Sci*. 90: 173-174.
- Pierini, F; Lanzi, M; Lesci, IG; Roveri, N. (2015). Comparison between Inorganic Geomimetic Chrysotile and Multiwalled Carbon Nanotubes in the Preparation of One-dimensional Conducting Polymer Nanocomposites. *Fibers and Polymers*. 16: 426-433. <http://dx.doi.org/10.1007/s12221-015-0426-x>.
- Pierre, N; Iwatsubo, Y; Ameille, J; Cordier, S; Mandereau, L; Raix, A; Freddy, M; Delage, A; Bignon, J; Brochard, P. (1995). [Longitudinal study of radiologic anomalies in subjects working in asbestos-insulated buildings]. *Rev Epidemiol Sante Publique*. 43: 432-443.
- Pietruska, JR; Johnston, T; Zhitkovich, A; Kane, AB. (2010). XRCC1 deficiency sensitizes human lung epithelial cells to genotoxicity by crocidolite asbestos and Libby amphibole. *Environ Health Perspect*. 118: 1707-1713. <http://dx.doi.org/10.1289/ehp.1002312>.
- Pigg, BJ. (1992). ASBESTOS GASKETS NOT A HAZARD. *Power Engineering*. 96: 85-85.
- Pigg, BJ. (1994). The uses of chrysotile. *Ann Occup Hyg*. 38: 453-458.
- Piirilä, P; Lindqvist, M; Huuskonen, O; Kaleva, S; Koskinen, H; Lehtola, H; Vehmas, T; Kivisaari, L; Sovijärvi, AR. (2005). Impairment of lung function in asbestos-exposed workers in relation to high-resolution computed tomography. *Scand J Work Environ Health*. 31: 44-51.
- Pikhutin, IA. (2008). Use of asbestos-free materials in aluminum production. *Refractories and Industrial Ceramics*. 49: 5-8.
- Pilger, A; Rüdiger, HW. (2006). 8-Hydroxy-2'-deoxyguanosine as a marker of oxidative DNA damage related to occupational and environmental exposures [Review]. *Int Arch Occup Environ Health*. 80: 1-15. <http://dx.doi.org/10.1007/s00420-006-0106-7>.
- Pilorget, C; Imbernon, E; Goldberg, M; Bonenfant, S; Spyckerelle, Y; Fournier, B; Steinmetz, J; Schmaus, A. (2003). Evaluation of the quality of coding of job episodes collected by self questionnaires among French retired men for use in a job-exposure matrix. *Occup Environ Med*. 60: 438-443.
- Pinheiro, GA; Antao, VC; Bang, KM; Attfield, MD. (2004). Malignant mesothelioma surveillance: a comparison of ICD 10 mortality data with SEER incidence data in nine areas of the United States. *Int J Occup Environ Health*. 10: 251-255.
- Pinheiro, GA; Antão, VC; Monteiro, MM; Capelozzi, VL; Terra-Filho, M. (2003). Mortality from pleural mesothelioma in Rio de Janeiro, Brazil, 1979-2000: estimation from death certificates, hospital records, and histopathologic assessments. *Int J Occup Environ Health*. 9: 147-152. <http://dx.doi.org/10.1179/oeh.2003.9.2.147>.
- Pintos, J; Parent, ME; Case, BW; Rousseau, MC; Siemiatycki, J. (2009). Risk of mesothelioma and occupational exposure to asbestos and man-made vitreous fibers: evidence from two case-control studies in Montreal, Canada. *J Occup Environ Med*. 51: 1177-1184. <http://dx.doi.org/10.1097/JOM.0b013e3181b68cef>.
- Pintos, J; Parent, ME; Rousseau, MC; Case, BW; Siemiatycki, J. (2008). Occupational exposure to asbestos and man-made vitreous fibers, and risk of lung cancer: evidence from two case-control studies in Montreal, Canada. *J Occup Environ Med*. 50: 1273-1281. <http://dx.doi.org/10.1097/JOM.0b013e31818345bb>.
- Pintos, J; Parent, ME; Rousseau, MC; Siemiatycki, J. (2007). Occupational exposure to asbestos and manmade vitreous fibers, and risk of lung cancer: Evidence from two case-control studies in Montreal, Canada. *Am J Epidemiol*. 165: S102-S102.
- Piolatto, PG; Putzu, MG; Botta, GC. (2003). [Asbestos fibres and reference values]. *G Ital Med Lav Ergon*. 25: 94-98.
- Piperno, S; Kaplan-Ashiri, I; Cohen, SR; Popovitz-Biro, R; Wagner, HD; Tenne, R; Foresti, E; Lesci, IG; Roveri, N. (2007). Characterization of geoinspired and synthetic chrysotile nanotubes by atomic force microscopy and transmission electron microscopy. *Adv Funct Mater*. 17: 3332-3338. <http://dx.doi.org/10.1002/adfm.200700278>.
- Pira, E. (2016). Untitled. *Med Lav*. 107: 148-150.
- Pira, E; Pelucchi, C; Piolatto, PG; Negri, E; Bilei, T; La Vecchia, C. (2009). Mortality from cancer and other causes in the Balangero cohort of chrysotile asbestos miners. *Occup Environ Med*. 66: 805-809. <http://dx.doi.org/10.1136/oem.2008.044693>.
- Pira, E; Pelucchi, C; Romano, C; Manzari, M; Negri, E, va; La Vecchia, C. (2012). Mortality From Cancer and Other Causes in an Italian Cohort of Male Rubber Tire Workers. *J Occup Environ Med*. 54: 345-349. <http://dx.doi.org/10.1097/JOM.0b013e318244503c>.
- Pira, E; Turbiglio, M; Maroni, M; Carrer, P; La Vecchia, C; Negri, E; Iachetta, R. (1999). Mortality among workers in the geothermal power plants at Larderello, Italy. *Am J Ind Med*. 35: 536-539.

Fate Literature Search Results

Off Topic

- Pirajno, F; Gonzalez-Alvarez, I; Chen, W, ei; Kyser, KT; Simonetti, A; Leduc, E; Legras, M. (2014). The Gifford Creek Ferrocyanite Complex, Gascoyne Province, Western Australia: Associated fenitic alteration and a putative link with the similar to 1075 Ma Warakurna LIP. *Lithos*. 202: 100-119. <http://dx.doi.org/10.1016/j.lithos.2014.05.012>.
- Pirastu, R; Lagorio, S; Miligi, L; Costantini, AS. (1999). Health and work among women in Italy: An overview of the epidemiological literature. *Eur J Epidemiol*. 15: 51-57. <http://dx.doi.org/10.1023/A:1007522000856>.
- Pitarque, S; Cleries, R; Martinez, JM; Lopez-Abente, G; Kogevinas, M; Benavides, FG. (2008). Mesothelioma mortality in men: trends during 1977-2001 and projections for 2002-2016 in Spain. *Occup Environ Med*. 65: 279-282. <http://dx.doi.org/10.1136/oem.2007.034769>.
- Pitarque, S; Fabrega, O; de Lara, N; Company, A; de Peray, JL; Delclos, J; Benavides, FG. (2009). RECONSTRUCTION AND FIRST RESULTS OF THE COHORT OF WORKERS EXPOSED TO ASBESTOS IN CATALONIA. *Gac Sanit*. 23: 7-7.
- Pitawala, A; Schidlowski, M; Dahanayake, K; Hofmeister, W. (2003). Geochemical and petrological characteristics of Eppawala phosphate deposits, Sri Lanka. *Miner Depos*. 38: 505-515. <http://dx.doi.org/10.1007/s00126-002-0327-y>.
- Pitt, R. (1988). ASBESTOS AS AN URBAN AREA POLLUTANT. *J Water Pollut Control Fed*. 60: 1993-2001.
- Pizzo, AM; Legittimo, P; Silvestri, S; Chellini, E; Gorini, G; Miligi, L; Costantini, SA. (2010). ASBESTOS EXPOSURE AND RISK OF LUNG CANCER AND MESOTHELIOMA IN A COHORT OF ABOUT 13,000 MALE SUBJECTS IN TUSCANY. *Epidemiol Prev*. 34: 160-160.
- Platek, SF; Riley, RD; Simon, SD. (1992). THE CLASSIFICATION OF ASBESTOS FIBERS BY SCANNING ELECTRON-MICROSCOPY AND COMPUTER-DIGITIZING TABLET. *Ann Occup Hyg*. 36: 155-171.
- Plato, N; Tornling, G; Hogstedt, C; Krantz, S. (1995). An index of past asbestos exposure as applied to car and bus mechanics. *Ann Occup Hyg*. 39: 441-454.
- Pleil, JD; Lorber, MN. (2007). Relative congener scaling of polychlorinated dibenzo-p-dioxins and dibenzofurans to estimate building fire contributions in air, surface wipes, and dust samples. *Environ Sci Technol*. 41: 7286-7293. <http://dx.doi.org/10.1021/es070714a>.
- Plescia, P; Gizzi, D; Benedetti, S; Camilucci, L; Fanizza, C; De Simone, P; Paglietti, F. (2003). Mechanochemical treatment to recycling asbestos-containing waste. *Waste Manag*. 23: 209-218. [http://dx.doi.org/10.1016/S0956-053X\(02\)00156-3](http://dx.doi.org/10.1016/S0956-053X(02)00156-3).
- Plomp, HN. (2013). The Contribution of Health Professionals to the Creation of Occupational Health Standards: The Impact of Professional Ethics in the Case of Asbestos. *Public Health Ethics*. 6: 73-89. <http://dx.doi.org/10.1093/phe/phs037>.
- Plotko, EG; Domnin, SG; Kashanskiĭ, SV; Kulikov, VG; Seliankina, KP; Bogdanov, GB; Manakova, NS. (2000). [Ecological and occupational evaluation of chrysotile-asbestos fibers emitted during construction and exploitation by roof materials made of asbestos cement]. *Med Tr Prom Ekol* 41-45.
- Plotko, EG; Seliankina, KP; Kashanskiĭ, SV; Ryzhov, VV; Vinokurova, MV; Vinokurov, MV; Shtol', AV. (2005). [Hygienic problems in the protection of the environment and human health in the areas of chrysotile asbestos extract and utilization]. *Gig Sanit* 70-71.
- Plumlee, GS; Alpers, CN; Morman, SA; San Juan, C. (2016). Anticipating Environmental and Environmental-Health Implications of Extreme Storms: ARKStorm Scenario. *Natural Hazards Review*. 17. [http://dx.doi.org/10.1061/\(ASCE\)NH.1527-6996.0000188](http://dx.doi.org/10.1061/(ASCE)NH.1527-6996.0000188).
- Plumlee, GS; Morman, SA; Ziegler, TL. (2006). Medical Mineralogy and Geochemistry: The toxicological geochemistry of earth materials: An overview of processes and the interdisciplinary methods used to understand them. Chantilly: Mineralogical Soc America. <http://dx.doi.org/10.2138/rmg.2006.64.2>.
- Plumper, O; King, HE; Vollmer, C; Ramasse, Q; Jung, H; Austrheim, H. (2012). The legacy of crystal-plastic deformation in olivine: high-diffusivity pathways during serpentinization. *Contributions to Mineralogy and Petrology*. 163: 701-724. <http://dx.doi.org/10.1007/s00410-011-0695-3>.
- Plumper, O; Piazzolo, S; Austrheim, H. (2012). Olivine Pseudomorphs after Serpentinized Orthopyroxene Record Transient Oceanic Lithospheric Mantle Dehydration (Leka Ophiolite Complex, Norway). *Journal of Petrology*. 53: 1943-1968. <http://dx.doi.org/10.1093/petrology/egs039>.
- Plumpton, AJ. (1984). HEAP LEACHING OF ASBESTOS CONCENTRATOR TAILINGS WITH WASTE SULFURIC-ACID AND RECOVERY OF METAL VALUES. 77: 41-42.
- Plusnina, LP; Vysotsky, SV. (1994). 2-PHASE SEPARATION OF FOSSIL HYDROTHERMAL FLUIDS IN THE MID-INDIAN RIDGE OPHIOLITES. *Geochim Cosmo Acta*. 58: 2035-2039.
- Pogosian, AK; Lambarian, NA. (1979). WEAR AND THERMAL-PROCESSES IN ASBESTOS-REINFORCED FRICTION MATERIALS. 101: 481-485.
- Pogrebenkov, VM; Mel'nik, ED; Vereshchagin, VI. (1998). The use of natural zeolites for tileboard production. *Glass Ceram*. 55: 19-21.
- Pogrebenkov, VM; Sedelnikova, MB; Vereshchagin, VI. (1996). Ceramic pigments based on calcium-magnesium silicates. *Glass Ceram*. 53: 30-32.
- Pohlbeln, H; Jöckel, KH; Brüske-Hohlfeld, I; Möhner, M; Ahrens, W; Bolm-Audorff, U; Arhelger, R; Römer, W; Kreienbrock, L; Kreuzer, M; Jahn, I; Wichmann, HE. (2000). Lung cancer and exposure to man-made vitreous fibers: results from a pooled case-control study in Germany. *Am J Ind Med*. 37: 469-477.
- Pohlbeln, H; Wild, P; Schill, W; Ahrens, W; Jahn, I; Bolm-Audorff, U; Jockel, KH. (2002). Asbestos fibreyears and lung cancer: a two phase case-control study with expert exposure assessment. *Occup Environ Med*. 59: 410-414.
- Pokonova, YV. (2004). Oily acid tars as feedstock for manufacture of cation exchangers. *Chemistry and Technology of Fuels and Oils*. 40: 189-194.
- Poland, CA; Duffin, R; Kinloch, I; Maynard, A; Wallace, WAH; Seaton, A; Stone, V; Brown, S; MacNee, W; Donaldson, K. (2008). Carbon nanotubes introduced into the abdominal cavity of mice show asbestos-like pathogenicity in a pilot study. *Nat Nanotechnol*. 3: 423-428. <http://dx.doi.org/10.1038/nnano.2008.111>.
- Polat, A; Frei, R; Appel, PWU; Dilek, Y; Fryer, B; Ordonez-Calderon, JC; Yang, Z. (2008). The origin and compositions of Mesozoic oceanic crust: Evidence from the 3075 Ma Ivisartaq greenstone belt, SW Greenland. *Lithos*. 100: 293-321. <http://dx.doi.org/10.1016/j.lithos.2007.06.021>.

Fate Literature Search Results

Off Topic

- Polat, A; Frei, R; Fryer, B; Appel, PWU. (2009). The origin of geochemical trends and Eoarchean (ca. 3700 Ma) zircons in Mesoarchean (ca. 3075 Ma) ocelli-hosting pillow basalts, Ivisartaq greenstone belt, SW Greenland: Evidence for crustal contamination versus crustal recycling. *Chem Geol.* 268: 248-271. <http://dx.doi.org/10.1016/j.chemgeo.2009.09.004>.
- Polatli, M; Erdinc, M; Erdinc, E; Cok, G. (2004). Response to "respiratory impairment due to asbestos exposure in brake-lining workers". *Environ Res.* 96: 106-108. <http://dx.doi.org/10.1016/j.envres.2004.04.004>.
- Polgari, M; Biro, L; Pal-Molnar, E; Dobosi, G; Bajnoczi, B; Nemeth, T; Kovacs Kis, V; Vigh, T. (2013). RHODOCHROSITE-BEARING CONCRETIONS FROM A JURASSIC MANGANESE ORE MINERALIZATION - URKUT, HUNGARY. *Carpath J Earth Env.* 8: 139-146.
- Poli, S. (1991). REACTION SPACES AND P-T PATHS - FROM AMPHIBOLE ECLOGITE TO GREENSCHIST FACIES IN THE AUSTRALPINE DOMAIN (OETZTAL COMPLEX). *Contributions to Mineralogy and Petrology.* 106: 399-416.
- Poli, S; Schmidt, MW. (2004). Experimental subsolidus studies on epidote minerals. *Rev Mineral Geochem.* 56: 171-195.
- Polissar, L; Severson, RK; Boatman, ES. (1983). ADDITIONAL NOTES ON THE CASE-CONTROL STUDY IN WESTERN WASHINGTON ON THE CANCER RISK FROM ASBESTOS IN DRINKING-WATER. *Environ Health Perspect.* 53: 189-190.
- Polissar, L; Severson, RK; Boatman, ES. (1983). Cancer risk from asbestos in drinking water: summary of a case-control study in western Washington. *Environ Health Perspect.* 53: 57-60.
- Polissar, L; Severson, RK; Boatman, ES. (1984). A case-control study of asbestos in drinking water and cancer risk. *Am J Epidemiol.* 119: 456-471.
- Polissar, L; Severson, RK; Boatman, ES; Thomas, DB. (1982). Cancer incidence in relation to asbestos in drinking water in the Puget Sound region. *Am J Epidemiol.* 116: 314-328.
- Polivka, BJ; Wills, C. (2014). Student nurses' risk perceptions of home environmental hazards. *Public Health Nursing.* 31: 298-308. <http://dx.doi.org/10.1111/phn.12098>.
- Pollak, H; Karfunkel, U; Kitwanga, SW. (1992). ORIENTATION OF THE EFG IN CROCIDOLITE SITES. *Physica Status Solidi A: Applications and Materials Science (Print).* 134: 67-76.
- Pollard, PJ. (2001). Sodic(-calcic) alteration in Fe-oxide-Cu-Au districts: an origin via unmixing of magmatic H₂O-CO₂-NaCl +/- CaCl₂-KCl fluids. *Miner Depos.* 36: 93-100.
- Pollastri, S; D'Acapito, F; Trapananti, A; Colantoni, I; Andreozzi, GB; Gualtieri, AF. (2015). The chemical environment of iron in mineral fibres. A combined X-ray absorption and Mossbauer spectroscopic study. *J Hazard Mater.* 298: 282-293. <http://dx.doi.org/10.1016/j.jhazmat.2015.05.010>.
- Pollastri, S; Gualtieri, AF; Gualtieri, ML; Hanuskova, M; Cavallo, A; Gaudino, G. (2014). The zeta potential of mineral fibres. *J Hazard Mater.* 276: 469-479. <http://dx.doi.org/10.1016/j.jhazmat.2014.05.060>.
- Pollastri, S; Gualtieri, AF; Vigliaturo, R; Ignatyev, K; Straffella, E; Pugnali, A; Croce, A. (2016). Stability of mineral fibres in contact with human cell cultures. An in situ μ XANES, μ XRD and XRF iron mapping study. *Chemosphere.* 164: 547-557. <http://dx.doi.org/10.1016/j.chemosphere.2016.08.139>.
- Pollastri, S; Perchiizzi, N; Lezzerini, M; Plaisier, JR; Cavallo, A; Dalconi, MC; Gandolfi, NB; Gualtieri, AF. (2016). The crystal structure of mineral fibres 1. Chrysotile. *Periodico di Mineralogia.* 85: 249-259. <http://dx.doi.org/10.2451/2016PM655>.
- Pons, JM; Franchini, M; Meinert, L; Recio, C; Etcheverry, R. (2009). Iron Skarns of the Vegas Peladas District, Mendoza, Argentina. *Econ Geol.* 104: 157-184.
- Pontius, FW. (1992). USEPAS BAN ON ASBESTOS-CONTAINING PRODUCTS INVALIDATED. *J Am Water Works Assoc.* 84: 22-&.
- Poole, A; Brown, RC; Fleming, GTA. (1983). Study Of The Cell-Transforming Ability Of Amosite And Crocidolite Asbestos And The Ability To Induce Changes In The Metabolism And Macromolecular Binding Of Benzo(a)pyrene In C3H10T1/2 Cells. *Environ Health Perspect.* 51: 319-324.
- Poole, C; Dreyer, NA; Satterfield, MH; Levin, L; Rothman, KJ. (1993). Kidney cancer and hydrocarbon exposures among petroleum refinery workers. *Environ Health Perspect.* 101: 53-62.
- Pooley, FD. (1972). ELECTRON-MICROSCOPE CHARACTERISTICS OF INHALED CHRYSOTILE ASBESTOS FIBER. *Br J Ind Med.* 29: 146-&.
- Pooley, FD. (1976). An examination of the fibrous mineral content of asbestos lung tissue from the Canadian chrysotile mining industry. *Environ Res.* 12: 281-298.
- Pooley, FD. (1981). Mineralogy of asbestos: the physical and chemical properties of the dusts they form. *Semin Oncol.* 8: 243-249.
- Pooley, FD; Mitha, R. (1986). Determination and Interpretation of the Levels of Chrysotile Asbestos in Lung Tissue. *Accomplishments in Oncology.* 1: 12-18.
- Popescu, BM; Ali, N; Basturea, G; Comsa, GI; Materon, LA; Chipara, M. (2013). 1-Dimensional nanoparticles - A brief critical review on biological, medical, and toxicological aspects. *Appl Surf Sci.* 275: 2-6. <http://dx.doi.org/10.1016/j.apsusc.2013.01.122>.
- Popp, W. (1996). [New data on syncarcinogenesis in tumors of exogenous origin] [Review]. *Zentralblatt fuer Hygiene und Umweltmedizin.* 198: 407-428.
- Porcu, M; Orru, R; Cincotti, A; Cao, GC. (2005). Self-propagating reactions for environmental protection: Treatment of wastes containing asbestos. *Ind Eng Chem Res.* 44: 85-91. <http://dx.doi.org/10.1021/ie040058c>.
- Porru, S; Carta, A; Toninelli, E; Bozzola, G; Arici, C. (2016). Reducing the underreporting of lung cancer attributable to occupation: outcomes from a hospital-based systematic search in Northern Italy. *Int Arch Occup Environ Health.* 89: 981-989. <http://dx.doi.org/10.1007/s00420-016-1135-5>.
- Porter, WE. (1990). Asbestos management. Foreign trip report, August 25, 1989-September 10, 1989. 17.
- Portner, RA; Clague, DA; Helo, C; Dreyer, BM; Paduan, JB. (2015). Contrasting styles of deep-marine pyroclastic eruptions revealed from Axial Seamount push core records. *Earth Planet Sci Lett.* 423: 219-231. <http://dx.doi.org/10.1016/j.epsl.2015.03.043>.

Fate Literature Search Results

Off Topic

- Potel, S; Maison, T; Mailliet, M; Sarr, AC; Doublier, MP; Trullenque, G; Maehlmann, RF. (2016). Reliability of very low-grade metamorphic methods to decipher basin evolution: Case study from the Markstein basin (Southern Vosges, NE France). *Appl Clay Sci.* 134: 175-185. <http://dx.doi.org/10.1016/j.clay.2016.10.003>.
- Pott, F. (1978). SOME ASPECTS ON THE DOSIMETRY OF THE CARCINOGENIC POTENCY OF ASBESTOS AND OTHER FIBROUS DUSTS. *Staub, Reinhaltung der Luft.* 38: 486-490.
- Pott, F. (1994). Asbestos use and carcinogenicity in Germany and a comparison with animal studies. *Ann Occup Hyg.* 38: 589-600, 420.
- Pott, F. (1995). DETECTION OF MINERAL FIBER CARCINOGENICITY WITH THE INTRAPERITONEAL TEST - RECENT RESULTS AND THEIR VALIDITY. *Ann Occup Hyg.* 39: 771-779.
- Pott, F; Roller, M. (1998). How far can carcinogenicity studies of fibre types be substituted by data on their biopersistence? *Gefahrst Reinhalt Luft.* 58: 85-91.
- Pott, F; Roller, M; Kamino, K; Bellmann, B. (1994). Significance of durability of mineral fibers for their toxicity and carcinogenic potency in the abdominal cavity of rats in comparison with the low sensitivity of inhalation studies. *Environ Health Perspect.* 102 Suppl 5: 145-150.
- Powell, CH; Holaday, DA; Kendrick, MA; Dyson, WL. (1968). The Preliminary Survey: A Technique for the Assessment of the Nation's Occupational Health Requirements. (NIOSH/00000376). ACGIH.
- Powell, R; Holland, T. (1999). Relating formulations of the thermodynamics of mineral solid solutions: Activity modeling of pyroxenes, amphiboles, and micas. *Am Mineral.* 84: 1-14.
- Power, I, anM; Mccutcheon, J; Harrison, AL; Wilson, SA; Dipple, GM; Kelly, S; Southam, C; Southam, G. (2014). Strategizing Carbon-Neutral Mines: A Case for Pilot Projects. 4: 399-436. <http://dx.doi.org/10.3390/min4020399>.
- Power, I, anM; Wilson, SA; Dipple, GM. (2013). Serpentinite Carbonation for CO2 Sequestration. *Elements.* 9: 115-121. <http://dx.doi.org/10.2113/gselements.9.2.115>.
- Power, IM; Dipple, GM; Southam, G. (2010). Bioleaching of ultramafic tailings by acidithiobacillus spp. for CO2 sequestration. *Environ Sci Technol.* 44: 456-462. <http://dx.doi.org/10.1021/es900986n>.
- Power, IM; Wilson, SA; Dipple, GM; Southam, G. (2011). Modern carbonate microbialites from an asbestos open pit pond, Yukon, Canada. *Geobiology.* 9: 180-195. <http://dx.doi.org/10.1111/j.1472-4669.2010.00265.x>.
- Prabhakar, N; Bhattacharya, A. (2013). Origin of zoned spinel by coupled dissolution-precipitation and inter-crystalline diffusion: evidence from serpentinized wehrlite, Bangriposi, Eastern India. *Contributions to Mineralogy and Petrology.* 166: 1047-1066. <http://dx.doi.org/10.1007/s00410-013-0909-y>.
- Prabhakar, S; Rao, KH; Forsling, W. (2005). Dissolution of wollastonite and its flotation and surface interactions with tallow-1,3-diaminopropane (duomeen T). *Miner Eng.* 18: 691-700. <http://dx.doi.org/10.1016/j.mineng.2004.11.001>.
- Prandi, L; Bodoardo, S; Penazzi, N; Fubini, B. (2001). Redox state and mobility of iron at the asbestos surface: a voltammetric approach. *J Mater Chem.* 11: 1495-1501.
- Prasad, RK; Uma, R; Kansal, A; Gupta, S; Kumar, P; Saksena, S. (2002). Indoor air quality in an air-conditioned building in new Delhi and its relationship to ambient air quality. *Indoor Built Environ.* 11: 334-339. <http://dx.doi.org/10.1159/0000068234>.
- Préat, B. (2000). Confusion about the precision of asbestos fibres counting by electron microscopy [Letter]. *Ann Occup Hyg.* 44: 75-76.
- Préat, B. (2001). Performance of asbestos fibre counting laboratories by transmission electron microscopy [Letter]. *Ann Occup Hyg.* 45: 500-501.
- Preller, L; van den Bosch, LM; van den Brandt, PA; Kauppinen, T; Goldbohm, A. (2010). Occupational exposure to silica and lung cancer risk in the Netherlands. *Occup Environ Med.* 67: 657-663. <http://dx.doi.org/10.1136/oem.2009.046326>.
- Prentice, J. (1985). RATE OF DECLINE OF ASBESTOS FIBER CONCENTRATIONS IN ROOM AIR [Letter]. *Ann Occup Hyg.* 29: 439-440.
- Price, B. (1997). Analysis of current trends in United States mesothelioma incidence. *Am J Epidemiol.* 145: 211-218.
- Price, B. (2004). Radiographic abnormalities and asbestos exposure: Libby, Montana [Letter]. *Environ Health Perspect.* 112: A82-A83. <http://dx.doi.org/10.1289/ehp.112-a82>.
- Price, B; Crump, KS. (1993). Exposure Inferences from Airborne Asbestos Measurements in Building (pp. 19-21). (NIOSH/00220386). Price, B; Crump, KS.
- Price, B; Crump, KS; Baird, EC. (1992). AIRBORNE ASBESTOS LEVELS IN BUILDINGS - MAINTENANCE WORKER AND OCCUPANT EXPOSURES. *J Expo Anal Environ Epidemiol.* 2: 357-374.
- Price, B; Ware, A. (2004). Mesothelioma trends in the United States: An update based on surveillance, epidemiology, and end results program data for 1973 through 2003. *Am J Epidemiol.* 159: 107-112. <http://dx.doi.org/10.1093/aje/kwh025>.
- Price, B; Ware, A. (2005). Mesothelioma: Risk apportionment among asbestos exposure sources. *Risk Anal.* 25: 937-943. <http://dx.doi.org/10.1111/j.1539-6924.2005.00643.x>.
- Price, B; Ware, A. (2007). Mesothelioma: Risk apportionment among asbestos exposure sources (vol 25, pg 937, 2005). *Risk Anal.* 27: 787-787. <http://dx.doi.org/10.1111/j.1539-6924.2007.00923>.
- Price, MJ; Darnton, AJ; Mcelvenny, DM; Hodgson, JT. (2007). Simian virus 40 and mesothelioma in Great Britain. *Occup Med (Lond).* 57: 564-568. <http://dx.doi.org/10.1093/ocmed/kqm079>.
- Prieto, MA; Suess, A; March, JC; Danet, A; Corral, OP; Martín, A. (2011). [Opinions and expectations of patients with health problems associated to asbestos exposure]. *An Sist Sanit Navar.* 34: 33-42.
- Proctor, B; Hirth, G. (2015). Role of pore fluid pressure on transient strength changes and fabric development during serpentine dehydration at mantle conditions: Implications for subduction-zone seismicity. *Earth Planet Sci Lett.* 421: 1-12. <http://dx.doi.org/10.1016/j.epsl.2015.03.040>.
- Proctor, B; Hirth, G. (2016). "Ductile to brittle" transition in thermally stable antigorite gouge at mantle pressures. *J Geophys Res Solid Earth.* 121: 1652-1663. <http://dx.doi.org/10.1002/2015JB012710>.

Fate Literature Search Results

Off Topic

- Proctor, BP; Mitchell, TM; Hirth, G; Goldsby, D; Zorzi, F; Platt, JD; Di Toro, G. (2014). Dynamic weakening of serpentinite gouges and bare surfaces at seismic slip rates. *J Geophys Res Solid Earth*. 119: 8107-8131. <http://dx.doi.org/10.1002/2014JB011057>.
- Prodi, V; De Zaiacomo, T; Hochrainer, D; Spurny, K. (1982). Fibre Collection and Measurement with the Inertial Spectrometer. *J Aerosol Sci*. 13: 49-58.
- Program, USAIR. (1994). Superfund record of decision (EPA Region 4); Alabama Army Ammunition Plant, operable unit 2, Childersburg, AL., August 1994. United States (USA): U. S. Environmental Protection Agency.
- Pronost, J; Beaudoin, G; Tremblay, J; Larachi, F; Duchesne, J; Hébert, R; Constantin, M. (2011). Carbon sequestration kinetic and storage capacity of ultramafic mining waste. *Environ Sci Technol*. 45: 9413-9420. <http://dx.doi.org/10.1021/es203063a>.
- Proulx, D; Lapointe, J; Leger, S. (1985). COPPER-PLATING FROM MAGNETIC CHRYSOTILE FIBERS. 78: 45-48.
- Provencher, S; Labreche, FP. (1994). STUDY ON A HIGH-INCIDENCE OF CANCER AT A METAL FACTORY - PRACTICAL IMPLICATIONS FOR PUBLIC-HEALTH. *Can J Public Health*. 85: 330-333.
- Provencher, S; Labrèche, FP; De Guire, L. (1997). Physician based surveillance system for occupational respiratory diseases: the experience of PROPULSE, Québec, Canada. *Occup Environ Med*. 54: 272-276.
- Proyer, A; Baziotis, I; Mposkos, E; Rhede, D. (2014). Ti- and Zr-minerals in calcite-dolomite marbles from the ultrahigh-pressure Kimi Complex, Rhodope mountains, Greece: Implications for the P-T evolution based on reaction textures, petrogenetic grids, and geothermobarometry. *Am Mineral*. 99: 1429-1448. <http://dx.doi.org/10.2138/am.2014.4710>.
- Prudhomme, M; Hoskin, WM; Barry, GS; Boucher, MA; Vagt, O. (1989). INDUSTRIAL MINERALS - REVIEW AND OUTLOOK FOR SULFUR, ASBESTOS, POTASH, PHOSPHATE, SILICA, SALT, GRAPHITE AND CONSTRUCTION MATERIALS. 110: 71-78.
- Pryor, P. (1980). Health Hazard Evaluation Determination Report, No. HHE-78-79-736, Cissell Manufacturing Company, Louisville, Kentucky. 21: 19801980.
- Pryor, P. (1982). Health Hazard Evaluation Report, No. HETA-82-270-1238, Drive Train Industries, Inc., Denver, Colorado. (NIOSH/00127603). Pryor, P.
- Puchtel, IS; Zhuravlev, DZ; Samsonov, AV. (1992). PETROLOGY AND GEOCHEMISTRY OF KOMATIITES AND METABASALTS FROM THE TUNGURCHA GREENSTONE-BELT, ALDAN SHIELD. *Geokhimiya* 544-560.
- Puffer, JH; Germine, M; Hurtubise, DO; Mrotek, KA; Bello, DM. (1980). Asbestos distribution in the Central Serpentine District of Maryland-Pennsylvania. *Environ Res*. 23: 233-246.
- Puga, E; Nieto, JM; de Federico, AD; Bodinier, JL; Morten, L. (1999). Petrology and metamorphic evolution of ultramafic rocks and dolerite dykes of the Betic Ophiolitic Association (Mulhacen Complex, SE Spain): evidence of eo-Alpine subduction following an ocean-floor metasomatic process. *Lithos*. 49: 23-56.
- Puhan, D. (1988). REVERSE AGE RELATIONS OF TALC AND TREMOLITE DEDUCED FROM REACTION TEXTURES IN METAMORPHOSED SILICEOUS DOLOMITES OF THE SOUTHERN DAMARA-OROGEN (NAMIBIA). *Contributions to Mineralogy and Petrology*. 98: 24-27.
- Puhan, D. (1995). METAMORPHIC EVOLUTION OF THE ASSEMBLAGE TREMOLITE PLUS TALC PLUS CALCITE PLUS DOLOMITE PLUS QUARTZ WITHIN A SAMPLE OF SILICEOUS DOLOMITE FROM THE SOUTHERN DAMARA OROGEN (NAMIBIA). *Contributions to Mineralogy and Petrology*. 120: 180-185.
- Puhan, D; Hoffer, E. (1973). PHASE RELATIONS OF TALC AND TREMOLITE IN METAMORPHIC CALCITE-DOLOMITE SEDIMENTS IN SOUTHERN PORTION OF DAMARA BELT (SOUTH-WEST-AFRICA). *Contributions to Mineralogy and Petrology*. 40: 207-214.
- Pujolar, AE; González, C; Agudo, A; Calleja, A; Beltrán, M; González-Moya, J; Hernandez, S; Panades, R; Ramirez, J; Turuguet, D. (2001). Information about occupational exposure to asbestos given to cases in an etiological study: ethical aspects. *Eur J Epidemiol*. 17: 1-6.
- Pukkala, E; Guo, J; Kyrrönen, P; Lindbohm, ML; Sallmén, M; Kauppinen, T. (2005). National job-exposure matrix in analyses of census-based estimates of occupational cancer risk. *Scand J Work Environ Health*. 31: 97-107.
- Pukkala, E; Martinsen, JI; Weiderpass, E; Kjaerheim, K; Lynge, E; Tryggvadottir, L; Sparén, P; Demers, PA. (2014). Cancer incidence among firefighters: 45 years of follow-up in five Nordic countries. *Occup Environ Med*. 71: 398-404. <http://dx.doi.org/10.1136/oemed-2013-101803>.
- Pukkala, E; Saarni, H. (1996). Cancer incidence among Finnish seafarers, 1967-92. *Cancer Causes Control*. 7: 231-239.
- Puledda, S; Marconi, A. (1989). QUANTITATIVE X-RAY-DIFFRACTION ANALYSIS OF 4 TYPES OF AMPHIBOLIC ASBESTOS BY THE SILVER MEMBRANE-FILTER METHOD. *Int J Environ Anal Chem*. 36: 209-220.
- Puledda, S; Marconi, A. (1990). Quantitative X-ray diffraction analysis of asbestos by the silver membrane filter method: Application to chrysotile. *Am Ind Hyg Assoc J*. 51: 107-114.
- Puledda, S; Marconi, A. (1991). Study of the Count-to-Mass Conversion Factor for Asbestos Fibres in Samples Collected at the Emissions of Three Industrial Plants. *Ann Occup Hyg*. 35: 517-524.
- Puledda, S; Paoletti, L. (1994). Study of the effect of comminution on the diffractometric response of chrysotile contained in a bulk sample. *Ann Occup Hyg*. 38: 59-65.
- Puledda, S; Paoletti, L; Ferdinandi, M. (1999). Airborne quartz concentration in an urban site. *Environ Pollut*. 104: 441-448.
- Puntoni, R; Merlo, F; Borsa, L; Reggiardo, G; Garrone, E; Ceppi, M. (2001). A historical cohort mortality study among shipyard workers in Genoa, Italy. *Am J Ind Med*. 40: 363-370.
- Punturo, R; Bloise, A; Critelli, T; Catalano, M; Fazio, E; Pollaro, C. (2015). Environmental Implications Related to Natural Asbestos Occurrences in the Ophiolites of the Gimigliano-Mount Reventino Unit (Calabria, Southern Italy). *International Journal of Environmental Research*. 9: 405-418.
- Purdue, MP; Järholm, B; Bergdahl, IA; Hayes, RB; Baris, D. (2006). Occupational exposures and head and neck cancers among Swedish construction workers. *Scand J Work Environ Health*. 32: 270-275.

Fate Literature Search Results

Off Topic

- Puskar, MA; Harkins, JM; Moomey, JD; Hecker, LH. (1991). INTERNAL WALL LOSSES OF PHARMACEUTICAL DUSTS DURING CLOSED-FACE, 37-MM POLYSTYRENE CASSETTE SAMPLING. *Am Ind Hyg Assoc J.* 52: 280-286.
- Putirka, K. (2016). Amphibole thermometers and barometers for igneous systems and implications for eruption mechanisms of felsic magmas at arc volcanoes. *Am Mineral.* 101: 841-858. <http://dx.doi.org/10.2138/am-2016-5506>.
- Putis, M; Koppa, M; Snarska, B; Koller, F; Uher, P. (2012). The blueschist-associated perovskite-andradite-bearing serpentinized harzburgite from Dobsina (the Meliata Unit), Slovakia. *Journal of Geosciences.* 57: 221-240. <http://dx.doi.org/10.3190/jgeosci.128>.
- Putlitz, B; Katzir, Y; Matthews, A; Valley, JW. (2001). Oceanic and orogenic fluid-rock interaction in O-18/O-16-enriched metagabbros of an ophiolite (Tinos, Cyclades). *Earth Planet Sci Lett.* 193: 99-113.
- Putlitz, B; Matthews, A; Valley, JW. (2000). Oxygen and hydrogen isotope study of high-pressure metagabbros and metabasalts (Cyclades, Greece): implications for the subduction of oceanic crust. *Contributions to Mineralogy and Petrology.* 138: 114-126.
- Py, X; Calvet, N; Olives, R; Meffre, A; Echegut, P; Bessada, C; Veron, E; Ory, S. (2011). Recycled Material for Sensible Heat Based Thermal Energy Storage to be Used in Concentrated Solar Thermal Power Plants. *J Sol Energy Eng.* 133. <http://dx.doi.org/10.1115/1.4004267>.
- Pye, AM. (1979). A review of asbestos substitute materials in industrial applications. *J Hazard Mater.* 3: 125-148.
- Pye, AM. (1979). REVIEW OF ASBESTOS SUBSTITUTE MATERIALS IN INDUSTRIAL APPLICATIONS. *J Hazard Mater.* 3: 125-147.
- Pyssa, J. (2010). Rules and criteria of selection of the technology for hazardous waste treatment. *Przemysł Chemiczny.* 89: 927-934.
- Pytel, Z; Malolepszy, J. (2000). DTA studies of phases synthesized in the system CaO-MgO-SiO₂-H₂O. 65: 81-85.
- Python, M; Ceuleneer, G; Ishida, Y; Barrat, JA; Arai, S. (2007). Oman diopsidites: a new lithology diagnostic of very high temperature hydrothermal circulation in mantle peridotite below oceanic spreading centres. *Earth Planet Sci Lett.* 255: 289-305. <http://dx.doi.org/10.1016/j.epsl.2006.12.030>.
- Qadi, A; Cloutis, E; Samson, C; Whyte, L; Ellery, A; Bell, JF, III; Berard, G; Boivin, A; Haddad, E; Lavoie, J; Jamroz, W; Kruzelecky, R; Mack, A; Mann, P; Olsen, K; Perrot, M; Popa, D; Rhind, T; Sharma, R; Stromberg, J; Strong, K; Tremblay, A; Wilhelm, R; Wing, B; Wong, B. (2015). Mars methane analogue mission: Mission simulation and rover operations at Jeffrey Mine and Norbestos Mine Quebec, Canada. *Adv Space Res.* 55: 2414-2426. <http://dx.doi.org/10.1016/j.asr.2014.12.008>.
- Qafoku, O; Hu, J; Hess, NJ; Hu, MY; Ilton, ES; Feng, J, u; Arey, BW; Felmy, AR. (2014). Formation of submicron magnesite during reaction of natural forsterite in H₂O-saturated supercritical CO₂. *Geochim Cosmo Acta.* 134: 197-209. <http://dx.doi.org/10.1016/j.gca.2013.09.024>.
- Q-E, W; C-H, H; W-D, W; H-B, W; S-J, L; Kohyama, N. (1999). Biological effects of man-made mineral fibers. (I.) Reactive oxygen species production and calcium homeostasis in alveolar macrophages. *Ind Health.* 37: 62-67.
- Qi, S; Fu, Z; Yun, R; Jiang, S; Zheng, X; Lu, Y; Matejka, V; Kukutschova, J; Peknikova, V; Prikasky, M. (2014). Effects of walnut shells on friction and wear performance of eco-friendly brake friction composites. *Institution of Mechanical Engineers Proceedings Part J: Journal of Engineering Tribology.* 228: 511-520. <http://dx.doi.org/10.1177/1350650113517112>.
- Qing-hua, C; Li, P; Liang, W; Nawrat, S; Ze-gong, L. (2015). Measuring solid material's thermo-physical properties with non-stationary hot wired method. *Journal of Ceramic Processing Research.* 16: 705-711.
- Qu, XW; Zhang, LC; Ding, HL; Liu, GD. (2004). The effect of steel fiber orientation on frictional properties of asbestos-free friction materials. *Polymer Composites.* 25: 94-101.
- Quek, U; Forster, J. (1993). TRACE-METALS IN ROOF RUNOFF. *Water Air Soil Pollut.* 68: 373-389.
- Quinlan, T; Spivack, S; Mossman, BT. (1994). Regulation of antioxidant enzymes in lung after oxidant injury [Review]. *Environ Health Perspect.* 2: 79-87.
- Quinlan, TR; Marsh, JP; Janssen, YM; Borm, PA; Mossman, BT. (1994). Oxygen radicals and asbestos-mediated disease [Review]. *Environ Health Perspect.* 102 Suppl 10: 107-110.
- Quinn, M. (1989). The control of exposure to asbestos in buildings in the United States: Legislation and industrial hygiene procedures (pp. 403-410). (CIS/90/00887). Quinn, M.
- Quinn, MM; Kriebel, D; Buiatti, E; Paci, E; Sini, S; Vannucchi, G; Zappa, M. (1987). An asbestos hazard in the reprocessed textile industry. *Am J Ind Med.* 11: 255-266.
- Quinn, MM; Smith, TJ; Schneider, T; Eisen, EA; Wegman, DH. (2005). Determinants of airborne fiber size in the glass fiber production industry. *J Occup Environ Hyg.* 2: 19-28. <http://dx.doi.org/10.1080/15459620590898108>.
- Quinn, MW; Smith, TJ; Eisen, EA; Wegman, DH; Ellenbecker, MJ. (2000). Implications of different fiber measures for epidemiologic studies of man-made vitreous fibers. *Am J Ind Med.* 38: 132-139. [http://dx.doi.org/10.1002/1097-0274\(200008\)38:2<132::AID-AJIM3>3.0.CO;2-P](http://dx.doi.org/10.1002/1097-0274(200008)38:2<132::AID-AJIM3>3.0.CO;2-P).
- Quirion, DM; Jenkins, DM. (1998). Dehydration and partial melting of tremolitic amphibole coexisting with zoisite, quartz, anorthite, diopside, and water in the system H₂O-CaO-MgO-Al₂O₃-SiO₂. *Contributions to Mineralogy and Petrology.* 130: 379-389.
- Rabah, MA; El Rahman, MKA; Ismael, IS. (2000). Separation of demineralized graphite from Egyptian ore by hydrometallurgical treatments. *Journal of the Chinese Institute of Chemical Engineers.* 31: 309-319.
- Rabinowitz, JG; Efremidis, SC; Cohen, B; Dan, S; Efremidis, A; Chahinian, AP; Teirstein, AS. (1982). A Comparative Study of Mesothelioma and Asbestosis Using Computed Tomography and Conventional Chest Radiography. *Radiology.* 144: 453-460.
- Rabovsky, J. (1995). Biogenic amorphous silica [Review].
- Racine, WP. (2010). Emissions concerns during renovation in the healthcare setting: asbestos abatement of floor tile and mastic in medical facilities. *J Environ Manage.* 91: 1429-1436. <http://dx.doi.org/10.1016/j.jenvman.2010.02.027>.
- Radauceanu, A; Chouaniere, D; Wild, P; Hery, M; Creau, Y. (2008). Assessment of asbestos exposure in asbestos removal operations: Proposal of a task exposure matrix. *Arch Mal Prof Environ.* 69: 586-592. <http://dx.doi.org/10.1016/j.admp.2008.05.006>.
- Radi, S; Dalphin, JC; Manzoni, P; Pernet, D; Leboube, MP; Viel, JF. (2002). Respiratory morbidity in a population of French dental technicians. *Occup Environ Med.* 59: 398-404. <http://dx.doi.org/10.1136/oem.59.6.398>.

Fate Literature Search Results

Off Topic

- Radvanec, M; Tuček, L; Derco, J; Čechovská, K; Németh, Z. (2013). Change of carcinogenic chrysotile fibers in the asbestos cement (eternit) to harmless waste by artificial carbonatization: petrological and technological results. *J Hazard Mater.* 252-253: 390-400. <http://dx.doi.org/10.1016/j.jhazmat.2013.02.036>.
- Raffaelli, I; Festa, G; Costantini, AS; Leva, G; Gorini, G. (2007). [Mortality in a cohort of asbestos cement workers in Carrara, Italy]. *Med Lav.* 98: 156-163.
- RAFFIN. (1993). INCIDENCE OF LUNG-CANCER BY HISTOLOGICAL TYPE AMONG ASBESTOS-CEMENT WORKERS IN DENMARK - REPLY. *Br J Ind Med.* 50: 767-767.
- Raffn, E; Lyng, E; Juel, K; Korsgaard, B. (1989). Incidence of cancer and mortality among employees in the asbestos cement industry in Denmark. *Occup Environ Med.* 46: 90-96.
- Raffn, E; Lyng, E; Korsgaard, B. (1993). Incidence of lung cancer by histological type among asbestos cement workers in Denmark. *Br J Ind Med.* 50: 85-89.
- Raffn, E; Villadsen, E; Engholm, G; Lyng, E. (1996). Lung cancer in asbestos cement workers in Denmark. *Occup Environ Med.* 53: 399-402.
- Raffn, E; Villadsen, E; Lyng, E. (1996). Colorectal cancer in asbestos cement workers in Denmark. *Am J Ind Med.* 30: 267-272. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199609\)30:3<267::AID-AJIM3>3.0.CO;2-W](http://dx.doi.org/10.1002/(SICI)1097-0274(199609)30:3<267::AID-AJIM3>3.0.CO;2-W).
- Raffrenato, E; Van Amburgh, ME. (2011). Technical note: improved methodology for analyses of acid detergent fiber and acid detergent lignin. *J Dairy Sci.* 94: 3613-3617. <http://dx.doi.org/10.3168/jds.2010-3701>.
- Rafnsson, V; Gunnarsdottir, H. (1994). MORTALITY AMONG ICELANDIC SEAMEN. *Int J Epidemiol.* 23: 730-736.
- Rafnsson, V; Gunnarsdottir, H. (1995). CANCER INCIDENCE AMONG SEAMEN IN ICELAND. *Am J Ind Med.* 27: 187-193.
- Rafnsson, V; Sulem, P. (2003). Cancer incidence among marine engineers, a population-based study (Iceland). *Cancer Causes Control.* 14: 29-35.
- Rahman, Q; Lohani, M; Dopp, E; Pemsel, H; Jonas, L; Weiss, DG; Schiffmann, D. (2002). Evidence that ultrafine titanium dioxide induces micronuclei and apoptosis in Syrian hamster embryo fibroblasts. *Environ Health Perspect.* 110: 797-800.
- Rahman, Q; Mahmood, N; Khan, SG; Arif, JM; Athar, M. (1997). Mechanism of Asbestos-Mediated DNA Damage: Role of Heme and Heme Proteins. *Environ Health Perspect.* 105: 1109-1112.
- Rahn, MK; Bucher, H. (1998). Titanian clinohumite formation in the Zermatt-Saas ophiolites, Central Alps. *Mineralogy and Petrology.* 64: 1-13.
- Raithel, HJ; Weltle, D; Bohlig, H; Valentin, H. (1989). Health hazards from fine asbestos dusts. An analysis of 70,656 occupational preventive medical investigations from 1973 to the end of 1986. *Int Arch Occup Environ Health.* 61: 527-541.
- Raj, AKV; Rao, PP; Sameera, S; Divya, S. (2015). Pigments based on terbium-doped yttrium cerate with high NIR reflectance for cool roof and surface coating applications. *Dyes and Pigments.* 122: 116-125. <http://dx.doi.org/10.1016/j.dyepig.2015.06.021>.
- Raj, IA. (1992). ON THE CATALYTIC ACTIVITY OF NI-MO-FE COMPOSITE SURFACE-COATINGS FOR THE HYDROGEN CATHODES IN THE INDUSTRIAL ELECTROCHEMICAL PRODUCTION OF HYDROGEN. *Appl Surf Sci.* 59: 245-252.
- Raj, MAL, A; Madhu, GM; Rao, YJ. (2006). Kinetics of palladium catalysed partial oxidation of methane. *Indian J Chem Tech.* 13: 107-113.
- Rajapaksha, AU; Vithanage, M; Oze, C; Bandara, WMA, T; Weerasooriya, R. (2012). Nickel and manganese release in serpentine soil from the Ussangoda Ultramafic Complex, Sri Lanka. *Geoderma.* 189: 1-9. <http://dx.doi.org/10.1016/j.geoderma.2012.04.019>.
- Rajendran, S; Nasir, S. (2014). Hydrothermal altered serpentized zone and a study of Ni-magnesioferrite-magnetite-awaruite occurrences in Wadi Hibi, Northern Oman Mountain: Discrimination through ASTER mapping. *Ore Geol Rev.* 62: 211-226. <http://dx.doi.org/10.1016/j.oregeorev.2014.03.016>.
- Rajhans, GS; Bragg, GM. (1975). STATISTICAL-ANALYSIS OF ASBESTOS FIBER COUNTING IN LABORATORY AND INDUSTRIAL ENVIRONMENT. *Am Ind Hyg Assoc J.* 36: 909-915.
- Rajhans, GS; Bragg, GM; Morton, JS. (1978). REVIEW OF ASBESTOS EXPOSURES IN ONTARIO. *Am Ind Hyg Assoc J.* 39: 767-771. <http://dx.doi.org/10.1080/0002889778507849>.
- Rajhans, GS; Sullivan, JL. (1981). Asbestos sampling and analysis. (CIS/82/01542). Rajhans, GS; Sullivan, JL.
- Ramanathan, AL; Subramanian, V. (2001). Present status of asbestos mining and related health problems in India--a survey. *Ind Health.* 39: 309-315.
- Ramazzini, C. (1999). Call for an international ban on asbestos. *Scand J Work Environ Health.* 25: 633-635.
- Ramazzini, C. (1999). Call for an international ban on asbestos [Editorial]. *J Occup Environ Med.* 41: 830-832. <http://dx.doi.org/10.1179/oeoh.1999.5.3.247>.
- Ramazzini, C. (2010). Asbestos is still with us: repeat call for a universal ban [Editorial]. *J Occup Environ Med.* 52: 469-472. <http://dx.doi.org/10.1080/19338241003776104>.
- Ramazzini, C. (2011). Asbestos Is Still With Us: Repeat Call for a Universal Ban. *Am J Ind Med.* 54: 168-173. <http://dx.doi.org/10.1002/ajim.20892>.
- Ramazzini, C. (2016). Collegium Ramazzini The global health dimensions of asbestos and asbestos-related diseases. *Med Lav.* 107: 75-79.
- Ramazzini, C. (2016). Comments on the 2014 helsinki consensus report on asbestos. *J Occup Health.* 58: 224-227.
- Ramazzini, C. (2016). Comments on the causation of malignant mesothelioma: rebutting the false concept that recent exposures to asbestos do not contribute to causation of mesothelioma. *Ind Health.* 54: 92-93. <http://dx.doi.org/10.2486/indhealth.cr02>.
- Ramazzini, C. (2016). Comments on the causation of malignant mesothelioma: rebutting the false concept that recent exposures to asbestos do not contribute to causation of mesothelioma. *J Occup Health.* 58: 228-229. <http://dx.doi.org/10.1539/joh.16-2003-LT>.
- Ramirez, W; Pontigo, M. (1979). RELATIVE HUMIDITY AND INTERNAL TEMPERATURE OF WOOD AND ASBESTOS-CEMENT HIVES. 3: 57-60.
- Ramroth, H; Ahrens, W; Dietz, A; Becher, H. (2011). Occupational Asbestos Exposure as a Risk Factor for Laryngeal Carcinoma in a Population-Based Case-Control Study from Germany. *Am J Ind Med.* 54: 510-514. <http://dx.doi.org/10.1002/ajim.20963>.
- Rapiti, E; Turi, E; Forastiere, F; Borgia, P; Comba, P; Perucci, CA; Axelson, O. (1992). A mortality cohort study of seamen in Italy. *Am J Ind Med.* 21: 863-872.

Fate Literature Search Results

Off Topic

- Rasmuson, JO; Roggli, VL; Boelter, FW; Rasmuson, EJ; Redinger, CF. (2014). Cumulative Retrospective Exposure Assessment (REA) as a predictor of amphibole asbestos lung burden: validation procedures and results for industrial hygiene and pathology estimates. *Inhal Toxicol.* 26: 1-13. <http://dx.doi.org/10.3109/08958378.2013.845273>.
- Rautiala, S; Reponen, T; Nevalainen, A; Husman, T; Kalliokoski, P. (1998). Control of exposure to airborne viable microorganisms during remediation of moldy buildings; Report of three case studies. *Am Ind Hyg Assoc J.* 59: 455-460.
- Ravikrishna, R; Lee, HW; Mbuligwe, S; Valsaraj, KT; Pardue, JH. (2010). Air quality during demolition and recovery activities in post-Katrina New Orleans. *Environ Toxicol Chem.* 29: 1438-1444. <http://dx.doi.org/10.1002/etc.210>.
- Raymond, MV. (1965). [ASBESTOS IN BUILDINGS AND PUBLIC WORKS]. *Arch Mal Prof Med Trav Secur Soc.* 26: 166-168.
- Rebay, G; Messiga, B. (2007). Prograde metamorphic evolution and development of chloritoid-bearing eclogitic assemblages in subcontinental metagabbro (Sesia-Lanzo zone, Italy). *Lithos.* 98: 275-291. <http://dx.doi.org/10.1016/j.lithos.2007.04.002>.
- Redwood, D; Lanier, AP; Brubaker, M; Orell, L; Tom-Orme, L; George, C; Edwards, S; Slattery, M. (2012). Occupational and Environmental Exposures Among Alaska Native and American Indian People Living in Alaska and the Southwest United States. *J Environ Health.* 74: 22-28.
- Reed, RB; Goodwin, DG; Marsh, KL; Capracotta, SS; Higgins, CP; Fairbrother, DH; Ranville, JF. (2013). Detection of single walled carbon nanotubes by monitoring embedded metals. *Environ Sci Process Impacts.* 15: 204-213. <http://dx.doi.org/10.1039/c2em30717k>.
- Rees, C; Riedell, KB; Proffett, JM; Macpherson, J; Robertson, S. (2015). The Red Chris Porphyry Copper-Gold Deposit, Northern British Columbia, Canada: Igneous Phases, Alteration, and Controls of Mineralization. *Econ Geol.* 110: 857-888.
- Rees, D; Myers, JE; Goodman, K; Fourie, E; Blignaut, C; Chapman, R; Bachmann, MO. (1999). Case-control study of mesothelioma in South Africa. *Am J Ind Med.* 35: 213-222.
- Rees, D; Phillips, JI; Garton, E; Pooley, FD. (2001). Asbestos lung fibre concentrations in South African chrysotile mine workers. *Ann Occup Hyg.* 45: 473-477.
- Rees, D; Steinberg, M; Becker, PJ; Solomon, A. (1992). DUST EXPOSURE AND PNEUMOCONIOSIS IN A SOUTH-AFRICAN POTTERY .2. PNEUMOCONIOSIS AND FACTORS INFLUENCING READING OF RADIOLOGICAL OPACITIES. *Br J Ind Med.* 49: 465-471.
- Reeves, AL; Puro, HE; Smith, RG. (1974). Inhalation carcinogenesis from various forms of asbestos. *Environ Res.* 8: 178-202.
- Reger, RB; Cole, WS; Sargent, EN; Wheeler, PS. (1990). Cases of alleged asbestos-related disease: a radiologic re-evaluation. *J Occup Med.* 32: 1088-1090.
- Regnier, R; Aubertin, G; Kauffer, E; Braconnier, R. (1986). EMISSION OF ASBESTOS FIBERS FROM HEAT PROTECTIVE CLOTHS. *Staub, Reinhaltung der Luft.* 46: 89-91.
- Regnier, R; Bemmerl, D; Subra, I. (2009). Filtration efficiency of industrial vacuum cleaners - testing method. *Gefahrst Reinhalt Luft.* 69: 205-212.
- Reguir, EP; Chakhmouradian, AR; Pisiak, L; Halden, NM; Yang, P; Xu, C; Kynicky, J; Coueslan, CG. (2012). Trace-element composition and zoning in clinopyroxene- and amphibole-group minerals: Implications for element partitioning and evolution of carbonatites. *Lithos.* 128: 27-45. <http://dx.doi.org/10.1016/j.lithos.2011.10.003>.
- Rehn, B; Rehn, S; Bruch, J. (1999). A new in-vitro-testing concept (vector-model) in biological screening and monitoring the lung toxicity of dusts. Presentation of the concept and testing the method with dust of known lung toxicity. *Staub, Reinhaltung der Luft.* 59: 181-188.
- Reich, M; Simon, AC; Deditius, A; Barra, F; Chrysosoulis, S; Lagas, G; Tardani, D; Knipping, J; Bilenker, L; Sanchez-Alfaro, P; Roberts, MP; Munizaga, R. (2016). TRACE ELEMENT SIGNATURE OF PYRITE FROM THE LOS COLORADOS IRON OXIDE-APATITE (IOA) DEPOSIT, CHILE: A MISSING LINK BETWEEN ANDEAN IOA AND IRON OXIDE COPPER-GOLD SYSTEMS? *Econ Geol.* 111: 743-761.
- Reid, A; Alfonso, H; Ti, JS; Wong, E; de Klerk, N; Musk, AW. (2012). Sense of control and wellbeing decades after exposure to blue asbestos at Wittenoom, Western Australia. *Int J Occup Environ Health.* 18: 116-123. <http://dx.doi.org/10.1179/1077352512Z.0000000006>.
- Reid, A; Berry, G; Heyworth, J; de Klerk, NH; Musk, AW. (2009). Predicted mortality from malignant mesothelioma among women exposed to blue asbestos at Wittenoom, Western Australia. *Occup Environ Med.* 66: 169-174. <http://dx.doi.org/10.1136/oem.2007.038315>.
- Reid, A; de Klerk, N; Ambrosini, G; Olsen, N; Pang, SC; Musk, AW. (2005). The additional risk of malignant mesothelioma in former workers and residents of Wittenoom with benign pleural disease or asbestosis. *Occup Environ Med.* 62: 665-669. <http://dx.doi.org/10.1136/oem.2004.018531>.
- Reid, A; de Klerk, N; Ambrosini, GL; Olsen, N; Pang, SC; Berry, G; Musk, AW. (2005). The effect of asbestosis on lung cancer risk beyond the dose related effect of asbestos alone. *Occup Environ Med.* 62: 885-889. <http://dx.doi.org/10.1136/oem.2005.020834>.
- Reid, A; de Klerk, N; Musk, AW. (2011). Does Exposure to Asbestos Cause Ovarian Cancer? A Systematic Literature Review and Meta-analysis [Review]. *Cancer Epidemiol Biomarkers Prev.* 20: 1287-1295. <http://dx.doi.org/10.1158/1055-9965.EPI-10-1302>.
- Reid, A; de Klerk, NH; Ambrosini, GL; Berry, G; Musk, AW. (2006). The risk of lung cancer with increasing time since ceasing exposure to asbestos and quitting smoking. *Occup Environ Med.* 63: 509-512. <http://dx.doi.org/10.1136/oem.2005.025379>.
- Reid, A; Franklin, P; Olsen, N; Sleith, J; Samuel, L; Aboagye-Sarfo, P; de Klerk, N; Musk, AW. (2013). All-cause mortality and cancer incidence among adults exposed to blue asbestos during childhood. *Am J Ind Med.* 56: 133-145. <http://dx.doi.org/10.1002/ajim.22103>.
- Reid, A; Heyworth, J; de Klerk, N; Musk, A. (2008). The mortality of women exposed environmentally and domestically to blue asbestos at Wittenoom, Western Australia. *Occup Environ Med.* 65: 743-749. <http://dx.doi.org/10.1136/oem.2007.035782>.
- Reid, A; Heyworth, J; de Klerk, N; Musk, AW. (2009). Asbestos exposure and gestational trophoblastic disease: a hypothesis. *Cancer Epidemiol Biomarkers Prev.* 18: 2895-2898. <http://dx.doi.org/10.1158/1055-9965.EPI-09-0731>.
- Reid, A; Segal, A; Heyworth, JS; de Klerk, NH; Musk, AW. (2009). Gynecologic and breast cancers in women after exposure to blue asbestos at Wittenoom. *Cancer Epidemiol Biomarkers Prev.* 18: 140-147. <http://dx.doi.org/10.1158/1055-9965.EPI-08-0746>.
- Reid, ME; Craven, G. (1996). Geologic sources of asbestos in Seattle's Tolt Reservoir. *NW Sci.* 70: 48-54.
- Reinen, LA; Weeks, JD; Tullis, TE. (1994). THE FRICTIONAL BEHAVIOR OF LIZARDITE AND ANTIGORITE SERPENTINITES - EXPERIMENTS, CONSTITUTIVE MODELS, AND IMPLICATIONS FOR NATURAL FAULTS. *Pure Appl Geophys.* 143: 317-358.

Fate Literature Search Results

Off Topic

- Reisch, M. (1990). MORE WORKERS AT RISK FROM ASBESTOS EXPOSURE. *Chem Eng News*. 68: 10-10.
- Reiss, B; Millette, J. R.; Williams, GM. (1980). THE ACTIVITY OF ENVIRONMENTAL-SAMPLES IN A CELL-CULTURE TEST FOR ASBESTOS TOXICITY. *Environ Res*. 22: 315-321.
- Reiss, B; Solomon, S; Tong, C; Levenstein, M; Rosenberg, SH; Williams, GM. (1982). ABSENCE OF MUTAGENIC ACTIVITY OF 3 FORMS OF ASBESTOS IN LIVER EPITHELIAL-CELLS. *Environ Res*. 27: 389-397.
- Reist, PC. (1975). COUNTING ASBESTOS FIBERS BY MOST PROBABLE NUMBER METHOD. *Am Ind Hyg Assoc J*. 36: 379-384.
- Reitze, WB; Nicholson, WJ; Holaday, DA; Selikoff, IJ. (1972). Application of sprayed inorganic fiber containing asbestos: occupational health hazards. *Am Ind Hyg Assoc J*. 33: 178-191. <http://dx.doi.org/10.1080/0002889728506628>.
- Relini, G; Zamboni, N; Tixi, F; Torchia, G. (1994). PATTERNS OF SESSILE MACROBENTHOS COMMUNITY-DEVELOPMENT ON AN ARTIFICIAL REEF IN THE GULF OF GENOA (NORTHWESTERN MEDITERRANEAN). *Bulletin of Marine Science*. 55: 745-771.
- Rendall, RE; Davies, JC. (2007). Dust and fibre levels at Penge amosite mine, 1970-1971. 33: 26-30.
- Renner, R. (1999). Asbestos dust stirs trouble in Sierra Nevada foothills. *Environ Sci Technol*. 33: 348A-349A.
- Renner, R. (2000). Asbestos in the air. *Sci Am*. 282: 34.
- Renner, R. (2003). Asbestos investigation under way. *Environ Sci Technol*. 37: 426A-428A.
- Renner, R. (2006). Naturally occurring asbestos linked to cancer [Comment]. *Environ Sci Technol*. 40: 636-637. <http://dx.doi.org/10.1021/es063007a>.
- Repp, K; Lorbeer, R; Ittermann, T; Gläser, S; John, U; Hoffmann, W; Völzke, H. (2015). Occupational exposure to asbestos is associated with increased mortality in men recruited for a population-based study in Germany. *Int J Occup Med Environ Health*. 28: 849-862. <http://dx.doi.org/10.13075/ijom.1896.00549>.
- Resque Meirelles, AC; da Costa, ML. (2012). Mineralogy and chemistry of the green stone artifacts (muiraquitás) of the museums of the Brazilian State of Para. *Revista da Escola de Minas*. 65: 59-64.
- Rey, F; Boutin, C; Viallat, JR; Steinbauer, J; Alessandroni, P; Jutisz, P; Di Giambattista, D; Billon-Galland, MA; Hereng, P; Dumortier, P; De Vuyst, P. (1994). Environmental asbestotic pleural plaques in northeast Corsica: Correlations with airborne and pleural mineralogic analysis. *Environ Health Perspect*. 102: 251-252.
- Reynard, B. (2013). Serpentine in active subduction zones. *Lithos*. 178: 171-185. <http://dx.doi.org/10.1016/j.lithos.2012.10.012>.
- Reynard, B; Bezacier, L; Caracas, R. (2015). Serpentine, talc, chlorites, and their high-pressure phase transitions: a Raman spectroscopic study. *Physics and Chemistry of Minerals*. 42: 641-649. <http://dx.doi.org/10.1007/s00269-015-0750-0>.
- Reynard, B; Mibe, K; van De Moortele, B. (2011). Electrical conductivity of the serpentinised mantle and fluid flow in subduction zones. *Earth Planet Sci Lett*. 307: 387-394. <http://dx.doi.org/10.1016/j.epsl.2011.05.013>.
- Reynard, B; Wunder, B. (2006). High-pressure behavior of synthetic antigorite in the MgO-SiO₂-H₂O system from Raman spectroscopy. *Am Mineral*. 91: 459-462. <http://dx.doi.org/10.2138/am.2006.2069>.
- Reynolds, SJ; Kreiger, RA; Bohn, JA; Fish, D; Marxhausen, T; McJilton, C. (1994). Factors affecting airborne concentrations of asbestos in a commercial building. *Am Ind Hyg Assoc J*. 55: 823-828.
- Reznitskii, L; Clark, CM; Hawthorne, FC; Grice, JD; Skogby, H; Halenius, U; If, Bosi, F. (2014). Chromo-alumino-povondraite, NaCr₃(Al₄Mg₂)(Si₆O₁₈)(BO₃)(OH)₃O, a new mineral species of the tourmaline supergroup. *Am Mineral*. 99: 1767-1773. <http://dx.doi.org/10.2138/am.2014.4787>.
- Rhee, SK. (1974). WEAR MECHANISMS FOR ASBESTOS-REINFORCED AUTOMOTIVE FRICTION MATERIALS. *Wear*. 29: 391-393.
- Riala, RE; Riipinen, HM. (1998). Respirator and High Efficiency Particulate Air Filtration Unit Performance in Asbestos Abatement. *Appl Occup Environ Hyg*. 13: 32-40.
- Ribak, J. (1994). Inconsistencies and delays in asbestos evaluations [Letter]. *Am J Ind Med*. 25: 455-456.
- Ribak, J; Lerman, Y. (1995). Use of asbestos in expected and unexpected places in Israel. *Public Health Rev*. 23: 35-45.
- Ribak, J; Lilis, R; Suzuki, Y; Penner, L; Selikoff, IJ. (1988). Malignant mesothelioma in a cohort of asbestos insulation workers: clinical presentation, diagnosis, and causes of death. *Br J Ind Med*. 45: 182-187.
- Ribak, J; Lilis, R; Suzuki, Y; Penner, L; Selikoff, IJ. (1991). Death certificate categorization of malignant pleural and peritoneal mesothelioma in a cohort of asbestos insulation workers. *J Soc Occup Med*. 41: 137-139. <http://dx.doi.org/10.1093/occmed/41.3.137>.
- Ribak, J; Seidman, H; Selikoff, IJ. (1989). Amosite mesothelioma in a cohort of asbestos workers. *Scand J Work Environ Health*. 15: 106-110.
- Ribak, J; Selikoff, IJ. (1992). Survival of asbestos insulation workers with mesothelioma. *Br J Ind Med*. 49: 732-735.
- Ricci, P. (2007). Conclusion. *Epidemiol Prev*. 31: 81-84.
- Riccò, M. (2015). Lung fibrosis and exposure to wood dusts: Two case reports and review of the literature. *Med Pr*. 66: 739-747. <http://dx.doi.org/10.13075/mp.5893.00140>.
- Rice, C; Heineman, EF. (2003). Application of a method to evaluate the quality of work histories and document the exposure assessment process. *Am J Ind Med*. 44: 94-106. <http://dx.doi.org/10.1002/ajim.10231>.
- Rice, C; Heineman, EF. (2003). An asbestos job exposure matrix to characterize fiber type, length, and relative exposure intensity. *Appl Occup Environ Hyg*. 18: 506-512. <http://dx.doi.org/10.1080/10473220301459>.
- Richards, RJ; Jacoby, F. (1976). Light microscope studies on the effects of chrysotile asbestos and fiber glass on the morphology and reticulin formation of cultured lung fibroblasts. *Environ Res*. 11: 112-121.
- Richardson, DB. (2008). A simple approach for fitting linear relative rate models in SAS. *Am J Epidemiol*. 168: 1333-1338. <http://dx.doi.org/10.1093/aje/kwn278>.
- Richardson, DB. (2009). Lung cancer in chrysotile asbestos workers: analyses based on the two-stage clonal expansion model. *Cancer Causes Control*. 20: 917-923. <http://dx.doi.org/10.1007/s10552-009-9297-z>.

Fate Literature Search Results

Off Topic

- Richardson, DB; Cole, SR; Chu, H; Langholz, B. (2011). Lagging exposure information in cumulative exposure-response analyses. *Am J Epidemiol.* 174: 1416-1422. <http://dx.doi.org/10.1093/aje/kwr260>.
- Richardson, DB; Cole, SR; Langholz, B. (2012). Regression models for the effects of exposure rate and cumulative exposure. *Epidemiology.* 23: 892-899. <http://dx.doi.org/10.1097/EDE.0b013e31826c3149>.
- Richardson, DB; Maclehorse, RF; Langholz, B; Cole, S. R. (2011). Hierarchical latency models for dose-time-response associations. *Am J Epidemiol.* 173: 695-702. <http://dx.doi.org/10.1093/aje/kwq387>.
- Richardson, DB; Wing, S; Keil, A; Wolf, S. (2013). Mortality among workers at Oak Ridge National Laboratory. *Am J Ind Med.* 56: 725-732. <http://dx.doi.org/10.1002/ajim.22164>.
- Richardson, DB; Wing, S; Wolf, S. (2007). Mortality among workers at the Savannah River Site. *Am J Ind Med.* 50: 881-891. <http://dx.doi.org/10.1002/ajim.20511>.
- Richter, ED. (1984). Asbestos exposure in Israel: findings, issues and needs [Review]. *Isr J Med Sci.* 20: 89-97.
- Richter, ED. (2005). The precautionary principle, epidemiology and the ethics of delay (Reprinted from the *European Journal of Oncology Library*, vol 2, 2003). *Hum Ecol Risk Assess.* 11: 17-27. <http://dx.doi.org/10.1080/10807030590919864>.
- Richter, ED; Chlamtac, N. (2001). Bibliography of research and policy regarding asbestos in Israel. *Public Health Rev.* 29: 265-267.
- Richter, ED; Chlamtac, N; Berman, T; Laster, R. (2001). A review of environmental and occupational exposure to asbestos in Israel [Review]. *Public Health Rev.* 29: 247-264.
- Richter, ED; Tuch, H; Sarel, O; Shabbat, Z; Weiler, D. (1986). Smoking, morbidity, and pulmonary function in a group of ex-asbestos workers: a pilot study. *Am J Ind Med.* 10: 515-523.
- Richter, RO; Finley, BL; Paustenbach, DJ; Williams, PRD; Sheehan, PJ. (2009). An evaluation of short-term exposures of brake mechanics to asbestos during automotive and truck brake cleaning and machining activities. *J Expo Sci Environ Epidemiol.* 19: 458-474. <http://dx.doi.org/10.1038/jes.2008.36>.
- Rickards, AL. (1972). Estimation of trace amounts of chrysotile asbestos by x-ray diffraction. *Anal Chem.* 44: 1872-1873. <http://dx.doi.org/10.1021/ac60319a050>.
- Rickards, AL. (1978). The routine monitoring of airborne asbestos in an occupational environment. *Ann Occup Hyg.* 21: 315-322.
- Rickards, AL. (1994). Levels of workplace exposure. *Ann Occup Hyg.* 38: 469-475, 409.
- Riediger, G. (1984). INORGANIC FIBERS IN INDUSTRIAL WORKPLACE ATMOSPHERES - COMPARISON OF MEASUREMENTS FOR ASBESTOS FIBERS AND FOR MAN-MADE MINERAL FIBERS. *Staub, Reinhaltung der Luft.* 44: 38-45.
- Riediger, G. (1995). DETERMINATION OF ASBESTOS FIBER LEVELS AT THE WORKPLACE. *Staub, Reinhaltung der Luft.* 55: 377-378.
- Riediger, G; Rodelsperger, K. (2000). Confusion about the precision of asbestos fibres counting by electron microscopy. *Ann Occup Hyg.* 44: 76-76.
- Rihn, B; Coulais, C; Kauffer, E; Bottin, MC; Martin, P; Yvon, F; Vigneron, JC; Binet, S; Monhoven, N; Steiblen, G; Keith, G. (2000). Inhaled crocidolite mutagenicity in lung DNA. *Environ Health Perspect.* 108: 341-346.
- Rincón, A; Marangoni, M; Cetin, S; Bernardo, E. (2016). Recycling of inorganic waste in monolithic and cellular glass-based materials for structural and functional applications [Review]. 91: 1946-1961. <http://dx.doi.org/10.1002/jctb.4982>.
- Rindi, F; Guiry, MD. (2002). Diversity, life history, and ecology of Trentepohlia and Printzina (trentepohliales, chlorophyta) in urban habitats in Western Ireland. *J Phycol.* 38: 39-54.
- Rinne, M; Hollings, P. (2013). The Characteristics and Origin of the Big Lake Mafic-Ultramafic-Hosted Volcanogenic Massive Sulfide Occurrence, Marathon, Ontario, Canada. *Econ Geol.* 108: 719-738.
- Rioux, P; Carre, A. (1983). RESEARCH ON THE RISK-FACTORS OF ASBESTOS BY FACTORIAL ANALYSIS OF CORRESPONDENCE. *Scand J Work Environ Health.* 9: 70-70.
- Ripanucci, G; Grana, M; Vicentini, L; Magrini, A; Bergamaschi, A. (2006). Dust in the underground railway tunnels of an Italian town. *J Occup Environ Hyg.* 3: 16-25. <http://dx.doi.org/10.1080/15459620500444004>.
- Ripka, P; Navratil, P. (1997). Fluxgate sensor for magnetopneumometry. *Sens Actuators A.* 60: 76-79.
- Ripley, EM; Butler, BK; Taib, NI; Lee, I. (1993). HYDROTHERMAL ALTERATION IN THE BABBITT CU-NI DEPOSIT, DULUTH COMPLEX - MINERALOGY AND HYDROGEN ISOTOPE SYSTEMATICS. *Econ Geol.* 88: 679-696.
- Rissanen, S; Smolander, J; Louhevaara, V. (1991). Work load and physiological responses during asbestos removal with protective clothing. *Int Arch Occup Environ Health.* 63: 241-246.
- Rita, P; Reddy, PP. (1986). EFFECT OF CHRYSOTILE ASBESTOS FIBERS ON GERM-CELLS OF MICE. *Environ Res.* 41: 139-143.
- Riva, MA; Carnevale, F; D'Orso, MI; Iavicoli, S; Bertazzi, PA; Cesana, G. (2012). The contribution of Enrico C. Vigliani (1907-1992) to the international development of occupational medicine and industrial hygiene. *Med Lav.* 103: 419-426.
- Riva, MA; Carnevale, F; Sironi, VA; De Vito, G; Cesana, G. (2010). Mesothelioma and asbestos, fifty years of evidence: Chris Wagner and the contribution of the Italian occupational medicine community. *Med Lav.* 101: 409-415.
- Rizaj, M; Beqiri, E; Mcbow, I; O'Brien, EZ; Kongoli, F. (2008). The mineral base and productive capacities of metals and non-metals of Kosovo. *J O M.* 60: 18-22.
- Roberson, KT; Thomas, TC; Sherman, LR. (1992). COMPARISON OF ASBESTOS AIR SAMPLES BY SEM-EDXA AND TEM-EDXA. *Ann Occup Hyg.* 36: 265-269.
- Robert, JL; Della Ventura, G; Hawthorne, FC. (1999). Near-infrared study of short-range disorder of OH and F in monoclinic amphiboles. *Am Mineral.* 84: 86-91.
- Robert, JL; Della Ventura, G; Welch, MD; Hawthorne, FC. (2000). The OH-F substitution in synthetic pargasite at 1.5 kbar, 850 degrees C. *Am Mineral.* 85: 926-931.

Fate Literature Search Results

Off Topic

- Roberti, S; Merler, E; Bressan, V; Fiore, AR; Maligni, GRSM. (2007). [Malignant mesothelioma in the Veneto Region (north-east of Italy), 1988-2002: incidence, geographical analysis, trends and comparison with mortality]. *Epidemiol Prev.* 31: 309-316.
- Roberts, J. R.; Mercer, RR; Chapman, RS; Cohen, G; Bangsaruntip, S; Schwegler-Berry, D; Scabilloni, JF; Castranova, V; Antonini, JM; Leonard, SS. (2012). Pulmonary Toxicity, Distribution, and Clearance of Intratracheally Instilled Silicon Nanowires in Rats. *Journal of Nanomaterials.* 2012: 398302. <http://dx.doi.org/10.1155/2012/398302>.
- Roberts, D. (1981). Asbestos Analysis Report for St. Marys Elementary School, Alexandria, Kentucky, Report No. IWS-127-18 (pp. 127-118). (NIOSH/00195592). Roberts, D.
- Roberts, DR. (1980). Asbestos Analysis Report for Reading Community Schools, Ceiling Insulating Material, Reading, Ohio, Report No. IWS-127-16 (pp. 127-116). (NIOSH/00195591). Roberts, DR.
- Roberts, DR; Zumwalde, RD. (1982). Industrial Hygiene Summary Report of Asbestos Exposure Assessment for Brake Mechanics, Report No. IWS-32-4 (pp. 32-34). (NIOSH/00133792). Roberts, DR; Zumwalde, RD.
- Roberts, F; Mackinnon, JL; Cherrie, L; Burnett, RA; Harper, CM. (2004). Interobserver variability in analysis of asbestos fibres and asbestos bodies in human lung tissue. *Med Sci Law.* 44: 151-159.
- Roberts, MD; Oliver, NHS; Fairclough, MC; Holtta, PS; Lahtinen, R. (2003). Geochemical and oxygen isotope signature of sea-floor alteration associated with a polydeformed and highly metamorphosed massive sulfide deposit, Ruostesuo, central Finland. *Econ Geol.* 98: 535-556.
- Roberts, S; Palmer, MR; Waller, L. (2006). Sm-Nd and REE characteristics of tourmaline and scheelite from the Bjorkdal gold deposit, northern Sweden: Evidence of an intrusion-related gold deposit? *Econ Geol.* 101: 1415-1425.
- Robins, TG; Green, MA. (1988). Respiratory morbidity in workers exposed to asbestos in the primary manufacture of building materials. *Am J Ind Med.* 14: 433-448. <http://dx.doi.org/10.1002/ajim.4700140407>.
- Robins, TG; Weinstein, RJ; Demers, RY. (1991). LYMPHOCYTOPENIA, T-LYMPHOCYTE SUBSETS, AND COLORECTAL POLYPS IN AUTOMOTIVE PATTERN AND MODEL MAKERS. *J Occup Environ Med.* 33: 510-515.
- Robinson, C; Stern, F; Halperin, W; Venable, H; Petersen, M; Frazier, T; Burnett, C; Lulich, N; Salg, J; Sestito, J. (1995). Assessment of mortality in the construction industry in the United States, 1984-1986. *Am J Ind Med.* 28: 49-70.
- Robinson, CF; Petersen, M; Palu, S. (1999). Mortality patterns among electrical workers employed in the U.S. construction industry, 1982-1987. *Am J Ind Med.* 36: 630-637.
- Robinson, CF; Petersen, M; Sieber, WK; Palu, S; Halperin, WE. (1996). Mortality of Carpenters' Union members employed in the U.S. construction or wood products industries, 1987-1990. *Am J Ind Med.* 30: 674-694. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199612\)30:6<674::AID-AJIM4>3.0.CO;2-R](http://dx.doi.org/10.1002/(SICI)1097-0274(199612)30:6<674::AID-AJIM4>3.0.CO;2-R).
- Robinson, D; Bevins, RE; Aguirre, L; Vergara, M. (2004). A reappraisal of episodic burial metamorphism in the Andes of central Chile. *Contributions to Mineralogy and Petrology.* 146: 513-528. <http://dx.doi.org/10.1007/s00410-003-0516-4>.
- Robinson, D; Reverdatto, VV; Bevins, RE; Polyansky, OP; Sheplev, VS. (1999). Thermal modeling of convergent and extensional tectonic settings for the development of low-grade metamorphism in the Welsh Basin. *J Geophys Res Solid Earth.* 104: 23069-23079.
- Robinson, JC; Paxman, DG. (1992). The role of threshold limit values in U.S. air pollution policy. *Am J Ind Med.* 21: 383-396.
- Robock, K. (1981). ENDANGERING THE ENVIRONMENT BY ASBESTOS CEMENT-PRODUCTS. *Staub, Reinhaltung der Luft.* 41: 309-310.
- Roby, TJ; Swan, GE; Schumann, GB; Jr, EL. (1990). Utility of Quantitated Sputum Cytology to Detect the Effects of Exposure in Smokers and Nonsmokers. *Am J Ind Med.* 17: 537-552.
- Roche, LM. (1995). Reducing Carcinogens in Public Schools: A Non-Regulatory Approach by a Regulatory Agency. *J Environ Health.* 57: 23-26.
- Rocskay, AZ; Harbut, MR; Green, MA; Osher, DL; Zellers, ET. (1996). Respiratory health in asbestos-exposed ironworkers. *Am J Ind Med.* 29: 459-466. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199605\)29:5<459::AID-AJIM4>3.0.CO;2-H](http://dx.doi.org/10.1002/(SICI)1097-0274(199605)29:5<459::AID-AJIM4>3.0.CO;2-H).
- Rodelsperger, K. (1986). ASBESTOS-FREE FIBER MIXTURES - PROTOTYPE OF A PRODUCTION PLANT FOR ASBESTOS-FREE YARNS. *Arbeitsmedizin, Sozialmedizin, Praeventivmedizin.* 21: 312-312.
- Rodelsperger, K; Arhelger, R; Bruckel, B; Woitowitz, HJ. (1988). DOSIMETRY OF FIBROUS ASBESTOS DUST - RESULTS FROM A BUILDING SITE STUDY AND A STUDY OF BRAKE REPAIR SERVICE. *Staub, Reinhaltung der Luft.* 48: 19-25.
- Rodelsperger, K; Arhelger, R; Bruckel, B; Woitowitz, HJ. (1993). DETECTION OF MAN-MADE MINERAL FIBERS FROM INSULATION MATERIALS IN THE WORKPLACE ATMOSPHERE. *Staub, Reinhaltung der Luft.* 53: 395-399.
- Rodelsperger, K; Bruckel, B; Jahn, H; Manke, J; Woitowitz, HJ. (1985). ASBESTOS EMISSION DURING BRAKING. *Staub, Reinhaltung der Luft.* 45: 26-31.
- Rodelsperger, K; H-J, W; Krieger, HG. (1980). Estimation Of Exposure To Asbestos-Cement Dust On Building Sites (pp. 845-853). (ISSN 0300-5038; NIOSH/00156017). Rodelsperger, K; Woitowitz H-J; Krieger, HG.
- Rödelsperger, K; Jöckel, KH; Pohlbeln, H; Römer, W; Woitowitz, HJ. (2001). Asbestos and man-made vitreous fibers as risk factors for diffuse malignant mesothelioma: results from a German hospital-based case-control study. *Am J Ind Med.* 39: 262-275.
- Rödelsperger, K; Mándi, A; Tossavainen, A; Brückel, B; Barbisan, P; Woitowitz, HJ. (2001). Inorganic fibres in the lung tissue of Hungarian and German lung cancer patients. *Int Arch Occup Environ Health.* 74: 133-138.
- Rodelsperger, K; Manke, J; Bruckel, B; Knecht, U; Woitowitz, HJ. (1982). DUST FROM WORKING WITH ASBESTOS OR CEMENT AS A COMPLEX NOXA MIXTURE. *Arbeitsmedizin, Sozialmedizin, Praeventivmedizin.* 17: 257-261.
- Rodelsperger, K; Roller, M. (2002). Exposure to artificial mineral fibers - Overview of the available information on possible health hazards. *Staub, Reinhaltung der Luft.* 62: 485-488.
- Rodelsperger, K; Roth, E. (2004). Fibre concentrations in the sanding of finishing grout, plaster carton- and plaster fibre plates. *Staub, Reinhaltung der Luft.* 64: 435-437.

Fate Literature Search Results

Off Topic

- Rodelsperger, K; Schneider, J; Woitowitz, HJ. (1996). Non-occupational outdoor and indoor exposure to asbestos dust. *Gefahrst Reinhalt Luft*. 56: 117-126.
- Rodelsperger, K; Teichert, U; Bruckel, B. (2004). Environmental risks caused by asbestos fibres and other onorganic fibres. *Staub, Reinhaltung der Luft*. 64: 415-426.
- Rodelsperger, K; Teichert, U; Marfels, H; Spurny, K; Arhelger, R; Woitowitz, HJ. (1989). Measurement of Inorganic Fibrous Particulates in Ambient Air and Indoors with the Scanning Electron Microscope (pp. 361-366). (ISSN 0300-5038; NIOSH/00191372). Rodelsperger, K; Teichert, U; Marfels, H; Spurny, K; Arhelger, R; Woitowitz, HJ.
- Rodelsperger, K; Woitowitz, HJ. (1993). LENGTH DISTRIBUTION OF ASBESTOS FIBERS AND MMVFS AT WORKPLACE AND IN INHALATION EXPERIMENTS WITH RATS. *Staub, Reinhaltung der Luft*. 53: 115-123.
- Rödelersperger, K; Woitowitz, HJ. (1983). [Carcinogenic working materials exemplified by fibers]. *Zentralbl Arbeitsmed Arbeitsschutz Prophyl Ergonomie*. 33: 83-92.
- Rödelersperger, K; Woitowitz, HJ. (1991). [Asbestos in drinking water]. *Dtsch Med Wochenschr*. 116: 555-557.
- Rödelersperger, K; Woitowitz, HJ. (1995). Airborne fibre concentrations and lung burdens compared to the tumour response in rats and humans exposed to asbestos [Review]. *Ann Occup Hyg*. 39: 715-725.
- Rödelersperger, K; Woitowitz, HJ. (2003). Commentary regarding the article by Fischer et al.: Fibre years, pulmonary asbestos burden and asbestosis. *Int. J. Hyg. Environ. Health* 205, 245-248 (2002) [Letter]. *Int J Hyg Environ Health*. 206: 245-247; author reply 251-242. <http://dx.doi.org/10.1078/1438-4639-00210>.
- Rodelsperger, K; Woitowitz, HJ; Patzich, R; Bruckel, B. (1990). ASBESTOS FIBERS AND FERRUGINOUS BODIES IN THE LUNG-TISSUE OF MAN .1. ANALYSIS OF ASBESTOS FIBERS IN THE LUNGS OF PERSONS WITH NO EVIDENCE OF OCCUPATIONAL EXPOSURE. *Staub, Reinhaltung der Luft*. 50: 73-80.
- Rodelsperger, K; Woitowitz, HJ; Patzich, R; Bruckel, B; Gosch, V. (1990). ASBESTOS FIBERS AND FERRUGINOUS BODIES IN THE LUNG-TISSUE OF MAN .2. FERRUGINOUS BODIES ANALYSIS IN THE LUNGS OF PERSONS WITH NO EVIDENCE OF OCCUPATIONAL EXPOSURE. *Staub, Reinhaltung der Luft*. 50: 99-105.
- Rodrigues, C, deS; Ghavami, K; Stroeven, P. (2006). Porosity and water permeability of rice husk ash-blended cement composites reinforced with bamboo pulp. *Journal of Materials Science*. 41: 6925-6937. <http://dx.doi.org/10.1007/s10853-006-0217-2>.
- Rodrigues, C, deS; Ghavami, K; Stroeven, P. (2010). Rice Husk Ash as a Supplementary Raw Material for the Production of Cellulose-Cement Composites with Improved Performance. *Waste Biomass Valorization*. 1: 241-249. <http://dx.doi.org/10.1007/s12649-010-9017-7>.
- Rodriguez, EJ. (2004). Asbestos banned in Argentina [Review]. *Int J Occup Environ Health*. 10: 202-208. <http://dx.doi.org/10.1179/oeh.2004.10.2.202>.
- Rodríguez Portal, JA; Rodríguez Becerra, E; Rodríguez Rodríguez, D; Alfageme Michavila, I; Quero Martínez, A; Diego Roza, C; León Jiménez, A; Isidro Montes, I; Cebollero Rivas, P. (2009). Serum levels of soluble mesothelin-related peptides in malignant and nonmalignant asbestos-related pleural disease: relation with past asbestos exposure. *Cancer Epidemiol Biomarkers Prev*. 18: 646-650. <http://dx.doi.org/10.1158/1055-9965.EPI-08-0422>.
- Rodriguez, RB; Lopez, MDG. (2001). Investigating asbestos exposure was not the objective of the study. *Salud Publica Mex*. 43: 264-265.
- Roedelsperger, K; Jahn, H; Brueckel, B; Manke, J; Paur, R; H-J, W. (1986). ASBESTOS DUST EXPOSURE DURING BRAKE REPAIR. *Am J Ind Med*. 10: 63-72.
- Roelofs, C. (2015). Latency attention deficit: Asbestos abatement workers need us to investigate. *Am J Ind Med*. 58: 1231-1234. <http://dx.doi.org/10.1002/ajim.22539>.
- Roelofs, CR; Kernan, GJ; Davis, LK; Clapp, RW; Hunt, PR. (2013). Mesothelioma and employment in massachusetts: analysis of cancer registry data 1988-2003. *Am J Ind Med*. 56: 985-992. <http://dx.doi.org/10.1002/ajim.22218>.
- Rogan, WJ. (1995). Environmental poisoning of children--lessons from the past [Review]. *Environ Health Perspect*. 103 Suppl 6: 19-23.
- Rogan, WJ; Ragan, NB; Dinse, GE. (2000). X-ray evidence of increased asbestos exposure in the US population from NHANES I and NHANES II, 1973-1978. *Cancer Causes Control*. 11: 441-449. <http://dx.doi.org/10.1023/A:1008952426060>.
- Roger, RS. (1969). Results of Air Samples at Maremont-Grizzly Corporation in Paulding, Ohio. (NIOSH/00106144). Roger, RS.
- Rogers, A. (1990). ASBESTOS AND OTHER FIBROUS MATERIALS - MINERALOGY, CRYSTAL-CHEMISTRY AND HEALTH-EFFECTS - SKINNER,HC, ROSS,M, FRONDEL,C. *Community Health Stud*. 14: 206-206.
- Rogers, A. (1990). CANCER MORTALITY AND EXPOSURE TO CROCIDOLITE [Letter]. *Br J Ind Med*. 47: 286-286.
- Rogers, A. (1992). Prediction of mesothelioma, lung cancer, and asbestosis in former Wittenoom asbestos workers [Letter]. *Br J Ind Med*. 49: 451-452.
- Rogers, A; Major, G. (2002). The quantitative risks of mesothelioma and lung cancer in relation to asbestos exposure: the Wittenoom data [Letter]. *Ann Occup Hyg*. 46: 127-128; author reply 128-129. <http://dx.doi.org/10.1093/annhyg/mef002>.
- Rogers, A; Nevill, M. (1995). Occupational and environmental mesotheliomas due to crocidolite mining activities in Wittenoom, Western Australia. *Scand J Work Environ Health*. 21: 259-264.
- Rogers, AJ; Baker, EM; Conaty, GJ. (1997). Asbestiform Minerals: Worker Exposure and Risk Assessment in Some Contaminated Australian Mines. *Appl Occup Environ Hyg*. 12: 867-871.
- Rogers, JA. (1992). THE WHITE,ARTHUR,W. MINE, RED LAKE AREA, ONTARIO - DETAILED STRUCTURAL INTERPRETATION THE KEY TO SUCCESSFUL GRADE CONTROL AND EXPLORATION. 85: 37-44.
- Rogers, RA; Antonini, JM; Brismar, H; Lai, J; Hesterberg, TW; Oldmixon, EH; Thevenaz, P; Brain, JD. (1999). In situ microscopic analysis of asbestos and synthetic vitreous fibers retained in hamster lungs following inhalation. *Environ Health Perspect*. 107: 367-375.
- Rogers, RJ; Foster, RP; Wastler, KL. (1991). CONSIDERATION IN THE FORMULATION OF GASKET MATERIALS. *Tappi Journal*. 74: 127-132.

Fate Literature Search Results

Off Topic

- Roggli, VL. (1995). Malignant mesothelioma and duration of asbestos exposure: correlation with tissue mineral fibre content. *Ann Occup Hyg.* 39: 363-374.
- Roggli, VL; George, MH; Brody, AR. (1987). Clearance and dimensional changes of crocidolite asbestos fibers isolated from lungs of rats following short-term exposure. *Environ Res.* 42: 94-105.
- Roggli, VL; Hammar, SP; Pratt, PC; Maddox, JC; Legier, J; Mark, EJ; Brody, AR. (1994). Does asbestos or asbestosis cause carcinoma of the lung? *Am J Ind Med.* 26: 835-838.
- Roggli, VL; Langer, AM. (2005). RE: Asbestos in brakes: exposure and risk of disease [Letter]. *Am J Ind Med.* 47: 276-277; author reply 278-280. <http://dx.doi.org/10.1002/ajim.20129>.
- Roggli, VL; McLarty, JW; Greenberg, SD. (1983). ASBESTOS BODIES IN SPUTUM - A CLINICAL MARKER OF EXPOSURE. *J Occup Environ Med.* 25: 508-508.
- Roggli, VL; Pratt, PC. (1988). Amphiboles and chrysotile asbestos exposure [Letter]. *Am J Ind Med.* 14: 245-246.
- Roggli, VL; Pratt, PC; Brody, AR. (1986). Asbestos content of lung tissue in asbestos associated diseases: a study of 110 cases. *Br J Ind Med.* 43: 18-28.
- Roggli, VL; Pratt, PC; Brody, AR. (1993). Asbestos fiber type in malignant mesothelioma: an analytical scanning electron microscopic study of 94 cases. *Am J Ind Med.* 23: 605-614.
- Roggli, VL; Pratt, PC; Brody, AR. (1994). Fiber potency vs. importance [Letter]. *Am J Ind Med.* 25: 611-612.
- Roggli, VL; Sanders, LL. (2000). Asbestos content of lung tissue and carcinoma of the lung: a clinicopathologic correlation and mineral fiber analysis of 234 cases. *Ann Occup Hyg.* 44: 109-117.
- Roggli, VL; Sporn, TA; Case, BW; Butnor, KJ. (2009). Comments on Asbestos fibre concentrations in the lungs of brake workers: another look [Letter]. *Ann Occup Hyg.* 53: 191; author reply 192-193. <http://dx.doi.org/10.1093/annhyg/men079>.
- Roggli, VL; Vollmer, RT; Butnor, KJ; Sporn, TA. (2002). Tremolite and mesothelioma. *Ann Occup Hyg.* 46: 447-453. <http://dx.doi.org/10.1093/annhyg/mef056>.
- Rohl, AN. (1974). Asbestos in talc. *Environ Health Perspect.* 9: 129-132.
- Rohl, AN; Langer, AM. (1974). Identification and quantitation of asbestos in talc. *Environ Health Perspect.* 9: 95-109.
- Rohl, AN; Langer, AM. (1979). Fibrous mineral content of consumer talc-containing products.
- Rohl, AN; Langer, AM; Klimentidis, R; Wolff, MS; Seilikoff, IJ. (1977). Asbestos content of dust encountered in brake maintenance and repair. *Proc R Soc Med.* 70: 32-37.
- Rohl, AN; Langer, AM; Selikoff, IJ; Nicholson, WJ. (1975). Exposure to asbestos in the use of consumer spackling, patching, and taping compounds. *Science.* 189: 551-553.
- Rohl, AN; Langer, AM; Selikoff, IJ; Tordini, A; Klimentidis, R; Bowes, DR; Skinner, DL. (1976). Consumer talcums and powders: mineral and chemical characterization. *J Toxicol Environ Health.* 2: 255-284. <http://dx.doi.org/10.1080/15287397609529432>.
- Rohl, AN; Langer, AM; Wolff, MS; Weisman, I. (1976). Asbestos exposure during brake lining maintenance and repair. *Environ Res.* 12: 110-128.
- Rohrens, H; Hillermeier, K. (1984). ARAMID FIBERS AS SUBSTITUTE FOR ASBESTOS IN SEALS, PACKINGS AND COMPENSATORS. 37: 547-&.
- Rolland, P; Gramond, C; Lacourt, A; Astoul, P; Chamming's, S; Ducamp, S; Frenay, C; Galateau-Salle, F; Ilg, AG; Imbernon, E; Le Stang, N; Pairon, JC; Goldberg, M; Brochard, P; Group, PS. (2010). Occupations and industries in France at high risk for pleural mesothelioma: A population-based case-control study (1998-2002). *Am J Ind Med.* 53: 1207-1219. <http://dx.doi.org/10.1002/ajim.20895>.
- Rolland, Y; Cox, S; Boullier, AM; Pennacchioni, G; Mancktelow, N. (2003). Rare earth and trace element mobility in mid-crustal shear zones: insights from the Mont Blanc Massif (Western Alps). *Earth Planet Sci Lett.* 214: 203-219. [http://dx.doi.org/10.1016/S0012-821X\(03\)00372-8](http://dx.doi.org/10.1016/S0012-821X(03)00372-8).
- Rolland, Y; Rossi, M. (2016). Two-stage fluid flow and element transfers in shear zones during collision burial-exhumation cycle: Insights from the Mont Blanc Crystalline Massif (Western Alps). *J Geodyn.* 101: 88-108. <http://dx.doi.org/10.1016/j.jog.2016.03.016>.
- Roller, M; Pott, F; Kamino, K; Althoff, GH; Bellmann, B. (1997). Dose-response relationship of fibrous dusts in intraperitoneal studies. *Environ Health Perspect.* 105: 1253-1256.
- Rollo, HA; Jamieson, HE. (2006). Interaction of diamond mine waste and surface water in the Canadian Arctic. *Appl Geochem.* 21: 1522-1538. <http://dx.doi.org/10.1016/j.apgeochem.2006.05.008>.
- Rom, WN. (1991). Relationship of inflammatory cell cytokines to disease severity in individuals with occupational inorganic dust exposure [Review]. *Am J Ind Med.* 19: 15-27.
- Rom, WN. (1992). Accelerated loss of lung function and alveolitis in a longitudinal study of non-smoking individuals with occupational exposure to asbestos. *Am J Ind Med.* 21: 835-844. <http://dx.doi.org/10.1002/ajim.4700210606>.
- Rom, WN; Churg, A; Leapman, R; Fiori, C; Swyt, C. (1990). EVALUATION OF ALVEOLAR MACROPHAGE PARTICLE BURDEN IN INDIVIDUALS OCCUPATIONALLY EXPOSED TO INORGANIC DUSTS. *J Aerosol Med.* 3: S43-S56.
- Rom, WN; Hammar, SP; Rusch, V; Dodson, R; Hoffman, S. (2001). Malignant mesothelioma from neighborhood exposure to anthophyllite asbestos. *Am J Ind Med.* 40: 211-214. <http://dx.doi.org/10.1002/ajim.1089>.
- Rom, WN; Lopatin, S; Tsay, JJ; Addrizzo-Harris, D; Munger, JS; Pass, H. (2016). Reduced lung function in smokers in a lung cancer screening cohort with asbestos exposure and pleural plaques. *Am J Ind Med.* 59: 178-185. <http://dx.doi.org/10.1002/ajim.22571>.
- Roma, LC, Jr; Martello, LS; Savastano, H, Jr. (2008). Evaluation of mechanical, physical and thermal performance of cement-based tiles reinforced with vegetable fibers. *Construction and Building Materials.* 22: 668-674. <http://dx.doi.org/10.1016/j.conbuildmat.2006.10.001>.
- Romeo, E; Ancona, L; Ascoli, V; Balestri, A; Scalzo, CC; Cavariani, F; Compagnucci, P; Gasperini, L; Mataloni, F; Forastiere, F. (2011). OCCUPATIONAL AND ENVIRONMENTAL EXPOSURE TO ASBESTOS AND INCIDENCE OF MALIGNANT MESOTHELIOMA IN ROME AND IN LAZIO, 2001-2009. *Epidemiol Prev.* 35: 101-102.

Fate Literature Search Results

Off Topic

- Romeo, E; Ascoli, V; Ancona, L; Balestri, A; Scalzo, CC; Cavariani, F; Compagnucci, P; Gasperini, L; Mataloni, F; Forastiere, F. (2013). [Occupational exposure to asbestos and incidence of malignant mesothelioma in the Lazio region, years 2001-2009: results of the activities of the regional register]. *Med Lav.* 104: 115-125.
- Romer, RL; Martinsson, O; Perdahl, JA. (1994). GEOCHRONOLOGY OF THE KIRUNA IRON-ORES AND HYDROTHERMAL ALTERATIONS. *Econ Geol.* 89: 1249-1261.
- Romundstad, PR; Rønneberg, A; Leira, HL; Bye, T. (1998). Health survey of former workers in a Norwegian coke plant: Part. 1. Estimation of historical exposures. *Occup Environ Med.* 55: 616-621. <http://dx.doi.org/10.1136/oem.55.9.616>.
- Roncey, K; Cattan, KL; Ameille, J; Dargery, S; Dores, M; Fleury, J; Gral, P; Housset, B; Iwatsubo, Y; Lauzier, F; Leroy, R; Martinon, L; Paris, C; Roos, F; Pairon, JC. (1999). Evaluation of past exposure to asbestos: Value of an asbestos body marker in the sputum (pp. 27-30). (BIOSIS/00/01222). Roncey, K; Cattan, KL; Ameille, J; Dargery, S; Dores, M; Fleury, J; Gral, P; Housset, B; Iwatsubo, Y; Lauzier, F; Leroy, R; Martinon, L; Paris, C; Roos, F; Pairon, JC.
- Rong, KY; Song, XM; Zhang, SC. (1996). Principle and method of CVD modified technique of foam asbestos. *Journal of Wuhan University of Technology--Materials Science Edition.* 11: 55-61.
- Rong-Hua, Z; Xue-Tong, Z; Shu-Min, H. (2010). Experimental study on water and water rock interactions in the mid-crust conditions and its significance. *Diqiu Wuli Xuebao.* 53: 2244-2256. <http://dx.doi.org/10.3969/j.issn.0001-5733.2010.09.026>.
- Ronneberg, A. (1995). Mortality and cancer morbidity in workers from an aluminium smelter with prebaked carbon anodes--part I: exposure assessment. *Occup Environ Med.* 52: 242-249.
- Ronneberg, A; Andersen, A. (1995). Mortality and cancer morbidity in workers from an aluminium smelter with prebaked carbon anodes--part II: cancer morbidity. *Occup Environ Med.* 52: 250-254.
- Ronneberg, A; Haldorsen, T; Romundstad, P; Andersen, A. (1999). Occupational exposure and cancer incidence among workers from an aluminum smelter in western Norway. *Scand J Work Environ Health.* 25: 207-214.
- Rönneberg, A; Langmark, F. (1992). Epidemiologic evidence of cancer in aluminum reduction plant workers [Review]. *Am J Ind Med.* 22: 573-590.
- Rood, AP; Scott, RM. (1989). SIZE DISTRIBUTIONS OF CHRYSOTILE ASBESTOS IN A FRICTION PRODUCTS FACTORY AS DETERMINED BY TRANSMISSION ELECTRON-MICROSCOPY. *Ann Occup Hyg.* 33: 583-590.
- Rood, AP; Streeter, RR. (1984). Size distributions of occupational airborne asbestos textile fibres as determined by transmission electron microscopy. *Ann Occup Hyg.* 28: 333-339.
- Röösli, M; Künzli, N; Schindler, C; Theis, G; Oglesby, L; Mathys, P; Camenzind, M; Braun-Fahrländer, C. (2003). Single pollutant versus surrogate measure approaches: do single pollutant risk assessments underestimate the impact of air pollution on lung cancer risk? *J Occup Environ Med.* 45: 715-723. <http://dx.doi.org/10.1097/01.jom.0000079082.33909.c2>.
- Rosamilia, K; Wong, O; Raabe, GK. (1999). A case-control study of lung cancer among refinery workers. *J Occup Environ Med.* 41: 1091-1103.
- Rose, HA. (1974). Detection and determination of chrysotile in talc USP. *J Pharm Sci. Pharm:* 268-269.
- Rose, NM. (1995). GEOCHEMICAL CONSEQUENCES OF FLUID-FLOW IN POROUS BASALTIC CRUST CONTAINING PERMEABILITY CONTRASTS. *Geochim Cosmo Acta.* 59: 4381-4392.
- Rosell-Murphy, M; Abós-Herrándiz, R; Tarrés, J; Martínez-Artés, X; García-Allas, I; Krier, I; Cantarell, G; Gallego, M; Orriols, R; Albertí, C. (2010). Prospective study of asbestos-related diseases incidence cases in primary health care in an area of Barcelona province. *BMC Public Health.* 10: 203. <http://dx.doi.org/10.1186/1471-2458-10-203>.
- Rosell-Murphy, MI; Abós-Herrándiz, R; Olivella, JT; Alberti-Casas, C; Allas, IG; Artés, XM; Günther, IK; Malet, IG; Martínez, RO; Canela-Soler, J. (2013). Risk factors associated with asbestos-related diseases: a community-based case-control study. *BMC Public Health.* 13: 723. <http://dx.doi.org/10.1186/1471-2458-13-723>.
- Rosenberg, ND; Browning, L; Bourcier, WL. (2001). Modeling aqueous alteration of CM carbonaceous chondrites. *Meteoritics and Planetary Science.* 36: 239-244.
- Rosenman, KD; Reilly, MJ. (1998). Asbestos-related x-ray changes in foundry workers. *Am J Ind Med.* 34: 197-201.
- Rosenman, KD; Reilly, MJ; Rice, C; Hertzberg, V; Tseng, CY; Anderson, HA. (1996). Silicosis among foundry workers. Implication for the need to revise the OSHA standard. *Am J Epidemiol.* 144: 890-900.
- Rosenstock, L. (1991). Roentgenographic manifestations and pulmonary function effects of asbestos-induced pleural thickening [Review]. *Toxicol Ind Health.* 7: 81-87. <http://dx.doi.org/10.1177/074823379100700105>.
- Rosenstock, L. (1992). ROENTGENOGRAPHIC MANIFESTATIONS AND PULMONARY-FUNCTION EFFECTS OF ASBESTOS-INDUCED PLEURAL THICKENING. 2: 215-221.
- Rosenstock, L; Hudson, LD. (1987). The pleural manifestations of asbestos exposure. *Occup Med: State of the Art Rev.* 2: 383-407.
- Rosenthal, FS. (1993). EXPOSURE ASSESSMENT FOR AIRBORNE MAN-MADE MINERAL FIBERS - THE ROLE OF FIBER DIMENSIONS. *Ann Occup Hyg.* 37: 395-417.
- Rosenthal, GJ; Corsini, E; Simeonova, P. (1998). Selected new developments in asbestos immunotoxicity [Review]. *Environ Health Perspect.* 106 Suppl 1: 159-169.
- Rösler, JA; Woitowitz, HJ; Lange, HJ; Ulm, K; Rödelberger, K. (1994). Mortality rates in a female cohort following asbestos exposure in Germany. *J Occup Med.* 36: 889-893.
- Ross, DJ; Sallie, BA; Mcdonald, JC. (1995). SWORD '94: surveillance of work-related and occupational respiratory disease in the UK. *Occup Med (Lond).* 45: 175-178.
- Ross, M. (1995). THE SCHOOLROOM ASBESTOS ABATEMENT PROGRAM - A PUBLIC-POLICY DEBACLE. *Environ Geol.* 26: 182-188.
- Ross, MH; Murray, J. (2004). Occupational respiratory disease in mining [Review]. *Occup Med (Lond).* 54: 304-310. <http://dx.doi.org/10.1093/ocmed/kqh073>.

Fate Literature Search Results

Off Topic

- Ross, RA; Todd, JE. (1983). THE EFFECT OF HEAT-TREATMENT OF CHRYSOTILE ASBESTOS ON THE HEATS AND ENTROPIES OF ADSORPTION OF AMMONIA BELOW MONOLAYER COVERAGE. 18: 1-12.
- Ross, RA; Todd, JE. (1983). THE SORPTION OF AMMONIA ON CALIFORNIAN CHRYSOTILE TREATED WITH BOILING WATER AND WITH AQUEOUS-SOLUTIONS OF SODIUM-NITRATE. 19: 233-240.
- Ross, RM. (2011). Regarding "absence of radiographic asbestosis and the risk of lung cancer among asbestos-cement workers: extended follow-up of a cohort", by Murray Finkelstein, American Journal of Industrial Medicine 2010 [Letter]. Am J Ind Med. 54: 495-496; author reply 497-498. <http://dx.doi.org/10.1002/ajim.20940>.
- Rossi, M; Nestola, F; Ghiara, MR; Capitelli, F. (2016). Fibrous minerals from Somma-Vesuvius volcanic complex. Mineralogy and Petrology. 110: 471-489. <http://dx.doi.org/10.1007/s00710-015-0422-2>.
- Rossiter, CE; Bristol, LJ; Cartier, PH; Gilson, JG; Grainger, TR; Sluis-Cremer, GK; McDonald, JC. (1972). Radiographic changes in chrysotile asbestos mine and mill workers of Quebec. Arch Environ Health. 24: 388-400.
- Rossiter, CE; Browne, K; Gilson, JC. (1988). International classification trial of AIA set of 100 radiographs of asbestos workers. Br J Ind Med. 45: 538-543.
- Rossiter, CE; Chase, J. R. (1995). STATISTICAL-ANALYSIS OF RESULTS OF CARCINOGENICITY STUDIES OF SYNTHETIC VITREOUS FIBERS AT RESEARCH AND CONSULTING COMPANY, GENEVA. Ann Occup Hyg. 39: 759-769.
- Rossol, M. (1986). Stage fright - Health and safety in the theater. (CIS/87/01312). Rossol, M.
- Rotherham, JF. (1997). A metasomatic origin for the iron-oxide Au-Cu Starra orebodies, Eastern Fold Belt, Mount Isa Inlier. Miner Depos. 32: 205-218.
- Rotherham, JF; Blake, KL; Cartwright, KI; Williams, PJ. (1998). Stable isotope evidence for the origin of the Mesoproterozoic Starra Au-Cu deposit, Cloncurry district, northwest Queensland. Econ Geol. 93: 1435-1449.
- Roubicek, V; Raclavská, H; Juchelkova, D; Filip, P. (2008). Wear and environmental aspects of composite materials for automotive braking industry. Wear. 265: 167-175. <http://dx.doi.org/10.1016/j.wear.2007.09.006>.
- Rouhier, D; Andre, C; Allard, C; Gillon, J; Brette, R. (1982). Malignant alpha chain disease and exposure to asbestos. Environ Res. 27: 222-225.
- Roumejon, S; Cannat, M; Agrinier, P; Godard, M; Andreani, M. (2015). Serpentinization and Fluid Pathways in Tectonically Exhumed Peridotites from the Southwest Indian Ridge (62-65 degrees E). Journal of Petrology. 56: 703-734. <http://dx.doi.org/10.1093/petrology/egv014>.
- Rousmaniere, P; Raj, N. (2007). Shipbreaking in the developing world: Problems and prospects. Int J Occup Environ Health. 13: 359-368.
- Roussat, N; Mehu, J; Abdelghafour, M; Brula, P. (2008). Leaching behaviour of hazardous demolition waste. Waste Manag. 28: 2032-2040. <http://dx.doi.org/10.1016/j.wasman.2007.10.019>.
- Roveri, N; Falini, G; Foresti, E; Fracasso, G; Lesci, IG; Sabatino, P. (2006). Geoinspired synthetic chrysotile nanotubes. J Mater Res. 21: 2711-2725. <http://dx.doi.org/10.1557/JMR.2006.0359>.
- Rowe, JN. (1983). RELATIVE SOURCE CONTRIBUTIONS OF DIET AND AIR TO INGESTED ASBESTOS EXPOSURE. Environ Health Perspect. 53: 115-120.
- Rowlands, N; Gibbs, GW; McDonald, AD. (1982). ASBESTOS FIBERS IN THE LUNGS OF CHRYSOTILE MINERS AND MILLERS - A PRELIMINARY-REPORT. Ann Occup Hyg. 26: 411-415.
- Rowson, DM. (1978). CHRYSOTILE CONTENT OF WEAR DEBRIS OF BRAKE LININGS. Wear. 47: 315-321.
- Roy F. Weston, I. (1990). Report of Sampling and Analysis Results, Addison Army Housing Units, Addison, Illinois. 42.
- Roy F. Weston, I. (1990). Report of Sampling and Analysis Results, Worth Army Housing Units, Worth, Illinois. 75.
- Roy F. Weston, I. (1990). Report of Sampling and Analysis Results: Tappan Army Housing Units, Tappan, New York (pp. 60). (NTIS/02972349_a).
- Roy-Chowdhury, AK; Jr, MT; Reeves, AL. (1973). Trace Metals in Asbestos Carcinogenesis. Arch Environ Health. 26: 253-255.
- Rozalen, M; Javier Huertas, F. (2013). Comparative effect of chrysotile leaching in nitric, sulfuric and oxalic acids at room temperature. Chem Geol. 352: 134-142. <http://dx.doi.org/10.1016/j.chemgeo.2013.06.004>.
- Rozalen, M; Ramos, ME; Fiore, S; Gervilla, F; Huertas, FJ. (2014). Effect of oxalate and pH on chrysotile dissolution at 25 degrees C: An experimental study. Am Mineral. 99: 589-600. <http://dx.doi.org/10.2138/am.2014.4636>.
- Rozalen, M; Ramos, ME; Gervilla, F; Kerestedjian, T; Fiore, S; Huertas, FJ. (2014). Dissolution study of tremolite and anthophyllite: pH effect on the reaction kinetics. Appl Geochem. 49: 46-56. <http://dx.doi.org/10.1016/j.apgeochem.2014.06.009>.
- Rubatto, D; Angiboust, S. (2015). Oxygen isotope record of oceanic and high-pressure metasomatism: a P-T-time-fluid path for the Monviso eclogites (Italy). Contributions to Mineralogy and Petrology. 170. <http://dx.doi.org/10.1007/s00410-015-1198-4>.
- Rubin, AH. (1986). Common problems in asbestos-related pulmonary diseases. Am J Ind Med. 10: 555-562.
- Rubin, DB. (2001). Estimating the causal effects of smoking. Stat Med. 20: 1395-1414.
- Rubino, GF; Newhouse, M; Murray, R; Scansetti, G; Piolatto, G; Aresini, G. (1979). Radiologic changes after cessation of exposure among chrysotile asbestos miners in Italy. Ann N Y Acad Sci. 330: 157-161.
- Rubino, GF; Piolatto, G; Newhouse, ML; Scansetti, G; Aresini, GA; Murray, R. (1979). Mortality of chrysotile asbestos workers at the Balangero Mine, northern Italy. Occup Environ Med. 36: 187-194.
- Ruda, TA; Dutta, PK. (2005). Fenton chemistry of Fe(III)-exchanged zeolitic minerals treated with antioxidants. Environ Sci Technol. 39: 6147-6152. <http://dx.doi.org/10.1021/es050336e>.
- Rudd, RM. (1987). PULMONARY FIBROSIS IN ASBESTOS INSULATION WORKERS WITH LUNG-CANCER. Br J Ind Med. 44: 428-429.
- Rudd, RM. (1988). EXPOSURE TO ASBESTOS AND THE RISK OF GASTROINTESTINAL CANCER. Br J Ind Med. 45: 573-574.
- Rudd, RM. (1989). CORRELATION BETWEEN FIBER CONTENT OF LUNG AND DISEASE IN EAST LONDON ASBESTOS FACTORY-WORKERS. Br J Ind Med. 46: 358-360.
- Rudzki, E. (1979). [Contact allergens found in Poland and their sources] [Review]. 34: 2031-2033.

Fate Literature Search Results

Off Topic

- Ruegger, M; Schutz, R. (1997). Medico-legal aspects of asbestos-induced pleural plaques: The issue of worker's compensation. *Indoor Built Environ.* 6: 119-124.
- Ruff, K. (2015). Scientific journals and conflict of interest disclosure: what progress has been made? *Environ Health.* 14: 45. <http://dx.doi.org/10.1186/s12940-015-0035-6>.
- Ruff, K; Mirabelli, D; Magnani, C. (2016). Scientific journal publishes second eratum regarding false information by scientists funded by asbestos interests. *Epidemiol Prev.* 40: 138-139. <http://dx.doi.org/10.19191/EP16.2.P138.069>.
- Ruff, K; Turcotte, F; Notebaert, E; Lippman, A; Keyserlingk, EW; Zigby, J. (2011). Open Letter to Normand Paulin, Occupational Health & Safety Commission of Quebec, on the Export of Asbestos from Canada. *Int J Occup Environ Health.* 17: 186-188.
- Ruhe, RL. (1979). Health Hazard Evaluation Determination, Report No. HHE-79-95-613, Federal-Mogul Corporation, Gallipolis, Ohio. (NIOSH/00091888). Ruhe, RL.
- Ruhe, RL. (1983). Health Hazard Evaluation Report No. HETA-83-189-1368, Goodyear Aerospace Corporation, Akron, Ohio (pp. 83-189). (NIOSH/00134130). Ruhe, RL.
- Rumpf, HM; Dopp, E; Rettenmeier, AW; Chatzinikolaidou, M; Jennissen, HP. (2003). Absence of genotoxic effects after exposure of mammalian cells to the recombinant human bone morphogenetic protein 2 (BMP-2) prepared from *E. coli*. *Materwiss Werksttech.* 34: 1101-1105. <http://dx.doi.org/10.1002/mawe.200300711>.
- Ruse, E; Dumitru, RS; Ghica, I. (2005). Identification methods for asbestos in powders. *Rev Chim.* 56: 336-340.
- Rushton, L; Hutchings, S; Brown, T. (2008). The burden of cancer at work: estimation as the first step to prevention. *Occup Environ Med.* 65: 789-800. <http://dx.doi.org/10.1136/oem.2007.037002>.
- Rushworth, DH. (2005). The Navy and asbestos thermal insulation. *Naval Engineers Journal.* 117: 35-48.
- Russi, M; Dubrow, R; Flannery, JT; Cullen, MR; Mayne, ST. (1997). Occupational exposure to machining fluids and laryngeal cancer risk: Contrasting results using two separate control groups. *Am J Ind Med.* 31: 166-171.
- Russo, L; Colangelo, F; Cioffi, R; Rea, I; De Stefano, L. (2011). A Mechanochemical Approach to Porous Silicon Nanoparticles Fabrication. *Materials.* 4: 1023-1033. <http://dx.doi.org/10.3390/ma4061023>.
- Ryan, B; Kuhl, I; Ware, R. (2014). Framework for handling asbestos after a tidal surge. *J Environ Health.* 76: 170-176.
- Ryan, G; Buchan, RM; Keefe, TJ; Mccammon, CS. (1996). A Longitudinal Study of an American Public Building following Asbestos Removal. *Appl Occup Environ Hyg.* 11: 1417-1423.
- Ryan, PC; Kim, J; Wall, AJ; Moen, JC; Corenthal, LG; Chow, DR; Sullivan, CM; Bright, KS. (2011). Ultramafic-derived arsenic in a fractured bedrock aquifer. *Appl Geochem.* 26: 444-457. <http://dx.doi.org/10.1016/j.apgeochem.2011.01.004>.
- Ryan, PH; Dihle, M; Griffin, S; Partridge, C; Hilbert, TJ; Taylor, R; Adjei, S; Lockey, JE. (2011). Erionite in road gravel associated with interstitial and pleural changes--an occupational hazard in western United States. *J Occup Environ Med.* 53: 892-898. <http://dx.doi.org/10.1097/JOM.0b013e318223d44c>.
- Ryan, PH; Lemasters, GK; Burkle, J; Lockey, JE; Black, B; Rice, C. (2013). Childhood exposure to Libby amphibole during outdoor activities. *J Expo Sci Environ Epidemiol.* 25: 4-11. <http://dx.doi.org/10.1038/jes.2013.26>.
- Rybicki, BA; Johnson, CC; Peterson, EL; Kortsha, GX; Gorell, JM. (1997). Comparability of different methods of retrospective exposure assessment of metals in manufacturing industries. *Am J Ind Med.* 31: 36-43. [http://dx.doi.org/10.1002/\(sici\)1097-0274\(199701\)31:1<36::aid-ajim6>3.3.co;2-o](http://dx.doi.org/10.1002/(sici)1097-0274(199701)31:1<36::aid-ajim6>3.3.co;2-o).
- Ryckman, MD; Ryckman, DW; Peters, JL. (1983). ASBESTOS CONTROL PROGRAM FOR INSTITUTIONAL FACILITIES. *J Environ Eng.* 109: 275-288.
- Ryer, FH. (1978). AIR POLLUTION EXPOSURES TO FIVE TARGET HEALTH HAZARDS (pp. 928-931; 1978). (HMTC/78/0003296). Ryer, FH.
- Ryman-Rasmussen, JP; Cesta, MF; Brody, AR; Shipley-Phillips, JK; Everitt, JI; Tewksbury, EW; Moss, OR; Wong, BA; Dodd, DE; Andersen, ME; Bonner, JC. (2009). Inhaled carbon nanotubes reach the subpleural tissue in mice. *Nat Nanotechnol.* 4: 747-751. <http://dx.doi.org/10.1038/nnano.2009.305>.
- Ryu, KW, on; Chae, S, ooC; Jang, YN, am. (2011). Carbonation of Chrysotile under Subcritical Conditions. *Mater Trans.* 52: 1983-1988. <http://dx.doi.org/10.2320/matertrans.M2011155>.
- Ryu, KW, on; Jang, YN, am; Lee, MG, yu. (2012). Enhancement of Chrysotile Carbonation in Alkali Solution. *Mater Trans.* 53: 1349-1352. <http://dx.doi.org/10.2320/matertrans.M2012059>.
- Ryu, KW, on; Jo, H; Choi, SH; Chae, S, ooC; Jang, YN, am. (2016). Changes in mineral assemblages during serpentine carbonation. *Appl Clay Sci.* 134: 62-67. <http://dx.doi.org/10.1016/j.clay.2016.08.005>.
- Ryu, KW, on; Lee, MG, yu; Jang, YN, am. (2011). Mechanism of tremolite carbonation. *Appl Geochem.* 26: 1215-1221. <http://dx.doi.org/10.1016/j.apgeochem.2011.04.010>.
- Rywak, AA; Burlitch, JM. (1996). The crystal chemistry and thermal stability of sol-gel prepared fluoride-substituted talc. *Physics and Chemistry of Minerals.* 23: 418-431.
- Ryzhov, VV; Kashanskiĭ, SV; Manakova, NS; Plotko, EG; Seliankina, KP; Makarenko, NP; Kyzhina, I, uV. (2000). [Occupational evaluation of air in workplace area and populated zone at asbestos cardboard production]. *Med Tr Prom Ekol*37-39.
- SA, LD. (1989). The influence of materials used for water pipes on water quality. *Alimentaria.* 26: 65-67.
- Saada, MA, Ii; Soulard, M; Patarin, J; Regis, RC. (2009). Synthesis of zeolite materials from asbestos wastes: An economical approach. *Microporous and Mesoporous Materials.* 122: 275-282. <http://dx.doi.org/10.1016/j.micromeso.2009.03.011>.
- Saarni, H; Pentti, J; Pukkala, E. (2002). Cancer at sea: a case-control study among male Finnish seafarers. *Occup Environ Med.* 59: 613-619. <http://dx.doi.org/10.1136/oem.59.9.613>.
- Saat, YA; Newman, HAI; Hart, RW; Allison, DK. (1980). THE EFFECTS OF ASBESTOS ON PLASMA-MEMBRANE - SURFACE GLYCOLIPIDS AND GLYCOPROTEINS OF SYRIAN-HAMSTER EMBRYO CELLS. *J Environ Pathol Toxicol.* 4: 435-441.

Fate Literature Search Results

Off Topic

- Saccocia, PJ; Seewald, JS; Shanks, WC, III. (2009). Oxygen and hydrogen isotope fractionation in serpentine-water and talc-water systems from 250 to 450 degrees C, 50 MPa. *Geochim Cosmo Acta*. 73: 6789-6804. <http://dx.doi.org/10.1016/j.gca.2009.07.036>.
- Sachan, HK; Mukherjee, BK; Bodnar, RJ. (2007). Preservation of methane generated during serpentinization of upper mantle rocks: Evidence from fluid inclusions in the Nidar ophiolite, Indus Suture Zone, Ladakh (India). *Earth Planet Sci Lett*. 257: 47-59. <http://dx.doi.org/10.1016/j.epsl.2007.02.023>.
- Safi, M; Yan, M; Guedeau-Boudeville, MA; Conjeaud, H; Garnier-Thibaud, V; Boggetto, N; Baeza-Squiban, A; Niedergang, F; Averbek, D; Berret, JF. (2011). Interactions between Magnetic Nanowires and Living Cells: Uptake, Toxicity, and Degradation. *ACS Nano*. 5: 5354-5364. <http://dx.doi.org/10.1021/nn201121e>.
- Safitri Zen, I; Ahamad, R; Gopal Rampal, K; Omar, W. (2013). Use of asbestos building materials in Malaysia: legislative measures, the management, and recommendations for a ban on use. *Int J Occup Environ Health*. 19: 169-178. <http://dx.doi.org/10.1179/2049396713Y.0000000028>.
- Sagan, LA; Whipple, CG. (1984). *Cancer Control in the Workplace: Some Examples from the Utility Industry* (pp. 159-174). (NIOSH/00165606). Commission of the European Communities.
- Sager, TM; Wolfarth, MW; Battelli, LA; Leonard, SS; Andrew, M; Steinbach, T; Endo, M; Tsuruoka, S; Porter, DW; Castranova, V. (2013). Investigation of the pulmonary bioactivity of double-walled carbon nanotubes. *J Toxicol Environ Health A*. 76: 922-936. <http://dx.doi.org/10.1080/15287394.2013.825571>.
- Sahin, S; Bayindirli, L. (1993). THE EFFECT OF DEPECTINIZATION AND CLARIFICATION ON THE FILTRATION OF SOUR CHERRY JUICE. *Journal of Food Engineering*. 19: 237-245.
- Sahle, W; Laszlo, I. (1996). Airborne Inorganic Fibre Level Monitoring by Transmission Electron Microscope (TEM): Comparison of Direct and Indirect Sample Transfer Methods. *Ann Occup Hyg*. 40: 29-44.
- Sahle, W; Laszlo, I; Krantz, S; Christensson, B. (1994). Airborne Tungsten Oxide Whiskers in a Hard-Metal Industry. Preliminary Findings. *Ann Occup Hyg*. 38: 37-44.
- Sahmel, J; Barlow, CA; Gaffney, S; Avens, HJ; Madl, A; Henshaw, J; Unice, K, en; Galbraith, D; Derose, G; Lee, RJ; Van Orden, D; Sanchez, M; Zock, M; Paustenbach, DJ. (2016). Airborne asbestos take-home exposures during handling of chrysotile-contaminated clothing following simulated full shift workplace exposures. *J Expo Sci Environ Epidemiol*. 26: 48-62. <http://dx.doi.org/10.1038/jes.2015.15>.
- Sahmel, J; Barlow, CA; Simmons, B; Gaffney, SH; Avens, HJ; Madl, AK; Henshaw, J; Lee, RJ; Van Orden, D; Sanchez, M; Zock, M; Paustenbach, DJ. (2014). Evaluation of Take-Home Exposure and Risk Associated with the Handling of Clothing Contaminated with Chrysotile Asbestos. *Risk Anal*. 34: 1448-1468. <http://dx.doi.org/10.1111/risa.12174>.
- Saini-Eidukat, B; Triplett, JW. (2014). Erionite and offretite from the Killdeer Mountains, Dunn County, North Dakota, USA. *Am Mineral*. 99: 8-15. <http://dx.doi.org/10.2138/am.2014.4567>.
- Saito, T. (1995). INDIRECT ESTIMATION OF ASBESTOS CONCENTRATION DUE TO VEHICLES IN PARTICULATE MATTER IN THE ATMOSPHERE AND ON ROADS BY PYROLYSIS-GAS CHROMATOGRAPHY. *J Anal Appl Pyrol*. 32: 171-178.
- Saitoh, K; Muto, H; Hachiya, N; Takizawa, Y. (1993). Asbestos body and fiber concentrations in pathological autopsy tissues of patients with malignant peritoneal mesothelioma. *Bull Environ Contam Toxicol*. 50: 325-332.
- Saitoh, K; Takizawa, Y; Muto, H; Hirano, K. (1992). [Concentration and form of asbestos fibers in tap drinking water contaminated from a water supply pipe with asbestos-cement]. *Nippon Eiseigaku Zasshi*. 47: 851-860.
- Saiyed, HN; Tiwari, RR. (2004). Occupational health research in India [Review]. *Ind Health*. 42: 141-148.
- Sakai, K; Hisanaga, N; Kohyama, N; Shibata, E; Takeuchi, Y. (2001). Airborne fiber concentration and size distribution of mineral fibers in area with serpentinite outcrops in Aichi prefecture, Japan. *Ind Health*. 39: 132-140.
- Sakai, K; Hisanaga, N; Mitani, K; Tsuchiya, H; Ko, T; Shibata, E; Ono, Y; Tanabe, E; Takeuchi, Y. (1990). [Asbestos concentrations in the air of the rooms sprayed with asbestos-containing materials]. *Nippon Koshu Eisei Zasshi*. 37: 109-117.
- Sakai, K; Hisanaga, N; Okuno, M; Kohyama, N; Shinohara, Y; Shibata, E; Kamijima, M; Yamanaka, K; Takeuchi, Y. (1996). [Concentration and fiber size of asbestos in lungs of residents living close to the serpentinite area]. *Nippon Koshu Eisei Zasshi*. 43: 551-562.
- Sakai, K; Hisanaga, N; Shibata, E; Kamijima, M; Ichihara, G; Takeuchi, Y; Nakajima, T. (2014). Trends in asbestos and non-asbestos fibre concentrations in the lung tissues of Japanese patients with mesothelioma. *Ann Occup Hyg*. 58: 103-120. <http://dx.doi.org/10.1093/annhyg/met055>.
- Sakai, K; Hisanaga, N; Shibata, E; Kojima, A; Takeuchi, Y. (1998). [Types and dimensions of mineral fibers in the atmosphere and from lungs of residents in the urban area]. *Nippon Koshu Eisei Zasshi*. 45: 921-933.
- Sakai, K; Hisanaga, N; Shibata, E; Ono, Y; Tabe, E; Takeuchi, Y. (1988). ASBESTOS LEVEL IN THE AIR IN ASBESTOS CONSTRUCTION MATERIAL-MANUFACTURING FACTORIES (pp. 291-292). (BIOSIS/89/08457). Sakai, K; Hisanaga, N; Shibata, E; Ono, Y; Tabe, E; Takeuchi, Y.
- Sakai, K; Hisanaga, N; Shibata, E; Ono, Y; Takeuchi, Y. (2006). Asbestos exposures during reprocessing of automobile brakes and clutches. *Int J Occup Environ Health*. 12: 95-105. <http://dx.doi.org/10.1179/oeh.2006.12.1.95>.
- Sakai, K; Kojima, A; Hisanaga, N; Shibata, E; Huang, J; Ono, Y; Takeuchi, Y; Aoki, T; Takagi, H; Ando, T. (1991). [Asbestos concentration and fiber size in lungs of the urban residents]. *Nippon Koshu Eisei Zasshi*. 38: 762-770.
- Sakai, S; Takatsuki, H; Hiraoka, M; Tsunemi, T. (1991). SLUDGE MELTING PROCESS WITH HAZARDOUS ASBESTOS WASTES (pp. 10-12). (ISSN 0273-1223; EISSN 0273-1223; BIOSIS/91/08708). Sakai, S; Takatsuki, H; Hiraoka, M; Tsunemi, T.
- Sakakibara, M. (1991). METAMORPHIC PETROLOGY OF THE NORTHERN TOKORO METABASITES, EASTERN HOKKAIDO, JAPAN. *Journal of Petrology*. 32: 333-364.
- Sakakibara, M; Isono, Y. (1996). Middle Miocene thermal metamorphism due to the infiltration of high-temperature fluid in the Sanbagawa metamorphic belt, southwest Japan. *Contributions to Mineralogy and Petrology*. 125: 341-358.

Fate Literature Search Results

Off Topic

- Sakakibara, M; Ota, T. (1994). METAMORPHIC EVOLUTION OF THE KAMUIKOTAN HIGH-PRESSURE AND LOW-TEMPERATURE METAMORPHIC ROCKS IN CENTRAL HOKKAIDO, JAPAN. *J Geophys Res Solid Earth*. 99: 22221-22235.
- Sakari, WD. (1984). Rain water collected from asbestos tile roofs [Letter]. *East Afr Med J*. 61: 343.
- Sakhvidi, MJZ; Ardekani, JB; Firoozichahak, A, Ii; Zavarreza, J; Hajaghazade, M; Mostaghaci, M; Mehrparvar, A; Barkhordari, A. (2015). EXHALED BREATH MALONDIALDEHYDE, SPIROMETRIC RESULTS AND DUST EXPOSURE ASSESSMENT IN CERAMICS PRODUCTION WORKERS. *Int J Occup Med Environ Health*. 28: 81-89. <http://dx.doi.org/10.13075/ijomeh.1896.00262>.
- Sakurai, T; Tagami, S; Takao, S; Baba, Y. (1989). MEASUREMENT OF ASBESTOS CONCENTRATIONS AROUND FACTORIES MANUFACTURING ASBESTOS-CONTAINING PRODUCTS (pp. 382-383). (BIOSIS/90/08400). Sakurai, T; Tagami, S; Takao, S; Baba, Y.
- Salacnski, R; Delura, K. (2008). SERPENTINITES FROM THE NASLAWICE QUARRY (LOWER SILESIA) AS A POTENTIAL DIMENSIONAL STONE FOR TILE PRODUCTION. *Gospodarka Surowcami Mineralnymi*. 24: 309-323.
- Salama, RB; Farrington, P; Bartle, GA; Watson, GD. (1993). THE CHEMICAL EVOLUTION OF GROUNDWATER IN A 1ST-ORDER CATCHMENT AND THE PROCESS OF SALT ACCUMULATION IN THE SOIL-PROFILE. *J Hydrol*. 143: 233-258.
- Salamatipour, A; Mohanty, SK; Pietrofesa, RA; Vann, DR; Christofidou-Solomidou, M; Willenbring, JK. (2016). Asbestos Fiber Preparation Methods Affect Fiber Toxicity. 3: 270-274. <http://dx.doi.org/10.1021/acs.estlett.6b00174>.
- Salazar, KD; Copeland, CB; Luebke, RW. (2012). Effects of Libby amphibole asbestos exposure on two models of arthritis in the Lewis rat. *J Toxicol Environ Health A*. 75: 351-365. <http://dx.doi.org/10.1080/15287394.2012.668164>.
- Salazar, MK; Takaro, TK; Ertell, K; Gochfeld, M; O'Neill, S; Connon, C; Barnhart, S. (1999). Structure and function of occupational health services within selected department of energy sites. *J Occup Environ Med*. 41: 1072-1078.
- Salazar, N; Cely-García, MF; Breyse, PN; Ramos-Bonilla, JP. (2015). Asbestos exposure among transmission mechanics in automotive repair shops. *Ann Occup Hyg*. 59: 292-306. <http://dx.doi.org/10.1093/annhyg/meu093>.
- Salg, J; Alterman, T. (2005). A proportionate mortality study of bricklayers and allied craftworkers. *Am J Ind Med*. 47: 10-19. <http://dx.doi.org/10.1002/ajim.20115>.
- Sali, D; Boffetta, P. (2000). Kidney cancer and occupational exposure to asbestos: a meta-analysis of occupational cohort studies. *Cancer Causes Control*. 11: 37-47.
- Salier, BP; Groves, DI; Mcnaughton, NJ; Fletcher, IR. (2004). The world-class Wallaby gold deposit, Laverton, Western Australia: An orogenic-style overprint on a magmatic-hydrothermal magnetite-calcite alteration pipe? *Miner Depos*. 39: 473-494. <http://dx.doi.org/10.1007/s00126-004-0425-0>.
- Sallie, BA; Ross, DJ; Meredith, SK; McDonald, JC. (1994). SWORD '93. Surveillance of work-related and occupational respiratory disease in the UK. *Occup Med (Lond)*. 44: 177-182.
- Salma, I; Maenhaut, W. (2006). Changes in elemental composition and mass of atmospheric aerosol pollution between 1996 and 2002 in a Central European city. *Environ Pollut*. 143: 479-488. <http://dx.doi.org/10.1016/j.envpol.2005.11.042>.
- Salminen, R; Gregorauskiene, V; Tarvainen, T. (2008). The normative mineralogy of 10 soil profiles in Fennoscandia and north-western Russia. *Appl Geochem*. 23: 3651-3665. <http://dx.doi.org/10.1016/j.apgeochem.2008.09.007>.
- Saltzman, BE. (1985). Variability and bias in the analyses of industrial hygiene samples. *Am Ind Hyg Assoc J*. 46: 134-141. <http://dx.doi.org/10.1080/15298668591394545>.
- Sameera, S; Rao, PP; James, V; Divya, S; Raj, AKV. (2014). Influence of (LiLa)(1/2)MoO4 substitution on the pigmentary properties of BiVO4. *Dyes and Pigments*. 104: 41-47. <http://dx.doi.org/10.1016/j.dyepig.2013.12.029>.
- Samet, JM; Marbury, MC; Spengler, JD. (1987). HEALTH-EFFECTS AND SOURCES OF INDOOR AIR-POLLUTION .1. *Am Rev Respir Dis*. 136: 1486-1508.
- Samimi, BS; Williams, AM. (1981). OCCUPATIONAL EXPOSURE TO ASBESTOS FIBERS RESULTING FROM USE OF ASBESTOS GLOVES. *Am Ind Hyg Assoc J*. 42: 870-875. <http://dx.doi.org/10.1080/15298668191420837>.
- Sammon, NB; Harrower, KM; Fabbro, LD; Reed, RH. (2011). Three potential sources of microfungi in a treated municipal water supply system in sub-tropical Australia. *Int J Environ Res Public Health*. 8: 713-732. <http://dx.doi.org/10.3390/ijerph8030713>.
- Sampath, V. (2006). Studies on mechanical, friction, and wear characteristics of Kevlar and glass fiber-reinforced friction materials. 21: 47-57. <http://dx.doi.org/10.1081/AMP-200060591>.
- Samsom, IM; Bas, B; Holm, PE. (1997). Hydrothermal evolution of auriferous shear zones, Wawa, Ontario. *Econ Geol*. 92: 325-342.
- Sanchez, MS. (2006). Quantification of amphibole content in expanded vermiculite products from Libby, Montana U.S.A. using powder X-ray diffraction. *Am Mineral*. 91: 1448-1451. <http://dx.doi.org/10.2138/am.2006.2299>.
- Sanchez, MS; Gunter, ME. (2008). Tests of the correlation between composition and morphology of tremolite from Montgomery County, Maryland, USA. *Periodico di Mineralogia*. 77: 15-25. <http://dx.doi.org/10.2451/2008PM0009>.
- Sanchez-Valle, C; Sinogeikin, SV; Smyth, JR; Bass, J, ayD. (2008). Sound velocities and elasticity of DHMS phase A to high pressure and implications for seismic velocities and anisotropy in subducted slabs. *Phys Earth Planet In*. 170: 229-239. <http://dx.doi.org/10.1016/j.pepi.2008.07.015>.
- Sanchez-Vizcaino, VL; Trommsdorff, V; Gomez-Pugnaire, MT; Garrido, CJ; Muntener, O; Connolly, JAD. (2005). Petrology of titanian clinohumite and olivine at the high-pressure breakdown of antigorite serpentinite to chlorite harzburgite (Almirez Massif, S. Spain). *Contributions to Mineralogy and Petrology*. 149: 627-646. <http://dx.doi.org/10.1007/s00410-005-0678-3>.
- Sandén, A; Järholm, B. (1991). A study of possible predictors of mesothelioma in shipyard workers exposed to asbestos. *J Occup Med*. 33: 770-773.
- Sanden, A; Jarvholm, B; Larsson, S. (1993). THE IMPORTANCE OF LUNG-FUNCTION, NONMALIGNANT DISEASES ASSOCIATED WITH ASBESTOS, AND SYMPTOMS AS PREDICTORS OF ISCHEMIC-HEART-DISEASE IN SHIPYARD WORKERS EXPOSED TO ASBESTOS. *Br J Ind Med*. 50: 785-790.

Fate Literature Search Results

Off Topic

- Sanders, CL. (1975). Dose distribution and neoplasia in the lung following intratracheal instillation of ²³⁹PuO₂ and asbestos. *Health Phys.* 28: 383-386.
- Sanders, PG; Xu, N; Dalka, TM; Maricq, MM. (2003). Airborne brake wear debris: size distributions, composition, and a comparison of dynamometer and vehicle tests. *Environ Sci Technol.* 37: 4060-4069. <http://dx.doi.org/10.1021/es034145s>.
- Sanderson, W; Knutti, E. (1988). Health Hazard Evaluation Report No. MHETA-86-528-1889, McGraw-Edison, Canonsburg, Pennsylvania (pp. 86-528). (NIOSH/00181280). Sanderson, W; Knutti, E.
- Sanderson, WT; Ferguson, RP. (1987). Health Hazard Evaluation Report No. MHETA-85-226-1839, Freshlabs, Inc., Warren, Michigan (pp. 147-119). (NIOSH/00175422). Sanderson, WT; Ferguson, RP.
- Sandman, PM; Weinstein, ND; Miller, P. (1994). High risk or low: how location on a "risk ladder" affects perceived risk. *Risk Anal.* 14: 35-45.
- Sandret, N; Pairon, JC; Orłowski, E; Zakia, T; Nourry, J; Saux, M; Dufour, G; Bignon, J; Brochard, P. (1994). Characterization of occupational exposures in compensated asbestos-related diseases in France. *Archives des Maladies Professionnelles et de Médecine du Travail.* 55: 25-34.
- Sandsta, NR; Robins, B; Furnes, H; de Wit, M. (2011). The origin of large varioles in flow-banded pillow lava from the Hooggenoeg Complex, Barberton Greenstone Belt, South Africa. *Contributions to Mineralogy and Petrology.* 162: 365-377. <http://dx.doi.org/10.1007/s00410-010-0601-4>.
- Sanna, A; Dri, M; Maroto-Valer, M. (2013). Carbon dioxide capture and storage by pH swing aqueous mineralisation using a mixture of ammonium salts and antigorite source. *Fuel.* 114: 153-161. <http://dx.doi.org/10.1016/j.fuel.2012.08.014>.
- Sansone, MTC; Prosser, G; Rizzo, G; Tartarotti, P. (2012). Spinel-peridotites of the Frido Unit ophiolites (Southern Apennine-Italy): evidence for oceanic evolution. *Periodico di Mineralogia.* 81: 35-59. <http://dx.doi.org/10.2451/2012PM0003>.
- Santi, I; Kroll, LE; Dietz, A; Becher, H; Ramroth, H. (2013). Occupation and educational inequalities in laryngeal cancer: the use of a job index. *BMC Public Health.* 13: 1080. <http://dx.doi.org/10.1186/1471-2458-13-1080>.
- Santibañez, M; Alguacil, J; de La Hera, MG; Navarrete-Muñoz, EM; Llorca, J; Aragonés, N; Kauppinen, T; Vioque, J; Group, PS. (2012). Occupational exposures and risk of stomach cancer by histological type. *Occup Environ Med.* 69: 268-275. <http://dx.doi.org/10.1136/oemed-2011-100071>.
- Santibañez, M; Vioque, J; Alguacil, J; Barber, X; de la Hera, G; Kauppinen, T. (2008). Occupational exposures and risk of oesophageal cancer by histological type: a case-control study in eastern Spain. *Occup Environ Med.* 65: 774-781. <http://dx.doi.org/10.1136/oem.2007.037929>.
- Santos, HD; Yada, K. (1983). THERMAL TRANSFORMATION OF ANTIGORITE AS STUDIED BY ELECTRON-OPTICAL METHODS. *Clays and Clay Minerals.* 31: 241-250.
- Santos Souza, C, deBem; Rezende Fontes, PC; Moreira, MA; Cecon, PR; Puiatti, M. (2013). Basic seed potato yield in hydroponic systems as a function of N rates. 44: 714-723.
- Sargent, EN; Boswell, WD; Ralls, PW; Markovitz, A. (1984). Subpleural fat pads in patients exposed to asbestos: distinction from non-calcified pleural plaques. *Radiology.* 152: 273-277. <http://dx.doi.org/10.1148/radiology.152.2.6739783>.
- Sargent, EN; Gordonson, J; Jacobson, G; Birnbaum, W; Shaub, M. (1978). Bilateral pleural thickening: a manifestation of asbestos dust exposure. *AJR Am J Roentgenol.* 131: 579-585. <http://dx.doi.org/10.2214/ajr.131.4.579>.
- Sarifakioglu, E; Dilek, Y; Sevin, M. (2014). Jurassic-Paleogene intraoceanic magmatic evolution of the Ankara Melange, north-central Anatolia, Turkey. 5: 77-108. <http://dx.doi.org/10.5194/se-5-77-2014>.
- Sartor, SG; Eluf-Neto, J; Travier, N; Wünsch Filho, V; Arcuri, AS; Kowalski, LP; Boffetta, P. (2007). [Occupational risks for laryngeal cancer: a case-control study]. *Cad Saude Publica.* 23: 1473-1481.
- Sartorelli, P; Romeo, R; Scancarello, G; Montomoli, L; Muzzupappa, C; Barabesi, L. (2007). Measurement of asbestos fibre concentrations in fluid of repeated bronchoalveolar lavages of exposed workers. *Ann Occup Hyg.* 51: 495-500. <http://dx.doi.org/10.1093/annhyg/mem014>.
- Sartorelli, P; Scancarello, G; Romeo, R; Marciano, G; Rottoli, P; Arcangeli, G; Palmi, S. (2001). Asbestos exposure assessment by mineralogical analysis of bronchoalveolar lavage fluid. *J Occup Environ Med.* 43: 872-881. <http://dx.doi.org/10.1097/00043764-200110000-00006>.
- Sarvaramini, A; Assima, GP; Beaudoin, G; Larachi, F. (2014). Biomass torrefaction and CO₂ capture using mining wastes - A new approach for reducing greenhouse gas emissions of co-firing plants. *Fuel.* 115: 749-757. <http://dx.doi.org/10.1016/j.fuel.2013.07.087>.
- Sarvaramini, A; Larachi, F. (2011). Mossbauer Spectroscopy and Catalytic Reaction Studies of Chrysotile-Catalyzed Steam Reforming of Benzene. *J Phys Chem C.* 115: 6841-6848. <http://dx.doi.org/10.1021/jp2005309>.
- Sarvaramini, A; Larachi, F. (2012). Catalytic oxygenless steam cracking of syngas-containing benzene model tar compound over natural Fe-bearing silicate minerals. *Fuel.* 97: 741-750. <http://dx.doi.org/10.1016/j.fuel.2012.02.039>.
- Sarvaramini, A; Larachi, F. (2014). Fe/Mg Silicate Mining Residues as Solid Oxygen Carriers for Chemical Looping Combustion of Torrefaction Volatiles. *Energy Fuels.* 28: 1983-1991. <http://dx.doi.org/10.1021/ef402294v>.
- Sarvaramini, A; Larachi, F. (2014). Integrated biomass torrefaction - Chemical looping combustion as a method to recover torrefaction volatiles energy. *Fuel.* 116: 158-167. <http://dx.doi.org/10.1016/j.fuel.2013.07.119>.
- Sasaki, T; Asakura, M; Ishioka, C; Kasai, T; Katagiri, T; Fukushima, S. (2016). In vitro chromosomal aberrations induced by various shapes of multi-walled carbon nanotubes (MWCNTs). *J Occup Health.* 58: 622-631. <http://dx.doi.org/10.1539/joh.16-0099-OA>.
- Sasidharan, A; Swaroop, S; Koduri, CK; Girish, CM; Chandran, P; Panchakarla, LS; Somasundaram, VH; Gowd, GS; Nair, S; Koyakutty, M. (2015). Comparative in vivo toxicity, organ biodistribution and immune response of pristine, carboxylated and PEGylated few-layer graphene sheets in Swiss albino mice: A three month study. *Carbon.* 95: 511-524. <http://dx.doi.org/10.1016/j.carbon.2015.08.074>.
- Satapathy, BK; Bijwe, J. (2004). Performance of friction materials based on variation in nature of organic fibres Part II. Optimisation by balancing and ranking using multiple criteria decision model (MCDM). *Wear.* 257: 585-589. <http://dx.doi.org/10.1016/j.wear.2004.03.004>.

Fate Literature Search Results

Off Topic

- Satapathy, BK; Bijwe, J. (2005). Fade and recovery behavior of non-asbestos organic (NAO) composite friction materials based on combinations of rock fibers and organic fibers. *Journal of Reinforced Plastics and Composites*. 24: 563-577. <http://dx.doi.org/10.1177/0731684405043561>.
- Satapathy, BK; Bijwe, J; Kolluri, DK. (2006). Assessment of fiber contribution to friction material performance using grey relational analysis (GRA). *Journal of Composite Materials*. 40: 483-501. <http://dx.doi.org/10.1177/0021998305055200>.
- Satin, KP; Bailey, WJ; Newton, KL; Ross, AY; Wong, O. (2002). Updated epidemiological study of workers at two California petroleum refineries, 1950-95. *Occup Environ Med*. 59: 248-256.
- Sato, H; Yamaguchi, Y; Makino, K. (1997). Cl incorporation into successively zoned amphiboles from the Ramnes cauldron, Norway. *Am Mineral*. 82: 316-324.
- Sato, T; Ishimura, C; Kasahara, J; Maegawa, K; Tatetsu, H; Tanaka, M. (2004). The seismicity and structure of Izu-Bonin arc mantle wedge at 31 degrees N revealed by ocean bottom seismographic observation. *Phys Earth Planet In*. 146: 551-562. <http://dx.doi.org/10.1016/j.pepi.2004.06.003>.
- Sato, Y; Nishida, T; Hosokawa, K; Takahashi, H. (2005). Progress of sealing technology in Japan for half a century. *Toraiborojisu*. 50: 857-863.
- Sattar, AMA; Gharabaghi, B; Mcbean, EA. (2016). Prediction of Timing of Watermain Failure Using Gene Expression Models. *Water Resources Management*. 30: 1635-1651. <http://dx.doi.org/10.1007/s11269-016-1241-x>.
- Sauman, Z. (1970). MEETING ON CEMENT AND ASBESTOS CEMENT PRODUCTION IN YUGOSLAVIA. 14: 111-&.
- Sauni, R; Oksa, P; Huikko, S; Roto, P; Uitti, J. (2003). Increased risk of asthma among Finnish construction workers. *Occup Med (Lond)*. 53: 527-531. <http://dx.doi.org/10.1093/occmed/kqg112>.
- Sauni, R; Oksa, P; Järvenpää, R; Parker, JE; Roto, P. (1998). Asbestos exposure: a potential cause of retroperitoneal fibrosis. *Am J Ind Med*. 33: 418-421.
- Sauni, R; Oksa, P; Lehtimäki, L; Toivio, P; Palmroos, P; Nieminen, R; Moilanen, E; Uitti, J. (2012). Increased alveolar nitric oxide and systemic inflammation markers in silica-exposed workers. *Occup Environ Med*. 69: 256-260. <http://dx.doi.org/10.1136/oemed-2011-100347>.
- Savage, KS; Ashley, RP; Bird, DK. (2009). Geochemical Evolution of a High Arsenic, Alkaline Pit-Lake in the Mother Lode Gold District, California. *Econ Geol*. 104: 1171-1211.
- Savastano, H; Agopyan, V. (1999). Transition zone studies of vegetable fibre-cement paste composites. *Cement and Concrete Composites*. 21: 49-57.
- Savastano, H; Warden, PG; Coutts, RSP. (2004). Evaluation of pulps from natural fibrous material for use as reinforcement in cement product. 19: 963-978. <http://dx.doi.org/10.1081/LMMP-200030684>.
- Savel'eva, VB; Zyryanov, AS. (2005). Geochemistry of rare-metal granites and metasomatic rocks in the Main Sayan Fault Zone, southwestern Baikal area. *Geochem Int*. 43: 53-70.
- Savitz, DA; Dufort, V; Armstrong, B; Thériault, G. (1997). Lung cancer in relation to employment in the electrical utility industry and exposure to magnetic fields. *Occup Environ Med*. 54: 396-402.
- Sawai, M; Katayama, I; Hamada, A; Maeda, M; Nakashima, S. (2013). Dehydration kinetics of antigorite using in situ high-temperature infrared microspectroscopy. *Physics and Chemistry of Minerals*. 40: 319-330. <http://dx.doi.org/10.1007/s00269-013-0573-9>.
- Sawyer, RN. (1977). Asbestos exposure in a Yale building: analysis and resolution. *Environ Res*. 13: 146-169.
- Sawyer, RN. (1979). Indoor asbestos pollution: application of hazard criteria. *Ann N Y Acad Sci*. 330: 579-586.
- Sawyer, RN; Rohl, AN; Langer, AM. (1985). Airborne fiber control in buildings during asbestos material removal by amended water methodology. *Environ Res*. 36: 46-55.
- Scailliet, B; Macdonald, R. (2001). Phase relations of peralkaline silicic magmas and petrogenetic implications. *Journal of Petrology*. 42: 825-845.
- Scales, M. (1982). CANADA BACKS ASBESTOS USE, THIRD-WORLD PROVIDES MARKETS. 103: 19-&.
- Scambelluri, M; Bottazzi, P; Trommsdorff, V; Vannucci, R; Hermann, J; Gomez-Pugnaire, MT; Sanchez-Vizcaino, VL. (2001). Incompatible element-rich fluids released by antigorite breakdown in deeply subducted mantle. *Earth Planet Sci Lett*. 192: 457-470.
- Scambelluri, M; Malaspina, N; Hermann, J. (2007). Subduction fluids and their interaction with the mantle wedge: a perspective from the study of high-pressure ultramafic rocks. *Periodico di Mineralogia*. 76: 253-265. <http://dx.doi.org/10.2451/2007PM0028>.
- Scambelluri, M; Muntener, O; Ottolini, L; Pettke, TT; Vannucci, R. (2004). The fate of B, Cl and Li in the subducted oceanic mantle and in the antigorite breakdown fluids. *Earth Planet Sci Lett*. 222: 217-234. <http://dx.doi.org/10.1016/j.epsl.2004.02.012>.
- Scambelluri, M; Pettke, T; Cannao, E. (2015). Fluid-related inclusions in Alpine high-pressure peridotite reveal trace element recycling during subduction-zone dehydration of serpentinized mantle (Cima di Gagnone, Swiss Alps). *Earth Planet Sci Lett*. 429: 45-59. <http://dx.doi.org/10.1016/j.epsl.2015.07.060>.
- Scambelluri, M; Philippot, P. (2004). Volatile and mobile element recycling during subduction of the oceanic lithosphere. Insights from metasediments and serpentinites of the Alps. *Periodico di Mineralogia*. 73: 221-233.
- Scambelluri, M; Piccardo, GB; Philippot, P; Robbiano, A; Negretti, L. (1997). High salinity fluid inclusions formed from recycled seawater in deeply subducted alpine serpentinite. *Earth Planet Sci Lett*. 148: 485-499.
- Scambelluri, M; Rampone, E; Piccardo, GB. (2001). Fluid and element cycling in subducted serpentinite: A trace-element study of the Erro-Tobbio high-pressure ultramafites (Western alps, NW Italy). *Journal of Petrology*. 42: 55-67.
- Scancarello, G; Romeo, R; Sartorelli, E. (1996). Respiratory disease as a result of talc inhalation. *J Occup Environ Med*. 38: 610-614.
- Scansetti, G; Botta, GC; Capellaro, F; Piolatto, G. (1981). Exposure to chrysotile asbestos in friction materials industry. *Med Lav*. 72: 46-51.
- Scansetti, G; Coscia, GC; Pisani, W; Rubino, GF. (1975). Cement, asbestos, and cement-asbestos pneumoconioses. *Arch Environ Health*. 30: 272-275.
- Scansetti, G; Pavan, I; Botta, GC; Belliardo, F. (1980). Problems deriving from asbestos fibres wetting in the textile industry. *Med Lav*. 71: 422-427.

Fate Literature Search Results

Off Topic

- Scansetti, G; Piolatto, G. (1987). Tremolite/chrysotile ratios [Letter]. *Am J Ind Med.* 12: 117-118.
- Scansetti, G; Pira, E; Botta, GC; Turbiglio, M; Piolatto, G. (1993). ASBESTOS EXPOSURE IN A STEAM-ELECTRIC GENERATING PLANT. *Ann Occup Hyg.* 37: 645-653.
- Scarlett, HP; Delzell, E; Sathiakumar, N; Oestenstad, RK; Postlethwait, E. (2010). Exposure to airborne asbestos in Jamaican hospitals. *West Indian Med J.* 59: 668-673.
- Scarlett, HP; Postlethwait, E; Delzell, E; Sathiakumar, N; Oestenstad, RK. (2012). Asbestos in public hospitals: are employees at risk? *J Environ Health.* 74: 22-26.
- Scarselli, A; Binazzi, A; Altavista, P; Mastrantonio, M; Uccelli, R; Marinaccio, A. (2007). [Malignant pleural cancers mortality and compensated cases for asbestos related diseases in Lazio municipalities (1980-2001)]. *Med Lav.* 98: 30-38.
- Scarselli, A; Corfiati, M; Di Marzio, D. (2016). Occupational exposure in the removal and disposal of asbestos-containing materials in Italy. *Int Arch Occup Environ Health.* 89: 857-865. <http://dx.doi.org/10.1007/s00420-016-1126-6>.
- Scarselli, A; Scano, P; Marinaccio, A; Iavicoli, S. (2009). Occupational Cancer in Italy: Evaluating the Extent of Compensated Cases in the Period 1994-2006. *Am J Ind Med.* 52: 859-867. <http://dx.doi.org/10.1002/ajim.20758>.
- Schabath, MB; Spitz, MR; Delclos, GL; Gunn, GB; Whitehead, LW; Wu, X. (2002). Association between asbestos exposure, cigarette smoking, myeloperoxidase (MPO) genotypes, and lung cancer risk. *Am J Ind Med.* 42: 29-37. <http://dx.doi.org/10.1002/ajim.10084>.
- Schanamann, SR. (1986). Air monitoring is not enough to estimate future asbestos hazards. *Occup Health Saf.* 55: 31-35, 55.
- Scheff, PA; Wadden, RA; Bates, BA. (1990). INDOOR AIR POLLUTION (pp. NEW YORK). (BIOSIS/91/08218). Scheff, PA; Wadden, RA; Bates, BA.
- Schempf, H; Mutschler, E; Chemel, B; Boehmke, S; Piegras, C; Crowley, W. (1998). A robotic pipe-asbestos insulation removal system. *Ind Robot.* 25: 196-+.
- Schepers, GW. (1995). Chronology of asbestos cancer discoveries: experimental studies of the Saranac Laboratory. *Am J Ind Med.* 27: 593-606.
- Schepers, GWH. (1993). TLVS FOR ASBESTOS [Letter]. *Am J Ind Med.* 23: 967-969.
- Schilirò, T; Alessandria, L; Degan, R; Traversi, D; Gilli, G. (2010). Chemical characterisation and cytotoxic effects in A549 cells of urban-air PM10 collected in Torino, Italy. *Environ Toxicol Pharmacol.* 29: 150-157. <http://dx.doi.org/10.1016/j.etap.2009.12.005>.
- Schillings, R; Goette, P; Viereck-Goette, L; Mergner, HJ. (1991). Indoor examinations of asbestos sources. *Int J Hyg Environ Health.* 192: 171.
- Schimmelpfeng, J; Drosselmeyer, E; Hofheinz, V; Seidel, A. (1992). Influence of surfactant components and exposure geometry on the effects of quartz and asbestos on alveolar macrophages. *Environ Health Perspect.* 97: 225-231.
- Schimmelpfeng, J; Seidel, A. (1991). Cytotoxic effects of quartz and chrysotile asbestos: in vitro interspecies comparison with alveolar macrophages. *J Toxicol Environ Health.* 33: 131-140. <http://dx.doi.org/10.1080/15287399109531513>.
- Schins, RPF; Gaudichet, A; Jaurand, MC. (1993). A METHOD TO OBTAIN A WELL-DEFINED FRACTION OF RESPIRABLE PARA-ARAMID FIBERS. *Environ Health Perspect.* 101: 414-416.
- Schins, RPF; Schilderman, P; Borm, PJA. (1995). OXIDATIVE DNA-DAMAGE IN PERIPHERAL-BLOOD LYMPHOCYTES OF COAL-WORKERS. *Int Arch Occup Environ Health.* 67: 153-157.
- Schinwald, A; Murphy, FA; Jones, A; Macnee, W; Donaldson, K. (2012). Graphene-based nanoplatelets: a new risk to the respiratory system as a consequence of their unusual aerodynamic properties. *ACS Nano.* 6: 736-746. <http://dx.doi.org/10.1021/nn204229f>.
- Schlecht, PC; Shulman, SA. (1986). PERFORMANCE OF ASBESTOS FIBER COUNTING LABORATORIES IN THE NIOSH PROFICIENCY ANALYTICAL TESTING (PAT) PROGRAM. *Am Ind Hyg Assoc J.* 47: 259-269.
- Schlecht, PC; Shulman, SA. (1995). Phase contrast microscopy asbestos fiber counting performance in the Proficiency Analytical Testing program. *Am Ind Hyg Assoc J.* 56: 480-489.
- Schlegel, H; Kempf, E. (1982). [Mesothelioma following occupational contact with asbestos]. *Soz Praventivmed.* 27: 220-222.
- Schleizinger, Z. (1986). USE OF ASBESTOS IN THE ISRAELI DEFENSE FORCES. *Am J Ind Med.* 10: 539-541.
- Schlipkoter, HW; K-H, F. (1975). The Importance Of Fibrous Dusts On Health And The Method Of Measuring Its Effect (pp. 359-362). (NIOSH/00136347). Schlipkoter, HW; Friedrichs K-H.
- Schloemer, JR. (1982). Health Hazard Evaluation Report No. TA-80-028-1063, Post Office Courthouse Building, Louisville, Kentucky (pp. 80-028). (NIOSH/00179180). Schloemer, JR.
- Schmauder, K. (1984). SUBSTITUTION OF ASBESTOS IN CYLINDER HEAD SEALS. 37: 540-&.
- Schmidt, D; Schmidt, ST; Mullis, J; Mahlmann, RF; Frey, M. (1997). Very low grade metamorphism of the Taveyanne formation of western Switzerland. *Contributions to Mineralogy and Petrology.* 129: 385-403.
- Schmidt, K; Garbe-Schoenberg, D; Koschinsky, A; Strauss, H; Jost, CL; Kleyenz, V; Koeniger, P. (2011). Fluid elemental and stable isotope composition of the Nibelungen hydrothermal field (8 degrees 18 ' S, Mid-Atlantic Ridge): Constraints on fluid-rock interaction in heterogeneous lithosphere. *Chem Geol.* 280: 1-18. <http://dx.doi.org/10.1016/j.chemgeo.2010.07.008>.
- Schmitz, I; Falkhausen, M; Klemp, G; Muller, KM. (2004). Measuring the concentrations of asbestos fibres in public buildings. *Staub, Reinhaltung der Luft.* 64: 427-434.
- Schnatter, AR; Nicolich, MJ; Lewis, RJ; Thompson, FL; Dineen, HK; Drummond, I; Dahlman, D; Katz, AM; Thériault, G. (2012). Lung cancer incidence in Canadian petroleum workers. *Occup Environ Med.* 69: 877-882. <http://dx.doi.org/10.1136/oemed-2011-100641>.
- Schneider, GJ. (1994). Standardization of Protocol for the Sampling, Testing and abatement of Asbestos Containing Joint Compound. 130.
- Schneider, J; Brückel, B; Fink, L; Woitowitz, HJ. (2014). Pulmonary fibrosis following household exposure to asbestos dust? *J Occup Med Toxicol.* 9: 39. <http://dx.doi.org/10.1186/s12995-014-0039-0>.
- Schneider, J; Presek, P; Braun, A; Woitowitz, HJ. (1999). Serum levels of pantropic p53 protein and EGF-receptor, and detection of anti-p53 antibodies in former uranium miners (SDAG Wismut). *Am J Ind Med.* 36: 602-609.
- Schneider, J; Rödelasperger, K; Pohlabein, H; Woitowitz, HJ. (1996). Umwelt-und Innenraum-Gefährdung durch Asbestfaserstaub als Risiko-und Einflubfaktor des diffusen malignen Pleuramesothelioms (DMM). *Zentralblatt fuer Hygiene und Umweltmedizin.* 199: 1-23.

Fate Literature Search Results

Off Topic

- Schneider, J; Weitowitz, HJ. (1995). [Asbestos-related mesotheliomas in housewives from indoor air pollution] [Review]. *Zentralblatt fuer Hygiene und Umweltmedizin*. 196: 495-503.
- Schneider, K; Konietzka, R; Schuhmacher-Wolz, U. (2001). Assignment of carcinogenic air contaminants to emission classes of the TA Luft amendment. *Staub, Reinhaltung der Luft*. 61: 454-458.
- Schneider, SP. (1987). ASBESTOS EXAMINATIONS FOR CONSTRUCTION WORKERS [Letter]. *Am J Public Health*. 77: 645-646.
- Schneider, T. (1992). ESTIMATION OF MINERAL FIBER CONTAMINATION. *Staub, Reinhaltung der Luft*. 52: 201-207.
- Schneider, T. (1993). SHAPE AND ORIENTATION EFFECTS ON VOLUME DETERMINATION BY MICROSCOPY OF LATHE-SHAPED FIBERS MODELED BY TRIVARIATE LOG-NORMAL SIZE DISTRIBUTIONS. *J Aerosol Sci*. 24: 963-971.
- Schneider, T; Burdett, G; Martinon, L; Brochard, P; Guillemain, M; Teichert, U; Draeger, U. (1996). Ubiquitous fiber exposure in selected sampling sites in Europe. *Scand J Work Environ Health*. 22: 274-284.
- Schneider, T; Holst, E. (1995). VARIABILITY OF TOTAL MASS AND OTHER MEASURES OF SMALL SAMPLES OF PARTICLES. *J Aerosol Sci*. 26: 127-136.
- Schneiderman, JS; Tracy, RJ. (1991). PETROLOGY OF ORTHOAMPHIBOLE-CORDIERITE GNEISSES FROM THE ORIJARVI AREA, SOUTHWEST FINLAND. *Am Mineral*. 76: 942-955.
- SCHNITZE,RJ; Bunescu, G. (1970). POLYMERS AS SELECTIVE ANTAGONISTS OF HEMOLYTIC ASBESTOS FIBERS. *Arch Environ Health*. 20: 481-&.
- Schnurrenberger, E. (1987). DUST AS A FACTOR IN THE ASSESSMENT OF POTENTIAL HEALTH RISKS IN CHEMICAL MANUFACTURING PLANTS (pp. 107-110). (BIOSIS/87/22977). Schnurrenberger, E.
- Schochat, T; Seidel, HJ. (2001). [Epidemiology in the study of human ecology - concept and evaluation of a seminar]. *Gesundheitswesen*. 63: 561-566. <http://dx.doi.org/10.1055/s-2001-16681>.
- Schock, MR; Buelow, RW. (1981). THE BEHAVIOR OF ASBESTOS-CEMENT PIPE UNDER VARIOUS WATER-QUALITY CONDITIONS .2. THEORETICAL CONSIDERATIONS. *J Am Water Works Assoc*. 73: 636-651.
- Scholten, JJ; Beers, AM; Kiel, AM. (1975). STUDIES ON PORE STRUCTURE OF ADSORBENTS AND CATALYSTS .1. DETERMINATION OF PORE-SIZE DISTRIBUTION OF SYNTHETIC CHRYSOTILE BY ELECTRON-MICROSCOPY. *J Catal*. 36: 23-29.
- Schonfeld, SJ; McCormack, V; Rutherford, MJ; Schuez, J. (2014). Regional variations in German mesothelioma mortality rates: 2000-2010. *Cancer Causes Control*. 25: 615-624. <http://dx.doi.org/10.1007/s10552-014-0368-4>.
- Schreier, H. (1986). ASBESTOS FIBERS AND ASSOCIATED TRACE METAL TOXICITY IN STREAM WATER (pp. 13-15). (BIOSIS/87/17335). Schreier, H.
- Schreier, H. (1987). ASBESTOS FIBERS INTRODUCE TRACE METALS INTO STREAMWATER AND SEDIMENTS. *Environ Pollut*. 43: 229-242.
- Schreier, H; Northcote, TG; Hall, K. (1987). TRACE METALS IN FISH EXPOSED TO ASBESTOS RICH SEDIMENTS. *Water Air Soil Pollut*. 35: 3-4.
- Schreier, H; Omueti, JA; Lavkulich, LM. (1987). WEATHERING PROCESSES OF ASBESTOS-RICH SERPENTINITIC SEDIMENTS. *Soil Sci Soc Am J*. 51: 993-999.
- Schreier, H; Shelford, JA; Nguyen, TD. (1986). ASBESTOS FIBERS AND TRACE METALS IN THE BLOOD OF CATTLE GRAZING IN FIELDS INUNDATED BY ASBESTOS-RICH SEDIMENTS. *Environ Res*. 41: 99-109.
- Schreier, H; Timmenga, HJ. (1986). EARTHWORM RESPONSE TO ASBESTOS RICH SERPENTINITIC SEDIMENTS. *Soil Biol Biochem*. 18: 85-89.
- Schreurs, J; Westra, L. (1985). CORDIERITE-ORTHOPYROXENE ROCKS - THE GRANULITE FACIES EQUIVALENTS OF THE ORIJARVI CORDIERITE-ANTHOPHYLLITE ROCKS IN WEST UUSIMAA, SOUTHWEST FINLAND. *Lithos*. 18: 215-228.
- Schroeder, T; John, BE. (2004). Strain localization on an oceanic detachment fault system, Atlantis Massif, 30 degrees N, Mid-Atlantic Ridge. *G-cubed*. 5. <http://dx.doi.org/10.1029/2004GC000728>.
- Schubauer-Berigan, MK; Deddens, JA; Couch, JR; Petersen, MR. (2011). Risk of lung cancer associated with quantitative beryllium exposure metrics within an occupational cohort. *Occup Environ Med*. 68: 354-360. <http://dx.doi.org/10.1136/oem.2010.056515>.
- Schubauer-Berigan, MK; Hein, MJ; Raudabaugh, WM; Ruder, AM; Silver, SR; Spaeth, S; Steenland, K; Petersen, MR; Waters, KM. (2011). Update of the NIOSH Life Table Analysis System: A Person-Years Analysis Program for the Windows Computing Environment. *Am J Ind Med*. 54: 915-924. <http://dx.doi.org/10.1002/ajim.20999>.
- Schuez, J; Schonfeld, SJ; Kromhout, H; Straif, K; Kashanskiy, SV; Kovalevskiy, EV; Bukhtiyarov, IV; McCormack, V. (2013). A retrospective cohort study of cancer mortality in employees of a Russian chrysotile asbestos mine and mills: Study rationale and key features. *Cancer Epidemiology*. 37: 440-445. <http://dx.doi.org/10.1016/j.canep.2013.03.001>.
- Schulte, PA; Kuempel, ED; Zumwalde, RD; Geraci, CL; Schubauer-Berigan, MK; Castranova, V; Hodson, L; Murashov, V; Dahm, MM; Ellenbecker, M. (2012). Focused actions to protect carbon nanotube workers [Review]. *Am J Ind Med*. 55: 395-411. <http://dx.doi.org/10.1002/ajim.22028>.
- Schultz, HJ. (1984). GLASS STAPLE FIBERS - A RAW-MATERIAL TO REPLACE ASBESTOS. 65: 449-454.
- Schultz, HJ. (1984). GLASS STAPLE FIBERS AS SUBSTITUTE FOR ASBESTOS. 37: 558-&.
- Schulz, SE; Evans, JP. (1998). Spatial variability in microscopic deformation and composition of the Punchbowl fault, southern California: implications for mechanisms, fluid-rock interaction, and fault morphology. *Tectonophysics*. 295: 223-244.
- Schumacher, JC; Brady, JB; Cheney, JT; Tonnsen, RR. (2008). Glaucophane-bearing marbles on Syros, Greece. *Journal of Petrology*. 49: 1667-1686. <http://dx.doi.org/10.1093/petrology/egn042>.
- Schutz, A; Coenen, W. (1980). ASBESTOS LIMIT VALUES, CRITERIA FOR THE EFFECT DETERMINATION, ENTERPRISE MONITORING BY MEASURING TECHNIQUES. *Staub, Reinhaltung der Luft*. 40: 194-197.
- Schutz, A; H-J, W. (1973). Technical Standard Values for the Admissible Working Place Concentration of Chrysotile Asbestos (pp. 445-450). (NIOSH/00191489). Schutz, A; Weitowitz H-J.
- Schwartz, DA; Vaughan, TL; Heyer, NJ; Koepsell, TD; Lyon, JL; Swanson, GM; Weiss, NS. (1988). B cell neoplasms and occupational asbestos exposure. *Am J Ind Med*. 14: 661-671.

Fate Literature Search Results

Off Topic

- Schwartz, S; Guillot, S; Reynard, B; Lafay, R; Debret, B; Nicollet, C; Lanari, P; Auzende, AL. (2013). Pressure-temperature estimates of the lizardite/antigorite transition in high pressure serpentinites. *Lithos*. 178: 197-210. <http://dx.doi.org/10.1016/j.lithos.2012.11.023>.
- Sciuto, PF; Ottonello, G. (1995). WATER-ROCK INTERACTION ON ZABARGAD ISLAND, RED-SEA - A CASE-STUDY .2. FROM LOCAL EQUILIBRIUM TO IRREVERSIBLE EXCHANGES. *Geochim Cosmo Acta*. 59: 2207-2213.
- Scott, PW; Jackson, TA; Dunham, AC. (1999). Economic potential of the ultramafic rocks of Jamaica and Tobago: two contrasting geological settings in the Caribbean. *Miner Depos*. 34: 718-723.
- Scott, SW. (1983). FRICTION RESEARCH PUTS THE BRAKES ON ASBESTOS USE. *Res/Dev*. 25: 88-90.
- Scott, SW. (1984). ASBESTOS SUBSTITUTES IN FRICTION APPLICATIONS. *Design News*. 40: 44-&.
- Seal, S; Barr, TL; Krezoski, S; Petering, DH; Antholine, W. (1997). Characterization of chemical interaction of asbestos surfaces during culturing with lung cells. *Journal of Vacuum Science and Technology A*. 15: 1235-1245.
- Seal, S; Krezoski, S; Barr, TL; Petering, DH; Evans, PH; Klinowski, J. (1997). Surface chemical interaction of fibrous asbestos with biocells: An ESCA study. *J Hazard Mater*. 53: 57-74.
- Seal, S; Krezoski, S; Barr, TL; Petering, DH; Klinowski, J; Evans, PH. (1996). Surface chemistry and biological pathogenicity of silicates: An X-ray photoelectron spectroscopic study. *Proc Biol Sci*. 263: 943-951. <http://dx.doi.org/10.1098/rspb.1996.0140>.
- Searl, A. (1994). A review of the durability of inhaled fibres and options for the design of safer fibres. *Ann Occup Hyg*. 38: 839-855.
- Searl, A. (1997). A comparative study of the clearance of respirable para-aramid, chrysotile and glass fibres from rat lungs. *Ann Occup Hyg*. 41: 217-233. [http://dx.doi.org/10.1016/S0003-4878\(96\)00036-1](http://dx.doi.org/10.1016/S0003-4878(96)00036-1).
- Searl, A; Buchanan, D; Cullen, RT; Jones, AD; Miller, BG; Soutar, CA. (1999). Biopersistence and durability of nine mineral fibre types in rat lungs over 12 months. *Ann Occup Hyg*. 43: 143-153.
- Sebastien, P; Bignon, J; Martin, M. (1982). Indoor airborne asbestos pollution: from the ceiling and the floor. *Science*. 216: 1410-1413.
- Sebastien, P; Masse, R; Bignon, J. (1980). Recovery of ingested asbestos fibers from the gastrointestinal lymph in rats. *Environ Res*. 22: 201-216.
- Sebastien, P; Mcdonald, JC; Mcdonald, AD; Case, B; Harley, R. (1989). Respiratory cancer in chrysotile textile and mining industries: exposure inferences from lung analysis. *Br J Ind Med*. 46: 180-187.
- Sedlatschek, C. (2000). The European Agency for Safety and Health at Work - The information network providing information on all topics related to safety and health at work. *Staub, Reinhaltung der Luft*. 60: 295-299.
- Seel, EA; Zaebst, DD; Hein, MJ; Liu, J; Nowlin, SJ; Chen, P. (2007). Inter-rater agreement for a retrospective exposure assessment of asbestos, chromium, nickel and welding fumes in a study of lung cancer and ionizing radiation. *Ann Occup Hyg*. 51: 601-610. <http://dx.doi.org/10.1093/annhyg/mem037>.
- Seetharaman, S; Ravichandran, S; Davidson, DJ; Vasudevan, S; Sozhan, G. (2011). Polyvinyl Alcohol Based Membrane as Separator for Alkaline Water Electrolyzer. *Separation Science and Technology*. 46: 1563-1570. <http://dx.doi.org/10.1080/01496395.2011.575427>.
- Segger, MCC; Gehring, MW. (2003). The WTO and precaution: Sustainable development implications of the WTO asbestos dispute. *Journal of Environmental Law*. 15: 289-+.
- Segura, O; Burdorf, A; Looman, C. (2003). Update of predictions of mortality from pleural mesothelioma in the Netherlands. *Occup Environ Med*. 60: 50-55.
- Seidler, A; Becker, N; Nieters, A; Arhelger, R; Mester, B; Rossnagel, K; Deeg, E; Elsner, G; Melis, M; Sesler, S; Avataneo, G; Meloni, M; Cocco, P. (2010). Asbestos exposure and malignant lymphoma: a multicenter case-control study in Germany and Italy. *Int Arch Occup Environ Health*. 83: 563-570. <http://dx.doi.org/10.1007/s00420-009-0502-x>.
- Seidman, H; Selikoff, IJ; Gelb, SK. (1986). Mortality experience of amosite asbestos factory workers: Dose-response relationships 5 to 40 years after onset of short-term work exposure. *Am J Ind Med*. 10: 479-514.
- Seipold, U; Schilling, FR. (2003). Heat transport in serpentinites. *Tectonophysics*. 370: 147-162. [http://dx.doi.org/10.1016/S0040-1951\(03\)00183-5](http://dx.doi.org/10.1016/S0040-1951(03)00183-5).
- Seiti, B; Topi, D; Malollari, I; Xhaxhiu, K; Drushku, S; Shehu, F. (2013). CRUDE OIL WASTES RECYCLING, THE ECONOMICAL AND ENVIRONMENTAL OUTCOMES. A CASE STUDY. *J Environ Prot Ecol*. 14: 99-106.
- Seixas, NS. (2013). Protecting our science [Editorial]. *Ann Occup Hyg*. 57: 963-965. <http://dx.doi.org/10.1093/annhyg/met056>.
- Sekhvatjou, MS; Zangeneh, A. (2011). Asbestos Concentrations and Lung Restrictive Patterns. *International Journal of Environmental Research*. 5: 555-560.
- Sekhon, HS; Keeling, B; Churg, A. (1993). Rat pleural mesothelial cells show damage after exposure to external but not internal cigarette smoke. *Environ Health Perspect*. 101: 326-330.
- Sekine, T; Meng, C; Zhu, W; He, H. (2012). Direct evidence for decomposition of antigorite under shock loading. *J Geophys Res*. 117. <http://dx.doi.org/10.1029/2011JB008439>.
- Seldén, AI; Berg, NP; Lundgren, EA; Hillerdal, G; Wik, NG; Ohlson, CG; Bodin, LS. (2001). Exposure to tremolite asbestos and respiratory health in Swedish dolomite workers. *Occup Environ Med*. 58: 670-677. <http://dx.doi.org/10.1136/oem.58.10.670>.
- Seldén, AI; Westberg, HB; Axelson, O. (1997). Cancer morbidity in workers at aluminum foundries and secondary aluminum smelters. *Am J Ind Med*. 32: 467-477.
- Selig, O. (1990). USE OF ASBESTOS. *Chem Eng News*. 68: 2-&.
- Selikoff, IJ. (1991). Asbestos disease-1990-2020: the risks of asbestos risk assessment [Review]. *Toxicol Ind Health*. 7: 117-127.
- Selikoff, IJ. (1991). Statistical compassion. *J Clin Epidemiol*. 44 Suppl 1: 141S-146S.
- Selikoff, IJ. (1992). Death certificates in epidemiological studies, including occupational hazards: inaccuracies in occupational categories. *Am J Ind Med*. 22: 493-504.
- Selikoff, IJ. (1992). Influence of age at death on accuracy of death certificate disease diagnosis: findings in 475 consecutive deaths of mesothelioma among asbestos insulation workers and asbestos factory workers. *Am J Ind Med*. 22: 505-510.

Fate Literature Search Results

Off Topic

- Selikoff, IJ; Churg, J; Hammond, EC. (1972). EPIDEMIOLOGIC STUDY OF ASBESTOS INSULATION WORKERS. *Am Ind Hyg Assoc J.* 33: 43-&.
- Selikoff, IJ; Hammond, EC. (1970). Asbestos Bodies in the New York City Population in Two Periods of Time (pp. 99-105). (NIOSH/00045725).
Selikoff, IJ; Hammond, EC.
- Selikoff, IJ; Hammond, EC. (1971). Asbestos exposure to coke oven operators. *J Occup Med.* 13: 496-497.
- Selikoff, IJ; Hammond, EC; Churg, J. (1999). Asbestos exposure, smoking and neoplasia. *Salud Publica Mex.* 41: S143-S154.
- Selikoff, IJ; Lilis, R. (1991). Radiological abnormalities among sheet-metal workers in the construction industry in the United States and Canada: Relationship to asbestos exposure. *Arch Environ Health.* 46: 30-36. <http://dx.doi.org/10.1080/00039896.1991.9937426>.
- Selikoff, IJ; Nicholson, WJ; Langer, AM. (1972). Asbestos air pollution. *Arch Environ Health.* 25: 1-13.
- Selikoff, IJ; Seidman, H. (1981). Health Effects of Amosite Asbestos Exposure. *J Environ Biol.* 2: 63-78.
- Selikoff, IJ; Seidman, H. (1991). Evaluation of selection bias in a cross-sectional survey. *Am J Ind Med.* 20: 615-627.
- Selikoff, IJ; Seidman, H. (1992). Use of death certificates in epidemiological studies, including occupational hazards: Variations in discordance of different asbestos-associated diseases on best evidence ascertainment. *Am J Ind Med.* 22: 481-492.
<http://dx.doi.org/10.1002/ajim.4700220403>.
- Silverstone, J; Sharp, ZD. (2011). Chlorine isotope evidence for multicomponent mantle metasomatism in the Ivrea Zone. *Earth Planet Sci Lett.* 310: 429-440. <http://dx.doi.org/10.1016/j.epsl.2011.08.034>.
- Semones, JA; Jolly, B. (1988). ASBESTOS AND THE INDUSTRIAL HYGIENIST. *Am Ind Hyg Assoc J.* 49: A16-A17.
- Sen, D. (2015). Working with asbestos and the possible health risks. *Occup Med (Lond).* 65: 6-14. <http://dx.doi.org/10.1093/occmed/kqu175>.
- Senda, K; Ishida, K; Jenkins, DM. (2005). X-ray Rietveld refinement and FTIR spectra of synthetic (Si,Ge)-richterites. *Am Mineral.* 90: 1062-1071.
- Sengbusch, GV; Hannibalfriedrich, O. (1979). POTENTIAL DAMAGE TO HEALTH AS A RESULT OF EXPOSURE TO ASBESTOS OUTSIDE THE WORKPLACE. *Staub, Reinhaltung der Luft.* 39: 452-456.
- Sengupta, A; Kadam, RM; Rajeswari, B; Dhobale, AR; Babu, Y; Godbole, SV. (2010). Characterization of Indian serpentine by X-ray diffraction, photoacoustic spectroscopy and electron paramagnetic resonance spectroscopy. *Appl Clay Sci.* 50: 305-310.
<http://dx.doi.org/10.1016/j.clay.2010.08.013>.
- Senyigit, A; Dalgic, A; Kavak, O; Tanrikulu, AC. (2004). Determination of environmental exposure to asbestos (tremolite) and mesothelioma risks in the southeastern region of Turkey. *Arch Environ Health.* 59: 658-662. <http://dx.doi.org/10.1080/00039890409602950>.
- Seo, J; Choi, SG, yu; Kim, DW, oo; Park, JW, oo; Oh, CW. (2015). A new genetic model for the Triassic Yangyang iron-oxide-apatite deposit, South Korea: Constraints from in situ U-Pb and trace element analyses of accessory minerals. *Ore Geol Rev.* 70: 110-135.
<http://dx.doi.org/10.1016/j.oregeorev.2015.04.009>.
- Sepulveda, MJ; Merchant, JA. (1983). Roentgenographic evidence of asbestos exposure in a select population of railroad workers. *Am J Ind Med.* 4: 631-639.
- Services, NCHaH. (2009). Health Consultation: Sapphire Valley Gem Mine Naturally Occurring Asbestos Site, Jackson County, North Carolina, September 18, 2009. 95.
- Seshan, K. (1977). Explanation for the insensitivity to tilts of the electron diffraction patterns of amphibole asbestos fibers. *Environ Res.* 14: 46-58.
- Seshan, K. (1983). HOW ARE THE PHYSICAL AND CHEMICAL-PROPERTIES OF CHRYSOTILE ASBESTOS ALTERED BY A 10-YEAR RESIDENCE IN WATER AND UP TO 5 DAYS IN SIMULATED STOMACH ACID. *Environ Health Perspect.* 53: 143-148.
- Setton, E; Hystad, P; Poplawski, K; Cheasley, R; Cervantes-Larios, A; Keller, CP; Demers, PA. (2013). Risk-based indicators of Canadians' exposures to environmental carcinogens. *Environ Health.* 12: 15. <http://dx.doi.org/10.1186/1476-069X-12-15>.
- Severson, RK; Harvey, J; Polissar, L. (1981). THE RELATIONSHIP BETWEEN ASBESTOS AND TURBIDITY IN RAW WATER. *J Am Water Works Assoc.* 73: 223-224.
- Seyfried, WE, Jr; Foustoukos, DI; Fu, Q, i. (2007). Redox evolution and mass transfer during serpentinization: An experimental and theoretical study at 200 degrees C, 500 bar with implications for ultramafic-hosted hydrothermal systems at Mid-Ocean Ridges. *Geochim Cosmo Act.* 71: 3872-3886. <http://dx.doi.org/10.1016/j.gca.2007.05.015>.
- Seyfried, WE, Jr; Pester, NJ; Ding, K; Rough, M. (2011). Vent fluid chemistry of the Rainbow hydrothermal system (36 degrees N, MAR): Phase equilibria and in situ pH controls on seafloor alteration processes. *Geochim Cosmo Act.* 75: 1574-1593.
<http://dx.doi.org/10.1016/j.gca.2011.01.001>.
- Seyfried, WE, Jr; Pester, NJ; Tutolo, BM; Ding, K. (2015). The Lost City hydrothermal system: Constraints imposed by vent fluid chemistry and reaction path models on seafloor heat and mass transfer processes. *Geochim Cosmo Act.* 163: 59-79.
<http://dx.doi.org/10.1016/j.gca.2015.04.040>.
- S-H, C; Kang, D; K-S, K; H-J, K; D-H, K; Ha, M; S-H, H; Ju, YS. (1997). Estimates of occupational cancer in Korea. *J Occup Health.* 39: 192-196.
- Sha, B; Gao, W, ei; Wang, S; Xu, F; Lu, T. (2011). Cytotoxicity of titanium dioxide nanoparticles differs in four liver cells from human and rat. *Composites Part B: Engineering.* 42: 2136-2144. <http://dx.doi.org/10.1016/j.compositesb.2011.05.009>.
- Sha, LK; Chappell, BW. (1996). A kinetic model for three-site intracrystalline ordering-disordering in minerals. *Geochim Cosmo Act.* 60: 2075-2086.
- Shafie-Pour, M; Tavakoli, A. (2013). On-Road Vehicle Emissions Forecast Using IVE Simulation Model. *International Journal of Environmental Research.* 7: 367-376.
- Shahata, K; Zayed, T. (2013). Simulation-based life cycle cost modeling and maintenance plan for water mains. *Structure & Infrastructure Engineering.* 9: 403-415. <http://dx.doi.org/10.1080/15732479.2011.552509>.
- Shaikh, RA; Satterfield, MH; Kinney, PL. (1994). Airborne Fiber Levels in a Hospital Operations and Maintenance Program. *Appl Occup Environ Hyg.* 9: 811-824.

Fate Literature Search Results

Off Topic

- Shallari, S; Schwartz, C; Hasko, A; Morel, JL. (1998). Heavy metals in soils and plants of serpentine and industrial sites of Albania. *Sci Total Environ.* 209: 2-3.
- Shangina, O; Brennan, P; Szeszenia-Dabrowska, N; Mates, D; Fabiánová, E; Fletcher, T; T'Mannetje, A; Boffetta, P; Zaridze, D. (2006). Occupational exposure and laryngeal and hypopharyngeal cancer risk in central and eastern Europe. *Am J Epidemiol.* 164: 367-375. <http://dx.doi.org/10.1093/aje/kwj208>.
- Shannahan, JH; Nyska, A; Cesta, M; Schladweiler, MC; Vallant, BD; Ward, WO; Ghio, AJ; Gavett, SH; Kodavanti, UP. (2012). Subchronic pulmonary pathology, iron overload, and transcriptional activity after libby amphibole exposure in rat models of cardiovascular disease. *Environ Health Perspect.* 120: 85-91. <http://dx.doi.org/10.1289/ehp.1103990>.
- Shannahan, JH; Schladweiler, MC; Thomas, RF; Ward, WO; Ghio, AJ; Gavett, SH; Kodavanti, UP. (2012). Vascular and thrombogenic effects of pulmonary exposure to Libby amphibole. *J Toxicol Environ Health A.* 75: 213-231. <http://dx.doi.org/10.1080/15287394.2012.652055>.
- Shao, JA; Fu, YQ; Zang, QJ; Wang, YF. (1990). DUCTILE INSTABILITY - SHENTANGYU DUCTILE SHEAR ZONE AND THE TREMOLITES GLASS IN HUAIROU, BEIJING. *Diqui Wuli Xuebao.* 33: 196-201.
- Shao, T; Ji, S; Kondo, Y; Michibayashi, K; Wang, Q; Xu, Z; Sun, S; Marcotte, D; Salisbury, MH. (2014). Antigorite-induced seismic anisotropy and implications for deformation in subduction zones and the Tibetan Plateau. *J Geophys Res Solid Earth.* 119: 2068-2099. <http://dx.doi.org/10.1002/2013JB010661>.
- Sharikov, FY, u; Korytkov, EN; Gusarov, VV. (2007). Effect of the thermal prehistory of components on the hydration and crystallization of Mg₃Si₂O₅(OH)₄ nanotubes under hydrothermal conditions. *Glass Physics and Chemistry.* 33: 515-520. <http://dx.doi.org/10.1134/S108765960705015X>.
- Sharma, A. (1996). Experimentally derived thermochemical data for pargasite and reinvestigation of its stability with quartz in the system Na₂O-CaO-MgO-Al₂O₃-SiO₂-H₂O. *Contributions to Mineralogy and Petrology.* 125: 263-275.
- Sharma, A; Jenkins, DM. (1999). Hydrothermal synthesis of amphiboles along the tremolite-pargasite join and in the ternary system tremolite-pargasite-cummingtonite. *Am Mineral.* 84: 1304-1318.
- Sharma, RS. (1979). STRUCTURAL MODIFICATION OF CHRYSOTILE ASBESTOS FIBERS IN DRAG REDUCTION. *Chem Eng Sci.* 34: 415-417.
- Sharma, S; Bijwe, J; Kumar, M. (2013). Comparison Between Nano- and Micro-Sized Copper Particles as Fillers in NAO Friction Materials. 3.
- Sharon, A. (1986). DUST LEVELS IN AN ASBESTOS-CEMENT FACTORY PROBLEM SOLVING (pp. 5-6). (ISSN 0271-3586; EISSN 1097-0274; BIOSIS/87/09243). Sharon, A.
- Sharp, ZD; Barnes, JD. (2008). Comment to "Chlorine stable isotopes and halogen concentrations in convergent margins with implications for the Cl isotopes cycle in the ocean" by Wei et al. A review of the Cl isotope composition of serpentinites and the global chlorine cycle. *Earth Planet Sci Lett.* 274: 531-534. <http://dx.doi.org/10.1016/j.epsl.2008.07.031>.
- Sharpe, WE; Dewalle, DR. (1990). THE EFFECTS OF ACID PRECIPITATION RUNOFF EPISODES ON RESERVOIR AND TAPWATER QUALITY IN AN APPALACHIAN MOUNTAIN WATER-SUPPLY. *Environ Health Perspect.* 89: 153-158.
- Sharrock, P. (1982). CHRYSOTILE ASBESTOS FIBERS FROM QUEBEC - ELECTRON MAGNETIC-RESONANCE IDENTIFICATION. *Geochim Cosmo Acta.* 46: 1311-1315.
- Shau, YH; Peacor, DR; Ghose, S; Phakey, PP. (1993). SUBMICROSCOPIC EXSOLUTION IN MN-BEARING ALKALI AMPHIBOLES FROM TIRODI, MAHARASHTRA, INDIA. *Am Mineral.* 78: 96-106.
- Sheehan, P; Brorby, G; Berman, D; Holm, S; Kolk, B; Kolk, A; Floyd, M. (2008). Potential Preparation Artifacts Associated with Historical Preparation of Joint Compound Samples and Reported Airborne Asbestos Concentrations. *Epidemiology.* 19: S271-S271.
- Sheehan, P; Brorby, G; Berman, DW; Bogen, KT. (2014). Protecting good science [Comment]. *Ann Occup Hyg.* 58: 266-267. <http://dx.doi.org/10.1093/annhyg/met079>.
- Sheehan, P; Mowat, F; Weidling, R; Floyd, M. (2010). Simulation tests to assess occupational exposure to airborne asbestos from artificially weathered asphalt-based roofing products. *Ann Occup Hyg.* 54: 880-892. <http://dx.doi.org/10.1093/annhyg/meq058>.
- Sheehan, P; Mowat, F; Weidling, R; Floyd, M. (2011). Simulation Tests to Assess Occupational Exposure to Airborne Asbestos from Artificially Weathered Asphalt-Based Roofing Products (vol 54, pg 880, 2010). *Ann Occup Hyg.* 55: 827-827. <http://dx.doi.org/10.1093/annhyg/mer057>.
- Sheehan, PJ; Brorby, GP; Berman, DW; Bogen, KT; Holm, SE. (2011). Chamber for testing asbestos-containing products: validation and testing of a re-created chrysotile-containing joint compound. *Ann Occup Hyg.* 55: 797-809. <http://dx.doi.org/10.1093/annhyg/mer048>.
- Sheehy, JW. (1986). Preliminary Survey Report: Evaluation of Brake Drum Service Controls at Ohio Department of Transportation, Maintenance Facility, Lebanon, Ohio, Report No. CT-152-18a (pp. 152-118). (NIOSH/00163313). Sheehy, JW.
- Sheehy, JW; Cooper, TC; O'Brien, DM; Mcglothlin, JD; Froehlich, PA. (1989). Control of asbestos exposure during brake drum service. (CIS/90/00953). Sheehy, JW; Cooper, TC; O'Brien, DM; Mcglothlin, JD; Froehlich, PA.
- Sheehy, JW; Godbey, FW; Cooper, TC; Lenihan, KL; Van Wagenen, HD; Mcglothlin, JD. (1987). In-Depth Survey Report: Control Technology for Brake Drum Service Operations at Ohio Department of Transportation, Maintenance Facility, Lebanon, Ohio, CT-152-18b (pp. 152-118). (NIOSH/00166990). Sheehy, JW; Godbey, FW; Cooper, TC; Lenihan, KL; Van Wagenen, HD; Mcglothlin, JD.
- Sheehy, JW; Todd, WF; Cooper, TC; Van Wagenen, HD. (1987). In-Depth Survey Report: Evaluation of Brake Drum Service Controls at Cincinnati Bell Maintenance Facility, Fairfax, Ohio, Report No. CT-152-21B (pp. 152-121). (NIOSH/00175414). Sheehy, JW; Todd, WF; Cooper, TC; Van Wagenen, HD.
- Sheers, G. (1979). Asbestos-associated disease in employees of Devonport Dockyard. *Ann N Y Acad Sci.* 330: 281-287.
- Sheers, G; Rossiter, CE; Gilson, JC; Mackenzie, FA. (1978). UK Naval Dockyards Asbestosis Study: radiological methods in the surveillance of workers exposed to asbestos. *Br J Ind Med.* 35: 195-203.
- Shen, SY; Hu, S; Li, Z; Zhang, D; Liu, XH; Song, XB. (2003). Preparation and properties of friction materials by using two kinds of fibrous industrial minerals. *Journal of Wuhan University of Technology--Materials Science Edition.* 18: 49-52.

Fate Literature Search Results

Off Topic

- Shen, SY; Li, Z; Liu, XH; Peng, JR. (2003). The testing of friction materials with two kinds of fibrous industrial minerals. *Key Eng Mater.* 249: 405-408.
- Shen, T; Hermann, J; Zhang, L; Lu, Z; Padron-Navarta, JA; Xia, B, in; Bader, T. (2015). UHP Metamorphism Documented in Ti-chondrodite- and Ti-clinohumite-bearing Serpentinized Ultramafic Rocks from Chinese Southwestern Tianshan. *Journal of Petrology.* 56: 1425-1457. <http://dx.doi.org/10.1093/petrology/egv042>.
- Shen, T; Hermann, J; Zhang, L; Padron-Navarta, JA; Chen, J. (2014). FTIR spectroscopy of Ti-chondrodite, Ti-clinohumite, and olivine in deeply subducted serpentinites and implications for the deep water cycle. *Contributions to Mineralogy and Petrology.* 167. <http://dx.doi.org/10.1007/s00410-014-0992-8>.
- Shepherd, J. R.; Hillerdal, G; Mclarty, J. (1997). Progression of pleural and parenchymal disease on chest radiographs of workers exposed to amosite asbestos. *Occup Environ Med.* 54: 410-415.
- Sherif, MI; Ghoneim, MF; Heikal, MT, hS; El Dosuky, BT. (2013). Perogenesis of granites, Sharm El-Sheikh area, South Sinai, Egypt: petrological constrains and tectonic evolution. *Mineralogy and Petrology.* 107: 765-783. <http://dx.doi.org/10.1007/s00710-013-0267-5>.
- Sherman, CB; Barnhart, S; Rosenstock, L. (1988). Use of oblique chest roentgenograms in detecting pleural disease in asbestos-exposed workers. *J Occup Med.* 30: 681-683.
- Sherman, LA; Barak, P. (2000). Solubility and dissolution kinetics of dolomite in Ca-Mg-HCO₃/CO₃ solutions at 25 degrees C and 0.1 MPa carbon dioxide. *Soil Sci Soc Am J.* 64: 1959-1968.
- Sherriff, BL; Jenkins, DM; Kunath-Fandrei, G; Goetz, S; Jager, C. (1999). Na-23, Si-29, and Ga-71 MAS-NMR spectroscopy of synthetic gallian-fluor-amphiboles. *Am Mineral.* 84: 1033-1040.
- Shevtchenko, TV; Grigoriev, PP; Druzhinin, EA; Kubasov, VL; Bannikova, NV; Kurbatov, VA. (1987). ASBESTOS AND ASBESTOS POLYMERIC DIAPHRAGMS REGENERATION INVESTIGATION. 224-225.
- Shi, G; Li, X; Li, Q; Chen, Z; Deng, J, un; Liu, Y; Kang, Z; Pang, E; Xu, Y; Jia, X. (2012). Ion Microprobe U-Pb Age and Zr-in-Rutile Thermometry of Rutiles from the Daixian Rutile Deposit in the Hengshan Mountains, Shanxi Province, China. *Econ Geol.* 107: 525-535.
- Shi, G; Tropper, P; Zhu, R. (2009). The occurrence of magnesioferrite-rich spinels in a trachyandesite from NE China. *Mineralogy and Petrology.* 95: 125-134. <http://dx.doi.org/10.1007/s00710-008-0025-2>.
- Shi, X; von Dem Bussche, A; Hurt, RH; Kane, AB; Gao, H. (2011). Cell entry of one-dimensional nanomaterials occurs by tip recognition and rotation [Letter]. *Nat Nanotechnol.* 6: 714-719. <http://dx.doi.org/10.1038/nnano.2011.151>.
- Shibakusa, H; Maekawa, H. (1997). Lawsonite-bearing eclogitic metabasites in the Cazadero area, northern California. *Mineralogy and Petrology.* 61: 163-180.
- Shibata, K; Kudo, Y; Tsunoda, M; Hosokawa, M; Sakai, Y; Kotani, M; Aizawa, Y. (2007). Magnetometric evaluation of the effects of man-made mineral fibers on the function of macrophages using the macrophage cell line RAW 264.7. *Ind Health.* 45: 426-436.
- Shibuya, T; Komiya, T; Anma, R; Ota, T; Omori, S; Kon, Y; Yamamoto, S; Maruyama, S. (2007). Progressive metamorphism of the Taitao ophiolite; evidence for axial and off-axis hydrothermal alterations. *Lithos.* 98: 233-260. <http://dx.doi.org/10.1016/j.lithos.2007.04.003>.
- Shieh, SR; Mao, HK; Hemley, RJ; Ming, LC. (2000). In situ X-ray diffraction studies of dense hydrous magnesium silicates at mantle conditions. *Earth Planet Sci Lett.* 177: 69-80.
- Shikazono, N; Utada, M; Shimizu, M. (1995). Mineralogical and geochemical characteristics of hydrothermal alteration of basalt in the Kuroko mine area, Japan: Implications for the evolution of a Back Arc Basin hydrothermal system. *Appl Geochem.* 10: 621-&.
- Shimizu, VK; Kahn, H; Antoniassi, JL; Ulsen, C. (2012). Copper ore type definition from Sossego Mine using X-ray diffraction and cluster analysis technique. *Revista da Escola de Minas.* 65: 561-566.
- Shin, D; Lee, I. (2003). Carbonate-hosted talc deposits in the contact aureole of an igneous intrusion (Hwanggangri mineralized zone, South Korea): geochemistry, phase relationships, and stable isotope studies. *Ore Geol Rev.* 22: 17-39.
- Shishido, S; Iwai, K; Tukagoshi, K. (1989). Incidence of ferruginous bodies in the lungs during a 45-year period and mineralogical analysis of the core fibres and uncoated fibres. *IARC Sci Publ*229-238.
- Shishido, S; Tsukagoshi, K; Shichiku, C; Ushikubo, K; Iwai, K. (1976). [Asbestos pollution of the lung. (1) Incidence of asbestos bodies found in the lung and sputum]. *Nihon Kyobu Shikkan Gakkai Zasshi.* 14: 728-735.
- Shokrieh, MM; Mahmoudi, A; Shadkam, HR. (2015). Hybrid Polyvinyl Alcohol and Cellulose Fiber Pulp Instead of Asbestos Fibers in Cement-Based Composites. *Mechanics of Composite Materials.* 51: 231-238. <http://dx.doi.org/10.1007/s11029-015-9494-7>.
- Shongwe, L; Voyi, K. (2006). Relationship between abnormal changes of lung function test and the length of exposure to asbestos dust. *Epidemiology.* 17: S520-S520.
- Shterengartz, RI, a; Boiarchuk, IF; Dorfman, AA; Siriachenko, SS. (1995). [Sanitary-hygienic regulations of the utilization of asbestos production waste in railway facilities]. *Gig Sanit*55-57.
- Si, S; Carey, R; Reid, A; Peters, S; Glass, DD; Driscoll, T; Darcey, E; Fritschi, L. (2016). Occupational exposure to carcinogens in Australian road transport workers. *Am J Ind Med.* 59: 31-41. <http://dx.doi.org/10.1002/ajim.22536>.
- Sichletidis, L; Chloros, D; Chatzidimitriou, N; Tsiotsios, I; Spyros, D; Patakas, D. (2006). Diachronic study of pleural plaques in rural population with environmental exposure to asbestos. *Am J Ind Med.* 49: 634-641. <http://dx.doi.org/10.1002/ajim.20334>.
- Sichletidis, L; Spyros, D; Chloros, D; Michailidis, K; Fourkiotou, I. (2009). Pleural plaques in dentists from occupational asbestos exposure: a report of three cases. *Am J Ind Med.* 52: 926-930. <http://dx.doi.org/10.1002/ajim.20757>.
- Sida, P; Kachlik, V. (2009). Geological setting, petrology and mineralogy of metabasites in a thermal aureole of Tanvald granite (northern Bohemia) used for the manufacture of Neolithic tools. *Journal of Geosciences.* 54: 269-287. <http://dx.doi.org/10.3190/jgeosci.042>.
- Siddiqui, SM; Khan, SA; Ahmad, S; Beg, MU. (1992). Effects of airborne dust collected from Kuwait on human erythrocytes. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 27: 1229-1236.

Fate Literature Search Results

Off Topic

- Sidike, A; Jilili, N; Kobayashi, S; Atobe, K; Yamashita, N. (2010). Photoluminescence properties of anthophyllite. *Physics and Chemistry of Minerals*. 37: 83-89. <http://dx.doi.org/10.1007/s00269-009-0312-4>.
- Sidorov, KK; Vishnevskaya, SS. (1992). HYGIENIC STANDARDIZATION OF HARMFUL SUBSTANCES IN THE AIR OF A WORK ZONE IN 1986-1990. *Gig Tr Prof Zabol*. 0: 33-34.
- Siegrist, HG; Wylie, AG. (1980). CHARACTERIZING AND DISCRIMINATING THE SHAPE OF ASBESTOS PARTICLES. *Environ Res*. 23: 348-361.
- Siegrist, M; Keller, C; Kastenholz, H; Frey, S; Wiek, A. (2007). Laypeople's and experts' perception of nanotechnology hazards. *Risk Anal*. 27: 59-69. <http://dx.doi.org/10.1111/j.1539-6924.2006.00859.x>.
- Siemiatycki, J. (2007). Investigating cancer risks related to asbestos and other occupational carcinogens [Editorial]. *Occup Environ Med*. 64: 500-501. <http://dx.doi.org/10.1136/oem.2006.030759>.
- Siemiatycki, J; Boffetta, P. (1998). Invited commentary: Is it possible to investigate the quantitative relation between asbestos and mesothelioma in a community-based study? [Comment]. *Am J Epidemiol*. 148: 143-147.
- Siesling, S; Damste, HS; Burdorf, A. (2006). Environmental exposure to asbestos increases the risk of mesothelioma in women in the region Goor. *Eur J Epidemiol*. 21: 73-73.
- Siew, SS; Kauppinen, T; Kyyrönen, P; Heikkilä, P; Pukkala, E. (2008). Exposure to iron and welding fumes and the risk of lung cancer. *Scand J Work Environ Health*. 34: 444-450.
- Sigurdson, EE. (1982). DESCRIPTION AND COMPARISON OF 2 POPULATION-BASED STUDIES OF DULUTH, MINNESOTA, AS A FOLLOW-UP OF ASBESTOS EXPOSURE AND RECOMMENDATIONS FOR FACILITATING SIMILAR STUDIES IN THE FUTURE. *Journal of Environmental Science and Health, Part A: Environmental Science and Engineering and Toxi*. 17: 463-471.
- Sigurdson, EE; Levy, BS; Mandel, J; Mchugh, R; Michienzi, LJ; Jagger, H; Pearson, J. (1981). Cancer morbidity investigations: lessons from the Duluth study of possible effects of asbestos in drinking water. *Environ Res*. 25: 50-61.
- Silant'ev, VV; Zariпова, EP; Brodilo, LI. (1992). [Work conditions and morbidity of workers at plants manufacturing asbestos-technical products]. *Gig Sanit*18-21.
- Silantyev, SA; Mironenko, MV; Bazylev, BA; Semenov, YV. (1992). METAMORPHISM ASSOCIATED WITH MIDOCEAN RIDGE HYDROTHERMAL SYSTEMS - THERMODYNAMIC MODELING EXPERIENCE. *Geokhimiya*1015-1034.
- Silberschmid, M; Sabroe, S; Andresen, J; Bolvig, L; Coutte, A. (1984). LIGHT ASBESTOS EXPOSURE DOSE INDEX AS A MEASURE FOR EXPOSURE IN DOSE EFFECT STUDIES (pp. NEW YORK). (HEEP/85/00838). Silberschmid, M; Sabroe, S; Andresen, J; Bolvig, L; Coutte, A.
- Sillitoe, RH. (2003). Iron oxide-copper-gold deposits: an Andean view. *Miner Depos*. 38: 787-812. <http://dx.doi.org/10.1007/s00126-003-0379-7>.
- Sillitoe, RH; Tolman, J; Van Kerkvoort, G. (2013). Geology of the Caspiche Porphyry Gold-Copper Deposit, Maricunga Belt, Northern Chile. *Econ Geol*. 108: 585-604.
- Silva, WM; Aneziris, CG; Brito, MAM. (2011). Effect of Alumina and Silica on the Hydration Behavior of Magnesia-Based Refractory Castables. *Journal of the American Ceramic Society*. 94: 4218-4225. <http://dx.doi.org/10.1111/j.1551-2916.2011.04788.x>.
- Silveira, F; Petry, CF; Pozebon, D; Pergher, SB; Detoni, C; Stedile, FC; dos Santos, JHZ. (2007). Supported metallocene on mesoporous materials. *Appl Catal A-Gen*. 333: 96-106. <http://dx.doi.org/10.1016/j.apcata.2007.09.010>.
- Silver, K. (1979). ASBESTOS IN SCHOOL BUILDINGS RESULTS OF A NATIONWIDE SURVEY (pp. NEW YORK). (HEEP/81/07989). Silver, K.
- Silver, SR; Daniels, RD; Taulbee, TD; Zaebst, DD; Kinnes, GM; Couch, JR; Kubale, TL; Yiin, JH; Schubauer-Berigan, MK; Chen, PH. (2004). Differences in mortality by radiation monitoring status in an expanded cohort of Portsmouth Naval Shipyard workers. *J Occup Environ Med*. 46: 677-690. <http://dx.doi.org/10.1097/01.jom.0000128154.79025.2a>.
- Silver, SR; Pinkerton, LE; Fleming, DA; Jones, JH; Allee, S; Luo, L; Bertke, SJ. (2014). Retrospective Cohort Study of a Microelectronics and Business Machine Facility. *Am J Ind Med*. 57: 412-424. <http://dx.doi.org/10.1002/ajim.22288>.
- Silverstein, MA; Welch, LS; Lemen, R. (2009). Developments in asbestos cancer risk assessment. *Am J Ind Med*. 52: 850-858. <http://dx.doi.org/10.1002/ajim.20756>.
- Silvestri, S. (2009). Carcinogens exposure risk control: balance and strategies of action within the most emblematic industrial divisions. *Epidemiol Prev*. 33: 37-42.
- Silvestri, S. (2011). [Problems due to the prolonged permanence of asbestos-containing materials]. *Epidemiol Prev*. 35: 139-143.
- Silvestri, S; Di Benedetto, F; Raffaelli, C; Veraldi, A. (2016). Asbestos in toys: an exemplary case. *Scand J Work Environ Health*. 42: 80-85. <http://dx.doi.org/10.5271/sjweh.3542>.
- Silvestri, S; Nemo, A. (2014). [Reconstruction of past asbestos exposure of dockers in the Port of Livorno]. *Med Lav*. 105: 187-196.
- Sim, MR. (2013). Changing of the guard at Occupational and Environmental Medicine [Editorial]. *Occup Environ Med*. 70: 751-752. <http://dx.doi.org/10.1136/oemed-2013-101886>.
- Sim, MR. (2013). A worldwide ban on asbestos production and use: some recent progress, but more still to be done [Editorial]. *Occup Environ Med*. 70: 1-2. <http://dx.doi.org/10.1136/oemed-2012-101290>.
- Sim, MR; Boffetta, P. (2009). Occupational cancer: an emerging problem in newly industrializing countries [Editorial]. *Asia Pac J Public Health*. 21: 241-243. <http://dx.doi.org/10.1177/1010539509341404>.
- Simard, A; Vauclair, R; Thouez, JP; Ghadirian, P. (1986). [Cytology of expectorations in steel and asbestos workers. Evaluation from 1980-1984]. *Union Med Can*. 115: 480-483.
- Simard, M; Gaboury, D; Daigneault, R; Mercier-Langevin, P. (2013). Multistage gold mineralization at the Lapa mine, Abitibi Subprovince: insights into auriferous hydrothermal and metasomatic processes in the Cadillac-Larder Lake Fault Zone. *Miner Depos*. 48: 883-905. <http://dx.doi.org/10.1007/s00126-013-0466-3>.
- Simonato, L; Fletcher, AC; Andersen, A; Anderson, K; Becker, N; Chang-Claude, J; Ferro, G; Gérin, M; Gray, CN; Hansen, KS. (1991). A historical prospective study of European stainless steel, mild steel, and shipyard welders. *Br J Ind Med*. 48: 145-154.
- Simoncini, C. (2007). [Socio-economic context in the Lower Iseo Lake area after World War II]. *Epidemiol Prev*. 31: 6-9.

Fate Literature Search Results

Off Topic

- Simpson, J; Roman, E; Law, G; Pannett, B. (1999). Women's occupation and cancer: preliminary analysis of cancer registrations in England and Wales, 1971-1990. *Am J Ind Med.* 36: 172-185.
- Singer, BS; Jicha, BR; Leeman, WP; Rogers, NW; Thirlwall, MF; Ryan, J; Nicolaysen, KE. (2007). Along-strike trace element and isotopic variation in Aleutian Island arc basalt: Subduction melts sediments and dehydrates serpentinite. *J Geophys Res.* 112. <http://dx.doi.org/10.1029/2006jb004897>.
- Singh, B; Thouez, JP. (1983). Ambient air concentration of asbestos fibres, dust content and mortality: the case of Asbestos, Quebec. 2: 343-351.
- Singh, B; Thouez, JP. (1985). AMBIENT AIR CONCENTRATIONS OF ASBESTOS FIBERS NEAR THE TOWN OF ASBESTOS, QUEBEC. *Environ Res.* 36: 144-159.
- Singh, M; Tyagi, AK; Mehla, RK; Singh, C. (2003). Milk production performance of cows under two different sets of management during summer. *Indian J Anim Sci.* 73: 692-694.
- Singh, N; Yadav, JS; Singh, AP; Sharma, SN. (1997). Clinico-epidemiological studies on bovine dermatophytosis in and around Bikaner. *Indian J Anim Sci.* 67: 845-848.
- Singh, RK; Dey, S; Mohanta, MK; Das, A. (2014). Enhancing the Utilization Potential of a Low Grade Chromite Ore through Extensive Physical Separation. *Separation Science and Technology.* 49: 1937-1945. <http://dx.doi.org/10.1080/01496395.2014.903495>.
- Singh, Z; Chadha, P. (2016). Textile industry and occupational cancer [Review]. 11: 39. <http://dx.doi.org/10.1186/s12995-016-0128-3>.
- Sinks, T; Goodman, MT; Kolonel, LN; Anderson, B. (1994). A case-control study of mesothelioma and employment in the Hawaii sugarcane industry. *Epidemiology.* 5: 466-468.
- Siracusa, A; Cicioni, C; Volpi, R; Canalicchi, P; Brugnami, G; Comodi, AR; Abbritti, G. (1984). Lung function among asbestos cement factory workers: cross-sectional and longitudinal study. *Am J Ind Med.* 5: 315-325.
- Siracusa, A; Forcina, A; Volpi, R. (1987). AN 11-YEAR FOLLOW-UP OF LUNG-FUNCTION AMONG POLYVINYL-CHLORIDE, CEMENT AND ASBESTOS-CEMENT FACTORY-WORKERS. *Scand J Work Environ Health.* 13: 172-172.
- Siracusa, A; Forcina, A; Volpi, R; Mollicchella, E; Cicioni, C; Fiordi, T. (1988). An 11-year longitudinal study of the occupational dust exposure and lung function of polyvinyl chloride, cement and asbestos cement factory workers. *Scand J Work Environ Health.* 14: 181-188.
- Sirimanna, MPG; Attalage, RA. (2016). A model for analyzing the thermal performance of roof configurations with flat inclined surfaces. *Energy and Buildings.* 116: 122-132. <http://dx.doi.org/10.1016/j.enbuild.2015.12.052>.
- Sishodiya, PK; Bhattacharjee, A. (1985). VOID-COUNTING OF ASBESTOS FIBERS. *Ann Occup Hyg.* 29: 122-124.
- Siskind, FB. (1987). The cost of compensating asbestos victims under the Occupational Disease Compensation Act of 1983. *Risk Anal.* 7: 59-69.
- Sissell, K. (2002). Product liability - Senate begins debate on asbestos. *Chem Week.* 164: 33-33.
- Sissell, K. (2002). Sealed air, Fresenius settle asbestos suits. *Chem Week.* 164: 12-12.
- Sissell, K. (2003). Leahy opposes asbestos bill; Amendment would ban all uses. *Chem Week.* 165: 10-10.
- Sissell, K. (2003). RPM shares slide on asbestos concerns. *Chem Week.* 165: 9-9.
- Sisson, VB; Ertan, IE; Lallemand, HGA. (1997). High-pressure (approximate to 2000 MPa) kyanite- and glaucophane-bearing pelitic schist and eclogite from Cordillera de la Costa belt, Venezuela. *Journal of Petrology.* 38: 65-83.
- Sjogren, B. (2009). Mortality among British asbestos workers [Comment]. *Occup Environ Med.* 66: 854-855. <http://dx.doi.org/10.1136/oem.2009.050831>.
- Sjögren, B. (1997). Occupational exposure to dust: Inflammation and ischemic heart disease [Review]. *Occup Environ Med.* 54: 466-469. <http://dx.doi.org/10.1136/oem.54.7.466>.
- Sjögren, B. (2001). Association between pleural plaques and coronary heart disease [Letter]. *Scand J Work Environ Health.* 27: 420-421.
- Sjögren, B; Hansen, KS; Kjuus, H; Persson, PG. (1994). Exposure to stainless steel welding fumes and lung cancer: a meta-analysis. *Occup Environ Med.* 51: 335-336.
- Skidmore, JW; Dufficy, BL. (1983). Environmental History Of A Factory Producing Friction Material. *Br J Ind Med.* 40: 8-12.
- Skikne, MI; Talbot, JH; Rendall, REG. (1971). ELECTRON DIFFRACTION PATTERNS OF UICC ASBESTOS SAMPLES. *Environ Res.* 4: 141-&.
- Skogby, H. (1987). KINETICS OF INTRACRYSTALLINE ORDER-DISORDER REACTIONS IN TREMOLITE. *Physics and Chemistry of Minerals.* 14: 521-526.
- Skogby, H; Rossman, GR. (1991). THE INTENSITY OF AMPHIBOLE OH BANDS IN THE INFRARED-ABSORPTION SPECTRUM. *Physics and Chemistry of Minerals.* 18: 64-68.
- Skogstad, A; Eduard, W; Huser, PO. (1996). A laboratory method for generation of replicate filter samples of asbestos fibers in air. *Am Ind Hyg Assoc J.* 57: 741-745. <http://dx.doi.org/10.1080/15428119691014602>.
- Skora, S; Blundy, J, on. (2010). High-pressure Hydrous Phase Relations of Radiolarian Clay and Implications for the Involvement of Subducted Sediment in Arc Magmatism. *Journal of Petrology.* 51: 2211-2243. <http://dx.doi.org/10.1093/petrology/egg054>.
- Skourlis, T; Duvis, T; Paspaspyrides, CD. (1993). THE ROLE OF A POLYAMIDE INTERPHASE ON CARBON-FIBERS REINFORCING AN EPOXY MATRIX. *Compos Sci Tech.* 48: 119-125.
- Skvarla, J; Kozakova, L; Sisol, M; Zelenak, F. (2009). Detection of asbestos fibres in selected building materials. *Acta Montanistica Slovaca.* 14: 28-32.
- Slaats, PGG; Mesman, GAM; Rosenthal, LPM; Brink, H. (2004). Tools to monitor corrosion of cement-containing water mains. *Water Sci Technol.* 49: 33-39.
- Sluchyk, V; Sluchyk, I; Shyichuk, A. (2014). Assessment of both environmental cytotoxicity and trace metal pollution using *Populus simonii* Carr. as a bioindicator. *Environ Monit Assess.* 186: 6645-6650. <http://dx.doi.org/10.1007/s10661-014-3879-2>.
- Sluiscremer, GK. (1992). PNEUMOCONIOSIS RESEARCH IN SOUTH-AFRICA WITH EMPHASIS ON DEVELOPMENTS IN THE LAST QUARTER CENTURY. *Am J Ind Med.* 22: 591-603.
- Sluiscremer, GK. (1993). ATTITUDES AND OPINIONS REGARDING ASBESTOS AND CANCER, 1934-1965. *Am J Ind Med.* 23: 511-511.

Fate Literature Search Results

Off Topic

- Sluis-Cremer, GK. (1991). Asbestos disease at low exposure after long residence time in amphibole miners. *Toxicol Ind Health*. 7: 89-95.
- Sluis-Cremer, GK; Du Toit, RS. (1980). Asbestos-related radiological changes in residents of South African amphibole asbestos mining fields and the fibre counts to which they may have been exposed. *IARC Sci Publ*. IARC Scientific Publications No: 559-563.
- Sluis-Cremer, GK; Hnizdo, E. (1989). Progression of irregular opacities in asbestos miners. *Br J Ind Med*. 46: 846-852.
- Sluis-Cremer, GK; Hnizdo, E; du Toit, RS. (1990). Evidence for an amphibole asbestos threshold exposure for asbestosis assessed by autopsy in South African asbestos miners. *Ann Occup Hyg*. 34: 443-451.
- Sluis-Cremer, GK; Liddell, FD; Logan, WP; Bezuidenhout, BN. (1992). The mortality of amphibole miners in South Africa, 1946-80. *Br J Ind Med*. 49: 566-575.
- Sluis-Cremer, GK; Thomas, RG; Schmaman, IB. (1984). The value of computerised axial tomography in the assessment of workers exposed to asbestos. *Am J Ind Med*. 6: 27-35.
- Smalyte, G; Kurtinaitis, J; Andersen, A. (2004). Cancer mortality and morbidity among Lithuanian asbestos-cement producing workers. *Scand J Work Environ Health*. 30: 64-70.
- Smales, H. (1995). FRICTION MATERIALS - BLACK ART OR SCIENCE. *Institution of Mechanical Engineers Proceedings Part D: Journal of Automobile Engineering*. 209: 151-157.
- Smartt, AM; Brezinski, M; Trapkus, M; Gardner, D; Putnam, EA. (2010). Collagen accumulation over time in the murine lung after exposure to crocidolite asbestos or Libby amphibole. *Environ Toxicol*. 25: 68-76. <http://dx.doi.org/10.1002/tox.20472>.
- Smelik, EA; Jenkins, DM; Navrotsky, A. (1994). A CALORIMETRIC STUDY OF SYNTHETIC AMPHIBOLES ALONG THE TREMOLITE-TSCHERMAKITE JOIN AND THE HEATS OF FORMATION OF MAGNESIOHORNBLLENDE AND TSCHERMAKITE. *Am Mineral*. 79: 1110-1122.
- Smelik, EA; Nyman, MW; Veblen, DR. (1991). PERVASIVE EXSOLUTION WITHIN THE CALCIC AMPHIBOLE SERIES - TEM EVIDENCE FOR A MISCIBILITY GAP BETWEEN ACTINOLITE AND HORNBLLENDE IN NATURAL SAMPLES. *Am Mineral*. 76: 1184-1204.
- Smelik, EA; Veblen, DR. (1992). EXSOLUTION OF CA-AMPHIBOLE FROM GLAUCOPHANE AND THE MISCIBILITY GAP BETWEEN SODIC AND CALCIC AMPHIBOLES. *Contributions to Mineralogy and Petrology*. 112: 178-195.
- Smelik, EA; Veblen, DR. (1993). A TRANSMISSION AND ANALYTICAL ELECTRON-MICROSCOPE STUDY OF EXSOLUTION MICROSTRUCTURES AND MECHANISMS IN THE ORTHOAMPHIBOLES ANTHOPHYLLITE AND GEDRITE. *Am Mineral*. 78: 511-532.
- Smith, AH. (1998). Amphibole fibers, chrysotile fibers, and pleural mesothelioma. *Am J Ind Med*. 33: 96-96.
- Smith, AH; Wright, CC. (1996). Chrysotile asbestos is the main cause of pleural mesothelioma [Review]. *Am J Ind Med*. 30: 252-266. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199609\)30:3<252::AID-AJIM2>3.0.CO;2-0](http://dx.doi.org/10.1002/(SICI)1097-0274(199609)30:3<252::AID-AJIM2>3.0.CO;2-0).
- Smith, C. (2006). Don't ask, don't tell? Preventing information exchange increases the risks of chemical exposures. *Int J Occup Environ Health*. 12: 286-288.
- Smith, C; Kelsey, K; Wiencke, J; Leyden, K; Levin, S; Christiani, D. (1994). Inherited glutathione-S-transferase deficiency is a risk factor for pulmonary asbestosis. *Cancer Epidemiol Biomarkers Prev*. 3: 471-477.
- Smith, CB; Sims, K; Chimuka, L; Duffin, A; Beard, AD; Townend, R. (2004). Kimberlite metasomatism at Murowa and Sese pipes, Zimbabwe. *Lithos*. 76: 219-232. <http://dx.doi.org/10.1016/j.lithos.2004.03.009>.
- Smith, CM; Batcher, S; Catanzaro, A; Abraham, JL; Phalen, R. (1987). Sequence of bronchoalveolar lavage and histopathologic findings in rat lungs early in inhalation asbestos exposure. *J Toxicol Environ Health*. 20: 147-161. <http://dx.doi.org/10.1080/15287398709530968>.
- Smith, D. (2010). Antigorite Peridotite, Metaserpentinite, and other Inclusions within Diatremes on the Colorado Plateau, SW USA: Implications for the Mantle Wedge during Low-angle Subduction. *Journal of Petrology*. 51: 1355-1379. <http://dx.doi.org/10.1093/petrology/egq022>.
- Smith, D; Riter, JCA. (1997). Genesis and evolution of low-Al orthopyroxene in spinel peridotite xenoliths, Grand Canyon field, Arizona, USA. *Contributions to Mineralogy and Petrology*. 127: 391-404.
- Smith, DD. (2003). Earlier study on asbestos workers, ILO scores, and oxygenation more comprehensive [Letter]. *Occup Environ Med*. 60: 611; author reply 611.
- Smith, DK; Roberts, AC; Bayliss, P; Liebau, F. (1998). A systematic approach to general and structure-type formulas for minerals and other inorganic phases. *Am Mineral*. 83: 126-132.
- Smith, DR; Beh, EJ. (2012). Asbestos kills: no matter how you cut the data [Editorial]. *Arch Environ Occup Health*. 67: 187-188. <http://dx.doi.org/10.1080/19338244.2012.675791>.
- Smith, DR; Leggat, PA. (2006). 24 years of pneumoconiosis mortality surveillance in Australia. *J Occup Health*. 48: 309-313.
- Smith, IM; Hall, K, enJ; Lavkulich, L, esM; Schreier, H. (2007). Trace metal concentrations in an intensive agricultural watershed in British Columbia, Canada. *J Am Water Resour Assoc*. 43: 1455-1467.
- Smith, J; Bartley, D. (2003). Effect of sampler and manikin conductivity on the sampling efficiency of manikin-mounted personal samplers. *Aerosol Sci Technol*. 37: 79-81. <http://dx.doi.org/10.1080/02786820390112605>.
- Smith, JW. (1982). THE REPLACEMENT OF ASBESTOS CEMENT BY GRC. 13: 161-163.
- Smith, KA; Sykes, LJ; Mcgavin, CR. (2003). Diffuse pleural fibrosis--an unreliable indicator of heavy asbestos exposure? *Scand J Work Environ Health*. 29: 60-63.
- Smith, M; Coppard, J; Herrington, R; Stein, H. (2007). The geology of the Rakkurijarvi Cu-(Au) prospect, Norrbotten: A new iron oxide-copper-gold deposit in northern Sweden. *Econ Geol*. 102: 393-414.
- Smith, MP. (2007). Metasomatic silicate chemistry at the Bayan Obo Fe-REE-Nb deposit, Inner Mongolia, China: Contrasting chemistry and evolution of fenitising and mineralising fluids. *Lithos*. 93: 126-148. <http://dx.doi.org/10.1016/j.lithos.2006.06.013>.
- Smith, RB; Brady, DC. (1991). MAINTAINING SHAFT ACCESS AND SERVICES DURING HEADFRAME REPLACEMENT. 84: 34-38.
- Smith, TE; Harris, MJ. (1996). The Queensborough mafic-ultramafic complex: A fragment of a Meso-Proterozoic ophiolite? Grenville Province, Canada. *Tectonophysics*. 265: 53-82.

Fate Literature Search Results

Off Topic

- Smith, WE; Badollet, MS; Hubert, DD. (1972). BIOLOGIC DIFFERENCES IN RESPONSE TO LONG AND SHORT ASBESTOS FIBERS. *Am Ind Hyg Assoc J.* 33: 67-8.
- Smith, WE; Hubert, DD; Sobel, HJ; Peters, ET; Doerfler, TE. (1980). Health of experimental animals drinking water with and without amosite asbestos and other mineral particles. *J Environ Pathol Toxicol.* 3: 277-300.
- Smith, WE; Spivey, ML; Roux, LJ. (1978). A method for exposing animals to particulates in drinking water. *Am Ind Hyg Assoc J.* 39: 583-586. <http://dx.doi.org/10.1080/0002889778507813>.
- Smither, WJ. (1977). Asbestos content of dust encountered in brake maintenance and repair [Letter]. *Proc R Soc Med.* 70: 369-370.
- Smolianskiene, G; Adamoniene, D; Seskauskas, V. (2005). Studies on occupational asbestos in Lithuania: Achievements and problems. *Indoor Built Environ.* 14: 331-335. <http://dx.doi.org/10.1177/1420326X05054264>.
- Smolková, P; Nakládálová, M; Zapletalová, J. (2016). Response to the letter to editors concerning "Validity of mesothelin in occupational medicine practice". *Int J Occup Med Environ Health.* 29: 881. <http://dx.doi.org/10.13075/ijom.1896.01101>.
- Smolková, P; Nakládálová, M; Zapletalová, J; Jakubec, P; Vildová, H; Kolek, V; Petřek, M; Nakládá, Z. (2016). Validity of mesothelin in occupational medicine practice. *Int J Occup Med Environ Health.* 29: 395-404. <http://dx.doi.org/10.13075/ijom.1896.00637>.
- Smrcok, L; Kolesnikov, AI; Rieder, M. (2012). Combined inelastic neutron scattering and solid-state DFT study of dynamics of hydrogen atoms in trioctahedral 1M phlogopite. *Physics and Chemistry of Minerals.* 39: 779-787. <http://dx.doi.org/10.1007/s00269-012-0532-x>.
- Snashall, DC; Bazas, T. (1984). Asbestos in hospitals [Letter]. *J Soc Occup Med.* 34: 99.
- Snyder, JG; Virta, RL; Segreti, JM. (1987). Evaluation of the phase contrast microscopy method for the detection of fibrous and other elongated mineral particulates by comparison with a STEM technique. *Am Ind Hyg Assoc J.* 48: 471-477. <http://dx.doi.org/10.1080/15298668791385066>.
- Snyder-Talkington, BN; Dong, C; Porter, DW; Ducatman, B; Wolfarth, MG; Andrew, M; Battelli, L; Raese, R; Castranova, V; Guo, NL; Qian, Y. (2016). Multiwalled carbon nanotube-induced pulmonary inflammatory and fibrotic responses and genomic changes following aspiration exposure in mice: A 1-year postexposure study. *J Toxicol Environ Health A.* 79: 352-366. <http://dx.doi.org/10.1080/15287394.2016.1159635>.
- Soares Monteiro, LV; Xavier, RP; Hitzman, MW; Juliani, C; de Souza Filho, CR; Carvalho, E, deR. (2008). Mineral chemistry of ore and hydrothermal alteration at the Sossego iron oxide-copper-gold deposit, Carajas Mineral Province, Brazil. *Ore Geol Rev.* 34: 317-336. <http://dx.doi.org/10.1016/j.oregeorev.2008.01.003>.
- Society, AC. (1986). OSHA REDUCES ALLOWED ASBESTOS EXPOSURE. *Chem Eng News.* 64: 7-8.
- Soda, Y; Wenk, HR. (2014). Antigorite crystallographic preferred orientations in serpentinites from Japan. *Tectonophysics.* 615: 199-212. <http://dx.doi.org/10.1016/j.tecto.2013.12.016>.
- Soeberg, MJ; Creighton, N; Currow, DC; Young, JM; van Zandwijk, N. (2016). Patterns in the incidence, mortality and survival of malignant pleural and peritoneal mesothelioma, New South Wales, 1972-2009. *Aust N Z J Public Health.* 40: 255-262. <http://dx.doi.org/10.1111/1753-6405.12503>.
- Soeberg, MJ; Leigh, J; Driscoll, T; Armstrong, B; Young, JM; van Zandwijk, N. (2016). Incidence and survival trends for malignant pleural and peritoneal mesothelioma, Australia, 1982-2009. *Occup Environ Med.* 73: 187-194. <http://dx.doi.org/10.1136/oemed-2015-103309>.
- Soeberg, MJ; Leigh, J; van Zandwijk, N. (2016). Malignant mesothelioma in Australia 2015: Current incidence and asbestos exposure trends. *J Toxicol Environ Health B Crit Rev.* 19: 173-189. <http://dx.doi.org/10.1080/10937404.2016.1194254>.
- Soeberg, MJ; Luong, MA; Tran, VT; Tran, AT; Nguyen, TT; Bui, D; Nguyen, TH; Takahashi, K; van Zandwijk, N. (2016). Estimating the incidence of malignant mesothelioma in Vietnam: a pilot descriptive cancer registration study. *Int J Occup Environ Health.* 22: 167-172. <http://dx.doi.org/10.1080/10773525.2016.1151604>.
- Soffritti, M; Chiozzotto, D; Belpoggi, F. (2009). [The role of scientific research in the identification of occupational carcinogenic agents: The contribution of the Cesare Maltoni Cancer research center of the European Ramazzini Foundation] [Review]. *Epidemiol Prev.* 33: 57-67.
- Soffritti, M; Falcioni, L; Bua, L; Tibaldi, E; Manservigi, M; Belpoggi, F. (2013). Potential carcinogenic effects of world trade center dust after intratracheal instillation to Sprague-Dawley rats: first observation. *Am J Ind Med.* 56: 155-162. <http://dx.doi.org/10.1002/ajim.22109>.
- Sohn, JR. (2002). Catalytic activities of nickel-containing catalysts for ethylene dimerization and butene isomerization and their relationship to acidic properties. *Catalysis Today.* 73: 197-209.
- Soldan, K; Pooley, FD; Hansen, J; Andersen, A; Chang-Claude, J; Ferro, G; Ohgaki, H; Skov, BG; Cherrie, JW; Saracci, R; Boffetta, P. (2006). Lung fibre burden in lung cancer cases employed in the rock and slag wool industry. *Ann Occup Hyg.* 50: 241-248. <http://dx.doi.org/10.1093/annhyg/mei064>.
- Soler, JM; Cama, J; Gali, S; Melendez, W; Ramirez, A; Estanga, J. (2008). Composition and dissolution kinetics of garnierite from the Loma de Hierro Ni-laterite deposit, Venezuela. *Chem Geol.* 249: 191-202. <http://dx.doi.org/10.1016/j.chemgeo.2007.12.012>.
- Solomon, A. (1991). Radiological features of asbestos-related visceral pleural changes [Review]. *Am J Ind Med.* 19: 339-355.
- Solomon, A. (2002). Semantics and the application of the ILO classification: the need for recording visceral pleural manifestations separately [Letter]. *Int J Occup Environ Health.* 8: 288-289. <http://dx.doi.org/10.1179/107735202800338849>.
- Solomon, A; Irwig, LM; Sluis-Cremer, GK; Thomas, RG; Du Toit, RS. (1979). Thickening of pulmonary interlobar fissures: exposure-response relationship in crocidolite and amosite miners. *Br J Ind Med.* 36: 195-198.
- Solomon, A; Rubín, AH; Bar-Ziv, J; Carel, R. (1991). Inflammation of the visceral pleura, a nonspecific asbestos-related pleural reaction: chest radiograph and computed tomograph correlation. *Am J Ind Med.* 20: 49-55.
- Solomon, A; Sluis-Cremer, GK; Thomas, RG; Wright, VM. (1984). Calcified plaques on mediastinal pleural reflections associated with asbestos dust exposure: four case reports. *Am J Ind Med.* 6: 53-57.

Fate Literature Search Results

Off Topic

- Solomon, SJ; Fischbein, A; Sharma, OK; Borek, E. (1985). Modified nucleosides in asbestos workers at high risk of malignant disease: results of a preliminary study applying discriminant analysis. *Br J Ind Med.* 42: 560-562.
- Somarin, AK; Mumin, AH. (2014). P-T composition and evolution of paleofluids in the Paleoproterozoic Mag Hill IOCG system, Contact Lake belt, Northwest Territories, Canada. *Miner Depos.* 49: 199-215. <http://dx.doi.org/10.1007/s00126-013-0482-3>.
- Somiya, Y; Higo, N; Yoshida, N. (2012). Combination of Rolling Vibration and Serpentinite Induces the Formation of Penetration-Intermediates. *Geomicrobiology Journal.* 29: 820-829. <http://dx.doi.org/10.1080/01490451.2011.635756>.
- Sommer, H. (2009). "Wet" low angle subduction: a possible mechanism below the Tanzania craton 2 Ga ago. *Mineralogy and Petrology.* 96: 113-120. <http://dx.doi.org/10.1007/s00710-009-0048-3>.
- Sommer, H; Regenauer-Lieb, K; Gasharova, B; Jung, H. (2012). The formation of volcanic centers at the Colorado Plateau as a result of the passage of aqueous fluid through the oceanic lithosphere and the subcontinental mantle: New implications for the planetary water cycle in the western United States. *J Geodyn.* 61: 154-171. <http://dx.doi.org/10.1016/j.jog.2012.05.001>.
- Sonak, S; Sonak, M; Giriyan, A. (2008). Shipping hazardous waste: implications for economically developing countries. *International Environmental Agreements: Politics, Law and Economics.* 8: 143-159.
- Sonenshine, DE; Silverstein, RM; Plummer, E; West, JR; McCullough, T. (1976). 2,6-DICHLOROPHENOL, THE SEX PHEROMONE OF THE ROCKY MOUNTAIN WOOD TICK, *Dermacentor andersoni* STILES AND THE AMERICAN DOG TICK, *Dermacentor variabilis* (SAY). *J Chem Ecol.* 2: 201-209.
- Song, XY; Zhou, MF; Cao, ZM; Sun, M; Wang, YL. (2003). Ni-Cu-(PGE) magmatic sulfide deposits in the Yangliuping area, Permian Emeishan Igneous province, SW China. *Miner Depos.* 38: 831-843. <http://dx.doi.org/10.1007/s00126-003-0362-3>.
- Sonkar, SK; Tripathi, KM; Sarkar, S. (2014). Ferromagnetic behaviour of anthropogenic multi-walled carbon nanotubes trapped in spider web indoor. *J Nanosci Nanotechnol.* 14: 2532-2538. <http://dx.doi.org/10.1166/jnn.2014.8524>.
- Sood, A; Gee, JBL. (1997). Asbestos-related pleural plaques and diffuse pleural thickening: Functional consequences. *Indoor Built Environ.* 6: 114-118. <http://dx.doi.org/10.1177/1420326X9700600210>.
- Sorahan, T. (2012). Cancer incidence in UK electricity generation and transmission workers, 1973-2008. *Occup Med (Lond).* 62: 496-505. <http://dx.doi.org/10.1093/occmed/kqs152>.
- Sorahan, T; Kinlen, LJ; Doll, R. (2005). Cancer risks in a historical UK cohort of benzene exposed workers. *Occup Environ Med.* 62: 231-236. <http://dx.doi.org/10.1136/oem.2004.015628>.
- Sorensen, AR; Thulstrup, A; Hansen, J; Ramlau-Hansen, CH; Meersohn, A; Skytthe, A; Bonde, JP. (2007). Risk of lung cancer according to mild steel and stainless steel welding. *Scand J Work Environ Health.* 33: 379-386.
- Soroshian, P; Marikunte, S; Won, JP. (1994). WOOD FIBER-REINFORCED CEMENT COMPOSITES UNDER WETTING-DRYING AND FREEZING-THAWING CYCLES. *Journal of Materials in Civil Engineering.* 6: 595-611.
- Soskolne, CL; Jhangri, GS; Siemiatycki, J; Lakhani, R; Dewar, R; Burch, JD; Howe, GR; Miller, AB. (1992). Occupational exposure to sulfuric acid in southern Ontario, Canada, in association with laryngeal cancer. *Scand J Work Environ Health.* 18: 225-232.
- Sostaric, SB; Palinkas, AL; Neubauer, F; Cvetkovic, V; Bernroider, M; Genser, J. (2014). The origin and age of the metamorphic sole from the Rogozna Mts., Western Vardar Belt: New evidence for the one-ocean model for the Balkan ophiolites. *Lithos.* 192: 39-55. <http://dx.doi.org/10.1016/j.lithos.2014.01.011>.
- Soto, K; Garza, KM; Murr, LE. (2007). Cytotoxic effects of aggregated nanomaterials. *Acta Biomater.* 3: 351-358. <http://dx.doi.org/10.1016/j.actbio.2006.11.004>.
- Soto, KF; Carrasco, A; Powell, TG; Garza, KM; Murr, LE. (2005). Comparative in vitro cytotoxicity assessment of some manufactured nanoparticulate materials characterized by transmission electron microscopy. *J Nanopart Res.* 7: 145-169. <http://dx.doi.org/10.1007/s11051-005-3473-1>.
- Soto, KF; Carrasco, A; Powell, TG; Murr, LE; Garza, KM. (2006). Biological effects of nanoparticulate materials. *Mater Sci Eng C.* 26: 1421-1427. <http://dx.doi.org/10.1016/j.msec.2005.08.002>.
- Soulat, JM; Lauque, D; Esquirol, Y; Déprés, M; Giron, J; Claudel, R; Carles, P. (1999). High-resolution computed tomography abnormalities in ex-insulators annually exposed to asbestos dust. *Am J Ind Med.* 36: 593-601. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199912\)36:6<593::AID-AJIM1>3.0.CO;2-Z](http://dx.doi.org/10.1002/(SICI)1097-0274(199912)36:6<593::AID-AJIM1>3.0.CO;2-Z).
- Souza, C, deF; Campos, JA; dos Santos, CR; Bressan, WS; Mogami, CA. (2008). Methane volumetric yield - swine wastes. *Ciencia e Agrotecnologia.* 32: 219-224.
- Souza, TM; Luz, AP; Santos, T, Jr; Gimenes, DC; Miglioli, MM; Correa, AM; Pandolfelli, VC. (2014). Phosphate chemical binder as an anti-hydration additive for Al₂O₃-MgO refractory castables. *Ceramics International.* 40: 1503-1512. <http://dx.doi.org/10.1016/j.ceramint.2013.07.035>.
- Souzasantos, HD; Yada, K. (1979). THERMAL TRANSFORMATION OF CHRYSOTILE STUDIED BY HIGH-RESOLUTION ELECTRON-MICROSCOPY. *Clays and Clay Minerals.* 27: 161-174.
- Sowjanya, BL; Devi, KR; Madhavi, D. (2009). Modulatory effects of garlic extract against the cyclophosphamide induced genotoxicity in human lymphocytes in vitro. *J Environ Biol.* 30: 663-666.
- Spandler, C; Pettke, T; Hermann, J. (2014). Experimental study of trace element release during ultrahigh-pressure serpentinite dehydration. *Earth Planet Sci Lett.* 391: 296-306. <http://dx.doi.org/10.1016/j.epsl.2014.02.010>.
- Spandler, C; Pettke, T; Rubatto, D. (2011). Internal and External Fluid Sources for Eclogite-facies Veins in the Monviso Meta-ophiolite, Western Alps: Implications for Fluid Flow in Subduction Zones. *Journal of Petrology.* 52: 1207-1236. <http://dx.doi.org/10.1093/petrology/egr025>.

Fate Literature Search Results

Off Topic

- Spear, TM; Hart, JF; Spear, TE; Loushin, MM; Shaw, NN; Elashhab, MI. (2012). The presence of asbestos-contaminated vermiculite attic insulation or other asbestos-containing materials in homes and the potential for living space contamination. *J Environ Health*. 75: 24-29.
- Speight, RG; Marsh, AH. (1984). Use of a cowl in asbestos air sampling. *Ann Occup Hyg*. 28: 353-354.
- Spence, LA; Aschengrau, A; Gallagher, LE; Webster, TF; Heeren, TC; Ozonoff, DM. (2008). Evaluation of the Webber-Brown model for estimating tetrachloroethylene exposure from vinyl-lined asbestos-cement pipes. *Environ Health*. 7: 24. <http://dx.doi.org/10.1186/1476-069X-7-24>.
- Spence, SK; Rocchi, PSJ. (1996). Exposure to asbestos fibres during gasket removal. *Ann Occup Hyg*. 40: 583-588.
- Spencer, JW; Plisko, MJ; Balzer, JL. (1999). Asbestos fiber release from the brake pads of overhead industrial cranes. *Appl Occup Environ Hyg*. 14: 397-402. <http://dx.doi.org/10.1080/104732299302800>.
- Spicer, RC; Gangloff, HJ. (2000). A probability model for evaluating building contamination from an environmental event. *Journal of the Air and Waste Management Association*. 50: 1637-1646.
- Spicer, RC; Gangloff, HJ. (2016). Permutation/randomization-based inference for environmental data. *Environ Monit Assess*. 188: 147. <http://dx.doi.org/10.1007/s10661-016-5090-0>.
- Spier, CA; Ferreira, CFF. (2001). The chromite deposits of the Bacuri mafic-ultramafic layered complex, Guyana shield, Amapa State, Brazil. *Econ Geol*. 96: 817-835.
- Spinato, C; Giusti, D; Vacchi, IA; Menard-Moyon, C; Kostarelos, K; Bianco, A. (2016). Different chemical strategies to aminate oxidised multi-walled carbon nanotubes for siRNA complexation and delivery. 4: 431-441. <http://dx.doi.org/10.1039/c5tb02088c>.
- Spiridonov, AM; Gnilusha, VA. (1995). Regional to detailed geochemical mapping of the Kariisk ore district, eastern Trans-Baikal region, Russia. *J Geochem Explor*. 55: 67-74.
- Spirtas, R; Heineman, EF; Bernstein, L; Beebe, GW; Keehn, RJ; Stark, A; Harlow, BL; Benichou, J. (1994). Malignant mesothelioma: attributable risk of asbestos exposure. *Occup Environ Med*. 51: 804-811.
- Spirtas, R; Keehn, R; Wright, W; Stark, A; Beebe, G; Dickson, E. (1985). MESOTHELIOMA RISK RELATED TO OCCUPATIONAL OR OTHER ASBESTOS EXPOSURE - PRELIMINARY-RESULTS FROM A CASE-CONTROL STUDY. *Am J Epidemiol*. 122: 518-518.
- Spitz, MR; Barnett, MJ; Goodman, GE; Thornquist, MD; Wu, XF; Pollak, M. (2002). Serum insulin-like growth factor (IGF) and IGF-binding protein levels and risk of lung cancer: A case-control study nested in the beta-carotene and retinol efficacy trial cohort. *Cancer Epidemiol Biomarkers Prev*. 11: 1413-1418.
- Sprince, NL; Oliver, LC; Mcloud, TC. (1985). Asbestos-related disease in plumbers and pipefitters employed in building construction. *J Occup Med*. 27: 771-775.
- Sprince, NL; Oliver, LC; Mcloud, TC; Ginns, LC. (1992). T-cell alveolitis in lung lavage of asbestos-exposed subjects. *Am J Ind Med*. 21: 311-319.
- Sprung, S; Hoenig, V; Schneider, C. (1997). New process for utilizing asbestos cement products. 50: A29-A30.
- Sprung, S; Hoenig, V; Schneider, C; Gajewski, S. (1998). Environmentally compatible utilization of asbestos cement products. 51: 527-+.
- Spurny, K; Marfels, H; Boose, C; Weiss, G; Opiela, H; Wulbeck, FJ. (1988). [Measurement of the fibrous dusts in West Germany. Fiber concentration in the vicinity of objects and buildings with asbestos-containing building materials]. *Zentralbl Bakteriologie, Mikrobiologie Hygiene, Supplementum*. 187: 136-141.
- Spurny, K; Marfels, H; Boose, C; Weiss, G; Opiela, H; Wulbeck, FJ. (1988). MEASUREMENTS OF FIBROUS DUSTS IN AMBIENT AIR OF THE FEDERAL-REPUBLIC-OF-GERMANY - AMBIENT AIR CONCENTRATIONS OF ASBESTOS FIBERS IN THE VICINITY OF BUILDINGS WITH ASBESTOS CONTAINING MATERIALS. *Zentralbl Bakteriologie, Mikrobiologie Hygiene*. 187: 136-141.
- Spurny, K; Marfels, H; Boose, C; Weiss, G; Opiela, H; Wulbeck, FJ. (1989). ON THE MEASUREMENT OF FIBER EMISSIONS FROM WEATHERED AND CORRODED ASBESTOS-CEMENT-PRODUCTS .1. FIBER RELEASE IN THE AMBIENT AIR. *Zentralblatt fuer Hygiene und Umweltmedizin*. 188: 127-143.
- Spurny, K; Marfels, H; Weiss, G; Boose, C; Schormann, J; Opiela, H. (1987). ON THE MEASUREMENT OF ASBESTOS CONTAINING INDUSTRIAL EMISSIONS. *Staub, Reinhaltung der Luft*. 47: 151-153.
- Spurny, K; Pott, F; Huth, F; Weiss, G; Opiela, H. (1979). IDENTIFICATION AND CARCINOGENICITY OF FIBROUS ACTINOLITE FROM A QUARRY. *Staub, Reinhaltung der Luft*. 39: 386-389.
- Spurny, K; Weiss, G; Opiela, H. (1979). PROBLEM OF ASBESTOS FIBER EMISSIONS FROM ASBESTOS-CEMENT PLATES. *Staub, Reinhaltung der Luft*. 39: 422-427.
- Spurny, KR. (1988). On the emission of fibrous particles from corroded asbestos-cement products. In NH Seemayer; W Hadnagy (Eds.), (pp. 205-208). New York, NY: Springer.
- Spurny, KR. (1989). Asbestos Fibre Release by Corroded and Weathered Asbestos-Cement Products (pp. 367-371). (ISSN 0300-5038; NIOSH/00191373). Spurny, KR.
- Spurny, KR. (1989). On the release of asbestos fibers from weathered and corroded asbestos cement products. *Environ Res*. 48: 100-116.
- Spurny, KR. (1991). AEROSOL PENETRATION THROUGH PROTECTIVE CLOTHING. *J Aerosol Sci*. 22: S789-S792.
- Spurny, KR. (1992). MEASUREMENTS OF FIBROUS DUSTS IN AMBIENT AIR OF THE FEDERAL-REPUBLIC-OF-GERMANY - AMBIENT AIR CONCENTRATIONS OF ASBESTOS FIBERS PRODUCED BY BRAKE LININGS OF AUTOMOBILES. *Zentralblatt fuer Hygiene und Umweltmedizin*. 193: 287-294.
- Spurny, KR. (1993). ANTHROPOGENIC ASBESTOS IN SOILS. *Z Pflanzenernaehr Bodenkd*. 156: 177-180.
- Spurny, KR; Pott, F; Stoeber, W; Opiela, H; Schoermann, J; Weiss, G. (1983). On the chemical changes of asbestos fibers and MMMFs in biologic residence and in the environment: part 1. *Am Ind Hyg Assoc J*. 44: 833-845.
- Spurny, KR; Schormann, J; Weiss, G; Opiela, H; Langer, H; Schroder, J. (1981). ON THE PROBLEM OF LIQUIDS AND GASES CONTAMINATED BY FIBERS WHEN USING FILTERS CONTAINING CHRYSOTILE. *Sci Total Environ*. 19: 143-153.

Fate Literature Search Results

Off Topic

- Spurny, KR; Stober, W; Ackerman, ER; Lodge, JP; Spurny, K. (1976). SAMPLING AND ELECTRON-MICROSCOPY OF ASBESTOS AEROSOL IN AMBIENT AIR BY MEANS OF NUCLEOPORE FILTERS. *J Air Pollut Control Assoc.* 26: 496-498.
- Spurny, KR; Stöber, W; Opiela, H; Weiss, G. (1980). On the problem of milling and ultrasonic treatment of asbestos and glass fibers in biological and analytical applications. *Am Ind Hyg Assoc J.* 41: 198-203.
- Spyratos, D; Chloros, D; Haidich, B; Dagdilelis, L; Markou, S; Sichelidis, L. (2012). Chest imaging and lung function impairment after long-term occupational exposure to low concentrations of chrysotile. *Arch Environ Occup Health.* 67: 84-90. <http://dx.doi.org/10.1080/19338244.2011.578681>.
- Squance, ML; Guest, M; Reeves, G; Attia, J; Bridgman, H. (2014). Exploring lifetime occupational exposure and SLE flare: a patient-focussed pilot study. 1: e000023. <http://dx.doi.org/10.1136/lupus-2014-000023>.
- Srebro, SH; Roggli, VL. (1994). Asbestos-related disease associated with exposure to asbestiform tremolite. *Am J Ind Med.* 26: 809-819. <http://dx.doi.org/10.1002/ajim.4700260610>.
- Sreenath Reddy, M; Yadagiri Reddy, P; Rama Reddy, K; Eappen, KP; Ramachandran, TV; Mayya, YS. (2008). Indoor radon levels in urban Hyderabad area, Andhra Pradesh, India. *Radiat Prot Dosimetry.* 132: 403-408. <http://dx.doi.org/10.1093/rpd/ncn311>.
- Srivastava, RK; Lohani, M; Pant, AB; Rahman, Q. (2010). Cyto-genotoxicity of amphibole asbestos fibers in cultured human lung epithelial cell line: role of surface iron. *Toxicol Ind Health.* 26: 575-582. <http://dx.doi.org/10.1177/0748233710374464>.
- Stallard, E. (2001). Product liability forecasting for asbestos-related personal injury claims: a multidisciplinary approach [Review]. *Ann N Y Acad Sci.* 954: 223-244.
- Stamatis, G; Gartzos, E. (1999). The silica supersaturated waters of northern Evia and eastern central Greece. *Hydrolog Process.* 13: 2833-2845.
- Stanbury, M; Rosenman, KD. (1987). A METHODOLOGY FOR IDENTIFYING WORKERS EXPOSED TO ASBESTOS SINCE 1940. *Am J Public Health.* 77: 854-855.
- Stanbury, M; Solice-Sample, G; Pescatore, J. (1993). Asbestos disease risk communication conducted by the New Jersey Department of Health. *Am J Ind Med.* 23: 97-104.
- Standard Oil Co. of California, SF. (1979). Measurements of Airborne Asbestos in Building One with Cover Letter and Attachment. 189.
- Stanford, MK; Jain, VK. (2001). Friction and wear characteristics of hard coatings. *Wear.* 251: 990-996.
- Stanik, IA; Cedzynska, K; Zakowska, Z. (2006). Destruction of the chrysotile asbestos structure with a population of bacteria *Lactobacillus casei* and *Lactobacillus plantarum*. *Fresen Environ Bull.* 15: 640-643.
- Stauder, B; Breuer, G; Greven, U; Woitowitz, RH; Rodelsperger, K; Woitowitz, HJ. (1982). X-RAY RESULTS IN ROOFERS AFTER EXPOSURE TO DUST FROM WORKING WITH ASBESTOS CEMENT FOR MANY YEARS. *Arbeitsmedizin, Sozialmedizin, Praeventivmedizin.* 17: 275-278.
- Stavisky, LP. (1982). State responsibility for the control of asbestos in the schools. *J Sch Health.* 52: 358-364.
- Stayner, L; Bailer, AJ; Smith, R; Gilbert, S; Rice, F; Kuempel, E. (1999). Sources of uncertainty in dose-response modeling of epidemiological data for cancer risk assessment. *Ann N Y Acad Sci.* 895: 212-222. <http://dx.doi.org/10.1111/j.1749-6632.1999.tb08087.x>.
- Stayner, L; Kuempel, E; Gilbert, S; Hein, M; Dement, J. (2008). An epidemiological study of the role of chrysotile asbestos fibre dimensions in determining respiratory disease risk in exposed workers. *Occup Environ Med.* 65: 613-619. <http://dx.doi.org/10.1136/oem.2007.035584>.
- Stayner, L; Kuempel, E; Rice, F; Prince, M; Althouse, R. (1996). Approaches for assessing the efficacy of occupational health and safety standards [Review]. *Am J Ind Med.* 29: 353-357. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199604\)29:4<353::AID-AJIM14>3.0.CO;2-0](http://dx.doi.org/10.1002/(SICI)1097-0274(199604)29:4<353::AID-AJIM14>3.0.CO;2-0).
- Stayner, L; Smith, R; Bailer, J; Gilbert, S; Steenland, K; Dement, J; Brown, D; Lemen, R. (1997). Exposure-response analysis of risk of respiratory disease associated with occupational exposure to chrysotile asbestos. *Occup Environ Med.* 54: 646-652.
- Stayner, L; Welch, LS; Lemen, R. (2013). The worldwide pandemic of asbestos-related diseases [Review]. *Annu Rev Public Health.* 34: 205-216. <http://dx.doi.org/10.1146/annurev-publhealth-031811-124704>.
- Stayner, LT. (2015). Para-occupational exposures to asbestos: lessons learned from Casale Monferrato, Italy [Comment]. *Occup Environ Med.* 73: 145-146. <http://dx.doi.org/10.1136/oemed-2015-103233>.
- Stayner, LT; Dankovic, DA; Lemen, RA. (1996). Occupational exposure to chrysotile asbestos and cancer risk: a review of the amphibole hypothesis [Review]. *Am J Public Health.* 86: 179-186.
- Steen, B. (1991). Sveriges befolknings exponering foer kvaevoxid och mutagena aemnen i luft. (Exposure of the Swedish population to nitrogen oxides and mutagenic substances in the air) (pp. 29). (NTIS/02986822). Steen, B.
- Steen, D; Guillemin, MP; Buffat, P; Litzistorf, G. (1983). DETERMINATION OF ASBESTOS FIBERS IN AIR TRANSMISSION ELECTRON-MICROSCOPY AS A REFERENCE METHOD. *Atmos Environ.* 17: 2285-2297.
- Steenland, K. (2002). Ten-year update on mortality among mild-steel welders. *Scand J Work Environ Health.* 28: 163-167.
- Steenland, K. (2005). One agent, many diseases: exposure-response data and comparative risks of different outcomes following silica exposure. *Am J Ind Med.* 48: 16-23. <http://dx.doi.org/10.1002/ajim.20181>.
- Steenland, K; Beaumont, J; Elliot, L. (1991). LUNG-CANCER IN MILD-STEEL WELDERS. *Am J Epidemiol.* 133: 220-229.
- Steenland, K; Brown, D. (1995). Mortality study of gold miners exposed to silica and nonasbestiform amphibole minerals: an update with 14 more years of follow-up. *Am J Ind Med.* 27: 217-229.
- Steenland, K; Loomis, D; Shy, C; Simonsen, N. (1996). Review of occupational lung carcinogens [Review]. *Am J Ind Med.* 29: 474-490. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199605\)29:5<474::AID-AJIM6>3.0.CO;2-M](http://dx.doi.org/10.1002/(SICI)1097-0274(199605)29:5<474::AID-AJIM6>3.0.CO;2-M).
- Steenland, K; Stayner, L. (1997). Silica, asbestos, man-made mineral fibers, and cancer [Review]. *Cancer Causes Control.* 8: 491-503.
- Steenland, K; Tucker, J; Salvan, A. (1993). Problems in assessing the relative predictive value of internal markers versus external exposure in chronic disease epidemiology [Review]. *Cancer Epidemiol Biomarkers Prev.* 2: 487-491.
- Stefani, D; Wardman, D; Lambert, T. (2005). The implosion of the Calgary General Hospital: Ambient air quality issues. *J Air Waste Manag Assoc.* 55: 52-59.

Fate Literature Search Results

Off Topic

- Stegne, M; Liu, M; Tammemagi, G. (2010). THE ROLE OF ASBESTOS EXPOSURE AND PULMONARY FUNCTION IN THE PREDICTION OF PULMONARY FIBROSIS. *Am J Epidemiol.* 171: S87-S87.
- Steinau, P. (1984). SUBSTITUTION FIBERS FOR ASBESTOS. 37: 567-568.
- Steiner, WE; Koehler J, LM; Popenuck, WW. (1990). GUADALUPE CORRIDOR TRANSPORTATION PROJECT ASBESTOS HEALTH RISK ASSESSMENT SAN JOSE CALIFORNIA USA (pp. 18-22). (BIOSIS/90/24490). Steiner, WE; Koehler J, LM; Popenuck, WW.
- Steiner, WE; Koehler, JL; Popenuck, WW. (1990). Guadalupe corridor transportation project asbestos health risk assessment, San Jose, California. *Sci Total Environ.* 93: 115-124.
- Steinle, P; Schafer, M; Roth, P. (2016). Emission of asbestos fibers and other elongated mineral particles when working with serpentine rocks - a differentiated analytical approach. *Gefahrst Reinhalt Luft.* 76: 173-182.
- Steinmaus, C; Balmes, JR. (2000). Government laboratory worker with lung cancer: comparing risks from beryllium, asbestos, and tobacco smoke. *Environ Health Perspect.* 108: 1003-1006.
- Steinmaus, CM; Ferreccio, C; Romo, JA; Yuan, Y; Cortes, S; Marshall, G; Moore, LE; Balmes, JR; Liaw, J; Golden, T; Smith, AH. (2013). Drinking water arsenic in northern Chile: High cancer risks 40 years after exposure cessation. *Cancer Epidemiol Biomarkers Prev.* 22: 623-630. <http://dx.doi.org/10.1158/1055-9965.EPI-12-1190>.
- Steinsvag, K; Bratveit, M; Moen, BE. (2007). Exposure to carcinogens for defined job categories in Norway's offshore petroleum industry, 1970 to 2005. *Occup Environ Med.* 64: 250-258. <http://dx.doi.org/10.1136/oem.2006.028225>.
- Stella, GM. (2011). Carbon nanotubes and pleural damage: Perspectives of nanosafety in the light of asbestos experience [Review]. *Biointerphases.* 6: P1-P17. <http://dx.doi.org/10.1116/1.3582324>.
- Stellman, SD. (2003). Issues of causality in the history of occupational epidemiology. *Soz Praventivmed.* 48: 151-160. <http://dx.doi.org/10.1007/s00038-003-1051-9>.
- Stellman, SD; Demers, PA; Colin, D; Boffetta, P. (1998). Cancer mortality and wood dust exposure among participants in the American Cancer Society Cancer Prevention Study-II (CPS-II). *Am J Ind Med.* 34: 229-237. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199809\)34:3<229::AID-AJIM4>3.0.CO;2-Q](http://dx.doi.org/10.1002/(SICI)1097-0274(199809)34:3<229::AID-AJIM4>3.0.CO;2-Q).
- Stephenson, D. (1993). AMPHIBOLES FROM DALRDIAN METASEDIMENTARY ROCKS OF NE SCOTLAND - ENVIRONMENTAL INFERENCES AND DISTINCTION FROM AMPHIBOLES OF META-IGNEOUS AMPHIBOLITES. *Mineralogy and Petrology.* 49: 45-62.
- Stephenson, D. (1994). AMPHIBOLES FROM DALRDIAN METASEDIMENTARY ROCKS OF NE SCOTLAND - ENVIRONMENTAL INFERENCES AND DISTINCTION FROM AMPHIBOLES OF META-IGNEOUS AMPHIBOLITES. *Mineralogy and Petrology.* 51: 241-242.
- Sterling, TD; Collett, CW; Rosenbaum, WL; Weinkam, JJ. (1993). Comments on the health effects institute-asbestos research (HEI-AR) report: "Asbestos in public and commercial building," with emphasis on risk assessment methods used. *Am J Ind Med.* 24: 767-781.
- Sterling, TD; Glicksman, A; Perry, H; Sterling, DA; Rosenbaum, WL; Weinkam, JJ. (1996). An alternative explanation for the apparent elevated relative mortality and morbidity risks associated with exposure to environmental tobacco smoke. *J Clin Epidemiol.* 49: 803-808.
- Sterling, TP; Rosenbaum, WL; Weinkam, JJ. (1994). ASBESTOS EXPOSURES IN PUBLIC AND COMMERCIAL BUILDINGS - COMMENTARY. *Am J Ind Med.* 26: 845-847.
- Sterling, TP; Rosenbaum, WL; Weinkam, JJ. (1995). RE - ASBESTOS EXPOSURES IN PUBLIC AND COMMERCIAL BUILDINGS. *Am J Ind Med.* 27: 439-441.
- Stern, F; Lehman, E; Ruder, A. (2001). Mortality among unionized construction plasterers and cement masons. *Am J Ind Med.* 39: 373-388.
- Stern, F; Schulte, P; Sweeney, MH; Fingerhut, M; Vossen, P; Burkhardt, G; Kornak, MF. (1995). Proportionate mortality among construction laborers. *Am J Ind Med.* 27: 485-509.
- Stern, FB; Ruder, AM; Chen, G. (2000). Proportionate mortality among unionized roofers and waterproofers. *Am J Ind Med.* 37: 478-492.
- Stern, FB; Sweeney, MH; Ward, E. (1997). Proportionate mortality among unionized construction ironworkers. *Am J Ind Med.* 31: 176-187.
- Stevens, RH; Cole, DA; Cheng, HF; Hodge, JA; Will, LA. (1983). Cell-mediated cytotoxicity expressed by lymphoid cells from rats with asbestos-induced peritoneal mesothelioma towards rat fetal cell. *Environ Health Perspect.* 51: 91-96.
- Stevens, RH; Will, LA; Cole, DA; Meek, ES; Frank, CW; Donham, KJ. (1979). CYCLIC NUCLEOTIDE CONCENTRATIONS IN ASBESTOS-INDUCED RAT PERITONEAL MESOTHELIOMA. *Environ Res.* 19: 442-448.
- Stewart, DJ; Edwards, JG; Smythe, WR; Waller, DA; O'Byrne, KJ. (2004). Malignant pleural mesothelioma--an update [Review]. *Int J Occup Environ Health.* 10: 26-39. <http://dx.doi.org/10.1179/oeh.2004.10.1.26>.
- Stewart, PA; Coble, JB; Vermeulen, R; Schleiff, P; Blair, A; Lubin, J; Attfield, M; Silverman, DT. (2010). The diesel exhaust in miners study: I. Overview of the exposure assessment process. *Ann Occup Hyg.* 54: 728-746. <http://dx.doi.org/10.1093/annhyg/meq022>.
- Stewart, W; Matanoski, G. (1984). THE RELATIONSHIP BETWEEN ASBESTOS EXPOSURE AND LUNG-CANCER CELL TYPE. *Am J Epidemiol.* 120: 459-459.
- Stewart-Taylor, AJ; Cherrie, JW. (1998). Does risk perception affect behaviour and exposure? A pilot study amongst asbestos workers. *Ann Occup Hyg.* 42: 565-569.
- Stocks, AJ; Giezendanner, H; Vandenhurk, H. (1985). ASBESTOS-FREE CLUTCHES AND BRAKES REINFORCED WITH KEVLAR ARAMID FIBERS. *Int J Vehicle Des.* 6: 483-487.
- Stocks, SJ; Turner, S; Carder, M; Hussey, L; McNamee, R; Agius, RM. (2010). Medically reported work-related ill-health in the UK agricultural sector. *Occup Med (Lond).* 60: 340-347. <http://dx.doi.org/10.1093/occmed/kqq038>.
- Stojadinovic, J; Wiedenmann, D; Gorbar, M; La Mantia, F; Suarez, L; Zakaznova-Herzog, V; Vogt, UF; Grobety, B; Zuetzel, A. (2012). Electrochemical Characterization of Porous Diaphragms in Development for Gas Separation. 1: F25-F28. <http://dx.doi.org/10.1149/2.002204eel>.
- Stolkin, I; Ruttner, J. R.; Sahu, AP; Schibli, L; Spycher, MA. (1981). ELECTRON-MICROSCOPIC DETERMINATION OF THE NUMBER AND SIZE DISTRIBUTION OF MINERAL FIBERS IN ASBESTOS AND NON-ASBESTOS EXPOSED LUNGS. *Staub, Reinhaltung der Luft.* 41: 118-122.

Fate Literature Search Results

Off Topic

- Storchi, C; Romanelli, A. (2010). MALIGNANT MESOTHELIOMA IN EMILIA-ROMAGNA AND IN ITALY: INCIDENCE AND EXPOSURE TO ASBESTOS IN COMPARISON. *Epidemiol Prev.* 34: 227-227.
- Straif, K; Chambless, L; Weiland, SK; Wienke, A; Bungers, M; Taeger, D; Keil, U. (1999). Occupational risk factors for mortality from stomach and lung cancer among rubber workers: an analysis using internal controls and refined exposure assessment. *Int J Epidemiol.* 28: 1037-1043.
- Straif, K; Keil, U; Taeger, D; Holthenrich, D; Sun, Y; Bungers, M; Weiland, SK. (2000). Exposure to nitrosamines, carbon black, asbestos, and talc and mortality from stomach, lung, and laryngeal cancer in a cohort of rubber workers. *Am J Epidemiol.* 152: 297-306. <http://dx.doi.org/10.1093/aje/152.4.297>.
- Straif, K; Silverstein, M. (1997). Comparison of US Occupational Safety and Health Administration standards and German Berufsgenossenschaften guidelines for preventive occupational health examinations. *Am J Ind Med.* 31: 373-380.
- Straif, K; Stayner, L; Demers, PA; Landrigan, PJ. (2012). Use of meta-analyses by IARC Working Groups [Letter]. *Environ Health Perspect.* 120: A342-A343. <http://dx.doi.org/10.1289/ehp.1205397>.
- Straka, M; Cehlar, M; Khouri, S; Trebuna, P; Rosova, A; Malindzakova, M. (2016). Asbestos exposure and minimization of risks at its disposal by applying the principles of logistics. *Przemysł Chemiczny.* 95: 963-970. <http://dx.doi.org/10.15199/62.2016.5.13>.
- Strand, LA; Martinsen, JI; Koefoed, VF; Sommerfelt-Pettersen, J; Grimsrud, TK. (2010). Asbestos-related cancers among 28,300 military servicemen in the Royal Norwegian Navy. *Am J Ind Med.* 53: 64-71. <http://dx.doi.org/10.1002/ajim.20778>.
- Strating, EHH; Vissers, RLM. (1991). DEHYDRATION-INDUCED FRACTURING OF ECLOGITE-FACIES PERIDOTITES - IMPLICATIONS FOR THE MECHANICAL-BEHAVIOR OF SUBDUCTING OCEANIC LITHOSPHERE. *Tectonophysics.* 200: 187-198.
- Stratta, P; Messuerotti, A; Canavese, C; Coen, M; Luccoli, L; Bussolati, B; Giorda, L; Malavenda, P; Cacciabue, M; Bugiani, M; Bo, M; Ventura, M; Camussi, G; Fubini, B. (2001). The role of metals in autoimmune vasculitis: epidemiological and pathogenic study. *Sci Total Environ.* 270: 179-190. [http://dx.doi.org/10.1016/s0048-9697\(00\)00800-7](http://dx.doi.org/10.1016/s0048-9697(00)00800-7).
- Strauchen, JA. (2011). Rarity of malignant mesothelioma prior to the widespread commercial introduction of asbestos: the Mount Sinai autopsy experience 1883-1910. *Am J Ind Med.* 54: 467-469. <http://dx.doi.org/10.1002/ajim.20951>.
- Stringer, B; Kobzik, L. (1998). Environmental particulate-mediated cytokine production in lung epithelial cells (A549): role of preexisting inflammation and oxidant stress. *J Toxicol Environ Health A.* 55: 31-44.
- Stroink, G; Lim, D; Dunlap, RA. (1987). A Mössbauer-effect study of autopsied lung tissue of asbestos workers. *Phys Med Biol.* 32: 203-211.
- Stroková, B; Evstatieva, S; Dimitrova, S; Mavrodieva, E; Lukanova, R. (1998). Study of asbestos exposure in some applications of asbestos materials in the chemical industry. *Int Arch Occup Environ Health.* 71 Suppl: S19-S21.
- Strom, KA; Yu, CP. (1994). MATHEMATICAL-MODELING OF SILICON-CARBIDE WHISKER DEPOSITION IN THE LUNG - COMPARISON BETWEEN RATS AND HUMANS. *Aerosol Sci Technol.* 21: 193-209.
- Stroszejn-Mrowca, G. (1982). [Correlations between selected indicators of asbestos dust pollution of the work environment]. *Med Pr.* 33: 163-169.
- Stroszejn-Mrowca, G; Szczepaniak, M. (1993). [Microscopic quality control--numeric representation of asbestos fiber concentration in environmental air of the workplace]. *Med Pr.* 44: 153-159.
- Stroszejn-Mrowca, G; Szczepaniak, M; Wiecek, E. (1991). [Occupational exposure to asbestos-containing dust at the plants manufacturing and using asbestos products during the years 1986-1989]. *Med Pr.* 42: 343-348.
- Stroszejn-Mrowca, G; Wiecek, E. (1979). [Air concentration of asbestos fibers at work sites]. *Med Pr.* 30: 293-299.
- Stroszejn-Mrowca, G; Wiecek, E. (1985). EVALUATION OF EXPOSURE TO ASBESTOS DUST IN ASBESTOS-PROCESSING PLANTS. *Med Pr.* 36: 214-222.
- Strubel, G. (1992). THERMAL-TREATMENT FOR DISPOSAL OF ASBESTOS AND ASBESTOS PRODUCTS. *Brennstoff-Waerme-Kraft.* 44: S41-S47.
- Stuckemeier, I; Dettmann, P; Mangold, K; Schweers, H. (1999). Similitude theory considerations in the production of calcium hydrosilicates from lime-rich mixtures. 52: 264-+.
- Stücker, I; Boffetta, P; Antilla, S; Benhamou, S; Hirvonen, A; London, S; Taioli, E. (2001). Lack of interaction between asbestos exposure and glutathione S-transferase M1 and T1 genotypes in lung carcinogenesis. *Cancer Epidemiol Biomarkers Prev.* 10: 1253-1258.
- Sturm, R. (2011). A computer model for the simulation of fiber-cell interaction in the alveolar region of the respiratory tract. *Comput Biol Med.* 41: 565-573. <http://dx.doi.org/10.1016/j.compbiomed.2011.05.009>.
- Styles, MT; Sanna, A; Lacinska, AM; Naden, J; Maroto-Valer, M. (2014). The variation in composition of ultramafic rocks and the effect on their suitability for carbon dioxide sequestration by mineralization following acid leaching. *Greenhouse Gases.* 4: 440-451. <http://dx.doi.org/10.1002/ghg.1405>.
- Su, CM; Suarez, DL. (2004). Boron release from weathering of illites, serpentines, shales, and illitic/palygorskite soils. *Soil Sci Soc Am J.* 68: 96-105.
- Su, SC. (2003). A rapid and accurate procedure for the determination of refractive indices of regulated asbestos minerals. *Am Mineral.* 88: 1979-1982.
- Su, W, eIC; Cheng, YS. (2006). Deposition of fiber in a human airway replica. *J Aerosol Sci.* 37: 1429-1441. <http://dx.doi.org/10.1016/j.jaerosci.2006.01.015>.
- Su, WH. (1996). Indoor air pollution. *Resour Conservat Recycl.* 16: 77-91.
- Su, Y; Tang, H; Sylvester, PJ; Liu, C; Qu, W; Hou, G; Cong, F. (2007). Petrogenesis of Karamaili alkaline A-type granites from East Junggar, Xinjiang (NW China) and their relationship with tin mineralization. *Geochemical Journal.* 41: 341-357.
- Subbanna, GN; Kutty, TRN; Iyer, GVA. (1985). INFLUENCE OF STRUCTURAL DEFECTS ON GAS-ADSORPTION PROPERTIES OF ANTHOPHYLLITE ASBESTOS. *Mater Chem Phys.* 13: 97-104.

Fate Literature Search Results

Off Topic

- Suchanek, W; Suda, H; Yashima, M; Kakihana, M; Yoshimura, M. (1995). BIOCOMPATIBLE WHISKERS WITH CONTROLLED MORPHOLOGY AND STOICHIOMETRY. *J Mater Res.* 10: 521-529.
- Sucik, G; Szaboova, A; Popovic, L; Hrsak, D. (2016). THE RELATIONSHIP BETWEEN THERMAL TREATMENT OF SERPENTINE AND ITS REACTIVITY. *Materiali in Tehnologije.* 50: 55-58.
- Sueno, S; Matsuura, S; Gibbs, GV; Boisen, MB. (1998). A crystal chemical study of protoanthophyllite: orthoamphiboles with the protoamphibole structure. *Physics and Chemistry of Minerals.* 25: 366-377.
- Sugama, T; Sabatini, R; Petrakis, L. (1998). Decomposition of chrysotile asbestos by fluorosulfonic acid. *Ind Eng Chem Res.* 37: 79-88.
- Suganuma, N; Kusaka, Y; Hiraga, Y; Hosoda, Y; Shida, H; Morikubo, H; Matsumoto, T. (2001). Asbestos-related pleural abnormalities detected by chest X-ray: Fair agreement with detection by computed tomography. *J Occup Health.* 43: 365-370.
- Sugozu, I; Mutlu, I; Sugozu, KB. (2016). The effect of colemantite on the friction performance of automotive brake friction materials. *Industrial Lubrication & Tribology.* 68: 92-98. <http://dx.doi.org/10.1108/ILT-04-2015-0044>.
- Suk, WA; Ruchirawat, KM; Balakrishnan, K; Berger, M; Carpenter, D; Damstra, T; de Garbino, JP; Koh, D; Landrigan, PJ; Makalinao, I; Sly, PD; Xu, Y; Zheng, BS. (2003). Environmental threats to children's health in Southeast Asia and the Western Pacific [Review]. *Environ Health Perspect.* 111: 1340-1347. <http://dx.doi.org/10.1289/ehp.6059>.
- Sullivan, PA. (2007). Vermiculite, respiratory disease, and asbestos exposure in Libby, Montana: update of a cohort mortality study. *Environ Health Perspect.* 115: 579-585. <http://dx.doi.org/10.1289/ehp.9481>.
- Sullivan, PA; Cooper, G. (2008). Rheumatoid arthritis in an asbestos-exposed occupational cohort. *Am J Epidemiol.* 167: S117-S117.
- Sulotto, F; Capellaro, E; Chiesa, A; Villari, S; Bontempi, S; Scansetti, G. (1997). Relationship between asbestos bodies in sputum and the number of specimens. *Scand J Work Environ Health.* 23: 48-53.
- Sun, J; Shibata, E; Hisanaga, N; Kamijima, M; Ichihara, G; Huang, J; Toida, M; Takeuchi, Y. (1997). A cohort mortality study of construction workers. *Am J Ind Med.* 32: 35-41.
- Sun, S; Ji, S; Michibayashi, K; Salisbury, M. (2016). Effects of olivine fabric, melt-rock reaction, and hydration on the seismic properties of peridotites: Insight from the Luobusha ophiolite in the Tibetan Plateau. *J Geophys Res Solid Earth.* 121: 3300-3323. <http://dx.doi.org/10.1002/2015JB012579>.
- Sun, X; Zhu, XQ; Tang, H; Zhang, Q; Luo, T. (2014). The Gongchangling BIFs from the Anshan-Benxi area, NE China: Petrological-geochemical characteristics and genesis of high-grade iron ores. *Ore Geol Rev.* 60: 112-125. <http://dx.doi.org/10.1016/j.oregeorev.2013.12.017>.
- Sun, XH, ui; Zhu, XQ; Tang, H, aoShu; Zhang, Q; Luo, T, aiYi. (2014). Reprint of "The Gongchangling BIFs from the Anshan-Benxi area, NE China: Petrological-geochemical characteristics and genesis of high-grade iron ores". *Ore Geol Rev.* 63: 374-387. <http://dx.doi.org/10.1016/j.oregeorev.2014.06.002>.
- Suquet, H. (1989). EFFECTS OF DRY GRINDING AND LEACHING ON THE CRYSTAL-STRUCTURE OF CHRYSOTILE. *Clays and Clay Minerals.* 37: 439-445.
- Suraj, G; Iyer, CSP; Rugmini, S; Lalithambika, M. (1997). The effect of micronization on kaolinites and their sorption behaviour. *Appl Clay Sci.* 12: 111-130.
- Surour, AA. (2017). Chemistry of serpentine "polymorphs" in the Pan-African serpentinites from the Eastern Desert of Egypt, with an emphasis on the effect of superimposed thermal metamorphism. *Mineralogy and Petrology.* 111: 99-119. <http://dx.doi.org/10.1007/s00710-016-0460-4>.
- Suslova, TB; Cheremisina, ZP; Korkina, LG. (1994). FREE-RADICAL GENERATION DURING INTERACTION OF CHRYSOTILE ASBESTOS WITH NATURAL COMPOUNDS. *Environ Res.* 66: 222-234. <http://dx.doi.org/10.1006/enrs.1994.1058>.
- Suta, BE; Levine, RJ. (1979). Non-occupational asbestos emissions and exposures. In L Michaels; SS Chissick (Eds.), (pp. 171-205). New York, NY: John Wiley & Sons.
- Suzuki, T; Sakakibara, Y; Hisanaga, N; Sakai, K; Yu, IJ; Lim, HS; Mikamo, H; Seno, H; Kobayashi, F; Shibata, E. (2016). The association among ferruginous body, uncoated fibers, asbestos and non-asbestos fibers in lung tissue in terms of length. *Ind Health.* 54: 370-376. <http://dx.doi.org/10.2486/indhealth.2015-0159>.
- Suzuki, Y. (2001). Pathology of human malignant mesothelioma--preliminary analysis of 1,517 mesothelioma cases. *Ind Health.* 39: 183-185.
- Suzuki, Y; Aita, S; Hoshino, T; Iwata, H. (1976). APPLICATION OF ANALYTICAL ELECTRON MICROSCOPY FOR DETECTION OF SUB MICROSCOPIC ASBESTOS IN TISSUES. *Am J Pathol.* 82.
- Suzuki, Y; Kipen, H; Lilis, R; Selikoff, IJ. (1987). Pulmonary fibrosis in asbestos insulation workers with lung cancer [Letter]. *Br J Ind Med.* 44: 719-720.
- Suzuki, Y; Kohyama, N. (1991). Translocation of inhaled asbestos fibers from the lung to other tissues. *Am J Ind Med.* 19: 701-704. <http://dx.doi.org/10.1002/ajim.4700190603>.
- Suzuki, Y; Yuen, S. (2002). Asbestos fibers contributing to the induction of human malignant mesothelioma. *Ann N Y Acad Sci.* 982: 160-176.
- Suzuki, Y; Yuen, SR. (2001). Asbestos tissue burden study on human malignant mesothelioma. *Ind Health.* 39: 150-160. <http://dx.doi.org/10.2486/indhealth.39.150>.
- Suzuki, Y; Yuen, SR; Ashley, R. (2005). Short, thin asbestos fibers contribute to the development of human malignant mesothelioma: pathological evidence [Review]. *Int J Hyg Environ Health.* 208: 201-210. <http://dx.doi.org/10.1016/j.ijheh.2005.01.015>.
- Sveinbjornsdottir, AE. (1991). COMPOSITION OF GEOTHERMAL MINERALS FROM SALINE AND DILUTE FLUIDS - KRAFLA AND REYKJANES, ICELAND. *Lithos.* 27: 301-315.
- Svensden, K; Hilt, B. (1997). Exposure to mineral oil mist and respiratory symptoms in marine engineers. *Am J Ind Med.* 32: 84-89.
- Svensden, K; Hilt, B. (1999). Lung function disturbances and chest X-ray abnormalities among marine engineers. *Am J Ind Med.* 35: 590-594. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199906\)35:6<590::AID-AJIM6>3.0.CO;2-D](http://dx.doi.org/10.1002/(SICI)1097-0274(199906)35:6<590::AID-AJIM6>3.0.CO;2-D).

Fate Literature Search Results

Off Topic

- Svensson, I; Artursson, E; Leanderson, P; Berglind, R; Lindgren, F. (1997). Toxicity In Vitro of Some Silicon Carbides and Silicon Nitrides: Whiskers and Powders. *Am J Ind Med.* 31: 335-343.
- Swart, J; Mendonidis, P; Pienaar, C. (2009). THE ELECTRICAL PROPERTIES OF CHLORITE TREMOLITE MARBLE MEASURED FOR A RANGE OF RADIO FREQUENCIES. *Mineral Processing and Extractive Metallurgy Review.* 30: 307-326. <http://dx.doi.org/10.1080/08827500902956252>.
- Swartjes, FA; Tromp, PC. (2008). A tiered approach for the assessment of the human health risks of asbestos in soils. *Soil Sediment Contam.* 17: 137-149. <http://dx.doi.org/10.1080/15320380701870484>.
- Swayze, GA; Higgins, CT; Clinkenbeard, JP; Kokaly, RF; Clark, RN; Meeker, GP; Sutley, SJ. (2005). Using imaging spectroscopy to map ultramafic rocks, serpentinites, and tremolite-actinolite-bearing rocks in California. *Geochim Cosmo Acta.* 69: A191-A191.
- Swiatkowska, B. (2013). [Legal aspects of workers' health protection against asbestos in Poland in the light of the EU legal framework] [Review]. *Med Pr.* 64: 689-697.
- Swiatkowska, B. (2014). Continued Spirometry Changes After Cessation of Exposure in Asbestos-Cement Workers (vol 56, pg 403, 2014). *J Occup Environ Med.* 56: E141-E141. <http://dx.doi.org/10.1097/JOM.0000000000000308>.
- Świątkowska, B; Sobala, W; Szubert, Z. (2012). Progression of small, irregular opacities in chest radiographs of former asbestos workers. *Int J Occup Med Environ Health.* 25: 481-491. <http://dx.doi.org/10.2478/S13382-012-0062-2>.
- Swiatkowska, B; Szeszenia-Dabrowska, N; Sobala, W; Wilczyńska, U. (2008). [Occupational risk factors for lung cancer: A case-control study, Lodz industrial center]. *Med Pr.* 59: 25-34.
- Świątkowska, B; Szeszenia-Dąbrowska, N; Wilczyńska, U. (2016). Medical monitoring of asbestos-exposed workers: experience from Poland. *Bull World Health Organ.* 94: 599-604. <http://dx.doi.org/10.2471/BLT.15.159426>.
- Świątkowska, B; Wojciech, S; Szubert, Z; Szeszenia-Dąbrowska, N. (2014). Continued spirometry changes after cessation of exposure in asbestomest workers. *J Occup Environ Med.* 56: 403-408. <http://dx.doi.org/10.1097/JOM.0000000000000117>.
- Swuste, P; Burdorf, A; Ruers, B. (2004). Asbestos, asbestos-related diseases, and compensation claims in The Netherlands [Review]. *Int J Occup Environ Health.* 10: 159-165. <http://dx.doi.org/10.1179/oeht.2004.10.2.159>.
- Swuste, P; Dahhan, M; Burdorf, A. (2008). Linking expert judgement and trends in occupational exposure into a job-exposure matrix for historical exposure to asbestos in The Netherlands. *Ann Occup Hyg.* 52: 397-403. <http://dx.doi.org/10.1093/annhyg/men030>.
- Sysila, S; Laapas, H; Heiskanen, K; Ruokonen, E. (1996). The effect of surface potential on the flotation of chromite. *Miner Eng.* 9: 519-525.
- Szabo, S; Burai, P; Kovacs, Z; Szabo, G; Kerenyi, A; Fazekas, I; Paladi, M; Buday, T; Szabo, G. (2014). TESTING ALGORITHMS FOR THE IDENTIFICATION OF ASBESTOS ROOFING BASED ON HYPERSPECTRAL DATA. *Environmental Engineering and Management Journal.* 13: 2875-2880.
- Szecsody, JE; Truex, MJ; Zhong, L; Johnson, TC; Qafoku, NP; Williams, MD; Greenwood, WJ; Wallin, EL; Bargar, JD; Faurie, DK. (2012). Geochemical and Geophysical Changes during Ammonia Gas Treatment of Vadose Zone Sediments for Uranium Remediation. *Vadose Zone Journal.* 11. <http://dx.doi.org/10.2136/vzj2011.0158>.
- Szeinuk, J; Noonan, CW; Henschke, CI; Pfau, J; Black, B; Miller, A; Yankelevitz, DF; Liang, M; Liu, Y; Yip, R; Linker, L; Mcnew, T; Flores, RM. (2017). Pulmonary abnormalities as a result of exposure to Libby amphibole during childhood and adolescence-The Pre-Adult Latency Study (PALS). *Am J Ind Med.* 60: 20-34. <http://dx.doi.org/10.1002/ajim.22674>.
- Szeinuk, J; Wilk-Rivard, EJ. (2007). Case report: Silicatosi in a carpet installer. *Environ Health Perspect.* 115: 932-935. <http://dx.doi.org/10.1289/ehp.9691>.
- Szendrői, M; Németh, L; Vajta, G. (1983). Asbestos bodies in a bile duct cancer after occupational exposure. *Environ Res.* 30: 270-280.
- Szeszenia-Dabrowska, N. (2011). ASBESTOS ABATEMENT WORKERS VERSUS ASBESTOS WORKERS: EXPOSURE AND HEALTH-EFFECTS DIFFER Reply. *Int J Occup Med Environ Health.* 24: 420-421. <http://dx.doi.org/10.2478/s13382-011-0045-8>.
- Szeszenia-Dabrowska, N. (2013). Legal aspects of the protection of the health of workers against asbestos in Poland in the light of the EU's legal framework (vol 64(5), pg 689,2013). *Med Pr.* 64.
- Szeszenia-Dabrowska, N; Strzelecka, A; Wilczyńska, U. (1991). Exposure to carcinogens in industry: Evaluation of the existing situation and a draft of an information system. *Med Pr.* 42: 60-65.
- Szeszenia-Dąbrowska, N; Świątkowska, B; Sobala, W; Szubert, Z; Wilczyńska, U. (2015). Asbestos related diseases among workers of asbestos processing plants in relation to type of production and asbestos use. *Med Pr.* 66: 1-9.
- Szeszenia-Dąbrowska, N; Świątkowska, B; Szubert, Z; Wilczyńska, U. (2011). Asbestos in Poland: occupational health problems. *Int J Occup Med Environ Health.* 24: 142-152. <http://dx.doi.org/10.2478/s13382-011-0020-4>.
- Szeszenia-Dabrowska, N; Wilczyńska, U. (2013). Occupational diseases among workers employed in various branches of the national economy. *Med Pr.* 64: 161-174.
- Szeszenia-Dąbrowska, N; Wilczyńska, U. (2013). Occupational diseases in Poland--an overview of current trends. *Int J Occup Med Environ Health.* 26: 457-470. <http://dx.doi.org/10.2478/s13382-013-0119-x>.
- Szeszenia-Dabrowska, N; Wilczyńska, U; Sobala, W. (2014). OCCUPATIONAL DISEASES IN POLAND IN 2013 AND THEIR CAUSATIVE AGENTS. *Med Pr.* 65: 463-472.
- Szubert, Z; Stankiewicz-Choroszuca, B; Wrońska-Sobolewska, M; Cwynar, E; Dobrowolska, J; Wróbel, R; Ratka, M; Jakubowski, J; Skórska-Ciszewska, I; Turbańska, R; Gazda, U; Sova, M; Pawłowska-Kozieł, H; Latala-Łoś, E; Komorowska, E; Sobala, W; Swiatkowska, B; Szeszenia-Dabrowska, N. (2011). [Implementation of the Amiantus project involving prophylactic medical examinations of the former employees of asbestos processing plants]. *Med Pr.* 62: 465-472.
- Szuster-Janiaczyk, A. (2016). The microbiological evaluation of deposits come from water network on the example of selected water supply system. *Rocznik Ochrona Srodowiska.* 18: 815-827.

Fate Literature Search Results

Off Topic

- Szyba, K; Lange, A. (1983). PRESENTATION OF BENZO(A)PYRENE TO MICROSOMAL ENZYMES BY ASBESTOS FIBERS IN THE SALMONELLA/MAMMALIAN MICROSOME MUTAGENICITY TEST (pp. 337-341). (ISSN 0091-6765; EISSN 1552-9924; EMICBACK/55863). Szyba, K; Lange, A.
- 'T Mannelje, A; Brennan, P; Zaridze, D; Szeszenia-Dabrowska, N; Rudnai, P; Lissowska, J; Fabianova, E; Cassidy, A; Mates, D; Bencko, V; Foretova, L; Janout, V; Fevotte, J; Fletcher, T; Boffetta, P. (2012). Welding and Lung Cancer in Central and Eastern Europe and the United Kingdom. *Am J Epidemiol.* 175: 706-714. <http://dx.doi.org/10.1093/aje/kwr358>.
- 'T Mannelje, A; Kromhout, H. (2003). The use of occupation and industry classifications in general population studies. *Int J Epidemiol.* 32: 419-428. <http://dx.doi.org/10.1093/ije/dyg080>.
- Tabata, M; Shono, A; Ghaffar, A. (2016). Decomposition of asbestos by a supernatant used for immobilization of heavy metals in fly ash. *Journal of Material Cycles and Waste Management.* 18: 483-492. <http://dx.doi.org/10.1007/s10163-016-0491-2>.
- Tabesh, M; Delavar, MR; Delkhah, A. (2010). Use of geospatial information system based tool for renovation and rehabilitation of water distribution systems. *Int J Environ Sci Tech.* 7: 47-58.
- Tabet, L; Bussy, C; Amara, N; Setyan, A, ri; Grodet, A; Rossi, MJ; Pairon, JC; Boczkowski, J; Lanone, S. (2009). Adverse Effects of Industrial Multiwalled Carbon Nanotubes on Human Pulmonary Cells. *J Toxicol Environ Health A.* 72: 60-73. <http://dx.doi.org/10.1080/15287390802476991>.
- Tachiyama, Y; Izumi, K; Kawanishi, M. (1990). Secular trends in incidence and degree of concentration of asbestos bodies in autopsied lungs in Hiroshima prefecture (Japan) (1957-1987) (pp. 25-34). (BIOSIS/90/17479). Tachiyama, Y; Izumi, K; Kawanishi, M.
- Tadas, P; Dainius, M; Edvinas, K; Linas, K; Maksim, K; Axel, Z. (2011). Comparative characterization of particle emissions from asbestos and non-asbestos cement roof slates. *Build Environ.* 46: 2295-2302. <http://dx.doi.org/10.1016/j.buildenv.2011.05.010>.
- Taddeo, D. (2006). Point of view of Occupational Health Prevention Units. *Med Lav.* 97: 458-462.
- Taeger, D; Gawrych, K; Brüning, T. (2016). Validity of mesothelin in occupational medicine practice [Letter]. *Int J Occup Med Environ Health.* 29: 879-880. <http://dx.doi.org/10.13075/ijomh.1896.01062>.
- Taha, I. (2012). Investigation of flax fibre reinforced epoxy friction composites. *Materwiss Werksttech.* 43: 1059-1066. <http://dx.doi.org/10.1002/mawe.201200067>.
- Takabe, K; Tsukada, Y; Shimizu, T; Takagiwa, J; Hirayama, M; Nakayama, M; Miura, H; Akabane, H; Takayama, S; Aida, S. (1997). [The clinical utility of asbestos body counts in bronchoalveolar lavage fluid]. *Nihon Kyobu Shikkan Gakkai Zasshi.* 35: 1196-1204.
- Takahashi; Pan; Kasai; Hanaoka; Feng; Liu; Zhang; Xu; Tsuda; Yamato; Higashi; Okubo. (1997). Relationship between Asbestos Exposures and 8-Hydroxydeoxyguanosine Levels in Leukocytic DNA of Workers at a Chinese Asbestos-material Plant. *Int J Occup Environ Health.* 3: 111-119. <http://dx.doi.org/10.1179/oeh.1997.3.2.111>.
- Takahashi, K; Case, BW; Dufresne, A; Fraser, R; Higashi, T; Siemiatycki, J. (1994). Relation between lung asbestos fibre burden and exposure indices based on job history. *Occup Environ Med.* 51: 461-469.
- Takahashi, K; Huuskonen, MS; Tossavainen, A; Higashi, T; Okubo, T; Rantanen, J. (1999). Ecological relationship between mesothelioma incidence/mortality and asbestos consumption in ten Western countries and Japan. *J Occup Health.* 41: 8-11.
- Takahashi, K; Initiative, AA. (2008). Asbestos-related diseases: time for technology sharing [Editorial]. *Occup Med (Lond).* 58: 384-385. <http://dx.doi.org/10.1093/occmed/kqn086>.
- Takahashi, K; Karjalainen, A. (2003). A cross-country comparative overview of the asbestos situation in ten Asian countries. *Int J Occup Environ Health.* 9: 244-248. <http://dx.doi.org/10.1179/oeh.2003.9.3.244>.
- Takahashi, K; Landrigan, PJ. (2016). The global health dimensions of asbestos and asbestos-related diseases. *Ind Health.* 54: 87-91. <http://dx.doi.org/10.2486/indhealth.cr01>.
- Takahashi, K; Landrigan, PJ; Ramazzini, C. (2016). The Global Health Dimensions of Asbestos and Asbestos-Related Diseases. *J Occup Health.* 82: 209-213. <http://dx.doi.org/10.1016/j.aogh.2016.01.019>.
- Takahashi, K; Sekikawa, A; Laporte, RE; Satoh, T; Pan, G; Ren, A; Okubo, T; Yoshimura, T. (1998). Occupational lung diseases and global occupational health on the Net. *Occup Med (Lond).* 48: 3-6.
- Takahashi, M; Uehara, SI; Mizoguchi, K; Shimizu, I; Okazaki, K; Masuda, K. (2011). On the transient response of serpentine (antigorite) gouge to stepwise changes in slip velocity under high-temperature conditions. *J Geophys Res Solid Earth.* 116. <http://dx.doi.org/10.1029/2010JB008062>.
- Takahashi, T; Munakata, M; Takekawa, H; Homma, Y; Kawakami, Y. (1996). Pulmonary fibrosis in a carpenter with long-lasting exposure to fiberglass. *Am J Ind Med.* 30: 596-600.
- Takahashi, Y; Miyaki, K; Nakayama, T. (2007). Analysis of news of the Japanese asbestos panic: a supposedly resolved issue that turned out to be a time bomb. *J Public Health (Oxf).* 29: 62-69. <http://dx.doi.org/10.1093/pubmed/fdl081>.
- Takala, J. (1996). Chemical Safety Information for developing countries. *Sci Total Environ.* 188: S112-S129. [http://dx.doi.org/10.1016/0048-9697\(96\)05283-7](http://dx.doi.org/10.1016/0048-9697(96)05283-7).
- Takaya, M; Serita, F; Yamazaki, K; Aiso, S; Kubota, H; Asakura, M; Ikawa, N; Nagano, K; Arito, H; Fukushima, S. (2010). Characteristics of Multiwall Carbon Nanotubes for an Intratracheal Instillation Study with Rats. *Ind Health.* 48: 452-459.
- Takeda, H; Hashimoto, S; Okuda, A; Honda, S; Awaji, H; Fukuda, K. (2007). Detoxification of sprayed amosite. *Ceramic Society of Japan Journal.* 115: 562-566.
- Takemura, T; Rom, WN; Ferrans, VJ; Crystal, RG. (1989). Morphologic characterization of alveolar macrophages from subjects with occupational exposure to inorganic particles. *Am Rev Respir Dis.* 140: 1674-1685. <http://dx.doi.org/10.1164/ajrccm/140.6.1674>.
- Takir, D; Emery, JP; Mcsween, HY, Jr; Hibbitts, CA; Clark, RN; Pearson, N; Wang, A. (2013). Nature and degree of aqueous alteration in CM and CI carbonaceous chondrites. *Meteoritics and Planetary Science.* 48: 1618-1637. <http://dx.doi.org/10.1111/maps.12171>.

Fate Literature Search Results

Off Topic

- Takkouche, B; Gestalotero, JJ. (1996). The epidemiology of lung cancer: Review of risk factors and Spanish data [Review]. *Eur J Epidemiol.* 12: 341-349. <http://dx.doi.org/10.1007/BF00145296>.
- Talegaonkar, RP; Gopinath, K. (2009). Influence of Alumina Fiber Content on Properties of Non-Asbestos Organic Brake Friction Material. *Journal of Reinforced Plastics and Composites.* 28: 2069-2081. <http://dx.doi.org/10.1177/0731684408091684>.
- Tamura, T; Suganuma, N; Hering, KG; Vehmas, T; Itoh, H; Akira, M; Takashima, Y; Hirano, H; Kusaka, Y. (2015). Relationships (I) of International Classification of High-resolution Computed Tomography for Occupational and Environmental Respiratory Diseases with the ILO International Classification of Radiographs of Pneumoconioses for parenchymal abnormalities. *Ind Health.* 53: 260-270. <http://dx.doi.org/10.2486/indhealth.2014-0073>.
- Tanaka, I; Yamato, H; Oyabu, T; Ogami, A. (2001). Biopersistence of man-made fibers by animal inhalation experiments in recent reports. *Ind Health.* 39: 114-118. <http://dx.doi.org/10.2486/indhealth.39.114>.
- Tang, KM; Nace, CG, Jr; Lynes, CL; Maddaloni, MA; Laposta, D; Callahan, KC. (2004). Characterization of background concentrations in upper Manhattan, New York apartments for select contaminants identified in World Trade Center dust. *Environ Sci Technol.* 38: 6482-6490. <http://dx.doi.org/10.1021/es035468r>.
- Tang, KM; Nace, CG; Maddaloni, MA; Harkay, JD; Graham, DR; Koustas, RN; Rotola, JD; Laposta, D; Callahan, KC. (2004). Evaluation of vacuum and wet-wipe methods for removal of World Trade Center dust from indoor environments. *Journal of the Air and Waste Management Association.* 54: 1293-1298. <http://dx.doi.org/10.1080/10473289.2004.10470992>.
- Tang, X; Feng, Q; Liu, K, un; Tan, Y, an. (2016). Synthesis and characterization of a novel nanofibrous TiO₂/SiO₂ composite with enhanced photocatalytic activity. *Mater Lett.* 183: 175-178. <http://dx.doi.org/10.1016/j.matlet.2016.07.103>.
- Tannahill, SN; Jackson, MH; Willey, RJ. (1990). Effect of Cowl on Air Samples for Amosite in the Workplace and in the Laboratory. *Ann Occup Hyg.* 34: 521-527.
- Tannahill, SN; Willey, RJ; Jackson, MH. (1990). Workplace protection factors of HSE approved negative pressure full-facepiece dust respirators during asbestos stripping: preliminary findings. *Ann Occup Hyg.* 34: 547-552.
- Tao, G; Zu, K; Kerper, LE; Goodman, JE. (2015). Comment on "HRCT/CT and associated spirometric effects of low Libby Amphibole asbestos exposure" by Lockey et al (2015) [Comment]. *J Occup Environ Med.* 57: e80. <http://dx.doi.org/10.1097/JOM.0000000000000463>.
- Tarchi, M; Orsi, D; Comba, P; De Santis, M; Pirastu, R; Battista, G; Valiani, M. (1994). Cohort mortality study of rock salt workers in Italy. *Am J Ind Med.* 25: 251-256.
- Tarrés, J; Albertí, C; Martínez-Artés, X; Abós-Herrándiz, R; Rosell-Murphy, M; García-Allas, I; Krier, I; Cantarell, G; Gallego, M; Canela-Soler, J; Orriols, R. (2013). Pleural mesothelioma in relation to meteorological conditions and residential distance from an industrial source of asbestos. *Occup Environ Med.* 70: 588-590. <http://dx.doi.org/10.1136/oemed-2012-101198>.
- Tarter, ME. (1983). ANSWERS TO SOME QUESTIONS RAISED BY THE PRESENTATION ON THE GRAPHICAL ANALYSIS OF THE INTERRELATIONSHIPS BETWEEN WATERBORNE ASBESTOS, DIGESTIVE-SYSTEM CANCER AND POPULATION-DENSITY. *Environ Health Perspect.* 53: 193-194.
- Tarter, ME; Cooper, RC; Freeman, WR. (1983). A graphical analysis of the interrelationships among waterborne asbestos, digestive system cancer and population density. *Environ Health Perspect.* 53: 79-89.
- Tashiro, H; Yoshida, F. (1990). ANALYSIS OF AXIAL AND RADIAL STRESS-DISTRIBUTION IN PACKING IN STUFFING-BOX SEALS TAKING ACCOUNT OF STRESS-RELAXATION. 33: 597-602.
- Tat, M; Simionescu, C. (1972). FUNCTIONAL RESPIRATORY CHANGES BY INFLUENCE OF CONCENTRATIONS OF CEMENT, MICA, MARBLE, ASBESTOS AND COAL DUST. *Archives des Maladies Professionnelles et de Médecine du Travail.* 33: 553-+.
- Tat, M; Simionescu, C. (1972). Respiratory functional changes caused by the effects of various dust concentrations. *Arch Mal Prof Med Trav Secur Soc.* 33: 10-11.
- Taunton, AE; Gunter, ME; Druschel, GK; Wood, SA. (2010). Geochemistry in the lung: Reaction-path modeling and experimental examination of rock-forming minerals under physiologic conditions. *Am Mineral.* 95: 1624-1635. <http://dx.doi.org/10.2138/am.2010.3434>.
- Taunton, AE; Gunter, ME; Nolan, RP; Phillips, JI. (2011). Characterization of minerals in pleural plaques from lung tissue of non-human primates. *Periodico di Mineralogia.* 80: 167-179. <http://dx.doi.org/10.2451/2011PM0014>.
- Taunton, AE; Wood, SA; Gunter, ME. (2002). The thermodynamics of asbestos mineral dissolution and conversion in the human lung. *Geochim Cosmo Acta.* 66: A765-A765.
- Tavani, A; Negri, E; Franceschi, S; Barbone, F; Lavecchia, C. (1994). ATTRIBUTABLE RISK FOR LARYNGEAL-CANCER IN NORTHERN ITALY. *Cancer Epidemiol Biomarkers Prev.* 3: 121-125.
- Taylor, DG; Baron, PA; Shulman, SA; Carter, JW. (1984). Identification And Counting Of Asbestos Fibers. *Am Ind Hyg Assoc J.* 45: 84-88.
- Taylor, ES; Wylie, AG; Mossman, BT; Lower, SK. (2013). Repetitive dissociation from crocidolite asbestos acts as persistent signal for epidermal growth factor receptor. *Langmuir.* 29: 6323-6330. <http://dx.doi.org/10.1021/la400561t>.
- Taylor, RL; Taylor, MS; Noguchi, TT. (1975). APPLICATIONS OF SCANNING ELECTRON MICROSCOPIC X-RAY ANALYSIS AT THE LOS-ANGELES COUNTY CALIFORNIA USA FORENSIC SCIENCE CENTER (pp. PART 1). (HEEP/75/10828). Taylor, RL; Taylor, MS; Noguchi, TT.
- Teagle, DAH; Alt, JC. (2004). Hydrothermal alteration of basalts beneath the Bent Hill massive sulfide deposit, Middle Valley, Juan de Fuca Ridge. *Econ Geol.* 99: 561-584.
- Teichert, U. (1983). Emission Reduction By Prefabrication Of Asbestos Cement Products And By The Use Of Low-Dust Shaping Devices (pp. 425-429). (NIOSH/00148916). Teichert, U.
- Teichert, U. (1986). IMMISSION THROUGH ASBESTOS CEMENT PRODUCTS .1. Staub, Reinhaltung der Luft. 46: 432-434.
- Teichert, U. (1986). IMMISSION THROUGH ASBESTOS CEMENT PRODUCTS .2. Staub, Reinhaltung der Luft. 46: 484-486.
- Teirstein, AS; Chahinian, P; Goldsmith, SJ; Sorek, M. (1986). Gallium scanning in differentiating malignant from benign asbestos-related pleural disease. *Am J Ind Med.* 9: 487-494.

Fate Literature Search Results

Off Topic

- Teixeira, A, naPC; Purceno, AD; Barros, AS; Lemos, BRS; Ardisson, JD; Macedo, WAA; Nassor, ECO; Amorim, CC; Moura, FCC; Hernandez-Terrones, MG; Portela, FM; Lago, RM. (2012). Amphiphilic magnetic composites based on layered vermiculite and fibrous chrysotile with carbon nanostructures: Application in catalysis. *Catalysis Today*. 190: 133-143. <http://dx.doi.org/10.1016/j.cattod.2012.01.042>.
- Teixeira, A, naPC; Santos, EM; Vieira, AFP; Lago, RM. (2013). Use of chrysotile to produce highly dispersed K-doped MgO catalyst for biodiesel synthesis. *Chem Eng J*. 232: 104-110. <http://dx.doi.org/10.1016/j.cej.2013.07.065>.
- Teixeira, AP; Purceno, AD; de Paula, CC; da Silva, JC; Ardisson, JD; Lago, RM. (2013). Efficient and versatile fibrous adsorbent based on magnetic amphiphilic composites of chrysotile/carbon nanostructures for the removal of ethynilestradiol. *J Hazard Mater*. 248-249: 295-302. <http://dx.doi.org/10.1016/j.jhazmat.2013.01.014>.
- Telle-Lamberton, M; Bergot, D; Gagneau, M; Samson, E; Giraud, JM; Neron, MO; Hubert, P. (2004). Cancer mortality among French Atomic Energy Commission workers. *Am J Ind Med*. 45: 34-44. <http://dx.doi.org/10.1002/ajim.10306>.
- Terada, T; Hiramatsu, Y; Mizukami, T. (2013). Shear wave anisotropy beneath the volcanic front in South Kyushu area, Japan: Development of C-type olivine CPO under H₂O-rich conditions. *J Geophys Res Solid Earth*. 118: 4253-4264. <http://dx.doi.org/10.1002/jgrb.50300>.
- Teresa Sanchez-Cabo, M, a. (2009). Normative Spanish and technical guide of Royal Decree 396/2006. *Dyna*. 84: 347-352.
- Terracini, B; Mirabelli, D. (2016). Asbestos and product defence science [Editorial]. *Int J Epidemiol*. 45: 614-618. <http://dx.doi.org/10.1093/ije/dyw136>.
- Terracini, B; Mirabelli, D; Baur, X; Landrigan, P; Ramazzini, C. (2016). Comments on the causation of malignant mesothelioma: Rebutting the false concept that recent exposures to asbestos do not contribute to causation of mesothelioma. *Am J Ind Med*. 59: 506-507. <http://dx.doi.org/10.1002/ajim.22590>.
- Terracini, B; Mirabelli, D; Baur, X; Landrigan, PJ; Ramazzini, C. (2016). Re: Comments on the causation of malignant mesothelioma: Rebutting the false concept that recent exposures to asbestos do not contribute to causation of mesothelioma. *Am J Ind Med*. 59: 1180-1182. <http://dx.doi.org/10.1002/ajim.22663>.
- Terzano, R; Spagnuolo, M; Vekemans, B; De Nolf, W; Janssens, K; Falkenberg, G; Flore, S; Ruggiero, P. (2007). Assessing the origin and fate of Cr, Ni, Cu, Zn, Pb, and V in industrial polluted soil by combined microspectroscopic techniques and bulk extraction methods. *Environ Sci Technol*. 41: 6762-6769. <http://dx.doi.org/10.1021/es070260h>.
- Teschke, K. (2016). Thinking about Occupation-Response and Exposure-Response Relationships: Vehicle Mechanics, Chrysotile, and Mesothelioma [Letter]. *Ann Occup Hyg*. 60: 528-530. <http://dx.doi.org/10.1093/annhyg/mew015>.
- Teschke, K; Ahrens, W; Andersen, A; Boffetta, P; Fincham, S; Finkelstein, M; Henneberger, P; Kauppinen, T; Kogevinas, M; Korhonen, K; Liss, G; Liukkonen, T; Osvoll, P; Savela, A; Szadkowska-Stanczyk, I; Westberg, H; Widerkiewicz, K. (1999). Occupational exposure to chemical and biological agents in the nonproduction departments of pulp, paper, and paper product mills: an international study. *Am Ind Hyg Assoc J*. 60: 73-83. <http://dx.doi.org/10.1080/00028899908984424>.
- Teschke, K; Morgan, MS; Checkoway, H; Franklin, G; Spinelli, JJ; van Belle, G; Weiss, NS. (1997). Mesothelioma surveillance to locate sources of exposure to asbestos. *Can J Public Health*. 88: 163-168.
- Teschke, K; Olshan, AF; Daniels, JL; De Roos, AJ; Parks, CG; Schulz, M; Vaughan, TL. (2002). Occupational exposure assessment in case-control studies: Opportunities for improvement [Review]. *Occup Environ Med*. 59: 575-594. <http://dx.doi.org/10.1136/oem.59.9.575>.
- Teschler, H; Friedrichs, KH; Soltner, U; Fiegen, R; Konietzko, N; Costabel, U. (1992). COMPARISON OF COATED AND UNCOATED ASBESTOS FIBER CONTENT IN BRONCHOALVEOLAR LAVAGE AND LUNG TISSUE (pp. 17-20). (BIOSIS/92/20034). Teschler, H; Friedrichs, KH; Soltner, U; Fiegen, R; Konietzko, N; Costabel, U.
- Teta, MJ. (2004). RE: Asbestos in brakes: exposure and risk of disease [Letter]. *Am J Ind Med*. 46: 312-314; author reply 315-318. <http://dx.doi.org/10.1002/ajim.20060>.
- Teta, MJ. (2011). Mesothelioma in a connecticut friction plant: the need for transparency and exposure information in attribution of risk [Letter]. *Ann Occup Hyg*. 55: 817-819; author reply 820-812. <http://dx.doi.org/10.1093/annhyg/mer049>.
- Tharr, D. (1991). Asbestos Exposure During Low-Income Housing Weatherization. *Appl Occup Environ Hyg*. 6: 347-348.
- Tharr, D; 19Ed. (1993). Exposure to Different Metals during the Demolition of Oil-Fired Boilers. *Appl Occup Environ Hyg*. 8: 151-152.
- Tharr, D; 19Ed. (1993). Exposure to Silica Dust among Street-Sweeper Operators. *Appl Occup Environ Hyg*. 8: 13-14.
- Thébaud-Mony, A. (2003). Justice for asbestos victims and the politics of compensation: the French experience. *Int J Occup Environ Health*. 9: 280-286. <http://dx.doi.org/10.1179/oeh.2003.9.3.280>.
- Thebaud-Mony, A; Badouraly, P; Ben Abdesselam, H; Boujasson, L; Chi, D; Lepetit, C; Levy, M; Grassulo, V; Vincenti, M; Deseve, G; Delmas, G; Breau, JL; Casassus, P; Onc, VA; Le Toumelin, P; Martin, A; Couilliot, MF; Boiron, C; Mathieu, M; Virally, J; Herman, D; Savatovsky, I; Choudat, L; Mbunga, JCL; Brunel, P; Piquet, J; Collon, T; Chait, Y; Adotti, F; Hery, M; Sterdyniak, JM; Bobbio, A; Bodart, JC; Bernard, F; Cousaut, P; Creau, Y; Hasni-Pichard, H; Laureillard, J; Pezerat, H; Selliez, S; 93, RS. (2005). Occupational cancer in a Paris suburb: First results of a proactive research study in Seine Saint-Denis. *Int J Occup Environ Health*. 11: 263-275.
- Theriault, GP; Grandbois, L. (1978). MESOTHELIOMA AND ASBESTOS IN PROVINCE OF QUEBEC, 1969-1972. *Arch Environ Health*. 33: 15-19.
- Thiyagarajan, V; Kalaichelvan, K; Srinivasan, K; Venugopal, S; Vijay, R. (2015). INFLUENCE OF SPECIFIC HEAT CAPACITY ON HYBRID NON-ASBESTOS BRAKE PAD FORMULATION. *Balkan Tribological Association Journal*. 21: 102-119.
- Thiyagarajan, V; Kalaichelvan, K; Vijay, R; Singaravelu, DL. (2016). Influence of thermal conductivity and thermal stability on the fade and recovery characteristics of non-asbestos semi-metallic disc brake pad. *J Braz Soc Mech Sci & Eng*. 38: 1207-1219. <http://dx.doi.org/10.1007/s40430-015-0448-8>.
- Thom, JGM; Dipple, GM; Power, I, anM; Harrison, AL. (2013). Chrysotile dissolution rates: Implications for carbon sequestration. *Appl Geochem*. 35: 244-254. <http://dx.doi.org/10.1016/j.apgeochem.2013.04.016>.
- Thomas, HF; Benjamin, IT; Elwood, PC; Sweetnam, PM. (1982). Further follow-up study of workers from an asbestos cement factory. *Occup Environ Med*. 39: 273-276.

Fate Literature Search Results

Off Topic

- Thomas, RG; Sluis-Cremer, GK. (1977). 200 kV xeroradiography in occupational exposure to silica and asbestos. *Br J Ind Med.* 34: 281-290.
- Thomas, SF; Mckillop, GR. (1986). SUBSTITUTE MATERIALS TO REPLACE ASBESTOS IN REFINERY-SERVICE GASKETS AND PACKINGS. *Oil and Gas Journal.* 84: 47-51.
- Thomassin, JH; Goni, J; Touray, JC; Jaurand, MC; Baillif, P. (1977). XPS STUDY OF DISSOLUTION KINETICS OF CHRYSOTILE IN 0.1N OXALIC-ACID AT DIFFERENT TEMPERATURES. *Physics and Chemistry of Minerals.* 1: 385-398.
- Thompson, A; Wills, M; House, R. (2004). Rounded atelectasis in an asbestos exposed worker. *Occup Med (Lond).* 54: 494-496. <http://dx.doi.org/10.1093/occmed/kqh099>.
- Thompson, BD; Gunter, ME; Wilson, MA. (2011). Amphibole asbestos soil contamination in the USA: A matter of definition. *Am Mineral.* 96: 690-693. <http://dx.doi.org/10.2138/am.2011.3777>.
- Thompson, CJ; Loring, JS; Rosso, KM; Wang, Z. (2013). Comparative reactivity study of forsterite and antigorite in wet supercritical CO₂ by in situ infrared spectroscopy. *Int J Greenhouse Gas Control.* 18: 246-255. <http://dx.doi.org/10.1016/j.ijggc.2013.07.007>.
- Thompson, EC; Campbell, AJ; Liu, Z. (2016). In-situ infrared spectroscopic studies of hydroxyl in amphiboles at high pressure. *Am Mineral.* 101: 706-712. <http://dx.doi.org/10.2138/am-2016-5465>.
- Thomson, JG. (1965). Asbestos and the urban dweller. *Ann N Y Acad Sci.* 132: 196-214.
- Thomson, JG; Graves, WM. (1966). Asbestos as an urban air contaminant. *Arch Pathol.* 81: 458-464.
- Thomson, R; Webster, I; Kilroe-Smith, TA. (1974). The metabolism of benzo(a)pyrene in rat liver microsomes: The effect of asbestos-associated metal ions and pH. *Environ Res.* 7: 149-157.
- Thornburg, J. (2011). A Validated Approach for Assessing Exposure to Asbestos in Soil. *Epidemiology.* 22: S71-S72.
- Thornburg, J; Kominsky, J; Brown, GG; Frechtel, P; Barrett, W; Shaul, G. (2010). A model to predict the breathing zone concentrations of particles emitted from surfaces. *J Environ Monit.* 12: 973-980. <http://dx.doi.org/10.1039/b919385e>.
- Thurauf, J; Valentin, H. (1977). PLEURAL CHANGES AFTER EXPOSURE TO ASBESTOS - THEIR IMPORTANCE AND VALUATION. *Arbeitsmedizin, Sozialmedizin, Praeventivmedizin.* 12: 198-200.
- Thurton, DAW; Sabnis, G; Raval, P. (2013). Performance of various semi-engineered roof deck systems under high velocity winds. *Scientia Iranica.* 20: 34-43. <http://dx.doi.org/10.1016/j.scient.2012.11.001>.
- Tian, L, in; Ahmadi, G. (2013). Fiber transport and deposition in human upper tracheobronchial airways. *J Aerosol Sci.* 60: 1-20. <http://dx.doi.org/10.1016/j.jaerosci.2013.02.001>.
- Tian, L, in; Ahmadi, G. (2016). On Nano-Ellipsoid Transport and Deposition in the Lung First Bifurcation-Effect of Slip Correction. *Journal of Fluids Engineering.* 138. <http://dx.doi.org/10.1115/1.4033997>.
- Tian, L, in; Ahmadi, G. (2016). Transport and deposition of nano-fibers in human upper tracheobronchial airways. *J Aerosol Sci.* 91: 22-32. <http://dx.doi.org/10.1016/j.jaerosci.2015.09.002>.
- Tian, M; Ague, J, ayJ. (2014). The impact of porosity waves on crustal reaction progress and CO₂ mass transfer. *Earth Planet Sci Lett.* 390: 80-92. <http://dx.doi.org/10.1016/j.epsl.2013.12.044>.
- Tiitola, M; Kivisaari, L; Zitting, A; Huuskonen, MS; Kaleva, S; Tossavainen, A; Vehmas, T. (2002). Computed tomography of asbestos-related pleural abnormalities. *Int Arch Occup Environ Health.* 75: 224-228. <http://dx.doi.org/10.1007/s00420-001-0297-x>.
- Tilkes, F. (1985). INVESTIGATION OF CYTOTOXICITY OF RESPIRABLE FIBERS FROM ASBESTOS-CEMENT PRODUCTS (pp. 16-17). (ISSN 0174-3015; BIOSIS/86/24697). Tilkes, F.
- Tilkes, F; Beck, EG. (1988). INVESTIGATIONS OF THE CYTOTOXICITY AND CARCINOGENICITY OF INHALABLE FIBERS FROM ASBESTOS CEMENT PRODUCTS (pp. 7-10). (ISSN 0174-3015; BIOSIS/89/08875). Tilkes, F; Beck, EG.
- Tillett, S; Sullivan, P. (1993). Asbestos screening and education programs for building and construction trades unions. *Am J Ind Med.* 23: 143-152.
- Tilly, TB; Kerr, L; Braydich-Stolle, LK; Schlager, JJ; Hussain, SM. (2014). Dispersions of geometric TiO₂ nanomaterials and their toxicity to RPMI 2650 nasal epithelial cells. *J Nanopart Res.* 16. <http://dx.doi.org/10.1007/s11051-014-2695-5>.
- Timbrell, V; Rendall, REG. (1972). PREPARATION OF IUCC STANDARD REFERENCE SAMPLES OF ASBESTOS. *Powder Technology.* 5: 279-&.
- Timmermans, K. (2008). International jurisprudence on trade and environmental health: one step forward, two steps back? *Int J Occup Environ Health.* 14: 307-316. <http://dx.doi.org/10.1179/oeh.2008.14.4.307>.
- Timon Sanchez, SM; Moro Benito, MC; Cembranos Perez, ML. (2009). Mineralogical and Physiochemical Evolution of the Los Santos Scheelite Skarn, Salamanca, NW Spain. *Econ Geol.* 104: 961-995.
- Titulaer, MK; Vanmiltenburg, JC; Jansen, JBH; Geus, JW. (1993). CHARACTERIZATION OF TUBULAR CHRYSOTILE BY THERMOPOROMETRY, NITROGEN SORPTION, DRIFTS, AND TEM. *Clays and Clay Minerals.* 41: 496-513.
- Tiwari, RR. (2013). Agreement between chest radiography and high-resolution computed tomography in diagnosing dust-related interstitial lung fibrosis. *Toxicol Ind Health.* 31: 235-238. <http://dx.doi.org/10.1177/0748233712471703>.
- Tiwary, A; Deb, M. (1997). Geochemistry of hydrothermal alteration at the Deri massive sulphide deposit, Sirohi district, Rajasthan, NW India. *J Geochem Explor.* 59: 99-121.
- Tobiszewski, M; Polkowska, Z; Konieczka, P; Namiesnik, J. (2010). Roofing Materials as Pollution Emitters - Concentration Changes during Runoff. *Pol J Environ Stud.* 19: 1019-1028.
- Todd, D. (1977). MOVING A BATTERY TO ALLOW ACCESS FOR SEALING ASBESTOS. 70: 196-196.
- Todd, JC. (1979). ASBESTOS - PRODUCTS BASIC STRENGTH WILL WEATHER SLOWING IN DEMAND AND INTENSIFIED HEALTH ISSUE. *EandMJ: Engineering and Mining Journal.* 180: 173-176.
- Toft, P; Meek, ME. (1983). ASBESTOS IN DRINKING-WATER - A CANADIAN VIEW. *Environ Health Perspect.* 53: 177-180.
- Toft, P; Meek, ME; Wigle, DT; Meranger, JC. (1984). ASBESTOS IN DRINKING-WATER. 14: 151-197.
- Toft, P; Wigle, DT; Meranger, JC; Mao, Y. (1981). Asbestos and drinking water in Canada. *Sci Total Environ.* 18: 77-89.

Fate Literature Search Results

Off Topic

- Tomasson, K; Gudmundsson, G; Briem, H; Rafnsson, V. (2016). Malignant mesothelioma incidence by nation-wide cancer registry: a population-based study. 11: 37. <http://dx.doi.org/10.1186/s12995-016-0127-4>.
- Tomatis, L; Cantoni, S; Carnevale, F; Merler, E; Mollo, F; Ricci, P; Silvestri, S; Vineis, P; Terracini, B. (2007). The role of asbestos fiber dimensions in the prevention of mesothelioma [Review]. *Int J Occup Environ Health*. 13: 64-69. <http://dx.doi.org/10.1179/oeht.2007.13.1.64>.
- Tomatis, M; Prandi, L; Bodoardo, S; Fubini, B. (2002). Loss of surface reactivity upon heating amphibole asbestos. *Langmuir*. 18: 4345-4350. <http://dx.doi.org/10.1021/la011609w>.
- Tomilenko, AA; Chepurov, AI; Sonin, VM; Bul'bak, TA; Zhimulev, EI; Chepurov, AA; Timina, TY, u; Pokhilenko, NP. (2015). The synthesis of methane and heavier hydrocarbons in the system graphite-iron-serpentine at 2 and 4 GPa and 1200 degrees C. *High Temperatures - High Pressures*. 44: 451-465.
- Tomioka, K; Natori, Y; Kumagai, S; Kurumatani, N. (2011). An updated historical cohort mortality study of workers exposed to asbestos in a refitting shipyard, 1947-2007. *Int Arch Occup Environ Health*. 84: 959-967. <http://dx.doi.org/10.1007/s00420-011-0655-2>.
- Tomioka, K; Saeki, K; Obayashi, K; Kurumatani, N. (2016). Risk of Lung Cancer in Workers Exposed to Benzidine and/or Beta-Naphthylamine: A Systematic Review and Meta-Analysis. *J Epidemiol*. 26: 447-458. <http://dx.doi.org/10.2188/jea.JE20150233>.
- Tonori, Y; Niitsuya, M; Sato, T; Sugiura, Y; Miyake, H; Aizawa, Y. (2005). Relationship between chest X-ray findings and pulmonary function tests in dust workers. *Ind Health*. 43: 256-266.
- Tonosaki, M; Sueyoshi, S; Oribe, Y. (1998). Effects of mass additions on the vibration and noise of a light frame full-scale modeled floor. 44: 103-108.
- Toren, K; Bergdahl, IA; Nilsson, T; Jarvholm, B. (2007). Occupational exposure to particulate air pollution and mortality due to ischaemic heart disease and cerebrovascular disease. *Occup Environ Med*. 64: 515-519. <http://dx.doi.org/10.1136/oem.2006.029488>.
- Toren, K; Persson, B; Wingren, G. (1996). Health Effects of Working in Pulp and Paper Mills: Malignant Diseases [Review]. *Am J Ind Med*. 29: 123-130. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199602\)29:2<123::AID-AJIM2>3.0.CO;2-T](http://dx.doi.org/10.1002/(SICI)1097-0274(199602)29:2<123::AID-AJIM2>3.0.CO;2-T).
- Toren, K; Sallsten, G; Jarvholm, B. (1991). MORTALITY FROM ASTHMA, CHRONIC OBSTRUCTIVE PULMONARY-DISEASE, RESPIRATORY SYSTEM CANCER, AND STOMACH-CANCER AMONG PAPER-MILL WORKERS - A CASE-REFERENT STUDY. *Am J Ind Med*. 19: 729-737.
- Tornos, F; Casquet, C; Relvas, JMR, S. (2005). 4: Transpressional tectonics, lower crust decoupling and intrusion of deep mafic sills: A model for the unusual metallogenesis of SW Iberia. *Ore Geol Rev*. 27: 133-163. <http://dx.doi.org/10.1016/j.oregeorev.2005.07.020>.
- Tornos, F; Delgado, A; Casquet, C; Galindo, C. (2000). 300 Million years of episodic hydrothermal activity: stable isotope evidence from hydrothermal rocks of the Eastern Iberian Central System. *Miner Depos*. 35: 551-569.
- Torro, L; Garcia-Casco, A; Proenza, JA; Blanco-Quintero, IF; Gutierrez-Alonso, G; Lewis, JF. (2016). High-pressure greenschist to blueschist facies transition in the Maimon Formation (Dominican Republic) suggests mid-Cretaceous subduction of the Early Cretaceous Caribbean arc. *Lithos*. 266: 309-331. <http://dx.doi.org/10.1016/j.lithos.2016.10.026>.
- Tossavainen, A. (2004). Global use of asbestos and the incidence of mesothelioma. *Int J Occup Environ Health*. 10: 22-25. <http://dx.doi.org/10.1179/oeht.2004.10.1.22>.
- Tossavainen, A; Karjalainen, A; Karhunen, PJ. (1994). Retention of asbestos fibers in the human body. *Environ Health Perspect*. 102: 253-255.
- Tossavainen, A; Kotilainen, M; Takahashi, K; Pan, G; Vanhala, E. (2001). Amphibole fibres in Chinese chrysotile asbestos. *Ann Occup Hyg*. 45: 145-152.
- Tossavainen, A; Kovalevsky, E; Vanhala, E; Tuomi, T. (2000). Pulmonary mineral fibers after occupational and environmental exposure to asbestos in the Russian chrysotile industry. *Am J Ind Med*. 37: 327-333.
- Tossavainen, A; Riala, R; Zitting, A; Parker, J; Jones, W; Groce, D; Izmerov, N; Elovskaya, L; Kovalevsky, E; Burmistrova, T; Domnin, S; Scherbakov, S; Kachansky, S. (1999). Health and exposure surveillance of Siberian asbestos miners: A joint Finnish-American-Russian project. *Am J Ind Med. Suppl 1*: 142-144.
- Touray, JC; Thomassin, JH; Gabis, V. (1979). MECHANISMS OF CHRYSOTILE DISSOLUTION. *Ann Chimie Sci Materiaux*. 4: 568-568.
- Tourmann, JL; Kaufmann, R. (1993). LASER MICROPROBE MASS-SPECTROMETRY (LAMMS) OF COAL-MINE DUSTS - SINGLE-PARTICLE ANALYSIS AND TOXICITY CORRELATION. *Int J Environ Anal Chem*. 52: 215-227.
- Tourmann, JL; Kaufmann, R. (1994). BIOPERSISTENCE OF THE MINERAL MATTER OF COAL-MINE DUSTS IN SILICOTIC HUMAN LUNGS - IS THERE A PREFERENTIAL RELEASE OF IRON. *Environ Health Perspect*. 102: 265-268.
- Toussaint, CJ; Bo, F. (1985). ABOUT THE QUANTITATIVE-DETERMINATION OF CHRYSOTILE ASBESTOS AND ALPHA-QUARTZ IN AIRBORNE DUSTS BY X-RAY-DIFFRACTION. *Int J Environ Anal Chem*. 21: 1-8.
- Townley, B; Roperch, P; Oliveros, V; Tassara, A; Arriagada, C. (2007). 6Hydrothermal alteration and magnetic properties of rocks in the Carolina de Michilla stratabound copper district, northern Chile. *Miner Depos*. 42: 771-789. <http://dx.doi.org/10.1007/s00126-007-0134-6>.
- Tran, CL; Tantra, R; Donaldson, K; Stone, V; Hankin, SM; Ross, B; Aitken, RJ; Jones, AD. (2011). A hypothetical model for predicting the toxicity of high aspect ratio nanoparticles (HARN). *J Nanopart Res*. 13: 6683-6698. <http://dx.doi.org/10.1007/s11051-011-0575-9>.
- Trancu, TC. (1975). CEMENT-ASBESTOS BUILDING PANELS SAWN DRY MORE CHEAPLY WITH DIAMOND. 401-401.
- Trattner, RB; Swanson, NR; Cheremisinoff, PN. (1980). FACTS ABOUT ASBESTOS ... BASIC INFORMATION ON THE EFFECTS, REGULATION, AND CONTROL OF THIS CONTROVERSIAL MATERIAL IN THE PLANT. *Plant Engineering*. 34: 121-123.
- Treggiari, MM; Weiss, NS. (2004). Occupational asbestos exposure and the incidence of non-Hodgkin lymphoma of the gastrointestinal tract: an ecologic study. *Ann Epidemiol*. 14: 168-171. [http://dx.doi.org/10.1016/S1047-2797\(03\)00241-2](http://dx.doi.org/10.1016/S1047-2797(03)00241-2).
- Tribaudino, M; Bruno, M; Iezzi, G; Della Ventura, G; Margiolaki, I. (2008). The thermal behavior of richterite. *Am Mineral*. 93: 1659-1665. <http://dx.doi.org/10.2138/am.2008.2895>.
- Trittschack, R, oy; Grobety, B. (2013). The dehydroxylation of chrysotile: A combined in situ micro-Raman and micro-FTIR study. *Am Mineral*. 98: 1133-1145. <http://dx.doi.org/10.2138/am.2013.4352>.

Fate Literature Search Results

Off Topic

- Trittschack, R, oy; Grobety, B; Brodard, P. (2014). Kinetics of the chrysotile and brucite dehydroxylation reaction: a combined non-isothermal/isothermal thermogravimetric analysis and high-temperature X-ray powder diffraction study. *Physics and Chemistry of Minerals*. 41: 197-214. <http://dx.doi.org/10.1007/s00269-013-0638-9>.
- Trittschack, R, oy; Grobety, B; Koch-Mueller, M. (2012). In situ high-temperature Raman and FTIR spectroscopy of the phase transformation of lizardite. *Am Mineral*. 97: 1965-1976. <http://dx.doi.org/10.2138/am.2012.4162>.
- Trommsdorff, V; Hermann, J; Muntener, O; Pfiffner, M; Risold, AC. (2000). Geodynamic cycles of subcontinental lithosphere in the Central Alps and the Arami enigma. *J Geodyn*. 30: 77-92.
- Trommsdorff, V; Sanchez-Vizcaino, VL; Gomez-Pugnaire, MT; Muntener, O. (1998). High pressure breakdown of antigorite to spinifex-textured olivine and orthopyroxene, SE Spain. *Contributions to Mineralogy and Petrology*. 132: 139-148.
- Tropper, P. (2014). Small grains and big implications: Accessory Ti- and Zr-minerals as petrogenetic indicators in HP and UHP marbles. *Am Mineral*. 99: 1197-1198. <http://dx.doi.org/10.2138/am.2014.4937>.
- Tropper, P; Manning, CE; Essene, EJ; Kao, LS. (2000). The compositional variation of synthetic sodic amphiboles at high and ultra-high pressures. *Contributions to Mineralogy and Petrology*. 139: 146-162.
- Trosic, I. (2001). Multinucleated giant cell appearance after whole body microwave irradiation of rats. *Int J Hyg Environ Health*. 204: 133-138. <http://dx.doi.org/10.1078/1438-4639-00078>.
- Trosic, I. (2009). [Issues related to long-term asbestos use and manufacture]. *Arh Hig Rada Toksikol*. 60 Suppl: 3-10.
- Trosic, I; Brumen, V; Horvat, D. (1997). In vitro assessment of asbestos fibers genotoxicity. *Zentralblatt fuer Hygiene und Umweltmedizin*. 199: 558-567.
- Trosic, I; Matausic-Pisl, M; Hors, N. (2000). Pathways and quantification of insoluble particles in the lung compartments of the rat. *Int J Hyg Environ Health*. 203: 39-43. [http://dx.doi.org/10.1078/S1438-4639\(04\)70006-1](http://dx.doi.org/10.1078/S1438-4639(04)70006-1).
- Trosic, I; Milkovic-Kraus, S. (2004). Asbestosis in the Republic of Croatia [Review]. *Int J Occup Environ Health*. 10: 198-201. <http://dx.doi.org/10.1179/oeh.2004.10.2.198>.
- Tsai, SP; Ahmed, FS; Wendt, JP; Foster, DE; Donnelly, RP; Strawmyer, TR. (2007). A 56-year mortality follow-up of Texas petroleum refinery and chemical employees, 1948-2003. *J Occup Environ Med*. 49: 557-567. <http://dx.doi.org/10.1097/JOM.0013618057777c>.
- Tsai, SP; Waddell, LC; Gilstrap, EL; Ransdell, JD; Ross, CE. (1996). Mortality among maintenance employees potentially exposed to asbestos in a refinery and petrochemical plant. *Am J Ind Med*. 29: 89-98. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199601\)29:1<89::AID-AJIM11>3.0.CO;2-W](http://dx.doi.org/10.1002/(SICI)1097-0274(199601)29:1<89::AID-AJIM11>3.0.CO;2-W).
- Tsai, SP; Waddell, LC; Ransdell, JC. (2001). RE: Mesothelioma and lung tumors attributable to asbestos among petroleum workers. *Am. J. Ind. Med*. 2000. 37:275-282 [Letter]. *Am J Ind Med*. 39: 515-521; author reply 517-521.
- Tse. (2010). Are Current or Future Mesothelioma Epidemics in Hong Kong the Tragic Legacy of Uncontrolled Use of Asbestos in the Past? (vol 118, pg 382, 2010). *Environ Health Perspect*. 118: A240-A240.
- Tse, LA; Chen, MH; Au, RKF; Wang, F; Wang, XR; Yu, ITS. (2012). Pulmonary tuberculosis and lung cancer mortality in a historical cohort of workers with asbestosis. *Public Health*. 126: 1013-1016. <http://dx.doi.org/10.1016/j.puhe.2012.09.012>.
- Tse, LA; Yu, IT; Goggins, W; Clements, M; Wang, XR; Au, JS; Yu, KS. (2010). Are current or future mesothelioma epidemics in Hong Kong the tragic legacy of uncontrolled use of asbestos in the past? *Environ Health Perspect*. 118: 382-386. <http://dx.doi.org/10.1289/ehp.0900868>.
- Tsikos, H; Moore, JM. (1997). Petrography and geochemistry of the Paleoproterozoic Hotazel iron-formation, Kalahari manganese field, South Africa: Implications for Precambrian manganese metallogenesis. *Econ Geol*. 92: 87-97.
- Tsirambides, A; Michailidis, K. (1999). An X-ray, EPMA, and oxygen isotope study of vermiculitized micas in the ultramafic rocks at Askos, Macedonia, Greece. *Appl Clay Sci*. 14: 121-140.
- Tsuchiya, J, un. (2013). A first-principles calculation of the elastic and vibrational anomalies of lizardite under pressure. *Am Mineral*. 98: 2046-2052. <http://dx.doi.org/10.2138/am.2013.4369>.
- Tsuda, T; Morimoto, Y; Yamato, H; Nakamura, H; Hori, H; Nagata, N; Kido, M; Higashi, T; Tanaka, I. (1997). Effects of mineral fibers on the expression of genes whose product may play a role in fiber pathogenesis. *Environ Health Perspect*. 105: 1173-1178.
- Tsujimori, T; Liou, JG. (2004). Coexisting chromian omphacite and diopside in tremolite schist from the Chugoku Mountains, SW Japan: The effect of Cr on the omphacite-diopside immiscibility gap. *Am Mineral*. 89: 7-14.
- Tsujimori, T; Liou, JG. (2005). Low-pressure and low-temperature K-bearing kosmochloric diopside from the Osayama serpentinite melange, SW Japan. *Am Mineral*. 90: 1629-1635. <http://dx.doi.org/10.2138/am.2005.1749>.
- Tuch, H; Tulchinsky, TH; Casper, M; Knaane, H. (1986). Medical screening of former asbestos cement workers in Israel: a pilot program. *Am J Ind Med*. 10: 471-478.
- Tulachka, GJ; Brantley, WA; MCGivney, GP; Ziebert, GJ. (1987). An investigation of the potential biohazards associated with asbestos-substitute casting ring liners. *J Prosthet Dent*. 57: 108-112.
- Tulchinsky, TH; Ginsberg, GM; Iscovich, J; Shihab, S; Fischbein, A; Richter, ED. (1999). Cancer in ex-asbestos cement workers in Israel, 1953-1992. *Am J Ind Med*. 35: 1-8.
- Tulinska, J; Dusinska, M; Jahnova, E; Liskova, A; Kuricova, MF; Ilavska, S; Horvathova, M; Wsolova, L; Kyrtopoulos, S. (2003). Immunomodulatory effects of glass fibres in occupationally exposed workers-comparison with asbestos. *Epidemiology*. 14: S98-S99.
- Tumidajski, PJ; Flengas, SN. (1991). POTENTIAL MEASUREMENTS OF REACTIVE METAL CHLORIDES IN ALKALI-HALIDE SOLUTIONS .2. CHROMIUM. *J Electrochem Soc*. 138: 1659-1665.
- Tunesi, S; Ferrante, D; Mirabelli, D; Gregori, D; Magnani, C. (2010). CUMULATIVE MORTALITY AFTER ASBESTOS EXPOSURE: AN ANALYSIS OF ETERNIT ASBESTOS CEMENT WORKERS COHORT. *Epidemiol Prev*. 34: 161-161.

Fate Literature Search Results

Off Topic

- Tuomi, T. (1992). Fibrous minerals in the lungs of mesothelioma patients: comparison between data on SEM, TEM, and personal interview information. *Am J Ind Med.* 21: 155-162.
- Tuomi, T; Huuskonen, MS; Tammilehto, L; Vanhala, E; Virtamo, M. (1991). Occupational exposure to asbestos as evaluated from work histories and analysis of lung tissues from patients with mesothelioma. *Br J Ind Med.* 48: 48-52.
- Tuomi, T; Huuskonen, MS; Virtamo, M; Tossavainen, A; Tammilehto, L; Mattson, K; Lahdensuo, A; Mattila, J; Karhunen, P; Liippo, K. (1991). Relative risk of mesothelioma associated with different levels of exposure to asbestos. *Scand J Work Environ Health.* 17: 404-408.
- Tuomi, T; Oksa, P; Anttila, S; Taikina-Aho, O; Taskinen, E; Karjalainen, A; Tukiainen, P. (1992). Fibres and asbestos bodies in bronchoalveolar lavage fluids of asbestos sprayers. *Br J Ind Med.* 49: 480-485.
- Tuomisto, JT; Pekkanen, J; Alm, S; Kurttio, P; Venalainen, R; Juuti, S; Kettunen, A; Viluksela, M. (1999). Deliberation process by an explicit factor-effect-value network (Pyrkilo): Paakkila asbestos mine case, Finland. *Epidemiology.* 10: S114-S114.
- Turci, F; Tomatis, M; Compagnoni, R; Fubini, B. (2009). Role of associated mineral fibres in chrysotile asbestos health effects: the case of balangeroite. *Ann Occup Hyg.* 53: 491-497. <http://dx.doi.org/10.1093/annhyg/mep028>.
- Turci, F; Tomatis, M; Gazzano, E; Riganti, C; Martra, G; Bosia, A; Ghigo, D; Fubini, B. (2005). Potential toxicity of nonregulated asbestiform minerals: balangeroite from the western Alps. Part 2: Oxidant activity of the fibers. *J Toxicol Environ Health A.* 68: 21-39. <http://dx.doi.org/10.1080/15287390590523911>.
- Turci, F; Tomatis, M; Mantegna, S; Cravotto, G; Fubini, B. (2007). The combination of oxalic acid with power ultrasound fully degrades chrysotile asbestos fibres. *J Environ Monit.* 9: 1064-1066. <http://dx.doi.org/10.1039/b709571f>.
- Turi, E; Tidei, F; Paoletti, L. (1993). [Asbestos exposure on board ships: a study of the environmental situation on 2 classes of ferryboats]. *Med Lav.* 84: 201-210.
- Turim, J. (2008). Correction to R. Lemen's review article, 'Asbestos in Brakes: Exposure and Risk of Disease' [Letter]. *Am J Ind Med.* 51: 475; author reply 476. <http://dx.doi.org/10.1002/ajim.20575>.
- Turner, S; Binnie, PWH. (1990). An indoor air quality survey of twenty-six Swiss office buildings.
- Turnock, AC; Bryks, S; Bertalanffy, FD. (1971). The synthesis of tritium-labeled asbestos for use in biological research. *Environ Res.* 4: 86-94.
- Turpin-Legendre, E; Meyer, JP. (2003). Comparison of physiological and subjective strain in workers wearing two different protective coveralls for asbestos abatement tasks. *Appl Ergon.* 34: 551-556. [http://dx.doi.org/10.1016/S0003-6870\(03\)00081-4](http://dx.doi.org/10.1016/S0003-6870(03)00081-4).
- Tweeddale, G. (2000). Science or public relations? The inside story of the Asbestosis Research Council, 1957-1990. *Am J Ind Med.* 38: 723-734.
- Tweeddale, G. (2007). The Rochdale asbestos cancer studies and the politics of epidemiology: what you see depends on where you sit. *Int J Occup Environ Health.* 13: 70-79. <http://dx.doi.org/10.1179/107735207800245045>.
- Tylee, BE; Davies, LST; Addison, J. (1996). Asbestos reference standards - Made available for analysts. *Ann Occup Hyg.* 40: 711-714.
- U.S. EPA. (1990). Superfund Record of Decision (EPA Region 9): Coalinga Asbestos Mine, Fresno County, CA. (Second Remedial Action), September 1990. 66.
- U.S. EPA. (1993). Summary of Data Presented in the Background Document for Effluent Limitations Guidelines and Standards, Mineral Mining and Processing Point Source Category. 78.
- Uba, BN; Aghogho, O. (2000). Rainwater quality from different roof catchments in the Port Harcourt district, Rivers State, Nigeria. *Journal of Water Supply: Research and Technology-AQUA.* 49: 281-288.
- Uddin, S; Rao, SR, SR; Mirnezami, M; Finch, JA. (2012). Processing an ultramafic ore using fiber disintegration by acid attack. *Int J Miner Process.* 102: 38-44. <http://dx.doi.org/10.1016/j.minpro.2011.09.015>.
- Ueki, A. (2001). Biological effects of asbestos fibers on human cells in vitro--especially on lymphocytes and neutrophils [Review]. *Ind Health.* 39: 84-93.
- Ugolini, D; Bonassi, S; Cristaudo, A; Leoncini, G; Ratto, GB; Neri, M. (2015). Temporal trend, geographic distribution, and publication quality in asbestos research. *Environ Sci Pollut Res Int.* 22: 6957-6967. <http://dx.doi.org/10.1007/s11356-014-3925-1>.
- Ugolini, D; Donatella, U; Neri, M; Monica, N; Canessa, PA; Aldo, CP; Casilli, C; Cristina, C; Catrambone, G; Giuseppe, C; Ivaldi, GP; Paolo, IG; Lando, C; Cecilia, L; Marroni, P; Paola, M; Paganuzzi, M; Michela, P; Parodi, B; Barbara, P; Visconti, P; Paola, V; Puntoni, R; Riccardo, P; Bonassi, S; Stefano, B. (2008). The CREST biorepository: a tool for molecular epidemiology and translational studies on malignant mesothelioma, lung cancer, and other respiratory tract diseases. *Cancer Epidemiol Biomarkers Prev.* 17: 3013-3019. <http://dx.doi.org/10.1158/1055-9965.EPI-08-0524>.
- Uher, P; Kovacik, M; Kubis, M; Shtukenberg, A; Ozdin, D. (2008). Metamorphic vanadian-chromian silicate mineralization in carbon-rich amphibole schists from the Male Karpaty Mountains, Western Carpathians, Slovakia. *Am Mineral.* 93: 63-73. <http://dx.doi.org/10.2138/am.2008.2470>.
- Uibu, T; Vanhala, E; Sajantila, A; Lunetta, P; Mäkelä-Bengts, P; Goebeler, S; Jäntti, M; Tossavainen, A. (2009). Asbestos fibers in para-aortic and mesenteric lymph nodes. *Am J Ind Med.* 52: 464-470. <http://dx.doi.org/10.1002/ajim.20694>.
- Ukar, E. (2012). Tectonic significance of low-temperature blueschist blocks in the Franciscan melange at San Simeon, California. *Tectonophysics.* 568: 154-169. <http://dx.doi.org/10.1016/j.tecto.2011.12.039>.
- Ukar, E; Cloos, M. (2013). Actinolithic rinds on low-T mafic blueschist blocks in the Franciscan shale-matrix melange near San Simeon: Implications for metasomatism and tectonic history. *Earth Planet Sci Lett.* 377: 155-168. <http://dx.doi.org/10.1016/j.epsl.2013.06.038>.
- Ukhanov, AV; Ustinov, VI; Devirts, AL. (2002). Oxygen and hydrogen isotopic compositions of ultramafic rocks at the antigorite stage of serpentinization: A case of voikarite from the Polar Urals. *Geochem Int.* 40: 1179-1186.
- Ulvestad, B; Kjaerheim, K; Martinsen, JI; Damberg, G; Wannag, A; Mowe, G; Andersen, A. (2002). Cancer incidence among workers in the asbestos-cement producing industry in Norway. *Scand J Work Environ Health.* 28: 411-417.
- Ulvestad, B; Kjaerheim, K; Martinsen, JI; Mowe, G; Andersen, A. (2004). Cancer incidence among members of the Norwegian trade union of insulation workers. *J Occup Environ Med.* 46: 84-89. <http://dx.doi.org/10.1097/01.jom.0000105981.46987.42>.

Fate Literature Search Results

Off Topic

- Um, CH. (1971). Study of the secular trend in asbestos bodies in lungs in London 1936-66. *Br Med J.* 2: 248-251.
- Unalacak, M; Altin, R; Kart, L; Tor, M; Ornek, T; Altunel, H. (2004). Smoking prevalence, behaviour and nicotine addiction among coal workers in Zonguldak, Turkey. *J Occup Health.* 46: 289-295. <http://dx.doi.org/10.1539/joh.46.289>.
- Unfried, K; Roller, M; Pott, F; Friemann, J; Dehnen, W. (1997). Fiber-specific molecular features of tumors induced in rat peritoneum. *Environ Health Perspect.* 105: 1103-1108. <http://dx.doi.org/10.2307/3433516>.
- Uno, M; Iwamori, H; Toriumi, M. (2015). Transition from dehydration to hydration during exhumation of the Sanbagawa metamorphic belt, Japan, revealed by the continuous P-T path recorded in garnet and amphibole zoning. *Contributions to Mineralogy and Petrology.* 170. <http://dx.doi.org/10.1007/s00410-015-1185-9>.
- Uo, M; Akasaka, T; Watari, F; Sato, Y; Tohji, K. (2011). Toxicity evaluations of various carbon nanomaterials [Review]. *Dent Mater J.* 30: 245-263. <http://dx.doi.org/10.4012/dmj.2010-039>.
- Upreti, R; Dogra, RKS; Shanker, R; Murti, CRK; Dwivedi, KK; Rao, GN. (1984). Trace Elemental Analysis Of Asbestos With An X-Ray Fluorescence Technique. *Sci Total Environ.* 40: 259-267.
- Upton, AC; Shaikh, RA. (1995). Asbestos exposures in public and commercial buildings. *Am J Ind Med.* 27: 433-437; discussion 439-441.
- Urano, H; Gotoh, S; Shirahata, A; Higashi, K; Karasaki, Y. (1997). Increases of Thrombomodulin Activity and Antigen Level on Human Umbilical Vein Endothelial Cells Treated with Asbestos and Man-Made Mineral Fibers. *Ind Health.* 35: 359-366.
- Urano, N; Yano, E; Evans, PH. (1991). Reactive oxygen metabolites produced by the carcinogenic fibrous mineral erionite. *Environ Res.* 54: 74-81.
- Utell, MJ; Beckett, WS. (2006). Implications for occupational exposure to particulate matter [Review]. *Clin Occup Environ Med.* 5: 883-893. <http://dx.doi.org/10.1016/j.coem.2006.07.001>.
- Vacek, PM. (1997). Assessing the effect of intensity when exposure varies over time. *Stat Med.* 16: 505-513.
- Vacek, PM. (1998). Effects of the intensity and timing of asbestos exposure on lung cancer risk at two mining areas in Quebec. *J Occup Environ Med.* 40: 821-828.
- Vacek, PM; McDonald, JC. (1991). Risk assessment using exposure intensity: an application to vermiculite mining. *Br J Ind Med.* 48: 543-547.
- Vacha, R; Podlesakova, E; Nemecek, J. (1995). THE USE OF CRUSHED SERPENTINE ALTERNATIVE FERTILIZER. *Rostl Vyroba.* 41: 459-462.
- Vagt, GO; Boucher, MA; Prudhomme, M; Barry, GS; Stonehouse, D. (1986). INDUSTRIAL MINERALS - ASBESTOS, SULFUR, POTASH, CONSTRUCTION MATERIALS AND OTHERS. 107: 67-&.
- Vainio, H. (2015). Epidemics of asbestos-related diseases--something old, something new [Editorial]. *Scand J Work Environ Health.* 41: 1-4. <http://dx.doi.org/10.5271/sjweh.3471>.
- Vainio, H; Boffetta, P. (1994). Mechanisms of the combined effect of asbestos and smoking in the etiology of lung cancer [Review]. *Scand J Work Environ Health.* 20: 235-242.
- Vainio, H; Husgafvel-Pursiainen, K; Anttila, S; Karjalainen, A; Hackman, P; Partanen, T. (1993). Interaction between smoking and asbestos in human lung adenocarcinoma: role of K-ras mutations. *Environ Health Perspect.* 101 Suppl 3: 189-192.
- Valavanidis, A; Vlachogianni, T; Fiotakis, C. (2009). 8-hydroxy-2'-deoxyguanosine (8-OHdG): A Critical Biomarker of Oxidative Stress and Carcinogenesis [Review]. *J Environ Sci Health C Environ Carcinog Ecotoxicol Rev.* 27: 120-139. <http://dx.doi.org/10.1080/10590500902885684>.
- Valavanidis, A; Vlachogianni, T; Fiotakis, K. (2009). Tobacco smoke: involvement of reactive oxygen species and stable free radicals in mechanisms of oxidative damage, carcinogenesis and synergistic effects with other respirable particles. *Int J Environ Res Public Health.* 6: 445-462. <http://dx.doi.org/10.3390/ijerph6020445>.
- Valavanidis, A; Vlachogianni, T; Fiotakis, K; Loidas, S. (2013). Pulmonary Oxidative Stress, Inflammation and Cancer: Respirable Particulate Matter, Fibrous Dusts and Ozone as Major Causes of Lung Carcinogenesis through Reactive Oxygen Species Mechanisms [Review]. *Int J Environ Res Public Health.* 10: 3886-3907. <http://dx.doi.org/10.3390/ijerph10093886>.
- Valcin, M; Henneberger, PK; Kullman, GJ; Umbach, DM; London, SJ; Alavanja, MCR; Sandler, DP; Hoppin, JA. (2007). Chronic bronchitis among nonsmoking farm women in the agricultural health study. *J Occup Environ Med.* 49: 574-583. <http://dx.doi.org/10.1097/JOM.0b013e3180577768>.
- Valentim, IB; Martins, MH; Joekes, I. (2008). Influence of dipalmitoylphosphatidylcholine on the dissolution of Brazilian chrysotile. *Colloids Surf B Biointerfaces.* 66: 96-102. <http://dx.doi.org/10.1016/j.colsurfb.2008.05.014>.
- Valerio, F; Balducci, D. (1989). Qualitative and Quantitative Evaluation of Chrysotile and Crocidolite Fibres with Infrared Spectrophotometry: Application to Asbestos-Cement Products (pp. 197-204). (NIOSH/00191527). Valerio, F; Balducci, D.
- Valerio, F; Balducci, D; Lazzarotto, A. (1987). ADSORPTION OF PROTEINS BY CHRYSOTILE AND CROCIDOLITE - ROLE OF MOLECULAR-WEIGHT AND CHARGE-DENSITY. *Environ Res.* 44: 312-320.
- Valerio, F; Balducci, D; Scarabelli, L. (1986). SELECTIVE ADSORPTION OF SERUM PROTEINS BY CHRYSOTILE AND CROCIDOLITE. *Environ Res.* 41: 432-439.
- Valerio, F; Puntoni, R; Santi, L. (1979). Adsorption Properties of U.I.C.C. Rhodesian Chrysotile and Crocidolite in Aqueous Solution Effects of Cation Depletion. *Am Ind Hyg Assoc J.* 40: 781-788. <http://dx.doi.org/10.1080/15298667991430299>.
- Valerio, F; Veggi, M; Santi, L. (1980). ADSORPTION-ISOTHERMS OF ALBUMIN AND FERRITIN ON RHODESIAN CHRYSOTILE - EFFECTS OF MAGNESIUM DEPLETION. *Environ Res.* 21: 186-189.
- Valkila, EH; Nieminen, MM; Moilanen, AK; Kuusisto, PA; Lahdensuo, AH; Karvonen, JI. (1995). Asbestos-induced visceral pleural fibrosis reduces pulmonary compliance. *Am J Ind Med.* 28: 363-372. <http://dx.doi.org/10.1002/ajim.4700280306>.
- Vallance, DA. (2004). The phase-out of asbestos in the Australian manufacturing environment [Review]. *Int J Occup Environ Health.* 10: 209-211. <http://dx.doi.org/10.1179/oeh.2004.10.2.209>.
- Vallero, DA; Kominsky, JR; Beard, ME; Crankshaw, OS. (2009). Efficiency of Sampling and Analysis of Asbestos Fibers on Filter Media: Implications for Exposure Assessment. *J Occup Environ Hyg.* 6: 62-72. <http://dx.doi.org/10.1080/15459620802577485>.

Fate Literature Search Results

Off Topic

- Valleron, AJ; Bignon, J; Hughes, JM; Hesterberg, TW; Schneider, T; Burdett, GJ; Brochard, P; Hemon, D. (1992). LOW-DOSE EXPOSURE TO NATURAL AND MAN-MADE FIBERS AND THE RISK OF CANCER - TOWARDS A COLLABORATIVE EUROPEAN EPIDEMIOLOGY - REPORT OF A WORKSHOP HELD IN PARIS, 10-12 JUNE, 1991. *Br J Ind Med.* 49: 606-614.
- Vallyathan, V; Green, F; Ducatman, B; Schulte, P. (1998). Roles of epidemiology, pathology, molecular biology, and biomarkers in the investigation of occupational lung cancer. *J Toxicol Environ Health B Crit Rev.* 1: 91-116.
- Vallyathan, V; Shi, X; Castranova, V. (1998). Reactive oxygen species: their relation to pneumoconiosis and carcinogenesis [Review]. *Environ Health Perspect.* 106: 1151-1155.
- Valouma, A; Verganelaki, A; Maravelaki-Kalaitzaki, P; Gidarakos, E. (2016). Chrysotile asbestos detoxification with a combined treatment of oxalic acid and silicates producing amorphous silica and biomaterial. *J Hazard Mater.* 305: 164-170. <http://dx.doi.org/10.1016/j.jhazmat.2015.11.036>.
- van Balen, E; Font, R; Cavallé, N; Font, L; Garcia-Villanueva, M; Benavente, Y; Brennan, P; de Sanjose, S. (2006). Exposure to non-arsenic pesticides is associated with lymphoma among farmers in Spain. *Occup Environ Med.* 63: 663-668. <http://dx.doi.org/10.1136/oem.2005.024026>.
- Van den Borre, L; Deboosere, P. (2014). Asbestos in Belgium: an underestimated health risk. The evolution of mesothelioma mortality rates (1969-2009). *Int J Occup Environ Health.* 20: 134-140. <http://dx.doi.org/10.1179/2049396714Y.0000000058>.
- van Der Bij, S; Koffijberg, H; Lenters, V; Portengen, L; Moons, KGM; Heederik, D; Vermeulen, RCH. (2013). Lung cancer risk at low cumulative asbestos exposure: meta-regression of the exposure-response relationship [Review]. *Cancer Causes Control.* 24: 1-12. <http://dx.doi.org/10.1007/s10552-012-0107-7>.
- Van der Bij, S; Vermeulen, RC; Portengen, L; Moons, KG; Koffijberg, H. (2016). Expected number of asbestos-related lung cancers in the Netherlands in the next two decades: a comparison of methods. *Occup Environ Med.* 73: 342-349. <http://dx.doi.org/10.1136/oemed-2014-102614>.
- van Der Gon, HAC, D; Hulskotte, JHJ; Visschedijk, AJH; Schaap, M. (2007). A revised estimate of copper emissions from road transport in UNECE-Europe and its impact on predicted copper concentrations. *Atmos Environ.* 41: 8697-8710. <http://dx.doi.org/10.1016/j.atmosenv.2007.07.033>.
- Van Der walt, IJ. (2009). A model to determine nonoccupational human exposure to crocidolite asbestos fibers in the Northern Cape, South Africa. *Physical Geography.* 30: 79-87. <http://dx.doi.org/10.2747/0272-3646.30.1.79>.
- Van Gosen, BS. (2007). The geology of asbestos in the United States and its practical applications. *Environmental and Engineering Geoscience.* 13: 55-68. <http://dx.doi.org/10.2113/gseegeosci.13.1.55>.
- Van Gosen, BS; Lowers, HA; Sutley, SJ; Gent, CA. (2004). Using the geologic setting of talc deposits as an indicator of amphibole asbestos content. *Environ Geol.* 45: 920-939. <http://dx.doi.org/10.1007/s00254-003-0955-2>.
- van Kampen, V; Merget, R; Butz, M; Taeger, D; Brüning, T. (2008). Trends in suspected and recognized occupational respiratory diseases in Germany between 1970 and 2005. *Am J Ind Med.* 51: 492-502. <http://dx.doi.org/10.1002/ajim.20593>.
- van Loon, AJ; Goldbohm, RA; Kant, IJ; Swaen, GM; Kremer, AM; van den Brandt, PA. (1997). Socioeconomic status and lung cancer incidence in men in The Netherlands: is there a role for occupational exposure? *J Epidemiol Community Health.* 51: 24-29.
- van Loon, AJ; Kant, IJ; Swaen, GM; Goldbohm, RA; Kremer, AM; van den Brandt, PA. (1997). Occupational exposure to carcinogens and risk of lung cancer: results from The Netherlands cohort study. *Occup Environ Med.* 54: 817-824.
- Van Netten, C; Brands, R; Teschke, KE; Ashwood-Smith, MJ; Morley, DR; Ross, RN. (1995). Environmental Survey of RCMP Detachment Building in Powell River, B. C., Implicated in a Cancer Cluster. *Can J Public Health.* 86: 51-56.
- Van Orden, DR. (1993). Comment on "Exposure to airborne asbestos in buildings" [Letter]. *Regul Toxicol Pharmacol.* 18: 481.
- Van Orden, DR; Allison, KA; Lee, RJ. (2008). Differentiating amphibole asbestos from non-asbestos in a complex mineral environment. *Indoor Built Environ.* 17: 58-68. <http://dx.doi.org/10.1177/1420326X07087006>.
- Van Orden, DR; Lee, RJ; Allison, KA; Addison, J. (2009). Width Distributions of Asbestos and Non-Asbestos Amphibole Minerals. *Indoor Built Environ.* 18: 531-540. <http://dx.doi.org/10.1177/1420326X09341503>.
- Van Orden, DR; Lee, RJ; Badger, S. (2006). Characterizing asbestos fiber comminution resulting from preparation of environmental samples. *Powder Technology.* 162: 183-189. <http://dx.doi.org/10.1016/j.powtec.2005.12.015>.
- van Orden, DR; Lee, RJ; Bishop, KM; Kahane, D; Morse, R. (1995). Evaluation of ambient asbestos concentrations in buildings following the Loma Prieta earthquake. *Regul Toxicol Pharmacol.* 21: 117-122.
- Van Oss, CJ; Naim, JO; Costanzo, PM; Giese, RF; Wu, W; Sorling, AF. (1999). Impact of different asbestos species and other mineral particles on pulmonary pathogenesis. *Clays and Clay Minerals.* 47: 697-707.
- van Oyen, SC; Peters, S; Alfonso, H; Fritschi, L; de Klerk, NH; Reid, A; Franklin, P; Gordon, L; Benke, G; Musk, AW. (2015). Development of a Job-Exposure Matrix (AsbJEM) to Estimate Occupational Exposure to Asbestos in Australia. *Ann Occup Hyg.* 59: 737-748. <http://dx.doi.org/10.1093/annhyg/mev017>.
- van Rensburg, L; Claassens, S; Bezuidenhout, JJ; van Rensburg, PJJ. (2009). Rehabilitation of asbestos mining waste: a Rehabilitation Prioritisation Index (RPI) for South Africa. *Environ Geol.* 57: 267-273. <http://dx.doi.org/10.1007/s00254-008-1250-z>.
- Van Wagenen, HD. (1987). Preliminary Survey Report: Evaluation of Brake Drum Service Controls at Pennsylvania Bureau of Vehicle Management, Vehicle Maintenance Division, Harrisburg, Pennsylvania, Report No. CT-152-19a (pp. 152-119). (NIOSH/00169479). Van Wagenen, HD.
- van Wijngaarden, E; Savitz, DA; Kleckner, RC; Kavet, R; Loomis, D. (2001). Mortality patterns by occupation in a cohort of electric utility workers. *Am J Ind Med.* 40: 667-673. <http://dx.doi.org/10.1002/ajim.10015>.
- Vanalboom, A; Degraeve, E. (1996). Temperature dependence of the Fe-57 Mossbauer parameters in riebeckite. *Physics and Chemistry of Minerals.* 23: 377-386.

Fate Literature Search Results

Off Topic

- Vandenbergh, C; Frelechoux, F; Moravie, MA; Gadallah, F; Buttler, A. (2007). Short-term effects of cattle browsing on tree sapling growth in mountain wooded pastures. *Plant Ecol.* 188: 253-264. <http://dx.doi.org/10.1007/s11258-006-9160-1>.
- Vandentorren, S; Gorla, S; Lauzeille, D; Leng, S; Chanel, PD, eC; Ducamp, S; Gilg, A; Rolland, P; Brochard, P; Goldberg, M; Ledrans, M. (2006). Risk for mesothelioma among people living near asbestos-related factories: a France based case control study. *Epidemiology.* 17: S319-S319.
- Vandentorren, S; Salmi, LR; Mathoulin-Pélissier, S; Baldi, I; Brochard, P; Group, BI. (2006). Imputation of individual cancer cases to occupational causes. *Scand J Work Environ Health.* 32: 32-40.
- Vandergulden, JWJ; Jansen, IW; Verbeek, ALM; Kolk, JJ. (1993). REPEATABILITY OF SELF-REPORTED DATA ON OCCUPATIONAL EXPOSURE TO PARTICULAR COMPOUNDS. *Int J Epidemiol.* 22: 284-287.
- Vanmaaren, PW. (1984). QUANTITATIVE POLARIZATION-INTERFERENCE MICROSCOPIC CHARACTERIZATION OF ASBESTOS IN TECHNICAL DUST MIXTURES. *Staub, Reinhaltung der Luft.* 44: 433-440.
- Vanreenen, DD; Pretorius, AI; Roering, C. (1994). CHARACTERIZATION OF FLUIDS ASSOCIATED WITH GOLD MINERALIZATION AND WITH REGIONAL HIGH-TEMPERATURE RETROGRESSION OF GRANULITES IN THE LIMPOPO BELT, SOUTH-AFRICA. *Geochim Cosmo Acta.* 58: 1147-1159.
- Vansliedregt, A; Knook, M; Hesselings, SC; Koerten, HK; Degroot, K; Vanblitterswijk, CA. (1992). CELLULAR REACTION ON THE INTRAPERITONEAL INJECTION OF 4 TYPES OF POLYLACTIDE PARTICULATES. *Biomaterials.* 13: 819-824.
- Varga, C. (2000). Asbestos fibres in drinking water: are they carcinogenic or not? *Med Hypotheses.* 55: 225-226. <http://dx.doi.org/10.1054/mehy.2000.1049>.
- Varouchakis, G; Velonakis, EG; Amfilochiou, S; Trichopoulos, D. (1991). ASBESTOS IN STRANGE PLACES TWO CASE REPORTS OF MESOTHELIOMA AMONG MERCHANT SEAMEN. *Am J Ind Med.* 19: 673-676.
- Vasama-Neuvonen, K; Pukkala, E; Paakkulainen, H; Mutanen, P; Weiderpass, E; Boffetta, P; Shen, N; Kauppinen, T; Vainio, H; Partanen, T. (1999). Ovarian cancer and occupational exposures in Finland. *Am J Ind Med.* 36: 83-89.
- Vathesatogkit, P; Harkin, TJ; Addrizzo-Harris, DJ; Bodkin, M; Crane, M; Rom, WN. (2004). Clinical correlation of asbestos bodies in BAL fluid. *Chest.* 126: 966-971. <http://dx.doi.org/10.1378/chest.126.3.966>.
- Vaughan, GL; Kennedy, JR; Trently, SA. (1991). The immediate effects of silicon carbide whiskers upon ciliated tracheal epithelium. *Environ Res.* 56: 178-185.
- Vaughan, GL; Trently, SA. (1996). The toxicity of silicon carbide whiskers, a review. *Journal of Environmental Science and Health, Part A: Environmental Science and Engineering and Toxi.* 31: 2033-2054.
- Vaughan, GL; Trently, SA; Wilson, RB. (1993). Pulmonary response, in vivo, to silicon carbide whiskers. *Environ Res.* 63: 191-201. <http://dx.doi.org/10.1006/enrs.1993.1140>.
- Vaughan, NP; Brown, RC; Evans, PG. (1996). The Effects of Asbestos Wet-Stripping Agents on Filters Used in Powered Respirators. *Ann Occup Hyg.* 40: 539-553.
- Vaughan, NP; Rooker, SJ; Leguen, JMM. (1981). INSITU IDENTIFICATION OF ASBESTOS FIBERS COLLECTED ON MEMBRANE FILTERS FOR COUNTING. *Ann Occup Hyg.* 24: 281-290.
- Vautiergiongo, C; Joekes, I. (1997). Deposition of titanium dioxide on Brazilian chrysotile fibres. *Powder Technology.* 94: 73-78.
- Vavro, M; Gajda, J; Prikryl, R; Siegl, P. (2015). Soapstone as a locally used and limited sculptural material in remote area of Northern Moravia (Czech Republic). *Environ Earth Sci.* 73: 4557-4571. <http://dx.doi.org/10.1007/s12665-014-3742-3>.
- Veblen, DR. (1980). ANTHOPHYLLITE ASBESTOS - MICROSTRUCTURES, INTERGROWN SHEET SILICATES, AND MECHANISMS OF FIBER FORMATION. *Am Mineral.* 65: 1075-1086.
- Veblen, DR. (1991). POLYSOMATISM AND POLYSOMATIC SERIES - A REVIEW AND APPLICATIONS. *Am Mineral.* 76: 801-826.
- Veblen, DR; Burnham, CW. (1975). TRIPLE-CHAIN BIOPYRIBOLES - NEWLY DISCOVERED INTERMEDIATE PRODUCTS OF RETROGRADE ANTHOPHYLLITE-TALC TRANSFORMATION, CHESTER, VT. *Trans Am Geophys Union.* 56: 1076-1076.
- Veetil, SP; Mercier, G, uy; Blais, JF; Cecchi, E; Kentish, S. (2015). Magnetic separation of serpentinite mining residue as a precursor to mineral carbonation. *Int J Miner Process.* 140: 19-25. <http://dx.doi.org/10.1016/j.minpro.2015.04.024>.
- Veetil, SP; Pasquier, LC; Blais, JF; Cecchi, E; Kentish, S; Mercier, G. (2015). Direct gas-solid carbonation of serpentinite residues in the absence and presence of water vapor: a feasibility study for carbon dioxide sequestration. *Environ Sci Pollut Res Int.* 22: 13486-13495. <http://dx.doi.org/10.1007/s11356-015-4580-x>.
- Veglia, F; Vineis, P; Overvad, K; Boeing, H; Bergmann, M; Trichopoulou, A; Trichopoulos, D; Palli, D; Krogh, V; Tumino, R; Linseisen, J; Steindorf, K; Raaschou-Nielsen, O; Tjonneland, A; Gonzalez, CA; Martinez, C; Dorransoro, M; Barricarte, A; Cirera, L; Quiros, JR; Day, NE; Saracci, R; Riboli, E. (2007). Occupational exposures, environmental tobacco smoke, and lung cancer. *Epidemiology.* 18: 769-775. <http://dx.doi.org/10.1097/EDE.0b013e318142c8a1>.
- Vehmas, T; Oksa, P; Kivisaari, L. (2012). Lung and pleural CT signs predict deaths: 10-year follow-up after lung cancer screening of asbestos-exposed workers. *Int Arch Occup Environ Health.* 85: 207-213. <http://dx.doi.org/10.1007/s00420-011-0654-3>.
- Vehmas, T; Pallasaho, P; Oksa, P. (2012). Lung and pleural fibrosis in asbestos-exposed workers: a risk factor for pneumonia mortality. *Epidemiol Infect.* 140: 1987-1992. <http://dx.doi.org/10.1017/S0950268811002810>.
- Vehmas, T; Pallasaho, P; Piirilä, P. (2013). Lung function predicts mortality: 10-year follow-up after lung cancer screening among asbestos-exposed workers. *Int Arch Occup Environ Health.* 86: 667-672. <http://dx.doi.org/10.1007/s00420-012-0803-3>.
- Velasco-García, MI; Cruz, MJ; Ruano, L; Montero, MA; Freixa, A; Ferrer, J. (2011). Reproducibility of asbestos body counts in digestions of autopsy and surgical lung tissue. *Am J Ind Med.* 54: 597-602. <http://dx.doi.org/10.1002/ajim.20966>.
- Velinskii, VV; Gusev, GM. (2002). Production of extra pure silica from serpentinites. *Journal of Mining Science.* 38: 402-404.

Fate Literature Search Results

Off Topic

- Velinskii, VV; Pavlov, AL; Bishaeva, LG. (2002). Contact effect of granitoids on serpentinites in ophiolitic complexes: Physicochemical models. *Geochem Int.* 40: 105-114.
- Venter, E; Nyantumbu, B; Solomon, A; Rees, D. (2004). Radiologic abnormalities in South African mica millers: a survey of a mica milling plant in the Limpopo Province. *Int J Occup Environ Health.* 10: 278-283. <http://dx.doi.org/10.1179/oeh.2004.10.3.278>.
- Veraldi, A; Seniori, CA; Bolejack, V; Miligi, L; Vineis, P; van Loveren, H. (2006). Immunotoxic effects of chemicals: A matrix for occupational and environmental epidemiological studies. *Am J Ind Med.* 49: 1046-1055. <http://dx.doi.org/10.1002/ajim.20364>.
- Vereshchagin, VI; Borilo, LP; Kozik, AV. (2002). Porous composite materials based on liquid glass and natural silicates. *Glass Ceram.* 59: 319-321.
- Vereshchagin, VI; Smirenskaya, VN; Antipina, SA; Kostyrev, YP; Kalugin, VG. (2005). Thermosilicate materials based on lime-silica binder and native wollastonite. *Refractories and Industrial Ceramics.* 46: 58-62.
- Verger, P; Arnaud, S; Ferrer, S; Iarmarcovai, G; Saliba, ML; Viau, A; Souville, M. (2008). Inequities in reporting asbestos-related lung cancer: influence of smoking stigma and physician's specialty, workload and role perception. *Occup Environ Med.* 65: 392-397. <http://dx.doi.org/10.1136/oem.2007.035808>.
- Verkouteren, JR; Windsor, ES; Conny, JM; Perkins, RL; Ennis, JT. (2002). Analysis of kaolinite/chrysotile mixtures by ashing and X-ray diffraction. *Powder Diffraction.* 17: 196-201. <http://dx.doi.org/10.1154/1.1481038>.
- Verkouteren, JR; Wylie, AG. (2000). The tremolite-actinolite-ferro-actinolite series: Systematic relationships among cell parameters, composition, optical properties, and habit, and evidence of discontinuities. *Am Mineral.* 85: 1239-1254.
- Verkouteren, JR; Wylie, AG. (2002). Anomalous optical properties of fibrous tremolite, actinolite, and ferro-actinolite. *Am Mineral.* 87: 1090-1095.
- Verma, DK; Clark, NE. (1995). Relationships between phase contrast microscopy and transmission electron microscopy results of samples from occupational exposure to airborne chrysotile asbestos. *Am Ind Hyg Assoc J.* 56: 866-873. <http://dx.doi.org/10.1080/15428119591016494>.
- Verma, DK; Clark, NE. (2012). Asbestos fiber burden in lung tissues of occupationally exposed workers. *J Occup Environ Hyg.* 9: D177-D182. <http://dx.doi.org/10.1080/15459624.2012.711606>.
- Verma, DK; Clark, NE; Julian, JA. (1991). ASBESTOS FIBER CHARACTERIZATION USING AN ANALYTICAL TRANSMISSION ELECTRON-MICROSCOPE AND A MICROFILM READER. *Am Ind Hyg Assoc J.* 52: 113-119.
- Verma, DK; Middleton, CG. (1980). Occupational exposure to asbestos in the drywall taping process. *Am Ind Hyg Assoc J.* 41: 264-269. <http://dx.doi.org/10.1080/15298668091424726>.
- Verma, DK; Sahai, D; Kurtz, LA; Finkelstein, MM. (2004). Current man-made mineral fibers (MMMMF) exposures among Ontario construction workers. *J Occup Environ Hyg.* 1: 306-318. <http://dx.doi.org/10.1080/15459620490445462>.
- Vermeiren, PH; Leysen, R; Beckers, H; Moreels, JP; Claes, A. (2008). The influence of manufacturing parameters on the properties of macroporous Zirfon (R) separators. *Journal of Porous Materials.* 15: 259-264. <http://dx.doi.org/10.1007/s10934-006-9084-0>.
- Veronesi, P; Leonelli, C; Rivasi, MR; Pellacani, GC. (2004). The Electromagnetic Field Modeling As A Tool In The Microwave Heating Feasibility Studies. *Mater Res Innovat.* 8: 9-12.
- Verrill, KJ. (1983). VICKERS INSTRUMENTS-M88 RAPID ASBESTOS FIBER MONITOR. *Ann Occup Hyg.* 27: 111-111.
- Versen, P. (1980). OCCUPATIONAL-DISEASES DUE TO ASBESTOS EXPOSURE COVERED BY THE INDUSTRIAL INJURIES INSURANCE INSTITUTES. *Staub, Reinhaltung der Luft.* 40: 181-187.
- Vestbo, J; Knudsen, KM; Raffn, E; Korsgaard, B; Rasmussen, FV. (1991). Exposure to cement dust at a Portland cement factory and the risk of cancer. *Br J Ind Med.* 48: 803-807.
- Vezencev, AI; Nejman, SM; Naumova, LN. (1998). Chrysotile asbestos emission from asbestos cement. *Bezopasnost' Truda v Promyshlennosti. truda v promyshlennosti 1998:* 40-44.
- Viallat, JR; Raybuad, F; Passarel, M; Boutin, C. (1986). Pleural migration of chrysotile fibers after intratracheal injection in rats. *Arch Environ Health.* 41: 282-286. <http://dx.doi.org/10.1080/00039896.1986.9936697>.
- Viani, A; Gualtieri, AF. (2013). Recycling the product of thermal transformation of cement-asbestos for the preparation of calcium sulfoaluminate clinker. *J Hazard Mater.* 260: 813-818. <http://dx.doi.org/10.1016/j.jhazmat.2013.06.020>.
- Viani, A; Gualtieri, AF. (2014). Preparation of magnesium phosphate cement by recycling the product of thermal transformation of asbestos containing wastes. *Cement and Concrete Research.* 58: 56-66. <http://dx.doi.org/10.1016/j.cemconres.2013.11.016>.
- Viani, A; Gualtieri, AF; Pollastri, S; Rinaudo, C; Croce, A; Urso, G. (2013). Crystal chemistry of the high temperature product of transformation of cement-asbestos. *J Hazard Mater.* 248-249: 69-80. <http://dx.doi.org/10.1016/j.jhazmat.2012.12.030>.
- Viani, A; Gualtieri, AF; Secco, M; Peruzzo, L; Artioli, G; Cruciani, G. (2013). Crystal chemistry of cement-asbestos. *Am Mineral.* 98: 1095-1105. <http://dx.doi.org/10.2138/am.2013.4347>.
- Vida, S; Pintos, J; Parent, ME; Lavoué, J; Siemiatycki, J. (2010). Occupational exposure to silica and lung cancer: pooled analysis of two case-control studies in Montreal, Canada. *Cancer Epidemiol Biomarkers Prev.* 19: 1602-1611. <http://dx.doi.org/10.1158/1055-9965.EPI-10-0015>.
- Vidal, CE; Injoqueespinoza, J; Sidder, GB; Mukasa, SB. (1990). AMPHIBOLITIC CU-FE SKARN DEPOSITS IN THE CENTRAL COAST OF PERU. *Econ Geol.* 85: 1447-1461.
- Vidal-Torrado, P; Calvo, R; Macias, F; Carvalho, SG; Silva, AC. (2007). Geochemical and mineralogical evolution in alteration profiles on serpentized rocks in southwestern Minas Gerais, Brazil. *Revista Brasileira de Ciencia do Solo.* 31: 1069-1083.
- Vidal-Torrado, P; Macias, F; Calvo, R; Gomes de Carvalho, S; Silva, AC. (2006). Genesis of soils formed from ultramafic serpentized rocks in southwestern Minas Gerais (Brazil). *Revista Brasileira de Ciencia do Solo.* 30: 523-541.
- Vidovic, K; Lovrecek, B; Hraste, M. (1996). Influence of surface charge on sedimentation and filtration behaviour of fibrous material. *Chemical and Biochemical Engineering Quarterly.* 10: 33-38.

Fate Literature Search Results

Off Topic

- Vielzeuf, D; Clemens, JD. (1992). THE FLUID-ABSENT MELTING OF PHLOGOPITE PLUS QUARTZ - EXPERIMENTS AND MODELS. *Am Mineral.* 77: 1206-1222.
- Vierikko, T; Jarvenpaa, R; Toivio, P; Uitti, J; Oksa, P; Lindholm, T; Vehmas, T. (2010). Clinical and HRCT screening of heavily asbestos-exposed workers. *Int Arch Occup Environ Health.* 83: 47-54. <http://dx.doi.org/10.1007/s00420-009-0462-1>.
- Vigliani, EC. (1969). [Criteria for the determination of maximum tolerable concentration of silica and asbestos in the air]. *Med Lav.* 60: 85-89.
- Vigliani, EC; Rendal, RE; Patroni, M; Skikne, M; Occella, E; Ellis, P. (1976). Presence and identification of fibres in the atmosphere of Milan. *Med Lav.* 67: 551-567.
- Vignaroli, G; Ballirano, P; Belardi, G; Rossetti, F. (2014). Asbestos fibre identification vs. evaluation of asbestos hazard in ophiolitic rock melanges, a case study from the Ligurian Alps (Italy). *Environ Earth Sci.* 72: 3679-3698. <http://dx.doi.org/10.1007/s12665-014-3303-9>.
- Vignaroli, G; Belardi, G; Serracino, M. (2013). Multi-scale geological evaluation for quarrying activities in ophiolitic rocks: implications for asbestos-related legislation. *Bulletin of Engineering Geology and the Environment.* 72: 285-302. <http://dx.doi.org/10.1007/s10064-013-0475-6>.
- Vignaroli, G; Rossetti, F; Belardi, G; Billi, A. (2011). Linking rock fabric to fibrous mineralisation: a basic tool for the asbestos hazard. *Natural Hazards and Earth System Sciences.* 11: 1267-1280. <http://dx.doi.org/10.5194/nhess-11-1267-2011>.
- Vilalva, FCJ; Vlach, SRF; Simonetti, A. (2016). Chemical and O-isotope compositions of amphiboles and clinopyroxenes from A-type granites of the Papanduva Pluton, South Brazil: Insights into late- to post-magmatic evolution of peralkaline systems. *Chem Geol.* 420: 186-199. <http://dx.doi.org/10.1016/j.chemgeo.2015.11.019>.
- Vilkman, S; Lahdensuo, A; Mattila, J; Tossavainen, A; Tuomi, T. (1993). Asbestos exposure according to different exposure indices among Finnish lung cancer patients. *Int Arch Occup Environ Health.* 65: 269-274.
- Villanova-De-Benavent, C; Nieto, F; Viti, C; Proenza, JA; Gali, S; Roque-Rosell, J. (2016). Ni-phylosilicates (garnierites) from the Falcondo Ni-laterite deposit (Dominican Republic): Mineralogy, nanotextures, and formation mechanisms by HRTEM and AEM. *Am Mineral.* 101: 1460-1473. <http://dx.doi.org/10.2138/am-2016-5518>.
- Villaro, BA; Iburguchi, IG; Eguiluz, L. (1991). STRUCTURAL AND METAMORPHIC EVOLUTION OF THE ALMADEN-DE-LA-PLATA CORE (SEVILLE, SPAIN) IN RELATION TO SYN-METAMORPHIC SHEAR BETWEEN THE OSSA MORENA AND SOUTH PORTUGUESE ZONES OF THE IBERIAN VARISCAN FOLD BELT. *Tectonophysics.* 191: 365-387.
- Villeda-Cuevas, D; Quintero-Casas, D; Rivera-Rosales, RM; Eguía-Aguilar, P; Perezpeña-Diazconti, M; Arenas-Huertero, F. (2012). Elemental composition of ferruginous bodies and occupational categories: analyses and case studies in Mexico. *Inhal Toxicol.* 24: 201-212. <http://dx.doi.org/10.3109/08958378.2012.657307>.
- Villeneuve, PJ; Parent, MÉ; Sahni, V; Johnson, KC; Group, CCRER. (2011). Occupational exposure to diesel and gasoline emissions and lung cancer in Canadian men. *Environ Res.* 111: 727-735. <http://dx.doi.org/10.1016/j.envres.2011.04.003>.
- Vils, F; Muentener, O; Kalt, A; Ludwig, T. (2011). Implications of the serpentine phase transition on the behaviour of beryllium and lithium-boron of subducted ultramafic rocks. *Geochim Cosmo Acta.* 75: 1249-1271. <http://dx.doi.org/10.1016/j.gca.2010.12.007>.
- Vincent, R; Kauppinen, T; Toikkanen, J; Pedersen, D; Young, R; Kogevinas, M. (1999). CAREX: International information system on occupational exposure to carcinogenic agents in Europe - Occupational exposure to carcinogenic agents in France from 1990 to 1993. *Cahiers de notes documentaires. Hygi and egrave.* 49-58.
- Vineis, P; Simonato, L. (1991). Proportion of lung and bladder cancers in males resulting from occupation: A systematic approach [Review]. *Arch Environ Health.* 46: 6-15. <http://dx.doi.org/10.1080/00039896.1991.9937423>.
- Vinikoor, LC; Larson, TC; Bateson, TF; Birnbaum, L. (2010). Exposure to asbestos-containing vermiculite ore and respiratory symptoms among individuals who were children while the mine was active in Libby, Montana. *Environ Health Perspect.* 118: 1033-1038. <http://dx.doi.org/10.1289/ehp.0901680>.
- Virta, RL; Segreti, JM. (1987). A MODEL FOR PREDICTING CROCIDOLITE FIBER SIZE DISTRIBUTIONS. *Environ Res.* 44: 148-160.
- Vishnu, VS; Reddy, ML. (2011). Near-infrared reflecting inorganic pigments based on molybdenum and praseodymium doped yttrium cerate: Synthesis, characterization and optical properties. *Solar Energy Materials and Solar Cells.* 95: 2685-2692. <http://dx.doi.org/10.1016/j.solmat.2011.05.042>.
- Vishnyakov, LR; Chizhan'kov, EY; Moroz, VP; Yuga, AI; Kostenko, AD. (1997). Tribological properties of thermally expanded graphite reinforced with knitted metal nets. *Powder Metallurgy and Metal Ceramics.* 36: 381-384.
- Viti, C. (2010). Serpentine minerals discrimination by thermal analysis. *Am Mineral.* 95: 631-638. <http://dx.doi.org/10.2138/am.2010.3366>.
- Viti, C; Colletini, C. (2009). Growth and deformation mechanisms of talc along a natural fault: a micro/nanostructural investigation. *Contributions to Mineralogy and Petrology.* 158: 529-542. <http://dx.doi.org/10.1007/s00410-009-0395-4>.
- Viti, C; Giacobbe, C; Gualtieri, AF. (2011). Quantitative determination of chrysotile in massive serpentinites using DTA: Implications for asbestos determinations. *Am Mineral.* 96: 1003-1011. <http://dx.doi.org/10.2138/am.2011.3734>.
- Viti, C; Hirose, T. (2009). Dehydration reactions and micro/nanostructures in experimentally-deformed serpentinites. *Contributions to Mineralogy and Petrology.* 157: 327-338. <http://dx.doi.org/10.1007/s00410-008-0337-6>.
- Vlasova, NN; Gavrishova, TN; Bozhok, VP; Matkovskii, PY; Ennan, AA. (1994). FEATURES OF THE OXIDATIVE CONDENSATION OF METHANE TO ETHYLENE ON OXIDE CATALYSTS. *Petroleum Chemistry.* 34: 462-467.
- von Goerne, G; Franz, G. (2000). Synthesis of Ca-tourmaline in the system CaO-MgO-Al₂O₃-SiO₂-B₂O₃-H₂O-HCl. *Mineralogy and Petrology.* 69: 161-182.
- Vonczarnecki, J; Loipfuehrer, C; Renk, G. (1993). PATTERN-RECOGNITION TECHNIQUES APPLIED TO THE IDENTIFICATION OF AIRBORNE MAN-MADE MINERAL FIBERS. *Staub, Reinhaltung der Luft.* 53: 147-152.
- Vonengelhardt, W; Matthai, SK; Walzebeck, J. (1992). ARAGUAINHA IMPACT CRATER, BRAZIL .1. THE INTERIOR PART OF THE UPLIFT. 27: 442-457.

Fate Literature Search Results

Off Topic

- Voronov, IE; Gur'Ev, SA; Kogan, FM; Gurvich, VB. (1983). DETERMINATION OF CHRYSOLITE LEVELS IN THE DUST OF ASBESTOS PROCESSING ENTERPRISES AND ITS HYGIENIC SIGNIFICANCE. *Gig Sanit. 0*: 44-46.
- Voss, B; Kerenyi, T; Müller, KM; Wilhelm, M. (2000). Scanning electron microscopical investigations of broncho-alveolar casts after intratracheal asbestos fibre instillation. *Int J Hyg Environ Health. 203*: 127-134. [http://dx.doi.org/10.1078/S1438-4639\(04\)70017-6](http://dx.doi.org/10.1078/S1438-4639(04)70017-6).
- Votyakov, SL; Chashchukhin, IS; Galakhova, OL; Gulyaeva, TY. (2005). Crystal chemistry of lizardite as an indicator of early serpentinization in ultramafic rocks. I. Compositional and structural features of the mineral according to spectroscopic data. *Geochem Int. 43*: 862-880.
- Vry, VH; Wilkinson, JJ; Seguel, J; Millan, J. (2010). Multistage Intrusion, Brecciation, and Veining at El Teniente, Evolution of a Nested Porphyry System. *Econ Geol. 105*: 119-153.
- Vu, VT; Lai, DY. (1997). Approaches to characterizing human health risks of exposure to fibers [Review]. *Environ Health Perspect. 105 Suppl 5*: 1329-1336.
- Vudrag, M; Rihtar, TK; Vegnuti, M. (2010). Mesothelioma risk associated with asbestos production in Slovenia. *Arh Hig Rada Toksikol. 61*: 45-52. <http://dx.doi.org/10.2478/10004-1254-61-2010-1939>.
- Waage, HP; Vatten, LJ; Opedal, E; Hilt, B. (1996). Lung function and respiratory symptoms related to changes in smoking habits in asbestos-exposed subjects. *J Occup Environ Med. 38*: 178-183.
- Waage, HP; Vatten, LJ; Opedal, E; Hilt, B. (1997). Smoking intervention in subjects at risk of asbestos-related lung cancer. *Am J Ind Med. 31*: 705-712.
- Wachowski, L; Domka, L. (2000). Sources and effects of asbestos and other mineral fibres present in ambient air. *Pol J Environ Stud. 9*: 443-454.
- Wagman, J. (1979). PRESUMPTIVE IDENTIFICATION OF ASBESTOS IN URBAN AIR - DISCUSSION. *Sci Total Environ. 13*: 91-91.
- Wagner, J. (2015). Analysis of serpentine polymorphs in investigations of natural occurrences of asbestos. *Environ Sci Process Impacts. 17*: 985-996. <http://dx.doi.org/10.1039/c5em00089k>.
- Wagner, JC. (1989). Correlation between fiber content of lung and disease in east london asbestos factory-workers - reply. *Br J Ind Med. 46*: 305-308.
- Wagner, JC. (1991). The discovery of the association between blue asbestos and mesotheliomas and the aftermath. *Br J Ind Med. 48*: 399-403.
- Wagner, JC; Newhouse, ML; Corrin, B; Rossiter, CE; Griffiths, DM. (1988). Correlation between fibre content of the lung and disease in east London asbestos factory workers. *Br J Ind Med. 45*: 305-308.
- Wagoner, JK; Bayliss, DL; Ayer, HE; Johnson, WH. (1972). MORTALITY PATTERNS AMONG ASBESTOS TEXTILE WORKERS. *Am Ind Hyg Assoc J. 33*: 63-&.
- Wahlstrom, J; Olander, L; Olofsson, U, If. (2010). Size, Shape, and Elemental Composition of Airborne Wear Particles from Disc Brake Materials. *Tribology Letters. 38*: 15-24. <http://dx.doi.org/10.1007/s11249-009-9564-x>.
- Wahlstrom, J; Soderberg, A; Olander, L; Jansson, A; Olofsson, U, If. (2010). A pin-on-disc simulation of airborne wear particles from disc brakes. *Wear. 268*: 763-769. <http://dx.doi.org/10.1016/j.wear.2009.11.014>.
- Wakasa, K; Matsui, H; Yamaki, M. (1990). AN APPLICATION OF NONASBESTOS PAPERS TO THE DENTAL FIELD - MECHANICAL-PROPERTIES AND STRUCTURAL-CHANGE. *J Mater Sci Mater Med. 1*: 177-181.
- Wakasa, K; Matsui, H; Yamaki, M. (1990). A THERMOANALYTICAL STUDY ON NONASBESTOS RING-LINING MATERIALS FOR DENTAL APPLICATION. *J Mater Sci Mater Med. 1*: 207-210.
- Wakeham, SG; Davis, AC; Witt, RT; Tripp, BW; Frew, NM. (1980). Tetrachloroethylene contamination of drinking water by vinyl-coated asbestos-cement pipe. *Bull Environ Contam Toxicol. 25*: 639-645.
- Waldman, L; Williams, H. (2013). Calculations of risk: regulation and responsibility for asbestos in social housing. *Int J Occup Environ Health. 19*: 91-103. <http://dx.doi.org/10.1179/2049396713Y.0000000022>.
- Walker, AM. (1984). Declining relative risks for lung cancer after cessation of asbestos exposure. *J Occup Med. 26*: 422-426.
- Walker, AM; Loughlin, JE; Friedlander, ER; Rothman, KJ; Dreyer, NA. (1983). Projections of asbestos-related disease 1980-2009. *J Occup Med. 25*: 409-425.
- Walker, BL. (2015). Environments of Terror: 9/11, World Trade Center Dust, and the Global Nature of New York's Toxic Bodies. *Environmental History. 20*: 779-795.
- Walker, C; Everitt, J; Barrett, JC. (1992). Possible cellular and molecular mechanisms for asbestos carcinogenicity [Review]. *Am J Ind Med. 21*: 253-273. <http://dx.doi.org/10.1002/ajim.4700210214>.
- Walker, G; Ostendorp, G; Heinzow, B. (2012). Man-made vitreous fibres (MMVF) and fine dust in schools and kindergartens. *Gefahrst Reinhalt Luft. 72*: 89-93.
- Walker, T. (1985). EXPOSURE TO ASBESTOS. *Chem Eng News. 63*: 76-76.
- Wallace, LA. (1991). Comparison of risks from outdoor and indoor exposure to toxic chemicals. *Environ Health Perspect. 95*: 7-13.
- Wallingford, KM; Snyder, EM. (2001). Occupational exposures during the World Trade Center disaster response. *Toxicol Ind Health. 17*: 247-253. <http://dx.doi.org/10.1191/0748233701th112oa>.
- Walls, KL; Boulic, M; Boddy, JW. (2016). The Built Environment-A Missing "Cause of the Causes" of Non-Communicable Diseases. *Int J Environ Res Public Health. 13*. <http://dx.doi.org/10.3390/ijerph13100956>.
- Walter, GP. (1984). ASBESTOS IN DRINKING WATER. (EPIDEM/008535). Walter, GP.
- Walton, WH. (1982). The nature, hazards and assessment of occupational exposure to airborne asbestos dust: a review [Review]. *Ann Occup Hyg. 25*: 117-247.
- Wambach, PF. (2002). Variation in exposure levels for high hazard frequently monitored agents. *AIHA J. 63*: 424-429.
- Wan, KC; Street, NR. (1990). Criteria for Determining Work Related Heavy Asbestos Exposure. *J Occup Med. 32*: 1088-1090.

Fate Literature Search Results

Off Topic

- Wang, A, nM; Li, X, gen; Huang, Z, hiQ; Huang, XC; Wang, Z, fu; Wu, Q, i; Cui, J, li; Lu, XJ. (2015). Laboratory study on engineering geological characteristics and formation mechanism of altered rocks of Henan Tianchi pumped storage power station, China. *Environ Earth Sci.* 74: 5063-5075. <http://dx.doi.org/10.1007/s12665-015-4520-6>.
- Wang, CM; Zhang, L, i; Tang, H, aoShu; Chen, H, uaY; Li, X, iL; Zheng, Y, i; Li, DF; Fang, J; Dong, LH, ui; Qu, X, un. (2017). Genesis of the Kaladawan Fe-Mo ore field in Altyn, Xinjiang, China: Constraints from mineralogy and geochemistry. *Ore Geol Rev.* 81: 587-601. <http://dx.doi.org/10.1016/j.oregeorev.2016.09.001>.
- Wang, CY, an; Prichard, HM; Zhou, M, eiFu; Fisher, PC. (2008). Platinum-group minerals from the Jinbaoshan Pd-Pt deposit, SW China: evidence for magmatic origin and hydrothermal alteration. *Miner Depos.* 43: 791-803. <http://dx.doi.org/10.1007/s00126-008-0196-0>.
- Wang, D; Cullimore, D. (2010). Bacteriological challenges to asbestos cement water distribution pipelines. *J Environ Sci.* 22: 1203-1208. [http://dx.doi.org/10.1016/S1001-0742\(09\)60239-4](http://dx.doi.org/10.1016/S1001-0742(09)60239-4).
- Wang, D; Cullimore, R, oy; Hu, Y; Chowdhury, R. (2011). Biodeterioration of asbestos cement (AC) pipe in drinking water distribution systems. *Int Biodeterior Biodegradation.* 65: 810-817. <http://dx.doi.org/10.1016/j.ibiod.2011.05.004>.
- Wang, J. (2013). Effects of Particle Size and Morphology on Filtration of Airborne Nanoparticles. 256-266.
- Wang, J; Gerlach, JD; Savage, N; Cobb, GP. (2013). Necessity and approach to integrated nanomaterial legislation and governance. *Sci Total Environ.* 442: 56-62. <http://dx.doi.org/10.1016/j.scitotenv.2012.09.073>.
- Wang, J; Kim, SC; Pui, D. (2011). Carbon Nanotube Penetration through a Screen Filter: Numerical Modeling and Comparison with Experiments. *Aerosol Sci Technol.* 45: 443-452. <http://dx.doi.org/10.1080/02786826.2010.541531>.
- Wang, J; Kim, SC; Pui, DYH. (2011). Measurement of multi-wall carbon nanotube penetration through a screen filter and single-fiber analysis. *J Nanopart Res.* 13: 4565-4573. <http://dx.doi.org/10.1007/s11051-011-0415-y>.
- Wang, J; Pui, DY. (2013). Dispersion and Filtration of Carbon Nanotubes (CNTs) and Measurement of Nanoparticle Agglomerates in Diesel Exhaust. *Chem Eng Sci.* 85: 69-76. <http://dx.doi.org/10.1016/j.ces.2011.12.045>.
- Wang, L; Lu, A; Xiao, Z; Ma, J; Li, Y. (2009). Modification of nano-fibriform silica by dimethyldichlorosilane. *Appl Surf Sci.* 255: 7542-7546. <http://dx.doi.org/10.1016/j.apsusc.2009.04.024>.
- Wang, L; Luanpitpong, S; Castranova, V; Tse, W; Lu, Y; Pongrakhananon, V; Rojanasakul, Y, on. (2011). Carbon Nanotubes Induce Malignant Transformation and Tumorigenesis of Human Lung Epithelial Cells. *Nano Lett.* 11: 2796-2803. <http://dx.doi.org/10.1021/nl2011214>.
- Wang, Li; Christiani, DC. (2002). Asbestos exposure, smoking, manganese superoxide dismutase (MnSOD) gene polymorphism and lung cancer risk. *Am J Epidemiol.* 155: s69-s69.
- Wang, Li; Neuberger, D; Christiani, DC. (2004). Asbestos exposure, Manganese Superoxide Dismutase (MnSOD) genotype, and lung cancer risk. *J Occup Environ Med.* 46: 556-564. <http://dx.doi.org/10.1097/01.jom.0000128155.86648.a4>.
- Wang, ML; Lu, PL. (1985). Lung function studies of asbestos workers. *Scand J Work Environ Health.* 11: 34-42.
- Wang, O. (2003). Asbestos related diseases from environmental exposure to crocidolite in Da-yao, China. I. Review of exposure and epidemiological data - Commentary. *Occup Environ Med.* 60: 41-42.
- Wang, Q; Aitkadi, A; Kaliaguine, S. (1992). MODIFIED FIBERS FOR POLYMER COMPOSITES WITH IMPROVED MECHANICAL-PROPERTIES. *Polymer Composites.* 13: 414-420.
- Wang, QE; Han, CH; Yang, YP; Wang, HB; Wu, WD; Liu, SJ; Kohyama, N. (1999). Biological effects of man-made mineral fibers (II)--their genetic damages examined by in vitro assay. *Ind Health.* 37: 342-347.
- Wang, SQ; Williams, PJ. (2001). Geochemistry and origin of Proterozoic skarns at the Mount Elliott Cu-Au(-Co-Ni) deposit, Cloncurry district, NW Queensland, Australia. *Miner Depos.* 36: 109-124.
- Wang, X; Araki, S; Yano, E; Wang, M; Wang, Z. (1995). Effects of smoking on respiratory function and exercise performance in asbestos workers. *Ind Health.* 33: 173-180.
- Wang, X; Christiani, DC; Wiencke, JK; Fischbein, M; Xu, X; Cheng, TJ; Mark, E; Wain, JC; Kelsey, KT. (1995). Mutations in the p53 gene in lung cancer are associated with cigarette smoking and asbestos exposure. *Cancer Epidemiol Biomarkers Prev.* 4: 543-548.
- Wang, X; Lin, S; Yano, E; Qiu, H; Yu, IT; Tse, L; Lan, Y; Wang, M. (2012). Mortality in a Chinese chrysotile miner cohort. *Int Arch Occup Environ Health.* 85: 405-412. <http://dx.doi.org/10.1007/s00420-011-0685-9>.
- Wang, X; Wang, M; Qiu, H; Yu, I; Yano, E. (2010). Longitudinal changes in pulmonary function of asbestos workers. *J Occup Health.* 52: 272-277.
- Wang, X; Xia, T; Ntim, SA; Ji, Z; Lin, S; Meng, H; Chung, CH; George, S; Zhang, H; Wang, M; Li, N; Yang, Y; Castranova, V; Mitra, S; Bonner, JC; Nel, AE. (2011). Dispersal state of multiwalled carbon nanotubes elicits profibrogenic cellular responses that correlate with fibrogenesis biomarkers and fibrosis in the murine lung. *ACS Nano.* 5: 9772-9787. <http://dx.doi.org/10.1021/nn2033055>.
- Wang, X; Yano, E. (1999). Pulmonary dysfunction in silica-exposed workers: a relationship to radiographic signs of silicosis and emphysema. *Am J Ind Med.* 36: 299-306. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199908\)36:2<299::AID-AJIM9>3.0.CO;2-W](http://dx.doi.org/10.1002/(SICI)1097-0274(199908)36:2<299::AID-AJIM9>3.0.CO;2-W).
- Wang, X; Zeng, Z; Chen, J. (2009). Serpentinization of peridotites from the southern Mariana forearc. *Progress in Natural Science.* 19: 1287-1295. <http://dx.doi.org/10.1016/j.pnsc.2009.04.004>.
- Wang, XR; Christiani, DC. (2000). Respiratory symptoms and functional status in workers exposed to silica, asbestos, and coal mine dusts. *J Occup Environ Med.* 42: 1076-1084.
- Wang, XR; Yano, E; Nonaka, K; Wang, M; Wang, Z. (1998). Pulmonary function of nonsmoking female asbestos workers without radiographic signs of asbestosis. *Arch Environ Health.* 53: 292-298. <http://dx.doi.org/10.1080/00039899809605711>.
- Wang, XR; Yano, E; Nonaka, K; Wang, MZ; Wang, ZM. (1997). Respiratory impairments due to dust exposure: A comparative study among workers exposed to silica, asbestos, and coalmine dust. *Am J Ind Med.* 31: 495-502.
- Wang, XR; Yano, E; Wang, M; Wang, Z; Christiani, DC. (2001). Pulmonary function in long-term asbestos workers in China. *J Occup Environ Med.* 43: 623-629.

Fate Literature Search Results

Off Topic

- Wang, XR; Yano, EJ; Wang, ZM; Wang, MZ; Christiani, DC. (2006). Adverse effects of asbestos exposure and smoking on lung function. *Am J Ind Med.* 49: 337-342. <http://dx.doi.org/10.1002/ajim.20293>.
- Wang, Y; Feng, T, ao; Wang, K, ai; Qian, M, in; Chen, Y; Sun, Z. (2011). A Facile Method for Preparing Transparent, Conductive, and Paper-Like Silver Nanowire Films. *Journal of Nanomaterials.* <http://dx.doi.org/10.1155/2011/935218>.
- Wang, YY; Gan, FX; Zhao, HX. (2012). Nondestructive analysis of Lantian jade from Shaanxi Province, China. *Appl Clay Sci.* 70: 79-83. <http://dx.doi.org/10.1016/j.clay.2012.09.012>.
- Wang, Z; Hopke, PK; Ahmadi, G; Cheng, YS; Baron, PA. (2008). Fibrous particle deposition in human nasal passage: The influence of particle length, flow rate, and geometry of nasal airway. *J Aerosol Sci.* 39: 1040-1054. <http://dx.doi.org/10.1016/j.jaerosci.2008.07.008>.
- Wang, ZC; Hopke, PK; Baron, PA; Ahmadi, G; Cheng, YS; Deye, G; Su, WC. (2005). Fiber classification and the influence of average air humidity. *Aerosol Sci Technol.* 39: 1056-1063. <http://dx.doi.org/10.1080/02786820500380198>.
- Ward, DL. (1979). ANALYSIS OF LAGGING MATERIALS FOR ASBESTOS - CEGB PROCEDURES. *Ann Occup Hyg.* 22: 319-323.
- Ward, EM; Ruder, AM; Suruda, A; Smith, AB; Halperin, W; Fessler, CA; Zahm, SH. (1994). Cancer mortality patterns among female and male workers employed in a cable manufacturing plant during World War II. *J Occup Med.* 36: 860-866.
- Ward, T; Spear, T; Hart, J; Noonan, C; Holian, A; Getman, M; Webber, J. (2006). Trees as reservoirs for amphibole fibers in Libby, Montana. *Sci Total Environ.* 367: 460-465. <http://dx.doi.org/10.1016/j.scitotenv.2006.03.041>.
- Ward, TJ; Hart, JF; Spear, TM; Meyer, BJ; Webber, JS. (2009). Fate of Libby amphibole fibers when burning contaminated firewood. *Environ Sci Technol.* 43: 2878-2883. <http://dx.doi.org/10.1021/es802817w>.
- Ward, TJ; Spear, TM; Hart, JF; Webber, JS; Elashheb, MI. (2012). Amphibole Asbestos in Tree Bark-A Review of Findings for This Inhalational Exposure Source in Libby, Montana [Review]. *J Occup Environ Hyg.* 9: 387-397. <http://dx.doi.org/10.1080/15459624.2012.682217>.
- Warheit, DB. (1995). A review of inhalation toxicology studies with para-aramid fibrils [Review]. *Ann Occup Hyg.* 39: 691-697.
- Warheit, DB; Carakostas, MC; Bamberger, JR; Hartsky, MA. (1991). Complement facilitates macrophage phagocytosis of inhaled iron particles but has little effect in mediating silica-induced lung inflammatory and clearance responses. *Environ Res.* 56: 186-203.
- Warheit, DB; Chang, IY; Hill, IH; Brody, AR. (1983). PULMONARY MACROPHAGES EXHIBIT MORPHOLOGICAL, FUNCTIONAL AND BIOCHEMICAL-CHANGES AFTER ONE HOUR OF EXPOSURE TO CHRYSOTILE ASBESTOS INVIVO. *Environ Health Perspect.* 52: 289-289.
- Warheit, DB; Hartsky, MA; Mchugh, TA; Kellar, KA. (1994). BIOPERSISTENCE OF INHALED ORGANIC AND INORGANIC FIBERS IN THE LUNGS OF RATS. *Environ Health Perspect.* 102: 151-157.
- Warheit, DB; Hwang, HC; Achinko, L. (1991). Assessments of lung digestion methods for recovery of fibers. *Environ Res.* 54: 183-193.
- Warheit, DB; Reed, KL; Webb, TR. (2001). Man-made respirable-sized organic fibers: what do we know about their toxicological profiles? [Review]. *Ind Health.* 39: 119-125.
- Warheit, DB; Snajdr, SI; Hartsky, MA; Frame, SR. (1997). Lung proliferative and clearance responses to inhaled para-aramid RFP in exposed hamsters and rats: comparisons with chrysotile asbestos fibers. *Environ Health Perspect Suppl.* 105: 1219-1222.
- Warner, M. (1988). OPTICAL AND ELECTRON MICROSCOPY CAN BE USED TO DETERMINE ASBESTOS IN AMBIENT AIR. *Anal Chem.* 60.
- Warnock, ML. (1989). Lung asbestos burden in shipyard and construction workers with mesothelioma: comparison with burdens in subjects with asbestosis or lung cancer. *Environ Res.* 50: 68-85.
- Warnock, ML; Wolery, G. (1987). Asbestos bodies or fibers and the diagnosis of asbestosis. *Environ Res.* 44: 29-44.
- Warr, LN; Cox, SC. (2016). Correlating illite (Kubler) and chlorite (Arkai) "crystallinity" indices with metamorphic mineral zones of the South Island, New Zealand. *Appl Clay Sci.* 134: 164-174. <http://dx.doi.org/10.1016/j.clay.2016.06.024>.
- Wasserbauer, R; Zadak, Z; Novotny, J. (1988). NITRIFYING BACTERIA ON THE ASBESTOS-CEMENT ROOFS OF STABLE BUILDINGS. *International Biodeterioration.* 24: 153-165.
- Wastiaux, A; Blanchard, O; Honnons, S. (1994). POSSIBLE APPLICATION OF URINARY ANALYSIS TO ESTIMATE DISSOLUTION OF SOME MAN-MADE VITREOUS FIBERS. *Environ Health Perspect.* 102: 217-219. <http://dx.doi.org/10.2307/3432090>.
- Watanabe, M; Hoshino, K; Kagami, H; Nishido, H; Sugiyama, M. (1998). Rh-Sr, Sm-Nd and K-Ar systematics of metamorphosed pillowed basalts and associated Besshi-type deposits in the Sanbagawa Belt, Japan. *Miner Depos.* 34: 113-120.
- Watanabe, M; Okada, M; Aizawa, Y; Sakai, Y; Yamashina, S; Kotani, M. (2000). Magnetometric evaluation for the effects of silicon carbide whiskers on alveolar macrophages. *Ind Health.* 38: 239-245.
- Watanabe, M; Okada, M; Kudo, Y; Tonori, Y; Niitsuya, M; Sato, T; Aizawa, Y; Kotani, M. (2002). Differences in the effects of fibrous and particulate titanium dioxide on alveolar macrophages of Fischer 344 rats. *J Toxicol Environ Health A.* 65: 1047-1060. <http://dx.doi.org/10.1080/152873902760125219>.
- Watanabe, M; Shibata, K; Okada, M; Kudo, Y; Niitsuya, M; Satoh, T; Kotani, M; Aizawa, Y. (2002). Magnetometric evaluation for cytotoxicity of potassium octatitanate whisker on alveolar macrophages of Fischer 344 rats. *J Occup Health.* 44: 321-328.
- Watanabe, T; Shirasugi, Y; Michibayashi, K. (2014). A new method for calculating seismic velocities in rocks containing strongly dimensionally anisotropic mineral grains and its application to antigorite-bearing serpentinite mylonites. *Earth Planet Sci Lett.* 391: 24-35. <http://dx.doi.org/10.1016/j.epsl.2014.01.025>.
- Waterman, YR; Peeters, MG. (2004). The Dutch Institute for Asbestos Victims [Review]. *Int J Occup Environ Health.* 10: 166-176. <http://dx.doi.org/10.1179/oeh.2004.10.2.166>.
- Watkinson, DH; Melling, DR. (1992). HYDROTHERMAL ORIGIN OF PLATINUM-GROUP MINERALIZATION IN LOW-TEMPERATURE COPPER SULFIDE-RICH ASSEMBLAGES, SALT CHUCK INTRUSION, ALASKA. *Econ Geol.* 87: 175-184.
- Watterson, A; Gorman, T; Malcolm, C; Robinson, M; Beck, M. (2006). The economic costs of health service treatments for asbestos-related mesothelioma deaths. *Ann N Y Acad Sci.* 1076: 871-881. <http://dx.doi.org/10.1196/annals.1371.042>.
- Weaver, PC. (2008). Interim Letter Report Verification Survey of 19 Grids in the Lester Flat Area, David Witherspoon, Inc. 1630 Site, Knoxville, Tennessee (pp. 11). (NTIS/02990088_a). Weaver, PC.

Fate Literature Search Results

Off Topic

- Weaver, PC. (2008). Interim Letter Report Verification Survey of Partial Grids H19, J21, J22, X20, and X21 at the David Witherspoon, Inc., 1630 Site Knoxville, Tennessee (pp. 10). (NTIS/02990092_a). Weaver, PC.
- Weaver, PC. (2008). Verification Survey of Partial Grid E9 at the David Witherspoon, Inc., 1630 Site Knoxville, Tennessee. Interim Letter Report (pp. 6). (NTIS/02990091_a). Weaver, PC.
- Weaver, PC. (2009). Verification Survey of Final Grids at the David Witherspoon, Inc. 1630 Site Knoxville, Tennessee (pp. 22). (NTIS/02990089_a). Weaver, PC.
- Webber, JS; Carhart, LJ; Czuhanych, AG. (1997). Analytical trends in asbestos analysis: New York state's bulk sample proficiency-testing program. *Am Ind Hyg Assoc J.* 58: 809-813.
- Webber, JS; Covey, J. R. (1991). ASBESTOS IN WATER. *Critical Reviews in Environmental Control.* 21: 331-371.
- Webber, JS; Covey, J. R.; King, MV. (1989). ASBESTOS IN DRINKING-WATER SUPPLIED THROUGH GROSSLY DETERIORATED AC PIPE. *J Am Water Works Assoc.* 81: 80-85.
- Webber, JS; Czuhanych, AG; Carhart, LJ. (2007). Performance of membrane filters used for TEM analysis of asbestos. *J Occup Environ Hyg.* 4: 780-789. <http://dx.doi.org/10.1080/15459620701588385>.
- Webber, JS; Jackson, KW; Parekh, PP; Bopp, RF. (2004). Reconstruction of a century of airborne asbestos concentrations. *Environ Sci Technol.* 38: 707-714. <http://dx.doi.org/10.1021/es034479h>.
- Webber, JS; Janulis, R; Syrotynski, S. (1990). EXAMINING PLAY SAND PRODUCTS FOR ASBESTOS CONTAMINATION. *Bull Environ Contam Toxicol.* 45: 486-494.
- Webber, JS; Janulis, RJ; Carhart, LJ; Gillespie, MB. (1990). QUANTITATING ASBESTOS CONTENT IN FRIABLE BULK SAMPLES - DEVELOPMENT OF A STRATIFIED POINT-COUNTING METHOD. *Am Ind Hyg Assoc J.* 51: 447-452.
- Webber, JS; Pupons, A; Fleser, JM. (1982). QUALITY-CONTROL TESTING FOR ASBESTOS ANALYSIS WITH SYNTHETIC BULK SAMPLES. *Am Ind Hyg Assoc J.* 43: 427-431.
- Webster, I. (1970). Asbestos Exposure in South Africa (pp. 209-212). (NIOSH/00177270). Webster, I.
- Webster, I; Goldstein, B; Coetzee, FS; van Sittert, GC. (1993). Malignant mesothelioma induced in baboons by inhalation of amosite asbestos. *Am J Ind Med.* 24: 659-666.
- Weeks, RW; Mcleod, MJ. (1982). PENETRATION OF GREATER-THAN 5-MUM CHRYSOTILE FIBERS THROUGH DUPONT TYVEK 1422A AND KIMBERLY-CLARK CPF FABRICS. *Am Ind Hyg Assoc J.* 43: 84-88.
- Wegman, DH. (1992). THE POTENTIAL IMPACT OF EPIDEMIOLOGY ON THE PREVENTION OF OCCUPATIONAL-DISEASE [Review]. *Am J Public Health.* 82: 944-954.
- Wegman, DH; Theriaul, GP; Peters, JM. (1972). WORKER-SPONSORED SURVEY FOR ASBESTOS DISEASE. *Am Ind Hyg Assoc J.* 33: 43-&.
- Wehner, AP; Busch, RH; Olson, RJ; Craig, DK. (1975). Chronic Inhalation of Asbestos and Cigarette Smoke by Hamsters. *Environ Res.* 10: 368-383.
- Wehner, AP; Dagle, GE; Cannon, WC. (1978). Development of an animal model, techniques, and an exposure system to study the effects of asbestos cement dust inhalation. *Environ Res.* 16: 393-407.
- Wehner, AP; Dagle, GE; Cannon, WC; Buschbom, RL. (1978). Asbestos cement dust inhalation by hamsters. *Environ Res.* 17: 367-389.
- Wei, B; Jia, X; Ye, B; Yu, J; Zhang, B; Zhang, X; Lu, R; Dong, T; Yang, L. (2012). Impacts of land use on spatial distribution of mortality rates of cancers caused by naturally occurring asbestos. *J Expo Sci Environ Epidemiol.* 22: 516-521. <http://dx.doi.org/10.1038/jes.2012.63>.
- Wei, B; Yang, L; Zhang, X; Zhang, B; Yu, J; Jia, X. (2012). Airborne Crocidolite Asbestos Fibers in Indoor and Outdoor Air in a Rural Area, China. *Aerosol Air Qual Res.* 12: 1282-1288. <http://dx.doi.org/10.4209/aaqr.2011.08.0121>.
- Wei, B; Ye, B; Yu, J; Jia, X; Zhang, B; Zhang, X; Lu, R; Dong, T; Yang, L. (2013). Concentrations of asbestos fibers and metals in drinking water caused by natural crocidolite asbestos in the soil from a rural area. *Environ Monit Assess.* 185: 3013-3022. <http://dx.doi.org/10.1007/s10661-012-2768-9>.
- Weichenthal, S; Joseph, L; Bélisle, P; Dufresne, A. (2010). Bayesian estimation of the probability of asbestos exposure from lung fiber counts. *Biometrics.* 66: 603-612. <http://dx.doi.org/10.1111/j.1541-0420.2009.01279.x>.
- Weideborg, M; A-I, R. (1989). MIXING SURFACE WATER AND GROUNDWATER IN A SMALL NORWEGIAN WATERWORK INFLUENCE ON WATER QUALITY AND CORROSION IN THE DISTRIBUTION SYSTEM. *Vatten.* 45: 9-15.
- Weiderpass, E; Pukkala, E; Kauppinen, T; Mutanen, P; Paakkulainen, H; Vasama-Neuvonen, K; Boffetta, P; Partanen, T. (1999). Breast cancer and occupational exposures in women in Finland. *Am J Ind Med.* 36: 48-53. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199907\)36:1<48::AID-AJIM7>3.0.CO;2-2](http://dx.doi.org/10.1002/(SICI)1097-0274(199907)36:1<48::AID-AJIM7>3.0.CO;2-2).
- Weidner, RB. (1971). Analysis of Personal Samples at Certain-Teed, Santa Clara, California. (NIOSH/00105991). Weidner, RB.
- Weidner, RB. (1971). Analysis of Personal Samples at Johns-Manville, Long Beach, California. (NIOSH/00105996). Weidner, RB.
- Weidner, RB. (1971). Analysis of Personal Samples at Johns-Manville, Stockton, California. (NIOSH/00105992). Weidner, RB.
- Weidner, RB. (1971). Results of U.S.P.H.S. Survey at Raybestos Manhattan Asbestos Textile Plant, Charleston, South Carolina. (NIOSH/00105343). Weidner, RB.
- Weidner, RB. (1972). Results of U.S.P.H.S. Survey at H.K. Porter Company, Charlotte, North Carolina. (NIOSH/00105830). Weidner, RB.
- Weidner, RB; et al. (1972). Preliminary Survey to Determine Possible Asbestos Exposures at Rock Crushing Operations at the Anaconda Company, in Butte, Montana. (NIOSH/00106160). Weidner, RB; Et al.
- Weiland, SK; Straif, K; Chambless, L; Werner, B; Mundt, KA; Bucher, A; Birk, T; Keil, U. (1998). Workplace risk factors for cancer in the German rubber industry: Part 1. Mortality from respiratory cancers. *Occup Environ Med.* 55: 317-324.
- Weill, H. (1994). Biological effects: asbestos-cement manufacturing. *Ann Occup Hyg.* 38: 533-538, 413.
- Weill, H; Hughes, J; Churg, A. (2005). Changing trends in US mesothelioma incidence [Letter]. *Occup Environ Med.* 62: 270. <http://dx.doi.org/10.1136/oem.2005.020321>.

Fate Literature Search Results

Off Topic

- Weill, H; Hughes, JM. (1986). Asbestos as a public health risk: disease and policy [Review]. *Annu Rev Public Health*. 7: 171-192. <http://dx.doi.org/10.1146/annurev.pu.07.050186.001131>.
- Weill, H; Hughes, JM; Churg, AM. (2004). Changing trends in US mesothelioma incidence. *Occup Environ Med*. 61: 438-441. <http://dx.doi.org/10.1136/oem.2003.010165>.
- Weill, H; Ziskind, MM; Waggenpack, C; Rossiter, CE. (1975). Lung function consequences of dust exposure in asbestos cement manufacturing plants. *Arch Environ Health*. 30: 88-97. <http://dx.doi.org/10.1080/00039896.1975.10666650>.
- Weir, FW; Tolar, G; Meraz, LB. (2001). Characterization of vehicular brake service personnel exposure to airborne asbestos and particulate. *Appl Occup Environ Hyg*. 16: 1139-1146. <http://dx.doi.org/10.1080/10473220127402>.
- Weiss, NS. (1993). Complex mixtures and indoor air pollution: overview of epidemiologic methods. *Environ Health Perspect*. 4: 179-181. <http://dx.doi.org/10.2307/3431674>.
- Weiss, W. (1989). Pulmonary fibrosis in asbestos insulation workers with lung cancer [Letter]. *Br J Ind Med*. 46: 430.
- Weiss, W. (1991). Cigarette smoking and small irregular opacities. *Br J Ind Med*. 48: 841-844.
- Weiss, W. (1993). PULMONARY EFFECTS OF EXPOSURE TO FINE FIBERGLASS - IRREGULAR OPACITIES AND SMALL AIRWAYS OBSTRUCTION. *Br J Ind Med*. 50: 1054-1054.
- Weiss, W. (1995). The lack of causality between asbestos and colorectal cancer. *J Occup Environ Med*. 37: 1364-1373.
- Weiss, W. (2000). Asbestosis and lobar site of lung cancer [Review]. *Occup Environ Med*. 57: 358-360.
- Weiss, W; Levin, R; Goodman, L. (1981). Pleural plaques and cigarette smoking in asbestos workers. *J Occup Med*. 23: 427-430.
- Weiss, W; Theodos, PA. (1978). Pleuropulmonary disease among asbestos workers in relation to smoking and type of exposure. *J Occup Med*. 20: 341-345.
- Welch, JF. (1983). ASBESTOS-CEMENT PIPE SAFETY. *Professional Safety*. 28: 11-11.
- Welch, L; Dement, J; West, G. (2015). Mortality among sheet metal workers participating in a respiratory screening program. *Am J Ind Med*. 58: 378-391. <http://dx.doi.org/10.1002/ajim.22421>.
- Welch, LS. (2007). Asbestos exposure causes mesothelioma, but not this asbestos exposure: an amicus brief to the Michigan Supreme Court. *Int J Occup Environ Health*. 13: 318-327. <http://dx.doi.org/10.1179/oe.2007.13.3.318>.
- Welch, LS; Acherman, YIZ; Haile, E; Sokas, RK; Sugarbaker, PH. (2005). Asbestos and peritoneal mesothelioma among college-educated men. *Int J Occup Environ Health*. 11: 254-258. <http://dx.doi.org/10.1179/107735205800245975>.
- Welch, LS; Anderson, HA; Balmes, J; Braun, L; Brody, A; Castleman, B; Davis, D; Dement, JM; Frank, A; Gochfeld, M; Goldstein, BD; Rodriguez Guzman, J; Henderson, DW; Huff, J; Infante, PF; Ladou, J; Landrigan, PJ; Leigh, J; Levin, SM; Mulloy, KB; Michaels, D; Oliver, LC; Pepper, L; Rosenman, KD; Schwartz, BS; Silverstein, M; Sokas, RK; Takahashi, K, en; Takaro, T, imK; Teitelbaum, DT; Vojakovic, R; Watterson, A. (2009). Research on Mesothelioma from Brake Exposure: Corporate Influence Remains Relevant Concern. *Int J Occup Environ Health*. 15: 234-238.
- Welch, LS; Haile, E. (2009). Asbestos-related disease among sheet metal workers 1986-2004: radiographic changes over time. *Am J Ind Med*. 52: 519-525. <http://dx.doi.org/10.1002/ajim.20712>.
- Welch, LS; Michaels, D; Zoloth, S. R.; Alexander, V; Balmes, J; Barnhart, S; Bresnitz, E; Bonham, D; Casten, P; Christiani, D; Cook, R; Cooper, K; Cullen, M; Dehart, D; Demers, R; Fagan, K; Frumkin, H; Frank, A; Friedman, G; Garman, R; Gibson, M; Hake, J; Herbert, R; Hessel, S; Hincamp, D; Hodgson, M; Holstein, E; Johns, RE; Kalamoto, M; Kern, D; Kay, K; Lang, E; Langworthy, J. R.; Lockey, J; Merchant, J; Miller, K; Morse, L; Mulloy, K; Oliver, C; Rosenstock, L; Roundtree, P; Schenker, M; Sharpe, I; Schwartz, D; Simmons, J; Sliwinski, J; Stein, C; Tencza, A; Wallerstein, N; Wagner, G. (1994). THE NATIONAL SHEET-METAL WORKER ASBESTOS DISEASE SCREENING-PROGRAM - RADIOLOGIC FINDINGS. *Am J Ind Med*. 25: 635-648. <http://dx.doi.org/10.1002/ajim.4700250504>.
- Welch, MD; Camara, F; Oberti, R. (2011). Thermoelasticity and high-T behaviour of anthophyllite. *Physics and Chemistry of Minerals*. 38: 321-334. <http://dx.doi.org/10.1007/s00269-010-0406-z>.
- Welch, MD; Gatta, GD; Rotiroti, N. (2011). The high-pressure behavior of orthorhombic amphiboles. *Am Mineral*. 96: 623-630. <http://dx.doi.org/10.2138/am.2011.3670>.
- Welch, MD; Liu, SX; Klinowski, J. (1998). Si-29 MAS NMR systematics of calcic and sodic-calcic amphiboles. *Am Mineral*. 83: 85-96.
- Welch, MD; Pawley, AR. (1991). TREMOLITE - NEW ENTHALPY AND ENTROPY DATA FROM A PHASE-EQUILIBRIUM STUDY OF THE REACTION TREMOLITE = 2 DIOPSIDE + 1.5 ORTHOENSTATITE + BETA-QUARTZ + H2O. *Am Mineral*. 76: 1931-1939.
- Wellham, EJ; Elber, L; Yan, DS. (1992). THE ROLE OF CARBOXY METHYL CELLULOSE IN THE FLOTATION OF A NICKEL SULFIDE TRANSITION ORE. *Miner Eng*. 5: 381-395.
- Wells, AH. (1975). Asbestos in Duluth water. *Minn Med*. 58: 458-459.
- Welsh, DE. (2007). Asbestos exposure during an abatement project. *J Occup Environ Hyg*. 4: D7-D9. <http://dx.doi.org/10.1080/15459620601098485>.
- Weng, XT; Yao, JC; Wang, YJ; Hu, TX; Yu, ZG; Lu, ZY; Guo, JS. (1989). A study of magnetic field in the lung of workers in an asbestos factory. *Ind Health*. 27: 9-15.
- Wennerlund, B. (1983). THE YELLOW FIBER - A SUCCESSFUL REPLACEMENT OF ASBESTOS. 86: 17-&.
- Werner, AJ; Hochella, MF; Guthrie, GD; Hardy, JA; Aust, AE; Rimstidt, JD. (1995). Asbestiform riebeckite (crocidolite) dissolution in the presence of Fe chelators: Implications for mineral-induced disease. *Am Mineral*. 80: 1093-1103.
- Werner, I. (1984). THERMAL DIVIDING OF ASBESTOS-CONTAINING MATERIALS BY LASER AND BY PLASM BEAM METHODS - ANALYSIS OF DIVIDING SURFACES AND RESPIRABLE DUST SAMPLES. *Staub, Reinhaltung der Luft*. 44: 469-471.
- Werner, I; Karsten, H. (1981). CHRISOTILE UNDERGOING A THERMAL-CHANGE AS A PECULIARITY OF THE EXPOSURE TO ASBESTOS DUST AT PLACES OF WORK IN PLANT CONSTRUCTION. *Staub, Reinhaltung der Luft*. 41: 262-264.
- Wesnigk, E. (1982). SUBSTITUTION OF ASBESTOS IN INSULATING AND SEALING MATERIALS. *Chem Tech (Leipzig)*. 34: 493-493.

Fate Literature Search Results

Off Topic

- Wesolowski, JJ; Stanley, R; Smith, G; Carpenter, L; Berne, A. (1975). Asbestos Measurements In The California Environment (pp. 1729-1737). (NIOSH/00156339). Wesolowski, JJ; Stanley, R; Smith, G; Carpenter, L; Berne, A.
- Westberg, H; Andersson, L; Bryngelsson, IL; Ngo, Y; Ohlson, CG. (2013). Cancer morbidity and quartz exposure in Swedish iron foundries. *Int Arch Occup Environ Health*. 86: 499-507. <http://dx.doi.org/10.1007/s00420-012-0782-4>.
- Westberg, KBT; Hardell, LO; Malmqvist, N; Ohlson, CG; Axelson, O. (2005). On the use of different measures of exposure - Experiences from a case-control study on testicular cancer and PVC exposure. *J Occup Environ Hyg*. 2: 351-356. <http://dx.doi.org/10.1080/15459620590969046>.
- Westerlund, J; Graff, P, al; Bryngelsson, I; Westberg, H; Eriksson, K; Lofstedt, H. (2015). Occupational Exposure to Trichloramine and Trihalomethanes in Swedish Indoor Swimming Pools: Evaluation of Personal and Stationary Monitoring. *Ann Occup Hyg*. 59: 1074-1084. <http://dx.doi.org/10.1093/annhyg/mev045>.
- White, AJR; Smith, RE; Nadoll, P; Legras, M. (2014). Regional-scale Metasomatism in the Fortescue Group Volcanics, Hamersley Basin, Western Australia: Implications for Hydrothermal Ore Systems. *Journal of Petrology*. 55: 977-1009. <http://dx.doi.org/10.1093/petrology/egu013>.
- White, MK; Hodous, TK; Hudnall, JB. (1989). Physiological and subjective responses to working in disposable protective coveralls and respirators commonly used by the asbestos abatement industry. *Am Ind Hyg Assoc J*. 50: 313-319. <http://dx.doi.org/10.1080/15298668991374723>.
- Whitehead, J; Reynolds, PH; Spray, JG. (1995). THE SUB-OPHIOLITIC METAMORPHIC ROCKS OF THE QUEBEC APPALACHIANS. *J Geodyn*. 19: 325-350.
- Whitehouse, A. (2004). Asbestos-related pleural disease due to tremolite associated with progressive loss of lung function: Serial observations in 123 miners, family members, and residents of Libby, Montana. *Am J Ind Med*. 46: 219-225. <http://dx.doi.org/10.1002/ajim.20053>.
- Whitehouse, A; Black, C; Heppe, M; Ruckdeschel, J; Levin, S. (2008). Environmental exposure to Libby asbestos and mesotheliomas. *Am J Ind Med*. 51: 877-880. <http://dx.doi.org/10.1002/ajim.20620>.
- WHO. (1991). INDOOR AIR QUALITY INORGANIC FIBERS. *Environ Technol*. 12: 833-836.
- WHO. (1997). Assessment of exposure to indoor air pollutants [Review]. 78: iii-xii, 1-139.
- Whong, WZ; Gao, HG; Zhou, G; Ong, T. (1999). Genetic alterations of cancer-related genes in glass fiber-induced transformed cells. *J Toxicol Environ Health A*. 56: 397-404.
- Whorton, MD. (1986). ASBESTOS EXAMINATIONS FOR CONSTRUCTION WORKERS A WORKABLE ALTERNATIVE [Editorial]. *Am J Public Health*. 76: 1388-1389.
- Whorton, MD. (1987). ASBESTOS EXAMINATIONS FOR CONSTRUCTION WORKERS - REPLY. *Am J Public Health*. 77: 646-646.
- Whysner, J; Covello, VT; Kuschner, M; Rifkind, AB; Rozman, KK; Trichopoulos, D; Williams, GM. (1994). ASBESTOS IN THE AIR OF PUBLIC BUILDINGS - A PUBLIC-HEALTH RISK [Review]. *Prev Med*. 23: 119-125. <http://dx.doi.org/10.1006/pmed.1994.1017>.
- Wichmann, HE; Rosario, AS; Heid, IM; Kreuzer, M; Heinrich, J; Kreienbrock, L. (2005). Increased lung cancer risk due to residential radon in a pooled and extended analysis of studies in Germany. *Health Phys*. 88: 71-79. <http://dx.doi.org/10.1097/01.HP.0000142497.31627.86>.
- Wicks, FJ. (2000). Status of the reference X-ray powder-diffraction patterns for the serpentine minerals in the PDF database - 1997. *Powder Diffraction*. 15: 42-50.
- Wigle, DT. (1977). Cancer mortality in relation to asbestos in municipal water supplies. *Arch Environ Occup Health*. 32: 185-190.
- Wigle, DT; Mao, Y; Semenciw, R; Smith, MH; Toft, P. (1986). Contaminants in drinking water and cancer risks in canadian cities. *Can J Public Health*. 77: 335-342.
- Wikeley, NJ. (1993). Measurement of asbestos dust levels in British asbestos factories in the 1930s. *Am J Ind Med*. 24: 509-520.
- Wild, P. (2006). Lung cancer risk and talc not containing asbestiform fibres: a review of the epidemiological evidence [Review]. *Occup Environ Med*. 63: 4-9. <http://dx.doi.org/10.1136/oem.2005.020750>.
- Wild, P; Leodolter, K; Refregier, M; Schmidt, H; Bourgard, E. (2008). Effects of talc dust on respiratory health: results of a longitudinal survey of 378 French and Austrian talc workers. *Occup Environ Med*. 65: 261-267. <http://dx.doi.org/10.1136/oem.2007.034298>.
- Wild, P; Schill, W; Bourgard, E; Drescher, K; Gonzalez, M; Paris, C. (2016). The 2-phase case-control design: an efficient way to use expert-time. *Scand J Work Environ Health*. 42: 162-169. <http://dx.doi.org/10.5271/sjweh.3547>.
- Wilde, A; Otto, A; Jory, J; Macrae, C; Pownceby, M; Wilson, N; Torpy, A. (2013). Geology and Mineralogy of Uranium Deposits from Mount Isa, Australia: Implications for Albitite Uranium Deposit Models. 3: 258-283. <http://dx.doi.org/10.3390/min3030258>.
- Wilken, D; Velasco Garrido, M; Manuwald, U; Baur, X. (2011). Lung function in asbestos-exposed workers, a systematic review and meta-analysis. *J Occup Med Toxicol*. 6: 21. <http://dx.doi.org/10.1186/1745-6673-6-21>.
- Wilkins, RWT. (1970). IRON-MAGNESIUM DISTRIBUTION IN TREMOLITE-ACTINOLITE SERIES. *Am Mineral*. 55: 1993-&.
- Wilkinson, JJ; Jenkin, GRT; Fallick, AE; Foster, RP. (1995). OXYGEN AND HYDROGEN ISOTOPIC EVOLUTION OF VARISCAN CRUSTAL FLUIDS, SOUTH CORNWALL, UK. *Chem Geol*. 123: 239-254.
- Will, TM; Powell, R. (1992). ACTIVITY-COMPOSITION RELATIONSHIPS IN MULTICOMPONENT AMPHIBOLES - AN APPLICATION OF DARKEN QUADRATIC FORMALISM. *Am Mineral*. 77: 954-966.
- Wiley, RJ. (1982). MAGNETIC-PROPERTIES OF ASBESTOS FIBERS. I E E Transactions on Magnetics. 18: 1794-1795.
- Williams, C; Dell, L; Adams, R; Rose, T; Van Orden, D. (2013). State-of-the-science assessment of non-asbestos amphibole exposure: Is there a cancer risk? [Review]. *Environ Geochem Health*. 35: 357-377. <http://dx.doi.org/10.1007/s10653-012-9500-0>.
- Williams, MG; Crossman, RN. (2003). Asbestos release during removal of resilient floor covering materials by recommended work practices of the resilient floor covering institute. *Appl Occup Environ Hyg*. 18: 466-478. <http://dx.doi.org/10.1080/713833178>.
- Williams, MG; Dodson, RF; Dickson, EW; Fraire, AE. (2001). An assessment of asbestos body formation in extrapulmonary sites: liver and spleen. *Toxicol Ind Health*. 17: 1-6. <http://dx.doi.org/10.1191/0748233701th090oa>.

Fate Literature Search Results

Off Topic

- Williams, P; Paustenbach, D. (2006). Retrospective exposure assessment of asbestos related to skilled craftsmen at a petroleum refinery in Beaumont, Texas (1940-2005). *Epidemiology*. 17: S186-S186.
- Williams, P; Paustenbach, D; Balzer, JL; Mangold, C. (2007). Retrospective exposure assessment of airborne asbestos related to skilled craftsmen at a petroleum refinery in Beaumont, Texas (1940-2006). *J Toxicol Environ Health A*. 70: 1076-1107. <http://dx.doi.org/10.1080/15287390701208305>.
- Williams, PR. (2014). An analysis of violations of Osha's (1987) occupational exposure to benzene standard. *J Toxicol Environ Health B Crit Rev*. 17: 259-283. <http://dx.doi.org/10.1080/10937404.2014.924452>.
- Williams, PR; Paustenbach, DJ. (2006). Reconstruction Of Exposure Of Skilled Craftsmen To Asbestos At The Beaumont, Texas Refinery (1946-2004). *Toxicol Sci*. 90: 173.
- Williams, PRD; Phelka, AD; Paustenbach, DJ. (2007). A review of historical exposures to asbestos among skilled craftsmen (1940-2006) [Review]. *J Toxicol Environ Health B Crit Rev*. 10: 319-377. <http://dx.doi.org/10.1080/10937400601034191>.
- Williams, RL; Muhlbaier, JL. (1982). Asbestos brake emissions. *Environ Res*. 29: 70-82.
- Williams, V; de Klerk, NH; Whitaker, D; Musk, AW; Shilkin, KB. (1995). Asbestos bodies in lung tissue following exposure to crocidolite. *Am J Ind Med*. 28: 489-495.
- Willner, AP; Herve, F; Massonne, HJ. (2000). Mineral chemistry and pressure-temperature evolution of two contrasting high-pressure-low-temperature belts in the Chonos Archipelago, Southern Chile. *Journal of Petrology*. 41: 309-330.
- Willner, AP; Massonne, HJ; Barr, SM; White, CE. (2013). Very Low- to Low-grade Metamorphic Processes Related to the Collisional Assembly of Avalonia in SE Cape Breton Island (Nova Scotia, Canada). *Journal of Petrology*. 54: 1849-1874. <http://dx.doi.org/10.1093/ptrology/egt033>.
- Willner, AP; Sepulveda, FA; Herve, F; Massonne, HJ; Sudo, M. (2009). Conditions and Timing of Pumpellyite-Actinolite-facies Metamorphism in the Early Mesozoic Frontal Accretionary Prism of the Madre de Dios Archipelago (Latitude 50 degree 20'S; Southern Chile). *Journal of Petrology*. 50: 2127-2155. <http://dx.doi.org/10.1093/ptrology/egp071>.
- Wilmoth, RC; Powers, TJ; Millette, JR. (1988). Observations on Studies Useful to Asbestos O and M Activities. (NIOSH/00192908). Wilmoth, RC; Powers, TJ; Millette, JR.
- Wilmoth, RC; Powers, TJ; Millette, JR. (1991). Observations on studies useful to asbestos O&M activities. *Microscope*. 39: 299-312.
- Wilmoth, RC; Powers, TJ; Millette, JR. (1991). Observations on Studies Useful to Asbestos Operations and Management Activities. 14.
- Wilmoth, RC; Taylor, MS; Meyer, BE. (1994). Asbestos Release from the Demolition of Two Schools in Fairbanks, Alaska. 12.
- Wilson, AJ; Cooke, DR; Harper, BL. (2003). The ridgeway gold-copper deposit: A high-grade alkalic porphyry deposit in the Lachlan fold belt, New South Wales, Australia. *Econ Geol*. 98: 1637-1666.
- Wilson, B. (1997). Asbestos-free jointing products. *Industrial Lubrication & Tribology*. 49: 283-&.
- Wilson, DL; Dudney, CS; Gammage, RB. (1994). AN INTERIM PROTOCOL FOR THE MITIGATION OF RADON IN NONRESIDENTIAL BUILDINGS. *Radiat Prot Dosimetry*. 56: 9-11.
- Wilson, SA; Dipple, GM; Power, I, anM; Thom, JM; Anderson, RG; Raudsepp, M; Gabites, JE; Southam, G. (2009). Carbon Dioxide Fixation within Mine Wastes of Ultramafic-Hosted Ore Deposits: Examples from the Clinton Creek and Cassiar Chrysotile Deposits, Canada. *Econ Geol*. 104: 95-112.
- Wilson, SA; Raudsepp, M; Dipple, GM. (2006). Verifying and quantifying carbon fixation in minerals from serpentine-rich mine tailings using the Rietveld method with X-ray powder diffraction data. *Am Mineral*. 91: 1331-1341. <http://dx.doi.org/10.2138/am.2006.2058>.
- Wimpenny, J; Gislason, SR; James, RH; Gannoun, A; Pogge Von Strandmann, PAE; Burton, KW. (2010). The behaviour of Li and Mg isotopes during primary phase dissolution and secondary mineral formation in basalt. *Geochim Cosmo Acta*. 74: 5259-5279. <http://dx.doi.org/10.1016/j.gca.2010.06.028>.
- Windom, H; Griffin, J; Goldberg, ED. (1967). Talc in Atmospheric Dusts. *Environ Sci Technol*. 1: 923-926.
- Winer, A. (1974). MINERAL WOOL INSULATION FROM ASBESTOS TAILINGS. 67: 97-104.
- Wingren, G. (2004). Mortality and cancer incidence in a Swedish art glassworks--an updated cohort study. *Int Arch Occup Environ Health*. 77: 599-603. <http://dx.doi.org/10.1007/s00420-004-0553-y>.
- Winkler, J. (2015). High levels of dioxin-like PCBs found in organic-farmed eggs caused by coating PCB materials of asbestos-cement fiber plates: A case study. *Environ Int*. 80: 72-78. <http://dx.doi.org/10.1016/j.envint.2015.03.005>.
- Winter, CK; Seiber, JN; Nuckton, CF. (1990). CHEMICALS IN THE HUMAN FOOD CHAIN (pp. FLORENCE). (BIOSIS/91/02349). Winter, CK; Seiber, JN; Nuckton, CF.
- Winters, JW. (1976). A simple small light-weight personal dust sampling unit for full shift determination of asbestos dust exposure. *Ann Occup Hyg*. 19: 77-80.
- Wirth, A; Eggleston, D; Whitaker, R. (1994). A FUNDAMENTAL TRIBOCHEMICAL STUDY OF THE 3RD BODY LAYER FORMED DURING AUTOMOTIVE FRICTION BRAKING. *Wear*. 179: 75-81.
- Wittall, M. (2006). EU campaign for asbestos in the workplace. *Gefahrst Reinhalt Luft*. 66: 397-397.
- Woitowitz, HJ; egrave, Odelsperger, K; Arhelger, R; Giesen, T. (1983). Exposure to asbestos dust in the workplace - Measurement results in the international literature. (CIS/85/01251). *Woitowitz, HJ; R and egrave; Odelsperger, K; Arhelger, R; Giesen, T.*
- Woitowitz, HJ; Krieger, HG; Woitowitz, RH. (1978). OCCUPATIONAL EXPOSURE TO ASBESTOS DUST AND OBSTRUCTIVE BRONCHOPULMONARY DISEASE. *Arbeitsmedizin, Sozialmedizin, Praeventivmedizin*. 13: 210-215.
- Woitowitz, HJ; Lange, HJ; Beierl, L; Rathgeb, M; Schmidt, K; Ulm, K; Giesen, T; Woitowitz, RH; Pache, L; Rödelsperger, K. (1986). Mortality rates in the Federal Republic of Germany following previous occupational exposure to asbestos dust. *Int Arch Occup Environ Health*. 57: 161-171.

Fate Literature Search Results

Off Topic

- Woitowitz, HJ; Lange, HJ; Ulm, K; Rodelsperger, K; Woitowitz, RH; Pache, L. (1988). ASBESTOS RELATED TUMORS AMONG WORKERS IN THE FEDERAL-REPUBLIC-OF-GERMANY. *Staub, Reinhaltung der Luft*. 48: 307-315.
- Woitowitz, HJ; Rodelsperger, K. (1980). ASBESTOS DUST AS CAUSE OF MALIGN TUMORS. *Staub, Reinhaltung der Luft*. 40: 178-181.
- Woitowitz, HJ; Rodelsperger, K. (1980). WORKING PLACES AT BUILDING YARDS AS EMISSION SOURCES OF THE ENVIRONMENTAL LOAD BY RESPIRABLE ASBESTOS CEMENT DUST. *Staub, Reinhaltung der Luft*. 40: 143-144.
- Woitowitz, HJ; Rodelsperger, K. (1992). CHRYSOTILE ASBESTOS, MESOTHELIOMA AND GARAGE MECHANICS - RESPONSE. *Am J Ind Med*. 21: 453-455.
- Woitowitz, HJ; Rödelsperger, K. (1991). Chrysotile asbestos and mesothelioma [Letter]. *Am J Ind Med*. 19: 551-553.
- Woitowitz, HJ; Rodelsperger, K; Bodeker, H; Bruckel, B; Gosch, V. (1991). BIOMONITORING AFTER EXPOSURE TO ASBESTOS-FIBER DUST - LIGHT-MICROSCOPY AS AGAINST ELECTRON-MICROSCOPY. *Arbeitsmedizin, Sozialmedizin, Praeventivmedizin*. 26: 219-224.
- Wolf, F. (1976). Industrial Hygiene Survey Report, Champion International Paper Company, Canton, North Carolina, Report No. IWS-62-12 (pp. 62-12). (NIOSH/00179847). Wolf, F.
- Wolfe, RC; Cooke, DR. (2011). Geology of the Didipio Region and Genesis of the Dinkidi Alkalic Porphyry Cu-Au Deposit and Related Pegmatites, Northern Luzon, Philippines. *Econ Geol*. 106: 1279-1315.
- Wolff, AH; Oehme, FW. (1974). Carcinogenic chemicals in food as an environmental health issue [Review]. *J Am Vet Med Assoc*. 164: 623-629.
- Wolff, H; Vehmas, T; Oksa, P; Tuomi, T; Rantanen, J; Vainio, H. (2016). Response by the organizers of the Helsinki criteria updates 2014: Criteria for asbestos-related diseases need periodic updates [Letter]. *Scand J Work Environ Health*. 42: 95-96. <http://dx.doi.org/10.5271/sjweh.3536>.
- Wollmer, P; Eriksson, L; Jonson, B; Jakobsson, K; Albin, M; Skerfving, S; Welinder, H. (1987). Relation between lung function, exercise capacity, and exposure to asbestos cement. *Br J Ind Med*. 44: 542-549.
- Wols, BA; van Thienen, P. (2014). Impact of weather conditions on pipe failure: a statistical analysis. *Journal of Water Supply: Research and Technology-AQUA*. 63: 212-223. <http://dx.doi.org/10.2166/aqua.2013.088>.
- Wolter, HU; Seifert, F. (1984). MINERALOGY AND GENESIS OF CORDIERITE-ANTHOPHYLLITE ROCKS FROM THE SULFIDE DEPOSIT OF FALUN, SWEDEN. *Lithos*. 17: 147-152.
- Wong, O. (1992). CHRYSOTILE ASBESTOS, MESOTHELIOMA, AND GARAGE MECHANICS [Letter]. *Am J Ind Med*. 21: 449-451.
- Wong, O. (1993). Considerations of specificity in assessing the relationship between asbestos and cancer [Review]. *Am J Ind Med*. 23: 521-523.
- Woodford, DT; Sisson, VB; Leeman, WP. (2001). Boron metasomatism of the Alta stock contact aureole, Utah: Evidence from berates, mineral chemistry, and geochemistry. *Am Mineral*. 86: 513-533.
- Woodhead, AD; Setlow, RB; Pond, V. (1983). THE EFFECTS OF CHRONIC EXPOSURE TO ASBESTOS FIBERS IN THE AMAZON MOLLY POECILIA-FORMOSA. *Environ Int*. 9: 173-176.
- Woolf, AD. (1978). ASBESTOS DUST STANDARD. *Ann Occup Hyg*. 21: 327-327.
- Wortley, P; Vaughan, TL; Davis, S; Morgan, MS; Thomas, DB. (1992). A case-control study of occupational risk factors for laryngeal cancer. *Br J Ind Med*. 49: 837-844. <http://dx.doi.org/10.1136/oem.49.12.837>.
- Woźniak, H; Wiecek, E; Dobrucka, D; Pelc, W; Bielichowska-Cybula, G; Król, M; Opalska, B. (1992). [Various ecological problems related to mining and processing of serpentine. Evaluation of non-occupational exposure of the population of Nasławice to fibrous mineral dust]. *Med Pr*. 43: 235-243.
- Woźniak, H; Wiecek, E; Dobrucka, D; Pelc, W; Maciejewska, A; Bielichowska, G; Opalska, B. (1991). [Evaluation of occupational exposure of workers engaged in mining of rock raw materials in the Sleza massif]. *Med Pr*. 42: 411-417.
- Woźniak, H; Wiecek, E; Kesik, K; Bojarska, D. (1995). [Exposure to mineral fibers in selected ceramics plants]. *Med Pr*. 46: 327-336.
- Wozniak, H; Wiecek, E; Makowski, A; Gadalska, D; Jakobczyk, L; Maciejewska, A; Opalska, B. (1991). Occupational and non-occupational exposure to natural mineral fibres in the "Szklary" metallurgical plant. *Med Pr*. 42: 127-135.
- Woźniak, H; Wiecek, E; Pelc, W; Dobrucka, D; Król, M; Opalska, B. (1994). [Respirable mineral fibers in atmospheric air of Wrocław]. *Med Pr*. 45: 239-247.
- Woźniak, H; Wiecek, E; Stroszejn-Mrowca, G; Wojtczak, J. (1992). [Asbestos substitutes and their biological action. I. Types, use, exposure and MPEL] [Review]. *Med Pr*. 43: 159-164.
- Wraith, D; Mengersen, K. (2007). Assessing the combined effect of asbestos exposure and smoking on lung cancer: a Bayesian approach. *Stat Med*. 26: 1150-1169. <http://dx.doi.org/10.1002/sim.2602>.
- Wright, A; Cowie, H; Gormley, IP; Davis, JM. (1986). The in vitro cytotoxicity of asbestos fibers: I. P388D1 cells. *Am J Ind Med*. 9: 371-384.
- Wright, WE; Sherwin, RP. (1984). Histological types of malignant mesothelioma and asbestos exposure. *Br J Ind Med*. 41: 514-517.
- Wright, WE; Sherwin, RP; Dickson, EA; Bernstein, L; Fromm, JB; Henderson, BE. (1984). Malignant mesothelioma: incidence, asbestos exposure, and reclassification of histopathology. *Br J Ind Med*. 41: 39-45.
- Wu, CC. (1984). OCCUPATIONAL ASBESTOS-RELATED DISEASES IN TAIWAN. *Scand J Work Environ Health*. 10: 136-136.
- Wu, CZ; Wang, P; Yao, X; Liu, C; Chen, DM; Lu, GQ; Cheng, HM. (2006). Effect of carbon/noncarbon addition on hydrogen storage behaviors of magnesium hydride. *J Alloy Comp*. 414: 259-264. <http://dx.doi.org/10.1016/j.jallcom.2005.07.021>.
- Wu, FY; Sun, DY; Li, HM; Jahn, BM; Wilde, S. (2002). A-type granites in northeastern China: age and geochemical constraints on their petrogenesis. *Chem Geol*. 187: 143-173.
- Wu, J; Kreis, IA; Griffiths, D; Darling, C. (2004). Respiratory symptoms and lung function of coke oven workers: A lung function surveillance system from 1990-2000. *J Occup Environ Med*. 46: 906-915. <http://dx.doi.org/10.1097/01.jom.0000137719.38356.9b>.
- Wu, L; Ortiz, C; Xu, Y; Willenbring, J; Jerolmack, D. (2015). In Situ Liquid Cell Observations of Asbestos Fiber Diffusion in Water. *Environ Sci Technol*. 49: 13340-13349. <http://dx.doi.org/10.1021/acs.est.5b03839>.

Fate Literature Search Results

Off Topic

- Wu, L; Ortiz, CP; Jerolmack, DJ. (2017). Aggregation of Elongated Colloids in Water. *Langmuir*. 33: 622-629. <http://dx.doi.org/10.1021/acs.langmuir.6b03962>.
- Wu, M; Gordon, RE; Herbert, R; Padilla, M; Moline, J; Mendelson, D; Litle, V; Travis, WD; Gil, J. (2010). Case report: Lung disease in World Trade Center responders exposed to dust and smoke: carbon nanotubes found in the lungs of World Trade Center patients and dust samples. *Environ Health Perspect*. 118: 499-504. <http://dx.doi.org/10.1289/ehp.0901159>.
- Wu, W; Giese, RF; van Oss, CJ. (1999). Stability versus flocculation of particle suspensions in water - correlation with the extended DLVO approach for aqueous systems, compared with classical DLVO theory. *Colloids Surf B Biointerfaces*. 14: 47-55.
- Wu, WT; Lin, YJ; Shiue, HS; Li, CY; Tsai, PJ; Yang, CY; Liou, SH; Wu, TN. (2014). Cancer incidence of Taiwanese shipbreaking workers who have been potentially exposed to asbestos. *Environ Res*. 132: 370-378. <http://dx.doi.org/10.1016/j.envres.2014.04.026>.
- Wu, WT; Lu, YH; Lin, YJ; Yang, YH; Shiue, HS; Hsu, JH; Li, CY; Yang, CY; Liou, SH; Wu, TN. (2013). Mortality among shipbreaking workers in Taiwan - a retrospective cohort study from 1985 to 2008. *Am J Ind Med*. 56: 701-708. <http://dx.doi.org/10.1002/ajim.22135>.
- Wunder, B. (1998). Equilibrium experiments in the system MgO-SiO₂-H₂O (MSH): stability fields of clinohumite-OH [Mg₉Si₄O₁₆(OH)(2)], chondrodite-OH [Mg₅Si₂O₈(OH)(2)] and phase A (Mg₇Si₂O₈(OH)(6)). *Contributions to Mineralogy and Petrology*. 132: 111-120.
- Wunder, B; Baronnet, A; Schreyer, W. (1997). Ab-initio synthesis and TEM confirmation of antigorite in the system MgO-SiO₂-H₂O. *Am Mineral*. 82: 760-764.
- Wunder, B; Deschamps, F; Watenphul, A; Guillot, S; Meixner, A; Romer, RL; Wirth, R. (2010). The effect of chrysotile nanotubes on the serpentine-fluid Li-isotopic fractionation. *Contributions to Mineralogy and Petrology*. 159: 781-790. <http://dx.doi.org/10.1007/s00410-009-0454-x>.
- Wunder, B; Schreyer, W. (1997). Antigorite: High pressure stability in the system MgO-SiO₂-H₂O (MSH). *Lithos*. 41: 213-227.
- Wünsch-Filho, V; Moncau, JE; Mirabelli, D; Boffetta, P. (1998). Occupational risk factors of lung cancer in São Paulo, Brazil. *Scand J Work Environ Health*. 24: 118-124.
- Wyart-Remy, M. (1997). Asbestos disease in foundrymen [Letter]. *J Occup Environ Med*. 39: 700.
- Wylie, AG. (1990). Discriminating Amphibole Cleavage Fragments from Asbestos: Rationale and Methodology (pp. 23-26). (NIOSH/00198575). Wylie, AG.
- Wylie, AG; Bailey, KF. (1992). THE MINERALOGY AND SIZE OF AIRBORNE CHRYSOTILE AND ROCK FRAGMENTS - RAMIFICATIONS OF USING THE NIOSH 7400 METHOD. *Am Ind Hyg Assoc J*. 53: 442-447.
- Wylie, AG; Bailey, KF; Kelse, JW; Lee, RJ. (1993). The importance of width in asbestos fiber carcinogenicity and its implications for public policy [Review]. *Am Ind Hyg Assoc J*. 54: 239-252. <http://dx.doi.org/10.1080/15298669391354621>.
- Wylie, AG; Candela, PA. (2015). Methodologies for determining the sources, characteristics, distribution, and abundance of asbestiform and nonasbestiform amphibole and serpentine in ambient air and water. *J Toxicol Environ Health B Crit Rev*. 18: 1-42. <http://dx.doi.org/10.1080/10937404.2014.997945>.
- Wylie, AG; Verkouteren, JR. (2000). Amphibole asbestos from Libby, Montana: Aspects of nomenclature. *Am Mineral*. 85: 1540-1542.
- Wylie, AG; Virta, RL; Russek, E. (1985). CHARACTERIZING AND DISCRIMINATING AIRBORNE AMPHIBOLE CLEAVAGE FRAGMENTS AND AMOSITE FIBERS IMPLICATIONS FOR NATIONAL INSTITUTE OF OCCUPATIONAL SAFETY AND HEALTH METHOD. *Am Ind Hyg Assoc J*. 46: 197-201.
- Wypych, F; Schreiner, WH; Mattoso, N; Mosca, DH; Marangoni, R; Bento, CAD. (2003). Covalent grafting of phenylphosphonate groups onto layered silica derived from in situ-leached chrysotile fibers. *J Mater Chem*. 13: 304-307. <http://dx.doi.org/10.1039/b210370b>.
- Xiao, G; Zhu, Z. (2010). Friction materials development by using DOE/RSM and artificial neural network. *Tribology International*. 43: 218-227. <http://dx.doi.org/10.1016/j.triboint.2009.05.019>.
- Xiao, H; Qiu, K; Gou, X; Ou, Q. (2013). A flameless catalytic combustion-based thermoelectric generator for powering electronic instruments on gas pipelines. *Appl Energ*. 112: 1161-1165. <http://dx.doi.org/10.1016/j.apenergy.2013.01.078>.
- XiaoKe, L; WeiDong, L; Bin, L; XinWei, L. (2013). Analysis of the potteries from ancient Liangzhu city-site. *Science China Technological Sciences*. 56: 945-951. <http://dx.doi.org/10.1007/s11431-013-5134-4>.
- Xiaomei, W; Zhigang, Z; Changhua, L; Junbing, C; Xuebo, Y; Xiaoyuan, W; Daigeng, C; Guoliang, Z; Shuai, C; Kang, L; Hegen, O. (2009). Talc-bearing serpentinized peridotites from the southern Mariana forearc: implications for aseismic character within subduction zones. *Chin J Oceanol Limnol*. 27: 667-673. <http://dx.doi.org/10.1007/s00343-009-9207-y>.
- Xiaoming, L; Linrong, X. (2011). Asbestos Tailings as Aggregates for Asphalt Mixture. *Journal of Wuhan University of Technology--Materials Science Edition*. 26: 336-339. <http://dx.doi.org/10.1007/s11595-011-225-1>.
- Xin, X, u; Xu, CG; Qing, L, iuFei. (2007). Friction properties of sisal fibre reinforced resin brake composites. *Wear*. 262: 736-741. <http://dx.doi.org/10.1016/j.wear.2006.08.010>.
- Xu, A; Smilenov, LB; He, P; Masumura, K; Nohmi, T; Yu, Z; Hei, TK. (2007). New insight into intrachromosomal deletions induced by chrysotile in the gpt delta transgenic mutation assay. *Environ Health Perspect*. 115: 87-92. <http://dx.doi.org/10.1289/ehp.9425>.
- Xu, A; Zhou, H; Yu, DZ; Hei, TK. (2002). Mechanisms of the genotoxicity of crocidolite asbestos in mammalian cells: implication from mutation patterns induced by reactive oxygen species. *Environ Health Perspect*. 110: 1003-1008.
- Xu, G; Lin, X. (2000). Geology and geochemistry of the Changlongshan skarn iron deposit, Anhui Province, China. *Ore Geol Rev*. 16: 91-106.
- Xu, HF; Veblen, DR; Luo, GF; Xue, JY. (1996). Transmission electron microscopy study of the thermal decomposition of tremolite into clinopyroxene. *Am Mineral*. 81: 1126-1132.
- Xu, J; Ciobanu, CL; Cook, NJ; Zheng, Y; Sun, X; Wade, BP. (2016). Skarn formation and trace elements in garnet and associated minerals from Zhibula copper deposit, Gangdese Belt, southern Tibet. *Lithos*. 262: 213-231. <http://dx.doi.org/10.1016/j.lithos.2016.07.010>.
- Xu, J; Li, X; Zhou, W; Ding, L, ei; Jin, Z; Li, Y, an. (2006). The preparation of Mg₃Si₂O₅(OH)₄ naotubes under solvothermal conditons. *Journal of Porous Materials*. 13: 275-279. <http://dx.doi.org/10.1007/s10934-006-8016-3>.

Fate Literature Search Results

Off Topic

- Xu, J; Yang, G; Li, G; Wu, Z; Shen, G. (2008). Dingdaohengite-(Ce) from the Bayan Obo REE-Nb-Fe Mine, China: Both a true polymorph of perrierite-(Ce) and a titanite analog at the C1 site of chevkinite subgroup. *Am Mineral.* 93: 740-744. <http://dx.doi.org/10.2138/am.2008.2543>.
- Xu, L, i; Li, W, ei; You, Y, an; Zhang, S; Zhao, Y. (2013). Polysulfone and zirconia composite separators for alkaline water electrolysis. 7: 154-161. <http://dx.doi.org/10.1007/s11705-013-1331-8>.
- Xu, L, i; Yu, Y, ue; Li, W, ei; You, Y, an; Xu, W, ei; Zhang, S. (2014). The influence of manufacturing parameters and adding support layer on the properties of Zirfon (R) separators. 8: 295-305. <http://dx.doi.org/10.1007/s11705-014-1433-y>.
- Xu, Q; Chen, H; Prozzi, JA. (2010). Performance of fiber reinforced asphalt concrete under environmental temperature and water effects. *Construction and Building Materials.* 24: 2003-2010. <http://dx.doi.org/10.1016/j.conbuildmat.2010.03.012>.
- Xu, X; Kelsey, KT; Wiencke, JK; Wain, JC; Christiani, DC. (1996). Cytochrome P450 CYP1A1 Msp1 polymorphism and lung cancer susceptibility. *Cancer Epidemiol Biomarkers Prev.* 5: 687-692.
- Xu, Z; Brown, LM; Pan, GW; Liu, TF; Gao, GS; Stone, BJ; Cao, RM; Guan, DX; Sheng, JH; Yan, ZS; Dosemeci, M; Fraumeni, JF; Blot, WJ. (1996). Cancer risks among iron and steel workers in Anshan, China, Part II: Case-control studies of lung and stomach cancer. *Am J Ind Med.* 30: 7-15. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199607\)30:1<7::AID-AJIM2>3.0.CO;2-#](http://dx.doi.org/10.1002/(SICI)1097-0274(199607)30:1<7::AID-AJIM2>3.0.CO;2-#).
- Xu, Z; Pan, GW; Liu, LM; Brown, LM; Guan, DX; Xiu, Q; Sheng, JH; Stone, BJ; Dosemeci, M; Fraumeni, JF; Blot, WJ. (1996). Cancer risks among iron and steel workers in Anshan, China, Part I: Proportional mortality ratio analysis. *Am J Ind Med.* 30: 1-6. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199607\)30:1<1::AID-AJIM1>3.0.CO;2-5](http://dx.doi.org/10.1002/(SICI)1097-0274(199607)30:1<1::AID-AJIM1>3.0.CO;2-5).
- Xypolias, P; Iliopoulos, I; Chatzaras, V; Kokkalas, S. (2012). Subduction- and exhumation-related structures in the Cycladic Blueschists: Insights from south Evia Island (Aegean region, Greece). *Tectonics.* 31. <http://dx.doi.org/10.1029/2011TC002946>.
- Yada, K; Kohyama, N. (2009). Microstructures and biological influence of environmental exposure of asbestos [Review]. *Biomed Mater Eng.* 19: 231-239. <http://dx.doi.org/10.3233/BME-2009-0585>.
- Yamada, H; Hashimoto, H; Akiyama, M; Kawabata, Y; Iwai, K. (1997). Talc and amosite/crocidolite preferentially deposited in the lungs of nonoccupational female lung cancer cases in urban areas of Japan. *Environ Health Perspect.* 105: 504-508.
- Yamada, Y; Kido, T; Ishizaki, M; Kobayashi, K. (1990). Pleural thickening presumably caused by asbestos exposure on the chest X-ray film of sake brewers - Part II. The relationship between the duration of work for breweries and prevalence of pleural thickening. 17: 43-47.
- Yamai, I; Saito, H. (1974). EFFECTS OF STARTING COMPONENTS ON HYDROTHERMAL SYNTHESIS OF CHRYSOTILE FIBERS. *J Cryst Growth.* 24: 617-620.
- Yamamoto, T; Kida, A; Noma, Y; Terazono, A; Sakai, S. (2014). Development of a testing method for asbestos fibers in treated materials of asbestos containing wastes by transmission electron microscopy. *Waste Manag.* 34: 536-541. <http://dx.doi.org/10.1016/j.wasman.2013.11.008>.
- Yamanaka, Y; Akamatsu, Y; Kurokawa, S. (2011). Technology Trends Concerning Environmental Control of Gaskets. *Toraiborjisu.* 56: 87-92.
- Yamashita, T; Schubnel, A. (2016). Slow slip generated by dehydration reaction coupled with slip-induced dilatancy and thermal pressurization. *Journal of Seismology.* 20: 1217-1234. <http://dx.doi.org/10.1007/s10950-016-9585-5>.
- Yamato, H; Hori, H; Tanaka, I; Higashi, T; Morimoto, Y; Kido, M. (1994). RETENTION AND CLEARANCE OF INHALED CERAMIC FIBERS IN RAT LUNGS AND DEVELOPMENT OF A DISSOLUTION MODEL. *Occup Environ Med.* 51: 275-280.
- Yamato, H; Morimoto, Y; Tsuda, T; Ohgami, A; Kohyama, N; Tanaka, I. (1998). Fiber numbers per unit weight of JFM standard reference samples determined with a scanning electron microscope. *Ind Health.* 36: 384-387. <http://dx.doi.org/10.2486/indhealth.36.384>.
- Yanagisawa, K; Kozawa, T; Onda, A; Kanazawa, M; Shinohara, J; Takunami, T; Shiraiishi, M. (2009). A novel decomposition technique of friable asbestos by CHCl₃-decomposed acidic gas. *J Hazard Mater.* 163: 593-599. <http://dx.doi.org/10.1016/j.jhazmat.2008.07.017>.
- Yanamala, N; Farcas, MT; Hatfield, MK; Kisin, ER; Kagan, VE; Geraci, CL; Shvedova, AA. (2014). In Vivo Evaluation of the Pulmonary Toxicity of Cellulose Nanocrystals: A Renewable and Sustainable Nanomaterial of the Future. 2: 1691-1698. <http://dx.doi.org/10.1021/sc500153k>.
- Yang, C; Inoue, T; Yamada, A; Kikegawa, T; Ando, J, unl. (2014). Equation of state and phase transition of antigorite under high pressure and high temperature. *Phys Earth Planet In.* 228: 56-62. <http://dx.doi.org/10.1016/j.pepi.2013.07.008>.
- Yang, D; Xie, L; Bobicki, E; Xu, Z; Liu, Q; Zeng, H. (2014). Probing anisotropic surface properties and interaction forces of chrysotile rods by atomic force microscopy and rheology. *Langmuir.* 30: 10809-10817. <http://dx.doi.org/10.1021/la5019373>.
- Yang, H; Xiao, Y, u; Liu, K, un; Feng, Q. (2008). Chemical precipitation synthesis and optical properties of ZnO/SiO₂ nanocomposites. *Journal of the American Ceramic Society.* 91: 1591-1596. <http://dx.doi.org/10.1111/j.1551-2916.2008.02340.x>.
- Yang, HX; Evans, BW. (1996). X-ray structure refinements of tremolite at 140 and 295 K: Crystal chemistry and petrologic implications. *Am Mineral.* 81: 1117-1125.
- Yang, HX; Hazen, RM; Prewitt, CT; Finger, LW; Lu, R; Hemley, RJ. (1998). High-pressure single-crystal x-ray diffraction and infrared spectroscopic studies of the C2/m-P2(1)/m phase transition in cummingtonite. *Am Mineral.* 83: 288-299.
- Yang, HX; Konzett, J; Prewitt, CT; Fei, YW. (1999). Single-crystal structure refinement of synthetic K-M4-substituted potassic richterite, K(KCa)Mg₅Si₈O₂₂(OH)₂. *Am Mineral.* 84: 681-684.
- Yang, HY; Huang, SH; Shie, RH; Chen, PC. (2016). Cancer mortality in a population exposed to nephrite processing. *Occup Environ Med.* 73: 528-536. <http://dx.doi.org/10.1136/oemed-2016-103586>.
- Yang, HY; Shie, RH; Chen, PC. (2013). Carving of non-asbestiform tremolite and the risk of lung cancer: a follow-up mortality study in a historical nephrite processing cohort. *Occup Environ Med.* 70: 852-857. <http://dx.doi.org/10.1136/oemed-2013-101404>.
- Yang, HY; Shie, RH; Chen, PC. (2013). Pulmonary fibrosis in workers exposed to non-asbestiform tremolite asbestos minerals. *Epidemiology.* 24: 143-149. <http://dx.doi.org/10.1097/EDE.0b013e31826b822d>.
- Yang, HY; Wishart, J; Yang, YY; Lumeng, J; Paik, YK. (1998). A quantitative study of environmental asbestos exposure in Honolulu. *Hawaii Med J.* 57: 536-539.

Fate Literature Search Results

Off Topic

- Yang, JJ, un; Powell, R. (2006). Calculated phase relations in the system Na₂O-CaO-K₂O-FeO-MgO-Al₂O₃-SiO₂-H₂O with applications to UHP eclogites and whiteschists. *Journal of Petrology*. 47: 2047-2071. <http://dx.doi.org/10.1093/petrology/egl036>.
- Yang, M. (2011). A current global view of environmental and occupational cancers. *J Environ Sci Health C Environ Carcinog Ecotoxicol Rev*. 29: 223-249. <http://dx.doi.org/10.1080/10590501.2011.601848>.
- Yang, S; Pelton, R; Abarca, C; Dai, Z; Montgomery, M; Xu, M; Bos, JA, nn. (2013). Towards nanoparticle flotation collectors for pentlandite separation. *Int J Miner Process*. 123: 137-144. <http://dx.doi.org/10.1016/j.minpro.2013.05.007>.
- Yang, Y, an; Liang, Q; Li, J; Zhuang, Y; He, Y; Bai, B, o; Wang, X, un. (2011). Ni₃Si₂O₅(OH)₄ multi-walled nanotubes with tunable magnetic properties and their application as anode materials for lithium batteries. *Nano Research*. 4: 882-890. <http://dx.doi.org/10.1007/s12274-011-0144-7>.
- Yanniello, R; Paoletti, GJ. (2009). Safety and Environmental Evaluation of Insulating Media in Medium-Voltage Distribution Equipment. *I E E E Transactions on Industry Applications*. 45: 1155-1158. <http://dx.doi.org/10.1109/TIA.2009.2018957>.
- Yano, E; Tanaka, K; Funaki, M; Maeda, K; Matsunaga, C; Yamaoka, K. (1993). Effect of smoking on pleural thickening in asbestos workers. *Br J Ind Med*. 50: 898-901. <http://dx.doi.org/10.1136/oem.50.10.898>.
- Yano, E; Wang, X; Wang, M; Qiu, H; Wang, Z. (2010). Lung cancer mortality from exposure to chrysotile asbestos and smoking: a case-control study within a cohort in China. *Occup Environ Med*. 67: 867-871. <http://dx.doi.org/10.1136/oem.2009.051615>.
- Yano, E; Wang, X; Wang, ZM; Wang, MZ; Lan, YJ. (2011). CANCER MORTALITY AMONG CHRYSOTILE WORKERS. *J Epidemiol Community Health*. 65: A315-A315. <http://dx.doi.org/10.1136/jech.2011.142976k.67>.
- Yano, E; Wang, ZM; Wang, XR; Wang, MZ; Lan, YJ. (2001). Cancer mortality among workers exposed to amphibole-free chrysotile asbestos. *Am J Epidemiol*. 154: 538-543.
- Yano, E; Wang, ZM; Wang, XR; Wang, MZ; Takata, A; Kohyama, N; Suzuki, Y. (2009). Mesothelioma in a worker who spun chrysotile asbestos at home during childhood. *Am J Ind Med*. 52: 282-287. <http://dx.doi.org/10.1002/ajim.20675>.
- Yao, Y; Chen, J, un; Lu, J; Wang, R; Zhang, R. (2014). Geology and genesis of the Hehuaping magnesian skarn-type cassiterite-sulfide deposit, Hunan Province, Southern China. *Ore Geol Rev*. 58: 163-184. <http://dx.doi.org/10.1016/j.oregeorev.2013.10.012>.
- Yardley, BWD; Harlov, DE; Heinrich, W. (2010). Rates of retrograde metamorphism and their implications for crustal rheology. *Geofluids*. 10: 234-240. <http://dx.doi.org/10.1111/j.1468-8123.2010.00286.x>.
- Yates, HM; Flavell, WR; Pemble, ME; Johnson, NP; Romanov, SG; Sotomayortorres, CM. (1997). Novel quantum confined structures via atmospheric pressure MOCVD growth in asbestos and opals. *J Cryst Growth*. 170: 611-615.
- Yau, YH; Bromwich, D. (1994). FAILURE OF BAGS AND SHEETS USED IN ASBESTOS ABATEMENTS. *Am Ind Hyg Assoc J*. 55: 42-52.
- Ye, K; Hirajima, T. (1996). High-pressure marble at Yangguantun, Rongcheng county, Shandong province, eastern China. *Mineralogy and Petrology*. 57: 151-165.
- Yeager, H; Russo, DA; Yañez, M; Gerardi, D; Nolan, RP; Kagan, E; Langer, AM. (1983). Cytotoxicity of a short-fiber chrysotile asbestos for human alveolar macrophages: preliminary observations. *Environ Res*. 30: 224-232.
- Yefimov, AA; Potapova, TA. (1990). TECTONICS OF THE LOWER (METABASITE) STRUCTURAL UNIT OF THE VOYKAR OPHIOLITE ALLOCHTHON IN THE ARCTIC URALS. *Geotectonics*. 24: 407-414.
- Yendell, SJ; Fischer, M; Staples, JE. (2015). Colorado tick fever in the United States, 2002-2012. *Vector Borne and Zoonotic Diseases*. 15: 311-316. <http://dx.doi.org/10.1089/vbz.2014.1755>.
- Yeung, P; Patience, K; Apthorpe, L; Willcocks, D. (1999). An Australian study to evaluate worker exposure to chrysotile in the automotive service industry. *Appl Occup Environ Hyg*. 14: 448-457.
- Yoneda, A; Yonehara, M; Osako, M. (2012). Anisotropic thermal properties of talc under high temperature and pressure. *Phys Earth Planet In*. 190: 10-14. <http://dx.doi.org/10.1016/j.pepi.2011.10.003>.
- Yoon, C; Lee, K; Park, D. (2011). Indoor air quality differences between urban and rural preschools in Korea. *Environ Sci Pollut Res Int*. 18: 333-345. <http://dx.doi.org/10.1007/s11356-010-0377-0>.
- Yorifuji, T; Suzuki, E; Tsuda, T; Natori, Y; Matsui, E. (2011). Environmental Exposure to Asbestos and Pleural Plaques Among Retirees in a Factory Without Asbestos Use in H City, Japan. *Epidemiology*. 22: S76-S76.
- Yoshida, K; Hirajima, T; Ohsawa, S; Kobayashi, T; Mishima, T; Sengen, Y. (2015). Geochemical features and relative B-Li-Cl compositions of deep-origin fluids trapped in high-pressure metamorphic rocks. *Lithos*. 226: 50-64. <http://dx.doi.org/10.1016/j.lithos.2015.03.002>.
- Yoshida, R; Ogawa, Y; Shioji, I; Yu, X; Shibata, E; Mori, I; Kubota, H; Kishida, A; Hisanaga, N. (2001). Urinary 8-oxo-7, 8-dihydro-2'-deoxyguanosine and biopyrrins levels among construction workers with asbestos exposure history. *Ind Health*. 39: 186-188.
- Yoshikawa, N; Kashimura, K; Hashiguchi, M; Sato, M; Horikoshi, S; Mitani, T; Shinohara, N. (2015). Detoxification mechanism of asbestos materials by microwave treatment. *J Hazard Mater*. 284: 201-206. <http://dx.doi.org/10.1016/j.jhazmat.2014.09.030>.
- Yoshimura, M; Suda, H; Okamoto, K; Ioku, K. (1994). HYDROTHERMAL SYNTHESIS OF BIOCOMPATIBLE WHISKERS. *Journal of Materials Science*. 29: 3399-3402.
- Yoshizumi, K; Hori, H; Satoh, T; Higashi, T. (2001). The trend in airborne asbestos concentrations at plants manufacturing asbestos-containing products in Japan. *Ind Health*. 39: 127-131.
- Youli, Z; Feilong, B; Yanli, W; Qian, Z. (2014). Conjugate Heat Transfer Analysis of an Ultrasonic Molten Metal Treatment System. *Chinese Journal of Mechanical Engineering*. 27: 986-991. <http://dx.doi.org/10.3901/CJME.2014.0617.112>.
- Young, KA; Sztuke, J; Merrill, RJ. (1972). INVESTIGATIONS TO RECOVER NICKEL AND IRON CONCENTRATES FROM ASBESTOS TAILINGS OF CAREY CANADIAN MINES LTD. 65: 16-&.
- Yranheikki, E; Savolainen, H. (2000). Occupational safety and health in Finland. *J Safety Res*. 31: 177-183.
- Y-T, Y; N-S, W; Michel, RP; Poulsen, RS. (1984). Mineral dusts in lungs with scar or scar cancer. *Cancer. PHILA*: 1814-1823.

Fate Literature Search Results

Off Topic

- Yu, CP; Asgharian, B. (1990). A KINETIC-MODEL OF ALVEOLAR CLEARANCE OF AMOSITE ASBESTOS FIBERS FROM THE RAT LUNG AT HIGH LUNG BURDENS. *J Aerosol Sci.* 21: 21-27. [http://dx.doi.org/10.1016/0021-8502\(90\)90019-T](http://dx.doi.org/10.1016/0021-8502(90)90019-T).
- Yu, CP; Asgharian, B; Abraham, JL. (1990). MATHEMATICAL-MODELING OF ALVEOLAR CLEARANCE OF CHRYSOTILE ASBESTOS FIBERS FROM THE RAT LUNGS. *J Aerosol Sci.* 21: 587-594. [http://dx.doi.org/10.1016/0021-8502\(90\)90134-J](http://dx.doi.org/10.1016/0021-8502(90)90134-J).
- Yu, CP; Asgharian, B; Pinkerton, KE. (1991). INTRAPULMONARY DEPOSITION AND RETENTION MODELING OF CHRYSOTILE ASBESTOS FIBERS IN RATS. *J Aerosol Sci.* 22: 757-763. [http://dx.doi.org/10.1016/0021-8502\(91\)90068-S](http://dx.doi.org/10.1016/0021-8502(91)90068-S).
- Yu, CP; Ding, YJ; Zhang, L; Oberdorster, G. (1996). A clearance model of refractory ceramic fibers (RCF) in the rat lung including fiber dissolution and breakage. *J Aerosol Sci.* 27: 151-159. [http://dx.doi.org/10.1016/0021-8502\(95\)00536-6](http://dx.doi.org/10.1016/0021-8502(95)00536-6).
- Yu, CP; Zhang, L; Oberdörster, G; Mast, RW; Glass, LR; Utell, MJ. (1994). Clearance of refractory ceramic fibers (RCF) from the rat lung: development of a model. *Environ Res.* 65: 243-253. <http://dx.doi.org/10.1006/enrs.1994.1035>.
- Yu, H, aNa; Kim, SS, u; Lee, D, aiGil. (2009). Optimum design of aramid-phenolic/glass-phenolic composite journal bearings. *Composites Part A: Applied Science and Manufacturing.* 40: 1186-1191. <http://dx.doi.org/10.1016/j.compositesa.2009.05.001>.
- Yu, IJ; Choi, JK; Kang, SK; Chang, HK; Chung, YH; Han, JH; Song, KS; Lee, YM; Chung, HK. (2002). Potential source of asbestos in non-asbestos textile manufacturing company. *Environ Int.* 28: 35-39.
- Yu, IJ; Moon, YH; Sakai, K; Hisanaga, N; Park, JD; Takeuchi, Y. (1998). Asbestos and non-asbestos fiber content in lungs of Korean subjects with no known occupational asbestos exposure history. *Environ Int.* 24: 293-300.
- Yu, IJ; Yoo, CY; Chung, YH; Han, JH; Yhang, SY; Yu, GM; Song, KS. (2004). Asbestos exposure among Seoul metropolitan subway workers during renovation of subway air-conditioning systems. *Environ Int.* 29: 931-934. [http://dx.doi.org/10.1016/S0160-4120\(03\)00058-8](http://dx.doi.org/10.1016/S0160-4120(03)00058-8).
- Yu, J; Chen, Y; Mao, J; Pirajno, F; Duan, C. (2011). Review of geology, alteration and origin of iron oxide-apatite deposits in the Cretaceous Ningwu basin, Lower Yangtze River Valley, eastern China: Implications for ore genesis and geodynamic setting. *Ore Geol Rev.* 43: 170-181. <http://dx.doi.org/10.1016/j.oregeorev.2011.07.008>.
- Yu, M; Feng, CY; Zhu, YF; Mao, JW; Zhao, YM; Li, DX. (2017). Multistage amphiboles from the Galinge iron skarn deposit in Qiman Tagh, western China: evidence of igneous rocks replacement. *Mineralogy and Petrology.* 111: 81-97. <http://dx.doi.org/10.1007/s00710-016-0459-x>.
- Yu, M; Zhang, Y; Jiang, Z; Chen, J; Liu, L; Lou, J; Zhang, X. (2015). Mesothelin (MSLN) methylation and soluble mesothelin-related protein levels in a Chinese asbestos-exposed population. *Environ Health Prev Med.* 20: 369-378. <http://dx.doi.org/10.1007/s12199-015-0477-z>.
- Yu, PY; Wang, CC; Gentry, JW. (1987). Experimental Measurement of the Rate of Unipolar Charging of Actinolite Fibers. *J Aerosol Sci.* 18: 73-85.
- Yuan, ZX; Bai, G; Wu, CY; Zhang, ZQ; Ye, XJ. (1992). GEOLOGICAL FEATURES AND GENESIS OF THE BAYAN OBO REE ORE DEPOSIT, INNER-MONGOLIA, CHINA. *Appl Geochem.* 7: 429-442.
- Yudin, VE; Otaigbe, JU; Nazarenko, SI; Kim, WD; Korytkova, EN. (2011). A COMPARATIVE STUDY ON THE MECHANICAL AND BARRIER CHARACTERISTICS OF POLYIMIDE NANOCOMPOSITE FILMS FILLED WITH NANOPARTICLES OF PLANAR AND TUBULAR MORPHOLOGY. *Mechanics of Composite Materials.* 47: 335-342.
- Yui, TF; Jeng, RC. (1990). A STABLE-ISOTOPE STUDY OF THE HYDROTHERMAL ALTERATION OF THE EAST TAIWAN OPHIOLITE. *Chem Geol.* 89: 65-85.
- Yui, TF; Kwon, ST. (2002). Origin of a dolomite-related jade deposit at Chuncheon, Korea. *Econ Geol.* 97: 593-601.
- Yusa, T; Hiroshima, K; Sakai, F; Kishimoto, T; Ohnishi, K; Usami, I; Morikawa, T; Wu, D; Itoi, K; Okamoto, K; Shinohara, Y; Kohyama, N; Morinaga, K. (2015). Significant relationship between the extent of pleural plaques and pulmonary asbestos body concentration in lung cancer patients with occupational asbestos exposure. *Am J Ind Med.* 58: 444-455. <http://dx.doi.org/10.1002/ajim.22430>.
- Yuskus, LR. (1984). REDUCING TETRACHLOROETHYLENE IN VINYL-LINED ASBESTOS-CEMENT PIPES THROUGH CEMENT-MORTAR LININGS. *J Am Water Works Assoc.* 76: 76-81.
- Yvon, Y, an; Ghandour, S; Sharrock, P. (2014). COMPUTER-AIDED IMAGE ANALYSIS AND EPR CHARACTERIZATION OF TRANSFORMED ASBESTOS CONTAINING WASTES. *Environmental Engineering and Management Journal.* 13: 51-60.
- Yvon, Y, an; Sharrock, P. (2011). Characterization of Thermochemical Inactivation of Asbestos Containing Wastes and Recycling the Mineral Residues in Cement Products. *Waste Biomass Valorization.* 2: 169-181. <http://dx.doi.org/10.1007/s12649-011-9063-9>.
- Zacek, V; Burianek, D; Pecskay, Z; Skoda, R. (2016). Astrophyllite-alkali amphibole rhyolite, an evidence of early Permian A-type alkaline volcanism in the western Mongolian Altai. *Journal of Geosciences.* 61: 93-103. <http://dx.doi.org/10.3190/jgeosci.205>.
- Zacek, V; Janousek, V; Ulloa, A; Kosler, J, an; Huapaya, S; Mixa, P; Vondrovicova, L; Alvarado, GE. (2011). The Late Miocene Guacimal Pluton in the Cordillera de Tilaran, Costa Rica: its nature, age and petrogenesis. *Journal of Geosciences.* 56: 51-79. <http://dx.doi.org/10.3190/jgeosci.087>.
- Zachar, J; Toth, TM; Janak, M. (2007). Kyanite eclogite xenolith from the orthogneiss terrane of the Tisza Megaunit, Janoshalma area, crystalline basement of southern Hungary. *Lithos.* 99: 249-265. <http://dx.doi.org/10.1016/j.lithos.2007.06.001>.
- Zacharias, J. (2008). Compositional trends in magmatic and hydrothermal silicates of the Petrackova hora intrusive complex, Bohemian Massif - link between the magmatic processes and intrusion-related gold mineralization. *Journal of Geosciences.* 53: 105-117. <http://dx.doi.org/10.3190/jgeosci.021>.
- Zaebst, DD; Seel, EA; Yiin, JH; Nowlin, SJ; Chen, P. (2009). Summary of retrospective asbestos and welding fume exposure estimates for a nuclear naval shipyard and their correlation with radiation exposure estimates. *J Occup Environ Hyg.* 6: 404-414. <http://dx.doi.org/10.1080/15459620902922573>.
- Zagas, T; Tsitsoni, T; Ganatsas, P; Tsakalidimi, M; Skotidakis, T; Zagas, D. (2010). Land Reclamation and Ecological Restoration in a Marine Area. *International Journal of Environmental Research.* 4: 673-680.
- Zahm, SH; Blair, A. (2003). Occupational cancer among women: Where have we been and where are we going? [Review]. *Am J Ind Med.* 44: 565-575. <http://dx.doi.org/10.1002/ajim.10270>.

Fate Literature Search Results

Off Topic

- Zaidi, SH; Gupta, GS; Rahman, Q; Kaw, JL; Shanker, R. (1976). Early response of gastric mucosa to ingested asbestos dust and the dissolution of nickel. *Environ Res.* 12: 139-143.
- Zaidi, SH; Shanker, R; Dogra R, KS. (1973). Experimental infective pneumoconiosis: Effect of asbestos dust and *Candida albicans* infection on the lungs of Rhesus monkeys. *Environ Res.* 6: 274-286.
- Zaina, S; Mastrangelo, G; Ballarin, MN; Scoizzato, L; Carradori, G; Fedeli, U; Capella, S; Belluso, E. (2014). Urinary asbestos fibers and inorganic particles in past asbestos workers. *Arch Environ Occup Health.* 71: 1-7. <http://dx.doi.org/10.1080/19338244.2014.988675>.
- Zakrewska, AM; Capone, PP; Ianno, A; Tarzia, V; Campopiano, A; Villella, E; Giardino, R. (2008). Calabrian ophiolites: dispersion of airborne asbestos fibers during mining and milling operations. *Periodico di Mineralogia.* 77: 27-34. <http://dx.doi.org/10.2451/2008PM0010>.
- Zanardi, F; Salvarani, R; Cooke, RM; Pirastu, R; Baccini, M; Christiani, D; Curti, S; Risi, A; Barbieri, A; Barbieri, G; Mattioli, S; Violante, FS. (2013). Carcinoma of the pharynx and tonsils in an occupational cohort of asphalt workers. *Epidemiology.* 24: 100-103. <http://dx.doi.org/10.1097/EDE.0b013e318276cc95>.
- Zanazzi, PF; Nestola, F; Pasqual, D. (2010). Compressibility of protoamphibole: A high-pressure single-crystal diffraction study of protomanganoferro-anthophyllite. *Am Mineral.* 95: 1758-1764. <http://dx.doi.org/10.2138/am.2010.3565>.
- Zandjani, F; Hogsæet, B; Andersen, A; Langard, S. (1994). INCIDENCE OF CANCER AMONG NITRATE FERTILIZER WORKERS. *Int Arch Occup Environ Health.* 66: 189-193. <http://dx.doi.org/10.1007/BF00380779>.
- Zappa, M; Paci, E; Seniori Costantini, A; Kriebel, D. (1993). Lung cancer among textile workers in the Prato area of Italy. *Scand J Work Environ Health.* 19: 16-20.
- Zarandi, A, liE; Larachi, F; Beaudoin, G; Plante, B; Sciortino, M. (2016). Multivariate study of the dynamics of CO₂ reaction with brucite-rich ultramafic mine tailings. *Int J Greenhouse Gas Control.* 52: 110-119. <http://dx.doi.org/10.1016/j.ijggc.2016.06.022>.
- Zaremba, T; Witkowska, D. (2010). Methods of manufacturing of potassium titanate fibres and whiskers. A review. *Materials Science.* 28: 25-41.
- Zarubiieva, I; Hwang, G, iB; Lee, J, iSok; Bae, G, wiNam; Oh, Y, ooMi; Park, S, unWoo; Lee, TJ, in; Lee, HJ, ae; Woo, DH, a; Lee, S; Cho, MO, ck; Kim, JK; Jun, SC; Kim, J, aeHun. (2013). Asbestos Imaging and Detection with Differential Interference Contrast Microscopy. *Aerosol Air Qual Res.* 13: 1145-1150. <http://dx.doi.org/10.4209/aaqr.2012.04.0094>.
- Zavatti, A; Lauriola, P. (1999). The contribution of environmental monitoring in the epidemiological assessment of exogenous risk - The experience of ARPA in the Emilia-Romagna Region of Italy. *Ann N Y Acad Sci.* 895: 173-187.
- Zazenski, R; Ashton, WH; Briggs, D; Chudkowski, M; Kelse, JW; Maceachern, L; Mccarthy, EF; Nordhauser, MA; Roddy, MT; Teetsel, NM; Wells, AB; Gettings, SD. (1995). TALC - OCCURRENCE, CHARACTERIZATION, AND CONSUMER APPLICATIONS. *Regul Toxicol Pharmacol.* 21: 218-229.
- Zeeh, J; Eitner, F; Otto, H. (1986). THE SIGNIFICANCE OF THE CASE-HISTORY IN ESTABLISHING OCCUPATIONAL ASBESTOS ENDANGERMENT. *Arbeitsmedizin, Sozialmedizin, Praeventivmedizin.* 21: 1-4.
- Zega, TJ; Buseck, PR. (2003). Fine-grained-rim mineralogy of the Cold Bokkeveld CM chondrite. *Geochim Cosmo Acta.* 67: 1711-1721. [http://dx.doi.org/10.1016/S0016-7037\(02\)01172-9](http://dx.doi.org/10.1016/S0016-7037(02)01172-9).
- Zega, TJ; Garvie, LAJ; Dodony, I; Buseck, PR. (2004). Serpentine nanotubes in the mighei CM chondrite. *Earth Planet Sci Lett.* 223: 141-146. <http://dx.doi.org/10.1016/j.epsl.2004.04.005>.
- Zeitz, JE. (1981). ASBESTOS-FREE GASKETS FOR MANY USES. 52: 56-57.
- Zejsda, J; Ernst, P. (1991). Fissural thickening and exposure to asbestos: occurrence, determinants, and functional impact. *Am J Ind Med.* 20: 785-793.
- Zeka, A; Gore, R; Kriebel, D. (2011). The two-stage clonal expansion model in occupational cancer epidemiology: results from three cohort studies. *Occup Environ Med.* 68: 618-624. <http://dx.doi.org/10.1136/oem.2009.053983>.
- Zema, M; Welch, MD; Oberti, R. (2012). High-T behaviour of gedrite: thermoelasticity, cation ordering and dehydrogenation. *Contributions to Mineralogy and Petrology.* 163: 923-937. <http://dx.doi.org/10.1007/s00410-011-0706-4>.
- Zeng, L, iP; Zhao, X, inFu; Li, XC; Hu, H, ao; Mcfarlane, C. (2016). In situ elemental and isotopic analysis of fluorapatite from the Taocun magnetite-apatite deposit, Eastern China: Constraints on fluid metasomatism. *Am Mineral.* 101: 2468-2483. <http://dx.doi.org/10.2138/am-2016-5743>.
- Zeng, YY; Liu, TB. (1999). Characteristics of the Devonian Xialei manganese deposit, Guangxi Zhuang Autonomous Region, China. *Ore Geol Rev.* 15: 153-163.
- Zeren, EH; Gümürdülü, D; Roggli, VL; Zorludemir, S; Erkisi, M; Tuncer, I. (2000). Environmental malignant mesothelioma in southern Anatolia: A study of fifty cases. *Environ Health Perspect.* 108: 1047-1050.
- Zevin, LS; Zevin, IM. (1979). ORIENTATION OF ASBESTOS IN ASBESTOS CEMENT. *Cement and Concrete Research.* 9: 599-606.
- Zey, JN. (1988). Health Hazard Evaluation Report No. HETA-87-147-1873, Rothan and Rothan, DDS, Cincinnati, Ohio (pp. 87-147). (NIOSH/00179858). Zey, JN.
- Zhai, W; Wang, Y; Deng, Y; Gao, H; Lin, Z; Li, M. (2014). Recycling of asbestos tailings used as reinforcing fillers in polypropylene based composites. *J Hazard Mater.* 270: 137-143. <http://dx.doi.org/10.1016/j.jhazmat.2014.01.052>.
- Zhang, GR; Kiene, L; Wable, O; Chan, US; Duguet, JP. (1992). MODELING OF CHLORINE RESIDUAL IN THE WATER DISTRIBUTION NETWORK OF MACAO. *Environ Technol.* 13: 937-946.
- Zhang, H; Duan, T, ao; Zhu, W; Yao, W, eiT. (2015). Natural Chrysotile-Based Nanowires Decorated with Monodispersed Ag Nanoparticles as a Highly Active and Reusable Hydrogenation Catalyst. *J Phys Chem C.* 119: 21465-21472. <http://dx.doi.org/10.1021/acs.jpcc.5b05450>.
- Zhang, H; Lohcharoenkal, W; Sun, J; Li, X; Wang, L; Wu, N; Rojanasakul, Y, on; Liu, Y. (2015). Microfluidic gradient device for studying mesothelial cell migration and the effect of chronic carbon nanotube exposure. *Journal of Micromechanics and Microengineering.* 25. <http://dx.doi.org/10.1088/0960-1317/25/7/075010>.

Fate Literature Search Results

Off Topic

- Zhang, J; Cole, SR; Richardson, DB; Chu, H. (2013). A Bayesian approach to strengthen inference for case-control studies with multiple error-prone exposure assessments. *Stat Med.* 32: 4426-4437. <http://dx.doi.org/10.1002/sim.5842>.
- Zhang, J; Wei, C; Chu, H; Chen, Y. (2016). Mesozoic metamorphism and its tectonic implication along the Solonker suture zone in central Inner Mongolia, China. *Lithos.* 261: 262-277. <http://dx.doi.org/10.1016/j.lithos.2016.03.014>.
- Zhang, L; Hafner, SS. (1992). GAMMA-RESONANCE OF FE-57 IN GRUNERITE AT HIGH-PRESSURES. *Am Mineral.* 77: 474-479.
- Zhang, L; Sun, M; Xu, B. (2001). Phase relations in garnet-bearing metabasites of prehnite-pumpellyite facies from the Darbut-Sartuohai ophiolite, Western Junggar of Xinjiang, China. *Mineralogy and Petrology.* 71: 67-85.
- Zhang, Q; Huang, X. (2002). Induction of ferritin and lipid peroxidation by coal samples with different prevalence of coal workers' pneumoconiosis: Role of iron in the coals. *Am J Ind Med.* 42: 171-179. <http://dx.doi.org/10.1002/ajim.10101>.
- Zhang, QW; Kusaka, Y; Donaldson, K. (2000). Comparative pulmonary responses caused by exposure to standard cobalt and ultrafine cobalt. *J Occup Health.* 42: 179-184.
- Zhang, RY; Liou, JG; Cong, BL. (1995). TALC-BEARING, MAGNESITE-BEARING AND TI-CLINOHUMITE-BEARING ULTRAHIGH-PRESSURE METAMAFIC AND ULTRAMAFIC COMPLEX IN THE DABIE MOUNTAINS, CHINA. *Journal of Petrology.* 36: 1011-1037.
- Zhang, XF; Zhang, XB; Vantendelloo, G; Meijer, G. (1994). HARMLESS CARBON TUBES AROUND DANGEROUS ASBESTOS FIBERS. *Carbon.* 32: 363-366.
- Zhang, Y; Sekine, T; He, H. (2014). A new interpretation of decomposition products of serpentine under shock compression. *Am Mineral.* 99: 2374-2377. <http://dx.doi.org/10.2138/am-2014-5021>.
- Zhang, Y; Sekine, T; Yu, Y, in; He, H; Meng, C; Liu, F; Zhang, M. (2014). Hugoniot and sound velocity of antigorite and evidence for sluggish decomposition. *Physics and Chemistry of Minerals.* 41: 313-322. <http://dx.doi.org/10.1007/s00269-013-0650-0>.
- Zhang, Y; Sun, F; Li, B; Huo, L; Ma, F. (2014). Ore textures and remobilization mechanisms of the Hongtoushan copper-zinc deposit, Liaoning, China. *Ore Geol Rev.* 57: 78-86. <http://dx.doi.org/10.1016/j.oregeorev.2013.09.006>.
- Zhang, YL; Kim, YC; Hong, W, onHwa. (2016). Visualizing distribution of naturally discharged asbestos fibers in Korea through analysis of thickness changes in asbestos cement slates. *J Clean Prod.* 112: 607-619. <http://dx.doi.org/10.1016/j.jclepro.2015.08.004>.
- Zhang, Z; Hong, W, ei; Jiang, Z; Duan, S; Li, F; Shi, F. (2014). Geological characteristics and metallogenesis of iron deposits in western Tianshan, China. *Ore Geol Rev.* 57: 425-440. <http://dx.doi.org/10.1016/j.oregeorev.2013.09.012>.
- Zhang, ZY; Wang, XL; Lin, LG; Xing, SD; Wu, YH; Li, Y; Wu, LJ; Gang, BQ. (2001). The effects of carbon fibre and carbon fibre composite dusts on bronchoalveolar lavage component of rats. *J Occup Health.* 43: 75-79.
- Zhao, XH; Jia, G; Liu, YQ; Liu, SW; Yan, L; Jin, Y; Liu, N. (2006). Association between polymorphisms of DNA repair gene XRCC1 and DNA damage in asbestos-exposed workers. *Biomed Environ Sci.* 19: 232-238.
- Zhao, YM; Dong, YG; Li, DX; Bi, CS. (2003). Geology, mineralogy, geochemistry, and zonation of the Bajiazi dolostone-hosted Zn-Pb-Ag skarn deposit, Liaoning Province, China. *Ore Geol Rev.* 23: 153-182. [http://dx.doi.org/10.1016/S0169-1368\(03\)00034-9](http://dx.doi.org/10.1016/S0169-1368(03)00034-9).
- Zheng, W; Blot, WJ; Shu, XO; Diamond, EL; Gao, YT; Ji, BT; Fraumeni, JF. (1992). RISK-FACTORS FOR ORAL AND PHARYNGEAL CANCER IN SHANGHAI, WITH EMPHASIS ON DIET. *Cancer Epidemiol Biomarkers Prev.* 1: 441-448.
- Zheng, W; Blot, WJ; X-O, S; Y-T, G; B-T, J; Ziegler, RG; Fraumeni J F, J. R. (1992). Diet and other risk factors for laryngeal cancer in Shanghai, China. *Am J Epidemiol.* 136: 178-191.
- Zheng, YF. (1993). CALCULATION OF OXYGEN-ISOTOPE FRACTIONATION IN HYDROXYL-BEARING SILICATES. *Earth Planet Sci Lett.* 120: 247-263.
- Zheng, YF; Metz, P; Satir, M. (1994). OXYGEN-ISOTOPE FRACTIONATION BETWEEN CALCITE AND TREMOLITE - AN EXPERIMENTAL-STUDY. *Contributions to Mineralogy and Petrology.* 118: 249-255.
- Zheng, YF; Satir, M; Metz, P. (2004). Oxygen isotope exchange and disequilibrium between calcite and tremolite in the absence and presence of an experimental C-O-H fluid. *Contributions to Mineralogy and Petrology.* 146: 683-695. <http://dx.doi.org/10.1007/s00410-003-0528-0>.
- Zhi, S, uo; Gun, WW; Hui, L, uoX; Bo, T. (2012). Evaluation of fatigue crack behavior in asphalt concrete pavements with different polymer modifiers. *Construction and Building Materials.* 27: 117-125. <http://dx.doi.org/10.1016/j.conbuildmat.2011.08.017>.
- Zhong, CY; Zhou, YM; Smith, KR; Kennedy, IM; Chen, CY; Aust, AE; Pinkerton, KE. (2010). Oxidative injury in the lungs of neonatal rats following short-term exposure to ultrafine iron and soot particles. *J Toxicol Environ Health A.* 73: 837-847. <http://dx.doi.org/10.1080/15287391003689366>.
- Zhong, F; Yano, E; Wang, ZM; Wang, MZ; Lan, YJ. (2008). Cancer mortality and asbestosis among workers in an asbestos plant in Chongqing, China. *Biomed Environ Sci.* 21: 205-211. [http://dx.doi.org/10.1016/S0895-3988\(08\)60030-6](http://dx.doi.org/10.1016/S0895-3988(08)60030-6).
- Zhou, L; Chen, J; Lao, W. (2007). Study on elastic modulus and recovery coefficient of cushioning materials in pile driving. *Journal of Materials in Civil Engineering.* 19: 313-320. [http://dx.doi.org/10.1061/\(ASCE\)0899-1561\(2007\)19:4\(313\)](http://dx.doi.org/10.1061/(ASCE)0899-1561(2007)19:4(313)).
- Zhou, L; Lao, W. (2006). Studying of the dynamic behavior of pile cushioning materials in pile driving. *Journal of Testing and Evaluation.* 34: 447-452.
- Zhou, L; Zhou, J; Yang, J. (1999). Effects of cytokines induced by mineral dust on lung fibroblasts in vitro. *J Occup Health.* 41: 144-148. <http://dx.doi.org/http://dx.doi.org/10.1539/joh.41.144>.
- Zhou, Z; Mao, J; Che, H; Ouyang, H; Ma, X. (2017). Metallogeny of the Handagai skarn Fe-Cu deposit, northern Great Xing'an Range, NE China: Constraints on fluid inclusions and skarn genesis. *Ore Geol Rev.* 80: 623-644. <http://dx.doi.org/10.1016/j.oregeorev.2016.08.012>.
- Zhu, H; Wang, Z. (1993). Study of occupational lung cancer in asbestos factories in China. *Br J Ind Med.* 50: 1039-1042.
- Zhu, HL. (1994). STUDY OF OCCUPATIONAL LUNG-CANCER IN ASBESTOS FACTORIES IN CHINA - REPLY. *Occup Environ Med.* 51: 719-719.
- Zhu, P; Wang, LY; Hong, D; Zhou, M; Zhou, J. (2013). Investigative studies for inert transformation of toxic chrysotile tailing. *Journal of Material Cycles and Waste Management.* 15: 90-97. <http://dx.doi.org/10.1007/s10163-012-0093-6>.
- Zhu, S; Manuel, M; Tanaka, S; Choe, N; Kagan, E; Matalon, S. (1998). Contribution of reactive oxygen and nitrogen species to particulate-induced lung injury [Review]. *Environ Health Perspect.* 106 Suppl 5: 1157-1163.

Fate Literature Search Results

Off Topic

- Zhu, XT; Ni, P, ei; Wang, G, uoG; Cai, Y, iTao; Chen, H, ui; Pan, J, unYi. (2016). Fluid inclusion, H-O isotope and Pb-Pb age constraints on the genesis of the Yongping copper deposit, South China. *J Geochem Explor.* 171: 55-70. <http://dx.doi.org/10.1016/j.gexplo.2016.01.018>.
- Zhu, Z; Bao, J; Yin, Y, an; Chen, G. (2013). Frictional catastrophe behaviors and mechanisms of brake shoe for mine hoisters during repetitious emergency brakings. *Industrial Lubrication & Tribology.* 65: 245-250. <http://dx.doi.org/10.1108/00368791311331220>.
- Zielhuis, RL. (1979). Public health risks of exposure to asbestos. Report of a Working Group. (HEEP/79/11632). Zielhuis, RL.
- Zielhuis, RL; Versteeg, JP; Planteijdt, HT. (1975). Pleura mesothelioma and exposure to asbestos. A retrospective case-control study in the Netherlands. *Int Arch Occup Environ Health.* 36: 1-18.
- Zielina, M; Dabrowski, W; Lang, T. (2007). Assessing the risk of corrosion of asbestos-cement pipes in Krakow's water supply network. *Environ Protect Eng.* 33: 17-26.
- Zimmermann, R; Hammerschmidt, K; Franz, G. (1994). EOCENE HIGH-PRESSURE METAMORPHISM IN THE PENNINIC UNITS OF THE TAUERN WINDOW (EASTERN ALPS) - EVIDENCE FROM AR-40-AR-39 DATING AND PETROLOGICAL INVESTIGATIONS. *Contributions to Mineralogy and Petrology.* 117: 175-186.
- Zingg, AJ. (1991). MINERAL REACTIONS IN CLOSED SYSTEMS INVOLVING AMPHIBOLE AND PLAGIOCLASE. *Am Mineral.* 76: 617-627.
- Zingg, AJ. (1996). Immiscibility in Ca-amphiboles. *Journal of Petrology.* 37: 471-496.
- Zirschky, J. (1996). Take-home toxin pathway. *J Environ Eng.* 122: 430-436.
- Zitting, AJ; Karjalainen, A; Impivaara, O; Kuusela, T; Mäki, J; Tossavainen, A; Järvisalo, J. (1996). Radiographic small lung opacities and pleural abnormalities in relation to smoking, urbanization status, and occupational asbestos exposure in Finland. *J Occup Environ Med.* 38: 602-609.
- Zitting, AJ; Karjalainen, A; Impivaara, O; Tossavainen, A; Kuusela, T; Maki, J; Huuskonen, MS. (1995). Radiographic small lung opacities and pleural abnormalities as a consequence of asbestos exposure in an adult population. *Scand J Work Environ Health.* 21: 470-477.
- Zocchetti, C. (2015). Health expenditures for cases of pleural mesothelioma. *Med Lav.* 106: 361-373.
- Zocchetti, C. (2015). [In Process Citation]. *Med Lav.* 106: 431-446.
- Zoitos, BK; Demeringo, A; Rouyer, E; Thelohan, S; Bauer, J; Law, B; Boymel, PM; Olson, J. R.; Christensen, VR; Guldberg, M; Koenig, AR; Perander, M. (1997). In vitro measurement of fiber dissolution rate relevant to biopersistence at neutral pH: An interlaboratory round robin. *Inhal Toxicol.* 9: 525-540.
- Zoloth, S; Michaels, D. (1985). Asbestos disease in sheet metal workers: the results of a proportional mortality analysis. *Am J Ind Med.* 7: 315-321.
- Zoloth, S; Michaels, D; Lacher, M; Nagin, D; Drucker, E. (1986). Asbestos disease screening by non-specialists: results of an evaluation. *Am J Public Health.* 76: 1392-1395.
- Zona, A; Bruno, C. (2009). Health surveillance for subjects with past exposure to asbestos: from international experience and Italian regional practices to a proposed operational model [Review]. *Ann Ist Super Sanita.* 45: 147-161.
- Zona, A; Bruno, C; Villari, C; Contiguglia, R; Fazzo, L; Mollica, G; Puglisi, G; Comba, P. (2010). [Health surveillance for subjects with past occupational exposure to asbestos: the experience of Local Health Unit Messina 5 (Sicily)]. *Epidemiol Prev.* 34: 94-99.
- Zona, A; Fazzo, L; De Santis, M; Bellino, M; Bruno, C; Comba, P. (2010). ASBESTOS-RELATED MORTALITY IN ITALIAN POLLUTED SITES. *Epidemiol Prev.* 34: 139-140.
- Zone, JJ; Rom, WN. (1985). Circulating immune complexes in asbestos workers. *Environ Res.* 37: 383-389.
- Zukowski, W; Cooke, DR; Deyell, CL; Mcinnes, P; Simpson, K. (2014). Genesis and Exploration Implications of Epithermal Gold Mineralization and Porphyry-Style Alteration at the Endeavour 41 Prospect, Cowal District, New South Wales, Australia. *Econ Geol.* 109: 1079-1115.
- Zumwalde, RD. (1973). Asbestos Survey of Federal Office Building No. 7, U.S. Court of Claims and Court of Customs and Patent Appeals Building Washington, D.C. and George H. Fallon Office Building Baltimore, Maryland. (NIOSH/00073682). Zumwalde, RD.
- Zurcher, L; Ruiz, J; Barton, MD. (2001). Paragenesis, elemental distribution, and stable isotopes at the Pena Colorado iron skarn, Colima, Mexico. *Econ Geol.* 96: 535-557.
- Zurer, P. (1989). COALITION SUES TO END BAN ON ASBESTOS USE. *Chem Eng News.* 67: 6-6.
- Zurer, PS. (1985). ASBESTOS - THE FIBER THATS PANICKING AMERICA. *Chem Eng News.* 63: 28-&.
- Zurer, PS. (1985). STATES AIM FOR UNIFIED APPROACH TO ASBESTOS CONTROL. *Chem Eng News.* 63: 26-&.
- Zwetsloot, GIJ, M; Zwanikken, S; Hale, A. (2011). Policy expectations and the use of market mechanisms for regulatory OSH certification and testing regimes. *Safety Sci.* 49: 1007-1013. <http://dx.doi.org/10.1016/j.ssci.2010.12.006>.

Engineering/Occupational Exposure Literature Search Results

On Topic

- A-AM, K; El Khafif, M; Koraah, S; Massoud, A; J-F, C. (1992). Blood Superoxide Dismutase and Plasma Malondialdehyde among Workers Exposed to Asbestos. *Am J Ind Med.* 21: 353-361.
- Abecassis, JC. (1995). Exposure to asbestos and man-made mineral fibres. Nationwide investigation in the construction and civil engineering sectors. DMT. Documents pour le m and acirc: 107-112.
- Abejie, BA; Chung, EH; Nesto, RW; Kales, SN. (2008). Grand rounds: asbestos-related pericarditis in a boiler operator. *Environ Health Perspect.* 116: 86-89. <http://dx.doi.org/10.1289/ehp.10354>.
- Abejie, BA; Wang, X; Kales, SN; Christiani, DC. (2010). Patterns of pulmonary dysfunction in asbestos workers: a cross-sectional study. *J Occup Med Toxicol.* 5: 12. <http://dx.doi.org/10.1186/1745-6673-5-12>.

Engineering/Occupational Exposure Literature Search Results

On Topic

- Acheson, ED; Gardner, MJ; Pippard, EC; Grime, LP. (1982). Mortality of 2 groups of women who manufactured gas masks from chrysotile and crocidolite asbestos: A 40-year follow-up. *Br J Ind Med.* 39: 344-348.
- Acheson, ED; Gardner, MJ; Winter, PD; Bennett, C. (1984). Cancer in a factory using amosite asbestos. *Int J Epidemiol.* 13: 3-10.
- acirc; Ery, M; Possoz, C; Kauffer, E. (1997). Occupational exposure of asbestos removal workers. *Cahiers de notes documentaires. Hygi and aacute:* 217-224.
- Addison, J; Davies, LST; Robertson, A; Willey, RJ. (1988). The Release of Dispersed Asbestos Fibres from Soils. (NIOSH/00190884). Addison, J; Davies, LST; Robertson, A; Willey, RJ.
- Adib, G; Labrèche, F; De Guire, L; Dion, C; Dufresne, A. (2013). Short, fine and WHO asbestos fibers in the lungs of quebec workers with an asbestos-related disease. *Am J Ind Med.* 56: 1001-1014. <http://dx.doi.org/10.1002/ajim.22180>.
- Agency, EP. (1985). ASBESTOS WASTE MANAGEMENT GUIDANCE-GENERATION, TRANSPORT, DISPOSAL (pp. U). (HMTC/85/0004116). Environmental Protection Agency.
- Agency, USATaHM. (1990). Report of Sampling and Analysis Results, Manhattan Beach Army Housing Units, Brooklyn, New York (pp. 57). (NTIS/02972330_a).
- Agudo, A; González, CA; Bleda, MJ; Ramírez, J; Hernández, S; López, F; Calleja, A; Panadès, R; Turuguet, D; Escolar, A; Beltrán, M; González-Moya, JE. (2000). Occupation and risk of malignant pleural mesothelioma: A case-control study in Spain. *Am J Ind Med.* 37: 159-168.
- Aguilar-Madrid, G; Juárez-Pérez, CA; Markowitz, S; Hernández-Avila, M; Sanchez Roman, FR; Vázquez Grameix, JH. (2003). Globalization and the transfer of hazardous industry: asbestos in Mexico, 1979-2000. *Int J Occup Environ Health.* 9: 272-279. <http://dx.doi.org/10.1179/oeh.2003.9.3.272>.
- Aguilar-Madrid, G; Robles-Perez, E; Arturo Juarez-Perez, C; Alvarado-Cabrero, I; Gerardo Rico-Mendez, F; Javier, KG. (2010). Case-Control Study of Pleural Mesothelioma in Workers With Social Security in Mexico. *Am J Ind Med.* 53: 241-251. <http://dx.doi.org/10.1002/ajim.20780>.
- Ahmed, AK; Macleod, DF; Carmody, J. (1972). Control for Asbestos. *Environment.* 14: 16-29.
- Ahn, YS; Kang, SK. (2009). Asbestos-related occupational cancers compensated under the Industrial Accident Compensation Insurance in Korea. *Ind Health.* 47: 113-122.
- Ahrenholz, SH. (1986). Health Hazard Evaluation Report No. HETA-84-483-1669, National Aluminum Rolling Division, Salisbury, North Carolina (pp. 84-483). (NIOSH/00163101). Ahrenholz, SH.
- Ahrenholz, SH. (1988). Health Hazard Evaluation Report No. HETA-86-422-1891, City of Ames Municipal Power Plant, Ames, Iowa (pp. 86-422). (NIOSH/00181807). Ahrenholz, SH.
- Ahrenholz, SH; Lipscomb, J. (1983). Health Hazard Evaluation Report, No. HETA-82-96-1259, Kaiser Aluminum and Chemical Corporation, Ravenswood, West Virginia (pp. 19831983). (NIOSH/00127796). Ahrenholz, SH; Lipscomb, J.
- Ahrens, W; Jöckel, KH; Brochard, P; Bolm-Audorff, U; Grossgarten, K; Iwatsubo, Y; Orłowski, E; Pohlabein, H; Berrino, F. (1993). Retrospective assessment of asbestos exposure--I. Case-control analysis in a study of lung cancer: efficiency of job-specific questionnaires and job exposure matrices. *Int J Epidemiol.* 22 Suppl 2: S83-S95.
- Akkersdijk, H; Bremmer, CF; Schliszka, C; Spee, T. (1989). Effect of respiratory protective equipment on exposure to asbestos fibres during removal of asbestos insulation. *Ann Occup Hyg.* 33: 113-116.
- Akkurt, I; Onal, B; Demir, AU; Tüzün, D; Sabir, H; Ulusoy, L; Karadağ, KO; Ersoy, N; Cöplü, L. (2006). Respiratory health in Turkish asbestos cement workers: the role of environmental exposure. *Am J Ind Med.* 49: 609-616. <http://dx.doi.org/10.1002/ajim.20326>.
- Al Jarad, N; Uthayakumar, S; Buckland, EJ; Green, TS; Ord, J; Newland, AC; Rudd, RM. (1992). The histocompatibility antigen in asbestos related disease. *Br J Ind Med.* 49: 826-831.
- Albin, M; Engholm, G; Hallin, N; Hagmar, L. (1998). Impact of exposure to insulation wool on lung function and cough in Swedish construction workers. *Occup Environ Med.* 55: 661-667.
- Albin, M; Horstmann, V; Jakobsson, K; Welinder, H. (1996). Survival in cohorts of asbestos cement workers and controls. *Occup Environ Med.* 53: 87-93.
- Albin, M; Jakobsson, K; Attewell, R; Johansson, L; Welinder, H. (1990). Mortality and cancer morbidity in cohorts of asbestos cement workers and referents. *Br J Ind Med.* 47: 602-610.
- Albin, M; Johansson, L; Pooley, FD; Jakobsson, K; Attewell, R; Mitha, R. (1990). Mineral fibres, fibrosis, and asbestos bodies in lung tissue from deceased asbestos cement workers. *Br J Ind Med.* 47: 767-774.
- Albin, M; Magnani, C; Krstev, S; Rapiti, E; Shefer, I. (1999). Asbestos and cancer: An overview of current trends in Europe [Review]. *Environ Health Perspect.* 107 Suppl 2: 289-298.
- Albin, M; Pooley, FD; Strömberg, U; Attewell, R; Mitha, R; Johansson, L; Welinder, H. (1994). Retention patterns of asbestos fibres in lung tissue among asbestos cement workers. *Occup Environ Med.* 51: 205-211.
- Albrecht, K. (1987). ASBESTOS PARTICLES AS EVIDENCE OF AN OCCUPATIONAL HAZARD RESULTING FROM EXPOSURE TO CHRYSOTILE. *Arbeitsmedizin, Sozialmedizin, Praeventivmedizin.* 22: 87-87.
- Alderisio, M; Giovagnoli, MR; Cenci, M; Vecchione, A. (1996). Asbestos bodies in the sputum of workers exposed to environmental pollution. *Anticancer Res.* 16: 2965-2968.
- Alexandre, Y. (1979). ASBESTOS CEMENT INDUSTRY AND THE ENVIRONMENT. 185: 61-62.
- Alexopoulos, EC; Bouros, D; Dimadi, M; Serbescu, A; Bakoyannis, G; Kokkinis, FP. (2011). Comparative analysis of induced sputum and bronchoalveolar lavage fluid (BALF) profile in asbestos exposed workers. *J Occup Med Toxicol.* 6: 23. <http://dx.doi.org/10.1186/1745-6673-6-23>.
- Algranti, E; Mendonça, EM; Decapitani, EM; Freitas, JB; Silva, HC; Bussacos, MA. (2001). Non-malignant asbestos-related diseases in Brazilian asbestos-cement workers. *Am J Ind Med.* 40: 240-254.

Engineering/Occupational Exposure Literature Search Results

On Topic

- Algranti, E; Mendonça, EM; Hnizdo, E; De Capitani, EM; Freitas, JB; Raile, V; Bussacos, MA. (2013). Longitudinal decline in lung function in former asbestos exposed workers. *Occup Environ Med.* 70: 15-21. <http://dx.doi.org/10.1136/oemed-2012-100715>.
- Alies-Patin, AM; Valleron, AJ. (1985). Mortality of workers in a French asbestos cement factory 1940-82. *Br J Ind Med.* 42: 219-225.
- Aliyu, OA; Cullen, MR; Barnett, MJ; Balmes, JR; Cartmel, B; Redlich, CA; Brodtkin, CA; Barnhart, S; Rosenstock, L; Israel, L; Goodman, GE; Thornquist, MD; Omenn, GS. (2005). Evidence for excess colorectal cancer incidence among asbestos-exposed men in the Beta-Carotene and Retinol Efficacy Trial. *Am J Epidemiol.* 162: 868-878. <http://dx.doi.org/10.1093/aje/kwi285>.
- Alkhuja, S; Miller, A; Mastellone, AJ; Markowitz, S. (2000). Malignant pleural mesothelioma presenting as spontaneous pneumothorax: a case series and review. *Am J Ind Med.* 38: 219-223.
- Altreewilliams, S; Preston, JS. (1985). ASBESTOS AND OTHER FIBER LEVELS IN BUILDINGS. *Ann Occup Hyg.* 29: 357-363.
- Altree-Williams, S; Preston, JS. (1985). Asbestos and other fibre levels in buildings. *Ann Occup Hyg.* 29: 357-363.
- Amandus, HE; Shy, C; Wing, S; Blair, A; Heineman, EF. (1991). SILICOSIS AND LUNG-CANCER IN NORTH-CAROLINA DUSTY TRADES WORKERS. *Am J Ind Med.* 20: 57-70.
- Amandus, HE; Wheeler, R; Janković, J; Tucker, J. (1987). The morbidity and mortality of vermiculite miners and millers exposed to tremolite-actinolite: Part I. Exposure estimates. *Am J Ind Med.* 11: 1-14.
- Ambrosius, S; Gundlach, H; Kieser, J. (1996). Thermal utilization of cement-bound asbestos products in cement kilns. 49: 444-&.
- Ameille, J; Brochard, P; Brechot, JM; Pascano, T; Cherin, A; Raix, A; Fredy, M; Bignon, J. (1993). Pleural thickening: a comparison of oblique chest radiographs and high-resolution computed tomography in subjects exposed to low levels of asbestos pollution. *Int Arch Occup Environ Health.* 64: 545-548.
- Ameille, J; Brochard, P; Cordier, S; Bignon, J; Rochemaure, J; Raix, A; Proteau, J. (1987). CROSS SECTIONAL SURVEY OF A POPULATION EXPOSED TO INDOOR POLLUTION BY ASBESTOS INSIDE INSULATED BUILDINGS (pp. 15-18). (BIOSIS/87/21451). Ameille, J; Brochard, P; Cordier, S; Bignon, J; Rochemaure, J; Raix, A; Proteau, J.
- Ameille, J; Rosenberg, N; Matrat, M; Descatha, A; Mompoin, D; Hamzi, L; Atassi, C; Vasile, M; Garnier, R; Pairon, JC. (2012). Asbestos-related diseases in automobile mechanics. *Ann Occup Hyg.* 56: 55-60. <http://dx.doi.org/10.1093/annhyg/mer066>.
- Amrhein, TA. (1994). Negative Pressure Glove Bags for Operations and Maintenance and Large Scale Abatement Projects. *Appl Occup Environ Hyg.* 9: 891-894.
- Anania, T; Price, J. (1977). Hazard Evaluation and Technical Assistance, Report No. TA-77-41, Vimasco Corporation, Nitro, West Virginia. NIOSH: 19771977.
- Anania, TL. (1976). Hazard Evaluation and Technical Assistance Report No. TA-76-40, National Science Foundation Building, Washington, DC (pp. 76-40). (NIOSH/00179002). Anania, TL.
- Anania, TL; Price, JH; Evans, WA. (1978). Health Hazard Evaluation Determination Report No. HHE-77-34-471, Midwest Steel Division, National Steel Corporation, Portage, Indiana (pp. 77-34). (NIOSH/00080314). Anania, TL; Price, JH; Evans, WA.
- Anastasiadou, K; Gidarakos, E. (2007). Toxicity evaluation for the broad area of the asbestos mine of northern Greece. *J Hazard Mater.* 139: 9-18. <http://dx.doi.org/10.1016/j.jhazmat.2006.06.031>.
- Andersen, A; Barlow, L; Engeland, A; Kjaerheim, K; Lynge, E; Pukkala, E. (1999). Work-related cancer in the Nordic countries [Review]. *Scand J Work Environ Health.* 25: 1-116.
- Andersen, A; Glattre, E; Johansen, BV. (1993). INCIDENCE OF CANCER AMONG LIGHTHOUSE KEEPERS EXPOSED TO ASBESTOS IN DRINKING-WATER. *Am J Epidemiol.* 138: 682-687.
- Anderson, HA; Hanrahan, LP; Higgins, DN; Sarow, PG. (1992). A radiographic survey of public school building maintenance and custodial employees. *Environ Res.* 59: 159-166.
- Anderson, JL; Daniels, RD; Fleming, DA; Tseng, CY. (2012). Exposure assessment for a cohort of workers at a former uranium processing facility. *J Expo Sci Environ Epidemiol.* 22: 324-330. <http://dx.doi.org/10.1038/jes.2012.20>.
- Andersson, E; Hagberg, S; Nilsson, T; Persson, B; Wingren, G; Torén, K. (2001). A case-referent study of cancer mortality among sulfate mill workers in Sweden. *Occup Environ Med.* 58: 321-324.
- Andersson, E; Torén, K. (1995). Pleural mesotheliomas are underreported as occupational cancer in Sweden. *Am J Ind Med.* 27: 577-580.
- Andersson, E; Westberg, H; Bryngelsson, IL; Magnuson, A; Persson, B. (2012). Cancer incidence among Swedish pulp and paper mill workers: a cohort study of sulphate and sulphite mills. *Int Arch Occup Environ Health.* 86: 529-540. <http://dx.doi.org/10.1007/s00420-012-0785-1>.
- Andersson, M; Selin, F; Järholm, B. (2016). Asbestos exposure and the risk of sinonasal cancer. *Occup Med (Lond).* 66: 326-331. <http://dx.doi.org/10.1093/occmed/kqw018>.
- Andrion, A; Colombo, A; Dacorsi, M; Mollo, F. (1982). Pleural plaques at autopsy in Turin (Italy): A study of 1019 adult subjects. *Eur J Respir Dis.* 63: 107-112.
- Andrion, A; Pira, E; Barocelli, MP; Mollo, F. (1983). Indicators of asbestos exposure in autopsy routine. 1. Lung asbestos bodies and occupation. *Med Lav.* 74: 35-41.
- Anon. (1977). 5 ASBESTOS PRODUCTS STUDIED FOR MANUFACTURE IN CANADA. 98: 46-&.
- Anon. (1983). ASBESTOS INVESTIGATION OF WORKER EXPOSURE. (TSCATS/016875).
- ANON. (1984). Working with asbestos in building construction and the manufacturing industry. (CIS/85/00329). ANON.
- Anon. (1985). [Industrial hygiene: dusts and fibers as hazards in the industrial milieu]. *Soz Praventivmed.* 30: 44-53.
- ANON. (1995). Asbestos - Recommendation No.347 of the National Health Insurance Fund concerning work on or repair of sprayed asbestos or on building components containing asbestos. *es de Pr and acirc:* 36-39.
- Anon. (1997). Inert asbestos material used as ballast for road building in France. *Mater Perform.* 36: 11-11.

Engineering/Occupational Exposure Literature Search Results

On Topic

- Anon. (1998). Process destroys asbestos installed fireproofing. *Chemical Engineering Progress*. 94: 16-16.
- Anon. (2005). [Exposures to carcinogens]. (CIS/06/00362).
- Anonymous. (1965). Results of Air Samples at Johns-Manville, Textile Plant, Manville, New Jersey. (NIOSH/00105344). Anonymous.
- Anonymous. (1968). Preliminary Report Result of Air Samples at H. K. Porter Company, Middletown, Connecticut. (NIOSH/00105993). Anonymous.
- Anonymous. (1969). Environmental Asbestos: Threat or Phantom. *J Am Med Assoc*. 208.
- Anonymous. (1970). Exposure to Asbestos During Brake and Clutch Maintenance. *Ann Occup Hyg*. 13: 1-41.
- Anonymous. (1971). Asbestos The Need for and Feasibility of Air Pollution Controls (pp. 19711971). (NIOSH/00000263). Anonymous.
- Anonymous. (1971). Results of U.S.P.H.S. Survey at Raybestos-Manhattan Marshville, North Carolina. 19711971: 19711971.
- Anonymous. (1972). Evaluation Of Exposure To Asbestosis In The Work Environment (pp. 1-6). (NIOSH/00136281). Anonymous.
- Anonymous. (1972). U.S.P.H.S. Survey at Abex Corporation, American Brakeblok Division, Winchester, Virginia. 3: 19721972.
- Anonymous. (1973). Industrial Hygiene Survey at Johns-Manville Industrial Products Division-Textiles, Manville, New Jersey. 4: 19731973.
- Anonymous. (1973). Probable Asbestos Dust Concentrations at Construction Processes. (NIOSH/00179935). Anonymous.
- Anonymous. (1975). Current Intelligence Bulletin 5 Asbestos. Asbestos Exposure during Servicing of Motor Vehicle Brake and Clutch Assemblies (with reference package). 5: 6.
- Anonymous. (1975). Information Indicating a Potential Health Hazard for Persons Exposed to Asbestos during the Servicing of Motor Vehicle Brake and Clutch Assemblies. (NIOSH/00052026). Anonymous.
- Anonymous. (1977). Roofing Industry IN: "Information Profiles on Potential Occupational Hazards", NIOSH Contract No. 210-77-0120, October 1977, p. 316-320 (pp. 210-277). (NIOSH/00075438). Anonymous.
- Anonymous. (1979). Asbestos-Containing Materials In School Buildings: A Guidance Document (pp. 19791979). (NIOSH/00145464). Anonymous.
- Anonymous. (1982). Dust In The London Underground. A Report By London Transport. 17: 19821982.
- Ansari, FA; Ahmad, I; Ashquin, M; Yunus, M; Rahman, Q. (2007). Monitoring and identification of airborne asbestos in unorganized sectors, India. *Chemosphere*. 68: 716-723. <http://dx.doi.org/10.1016/j.chemosphere.2007.01.040>.
- Ansari, FA; Ashquin, M; Siddiqui, H; Ahmad, I. (2007). Asbestos fiber counts in work zone area of an asbestos-cement factory. *Journal of Sci Ind Res*. 66: 935-937.
- Ansari, FA; Ashquin, M; Siddiqui, H; Prasad, R; Khan, MI; Ahmad, I. (2010). Workplace atmospheric asbestos levels in different plants manufacturing asbestos-cement roofing sheets in India. *Atmos Pollut Res*. 1: 128-131. <http://dx.doi.org/10.5094/APR.2010.016>.
- Anton-Culver, H; Culver, BD; Kurosaki, T. (1988). IMMUNE RESPONSE IN SHIPYARD WORKERS WITH X-RAY ABNORMALITIES CONSISTENT WITH ASBESTOS EXPOSURE. *Br J Ind Med*. 45: 464-468.
- Anttila, A; Sallmen, M; Hemminki, K. (1993). CARCINOGENIC CHEMICALS IN THE OCCUPATIONAL ENVIRONMENT (pp. PREVENTION OF CANCER). (BIOSIS/93/21369). Anttila, A; Sallmen, M; Hemminki, K.
- Anttila, P; Heikkilä, P; Mäkelä, M; Schlünssen, V; Priha, E. (2009). Retrospective exposure assessment for carcinogenic agents in bitumen waterproofing industry in Finland and denmark. *Ann Occup Hyg*. 53: 139-151. <http://dx.doi.org/10.1093/annhyg/men082>.
- Anttila, S; Karjalainen, A; Taikina-Aho, O; Kyyrönen, P; Vainio, H. (1993). Lung cancer in the lower lobe is associated with pulmonary asbestos fiber count and fiber size. *Environ Health Perspect*. 101: 166-170.
- Arblaster, L; Hatton, P; Howel, D; Renvoize, E; Schweiger, M; Swinburne, LM. (1995). Occupational and environmental links to mesothelioma deaths occurring in Leeds during 1971-1987. *J Publ Health Med*. 17: 297-304.
- Arcot, DK. (2010). Asbestos Exposure Assessment Database. 22.
- Arghir, OC; Halichidis, S; Cambrea, SC; Ruta, MV; Ciobotaru, C; Man, MA. (2014). ENVIRONMENTAL RISK FACTORS FOR LUNG CANCER IN NEVER-SMOKERS. *J Environ Prot Ecol*. 15: 348-352.
- Arhelger, R; Rödelsperger, K; Giesen, T; Sieben, J; Woitowitz, HJ. (1983). [Suitability of published measurements of asbestos dust in the work area for the evaluation of industrial medicine risk]. 33: 274-281.
- Arndt, V; Rothenbacher, D; Daniel, U; Zschenderlein, B; Schuberth, S; Brenner, H. (2004). All-cause and cause specific mortality in a cohort of 20000 construction workers; results from a 10 year follow up. *Occup Environ Med*. 61: 419-425. <http://dx.doi.org/10.1136/oem.2003.008680>.
- Ascoli, V; Calisti, R; Carnovale-Scalzo, C; Nardi, F. (2001). Malignant pleural mesothelioma in bakers and pastry cooks. *Am J Ind Med*. 40: 371-373.
- Ascoli, V; Cavone, D; Merler, E; Barbieri, PG; Romeo, L; Nardi, F; Musti, M. (2007). Mesothelioma in blood related subjects: report of 11 clusters among 1954 Italy cases and review of the literature. *Am J Ind Med*. 50: 357-369. <http://dx.doi.org/10.1002/ajim.20451>.
- Ascoli, V; Romeo, E; Carnovale Scalzo, C; Cozzi, I; Ancona, L; Cavariani, F; Balestri, A; Gasperini, L; Forastiere, F. (2014). Familial malignant mesothelioma: a population-based study in central Italy (1980-2012). *Cancer Epidemiology*. 38: 273-278. <http://dx.doi.org/10.1016/j.canep.2014.02.014>.
- Assuncao, J; Corn, M. (1975). EFFECTS OF MILLING ON DIAMETERS AND LENGTHS OF FIBROUS GLASS AND CHRYSOTILE ASBESTOS FIBERS. *Am Ind Hyg Assoc J*. 36: 811-819.
- Atkinson, MA; O'sullivan, M; Zuber, S; Dodson, RF. (2004). Evaluation of the size and type of free particulates collected from unused asbestos-containing brake components as related to potential for respirability. *Am J Ind Med*. 46: 545-553. <http://dx.doi.org/10.1002/ajim.20097>.
- Atkinson, WD; Law, DV; Bromley, KJ; Inskip, HM. (2004). Mortality of employees of the United Kingdom Atomic Energy Authority, 1946-97. *Occup Environ Med*. 61: 577-585. <http://dx.doi.org/10.1136/oem.2003.012443>.

Engineering/Occupational Exposure Literature Search Results

On Topic

- ATSDR. (2005). Health Consultation: Gila Crossing Presbyterian Church, District 6, Gila River Indian Community, Maricopa County, Arizona. EPA Facility ID: AZD981621881. 30.
- ATSDR. (2006). Health Consultation: Review of Activity-Based Sampling on the Hancock/Ripley Trail, Former Quincy Smelter Site, Town of Ripley, Houghton County, Michigan (Included in the Torch Lake Superfund Site, EPA Facility ID: MID980901946). 34.
- ATSDR. (2012). Letter Health Consultation: Bald Friar Quarry NOA Site, Conowingo, Maryland, December 14, 2012. 8.
- Attfeld, MD; Beckett, ST. (1983). VOID-COUNTING IN ASSESSING MEMBRANE-FILTER SAMPLES OF ASBESTOS FIBER. *Ann Occup Hyg.* 27: 273-282.
- Auerbach, O; Hammond, EC; Selikoff, IJ; Parks, VR; Kaslow, HD; Garfinkel, L. (1977). Asbestos bodies in lung parenchyma in relation to ingestion and inhalation of mineral fibers. *Environ Res.* 14: 286-304.
- Awad, A., AH. (2011). Airborne asbestos fibres and mesothelioma in the last 20 years in Egypt: a review. *Atmos Pollut Res.* 2: 445-451. <http://dx.doi.org/10.5094/APR.2011.051>.
- Awate, PG; Tabucanon, MT. (1993). CYCLIC MACHINE LOADING, PRODUCT ALLOCATION AND LOT SIZING IN AN ASBESTOS CEMENT SHEET FACTORY. *International Journal of Production Economics.* 29: 1-10.
- Ayer, HE. (1964). Results of Air samples at H.K. Porter Company, Charlotte, North Carolina. (NIOSH/00105820). Ayer, HE.
- Ayer, HE. (1964). Results of Air Samples H.K. Porter Company, Davidson, North Carolina. (NIOSH/00105821). Ayer, HE.
- Ayer, HE. (1964). Results of Sampling at American Asbestos Textile, Meredith, New Hampshire. (NIOSH/00105815). Ayer, HE.
- Ayer, HE; Oster, CV; Ligo, RN; Weidner, RB; Raymond, HW; Knight, RM. (1970). PUBLIC HEALTH SERVICE STUDY OF ASBESTOS PROCESSING WORKERS - PROGRESS REPORT. *Am Ind Hyg Assoc J.* 31: 26-&.
- Azari, MR; Nasermoaddeli, A; Movahadi, M; Mehrabi, Y; Hatami, H; Soori, H; Moshfegh, E; Ramazni, B. (2010). Risk assessment of lung cancer and asbestosis in workers exposed to asbestos fibers in brake shoe factory in Iran. *Ind Health.* 48: 38-42.
- Azuma, K; Uchiyama, I; Chiba, Y; Okumura, J. (2009). Mesothelioma risk and environmental exposure to asbestos: past and future trends in Japan. *Int J Occup Environ Health.* 15: 166-172. <http://dx.doi.org/10.1179/oeh.2009.15.2.166>.
- Bacon, DW; Coomes, OT; Marsan, AA; Rowlands, N. (1986). ASSESSING POTENTIAL SOURCES OF ASBESTOS FIBERS IN WATER-SUPPLIES OF SE QUEBEC. *Water Resour Bull.* 22: 29-38.
- Baeten, J; Helsen, J; Deruyttere, A. (1980). Nature, structure, and properties of asbestos cement dust. *Br J Ind Med.* 37: 33-41.
- Bagatin, E; Neder, JA; Nery, LE; Terra-Filho, M; Kavakama, J; Castelo, A; Capelozzi, V; Sette, A; Kitamura, S; Favero, M; Moreira-Filho, DC; Tavares, R; Peres, C; Becklake, MR. (2005). Non-malignant consequences of decreasing asbestos exposure in the Brazil chrysotile mines and mills. *Occup Environ Med.* 62: 381-389. <http://dx.doi.org/10.1136/oem.2004.016188>.
- Bailey, S; Conchie, A; Hiatt, DM; Thomas, C. (1988). Personal exposure to asbestos dust during clearance certification. *Ann Occup Hyg.* 32: 423-426.
- Bakdash, MB; Frydman, A. (1976). Asbestos in periodontal dressings: a possible health hazard. 7: 61-65.
- Baker, DB. (1991). Limitations in drawing etiologic inferences based on measurement of asbestos fibers from lung tissue [Review]. *Ann N Y Acad Sci.* 643: 61-70.
- Baker, EL; Dagg, T; Greene, RE. (1985). RESPIRATORY ILLNESS IN THE CONSTRUCTION TRADES .1. THE SIGNIFICANCE OF ASBESTOS-ASSOCIATED PLEURAL DISEASE AMONG SHEET-METAL WORKERS. *J Occup Environ Med.* 27: 483-489.
- Bakke, P; Baste, V; Hanao, R; Gulsvik, A. (1992). Occupational Airborne Exposure of the General Population of a Norwegian County (pp. 44-51). (ISSN 0355-3140; EISSN 1795-990X; NIOSH/00206720). Bakke, P; Baste, V; Hanao, R; Gulsvik, A.
- Bakke, P; Gulsvik, A; Eide, GE; Hanao, R. (1990). Smoking habits and lifetime occupational exposure to gases or dusts, including asbestos and quartz, in a Norwegian community. *Scand J Work Environ Health.* 16: 195-202.
- Bakke, PS; Hanao, R; Gulsvik, A. (2001). Relation of occupational exposure to respiratory symptoms and asthma in a general population sample: self-reported versus interview-based exposure data. *Am J Epidemiol.* 154: 477-483.
- BALAKRIS.TD; Udupa, HVK; Udupa, KS; SUBRAMAN.GS. (1972). CROCIDOLITE FABRICS AS DIAPHRAGMS IN ELECTROLYTIC REDUCTION OF NITROBENZENE TO PARA AMINOPHENOL. *Chem Ing Tech.* 44: 626-&.
- Baletic, N; Jakovljevic, B; Marmut, Z; Petrovic, Z; Paunovic, K. (2005). Chronic laryngitis in glassblowers. *Ind Health.* 43: 302-307.
- Balmes, J; Rempel, D; Alexander, M; Reiter, R; Harrison, R; Bernard, B; Benner, D; Cone, J. (1992). Hospital records as a data source for occupational disease surveillance: a feasibility study. *Am J Ind Med.* 21: 341-351.
- Bamber, HA; Butterworth, R. (1970). Asbestos hazard from protective clothing. *Ann Occup Hyg.* 13: 77-79.
- Band, PR; Le, ND; Fang, R; Astrakianakis, G; Bert, J; Keefe, A; Krewski, D. (2001). Cohort cancer incidence among pulp and paper mill workers in British Columbia. *Scand J Work Environ Health.* 27: 113-119.
- Band, PR; Le, ND; Fang, R; Threlfall, WJ; Astrakianakis, G; Anderson, JT; Keefe, A; Krewski, D. (1997). Cohort mortality study of pulp and paper mill workers in British Columbia, Canada. *Am J Epidemiol.* 146: 186-194.
- Barbieri, PG; Somigliana, A; Caironi, M; Migliori, M. (2007). [The epidemiologic surveillance of malignant mesothelioma in the Lower Iseo Lake area]. *Epidemiol Prev.* 31: 16-22.
- Barbieri, PG; Somigliana, A; Girelli, R; Lombardi, S; Festa, R; Silvestri, S. (2008). [Malignant mesothelioma in garment sewing-machine workers]. *Med Lav.* 99: 187-193.
- Barbieri, PG; Somigliana, A; Girelli, R; Lombardi, S; Sarnico, M; Silvestri, S. (2016). [Pleural mesothelioma in a school teacher: asbestos exposure due to DAS paste]. *Med Lav.* 107: 141-147.
- Barbieri, PG; Somigliana, A; Lombardi, S; Girelli, R; Benvenuti, A. (2009). [Asbestos fibre lung burden and exposure indices in asbestos-cement workers]. *Med Lav.* 100: 21-28.

Engineering/Occupational Exposure Literature Search Results

On Topic

- Barbieri, PG; Somigliana, A; Tironi, A. (2010). [Lung asbestos fibre burden in textile workers with malignant mesothelioma]. *Med Lav.* 101: 199-206.
- Barbieri, PG; Somigliana, AB. (2016). [Not Available]. *Med Lav.* 107: 315-326.
- Barbiero, F; Giangreco, M; Pisa, FE; Negro, C; Bovenzi, M; Rosolen, V; Barbone, F. (2016). [Not Available]. *Med Lav.* 107: 307-314.
- Barbone, F; Delzell, E; Austin, H; Cole, P. (1992). A case-control study of lung cancer at a dye and resin manufacturing plant. *Am J Ind Med.* 22: 835-849.
- Bard, D; Burdett, G. (2007). Exposure of UK industrial plumbers to asbestos, Part II: Awareness and responses of plumbers to working with asbestos during a survey in parallel with personal sampling. *Ann Occup Hyg.* 51: 113-119. <http://dx.doi.org/10.1093/annhyg/mel077>.
- Bark, LS; Moran, D; Percival, SJ. (1975). CHEMICAL CHANGES IN ASBESTOS-BASED FRICTION MATERIALS DURING PERFORMANCE - REVIEW. *Wear.* 34: 131-139.
- Barnes, R. (1976). Asbestos spraying, an occupational and environmental hazard. *Med J Aust.* 2: 599-602.
- Barnes, R. (1986). Progression of radiographic changes in asbestos workers and ex-workers. *J Soc Occup Med.* 36: 9-12.
- Barnhart, S; Keogh, J; Cullen, MR; Brodtkin, C; Liu, D; Goodman, G; Valanis, B; Glass, A; Thornquist, M; Rosenstock, L; Omenn, G; Balmes, J. (1997). The CARET asbestos-exposed cohort: baseline characteristics and comparison to other asbestos-exposed cohorts. *Am J Ind Med.* 32: 573-581. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199712\)32:6<573::AID-AJIM1>3.0.CO;2-R](http://dx.doi.org/10.1002/(SICI)1097-0274(199712)32:6<573::AID-AJIM1>3.0.CO;2-R).
- Baron, PA. (2001). Measurement of airborne fibers: a review [Review]. *Ind Health.* 39: 39-50.
- Barone-Adesi, F; Richiardi, L; Merletti, F. (2005). Population attributable risk for occupational cancer in Italy [Review]. *Int J Occup Environ Health.* 11: 23-31.
- Barroetavena, MC; Teschke, K; Bates, DV. (1996). Unrecognized asbestos-induced disease. *Am J Ind Med.* 29: 183-185. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199602\)29:2<183::AID-AJIM8>3.0.CO;2-T](http://dx.doi.org/10.1002/(SICI)1097-0274(199602)29:2<183::AID-AJIM8>3.0.CO;2-T).
- Baser, S; Duzce, O; Evyapan, F; Akdag, B; Ozkurt, S; Kiter, G. (2013). Occupational exposure and thoracic malignancies, is there a relationship? *J Occup Health.* 55: 301-306.
- Bassani, C; Cavalli, RM; Cavalcante, F; Cuomo, V; Palombo, A; Pascucci, S; Pignatti, S. (2007). Deterioration status of asbestos-cement roofing sheets assessed by analyzing hyperspectral data. *Rem Sens Environ.* 109: 361-378. <http://dx.doi.org/10.1016/j.rse.2007.01.014>.
- Bastener, H; Hublet, P; Pinto-Quezada, C. (1967). [Origin. Pollution of the general atmosphere in working places]. 58: 459-478.
- Bateson, T; Kopylev, L; Sullivan, P; Cooper, G; Vinukoor, L; De Voney, D. (2009). Evaluation of Alternative Exposure Metrics for Assessing Mortality Risk from Lung Cancer and Mesothelioma among an Occupational Cohort Exposed to Amphibole Asbestos from Vermiculite Mining Operations in Libby, Montana. *Epidemiology.* 20: 578-579.
- Bateson, TF; Kopylev, L. (2014). Influence of exposure assessment and parameterization on exposure response. Aspects of epidemiologic cohort analysis using the Libby Amphibole asbestos worker cohort. *J Expo Sci Environ Epidemiol.* e-pub: 12-17. <http://dx.doi.org/doi:10.1038/jes.2014.3>.
- Battista, G; Belli, S; Comba, P; Fiumalbi, C; Grignoli, M; Loi, F; Orsi, D; Paredes, I. (1999). Mortality due to asbestos-related causes among railway carriage construction and repair workers. *Occup Med (Lond).* 49: 536-539.
- Battista, G; Costantini, AS; Gorini, G; Orsi, D; Paredes, I; Miceli, GB; De Vuono, G; Peccetti, V. (2007). [Mortality in a cohort of sugar refinery workers in Arezzo Province, Italy]. *Med Lav.* 98: 289-295.
- Baur, X; Latza, U. (2005). Non-malignant occupational respiratory diseases in Germany in comparison with those of other countries. *Int Arch Occup Environ Health.* 78: 593-602. <http://dx.doi.org/10.1007/s00420-005-0613-y>.
- Baur, X; Soskolne, CL; Lemen, RA; Schneider, J; Woitowitz, HJ; Budnik, LT. (2015). How conflicted authors undermine the World Health Organization (WHO) campaign to stop all use of asbestos: spotlight on studies showing that chrysotile is carcinogenic and facilitates other non-cancer asbestos-related diseases. *Int J Occup Environ Health.* 21: 176-179. <http://dx.doi.org/10.1179/2049396714Y.0000000105>.
- Beck, EG; Schmidt, P. (1985). Epidemiological investigations of decreased employees of the asbestos cement industry in the Federal Republic of Germany. *Zentralbl Bakteriol Mikrobiol Hyg.* 181: 207-215.
- Becker, N. (1999). Cancer mortality among arc welders exposed to fumes containing chromium and nickel. Results of a third follow-up: 1989-1995. *J Occup Environ Med.* 41: 294-303.
- Beckett, RR. (1976). ASBESTOS EXPOSURE CONTROL AT PUGET SOUND NAVAL SHIPYARD. *Environ Res.* 11: 248-260.
- Beckett, ST; Jarvis, JL. (1979). A study of the size distributions of airborne amosite fibres in the manufacture of asbestos insulation boards. *Ann Occup Hyg.* 22: 273-284.
- Becklake, M; Toyoto, B; Stewart, M; Hansen, R; Hanley, J. (1983). LUNG GEOMETRY AS A RISK FACTOR IN THE RESPONSE TO ASBESTOS EXPOSURE - A CASE-REFERENT STUDY ON QUEBEC CHRYSOTILE WORKERS. *Scand J Work Environ Health.* 9: 70-70.
- Becklake, MR. (1994). Symptoms and pulmonary functions as measures of morbidity. *Ann Occup Hyg.* 38: 569-580, 418.
- Becklake, MR; Fournier-Massey, G; Rossiter, CE; McDonald, JC. (1972). Lung function in chrysotile asbestos mine and mill workers of Quebec. *Arch Environ Health.* 24: 401-409.
- Becklake, MR; Liddell, FD; Manfreda, J; McDonald, JC. (1979). Radiological changes after withdrawal from asbestos exposure. *Br J Ind Med.* 36: 23-28.
- Beddows, NA. (1976). FIBROUS ASBESTOS - ITS USE IN CONVERTER INDUSTRIES. *Adhesives Age.* 19: 42-44.
- Begander, P; Mattenklott, M. (2015). Amendments to and updates of TRGS 517-harmonisation with the risk-related concept of the Committee on Hazardous Substances. *Gefahrst Reinhalt Luft.* 75: 211-215.
- Bégin, R; Boileau, R; Péloquin, S. (1987). Asbestos exposure, cigarette smoking, and airflow limitation in long-term Canadian chrysotile miners and millers. *Am J Ind Med.* 11: 55-66.

Engineering/Occupational Exposure Literature Search Results

On Topic

- Bégin, R; Gauthier, JJ; Desmeules, M; Ostiguy, G. (1992). Work-related mesothelioma in Québec, 1967-1990. *Am J Ind Med.* 22: 531-542.
- Bégin, R; Ostiguy, G; Filion, R; Colman, N; Bertrand, P. (1993). Computed tomography in the early detection of asbestosis. *Br J Ind Med.* 50: 689-698.
- Beierl, L. (1980). CENTRAL RECORDING OF EMPLOYEES ENDANGERED BY ASBESTOS DUST EXPOSURE - DUTIES, RESULTS, ANALYSES. *Staub, Reinhaltung der Luft.* 40: 187-190.
- Belanger, M; Jacob, HL. (1999). Industrial minerals in Quebec: Production, major projects, and opportunities. 92: 61-66.
- Belanger, PL. (1982). Health Hazard Evaluation Report, No. HETA-81-348-1225, Public Utilities Commission, San Francisco, California. 15: 19821982.
- Belanger, PL. (1982). Health Hazards Evaluation Report, No. HETA-81-365-1083, Studio 311, Novato, California. 7: 19821982.
- Belanger, PL. (1984). Health Hazard Evaluation Report No. HETA-84-408-1522, U.S. Forest Service, Redding, California (pp. 84-408). (NIOSH/00144843). Belanger, PL.
- Belanger, PL; Coye, MJ. (1983). Health Hazard Evaluation Report No. HETA-79-129-1350, San Francisco Newspaper Agency, San Francisco, California (pp. 79-129). (NIOSH/00133420). Belanger, PL; Coye, MJ.
- Belanger, PL; Coye, MJ. (1985). Health Hazard Evaluation Report No. HETA-84-368-1624, FMC Corporation, San Jose, California (pp. 84-368). (NIOSH/00146595). Belanger, PL; Coye, MJ.
- Belanger, PL; Elesh, E. (1979). Hazard Evaluation and Technical Assistance, Report No. HHE-78-71-663, Kentile Floors, Inc., Brooklyn, New York. NIOSH: 19791979.
- Belanger, PL; Lockey, JE. (1984). Health Hazard Evaluation Report No. HETA-81-227-1408, Manville Corporation, Corona, California (pp. 81-227). (NIOSH/00149678). Belanger, PL; Lockey, JE.
- Bernstein, DM; Rossiter, CE; Grimm, HG; Rodelsperger, K; Woitowitz, HJ. (1994). LENGTH DISTRIBUTION OF ASBESTOS FIBERS AND MMVFS AT WORKPLACE AND IN INHALATION EXPERIMENTS WITH RATS. *Staub, Reinhaltung der Luft.* 54: 203-214.
- Berrino, F; Richiardi, L; Boffetta, P; Estève, J; Belletti, I; Raymond, L; Troschel, L; Pisani, P; Zubiri, L; Ascunce, N; Gubéran, E; Tuyns, A; Terracini, B; Merletti, F; Group, MJW. (2003). Occupation and larynx and hypopharynx cancer: A job-exposure matrix approach in an international case-control study in France, Italy, Spain and Switzerland. *Cancer Causes Control.* 14: 213-223.
<http://dx.doi.org/10.1023/a:1023661206177>.
- Berry, G. (1991). Prediction of mesothelioma, lung cancer, and asbestosis in former Wittenoom asbestos workers. *Br J Ind Med.* 48: 793-802.
- Berry, G. (1994). Mortality and cancer incidence of workers exposed to chrysotile asbestos in the friction-products industry. *Ann Occup Hyg.* 38: 539-546, 413.
- Berry, G. (1995). Environmental mesothelioma incidence, time since exposure to asbestos and level of exposure. *Environmetrics.* 6: 221-228.
<http://dx.doi.org/10.1002/env.3170060211>.
- Berry, G; de Klerk, N; Reid, A; Ambrosini, G; Fritschi, L; Olsen, N; Merler, E; Musk, A. (2004). Malignant pleural and peritoneal mesotheliomas in former miners and millers of crocidolite at Wittenoom, Western Australia. *Occup Environ Med.* 61: e14.
<http://dx.doi.org/10.1136/oem.2003.008128>.
- Berry, G; Gilson, JC; Holmes, S; Lewinsohn, HC; Roach, SA. (1979). Asbestosis: A study of dose-response relationships in an asbestos textile factory. *Occup Environ Med.* 36: 98-112. <http://dx.doi.org/10.1136/oem.36.2.98>.
- Berry, G; Newhouse, ML. (1983). Mortality of workers manufacturing friction materials using asbestos. *Occup Environ Med.* 40: 1-7.
- Berry, G; Newhouse, ML; Antonis, P. (1985). Combined effect of asbestos and smoking on mortality from lung cancer and mesothelioma in factory workers. *Br J Ind Med.* 42: 12-18.
- Berry, G; Newhouse, ML; Wagner, JC. (2000). Mortality from all cancers of asbestos factory workers in east London 1933-80. *Occup Environ Med.* 57: 782-785.
- Bertolotti, M; Ferrante, D; Mirabelli, D; Botta, M; Nonnato, M; Todesco, A; Terracini, B; Magnani, C. (2008). [Mortality in the cohort of the asbestos cement workers in the Eternit plant in Casale Monferrato (Italy)]. *Epidemiol Prev.* 32: 218-228.
- Bhagavan, BS; Koss, LG. (1976). Secular trends in prevalence and concentration of pulmonary asbestos bodies--1940 to 1972. A necropsy study. *Arch Pathol Lab Med.* 100: 539-541.
- Bhagia, LJ; Vyas, JB; Shaikh, MI; Dodia, SL. (2010). Chrysotile asbestos exposure in the manufacturing of thermal insulating boards. *Environ Monit Assess.* 167: 559-564. <http://dx.doi.org/10.1007/s10661-009-1072-9>.
- Bhattacharjee, P; Paul, S; Bhattacharjee, P. (2016). Risk of occupational exposure to asbestos, silicon and arsenic on pulmonary disorders: Understanding the genetic-epigenetic interplay and future prospects [Review]. *Environ Res.* 147: 425-434.
<http://dx.doi.org/10.1016/j.envres.2016.02.038>.
- Bianchi, C; Bianchi, T. (2015). [Asbestos at the time of the First World War]. *Med Lav.* 106: 424-430.
- Bianchi, C; Bianchi, T; Tommasi, M. (2007). [Mesothelioma of the pleura in the Province of Trieste]. *Med Lav.* 98: 374-380.
- Bianchi, C; Brollo, A; Ramani, L. (2000). Asbestos exposure in a shipyard area, northeastern Italy. *Ind Health.* 38: 301-308.
- Bianchi, C; Brollo, A; Ramani, L; Zuch, C. (1993). Asbestos-related mesothelioma in Monfalcone, Italy. *Am J Ind Med.* 24: 149-160.
- Bianchi, C; Brollo, A; Ramani, L; Zuch, C. (1999). Asbestos exposure in lung carcinoma: a necropsy-based study of 414 cases. *Am J Ind Med.* 36: 360-364.
- Bianchi, C; Carluccio, L; Castelli, M. (1974). [Frequency of pulmonary asbestos bodies in autopsy material in Trieste. II]. *Minerva Med.* 65: 1144-1145.
- Bianchi, C; Pegan, M; Carluccio, L. (1974). [Frequency of pulmonary asbestos bodies in autopsy material in Trieste. I]. *Minerva Med.* 65: 1141-1143.

Engineering/Occupational Exposure Literature Search Results

On Topic

- Bignon, J; Sebastien, P; Gaudichet, A. (1978). Measurement of asbestos retention in the human respiratory system related to health effects. In CC Gravatt; PD LaFleur; KFJ Heinrich (Eds.), NBS special publication (pp. 95-119). Washington, DC: National Bureau of Standards.
- Bignon, J; Sebastien, P; Jaurand, MC; Hem, B. (1974). Microfiltration method for quantitative study of fibrous particles in biological specimens. *Environ Health Perspect.* 9: 155-160.
- Billon-Galland, MA. (2012). [Exposition markers: mineralogical analysis in the sputum and the bronchoalveolar lavage--asbestos bodies--uncoated fibres] [Review]. *Rev Mal Respir.* 29: 521-528. <http://dx.doi.org/10.1016/j.rmr.2012.03.001>.
- Binazzi, A; Scarselli, A; Corfiati, M; Di Marzio, D; Branchi, C; Verardo, M; Mirabelli, D; Gennaro, V; Mensi, C; Schallenberg, G; Merler, E; De Zotti, R; Romanelli, A; Chellini, E; Pascucci, C; D'Alò, D; Forastiere, F; Trafficante, L; Menegozzo, S; Musti, M; Cauzillo, G; Leotta, A; Tumino, R; Melis, M; Marinaccio, A; ReNaM, Gdl. (2013). [Epidemiologic surveillance of mesothelioma for the prevention of asbestos exposure also in non-traditional settings]. *Epidemiol Prev.* 37: 35-42.
- Binet, P. (2009). An evaluation of asbestos occupational exposures through an activity-exposure matrix. *Arch Mal Prof Environ.* 70: 425-436. <http://dx.doi.org/10.1016/j.admp.2009.02.016>.
- Bird, MJ; Macintosh, DL; Williams, PL. (2004). Occupational exposures during routine activities in coal-fueled power plants. *J Occup Environ Hyg.* 1: 403-413. <http://dx.doi.org/10.1080/15459620490453346>.
- Blake, CL; Dotson, GS; Harbison, RD. (2008). Evaluation of asbestos exposure within the automotive repair industry: a study involving removal of asbestos-containing body sealants and drive clutch replacement. *Regul Toxicol Pharmacol.* 52: 324-331. <http://dx.doi.org/10.1016/j.yrtph.2008.09.001>.
- Blake, CL; Harbison, SC; Johnson, GT; Harbison, RD. (2011). Airborne asbestos exposures associated with work on asbestos fire sleeve materials. *Regul Toxicol Pharmacol.* 61: 236-242. <http://dx.doi.org/10.1016/j.yrtph.2011.08.003>.
- Blake, CL; Johnson, GT; Harbison, RD. (2009). Airborne asbestos exposure during light aircraft brake replacement. *Regul Toxicol Pharmacol.* 54: 242-246. <http://dx.doi.org/10.1016/j.yrtph.2009.04.007>.
- Blake, CL; Van Orden, DR; Banasik, M; Harbison, RD. (2003). Airborne asbestos concentration from brake changing does not exceed permissible exposure limit. *Regul Toxicol Pharmacol.* 38: 58-70. [http://dx.doi.org/10.1016/S0273-2300\(03\)00069-2](http://dx.doi.org/10.1016/S0273-2300(03)00069-2).
- Blomqvist, AM; Palmer, M. (1995). ASBESTOS, ERGOT ALKALOIDS, AND PLEURITIS. *Int J Occup Med Toxicol.* 4: 277-283.
- Boelter, F; Simmons, C; Hewett, P. (2011). Exposure data from multi-application, multi-industry maintenance of surfaces and joints sealed with asbestos-containing gaskets and packing. *J Occup Environ Hyg.* 8: 194-209. <http://dx.doi.org/10.1080/15459624.2011.557936>.
- Boelter, FW; Crawford, GN; Podraza, DM. (2002). Airborne fiber exposure assessment of dry asbestos-containing gaskets and packings found in intact industrial and maritime fittings. *AIHA J.* 63: 732-740.
- Boelter, FW; Persky, JD; Podraza, DM; Bullock, WH. (2016). Characterizing and Communicating Risk with Exposure Reconstruction and Bayesian Analysis: Historical Locomotive Maintenance/Repair Associated with Asbestos Woven Tape Pipe Lagging. *Risk Anal.* 36: 228-243. <http://dx.doi.org/10.1111/risa.12458>.
- Boelter, FW; Spencer, JW; Simmons, CE. (2007). Heavy equipment maintenance exposure assessment: using a time-activity model to estimate surrogate values for replacement of missing data. *J Occup Environ Hyg.* 4: 525-537. <http://dx.doi.org/10.1080/15459620701411109>.
- Boelter, FW; Xia, Y; Dell, L. (2014). Comparative Risks of Cancer from Drywall Finishing Based on Stochastic Modeling of Cumulative Exposures to Respirable Dusts and Chrysotile Asbestos Fibers. *Risk Anal.* 35: 859-871. <http://dx.doi.org/10.1111/risa.12297>.
- Boelter, FW; Xia, Y; Persky, JD. (2016). A Bayesian Model and Stochastic Exposure (Dose) Estimation for Relative Exposure Risk Comparison Involving Asbestos-Containing Dropped Ceiling Panel Installation and Maintenance Tasks. *Risk Anal.* <http://dx.doi.org/10.1111/risa.12733>.
- Boffetta, P; Autier, P; Boniol, M; Boyle, P; Hill, C; Aurenco, A; Masse, R; Thé, G; Valleron, AJ; Monier, R; Tubiana, M. (2010). An estimate of cancers attributable to occupational exposures in France. *J Occup Environ Med.* 52: 399-406. <http://dx.doi.org/10.1097/JOM.0b013e3181d5e355>.
- Bohan, P; Hertzberg, V; Burg, W; Clark, S. (1991). Airborne Lead, Dust, and Asbestos-Like Fibers in Mechanical Street Cleaner Environments and an Evaluation of Some Contributory Factors. *Appl Occup Environ Hyg.* 6: 54-58.
- Bohlig, H. (1993). ASBESTOS AND CANCER, 1934-1965. *Am J Ind Med.* 23: 519-519.
- Bohlig, H; Calavrezos, A. (1987). Development, radiological zone patterns, and importance of diffuse pleural thickening in relation to occupational exposure to asbestos. *Br J Ind Med.* 44: 673-681.
- BOHS. (1983). Report from the committee on asbestos: A study of the health experience in two UK asbestos factories. *Ann Occup Hyg.* 27: 1-55.
- Bolstad-Johnson, DM; Burgess, JL; Crutchfield, CD; Storment, S; Gerkin, R; Wilson, JR. (2000). Characterization of firefighter exposures during fire overhaul. *Am Ind Hyg Assoc J.* 61: 636-641.
- Bonar, GM; Leitch, PA. (1991). IN-HOUSE ASBESTOS MANAGEMENT. *Pulp and Paper Canada.* 92: 131-133.
- Bonneau, L; Malard, C; Pezerat, H. (1986). Studies on Surface Properties of Asbestos. II. Role of Dimensional Characteristics and Surface Properties of Mineral Fibers in the Induction of Pleural Tumors. *Environ Res.* 41: 268-275.
- Bonnetterre, V; Mathern, G; Pelen, O; Balthazard, AL; Delafosse, P; Mitton, N; Colonna, M. (2012). Cancer incidence in a chlorochemical plant in Isère, France: an occupational cohort study, 1979-2002. *Am J Ind Med.* 55: 756-767. <http://dx.doi.org/10.1002/ajim.22069>.
- Booth, CA; Haley, MH; Joyce, IH; Kuntze, RA. (1984). WET PROCESSING OF ASBESTOS. 77: 74-74.
- Borcherding, CH. (1976). Health Hazard Evaluation Report No. HHE-75-192-330, Pittsburgh Plate Glass Ind., Mt. Zion, Illinois. NIOSH: 19761976.
- Borron, SW; Forman, SA; Lockey, JE; Lemasters, GK; Yee, LM. (1997). An early study of pulmonary asbestosis among manufacturing workers: original data and reconstruction of the 1932 cohort. *Am J Ind Med.* 31: 324-334.
- Bouchardy, C; Schöler, G; Minder, C; Hotz, P; Bousquet, A; Levi, F; Fisch, T; Torhorst, J; Raymond, L. (2002). Cancer risk by occupation and socioeconomic group among men--A study by the Association of Swiss Cancer Registries. *Scand J Work Environ Health.* 28: 1-88.

Engineering/Occupational Exposure Literature Search Results

On Topic

- Bouige, D. (1990). Dust Exposure Results in 359 Asbestos-using Factories from 26 Countries (pp. 23-26). (NIOSH/00198574). Bouige, D.
- Boulanger, M; Morlais, F; Bouvier, V; Galateau-Salle, F; Guittet, L; Marquignon, MF; Paris, C; Raffaelli, C; Launoy, G; Clin, B. (2015). Digestive cancers and occupational asbestos exposure: incidence study in a cohort of asbestos plant workers. *Occup Environ Med.* 72: 792-797. <http://dx.doi.org/10.1136/oemed-2015-102871>.
- Bourgard, E; Wild, P; Gonzalez, M; Févotte, J; Penven, E; Paris, C. (2013). Comparison of exposure assessment methods in a lung cancer case-control study: performance of a lifelong task-based questionnaire for asbestos and PAHs. *Occup Environ Med.* 70: 884-891. <http://dx.doi.org/10.1136/oemed-2013-101467>.
- Bovenzi, M; Stanta, G; Antiga, G; Peruzzo, P; Cavallieri, F. (1993). Occupational exposure and lung cancer risk in a coastal area of northeastern Italy. *Int Arch Occup Environ Health.* 65: 35-41.
- Bovy, J. (1996). Air pollution and asbestos (pp. 3-4). (IPA/97/1118512). Bovy, J.
- Bragg, GM. (1987). Effective Control of Asbestos Dust Emissions (pp. 192-197). (NIOSH/00170707). Bragg, GM.
- Bragg, GM. (1990). The behaviour of airborne asbestos fibres in indoor air.
- Brandi, G; Di Girolamo, S; Farioli, A; de Rosa, F; Curti, S; Pinna, AD; Ercolani, G; Violante, FS; Biasco, G; Mattioli, S. (2013). Asbestos: a hidden player behind the cholangiocarcinoma increase? Findings from a case-control analysis. *Cancer Causes Control.* 24: 911-918. <http://dx.doi.org/10.1007/s10552-013-0167-3>.
- Braun, L; Kisting, S. (2006). Asbestos-related disease in South Africa: the social production of an invisible epidemic. *Am J Public Health.* 96: 1386-1396. <http://dx.doi.org/10.2105/AJPH.2005.064998>.
- Breyse, PN; Cherrie, JW; Addison, J; Dodgson, J. (1989). EVALUATION OF AIRBORNE ASBESTOS CONCENTRATIONS USING TEM AND SEM DURING RESIDENTIAL WATER TANK REMOVAL. *Ann Occup Hyg.* 33: 243-&.
- Breyse, PN; Weaver, V; Cadorette, M; Wiggs, L; Curbow, B; Stefaniak, A; Melius, J; Newman, L; Smith, H; Schwartz, B. (2002). Development of a medical examination program for former workers at a department of energy national laboratory. *Am J Ind Med.* 42: 443-454. <http://dx.doi.org/10.1002/ajim.10136>.
- Breyse, PN; Williams, DL; Herbstman, JB; Symons, JM; Chillrud, SN; Ross, J; Henshaw, S; Rees, K; Watson, M; Geyh, AS. (2005). Asbestos exposures to truck drivers during World Trade Center cleanup operations. *J Occup Environ Hyg.* 2: 400-405. <http://dx.doi.org/10.1080/15459620500194286>.
- Brhel, P. (2003). Occupational respiratory diseases in the Czech Republic. *Ind Health.* 41: 121-123.
- Bridgman, S. (2001). Community health risk assessment after a fire with asbestos containing fallout. *J Epidemiol Community Health.* 55: 921-927.
- Bridgman, SA. (1999). Lessons learnt from a factory fire with asbestos-containing fallout. *J Publ Health Med.* 21: 158-165. <http://dx.doi.org/10.1093/pubmed/21.2.158>.
- Bridgman, SA. (2000). Acute health effects of a fire associated with asbestos-containing fallout. *J Publ Health Med.* 22: 400-405.
- Brodeur, P. (1980). Indirect Occupational Exposure (pp. 41-43). (NIOSH/00153958). Brodeur, P.
- Brodeur, P. (1980). The Insulation Workers (pp. 18-21). (NIOSH/00153947). Brodeur, P.
- Brodeur, P. (1980). Miners And Millers (pp. 22-28). (NIOSH/00153938). Brodeur, P.
- Brodeur, P. (1980). The Shipyard Problem (pp. 34-40). (NIOSH/00153971). Brodeur, P.
- Brophy, JT; Keith, MM; Schieman, J. (2007). Canada's asbestos legacy at home and abroad. *Int J Occup Environ Health.* 13: 236-243. <http://dx.doi.org/10.1179/oeh.2007.13.2.236>.
- Brorby, GP; Sheehan, PJ; Berman, DW; Bogen, KT; Holm, SE. (2011). Potential artifacts associated with historical preparation of joint compound samples and reported airborne asbestos concentrations. *J Occup Environ Hyg.* 8: 271-278. <http://dx.doi.org/10.1080/15459624.2011.566805>.
- Brorby, GP; Sheehan, PJ; Berman, DW; Bogen, KT; Holm, SE. (2013). Exposures from chrysotile-containing joint compound: evaluation of new model relating respirable dust to fiber concentrations. *Risk Anal.* 33: 161-176. <http://dx.doi.org/10.1111/j.1539-6924.2012.01847.x>.
- Broser, M; Zhang, Y; Aston, C; Harkin, T; Rom, WN. (1996). Elevated Interleukin-8 in the Alveolitis of Individuals with Asbestos Exposure. *Int Arch Occup Environ Health.* 68: 109-114.
- Brown, DP; Dement, JM; Okun, A. (1994). Mortality patterns among female and male chrysotile asbestos textile workers. *J Occup Med.* 36: 882-888.
- Browne, K; Gee, JB. (2000). Asbestos exposure and laryngeal cancer [Review]. *Ann Occup Hyg.* 44: 239-250.
- Brownson, RC; Alavanja, MC; Chang, JC. (1993). Occupational risk factors for lung cancer among nonsmoking women: A case-control study in Missouri (United States). *Cancer Causes Control.* 4: 449-454. <http://dx.doi.org/10.1007/bf00050864>.
- Brunner, WM; Williams, AN; Bender, AP. (2008). Investigation of exposures to commercial asbestos in northeastern Minnesota iron miners who developed mesothelioma. *Regul Toxicol Pharmacol.* 52: S116-S120. <http://dx.doi.org/10.1016/j.yrtph.2007.09.014>.
- Brüske-Hohlfeld, I. (1999). Occupational cancer in Germany [Review]. *Environ Health Perspect.* 107 Suppl 2: 253-258.
- Brüske-Hohlfeld, I; Mohner, M; Ahrens, W; Pohlabein, H; Heinrich, J; Kreuzer, M; Jockel, KH; Wichmann, HE. (1999). Lung cancer risk in male workers occupationally exposed to diesel motor emissions in Germany. *Am J Ind Med.* 36: 405-414.
- Brüske-Hohlfeld, I; Möhner, M; Pohlabein, H; Ahrens, W; Bolm-Audorff, U; Kreienbrock, L; Kreuzer, M; Jahn, I; Wichmann, HE; Jöckel, KH. (2000). Occupational lung cancer risk for men in Germany: results from a pooled case-control study. *Am J Epidemiol.* 151: 384-395.
- Buck, M. (1986). [Sources, emissions and trends in air pollutants in concentrated areas--the Ruhr district]. *Schriftenr Ver Wasser Boden Lufthyg.* 69: 25-54.
- Bujak-Pietrek, S; Szadkowska-Stańczyk, I. (2012). [Exposure to respirable asbestos fibers at various stage of asbestos removal work]. *Med Pr.* 63: 191-198.

Engineering/Occupational Exposure Literature Search Results

On Topic

- Bulbulyan, MA; Ilychova, SA; Zahm, SH; Astashevsky, SV; Zaridze, DG. (1999). Cancer mortality among women in the Russian printing industry. *Am J Ind Med.* 36: 166-171.
- Burdett, G. (1998). A comparison of historic asbestos measurements using a thermal precipitator with the membrane filter-phase contrast microscopy method. *Ann Occup Hyg.* 42: 21-31.
- Burdett, G; Bard, D. (2007). Exposure of UK industrial plumbers to asbestos, Part I: Monitoring of exposure using personal passive samplers. *Ann Occup Hyg.* 51: 121-130. <http://dx.doi.org/10.1093/annhyg/mel078>.
- Burdett, GJ; le Guen, JM; Rood, AP. (1984). Mass concentrations of airborne asbestos in the non-occupational environment--a preliminary report of U.K. measurements. *Ann Occup Hyg.* 28: 31-38. <http://dx.doi.org/10.1093/annhyg/28.1.31>.
- Burdett, GJ; Nagar, N; Smith, L. (1994). Removal of Asbestos from Difficult-to-Access Large Diameter Pipes: A Comparison of Wet Removal Methods. *Appl Occup Environ Hyg.* 9: 836-844.
- Burdorf, A; Dahhan, M; Swuste, P. (2003). Occupational characteristics of cases with asbestos-related diseases in The Netherlands. *Ann Occup Hyg.* 47: 485-492. <http://dx.doi.org/10.1093/annhyg/meg062>.
- Burdorf, A; Heederik, D. (2011). Applying quality criteria to exposure in asbestos epidemiology increases the estimated risk. *Ann Occup Hyg.* 55: 565-568. <http://dx.doi.org/10.1093/annhyg/mer042>.
- Burdorf, A; Järnholm, B; Englund, A. (2005). Explaining differences in incidence rates of pleural mesothelioma between Sweden and the Netherlands. *Int J Cancer.* 113: 298-301. <http://dx.doi.org/10.1002/ijc.20552>.
- Burdorf, A; Swuste, P. (1999). An expert system for the evaluation of historical asbestos exposure as diagnostic criterion in asbestos-related diseases. *Ann Occup Hyg.* 43: 57-66.
- Burdorf, L; Swuste, PH; Heederik, D. (1991). A history of awareness of asbestos disease and the control of occupational asbestos exposures in The Netherlands. *Am J Ind Med.* 20: 547-555.
- Burkhardt, G; Schulte, PA; Robinson, C; Sieber, WK; Vossenas, P; Ringen, K. (1993). Job tasks, potential exposures, and health risks of laborers employed in the construction industry [Review]. *Am J Ind Med.* 24: 413-425.
- Burns, C; Harrison, K; Jammer, B; Zuccarini, D; Lafrance, B. (2005). A cancer incidence and mortality study of Dow Chemical Canada Inc. manufacturing sites. *Occup Med (Lond).* 55: 618-624. <http://dx.doi.org/10.1093/occmed/kqi145>.
- Burns, PB; Swanson, GM. (1991). THE OCCUPATIONAL-CANCER INCIDENCE SURVEILLANCE STUDY (OCISS) - RISK OF LUNG-CANCER BY USUAL OCCUPATION AND INDUSTRY IN THE DETROIT METROPOLITAN-AREA. *Am J Ind Med.* 19: 655-671.
- Burns, PB; Swanson, GM. (1995). STOMACH-CANCER RISK AMONG BLACK-AND-WHITE MEN AND WOMEN - THE ROLE OF OCCUPATION AND CIGARETTE-SMOKING. *J Occup Environ Med.* 37: 1218-1223.
- Burstyn, I; Boffetta, P; Kauppinen, T; Heikkilä, P; Svane, O; Partanen, T; Stücker, I; Frentzel-Beyme, R; Ahrens, W; Merzenich, H; Heederik, D; Hooiveld, M; Langård, S; Randem, BG; Järnholm, B; Bergdahl, I; Shaham, J; Ribak, J; Kromhout, H. (2003). Estimating exposures in the asphalt industry for an international epidemiological cohort study of cancer risk. *Am J Ind Med.* 43: 3-17. <http://dx.doi.org/10.1002/ajim.10183>.
- Butnor, KJ; Sporn, TA; Roggli, VL. (2003). Exposure to brake dust and malignant mesothelioma: A study of 10 cases with mineral fiber analyses. *Ann Occup Hyg.* 47: 325-330. <http://dx.doi.org/10.1093/annhyg/meg048>.
- Cai, SX; Zhang, CH; Zhang, X; Morinaga, K. (2001). Epidemiology of occupational asbestos-related diseases in China [Review]. *Ind Health.* 39: 75-83.
- Caironi, M; Polini, S; Storto, T; Bertoli, M. (2007). [The productive district of textile asbestos in the Lower Iseo Lake area]. *Epidemiol Prev.* 31: 10-15.
- Calvert, GM; Moore, M; Hessel, SM. (1991). Ventilatory function after exposure to various respirable hazards in a population of former coal miners. *Br J Ind Med.* 48: 38-40.
- Camargo, MC; Stayner, LT; Straif, K; Reina, M; Al-Alem, U; Demers, PA; Landrigan, PJ. (2011). Occupational exposure to asbestos and ovarian cancer: a meta-analysis. *Environ Health Perspect.* 119: 1211-1217. <http://dx.doi.org/10.1289/ehp.1003283>.
- Camiade, E; Gramond, C; Jutand, MA; Audignon, S; Rinaldo, M; Imbernon, E; Luce, D; Galateau-Sallé, F; Astoul, P; Pairon, JC; Brochard, P; Lacourt, A. (2013). Characterization of a French series of female cases of mesothelioma. *Am J Ind Med.* 56: 1307-1316. <http://dx.doi.org/10.1002/ajim.22229>.
- Campbell, MJ; Langlands, JH. (1982). Analysis of a follow-up study: an example from asbestos-exposed insulation workers. *Scand J Work Environ Health.* 8 Suppl 1: 43-47.
- Campopiano, A; Ramires, D; Zakrzewska, AM; Ferri, R; D'annibale, A; Pizzutelli, G. (2009). Risk assessment of the decay of asbestos cement roofs. *Ann Occup Hyg.* 53: 627-638. <http://dx.doi.org/10.1093/annhyg/mep036>.
- Candura, SM; Boeri, R; Teragni, C; Chen, Y; Scafa, F. (2016). Renal cell carcinoma and malignant peritoneal mesothelioma after occupational asbestos exposure: case report. *Med Lav.* 107: 172-177.
- Canti, Z; Scillia, R; Cantoni, S; Mensi, C. (2007). [Malignant mesothelioma of the pleura in a truck driver]. *Med Lav.* 98: 216-220.
- Caplan, PE. (1985). Preliminary Survey Report: Control Technology For Asbestos Removal Industry, Report No. CT-147-15a, Gateway High School, Aurora, Colorado (pp. 147-115). (NIOSH/00152202). Caplan, PE.
- Caplan, PE. (1985). Preliminary Survey Report: Control Technology For Asbestos Removal Industry, Report No. CT-147-16a, Veterans Administration Hospital, Denver, Colorado (pp. 147-116). (NIOSH/00152206). Caplan, PE.
- Caplan, PE. (1985). Preliminary Survey Report: Control Technology Of Asbestos Removal Industry, Report No. CT-147-17a, Baseline Junior High School, Boulder, Colorado (pp. 147-117). (NIOSH/00152204). Caplan, PE.
- Cappelletto, F; Merler, E. (2003). Perceptions of health hazards in the narratives of Italian migrant workers at an Australian asbestos mine (1943-1966). *Soc Sci Med.* 56: 1047-1059.

Engineering/Occupational Exposure Literature Search Results

On Topic

- Carel, R; Boffetta, P; Kauppinen, T; Teschke, K; Andersen, A; Jäppinen, P; Pearce, N; Rix, BA; Bergeret, A; Coggon, D; Persson, B; Szadkowska-Stanczyk, I; Kielkowski, D; Henneberger, P; Kishi, R; Facchini, LA; Sala, M; Colin, D; Kogevinas, M. (2002). Exposure to asbestos and lung and pleural cancer mortality among pulp and paper industry workers. *J Occup Environ Med.* 44: 579-584.
- Carel, R; Olsson, AC; Zaridze, D; Szeszenia-Dabrowska, N; Rudnai, P; Lissowska, J; Fabianova, E; Cassidy, A; Mates, D; Bencko, V; Foretova, L; Janout, V; Fevotte, J; Fletcher, T; 'T Mannetje, A; Brennan, P; Boffetta, P. (2007). Occupational exposure to asbestos and man-made vitreous fibres and risk of lung cancer: a multicentre case-control study in Europe. *Occup Environ Med.* 64: 502-508. <http://dx.doi.org/10.1136/oem.2006.027748>.
- Carton, M; Bonnaud, S; Nachtigal, M; Serrano, A; Carole, C; Bonenfant, S; Coste, D; Lepinay, P; Varsat, B; Wadoux, B; Zins, M; Goldberg, M. (2011). Post-retirement surveillance of workers exposed to asbestos or wood dust: first results of the French national SPIRALE Program. *Epidemiol Prev.* 35: 315-323.
- Case, BW. (1994). Biological indicators of chrysotile exposure. *Ann Occup Hyg.* 38: 503-518, 410-501.
- Case, BW; Dufresne, A. (1997). Asbestos, asbestosis, and lung cancer: observations in Quebec chrysotile workers. *Environ Health Perspect.* 105 Suppl 5: 1113-1119.
- Case, BW; Sebastien, P. (1987). Environmental and occupational exposures to chrysotile asbestos: a comparative microanalytic study. *Arch Environ Health.* 42: 185-191.
- Cassan, G; LESTERLI.P; Brun, J. (1973). ASBESTOS DUST IN INDUSTRY OF AUTOMOBILE ENGINE JOINTS AND MEDICAL DETECTION OF ASBESTOSIS. *Arch Mal Prof Med Trav Secur Soc.* 34: 560-563.
- Castleman, B; Camarota, LA; Fritsch, AJ; Mazzocchi, S; Crawley, RG. (1975). HAZARDS OF ASBESTOS FOR BRAKE MECHANICS. *Public Health Rep.* 90: 254-256.
- Cattaneo, A; Somigliana, A; Gemmi, M; Bernabeo, F; Savoca, D; Cavallo, DM; Bertazzi, PA. (2012). Airborne concentrations of chrysotile asbestos in serpentine quarries and stone processing facilities in Valmalenco, Italy. *Ann Occup Hyg.* 56: 671-683. <http://dx.doi.org/10.1093/annhyg/mer119>.
- Cavalleri, A; Gobba, F; Bacchella, L; Ferrari, D. (1991). Evaluation of serum amino-terminal propeptide of type III procollagen as an early marker of the active fibrotic process in asbestos-exposed workers. *Scand J Work Environ Health.* 17: 139-144.
- Cavalleri, A; Gobba, F; Bacchella, L; Luberto, F; Ziccardi, A. (1988). Serum type III procollagen peptide in asbestos workers: an early indicator of pulmonary fibrosis. *Br J Ind Med.* 45: 818-823.
- Cavallo, A; Rimoldi, B. (2013). Chrysotile asbestos in serpentinite quarries: a case study in Valmalenco, Central Alps, Northern Italy. *Environ Sci Process Impacts.* 15: 1341-1350. <http://dx.doi.org/10.1039/c3em00193h>.
- Cecchetti, G; Fruttero, A; Conti, ME. (2005). Asbestos reclamation at a disused industrial plant, Bagnoli (Naples, Italy). *J Hazard Mater.* 122: 65-73. <http://dx.doi.org/10.1016/j.jhazmat.2005.02.014>.
- Cely-García, MF; Curriero, FC; Giraldo, M; Méndez, L; Breyse, PN; Durán, M; Torres-Duque, CA; González-García, M; Pérez, C; Parada, P; Ramos-Bonilla, JP. (2016). Factors Associated With Non-compliance of Asbestos Occupational Standards in Brake Repair Workers. *Ann Occup Hyg.* 60: 1020-1035. <http://dx.doi.org/10.1093/annhyg/mew028>.
- Cely-García, MF; Sánchez, M; Breyse, PN; Ramos-Bonilla, JP. (2012). Personal exposures to asbestos fibers during brake maintenance of passenger vehicles. *Ann Occup Hyg.* 56: 985-999. <http://dx.doi.org/10.1093/annhyg/mes030>.
- Cely-García, MF; Torres-Duque, CA; Durán, M; Parada, P; Sarmiento, OL; Breyse, PN; Ramos-Bonilla, JP. (2015). Personal exposure to asbestos and respiratory health of heavy vehicle brake mechanics. *J Expo Sci Environ Epidemiol.* 25: 26-36. <http://dx.doi.org/10.1038/jes.2014.8>.
- Chan, CK; Gee J, BL. (1988). Asbestos exposure and laryngeal cancer: An analysis of the epidemiologic evidence [Review]. *J Occup Med.* 30: 23-27.
- Chan, YM; Agamuthu, P; Mahalingam, R. (2000). Solidification and stabilization of asbestos waste from an automobile brake manufacturing facility using cement. *J Hazard Mater.* 77: 209-226.
- Chatzis, C; Danaka, G; Linos, A; Kales, SN; Christiani, DC. (1999). Lung cancer and occupational risk factors in Greece. *J Occup Environ Med.* 41: 29-35. <http://dx.doi.org/10.1097/00043764-199901000-00006>.
- Checkoway, H; Heyer, NJ; Demers, PA; Gibbs, GW. (1996). Reanalysis of mortality from lung cancer among diatomaceous earth industry workers, with consideration of potential confounding by asbestos exposure. *Occup Environ Med.* 53: 645-647.
- Checkoway, H; Heyer, NJ; Seixas, NS; Welp, EA; Demers, PA; Hughes, JM; Weill, H. (1997). Dose-response associations of silica with nonmalignant respiratory disease and lung cancer mortality in the diatomaceous earth industry. *Am J Epidemiol.* 145: 680-688.
- Chellini, E; Fornaciai, G; Merler, E; Paci, E; Constantini, AS; Silvestri, S; Zappa, M; Buiatti, E. (1992). Pleural malignant mesothelioma in Tuscany, Italy (1970-1988): II. Identification of occupational exposure to asbestos. *Am J Ind Med.* 21: 577-585.
- Chellini, E; Martino, G; Grillo, A; Fedi, A; Martini, A; Indiani, L; Mauro, L. (2015). Malignant Mesotheliomas in Textile Rag Sorters. *Ann Occup Hyg.* 59: 547-553. <http://dx.doi.org/10.1093/annhyg/meu114>.
- Chen, MS; Huang, CL. (1997). Industrial workers' health and environmental pollution under the new international division of labor: The Taiwan experience. *Am J Public Health.* 87: 1223-1231.
- Chen, R; Froom, P. (2003). The CUSCORE test and the q-interval in cluster analyses of colon cancer and of lymphoma among asbestos workers. *Stat Med.* 22: 3101-3109. <http://dx.doi.org/10.1002/sim.1534>.
- Chen, WJ; Mottet, NK. (1978). Malignant mesothelioma with minimal asbestos exposure. *Hum Pathol.* 9: 253-258.
- Cheng, WN; Kong, J. (1992). A retrospective mortality cohort study of chrysotile asbestos products workers in Tianjin 1972-1987. *Environ Res.* 59: 271-278.

Engineering/Occupational Exposure Literature Search Results

On Topic

- Cherrie, J; Addison, J; Dodgson, J. (1989). Comparative Studies of Airborne Asbestos in Occupational and Non-occupational Environments Using Optical and Electron Microscope Techniques (pp. 304-309). (NIOSH/00191366). Cherrie, J; Addison, J; Dodgson, J.
- Cherrie, J; Dodgson, J. (1986). Past exposures to airborne fibers and other potential risk factors in the European man-made mineral fiber production industry. *Scand J Work Environ Health*. 1: 26-33.
- Cherrie, J; Dodgson, J. (1987). A Historical Environmental Investigation at 13 European Man-Made Mineral Fibre Production Plants. (NIOSH/00187938). Cherrie, J; Dodgson, J.
- Cherrie, JW; Dodgson, J; Groat, S; Carson, M. (1987). Comparison of Optical and Electron Microscopy for Evaluating Airborne Asbestos (pp. 533). (NIOSH/00172177). Cherrie, JW; Dodgson, J; Groat, S; Carson, M.
- Cherrie, JW; Schneider, T. (1999). Validation of a new method for structured subjective assessment of past concentrations. *Ann Occup Hyg*. 43: 235-245.
- Chew, PK; Chia, M; Chew, SF; Supramaniam, JM; Chan, W; Chew, CH; Ng, YK; Gandevia, B. (1973). Asbestos workers in Singapore. A clinical, functional, and radiological survey. *Arch Environ Health*. 26: 290-293.
- Chiappino, G; Friedrichs, KH; Rivolta, G; Forni, A. (1988). Alveolar fiber load in asbestos workers and in subjects with no occupational asbestos exposure: an electron microscopy study. *Am J Ind Med*. 14: 37-46.
- Chiazze, L, Jr; Watkins, DK; Fryar, C. (1997). Historical cohort mortality study of a continuous filament fiberglass manufacturing plant. I. White men. *J Occup Environ Med*. 39: 432-441. <http://dx.doi.org/10.1097/00043764-199705000-00009>.
- Chida, T; Iida, K. (1989). Exposure to asbestos dust of house construction workers in Japan. 3: 3-14.
- Choi, Y; Lim, S; Paek, D. (2013). Trades of dangers: a study of asbestos industry transfer cases in Asia. *Am J Ind Med*. 56: 335-346. <http://dx.doi.org/10.1002/ajim.22144>.
- Chow, WH; Malker, HSR; Hsing, AW; McLaughlin, JK; Weiner, JA; Stone, BJ; Ericsson, JLE; Blot, WJ. (1994). OCCUPATIONAL RISKS FOR COLON-CANCER IN SWEDEN. *J Occup Environ Med*. 36: 647-651.
- Christensen, KY; Kopylev, L. (2012). Localized pleural thickening: smoking and exposure to Libby vermiculite. *J Expo Sci Environ Epidemiol*. 22: 320-323. <http://dx.doi.org/10.1038/jes.2012.18>.
- Christie, D; Robinson, K; Gordon, I; Bisby, J. (1991). A prospective study in the Australian petroleum industry. I. Mortality. *Br J Ind Med*. 48: 507-510.
- Chrostek, W. (1982). Health Hazard Evaluation Report, No. HETA-82-086-1126, Pennsylvania Department of Transportation, Montoursville, Pennsylvania. (NIOSH/00127109). Chrostek, W.
- Chrostek, WJ. (1984). Health Hazard Evaluation Report No. HETA-84-029-1427, Jewish Family And Childrens Agency, Ardmore, Pennsylvania (pp. 89-029). (NIOSH/00150033). Chrostek, WJ.
- Chrostek, WJ. (1984). Health Hazard Evaluation Report No. HETA-84-043-1429, Pennsylvania Department Of Transportation, Transportation And Safety Building, Harrisburg, Pennsylvania (pp. 84-043). (NIOSH/00149688). Chrostek, WJ.
- Chrostowski, PC; Foster, SA; Anderson, EL. (1991). Human health risks associated with asbestos abatement. *Risk Anal*. 11: 465-481.
- Chung, DA; Yang, RR; Verma, DK; Luo, J. (2015). Retrospective Exposure Assessment for Occupational Disease of an Individual Worker Using an Exposure Database and Trend Analysis. *J Occup Environ Hyg*. 12: 1-37. <http://dx.doi.org/10.1080/15459624.2015.1072630>.
- Churg, A. (1985). FIBER SIZE AND NUMBER IN WORKERS EXPOSED TO PROCESSED CHRYSOTILE ASBESTOS (pp. 12-15). (BIOSIS/85/16447). Churg, A.
- Churg, A. (1990). The distribution of amosite asbestos in the periphery of the normal human lung. *Br J Ind Med*. 47: 677-681.
- Churg, A; Stevens, B. (1993). Absence of amosite asbestos in airway mucosa of non-smoking long term workers with occupational exposure to asbestos. *Br J Ind Med*. 50: 355-359.
- Churg, A; Wiggs, B. (1986). Fiber size and number in workers exposed to processed chrysotile asbestos, chrysotile miners, and the general population. *Am J Ind Med*. 9: 143-152.
- Churg, A; Wright, JL. (1994). Persistence of natural mineral fibers in human lungs: an overview [Review]. *Environ Health Perspect*. 102 Suppl 5: 229-233.
- Cicioni, C; London, SJ; Garabrant, DH; Bernstein, L; Phillips, K; Peters, JM. (1991). Occupational asbestos exposure and mesothelioma risk in Los Angeles County: application of an occupational hazard survey job-exposure matrix. *Am J Ind Med*. 20: 371-379.
- Clark, PJ; Millette, JR; Boone, RL. (1980). Asbestos-cement products in contact with drinking water: Scanning electron microscope observations. 1980: 341-346.
- Clausen, J; Netterstrøm, B; Wolff, C. (1993). Lung function in insulation workers. *Br J Ind Med*. 50: 252-256.
- Clayton, GD; Clayton, FE. (1991). Patty's industrial hygiene and toxicology. Vols.1A and 1B: General principles (pp. xviii). (CIS/92/01282). Clayton, GD; Clayton, FE.
- Clemente, M; Reig-Botella, A; Prados, JC. (2015). Alterations in psychosocial health of people affected by asbestos poisoning. *Rev Saude Publica*. 49: 24. <http://dx.doi.org/10.1590/S0034-8910.2015049005445>.
- Clemmesen, J; Hjalgrim-Jensen, S. (1981). Cancer incidence among 5686 asbestos-cement workers followed from 1943 through 1976. *Ecotoxicol Environ Saf*. 5: 15-23.
- Clin, B; Andujar, P; Abd Al Samad, I; Azpitarte, C; Le Pimpec-Barthes, F; Billon-Galland, MA; Danel, C; Galateau-Salle, F; Housset, B; Legrand-Cattan, K; Matrat, M; Monnet, I; Riquet, M; Pairon, JC. (2012). Pulmonary carcinoid tumors and asbestos exposure. *Ann Occup Hyg*. 56: 789-795. <http://dx.doi.org/10.1093/annhyg/mes017>.
- Clin, B; Morlais, F; Guittet, L; Gislard, A; Marquignon, MF; Paris, C; Caillard, JF; Launoy, G; Letourneux, M. (2009). Performance of chest radiograph and CT scan for lung cancer screening in asbestos-exposed workers. *Occup Environ Med*. 66: 529-534. <http://dx.doi.org/10.1136/oem.2008.041525>.

Engineering/Occupational Exposure Literature Search Results

On Topic

- Clin, B; Morlais, F; Launoy, G; Guizard, AV; Dubois, B; Bouvier, V; Desoubeaux, N; Marquignon, MF; Raffaelli, C; Paris, C; Galateau-Salle, F; Guittet, L; Letourneux, M. (2011). Cancer incidence within a cohort occupationally exposed to asbestos: a study of dose--response relationships. *Occup Environ Med.* 68: 832-836. <http://dx.doi.org/10.1136/oem.2010.059790>.
- Cocco, P; Dosemeci, M. (1999). Peritoneal cancer and occupational exposure to asbestos: results from the application of a job-exposure matrix. *Am J Ind Med.* 35: 9-14.
- Cocco, P; Palli, D; Buiatti, E; Cipriani, F; Decarli, A; Manca, P; Ward, MH; Blot, WJ; Fraumeni, JF. (1994). OCCUPATIONAL EXPOSURES AS RISK-FACTORS FOR GASTRIC-CANCER IN ITALY. *Cancer Causes Control.* 5: 241-248.
- Cocco, P; Ward, MH; Dosemeci, M. (1998). Occupational risk factors for cancer of the gastric cardia: Analysis of death certificates from 24 US states. *J Occup Environ Med.* 40: 855-861.
- Cocco, P; Ward, MH; Dosemeci, M. (1999). Risk of stomach cancer associated with 12 workplace hazards: Analysis of death certificates from 24 states of the United States with the aid of job exposure matrices. *Occup Environ Med.* 56: 781-787.
- Coenen, W; Kuhnen, G; Heimann, M. (1984). RECOMMENDATIONS OF BERUFGENOSSENSCHAFTLICHES-INSTITUT-FUR-ARBEITSSICHERHEIT-BIA FOR TESTING DEVICES USED IN PROCESSING BRAKE LININGS RELATIVE TO THE ASBESTOS DUST EMISSION. *Staub, Reinhaltung der Luft.* 44: 250-252.
- Coggon, D. (1999). Occupational cancer in the United Kingdom [Review]. *Environ Health Perspect.* 107: 239-244.
- Coggon, D; Harris, EC; Brown, T; Rice, S; Palmer, KT. (2010). Work-related mortality in England and Wales, 1979-2000. *Occup Environ Med.* 67: 816-822. <http://dx.doi.org/10.1136/oem.2009.052670>.
- Coggon, D; Inskip, H; Winter, P; Pannett, B. (1995). Differences in occupational mortality from pleural cancer, peritoneal cancer, and asbestosis. *Occup Environ Med.* 52: 775-777.
- Cohen, D; Crowther, TS; Gibbs, GW; Becklake, MR. (1981). Magnetic lung measurements of relation to occupational exposure in asbestos miners and millers of Quebec. *Environ Res.* 26: 535-550.
- Cohen, HJ; Van Orden, DR. (2008). Asbestos exposures of mechanics performing clutch service on motor vehicles. *J Occup Environ Hyg.* 5: 148-156. <http://dx.doi.org/10.1080/15459620701853227>.
- Colangelo, F; Cioffi, R; Lavorgna, M; Verdolotti, L; De Stefano, L. (2011). Treatment and recycling of asbestos-cement containing waste. *J Hazard Mater.* 195: 391-397. <http://dx.doi.org/10.1016/j.jhazmat.2011.08.057>.
- Cole, HM. (1977). Industrial Hygiene Experience in the Reduction Plant (pp. 133-136). (NIOSH/00191455). Cole, HM.
- Cole, SR; Richardson, DB; Chu, H; Naimi, AI. (2013). Analysis of occupational asbestos exposure and lung cancer mortality using the g formula. *Am J Epidemiol.* 177: 989-996. <http://dx.doi.org/10.1093/aje/kws343>.
- Collingwood, KW; Raabe, GK; Wong, O. (1996). An updated cohort mortality study of workers at a northeastern United States petroleum refinery. *Int Arch Occup Environ Health.* 68: 277-288.
- Comba, P; Merler, E; Pasetto, R. (2005). Asbestos-related diseases in Italy: epidemiologic evidences and public health issues [Review]. *Int J Occup Environ Health.* 11: 36-44. <http://dx.doi.org/10.1179/oeh.2005.11.1.36>.
- Company, SO. (1983). ASBESTOS SAMPLING OF TELECOM WORKERS WITH ATTACHMENT. (TSCATS/016900).
- Conti, S; Minelli, G; Ascoli, V; Marinaccio, A; Bonafede, M; Manno, V; Crialesi, R; Straif, K. (2015). Peritoneal mesothelioma in Italy: Trends and geography of mortality and incidence. *Am J Ind Med.* 58: 1050-1058. <http://dx.doi.org/10.1002/ajim.22491>.
- Coombspayac, J. (1985). CEMENT ASBESTOS AND OCCUPATIONAL-HEALTH. 31: 25-26.
- Cooper, WC; Balzer, JL. (1969). Evaluation and Control of Asbestos Exposures in the Insulating Trade (pp. 22-25). (NIOSH/00036280). Cooper, WC; Balzer, JL.
- Copes, R; Thomas, D; Becklake, MR. (1985). Temporal patterns of exposure and nonmalignant pulmonary abnormality in Quebec chrysotile workers. *Arch Environ Health.* 40: 80-87.
- Cordier, S; Lazar, P; Brochard, P; Bignon, J; Ameille, J; Proteau, J. (1987). Epidemiologic investigation of respiratory effects related to environmental exposure to asbestos inside insulated buildings. *Arch Environ Health.* 42: 303-309. <http://dx.doi.org/10.1080/00039896.1987.9935825>.
- Cordier, S; Theriault, G; Provencher, S. (1984). Radiographic changes in a group of chrysotile miners and millers exposed to low asbestos dust concentrations. *Br J Ind Med.* 41: 384-388.
- Corhay, JL; Delavignette, JP; Bury, T; Saint-Remy, P; Radermecker, MF. (1990). Occult exposure to asbestos in steel workers revealed by bronchoalveolar lavage. *Arch Environ Health.* 45: 278-282. <http://dx.doi.org/10.1080/00039896.1990.10118746>.
- Corn, M. (1990). Airborne concentrations of asbestos-in-air in buildings and exposures of occupants: risk and regulatory implications.
- Corn, M; Mearthur, B; Dellarco, M. (1994). Asbestos Exposures of Building Maintenance Personnel. *Appl Occup Environ Hyg.* 9: 845-852.
- Courtice, MN; Berman, DW; Yano, E; Kohyama, N; Wang, X. (2016). Size- and type-specific exposure assessment of an asbestos products factory in China. *J Expo Sci Environ Epidemiol.* 26: 63-69. <http://dx.doi.org/10.1038/jes.2015.46>.
- Courtice, MN; Lin, S; Wang, X. (2012). An updated review on asbestos and related diseases in China [Review]. *Int J Occup Environ Health.* 18: 247-253. <http://dx.doi.org/10.1179/1077352512Z.00000000021>.
- Courtice, MN; Wang, X; Lin, S; Yu, IT; Berman, DW; Yano, E. (2016). Exposure-response estimate for lung cancer and asbestosis in a predominantly chrysotile-exposed Chinese factory cohort. *Am J Ind Med.* 59: 369-378. <http://dx.doi.org/10.1002/ajim.22579>.
- Cowan, DM; Cheng, TJ; Ground, M; Sahmel, J; Varughese, A; Madl, AK. (2015). Analysis of workplace compliance measurements of asbestos by the U.S. Occupational Safety and Health Administration (1984-2011). *Regul Toxicol Pharmacol.* 72: 615-629. <http://dx.doi.org/10.1016/j.yrtph.2015.05.002>.
- Cralley, LJ. (1971). Identification and control of asbestos exposures. *Am Ind Hyg Assoc J.* 32: 82-85. <http://dx.doi.org/10.1080/0002889718506414>.

Engineering/Occupational Exposure Literature Search Results

On Topic

- Cralley, LJ; Keenan, RG; Lynch, JR. (1967). Exposure to metals in the manufacture of asbestos textile products. *Am Ind Hyg Assoc J.* 28: 452-461. <http://dx.doi.org/10.1080/00028896709342664>.
- Croke, K; Mensah, E; Fabian, R; Tolley, G. (1989). ASBESTOS REMOVAL AND TREATMENT IMPACTS ON HOUSING AND URBAN NEIGHBORHOODS. *Journal of Environmental Systems.* 18: 123-131.
- Crosignani, P; Forastiere, F; Petrelli, G; Merler, E; Chellini, E; Pupp, N; Donelli, S; Magarotto, G; Rotondo, E; Perucci, C. (1995). Malignant mesothelioma in thermoelectric power plant workers in Italy. *Am J Ind Med.* 27: 573-576.
- Cullen, MR; Baloyi, RS. (1991). Chrysotile asbestos and health in Zimbabwe: I. Analysis of miners and millers compensated for asbestos-related diseases since independence (1980). *Am J Ind Med.* 19: 161-169.
- Cullen, MR; Lopez-Carrillo, L; Alli, B; Pace, PE; Shalat, SL; Baloyi, RS. (1991). Chrysotile asbestos and health in Zimbabwe: II. Health status survey of active miners and millers. *Am J Ind Med.* 19: 171-182. <http://dx.doi.org/10.1002/ajim.4700190205>.
- Curtis, RA. (1974). Industrial Hygiene of Raybestos-Manhattan Asbestos Textile Plant, North Charleston, South Carolina. (NIOSH/00105097). Curtis, RA.
- Dahlgren, J; Peckham, T. (2012). Mesothelioma associated with use of drywall joint compound: a case series and review of literature [Review]. *Int J Occup Environ Health.* 18: 337-343. <http://dx.doi.org/10.1179/2049396712Y.0000000009>.
- Dahlgren, J; Talbott, P. (2015). Case report: peritoneal mesothelioma from asbestos in hairdryers [Review]. *Int J Occup Environ Health.* 21: 1-4. <http://dx.doi.org/10.1179/2049396714Y.0000000092>.
- Dahlqvist, M; Alexandersson, R; Hedenstierna, G. (1992). LUNG-FUNCTION AND EXPOSURE TO ASBESTOS AMONG VEHICLE MECHANICS. *Am J Ind Med.* 22: 59-68. <http://dx.doi.org/10.1002/ajim.4700220106>.
- Damiran, N; Silbergeld, EK; Frank, AL; Lkhasuren, O; Ochir, C; Breyse, PN. (2015). Exposure to airborne asbestos in thermal power plants in Mongolia [Erratum]. *Int J Occup Environ Health.* 21: 137-141. <http://dx.doi.org/10.1179/2049396715Y.0000000001>.
- Dave, SK; Beckett, WS. (2005). Occupational asbestos exposure and predictable asbestos-related diseases in India. *Am J Ind Med.* 48: 137-143. <http://dx.doi.org/10.1002/ajim.20198>.
- Davies, D. (1990). ALTERATIONS IN LARYNGEAL MUCOSA AFTER EXPOSURE TO ASBESTOS [Letter]. *Br J Ind Med.* 47: 844-844.
- Davis, DR. (1995). Release of asbestos fibers during casting ring liner manipulation. *J Prosthet Dent.* 74: 294-298.
- Davis, JM; McDonald, JC. (1988). Low level exposure to asbestos: is there a cancer risk? [Review]. *Br J Ind Med.* 45: 505-508.
- de Klerk, NH; Armstrong, BK; Musk, AW; Hobbs, MST. (1989). Cancer mortality in relation to measures of occupational exposure to crocidolite at Wittenoom Gorge in Western Australia. *Br J Ind Med.* 46: 529-536. <http://dx.doi.org/10.1136/oem.46.8.529>.
- de Klerk, NH; Cookson, WO; Musk, AW; Armstrong, BK; Glancy, JJ. (1989). Natural history of pleural thickening after exposure to crocidolite. *Br J Ind Med.* 46: 461-467.
- de Klerk, NH; Musk, AW; Armstrong, BK; Hobbs, MS. (1991). Smoking, exposure to crocidolite, and the incidence of lung cancer and asbestosis. *Br J Ind Med.* 48: 412-417.
- de Klerk, NH; Musk, AW; Cookson, WO; Glancy, JJ; Hobbs, MS. (1993). Radiographic abnormalities and mortality in subjects with exposure to crocidolite. *Br J Ind Med.* 50: 902-906.
- de Klerk, NH; Musk, AW; Eccles, JL; Hansen, J; Hobbs, MS. (1996). Exposure to crocidolite and the incidence of different histological types of lung cancer. *Occup Environ Med.* 53: 157-159.
- de Klerk, NH; Musk, AW; James, A; Glancy, JJ; Cookson, WO. (1990). Comparison of chest radiograph reading methods for assessing progress of pneumoconiosis over 10 years in Wittenoom crocidolite workers. *Br J Ind Med.* 47: 127-131.
- de Klerk, NH; Musk, AW; Williams, V; Filion, PR; Whitaker, D; Shilkin, KB. (1996). Comparison of measures of exposure to asbestos in former crocidolite workers from Wittenoom Gorge, W. Australia. *Am J Ind Med.* 30: 579-587. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199611\)30:5<579::AID-AJIM5>3.0.CO;2-O](http://dx.doi.org/10.1002/(SICI)1097-0274(199611)30:5<579::AID-AJIM5>3.0.CO;2-O).
- De Matteis, S; Consonni, D; Lubin, J; Tucker, M; Peters, S; Vermeulen, RCH; Kromhout, H; Bertazzi, PA; Caporaso, NE; Pesatori, AC; Wacholder, S; Landi, MT. (2012). Impact of occupational carcinogens on lung cancer risk in a general population. *Int J Epidemiol.* 41: 711-721. <http://dx.doi.org/10.1093/ije/dys042>.
- De Pedrini, C. (1968). [Observations on methods of collection and counting asbestos dust in work environments]. *Arch Sci Med.* 125: 769-776.
- De Stefani, E; Boffetta, P; Oreggia, F; Ronco, A; Kogevinas, M; Mendilaharsu, M. (1998). Occupation and the risk of laryngeal cancer in Uruguay. *Am J Ind Med.* 33: 537-542. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199806\)33:6<537::AID-AJIM3>3.0.CO;2-N](http://dx.doi.org/10.1002/(SICI)1097-0274(199806)33:6<537::AID-AJIM3>3.0.CO;2-N).
- De Stefani, E; Kogevinas, M; Boffetta, P; Ronco, A; Mendilaharsu, M. (1996). Occupation and the risk of lung cancer in Uruguay. *Scand J Work Environ Health.* 22: 346-352.
- De Vuyst, P; Dumortier, P; Moulin, E; Yourassowsky, N; Yernault, JC. (1987). Diagnostic value of asbestos bodies in bronchoalveolar lavage fluid. *Am Rev Respir Dis.* 136: 1219-1224. <http://dx.doi.org/10.1164/ajrccm/136.5.1219>.
- De Zotti, R; Fiorito, A. (2007). A case of malignant mesothelioma in a rice-starch factory. *Int Arch Occup Environ Health.* 80: 743-745. <http://dx.doi.org/10.1007/s00420-007-0184-1>.
- Deadman, JE; Church, G; Bradley, C; Armstrong, B; Theriault, G. (1995). Retrospective Estimation of Exposures to Confirmed or Suspected Carcinogens in an Electrical Utility. *Appl Occup Environ Hyg.* 10: 856-869.
- del Piano, M; Palagiano, C; Rimatori, V. (1989). Asbestos hazards in the city of Rome, Italy [Review]. *Soc Sci Med.* 29: 1009-1013.
- Delfino, R; Ernst, P; Bourbeau, J. (1989). Relationship of lung geometry to the development of pleural abnormalities in insulation workers exposed to asbestos. *Am J Ind Med.* 15: 417-425.
- Dell, L; Teta, MJ. (1995). Mortality among workers at a plastics manufacturing and research and development facility: 1946-1988. *Am J Ind Med.* 28: 373-384. <http://dx.doi.org/10.1002/ajim.4700280307>.

Engineering/Occupational Exposure Literature Search Results

On Topic

- Delon, J; Charretton, M; Prost, G; Cicolella, A. (1992). Short-term exposures and exposures close to threshold limit values - The response. 53: 91-98.
- Delpierre, S; Delvolgo-Gori, MJ; Faucher, M; Jammes, Y. (2002). High prevalence of reversible airway obstruction in asbestos-exposed workers. *Arch Environ Health*. 57: 441-445. <http://dx.doi.org/10.1080/00039890209601435>.
- Dement, J; Welch, L; Haile, E; Myers, D. (2009). Mortality among sheet metal workers participating in a medical screening program. *Am J Ind Med*. 52: 603-613. <http://dx.doi.org/10.1002/ajim.20725>.
- Dement, JM; Brown, DP. (1994). Lung cancer mortality among asbestos textile workers: a review and update. *Ann Occup Hyg*. 38: 525-532, 412.
- Dement, JM; Brown, DP. (1998). Cohort mortality and case-control studies of white male chrysotile asbestos textile workers. *J Clean Technol, Environ Toxicol, Occup Med*. 7: 413-419.
- Dement, JM; Brown, DP; Okun, A. (1994). Follow-up study of chrysotile asbestos textile workers: cohort mortality and case-control analyses. *Am J Ind Med*. 26: 431-447.
- Dement, JM; Harris, RL, Jr; Symons, MJ; Shy, C. (1982). Estimates of dose-response for respiratory cancer among chrysotile asbestos textile workers. *Ann Occup Hyg*. 26: 869-887.
- Dement, JM; Harris, RL, Jr; Symons, MJ; Shy, CM. (1983). Exposures and mortality among chrysotile asbestos workers Part I: exposure estimates. *Am J Ind Med*. 4: 399-419.
- Dement, JM; Harris, RL, Jr; Symons, MJ; Shy, CM. (1983). Exposures and mortality among chrysotile asbestos workers Part II: mortality. *Am J Ind Med*. 4: 421-433.
- Dement, JM; Hensley, L; Kieding, S; Lipscomb, H. (1998). Proportionate mortality among union members employed at three Texas refineries. *Am J Ind Med*. 33: 327-340. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199804\)33:4<327::AID-AJIM3>3.0.CO;2-R](http://dx.doi.org/10.1002/(SICI)1097-0274(199804)33:4<327::AID-AJIM3>3.0.CO;2-R).
- Dement, JM; Johnson, W. (1972). Walk Through Survey of Avon Products, Inc., Springdale, Ohio. 5: 19721972.
- Dement, JM; Welch, L; Bingham, E; Cameron, B; Rice, C; Quinn, P; Ringen, K. (2003). Surveillance of respiratory diseases among construction and trade workers at Department of Energy nuclear sites. *Am J Ind Med*. 43: 559-573. <http://dx.doi.org/10.1002/ajim.10226>.
- Dement, JM; Welch, L; Ringen, K; Bingham, E; Quinn, P. (2010). Airways obstruction among older construction and trade workers at Department of Energy nuclear sites. *Am J Ind Med*. 53: 224-240. <http://dx.doi.org/10.1002/ajim.20792>.
- Dement, JM; Zumwalde, RD. (1979). Occupational exposures to talcs containing asbestiform minerals.
- Dement, JM; Zumwalde, RD; Wallingford, KM. (1976). Discussion Paper: Asbestos Fiber Exposures In A Hard Rock Gold Mine. *Ann N Y Acad Sci*. 271: 345-352.
- Demers, RY; Burns, PB; Swanson, GM. (1994). Construction occupations, asbestos exposure, and cancer of the colon and rectum. *J Occup Med*. 36: 1027-1031.
- Deng, JF; Sinks, T; Elliot, L; Smith, D; Singal, M; Fine, L. (1991). Characterisation of respiratory health and exposures at a sintered permanent magnet manufacturer. *Br J Ind Med*. 48: 609-615.
- Deng, Q; Wang, X; Wang, M; Lan, Y. (2012). Exposure-response relationship between chrysotile exposure and mortality from lung cancer and asbestosis. *Occup Environ Med*. 69: 81-86. <http://dx.doi.org/10.1136/oem.2011.064899>.
- Denner, JM; Langridge, RE; Affleck, MJ. (1988). DEVELOPMENT OF AN ASBESTOS-CONTAMINATED SITE - THE FASLANE PROJECT. *J Inst Water Environ Manag*. 2: 300-304.
- D'Errico, A; Mirabelli, D; Costa, G. (1999). Cancer mortality of a cohort of widows of asbestos workers. *Epidemiology*. 10: S62-S62.
- Deruyttere, A; Helsen, J; Baeten, J. (1980). Characterization And Properties Of Asbestos-Cement Dust (pp. 43-51). (NIOSH/00149443). Deruyttere, A; Helsen, J; Baeten, J.
- Di Lorenzo, L; Mele, M; Pegorari, MM; Fratello, A; Zocchetti, C; Capozzi, D. (1996). Lung cinescintigraphy in the dynamic assessment of ventilation and mucociliary clearance of asbestos cement workers. *Occup Environ Med*. 53: 628-635. <http://dx.doi.org/10.1136/oem.53.9.628>.
- Divine, BJ; Hartman, CM; Wendt, JK. (1999). Update of the Texaco mortality study 1947-93: part II. Analyses of specific causes of death for white men employed in refining, research, and petrochemicals. *Occup Environ Med*. 56: 174-180.
- Dixon, WC. (1978). Occupational Safety And Health Administration Methods. 506: 431-440.
- Dobrev, M. (1976). Criteria for standardization and methods for measurement of asbestos dust in the air of working areas. 19: 290-296.
- Dobrev, M. (1988). Some aspects of methodology of measuring and hygienic evaluation of dust in the air of the working environment. 31: 12-15.
- Dobrev, M. (1988). SOME METHODOLOGICAL ASPECTS OF THE MEASUREMENT AND HYGIENIC EVALUATION OF DUST IN THE AIR OF WORKING ENVIRONMENT (pp. 12-16). (BIOSIS/89/07613). Dobrev, M.
- Dobrev, M; Burilkov, T; Tocheva, V; Mikhaïlova, L; Lukanova, R. (1979). [Occupational risk in asbestos textile manufacture]. *Probl Khig*. 4: 32-40.
- Dobrev, M; Dinolova, B. (1978). Hygienic evaluation of dust in the production and usage of asbestos materials. 21: 339-344.
- Dodgson, J; Ottery, J; Cherrie, JW; Harrison, GE. (1980). Fibre concentrations and size distributions of airborne fibres in several European man-made mineral fibre plants. *IARC Sci Publ*913-925.
- Dodic Fikfak, M; Kriebel, D; Quinn, MM; Eisen, EA; Wegman, DH. (2007). A case control study of lung cancer and exposure to chrysotile and amphibole at a slovenian asbestos-cement plant. *Ann Occup Hyg*. 51: 261-268. <http://dx.doi.org/10.1093/annhyg/mem003>.
- Dodoli, D; Del Nevo, M; Fiumalbi, C; Iaia, TE; Cristaudo, A; Comba, P; Viti, C; Battista, G. (1992). Environmental household exposures to asbestos and occurrence of pleural mesothelioma. *Am J Ind Med*. 21: 681-687. <http://dx.doi.org/10.1002/ajim.4700210508>.
- Dodson, R; Hurst, G; Williams, M; Corn, C; Greenberg, S. (1987). A COMPARISON OF LIGHT AND ELECTRON MICROSCOPY TECHNIQUES FOR DEFINING OCCUPATIONAL EXPOSURE TO ASBESTOS (pp. 8-13). (BIOSIS/87/12329). Dodson, R; Hurst, G; Williams, M; Corn, C; Greenberg, S.

Engineering/Occupational Exposure Literature Search Results

On Topic

- Dodson, RF; Garcia, JG; O'Sullivan, M; Corn, C; Levin, JL; Griffith, DE; Kronenberg, RS. (1991). The usefulness of bronchoalveolar lavage in identifying past occupational exposure to asbestos: a light and electron microscopy study. *Am J Ind Med.* 19: 619-628.
- Dodson, RF; O'Sullivan, M; Corn, CJ; Garcia, JG; Stocks, JM; Griffith, DE. (1993). Analysis of ferruginous bodies in bronchoalveolar lavage from foundry workers. *Br J Ind Med.* 50: 1032-1038.
- Dodson, RF; O'Sullivan, M; Corn, CJ; Hammar, SP. (1995). Quantitative comparison of asbestos and talc bodies in an individual with mixed exposure. *Am J Ind Med.* 27: 207-215.
- Dodson, RF; O'Sullivan, MF; Williams, MG; Hurst, GA. (1982). Analysis of cores of ferruginous bodies from former asbestos workers. *Environ Res.* 28: 171-178.
- DOLINSKA,ES; Chemleva, TA. (1970). INVESTIGATION OF A 3-COMPONENT SYSTEM OF ASBESTOS FIBERS IN ASBESTOS CEMENT USING SIMPLEX-LATTICE PLANNING OF EXPERIMENT. *Industrial Laboratory.* 36: 1567-&.
- Doll, R. (1993). MORTALITY FROM LUNG-CANCER IN ASBESTOS WORKERS (REPRINTED FROM BRIT J INDUSTR MED, VOL 12, PG 81, 1955). *Br J Ind Med.* 50: 484-490.
- Donoghue, AM. (2004). Occupational health hazards in mining: an overview [Review]. *Occup Med (Lond).* 54: 283-289. <http://dx.doi.org/10.1093/occmed/kqh072>.
- Donovan, EP; Donovan, BL; Sahmel, J; Scott, PK; Paustenbach, DJ. (2011). Evaluation of bystander exposures to asbestos in occupational settings: a review of the literature and application of a simple eddy diffusion model [Review]. *Crit Rev Toxicol.* 41: 52-74. <http://dx.doi.org/10.3109/10408444.2010.506639>.
- Donovan, S; Pickin, J. (2016). An Australian stocks and flows model for asbestos. *Waste Manag Res.* 34: 1081-1088. <http://dx.doi.org/10.1177/0734242X16659353>.
- Døssing, M; Langer, SW. (1994). Asbestos-induced lung injury among Danish jewelry workers [Review]. *Am J Ind Med.* 26: 755-758.
- Driscoll, RJ; Elliott, LJ. (1990). Health Hazard Evaluation Report HETA 87-126-2019, Chrysler Chemical Division, Trenton, Michigan. 42.
- Drucker, E; Nagin, D; Michaels, D; Lacher, M; Zoloth, S. (1987). Exposure of Sheet-Metal Workers to Asbestos during the Construction and Renovation of Commercial Buildings in New York City. A Case Study in Social Medicine. *Ann N Y Acad Sci.* 502: 230-244.
- Dtsch, FOR, SCHUNGSGEM. (1987). MAXIMUM CONCENTRATIONS AT THE WORKPLACE AND BIOLOGICAL TOLERANCE VALUES FOR WORKING MATERIALS 1987 REPORT NO. XXIII COMMISSION FOR THE INVESTIGATION OF HEALTH HAZARDS OF CHEMICAL COMPOUNDS IN THE WORK AREA (pp. REPORT NO). (BIOSIS/88/30306). Dtsch, FORSCHUNGSGEM.
- Du Toit R, SJ; Gilfillan, TC. (1977). Simultaneous airborne dust samples with konimeter, thermal precipitator and dosimeter in asbestos mines. *Ann Occup Hyg.* 20: 333-344.
- Du Toit, RS. (1991). An estimate of the rate at which crocidolite asbestos fibres are cleared from the lung. *Ann Occup Hyg.* 35: 433-438.
- Du Toit, RSJ. (1978). Methods Used in the Measurement of Asbestos-Dust Exposures (pp. 3-7). (NIOSH/00172124). Du Toit, RSJ.
- Du Toit, RSJ; Isserow, LW; Gilfillan, TC; Robock, K; Teichert, U. (1983). Relationships Between Simultaneous Airborne Dust Samples Taken With Five Types Of Instruments At South African Asbestos Mines And Mills. *Ann Occup Hyg.* 27: 373-387.
- Dueva, LA; Elovskaja, LT; Kovalevskaia, EV. (1997). [Evaluation of health hazards of asbestos containing wastes in the mining industry and prospects of their utilization]. *Med Tr Prom Ekol*9-13.
- Dufault, R; Abelquist, E; Crooks, S; Demers, D; Diberardinis, L; Franklin, T; Horowitz, M; Petullo, C; Sturchio, G. (2000). Reducing environmental risk associated with laboratory decommissioning and property transfer. *Environ Health Perspect.* 108: 1015-1022.
- Dufresne, A; Begin, R; Dion, C; Jagirdar, J; Rom, WN; Loosereewanich, P; Muir D, CF; Ritchie, AC; Perrault, G. (1998). Angular and fibrous particles in lung in relation to silica-induced diseases. *Int Arch Occup Environ Health.* 71: 263-269.
- Dufresne, A; Begin, R; Dion, C; Jagirdar, J; Rom, WN; Loosereewanich, P; Muir, DCF; Ritchie, AC; Perrault, G. (1997). Angular and Fibrous Particles in Lung are Markers of Job Categories. *Sci Total Environ.* 206: 127-136.
- Dufresne, A; Bégin, R; Massé, S; Dufresne, CM; Loosereewanich, P; Perrault, G. (1996). Retention of asbestos fibres in lungs of workers with asbestosis, asbestosis and lung cancer, and mesothelioma in Asbestos township. *Occup Environ Med.* 53: 801-807.
- Dufresne, A; Dion, C; Frielaender, A; Audet, E; Perrault, G. (2009). Personal and static sample measurements of asbestos fibres during two abatement projects. *Bull Environ Contam Toxicol.* 82: 440-443. <http://dx.doi.org/10.1007/s00128-009-9661-4>.
- Dufresne, A; Harrigan, M; Massé, S; Bégin, R. (1995). Fibers in lung tissues of mesothelioma cases among miners and millers of the township of Asbestos, Quebec. *Am J Ind Med.* 27: 581-592.
- Dufresne, A; Loosereewanich, P; Armstrong, B; Thériault, G; Bégin, R. (1996). Inorganic particles in the lungs of five aluminum smelter workers with pleuro-pulmonary cancer. *Am Ind Hyg Assoc J.* 57: 370-375. <http://dx.doi.org/10.1080/15428119691014918>.
- Dufresne, A; Loosereewanich, P; Harrigan, M; Sébastien, P; Perrault, G; Bégin, R. (1993). Pulmonary dust retention in a silicon carbide worker [Review]. *Am Ind Hyg Assoc J.* 54: 327-330. <http://dx.doi.org/10.1080/15298669391354748>.
- Dujić, Z; Eterović, D; Tocilj, J. (1993). Association between asbestos-related pleural plaques and resting hyperventilation. *Scand J Work Environ Health.* 19: 346-351. <http://dx.doi.org/10.5271/sjweh.1464>.
- Dujić, Z; Tocilj, J; Boschi, S; Sarić, M; Eterović, D. (1992). Biphasic lung diffusing capacity: Detection of early asbestos induced changes in lung function. *Br J Ind Med.* 49: 260-267. <http://dx.doi.org/10.1136/oem.49.4.260>.
- Dumortier, P; De Vuyst, P. (2012). Asbestos exposure during uncontrolled removal of sprayed-on asbestos. *Ann Occup Hyg.* 56: 49-54. <http://dx.doi.org/10.1093/annhyg/mer096>.
- Dumortier, P; De Vuyst, P; Strauss, P; Yernault, JC. (1990). Asbestos bodies in bronchoalveolar lavage fluids of brake lining and asbestos cement workers. *Br J Ind Med.* 47: 91-98.
- Dutoit, RSJ. (1991). AN ESTIMATE OF THE RATE AT WHICH CROCIDOLITE ASBESTOS FIBERS ARE CLEARED FROM THE LUNG. *Ann Occup Hyg.* 35: 433-438.

Engineering/Occupational Exposure Literature Search Results

On Topic

- Dutoit, RSJ; Isserow, LW; Gilfillan, TC; Robock, K; Teichert, U. (1983). RELATIONSHIPS BETWEEN SIMULTANEOUS AIRBORNE DUST SAMPLES TAKEN WITH 5 TYPES OF INSTRUMENTS AT SOUTH-AFRICAN ASBESTOS MINES AND MILLS. *Ann Occup Hyg.* 27: 373-387.
- Duvis, T; Papaspyrides, CD; Andreopoulos, AG. (1991). ASBESTOS REPLACEMENT ASPECTS - THE EFFECT OF ASBESTOS PRETREATMENT ON THE TENSILE PROPERTIES OF EPOXY-KEVLAR-ASBESTOS HYBRID COMPOSITES. *J Adhes Sci Tech.* 5: 191-199.
- Duwe, K; Beck, B. (1983). Measurement and evaluation of non-toxic dusts in occupational hygiene - TGL 32620 and 32621. 22: 12-15.
- Ebert, R. (1988). [Register for work sites and workers exposed to asbestos dust pollution--organization and initial results]. *Z Gesamte Hyg Grenzgeb.* 34: 399-400.
- Edelman, DA. (1988). Asbestos exposure, pleural plaques and the risk of lung cancer [Review]. *Int Arch Occup Environ Health.* 60: 389-393.
- Edelman, DA. (1988). Exposure to asbestos and the risk of gastrointestinal cancer: a reassessment. *Br J Ind Med.* 45: 75-82.
- Edelman, DA. (1989). LARYNGEAL CANCER AND OCCUPATIONAL EXPOSURE TO ASBESTOS [Review]. *Int Arch Occup Environ Health.* 61: 223-228.
- Edelman, DA. (1992). DOES ASBESTOS EXPOSURE INCREASE THE RISK OF UROGENITAL CANCER [Review]. *Int Arch Occup Environ Health.* 63: 469-475.
- Edelman, P. (1987). ASBESTOS AND AIR-FLOW LIMITATION [Letter]. *J Occup Environ Med.* 29: 264-265.
- Edge, JR. (1976). Asbestos related disease in Barrow-in-Furness. *Environ Res.* 11: 244-247.
- Edward, AT; Whitaker, D; Browne, K; Pooley, FD; Gibbs, AR. (1996). Mesothelioma in a community in the north of England. *Occup Environ Med.* 53: 547-552.
- Egan, H. (1979). Organic and inorganic compounds: analytical aspects (pp. The Use of Biological Specimens for the Assessment of Human Exposure to Environmental Pollutants). (PESTAB/80/2810). Egan, H.
- Egilman, D; Bird, T; Lee, C. (2014). Dust diseases and the legacy of corporate manipulation of science and law. *Int J Occup Environ Health.* 20: 115-125. <http://dx.doi.org/10.1179/1077352514Z.000000000104>.
- Egilman, D; Fehnel, C; Bohme, SR. (2003). Exposing the "myth" of ABC, "anything but chrysotile": a critique of the Canadian asbestos mining industry and McGill University chrysotile studies. *Am J Ind Med.* 44: 540-557. <http://dx.doi.org/10.1002/ajim.10300>.
- Egilman, D; Menéndez, LM. (2011). A case of occupational peritoneal mesothelioma from exposure to tremolite-free chrysotile in Quebec, Canada: A black swan case. *Am J Ind Med.* 54: 153-156. <http://dx.doi.org/10.1002/ajim.20882>.
- Egilman, D; Reinert, A. (1996). The asbestos TLV: early evidence of inadequacy. *Am J Ind Med.* 30: 369-370. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199609\)30:3<369::AID-AJIM17>3.0.CO;2-U](http://dx.doi.org/10.1002/(SICI)1097-0274(199609)30:3<369::AID-AJIM17>3.0.CO;2-U).
- Egilman, DS; Bird, T; Lee, C. (2013). MetLife and its corporate allies: dust diseases and the manipulation of science. *Int J Occup Environ Health.* 19: 287-303. <http://dx.doi.org/10.1179/2049396713Y.00000000033>.
- Egorova, IV. (1990). ON THE MATERIAL SOURCE IN THE PROCESSES OF FORMATION OF CHRYSOTILE-ASBEST. *Geokhimiya* 1788-1792.
- Ehrlich, A; Gordon, RE; Dikman, SH. (1991). CARCINOMA OF THE COLON IN ASBESTOS-EXPOSED WORKERS - ANALYSIS OF ASBESTOS CONTENT IN COLON TISSUE. *Am J Ind Med.* 19: 629-636.
- Ehrlich, R; Lilis, R; Chan, E; Nicholson, WJ; Selikoff, IJ. (1992). Long term radiological effects of short term exposure to amosite asbestos among factory workers. *Br J Ind Med.* 49: 268-275.
- Eisenhawer, C; Felten, MK; Tamm, M; Das, M; Kraus, T. (2014). Radiological surveillance of formerly asbestos-exposed power industry workers: rates and risk factors of benign changes on chest X-ray and MDCT. *J Occup Med Toxicol.* 9: 18. <http://dx.doi.org/10.1186/1745-6673-9-18>.
- Eitner, F. (1988). Substantiating hazardous exposure to asbestos by examination of pulmonary dust. *Int Arch Occup Environ Health.* 61: 163-166.
- El Yamani, M; Boulanger, G; Nerriere-Cateliniois, E; Paillat, A; Modelon, H; Soye, A; Paquet, F; Binet, S; Paris, C; Brochard, P. (2012). Revision of French Occupational Exposure Limits of Asbestos and Recommendation of Measurement Method: Can the Dimensional Characteristics of the Asbestos Fibers (Long, Thin, Short) Be Taken Into Account? *Crit Rev Environ Sci Tech.* 42: 1441-1484. <http://dx.doi.org/10.1080/10643389.2011.556895>.
- Elci, OC; Akpınar-Elci, M; Blair, A; Dosemeci, M. (2002). Occupational dust exposure and the risk of laryngeal cancer in Turkey. *Scand J Work Environ Health.* 28: 278-284.
- Elder, D; Abramson, M; Fish, D; Johnson, A; McKenzie, D; Sim, M. (2004). Surveillance of Australian workplace Based Respiratory Events (SABRE): notifications for the first 3.5 years and validation of occupational asthma cases. *Occup Med (Lond).* 54: 395-399. <http://dx.doi.org/10.1093/occmed/kqh050>.
- Elliehausen, HJ; Paur, R; Rodelsperger, K; Woitowitz, HJ. (1985). THE RISK OF SEQUELAE OF ASBESTOS INHALATION IN MOTOR MECHANICS WORKING IN BRAKES SERVICES. *Arbeitsmedizin, Sozialmedizin, Praeventivmedizin.* 20: 256-261.
- Elliott, L; Loomis, D; Dement, J; Hein, MJ; Richardson, D; Stayner, L. (2012). Lung cancer mortality in North Carolina and South Carolina chrysotile asbestos textile workers. *Occup Environ Med.* 69: 385-390. <http://dx.doi.org/10.1136/oemed-2011-100229>.
- Ellison, JM; Howard, WP. (1970). The control of asbestos in the working environment. *Ann Occup Hyg.* 13: 153-158.
- Elmaghraby, SE; Elimam, AA. (1984). COMPOSITE MIX DESIGN IN THE PRODUCTION OF ASBESTOS CEMENT PIPES. *Appl Math Model.* 8: 425-432.
- Elmes, PC; Simpson, MJC. (1977). INSULATION WORKERS IN BELFAST - FURTHER STUDY OF MORTALITY DUE TO ASBESTOS EXPOSURE (1940-75). *Br J Ind Med.* 34: 174-180.
- Elshazley, M; Shibata, E; Hisanaga, N; Ichihara, G; Ewis, AA; Kamijima, M; Ichihara, S; Sakai, K; Sato, M; Kondo, M; Hasegawa, Y. (2011). Pleural plaque profiles on the chest radiographs and CT scans of asbestos-exposed Japanese construction workers. *Ind Health.* 49: 626-633.
- Emmanouil, K; Kalliopi, A; Dimitrios, K; Evangelos, G. (2009). Asbestos pollution in an inactive mine: Determination of asbestos fibers in the deposit tailings and water. *J Hazard Mater.* 167: 1080-1088. <http://dx.doi.org/10.1016/j.jhazmat.2009.01.102>.

Engineering/Occupational Exposure Literature Search Results

On Topic

- Emri, S. (2003). Recent developments in the therapy of malignant pleural mesothelioma. *Indoor Built Environ.* 12: 391-393. <http://dx.doi.org/10.1177/1420326X03039011>.
- Engholm, G; Englund, A. (2005). Asbestos hazard in the Swedish construction industry--recent trends in mesothelioma incidence. *Scand J Work Environ Health.* 31 Suppl 2: 27-30.
- Engholm, G; Englund, A; Fletcher, A. (1987). RESPIRATORY CANCER AMONG SWEDISH CONSTRUCTION WORKERS IN RELATION TO EXPOSURE TO ASBESTOS AND MAN-MADE MINERAL FIBERS. *Scand J Work Environ Health.* 13: 162-162.
- Engholm, G; Englund, A; Fletcher, AC; Hallin, N. (1987). Respiratory cancer incidence in Swedish construction workers exposed to man-made mineral fibres and asbestos. *Ann Occup Hyg.* 31: 663-675.
- Englund, A. (1991). SWEDISH APPROACHES TO INDUSTRY-WIDE STUDIES THE CONSTRUCTION INDUSTRY (pp. EXPOSURE TO ASBESTOS IN PLACE: PUBLIC HEALTH CONTROL; CONFERENCE). (ISSN 0077-8923; EISSN 1749-6632; BIOSIS/93/34944). Englund, A.
- Enterline, P; de Coufle, P; Henderson, V. (1973). Respiratory cancer in relation to occupational exposures among retired asbestos workers. *Br J Ind Med.* 30: 162-166.
- Enterline, PE. (1983). Cancer produced by nonoccupational asbestos exposure in the United States. *J Air Pollut Control Assoc.* 33: 318-322.
- Er, O; Tanrikulu, AC; Abakay, A; Temurtas, F. (2012). An approach based on probabilistic neural network for diagnosis of Mesothelioma's disease. *Computers & Electrical Engineering.* 38: 75-81. <http://dx.doi.org/10.1016/j.compeleceng.2011.09.001>.
- Erdinc, M; Erdinc, E; Cok, G; Polatli, M. (2003). Respiratory impairment due to asbestos exposure in brake-lining workers. *Environ Res.* 91: 151-156. [http://dx.doi.org/10.1016/S0013-9351\(02\)00063-4](http://dx.doi.org/10.1016/S0013-9351(02)00063-4).
- Erdinc, W; Erdinc, E; Cok, G; Polatli, M. (2003). Respiratory impairment due to asbestos exposure in brake-lining workers (vol 91, pg 151, 2003). *Environ Res.* 92: 282-282. [http://dx.doi.org/10.1016/S0013-9351\(03\)00072-0](http://dx.doi.org/10.1016/S0013-9351(03)00072-0).
- Eriksson, M; Karlsson, M. (1992). Occupational and other environmental factors and multiple myeloma: a population based case-control study. *Br J Ind Med.* 49: 95-103.
- Ernst, G. (1986). EMISSION OF ASBESTOS FIBERS FROM NATURAL-DRAFT WET COOLING-TOWERS. *Brennstoff-Waerme-Kraft.* 38: 229-229.
- Ernst, P; Shapiro, S; Dales, RE; Becklake, MR. (1987). Determinants of respiratory symptoms in insulation workers exposed to asbestos and synthetic mineral fibres. *Br J Ind Med.* 44: 90-95.
- Erzinger, BF. (1987). METHOD AND COMPOSITION FOR REMOVING ASBESTOS-CONTAINING MATERIALS US PATENT-4693755. SEPTEMBER 15 1987. (BIOSIS/87/33126). Erzinger, BF.
- Esmen, N; Corn, M; Hammad, Y; Whittier, D; Kotsko, N. (1979). Summary of measurements of employee exposure to airborne dust and fiber in sixteen facilities producing man-made mineral fibers. *Am Ind Hyg Assoc J.* 40: 108-117.
- Esmen, NA; Corn, M. (1998). Airborne fiber concentrations during splitting open and boxing bags of asbestos. *Toxicol Ind Health.* 14: 843-856.
- Esmen, NA; Erdal, S. (1990). Human occupational and nonoccupational exposure to fibers [Review]. *Environ Health Perspect.* 88: 277-286.
- Esmen, NA; Hammad, YY; Corn, M; Whittier, D; Kotsko, N; Haller, M; Kahn, RA. (1978). Exposure of employees to man-made mineral fibers: mineral wool production. *Environ Res.* 15: 262-277.
- Esposito, MP; Mcardle, J; Greber, JS; Clark, R. (1984). Guidelines For Decontaminating Buildings, Structures And Equipment At Superfund Sites (pp. 486-488). (NIOSH/00155016). Esposito, MP; Mcardle, J; Greber, JS; Clark, R.
- Esposito, MP; Mcardle, JL; Crone, AH; Greber, JS; Clark, R; Brown, S; Hollowell, JB; Langham, A; Mccandlish, CD. (1987). Decontamination techniques for buildings, structures and equipment. (CIS/87/01391). Esposito, MP; Mcardle, JL; Crone, AH; Greber, JS; Clark, R; Brown, S; Hollowell, JB; Langham, A; Mccandlish, CD.
- Esswein, EJ; Tubbs, RL. (1994). Health Hazard Evaluation Report HETA 93-0696-2395, Hardy Road Landfill, Akron, Ohio. 27.
- Everatt, R; Jankauskas, R; Kuciauskaite, A. (2006). Status of occupational cancer in Lithuania. *Int J Occup Environ Health.* 12: 24-27.
- Everatt, RP; Smolianskiene, G; Tossavainen, A; Cicenias, S; Jankauskas, R. (2007). Occupational asbestos exposure among respiratory cancer patients in Lithuania. *Am J Ind Med.* 50: 455-463. <http://dx.doi.org/10.1002/ajim.20467>.
- Ewing, WM; Hays, SM; Hatfield, R; Longo, WE; Millette, JR. (2010). Zonolite attic insulation exposure studies. *Int J Occup Environ Health.* 16: 279-290. <http://dx.doi.org/10.1179/oeh.2010.16.3.279>.
- Ezejiofor, TI; Ezejiofor, AN; Orisakwe, OE; Nwigwe, HC; Osuala, FO; Iwuala, MO. (2014). Anicteric hepatotoxicity: a potential health risk of occupational exposures in Nigerian petroleum oil refining and distribution industry. 9: 3. <http://dx.doi.org/10.1186/1745-6673-9-3>.
- Fabian, F; Bulzan, V. (1986). ASSESSING THE RISK OF EXPOSURE TO CHRYSOTILE FIBERS IN THE COURSE OF THE MANUFACTURING OF ASBESTOS-CEMENT PLATES AND OF ASBESTOS-CARDBOARD. *Rev Ig Bacteriol Virusol Parazitol Epidemiol Pneumoftiziol Ser Ig.* 35: 213-218.
- Fadrilan-Camacho, VF, eF; Quizon, RR; Diaz, DV; Manalato, ANP. (2016). CHALLENGES IN THE DEVELOPMENT OF A MEDICAL SURVEILLANCE SYSTEM FOR PNEUMOCONIOSES AND OTHER ASBESTOS-RELATED DISEASES IN THE PHILIPPINES. *Southeast Asian J Trop Med Public Health.* 47: 822-832.
- Fairfax, R; 19Ed. (1994). Construction Health Exposures. *Appl Occup Environ Hyg.* 9: 168-170.
- Fajen, JM; Hills, B; Calvert, GM. (1990). Health Hazard Evaluation Report HETA 89-126-2057, Hagaman Finishing, Hagaman, New York. 40.
- Falcone, M; Capone, PP; Tarzia, V; Campopiano, A; Giardino, R; Iannò, A; De Simone, P; Spagnoli, G; Macri, G. (2006). [Mount Reventino greenstone: assessment of tremolite fibre dispersion in the workplace]. *Med Lav.* 97: 36-43.
- Fang, R; Le, N; Band, P. (2011). Identification of occupational cancer risks in British Columbia, Canada: a population-based case-control study of 1,155 cases of colon cancer. *Int J Environ Res Public Health.* 8: 3821-3843. <http://dx.doi.org/10.3390/ijerph8103821>.
- Fano, V; Michelozzi, P; Ancona, C; Capon, A; Forastiere, F; Perucci, CA. (2004). Occupational and environmental exposures and lung cancer in an industrialised area in Italy. *Occup Environ Med.* 61: 757-763. <http://dx.doi.org/10.1136/oem.2003.010728>.
- Fatma, N; Jain, AK; Rahman, Q. (1991). Frequency of sister chromatid exchange and chromosomal aberrations in asbestos cement workers. *Br J Ind Med.* 48: 103-105.

Engineering/Occupational Exposure Literature Search Results

On Topic

- Faulring, GM; Forgeng, WD; Kleber, EJ; Rhodes, HB. (1975). DETECTION OF CHRYSOTILE ASBESTOS IN AIRBORNE DUST FROM THERMOSETTING RESIN GRINDING. *Journal of Testing and Evaluation*. 3: 482-490.
- Favero-Longo, SE; Matteucci, E; Siniscalco, C. (2009). Plant Colonization Limits Dispersion in the Air of Asbestos Fibers in an Abandoned Asbestos Mine. *Northeast Nat*. 16: 163-177.
- Fazzo, L; Nicita, C; Cernigliaro, A; Zona, A; Bruno, C; Fiumanò, G; Villari, C; Puglisi, G; Marinaccio, A; Comba, P; Tumino, R. (2010). [Mortality from asbestos-related causes and incidence of pleural mesothelioma among former asbestos cement workers in San Filippo del Mela (Sicily)]. *Epidemiol Prev*. 34: 87-92.
- Felten, MK; Khatab, K; Knoll, L; Schettgen, T; Müller-Berndorff, H; Kraus, T. (2014). Changes of mesothelin and osteopontin levels over time in formerly asbestos-exposed power industry workers. *Int Arch Occup Environ Health*. 87: 195-204. <http://dx.doi.org/10.1007/s00420-013-0853-1>.
- Felten, MK; Knoll, L; Eisenhawer, C; Ackermann, D; Khatab, K; Hüdepohl, J; Zschiesche, W; Kraus, T. (2010). Retrospective exposure assessment to airborne asbestos among power industry workers. *J Occup Med Toxicol*. 5: 15. <http://dx.doi.org/10.1186/1745-6673-5-15>.
- Felten, MK; Knoll, L; Schikowsky, C; Das, M; Feldhaus, C; Hering, KG; Böcking, A; Kraus, T. (2014). Is it useful to combine sputum cytology and low-dose spiral computed tomography for early detection of lung cancer in formerly asbestos-exposed power industry workers? *J Occup Med Toxicol*. 9: 14. <http://dx.doi.org/10.1186/1745-6673-9-14>.
- Felton, JS; Sargent, EN; Gordonson, JS. (1980). Radiographic changes following asbestos exposure: experience with 7,500 workers. *J Occup Med*. 22: 15-20.
- Fenner, EM. (1979). USA REGULATIONS FOR CONTROL OF ASBESTOS EXPOSURE (pp. NEW YORK). (HEEP/81/07839). Fenner, EM.
- Fent, KW; Dowell, CH. (2010). Health Hazard Evaluation Report: HETA-2009-0085-3107, Consolidation Coal Company, Blacksville, West Virginia, April 2010. Evaluation of Isocyanate Exposure during Polyurethane Foam Application and Silica Exposure during Rock Dusting at an Underground Coal Mine. 28.
- Ferrante, D; Mirabelli, D; Tunesi, S; Terracini, B; Magnani, C. (2015). Pleural mesothelioma and occupational and non-occupational asbestos exposure: a case-control study with quantitative risk assessment. *Occup Environ Med*. 73: 147-153. <http://dx.doi.org/10.1136/oemed-2015-102803>.
- Ferrante, P; Binazzi, A; Branchi, C; Marinaccio, A. (2016). [National epidemiological surveillance systems of mesothelioma cases]. *Epidemiol Prev*. 40: 336-343. <http://dx.doi.org/10.19191/EP16.5.P336.108>.
- Ferrante, P; Mastrantonio, M; Uccelli, R; Corfiati, M; Marinaccio, A. (2016). [Pleural mesothelioma mortality in Italy: time series reconstruction (1970-2009) and comparison with incidence (2003-2008)]. *Epidemiol Prev*. 40: 205-214. <http://dx.doi.org/10.19191/EP16.3-4.P205.087>.
- Ferreccio, C; Yuan, Y; Calle, J; Benítez, H; Parra, RL; Acevedo, J; Smith, AH; Liaw, J; Steinmaus, C. (2013). Arsenic, tobacco smoke, and occupation: Associations of multiple agents with lung and bladder cancer. *Epidemiology*. 24: 898-905. <http://dx.doi.org/10.1097/EDE.0b013e31829e3e03>.
- Fevotte, J; Charbotel, B; Muller-Beauté, P; Martin, JL; Hours, M; Bergeret, A. (2006). Case-control study on renal cell cancer and occupational exposure to trichloroethylene. Part I: Exposure assessment. *Ann Occup Hyg*. 50: 765-775. <http://dx.doi.org/10.1093/annhyg/mel040>.
- Févotte, J; Dananché, B; Delabre, L; Ducamp, S; Garras, L; Houot, M; Luce, D; Orłowski, E; Pilorget, C; Lacourt, A; Brochard, P; Goldberg, M; Imbernon, E. (2011). Matgéné: a program to develop job-exposure matrices in the general population in France. *Ann Occup Hyg*. 55: 865-878. <http://dx.doi.org/10.1093/annhyg/mer067>.
- Finkelstein, M. (1986). Pulmonary function in asbestos cement workers: a dose-response study. *Br J Ind Med*. 43: 406-413.
- Finkelstein, MM. (1983). MORTALITY AMONG ASBESTOS-CEMENT FACTORY-WORKERS. *Scand J Work Environ Health*. 9: 69-69.
- Finkelstein, MM. (1983). Mortality among long-term employees of an Ontario (Canada) asbestos-cement factory. *Br J Ind Med*. 40: 138-144.
- Finkelstein, MM. (1984). EXPOSURES AND MORTALITY AMONG CHRYSOTILE ASBESTOS WORKERS. *Am J Ind Med*. 5: 407-408.
- Finkelstein, MM. (1985). A study of dose-response relationships for asbestos associated disease. *Br J Ind Med*. 42: 319-325.
- Finkelstein, MM. (1989). Mortality among employees of an Ontario factory manufacturing insulation materials from amosite asbestos. *Am J Ind Med*. 15: 477-481.
- Finkelstein, MM. (1989). Mortality among employees of an Ontario factory that manufactured construction materials using chrysotile asbestos and coal tar pitch. *Am J Ind Med*. 16: 281-287.
- Finkelstein, MM. (1990). The exposure-response relationship for mesothelioma among asbestos-cement factory workers. *Toxicol Ind Health*. 6: 623-627.
- Finkelstein, MM. (1996). Asbestos-associated cancers in the Ontario refinery and petrochemical sector. *Am J Ind Med*. 30: 610-615. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199611\)30:5<610::AID-AJIM9>3.0.CO;2-W](http://dx.doi.org/10.1002/(SICI)1097-0274(199611)30:5<610::AID-AJIM9>3.0.CO;2-W).
- Finkelstein, MM. (1997). Radiographic asbestosis is not a prerequisite for asbestos-associated lung cancer in Ontario asbestos-cement workers. *Am J Ind Med*. 32: 341-348.
- Finkelstein, MM. (2008). Asbestos fibre concentrations in the lungs of brake workers: another look. *Ann Occup Hyg*. 52: 455-461. <http://dx.doi.org/10.1093/annhyg/men036>.
- Finkelstein, MM. (2010). Absence of radiographic asbestosis and the risk of lung cancer among asbestos-cement workers: Extended follow-up of a cohort. *Am J Ind Med*. 53: 1065-1069. <http://dx.doi.org/10.1002/ajim.20881>.
- Finkelstein, MM. (2013). The analysis of asbestos count data with "nondetects": the example of asbestos fiber concentrations in the lungs of brake workers. *Am J Ind Med*. 56: 1482-1489. <http://dx.doi.org/10.1002/ajim.22262>.
- Finkelstein, MM. (2015). Asbestos Fibres in the Lungs of an American Mechanic Who Drilled, Riveted, and Ground Brake Linings: A Case Report and Discussion [Letter]. *Ann Occup Hyg*. 59: 525-527. <http://dx.doi.org/10.1093/annhyg/mev008>.

Engineering/Occupational Exposure Literature Search Results

On Topic

- Finkelstein, MM; Dufresne, A. (1999). Inferences on the kinetics of asbestos deposition and clearance among chrysotile miners and millers. *Am J Ind Med.* 35: 401-412. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199904\)35:4<401::AID-AJIM12>3.0.CO;2-4](http://dx.doi.org/10.1002/(SICI)1097-0274(199904)35:4<401::AID-AJIM12>3.0.CO;2-4).
- Finkelstein, MM; Meisenkothen, C. (2010). Malignant mesothelioma among employees of a Connecticut factory that manufactured friction materials using chrysotile asbestos. *Ann Occup Hyg.* 54: 692-696. <http://dx.doi.org/10.1093/annhyg/meq046>.
- Finkelstein, MM; Verma, DK. (2004). A cohort study of mortality among Ontario pipe trades workers. *Occup Environ Med.* 61: 736-742. <http://dx.doi.org/10.1136/oem.2003.011916>.
- Finley, BL; Richter, RO; Mowat, FS; Mlynarek, S; Paustenbach, DJ; Warmerdam, JM; Sheehan, PJ. (2007). Cumulative asbestos exposure for US automobile mechanics involved in brake repair (circa 1950s-2000). *J Expo Sci Environ Epidemiol.* 17: 644-655. <http://dx.doi.org/10.1038/sj.jes.7500553>.
- Finn, MB; Hallenbeck, WH. (1984). Detection of chrysotile asbestos in workers' urine. *Am Ind Hyg Assoc J.* 45: 752-759. <http://dx.doi.org/10.1080/15298668491400566>.
- Finn, MB; Hallenbeck, WH. (1985). Detection of chrysotile asbestos in workers' urine. *Am Ind Hyg Assoc J.* 46: 162-169. <http://dx.doi.org/10.1080/15298668591394581>.
- Firth, HM; Elwood, JM; Cox, B; Herbison, GP. (1999). Historical cohort study of a New Zealand foundry and heavy engineering plant. *Occup Environ Med.* 56: 134-138.
- Fischbein, A; Luo, JC; Lacher, M; Rosenfeld, S; Rosenbaum, A; Miller, A; Solomon, SJ. (1993). Respiratory findings among millwright and machinery erectors: identification of health hazards from asbestos in place at work. *Environ Res.* 61: 25-35. <http://dx.doi.org/10.1006/enrs.1993.1046>.
- Fischbein, A; Luo, JC; Pinkston, GR. (1991). Asbestosis, laryngeal carcinoma, and malignant peritoneal mesothelioma in an insulation worker. *Br J Ind Med.* 48: 338-341.
- Fischbein, A; Luo, JC; Rosenfeld, S; Lacher, M; Miller, A; Rosenbaum, A. (1991). Respiratory findings among ironworkers: Results from a clinical survey in the New York metropolitan area and identification of health hazards from asbestos in place at work. *Br J Ind Med.* 48: 404-411. <http://dx.doi.org/10.1136/oem.48.6.404>.
- Fischbein, A; Rohl, AN; Langer, AM; Selikoff, IJ. (1979). Drywall construction and asbestos exposure. *Am Ind Hyg Assoc J.* 40: 402-407. <http://dx.doi.org/10.1080/15298667991429750>.
- Fischbein, A; Rohl, AN; Langer, AM; Selikoff, IJ. (1981). Past asbestos exposure among cable splicers. *Am J Public Health.* 71: 1277-1278.
- Fischer, M; Günther, S; Müller, KM. (2002). Fibre-years, pulmonary asbestos burden and asbestosis. *Int J Hyg Environ Health.* 205: 245-248. <http://dx.doi.org/10.1078/1438-4639-00149>.
- Flechsig, R. (1991). Peritoneal Mesothelioma How a Good Occupational Case History Can Best Be Used [Letter]. *Ind Health.* 29: 73-76.
- Fletcher, AC; Engholm, G; Englund, A. (1993). The risk of lung cancer from asbestos among Swedish construction workers: self-reported exposure and a job exposure matrix compared. *Int J Epidemiol.* 22 Suppl 2: S29-S35.
- Flick, K. (1981). MEASUREMENTS FOR THE DETERMINATION OF THE CONCENTRATION OF RESPIRABLE ASBESTOS DUST PRODUCED IN THE PROCESSING OF ASBESTOS IN THE TEXTILE-INDUSTRY. *Staub, Reinhaltung der Luft.* 41: 113-117.
- Flowers, ES. (1974). Relationship between exposure to asbestos, collagen formation, ferruginous bodies, and carcinoma. *Am Ind Hyg Assoc J.* 35: 724-729. <http://dx.doi.org/10.1080/0002889748507093>.
- Fodero, SD. (1977). REMOVAL AND DISPOSAL OF AN ENVIRONMENTAL CARCINOGEN - ASBESTOS. *J Environ Health.* 40: 133-137.
- Fonte, R; Gambettino, S; Melazzini, M; Scelsi, M; Zanon, C; Candura, SM. (2004). Asbestos-induced peritoneal mesothelioma in a construction worker. *Environ Health Perspect.* 112: 616-619.
- Fournier-Massey, G; Wong, G; Hall, TC. (1984). Retired and former asbestos workers in Hawaii. *Am J Ind Med.* 6: 139-153.
- Fowler, DP. (1977). Industrial Hygiene Survey Report at Celotex Corporation, Pittston, Pennsylvania (pp. 210-276). (NIOSH/00106256). Fowler, DP.
- Fowler, DP. (2000). Exposures to asbestos arising from bandsawing gasket material. *Appl Occup Environ Hyg.* 15: 404-408. <http://dx.doi.org/10.1080/104732200301359>.
- Fowler, DP; et al. (1978). Industrial Hygiene Survey Report, Forty-Eight Insulations, Inc. in Aurora, Illinois (pp. 19781978). (NIOSH/00106151). Fowler, DP; Et al.
- Frank, AL; Joshi, TK. (2014). The global spread of asbestos [Review]. 80: 257-262. <http://dx.doi.org/10.1016/j.aogh.2014.09.016>.
- Franklin, P; Alfonso, H; Reid, A; Olsen, N; Shilkin, KB; Brims, F; de Klerk, N; Musk, AW. (2016). Asbestos exposure and histological subtype of malignant mesothelioma. *Occup Environ Med.* 73: 749-752. <http://dx.doi.org/10.1136/oemed-2016-103721>.
- Franklin, P; Reid, A; Olsen, N; Peters, S; de Klerk, N; Brims, F; Threlfall, T; Murray, R; Musk, AB. (2016). Incidence of malignant mesothelioma in Aboriginal people in Western Australia. *Aust N Z J Public Health.* 40: 383-387. <http://dx.doi.org/10.1111/1753-6405.12542>.
- Franklin, P; Robinson, M; Abaogye-Sarfo, P; Samuel, L; Olsen, N; Mina, R; Musk, AW; Reid, A. (2015). The mental health of asbestos-exposed subjects with pleural abnormalities. *Int Arch Occup Environ Health.* 88: 343-350. <http://dx.doi.org/10.1007/s00420-014-0960-7>.
- Franko, A; Dodic-Fikfak, M; Arnerić, N; Dolzan, V. (2007). Glutathione S-transferases GSTM1 and GSTT1 polymorphisms and asbestosis. *J Occup Environ Med.* 49: 667-671. <http://dx.doi.org/10.1097/JOM.0b013e318065b855>.
- Franko, A; Dolzan, V; Arnerić, N; Dodic-Fikfak, M. (2008). Asbestosis and catalase genetic polymorphism. *Arh Hig Rada Toksikol.* 59: 233-240. <http://dx.doi.org/10.2478/10004-1254-59-2008-1907>.
- Freed, JA; Miller, A; Gordon, RE; Fischbein, A; Kleinerman, J; Langer, AM. (1991). Desquamative interstitial pneumonia associated with chrysotile asbestos fibres. *Br J Ind Med.* 48: 332-337.
- Freeman, MD; Kohles, SS. (2012). Assessing specific causation of mesothelioma following exposure to chrysotile asbestos-containing brake dust [Review]. *Int J Occup Environ Health.* 18: 329-336. <http://dx.doi.org/10.1179/2049396712Y.0000000002>.

Engineering/Occupational Exposure Literature Search Results

On Topic

- Friedrichs, KH; Brockmann, M; Fischer, M; Wick, G. (1992). Electron microscopy analysis of mineral fibers in human lung tissue. *Am J Ind Med.* 22: 49-58.
- Friedrichs, KH; Otto, H. (1981). Fibers in human lung dust samples: a scanning electron microscope study. *Am Ind Hyg Assoc J.* 42: 150-156. <http://dx.doi.org/10.1080/15298668191419497>.
- Friedrichs, KH; Teschler, H; Wick, G; Konietzko, N; Costabel, U. (1991). [Asbestos content in bronchoalveolar lavage fluid]. *Zentralblatt fuer Hygiene und Umweltmedizin.* 192: 336-343.
- Froom, P; Lahat, N; Kristal-Boneh, E; Cohen, C; Lerman, Y; Ribak, J. (2000). Circulating natural killer cells in retired asbestos cement workers. *J Occup Environ Med.* 42: 19-24.
- Frumkin, H; Berlin, J. (1988). Asbestos exposure and gastrointestinal malignancy review and meta-analysis [Review]. *Am J Ind Med.* 14: 79-95.
- Fry, JS; Woolley, AJ; McDonald, JC; McDonald, AD. (1983). RESPIRATORY CANCER IN CHRYSOTILE PRODUCTION AND TEXTILE MANUFACTURE. *Scand J Work Environ Health.* 9: 69-70.
- Fujiwara, H; Kamimori, T; Morinaga, K; Takeda, Y; Kohyama, N; Miki, Y; Inai, K; Yamamoto, S. (2005). An autopsy case of primary pericardial mesothelioma in arc cutter exposed to asbestos through talc pencils. *Ind Health.* 43: 346-350.
- Funari, E; Bastone, A; Bottoni, P; De Donno, D; Donati, L. (1991). Quality problems in waters used for drinking purposes in Italy. *Biomed Environ Sci.* 4: 339-347.
- Furlan, C; Mortarino, C. (2012). Pleural mesothelioma: forecasts of the death toll in the area of Casale Monferrato, Italy. *Stat Med.* 31: 4114-4134. <http://dx.doi.org/10.1002/sim.5523>.
- Gaensler, EA. (1977). Pleural Complications from Asbestos Exposure. *J Occup Environ Med.* 19: 286.
- Gaffuri, E. (2009). The lung burden of amphibole asbestos fibers in workers exposed and dead. *Med Lav.* 100: 315-315.
- Gamble, JF. (1994). Asbestos and colon cancer: a weight-of-the-evidence review. *Environ Health Perspect.* 102: 1038-1050.
- Gamble, JF; Lewis, RJ; Jorgensen, G. (2000). Mortality among three refinery/petrochemical plant cohorts. II. Retirees. *J Occup Environ Med.* 42: 730-736.
- Gangemi, S; Rapisarda, V; Minciullo, PL; Di Pasquale, G; Lombardo, G; Valentino, M; Fenga, C. (2005). Circulating levels of interleukin-18 in asbestos-exposed workers. *Toxicol Ind Health.* 21: 125-129. <http://dx.doi.org/10.1191/0748233705th2210a>.
- Gao, Z; Hiroshima, K; Wu, X; Zhang, J; Shao, D; Shao, H; Yang, H; Yusa, T; Kiyokawa, T; Kobayashi, M; Shinohara, Y; Røe, OD; Zhang, X; Morinaga, K. (2015). Asbestos textile production linked to malignant peritoneal and pleural mesothelioma in women: Analysis of 28 cases in Southeast China. *Am J Ind Med.* 58: 1040-1049. <http://dx.doi.org/10.1002/ajim.22494>.
- Garabrant, DH; Peters, RK; Homa, DM. (1992). Asbestos and colon cancer: Lack of association in a large case-control study. *Am J Epidemiol.* 135: 843-853.
- Garcia C, BM; Fonseca J, AC; Gutierrez, J. R.; De La MAZA M, CR. (1987). ASBESTOS CONTAMINATION IN A MOZAMBICAN LUSALITE FACTORY (pp. 8-11). (BIOSIS/87/34579). Garcia C, BM; Fonseca J, AC; Gutierrez, JR; De La MAZA M, CR.
- Garcia Gomez, M; Castaneda Lopez, R. (2009). EVALUATION OF THE HEALTH SURVEILLANCE OF WORKERS WHO HAVE BEEN EXPOSED TO ASBESTOS IN SPAIN 2004-2007. *Gac Sanit.* 23: 5-5.
- Garcia, JG; Griffith, DE; Cohen, AB; Callahan, KS. (1989). Alveolar macrophages from patients with asbestos exposure release increased levels of leukotriene B4. *Am Rev Respir Dis.* 139: 1494-1501. <http://dx.doi.org/10.1164/ajrccm/139.6.1494>.
- Garcia Lopez, V; Beloqui, A; Parra, A; Hoyo, A; Alsua, C; Palomino, M; Cipriain, C; Artieda, L. (2009). EVALUATION OF THE HEALTH SURVEILLANCE OF WORKERS EXPOSED TO ASBESTOS IN NAVARRA. YEAR 2007. *Gac Sanit.* 23: 6-6.
- García-Closas, M; Christiani, DC. (1995). Asbestos-related diseases in construction carpenters. *Am J Ind Med.* 27: 115-125. <http://dx.doi.org/10.1002/ajim.4700270111>.
- García-Gómez, M; Menéndez-Navarro, A; López, RC. (2015). Asbestos-related occupational cancers compensated under the Spanish National Insurance System, 1978-2011. *Int J Occup Environ Health.* 21: 31-39. <http://dx.doi.org/10.1179/2049396714Y.0000000087>.
- Gardner, MJ; Powell, CA. (1986). Mortality of asbestos cement workers using almost exclusively chrysotile fibre. *J Soc Occup Med.* 36: 124-126.
- Gardner, MJ; Powell, CA. (1987). MORTALITY OF ASBESTOS-CEMENT WORKERS USING ALMOST EXCLUSIVELY CHRYSOTILE FIBER. *Scand J Work Environ Health.* 13: 170-170.
- Gardner, MJ; Powell, CA; Gardner, AW; Winter, PD; Fletcher, AC. (1988). Continuing high lung cancer mortality among ex-amosite asbestos factory workers and a pilot study of individual anti-smoking advice. *J Soc Occup Med.* 38: 69-72.
- Gardner, MJ; Winter, PD; Pannett, B; Powell, CA. (1986). Follow up study of workers manufacturing chrysotile asbestos cement products. *Br J Ind Med.* 43: 726-732.
- Garshick, E; Schenker, MB; Woskie, SR; Speizer, FE. (1987). Past Exposure to Asbestos among Active Railroad Workers. *Am J Ind Med.* 12: 399-406.
- Gasparrini, A; Pizzo, AM; Gorini, G; Costantini, AS; Silvestri, S; Ciapini, C; Innocenti, A; Berry, G. (2008). Prediction of mesothelioma and lung cancer in a cohort of asbestos exposed workers. *Eur J Epidemiol.* 23: 541-546. <http://dx.doi.org/10.1007/s10654-008-9257-z>.
- Gautam, AK; Yunus, M; Rahman, A; Reddy, SS. (2003). Environmental monitoring of asbestos products manufacturing units—a case study. *Indian J Environ Health.* 45: 289-292.
- Gellert, AR; Kitajewska, JY; Uthayakumar, S; Kirkham, JB; Rudd, RM. (1986). Asbestos fibres in bronchoalveolar lavage fluid from asbestos workers: examination by electron microscopy. *Br J Ind Med.* 43: 170-176.
- Gellert, AR; Langford, JA; Uthayakumar, S; Rudd, RM. (1985). Bronchoalveolar lavage and clearance of 99m-Tc-DTPA in asbestos workers without evidence of asbestosis. *Br J Dis Chest.* 79: 251-257.
- Gellert, AR; Langford, JA; Winter, RJ; Lewis, CA; Tolfree, SE; Rudd, RM. (1985). Clearance of 99m-technetium-labelled DTPA in asbestos-exposed subjects without clinical or radiological evidence of interstitial lung disease. *Br J Dis Chest.* 79: 37-42.

Engineering/Occupational Exposure Literature Search Results

On Topic

- Gellert, AR; Macey, MG; Uthayakumar, S; Newland, AC; Rudd, RM. (1985). Lymphocyte subpopulations in bronchoalveolar lavage fluid in asbestos workers. *Am Rev Respir Dis.* 132: 824-828. <http://dx.doi.org/10.1164/arrd.1985.132.4.824>.
- Gennaro, V; Ceppi, M; Boffetta, P; Fontana, V; Perrotta, A. (1994). Pleural mesothelioma and asbestos exposure among Italian oil refinery workers. *Scand J Work Environ Health.* 20: 213-215.
- Gennaro, V; Finkelstein, MM; Ceppi, M; Fontana, V; Montanaro, F; Perrotta, A; Puntoni, R; Silvano, S. (1999). Lung tumors attributable to asbestos among oil refinery workers. *Epidemiology.* 10: S76-S76.
- Gennaro, V; Finkelstein, MM; Ceppi, M; Fontana, V; Montanaro, F; Perrotta, A; Puntoni, R; Silvano, S. (2000). Mesothelioma and lung tumors attributable to asbestos among petroleum workers. *Am J Ind Med.* 37: 275-282.
- Gerhardsson de Verdier, M; Plato, N; Steineck, G; Peters, JM. (1992). Occupational exposures and cancer of the colon and rectum. *Am J Ind Med.* 22: 291-303.
- Germani, D; Belli, S; Bruno, C; Grignoli, M; Nesti, M; Pirastu, R; Comba, P. (1999). Cohort mortality study of women compensated for asbestosis in Italy. *Am J Ind Med.* 36: 129-134.
- Giacco, G; Mcclarty, J; Buffler, P; Reeve, G; Guinee, V; Hurst, G. (1982). THE MORTALITY EXPERIENCE IN A COHORT OF WORKERS EXPOSED TO AMOSITE ASBESTOS. *Am J Epidemiol.* 116: 569-569.
- Giacomini, F; Boerio, V; Polattini, S; Tiepolo, M; Tribuzio, R; Zanetti, A. (2010). Evaluating asbestos fibre concentration in metaophiolites: a case study from the Voltri Massif and Sestri-Voltaggio Zone (Liguria, NW Italy). *Environ Earth Sci.* 61: 1621-1639. <http://dx.doi.org/10.1007/s12665-010-0475-9>.
- Giarelli, L; Bianchi, C; Grandi, G. (1992). Malignant mesothelioma of the pleura in Trieste, Italy. *Am J Ind Med.* 22: 521-530.
- Giaroli, C; Belli, S; Bruno, C; Candela, S; Grignoli, M; Minisci, S; Poletti, R; Ricco, G; Vecchi, G; Et, AL. (1994). Mortality study of asbestos cement workers. *Int Arch Occup Environ Health.* 66: 7-11.
- Gibbons, W. (1998). The exploitation and environmental legacy of amphibole asbestos: A late 20th century overview. *Environ Geochem Health.* 20: 213-230.
- Gibbs, AR; Gardner, MJ; Pooley, FD; Griffiths, DM; Blight, B; Wagner, JC. (1994). Fiber levels and disease in workers from a factory predominantly using amosite. *Environ Health Perspect.* 102 Suppl 5: 261-263.
- Gibbs, AR; Stephens, M; Griffiths, DM; Blight, BJ; Pooley, FD. (1991). Fibre distribution in the lungs and pleura of subjects with asbestos related diffuse pleural fibrosis. *Br J Ind Med.* 48: 762-770. <http://dx.doi.org/10.1136/oem.48.11.762>.
- Gibbs, GW. (1970). Qualitative aspects of dust exposure in the Quebec asbestos mining and milling industry. *Inhaled Particles.* 2: 783-799.
- Gibbs, GW. (1994). THE ASSESSMENT OF EXPOSURE IN TERMS OF FIBERS. *Ann Occup Hyg.* 38: 477-487.
- Gibbs, GW; Du Toit, RSJ. (1973). Environmental Data In Mining. 8: 138-144.
- Gibbs, GW; Lachance, M. (1972). DUST EXPOSURE IN CHRYSOTILE ASBESTOS MINES AND MILLS OF QUEBEC. *Arch Environ Health.* 24: 189-&.
- Gibbs, GW; Lachance, M. (1974). Dust-fiber relationships in the Quebec chrysotile industry. *Arch Environ Occup Health.* 28: 69-71.
- Gilham, C; Rake, C; Burdett, G; Nicholson, AG; Davison, L; Franchini, A; Carpenter, J; Hodgson, J; Darnton, A; Peto, J. (2015). Pleural mesothelioma and lung cancer risks in relation to occupational history and asbestos lung burden. *Occup Environ Med.* 73: 290-299. <http://dx.doi.org/10.1136/oemed-2015-103074>.
- Giordano, F; Dell'orco, V; Fantini, F; Grippo, F; Perretta, V; Testa, A; Figà-Talamanca, I. (2012). Mortality in a cohort of cement workers in a plant of Central Italy. *Int Arch Occup Environ Health.* 85: 373-379. <http://dx.doi.org/10.1007/s00420-011-0678-8>.
- Glantz, CS; Laws, GL. (1990). Air quality monitoring program for the 1100-EM-1 remedial investigation. 173.
- Glencross, PM; Weinberg, JM; Ibrahim, JG; Christiani, DC. (1997). Loss of lung function among sheet metal workers: ten-year study. *Am J Ind Med.* 32: 460-466.
- Glickman, LT; Domanski, LM; Maguire, TG; Dubielzig, RR; Churg, A. (1983). Mesothelioma in pet dogs associated with exposure of their owners to asbestos. *Environ Res.* 32: 305-313. [http://dx.doi.org/10.1016/0013-9351\(83\)90114-7](http://dx.doi.org/10.1016/0013-9351(83)90114-7).
- Godbey, FW. (1988). Preliminary Survey Report: Evaluation of Brake Drum Service Controls at U.S. Army Armor Center, Fort Knox, Kentucky, Report No. CT-152-15A (pp. 152-115). (NIOSH/00181819). Godbey, FW.
- Godbey, FW; Cooper, TC; Sheehy, JW; O'Brien, DM; Van Wagenen, HD; Mcglothlin, JD; Todd, WF. (1987). In-Depth Survey Report: Evaluation of Brake Drum Service Controls at United States Postal Service, Vehicle Maintenance Facility, Nashville, Tennessee, Report No. CT-152-20B (pp. 152-120). (NIOSH/00175415). Godbey, FW; Cooper, TC; Sheehy, JW; O'Brien, DM; Van Wagenen, HD; Mcglothlin, JD; Todd, WF.
- Gold, B; Kathren, RL. (1998). Causes of death in a cohort of 260 plutonium workers. *Health Phys.* 75: 236-240.
- Goldberg, M; Banaei, A; Goldberg, S; Auvert, B; Luce, D; Gueguen, A. (2000). Past occupational exposure to asbestos among men in France. *Scand J Work Environ Health.* 26: 52-61.
- Goldberg, M; Imbernon, E; Rolland, P; Gilg Soit Ilg, A; Savès, M; de Quillacq, A; Frenay, C; Chamming's, S; Arveux, P; Boutin, C; Launoy, G; Pairon, JC; Astoul, P; Galateau-Sallé, F; Brochard, P. (2006). The French National Mesothelioma Surveillance Program. *Occup Environ Med.* 63: 390-395. <http://dx.doi.org/10.1136/oem.2005.023200>.
- Goldberg, M; Parent, M; Siemiatycki, J; Désy, M; Nadon, L; Richardson, L; Lakhani, R; Latreille, B; Valois, M. (2001). A case-control study of the relationship between the risk of colon cancer in men and exposures to occupational agents. *Am J Ind Med.* 39: 531-546.
- Goldberg, P; Leclerc, A; Luce, D; Morcet, JF; Brugere, J. (1997). Laryngeal and hypopharyngeal cancer and occupation: Results of a case-control study. *Occup Environ Med.* 54: 477-482.
- Goldberg, P; Luce, D; Billon-Galland, MA; Quénel, P; Salomon-Nekiriai, C; Nicolau, J; Brochard, P; Goldberg, M. (1995). Potential role of environmental and domestic exposure to tremolite in pleural cancer in New Caledonia. *Rev Epidemiol Sante Publique.* 43: 444-450.
- Golden, RL. (1974). LONG-RANGE IMPACT OF ASBESTOS EXPOSURE. *Int J Occup Health Saf.* 43: 18-19.

Engineering/Occupational Exposure Literature Search Results

On Topic

- Goldsmith, JR. (1986). Comparative epidemiology of men exposed to asbestos and man-made mineral fibers. *Am J Ind Med.* 10: 543-552.
- Gómez, MG; Castañeda, R; López, VG; Vidal, MM; Villanueva, V; Espinosa, ME; Health, WGoOHotCCoP. (2012). Evaluation of the national health surveillance program of workers previously exposed to asbestos in Spain (2008). *Gac Sanit.* 26: 45-50. <http://dx.doi.org/10.1016/j.gaceta.2011.06.012>.
- Gontier, F. (1972). [Asbestos dust, pleural calcifications and ship-building]. *Arch Mal Prof Med Trav Secur Soc.* 23: 124-126.
- Goodman, M; Morgan, RW; Ray, R; Malloy, CD; Zhao, K. (1999). Cancer in asbestos-exposed occupational cohorts: a meta-analysis. *Cancer Causes Control.* 10: 453-465.
- Goodman, M; Teta, MJ; Hessel, PA; Garabrant, DH; Craven, VA; Scrafford, CG; Kelsh, MA. (2004). Mesothelioma and lung cancer among motor vehicle mechanics: a meta-analysis [Review]. *Ann Occup Hyg.* 48: 309-326. <http://dx.doi.org/10.1093/annhyg/meh022>.
- Gorman, RW. (1979). Hazard Evaluation and Technical Assistance, Report No. TA-79-2, Department of Transportation Vehicle Inspection Stations, Washington, D.C (pp. 79-72). (NIOSH/00092153). Gorman, RW.
- Goung, SJ; Yang, J; Kim, YS; Lee, CM. (2015). A pilot study of indoor air quality in screen golf courses. *Environ Sci Pollut Res Int.* 22: 7176-7182. <http://dx.doi.org/10.1007/s11356-014-3947-8>.
- Gralley, L; Ayer, H; Amoudri, C; Holmes, S; Ocella, E. (1973). [Assessment of the effect of asbestos in the industrial environment. (Recommendations of the Subcommittee on Asbestosis of the Permanent Committee and of the International Occupational Disease Association)]. *Gig Sanit.* 38: 76-79.
- Grandjean, P; Bach, E. (1986). Indirect exposures: the significance of bystanders at work and at home. *Am Ind Hyg Assoc J.* 47: 819-824. <http://dx.doi.org/10.1080/15298668691390719>.
- Gray, C; Carey, RN; Reid, A. (2016). Current and future risks of asbestos exposure in the Australian community. *Int J Occup Environ Health.* 22: 292-299. <http://dx.doi.org/10.1080/10773525.2016.1227037>.
- Green, FHY; Harley, R; Vallyathan, V; Althouse, R; Fick, G; Dement, J; Mitha, R; Pooley, F. (1997). Exposure and mineralogical correlates of pulmonary fibrosis in chrysotile asbestos workers. *Occup Environ Med.* 54: 549-559.
- Greenberg, M. (1970). Asbestos release from battery boxes. *Ann Occup Hyg.* 13: 79-80.
- Greenberg, M. (1994). DUST EXPOSURE AND MORTALITY IN CHRYSOTILE MINING, 1910-76 [Letter]. *Occup Environ Med.* 51: 431-431.
- Grimsrud, TK; Langseth, H; Engeland, A; Andersen, A. (1998). Lung and bladder cancer in a Norwegian municipality with iron and steel producing industry: population based case-control studies. *Occup Environ Med.* 55: 387-392.
- Gross, P; Davis, JM; Harley, RA; de Treville, RT. (1973). Lymphatic transport of fibrous dust from the lungs. *J Occup Med.* 15: 186-189.
- Gross, P; Harley, RA; Davis, JM; Cralley, LJ. (1974). Mineral fiber content of human lungs. *Am Ind Hyg Assoc J.* 35: 148-151.
- Guberan, E; Usel, M. (1987). RISK OF CANCER IN BUILDINGS CONTAINING SPRAYED ASBESTOS INSULATING MATERIAL - MYTH OR REALITY. *Soz Praventivmed.* 32: 246-248.
- Guida, F; Paget-Bailly, S; Lamkarkach, F; Gaye, O; Ducamp, S; Menvielle, G; Papadopoulos, A; Matrat, M; Févotte, J; Cénéé, S; Cyr, D; Schmaus, A; Carton, M; Radoï, L; Lapôtre-Ledoux, B; Molinié, F; Luce, D; Stücker, I. (2013). Risk of lung cancer associated with occupational exposure to mineral wools: updating knowledge from a french population-based case-control study, the ICARE study. *J Occup Environ Med.* 55: 786-795. <http://dx.doi.org/10.1097/JOM.0b013e318289ee8b>.
- Guignon, N; Sandret, N; Vincent, R. (2005). [Exposures to carcinogens, mutagens and reprotoxic substances]. *DMT471-483*.
- Guillemin, MP; Litzistorf, G; Buffat, PA. (1989). URINARY FIBERS IN OCCUPATIONAL EXPOSURE TO ASBESTOS. *Ann Occup Hyg.* 33: 219-234.
- Guillemin, MP; Madelaine, P; Litzistorf, G; Buffat, P; Iselin, F. (1989). ASBESTOS IN BUILDINGS - THE DIFFICULTIES OF A RELIABLE EXPOSURE ASSESSMENT. *Aerosol Sci Technol.* 11: 221-243.
- Gun, R; Pratt, NL; Roder, DM; Ryan, P. (2006). Asbestos-related cancers in refinery workers in the Australian petroleum industry. *Arch Environ Occup Health.* 61: 11-16. <http://dx.doi.org/10.3200/AEOH.61.1.11-16>.
- Gurtner, F; Minder, CE. (1993). [Cancer mortality according to occupation: implications for prevention]. *Soz Praventivmed.* 38 Suppl 2: S137-S139.
- Gurvich, VB; Kogan, FM; Deminov, AG; Gusel'nikova, NA. (1983). [Current problems in occupational hygiene during extraction and concentration of asbestos]. *Gig Tr Prof Zabol.* 0: 1-5.
- Guseva Canu, I; Paquet, F; Goldberg, M; Auriol, B; Bérard, P; Collomb, P; David, JC; Molina, G; Perez, P; Tirmarche, M. (2009). Comparative assessing for radiological, chemical, and physical exposures at the French uranium conversion plant: Is uranium the only stressor. *Int J Hyg Environ Health.* 212: 398-413. <http://dx.doi.org/10.1016/j.ijheh.2008.09.002>.
- Gustavsson, P; Ahlbom, A; Andersson, T; Schéele, P. (2003). Calculation of fractions of lung cancer incidence attributable to occupational exposure to asbestos and combustion products in Stockholm, Sweden. *Eur J Epidemiol.* 18: 937-940.
- Gustavsson, P; Jakobsson, R; Johansson, H; Lewin, F; Norell, S; Rutkvist, LE. (1998). Occupational exposures and squamous cell carcinoma of the oral cavity, pharynx, larynx, and oesophagus: A case-control study in Sweden. *Occup Environ Med.* 55: 393-400.
- Gustavsson, P; Jakobsson, R; Nyberg, F; Pershagen, G; Järup, L; Schéele, P. (2000). Occupational exposure and lung cancer risk: a population-based case-referent study in Sweden. *Am J Epidemiol.* 152: 32-40.
- Gustavsson, P; Nyberg, F; Pershagen, G; Scheele, P; Jakobsson, R; Plato, N. (2002). Low-dose exposure to asbestos and lung cancer: Dose-response relations and interaction with smoking in a population-based case-referent study in Stockholm, Sweden. *Am J Epidemiol.* 155: 1016-1022. <http://dx.doi.org/10.1093/aje/155.11.1016>.
- Gylseth, B; Mowé, G; Wannag, A. (1983). Fibre type and concentration in the lungs of workers in an asbestos cement factory. *Br J Ind Med.* 40: 375-379.
- Haber, SE; Haber, JM. (2011). Malignant mesothelioma: a clinical study of 238 cases. *Ind Health.* 49: 166-172.

Engineering/Occupational Exposure Literature Search Results

On Topic

- Ha-Duong, M; Casman, EA; Morgan, MG. (2004). Bounding poorly characterized risks: a lung cancer example. *Risk Anal.* 24: 1071-1083. <http://dx.doi.org/10.1111/j.0272-4332.2004.00508.x>.
- Haendeler, F; Hofmann, S. (1990). COMPARISON OF LEAKAGE AND STABILITY OF RUBBER-ASBESTOS, RUBBER-ASBESTOS SUBSTITUTE, AND GRAPHITE SEALS IN CHLOROBENZENE UNDER CONDITIONS OF THERMAL AND ALTERNATING STRESS. *Chem Ing Tech.* 62: 958-959.
- Hagemeyer, O; Otten, H; Kraus, T. (2006). Asbestos consumption, asbestos exposure and asbestos-related occupational diseases in Germany [Review]. *Int Arch Occup Environ Health.* 79: 613-620. <http://dx.doi.org/10.1007/s00420-006-0091-x>.
- Hain, E. (1980). OCCUPATIONAL MEDICAL PROPHYLACTIC CHECK-UPS FOR ASBESTOS DUST EXPOSED PERSONS - EXPERIENCES AND PERSPECTIVES. *Staub, Reinhaltung der Luft.* 40: 190-194.
- Hain, E; Hinz, I; Dalquen, P. (1975). [Retrospective study in 236 asbestos textile workers at hamburg (author's transl)]. *Int Arch Occup Environ Health.* 36: 119-136.
- Hall, SA. (1971). Occupational exposures to pollution. *J R Coll Physicians Lond.* 5: 379-384.
- Hall, SK. (1989). PULMONARY HEALTH RISK - ABNORMALITIES FOUND IN WORKERS HANDLING ASBESTOS PRODUCTS. *J Environ Health.* 52: 165-167.
- Hall, SK; Cissik, JH. (1982). Effects of cigarette smoking on pulmonary function in asymptomatic asbestos workers with normal chest radiograms. *Am Ind Hyg Assoc J.* 43: 381-386. <http://dx.doi.org/10.1080/15298668291409901>.
- Hallenbeck, W; Finn, M; Chen, E. (1900). Urine as a Biological Index of Human Exposure to Airborne Asbestos. 16.
- Hallenbeck, WH. (1981). CONSUMER PRODUCT-SAFETY - RISK ASSESSMENT OF EXPOSURE TO ASBESTOS EMISSIONS FROM HAND-HELD HAIR DRYERS. *Environ Manage.* 5: 23-32.
- Hallenbeck, WH; Chen, EH; Hesse, CS; Patelmandlik, K; Wolff, AH. (1978). IS CHRYSOTILE ASBESTOS RELEASED FROM ASBESTOS-CEMENT PIPE INTO DRINKING-WATER. *J Am Water Works Assoc.* 70: 97-102.
- Hama, GM; Curley, LC. (1971). STUDY OF EXPOSURES IN SPRAYING OF ASBESTOS FIREPROOFING MATERIAL. *Am Ind Hyg Assoc J.* 32: 36-&.
- Hamilton, WT; Round, AP; Sharp, DJ; Peters, TJ. (2004). High incidence of mesothelioma in an English city without heavy industrial use of asbestos. *J Public Health (Oxf).* 26: 77-78. <http://dx.doi.org/10.1093/pubmed/fdh116>.
- Hamm, G; Krause, J. (1993). OCCUPATIONAL-SAFETY IN ASBESTOS REMOVAL - JANUARY 25-26, 1993. *Staub, Reinhaltung der Luft.* 53: 403-404.
- Hammad, YY; Diem, J; Weill, H. (1979). Evaluation of dust exposure in asbestos - cement manufacturing operations. *Am Ind Hyg Assoc J.* 40: 490-495. <http://dx.doi.org/10.1080/15298667991429877>.
- Hanaoka, T; Tsugane, S; Yamano, Y; Takahashi, T; Kasai, H; Natori, Y; Watanabe, S. (1993). Quantitative analysis of 8-hydroxyguanine in peripheral blood cells: an application for asbestosis patients. *Int Arch Occup Environ Health.* 65: S215-S217.
- Hannaford-Turner, K; Elder, D; Sim, MR; Abramson, MJ; Johnson, AR; Yates, DH. (2010). Surveillance of Australian workplace Based Respiratory Events (SABRE) in New South Wales. *Occup Med (Lond).* 60: 376-382. <http://dx.doi.org/10.1093/occmed/kqq011>.
- Harber, AJ; Forth, RA. (2001). The contamination of former iron and steel works sites. *Environ Geol.* 40: 324-330.
- Harber, P; Oren, A; Mohsenifar, Z; Lew, M. (1986). Obstructive airway disease as a risk factor for asbestos-associated malignancy. *J Occup Med.* 28: 82-86.
- Harding, AH; Darnton, A; Osman, J. (2012). Cardiovascular disease mortality among British asbestos workers (1971-2005). *Occup Environ Med.* 69: 417-421. <http://dx.doi.org/10.1136/oemed-2011-100313>.
- Harding, AH; Darnton, A; Wegerdt, J; Mcelvenny, D. (2009). Mortality among British asbestos workers undergoing regular medical examinations (1971-2005). *Occup Environ Med.* 66: 487-495. <http://dx.doi.org/10.1136/oem.2008.043414>.
- Harding, AH; Darnton, AJ. (2010). Asbestosis and mesothelioma among British asbestos workers (1971-2005). *Am J Ind Med.* 53: 1070-1080. <http://dx.doi.org/10.1002/ajim.20844>.
- Hardt, JS; Vermeulen, R; Peters, S; Kromhout, H; McLaughlin, J. R.; Demers, PA. (2014). A comparison of exposure assessment approaches: lung cancer and occupational asbestos exposure in a population-based case-control study. *Occup Environ Med.* 71: 282-288. <http://dx.doi.org/10.1136/oemed-2013-101735>.
- Harington, JS. (1992). MESOTHELIOMA AMONG WORKERS IN THE QUEBEC CHRYSOTILE MINING AND MILLING INDUSTRY [Letter]. *Am J Ind Med.* 22: 925-926.
- Harington, JS; Mcglashan, ND. (1998). South African asbestos: Production, exports, and destinations, 1959-1993 [Review]. *Am J Ind Med.* 33: 321-326.
- Harper, M; Butler, C; Berry, D; Wroble, J. (2015). Where occupation and environment overlap: US Forest Service worker exposure to Libby Amphibole fibers. *J Occup Environ Hyg.* 12: D47-D53. <http://dx.doi.org/10.1080/15459624.2014.989362>.
- Harries, PG. (1971). Asbestos dust concentrations in ship repairing: a practical approach to improving asbestos hygiene in naval dockyards. *Ann Occup Hyg.* 14: 241-254.
- Harries, PG. (1976). Experience with asbestos disease and its control in Great Britain's naval dockyards. *Environ Res.* 11: 261-267.
- Harris, LV; Kahwa, IA. (2003). Asbestos: old foe in 21st century developing countries [Editorial]. *Sci Total Environ.* 307: 1-9. [http://dx.doi.org/10.1016/S0048-9697\(02\)00504-1](http://dx.doi.org/10.1016/S0048-9697(02)00504-1).
- Harrison, PT; Levy, LS; Patrick, G; Pigott, GH; Smith, LL. (1999). Comparative hazards of chrysotile asbestos and its substitutes: A European perspective. *Environ Health Perspect.* 107: 607-611.
- Hart, J; Ward, T; Spear, T; Crispin, K; Zolnikov, T. (2007). Evaluation of asbestos exposures during firewood-harvesting simulations in Libby, MT, USA--preliminary data. *Ann Occup Hyg.* 51: 717-723. <http://dx.doi.org/10.1093/annhyg/mem052>.
- Hartung, M. (1980). OCCUPATIONALLY CONDITIONED PLEURAMESOTHELIOMA AFTER HANDLING WITH ASBESTOS CONTAINING PROTECTIVE CLOTHES. *Arbeitsmedizin, Sozialmedizin, Praeventivmedizin.* 15: 153-154.

Engineering/Occupational Exposure Literature Search Results

On Topic

- Harwood, CF; Oestreich, DK; Siebert, P; Stockham, JD. (1975). Asbestos emissions from baghouse controlled sources. *Am Ind Hyg Assoc J.* 36: 595-603.
- Harwood, CF; Siebert, PC; Oestreich, DK. (1977). OPTIMIZING BAGHOUSE PERFORMANCE TO CONTROL ASBESTOS EMISSIONS. *Chemical Engineering Progress.* 73: 54-56.
- Hashim, D; Boffetta, P. (2014). Occupational and Environmental Exposures and Cancers in Developing Countries [Review]. 80: 393-411. <http://dx.doi.org/10.1016/j.aogh.2014.10.002>.
- Hatfield, R; Longo, W; Newton, L; Templin, J. (2003). Asbestos exposures from gasket removal. *AIHA J.* 64: 595-595.
- Hauptmann, M; Pohlabein, H; Lubin, JH; Jöckel, KH; Ahrens, W; Brüske-Hohlfeld, I; Wichmann, HE. (2002). The exposure-time-response relationship between occupational asbestos exposure and lung cancer in two German case-control studies. *Am J Ind Med.* 41: 89-97.
- Hauptmann, M; Pohlabein, H; Lubin, JH; Joeckel, KH; Ahrens, W; Brueske-Hohlfeld, I; Wichmann, HE. (2001). On the exposure-time-response-relationship between occupational asbestos exposure and lung cancer in two German case-control studies. *Epidemiology.* 12: S62-S62.
- Hayashi, H. (1974). Quantitative determination of airborne asbestos dust in occupational environment by X-ray diffraction using conventional and rotating anode X-ray tube. *Ind Health.* 11: 225-236.
- Health; Safety, E. (1999). Surveying, sampling and assessment of asbestos-containing materials. 21: 00.
- HEI. (1991). Asbestos in public and commercial buildings: A literature review and synthesis of current knowledge [HEI] (pp. 422). (Special Report). Cambridge, MA: Health Effects Institute-Asbestos Research.
- Heidermanns, G; Riediger, G; Schütz, A. (1975). [Asbestos determination in industrial microdusts and in lung dusts]. 574-584.
- Heidermanns, G; Riediger, G; Schütz, A. (1975). [Asbestos determination in industrial microdusts and in pulmonary dusts]. 617-623.
- Heikkilä, P; Kauppinen, T. (1992). Occupational exposure to carcinogens in Finland. *Am J Ind Med.* 21: 467-480.
- Hein, MJ; Stayner, LT; Lehman, E; Dement, JM. (2007). Follow-up study of chrysotile textile workers: Cohort mortality and exposure-response. *Occup Environ Med.* 64: 616-625. <http://dx.doi.org/10.1136/oem.2006.031005>.
- Heller, D; Gordon, R; Westhoff, C; Gerber, S. (1996). Asbestos exposure and ovarian fiber burden. *Am J Ind Med.* 29: 435-439. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199605\)29:5<AID-AJIM1>3.0.CO;2-L](http://dx.doi.org/10.1002/(SICI)1097-0274(199605)29:5<AID-AJIM1>3.0.CO;2-L).
- Hemminki, K; Li, X. (2003). Time trends and occupational risk factors for pleural mesothelioma in Sweden. *J Occup Environ Med.* 45: 456-461. <http://dx.doi.org/10.1097/01.jom.0000058341.05741.7e>.
- Hemminki, K; Li, XJ. (2003). Time, trends and occupational risk factors for peritoneal mesothelioma in Sweden. *J Occup Environ Med.* 45: 451-455. <http://dx.doi.org/10.1097/01.jom.0000052960.59271.d4>.
- Henderson, WJ; Gough, J; Harse, J. (1970). Identification of mineral particles in pneumoconiotic lungs. *J Clin Pathol.* 23: 104-109.
- Hendrickx, M. (2008). Naturally occurring asbestos in eastern Australia: a review of geological occurrence, disturbance and mesothelioma risk. *Environ Geol.* 57: 909-926. <http://dx.doi.org/10.1007/s00254-008-1370-5>.
- Heran-Leroy, O; Sandret, N. (1998). Results of the "SUMER 94" survey - Occupational exposure to carcinogens. *D M T. Documents pour le médecin du travail* 3th Quarter 1998: 265-272.
- Herd-Lojavio, ML; Mauer, MP; Carlson, GA. (2008). Development of an exposure assessment method for epidemiological studies of New York State personnel who responded to the World Trade Center disaster. *Ann Occup Hyg.* 52: 83-93. <http://dx.doi.org/10.1093/annhyg/mem065>.
- Hessel, PA. (2009). Inaccuracies in article on mesothelioma in brake workers [Letter]. *Int J Occup Environ Health.* 15: 232-234; author reply 234-238. <http://dx.doi.org/10.1179/oeh.2009.15.2.232>.
- Hessel, PA; Teta, MJ; Goodman, M; Lau, E. (2004). Mesothelioma among brake mechanics: an expanded analysis of a case-control study. *Risk Anal.* 24: 547-552. <http://dx.doi.org/10.1111/j.0272-4332.2004.00458.x>.
- Hibbert, L, ee. (2011). Asbestos lies hidden in many older buildings and plants - posing a hidden danger to maintenance workers. *Prof Eng.* 24: 18+.
- Hickey, JE. (1987). Rhode island asbestos abatement program. *Appl Ind Hyg.* 2: 128-132.
- Hickish, DE; Knight, KL. (1970). Exposure to asbestos during brake maintenance. *Ann Occup Hyg.* 13: 17-21.
- Higashi, T; Hori, H; Sakurai, H; Omae, K; Tsuda, T; Tanaka, I; Satoh, T; Hoshi, H. (1994). Work environment of plants manufacturing asbestos-containing products in Japan. *Ann Occup Hyg.* 38: 489-494, 409.
- Hilbert, TJ; Franzblau, A; Dunning, KK; Borton, EK; Rohs, AM; Lockey, JE. (2013). Asbestos-related radiographic findings among household contacts of workers exposed to Libby vermiculite: impact of workers' personal hygiene practices. *J Occup Environ Med.* 55: 1300-1304. <http://dx.doi.org/10.1097/JOM.0b013e31829fcf1a>.
- Hillerdal, G. (1997). Pleural plaques: Incidence and epidemiology, exposed workers and the general population. *Indoor Built Environ.* 6: 86-95.
- Hillerdal, G. (2004). The Swedish experience with asbestos: history of use, diseases, legislation, and compensation [Review]. *Int J Occup Environ Health.* 10: 154-158. <http://dx.doi.org/10.1179/oeh.2004.10.2.154>.
- Hillerdal, G; Karlén, E; Aberg, T. (1983). Tobacco consumption and asbestos exposure in patients with lung cancer: a three year prospective study. *Br J Ind Med.* 40: 380-383.
- Hillerdal, G; Rask-Andersen, A. (2005). Pleuropulmonary lesions, ergotamines and asbestos exposure. *Scand J Work Environ Health.* 31: 459-464.
- Hilliard, AK; Lovett, JK; McGavin, CR. (2003). The rise and fall in incidence of malignant mesothelioma from a British Naval Dockyard, 1979-1999. *Occup Med (Lond).* 53: 209-212. <http://dx.doi.org/10.1093/ocmed/kqg051>.
- Hills, B. (1986). Industrywide Studies Report of an Industrial Hygiene Survey at the Clermont Sun, Batavia, Ohio, Report No. IWS-77-37 (pp. 77-37). (NIOSH/00163299). Hills, B.
- Hilt, B. (1987). Non-malignant asbestos diseases in workers in an electrochemical plant. *Br J Ind Med.* 44: 621-626.

Engineering/Occupational Exposure Literature Search Results

On Topic

- Hilt, B; Andersen, A; Rosenberg, J; Langård, S. (1991). Cancer incidence among asbestos-exposed chemical industry workers: an extended observation period. *Am J Ind Med.* 20: 261-264.
- Hilt, B; Borgerson, A; Lien, JT; Langård, S. (1992). Chest radiographs in subjects with asbestos-related abnormalities: comparison between ILO categorizations and clinical reading. *Am J Ind Med.* 21: 855-861.
- Hilt, B; Hillerdal, G; Lund-Larsen, PG; Lien, JT; Langård, S. (1995). Asbestos-related radiographic changes by ILO classification of 10 x 10 cm chest X-rays in a screening of the general population. *J Occup Environ Med.* 37: 189-193.
- Hilt, B; Langård, S; Andersen, A; Rosenberg, J. (1985). Asbestos exposure, smoking habits, and cancer incidence among production and maintenance workers in an electrochemical plant. *Am J Ind Med.* 8: 565-577.
- Hilt, B; Langård, S; Lund-Larsen, PG; Lien, JT. (1986). Previous asbestos exposure and smoking habits in the county of Telemark, Norway--a cross-sectional population study. *Scand J Work Environ Health.* 12: 561-566. <http://dx.doi.org/10.5271/sjweh.2106>.
- Hilt, B; Rosenberg, J; Lang; ecirc; Ard, S. (1981). Occurrence of cancer in a small cohort of asbestos-exposed workers. *Scand J Work Environ Health.* 7: 185-189.
- Hiraoka, T; Watanabe, A; Usuma, Y; Mori, T; Kohyama, N; Takata, A. (2001). An operated case of lung cancer with pleural plaques: its asbestos bodies, fiber analysis and asbestos exposure. *Ind Health.* 39: 194-197.
- Hisanaga, N; Takeuchi, Y; Ono, Y; Shibata, E; O, T. (1988). PROBLEMS OF INDUSTRIAL HYGIENE IN THE AUTOMOBILE FRICTION MATERIAL REGENERATING INDUSTRY (pp. 305). (BIOSIS/89/08440). Hisanaga, N; Takeuchi, Y; Ono, Y; Shibata, E; O, T.
- Hjortsberg, U; Orbaek, P; Aborelius, M; Ranstam, J; Welinder, H. (1988). Railroad workers with pleural plaques: II. Small airway dysfunction among asbestos-exposed workers. *Am J Ind Med.* 14: 643-647.
- Hjortsberg, U; Ørbaek, P; Aborelius, M, Jr; Ranstam, J; Welinder, H. (1988). Railroad workers with pleural plaques: I. Spirometric and nitrogen washout investigation on smoking and nonsmoking asbestos-exposed workers. *Am J Ind Med.* 14: 635-641. <http://dx.doi.org/10.1002/ajim.4700140602>.
- Hlavay, J; Antal, L; Gyorgy-Pozsonyi, L; Inczedy, J. (1984). Determination of Chrysotile Content of Asbestos Cement Dusts by IR-Spectroscopy (pp. 547-551). (NIOSH/00192020). Hlavay, J; Antal, L; Gyorgy-Pozsonyi, L; Inczedy, J.
- Hlavay, J; Wesemann, G. (1993). DISTRIBUTION OF MINERALOGICAL PHASES IN DUSTS COLLECTED AT DIFFERENT WORKSHOPS. *Sci Total Environ.* 136: 33-42.
- Hoar, SK. (1981). *Epidemiology And Occupational Classification Systems.* 9: 455-466.
- Hoar, SK; Morrison, AS; Cole, P; Silverman, DT. (1980). An occupation and exposure linkage system for the study of occupational carcinogenesis. *J Occup Environ Med.* 22: 722-726.
- Hodgson, JT; Darnton, A. (2000). The quantitative risks of mesothelioma and lung cancer in relation to asbestos exposure. *Ann Occup Hyg.* 44: 565-601.
- Hodgson, JT; Jones, RD. (1986). Mortality of asbestos workers in England and Wales 1971-81. *Br J Ind Med.* 43: 158-164.
- Hoffman, D; Wynder, EL. (1978). Identification and reduction of carcinogens in the respiratory environment [Review]. 113-135.
- Hogstedt, C; Jansson, C; Hugosson, M; Tinnerberg, H; Gustavsson, P. (2013). Cancer incidence in a cohort of Swedish chimney sweeps, 1958-2006. *Am J Public Health.* 103: 1708-1714. <http://dx.doi.org/10.2105/AJPH.2012.300860>.
- Holaday, DA; Reitze, WB. (1972). Control of Exposure to Asbestos-Containing Dusts in Shipyards. 40: 53-58.
- Holden, J; Churg, A. (1986). Asbestos bodies and the diagnosis of asbestosis in chrysotile workers. *Environ Res.* 39: 232-236.
- Hollett, B; Moody, PL. (1984). Health Hazard Evaluation Report No. HETA-80-115-1401, U.S. Steel, Lorain-Cuyahoga Works, Lorain, Ohio (pp. 80-115). (NIOSH/00149671). Hollett, B; Moody, PL.
- Hollett, BA. (1976). Health Hazard Evaluation Determination Report No. HHE-76-25-539, Quincy Steel Casting Company, Inc., North Quincy, Massachusetts (pp. 76-25). (NIOSH/00058640). Hollett, BA.
- Hollett, BA. (1983). Walk-Through Survey Report, Control Technology for Asbestos Removal, Contractor at Duall Inc., Mt. Laurel, New Jersey (pp. 145-114). (NIOSH/00130215). Hollett, BA.
- Hollett, BA. (1985). Walk-Through Survey Report No. CT-147-12a: Control Technology For Asbestos Removal Industry At James Monroe Elementary School, Norfolk, Virginia (pp. 147-112). (NIOSH/00148160). Hollett, BA.
- Hollett, BA. (1985). Walk-Through Survey Report No. CT-147-13a: Control Technology For Asbestos Removal Industry At Tidewater Park Elementary School, Norfolk, Virginia (pp. 147-113). (NIOSH/00148162). Hollett, BA.
- Hollett, BA. (1985). Walk-Through Survey Report No. CT-147-14a: Control Technology For Asbestos Removal Industry At Tarrallton Elementary School, Norfolk, Virginia (pp. 147-114). (NIOSH/00148161). Hollett, BA.
- Hollett, BA. (1985). Walk-Through Survey Report: Control Technology For Asbestos Removal Industry, Report No. CT-147-11a, Columbus East High School, Columbus, Indiana (pp. 147-111). (NIOSH/00152211). Hollett, BA.
- Hollett, BA; Caplan, PE; Cooper, TC; Froehlich, PA. (1987). In-Depth Survey Report: Control Technology for Asbestos Removal at Bloom Middle School, Cincinnati, Ohio, Report No. CT-147-19C (pp. 147-119). (NIOSH/00177555). Hollett, BA; Caplan, PE; Cooper, TC; Froehlich, PA.
- Hollett, BA; Caplan, PE; Cooper, TC; Froehlich, PA. (1987). In-Depth Survey Report: Control Technology for Asbestos Removal at Sands Elementary School, Cincinnati, Ohio, Report No. CT-147-19B (pp. 147-119). (NIOSH/00175438). Hollett, BA; Caplan, PE; Cooper, TC; Froehlich, PA.
- Hollett, BA; Caplan, PE; Cooper, TC; Froehlich, PA. (1987). In-Depth Survey Report: Control Technology for Asbestos Removal at Washburn Elementary School, Cincinnati, Ohio, Report No. CT-147-19A (pp. 147-119). (NIOSH/00175432). Hollett, BA; Caplan, PE; Cooper, TC; Froehlich, PA.

Engineering/Occupational Exposure Literature Search Results

On Topic

- Hollett, BA; Caplan, PE; Cooper, TC; Froehlich, PA. (1987). In-Depth Survey Report: Control Technology for Asbestos Removal at Winton Place Elementary School, Cincinnati, Ohio, Report No. CT-147-19D (pp. 147-119). (NIOSH/00175423). Hollett, BA; Caplan, PE; Cooper, TC; Froehlich, PA.
- Hollett, BA; Froehlich, PA; Caplan, PE; Cooper, TC; Shulman, SA. (1990). An Evaluation of Glove Bag Containment in Asbestos Removal. NIOSH: 88-22.
- Hollins, DM; Paustenbach, DJ; Clark, K; Mangold, CA. (2009). A visual historical review of exposure to asbestos at puget sound naval shipyard (1962-1972) [Review]. *J Toxicol Environ Health B Crit Rev.* 12: 124-156. <http://dx.doi.org/10.1080/10937400902729176>.
- Holly, EA; Aston, DA; Ahm, DK; Smith, AH. (1996). Intraocular Melanoma Linked to Occupations and Chemical Exposures. *Epidemiology.* 7: 55-61. <http://dx.doi.org/10.1097/00001648-199601000-00010>.
- Horii, H; Nagasaka, Y; Yamada, Y. (1992). Asbestos-related pleural thickenings in Japanese sake brewers. *Int Arch Occup Environ Health.* 64: 315-319.
- Hosey, AD. (1970). Development of Criteria for Standards. *May* 10: 19701970.
- Hoskins, JA. (2001). Mineral fibres and health. *Indoor Built Environ.* 10: 244-251.
- Hosoda, Y; Hiraga, Y; Sasagawa, S. (2008). Railways and asbestos in Japan (1928-1987)--epidemiology of pleural plaques, malignancies and pneumoconioses [Review]. *J Occup Health.* 50: 297-307.
- Hossain, M, dS; Fakhruddin, A, buNM; Chowdhury, MAZ; Gan, SH, ua. (2016). Impact of ship-Breaking activities on the coastal environment of Bangladesh and a management system for its sustainability. *Environ Sci Pol.* 60: 84-94. <http://dx.doi.org/10.1016/j.envsci.2016.03.005>.
- Howel, D; Arblaster, L; Swinburne, L; Schweiger, M; Renvoize, E; Hatton, P. (1997). Routes of asbestos exposure and the development of mesothelioma in an English region. *Occup Environ Med.* 54: 403-409.
- Howel, D; Gibbs, A; Arblaster, L; Swinburne, L; Schweiger, M; Renvoize, E; Hatton, P; Pooley, F. (1999). Mineral fibre analysis and routes of exposure to asbestos in the development of mesothelioma in an English region. *Occup Environ Med.* 56: 51-58.
- Howitt, DG; Hatfield, J; Fishler, G. (1993). The difficulties with low-level asbestos exposure assessments in public, commercial, and industrial buildings. *AIHA J.* 54: 267-271.
- HSE. (1999). Occupational exposure limits 1999 (pp. GBP 8). (CIS/00/01100).
- Huang, ZH, ui; Li, W, enJ; Pan, Z, iHe; Liu, Y, anGai; Fang, MH, ao. (2013). HIGH-TEMPERATURE TRANSFORMATION OF ASBESTOS TAILINGS BY CARBOTHERMAL REDUCTION. *Clays and Clay Minerals.* 61: 75-82. <http://dx.doi.org/10.1346/CCMN.2013.0610106>.
- Hueper, WC. (1965). Occupational and nonoccupational exposures to asbestos. *Ann N Y Acad Sci.* 132: 184-195.
- Hueper, WC. (1966). Occupational and environmental cancers of the respiratory system. In *Recent Results in Cancer Research*, vol 3. New York, NY: Springer. <http://www.springer.com/medicine/book/978-3-642-87685-1>.
- Hughes, JM. (1994). Human evidence: lung cancer mortality risk from chrysotile exposure. *Ann Occup Hyg.* 38: 555-560, 415-556.
- Hughes, JM; Weill, H. (1991). Asbestosis as a precursor of asbestos related lung cancer: Results of a prospective mortality study. *Br J Ind Med.* 48: 229-233.
- Hughes, JM; Weill, H; Hammad, YY. (1987). MORTALITY OF WORKERS EMPLOYED IN 2 ASBESTOS CEMENT MANUFACTURING PLANTS. *Br J Ind Med.* 44: 161-174.
- Humerfelt, S; Gulsvik, A; Skjaerven, R; Nilssen, S; Kvale, G; Sulheim, O; Ramm, E; Eilertsen, E; Humerfelt, SB. (1993). Decline in FEV1 and Airflow Limitation Related to Occupational Exposures in Men of an Urban Community. *Eur Respir J.* 6: 1095-1103.
- Huncharek, M. (1994). Pleural mesothelioma in a cigarette filter factory worker. *Scand J Work Environ Health.* 20: 146-147.
- Hunting, KL; Welch, LS. (1993). OCCUPATIONAL EXPOSURE TO DUST AND LUNG-DISEASE AMONG SHEET-METAL WORKERS. *Br J Ind Med.* 50: 432-442.
- Huoi, C; Olsson, A; Lightfoot, T; Roman, E; Clavel, J; Lacour, B; Kaatsch, P; Kromhout, H; Vermeulen, R; Peters, S; Bailey, HD; Schüz, J. (2014). Parental occupational exposure and risk of childhood central nervous system tumors: a pooled analysis of case-control studies from Germany, France, and the UK. *Cancer Causes Control.* 25: 1603-1613. <http://dx.doi.org/10.1007/s10552-014-0465-4>.
- Hurbánková, M; Kaiglová, A. (1993). The changes of some immunological parameters in subjects exposed to asbestos in dependence on age, duration of exposure, radiological findings and smoking habits. *Zentralblatt fuer Hygiene und Umweltmedizin.* 195: 55-65.
- Hurbankova, M; Ulrich, L. (1992). SOME IMMUNOLOGICAL RESPONSES TO OCCUPATIONAL EXPOSURE TO ASBESTOS AND OTHER FIBROUS DUSTS. *Zentralblatt fuer Hygiene und Umweltmedizin.* 193: 130-139.
- Hurbankova, M; Ulrich, L; Barlogova, S; Malik, E. (1991). Application of some immunological methods in preventive examinations of workers exposed to asbestos (pp. 5-8). (BIOSIS/92/35865). Hurbankova, M; Ulrich, L; Barlogova, S; Malik, E.
- Hurst, GA; Spivey, CG; Matlage, WT; Miller, JM; Faulk, G; Hieger, LR; Mclarty, JW; Greenberg, SD. (1979). The Tyler Asbestos Workers Program. I. A medical surveillance model and method. *Arch Environ Health.* 34: 432-439.
- Husgafvel-Pursiainen, K; Kannio, A; Oksa, P; Suijala, T; Koskinen, H; Partanen, R; Hemminki, K; Smith, S; Rosenstock-Leibu, R; Brandt-Rauf, PW. (1997). Mutations, tissue accumulations, and serum levels of p53 in patients with occupational cancers from asbestos and silica exposure. *Environ Mol Mutagen.* 30: 224-230.
- Huuskonen, MS; Ahlman, K; Mattsson, T; Tossavainen, A. (1980). Asbestos disease in Finland. *J Occup Med.* 22: 751-754.
- Huuskonen, MS; Koskinen, K; Tossavainen, A; Karjalainen, A; Rinne, JP; Rantanen, J. (1995). Finnish Institute of Occupational Health Asbestos Program 1987-1992. *Am J Ind Med.* 28: 123-142.
- Huuskonen, O; Kivisaari, L; Zitting, A; Kaleva, S; Vehmas, T. (2004). Emphysema findings associated with heavy asbestos-exposure in high resolution computed tomography of finnish construction workers. *J Occup Health.* 46: 266-271.
- Hwang, CY. (1983). Size and shape of airborne asbestos fibres in mines and mills. *Br J Ind Med.* 40: 273-279.
- Hwang, CY; Wang, ZM. (1983). Comparison of methods of assessing asbestos fiber concentrations. *Arch Environ Health.* 38: 5-10.

Engineering/Occupational Exposure Literature Search Results

On Topic

- Hwang, SH; Park, WM. (2016). Evaluation of asbestos-containing products and released fibers in home appliances. 66: 922-929. <http://dx.doi.org/10.1080/10962247.2016.1180329>.
- Hwang, Y; Kang, D; Kim, J; Lee, S, u; Lim, Y; Jeon, B. (2011). Environmental Exposures From Asbestos Textiles Process: Old Versus New. *Epidemiology*. 22: S76-S76.
- Hyland, RA; Ware, S; Johnson, AR; Yates, DH. (2007). Incidence trends and gender differences in malignant mesothelioma in New South Wales, Australia. *Scand J Work Environ Health*. 33: 286-292.
- Hyland, RA; Yates, DH; Benke, G; Sim, M; Johnson, AR. (2010). Occupational exposure to asbestos in New South Wales, Australia (1970-1989): development of an asbestos task exposure matrix. *Occup Environ Med*. 67: 201-206. <http://dx.doi.org/10.1136/oem.2008.039347>.
- Ichikawa, I; Matsumura, T. (1997). [Recent circumstances of standards for indoor air environment]. *J Toxicol Environ Health A*. 43: 162-173.
- Ilgren, EB. (2010). The California Coalinga Chrysotile Miners and Millers - Further Evidence for a Lack of Attributable Disease. *Indoor Built Environ*. 19: 562-585. <http://dx.doi.org/10.1177/1420326X09359969>.
- Imbernon, E; Goldberg, M; Bonenfant, S; Chevalier, A; Guénel, P; Vatré, R; Dehaye, J. (1995). Occupational respiratory cancer and exposure to asbestos: a case-control study in a cohort of workers in the electricity and gas industry. *Am J Ind Med*. 28: 339-352.
- Imbernon, E; Goldberg, M; Guénel, P; Chevalier, A; Vatré, R; Bonenfant, S. (1996). Validation of Asbestos Exposure Assessment in a Job-Exposure Matrix in the Electricity and Gas Industry in France: The Matex Project. *Occup Hyg*. 3: 1-3.
- Imbernon, E; Goldberg, M; Spyckerelle, Y; Steinmetz, J; Bonenfant, S; Fournier, B. (2004). Use of a job-exposure matrix for the screening of occupational exposure to asbestos. *Rev Epidemiol Sante Publique*. 52: 7-17. [http://dx.doi.org/10.1016/S0398-7620\(04\)99018-9](http://dx.doi.org/10.1016/S0398-7620(04)99018-9).
- Imbernon, E; Marchand, JL; Garras, L; Goldberg, M. (2005). [Quantitative assessment of the risk of lung cancer and pleural mesothelioma among automobile mechanics]. *Rev Epidemiol Sante Publique*. 53: 491-500.
- Ionescu, S; Deac, V; Corpodean, C. (2011). RISK OF EXPOSURE TO ASBESTOS IN CASE OF THE MECHANICAL DEGRADATION OF SOME ASBOCEMENT COMPOSITES. *Environmental Engineering and Management Journal*. 10: 1773-1777.
- Irving, KF; Alexander, RG; Bavley, H. (1980). ASBESTOS EXPOSURES IN MASSACHUSETTS PUBLIC-SCHOOLS. *Am Ind Hyg Assoc J*. 41: 270-276. <http://dx.doi.org/10.1080/15298668091424735>.
- Irwig, HG; Oliver, LC; Page, T; Wegman, DH; Ellenbecker, MJ. (1991). Asbestos in Place: A Building Management Perspective. *Ann N Y Acad Sci*. 643: 589-596.
- Iwatsubo, Y; Pairon, JC; Boutin, C; Ménard, O; Massin, N; Caillaud, D; Orłowski, E; Galateau-Salle, F; Bignon, J; Brochard, P. (1998). Pleural mesothelioma: dose-response relation at low levels of asbestos exposure in a French population-based case-control study. *Am J Epidemiol*. 148: 133-142.
- Iwatsubo, Y; Pairon, JC; Debeaune, CA; Chamings, S; Bignon, J; Brochard, P. (1994). PLEURAL MESOTHELIOMA - A DESCRIPTIVE ANALYSIS BASED ON A CASE-CONTROL STUDY AND MORTALITY DATA IN ILE-DE-FRANCE, 1987-1990. *Am J Ind Med*. 26: 77-88.
- Jacobsen, M; Dodgson, J; Maclaren, W. (1983). ESTIMATING FACTORY-WORKERS CUMULATIVE EXPOSURE TO LOW CONCENTRATIONS OF ASBESTOS DUST. *Scand J Work Environ Health*. 9: 61-61.
- Jacobsen, M; Ducatman, B; Cox-Ganser, J. (2000). Study of the Feasibility of Research on Pathologic Types of Lung Cancer in Silica- and Radon-Exposed Miners, Final Report. 66.
- Jahn, H; Rodelsperger, K; Bruckel, B; Manke, J; Woitowitz, HJ. (1985). ASBESTOS DUST RISKS IN BRAKE REPAIR SERVICES. *Staub, Reinhaltung der Luft*. 45: 80-83.
- Jahn, I; Ahrens, W; Brüske-Hohlfeld, I; Kreuzer, M; Möhner, M; Pohlabein, H; Wichmann, HE; Jöckel, KH. (1999). Occupational risk factors for lung cancer in women: results of a case-control study in Germany. *Am J Ind Med*. 36: 90-100.
- Jakobsson, K; Albin, M; Hagmar, L. (1994). Asbestos, cement, and cancer in the right part of the colon. *Occup Environ Med*. 51: 95-101.
- Jakobsson, K; Rannug, A; Alexandrie, AK; Rylander, L; Albin, M; Hagmar, L. (1994). Genetic polymorphism for glutathione-S-transferase mu in asbestos cement workers. *Occup Environ Med*. 51: 812-816.
- Jakobsson, K; Strömberg, U; Albin, M; Welinder, H; Hagmar, L. (1995). Radiological changes in asbestos cement workers. *Occup Environ Med*. 52: 20-27.
- Jakubec, P; Pelclova, D; Smolkova, P; Kolek, V; Nakladalova, M. (2015). Significance of serum mesothelin in an asbestos-exposed population in the Czech Republic. *Biomed Pap Med Fac Univ Palacky Olomouc Czech Repub*. 159: 472-479. <http://dx.doi.org/10.5507/bp.2014.015>.
- Jansson, C; Johansson, AL; Bergdahl, IA; Dickman, PW; Plato, N; Adami, J; Boffetta, P; Lagergren, J. (2005). Occupational exposures and risk of esophageal and gastric cardia cancers among male Swedish construction workers. *Cancer Causes Control*. 16: 755-764. <http://dx.doi.org/10.1007/s10552-005-1723-2>.
- Jarvholm, B. (2006). Carcinogens in the construction industry. *Ann N Y Acad Sci*. 1076: 421-428. <http://dx.doi.org/10.1196/annals.1371.055>.
- Järholm, B. (1992). Pleural plaques and exposure to asbestos: a mathematical model. *Int J Epidemiol*. 21: 1180-1184.
- Järholm, B; Åström, E. (2014). The risk of lung cancer after cessation of asbestos exposure in construction workers using pleural malignant mesothelioma as a marker of exposure. *J Occup Environ Med*. 56: 1297-1301. <http://dx.doi.org/10.1097/JOM.0000000000000258>.
- Järholm, B; Englund, A. (2014). The impact of asbestos exposure in Swedish construction workers. *Am J Ind Med*. 57: 49-55. <http://dx.doi.org/10.1002/ajim.22264>.
- Järholm, B; Englund, A; Albin, M. (1999). Pleural mesothelioma in Sweden: an analysis of the incidence according to the use of asbestos. *Occup Environ Med*. 56: 110-113.
- Jarvholm, B; Hillerdal, G; Jarliden, AK; Hansson, A; Lilja, BG; Tornling, G; Westerholm, P. (1995). OCCURRENCE OF PLEURAL PLAQUES IN WORKERS WITH EXPOSURE TO MINERAL WOOL. *Int Arch Occup Environ Health*. 67: 343-346.
- Järholm, B; Malke, H; Malke, B; Ericsson, J; Sällsten, G. (1988). Pleural mesotheliomas and asbestos exposure in the pulp and paper industries: a new risk group identified by linkage of official registers. *Am J Ind Med*. 13: 561-567.

Engineering/Occupational Exposure Literature Search Results

On Topic

- Järvholm, B; Reuterwall, C; Bystedt, J. (2013). Mortality attributable to occupational exposure in Sweden. *Scand J Work Environ Health*. 39: 106-111. <http://dx.doi.org/10.5271/sjweh.3284>.
- Järvholm, B; Sandén, A. (1987). Estimating asbestos exposure: a comparison of methods. *J Occup Med*. 29: 361-363.
- Järvholm, B; Sandén, A. (1998). Lung cancer and mesothelioma in the pleura and peritoneum among Swedish insulation workers. *Occup Environ Med*. 55: 766-770.
- Jaurand, MC; Bignon, J; Sebastien, P; Goni, J. (1977). Leaching of chrysotile asbestos in human lungs. Correlation with in vitro studies using rabbit alveolar macrophages. *Environ Res*. 14: 245-254.
- Jemal, A; Grauman, D; Devesa, S. (2000). Recent geographic patterns of lung cancer and mesothelioma mortality rates in 49 shipyard counties in the United States, 1970-94. *Am J Ind Med*. 37: 512-521.
- Jeong, KS; Kim, Y; Kim, MC; Yoo, CI, n. (2011). Comparison of Cancer Incidence Between Production and Office Workers at a Shipyard in Korea: A Retrospective Cohort Study From 1992 to 2005. *Am J Ind Med*. 54: 719-725. <http://dx.doi.org/10.1002/ajim.20957>.
- Jiang, GC; Madl, AK; Ingmundson, KJ; Murbach, DM; Fehling, KA; Paustenbach, DJ; Finley, BL. (2008). A study of airborne chrysotile concentrations associated with handling, unpacking, and repacking boxes of automobile clutch discs. *Regul Toxicol Pharmacol*. 51: 87-97. <http://dx.doi.org/10.1016/j.yrtph.2008.02.009>.
- Jiang, Z; Chen, J; Lou, J; Miao, C; Shao, D; Zhang, X. (2015). [Monitoring and analysis of asbestos concentration in working environment of different asbestos-producing technologies in a certain area]. *Zhonghua Lao Dong Wei Sheng Zhi Ye Bing Za Zhi*. 33: 833-837.
- Jöckel, KH; Ahrens, W; Bolm-Audorff, U. (1994). Lung cancer risk and welding--preliminary results from an ongoing case-control study. *Am J Ind Med*. 25: 805-812.
- Jöckel, KH; Ahrens, W; Jahn, I; Pohlabeln, H; Bolm-Audorff, U. (1998). Occupational risk factors for lung cancer: a case-control study in West Germany. *Int J Epidemiol*. 27: 549-560.
- Jöckel, KH; Ahrens, W; Pohlabeln, H; Bolm-Audorff, U; Müller, KM. (1998). Lung cancer risk and welding: results from a case-control study in Germany. *Am J Ind Med*. 33: 313-320.
- Johanning, E; Goldberg, M; Kim, R. (1994). Asbestos hazard evaluation in South Korean textile production. *Int J Health Serv*. 24: 131-144.
- Johansen, C; Olsen, JH. (1998). Risk of cancer among Danish utility workers--a nationwide cohort study. *Am J Epidemiol*. 147: 548-555.
- Johansson, L; Albin, M; Jakobsson, K; Mikoczy, Z. (1992). Histological type of lung carcinoma in asbestos cement workers and matched controls. *Br J Ind Med*. 49: 626-630.
- Johansson, LG; Albin, MP; Jakobsson, KM; Welinder, HE; Ranstam, PJ; Attewell, RG. (1987). Ferruginous bodies and pulmonary fibrosis in dead low to moderately exposed asbestos cement workers: histological examination. *Br J Ind Med*. 44: 550-558.
- Johnson, A; Farrow, P; Jenkins, R. (2006). Effectiveness of smoking cessation advice for asbestos workers. *Occup Med (Lond)*. 56: 59-60. <http://dx.doi.org/10.1093/occmed/kqj001>.
- Johnson, PL. (1976). Preliminary Industrial Hygiene Survey at Auto Brake Clinic, Cincinnati, Ohio. 3: 19761976.
- Johnson, PL. (1978). Industrial Hygiene Study of Tuffy Service Center. 11: 19781978.
- Johnson, WM; Lemen, RA; Hurst, GA; Spiegel, RM; Liu, FH. (1982). Respiratory morbidity among workers in an amosite asbestos insulation plant. *J Occup Med*. 24: 994-999.
- Johnston, AM; Jones, AD; Vincent, JH. (1987). The effect of electrostatic charge on the aspiration efficiencies of airborne dust samplers: with special reference to asbestos. *Am Ind Hyg Assoc J*. 48: 613-621. <http://dx.doi.org/10.1080/15298668791385291>.
- Jones, AD; Gale, RW. (1982). Industrial trials with the Vickers M88 rapid asbestos fibre counter. *Ann Occup Hyg*. 25: 39-51.
- Jones, DR. (1979). Assessment of Asbestos Concentrations in the Engineerroom Environment of Marine Vessels, Phase I. (NIOSH/00191929). Jones, DR.
- Jones, WF; Seth, BB. (1992). REPLACING ASBESTOS STEAM PATH GASKETS. *Power Engineering*. 96: 43-45.
- Joshi, TK; Bhuvu, UB; Katoch, P. (2006). Asbestos ban in India: challenges ahead. *Ann N Y Acad Sci*. 1076: 292-308. <http://dx.doi.org/10.1196/annals.1371.072>.
- Joshi, TK; Gupta, RK. (2003). Asbestos-related morbidity in India. *Int J Occup Environ Health*. 9: 249-253. <http://dx.doi.org/10.1179/oeh.2003.9.3.249>.
- Jr, CR; Jr, WM; Lauderdale, J; Schosek, K; Dodson, RE. (1996). Quantification of Fiber Releases for Various Floor Tile Removal Methods. *Appl Occup Environ Hyg*. 11: 1113-1124.
- Jung, SH; Kim, HR; Koh, SB; Yong, SJ; Chung, MJ; Lee, CH; Han, J; Eom, MS; Oh, SS. (2012). A decade of malignant mesothelioma surveillance in Korea. *Am J Ind Med*. 55: 869-875. <http://dx.doi.org/10.1002/ajim.22065>.
- Junttila, S; Tossavainen, A; Hartikainen, T; Harma, P; Korhonen, K; Suominen, V; Pyy, L. (1996). Airborne Mineral Fibers and Quartz Dust in Precambrian Metamorphic Limestone and Dolomite Mines in Finland. *Appl Occup Environ Hyg*. 11: 1075-1080.
- Kahn, EI; Rohl, A; Barrett, EW; Suzuki, Y. (1980). PRIMARY PERICARDIAL MESOTHELIOMA FOLLOWING EXPOSURE TO ASBESTOS. *Environ Res*. 23: 270-281.
- Kakooei, H; Hormozy, M; Marioryad, H. (2011). Evaluation of asbestos exposure during brake repair and replacement. *Ind Health*. 49: 374-380.
- Kakooei, H; Sameti, M; Kakooei, AA. (2007). Asbestos exposure during routine brake lining manufacture. *Ind Health*. 45: 787-792.
- Kamal, AA; Gomaa, A; El Khafif, M; Hammad, AS. (1989). Plasma lipid peroxides among workers exposed to silica or asbestos dusts. *Environ Res*. 49: 173-180.
- Kambic, V; Radsel, Z; Gale, N. (1989). Alterations in the laryngeal mucosa after exposure to asbestos. *Br J Ind Med*. 46: 717-723.
- Kameda, T; Takahashi, K; Kim, R; Jiang, Y; Movahed, M; Park, EK; Rantanen, J. (2014). Asbestos: use, bans and disease burden in Europe. *Bull World Health Organ*. 92: 790-797. <http://dx.doi.org/10.2471/BLT.13.132118>.

Engineering/Occupational Exposure Literature Search Results

On Topic

- Kanarek, MS. (2011). Mesothelioma from chrysotile asbestos: update [Review]. *Ann Epidemiol*. 21: 688-697. <http://dx.doi.org/10.1016/j.annepidem.2011.05.010>.
- Kang, DM; Kim, JE; Kim, JY; Lee, HH; Hwang, YS; Kim, YK; Lee, YJ. (2016). Environmental asbestos exposure sources in Korea. *Int J Occup Environ Health*. 22: 307-314. <http://dx.doi.org/10.1080/10773525.2016.1231948>.
- Kang, SK; Burnett, CA; Freund, E; Walker, J; Lalich, N; Sestito, J. (1997). Gastrointestinal cancer mortality of workers in occupations with high asbestos exposures. *Am J Ind Med*. 31: 713-718.
- Kangur, M. (2007). Occupational exposure to asbestos during renovation of oil-shale fuelled power plants in Estonia. *Int J Occup Saf Ergon*. 13: 341-346. <http://dx.doi.org/10.1080/10803548.2007.11076733>.
- Kannio, A; Ridanpää, M; Koskinen, H; Partanen, T; Anttila, S; Collan, Y; Hietanen, E; Vainio, H; Husgafvel-Pursiainen, K. (1996). A molecular and epidemiological study on bladder cancer: p53 mutations, tobacco smoking, and occupational exposure to asbestos. *Cancer Epidemiol Biomarkers Prev*. 5: 33-39.
- Kaplan, DE. (1993). UNREGULATED DISPOSAL OF ASBESTOS CONTAMINATED SHOWER WATER EFFLUENT - A QUESTION OF PUBLIC-HEALTH RISK. *J Environ Health*. 55: 6-8.
- Kaplan, DE. (1993). UNREGULATED DISPOSAL OF ASBESTOS CONTAMINATED SHOWER WATER EFFLUENT (VOL 55, PG 6, 1993). *J Environ Health*. 55: 39-39.
- Karadagli, F. (2011). Comparative Assessment of Asbestos-Containing and Alternative Materials in Turkish Industrial Facilities. *Indoor Built Environ*. 20: 471-478. <http://dx.doi.org/10.1177/1420326X11410089>.
- Karjalainen, A; Anttila, S; Heikkilä, L; Karhunen, P; Vainio, H. (1993). Asbestos exposure among Finnish lung cancer patients: occupational history and fiber concentration in lung tissue. *Am J Ind Med*. 23: 461-471.
- Karjalainen, A; Anttila, S; Heikkilä, L; Kyyrönen, P; Vainio, H. (1993). Lobe of origin of lung cancer among asbestos-exposed patients with or without diffuse interstitial fibrosis. *Scand J Work Environ Health*. 19: 102-107.
- Karjalainen, A; Anttila, S; Mäntylä, T; Taskinen, E; Kyyrönen, P; Tukiainen, P. (1994). Asbestos bodies in bronchoalveolar lavage fluid in relation to occupational history. *Am J Ind Med*. 26: 645-654.
- Karjalainen, A; Karhunen, PJ; Lalu, K; Penttilä, A; Vanhala, E; Kyyrönen, P; Tossavainen, A. (1994). Pleural plaques and exposure to mineral fibres in a male urban necropsy population. *Occup Environ Med*. 51: 456-460.
- Karjalainen, A; Meurman, LO; Pukkala, E. (1994). Four cases of mesothelioma among Finnish anthophyllite miners. *Occup Environ Med*. 51: 212-215.
- Karjalainen, A; Nurminen, M; Vanhala, E; Vainio, H; Anttila, S. (1996). Pulmonary asbestos bodies and asbestos fibers as indicators of exposure. *Scand J Work Environ Health*. 22: 34-38.
- Karjalainen, A; Pukkala, E; Mattson, K; Tammilehto, L; Vainio, H. (1997). Trends in mesothelioma incidence and occupational mesotheliomas in Finland in 1960-1995. *Scand J Work Environ Health*. 23: 266-270.
- Karjalainen, A; Vanhala, E; Karhunen, PJ; Lalu, K; Penttilä, A; Tossavainen, A. (1994). Asbestos exposure and pulmonary fiber concentrations of 300 Finnish urban men. *Scand J Work Environ Health*. 20: 34-41.
- Karl, U; Rentz, O; Kemper, BM; Kamm, K. (2002). Uncertainties in the evaluation of emissions of carcinogenic air pollutants. *Gefahrst Reinhalt Luft*. 62: 53-59.
- Kasai, E; Goto, H; Mase, Y. (2011). Vitrification Treatment of Asbestos Waste with Incineration Ash of Solid Waste. *High Temperature Materials and Processes*. 30: 353-357. <http://dx.doi.org/10.1515/HTMP.2011.056>.
- Kashanskiĭ, SV; Kogan, FM; Shcherbakov, SV. (1997). [Occupational health issues at enterprises and utilization of road-building materials derived from the wastes of lead-containing enriched ore from the Aktovrak mines]. *Med Tr Prom Ekol*. 0: 13-16.
- Kashansky, SV; Domnin, SG; Kochelayev, VA; Monakhov, DD; Kogan, FM. (2001). Retrospective view of airborne dust levels in workplace of a chrysotile mine in Ural, Russia. *Ind Health*. 39: 51-56.
- Kauppinen, T; Korhonen, K. (1987). Exposure to Asbestos During Brake Maintenance of Automotive Vehicles by Different Methods. *Am Ind Hyg Assoc J*. 48: 499-504.
- Kauppinen, T; Pajarskiene, B; Podniece, Z; Rjazanov, V; Smerhovsky, Z; Veidebaum, T; Leino, T. (2001). Occupational exposure to carcinogens in Estonia, Latvia, Lithuania and the Czech Republic in 1997. *Scand J Work Environ Health*. 27: 343-345.
- Kauppinen, T; Saalo, A; Pukkala, E; Virtanen, S; Karjalainen, A; Vuorela, R. (2007). Evaluation of a national register on occupational exposure to carcinogens: effectiveness in the prevention of occupational cancer, and cancer risks among the exposed workers. *Ann Occup Hyg*. 51: 463-470. <http://dx.doi.org/10.1093/annhyg/mem030>.
- Kauppinen, T; Uuskulainen, S; Saalo, A; Makinen, I. (2013). Trends of Occupational Exposure to Chemical Agents in Finland in 1950-2020. *Ann Occup Hyg*. 57: 593-609. <http://dx.doi.org/10.1093/annhyg/mes090>.
- Kazan-Allen, L; ed. (2003). The asbestos war [Review]. *Int J Occup Environ Health*. 9: 173-193. <http://dx.doi.org/10.1179/oeh.2003.9.3.173>.
- Keating, GM. (1984). HOSPITAL AS WORKPLACE - ASBESTOS AND OCCUPATIONAL-HEALTH. *Community Health Stud*. 8: 340-340.
- Keith, MM; Brophy, JT. (2004). Participatory mapping of occupational hazards and disease among asbestos-exposed workers from a foundry and insulation complex in Canada. *Int J Occup Environ Health*. 10: 144-153. <http://dx.doi.org/10.1179/oeh.2004.10.2.144>.
- Kelly, JE; Moss, CE; Tepper, A. (1992). Health Hazard Evaluation Report HETA 91-390-2270, Warner Amex, Cincinnati, Ohio. 36.
- Kelsey, KT; Nelson, HH; Wiencke, JK; Smith, CM; Levin, S. (1997). The glutathione S-transferase theta and mu deletion polymorphisms in asbestosis. *Am J Ind Med*. 31: 274-279.
- Kemplin, MG. (1980). DRY WALL CONSTRUCTION AND ASBESTOS EXPOSURE. *Am Ind Hyg Assoc J*. 41: 462-462.
- Kennedy, SM; Vedal, S; Müller, N; Kassam, A; Chan-Yeung, M. (1991). Lung function and chest radiograph abnormalities among construction insulators. *Am J Ind Med*. 20: 673-684. <http://dx.doi.org/10.1002/ajim.4700200510>.

Engineering/Occupational Exposure Literature Search Results

On Topic

- Kern, DG; Frumkin, H. (1988). Asbestos-related disease in the jewelry industry: report of two cases. *Am J Ind Med.* 13: 407-410.
- Kern, DG; Hanley, KT; Roggli, VL. (1992). Malignant mesothelioma in the jewelry industry. *Am J Ind Med.* 21: 409-416.
- Keyes, DL; Chesson, J; Ewing, WM; Faas, JC; Hatfield, RL; Hays, SM; Longo, WE; Millette, J. R. (1991). EXPOSURE TO AIRBORNE ASBESTOS ASSOCIATED WITH SIMULATED CABLE INSTALLATION ABOVE A SUSPENDED CEILING. *Am Ind Hyg Assoc J.* 52: 479-484. <http://dx.doi.org/10.1080/15298669191365081>.
- Keyes, DL; Ewing, WM; Hays, SM; Longo, WE; Millette, JR. (1994). Baseline Studies of Asbestos Exposure during Operations and Maintenance Activities. *Appl Occup Environ Hyg.* 9: 853-860.
- Keys, DL; Millette, JR. (1991). ASBESTOS EXPOSURE FROM ACTIVITIES IN BUILDINGS WITH ASBESTOS-CONTAINING MATERIALS (pp. EXPOSURE TO ASBESTOS IN PLACE: PUBLIC HEALTH CONTROL; CONFERENCE). (BIOSIS/93/34961). Keys, DL; Millette, JR.
- Kgalamono, SM; Rees, D; Kielkowski, D; Solomon, A. (2005). Asbestos in the non-mining industry on the Witwatersrand, South Africa. *S Afr Med J.* 95: 47-51.
- Khudu-Petersen, K; Bard, D; Garrington, N; Yarwood, J; Tylee, B. (2000). Microscopic identification of asbestos fibres associated with African clay crafts manufacture. *Ann Occup Hyg.* 44: 137-141.
- Kielkowski, D; Nelson, G; Rees, D. (2000). Risk of mesothelioma from exposure to crocidolite asbestos: a 1995 update of a South African mortality study. *Occup Environ Med.* 57: 563-567.
- Kilburn, KH. (2000). Prevalence and features of advanced asbestosis (ILO profusion scores above 2/2). International Labour Office. *Arch Environ Health.* 55: 104-108. <http://dx.doi.org/10.1080/00039890009603395>.
- Kilburn, KH; Warshaw, RH. (1990). Abnormal pulmonary function associated with diaphragmatic pleural plaques due to exposure to asbestos. *Br J Ind Med.* 47: 611-614. <http://dx.doi.org/10.1136/oem.47.9.611>.
- Kilburn, KH; Warshaw, RH. (1992). Irregular opacities in the lung, occupational asthma, and airways dysfunction in aluminum workers. *Am J Ind Med.* 21: 845-853.
- Kilburn, KH; Warshaw, RH; Einstein, K; Bernstein, J. (1985). Airway disease in non-smoking asbestos workers. *Arch Environ Health.* 40: 293-295.
- Kim, JT, ai; Hoskins, JA. (2010). Asbestos in Korean Buildings, Safety Concerns, and Sensible Risk Assessment. *Indoor Built Environ.* 19: 21-29. <http://dx.doi.org/10.1177/1420326X09357997>.
- Kim, SY; Kim, YC; Kim, Y; Hong, WH. (2016). Predicting the mortality from asbestos-related diseases based on the amount of asbestos used and the effects of slate buildings in Korea. *Sci Total Environ.* 542: 1-11. <http://dx.doi.org/10.1016/j.scitotenv.2015.10.115>.
- Kim, YC; Hong, W, onHwa; Zhang, YL. (2015). Development of a model to calculate asbestos fiber from damaged asbestos slates depending on the degree of damage. *J Clean Prod.* 86: 88-97. <http://dx.doi.org/10.1016/j.jclepro.2014.08.092>.
- Kingsley, I. (1976). Health Hazard Evaluation Report No. HHE-76-40-341, 919 Third Garage Company, New York, New York (pp. 76-40). (NIOSH/00057818). Kingsley, I.
- Kinnes, GM; Lushniak, BD. (1990). Health Hazard Evaluation Report No. HETA-89-244-2068, Thomson Consumer Electronics, Inc., Circleville, Ohio (pp. 89-244). (NIOSH/00197953). Kinnes, GM; Lushniak, BD.
- Kinney, PL; Satterfield, MH; Shaikh, RA. (1994). Airborne Fiber Levels during Asbestos Operations and Maintenance Work in a Large Office Building. *Appl Occup Environ Hyg.* 9: 825-835.
- Kipen, HM; Lilis, R; Suzuki, Y; Valciukas, JA; Selikoff, IJ. (1987). Pulmonary fibrosis in asbestos insulation workers with lung cancer: a radiological and histopathological evaluation. *Br J Ind Med.* 44: 96-100.
- Kirshner, M; Bleach, K. (1994). ENVIRONMENTAL AND OCCUPATIONAL REMEDIATION SUBSEQUENT TO THE WORLD-TRADE-CENTER BOMBING. *Environ Int.* 20: 253-261.
- Kishimoto, T; Gemba, K; Fujimoto, N; Aoe, K; Kato, K; Takeshima, Y; Inai, K. (2010). Clinical study on mesothelioma in Japan: Relevance to occupational asbestos exposure. *Am J Ind Med.* 53: 1081-1087. <http://dx.doi.org/10.1002/ajim.20868>.
- Kishimoto, T; Kato, K; Arakawa, H; Ashizawa, K; Inai, K; Takeshima, Y. (2011). Clinical, radiological, and pathological investigation of asbestosis. *Int J Environ Res Public Health.* 8: 899-912. <http://dx.doi.org/10.3390/ijerph8030899>.
- Kishimoto, T; Morinaga, K; Kira, S. (2000). The prevalence of pleural plaques and/or pulmonary changes among construction workers in Okayama, Japan. *Am J Ind Med.* 37: 291-295.
- Kishimoto, T; Ohnishi, K; Saito, Y. (2003). Clinical study of asbestos-related lung cancer. *Ind Health.* 41: 94-100.
- Kishimoto, T; Ozaki, S; Kato, K; Nishi, H; Genba, K. (2004). Malignant pleural mesothelioma in parts of Japan in relationship to asbestos exposure. *Ind Health.* 42: 435-439.
- Kishimoto, T; Tsuda, K. (2001). A patient with asbestos-induced lung cancer complicated by silicosis. *Ind Health.* 39: 189-193.
- Kjaerheim, K; Ulvestad, B; Martinsen, JI; Andersen, A. (2005). Cancer of the gastrointestinal tract and exposure to asbestos in drinking water among lighthouse keepers (Norway). *Cancer Causes Control.* 16: 593-598. <http://dx.doi.org/10.1007/s10552-004-7844-1>.
- Kjellstrom, T. (1984). ASBESTOS, AN OCCUPATIONAL-DISEASE TIME-BOMB IN NEW-ZEALAND. *Community Health Stud.* 8: 268-269.
- Kjuus, H; Skjaerven, R; Langård, S; Lien, JT; Aamodt, T. (1986). A case-referent study of lung cancer, occupational exposures and smoking. II. Role of asbestos exposure. *Scand J Work Environ Health.* 12: 203-209.
- Klojzy-Karczmarczyk, B; Makoudi, S. (2011). Assessment of Index of Asbestos Containing Waste Generation in Rural Areas of Selected Communes. *Rocznik Ochrona Srodowiska.* 13: 1823-1833.
- Knight, JL; Sleeth, DK; Larson, RR; Pahler, LF. (2013). An analysis of OSHA inspections assessing contaminant exposures in general medical and surgical hospitals. 61: 153-160. <http://dx.doi.org/10.3928/21650799-20130318-27>.
- Knishkowsy, B; Baker, EL. (1986). Transmission of occupational disease to family contacts. *Am J Ind Med.* 9: 543-550. <http://dx.doi.org/10.1002/ajim.4700090606>.

Engineering/Occupational Exposure Literature Search Results

On Topic

- Kobusch, AB; Simard, A; Feldstein, M; Vauclair, R; Gibbs, GW; Bergeron, F; Morissette, N; Davis, R. (1984). Pulmonary cytology in chrysotile asbestos workers. *J Chronic Dis.* 37: 599-607.
- Koga, Y; Satoh, T; Kaira, K; Koka, M; Hisada, T; Hirato, J; Altan, B; Yatomi, M; Ono, A; Kamide, Y; Shimizu, Y; Aoki-Saito, H; Tsurumaki, H; Shimizu, K; Mogi, A; Ishizuka, T; Yamada, M; Dobashi, K. (2016). Elemental and immunohistochemical analysis of the lungs and hilar lymph node in a patient with asbestos exposure, a pilot study. *Environ Health Prev Med.* 21: 492-500. <http://dx.doi.org/10.1007/s12199-016-0576-5>.
- Kogan, FM; Deminov, AG; Troitskaia, EE; Kolesnikova, TN; Kopytova, MV. (1977). [Working conditions of women track maintenance workers in asbestos mines]. *Gig Sanit*19-23.
- Kogan, FM; Polzik, EV. (1990). Prophylaxis of asbestos-induced diseases: studies and perspectives [Review]. *Am J Ind Med.* 18: 95-99.
- Kogevinas, M; Boffetta, P; Pearce, N. (1994). Occupational Exposure to Carcinogens in Developing Countries [Review] (pp. 63-95). (ISSN 0300-5038; NIOSH/00229412). Kogevinas, M; Boffetta, P; Pearce, N.
- Kolmsee, K; Kieser, D; Kraus, J; Landauer, P; Mattenklott, M; Muller, L; Riediger, G; Ziem, H. (2000). Pilot measurements of asbestos exposure in road construction - Application of unbonded mineral products from quarries covered by the German TRGS 954. *Staub, Reinhaltung der Luft.* 60: 351-354.
- Kolmsee, K; Koch, J; Ziem, H; Binde, G; Hagedorn, W; Kieser, D; Kraus, J; Landauer, P; Mattenklott, M; Riediger, G; Muller, L; Schneck, H. (2001). Guidelines for the application of TRGS 954 "Recommendations relating to exceptional authorisations to derogate from 15 a par. 1 GefStoffV regulating the handling of asbestos-containing mineral raw material and products in quarries". *Staub, Reinhaltung der Luft.* 61: 267-274.
- Kolmsee, K; Mattenklott, M; Goetz, M; Spod, U. (2010). Asbestos in mineral raw materials - Part 1: The law, scope of TRGS 517 and exposure situation. *Gefahrst Reinhalt Luft.* 70: 37-42.
- Kolmsee, K; Mattenklott, M; Goetz, M; Spod, U. (2010). Asbestos in mineral raw materials - Part 2: Protective measures under TRGS 517. *Gefahrst Reinhalt Luft.* 70: 155-158.
- Kolstad, H; Lynge, E; Olsen, J; Sabroe, S. (1992). OCCUPATIONAL CAUSES OF SOME RARE CANCERS - A LITERATURE-REVIEW. *Scand J Soc Med*1-148.
- Kominsky, JR; Freyberg, RW; Boiano, JM. (1995). Airborne Asbestos Concentrations during Buffing, Burnishing, and Stripping of Resilient Floor Tile. 114.
- Kominsky, JR; Freyberg, RW; Clark, PJ; Edwards, A; Wilmoth, RC; Brackett, KA. (1998). Asbestos Exposures During Routine Floor Tile Maintenance. Part 1: Spray-Buffing and Wet-Stripping. *Appl Occup Environ Hyg.* 13: 101-106.
- Kominsky, JR; Freyberg, RW; Clark, PJ; Hollett, BA; Edwards, A; Wilmoth, RC; Boiano, JM; Brackett, KA. (1998). Asbestos Exposures During Routine Floor Tile Maintenance. Part 2: Ultra High Speed Burnishing and Wet-Stripping. *Appl Occup Environ Hyg.* 13: 107-112.
- Koné Pefoyo, AJ; Genesove, L; Moore, K; Del Bianco, A; Kramer, D. (2014). Exploring the usefulness of occupational exposure registries for surveillance: the case of the Ontario Asbestos Workers Registry (1986-2012). *J Occup Environ Med.* 56: 1100-1110. <http://dx.doi.org/10.1097/JOM.0000000000000235>.
- Konieczko, K; Palaszewska-Tkacz, A; Czerczak, S. (2013). [Chemical carcinogenic and mutagenic agents in the workplace, Poland, 2008-2010]. *Med Pr.* 64: 181-192.
- Konovalov, EA; Artamonov, VY; Belei, II; Afonin, VN. (1989). USE OF ASBESTOS HELIUM DRILLING MUDS. 6-10.
- Kopylev, L; Christensen, KY; Brown, JS; Cooper, GS. (2014). A systematic review of the association between pleural plaques and changes in lung function [Review]. *Occup Environ Med.* 72: 606-614. <http://dx.doi.org/10.1136/oemed-2014-102468>.
- Korhonen, K; Liukkonen, T; Ahrens, W; Astrakianakis, G; Boffetta, P; Burdorf, A; Heederik, D; Kauppinen, T; Kogevinas, M; Osvoll, P; Rix, BA; Saalo, A; Sunyer, J; Szadkowska-Stanczyk, I; Teschke, K; Westberg, H; Widerkiewicz, K. (2004). Occupational exposure to chemical agents in the paper industry. *Int Arch Occup Environ Health.* 77: 451-460. <http://dx.doi.org/10.1007/s00420-004-0530-5>.
- Koskinen, K; Pukkala, E; Martikainen, R; Reijula, K; Karjalainen, A. (2002). Different measures of asbestos exposure in estimating risk of lung cancer and mesothelioma among construction workers. *J Occup Environ Med.* 44: 1190-1196. <http://dx.doi.org/10.1097/01.jom.0000044129.59147.6e>.
- Koskinen, K; Pukkala, E; Reijula, K; Karjalainen, A. (2003). Incidence of cancer among the participants of the Finnish Asbestos Screening Campaign. *Scand J Work Environ Health.* 29: 64-70.
- Koskinen, K; Rinne, JP; Zitting, A; Tossavainen, A; Kivekas, J; Reijula, K; Roto, P; Huuskonen, MS. (1996). Screening for asbestos-induced diseases in Finland. *Am J Ind Med.* 30: 241-251. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199609\)30:3<241::AID-AJIM1>3.0.CO;2-1](http://dx.doi.org/10.1002/(SICI)1097-0274(199609)30:3<241::AID-AJIM1>3.0.CO;2-1).
- Koskinen, K; Zitting, A; Tossavainen, A; Rinne, JP; Roto, P; Kivekas, J; Reijula, K; Huuskonen, MS. (1998). Radiographic abnormalities among Finnish construction, shipyard and asbestos industry workers. *Scand J Work Environ Health.* 24: 109-117.
- Kosolapova, AV; Ulenkova, LV. (1984). [Hygienic characteristics of working conditions in the manufacture of asbestos-cement slag cotton products]. *Gig Tr Prof Zabol*49-51.
- Kouris, SP; Parker, DL; Bender, AP; Williams, AN. (1991). Effects of asbestos-related pleural disease on pulmonary function. *Scand J Work Environ Health.* 17: 179-183.
- Koustas, RN. (1991). CONTROL OF INCIDENTAL ASBESTOS EXPOSURE AT HAZARDOUS-WASTE SITES. *J Air Waste Manag Assoc.* 41: 1004-1009.
- Kovalevskii, EV. (1993). [Hygienic evaluation of contact with asbestos-containing dusts at thermoelectric power plants]. *Med Tr Prom Ekol*17-20.
- Kovalevskiy, EV; Schonfeld, SJ; Feletto, E; Moissonnier, M; Kashanskiy, SV; Bukhtiyarov, IV; Schüz, J. (2016). Comparison of mortality in Asbest city and the Sverdlovsk region in the Russian Federation: 1997-2010. *Environ Health.* 15: 42. <http://dx.doi.org/10.1186/s12940-016-0125-0>.

Engineering/Occupational Exposure Literature Search Results

On Topic

- Kraut, AG. (2009). Hospitalization in Winnipeg, Canada due to Occupational Disease: A Pilot Study. *Am J Ind Med.* 52: 372-379. <http://dx.doi.org/10.1002/ajim.20681>.
- Kreuzer, M; Pohlabeln, H; Ahrens, W; Kreienbrock, L; Brüske-Hohlfeld, I; Jöckel, KH; Wichmann, HE. (1999). Occupational risk factors for lung cancer among young men. *Scand J Work Environ Health.* 25: 422-429.
- Kromhout, H; Heederik, D; Dalderup, LM; Kromhout, D. (1992). Performance of two general job-exposure matrices in a study of lung cancer morbidity in the Zutphen cohort. *Am J Epidemiol.* 136: 698-711.
- Kronenberg, RS; Levin, JL; Dodson, RF; Garcia, JG; Griffith, DE. (1991). Asbestos-related disease in employees of a steel mill and a glass bottle-manufacturing plant. *Ann N Y Acad Sci.* 643: 397-403. <http://dx.doi.org/10.1177/074823379100700104>.
- Krstev, S; Dosemeci, M; Lissowska, J; Chow, WH; Zatonski, W; Ward, MH. (2005). Occupation and risk of stomach cancer in Poland. *Occup Environ Med.* 62: 318-324. <http://dx.doi.org/10.1136/oem.2004.015883>.
- Krstev, S; Stewart, P; Rusiecki, J; Blair, A. (2007). Mortality among shipyard Coast Guard workers: a retrospective cohort study. *Occup Environ Med.* 64: 651-658. <http://dx.doi.org/10.1136/oem.2006.029652>.
- Krupoves, A; Camus, M; De Guire, L. (2015). Incidence of malignant mesothelioma of the pleura in Québec and Canada from 1984 to 2007, and projections from 2008 to 2032. *Am J Ind Med.* 58: 473-482. <http://dx.doi.org/10.1002/ajim.22442>.
- Kuempel, ED; Stayner, LT; Dement, JD; Gilbert, SJ; Hein, MJ. (2006). Fiber Size-Specific Exposure Estimates And Updated Mortality Analysis Of Chrysotile Asbestos Textile Workers. *Toxicol Sci.* 90: 71.
- Kullman, GJ; Greife, AL; Costello, J; Hearl, FJ. (1995). Occupational exposures to fibers and quartz at 19 crushed stone mining and milling operations. *Am J Ind Med.* 27: 641-660.
- Kumagai, S; Nakachi, S; Kurumatani, N; Nakagiri, S; Kataoka, A. (1993). [Estimation of asbestos exposure among workers repairing asbestos cement pipes used for conduits]. *Sangyo Igaku.* 35: 178-187.
- Kundiev, I, ul; Cherniuk, VI; Karakashian, AN; Kucheruk, TK; Martynovskaia, TI, u; Demetskaia, AV; Sal'nikova, NA; Chuř, TS; Piatnitsa-Gorpinchenko, NK. (2008). [Hygienic characteristics of work conditions for main occupations in asbestos cement production of Ukraine]. *Med Tr Prom Ekol*21-27.
- Kurumatani, N; Natori, Y; Mizutani, R; Kumagai, S; Haruta, M; Miura, H; Yonemasu, K. (1999). A historical cohort mortality study of workers exposed to asbestos in a refitting shipyard. *Ind Health.* 37: 9-17.
- Kuyper, LN. (1970). Dust Problems in the Mining, Milling and Packaging of Asbestos (pp. 42-50). (NIOSH/00177487). Kuyper, LN.
- Lacourt, A; Cardis, E; Pintos, J; Richardson, L; Kincl, L; Benke, G; Fleming, S; Hours, M; Krewski, D; Mclean, D; Parent, ME; Sadetzki, S; Schlaefer, K; Schlehofer, B; Lavoue, J; van Tongeren, M; Siemiatycki, J. (2013). INTEROCC case-control study: lack of association between glioma tumors and occupational exposure to selected combustion products, dusts and other chemical agents. *BMC Public Health.* 13: 340. <http://dx.doi.org/10.1186/1471-2458-13-340>.
- Lacourt, A; Pintos, J; Lavoué, J; Richardson, L; Siemiatycki, J. (2015). Lung cancer risk among workers in the construction industry: results from two case-control studies in Montreal. *BMC Public Health.* 15: 941. <http://dx.doi.org/10.1186/s12889-015-2237-9>.
- Lacourt, A; Rolland, J; Gramond, C; Astoul, P; Chamming's, S; Ducamp, S; Frenay, C; Galateau-Sallé, F; Gilg Soit Ilg, A; Imbernon, E; Le Stang, N; Pairon, JC; Goldberg, M; Iwatsubo, Y; Salmi, LR; Brochard, P. (2010). Attributable risk in men in two French case-control studies on mesothelioma and asbestos. *Eur J Epidemiol.* 25: 799-806. <http://dx.doi.org/10.1007/s10654-010-9502-0>.
- Lahat, N; Fromm, P; Kristal-Boneh, E; Cohen, C; Lerman, Y; Ribak, J. (1999). Increased serum concentrations of growth factor receptors and Neu in workers previously exposed to asbestos. *Occup Environ Med.* 56: 114-117.
- Lahat, N; Sobel, E; Djerassi, L; Kaufman, G; Horenstein, L; Gruener, N. (1988). IMMUNOLOGICAL PROFILE OF CHEST X-RAY-NEGATIVE ASYMPTOMATIC ASBESTOS WORKERS. *Am J Ind Med.* 13: 473-482.
- Lam, WK; Kung, TM; Ma, PL; So, SY; Mok, CK. (1983). First report of asbestos-related diseases in Hong Kong. *Trop Geogr Med.* 35: 225-229.
- Landrigan, PJ; Liou, PJ; Thurston, G; Berkowitz, G; Chen, LC; Chillrud, SN; Gavett, SH; Georgopoulos, PG; Geyh, AS; Levin, S; Perera, F; Rappaport, SM; Small, C. (2004). Health and environmental consequences of the world trade center disaster [Review]. *Environ Health Perspect.* 112: 731-739. <http://dx.doi.org/10.1289/ehp.6702>.
- Landrigan, PJ; Melius, JM; Rinsky, RA; Thun, MJ. (1985). APPROACHES TO THE ESTIMATION OF EXPOSURE IN OCCUPATIONAL EPIDEMIOLOGY (pp. COLD SPRING HARBOR). (BIOSIS/86/16406). Landrigan, PJ; Melius, JM; Rinsky, RA; Thun, MJ.
- Landrigan, PJ; Nicholson, WJ; Suzuki, Y; Ladou, J. (1999). The hazards of chrysotile asbestos: a critical review [Review]. *Ind Health.* 37: 271-280.
- Langard, S. (1994). PREVENTION OF LUNG-CANCER THROUGH THE USE OF KNOWLEDGE ON ASBESTOS AND OTHER WORK-RELATED CAUSES - NORWEGIAN EXPERIENCES [Review]. *Scand J Work Environ Health.* 20: 100-107.
- Lange, A. (1980). An epidemiological survey of immunological abnormalities in asbestos workers. I. Nonorgan and organ-specific autoantibodies. *Environ Res.* 22: 162-175.
- Lange, A. (1980). An epidemiological survey of immunological abnormalities in asbestos workers. II. Serum immunoglobulin levels. *Environ Res.* 22: 176-183.
- Lange, A; Garncarek, D; Tomeczko, J; Ciechanowski, G; Bisikiewicz, R. (1986). Outcome of asbestos exposure (lung fibrosis and antinuclear antibodies) with respect to skin reactivity: an 8-year longitudinal study. *Environ Res.* 41: 1-13.
- Lange, J; Mastrangelo, G; Cegolon, L. (2011). Asbestos abatement workers versus asbestos workers: exposure and health-effects differ [Letter]. *Int J Occup Med Environ Health.* 24: 418-419; author reply 420-411. <http://dx.doi.org/10.2478/s13382-011-0039-6>.
- Lange, JH. (1999). A statistical evaluation of asbestos air concentrations. *Indoor Built Environ.* 8: 293-303.
- Lange, JH. (2001). Airborne asbestos concentrations during abatement of floor tile and mastic: Evaluation of two different containment systems and discussion of regulatory issues. *Indoor Built Environ.* 10: 193-199.

Engineering/Occupational Exposure Literature Search Results

On Topic

- Lange, JH. (2001). Occupational exposure during removal of windows with lead-based paint and asbestos caulking. *Bull Environ Contam Toxicol.* 66: 146-149.
- Lange, JH. (2002). Impact of asbestos concentrations in floor tiles on exposure during removal. *Int J Environ Health Res.* 12: 293-300. <http://dx.doi.org/10.1080/0960312021000056401>.
- Lange, JH. (2004). Asbestos abatement of pipe and floor tile/mastic and comparison of critical plastic barrier controls. *Bull Environ Contam Toxicol.* 72: 542-546. <http://dx.doi.org/10.1007/s00128-001-0278-3>.
- Lange, JH. (2005). Airborne exposure during asbestos abatement of floor tile, wall plaster, and pipe insulation. *Bull Environ Contam Toxicol.* 74: 70-72. <http://dx.doi.org/10.1007/s00128-004-0549-z>.
- Lange, JH. (2005). Asbestos-containing floor tile and mastic abatement: Is there enough exposure to cause asbestos-related disease? *Indoor Built Environ.* 14: 83-88. <http://dx.doi.org/10.1177/142032X05050675>.
- Lange, JH. (2006). Type and amount of asbestos in floor tile and mastic. *Bull Environ Contam Toxicol.* 77: 807-809. <http://dx.doi.org/10.1007/s00128-006-1215-4>.
- Lange, JH; Kuhn, BD; Thomulka, KW; Sites, SLM. (2000). A study of area and personal airborne asbestos samples during abatement in a crawl space. *Indoor Built Environ.* 9: 192-200.
- Lange, JH; Lange, PR; Reinhard, TK; Thomulka, KW. (1996). A study of personal and area airborne asbestos concentrations during asbestos abatement: A statistical evaluation of fibre concentration data. *Ann Occup Hyg.* 40: 449-466.
- Lange, JH; Mastrangelo, G. (2008). What are the real risks for asbestos abatement workers? *Indoor Built Environ.* 17: 274-276. <http://dx.doi.org/10.1177/1420326X08091055>.
- Lange, JH; Sites, SL; Mastrangelo, G; Thomulka, KW. (2006). Exposure to airborne asbestos during abatement of ceiling material, window caulking, floor tile, and roofing material. *Bull Environ Contam Toxicol.* 77: 718-722. <http://dx.doi.org/10.1007/s00128-006-1122-8>.
- Lange, JH; Sites, SL; Mastrangelo, G; Thomulka, KW. (2008). Exposure to airborne asbestos during abatement of ceiling material, window caulking, floor tile and roofing material. *Bull Environ Contam Toxicol.* 80: 10-13. <http://dx.doi.org/10.1007/s00128-007-9280-x>.
- Lange, JH; Spence, PL; Rosato, PA. (1991). A MEDICAL-SURVEILLANCE PROGRAM FOR HAZARDOUS-WASTE ACTIVITIES AND ASBESTOS-ABATEMENT OPERATION FOR A CONSULTING ENGINEERING FIRM. *Journal of Environmental Science and Health, Part A: Environmental Science and Engineering and Toxi.* 26: 953-970.
- Lange, JH; Thomulka, KW. (2000). Air sampling during asbestos abatement of floor tile and mastic. *Bull Environ Contam Toxicol.* 64: 497-501.
- Lange, JH; Thomulka, KW. (2000). Area and personal airborne exposure during abatement of asbestos-containing roofing material. *Bull Environ Contam Toxicol.* 64: 673-678.
- Lange, JH; Thomulka, KW. (2000). An evaluation of personal airborne asbestos exposure measurements during abatement of dry wall and floor tile/mastic. *Int J Environ Health Res.* 10: 5-19.
- Lange, JH; Thomulka, KW. (2000). Occupational exposure to airborne asbestos during abatement of asbestos-containing pipe and boiler insulation. *Fresen Environ Bull.* 9: 477-482.
- Lange, JH; Thomulka, KW. (2001). Personal exposure to asbestos during removal of asbestos-containing window caulking and floor tile/pipe insulation. *Fresen Environ Bull.* 10: 688-691.
- Lange, JH; Thomulka, KW. (2002). Airborne exposure concentrations during asbestos abatement of ceiling and wall plaster. *Bull Environ Contam Toxicol.* 69: 712-718. <http://dx.doi.org/10.1007/s00128-002-0119-1>.
- Lange, JH; Thomulka, KW; Lee, RH; Van Orden, DR. (2002). Surface and passive monitoring for asbestos in an industrial facility. *Indoor Built Environ.* 11: 327-333. <http://dx.doi.org/10.1159/000068233>.
- Lange, JH; Thomulka, KW; Lee, RJ; Dunmyre, GR. (1995). EVALUATION OF LIFT AND PASSIVE SAMPLING METHODS DURING ASBESTOS ABATEMENT ACTIVITIES. *Bull Environ Contam Toxicol.* 55: 325-331.
- Lange, JH; Thomulka, KW; Sites, SL. (2002). Comparison of asbestos exposure in a containment system with and without employment of glovebags. *Bull Environ Contam Toxicol.* 69: 843-846. <http://dx.doi.org/10.1007/s00128-002-0136-0>.
- Lange, JH; Thomulka, KW; Sites, SL; Priolo, G; Mastrangelo, G. (2006). Personal airborne asbestos exposure levels associated with various types of abatement. *Bull Environ Contam Toxicol.* 76: 389-391. <http://dx.doi.org/10.1007/s00128-006-0933-y>.
- Lange, JH; Thomulka, KW; Sites, SLM. (2003). Airborne concentrations of asbestos during removal of pipe/boiler insulation using glovebags with and without containments. *Fresen Environ Bull.* 12: 431-434.
- Lange, JH; Thomulka, KW; Sites, SS; Priolo, G; Buja, A; Mastrangelo, G. (2005). Personal exposure during abatement of various asbestos-containing materials in the same work area. *Bull Environ Contam Toxicol.* 74: 1034-1036.
- Lange, JH; Wang, M; Buja, A; Mastrangelo, G. (2005). Area and personal exposure measurements during asbestos abatement of a crawl space and boiler room. *Bull Environ Contam Toxicol.* 74: 388-390. <http://dx.doi.org/10.1007/s00128-004-0596-5>.
- Langer, AM; Maggiore, CM; Nicholson, WJ; Rohl, AN; Rubin, IB; Selikoff, IJ. (1979). The contamination of Lake Superior with amphibole gangue minerals. *Ann N Y Acad Sci.* 330: 549-572.
- Langer, AM; Nolan, RP. (1994). Chrysotile biopersistence in the lungs of persons in the general population and exposed workers. *Environ Health Perspect.* 102 Suppl 5: 235-239.
- Langevin, SM; O'Sullivan, MH; Valerio, JL; Pawlita, M; Applebaum, KM; Eliot, M; Mcclean, MD; Kelsey, KT. (2013). Occupational asbestos exposure is associated with pharyngeal squamous cell carcinoma in men from the greater Boston area. *Occup Environ Med.* 70: 858-863. <http://dx.doi.org/10.1136/oemed-2013-101528>.
- Langseth, H; Andersen, A. (2000). Cancer incidence among male pulp and paper workers in Norway. *Scand J Work Environ Health.* 26: 99-105.
- Langseth, H; Kjaerheim, K. (2004). Ovarian cancer and occupational exposure among pulp and paper employees in Norway. *Scand J Work Environ Health.* 30: 356-361.

Engineering/Occupational Exposure Literature Search Results

On Topic

- Lanphear, BP; Buncher, CR. (1992). Latent period for malignant mesothelioma of occupational origin [Review]. *J Occup Med.* 34: 718-721.
- Laster, R. (1992). EXPOSURE OF WORKERS TO TOXIC SUBSTANCES AND PHYSICAL HAZARDS THE LAW IN THEORY AND PRACTICE. *Isr J Med Sci.* 28: 8-9.
- Laurent, F; Paris, C; Ferretti, GR; Beigelman, C; Montaudon, M; Latrabe, V; Jankowski, A; Badachi, Y; Clin, B; Gislard, A; Letourneux, M; Luc, A; Schorlé, E; Brochard, P; Ameille, J; Pairon, JC. (2014). Inter-reader agreement in HRCT detection of pleural plaques and asbestosis in participants with previous occupational exposure to asbestos. *Occup Environ Med.* 71: 865-870. <http://dx.doi.org/10.1136/oemed-2014-102336>.
- Lavrent'ev, OV. (2001). Asbestos board - An 87-year-long history of the heat-insulating materials market. *Refractories and Industrial Ceramics.* 42: 402-404.
- Lawrence, J; Zimmermann, HW. (1977). ASBESTOS IN WATER - MINING AND PROCESSING EFFLUENT TREATMENT. *J Water Pollut Control Fed.* 49: 156-160.
- Lazar, M; Carnogurska, M; Brestovic, TG; Jasminska, N; Kmet'ova, L; Kapustova, L; Jezny, T. (2016). High-Temperature Processing of Asbestos-Cement Roofing Material in a Plasma Reactor. *Pol J Environ Stud.* 25: 2027-2033. <http://dx.doi.org/10.15244/pjoes/62959>.
- Le Guen, JM; Burdett, G. (1981). Asbestos concentration in public buildings: A preliminary report. *Ann Occup Hyg.* 24: 185-190.
- Le Neindre, B; Bouvier, V; Galateau-Sallé, F; de Quillacq, A; Launoy, G; Letourneux, M. (2007). [Compensation of malignant mesothelioma as an occupational disease in Lower Normandy, from 1995 to 2002]. *Rev Epidemiol Sante Publique.* 55: 123-131. <http://dx.doi.org/10.1016/j.respe.2006.10.002>.
- Lebovits, AH; Byrne, M; Bernstein, J; Strain, JJ. (1988). CHRONIC OCCUPATIONAL EXPOSURE TO ASBESTOS - MORE THAN MEDICAL EFFECTS. *J Occup Environ Med.* 30: 49-54.
- Lebovits, AH; Chahinian, AP; Holland, JC. (1983). Exposure To Asbestos: Psychological Responses Of Mesothelioma Patients. *Am J Ind Med.* 4: 459-466.
- Lee, J; Vandervort, R. (1970). Report On Survey Of Sager Glove Corporation, Murray, Kentucky, Hazard Evaluation And Technical Assistance Report No. HETA-70-036 (pp. 70-036). (NIOSH/00133819). Lee, J; Vandervort, R.
- Lee, JG; Lee, KH; Choi, H; Moon, HL; Byeon, SH. (2012). Total Dust and Asbestos Concentrations during Asbestos-Containing Materials Abatement in Korea. *International Journal of Environmental Research.* 6: 849-852.
- Lee, YC; Runnion, CK; Pang, SC; de Klerk, NH; Musk, AW. (2001). Increased body mass index is related to apparent circumscribed pleural thickening on plain chest radiographs. *Am J Ind Med.* 39: 112-116.
- Legales, C. (1984). AN EVALUATION MODEL FOR OCCUPATIONAL MORTALITY IN ASBESTOS INDUSTRY. *Rev Epidemiol Sante Publique.* 32: 122-133.
- Legales, C; Oudiz, A. (1984). METHODOLOGICAL CONTRIBUTION TO THE DETERMINATION OF PERMISSIBLE OCCUPATIONAL EXPOSURE LIMITS TO ASBESTOS - EXPOSURE-RISK RELATIONS AND ECONOMIC CRITERIA. *Rev Epidemiol Sante Publique.* 32: 113-121.
- Leigh, J; Corvalán, CF; Grimwood, A; Berry, G; Ferguson, DA; Thompson, R. (1991). The incidence of malignant mesothelioma in Australia 1982-1988. *Am J Ind Med.* 20: 643-655.
- Leigh, J; Driscoll, T. (2003). Malignant mesothelioma in Australia, 1945-2002. *Int J Occup Environ Health.* 9: 206-217. <http://dx.doi.org/10.1179/oeh.2003.9.3.206>.
- Lemen, RA. (1972). Spray Application of Fireproof Insulation at the Construction Site of the Proctor and Gamble Technical Center, Blue Ash, Ohio. (NIOSH/00192309). Lemen, RA.
- Lemen, RA. (2004). Asbestos in brakes: exposure and risk of disease [Review]. *Am J Ind Med.* 45: 229-237. <http://dx.doi.org/10.1002/ajim.10334>.
- Lemen, RA; Dement, JM; Wagoner, JK. (1980). Epidemiology of asbestos-related diseases [Review]. *Environ Health Perspect.* 34: 1-11.
- Lenters, V; Vermeulen, R; Dogger, S; Stayner, L; Portengen, L; Burdorf, A; Heederik, D. (2011). A meta-analysis of asbestos and lung cancer: is better quality exposure assessment associated with steeper slopes of the exposure-response relationships? [Review]. *Environ Health Perspect.* 119: 1547-1555. <http://dx.doi.org/10.1289/ehp.1002879>.
- Leonelli, C; Veronesi, P; Boccaccini, DN; Rivasi, MR; Barbieri, L; Andreola, F; Lancellotti, I; Rabitti, D; Pellacani, GC. (2006). Microwave thermal inertisation of asbestos containing waste and its recycling in traditional ceramics. *J Hazard Mater.* 135: 149-155. <http://dx.doi.org/10.1016/j.jhazmat.2005.11.035>.
- Lerman, Y; Finkelstein, A; Levo, Y; Tupilsky, M; Baratz, M; Solomon, A; Sackstein, G. (1990). Asbestos related health hazards among power plant workers. *Br J Ind Med.* 47: 281-282.
- Lerman, Y; Seidman, H; Gelb, S; Miller, A; Selikoff, IJ. (1988). Spirometric abnormalities among asbestos insulation workers. *J Occup Med.* 30: 228-233.
- Lerman, Y; Selikoff, IJ; Lilis, R; Seidman, H; Gelb, SK. (1986). Clinical findings among asbestos workers in U.S.: influence of cigarette smoking. *Am J Ind Med.* 10: 449-458.
- Levan, TD; Koh, WP; Lee, H; Koh, D; Yu, MC; London, SJ. (2006). Vapor, dust, and smoke exposure in relation to adult-onset asthma and chronic respiratory symptoms - The Singapore Chinese Health Study. *Am J Epidemiol.* 163: 1118-1128. <http://dx.doi.org/10.1093/aje/kwj144>.
- Levin, JL; McClarty, JW; Hurst, GA; Smith, AN; Frank, AL. (1998). Tyler asbestos workers: mortality experience in a cohort exposed to amosite. *Occup Environ Med.* 55: 155-160.
- Levin, JL; O'Sullivan, MF; Corn, CJ; Dodson, RF. (1995). An individual with a majority of ferruginous bodies formed on chrysotile cores. *Arch Environ Health.* 50: 462-465. <http://dx.doi.org/10.1080/00039896.1995.9935984>.
- Levin, JL; O'Sullivan, MF; Corn, CJ; Williams, MG; Dodson, RF. (1999). Asbestosis and small cell lung cancer in a clutch refabricator. *Occup Environ Med.* 56: 602-605.

Engineering/Occupational Exposure Literature Search Results

On Topic

- Levin, JL; Rouk, A; Shepherd, S; Hurst, GA; McLarty, JW. (2016). Tyler asbestos workers: A mortality update in a cohort exposed to amosite. *J Toxicol Environ Health B Crit Rev.* 19: 190-200. <http://dx.doi.org/10.1080/10937404.2016.1195319>.
- Levin, JL; Stocks, JM; Shepherd, JR; Fagan, MF; Dodson, RF. (1992). Asbestos exposures: known and underrecognized sources [Letter]. *Am J Ind Med.* 22: 607-608.
- Levitan, DM; Hammarstrom, JM; Gunter, ME; Seal, RR; Chou, IM; Piatak, NM. (2009). Mineralogy of mine waste at the Vermont Asbestos Group mine, Belvidere Mountain, Vermont. *Am Mineral.* 94: 1063-1066. <http://dx.doi.org/10.2138/am.2009.3258>.
- Levy, BS; Seplow, A. (1992). Asbestos-Related Hazards in Developing Countries [Review]. *Environ Res.* 59: 167-174.
- Lewinsohn, HC. (1972). The medical surveillance of asbestos workers. *J Roy Soc Promot Health.* 92: 69-77.
- Lewinsohn, HC; Kennedy, CA; Day, JE; Cooper, PH. (1979). Dust control in a conventional asbestos textile factory. *Ann N Y Acad Sci.* 330: 225-241.
- Lewis, NJ; Curtis, MF. (1990). Occupational health and hygiene following a fire in a warehouse with an asbestos cement roof. *J Soc Occup Med.* 40: 53-54.
- Lewis, RJ; Schnatter, AR; Katz, AM; Thompson, FS; Murray, N; Jorgensen, G; Thériault, G. (2000). Updated mortality among diverse operating segments of a petroleum company. *Occup Environ Med.* 57: 595-604.
- Li, J; Dong, Q; Yu, K; Liu, L. (2014). Asbestos and asbestos waste management in the Asian-Pacific region: trends, challenges and solutions. *J Clean Prod.* 81: 218-226. <http://dx.doi.org/10.1016/j.jclepro.2014.06.022>.
- Li, VC; Kim, YJ; Ewart, CK; Terry, PB; Cuthie, JC; Wood, J; Emmett, EA; Permutt, S. (1984). Effects of physician counseling on the smoking behavior of asbestos-exposed workers. *Prev Med.* 13: 462-476.
- Li, VC; Kim, YJ; Terry, PB; Cuthie, JC; Roter, D; Emmett, EA; Harvey, A; Permutt, S. (1983). Behavioral, attitudinal, and physiologic characteristics of smoking and nonsmoking asbestos-exposed shipyard workers. *J Occup Med.* 25: 864-870.
- Liddell, D. (1994). Cancer mortality in chrysotile mining and milling: exposure-response. *Ann Occup Hyg.* 38: 519-523, 412.
- Liddell, FD; Armstrong, BG. (2002). The combination of effects on lung cancer of cigarette smoking and exposure in quebec chrysotile miners and millers. *Ann Occup Hyg.* 46: 5-13. <http://dx.doi.org/10.1093/annhyg/mef008>.
- Liddell, FD; Gibbs, GW; McDonald, JC. (1982). Radiological changes and fibre exposure in chrysotile workers aged 60-69 years at Thetford Mines. *Ann Occup Hyg.* 26: 889-898.
- Liddell, FD; McDonald, AD; McDonald, JC. (1997). The 1891-1920 birth cohort of Quebec chrysotile miners and millers: development from 1904 and mortality to 1992. *Ann Occup Hyg.* 41: 13-36. [http://dx.doi.org/10.1016/S0003-4878\(96\)00044-0](http://dx.doi.org/10.1016/S0003-4878(96)00044-0).
- Liddell, FD; McDonald, AD; McDonald, JC. (1998). Dust exposure and lung cancer in Quebec chrysotile miners and millers. *Ann Occup Hyg.* 42: 7-20.
- Liddell, FDK; Hanley, JA. (1985). Relations between asbestos exposure and lung cancer SMRs in occupational cohort studies. *Occup Environ Med.* 42: 389-396.
- Liddell, FDK; McDonald, JC. (1980). Radiological findings as predictors of mortality in Quebec asbestos workers. *Br Med J.* 37: 257-267.
- Liddell, FDK; Thomas, DC; Gibbs, GW; McDonald, JC. (1984). FIBER EXPOSURE AND MORTALITY IN CHRYSOTILE PRODUCTION IN QUEBEC, 1910-1975. *Scand J Work Environ Health.* 10: 127-128.
- LIEBERMAJ. (1971). ENVIRONMENTAL AND OCCUPATIONAL HAZARDS OF SPRAY ASBESTOS FIBERS. *Am Ind Hyg Assoc J.* 32: 53-&.
- Lilienfeld, DE. (1991). The silence: the asbestos industry and early occupational cancer research--a case study. *Am J Public Health.* 81: 791-800.
- Lilis, R; Lerman, Y; Selikoff, IJ. (1988). Symptomatic benign pleural effusions among asbestos insulation workers: Residual radiographic abnormalities. *Br J Ind Med.* 45: 443-449. <http://dx.doi.org/10.1136/oem.45.7.443>.
- Lilis, R; Miller, A; Godbold, J; Benkert, S; Wu, X; Selikoff, IJ. (1992). Comparative quantitative evaluation of pleural fibrosis and its effects on pulmonary function in two large asbestos-exposed occupational groups--insulators and sheet metal workers. *Environ Res.* 59: 49-66. [http://dx.doi.org/10.1016/S0013-9351\(05\)80225-7](http://dx.doi.org/10.1016/S0013-9351(05)80225-7).
- Lilis, R; Miller, A; Godbold, J; Benkert, S; Wu, XC; Selikoff, IJ. (1993). COMPARATIVE QUANTITATIVE-EVALUATION OF PLEURAL FIBROSIS AND ITS EFFECTS ON PULMONARY-FUNCTION IN 2 LARGE ASBESTOS-EXPOSED OCCUPATIONAL GROUPS - INSULATORS AND SHEET-METAL WORKERS (VOL 59, PG 49, 1992). *Environ Res.* 60: 332-332.
- Lilis, R; Miller, A; Godbold, J; Chan, E; Selikoff, IJ. (1991). Pulmonary function and pleural fibrosis: Quantitative relationships with an integrative index of pleural abnormalities. *Am J Ind Med.* 20: 145-161. <http://dx.doi.org/10.1002/ajim.4700200203>.
- Lilis, R; Miller, A; Godbold, J; Chan, E; Selikoff, IJ. (1991). Radiographic abnormalities in asbestos insulators: Effects of duration from onset of exposure and smoking. Relationships of dyspnea with parenchymal and pleural fibrosis. *Am J Ind Med.* 20: 1-15. <http://dx.doi.org/10.1002/ajim.4700200102>.
- Lilis, R; Ribak, J; Suzuki, Y; Penner, L; Bernstein, N; Selikoff, IJ. (1987). Non-malignant chest x ray changes in patients with mesothelioma in a large cohort of asbestos insulation workers. *Br J Ind Med.* 44: 402-406.
- Lilis, R; Selikoff, IJ; Lerman, Y; Seidman, H; Gelb, SK. (1986). Asbestosis: interstitial pulmonary fibrosis and pleural fibrosis in a cohort of asbestos insulation workers: influence of cigarette smoking. *Am J Ind Med.* 10: 459-470.
- Lim, MK. (1992). Asbestos in Buildings: Risk Assessment and Control Measures. *J Occup Med.* 4: 26-30.
- Lin, FB; Chang, JW. (1988). MEASUREMENT OF AIRBORNE ASBESTOS DUST IN WORKSITES (pp. KOBE). (BIOSIS/89/32761). Lin, FB; Chang, JW.
- Lin, Q; Jiang, CQ; Lam, T; Xu, L, in; Jin, Y; Cheng, K. (2014). Past Occupational Dust Exposure, Depressive Symptoms and Anxiety in Retired Chinese Factory Workers: The Guangzhou Biobank Cohort Study. *J Occup Health.* 56: 444-452. <http://dx.doi.org/10.1539/joh.14-0100-OA>.
- Lin, S; Wang, X; Yano, E; Yu, I; Lan, Y; Courtice, MN; Christiani, DC. (2014). Exposure to chrysotile mining dust and digestive cancer mortality in a Chinese miner/miller cohort. *Occup Environ Med.* 71: 323-328. <http://dx.doi.org/10.1136/oemed-2013-101360>.

Engineering/Occupational Exposure Literature Search Results

On Topic

- Lindsay, JP; Stavrakys, KM; Howe, GR. (1993). THE CANADIAN LABOR-FORCE 10-PERCENT SAMPLE STUDY - CANCER MORTALITY AMONG MEN, 1965-1979. *J Occup Environ Med.* 35: 408-414.
- Lioy, PJ; Weisel, CP; Millette, JR; Eisenreich, S; Vallero, D; Offenberg, J; Buckley, B; Turpin, B; Zhong, M; Cohen, MD; Prophete, C; Yang, I; Stiles, R; Chee, G; Johnson, W; Porcja, R; Alimokhtari, S; Hale, RC; Weschler, C; Chen, LC. (2002). Characterization of the dust/smoke aerosol that settled east of the World Trade Center (WTC) in lower Manhattan after the collapse of the WTC 11 September 2001. *Environ Health Perspect.* 110: 703-714. <http://dx.doi.org/10.1289/ehp.02110703>.
- Lippmann, M; Timbrell, V. (1990). PARTICLE LOADING IN THE HUMAN LUNG - HUMAN-EXPERIENCE AND IMPLICATIONS FOR EXPOSURE LIMITS. *J Aerosol Med.* 3: S155-S168.
- Lippy, BE. (2002). Safety and health of heavy equipment operators at Ground Zero. *Am J Ind Med.* 42: 539-542. <http://dx.doi.org/10.1002/ajim.10152>.
- Liss, GM; Kusiak, RA; Gailitis, MM. (1997). Hospital records: an underutilized source of information regarding occupational diseases and exposures. *Am J Ind Med.* 31: 100-106.
- Liveright, T; Gann, P; Mcana, J. (1986). Health Hazard Evaluation Report No. HETA-81-372-1727, Exxon Corporation, Bayway Refinery and Chemical Plant, Linden, New Jersey (pp. 81-372). (NIOSH/00165825). Liveright, T; Gann, P; Mcana, J.
- Lohrer, W. (1981). AIR-POLLUTION BY ASBESTOS AND OTHER FIBROUS DUSTS - A REVIEW ON THE WHOLE OF THE PROBLEM. *Staub, Reinhaltung der Luft.* 41: 387-395.
- London, M; Rinsky, R. (1986). Health Hazard Evaluation Report No. HETA-81-025-1668, Operative Plasterers' and Cement Masons' International Association, Washington, D.C (pp. 81-025). (NIOSH/00163124). London, M; Rinsky, R.
- Longo, WE; Egeland, WB; Hatfield, RL; Newton, LR. (2002). Fiber release during the removal of asbestos-containing gaskets: a work practice simulation. *Appl Occup Environ Hyg.* 17: 55-62. <http://dx.doi.org/10.1080/104732202753306168>.
- Loomis, D; Dement, J; Richardson, D; Wolf, S. (2010). Asbestos fibre dimensions and lung cancer mortality among workers exposed to chrysotile. *Occup Environ Med.* 67: 580-584. <http://dx.doi.org/10.1136/oem.2009.050120>.
- Loomis, D; Dement, JM; Elliott, L; Richardson, D; Kuempel, ED; Stayner, L. (2012). Increased lung cancer mortality among chrysotile asbestos textile workers is more strongly associated with exposure to long thin fibres. *Occup Environ Med.* 69: 564-568. <http://dx.doi.org/10.1136/oemed-2012-100676>.
- Loomis, D; Dement, JM; Wolf, SH; Richardson, DB. (2009). Lung cancer mortality and fibre exposures among North Carolina asbestos textile workers. *Occup Environ Med.* 66: 535-542. <http://dx.doi.org/10.1136/oem.2008.044362>.
- Loomis, D; Schulz, M. (2000). Mortality from six work-related cancers among African Americans and Latinos. *Am J Ind Med.* 38: 565-575.
- Lope, V; Pollan, M; Gustavsson, P; Plato, N; Perez-Gomez, B; Aragones, N; Suarez, B; Carrasco, JM; Rodriguez, S; Ramis, R; Boldo, E; Lopez-Abente, G. (2005). Occupation and thyroid cancer risk in Sweden. *J Occup Environ Med.* 47: 948-957. <http://dx.doi.org/10.1097/01.jom.0000169564.21523.5d>.
- Lopez DE SA, A; Cirugeda, ME; Blanco, C. (1987). ASBESTOS FIBERS IN WATER-DISTRIBUTING SYSTEMS A REVIEW. *Alimentaria.* 24: 37-42.
- Lord, BN; Jongedyk, HA. (1985). ASBESTOS IN BRAKE LININGS. *Chem Eng News.* 63: 4-4.
- Lordi, GM; Reichman, LB. (1993). Pulmonary complications of asbestos exposure [Review]. *Am Fam Physician.* 48: 1471-1477.
- Lorimer, WV; Rohl, AN; Miller, A; Nicholson, WJ; Selikoff, IJ. (1976). ASBESTOS EXPOSURE OF BRAKE REPAIR WORKERS IN UNITED-STATES. *Mt Sinai J Med.* 43: 207-218.
- Lotter, JT; Roberts, B; Henshaw, JL; Pierce, JS. (2016). Airborne asbestos exposures associated with the installation and removal of roofing products. *J Occup Environ Hyg.* 13: D121-D131. <http://dx.doi.org/10.1080/15459624.2016.1183010>.
- Loyola, RC; Carneiro, AP; Silveira, AM; La Rocca, P; Nascimento, MS; Chaves, RH. (2010). Respiratory effects from industrial talc exposure among former mining workers. *Rev Saude Publica.* 44: 541-547.
- Lozewicz, S; Reznick, RH; Herdman, M; Dacie, JE; Mclean, A; Davies, RJ. (1989). Role of computed tomography in evaluating asbestos related lung disease. *Br J Ind Med.* 46: 777-781.
- Lucas, JE; Kronoveter, KJ. (1982). Health Hazard Evaluation Report, No. HETA-81-297-1116, U. S. Postal Service, Washington Bulk Mail Center, Washington, D.C. (NIOSH/00127498). Lucas, JE; Kronoveter, KJ.
- Luce, D; Leclerc, A; Bégin, D; Demers, PA; Gérin, M; Orłowski, E; Kogevinas, M; Belli, S; Bugel, I; Bolm-Audorff, U; Brinton, LA; Comba, P; Hardell, L; Hayes, RB; Magnani, C; Merler, E; Preston-Martin, S; Vaughan, TL; Zheng, W; Boffetta, P. (2002). Sinonasal cancer and occupational exposures: a pooled analysis of 12 case-control studies. *Cancer Causes Control.* 13: 147-157. <http://dx.doi.org/10.1023/A:1014350004255>.
- Luce, D; Stücker, I; Group, IS. (2011). Investigation of occupational and environmental causes of respiratory cancers (ICARE): A multicenter, population-based case-control study in France. *BMC Public Health.* 11: 928. <http://dx.doi.org/10.1186/1471-2458-11-928>.
- Ludwig, ER; Madeksho, L; Egilman, D. (2001). RE: Mesothelioma and lung tumors attributable to asbestos among petroleum workers. *Am. J. Ind. Med.* 2000. 37:275-282 [Letter]. *Am J Ind Med.* 39: 524-527.
- Lumley, KP. (1971). Asbestos dust levels inside firefighting helmets with chrysotile asbestos covers. *Ann Occup Hyg.* 14: 285-286.
- Lundgren, DA; Vanderpool, RW; Liu, BYH. (1991). ASBESTOS FIBER CONCENTRATIONS RESULTING FROM THE INSTALLATION, MAINTENANCE AND REMOVAL OF VINYL-ASBESTOS FLOOR TILE. *Particle & Particle Systems Characterization.* 8: 233-236.
- Lutz, W; Krajewska, B; Piłacik, B. (1997). Determination of tissue polypeptide antigens (TPA) and carcinoembryonic antigen (CEA) in serum: its value in the preliminary cancer risk assessment in asbestos exposed workers. *Int J Occup Med Environ Health.* 10: 259-265.
- Lynch, JR. (1966). Results of Air Samples at American Asbestos Textile Corporation, Meredith, New Hampshire. (NIOSH/00105827). Lynch, JR.
- Lynch, JR. (1967). Result of Air Sample at Flint-Kote, Ravenna, Ohio. (NIOSH/00105346). Lynch, JR.
- Lynch, JR. (1968). Results of Air Samples at Certain-Teed Products, Santa Clara, California. (NIOSH/00105989). Lynch, JR.

Engineering/Occupational Exposure Literature Search Results

On Topic

- Lynch, JR. (1968). Results of Air Samples at Fabco Industrial Insulation, Emeryville, California. (NIOSH/00105995). Lynch, JR.
- Lynch, JR. (1968). Results of Air Samples at Pittsburg Corning in Tyler, Texas. (NIOSH/00106145). Lynch, JR.
- Lynch, JR; Ayer, HE. (1966). Measurement of dust exposures in the asbestos textile industry. *Am Ind Hyg Assoc J.* 27: 431-437. <http://dx.doi.org/10.1080/00028896609342449>.
- Lynch, JR; Ayer, HE. (1968). Measurement of asbestos exposure. *J Occup Med.* 10: 21-24.
- Macarthur, A; Le, N; Fang, R; Band, P. (2009). Identification of occupational cancer risk in British Columbia: A population-based case-control study of 2,998 lung cancers by histopathological subtype. *Am J Ind Med.* 52: 221-232. <http://dx.doi.org/10.1002/ajim.20663>.
- Madl, AK; Devlin, KD; Perez, AL; Hollins, DM; Cowan, DM; Scott, PK; White, K; Cheng, TJ; Henshaw, JL. (2015). Airborne asbestos exposures associated with gasket and packing replacement: a simulation study of flange and valve repair work and an assessment of exposure variables. *Regul Toxicol Pharmacol.* 71: 35-51. <http://dx.doi.org/10.1016/j.yrtph.2014.10.017>.
- Madl, AK; Gaffney, SH; Balzer, JL; Paustenbach, DJ. (2009). Airborne asbestos concentrations associated with heavy equipment brake removal. *Ann Occup Hyg.* 53: 839-857. <http://dx.doi.org/10.1093/annhyg/mep056>.
- Madl, AK; Hollins, DM; Devlin, KD; Donovan, EP; Dopart, PJ; Scott, PK; Perez, AL. (2014). Airborne asbestos exposures associated with gasket and packing replacement: a simulation study and meta-analysis. *Regul Toxicol Pharmacol.* 69: 304-319. <http://dx.doi.org/10.1016/j.yrtph.2014.04.007>.
- Madl, AK; Scott, LL; Murbach, DM; Fehling, KA; Finley, BL; Paustenbach, DJ. (2008). Exposure to chrysotile asbestos associated with unpacking and repacking boxes of automobile brake pads and shoes. *Ann Occup Hyg.* 52: 463-479. <http://dx.doi.org/10.1093/annhyg/men028>.
- Magnani, C; Dalmasso, P; Biggeri, A; Ivaldi, C; Mirabelli, D; Terracini, B. (2001). Increased risk of malignant mesothelioma of the pleura after residential or domestic exposure to asbestos: A case-control study in Casale Monferrato, Italy. *Environ Health Perspect.* 109: 915-919. <http://dx.doi.org/10.1289/ehp.01109915>.
- Magnani, C; Ferrante, D; Barone-Adesi, F; Bertolotti, M; Todesco, A; Mirabelli, D; Terracini, B. (2008). Cancer risk after cessation of asbestos exposure: A cohort study of Italian asbestos cement workers. *Occup Environ Med.* 65: 164-170. <http://dx.doi.org/10.1136/oem.2007.032847>.
- Magnani, C; Leporati, M. (1998). Mortality from lung cancer and population risk attributable to asbestos in an asbestos cement manufacturing town in Italy. *Occup Environ Med.* 55: 111-114.
- Magnani, C; Mollo, F; Paoletti, L; Bellis, D; Bernardi, P; Betta, P; Botta, M; Falchi, M; Ivaldi, C; Pavesi, M. (1998). Asbestos lung burden and asbestosis after occupational and environmental exposure in an asbestos cement manufacturing area: a necropsy study. *Occup Environ Med.* 55: 840-846.
- Magnani, C; Terracini, B; Ivaldi, C; Botta, M; Mancini, A; Andron, A. (1995). Pleural malignant mesothelioma and non-occupational exposure to asbestos in Casale Monferrato, Italy. *Occup Environ Med.* 52: 362-367.
- Mah, M; Boatman, ES. (1978). Scanning and transmission electron microscopy of new and used asbestos-cement pipe utilized in the distribution of water supplies (pp. 85-92). (HEEP/79/00474). Mah, M; Boatman, ES.
- Mai, YW. (1979). STRENGTH AND FRACTURE PROPERTIES OF ASBESTOS-CEMENT MORTAR COMPOSITES. *Journal of Materials Science.* 14: 2091-2102.
- Maino, A; Gianelle, V; Onida, F; Albiero, S. (1995). [Occupational exposure to asbestos in removal and protective treatment of roof coverings]. *Med Lav.* 86: 546-554.
- Major, G; Vardy, GF. (1989). Public perception of risk and its consequences: the case of a natural fibrous mineral deposit. *IARC Sci Publ*497-508.
- Makie, T; Adcock, D; Lackland, DT; Hoel, DG. (2005). Pulmonary abnormalities associated with occupational exposures at the Savannah River Site. *Am J Ind Med.* 48: 365-372. <http://dx.doi.org/10.1002/ajim.20224>.
- Malhotra, VM; Winer, A. (1976). USE OF ASBESTOS FIBER IN PORTLAND-CEMENT AND SULFUR CONCRETES. 69: 131-138.
- Maltoni, C. (1997). The Long-Lasting Legacy of Industrial Carcinogens: The Lesson of Asbestos. Irving J. Selikoff Memorial Lecture, 1995. *Ann N Y Acad Sci.* 837: 570-586.
- Maltoni, C; Pinto, C; Mobiglia, A. (1991). Mesotheliomas following exposure to asbestos used in railroads: the Italian cases. *Toxicol Ind Health.* 7: 1-45.
- Mándi, A; Posgay, M; Vadász, P; Major, K; Rödelsperger, K; Tossavainen, A; Ungváry, G; Woitowitz, HJ; Galambos, E; Németh, L; Soltész, I; Egerváry, M; Böszörményi Nagy, G. (2000). Role of occupational asbestos exposure in Hungarian lung cancer patients. *Int Arch Occup Environ Health.* 73: 555-560.
- Manfredo, I. (2015). Accidental discovery of asbestos-related occupational pleural disease in unemployed carpenter: a healthcare safety net that needs mending. *Arh Hig Rada Toksikol.* 66: 213-215. <http://dx.doi.org/10.1515/aiht-2015-66-2682>.
- Mangold, C; Clark, K; Madl, A; Paustenbach, D. (2006). An exposure study of bystanders and workers during the installation and removal of asbestos gaskets and packing. *J Occup Environ Hyg.* 3: 87-98. <http://dx.doi.org/10.1080/15459620500498067>.
- Manke, J; Bruckel, B; Rodelsperger, K; Woitowitz, HJ. (1984). ANALYSIS OF LUNG DUST AFTER OCCUPATIONAL EXPOSURE TO WHITE ASBESTOS (CHRYSOTIL). *Arbeitsmedizin, Sozialmedizin, Praeventivmedizin.* 19: 257-261.
- Manke, J; Roedelsperger, K; H-J, W; Scharmann, A. (1990). ELECTRON MICROSCOPE IDENTIFICATION OF MINERAL FIBERS IN HUMAN LUNG TISSUE. *Naturwissenschaften.* 77: 433-435.
- Marchand, JL; Luce, D; Leclerc, A; Goldberg, P; Orlowski, E; Bugel, I; Brugère, J. (2000). Laryngeal and hypopharyngeal cancer and occupational exposure to asbestos and man-made vitreous fibers: results of a case-control study. *Am J Ind Med.* 37: 581-589.
- Marczynski, B; Kraus, T; Rozynek, P; Schlösser, S; Raithel, HJ; Baur, X. (2001). Changes in low molecular weight DNA fragmentation in white blood cells of workers highly exposed to asbestos. *Int Arch Occup Environ Health.* 74: 315-324.

Engineering/Occupational Exposure Literature Search Results

On Topic

- Marfels, H; Spurny, KR; Jaekel, F; Boose, C; Althaus, W; Opiela, H; Schormann, J; Weiss, G; Wulbeck, FJ. (1987). ASBESTOS FIBER MEASUREMENTS IN THE VICINITY OF EMITTENTS. *J Aerosol Sci.* 18: 627-630.
- Marinaccio, A; Binazzi, A; Bonafede, M; Corfiati, M; Di Marzio, D; Scarselli, A; Verardo, M; Mirabelli, D; Gennaro, V; Mensi, C; Schallemborg, G; Merler, E; Negro, C; Romanelli, A; Chellini, E; Silvestri, S; Cocchioni, M; Pascucci, C; Stracci, F; Ascoli, V; Trafficante, L; Angelillo, I; Musti, M; Cavone, D; Cauzillo, G; Tallarigo, F; Tumino, R; Melis, M; Group, RW. (2015). Malignant mesothelioma due to non-occupational asbestos exposure from the Italian national surveillance system (ReNaM): epidemiology and public health issues. *Occup Environ Med.* 72: 648-655. <http://dx.doi.org/10.1136/oemed-2014-102297>.
- Marinaccio, A; Binazzi, A; Cauzillo, G; Chellini, E; De Zotti, R; Gennaro, V; Menegozzo, M; Mensi, C; Merler, E; Mirabelli, D; Musti, M; Pannelli, F; Romanelli, A; Scarselli, A; Tosi, S; Tumino, R; Nesti, M; ReNaM, Gdl. (2007). [Epidemiological surveillance of malignant mesothelioma cases in Italy: incidence and asbestos exposure figures by the Italian mesothelioma registry (ReNaM)]. *Epidemiol Prev.* 31: 23-26.
- Marinaccio, A; Scarselli, A; Merler, E; Iavicoli, S. (2012). Mesothelioma incidence surveillance systems and claims for workers' compensation. Epidemiological evidence and prospects for an integrated framework. *BMC Public Health.* 12: 314. <http://dx.doi.org/10.1186/1471-2458-12-314>.
- Marioryad, H; Kakooei, H; Shahtaheri, SJ; Yunesian, M; Azam, K. (2011). Assessment of airborne asbestos exposure at an asbestos cement sheet and pipe factory in Iran. *Regul Toxicol Pharmacol.* 60: 200-205. <http://dx.doi.org/10.1016/j.yrtph.2011.03.005>.
- Marr, WT. (1964). ASBESTOS EXPOSURE DURING NAVAL VESSEL OVERHAUL. *Am Ind Hyg Assoc J.* 25: 264-268. <http://dx.doi.org/10.1080/00028896409342585>.
- Marsh, G; Youk, A; Stone, R; Buchanich, J; Gula, M; Smith, T; Quinn, M. (2001). Historical cohort study of US man-made vitreous fiber production workers: I. 1992 fiberglass cohort follow-up: Initial findings. *J Occup Environ Med.* 43: 741-756.
- Marsh, GM; Gula, MJ; Roggli, VL; Churg, A. (2003). The role of smoking and exposure to asbestos and man-made vitreous fibers in a questionable case of mesothelioma. *Ind Health.* 41: 332-334.
- Marsh, GM; Gula, MJ; Youk, AO; Buchanich, JM; Churg, A; Colby, TV. (2001). Historical cohort study of US man-made vitreous fiber production workers: II. Mortality from mesothelioma. *J Occup Environ Med.* 43: 757-766.
- Marsh, GM; Stone, RA; Esmen, NA; Gula, MJ; Gause, CK; Petersen, NJ; Meaney, FJ; Rodney, S; Prybylski, D. (1997). A case-control study of lung cancer mortality in six Gila Basin, Arizona smelter towns. *Environ Res.* 75: 56-72. <http://dx.doi.org/10.1006/enrs.1997.3768>.
- Marsh, GM; Youk, AO; Roggli, VL. (2011). Asbestos fiber concentrations in the lungs of brake repair workers: commercial amphiboles levels are predictive of chrysotile levels. *Inhal Toxicol.* 23: 681-688. <http://dx.doi.org/10.3109/08958378.2011.580472>.
- Marsili, D; Terracini, B; Santana, VS; Ramos-Bonilla, JP; Pasetto, R; Mazzeo, A; Loomis, D; Comba, P; Algranti, E. (2016). Prevention of Asbestos-Related Disease in Countries Currently Using Asbestos [Review]. *Int J Environ Res Public Health.* 13. <http://dx.doi.org/10.3390/ijerph13050494>.
- Martikainen, P; Lahelma, E; Ripatti, S; Albanes, D; Virtamo, J. (2001). Educational differences in lung cancer mortality in male smokers. *Int J Epidemiol.* 30: 264-267.
- Martin, B. (1900). Asbestos Removal or Treatment in Oklahoma Schools. (NIOSH/00181247). Martin, B.
- Martini, E. (1980). [The measurements of asbestos fibres in the working environment. Methods and problems (author's transl)]. *Med Lav.* 71: 174-182.
- Mas, S; Casterad, X; Laso, N; Lafuente, MJ; Panades, R; Calleja, A; Hernandez, S; Turuguet, D; Deulofeu, R; Ballesta, A; Ascaso, C; Lafuente, A. (2004). Concentration of hydroxyproline in blood: a biological marker in occupational exposure to asbestos and its relationship with Pi*Z and Pi*S polymorphism in the alpha-1 antitrypsin gene. *Am J Ind Med.* 45: 186-193. <http://dx.doi.org/10.1002/ajim.10350>.
- Massaro, T; Baldassarre, A; Pinca, A; Martina, GL; Fiore, S; Lettino, A; Cassano, F; Musti, M. (2012). [Exposure to asbestos in buildings in areas of Basilicata characterized by the presence of rocks containing tremolite]. *G Ital Med Lav Ergon.* 34: 568-570.
- Massaro, T; Dragonieri, S; Martina, GL; Baldassarre, A; Cassano, F; Musti, M. (2012). [Asbestos and agriculture: new perspectives of risk]. *G Ital Med Lav Ergon.* 34: 581-582.
- Mastrangelo, G; Ballarin, MN; Bellini, E; Bicciato, F; Zannol, F; Giofrè, F; Zedde, A; Tessadri, G; Fedeli, U; Valentini, F; Scozzato, L; Marangi, G; Lange, JH. (2009). Asbestos exposure and benign asbestos diseases in 772 formerly exposed workers: dose-response relationships. *Am J Ind Med.* 52: 596-602. <http://dx.doi.org/10.1002/ajim.20713>.
- Mastrangelo, G; Ballarin, MN; Bellini, E; Bizzotto, R; Zannol, F; Giofrè, F; Gobbi, M; Tessadri, G; Marchiori, L; Marangi, G; Bozzolan, S; Lange, JH; Valentini, F; Spolaore, P. (2008). Feasibility of a screening programme for lung cancer in former asbestos workers. *Occup Med (Lond).* 58: 175-180. <http://dx.doi.org/10.1093/occmed/kqn018>.
- Mastrangelo, G; Fadda, E; Comiati, V; Dell'Aquila, M; Zamprogno, E; Fedeli, U; Bellini, E. (2014). A rare occupation causing mesothelioma: mechanisms and differential etiology. *Med Lav.* 105: 337-345.
- Mastrangelo, G; Marangi, G; Ballarin, MN; Fadda, E; Scozzato, L; Fedeli, U; Marchiori, L; Valentini, F. (2016). Lung cancer risk in past asbestos workers few decades after exposure cessation and prospects for screening. *Arch Environ Occup Health.* 71: 0. <http://dx.doi.org/10.1080/19338244.2015.1134423>.
- Mastrangelo, G; Marangi, G; Ballarin, MN; Michilin, S; Fabricio, AS; Valentini, F; Lange, JH; Fedeli, U; Cegolon, L; Gion, M. (2011). Osteopontin, asbestos exposure and pleural plaques: a cross-sectional study. *BMC Public Health.* 11: 220. <http://dx.doi.org/10.1186/1471-2458-11-220>.
- Mateo, M; Perez-Carraminana, C; Chinchon, S. (2013). Varieties of asbestos in buildings and risks associated with the work of deconstruction. *Informes de la Construcción.* 65: 311-324. <http://dx.doi.org/10.3989/ic.11.118>.
- Matos, EL; Vilensky, M; Mirabelli, D; Boffetta, P. (2000). Occupational exposures and lung cancer in Buenos Aires, Argentina. *J Occup Environ Med.* 42: 653-659.

Engineering/Occupational Exposure Literature Search Results

On Topic

- Matrat, M; Guida, F; Mattei, F; C n e, S; Cyr, D; F votte, J; Sanchez, M; Menvielle, G; Radoi, L; Schmaus, A; Woronoff, AS; Luce, D; St cker, I; Group, IS. (2016). Welding, a risk factor of lung cancer: the ICARE study. *Occup Environ Med.* 73: 254-261. <http://dx.doi.org/10.1136/oemed-2015-102964>.
- Matrat, M; Pairon, JC; Paolillo, AG; Joly, N; Iwatsubo, Y; Orłowski, E; Letourneux, M; Ameille, J. (2004). Asbestos exposure and radiological abnormalities among maintenance and custodian workers in buildings with friable asbestos-containing materials. *Int Arch Occup Environ Health.* 77: 307-312. <http://dx.doi.org/10.1007/s00420-004-0520-7>.
- Mattenklott, M. (2007). Asbestos in talc powders and in soapstone - The present state. *Staub, Reinhaltung der Luft.* 67: 287-292.
- Matthews, JC; Stowe, R. (2015). Critical Data Needs Associated with Asbestos Cement Pipe Renewal Methods. *Journal of Construction Engineering and Management.* 141. [http://dx.doi.org/10.1061/\(ASCE\)CO.1943-7862.0000914](http://dx.doi.org/10.1061/(ASCE)CO.1943-7862.0000914).
- Mattioli, S; Nini, D; Mancini, G; Violante, FS. (2002). Past asbestos exposure levels in foundries and cement-asbestos factories [Letter]. *Am J Ind Med.* 42: 363. <http://dx.doi.org/10.1002/ajim.10114>.
- Mattioli, S; Truffelli, D; Baldasseroni, A; Risi, A; Marchesini, B; Giacomini, C; Bacchini, P; Violante, FS; Buiatti, E. (2002). Occupational risk factors for renal cell cancer: A case-control study in northern Italy. *J Occup Environ Med.* 44: 1028-1036. <http://dx.doi.org/10.1097/01.jom.0000038320.36316.cb>.
- Maule, MM; Biggeri, A; Dalmasso, P; Merletti, F; Magnani, C. (2006). Environmental exposure increases dramatically the risk of mesothelioma in an asbestos manufacturing area. *Eur J Epidemiol.* 21: 47-47.
- Maule, MM; Magnani, C; Dalmasso, P; Mirabelli, D; Merletti, F; Biggeri, A. (2007). Modeling mesothelioma risk associated with environmental asbestos exposure. *Environ Health Perspect.* 115: 1066-1071. <http://dx.doi.org/10.1289/ehp.9900>.
- Mauskopf, JA. (1987). Projections of cancer risks attributable to future exposure to asbestos. *Risk Anal.* 7: 477-486.
- Mccammon, C; Lee, S. (1990). Hazard Evaluation and Technical Assistance Report HETA 90-151-L2067, Department of Energy, Westside Energy Co-Op, Denver, Colorado. 13.
- Mccammon, C; Lee, S. (1990). Hazard Evaluation and Technical Assistance Report No. HETA-90-151-L2067, Department of Energy, Westside Energy Co-Op, Denver, Colorado (pp. 90-151). (NIOSH/00196019). Mccammon, C; Lee, S.
- Mccammon, JB; Hills, B; Orgel, D. (1990). Health Hazard Evaluation Report HETA 88-348-2081, A.E. Staley Manufacturing Company, Decatur, Illinois. 45.
- Mccredie, M; Stewart, JH. (1993). RISK-FACTORS FOR KIDNEY CANCER IN NEW-SOUTH-WALES .4. OCCUPATION. *Br J Ind Med.* 50: 349-354.
- Mccullagh, SF. (1980). Is There A Risk To Health In Using Asbestos-Cement Pipes For The Carriage Of Drinking Water. *Ann Occup Hyg.* 23: 189-193.
- Mcculloch, J. (2003). Asbestos mining in Southern Africa, 1893-2002. *Int J Occup Environ Health.* 9: 230-235. <http://dx.doi.org/10.1179/oeh.2003.9.3.230>.
- Mcculloch, J. (2005). Mining and mendacity, or how to keep a toxic product in the marketplace. *Int J Occup Environ Health.* 11: 398-403. <http://dx.doi.org/10.1179/oeh.2005.11.4.398>.
- Mccunney, RJ; Russo, PK; Doyle, JR. (1987). Occupational Illness in the Arts. *Am Fam Physician.* 36: 145-153.
- Mcdermott, M; Bevan, MM; Elmes, PC; Allardice, JT; Bradley, AC. (1982). Lung function and radiographic change in chrysotile workers in Swaziland. *Br J Ind Med.* 39: 338-343. <http://dx.doi.org/10.1136/oem.39.4.338>.
- Mcdonald, AD; Case, BW; Churg, A; Dufresne, A; Gibbs, GW; S bastien, P; Mcdonald, JC. (1997). Mesothelioma in Quebec chrysotile miners and millers: epidemiology and aetiology. *Ann Occup Hyg.* 41: 707-719. [http://dx.doi.org/10.1016/S0003-4878\(97\)00020-3](http://dx.doi.org/10.1016/S0003-4878(97)00020-3).
- Mcdonald, AD; Fry, JS; Woolley, AJ; Mcdonald, JC. (1983). Dust exposure and mortality in an American chrysotile textile plant. *Occup Environ Med.* 40: 361-367.
- Mcdonald, AD; Fry, JS; Woolley, AJ; Mcdonald, JC. (1983). Dust exposure and mortality in an American factory using chrysotile, amosite, and crocidolite in mainly textile manufacture. *Occup Environ Med.* 40: 368-374.
- Mcdonald, AD; Fry, JS; Woolley, AJ; Mcdonald, JC. (1984). Dust exposure and mortality in an American chrysotile asbestos friction products plant. *Occup Environ Med.* 41: 151-157.
- Mcdonald, AD; Mcdonald, JC. (1978). Mesothelioma after crocidolite exposure during gas mask manufacture. *Environ Res.* 17: 340-346.
- Mcdonald, C. (1997). Some observations on the epidemiology of benign pleural disease. *Indoor Built Environ.* 6: 96-99.
- Mcdonald, JC. (1971). HEALTH OF QUEBEC ASBESTOS WORKERS. 64: 65-&.
- Mcdonald, JC. (1985). Health implications of environmental exposure to asbestos. *Environ Health Perspect.* 62: 319-328.
- Mcdonald, JC. (1998). Mineral fibre persistence and carcinogenicity. *Ind Health.* 36: 372-375.
- Mcdonald, JC. (1998). Unfinished business: the asbestos textiles mystery [Review]. *Ann Occup Hyg.* 42: 3-5.
- Mcdonald, JC. (2010). Epidemiology of malignant mesothelioma--an outline. *Ann Occup Hyg.* 54: 851-857. <http://dx.doi.org/10.1093/annhyg/meq076>.
- Mcdonald, JC; Armstrong, BG; Edwards, CW; Gibbs, AR; Lloyd, HM; Pooley, FD; Ross, DJ; Rudd, RM. (2001). Case-referent survey of young adults with mesothelioma: I. Lung fibre analyses. *Ann Occup Hyg.* 45: 513-518.
- Mcdonald, JC; Becklake, MR; Fournier-Massey, G; Rossiter, CE. (1972). Respiratory symptoms in chrysotile asbestos mine and mill workers of Quebec. *Arch Environ Health.* 24: 358-363.
- Mcdonald, JC; Becklake, MR; Gibbs, GW; Mcdonald, AD; Rossiter, CE. (1974). The health of chrysotile asbestos mine and mill workers of Quebec. *Arch Environ Health.* 28: 61-68.
- Mcdonald, JC; Case, BW; Enterline, PE; Henderson, V; Mcdonald, AD; Plourde, M; Sebastien, P. (1990). Lung dust analysis in the assessment of past exposure of man-made mineral fibre workers. *Ann Occup Hyg.* 34: 427-441.

Engineering/Occupational Exposure Literature Search Results

On Topic

- Mcdonald, JC; Cherry, N; Mcnamee, R; Burgess, G; Turner, S. (1995). Preliminary analysis of proportional mortality in a cohort of British pottery workers exposed to crystalline silica. *Scand J Work Environ Health*. 21 Suppl 2: 63-65.
- Mcdonald, JC; Edwards, CW; Gibbs, AR; Lloyd, HM; Pooley, FD; Ross, DJ; Rudd, RM. (2001). Case-referent survey of young adults with mesothelioma: II. Occupational analyses. *Ann Occup Hyg*. 45: 519-523. <http://dx.doi.org/10.1093/annhyg/45.7.519>.
- Mcdonald, JC; Harris, J; Armstrong, B. (2004). Mortality in a cohort of vermiculite miners exposed to fibrous amphibole in Libby, Montana. *Occup Environ Med*. 61: 363-366. <http://dx.doi.org/10.1136/oem.2003.008649>.
- Mcdonald, JC; Harris, JM; Berry, G. (2006). Sixty years on: The price of assembling military gas masks in 1940. *Occup Environ Med*. 63: 852-855. <http://dx.doi.org/10.1136/oem.2006.028258>.
- Mcdonald, JC; Liddell, FD; Dufresne, A; Mcdonald, AD. (1993). The 1891-1920 birth cohort of Quebec chrysotile miners and millers: mortality 1976-88. *Br J Ind Med*. 50: 1073-1081.
- Mcdonald, JC; Liddell, FD; Gibbs, GW; Eyssen, GE; Mcdonald, AD. (1993). Dust exposure and mortality in chrysotile mining, 1910-75. 1980. *Br J Ind Med*. 50: 1058-1072.
- Mcdonald, JC; Liddell, FDK; Gibbs, GW; Eyssen, GE; Mcdonald, AD. (1980). Dust exposure and mortality in chrysotile mining, 1910-75. *Occup Environ Med*. 37: 11-24.
- Mcdonald, JC; Mcdonald, A. (1993). WORK-RELATED MESOTHELIOMA IN QUEBEC, 1967-1990. *Am J Ind Med*. 24: 245-246.
- Mcdonald, JC; Mcdonald, AD. (1997). Chrysotile, tremolite and carcinogenicity. *Ann Occup Hyg*. 41: 699-705. [http://dx.doi.org/10.1016/S0003-4878\(97\)89350-7](http://dx.doi.org/10.1016/S0003-4878(97)89350-7).
- Mcdonald, JC; Mcdonald, AD; Hughes, JM. (1999). Chrysotile, tremolite and fibrogenicity. *Ann Occup Hyg*. 43: 439-442.
- Mcdonald, JC; Mcdonald, AD; Sebastien, P; Moy, K. (1988). Health of vermiculite miners exposed to trace amounts of fibrous tremolite. *Occup Environ Med*. 45: 630-634. <http://dx.doi.org/10.1136/oem.45.9.630>.
- Mcdonald, JC; Sébastien, P; Case, B; Mcdonald, AD; Dufresne, A. (1992). Ferruginous body counts in sputum as an index of past exposure to mineral fibres. *Ann Occup Hyg*. 36: 271-282.
- Mcelvenny, DM; Darnton, AJ; Price, MJ; Hodgson, JT. (2005). Mesothelioma mortality in Great Britain from 1968 to 2001. *Occup Med (Lond)*. 55: 79-87. <http://dx.doi.org/10.1093/occmed/kqi034>.
- Mckinnery, WN, Jr; Moore, RW. (1992). Evaluation of airborne asbestos fiber levels during removal and installation of valve gaskets and packing. *AIHA J*. 53: 531-532.
- Mcmillan, GH. (1983). The health of welders in naval dockyards. The risk of asbestos-related diseases occurring in welders. *J Occup Med*. 25: 727-730.
- Mcmillan, GH; Pethybridge, RJ; Sheers, G. (1980). Effect of smoking on attack rates of pulmonary and pleural lesions related to exposure to asbestos dust. *Br J Ind Med*. 37: 268-272. <http://dx.doi.org/10.1136/oem.37.3.268>.
- Meck, M; Love, D; Mapani, B. (2006). Zimbabwean mine dumps and their impacts on river water quality - a reconnaissance study. *Phys Chem Earth*. 31: 797-803. <http://dx.doi.org/10.1016/j.pce.2006.08.029>.
- Meeran, R. (2003). Cape Plc: South African mineworkers' quest for justice. *Int J Occup Environ Health*. 9: 218-229. <http://dx.doi.org/10.1179/oeh.2003.9.3.218>.
- Meguellati-Hakkas, D; Cyr, D; Stücker, I; Févotte, J; Pilorget, C; Luce, D; Guénel, P. (2006). Lung cancer mortality and occupational exposure to asbestos among telephone linemen: a historical cohort study in France. *J Occup Environ Med*. 48: 1166-1172. <http://dx.doi.org/10.1097/01.jom.0000243357.70143.47>.
- Mehlman, MA. (1991). Dangerous and cancer-causing properties of products and chemicals in the oil refining and petrochemical industry: Part V--Asbestos-caused cancers and exposure of workers in the oil refining industry. *Toxicol Ind Health*. 7: 53-71.
- Mehlman, MA. (1991). Dangerous and cancer-causing properties of products and chemicals in the oil-refining and petrochemical industries. Part IX: Asbestos exposure and analysis of exposures [Review]. *Ann N Y Acad Sci*. 643: 368-389.
- Mellemgaard, A; Engholm, G; Mclaughlin, JK; Olsen, JH. (1994). Occupational risk factors for renal-cell carcinoma in Denmark. *Scand J Work Environ Health*. 20: 160-165.
- Menegozzo, S; Comba, P; Ferrante, D; De Santis, M; Gorini, G; Izzo, F; Magnani, C; Pirastu, R; Simonetti, A; Tunesi, S; Menegozzo, M. (2011). Mortality study in an asbestos cement factory in Naples, Italy. *Ann Ist Super Sanita*. 47: 296-304. http://dx.doi.org/DOI:10.4415/ANN_11_03_10.
- Menichini, E; Marconi, A. (1982). Asbestos in brake and clutch factories: Results of an environmental survey. *G Ital Med Lav*. 4: 4-5.
- Mensi, C; Bonzini, M; Macchione, M; Sieno, C; Riboldi, L; Pesatori, AC. (2011). Differences among peritoneal and pleural mesothelioma: data from the Lombardy Region Mesothelioma Register (Italy). *Med Lav*. 102: 409-416.
- Mensi, C; De Matteis, S; Dallari, B; Riboldi, L; Bertazzi, PA; Consonni, D. (2016). Incidence of mesothelioma in Lombardy, Italy: exposure to asbestos, time patterns and future projections. *Occup Environ Med*. 73: 607-613. <http://dx.doi.org/10.1136/oemed-2016-103652>.
- Mensi, C; Garberi, A; Bordini, L; Sieno, C; Riboldi, L. (2010). Asbestos-related diseases in entertainment workers. *Med Lav*. 101: 416-418.
- Mensi, C; Garberi, A; Trinco, R; Riboldi, L. (2009). The upholsterer and the asbestos [Letter]. *Occup Environ Med*. 66: 855. <http://dx.doi.org/10.1136/oem.2009.050658>.
- Mensi, C; Giacomini, S; Sieno, C; Consonni, D; Riboldi, L. (2011). Pericardial mesothelioma and asbestos exposure. *Int J Hyg Environ Health*. 214: 276-279. <http://dx.doi.org/10.1016/j.ijheh.2010.11.005>.
- Mensi, C; Macchione, M; Termine, L; Canti, Z; Rivolta, G; Riboldi, L; Chiappino, G. (2007). [Asbestos exposure in the non-asbestos textile industry: the experience of the Lombardy Mesothelioma Registry]. *Epidemiol Prev*. 31: 27-30.
- Mensi, C; Poltronieri, A; Romano, A; Dallari, B; Riboldi, L; Bertazzi, PA; Consonni, D. (2016). [Malignant mesotheliomas with unknown exposure to asbestos: a re-examination]. *Med Lav*. 107: 22-28.

Engineering/Occupational Exposure Literature Search Results

On Topic

- Mensi, C; Riboldi, L; De Matteis, S; Bertazzi, PA; Consonni, D. (2015). Impact of an asbestos cement factory on mesothelioma incidence: global assessment of effects of occupational, familial, and environmental exposure. *Environ Int.* 74: 191-199. <http://dx.doi.org/10.1016/j.envint.2014.10.016>.
- Mensi, C; Termine, L; Canti, Z; Rivolta, G; Riboldi, L; Pesatori, AC; Chiappino, G. (2007). [The Lombardy Mesothelioma Register, Regional Operating Centre (ROC) of National Mesothelioma Register: organizational aspects]. *Epidemiol Prev.* 31: 283-289.
- Menvielle, G; Franck, JE; Radoi, L; Sanchez, M; Févotte, J; Guizard, AV; Stücker, I; Luce, D; group, Is. (2016). Quantifying the mediating effects of smoking and occupational exposures in the relation between education and lung cancer: the ICARE study. *Eur J Epidemiol.* 31: 1213-1221. <http://dx.doi.org/10.1007/s10654-016-0182-2>.
- Menvielle, G; Luce, D; Févotte, J; Bugel, I; Salomon, C; Goldberg, P; Billon-Galland, MA; Goldberg, M. (2003). Occupational exposures and lung cancer in New Caledonia. *Occup Environ Med.* 60: 584-589.
- Merchant, JA; Klouda, PT; Soutar, CA; Parkes, WR; Lawler, SD; Turner-Warwick, M. (1975). The HL-A system in asbestos workers. *Br Med J.* 1: 189-191.
- Meredith, SK; McDonald, JC. (1994). Work-related respiratory disease in the United Kingdom, 1989-1992: report on the SWORD project. *Occup Med (Lond).* 44: 183-189.
- Meredith, SK; Taylor, VM; McDonald, JC. (1991). Occupational respiratory disease in the United Kingdom 1989: a report to the British Thoracic Society and the Society of Occupational Medicine by the SWORD project group. *Br J Ind Med.* 48: 292-298.
- Merler, E. (1998). A cross-sectional study on asbestos workers carried out in Italy in 1940: a forgotten study. *Am J Ind Med.* 33: 90-93.
- Merler, E. (2007). [Mesothelioma incidence decreases parallel to asbestos exposure decrement or interruption: a confirmation of a dose-response relationship, with implications in public health] [Review]. *Epidemiol Prev.* 31: 46-52.
- Merler, E; Barbieri, PG; Bressan, V; Somigliana, A. (2010). LUNG FIBER BURDEN AMONG ITALIAN SUBJECTS WITH MESOTHELIOMAS OCCUPATIONALLY OR OTHERWISE EXPOSED TO ASBESTOS. *Epidemiol Prev.* 34: 160-161.
- Merler, E; Bizzotto, R; Calisti, R; Cavone, D; De Marzo, N; Gioffrè, F; Mabilia, T; Marcolina, D; Musti, M; Munafò, MG; Roberti, S; Zambon, P. (2003). Mesotheliomas among Italians, returned to the home country, who worked when migrant at a cement-asbestos factory in Switzerland. *Soz Präventivmed.* 48: 65-69.
- Merler, E; Bressan, V; Somigliana, A; Maligni, GRVSM. (2009). [Mesothelioma in construction workers: risk estimate, lung content of asbestos fibres, claims for compensation for occupational disease in the Veneto Region mesothelioma register]. *Med Lav.* 100: 120-132.
- Merler, E; Buiatti, E; Vainio, H. (1997). Surveillance and intervention studies on respiratory cancers in asbestos-exposed workers [Review]. *Scand J Work Environ Health.* 23: 83-92.
- Merlo, DF; Garattini, S; Gelatti, U; Simonati, C; Covolo, L; Ceppi, M; Donato, F. (2004). A mortality cohort study among workers in a graphite electrode production plant in Italy. *Occup Environ Med.* 61.
- Metayer, C; Scelo, G; Kang, AY; Gunier, RB; Reinier, K; Lea, S; Chang, JS; Selvin, S; Kirsch, J; Crouse, V; Does, M; Quinlan, P; Hammond, SK. (2016). A task-based assessment of parental occupational exposure to organic solvents and other compounds and the risk of childhood leukemia in California. *Environ Res.* 151: 174-183. <http://dx.doi.org/10.1016/j.envres.2016.06.047>.
- Meurman, LO; Pukkala, E; Hakama, M. (1994). Incidence of cancer among anthophyllite asbestos miners in Finland. *Occup Environ Med.* 51: 421-425.
- Mezger, J; Pethran, A; Woitowitz, HJ. (1992). MESOTHELIOMA AFTER EXPOSURE TO ASBESTOS AS PRISONER OF WAR. *Arbeitsmedizin, Sozialmedizin, Präventivmedizin.* 27: 23-25.
- Michaels, D; Zoloth, S. (1988). Asbestos disease in sheet metal workers: proportional mortality update. *Am J Ind Med.* 13: 731-734.
- Michaels, D; Zoloth, S; Lacher, M; Holstein, E; Lilis, R; Drucker, E. (1987). Asbestos disease in sheet metal workers: II. Radiologic signs of asbestosis among active workers. *Am J Ind Med.* 12: 595-603.
- Miller, A. (1984). DECREASED LUNG-FUNCTION IN LONG-TERM ASBESTOS CEMENT WORKERS - A CROSS-SECTIONAL STUDY. *Am J Ind Med.* 6: 321-321.
- Miller, A; Lilis, R; Godbold, J; Wu, X. (1996). Relation of spirometric function to radiographic interstitial fibrosis in two large workforces exposed to asbestos: An evaluation of the ILO profusion score. *Occup Environ Med.* 53: 808-812. <http://dx.doi.org/10.1136/oem.53.12.808>.
- Miller, JA; Zurlo, JV. (1996). Asbestos plaques in a typical Veteran's hospital population. *Am J Ind Med.* 30: 726-729. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199612\)30:6<726::AID-AJIM9>3.0.CO;2-O](http://dx.doi.org/10.1002/(SICI)1097-0274(199612)30:6<726::AID-AJIM9>3.0.CO;2-O).
- Millette, J. R.; Boone, RL; Rosenthal, MT; McCabe, LJ. (1981). The need to control asbestos fibers in potable water supply systems. *Sci Total Environ.* 18: 91-102.
- Millette, JR; Mount, MD. (1993). A Study Determining Asbestos Fiber Release during the Removal of Valve Packing. *Appl Occup Environ Hyg.* 8: 790-793.
- Milne, JE. (1976). Thirty-two cases of mesothelioma in Victoria, Australia: a retrospective survey related to occupational asbestos exposure. *Br J Ind Med.* 33: 115-122.
- Minowa, M; Hatano, S; Ashizawa, M; Oguro, H; Naruhashi, H; Suzuki, M; Mitoku, K; Miwa, M; Wakamatsu, C; Yasuda, Y. (1991). A case-control study of lung cancer with special reference to asbestos exposure. *Environ Health Perspect.* 94: 39-42.
- Mirabelli, D; Calisti, R; Barone-Adesi, F; Fornero, E; Merletti, F; Magnani, C. (2008). Excess of mesotheliomas after exposure to chrysotile in Balangero, Italy. *Occup Environ Med.* 65: 815-819. <http://dx.doi.org/10.1136/oem.2007.037689>.
- Mirabelli, D; Cavone, D; Merler, E; Gennaro, V; Romanelli, A; Mensi, C; Chellini, E; Nicita, C; Marinaccio, A; Magnani, C; Musti, M. (2010). Non-occupational exposure to asbestos and malignant mesothelioma in the Italian National Registry of Mesotheliomas. *Occup Environ Med.* 67: 792-794. <http://dx.doi.org/10.1136/oem.2009.047019>.

Engineering/Occupational Exposure Literature Search Results

On Topic

- Miscetti, G; Bodo, P; Garofani, P; Abbritti, EP; Lumare, A. (2014). [Levels of exposure to respirable fibres at worksites for abatement of compact and friable asbestos]. *Med Lav.* 105: 63-73.
- Mlynarek, S; Corn, M; Blake, C. (1996). Asbestos exposure of building maintenance personnel. *Regul Toxicol Pharmacol.* 23: 213-224. <http://dx.doi.org/10.1006/rtph.1996.0045>.
- Mlynarek, SP; Van Orden, DR. (2012). Asbestos exposure from the overhaul of a Pratt & Whitney R2800 engine. *Regul Toxicol Pharmacol.* 64: 189-194. <http://dx.doi.org/10.1016/j.yrtph.2012.07.004>.
- Mlynarek, SP; Van Orden, DR. (2012). Assessment of potential asbestos exposures from jet engine overhaul work. *Regul Toxicol Pharmacol.* 63: 78-83. <http://dx.doi.org/10.1016/j.yrtph.2012.02.010>.
- Mohamed, IY. (1990). Asbestos-cement pneumoconiosis: first surgically confirmed case in Kuwait. *Am J Ind Med.* 17: 241-245.
- Mohsenifar, Z; Jasper, AJ; Mahrer, T; Koerner, SK. (1986). Asbestos and airflow limitation. *J Occup Med.* 28: 817-820. <http://dx.doi.org/10.1097/00043764-198609000-00012>.
- Molinini, R; Paoletti, L; Albrizio, M; Pennella, A; Nardulli, F; Caruso, G. (1992). Occupational exposure to asbestos and urinary bladder cancer. *Environ Res.* 58: 176-183.
- Mollo, F; Andrion, A; Bellis, D; Bertoldo, E; Colombo, A. (1987). Screening of autopsy populations for previous occupational exposure to asbestos. *Arch Environ Health.* 42: 44-50. <http://dx.doi.org/10.1080/00039896.1987.9935794>.
- Monechi, MV; Di Natale, M; Vannucchi, G; Zappa, M. (1987). [Asbestos pollution in the Prato textile cycle: environmental study]. *Med Lav.* 78: 293-300.
- Monechi, MV; Di Natale, M; Vannucchi, G; Zappa, M. (1987). Asbestos pollution in the Prato textile industry: Environmental investigation. 78: 293-300.
- Montanaro, F; Ceppi, M; Puntoni, R; Silvano, S; Gennaro, V. (2004). Asbestos exposure and cancer mortality among petroleum refinery workers: a Poisson regression analysis of updated data. *Arch Environ Health.* 59: 188-193. <http://dx.doi.org/10.3200/AEOH.59.4.188-193>.
- Moore, LL. (1988). ASBESTOS EXPOSURE ASSOCIATED WITH AUTOMOTIVE BRAKE REPAIR IN PENNSYLVANIA. *Am Ind Hyg Assoc J.* 49: A12-A13.
- Moore, LL. (1988). ASBESTOS EXPOSURE ASSOCIATED WITH AUTOMOTIVE BRAKE REPAIR IN PENNSYLVANIA USA. *Am Ind Hyg Assoc J.* 49.
- Morabia, A; Markowitz, S; Garibaldi, K; Wynder, EL. (1992). LUNG-CANCER AND OCCUPATION - RESULTS OF A MULTICENTER CASE-CONTROL STUDY. *Br J Ind Med.* 49: 721-727.
- Morgan, A; Holmes, A. (1982). Concentrations and characteristics of amphibole fibres in the lungs of workers exposed to crocidolite in the British gas-mask factories, and elsewhere, during the second world war. *Br J Ind Med.* 39: 62-69.
- Morgan, A; Holmes, A. (1983). Distribution and characteristics of amphibole asbestos fibres, measured with the light microscope, in the left lung of an insulation worker. *Occup Environ Med.* 40: 45-50.
- Morgan, A; Holmes, A. (1984). The distribution and characteristics of asbestos fibers in the lungs of Finnish anthophyllite mine-workers. *Environ Res.* 33: 62-75.
- Morinaga, K; Kishimoto, T; Sakatani, M; Akira, M; Yokoyama, K; Sera, Y. (2001). Asbestos-related lung cancer and mesothelioma in Japan [Review]. *Ind Health.* 39: 65-74.
- Morshed, MM; Haseeb, ASM, A. (2004). Physical and chemical characteristics of commercially available brake shoe lining materials: a comparative study. *J Mater Process Tech.* 155: 1422-1427. <http://dx.doi.org/10.1016/j.matprotec.2004.04.232>.
- Moshammer, H; Neuberger, M. (2009). Lung function predicts survival in a cohort of asbestos cement workers. *Int Arch Occup Environ Health.* 82: 199-207. <http://dx.doi.org/10.1007/s00420-008-0322-4>.
- Moulin, JJ. (1997). A meta-analysis of epidemiologic studies of lung cancer in welders. *Scand J Work Environ Health.* 23: 104-113.
- Moulin, JJ; Lafontaine, M; Mantout, B; Belanger, A; Michel, M; Wild, P; Clavel, T; Fournier, M; Fontana, JM. (1995). [Mortality due to bronchopulmonary cancers in workers of 2 foundries]. *Rev Epidemiol Sante Publique.* 43: 107-121.
- Moulin, JJ; Wild, P; Haguenoer, JM; Faucon, D; De Gaudemaris, R; Mur, JM; Mereau, M; Gary, Y; Toamain, JP; Birembaut, Y. (1993). A mortality study among mild steel and stainless steel welders. *Br J Ind Med.* 50: 234-243.
- Mowat, F; Bono, M; Lee, RJ; Tamburello, S; Paustenbach, D. (2005). Occupational exposure to airborne asbestos from phenolic molding material (Bakelite) during sanding, drilling, and related activities. *J Occup Environ Hyg.* 2: 497-507. <http://dx.doi.org/10.1080/15459620500274237>.
- Mowat, F; Weidling, R; Sheehan, P. (2007). Simulation tests to assess occupational exposure to airborne asbestos from asphalt-based roofing products. *Ann Occup Hyg.* 51: 451-462. <http://dx.doi.org/10.1093/annhyg/mem020>.
- Mowat, FS; Bono, M; Paustenbach, DJ. (2004). Occupational Exposure To Airborne Chrysotile Asbestos During Use And Removal Of Mastics, Coating, And Adhesives (CIRCA 1940s-Present Day). *Toxicologist.* 78: 108.
- Mowé, G; Gylseth, B; Hartveit, F; Skaug, V. (1984). Occupational asbestos exposure, lung-fiber concentration and latency time in malignant mesothelioma. *Scand J Work Environ Health.* 10: 293-298.
- Moy, EV; Hu, H; Christiani, DC. (1999). A retired shipyard worker with rapidly progressive pulmonary interstitial fibrosis. *Environ Health Perspect.* 107: 321-327.
- Mukherjee, AK; Rajmohan, HR; Dave, SK; Rajan, BK; Kakde, Y; Rao, SR. (1992). An environmental survey in chrysotile asbestos milling processes in India. *Am J Ind Med.* 22: 543-551.
- Mukherjee, AK; Rajmohan, RR; Dave, SK; Rajan, BK; Kakde, Y; Rao, SR. (1996). Pollution and its control in asbestos milling processes in India. *Ind Health.* 34: 35-43.
- Mur, JM. (1992). Epidemiology of respiratory hazards: recent advances [Review]. *Rev Epidemiol Sante Publique.* 40 Suppl 1: S27-S41.
- Murai, Y; Kitagawa, M. (1992). Asbestos fiber analysis in 27 malignant mesothelioma cases. *Am J Ind Med.* 22: 193-207.

Engineering/Occupational Exposure Literature Search Results

On Topic

- Murbach, D; Chapman, P; Madl, A; Brown, J; Paustenbach, D. (2006). Evaluation of bricklayer exposures to airborne asbestos in steel mills (1972-1981). *Epidemiology*. 17: S462-S463.
- Murbach, D; Chapman, P; Madl, A; Paustenbach, D. (2006). Evaluation of background exposures to airborne asbestos on maritime shipping vessels (1972-1992). *Epidemiology*. 17: S462-S462.
- Murbach, DM; Madl, AK; Unice, KM; Knutsen, JS; Chapman, PS; Brown, JL; Paustenbach, DJ. (2008). Airborne concentrations of asbestos onboard maritime shipping vessels (1978-1992). *Ann Occup Hyg*. 52: 267-279. <http://dx.doi.org/10.1093/annhyg/men015>.
- Murphy, RL; Gaensler, EA; Redding, RA; Belleau, R; Keelan, PJ; Smith, AA; Goff, AM; Ferris, BG. (1972). Low exposure to asbestos. Gas exchange in ship pipe coverers and controls. *Arch Environ Health*. 25: 253-264.
- Muscat, JE; Stellman, SD; Richie, JP; Wynder, EL. (1998). Lung cancer risk and workplace exposures in black men and women. *Environ Res*. 76: 78-84. <http://dx.doi.org/10.1006/enrs.1997.3787>.
- Muscat, JE; Stellman, SD; Wynder, EL. (1995). Insulation, asbestos, smoking habits, and lung cancer cell types. *Am J Ind Med*. 27: 257-269.
- Musingwini, C; Muzoriwa, C; Phuti, D; Mbirikira, D. (2005). First cycle experience of a business process re-engineering programme at Shabanie Mine. *J S Afr Inst Min Metall*. 105: 215-221.
- Musk, AW; Deklerk, NH; Eccles, JL; Hobbs, MST; Armstrong, BK; Layman, L; McNulty, JC. (1992). WITTENOOM, WESTERN-AUSTRALIA - A MODERN INDUSTRIAL DISASTER. *Am J Ind Med*. 21: 735-747.
- Musk, AW; Olsen, NJ; Reid, A; Threlfall, T; de Klerk, NH. (2006). Asbestos-related disease from recycled hessian superphosphate bags in rural Western Australia. *Aust N Z J Public Health*. 30: 312-313.
- Mutetwa, B; Chikonyora, M; Dozva, R; Mazibuko, D. (2005). The evaluation of chrysotile asbestos fibre levels in major chrysotile cement manufacturing companies in Zimbabwe. 11: 7-11.
- Mwaiselage, J; Bratveit, M; Moen, B; Mashalla, Y. (2004). Cement dust exposure and ventilatory function impairment: An exposure-response study. *J Occup Environ Med*. 46: 658-667. <http://dx.doi.org/10.1097/01.jom.0000131787.02250.79>.
- Myojin, T; Azuma, K; Okumura, J; Uchiyama, I. (2012). Future Trends of Mesothelioma Mortality in Japan Based on a Risk Function. *Ind Health*. 50: 197-204.
- Mzileni, O; Sitas, F; Steyn, K; Carrara, H; Bekker, P. (1999). Lung cancer, tobacco, and environmental factors in the African population of the Northern Province, South Africa. *Tob Control*. 8: 398-401.
- Naidoo, RN; Robins, TG; Solomon, A; White, N; Franzblau, A. (2004). Radiographic outcomes among South African coal miners. *Int Arch Occup Environ Health*. 77: 471-481. <http://dx.doi.org/10.1007/s00420-004-0532-3>.
- Naimi. (2015). Estimating the Effect of Cumulative Occupational Asbestos Exposure on Time to Lung Cancer Mortality: using structural nested failure-time models to account for healthy-worker survivor bias (vol 25, pg 246, 2014). *Epidemiology*. 26: 778-778.
- Naimi, AI; Cole, SR; Hudgens, MG; Brookhart, MA; Richardson, DB. (2013). Assessing the component associations of the healthy worker survivor bias: occupational asbestos exposure and lung cancer mortality. *Ann Epidemiol*. 23: 334-341. <http://dx.doi.org/10.1016/j.annepidem.2013.03.013>.
- Naimi, AI; Cole, SR; Hudgens, MG; Richardson, DB. (2014). Estimating the effect of cumulative occupational asbestos exposure on time to lung cancer mortality: using structural nested failure-time models to account for healthy-worker survivor bias. *Epidemiology*. 25: 246-254. <http://dx.doi.org/10.1097/EDE.0000000000000045>.
- Nakadate, T. (1995). Decline in annual lung function in workers exposed to asbestos with and without pre-existing fibrotic changes on chest radiography. *Occup Environ Med*. 52: 368-373.
- Nam, IS; Oh, HJ; Kim, JM; Yang, JH; Kim, JS; Sohn, JR, JR. (2015). Comparison of Risk Assessment Criteria and Distribution of Asbestos-Containing Materials in School Building. *International Journal of Environmental Research*. 9: 1341-1350.
- Nam, JM; Rice, C; Gail, MH. (2005). Comparison of asbestos exposure assessments by next-of-kin respondents, by an occupational hygienist, and by a job-exposure matrix from the National Occupational Hazard Survey. *Am J Ind Med*. 47: 443-450. <http://dx.doi.org/10.1002/ajim.20168>.
- NASA. (1990). Environmental Projects. Volume 12: Friable Asbestos Abatement, GDSCC. 210.
- Nash, DR; Fortson, NG; McLarty, JW; Hurst, GA. (1981). Serum protein concentrations and respiratory tract abnormalities following short-term exposure to amosite: A comparison between former asbestos workers and unexposed controls. *J Toxicol Environ Health*. 7: 733-744. <http://dx.doi.org/10.1080/15287398109530015>.
- Nath, S. (1985). PREVALENCE OF ASBESTOSIS IN ASBESTOS FIBER PROCESSING UNIT (pp. 139-150). (BIOSIS/86/14066). Nath, S.
- Nawrat, G; Gnot, W. (2000). Diaphragms and membranes used in electrolyzers for chlorine production. *Przemysł Chemiczny*. 79: 407-+.
- Nayebzadeh, A; Case, BW; Massé, J; Dufresne, A. (2006). Mineralogical and exposure determinants of pulmonary fibrosis among Québec chrysotile miners and millers. *Int Arch Occup Environ Health*. 79: 227-236. <http://dx.doi.org/10.1007/s00420-005-0046-7>.
- Nemo, A; Boccuzzi, MT; Silvestri, S. (2009). [Asbestos import in Italy: the transit through Livorno harbour from 1957 to 1995]. *Epidemiol Prev*. 33: 59-64.
- Nemo, A; Silvestri, S. (2014). Mesothelioma in a wine cellar man: detailed description of working procedures and past asbestos exposure estimation. *Ann Occup Hyg*. 58: 1168-1174. <http://dx.doi.org/10.1093/annhyg/meu062>.
- Neri, S; Antonelli, A; Falaschi, F; Boraschi, P; Baschieri, L. (1994). Findings from high resolution computed tomography of the lung and pleura of symptom free workers exposed to amosite who had normal chest radiographs and pulmonary function tests. *Occup Environ Med*. 51: 239-243.
- Neri, S; Boraschi, P; Antonelli, A; Falaschi, F; Baschieri, L. (1996). Pulmonary function, smoking habits, and high resolution computed tomography (HRCT) early abnormalities of lung and pleural fibrosis in shipyard workers exposed to asbestos. *Am J Ind Med*. 30: 588-595. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199611\)30:5<588::AID-AJIM6>3.0.CO;2-P](http://dx.doi.org/10.1002/(SICI)1097-0274(199611)30:5<588::AID-AJIM6>3.0.CO;2-P).

Engineering/Occupational Exposure Literature Search Results

On Topic

- Nesti, M; Marinaccio, A; Chellini, E. (2004). Malignant mesothelioma in Italy, 1997. *Am J Ind Med.* 45: 55-62.
<http://dx.doi.org/10.1002/ajim.10313>.
- Neuberger, M. (1979). ASBESTOS INDUCED OCCUPATIONAL-DISEASES IN AUSTRIA. *Arbeitsmedizin, Sozialmedizin, Praeventivmedizin.* 14: 35-39.
- Neuberger, M. (1983). OCCUPATIONAL ASBESTOS DISEASES IN AUSTRIA. *Arbeitsmedizin, Sozialmedizin, Praeventivmedizin.* 18: 54-58.
- Neuberger, M; Ambrosch, P; Kundi, M. (1985). [Prevention of occupational cancer in the asbestos cement industry (preliminary report)]. *Zentralbl Bakteriol Mikrobiol Hyg.* 181: 81-86.
- Neuberger, M; Kundi, M. (1990). Individual asbestos exposure: smoking and mortality--a cohort study in the asbestos cement industry. *Br J Ind Med.* 47: 615-620.
- Neuberger, M; Vutuc, C. (2003). Three decades of pleural cancer and mesothelioma registration in Austria where asbestos cement was invented. *Int Arch Occup Environ Health.* 76: 161-166. <http://dx.doi.org/10.1007/s00420-002-0397-2>.
- Neumann, V; Günthe, S; Mülle, KM; Fischer, M. (2001). Malignant mesothelioma--German mesothelioma register 1987-1999. *Int Arch Occup Environ Health.* 74: 383-395.
- Newhouse, ML. (1977). Asbestos content of dust encountered in brake maintenance and repair. *Proc R Soc Med.* 70: 291.
- Newhouse, ML; Berry, G; Skidmore, JW. (1982). A mortality study of workers manufacturing friction materials with chrysotile asbestos. *Ann Occup Hyg.* 26: 899-909.
- Newhouse, ML; Thompson, H. (1993). MESOTHELIOMA OF PLEURA AND PERITONEUM FOLLOWING EXPOSURE TO ASBESTOS IN THE LONDON AREA (REPRINTED FROM BRITISH JOURNAL OF INDUSTRIAL MEDICINE, VOL 22, PG 262-269, 1965). *Br J Ind Med.* 50: 769-769.
- Newhouse, ML; Wagner, JC; Turok, ME; Berry, G. (1972). STUDY OF MORTALITY OF FEMALE ASBESTOS WORKERS. *Br J Ind Med.* 29: 134-&.
- Nicholson, WJ. (2001). The carcinogenicity of chrysotile asbestos--a review [Review]. *Ind Health.* 39: 57-64.
- Nicholson, WJ; Rohl, A; Fischbein, SA; Selikoff, IJ. (1975). OCCUPATIONAL AND COMMUNITY ASBESTOS EXPOSURE FROM WALLBOARD FINISHING COMPOUNDS. *Bull NY Acad Med.* 51: 1180-1181.
- Nielsen, LS; Baelum, J; Rasmussen, J; Dahl, S; Olsen, K; Albin, M; Hansen, NC; Sherson, D. (2014). Occupational Asbestos Exposure and Lung Cancer-A Systematic Review of the Literature [Review]. *Arch Environ Occup Health.* 69: 191-206.
<http://dx.doi.org/10.1080/19338244.2013.863752>.
- Nishikawa, K; Takahashi, K; Karjalainen, A; Wen, CP; Furuya, S; Hoshuyama, T; Todoroki, M; Kiyomoto, Y; Wilson, D; Higashi, T; Ohtaki, M; Pan, G; Wagner, G. (2008). Recent mortality from pleural mesothelioma, historical patterns of asbestos use, and adoption of bans: a global assessment. *Environ Health Perspect.* 116: 1675-1680. <http://dx.doi.org/10.1289/ehp.11272>.
- Nokso-Koivisto, P; Pukkala, E. (1994). Past exposure to asbestos and combustion products and incidence of cancer among Finnish locomotive drivers. *Occup Environ Med.* 51: 330-334.
- Nolan, RP; Langer, AM; Addison, J. (1994). Lung content analysis of cases occupationally exposed to chrysotile asbestos. *Environ Health Perspect.* 102 Suppl 5: 245-250.
- Nolan, RP; Langer, AM; Wilson, R. (1999). A risk assessment for exposure to grunerite asbestos (amosite) in an iron ore mine. *Proc Natl Acad Sci USA.* 96: 3412-3419.
- Nolan, RP; Ross, M; Nord, GL; Axten, CW; Osleeb, JP; Domnin, SG; Price, B; Wilson, R. (2005). Risk assessment for asbestos-related cancer from the 9/11 attack on the World Trade Center. *J Occup Environ Med.* 47: 817-825.
<http://dx.doi.org/10.1097/01.jom.000167273.17109.6d>.
- Nurminen, M; Karjalainen, A. (2001). Epidemiologic estimate of the proportion of fatalities related to occupational factors in Finland. *Scand J Work Environ Health.* 27: 161-213.
- Nurminen, M; Karjalainen, A; Takahashi, K. (2003). Estimating the induction period of pleural mesothelioma from aggregate data on asbestos consumption. *J Occup Environ Med.* 45: 1107-1115. <http://dx.doi.org/10.1097/01.jom.0000091682.95314.01>.
- Nyberg, F; Gustavsson, P; Jarup, L; Bellander, T; Berglind, N; Jakobsson, R; Pershagen, G. (2000). Urban air pollution and lung cancer in Stockholm. *Epidemiology.* 11: 487-495.
- Nzimande, Z; Chauke, H. (2012). Sustainability through responsible environmental mining. 112: 135-139.
- Oddone, E; Ferrante, D; Cena, T; Tunesi, S; Amendola, P; Magnani, C. (2014). [Asbestos cement factory in Broni (Pavia, Italy): a mortality study]. *Med Lav.* 105: 15-29.
- Oddone, E; Imbriani, M. (2016). Pleural mesothelioma: Case-report of uncommon occupational asbestos exposure in a small furniture industry. *Int J Occup Med Environ Health.* 29: 523-526. <http://dx.doi.org/10.13075/ijomeh.1896.00597>.
- Offermans, NS; Vermeulen, R; Burdorf, A; Goldbohm, RA; Kauppinen, T; Kromhout, H; van den Brandt, PA. (2014). Occupational asbestos exposure and risk of pleural mesothelioma, lung cancer, and laryngeal cancer in the prospective Netherlands cohort study. *J Occup Environ Med.* 56: 6-19. <http://dx.doi.org/10.1097/JOM.000000000000060>.
- Offermans, NSM; Vermeulen, R; Burdorf, A; Goldbohm, RA; Keszei, AP; Peters, S; Kauppinen, T; Kromhout, H; van Den Brandt, PA. (2014). Occupational asbestos exposure and risk of oral cavity and pharyngeal cancer in the prospective Netherlands Cohort Study. *Scand J Work Environ Health.* 40: 420-427. <http://dx.doi.org/10.5271/sjweh.3434>.
- Offermans, NSM; Vermeulen, R; Burdorf, A; Peters, S; Goldbohm, RA; Koeman, T, om; van Tongeren, M; Kauppinen, T; Kant, I; Kromhout, H; van Den Brandt, PA. (2012). Comparison of expert and job-exposure matrix-based retrospective exposure assessment of occupational carcinogens in the Netherlands Cohort Study. *Occup Environ Med.* 69: 745-751. <http://dx.doi.org/10.1136/oemed-2011-100556>.
- Ogden, TL. (2009). Canadian chrysotile report released--at last [Editorial]. *Ann Occup Hyg.* 53: 307-309.
<http://dx.doi.org/10.1093/annhyg/mep031>.
- Ogunseitan, OA. (2015). The asbestos paradox: global gaps in the translational science of disease prevention (vol 93, pg 359, 2015). *Bull World Health Organ.* 93: 436-436.

Engineering/Occupational Exposure Literature Search Results

On Topic

- Ohlson, CG; Bodin, L; Rydman, T; Hogstedt, C. (1985). Ventilatory decrements in former asbestos cement workers: a four year follow up. *Br J Ind Med.* 42: 612-616.
- Ohlson, CG; Hogstedt, C. (1985). Lung cancer among asbestos cement workers. A Swedish cohort study and a review. *Br J Ind Med.* 42: 397-402.
- Ohlson, CG; Klaesson, B; Hogstedt, C. (1984). Mortality among asbestos-exposed workers in a railroad workshop. *Scand J Work Environ Health.* 10: 283-291.
- Ohlson, CG; Rydman, T; Sundell, L; Bodin, L; Hogstedt, C. (1984). Decreased lung function in long-term asbestos cement workers: a cross-sectional study. *Am J Ind Med.* 5: 359-366.
- Ojajärvi, IA; Partanen, TJ; Ahlbom, A; Boffetta, P; Hakulinen, T; Jourenkova, N; Kauppinen, TP; Kogevinas, M; Porta, M; Vainio, HU; Weiderpass, E; Wesseling, CH. (2000). Occupational exposures and pancreatic cancer: A meta-analysis. *Occup Environ Med.* 57: 316-324. <http://dx.doi.org/10.1136/oem.57.5.316>.
- Okazaki, I; Maruyama, K; Kobayashi, Y; Lilis, R; Suzuki, Y. (1987). Serum type III procollagen peptide: indicator for pulmonary fibrosis: II. Application in 80 asbestos insulation workers. *Am J Ind Med.* 11: 439-446.
- Oksa, P; Pukkala, E; Karjalainen, A; Ojajärvi, A; Huuskonen, MS. (1997). Cancer incidence and mortality among Finnish asbestos sprayers and in asbestosis and silicosis patients. *Am J Ind Med.* 31: 693-698.
- Oksa, P; Suoranta, H; Koskinen, H; Zitting, A; Nordman, H. (1994). High-resolution computed tomography in the early detection of asbestosis. *Int Arch Occup Environ Health.* 65: 299-304. <http://dx.doi.org/10.1007/BF00405693>.
- Oleru, UG. (1980). Pulmonary function of control and industrially exposed Nigerians in asbestos, textile, and toluene diisocyanate-foam factories. *Environ Res.* 23: 137-148.
- Oliver, LC. (1998). Asbestos in building: Management and related health effects. *J Clean Technol, Environ Toxicol, Occup Med.* 7: 433-443.
- Oliver, LC; Sprince, NL; Greene, R. (1990). Asbestos-related radiographic abnormalities in public school custodians. *Toxicol Ind Health.* 6: 629-636.
- Oliver, LC; Sprince, NL; Greene, R. (1991). Asbestos-related disease in public school custodians. *Am J Ind Med.* 19: 303-316. <http://dx.doi.org/10.1002/ajim.4700190305>.
- Oliver, LC; Sprince, NL; Greene, R. (1992). ASBESTOS-RELATED RADIOGRAPHIC ABNORMALITIES IN PUBLIC-SCHOOL CUSTODIANS. 2: 93-99.
- Oliver, LC; Welch, L; Frank, AL; Lemen, RA; Mutti, L. (2016). New standard for assessing asbestos exposure and its consequences? [Letter]. *Occup Environ Med.* 73: 709-710. <http://dx.doi.org/10.1136/oemed-2016-103693>.
- Olsson, A; Skogh, T; Axelson, O; Wingren, G. (2004). Occupations and exposures in the work environment as determinants for rheumatoid arthritis. *Occup Environ Med.* 61: 233-238. <http://dx.doi.org/10.1136/oem.2003.007971>.
- Omenn, GS; Goodman, GE; Thornquist, MD; Rosenstock, L; Barnhart, S; Gylys-Colwell, I; Metch, B; Lund, B. (1993). The Carotene and Retinol Efficacy Trial (CARET) to prevent lung cancer in high-risk populations: pilot study with asbestos-exposed workers. *Cancer Epidemiol Biomarkers Prev.* 2: 381-387.
- Orlowski, E, wa; Audignon-Durand, S; Goldberg, M; Imbernon, E; Brochard, P. (2015). EV@LUTIL: An Open Access Database on Occupational Exposures to Asbestos and Man-Made Mineral Fibres. *Am J Ind Med.* 58: 1059-1074. <http://dx.doi.org/10.1002/ajim.22498>.
- Orlowski, E; Billon Galland, MA. (1998). [The assessment of asbestos exposure]. *Rev Mal Respir.* 15: 239-245.
- Orlowski, E; et al. (1997). EVALUTIL: Data base for assessing asbestos exposure among users of asbestos containing materials. *Cahiers de notes documentaires. Hygi and aacute:* 5-16.
- Orlowski, E; Galland, MA. (1999). [Assessment of exposure to asbestos]. *Rev Mal Respir.* 16 Suppl 2: S18-S24.
- Orlowski, E; Pohlabeln, H; Berrino, F; Ahrens, W; Bolmaudorff, U; Grossgarten, K; Iwatsubo, Y; Jockel, KH; Brochard, P. (1993). RETROSPECTIVE ASSESSMENT OF ASBESTOS EXPOSURE .2. AT THE JOB LEVEL - COMPLEMENTARITY OF JOB-SPECIFIC QUESTIONNAIRE AND JOB EXPOSURE MATRICES. *Int J Epidemiol.* 22: S96-S105.
- Orris, P; Cone, J; Mcquilkin, S. (1983). Health Hazard Evaluation Report No. HETA-80-096-1359, Eureka Company, Bloomington, Illinois (pp. 80-096). (NIOSH/00134196). Orris, P; Cone, J; Mcquilkin, S.
- Osada, M; Takamiya, K, en; Manako, K; Noguchi, M; Sakai, SI. (2013). Demonstration study of high temperature melting for asbestos-containing waste (ACW). *Journal of Material Cycles and Waste Management.* 15: 25-36. <http://dx.doi.org/10.1007/s10163-012-0088-3>.
- Osinubi, OY; Gochfeld, M; Kipen, HM. (2000). Health effects of asbestos and nonasbestos fibers [Review]. *Environ Health Perspect.* 108 Suppl 4: 665-674.
- Oster, CV. (1971). Results of Sampling at American Asbestos Textile Company, Meredith, New Hampshire. (NIOSH/00105833). Oster, CV.
- Page, RT; Bloomfield, JJ. (1937). A Study of Dust Control Methods in an Asbestos Fabricating Plant. *Public Health Rep.* 52: 1713-1727.
- Paget-Bailly, S; Cyr, D; Luce, D. (2012). Occupational exposures to asbestos, polycyclic aromatic hydrocarbons and solvents, and cancers of the oral cavity and pharynx: a quantitative literature review [Review]. *Int Arch Occup Environ Health.* 85: 341-351. <http://dx.doi.org/10.1007/s00420-011-0683-y>.
- Paik, NW; Walcott, RJ; Brogan, PA. (1983). WORKER EXPOSURE TO ASBESTOS DURING REMOVAL OF SPRAYED MATERIAL AND RENOVATION ACTIVITY IN BUILDINGS CONTAINING SPRAYED MATERIAL. *Am Ind Hyg Assoc J.* 44: 428-432. <http://dx.doi.org/10.1080/15298668391405085>.
- Pairon, JC; Martinon, L; Iwatsubo, Y; Vallentin, F; Billon-Galland, MA; Bignon, J; Brochard, P. (1994). Retention of asbestos bodies in the lungs of welders. *Am J Ind Med.* 25: 793-804.
- Pałaszewska-Tkacz, A; Czerczak, S; Konieczko, K. (2015). [Carcinogenic and mutagenic agents in the workplace, Poland, 2011-2012]. *Med Pr.* 66: 29-38.
- Pan, SY; Ugnat, AM; Mao, Y; Group, CCRER. (2005). Occupational risk factors for brain cancer in Canada. *J Occup Environ Med.* 47: 704-717.

Engineering/Occupational Exposure Literature Search Results

On Topic

- Panahi, D; Kakooei, H; Marioryad, H; Mehrdad, R; Golhosseini, M. (2011). Evaluation of exposure to the airborne asbestos in an asbestos cement sheet manufacturing industry in Iran. *Environ Monit Assess.* 178: 449-454. <http://dx.doi.org/10.1007/s10661-010-1703-1>.
- Pang, TWS; Schonfeld, FA; Nazar, MA. (1987). THE DETERMINATION OF TREMOLITE ASBESTOS IN TALC POWDER SAMPLES. *Ann Occup Hyg.* 31: 219-&.
- Pang, ZC; Zhang, Z; Wang, Y; Zhang, H. (1997). Mortality from a Chinese asbestos plant: overall cancer mortality. *Am J Ind Med.* 32: 442-444.
- Paoletti, L; Caiazza, S; Donelli, G; Pocchiari, F. (1984). Evaluation by electron microscopy techniques of asbestos contamination in industrial, cosmetic, and pharmaceutical talcs. *Regul Toxicol Pharmacol.* 4: 222-235.
- Paoletti, L; Puledda, S. (1992). An approach to the classification and assessment of asbestos-containing wastes - Description of a survey conducted in an industrial area. 83: 371-380.
- Parent, ME; Siemiatycki, J; Laplante, E; Desy, M. (2003). Risk of lung cancer and mesothelioma associated with occupational exposure to asbestos: A population-based case-control study in Montreal, Canada. *Epidemiology.* 14: S69-S70.
- Paris, C; Benichou, J; Raffaelli, C; Genevois, A; Fournier, L; Menard, G; Broessel, N; Ameille, J; Brochard, P; Gillon, JC; Gislard, A; Letourneux, M. (2004). Factors associated with early-stage pulmonary fibrosis as determined by high-resolution computed tomography among persons occupationally exposed to asbestos. *Scand J Work Environ Health.* 30: 206-214.
- Paris, C; Gonzalez, M. (2010). Epidemiology and traceability of occupational exposures to carcinogens. *Arch Mal Prof Environ.* 71: 242-247. <http://dx.doi.org/10.1016/j.admp.2010.03.062>.
- Paris, C; Martin, A; Letourneux, M; Wild, P. (2008). Modelling prevalence and incidence of fibrosis and pleural plaques in asbestos-exposed populations for screening and follow-up: a cross-sectional study. *Environ Health.* 7: 30. <http://dx.doi.org/10.1186/1476-069X-7-30>.
- Park, D. (2008). Trends in occupational asbestos exposure and asbestos consumption over recent decades in Korea (vol 14, pg 18, 2008). *Int J Occup Environ Health.* 14: 93-93.
- Park, D; Choi, S; Ryu, K; Park, J; Paik, N. (2008). Trends in occupational asbestos exposure and asbestos consumption over recent decades in Korea. *Int J Occup Environ Health.* 14: 18-24. <http://dx.doi.org/10.1179/oeh.2008.14.1.18>.
- Park, EK; Hannaford-Turner, KM; Hyland, RA; Johnson, AR; Yates, DH. (2008). Asbestos-related occupational lung diseases in NSW, Australia and potential exposure of the general population [Review]. *Ind Health.* 46: 535-540.
- Park, EK; Takahashi, K; Hoshuyama, T; Cheng, TJ; Delgermaa, V; Le, GV; Sorahan, T. (2011). Global magnitude of reported and unreported mesothelioma. *Environ Health Perspect.* 119: 514-518. <http://dx.doi.org/10.1289/ehp.1002845>.
- Park, EK; Thomas, PS; Wilson, D; Choi, HJ; Johnson, AR; Yates, DH. (2011). Chest pain in asbestos and silica-exposed workers. *Occup Med (Lond).* 61: 178-183. <http://dx.doi.org/10.1093/ocmed/kqr011>.
- Parker, GE. (1982). OCCUPATIONAL-DISEASE - THE ASBESTOS EXPERIENCE. 68: 19-&.
- Parkin, DM; Vizcaino, AP; Skinner, MEG; Ndhlovu, A. (1994). CANCER PATTERNS AND RISK-FACTORS IN THE AFRICAN POPULATION OF SOUTHWESTERN ZIMBABWE, 1963-1977. *Cancer Epidemiol Biomarkers Prev.* 3: 537-547.
- Parks, HJ. (1983). WATER JET SLICES ASBESTOS SAFELY. 36: 10-&.
- Parrish, RG; Hartle, R; Groth, D. (1985). Health Hazard Evaluation Report No. HETA-83-044-1596, General Electric Plant, Evendale, Ohio (pp. 83-044). (NIOSH/00153673). Parrish, RG; Hartle, R; Groth, D.
- Parsons, RC; Bryant, DG; Edstrom, HW. (1986). Variation in fibre and dust counts in an asbestos mine and mill. *Ann Occup Hyg.* 30: 63-75.
- Partanen, T; Heikkila, P; Hernberg, S; Kauppinen, T; Moneta, G; Ojajarvi, A. (1991). Renal cell cancer and occupational exposure to chemical agents. *Scand J Work Environ Health.* 17: 231-239.
- Pasetto, R; Terracini, B; Marsili, D; Comba, P. (2014). Occupational burden of asbestos-related cancer in Argentina, Brazil, Colombia, and Mexico. 80: 263-268. <http://dx.doi.org/10.1016/j.aogh.2014.09.003>.
- Pastuszka, JS. (2009). Emission of airborne fibers from mechanically impacted asbestos-cement sheets and concentration of fibrous aerosol in the home environment in Upper Silesia, Poland. *J Hazard Mater.* 162: 1171-1177. <http://dx.doi.org/10.1016/j.jhazmat.2008.06.045>.
- Patton, JL. (1977). UNUSUAL WATER TREATMENT-PLANT LICKS ASBESTOS FIBER PROBLEM. 14: 41-&.
- Paull, JM; Corn, M; Lees P, SJ; Breyse, PN. (1986). NON-OCCUPATIONAL EXPOSURE TO ASBESTOS IN BUILDINGS A PRACTICAL RISK MANAGEMENT PROGRAM. *Am Ind Hyg Assoc J.* 47: 497-504.
- Paustenbach, DJ; Finley, BL; Lu, ET; Brorby, GP; Sheehan, PJ. (2004). Environmental and occupational health hazards associated with the presence of asbestos in brake linings and pads (1900 to present): a "state-of-the-art" review [Review]. *J Toxicol Environ Health B Crit Rev.* 7: 25-80. <http://dx.doi.org/10.1080/10937400490231494>.
- Paustenbach, DJ; Madl, AK; Donovan, E; Clark, K; Fehling, K; Lee, TC. (2006). Chrysotile asbestos exposure associated with removal of automobile exhaust systems (ca. 1945-1975) by mechanics: results of a simulation study. *J Expo Sci Environ Epidemiol.* 16: 156-171. <http://dx.doi.org/10.1038/sj.jea.7500450>.
- Paustenbach, DJ; Richter, RO; Finley, BL; Sheehan, PJ. (2003). An evaluation of the historical exposures of mechanics to asbestos in brake dust. *Appl Occup Environ Hyg.* 18: 786-804. <http://dx.doi.org/10.1080/10473220301439>.
- Pavlidis, T; Steiglitz, K. (1978). AUTOMATIC COUNTING OF ASBESTOS FIBERS IN AIR SAMPLES. *IEEE Transactions on Computers.* 27: 258-261.
- Pavone, VL; Scarnato, C; Marinilli, P; Costellati, L; Tiranno, A; Alberghini, V; Pandolfi, P. (2012). [Mortality in a cohort of railway rolling stock construction and repair workers in Bologna]. *Med Lav.* 103: 112-122.
- Pearce, N. (1988). Multistage modelling of lung cancer mortality in asbestos textile workers. *Int J Epidemiol.* 17: 747-752.
- Pearce, N; Checkoway, H; Dement, J. (1988). Exponential models for analyses of time-related factors, illustrated with asbestos textile worker mortality data. *J Occup Med.* 30: 517-522.
- Pearce, N; Matos, E; Boffetta, P; Kogevinas, M; Vainio, H. (1994). Occupational Exposures to Carcinogens in Developing Countries (pp. 684-689). (NIOSH/00225268). Pearce, N; Matos, E; Boffetta, P; Kogevinas, M; Vainio, H.

Engineering/Occupational Exposure Literature Search Results

On Topic

- Pearle, JL. (1982). Smoking and duration of asbestos exposure in the production of functional and roentgenographic abnormalities in shipyard workers. *J Occup Med.* 24: 37-40.
- Pearson, VAH; Sims, PA. (1992). AN ASBESTOS HAZARD IN NORTH DEVON. *J Publ Health Med.* 14: 376-379.
- Pearson, WL. (1985). CEMENT ASBESTOS AND OCCUPATIONAL-HEALTH. 31: 13-14.
- Peck, AS; Serocki, JJ; Dicker, LC. (1985). AIRBORNE ASBESTOS MEASUREMENT - PRELIMINARY FINDINGS IDENTIFY A NEW SOURCE OF VARIABILITY IN THE MEMBRANE-FILTER METHOD. *Am Ind Hyg Assoc J.* 46: B14-B16.
- Peck, AS; Serocki, JJ; Dicker, LC. (1986). SAMPLE DENSITY AND THE QUANTITATIVE CAPABILITIES OF PCM ANALYSIS FOR THE MEASUREMENT OF AIRBORNE ASBESTOS. *Am Ind Hyg Assoc J.* 47: A230-&.
- Pekarskii, GS; Volchenko, YA; Katsman, YY; Kucher, GA. (1978). NONDESTRUCTIVE NEUTRON-RADIATION TESTING OF MOISTURE-CONTENT IN NEWLY FORMED ASBESTOS-CEMENT PIPES. *Measurement Techniques.* 21: 713-715.
- Pelclová, D; Bartůnková, J; Fenclová, Z; Lebedová, J; Hladíková, M; Benáková, H. (2003). Asbestos exposure and antineutrophil cytoplasmic Antibody (ANCA) positivity. *Arch Environ Health.* 58: 662-668. <http://dx.doi.org/10.3200/AEOH.58.10.662-668>.
- Pelclová, D; Fenclová, Z; Kacer, P; Kuzma, M; Navrátil, T; Lebedová, J. (2008). Increased 8-isoprostane, a marker of oxidative stress in exhaled breath condensate in subjects with asbestos exposure. *Ind Health.* 46: 484-489.
- Pele, JP; Dunnigan, J; Calvert, R. (1983). THE HEMOLYTIC-ACTIVITY OF CHRYSOTILE ASBESTOS FIBERS - A FREEZE-FRACTURE STUDY. *Environ Res.* 31: 152-163.
- Peng, L; Wang, X. (1993). Lymphocyte B and T cell subsets in peripheral blood from patients with asbestosis. *Br J Ind Med.* 50: 183-184.
- Perkins, RA; Hargeshimer, J; Fourie, W. (2007). Asbestos release from whole-building demolition of buildings with asbestos-containing material. *J Occup Environ Hyg.* 4: 889-894. <http://dx.doi.org/10.1080/15459620701691023>.
- Perkins, RA; Hargeshimer, J; Vaara, L. (2008). Evaluation of public and worker exposure due to naturally occurring asbestos in gravel discovered during a road construction project. *J Occup Environ Hyg.* 5: 609-616. <http://dx.doi.org/10.1080/15459620802289941>.
- Perry, HM; Aldon, EF; Brock, JH. (1987). RECLAMATION OF AN ASBESTOS MILL WASTE SITE IN THE SOUTHWESTERN UNITED-STATES. 6: 187-196.
- Perticarioli, P; Mengucci, R; Carletti, M; Magnini, P; Marcellini, M; Pettinari, A; Durastanti, M. (2013). [Asbestos-related diseases in former asbestos-cement workers in Senigallia]. *Med Lav.* 104: 277-288.
- Perunicic, B; Jablanov, L. (1987). AIRBORNE DUST LEVELS IN AN ASBESTOS PLANT USING CHRYSOTILE RESULTS OF SIMULTANEOUS MEASUREMENTS WITH FOUR METHODS (pp. 323-330). (BIOSIS/88/35152). Perunicic, B; Jablanov, L.
- Pesch, B; Taeger, D; Johnen, G; Gross, IM; Weber, DG; Gube, M; Müller-Lux, A; Heinze, E; Wiethage, T; Neumann, V; Tannapfel, A; Raithel, HJ; Brüning, T; Kraus, T. (2010). Cancer mortality in a surveillance cohort of German males formerly exposed to asbestos. *Int J Hyg Environ Health.* 213: 44-51. <http://dx.doi.org/10.1016/j.ijheh.2009.09.001>.
- Pethran, A. (1990). ASBESTOS IN THE WORLD OF WORK - REVIEW OF POSSIBLE EXPOSURES TO ASBESTOS DUST. *Arbeitsmedizin, Sozialmedizin, Praeventivmedizin.* 25: 446-450.
- Peto, J; Doll, R; Howard, SV; Kinlen, LJ; Lewinsohn, HC. (1977). A mortality study among workers in an English asbestos factory. *Br J Ind Med.* 34: 169-173.
- Pettazzoni, M; Rivolta, G; Mascagni, P; Carcano, M; Porro, S; Toffoletto, F. (2007). [The presence of asbestos bodies in induced sputum as an indicator of asbestos exposure]. *Med Lav.* 98: 25-29.
- Pfau, JC; Sentissi, JJ; Weller, G; Putnam, EA. (2005). Assessment of autoimmune responses associated with asbestos exposure in Libby, Montana, USA. *Environ Health Perspect.* 113: 25-30. <http://dx.doi.org/10.1289/ehp.7431>.
- Phanpravit, W; Sujirarat, D; Musigapong, P; Sripaiboonkij, P; Chaikittiporn, C. (2012). Asbestos Exposure among Mitering Workers. *Saf Health Work.* 3: 235-240. <http://dx.doi.org/10.5491/SHAW.2012.3.3.235>.
- Phillips, CC; Hamilton, CB. (1994). A PRELIMINARY ASSESSMENT OF ASBESTOS AWARENESS AND CONTROL MEASURES IN BRAKE AND CLUTCH REPAIR SERVICES IN KNOXVILLE AND KNOX COUNTY, TENNESSEE. *J Environ Health.* 56: 7-12.
- Phillips, JI; Murray, J. (2010). Malignant mesothelioma in a patient with anthophyllite asbestos fibres in the lungs. *Ann Occup Hyg.* 54: 412-416. <http://dx.doi.org/10.1093/annhyg/meq034>.
- Phoon, WO. (1998). Occupational health in Australia. *Int Arch Occup Environ Health.* 71: 363-371.
- Pierce, J; Mowat, F; Finley, BL. (2006). Characterization Of Chrysotile Asbestos Exposures For Garage Mechanics. *Toxicol Sci.* 90: 173-174.
- Pierre, N; Iwatsubo, Y; Ameille, J; Cordier, S; Mandereau, L; Raix, A; Freddy, M; Delage, A; Bignon, J; Brochard, P. (1995). [Longitudinal study of radiologic anomalies in subjects working in asbestos-insulated buildings]. *Rev Epidemiol Sante Publique.* 43: 432-443.
- Piirilä, P; Lindqvist, M; Huuskonen, O; Kaleva, S; Koskinen, H; Lehtola, H; Vehmas, T; Kivisaari, L; Sovijärvi, AR. (2005). Impairment of lung function in asbestos-exposed workers in relation to high-resolution computed tomography. *Scand J Work Environ Health.* 31: 44-51.
- Pilger, A; Rüdiger, HW. (2006). 8-Hydroxy-2'-deoxyguanosine as a marker of oxidative DNA damage related to occupational and environmental exposures [Review]. *Int Arch Occup Environ Health.* 80: 1-15. <http://dx.doi.org/10.1007/s00420-006-0106-7>.
- Pintos, J; Parent, ME; Case, BW; Rousseau, MC; Siemiatycki, J. (2009). Risk of mesothelioma and occupational exposure to asbestos and man-made vitreous fibers: evidence from two case-control studies in Montreal, Canada. *J Occup Environ Med.* 51: 1177-1184. <http://dx.doi.org/10.1097/JOM.0b013e3181b68cef>.
- Pintos, J; Parent, ME; Rousseau, MC; Case, BW; Siemiatycki, J. (2008). Occupational exposure to asbestos and man-made vitreous fibers, and risk of lung cancer: evidence from two case-control studies in Montreal, Canada. *J Occup Environ Med.* 50: 1273-1281. <http://dx.doi.org/10.1097/JOM.0b013e31818345bb>.
- Pintos, J; Parent, ME; Rousseau, MC; Siemiatycki, J. (2007). Occupational exposure to asbestos and manmade vitreous fibers, and risk of lung cancer: Evidence from two case-control studies in Montreal, Canada. *Am J Epidemiol.* 165: S102-S102.

Engineering/Occupational Exposure Literature Search Results

On Topic

- Pira, E; Pelucchi, C; Piolatto, PG; Negri, E; Bilei, T; La Vecchia, C. (2009). Mortality from cancer and other causes in the Balangero cohort of chrysotile asbestos miners. *Occup Environ Med.* 66: 805-809. <http://dx.doi.org/10.1136/oem.2008.044693>.
- Pira, E; Turbiglio, M; Maroni, M; Carrer, P; La Vecchia, C; Negri, E; Iachetta, R. (1999). Mortality among workers in the geothermal power plants at Larderello, Italy. *Am J Ind Med.* 35: 536-539.
- Pirastu, R; Lagorio, S; Miligi, L; Costantini, AS. (1999). Health and work among women in Italy: An overview of the epidemiological literature. *Eur J Epidemiol.* 15: 51-57. <http://dx.doi.org/10.1023/A:1007522000856>.
- Pitarque, S; Fabrega, O; de Lara, N; Company, A; de Peray, JL; Delclos, J; Benavides, FG. (2009). RECONSTRUCTION AND FIRST RESULTS OF THE COHORT OF WORKERS EXPOSED TO ASBESTOS IN CATALONIA. *Gac Sanit.* 23: 7-7.
- Pitt, R. (1988). ASBESTOS AS AN URBAN AREA POLLUTANT. *J Water Pollut Control Fed.* 60: 1993-2001.
- Plato, N; Tornling, G; Hogstedt, C; Krantz, S. (1995). An index of past asbestos exposure as applied to car and bus mechanics. *Ann Occup Hyg.* 39: 441-454.
- Plotko, EG; Domnin, SG; Kashanskiĭ, SV; Kulikov, VG; Seliankina, KP; Bogdanov, GB; Manakova, NS. (2000). [Ecological and occupational evaluation of chrysotile-asbestos fibers emitted during construction and exploitation by roof materials made of asbestos cement]. *Med Tr Prom Ekol*41-45.
- Plumpton, AJ. (1984). HEAP LEACHING OF ASBESTOS CONCENTRATOR TAILINGS WITH WASTE SULFURIC-ACID AND RECOVERY OF METAL VALUES. 77: 41-42.
- Pogosian, AK; Lambarian, NA. (1979). WEAR AND THERMAL-PROCESSES IN ASBESTOS-REINFORCED FRICTION MATERIALS. 101: 481-485.
- Pogrebekov, VM; Mel'nik, ED; Vereshchagin, VI. (1998). The use of natural zeolites for tileboard production. *Glass Ceram.* 55: 19-21.
- Pogrebekov, VM; Sedelnikova, MB; Vereshchagin, VI. (1996). Ceramic pigments based on calcium-magnesium silicates. *Glass Ceram.* 53: 30-32.
- Pohlabeled, H; Wild, P; Schill, W; Ahrens, W; Jahn, I; Bolm-Audorff, U; Jockel, KH. (2002). Asbestos fibreyears and lung cancer: a two phase case-control study with expert exposure assessment. *Occup Environ Med.* 59: 410-414.
- Poole, C; Dreyer, NA; Satterfield, MH; Levin, L; Rothman, KJ. (1993). Kidney cancer and hydrocarbon exposures among petroleum refinery workers. *Environ Health Perspect.* 101: 53-62.
- Pooley, FD. (1972). ELECTRON-MICROSCOPE CHARACTERISTICS OF INHALED CHRYSOTILE ASBESTOS FIBER. *Br J Ind Med.* 29: 146-&.
- Pooley, FD. (1976). An examination of the fibrous mineral content of asbestos lung tissue from the Canadian chrysotile mining industry. *Environ Res.* 12: 281-298.
- Porcu, M; Orru, R; Cincotti, A; Cao, GC. (2005). Self-propagating reactions for environmental protection: Treatment of wastes containing asbestos. *Ind Eng Chem Res.* 44: 85-91. <http://dx.doi.org/10.1021/ie040058c>.
- Porru, S; Carta, A; Toninelli, E; Bozzola, G; Arici, C. (2016). Reducing the underreporting of lung cancer attributable to occupation: outcomes from a hospital-based systematic search in Northern Italy. *Int Arch Occup Environ Health.* 89: 981-989. <http://dx.doi.org/10.1007/s00420-016-1135-5>.
- Pott, F. (1994). Asbestos use and carcinogenicity in Germany and a comparison with animal studies. *Ann Occup Hyg.* 38: 589-600, 420.
- Powell, CH; Holaday, DA; Kendrick, MA; Dyson, WL. (1968). The Preliminary Survey: A Technique for the Assessment of the Nation's Occupational Health Requirements. (NIOSH/00000376). ACGIH.
- Power, IM; Dipple, GM; Southam, G. (2010). Bioleaching of ultramafic tailings by acidithiobacillus spp. for CO2 sequestration. *Environ Sci Technol.* 44: 456-462. <http://dx.doi.org/10.1021/es900986n>.
- Preller, L; van den Bosch, LM; van den Brandt, PA; Kauppinen, T; Goldbohm, A. (2010). Occupational exposure to silica and lung cancer risk in the Netherlands. *Occup Environ Med.* 67: 657-663. <http://dx.doi.org/10.1136/oem.2009.046326>.
- Prentice, J. (1985). RATE OF DECLINE OF ASBESTOS FIBER CONCENTRATIONS IN ROOM AIR [Letter]. *Ann Occup Hyg.* 29: 439-440.
- Prentice, J; Gonsalves, B. (1985). REPRODUCIBILITY OF DUST DISTURBANCE TECHNIQUES DURING CLEARANCE SAMPLING AFTER ASBESTOS REMOVAL. *Ann Occup Hyg.* 29: 435-437.
- Price, B; Crump, KS; Baird, EC. (1992). AIRBORNE ASBESTOS LEVELS IN BUILDINGS - MAINTENANCE WORKER AND OCCUPANT EXPOSURES. *J Expo Anal Environ Epidemiol.* 2: 357-374.
- Price, B; Ware, A. (2005). Mesothelioma: Risk apportionment among asbestos exposure sources. *Risk Anal.* 25: 937-943. <http://dx.doi.org/10.1111/j.1539-6924.2005.00643.x>.
- Price, B; Ware, A. (2007). Mesothelioma: Risk apportionment among asbestos exposure sources (vol 25, pg 937, 2005). *Risk Anal.* 27: 787-787. <http://dx.doi.org/10.1111/j.1539-6924.2007.00923>.
- Proulx, D; Lapointe, J; Leger, S. (1985). COPPER-PLATING FROM MAGNETIC CHRYSOTILE FIBERS. 78: 45-48.
- Provencher, S; Labrèche, FP; De Guire, L. (1997). Physician based surveillance system for occupational respiratory diseases: the experience of PROPULSE, Québec, Canada. *Occup Environ Med.* 54: 272-276.
- Prudhomme, M; Hoskin, WM; Barry, GS; Boucher, MA; Vagt, O. (1989). INDUSTRIAL MINERALS - REVIEW AND OUTLOOK FOR SULFUR, ASBESTOS, POTASH, PHOSPHATE, SILICA, SALT, GRAPHITE AND CONSTRUCTION MATERIALS. 110: 71-78.
- Pryor, P. (1980). Health Hazard Evaluation Determination Report, No. HHE-78-79-736, Cissell Manufacturing Company, Louisville, Kentucky. 21: 19801980.
- Pryor, P. (1982). Health Hazard Evaluation Report, No. HETA-82-270-1238, Drive Train Industries, Inc., Denver, Colorado. (NIOSH/00127603). Pryor, P.
- Pujolar, AE; González, C; Agudo, A; Calleja, A; Beltrán, M; González-Moya, J; Hernandez, S; Panades, R; Ramirez, J; Turuguet, D. (2001). Information about occupational exposure to asbestos given to cases in an etiological study: ethical aspects. *Eur J Epidemiol.* 17: 1-6.
- Pukkala, E; Guo, J; Kyrrönen, P; Lindbohm, ML; Sallmén, M; Kauppinen, T. (2005). National job-exposure matrix in analyses of census-based estimates of occupational cancer risk. *Scand J Work Environ Health.* 31: 97-107.

Engineering/Occupational Exposure Literature Search Results

On Topic

- Pukkala, E; Martinsen, JI; Weiderpass, E; Kjaerheim, K; Lyng, E; Tryggvadottir, L; Sparén, P; Demers, PA. (2014). Cancer incidence among firefighters: 45 years of follow-up in five Nordic countries. *Occup Environ Med.* 71: 398-404. <http://dx.doi.org/10.1136/oemed-2013-101803>.
- Pukkala, E; Saarni, H. (1996). Cancer incidence among Finnish seafarers, 1967-92. *Cancer Causes Control.* 7: 231-239.
- Puleda, S; Marconi, A. (1991). Study of the Count-to-Mass Conversion Factor for Asbestos Fibres in Samples Collected at the Emissions of Three Industrial Plants. *Ann Occup Hyg.* 35: 517-524.
- Puntoni, R; Merlo, F; Borsa, L; Reggiardo, G; Garrone, E; Ceppi, M. (2001). A historical cohort mortality study among shipyard workers in Genoa, Italy. *Am J Ind Med.* 40: 363-370.
- Purdue, MP; Järholm, B; Bergdahl, IA; Hayes, RB; Baris, D. (2006). Occupational exposures and head and neck cancers among Swedish construction workers. *Scand J Work Environ Health.* 32: 270-275.
- Pye, AM. (1979). A review of asbestos substitute materials in industrial applications. *J Hazard Mater.* 3: 125-148.
- Pyssa, J; Rokita, GM. (2007). The asbestos - occurrence, using and the way of dealing with asbestic waste material. *Gospodarka Surowcami Mineralnymi.* 23: 49-61.
- Quinn, MM; Kriebel, D; Buiatti, E; Paci, E; Sini, S; Vannucchi, G; Zappa, M. (1987). An asbestos hazard in the reprocessed textile industry. *Am J Ind Med.* 11: 255-266.
- Racine, WP. (2010). Emissions concerns during renovation in the healthcare setting: asbestos abatement of floor tile and mastic in medical facilities. *J Environ Manage.* 91: 1429-1436. <http://dx.doi.org/10.1016/j.jenvman.2010.02.027>.
- Radauceanu, A; Chouaniere, D; Wild, P; Hery, M; Creau, Y. (2008). Assessment of asbestos exposure in asbestos removal operations: Proposal of a task exposure matrix. *Arch Mal Prof Environ.* 69: 586-592. <http://dx.doi.org/10.1016/j.admp.2008.05.006>.
- Radi, S; Dalphin, JC; Manzoni, P; Pernet, D; Leboube, MP; Viel, JF. (2002). Respiratory morbidity in a population of French dental technicians. *Occup Environ Med.* 59: 398-404. <http://dx.doi.org/10.1136/oem.59.6.398>.
- Raffaelli, I; Festa, G; Costantini, AS; Leva, G; Gorini, G. (2007). [Mortality in a cohort of asbestos cement workers in Carrara, Italy]. *Med Lav.* 98: 156-163.
- Raffn, E; Lyng, E; Juel, K; Korsgaard, B. (1989). Incidence of cancer and mortality among employees in the asbestos cement industry in Denmark. *Occup Environ Med.* 46: 90-96.
- Raffn, E; Lyng, E; Korsgaard, B. (1993). Incidence of lung cancer by histological type among asbestos cement workers in Denmark. *Br J Ind Med.* 50: 85-89.
- Raffn, E; Villadsen, E; Engholm, G; Lyng, E. (1996). Lung cancer in asbestos cement workers in Denmark. *Occup Environ Med.* 53: 399-402.
- Raffn, E; Villadsen, E; Lyng, E. (1996). Colorectal cancer in asbestos cement workers in Denmark. *Am J Ind Med.* 30: 267-272. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199609\)30:3<267::AID-AJIM3>3.0.CO;2-W](http://dx.doi.org/10.1002/(SICI)1097-0274(199609)30:3<267::AID-AJIM3>3.0.CO;2-W).
- Rafnsson, V; Gunnarsdottir, H. (1994). MORTALITY AMONG ICELANDIC SEAMEN. *Int J Epidemiol.* 23: 730-736.
- Rafnsson, V; Gunnarsdottir, H. (1995). CANCER INCIDENCE AMONG SEAMEN IN ICELAND. *Am J Ind Med.* 27: 187-193.
- Rafnsson, V; Sulem, P. (2003). Cancer incidence among marine engineers, a population-based study (Iceland). *Cancer Causes Control.* 14: 29-35.
- Raithel, HJ; Weltle, D; Bohlig, H; Valentin, H. (1989). Health hazards from fine asbestos dusts. An analysis of 70,656 occupational preventive medical investigations from 1973 to the end of 1986. *Int Arch Occup Environ Health.* 61: 527-541.
- Rajhans, GS; Bragg, GM. (1975). STATISTICAL-ANALYSIS OF ASBESTOS FIBER COUNTING IN LABORATORY AND INDUSTRIAL ENVIRONMENT. *Am Ind Hyg Assoc J.* 36: 909-915.
- Rajhans, GS; Sullivan, JL. (1981). Asbestos sampling and analysis. (CIS/82/01542). Rajhans, GS; Sullivan, JL.
- Ramanathan, AL; Subramanian, V. (2001). Present status of asbestos mining and related health problems in India--a survey. *Ind Health.* 39: 309-315.
- Ramroth, H; Ahrens, W; Dietz, A; Becher, H. (2011). Occupational Asbestos Exposure as a Risk Factor for Laryngeal Carcinoma in a Population-Based Case-Control Study from Germany. *Am J Ind Med.* 54: 510-514. <http://dx.doi.org/10.1002/ajim.20963>.
- Rapiti, E; Turi, E; Forastiere, F; Borgia, P; Comba, P; Perucci, CA; Axelson, O. (1992). A mortality cohort study of seamen in Italy. *Am J Ind Med.* 21: 863-872.
- Rasmuson, JO; Roggli, VL; Boelter, FW; Rasmuson, EJ; Redinger, CF. (2014). Cumulative Retrospective Exposure Assessment (REA) as a predictor of amphibole asbestos lung burden: validation procedures and results for industrial hygiene and pathology estimates. *Inhal Toxicol.* 26: 1-13. <http://dx.doi.org/10.3109/08958378.2013.845273>.
- Rees, D; Myers, JE; Goodman, K; Fourie, E; Blignaut, C; Chapman, R; Bachmann, MO. (1999). Case-control study of mesothelioma in South Africa. *Am J Ind Med.* 35: 213-222.
- Rees, D; Phillips, JI; Garton, E; Pooley, FD. (2001). Asbestos lung fibre concentrations in South African chrysotile mine workers. *Ann Occup Hyg.* 45: 473-477.
- Rees, D; Steinberg, M; Becker, PJ; Solomon, A. (1992). DUST EXPOSURE AND PNEUMOCONIOSIS IN A SOUTH-AFRICAN POTTERY .2. PNEUMOCONIOSIS AND FACTORS INFLUENCING READING OF RADIOLOGICAL OPACITIES. *Br J Ind Med.* 49: 465-471.
- Reger, RB; Cole, WS; Sargent, EN; Wheeler, PS. (1990). Cases of alleged asbestos-related disease: a radiologic re-evaluation. *J Occup Med.* 32: 1088-1090.
- Regnier, R; Aubertin, G; Kauffer, E; Braconnier, R. (1986). EMISSION OF ASBESTOS FIBERS FROM HEAT PROTECTIVE CLOTHS. *Staub, Reinhaltung der Luft.* 46: 89-91.
- Reid, A; Alfonso, H; Ti, JS; Wong, E; de Klerk, N; Musk, AW. (2012). Sense of control and wellbeing decades after exposure to blue asbestos at Wittenoom, Western Australia. *Int J Occup Environ Health.* 18: 116-123. <http://dx.doi.org/10.1179/1077352512Z.0000000006>.

Engineering/Occupational Exposure Literature Search Results

On Topic

- Reid, A; Berry, G; Heyworth, J; de Klerk, NH; Musk, AW. (2009). Predicted mortality from malignant mesothelioma among women exposed to blue asbestos at Wittenoom, Western Australia. *Occup Environ Med.* 66: 169-174. <http://dx.doi.org/10.1136/oem.2007.038315>.
- Reid, A; de Klerk, N; Ambrosini, G; Olsen, N; Pang, SC; Musk, AW. (2005). The additional risk of malignant mesothelioma in former workers and residents of Wittenoom with benign pleural disease or asbestosis. *Occup Environ Med.* 62: 665-669. <http://dx.doi.org/10.1136/oem.2004.018531>.
- Reid, A; de Klerk, N; Ambrosini, GL; Olsen, N; Pang, SC; Berry, G; Musk, AW. (2005). The effect of asbestosis on lung cancer risk beyond the dose related effect of asbestos alone. *Occup Environ Med.* 62: 885-889. <http://dx.doi.org/10.1136/oem.2005.020834>.
- Reid, A; de Klerk, NH; Ambrosini, GL; Berry, G; Musk, AW. (2006). The risk of lung cancer with increasing time since ceasing exposure to asbestos and quitting smoking. *Occup Environ Med.* 63: 509-512. <http://dx.doi.org/10.1136/oem.2005.025379>.
- Reid, A; Heyworth, J; de Klerk, N; Musk, AW. (2009). Asbestos exposure and gestational trophoblastic disease: a hypothesis. *Cancer Epidemiol Biomarkers Prev.* 18: 2895-2898. <http://dx.doi.org/10.1158/1055-9965.EPI-09-0731>.
- Reitze, WB; Nicholson, WJ; Holaday, DA; Selikoff, JJ. (1972). Application of sprayed inorganic fiber containing asbestos: occupational health hazards. *Am Ind Hyg Assoc J.* 33: 178-191. <http://dx.doi.org/10.1080/0002889728506628>.
- Rendall, RE; Davies, JC. (2007). Dust and fibre levels at Penge amosite mine, 1970-1971. 33: 26-30.
- Renner, R. (1999). Asbestos dust stirs trouble in Sierra Nevada foothills. *Environ Sci Technol.* 33: 348A-349A.
- Repp, K; Lorbeer, R; Ittermann, T; Gläser, S; John, U; Hoffmann, W; Völzke, H. (2015). Occupational exposure to asbestos is associated with increased mortality in men recruited for a population-based study in Germany. *Int J Occup Med Environ Health.* 28: 849-862. <http://dx.doi.org/10.13075/ijom.1896.00549>.
- Rey, F; Boutin, C; Viallat, JR; Steinbauer, J; Alessandrini, P; Jutisz, P; Di Giambattista, D; Billon-Galland, MA; Hereng, P; Dumortier, P; De Vuyst, P. (1994). Environmental asbestotic pleural plaques in northeast Corsica: Correlations with airborne and pleural mineralogic analysis. *Environ Health Perspect.* 102: 251-252.
- Riala, RE; Riipinen, HM. (1998). Respirator and High Efficiency Particulate Air Filtration Unit Performance in Asbestos Abatement. *Appl Occup Environ Hyg.* 13: 32-40.
- Ribak, J; Lerman, Y. (1995). Use of asbestos in expected and unexpected places in Israel. *Public Health Rev.* 23: 35-45.
- Ribak, J; Lilis, R; Suzuki, Y; Penner, L; Selikoff, JJ. (1988). Malignant mesothelioma in a cohort of asbestos insulation workers: clinical presentation, diagnosis, and causes of death. *Br J Ind Med.* 45: 182-187.
- Ribak, J; Seidman, H; Selikoff, JJ. (1989). Amosite mesothelioma in a cohort of asbestos workers. *Scand J Work Environ Health.* 15: 106-110.
- Rice, C; Heineman, EF. (2003). An asbestos job exposure matrix to characterize fiber type, length, and relative exposure intensity. *Appl Occup Environ Hyg.* 18: 506-512. <http://dx.doi.org/10.1080/10473220301459>.
- Richardson, DB. (2009). Lung cancer in chrysotile asbestos workers: analyses based on the two-stage clonal expansion model. *Cancer Causes Control.* 20: 917-923. <http://dx.doi.org/10.1007/s10552-009-9297-z>.
- Richardson, DB; Wing, S; Keil, A; Wolf, S. (2013). Mortality among workers at Oak Ridge National Laboratory. *Am J Ind Med.* 56: 725-732. <http://dx.doi.org/10.1002/ajim.22164>.
- Richardson, DB; Wing, S; Wolf, S. (2007). Mortality among workers at the Savannah River Site. *Am J Ind Med.* 50: 881-891. <http://dx.doi.org/10.1002/ajim.20511>.
- Richter, ED. (1984). Asbestos exposure in Israel: findings, issues and needs [Review]. *Isr J Med Sci.* 20: 89-97.
- Richter, ED; Chlamtac, N; Berman, T; Laster, R. (2001). A review of environmental and occupational exposure to asbestos in Israel [Review]. *Public Health Rev.* 29: 247-264.
- Richter, ED; Tuch, H; Sarel, O; Shabbat, Z; Weiler, D. (1986). Smoking, morbidity, and pulmonary function in a group of ex-asbestos workers: a pilot study. *Am J Ind Med.* 10: 515-523.
- Richter, RO; Finley, BL; Paustenbach, DJ; Williams, PRD; Sheehan, PJ. (2009). An evaluation of short-term exposures of brake mechanics to asbestos during automotive and truck brake cleaning and machining activities. *J Expo Sci Environ Epidemiol.* 19: 458-474. <http://dx.doi.org/10.1038/jes.2008.36>.
- Rickards, AL. (1978). The routine monitoring of airborne asbestos in an occupational environment. *Ann Occup Hyg.* 21: 315-322.
- Rickards, AL. (1994). Levels of workplace exposure. *Ann Occup Hyg.* 38: 469-475, 409.
- Riediger, G. (1984). INORGANIC FIBERS IN INDUSTRIAL WORKPLACE ATMOSPHERES - COMPARISON OF MEASUREMENTS FOR ASBESTOS FIBERS AND FOR MAN-MADE MINERAL FIBERS. *Staub, Reinhaltung der Luft.* 44: 38-45.
- Riediger, G. (1995). DETERMINATION OF ASBESTOS FIBER LEVELS AT THE WORKPLACE. *Staub, Reinhaltung der Luft.* 55: 377-378.
- Rissanen, S; Smolander, J; Louhevaara, V. (1991). Work load and physiological responses during asbestos removal with protective clothing. *Int Arch Occup Environ Health.* 63: 241-246.
- Riva, MA; Carnevale, F; Sironi, VA; De Vito, G; Cesana, G. (2010). Mesothelioma and asbestos, fifty years of evidence: Chris Wagner and the contribution of the Italian occupational medicine community. *Med Lav.* 101: 409-415.
- Roberson, KT; Thomas, TC; Sherman, LR. (1992). COMPARISON OF ASBESTOS AIR SAMPLES BY SEM-EDXA AND TEM-EDXA. *Ann Occup Hyg.* 36: 265-269.
- Roberts, DR; Zumwalde, RD. (1982). Industrial Hygiene Summary Report of Asbestos Exposure Assessment for Brake Mechanics, Report No. IWS-32-4 (pp. 32-34). (NIOSH/00133792). Roberts, DR; Zumwalde, RD.
- Robins, TG; Green, MA. (1988). Respiratory morbidity in workers exposed to asbestos in the primary manufacture of building materials. *Am J Ind Med.* 14: 433-448. <http://dx.doi.org/10.1002/ajim.4700140407>.
- Robinson, C; Stern, F; Halperin, W; Venable, H; Petersen, M; Frazier, T; Burnett, C; Lulich, N; Salg, J; Sestito, J. (1995). Assessment of mortality in the construction industry in the United States, 1984-1986. *Am J Ind Med.* 28: 49-70.

Engineering/Occupational Exposure Literature Search Results

On Topic

- Robinson, CF; Petersen, M; Palu, S. (1999). Mortality patterns among electrical workers employed in the U.S. construction industry, 1982-1987. *Am J Ind Med.* 36: 630-637.
- Robinson, CF; Petersen, M; Sieber, WK; Palu, S; Halperin, WE. (1996). Mortality of Carpenters' Union members employed in the U.S. construction or wood products industries, 1987-1990. *Am J Ind Med.* 30: 674-694. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199612\)30:6<674::AID-AJIM4>3.0.CO;2-R](http://dx.doi.org/10.1002/(SICI)1097-0274(199612)30:6<674::AID-AJIM4>3.0.CO;2-R).
- Robock, K. (1981). ENDANGERING THE ENVIRONMENT BY ASBESTOS CEMENT-PRODUCTS. *Staub, Reinhaltung der Luft.* 41: 309-310.
- Roby, TJ; Swan, GE; Schumann, GB; Jr, EL. (1990). Utility of Quantitated Sputum Cytology to Detect the Effects of Exposure in Smokers and Nonsmokers. *Am J Ind Med.* 17: 537-552.
- Rocskay, AZ; Harbut, MR; Green, MA; Osher, DL; Zellers, ET. (1996). Respiratory health in asbestos-exposed ironworkers. *Am J Ind Med.* 29: 459-466. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199605\)29:5<459::AID-AJIM4>3.0.CO;2-H](http://dx.doi.org/10.1002/(SICI)1097-0274(199605)29:5<459::AID-AJIM4>3.0.CO;2-H).
- Rodelsperger, K; Arhelger, R; Bruckel, B; Woitowitz, HJ. (1988). DOSIMETRY OF FIBROUS ASBESTOS DUST - RESULTS FROM A BUILDING SITE STUDY AND A STUDY OF BRAKE REPAIR SERVICE. *Staub, Reinhaltung der Luft.* 48: 19-25.
- Rodelsperger, K; Bruckel, B; Jahn, H; Manke, J; Woitowitz, HJ. (1985). ASBESTOS EMISSION DURING BRAKING. *Staub, Reinhaltung der Luft.* 45: 26-31.
- Rodelsperger, K; H-J, W; Krieger, HG. (1980). Estimation Of Exposure To Asbestos-Cement Dust On Building Sites (pp. 845-853). (ISSN 0300-5038; NIOSH/00156017). Rodelsperger, K; Woitowitz H-J; Krieger, HG.
- Rödelsperger, K; Jöckel, KH; Pohlabeln, H; Römer, W; Woitowitz, HJ. (2001). Asbestos and man-made vitreous fibers as risk factors for diffuse malignant mesothelioma: results from a German hospital-based case-control study. *Am J Ind Med.* 39: 262-275.
- Rödelsperger, K; Mándi, A; Tossavainen, A; Brückel, B; Barbisan, P; Woitowitz, HJ. (2001). Inorganic fibres in the lung tissue of Hungarian and German lung cancer patients. *Int Arch Occup Environ Health.* 74: 133-138.
- Rodelsperger, K; Manke, J; Bruckel, B; Knecht, U; Woitowitz, HJ. (1982). DUST FROM WORKING WITH ASBESTOS OR CEMENT AS A COMPLEX NOXA MIXTURE. *Arbeitsmedizin, Sozialmedizin, Praeventivmedizin.* 17: 257-261.
- Rodelsperger, K; Roth, E. (2004). Fibre concentrations in the sanding of finishing grout, plaster carton- and plaster fibre plates. *Staub, Reinhaltung der Luft.* 64: 435-437.
- Rodelsperger, K; Schneider, J; Woitowitz, HJ. (1996). Non-occupational outdoor and indoor exposure to asbestos dust. *Gefahrst Reinhalt Luft.* 56: 117-126.
- Rodelsperger, K; Woitowitz, HJ. (1993). LENGTH DISTRIBUTION OF ASBESTOS FIBERS AND MMVFS AT WORKPLACE AND IN INHALATION EXPERIMENTS WITH RATS. *Staub, Reinhaltung der Luft.* 53: 115-123.
- Rödelsperger, K; Woitowitz, HJ. (1983). [Carcinogenic working materials exemplified by fibers]. *Zentralbl Arbeitsmed Arbeitsschutz Prophyl Ergonomie.* 33: 83-92.
- Rödelsperger, K; Woitowitz, HJ. (1995). Airborne fibre concentrations and lung burdens compared to the tumour response in rats and humans exposed to asbestos [Review]. *Ann Occup Hyg.* 39: 715-725.
- Roedelsperger, K; Jahn, H; Brueckel, B; Manke, J; Paur, R; H-J, W. (1986). ASBESTOS DUST EXPOSURE DURING BRAKE REPAIR. *Am J Ind Med.* 10: 63-72.
- Roelofs, CR; Kernan, GJ; Davis, LK; Clapp, RW; Hunt, PR. (2013). Mesothelioma and employment in massachusetts: analysis of cancer registry data 1988-2003. *Am J Ind Med.* 56: 985-992. <http://dx.doi.org/10.1002/ajim.22218>.
- Rogan, WJ; Ragan, NB; Dinse, GE. (2000). X-ray evidence of increased asbestos exposure in the US population from NHANES I and NHANES II, 1973-1978. *Cancer Causes Control.* 11: 441-449. <http://dx.doi.org/10.1023/A:1008952426060>.
- Roger, RS. (1969). Results of Air Samples at Maremont-Grizzly Corporation in Paulding, Ohio. (NIOSH/00106144). Roger, RS.
- Rogers, A. (1992). Prediction of mesothelioma, lung cancer, and asbestosis in former Wittenoom asbestos workers [Letter]. *Br J Ind Med.* 49: 451-452.
- Rogers, A; Nevill, M. (1995). Occupational and environmental mesotheliomas due to crocidolite mining activities in Wittenoom, Western Australia. *Scand J Work Environ Health.* 21: 259-264.
- Roggli, VL. (1995). Malignant mesothelioma and duration of asbestos exposure: correlation with tissue mineral fibre content. *Ann Occup Hyg.* 39: 363-374.
- Roggli, VL; Pratt, PC; Brody, AR. (1993). Asbestos fiber type in malignant mesothelioma: an analytical scanning electron microscopic study of 94 cases. *Am J Ind Med.* 23: 605-614.
- Rohl, AN; Langer, AM; Klimentidis, R; Wolff, MS; Seilikoff, IJ. (1977). Asbestos content of dust encountered in brake maintenance and repair. *Proc R Soc Med.* 70: 32-37.
- Rohl, AN; Langer, AM; Wolff, MS; Weisman, I. (1976). Asbestos exposure during brake lining maintenance and repair. *Environ Res.* 12: 110-128.
- Rolland, P; Gramond, C; Lacourt, A; Astoul, P; Chamming's, S; Ducamp, S; Frenay, C; Galateau-Salle, F; Ilg, AG; Imbernon, E; Le Stang, N; Pairon, JC; Goldberg, M; Brochard, P; Group, PS. (2010). Occupations and industries in France at high risk for pleural mesothelioma: A population-based case-control study (1998-2002). *Am J Ind Med.* 53: 1207-1219. <http://dx.doi.org/10.1002/ajim.20895>.
- Rollo, HA; Jamieson, HE. (2006). Interaction of diamond mine waste and surface water in the Canadian Arctic. *Appl Geochem.* 21: 1522-1538. <http://dx.doi.org/10.1016/j.apgeochem.2006.05.008>.
- Rom, WN. (1991). Relationship of inflammatory cell cytokines to disease severity in individuals with occupational inorganic dust exposure [Review]. *Am J Ind Med.* 19: 15-27.
- Rom, WN. (1992). Accelerated loss of lung function and alveolitis in a longitudinal study of non-smoking individuals with occupational exposure to asbestos. *Am J Ind Med.* 21: 835-844. <http://dx.doi.org/10.1002/ajim.4700210606>.

Engineering/Occupational Exposure Literature Search Results

On Topic

- Rom, WN; Churg, A; Leapman, R; Fiori, C; Swyt, C. (1990). EVALUATION OF ALVEOLAR MACROPHAGE PARTICLE BURDEN IN INDIVIDUALS OCCUPATIONALLY EXPOSED TO INORGANIC DUSTS. *J Aerosol Med.* 3: S43-S56.
- Rom, WN; Lopatin, S; Tsay, JJ; Addrizzo-Harris, D; Munger, JS; Pass, H. (2016). Reduced lung function in smokers in a lung cancer screening cohort with asbestos exposure and pleural plaques. *Am J Ind Med.* 59: 178-185. <http://dx.doi.org/10.1002/ajim.22571>.
- Romeo, E; Ancona, L; Ascoli, V; Balestri, A; Scalzo, CC; Cavariani, F; Compagnucci, P; Gasperini, L; Mataloni, F; Forastiere, F. (2011). OCCUPATIONAL AND ENVIRONMENTAL EXPOSURE TO ASBESTOS AND INCIDENCE OF MALIGNANT MESOTHELIOMA IN ROME AND IN LAZIO, 2001-2009. *Epidemiol Prev.* 35: 101-102.
- Romeo, E; Ascoli, V; Ancona, L; Balestri, A; Scalzo, CC; Cavariani, F; Compagnucci, P; Gasperini, L; Mataloni, F; Forastiere, F. (2013). [Occupational exposure to asbestos and incidence of malignant mesothelioma in the Lazio region, years 2001-2009: results of the activities of the regional register]. *Med Lav.* 104: 115-125.
- Ronneberg, A. (1995). Mortality and cancer morbidity in workers from an aluminium smelter with prebaked carbon anodes--part I: exposure assessment. *Occup Environ Med.* 52: 242-249.
- Ronneberg, A; Andersen, A. (1995). Mortality and cancer morbidity in workers from an aluminium smelter with prebaked carbon anodes--part II: cancer morbidity. *Occup Environ Med.* 52: 250-254.
- Ronneberg, A; Haldorsen, T; Romundstad, P; Andersen, A. (1999). Occupational exposure and cancer incidence among workers from an aluminum smelter in western Norway. *Scand J Work Environ Health.* 25: 207-214.
- Rood, AP; Scott, RM. (1989). SIZE DISTRIBUTIONS OF CHRYSOTILE ASBESTOS IN A FRICTION PRODUCTS FACTORY AS DETERMINED BY TRANSMISSION ELECTRON-MICROSCOPY. *Ann Occup Hyg.* 33: 583-590.
- Rood, AP; Streeter, RR. (1984). Size distributions of occupational airborne asbestos textile fibres as determined by transmission electron microscopy. *Ann Occup Hyg.* 28: 333-339.
- Rosamilia, K; Wong, O; Raabe, GK. (1999). A case-control study of lung cancer among refinery workers. *J Occup Environ Med.* 41: 1091-1103.
- Rosenman, KD; Reilly, MJ. (1998). Asbestos-related x-ray changes in foundry workers. *Am J Ind Med.* 34: 197-201.
- Rosenman, KD; Reilly, MJ; Rice, C; Hertzberg, V; Tseng, CY; Anderson, HA. (1996). Silicosis among foundry workers. Implication for the need to revise the OSHA standard. *Am J Epidemiol.* 144: 890-900.
- Rosenstock, L. (1991). Roentgenographic manifestations and pulmonary function effects of asbestos-induced pleural thickening [Review]. *Toxicol Ind Health.* 7: 81-87. <http://dx.doi.org/10.1177/074823379100700105>.
- Rosenstock, L. (1992). ROENTGENOGRAPHIC MANIFESTATIONS AND PULMONARY-FUNCTION EFFECTS OF ASBESTOS-INDUCED PLEURAL THICKENING. 2: 215-221.
- Rösler, JA; Woitowitz, HJ; Lange, HJ; Woitowitz, RH; Ulm, K; Rödelberger, K. (1994). Mortality rates in a female cohort following asbestos exposure in Germany. *J Occup Med.* 36: 889-893.
- Ross, DJ; Sallie, BA; McDonald, JC. (1995). SWORD '94: surveillance of work-related and occupational respiratory disease in the UK. *Occup Med (Lond).* 45: 175-178.
- Ross, MH; Murray, J. (2004). Occupational respiratory disease in mining [Review]. *Occup Med (Lond).* 54: 304-310. <http://dx.doi.org/10.1093/ocmed/kqh073>.
- Rossiter, CE; Bristol, LJ; Cartier, PH; Gilson, JG; Grainger, TR; Sluis-Cremer, GK; McDonald, JC. (1972). Radiographic changes in chrysotile asbestos mine and mill workers of Quebec. *Arch Environ Health.* 24: 388-400.
- Rossiter, CE; Browne, K; Gilson, JC. (1988). International classification trial of AIA set of 100 radiographs of asbestos workers. *Br J Ind Med.* 45: 538-543.
- Rouhier, D; Andre, C; Allard, C; Gillon, J; Brette, R. (1982). Malignant alpha chain disease and exposure to asbestos. *Environ Res.* 27: 222-225.
- Rousmaniere, P; Raj, N. (2007). Shipbreaking in the developing world: Problems and prospects. *Int J Occup Environ Health.* 13: 359-368.
- Rowlands, N; Gibbs, GW; McDonald, AD. (1982). ASBESTOS FIBERS IN THE LUNGS OF CHRYSOTILE MINERS AND MILLERS - A PRELIMINARY-REPORT. *Ann Occup Hyg.* 26: 411-415.
- Rowson, DM. (1978). CHRYSOTILE CONTENT OF WEAR DEBRIS OF BRAKE LININGS. *Wear.* 47: 315-321.
- Roy F. Weston, I. (1990). Report of Sampling and Analysis Results, Addison Army Housing Units, Addison, Illinois. 42.
- Roy F. Weston, I. (1990). Report of Sampling and Analysis Results, Worth Army Housing Units, Worth, Illinois. 75.
- Roy F. Weston, I. (1990). Report of Sampling and Analysis Results: Tappan Army Housing Units, Tappan, New York (pp. 60). (NTIS/02972349_a).
- Rubino, GF; Newhouse, M; Murray, R; Scansetti, G; Piolatto, G; Aresini, G. (1979). Radiologic changes after cessation of exposure among chrysotile asbestos miners in Italy. *Ann N Y Acad Sci.* 330: 157-161.
- Rubino, GF; Piolatto, G; Newhouse, ML; Scansetti, G; Aresini, GA; Murray, R. (1979). Mortality of chrysotile asbestos workers at the Balangero Mine, northern Italy. *Occup Environ Med.* 36: 187-194.
- Rudd, RM. (1987). PULMONARY FIBROSIS IN ASBESTOS INSULATION WORKERS WITH LUNG-CANCER. *Br J Ind Med.* 44: 428-429.
- Rudd, RM. (1989). CORRELATION BETWEEN FIBER CONTENT OF LUNG AND DISEASE IN EAST LONDON ASBESTOS FACTORY-WORKERS. *Br J Ind Med.* 46: 358-360.
- Ruhe, RL. (1979). Health Hazard Evaluation Determination, Report No. HHE-79-95-613, Federal-Mogul Corporation, Gallipolis, Ohio. (NIOSH/00091888). Ruhe, RL.
- Ruhe, RL. (1983). Health Hazard Evaluation Report No. HETA-83-189-1368, Goodyear Aerospace Corporation, Akron, Ohio (pp. 83-189). (NIOSH/00134130). Ruhe, RL.
- Rushton, L; Hutchings, S; Brown, T. (2008). The burden of cancer at work: estimation as the first step to prevention. *Occup Environ Med.* 65: 789-800. <http://dx.doi.org/10.1136/oem.2007.037002>.
- Rushworth, DH. (2005). The Navy and asbestos thermal insulation. *Naval Engineers Journal.* 117: 35-48.

Engineering/Occupational Exposure Literature Search Results

On Topic

- Ryan, D. (1986). MOVING TO RID AMERICA OF ASBESTOS (pp. 7-8; 1986). (HMTC/86/0004145). Ryan, D.
- Ryckman, MD; Ryckman, DW; Peters, JL. (1983). ASBESTOS CONTROL PROGRAM FOR INSTITUTIONAL FACILITIES. *J Environ Eng.* 109: 275-288.
- Ryzhov, VV; Kashanskiĭ, SV; Manakova, NS; Plotko, EG; Seliankina, KP; Makarenko, NP; Kyzhina, I, uV. (2000). [Occupational evaluation of air in workplace area and populated zone at asbestos cardboard production]. *Med Tr Prom Ekol*37-39.
- SA, LD. (1989). The influence of materials used for water pipes on water quality. *Alimentaria.* 26: 65-67.
- Saarni, H; Pentti, J; Pukkala, E. (2002). Cancer at sea: a case-control study among male Finnish seafarers. *Occup Environ Med.* 59: 613-619. <http://dx.doi.org/10.1136/oem.59.9.613>.
- Safitri Zen, I; Ahamad, R; Gopal Rampal, K; Omar, W. (2013). Use of asbestos building materials in Malaysia: legislative measures, the management, and recommendations for a ban on use. *Int J Occup Environ Health.* 19: 169-178. <http://dx.doi.org/10.1179/2049396713Y.0000000028>.
- Sahmel, J; Barlow, CA; Gaffney, S; Avens, HJ; Madl, A; Henshaw, J; Unice, K, en; Galbraith, D; Derosé, G; Lee, RJ; Van Orden, D; Sanchez, M; Zock, M; Paustenbach, DJ. (2016). Airborne asbestos take-home exposures during handling of chrysotile-contaminated clothing following simulated full shift workplace exposures. *J Expo Sci Environ Epidemiol.* 26: 48-62. <http://dx.doi.org/10.1038/jes.2015.15>.
- Sakai, K; Hisanaga, N; Shibata, E; Kamijima, M; Ichihara, G; Takeuchi, Y; Nakajima, T. (2014). Trends in asbestos and non-asbestos fibre concentrations in the lung tissues of Japanese patients with mesothelioma. *Ann Occup Hyg.* 58: 103-120. <http://dx.doi.org/10.1093/annhyg/met055>.
- Sakai, K; Hisanaga, N; Shibata, E; Ono, Y; Tabe, E; Takeuchi, Y. (1988). ASBESTOS LEVEL IN THE AIR IN ASBESTOS CONSTRUCTION MATERIAL-MANUFACTURING FACTORIES (pp. 291-292). (BIOSIS/89/08457). Sakai, K; Hisanaga, N; Shibata, E; Ono, Y; Tabe, E; Takeuchi, Y.
- Sakai, K; Kojima, A; Hisanaga, N; Shibata, E; Huang, J; Ono, Y; Takeuchi, Y; Aoki, T; Takagi, H; Ando, T. (1991). [Asbestos concentration and fiber size in lungs of the urban residents]. *Nippon Koshu Eisei Zasshi.* 38: 762-770.
- Sakai, S; Takatsuki, H; Hiraoka, M; Tsunemi, T. (1991). SLUDGE MELTING PROCESS WITH HAZARDOUS ASBESTOS WASTES (pp. 10-12). (ISSN 0273-1223; EISSN 0273-1223; BIOSIS/91/08708). Sakai, S; Takatsuki, H; Hiraoka, M; Tsunemi, T.
- Sakurai, T; Tagami, S; Takao, S; Baba, Y. (1989). MEASUREMENT OF ASBESTOS CONCENTRATIONS AROUND FACTORIES MANUFACTURING ASBESTOS-CONTAINING PRODUCTS (pp. 382-383). (BIOSIS/90/08400). Sakurai, T; Tagami, S; Takao, S; Baba, Y.
- Salazar, MK; Takaro, TK; Ertell, K; Gochfeld, M; O'Neill, S; Connon, C; Barnhart, S. (1999). Structure and function of occupational health services within selected department of energy sites. *J Occup Environ Med.* 41: 1072-1078.
- Salazar, N; Cely-García, MF; Breyse, PN; Ramos-Bonilla, JP. (2015). Asbestos exposure among transmission mechanics in automotive repair shops. *Ann Occup Hyg.* 59: 292-306. <http://dx.doi.org/10.1093/annhyg/meu093>.
- Sali, D; Boffetta, P. (2000). Kidney cancer and occupational exposure to asbestos: a meta-analysis of occupational cohort studies. *Cancer Causes Control.* 11: 37-47.
- Sallie, BA; Ross, DJ; Meredith, SK; McDonald, JC. (1994). SWORD '93. Surveillance of work-related and occupational respiratory disease in the UK. *Occup Med (Lond).* 44: 177-182.
- Samimi, BS; Williams, AM. (1981). OCCUPATIONAL EXPOSURE TO ASBESTOS FIBERS RESULTING FROM USE OF ASBESTOS GLOVES. *Am Ind Hyg Assoc J.* 42: 870-875. <http://dx.doi.org/10.1080/15298668191420837>.
- Sandén, A; Järholm, B. (1991). A study of possible predictors of mesothelioma in shipyard workers exposed to asbestos. *J Occup Med.* 33: 770-773.
- Sanderson, W; Knutti, E. (1988). Health Hazard Evaluation Report No. MHETA-86-528-1889, McGraw-Edison, Canonsburg, Pennsylvania (pp. 86-528). (NIOSH/00181280). Sanderson, W; Knutti, E.
- Sanderson, WT; Ferguson, RP. (1987). Health Hazard Evaluation Report No. MHETA-85-226-1839, Freshlabs, Inc., Warren, Michigan (pp. 147-119). (NIOSH/00175422). Sanderson, WT; Ferguson, RP.
- Sandret, N; Paireon, JC; Orłowski, E; Zakia, T; Nourry, J; Saux, M; Dufour, G; Bignon, J; Brochard, P. (1994). Characterization of occupational exposures in compensated asbestos-related diseases in France. *Archives des Maladies Professionnelles et de Médecine du Travail.* 55: 25-34.
- Santibañez, M; Alguacil, J; de La Hera, MG; Navarrete-Muñoz, EM; Llorca, J; Aragonés, N; Kauppinen, T; Vioque, J; Group, PS. (2012). Occupational exposures and risk of stomach cancer by histological type. *Occup Environ Med.* 69: 268-275. <http://dx.doi.org/10.1136/oemed-2011-100071>.
- Santibanez, M; Vioque, J; Alguacil, J; Barber, X; de la Hera, G; Kauppinen, T. (2008). Occupational exposures and risk of oesophageal cancer by histological type: a case-control study in eastern Spain. *Occup Environ Med.* 65: 774-781. <http://dx.doi.org/10.1136/oem.2007.037929>.
- Sargent, EN; Gordonson, J; Jacobson, G; Birnbaum, W; Shaub, M. (1978). Bilateral pleural thickening: a manifestation of asbestos dust exposure. *AJR Am J Roentgenol.* 131: 579-585. <http://dx.doi.org/10.2214/ajr.131.4.579>.
- Sartor, SG; Eluf-Neto, J; Travier, N; Wünsch Filho, V; Arcuri, AS; Kowalski, LP; Boffetta, P. (2007). [Occupational risks for laryngeal cancer: a case-control study]. *Cad Saude Publica.* 23: 1473-1481.
- Sartorelli, P; Romeo, R; Scancarello, G; Montomoli, L; Muzzupappa, C; Barabesi, L. (2007). Measurement of asbestos fibre concentrations in fluid of repeated bro-choalveolar lavages of exposed workers. *Ann Occup Hyg.* 51: 495-500. <http://dx.doi.org/10.1093/annhyg/mem014>.
- Satin, KP; Bailey, WJ; Newton, KL; Ross, AY; Wong, O. (2002). Updated epidemiological study of workers at two California petroleum refineries, 1950-95. *Occup Environ Med.* 59: 248-256.
- Sauni, R; Oksa, P; Järvenpää, R; Parker, JE; Roto, P. (1998). Asbestos exposure: a potential cause of retroperitoneal fibrosis. *Am J Ind Med.* 33: 418-421.
- Sawyer, RN. (1977). Asbestos exposure in a Yale building: analysis and resolution. *Environ Res.* 13: 146-169.

Engineering/Occupational Exposure Literature Search Results

On Topic

- Scancarello, G; Romeo, R; Sartorelli, E. (1996). Respiratory disease as a result of talc inhalation. *J Occup Environ Med.* 38: 610-614.
- Scansetti, G; Botta, GC; Capellaro, F; Piolatto, G. (1981). Exposure to chrysotile asbestos in friction materials industry. *Med Lav.* 72: 46-51.
- Scansetti, G; Pira, E; Botta, GC; Turbiglio, M; Piolatto, G. (1993). ASBESTOS EXPOSURE IN A STEAM-ELECTRIC GENERATING PLANT. *Ann Occup Hyg.* 37: 645-653.
- Scarlett, HP; Delzell, E; Sathiakumar, N; Oestestad, RK; Postlethwait, E. (2010). Exposure to airborne asbestos in Jamaican hospitals. *West Indian Med J.* 59: 668-673.
- Scarlett, HP; Postlethwait, E; Delzell, E; Sathiakumar, N; Oestestad, RK. (2012). Asbestos in public hospitals: are employees at risk? *J Environ Health.* 74: 22-26.
- Scarselli, A; Binazzi, A; Altavista, P; Mastrantonio, M; Uccelli, R; Marinaccio, A. (2007). [Malignant pleural cancers mortality and compensated cases for asbestos related diseases in Lazio municipalities (1980-2001)]. *Med Lav.* 98: 30-38.
- Scarselli, A; Corfiati, M; Di Marzio, D. (2016). Occupational exposure in the removal and disposal of asbestos-containing materials in Italy. *Int Arch Occup Environ Health.* 89: 857-865. <http://dx.doi.org/10.1007/s00420-016-1126-6>.
- Schabath, MB; Spitz, MR; Delclos, GL; Gunn, GB; Whitehead, LW; Wu, X. (2002). Association between asbestos exposure, cigarette smoking, myeloperoxidase (MPO) genotypes, and lung cancer risk. *Am J Ind Med.* 42: 29-37. <http://dx.doi.org/10.1002/ajim.10084>.
- Schlegel, H; Kempf, E. (1982). [Mesothelioma following occupational contact with asbestos]. *Soz Praventivmed.* 27: 220-222.
- Schleizinger, Z. (1986). USE OF ASBESTOS IN THE ISRAELI DEFENSE FORCES. *Am J Ind Med.* 10: 539-541.
- Schlipkoter, HW; K-H, F. (1975). The Importance Of Fibrous Dusts On Health And The Method Of Measuring Its Effect (pp. 359-362). (NIOSH/00136347). Schlipkoter, HW; Friedrichs K-H.
- Schmitz, I; Falkhausen, M; Klemp, G; Muller, KM. (2004). Measuring the concentrations of asbestos fibres in public buildings. *Staub, Reinhaltung der Luft.* 64: 427-434.
- Schnatter, AR; Nicolich, MJ; Lewis, RJ; Thompson, FL; Dineen, HK; Drummond, I; Dahlman, D; Katz, AM; Thériault, G. (2012). Lung cancer incidence in Canadian petroleum workers. *Occup Environ Med.* 69: 877-882. <http://dx.doi.org/10.1136/oemed-2011-100641>.
- Schneider, J; Rödelberger, K; Pohlabeln, H; Woitowitz, HJ. (1996). Umwelt-und Innenraum-Gefährdung durch Asbestfaserstaub als Risiko-und Einflussfaktor des diffusen malignen Pleuramesothelioms (DMM). *Zentralblatt fuer Hygiene und Umweltmedizin.* 199: 1-23.
- Schneider, J; Woitowitz, HJ. (1995). [Asbestos-related mesotheliomas in housewives from indoor air pollution] [Review]. *Zentralblatt fuer Hygiene und Umweltmedizin.* 196: 495-503.
- Schuez, J; Schonfeld, SJ; Kromhout, H; Straif, K; Kashanskiy, SV; Kovalevskiy, EV; Bukhtiyarov, IV; McCormack, V. (2013). A retrospective cohort study of cancer mortality in employees of a Russian chrysotile asbestos mine and mills: Study rationale and key features. *Cancer Epidemiology.* 37: 440-445. <http://dx.doi.org/10.1016/j.canep.2013.03.001>.
- Schutz, A; H-J, W. (1973). Technical Standard Values for the Admissible Working Place Concentration of Chrysotile Asbestos (pp. 445-450). (NIOSH/00191489). Schutz, A; Woitowitz H-J.
- Schwartz, DA; Vaughan, TL; Heyer, NJ; Koepsell, TD; Lyon, JL; Swanson, GM; Weiss, NS. (1988). B cell neoplasms and occupational asbestos exposure. *Am J Ind Med.* 14: 661-671.
- Sebastien, P; Mcdonald, JC; Mcdonald, AD; Case, B; Harley, R. (1989). Respiratory cancer in chrysotile textile and mining industries: exposure inferences from lung analysis. *Br J Ind Med.* 46: 180-187.
- Seel, EA; Zaebs, DD; Hein, MJ; Liu, J; Nowlin, SJ; Chen, P. (2007). Inter-rater agreement for a retrospective exposure assessment of asbestos, chromium, nickel and welding fumes in a study of lung cancer and ionizing radiation. *Ann Occup Hyg.* 51: 601-610. <http://dx.doi.org/10.1093/annhyg/mem037>.
- Seidler, A; Becker, N; Nieters, A; Arhelger, R; Mester, B; Rosnagel, K; Deeg, E; Elsner, G; Melis, M; Sesler, S; Avataneo, G; Meloni, M; Cocco, P. (2010). Asbestos exposure and malignant lymphoma: a multicenter case-control study in Germany and Italy. *Int Arch Occup Environ Health.* 83: 563-570. <http://dx.doi.org/10.1007/s00420-009-0502-x>.
- Seidman, H; Selikoff, IJ; Gelb, SK. (1986). Mortality experience of amosite asbestos factory workers: Dose-response relationships 5 to 40 years after onset of short-term work exposure. *Am J Ind Med.* 10: 479-514.
- Sekhvatjou, MS; Zangeneh, A. (2011). Asbestos Concentrations and Lung Restrictive Patterns. *International Journal of Environmental Research.* 5: 555-560.
- Seldén, AI; Berg, NP; Lundgren, EA; Hillerdal, G; Wik, NG; Ohlson, CG; Bodin, LS. (2001). Exposure to tremolite asbestos and respiratory health in Swedish dolomite workers. *Occup Environ Med.* 58: 670-677. <http://dx.doi.org/10.1136/oem.58.10.670>.
- Selikoff, IJ. (1991). Asbestos disease-1990-2020: the risks of asbestos risk assessment [Review]. *Toxicol Ind Health.* 7: 117-127.
- Selikoff, IJ. (1992). Influence of age at death on accuracy of death certificate disease diagnosis: findings in 475 consecutive deaths of mesothelioma among asbestos insulation workers and asbestos factory workers. *Am J Ind Med.* 22: 505-510.
- Selikoff, IJ; Churg, J; Hammond, EC. (1972). EPIDEMIOLOGIC STUDY OF ASBESTOS INSULATION WORKERS. *Am Ind Hyg Assoc J.* 33: 43-&.
- Selikoff, IJ; Hammond, EC; Churg, J. (1999). Asbestos exposure, smoking and neoplasia. *Salud Publica Mex.* 41: S143-S154.
- Selikoff, IJ; Lillis, R. (1991). Radiological abnormalities among sheet-metal workers in the construction industry in the United States and Canada: Relationship to asbestos exposure. *Arch Environ Health.* 46: 30-36. <http://dx.doi.org/10.1080/00039896.1991.9937426>.
- Selikoff, IJ; Seidman, H. (1981). Health Effects of Amosite Asbestos Exposure. *J Environ Biol.* 2: 63-78.
- Sen, D. (2015). Working with asbestos and the possible health risks. *Occup Med (Lond).* 65: 6-14. <http://dx.doi.org/10.1093/occmed/kqu175>.
- Senyigit, A; Dalgic, A; Kavak, O; Tanrikulu, AC. (2004). Determination of environmental exposure to asbestos (tremolite) and mesothelioma risks in the southeastern region of Turkey. *Arch Environ Health.* 59: 658-662. <http://dx.doi.org/10.1080/00039890409602950>.
- Sepulveda, MJ; Merchant, JA. (1983). Roentgenographic evidence of asbestos exposure in a select population of railroad workers. *Am J Ind Med.* 4: 631-639.

Engineering/Occupational Exposure Literature Search Results

On Topic

- Services, NCHaH. (2009). Health Consultation: Sapphire Valley Gem Mine Naturally Occurring Asbestos Site, Jackson County, North Carolina, September 18, 2009. 95.
- Setton, E; Hystad, P; Poplawski, K; Cheasley, R; Cervantes-Larios, A; Keller, CP; Demers, PA. (2013). Risk-based indicators of Canadians' exposures to environmental carcinogens. *Environ Health*. 12: 15. <http://dx.doi.org/10.1186/1476-069X-12-15>.
- Shangina, O; Brennan, P; Szeszenia-Dabrowska, N; Mates, D; Fabiánová, E; Fletcher, T; T'Mannetje, A; Boffetta, P; Zaridze, D. (2006). Occupational exposure and laryngeal and hypopharyngeal cancer risk in central and eastern Europe. *Am J Epidemiol*. 164: 367-375. <http://dx.doi.org/10.1093/aje/kwj208>.
- Sharon, A. (1986). DUST LEVELS IN AN ASBESTOS-CEMENT FACTORY PROBLEM SOLVING (pp. 5-6). (ISSN 0271-3586; EISSN 1097-0274; BIOSIS/87/09243). Sharon, A.
- Sheehan, P; Brorby, G; Berman, D; Holm, S; Kolk, B; Kolk, A; Floyd, M. (2008). Potential Preparation Artifacts Associated with Historical Preparation of Joint Compound Samples and Reported Airborne Asbestos Concentrations. *Epidemiology*. 19: S271-S271.
- Sheehan, P; Mowat, F; Weidling, R; Floyd, M. (2010). Simulation tests to assess occupational exposure to airborne asbestos from artificially weathered asphalt-based roofing products. *Ann Occup Hyg*. 54: 880-892. <http://dx.doi.org/10.1093/annhyg/meq058>.
- Sheehan, P; Mowat, F; Weidling, R; Floyd, M. (2011). Simulation Tests to Assess Occupational Exposure to Airborne Asbestos from Artificially Weathered Asphalt-Based Roofing Products (vol 54, pg 880, 2010). *Ann Occup Hyg*. 55: 827-827. <http://dx.doi.org/10.1093/annhyg/mer057>.
- Sheehan, PJ; Brorby, GP; Berman, DW; Bogen, KT; Holm, SE. (2011). Chamber for testing asbestos-containing products: validation and testing of a re-created chrysotile-containing joint compound. *Ann Occup Hyg*. 55: 797-809. <http://dx.doi.org/10.1093/annhyg/mer048>.
- Sheehy, JW. (1986). Preliminary Survey Report: Evaluation of Brake Drum Service Controls at Ohio Department of Transportation, Maintenance Facility, Lebanon, Ohio, Report No. CT-152-18a (pp. 152-118). (NIOSH/00163313). Sheehy, JW.
- Sheehy, JW; Cooper, TC; O'Brien, DM; Mcglothlin, JD; Froehlich, PA. (1989). Control of asbestos exposure during brake drum service. (CIS/90/00953). Sheehy, JW; Cooper, TC; O'Brien, DM; Mcglothlin, JD; Froehlich, PA.
- Sheehy, JW; Godbey, FW; Cooper, TC; Lenihan, KL; Van Wagenen, HD; Mcglothlin, JD. (1987). In-Depth Survey Report: Control Technology for Brake Drum Service Operations at Ohio Department of Transportation, Maintenance Facility, Lebanon, Ohio, CT-152-18b (pp. 152-118). (NIOSH/00166990). Sheehy, JW; Godbey, FW; Cooper, TC; Lenihan, KL; Van Wagenen, HD; Mcglothlin, JD.
- Sheehy, JW; Todd, WF; Cooper, TC; Van Wagenen, HD. (1987). In-Depth Survey Report: Evaluation of Brake Drum Service Controls at Cincinnati Bell Maintenance Facility, Fairfax, Ohio, Report No. CT-152-21B (pp. 152-121). (NIOSH/00175414). Sheehy, JW; Todd, WF; Cooper, TC; Van Wagenen, HD.
- Sheers, G. (1979). Asbestos-associated disease in employees of Devonport Dockyard. *Ann N Y Acad Sci*. 330: 281-287.
- Sheers, G; Rossiter, CE; Gilson, JC; Mackenzie, FA. (1978). UK Naval Dockyards Asbestosis Study: radiological methods in the surveillance of workers exposed to asbestos. *Br J Ind Med*. 35: 195-203.
- Shepherd, J. R.; Hillerdal, G; Mclarty, J. (1997). Progression of pleural and parenchymal disease on chest radiographs of workers exposed to amosite asbestos. *Occup Environ Med*. 54: 410-415.
- Shongwe, L; Voyi, K. (2006). Relationship between abnormal changes of lung function test and the length of exposure to asbestos dust. *Epidemiology*. 17: S520-S520.
- Shterengart, RI, a; Boiarchuk, IF; Dorfman, AA; Siriachenko, SS. (1995). [Sanitary-hygienic regulations of the utilization of asbestos production waste in railway facilities]. *Gig Sanit*55-57.
- Si, S; Carey, R; Reid, A; Peters, S; Glass, DD; Driscoll, T; Darcey, E; Fritschi, L. (2016). Occupational exposure to carcinogens in Australian road transport workers. *Am J Ind Med*. 59: 31-41. <http://dx.doi.org/10.1002/ajim.22536>.
- Sichletidis, I; Spyrtos, D; Chloros, D; Michailidis, K; Fourkiotou, I. (2009). Pleural plaques in dentists from occupational asbestos exposure: a report of three cases. *Am J Ind Med*. 52: 926-930. <http://dx.doi.org/10.1002/ajim.20757>.
- Siemiatycki, J. (2007). Investigating cancer risks related to asbestos and other occupational carcinogens [Editorial]. *Occup Environ Med*. 64: 500-501. <http://dx.doi.org/10.1136/oem.2006.030759>.
- Siew, SS; Kauppinen, T; Kyyrönen, P; Heikkilä, P; Pukkala, E. (2008). Exposure to iron and welding fumes and the risk of lung cancer. *Scand J Work Environ Health*. 34: 444-450.
- Silver, SR; Daniels, RD; Taulbee, TD; Zaebst, DD; Kinnes, GM; Couch, JR; Kubale, TL; Yiin, JH; Schubauer-Berigan, MK; Chen, PH. (2004). Differences in mortality by radiation monitoring status in an expanded cohort of Portsmouth Naval Shipyard workers. *J Occup Environ Med*. 46: 677-690. <http://dx.doi.org/10.1097/01.jom.0000128154.79025.2a>.
- Silverstein, MA; Welch, LS; Lemen, R. (2009). Developments in asbestos cancer risk assessment. *Am J Ind Med*. 52: 850-858. <http://dx.doi.org/10.1002/ajim.20756>.
- Silvestri, S. (2009). Carcinogens exposure risk control: balance and strategies of action within the most emblematic industrial divisions. *Epidemiol Prev*. 33: 37-42.
- Silvestri, S; Benvenuti, A. (2007). [Asbestos exposure circumstances and malignant mesothelioma casuistry of the Tuscan Registry: preliminary indications on the efficacy of dust control measures introduced during the Seventies]. *Epidemiol Prev*. 31: 75-80.
- Silvestri, S; Di Benedetto, F; Raffaelli, C; Veraldi, A. (2016). Asbestos in toys: an exemplary case. *Scand J Work Environ Health*. 42: 80-85. <http://dx.doi.org/10.5271/sjweh.3542>.
- Silvestri, S; Nemo, A. (2014). [Reconstruction of past asbestos exposure of dockers in the Port of Livorno]. *Med Lav*. 105: 187-196.
- Sim, MR; Boffetta, P. (2009). Occupational cancer: an emerging problem in newly industrializing countries [Editorial]. *Asia Pac J Public Health*. 21: 241-243. <http://dx.doi.org/10.1177/1010539509341404>.

Engineering/Occupational Exposure Literature Search Results

On Topic

- Simonato, L; Fletcher, AC; Andersen, A; Anderson, K; Becker, N; Chang-Claude, J; Ferro, G; Gérin, M; Gray, CN; Hansen, KS. (1991). A historical prospective study of European stainless steel, mild steel, and shipyard welders. *Br J Ind Med*. 48: 145-154.
- Simoncini, C. (2007). [Socio-economic context in the Lower Iseo Lake area after World War II]. *Epidemiol Prev*. 31: 6-9.
- Simpson, J; Roman, E; Law, G; Pannett, B. (1999). Women's occupation and cancer: preliminary analysis of cancer registrations in England and Wales, 1971-1990. *Am J Ind Med*. 36: 172-185.
- Singh, B; Thouez, JP. (1985). AMBIENT AIR CONCENTRATIONS OF ASBESTOS FIBERS NEAR THE TOWN OF ASBESTOS, QUEBEC. *Environ Res*. 36: 144-159.
- Singh, Z; Chadha, P. (2016). Textile industry and occupational cancer [Review]. 11: 39. <http://dx.doi.org/10.1186/s12995-016-0128-3>.
- Sinks, T; Goodman, MT; Kolonel, LN; Anderson, B. (1994). A case-control study of mesothelioma and employment in the Hawaii sugarcane industry. *Epidemiology*. 5: 466-468.
- Siracusa, A; Cicioni, C; Volpi, R; Canalicchi, P; Brugnami, G; Comodi, AR; Abbritti, G. (1984). Lung function among asbestos cement factory workers: cross-sectional and longitudinal study. *Am J Ind Med*. 5: 315-325.
- Siracusa, A; Forcina, A; Volpi, R. (1987). AN 11-YEAR FOLLOW-UP OF LUNG-FUNCTION AMONG POLYVINYL-CHLORIDE, CEMENT AND ASBESTOS-CEMENT FACTORY-WORKERS. *Scand J Work Environ Health*. 13: 172-172.
- Siracusa, A; Forcina, A; Volpi, R; Mollicella, E; Cicioni, C; Fiordi, T. (1988). An 11-year longitudinal study of the occupational dust exposure and lung function of polyvinyl chloride, cement and asbestos cement factory workers. *Scand J Work Environ Health*. 14: 181-188.
- Sjogren, B. (2009). Mortality among British asbestos workers [Comment]. *Occup Environ Med*. 66: 854-855. <http://dx.doi.org/10.1136/oem.2009.050831>.
- Skidmore, JW; Dufficy, BL. (1983). Environmental History Of A Factory Producing Friction Material. *Br J Ind Med*. 40: 8-12.
- Skvarla, J; Kozakova, L; Sisol, M; Zelenak, F. (2009). Detection of asbestos fibres in selected building materials. *Acta Montanistica Slovaca*. 14: 28-32.
- Slaats, PGG; Mesman, GAM; Rosenthal, LPM; Brink, H. (2004). Tools to monitor corrosion of cement-containing water mains. *Water Sci Technol*. 49: 33-39.
- Sluiscremer, GK. (1992). PNEUMOCONIOSIS RESEARCH IN SOUTH-AFRICA WITH EMPHASIS ON DEVELOPMENTS IN THE LAST QUARTER CENTURY. *Am J Ind Med*. 22: 591-603.
- Sluis-Cremer, GK; Hnizdo, E; du Toit, RS. (1990). Evidence for an amphibole asbestos threshold exposure for asbestosis assessed by autopsy in South African asbestos miners. *Ann Occup Hyg*. 34: 443-451.
- Sluis-Cremer, GK; Liddell, FD; Logan, WP; Bezuidenhout, BN. (1992). The mortality of amphibole miners in South Africa, 1946-80. *Br J Ind Med*. 49: 566-575.
- Smailyte, G; Kurtinaitis, J; Andersen, A. (2004). Cancer mortality and morbidity among Lithuanian asbestos-cement producing workers. *Scand J Work Environ Health*. 30: 64-70.
- Smith, DR; Leggat, PA. (2006). 24 years of pneumoconiosis mortality surveillance in Australia. *J Occup Health*. 48: 309-313.
- Smith, IM; Hall, K, enJ; Lavkulich, L, esM; Schreier, H. (2007). Trace metal concentrations in an intensive agricultural watershed in British Columbia, Canada. *J Am Water Resour Assoc*. 43: 1455-1467.
- Smith, KA; Sykes, LJ; McGavin, CR. (2003). Diffuse pleural fibrosis--an unreliable indicator of heavy asbestos exposure? *Scand J Work Environ Health*. 29: 60-63.
- Smolders, S; Verhoest, L; De Gueldre, G; Van De Steene, B. (2009). Inspection of deteriorating asbestos cement force mains with georadar technique. *Water Sci Technol*. 60: 995-1001. <http://dx.doi.org/10.2166/wst.2009.429>.
- Smolianskiene, G; Adamoniene, D; Seskauskas, V. (2005). Studies on occupational asbestos in Lithuania: Achievements and problems. *Indoor Built Environ*. 14: 331-335. <http://dx.doi.org/10.1177/1420326X05054264>.
- Smolková, P; Nakládalová, M; Zapletalová, J; Jakubec, P; Vildová, H; Kolek, V; Petřek, M; Nakládal, Z. (2016). Validity of mesothelin in occupational medicine practice. *Int J Occup Med Environ Health*. 29: 395-404. <http://dx.doi.org/10.13075/ijomeh.1896.00637>.
- Soeberg, MJ; Leigh, J; van Zandwijk, N. (2016). Malignant mesothelioma in Australia 2015: Current incidence and asbestos exposure trends. *J Toxicol Environ Health B Crit Rev*. 19: 173-189. <http://dx.doi.org/10.1080/10937404.2016.1194254>.
- Soldan, K; Pooley, FD; Hansen, J; Andersen, A; Chang-Claude, J; Ferro, G; Ohgaki, H; Skov, BG; Cherrie, JW; Saracci, R; Boffetta, P. (2006). Lung fibre burden in lung cancer cases employed in the rock and slag wool industry. *Ann Occup Hyg*. 50: 241-248. <http://dx.doi.org/10.1093/annhyg/mei064>.
- Solomon, A; Irwig, LM; Sluis-Cremer, GK; Thomas, RG; Du Toit, RS. (1979). Thickening of pulmonary interlobar fissures: exposure-response relationship in crocidolite and amosite miners. *Br J Ind Med*. 36: 195-198.
- Solomon, A; Sluis-Cremer, GK; Thomas, RG; Wright, VM. (1984). Calcified plaques on mediastinal pleural reflections associated with asbestos dust exposure: four case reports. *Am J Ind Med*. 6: 53-57.
- Solomon, SJ; Fischbein, A; Sharma, OK; Borek, E. (1985). Modified nucleosides in asbestos workers at high risk of malignant disease: results of a preliminary study applying discriminant analysis. *Br J Ind Med*. 42: 560-562.
- Sorensen, AR; Thulstrup, A; Hansen, J; Ramlau-Hansen, CH; Meersohn, A; Skytthe, A; Bonde, JP. (2007). Risk of lung cancer according to mild steel and stainless steel welding. *Scand J Work Environ Health*. 33: 379-386.
- Soulat, JM; Lauque, D; Esquirol, Y; Déprés, M; Giron, J; Claudel, R; Carles, P. (1999). High-resolution computed tomography abnormalities in ex-insulators annually exposed to asbestos dust. *Am J Ind Med*. 36: 593-601. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199912\)36:6<593::AID-AJIM1>3.0.CO;2-Z](http://dx.doi.org/10.1002/(SICI)1097-0274(199912)36:6<593::AID-AJIM1>3.0.CO;2-Z).

Engineering/Occupational Exposure Literature Search Results

On Topic

- Spear, TM; Hart, JF; Spear, TE; Loushin, MM; Shaw, NN; Elashhab, MI. (2012). The presence of asbestos-contaminated vermiculite attic insulation or other asbestos-containing materials in homes and the potential for living space contamination. *J Environ Health*. 75: 24-29.
- Spence, SK; Rocchi, PSJ. (1996). Exposure to asbestos fibres during gasket removal. *Ann Occup Hyg*. 40: 583-588.
- Spencer, JW; Plisko, MJ; Balzer, JL. (1999). Asbestos fiber release from the brake pads of overhead industrial cranes. *Appl Occup Environ Hyg*. 14: 397-402. <http://dx.doi.org/10.1080/104732299302800>.
- Spicer, RC; Gangloff, HJ. (2000). A probability model for evaluating building contamination from an environmental event. *Journal of the Air and Waste Management Association*. 50: 1637-1646.
- Spirtas, R; Heineman, EF; Bernstein, L; Beebe, GW; Keehn, RJ; Stark, A; Harlow, BL; Benichou, J. (1994). Malignant mesothelioma: attributable risk of asbestos exposure. *Occup Environ Med*. 51: 804-811.
- Spitz, MR; Barnett, MJ; Goodman, GE; Thornquist, MD; Wu, XF; Pollak, M. (2002). Serum insulin-like growth factor (IGF) and IGF-binding protein levels and risk of lung cancer: A case-control study nested in the beta-carotene and retinol efficacy trial cohort. *Cancer Epidemiol Biomarkers Prev*. 11: 1413-1418.
- Sprince, NL; Oliver, LC; Mcloud, TC. (1985). Asbestos-related disease in plumbers and pipefitters employed in building construction. *J Occup Med*. 27: 771-775.
- Sprung, S; Hoenig, V; Schneider, C; Gajewski, S. (1998). Environmentally compatible utilization of asbestos cement products. 51: 527-+.
- Spurny, K; Weiss, G; Opiela, H. (1979). PROBLEM OF ASBESTOS FIBER EMISSIONS FROM ASBESTOS-CEMENT PLATES. *Staub, Reinhaltung der Luft*. 39: 422-427.
- Spurny, KR. (1988). On the emission of fibrous particles from corroded asbestos-cement products. In NH Seemayer; W Hadnagy (Eds.), (pp. 205-208). New York, NY: Springer.
- Spurny, KR. (1989). On the release of asbestos fibers from weathered and corroded asbestos cement products. *Environ Res*. 48: 100-116.
- Spurny, KR. (1992). MEASUREMENTS OF FIBROUS DUSTS IN AMBIENT AIR OF THE FEDERAL-REPUBLIC-OF-GERMANY - AMBIENT AIR CONCENTRATIONS OF ASBESTOS FIBERS PRODUCED BY BRAKE LININGS OF AUTOMOBILES. *Zentralblatt fuer Hygiene und Umweltmedizin*. 193: 287-294.
- Spurny, KR; Schormann, J; Weiss, G; Opiela, H; Langer, H; Schroder, J. (1981). ON THE PROBLEM OF LIQUIDS AND GASES CONTAMINATED BY FIBERS WHEN USING FILTERS CONTAINING CHRYSOTILE. *Sci Total Environ*. 19: 143-153.
- Spyratos, D; Chloros, D; Haidich, B; Dagdilelis, L; Markou, S; Sichelidis, L. (2012). Chest imaging and lung function impairment after long-term occupational exposure to low concentrations of chrysotile. *Arch Environ Occup Health*. 67: 84-90. <http://dx.doi.org/10.1080/19338244.2011.578681>.
- Squance, ML; Guest, M; Reeves, G; Attia, J; Bridgman, H. (2014). Exploring lifetime occupational exposure and SLE flare: a patient-focused pilot study. 1: e000023. <http://dx.doi.org/10.1136/lupus-2014-000023>.
- Srebro, SH; Roggli, VL. (1994). Asbestos-related disease associated with exposure to asbestiform tremolite. *Am J Ind Med*. 26: 809-819. <http://dx.doi.org/10.1002/ajim.4700260610>.
- Standard Oil Co. of California, SF. (1979). Measurements of Airborne Asbestos in Building One with Cover Letter and Attachment. 189.
- Stauder, B; Breuer, G; Greven, U; Woitowitz, RH; Rodelsperger, K; Woitowitz, HJ. (1982). X-RAY RESULTS IN ROOFERS AFTER EXPOSURE TO DUST FROM WORKING WITH ASBESTOS CEMENT FOR MANY YEARS. *Arbeitsmedizin, Sozialmedizin, Praeventivmedizin*. 17: 275-278.
- Stayner, L; Kuempel, E; Gilbert, S; Hein, M; Dement, J. (2008). An epidemiological study of the role of chrysotile asbestos fibre dimensions in determining respiratory disease risk in exposed workers. *Occup Environ Med*. 65: 613-619. <http://dx.doi.org/10.1136/oem.2007.035584>.
- Stayner, L; Smith, R; Bailer, J; Gilbert, S; Steenland, K; Dement, J; Brown, D; Lemen, R. (1997). Exposure-response analysis of risk of respiratory disease associated with occupational exposure to chrysotile asbestos. *Occup Environ Med*. 54: 646-652.
- Stayner, L; Welch, LS; Lemen, R. (2013). The worldwide pandemic of asbestos-related diseases [Review]. *Annu Rev Public Health*. 34: 205-216. <http://dx.doi.org/10.1146/annurev-publhealth-031811-124704>.
- Stayner, LT. (2015). Para-occupational exposures to asbestos: lessons learned from Casale Monferrato, Italy [Comment]. *Occup Environ Med*. 73: 145-146. <http://dx.doi.org/10.1136/oemed-2015-103233>.
- Stayner, LT; Dankovic, DA; Lemen, RA. (1996). Occupational exposure to chrysotile asbestos and cancer risk: a review of the amphibole hypothesis [Review]. *Am J Public Health*. 86: 179-186.
- Steenland, K; Loomis, D; Shy, C; Simonsen, N. (1996). Review of occupational lung carcinogens [Review]. *Am J Ind Med*. 29: 474-490. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199605\)29:5<474::AID-AJIM6>3.0.CO;2-M](http://dx.doi.org/10.1002/(SICI)1097-0274(199605)29:5<474::AID-AJIM6>3.0.CO;2-M).
- Steenland, K; Stayner, L. (1997). Silica, asbestos, man-made mineral fibers, and cancer [Review]. *Cancer Causes Control*. 8: 491-503.
- Stefani, D; Wardman, D; Lambert, T. (2005). The implosion of the Calgary General Hospital: Ambient air quality issues. *J Air Waste Manag Assoc*. 55: 52-59.
- Steinmaus, C; Balmes, JR. (2000). Government laboratory worker with lung cancer: comparing risks from beryllium, asbestos, and tobacco smoke. *Environ Health Perspect*. 108: 1003-1006.
- Steinsvag, K; Bratveit, M; Moen, BE. (2007). Exposure to carcinogens for defined job categories in Norway's offshore petroleum industry, 1970 to 2005. *Occup Environ Med*. 64: 250-258. <http://dx.doi.org/10.1136/oem.2006.028225>.
- Stern, F; Lehman, E; Ruder, A. (2001). Mortality among unionized construction plasterers and cement masons. *Am J Ind Med*. 39: 373-388.
- Stern, FB; Ruder, AM; Chen, G. (2000). Proportionate mortality among unionized roofers and waterproofers. *Am J Ind Med*. 37: 478-492.
- Stevens, WH. (1997). Thermal removal of asbestos pipeline coating. *Pipeline and Gas Journal*. 224: 41-43.

Engineering/Occupational Exposure Literature Search Results

On Topic

- Straif, K; Keil, U; Taeger, D; Holthenrich, D; Sun, Y; Bungers, M; Weiland, SK. (2000). Exposure to nitrosamines, carbon black, asbestos, and talc and mortality from stomach, lung, and laryngeal cancer in a cohort of rubber workers. *Am J Epidemiol.* 152: 297-306. <http://dx.doi.org/10.1093/aje/152.4.297>.
- Strand, LA; Martinsen, JI; Koefoed, VF; Sommerfelt-Pettersen, J; Grimsrud, TK. (2010). Asbestos-related cancers among 28,300 military servicemen in the Royal Norwegian Navy. *Am J Ind Med.* 53: 64-71. <http://dx.doi.org/10.1002/ajim.20778>.
- Stroková, B; Evstatieva, S; Dimitrova, S; Mavrodieva, E; Lukanova, R. (1998). Study of asbestos exposure in some applications of asbestos materials in the chemical industry. *Int Arch Occup Environ Health.* 71 Suppl: S19-S21.
- Stroszejn-Mrowca, G; Szczepaniak, M; Wiecek, E. (1991). [Occupational exposure to asbestos-containing dust at the plants manufacturing and using asbestos products during the years 1986-1989]. *Med Pr.* 42: 343-348.
- Stroszejn-Mrowca, G; Wiecek, E. (1979). [Air concentration of asbestos fibers at work sites]. *Med Pr.* 30: 293-299.
- Stroszejn-Mrowca, G; Wiecek, E. (1985). EVALUATION OF EXPOSURE TO ASBESTOS DUST IN ASBESTOS-PROCESSING PLANTS. *Med Pr.* 36: 214-222.
- Strubel, G. (1992). THERMAL-TREATMENT FOR DISPOSAL OF ASBESTOS AND ASBESTOS PRODUCTS. *Brennstoff-Waerme-Kraft.* 44: S41-S47.
- Stücker, I; Boffetta, P; Antilla, S; Benhamou, S; Hirvonen, A; London, S; Taioli, E. (2001). Lack of interaction between asbestos exposure and glutathione S-transferase M1 and T1 genotypes in lung carcinogenesis. *Cancer Epidemiol Biomarkers Prev.* 10: 1253-1258.
- Sullivan, PA. (2007). Vermiculite, respiratory disease, and asbestos exposure in Libby, Montana: update of a cohort mortality study. *Environ Health Perspect.* 115: 579-585. <http://dx.doi.org/10.1289/ehp.9481>.
- Sun, J; Shibata, E; Hisanaga, N; Kamijima, M; Ichihara, G; Huang, J; Toida, M; Takeuchi, Y. (1997). A cohort mortality study of construction workers. *Am J Ind Med.* 32: 35-41.
- Suta, BE; Levine, RJ. (1979). Non-occupational asbestos emissions and exposures. In L Michaels; SS Chissick (Eds.), (pp. 171-205). New York, NY: John Wiley & Sons.
- Suzuki, Y; Kohyama, N. (1991). Translocation of inhaled asbestos fibers from the lung to other tissues. *Am J Ind Med.* 19: 701-704. <http://dx.doi.org/10.1002/ajim.4700190603>.
- Świątkowska, B; Sobala, W; Szubert, Z. (2012). Progression of small, irregular opacities in chest radiographs of former asbestos workers. *Int J Occup Med Environ Health.* 25: 481-491. <http://dx.doi.org/10.2478/S13382-012-0062-2>.
- Swiatkowska, B; Szeszenia-Dąbrowska, N; Sobala, W; Wilczyńska, U. (2008). [Occupational risk factors for lung cancer: A case-control study, Lodz industrial center]. *Med Pr.* 59: 25-34.
- Świątkowska, B; Szeszenia-Dąbrowska, N; Wilczyńska, U. (2016). Medical monitoring of asbestos-exposed workers: experience from Poland. *Bull World Health Organ.* 94: 599-604. <http://dx.doi.org/10.2471/BLT.15.159426>.
- Świątkowska, B; Wojciech, S; Szubert, Z; Szeszenia-Dąbrowska, N. (2014). Continued spirometry changes after cessation of exposure in asbestos-cement workers. *J Occup Environ Med.* 56: 403-408. <http://dx.doi.org/10.1097/JOM.0000000000000117>.
- Swuste, P; Dahhan, M; Burdorf, A. (2008). Linking expert judgement and trends in occupational exposure into a job-exposure matrix for historical exposure to asbestos in The Netherlands. *Ann Occup Hyg.* 52: 397-403. <http://dx.doi.org/10.1093/annhyg/men030>.
- Szendrői, M; Németh, L; Vajta, G. (1983). Asbestos bodies in a bile duct cancer after occupational exposure. *Environ Res.* 30: 270-280.
- Szeszenia-Dąbrowska, N. (2011). ASBESTOS ABATEMENT WORKERS VERSUS ASBESTOS WORKERS: EXPOSURE AND HEALTH-EFFECTS DIFFER Reply. *Int J Occup Med Environ Health.* 24: 420-421. <http://dx.doi.org/10.2478/s13382-011-0045-8>.
- Szeszenia-Dąbrowska, N; Sobala, W; Świątkowska, B; Stroszejn-Mrowca, G; Wilczyńska, U. (2012). Environmental asbestos pollution -- situation in Poland. *Int J Occup Med Environ Health.* 25: 3-13. <http://dx.doi.org/10.2478/s13382-012-0003-0>.
- Szeszenia-Dąbrowska, N; Strzelecka, A; Wilczyńska, U. (1991). Exposure to carcinogens in industry: Evaluation of the existing situation and a draft of an information system. *Med Pr.* 42: 60-65.
- Szeszenia-Dąbrowska, N; Świątkowska, B; Sobala, W; Szubert, Z; Wilczyńska, U. (2015). Asbestos related diseases among workers of asbestos processing plants in relation to type of production and asbestos use. *Med Pr.* 66: 1-9.
- Szeszenia-Dąbrowska, N; Świątkowska, B; Szubert, Z; Wilczyńska, U. (2011). Asbestos in Poland: occupational health problems. *Int J Occup Med Environ Health.* 24: 142-152. <http://dx.doi.org/10.2478/s13382-011-0020-4>.
- Szeszenia-Dąbrowska, N; Wilczyńska, U. (2013). Occupational diseases among workers employed in various branches of the national economy. *Med Pr.* 64: 161-174.
- Szeszenia-Dąbrowska, N; Wilczyńska, U. (2013). Occupational diseases in Poland--an overview of current trends. *Int J Occup Med Environ Health.* 26: 457-470. <http://dx.doi.org/10.2478/s13382-013-0119-x>.
- Szeszenia-Dąbrowska, N; Wilczyńska, U; Sobala, W. (2014). OCCUPATIONAL DISEASES IN POLAND IN 2013 AND THEIR CAUSATIVE AGENTS. *Med Pr.* 65: 463-472.
- Szubert, Z; Stankiewicz-Choroszuca, B; Wrońska-Sobolewska, M; Cwynar, E; Dobrowolska, J; Wróbel, R; Ratka, M; Jakubowski, J; Skórska-Ciszewska, I; Turbańska, R; Gazda, U; Sova, M; Pawłowska-Kozieł, H; Latala-Łoś, E; Komorowska, E; Sobala, W; Swiatkowska, B; Szeszenia-Dąbrowska, N. (2011). [Implementation of the Amiantus project involving prophylactic medical examinations of the former employees of asbestos processing plants]. *Med Pr.* 62: 465-472.
- Takahashi, K; Case, BW; Dufresne, A; Fraser, R; Higashi, T; Siemiatycki, J. (1994). Relation between lung asbestos fibre burden and exposure indices based on job history. *Occup Environ Med.* 51: 461-469.
- Takahashi, K; Huuskonen, MS; Tossavainen, A; Higashi, T; Okubo, T; Rantanen, J. (1999). Ecological relationship between mesothelioma incidence/mortality and asbestos consumption in ten Western countries and Japan. *J Occup Health.* 41: 8-11.
- Takahashi, K; Karjalainen, A. (2003). A cross-country comparative overview of the asbestos situation in ten Asian countries. *Int J Occup Environ Health.* 9: 244-248. <http://dx.doi.org/10.1179/oeh.2003.9.3.244>.

Engineering/Occupational Exposure Literature Search Results

On Topic

- Takahashi, K; Sekikawa, A; Laporte, RE; Satoh, T; Pan, G; Ren, A; Okubo, T; Yoshimura, T. (1998). Occupational lung diseases and global occupational health on the Net. *Occup Med (Lond)*. 48: 3-6.
- Takala, J. (1996). Chemical Safety Information for developing countries. *Sci Total Environ*. 188: S112-S129. [http://dx.doi.org/10.1016/0048-9697\(96\)05283-7](http://dx.doi.org/10.1016/0048-9697(96)05283-7).
- Takkouche, B; Gestalotero, JJ. (1996). The epidemiology of lung cancer: Review of risk factors and Spanish data [Review]. *Eur J Epidemiol*. 12: 341-349. <http://dx.doi.org/10.1007/BF00145296>.
- Tannahill, SN; Willey, RJ; Jackson, MH. (1990). Workplace protection factors of HSE approved negative pressure full-facepiece dust respirators during asbestos stripping: preliminary findings. *Ann Occup Hyg*. 34: 547-552.
- Tarchi, M; Orsi, D; Comba, P; De Santis, M; Pirastu, R; Battista, G; Valiani, M. (1994). Cohort mortality study of rock salt workers in Italy. *Am J Ind Med*. 25: 251-256.
- Tarrés, J; Albertí, C; Martínez-Artés, X; Abós-Herrándiz, R; Rosell-Murphy, M; García-Allas, I; Krier, I; Cantarell, G; Gallego, M; Canela-Soler, J; Orriols, R. (2013). Pleural mesothelioma in relation to meteorological conditions and residential distance from an industrial source of asbestos. *Occup Environ Med*. 70: 588-590. <http://dx.doi.org/10.1136/oemed-2012-101198>.
- Teichert, U. (1983). Emission Reduction By Prefabrication Of Asbestos Cement Products And By The Use Of Low-Dust Shaping Devices (pp. 425-429). (NIOSH/00148916). Teichert, U.
- Teirstein, AS; Chahinian, P; Goldsmith, SJ; Sorek, M. (1986). Gallium scanning in differentiating malignant from benign asbestos-related pleural disease. *Am J Ind Med*. 9: 487-494.
- Teresa Sanchez-Cabo, M, a. (2009). Normative Spanish and technical guide of Royal Decree 396/2006. *Dyna*. 84: 347-352.
- Terracini, B; Mirabelli, D. (2016). Asbestos and product defence science [Editorial]. *Int J Epidemiol*. 45: 614-618. <http://dx.doi.org/10.1093/ije/dyw136>.
- Teschke, K. (2016). Thinking about Occupation-Response and Exposure-Response Relationships: Vehicle Mechanics, Chrysotile, and Mesothelioma [Letter]. *Ann Occup Hyg*. 60: 528-530. <http://dx.doi.org/10.1093/annhyg/mew015>.
- Teschke, K; Ahrens, W; Andersen, A; Boffetta, P; Fincham, S; Finkelstein, M; Henneberger, P; Kauppinen, T; Kogevinas, M; Korhonen, K; Liss, G; Liukkonen, T; Osvall, P; Savela, A; Szadkowska-Stanczyk, I; Westberg, H; Widerkiewicz, K. (1999). Occupational exposure to chemical and biological agents in the nonproduction departments of pulp, paper, and paper product mills: an international study. *Am Ind Hyg Assoc J*. 60: 73-83. <http://dx.doi.org/10.1080/00028899908984424>.
- Teschke, K; Morgan, MS; Checkoway, H; Franklin, G; Spinelli, JJ; van Belle, G; Weiss, NS. (1997). Mesothelioma surveillance to locate sources of exposure to asbestos. *Can J Public Health*. 88: 163-168.
- Teta, MJ. (2011). Mesothelioma in a connecticut friction plant: the need for transparency and exposure information in attribution of risk [Letter]. *Ann Occup Hyg*. 55: 817-819; author reply 820-812. <http://dx.doi.org/10.1093/annhyg/mer049>.
- Tharr, D. (1991). Asbestos Exposure During Low-Income Housing Weatherization. *Appl Occup Environ Hyg*. 6: 347-348.
- Tharr, D; 19Ed. (1993). Exposure to Silica Dust among Street-Sweeper Operators. *Appl Occup Environ Hyg*. 8: 13-14.
- Thayer, WC; Griffith, DA; Diamond, GL. (2007). Geography of asbestos contamination near the World Trade Center site. *Stoch Environ Res Risk Assess*. 21: 461-471. <http://dx.doi.org/10.1007/s00477-007-0129-y>.
- Thomas, HF; Benjamin, IT; Elwood, PC; Sweetnam, PM. (1982). Further follow-up study of workers from an asbestos cement factory. *Occup Environ Med*. 39: 273-276.
- Thompson, A; Wills, M; House, R. (2004). Rounded atelectasis in an asbestos exposed worker. *Occup Med (Lond)*. 54: 494-496. <http://dx.doi.org/10.1093/occmed/kqh099>.
- Tomasichio, GR; D'Alessandro, F; Musci, F. (2010). A multi-layer capping of a coastal area contaminated with materials dangerous to health. *Chem Ecol*. 26: 155-168. <http://dx.doi.org/10.1080/02757541003689811>.
- Tomioka, K; Natori, Y; Kumagai, S; Kurumatani, N. (2011). An updated historical cohort mortality study of workers exposed to asbestos in a refitting shipyard, 1947-2007. *Int Arch Occup Environ Health*. 84: 959-967. <http://dx.doi.org/10.1007/s00420-011-0655-2>.
- Tomioka, K; Saeki, K; Obayashi, K; Kurumatani, N. (2016). Risk of Lung Cancer in Workers Exposed to Benzidine and/or Beta-Naphthylamine: A Systematic Review and Meta-Analysis. *J Epidemiol*. 26: 447-458. <http://dx.doi.org/10.2188/jea.JE20150233>.
- Tonori, Y; Niitsuya, M; Sato, T; Sugiura, Y; Miyake, H; Aizawa, Y. (2005). Relationship between chest X-ray findings and pulmonary function tests in dust workers. *Ind Health*. 43: 256-266.
- Toren, K; Bergdahl, IA; Nilsson, T; Jarvholm, B. (2007). Occupational exposure to particulate air pollution and mortality due to ischaemic heart disease and cerebrovascular disease. *Occup Environ Med*. 64: 515-519. <http://dx.doi.org/10.1136/oem.2006.029488>.
- Toren, K; Persson, B; Wingren, G. (1996). Health Effects of Working in Pulp and Paper Mills: Malignant Diseases [Review]. *Am J Ind Med*. 29: 123-130. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199602\)29:2<123::AID-AJIM2>3.0.CO;2-T](http://dx.doi.org/10.1002/(SICI)1097-0274(199602)29:2<123::AID-AJIM2>3.0.CO;2-T).
- Toren, K; Sallsten, G; Jarvholm, B. (1991). MORTALITY FROM ASTHMA, CHRONIC OBSTRUCTIVE PULMONARY-DISEASE, RESPIRATORY SYSTEM CANCER, AND STOMACH-CANCER AMONG PAPER-MILL WORKERS - A CASE-REFERENT STUDY. *Am J Ind Med*. 19: 729-737.
- Tossavainen, A. (2004). Global use of asbestos and the incidence of mesothelioma. *Int J Occup Environ Health*. 10: 22-25. <http://dx.doi.org/10.1179/oeh.2004.10.1.22>.
- Tossavainen, A; Karjalainen, A; Karhunen, PJ. (1994). Retention of asbestos fibers in the human body. *Environ Health Perspect*. 102: 253-255.
- Tossavainen, A; Kotilainen, M; Takahashi, K; Pan, G; Vanhala, E. (2001). Amphibole fibres in Chinese chrysotile asbestos. *Ann Occup Hyg*. 45: 145-152.
- Tossavainen, A; Kovalevsky, E; Vanhala, E; Tuomi, T. (2000). Pulmonary mineral fibers after occupational and environmental exposure to asbestos in the Russian chrysotile industry. *Am J Ind Med*. 37: 327-333.

Engineering/Occupational Exposure Literature Search Results

On Topic

- Tossavainen, A; Riala, R; Zitting, A; Parker, J; Jones, W; Groce, D; Izmerov, N; Elovskaya, L; Kovalevsky, E; Burmistrova, T; Domnin, S; Scherbakov, S; Kachansky, S. (1999). Health and exposure surveillance of Siberian asbestos miners: A joint Finnish-American-Russian project. *Am J Ind Med. Suppl 1*: 142-144.
- Trattner, RB; Swanson, NR; Cheremisinoff, PN. (1980). FACTS ABOUT ASBESTOS ... BASIC INFORMATION ON THE EFFECTS, REGULATION, AND CONTROL OF THIS CONTROVERSIAL MATERIAL IN THE PLANT. *Plant Engineering*. 34: 121-123.
- Trivedi, AK; Ahmad, I; Musthapa, MS; Ansari, FA. (2007). Environmental contamination of chrysotile asbestos and its toxic effects on antioxidative system of *Lemna gibba*. *Arch Environ Contam Toxicol*. 52: 355-362. <http://dx.doi.org/10.1007/s00244-006-0056-9>.
- Tsai, SP; Waddell, LC; Gilstrap, EL; Ransdell, JD; Ross, CE. (1996). Mortality among maintenance employees potentially exposed to asbestos in a refinery and petrochemical plant. *Am J Ind Med*. 29: 89-98. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199601\)29:1<89::AID-AJIM11>3.0.CO;2-W](http://dx.doi.org/10.1002/(SICI)1097-0274(199601)29:1<89::AID-AJIM11>3.0.CO;2-W).
- Tsai, SP; Waddell, LC; Ransdell, JC. (2001). RE: Mesothelioma and lung tumors attributable to asbestos among petroleum workers. *Am. J. Ind. Med.* 2000. 37:275-282 [Letter]. *Am J Ind Med*. 39: 515-521; author reply 517-521.
- Tse, LA; Yu, IT; Goggins, W; Clements, M; Wang, XR; Au, JS; Yu, KS. (2010). Are current or future mesothelioma epidemics in Hong Kong the tragic legacy of uncontrolled use of asbestos in the past? *Environ Health Perspect*. 118: 382-386. <http://dx.doi.org/10.1289/ehp.0900868>.
- Tuch, H; Tulchinsky, TH; Casper, M; Knaane, H. (1986). Medical screening of former asbestos cement workers in Israel: a pilot program. *Am J Ind Med*. 10: 471-478.
- Tulchinsky, TH; Ginsberg, GM; Iscovich, J; Shihab, S; Fischbein, A; Richter, ED. (1999). Cancer in ex-asbestos cement workers in Israel, 1953-1992. *Am J Ind Med*. 35: 1-8.
- Tuomi, T. (1992). Fibrous minerals in the lungs of mesothelioma patients: comparison between data on SEM, TEM, and personal interview information. *Am J Ind Med*. 21: 155-162.
- Tuomi, T; Huuskonen, MS; Tammilehto, L; Vanhala, E; Virtamo, M. (1991). Occupational exposure to asbestos as evaluated from work histories and analysis of lung tissues from patients with mesothelioma. *Br J Ind Med*. 48: 48-52.
- Tuomi, T; Huuskonen, MS; Virtamo, M; Tossavainen, A; Tammilehto, L; Mattson, K; Lahdensuo, A; Mattila, J; Karhunen, P; Liippo, K. (1991). Relative risk of mesothelioma associated with different levels of exposure to asbestos. *Scand J Work Environ Health*. 17: 404-408.
- Tuomi, T; Oksa, P; Anttila, S; Taikina-Aho, O; Taskinen, E; Karjalainen, A; Tukiainen, P. (1992). Fibres and asbestos bodies in bronchoalveolar lavage fluids of asbestos sprayers. *Br J Ind Med*. 49: 480-485.
- Turci, F; Favero-Longo, SE; Gazzano, C; Tomatis, M; Gentile-Garofalo, L; Bergamini, M. (2016). Assessment of asbestos exposure during a simulated agricultural activity in the proximity of the former asbestos mine of Balangero, Italy. *J Hazard Mater*. 308: 321-327. <http://dx.doi.org/10.1016/j.jhazmat.2016.01.056>.
- Turi, E; Tidei, F; Paoletti, L. (1993). [Asbestos exposure on board ships: a study of the environmental situation on 2 classes of ferryboats]. *Med Lav*. 84: 201-210.
- Turner, S; Binnie, PWH. (1990). An indoor air quality survey of twenty-six Swiss office buildings.
- U.S. EPA. (1990). Superfund Record of Decision (EPA Region 9): Coalinga Asbestos Mine, Fresno County, CA. (Second Remedial Action), September 1990. 66.
- Uibu, T; Vanhala, E; Sajantila, A; Lunetta, P; Mäkelä-Bengts, P; Goebeler, S; Jäntti, M; Tossavainen, A. (2009). Asbestos fibers in para-aortic and mesenteric lymph nodes. *Am J Ind Med*. 52: 464-470. <http://dx.doi.org/10.1002/ajim.20694>.
- Ulvestad, B; Kjaerheim, K; Martinsen, JI; Damberg, G; Wannag, A; Mowe, G; Andersen, A. (2002). Cancer incidence among workers in the asbestos-cement producing industry in Norway. *Scand J Work Environ Health*. 28: 411-417.
- Upton, AC; Shaikh, RA. (1995). Asbestos exposures in public and commercial buildings. *Am J Ind Med*. 27: 433-437; discussion 439-441.
- Utell, MJ; Beckett, WS. (2006). Implications for occupational exposure to particulate matter [Review]. *Clin Occup Environ Med*. 5: 883-893. <http://dx.doi.org/10.1016/j.coem.2006.07.001>.
- Vacek, PM. (1997). Assessing the effect of intensity when exposure varies over time. *Stat Med*. 16: 505-513.
- Vacek, PM. (1998). Effects of the intensity and timing of asbestos exposure on lung cancer risk at two mining areas in Quebec. *J Occup Environ Med*. 40: 821-828.
- Vacek, PM; McDonald, JC. (1991). Risk assessment using exposure intensity: an application to vermiculite mining. *Br J Ind Med*. 48: 543-547.
- Valcin, M; Henneberger, PK; Kullman, GJ; Umbach, DM; London, SJ; Alavanja, MCR; Sandler, DP; Hoppin, JA. (2007). Chronic bronchitis among nonsmoking farm women in the agricultural health study. *J Occup Environ Med*. 49: 574-583. <http://dx.doi.org/10.1097/JOM.0b013e3180577768>.
- Valkila, EH; Nieminen, MM; Moilanen, AK; Kuusisto, PA; Lahdensuo, AH; Karvonen, JI. (1995). Asbestos-induced visceral pleural fibrosis reduces pulmonary compliance. *Am J Ind Med*. 28: 363-372. <http://dx.doi.org/10.1002/ajim.4700280306>.
- van Balen, E; Font, R; Cavallé, N; Font, L; Garcia-Villanueva, M; Benavente, Y; Brennan, P; de Sanjose, S. (2006). Exposure to non-arsenic pesticides is associated with lymphoma among farmers in Spain. *Occup Environ Med*. 63: 663-668. <http://dx.doi.org/10.1136/oem.2005.024026>.
- Van Gosen, BS. (2007). The geology of asbestos in the United States and its practical applications. *Environmental and Engineering Geoscience*. 13: 55-68. <http://dx.doi.org/10.2113/gseegeosci.13.1.55>.
- van Loon, AJ; Kant, IJ; Swaen, GM; Goldbohm, RA; Kremer, AM; van den Brandt, PA. (1997). Occupational exposure to carcinogens and risk of lung cancer: results from The Netherlands cohort study. *Occup Environ Med*. 54: 817-824.

Engineering/Occupational Exposure Literature Search Results

On Topic

- van Oyen, SC; Peters, S; Alfonso, H; Fritschi, L; de Klerk, NH; Reid, A; Franklin, P; Gordon, L; Benke, G; Musk, AW. (2015). Development of a Job-Exposure Matrix (AsbJEM) to Estimate Occupational Exposure to Asbestos in Australia. *Ann Occup Hyg.* 59: 737-748. <http://dx.doi.org/10.1093/annhyg/mev017>.
- Van Wageningen, HD. (1987). Preliminary Survey Report: Evaluation of Brake Drum Service Controls at Pennsylvania Bureau of Vehicle Management, Vehicle Maintenance Division, Harrisburg, Pennsylvania, Report No. CT-152-19a (pp. 152-119). (NIOSH/00169479). Van Wageningen, HD.
- Varouchakis, G; Velonakis, EG; Amfilochiou, S; Trichopoulos, D. (1991). ASBESTOS IN STRANGE PLACES TWO CASE REPORTS OF MESOTHELIOMA AMONG MERCHANT SEAMEN. *Am J Ind Med.* 19: 673-676.
- Vasama-Neuvonen, K; Pukkala, E; Paakkulainen, H; Mutanen, P; Weiderpass, E; Boffetta, P; Shen, N; Kauppinen, T; Vainio, H; Partanen, T. (1999). Ovarian cancer and occupational exposures in Finland. *Am J Ind Med.* 36: 83-89.
- Vathesatogkit, P; Harkin, TJ; Addrizzo-Harris, DJ; Bodkin, M; Crane, M; Rom, WN. (2004). Clinical correlation of asbestos bodies in BAL fluid. *Chest.* 126: 966-971. <http://dx.doi.org/10.1378/chest.126.3.966>.
- Veglia, F; Vineis, P; Overvad, K; Boeing, H; Bergmann, M; Trichopoulou, A; Trichopoulos, D; Palli, D; Krogh, V; Tumino, R; Linseisen, J; Steindorf, K; Raaschou-Nielsen, O; Tjonneland, A; Gonzalez, CA; Martinez, C; Dorronsoro, M; Barricarte, A; Cirera, L; Quiros, JR; Day, NE; Saracci, R; Riboli, E. (2007). Occupational exposures, environmental tobacco smoke, and lung cancer. *Epidemiology.* 18: 769-775. <http://dx.doi.org/10.1097/EDE.0b013e318142c8a1>.
- Vehmas, T; Oksa, P; Kivisaari, L. (2012). Lung and pleural CT signs predict deaths: 10-year follow-up after lung cancer screening of asbestos-exposed workers. *Int Arch Occup Environ Health.* 85: 207-213. <http://dx.doi.org/10.1007/s00420-011-0654-3>.
- Venter, E; Nyantumbu, B; Solomon, A; Rees, D. (2004). Radiologic abnormalities in South African mica millers: a survey of a mica milling plant in the Limpopo Province. *Int J Occup Environ Health.* 10: 278-283. <http://dx.doi.org/10.1179/oeh.2004.10.3.278>.
- Vereshchagin, VI; Borilo, LP; Kozik, AV. (2002). Porous composite materials based on liquid glass and natural silicates. *Glass Ceram.* 59: 319-321.
- Verma, DK; Clark, NE. (1995). Relationships between phase contrast microscopy and transmission electron microscopy results of samples from occupational exposure to airborne chrysotile asbestos. *Am Ind Hyg Assoc J.* 56: 866-873. <http://dx.doi.org/10.1080/15428119591016494>.
- Verma, DK; Clark, NE. (2012). Asbestos fiber burden in lung tissues of occupationally exposed workers. *J Occup Environ Hyg.* 9: D177-D182. <http://dx.doi.org/10.1080/15459624.2012.711606>.
- Verma, DK; Middleton, CG. (1980). Occupational exposure to asbestos in the drywall taping process. *Am Ind Hyg Assoc J.* 41: 264-269. <http://dx.doi.org/10.1080/15298668091424726>.
- Vestbo, J; Knudsen, KM; Raffn, E; Korsgaard, B; Rasmussen, FV. (1991). Exposure to cement dust at a Portland cement factory and the risk of cancer. *Br J Ind Med.* 48: 803-807.
- Vezencev, AI; Nejman, SM; Naumova, LN. (1998). Chrysotile asbestos emission from asbestos cement. *Bezopasnost' Truda v Promyshlennosti. truda v promyshlennosti* 1998: 40-44.
- Viani, A; Gualtieri, AF. (2013). Recycling the product of thermal transformation of cement-asbestos for the preparation of calcium sulfoaluminate clinker. *J Hazard Mater.* 260: 813-818. <http://dx.doi.org/10.1016/j.jhazmat.2013.06.020>.
- Viani, A; Gualtieri, AF. (2014). Preparation of magnesium phosphate cement by recycling the product of thermal transformation of asbestos containing wastes. *Cement and Concrete Research.* 58: 56-66. <http://dx.doi.org/10.1016/j.cemconres.2013.11.016>.
- Viani, A; Gualtieri, AF; Pollastri, S; Rinaudo, C; Croce, A; Urso, G. (2013). Crystal chemistry of the high temperature product of transformation of cement-asbestos. *J Hazard Mater.* 248-249: 69-80. <http://dx.doi.org/10.1016/j.jhazmat.2012.12.030>.
- Vierikko, T; Jarvenpaa, R; Toivio, P; Uitti, J; Oksa, P; Lindholm, T; Vehmas, T. (2010). Clinical and HRCT screening of heavily asbestos-exposed workers. *Int Arch Occup Environ Health.* 83: 47-54. <http://dx.doi.org/10.1007/s00420-009-0462-1>.
- Villa, M; Hubert, G; Lima, S; Kauffer, E; acirc; Ery, M. (1995). Asbestos removal in an office building - Efficacy of personal protection. *Cahiers de notes documentaires. Hygi and aacute:* 463-467.
- Villa, M; Hubert, G; Lima, S; Kauffer, E; Hery, M. (1994). Occupational Exposure during Asbestos Removal Operations (pp. 7-14). (NIOSH/00225667). Villa, M; Hubert, G; Lima, S; Kauffer, E; Hery, M.
- Vincent, R; Kauppinen, T; Toikkanen, J; Pedersen, D; Young, R; Kogevinas, M. (1999). CAREX: International information system on occupational exposure to carcinogenic agents in Europe - Occupational exposure to carcinogenic agents in France from 1990 to 1993. *Cahiers de notes documentaires. Hygi and egrave:* 49-58.
- Vineis, P; Simonato, L. (1991). Proportion of lung and bladder cancers in males resulting from occupation: A systematic approach [Review]. *Arch Environ Health.* 46: 6-15. <http://dx.doi.org/10.1080/00039896.1991.9937423>.
- Voronov, IE; Gur'Ev, SA; Kogan, FM; Gurvich, VB. (1983). DETERMINATION OF CHRYSOLITE LEVELS IN THE DUST OF ASBESTOS PROCESSING ENTERPRISES AND ITS HYGIENIC SIGNIFICANCE. *Gig Sanit.* 0: 44-46.
- Vrancic, T. (2008). Remedial activities at the asbestos polluted areas in Solin and Ploce. 60: 569-574.
- Wachowski, L; Domka, L. (2000). Sources and effects of asbestos and other mineral fibres present in ambient air. *Pol J Environ Stud.* 9: 443-454.
- Wagner, JC. (1989). Correlation between fiber content of lung and disease in east london asbestos factory-workers - reply. *Br J Ind Med.* 46: 305-308.
- Wagner, JC. (1991). The discovery of the association between blue asbestos and mesotheliomas and the aftermath. *Br J Ind Med.* 48: 399-403.
- Wagner, JC; Newhouse, ML; Corrin, B; Rossiter, CE; Griffiths, DM. (1988). Correlation between fibre content of the lung and disease in east London asbestos factory workers. *Br J Ind Med.* 45: 305-308.
- Wagoner, JK; Bayliss, DL; Ayer, HE; Johnson, WH. (1972). MORTALITY PATTERNS AMONG ASBESTOS TEXTILE WORKERS. *Am Ind Hyg Assoc J.* 33: 63-&.

Engineering/Occupational Exposure Literature Search Results

On Topic

- Walker, AM. (1984). Declining relative risks for lung cancer after cessation of asbestos exposure. *J Occup Med.* 26: 422-426.
- Walker, AM; Loughlin, JE; Friedlander, ER; Rothman, KJ; Dreyer, NA. (1983). Projections of asbestos-related disease 1980-2009. *J Occup Med.* 25: 409-425.
- Walker, T. (1985). EXPOSURE TO ASBESTOS. *Chem Eng News.* 63: 76-76.
- Wallingford, KM; Snyder, EM. (2001). Occupational exposures during the World Trade Center disaster response. *Toxicol Ind Health.* 17: 247-253. <http://dx.doi.org/10.1191/0748233701th112oa>.
- Walton, WH. (1982). The nature, hazards and assessment of occupational exposure to airborne asbestos dust: a review [Review]. *Ann Occup Hyg.* 25: 117-247.
- Wambach, PF. (2002). Variation in exposure levels for high hazard frequently monitored agents. *AIHA J.* 63: 424-429.
- Wan, KC; Street, NR. (1990). Criteria for Determining Work Related Heavy Asbestos Exposure. *J Occup Med.* 32: 1088-1090.
- Wang, LI; Neuberg, D; Christiani, DC. (2004). Asbestos exposure, Manganese Superoxide Dismutase (MnSOD) genotype, and lung cancer risk. *J Occup Environ Med.* 46: 556-564. <http://dx.doi.org/10.1097/01.jom.0000128155.86648.a4>.
- Wang, ML; Lu, PL. (1985). Lung function studies of asbestos workers. *Scand J Work Environ Health.* 11: 34-42.
- Wang, X; Araki, S; Yano, E; Wang, M; Wang, Z. (1995). Effects of smoking on respiratory function and exercise performance in asbestos workers. *Ind Health.* 33: 173-180.
- Wang, X; Christiani, DC; Wiencke, JK; Fischbein, M; Xu, X; Cheng, TJ; Mark, E; Wain, JC; Kelsey, KT. (1995). Mutations in the p53 gene in lung cancer are associated with cigarette smoking and asbestos exposure. *Cancer Epidemiol Biomarkers Prev.* 4: 543-548.
- Wang, X; Lin, S; Yano, E; Qiu, H; Yu, IT; Tse, L; Lan, Y; Wang, M. (2012). Mortality in a Chinese chrysotile miner cohort. *Int Arch Occup Environ Health.* 85: 405-412. <http://dx.doi.org/10.1007/s00420-011-0685-9>.
- Wang, X; Wang, M; Qiu, H; Yu, I; Yano, E. (2010). Longitudinal changes in pulmonary function of asbestos workers. *J Occup Health.* 52: 272-277.
- Wang, XR; Christiani, DC. (2000). Respiratory symptoms and functional status in workers exposed to silica, asbestos, and coal mine dusts. *J Occup Environ Med.* 42: 1076-1084.
- Wang, XR; Yano, E; Nonaka, K; Wang, M; Wang, Z. (1998). Pulmonary function of nonsmoking female asbestos workers without radiographic signs of asbestosis. *Arch Environ Health.* 53: 292-298. <http://dx.doi.org/10.1080/00039899809605711>.
- Wang, XR; Yano, E; Nonaka, K; Wang, MZ; Wang, ZM. (1997). Respiratory impairments due to dust exposure: A comparative study among workers exposed to silica, asbestos, and coalmine dust. *Am J Ind Med.* 31: 495-502.
- Wang, XR; Yano, E; Wang, M; Wang, Z; Christiani, DC. (2001). Pulmonary function in long-term asbestos workers in China. *J Occup Environ Med.* 43: 623-629.
- Wang, XR; Yano, EJ; Wang, ZM; Wang, MZ; Christiani, DC. (2006). Adverse effects of asbestos exposure and smoking on lung function. *Am J Ind Med.* 49: 337-342. <http://dx.doi.org/10.1002/ajim.20293>.
- Warnock, ML. (1989). Lung asbestos burden in shipyard and construction workers with mesothelioma: comparison with burdens in subjects with asbestosis or lung cancer. *Environ Res.* 50: 68-85.
- Warnock, ML; Wolery, G. (1987). Asbestos bodies or fibers and the diagnosis of asbestosis. *Environ Res.* 44: 29-44.
- Weaver, PC. (2008). Interim Letter Report Verification Survey of 19 Grids in the Lester Flat Area, David Witherspoon, Inc. 1630 Site, Knoxville, Tennessee (pp. 11). (NTIS/02990088_a). Weaver, PC.
- Weaver, PC. (2008). Interim Letter Report Verification Survey of Partial Grids H19, J21, J22, X20, and X21 at the David Witherspoon, Inc., 1630 Site Knoxville, Tennessee (pp. 10). (NTIS/02990092_a). Weaver, PC.
- Weaver, PC. (2008). Verification Survey of Partial Grid E9 at the David Witherspoon, Inc., 1630 Site Knoxville, Tennessee. Interim Letter Report (pp. 6). (NTIS/02990091_a). Weaver, PC.
- Weaver, PC. (2009). Verification Survey of Final Grids at the David Witherspoon, Inc. 1630 Site Knoxville, Tennessee (pp. 22). (NTIS/02990089_a). Weaver, PC.
- Webber, JS; Covey, J. R. (1991). ASBESTOS IN WATER. *Critical Reviews in Environmental Control.* 21: 331-371.
- Wegman, DH; THERIAUL, GP; Peters, JM. (1972). WORKER-SPONSORED SURVEY FOR ASBESTOS DISEASE. *Am Ind Hyg Assoc J.* 33: 43-&.
- Wehner, AP; Dagle, GE; Cannon, WC. (1978). Development of an animal model, techniques, and an exposure system to study the effects of asbestos cement dust inhalation. *Environ Res.* 16: 393-407.
- Weichenthal, S; Joseph, L; Bélisle, P; Dufresne, A. (2010). Bayesian estimation of the probability of asbestos exposure from lung fiber counts. *Biometrics.* 66: 603-612. <http://dx.doi.org/10.1111/j.1541-0420.2009.01279.x>.
- Weidner, RB. (1971). Analysis of Personal Samples at Certain-Teed, Santa Clara, California. (NIOSH/00105991). Weidner, RB.
- Weidner, RB. (1971). Analysis of Personal Samples at Johns-Manville, Long Beach, California. (NIOSH/00105996). Weidner, RB.
- Weidner, RB. (1971). Analysis of Personal Samples at Johns-Manville, Stockton, California. (NIOSH/00105992). Weidner, RB.
- Weidner, RB. (1971). Results of U.S.P.H.S. Survey at Raybestos Manhattan Asbestos Textile Plant, Charleston, South Carolina. (NIOSH/00105343). Weidner, RB.
- Weidner, RB. (1972). Results of U.S.P.H.S. Survey at H.K. Porter Company, Charlotte, North Carolina. (NIOSH/00105830). Weidner, RB.
- Weiland, SK; Straif, K; Chambless, L; Werner, B; Mundt, KA; Bucher, A; Birk, T; Keil, U. (1998). Workplace risk factors for cancer in the German rubber industry: Part 1. Mortality from respiratory cancers. *Occup Environ Med.* 55: 317-324.
- Weill, H. (1994). Biological effects: asbestos-cement manufacturing. *Ann Occup Hyg.* 38: 533-538, 413.
- Weill, H; Ziskind, MM; Waggenspack, C; Rossiter, CE. (1975). Lung function consequences of dust exposure in asbestos cement manufacturing plants. *Arch Environ Health.* 30: 88-97. <http://dx.doi.org/10.1080/00039896.1975.10666650>.
- Weir, FW; Tolar, G; Meraz, LB. (2001). Characterization of vehicular brake service personnel exposure to airborne asbestos and particulate. *Appl Occup Environ Hyg.* 16: 1139-1146. <http://dx.doi.org/10.1080/10473220127402>.

Engineering/Occupational Exposure Literature Search Results

On Topic

- Weiss, W. (1995). The lack of causality between asbestos and colorectal cancer. *J Occup Environ Med.* 37: 1364-1373.
- Weiss, W; Levin, R; Goodman, L. (1981). Pleural plaques and cigarette smoking in asbestos workers. *J Occup Med.* 23: 427-430.
- Weiss, W; Theodos, PA. (1978). Pleuropulmonary disease among asbestos workers in relation to smoking and type of exposure. *J Occup Med.* 20: 341-345.
- Welch, LS. (2007). Asbestos exposure causes mesothelioma, but not this asbestos exposure: an amicus brief to the Michigan Supreme Court. *Int J Occup Environ Health.* 13: 318-327. <http://dx.doi.org/10.1179/oeht.2007.13.3.318>.
- Welch, LS; Anderson, HA; Balmes, J; Braun, L; Brody, A; Castleman, B; Davis, D; Dement, JM; Frank, A; Gochfeld, M; Goldstein, BD; Rodriguez Guzman, J; Henderson, DW; Huff, J; Infante, PF; Ladou, J; Landrigan, PJ; Leigh, J; Levin, SM; Mulloy, KB; Michaels, D; Oliver, LC; Pepper, L; Rosenman, KD; Schwartz, BS; Silverstein, M; Sokas, RK; Takahashi, K, en; Takaro, T, imK; Teitelbaum, DT; Vojakovic, R; Watterson, A. (2009). Research on Mesothelioma from Brake Exposure: Corporate Influence Remains Relevant Concern. *Int J Occup Environ Health.* 15: 234-238.
- Welch, LS; Michaels, D; Zoloth, S. R.; Alexander, V; Balmes, J; Barnhart, S; Bresnitz, E; Bonham, D; Casten, P; Christiani, D; Cook, R; Cooper, K; Cullen, M; Dehart, D; Demers, R; Fagan, K; Frumkin, H; Frank, A; Friedman, G; Garman, R; Gibson, M; Hake, J; Herbert, R; Hessel, S; Hincamp, D; Hodgson, M; Holstein, E; Johns, RE; Kalamoto, M; Kern, D; Kay, K; Lang, E; Langworthy, J. R.; Lockey, J; Merchant, J; Miller, K; Morse, L; Mulloy, K; Oliver, C; Rosenstock, L; Roundtree, P; Schenker, M; Sharpe, I; Schwartz, D; Simmons, J; Sliwinski, J; Stein, C; Tencza, A; Wallerstein, N; Wagner, G. (1994). THE NATIONAL SHEET-METAL WORKER ASBESTOS DISEASE SCREENING-PROGRAM - RADIOLOGIC FINDINGS. *Am J Ind Med.* 25: 635-648. <http://dx.doi.org/10.1002/ajim.4700250504>.
- Werner, I; Karsten, H. (1981). CHRISOTILE UNDERGOING A THERMAL-CHANGE AS A PECULIARITY OF THE EXPOSURE TO ASBESTOS DUST AT PLACES OF WORK IN PLANT CONSTRUCTION. *Staub, Reinhaltung der Luft.* 41: 262-264.
- Wesolowski, JJ; Stanley, R; Smith, G; Carpenter, L; Berne, A. (1975). Asbestos Measurements In The California Environment (pp. 1729-1737). (NIOSH/00156339). Wesolowski, JJ; Stanley, R; Smith, G; Carpenter, L; Berne, A.
- Whysner, J; Covelto, VT; Kuschner, M; Rifkind, AB; Rozman, KK; Trichopoulos, D; Williams, GM. (1994). ASBESTOS IN THE AIR OF PUBLIC BUILDINGS - A PUBLIC-HEALTH RISK [Review]. *Prev Med.* 23: 119-125. <http://dx.doi.org/10.1006/pmed.1994.1017>.
- Wikeley, NJ. (1993). Measurement of asbestos dust levels in British asbestos factories in the 1930s. *Am J Ind Med.* 24: 509-520.
- Wild, P; Schill, W; Bourgkard, E; Drescher, K; Gonzalez, M; Paris, C. (2016). The 2-phase case-control design: an efficient way to use expert-time. *Scand J Work Environ Health.* 42: 162-169. <http://dx.doi.org/10.5271/sjweh.3547>.
- Wilken, D; Velasco Garrido, M; Manuwald, U; Baur, X. (2011). Lung function in asbestos-exposed workers, a systematic review and meta-analysis. *J Occup Med Toxicol.* 6: 21. <http://dx.doi.org/10.1186/1745-6673-6-21>.
- Williams, MG; Crossman, RN. (2003). Asbestos release during removal of resilient floor covering materials by recommended work practices of the resilient floor covering institute. *Appl Occup Environ Hyg.* 18: 466-478. <http://dx.doi.org/10.1080/713833178>.
- Williams, P; Paustenbach, D; Balzer, JL; Mangold, C. (2007). Retrospective exposure assessment of airborne asbestos related to skilled craftsmen at a petroleum refinery in Beaumont, Texas (1940-2006). *J Toxicol Environ Health A.* 70: 1076-1107. <http://dx.doi.org/10.1080/15287390701208305>.
- Williams, PR; Paustenbach, DJ. (2006). Reconstruction Of Exposure Of Skilled Craftsmen To Asbestos At The Beaumont, Texas Refinery (1946-2004). *Toxicol Sci.* 90: 173.
- Williams, PRD; Phelka, AD; Paustenbach, DJ. (2007). A review of historical exposures to asbestos among skilled craftsmen (1940-2006) [Review]. *J Toxicol Environ Health B Crit Rev.* 10: 319-377. <http://dx.doi.org/10.1080/10937400601034191>.
- Williams, RL; Muhlbaier, JL. (1982). Asbestos brake emissions. *Environ Res.* 29: 70-82.
- Williams, V; de Klerk, NH; Whitaker, D; Musk, AW; Shilkin, KB. (1995). Asbestos bodies in lung tissue following exposure to crocidolite. *Am J Ind Med.* 28: 489-495.
- Wilmoth, RC; Powers, TJ; Millette, JR. (1991). Observations on studies useful to asbestos O&M activities. *Microscope.* 39: 299-312.
- Wilmoth, RC; Taylor, MS; Meyer, BE. (1994). Abestos Release from the Demolition of Two Schools in Fairbanks, Alaska. 12.
- Woitowitz, HJ; egrave; Odelsperger, K; Arhelger, R; Giesen, T. (1983). Exposure to asbestos dust in the workplace - Measurement results in the international literature. (CIS/85/01251). *Woitowitz, HJ; R and egrave; Odelsperger, K; Arhelger, R; Giesen, T.*
- Woitowitz, HJ; Krieger, HG; Woitowitz, RH. (1978). OCCUPATIONAL EXPOSURE TO ASBESTOS DUST AND OBSTRUCTIVE BRONCHOPULMONARY DISEASE. *Arbeitsmedizin, Sozialmedizin, Praeventivmedizin.* 13: 210-215.
- Woitowitz, HJ; Lange, HJ; Beierl, L; Rathgeb, M; Schmidt, K; Ulm, K; Giesen, T; Woitowitz, RH; Pache, L; Rödelsperger, K. (1986). Mortality rates in the Federal Republic of Germany following previous occupational exposure to asbestos dust. *Int Arch Occup Environ Health.* 57: 161-171.
- Woitowitz, HJ; Lange, HJ; Ulm, K; Rödelsperger, K; Woitowitz, RH; Pache, L. (1988). ASBESTOS RELATED TUMORS AMONG WORKERS IN THE FEDERAL-REPUBLIC-OF-GERMANY. *Staub, Reinhaltung der Luft.* 48: 307-315.
- Woitowitz, HJ; Rödelsperger, K. (1980). WORKING PLACES AT BUILDING YARDS AS EMISSION SOURCES OF THE ENVIRONMENTAL LOAD BY RESPIRABLE ASBESTOS CEMENT DUST. *Staub, Reinhaltung der Luft.* 40: 143-144.
- Woitowitz, HJ; Rödelsperger, K; Bodeker, H; Bruckel, B; Gosch, V. (1991). BIOMONITORING AFTER EXPOSURE TO ASBESTOS-FIBER DUST - LIGHT-MICROSCOPY AS AGAINST ELECTRON-MICROSCOPY. *Arbeitsmedizin, Sozialmedizin, Praeventivmedizin.* 26: 219-224.
- Wollmer, P; Eriksson, L; Jonson, B; Jakobsson, K; Albin, M; Skerfving, S; Welinder, H. (1987). Relation between lung function, exercise capacity, and exposure to asbestos cement. *Br J Ind Med.* 44: 542-549.
- Wong, O. (1992). CHRYSOTILE ASBESTOS, MESOTHELIOMA, AND GARAGE MECHANICS [Letter]. *Am J Ind Med.* 21: 449-451.
- Wortley, P; Vaughan, TL; Davis, S; Morgan, MS; Thomas, DB. (1992). A case-control study of occupational risk factors for laryngeal cancer. *Br J Ind Med.* 49: 837-844. <http://dx.doi.org/10.1136/oem.49.12.837>.

Engineering/Occupational Exposure Literature Search Results

On Topic

- Woźniak, H; Wiecek, E; Dobrucka, D; Pelc, W; Maciejewska, A; Bielichowska, G; Opalska, B. (1991). [Evaluation of occupational exposure of workers engaged in mining of rock raw materials in the Sleza massif]. *Med Pr.* 42: 411-417.
- Woźniak, H; Wiecek, E; Kesik, K; Bojarska, D. (1995). [Exposure to mineral fibers in selected ceramics plants]. *Med Pr.* 46: 327-336.
- Wozniak, H; Wiecek, E; Makowski, A; Gadalska, D; Jakobczyk, L; Maciejewska, A; Opalska, B. (1991). Occupational and non-occupational exposure to natural mineral fibres in the "Szkłary" metallurgical plant. *Med Pr.* 42: 127-135.
- Woźniak, H; Wiecek, E; Stroszejn-Mrowca, G; Wojtczak, J. (1992). [Asbestos substitutes and their biological action. I. Types, use, exposure and MPEL] [Review]. *Med Pr.* 43: 159-164.
- Wright, WE; Sherwin, RP. (1984). Histological types of malignant mesothelioma and asbestos exposure. *Br J Ind Med.* 41: 514-517.
- Wright, WE; Sherwin, RP; Dickson, EA; Bernstein, L; Fromm, JB; Henderson, BE. (1984). Malignant mesothelioma: incidence, asbestos exposure, and reclassification of histopathology. *Br J Ind Med.* 41: 39-45.
- Wu, CC. (1984). OCCUPATIONAL ASBESTOS-RELATED DISEASES IN TAIWAN. *Scand J Work Environ Health.* 10: 136-136.
- Wu, WT; Lin, YJ; Shiue, HS; Li, CY; Tsai, PJ; Yang, CY; Liou, SH; Wu, TN. (2014). Cancer incidence of Taiwanese shipbreaking workers who have been potentially exposed to asbestos. *Environ Res.* 132: 370-378. <http://dx.doi.org/10.1016/j.envres.2014.04.026>.
- Wünsch-Filho, V; Moncau, JE; Mirabelli, D; Boffetta, P. (1998). Occupational risk factors of lung cancer in São Paulo, Brazil. *Scand J Work Environ Health.* 24: 118-124.
- Wylie, AG; Bailey, KF. (1992). THE MINERALOGY AND SIZE OF AIRBORNE CHRYSOTILE AND ROCK FRAGMENTS - RAMIFICATIONS OF USING THE NIOSH 7400 METHOD. *Am Ind Hyg Assoc J.* 53: 442-447.
- Xiaoming, L; Linrong, X. (2011). Asbestos Tailings as Aggregates for Asphalt Mixture. *Journal of Wuhan University of Technology--Materials Science Edition.* 26: 336-339. <http://dx.doi.org/10.1007/s11595-011-225-1>.
- Xu, Z; Brown, LM; Pan, GW; Liu, TF; Gao, GS; Stone, BJ; Cao, RM; Guan, DX; Sheng, JH; Yan, ZS; Dosemeci, M; Fraumeni, JF; Blot, WJ. (1996). Cancer risks among iron and steel workers in Anshan, China, Part II: Case-control studies of lung and stomach cancer. *Am J Ind Med.* 30: 7-15. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199607\)30:1<7::AID-AJIM2>3.0.CO;2-#](http://dx.doi.org/10.1002/(SICI)1097-0274(199607)30:1<7::AID-AJIM2>3.0.CO;2-#).
- Xu, Z; Pan, GW; Liu, LM; Brown, LM; Guan, DX; Xiu, Q; Sheng, JH; Stone, BJ; Dosemeci, M; Fraumeni, JF; Blot, WJ. (1996). Cancer risks among iron and steel workers in Anshan, China, Part I: Proportional mortality ratio analysis. *Am J Ind Med.* 30: 1-6. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199607\)30:1<1::AID-AJIM1>3.0.CO;2-5](http://dx.doi.org/10.1002/(SICI)1097-0274(199607)30:1<1::AID-AJIM1>3.0.CO;2-5).
- Yamada, Y; Kido, T; Ishizaki, M; Kobayashi, K. (1990). Pleural thickening presumably caused by asbestos exposure on the chest X-ray film of sake brewers - Part II. The relationship between the duration of work for breweries and prevalence of pleural thickening. 17: 43-47.
- Yang, HY; Shie, RH; Chen, PC. (2013). Carving of non-asbestiform tremolite and the risk of lung cancer: a follow-up mortality study in a historical nephrite processing cohort. *Occup Environ Med.* 70: 852-857. <http://dx.doi.org/10.1136/oemed-2013-101404>.
- Yang, M. (2011). A current global view of environmental and occupational cancers. *J Environ Sci Health C Environ Carcinog Ecotoxicol Rev.* 29: 223-249. <http://dx.doi.org/10.1080/10590501.2011.601848>.
- Yano, E; Tanaka, K; Funaki, M; Maeda, K; Matsunaga, C; Yamaoka, K. (1993). Effect of smoking on pleural thickening in asbestos workers. *Br J Ind Med.* 50: 898-901. <http://dx.doi.org/10.1136/oem.50.10.898>.
- Yano, E; Wang, X; Wang, M; Qiu, H; Wang, Z. (2010). Lung cancer mortality from exposure to chrysotile asbestos and smoking: a case-control study within a cohort in China. *Occup Environ Med.* 67: 867-871. <http://dx.doi.org/10.1136/oem.2009.051615>.
- Yano, E; Wang, ZM; Wang, XR; Wang, MZ; Lan, YJ. (2001). Cancer mortality among workers exposed to amphibole-free chrysotile asbestos. *Am J Epidemiol.* 154: 538-543.
- Yano, E; Wang, ZM; Wang, XR; Wang, MZ; Takata, A; Kohyama, N; Suzuki, Y. (2009). Mesothelioma in a worker who spun chrysotile asbestos at home during childhood. *Am J Ind Med.* 52: 282-287. <http://dx.doi.org/10.1002/ajim.20675>.
- Yearwood, P. (1991). Asbestos fibre exposure during a removal project. (CIS/93/00786). Yearwood, P.
- Yeung, P; Patience, K; Aphorpe, L; Willcocks, D. (1999). An Australian study to evaluate worker exposure to chrysotile in the automotive service industry. *Appl Occup Environ Hyg.* 14: 448-457.
- Yoshida, R; Ogawa, Y; Shioji, I; Yu, X; Shibata, E; Mori, I; Kubota, H; Kishida, A; Hisanaga, N. (2001). Urinary 8-oxo-7, 8-dihydro-2'-deoxyguanosine and biopyrins levels among construction workers with asbestos exposure history. *Ind Health.* 39: 186-188.
- Yoshizumi, K; Hori, H; Satoh, T; Higashi, T. (2001). The trend in airborne asbestos concentrations at plants manufacturing asbestos-containing products in Japan. *Ind Health.* 39: 127-131.
- Yu, IJ; Choi, JK; Kang, SK; Chang, HK; Chung, YH; Han, JH; Song, KS; Lee, YM; Chung, HK. (2002). Potential source of asbestos in non-asbestos textile manufacturing company. *Environ Int.* 28: 35-39.
- Yu, IJ; Yoo, CY; Chung, YH; Han, JH; Yhang, SY; Yu, GM; Song, KS. (2004). Asbestos exposure among Seoul metropolitan subway workers during renovation of subway air-conditioning systems. *Environ Int.* 29: 931-934. [http://dx.doi.org/10.1016/S0160-4120\(03\)00058-8](http://dx.doi.org/10.1016/S0160-4120(03)00058-8).
- Yu, M; Zhang, Y; Jiang, Z; Chen, J; Liu, L; Lou, J; Zhang, X. (2015). Mesothelin (MSLN) methylation and soluble mesothelin-related protein levels in a Chinese asbestos-exposed population. *Environ Health Prev Med.* 20: 369-378. <http://dx.doi.org/10.1007/s12199-015-0477-z>.
- Yusa, T; Hiroshima, K; Sakai, F; Kishimoto, T; Ohnishi, K; Usami, I; Morikawa, T; Wu, D; Itoi, K; Okamoto, K; Shinohara, Y; Kohyama, N; Morinaga, K. (2015). Significant relationship between the extent of pleural plaques and pulmonary asbestos body concentration in lung cancer patients with occupational asbestos exposure. *Am J Ind Med.* 58: 444-455. <http://dx.doi.org/10.1002/ajim.22430>.
- Zaebst, DD; Seel, EA; Yiin, JH; Nowlin, SJ; Chen, P. (2009). Summary of retrospective asbestos and welding fume exposure estimates for a nuclear naval shipyard and their correlation with radiation exposure estimates. *J Occup Environ Hyg.* 6: 404-414. <http://dx.doi.org/10.1080/15459620902922573>.
- Zaina, S; Mastrangelo, G; Ballarin, MN; Scozzato, L; Carradori, G; Fedeli, U; Capella, S; Belluso, E. (2014). Urinary asbestos fibers and inorganic particles in past asbestos workers. *Arch Environ Occup Health.* 71: 1-7. <http://dx.doi.org/10.1080/19338244.2014.988675>.

Engineering/Occupational Exposure Literature Search Results

On Topic

- Zakrewska, AM; Capone, PP; Ianno, A; Tarzia, V; Campopiano, A; Vilella, E; Giardino, R. (2008). Calabrian ophiolites: dispersion of airborne asbestos fibers during mining and milling operations. *Periodico di Mineralogia*. 77: 27-34. <http://dx.doi.org/10.2451/2008PM0010>.
- Zanardi, F; Salvarani, R; Cooke, RM; Pirastu, R; Baccini, M; Christiani, D; Curti, S; Risi, A; Barbieri, A; Barbieri, G; Mattioli, S; Violante, FS. (2013). Carcinoma of the pharynx and tonsils in an occupational cohort of asphalt workers. *Epidemiology*. 24: 100-103. <http://dx.doi.org/10.1097/EDE.0b013e318276cc95>.
- Zandjani, F; Hogsæet, B; Andersen, A; Langard, S. (1994). INCIDENCE OF CANCER AMONG NITRATE FERTILIZER WORKERS. *Int Arch Occup Environ Health*. 66: 189-193. <http://dx.doi.org/10.1007/BF00380779>.
- Zappa, M; Paci, E; Seniori Costantini, A; Kriebel, D. (1993). Lung cancer among textile workers in the Prato area of Italy. *Scand J Work Environ Health*. 19: 16-20.
- Zeka, A; Gore, R; Kriebel, D. (2011). The two-stage clonal expansion model in occupational cancer epidemiology: results from three cohort studies. *Occup Environ Med*. 68: 618-624. <http://dx.doi.org/10.1136/oem.2009.053983>.
- Zhao, XH; Jia, G; Liu, YQ; Liu, SW; Yan, L; Jin, Y; Liu, N. (2006). Association between polymorphisms of DNA repair gene XRCC1 and DNA damage in asbestos-exposed workers. *Biomed Environ Sci*. 19: 232-238.
- Zheng, W; Blot, WJ; Shu, XO; Diamond, EL; Gao, YT; Ji, BT; Fraumeni, JF. (1992). RISK-FACTORS FOR ORAL AND PHARYNGEAL CANCER IN SHANGHAI, WITH EMPHASIS ON DIET. *Cancer Epidemiol Biomarkers Prev*. 1: 441-448.
- Zheng, W; Blot, WJ; X-O, S; Y-T, G; B-T, J; Ziegler, RG; Fraumeni J F, J. R. (1992). Diet and other risk factors for laryngeal cancer in Shanghai, China. *Am J Epidemiol*. 136: 178-191.
- Zhong, F; Yano, E; Wang, ZM; Wang, MZ; Lan, YJ. (2008). Cancer mortality and asbestosis among workers in an asbestos plant in Chongqing, China. *Biomed Environ Sci*. 21: 205-211. [http://dx.doi.org/10.1016/S0895-3988\(08\)60030-6](http://dx.doi.org/10.1016/S0895-3988(08)60030-6).
- Zhu, H; Wang, Z. (1993). Study of occupational lung cancer in asbestos factories in China. *Br J Ind Med*. 50: 1039-1042.
- Zielhuis, RL. (1979). Public health risks of exposure to asbestos. Report of a Working Group. (HEEP/79/11632). Zielhuis, RL.
- Zielhuis, RL; Versteeg, JP; Planteijdt, HT. (1975). Pleura mesothelioma and exposure to asbestos. A retrospective case-control study in the Netherlands. *Int Arch Occup Environ Health*. 36: 1-18.
- Zitting, AJ; Karjalainen, A; Impivaara, O; Kuusela, T; Mäki, J; Tossavainen, A; Järvisalo, J. (1996). Radiographic small lung opacities and pleural abnormalities in relation to smoking, urbanization status, and occupational asbestos exposure in Finland. *J Occup Environ Med*. 38: 602-609.
- Zitting, AJ; Karjalainen, A; Impivaara, O; Tossavainen, A; Kuusela, T; Maki, J; Huuskonen, MS. (1995). Radiographic small lung opacities and pleural abnormalities as a consequence of asbestos exposure in an adult population. *Scand J Work Environ Health*. 21: 470-477.
- Zoloth, S; Michaels, D. (1985). Asbestos disease in sheet metal workers: the results of a proportional mortality analysis. *Am J Ind Med*. 7: 315-321.
- Zone, JJ; Rom, WN. (1985). Circulating immune complexes in asbestos workers. *Environ Res*. 37: 383-389.
- Zumwalde, RD. (1973). Asbestos Survey of Federal Office Building No. 7, U.S. Court of Claims and Court of Customs and Patent Appeals Building Washington, D.C. and George H. Fallon Office Building Baltimore, Maryland. (NIOSH/00073682). Zumwalde, RD.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Abakay, A; Tanrikulu, AC; Ayhan, M; Imamoglu, MS; Taylan, M; Kaplan, MA; Abakay, O. (2015). High-risk mesothelioma relation to meteorological and geological condition and distance from naturally occurring asbestos. *Environ Health Prev Med*. 21: 82-90. <http://dx.doi.org/10.1007/s12199-015-0501-3>.
- Abakay, A; Tanrikulu, AC; Imamoglu, MS; Ayhan, M; Taylan, M; Kaplan, MA; Abakay, O. (2016). Erratum to: High-risk mesothelioma relation to meteorological and geological condition and distance from naturally occurring asbestos [Erratum]. *Environ Health Prev Med*. 21: 91. <http://dx.doi.org/10.1007/s12199-016-0508-4>.
- Abbaszadegan, M; Yi, M; Alum, A. (2015). Stimulation of 2-methylisoborneol (MIB) production by actinomycetes after cyclic chlorination in drinking water distribution systems. *J Environ Sci Health A Tox Hazard Subst Environ Eng*. 50: 365-371. <http://dx.doi.org/10.1080/10934529.2015.987526>.
- Abbott, RN; Burnham, CW. (1991). ENERGY CALCULATIONS BEARING ON BIOPYRIBOLES. *Am Mineral*. 76: 728-732.
- Abell, M. (1989). X-Ray Powder Diffraction (pp. 214-218). (NIOSH/00205582). Abell, M.
- Abell, MT. (1988). Quality Audit Samples and the Asbestos Analyst Registry. *Appl Ind Hyg*. 3.
- Abell, MT; Doemeny, LJ. (1991). MONITORING THE PERFORMANCE OF OCCUPATIONAL-HEALTH LABORATORIES. *Am Ind Hyg Assoc J*. 52: 336-339.
- Abeysondra, UGY; Babel, S; Gheewala, S. (2007). A decision making matrix with life cycle perspective of materials for roofs in Sri Lanka. *Materials & Design*. 28: 2478-2487. <http://dx.doi.org/10.1016/j.matdes.2006.09.011>.
- Abraham, JL. (1994). Asbestos inhalation, not asbestosis, causes lung cancer. *Am J Ind Med*. 26: 839-842.
- Abraham, JL; Cohen, KS; Powell, B; Merritt, C. (1988). ANALYSES OF BULK AND AEROSOLIZED ASBESTOS FIBERS FROM CHILDREN'S PLAY SAND REVEAL A POTENTIAL HEALTH HAZARD (pp. 8-11). (BIOSIS/88/21272). Abraham, JL; Cohen, KS; Powell, B; Merritt, C.
- Abzalov, MZ. (1998). Chrome spinels in gabbro wehrlite intrusions of the Pechenga area, Kola Peninsula, Russia: emphasis on alteration features. *Lithos*. 43: 109-134.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Accardo, G; Cioffi, R; Colangelo, F; D'Angelo, R; De Stefano, L; Paglietti, F. (2014). Diffuse Reflectance Infrared Fourier Transform Spectroscopy for the Determination of Asbestos Species in Bulk Building Materials. *Materials*. 7: 457-470. <http://dx.doi.org/10.3390/ma7010457>.
- Acheson, ED; Gardner, MJ. (1979). Mesothelioma and exposure to mixtures of chrysotile and amphibole asbestos. *Arch Environ Health*. 34: 240-242.
- Acosta-Gongora, P; Gleeson, SA; Samson, IM; Ootes, L; Corriveau, L. (2015). Gold Refining by Bismuth Melts in the Iron Oxide-Dominated NICO Au-Co-Bi (+/- Cu +/- W) Deposit, NWT, Canada. *Econ Geol*. 110: 291-314.
- Adachi, S; Kawamura, K; Kimura, K; Takemoto, K. (1992). Tumor incidence was not related to the thickness of visceral pleural in female Syrian hamsters intratracheally administered amphibole asbestos or manmade fibers. *Environ Res*. 58: 55-65.
- Adachi, S; Kawamura, K; Takemoto, K. (2001). A trial on the quantitative risk assessment of man-made mineral fibers by the rat intraperitoneal administration assay using the JFM standard fibrous samples. *Ind Health*. 39: 168-174. <http://dx.doi.org/10.2486/indhealth.39.168>.
- Adachi, S; Kawamura, K; Yoshida, S; Takemoto, K. (1992). OXIDATIVE DAMAGE ON DNA INDUCED BY ASBESTOS AND MAN-MADE FIBERS INVITRO. *Int Arch Occup Environ Health*. 63: 553-557.
- Adachi, S; Takemoto, K; Kimura, K. (1991). Tumorigenicity of fine man-made fibers after intratracheal administrations to hamsters. *Environ Res*. 54: 52-73.
- Adamis, Z; Kerényi, T; Honma, K; Jäckel, M; Tátrai, E; Ungváry, G. (2001). Study of inflammatory responses to crocidolite and basalt wool in the rat lung. *J Toxicol Environ Health A*. 62: 409-415. <http://dx.doi.org/10.1080/152873901300018174>.
- Adamis, Z; Krass, BK. (1991). Studies on the Cytotoxicity of Ceramic Respirable Dusts Using In Vitro and In Vivo Test Systems. *Ann Occup Hyg*. 35: 469-483.
- Adamis, Z; Tatrai, E; Honma, K; Six, E; Ungváry, G. (2000). In vitro and in vivo tests for determination of the pathogenicity of quartz, diatomaceous earth, mordenite and clinoptilolite. *Ann Occup Hyg*. 44: 67-74. [http://dx.doi.org/10.1016/S0003-4878\(99\)00054-X](http://dx.doi.org/10.1016/S0003-4878(99)00054-X).
- Adams, DT; Langer, WH; Hoefen, TM; Vangosen, BS; Meeker, GP. (2010). Examination of Libby, Montana, Fill Material for Background Levels of Amphibole from the Rainy Creek Complex Using Scanning Electron Microscopy and X-Ray Microanalysis. 13.
- Adamson, I; Prieditis, H. (1995). Response of mouse lung to carbon deposition during injury and repair. *Environ Health Perspect*. 103: 72-76.
- Adamson, IY; Prieditis, H; Hedgecock, C. (1995). Pulmonary response of mice to fiberglass: cytokinetic and biochemical studies. *J Toxicol Environ Health*. 46: 411-424. <http://dx.doi.org/10.1080/15287399509532046>.
- Adamson, IYR. (1997). Early mesothelial cell proliferation after asbestos exposure: In vivo and in vitro studies. *Environ Health Perspect*. 105: 1205-1208. <http://dx.doi.org/10.2307/3433533>.
- Adamus, J; Sniegowski, A. (1990). Fibres in Lower Silesia Hard Coal Mines Respirable Dusts. *Ann Occup Hyg*. 34: 91-95.
- Addison, J. (1999). Minimising health hazards associated with derogated products containing chrysotile asbestos. *Ann Occup Hyg*. 43: 496-498.
- Addison, J; Browne, K; Davis, JM; Gruber, UF. (1993). Asbestos fibers in parenteral medication [Review]. *Regul Toxicol Pharmacol*. 18: 371-380. <http://dx.doi.org/10.1006/rtp.1993.1063>.
- Addison, J; Davies, LST. (1990). ANALYSIS OF AMPHIBOLE ASBESTOS IN CHRYSOTILE AND OTHER MINERALS. *Ann Occup Hyg*. 34: 159-&.
- Addley, K; Mckeagney, P. (2012). The RMS Titanic. *Occup Med (Lond)*. 62: 165-166. <http://dx.doi.org/10.1093/occmed/kqs015>.
- Adebayo, GA; Zhanabergenov, Z, h; Emazarov, U; Badmus, BS; Anusionwu, BC. (2014). First principles study of electronic structure, structural and optical properties of Mg₃Si₂O₅(OH)₄. *Appl Clay Sci*. 93-94: 8-11. <http://dx.doi.org/10.1016/j.clay.2014.03.003>.
- Adee, RR; Laidler, JJ. (1973). Subcellular identification of exogenous particles by high-voltage electron microscopy. *Am Ind Hyg Assoc J*. 34: 507-511.
- Adeli, M; Beyranvand, S; Hamid, M. (2012). Noncovalent interactions between linear-dendritic copolymers and carbon nanotubes lead to liposome-like nanocapsules. *J Mater Chem*. 22: 6947-6952. <http://dx.doi.org/10.1039/c2jm16919c>.
- Adeniyi, IF; Olabanji, IO. (2005). The physico-chemical and bacteriological quality of rainwater collected over different roofing materials in Ile-Ife, Southwestern Nigeria. *Chem Ecol*. 21: 149-166. <http://dx.doi.org/10.1080/02757540500117318>.
- Adesanya, DA. (1996). Evaluation of blended cement mortar, concrete and stabilized earth made from ordinary Portland cement and corn cob ash. *Construction and Building Materials*. 10: 451-456.
- Adolfsson, K; Schneider, M; Hammarin, G; Häcker, U; Prinz, CN. (2013). Ingestion of gallium phosphide nanowires has no adverse effect on *Drosophila* tissue function. *Nanotechnology*. 24: 285101. <http://dx.doi.org/10.1088/0957-4484/24/28/285101>.
- Adomeit, W. (1991). CENTRAL ASBESTOS DISPOSAL PLANT. *Staub, Reinhaltung der Luft*. 51: 341-343.
- Afanas'ev, AI; Lyaptsev, SA; Potapov, VY, a. (2013). Characteristics of Asbestos-Containing Rock and the Selection of Efficient Parameters of Equipment for their Separation. *Refractories and Industrial Ceramics*. 54: 281-284. <http://dx.doi.org/10.1007/s11148-013-9592-9>.
- Agassi, M; Levy, GJ. (1991). STONE-COVER AND RAIN INTENSITY - EFFECTS ON INFILTRATION, EROSION AND WATER SPLASH. *Aust J Soil Res*. 29: 565-575.
- Agemar, T; Worner, G; Heumann, A. (1999). Stable isotopes and amphibole chemistry on hydrothermally altered granitoids in the North Chilean Precordillera: a limited role for meteoric water? *Contributions to Mineralogy and Petrology*. 136: 331-344.
- Agopyan, V; Savastano, H; John, VM; Cincotto, MA. (2005). Developments on vegetable fibre-cement based materials in Sao Paulo, Brazil: an overview. *Cement and Concrete Composites*. 27: 527-536. <http://dx.doi.org/10.1016/j.cemconcomp.2004.09.004>.
- Agranier, A; Lee, CTA; Li, ZXA; Leeman, WP. (2007). Fluid-mobile element budgets in serpentinized oceanic lithospheric mantle: Insights from B, As, Li, Pb, PGEs and os isotopes in the feather river Ophiolite, California. *Chem Geol*. 245: 230-241. <http://dx.doi.org/10.1016/j.chemgeo.2007.08.008>.
- Agriener, P; Mevel, C; Bosch, D; Javoy, M. (1993). METASOMATIC HYDROUS FLUIDS IN AMPHIBOLE PERIDOTITES FROM ZABARGAD ISLAND (RED-SEA). *Earth Planet Sci Lett*. 120: 187-205.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Aguilar, M; Aguilar, CG. (2001). Comments on the reconstruction of asbestos exposure in cases of pleural mesothelioma in Mexico. *Salud Publica Mex.* 43: 263-264.
- Aguilar Madrid, G. (2001). [Reconstruction of the exposure to asbestos in cases of pleural mesothelioma in Mexico] [Letter]. *Salud Publica Mex.* 43: 263-265.
- Aguilar Madrid, G; Beaudry, M; Bell, W; Bowes, D; Brophy, J; Burdorf, A; Carlsten, C; Castleman, B; Chaturvedi, S; Conti, ME; Corra, L; Corrêa Filho, HR; Cranor, CF; Cullen, E; Dalvie, A; Dickson, RC; Digon, A; Egilman, D; Eisner Falvo, C; Fischer, E; Frank, AL; Frank, E; Gee, D; Giannasi, F; Goldstein, BD; Greenberg, M; Guidotti, TL; Harris, WA; Hindry, M; Houlson, A; Hu, H; Huff, J; Infante, PF; Thambyappa, J; Juarez Perez, CA; Jeebhay, MF; Joshi, TK; Keith, M; Keyserlingk, J. R.; Khatter, K; King, D; Kodeih, N; Kristensen, J; Kulsomboon, V; Landrigan, PJ; Lee, CW; Leigh, J; Lemen, RA; Lippman, A; London, L; Matzopoulos, R; Mcculloch, J; Mcdiarmid, MA; Mehrdad, R; Mirabelli, D; Moshhammer, H; Notebaert, É; Nycz, Z; Oberta, AF; O'Connor, J; O'Neill, R; Orris, P; Ozonoff, D; Paek, D; Rickard, C; Rodriguez, EJ; Sass, J; Sentes, KE; Simpson, IM; Soffritti, M; Soskolne, CL; Sparling, SP; Spiegel, J; Takahashi, K; Takaro, TK; Terracini, B; Thébaud-Mony, A; Trosic, I; Turcotte, F; Vakil, C; Van Der Walt, A; Waterman, YR; Watterson, A; Wegman, DH; Welch, LS; Weiss, SH; Winston, R; Yassi, A. (2013). Statement in response to asbestos industry efforts to prevent a ban on asbestos in Pakistan: chrysotile asbestos use is not safe and must be banned [Letter]. *Arch Environ Occup Health.* 68: 243-249. <http://dx.doi.org/10.1080/19338244.2013.780807>.
- Ahmad, I; Siddiqui, H; Akhtar, MJ; Khan, MI; Patil, G; Ashquin, M; Patel, DK; Arif, JM. (2011). Toxic responses in primary rat hepatocytes exposed with occupational dust collected from work environment of bone-based industrial unit. *Chemosphere.* 83: 455-460. <http://dx.doi.org/10.1016/j.chemosphere.2010.12.074>.
- Ahmad, M; Bajahlan, AS. (2009). Quality comparison of tap water vs. bottled water in the industrial city of Yanbu (Saudi Arabia). *Environ Monit Assess.* 159: 1-14. <http://dx.doi.org/10.1007/s10661-008-0608-8>.
- Ahmed, AF; Hoa, SV. (2012). Thermal insulation by heat resistant polymers for solid rocket motor insulation. *Journal of Composite Materials.* 46: 1549-1559. <http://dx.doi.org/10.1177/0021998311418850>.
- Ahmed, AH; Gharib, ME; Arai, S. (2012). Characterization of the thermally metamorphosed mantle-crust transition zone of the Neoproterozoic ophiolite at Gebel Mudarjaj, south Eastern Desert, Egypt. *Lithos.* 142: 67-83. <http://dx.doi.org/10.1016/j.lithos.2012.02.014>.
- Ahn, JH; Buseck, PR. (1991). MICROSTRUCTURES AND FIBER-FORMATION MECHANISMS OF CROCIDOLITE ASBESTOS. *Am Mineral.* 76: 1467-1478.
- Ahn, JH; Cho, M; Jenkins, DM; Buseck, PR. (1991). STRUCTURAL DEFECTS IN SYNTHETIC TREMOLITIC AMPHIBOLES. *Am Mineral.* 76: 1811-1823.
- Ahrenholz, SH; Bochnak, PM; Goldoft, M. (1989). Health Hazard Evaluation Report No. HETA-86-231-1954, Reade Manufacturing Company, Lakehurst, New Jersey (pp. 86-231). (NIOSH/00188717). Ahrenholz, SH; Bochnak, PM; Goldoft, M.
- Ahrens, W; Jockel, KH; Patzak, W; Elsner, G. (1991). ALCOHOL, SMOKING, AND OCCUPATIONAL FACTORS IN CANCER OF THE LARYNX - A CASE-CONTROL STUDY. *Am J Ind Med.* 20: 477-493.
- AIHA-ACGIH. (1975). RECOMMENDED PROCEDURES FOR SAMPLING AND COUNTING ASBESTOS FIBERS (pp. 83-90; 1975). (HMT/75/0003199). AIHA-ACGIH.
- Aiso, S; Yamazaki, K; Umeda, Y; Asakura, M; Kasai, T; Takaya, M; Toya, T; Koda, S; Nagano, K; Arito, H; Fukushima, S. (2010). Pulmonary Toxicity of Intratracheally Instilled Multiwall Carbon Nanotubes in Male Fischer 344 Rats. *Ind Health.* 48: 783-795.
- Aitcin, PC; Cossette, M. (1979). LIGHTWEIGHT CONCRETES WITH AGGREGATES MADE FROM ASBESTOS MINE TAILINGS. 72: 95-96.
- Aitcin, PC; Delvaux, P; Bradt, RC. (1981). ELASTIC PROPERTIES OF ASBESTOS FIBER-CEMENT COMPOSITES. *American Ceramic Society Bulletin.* 60: 388-388.
- Aitio, A. (2008). Research needs for environmental health risk assessment. *J Toxicol Environ Health A.* 71: 1254-1258. <http://dx.doi.org/10.1080/15287390802211786>.
- Akai, J; Nomura, N, ao; Matsushita, S; Kudo, H; Fukuhara, H; Matsuoka, S; Matsumoto, J. (2013). Mineralogical and geomicrobial examination of soil contamination by radioactive Cs due to 2011 Fukushima Daiichi Nuclear Power Plant accident. *Phys Chem Earth.* 58-60: 57-67. <http://dx.doi.org/10.1016/j.pce.2013.04.010>.
- Akers, SAS; Garrett, GG. (1983). FIBER MATRIX INTERFACE EFFECTS IN ASBESTOS CEMENT COMPOSITES. *Journal of Materials Science.* 18: 2200-2208.
- Akers, SAS; Garrett, GG. (1983). OBSERVATIONS AND PREDICTIONS OF FRACTURE IN ASBESTOS CEMENT COMPOSITES. *Journal of Materials Science.* 18: 2209-2214.
- Akiska, S; Demirela, G; Sayili, SI. (2013). Geology, mineralogy and the Pb, S isotope study of the Kalkim Pb-Zn +/- Cu deposits, Biga Peninsula, NW Turkey. *Journal of Geosciences.* 58: 379-396. <http://dx.doi.org/10.3190/jgeosci.154>.
- Al Jarad, N; Macey, M; Uthayakumar, S; Newland, AC; Rudd, RM. (1992). Lymphocyte subsets in subjects exposed to asbestos: changes in circulating natural killer cells. *Br J Ind Med.* 49: 811-814.
- Alamshahi, V; Taeb, A; Ghaffarzadeh, R; Rezaee, MA. (2012). Effect of composition and length of PP and polyester fibres on mechanical properties of cement based composites. *Construction and Building Materials.* 36: 534-537. <http://dx.doi.org/10.1016/j.conbuildmat.2012.06.005>.
- Al-Barqawi, H; Zayed, T. (2006). Condition rating model for underground infrastructure sustainable water mains. *Journal of Performance of Constructed Facilities.* 20: 126-135. [http://dx.doi.org/10.1061/\(ASCE\)0887-3828\(2006\)20:2\(126\)](http://dx.doi.org/10.1061/(ASCE)0887-3828(2006)20:2(126)).
- Albedi, FM; Paoletti, L; Falchi, M; Carrieri, MP; Cassano, AM; Donelli, G. (1990). Mineral Fibers and Dusts in the Lungs of Subjects Living in an Urban Environment. *Toxicology.* 60: 1-2.
- Albers, A. (1982). Mining Surveillance Investigation. Natural Zeolites. Final Report (pp. 19821982). (NIOSH/00183523). Albers, A.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Alberto Padron-Navarta, J; Hermann, J; Garrido, CJ; Lopez Sanchez-Vizcaino, V; Teresa Gomez-Pugnaire, M. (2010). An experimental investigation of antigorite dehydration in natural silica-enriched serpentinite. *Contributions to Mineralogy and Petrology*. 159: 25-42. <http://dx.doi.org/10.1007/s00410-009-0414-5>.
- Alberto Padron-Navarta, J; Lopez Sanchez-Vizcaino, V; Garrido, CJ; Teresa Gomez-Pugnaire, M. (2011). Metamorphic Record of High-pressure Dehydration of Antigorite Serpentinite to Chlorite Harzburgite in a Subduction Setting (Cerro del Almiraz, Nevado-Filabride Complex, Southern Spain). *Journal of Petrology*. 52: 2047-2078. <http://dx.doi.org/10.1093/ptrology/egr039>.
- Alberto Padron-Navarta, J; Tommasi, A; Garrido, CJ; Lopez Sanchez-Vizcaino, V; Teresa Gomez-Pugnaire, M; Jabaloy, A; Vauchez, A. (2010). Fluid transfer into the wedge controlled by high-pressure hydrofracturing in the cold top-slab mantle. *Earth Planet Sci Lett*. 297: 271-286. <http://dx.doi.org/10.1016/j.epsl.2010.06.029>.
- Albin, M; Engholm, G; Frostrom, K; Kheddache, S; Larsson, S; Swantesson, L. (1992). CHEST-X-RAY FILMS FROM CONSTRUCTION WORKERS - INTERNATIONAL-LABOR-OFFICE (ILO 1980) CLASSIFICATION COMPARED WITH ROUTINE READINGS. *Br J Ind Med*. 49: 862-868.
- Albuquerque, ILT; Cavalcanti, EB; Vilar, EO. (2009). Mass transfer study of electrochemical processes with gas production. *Chemical Engineering and Processing: Process Intensification*. 48: 1432-1436. <http://dx.doi.org/10.1016/j.cep.2009.08.006>.
- Aldea, F; Craciun, ME; Iarca, L; Nechifor, G. (2010). DETERMINATION OF AEROSOLS POLLUTANTS ON MEMBRANES. 1. MEMBRANES PREPARATION AND CHARACTERIZATION. *Environmental Engineering and Management Journal*. 9: 1097-1103.
- Aldieri, E; Fenoglio, I; Cesano, F; Gazzano, E; Gulino, G; Scarano, D; Attanasio, A; Mazzucco, G; Ghigo, D; Fubini, B. (2013). The role of iron impurities in the toxic effects exerted by short multiwalled carbon nanotubes (MWCNT) in murine alveolar macrophages. *J Toxicol Environ Health A*. 76: 1056-1071. <http://dx.doi.org/10.1080/15287394.2013.834855>.
- Alexander, B; Johnson, J; Raleigh, K; Mandel, J; Messing, R; Ramachandran, G; Adgate, J; Williams, A. (2009). Pleural Abnormalities and Community Exposure to Asbestos Contaminated Vermiculite. *Epidemiology*. 20: S88-S89.
- Alexander, BH; Raleigh, KK; Johnson, J; Mandel, JH; Adgate, JL; Ramachandran, G; Messing, RB; Eshenaur, T; Williams, A. (2012). Radiographic evidence of nonoccupational asbestos exposure from processing Libby vermiculite in Minneapolis, Minnesota. *Environ Health Perspect*. 120: 44-49. <http://dx.doi.org/10.1289/ehp.1103529>.
- Alexander, IC; Brown, RC; Jubbs, GA; Pickering, P; Hoskins, JA. (1994). DURABILITY OF CERAMIC AND NOVEL MAN-MADE MINERAL FIBERS. *Environ Health Perspect*. 102: 67-71.
- Alexandrescu, L; Popa, M; Georgescu, M; Leca, M. (2013). Development of new processes intended to obtain fireproof non-asbestos textiles covered with nanodispersions based on modified polychloroprene elastomers. 64: 277-284.
- Alexandrov, M; Ichida, E; Nishimura, T; Aoki, K; Ishida, T; Hirota, R; Ikeda, T; Kawasaki, T; Kuroda, A. (2015). Development of an automated asbestos counting software based on fluorescence microscopy. *Environ Monit Assess*. 187: 4166. <http://dx.doi.org/10.1007/s10661-014-4166-y>.
- Alfonso, HS; Fritschi, L; de Klerk, NH; Ambrosini, G; Beilby, J; Olsen, N; Musk, AW. (2005). Plasma concentrations of retinol, carotene, and vitamin E and mortality in subjects with asbestosis in a cohort exposed to crocidolite in Wittenoom, Western Australia. *J Occup Environ Med*. 47: 573-579. <http://dx.doi.org/10.1097/07.jom.0000165750.54747.27>.
- Alfonso, HS; Fritschi, L; de Klerk, NH; Ambrosini, G; Beilby, J; Olsen, N; Musk, WA. (2005). Plasma concentrations of retinol, carotene, and vitamin E and mortality in subjects with asbestosis in a cohort exposed to crocidolite in Wittenoom, Western Australia (vol 47, pg 573, 2005). *J Occup Environ Med*. 47: 972-972.
- Al-Ghamdi, AS. (2011). Leakage-pressure relationship and leakage detection in intermittent water distribution systems. *Journal of Water Supply: Research and Technology-AQUA*. 60: 178-183. <http://dx.doi.org/10.2166/aqua.2011.003>.
- Algranti, E; Saito, CA; Carneiro, AP; Moreira, B; Mendonça, EM; Bussacos, MA. (2015). The next mesothelioma wave: mortality trends and forecast to 2030 in Brazil. *Cancer Epidemiology*. 39: 687-692. <http://dx.doi.org/10.1016/j.canep.2015.08.007>.
- Ali, A; Suhail, M; Mathew, S; Shah, M; Harakeh, SM; Ahmad, S; Kazmi, Z; Alhamdan, MAR; Chaudhary, A; Damanhour, GA; Qadri, I. (2016). Nanomaterial Induced Immune Responses and Cytotoxicity [Review]. *J Nanosci Nanotechnol*. 16: 40-57. <http://dx.doi.org/10.1166/jnn.2016.10885>.
- Alirezaei, S; Hassanzadeh, J. (2012). Geochemistry and zircon geochronology of the Permian A-type Hasanrobat granite, Sanandaj-Sirjan belt: A new record of the Gondwana break-up in Iran. *Lithos*. 151: 122-134. <http://dx.doi.org/10.1016/j.lithos.2011.11.015>.
- Alkassab, JMA; Adlan, MN; Abustan, I; Aziz, HA; Hanif, A, buBM. (2013). Applying Minimum Night Flow to Estimate Water Loss Using Statistical Modeling: A Case Study in Kinta Valley, Malaysia. *Water Resources Management*. 27: 1439-1455. <http://dx.doi.org/10.1007/s11269-012-0247-2>.
- Al-Khribash, S. (2015). Genesis and mineralogical classification of Ni-laterites, Oman Mountains. *Ore Geol Rev*. 65: 199-212. <http://dx.doi.org/10.1016/j.oregeorev.2014.09.022>.
- Allen, DE; Seyfried, WE. (2003). Compositional controls on vent fluids from ultramafic-hosted hydrothermal systems at mid-ocean ridges: An experimental study at 400 degrees C, 500 bars. *Geochim Cosmo Acta*. 67: 1531-1542. [http://dx.doi.org/10.1016/S0016-7037\(02\)01173-0](http://dx.doi.org/10.1016/S0016-7037(02)01173-0).
- Allen, EM; Alexander, BH; Maclehorse, RF; Nelson, HH; Ramachandran, G; Mandel, JH. (2015). Cancer incidence among Minnesota taconite mining industry workers. *Ann Epidemiol*. 25: 811-815. <http://dx.doi.org/10.1016/j.annepidem.2015.08.003>.
- Allen, EM; Alexander, BH; Maclehorse, RF; Nelson, HH; Ryan, AD; Ramachandran, G; Mandel, JH. (2015). Occupational exposures and lung cancer risk among Minnesota taconite mining workers. *Occup Environ Med*. 72: 633-639. <http://dx.doi.org/10.1136/oemed-2015-102825>.
- Allen, MP; Smith, RW. (1994). DISSOLUTION OF FIBROUS SILICATES IN ACID AND BUFFERED SALT-SOLUTIONS. *Miner Eng*. 7: 1527-1537.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Allibone, AH; Windh, J; Etheridge, MA; Burton, D; Anderson, G; Edwards, PW; Miller, A; Graves, C; Fanning, CM; Wysoczanski, R. (1998). Timing relationships and structural controls on the location of Au-Cu mineralization at the Boddington gold mine, western Australia. *Econ Geol.* 93: 245-270.
- Allred, M; Campolucci, S; Falk, H; Ganguly, NK; Saiyed, HN; Shah, B. (2003). Bilateral environmental and occupational health program with India. *Int J Hyg Environ Health.* 206: 323-332. <http://dx.doi.org/10.1078/1438-4639-00228>.
- Almeida Filho, EM; Vilar, EO; Feitoza, ACO. (2011). Physical-chemical characterization and statistical modeling applied in a chlor-alkali diaphragm-cell process. *Chem Eng Res Des.* 89: 491-498. <http://dx.doi.org/10.1016/j.cherd.2010.08.007>.
- Alt, JC; Garrido, CJ; Shanks, WC, III; Turchyn, A; Alberto Padron-Navarta, J; Lopez Sanchez-Vizcaino, V; Gomez Pugnaire, MT; Marchesi, C. (2012). Recycling of water, carbon, and sulfur during subduction of serpentinites: A stable isotope study of Cerro del Almiraz, Spain. *Earth Planet Sci Lett.* 327: 50-60. <http://dx.doi.org/10.1016/j.epsl.2012.01.029>.
- Alt, JC; Schwarzenbach, EM; Frueh-Green, GL; Shanks, WC, III; Bernasconi, SM; Garrido, CJ; Crispini, L; Gaggero, L; Padron-Navarta, JA; Marchesi, C. (2013). The role of serpentinites in cycling of carbon and sulfur: Seafloor serpentinitization and subduction metamorphism. *Lithos.* 178: 40-54. <http://dx.doi.org/10.1016/j.lithos.2012.12.006>.
- Alt, JC; Shanks, WC. (2006). Stable isotope compositions of serpentinite seamounts in the Mariana forearc: Serpentinization processes, fluid sources and sulfur metasomatism. *Earth Planet Sci Lett.* 242: 272-285. <http://dx.doi.org/10.1016/j.epsl.2005.11.063>.
- Alt, JC; Shanks, WC, III; Crispini, L; Gaggero, L; Schwarzenbach, EM; Frueh-Green, GL; Bernasconi, SM. (2012). Uptake of carbon and sulfur during seafloor serpentinitization and the effects of subduction metamorphism in Ligurian peridotites. *Chem Geol.* 322: 268-277. <http://dx.doi.org/10.1016/j.chemgeo.2012.07.009>.
- Altherr, R; Topuz, G; Marschall, H; Zack, T; Ludwig, T. (2004). Evolution of a tourmaline-bearing lawsonite eclogite from the Elekdag area (Central Pontides, N Turkey): evidence for infiltration of slab-derived B-rich fluids during exhumation. *Contributions to Mineralogy and Petrology.* 148: 409-425. <http://dx.doi.org/10.1007/s00410-004-0611-1>.
- Altoft, RG. (1996). Demolition of the Connah's Quay coal-fired power station. *Institution of Civil Engineers Proceedings Civil Engineering.* 114: 64-72.
- Amacher, DE; Alarif, A; Epstein, SS. (1975). The dose-dependent effects of ingested chrysotile on DNA synthesis in the gastrointestinal tract, liver, and pancreas of the rat. *Environ Res.* 10: 208-216.
- Amaren, SG; Yawas, DS; Aku, SY. (2013). Effect of periwinkles shell particle size on the wear behavior of asbestos free brake pad. 3: 109-114. <http://dx.doi.org/10.1016/j.rinp.2013.06.004>.
- Amati, M; Tomasetti, M; Scartozzi, M; Mariotti, L; Alleva, R; Pignotti, E; Borghi, B; Valentino, M; Governa, M; Neuzil, J; Santarelli, L. (2008). Profiling tumor-associated markers for early detection of malignant mesothelioma: an epidemiologic study. *Cancer Epidemiol Biomarkers Prev.* 17: 163-170. <http://dx.doi.org/10.1158/1055-9965.EPI-07-0607>.
- Ambroise, D; Wild, P; Moulin, JJ. (2006). Update of a meta-analysis on lung cancer and welding. *Scand J Work Environ Health.* 32: 22-31.
- Ambrosini, GL; de Klerk, NH; Musk, AW; Mackerras, D. (2001). Agreement between a brief food frequency questionnaire and diet records using two statistical methods. *Public Health Nutr.* 4: 255-264. <http://dx.doi.org/10.1079/PHN200062>.
- Ambrosini, GL; Mackerras, D; de Klerk, NH; Musk, AW. (2003). Comparison of an Australian food-frequency questionnaire with diet records: implications for nutrition surveillance. *Public Health Nutr.* 6: 415-422. <http://dx.doi.org/10.1079/PHN2002434>.
- Ameille, J; Matrat, M; Paris, C; Joly, N; Raffaelli, C; Brochard, P; Iwatsubo, Y; Pairon, JC; Letourneux, M. (2004). Asbestos-related pleural diseases: Dimensional criteria are not appropriate to differentiate diffuse pleural thickening from pleural plaques. *Am J Ind Med.* 45: 289-296. <http://dx.doi.org/10.1002/ajim.10341>.
- Ames, DE; Franklin, JM; Froese, E. (1991). ZONATION OF HYDROTHERMAL ALTERATION AT THE SAN-ANTONIO GOLD MINE, BISSETT, MANITOBA, CANADA. *Econ Geol.* 86: 600-619.
- Amiguet, E; Van De Moortele, B; Cordier, P; Hilairet, N; Reynard, B. (2014). Deformation mechanisms and rheology of serpentines in experiments and in nature. *J Geophys Res Solid Earth.* 119: 4640-4655. <http://dx.doi.org/10.1002/2013JB010791>.
- Amre, DK; Infante-Rivard, C; Dufresne, A; Durgawale, PM; Ernst, P. (1999). Case-control study of lung cancer among sugar cane farmers in India. *Occup Environ Med.* 56: 548-552.
- Ams, BE; Jenkins, DM. (2011). Formation conditions for triple-chain silicates. *Am Mineral.* 96: 814-819. <http://dx.doi.org/10.2138/am.2011.3568>.
- Ams, BE; Jenkins, DM; Boero-Goates, J; Morcos, RM; Navrotsky, A; Bozhilov, KN. (2009). Thermochemistry of a synthetic Na-Mg-rich triple-chain silicate: Determination of thermodynamic variables. *Am Mineral.* 94: 1242-1254. <http://dx.doi.org/10.2138/am.2009.2980>.
- Anania, T. (1976). Hazard Evaluation and Technical Assistance Report No. TA-76-103, Law Building, Charlotte, North Carolina. NIOSH: 19761976.
- Anastasiadou, K; Axiotis, D; Gidarakos, E. (2010). Hydrothermal conversion of chrysotile asbestos using near supercritical conditions. *J Hazard Mater.* 179: 926-932. <http://dx.doi.org/10.1016/j.jhazmat.2010.03.094>.
- Anbalagan, G; Sakthimurugesan, K; Balakrishnan, A; Gunasekaran, S. (2008). Structural analysis, optical absorption and EPR spectroscopic studies on chrysotile. *Appl Clay Sci.* 42: 175-179. <http://dx.doi.org/10.1016/j.clay.2008.01.011>.
- Ancona, C; Ascoli, V; Bellino, M; Benedetti, M; Bianchi, F; Bruno, C; Carboni, C; Comba, P; Conti, S; D'Ottavi, S; De Nardo, P; De Santis, M; Falleni, F; Fano, V; Fazzo, L; Forastiere, F; Iavarone, I; Leonardi, M; Marinaccio, A; Martuzzi, M; Minelli, G; Minichilli, F; Mitis, F; Musmeci, L; Pasetto, R; Piccardi, A; Pierini, A; Pirastu, R; Rago, G; Sampaolo, L; Vanacore, N; Zona, A; Grp, SW. (2010). SENTIERI Project Mortality study of residents in Italian polluted sites: evaluation of the epidemiological evidence. *Epidemiol Prev.* 34: 7-+.
- Anckiewicz, R; Burg, JP; Villa, IM; Meier, M. (2000). Late Cretaceous blueschist metamorphism in the Indus Suture Zone, Shangla region, Pakistan Himalaya. *Tectonophysics.* 324: 111-134.
- And, AD; Mcdonald, JC. (1985). MESOTHELIOMA AND ASBESTOS FIBER TYPE. *Br J Ind Med.* 42: 567-568.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Anderson, K. (1982). Health Hazard Evaluation Report, No. HETA-81-230-1093, Michigan State University, East Lansing, Michigan (pp. 19821982). (NIOSH/00127569). Anderson, K.
- Andersson, L; Bryngelsson, I; Ngo, Y, en; Ohlson, CG; Westberg, H. (2012). Exposure Assessment and Modeling of Quartz in Swedish Iron Foundries for a Nested Case-Control Study on Lung Cancer. *J Occup Environ Hyg.* 9: 110-119. <http://dx.doi.org/10.1080/15459624.2011.645397>.
- Andersson, N. (1991). TECHNOLOGICAL DISASTERS TOWARDS A PREVENTIVE STRATEGY A REVIEW [Review]. *Trop Doct.* 21: 70-81.
- Andra, SS; Makris, KC; Botsaris, G; Charisiadis, P; Kalyvas, H; Costa, CN. (2014). Evidence of arsenic release promoted by disinfection by-products within drinking-water distribution systems. *Sci Total Environ.* 472: 1145-1151. <http://dx.doi.org/10.1016/j.scitotenv.2013.11.045>.
- Andreozzi, GB; Ballirano, P; Gianfagna, A; Mazziotti-Tagliani, S; Pacella, A. (2009). Structural and spectroscopic characterization of a suite of fibrous amphiboles with high environmental and health relevance from Biancavilla (Sicily, Italy). *Am Mineral.* 94: 1333-1340. <http://dx.doi.org/10.2138/am.2009.3214>.
- Andrion, A; Colombo, A; Mollo, F. (1982). Lung asbestos bodies and pleural plaques at autopsy. 12: 461-468.
- Andrut, M; Gottschalk, M; Melzer, S; Najorka, J. (2000). Lattice vibrational modes in synthetic tremolite-Sr-tremolite and tremolite-richterite solid solutions. *Physics and Chemistry of Minerals.* 27: 301-309.
- Andujar, P; Lacourt, A; Brochard, P; Pairon, JC; Jaurand, MC; Jean, D. (2016). Five years update on relationships between malignant pleural mesothelioma and exposure to asbestos and other elongated mineral particles. *J Toxicol Environ Health B Crit Rev.* 19: 151-172. <http://dx.doi.org/10.1080/10937404.2016.1193361>.
- Angel, RJ; Frost, DJ; Ross, NL; Hemley, R. (2001). Stabilities and equations of state of dense hydrous magnesium silicates. *Phys Earth Planet In.* 127: 181-196.
- Angiboust, S; Pettke, T; De Hoog, J, anCM; Caron, B; Oncken, O. (2014). Channelized Fluid Flow and Eclogite-facies Metasomatism along the Subduction Shear Zone. *Journal of Petrology.* 55: 883-916. <http://dx.doi.org/10.1093/petrology/egu010>.
- Angrisano, EF; Iervoglini, A; Rubino, A. (1977). [Hazards involved in the working stages of a plant for the manufacture of cement-asbestos]. *Ann Ist Super Sanita.* 13: 211-221.
- Anhaeusser, CR. (1976). NATURE OF CHRYSOTILE ASBESTOS OCCURRENCES IN SOUTHERN AFRICA - REVIEW. *Econ Geol.* 71: 96-116.
- Anjilvel, L; Thurlbeck, WM. (1966). The incidence of asbestos bodies in the lungs at random necropsies in Montreal. *Can Med Assoc J.* 95: 1179-1182.
- Anon. (1973). ASBESTOS-CEMENT SLATE - FOR ROOF AND WALL COVERINGS. 7-11.
- Anon. (1973). EPA SETS FINAL EMISSION STANDARDS FOR ASBESTOS, BERYLLIUM, MERCURY. *J Air Pollut Control Assoc.* 23: 398-398.
- Anon. (1975). Background documentation of evaluation of occupational exposure to airborne asbestos [Review]. *Am Ind Hyg Assoc J.* 36: 91-103. <http://dx.doi.org/10.1080/0002889758507216>.
- Anon. (1977). CORROSION-RESISTANCE OF ASBESTOS-CEMENT PIPES. 82: 152-152.
- Anon. (1977). HANDLING ASBESTOS DUSTS WITH SAFETY. 23: 41-41.
- Anon. (1978). Risks of environmental exposure to asbestos [Editorial]. *Br Med J.* 1: 1164-1165.
- Anon. (1978). USE OF ASBESTOS IN WATER UTILITY CONSTRUCTION. *J Am Water Works Assoc.* 70: 217-219.
- Anon. (1979). ASBESTOS SEALANT. 23: 14-15.
- Anon. (1979). Greater public awareness of health hazards of asbestos exposure. *Public Health Rep.* 94: 388-389.
- Anon. (1981). ARAMID-GLASS FABRIC REPLACES ASBESTOS. 93: 18-18.
- Anon. (1981). Electro-microscopy mineral fibre particle counting and size distribution analysis in asbestos-exposed and unexposed lungs. 1981: 118-122.
- Anon. (1981). NON-ASBESTOS GASKETING USES ACRYLIC FIBERS. 93: 24-24.
- Anon. (1981). PROTECTION OF WORKERS FROM THE RISKS DUE TO EXPOSURE TO CHEMICAL, PHYSICAL AND BIOLOGICAL AGENTS AT WORK - ASBESTOS. *J Soc Occup Med.* 31: 126-127.
- Anon. (1982). Criteria for the diagnosis of asbestosis and considerations in the attribution of lung cancer and mesothelioma to asbestos exposure. Prepared by the Medical Advisory Panel to the Asbestos International Association. *Int Arch Occup Environ Health.* 49: 357-361.
- Anon. (1982). THE WORLD BIGGEST PRODUCER OF ASBESTOS PRODUCTS OVERROLLED THROUGH AN AVALANCHE FROM LAWSUITS. 35: 677-677.
- Anon. (1983). ASBESTOS AND LUNG FIBROSIS A COMPARISON OF THE CONTENT OF ASBESTOS BODIES AND FIBRES IN THE LUNGS AND LUNG FIBROSIS IN A FINNISH SERIES OF ADULT AUTOPSIES PREPARED BY DEPT OF. (TSCATS/018140).
- Anon. (1983). ASBESTOS FIBER IN AIR SAMPLING RESULTS, CELL RENEWAL ROOM OPERATIONS, WITH COVER LETTER. (TSCATS/018816).
- Anon. (1983). ASBESTOS IN WATER-SUPPLY - A NON-PROBLEM. 87: 340-340.
- Anon. (1983). ASBESTOS RULE REVIVES WORK PRACTICE CONCEPT. 69: 4-4.
- Anon. (1983). CONVERSION OF THE OBLIGATION TO MEASURE ASBESTOS DUST. *Staub, Reinhaltung der Luft.* 43: 207-207.
- Anon. (1983). TRADES AIR ASBESTOS RULE. 211: 60-61.
- Anon. (1984). ASBESTOS CONCERNS CONTINUE. 212: 11-12.
- Anon. (1984). ASBESTOS DISPOSAL PROBLEMS SIMPLY MELT AWAY. *Process Engineering.* 65: 11-11.
- Anon. (1984). LOWER LIMITS PROPOSED FOR ASBESTOS EXPOSURE. *Chem Eng News.* 62: 9-9.
- Anon. (1984). OSHA AIRS ASBESTOS RULE PROPOSAL. 212: 66-66.
- Anon. (1986). OCCUPATION CANCER STUDY ON ASBESTOS - POSSIBILITIES AND LIMITS OF EPIDEMIOLOGIC RESEARCH INTO CAUSES OF DEATH IN THE FEDERAL-REPUBLIC-OF-GERMANY. *Arbeitsmedizin, Sozialmedizin, Praeventivmedizin.* 21: 331-332.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Anon. (1986). OSHA ANNOUNCES SHARP REDUCTION IN PERMISSIBLE WORKER ASBESTOS EXPOSURE. *J Air Pollut Control Assoc.* 36: 936-938.
- ANON. (1987). Revised text of 40 CFR Part 763: Asbestos Abatement Projects; Worker protection and eth;USA. 1987: 5618-5650.
- Anon. (1988). ASBESTOSIS, OR ASBESTOS-FIBERS IN THE ETIOLOGY OF PLEURAL-DISEASE. *Arbeitsmedizin, Sozialmedizin, Praeventivmedizin.* 23: 195-196.
- Anon. (1988). LUNG-CANCER AND ASBESTOS, OR ASBESTOS-FIBERS IN THE ETIOLOGY OF PLEURAL-DISEASE. *Arbeitsmedizin, Sozialmedizin, Praeventivmedizin.* 23: 197-197.
- Anon. (1989). READING ASBESTOS EXPOSURE FILMS. *J Occup Environ Med.* 31: 728-&.
- Anon. (1989). WATER PLANTS ASBESTOS INSULATION SEALED FOR SAFETY. *W E M.* 136: 30-31.
- Anon. (1990). ALTERATIONS IN LARYNGEAL MUCOSA AFTER EXPOSURE TO ASBESTOS - REPLY. *Br J Ind Med.* 47: 844-844.
- Anon. (1990). ASBESTOSIS OR PLEURAL DISEASES CAUSED BY AIRBORNE ASBESTOS. *Arbeitsmedizin, Sozialmedizin, Praeventivmedizin.* 25: 505-&.
- Anon. (1990). Book Reviews. *Risk Anal.* 10: 349-349.
- Anon. (1990). LUNG-CANCER ASSOCIATED WITH ASBESTOSIS OR WITH PLEURISY CAUSED BY ASBESTOS-DUST. *Arbeitsmedizin, Sozialmedizin, Praeventivmedizin.* 25: 512-512.
- Anon. (1991). ON TALC, TREMOLITE, AND TERGIVERSATION TER-GI-VER-SATE .2. TO USE SUBTERFUGES - REPLY. *Br J Ind Med.* 48: 358-359.
- Anon. (1991). ON THE REMOVAL OF ASBESTOS-CONTAINING MATERIALS (ACM) FROM BUILDINGS. *Am Ind Hyg Assoc J.* 52: A324-&.
- Anon. (1992). Health Assessment for Industrial Waste Processing, Pinedale, Fresno County, California, Region 9. CERCLIS No. CAD980736284. 50.
- Anon. (1994). ASBESTOS = FIBER = SAME RISK. *American Ceramic Society Bulletin.* 73: 14-14.
- Anon. (1994). COMPENSATION FOR JOB-RELATED CANCER OF THE LARYNX DUE TO ASBESTOS EXPOSURE. *Staub, Reinhaltung der Luft.* 54: 282-282.
- Anon. (1994). Public Health Assessment for Spickler Landfill, Spencer,. Marathon County, Wisconsin, Region 5. CERCLIS No. WID980902969. Final Report. 53.
- Anon. (1995). ASBESTOS-RELATED DISEASES - A DEADLY LEGACY. The Naval ArchitectE411-E411.
- Anon. (1995). Public Health Assessment for Blackburn and Union Privileges, Walpole, Norfolk County, Massachusetts, Region 1. CERCLIS No. MAD982191363. 78.
- Anon. (1996). Asbestos-free brake linings for winches. The Naval Architect27-27.
- Anon. (2000). Call for an international ban on asbestos. *Environ Res.* 83: 79-81.
- Anon. (2001). Luzenac detects asbestos, closes Quebec talc mine. 94: 32-32.
- Anon. (2002). Asbestos settlements give companies hope - Fresenius and sealed air settle asbestos suits out of court. *Chem Eng (London)*4-4.
- Anon. (2002). BHR Solutions sealing performance evaluation - asbestos replacement materials. *Industrial Lubrication & Tribology.* 54: 84-84.
- Anon. (2003). UN calls for tight controls on chemicals - DNOC, parathion, asbestos, tetraethyl and tetramethyl lead could require prior informed consent. *Chem Eng (London)*6-6.
- Anon. (2007). Asbestos ban allows chlor-alkali use. *Chem Eng News.* 85: 29-29.
- Anon. (2007). Ultrasound and oxalic acid degrade asbestos in soil. *Chem Eng (London)*18-18.
- Anon. (2008). Remedial activities at the asbestos polluted areas in Solin and Ploce. 60: 569-569.
- Anon. (2008). W.R. Grace settles asbestos cleanup. *Chem Eng News.* 86: 30-30.
- Anon. (2015). New reports from the NIOSH health hazard evaluation program. *Int J Occup Environ Health.* 21: 180-181.
<http://dx.doi.org/10.1179/1077352515Z.000000000169>.
- Anonymous. (1969). Provisional Notes for Guidance for Stripping and Fitting of Asbestos Containing Thermal Insulation Materials. (NIOSH/00000213). Anonymous.
- Anonymous. (1971). Airborne Asbestos (pp. 1150-1155). (NIOSH/00000191). Anonymous.
- Anonymous. (1971). Determination of Magnitude of Exposure to Asbestos Fibers Associated with a Woman's Coat Containing 8 Percent Asbestos (pp. 1150-1155). (NIOSH/00000223). Anonymous.
- Anonymous. (1972). Occupational Exposure to Asbestos Criteria for a Recommended Standard (pp. 76). (NIOSH/00012192). Anonymous.
- Anonymous. (1977). Industrial Hygiene Survey Report at Asbestos Roofing Company, 8060 Armour St., San Diego, California (pp. 19771977). (NIOSH/00106171). Anonymous.
- Anonymous. (1979). Preliminary Study on the Possible Release of Asbestos Fibres during the Operation of Hand-Held Hair Dryers. 7: 1979.
- Anonymous. (1981). The Bay Area Asbestos Surveillance Project. Case Study Of A Community Health Screening Project January 1981 (pp. 81-2327). (NIOSH/00145550). Anonymous.
- Anonymous. (1982). The Safe Asbestos Treatment Program. U: 19821982.
- Anonymous. (1983). Guidance For Controlling Friable Asbestos-Containing Materials In Buildings. 560: 5-83.
- Anonymous. (1988). National Occupational Health Survey of Mining, Asbestos Report (pp. 1988). (NIOSH/00192797). Anonymous.
- Antao, VC; Pinheiro, GA; Wassell, JT. (2009). Asbestosis mortality in the USA: facts and predictions. *Occup Environ Med.* 66: 335-338.
<http://dx.doi.org/10.1136/oem.2008.039172>.
- Antipin, VS; Savina, EA; Mitichkin, MA. (2006). Geochemistry and formation conditions of rare-metal granites with various fluorine-bearing minerals (fluorite, topaz, and cryolite). *Geochem Int.* 44: 965-975. <http://dx.doi.org/10.1134/S0016702906100028>.
- Anton-Culver, H; Culver, BD; Kurosaki, T; Osann, KE. (1989). Pulmonary function and pleural plaques in asbestos-exposed shipyard workers [Abstract]. *Am J Epidemiol.* 130: 841.
- Antonini, JM; Reasor, MJ. (1994). Effect of short-term exogenous pulmonary surfactant treatment on acute lung damage associated with the intratracheal instillation of silica. *J Toxicol Environ Health.* 43: 85-101.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Antwi, SO; Eckert, EC; Sabaque, CV; Leof, ER; Hawthorne, KM; Bamlet, WR; Chaffee, KG; Oberg, AL; Petersen, GM. (2015). Exposure to environmental chemicals and heavy metals, and risk of pancreatic cancer. *Cancer Causes Control*. 26: 1583-1591. <http://dx.doi.org/10.1007/s10552-015-0652-y>.
- Anwar, WA. (1993). CHEMICAL INTERACTION - ENHANCEMENT AND INHIBITION OF CLASTOGENICITY. *Environ Health Perspect*. 101: 203-206.
- Apollaro, C; Marini, L; Critelli, T; Barca, D; Bloise, A; De Rosa, R; Liberi, F; Miriello, D. (2011). Investigation of rock-to-water release and fate of major, minor, and trace elements in the metabasalt-serpentinite shallow aquifer of Mt. Reventino (CZ, Italy) by reaction path modelling. *Appl Geochem*. 26: 1722-1740. <http://dx.doi.org/10.1016/j.apgeochem.2011.04.028>.
- Appleman, N. (1985). ASBESTOS EXPOSURE. *Professional Safety*. 30: 8-9.
- Arai, S; Ishimaru, S; Mizukami, T. (2012). Methane and propane micro-inclusions in olivine in titanoclinohumite-bearing dunites from the Sanbagawa high-P metamorphic belt, Japan: Hydrocarbon activity in a subduction zone and Ti mobility. *Earth Planet Sci Lett*. 353: 1-11. <http://dx.doi.org/10.1016/j.epsl.2012.07.043>.
- Aranganathan, N; Bijwe, J. (2015). Special grade of graphite in NAO friction materials for possible replacement of copper. *Wear*. 330: 515-523. <http://dx.doi.org/10.1016/j.wear.2014.12.037>.
- Aranganathan, N; Bijwe, J; Khatri, DS. (2016). Role of combination of hexagonal boron nitride and graphite in NAO friction material. *Institution of Mechanical Engineers Proceedings Part J: Journal of Engineering Tribology*. 230: 1107-1112. <http://dx.doi.org/10.1177/1350650116629355>.
- Aranganathan, N; Mahale, V; Bijwe, J. (2016). Effects of aramid fiber concentration on the friction and wear characteristics of non-asbestos organic friction composites using standardized braking tests. *Wear*. 354-355: 69-77. <http://dx.doi.org/10.1016/j.wear.2016.03.002>.
- Araujo, SM; Scott, SD; Longstaffe, FJ. (1996). Oxygen isotope composition of alteration zones of highly metamorphosed volcanogenic massive sulfide deposits: Geco, Canada, and Palmeiropolis, Brazil. *Econ Geol*. 91: 697-712.
- Arce, GLA, F; Neto, TGS; Avila, I; Luna, CMR; Carvalho, JA, Jr. (2017). Leaching optimization of mining wastes with lizardite and brucite contents for use in indirect mineral carbonation through the pH swing method. *J Clean Prod*. 141: 1324-1336. <http://dx.doi.org/10.1016/j.jclepro.2016.09.204>.
- Ardizzone, M; Vizio, C; Bozzetta, E; Pezzolato, M; Meistro, S; Dondo, A; Giorgi, I; Seghesio, A; Mirabelli, D; Capella, S; Vigliaturo, R; Belluso, E. (2014). The wild rat as sentinel animal in the environmental risk assessment of asbestos pollution: a pilot study. *Sci Total Environ*. 479-480: 31-38. <http://dx.doi.org/10.1016/j.scitotenv.2014.01.108>.
- Arenas, JP; Crocker, MJ. (2010). Recent Trends in Porous Sound-Absorbing Materials. *Sound and Vibration*. 44: 12-17.
- Arenas-Huertero, FJ; Salazar-Flores, M; Osornio-Vargas, AR. (1994). Ferruginous Bodies as Markers of Environmental Exposure to Inorganic Particles: Experience with 270 Autopsy Cases in Mexico. *Environ Res*. 64: 10-17.
- Arif, JM; Khan, SG; Ahmad, I; Joshi, LD; Rahman, Q. (1997). Effect of kerosene and its soot on the chrysotile-mediated toxicity to the rat alveolar macrophages. *Environ Res*. 72: 151-161. <http://dx.doi.org/10.1006/enrs.1996.3722>.
- Arif, JM; Khan, SG; Mahmood, N; Aslam, M; Rahman, Q. (1994). Effect of coexposure to asbestos and kerosene soot on pulmonary drug-metabolizing enzyme system. *Environ Health Perspect*. 102 Suppl 5: 181-183.
- Armbruster, T; Gnos, E. (2000). P4/n and P4nc long-range ordering in low-temperature vesuvianites. *Am Mineral*. 85: 563-569.
- Arndt, V; Bochmans, F; Hohmann, S; Naumann, C; Ponto, K; Seibt, A. (2002). Carcinogenicity of occupational cadmium and arsenic exposure - First results from the Saxonia-study. *Gefahrst Reinhalt Luft*. 62: 159-163.
- Arocena, JM; Pawluk, S. (1991). THE NATURE AND ORIGIN OF NODULES IN PODZOLIC SOILS FROM ALBERTA. *Can J Soil Sci*. 71: 411-426.
- Aronson, MC; Stixrude, L; Davis, MK; Gannon, W; Ahilan, K. (2007). Magnetic excitations and heat capacity of fayalite, Fe₂SiO₄. *Am Mineral*. 92: 481-490. <http://dx.doi.org/10.2138/am.2007.2305>.
- Arroyo, MC; Rojo, JM. (1998). National versus international asbestos fibre counting schemes: comparison between the Spanish Interlaboratory Quality Control Programme (PICC-FA) and the Asbestos Fibre Regular Informal Counting Arrangement (AFRICA). *Ann Occup Hyg*. 42: 97-104.
- Arroyo, MC; Rojo, JM. (2001). A proposal for harmonising laboratory performance assessment criteria in national asbestos fibre counting schemes. *Ann Occup Hyg*. 45: 447-455.
- Arsene, MA; Bilba, K; Onesippe, C; Rodier, L. (2015). Thermal and flexural properties of bagasse/cement composites. 3: 132-143. <http://dx.doi.org/10.1680/jgrma.15.00012>.
- Arsenio, AM; Dheenathayalan, P; Hanssen, R; Vreeburg, J, an; Rietveld, L. (2015). Pipe failure predictions in drinking water systems using satellite observations. *Structure & Infrastructure Engineering*. 11: 1102-1111. <http://dx.doi.org/10.1080/15732479.2014.938660>.
- Arsenio, AM; Vreeburg, J, an; Rietveld, L. (2014). Quantitative non-destructive evaluation of push-fit joints. *Urban Water Journal*. 11: 657-667. <http://dx.doi.org/10.1080/1573062X.2013.806562>.
- Arul, KJ; Holt, PF. (1977). Mesothelioma possibly due to environmental exposure to asbestos in childhood. *Int Arch Occup Environ Health*. 40: 141-143. <http://dx.doi.org/10.1007/BF00575158>.
- Arul, KJ; Holt, PF. (1980). Clearance of asbestos bodies from the lung: a personal view. *Br J Ind Med*. 37: 273-277.
- Arvanitidis, N. (1998). Northern Greece's industrial minerals: production and environmental technology developments. *J Geochem Explor*. 62: 217-227.
- Asakura, M; Sasaki, T; Sugiyama, T; Takaya, M; Koda, S; Nagano, K; Arito, H; Fukushima, S. (2010). Genotoxicity and cytotoxicity of multi-wall carbon nanotubes in cultured Chinese hamster lung cells in comparison with chrysotile A fibers. *J Occup Health*. 52: 155-166.
- Ascoli, V; Carnovale-Scalzo, C; Nardi, F; Efrati, C; Menegozzo, M. (2003). A one-generation cluster of malignant mesothelioma within a family reveals exposure to asbestos-contaminated jute bags in Naples, Italy. *Eur J Epidemiol*. 18: 171-174. <http://dx.doi.org/10.1023/A:1023032214444>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Asgarian, B; Cheng, YS. (2002). The filtration of fibrous aerosols. *Aerosol Sci Technol.* 36: 10-17.
- Ashbaugh, N. (1979). Letter Explaining Chem Hazards in Starter Plant GM. (TSCATS/029211). Washington, DC. Office of Toxic Substances.
: Office of Toxic Substances.
- Ashford, NA; Castleman, B; Frank, AL; Giannasi, F; Goldman, LR; Greenberg, M; Huff, J; Joshi, KT; Ladou, J; Lemen, RA; Maltoni, C; O'Neil, R; Richter, E; Silbergeld, EK; Teitelbaum, DT; Thebaud-Mony, A; Tomatis, L; Watterson, A. (2002). The International Commission on Occupational Health (ICOH) and its influence on international organizations. *Int J Occup Environ Health.* 8: 156-162. <http://dx.doi.org/10.1179/107735202800338984>.
- Ashley, PM; Lottemoser, BG; Westaway, JM. (1998). Iron-formations and epigenetic ironstones in the Palaeoproterozoic Willyama Supergroup, Olary Domain, South Australia. *Mineralogy and Petrology.* 64: 187-218.
- Ashley, S. (1998). Easier asbestos remediation. *Mech Eng (Am Soc Mech Eng).* 120: 30-+.
- Ashworth, J. R.; Birdi, JJ; Emmett, TF. (1992). DIFFUSION IN CORONAS AROUND CLINOPYROXENE - MODELING WITH LOCAL EQUILIBRIUM AND STEADY-STATE, AND A NON-STEADY-STATE MODIFICATION TO ACCOUNT FOR ZONED ACTINOLITE-HORNBLLENDE. *Contributions to Mineralogy and Petrology.* 109: 307-325.
- Aslam, M; Ashquin, M; Rahman, Q. (1992). In Vitro Cytotoxic Effects of Wollastonites on Rat Hepatocytes: II. Lipid Peroxidation and Glutathione Depletion. *Bull Environ Contam Toxicol.* 49: 547-554.
- Assennato, G; Bisceglia, L; De Nichilo, G; Grassi, ME; Lo Izzo, A. (2005). Late industrial development and occupational health in southern Italy. *Int J Occup Environ Health.* 11: 82-87. <http://dx.doi.org/10.1179/oeh.2005.11.1.82>.
- Assima, GP; Larachi, F; Beaudoin, G; Molson, J. (2012). CO2 Sequestration in Chrysotile Mining Residues-Implication of Watering and Passivation under Environmental Conditions. *Ind Eng Chem Res.* 51: 8726-8734. <http://dx.doi.org/10.1021/ie202693q>.
- Assima, GP; Larachi, F; Beaudoin, G; Molson, J. (2013). Dynamics of carbon dioxide uptake in chrysotile mining residues - Effect of mineralogy and liquid saturation. *Int J Greenhouse Gas Control.* 12: 124-135. <http://dx.doi.org/10.1016/j.ijggc.2012.10.001>.
- Assima, GP; Larachi, F; Molson, J; Beaudoin, G. (2014). Comparative study of five Quebec ultramafic mining residues for use in direct ambient carbon dioxide mineral sequestration. *Chem Eng J.* 245: 56-64. <http://dx.doi.org/10.1016/j.cej.2014.02.010>.
- Assima, GP; Larachi, F; Molson, J; Beaudoin, G. (2014). Impact of temperature and oxygen availability on the dynamics of ambient CO2 mineral sequestration by nickel mining residues. *Chem Eng J.* 240: 394-403. <http://dx.doi.org/10.1016/j.cej.2013.12.010>.
- Assima, GP; Larachi, F; Molson, J; Beaudoin, G. (2014). NEW TOOLS FOR STIMULATING DISSOLUTION AND CARBONATION OF ULTRAMAFIC MINING RESIDUES. *Can J Chem Eng.* 92: 2029-2038. <http://dx.doi.org/10.1002/cjce.22066>.
- Association, BTA. (1972). SURVEY OF PLEURAL THICKENING - ITS RELATION TO ASBESTOS EXPOSURE AND PREVIOUS PLEURAL DISEASE. *Environ Res.* 5: 142-8.
- Ates, G; Yildiz, T; Akyildiz, L; Topcu, F; Erturk, B. (2010). Environmental asbestos-related pleural plaque in southeast of Turkey. *Arch Environ Occup Health.* 65: 34-37. <http://dx.doi.org/10.1080/19338240903390321>.
- Atkinson, MAL; Dodson, RF. (2006). Re: Evaluation of the size and type of free particulates collected from unused asbestos-containing brake components as related to potential for respirability - Response. *Am J Ind Med.* 49: 62-64. <http://dx.doi.org/10.1002/ajim.20237>.
- ATSDR. (2005). Health Consultation: Results of Air Exposure Investigation, Prima Asphalt Concrete, Inc., (PAVCO), Holbrook, Suffolk County, New York. EPA Facility ID: NYD041869645. 18.
- ATSDR. (2011). Letter Health Consultation: Powhatan Mining Company, Woodlawn, Baltimore County, Maryland, November 14, 2011. 9.
- ATSDR. (2012). Letter Health Consultation: 1st Offsite Residence Indoor Air Sampling, Powhatan Mining Company, Woodlawn, Baltimore County, Maryland, February 23, 2012. 5.
- ATSDR. (2012). Letter Health Consultation: 2nd Offsite Residence Indoor Air Sampling, Powhatan Mining Company, Woodlawn, Baltimore County, Maryland, February 23, 2012. 5.
- ATSDR. (2012). Letter Health Consultation: 3rd Offsite Residence Indoor Air Sampling, Powhatan Mining Company, Woodlawn, Baltimore County, Maryland, March 20, 2012. 5.
- ATSDR. (2012). Letter Health Consultation: 4th Offsite Residence Indoor Air Sampling, Powhatan Mining Company, Woodlawn, Baltimore County, Maryland, March 20, 2012. 5.
- ATSDR. (2012). Letter Health Consultation: 5th Offsite Residence Indoor Air Sampling, Powhatan Mining Company, Woodlawn, Baltimore County, Maryland, March 20, 2012. 5.
- ATSDR. (2012). Letter Health Consultation: Onsite Residence Indoor Air Sampling, Powhatan Mining Company, Woodlawn, Baltimore County, Maryland, February 23, 2012. 6.
- ATSDR. (2014). Letter Health Consultation: Hunting Point on the Potomac Residential Asbestos Site, Alexandria, Virginia, December 4, 2014. 11.
- Attfield, M; Beckett, ST. (1985). VOID-COUNTING OF ASBESTOS FIBERS - REPLY. *Ann Occup Hyg.* 29: 124-125.
- Aust, AE; Cook, PM; Dodson, RF. (2011). Morphological and chemical mechanisms of elongated mineral particle toxicities [Review]. *J Toxicol Environ Health B Crit Rev.* 14: 40-75. <http://dx.doi.org/10.1080/10937404.2011.556046>.
- Auzende, AL; Daniel, I; Reynard, B; Lemaire, C; Guyot, F. (2004). High-pressure behaviour of serpentine minerals: a Raman spectroscopic study. *Physics and Chemistry of Minerals.* 31: 269-277. <http://dx.doi.org/10.1007/s00269-004-0384-0>.
- Auzende, AL; Escartin, J; Walte, NP; Guillot, S; Hirth, G; Frost, DJ. (2015). Deformation mechanisms of antigorite serpentinite at subduction zone conditions determined from experimentally and naturally deformed rocks. *Earth Planet Sci Lett.* 411: 229-240. <http://dx.doi.org/10.1016/j.epsl.2014.11.053>.
- Averroes, A; Sekiguchi, H; Sakamoto, K. (2011). Treatment of airborne asbestos and asbestos-like microfiber particles using atmospheric microwave air plasma. *J Hazard Mater.* 195: 405-413. <http://dx.doi.org/10.1016/j.jhazmat.2011.08.062>.
- Avril, J; Champeix, J. (1970). [Results of exposure to asbestos in France]. *Arch Mal Prof Med Trav Secur Soc.* 31: 197-200.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Azen, SP; Niland, J; Hayward, SB; Liu, KS; Redinger, C; Porter, P. (1992). ESTIMATION OF THE COST OF ASBESTOS ABATEMENT IN PUBLIC BUILDINGS IN THE STATE OF CALIFORNIA - AN APPLICATION OF THE BOOTSTRAP. *Environmetrics*. 3: 193-209.
- Baba, AA; Ibrahim, AS; Bale, RB; Adekola, FA; Alabi, AGF. (2015). Purification of a Nigerian talc ore by acid leaching. *Appl Clay Sci*. 114: 476-483. <http://dx.doi.org/10.1016/j.clay.2015.06.031>.
- Bach, W; Garrido, CJ; Paulick, H; Harvey, J; Rosner, M. (2004). Seawater-peridotite interactions: First insights from ODP Leg 209, MAR 15 degrees N. *G-cubed*. 5. <http://dx.doi.org/10.1029/2004GC000744>.
- Bach, W; Klein, F. (2009). The petrology of seafloor rodingites: Insights from geochemical reaction path modeling. *Lithos*. 112: 103-117. <http://dx.doi.org/10.1016/j.lithos.2008.10.022>.
- Bach, W; Rosner, M; Joens, N; Rausch, S; Robinson, LF; Paulick, H; Erzinger, J. (2011). Carbonate veins trace seawater circulation during exhumation and uplift of mantle rock: Results from ODP Leg 209. *Earth Planet Sci Lett*. 311: 242-252. <http://dx.doi.org/10.1016/j.epsl.2011.09.021>.
- Bachinski, DJ. (1978). SULFUR ISOTOPIC COMPOSITION OF THERMALLY METAMORPHOSED CUPRIFEROUS IRON SULFIDE ORES ASSOCIATED WITH CORDIERITE-ANTHOPHYLLITE ROCKS, GULL POND, NEWFOUNDLAND. *Econ Geol*. 73: 64-72.
- Backer, LC; Grindem, CB; Corbett, WT; Cullins, L; Hunter, JL. (2001). Pet dogs as sentinels for environmental contamination. *Sci Total Environ*. 274: 161-169.
- Baek, SC; Kim, YC; Choi, J, unHo; Hong, W, onHwa. (2016). Determination of the essential activity elements of an asbestos management system in the event of a disaster and their prioritization. *J Clean Prod*. 137: 414-426. <http://dx.doi.org/10.1016/j.jclepro.2016.07.117>.
- Bagchi, N. (1992). What Makes Silica Toxic? *Br J Ind Med*. 49: 163-166.
- Baghban, S; Hosseinzadeh, MR; Moayyed, M; Mokhtari, M, irAliA; Gregory, D. (2015). Geology, mineral chemistry and formation conditions of calc-silicate minerals of Astamal Fe-LREE distal skarn deposit, Eastern Azarbaijan Province, NW Iran. *Ore Geol Rev*. 68: 79-96. <http://dx.doi.org/10.1016/j.oregeorev.2014.12.016>.
- Bagioni, RP. (1975). SEPARATION OF CHRYSOTILE ASBESTOS FROM MINERALS THAT INTERFERE WITH ITS INFRARED ANALYSIS. *Environ Sci Technol*. 9: 262-263.
- Bahk, J; Choi, Y; Lim, S; Paek, D. (2013). Why some, but not all, countries have banned asbestos. *Int J Occup Environ Health*. 19: 127-135. <http://dx.doi.org/10.1179/2049396712Y.0000000011>.
- Bahramian, AR; Kokabi, M. (2009). Ablation mechanism of polymer layered silicate nanocomposite heat shield. *J Hazard Mater*. 166: 445-454. <http://dx.doi.org/10.1016/j.jhazmat.2008.11.061>.
- Bahramian, AR; Kokabi, M; Famili, MH; Beheshty, MH. (2008). High temperature ablation of kaolinite layered silicate/phenolic resin/asbestos cloth nanocomposite. *J Hazard Mater*. 150: 136-145. <http://dx.doi.org/10.1016/j.jhazmat.2007.04.104>.
- Bai, W, ei; Wu, Z; Mitra, S; Brown, JM. (2016). Effects of Multiwalled Carbon Nanotube Surface Modification and Purification on Bovine Serum Albumin Binding and Biological Responses. *Journal of Nanomaterials*. <http://dx.doi.org/10.1155/2016/2159537>.
- Bai, Z, hiMin; Yang, N, a; Guo, M, an; Li, S. (2016). Antigorite: Mineralogical characterization and friction performances. *Tribology International*. 101: 115-121. <http://dx.doi.org/10.1016/j.triboint.2016.03.036>.
- Baidya, A, buS; Paul, J; Pal, DC; Upadhyay, D. (2017). Mode of occurrences and geochemistry of amphibole in the Kolihan-Chandmari copper deposits, Rajasthan, India: insight into the ore-forming process. *Ore Geol Rev*. 80: 1092-1110. <http://dx.doi.org/10.1016/j.oregeorev.2016.08.032>.
- Baier, R; Meyer, A; Graves-Ra, D; Axelson, E; Forsberg, R; Kozak, M; Nickerson, P. (2000). The body's response to inadvertent implants: Respirable particles in lung tissues. *Journal of Adhesion*. 74: 103-124.
- Baigenzhenov, OS; Kozlov, VA; Lukanov, VA; Mishra, B; Shayahmetova, RA; Aimbetova, IO. (2015). Complex Processing of Wastes Generated in Chrysotile Asbestos Production. *Mineral Processing and Extractive Metallurgy Review*. 36: 242-248. <http://dx.doi.org/10.1080/08827508.2014.955610>.
- Bailar, JC; Ballal, SG; Boback, M; Castleman, B; Chee, HL; Cherniack, M; Christiani, D; Cicolella, A; Fernández de D'Pool, J; Egilman, D; Frank, AL; Garcia, MA; Giannasi, F; Greenberg, M; Harrison, RJ; Huff, J; Infante, P; de Souza, EJ; Joshi, TK; Kamuzora, P; Kazan-Allen, L; Kern, DG; Kromhout, H; Kuswadji, S; Ladou, J; Lemen, RA; Levenstein, C; Luethje, B; Mancini, F; Meel, BL; Mekonnen, Y; Mendes, R; Murie, F; Myers, J; O'Neill, R; Osaro, E; Paek, D; Richter, E; Robertson, E; Samuels, SW; Soskolne, CL; Stuckey, R; Teitelbaum, DT; Terracini, B; Thébaud-Mony, A; Vanhoorne, M; Wang, X; Watterson, A; Wedeen, R. (2006). FIOH-sponsored newsletter misrepresents asbestos hazards in Zimbabwe. *Int J Occup Environ Health*. 12: 254-258. <http://dx.doi.org/10.1179/oeh.2006.12.3.254>.
- Bailey, WJ. (2001). RE: Mesothelioma and lung tumors attributable to asbestos among petroleum workers. *Am. J. Ind. Med.* 2000. 37:275-282 [Letter]. *Am J Ind Med*. 39: 513-514, 522-513; author reply 517-521.
- Baker, DEL; Seccombe, PK; Collins, WJ. (2002). Structural history and timing of gold mineralization in the northern East Strelley belt, Pilbara Craton, Western Australia. *Econ Geol*. 97: 775-785.
- Baker, T. (1998). Alteration, mineralization, and fluid evolution at the Eloise Cu-Au deposit, Cloncurry District, northwest Queensland, Australia. *Econ Geol*. 93: 1213-1236.
- Baker, T; Perkins, C; Blake, KL; Williams, PJ. (2001). Radiogenic and stable isotope constraints on the genesis of the Eloise Cu-Au deposit, Cloncurry district, northwest Queensland. *Econ Geol*. 96: 723-742.
- Bakhterev, VV; Solomonov, VI. (1998). Properties of chrysotile asbestos in the temperature range 290-1230 K. *Inorg Mater*. 34: 289-292.
- Bakry, M; Mousa, MO; Ali, WY. (2013). Friction and wear of friction composites reinforced by natural fibres. *Materwiss Werksttech*. 44: 21-28. <http://dx.doi.org/10.1002/mawe.201300962>.
- Balaji, MAS, ai; Kalaichelvan, K. (2012). Experimental studies of various reinforcing fibres in automotive disc brake pad on friction stability, thermal stability and wear. *International Journal of Materials and Product Technology*. 45: 132-144.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Balaji, MAS, ai; Kalaichelvan, K. (2014). Effect of varying cashew dust and resin on friction material formulation: stability and sensitivity of mu to pressure, speed and temperature. *International Journal of Surface Science and Engineering*. 8: 327-344. <http://dx.doi.org/10.1504/IJSURFSE.2014.065837>.
- Balashazy, I; Martonen, TB; Hofmann, W. (1990). FIBER DEPOSITION IN AIRWAY BIFURCATIONS. *J Aerosol Med*. 3: 243-260.
- Balducci, D; Valerio, F. (1986). QUALITATIVE AND QUANTITATIVE-EVALUATION OF CHRYSOTILE AND CROCIDOLITE FIBERS WITH IR-SPECTROSCOPY - APPLICATION TO ASBESTOS-CEMENT PRODUCTS. *Int J Environ Anal Chem*. 27: 315-323.
- Baldwin, CA; Beaulieu, HJ; Buchan, RM; Johnson, HH. (1982). Asbestos in Colorado schools. *Public Health Rep*. 97: 325-331.
- Bales, RC; Morgan, JJ. (1985). DISSOLUTION KINETICS OF CHRYSOTILE AT PH 7 TO 10. *Geochim Cosmo Acta*. 49: 2281-2288.
- Bales, RC; Morgan, JJ. (1985). SURFACE-CHARGE AND ADSORPTION PROPERTIES OF CHRYSOTILE ASBESTOS IN NATURAL-WATERS. *Environ Sci Technol*. 19: 1213-1219.
- Bales, RC; Newkirk, DD; Hayward, SB. (1984). CHRYSOTILE ASBESTOS IN CALIFORNIA SURFACE WATERS - FROM UPSTREAM RIVERS THROUGH WATER-TREATMENT. *J Am Water Works Assoc*. 76: 66-74.
- Bali, E; Audetat, A; Keppler, H. (2011). The mobility of U and Th in subduction zone fluids: an indicator of oxygen fugacity and fluid salinity. *Contributions to Mineralogy and Petrology*. 161: 597-613. <http://dx.doi.org/10.1007/s00410-010-0552-9>.
- Ballan, G; Del Brocco, A; Loizzo, S; Fabbri, A; Maroccia, Z; Fiorentini, C; Travaglione, S. (2014). Mode of action of fibrous amphiboles: the case of Biancavilla (Sicily, Italy) [Review]. *Ann Ist Super Sanita*. 50: 133-138. http://dx.doi.org/DOI: 10.4415/ANN_14_02_05.
- Ballaran, TB; Carpenter, MA; Domeneghetti, MC. (2001). Phase transition and mixing behaviour of the cummingtonite-grunerite solid solution. *Physics and Chemistry of Minerals*. 28: 87-101.
- Ballirano, P; Andreozzi, GB; Belardi, G. (2008). Crystal chemical and structural characterization of fibrous tremolite from Susa Valley, Italy, with comments on potential harmful effects on human health. *Am Mineral*. 93: 1349-1355. <http://dx.doi.org/10.2138/am.2008.2869>.
- Ballirano, P; Cametti, G. (2015). Crystal chemical and structural modifications of erionite fibers leached with simulated lung fluids. *Am Mineral*. 100: 1003-1012. <http://dx.doi.org/10.2138/am-2015-4922>.
- Balucan, RD; Dlugogorski, BZ. (2013). Thermal activation of antigorite for mineralization of CO₂. *Environ Sci Technol*. 47: 182-190. <http://dx.doi.org/10.1021/es303566z>.
- Balucan, RD; Dlugogorski, BZ; Kennedy, EM; Belova, IV; Murch, GE. (2013). Energy cost of heat activating serpentinites for CO₂ storage by mineralisation. *Int J Greenhouse Gas Control*. 17: 225-239. <http://dx.doi.org/10.1016/j.ijggc.2013.05.004>.
- Balucan, RD; Kennedy, EM; Mackie, JF; Dlugogorski, BZ. (2011). Optimization of antigorite heat pre-treatment via kinetic modeling of the dehydroxylation reaction for CO₂ mineralization. *Greenhouse Gases*. 1: 294-304. <http://dx.doi.org/10.1002/ghg.33>.
- Bamblin, WP. (1959). Dust Control in the Asbestos Textile Industry. *Ann Occup Hyg*. 2: 54-74.
- Banaei, A; Auvert, B; Goldberg, M; Gueguen, A; Luce, D; Goldberg, S. (2000). Future trends in mortality of French men from mesothelioma. *Occup Environ Med*. 57: 488-494.
- Bandli, BR; Gunter, ME. (2014). Scanning electron microscopy and transmitted electron backscatter diffraction examination of asbestos standard reference materials, amphibole particles of differing morphology, and particle phase discrimination from talc ores. 20: 1805-1816. <http://dx.doi.org/10.1017/S1431927614013415>.
- Banfield, JF; Bailey, SW; Barker, WW. (1994). POLYSOMATISM, POLYTPISM, DEFECT MICROSTRUCTURES, AND REACTION-MECHANISMS IN REGULARLY AND RANDOMLY INTERSTRATIFIED SERPENTINE AND CHLORITE. *Contributions to Mineralogy and Petrology*. 117: 137-150.
- Banfield, JF; Bailey, SW; Barker, WW; Smith, RC. (1995). Complex polytypism: Relationships between serpentine structural characteristics and deformation. *Am Mineral*. 80: 1116-1131.
- Banfield, JF; Barker, WW. (1994). DIRECT OBSERVATION OF REACTANT-PRODUCT INTERFACES FORMED IN NATURAL WEATHERING OF EXSOLVED, DEFECTIVE AMPHIBOLE TO SMECTITE - EVIDENCE FOR EPISODIC, ISOVOLUMETRIC REACTIONS INVOLVING STRUCTURAL INHERITANCE. *Geochim Cosmo Acta*. 58: 1419-1429.
- Bang, KM; Mazurek, JM; Wood, JM; Hendricks, SA. (2014). Diseases attributable to asbestos exposure: years of potential life lost, United States, 1999-2010. *Am J Ind Med*. 57: 38-48. <http://dx.doi.org/10.1002/ajim.22261>.
- Bang, KM; Pinheiro, GA; Wood, JM; Syamlal, G. (2006). Malignant mesothelioma mortality in the United States, 1999-2001. *Int J Occup Environ Health*. 12: 9-15. <http://dx.doi.org/10.1179/oeh.2006.12.1.9>.
- Banica, A; Breaban, IG; Paiu, M. (2016). FROM VULNERABILITY TOWARDS RESILIENCE APPROACH IN WATER DISTRIBUTION NETWORK - THE ISSUE OF ASBESTOS CEMENT PIPES. *J Environ Prot Ecol*. 17: 885-895.
- Banks, DE. (2014). Clinical aspects of asbestos-related diseases--what are the unresolved topics? [Review]. *J Occup Environ Med*. 56 Suppl 10: S8-S12. <http://dx.doi.org/10.1097/JOM.0000000000000242>.
- Banno, Y. (2000). Intermediate high-pressure exhumation of the northern segment of the Sanbagawa belt, Saruta-gawa area, central Shikoku, Japan. *Lithos*. 50: 289-303.
- Bao, J; Yin, Y, an; Zhu, Z; Tong, M; Lu, Y; Peng, Y. (2013). Wear Modalities and Mechanisms of the Mining Non-asbestos Composite Brake Material. *Applied Composite Materials*. 20: 331-339. <http://dx.doi.org/10.1007/s10443-012-9269-4>.
- Bao, J; Zhu, Z; Tong, M; Yin, Y, an; Peng, Y. (2012). Influence of braking pressure on tribological performance of non-asbestos brake shoe for mine hoister during emergency braking. *Industrial Lubrication & Tribology*. 64: 230-236. <http://dx.doi.org/10.1108/00368791211232780>.
- Baoguo, Z; Linshuang, Z; Zhiming, D; Huizhen, N; Shuai, Y. (2012). Preparation and characterization of the Zr/CuO pyrotechnical battery. *Journal of Wuhan University of Technology--Materials Science Edition*. 27: 489-494. <http://dx.doi.org/10.1007/s11595-012-0490-7>.
- Baoguo, Z; Zhiming, D; Linshuang, Z; Shuai, Y. (2011). Preparation and Characterization of Pyrotechnical Battery. 40: 191-195.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Barber, CM; Wiggans, RE; Fishwick, D. (2016). Estimating Lifetime Asbestos Exposure in Patients With Idiopathic Pulmonary Fibrosis [Letter]. *Ann Occup Hyg.* 60: 649-650. <http://dx.doi.org/10.1093/annhyg/mew017>.
- Barber, CM; Wiggans, RE; Young, C; Fishwick, D. (2015). UK asbestos imports and mortality due to idiopathic pulmonary fibrosis. *Occup Med (Lond).* 66: 106-111. <http://dx.doi.org/10.1093/occmed/kqv142>.
- Barbers, RG; Oishi, J. (1987). Effects of in vitro asbestos exposure on natural killer and antibody-dependent cellular cytotoxicity. *Environ Res.* 43: 217-226.
- Barbieri, PG; Merler, E; Mirabelli, D; Cavone, D; Somigliana, A. (2010). ASBESTOS FIBER BURDEN OF THE LUNGS IN PATIENTS WITH MESOTHELIOMAS WHO LIVED NEAR CEMENT-ASBESTOS FACTORIES. *Epidemiol Prev.* 34: 139-139.
- Barbieri, PG; Mirabelli, D; Somigliana, A; Cavone, D; Merler, E. (2012). Asbestos fibre burden in the lungs of patients with mesothelioma who lived near asbestos-cement factories. *Ann Occup Hyg.* 56: 660-670. <http://dx.doi.org/10.1093/annhyg/mer126>.
- Barca, D; Cirrincione, R; De Vuono, E; Fiannacca, P; Ietto, F; Lo Giudice, A. (2010). The Triassic rift system in the northern Calabrian-Peloritani Orogen: evidence from basaltic dyke magmatism in the San Donato Unit. *Periodico di Mineralogia.* 79: 61-72. <http://dx.doi.org/10.2451/2010PM0010>.
- Barchowsky, A; Lannon, BM; Elmore, LC; Treadwell, MD. (1997). Increased Focal Adhesion Kinase and Urokinase-Type Plasminogen Activator Receptor-Associated Cell Signaling in Endothelial Cells Exposed to Asbestos. *Environ Health Perspect.* 105: 1131-1137.
- Bardosova, M; Romanov, SG; Torres, CMS; Gaponik, N; Eychmueller, A; Kumzerov, YA; Bendall, JS. (2008). Effect of template defects in radiative energy relaxation of CdTe nanocrystals in nanotubes of chrysotile asbestos. *Microporous and Mesoporous Materials.* 107: 212-218. <http://dx.doi.org/10.1016/j.micromeso.2007.05.035>.
- Barış, YI; Artvinli, M; Sahin, AA; Bilir, N; Kalyoncu, F; Sebastien, P. (1988). Non-occupational asbestos related chest diseases in a small Anatolian village. *Br J Ind Med.* 45: 841-842.
- Barkov, AY; Martin, RF; Halkoaho, TAA; Poirier, G. (2000). The mechanism of charge compensation in Cu-Fe-PGE thiospinels from the Penikat layered intrusion, Finland. *Am Mineral.* 85: 694-697.
- Barnabe, JMC; Pandorfi, H; de Almeida, GLP; Guiselini, C; Jacob, AL. (2014). Surface temperature of materials used to cover of calf hutches. *Revista Brasileira de Engenharia Agrícola e Ambiental - Agriambi.* 18: 545-550.
- Barnes, JD; Selverstone, J; Sharp, ZD. (2006). Chlorine isotope chemistry of serpentinites from Elba, Italy, as an indicator of fluid source and subsequent tectonic history. *G-cubed.* 7. <http://dx.doi.org/10.1029/2006GC001296>.
- Barnes, JD; Sharp, ZD. (2006). A chlorine isotope study of DSDP/ODP serpentinitized ultramafic rocks: Insights into the serpentinitization process. *Chem Geol.* 228: 246-265. <http://dx.doi.org/10.1016/j.chemgeo.2005.10.011>.
- Barnes, SJ; Wells, MA; Verrall, MR. (2009). Effects of Magmatic Processes, Serpentinization, and Talc-Carbonate Alteration on Sulfide Mineralogy and Ore Textures in the Black Swan Disseminated Nickel Sulfide Deposit, Yilgarn Craton. *Econ Geol.* 104: 539-562.
- Barnett, DE; Chamberlain, CP. (1991). RELATIVE SCALES OF THERMAL INFILTRATION-DRIVEN AND FLUID INFILTRATION-DRIVEN METAMORPHISM IN FOLD NAPPES, NEW-ENGLAND, USA. *Am Mineral.* 76: 713-727.
- Baron, PA. (1987). OVERLOADING AND ELECTROSTATIC EFFECTS IN ASBESTOS FIBER SAMPLING. *Am Ind Hyg Assoc J.* 48: A709-A710.
- Baron, PA. (1996). Application of the thoracic sampling definition to fiber measurement. *Am Ind Hyg Assoc J.* 57: 820-824.
- Baron, PA; C-C, C; Hemenway, DR; O'Shaughnessy, P. (1994). Nonuniform Air Flow in Inlets: The Effect on Filter Deposits in the Fiber Sampling Cassette. *Am Ind Hyg Assoc J.* 55: 722-732.
- Baron, PA; Deye, GJ. (1990). ELECTROSTATIC EFFECTS IN ASBESTOS SAMPLING .2. COMPARISON OF THEORY AND EXPERIMENT. *Am Ind Hyg Assoc J.* 51: 63-69.
- Baron, PA; Deye, GJ. (1990). Electrostatic effects in asbestos sampling. I: Experimental measurements [Review]. *Am Ind Hyg Assoc J.* 51: 51-62.
- Baron, PA; Deye, GJ; Fernback, J. (1994). LENGTH SEPARATION OF FIBERS. *Aerosol Sci Technol.* 21: 179-192.
- Baron, PA; Platek, SF. (1990). NIOSH METHOD 7402-ASBESTOS FIBERS (REVISION =1) - LOW-TEMPERATURE ASHING OF FILTER SAMPLES. *Am Ind Hyg Assoc J.* 51: A730-A731.
- Baron, PA; Shulman, SA. (1987). Evaluation of the Magiscan image analyzer for asbestos fiber counting. *Am Ind Hyg Assoc J.* 48: 39-46.
- Baronnet, A; Andreani, M; Grauby, O; Devouard, B; Nitsche, S; Chaudanson, D. (2007). Onion morphology and microstructure of polyhedral serpentine. *Am Mineral.* 92: 687-690.
- Baronnet, A; Devouard, B. (1996). Topology and crystal growth of natural chrysotile and polygonal serpentine. *J Cryst Growth.* 166: 952-960.
- Baronnet, A; Mellini, M; Devouard, B. (1994). SECTORS IN POLYGONAL SERPENTINE - A MODEL-BASED ON DISLOCATIONS. *Physics and Chemistry of Minerals.* 21: 330-343.
- Barrett, JC. (1994). Cellular and molecular mechanisms of asbestos carcinogenicity: implications for biopersistence [Review]. *Environ Health Perspect.* 102 Suppl 5: 19-23.
- Barrett, JC; Lamb, PW; Wiseman, RW. (1989). Multiple mechanisms for the carcinogenic effects of asbestos and other mineral fibers [Review]. *Environ Health Perspect.* 81: 81-89.
- Barrett, TJ; Maclean, WH; Areback, H. (2005). The Palaeoproterozoic Kristineberg VMS deposit, Skellefte district, northern Sweden. Part II: chemostratigraphy and alteration. *Miner Depos.* 40: 368-395. <http://dx.doi.org/10.1007/s00126-005-0001-2>.
- Barros, LY; Neis, PD; Ferreira, NF; Pavlak, RP; Masotti, D; Matozo, LT; Sukumaran, J; De Baets, R; Ando, M. (2016). Morphological analysis of pad-disc system during braking operations. *Wear.* 352-353: 112-121. <http://dx.doi.org/10.1016/j.wear.2016.02.005>.
- Bartlett, P; Enkerlin, E. (1983). GROWTH OF THE PRAWN MACROBRACHIUM-ROSENBERGII IN ASBESTOS ASPHALT PONDS IN HARD WATER AND ON A LOW PROTEIN-DIET. *Aquaculture.* 30: 353-356.
- Bartosova, M; Glovinova, E; Povolny, D. (1997). Use of flesh-flies (Diptera, Sarcophagidae) for ecotoxicological bioindication. *Ekologia.* 16: 319-322.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Bashtannik, PI; Ovcharenko, VG; Boot, YA. (1997). Effect of combined extrusion parameters on mechanical properties of basalt fiber-reinforced plastics based on polypropylene. *Mechanics of Composite Materials*. 33: 600-603.
- Basu, S; Fletcher, A; Shale, D; Adisesh, A. (2015). Death and work: recognition of occupational association and coroner's investigation. *Occup Med (Lond)*. 65: 197-201. <http://dx.doi.org/10.1093/occmed/kqv001>.
- Bateman, R; Martin, MP; Castro, A. (1992). MIXING OF CORDIERITE GRANITOID AND PYROXENE GABBRO, AND FRACTIONATION, IN THE SANTA-OLALLA TONALITE (ANDALUSIA). *Lithos*. 28: 111-131.
- Bateson, C. (1992). RESULTS OF A SURVEY DESIGNED TO DETERMINE THE SCIENTIFIC AND ECONOMIC-BENEFITS OF ASBESTOS ABATEMENT. *Am Ind Hyg Assoc J*. 53: 381-386.
- Bath, AB; Cooke, DR; Friedman, RM; Faure, K; Kamenetsky, VS; Tosdal, RM; Berry, R, onF. (2014). Mineralization, U-Pb Geochronology, and Stable Isotope Geochemistry of the Lower Main Zone of the Lorraine Deposit, North-Central British Columbia: A Replacement-Style Alkalic Cu-Au Porphyry. *Econ Geol*. 109: 979-1004.
- Batra, P; Brown, K. (1991). Radiology in prevention and surveillance of occupational lung disease [Review]. *Occup Med: State of the Art Rev*. 6: 81-100.
- Battigelli, A; Wang, JT; Russier, J; Da Ros, T; Kostarelos, K; Al-Jamal, KT; Prato, M; Bianco, A. (2013). Ammonium and guanidinium dendron-carbon nanotubes by amidation and click chemistry and their use for siRNA delivery. *Small*. 9: 3610-3619. <http://dx.doi.org/10.1002/smll.201300264>.
- Bauge, SMY; Lavkulich, LM; Schreier, HE. (2013). Serpentine affected soils and the formation of magnesium phosphates (struvite). *Can J Soil Sci*. 93: 161-172. <http://dx.doi.org/10.4141/CJSS2012-117>.
- Baum, GL. (1986). PUBLIC AWARENESS OF THE PROBLEM OF ASBESTOS USE IN ISRAEL (pp. 5-6). (ISSN 0271-3586; EISSN 1097-0274; BIOSIS/87/09236). Baum, GL.
- Baumann, F; Carbone, M. (2016). Environmental risk of mesothelioma in the United States: An emerging concern-epidemiological issues. *J Toxicol Environ Health B Crit Rev*. 19: 231-249. <http://dx.doi.org/10.1080/10937404.2016.1195322>.
- Baumann, F; Maurizot, P; Mangeas, M; Ambrosi, JP; Douwes, J; Robineau, B. (2011). Pleural mesothelioma in New Caledonia: associations with environmental risk factors. *Environ Health Perspect*. 119: 695-700. <http://dx.doi.org/10.1289/ehp.1002862>.
- Baumeister, JL; Hausrath, EM; Olsen, AA; Tschauener, O; Adcock, CT; Metcalf, RV. (2015). Biogeochemical weathering of serpentinites: An examination of incipient dissolution affecting serpentine soil formation. *Appl Geochem*. 54: 74-84. <http://dx.doi.org/10.1016/j.apgeochem.2015.01.002>.
- Baur, X; Frank, AL; Budnik, LT; Woitowitz, HJ; Oliver, LC; Welch, LS; Landrigan, P; Lemen, R; Ramazzini, C. (2016). Collegium Ramazzini: Comments on the 2014 Helsinki consensus report on asbestos. *Am J Ind Med*. 59: 591-594. <http://dx.doi.org/10.1002/ajim.22595>.
- Beall, C; Corn, M; Cheng, H; Matthews, R; Delzell, E. (2007). Mortality and cancer incidence among tire manufacturing workers hired in or after 1962. *J Occup Environ Med*. 49: 680-690. <http://dx.doi.org/10.1097/JOM.0b013e318074bb30>.
- Beard, JS; Frost, BR; Fryer, P; Mccaig, A; Searle, R; Ildefonse, B; Zinin, P; Sharma, SK. (2009). Onset and Progression of Serpentinization and Magnetite Formation in Olivine-rich Troctolite from IODP Hole U1309D. *Journal of Petrology*. 50: 387-403. <http://dx.doi.org/10.1093/petrology/egp004>.
- Beard, ME; Millette, JR; Montague, N; Longo, WE; Hatfield, RL. (1996). Effect of indirect sample preparation procedures on the apparent concentration of asbestos in settled dusts - Comment. *Environ Sci Technol*. 30: 1404-1405.
- Bebout, GE; Barton, MD. (2002). Tectonic and metasomatic mixing in a high-T, subduction-zone melange - insights into the geochemical evolution of the slab-mantle interface. *Chem Geol*. 187: 79-106.
- Beck, EG; Holt, PF; Manojlovic, N. (1972). Comparison of effects on macrophage cultures of glass fibre, glass powder, and chrysotile asbestos. *Occup Environ Med*. 29: 280-286.
- Becker, A; Kruse, CL; Patzelt, T; Overath, H. (1996). Reduction of copper loss in potable water in domestic installations by water treatment. *Mater Corros*. 47: 89-95.
- Becker, H; Herzberg, F; Schulte, A; Kolossa-Gehring, M. (2011). The carcinogenic potential of nanomaterials, their release from products and options for regulating them [Review]. *Int J Hyg Environ Health*. 214: 231-238. <http://dx.doi.org/10.1016/j.ijheh.2010.11.004>.
- Becker, N; Berger, J; Bolm-Audorff, U. (2001). Asbestos exposure and malignant lymphomas--a review of the epidemiological literature [Review]. *Int Arch Occup Environ Health*. 74: 459-469.
- Becker, N; Changclaude, J; Frenzelbeyme, R. (1991). RISK OF CANCER FOR ARC WELDERS IN THE FEDERAL-REPUBLIC-OF-GERMANY - RESULTS OF A 2ND FOLLOW-UP (1983-8). *Br J Ind Med*. 48: 675-683.
- Beckett, ST. (1980). THE EFFECTS OF SAMPLING PRACTICE ON THE MEASURED CONCENTRATION OF AIRBORNE ASBESTOS. *Ann Occup Hyg*. 23: 259-272.
- Beckett, ST; Gylseth, B; Krantz, S; Paris, IM; Schneider, T. (1979). EXCHANGE OF MEMBRANE-FILTER SAMPLES OF AIRBORNE ASBESTOS BETWEEN ONE UNITED-KINGDOM AND 3 SCANDINAVIAN LABORATORIES. *Scand J Work Environ Health*. 5: 42-49.
- Beckett, ST; Paris, I; Attfeld, MD. (1980). THE EFFECT OF NON-ASBESTOS FIBERS AND SAMPLE FIBER DENSITY ON THE AGREEMENT BETWEEN LABORATORIES EVALUATING MEMBRANE-FILTER SAMPLES OF AIRBORNE ASBESTOS DUST. *Atmos Environ*. 14: 565-569.
- Beckett, WS. (2007). Shipyard workers and asbestos: a persistent and international problem [Editorial]. *Occup Environ Med*. 64: 639-641. <http://dx.doi.org/10.1136/oem.2006.032284>.
- Bedard, E; Hebert, R; Guilmette, C; Dostal, J. (2008). The supra-ophiolitic sedimentary cover of the Asbestos ophiolite, Quebec, Canada: First geochemical evidence of transition from oceanic to continental sediment flux. *Lithos*. 105: 239-252. <http://dx.doi.org/10.1016/j.lithos.2008.04.005>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Beebe-Dimmer, JL; Fryzek, JP; Yee, CL; Dalvi, TB; Garabrant, DH; Schwartz, AG; Gadgeel, S. (2016). Mesothelioma in the United States: a Surveillance, Epidemiology, and End Results (SEER)-Medicare investigation of treatment patterns and overall survival. *Clinical Epidemiology*. 8: 743-750. <http://dx.doi.org/10.2147/CLEP.S105396>.
- Beeckmans, JM. (1970). The deposition of asbestos particles in the human respiratory tract. *Int J Environ Stud*. 1: 31-34. <http://dx.doi.org/10.1080/00207237008709392>.
- Beeckmans, JM. (1970). The deposition of asbestos particles in the human respiratory tract. *Int J Environ Stud*. 1: 31-34.
- Begin, NJ; Carmichael, DM. (1992). TEXTURAL AND COMPOSITIONAL RELATIONSHIPS OF CA-AMPHIBOLES IN METABASITES OF THE CAPE SMITH BELT, NORTHERN QUEBEC - IMPLICATIONS FOR A MISCIBILITY GAP AT MEDIUM PRESSURE. *Journal of Petrology*. 33: 1317-1343.
- Begin, R; Boctor, M; Bergeron, D; Cantin, A; Berthiaume, Y; Peloquin, S; Bisson, G; Lamoureux, G. (1984). Radiographic assessment of pleuropulmonary disease in asbestos workers: Posteroanterior, 4 view films, and computed tomograms of the thorax. *Br J Ind Med*. 41: 373-383.
- Bégin, R; Cantin, A; Berthiaume, Y; Boileau, R; Bisson, G; Lamoureux, G; Rola-Pleszczynski, M; Drapeau, G; Massé, S; Boctor, M. (1985). Clinical features to stage alveolitis in asbestos workers. *Am J Ind Med*. 8: 521-536.
- Begin, R; Gauthier, JJ; Desmeules, M; Ostiguy, G. (1993). FURTHERANCE OF INFORMATION ON ASBESTOS AND MESOTHELIOMA. *Am J Ind Med*. 24: 247-248.
- Begin, R; Lamoureux, G; Cantin, A; Bisson, G; Masse, S. (1983). DETECTION OF ALVEOLITIS IN ASBESTOS WORKERS (pp. 8-11). (HEEP/84/09079). Begin, R; Lamoureux, G; Cantin, A; Bisson, G; Masse, S.
- Begin, R; Rola-Pleszczynski, M; Sirois, P; Lemaire, I; Nadeau, D; Bureau, MA; Masse, S. (1981). Early lung events following low-dose asbestos exposure. *Environ Res*. 26: 392-401.
- Bégin, R; Sébastien, P. (1989). Excessive accumulation of asbestos fibre in the bronchoalveolar space may be a marker of individual susceptibility to developing asbestosis: experimental evidence. *Br J Ind Med*. 46: 853-855.
- Beh, EJ; Smith, DR. (2011). Real world occupational epidemiology, part 2: a visual interpretation of statistical significance. *Arch Environ Occup Health*. 66: 245-248. <http://dx.doi.org/10.1080/19338244.2011.564235>.
- Beigelman-Aubry, C; Ferretti, G; Mompoin, D; Ameille, J; Letourneux, M; Laurent, F. (2008). Computed tomographic atlas of benign asbestos related pathology. *Arch Mal Prof Environ*. 69: 5-23. <http://dx.doi.org/10.1016/j.admp.2008.03.020>.
- Beiler, M. (2014). Change of Downstream Navigation Lock Gates at Germany's deepest Lock Chambers. 104: 28-33.
- Beinlich, A; Mavromatis, V; Austrheim, H; Oelkers, EH. (2014). Inter-mineral Mg isotope fractionation during hydrothermal ultramafic rock alteration - Implications for the global Mg-cycle. *Earth Planet Sci Lett*. 392: 166-176. <http://dx.doi.org/10.1016/j.epsl.2014.02.028>.
- Belanger, PL; Coye, MJ. (1982). Health Hazard Evaluation Report, No. HETA-80-197-1215, Pacific, Gas and Electric-Geyers Facility, San Francisco, California (pp. 19821982). (NIOSH/00127560). International Programme on Chemical Safety (IPCS).
- Belanger, SE; Cherry, DS; Cairns, J. (1990). FUNCTIONAL AND PATHOLOGICAL IMPAIRMENT OF JAPANESE MEDAKA (ORYZIAS-LATIPES) BY LONG-TERM ASBESTOS EXPOSURE. *Aquat Toxicol*. 17: 133-154.
- Belanger, SE; Cherry, DS; Cairns, J. R. (1986). UPTAKE OF CHRYSOTILE ASBESTOS FIBERS ALTERS GROWTH AND REPRODUCTION OF ASIATIC CLAMS. *Can J Fish Aquat Sci*. 43: 43-52.
- Belanger, SE; Cherry, DS; Cairns, J; Mcguire, MJ. (1987). USING ASIATIC CLAMS AS A BIOMONITOR FOR CHRYSOTILE ASBESTOS IN PUBLIC WATER-SUPPLIES. *J Am Water Works Assoc*. 79: 69-74.
- Belanger, SE; Schurr, K; Allen, DJ; Gohara, AF. (1986). Effects of chrysotile asbestos on coho salmon and green sunfish: evidence of behavioral and pathological stress. *Environ Res*. 39: 74-85.
- Belardi, G; Vignaroli, G; Plescia, P; Passeri, L. (2013). The assessment of particulate matter emitted from stone-crushing industry by correlating rock textures with particles generated after comminution and dispersed in air environment. *Environ Sci Pollut Res Int*. 20: 4711-4728. <http://dx.doi.org/10.1007/s11356-012-1434-7>.
- Belhouideg, S; Lagache, M. (2014). PREDICTION OF THE EFFECTIVE PERMEABILITY COEFFICIENT IN RANDOM POROUS MEDIA USING THE FINITE ELEMENT METHOD. *Journal of Porous Media*. 17: 819-830.
- Belka, M; Lizal, F; Jedelsky, J, an; Starha, P; Druckmullerova, H; Hopke, PK; Jicha, M. (2016). Application of image analysis method to detection and counting of glass fibers from filter samples. *Aerosol Sci Technol*. 50: 353-362. <http://dx.doi.org/10.1080/02786826.2016.1151858>.
- Bellmann, B; Konig, H; Muhle, H; Pott, F. (1986). Chemical Durability of Asbestos and of Man-Made Mineral Fibres In Vivo. *J Aerosol Sci*. 17: 341-345.
- Bellmann, B; Muhle, H. (1994). Investigation of the Biodurability of Wollastonite and Xonotlite. *Environ Health Perspect*. 102: 191-195.
- Bellmann, B; Muhle, H; Kamstrup, O; Draeger, UF. (1994). Investigation on the durability of man-made vitreous fibers in rat lungs. *Environ Health Perspect*. 102 Suppl 5: 185-189.
- Bellmann, B; Muhle, H; Pott, F; Konig, H; Kloppel, H; Spurny, K. (1987). PERSISTENCE OF MAN-MADE MINERAL FIBERS (MMM) AND ASBESTOS IN RAT LUNGS. *Ann Occup Hyg*. 31: 693-&.
- Bello, D; Wardle, BL; Zhang, J; Yamamoto, N; Santeufemio, C; Hallock, M; Virji, MA. (2010). Characterization of exposures to nanoscale particles and fibers during solid core drilling of hybrid carbon nanotube advanced composites. *Int J Occup Environ Health*. 16: 434-450. <http://dx.doi.org/10.1179/oeh.2010.16.4.434>.
- Bell-Sakyi, L; Kohl, A; Bente, DA; Fazakerley, JK. (2012). Tick cell lines for study of Crimean-Congo hemorrhagic fever virus and other arboviruses [Review]. *Vector Borne and Zoonotic Diseases*. 12: 769-781. <http://dx.doi.org/10.1089/vbz.2011.0766>.
- Belogub, EV; Krivovichev, SV; Pekov, IV; Kuznetsov, AM; Yapaskurt, VO; Kotlyarov, VA; Chukanov, NV; Belakovskiy, DI. (2015). Nickelpicromerite, K₂Ni(SO₄)₂·aEuro cent 6H₂O, a new picromerite-group mineral from Slyudorudnik, South Urals, Russia. *Mineralogy and Petrology*. 109: 143-152. <http://dx.doi.org/10.1007/s00710-014-0360-4>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Below, JE; Cox, NJ; Fukagawa, NK; Hirvonen, A; Testa, JR. (2011). Factors that impact susceptibility to fiber-induced health effects. *J Toxicol Environ Health B Crit Rev.* 14: 246-266. <http://dx.doi.org/10.1080/10937404.2011.556052>.
- Belrose, JS. (2002). Reginald Aubrey Fessenden and the birth of wireless telephony. *I E E Antennas and Propagation Magazine.* 44: 38-47. <http://dx.doi.org/10.1109/MAP.2002.1003633>.
- Benarde, MA. (1991). Assessment of low level asbestos exposure in the urban environment [Review]. *Perspect Public Health.* 111: 54-56. <http://dx.doi.org/10.1177/146642409111100204>.
- Benarie, M; Bodin, D. (1979). PRESUMPTIVE IDENTIFICATION OF ASBESTOS IN URBAN AIR. *Sci Total Environ.* 12: 199-203.
- Benavides, J; Kysler, TK; Clark, AH; Stanley, C; Oates, C. (2008). Exploration guidelines for copper-rich iron oxide-copper-gold deposits in the Mantoverde area, northern Chile: the integration of host-rock molar element ratios and oxygen isotope compositions. *Geochemistry: Exploration, Environment, Analysis.* 8: 343-367.
- Bender, AP; Williams, AN; Parker, DL. (1993). Experiences of a state-sponsored notification and screening program for asbestos workers. *Am J Ind Med.* 23: 161-169.
- Benea, M; Gorea, M; Har, N. (2007). Tegular materials from Sarmizegetusa - 1. Mineralogical and physical characteristics. 37: 219-227.
- Benkó, Z; Mogessie, A; Molnár, F; Krenn, K; Poulson, SR; Hauck, S; Severson, M; Arehart, GB. (2015). Hydrothermal alteration and Cu-Ni-PGE mobilization in the charnockitic rocks of the footwall of the South Kawishiwi intrusion, Duluth Complex, USA. *Ore Geol Rev.* 67: 170-188. <http://dx.doi.org/10.1016/j.oregeorev.2014.11.010>.
- Benmokrane, B; Chekired, M; Xu, H. (1995). MONITORING BEHAVIOR OF GROUTED ANCHORS USING VIBRATING-WIRE GAUGES. 121: 466-475.
- Ben-Shlomo, R; Shanas, U. (2011). Genetic ecotoxicology of asbestos pollution in the house mouse *Mus musculus domesticus*. *Environ Sci Pollut Res Int.* 18: 1264-1269. <http://dx.doi.org/10.1007/s11356-011-0481-9>.
- Bensted, J; Smith, JR. (2011). Asbestos legacy impacts on future prospects. 16: 161-+.
- Bentabol, M; Ruiz Cruz, MD. (2013). Chemistry, morphology and structural characteristics of synthetic Al-Ni and Al-Co-lizardites. *Appl Clay Sci.* 77-78: 68-78. <http://dx.doi.org/10.1016/j.clay.2013.04.001>.
- Bera, SC; Pillai, CKS; Rangan, PN; Arankale, AR; Chirmade, JH. (1989). FRICTIONAL AND WEAR PROPERTIES OF ASBESTOS SHORT FIBER FILLED PHOSPHORYLATED CNSL POLYMERS FOR AUTOMOBILE BRAKELINING APPLICATIONS. 27: 393-397.
- Berg, R. (2004). When science crosses politics, I: The case of naturally occurring asbestos. *J Environ Health.* 66: 31-39.
- Berge, SR; Skyberg, K. (2003). Radiographic evidence of pulmonary fibrosis and possible etiologic factors at a nickel refinery in Norway. *J Environ Monit.* 5: 681-688. <http://dx.doi.org/10.1039/b209623b>.
- Berger, H. (1975). DEVELOPMENT OF CONTROL-SYSTEM FOR JEFFREY MINES ASBESTOS PROCESSING COMPLEX. 68: 52-59.
- Bergner, D. (1997). 20 years' development of a bipolar membrane cell for alkali chloride electrolysis from laboratory to global application. *Chem Ing Tech.* 69: 438-445.
- Beritić, T; Kovac, S. (1985). Asbestos-related disease without asbestosis--why not pleural asbestosis? [Editorial]. *Am J Ind Med.* 8: 517-520.
- Berk, S; Yalcin, H; Dogan, OT; Epöztürk, K; Akkurt, I; Seyfikli, Z. (2014). The assessment of the malignant mesothelioma cases and environmental asbestos exposure in Sivas province, Turkey. *Environ Geochem Health.* 36: 55-64. <http://dx.doi.org/10.1007/s10653-013-9518-y>.
- Berkheiser, VE. (1982). ADSORPTION OF STEARIC-ACID BY CHRYSOTILE. *Clays and Clay Minerals.* 30: 91-96.
- Berlin, J; Frumkin, H. (1988). EXPOSURE TO ASBESTOS AND THE RISK OF GASTROINTESTINAL CANCER. *Br J Ind Med.* 45: 575-575.
- Berman, DM. (1986). Asbestos and health in the Third World: the case of Brazil. *Int J Health Serv.* 16: 253-263.
- Berman, DW. (2011). Apples to apples: The origin and magnitude of differences in asbestos cancer risk estimates derived using varying protocols. *Risk Anal.* 55: 565-568. <http://dx.doi.org/10.1111/j.1539-6924.2010.01581.x>.
- Berman, DW; Brorby, GP; Sheehan, PJ; Bogen, KT; Holm, SE. (2012). More on the dynamics of dust generation: the effects of mixing and sanding chrysotile, calcium carbonate, and other components on the characteristics of joint-compound dusts. *Ann Occup Hyg.* 56: 852-867. <http://dx.doi.org/10.1093/annhyg/mes008>.
- Berman, DW; Case, BW. (2012). Overreliance on a Single Study: There is no Real Evidence that Applying Quality Criteria to Exposure in Asbestos Epidemiology Affects the Estimated Risk. *Ann Occup Hyg.* 56: 869-878. <http://dx.doi.org/10.1093/annhyg/mes027>.
- Berman, DW; Case, BW. (2013). Quality of evidence must guide risk assessment of asbestos, by Lenters, V; Burdorf, A; Vermeulen, R; Stayner, L; Heederik, D [Letter]. *Ann Occup Hyg.* 57: 667-669. <http://dx.doi.org/10.1093/annhyg/met015>.
- Berman, DW; Crump, KS; Chatfield, EJ; Davis, JM; Jones, AD. (1995). The sizes, shapes, and mineralogy of asbestos structures that induce lung tumors or mesothelioma in AF/HAN rats following inhalation. *Risk Anal.* 15: 181-195.
- Berman DW, C, rump KS, C., hatfield EJ, D., avis JM, J., ones AD. (1995). The sizes, shapes, and mineralogy of asbestos structures that induce lung tumors or mesothelioma in AF/HAN rats following inhalation. Erratum in *Risk Anal* 1995 Aug; 15(4):541. *Risk Anal.* 15: 181-195.
- Bernardet, C; Bonnetterre, V; Bicout, D; Larabi, L; De Gaudemaris, R. (2007). Analysis of trends pathology-nuisance pairing in the french national occupational disease surveillance and prevention network (RNV3P). *Arch Mal Prof Environ.* 68: 438-444.
- Bernardo, E; Esposito, L; Rambaldi, E; Tucci, A. (2011). Sintered glass ceramic articles from plasma vitrified asbestos containing waste. *Advances in Applied Ceramics: Structural, Functional and Bioceramics.* 110: 346-352. <http://dx.doi.org/10.1179/1743676111Y.0000000020>.
- Bernardo, E; Scarinci, G. (2008). Fast sinter crystallisation of waste glasses. *Advances in Applied Ceramics: Structural, Functional and Bioceramics.* 107: 344-349. <http://dx.doi.org/10.1179/174367508X289451>.
- Bernatchez, SF; Parks, PJ; Gibbons, DF. (1996). Interaction of macrophages with fibrous materials in vitro. *Biomaterials.* 17: 2077-2086.
- Bernstein, D; Gibbs, A; Pooley, F; Langer, A; Donaldson, K, en; Hoskins, J; Dunnigan, J. (2007). Misconceptions and Misuse of International Agency for Research on Cancer 'Classification of Carcinogenic Substances'. The Case of Asbestos. *Indoor Built Environ.* 16: 94-98. <http://dx.doi.org/10.1177/1420326X06076258>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Bernstein, DM; Mast, R; Anderson, R; Hesterberg, TW; Musselman, R; Kamstrup, O; Hadley, J. (1994). An experimental approach to the evaluation of the biopersistence of respirable synthetic fibers and minerals. *Environ Health Perspect.* 102 Suppl 5: 15-18.
- Bernstein, IL; Moteff, J. (1976). Possible asbestos hazards in clinical allergy. *J Allergy Clin Immunol.* 57: 489-492.
- Berrigan, D. (2002). Respiratory cancer and exposure to man-made vitreous fibers: a systematic review. *Am J Ind Med.* 42: 354-362. <http://dx.doi.org/10.1002/ajim.10111>.
- Berry, G. (1992). Re: "Changing opinions and attitudes regarding asbestos and cancer 1934-1965". *Am J Ind Med.* 22: 447-448.
- Berry, G. (2002). Asbestos lung fibre analysis in the United Kingdom, 1976-96. *Ann Occup Hyg.* 46: 523-526. <http://dx.doi.org/10.1093/annhyg/mef066>.
- Berry, G; Liddell, FD. (2004). The interaction of asbestos and smoking in lung cancer: a modified measure of effect. *Ann Occup Hyg.* 48: 459-462. <http://dx.doi.org/10.1093/annhyg/meh023>.
- Berry, M. (1997). Mesothelioma incidence and community asbestos exposure. *Environ Res.* 75: 34-40.
- Bertazzi, PA. (1976). [Glass fibers: exposure and risks for man]. *Med Lav.* 67: 535-550.
- Besson, P; Lalanne, FX; Wang, Y; Guyot, F. (1999). Multi-parameter observation of environmental asbestos pollution at the Institut de Physique du Globe de Paris (Jussieu Campus, France). *Ann Occup Hyg.* 43: 527-541.
- Betta, PG. (1982). [Asbestos bodies in the general population of the district of Alessandria: an autoptical survey and correlation of quantitative asbestos body counts, occupation and place of residence (author's transl)]. *Med Lav.* 73: 58-64.
- Betti, M; Neri, M; Ferrante, D; Landi, S; Biava, A; Gemignani, F; Bertolotti, M; Mirabelli, D; Padoan, M; Ugolini, D; Botta, M; Bonassi, S; Magnani, C; Dianzani, I. (2009). Pooled analysis of NAT2 genotypes as risk factors for asbestos-related malignant mesothelioma. *Int J Hyg Environ Health.* 212: 322-329. <http://dx.doi.org/10.1016/j.ijheh.2008.08.001>.
- Bevilacqua, M; Ciarapica, FE; Mazzuto, G. (2012). Analysis of injury events with fuzzy cognitive maps. *J Loss Prev Process Ind.* 25: 677-685. <http://dx.doi.org/10.1016/j.jlp.2012.02.004>.
- Bezacier, L; Reynard, B; Bass, J, ayD; Sanchez-Valle, C; Van De Moortele, B. (2010). Elasticity of antigorite, seismic detection of serpentinites, and anisotropy in subduction zones. *Earth Planet Sci Lett.* 289: 198-208. <http://dx.doi.org/10.1016/j.epsl.2009.11.009>.
- Bezacier, L; Reynard, B; Cardon, H; Montagnac, G; Bass, JD. (2013). High-pressure elasticity of serpentine and seismic properties of the hydrated mantle wedge. *J Geophys Res Solid Earth.* 118: 527-535. <http://dx.doi.org/10.1002/jgrb.50076>.
- Bezerra, EM; Joaquim, AP; Savastano, H; John, VM; Agopyan, V. (2006). The effect of different mineral additions and synthetic fiber contents on properties of cement based composites. *Cement and Concrete Composites.* 28: 555-563. <http://dx.doi.org/10.1016/j.cemconcomp.2006.02.001>.
- Bezuidenhout, JJ; Liebenberg, D; Claassens, S; Van Rensburg, L. (2013). Application of evolutionary algorithms to develop a rule set for assessing the rehabilitation status of asbestos mines in South Africa. *Environ Earth Sci.* 70: 3267-3275. <http://dx.doi.org/10.1007/s12665-013-2391-2>.
- Bhadra, S; Bhattacharya, A. (2007). The barometer tremolite plus tschermakite+2 albite=2 pargasite+8 quartz: Constraints from experimental data at unit silica activity, with application to garnet-free natural assemblages. *Am Mineral.* 92: 491-502. <http://dx.doi.org/10.2138/am.2007.2067>.
- Bhatta, R; Swain, N; Verma, DL; Singh, NP. (2004). Studies on feed intake and nutrient utilization of sheep under two housing systems in a semi-arid region of India. *Asian-Australas J Anim Sci.* 17: 814-819.
- Bhatta, R; Swain, N; Verma, DL; Singh, NP. (2005). Effect of housing on physiological responses and energy expenditure of sheep in a semi-arid region of India. *Asian-Australas J Anim Sci.* 18: 1188-1193.
- Bhatta, R; Vaithyanathan, S; Shinde, AK; Jakhmola, RC. (2005). Effect of feeding complete feed block containing Prosopis cineraria leaves and polyethylene glycol (PEG)-6000 on nutrient intake, its utilization, rumen fermentation pattern and rumen enzyme profile in kids. *J Sci Food Agric.* 85: 1788-1794. <http://dx.doi.org/10.1002/jsfa.2111>.
- Bhattacharya, S; John, PJ; Ledwani, L. (2015). Bacterial Weathering of Asbestos. *Silicon.* 7: 419-431. <http://dx.doi.org/10.1007/s12633-014-9260-9>.
- Bhattacharya, S; John, PJ; Ledwani, L. (2016). Fungal weathering of asbestos in semi arid regions of India. *Ecotoxicol Environ Saf.* 124: 186-192. <http://dx.doi.org/10.1016/j.ecoenv.2015.10.022>.
- Bhattacharjee, S; Paul, A. (1992). CORRELATION BETWEEN CHEMICAL CORROSION AND STRUCTURAL VARIATIONS IN FIBROUS TREMOLITE. *Journal of Materials Science.* 27: 704-710.
- Bhowmik, SK; Spiering, B. (2004). Constraining the prograde and retrograde P-T paths of granulites using decomposition of initially zoned garnets: an example from the Central Indian Tectonic Zone. *Contributions to Mineralogy and Petrology.* 147: 581-603. <http://dx.doi.org/10.1007/s00410-004-0573-3>.
- Bial, J; Trepmann, CA. (2013). The microstructural record of porphyroclasts and matrix of partly serpentinized peridotite mylonites - from brittle and crystal-plastic deformation to dissolution-precipitation creep. 4: 315-330. <http://dx.doi.org/10.5194/se-4-315-2013>.
- Bianchi, C; Bianchi, T. (2007). Malignant mesothelioma in telephone workers [Letter]. *J Occup Environ Med.* 49: 359. <http://dx.doi.org/10.1097/JOM.0b013e318046eb20>.
- Bianchi, C; Bianchi, T. (2007). Malignant mesothelioma: global incidence and relationship with asbestos [Review]. *Ind Health.* 45: 379-387.
- Bianchi, C; Bianchi, T. (2015). Asbestos between science and myth. A 6,000-year story. *Med Lav.* 106: 83-90.
- Bianchi, C; Bianchi, T. (2016). [Non-Hodgkin lymphoma and asbestos exposure] [Letter]. *Med Lav.* 107: 73-74.
- Bianchi, C; Brollo, A; Ramani, L; Bianchi, T; Giarelli, L. (2001). Asbestos exposure in malignant mesothelioma of the pleura: a survey of 557 cases. *Ind Health.* 39: 161-167.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Bianchi, C; Brollo, A; Ramani, L; Bianchi, T; Giarelli, L. (2004). Familial mesothelioma of the pleura--a report of 40 cases [Review]. *Ind Health*. 42: 235-239.
- Bianchi, C; Brollo, A; Ramani, L; Zuch, C. (1993). ASBESTOS EXPOSURE IN THE GENERAL POPULATION RELEVANCE OF NECROPSY-BASED STUDIES (pp. 5-10). (BIOSIS/94/36877). Bianchi, C; Brollo, A; Ramani, L; Zuch, C.
- Bianchi, C; Brollo, A; Ramani, L; Zuch, C. (1997). Pleural plaques as risk indicators for malignant pleural mesothelioma: A necropsy-based study. *Am J Ind Med*. 32: 445-449. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199711\)32:5<445::AID-AJIM3>3.0.CO;2-R](http://dx.doi.org/10.1002/(SICI)1097-0274(199711)32:5<445::AID-AJIM3>3.0.CO;2-R).
- Bianchi, C; Castelli, M; Carluccio, L. (1976). [Frequency of lung asbestos bodies in autopsy material at Udine]. *Minerva Med*. 67: 1511-1512.
- Bianchi, C; Ramani, L; Bianchi, T. (2002). Concurrent malignant mesothelioma of the pleura and hepatocellular carcinoma in the same patient: a report of five cases [Review]. *Ind Health*. 40: 383-387.
- Bidassey-Manilal, S; Wright, CY; Engelbrecht, JC; Albers, PN; Garland, RM; Matookane, M. (2016). Students' Perceived Heat-Health Symptoms Increased with Warmer Classroom Temperatures. *Int J Environ Res Public Health*. 13. <http://dx.doi.org/10.3390/ijerph13060566>.
- Bieda, W; Herbut, P. (2007). Effect of a change in housing system on the productivity of Polish Red cattle using the example of the Cistercian monastic farm in Szczyrzyc. *Annals of Animal Science*. 7: 295-303.
- Biedermann, AR; Koch, CB; Pettke, T; Hirt, A, nmM. (2015). Magnetic anisotropy in natural amphibole crystals. *Am Mineral*. 100: 1940-1951. <http://dx.doi.org/10.2138/am-2015-5173>.
- Bierl, A; Kremer, H. (1978). CALCULATION OF GASEOUS LEAKAGE FROM FLANGED JOINTS WITH ASBESTOS-METAL SEALS. *Chem Ing Tech*. 50: 542-543.
- Bignou, J. (1989). Non-occupational exposure to mineral fibres: Mineral fibres in the non-occupational environment [Review]. In IARC Scientific Publication. Lyon, France: International Agency on the Research of Cancer.
- Bignou, J; Bientz, M; Bonnaud, G; Sébastien, P. (1977). [Numerical estimation of asbestos fibers in wine samples] [Letter]. *La Nouvelle presse médicale*. 6: 1148-1149.
- Bignou, J; Bientz, M; Sébastien, P; Bonnaud, G. (1976). [Asbestos and environment: possible risk of cancer for the general population?] [Review]. *Rev Prat*. 26: 2353-2357.
- Bignou, J; Saracci, R; Touray, JC. (1994). Introduction: INSERM-IARC-CNRS workshop on biopersistence of respirable synthetic fibers and minerals. *Environ Health Perspect*. 102 Suppl 5: 3-5.
- Bijwe; Jayashree, AN. (2016). Development of copper-free eco-friendly brake-friction material using novel ingredients. *Wear*. 352-353: 79-91. <http://dx.doi.org/10.1016/j.wear.2016.01.023>.
- Bijwe, J. (1997). Composites as friction materials: Recent developments in non-asbestos fiber reinforced friction materials - A review. *Polymer Composites*. 18: 378-396.
- Bijwe, J; Aranganathan, N; Sharma, S; Dureja, N; Kumar, R, am. (2012). Nano-abrasives in friction materials-influence on tribological properties. *Wear*. 296: 693-701. <http://dx.doi.org/10.1016/j.wear.2012.07.023>.
- Bijwe, J; Kumar, M. (2007). Optimization of steel wool contents in non-asbestos organic (NAO) friction composites for best combination of thermal conductivity. *Wear*. 263: 1243-1248. <http://dx.doi.org/10.1016/j.wear.2007.01.125>.
- Bijwe, J; Kumar, M; Gurunath, PV; Desplanques, Y; Degallaix, G. (2008). Optimization of brass contents for best combination of tribo-performance and thermal conductivity of non-asbestos organic (NAO) friction composites. *Wear*. 265: 699-712. <http://dx.doi.org/10.1016/j.wear.2007.12.016>.
- Bijwe, NJ. (2007). NBR-modified resin in fade and recovery module in non-asbestos organic (NAO) friction materials. *Tribology Letters*. 27: 189-196. <http://dx.doi.org/10.1007/s11249-007-9225-x>.
- Bilenker, LD; Simon, AC; Reich, M; Lundstrom, CC; Gajos, N; Bindeman, I; Barra, F; Munizaga, R. (2016). Fe-O stable isotope pairs elucidate a high-temperature origin of Chilean iron oxide-apatite deposits. *Geochim Cosmo Acta*. 177: 94-104. <http://dx.doi.org/10.1016/j.gca.2016.01.009>.
- Billay, AY; Kisters, AFM; Meyer, FM; Schneider, J. (1997). The geology of the Lega Dembi gold deposit, southern Ethiopia: implications for Pan-African gold exploration. *Miner Depos*. 32: 491-504.
- Bin-Bin, G; Hong-Cai, W; Wei-Hua, Z; Shao-Cheng, J; Dong-Sheng, S; A-Wei, L; Chang-Xing, L. (2014). Analysis of seismic anisotropy of slate and its application of slate. *Diqiu Wuli Xuebao*. 57: 837-846. <http://dx.doi.org/10.6038/cjg20140313>.
- Binette, MB; Binette, JP. (1987). A Method of Airborne Asbestos Fiber Collection. *Am Ind Hyg Assoc J*. 48: A332-A333.
- Biondi, JC. (2014). Neoproterozoic Cana Brava chrysotile deposit (Goias, Brazil): Geology and geochemistry of chrysotile vein formation. *Lithos*. 184: 132-154. <http://dx.doi.org/10.1016/j.lithos2013.10.017>.
- Biondi, JC; Santos, RV; Cury, LF. (2013). The Paleoproterozoic Aripuana Zn-Pb-Ag (Au, Cu) Volcanogenic Massive Sulfide Deposit, Mato Grosso, Brazil: Geology, Geochemistry of Alteration, Carbon and Oxygen Isotope Modeling, and Implications for Genesis. *Econ Geol*. 108: 781-811.
- Bird, B. (2002). The asbestos in buildings conundrum: who pays? *Chem Eng (London)*13-13.
- Bish, DL; Chipera, SJ. (1991). DETECTION OF TRACE AMOUNTS OF ERIONITE USING X-RAY-POWDER DIFFRACTION - ERIONITE IN TUFFS OF YUCCA MOUNTAIN, NEVADA, AND CENTRAL TURKEY. *Clays and Clay Minerals*. 39: 437-445.
- Bishop, K; Ring, SJ; Zoltai, T; Manos, CG; Ahrens, VD; Lisk, DJ. (1985). IDENTIFICATION OF ASBESTOS AND GLASS-FIBERS IN MUNICIPAL SEWAGE SLUDGES. *Bull Environ Contam Toxicol*. 34: 301-308.
- Black, B; Szeinuk, J; Whitehouse, AC; Levin, SM; Henschke, CI; Yankelevitz, DF; Flores, RM. (2014). Rapid progression of pleural disease due to exposure to Libby amphibole: "Not your grandfather's asbestos related disease" *Am J Ind Med*. 57: 1197-1206. <http://dx.doi.org/10.1002/ajim.22330>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Blair, A; Zahm, SH; Silverman, DT. (1999). Occupational cancer among women: Research status and methodologic consideration [Review]. *Am J Ind Med.* 36: 6-17. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199907\)36:1<6::AID-AJIM2>3.0.CO;2-F](http://dx.doi.org/10.1002/(SICI)1097-0274(199907)36:1<6::AID-AJIM2>3.0.CO;2-F).
- Blanchette, RA; Held, BW; Jurgens, JA; Aislabie, J; Duncan, S; Farrell, RL. (2004). Environmental pollutants from the Scott and Shackleton expeditions during the 'Heroic Age' of Antarctic exploration. *Polar Rec (Gr Brit).* 40: 143-151.
- Blanco, A; Negro, C; Fuente, E; Miguel Sanchez, L. (2008). ALTERNATIVE USE OF DEINKING SLUDGE AS A SOURCE OF FIBERS IN FIBER-CEMENT MANUFACTURE. *Cellulose Chemistry and Technology.* 42: 89-95.
- Block, J; Petrakis, L; Dolhert, LE; Myers, DF; Hegedus, LL; Webster, RP; Kukacka, LE. (2000). A novel approach for the in-situ chemical elimination of chrysotile from asbestos-containing fireproofing materials. *Environ Sci Technol.* 34: 2293-2298.
- Bloise, A; Barca, D; Gualtieri, AF; Pollastri, S; Belluso, E. (2016). Trace elements in hazardous mineral fibres. *Environ Pollut.* 216: 314-323. <http://dx.doi.org/10.1016/j.envpol.2016.06.007>.
- Bloise, A; Belluso, E; Catalano, M; Barrese, E; Miriello, D; Apollaro, C. (2012). Hydrothermal Alteration of Glass to Chrysotile. *Journal of the American Ceramic Society.* 95: 3050-3055. <http://dx.doi.org/10.1111/j.1551-2916.2012.05323.x>.
- Bloise, A; Belluso, E; Fornero, E; Rinaudo, C; Barrese, E; Capella, S. (2010). Influence of synthesis conditions on growth of Ni-doped chrysotile. *Microporous and Mesoporous Materials.* 132: 239-245. <http://dx.doi.org/10.1016/j.micromeso.2010.03.003>.
- Bloise, A; Critelli, T; Catalano, M; Apollaro, C; Miriello, D; Croce, A; Barrese, E; Liberi, F; Piluso, E; Rinaudo, C; Belluso, E. (2014). Asbestos and other fibrous minerals contained in the serpentinites of the Gimigliano-Mount Reventino Unit (Calabria, S-Italy). *Environ Earth Sci.* 71: 3773-3786. <http://dx.doi.org/10.1007/s12665-013-3035-2>.
- Blount, AM. (1991). AMPHIBOLE CONTENT OF COSMETIC AND PHARMACEUTICAL TALCS. *Environ Health Perspect.* 94: 225-230.
- Boatman, ES. (1982). ANALYZING ASBESTOS FIBERS IN WATER BY MEANS OF TRANSMISSION ELECTRON-MICROSCOPY. *J Am Water Works Assoc.* 74: 532-536.
- Boatman, ES. (1983). ADDITIONAL NOTES ON THE USE OF QUANTITATIVE-ANALYSIS OF URINE TO ASSESS EXPOSURE TO ASBESTOS FIBERS IN DRINKING-WATER IN THE PUGET-SOUND REGION. *Environ Health Perspect.* 53: 195-195.
- Boatman, ES; Merrill, T; Oneill, A; Polissar, L; Millette, J. R. (1983). USE OF QUANTITATIVE-ANALYSIS OF URINE TO ASSESS EXPOSURE TO ASBESTOS FIBERS IN DRINKING-WATER IN THE PUGET-SOUND REGION. *Environ Health Perspect.* 53: 131-141.
- Bobicki, ER; Liu, Q; Xu, Z. (2014). Effect of microwave pre-treatment on ultramafic nickel ore slurry rheology. *Miner Eng.* 61: 97-104. <http://dx.doi.org/10.1016/j.mineng.2014.03.025>.
- Bobicki, ER; Liu, Q; Xu, Z. (2014). Ligand-promoted dissolution of serpentine in ultramafic nickel ores. *Miner Eng.* 64: 109-119. <http://dx.doi.org/10.1016/j.mineng.2014.05.020>.
- Bobicki, ER; Liu, Q; Xu, Z. (2014). Microwave heating of ultramafic nickel ores and mineralogical effects. *Miner Eng.* 58: 22-25. <http://dx.doi.org/10.1016/j.mineng.2014.01.003>.
- Boccaccini, DN; Leonelli, C; Rivasi, MR; Romagnoli, M; Veronesi, P; Pellacani, GC; Boccaccini, AR. (2007). Recycling of microwave inertised asbestos containing waste in refractory materials. *J Eur Ceram Soc.* 27: 1855-1858. <http://dx.doi.org/10.1016/j.jeurceramsoc.2006.05.003>.
- Bochkov, NP; Katosova, LD; Platonova, VI; Sapacheva, VA; Titenko, NV; Tsurikova, GV. (1991). [Cytogenetic examination of workers engaged in manufacturing of asbestos technical products]. *Gig Tr Prof Zabol*10-11.
- Boelter, FW. (2003). Asbestos exposures from gasket removal - Reply. *AIHA J.* 64: 595-597.
- Boev, B; Stafilov, T; Bačeva, K; Šorša, A; Boev, I. (2013). Influence of a nickel smelter plant on the mineralogical composition of attic dust in the Tikveš Valley, Republic of Macedonia. *Environ Sci Pollut Res Int.* 20: 3781-3788. <http://dx.doi.org/10.1007/s11356-012-1318-x>.
- Boffetta, P. (1994). Biopersistence of respirable synthetic fibers and minerals: the point of view of the epidemiologist [Review]. *Environ Health Perspect.* 102 Suppl 5: 11-13.
- Boffetta, P. (2016). Re: Terracini et al. Comments on the causation of malignant mesothelioma: Rebutting the false concept that recent exposures to asbestos do not contribute to causation of mesothelioma. *Am J Ind Med* 2016;59:506-507. *Am J Ind Med.* 59: 1177-1179. <http://dx.doi.org/10.1002/ajim.22672>.
- Boffetta, P. (2016). Response to: Pleural mesothelioma, and occupational and non-occupational asbestos exposure: a case-control study with quantitative risk assessment [Letter]. *Occup Environ Med.* 73: 712. <http://dx.doi.org/10.1136/oemed-2016-103776>.
- Boffetta, P; Burstyn, I; Partanen, T; Kromhout, H; Svane, O; Langard, S; Jarvholm, B; Frentzel-Beyme, R; Kauppinen, T; Stucker, I; Shaham, J; Heederik, D; Ahrens, W; Bergdahl, IA; Cenee, S; Ferro, G; Heikkila, P; Hooiveld, M; Johansen, C; Randem, BG; Schill, W. (2003). Cancer mortality among European asphalt workers: an international epidemiological study II Exposure to bitumen fume and other agents. *Am J Ind Med.* 43: 28-39. <http://dx.doi.org/10.1002/ajim.10182>.
- Boffetta, P; Saracci, R; Andersen, A; Bertazzi, PA; Chang-Claude, J; Cherrie, J; Ferro, G; Frentzel-Beyme, R; Hansen, J; Olsen, J; Plato, N; Teppo, L; Westerholm, P; Winter, PD; Zocchetti, C. (1997). Cancer mortality among man-made vitreous fiber production workers. *Epidemiology.* 8: 259-268.
- Bogen, KT; Brorby, G; Berman, DW; Sheehan, P; Floyd, M. (2011). Measuring mixed cellulose ester (MCE) filter mass under variable humidity conditions. *Ann Occup Hyg.* 55: 485-494. <http://dx.doi.org/10.1093/annhyg/mer003>.
- Bohlig, H; Weitowitz, HJ. (1980). PROBLEMS IN MEDICAL CHECK UP OF ASBESTOS WORKERS ACCORDING TO G-1 - NEW REGULATIONS SINCE 1971 (EFFECTS OF FINE ASBESTOS DUST). *Arbeitsmedizin, Sozialmedizin, Praeventivmedizin.* 15: 127-130.
- Bohme, SR. (2012). Expression of concern: false claim to be free of conflicts in asbestos biopersistence debate [Letter]. *Int J Occup Environ Health.* 18: 85-88. <http://dx.doi.org/10.1179/1077352512Z.000000000024>.
- Bohnker, BK; Betts, LS; Sack, DM; Craft, N. (2001). Navy Asbestos Medical Surveillance Program, 1995-1999: demographic characteristics and smoking status. *Mil Med.* 166: 966-971.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Bolognesi, C; Martini, F; Tognon, M; Filiberti, R; Neri, M; Perrone, E; Landini, E; Canessa, PA; Ivaldi, GP; Betta, P; Mutti, L; Puntoni, R. (2005). A molecular epidemiology case control study on pleural malignant mesothelioma. *Cancer Epidemiol Biomarkers Prev.* 14: 1741-1746. <http://dx.doi.org/10.1158/1055-9965.EPI-04-0903>.
- Bolton, RE; Davis, JMG; Lamb, D. (1982). THE PATHOLOGICAL EFFECTS OF PROLONGED ASBESTOS INGESTION IN RATS. *Environ Res.* 29: 134-150.
- Bolton, RE; Vincent, JH; Jones, AD; Addison, J; Beckett, ST. (1983). AN OVERLOAD HYPOTHESIS FOR PULMONARY CLEARANCE OF UICC AMOSITE FIBERS INHALED BY RATS. *Br J Ind Med.* 40: 264-272.
- Bonneau, L; Suquet, H; Malard, C; Pezerat, H. (1986). STUDIES ON SURFACE-PROPERTIES OF ASBESTOS .1. ACTIVE-SITES ON SURFACE OF CHRYSOTILE AND AMPHIBOLES. *Environ Res.* 41: 251-267.
- Bonnetterre, V; Faisandier, L; Bicout, D; Bernardet, C; Piollat, J; Ameille, J; de Claviere, C; Aptel, M; Lasfargues, G; de Gaudemaris, R; RNV3P. (2010). Programmed health surveillance and detection of emerging diseases in occupational health: contribution of the French national occupational disease surveillance and prevention network (RNV3P). *Occup Environ Med.* 67: 178-186. <http://dx.doi.org/10.1136/oem.2008.044610>.
- Bonyadi, Z; Davidson, GJ; Mehrabi, B; Meffre, S; Ghazban, F. (2011). Significance of apatite REE depletion and monazite inclusions in the brecciated Se-Chahun iron oxide-apatite deposit, Bafq district, Iran: Insights from paragenesis and geochemistry. *Chem Geol.* 281: 253-269. <http://dx.doi.org/10.1016/j.chemgeo.2010.12.013>.
- Booker, JM; Catlin, M; Weiss, LD. (1991). ASBESTOS TRAINING - EVALUATION OF A STATE CERTIFIED PROGRAM IN ALASKA. *J Environ Health.* 54: 18-21.
- Boqin, G; Chen, Y, e; Dasheng, Z. (2007). Prediction of leakage rates through sealing connections with nonmetallic gaskets. *Chinese Journal of Chemical Engineering.* 15: 837-841.
- Boraschi, P; Neri, S; Braccini, G; Gigoni, R; Leoncini, B; Perri, G. (1999). Magnetic resonance appearance of asbestos-related benign and malignant pleural diseases. *Scand J Work Environ Health.* 25: 18-23.
- Bordeleau, LM; Lalonde, R; Dekimpe, CR; Zizka, J; Tabi, M. (1977). EFFECTS OF ASBESTOS DUST ON SOIL MICROFLORA. *Plant Soil.* 46: 619-627.
- Borelli, V; Brochetta, C; Melato, M; Rizzardi, C; Polentarutti, M; Busatto, C; Vita, F; Abbate, R; Gotter, R; Zabucchi, G. (2007). A procedure for the isolation of asbestos bodies from lung tissue by exploiting their magnetic properties: A new approach to asbestos body study. *J Toxicol Environ Health A.* 70: 1232-1240. <http://dx.doi.org/10.1080/15287390701380906>.
- Borelli, V; Trevisan, E; Vita, F; Bottin, C; Melato, M; Rizzardi, C; Zabucchi, G. (2012). Peroxidase-like activity of ferruginous bodies isolated by exploiting their magnetic property. *J Toxicol Environ Health A.* 75: 603-623. <http://dx.doi.org/10.1080/15287394.2012.688478>.
- Borisov, MV; Bychkov, DA; Shvarov, YV. (2002). Thermodynamic simulation of the genesis of filling veins. *Geochem Int.* 40: S92-S102.
- Borley, GD; Beckinsale, RD; Suddaby, P; Durham, JJ. (1976). VARIATIONS IN COMPOSITION AND DELTA-O-18 VALUES WITHIN KAFFO ALBITE-RIEBECKITE GRANITE OF LIRUEI COMPLEX, YOUNGER GRANITES OF NIGERIA. *Chem Geol.* 18: 297-308.
- Bornemann, P. (1980). INDUSTRIAL USE OF ASBESTOS SUBSTITUTES - EXPERIENCES, PROBLEMS, PERSPECTIVES. *Staub, Reinhaltung der Luft.* 40: 217-222.
- Bornemann, P; Hildebrandt, U. (1986). ABOUT THE PROBLEM CONCERNING ENVIRONMENTAL DUST EVIDENCE BY WEATHERED OFF ASBESTOS-CEMENT. *Staub, Reinhaltung der Luft.* 46: 487-489.
- Borrok, DM; Kesler, SE; Boer, RH; Essene, EJ. (1998). The Vergenoeg magnetite-fluorite deposit, South Africa: Support for a hydrothermal model for massive iron oxide deposits. *Econ Geol.* 93: 564-586.
- Borschgaletke, E. (1991). ASBESTOS-INDUCED LUNG-CANCER - THE PROBLEMS ENTAILED IN OCCUPATIONAL-DISEASE LITIGATION. *Arbeitsmedizin, Sozialmedizin, Praeventivmedizin.* 26: 351-356.
- Borton, EK; Lemasters, GK; Hilbert, TJ; Lockey, JE; Dunning, KK; Rice, CH. (2012). Exposure estimates for workers in a facility expanding Libby vermiculite: updated values and comparison with original 1980 values. *J Occup Environ Med.* 54: 1350-1358. <http://dx.doi.org/10.1097/JOM.0b013e31824fe174>.
- Boschetti, T; Etiopo, G; Pennisi, M; Romain, M; Toscani, L. (2013). Boron, lithium and methane isotope composition of hyperalkaline waters (Northern Apennines, Italy): Terrestrial serpentinization or mixing with brine? *Appl Geochem.* 32: 17-25. <http://dx.doi.org/10.1016/j.apgeochem.2012.08.018>.
- Boschetti, T; Toscani, L. (2008). Springs and streams of the Taro-Ceno Valleys (Northern Apennine, Italy): Reaction path modeling of waters interacting with serpentinized ultramafic rocks. *Chem Geol.* 257: 76-91. <http://dx.doi.org/10.1016/j.chemgeo.2008.08.017>.
- Bose, K; Ganguly, J. (1995). Experimental and theoretical studies of the stabilities of talc, antigorite and phase A at high pressures with applications to subduction processes. *Earth Planet Sci Lett.* 136: 109-121.
- Bose, K; Navrotsky, A. (1998). Thermochemistry and phase equilibria of hydrous phases in the system MgO-SiO₂-H₂O: Implications for volatile transport to the mantle. *J Geophys Res Solid Earth.* 103: 9713-9719.
- Böse-O'Reilly, S; Heudorf, U; Lob-Corzilius, T; von Mühlendahl, KE; Otto, M; Schmidt, S. (2007). Children's environment in Central Europe: threats and chances. *Int J Hyg Environ Health.* 210: 503-507. <http://dx.doi.org/10.1016/j.ijheh.2007.07.010>.
- Bosi, F; Reznitskii, L; Skogby, H. (2012). Oxy-chromium-dravite, NaCr₃(Cr₄Mg₂)(Si₆O₁₈)(BO₃)₃(OH)₃O, a new mineral species of the tourmaline supergroup. *Am Mineral.* 97: 2024-2030. <http://dx.doi.org/10.2138/am.2012.4210>.
- Bosi, F; Reznitskii, L; Skogby, H; Halenius, U, lf. (2014). Vanadio-oxy-chromium-dravite, NaV₃(Cr₄Mg₂)(Si₆O₁₈)(BO₃)₃(OH)₃O, a new mineral species of the tourmaline supergroup. *Am Mineral.* 99: 1155-1162. <http://dx.doi.org/10.2138/am.2014.4568>.
- Bosi, F; Skogby, H; Reznitskii, L; Halenius, U, lf. (2014). Vanadio-oxy-dravite, NaV₃(Al₄Mg₂)(Si₆O₁₈)(BO₃)₃(OH)₃O, a new mineral species of the tourmaline supergroup. *Am Mineral.* 99: 218-224. <http://dx.doi.org/10.2138/am.2014.4605>.
- Bostrom, CE; Almen, J; Steen, B; Westerholm, R. (1994). Human exposure to urban air pollution [Review]. *Environ Health Perspect Suppl.* 102: 39-47. <http://dx.doi.org/10.2307/3431929>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Both, K; Turner, DR; Henderson, DW. (1995). LOSS OF HETEROZYGOSITY IN ASBESTOS-INDUCED MUTATIONS IN A HUMAN MESOTHELIOMA CELL-LINE. *Environ Mol Mutagen*. 26: 67-71.
- Botros, NS. (2003). On the relationship between auriferous talc deposits hosted in volcanic rocks and massive sulphide deposits in Egypt. *Ore Geol Rev*. 23: 223-257. <http://dx.doi.org/10.1016/j.oregeorev.2003.07.003>.
- Bottazzi, M. (2007). [The work of the social security and welfare branch of the Trade Union supporting workers suffering from mesothelioma and asbestos related diseases]. *Epidemiol Prev*. 31: 31-34.
- Boudier, F; Baronnet, A; Mainprice, D. (2010). Serpentine Mineral Replacements of Natural Olivine and their Seismic Implications: Oceanic Lizardite versus Subduction-Related Antigorite. *Journal of Petrology*. 51: 495-512. <http://dx.doi.org/10.1093/petrology/egp049>.
- Boudreau, A; Djon, L; Tchalikian, A; Corkery, J. (2014). The Lac Des Iles Palladium Deposit, Ontario, Canada part I. The effect of variable alteration on the Offset Zone. *Miner Depos*. 49: 625-654. <http://dx.doi.org/10.1007/s00126-014-0510-y>.
- Boudriche, L; Chamayou, A; Calvet, R; Hamdi, B; Balard, H. (2014). Influence of different dry milling processes on the properties of an attapulgite clay, contribution of inverse gas chromatography. *Powder Technology*. 254: 352-363. <http://dx.doi.org/10.1016/j.powtec.2014.01.041>.
- Bouharoun, S; Leklou, N; Mounanga, P. (2015). Use of asbestos-free fiber-cement waste as a partial substitute of Portland cement in mortar. *Mater Struct*. 48: 1679-1687. <http://dx.doi.org/10.1617/s11527-014-0264-0>.
- Boulanger, G; Andujar, P; Pairon, JC; Billon-Galland, MA; Dion, C; Dumortier, P; Brochard, P; Sobaszek, A; Bartsch, P; Paris, C; Jaurand, MC. (2014). Quantification of short and long asbestos fibers to assess asbestos exposure: a review of fiber size toxicity [Review]. *Environ Health*. 13: 59. <http://dx.doi.org/10.1186/1476-069X-13-59>.
- Boullier, AM; Firdaous, K; Robert, F. (1998). On the significance of aqueous fluid inclusions in gold-bearing quartz vein deposits from the southeastern Abitibi subprovince (Quebec, Canada). *Econ Geol*. 93: 216-223.
- Bounds, EB. (1989). A study of asbestos-related disease and disability in federal workers' compensation claims. *Toxicol Ind Health*. 5: 1111-1115.
- Bourdès, V; Boffetta, P; Pisani, P. (2000). Environmental exposure to asbestos and risk of pleural mesothelioma: review and meta-analysis [Review]. *Eur J Epidemiol*. 16: 411-417. <http://dx.doi.org/10.1023/A:1007691003600>.
- Bourgault, MH; Gagné, M; Valcke, M. (2014). Lung cancer and mesothelioma risk assessment for a population environmentally exposed to asbestos. *Int J Hyg Environ Health*. 217: 340-346. <http://dx.doi.org/10.1016/j.ijheh.2013.07.008>.
- Boutin, C; Sébastien, P; Janson, X; Viallat, JR. (1981). [The metrology of mineral fibres in thoracoscopic lung and pleural biopsies. Preliminary results (author's transl)]. *Poumon Coeur*. 37: 253-257.
- Bowen, DJ. (1994). PLATINUM EXPLORATION ON THE GREAT DYKE OF ZIMBABWE. *Exploration & Mining Geology*. 3: 329-335.
- Bowen, DJ; Cartmel, B; Barnett, M; Goodman, G; Omenn, GS. (1999). Predictors of participant retention in two chemoprevention feasibility trials. *Ann Behav Med*. 21: 210-215.
- Bowes, DR; CMBTIAJoIM, F. (1997). Major and trace element compositions of the UICC standard asbestos samples. *Am J Ind Med*. 32: 592-594.
- Bowes, DR; Farrow, CM. (1998). Major trace element compositions of the UICC standard asbestos samples (vol 32, pg 592, 1997). *Am J Ind Med*. 33: 425-425.
- Bowles, DR; Farrow, CM. (1998). Major trace element compositions of the UICC standard asbestos samples (vol 32, pg 592, 1997). *Am J Ind Med*. 33: 192-192.
- Boxall, JB; O'Hagan, A; Pooladsaz, S; Saul, AJ; Unwin, DM. (2007). Estimation of burst rates in water distribution mains. *Institution of Civil Engineers Proceedings Water Management*. 160: 73-82. <http://dx.doi.org/10.1680/wama.2007.160.2.73>.
- Boyle, CA; Brann, EA. (1992). Proxy respondents and the validity of occupational and other exposure data. The Selected Cancers Cooperative Study Group. *Am J Epidemiol*. 136: 712-721.
- Bozelka, BE; Sestini, P; Hammad, Y; Salvaggio, JE. (1986). Effects of asbestos fibers on alveolar macrophage-mediated lymphocyte cytostasis. *Environ Res*. 40: 172-180.
- Bozhilov, KN; Brownstein, D; Jenkins, DM. (2007). Biopyribole evolution during tremolite synthesis from dolomite and quartz in CO₂-H₂O fluid. *Am Mineral*. 92: 898-908. <http://dx.doi.org/10.2138/am.2007.2376>.
- Bozhilov, KN; Jenkins, DM; Veblen, DR. (2004). Pyribole evolution during tremolite synthesis from oxides. *Am Mineral*. 89: 74-84.
- Bozzelli, JW; Russell, JF. (1982). AIRBORNE ASBESTOS LEVELS IN SEVERAL SCHOOL BUILDINGS BEFORE AND AFTER BULK ASBESTOS REMOVAL. *Int J Environ Stud*. 20: 27-30.
- Brabander, DJ; Giletti, BJ. (1995). STRONTIUM DIFFUSION KINETICS IN AMPHIBOLES AND SIGNIFICANCE TO THERMAL HISTORY DETERMINATIONS. *Geochim Cosmo Acta*. 59: 2223-2238.
- Brabander, DJ; Hervig, RL; Jenkins, DM. (1995). EXPERIMENTAL-DETERMINATION OF F-OH INTERDIFFUSION IN TREMOLITE AND SIGNIFICANCE TO FLUORINE-ZONED AMPHIBOLES. *Geochim Cosmo Acta*. 59: 3549-3560.
- Brackney, MM; Marfin, AA; Staples, JE; Stallones, L; Keefe, T; Black, WC; Campbell, GL. (2010). Epidemiology of Colorado tick fever in Montana, Utah, and Wyoming, 1995-2003. *Vector Borne and Zoonotic Diseases*. 10: 381-385. <http://dx.doi.org/10.1089/vbz.2009.0065>.
- Bradbury, KK; Davis, CR; Shervais, JW; Janecke, SU; Evans, JP. (2015). Composition, Alteration, and Texture of Fault-Related Rocks from Safod Core and Surface Outcrop Analogs: Evidence for Deformation Processes and Fluid-Rock Interactions. *Pure Appl Geophys*. 172: 1053-1078. <http://dx.doi.org/10.1007/s00024-014-0896-6>.
- Bradbury, KK; Evans, JP; Chester, JS; Chester, FM; Kirschner, DL. (2011). Lithology and internal structure of the San Andreas fault at depth. based on characterization of Phase 3 whole-rock core in the San Andreas Fault Observatory at Depth (SAFOD) borehole. *Earth Planet Sci Lett*. 310: 131-144. <http://dx.doi.org/10.1016/j.epsl.2011.07.020>.
- Brandi, G; Farioli, A; Di Girolamo, S; Curti, S; De Rosa, F; Violante, FS; Biasco, G; Mattioli, S. (2011). ASSOCIATION BETWEEN OCCUPATIONAL EXPOSURE TO ASBESTOS AND CHOLANGIOCARCINOMA: RESULTS OF A CASE- CONTROLLED ANALYSIS. *Epidemiol Prev*. 35: 55-56.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Brandriss, ME; Nevle, RJ; Bird, DK; Oneil, J. R. (1995). IMPRINT OF METEORIC WATER ON THE STABLE-ISOTOPE COMPOSITIONS OF IGNEOUS AND SECONDARY MINERALS, KAP-EDVARD-HOLM-COMPLEX, EAST GREENLAND. *Contributions to Mineralogy and Petrology*. 121: 74-86.
- Brandt, LPA; Kirk, NU; Jensen, OC; Hansen, HL. (1994). MORTALITY AMONG DANISH MERCHANT SEAMEN FROM 1970 TO 1985. *Am J Ind Med*. 25: 867-876.
- Brankovic, SR; Glisic, RM; Dekic, VR; Marin, MA. (2015). METAL ACCUMULATION AND TOLERANCE OF SELECTED PLANTS OF ASBESTOS TAILINGS (STRAGARI). *Hemijaska Industrija*. 69: 313-321. <http://dx.doi.org/10.2298/HEMIND131017045B>.
- Brattin, W; Barry, T; Foster, S. (2012). Estimation of the Upper Confidence Limit on the Mean of Datasets with Count-Based Concentration Values. *Hum Ecol Risk Assess*. 18: 435-455. <http://dx.doi.org/10.1080/10807039.2012.652469>.
- Bratzdrum, C; Grapes, R; Giere, R. (2009). Late-stage hydrothermal alteration and heteromorphism of calc-alkaline lamprophyre dykes in Late Jurassic Granite, Southeast China. *Lithos*. 113: 820-830. <http://dx.doi.org/10.1016/j.lithos.2009.07.008>.
- Braun, L; Greene, A; Manseau, M; Singhal, R; Kisting, S; Jacobs, N. (2003). Scientific controversy and asbestos: making disease invisible [Review]. *Int J Occup Environ Health*. 9: 194-205. <http://dx.doi.org/10.1179/oeh.2003.9.3.194>.
- Brautbar, N; Wu, MP; Gabel, E; Regev, L, ee. (2006). Occupational kidney cancer - Exposure to industrial solvents. *Ann N Y Acad Sci*. 1076: 753-764. <http://dx.doi.org/10.1196/annals.1371.012>.
- Brayner, R. (2008). The toxicological impact of nanoparticles. *Nano Today*. 3: 48-55.
- Breedin, PH; Buss, DH. (1976). Ferruginous (asbestos) bodies in the lungs of rural dwellers, urban dwellers, and patients with pulmonary neoplasms. *South Med J*. 69: 401-404.
- Breen, JJ. (1987). Evaluating Asbestos Exposures in Buildings (pp. 71-78). (NIOSH/00170703). Breen, JJ.
- Bresnitz, EA. (1986). SCREENING GUIDELINES FOR ASBESTOS DISEASE. *Am J Public Health*. 76: 816-817.
- Bresnitz, EA; Frumkin, H; Goldstein, L; Neumark, D; Hodgson, M; Needleman, C. (1994). OCCUPATIONAL IMPAIRMENT AND DISABILITY AMONG APPLICANTS FOR SOCIAL-SECURITY DISABILITY BENEFITS IN PENNSYLVANIA. *Am J Public Health*. 84: 1786-1790.
- Breyse, J; Dixon, SL; Jacobs, DE; Lopez, J; Weber, W. (2015). Self-reported health outcomes associated with green-renovated public housing among primarily elderly residents. *J Public Health Manag Pract*. 21: 355-367. <http://dx.doi.org/10.1097/PHH.0000000000000199>.
- Breyse, PN; Williams, DA; Henshaw, S; Rees, K; Herbstman, J; Symons, JM; Watson, M; Geyh, A. (2002). Asbestos exposures to truck drivers during World Trade Center clean up operations. *Epidemiology*. 13: S122-S122.
- Briand, E. (2007). Vers une approche prédictive des politiques de santé environnementale en France. *E R S*. 6: 21-35. <http://dx.doi.org/10.1684/ers.2007.0029>.
- Brindley, GW; DESOUZAS.P. (1971). ANTIGORITE - ITS OCCURRENCE AS A CLAY MINERAL. *Clays and Clay Minerals*. 19: 187-&.
- Bristol, SK; Spry, PG; Voudouris, PC, h; Melfos, V; Mathur, RD; Fornadel, AP; Sakellaris, GA. (2015). Geochemical and geochronological constraints on the formation of shear-zone hosted Cu-Au-Bi-Te mineralization in the Stanos area, Chalkidiki, northern Greece. *Ore Geol Rev*. 66: 266-282. <http://dx.doi.org/10.1016/j.oregeorev.2014.11.001>.
- Broadus, VC; Everitt, JI; Black, B; Kane, AB. (2011). Non-neoplastic and neoplastic pleural endpoints following fiber exposure [Review]. *J Toxicol Environ Health B Crit Rev*. 14: 153-178. <http://dx.doi.org/10.1080/10937404.2011.556049>.
- Broadus, VC; Yang, L; Scavo, LM; Ernst, JD; Boylan, AM. (1997). Crocidolite asbestos induces apoptosis of pleural mesothelial cells: Role of reactive oxygen species and poly(ADP-ribosyl) polymerase. *Environ Health Perspect*. 105: 1147-1152. <http://dx.doi.org/10.2307/3433524>.
- Brockmann, M; Fischer, M; Müller, KM. (1998). Exposure to carbon black: a cancer risk? [Review]. *Int Arch Occup Environ Health*. 71: 85-99.
- Brodoy, D; Fichman, M; Shapiro, M; Gutfinger, C. (1997). Motion of diffusionless particles in vertical stagnation flows .2. Deposition efficiency of elongated particles. *J Aerosol Sci*. 28: 35-52.
- Brodin, CA; McCullough, J; Stover, B; Balmes, J; Hammar, S; Omenn, GS; Checkoway, H; Barnhart, S. (1997). Lobe of origin and histologic type of lung cancer associated with asbestos exposure in the Carotene and Retinol Efficacy Trial (CARET). *Am J Ind Med*. 32: 582-591.
- Brody, AR. (1993). ASBESTOS FINDINGS QUESTIONED - RESPONSE. *Environ Health Perspect*. 101: 564-565.
- Brody, AR. (1993). Asbestos-induced lung disease [Review]. *Environ Health Perspect*. 100: 21-30.
- Brody, AR. (1998). Asbestos-induced lung injury and fibrosis: A month in the life of an inhaled asbestos fiber. *J Clean Technol, Environ Toxicol, Occup Med*. 7: 397-412.
- Brody, AR; Crapo, JD. (1979). TRANSLOCATION AND ELEMENTAL CONTENT OF INHALED CHRYSOTILE ASBESTOS IN THE LUNGS OF RATS. *Environ Health Perspect*. 33: 337-337.
- Brody, AR; Hill, LH. (1983). INTERSTITIAL ACCUMULATION OF INHALED CHRYSOTILE ASBESTOS FIBERS AND CONSEQUENT FORMATION OF MICROCALCIFICATIONS. *Environ Health Perspect*. 52: 287-288.
- Brody, AR; Hill, LH; Adkins, B; Oconnor, RW. (1983). CHRYSOTILE ASBESTOS INHALATION IN RATS - DEPOSITION PATTERN AND REACTION OF ALVEOLAR EPITHELIUM AND PULMONARY MACROPHAGES. *Environ Health Perspect*. 52: 287-287.
- Brody, AR; Liu, JY; Brass, D; Corti, M. (1997). Analyzing the genes and peptide growth factors expressed in lung cells in vivo consequent to asbestos exposure and in vitro [Review]. *Environ Health Perspect*. 105 Suppl 5: 1165-1171.
- Bromiley, GD; Pawley, AR. (2002). The high-pressure stability of Mg-sursassite in a model hydrous peridotite: a possible mechanism for the deep subduction of significant volumes of H₂O. *Contributions to Mineralogy and Petrology*. 142: 714-723. <http://dx.doi.org/10.1007/s00410-001-0318-5>.
- Bromiley, GD; Pawley, AR. (2003). The stability of antigorite in the systems MgO-SiO₂-H₂O (MSH) and MgO-Al₂O₃-SiO₂-H₂O (MASH): The effects of Al³⁺ substitution on high-pressure stability. *Am Mineral*. 88: 99-108.
- Brooker, M; Jaireth, S. (1995). Mount Rawdon, southeast Queensland, Australia - A diatreme-hosted gold-silver deposit. *Econ Geol*. 90: 1799-1817.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Brosseau, LM; Ellenbecker, MJ; Evans, JS. (1990). Collection of silica and asbestos aerosols by respirators at steady and cyclic flow. *Am Ind Hyg Assoc J.* 51: 420-426. <http://dx.doi.org/10.1080/15298669091369880>.
- Brosseau, LM; Evans, JS; Ellenbecker, MJ. (1993). An empirical model for estimating the collection efficiency of dust-mist respirators. *Ann Occup Hyg.* 37: 135-150.
- Brotzu, P; Gomes, CB; Melluso, L; Morbidelli, L; Morra, V; Ruberti, E. (1997). Petrogenesis of coexisting SiO₂-undersaturated to SiO₂-oversaturated felsic igneous rocks: The alkaline complex of Itatiaia, southeastern Brazil. *Lithos.* 40: 133-156.
- Brouet, G; Bignon, J; Bonnaud, G; Goni, J. (1971). Effect on public health of air pollution with asbestos and other fibrous dust particles (pp. 461-478). (HEEP/72/09598). Brouet, G; Bignon, J; Bonnaud, G; Goni, J.
- Brown, C; Coleman, D; Dobson-Brown, D; Forman, K; Langmaack, M. (2004). Final Environmental Assessment Cape San Blas Towers Project Eglin Air Force Base, Florida, RCS 02-852 & 03-190. 74.
- Brown, DM; Beswick, PH; Bell, KS; Donaldson, K. (2000). Depletion of glutathione and ascorbate in lung lining fluid by respirable fibres. *Ann Occup Hyg.* 44: 101-108.
- Brown, DM; Fisher, C; Donaldson, K. (1998). Free radical activity of synthetic vitreous fibers: iron chelation inhibits hydroxyl radical generation by refractory ceramic fiber. *J Toxicol Environ Health A.* 53: 545-561.
- Brown, DM; Kinloch, IA; Bangert, U; Windle, AH; Walter, DM; Walker, GS; Scotchford, CA; Donaldson, K; Stone, V. (2007). An in vitro study of the potential of carbon nanotubes and nanofibres to induce inflammatory mediators and frustrated phagocytosis. *Carbon.* 45: 1743-1756. <http://dx.doi.org/10.1016/j.carbon.2007.05.011>.
- Brown, JM; Abramson, EH. (2016). Elasticity of calcium and calcium-sodium amphiboles. *Phys Earth Planet In.* 261: 161-171. <http://dx.doi.org/10.1016/j.pepi.2016.10.010>.
- Brown, PW; Crawford, NP; Jones, AD; Miller, BG; Maclaren, WM. (1994). Development of the Regular Interlaboratory Counting Exchanges (RICE) scheme to include visual reference counts and samples from asbestos clearance operations. *Ann Occup Hyg.* 38: 687-703.
- Brown, PW; Jones, AD. (2001). Interlaboratory comparison schemes for fibre counting: AFRICA and the WHO/EURO reference scheme. *Staub, Reinhaltung der Luft.* 61: 101-104.
- Brown, PW; Jones, AD; Miller, BG. (2002). Developments in the RICE asbestos fibre counting scheme, 1992-2000. Regular Interlaboratory Counting Exchanges. *Ann Occup Hyg.* 46: 329-339. <http://dx.doi.org/10.1093/annhyg/mef033>.
- Brown, RC; Fleming, GT; Knight, AI. (1983). Asbestos affects the in vitro uptake and detoxification of aromatic compounds. *Environ Health Perspect.* 51: 315-318.
- Brown, RC; Hoskins, JA; Glass, LR. (1995). The in vivo biological activity of ceramic fibres. *Ann Occup Hyg.* 39: 705-713.
- Brown, RC; Pigott, GH; Alexander, I. (1995). CLASSIFICATION OF MMMF. *Ann Occup Hyg.* 39: 135-140.
- Brown, RC; Sara, EA; Hoskins, JA; Evans, CE. (1991). Factors Affecting the Interaction of Asbestos Fibres with Mammalian Cells: A Study Using Cells in Suspension. *Ann Occup Hyg.* 35: 25-34.
- Brown, RC; Sara, EA; Hoskins, JA; Evans, CE; Young, J; Laskowski, JJ; Acheson, R; Forder, SD; Rood, AP. (1992). THE EFFECTS OF HEATING AND DEVITRIFICATION ON THE STRUCTURE AND BIOLOGICAL-ACTIVITY OF ALUMINOSILICATE REFRACTORY CERAMIC FIBERS. *Ann Occup Hyg.* 36: 115-129.
- Brown, SC; Kamal, M; Nasreen, N; Baumuratov, A; Sharma, P; Antony, VB; Moudgil, BM. (2007). Influence of shape, adhesion and simulated lung mechanics on amorphous silica nanoparticle toxicity. *Adv Powder Tech.* 18: 69-79.
- Brown, SC; Schonbeck, MF; McClure, D; Barón, AE; Navidi, WC; Byers, T; Rutenber, AJ. (2004). Lung cancer and internal lung doses among plutonium workers at the Rocky Flats Plant: a case-control study. *Am J Epidemiol.* 160: 163-172. <http://dx.doi.org/10.1093/aje/kwh192>.
- Brown, SK. (1990). DEVELOPMENT OF TEST METHODS FOR ASSESSING ENCAPSULANTS FOR FRIABLE ASBESTOS INSULATION PRODUCTS. *J Coating Tech.* 62: 35-40.
- Brown, SK. (1990). Effect of Wetting Agents on Water Penetration into Asbestos Insulations. *Am Ind Hyg Assoc J.* 51: 384-389.
- Brown, SK. (1990). PENETRATION WETTING OF ASBESTOS INSULATION PRODUCTS. *Ind Eng Chem Res.* 29: 2123-2128.
- Brown, SK; Angelopoulos, M. (1991). EVALUATION OF EROSION RELEASE AND SUPPRESSION OF ASBESTOS FIBERS FROM ASBESTOS BUILDING PRODUCTS. *Am Ind Hyg Assoc J.* 52: 363-371.
- Browne, K. (1982). ASBESTOS IN DRINKING-WATER AND CANCER INCIDENCE IN THE SAN-FRANCISCO BAY AREA. *Am J Epidemiol.* 115: 142-143.
- Browne, K. (1986). Is asbestos or asbestosis the cause of the increased risk of lung cancer in asbestos workers? [Review]. *Br J Ind Med.* 43: 145-149.
- Browne, K. (1988). Risk assessment in the asbestos cement industry [Letter]. *Br J Ind Med.* 45: 720.
- Browne, K. (1991). Asbestos related malignancy and the Cairns hypothesis [Editorial]. *Br J Ind Med.* 48: 73-76.
- Browne, K. (1997). Pathogenesis, diagnosis and clinical relevance of pleural plaques. *Indoor Built Environ.* 6: 125-130. <http://dx.doi.org/10.1177/1420326X9700600212>.
- Browne, K. (2001). The quantitative risks of mesothelioma and lung cancer in relation to asbestos exposure [Letter]. *Ann Occup Hyg.* 45: 327-329; author reply 336-328.
- Browne, K; Smither, WJ. (1983). Asbestos-related mesothelioma: factors discriminating between pleural and peritoneal sites. *Br J Ind Med.* 40: 145-152.
- Browne, ML; Varadarajulu, D; Lewis-Michl, EL; Fitzgerald, EF. (2005). Cancer incidence and asbestos in drinking water, Town of Woodstock, New York, 1980-1998. *Environ Res.* 98: 224-232. <http://dx.doi.org/10.1016/j.envres.2004.07.017>.
- Brownlee, SJ; Hacker, BR; Harlow, GE; Seward, G. (2013). Seismic signatures of a hydrated mantle wedge from antigorite crystal-preferred orientation (CPO). *Earth Planet Sci Lett.* 375: 395-407. <http://dx.doi.org/10.1016/j.epsl.2013.06.003>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Bruckman, L. (1978). A Study Of Airborne Asbestos Fibers In Connecticut (pp. Definitions and Measurement Methods). (NIOSH/00145902).
Bruckman, L.
- Bruckman, L; Rubino, RA. (1975). Asbestos: Rationale behind a proposed air quality standard. *J Air Pollut Control Assoc.* 25: 1207-1215.
- Bruckman, L; Rubino, RA. (1976). PROPOSED ASBESTOS AIR-QUALITY STANDARD - REPLY. *J Air Pollut Control Assoc.* 26: 415-416.
- Bruckman, L; Rubino, RA. (1978). MONITORED ASBESTOS CONCENTRATIONS IN CONNECTICUT. *J Air Pollut Control Assoc.* 28: 1221-1226.
- Brunner, TJ; Wick, P; Manser, P; Spohn, P; Grass, RN; Limbach, LK; Bruinink, A; Stark, WJ. (2006). In vitro cytotoxicity of oxide nanoparticles: comparison to asbestos, silica, and the effect of particle solubility. *Environ Sci Technol.* 40: 4374-4381.
<http://dx.doi.org/10.1021/es052069i>.
- Bruno, C; Tumino, R; Fazzo, L; Cascone, G; Cernigliaro, A; De Santis, M; Giurdanella, MC; Nicita, C; Rollo, PC; Scodotto, S; Spata, E; Zona, A; Comba, P. (2014). Incidence of pleural mesothelioma in a community exposed to fibres with fluoro-edenitic composition in Biancavilla (Sicily, Italy). *Ann Ist Super Sanita.* 50: 111-118. http://dx.doi.org/DOI: 10.4415/ANN_14_02_02.
- Brüske-Hohlfeld, I; Rosario, AS; Wölke, G; Heinrich, J; Kreuzer, M; Kreienbrock, L; Wichmann, HE. (2006). Lung cancer risk among former uranium miners of the WISMUT Company in Germany. *Health Phys.* 90: 208-216.
<http://dx.doi.org/10.1097/01.HP.0000175443.08832.84>.
- Bryant, RS; Cotruvo, JA; Jackson, JC; Wade, JA; Covey, J. R.; Warden, JL. (1986). ARE ASBESTOS FIBERS IN DRINKING-WATER HARMFUL. *J Am Water Works Assoc.* 78: 18-8.
- Bucci, LA; Hagemann, SG; Groves, DT; Standing, JG. (2002). The Archean Chalice gold deposit: a record of complex, multistage, high-temperature hydrothermal activity and gold mineralisation associated with granitic rocks in the Yilgarn Craton, Western Australia. *Ore Geol Rev.* 19: 23-67.
- Bucci, LA; Mcnaughton, NJ; Fletcher, IR; Groves, DI; Kositcin, N; Stein, HJ; Hagemann, SG. (2004). Timing and duration of high-temperature gold mineralization and spatially associated granitoid magmatism at Chalice, Yilgarn craton, Western Australia. *Econ Geol.* 99: 1123-1144.
- Buccolieri, G; De Stefano, L. (2001). Accurate quantitative measurements of asbestos in XRPD analysis. *Ann Chim.* 91: 277-283.
- Buchan, RM; Richardson, DC; Beaulieu, HJ; Keefe, TJ. (1984). DEVELOPMENT OF A MATHEMATICAL-MODEL FOR PREDICTING CONCENTRATIONS OF SMALL ASBESTOS FIBERS. *Environ Res.* 33: 296-299.
- Bucher, K. (1998). Growth mechanisms of metasomatic reaction veins in dolomite marbles from the Bergell Alps. *Mineralogy and Petrology.* 63: 151-171.
- Bucher, K; Fazis, Y; De Capitani, C; Grapes, R. (2005). Blueschists, eclogites, and decompression assemblages of the Zermatt-Saas ophiolite: High-pressure metamorphism of subducted Tethys lithosphere. *Am Mineral.* 90: 821-835. <http://dx.doi.org/10.2138/am.2005.1718>.
- Büchte, SF; Morfeld, P; Wellmann, J; Bolm-Audorff, U; Mccunney, RJ; Piekarski, C; Association, ICB. (2006). Lung cancer mortality and carbon black exposure: a nested case-control study at a German carbon black production plant. *J Occup Environ Med.* 48: 1242-1252.
<http://dx.doi.org/10.1097/01.jom.0000215710.17519.cd>.
- Buck, BJ; Goossens, D; Metcalf, RV; Mclaurin, B; Ren, M; Freudenberger, F. (2013). Naturally Occurring Asbestos: Potential for Human Exposure, Southern Nevada, USA. *Soil Sci Soc Am J.* 77: 2192-2204. <http://dx.doi.org/10.2136/sssaj2013.05.0183>.
- Buckley, JP; Keil, AP; Mcgrath, LJ; Edwards, JK. (2015). Evolving Methods for Inference in the Presence of Healthy Worker Survivor Bias [Review]. *Epidemiology.* 26: 204-212. <http://dx.doi.org/10.1097/EDE.0000000000000217>.
- Buczaj, A; Brzana, W; Tarasińska, J; Buczaj, M; Choina, P. (2014). Study on the concentration of airborne respirable asbestos fibres in rural areas of the Lublin region in south-east Poland. *Ann Agric Environ Med.* 21: 639-643. <http://dx.doi.org/10.5604/12321966.1120617>.
- Budroni, M; Sechi, O; Cesaraccio, R; Pirino, D; Fadda, A; Grottin, S; Flore, MV; Sale, P; Satta, G; Cossu, A; Tanda, F; Cocco, PL. (2010). [Cancer incidence among petrochemical workers in the Porto Torres industrial area, 1990-2006]. *Med Lav.* 101: 189-198.
- Buelow, RW; Millette, J. R.; Mcfarren, EF; Symons, JM. (1980). BEHAVIOR OF ASBESTOS-CEMENT PIPE UNDER VARIOUS WATER-QUALITY CONDITIONS - PROGRESS REPORT. *J Am Water Works Assoc.* 72: 91-102.
- Buick, R; Marais, DJD; Knoll, AH. (1995). STABLE ISOTOPIC COMPOSITIONS OF CARBONATES FROM THE MESOPROTEROZOIC BANGEMALL GROUP, NORTHWESTERN AUSTRALIA. *Chem Geol.* 123: 153-171.
- Bunderson-Schelvan, M; Pfau, JC; Crouch, R; Holian, A. (2011). Nonpulmonary outcomes of asbestos exposure [Review]. *J Toxicol Environ Health B Crit Rev.* 14: 122-152. <http://dx.doi.org/10.1080/10937404.2011.556048>.
- Bunn, WB; Bender, JR; Hesterberg, TW; Chase, GR; Konzen, JL. (1993). Recent studies of man-made vitreous fibers. Chronic animal inhalation studies [Review]. *J Occup Med.* 35: 101-113.
- Burdett, GJ; Dewberry, K; Staff, J. (2016). Airborne Asbestos Exposures from Warm Air Heating Systems in Schools. *Ann Occup Hyg.* 60: 27-39.
<http://dx.doi.org/10.1093/annhyg/mev062>.
- Burdett, GJ; Jaffrey, SA; Rood, AP. (1989). Non-occupational exposure to mineral fibres: Airborne asbestos fibre levels in buildings: a summary of UK measurements. In IARC Scientific Publication. Lyon, France: International Agency on the Research of Cancer.
- Burdett, GJ; Jaffrey, SAM, T. (1986). Airborne asbestos concentrations in buildings. *Ann Occup Hyg.* 30: 185-199.
- Burdett, GJ; Rood, AP. (1983). Membrane-filter, direct-transfer technique for the analysis of asbestos fibers or other inorganic particles by transmission electron microscopy. *Environ Sci Technol.* 17: 643-648.
- Burdorf, A; Järholm, B; Siesling, S. (2007). Asbestos exposure and differences in occurrence of peritoneal mesothelioma between men and women across countries. *Occup Environ Med.* 64: 839-842. <http://dx.doi.org/10.1136/oem.2006.031724>.
- Burilkov, T; Michailova, L. (1970). ASBESTOS CONTENT OF SOIL AND ENDEMIC PLEURAL ASBESTOSIS. *Environ Res.* 3: 443-+.
- Burilkov, T; Michailova, L; Babadjov, L. (1973). Amphibol asbestos in the soil and its significance for the endemic occurrence of pleural plaques. *Z Gesamte Hyg Grenzgeb.* 18: 802-809.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Burkart, W; Finch, GL; Jung, T. (1997). Quantifying health effects from the combined action of low-level radiation and other environmental agents: Can new approaches solve the enigma? [Review]. *Sci Total Environ.* 205: 51-70.
- Burkhard, DJM. (1993). ACCESSORY CHROMIUM SPINELS - THEIR COEXISTENCE AND ALTERATION IN SERPENTINITES. *Geochim Cosmo Acta.* 57: 1297-1306.
- Burki, T. (2009). Asbestos production increases despite WHO opposition. *Lancet Oncol.* 10: 846.
- Burnat, D; Schlupp, M; Wichser, A; Lothenbach, B; Gorbar, M; Zuetzel, A; Vogt, UF. (2015). Composite membranes for alkaline electrolysis based on polysulfone and mineral fillers. *J Power Sources.* 291: 163-172. <http://dx.doi.org/10.1016/j.jpowsour.2015.04.066>.
- Burnsky, PJ; Kirkland, L; Mcarthur, JC; Drozak, F; Luciano, P; Rice, ML; Jr, KI; Bennett, CE; Lemen, RA. (1984). Proceedings Metal Trades Department Third Biennial National Shipbuilding Conference (pp. 14-16). (NIOSH/00209356). Burnsky, PJ; Kirkland, L; Mcarthur, JC; Drozak, F; Luciano, P; Rice, ML; Kidd IC Jr; Bennett, CE; Lemen, RA.
- Burrigato, F; Comba, P; Baiocchi, V; Palladino, D; Simeis, S; Gianfagna, A; Paoletti, L; Pasetto, R. (2005). Geo-volcanological, mineralogical and environmental aspects of quarry materials related to pleural neoplasm in the area of Biancavilla, Mount Etna (Eastern Sicily, Italy). *Environ Geol.* 47: 855-868. <http://dx.doi.org/10.1007/s00254-004-1217-7>.
- Burrigato, F; Gaglianone, G; Gerbasi, G; Mazziotti-Tagliani, S; Papacchini, L; Rossini, F; Sperduto, B. (2010). Fibrous mineral detection in natural soil and risk mitigation (1(st) paper). *Periodico di Mineralogia.* 79: 21-35. <http://dx.doi.org/10.2451/2010PM0015>.
- Bursztyn, NE, va; Olivo, GR. (2010). PGE-Rich Ni-Cu Sulfide Mineralization in the Flin Flon Greenstone Belt, Manitoba, Canada: Implications for Hydrothermal Remobilization of Platinum Group Elements in Basic-Ultrabasic Sequences. *Econ Geol.* 105: 1469-1490.
- Bussy, C; Al-Jamal, KT; Boczkowski, J; Lanone, S; Prato, M; Bianco, A; Kostarelou, K. (2015). Microglia Determine Brain Region-Specific Neurotoxic Responses to Chemically Functionalized Carbon Nano tubes. *ACS Nano.* 9: 7815-7830. <http://dx.doi.org/10.1021/acs.nano.5b02358>.
- Bustinza Mantrana, JL; Jos, QS; eacute; MJ. (1997). Chemical agents - Exposure assessment. *Erga. Ediciones y Publicaciones.*
- Butt, CA. (2016). Untitled: Tayo Adenaike. *JAMA.* 316: 252-253. <http://dx.doi.org/10.1139/cjb-2016-0104>.
- Buzio, S; Pesando, G; Zuppi, GM. (2000). Hydrogeological study on the presence of asbestos fibres in water of northern Italy. *Water Res.* 34: 1817-1822.
- Cabana, L; Bourgognon, M; Wang, JT; Protti, A; Klippstein, R; de Rosales, RT; Shah, AM; Fontcuberta, J; Tobias-Rossell, E; Sosabowski, JK; Al-Jamal, KT; Tobias, G. (2016). The Shortening of MWNT-SPION Hybrids by Steam Treatment Improves Their Magnetic Resonance Imaging Properties In Vitro and In Vivo. *Small.* 12: 2893-2905. <http://dx.doi.org/10.1002/sml.201502721>.
- Caby, R; Bruguier, O; Fernandez, L; Hammor, D; Bosch, D; Mechat, M; Laouar, R; Ouabadi, A; Abdallah, N; Douchet, C. (2014). Metamorphic diamonds in a garnet megacryst from the Edough Massif (northeastern Algeria). Recognition and geodynamic consequences. *Tectonophysics.* 637: 341-353. <http://dx.doi.org/10.1016/j.tecto.2014.10.017>.
- Cadieux, A; Massé, S; Sirois, P. (1983). Effect of asbestos on the metabolism of vasoactive substances in isolated perfused guinea pig lungs. *Environ Health Perspect.* 51: 287-291.
- Cahill, C. (1982). PUBLIC-PARTICIPATION CITIZENS CHALLENGE ASBESTOS PIPE USE. *Environment.* 24: 43-44.
- Cahill, TA; Cliff, SS; Perry, KD; Jimenez-Cruz, M; Bench, G; Grant, P; Ueda, D; Shackelford, JF; Dunlap, M; Kelly, PB; Riddle, S; Selco, J; Leifer, RZ. (2004). Analysis of aerosols from the World Trade Center collapse site, New York, October 2 to October 30, 2001. *Aerosol Sci Technol.* 38: 165-183. <http://dx.doi.org/10.1080/02786820490250836>.
- Calagari, A, liA; Abedini, A, li. (2007). Geochemical investigations on Permo-Triassic bauxite horizon at Kanisheeteh, east of Bukan, West-Azarbaidjan, Iran. *J Geochem Explor.* 94: 1-18. <http://dx.doi.org/10.1016/j.gexplo.2007.04.003>.
- Calcabrini, A; Meschini, S; Marra, M; Falzano, L; Colone, M; De Berardis, B; Paoletti, L; Arancia, G; Fiorentini, C. (2004). Fine environmental particulate engenders alterations in human lung epithelial A549 cells. *Environ Res.* 95: 82-91. <http://dx.doi.org/10.1016/j.envres.2003.07.011>.
- Calderon, M; Fosdick, JC; Warren, C; Massonne, HJ; Fanning, CM; Fadel Cury, L; Schwanethal, J; Fonseca, PE; Galaz, G; Gaytan, D; Herve, F. (2012). The low-grade Canal de las Montanas Shear Zone and its role in the tectonic emplacement of the Sarmiento Ophiolitic Complex and Late Cretaceous Patagonian Andes orogeny, Chile. *Tectonophysics.* 524: 165-185. <http://dx.doi.org/10.1016/j.tecto.2011.12.034>.
- Callahan, KC. (2004). Monitoring for asbestos: U.S. EPA methods [Letter]. *Environ Health Perspect.* 112: A728.
- Calvet, N; Gomez, JC; Faik, A; Roddatis, VV; Meffre, A; Glatzmaier, GC; Doppiu, S; Py, X. (2013). Compatibility of a post-industrial ceramic with nitrate molten salts for use as filler material in a thermocone storage system. *Appl Energ.* 109: 387-393. <http://dx.doi.org/10.1016/j.apenergy.2012.12.078>.
- Camara, F; Oberti, R; Iezzi, G; Della Ventura, G. (2003). The P21/m <-> C2/m phase transition in synthetic amphibole NaNaMgMg5Si8O22(OH)2: thermodynamic and crystal-chemical evaluation. *Physics and Chemistry of Minerals.* 30: 570-581. <http://dx.doi.org/10.1007/s00269-003-0348-9>.
- Cambelova, M; Juck, A. (1994). FIBROGENIC EFFECT OF WOLLASTONITE COMPARED WITH ASBESTOS DUST AND DUSTS CONTAINING QUARTZ. *Occup Environ Med.* 51: 343-346.
- Cametti, G; Pacella, A; Mura, F; Rossi, M; Ballirano, P. (2013). New morphological, chemical, and structural data of woolly erionite-Na from Durkee, Oregon, USA. *Am Mineral.* 98: 2155-2163. <http://dx.doi.org/10.2138/am.2013.4474>.
- Campbell, WJ. (1979). IDENTIFICATION AND QUANTIFICATION OF ASBESTOS AND OTHER MINERAL PARTICULATES. *American Ceramic Society Bulletin.* 58: 330-330.
- Campopiano, A; Casciardi, S; Fioravanti, F; Ramires, D. (2004). Airborne asbestos levels in school buildings in Italy. *J Occup Environ Hyg.* 1: 256-261. <http://dx.doi.org/10.1080/15459620490433771>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Campos, TFC; Nieva, AMR; Nardi, LSV. (2000). Geochemistry of granites and their minerals from Serra Negra do Norte Pluton, northeastern Brazil. *Chem Erde*. 60: 279-303.
- Camprubi, A; Gonzalez-Partida, E; Lopez-Martinez, M; Iriondo, A; Alfonso, P; Cienfuegos-Alvarado, E; Gutierrez-Armendariz, E; Morales-Puente, P; Canet, C; Gonzalez-Ruiz, L. (2017). The Upper Cretaceous Guaynopa IOCG and Guaynopita porphyry copper deposits, Chihuahua, Mexico. *Ore Geol Rev*. 81: 1096-1112. <http://dx.doi.org/10.1016/j.oregeorev.2016.01.006>.
- Candela, PA; Crummett, CD; Earnest, DJ; Frank, MR; Wylie, AG. (2007). Low-pressure decomposition of chrysotile as a function of time and temperature. *Am Mineral*. 92: 1704-1713. <http://dx.doi.org/10.2138/am.2007.2559>.
- Canet, C; Gonzalez-Partida, E; Camprubi, A; Castro-Mora, J; Martin Romero, F; Maria Prol-Ledesma, R; Linares, C; Romero-Guadarrama, JA; Sanchez-Vargas, LI. (2011). The Zn-Pb-Ag skarns of Zacatepec, Northeastern Oaxaca, Mexico: A study of mineral assemblages and ore-forming fluids. *Ore Geol Rev*. 39: 277-290. <http://dx.doi.org/10.1016/j.oregeorev.2011.03.007>.
- Cannao, E; Agostini, S; Scambelluri, M; Tonarini, S; Godard, M. (2015). B, Sr and Pb isotope geochemistry of high-pressure Alpine metaperidotites monitors fluid-mediated element recycling during serpentinite dehydration in subduction melange (Cima di Gagnone, Swiss Central Alps). *Geochim Cosmo Acta*. 163: 80-100. <http://dx.doi.org/10.1016/j.gca.2015.04.024>.
- Cannao, E; Scambelluri, M; Agostini, S; Tonarini, S; Godard, M. (2016). Linking serpentinite geochemistry with tectonic evolution at the subduction plate-interface: The Voltri Massif case study (Ligurian Western Alps, Italy). *Geochim Cosmo Acta*. 190: 115-133. <http://dx.doi.org/10.1016/j.gca.2016.06.034>.
- Cannell, J; Davidson, GJ. (1998). A carbonate-dominated copper-cobalt Breccia-Vein system at the great Australia deposit, Mount Isa Eastern succession. *Econ Geol*. 93: 1406-1421.
- Cantor, KP. (1997). Drinking water and cancer [Review]. *Cancer Causes Control*. 8: 292-308. <http://dx.doi.org/10.1023/A:1018444902486>.
- Cao, M; Qin, K; Li, G; Evans, NJ; Jin, L. (2015). In situ LA-(MC)-ICP-MS trace element and Nd isotopic compositions and genesis of polygenetic titanite from the Baogutu reduced porphyry Cu deposit, Western Junggar, NW China. *Ore Geol Rev*. 65: 940-954. <http://dx.doi.org/10.1016/j.oregeorev.2014.07.014>.
- Cao, Y, i; Du, Y; Gao, F; Hu, L; Xin, F; Pang, Z. (2012). Origin and evolution of hydrothermal fluids in the Taochong iron deposit, Middle-Lower Yangtze Valley, Eastern China: Evidence from microthermometric and stable isotope analyses of fluid inclusions. *Ore Geol Rev*. 48: 225-238. <http://dx.doi.org/10.1016/j.oregeorev.2012.03.009>.
- Cao, Y, i; Du, Y; Pang, Z; Gao, F; Du, Y; Liu, X. (2016). Iron transport and deposition mechanisms in the Taochong iron-rich skarn deposit, Middle-Lower Yangtze Valley, Eastern China. *Ore Geol Rev*. 72: 1037-1052. <http://dx.doi.org/10.1016/j.oregeorev.2015.10.001>.
- Cao, Y, i; Jung, H; Song, S; Park, M; Jung, S; Lee, J. (2015). Plastic Deformation and Seismic Properties in Fore-arc Mantles: A Petrofabric Analysis of the Yushigou Harzburgites, North Qilian Suture Zone, NW China. *Journal of Petrology*. 56: 1897-1943. <http://dx.doi.org/10.1093/petrology/egv053>.
- Cao, Y, i; Song, S; Su, L, i; Jung, H; Niu, Y. (2016). Highly refractory peridotites in Songshugou, Qinling orogen: Insights into partial melting and melt/fluid-rock reactions in forearc mantle. *Lithos*. 252: 234-254. <http://dx.doi.org/10.1016/j.lithos.2016.03.002>.
- Capitani, G; Mellini, M. (2004). The modulated crystal structure of antigorite: The m=17 polysome. *Am Mineral*. 89: 147-158.
- Capitani, G; Mellini, M. (2005). HRTEM evidence for 8-reversals in the m=17 antigorite polysome. *Am Mineral*. 90: 991-999. <http://dx.doi.org/10.2138/am.2005.1634>.
- Capitani, GC; Mellini, M. (2006). The crystal structure of a second antigorite polysome (m=16), by single-crystal synchrotron diffraction. *Am Mineral*. 91: 394-399. <http://dx.doi.org/10.2138/am.2006.1919>.
- Capitani, GC; Mellini, M. (2007). High-resolution transmission electron microscopy (HRTEM) investigation of antigorite polysomes (m=15 to 18). *Am Mineral*. 92: 64-71. <http://dx.doi.org/10.2138/am.2007.2188>.
- Capitani, GC; Mellini, M. (2008). Rationale for the existence of four- and eight-reversals in antigorite. *Am Mineral*. 93: 796-799. <http://dx.doi.org/10.2138/am.2008.2538>.
- Capitani, GC; Stixrude, L. (2012). A first-principle investigation of antigorite up to 30 GPa: Structural behavior under compression. *Am Mineral*. 97: 1177-1186. <http://dx.doi.org/10.2138/am.2012.3956>.
- Capitani, GC; Stixrude, L; Mellini, M. (2009). First-principles energetics and structural relaxation of antigorite. *Am Mineral*. 94: 1271-1278. <http://dx.doi.org/10.2138/am.2009.3218>.
- Carlin, DJ; Larson, TC; Pfau, JC; Gavett, SH; Shukla, A; Miller, A; Hines, R. (2015). Current Research and Opportunities to Address Environmental Asbestos Exposures. *Environ Health Perspect*. 123: A194-A197. <http://dx.doi.org/10.1289/ehp.1409662>.
- Carlo, HL; Fonseca, RB; Goncalves, L; Correr-Sobrinho, L; Soares, CJ; Coelho Sinhoreti, MA. (2010). Analysis of Filler Particle Levels and Sizes in Dental Alginates. *Mater Res*. 13: 261-264.
- Carneiro, C; Sottomaior, AP; Andreoli, CV. (2005). Nitrogen dynamics in sewage sludge stored under distinct conditions. *Revista Brasileira de Ciencia do Solo*. 29: 987-994.
- Carnevale, F. (2007). [Asbestos: a long lasting tragedy. Useful considerations for a historical reconstruction of the most remarkable facts]. *Epidemiol Prev*. 31: 53-74.
- Carnevale, F. (2008). Grey and the color of dust. A factory, the clouds of asbestos, hundreds of workers died. A forgotten story. *Epidemiol Prev*. 32: 332-332.
- Carnevale, F. (2012). [Asbestos in pre-industrial times: from natural wonder to subject of scientific investigation]. *Med Lav*. 103: 3-16.
- Carpenter, PS; Walker, NW. (1992). ORIGIN AND TECTONIC SIGNIFICANCE OF THE ALDRICH MOUNTAINS SERPENTINITE MATRIX MELANGE, NORTHEASTERN OREGON. *Tectonics*. 11: 690-708.
- Carretier, J; Charbotel, B; Baan, R; Talla, L; Grosse, V; Philip, T; Straif, K; Fervers, B. (2013). [Reassessment of human carcinogens (volumes 100C and 100F of IARC monographs) and recognition as occupational diseases]. *E R S*. 12: 41-53. <http://dx.doi.org/10.1684/ers.2013.0593>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Carruth, RS; Goldstein, BD. (2004). The asbestos case: a comment on the appointment and use of nonpartisan experts in world trade organization dispute resolution involving health risk. *Risk Anal.* 24: 471-481. <http://dx.doi.org/10.1111/j.0272-4332.2004.00450.x>.
- Carson, PG; Johnston, MV; Wexler, AS. (1997). Real-time monitoring of the surface and total composition of aerosol particles. *Aerosol Sci Technol.* 26: 291-300.
- Carter, RE; Taylor, WF. (1980). Identification of a particular amphibole asbestos fiber in tissues of persons exposed to a high oral intake of the mineral. *Environ Res.* 21: 85-93.
- Cartwright, I; Valley, JW. (1991). STEEP OXYGEN-ISOTOPE GRADIENTS AT MARBLE METAGRANITE CONTACTS IN THE NORTHWEST ADIRONDACK MOUNTAINS, NEW-YORK, USA - PRODUCTS OF FLUID-HOSTED DIFFUSION. *Earth Planet Sci Lett.* 107: 148-163.
- Carugno, M; Mensi, C; Sieno, C; Consonni, D; Riboldi, L. (2012). Asbestos exposure among hairdressers [Letter]. *Med Lav.* 103: 70-71.
- Casali, M; Carugno, M; Cattaneo, A; Consonni, D; Mensi, C; Genovese, U; Cavallo, DM; Somigliana, A; Pesatori, AC. (2015). Asbestos Lung Burden in Necroscopic Samples from the General Population of Milan, Italy. *Ann Occup Hyg.* 59: 909-921. <http://dx.doi.org/10.1093/annhyg/mev028>.
- Casanovas Boixereu, X; Jim, T; eacute; Nez, L; Freixa Blanxart, A. (2004). [Asbestos detection in buildings (I): Basic aspects]. *Erga. Ediciones y Publicaciones.*
- Casanovas Boixereu, X; Trujillo Jim, Nez, L; Freixa Blanxart, A. (2004). [Asbestos detection in buildings (II): Identification and analysis methodology]. 73.
- Case, BW. (1991). On talc, tremolite, and tergiversation ter-gi-ver-sate: 2: to use subterfuges [Letter]. *Occup Environ Med.* 48: 357-358.
- Case, BW. (2006). Asbestos, smoking, and lung cancer: interaction and attribution [Comment]. *Occup Environ Med.* 63: 507-508. <http://dx.doi.org/10.1136/oem.2006.027631>.
- Case, BW. (2016). Pathology analysis for mesothelioma study in the United Kingdom: Current practice and historical development. *J Toxicol Environ Health B Crit Rev.* 19: 201-212. <http://dx.doi.org/10.1080/10937404.2016.1195320>.
- Case, BW; Abraham, JL; Meeker, G; Pooley, FD; Pinkerton, KE. (2011). Applying definitions of "asbestos" to environmental and "low-dose" exposure levels and health effects, particularly malignant mesothelioma [Review]. *J Toxicol Environ Health B Crit Rev.* 14: 3-39. <http://dx.doi.org/10.1080/10937404.2011.556045>.
- Case, BW; Dufresne, A; Sebastien, P. (2006). Lung-retained asbestos fibre analysis: Trends over 25 years in one institution and their implications. *Epidemiology.* 17: S136-S137.
- Case, BW; Sebastien, P. (1985). BIOLOGICAL ESTIMATION OF ENVIRONMENTAL EXPOSURE TO ASBESTOS (pp. 12-15). (BIOSIS/85/16452). Case, BW; Sebastien, P.
- Case, BW; Sébastien, P. (1989). Fibre levels in lung and correlation with air samples [Review]. In J Bignon; J Peto; R Saracci (Eds.), *IARC Sci Publ* (pp. 207-218). Lyon, France: International Agency for Research on Cancer.
- Case, BW; Sebastien, P; McDonald, JC. (1988). Lung fiber analysis in accident victims: a biological assessment of general environmental exposures. *Arch Environ Health.* 43: 178-179. <http://dx.doi.org/10.1080/00039896.1988.9935849>.
- Cassa, AM; van Zyl, JE; Laubscher, RF. (2010). A numerical investigation into the effect of pressure on holes and cracks in water supply pipes. *Urban Water Journal.* 7: 109-120. <http://dx.doi.org/10.1080/15730620903447613>.
- Cassiola, F; Rogers, RA; Kiyohara, PK; Joekes, I. (2005). Yeast cells long-term interaction with asbestos fibers. *Colloids Surf B Biointerfaces.* 41: 277-283. <http://dx.doi.org/10.1016/j.colsurfb.2004.12.006>.
- Cassiola, F; Santos, HS; Joekes, I. (2003). *Saccharomyces cerevisiae* entrapped in chrysotile increases life-span for up to 3 years. *Colloids Surf B Biointerfaces.* 30: 283-289. [http://dx.doi.org/10.1016/S0927-7765\(03\)00099-7](http://dx.doi.org/10.1016/S0927-7765(03)00099-7).
- Castellanos R, MA; Salazar, S; Gomez, LB; Lima G, RM. (1991). ASBESTOS IN THE URBAN AREA OF MEXICO CITY MEXICO (pp. 25-30). (BIOSIS/92/36905). Castellanos R, MA; Salazar, S; Gomez, LB; Lima G, RM.
- Castleman, B. (2003). "Controlled use" of asbestos. *Int J Occup Environ Health.* 9: 294-298. <http://dx.doi.org/10.1179/oeh.2003.9.3.294>.
- Castleman, B. (2016). The export of hazardous industries in 2015. *Environ Health.* 15: 8. <http://dx.doi.org/10.1186/s12940-016-0091-6>.
- Castleman, B; Turcotte, F; Greenberg, M. (2010). Comment on: Ogden T (2009) 'data sharing, federal rule of evidence 702, and the lions in the undergrowth' [Letter]. *Ann Occup Hyg.* 54: 360-361; author reply 365-366. <http://dx.doi.org/10.1093/annhyg/meq013>.
- Castranova, V. (2009). The Nanotoxicology Research Program in NIOSH. *J Nanopart Res.* 11: 5-13. <http://dx.doi.org/10.1007/s11051-008-9421-0>.
- Castranova, V; Pailles, W; Judy, D; Blake, T; Schwegler-Berry, D; Jones, W. (1996). In vitro effects of large and small glass fibers on rat alveolar macrophages. *J Toxicol Environ Health.* 49: 357-369.
- Cathelineau, M; Marignac, C; Boiron, MC; Gianelli, G; Puxeddu, M. (1994). EVIDENCE FOR LI-RICH BRINES AND EARLY MAGMATIC FLUID-ROCK INTERACTION IN THE LARDERELLO GEOTHERMAL SYSTEM. *Geochim Cosmo Acta.* 58: 1083-1099.
- Catherine, H; Skinner, W. (2003). Mineralogy of asbestos minerals. *Indoor Built Environ.* 12: 385-389. <http://dx.doi.org/10.1177/1420326X03037003>.
- Cattaneo, A; Cavallo, DM; Chiappino, G. (2009). [Improvement of a sedimentation method for measuring dispersion of fibres from asbestos cement roofs]. *Med Lav.* 100: 187-196.
- Cavariani, F. (2016). Asbestos contamination in feldspar extraction sites: a failure of prevention? Commentary. *Ann Ist Super Sanita.* 52: 6-8. http://dx.doi.org/10.4415/ANN_16_01_03.
- Cazzadori, A; Malesani, F; Romeo, L. (1992). Malignant pleural mesothelioma caused by non-occupational childhood exposure to asbestos. *Br J Ind Med.* 49: 599. <http://dx.doi.org/10.1136/oem.49.8.599>.
- Cecchi, E; Mercier, G, uy; Bergeron, M. (2009). A feasibility study of carbochlorination of chrysotile tailings. *Int J Miner Process.* 93: 278-283. <http://dx.doi.org/10.1016/j.minpro.2009.08.003>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Cegolon, L; Lange, JH; Mastrangelo, G. (2010). The Primary Care Practitioner and the diagnosis of occupational diseases. *BMC Public Health*. 10: 405. <http://dx.doi.org/10.1186/1471-2458-10-405>.
- Cele, EN; Maboeta, M. (2016). Response of soil enzyme activities to synergistic effects of biosolids and plants in iron ore mine soils. *Int J Environ Sci Tech*. 13: 2117-2126. <http://dx.doi.org/10.1007/s13762-016-1043-y>.
- Centner, TJ; Colson, G. (2013). Rationing health protection: a proposal to exempt nuisance dust from US Clean Air Act regulations. *J Environ Manage*. 117: 219-225. <http://dx.doi.org/10.1016/j.jenvman.2012.12.016>.
- Cepedal, A; Martin-Izard, A; Reguilon, R; Rodriguez-Pevida, L; Spiering, E; Gonzalez-Nistal, S. (2000). Origin and evolution of the calcic and magnesian skarns hosting the El Valle-Boinas copper-gold deposit, Asturias (Spain). *J Geochem Explor*. 71: 119-151.
- Ceraso, J. (1986). BAN ON ASBESTOS CEMENT PIPE NEEDED. *J Am Water Works Assoc*. 78: 8-8.
- Cervini-Silva, J; Nieto-Camacho, A; Gómez-Vidales, V. (2015). Oxidative stress inhibition and oxidant activity by fibrous clays. *Colloids Surf B Biointerfaces*. 133: 32-35. <http://dx.doi.org/10.1016/j.colsurfb.2015.05.042>.
- Cervini-Silva, J; Nieto-Camacho, A; Ramirez-Apan, MT; Gómez-Vidales, V; Palacios, E; Montoya, A; Ronquillo de Jesús, E. (2015). Anti-inflammatory, anti-bacterial, and cytotoxic activity of fibrous clays. *Colloids Surf B Biointerfaces*. 129: 1-6. <http://dx.doi.org/10.1016/j.colsurfb.2015.03.019>.
- Chadwick, DA; Buchan, RM; Beaulieu, HJ. (1985). Airborne asbestos in Colorado public schools. *Environ Res*. 36: 1-13.
- Chalokwu, CI; Kuehner, SM. (1992). MINERAL CHEMISTRY AND THERMOBAROMETRY OF A SOUTHERN APPALACHIAN AMPHIBOLITE WITH EPIDOTE + QUARTZ SYMPLECTITE. *Am Mineral*. 77: 617-630.
- Chamming's, S; Clin, B; Brochard, P; Astoul, P; Ducamp, S; Galateau-Salle, F; Ilg, AG; Goldberg, M; Gramond, C; Imbernon, E; Rolland, P; Pairon, JC. (2013). Compensation of pleural mesothelioma in France: data from the French National Mesothelioma Surveillance Programme. *Am J Ind Med*. 56: 146-154. <http://dx.doi.org/10.1002/ajim.22106>.
- Chan, D; Stachowiak, GW. (2004). Review of automotive brake friction materials. *Institution of Mechanical Engineers Proceedings Part D: Journal of Automobile Engineering*. 218: 953-966.
- Chan, HK; Gonda, I. (1993). PREPARATION OF RADIOLABELED MATERIALS FOR STUDIES OF DEPOSITION OF FIBERS IN THE HUMAN RESPIRATORY-TRACT. *J Aerosol Med*. 6: 241-249.
- Chan, YM; Agamuthu, P; Mahalingam, R. (2000). Solidification and stabilization of asbestos brake lining dust using polymeric resins. *Environ Eng Sci*. 17: 203-213.
- Chang, HY; Chen, CR; Wang, JD. (1999). Risk assessment of lung cancer and mesothelioma in people living near asbestos-related factories in Taiwan. *Arch Environ Occup Health*. 54: 194-201. <http://dx.doi.org/10.1080/00039899909602259>.
- Chang, MJW; Singh, NP; Hart, RW. (1983). EFFECTS OF CHRYSOTILE CO-EXPOSURE ON BAP BINDING IN NORMAL HUMAN-FIBROBLASTS. *Environ Health Perspect*. 51: 241-244.
- Chang, SN; White, LE; Scott, WD. (1987). Assessing asbestos exposure potential in nonindustrial settings. *J Community Health*. 12: 176-184. <http://dx.doi.org/10.1007/BF01323479>.
- Chang, Z; Meinert, LD. (2008). The Empire Cu-Zn Mine, Idaho: Exploration Implications of Unusual Skarn Features Related to High Fluorine Activity. *Econ Geol*. 103: 909-938.
- Chang-Macchiu, P; Alvarez, D; Jesus Cruz, M; Perez, C; Curull, V; Guadalupe Silveira, M; Pijuan, L; Sanchez-Font, A; De Gracia, J; Ferrer, J. (2013). Utility of bronchoalveolar lavage in the determination of lung asbestos burden in Barcelona, Spain. *Eur Respir J*. 42.
- Chapman, S; Heidemann, A; Woodward, S. (1996). Were asbestos-filtered Kent cigarettes sold in Australia? [Letter]. *Aust N Z J Public Health*. 20: 218-219.
- Chapman, TR; Niesz, DE; Fox, RT; Fawcett, T. (1999). Wear-resistant aluminum-boron-carbide cermets for automotive brake applications. *Wear*. 236: 81-87.
- Chardot-Jacques, V; Calvaruso, C; Simon, B; Turpault, MP; Echevarria, G; Morel, JL. (2013). Chrysotile dissolution in the rhizosphere of the nickel hyperaccumulator *Leptoplax emarginata*. *Environ Sci Technol*. 47: 2612-2620. <http://dx.doi.org/10.1021/es301229m>.
- Chase, GR. (1985). APPROACH TO ASBESTOS WORKER COMPENSATION PLAN ALLEGED TO BE FLAWED - RESPONSE. *J Occup Environ Med*. 27: 790-791.
- Chashchin, VV. (2007). Mineral assemblages and genesis of hornfelses in the outer contact zone of the Khibina Massif, Kola Peninsula, Russia. *Geochem Int*. 45: 15-31. <http://dx.doi.org/10.1134/S0016702907010028>.
- Chau, JL, ikH; Lee, CC; Yang, CC; Shih, H, siH. (2016). Zeolite-coated steel fibers for friction materials applications. *Institution of Mechanical Engineers Proceedings Part L: Journal of Materials: Design and Applicati*. 230: 35-42. <http://dx.doi.org/10.1177/1464420714542053>.
- Chaves, A, deO; de Oliveira, DV; Rodrigues Crincoli Pacheco, FE; Barroso, MF; de Magalhaes, MG; Dalla Vecchia Chaves, AM. (2011). Mineralogy and provenance of black sands from Iri - ES. *Revista da Escola de Minas*. 64: 421-428.
- Chellini, E; Martini, A; Cacciarini, V; Badiali, AM; toscane, RdAsl. (2013). [Considerations about the epidemiologic surveillance system on mesothelioma in Tuscany (Italy) after 25 years of activity]. *Epidemiol Prev*. 37: 43-50.
- Chen, CC; Lai, CY; Shih, TS; Yeh, WY. (1998). Development of respirable aerosol samplers using porous foams. *Am Ind Hyg Assoc J*. 59: 766-773. <http://dx.doi.org/10.1080/15428119891010938>.
- Chen, CC; Yu, TS; Shih, TS; Baron, P. (2001). Computer simulation of particle overlap in fiber count samples. *AIHAJ*. 62: 281-287.
- Chen, D; Stueckle, TA; Luanpitpong, S; Rojanasakul, Y; Lu, Y; Wang, L. (2015). Gene expression profile of human lung epithelial cells chronically exposed to single-walled carbon nanotubes. *Nanoscale Res Lett*. 10: 12. <http://dx.doi.org/10.1186/s11671-014-0707-0>.
- Chen, H; Clark, AH; Kyser, TK; Ullrich, TD; Baxter, R; Chen, Y; Moody, TC. (2010). Evolution of the Giant Marcona-Mina Justa Iron Oxide-Copper-Gold District, South-Central Peru. *Econ Geol*. 105: 155-185.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Chen, H; Xu, Q. (2010). Experimental study of fibers in stabilizing and reinforcing asphalt binder. *Fuel*. 89: 1616-1622.
<http://dx.doi.org/10.1016/j.fuel.2009.08.020>.
- Chen, H; Xu, Q; Chen, S; Zhang, Z. (2009). Evaluation and design of fiber-reinforced asphalt mixtures. *Materials & Design*. 30: 2595-2603.
<http://dx.doi.org/10.1016/j.matdes.2008.09.030>.
- Chen, J; Halls, C; Stanley, CJ. (1992). TIN-BEARING SKARNS OF SOUTH CHINA - GEOLOGICAL SETTING AND MINERALOGY. *Ore Geol Rev*. 7: 225-248.
- Chen, M; Koeberl, C; Xiao, W; Xie, X; Tan, D. (2011). Planar deformation features in quartz from impact-produced polymict breccia of the Xiuyan crater, China. *Meteoritics and Planetary Science*. 46: 729-736. <http://dx.doi.org/10.1111/j.1945-5100.2011.01186.x>.
- Chen, M; Tse, LA. (2012). Laryngeal cancer and silica dust exposure: a systematic review and meta-analysis [Review]. *Am J Ind Med*. 55: 669-676.
<http://dx.doi.org/10.1002/ajim.22037>.
- Chen, SC; Hu, Y; Pui, DYH; Wang, J. (2016). Explicit expressions for the minimum efficiency and most penetrating particle size of Nuclepore filters. *J Aerosol Sci*. 100: 108-117. <http://dx.doi.org/10.1016/j.jaerosci.2016.07.008>.
- Chen, TH; Calligaro, T; Pages-Camagna, S; Menu, M. (2004). Investigation of Chinese archaic jade by PIXE and mu Raman spectrometry. *Applied Physics A: Materials Science and Processing*. 79: 177-180. <http://dx.doi.org/10.1007/s00339-004-2648-4>.
- Chen, W, eiT; Zhou, M, eiFu. (2012). Paragenesis, Stable Isotopes, and Molybdenite Re-Os Isotope Age of the Lala Iron-Copper Deposit, Southwest China. *Econ Geol*. 107: 459-480.
- Chen, Y; Brantley, SL. (1998). Diopside and anthophyllite dissolution at 25 degrees and 90 degrees C and acid pH. *Chem Geol*. 147: 233-248.
- Chen, Y, iX; Schertl, HP; Zheng, YF, ei; Huang, F; Zhou, K, un; Gong, YZ. (2016). Mg-O isotopes trace the origin of Mg-rich fluids in the deeply subducted continental crust of Western Alps. *Earth Planet Sci Lett*. 456: 157-167. <http://dx.doi.org/10.1016/j.epsl.2016.09.010>.
- Cheng, L; Ren, X; Wei, X; Sun, X; Yu, S. (2015). Facile Synthesis and Characterization of Chrysotile Nanotubes and Their Application for Lead(II) Removal from Aqueous Solution. *Separation Science and Technology*. 50: 700-709. <http://dx.doi.org/10.1080/01496395.2014.960936>.
- Cheng, L; Yu, S; Zha, C; Yao, Y; Pan, X. (2012). Removal of simulated radionuclide Ce(III) from aqueous solution by as-synthesized chrysotile nanotubes. *Chem Eng J*. 213: 22-30. <http://dx.doi.org/10.1016/j.cej.2012.09.083>.
- Cheng, VK; O'Kelly, FJ. (1986). Asbestos exposure in the motor vehicle repair and servicing industry in Hong Kong. *J Soc Occup Med*. 36: 104-106.
- Cheng, Y; Mao, J; Rusk, B; Yang, Z. (2012). Geology and genesis of Kafang Cu-Sn deposit, Gejiu district, SW China. *Ore Geol Rev*. 48: 180-196.
<http://dx.doi.org/10.1016/j.oregeorev.2012.03.004>.
- Cheng, YS. (1986). Bivariate lognormal distribution for characterizing asbestos fiber aerosols. *Aerosol Sci Technol*. 5: 359-368.
<http://dx.doi.org/10.1080/02786828608959100>.
- Cheng, YS; Holmes, TD; Fan, B. (2006). Evaluation of respirator filters for asbestos fibers. *J Occup Environ Hyg*. 3: 26-35.
<http://dx.doi.org/10.1080/15459620500444046>.
- Cheng, YS; Su, WC. (2013). Thoracic fraction of inhaled fiber aerosol. *J Occup Environ Hyg*. 10: 194-202.
<http://dx.doi.org/10.1080/15459624.2012.762608>.
- Chernak, LJ; Hirth, G. (2010). Deformation of antigorite serpentinite at high temperature and pressure. *Earth Planet Sci Lett*. 296: 23-33.
<http://dx.doi.org/10.1016/j.epsl.2010.04.035>.
- CHERNOSKJV. (1974). AGGREGATE REFRACTIVE-INDEXES AND UNIT-CELL PARAMETERS OF SYNTHETIC CHRYSOTILE AND ALUMINOUS SERPENTINE IN SYSTEM MGO-A12O3-SIO2-H2O. *Trans Am Geophys Union*. 55: 462-462.
- Chernosky, JV; Berman, RG; Jenkins, DM. (1998). The stability of tremolite: New experimental data and a thermodynamic assessment. *Am Mineral*. 83: 726-738.
- Cherrie, JW; Gibson, H; McIntosh, C; Maclaren, WM; Lynch, G. (1995). EXPOSURE TO FINE AIRBORNE FIBROUS DUST AMONGST PROCESSORS OF PARA-ARAMID. *Ann Occup Hyg*. 39: 403-&.
- Cherubini, M; Fornaciai, G; Mantelli, F; Chellini, E; Sacco, C. (1998). Results of a survey on asbestos fibre contamination of drinking water in Tuscany, Italy. *Journal of Water Supply: Research and Technology-AQUA*. 47: 1-8.
- Cheshire, M; Guven, N. (2005). Conversion of chrysotile to a magnesian smectite. *Clays and Clay Minerals*. 53: 155-161.
<http://dx.doi.org/10.1346/CCMN.2005.0530205>.
- Chesson, J; Hatfield, J; Schultz, B; Dutrow, E; Blake, J. (1990). Airborne asbestos in public buildings. *Environ Res*. 51: 100-107.
- Chesson, J; Rench, JD; Schultz, BD; Milne, KL. (1990). Interpretation of airborne asbestos measurements. *Risk Anal*. 10: 437-447.
<http://dx.doi.org/10.1111/j.1539-6924.1990.tb00527.x>.
- Chestney, AAW. (1980). PERFORMANCE OF LUBRICATED OVERLOAD CLUTCHES WITH ASBESTOS PAPER FRICTION MATERIALS. *Wear*. 58: 313-324.
- Chetelat, J; Kalbermatten, M; Lannas, KSM; Spiegelberger, T; Wettstein, JB; Gillet, F; Peringer, A; Buttler, A. (2013). A Contextual Analysis of Land-Use and Vegetation Changes in Two Wooded Pastures in the Swiss Jura Mountains. *Ecology and Society*. 18.
<http://dx.doi.org/10.5751/ES-05287-180139>.
- Chiappino, G; Friedrichs, KH; Forni, A; Rivolta, G; Todaro, A. (1989). Alveolar and lung fibre levels in non-occupationally exposed subjects. *IARC Sci Publ. occupational Exposure to Mineral Fibres*: 310-313.
- Chiappino, G; Sebastien, P; Todaro, A. (1991). [Atmospheric asbestos pollution in the urban environment: Milan, Casale Monferrato, Brescia, Ancona, Bologna and Florence]. *Med Lav*. 82: 424-438.
- Chiazze, L; Watkins, DK; Fryar, C; Kozono, J. (1993). A CASE-CONTROL STUDY OF MALIGNANT AND NONMALIGNANT RESPIRATORY-DISEASE AMONG EMPLOYEES OF A FIBERGLASS MANUFACTURING FACILITY .2. EXPOSURE ASSESSMENT. *Br J Ind Med*. 50: 717-725.
- Childs, P. (1988). NON-METALLIC ASBESTOS-FREE GASKETS. Institution of Mechanical Engineers Proceedings Part A: Journal of Power and Energy. 202: 63-68.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Childs, P. (1992). ASBESTOS-FREE GASKETS. *Chem Eng (London)*19-21.
- Chiu, C, hiC; Shinoda, W; Devane, RH; Nielsen, SO. (2012). Effects of spherical fullerene nanoparticles on a dipalmitoyl phosphatidylcholine lipid monolayer: a coarse grain molecular dynamics approach. *Soft Matter*. 8: 9610-9616. <http://dx.doi.org/10.1039/c2sm26357b>.
- Chmielowski, RM; Jansson, N; Persson, M, acF; Fagerstroem, P, ia. (2016). 3D modelling of hydrothermal alteration associated with VHMS deposits in the Kristineberg area, Skellefte district, northern Sweden. *Miner Depos*. 51: 113-130. <http://dx.doi.org/10.1007/s00126-014-0572-x>.
- Cho, B, umRae; Heo, D, aeH. (2006). Preparation of mullite composite using liquid infiltration technique. *Key Eng Mater*. 317-318: 105-109.
- Cho, H; Rossman, GR. (1993). SINGLE-CRYSTAL NMR-STUDIES OF LOW-CONCENTRATION HYDROUS SPECIES IN MINERALS - GROSSULAR GARNET. *Am Mineral*. 78: 1149-1164.
- Cho, KH; Cho, M, inH; Kim, SJ, in; Jang, H, o. (2008). Tribological properties of potassium titanate in the brake friction material; Morphological effects. *Tribology Letters*. 32: 59-66. <http://dx.doi.org/10.1007/s11249-008-9362-x>.
- Cho, MH; Kim, SJ; Kim, D; Jang, H. (2005). Effects of ingredients on tribological characteristics of a brake lining: an experimental case study. *Wear*. 258: 1682-1687. <http://dx.doi.org/10.1016/j.wear.2004.11.021>.
- Cho, MS; Ernst, WG. (1991). AN EXPERIMENTAL-DETERMINATION OF CALCIC AMPHIBOLE SOLID-SOLUTION ALONG THE JOIN TREMOLITE-TSCHERMAKITE. *Am Mineral*. 76: 985-1001.
- Choe, N; Tanaka, S; Xia, W; Hemenway, DR; Roggli, VL; Kagan, E. (1997). Pleural macrophage recruitment and activation in asbestos-induced pleural injury. *Environ Health Perspect*. 105 Suppl 5: 1257-1260.
- Choi, IK; Smith, RW. (1973). THEORETICAL MODEL OF SURFACE-AREA OF ASBESTOS MINERALS. *J Electrochem Soc*. 120: C250-C250.
- Choi, JY; Neuhouser, ML; Barnett, M; Hudson, M; Kristal, AR; Thornquist, M; King, IB; Goodman, GE; Ambrosone, CB. (2007). Polymorphisms in oxidative stress-related genes are not associated with prostate cancer risk in heavy smokers. *Cancer Epidemiol Biomarkers Prev*. 16: 1115-1120. <http://dx.doi.org/10.1158/1055-9965.EPI-07-0040>.
- Choi, SY; Kahyo, H. (1991). EFFECT OF CIGARETTE-SMOKING AND ALCOHOL-CONSUMPTION IN THE ETIOLOGY OF CANCER OF THE ORAL CAVITY, PHARYNX AND LARYNX. *Int J Epidemiol*. 20: 878-885.
- Chollet, M; Daniel, I; Koga, KT; Morard, G; van De Moortele, B. (2011). Kinetics and mechanism of antigorite dehydration: Implications for subduction zone seismicity. *J Geophys Res Solid Earth*. 116. <http://dx.doi.org/10.1029/2010JB007739>.
- Chollet, M; Daniel, I; Koga, KT; Petitgirard, S; Morard, G. (2009). Dehydration kinetics of talc and 10 angstrom phase: Consequences for subduction zone seismicity. *Earth Planet Sci Lett*. 284: 57-64. <http://dx.doi.org/10.1016/j.epsl.2009.04.008>.
- Chou, S, ul; Lo, CH, ua; He, Y, unAo; Zhang, JG, uo; Iizuka, Y; Na, J, uYu; Yeh, TK. (2009). Argon Isotopic Dating of Neolithic Jade Artifacts and Raw Materials from Eastern China and Its Implications. *Terr Atmos Ocean Sci*. 20: 501-509. [http://dx.doi.org/10.3319/TAO.2008.07.07.01\(TT\)](http://dx.doi.org/10.3319/TAO.2008.07.07.01(TT)).
- Choudat, D; Causse, E. (2009). Asbestos exposure and medical surveillance: State of the rules 10 years after the Consensus Conference. *Arch Mal Prof Environ*. 70: 471-474. <http://dx.doi.org/10.1016/j.admp.2009.07.001>.
- Choudhuri, A. (1974). DISTRIBUTION OF FE AND MG IN ACTINOLITE, HORNBLende AND BIOTITE IN SOME PRECAMBRIAN METAGREYWACKES FROM GUYANA, SOUTH-AMERICA. *Contributions to Mineralogy and Petrology*. 44: 45-55.
- Chowdhury, S; Lentz, DR. (2011). Mineralogical and geochemical characteristics of scheelite-bearing skarns, and genetic relations between skarn mineralization and petrogenesis of the associated granitoid pluton at Sargipali, Sundergarh District, Eastern India. *J Geochem Explor*. 108: 39-61. <http://dx.doi.org/10.1016/j.gexplo.2010.07.005>.
- Chowdhury, ZK; Amy, GL; Bales, RC. (1991). Coagulation of submicron colloids in water treatment by incorporation into aluminum hydroxide floc. *Environ Sci Technol*. 25: 1766-1773.
- Chowdhury, ZK; Amy, GL; Bales, RC. (1993). INCORPORATION OF SUBMICRON COLLOIDS INTO LARGER FLOC IN WATER-TREATMENT. *J Environ Eng*. 119: 192-199.
- Christen, B; Wegmann, W; Vogt, P. (1997). Clinical pathology and histology of pleural plaques. *Indoor Built Environ*. 6: 79-85.
- Christensen, AM; Holm, PM; Schuessler, U; Petrasch, J. (2006). Indications of a major Neolithic trade route? An archaeometric geochemical and Sr, Pb isotope study on amphibolitic raw material from present day Europe. *Appl Geochem*. 21: 1635-1655. <http://dx.doi.org/10.1016/j.apgeochem.2006.07.009>.
- Christensen, BC; Godleski, JJ; Roelofs, CR; Longacker, JL; Bueno, R; Sugarbaker, DJ; Marsit, CJ; Nelson, HH; Kelsey, KT. (2008). Asbestos burden predicts survival in pleural mesothelioma. *Environ Health Perspect*. 116: 723-726. <http://dx.doi.org/10.1289/ehp.11151>.
- Christensen, KY; Bateson, TF; Kopylev, L. (2013). Low levels exposure to Libby amphibole asbestos and localized pleural thickening [Review]. *J Occup Environ Med*. 55: 1350-1355. <http://dx.doi.org/10.1097/JOM.0b013e3182a3bb25>.
- Christoffel, T; Teret, SP. (1991). EPIDEMIOLOGY AND THE LAW - COURTS AND CONFIDENCE-INTERVALS. *Am J Public Health*. 81: 1661-1666.
- Chughtai, F; Zayed, T. (2008). Infrastructure condition prediction models for sustainable sewer pipelines. *Journal of Performance of Constructed Facilities*. 22: 333-341. [http://dx.doi.org/10.1061/\(ASCE\)0887-3828\(2008\)22:5\(333\)](http://dx.doi.org/10.1061/(ASCE)0887-3828(2008)22:5(333)).
- Chuppina, SV; Zhabrev, VA. (2008). Chemical reactions in the course of curing of organosilicate composites and aging of organosilicate coatings. *Glass Physics and Chemistry*. 34: 82-90. <http://dx.doi.org/10.1134/S1087659608010124>.
- Churg, A. (1991). Analysis of lung asbestos content [Editorial]. *Br J Ind Med*. 48: 649-652.
- Churg, A. (1994). Deposition and clearance of chrysotile asbestos. *Ann Occup Hyg*. 38: 625-633. <http://dx.doi.org/10.1093/annhyg/38.4.625>.
- Churg, A. (1997). The pathogenesis of pleural plaques. *Indoor Built Environ*. 6: 73-78.
- Churg, A; Wiggs, B. (1987). Accumulation of long asbestos fibers in the peripheral upper lobe in cases of malignant mesothelioma. *Am J Ind Med*. 11: 563-569.
- Churg, A; Wood, P. (1983). Observations on the distribution of asbestos fibers in human lungs. *Environ Res*. 31: 374-380.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Churg, A; Zay, K; Li, K. (1997). Mechanisms of mineral dust-induced emphysema. *Environ Health Perspect.* 105: 1215-1218.
- Circone, S; Navrotsky, A. (1992). SUBSTITUTION OF AL-6, AL-4 IN PHLOGOPITE - HIGH-TEMPERATURE SOLUTION CALORIMETRY, HEAT-CAPACITIES, AND THERMODYNAMIC PROPERTIES OF THE PHLOGOPITE-EASTONITE JOIN. *Am Mineral.* 77: 1191-1205.
- Cirrincone, R; Atzori, P; Pezzino, A. (1999). Sub-greenschist facies assemblages of metabasites from south-eastern Peloritani range (NE-Sicily). *Mineralogy and Petrology.* 67: 193-212.
- Claassens, S; van Rensburg, PJ; Liebenberg, D; van Rensburg, L. (2012). A Comparison of Microbial Community Function and Structure in Rehabilitated Asbestos and Coal Discard Sites. *Water Air Soil Pollut.* 223: 1091-1100. <http://dx.doi.org/10.1007/s11270-011-0927-1>.
- Clapp, JT; Roberts, JA; Dahlberg, B; Berry, LS; Jacobs, LM; Emmett, EA; Barg, FK. (2016). Realities of environmental toxicity and their ramifications for community engagement. 170: 143-151. <http://dx.doi.org/10.1016/j.socscimed.2016.10.019>.
- Clark, NE; Verma, DK; Julian, JA. (1995). DETERMINATION OF THE VARIABILITY IN ELEMENTAL COMPOSITION OF ASBESTOS FIBERS BY ANALYTICAL TRANSMISSION ELECTRON-MICROSCOPY. *Ann Occup Hyg.* 39: 79-88.
- Clark, SHB; Gray, KJ; Back, JM. (1999). Geology of the barite hill gold-silver deposit in the southern Carolina slate belt. *Econ Geol.* 94: 1329-1346.
- Clarke, CC; Mowat, FS; Kelsh, MA; Roberts, MA. (2006). Pleural plaques: a review of diagnostic issues and possible nonasbestos factors [Review]. *Arch Environ Occup Health.* 61: 183-192. <http://dx.doi.org/10.3200/AEOH.61.4.183-192>.
- Class, P; Brown, RC. (2002). Exposure to artificial mineral fibers - Overview of the available information on possible health hazards - Reply. *Staub, Reinhaltung der Luft.* 62: 488-491.
- Class, P; Brown, RC. (2002). Exposure to man-made mineral fibres - an attempt to summarise the available information on potential health risks. *Gefahrst Reinhalt Luft.* 62: 197-201.
- Clayton, MP; Bailey, AE; Vaughan, NP; Rajan, R. (2002). Performance of power assisted respirators during simulated asbestos removal. *Ann Occup Hyg.* 46: 49-59. <http://dx.doi.org/10.1093/annhyg/mef020>.
- Clemens, JD. (1995). PHLOGOPITE STABILITY IN THE SILICA-SATURATED PORTION OF THE SYSTEM KALO2-MGO-SIO2-H2O - NEW DATA AND A REAPPRAISAL OF PHASE-RELATIONS TO 1.5 GPA. *Am Mineral.* 80: 982-997.
- Clements, M; Berry, G; Shi, J; Ware, S; Yates, D; Johnson, A. (2007). Projected mesothelioma incidence in men in New South Wales. *Occup Environ Med.* 64: 747-752. <http://dx.doi.org/10.1136/oem.2006.031823>.
- Cleverley, JS; Oliver, NHS. (2005). Comparing closed system, flow-through and fluid infiltration geochemical modelling: examples from K-alteration in the Ernest Henry Fe-oxide-Cu-Au system. *Geofluids.* 5: 289-307.
- Cline, RJ; Orom, H; Berry-Bobovski, L; Hernandez, T; Black, CB; Schwartz, AG; Ruckdeschel, JC. (2010). Community-level social support responses in a slow-motion technological disaster: the case of Libby, Montana. *Am J Community Psychol.* 46: 1-18. <http://dx.doi.org/10.1007/s10464-010-9329-6>.
- Cline, RJW; Orom, H; Chung, JE; Hernandez, T. (2014). The Role of Social Toxicity in Responses to a Slowly-Evolving Environmental Disaster: The Case of Amphibole Asbestos Exposure in Libby, Montana, USA. *Am J Community Psychol.* 54: 12-27. <http://dx.doi.org/10.1007/s10464-014-9660-4>.
- Cluff, DL; Patitsas, AJ. (1992). Size Characterization of Asbestos Fibers by Means of Electrostatic Alignment and Light-Scattering Techniques. *Aerosol Sci Technol.* 17: 186-198.
- Coates, TJ; Li, VC. (1983). DOES SMOKING CESSATION LEAD TO WEIGHT-GAIN - THE EXPERIENCE OF ASBESTOS-EXPOSED SHIPYARD WORKERS. *Am J Public Health.* 73: 1303-1304.
- Cockerton, A, myBD; Tomkins, AG. (2012). Insights into the Liquid Bismuth Collector Model Through Analysis of the Bi-Au Stormont Skarn Prospect, Northwest Tasmania. *Econ Geol.* 107: 667-682.
- Coffin, DL; Palekar, LD; Cook, PM. (1983). Correlation of in vitro and in vivo methods by means of mass dose and fiber distribution for amosite and fibrous ferroactinolite. *Environ Health Perspect.* 51: 49-53.
- Coggon, D; Pannett, B; Wield, G. (1996). Upper aerodigestive cancer in battery manufacturers and steel workers exposed to mineral acid mists. *Occup Environ Med.* 53: 445-449.
- Coggon, J. (2003). Magnetism - key to the Wallaby gold deposit. *Exploration Geophysics.* 34: 125-130.
- Cohen, KS. (1985). ASBESTOS IN BUILDINGS - TO REMOVE, OR NOT TO REMOVE, THAT IS THE QUESTION. *Am Ind Hyg Assoc J.* 46: A4-A4.
- Cohen, N. (1991). Regulation of in-place asbestos-containing material [Review]. *Environ Res.* 55: 97-106.
- Cohn, CA; Borda, MJ; Schoonen, MA. (2004). RNA decomposition by pyrite-induced radicals and possible role of lipids during the emergence of life. *Earth Planet Sci Lett.* 225: 271-278. <http://dx.doi.org/10.1016/j.epsl.2004.07.007>.
- Cohn, CA; Laffers, R; Schoonen, MAA. (2006). Using yeast RNA as a probe for generation of hydroxyl radicals by earth materials. *Environ Sci Technol.* 40: 2838-2843. <http://dx.doi.org/10.1021/es052301k>.
- Cohn, MS; White, PD; Preuss, PW. (1981). CONSUMER PRODUCT-SAFETY - RISK ASSESSMENT OF EXPOSURE TO ASBESTOS EMISSIONS FROM HAND-HELD HAIR DRYERS - CRITIQUE. *Environ Manage.* 5: 15-18.
- Cohn, MS; White, PD; Preuss, PW. (1981). CONSUMER PRODUCT-SAFETY - RISK ASSESSMENT OF EXPOSURE TO ASBESTOS EMISSIONS FROM HAND-HELD HAIR DRYERS - RESPONSE. *Environ Manage.* 5: 91-93.
- Coin, PG; Roggli, VL; Brody, AR. (1992). Deposition, clearance, and translocation of chrysotile asbestos from peripheral and central regions of the rat lung. *Environ Res.* 58: 97-116. [http://dx.doi.org/10.1016/S0013-9351\(05\)80207-5](http://dx.doi.org/10.1016/S0013-9351(05)80207-5).
- Coin, PG; Roggli, VL; Brody, AR. (1994). Persistence of long, thin chrysotile asbestos fibers in the lungs of rats [Review]. *Environ Health Perspect.* 102: 197-199.
- Cole, SR, SR; Richardson, DB. (2009). STRUCTURAL MODELS FOR THE EFFECT OF OCCUPATIONAL ASBESTOS EXPOSURE ON LUNG-RELATED MORTALITY. *Am J Epidemiol.* 169: S41-S41.
- Coleman, RG. (2014). THE OPHIOLITE CONCEPT EVOLVES. *Elements.* 10: 82-84. <http://dx.doi.org/10.2113/gselements.10.2.82>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Coles, GV. (1993). TLVS FOR ASBESTOS [Letter]. *Am J Ind Med.* 23: 955-957.
- Collegium Ramazzini. (2010). Asbestos is still with us: repeat call. *J Occup Environ Hyg.* 7: D57-D61. <http://dx.doi.org/10.1080/15459624.2010.486307>.
- Collegium Ramazzini. (2010). Asbestos is still with us: repeat call for a universal ban. *Int J Occup Med Environ Health.* 23: 201-207. <http://dx.doi.org/10.2478/v10001-010-0017-4>.
- Collegium Ramazzini. (2016). The 18th Collegium Ramazzini statement: The global health dimensions of asbestos and asbestos-related diseases. *Scand J Work Environ Health.* 42: 86-90. <http://dx.doi.org/10.5271/sjweh.3541>.
- Collegium Ramazzini. (2016). Collegium Ramazzini response to 'Asbestos, asbestosis, and cancer, the Helsinki criteria for diagnosis and attribution 2014: recommendations' [Letter]. *Scand J Work Environ Health.* 42: 91-94. <http://dx.doi.org/10.5271/sjweh.3535>.
- Comba, P; Consonni, D; Marinaccio, A; Mirabelli, D. (2010). Occupational epidemiology in Italy: a contribution to the European framework. *Epidemiol Prev.* 34: 25-30.
- Comba, P; Gianfagna, A; Paoletti, L. (2003). Pleural mesothelioma cases in Biancavilla are related to a new fluoro-edenite fibrous amphibole. *Arch Environ Health.* 58: 229-232. <http://dx.doi.org/10.3200/AEOH.58.4.229-232>.
- Comba, P; Scondotto, S; Musmeci, L. (2014). The fibres with fluoro-edenitic composition in Biancavilla (Sicily, Italy): health impact and clues for environmental remediation. *Ann Ist Super Sanita.* 50: 108-110. http://dx.doi.org/DOI: 10.4415/ANN_14_02_01.
- Comes, NS; Evangelista, HJ; de Medeiros Junior, EB; Filippo, RC; Germano, LF. (2010). Occurrence of granulite-facies rocks in the Mineiro Belt, Minas Gerais, Brazil. *Revista da Escola de Minas.* 63: 433-440.
- Committee, JA-AAHE. (1975). Recommended procedures for sampling and counting asbestos fibers. Procedures for the evaluation of occupational exposures to airborne asbestos. *Am Ind Hyg Assoc J.* 36: 83-90.
- Company, SO. (1983). RESULTS OF AIR SAMPLES TAKEN DURING HEALTH HAZARD EVALUATION WITH ATTACHED DATA SHEETS. (TSCATS/016877). OREGON WORKERS COMP DEPT.
- Conforti, PM; Kanarek, MS; Jackson, LA; Cooper, RC; Murchio, JC. (1981). Asbestos in drinking water and cancer in the San Francisco Bay area: 1969-1974 incidence. *J Clin Epidemiol.* 34: 211-224. [http://dx.doi.org/10.1016/0021-9681\(81\)90065-5](http://dx.doi.org/10.1016/0021-9681(81)90065-5).
- Connolly, JAD; Trommsdorff, V. (1991). PETROGENETIC GRIDS FOR METACARBONATE ROCKS - PRESSURE-TEMPERATURE PHASE-DIAGRAM PROJECTION FOR MIXED-VOLATILE SYSTEMS. *Contributions to Mineralogy and Petrology.* 108: 93-105.
- Conrad, ME; Petersen, U; Oneil, J. R. (1992). EVOLUTION OF AN AU-AG-PRODUCING HYDROTHERMAL SYSTEM - THE TAYOLTITA MINE, DURANGO, MEXICO. *Econ Geol.* 87: 1451-1474.
- Conradt, R. (2009). On the entropy difference between the vitreous and the crystalline state. *Journal of Non-Crystalline Solids.* 355: 636-641. <http://dx.doi.org/10.1016/j.jnoncrysol.2008.12.013>.
- Conti, S; Minelli, G; Manno, V; Iavarone, I; Comba, P; Scondotto, S; Cernigliaro, A. (2014). Health impact of the exposure to fibres with fluoro-edenitic composition on the residents in Biancavilla (Sicily, Italy): mortality and hospitalization from current data. *Ann Ist Super Sanita.* 50: 127-132. http://dx.doi.org/DOI: 10.4415/ANN_14_02_04.
- Contour, JP; Guerin, I; Mouvier, G. (1980). ADSORPTION OF AMINE ORGANIC POLLUTANTS IN ASBESTOS FIBERS. *Environmental Pollution Series B: Chemical and Physical.* 1: 243-257.
- Cook, PM. (1983). REVIEW OF PUBLISHED STUDIES ON GUT PENETRATION BY INGESTED ASBESTOS FIBERS. *Environ Health Perspect.* 53: 121-130.
- Cook, PM; Glass, GE; Tucker, JH. (1974). Asbestiform amphibole minerals: detection and measurement of high concentrations in municipal water supplies. *Science.* 185: 853-855.
- Cook, PM; Swintek, J; Dawson, TD; Chapman, D; Etterson, MA; Hoff, D. (2016). Quantitative structure-mesothelioma potency model optimization for complex mixtures of elongated particles in rat pleura: A retrospective study. *J Toxicol Environ Health B Crit Rev.* 19: 266-288. <http://dx.doi.org/10.1080/10937404.2016.1195326>.
- Cook, SJ; Bowman, J. R. (1994). CONTACT-METAMORPHISM SURROUNDING THE ALTA STOCK - THERMAL CONSTRAINTS AND EVIDENCE OF ADVECTIVE HEAT-TRANSPORT FROM CALCITE PLUS DOLOMITE GEOTHERMOMETRY. *Am Mineral.* 79: 513-525.
- Cook, SJ; Bowman, JR. (2000). Mineralogical evidence for fluid-rock interaction accompanying prograde contact metamorphism of siliceous dolomites: Alta Stock Aureole, Utah, USA. *Journal of Petrology.* 41: 739-757.
- Cook, WA. (1992). TLVS FOR ASBESTOS [Letter]. *Am J Ind Med.* 21: 765-766.
- Cooke, DR; Bull, SW; Donovan, S; Rogers, JR. (1998). K-metasomatism and base metal depletion in volcanic rocks from the McArthur basin, northern territory - Implications for base metal mineralization. *Econ Geol.* 93: 1237-1263.
- Cooke, TF. (1991). INORGANIC FIBERS - A LITERATURE-REVIEW. *Journal of the American Ceramic Society.* 74: 2959-2978.
- Cooper, AF; Palin, JM; Collins, AK. (2016). Fenitization of metabasic rocks by ferrocarnatites at Haast River, New Zealand. *Lithos.* 244: 109-121. <http://dx.doi.org/10.1016/j.lithos.2015.11.035>.
- Cooper, GS; Brown, RC. (2010). The ghost of public health journalism: past, present, and future. *Epidemiology.* 21: 263-266. <http://dx.doi.org/10.1097/EDE.0b013e3181cb8c3d>.
- Cooper, RC; Cooper, WC. (1978). PUBLIC-HEALTH ASPECTS OF ASBESTOS FIBERS IN DRINKING-WATER. *J Am Water Works Assoc.* 70: 338-340.
- Cooper, WC; Murchio, J; Pependorf, W; Wenk, HR. (1979). Chrysotile asbestos in a California recreational area. *Science.* 206: 685-688.
- Corbett, RA. (1986). SUBSTITUTES SUCCESSFULLY REPLACING ASBESTOS FOR GASKETS AND PACKINGS. *Oil and Gas Journal.* 84: 39-44.
- Corbin, M; Mclean, D; Mannelte, A; Dryson, E; Walls, C; Mckenzie, F; Maule, M; Cheng, S; Cunningham, C; Kromhout, H; Blair, A; Pearce, N. (2011). Lung cancer and occupation: A New Zealand cancer registry-based case-control study. *Am J Ind Med.* 54: 89-101. <http://dx.doi.org/10.1002/ajim.20906>.
- Corella, J; Asua, JM; Bilbao, J. (1980). KINETICS OF THE DEACTIVATION OF A 10-PERCENT CU-0,5-PERCENT CR2O3-ASBESTOS CATALYST FOR BENZYL ALCOHOL DEHYDROGENATION. *Chem Eng Sci.* 35: 1447-1449.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Corhay, JL; Bury, T; Delavignette, JP; Baharloo, F; Radermecker, M; Hereng, P; Fransolet, AM; Weber, G; Roelandts, I. (1995). Nonfibrous mineralogical analysis of bronchoalveolar lavage fluid from blast-furnace workers. *Arch Environ Health*. 50: 312-319. <http://dx.doi.org/10.1080/00039896.1995.9935960>.
- Corn, JK; Starr, J. (1987). Historical perspective on asbestos: policies and protective measures in World War II shipbuilding. *Am J Ind Med*. 11: 359-373.
- Corn, M. (1986). Asbestos and disease: an industrial hygienist's perspective. *Am Ind Hyg Assoc J*. 47: 515-523. <http://dx.doi.org/10.1080/15298668691390151>.
- Corn, M. (1993). TLVS FOR ASBESTOS. *Am J Ind Med*. 23: 959-959.
- Corn, M. (1994). Airborne concentrations of asbestos in non-occupational environments. *Ann Occup Hyg*. 38: 495-502.
- Corn, M. (2003). Risk assessment in the courtroom. *Hum Ecol Risk Assess*. 9: 1101-1103. <http://dx.doi.org/10.1080/10807030390240247>.
- Corn, M; Crump, K; Farrar, DB; Lee, RJ; Mcfee, DR. (1991). Airborne concentrations of asbestos in 71 school buildings. *Regul Toxicol Pharmacol*. 13: 99-114.
- Cossette, M; Aitcin, PC. (1972). CONCEPTS OF DENSITY AND POROSITY FOR ASBESTOS. 65: 48-&.
- Cossette, M; Aitcin, PC. (1972). DENSITY AND POROSITY CONCEPTS FOR ASBESTOS AND OTHER MINERALS. 65: 46-&.
- Cossette, M; Tran, VH. (1991). ASBESTOS IN ASPHALT. 84: 40-43.
- Costantini, AS; Pirastu, R; Lagorio, S; Miligi, L; Costa, G. (1994). Studying cancer among female workers: Methods and preliminary results from a record-linkage system in Italy. *J Occup Med*. 36: 1180-1186.
- Costello, J; Castellan, RM; Swecker, GS; Kullman, GK. (1992). Mortality of a cohort of U.S. workers employed in the crushed stone industry, 1940-1980. *Am J Ind Med*. 27: 625-640. <http://dx.doi.org/10.1002/ajim.4700270502>.
- Cotes, JE. (2000). The Medical Research Council Pneumoconiosis Research Unit, 1945-1985: a short history and tribute. *Occup Med (Lond)*. 50: 440-449.
- Cotruvo, JA. (1983). ASBESTOS IN DRINKING-WATER - A STATUS-REPORT. *Environ Health Perspect*. 53: 181-183.
- Coulton, AJ; Harper, GD; Ohanley, DS. (1995). OCEANIC VERSUS EMPLACEMENT AGE SERPENTINIZATION IN THE JOSEPHINE OPHIOLITE - IMPLICATIONS FOR THE NATURE OF THE MOHO AT INTERMEDIATE AND SLOW-SPREADING RIDGES. *J Geophys Res Solid Earth*. 100: 22245-22260.
- Counil, E. (2013). The role of the research epidemiologist in responding to an environmental alert. Lessons from operational experience dealing with a former asbestos-grinding factory (Cmmp, Aulnay-sous-Bois, France). *E R S*. 12: 330-337. <http://dx.doi.org/10.1684/ers.2013.0631>.
- Courtice, MN; Demers, PA; Takaro, TK; Vedal, S; Ahmad, SK; Davies, HW; Siddique, Z. (2011). Asbestos-related disease in Bangladeshi ship breakers: a pilot study. *Int J Occup Environ Health*. 17: 144-153. <http://dx.doi.org/10.1179/oeht.2011.17.2.144>.
- Coutts, RSP. (2005). A review of Australian research into natural fibre cement composites. *Cement and Concrete Composites*. 27: 518-526. <http://dx.doi.org/10.1016/j.cemconcomp.20047.09.003>.
- Cowie, HA; Wild, P; Beck, J; Auburtin, G; Piekarski, C; Massin, N; Cherrie, JW; Hurley, JF; Miller, BG; Groat, S; Soutar, CA. (2001). An epidemiological study of the respiratory health of workers in the European refractory ceramic fibre industry. *Occup Environ Med*. 58: 800-810.
- Cox, JE. (1986). ASBESTOS EXPOSURE LIMIT REDUCED. *ASHRAE Journal*. 28: 6-6.
- Cox, JE. (1988). ASBESTOS STUDY RELEASED. *ASHRAE Journal*. 30: 16-16.
- Cox, JE; Miro, CR. (1989). EPA BANS ASBESTOS USE - 3-PHASED PLAN SETS 1997 AS THE DEADLINE FOR ELIMINATING VIRTUALLY ALL USES. *ASHRAE Journal*. 31: 15-15.
- Cox, LA; Popken, DA. (2007). Some limitations of aggregate exposure metrics. *Risk Anal*. 27: 439-445. <http://dx.doi.org/10.1111/j.1539-6924.2007.00896.x>.
- Craciun, ME; Badea, NN; Gales, O; Aldea, F. (2011). DETERMINATION OF AEROSOLS POLLUTANTS ON MEMBRANES. EVALUATION OF PARTICLE COLLECTION EFFICIENCY AND LEAD CONCENTRATION IN AEROSOLS. *Environmental Engineering and Management Journal*. 10: 621-627.
- Craig, DK; Wehner, AP. (1971). GENERATION AND CHARACTERIZATION OF A RESPIRABLE AEROSOL OF CHRYSOTILE ASBESTOS FOR CHRONIC INHALATION STUDIES. *Am Ind Hyg Assoc J*. 32: 61-&.
- Craig, DK; Wehner, AP; Morrow, WG. (1972). The generation and characterization of a respirable aerosol of chrysotile asbestos for chronic inhalation studies. *Am Ind Hyg Assoc J*. 33: 283-292. <http://dx.doi.org/10.1080/0002889728506651>.
- Craighead, JE. (1992). Re: "Changing attitudes and opinions regarding asbestos and cancer 1934-1965" [Comment]. *Am J Ind Med*. 22: 271-273.
- Cralley, LJ. (1971). Electromotive phenomenon in metal and mineral particulate exposures: relevance to exposure to asbestos and occurrence of cancer. *Am Ind Hyg Assoc J*. 32: 653-661. <http://dx.doi.org/10.1080/0002889718506520>.
- Craun, GF; Millette, JR; Woodhull, RS; Laiuppa, R. (1977). EXPOSURE TO ASBESTOS FIBERS IN WATER DISTRIBUTION SYSTEMS. (EPIDEM/002191). *Craun, GF; Millette, JR; Woodhull, RS; Laiuppa, R.*
- Crawford, NP; Brown, P; Cowie, AJ. (1992). THE RICE AND AFRICA SCHEMES FOR ASBESTOS FIBER COUNTING. *Ann Occup Hyg*. 36: 59-69.
- Crawford, NP; Cowie, AJ. (1984). QUALITY-CONTROL OF AIRBORNE ASBESTOS FIBER COUNTS IN THE UNITED-KINGDOM - THE PRESENT POSITION. *Ann Occup Hyg*. 28: 391-398.
- Creaney, J; Olsen, NJ; Brims, F; Dick, I; Musk, AW; de Klerk, NH; Skates, SJ; Robinson, BWS. (2010). Serum Mesothelin for Early Detection of Asbestos-Induced Cancer Malignant Mesothelioma. *Cancer Epidemiol Biomarkers Prev*. 19: 2238-2246. <http://dx.doi.org/10.1158/1055-9965.EPI-10-0346>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Cree, M; Lalji, M; Jiang, B; Carriere, KC; Beach, J; Kamruzzaman, A. (2009). Explaining Alberta's rising mesothelioma rates. *Chronic Dis Can.* 29: 144-152.
- Cree, MW; Lalji, M; Jiang, B; Carriere, KC. (2009). Under-reporting of compensable mesothelioma in Alberta. *Am J Ind Med.* 52: 526-533. <http://dx.doi.org/10.1002/ajim.20705>.
- Cristaudo, A; Foddiss, R; Bonotti, A; Simonini, S; Vivaldi, A; Guglielmi, G; Bruno, R; Landi, D; Gemignani, F; Landi, S. (2010). Polymorphisms in the putative micro-RNA-binding sites of mesothelin gene are associated with serum levels of mesothelin-related protein. *Occup Environ Med.* 67: 233-236. <http://dx.doi.org/10.1136/oem.2009.049205>.
- Critelli, T; Marini, L; Schott, J; Mavromatis, V; Apollaro, C; Rinder, T; De Rosa, R; Oelkers, EH. (2014). Dissolution rates of actinolite and chlorite from a whole-rock experimental study of metabasalt dissolution from $2 \leq \text{pH} \leq 12$ at 25 degrees C. *Chem Geol.* 390: 100-108. <http://dx.doi.org/10.1016/j.chemgeo.2014.10.013>.
- Critelli, T; Marini, L; Schott, J; Mavromatis, V; Apollaro, C; Rinder, T; De Rosa, R; Oelkers, EH. (2015). Dissolution rate of antigorite from a whole-rock experimental study of serpentinite dissolution from $2 < \text{pH} < 9$ at 25 degrees C: Implications for carbon mitigation via enhanced serpentinite weathering. *Appl Geochem.* 61: 259-271. <http://dx.doi.org/10.1016/j.apgeochem.2015.06.004>.
- Croce, A; Allegrina, M; Rinaudo, C; Gaudino, G; Yang, H; Carbone, M. (2015). Numerous Iron-Rich Particles Lie on the Surface of Erionite Fibers from Rome (Oregon, USA) and Karlik (Cappadocia, Turkey). *Microsc Microanal.* 21: 1341-1347. <http://dx.doi.org/10.1017/S1431927615014762>.
- Croce, A; Musa, M; Allegrina, M; Trivero, P; Rinaudo, C. (2013). Environmental scanning electron microscopy technique to identify asbestos phases inside ferruginous bodies. *Microsc Microanal.* 19: 420-424. <http://dx.doi.org/10.1017/S1431927612014390>.
- Cromley, J. (1992). SOME LESSONS LEARNED FROM USING PARTICIPATORY METHODS IN ASBESTOS WORKER TRAINING. *Am J Ind Med.* 22: 781-784.
- Crook, J; Mousavi, A. (2016). The chlor-alkali process: A review of history and pollution. *Environ Forensics.* 17: 211-217. <http://dx.doi.org/10.1080/15275922.2016.1177755>.
- Crossman, G. (1985). DISPERSION STAINING MICROSCOPY FOR ASBESTOS IDENTIFICATION. *Chem Eng News.* 63: 2-2.
- Crovella, S; Bianco, AM; Vuch, J; Zupin, L; Rodrigues Moura, R; Trevisan, E; Schneider, M; Brollo, A; Nicastro, EM; Cosenzi, A; Zabucchi, G; Borelli, V. (2016). Iron signature in asbestos-induced malignant pleural mesothelioma: A population-based autopsy study. *J Toxicol Environ Health A.* 79: 1-13. <http://dx.doi.org/10.1080/15287394.2015.1123452>.
- Crump, KS; Berman, DW. (2011). Counting rules for estimating concentrations of long asbestos fibers. *Ann Occup Hyg.* 55: 723-735. <http://dx.doi.org/10.1093/annhyg/mer027>.
- Crump, KS; Farrar, DB. (1989). STATISTICAL ANALYSIS OF DATA ON AIRBORNE ASBESTOS LEVELS COLLECTED IN AN EPA SURVEY OF PUBLIC BUILDINGS. *Regul Toxicol Pharmacol.* 10: 51-62.
- Cruz, MJ; Curull, V; Pijuan, L; Álvarez-Simón, D; Sánchez-Font, A; de Gracia, J; Culebras, M; Ferrer, J. (2016). Utility of Bronchoalveolar Lavage for the Diagnosis of Asbestos-Related Diseases. *Arch Bronconeumol.* <http://dx.doi.org/10.1016/j.arbres.2016.08.016>.
- Cryberg, RL. (1989). THE ASBESTOS HAZARD - POST-ABATEMENT MONITORING USING TEM. *J Environ Health.* 52: 168-169.
- Cubrinovski, M; Hughes, M; O'Rourke, TD. (2014). Impacts of liquefaction on the potable water system of Christchurch in the 2010-2011 Canterbury (NZ) earthquakes. *Journal of Water Supply: Research and Technology-AQUA.* 63: 95-105. <http://dx.doi.org/10.2166/aqua.2013.004>.
- Cudahy, TJ; Whitbourn, LB; Conner, PM; Mason, P; Phillips, RN. (1999). Mapping surface mineralogy and scattering behavior using backscattered reflectance from a hyperspectral midinfrared airborne CO2 laser system (MIRACO(2)LAS). *IEEE Trans Geosci Remote Sens.* 37: 2019-2034.
- Cuendet, PA; Bilat, D. (1984). [Evaluation of the degree of protection provided by a cartridge-mask system during working with asbestos]. *Soz Praventivmed.* 29: 42-43.
- Cullen, MR. (1996). The amphibole hypothesis of asbestos-related cancer--gone but not forgotten [Editorial]. *Am J Public Health.* 86: 158-159.
- Cullen, MR; Barnett, MJ; Balmes, JR; Cartmel, B; Redlich, CA; Brodtkin, CA; Barnhart, S; Rosenstock, L; Goodman, GE; Hammar, SP; Thornquist, MD; Omenn, GS. (2005). Predictors of lung cancer among asbestos-exposed men in the beta-carotene and retinol efficacy trial. *Am J Epidemiol.* 161: 260-270. <http://dx.doi.org/10.1093/aje/kwi034>.
- Cullen, R; Miller, B; Davis, J; Brown, D; Donaldson, K. (1997). Short-term inhalation and in vitro tests as predictors of fiber pathogenicity. *Environ Health Perspect.* 105 Suppl 5: 1235-1240.
- Culley, MR; Zorland, J; Freire, K. (2010). Community responses to naturally occurring asbestos: implications for public health practice. *Health Educ Res.* 25: 877-891. <http://dx.doi.org/10.1093/her/cyq039>.
- Cunningham, HM; Pontefract, RD; O'Brien, RC. (1976). Quantitative Relationship Of Fecal Asbestos To Asbestos Exposure. *J Toxicol Environ Health.* 1: 377-379. <http://dx.doi.org/10.1080/15287397609529337>.
- Curiel-Esparza, J; Canto-Perello, J. (2005). Indoor atmosphere hazard identification in person entry urban utility tunnels. *Tunnelling and Underground Space Technology.* 20: 426-434. <http://dx.doi.org/10.1016/j.tust.2005.02.003>.
- Curran, AD. (1999). Flow cytometry in the exploration of the physiopathology of occupational lung disease. *Occup Environ Med.* 56: 742-746.
- Currie, KL; Knutson, J; Temby, PA. (1992). THE MUD TANK CARBONATITE COMPLEX, CENTRAL AUSTRALIA - AN EXAMPLE OF METASOMATISM AT MIDCRUSTAL LEVELS. *Contributions to Mineralogy and Petrology.* 109: 326-339.
- Curtis, F. (1991). Monitoring the presence of asbestos in a residential apartment building. *Environ Pollut.* 71: 69-81.
- Curtis, RA; Bierbaum, PJ. (1975). TECHNOLOGICAL FEASIBILITY OF 2 FIBERS-CC ASBESTOS STANDARD IN ASBESTOS TEXTILE FACILITIES. *Am Ind Hyg Assoc J.* 36: 115-125.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Cury Camargo, PH; Satyanarayana, KG; Wypych, F. (2009). Nanocomposites: Synthesis, Structure, Properties and New Application Opportunities. *Mater Res.* 12: 1-39.
- Cyphert, JM; Carlin, DJ; Nyska, A; Schladweiler, MC; Ledbetter, AD; Shannahan, JH; Kodavanti, UP; Gavett, SH. (2015). Comparative long-term toxicity of Libby amphibole and amosite asbestos in rats after single or multiple intratracheal exposures. *J Toxicol Environ Health A.* 78: 151-165. <http://dx.doi.org/10.1080/15287394.2014.947455>.
- Cyphert, JM; Mcgee, MA; Nyska, A; Schladweiler, MC; Kodavanti, UP; Gavett, SH. (2016). Long-term toxicity of naturally occurring asbestos in male Fischer 344 rats. *J Toxicol Environ Health A.* 79: 49-60. <http://dx.doi.org/10.1080/15287394.2015.1099123>.
- Cyphert, JM; Padilla-Carlin, DJ; Schladweiler, MC; Shannahan, JH; Nyska, A; Kodavanti, UP; Gavett, SH. (2012). Long-term response of rats to single intratracheal exposure of libby amphibole or amosite. *J Toxicol Environ Health A.* 75: 183-200. <http://dx.doi.org/10.1080/15287394.2012.641203>.
- Czuba, R; Andruszczak, E; Chodak, T; Bogda, A; Straczynski, S. (1992). The impact of the Naslawice mine on the crops growing in its vicinity. *Med Pr.* 43: 227-233.
- da Costa Silva, AR; Nobre Villas, RN; Lafon, JM; Craveiro, GS; Ferreira, VP. (2015). Stable isotope systematics and fluid inclusion studies in the Cu-Au Visconde deposit, Carajas Mineral Province, Brazil: implications for fluid source generation. *Miner Depos.* 50: 547-569. <http://dx.doi.org/10.1007/s00126-014-0558-8>.
- da Fonseca, MG; Airoidi, C. (1999). Action of silylating agents on a chrysotile surface and subsequent reactions with 2-pyridine and 2-thiophene carbaldehydes. *J Mater Chem.* 9: 1375-1380.
- da Silva, SP; Wander, AP; Bisatto, R; Galland, GB. (2011). Preparation and characterization of chrysotile for use as nanofiller in polyolefins. *Nanotechnology.* 22: 105701. <http://dx.doi.org/10.1088/0957-4484/22/10/105701>.
- D'Acri, V; De Souza, KR; Dos Santos, MBM; De Castro, HA. (2009). Workers Education and Research in the Construction of the Solidarity Action Movement for the Struggle for Health: the case of the Brazilian Association of the Exposed to Asbestos (ABREA/RJ). 18: 154-163.
- D'acri, V; Souza, KR, d; Santos, M; Castro, HA, d. (2009). Formação de trabalhadores e pesquisa na construção do movimento de ação solidária de luta pela saúde: o caso da Associação Brasileira de Expostos ao Amianto do Rio de Janeiro (ABREA/RJ). 18: 154-163.
- Daghino, S; Turci, F; Tomatis, M; Favier, A; Perotto, S; Douki, T; Fubini, B. (2006). Soil fungi reduce the iron content and the DNA damaging effects of asbestos fibers. *Environ Sci Technol.* 40: 5793-5798. <http://dx.doi.org/10.1021/es060881v>.
- D'Agostin, F; Negro, C; Barbati, G; De Zotti, R. (2012). [Anti-smoking counseling in a group of workers with past exposure to asbestos]. *Med Lav.* 103: 449-458.
- Dahl, PS. (1996). The effects of composition on retentivity of argon and oxygen in hornblende and related amphiboles: A field-tested empirical model. *Geochim Cosmo Acta.* 60: 3687-3700.
- Dahlgren, JG; Talbott, PJ. (2016). Lung cancer from asbestos textured ceilings: a case study. *Int J Occup Environ Health.* 22: 175-178. <http://dx.doi.org/10.1080/10773525.2016.1162952>.
- Damiran, N; Davaajav, K; Erdenebayar, E; Gomboloi, B; Frank, AL. (2015). Mesothelioma in Mongolia: case report. *Int J Occup Environ Health.* 21: 166-168. <http://dx.doi.org/10.1179/2049396714Y.0000000101>.
- Daniel, H; Wastiaux, A; Sebastien, P; Begin, R. (1993). EFFECTS OF PHOSPHORYLATION OF CHRYSOTILE ON PLEUROPULMONARY FIBROGENICITY AND CARCINOGENICITY. *Br J Ind Med.* 50: 167-171.
- Daniel, LN; Mao, Y; Wang, TC; Markey, CJ; Markey, SP; Shi, X; Saffiotti, U. (1995). DNA strand breakage, thymine glycol production, and hydroxyl radical generation induced by different samples of crystalline silica in vitro. *Environ Res.* 71: 60-73. <http://dx.doi.org/10.1006/enrs.1995.1068>.
- Daniels, RD; Kubale, TL; Yiin, JH; Dahm, MM; Hales, TR; Baris, D; Zahm, SH; Beaumont, JJ; Waters, KM; Pinkerton, LE. (2014). Mortality and cancer incidence in a pooled cohort of US firefighters from San Francisco, Chicago and Philadelphia (1950-2009). *Occup Environ Med.* 71: 388-397. <http://dx.doi.org/10.1136/oemed-2013-101662>.
- Danielsen, TE; Langård, S; Andersen, A. (1996). Incidence of cancer among Norwegian boiler welders. *Occup Environ Med.* 53: 231-234.
- Danielsen, TE; Langård, S; Andersen, A. (2000). Incidence of cancer among welders and other shipyard workers with information on previous work history. *J Occup Environ Med.* 42: 101-109.
- Danielsen, TE; Langard, S; Andersen, A; Knudsen, O. (1993). INCIDENCE OF CANCER AMONG WELDERS OF MILD-STEEL AND OTHER SHIPYARD WORKERS. *Br J Ind Med.* 50: 1097-1103.
- Darne, C; Terzetti, F; Coulais, C; Fournier, J; Guichard, Y; Gaté, L; Binet, S. (2010). In vitro cytotoxicity and transforming potential of industrial carbon dust (fibers and particles) in syrian hamster embryo (SHE) cells. *Ann Occup Hyg.* 54: 532-544. <http://dx.doi.org/10.1093/annhyg/meq012>.
- Darnton, A; Hodgson, J; Benson, P; Coggon, D. (2012). Mortality from asbestosis and mesothelioma in Britain by birth cohort. *Occup Med (Lond).* 62: 549-552. <http://dx.doi.org/10.1093/ocmed/kqs119>.
- Darnton, AJ; Mcelvenny, DM; Hodgson, JT. (2006). Estimating the number of asbestos-related lung cancer deaths in Great Britain from 1980 to 2000. *Ann Occup Hyg.* 50: 29-38. <http://dx.doi.org/10.1093/annhyg/mei038>.
- Datta, AK. (1991). DEHYDRATION OF CHRYSOTILE ASBESTOS - AN INFRARED-ABSORPTION STUDY. *Journal of Mater Sci Lett.* 10: 870-871.
- Datta, AK; Mathur, BK; Samantaray, BK; Bhattacharjee, S. (1987). DEHYDRATION AND PHASE-TRANSFORMATION IN CHRYSOTILE ASBESTOS - A RADIAL-DISTRIBUTION ANALYSIS STUDY. *Bulletin of Materials Science.* 9: 103-110.
- Datta, AK; Samantaray, BK; Bhattacharjee, S. (1986). THERMAL TRANSFORMATION IN A CHRYSOTILE ASBESTOS. *Bulletin of Materials Science.* 8: 497-503.
- Daude, G; Lasnier, JM; Guillabert, B; Filliatre, C; Sabouraud, A; Guilhemat, R. (1996). Extraction and identification of organic fibres from fibre-reinforced cement composites without asbestos. *Cement and Concrete Research.* 26: 791-798.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Daval, D; Hellmann, R; Martinez, I; Gangloff, S; Guyot, F. (2013). Lizardite serpentine dissolution kinetics as a function of pH and temperature, including effects of elevated pCO₂. *Chem Geol.* 351: 245-256. <http://dx.doi.org/10.1016/j.chemgeo.2013.05.020>.
- David, AM; Ogawa, H; Takahashi, K. (2012). A baseline profile of asbestos in the US-affiliated Pacific Islands. *Int J Occup Environ Health.* 18: 22-28. <http://dx.doi.org/10.1179/1077352512Z.0000000003>.
- Davidson, GJ; Paterson, H; Meffre, S; Berry, RF. (2007). Characteristics and origin of the Oak Dam East breccia-hosted, iron oxide Cu-U-(Au) deposit: Olympic Dam region, Gawler craton, South Australia. *Econ Geol.* 102: 1471-1498.
- Davies, JC; Kielkowski, D; Phillips, JI; Govuzela, M; Solomon, A; Makofane, MR; Sekgobela, ML; Garton, E. (2004). Asbestos in the sputum, crackles in the lungs, and radiologic changes in women exposed to asbestos. *Int J Occup Environ Health.* 10: 220-225. <http://dx.doi.org/10.1179/oeh.2004.10.2.220>.
- Davies, JCA. (1991). DEJA-VU. *Am J Ind Med.* 19: 141-143.
- Davies, L; Cherrie, JW. (1992). AIRBORNE FIBER CONCENTRATIONS IN A GLASS CONTINUOUS FILAMENT FACTORY. *Ann Occup Hyg.* 36: 609-627.
- Davis, BL. (1990). QUANTITATIVE-ANALYSIS OF ASBESTOS MINERALS BY THE REFERENCE INTENSITY-X-RAY DIFFRACTION PROCEDURE. *Am Ind Hyg Assoc J.* 51: 297-303.
- Davis, DR. (1987). Potential health hazards of ceramic ring lining material. *J Prosthet Dent.* 57: 362-369.
- Davis, HV; Reeves, AL. (1971). Collagen biosynthesis in rat lungs during exposure to asbestos. *Am Ind Hyg Assoc J.* 32: 599-602. <http://dx.doi.org/10.1080/0002889718506512>.
- Davis, JJ; Gulson, BL. (2005). Ceiling (attic) dust: a "museum" of contamination and potential hazard. *Environ Res.* 99: 177-194. <http://dx.doi.org/10.1016/j.envres.2004.10.011>.
- Davis, JM. (1994). Other diseases in animals. *Ann Occup Hyg.* 38: 581-587, 420.
- Davis, JM. (1994). The role of clearance and dissolution in determining the durability or biopersistence of mineral fibers. *Environ Health Perspect.* 102: 113-117.
- Davis, JMG. (1980). THE USE OF ANIMAL INHALATION EXPERIMENTS IN THE STUDY OF ASBESTOS BIOEFFECTS. *Staub, Reinhaltung der Luft.* 40: 453-455.
- Davis, JMG. (1993). THE NEED FOR STANDARDIZED TESTING PROCEDURES FOR ALL PRODUCTS CAPABLE OF LIBERATING RESPIRABLE FIBERS - THE EXAMPLE OF MATERIALS BASED ON CELLULOSE. *Br J Ind Med.* 50: 187-190.
- Davis, JMG; Cowie, HA. (1990). The Relationship between Fibrosis and Cancer in Experimental Animals Exposed to Asbestos and Other Fibers [Review]. *Environ Health Perspect.* 88: 305-309.
- Davis, JMG; Donaldson, K. (1993). RESPIRABLE INDUSTRIAL FIBERS - PATHOLOGY IN ANIMAL-MODELS. *Ann Occup Hyg.* 37: 227-236.
- Davis, P; Burn, S; Moglia, M; Gould, S. (2007). A physical probabilistic model to predict failure rates in buried PVC pipelines. *Reliab Eng Syst Saf.* 92: 1258-1266. <http://dx.doi.org/10.1016/j.res.2006.08.001>.
- Davis, P; De Silva, D; Marlow, D; Moglia, M; Gould, S; Burn, S. (2008). Failure prediction and optimal scheduling of replacements in asbestos cement water pipes. *Journal of Water Supply: Research and Technology-AQUA.* 57: 239-252. <http://dx.doi.org/10.2166/aqua.2008.035>.
- Davis, TE. (1990). ASBESTOS ABATEMENT COST RECOVERY UNDER THE COMPREHENSIVE ENVIRONMENTAL RESPONSE, COMPENSATION, AND LIABILITY ACT. *Harvard Environmental Law Review.* 14: 253-276.
- Daynard, RA; Howard, PT; Wilking, CL. (2004). Private enforcement: Litigation as a tool to prevent obesity. *J Public Health Policy.* 25: 408-417.
- de Abreu, PG; Abreu, VMN; Coldebella, A; Lopes, L, dosS; da Conceicao, V; Tomazelli, IL. (2011). Thermographic analysis of the superficial temperature of roof tiles. *Revista Brasileira de Engenharia Agrícola e Ambiental - Agriambi.* 15: 1193-1198.
- de Almeida, EA; Passini, R. (2013). THERMAL COMFORT IN REDUCED MODELS OF BROILERS' HOUSES, UNDER DIFFERENT TYPES OF ROOFING MATERIALS. *Engenharia Agricola.* 33: 19-27.
- de Assis, SA; Fernandes, P; Ferreira, BS; Cabral, JMS; Oliveira, OMM, F. (2004). Screening of supports for the immobilization of pectinmethylesterase from acerola (*Malpighia glabra* L). *J Chem Tech Biotechnol.* 79: 277-280. <http://dx.doi.org/10.1002/jctb.973>.
- de Castro, AB; Garcia, G; Gee, GC; Tsai, JHC; Rue, T; Takeuchi, DT. (2010). Smoking and the Asian American Workforce in the National Latino and Asian American Study. *Am J Ind Med.* 53: 171-178. <http://dx.doi.org/10.1002/ajim.20697>.
- de Haller, A; Corfu, F; Fontbote, L; Schaltegger, U; Barra, F; Chiaradia, M; Frank, M; Alvarado, JZ. (2006). Geology, geochronology, and Hf and Pb isotope data of the Raul-Condostable iron oxide-copper-gold deposit, central coast of Peru. *Econ Geol.* 101: 281-310.
- De Hoog, J, anCM; Hattori, K; Jung, H. (2014). Titanium- and water-rich metamorphic olivine in high-pressure serpentinites from the Voltri Massif (Ligurian Alps, Italy): evidence for deep subduction of high-field strength and fluid-mobile elements. *Contributions to Mineralogy and Petrology.* 167. <http://dx.doi.org/10.1007/s00410-014-0990-x>.
- de Miranda, S; Molari, L; Scalet, G; Ubertini, F. (2012). Simple Beam Model to Estimate Leakage in Longitudinally Cracked Pressurized Pipes. *Journal of Structural Engineering.* 138: 1065-1074. [http://dx.doi.org/10.1061/\(ASCE\)ST.1943-541X.0000535](http://dx.doi.org/10.1061/(ASCE)ST.1943-541X.0000535).
- De Stefani, E; Boffetta, P; Brennan, P; Deneo-Pellegrini, H; Ronco, A; Gutiérrez, LP. (2005). Occupational exposures and risk of adenocarcinoma of the lung in Uruguay. *Cancer Causes Control.* 16: 851-856. <http://dx.doi.org/10.1007/s10552-005-2819-4>.
- De Stefano, L; De Luca, F; Buccolieri, G. (1998). Analytical methods for quantitative asbestos determination by X-ray diffraction. *Ann Chim.* 88: 11-12.
- De Stefano, L; De Luca, F; Buccolieri, G; Plescia, P. (2000). Milling effects upon quantitative determinations of chrysotile asbestos by the reference intensity ratio method. *Powder Diffraction.* 15: 26-29.
- De Vita, J; Wall, S; Wagner, J; Wang, ZM; Rao, LE. (2012). Determining the frequency of asbestos use in automotive brakes from a fleet of on-road California vehicles. *Environ Sci Technol.* 46: 1344-1351. <http://dx.doi.org/10.1021/es202667d>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- de Vries, H; Lechner, L. (2000). Motives for protective behavior against carcinogenic substances in the workplace: a pilot study among Dutch workers. *J Occup Environ Med.* 42: 88-95.
- De Vuyst, P. (1994). Biopersistence of respirable synthetic fibers and minerals: point of view of the chest physician [Review]. *Environ Health Perspect.* 102 Suppl 5: 7-9.
- De Vuyst, P; Dumortier, P; Gevenois, PA. (1997). Analysis of asbestos bodies in BAL from subjects with particular exposures. *Am J Ind Med.* 31: 699-704.
- De Zotti, R; Barbati, G; Negro, C. (2013). [Autopsy findings and pleural plaques in the Malignant Mesothelioma (MM) Regional Register of Friuli-Venezia-Giulia]. *Med Lav.* 104: 55-66.
- Deangelis, MT; Labotka, TC; Cole, DR; Fayek, M; Anovitz, LM. (2007). Experimental investigation of the breakdown of dolomite in rock cores at 100 MPa, 650-750 degrees C. *Am Mineral.* 92: 510-517. <http://dx.doi.org/10.2138/am.2007.2164>.
- Dearwent, SM; Mumtaz, M; Godfrey, G; Sinks, T; Falk, H. (2006). Health Effects of Hazardous Waste. *Ann N Y Acad Sci.* 1076: 439-448. <http://dx.doi.org/10.1196/annals.1371.043>.
- Debret, B; Andreani, M; Godard, M; Nicollet, C; Schwartz, S; Lafay, R. (2013). Trace element behavior during serpentinization/deserpentinization of an eclogitized oceanic lithosphere: A LA-ICPMS study of the Lanzo ultramafic massif (Western Alps). *Chem Geol.* 357: 117-133. <http://dx.doi.org/10.1016/j.chemgeo.2013.08.025>.
- Debret, B; Andreani, M; Munoz, M; Bolfan-Casanova, N; Carlut, J; Nicollet, C; Schwartz, S; Trcera, N. (2014). Evolution of Fe redox state in serpentine during subduction. *Earth Planet Sci Lett.* 400: 206-218. <http://dx.doi.org/10.1016/j.epsl.2014.05.038>.
- Debret, B; Bolfan-Casanova, N; Padron-Navarta, JA; Martin-Hernandez, F; Andreani, M; Garrido, CJ; Lopez Sanchez-Vizcaino, V; Teresa Gomez-Pugnaire, M; Munoz, M; Trcera, N. (2015). Redox state of iron during high-pressure serpentine dehydration. *Contributions to Mineralogy and Petrology.* 169. <http://dx.doi.org/10.1007/s00410-015-1130-y>.
- Dechant, R; Piantanida, L. (1984). REDUCTION OF EXPOSURE DURING ASBESTOS LAGGING RIP-OUT. *Am Ind Hyg Assoc J.* 45: B9-B9.
- Degiovanni, D; Pesce, B; Ponderano, N. (2004). Asbestos in Italy. *Int J Occup Environ Health.* 10: 193-197. <http://dx.doi.org/10.1179/oeh.2004.10.2.193>.
- Degryse, P; Muchez, P; Six, S; Waelkens, M. (2003). Identification of ore extraction and metal working in ancient times: a case study of Sagalassos (SW Turkey). *J Geochem Explor.* 77: 65-80. [http://dx.doi.org/10.1016/S0375-6742\(02\)00270-4](http://dx.doi.org/10.1016/S0375-6742(02)00270-4).
- DEKLERK. (1990). CANCER MORTALITY AND EXPOSURE TO CROCIDOLITE - REPLY. *Br J Ind Med.* 47: 286-286.
- Deklerk, NH; Armstrong, BK; Musk, WA; Hobbs, MST. (1988). CROCIDOLITE EXPOSURE AT WITTENOOM AND SUBSEQUENT DEVELOPMENT OF MALIGNANT MESOTHELIOMA. *Community Health Stud.* 12: 472-472.
- Delclos, GL; Flitcraft, DG; Brousseau, KP; Windsor, NT; Nelson, DL; Wilson, RK; Lawrence, EC. (1989). Bronchoalveolar lavage analysis, gallium-67 lung scanning and soluble interleukin-2 receptor levels in asbestos exposure. *Environ Res.* 48: 164-178.
- Delgermaa, V; Takahashi, K; Park, EK; Le, GV; Hara, T; Sorahan, T. (2011). Global mesothelioma deaths reported to the World Health Organization between 1994 and 2008. *Bull World Health Organ.* 89: 716-724, 724A-724C. <http://dx.doi.org/10.2471/BLT.11.086678>.
- Della Ventura, G; Iezzi, G; Redhammer, GJ; Hawthorne, FC; Scaillet, B; Novembre, D. (2005). Synthesis and crystal-chemistry of alkali amphiboles in the system Na₂O-MgO-FeO-Fe₂O₃SiO₂-H₂O as a function of f(O₂). *Am Mineral.* 90: 1375-1383.
- Della Ventura, G; Redhammer, GJ; Iezzi, G; Hawthorne, FC; Papin, A; Robert, JL. (2005). A Mossbauer and FTIR study of synthetic amphiboles along the magnesioriebeckite-ferri-clinoholmquistite join. *Physics and Chemistry of Minerals.* 32: 103-113. <http://dx.doi.org/10.1007/s00269-005-0451-1>.
- Della VENTURA, G; Robert, JL; Beny, JM. (1991). TETRAHEDRALLY COORDINATED TI-4(+) IN SYNTHETIC TI-RICH POTASSIC RICHTERITE - EVIDENCE FROM XRD, FTIR, AND RAMAN STUDIES. *Am Mineral.* 76: 1134-1140.
- Dellisanti, F; Rossi, PL; G, V. (2009). In-field remediation of tons of heavy metal-rich waste by Joule heating vitrification. *Int J Miner Process.* 93: 239-245. <http://dx.doi.org/10.1016/j.minpro.2009.09.002>.
- Dellisanti, F; Rossi, PL; Valdre, G. (2009). Remediation of asbestos containing materials by Joule heating vitrification performed in a pre-pilot apparatus. *Int J Miner Process.* 91: 61-67. <http://dx.doi.org/10.1016/j.minpro.2008.12.001>.
- Delvasto, S; Toro, EF; Perdomo, F; Mejia de Gutierrez, R. (2010). An appropriate vacuum technology for manufacture of corrugated fique fiber reinforced cementitious sheets. *Construction and Building Materials.* 24: 187-192. <http://dx.doi.org/10.1016/j.conbuildmat.2009.01.010>.
- Dement, JM; Kuempel, ED; Zumwalde, RD; Ristich, AM; Fernback, JE; Smith, RJ. (2015). Airborne fiber size characterization in exposure estimation: Evaluation of a modified transmission electron microscopy protocol for asbestos and potential use for carbon nanotubes and nanofibers. *Am J Ind Med.* 58: 494-508. <http://dx.doi.org/10.1002/ajim.22422>.
- Dement, JM; Loomis, D; Richardson, D; Wolf, SH; Kuempel, ED. (2011). Estimates of historical exposures by phase contrast and transmission electron microscopy for pooled exposure--response analyses of North Carolina and South Carolina, USA asbestos textile cohorts. *Occup Environ Med.* 68: 593-598. <http://dx.doi.org/10.1136/oem.2010.059972>.
- Dement, JM; Myers, D; Loomis, D; Richardson, D; Wolf, S. (2009). Estimates of historical exposures by phase contrast and transmission electron microscopy in North Carolina USA asbestos textile plants. *Occup Environ Med.* 66: 574-583. <http://dx.doi.org/10.1136/oem.2008.040410>.
- Dement, JM; Ringen, K; Welch, LS; Bingham, E; Quinn, P. (2009). Mortality of older construction and craft workers employed at Department of Energy (DOE) nuclear sites. *Am J Ind Med.* 52: 671-682. <http://dx.doi.org/10.1002/ajim.20729>.
- Dement JM; Kuempel, ED; Zumwalde, RD; Smith, RJ; Stayner, LT; Loomis, D. (2008). Development of a fibre size-specific job-exposure matrix for airborne asbestos fibres. *J Occup Environ Med.* 65: 605-612. <http://dx.doi.org/10.1136/oem.2007.033712>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Demers, PA; Schade, WJ; Demers, RY. (1994). LYMPHOCYTOPENIA AND OCCUPATIONAL EXPOSURES AMONG PATTERN AND MODEL MAKERS. *Scand J Work Environ Health*. 20: 107-112.
- Demers, PA; Stellman, SD; Colin, D; Boffetta, P. (1998). Nonmalignant respiratory disease mortality among woodworkers participating in the American Cancer Society Cancer Prevention Study-II (CPS-II). *Am J Ind Med*. 34: 238-243.
- Demers, RY; Neale, AV; Robins, T; Herman, SC. (1990). Asbestos-related pulmonary disease in boilermakers. *Am J Ind Med*. 17: 327-339. <http://dx.doi.org/10.1002/ajim.4700170305>.
- Denardo, P; Bruni, B; Paoletti, L; Pasetto, R; Sirianni, B. (2004). Pulmonary fibre burden in sheep living in the Biancavilla area (Sicily): preliminary results. *Sci Total Environ*. 325: 51-58. <http://dx.doi.org/10.1016/j.scitotenv.2003.11.018>.
- Denes, G; Vaillancourt, A; Kipkemboi, P; Levanmao, R. (1988). MAGNESIUM LEACHING OF ASBESTOS CHRYSOTILE AS A NEW SYNTHETIC ROUTE TO MICROCRYSTALLINE SILICON DIOXIDE. 81: 98-98.
- Deng, XD; Li, JW, ei; Wen, G. (2014). Dating iron skarn mineralization using hydrothermal allanite-(La) U-Th-Pb isotopes by laser ablation ICP-MS. *Chem Geol*. 382: 95-110. <http://dx.doi.org/10.1016/j.chemgeo.2014.05.023>.
- Deng, XD; Li, JW, ei; Zhou, M, eiFu; Zhao, X, inFu; Yan, D, aiR. (2015). In-situ LA-ICPMS trace elements and U-Pb analysis of titanite from the Mesozoic Ruanjiawan W-Cu-Mo skarn deposit, Daye district, China. *Ore Geol Rev*. 65: 990-1004. <http://dx.doi.org/10.1016/j.oregeorev.2014.08.011>.
- Deng, XH, ua; Chen, Y, anJ; Santosh, M; Wang, JB, in; Li, C; Yue, S, uWei; Zheng, Z; Chen, HJ, in; Tang, H, aoShu; Dong, LH, ui; Qu, X, un. (2017). U-Pb zircon, Re-Os molybdenite geochronology and Rb-Sr geochemistry from the Xiaobaishitou W (-Mo) deposit: Implications for Triassic tectonic setting in eastern Tianshan, NW China. *Ore Geol Rev*. 80: 332-351. <http://dx.doi.org/10.1016/j.oregeorev.2016.05.013>.
- Denizeau, F; Marion, M; Fleury, J; Chevalier, G; Cote, MG. (1984). 2-ACETYLAMINOFLUORENE-INDUCED UDS IN THE PRESENCE OF CHRYSOTILE ASBESTOS FIBERS. *Environ Mutagen*. 6: 427-428.
- Denson, FG. (1972). DESIGN CONSIDERATIONS IN USE OF ASBESTOS-CEMENT PRESSURE PIPE. *J Am Water Works Assoc*. 64: 441-&.
- Denzin Tonoli, GH; dos Santos, SF; Rabi, JA; dos Santos, WN; Savastano Junior, H. (2011). Thermal performance of sisal fiber-cement roofing tiles for rural constructions. *Scientia Agricola*. 68: 1-7.
- Depasse, J. (1982). INFLUENCE OF THE SIALIC-ACID CONTENT OF THE MEMBRANE ON ITS SUSCEPTIBILITY TO CHRYSOTILE. *Environ Res*. 27: 384-388.
- Derbyshire, EJ; O'Driscoll, B; Lenaz, D; Gertisser, R; Kronz, A. (2013). Compositionally heterogeneous podiform chromitite in the Shetland Ophiolite Complex (Scotland): Implications for chromitite petrogenesis and late-stage alteration in the upper mantle portion of a supra-subduction zone ophiolite. *Lithos*. 162: 279-300. <http://dx.doi.org/10.1016/j.lithos.2012.11.013>.
- Dermatas, D; Mpouras, T; Chrysochoou, M; Panagiotakis, I; Vatsaris, C; Linardos, N; Theologou, E; Boboti, N; Xenidis, A; Papassiopi, N; Sakellariou, L. (2015). Origin and concentration profile of chromium in a Greek aquifer. *J Hazard Mater*. 281: 35-46. <http://dx.doi.org/10.1016/j.jhazmat.2014.09.050>.
- Derunt, JM; Shuler, PJ; Zumwalde, RD. (1972). Fiber Exposure During Use of Baby Powders. (NIOSH/00106056). Derunt, JM; Shuler, PJ; Zumwalde, RD.
- Desai, R; Richards, RJ. (1983). Effects of chrysotile on a lysosomal enzyme preparation and on the hydrolytic enzyme activity of cultured alveolar macrophages. *Environ Health Perspect*. 51: 125-130.
- Descatha, A; Ollivier, S; Despreaux, T. (2015). Re: Fitzgerald et al. "Eligibility for low-dose computerized tomography screening among asbestos-exposed individuals" [Comment]. *Scand J Work Environ Health*. 41: 417-418. <http://dx.doi.org/10.5271/sjweh.3503>.
- Deschamps, E; Le Nalbault, J; Descatha, A. (2014). Association between the reasoned opinion of occupational physicians and the decisions of a regional occupational disease commission (CRRMP). *Arch Mal Prof Environ*. 75: 566-573. <http://dx.doi.org/10.1016/j.admp.2014.04.004>.
- Deschamps, F; Barouh, M; Deslee, G; Prevost, A; Munck, JN. (2006). Estimates of work-related cancers in workers exposed to carcinogens. *Occup Med (Lond)*. 56: 204-209. <http://dx.doi.org/10.1093/occmed/kqj038>.
- Deschamps, F; Godard, M; Guillot, S; Chauvel, C; Andreani, M; Hattori, K; Wunder, B; France, L. (2012). Behavior of fluid-mobile elements in serpentines from abyssal to subduction environments: Examples from Cuba and Dominican Republic. *Chem Geol*. 312: 93-117. <http://dx.doi.org/10.1016/j.chemgeo.2012.04.009>.
- Deschamps, F; Guillot, S; Godard, M; Chauvel, C; Andreani, M; Hattori, K. (2010). In situ characterization of serpentinites from forearc mantle wedges: Timing of serpentinization and behavior of fluid-mobile elements in subduction zones. *Chem Geol*. In Press, Corrected Proof: 262-277. <http://dx.doi.org/10.1016/j.chemgeo.2009.10.002>.
- Deseta, N; Ashwal, LD; Andersen, TB. (2014). Initiating intermediate-depth earthquakes: Insights from a HP-LT ophiolite from Corsica. *Lithos*. 206: 127-146. <http://dx.doi.org/10.1016/j.lithos.2014.07.022>.
- Desoubreaux, N; Bouvier, V; Gervais, R; Galateau-Salle, F; Thibon, P; Leplumey, T; Herbert, C; Lecherbonnier, Y; Daviet, JP; Letourneux, M. (2001). [Malignant mesothelioma in Basse-Normandie, a French population study. Descriptive analysis, prognostic factors and survival]. *Rev Epidemiol Sante Publique*. 49: 523-529.
- Desouza, JL; Mendes, JC; Bello, RMD; Svisero, DP; Valarelli, JV. (1992). PETROGRAPHIC AND MICROTHERMOMETRICAL STUDIES OF EMERALDS IN THE GARIMPO OF CAPOEIRANA, NOVA ERA, MINAS-GERAIS STATE, BRAZIL. *Miner Depos*. 27: 161-168.
- Devecerski, A; Posarac, M; Egelja, A; Radosavljevic-Mihajlovic, A; Boskovic, S; Logar, M; Matovic, B. (2008). Fabrication of SiC by carbothermal-reduction reactions of mountain leather asbestos. *J Alloy Comp*. 464: 270-276. <http://dx.doi.org/10.1016/j.jallcom.2007.09.090>.
- Dewit, LA; Scholten, JJ. (1975). STUDIES ON PORE STRUCTURE OF ADSORBENTS AND CATALYSTS .2. PORE-SIZE DISTRIBUTION IN SYNTHETIC CHRYSOTILE - CLASSICAL AND CORRECTED KELVIN EQUATION APPLIED TO NITROGEN CAPILLARY CONDENSATION. *J Catal*. 36: 30-35.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Dewit, LA; Scholten, JJ. (1975). STUDIES ON PORE STRUCTURE OF ADSORBENTS AND CATALYSTS .3. COMPARISON OF PORE-SIZE DISTRIBUTIONS DETERMINED IN CHRYSOTILE AND ZIRCONIA SAMPLES BY MERCURY POROSIMETRY AND NITROGEN CAPILLARY CONDENSATION. *J Catal.* 36: 36-47.
- Dhariyal, KD; Rai, M. (1979). CALCIUM SILICATE BONDED ASBESTOS INSULATION PRODUCTS. 24: 90-101.
- di Bentivoglio, C; Ramazzini, C. (1999). Call for an international ban on asbestos. *Am J Ind Med.* 36: 227-229.
- Di Ciaula, A; Gennaro, V. (2016). [Possible health risks from asbestos in drinking water]. *Epidemiol Prev.* 40: 472-475. <http://dx.doi.org/10.19191/EP16.6.P472.129>.
- Di Viesto, PL; Annibali, M; Cardellini, F; Marucci, G; Sica, M; Portofino, S. (2004). Asbestos Inertization Through Microwave Thermal Treatment: Materials Characterization And Economic Evaluation. *Mater Res Innovat.* 8: 58-62.
- Diandini, R; Takahashi, K; Park, EK; Jiang, Y; Movahed, M; Le, GV; Lee, LJ; Delgermaa, V; Kim, R. (2013). Potential years of life lost (PYLL) caused by asbestos-related diseases in the world. *Am J Ind Med.* 56: 993-1000. <http://dx.doi.org/10.1002/ajim.22206>.
- Dias, CMR; Cincotto, MA; Savastano, H, Jr; John, VM. (2008). Long-term aging of fiber-cement corrugated sheets - The effect of carbonation, leaching and acid rain. *Cement and Concrete Composites.* 30: 255-265. <http://dx.doi.org/10.1016/j.cemconcomp.2007.11.001>.
- Dias, GFD; Alves, PLD, A; Dias, TCD. (2004). *Brachiaria decumbens* suppresses the initial growth of *Coffea arabica*. *Scientia Agricola.* 61: 579-583.
- Dicicco, M; Compton, R; Duong, T; Jansen-Varnum, SA. (2005). Electron paramagnetic resonance analyses of surface radical chemistries of gamma-sterilized orthopedic materials: implications pointing to cytotoxicity via wear debris-induced inflammation. *J Biomed Mater Res B Appl Biomater.* 75: 6-17. <http://dx.doi.org/10.1002/jbm.b.30164>.
- Dicicco, M; Compton, R; Jansen-Varnum, SA. (2005). In vitro evaluation of orthopedic composite cytotoxicity: assessing the potential for postsurgical production of hydroxyl radicals. *J Biomed Mater Res B Appl Biomater.* 72: 146-155. <http://dx.doi.org/10.1002/jbm.b.30127>.
- Diella, V; Ferrario, A; Girardi, VAV. (1995). PGE AND PGM IN THE LUANGA MAFIC-ULTRAMAFIC INTRUSION IN SERRA-DOS-CARAJAS (PARA STATE, BRAZIL). *Ore Geol Rev.* 9: 445-453.
- Dilek, Y; Whitney, DL. (1997). Counterclockwise P-T-t trajectory from the metamorphic sole of a Neo-Tethyan ophiolite (Turkey). *Tectonophysics.* 280: 295-310.
- Dilles, JH; Einaudi, MT. (1992). WALL-ROCK ALTERATION AND HYDROTHERMAL FLOW PATHS ABOUT THE ANN-MASON PORPHYRY COPPER-DEPOSIT, NEVADA - A 6-KM VERTICAL RECONSTRUCTION. *Econ Geol.* 87: 1963-2001.
- Dilles, JH; Solomon, GC; Taylor, HP; Einaudi, MT. (1992). OXYGEN AND HYDROGEN ISOTOPE CHARACTERISTICS OF HYDROTHERMAL ALTERATION AT THE ANN-MASON PORPHYRY COPPER-DEPOSIT, YERINGTON, NEVADA. *Econ Geol.* 87: 44-63.
- Dimiskovska, B. (2010). ENVIRONMENTAL RISKS DUE TO DEBRIS CONTAINING ASBESTOS IN POST-EARTHQUAKE CONDITIONS. 45: 299-306. <http://dx.doi.org/10.1556/AGeod.45.2010.3.4>.
- Ding, JY; Yu, CP; Zhang, L; Chen, YK. (1997). Deposition modeling of fibrous particles in rats: Comparisons with available experimental data. *Aerosol Sci Technol.* 26: 403-414.
- Ding, L; Morimoto, Y; Oyabu, T; Kim, H; Ohgami, A; Yatera, K; Hirohashi, M; Yamato, H; Hori, H; Higashi, T; Tanaka, I. (2001). Gene expression of Clara cell secretory protein, surfactant protein-A and thyroid transcription factor-1 in the lungs of rats exposed to potassium octatitanate whiskers in vivo. *J Occup Health.* 43: 111-117.
- Dingle, P; Lalla, F. (2002). Indoor Air Health Risk Perceptions in Australia. *Indoor Built Environ.* 11: 275-284. <http://dx.doi.org/10.1159/000066527>.
- Djon, MLN; Barnes, SJ. (2012). Changes in sulfides and platinum-group minerals with the degree of alteration in the Roby, Twilight, and High Grade Zones of the Lac des Iles Complex, Ontario, Canada. *Miner Depos.* 47: 875-896. <http://dx.doi.org/10.1007/s00126-012-0401-z>.
- Dneprovskii, V; Karavanskii, V; Poborchii, V; Salamatina, I; Zhukov, E. (1997). Semiconductor quantum wires: Nonlinear optical properties. *Institute of Physics Conference Series*825-828.
- Dobbe, RTM. (1991). TELLURIDES, SELENIDES AND ASSOCIATED MINERALS IN THE TUNABERG COPPER-DEPOSITS, SE BERGSLAGEN, CENTRAL SWEDEN. *Mineralogy and Petrology.* 44: 89-106.
- Dobbe, RTM. (1994). GEOCHEMISTRY OF CORDIERITE-ANTHOPHYLLITE ROCKS, TUNABERG, BERGSLAGEN, SWEDEN. *Econ Geol.* 89: 919-930.
- Dobbertin, S. (1977). HAZARDS TO HEALTH DUE TO AIR-POLLUTION WITH ASBESTOS. *Staub, Reinhaltung der Luft.* 37: 65-67.
- Dodony, I. (1997). Structure of the 30-sectored polygonal serpentine. A model based on TEM and SAED studies. *Physics and Chemistry of Minerals.* 24: 39-49.
- Dodony, I; Posfai, M; Buseck, PR. (2002). Revised structure models for antigorite: An HRTEM study. *Am Mineral.* 87: 1443-1457.
- Dodony, I; Posfai, M; Buseck, PR. (2006). Does antigorite really contain 4- and 8-membered rings of tetrahedra? *Am Mineral.* 91: 1831-1838. <http://dx.doi.org/10.2138/am.2006.1971>.
- Dodson, R; O'Sullivan, M; Brooks, D; Bruce, J. (2001). Asbestos content of omentum and mesentery in nonoccupationally exposed individuals. *Toxicol Ind Health.* 17: 138-143. <http://dx.doi.org/10.1191/0748233701th101oa>.
- Dodson, R; O'Sullivan, M; Brooks, D; Hammar, S. (2003). Quantitative analysis of asbestos burden in women with mesothelioma. *Am J Ind Med.* 43: 188-195. <http://dx.doi.org/10.1002/ajim.10164>.
- Dodson, RF; Akematsu, T; Jr, WM; Ford, JO; Hurst, GA. (1984). The Influence of Amosite Asbestos Exposure on Lung Permeability. *Environ Res.* 35: 497-506.
- Dodson, RF; Atkinson, MA. (2006). Measurements of asbestos burden in tissues. *Ann N Y Acad Sci.* 1076: 281-291. <http://dx.doi.org/10.1196/annals.1371.015>.
- Dodson, RF; Atkinson, MA; O'sullivan, M. (2005). Stability of ferruginous bodies in human lung tissue following death, embalment, and burial. *Inhal Toxicol.* 17: 789-795. <http://dx.doi.org/10.1080/08958370500240199>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Dodson, RF; Atkinson, MAL; Levin, JL. (2003). Asbestos fiber length as related to potential pathogenicity: A critical review [Review]. *Am J Ind Med.* 44: 291-297. <http://dx.doi.org/10.1002/ajim.10263>.
- Dodson, RF; Ford, JO. (1985). Early response of the visceral pleura following asbestos exposure: an ultrastructural study. *J Toxicol Environ Health.* 15: 673-686. <http://dx.doi.org/10.1080/15287398509530695>.
- Dodson, RF; Hammar, SP; Poye, LW. (2011). Mesothelioma in an individual following exposure to crocidolite-containing gaskets as a teenager. *Int J Occup Environ Health.* 17: 190-194. <http://dx.doi.org/10.1179/oeh.2011.17.3.190>.
- Dodson, RF; Huang, J; Bruce, JR. (2000). Asbestos content in the lymph nodes of nonoccupationally exposed individuals. *Am J Ind Med.* 37: 169-174. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(200002\)37:2<169::AID-AJIM2>3.0.CO;2-V](http://dx.doi.org/10.1002/(SICI)1097-0274(200002)37:2<169::AID-AJIM2>3.0.CO;2-V).
- Dodson, RF; Levin, JL. (2001). An unusual case of mixed-dust exposure involving a "noncommercial" asbestos. *Environ Health Perspect.* 109: 199-203. <http://dx.doi.org/10.2307/3434777>.
- Dodson, RF; O'Sullivan, M; Corn, C. (1993). Technique dependent variations in asbestos burden as illustrated in a case of nonoccupational exposed mesothelioma. *Am J Ind Med.* 24: 235-240. <http://dx.doi.org/10.1002/ajim.4700240210>.
- Dodson, RF; O'Sullivan, M; Corn, CJ. (1996). Relationships between ferruginous bodies and uncoated asbestos fibers in lung tissue. *Arch Environ Health.* 51: 462-466. <http://dx.doi.org/10.1080/00039896.1996.9936047>.
- Dodson, RF; Williams, MG; Huang, J; Bruce, JR. (1999). Tissue burden of asbestos in nonoccupationally exposed individuals from east Texas. *Am J Ind Med.* 35: 281-286.
- Dodson, RF; Williams, MG; Hurst, GA. (1983). Method for removing the ferruginous coating from asbestos bodies. *J Toxicol Environ Health.* 11: 959-966. <http://dx.doi.org/10.1080/15287398309530398>.
- Dodson, RF; Williams, MG; Satterley, JD. (2002). Asbestos burden in two cases of mesothelioma where the work history included manufacturing of cigarette filters. *J Toxicol Environ Health A.* 65: 1109-1120. <http://dx.doi.org/10.1080/152873902760125354>.
- Dogan, A. (2003). Zeolite Mineralogy and Cappadocian Erionite. *Indoor Built Environ.* 12: 337-342.
- Dogan, AU. (2003). Mesothelioma in Cappadocian villages. *Indoor Built Environ.* 12: 367-375. <http://dx.doi.org/10.1177/1420326X03039065>.
- Dogan, AU; Dogan, M. (2008). Re-evaluation and re-classification of erionite series minerals. *Environ Geochem Health.* 30: 355-366. <http://dx.doi.org/10.1007/s10653-008-9163-z>.
- Dogan, AU; Dogan, M; Hoskins, JA. (2008). Erionite series minerals: mineralogical and carcinogenic properties. *Environ Geochem Health.* 30: 367-381. <http://dx.doi.org/10.1007/s10653-008-9165-x>.
- Dogan, M. (2002). Environmental pulmonary health problems related to mineral dusts: Examples from central Anatolia, Turkey. *Environ Geol.* 41: 571-578. <http://dx.doi.org/10.1007/s002540100435>.
- Dogan, M. (2003). Sources and types of mineral dust in regions of Turkey with endemic malignant mesothelioma. *Indoor Built Environ.* 12: 377-383. <http://dx.doi.org/10.1177/1420326X03038960>.
- Dogra, S; Donaldson, K. (1995). Effect of long and short fibre amosite asbestos on in vitro TNF production by rat alveolar macrophages: The modifying effect of lipopolysaccharide. *Ind Health.* 33: 131-141.
- Doll, R. (1987). The quantitative significance of asbestos fibres in the ambient air. *Experientia, Suppl.* 51: 213-219.
- Doll, R. (1989). Mineral fibres in the non-occupational environment: Concluding remarks. In J Bignon; J Peto; R Saracci (Eds.), *IARC Sci Publ* (pp. 511-518). Lyon, France: International Agency for Research on Cancer.
- Domanski, L; Dubielzig, R; Glickman, L. (1982). CANINE MESOTHELIOMA AND ASBESTOS - A CASE-CONTROL STUDY. *Am J Epidemiol.* 116: 586-586.
- Donaldson, K; Brown, DM; Mitchell, C; Dineva, M; Beswick, PH; Gilmour, P; Macnee, W. (1997). Free radical activity of PM10: iron-mediated generation of hydroxyl radicals. *Environ Health Perspect.* 105: 1285-1289.
- Donaldson, K; Brown, GM; Brown, DM; Bolton, RE; Davis, JMG. (1989). Inflammation Generating Potential of Long and Short Fibre Amosite Asbestos Samples. *Br J Ind Med.* 46: 271-276.
- Donaldson, K; Davis, JM; James, K. (1984). Asbestos-activated peritoneal macrophages release a factor(s) which inhibits lymphocyte mitogenesis. *Environ Res.* 35: 104-114.
- Donaldson, K; Oberdörster, G. (2011). Continued controversy on chrysotile biopersistence [Letter]. *Int J Occup Environ Health.* 17: 98-99; discussion 99-102. <http://dx.doi.org/10.1179/107735211799031121>.
- Dong, FQ; Wan, P; Feng, QN; Song, GB; Peng, TJ; Li, P; Li, GW. (2004). The surface groups and active site of fibrous mineral materials. *Journal of Wuhan University of Technology--Materials Science Edition.* 19: 94-97.
- Doniach, I; Swettenham, KV; Hathorn, MK. (1975). Prevalence of asbestos bodies in a necropsy series in East London: association with disease, occupation, and domiciliary address. *Br J Ind Med.* 32: 16-30.
- Dönmez, H; Ozkul, Y; Uçak, R. (1996). Sister chromatid exchange frequency in inhabitants exposed to asbestos in Turkey. *Mutat Res.* 361: 129-132.
- Dönmez-Altuntas, H; Baran, M; Oymak, FS; Hamurcu, Z; Imamoğlu, N; Ozesmi, M; Demirtas, H. (2007). Investigation of micronucleus frequencies in lymphocytes of inhabitants environmentally exposed to chrysotile asbestos. *Int J Environ Health Res.* 17: 45-51. <http://dx.doi.org/10.1080/09603120601124231>.
- Donovan, BL; Donovan, E; Sahmel, J; Epstien, B; Paustenbach, DJ. (2008). Evaluation of Bystander Exposure to Asbestos: Review of the Literature (1950s-Present). *Epidemiology.* 19: S186-S186.
- Dopp, E; Jonas, L; Nebe, B; Budde, A; Knippel, E. (2000). Dielectric changes in membrane properties and cell interiors of human mesothelial cells in vitro after crocidolite asbestos exposure. *Environ Health Perspect.* 108: 153-158.
- Dopp, E; Saedler, J; Stopper, H; Weiss, DG; Schiffmann, D. (1995). Mitotic disturbances and micronucleus induction in Syrian hamster embryo fibroblast cells caused by asbestos fibers. *Environ Health Perspect.* 103: 268-271.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Dorbath, C; Gerbault, M; Carlier, G; Guiraud, M. (2008). Double seismic zone of the Nazca plate in northern Chile: High-resolution velocity structure, petrological implications, and thermomechanical modeling. *G-cubed*. 9. <http://dx.doi.org/10.1029/2008GC002020>.
- Dorevitch, S; Demirtas, H; Perksy, VW; Erdal, S; Conroy, L; Schoonover, T; Scheff, PA. (2006). Demolition of high-rise public housing increases particulate matter air pollution in communities of high-risk asthmatics. *Journal of the Air and Waste Management Association*. 56: 1022-1032.
- Dorger, M; Munzing, S; Allmeling, AM; Messmer, K; Krombach, F. (2001). Differential responses of rat alveolar and peritoneal macrophages to man-made vitreous fibers in vitro. *Environ Res*. 85: 207-214. <http://dx.doi.org/10.1006/enrs.2001.4234>.
- dos Santos, LD; Furuya, WM; Matsushita, M; da Silva, LCR; Silva, TS, deC; Botaro, D; Sales, PP. (2007). Deposition of conjugated linoleic acid (CLA) in Nile tilapia. *Revista Brasileira de Zootecnia*. 36: 1225-1230.
- dos Santos Teixeira, R, uij; Ribeiro Neiva, A, naM; Preto Gomes, ME. (2012). Chromian spinels and magnetite of serpentinites, steatitic rocks, tremolite asbestos and chloritites from Braganca massif, northeastern Portugal. *Periodico di Mineralogia*. 81: 237-256. <http://dx.doi.org/10.2451/2012PM00014>.
- Dosemeci, M; Gokmen, I; Unsal, H; Hayes, RB; Blair, A. (1997). Tobacco, alcohol use, and risks of laryngeal and lung cancer by subsite and histologic type in Turkey. *Cancer Causes Control*. 8: 729-737. <http://dx.doi.org/10.1023/A:1018479304728>.
- Dotzel, O; Schneider, L. (2002). Asbestos-free diaphragms for the diaphragm process of chlor-alkali electrolysis. *Chem Ing Tech*. 74: 1289-1294.
- Dotzel, O; Schneider, L. (2002). Non-asbestos diaphragm in chlorine-alkali electrolysis. *Chem Eng Tech*. 25: 167-171.
- Downs, FM; Giles, GM; Johnson, MJ. (2002). Palliative physicians persuade procurators fiscal. *Palliative Medicine*. 16: 532-539. <http://dx.doi.org/10.1191/0269216302pm594oa>.
- Doyen, W; Leysen, R; Mottar, J; Waes, G. (1990). NEW COMPOSITE TUBULAR MEMBRANES FOR ULTRAFILTRATION. *Desalination*. 79: 163-179.
- Draeger, U; Teichert, U; Schneider, T; Trappmann, J. (1998). Criteria for the identification of insulation wool fibres by microscopic evaluation of filter samples. *Staub, Reinhaltung der Luft*. 58: 343-346.
- Dragicevic, JS. (2009). REMEDY OF ASBESTOS POLLUTION IN VRANJIC. 61: 983-986.
- Dreassi, E; Lagazio, C; Maule, MM; Magnani, C; Biggeri, A. (2008). Sensitivity analysis of the relationship between disease occurrence and distance from a putative source of pollution. *Geospat Health*. 2: 263-271. <http://dx.doi.org/10.4081/gh.2008.249>.
- Driece, HAL; Siesling, S; Swuste, PHJ, J; Burdorf, A. (2010). Assessment of cancer risks due to environmental exposure to asbestos. *J Expo Sci Environ Epidemiol*. 20: 478-485. <http://dx.doi.org/10.1038/jes.2009.56>.
- Drief, A; Nieto, F. (1999). The effect of dry grinding on antigorite from Mulhacen, Spain. *Clays and Clay Minerals*. 47: 417-424.
- Driscoll, J; Jenkins, DM; Dyar, MD; Bozhilov, KN. (2005). Cation ordering in synthetic low-calcium actinolite. *Am Mineral*. 90: 900-911. <http://dx.doi.org/10.2138/am.2005.1655>.
- Driscoll, KE; Carter, JM; Hassenbein, DG; Howard, B. (1997). Cytokines and particle-induced inflammatory cell recruitment [Review].
- Driscoll, KE; Carter, JM; Howard, BW; Hassenbein, D; Janssen, YMW; Mossman, BT. (1998). Crocidolite activates NF-kappa B and MIP-2 gene expression in rat alveolar epithelial cells. Role of mitochondrial-derived oxidants. *Environ Health Perspect*. 106: 1171-1174.
- Driscoll, KE; Maurer, JK; Higgins, J; Poynter, J. (1995). Alveolar macrophage cytokine and growth factor production in a rat model of crocidolite-induced pulmonary inflammation and fibrosis. *J Toxicol Environ Health*. 46: 155-169. <http://dx.doi.org/10.1080/15287399509532026>.
- Driscoll, T; Nelson, DI; Steenland, K; Leigh, J; Concha-Barrientos, M; Fingerhut, M; Pr; uuml; ss-Ust; uuml; N, A. (2005). The global burden of disease due to occupational carcinogens. *Am J Ind Med*. 48: 419-431. <http://dx.doi.org/10.1002/ajim.20209>.
- Driscoll, T; Nelson, DI; Steenland, K; Leigh, J; Concha-Barrientos, M; Fingerhut, M; Pr; uuml; ss-Ust; uuml; N, A. (2005). The global burden of non-malignant respiratory disease due to occupational airborne exposures. *Am J Ind Med*. 48: 432-445. <http://dx.doi.org/10.1002/ajim.20210>.
- Droop; R., GT. (2013). Paragonite in marbles from the Tauern Window, Austria: Compositional and thermobaric controls. *Lithos*. 162: 1-13. <http://dx.doi.org/10.1016/j.lithos.2012.12.013>.
- Drury, MR; Vissers, RLM; Vanderwal, D; Strating, EHH. (1991). SHEAR LOCALIZATION IN UPPER MANTLE PERIDOTITES. *Pure Appl Geophys*. 137: 439-460.
- Druzhinin, EA; Yakushev, YI. (1987). FILTER ASBESTOS-POLYMERIC DIAPHRAGM MANUFACTURE AND COMPLEX TECHNOLOGY OF CHLORIDE ELECTROLYSIS WITH ASBESTOS-POLYMERIC DIAPHRAGM. 353-356.
- du Toit, RS. (1992). [Factors which may mask a possible safe threshold for asbestos fibre]. *S Afr Med J*. 82: 424-427.
- du Toit, RS; Gilfillan, TC. (1979). Conversion of the asbestos fibre concentration recorded by means of the konimeter and the thermal precipitator to that expected by means of the membrane filter method. *Ann Occup Hyg*. 22: 67-83.
- Dubey, P; Ghia, U; Turkevich, LA. (2014). Numerical Investigation of Sheath and Aerosol Flows in the Flow Combination Section of a Baron Fiber Classifier. *Aerosol Sci Technol*. 48: 896-905. <http://dx.doi.org/10.1080/02786826.2014.936342>.
- Dubinska, E; Wiewiora, A. (1999). Layer silicates from a rodingite and its blackwall from Przemiłow (Lower Silesia, Poland): mineralogical record of metasomatic processes during serpentinization and serpentinite recrystallization. *Mineralogy and Petrology*. 67: 223-237.
- Ducatman, AM. (1993). OCCUPATIONAL PHYSICIANS AND ENVIRONMENTAL MEDICINE. *J Occup Environ Med*. 35: 251-259.
- Ducea, MN; Negulescu, E; Profeta, L; Sabau, G; Jianu, D; Petrescu, L; Hoffman, D. (2016). Evolution of the Sibiel Shear Zone (South Carpathians): A study of its type locality near Rinari (Romania) and tectonic implications. *Tectonics*. 35: 2131-2157. <http://dx.doi.org/10.1002/2016TC004193>.
- Dufaud, F; Martinez, I; Shilobreeva, S. (2009). Experimental study of Mg-rich silicates carbonation at 400 and 500 degrees C and 1 kbar. *Chem Geol*. 265: 79-87. <http://dx.doi.org/10.1016/j.chemgeo.2009.01.026>.
- Dufresne, A; Looserevanich, P; Armstrong, B; Infanterivard, C; Perrault, G; Dion, C; Masse, S; Begin, R. (1995). PULMONARY RETENTION OF CERAMIC FIBERS IN SILICON-CARBIDE (SiC) WORKERS. *Am Ind Hyg Assoc J*. 56: 490-498.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Dufresne, A; Perrault, G; Yamato, H; Massé, S; Bégin, R. (1999). Clearance of man made mineral fibres from the lungs of sheep. *Occup Environ Med.* 56: 684-690.
- Dufresne, A; Sebastien, P; Perrault, G; Masse, S; Begin, R. (1992). PULMONARY CLEARANCE OF FIBROUS AND ANGULAR SIC PARTICULATES IN THE SHEEP MODEL OF PNEUMOCONIOSIS. *Ann Occup Hyg.* 36: 519-530.
- Duggan, MJ; Culley, EW. (1978). COUNTING OF SMALL NUMBERS OF ASBESTOS FIBERS ON MEMBRANE FILTERS - COMPARISON OF RESULTS FROM SOME COMMERCIAL LABORATORIES. *Ann Occup Hyg.* 21: 85-89.
- Dujić, Z; Tocilj, J; Saric, M. (1991). Early detection of interstitial lung disease in asbestos exposed non-smoking workers by mid-expiratory flow rate and high resolution computed tomography. *Br J Ind Med.* 48: 663-664.
- Dumanska-Slowik, M; Heflik, W. (2016). ULTRAMAFIC AND MAFIC ROCKS FOUND IN THE NEAR VICINITY OF MARIUPOLITES WITHIN THE ALKALINE OKTIABRSKI MASSIF (SE UKRAINE) - PRELIMINARY INVESTIGATIONS. *Gospodarka Surowcami Mineralnymi.* 32: 63-77. <http://dx.doi.org/10.1515/gospo-2016-0015>.
- Dumas, A; Martin, F; Le Roux, C; Micoud, P; Petit, S; Ferrage, E; Brendle, J; Grauby, O; Greenhill-Hooper, M. (2013). Phyllosilicates synthesis: a way of accessing edges contributions in NMR and FTIR spectroscopies. Example of synthetic talc. *Physics and Chemistry of Minerals.* 40: 361-373. <http://dx.doi.org/10.1007/s00269-013-0577-5>.
- Dumortier, P; Coplū, L; Broucke, I; Emri, S; Selcuk, T; de Maertelaer, V; De Vuyst, P; Baris, I. (2001). Erionite bodies and fibres in bronchoalveolar lavage fluid (BALF) of residents from Tuzköy, Cappadocia, Turkey. *Occup Environ Med.* 58: 261-266.
- Dumortier, P; De Vuyst, P; Rey, F; Boutin, C. (1998). RE main asbestos type in pleural mesothelioma [Letter]. *Am J Ind Med.* 33: 94-96.
- Dumortier, P; Rey, F; Viallat, JR; Broucke, I; Boutin, C; De Vuyst, P. (2002). Chrysotile and tremolite asbestos fibres in the lungs and parietal pleura of Corsican goats. *Occup Environ Med.* 59: 643-646.
- Dunlop, DJ; Zhang, BX; Ozdemir, O. (2005). Linear and nonlinear Thellier paleointensity behavior of natural minerals. *J Geophys Res.* 110. <http://dx.doi.org/10.1029/2004jb003095>.
- Dunnigan, J. (1986). THRESHOLD EXPOSURE LEVEL FOR CHRYSOTILE. *Can J Public Health.* 77: 41-42.
- Dunning, KK; Adjei, S; Levin, L; Rohs, AM; Hilbert, T; Borton, E; Kapil, V; Rice, C; Lemasters, GK; Lockey, JE. (2012). Mesothelioma associated with commercial use of vermiculite containing Libby amphibole. *J Occup Environ Med.* 54: 1359-1363. <http://dx.doi.org/10.1097/JOM.0b013e318250b5f5>.
- Dutt, AK; Achmatowiczotok, A; Mukhopadhyay, A; Carney, MC. (1992). URBAN AND RURAL HOUSING CHARACTERISTICS OF POLAND. *Landscape Urban Plan.* 22: 153-160.
- Dutta, M; Sreedhar, R; Basu, A. (2003). The blighted hills of Roro, Jharkhand, India: A tale of corporate greed and abandonment. *Int J Occup Environ Health.* 9: 254-259. <http://dx.doi.org/10.1179/oeh.2003.9.3.254>.
- Duuring, P; Hassan, L, ee; Zelic, M; Gessner, K. (2016). Geochemical and Spectral Footprint of Metamorphosed and Deformed VMS-Style Mineralization in the Quinns District, Yilgarn Craton, Western Australia. *Econ Geol.* 111: 1411-1438.
- Dyar, MD; Breves, EA; Gunter, ME; Lanzirotti, A; Tucker, JM; Carey, CJ; Peel, SE; Buown, EB; Oberti, R; Lerotic, M; Delaney, JS. (2016). Use of multivariate analysis for synchrotron micro-XANES analysis of iron valence state in amphiboles. *Am Mineral.* 101: 1171-1189. <http://dx.doi.org/10.2138/am-2016-5556>.
- Dyken, JJ; Wheeler, JS; ATSDR. (2008). ATSDR's experience with community exposure to "naturally occurring asbestos". *J Environ Health.* 70: 74-76.
- Dzemua, GL; Gleeson, SA. (2012). Petrography, Mineralogy, and Geochemistry of the Nkamouna Serpentinite: Implications for the Formation of the Cobalt-Manganese Laterite Deposit, Southeast Cameroon. *Econ Geol.* 107: 25-41.
- Dziggel, A; Wulff, K; Kolb, J; Meyer, FM. (2009). Processes of high-T fluid-rock interaction during gold mineralization in carbonate-bearing metasediments: the Navachab gold deposit, Namibia. *Miner Depos.* 44: 665-687. <http://dx.doi.org/10.1007/s00126-009-0231-9>.
- Dzikowski, TJ; Cempirek, J, an; Groat, L, eeA; Dipple, GM; Giuliani, G. (2014). Origin of gem corundum in calcite marble: The Revelstoke occurrence in the Canadian Cordillera of British Columbia. *Lithos.* 198: 281-297. <http://dx.doi.org/10.1016/j.lithos.2014.03.030>.
- Earley, D; Stout, JH. (1991). CORDIERITE CUMMINGTONITE FACIES ROCKS FROM THE GOLD BRICK DISTRICT, COLORADO. *Journal of Petrology.* 32: 1169-1201.
- EDELMAN. (1988). EXPOSURE TO ASBESTOS AND THE RISK OF GASTROINTESTINAL CANCER - REPLY. *Br J Ind Med.* 45: 574-575.
- Edkins, DJ; Orense, RP; Henry, RS; Ingham, JM. (2016). Signature Failure Modes of Pipelines Constructed of Different Materials When Subjected to Earthquakes. 7. [http://dx.doi.org/10.1061/\(ASCE\)PS.1949-1204.0000213](http://dx.doi.org/10.1061/(ASCE)PS.1949-1204.0000213).
- Edwards, AT; Whitaker, D; Browne, K; Pooley, FD; Gibbs, AR. (1997). Mesothelioma in a community in the north of England - Reply. *Occup Environ Med.* 54: 67-68.
- Edwards, CR; Kipkie, WB; Agar, GE. (1980). THE EFFECT OF SLIME COATINGS OF THE SERPENTINE MINERALS, CHRYSOTILE AND LIZARDITE, ON PENTLANDITE FLOTATION. *Int J Miner Process.* 7: 33-42.
- Edwards, H. (1976). POLLUTION-CONTROL IN ASBESTOS, CEMENT, GLASS AND ALLIED MINERAL INDUSTRIES - SITTIG, M. *Int J Environ Stud.* 9: 222-223.
- Edwards, JK; Cole, SR; Chu, H; Olshan, AF; Richardson, DB. (2014). Accounting for outcome misclassification in estimates of the effect of occupational asbestos exposure on lung cancer death. *Am J Epidemiol.* 179: 641-647. <http://dx.doi.org/10.1093/aje/kwt309>.
- Edwards, RE; Wagner, MM; Moncrieff, CB. (1984). Cell population and histochemistry of asbestos related lesions of rat pleural cavity after injection of various inorganic dusts. *Br J Ind Med.* 41: 506-513.
- Egglar, DH; Ehmann, A, myN. (2010). Rate of antigorite dehydration at 2 GPa applied to subduction zones. *Am Mineral.* 95: 761-769. <http://dx.doi.org/10.2138/am.2010.3227>.
- Egilman, D. (2000). Researchers should talk to workers [Letter]. *Am J Ind Med.* 37: 668.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Egilman, D. (2001). Re: Researchers should talk to workers - Am. J. Ind. Med. 2000. 37 : 668. Am J Ind Med. 39: 347-347.
- Egilman, D. (2009). Fiber types, asbestos potency, and environmental causation: a peer review of published work and legal and regulatory scientific testimony. Int J Occup Environ Health. 15: 202-228. <http://dx.doi.org/10.1179/oeh.2009.15.2.202>.
- Egilman, D. (2009). Fiber Types, Asbestos Potency, and Environmental Causation: A Peer Review of Published Work and Legal and Regulatory Scientific Testimony (vol 15, pg 202, 2009). Int J Occup Environ Health. 15: 248-248.
- Egilman, D; Baur, X; Soskolne, CL. (2016). Unreliable proposed 'new standard' for assessing asbestos exposure [Letter]. Occup Environ Med. 73: 709. <http://dx.doi.org/10.1136/oemed-2016-103704>.
- Egilman, D; Bird, T. (2016). Short fiber tremolite free chrysotile mesothelioma cohort revealed. Am J Ind Med. 59: 196-199. <http://dx.doi.org/10.1002/ajim.22552>.
- Egilman, D; Howe, S. (2007). Against anti-health epidemiology: Corporate obstruction of public health via manipulation of epidemiology. Int J Occup Environ Health. 13: 118-124.
- Egilman, D; Rankin Bohme, S. (2004). Attorney-directed screenings can be hazardous. Am J Ind Med. 45: 305-307. <http://dx.doi.org/10.1002/ajim.10347>.
- Egilman, D; Reinert, A. (1996). Lung cancer and asbestos exposure: asbestosis is not necessary [Review]. Am J Ind Med. 30: 398-406. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199610\)30:4<398::AID-AJIM4>3.0.CO;2-S](http://dx.doi.org/10.1002/(SICI)1097-0274(199610)30:4<398::AID-AJIM4>3.0.CO;2-S).
- Egilman, D; Roberts, M. (2004). Re: Controlled use of asbestos [Letter]. Int J Occup Environ Health. 10: 99-103. <http://dx.doi.org/10.1179/oeh.2004.10.1.99>.
- Egilman, D; Schilling, JH. (2012). Letter to the Editor regarding the Donovan et al. (2011) article [Letter]. Crit Rev Toxicol. 42: 169-172; author reply 173-183. <http://dx.doi.org/10.3109/10408444.2011.651011>.
- Egilman, D; Tran, T. (2016). A commentary on Roggli's 'The So-Called Short-Fiber Controversy'. Int J Occup Environ Health 1-6. <http://dx.doi.org/10.1080/10773525.2016.1153866>.
- Egilman, DS. (1992). PUBLIC-HEALTH AND EPISTEMOLOGY. Am J Ind Med. 22: 457-459.
- Egilman, DS. (2011). Continued Controversy on Chrysotile Biopersistence Reply. Int J Occup Environ Health. 17: 99-102.
- Egilman, DS. (2013). The importance of scientific debate [Editorial]. Int J Occup Environ Health. 19: 157-159. <http://dx.doi.org/10.1179/1077352513Z.00000000076>.
- Egilman, DS. (2016). The production of corporate research to manufacture doubt about the health hazards of products: an overview of the Exponent Bakelite™ simulation study. Int J Occup Environ Health. 22: 18-26. <http://dx.doi.org/10.1080/10773525.2015.1123379>.
- Egilman, DS; Billings, MA. (2005). Abuse of epidemiology: Automobile manufacturers manufacture a defense to asbestos liability. Int J Occup Environ Health. 11: 360-371. <http://dx.doi.org/10.1179/oeh.2005.11.4.360>.
- Egilman, DS; Druar, NM. (2013). Commentary on 'evaluation of take home (para-occupational) exposure to asbestos and disease: a review of the literature', Donovan et al.1 [Editorial]. Int J Occup Environ Health. 19: 163-168. <http://dx.doi.org/10.1179/1077352513Z.00000000072>.
- egrave; Onig, R; Heide, H. (1983). Development of a procedure for automatic counting of (asbestos) fibre concentrations on membrane filters. (CIS/84/01221). K and egrave; Onig, R; Heide, H.
- EHRENREI.T; Mackler, AD; Langer, AN; Selikoff, IJ. (1973). ASBESTOS FIBERS IN HUMAN LUNGS - FORENSIC SIGNIFICANCE IN ENVIRONMENTAL DISEASE. Arch Mal Prof Med Trav Secur Soc. 34: 189-204.
- Ehrlich, R; Myers, J. (1992). CHANGING ATTITUDES AND OPINIONS REGARDING ASBESTOS AND CANCER 1934-1965 - COMMENT [Comment]. Am J Ind Med. 22: 279-280.
- Eisen, EA; Tolbert, PE; Hallock, MF; Monson, RR; Smith, TJ; Woskie, SR. (1994). Mortality studies of machining fluid exposure in the automobile industry III: A case-control study of larynx cancer. Am J Ind Med. 26: 185-202.
- Eitner, F; Otto, H. (1984). THE PATHOLOGICAL RELEVANCE OF ASBESTOS PARTICLE COUNTS IN LUNG-TISSUE. Arbeitsmedizin, Sozialmedizin, Praeventivmedizin. 19: 1-5.
- Ekimov, SP; Krizhanskii, LM; Krotikov, VA; Filina, LV; Kharitonov, NP. (1982). NUCLEAR-GAMMA-RESONANCE-SPECTRAL ANALYSIS OF STRUCTURAL TRANSFORMATIONS OF IRON-CONTAINING CHRYSOTILE ASBESTOS AND ITS COMPOSITION WITH POLYORGANOSILOXANE DURING HEAT-TREATMENT. Inorg Mater. 18: 724-730.
- Ekosse, GI, voE. (2008). MICROMORPHOLOGICAL AND MICROCHEMICAL CHARACTERISATION OF MOSHENENG SERPENTINITE ASSOCIATED WITH THE NEO-ARCHAEN TAUPONE DOLOMITE GROUP, BOTSWANA. Fresen Environ Bull. 17: 2126-2133.
- El Adnani, M; Plante, B; Benzaazoua, M; Hakkou, R; Bouzahzah, H. (2016). Tailings Weathering and Arsenic Mobility at the Abandoned Zgounder Silver Mine, Morocco. Mine Water Environ. 35: 508-524. <http://dx.doi.org/10.1007/s10230-015-0370-4>.
- Elbra, T; Karlqvist, R; Lassila, I; Haeggstrom, E; Pesonen, LJ. (2011). Laboratory measurements of the seismic velocities and other petrophysical properties of the Outokumpu deep drill core samples, eastern Finland. Geophysical Journal International. 184: 405-415. <http://dx.doi.org/10.1111/j.1365-246X.2010.04845.x>.
- Elburg, MA. (1996). Evidence of isotopic equilibration between microgranitoid enclaves and host granodiorite, Warburton Granodiorite, Lachlan Fold Belt, Australia. Lithos. 38: 1-22.
- Elias, Z; Poirot, O; Danière, MC; Terzetti, F; Binet, S; Tomatis, M; Fubini, B. (2002). Surface reactivity, cytotoxicity, and transforming potency of iron-covered compared to untreated refractory ceramic fibers. J Toxicol Environ Health A. 65: 2007-2027. <http://dx.doi.org/10.1080/00984100290071360>.
- Ellingsen, DG; Andersen, A; Nordhagen, HP; Efskind, J; Kjuus, H. (1993). Incidence of cancer and mortality among workers exposed to mercury vapour in the Norwegian chloralkali industry. Br J Ind Med. 50: 875-880.
- Elliottmeadows, S. R.; Appleyard, EC. (1991). THE ALTERATION GEOCHEMISTRY AND PETROLOGY OF THE LAR CU-ZN DEPOSIT, LYNN LAKE AREA, MANITOBA, CANADA. Econ Geol. 86: 486-505.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Ellouk, SA; Jaurand, MC. (1994). Review of animal/in vitro data on biological effects of man-made fibers [Review]. *Environ Health Perspect.* 102 Suppl 2: 47-61.
- Elmer, FL; Powell, R; White, RW; Phillips, GN. (2007). Timing of gold mineralization relative to the peak of metamorphism at Bronzewing, Western Australia. *Econ Geol.* 102: 379-392.
- El-Sharkawy, MF. (2000). Talc mineralization of ultramafic affinity in the Eastern Desert of Egypt. *Miner Depos.* 35: 346-363.
- Elvira Espinosa, M; Garcia Regidor, C; Fernandez Rodriguez, J; Vegas Prieto, L; Ibanez Martin, JC; Aguado Cuenca, E; Velayos Pablo, T; Sanchez Gonzalez, ML; Susinos Arroyo, B. (2009). THE HEALTH MONITORING BY PREVENTION SERVICES IN ACTIVE WORKERS EXPOSED AND POST-EXPOSED WITHING THE ACTION PLAN IN PEOPLE WITH OCCUPATIONAL EXPOSURE TO ASBESTOS Y CASTILLA AND LEON. *Gac Sanit.* 23: 6-6.
- Enders, M; Speer, D; Maresch, WV; Mccammon, CA. (2000). Ferric/ferrous iron ratios in sodic amphiboles: Mossbauer analysis, stoichiometry-based model calculations and the high-resolution microanalytical flank method. *Contributions to Mineralogy and Petrology.* 140: 135-147.
- Endo, S; Mizukami, T; Wallis, SR; Tamura, A; Arai, S. (2015). Orthopyroxene-rich Rocks from the Sanbagawa Belt (SW Japan): Fluid-Rock Interaction in the Forearc Slab-Mantle Wedge Interface. *Journal of Petrology.* 56: 1113-1137. <http://dx.doi.org/10.1093/petrology/egv031>.
- Engvik, AK; Austrheim, H; Erambert, M. (2001). Interaction between fluid flow, fracturing and mineral growth during eclogitization, an example from the Sunnfjord area, Western Gneiss Region, Norway. *Lithos.* 57: 111-141.
- Enrico Favero-Longo, S; Turci, F; Tomatis, M; Compagnoni, R; Piervittori, R; Fubini, B. (2009). The effect of weathering on ecopersistence, reactivity, and potential toxicity of naturally occurring asbestos and asbestiform minerals. *J Toxicol Environ Health A.* 72: 305-314. <http://dx.doi.org/10.1080/15287390802529864>.
- Enterline, PE. (1983). ASBESTOS EXPOSURE - REPLY. *J Air Pollut Control Assoc.* 33: 820-820.
- Enterline, PE. (1991). Carcinogenic Effects of Man-Made Vitreous Fibers. *Annu Rev Public Health.* 12: 459-480.
- Enterline, PE. (1991). Changing attitudes and opinions regarding asbestos and cancer 1934-1965. *Am J Ind Med.* 20: 685-700.
- Erdogdu, G; Hasirci, V. (1998). An overview of the role of mineral solubility in silicosis and asbestosis [Review]. *Environ Res.* 78: 38-42. <http://dx.doi.org/10.1006/enrs.1998.3842>.
- Erdreich, LS. (1983). Comparing epidemiologic studies of ingested asbestos for use in risk assessment. *Environ Health Perspect.* 53: 99-104.
- Eriksson, PG; Hattingh, PJ; Altermann, W. (1995). AN OVERVIEW OF THE GEOLOGY OF THE TRANSVAAL SEQUENCE AND BUSHVELD COMPLEX, SOUTH-AFRICA. *Miner Depos.* 30: 98-111.
- Ernst, P. (2004). A conversation with Margaret Becklake. *Epidemiology.* 15: 245-249. <http://dx.doi.org/10.1097/01.ede.0000112785.81971.07>.
- Ernst, WG. (1997). Metamorphism of mafic dikes from the central White-Inyo Range, eastern California. *Contributions to Mineralogy and Petrology.* 128: 30-44.
- Ernst, WG. (2002). Paragenesis and thermobarometry of Ca-amphiboles in the Barcroft granodioritic pluton, central White Mountains, eastern California. *Am Mineral.* 87: 478-490.
- Ernst, WG. (2005). Contact metamorphism of the White Mountain Peak metavolcanic complex, eastern California. *Am Mineral.* 90: 1-12. <http://dx.doi.org/10.2138/am.2005.1620>.
- Ernst, WG; Rumble, D. (2003). Oxygen isotopic study of late mesozoic cooling of the mount Barcroft Area, central White Mountains, Eastern California. *Contributions to Mineralogy and Petrology.* 144: 639-651. <http://dx.doi.org/10.1007/s00410-002-0427-9>.
- Erren, TC; Jacobsen, M; Piekarski, C. (1999). Synergy between asbestos and smoking on lung cancer risks. *Epidemiology.* 10: 405-411.
- Erren, TC; Piekarski, C. (1999). A meta-analysis of synergy between asbestos and smoking on lung cancer. *Epidemiology.* 10: S62-S62.
- Errico, JC; Barnes, JD; Strickland, A; Valley, JW. (2013). Oxygen isotope zoning in garnets from Franciscan eclogite blocks: evidence for rock-buffered fluid interaction in the mantle wedge. *Contributions to Mineralogy and Petrology.* 166: 1161-1176. <http://dx.doi.org/10.1007/s00410-013-0915-0>.
- Ertan, R; Yavuz, N. (2011). The effects of graphite, coke and ZnS on the tribological and surface characteristics of automotive brake friction materials. *Industrial Lubrication & Tribology.* 63: 245-253. <http://dx.doi.org/10.1108/00368791111140468>.
- Escartin, J; Hirth, G; Evans, B. (1997). Nondilatant brittle deformation of serpentinites: Implications for Mohr-Coulomb theory and the strength of faults. *J Geophys Res Solid Earth.* 102: 2897-2913.
- Etz, ES; Rosasco, GJ; Blaha, JJ. (1977). Observation of the Raman effect from small, single particles: its use in the chemical identification of airborne particulates. (PESTAB/79/0739). Etz, ES; Rosasco, GJ; Blaha, JJ.
- Etzel, K; Benisek, A; Dachs, E; Cemic, L. (2007). Thermodynamic mixing behavior of synthetic Ca-Tschermak-diopside pyroxene solid solutions: I. Volume and heat capacity of mixing. *Physics and Chemistry of Minerals.* 34: 733-746. <http://dx.doi.org/10.1007/s00269-007-0191-5>.
- Eugenie, S. (2003). T&N's asbestos-affected workers win court case, but delays go on. *Prof Eng.* 16: 8-8.
- Evans, BW. (2008). Control of the Products of Serpentinization by the (FeMg1)-Mg-2 Exchange Potential of Olivine and Orthopyroxene. *Journal of Petrology.* 49: 1873-1887. <http://dx.doi.org/10.1093/petrology/egn050>.
- Evans, BW; Dyar, MD; Kuehner, SM. (2012). Implications of ferrous and ferric iron in antigorite. *Am Mineral.* 97: 184-196. <http://dx.doi.org/10.2138/am.2012.3926>.
- Evans, BW; Ghiorso, MS; Kuehner, SM. (2000). Thermodynamic properties of tremolite: A correction and some comments. *Am Mineral.* 85: 466-472.
- Evans, BW; Ghiorso, MS; Yang, HX; Medenbach, O. (2001). Thermodynamics of the amphiboles: Anthophyllite-ferroanthophyllite and the ortho-clino phase loop. *Am Mineral.* 86: 640-651.
- Evans, BW; Hattori, K; Baronnet, A. (2013). Serpentinite: What, Why, Where? *Elements.* 9: 99-106. <http://dx.doi.org/10.2113/gselements.9.2.99>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Evans, BW; Yang, HX. (1998). Fe-Mg order-disorder in tremolite-actinolite-ferro-actinolite at ambient and high temperature. *Am Mineral*. 83: 458-475.
- Evans, CA. (1993). PUBLIC-HEALTH IMPACT OF THE 1992 LOS-ANGELES CIVIL UNREST. *Public Health Rep*. 108: 265-272.
- Evans, JC; Evans, RJ; Holmes, A; Hounam, RF; Jones, DM; Morgan, A; Walsh, M. (1973). Studies on the deposition of inhaled fibrous material in the respiratory tract of the rat and its subsequent clearance using radioactive tracer techniques: 1 UICC crocidolite asbestos. *Environ Res*. 6: 180-201.
- Evans, PH; Brown, RC; Poole, A. (1983). Modification of the in vitro activities of amosite asbestos by surface derivatization. *J Toxicol Environ Health*. 11: 535-543. <http://dx.doi.org/10.1080/15287398309530365>.
- Evans, RE; Pfeiffer, RE. (1991). A NEW GENERATION OF FIBRILLATED ACRYLIC FIBER FOR HIGH-PERFORMANCE NONWOVENS AND SPECIALTY COMPOSITES. *Tappi Journal*. 74: 155-162.
- Evans, RG. (1975). OPERATIONAL PARAMETERS, DESIGN CONCEPTS AND PRE-INSTALLATION TESTING FOR A NEW ASBESTOS PROCESSING COMPLEX AT JEFFREY MINE. 68: 105-110.
- Evelo, CTA; Bos, RP; Borm, PJA. (1993). DECREASED GLUTATHIONE CONTENT AND GLUTATHIONE-S-TRANSFERASE ACTIVITY IN RED-BLOOD-CELLS OF COAL-MINERS WITH EARLY STAGES OF PNEUMOCONIOSIS. *Br J Ind Med*. 50: 633-636.
- Everett, G. (1974). ANALYSIS FOR ASBESTOS IN ENVIRONMENTAL SAMPLES. *Environ Health Perspect*. 9: 181-182.
- Everitt, JI; Gelzleichter, TR; Bermudez, E; Mangum, JB; Wong, BA; Janszen, DB; Moss, OR. (1997). Comparison of pleural responses of rats and hamsters to subchronic inhalation of refractory ceramic fibers. *Environ Health Perspect*. 105: 1209-1213.
- Evison, M; Barber, P. (2015). Diffuse pleural thickening following heart failure-related pleural effusions in an asbestos exposed patient. *Int J Occup Environ Health*. 21: 169-171. <http://dx.doi.org/10.1179/2049396714Y.0000000104>.
- Eypert-Blaison, C; Veissiere, S; Rastoix, O; Kauffer, E. (2010). Comparison of direct and indirect methods of measuring airborne chrysotile fibre concentration. *Ann Occup Hyg*. 54: 55-67. <http://dx.doi.org/10.1093/annhyg/mep066>.
- Ezhov, SV; Akinfiyev, NN. (1997). A study of mineral formation in a contact between silicate and carbonate rocks using the BALANCE program. *Geokhimiya* 1058-1065.
- Facer, J; Downes, H; Beard, A. (2009). In situ Serpentinization and Hydrous Fluid Metasomatism in Spinel Dunite Xenoliths from the Bearpaw Mountains, Montana, USA. *Journal of Petrology*. 50: 1443-1475. <http://dx.doi.org/10.1093/petrology/egg037>.
- Fach, E; Kristovich, R; Long, JF; Waldman, WJ; Dutta, PK; Williams, MV. (2003). The effect of iron on the biological activities of erionite and mordenite. *Environ Int*. 29: 451-458. [http://dx.doi.org/10.1016/S0160-4120\(02\)00193-9](http://dx.doi.org/10.1016/S0160-4120(02)00193-9).
- Fach, E; Waldman, WJ; Williams, M; Long, J; Meister, RK; Dutta, PK. (2002). Analysis of the biological and chemical reactivity of zeolite-based aluminosilicate fibers and particulates. *Environ Health Perspect*. 110: 1087-1096.
- Fachini, A; Joekes, I. (2007). Use of chrysotile fibres in the degradation of cationic and nonionic surfactants in aqueous solutions. *CLEAN - Soil, Air, Water*. 35: 100-103. <http://dx.doi.org/10.1002/clen.200600002>.
- Fachini, A; Mendes, MA; Joekes, I; Eberlin, MN. (2007). Oxidation of sodium dodecylbenzenesulfonate with chrysotile: On-line monitoring by membrane introduction mass spectrometry. *Journal of Surfactants and Detergents*. 10: 207-210. <http://dx.doi.org/10.1007/s11743-007-1032-8>.
- Faich, GA. (1980). Asbestos hazard evaluation in Rhode Island schools. *Am J Public Health*. 70: 162-164.
- Falchi, M; Donelli, G; Paoletti, L. (1994). INFLUENCE OF PARTICLE-SIZE AND CHEMICAL-COMPOSITION ON EFFICIENCY OF CLEARANCE MECHANISMS - ELECTRON-MICROSCOPY STUDIES ON HUMANS. *Environ Health Perspect*. 102: 241-243.
- Falchi, M; Paoletti, L; Mariotta, S; Giosue, S; Guidi, L; Biondo, L; Scavalli, P; Bisetti, A. (1996). Non-fibrous inorganic particles in bronchoalveolar lavage fluid of pottery workers. *Occup Environ Med*. 53: 762-766.
- Falini, G; Foresti, E; Gazzano, M; Gualtieri, AF; Lesci, IG; Pecchini, G; Renna, E; Roveri, N. (2003). A new method for the detection of low levels of free fibres of chrysotile in contaminated soils by X-ray powder diffraction. *J Environ Monit*. 5: 654-660. <http://dx.doi.org/10.1039/b300328k>.
- Falk, ES; Kelemen, PB. (2015). Geochemistry and petrology of listvenite in the Samail ophiolite, Sultanate of Oman: Complete carbonation of peridotite during ophiolite emplacement. *Geochim Cosmo Acta*. 160: 70-90. <http://dx.doi.org/10.1016/j.gca.2015.03.014>.
- Famoso, D; Mangiameli, M; Roccaro, P; Mussumeci, G; Vagliasindi, FGA. (2012). Asbestiform fibers in the Biancavilla site of national interest (Sicily, Italy): review of environmental data via GIS platforms. *Reviews in Environmental Science and Biotechnology*. 11: 417-427. <http://dx.doi.org/10.1007/s11157-012-9284-9>.
- Fan, JG; Wang, QE; Liu, SJ. (2000). Chrysotile-induced cell transformation and transcriptional changes of c-myc oncogene in human embryo lung cells. *Biomed Environ Sci*. 13: 163-169.
- Fan, JG; Wang, QE; Liu, SJ. (2001). Ameliorated chrysotile-induced DNA damage in human embryo lung cells by surface modification of chrysotile with rare earth compounds. *Biomed Environ Sci*. 14: 220-228.
- Fan, JG; Wang, QE; Liu, SJ; Wu, WD; Jia, G; Zhou, LL. (1998). Pretreatment of chrysotile with rare earth compounds lowered its cytotoxicity by lessening surface charges. *Biomed Environ Sci*. 11: 125-132.
- Fan, W; Wang, Y; Zhang, Y; Zhang, Y; Jourdan, F; Zi, J; Liu, H. (2015). Paleotethyan subduction process revealed from Triassic blueschists in the Lancang tectonic belt of Southwest China. *Tectonophysics*. 662: 95-108. <http://dx.doi.org/10.1016/j.tecto.2014.12.021>.
- Farioli, A; Violante, FS; Mattioli, S; Curti, S; Kriebel, D. (2013). Risk of mesothelioma following external beam radiotherapy for prostate cancer: a cohort analysis of SEER database. *Cancer Causes Control*. 24: 1535-1545. <http://dx.doi.org/10.1007/s10552-013-0230-0>.
- Farrera, C; Bhattacharya, K; Lazzaretto, B; Andon, FT; Hultenby, K; Kotchey, GP; Star, A; Fadeel, B. (2014). Extracellular entrapment and degradation of single-walled carbon nanotubes. *Nanoscale*. 6: 6974-6983. <http://dx.doi.org/10.1039/c3nr06047k>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Farrow, A; Farrow, SC; Little, R; Golding, J. (1996). The repeatability of self-reported exposure after miscarriage. ALSPAC Study Team. Avon Longitudinal Study of Pregnancy and Childhood. *Int J Epidemiol.* 25: 797-806.
- Farrow, CEG; Watkinson, DH. (1992). ALTERATION AND THE ROLE OF FLUIDS IN NI, CU AND PLATINUM-GROUP ELEMENT DEPOSITION, SUDBURY IGNEOUS COMPLEX CONTACT, ONAPING-LEVACK AREA, ONTARIO. *Mineralogy and Petrology.* 46: 67-83.
- Farrow, CEG; Watkinson, DH. (1996). Geochemical evolution of the Epidote Zone, Fraser Mine, Sudbury, Ontario: Ni-Cu-PGE remobilization by saline fluids. *Exploration & Mining Geology.* 5: 17-31.
- Faryad, SW; Melcher, F; Hoinkes, G; Puhl, J; Meisel, T; Frank, W. (2002). Relics of eclogite facies metamorphism in the Austroalpine basement, Hochgrossen (Speik complex), Austria. *Mineralogy and Petrology.* 74: 49-73.
- Faux, SP; Howden, PJ. (1997). Possible role of lipid peroxidation in the induction of NF-kappa B and AP-1 in RFL-6 cells by crocidolite asbestos: evidence following protection by vitamin E. *Environ Health Perspect.* 105 Suppl 5: 1127-1130.
- Favero-Longo, SE; Castelli, D; Fubini, B; Piervittori, R. (2009). Lichens on asbestos-cement roofs: bioweathering and biocovering effects. *J Hazard Mater.* 162: 1300-1308. <http://dx.doi.org/10.1016/j.jhazmat.2008.06.060>.
- Favero-Longo, SE; Castelli, D; Salvadori, O; Belluso, E; Piervittori, R. (2005). Pedogenetic action of the lichens *Lecidea atrobrunnea*, *Rhizocarpon geographicum* gr. and *Sporastatia testudinea* on serpentized ultramafic rocks in an alpine environment. *Int Biodeterior Biodegradation.* 56: 17-27. <http://dx.doi.org/10.1016/j.ibiod.2004.11.006>.
- Favero-Longo, SE; Gazzano, C; Giralanda, M; Castelli, D; Tretiach, M; Baiocchi, C; Piervittori, R. (2011). Physical and Chemical Deterioration of Silicate and Carbonate Rocks by Meristematic Microcolonial Fungi and Endolithic Lichens (Chaetothyriomycetidae). *Geomicrobiology Journal.* 28: 732-744. <http://dx.doi.org/10.1080/01490451.2010.517696>.
- Favero-Longo, SE; Turci, F; Fubini, B; Castelli, D; Piervittori, R. (2013). Lichen deterioration of asbestos and asbestiform minerals of serpentinite rocks in Western Alps. *Int Biodeterior Biodegradation.* 84: 342-350. <http://dx.doi.org/10.1016/j.ibiod.2012.07.018>.
- Fazzo, L; Carere, M; Tisano, F; Bruno, C; Cernigliaro, A; Cicero, MR; Comba, P; Contrino, ML; De Santis, M; Falleni, F; Ingallinella, V; Madeddu, A; Marcello, I; Regalbuto, C; Sciacca, G; Soggiu, ME; Zona, A. (2016). Cancer incidence in Priolo, Sicily: a spatial approach for estimation of industrial air pollution impact. *Geospat Health.* 11: 320. <http://dx.doi.org/10.4081/gh.2016.320>.
- Fazzo, L; De Santis, M; Minelli, G; Bruno, C; Zona, A; Conti, S; Comb, P. (2011). Mesothelioma Mortality and Asbestos Exposure Mapping in Italy. *Epidemiology.* 22: S107-S107.
- Fazzo, L; De Santis, M; Minelli, G; Bruno, C; Zona, A; Marinaccio, A; Conti, S; Comba, P. (2012). Pleural mesothelioma mortality and asbestos exposure mapping in Italy. *Am J Ind Med.* 55: 11-24. <http://dx.doi.org/10.1002/ajim.21015>.
- Fazzo, L; Menegozzo, S; Soggiu, ME; De Santis, M; Santoro, M; Cozza, V; Brangi, A; Menegozzo, M; Comba, P. (2014). Mesothelioma incidence in the neighbourhood of an asbestos-cement plant located in a national priority contaminated site. *Ann Ist Super Sanita.* 50: 322-327. http://dx.doi.org/DOI: 10.4415/ANN_14_04_05.
- Fazzo, L; Minelli, G; De Santis, M; Bruno, C; Zona, A; Marinaccio, A; Conti, S; Pirastu, R; Comba, P. (2012). Mesothelioma mortality surveillance and asbestos exposure tracking in Italy. *Ann Ist Super Sanita.* 48: 300-310. http://dx.doi.org/DOI: 10.4415/ANN_12_03_11.
- Fediuk, F; Balogh, K. (2009). CONTRIBUTION TO PETROLOGY AND K/Ar AMPHIBOLE DATA FOR PLUTONIC ROCKS OF THE HAGGIER MTS., SOCOTRA ISLAND, YEMEN. *Acta Geodynamica et Geomaterialia.* 6: 441-451.
- Fedorockova, A; Raschman, P; Sucik, G; Ivanova, D; Kavulicova, J. (2016). Utilization of Chrysotile-Type Tailings for Synthesis of High-Grade Silica by Controlled Precipitation. *Mineral Processing and Extractive Metallurgy Review.* 37: 287-294. <http://dx.doi.org/10.1080/08827508.2016.1195738>.
- Fedorowich, J; Stauffer, M; Kerrich, R. (1991). STRUCTURAL SETTING AND FLUID CHARACTERISTICS OF THE PROTEROZOIC TARTAN LAKE GOLD DEPOSIT, TRANS-HUDSON OROGEN, NORTHERN MANITOBA. *Econ Geol.* 86: 1434-1467.
- Fehnel, JW. (1990). AIR SAMPLING OF ASBESTOS DUST - COMPARISON OF IMPINGER AND ELECTROSTATIC PRECIPITATOR METHODS. *Am Ind Hyg Assoc J.* 51: A19-A21.
- Feigley, CE; Chen, HC. (1992). PENETRATION OF SEVERAL FILTER MATERIALS BY ASBESTOS AS A FUNCTION OF FIBER DIMENSIONS. *Am Ind Hyg Assoc J.* 53: 767-772.
- Feigley, CE; Maguire, KE; Hussey, JR. (1992). Asbestos Fiber Deposition Patterns on Various 25-mm Cassette Filters at a High Flow Rate. *Appl Occup Environ Hyg.* 7: 749-757.
- Feldman, RS. (1982). Development Of An Asbestos Reference Suspension (pp. Materials and Analytical Methods). (NIOSH/00145892). Feldman, RS.
- Feliu, LA; Polanco, A; Martinez, M; Centeno, JA. (1992). Identification of polynuclear aromatic hydrocarbons in automobile exhaust by high-performance liquid chromatography with a fluorescence detector. 203: ENVR64.
- Fenner, EM. (1979). United States regulations for control of asbestos exposure. *Ann N Y Acad Sci.* 330: 179-183.
- Ferguson, D. (1991). Asbestos: insufficient action, overreaction, action for tomorrow. 12: 140-145.
- Feric, T; Krstulovic, R; Krolo, P; Peric, J; Vucak, M. (1996). Adsorption of calcium hydroxide onto polyacrylonitrile, cellulose and chrysotile fibres. 49: 58-60.
- Feric, T; Krstulovic, R; Peric, J; Krolo, P. (1997). Effect of chrysotile asbestos on cement hydration. *Cement and Concrete Composites.* 19: 301-305.
- Ferin, J; Leach, LJ. (1976). The Effect of Amosite and Chrysotile Asbestos on the Clearance of TiO2 Particles from the Lung. *Environ Res.* 12: 250-254.
- Ferland, RH. (1988). NEW COMPRESSION PACKINGS AIM TO REPLACE ASBESTOS. *Power Engineering.* 92: 28-31.
- Fernandez-Caldas, E; Fox, RW. (1992). Environmental control of indoor air pollution. *Med Clin North Am.* 76: 935-952.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Ferrandino, D; Reich, A; Ryer, FH. (1980). LABELING IN THE WORKPLACE AS REQUIRED BY THE OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION USA (pp. COLD SPRING HARBOR). (HEEP/82/01962). Ferrandino, D; Reich, A; Ryer, FH.
- Ferrante, D; Bertolotti, M; Todesco, A; Mirabelli, D; Terracini, B; Magnani, C. (2007). Cancer mortality and incidence of mesothelioma in a cohort of wives of asbestos workers in Casale Monferrato, Italy. *Environ Health Perspect.* 115: 1401-1405. <http://dx.doi.org/10.1289/ehp.10195>.
- Ferrante, D; Mirabelli, D; Tunesi, S; Terracini, B; Magnani, C. (2016). Authors's response: Pleural mesothelioma and occupational and non-occupational asbestos exposure: a case-control study with quantitative risk assessment [Letter]. *Occup Environ Med.* 73: 713-714. <http://dx.doi.org/10.1136/oemed-2016-103851>.
- Ferrante, D; Tunesi, S; Mirabelli, D; Terracini, B; Magnani, C. (2010). INCIDENCE OF MALIGNANT PLEURAL MESOTHELIOMA AFTER OCCUPATIONAL AND HOUSEHOLD EXPOSURE TO ASBESTOS IN THE PERIOD 1990-2008. *Epidemiol Prev.* 34: 71-71.
- Ferrari, M; Viti, C. (2010). Retrograde hydration sequence in disordered Mg amphiboles: A TEM investigation. *Am Mineral.* 95: 81-91. <http://dx.doi.org/10.2138/am.2010.3254>.
- Ferry, JM. (1995). FLUID-FLOW DURING CONTACT-METAMORPHISM OF OPHICARBONATE ROCKS IN THE BERGELL-AUREOLE, VAL-MALENCO, ITALIAN ALPS. *Journal of Petrology.* 36: 1039-1053.
- Ferry, JM. (1996). Prograde and retrograde fluid flow during contact metamorphism of siliceous carbonate rocks from the Ballachulish aureole, Scotland. *Contributions to Mineralogy and Petrology.* 124: 235-254.
- Ferry, JM. (1996). Three novel isograds in metamorphosed siliceous dolomites from the Ballachulish aureole, Scotland. *Am Mineral.* 81: 485-494.
- Ferry, JM. (2000). Patterns of mineral occurrence in metamorphic rocks. *Am Mineral.* 85: 1573-1588.
- Ferry, JM; Dipple, GM. (1992). MODELS FOR COUPLED FLUID-FLOW, MINERAL REACTION, AND ISOTOPIC ALTERATION DURING CONTACT-METAMORPHISM - THE NOTCH PEAK AUREOLE, UTAH. *Am Mineral.* 77: 577-591.
- Filip, I; Orlandea, E. (2015). EVOLUTION & TIMING OF ALTERATION-MINERALIZATION PROCESSES IN TIGRESA-TRANSITO IOCG VEIN DEPOSITS FROM OJANCOS TECTONIC ALIGNMENTS, ATACAMA REGION, CHILE. *Carpath J Earth Env.* 10: 247-260.
- Filizzola, C; Pergola, N; Pignatti, S; Tramutoli, V. (2002). Aerial remote sensing hyperspectral techniques for rocky outcrops mapping. *Annals of Geophysics.* 45: 233-245.
- Finendale, MJ. (1993). Beyond notification: a case study from Cloquet, Minnesota. *Am J Ind Med.* 23: 153-159.
- Finkelstein, M. (1985). On the relative toxicity of asbestos fibres [Letter]. *Br J Ind Med.* 42: 69-70.
- Finkelstein, M. (2011). Regarding "Absence of Radiographic Asbestosis and the Risk of Lung Cancer among Asbestos-Cement Workers: Extended Follow-Up of a Cohort", by Murray Finkelstein, *American Journal of Industrial Medicine* 2010 Response. *Am J Ind Med.* 54: 497-498. <http://dx.doi.org/10.1002/ajim.20938>.
- Finkelstein, M. (2013). Reply to letter by Nolan and colleagues-re: The carcinogenicity of New York state talc dusts in humans [Letter]. *Am J Ind Med.* 56: 1119-1124. <http://dx.doi.org/10.1002/ajim.22208>.
- Finkelstein, MM. (1988). Risk assessment in the asbestos cement industry [Letter]. *Br J Ind Med.* 45: 201-203.
- Finkelstein, MM. (1989). Analysis of mortality patterns and workers' compensation awards among asbestos insulation workers in Ontario. *Am J Ind Med.* 16: 523-528.
- Finkelstein, MM. (1995). Potential pitfall in using cumulative exposure in exposure-response relationships: demonstration and discussion. *Am J Ind Med.* 28: 41-47.
- Finkelstein, MM. (1999). Maintenance work and asbestos-related cancers in the refinery and petrochemical sector [Letter]. *Am J Ind Med.* 36: 326. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199908\)36:2<326::AID-AJIM12>3.0.CO;2-Q](http://dx.doi.org/10.1002/(SICI)1097-0274(199908)36:2<326::AID-AJIM12>3.0.CO;2-Q).
- Finkelstein, MM. (2009). Comments on Asbestos Fibre Concentrations in the Lungs of Brake Workers: Another Look Reply. *Ann Occup Hyg.* 53: 192-193. <http://dx.doi.org/10.1093/annhyg/men080>.
- Finkelstein, MM. (2011). Mesothelioma in a Connecticut Friction Plant: The Need for Transparency and Exposure Information in Attribution of Risk Reply. *Ann Occup Hyg.* 55: 820-822. <http://dx.doi.org/10.1093/annhyg/mer052>.
- Finkelstein, MM. (2012). Malignant mesothelioma incidence among talc miners and millers in New York State. *Am J Ind Med.* 55: 863-868. <http://dx.doi.org/10.1002/ajim.22063>.
- Finkelstein, MM. (2013). Pneumoconiosis and malignant mesothelioma in a family operated metal casting business that used industrial talc from New York state. *Am J Ind Med.* 56: 550-555. <http://dx.doi.org/10.1002/ajim.22159>.
- Finocchiaro, C; Lark, A; Keating, M; Ugoni, A; Abramson, M. (1997). Does occupational exposure to brown coal dust cause a decline in lung function? *Occup Environ Med.* 54: 642-645.
- Fiorelli, J; Schmidt, R; Kawabata, CY; Lins de Oliveira, CE; Savastano Junior, H; Rossignolo, JA. (2012). Thermal efficiency of fiber cement corrugated sheets applied to individual housing for calves exposed to sun and shade. *Ciencia Rural.* 42: 64-67.
- First, MW; Love, D. (1982). ENGINEERING CONTROL OF ASBESTOS. *Am Ind Hyg Assoc J.* 43: 634-639.
- Fischbein, A; Rohl, AN; Langer, AM; Selikoff, IJ. (1979). DRYWALL CONSTRUCTION AND ASBESTOS EXPOSURE - REPLY. *Am Ind Hyg Assoc J.* 40: 829-830.
- Fish, R. (1977). GRAPHS SHOW LAKE ASBESTOS AT 2 FIBERS PER CC. 98: 38-&.
- Fisher, CE; Brown, DM; Shaw, J; Beswick, PH; Donaldson, K. (1998). Respirable fibres: surfactant coated fibres release more Fe³⁺ than native fibres at both pH 4.5 and 7.2. *Ann Occup Hyg.* 42: 337-345.
- Fitzgerald, NR; Flanagan, WM; Evans, WK; Miller, AB; Working, CPaCCRMLC. (2015). Eligibility for low-dose computerized tomography screening among asbestos-exposed individuals. *Scand J Work Environ Health.* 41: 407-412. <http://dx.doi.org/10.5271/sjweh.3496>.
- Fitz-Simons, T; Beard, ME. (1982). Simulation Of The EPA Provisional Method For Airborne Asbestos Concentrations (pp. Materials and Analytical Methods). (NIOSH/00146036). Fitz-Simons, T; Beard, ME.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Fleming, DW; Rubin, GA. (1978). DIELECTRIC CHARACTERIZATION OF UICC ASBESTOS SAMPLES. *Powder Technology*. 20: 261-271.
- Fletcher, LS; Barber, S; Anderson, AE; Fobian, J; Gratch, S; McCullogh, J; Nelson, R; Rabins, MJ; Radlinski, R; Rabinowicz, E. (1990). FEASIBILITY ANALYSIS OF ASBESTOS REPLACEMENT IN AUTOMOBILE AND TRUCK BRAKE SYSTEMS. *Mech Eng (Am Soc Mech Eng)*. 112: 50-56.
- Fletcher, RA; Small, JA; Blackburn, DH. (1998). Heated inlet sampling system for removing carbonaceous aerosol. *Aerosol Sci Technol*. 28: 283-291.
- Flohr, MJ. (1994). TITANIUM, VANADIUM, AND NIOBIUM MINERALIZATION AND ALKALI METASOMATISM FROM THE MAGNET COVE COMPLEX, ARKANSAS. *Econ Geol*. 89: 105-130.
- Flohr, MJ; Huebner, JS. (1992). MINERALOGY AND GEOCHEMISTRY OF 2 METAMORPHOSED SEDIMENTARY MANGANESE DEPOSITS, SIERRA-NEVADA, CALIFORNIA, USA. *Lithos*. 29: 57-85.
- Fokin, MA; Cohn, CA; Hylton, S; Schoonen, MA. (2009). Detecting asbestos-promoted (OH)-O-center dot using APF. *Geochim Cosmo Acta*. 73: A387-A387.
- Fonseca, PC, deF; de Almeida, EA; Passini, R. (2011). THERMAL COMFORT INDICES IN INDIVIDUAL SHELTERS FOR DAIRY CALVES WITH DIFFERENT TYPES OF ROOFS. *Engenharia Agricola*. 31: 1044-1051.
- Fonseca, PC, deF; de Almeida, EA; Passini, R. (2012). EVALUATION OF COVERING MATERIALS IN INDIVIDUAL SHELTERS AND ITS EFFECTS ON PHYSIOLOGICAL RESPONSES AND PERFORMANCE OF DAIRY CALVES. *Engenharia Agricola*. 32: 1041-1047.
- Fontaine, JH; Trayer, DM. (1975). Asbestos control in steam-electric generating plants. *Am Ind Hyg Assoc J*. 36: 126-130. <http://dx.doi.org/10.1080/0002889758507220>.
- Force, DotA. (1994). Disposal and Reuse of Castle Air Force Base, California. Final Environmental Impact Statement (pp. 791). (NTIS/03005364_a).
- Force, ER. (1998). Laramide alteration of Proterozoic diabase: A likely contributor of copper to porphyry systems in the Dripping Spring mountains area, southeastern Arizona. *Econ Geol*. 93: 171-183.
- Foreland, S; Bugge, MD; Bakke, B; Bye, E; Eduard, W. (2012). A Novel Strategy for Retrospective Exposure Assessment in the Norwegian Silicon Carbide Industry. *J Occup Environ Hyg*. 9: 230-241. <http://dx.doi.org/10.1080/15459624.2012.666189>.
- Foresti, E; Fornero, E; Lesci, IG; Rinaudo, C; Zuccheri, T; Roveri, N. (2009). Asbestos health hazard: a spectroscopic study of synthetic geoinspired Fe-doped chrysotile. *J Hazard Mater*. 167: 1070-1079. <http://dx.doi.org/10.1016/j.jhazmat.2009.01.103>.
- Foresti, E; Hochella, MF; Konishi, H; Lesci, IG; Madden, AS; Roveri, N; Xu, HF. (2005). Morphological and chemical/physical characterization of Fe-doped synthetic chrysotile nanotubes. *Adv Funct Mater*. 15: 1009-1016. <http://dx.doi.org/10.1002/adfm.200400355>.
- Fornero, E; Allegrina, M; Rinaudo, C; Mazziotti-Tagliani, S; Gianfagna, A. (2008). Micro-Raman spectroscopy applied on oriented crystals of fluoro-edenite amphibole. *Periodico di Mineralogia*. 77: 5-14. <http://dx.doi.org/10.2451/2008PM0008>.
- Fornero, E; Belluso, E; Capella, S; Bellis, D. (2009). Environmental exposure to asbestos and other inorganic fibres using animal lung model. *Sci Total Environ*. 407: 1010-1018. <http://dx.doi.org/10.1016/j.scitotenv.2008.10.021>.
- Forster, H; Tiesler, H. (1993). CONTRIBUTION TO COMPARABILITY OF IN-VITRO AND IN-VIVO MAN-MADE MINERAL FIBER (MMM) DURABILITY EXPERIMENTS. 66: 255-266.
- Fouillac, AM; Girard, JP. (1996). Laser oxygen isotope analysis of silicate/oxide grain separates: Evidence for a grain size effect? *Chem Geol*. 130: 31-54.
- Fournier, E. (1996). [Asbestos and protection of the population exposed to inhalation of asbestos fibers in public and private buildings]. *Bull Acad Natl Med*. 180: 887-905.
- Foustoukos, DI; Savov, IP; Janecky, DR. (2008). Chemical and isotopic constraints on water/rock interactions at the Lost City hydrothermal field, 30 degrees N Mid-Atlantic Ridge. *Geochim Cosmo Acta*. 72: 5457-5474. <http://dx.doi.org/10.1016/j.gca.2008.07.035>.
- Fox, DL. (1987). Air pollution [Review]. *Anal Chem*. 59: 280R-294R.
- Fox, DL. (1993). AIR-POLLUTION. *Anal Chem*. 65: R156-R170.
- Franceschelli, M; Carcangiu, G; Caredda, AM; Cruciani, G; Memmi, I; Zucca, M. (2002). Transformation of cumulate mafic rocks to granulite and re-equilibration in amphibolite and greenschist facies in NE Sardinia, Italy. *Lithos*. 63: 1-18.
- Franceschelli, M; Eltrudis, A; Memmi, I; Palmeri, R; Carcangiu, G. (1998). Multi-stage metamorphic re-equilibration in eclogitic rocks from the Hercynian basement of NE Sardinia (Italy). *Mineralogy and Petrology*. 62: 167-193.
- Franchini, MB; Meinert, LD; Valles, JM. (2002). First occurrence of ilvaite in a gold skarn deposit. *Econ Geol*. 97: 1119-1126.
- Frank, A; Rohl, A; Wade, M; Lipkin, L. (1979). Biological activity in vitro of chrysotile compared to its quarried parent rock (platy serpentine). *J Environ Pathol Toxicol*. 2: 1041-1046.
- Frank, AL. (1980). Clinical observations following asbestos exposure. *Environ Health Perspect*. 34: 27-30.
- Frank, AL. (1993). GLOBAL PROBLEMS FROM EXPOSURE TO ASBESTOS [Review]. *Environ Health Perspect*. 101: 165-167.
- Frank, AL. (2007). Ban on asbestos diaphragms in the chlorine-related chemical industry and efforts toward a worldwide ban - Comment. *Int J Occup Environ Health*. 13: 84-84.
- Frank, AL; Dodson, RF; Williams, MG. (1998). Carcinogenic implications of the lack of tremolite in UICC reference chrysotile. *Am J Ind Med*. 34: 314-317.
- Franko, A; Dolzan, V; Arnerić, N; Dodic-Fikfak, M. (2008). The influence of genetic polymorphisms of GSTP1 on the development of asbestosis. *J Occup Environ Med*. 50: 7-12. <http://dx.doi.org/10.1097/JOM.0b013e31815cbab5>.
- Franzblau, A; Garabrant, DH. (2004). Respiratory impairment due to asbestos exposure in brake-lining workers [Letter]. *Environ Res*. 96: 105-106; author reply 106-108. <http://dx.doi.org/10.1016/j.envres.2004.04.005>.
- Frei, R; Bridgwater, D; Rosing, T; Stecher, O. (1999). Controversial Pb-Pb and Sm-Nd isotope results in the early Archean Isua (West Greenland) oxide iron formation: Preservation of primary signatures versus secondary disturbances. *Geochim Cosmo Acta*. 63: 473-488.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Freimuth, VS; Vannevel, JP. (1993). CHANNELS AND VEHICLES OF COMMUNICATION - THE ASBESTOS AWARENESS CAMPAIGN. *Am J Ind Med.* 23: 105-111.
- Freville, L; Moulut, JC; Grzebyk, M; Kauffer, E. (2010). Producing samples for the organization of proficiency tests. Study of the homogeneity of replicas produced from two atmosphere generation systems. *Ann Occup Hyg.* 54: 659-670. <http://dx.doi.org/10.1093/annhyg/meq031>.
- Friedrichs, KH. (1987). IMMISSION THROUGH ASBESTOS CEMENT PRODUCTS .2. COMMENT. *Staub, Reinhaltung der Luft.* 47: 122-122.
- Friedrichs, KH; Chiappino, G; Forni, A; Wick, G. (1993). ASBESTOS BODIES IN LUNG-TISSUE - A COMPARISON STUDY OF LM, SEM, AND TEM. 3: 243-254.
- Friedrichs, KH; Einbrodt, HJ. (1976). The measurement of fibre concentration in lung dusts (pp. 5-6). (HEEP/77/00258). Friedrichs, KH; Einbrodt, HJ.
- Friedrichs, KH; Otto, H. (1981). METHODOLOGY OF LUNG DUST ANALYSIS FOR DEMONSTRATION OF OCCUPATIONAL ASBESTOS EXPOSURE. *Arbeitsmedizin, Sozialmedizin, Praeventivmedizin.* 16: 189-191.
- Friedrichs, KH; Otto, H; Fischer, M. (1992). CRITERIA FOR ANALYSIS OF FIBERS IN PULMONARY DUSTS. *Arbeitsmedizin, Sozialmedizin, Praeventivmedizin.* 27: 228-232.
- Frimmel, HE. (1996). Witwatersrand iron-formations and their significance for gold genesis and the composition limits of orthoamphibole. *Mineralogy and Petrology.* 56: 273-295.
- Fritschi, L; Chan, J; Hutchings, SJ; Driscoll, TR; Wong, AY; Carey, RN. (2016). The future excess fraction model for calculating burden of disease. *BMC Public Health.* 16: 386. <http://dx.doi.org/10.1186/s12889-016-3066-1>.
- Frost, BR; Evans, KA; Swapp, SM; Beard, JS; Mothersole, FE. (2013). The process of serpentinization in dunite from New Caledonia. *Lithos.* 178: 24-39. <http://dx.doi.org/10.1016/j.lithos.2013.02.002>.
- Frost, G; Darnton, A; Harding, AH. (2011). The effect of smoking on the risk of lung cancer mortality for asbestos workers in Great Britain (1971-2005). *Ann Occup Hyg.* 55: 239-247. <http://dx.doi.org/10.1093/annhyg/meq089>.
- Frost, V; Wesnik, E. (1983). EXPERIENCES WITH THE SUBSTITUTION OF ASBESTOS IN PLANTS PRODUCING BREAK LININGS, SEALS ETC. *Chem Tech (Leipzig).* 35: 485-485.
- Fruh-Green, GL; Scambelluri, M; Vallis, F. (2001). O-H isotope ratios of high pressure ultramafic rocks: implications for fluid sources and mobility in the subducted hydrous mantle. *Contributions to Mineralogy and Petrology.* 141: 145-159.
- Frumkin, H; Berlin, JA. (1991). ASBESTOS EXPOSURE AND GASTROINTESTINAL CANCER - A RESPONSE. *Am J Ind Med.* 19: 409-411.
- Fryirs, K; Snape, I, an; Babicka, N. (2013). The type and spatial distribution of past waste at the abandoned Wilkes Station, East Antarctica. *Polar Rec (Gr Brit).* 49: 328-347. <http://dx.doi.org/10.1017/S0032247412000721>.
- Fu, B, in; Valley, JW; Kita, NT; Spicuzza, MJ; Paton, C; Tsujimori, T; Broecker, M; Harlow, GE. (2010). Multiple origins of zircons in jadeitite. *Contributions to Mineralogy and Petrology.* 159: 769-780. <http://dx.doi.org/10.1007/s00410-009-0453-y>.
- Fubini, B. (1997). Surface reactivity in the pathogenic response to particulates [Review]. <http://dx.doi.org/10.2307/3433502>.
- Fubini, B; Barcelo, F; Arean, CO. (1997). Ferritin adsorption on amosite fibers: Possible implications in the formation and toxicity of asbestos bodies. *J Toxicol Environ Health.* 52: 343-352. <http://dx.doi.org/10.1080/00984109708984069>.
- Fubini, B; Fenoglio, I. (2007). Toxic potential of mineral dusts. *Elements.* 3: 407-414. <http://dx.doi.org/10.2113/GSELEMENTS.3.6.407>.
- Fubini, B; Mollo, L; Bodoardo, S; Onida, B; Oberson, D; Lafuma, C. (1997). Evaluation of the surface acidity of some phyllosilicates in relation to their inactivating activity toward the enzyme human leucocyte elastase. *Langmuir.* 13: 919-927.
- Fuertes-Fuente, M; Martin-Izard, A; Nieto, JG; Maldonado, C; Varela, A. (2000). Preliminary mineralogical and petrological study of the Ortosa Au-Bi-Te ore deposit: a reduced gold skarn in the northern part of the Rio Narcea Gold Belt, Asturias, Spain. *J Geochem Explor.* 71: 177-190.
- Fujii, H; Matsumoto, T; Hata, N; Nakano, T; Kohno, M; Nogi, K. (2000). Surface tension of molten silicon measured by the electromagnetic levitation method under microgravity. *Metallurgical and Materials Transactions A.* 31: 1585-1589.
- Fujii, H; Matsumoto, T; Izutani, S; Kiguchi, S; Nogi, K. (2006). Surface tension of molten silicon measured by microgravity oscillating drop method and improved sessile drop method. *Acta Materialia.* 54: 1221-1225. <http://dx.doi.org/10.1016/j.actamat.2005.10.058>.
- Fujishige, M; Kuribara, A; Karasawa, I; Kojima, A. (2007). Low-temperature pyrolysis of crocidolite and amosite using calcium salts as a flux. *Ceramic Society of Japan Journal.* 115: 434-439.
- Fujishige, M; Obuchi, H; Sato, R; Kojima, A. (2006). Low temperature decomposition of Chrysotile in sprayed asbestos using salts. *Ceramic Society of Japan Journal.* 114: 355-358.
- Fujishige, M; Sato, R; Kuribara, A; Karasawa, I; Kojima, A. (2006). CaCl₂ addition effect and melt formation in low-temperature decomposition of chrysotile with CaCO₃. *Ceramic Society of Japan Journal.* 114: 844-848.
- Fujishige, M; Sato, R; Kuribara, A; Karasawa, I; Kojima, A. (2006). Low-temperature decomposition of sprayed-on asbestos. *Ceramic Society of Japan Journal.* 114: 1133-1137.
- Fujita, T; Sugimori, K; Nakazawa, H. (1993). FORMATION OF NA-SEPIOLITE FIBERS BY HYDROTHERMAL TREATMENT OF NA-FLUOR-TAENIOLITE AND NA-FLUOR-TETRA-SILICIC MICA. 101: 600-603.
- Fukagawa, NK; Li, M; Sabo-Attwood, T; Timblin, CR; Butnor, KJ; Gagne, J; Steele, C; Taatjes, DJ; Huber, S; Mossman, BT. (2008). Inhaled Asbestos Exacerbates Atherosclerosis in Apolipoprotein E--Deficient Mice via CD4⁺T Cells. *Environ Health Perspect.* 116: 1218-1225. <http://dx.doi.org/10.1289/ehp.11172>.
- Furness, IW; Reed, PJ. (1985). The Assessment Of A Modification To The Acetoneriacetin Clearing Technique As Used In The Measurement Of Airborne Asbestos Dust. *Ann Occup Hyg.* 29: 109-112.
- Furuya, S; Natori, Y; Ikeda, R. (2003). Asbestos in Japan. *Int J Occup Environ Health.* 9: 260-265. <http://dx.doi.org/10.1179/oeh.2003.9.3.260>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Fuxi, G; JingYan, C; HuanSheng, C; DongHong, G; GuoYao, R; XiangMing, F; JunQing, D; HongXia, Z. (2010). The non-destructive analysis of ancient jade artifacts unearthed from the Liangzhu sites at Yuhang, Zhejiang. *Science China Technological Sciences*. 53: 3404-3419. <http://dx.doi.org/10.1007/s11431-010-4167-1>.
- Gabbanelli, F; Mattioli-Belmonte, M; Giantomassi, F; Rimondini, L; Viticchi, C; Biagini, G; Torricelli, P; Gualtieri, AF; Lesci, IG; Giardino, R. (2003). Exploring the damage limitation possibilities of mineral fibres for future integrated solutions: an in vitro study. *Int J Artif Organs*. 26: 73-79.
- Gaensler, EA. (1994). ASBESTOS EXPOSURE IN BUILDINGS (pp. S98-S110). (ISSN 0341-3055; BIOSIS/94/30152). Gaensler, EA.
- Gaggero, L; Cortesogno, L. (1997). Metamorphic evolution of oceanic gabbros: recrystallization from subsolidus to hydrothermal conditions in the MARK area (ODP Leg 153). *Lithos*. 40: 105-131.
- Gagnon, MDN; Normand, C. (2008). Distribution of Ni-Fe alloys in the serpentinized harzburgites of the Jeffrey Mine, Asbestos, Quebec. *Geochim Cosmo Acta*. 72: A289-A289.
- Galgani, F; Chiffolleau, JF; Orsoni, V; Costantini, L; Boissery, P; Calendini, S; Andral, B. (2006). Chemical contamination and sediment toxicity along the coast of Corsica. *Chem Ecol*. 22: 299-312. <http://dx.doi.org/10.1080/02757540600812156>.
- Galimany, E; Ramón, M; Delgado, M. (2009). First evidence of fiberglass ingestion by a marine invertebrate (*Mytilus galloprovincialis* L.) in a N.W. Mediterranean estuary. *Mar Pollut Bull*. 58: 1334-1338. <http://dx.doi.org/10.1016/j.marpolbul.2009.04.027>.
- Gall, CA; Reif, KE; Scoles, GA; Mason, KL; Mousel, M; Noh, SM; Brayton, KA. (2016). The bacterial microbiome of *Dermacentor andersoni* ticks influences pathogen susceptibility. *ISME J*. 10: 1846-1855. <http://dx.doi.org/10.1038/ismej.2015.266>.
- Gallagher, LG; Park, RM; Checkoway, H. (2015). Extended follow-up of lung cancer and non-malignant respiratory disease mortality among California diatomaceous earth workers. *Occup Environ Med*. 72: 360-365. <http://dx.doi.org/10.1136/oemed-2014-102412>.
- Gällentoft, L; Pettersson, LM; Danielsen, N; Schouenborg, J; Prinz, CN; Linsmeier, CE. (2015). Size-dependent long-term tissue response to biostable nanowires in the brain. *Biomaterials*. 42: 172-183. <http://dx.doi.org/10.1016/j.biomaterials.2014.11.051>.
- Galley, AG; Jonasson, IR; Watkinson, DH. (2000). Magnetite-rich calc-silicate alteration in relation to synvolcanic intrusion at the Ansil volcanogenic massive sulfide deposit, Rouyn-Noranda, Quebec, Canada. *Miner Depos*. 35: 619-637.
- Gamble, JF. (1993). A NESTED CASE CONTROL STUDY OF LUNG-CANCER AMONG NEW-YORK TALC WORKERS. *Int Arch Occup Environ Health*. 64: 449-456.
- Gamsu, G. (1989). High-resolution CT in the diagnosis of asbestos-related pleuroparenchymal disease [Editorial]. *Am J Ind Med*. 16: 115-117.
- Gamsu, G. (1991). Computed tomography and high-resolution computed tomography of pneumoconioses [Review]. *J Occup Med*. 33: 794-796.
- Gan, L; Savransky, EF; Fasy, TM; Johnson, EM. (1993). Transfection of human mesothelial cells mediated by different asbestos fiber types. *Environ Res*. 62: 28-42.
- Gandhi, S; Lyon, R; Speitel, L. (1999). Potential health hazards from burning aircraft composites. *J Fire Sci*. 17: 20-41.
- Gandolfi, NB; Gualtieri, AF; Pollastri, S; Tibaldi, E; Belpoggi, F. (2015). Assessment of asbestos body formation by high resolution FEG-SEM after exposure of Sprague-Dawley rats to chrysotile, crocidolite, or erionite. *J Hazard Mater*. 306: 95-104. <http://dx.doi.org/10.1016/j.jhazmat.2015.11.050>.
- Gandy, M. (1999). Rethinking the ecological leviathan: environmental regulation in an age of risk. *Global Environ Change*. 9: 59-69.
- Ganguly, A; George, R. (2008). Asbestos free friction composition for brake linings. *Bulletin of Materials Science*. 31: 19-22.
- Ganor, E; Fischbein, A; Brenner, S; Froom, P. (1992). Extreme airborne asbestos concentrations in a public building. *Br J Ind Med*. 49: 486-488.
- Ganotes, JT; Tan, HT. (1980). ASBESTOS IDENTIFICATION BY DISPERSION STAINING MICROSCOPY. *Am Ind Hyg Assoc J*. 41: 70-73.
- GaoXiang, D; ShuiLin, Z; Hao, D. (2009). Process optimization of reaction of acid leaching residue of asbestos tailing and sodium hydroxide aqueous solution. *Science in China Series E: Technological Sciences*. 52: 204-209. <http://dx.doi.org/10.1007/s11431-009-0030-7>.
- Garabrant, DH; Alexander, DD; Miller, PE; Fryzek, JP; Boffetta, P; Teta, MJ; Hessel, PA; Craven, VA; Kelsh, MA; Goodman, M. (2015). Mesothelioma among Motor Vehicle Mechanics: An Updated Review and Meta-analysis [Review]. *Ann Occup Hyg*. 60: 8-26. <http://dx.doi.org/10.1093/annhyg/mev060>.
- García Gómez, M; Artieda Pellejero, L; Esteban Buedo, V; Guzmán Fernández, A; Camino Durán, F; Martínez Castillo, A; Lezzáun Goñi, M; Gallo Fernández, M; González García, I; Martínez Arguisuelas, N; Elvira Espinosa, M; Sánchez de Navas, AM; Zimmermann Verdejo, M; Campos Acedo, R; Galván Olivares, F; Castañeda López, R; Estaún Blasco, E; Castell Salvá, R; Martínez-Portillo, LM; Rubio Sanz, A; Unamuno Achúcarro, A; Fernández Fernández, I; Lama Herrera, C; Mayoral Cortés, JM. (2006). [Health surveillance of workers exposed to asbestos: an example of cooperation between the occupational prevention system and the national health system]. *Rev Esp Salud Publica*. 80: 27-39.
- García Gómez, M; Menéndez-Navarro, A; Castañeda López, R. (2012). [Incidence of asbestosis and other benign lung diseases: Spain, 1962-2010]. *Rev Esp Salud Publica*. 86: 613-625. <http://dx.doi.org/10.4321/S1135-57272012000600007>.
- García-Casco, A; Lazaro, C; Rojas-Agramonte, Y; Kroener, A; Torres-Roldan, RL; Nunez, K; Neubauer, F; Millan, G; Blanco-Quintero, I. (2008). Partial melting and counterclockwise P-T path of subducted oceanic crust (Sierra del Convento Melange, Cuba). *Journal of Petrology*. 49: 129-161. <http://dx.doi.org/10.1093/petrology/egm074>.
- García-Guinea, J; Sapalski, C; Cardenas, V; Lombardero, M. (2000). Mineral inlays in natural stone slabs: techniques, materials and preservation. *Construction and Building Materials*. 14: 365-373.
- García-Lopez, MD; Barrera-Rodríguez, R. (2000). Malignant mesothelioma: Clinical and radiological picture of 45 cases with or without exposure to asbestos. *Salud Publica Mex*. 42: 511-519.
- García-López, MP; Barrera-Rodríguez, R. (2000). [Malignant mesothelioma: clinical and radiological description of 45 cases with and without asbestos exposure] [Review]. *Salud Publica Mex*. 42: 511-519.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Garcia-Montero, LG; Manjon, JL; Martin-Fernandez, S; Di Massimo, G. (2007). Problems of using pines in Tuber melanosporum culture: soils and truffle harvest associated with Pinus nigra and P-sylvestris. *Agroforestry Systems*. 70: 243-249. <http://dx.doi.org/10.1007/s10457-007-9052-y>.
- Garg, BD; Cadle, SH; Mulawa, PA; Groblicki, PJ. (2000). Brake wear particulate matter emissions. *Environ Sci Technol*. 34: 4463-4469.
- Garrido, CJ; Sanchez-Vizcaino, VL; Gomez-Pugnaire, MT; Trommsdorff, V; Alard, O; Bodinier, JL; Godard, M. (2005). Enrichment of HFSE in chlorite-harzburgite produced by high-pressure dehydration of antigorite-serpentinite: Implications for subduction magmatism. *G-cubed*. 6. <http://dx.doi.org/10.1029/2004gc000791>.
- Gasc, J; Schubnel, A; Brunet, F; Guillon, S; Mueller, HJ; Lathe, C. (2011). Simultaneous acoustic emissions monitoring and synchrotron X-ray diffraction at high pressure and temperature: Calibration and application to serpentinite dehydration. *Phys Earth Planet In*. 189: 121-133. <http://dx.doi.org/10.1016/j.pepi.2011.08.003>.
- Gaspar, LM; Inverno, CMC. (2000). Mineralogy and metasomatic evolution of distal strata-bound scheelite skarns in the Riba de Alva mine, northeastern Portugal. *Econ Geol*. 95: 1259-1275.
- Gates, AE. (1995). MIDDLE PROTEROZOIC DEXTRAL STRIKE-SLIP EVENT IN THE CENTRAL APPALACHIANS - EVIDENCE FROM THE RESERVOIR FAULT, NJ. *J Geodyn*. 19: 195-212.
- Gates, MA; Tworoger, SS; Terry, KL; Titus-Ernstoff, L; Rosner, B; De Vivo, I; Cramer, DW; Hankinson, SE. (2008). Talc use, variants of the GSTM1, GSTT1, and NAT2 genes, and risk of epithelial ovarian cancer. *Cancer Epidemiol Biomarkers Prev*. 17: 2436-2444. <http://dx.doi.org/10.1158/1055-9965.EPI-08-0399>.
- Gatto, MP; Tanna, D; Tanna, GL. (2013). Distribution and trends in mesothelioma mortality in Italy from 1974 to 2006. *Int Arch Occup Environ Health*. 86: 489-496. <http://dx.doi.org/10.1007/s00420-012-0780-6>.
- Gaudichet, A; Bientz, M; Sebastien, P; Dufour, G; Bignon, J; Bonnaud, G; Puisais, J. (1978). ASBESTOS FIBERS IN WINES - RELATION TO FILTRATION PROCESS. *J Toxicol Environ Health*. 4: 853-860.
- Gaudichet, A; Petit, G; Billon-Galland, MA; Dufour, G. (1989). Levels of atmospheric pollution by man-made mineral fibres in buildings. *IARC Sci Publ. occupational Exposure to Mineral Fibres*: 291-298.
- Gavett, SH. (2006). Physical characteristics and health effects of aerosols from collapsed buildings [Review]. *J Aerosol Med*. 19: 84-91. <http://dx.doi.org/10.1089/jam.2006.19.84>.
- Gazzano, E; Riganti, C; Tomatis, M; Turci, F; Bosia, A; Fubini, B; Ghigo, D. (2005). Potential toxicity of nonregulated asbestiform minerals: balangeroite from the western Alps. Part 3: Depletion of antioxidant defenses. *J Toxicol Environ Health A*. 68: 41-49. <http://dx.doi.org/10.1080/15287390590523957>.
- Gazzi, D; Crockford, GW. (1987). INDOOR ASBESTOS LEVELS ON A HOUSING ESTATE DETERMINED BY TRANSMISSION ELECTRON MICROSCOPY. *Ann Occup Hyg*. 31: 429-440.
- Gehanno, JF; Paris, C; Thirion, B; Caillard, JF. (1998). Assessment of bibliographic databases performance in information retrieval for occupational and environmental toxicology. *Occup Environ Med*. 55: 562-566.
- Geiser, M; Matter, M; Maye, I; Hof, VI; Gehr, P; Schurch, S. (2003). Influence of airspace geometry and surfactant on the retention of man-made vitreous fibers (MMVF 10a). *Environ Health Perspect*. 111: 895-901. <http://dx.doi.org/10.1289/ehp.5888>.
- Gelcich, S; Davis, DW; Spooner, ETC. (2005). Testing the apatite-magnetite geochronometer: U-Pb and Ar-40/Ar-39 geochronology of plutonic rocks, massive magnetite-apatite tabular bodies, and IOCG mineralization in Northern Chile. *Geochim Cosmo Acta*. 69: 3367-3384. <http://dx.doi.org/10.1016/j.gca.2004.12.020>.
- Gelono, C; Gianelli, G. (2007). A preliminary geochemical model of the fluid-rock interaction processes forming the eastern Liguria ophicalcite (northern Apennines, Italy). *Periodico di Mineralogia*. 76: 137-154. <http://dx.doi.org/10.2451/2007PM00112>.
- Gemmell, JB; Zantop, H; Meinert, LD. (1992). GENESIS OF THE AGUILAR ZINC-LEAD-SILVER DEPOSIT, ARGENTINA - CONTACT METASOMATIC VS SEDIMENTARY EXHALATIVE. *Econ Geol*. 87: 2085-2112.
- Gendek, EG; Brody, AR. (1990). Changes in lipid ordering of model phospholipid membranes treated with chrysotile and crocidolite asbestos. *Environ Res*. 53: 152-167.
- Gennaro, V; Ceppi, M; Fontana, V; Perrotta, A; Silvano, S; Boffetta, P. (1995). PLEURAL MESOTHELIOMA IN OIL REFINERY WORKERS - REPLY. *Scand J Work Environ Health*. 21: 303-309.
- Gennaro, V; Montanaro, F; Ceppi, M; Fontana, V; Perrotta, A; Puntoni, R. (2001). RE: Mesothelioma and lung tumors attributable to asbestos among petroleum workers. *Am. J. Ind. Med*. 2000. 37 : 275-282. I. Reply to Tsai et al.'s letter to the editor and new evidence. *Am J Ind Med*. 39: 517-521.
- Gennaro, V; Montanaro, F; Ceppi, M; Fontana, V; Perrotta, A; Puntoni, R; Finkelstein, MM; Silvano, S. (2001). RE: Mesothelioma and lung tumors attributable to asbestos among petroleum workers. *Am. J. Ind. Med*. 2000. 37 : 275-282. II. Reply to William J. Bailey's letter to the editor. *Am J Ind Med*. 39: 522-523.
- Gennaro, V; Tomatis, L. (2005). Business bias: How epidemiologic studies may underestimate or fail to detect increased risks of cancer and other diseases. *Int J Occup Environ Health*. 11: 356-359.
- Gentry, JW. (1987). SURVEY OF RECENT MEASUREMENTS WITH ASBESTOS FIBERS. *J Aerosol Sci*. 18: 47-486.
- Gentry, JW; Spurny, KR; Opiela, H; Weiss, G. (1980). MEASUREMENT OF COLLECTION EFFICIENCY OF AMOSITE FIBERS. *Ind Eng Chem Process Des Dev*. 19: 47-52.
- Gentry, JW; Spurny, KR; Schormann, J. (1989). COLLECTION EFFICIENCY OF ULTRAFINE ASBESTOS FIBERS EXPERIMENT AND THEORY. *Aerosol Sci Technol*. 11: 184-195.
- Gentry, JW; Spurny, KR; Schormann, J. (1991). THE DIFFUSION-COEFFICIENTS FOR ULTRATHIN CHRYSOTILE FIBERS. *J Aerosol Sci*. 22: 869-880.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Gentry, JW; Spurny, KR; Schormann, J; Chang, YC; Han, RJ; Lien, P. (1992). ALGORITHM FOR CALCULATING THE COLLECTION EFFICIENCY OF NUCLEPORE FILTERS FOR FIBERS. *J Aerosol Sci.* 23: 139-152.
- Gentry, JW; Spurny, KR; Schormann, J; Han, RJ. (1990). FILTRATION AND DIFFUSION OF ASBESTOS FIBERS - COMPARISON OF EXPERIMENT AND THEORY. *J Aerosol Sci.* 21: S711-S714.
- Gentry, JW; Spurny, KR; Schormann, J; Opiela, H; Weiss, G. (1982). MEASUREMENT OF THE DIFFUSION-COEFFICIENT FOR CHRYSOTILE AND CROCIDOLITE FIBERS. *Atmos Environ.* 16: 2947-2957.
- Gentry, JW; Spurny, KR; Soulen, SA; Schormann, J. (1988). MEASUREMENTS OF THE DIFFUSION-COEFFICIENTS OF ULTRATHIN ASBESTOS FIBERS. *J Aerosol Sci.* 19: 1041-1044.
- George, G; Vishnu, VS; Reddy, MLP. (2011). The synthesis, characterization and optical properties of silicon and praseodymium doped Y6MoO12 compounds: Environmentally benign inorganic pigments with high NIR reflectance. *Dyes and Pigments.* 88: 109-115. <http://dx.doi.org/10.1016/j.dyepig.2010.05.010>.
- Gerde, P; Scholander, P. (1987). A hypothesis concerning asbestos carcinogenicity: the migration of lipophilic carcinogens in adsorbed lipid bilayers. *Ann Occup Hyg.* 31: 395-400.
- Gerde, P; Scholander, P. (1988). Adsorption of benzo(a)pyrene on to asbestos and manmade mineral fibres in an aqueous solution and in a biological model solution. *Br J Ind Med.* 45: 682-688.
- Germine, M; Puffer, JH. (1981). DISTRIBUTION OF ASBESTOS IN THE BEDROCK OF THE NORTHERN NEW-JERSEY AREA. *Environ Geol.* 3: 337-351.
- Germine, M; Puffer, JH. (2015). Analytical Transmission Electron Microscopy of Amphibole Fibers From the Lungs of Quebec Miners. *Arch Environ Occup Health.* 70: 323-331. <http://dx.doi.org/10.1080/19338244.2014.918928>.
- Gervilla, F; Padron-Navarta, JA; Kerestedjian, T; Sergeeva, I; Gonzalez-Jimenez, JM; Fanlo, I. (2012). Formation of ferrian chromite in podiform chromitites from the Golyamo Kamenyane serpentinite, Eastern Rhodopes, SE Bulgaria: a two-stage process. *Contributions to Mineralogy and Petrology.* 164: 643-657. <http://dx.doi.org/10.1007/s00410-012-0763-3>.
- Geyh, A; Chillrud, S; Williams, D; Herbstman, J; Symons, J; Rees, K; Ross, J; Kim, S; Lim, H; Turpin, B; Breyse, P. (2005). Assessing truck driver exposure at the World Trade Center disaster site: personal and area monitoring for particulate matter and volatile organic compounds during October 2001 and April 2002. *J Occup Environ Hyg.* 2: 179-193. <http://dx.doi.org/10.1080/15459620590923154>.
- Ghaderi, N; Zhang, H; Sun, T, ao. (2015). Relative stability and contrasting elastic properties of serpentine polymorphs from first-principles calculations. *J Geophys Res Solid Earth.* 120: 4831-4842. <http://dx.doi.org/10.1002/2015JB012148>.
- Ghent, ED. (1988). TREMOLITE AND H2O ACTIVITY ATTENDING METAMORPHISM OF HORNBLende-PLAGIOCLASE-GARNET ASSEMBLAGES. *Contributions to Mineralogy and Petrology.* 98: 163-168.
- Ghio, AJ; Lefurgey, A; Roggli, VL. (1997). In vivo accumulation of iron on crocidolite is associated with decrements in oxidant generation by the fiber. *J Toxicol Environ Health.* 50: 125-142.
- Ghiorso, MS; Evans, BW. (2002). Thermodynamics of the amphiboles: Ca-Mg-Fe²⁺ quadrilateral. *Am Mineral.* 87: 79-98.
- Ghiorso, MS; Evans, BW; Hirschmann, MM; Yang, HX. (1995). THERMODYNAMICS OF THE AMPHIBOLES - FE-MG CUMMINGTONITE SOLID-SOLUTIONS. *Am Mineral.* 80: 502-519.
- Ghoorah, M; Dlugogorski, BZ; Oskierski, HC; Kennedy, EM. (2014). Study of thermally conditioned and weak acid-treated serpentinites for mineralisation of carbon dioxide. *Miner Eng.* 59: 17-30. <http://dx.doi.org/10.1016/j.mineng.2014.02.005>.
- Ghosh, D; Deb, A; Bera, S; Sengupta, R; Patra, KK. (2008). Assessment of alpha activity of building materials commonly used in West Bengal, India. *J Environ Radioact.* 99: 316-321. <http://dx.doi.org/10.1016/j.jenvrad.2007.08.002>.
- Giacomini, S; Mensi, C; Sieno, C; Riboldi, L. (2009). Malignant pleural mesothelioma related to asbestos in young subjects. *Med Lav.* 100: 396-396.
- Giannasi, F. (2007). Ban on asbestos diaphragms in the chlorine-related chemical industry and efforts toward a worldwide ban. *Int J Occup Environ Health.* 13: 80-84. <http://dx.doi.org/10.1179/107735207800244983>.
- Gibb, H; Fulcher, K; Nagarajan, S; Mccord, S; Fallahian, NA; Hoffman, HJ; Haver, C; Tolmachev, S. (2013). Analyses of radiation and mesothelioma in the US Transuranium and Uranium Registries. *Am J Public Health.* 103: 710-716. <http://dx.doi.org/10.2105/AJPH.2012.300928>.
- Gibbs, GV; Cox, DF; Ross, NL; Crawford, TD; Burt, JB; Rosso, KM. (2005). A mapping of the electron localization function for earth materials. *Physics and Chemistry of Minerals.* 32: 208-221. <http://dx.doi.org/10.1007/s00269-005-0463-x>.
- Gibbs, GW. (1975). Fibre release from asbestos garments. *Ann Occup Hyg.* 18: 143-149.
- Gibbs, GW; Baron, P; Beckett, ST; Dillen, R; Du Toit, RS; Koponen, M; Robock, K. (1977). A summary of asbestos fibre counting experience in seven countries. *Ann Occup Hyg.* 20: 321-332.
- Gibbs, GW; Hwang, CY. (1975). Physical parameters of airborne asbestos fibres in various work environments--preliminary findings. *Am Ind Hyg Assoc J.* 36: 459-466. <http://dx.doi.org/10.1080/0002889758507271>.
- Gibbs, GW; Hwang, CY. (1980). Dimensions of airborne asbestos fibres. *IARC Sci Publ.* 1: 69-78.
- Gibbs, GW; Valic, F; Browne, K. (1994). HEALTH RISKS ASSOCIATED WITH CHRYSOTILE ASBESTOS - A REPORT ON A WORKSHOP HELD IN JERSEY, CHANNEL-ISLANDS - 14-17 NOVEMBER 1993. *Ann Occup Hyg.* 38: 399-426.
- Gidaracos, E; Anastasiadou, K; Koumantakis, E; Nikolaos, S. (2008). Investigative studies for the use of an inactive asbestos mine as a disposal site for asbestos wastes. *J Hazard Mater.* 153: 955-965. <http://dx.doi.org/10.1016/j.jhazmat.2007.09.060>.
- Gil, L; Perez, MA; Bernat, E; Cruz, JJ. (2011). Loss of strength in asbestos-cement water pipes due to leaching. *Structural Engineering and Mechanics.* 40: 655-663.
- Gill, SPS; Kansal, ML. (1993). EFFECT OF REARING SYSTEM AND SHED DESIGN ON LAYER PERFORMANCE UNDER FIELD CONDITIONS. *Indian J Anim Sci.* 63: 1291-1294.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Gillard, AC. (2012). Evaluation of routine screening of ethmoid adenocarcinoma (EADC) by ENT and nasal fibroscopy among employees and former employees exposed to wood dust for over 20 years. *Arch Mal Prof Environ*. 73: 3-8. <http://dx.doi.org/10.1016/j.admp.2011.12.009>.
- Gillen, TR. (1972). ASBESTOS-CEMENT PRESSURE PIPE. *J Am Water Works Assoc*. 64: 682-&.
- Gillis, KM; Thompson, G. (1993). METABASALTS FROM THE MID-ATLANTIC RIDGE - NEW INSIGHTS INTO HYDROTHERMAL SYSTEMS IN SLOW-SPREADING CRUST. *Contributions to Mineralogy and Petrology*. 113: 502-523.
- Gilmour, PS; Brown, DM; Beswick, PH; Macnee, W; Rahman, I; Donaldson, K. (1997). Free radical activity of industrial fibers: role of iron in oxidative stress and activation of transcription factors. *Environ Health Perspect*. 105 Suppl 5: 1313-1317.
- Gilmour, PS; Brown, DM; Lindsay, TG; Beswick, PH; Macnee, W; Donaldson, K. (1996). Adverse health effects of PM10 particles: involvement of iron in generation of hydroxyl radical. *Occup Environ Med*. 53: 817-822.
- Ginder-Vogel, M; Borch, T; Mayes, MA; Jardine, PM; Fendorf, S. (2005). Chromate reduction and retention processes within arid subsurface environments. *Environ Sci Technol*. 39: 7833-7839. <http://dx.doi.org/10.1021/es050535y>.
- Giordani, M; Mattioli, M; Dogan, M; Dogan, AU. (2016). Potential carcinogenic erionite from Lessini Mounts, NE Italy: Morphological, mineralogical and chemical characterization. *J Toxicol Environ Health A*. 79: 808-824. <http://dx.doi.org/10.1080/15287394.2016.1182453>.
- Girardi, P; Bressan, V; Merler, E. (2014). Past trends and future prediction of mesothelioma incidence in an industrialized area of Italy, the Veneto Region. *Cancer Epidemiology*. 38: 496-503. <http://dx.doi.org/10.1016/j.canep.2014.08.007>.
- Girnis, AV; Plaksenko, AN; Ryabchikov, ID; Suddaby, P. (1991). GEOCHEMICAL-PECULIARITIES OF ULTRAMAFIC XENOLITHS FROM NORITIC INTRUSIONS OF VORONEZH CRYSTALLINE MASSIF. *Geokhimiya*451-460.
- Gislard, A; Schorle, E; Letourneux, M; Ameille, J; Brochard, P; Clin, B; Conso, F; Laurent, F; Luc, A; Paris, C; Pairon, JC. (2013). [Compensation for occupational diseases after tomodesitometry screening for benign pleuro-pulmonary disease in a multiregional post-occupational medical surveillance program of asbestos-exposed retired workers]. *Rev Epidemiol Sante Publique*. 61: 11-20. <http://dx.doi.org/10.1016/j.respe.2012.06.402>.
- Gislason, S. R.; Veblen, DR; Livi, KJT. (1993). EXPERIMENTAL METEORIC WATER-BASALT INTERACTIONS - CHARACTERIZATION AND INTERPRETATION OF ALTERATION PRODUCTS. *Geochim Cosmo Acta*. 57: 1459-1471.
- Gisquet, E; Chamming's, S; Pairon, JC; Gilg Soit Ilg, A; Imbernon, E; Goldberg, M. (2011). [The determinants of under-reporting occupational diseases. The case of mesothelioma]. *Rev Epidemiol Sante Publique*. 59: 393-400. <http://dx.doi.org/10.1016/j.respe.2011.06.006>.
- Glass, LR; Brown, RC; Hoskins, JA. (1995). Health effects of refractory ceramic fibres: scientific issues and policy considerations [Review]. *Occup Environ Med*. 52: 433-440.
- Gloag, D. (1981). Asbestos fibers and the environment. *Br Med J*. 282: 1982).
- Gloag, D. (1981). Asbestos fibres and the environment. *Br Med J (Clin Res Ed)*. 282: 623-626.
- Glovinova, E; Kucera, M; Pavel, J. (1994). TESTING HAZARDOUS ASBESTOS FIBERS IN ANIMAL-TISSUES. *Toxicol Environ Chem*. 43: 13-17.
- Gluckman, J. (1983). ASBESTOS IN DRINKING-WATER. 63: 217-218.
- Gochfeld, M. (2005). Chronologic history of occupational medicine. *J Occup Environ Med*. 47: 96-114. <http://dx.doi.org/10.1097/01.jom.0000152917.0349.0e>.
- Godard, P; Delvaux, P; DELLAFAI.M; Mercier, JP. (1974). MECHANICAL-PROPERTIES OF IMPREGNATED ASBESTOS-CEMENT. *Polymer Engineering and Science*. 14: 429-434.
- Godish, D. (1989). Asbestos exposure in schools. *J Sch Health*. 59: 362-363.
- Godoi, RH; Gonçalves, SJ; Sayama, C; Polezer, G; Reis Neto, JM; Alföldy, B; Van Grieken, R; Riedi, CA; Yamamoto, CI; Godoi, AF; Bencs, L. (2016). Health implications of atmospheric aerosols from asbestos-bearing road pavements traditionally used in Southern Brazil. *Environ Sci Pollut Res Int*. 23: 25180-25190. <http://dx.doi.org/10.1007/s11356-016-7586-0>.
- Goergen, S; Saada, MA, li; Soulard, M; Rouleau, L; Patarin, J. (2010). Dry gel conversion synthesis of shape controlled MFI type zeolite materials. *Journal of Porous Materials*. 17: 635-641. <http://dx.doi.org/10.1007/s10934-009-9333-0>.
- Gold, J; Amandusson, H; Krozer, A; Kasemo, B; Ericsson, T; Zanetti, G; Fubini, B. (1997). Chemical characterization and reactivity of iron chelator-treated amphibole asbestos. *Environ Health Perspect*. 105: 1021-1030. <http://dx.doi.org/10.2307/3433503>.
- Gold, J; Nilsson, B; Kasemo, B. (1995). MICROFABRICATED METAL AND OXIDE FIBERS FOR BIOLOGICAL APPLICATIONS. *Journal of Vacuum Science and Technology A*. 13: 2638-2644.
- Gold, KW; Naugle, DF; Berry, MA. (1991). Indoor Air-Assessment: Indoor Concentrations of Environmental Carcinogens (pp. 1-56). (NTIS/02976355_a). Gold, KW; Naugle, DF; Berry, MA.
- Gold, KW; Naugle, DF; Berry, MA. (1993). Indoor concentrations of environmental carcinogens [Review]. *IARC Sci Publ*41-71.
- Goldade, MP; O'Brien, WP. (2014). Use of direct versus indirect preparation data for assessing risk associated with airborne exposures at asbestos-contaminated sites. *J Occup Environ Hyg*. 11: 67-76. <http://dx.doi.org/10.1080/15459624.2013.843779>.
- Goldberg, M. (2001). [Asbestos: is there still a future for epidemiology?] [Editorial]. *Rev Epidemiol Sante Publique*. 49: 505-511.
- Goldberg, M. (2005). Are lung and pleural benign asbestos induced diseases a preliminary step in the pathogenic process of mesothelioma and lung cancer development? [Comment]. *Occup Environ Med*. 62: 663-664. <http://dx.doi.org/10.1136/oem.2005.021865>.
- Goldberg, M; Goldberg, S; Luce, D. (1999). [Regional differences in the compensation of pleural mesothelioma as occupational disease in France (1986-1993)]. *Rev Epidemiol Sante Publique*. 47: 421-431.
- Goldberg, P; Goldberg, M; M-J, M; Hirsch, A; Tredaniel, J. (1991). Incidence of Pleural Mesothelioma in New Caledonia: A 10-Year Survey (1978-1987). *Arch Environ Health*. 46: 306-309.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Goldberg, S; Rey, G; Luce, D; Gilg Soit Ilg, A; Rolland, P; Brochard, P; Imbernon, E; Goldberg, M. (2010). Possible effect of environmental exposure to asbestos on geographical variation in mesothelioma rates. *Occup Environ Med.* 67: 417-421. <http://dx.doi.org/10.1136/oem.2009.050336>.
- Goldberg, S; Suarez, DL. (2011). Influence of Soil Solution Cation Composition on Boron Adsorption by Soils. *Soil Sci.* 176: 80-83. <http://dx.doi.org/10.1097/SS.0b013e318203aec5>.
- Goldfield, J; Brandt, FE. (1974). Dust control techniques in the asbestos industry. *Am Ind Hyg Assoc J.* 35: 799-808.
- Goldsmith, DF; Dellarco, M; Greer, MA. (2007). Risks and precautionary policies related to naturally occurring asbestos. *Epidemiology.* 18: S154-S155.
- Goldstein, B; Carruth, RS. (2004). The precautionary principle and/or risk assessment in World Trade Organization decisions: A possible role for risk perception. *Risk Anal.* 24: 491-499.
- Goldstein, B; Rendall, REG; Webster, I. (1983). A comparison of the effects of exposure of baboons to crocidolite and fibrous-glass dusts. *Environ Res.* 32: 344-359.
- Goldstein, B; Webster, I; Rendall, REG; Skikne, MI. (1978). EFFECTS OF ASBESTOS - CEMENT DUST INHALATION ON BABOONS. *Environ Res.* 16: 216-225.
- Golladay, SA; Park, SH; Aust, AE. (1997). Efflux of reduced glutathione after exposure of human lung epithelial cells to crocidolite asbestos. *Environ Health Perspect.* 105 Suppl 5: 1273-1277.
- Gollmann, MAC; Capeletti, LB; Fisch, AG; dos Santos, JHZ; Miranda, MSL. (2008). Adsorbents for acetone in cyclohexane effluent employed in Ziegler-Natta catalyst process. *Adsorption.* 14: 805-813. <http://dx.doi.org/10.1007/s10450-008-9143-8>.
- Gollmann, MAC; Capeletti, LB; Miranda, MSL; dos Santos, JHZ. (2009). Modified-sorbents for acetone adsorption: Application in ethylene polymerization process. *Chem Eng J.* 147: 383-390. <http://dx.doi.org/10.1016/j.cej.2008.11.023>.
- Golmohammadi, A; Karimpour, MH; Shafaroudi, AM; Mazaheri, SA. (2015). Alteration-mineralization, and radiometric ages of the source pluton at the Sangan iron skarn deposit, northeastern Iran. *Ore Geol Rev.* 65: 545-563. <http://dx.doi.org/10.1016/j.oregeorev.2014.07.005>.
- Golubev, Y, uA; Ivanenko, VV. (2009). A calculation method of energy intensity of brake lining wear as related to temperature. *Journal of Friction and Wear.* 30: 258-260. <http://dx.doi.org/10.3103/S1068366609040059>.
- Golubeva, OY, u; Maslennikova, TP; Ulyanova, NY, u; Dyakina, MP. (2014). Sorption of lead(II) ions and water vapors by synthetic hydro- and aluminosilicates with layered, framework, and nanotube morphology. *Glass Physics and Chemistry.* 40: 250-255. <http://dx.doi.org/10.1134/S1087659614020084>.
- Gomes, MEP. (2008). Geochemistry of microgranular enclaves and host granite from Teloas (Vila Pouca de Aguiar), Northern Portugal. *Chem Erde.* 68: 69-80. <http://dx.doi.org/10.1016/j.chemer.2005.08.001>.
- Gomez, E; Rani, DA; Cheeseman, CR; Deegan, D; Wise, M; Boccaccini, AR. (2009). Thermal plasma technology for the treatment of wastes: A critical review [Review]. *J Hazard Mater.* 161: 614-626. <http://dx.doi.org/10.1016/j.jhazmat.2008.04.017>.
- Gomezpugnaire, MT; Karsten, L; Sanchezvizcaino, VL. (1997). Phase relationships and P-T conditions of coexisting eclogite-blueschists and their transformation to greenschist-facies rocks in the Nerka Complex (Northern Urals). *Tectonophysics.* 276: 195-216.
- Goncalves, MRF; Fillipeto, CK; Vicenzi, J; Bergmann, CF. (2011). Evaluation of mechanical performance of cement matrix composites with dispersed phases used in substitution to asbestos. *Construction and Building Materials.* 25: 320-327. <http://dx.doi.org/10.1016/j.conbuildmat.2010.06.022>.
- Gong, J; Lambert, M; Zecchin, A; Simpson, A; Arbon, N; Kim, Y, il. (2016). Field study on non-invasive and non-destructive condition assessment for asbestos cement pipelines by time-domain fluid transient analysis. *Structural Health Monitoring.* 15: 113-124. <http://dx.doi.org/10.1177/1475921715624505>.
- Gong, KC; Zheng, YC. (1981). STRUCTURAL-CHANGES OF CIS-7,4-POLYBUTADIENE-PHENOL RESIN-ASBESTOS SYSTEMS IN HOT AIR. *Kautschuk Gummi Kunststoffe.* 34: 757-&.
- Gonzalez Gomez, MF; Alvarez Castillo, MC; Martinez Vidal, M; Zimmermann Verdejo, M; Saguees Cifuentes, MJ. (2009). RECONSTRUCTION OF DYNAMIC COHORT OF WORKERS EXPOSED TO ASBESTOS IN THE COMMUNITY OF MADRID. PROBLEMS ENCOUNTERED. *Gac Sanit.* 23: 5-5.
- Gonzalez-Alvarez, I; Sweetapple, M; Lindley, ID; Kirakar, J. (2013). Hydrothermal Ni: Doriri Creek, Papua New Guinea. *Ore Geol Rev.* 52: 37-57. <http://dx.doi.org/10.1016/j.oregeorev.2012.10.001>.
- Gonzalezfernandez, E; Delaosa, PD; Martin, FR. (1987). COMPARISON OF AIA AND NIOSH METHODS ON ASBESTOS FIBER MEASUREMENTS IN THE WORKPLACE. *Ann Occup Hyg.* 31: 363-373.
- Gonzalez-Fernandez, E; Martín, FR. (1986). Comparison of NIOSH and AIA methods for evaluating asbestos fibres: effects of asbestos type, mounting medium, graticule type and counting rules. *Ann Occup Hyg.* 30: 397-410.
- Gonzalez-Jimenez, JM; Barra, F; Garrido, LNF; Reich, M; Satsukawa, T; Romero, R; Salazar, E; Colas, V; Orellana, F; Rabbia, O; Plissart, G; Morata, D. (2016). A secondary precious and base metal mineralization in chromitites linked to the development of a Paleozoic accretionary complex in Central Chile. *Ore Geol Rev.* 78: 14-40. <http://dx.doi.org/10.1016/j.oregeorev.2016.02.017>.
- Goodman, GE; Schaffer, S; Bankson, DD; Hughes, MP; Omenn, GS; Carotene; Co-Investigators, RET. (2001). Predictors of serum selenium in cigarette smokers and the lack of association with lung and prostate cancer risk. *Cancer Epidemiol Biomarkers Prev.* 10: 1069-1076.
- Goodman, GE; Thornquist, M; Kestin, M; Metch, B; Anderson, G; Omenn, GS. (1996). The association between participant characteristics and serum concentrations of beta-carotene, retinol, retinyl palmitate, and alpha-tocopherol among participants in the Carotene and Retinol Efficacy Trial (CARET) for prevention of lung cancer. *Cancer Epidemiol Biomarkers Prev.* 5: 815-821.
- Goodman, JE; Nascarella, MA; Valberg, PA. (2009). Ionizing radiation: a risk factor for mesothelioma [Review]. *Cancer Causes Control.* 20: 1237-1254. <http://dx.doi.org/10.1007/s10552-009-9357-4>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Goodwin, LB; Renne, PR. (1991). EFFECTS OF PROGRESSIVE MYLONITIZATION ON AR RETENTION IN BIOTITES FROM THE SANTA ROSA MYLONITE ZONE, CALIFORNIA, AND THERMOCHRONOLOGICAL IMPLICATIONS. *Contributions to Mineralogy and Petrology*. 108: 283-297.
- Goodwin, SS; Stanbury, M; Wang, ML; Silbergeld, E; Parker, JE. (2003). Previously undetected silicosis in New Jersey decedents. *Am J Ind Med*. 44: 304-311. <http://dx.doi.org/10.1002/ajim.10260>.
- Gordon, R; Fitzgerald, S; Millette, J. (2015). Asbestos in commercial cosmetic talcum powder as a cause of mesothelioma in women [Erratum]. *Int J Occup Environ Health*. 21: 347-348. <http://dx.doi.org/10.1080/10773525.2015.1122368>.
- Gordon, RE. (2015). Response to RE: Gordon R, Fitzgerald S, and Millette J. Asbestos in commercial cosmetic talcum powder as a cause of mesothelioma in women. *Int J Occup Environ Health*. 2014;20(4):318-332 [Letter]. *Int J Occup Environ Health*. 21: 342-346. <http://dx.doi.org/10.1080/10773525.2015.1122367>.
- Gordon, RE; Fitzgerald, S; Millette, J. (2014). Asbestos in commercial cosmetic talcum powder as a cause of mesothelioma in women. *Int J Occup Environ Health*. 20: 318-332. <http://dx.doi.org/10.1179/2049396714Y.0000000081>.
- Gori, F; Corasaniti, S. (2014). Effective thermal conductivity of composites. *Int J Heat Mass Tran*. 77: 653-661. <http://dx.doi.org/10.1016/j.ijheatmasstransfer.2014.05.047>.
- Gorman, T; Johnston, R; Mcivor, A; Watterson, A. (2004). Asbestos in Scotland [Review]. *Int J Occup Environ Health*. 10: 183-192. <http://dx.doi.org/10.1179/oeh.2004.10.2.183>.
- Gormley, IP; Bolton, RE; Brown, GM; Davis, JMG; Wright, A. (1983). Some Observations On The In Vitro Cytotoxicity Of Chrysotile Prepared By The Wet Dispersion Process. *Environ Health Perspect*. 51: 35-39.
- Gorski, CH; Stettler, LE. (1975). ADSORPTION OF WATER AND BENZENE ON AMOSITE AND CHRYSOTILE ASBESTOS. *Am Ind Hyg Assoc J*. 36: 292-298.
- Goswami, E; Craven, V; Dahlstrom, DL; Alexander, D; Mowat, F. (2013). Domestic asbestos exposure: a review of epidemiologic and exposure data [Review]. *Int J Environ Res Public Health*. 10: 5629-5670. <http://dx.doi.org/10.3390/ijerph10115629>.
- Got, C. (2008). [Processes involved in decision-making: the asbestos example]. *Sante Publique*. 20: 357-366.
- Gotloib, L; Wajsbrot, V; Shostak, A. (2005). A short review of experimental peritoneal sclerosis: from mice to men [Review]. *Int J Artif Organs*. 28: 97-104.
- Gottesfeld, P. (1989). EVALUATING STRATEGIES FOR COLLECTING AND ANALYZING BULK SAMPLES - A CASE-STUDY OF AN ASBESTOS HAZARD EMERGENCY RESPONSE ACT (AHERA) BUILDING INSPECTION. *Am Ind Hyg Assoc J*. 50: A428-A430.
- Gottesfeld, P. (2010). Libby trial ends but asbestos hazards remain in buildings. *Int J Occup Environ Health*. 16: 87-88. <http://dx.doi.org/10.1179/107735210800546083>.
- Gottschalk, M; Andrut, M. (1998). Structural and chemical characterization of synthetic (Na,K)-richterite solid solutions by EMP, HRTEM, XRD and OH-valence vibrational spectroscopy. *Physics and Chemistry of Minerals*. 25: 101-111.
- Gottschalk, M; Najorka, J; Andrut, M. (1998). Structural and compositional characterization of synthetic (Ca,Sr)-tremolite and (Ca,Sr)-diopside solid solutions. *Physics and Chemistry of Minerals*. 25: 415-428.
- Gotze, JP; Lindeskog, P; Tornquist, CSI. (1994). EFFECTS OF INDUCTION AND AGE-DEPENDENT ENZYME EXPRESSION ON LUNG BIOAVAILABILITY, METABOLISM, AND DNA-BINDING OF URBAN AIR PARTICULATE-ABSORBED BENZO[A]PYRENE, 2-NITROFLUORENE, AND 3-AMINO-1,4-DIMETHYL-5H-PYRIDOL-(4,3)-INDOLE. *Environ Health Perspect*. 102: 147-156.
- Gough, M. (1983). Sources and interpretation of asbestos exposure data. *J Toxicol Clin Toxicol*. 21: 211-235.
- Gough, M. (1988). UNCLE-SAM FLUNKS ASBESTOS CONTROL IN SCHOOLS. *Issues Sci Technol*. 4: 81-85.
- Goulding, R. (1988). ASBESTOS AND OTHER NATURAL MINERAL FIBERS - UN-ENVIRONM-PROGRAMME-INT-LAB-ORG-WHO. *J R Soc Health*. 108: 38-38. <http://dx.doi.org/10.1177/146642408810800125>.
- Goulding, R. (1988). Book Reviews : EHC 53: Asbestos and Other Natural Mineral Fibres by The United Nations Environmental Programme, the International Labour Organisation and the WHO. Published by WHO, Geneva, 1986. Price Sw. Fr. 16. Paperback. Pp 194. ISBN: 92 4 154193 8. *J Roy Soc Promot Health*. 108: 38-38.
- Gouriet, K; Hilairt, N; Amiguet, E; Bolfan-Casanova, N; Wang, Y; Reynard, B; Cordier, P. (2015). Plasticity of the dense hydrous magnesium silicate phase A at subduction zones conditions. *Phys Earth Planet In*. 248: 1-11. <http://dx.doi.org/10.1016/j.pepi.2015.09.004>.
- Gournis, D; Karakassides, MA; Petridis, D. (2002). Formation of hydroxyl radicals catalyzed by clay surfaces. *Physics and Chemistry of Minerals*. 29: 155-158. <http://dx.doi.org/10.1007/s002690100215>.
- Governa, M; Amati, M; Fontana, S; Visona, I; Botta, G; Mollo, F; Bellis, D; Bo, P. (1999). Role of iron in asbestos-body-induced oxidant radical generation (pp. 279-287). (ISSN 1528-7394; BIOSIS/00/05436). Governa, M; Amati, M; Fontana, S; Visona, I; Botta, G; Mollo, F; Bellis, D; Bo, P.
- Governa, M; Amati, M; Valentino, M; Visona, I; Fubini, B; Botta, GC; Volpe, AR; Carmignani, M. (2000). In vitro cleavage by asbestos fibers of the fifth component of human complement through free-radical generation and kallikrein activation. *J Toxicol Environ Health A*. 59: 539-552.
- Governa, M; Rosanda, C. (1972). HISTOCHEMICAL STUDY OF ASBESTOS BODY COATING. *Br J Ind Med*. 29: 154-&.
- Governa, M; Vadala, CR. (1973). HISTOCHEMICAL STUDY OF ASBESTOS FIBER COATING IN EXPERIMENTAL CARRAGEENIN GRANULOMAS. *Br J Ind Med*. 30: 248-252.
- Graham, A; Higinbotham, J; Allan, D; Donaldson, K; Beswick, PH. (1999). Chemical differences between long and short amosite asbestos: differences in oxidation state and coordination sites of iron, detected by infrared spectroscopy. *Occup Environ Med*. 56: 606-611.
- Graham, CM; Navrotsky, A. (1986). THERMOCHEMISTRY OF THE TREMOLITE-EDENITE AMPHIBOLES USING FLUORINE ANALOGS, AND APPLICATIONS TO AMPHIBOLE-PLAGIOCLASE-QUARTZ EQUILIBRIA. *Contributions to Mineralogy and Petrology*. 93: 18-32.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Graham, IT; Franklin, BJ; Marshall, B. (1996). Chemistry and mineralogy of podiform chromitite deposits, southern NSW, Australia: A guide to their origin and evolution. *Mineralogy and Petrology*. 57: 129-150.
- Gramond, C; Rolland, P; Lacourt, A; Ducamp, S; Chamming's, S; Creau, Y; Hery, M; Laureillard, J; Mohammed-Brahim, B; Orłowski, E, wa; Paris, C; Pairon, JC; Goldberg, M; Brochard, P; Grp, PS. (2012). Choice of rating method for assessing occupational asbestos exposure: Study for compensation purposes in France. *Am J Ind Med*. 55: 440-449. <http://dx.doi.org/10.1002/ajim.22008>.
- Granat, K; Nowak, D; Pigiell, M; Florczak, W; Opyd, B. (2015). Application of microwave radiation in innovative process of neutralising asbestos-containing wastes. 15: 188-194. <http://dx.doi.org/10.1016/j.acme.2014.05.012>.
- Granieri, A. (2015). Community exposure to asbestos in Casale Monferrato: from research on psychological impact to a community needs-centered healthcare organization. *Ann Ist Super Sanita*. 51: 336-341. http://dx.doi.org/10.4415/ANN_15_04_14.
- Grant, CD; Campbell, CJ; Charnock, NR. (2002). Selection of species suitable for derelict mine site rehabilitation in New South Wales, Australia. *Water Air Soil Pollut*. 139: 215-235.
- Graveland, A. (1998). Particle and micro-organism removal in conventional and advanced treatment technology. *Water Sci Technol*. 37: 125-134.
- Graziano, G; Bilancia, M; Bisceglia, L; de Nichilo, G; Pollice, A; Assennato, G. (2009). [Statistical analysis of the incidence of some cancers in the province of Taranto 1999-2001]. *Epidemiol Prev*. 33: 37-44.
- Greenberg, M. (1994). Thoughts inspired by reading the correspondence: Hughes and Weill vs. Roggli et al., April 1994. *Am J Ind Med*. 26: 843-844.
- Greenberg, M. (1996). Malignant mesothelioma in paper mill workers: Where might the asbestos have come from? [Letter]. *Am J Ind Med*. 30: 641-641. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199611\)30:5<641::AID-AJIM13>3.0.CO;2-3](http://dx.doi.org/10.1002/(SICI)1097-0274(199611)30:5<641::AID-AJIM13>3.0.CO;2-3).
- Greenberg, M. (1997). A battle for compensation for Welsh coal miners: JS Haldane v "Sericite" Jones, 1932-1934. *Am J Ind Med*. 32: 309-314. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199709\)32:3<309::AID-AJIM19>3.0.CO;2-Z](http://dx.doi.org/10.1002/(SICI)1097-0274(199709)32:3<309::AID-AJIM19>3.0.CO;2-Z).
- Greenberg, M. (1997). Lung cancer in asbestos cement workers in Denmark [Letter]. *Occup Environ Med*. 54: 143.
- Greenberg, M. (1997). Professor Matthew Stewart: asbestosis research 1929-1934. *Am J Ind Med*. 32: 562-569.
- Greenberg, M. (1999). A study of lung cancer mortality in asbestos workers: Doll, 1955. *Am J Ind Med*. 36: 331-347.
- Greenberg, M. (2003). Biological effects of asbestos: New York Academy of Sciences 1964. *Am J Ind Med*. 43: 543-552. <http://dx.doi.org/10.1002/ajim.10192>.
- Greenberg, M. (2003). Cape Asbestos, Barking, health and environment: 1928-1946. *Am J Ind Med*. 43: 109-119. <http://dx.doi.org/10.1002/ajim.10147>.
- Greenberg, M. (2004). The British approach to asbestos standard setting: 1898-2000. *Am J Ind Med*. 46: 534-541. <http://dx.doi.org/10.1002/ajim.20083>.
- Greenberg, M. (2004). The doctors and the dockers. *Am J Ind Med*. 45: 573-581. <http://dx.doi.org/10.1002/ajim.20011>.
- Greenberg, M. (2004). Loyalty of the asbestos worker: a brief historical note. *Am J Ind Med*. 45: 475-477. <http://dx.doi.org/10.1002/ajim.10366>.
- Greenberg, M. (2004). Mineral fiber problems and their management: UK 1890-1935. *Am J Ind Med*. 46: 304-311. <http://dx.doi.org/10.1002/ajim.20056>.
- Greenberg, M. (2005). The art of perpetuating a public health hazard [Review]. *J Occup Environ Med*. 47: 137-144. <http://dx.doi.org/10.1097/01.jom.0000152921.94835.f3>.
- Greenberg, M. (2005). Changing trends in US mesothelioma incidence [Letter]. *Occup Environ Med*. 62: 134. <http://dx.doi.org/10.1136/oem.2004.018051>.
- Greenberg, M. (2005). A report on the health of asbestos, Quebec miners 1940. *Am J Ind Med*. 48: 230-237. <http://dx.doi.org/10.1002/ajim.20206>.
- Greenberg, M. (2006). Estimating the number of asbestos-related cancer deaths in Great Britain [Letter]. *Ann Occup Hyg*. 50: 107-107. <http://dx.doi.org/10.1093/annhyg/mei067>.
- Greenberg, M. (2006). Revising the British Occupational Hygiene Society asbestos standard: 1968-1982. *Am J Ind Med*. 49: 577-604. <http://dx.doi.org/10.1002/ajim.20321>.
- Greenberg, M. (2008). The defence of chrysotile, 1912-2007. *Int J Occup Environ Health*. 14: 57-66. <http://dx.doi.org/10.1179/oeh.2008.14.1.57>.
- Greenberger, RN; Mustard, JF; Cloutis, EA; Pratt, LM; Sauer, PE; Mann, P; Turner, K; Dyar, MD; Bish, DL. (2015). Serpentinization, iron oxidation, and aqueous conditions in an ophiolite: Implications for hydrogen production and habitability on Mars. *Earth Planet Sci Lett*. 416: 21-34. <http://dx.doi.org/10.1016/j.epsl.2015.02.002>.
- Greenland, S; Salvan, A; Wegman, DH; Hallock, MF; Smith, TJ. (1994). A case-control study of cancer mortality at a transformer-assembly facility. *Int Arch Occup Environ Health*. 66: 49-54. <http://dx.doi.org/10.1007/BF00386579>.
- Gregson, N; Watkins, H; Calestani, M. (2010). Inextinguishable Fibres: Demolition and the Vital Materialisms of Asbestos. *Environ Plan A*. 42: 1065-1083.
- Grew, ES; Pertsev, NN; Vrana, S; Yates, MG; Shearer, CK; Wiedenbeck, M. (1998). Kornerupine parageneses in whiteschists and other magnesian rocks: is kornerupine plus talc a high-pressure assemblage equivalent to tourmaline plus orthoamphibole? *Contributions to Mineralogy and Petrology*. 131: 22-38.
- Greyvenstein, B; van Zyl, JE. (2007). An experimental investigation into the pressure-leakage relationship of some failed water pipes. *Journal of Water Supply: Research and Technology-AQUA*. 56: 117-124. <http://dx.doi.org/10.2166/aqua.2007.065>.
- Griffin, WL; Afonso, JC; Belousova, EA; Gain, SE; Gong, XH; Gonzalez-Jimenez, JM; Howell, D; Huang, JX; MCGowan, N; Pearson, NJ; Satsukawa, T; Shi, R; Williams, P; Xiong, Q; Yang, JS; Zhang, M; O'Reilly, SY. (2016). Mantle Recycling: Transition Zone Metamorphism of Tibetan Ophiolitic Peridotites and its Tectonic Implications. *Journal of Petrology*. 57: 655-684. <http://dx.doi.org/10.1093/ptrology/egw011>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Griffis, LC; Pickrell, JA; Carpenter, RL; Wolff, RK; Mcallen, SJ; Yerkes, KL. (1983). Deposition of crocidolite asbestos and glass microfibers inhaled by the beagle dog. *Am Ind Hyg Assoc J.* 44: 216-222. <http://dx.doi.org/10.1080/15298668391404671>.
- Grimson, RC. (1987). Apportionment of risk among environmental exposures: application to asbestos exposure and cigarette smoking. *J Occup Med.* 29: 253-255.
- Grimsrud, TK; Andersen, A. (2010). Evidence of carcinogenicity in humans of water-soluble nickel salts [Editorial]. *J Occup Med Toxicol.* 5: 7. <http://dx.doi.org/10.1186/1745-6673-5-7>.
- Grimsrud, TK; Berge, SR; Haldorsen, T; Andersen, A. (2005). Can lung cancer risk among nickel refinery workers be explained by occupational exposures other than nickel? *Epidemiology.* 16: 146-154. <http://dx.doi.org/10.1097/01.ede.0000152902.48916.d7>.
- Grobety, B. (2003). Polytypes and higher-order structures of antigorite: A TEM study. *Am Mineral.* 88: 27-36.
- Grobety, BH. (1996). New short-range biopyribole polysomes from the Lepontine Alps, Switzerland. *Am Mineral.* 81: 404-417.
- Grobety, BH. (1997). The replacement of anthophyllite by jimthompsonite: A model for hydration reactions in biopyriboles. *Contributions to Mineralogy and Petrology.* 127: 237-247.
- Groppo, C; Compagnoni, R. (2007). Metamorphic veins from the serpentinites of the Piemonte Zone, western Alps, Italy: a review. *Periodico di Mineralogia.* 76: 127-153. <http://dx.doi.org/10.2451/2007PM0021>.
- Groppo, C; Compagnoni, R. (2007). Ubiquitous fibrous antigorite veins from the Lanzo Ultramafic Massif, Internal Western Alps (Italy): characterisation and genetic conditions. *Periodico di Mineralogia.* 76: 169-181. <http://dx.doi.org/10.2451/2007PM0014>.
- Groppo, C; Forster, M; Lister, G; Compagnoni, R. (2009). Glaucofane schists and associated rocks from Sifnos (Cyclades, Greece): New constraints on the P-T evolution from oxidized systems. *Lithos.* 109: 254-273. <http://dx.doi.org/10.1016/j.lithos.2008.10.005>.
- Groppo, C; Tomatis, M; Turci, F; Gazzano, E; Ghigo, D; Compagnoni, R; Fubini, B. (2005). Potential toxicity of nonregulated asbestiform minerals: Balangeroite from the western Alps. Part 1: Identification and characterization. *J Toxicol Environ Health A.* 68: 1-19. <http://dx.doi.org/10.1080/15287390590523867>.
- Gross, P. (1974). ASBESTOS FIBERS IN DRINKING-WATER. *JAMA.* 229: 767-767.
- Gross, P. (1974). Is short-fibered asbestos dust a biological hazard? *Arch Environ Health.* 29: 115-117.
- Gross, P; DETREVIL.RT; Haller, MN. (1970). ASBESTOS VERSUS NONASBESTOS FIBERS - ULTRAMICROSCOPIC CRITERIA. *Arch Environ Health.* 20: 571-&.
- Gross, P; Harley, RA. (1973). LOCUS OF PATHOGENICITY OF ASBESTOS DUST - THEORY. *Arch Environ Health.* 27: 240-242.
- Grosse, I; Huetter, B; Hartmann, I; Binde, G; Gruber, H; Kurz, G. (1998). Asbestos on textiles: is there an endangering during washing and wearing? *J Hazard Mater.* 63: 119-130.
- Grove, M; Bebout, GE. (1995). Cretaceous tectonic evolution of coastal southern California: Insights from the Catalina Schist. *Tectonics.* 14: 1290-1308.
- Gruenwald G, JS. (1988). ASBESTOS LEVELS IN A LOS ANGELES CALIFORNIA USA BUILDING BEFORE AND AFTER AN EARTHQUAKE. *Am Ind Hyg Assoc J.* 49.
- Gruenwald, GJS. (1988). ASBESTOS LEVELS IN A LOS-ANGELES BUILDING BEFORE AND AFTER AN EARTHQUAKE. *Am Ind Hyg Assoc J.* 49: A87-A88.
- Grunthaler, KH; Konig, R; Poeschel, E. (1986). FIBROUS SUBSTITUTE FOR ASBESTOS IN BRAKE LININGS - POSSIBLE CANCERIGENIC EMISSIONS IN PROCESSING AND PREPARATION. *Arbeitsmedizin, Sozialmedizin, Praeventivmedizin.* 21: 331-331.
- Gu, L; Zheng, Y; Tang, X; Zaw, K; Della-Pasque, F; Wu, C; Tian, Z; Lu, J; Ni, P; Li, X; Yang, F; Wang, X. (2007). Copper, gold and silver enrichment in ore mylonites within massive sulphide orebodies at Hongtoushan VHMS deposit, N.E. China. *Ore Geol Rev.* 30: 1-29. <http://dx.doi.org/10.1016/j.oregeorev.2005.09.001>.
- Gualtieri, AF; Andreozzi, GB; Giacobbe, C; Lusvardi, G; Viti, C. (2011). Structural and spectroscopic characterization of anorthite synthesized from secondary raw materials. *Periodico di Mineralogia.* 80: 231-245. <http://dx.doi.org/10.2451/2011PM0018>.
- Gualtieri, AF; Boccaletti, M. (2011). Recycling of the product of thermal inertization of cement-asbestos for the production of concrete. *Construction and Building Materials.* 25: 3561-3569. <http://dx.doi.org/10.1016/j.conbuildmat.2011.03.049>.
- Gualtieri, AF; Cavenati, C; Zanatto, I; Meloni, M; Elmi, G; Gualtieri, ML. (2008). The transformation sequence of cement-asbestos slates up to 1200 degrees C and safe recycling of the reaction product in stoneware tile mixtures. *J Hazard Mater.* 152: 563-570. <http://dx.doi.org/10.1016/j.jhazmat.2007.07.037>.
- Gualtieri, AF; Foresti, E; Lesci, IG; Roveri, N; Gualtieri, ML; Dondi, M; Zapparoli, M. (2009). The thermal transformation of Man Made Vitreous Fibers (MMVF) and safe recycling as secondary raw materials (SRM). *J Hazard Mater.* 162: 1494-1506. <http://dx.doi.org/10.1016/j.jhazmat.2008.06.066>.
- Gualtieri, AF; Giacobbe, C; Rinaudo, C; Croce, A; Allegrina, M; Gaudino, G; Yang, H; Carbone, M. (2013). Preliminary results of the spectroscopic and structural characterization of mesothelioma inducing crocidolite fibers injected in mice. *Periodico di Mineralogia.* 82: 299-312. <http://dx.doi.org/10.2451/2013PM0018>.
- Gualtieri, AF; Giacobbe, C; Sardisco, L; Saraceno, M; Gualtieri, ML; Lusvardi, G; Cavenati, C; Zanatto, I. (2011). Recycling of the product of thermal inertization of cement-asbestos for various industrial applications. *Waste Manag.* 31: 91-100. <http://dx.doi.org/10.1016/j.wasman.2010.07.006>.
- Gualtieri, AF; Giacobbe, C; Viti, C. (2012). The dehydroxylation of serpentine group minerals. *Am Mineral.* 97: 666-680. <http://dx.doi.org/10.2138/am.2012.3952>.
- Gualtieri, AF; Gualtieri, ML; Meneghini, C. (2008). In situ high-temperature synchrotron powder diffraction study of the thermal decomposition of cement-asbestos. *Powder Diffraction.* 23: 323-328. <http://dx.doi.org/10.1154/1.2991362>.
- Gualtieri, AF; Gualtieri, ML; Tonelli, M. (2008). In situ ESEM study of the thermal decomposition of chrysotile asbestos in view of safe recycling of the transformation product. *J Hazard Mater.* 156: 260-266. <http://dx.doi.org/10.1016/j.jhazmat.2007.12.016>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Gualtieri, AF; Levy, D; Belluso, E; Dapiaggi, M. (2004). Kinetics of the decomposition of crocidolite asbestos: A preliminary real-time X-ray powder diffraction study. *Materials Science Forum*. 443-4: 291-294.
- Gualtieri, AF; Mangano, D; Gualtieri, ML; Ricchi, A; Foresti, E; Lesci, G; Roveri, N; Mariotti, M; Pecchini, G. (2009). Ambient monitoring of asbestos in selected Italian living areas. *J Environ Manage*. 90: 3540-3552. <http://dx.doi.org/10.1016/j.jenvman.2009.06.007>.
- Gualtieri, AF; Pollastri, S; Gandolfi, NB; Ronchetti, F; Albino, C; Cavallo, A; Zanetti, G; Marini, P; Sala, O. (2014). Determination of the concentration of asbestos minerals in highly contaminated mine tailings: An example from abandoned mine waste of Cretaz and Emarese (Valle d'Aosta, Italy). *Am Mineral*. 99: 1233-1247. <http://dx.doi.org/10.2138/am.2014.4708>.
- Gualtieri, AF; Tartaglia, A. (2000). Thermal decomposition of asbestos and recycling in traditional ceramics. *J Eur Ceram Soc*. 20: 1409-1418.
- Gualtieri, AF; Veratti, L; Tucci, A; Esposito, L. (2012). Recycling of the product of thermal inertization of cement-asbestos in geopolymers. *Construction and Building Materials*. 31: 47-51. <http://dx.doi.org/10.1016/j.conbuildmat.2011.12.087>.
- Gualtieri, AF; Viani, A; Sgarbi, G; Lusvardi, G. (2012). In vitro biodegradability of the product of thermal transformation of cement-asbestos. *J Hazard Mater*. 205-206: 63-71. <http://dx.doi.org/10.1016/j.jhazmat.2011.12.005>.
- Gualtieri, AF; Zanni, M. (1998). Quantitative determination of crystalline and amorphous phase in traditional ceramics by combined Rietveld-RIR method. *Materials Science Forum*. 278-2: 834-839.
- Guénel, P; Imbernon, E; Chevalier, A; Crinquand-Calastreng, A; Goldberg, M. (2002). Leukemia in relation to occupational exposures to benzene and other agents: A case-control study nested in a cohort of gas and electric utility workers. *Am J Ind Med*. 42: 87-97. <http://dx.doi.org/10.1002/ajim.10090>.
- Guidotti, TL. (1988). QUANTITATIVE RISK ASSESSMENT OF EXPOSURE TO AIRBORNE ASBESTOS IN AN OFFICE BUILDING. *Can J Public Health*. 79: 249-254.
- Guidotti, TL. (2002). Apportionment in asbestos-related disease for purposes of compensation [Review]. *Ind Health*. 40: 295-311.
- Guidotti, TL. (2013). Why pretend that "non-asbestos" fibrous silicates are not "asbestos"? [Editorial]. *Arch Environ Occup Health*. 68: 187-189. <http://dx.doi.org/10.1080/19338244.2012.760363>.
- Guidotti, TL. (2016). Conflict of interest in EOH research. *Arch Environ Occup Health*. 71: 127-128. <http://dx.doi.org/10.1080/19338244.2016.1171090>.
- Guilhaumou, N; Sautter, V; Dumas, P. (2005). Synchrotron FTIR microanalysis of volatiles in melt inclusions and exsolved particles in ultramafic deep-seated garnets. *Chem Geol*. 223: 82-92. <http://dx.doi.org/10.1016/j.chemgeo.2005.05.008>.
- Guilianelli, C; Baeza-Squiban, A; Boisvieux-Ulrich, E; Houcine, O; Zalma, R; Guennou, C; Pezerat, H; Marano, F. (1993). Effect of mineral particles containing iron on primary cultures of rabbit tracheal epithelial cells: possible implication of oxidative stress. *Environ Health Perspect*. 101: 436-442.
- Guillot, S; Faik, A; Rakhmatullin, A; Lambert, J; Veron, E; Echegut, P; Bessada, C; Calvet, N; Py, X. (2012). Corrosion effects between molten salts and thermal storage material for concentrated solar power plants. *Appl Energy*. 94: 174-181. <http://dx.doi.org/10.1016/j.apenergy.2011.12.057>.
- Guillot, S; Hattori, K. (2013). Serpentinites: Essential Roles in Geodynamics, Arc Volcanism, Sustainable Development, and the Origin of Life. *Elements*. 9: 95-98. <http://dx.doi.org/10.2113/gselements.9.2.95>.
- Guillot, S; Hattori, KH; de Sigoyer, J; Nagler, T; Auzende, AL. (2001). Evidence of hydration of the mantle wedge and its role in the exhumation of eclogites. *Earth Planet Sci Lett*. 193: 115-127.
- Guillot, S; Schwartz, S; Reynard, B; Agard, P; Prigent, C. (2015). Tectonic significance of serpentinites. *Tectonophysics*. 646: 1-19. <http://dx.doi.org/10.1016/j.tecto.2015.01.020>.
- Guimaraes, L; Enyashin, AN; Seifert, G; Duarte, HA. (2010). Structural, Electronic, and Mechanical Properties of Single-Walled Halloysite Nanotube Models. *J Phys Chem C*. 114: 11358-11363. <http://dx.doi.org/10.1021/jp100902e>.
- Gul, J; Saleemi, AR; Mirza, S; Feroze, N; Mansha, M. (2010). Thermal and mechanical characteristics of cork filled insulation for aerospace applications. *Plastics, Rubber and Composites*. 39: 28-32. <http://dx.doi.org/10.1179/174328910X12608851832010>.
- Gulino, GR; Polimeni, M; Prato, M; Gazzano, E; Kopecka, J; Colombatto, S; Ghigo, D; Aldieri, E. (2015). Effect of Chrysotile Exposure in Human Bronchial Epithelial Cells: Insights on the Pathogenic Mechanisms of Asbestos-Related Diseases. *Environ Health Perspect*. 124: 776-784. <http://dx.doi.org/10.1289/ehp.1409627>.
- Gulumian, M. (2005). An update on the detoxification processes for silica particles and asbestos fibers: success and limitations [Review]. *J Toxicol Environ Health B Crit Rev*. 8: 453-483. <http://dx.doi.org/10.1080/10937400590952547>.
- Gulumian, M; Bhoolia, DJ; Du Toit, RSJ; Rendall, REG; Pollak, H; Van Wyk, JA; Rhempula, M. (1993). Activation of UICC Crocidolite: The Effect of Conversion of Some Ferric Ions to Ferrous Ions. *Environ Res*. 60: 193-206.
- Gulumian, M; Nkosibomvu, ZL; Channa, K; Pollak, H. (1997). Can microwave radiation at high temperatures reduce the toxicity of fibrous crocidolite asbestos? *Environ Health Perspect*. 105: 1041-1044.
- Gun, RT; Parsons, J; Crouch, P; Ryan, P; Hiller, JE. (2008). Mortality and cancer incidence of Australian participants in the British nuclear tests in Australia. *Occup Environ Med*. 65: 843-848. <http://dx.doi.org/10.1136/oem.2007.034652>.
- Gun, RT; Pratt, N; Ryan, P; Roder, D. (2006). Update of mortality and cancer incidence in the Australian petroleum industry cohort. *Occup Environ Med*. 63: 476-481. <http://dx.doi.org/10.1136/oem.2005.023796>.
- Gun, RT; Pratt, NL; Griffith, EC; Adams, GG; Bisby, JA; Robinson, KL. (2004). Update of a prospective study of mortality and cancer incidence in the Australian petroleum industry. *Occup Environ Med*. 61: 150-156. <http://dx.doi.org/10.1136/oem.2002.005199>.
- Gunnarsson, I; Arnorsson, S; Jakobsson, S. (2005). Precipitation of poorly crystalline antigorite under hydrothermal conditions. *Geochim Cosmo Acta*. 69: 2813-2828. <http://dx.doi.org/10.1016/j.gca.2005.02.001>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Gunter, BJ. (1978). Health Hazard Evaluation Determination, Report No. HHE-78-112-535, Beech Aircraft Corporation, Boulder, Colorado, November, 1978. NIOSH: 19781978.
- Gunter, ME; Belluso, E; Mottana, A. (2007). Amphiboles: environmental and health concerns. *Rev Mineral Geochem.* 67: 453-516. <http://dx.doi.org/10.2138/rmg.2007.67.12>.
- Gunter, ME; Dyar, MD; Lanzirrotti, A; Tucker, JM; Speicher, EA. (2011). Differences in Fe-redox for asbestiform and nonasbestiform amphiboles from the former vermiculite mine, near Libby, Montana, USA. *Am Mineral.* 96: 1414-1417. <http://dx.doi.org/10.2138/am.2011.3800>.
- Gunter, ME; Dyar, MD; Twamley, B; Foit, FF, Jr; Cornelius, S. (2003). Composition, Fe³⁺/ΣFe, and crystal structure of non-asbestiform and asbestiform amphiboles from Libby, Montana, USA. *Am Mineral.* 88: 1970-1978.
- Gunter, ME; Sanchez, MS. (2008). Amphibole content of commercial vermiculites by powder X-ray diffraction. *Periodico di Mineralogia.* 77: 35-41. <http://dx.doi.org/10.2451/2008PM0011>.
- Gunter, ME; Sanchez, MS. (2009). Amphibole forensics: Using the composition of amphiboles to determine their source, the Libby, Montana, example. *Am Mineral.* 94: 837-840. <http://dx.doi.org/10.2138/am.2009.3224>.
- Guo, J; Kauppinen, T; Kyrrönen, P; Lindbohm, ML; Heikkilä, P; Pukkala, E. (2004). Occupational exposure to diesel and gasoline engine exhausts and risk of lung cancer among Finnish workers. *Am J Ind Med.* 45: 483-490. <http://dx.doi.org/10.1002/ajim.20013>.
- Guo, L, in; Morris, DG; Liu, X; Vaslet, C; Hurt, RH; Kane, AB. (2007). Iron bioavailability and redox activity in diverse carbon nanotube samples. *Chem Mater.* 19: 3472-3478. <http://dx.doi.org/10.1021/cm062691p>.
- Guo, X; Xiang, D; Duan, G; Mou, P. (2010). A review of mechanochemistry applications in waste management [Review]. *Waste Manag.* 30: 4-10. <http://dx.doi.org/10.1016/j.wasman.2009.08.017>.
- Gurunath, PV; Bijwe, J. (2007). Friction and wear studies on brake-pad materials based on newly developed resin. *Wear.* 263: 1212-1219. <http://dx.doi.org/10.1016/j.wear.2006.12.050>.
- Gurunath, PV; Bijwe, J. (2009). Potential exploration of novel green resins as binders for NAO friction composites in severe operating conditions. *Wear.* 267: 789-796. <http://dx.doi.org/10.1016/j.wear.2009.02.012>.
- Gurzau, ES; Neagu, C; Gurzau, AE. (2003). Essential metals--case study on iron [Review]. *Ecotoxicol Environ Saf.* 56: 190-200. [http://dx.doi.org/10.1016/S0147-6513\(03\)00062-9](http://dx.doi.org/10.1016/S0147-6513(03)00062-9).
- Guseva Canu, I; Cardis, E; Metz-Flamant, C; Caër-Lorho, S; Auriol, B; Wild, P; Laurier, D; Tirmarche, M. (2010). French cohort of the uranium processing workers: mortality pattern after 30-year follow-up. *Int Arch Occup Environ Health.* 83: 301-308. <http://dx.doi.org/10.1007/s00420-009-0455-0>.
- Gustafson, LB; Quiroga, J. (1995). PATTERNS OF MINERALIZATION AND ALTERATION BELOW THE PORPHYRY COPPER OREBODY AT EL SALVADOR, CHILE. *Econ Geol.* 90: 2-16.
- Gustavsson, P; Evanoff, B; Hogstedt, C. (1993). INCREASED RISK OF ESOPHAGEAL CANCER AMONG WORKERS EXPOSED TO COMBUSTION PRODUCTS. *Arch Environ Health.* 48: 243-245.
- Gustavsson, P; Jakobsson, R. (2001). Re: "Occupational exposure and lung cancer risk: A population-based case-referent study in Sweden" - The first two authors reply. *Am J Epidemiol.* 153: 1029-1029.
- Guthrie, GD. (1992). BIOLOGICAL EFFECTS OF INHALED MINERALS. *Am Mineral.* 77: 225-243.
- Guthrie, GD. (1995). EAT, BREATHE, AND BE WARY - MINERALOGY IN ENVIRONMENTAL-HEALTH. *Rev Geophys.* 33: 117-121.
- Guthrie, GD. (1997). Mineral properties and their contributions to particle toxicity. *Environ Health Perspect.* 105: 1003-1011.
- Gwinn, MR. (2011). Multiple modes of action of asbestos and related mineral fibers. *J Toxicol Environ Health B Crit Rev.* 14: 1-2. <http://dx.doi.org/10.1080/10937404.2011.556044>.
- Gwinn, MR; Devoney, D; Jarabek, A; Sonawane, B; Wheeler, J; Weissman, DN; Masten, SA; Thompson, C. (2011). Mode(s) of Action of Asbestos and Related Mineral Fibers: A meeting summary report. *Environ Health Perspect.* 119: 1806-1810. <http://dx.doi.org/10.1289/ehp.1003240>.
- Gylseth, B; Baunan, R. (1981). Topographic and size distribution of asbestos bodies in exposed human lungs. *Scand J Work Environ Health.* 7: 190-195.
- Gylseth, B; Churg, A; Davis, JM; Johnson, N; Morgan, A; Mowe, G; Rogers, A; Roggli, V. (1985). Analysis of asbestos fibers and asbestos bodies in tissue samples from human lung. An international interlaboratory trial. *Scand J Work Environ Health.* 11: 107-110.
- Gylseth, B; Ophus, EM; Mowé, G. (1979). Determination of inorganic fiber density in human lung tissue by scanning electron microscopy after low temperature ashing. *Scand J Work Environ Health.* 5: 151-157.
- Habashi, F. (1992). DYEING ASBESTOS FIBERS. *Text Chem Color.* 24: 23-25.
- Habashi, F; Awadalla, FT; Page, M. (1991). SURFACE MODIFICATION OF CHRYSOTILE ASBESTOS WITH ORGANIC-REAGENTS - A PRELIMINARY INVITRO TOXICOLOGICAL STUDY. 84: 67-79.
- Habib, RR; Abdallah, SM; Law, M; Kaldor, J. (2005). Mortality rates among nuclear industry workers at Lucas Heights Science and Technology Centre. *Aust N Z J Public Health.* 29: 229-237.
- Habib, RR; Abdallah, SM; Law, M; Kaldor, J. (2006). Cancer incidence among Australian nuclear industry workers. *J Occup Health.* 48: 358-365.
- Hacker, BR; Abers, GA. (2012). Subduction Factory 5: Unusually low Poisson's ratios in subduction zones from elastic anisotropy of peridotite. *J Geophys Res Solid Earth.* 117. <http://dx.doi.org/10.1029/2012JB009187>.
- Hagemann, SG; Brown, PE; Ridley, J; Stern, P; Fournelle, J. (1998). Ore petrology, chemistry, and timing of electrum in the archean hypozonal transvaal lode gold deposit, western Australia. *Econ Geol.* 93: 271-291.
- Hagino, H; Oyama, M; Sasaki, S. (2015). Airborne brake wear particle emission due to braking and accelerating. *Wear.* 334: 44-48. <http://dx.doi.org/10.1016/j.wear.2015.04.012>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Hagino, H; Oyama, M; Sasaki, S. (2016). Laboratory testing of airborne brake wear particle emissions using a dynamometer system under urban city driving cycles. *Atmos Environ.* 131: 269-278. <http://dx.doi.org/10.1016/j.atmosenv.2016.02.014>.
- Hahne, RMA; Landenberger, BD. (1993). THE USE OF SPIKED ASBESTOS SAMPLES TO DETERMINE ANALYTICAL PROFICIENCY OF COMMERCIAL LABORATORIES DOING FIBER COUNTING. *Am Ind Hyg Assoc J.* 54: 560-563.
- Hahon, N; Booth, JA; Eckert, HL. (1977). Antagonistic activity of poly (4-vinylpyridine-N-oxide) to the inhibition of viral interferon induction by asbestos fibres. *Br J Ind Med.* 34: 119-125.
- Hahon, N; Eckert, HL. (1976). Depression of viral interferon induction in cell monolayers by asbestos fibers. *Environ Res.* 11: 52-65.
- Halama, R; Konrad-Schmolke, M. (2015). Retrograde metasomatic effects on phase assemblages in an interlayered blueschist-greenschist sequence (Coastal Cordillera, Chile). *Lithos.* 216: 31-47. <http://dx.doi.org/10.1016/j.lithos.2014.12.004>.
- Hallenbeck, WH. (1981). CONSUMER PRODUCT-SAFETY - RISK ASSESSMENT OF EXPOSURE TO ASBESTOS EMISSIONS FROM HAND-HELD HAIR DRYERS - REBUTTAL. *Environ Manage.* 5: 19-22.
- Hallenbeck, WH; Chen, EH; Patelmandlik, K; Wolff, AH. (1977). PRECISION OF ANALYSIS FOR WATERBORNE CHRYSOTILE ASBESTOS BY TRANSMISSION ELECTRON-MICROSCOPY. *Bull Environ Contam Toxicol.* 17: 551-558.
- Hallenbeck, WH; Hesse, CS; Chen, EH; Patel-Mandlik, K; Wolff, AH. (1977). Asbestos in potable water. 118: 1-78.
- Hallenbeck, WH; Markey, DR; Dolan, DG. (1981). ANALYSES OF TISSUE, BLOOD, AND URINE SAMPLES FROM A BABOON RAVAGED WITH CHRYSOTILE AND CROCIDOLITE ASBESTOS. *Environ Res.* 25: 349-360.
- Hallenbeck, WH; Patelmandlik, KJ. (1979). PRESENCE OF FIBERS IN THE URINE OF A BABOON GAVAGED WITH CHRYSOTILE ASBESTOS. *Environ Res.* 20: 335-340.
- Hamblin, C; Ensor, B. (2004). Decommissioning of a liquid effluent treatment R&D facility. *Institution of Mechanical Engineers Proceedings Part E: Journal of Process Mechanical Engineering.* 218: 169-174.
- Hamedianfar, A; Shafri, HZM. (2016). Integrated approach using data mining-based decision tree and object-based image analysis for high-resolution urban mapping of WorldView-2 satellite sensor data. *J of Applied Remote Sensing.* 10. <http://dx.doi.org/10.1117/1.JRS.10.025001>.
- Hamedianfar, A; Shafri, HZM; Mansor, S; Ahmad, N. (2014). Combining data mining algorithm and object-based image analysis for detailed urban mapping of hyperspectral images. *J of Applied Remote Sensing.* 8. <http://dx.doi.org/10.1117/1.JRS.8.085091>.
- Hamilton, JA. (1983). Asbestos fibers, plasma and inflammation. *Environ Health Perspect.* 51: 281-285.
- Hamilton, JA. (1983). Suppression of the neutral protease activity of macrophages treated with asbestos in vitro. *Environ Health Perspect.* 51: 103-108.
- Hamilton, JA; Chan, JY; Movat, HZ. (1981). COAGULATION OF HUMAN-PLASMA BY ASBESTOS FIBERS. *Environ Res.* 26: 119-124.
- Hamilton, JA; Vadas, P; Hay, JB. (1981). MEASUREMENT OF BLOOD-FLOW AND VASCULAR-PERMEABILITY CHANGES IN RESPONSE TO 12-ORTHO-TETRADECANOYL-PHORBOL-13-ACETATE AND TO ASBESTOS FIBERS. *J Toxicol Environ Health.* 8: 205-214. <http://dx.doi.org/10.1080/15287398109530064>.
- Hammar, SP; Abraham, JL. (2015). Commentary on pathologic diagnosis of asbestosis and critique of the 2010 Asbestosis Committee of the College of American Pathologists (CAP) and Pulmonary Pathology Society's (PPS) update on the diagnostic criteria for pathologic asbestosis. *Am J Ind Med.* 58: 1034-1039. <http://dx.doi.org/10.1002/ajim.22512>.
- Hammons, AS; Huff, JE. (1974). ASBESTOS - WORLD CONCERN, INVOLVEMENT AND CULPABILITY. *Int J Environ Stud.* 6: 247-252. <http://dx.doi.org/10.1080/00207237408709659>.
- Hammons, AS; Huff, JE. (2007). Asbestos: world concern, involvement and culpability. *Int J Environ Stud.* 6: 247-251.
- Hamra, GB; Loomis, D; Dement, J. (2014). Examining the association of lung cancer and highly correlated fibre size-specific asbestos exposures with a hierarchical Bayesian model. *Occup Environ Med.* 71: 353-357. <http://dx.doi.org/10.1136/oemed-2013-101965>.
- Han, JH; Park, JD; Sakai, K; Hisanaga, N; Chang, HK; Lee, YH; Kwon, IH; Choi, BS; Chung, YH; Kim, HY; Yang, JS; Cho, MH; Yu, IJ. (2009). Comparison of lung asbestos fiber content in cancer subjects with healthy individuals with no known history of occupational asbestos exposure in Korea. *J Toxicol Environ Health A.* 72: 1292-1295. <http://dx.doi.org/10.1080/15287390903212345>.
- Hanley, JJ; Bray, CJ. (2009). THE TRACE METAL CONTENT OF AMPHIBOLE AS A PROXIMITY INDICATOR FOR Cu-Ni-PGE MINERALIZATION IN THE FOOTWALL OF THE SUDBURY IGNEOUS COMPLEX, ONTARIO, CANADA. *Econ Geol.* 104: 113-125.
- Hannant, DJ. (1995). FIBER REINFORCEMENT IN THE CEMENT AND CONCRETE INDUSTRY. *Mater Sci Tech.* 11: 853-861.
- Hannila, HH; Hallman, ED. (1979). ADSORPTION OF GOLD SOLS ON ASBESTOS SURFACE-CHARGE SITES. *Powder Technology.* 23: 149-157.
- Hannington, MD; Kjarsgaard, IM; Galley, AG; Taylor, B. (2003). Mineral-chemical studies of metamorphosed hydrothermal alteration in the Kristineberg volcanogenic massive sulfide district, Sweden. *Miner Depos.* 38: 423-442. <http://dx.doi.org/10.1007/s00126-002-0299-y>.
- Hannington, MD; Santaguida, F; Kjarsgaard, IM; Cathles, LM. (2003). Regional-scale hydrothermal alteration in the Central Blake River Group, western Abitibi subprovince, Canada: implications for VMS prospectivity. *Miner Depos.* 38: 393-422. <http://dx.doi.org/10.1007/s00126-002-0298-z>.
- Hansell, A. (2008). Airborne environmental exposure to asbestos [Editorial]. *Am J Respir Crit Care Med.* 178: 556-557. <http://dx.doi.org/10.1164/rccm.200806-859ED>.
- Hansen, ES. (2002). No effect or no information? Comments on a nested case-control study of lung cancer among European rock and slag wool production workers. *Int J Occup Environ Health.* 8: 281-283. <http://dx.doi.org/10.1179/oeh.2002.8.3.281>.
- Haque, AK; Ali, I; Vrazel, DM; Uchida, T. (2001). Chrysotile asbestos fibers detected in the newborn pups following gavage feeding of pregnant mice. *J Toxicol Environ Health A.* 62: 23-31.
- Haque, AK; Mancuso, MG; Williams, MG; Dodson, RF. (1992). Asbestos in organs and placenta of five stillborn infants suggests transplacental transfer. *Environ Res.* 58: 163-175.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Haque, AK; Vrazel, DM. (1998). Transplacental transfer of asbestos in pregnant mice. *Bull Environ Contam Toxicol.* 60: 620-625. <http://dx.doi.org/10.1007/s001289900671>.
- Haque, AK; Vrazel, DM; Uchida, T. (1998). Assessment of asbestos burden in the placenta and tissue digests of stillborn infants in South Texas. *Arch Environ Contam Toxicol.* 35: 532-538. <http://dx.doi.org/10.1007/s002449900413>.
- Harber, P; Lew, M; Tashkin, DP; Simmons, M. (1987). Factor analysis of clinical data from asbestos workers: implications for diagnosis and screening. *Br J Ind Med.* 44: 780-784.
- Harber, P; Merz, B; Lam, I; Yuan, M; Parker, JE; Chen, WL. (2000). Intelligent database generated occupational questionnaire system. *J Occup Environ Med.* 42: 483-490. <http://dx.doi.org/10.1097/00043764-200005000-00004>.
- Harber, P; Smitherman, J. (1991). Asbestosis: Diagnostic Dilution [Review]. *J Occup Environ Med.* 33: 786-793. <http://dx.doi.org/10.1097/00043764-199107000-00011>.
- Harbut, MR. (2007). Treatment of nonmalignant asbestos-related diseases [Editorial]. *Am J Ind Med.* 50: 71-72. <http://dx.doi.org/10.1002/ajim.20416>.
- Harbut, MR; Endress, C; Graff, JJ; Weis, C; Pass, H. (2009). Clinical Presentation of Asbestosis with Intractable Pleural Pain in the Adult Child of a Taconite Miner and Radiographic Demonstration of the Probable Pathology Causing the Pain. *Int J Occup Environ Health.* 15: 269-273. <http://dx.doi.org/10.1179/oeh.2009.15.3.269>.
- Hardy, H; Egilman, D. (1991). Corruption of occupational medical literature: the asbestos example [Letter]. *Am J Ind Med.* 20: 127-129.
- Hardy, RJ; Highsmith, VR; Costa, DL; Krewer, JA. (1992). Indoor asbestos concentrations associated with the use of asbestos-contaminated tap water in portable home humidifiers. *Environ Sci Technol.* 26: 680-689.
- Harigane, Y; Michibayashi, K; Ohara, Y. (2008). Shearing within lower crust during progressive retrogression: Structural analysis of gabbroic rocks from the Godzilla Mullion, an oceanic core complex in the Parece Vela backarc basin. *Tectonophysics.* 457: 183-196. <http://dx.doi.org/10.1016/j.tecto.2008.06.009>.
- Harigane, Y; Michibayashi, K; Ohara, Y. (2011). Deformation and hydrothermal metamorphism of gabbroic rocks within the Godzilla Megamullion, Parece Vela Basin, Philippine Sea. *Lithos.* 124: 185-199. <http://dx.doi.org/10.1016/j.lithos.2011.02.001>.
- Harrington, JS; Mcglashan, ND; Chelkowska, EZ. (2010). South Africa's export trade in asbestos: demise of an industry. *Am J Ind Med.* 53: 524-534. <http://dx.doi.org/10.1002/ajim.20784>.
- Harkin, TJ; McGuinness, G; Goldring, R; Cohen, H; Parker, JE; Crane, M; Naidich, DP; Rom, WN. (1996). Differentiation of the ILO boundary chest roentgenograph (0/1 to 1/0) in asbestosis by high-resolution computed tomography scan, alveolitis, and respiratory impairment. *J Occup Environ Med.* 38: 46-52.
- Harless, KW; Watanabe, S; Renzetti, AD. (1978). The acute effects of chrysotile asbestos exposure on lung function. *Environ Res.* 16: 360-372.
- Harlov, DE; Andersson, UB; Forster, HJ; Nystrom, JO; Dulski, P; Broman, C. (2002). Apatite-monazite relations in the Kiirunavaara magnetite-apatite ore, northern Sweden. *Chem Geol.* 191: 47-72.
- Harper, GD; Grady, K; Coulton, AJ. (1996). Origin of the amphibolite "sole" of the Josephine ophiolite: Emplacement of a cold ophiolite over a hot arc. *Tectonics.* 15: 296-313.
- Harper, M. (2008). 10th Anniversary Critical Review: Naturally occurring asbestos [Review]. *J Environ Monit.* 10: 1394-1408. <http://dx.doi.org/10.1039/b810541n>.
- Harper, M; Bartolucci, A. (2003). Preparation and examination of proposed consensus reference standards for fiber-counting. *AIHA J.* 64: 283-287.
- Harper, M; Lee, E; Doorn, SS; Hammond, O. (2008). Differentiating Non-Asbestiform Amphibole and Amphibole Asbestos by Size Characteristics. *J Occup Environ Hyg.* 5: 761-770. <http://dx.doi.org/10.1080/15459620802462290>.
- Harper, M; Lee, EG; Slaven, JE; Bartley, DL. (2012). An inter-laboratory study to determine the effectiveness of procedures for discriminating amphibole asbestos fibers from amphibole cleavage fragments in fiber counting by phase-contrast microscopy. *Ann Occup Hyg.* 56: 645-659. <http://dx.doi.org/10.1093/annhyg/mer123>.
- Harper, M; Slaven, JE; Pang, TW. (2009). Continued participation in an asbestos fiber-counting proficiency test with relocatable grid slides. *J Environ Monit.* 11: 434-438. <http://dx.doi.org/10.1039/b813893a>.
- Harper, M; Van Gosen, B; Crankshaw, OS; Doorn, SS; Ennis, TJ; Harrison, SE. (2015). Characterization of Lone Pine, California, tremolite asbestos and preparation of research material. *Ann Occup Hyg.* 59: 91-103. <http://dx.doi.org/10.1093/annhyg/meu074>.
- Harper, S. (1981). THE DEVELOPMENT OF ASBESTOS FREE INSULATING BOARDS. *Trans J Br Ceram Soc.* 80: 75-75.
- Harper, S. (1982). DEVELOPING ASBESTOS-FREE CALCIUM SILICATE BUILDING BOARDS. 13: 123-128.
- Harrington, JM. (1999). 1998 and beyond--Legge's legacy to modern occupational health. *Ann Occup Hyg.* 43: 1-6.
- Harrington, JM; Craun, GF; Meigs, JW; Landrigan, PJ; Flannery, JT; Woodhull, RS. (1978). An investigation of the use of asbestos cement pipe for public water supply and the incidence of gastrointestinal cancer in Connecticut, 1935-1973. *Am J Epidemiol.* 107: 96-103.
- Harris, EC; Palmer, KT; Cox, V; Darnton, A; Osman, J; Coggon, D. (2016). Trends in mortality from occupational hazards among men in England and Wales during 1979-2010. *Occup Environ Med.* 73: 385-393. <http://dx.doi.org/10.1136/oemed-2015-103336>.
- Harrison, AL; Dipple, GM; Power, I, anM; Mayer, KU. (2016). The impact of evolving mineral-water-gas interfacial areas on mineral-fluid reaction rates in unsaturated porous media. *Chem Geol.* 421: 65-80. <http://dx.doi.org/10.1016/j.chemgeo.2015.12.005>.
- Harrison, J; Sepai, O. (2000). Should control measures be based on air measurements or biological/biological effect monitoring? *Occup Med (Lond).* 50: 61-63.
- Hart, GA; Hesterberg, TW. (1998). In vitro toxicity of respirable-size particles of diatomaceous earth and crystalline silica compared with asbestos and titanium dioxide. *J Occup Environ Med.* 40: 29-42.
- Hartford, WH. (1983). Asbestos exposure [Letter]. *J Air Pollut Control Assoc.* 33: 820.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Hartikainen, T; Tossavainen, A. (1997). Quantification of silicate fiber concentrations in rock products and dusts by electron microscopy. *Am Ind Hyg Assoc J.* 58: 264-269.
- Harvey, BW; Winstead, WG. (2008). Analysis of the analytical performance of laboratories participating in two major U.S. bulk asbestos proficiency testing programs. *J Occup Environ Hyg.* 5: 455-462. <http://dx.doi.org/10.1080/15459620802138197>.
- Harvey, G; Pagé, M; Dumas, L. (1984). Binding of environmental carcinogens to asbestos and mineral fibres. *Br J Ind Med.* 41: 396-400.
- Harvey, G; Page, M; Paquin, R; Dumas, L. (1983). BINDING OF ENVIRONMENTAL CARCINOGENS TO ASBESTOS AND MINERAL FIBERS. *Environ Health Perspect.* 51: 375-375.
- Harvey, J; Garrido, CJ; Savov, I; Agostini, S; Padron-Navarta, JA; Marchesi, C; Lopez Sanchez-Vizcaino, V; Teresa Gomez-Pugnaire, M. (2014). B-11-rich fluids in subduction zones: The role of antigorite dehydration in subducting slabs and boron isotope heterogeneity in the mantle. *Chem Geol.* 376: 20-30. <http://dx.doi.org/10.1016/j.chemgeo.2014.03.015>.
- Hasanoglu, HC; Bayram, E; Hasanoglu, A; Demirag, F. (2008). Orally ingested chrysotile asbestos affects rat lungs and pleura. *Arch Environ Occup Health.* 63: 71-75. <http://dx.doi.org/10.3200/AEOH.63.2.71-75>.
- Hasanoglu, HC; Gokirmak, M; Baysal, T; Yildirim, Z; Koksall, N; Onal, Y. (2003). Environmental exposure to asbestos in eastern Turkey. *Arch Environ Health.* 58: 144-150. <http://dx.doi.org/10.3200/AEOH.58.3.144-150>.
- Hasanoglu, HC; Yildirim, Z; Ermis, H; Kilic, T; Koksall, N. (2006). Lung cancer and mesothelioma in towns with environmental exposure to asbestos in Eastern Anatolia. *Int Arch Occup Environ Health.* 79: 89-91. <http://dx.doi.org/10.1007/s00420-005-0010-6>.
- Hashim, D; Gaughan, D; Boffetta, P; Lucchini, RG. (2015). Baseline serum β -carotene concentration and mortality among long-term asbestos-exposed insulators. *Cancer Epidemiol Biomarkers Prev.* 24: 555-560. <http://dx.doi.org/10.1158/1055-9965.EPI-14-0952>.
- Hashimoto, S; Okuda, A; Kambayashi, A; Honda, S; Awaji, H; Fukuda, K. (2006). Detoxification of sprayed crocidolite. *Ceramic Society of Japan Journal.* 114: 1150-1154.
- Hashimoto, S; Okuda, A; Kanbayashi, A; Honda, S; Awar, H; Fukuda, K. (2006). Evaluation of heated chrysotile using phase-contrast microscope. *Ceramic Society of Japan Journal.* 114: 716-718.
- Hashimoto, S; Takeda, H; Okuda, A; Kambayashi, A; Honda, S; Awaji, H; Fukuda, K. (2007). Detoxification of asbestos-containing building material waste and its application to cement product. *Ceramic Society of Japan Journal.* 115: 290-293.
- Hashimoto, S; Takeda, H; Okuda, A; Kambayashi, A; Honda, S; Iwamoto, Y; Fukuda, K. (2008). Detoxification of industrial asbestos waste by low-temperature heating in a vacuum. *Ceramic Society of Japan Journal.* 116: 242-246.
- Hashimoto, S; Yamaguchi, A. (2005). Comminution of asbestos by a mechanical grinding and its sinterability. *Ceramic Society of Japan Journal.* 113: 312-316.
- Hashimoto, S; Yamaguchi, A; Honda, S; Awaji, H; Fukuda, K. (2005). Comminution of asbestos by a mechanical grinding in asbestos-containing cement board. *Ceramic Society of Japan Journal.* 113: 804-807.
- Hassanen, MA; Mohamed, FH; Meguid, AAA; Schmidt, W; Shalaby, IM. (1997). Geochemistry and petrogenesis of a Cambrian ring complex: An example of alkaline magmatism at Wadi Dib, Eastern Desert, Egypt. *Chem Erde.* 57: 63-89.
- Hassanin, SH; Abdalla, EB; Kotby, EA; Abdelaziz, AMS; Elfouly, MA. (1996). Efficiency of asbestos shading for growth of Barki rams during hot summer. *Small Ruminant Research.* 20: 199-203.
- Hatch, M; Moline, J. (1997). Women, work, and health. *Am J Ind Med.* 32: 303-308.
- Hatfield, R; Longo, W; Newton, L; Templin, J. (2003). Asbestos exposure from gasket removal [Letter]. 64: 595; author reply 595-597.
- Hattori, K; Takahashi, Y; Guillot, S; Johanson, B. (2005). Occurrence of arsenic (V) in forearc mantle serpentinites based on X-ray absorption spectroscopy study. *Geochim Cosmo Acta.* 69: 5585-5596. <http://dx.doi.org/10.1016/j.gca.2005.07.009>.
- Haugaard, R; Ootes, L; Creaser, RA; Konhauser, KO. (2016). The nature of Mesoarchean seawater and continental weathering in 2.85 Ga banded iron formation, Slave craton, NW Canada. *Geochim Cosmo Acta.* 194: 34-56. <http://dx.doi.org/10.1016/j.gca.2016.08.020>.
- Hawkins, JW; Hayes, DC; Istone, WK; Schmidt, AF. (1987). ASBESTOS ABATEMENT .1. SAMPLING AND IDENTIFICATION. *Tappi Journal.* 70: 233-235.
- Hawthorne, FC; Della Ventura, G. (2007). Short-range order in amphiboles. *Rev Mineral Geochem.* 67: 173-222. <http://dx.doi.org/10.2138/rmg.2007.67.5>.
- Hawthorne, FC; Della Ventura, G; Robert, JL. (1996). Short-range order of (Na,K) and Al in tremolite: An infrared study. *Am Mineral.* 81: 782-784.
- Hawthorne, FC; Della Ventura, G; Robert, JL; Welch, MD; Raudsepp, M; Jenkins, DM. (1997). A Rietveld and infrared study of synthetic amphiboles along the potassium-rich-richterite-tremolite join. *Am Mineral.* 82: 708-716.
- Hawthorne, FC; Welch, MD; Della Ventura, G; Liu, SX; Robert, JL; Jenkins, DM. (2000). Short-range order in synthetic aluminous tremolites: An infrared and triple-quantum MAS NMR study. *Am Mineral.* 85: 1716-1724.
- Hay, I. (1992). Place, Power, and Medical Liability Insurance in the United States. *Environ Plan A.* 24: 645-661.
- Hayashi, H; Aita, S; Suzuki, M. (1978). SEMI-QUANTITATIVE CHEMICAL-ANALYSIS OF ASBESTOS FIBERS AND CLAY-MINERALS WITH AN ANALYTICAL ELECTRON-MICROSCOPE. *Clays and Clay Minerals.* 26: 181-188.
- Hayman, NW; Karson, JA. (2007). Faults and damage zones in fast-spread crust exposed on the north wall of the Hess Deep Rift: Conduits and seals in seafloor hydrothermal systems. *G-cubed.* 8. <http://dx.doi.org/10.1029/2007GC001623>.
- Hayward, SB. (1984). FIELD MONITORING OF CHRYSOTILE ASBESTOS IN CALIFORNIA WATERS. *J Am Water Works Assoc.* 76: 66-73.
- Hayward, SB; Smith, GR. (1984). ASBESTOS CONTAMINATION OF VERMICULITE [Letter]. *Am J Public Health.* 74: 519-519.
- Hazarika, P; Mishra, B; Pruseth, KL. (2016). Scheelite, apatite, calcite and tourmaline compositions from the late Archean Hutti orogenic gold deposit: Implications for analogous two stage ore fluids. *Ore Geol Rev.* 72: 989-1003. <http://dx.doi.org/10.1016/j.oregeorev.2015.09.004>.
- Health, IDo. (2000). Public Health Assessment for Illinois Beach Park Zion, Lake County, Illinois, Region 5. CERCLIS No. ILD984840140. 36.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Health, PDo. (2015). Health Assessment Final Release: Borit Asbestos National Priorities List Site, Ambler, Montgomery County, Pennsylvania, January 9, 2015.
- Heasman, L; Baldwin, G. (1986). THE DESTRUCTION OF CHRYSOTILE ASBESTOS USING WASTE ACIDS (pp. 215223; 211986). (ISSN 0734-242X; EISSN 1096-3669; HMTC/86/0004660). Heasman, L; Baldwin, G.
- Hebert, C; Ruffinatto, S; Eon, D; Mermoux, M; Gheeraert, E; Omnes, F; Mailley, P. (2013). A composite material made of carbon nanotubes partially embedded in a nanocrystalline diamond film. *Carbon*. 52: 408-417. <http://dx.doi.org/10.1016/j.carbon.2012.09.051>.
- Hechler, B; Klein, B; Bruch, J. (1994). PREREQUISITES FOR TESTING THE TUMORGENICITY AND BIODURABILITY OF MAN-MADE MINERAL FIBERS (MMMMF) USING STANDARDIZED FINE FIBER SAMPLES. *Staub, Reinhaltung der Luft*. 54: 253-258.
- Hedmer, M; Isaxon, C; Nilsson, PT; Ludvigsson, L; Messing, ME; Genberg, J; Skaug, V; Bohgard, M; Tinnerberg, H; Pagels, JH. (2014). Exposure and emission measurements during production, purification, and functionalization of arc-discharge-produced multi-walled carbon nanotubes. *Ann Occup Hyg*. 58: 355-379. <http://dx.doi.org/10.1093/annhyg/met072>.
- Heederik, D; Lenters, V; Vermeulen, R. (2013). Reply: Response to the letter by Drs Berman and Case [Letter]. *Ann Occup Hyg*. 57: 675-677. <http://dx.doi.org/10.1093/annhyg/met017>.
- Heegn, H; Scheibe, W; Schlegel, R. (2000). Comminution of permanent lining material of asbestos cement to be used in the cement industry mixed with waste oil. 53: 622-+.
- Heer, S; Ruttner, J. R. (1986). NUMBER AND LENGTH DISTRIBUTION OF FIBERS AND FERRUGINOUS BODIES FROM LUNGS OF INDIVIDUALS EXPOSED AND NOT EXPOSED TO ASBESTOS. *Arbeitsmedizin, Sozialmedizin, Praeventivmedizin*. 21: 233-235.
- Hei, TK; Wu, LJ; Piao, CQ. (1997). Malignant transformation of immortalized human bronchial epithelial cells by asbestos fibers. *Environ Health Perspect*. 105 Suppl 5: 1085-1088.
- Heidermanns, G. (1978). INFLUENCE OF CONTRAST IN CASE OF PHASE-CONTRAST COUNTING OF FIBERS, IN PARTICULAR OF ASBESTOS, UNDER MICROSCOPE. *Staub, Reinhaltung der Luft*. 38: 423-425.
- Heidermanns, G; Riediger, G; Pflaumbaum, W; Blome, H. (1990). APPLICATION OF THE NEW TECHNICAL GUIDANCE CONCENTRATION VALUE FOR ASBESTOS. *Staub, Reinhaltung der Luft*. 50: 197-201.
- Heinrich, W. (1993). FLUID INFILTRATION THROUGH METACHERT LAYERS AT THE CONTACT AUREOLE OF THE BUFA-DEL-DIENTE INTRUSION, NORTHEAST MEXICO - IMPLICATIONS FOR WOLLASTONITE FORMATION AND FLUID IMMISCIBILITY. *Am Mineral*. 78: 804-818.
- Heinrich, W. (1994). POTASSIUM-FLUOR-RICHTERITE IN METACHERTS FROM THE BUFA-DEL-DIENTE CONTACT-METAMORPHIC AUREOLE, NE-MEXICO. *Mineralogy and Petrology*. 50: 259-270.
- Heinrich, W; Metz, P; Gottschalk, M. (1989). EXPERIMENTAL INVESTIGATION OF THE KINETICS OF THE REACTION 1 TREMOLITE + 11 DOLOMITE-REVERSIBLE-8 FORSTERITE + 13 CALCITE + 9 CO₂ + 1 H₂O. *Contributions to Mineralogy and Petrology*. 102: 163-173.
- Hekinian, R; Hoffert, M; Larque, P; Cheminee, JL; Stoffers, P; Bideau, D. (1993). HYDROTHERMAL FE AND SI OXYHYDROXIDE DEPOSITS FROM SOUTH-PACIFIC INTRAPLATE VOLCANOS AND EAST PACIFIC RISE AXIAL AND OFF-AXIAL REGIONS. *Econ Geol*. 88: 2099-2121.
- Heller, DS; Gordon, RE. (1991). Demonstration of asbestos fibers in a ten-year-old sputum sample [Letter]. *Am J Ind Med*. 20: 415-419.
- Helsen, JA; Vandeveldel, P; Kuczumow, A; Deruyttere, A. (1989). SURFACE CHARACTERISTICS OF ASBESTOS FIBERS RELEASED FROM ASBESTOS-CEMENT PRODUCTS. *Am Ind Hyg Assoc J*. 50: 655-663.
- Henderson, DW. (2003). Commentary regarding the article by Fischer et al.: Fibre years, pulmonary asbestos burden and asbestosis. *Int. J. Hyg. Environ. Health* 205, 245-248 (2002) [Letter]. *Int J Hyg Environ Health*. 206: 249-250; author reply 251-242. <http://dx.doi.org/10.1078/1438-4639-00211>.
- Henderson, DW; Jones, ML; De Klerk, N; Leigh, J; Musk, AW; Shilkin, KB; Williams, VM. (2004). The diagnosis and attribution of asbestos-related diseases in an Australian context: report of the Adelaide Workshop on Asbestos-Related Diseases. October 6-7, 2000 [Review]. *Int J Occup Environ Health*. 10: 40-46. <http://dx.doi.org/10.1179/oeh.2004.10.1.40>.
- Henley, SJ; Larson, TC; Wu, M; Antao, VC; Lewis, M; Pinheiro, GA; Ehemann, C. (2013). Mesothelioma incidence in 50 states and the District of Columbia, United States, 2003-2008. *Int J Occup Environ Health*. 19: 1-10. <http://dx.doi.org/10.1179/2049396712Y.0000000016>.
- Henne, A; Craw, D. (2012). Synmetamorphic carbon mobility and graphite enrichment in metaturbidites as a precursor to orogenic gold mineralisation, Otago Schist, New Zealand. *Miner Depos*. 47: 781-797. <http://dx.doi.org/10.1007/s00126-012-0399-2>.
- Henneberger, PK; Stanbury, MJ. (1992). Patterns of asbestosis in New Jersey. *Am J Ind Med*. 21: 689-697.
- Heppleston, AG. (1991). MINERALS, FIBROSIS, AND THE LUNG. *Environ Health Perspect*. 94: 149-168.
- Hermann, J; Muntener, O; Scambelluri, M. (2000). The importance of serpentinite mylonites for subduction and exhumation of oceanic crust. *Tectonophysics*. 327: 225-238.
- Hermes, P; John, T; Bakker, RJ; Schenk, V. (2012). Evidence for channelized external fluid flow and element transfer in subducting slabs (Raspas Complex, Ecuador). *Chem Geol*. 310: 79-96. <http://dx.doi.org/10.1016/j.chemgeo.2012.03.023>.
- Heron, K; Jessell, M; Benn, K; Harris, E; Crowley, QG. (2016). The Tasiast deposit, Mauritania. *Ore Geol Rev*. 78: 564-572. <http://dx.doi.org/10.1016/j.oregeorev.2015.08.020>.
- Herrmann, W; Hill, AP. (2001). The origin of chlorite-tremolite-carbonate rocks associated with the Thlanga Volcanic-hosted massive sulfide deposit, North Queensland, Australia. *Econ Geol*. 96: 1149-1173.
- Hertzberg, T. (2005). Dangers relating to fires in carbon-fibre based composite material. *Fire and Materials*. 29: 231-248. <http://dx.doi.org/10.1002/fam.882>.
- Hertzberg, T; Blomqvist, P. (2003). Particles from fires - a screening of common materials found in buildings. *Fire and Materials*. 27: 295-314. <http://dx.doi.org/10.1002/fam.837>.
- Hervin, RL. (1979). Hazard Evaluation and Technical Assistance Report No. TA-79-18, Cedar Rapids School District, Bureau of Labor, State of Iowa, Des Moines, Iowa. NIOSH: 19791979.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Hesse, CS; Hallenbeck, WH. (1978). Potential sources of asbestos in lake michigan usa. *J Great Lakes Res.* 4: 1979).
- Hessel, PA. (1999). Methodological issues related to studies of workers in the diatomaceous earth industry. *Indoor Built Environ.* 8: 127-131.
- Hessel, PA; Melenka, LS; Michaelchuk, D; Herbert, FA; Cowie, RL. (1998). Lung health among boilermakers in Edmonton, Alberta. *Am J Ind Med.* 34: 381-386. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199810\)34:4<381::AID-AJIM12>3.0.CO;2-Z](http://dx.doi.org/10.1002/(SICI)1097-0274(199810)34:4<381::AID-AJIM12>3.0.CO;2-Z).
- Hessel, PA; Melenka, LS; Michaelchuk, D; Herbert, FA; Cowie, RL. (1998). Lung health among plumbers and pipefitters in Edmonton, Alberta. *Occup Environ Med.* 55: 678-683. <http://dx.doi.org/10.1136/oem.55.10.678>.
- Hesterberg, TW; Axten, C; Mcconnell, EE; Oberdörster, G; Everitt, J; Miiller, WC; Chevalier, J; Chase, GR; Thevenaz, P. (1997). Chronic inhalation study of fiber glass and amosite asbestos in hamsters: twelve-month preliminary results. *Environ Health Perspect.* 105 Suppl 5: 1223-1229.
- Hesterberg, TW; Miiller, WC; Thevenaz, P; Anderson, R. (1995). Chronic inhalation studies of man-made vitreous fibres: characterization of fibres in the exposure aerosol and lungs. *Ann Occup Hyg.* 39: 637-653.
- Hesterberg, TW; Oshimura, M; Barrett, JC. (1985). ASBESTOS INDUCES ANAPHASE ABNORMALITIES IN MAMMALIAN-CELLS IN CULTURE AT DOSES WHICH INDUCE CELL-TRANSFORMATION AND HETEROPLIIDY. *Environ Mutagen.* 7: 88-89.
- Hiatt, GF; Den, AR; Johnson, JM. (2006). Personal exposures to naturally-occurring asbestos during sports and play activities in a California community in the Sierra foothills [Abstract]. *Toxicologist.* 90: 174.
- Hickey, J; Saunders, J; Davern, P. (2015). The extent and influence of Asbestos Safety Awareness training among managers who had previously commissioned an asbestos survey in their workplace buildings. *Ind Health.* 53: 398-409. <http://dx.doi.org/10.2486/indhealth.2014-0162>.
- Hiett, DM. (1978). Experimental asbestosis: an investigation of functional and pathological disturbances. II. Results for chrysotile and amosite exposures. *Br J Ind Med.* 35: 135-145.
- Higgins, ITT. (1981). ASBESTOS IN DRINKING-WATER AND CANCER INCIDENCE IN THE SAN-FRANCISCO BAY AREA. *Am J Epidemiol.* 114: 161-162.
- Hilairt, N; Daniel, I; Reynard, B. (2006). P-V Equations of State and the relative stabilities of serpentine varieties. *Physics and Chemistry of Minerals.* 33: 629-637. <http://dx.doi.org/10.1007/s00269-006-0111-0>.
- Hilairt, N; Reynard, B. (2009). Stability and dynamics of serpentinite layer in subduction zone. *Tectonophysics.* 465: 24-29. <http://dx.doi.org/10.1016/j.tecto.2008.10.005>.
- Hilding, AC; Hilding, DA; Larson, DM; Aufderheide, AC. (1981). Biological Effects of Ingested Amosite Asbestos, Taconite Tailings, Diatomaceous Earth and Lake Superior Water in Rats. *Arch Environ Health.* 36: 298-303.
- Hileman, B. (1983). Indoor air pollution. *Environ Sci Technol.* 17: 469A-472A.
- Hill, IM; Beswick, PH; Donaldson, K. (1995). Differential release of superoxide anions by macrophages treated with long and short fibre amosite asbestos is a consequence of differential affinity for opsonin. *Occup Environ Med.* 52: 92-96.
- Hillegass, JM; Shukla, A; Macpherson, MB; Bond, JP; Steele, C; Mossman, BT. (2010). Utilization of gene profiling and proteomics to determine mineral pathogenicity in a human mesothelial cell line (LP9/TERT-1). *J Toxicol Environ Health A.* 73: 423-436. <http://dx.doi.org/10.1080/15287390903486568>.
- Hiller, U; Lange, H; Fichtmüller, A; Paul, M; Hiller, M; Rämisch, R. (1984). [Detection and monitoring of asbestos exposed persons in a district area]. *78: 733-736.*
- Hillerdal, G. (1991). Pleural lesions and the ILO classification: the need for a revision. *Am J Ind Med.* 19: 125-130.
- Hillerdal, G. (1994). The human evidence: Parenchymal and pleural changes. *Ann Occup Hyg.* 38: 561-567. <http://dx.doi.org/10.1093/annhyg/38.4.561>.
- Hillerdal, G. (1999). Mesothelioma: Cases associated with non-occupational and low dose exposures [Review]. *Occup Environ Med.* 56: 505-513.
- Hillerdal, G; Henderson, DW. (1997). Asbestos, asbestosis, pleural plaques and lung cancer [Review]. *Scand J Work Environ Health.* 23: 93-103.
- Hillerdal, G; Musk, AW. (1990). Pleural lesions in crocidolite workers from Western Australia. *Br J Ind Med.* 47: 782-783.
- Hills, B. (2005). The James Hardie story: asbestos victims' claims evaded by manufacturer. *Int J Occup Environ Health.* 11: 212-214. <http://dx.doi.org/10.1179/oeh.2005.11.2.212>.
- Hilt, B; Lien, JT; Lund-Larsen, PG; Lund, K; Langård, S. (1986). Asbestos-related findings in chest radiographs of the male population of the county of Telemark, Norway--a cross-sectional study. *Scand J Work Environ Health.* 12: 567-573. <http://dx.doi.org/10.5271/sjweh.2105>.
- Hinchey, JG; Hattori, KH. (2005). Magmatic mineralization and hydrothermal enrichment of the High Grade Zone at the Lac des Iles palladium mine, northern Ontario, Canada. *Miner Depos.* 40: 13-23. <http://dx.doi.org/10.1007/s00126-005-0472-1>.
- Hinchey, JG; Hattori, KH; Langne, MJ. (2005). Geology, petrology, and controls on PGE mineralization of the southern Roby and Twilight zones, Lac des Iles mine, Canada. *Econ Geol.* 100: 43-61.
- Hine, F; Yasuda, M. (1971). STUDIES ON DEPOSITED ASBESTOS DIAPHRAGM WITH A MINIATURE DIAPHRAGM-TYPE CHLORINE CELL. *J Electrochem Soc.* 118: 166-&.
- Hiraku, Y; Sakai, K; Shibata, E; Kamijima, M; Hisanaga, N; Ma, N; Kawanishi, S; Murata, M. (2014). Formation of the Nitrate DNA Lesion 8-Nitroguanine is Associated with Asbestos Contents in Human Lung Tissues: A Pilot Study. *J Occup Health.* 56: 186-196.
- Hiraoka, K; Horie, A; Kido, M. (1990). Study of asbestos bodies in Japanese urban patients. *Am J Ind Med.* 18: 547-554.
- Hiraoka, T; Ohkura, M; Morinaga, K; Kohyama, N; Shimazu, K; Ando, M. (1998). Anthophyllite exposure and endemic pleural plaques in Kumamoto, Japan. *Scand J Work Environ Health.* 24: 392-397.
- Hirauchi, K, enl; Katayama, I. (2013). Rheological contrast between serpentine species and implications for slab-mantle wedge decoupling. *Tectonophysics.* 608: 545-551. <http://dx.doi.org/10.1016/j.tecto.2013.08.027>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Hirauchi, K, enl; Michibayashi, K; Ueda, H; Katayama, I. (2010). Spatial variations in antigorite fabric across a serpentinite subduction channel: Insights from the Ohmachi Seamount, Izu-Bonin frontal arc. *Earth Planet Sci Lett.* 299: 196-206. <http://dx.doi.org/10.1016/j.epsl.2010.08.035>.
- Hiroi, Y; Haradakondo, H; Ogo, Y. (1992). CUPRIAN MANGANOAN PHLOGOPITE IN HIGHLY OXIDIZED MINEOKA SILICEOUS SCHISTS FROM KAMOGAWA, BOSO PENINSULA, CENTRAL JAPAN. *Am Mineral.* 77: 1099-1106.
- Hirose, T; Bystricky, M; Kunze, K; Stuenitz, H. (2006). Semi-brittle flow during dehydration of lizardite-chrysotile serpentinite deformed in torsion: Implications for the rheology of oceanic lithosphere. *Earth Planet Sci Lett.* 249: 484-493. <http://dx.doi.org/10.1016/j.epsl.2006.07.014>.
- Hiroshima, K; Murai, Y; Suzuki, Y; Goldstein, B; Webster, I. (1993). Characterization of asbestos fibers in lungs and mesotheliomatous tissues of baboons following long-term inhalation. *Am J Ind Med.* 23: 883-901.
- Hirschmann, M; Evans, BW; Yang, HX. (1994). COMPOSITION AND TEMPERATURE-DEPENDENCE OF FE-MG ORDERING IN CUMMINGTONITE-GRUNERITE AS DETERMINED BY X-RAY-DIFFRACTION. *Am Mineral.* 79: 862-877.
- Hirst, E; Kaye, PH; Hoskins, JA. (1995). POTENTIAL FOR RECOGNITION OF AIRBORNE ASBESTOS FIBERS FROM SPATIAL LASER SCATTERING PROFILES. *Ann Occup Hyg.* 39: 623-&.
- Hisanaga, N; Hosokawa, T; Sakai, K; Shibata, E; O, T; Takeuchi, Y; Ono, Y. (1988). THE PRESENT STATE OF THE USE OF ASBESTOS-CONTAINING CONSTRUCTION MATERIAL BY CONSTRUCTION WORKERS RESULTS OF A QUESTIONNAIRE SURVEY (pp. 292). (BIOSIS/89/08458). Hisanaga, N; Hosokawa, T; Sakai, K; Shibata, E; O, T; Takeuchi, Y; Ono, Y.
- Hlavay, J; Oravetz, D. (1991). MORPHOLOGICAL STUDY ON RESPIRABLE DUST (pp. 19-21). (BIOSIS/92/02634). Hlavay, J; Oravetz, D.
- Hodgson, AA. (1993). INDUSTRIAL FIBERS - A TECHNICAL AND COMMERCIAL REVIEW. *Ann Occup Hyg.* 37: 203-210.
- Hodgson, J; Darnton, A. (2001). Untitled. *Ann Occup Hyg.* 45: 336-338.
- Hodgson, JT. (2013). Quality of evidence must guide risk assessment of asbestos, by Lenters, V; Burdorf, A; Vermeulen, R; Stayner, L; Heederik, D [Letter]. *Ann Occup Hyg.* 57: 670-674. <http://dx.doi.org/10.1093/annhyg/met016>.
- Hodson, MJ; Smith, RJ; Vanblaaderen, A; Crafton, T; Oneill, CH. (1994). DETECTING PLANT SILICA FIBERS IN ANIMAL TISSUE BY CONFOCAL FLUORESCENCE MICROSCOPY. *Ann Occup Hyg.* 38: 149-160.
- Hoevelmann, J; Austrheim, H; Putnis, A. (2014). Cordierite formation during the experimental reaction of plagioclase with Mg-rich aqueous solutions. *Contributions to Mineralogy and Petrology.* 168. <http://dx.doi.org/10.1007/s00410-014-1063-x>.
- Hofert, N; Konig, R; Grefen, K; Rodelsperger, K; Teichert, U. (1996). Measurement of fibrous particles - First interlaboratory comparison test based on guideline VDI 3492 .1. Background, procedure, results .1. *Staub, Reinhaltung der Luft.* 56: 11-15.
- Hofert, N; Konig, R; Grefen, K; Rodelsperger, K; Teichert, U. (1996). Measurement of fibrous particles - First interlaboratory comparison test based on guideline VDI 3492 .1. Background, procedure, results .2. *Staub, Reinhaltung der Luft.* 56: 63-68.
- Hoffmann, B; Jockel, KH. (2006). Diesel exhaust and coal mine dust - Lung cancer risk in occupational settings. *Ann N Y Acad Sci.* 1076: 253-265. <http://dx.doi.org/10.1196/annals.1371.025>.
- Hoffmann, E. (1980). INDUSTRIAL USE OF ASBESTOS - REGISTRATION OF ENTERPRISES AND EMPLOYEES - PROTECTION MEASURES. *Staub, Reinhaltung der Luft.* 40: 202-207.
- Hoffmann, O. (1994). HIGH-TEMPERATURE DILATOMETRY OF FIBER, REINFORCED CALCIUM HYDROSILICATES. *Ceramics - Silikaty.* 38: 1-3.
- Hogan, TJ. (1988). AIRBORNE ASBESTOS MONITORING TECHNIQUES THAT WORK. *Power Engineering.* 92: 30-32.
- Hohenadel, K; Pichora, E; Marrett, L; Bukvic, D; Brown, J; Harris, SA; Demers, PA; Blair, A. (2011). Priority issues in occupational cancer research: Ontario stakeholder perspectives. *Chronic Dis Inj Can.* 31: 147-151.
- Holbrook, RD; Kline, CN; Filliben, JJ. (2010). Impact of source water quality on multiwall carbon nanotube coagulation. *Environ Sci Technol.* 44: 1386-1391. <http://dx.doi.org/10.1021/es902946j>.
- Holcapek, O; Reiterman, P; Konvalinka, P. (2015). Fracture characteristics of refractory composites containing metakaolin and ceramic fibers. *Advances in Mechanical Engineering.* 7. <http://dx.doi.org/10.1177/1687814015573619>.
- Holder, M; O'Brien, T. (2007). Protest and survive, the U.K. Construction Safety Campaign: a case study of workers' and victims' family action and legal and regulatory inaction on construction health and safety. *Int J Occup Environ Health.* 13: 27-31. <http://dx.doi.org/10.1179/107735207800245072>.
- Holian, A; Kelley, K; Hamilton, RF. (1994). Mechanisms associated with human alveolar macrophage stimulation by particulates. *Environ Health Perspect.* 102 Suppl 10: 69-74.
- Holian, A; Uthman, MO; Goltsova, T; Brown, SD; Hamilton, RF, Jr. (1997). Asbestos and silica-induced changes in human alveolar macrophage phenotype. *Environ Health Perspect.* 1055: 1139-1142.
- Holland, T; Blundy, J. (1994). NONIDEAL INTERACTIONS IN CALCIC AMPHIBOLES AND THEIR BEARING ON AMPHIBOLE-PLAGIOCLASE THERMOMETRY. *Contributions to Mineralogy and Petrology.* 116: 433-447.
- Holland, T; Powell, R. (1996). Thermodynamics of order-disorder in minerals .2. Symmetric formalism applied to solid solutions. *Am Mineral.* 81: 1425-1437.
- Hollins, DM; Paustenbach, DJ; Clark, K; Mangold, CA. (2009). A Visual Historical Review of Exposure to Asbestos at Puget Sound Naval Shipyard (1962-1972) (vol 12, pg 124, 2009). *J Toxicol Environ Health B Crit Rev.* 12: 224-224. <http://dx.doi.org/10.1080/10937400903038288>.
- Hollis, SP; Cooper, MR; Herrington, RJ; Roberts, S; Earls, G; Verbeeten, A; Piercey, SJ; Archibald, SM. (2015). Distribution, mineralogy and geochemistry of silica-iron exhalites and related rocks from the Tyrone Igneous Complex: Implications for VMS mineralization in Northern Ireland. *J Geochem Explor.* 159: 148-168. <http://dx.doi.org/10.1016/j.gexplo.2015.09.001>.
- Holmen, A; Karlsson, A; Bratt, I; Raihle, G; Hogstedt, B. (1994). INCREASED FREQUENCY OF MICRONUCLEI IN LYMPHOCYTES OF SWEDISH CHIMNEY SWEEPS. *Int Arch Occup Environ Health.* 66: 185-187.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Holmer, I; Nilsson, H; Rissanen, S; Hirata, K; Smolander, J. (1992). QUANTIFICATION OF HEAT-BALANCE DURING WORK IN 3 TYPES OF ASBESTOS-PROTECTIVE CLOTHING. *Int Arch Occup Environ Health*. 64: 243-249.
- Holmes, A; Morgan, A. (1980). Clearance of anthophyllite fibers from the rat lung and the formation of asbestos bodies. *Environ Res*. 22: 13-21.
- Holmes, A; Morgan, A; Davison, W. (1983). Formation of pseudo-asbestos bodies on sized glass fibres in the hamster lung. *Ann Occup Hyg*. 27: 301-313.
- Holmes, A; Morgan, A; Sandalls, FJ. (1971). DETERMINATION OF IRON, CHROMIUM, COBALT, NICKEL, AND SCANDIUM IN ASBESTOS BY NEUTRON ACTIVATION ANALYSIS. *Am Ind Hyg Assoc J*. 32: 281-&. <http://dx.doi.org/10.1080/0002889718506461>.
- Holmes, E; Garshick, E. (1991). The reproducibility of the self-report of occupational exposure to asbestos and dust. *J Occup Med*. 33: 134-138.
- Holmes, EP; Lavkulich, LM. (2014). The effects of naturally occurring acids on the surface properties of chrysotile asbestos. *J Environ Sci Health A Tox Hazard Subst Environ Eng*. 49: 1445-1452. <http://dx.doi.org/10.1080/10934529.2014.928558>.
- Holmes, EP; Wilson, J; Schreier, H; Lavkulich, L, esM. (2012). Processes affecting surface and chemical properties of chrysotile: Implications for reclamation of asbestos in the natural environment. *Can J Soil Sci*. 92: 229-242. <http://dx.doi.org/10.4141/CJSS2010-014>.
- Holness, MB. (1992). METAMORPHISM AND FLUID INFILTRATION OF THE CALC-SILICATE AUREOLE OF THE BEINN AN DUBHAICH GRANITE, SKYE. *Journal of Petrology*. 33: 1261-1293.
- Holopainen, M; Hirvonen, MR; Komulainen, H; Klockars, M. (2004). Effect of the shape of mica particles on the production of tumor necrosis factor alpha in mouse macrophages. *Scand J Work Environ Health*. 30 Suppl 2: 91-98.
- Holt, P. (1982). Translocation of asbestos dust through the bronchiolar wall. *Environ Res*. 27: 255-260. [http://dx.doi.org/10.1016/0013-9351\(82\)90080-9](http://dx.doi.org/10.1016/0013-9351(82)90080-9).
- Holt, PF; Young, DK. (1973). ASBESTOS FIBERS IN AIR OF TOWNS. *Atmos Environ*. 7: 481-&.
- Holt, PF; Young, DK. (1973). ASBESTOS FIBERS IN AIR OF TOWNS - REPLY. *Atmos Environ*. 7: 669-669.
- Holt, PF; Young, DK. (1973). Asbestos fibres in the air of towns. *Atmos Environ* (1967). 7: 481-483.
- Holwell, DA; Jenkin, GRT; Butterworth, KG; Abraham-James, T; Boyce, AJ. (2013). Orogenic gold mineralisation hosted by Archaean basement rocks at Sortekap, Kangerlussuaq area, East Greenland. *Miner Depos*. 48: 453-466. <http://dx.doi.org/10.1007/s00126-012-0434-3>.
- Homa, DM; Garabrant, DH; Gillespie, BW. (1994). A meta-analysis of colorectal cancer and asbestos exposure. *Am J Epidemiol*. 139: 1210-1222.
- Honda, Y; Beall, C; Delzell, E; Oestenstad, K; Brill, I; Matthews, R. (2002). Mortality among workers at a talc mining and milling facility. *Ann Occup Hyg*. 46: 575-585. <http://dx.doi.org/10.1093/annhyg/mef075>.
- Honda, Y; Delzell, E; Cole, P. (1995). An updated study of mortality among workers at a petroleum manufacturing plant. *J Occup Environ Med*. 37: 194-200.
- Hook, MB; Feigley, CE; Ludwig, DA. (1983). Interwedge Variation In The Membrane Filter Method For Airborne Asbestos Fibers. *Am Ind Hyg Assoc J*. 44: 542-546. <http://dx.doi.org/10.1080/15298668391405274>.
- Hook, SJ; Cudahy, TJ; Kahle, AB; Whitbourn, LB. (1998). Synergy of active and passive airborne thermal infrared systems for surface compositional mapping. *J Geophys Res Solid Earth*. 103: 18269-18276.
- Hooper, K; Ladou, J; Rosenbaum, JS; Book, SA. (1992). Regulation of priority carcinogens and reproductive or developmental toxicants. *Am J Ind Med*. 22: 793-808. <http://dx.doi.org/10.1002/ajim.4700220603>.
- Hopf, NB; Waters, MA; Ruder, AM. (2009). Cumulative exposure estimates for polychlorinated biphenyls using a job-exposure matrix. *Chemosphere*. 76: 185-193. <http://dx.doi.org/10.1016/j.chemosphere.2009.03.058>.
- Hoppe, KA; Metwali, N; Perry, SS; Hart, T; Kostle, PA; Thorne, PS. (2012). Assessment of airborne exposures and health in flooded homes undergoing renovation. *Indoor Air*. 22: 446-456. <http://dx.doi.org/10.1111/j.1600-0668.2012.00785.x>.
- Horbe, AMC; da Costa, ML. (1999). Geochemical evolution of a lateritic Sn-Zr-Th-Nb-Y-REE-bearing ore body derived from apogranite: the case of Pitinga, Amazonas - Brazil. *J Geochem Explor*. 66: 339-351.
- Horbe, MA; Horbe, AC; Costi, HT; Teixeira, JT. (1991). GEOCHEMICAL CHARACTERISTICS OF CRYOLITE-TIN-BEARING GRANITES FROM THE PITINGA MINE, NORTHWESTERN BRAZIL - A REVIEW. *J Geochem Explor*. 40: 227-249.
- Hori, H; Kasai, T; Haratake, J; Ishimatsu, S; Oyabu, T; Yamato, H; Higashi, T; Tanaka, I. (1994). BIOLOGICAL EFFECTS OF INHALED MAGNESIUM-SULFATE WHISKERS IN RATS. *Occup Environ Med*. 51: 492-499.
- Horie, M; Stowe, M; Kambara, T; Lee, B; Endoh, S; Maru, J; Oyabu, T; Myojo, T; Ogami, A; Uchida, K; Yamamoto, K; Kobayashi, N; Kuroda, E; Nakazato, T; Morimoto, Y. (2012). Pulmonary Inflammation of Well-Dispersed Multi-Wall Carbon Nanotubes Following Intratracheal Instillation: Toxicity by Fiber of 1-5 μ m in Length. *Materials*. 5: 2833-2849. <http://dx.doi.org/10.3390/ma5122833>.
- Horikoshi, S; Sumi, T; Ito, S; Dillert, R; Kashimura, K; Yoshikawa, N; Sato, M; Shinohara, N. (2014). Microwave-driven asbestos treatment and its scale-up for use after natural disasters. *Environ Sci Technol*. 48: 6882-6890. <http://dx.doi.org/10.1021/es500551b>.
- Horiuchi, Y, u; Ohno, T; Hoshino, M; Shin, K, iC; Murakami, H; Tsunematsu, M; Watanabe, Y. (2014). Geochemical prospecting for rare earth elements using termite mound materials. *Miner Depos*. 49: 1013-1023. <http://dx.doi.org/10.1007/s00126-014-0550-3>.
- Horvath, P; Arkai, P. (2005). Amphibole-bearing assemblages as indicators of microdomain-scale equilibrium conditions in metabasites: an example from Alpine ophiolites of the Meliata Unit, NE Hungary. *Mineralogy and Petrology*. 84: 233-258. <http://dx.doi.org/10.1007/s00710-005-0078-4>.
- Horwell, CJ; Baxter, PJ; Hillman, SE; Calkins, JA; Damby, DE; Delmelle, P; Donaldson, K; Dunster, C; Fubini, B; Kelly, FJ; Le Blond, JS; Livi, KJ; Murphy, F; Nattrass, C; Sweeney, S; Tetley, TD; Thordarson, T; Tomatis, M. (2013). Physicochemical and toxicological profiling of ash from the 2010 and 2011 eruptions of Eyjafjallajökull and Grímsvötn volcanoes, Iceland using a rapid respiratory hazard assessment protocol. *Environ Res*. 127: 63-73. <http://dx.doi.org/10.1016/j.envres.2013.08.011>.
- Hoshino, T. (1993). FRICTION MATERIALS OF NONASBESTOS FOR AUTOMOBILES - WEAR CHARACTERISTICS OF BRAKE PADS USING FIBROUS POTASSIUM TITANATE. 47: 117-129.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Hoskins, JA; Brown, RC. (1994). Contamination of the air with mineral fibers following the explosive destruction of buildings and fire [Review]. *Drug Metab Rev.* 26: 663-673. <http://dx.doi.org/10.3109/03602539408998321>.
- Hoskins, JA; Brown, RC; Alexander, IC. (1992). BIOLOGICAL PERSISTENCE OF MINERAL FIBERS FOUND AS CONTAMINANTS OF INDOOR AIR. *Environ Technol.* 13: 361-366.
- Hosny, G; Akel, M. (2006). Assessment of asbestos in drinking water in Alexandria, Egypt. *J Egypt Public Health Assoc.* 81: 181-198.
- Hosseinpourpia, R; Varshoe, A; Soltani, M; Hosseini, P; Tabari, HZ. (2012). Production of waste bio-fiber cement-based composites reinforced with nano-SiO₂ particles as a substitute for asbestos cement composites. *Construction and Building Materials.* 31: 105-111. <http://dx.doi.org/10.1016/j.conbuildmat.2011.12.102>.
- Hou, ZQ; Zeng, PS; Gao, YF; Du, AD; Fu, DM. (2006). Himalayan Cu-Mo-Au mineralization in the eastern Indo-Asian collision zone: constraints from Re-Os dating of molybdenite. *Trans Nonferrous Met Soc China.* 41: 33-45. <http://dx.doi.org/10.1007/s00126-005-0038-2>.
- Howard, J; Middendorf, P. (2010). Exposure science can increase protection of workers and their families from exposure to asbestos and inform on the effects of other elongate mineral particles. *J Expo Sci Environ Epidemiol.* 20: 485-486. <http://dx.doi.org/10.1038/jes.2010.40>.
- Howard, J; Middendorf, P. (2011). Response to 'Exposure science will not increase protection of workers from asbestos-caused diseases: NIOSH fails to provide needed public health action and leadership'. *J Expo Sci Environ Epidemiol.* 21: 116-116. <http://dx.doi.org/10.1038/jes.2010.54>.
- Howard, J; Mohsenifar, Z; Brown, HV; Koerner, SK. (1982). Role of exercise testing in assessing functional respiratory impairment due to asbestos exposure. *J Occup Med.* 24: 685-689.
- Howard, TP. (2003). Pneumoconiosis in a vermiculite end-product user. *Am J Ind Med.* 44: 214-217. <http://dx.doi.org/10.1002/ajim.10245>.
- Howard, WP. (1970). ASBESTOS AND RESPIRATORY DISEASES. 41: 33-&.
- Howe, HL; Wolfgang, PE; Burnett, WS; Nasca, PC; Youngblood, L. (1987). CANCER INCIDENCE FOLLOWING EXPOSURE TO DRINKING WATER WITH ASBESTOS LEACHATE (pp. 17-19). (ISSN 0002-9262; EISSN 1476-6256; BIOSIS/88/02954). Howe, HL; Wolfgang, PE; Burnett, WS; Nasca, PC; Youngblood, L. <Go to ISI>://WOS:A1987K258000058.
- Howe, HL; Wolfgang, PE; Burnett, WS; Nasca, PC; Youngblood, L. (1989). Cancer incidence following exposure to drinking water with asbestos leachate. *Public Health Rep.* 104: 251-256.
- Howel, D; Arblaster, L. (2000). Identifying industrial sites with potential for residential exposure to asbestos. *J Publ Health Med.* 22: 146-148.
- Howie, R. (2005). Asbestos lung residue and asbestosis risk - Reply. *Ann Occup Hyg.* 49: 364-365. <http://dx.doi.org/10.1093/annhyg/mei006>.
- Howie, RM. (1999). Minimising health hazards associated with derogated products and in-situ materials containing chrysotile contaminated with amphibole asbestos fibres [Letter]. *Ann Occup Hyg.* 43: 493-498.
- Howie, RM. (2000). An important source of error in asbestos-related lung cancer estimates [Letter]. *Ann Occup Hyg.* 44: 484-487.
- Howlett, L. (1994). IN SEARCH OF THE HOLY-GRAIL. *Process Engineering.* 75: 39-39.
- Howse, R. (2004). The WHO/WTO study on trade and public health: A critical assessment. *Risk Anal.* 24: 501-507.
- Hoyes, JR; Clayton, R. (1980). A routine for the control of the performance of microscopists evaluating airborne asbestos fibre samples on membrane filters by phase contrast microscopy. *Ann Occup Hyg.* 23: 381-401.
- Hrapka, LW; Opoczky, L. (1991). CORROSION OF SYNTHETIC INORGANIC FIBERS IN CEMENT MATRIX. *Hungarian Journal of Industrial Chemistry.* 19: 223-230.
- Hraste, M; Vidovic, K. (1986). ASBESTOS PARTICLE CHARACTERISTICS IMPORTANT FOR THE FILTER CAKE FORMATION. 3: 40-42.
- Hu, S; Evans, K; Craw, D; Rempel, K; Bourdet, J; Dick, J; Grice, K. (2015). Raman characterization of carbonaceous material in the Macraes orogenic gold deposit and metasedimentary host rocks, New Zealand. *Ore Geol Rev.* 70: 80-95. <http://dx.doi.org/10.1016/j.oregeorev.2015.03.021>.
- Hu, Y; Hubble, DW. (2007). Factors contributing to the failure of asbestos cement water mains. *Can J Civ Eng.* 34: 608-621. <http://dx.doi.org/10.1139/L06-162>.
- Hu, Y; Wang, D; Cossitt, K; Chowdhury, R. (2010). AC Pipe in North America: Inventory, Breakage, and Working Environments. 1: 156-172. [http://dx.doi.org/10.1061/\(ASCE\)PS.1949-1204.0000064](http://dx.doi.org/10.1061/(ASCE)PS.1949-1204.0000064).
- Huang, J; Hisanaga, N; Sakai, K; Iwata, M; Ono, Y; Shibata, E; Takeuchi, Y. (1988). Asbestos fibers in human pulmonary and extrapulmonary tissues. *Am J Ind Med.* 14: 331-339.
- Huang, SX; Jaurand, MC; Kamp, DW; Whysner, J; Hei, TK. (2011). Role of mutagenicity in asbestos fiber-induced carcinogenicity and other diseases [Review]. *J Toxicol Environ Health B Crit Rev.* 14: 179-245. <http://dx.doi.org/10.1080/10937404.2011.556051>.
- Huang, SX; Partridge, MA; Ghandhi, SA; Davidson, MM; Amundson, SA; Hei, TK. (2012). Mitochondria-derived reactive intermediate species mediate asbestos-induced genotoxicity and oxidative stress-responsive signaling pathways. *Environ Health Perspect.* 120: 840-847. <http://dx.doi.org/10.1289/ehp.1104287>.
- Huang, X; Li, WH; Atfield, MD; Nadas, A; Frenkel, K; Finkelman, RB. (2005). Mapping and prediction of coal workers' pneumoconiosis with bioavailable iron content in the bituminous coals. *Environ Health Perspect.* 113: 964-968. <http://dx.doi.org/10.1289/ehp.7679>.
- Huang, XW, en; Gao, JF; Qi, L; Zhou, M, elFu. (2015). In-situ LA-ICP-MS trace elemental analyses of magnetite and Re-Os dating of pyrite: The Tianhu hydrothermally remobilized sedimentary Fe deposit, NW China. *Ore Geol Rev.* 65: 900-916. <http://dx.doi.org/10.1016/j.oregeorev.2014.07.020>.
- Hubaux, R; Becker-Santos, DD; Enfield, KSS; Lam, S; Lam, WL; Martinez, VD. (2012). Arsenic, asbestos and radon: Emerging players in lung tumorigenesis [Review]. *Environ Health.* 11: 89. <http://dx.doi.org/10.1186/1476-069X-11-89>.
- Huck, PM; Toft, P. (1987). TREATMENT OF DRINKING WATER FOR ORGANIC CONTAMINANTS SECOND NATIONAL CONFERENCE EDMONTON ALBERTA CANADA APRIL 7-8 1986 (pp. NEW YORK). (BIOSIS/88/35585). Gesellschaft Deutscher Chemiker (GDCh) Advisory Committee on Existing Chemicals of Environmental Relevance (BUA).

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Huczko, A; Lange, H; Calko, E; Grubek-Jaworska, H; Droszcz, P. (2001). Physiological testing of carbon nanotubes: are they asbestos-like? *Fullerene Sci Technol.* 9: 251-254.
- Hueper, WC. (1949). Occupational Cancer Hazards Found in Industry. *Ind Hyg Newsl.* 9: 7-9.
- Huff, J. (1993). ISSUES AND CONTROVERSIES SURROUNDING QUALITATIVE STRATEGIES FOR IDENTIFYING AND FORECASTING CANCER CAUSING AGENTS IN THE HUMAN ENVIRONMENT (pp. PREVENTION OF CANCER). (BIOSIS/93/21361). Huff, J.
- Huffman, LJ; Judy, DJ; Castranova, V. (1998). Regulation of nitric oxide production by rat alveolar macrophages in response to silica exposure. *J Toxicol Environ Health.* 53: 29-46.
- HUGHES; WEILL. (1988). RISK ASSESSMENT IN THE ASBESTOS CEMENT INDUSTRY - REPLY. *Br J Ind Med.* 45: 202-203.
- Hughes, JM; Weill, H. (1994). Potency versus importance in fiber pathogenicity [Letter]. *Am J Ind Med.* 25: 609-610.
- Hume, LA; Rimstidt, JD. (1992). THE BIODURABILITY OF CHRYSOTILE ASBESTOS. *Am Mineral.* 77: 1125-1128.
- Humerfelt, S; Stensvold, I; Kvaale, G; Lund-Larsen, P; Bjartveit, K; Gulsvik, A. (1990). SMOKING HABITS AND ASBESTOS EXPOSURE IN RELATION TO AIRFLOW LIMITATION IN A MALE POPULATION OF AGE 30-44 YEARS IN NORWAY (pp. 20-24). (BIOSIS/90/18838). Hummerfelt, S; Stensvold, I; Kvaale, G; Lund-Larsen, P; Bjartveit, K; Gulsvik, A.
- Huncharek, M. (1987). Chrysotile asbestos exposure and mesothelioma [Letter]. *Br J Ind Med.* 44: 287-288.
- Huncharek, M. (1991). Occult asbestos exposure [Letter]. *Am J Ind Med.* 20: 713-714.
- Huncharek, M; Capotorto, J. (1988). Asbestos related lung disease in maintenance workers [Letter]. *Br J Ind Med.* 45: 203-204.
- Huncharek, M; Capotorto, JV; Muscat, J. (1989). Domestic asbestos exposure, lung fibre burden, and pleural mesothelioma in a housewife. *Br J Ind Med.* 46: 354-355.
- Hung, IF; Yu, CC; Tung, CJ. (1994). INDOOR RADON CONCENTRATIONS IN TAIWANESE HOMES. *Journal of Environmental Science and Health, Part A: Environmental Science and Engineering and Toxicol.* 29: 1859-1870.
- Hunsinger, RB; Roberts, KJ; Lawrence, J. (1980). CHRYSOTILE ASBESTOS FIBER REMOVAL DURING POTABLE WATER-TREATMENT - PILOT-PLANT STUDIES. *Environ Sci Technol.* 14: 333-336.
- Hunting, KL; Welch, LS. (1992). Health Hazards of Shipbuilding and Ship Repairing (pp. 634-641). (NIOSH/00211671). Hunting, KL; Welch, LS.
- Huntington, JC; Ptasienski, JJ; Bunker, KL; Strohmeier, BR; Van Orden, DR; Lee, RJ. (2008). A new method for fracturing mineral particles for cross-sectional FESEM analysis. *Periodico di Mineralogia.* 77: 43-50. <http://dx.doi.org/10.2451/2008PM0012>.
- Hurbankova, M. (1993). DYNAMIC STUDY OF THE PHAGOCYtic ACTIVITY OF RATS LEUKOCYTES AFTER EXPOSURE TO ASBESTOS AND BASALT FIBERS. *Zentralblatt fuer Hygiene und Umweltmedizin.* 194: 292-300.
- Hurbankova, M. (1994). ONE-YEAR FOLLOW-UP OF THE PHAGOCYtic ACTIVITY OF LEUKOCYTES AFTER EXPOSURE OF RATS TO ASBESTOS AND BASALT FIBERS. *Environ Health Perspect.* 102: 201-203.
- Hurbánková, M; Hraškov, D; Beňo, M; Černa, S; Wimmerova, S; Moricová, Š. (2014). Combined effect of selected mineral fibres and tobacco smoke on respiratory tract in rats. *Cent Eur J Public Health.* 22: 159-163. <http://dx.doi.org/10.21101/cejph.a3894>.
- Husgafvelpursiainen, K; Kannio, A. (1996). Cigarette smoking and p53 mutations in lung cancer and bladder cancer. *Environ Health Perspect.* 104: 553-556.
- Husgafvel-Pursiainen, K; Ridanpää, M; Anttila, S; Vainio, H. (1995). p53 and ras gene mutations in lung cancer: implications for smoking and occupational exposures [Review]. *J Occup Environ Med.* 37: 69-76.
- HUTCHESON JR. (1971). ENVIRONMENTAL CONTROL IN ASBESTOS INDUSTRY. 64: 65-&.
- HUTCHESON JR. (1971). ENVIRONMENTAL CONTROL IN ASBESTOS INDUSTRY OF QUEBEC. 64: 83-&.
- Hutchison, JL; Whittaker, EJW. (1979). NATURE OF ELECTRON-DIFFRACTION PATTERNS OF AMPHIBOLE ASBESTOS AND THEIR USE IN IDENTIFICATION. *Environ Res.* 20: 445-449.
- Huuskonen, MS. (1992). Screening for occupational cancer [Review]. *Scand J Work Environ Health.* 18 Suppl 1: 110-114.
- Huuskonen, MS; Rantanen, J. (2006). Finnish Institute of Occupational Health (FIOH): prevention and detection of asbestos-related diseases, 1987-2005. *Am J Ind Med.* 49: 215-220. <http://dx.doi.org/10.1002/ajim.20282>.
- Huuskonen, O; Kivisaari, L; Zitting, A; Taskinen, K; Tossavainen, A; Vehmas, T. (2001). High-resolution computed tomography classification of lung fibrosis for patients with asbestos-related disease. *Scand J Work Environ Health.* 27: 106-112.
- Hwang, CY; Gibbs, GW. (1981). The dimensions of airborne asbestos fibres--I. Crocidolite from Kuruman area, Cape Province, South Africa. *Ann Occup Hyg.* 24: 23-41.
- Hwang, J; Ramachandran, G; Raynor, PC; Alexander, BH; Mandel, JH. (2013). Comprehensive assessment of exposures to elongate mineral particles in the taconite mining industry. *Ann Occup Hyg.* 57: 966-978. <http://dx.doi.org/10.1093/annhyg/met026>.
- Hwang, J; Ramachandran, G; Raynor, PC; Alexander, BH; Mandel, JH. (2014). The Relationship Between Various Exposure Metrics for Elongate Mineral Particles (EMP) in the Taconite Mining and Processing Industry. *J Occup Environ Hyg.* 11: 613-624. <http://dx.doi.org/10.1080/15459624.2014.890287>.
- Hwang, SH, o; Park, W, haMe. (2016). Application of asbestos management index and asbestos recognition in public buildings in South Korea. *Hum Ecol Risk Assess.* 22: 1542-1551. <http://dx.doi.org/10.1080/10807039.2016.1197768>.
- Iakhiaev, A; Idell, S. (2004). Asbestos induces tissue factor in Beas-2B cells via PI3 kinase-PKC-mediated signaling. *J Toxicol Environ Health A.* 67: 1537-1547. <http://dx.doi.org/10.1080/15287390490486716>.
- IARC. (1989). Non-occupational exposure to mineral fibres. *IARC Sci Publ* 1-529.
- Ibhadode, AOA; Dagwa, IM. (2008). Development of asbestos-free friction lining material from palm kernel shell. *J Braz Soc Mech Sci & Eng.* 30: 166-173.
- Ibrahim, N. (1999). Determination of natural activity in building materials by direct gamma spectrometry. *Fresen Environ Bull.* 8: 72-77.
- Ibrahim, N. (1999). Natural activities of U-238, Th-232 and K-40 in building materials. *J Environ Radioact.* 43: 255-258.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Ide, G; Hofman, G; Vanruymbeke, M; Ossemerct, C. (1986). PROBLEMS CONCERNING THE PRESENCE OF ASBESTOS IN POWDER MADE FROM STEATITE-CHLORITE ROCKS, USED AS AN ADDITIVE IN CATTLE FEEDS. 39: 855-864.
- Iezzi, G; Camara, F; Della Ventura, G; Oberti, R; Pedrazzi, G; Robert, JL. (2004). Synthesis, crystal structure and crystal chemistry of ferri-clinoholmquistite, square $\text{Li}_2\text{Mg}_3\text{Fe}_2\text{Si}_8\text{O}_{22}(\text{OH})_2$. *Physics and Chemistry of Minerals*. 31: 375-385. <http://dx.doi.org/10.1007/s00269-004-0402-2>.
- Iezzi, G; Della Ventura, G; Camara, F; Pedrazzi, G; Robert, JL. (2003). Na-B-Li-B solid-solution in A-site-vacant amphiboles: synthesis and cation ordering along the ferri-clinoferroholmquistite-riebeckite join. *Am Mineral*. 88: 955-961.
- Iezzi, G; Della Ventura, G; Oberti, R; Camara, F; Holtz, F. (2004). Synthesis and crystal-chemistry of $\text{Na}(\text{NaMg})\text{Mg}_5\text{Si}_8\text{O}_{22}(\text{OH})_2$, a $\text{P}_2(1)/m$ amphibole. *Am Mineral*. 89: 640-646.
- Iezzi, G; Della Ventura, G; Tribaudino, M. (2006). Synthetic $\text{P}_2(1)/m$ amphiboles in the system $\text{Li}_2\text{O}-\text{Na}_2\text{O}-\text{MgO}-\text{SiO}_2-\text{H}_2\text{O}(\text{LNMSH})$. *Am Mineral*. 91: 425-429. <http://dx.doi.org/10.2138/am.2006.1964>.
- Iezzi, G; Tribaudino, M; Della Ventura, G; Nestola, F; Bellatreccia, F. (2005). High-T phase transition of synthetic Na-A(B)(LiMg)(Mg₅Si₈O₂₂)-Mg-C(OH)₂ amphibole: an X-ray synchrotron powder diffraction and FTIR spectroscopic study. *Physics and Chemistry of Minerals*. 32: 515-523. <http://dx.doi.org/10.1007/s00269-005-0032-3>.
- Igwe, O; Omonona, OV; Onwuka, OS; Nnebedum, OD. (2014). Evaluation of the impact of asbestos wastes on soils in Emene-Enugu, Southeastern Nigeria. *Environ Monit Assess*. 186: 8063-8080. <http://dx.doi.org/10.1007/s10661-014-3987-z>.
- Ikai, S; Reichert, JR, JR; Rodrigues, AV; Zampieri, VA. (2010). Asbestos-free technology with new high toughness polypropylene (PP) fibers in air-cured Hatschek process. *Construction and Building Materials*. 24: 171-180. <http://dx.doi.org/10.1016/j.conbuildmat.2009.06.019>.
- Ikeda, T; Nishiyama, T; Yamada, S; Yanagi, T. (2007). Microstructures of olivine-plagioclase corona in meta-ultramafic rocks from Sefuri Mountains, NW Kyushu, Japan. *Lithos*. 97: 289-306. <http://dx.doi.org/10.1016/j.lithos.2006.12.016>.
- Ilanko, AK; Vijayaraghavan, S. (2016). Wear behavior of asbestos-free eco-friendly composites for automobile brake materials. 4: 144-152. <http://dx.doi.org/10.1007/s40544-016-0111-0>.
- Iles, KA; Hergt, JM; Sircombe, KN; Woodhead, J, onD; Bodorkos, S; Williams, I, anS. (2015). Portrait of a reference material: Zircon production in the Middledale Gabbroic Diorite, Australia, and its implications for the TEMORA standard. *Chem Geol*. 402: 140-152. <http://dx.doi.org/10.1016/j.chemgeo.2015.02.036>.
- Iles, PJ; Johnston, AM. (1983). Problems of Asbestos Fibre Counting in the Presence of Fibre-Fibre and Particle-Fibre Overlap. *Ann Occup Hyg*. 27: 389-403.
- Iles, PJ; Shenton-Taylor, T. (1986). Comparison of a fibrous aerosol monitor (FAM) with the membrane filter method for measuring airborne asbestos concentrations. *Ann Occup Hyg*. 30: 77-87.
- Ilg, AG; Bignon, J; Valleron, AJ. (1998). Estimation of the past and future burden of mortality from mesothelioma in France. *Occup Environ Med*. 55: 760-765.
- Ilgren; Chatfield. (1998). Coalinga fibre - A short, amphibole-free chrysotile (vol 7, pg 18, 1998). *Indoor Built Environ*. 7: 241-241.
- Ilgren, E. (2008). The fiber length of Coalinga chrysotile: Enhanced clearance due to its short nature in aqueous solution with a brief critique on "Short Fiber Toxicity". *Indoor Built Environ*. 17: 5-26. <http://dx.doi.org/10.1177/1420326X07086427>.
- Ilgren, E. (2008). The fiber width of Coalinga chrysotile: Reduced respirability due to its thick nature in an aerosol and its "Ultra-Thin" nature in aqueous solution (In vivo). *Indoor Built Environ*. 17: 27-41. <http://dx.doi.org/10.1177/1420326X07086428>.
- Ilgren, E; Chatfield, E. (1997). Coalinga fibre - A short, amphibole-free chrysotile .1. Evidence for a lack of fibrogenic activity. *Indoor Built Environ*. 6: 264-276.
- Ilgren, E; Chatfield, E. (1998). Coalinga fibre - A short, amphibole-free chrysotile - Part 2: Evidence for lack of tumourigenic activity. *Indoor Built Environ*. 7: 18-31.
- Ilgren, E; Chatfield, E. (1998). Coalinga fibre: A short, amphibole-free chrysotile Part 3: Lack of biopersistence. *Indoor Built Environ*. 7: 98-109.
- Ilgren, EB. (2001). Health risks from exposures to asbestos, metals, and various chemicals due to collapse of the World Trade Center: An environmental residential survey with a commentary related to Ground Zero workers. *Indoor Built Environ*. 10: 361-383. <http://dx.doi.org/10.1177/1420326X0101000604>.
- Ilgren, EB. (2002). Coalinga fibre: A short-fibre, amphibole-free chrysotile - Part 4: Further evidence for a lack of fibrogenic and tumorigenic activity. *Indoor Built Environ*. 11: 171-177.
- Ilgren, EB. (2002). Response to the California EPA's Office of Environmental Health Hazard Assessment critical assessment of Ilgren and Chatfield's studies of Coalinga chrysotile's fibrogenicity, tumorigenicity, and biopersistence. *Indoor Built Environ*. 11: 243-245. <http://dx.doi.org/10.1159/000066013>.
- Ilgren, EB. (2004). The biology of cleavage fragments: A brief synthesis and analysis of current knowledge. *Indoor Built Environ*. 13: 343-356. <http://dx.doi.org/10.1177/1420326X04047563>.
- Ilgren, EB. (2004). Coalinga chrysotile - The case of the missing "asbestos study": Corporate connivance or plaintiff ploy? *Indoor Built Environ*. 13: 357-373. <http://dx.doi.org/10.1177/1420326X04047763>.
- Ilgren, EB. (2004). Coalinga Chrysotile: A Short Fibre, Amphibole Free, Chrysotile: Part V - Lack of Amphibole Asbestos Contamination. *Indoor Built Environ*. 13: 325-341. <http://dx.doi.org/10.1177/1420326x04047657>.
- Ilgren, EB. (2004). Coalinga chrysotile: A short-fibre, amphibole-free, chrysotile: Part VI - Additional evidence for lack of fibrogenicity. *Indoor Built Environ*. 13: 375-382. <http://dx.doi.org/10.1177/1420326X04047764>.
- Ilgren, EB. (2008). Coalinga chrysotile: Dissolution, concentration, regulation and general relevance. *Indoor Built Environ*. 17: 42-57. <http://dx.doi.org/10.1177/1420326X07086944>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Ilgren, EB; Ortega brena, M; Castro larragoitia, J; Loustaunau navarrete, G; Fuentes brena, A; Krauss, E; Feher, G. (2008). A reconnaissance study of a potential emerging Mexican mesothelioma epidemic due to fibrous zeolite exposure. *Indoor Built Environ.* 17: 496-515. <http://dx.doi.org/10.1177/1420326x08096610>.
- Il'ina, VP; Lebedeva, GA. (2012). Effect of talc stone and chlorite-tremolite rock on ceramic tile phase composition and properties. *Glass Ceram.* 68: 369-372. <http://dx.doi.org/10.1007/s10717-012-9392-6>.
- Ilmen, S; Alansari, A; Baidada, B; Maacha, L; Bajddi, A. (2016). Minerals of the Ag-Bi-Cu-Pb-S system from the Amensif carbonate -replacement deposit (western High Atlas, Morocco). *J Geochem Explor.* 161: 85-97. <http://dx.doi.org/10.1016/j.gexplo.2015.11.008>.
- Imam, M; Racherla, V; Biswas, K. (2015). Effect of backing plate material in friction stir butt and lap welding of 6063-T4 aluminium alloy. *International Journal of Advanced Manufacturing Technology.* 77: 2181-2195. <http://dx.doi.org/10.1007/s00170-014-6617-6>.
- Imanari, Y; Nonogawa, T; Miyoshi, J; Toda, K; Uematsu, K; Sato, M; Kosuge, K; Nishisu, Y; Kobayashi, M. (2003). Synthesis of phosphor materials using natural ore "serpentine". *Ceramic Society of Japan Journal.* 111: 151-154.
- Impivaara, O; Zitting, AJ; Kuusela, T; Alanen, E; Karjalainen, A. (1998). Observer variation in classifying chest radiographs for small lung opacities and pleural abnormalities in a population sample. *Am J Ind Med.* 34: 261-265. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199809\)34:3<261::AID-AJIM8>3.0.CO;2-Y](http://dx.doi.org/10.1002/(SICI)1097-0274(199809)34:3<261::AID-AJIM8>3.0.CO;2-Y).
- Inaba, T; Iwao, T. (2000). Treatment of waste by dc arc discharge plasmas. *I E E E Transactions on Dielectrics and Electrical Insulation.* 7: 684-692.
- Inaba, T; Nagano, M; Endo, M. (1999). Investigation of plasma treatment for hazardous wastes such as fly ash and asbestos. *Electrical Engineering in Japan.* 126: 73-82.
- Infante, PF; Schuman, LD; Dement, J; Huff, J. (1994). Fibrous glass and cancer [Review]. *Am J Ind Med.* 26: 559-584.
- Inoko, M; Ariiso, K. (1982). DETERMINATION OF CHRYSOTILE FIBERS IN RESIDUAL DUST ON ROAD VEHICLE BRAKE DRUMS. *Environmental Pollution Series B: Chemical and Physical.* 4: 249-255.
- Inoue, A; Utada, M. (1991). SMECTITE-TO-CHLORITE TRANSFORMATION IN THERMALLY METAMORPHOSED VOLCANOCLASTIC ROCKS IN THE KAMIKITA AREA, NORTHERN HONSHU, JAPAN. *Am Mineral.* 76: 628-640.
- Inoue, Y; Kaga, A; Yamaguchi, K; Kamoi, S. (1998). Development of an automatic system for counting asbestos fibers using image processing. *Part Sci Technol.* 16: 263-279.
- Inthavong, K; Wen, H, an; Tian, Z; Tu, J. (2008). Numerical study of fibre deposition in a human nasal cavity. *J Aerosol Sci.* 39: 253-265. <http://dx.doi.org/10.1016/j.jaerosci.2007.11.007>.
- Irannajad, M; Mehdilo, A; Nuri, OS. (2014). Influence of microwave irradiation on ilmenite flotation behavior in the presence of different gangue minerals. *Separation and Purification Technology.* 132: 401-412. <http://dx.doi.org/10.1016/j.seppur.2014.05.046>.
- Isabel Velasco-Garcia, M; Recuero, R; Jesus Cruz, M; Panades, R; Marti, G; Ferrer, J. (2010). Prevalence and Distribution of Asbestos Lung Residue in a Spanish Urban Population. *Arch Bronconeumol.* 46: 176-181. <http://dx.doi.org/10.1016/j.arbres.2009.12.008>.
- Ishida, K. (1998). Cation disordering in heat-treated anthophyllites through oxidation and dehydrogenation. *Physics and Chemistry of Minerals.* 25: 160-167.
- Ishida, K; Hawthorne, FC. (2001). Assignment of infrared OH-stretching bands in manganian magnesio-arfvedsonite and richterite through heat-treatment. *Am Mineral.* 86: 965-972.
- Ishida, K; Hawthorne, FC. (2003). Fine structure in the infrared OH-stretching bands of holmquistite and anthophyllite. *Physics and Chemistry of Minerals.* 30: 330-336. <http://dx.doi.org/10.1007/s00269-003-0311-9>.
- Ishida, K; Hawthorne, FC. (2006). Assignment of infrared OH-stretching bands in calcic amphiboles through deuteration and heat treatment. *Am Mineral.* 91: 871-879.
- Ishida, K; Hawthorne, FC; Ando, Y. (2002). Fine structure of infrared OH-stretching bands in natural and heat-treated amphiboles of the tremolite-ferro-actinolite series. *Am Mineral.* 87: 891-898.
- Ishida, K; Jenkins, DM; Hawthorne, FC. (2008). Mid-IR bands of synthetic calcic amphiboles of tremolite-pargasite series and of natural calcic amphiboles. *Am Mineral.* 93: 1112-1118. <http://dx.doi.org/10.2138/am.2008.2756>.
- Ishida, T; Alexandrov, M; Nishimura, T; Minakawa, K; Hirota, R; Sekiguchi, K; Kohyama, N; Kuroda, A. (2010). Selective detection of airborne asbestos fibers using protein-based fluorescent probes. *Environ Sci Technol.* 44: 755-759. <http://dx.doi.org/10.1021/es902395h>.
- Ishihara, Y. (2001). In vitro studies on biological effects of fibrous minerals [Review]. *Ind Health.* 39: 94-105.
- Ishimatsu, S; Oyabu, T; Hori, H; Tanaka, I. (1999). A new digestion method for recovery of MMMFs from lungs. *Ind Health.* 37: 307-312. <http://dx.doi.org/10.2486/indhealth.37.307>.
- Ishizaki, T; Yano, E; Evans, PH. (1997). Cellular mechanisms of reactive oxygen metabolite generation from human polymorphonuclear leukocytes induced by crocidolite asbestos. *Environ Res.* 75: 135-140. <http://dx.doi.org/10.1006/enrs.1997.3772>.
- Ishizaki, T; Yano, E; Urano, N; Evans, PH. (1994). Crocidolite-induced reactive oxygen metabolites generation from human polymorphonuclear leukocytes. *Environ Res.* 66: 208-216. <http://dx.doi.org/10.1006/enrs.1994.1056>.
- Ismail, R; Ciobanu, CL; Cook, NJ; Teale, GS; Giles, D; Mumm, AS; Wade, B. (2014). Rare earths and other trace elements in minerals from skarn assemblages, Hillside iron oxide-copper-gold deposit, Yorke Peninsula, South Australia. *Lithos.* 184: 456-477. <http://dx.doi.org/10.1016/j.lithos.2013.07.023>.
- Issa, SS. (1990). RESIDUAL-STRESSES IN ASBESTOS-CEMENT PIPES. *Journal of Engineering Mechanics.* 116: 1125-1141.
- Iudicello, JJ; Englehardt, JD. (2009). A Predictive Bayesian Dose-Response Assessment for Evaluating the Toxicity of Carbon Nanotubes Relative to Crocidolite Using a Proposed Emergent Model. *Hum Ecol Risk Assess.* 15: 1168-1186. <http://dx.doi.org/10.1080/10807030903304781>.
- Ivanov, AV; Ivanova, MA; Kononkova, NN. (2007). Concentrically zonal textures in a sample of the Kaidun meteorite. *Geochem Int.* 45: 957-970. <http://dx.doi.org/10.1134/S0016702907100011>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Ivanova, MS; Kumzerov, YA; Poborchii, VV; Ulashkevich, YV; Zhuravlev, VV. (1995). ULTRATHIN WIRES INCORPORATED WITHIN CHRYSOTILE ASBESTOS NANOTUBES - OPTICAL AND ELECTRICAL-PROPERTIES. 4: 319-322.
- Iwata, T; Kohyama, N; Yano, E. (2002). Chemiluminescent detection of induced reactive oxygen metabolite production of human polymorphonuclear leucocytes by anthophyllite asbestos. *Environ Res.* 88: 36-40. <http://dx.doi.org/10.1006/enrs.2001.4314>.
- Iwata, T; Yano, E. (2003). Reactive oxygen metabolite production induced by asbestos and glass fibers: effect of fiber milling. *Ind Health.* 41: 32-38.
- Iwatsubo, Y; Benezet, L; Boutou-Kempf, O; Fevotte, J; Garras, L; Goldberg, M; Luce, D; Pilorget, C; Imbernon, E. (2014). An extensive epidemiological investigation of a kidney cancer cluster in a chemical plant: what have we learned? *Occup Environ Med.* 71: 4-11. <http://dx.doi.org/10.1136/oemed-2013-101477>.
- Iwatsubo, Y; Matrat, M; Michel, E; Boutin, C; Galateau-Salle, F; Jouglu, E; Bignon, J; Pairon, JC; Brochard, P. (2002). Estimation of the incidence of pleural mesothelioma according to death certificates in France. *Am J Ind Med.* 42: 188-199. <http://dx.doi.org/10.1002/ajim.10098>.
- Izumi, H; Morimoto, Y. (2014). Physicochemical Properties and Factors that Induce Asbestos-Related Respiratory Disease. 126-134.
- Jabaloy-Sanchez, A; Teresa Gomez-Pugnaire, M; Padron-Navarta, JA; Lopez Sanchez-Vizcaino, V; Garrido, CJ. (2015). Subduction- and exhumation-related structures preserved in metaserpentinites and associated metasediments from the Nevado-Filabride Complex (Betic Cordillera, SE Spain). *Tectonophysics.* 644: 40-57. <http://dx.doi.org/10.1016/j.tecto.2014.12.022>.
- Jackson, CRM; Parman, SW; Kelley, SP; Cooper, RF. (2015). Light noble gas dissolution into ring structure-bearing materials and lattice influences on noble gas recycling. *Geochim Cosmo Acta.* 159: 1-15. <http://dx.doi.org/10.1016/j.gca.2015.02.036>.
- Jackson, HM; West, NG. (1992). Initial Experience with the Workplace Analysis Scheme for Proficiency (WASP). *Ann Occup Hyg.* 36: 545-561.
- Jacobs, N; Kisting, S; Braun, L. (2004). Collaborative research, participatory solutions: research on asbestos in Kuruman, South Africa [Review]. *Int J Occup Environ Health.* 10: 226-232. <http://dx.doi.org/10.1179/oeh.2004.10.2.226>.
- Jacobs, R; Richards, RJ. (1980). DISTRIBUTION OF 6-6(N)-3[H]SUCROSE AND ITS RADIOLABELED DEGRADATION PRODUCTS FROM ISOLATED, PERFUSED RAT SMALL-INTESTINE LOOPS FOLLOWING PROLONGED INGESTION OF CHRYSOTILE ASBESTOS. *Environ Res.* 21: 423-431.
- Jacobsen, M; Foda, A; Ronk, C; Mckinley, M, eg. (2013). CHRYSOTILE ASBESTOS EXPOSURE AND OVARIAN CANCER: IS THERE AN ASSOCIATION? *Am J Epidemiol.* 177: S123-S123.
- Jaenchen, R; Defren, K; Reinhardt, M. (1995). QUALIFICATION OF MICROBIOLOGY VALIDATED FILTERS FOR THE ELIMINATION OF ASBESTOS FIBERS FROM PARENTERALS. 57: 183-187.
- Jaffrey, S. (1990). ENVIRONMENTAL ASBESTOS FIBER RELEASE FROM BRAKE AND CLUTCH LININGS OF VEHICULAR TRAFFIC. *Ann Occup Hyg.* 34: 529-534.
- Jaffrey, SAM, T; Rood, AP; Scott, RM. (1992). Fibrous Dust Release from Asbestos Substitutes in Friction Products. *Ann Occup Hyg.* 36: 173-181.
- Jagirdar, J; Lee, TC; Reibman, J; Gold, LI; Aston, C; Bégin, R; Rom, WN. (1997). Immunohistochemical localization of transforming growth factor beta isoforms in asbestos-related diseases. *Environ Health Perspect.* 105 Suppl 5: 1197-1203.
- Jahn, I; Becker, U; Jöckel, KH; Pohlhelm, H. (1995). Occupational life course and lung cancer risk in men. Findings from a socio-epidemiological analysis of job-changing histories in a case-control study. *Soc Sci Med.* 40: 961-975.
- Jajte, J; Lao, I; Wiśniewska-Knypl, JM. (1987). Enhanced lipid peroxidation and lysosomal enzyme activity in the lungs of rats with prolonged pulmonary deposition of crocidolite asbestos. *Br J Ind Med.* 44: 180-186.
- Jakobsson, K. (1994). ASBESTOS, CEMENT, AND CANCER IN THE RIGHT PART OF THE COLON (VOL 51, PG 95, 1994). *Occup Environ Med.* 51: 576-576.
- Jamshaid, H; Mishra, R. (2016). A green material from rock: basalt fiber - a review. *J Text Inst.* 107: 923-937. <http://dx.doi.org/10.1080/00405000.2015.1071940>.
- Jamshidi, M; Ramezani-pour, AA. (2011). Laboratory and industrial investigations on hybrid of acrylic and glass short fibers as an alternative for substituting asbestos in Hatschek process. *Construction and Building Materials.* 25: 298-302. <http://dx.doi.org/10.1016/j.conbuildmat.2010.06.026>.
- Janak, M; O'Brien, PJ; Hurai, V; Reutel, C. (1996). Metamorphic evolution and fluid composition of garnet-clinopyroxene amphibolites from the Tatra Mountains, Western Carpathians. *Lithos.* 39: 57-79.
- Jancar, B; Suvorov, D. (2006). The influence of hydrothermal-reaction parameters on the formation of chrysotile nanotubes. *Nanotechnology.* 17: 25-29. <http://dx.doi.org/10.1088/0957-4484/17/1/005>.
- Jankovic, JT. (1985). ASBESTOS BULK SAMPLING PROCEDURE. *Am Ind Hyg Assoc J.* 46: B8-&.
- Janssen, YMW; Driscoll, KE; Timblin, CR; Hassenbein, D; Mossman, BT. (1998). Modulation of mitochondrial gene expression in pulmonary epithelial cells exposed to oxidants. *Environ Health Perspect.* 106: 1191-1195.
- Jansson, NF; Allen, RL. (2011). The origin of skarn beds, Ryllshyttan Zn-Pb-Ag plus magnetite deposit, Bergslagen, Sweden. *Mineralogy and Petrology.* 103: 49-78. <http://dx.doi.org/10.1007/s00710-011-0154-x>.
- Jarabo, R; Fuente, E; Savastano, H, Jr; Negro, C. (2014). Effect of Sepiolite on Mechanical and Physical Properties of Fiber Cement. *ACI Mater J.* 111: 355-362.
- Jarad, NA; Wilkinson, P; Pearson, MC; Rudd, RM. (1992). A new high resolution computed tomography scoring system for pulmonary fibrosis, pleural disease, and emphysema in patients with asbestos related disease. *Br J Ind Med.* 49: 73-84.
- Jarc, S; Zupancic, N. (2009). A cathodoluminescence and petrographical study of marbles from the Pohorje area in Slovenia. *Chem Erde.* 69: 75-80. <http://dx.doi.org/10.1016/j.chemer.2008.01.001>.
- Järholm, B. (1993). Incidence of lung cancer by histological type among asbestos cement workers in Denmark [Letter]. *Br J Ind Med.* 50: 767.
- Jarvholm, B. (1992). DOSE-RESPONSE IN EPIDEMIOLOGY - AGE AND TIME ASPECTS. *Am J Ind Med.* 21: 101-106.
- Järholm, B. (2000). Natural organic fibers--health effects [Review]. *Int Arch Occup Environ Health.* 73 Suppl: S69-S74.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Järholm, B; Burdorf, A. (2015). Emerging evidence that the ban on asbestos use is reducing the occurrence of pleural mesothelioma in Sweden. *Scand J Public Health*. 43: 875-881. <http://dx.doi.org/10.1177/1403494815596500>.
- Jaszczak, JA; Rumsey, MS; Bindi, L; Hackney, SA; Wise, MA; Stanley, CJ; Spratt, J. (2016). Merelaniite, Mo₄Pb₄V₅S₁₅, a New Molybdenum-Essential Member of the Cylindrite Group, from the Merelani Tanzanite Deposit, Lelatema Mountains, Manyara Region, Tanzania. 6. <http://dx.doi.org/10.3390/min6040115>.
- Jaurand, M; Bastie-Sigeac, I; Magne, L; Hubert-Habart, M; Bignon, J. (1983). Studies on in vitro chrysotile-pleural mesothelial cell interaction: morphological aspects and metabolism of benzo-3,4-pyrene. *Environ Health Perspect*. 51: 159-165.
- Jaurand, MC. (1994). IN-VITRO ASSESSMENT OF BIOPERSISTENCE USING MAMMALIAN-CELL SYSTEMS. *Environ Health Perspect*. 102: 55-59.
- Jaurand, MC. (1997). Mechanisms of fiber-induced genotoxicity [Review]. *Environ Health Perspect*. 105: 1073-1084.
- Jaurand, MC; Bignon, J; Gaudichet, A; Magne, L; Oblin, A. (1978). Biological effects of chrysotile after SO₂ sorption. II. Effects on alveolar macrophages and red blood cells. *Environ Res*. 17: 216-227. [http://dx.doi.org/10.1016/0013-9351\(78\)90023-3](http://dx.doi.org/10.1016/0013-9351(78)90023-3).
- Jaurand, MC; Gaudichet, A; Halpern, S; Bignon, J. (1984). INVITRO BIODEGRADATION OF CHRYSOTILE FIBERS BY ALVEOLAR MACROPHAGES AND MESOTHELIAL CELLS IN CULTURE - COMPARISON WITH A PH EFFECT. *Br J Ind Med*. 41: 389-395.
- Jaurand, MC; Thomassin, JH; Baillif, P; Magne, L; Touray, JC; Bignon, J. (1980). Chemical and photoelectron spectrometry analysis of the adsorption of phospholipid model membranes and red blood cell membranes on to chrysotile fibres. *Br J Ind Med*. 37: 169-174.
- Jayanty, RKM; Peterson, MR; Naugle, DF; Berry, MA. (1990). Exposure Assessment: Methods of Analysis for Environmental Carcinogens. *Risk Anal*. 10: 587-595. <http://dx.doi.org/10.1111/j.1539-6924.1990.tb00543.x>.
- Jayasuriya, N; Navaratne, CM; Weerasignhe, KD, onN; Nawarathna, B; Adams, R. (2014). Roof Runoff Capture for Home Garden Crop Cultivation in Sri Lanka. *Journal of Irrigation and Drainage Engineering*. 140. [http://dx.doi.org/10.1061/\(ASCE\)IR.1943-4774.0000711](http://dx.doi.org/10.1061/(ASCE)IR.1943-4774.0000711).
- Jaynes, LM. (1981). MISLEADING STATEMENT REGARDING ASBESTOS DUST IN A BRAKE REPAIR OPERATION. *J Occup Environ Med*. 23: 389-389.
- Jeanjean, A; Olives, R; Py, X. (2013). Selection criteria of thermal mass materials for low-energy building construction applied to conventional and alternative materials. *Energy and Buildings*. 63: 36-48. <http://dx.doi.org/10.1016/j.enbuild.2013.03.047>.
- Jeebun, V; Stenton, SC. (2012). The presentation and natural history of asbestos-induced diffuse pleural thickening. *Occup Med (Lond)*. 62: 266-268. <http://dx.doi.org/10.1093/occmed/kqs028>.
- Jenchuraeva, RJ. (1997). Tectonic settings of porphyry-type mineralization and hydrothermal alteration in Paleozoic island arcs and active continental margins, Kyrghyz range, (Tien Shan) Kyrghyzstan. *Miner Depos*. 32: 434-440.
- Jenkins, DM. (2011). The transition from blueschist to greenschist facies modeled by the reaction glaucophane+2 diopside+2 quartz = tremolite+2 albite. *Contributions to Mineralogy and Petrology*. 162: 725-738. <http://dx.doi.org/10.1007/s00410-011-0621-8>.
- Jenkins, DM; Bozhilov, KN; Ishida, K. (2003). Infrared and TEM characterization of amphiboles synthesized near the tremolite-pargasite join in the ternary system tremolite-pargasite-cummingtonite. *Am Mineral*. 88: 1104-1114.
- Jenkins, DM; Carpenter, MA; Zhang, M. (2014). Experimental and infrared characterization of the miscibility gap along the tremolite-glaucophane join. *Am Mineral*. 99: 730-741. <http://dx.doi.org/10.2138/am.2014.4590>.
- Jenkins, DM; Corona, JC. (2006). Molar volume and thermal expansion of glaucophane. *Physics and Chemistry of Minerals*. 33: 356-362. <http://dx.doi.org/10.1007/s00269-006-0083-0>.
- Jenkins, DM; Della Ventura, G; Oberti, R; Bozhilov, K. (2013). Synthesis and characterization of amphiboles along the tremolite-glaucophane join. *Am Mineral*. 98: 588-600. <http://dx.doi.org/10.2138/am.2013.4281>.
- Jenkins, DM; Gilleaudeau, GJ; Kawa, C; Dibiase, JM; Fokin, M. (2012). Compositional limits and analogs of monoclinic triple-chain silicates. *Contributions to Mineralogy and Petrology*. 164: 229-244. <http://dx.doi.org/10.1007/s00410-012-0735-7>.
- Jenkins, DM; Holland, TJB; Clare, AK. (1991). EXPERIMENTAL-DETERMINATION OF THE PRESSURE-TEMPERATURE STABILITY FIELD AND THERMOCHEMICAL PROPERTIES OF SYNTHETIC TREMOLITE. *Am Mineral*. 76: 458-469.
- Jenkins, DM; Ishida, K; Liogys, V; Ghosh, D. (2002). Cation distribution in amphiboles synthesized along the Ga analogue of the tremolite-aluminotschermakite join. *Physics and Chemistry of Minerals*. 29: 87-97. <http://dx.doi.org/10.1007/s002690100214>.
- Jenkins, DM; Sherriff, BL; Cramer, J; Xu, Z. (1997). Al, Si, and Mg occupancies in tetrahedrally and octahedrally coordinated sites in synthetic aluminous tremolite. *Am Mineral*. 82: 280-290.
- Jennings, CJ; Walsh, PM; Deady, S; Harvey, BJ; Thomas, W. (2014). Malignant pleural mesothelioma incidence and survival in the Republic of Ireland 1994-2009. *Cancer Epidemiology*. 38: 35-41. <http://dx.doi.org/10.1016/j.canep.2013.12.002>.
- Jeon, SS; O'Rourke, TD. (2005). Northridge earthquake effects on pipelines and residential buildings. *Seismological Society of America Bulletin*. 95: 294-318.
- Jeyaratnam, M; West, NG. (1994). A STUDY OF HEAT-DEGRADED CHRYSOTILE, AMOSITE AND CROCIDOLITE BY X-RAY-DIFFRACTION. *Ann Occup Hyg*. 38: 137-148.
- Ji, S; Li, A; Wang, Q; Long, C; Wang, H; Marcotte, D; Salisbury, M. (2013). Seismic velocities, anisotropy, and shear-wave splitting of antigorite serpentinites and tectonic implications for subduction zones. *J Geophys Res Solid Earth*. 118: 1015-1037. <http://dx.doi.org/10.1002/jgrb.50110>.
- Ji, WD; Chen, JK; Lu, JC; Wu, ZL; Yi, F; Feng, SM. (2006). Alterations of FHIT gene and P16 gene in nickel transformed human bronchial epithelial cells. *Biomed Environ Sci*. 19: 277-284.
- Ji, Z; Wang, X; Zhang, H; Lin, S; Meng, H; Sun, B; George, S; Xia, T; Nel, AE; Zink, JI. (2012). Designed Synthesis of CeO₂ Nanorods and Nanowires for Studying Toxicological Effects of High Aspect Ratio Nanomaterials. *ACS Nano*. 6: 5366-5380. <http://dx.doi.org/10.1021/nn3012114>.
- Jiang, H; Lee, C, inTyA; Morgan, JK; Ross, CH. (2015). Geochemistry and thermodynamics of an earthquake: A case study of pseudotachylites within mylonitic granitoid. *Earth Planet Sci Lett*. 430: 235-248. <http://dx.doi.org/10.1016/j.epsl.2015.08.027>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Jiang, Z; Zhang, Z; Wang, Z; Duan, S; Li, F; Tian, J. (2014). Geology, geochemistry, and geochronology of the Zhibo iron deposit in the Western Tianshan, NW China: Constraints on metallogenesis and tectonic setting. *Ore Geol Rev.* 57: 406-424. <http://dx.doi.org/10.1016/j.oregeorev.2013.09.016>.
- Jin, H, ui; Wang, Y. (2012). Synthesis and characterization of the novel meta-modified aramid fibers with liquid crystalline properties. *Polymer Composites.* 33: 1620-1627. <http://dx.doi.org/10.1002/pc.22263>.
- Jiusheng, B; Zhencai, Z; Yan, Y; Guoan, C. (2009). Catastrophe Model for the Friction Coefficient of Mine Hoister's Brake Shoe During Emergency Braking. *Journal of Computational and Theoretical Nanoscience.* 6: 1622-1625. <http://dx.doi.org/10.1166/jctn.2009.1221>.
- Jiusheng, B; Zhencai, Z; Yan, Y; Guoan, C. (2009). Influence of initial braking velocity and braking frequency on tribological performance of non-asbestos brake shoe. *Industrial Lubrication & Tribology.* 61: 332-338. <http://dx.doi.org/10.1108/00368790910988453>.
- Jo, H; Jo, H, oY; Rha, S; Lee, PK, oo. (2015). Direct Aqueous Mineral Carbonation of Waste Slate Using Ammonium Salt Solutions. 5: 2413-2427.
- Jöckel, KH; Pohlbeln, H; Bolm-Audorff, U; Brüske-Hohlfeld, I; Wichmann, HE. (2000). Lung cancer risk of workers in shoe manufacture and repair. *Am J Ind Med.* 37: 575-580.
- Joeke, I; Moran, PJS; Rodrigues, JAR; Wendhausen, R; Tonella, E; Cassiola, F. (1998). Characterization of *Saccharomyces cerevisiae* immobilized onto chrysotile for ethanol production. *J Chem Tech Biotechnol.* 73: 54-58.
- Joens, N; Bach, W; Schroeder, T. (2009). Formation and alteration of plagiogranites in an ultramafic-hosted detachment fault at the Mid-Atlantic Ridge (ODP Leg 209). *Contributions to Mineralogy and Petrology.* 157: 625-639. <http://dx.doi.org/10.1007/s00410-008-0357-2>.
- Joesten, R. (1991). LOCAL EQUILIBRIUM IN METASOMATIC PROCESSES REVISITED - DIFFUSION-CONTROLLED GROWTH OF CHERT NODULE REACTION RIMS IN DOLOMITE. *Am Mineral.* 76: 743-755.
- Johan, Z. (2006). Platinum-group minerals from placers related to the Nizhni Tagil (Middle Urals, Russia) Uralian-Alaskan-type ultramafic complex: ore-mineralogy and study of silicate inclusions in (Pt, Fe) alloys. *Mineralogy and Petrology.* 87: 1-30. <http://dx.doi.org/10.1007/s00710-005-0117-1>.
- Johansen, C. (2004). Electromagnetic fields and health effects--epidemiologic studies of cancer, diseases of the central nervous system and arrhythmia-related heart disease [Review]. *Scand J Work Environ Health.* 30 Suppl 1: 1-30.
- Johansen, C; Olsen, JH. (1998). Mortality from amyotrophic lateral sclerosis, other chronic disorders, and electric shocks among utility workers. *Am J Epidemiol.* 148: 362-368.
- John, T; Scambelluri, M; Frische, M; Barnes, JD; Bach, W. (2011). Dehydration of subducting serpentinite: Implications for halogen mobility in subduction zones and the deep halogen cycle. *Earth Planet Sci Lett.* 308: 65-76. <http://dx.doi.org/10.1016/j.epsl.2011.05.038>.
- John, W; Smith, G; Hayward, S. (1985). ASBESTOS IN BRAKE LININGS. *Chem Eng News.* 63: 5-5.
- Johnson, BB. (2002). Stability and inoculation of risk comparisons' effects under conflict: replicating and extending the "asbestos jury" study by Slovic et al. *Risk Anal.* 22: 777-788.
- Johnson, BB. (2004). Varying risk comparison elements: effects on public reactions. *Risk Anal.* 24: 103-114. <http://dx.doi.org/10.1111/j.0272-4332.2004.00415.x>.
- Johnson, CA; Day, WC; Rye, RO. (2016). Oxygen, Hydrogen, Sulfur, and Carbon Isotopes in the Pea Ridge Magnetite-Apatite Deposit, Southeast Missouri, and Sulfur Isotope Comparisons to Other Iron Deposits in the Region. *Econ Geol.* 111: 2017-2032.
- Johnson, DL; Martonen, TB. (1994). PREDICTED AND OBSERVED BEHAVIOR OF PLATELET AEROSOLS. *Part Sci Technol.* 12: 149-159.
- Johnson, FM. (2002). How many food additives are rodent carcinogens? *Environ Mol Mutagen.* 39: 69-80. <http://dx.doi.org/10.1002/em.10037>.
- Johnson, J; Messing, R; Kelly, J; Souther, L. (2004). Community asbestos exposure from a vermiculite processing facility. *Epidemiology.* 15: S168-S169.
- Johnson, NF. (1994). Phagosomal pH and glass fiber dissolution in cultured nasal epithelial cells and alveolar macrophages: a preliminary study. *Environ Health Perspect.* 102 Suppl 5: 97-102.
- Johnson, NF; Carpenter, TR; Jaramillo, RJ; Liberati, TA. (1997). DNA damage-inducible genes as biomarkers for exposures to environmental agents. *Environ Health Perspect.* 105: 913-918. <http://dx.doi.org/10.2307/3433303>.
- Johnson, NF; Hahn, FF. (1996). Induction of mesothelioma after intrapleural inoculation of F344 rats with silicon carbide whiskers or continuous ceramic filaments. *Occup Environ Med.* 53: 813-816.
- Johnson, NF; Hoover, MD; Thomassen, DG; Cheng, YS; Dalley, A; Brooks, AL. (1992). In vitro activity of silicon carbide whiskers in comparison to other industrial fibers using four cell culture systems. *Am J Ind Med.* 21: 807-823.
- Johnson, NF; Jaramillo, RJ. (1997). p53, Cip1, and Gadd153 expression following treatment of A549 cells with natural and man-made vitreous fibers. *Environ Health Perspect.* 105 Suppl 5: 1143-1145.
- Johnson, TW; Thompson, TB. (2006). Breccia- and carbonate-hosted Au-Cu-Ag replacement mineralization associated with the Homestake porphyry intrusive complex, New World district, Montana. *Econ Geol.* 101: 955-980.
- Johnson, WG; Heler, E. (1983). The costs of asbestos-associated disease and death. 61: 177-194.
- Johnston, AM; Jones, AD; Vincent, JH. (1982). THE INFLUENCE OF EXTERNAL AERODYNAMIC FACTORS ON THE MEASUREMENT OF THE AIRBORNE CONCENTRATION OF ASBESTOS FIBERS BY THE MEMBRANE-FILTER METHOD. *Ann Occup Hyg.* 25: 309-316.
- Johnston, WL. (1985). Evaluation Of Asbestos Fibers In The Exhaust Air Of Industrial Vacuum Cleaners. *Am Ind Hyg Assoc J.* 46: 402-406.
- Jones, AD. (1993). RESPIRABLE INDUSTRIAL FIBERS - DEPOSITION, CLEARANCE AND DISSOLUTION IN ANIMAL-MODELS. *Ann Occup Hyg.* 37: 211-226.
- Jones, AD; Apsley, A; Clark, S; Addison, J; Van Orden, DR; Lee, RJ. (2010). Laboratory Tests to Compare Airborne Respirable Mass and Fibre Concentrations from Soil Samples from Libby, Montana. *Indoor Built Environ.* 19: 286-297. <http://dx.doi.org/10.1177/1420326X09349908>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Jones, AD; Arroyo, MC; Grosjean, R; Tylee, B; Miller, BG; Brown, P. (2005). A comparison of fibre counting across three European national proficiency testing schemes. *Ann Occup Hyg*. 49: 309-324. <http://dx.doi.org/10.1093/annhyg/meh100>.
- Jones, AD; Gale, RW. (1983). VICKERS INSTRUMENTS-M88 RAPID ASBESTOS FIBER MONITOR - REPLY. *Ann Occup Hyg*. 27: 112-112.
- Jones, AD; Mcmillan, CH; Johnston, AM; McIntosh, C; Cowie, H; Bolton, RE; Borzucki, G; Vincent, JH. (1988). Pulmonary clearance of UICC amosite fibres inhaled by rats during chronic exposure at low concentration. *Br J Ind Med*. 45: 300-304.
- Jones, AP. (1999). Indoor air quality and health. *Atmos Environ*. 33: 4535-4564.
- Jones, J; Mcguire, MJ. (1987). DREDGING TO REDUCE ASBESTOS CONCENTRATIONS IN THE CALIFORNIA AQUEDUCT. *J Am Water Works Assoc*. 79: 30-38.
- Jones, RN. (1997). Pleural plaques: Diagnostic problems and significance. *Indoor Built Environ*. 6: 106-113.
- Jones, TD; Morris, MD; Basavaraju, SR. (1998). Atherosclerotic risks from chemicals: Part II. A RASH analysis of in vitro and in vivo bioassay data to evaluate 45 potentially hazardous compounds. *Arch Environ Contam Toxicol*. 35: 165-177. <http://dx.doi.org/10.1007/s002449900364>.
- Jones, WF; Seth, BB. (1993). ASBESTOS-FREE GASKET MATERIALS FOR TURBINES. *Journal of Testing and Evaluation*. 21: 94-96.
- Jordan, RC. (1980). The identification of asbestos minerals in insulation materials. 96: 102.
- Jørgensen, NK. (1981). [Pleural plaques after indirect, non work-related exposure to asbestos]. *Ugeskr Laeger*. 143: 548-550.
- Jose, DJ; Salzenberg, CH. (1992). The Effectiveness of Decontamination Procedures Used by Asbestos Abatement Workers (pp. Fourth Volume). (NIOSH/00238265). Jose, DJ; Salzenberg, CH.
- Joseph, LB; Stephens, RE; Ottolenghi, AC; Lipetz, PD; Newman, HA. (1983). Morphological transformation in vitro of normal human fibroblasts by chrysotile. *Environ Health Perspect*. 51: 17-22.
- Joshi, N; Mukhopadhyay, A; Basak, S; De, G; Chattopadhyay, K. (2013). Surface Coating Rescues Proteins from Magnetite Nanoparticle Induced Damage. *Particle & Particle Systems Characterization*. 30: 683-694. <http://dx.doi.org/10.1002/ppsc.201200148>.
- Jovanovski, G; Makreski, P. (2016). MINERALS FROM MACEDONIA. XXX. COMPLEMENTARY USE OF VIBRATIONAL SPECTROSCOPY AND X-RAY POWDER DIFFRACTION FOR SPECTRA-STRUCTURAL STUDY OF SOME CYCLO-, PHYLLO- AND TECTOSILICATE MINERALS. A REVIEW. *Macedonian Journal of Chemistry and Chemical Engineering*. 35: 125-155. <http://dx.doi.org/10.20450/mjcce.2016.1047>.
- Jr, GC; Baron, PA; Carter, JW; Smith, DL. (1979). Testing of Hair Dryers for Asbestos Emissions (pp. 79-29). (NIOSH/00185315). Geraci CL Jr; Baron, PA; Carter, JW; Smith, DL.
- Jr, KG. (1988). Limited-Use Garments Have Expanded Role in Protective Clothing Industry. *Occup Health Saf*. 57: 35-36.
- Jung, H. (2011). Seismic anisotropy produced by serpentine in mantle wedge. *Earth Planet Sci Lett*. 307: 535-543. <http://dx.doi.org/10.1016/j.epsl.2011.05.041>.
- Jung, HS; Cha, J; Kim, S; Lee, W; Lim, H; Kim, H. (2015). Evaluating the efficiency of an asbestos stabilizer on ceiling tiles and the characteristics of the released asbestos fibers. *J Hazard Mater*. 300: 378-386. <http://dx.doi.org/10.1016/j.jhazmat.2015.07.021>.
- Junqueira, PA; Lobato, LM; Ladeira, EA; Simes, EJM. (2007). Structural control and hydrothermal alteration at the BIF-hosted Raposos lode-gold deposit, Quadrilátero Ferrífero, Brazil. *Int Geol Rev*. 32: 629-650. <http://dx.doi.org/10.1016/j.oregeorev.2006.03.004>.
- Jurinski, JB; Rimstidt, JD. (2001). Biodurability of talc. *Am Mineral*. 86: 392-399.
- Kachuri, L; Villeneuve, PJ; Parent, MÉ; Johnson, KC; Group, CCRER; Harris, SA. (2016). Workplace exposure to diesel and gasoline engine exhausts and the risk of colorectal cancer in Canadian men. *Environ Health*. 15: 4. <http://dx.doi.org/10.1186/s12940-016-0088-1>.
- Kaczynski, JH; Hallenbeck, WH. (1984). MIGRATION OF INGESTED ASBESTOS. *Environ Res*. 35: 531-551.
- Kaden, H; Pohl, A. (1978). POROSITY AND STRUCTURE OF PORES IN ASBESTOS DIAPHRAGMS. *Chem Tech (Leipzig)*. 30: 25-28.
- Kaden, H; Schonherr, S; Hofmann, H; Zimmermann, K. (1980). INVESTIGATIONS ON MODIFIED ASBESTOS DIAPHRAGMS FOR ALKALINE CHLORIDE ELECTROLYSIS. *Chem Tech (Leipzig)*. 32: 38-40.
- Kadir, S; Onen-Hall, AP; Aydin, SN; Yakicier, C; Akarsu, N; Tuncer, M. (2008). Environmental effect and genetic influence: a regional cancer predisposition survey in the Zonguldak region of Northwest Turkey. *Environ Geol*. 54: 391-409. <http://dx.doi.org/10.1007/s00254-007-0826-3>.
- Kaerlev, L; Hansen, J; Hansen, HL; Nielsen, PS. (2005). Cancer incidence among Danish seafarers: a population based cohort study. *Occup Environ Med*. 62: 761-765. <http://dx.doi.org/10.1136/oem.2005.020818>.
- Kagan, E; Oghiso, Y; Hartmann, DP. (1983). The effects of chrysotile and crocidolite asbestos on the lower respiratory tract: analysis of bronchoalveolar lavage constituents. *Environ Res*. 32: 382-397.
- Kahl, WA; Joens, N; Bach, W; Klein, F; Alt, JC. (2015). Ultramafic clasts from the South Chamorro serpentine mud volcano reveal a polyphase serpentinization history of the Mariana forearc mantle. *Lithos*. 227: 1-20. <http://dx.doi.org/10.1016/j.lithos.2015.03.015>.
- Kahl, WA; Maresch, WV. (2001). Enthalpies of formation of tremolite and talc by high-temperature solution calorimetry - a consistent picture. *Am Mineral*. 86: 1345-1357.
- Kahl, WA; Schumacher, JC. (2000). Multiple pyroxene and amphibole assemblages in the amphibolite facies: Bulk compositional controls. *Am Mineral*. 85: 1606-1616.
- Kaiglová, A; Kováčiková, Z; Hurbánková, M. (1999). Impact of acute and subchronic asbestos exposure on some parameters of antioxidant defense system and lung tissue injury. *Ind Health*. 37: 348-351.
- Kakoei, H; Meshkani, M; Azam, K. (2013). Ambient monitoring of airborne asbestos in non-occupational environments in Tehran, Iran. *Atmos Environ*. 81: 671-675. <http://dx.doi.org/10.1016/j.atmosenv.2013.09.022>.
- Kakoei, H; Normohammadi, M. (2014). Asbestos exposure among construction workers during demolition of old houses in Tehran, Iran. *Ind Health*. 52: 71-77.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Kakooei, H; Yunesian, M; Marioryad, H; Azam, K. (2009). Assessment of airborne asbestos fiber concentrations in urban area of Tehran, Iran. *Air Qual Atmos Health*. 2: 39-45. <http://dx.doi.org/10.1007/s11869-009-0032-4>.
- Kalapathy, U; Proctor, A; Shultz, J. (2003). Silicate thermal insulation material from rice hull ash. *Ind Eng Chem Res*. 42: 46-49. <http://dx.doi.org/10.1002/ie0203227>.
- Kalinin, DV; DENISKIN,ND; Lokhova, GG. (1971). CONDITIONS OF SYNTHESIS OF FIBROUS AMPHIBOLES AND GENESIS OF NATURAL AMPHIBOLE ASBESTOS. *Geochem Int*. 8: 628-8.
- Kamal, AA; Sayed, GM; Hassan, MH; Massoud, AA. (1988). Usage of personal protective devices among Egyptian industrial workers. *Am J Ind Med*. 13: 707-716.
- Kamal, R; Dutt, T; Patel, BHM; Singh, G; Chandran, PC; Dey, A; Barari, SK. (2016). Effect of shade materials on rectal temperature, respiration rate and body surface temperature of crossbred calves during rainy season. *Indian J Anim Sci*. 86: 75-81.
- Kamal, R; Dutt, T; Patel, M; Dey, A; Chandran, PC; Bharti, PK; Barari, SK. (2016). Behavioural, biochemical and hormonal responses of heat-stressed crossbred calves to different shade materials. *Journal of Applied Animal Research*. 44: 347-354. <http://dx.doi.org/10.1080/09712119.2015.1074076>.
- Kambouchner, M; Bernaudin, JF. (2015). The pathologist's view of silicosis in 1930 and in 2015. The Johannesburg Conference legacy. *Am J Ind Med*. 58: 48-58. <http://dx.doi.org/10.1002/ajim.22506>.
- Kamimura, A; Kasahara, J; Shinohara, M; Hino, R; Shiobara, H; Fujie, G; Kanazawa, T. (2002). Crustal structure study at the Izu-Bonin subduction zone around 31 degrees N: implications of serpentinized materials along the subduction plate boundary. *Phys Earth Planet In*. 132: 105-129.
- Kampmann, TC; Stephens, MB; Weihed, P, ar. (2016). 3D modelling and sheath folding at the Falun pyritic Zn-Pb-Cu-(Au-Ag) sulphide deposit and implications for exploration in a 1.9 Ga ore district, Fennoscandian Shield, Sweden. *Miner Depos*. 51: 665-680. <http://dx.doi.org/10.1007/s00126-016-0638-z>.
- Kamstrup, O; Ellehauge, A; Bellmann, B; Chevalier, J; Davis, JMG. (2004). Subchronic inhalation study of stone wool fibres in rats. *Ann Occup Hyg*. 48: 91-104. <http://dx.doi.org/10.1093/annhyg/meg093>.
- Kamstrup, O; Ellehauge, A; Collier, CG; Davis, JMG. (2002). Carcinogenicity studies after intraperitoneal injection of two types of stone wool fibres in rats. *Ann Occup Hyg*. 46: 135-142. <http://dx.doi.org/10.1093/annhyg/mf034>.
- Kanarek, MS. (1983). THE SAN-FRANCISCO BAY EPIDEMIOLOGY STUDIES ON ASBESTOS IN DRINKING-WATER AND CANCER INCIDENCE - RELATIONSHIP TO STUDIES IN OTHER LOCATIONS AND POINTERS FOR FURTHER RESEARCH. *Environ Health Perspect*. 53: 105-106.
- Kanarek, MS; Conforti, PM. (1981). ASBESTOS IN DRINKING-WATER AND CANCER INCIDENCE IN THE SAN-FRANCISCO BAY AREA - REPLY. *Am J Epidemiol*. 114: 163-164.
- Kanarek, MS; Conforti, PM. (1982). ASBESTOS IN DRINKING-WATER AND CANCER INCIDENCE IN THE SAN-FRANCISCO BAY AREA - REPLY. *Am J Epidemiol*. 115: 143-144.
- Kanarek, MS; Conforti, PM; Jackson, LA. (1981). CHRYSOTILE ASBESTOS FIBERS IN DRINKING-WATER FROM ASBESTOS-CEMENT PIPE. *Environ Sci Technol*. 15: 923-925. <http://dx.doi.org/10.1021/es00090a006>.
- Kanarek, MS; Conforti, PM; Jackson, LA; Cooper, RC; Murchio, JC. (1980). Asbestos in drinking water and cancer incidence in the San Francisco Bay area. *Am J Epidemiol*. 112: 54-72.
- Kandaswami, C; O'Brien, PJ. (1983). EFFECT OF CHRYSOTILE ASBESTOS AND SILICA ON THE MICROSOMAL METABOLISM OF BENZO(A)PYRENE. *Environ Health Perspect*. 51: 311-314.
- Kang, KY; Bice, D; D'Amato, R; Ziskind, M; Salvaggio, J. (1979). Effects of asbestos and beryllium on release of alveolar macrophage enzymes. *Arch Environ Health*. 34: 133-140.
- Kano, T. (1991). METASOMATIC ORIGIN OF AUGEN GNEISSES AND RELATED MYLONITIC ROCKS IN THE HIDA METAMORPHIC COMPLEX, CENTRAL JAPAN. *Mineralogy and Petrology*. 45: 29-45.
- Kantz, ME. (1976). PROPOSED ASBESTOS AIR-QUALITY STANDARD. *J Air Pollut Control Assoc*. 26: 413-414.
- Karaffa, MA; Amick, RS; Crone, A; Powers, TJ. (1987). An Evaluation of Asbestos Removal Effectiveness: The Potential for Exposures (pp. 59-70). (NIOSH/00170702). Karaffa, MA; Amick, RS; Crone, A; Powers, TJ.
- Karageorgi, S; Gates, MA; Hankinson, SE; De Vivo, I. (2010). Perineal Use of Talcum Powder and Endometrial Cancer Risk. *Cancer Epidemiol Biomarkers Prev*. 19: 1269-1275. <http://dx.doi.org/10.1158/1055-9965.EPI-09-1221>.
- Karakoca, Y; Emri, S; Cangir, AK; Er, M; Findik, S; Baris, YI. (1997). Environmental Pleural Plaques Due to Asbestos and Fibrous Zeolite Exposure in Turkey. Berlin, Germany.
- Karasaki, Y; Urano, H; Shirahata, A; Nambu, Z; Ohji, T; Miura, M; Gotoh, S. (1998). Increases in DNA and protein syntheses in human umbilical vein endothelial cells treated with asbestos. *J Occup Health*. 40: 302-306.
- Karches, GJ. (1990). Personal Protection (pp. The Hazardous Fiber). (NIOSH/00210919). Karches, GJ.
- Karches, GJ; Faas, JC. (1987). Proper Asbestos Abatement Techniques and Respirator Selection. *Appl Ind Hyg*. 2: 28-30.
- Karipi, S; Tsikouras, B; Hatzipanagiotou, K; Grammatikopoulos, TA. (2007). Petrogenetic significance of spinel-group minerals from the ultramafic rocks of the Iti and Kallidromon ophiolites (Central Greece). *Lithos*. 99: 136-149. <http://dx.doi.org/10.1016/j.lithos.2007.06.005>.
- Karjalainen, A. (1997). Asbestos--a continuing concern [Editorial]. *Scand J Work Environ Health*. 23: 81-82.
- Karjalainen, A; Anttila, S; Vanhala, E; Vainio, H. (1994). Asbestos exposure and the risk of lung cancer in a general urban population. *Scand J Work Environ Health*. 20: 243-250.
- Karjalainen, A; Martikainen, R; Oksa, P; Saarinen, K; Uitti, J. (2002). Incidence of asthma among Finnish construction workers. *J Occup Environ Med*. 44: 752-757. <http://dx.doi.org/10.1097/01.jom.0000026043.24145.50>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Karjalainen, A; Pukkala, E; Kauppinen, T; Partanen, T. (1999). Incidence of cancer among Finnish patients with asbestos-related pulmonary or pleural fibrosis. *Cancer Causes Control*. 10: 51-57.
- Karkanias, P. (1995). THE SLIP-FIBER CHRYSOTILE ASBESTOS DEPOSIT IN THE ZIDANI AREA, NORTHERN GREECE. *Ore Geol Rev*. 10: 19-29.
- Karstadt, M. (1998). Availability of epidemiologic data for chemicals known to cause cancer in animals: An update. *Am J Ind Med*. 34: 519-525. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199811\)34:5<519::AID-AJIM15>3.0.CO;2-4](http://dx.doi.org/10.1002/(SICI)1097-0274(199811)34:5<519::AID-AJIM15>3.0.CO;2-4).
- Karsten, H. (1985). Strategy of conimetric sampling of asbestos-containing dusts. 31: 163-165.
- Kassolifournaraki, A; Filippidis, A; Kolcheva, K; Hatzipanayotou, K; Koepke, J; Dimadis, E. (1995). Multi-stage alteration of the Gorgona ultramafic body, central Rhodope Massif, Greece. *Chem Erde*. 55: 331-344.
- Katayama, I; Kurosaki, I; Hirauchi, K, enl. (2010). Low silica activity for hydrogen generation during serpentinization: An example of natural serpentinites in the Mineoka ophiolite complex, central Japan. *Earth Planet Sci Lett*. 298: 199-204. <http://dx.doi.org/10.1016/j.epsl.2010.07.045>.
- Katt, R; Elias, G; Moore, E. (1982). Final Report On The Sampling Design For The OHSMI, Volume 2 (pp. 210-280). (NIOSH/00133327). Katt, R; Elias, G; Moore, E.
- Kauffer, E; Billon-Galland, MA; Vigneron, JC; Veissiere, S; Brochard, P. (1996). Effect of preparation methods on the assessment of airborne concentrations of asbestos fibres by transmission electron microscopy. *Ann Occup Hyg*. 40: 321-330.
- Kauffer, E; Martin, P; Grzebyk, M; Villa, M; Vigneron, JC. (2003). Comparison of two direct-reading instruments (FM-7400 and Fibrecheck FC-2) with phase contrast optical microscopy to measure the airborne fibre number concentration. *Ann Occup Hyg*. 47: 413-426. <http://dx.doi.org/10.1093/annhyg/meg055>.
- Kauffer, E; Martine, M; Grzebyk, M; Vigneron, JC; Sandino, JP. (2001). Performance of asbestos fibre counting laboratories by transmission electron microscopy. *Ann Occup Hyg*. 45: 61-69.
- Kauffer, E; Martine, M; Grzebyk, M; Vigneron, JC; Sandino, JP. (2001). Performance of asbestos fibre counting laboratories by transmission electron microscopy - Reply. *Ann Occup Hyg*. 45: 501-501.
- Kauffer, E; Schneider, T; Vigneron, JC. (1993). ASSESSMENT OF MAN-MADE MINERAL FIBER SIZE DISTRIBUTIONS BY SCANNING ELECTRON-MICROSCOPY. *Ann Occup Hyg*. 37: 469-479.
- Kauffer, E; Vigneron, JC; Fabriès, JC; Billon-Galland, MA; Brochard, P. (1996). The use of a new static device based on the collection of the thoracic fraction for the assessment of the airborne concentration of asbestos fibres by transmission electron microscopy. *Ann Occup Hyg*. 40: 311-319.
- Kauffer, E; Vigneron, JC; Hesbert, A; Lemonnier, M. (1987). A study of the length and diameter of fibres, in lung and in broncho-alveolar lavage fluid, following exposure of rats to chrysotile asbestos. *Ann Occup Hyg*. 31: 233-240.
- Kauffer, E; Vincent, R. (2007). Occupational exposure to mineral fibres: Analysis of results stored on colchic database. *Ann Occup Hyg*. 51: 131-142. <http://dx.doi.org/10.1093/annhyg/mel063>.
- Kauppinen, T; Partanen, T; Degerth, R; Ojajarvi, A. (1995). Pancreatic cancer and occupational exposures. *Epidemiology*. 6: 498-502.
- Kauppinen, T; Teschke, K; Savela, A; Kogevinas, M; Boffetta, P. (1997). International data base of exposure measurements in the pulp, paper and paper product industries. *Int Arch Occup Environ Health*. 70: 119-127. <http://dx.doi.org/10.1007/s004200050195>.
- Kaur, P; Chaudhri, N; Hofmann, AW; Raczek, I; Okrusch, M; Skora, S; Baumgartner, LP. (2012). Two-Stage, Extreme Albitization of A-type Granites from Rajasthan, NW India. *Journal of Petrology*. 53: 919-948. <http://dx.doi.org/10.1093/petrology/egs003>.
- Kaw, JL. (1981). HEALTH HAZARDS OF ASBESTOS EXPOSURE (pp. 342-346). (ISSN 0022-4456; HEEP/82/06850). Kaw, JL.
- Kaw, JL; Waseem, M. (1992). SOME ADVANCES IN DUST-RELATED PULMONARY TOXICOLOGY DURING THE LAST DECADE. *Journal of Sci Ind Res*. 51: 791-801.
- Kawabata, CY; de Jesus, L, deA; da Silva, PV; de Sousa, TVR; da Cruz, LFB. (2013). PHYSIOLOGICAL RESPONSES OF CAPRINES RAISED UNDER DIFFERENT TYPES OF COVERING. *Engenharia Agricola*. 33: 910-918.
- Kawabata, K; Komori, Y; Mishima, T; Asama, H. (2009). An Asbestos Fiber Detection Technique Utilizing Image Processing Based on Dispersion Color. *Part Sci Technol*. 27: 177-192. <http://dx.doi.org/10.1080/02726350902776259>.
- Kawahara, H; Endo, S; Wallis, SR; Nagaya, T; Mori, H; Asahara, Y. (2016). Brucite as an important phase of the shallow mantle wedge: Evidence from the Shiraga unit of the Sanbagawa subduction zone, SW Japan. *Lithos*. 254: 53-66. <http://dx.doi.org/10.1016/j.lithos.2016.02.022>.
- Kawahata, H; Nohara, M; Ishizuka, H; Hasebe, S; Chiba, H. (2001). Sr isotope geochemistry and hydrothermal alteration of the Oman ophiolite. *J Geophys Res Solid Earth*. 106: 11083-11099.
- Kawai, T; Windley, BF; Shibuya, T; Omori, S; Sawaki, Y; Maruyama, S. (2008). Large P-T gap between Ballantrae blueschist/garnet pyroxenite and surrounding ophiolite, southern Scotland, UK: Diapiric exhumation of a Caledonian serpentinite melange. *Lithos*. 104: 337-354. <http://dx.doi.org/10.1016/j.lithos.2008.01.005>.
- Kay, GH. (1974). ASBESTOS IN DRINKING-WATER. *J Am Water Works Assoc*. 66: 513-514.
- Kaye, PH. (1998). Spatial light-scattering analysis as a means of characterizing and classifying non-spherical particles. *Meas Sci Technol*. 9: 141-149.
- Kazan-Allen, L. (2004). Asbestos dispatches. *Int J Occup Environ Health*. 10: 111-120. <http://dx.doi.org/10.1179/oeh.2004.10.2.111>.
- Kazan-Allen, L. (2004). Canadian asbestos: a global concern. *Int J Occup Environ Health*. 10: 121-143. <http://dx.doi.org/10.1179/oeh.2004.10.2.121>.
- Keane, MJ; Stephens, JW; Zhong, BZ; Miller, WE; Ong, TM; Wallace, WE. (1999). A study of the effect of chrysotile fiber surface composition on genotoxicity in vitro. *J Toxicol Environ Health A*. 57: 529-541.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Keil, AP; Richardson, DB; Troester, MA. (2015). Healthy worker survivor bias in the colorado plateau uranium miners cohort. *Am J Epidemiol.* 181: 762-770. <http://dx.doi.org/10.1093/aje/kwu348>.
- Keirn, MA; Mousa, JJ; Stratton, CL; Brown, JK. (1982). Environmental Survey and Assessment of Gateway Army Ammunition Plant (pp. 166). (NTIS/O3450011). Keirn, MA; Mousa, JJ; Stratton, CL; Brown, JK.
- Kelleher, P; Pacheco, K; Newman, LS. (2000). Inorganic dust pneumonias: the metal-related parenchymal disorders [Review]. *Environ Health Perspect.* 108 Suppl 4: 685-696.
- Kelly, JE. (1993). Health Hazard Evaluation Report HETA 92-314-2308, Ohio University, Athens, Ohio. (HHE Report No. HETA-92-314-2308). Cincinnati, OH: National Institute for Occupational Safety and Health (NIOSH).
- Kelly, RJ. (1984). Effective Method for Thermal Insulation Core Sampling. *Am Ind Hyg Assoc J.* 45.
- Kelse, JW; Thompson, CS. (1989). THE REGULATORY AND MINERALOGICAL DEFINITIONS OF ASBESTOS AND THEIR IMPACT ON AMPHIBOLE DUST ANALYSIS. *Am Ind Hyg Assoc J.* 50: 613-622.
- Kelsey, KT; Christiani, DC. (1985). Approach to asbestos worker compensation plan alleged to be flawed [Letter]. *J Occup Med.* 27: 790-791.
- Kelsh, MA; Craven, VA; Teta, MJ; Mowat, FS; Goodman, M. (2007). Mesothelioma in vehicle mechanics: is the risk different for Australians? [Review]. *Occup Med (Lond).* 57: 581-589. <http://dx.doi.org/10.1093/occmed/kqm114>.
- Kendrick, MA; Honda, M; Pettke, T; Scambelluri, M; Phillips, D; Giuliani, A. (2013). Subduction zone fluxes of halogens and noble gases in seafloor and forearc serpentinites. *Earth Planet Sci Lett.* 365: 86-96. <http://dx.doi.org/10.1016/j.epsl.2013.01.006>.
- Kenne, K; Ljungquist, S; Ringertz, NR. (1986). EFFECTS OF ASBESTOS FIBERS ON CELL-DIVISION, CELL-SURVIVAL, AND FORMATION OF THIOGUANINE-RESISTANT MUTANTS IN CHINESE-HAMSTER OVARY CELLS. *Environ Res.* 39: 448-464.
- Kenny, LC. (1984). ASBESTOS FIBER COUNTING BY IMAGE-ANALYSIS - THE PERFORMANCE OF THE MANCHESTER ASBESTOS PROGRAM ON MAGISCAN. *Ann Occup Hyg.* 28: 401-415.
- Kenny, LC. (1988). AUTOMATED-ANALYSIS OF ASBESTOS CLEARANCE SAMPLES. *Ann Occup Hyg.* 32: 115-128.
- Kenny, LC; Rood, AP; Blight, BJN. (1987). A DIRECT MEASUREMENT OF THE VISIBILITY OF AMOSITE ASBESTOS FIBERS BY PHASE-CONTRAST OPTICAL MICROSCOPY. *Ann Occup Hyg.* 31: 261-264.
- Kent, AJR; Ashley, PM; Fanning, CM. (2000). Metasomatic alteration associated with regional metamorphism: an example from the Willyama Supergroup, South Australia. *Lithos.* 54: 33-62.
- Kent, AJR; Mccuaig, TC. (1997). Disturbed Ar-40-Ar-39 systematics in hydrothermal biotite and hornblende at the Scotia gold mine, western Australia: Evidence for argon loss associated with post-mineralisation fluid movement. *Geochim Cosmo Acta.* 61: 4655-4669.
- Kentner, M; Valentin, H. (1993). Identification and prevention of work-related diseases and premature incapacity. *Zentralblatt fuer Hygiene und Umweltmedizin.* 193: 495-512.
- Kern, DG; Frumkin, H. (1990). Asbestos-related disease in the jewelry industry [Letter]. *J Occup Med.* 32: 87.
- Kern, H. (1993). P-WAVE AND S-WAVE ANISOTROPY AND SHEAR-WAVE SPLITTING AT PRESSURE AND TEMPERATURE IN POSSIBLE MANTLE ROCKS AND THEIR RELATION TO THE ROCK FABRIC. *Phys Earth Planet In.* 78: 245-256.
- Kern, H; Liu, B; Popp, T. (1997). Relationship between anisotropy of P and S wave velocities and anisotropy of attenuation in serpentinite and amphibolite. *J Geophys Res Solid Earth.* 102: 3051-3065.
- Kern, H; Lokajicek, T; Svitek, T; Wenk, HR. (2015). Seismic anisotropy of serpentinite from Val Malenco, Italy. *J Geophys Res Solid Earth.* 120: 4113-4129. <http://dx.doi.org/10.1002/2015JB012030>.
- Kesting, A. (1980). 20 YEARS DEVELOPMENT OF TECHNICAL AND PERSONAL PROTECTION MEASURES AGAINST ASBESTOS EXPOSURE. *Staub, Reinhaltung der Luft.* 40: 198-201.
- Keyes, DL; Millette, JR. (1991). Asbestos exposure from activities in buildings with asbestos-containing materials. *Ann N Y Acad Sci.* 643: 509-510.
- Keyf, F; Erman, G. (2000). Full-crown castings made with water-saturated and dry casting ring liners. *J Biomater Appl.* 14: 399-408.
- Khan, G; Mahmood, N; Arif, JM; Rahman, Q. (1992). ASBESTOS AND LUNG-DISEASES - A MECHANISTIC APPROACH. *Journal of Sci Ind Res.* 51: 507-514.
- Khan, SG; Ali, S; Rahman, Q. (1991). Diminution of Phase I and Phase II Drug Metabolizing Enzymes of Rat Lung by Asbestos: An In Vitro Study. *Bull Environ Contam Toxicol.* 47: 660-667.
- Khan, SG; Ali, S; Rahman, Q. (1992). INTERACTION OF MINERAL FIBERS WITH LUNG CYTOCHROME-P-450 SYSTEM - IMPAIRMENT OF DRUG-METABOLIZING ENZYME-ACTIVITIES. *Chemosphere.* 24: 959-968.
- Khan, SG; Rizvi, RY; Hadi, SM; Rahman, Q. (1991). INFLUENCE OF SILICIC-ACID ON INVITRO DEPURINATION OF DNA. *Bull Environ Contam Toxicol.* 47: 342-349.
- Khedr, MZ; Arai, S. (2010). Hydrous peridotites with Ti-rich chromian spinel as a low-temperature forearc mantle facies: evidence from the Happo-O'ne metaperidotites (Japan). *Contributions to Mineralogy and Petrology.* 159: 137-157. <http://dx.doi.org/10.1007/s00410-009-0420-7>.
- Khedr, MZ; Arai, S. (2013). Origin of Neoproterozoic ophiolitic peridotites in south Eastern Desert, Egypt, constrained from primary mantle mineral chemistry. *Mineralogy and Petrology.* 107: 807-828. <http://dx.doi.org/10.1007/s00710-012-0213-y>.
- Khedr, MZ; Arai, S; Tamura, A; Morishita, T. (2010). Clinopyroxenes in high-P metaperidotites from Happo-O'ne, central Japan: Implications for wedge-transversal chemical change of slab-derived fluids. *Lithos.* 119: 439-456. <http://dx.doi.org/10.1016/j.lithos.2010.07.021>.
- Khisina, NR; Wirth, R. (2002). Hydrous olivine (Mg_{1-y}Fey₂₊)(2-x)v(x)SiO(4)H(2x) - a new DHMS phase of variable composition observed as nanometer-sized precipitations in mantle olivine. *Physics and Chemistry of Minerals.* 29: 98-111. <http://dx.doi.org/10.1007/s002690100205>.
- Khorami, M; Sobhani, J. (2013). An experimental study on the flexural performance of agro-waste cement composite boards. 11: 207-216.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Kiakouama, L; Faucon, D. (2010). Refractory ceramic fibres: A human health hazard? A literature review. *Arch Mal Prof Environ.* 71: 759-770. <http://dx.doi.org/10.1016/j.admp.2010.06.015>.
- Kiec-Swierczynska, M; Wojtczak, J. (2000). Occupational ceramic fibres dermatitis in Poland. *Occup Med (Lond).* 50: 337-342.
- Kiefer, MJ; Buchan, RM; Keefe, TJ; Blehm, KD. (1987). A PREDICTIVE MODEL FOR DETERMINING ASBESTOS CONCENTRATIONS FOR FIBERS LESS THAN FIVE MICROMETERS IN LENGTH. *Environ Res.* 43: 31-38.
- Kielkowsk, D; Nelson, G; Bello, B; Kgalamono, S; Phillips, JI. (2011). Trends in mesothelioma mortality rates in South Africa: 1995-2007. *Occup Environ Med.* 68: 547-549. <http://dx.doi.org/10.1136/oem.2010.062182>.
- Kienast, K; Kaes, C; Drumm, K; Buhl, R; Micke, P; Oesch, F; Hengstler, JG. (2000). Asbestos-exposed blood monocytes--deoxyribonucleic acid strand lesions in co-cultured bronchial epithelial cells. *Scand J Work Environ Health.* 26: 71-77.
- Kilburn, KH; Lillis, R; Anderson, HA; Boylen, CT; Einstein, HE; Johnson, SJS; Warshaw, R. (1985). Asbestos disease in family contacts of shipyard workers. *Am J Public Health.* 75: 615-617.
- Kilburn, KH; Powers, D; Warshaw, RH. (1992). Pulmonary effects of exposure to fine fibreglass: irregular opacities and small airways obstruction. *Br J Ind Med.* 49: 714-720.
- Kilburn, KH; Powers, D; Warshaw, RH. (1993). PULMONARY EFFECTS OF EXPOSURE TO FINE FIBERGLASS - IRREGULAR OPACITIES AND SMALL AIRWAYS OBSTRUCTION - REPLY. *Br J Ind Med.* 50: 863-864.
- Kilburn, KH; Warshaw, RH. (1991). Difficulties of attribution of effect in workers exposed to fiberglass and asbestos. *Am J Ind Med.* 20: 745-751. <http://dx.doi.org/10.1002/ajim.4700200605>.
- Kilic, AD; Inceoz, M. (2015). Mineralogical, Geochemical and Isotopic Effect of Silica in Ultramafic Systems, Eastern Anatolian Turkey. *Geochem Int.* 53: 369-382. <http://dx.doi.org/10.1134/S0016702915040035>.
- Kilpatrick, N; Frumkin, H; Trowbridge, J; Escoffery, C; Geller, R; Rubin, L; Teague, G; Nodvin, J. (2002). The environmental history in pediatric practice: A study of pediatricians' attitudes, beliefs, and practices. *Environ Health Perspect.* 110: 823-827.
- Kim, H; Morimoto, Y; Ogami, A; Nagatomo, H; Hirohashi, M; Oyabu, T; Kawanami, Y; Kuroda, E; Higashi, T; Tanaka, I. (2007). Differential expression of EC-SOD, Mn-SOD and CuZn-SOD in rat lung exposed to crystalline silica. *J Occup Health.* 49: 242-248.
- Kim, J; Oak, C; Jang, T; Jung, M; Chun, B; Park, EK; Takahashi, K. (2013). Lung cancer probably related to talc exposure: a case report. *Ind Health.* 51: 228-231.
- Kim, J; Song, KS; Yu, I. (2015). Evaluation of in vitro and in vivo genotoxicity of single-walled carbon nanotubes. *Toxicol Ind Health.* 31: 747-757. <http://dx.doi.org/10.1177/0748233713483201>.
- Kim, J; Yu, I. (2014). SINGLE-WALL CARBON NANOTUBES (SWCNT) INDUCE CYTOTOXICITY AND GENOTOXICITY PRODUCED BY REACTIVE OXYGEN SPECIES (ROS) GENERATION IN PHYTOHEMAGGLUTININ (PHA)-STIMULATED MALE HUMAN PERIPHERAL BLOOD LYMPHOCYTES. *J Toxicol Environ Health A.* 77: 1141-1153. <http://dx.doi.org/10.1080/15287394.2014.917062>.
- Kim, JE; Lim, HT; Minai-Tehrani, A; Kwon, JT; Shin, JY; Woo, CG; Choi, M; Baek, J; Jeong, DH; Ha, YC; Chae, CH; Song, KS; Ahn, KH; Lee, JH; Sung, HJ; Yu, IJ; Beck, GR; Cho, MH. (2010). Toxicity and clearance of intratracheally administered multiwalled carbon nanotubes from murine lung. *J Toxicol Environ Health A.* 73: 1530-1543. <http://dx.doi.org/10.1080/15287394.2010.511578>.
- Kim, JH; Chang, HS; Kim, KY; Park, WM; Lee, YJ; Choi, HC; Kim, KA; Lim, Y. (1999). Environmental measurements of total dust and fiber concentration in manufacturer and user of man-made mineral fibers. *Ind Health.* 37: 322-328.
- Kim, JS; Song, KS; Joo, HJ; Lee, JH; Yu, IJ. (2010). Determination of cytotoxicity attributed to multiwall carbon nanotubes (MWCNT) in normal human embryonic lung cell (WI-38) line. *J Toxicol Environ Health A.* 73: 1521-1529. <http://dx.doi.org/10.1080/15287394.2010.511577>.
- Kim, JT, ai; Yu, CWF. (2014). Hazardous materials in buildings. *Indoor Built Environ.* 23: 44-61. <http://dx.doi.org/10.1177/1420326X14524073>.
- Kim, KA; Lee, WK; Kim, JK; Seo, MS; Lim, Y; Lee, KH; Chae, G; Lee, SH; Chung, Y. (2001). Mechanism of refractory ceramic fiber- and rock wool-induced cytotoxicity in alveolar macrophages. *Int Arch Occup Environ Health.* 74: 9-15.
- Kim, M; Bae, M; Na, H; Yang, M. (2012). Environmental toxicants--induced epigenetic alterations and their reversers [Review]. 30: 323-367. <http://dx.doi.org/10.1080/10590501.2012.731959>.
- Kim, SJ, in; Cho, M, inH; Cho, KH; Jang, H, o. (2007). Complementary effects of solid lubricants in the automotive brake lining. *Tribology International.* 40: 15-20. <http://dx.doi.org/10.1016/j.triboint.2006.01.022>.
- Kim, Y, unC; Cho, M, inH; Kim, SJ, in; Jang, H, o. (2008). The effect of phenolic resin, potassium titanate, and CNSL on the tribological properties of brake friction materials. *Wear.* 264: 204-210. <http://dx.doi.org/10.1016/j.wear.2007.03.004>.
- Kim, YC; Hong, WH; Zhang, YL; Son, BH; Seo, YK; Choi, JH. (2016). Estimating the Additional Greenhouse Gas Emissions in Korea: Focused on Demolition of Asbestos Containing Materials in Building. *Int J Environ Res Public Health.* 13. <http://dx.doi.org/10.3390/ijerph13090902>.
- King, JA; Wong, SW. (1996). Autopsy evaluation of asbestos exposure: retrospective study of 135 cases with quantitation of ferruginous bodies in digested lung tissue. *South Med J.* 89: 380-385.
- Kirkham, TL; Koehoorn, MW; Mcleod, CB; Demers, PA. (2011). Surveillance of mesothelioma and workers' compensation in British Columbia, Canada. *Occup Environ Med.* 68: 30-35. <http://dx.doi.org/10.1136/oem.2009.048629>.
- Kirkham, TL; Siemiatycki, J; Labrèche, F; Lavoué, J. (2016). Impact of aggregating exposure information from cases and controls when building a population-based job-exposure matrix from past expert evaluations. *Occup Environ Med.* 73: 474-481. <http://dx.doi.org/10.1136/oemed-2014-102690>.
- Kiseleva, IA; Ogorodova, LP. (1983). ON USING OF THE HIGH-TEMPERATURE CALORIMETRY OF DISSOLUTION FOR DETERMINATION OF ENTHALPIES OF FORMATION OF HYDROXYL-BEARING MINERALS (ON THE EXAMPLES OF TALC AND TREMOLITE). *Geokhimiya*1745-1755.
- Kishimoto, T; Okada, K. (1988). [Cases of suspected asbestos exposure in the family]. *Sangyo Igaku.* 30: 212-213.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Kishimoto, T; Okada, K; Sato, T; Ono, T; Ito, H. (1989). Evaluation of the pleural malignant mesothelioma patients with the relation of asbestos exposure. *Environ Res.* 48: 42-48.
- Kisting, S. (2005). South African environmental justice: Struggles by asbestos exposed communities. *Epidemiology.* 16: S155-S156.
- Kitamura, F; Araki, S; Suzuki, Y; Yokoyama, K; Tanigawa, T; Iwasaki, R. (2002). Assessment of the mutations of p53 suppressor gene and Ha- and Ki-ras oncogenes in malignant mesothelioma in relation to asbestos exposure: a study of 12 American patients. *Ind Health.* 40: 175-181.
- Kitamura, F; Araki, S; Tanigawa, T; Miura, H; Akabane, H; Iwasaki, R. (1998). Assessment of mutations of Ha- and Ki-ras oncogenes and the p53 suppressor gene in seven malignant mesothelioma patients exposed to asbestos--PCR-SSCP and sequencing analyses of paraffin-embedded primary tumors. *Ind Health.* 36: 52-56.
- Kittaka, S; Matsuda, T; Yamaguchi, K; Yamashita, A. (2006). Formation of ultra-thin nanotubular chrysotile particles and their thermal properties. *AST.* 24: 531-545.
- Kittl, P; Diaz, G. (1987). FRACTURE STATISTICS AND LOW THERMAL-SHOCK FATIGUE OF ASBESTOS-CEMENT COMPOSITE. *Cement and Concrete Research.* 17: 31-36.
- Kjaergaard, J; Andersson, M. (2000). Incidence rates of malignant mesothelioma in Denmark and predicted future number of cases among men. *Scand J Work Environ Health.* 26: 112-117.
- Kjaerheim, K. (1999). Occupational cancer research in the Nordic countries. *Environ Health Perspect.* 107: 233-238. <http://dx.doi.org/10.2307/3434411>.
- Kjellstrom, TE. (2004). The epidemic of asbestos-related diseases in New Zealand [Review]. *Int J Occup Environ Health.* 10: 212-219. <http://dx.doi.org/10.1179/oeh.2004.10.2.212>.
- Klaas, VE. (1993). A diagnostic approach to asbestosis, utilizing clinical criteria, high resolution computed tomography, and gallium scanning. *Am J Ind Med.* 23: 801-809. <http://dx.doi.org/10.1002/ajim.4700230513>.
- Klein, C. (2005). Some Precambrian banded iron-formations (BIFs) from around the world: Their age, geologic setting, mineralogy, metamorphism, geochemistry, and origin. *Am Mineral.* 90: 1473-1499. <http://dx.doi.org/10.2138/am.2005.1871>.
- Klein, F; Bach, W; Mccollom, TM. (2013). Compositional controls on hydrogen generation during serpentinization of ultramafic rocks. *Lithos.* 178: 55-69. <http://dx.doi.org/10.1016/j.lithos.2013.03.008>.
- Klein, F; Bauer, J. (1993). Cleanup of dioxins and asbestos in a hospital incinerator - From planning to implementation. 19: 40-43.
- Kleine, BI; Skelton, ADL; Huet, B; Pitcairn, IK. (2014). Preservation of Blueschist-facies Minerals along a Shear Zone by Coupled Metasomatism and Fast-flowing CO₂-bearing Fluids. *Journal of Petrology.* 55: 1905-1939. <http://dx.doi.org/10.1093/petrology/egu045>.
- Klemm, DD; Krautner, HG. (2000). Hydrothermal alteration and associated mineralization in the Freda-Rebecca gold deposit - Bindura District, Zimbabwe. *Miner Depos.* 35: 90-108.
- Klerks, PL; Fraleigh, PC. (1991). CONTROLLING ADULT ZEBRA MUSSELS WITH OXIDANTS. *J Am Water Works Assoc.* 83: 92-100.
- Kline, ER; Mattson, VR; Pickering, QH; Spehar, DL; Stephan, CE. (1987). EFFECTS OF POLLUTION ON FRESHWATER ORGANISMS. *J Water Pollut Control Fed.* 59: 539-572.
- Klippe, J. (1979). ASBESTOS CEMENT AS MATERIAL IN VENTILATORS AND AIR CONDITIONERS. 32: 156-157.
- Lockars, M; Hedenborg, M; Vanhala, E. (1990). Effect of two particle surface-modifying agents, polyvinylpyridine-N-oxide and carboxymethylcellulose, on the quartz and asbestos mineral fiber-induced production of reactive oxygen metabolites by human polymorphonuclear leukocytes. *Arch Environ Health.* 45: 8-14. <http://dx.doi.org/10.1080/00039896.1990.9935917>.
- Kloprooge, JT; Hammond, M; Hickey, L; Frost, RL. (2001). A new low temperature synthesis route of Fraipontite (Zn,Al)(3)(Si,Al)(2)O-5(OH)(4). *Materials Research Bulletin.* 36: 1091-1098.
- Kneller, EA; Long, MD; van Keken, PE. (2008). Olivine fabric transitions and shear wave anisotropy in the Ryukyu subduction system. *Earth Planet Sci Lett.* 268: 268-282. <http://dx.doi.org/10.1016/j.epsl.2008.01.004>.
- Knight, G. (1982). DIFFERENCES BETWEEN ASBESTOS FIBER SIZE DISTRIBUTIONS IN AIR AND IN THE LUNG (pp. 7-10). (ISSN 0003-4878; EISSN 1475-3162; HEEP/83/07555). Knight, G.
- Knight, KL; Bloor, DM; Miller, F. (1985). Use of a cowl in asbestos air sampling [Letter]. *Ann Occup Hyg.* 29: 289-291.
- Knobloch, S. (1980). CODICIL OF THE ACCIDENT PREVENTION REGULATION PROTECTION AGAINST HARMFUL MINERAL DUST (VBG 119) .2. PROPOSALS FOR ASBESTOS USE RESTRICTIONS. *Staub, Reinhaltung der Luft.* 40: 207-210.
- Knoff, WF. (1993). MECHANICAL-BEHAVIOR OF RESPIRABLE FIBRILS OF KEVLAR ARAMID FIBER, GLASS, AND ASBESTOS. *J Text Inst.* 84: 130-137.
- Knoll, L; Felten, MK; Ackermann, D; Kraus, T. (2011). Non-response bias in a surveillance program for asbestos-related lung cancer. *J Occup Health.* 53: 16-22.
- Koc, AC, em; Ciner, F; Toprak, S; Selcuk, H; Aktan, B. (2010). The Geographical Information System (GIS) based water quality assessment of a drinking water distribution system in the Denizli City. *Desalination and Water Treatment.* 19: 318-324. <http://dx.doi.org/10.5004/dwt.2010.1940>.
- Kocak, F; Ergen, Z; Cinar, ME. (1999). Fouling organisms and their developments in a polluted and an unpolluted marina in the Aegean Sea (Turkey). *Ophelia.* 50: 1-20.
- Kodavanti, UP; Andrews, D; Schladweiler, MC; Gavett, SH; Dodd, DE; Cyphert, JM. (2014). EARLY AND DELAYED EFFECTS OF NATURALLY OCCURRING ASBESTOS ON SERUM BIOMARKERS OF INFLAMMATION AND METABOLISM. *J Toxicol Environ Health A.* 77: 1024-1039. <http://dx.doi.org/10.1080/15287394.2014.899171>.
- Kodolanyi, J; Pettke, T. (2011). Loss of trace elements from serpentinites during fluid-assisted transformation of chrysotile to antigorite - An example from Guatemala. *Chem Geol.* 284: 351-362. <http://dx.doi.org/10.1016/j.chemgeo.2011.03.016>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Kodolanyi, J; Petteke, T; Spandler, C; Kamber, BS; Gmeling, K. (2012). Geochemistry of Ocean Floor and Fore-arc Serpentinites: Constraints on the Ultramafic Input to Subduction Zones. *Journal of Petrology*. 53: 235-270. <http://dx.doi.org/10.1093/petrology/egr058>.
- Koeman, T, om; Offermans, NSM; Christopher-De Vries, Y; Slottje, P; Van Den Brandt, PA; Goldbohm, RA; Kromhout, H; Vermeulen, R. (2013). JEMs and Incompatible Occupational Coding Systems: Effect of Manual and Automatic Recoding of Job Codes on Exposure Assignment. *Ann Occup Hyg*. 57: 107-114. <http://dx.doi.org/10.1093/annhyg/mes046>.
- Koga, KT; Daniel, I; Reynard, B. (2004). Trace element distribution between antigorite and fluid at the condition relevant to subduction zone tectonic settings. *Lithos*. 73: S60-S60.
- Koga, KT; Daniel, I; Reynard, B. (2005). Determination of trace element partition coefficients between water and minerals by high-pressure and high-temperature experiments: Leaching technique. *G-cubed*. 6. <http://dx.doi.org/10.1029/2005GC000944>.
- Koga, KT; Reynard, B; Daniel, I. (2004). Trace element distribution between antigorite and fluid near the dehydration conditions. *Geochim Cosmo Acta*. 68: A597-A597.
- Kogan, FM. (1977). [Maximum Permissible Exposure Level (MPEL) of asbestos powders]. *Med Lav*. 68: 142-148.
- Kogan, FM; Nikitina, OV. (1994). Solubility of chrysotile asbestos and basalt fibers in relation to their fibrogenic and carcinogenic action. *Environ Health Perspect*. 102 Suppl 5: 205-206.
- Kogan, FM; Polzik, EV. (1991). RESPONSE TO QUALMS ABOUT MEDICAL SCREENING AS A DISCRIMINATORY TOOL [Letter]. *Am J Ind Med*. 20: 273-274.
- Koh, DH; Chung, EK; Jang, JK; Lee, HE; Ryu, HW; Yoo, KM; Kim, EA; Kim, KS. (2014). Cancer incidence and mortality among temporary maintenance workers in a refinery/petrochemical complex in Korea. *Int J Occup Environ Health*. 20: 141-145. <http://dx.doi.org/10.1179/2049396714Y.0000000059>.
- Koh, WH. (1980). CHARACTERIZATION OF STRUCTURAL-PROPERTIES OF POLYMER-MODIFIED ASBESTOS CHLOR-ALKALI SEPARATORS. *J Electrochem Soc*. 127: C121-C121.
- Kohler, F; Gillet, F; Reust, S; Wagner, HH; Gadallah, F; Gobat, JM; Buttler, A. (2006). Spatial and seasonal patterns of cattle habitat use in a mountain wooded pasture. *Landsc Ecol*. 21: 281-295. <http://dx.doi.org/10.1007/s10980-005-0144-7>.
- Kohli, AH; Goldsby, DL; Hirth, G; Tullis, T. (2011). Flash weakening of serpentinite at near-seismic slip rates. *J Geophys Res Solid Earth*. 116. <http://dx.doi.org/10.1029/2010JB007833>.
- Kohn, MJ; Valley, JW. (1998). Oxygen isotope geochemistry of the amphiboles: Isotope effects of cation substitutions in minerals. *Geochim Cosmo Acta*. 62: 1947-1958.
- Kohyama, N. (1997). Length-reduction method for man-made mineral fibers for biological experiments. *Ind Health*. 35: 126-134.
- Kohyama, N; Kurimori, S. (1996). A total sample preparation method for the measurement of airborne asbestos and other fibers by optical and electron microscopy. *Ind Health*. 34: 185-203.
- Kohyama, N; Morinaga, K; Tanaka, I. (2001). Special issue: "Health effects of asbestos and other mineral fibers" - Preface. *Ind Health*. 39: 37-37.
- Kohyama, N; Shinohara, Y; Suzuki, Y. (1996). Mineral phases and some reexamined characteristics of the International Union Against Cancer standard asbestos samples. *Am J Ind Med*. 30: 515-528. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199611\)30:5<515::AID-AJIM1>3.0.CO;2-S](http://dx.doi.org/10.1002/(SICI)1097-0274(199611)30:5<515::AID-AJIM1>3.0.CO;2-S).
- Kohyama, N; Tanaka, I; Tomita, M; Kudo, M; Shinohara, Y. (1997). Preparation and characteristics of standard reference samples of fibrous minerals for biological experiments. *Ind Health*. 35: 415-432. <http://dx.doi.org/10.2486/indhealth.35.415>.
- Kokki, E; Ranta, J; Penttinen, A; Pukkala, E; Pekkanen, J. (2001). Small area estimation of incidence of cancer around a known source of exposure with fine resolution data. *Occup Environ Med*. 58: 315-320.
- Kokkinis, FP; Bouros, D; Hadjistavrou, K; Ulmeanu, R; Serbescu, A; Alexopoulos, EC. (2011). Bronchoalveolar lavage fluid cellular profile in workers exposed to chrysotile asbestos. *Toxicol Ind Health*. 27: 849-856. <http://dx.doi.org/10.1177/0748233711399315>.
- Köksal, N; Celik, M; Kahraman, H; Ekerbiçer, HC; Dağlı, CE; Ozkan, F. (2012). Survey of environmental exposure to asbestos in the town of Buyuktatlar, Turkey. *Int J Occup Environ Health*. 18: 130-134. <http://dx.doi.org/10.1179/1077352512Z.00000000011>.
- Kolb, J; Sakellaris, GA; Meyer, FM. (2006). Controls on hydrothermal Fe oxide-Cu-Au-Co mineralization at the Guelb Moghrein deposit, Akjoujt area, Mauritania. *Miner Depos*. 41: 68-81. <http://dx.doi.org/10.1007/s00126-005-0041-7>.
- Kolb, J; Sindern, S; Kisters, AFM; Meyer, FM; Hoernes, S; Schneider, J. (2005). Timing of Uralian orogenic gold mineralization at Kochkar in the evolution of the East Uralian granite-gneiss terrane. *Trans Nonferrous Met Soc China*. 40: 473-491. <http://dx.doi.org/10.1007/s00126-005-0020-z>.
- Kolev, K. (1982). EXPERIMENTALLY INDUCED MESOTHELIOMA IN WHITE-RATS IN RESPONSE TO INTRAPERITONEAL ADMINISTRATION OF AMORPHOUS CROCIDOLITE ASBESTOS - PRELIMINARY-REPORT. *Environ Res*. 29: 123-133.
- Kolopp-Sarda, MN; Bene, MC; Massin, N; Wild, P; Faure, GC. (1995). Altered partition of T cell subsets in the peripheral blood of healthy workers exposed to flour dust. *Am J Ind Med*. 28: 497-504.
- Koltsov, AB; Kostitsyn, YA. (1995). ISOTOPIC AND THERMODYNAMIC MODEL OF THE MURUNTAU SKARN SERIES. *Geokhimiya* 512-523.
- Komabayashi, T; Hirose, K; Funakoshi, K; Takafuji, N. (2005). Stability of phase A in antigorite (serpentine) composition determined by in situ X-ray pressure observations. *Phys Earth Planet In*. 151: 276-289. <http://dx.doi.org/10.1016/j.pepi.2005.04.002>.
- Komabayashi, T; Omori, S; Maruyama, S. (2004). Petrogenetic grid in the system MgO-SiO₂-H₂O up to 30 GPa, 1600 degrees C: Applications to hydrous peridotite subducting into the Earth's deep interior. *J Geophys Res Solid Earth*. 109. <http://dx.doi.org/10.1029/2003JB002651>.
- Komabayashi, T; Omori, S; Maruyama, S. (2005). Experimental and theoretical study of stability of dense hydrous magnesium silicates in the deep upper mantle. *Phys Earth Planet In*. 153: 191-209. <http://dx.doi.org/10.1016/j.pepi.2005.07.001>.
- Kominsky, J. R.; Freyberg, RW; Chesson, J; Cain, WC; Powers, TJ; Wilmoth, RC. (1990). EVALUATION OF 2 CLEANING METHODS FOR THE REMOVAL OF ASBESTOS FIBERS FROM CARPET. *Am Ind Hyg Assoc J*. 51: 500-504.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Kominsky, JR; Freyberg, RW; Brownlee, JA; Brackett, KA. (1992). Airborne Asbestos Concentrations Three Years After Abatement in Seventeen Schools. 131.
- Kominsky, JR; Freyberg, RW; Brownlee, JA; Gerber, DR. (1992). Asbestos Concentrations Two Years After Abatement in Seventeen Schools. 52.
- Kominsky, JR; Freyberg, RW; Hollett, BA; Clark, PJ; Brackett, KA. (1991). Asbestos Fiber Release during Change-Out of Filter Bags from HEPA-Filtered Vacuum Cleaners. 8.
- Kominsky, JR; Freyberg, RW; Hubert, CS; Brownlee, JA; Gerber, DR. (1994). Evaluation of Asbestos Management Programs in 17 New Jersey Schools: A Case Studies Report. 328.
- Kominsky, JR; Freyberg, RW; Powers, TJ; Wilmoth, RC; Frebis, CP. (1990). Airborne Asbestos Levels Measured Before, during and After Abatement. 10.
- Kominsky, JR; Freyberg, R. (1991). Assessment of Asbestos Removal Carried Out Using EPA Purple Book Guidance. 106.
- Kominsky, JR; Thornburg, JW; Shaul, GM; Barrett, WM; Hall, FD; Konz, JJ. (2010). Development of the releasable asbestos field sampler. Journal of the Air and Waste Management Association. 60: 294-301. <http://dx.doi.org/10.3155/1047-3289.60.3.294>.
- Konishi, H; Alviola, R; Buseck, PR. (2004). 2111 biopyribole intermediate between pyroxene and amphibole: Artifact or natural product? Am Mineral. 89: 15-19.
- Konishi, H; Dodony, I; Buseck, PR. (2002). Protoanthophyllite from three metamorphosed serpentinites. Am Mineral. 87: 1096-1103.
- Konishi, H; Groy, TL; Dodony, I; Miyawaki, R; Matsubara, S; Buseck, PR. (2003). Crystal structure of protoanthophyllite: A new mineral from the Takase ultramafic complex, Japan. Am Mineral. 88: 1718-1723.
- Konishi, H; Xu, H; Dymek, RF. (2010). High-resolution TEM study of jimthompsonite, chesterite, and chain-width disorder in Archean ultramafic rocks from Isua, West Greenland. Am Mineral. 95: 73-80. <http://dx.doi.org/10.2138/am.2010.3212>.
- Kontonikas-Charos, A; Ciobanu, CL; Cook, NJ. (2014). Albitization and redistribution of REE and Y in IOCG systems: Insights from Moonta-Wallaroo, Yorke Peninsula, South Australia. Lithos. 208: 178-201. <http://dx.doi.org/10.1016/j.lithos.2014.09.001>.
- Konzett, J; Libowitzky, E; Hejny, C; Miller, C; Zanetti, A. (2008). Oriented quartz plus calcic amphibole inclusions in omphacite from the Saualpe and Pohorje Mountain eclogites, Eastern Alps-An assessment of possible formation mechanisms based on IR- and mineral chemical data and water storage in Eastern Alpine eclogites. Lithos. 106: 336-350. <http://dx.doi.org/10.1016/j.lithos.2008.09.002>.
- Kopczyk, M; Tabał, S; Szczesniak, B; Styczyński, S; Brudka, Z. (2003). The technology for making new thermally activated batteries (BTR-03). Przemysł Chemiczny. 82: 1295-1297.
- Kopczykmyszlon, T. (1984). COMPARATIVE-ANALYSIS OF THE INDEXES FOR ASBESTOS DUST CONTAMINATION. Arbeitsmedizin, Sozialmedizin, Praeventivmedizin. 19: 6-8.
- Kopel, D; Brook, A; Wittenberg, L, ea; Malkinson, D, an. (2016). Spectroscopy application for soil differentiation in urban landscape. Journal of Soils and Sediments. 16: 2557-2567. <http://dx.doi.org/10.1007/s11368-016-1502-6>.
- Korallus, U; Ulm, K; Steinmann-Steiner-Haldenstaett, W. (1993). Bronchial carcinoma mortality in the German chromate-producing industry: the effects of process modification. Int Arch Occup Environ Health. 65: 171-178. <http://dx.doi.org/10.1007/BF00381153>.
- Korhola, O; Hiltunen, A; Karjalainen, A; Martikainen, R; Riihimäki, H. (2001). Association between pleural plaques and coronary heart disease. Scand J Work Environ Health. 27: 154-155.
- Korytkova, EN; Brovkin, AS; Maslennikova, TP; Pivovarova, LN; Drozdova, IA. (2011). Influence of the physicochemical parameters of synthesis on the growth of nanotubes of the Mg₃Si₂O₅(OH)₄ composition under hydrothermal conditions. Glass Physics and Chemistry. 37: 161-171. <http://dx.doi.org/10.1134/S1087659611020076>.
- Korytkova, EN; Maslov, AV; Pivovarova, LN; Drozdova, IA; Gusarov, VV. (2004). Formation of Mg₃Si₂O₅(OH)₄ nanotubes under hydrothermal conditions. Glass Physics and Chemistry. 30: 51-55.
- Korytkova, EN; Maslov, AV; Pivovarova, LN; Polegotchenkova, YV; Povinich, VF; Gusarov, VV. (2005). Synthesis of nanotubular Mg₃Si₂O₅(OH)₄-Ni₃Si₂O₅(OH)₄ silicates at elevated temperatures and pressures. Inorg Mater. 41: 743-749.
- Korytkova, EN; Pivovarova, LN; Drozdova, IA; Gusarov, VV. (2005). Synthesis of nanotubular nickel hydrosilicates and nickel-magnesium hydrosilicates under hydrothermal conditions. Glass Physics and Chemistry. 31: 797-802.
- Korytkova, EN; Pivovarova, LN; Gusarov, VV. (2007). Influence of iron on the kinetics of formation of chrysotile nanotubes of composition (Mg, Fe)₃Si₂O₅(OH)₄ under hydrothermal conditions. Geochem Int. 45: 825-831. <http://dx.doi.org/10.1134/S0016702907080083>.
- Korytkova, EN; Semyashkina, MP; Maslennikova, TP; Pivovarova, LN; Al'myashev, VI; Ugolkov, VL. (2013). Synthesis and growth of nanotubes Mg₃Si₂O₅(OH,F)₄ composition under hydrothermal conditions. Glass Physics and Chemistry. 39: 294-300. <http://dx.doi.org/10.1134/S1087659613030103>.
- Koshi, K; Kohyama, N; Myojo, T; Fukuda, K. (1991). CELL TOXICITY, HEMOLYTIC ACTION AND CLASTOGENIC ACTIVITY OF ASBESTOS AND ITS SUBSTITUTES. Ind Health. 29: 37-56.
- Koskinen, HO; Nordman, HL; Zitting, AJ; Suoranta, HT; Anttila, SL; Taikina-Aho, OS; Luukkonen, RA. (1997). Fibrosis of the lung and pleura and long-term exposure to wollastonite. Scand J Work Environ Health. 23: 41-47.
- Kosuge, K; Shimada, K; Tsunashima, A. (1995). Micropore formation by acid treatment of antigorite. Chem Mater. 7: 2241-2246.
- Kottek, M; Kilpatrick, D. (2002). Re: Malignant mesothelioma from neighborhood exposure to anthophyllite asbestos [Letter]. Am J Ind Med. 41: 514. <http://dx.doi.org/10.1002/ajim.10071>.
- Kottek, M; Kilpatrick, DJ. (2016). Estimating Occupational Exposure to Asbestos in Australia [Letter]. Ann Occup Hyg. 60: 531-532. <http://dx.doi.org/10.1093/annhyg/mew002>.
- Kovacs, G; Radovics, BG; Toth, TM. (2016). Petrologic comparison of the Gyod and Helesfa serpentinite bodies (Tisia Mega Unit, SW Hungary). Journal of Geosciences. 61: 255-279. <http://dx.doi.org/10.3190/jgeosci.218>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Koyama, S; Endo, M; Kim, YA; Hayashi, T; Yanagisawa, T; Osaka, K; Koyama, H; Haniu, H; Kuroiwa, N. (2006). Role of systemic T-cells and histopathological aspects after subcutaneous implantation of various carbon nanotubes in mice. *Carbon*. 44: 1079-1092. <http://dx.doi.org/10.1016/j.carbon.2005.08.006>.
- Kozak, PK; Duke, EF; Roselle, GT. (2004). Mineral distribution in contact-metamorphosed siliceous dolomite at Ubehebe Peak, California, based on airborne imaging spectrometer data. *Am Mineral*. 89: 701-713.
- Kozawa, T; Onda, A; Yanagisawa, K; Chiba, O; Ishiwata, H; Takamami, T. (2010). Thermal decomposition of chrysotile-containing wastes in a water vapor atmosphere. *Ceramic Society of Japan Journal*. 118: 1199-1201. <http://dx.doi.org/10.2109/jcersj2.118.1199>.
- Krafcisin, GJ. (1979). Drywall construction and asbestos exposure [Letter]. *Am Ind Hyg Assoc J*. 40: 829-830.
- Krakowiak, E; Górny, RL; Cembrzyńska, J; Sakol, G; Boissier-Draghi, M; Anczyk, E. (2009). Environmental exposure to airborne asbestos fibres in a highly urbanized city. *Ann Agric Environ Med*. 16: 121-128.
- Kralj, P. (2016). Hydrothermal alteration of chlorite to randomly interstratified corrensite-chlorite: Geological evidence from the Oligocene Smrekovec Volcanic Complex, Slovenia. *Appl Clay Sci*. 134: 235-245. <http://dx.doi.org/10.1016/j.clay.2016.10.025>.
- Kram, P; Oulehle, F; Stedra, V; Hruska, J; Shanley, JB; Minocha, R; Traister, E. (2009). Geoecology of a Forest Watershed Underlain by Serpentine in Central Europe. *Northeast Nat*. 16: 309-328.
- Krasilin, AA; Suprun, AM; Ubyivovk, EV; Gusarov, VV. (2016). Morphology vs. chemical composition of single Ni-doped hydrosilicate nanoscroll. *Mater Lett*. 171: 68-71. <http://dx.doi.org/10.1016/j.matlet.2016.01.152>.
- Krasinskaia, GF; Migair, KV. (1953). [Preventive measures in preparation and working with products from asbestos and cement]. *Gig Sanit*. 9: 47-49.
- Krasovskii, GN; Egorova, NA. (1985). [Asbestos and the quality of drinking water] [Review]. *Gig Sanit*64-67.
- Krasovskii, GN; Mozhaev, EA. (1993). ASBESTOS IN DRINKING WATER (pp. 20-22). (BIOSIS/94/10733). Krasovskii, GN; Mozhaev, EA.
- Krasovskii, GN; Mozhaev, EA. (1993). [Asbestos in drinking water (review)] [Review]. *Gig Sanit*20-22.
- Kraus, T; Raithel, HJ; Hering, KG. (1996). Evaluation and classification of high-resolution computed tomographic findings in patients with pneumoconiosis. *Int Arch Occup Environ Health*. 68: 249-254.
- Kraus, T; Raithel, HJ; Lehnert, G. (1997). Computer-assisted classification system for chest X-ray and computed tomography findings in occupational lung disease. *Int Arch Occup Environ Health*. 69: 482-486.
- Kraybill, HF. (1976). Distribution of chemical carcinogens in aquatic environments [Review]. *Prog Exp Tumor Res*. 20: 3-34.
- Kraybill, HF. (1978). ORIGIN CLASSIFICATION AND DISTRIBUTION OF CHEMICALS IN DRINKING WATER WITH AN ASSESSMENT OF THEIR CARCINOGENIC POTENTIAL (pp. ANN ARBOR). (HEEP/79/05672). Kraybill, HF.
- Kreienbrock, L; Kreuzer, M; Gerken, M; Dingerkus, G; Wellmann, J; Keller, G; Wichmann, HE. (2001). Case-control study on lung cancer and residential radon in western Germany. *Am J Epidemiol*. 153: 42-52. <http://dx.doi.org/10.1093/aje/153.1.42>.
- Kreuzer, M; Heinrich, J; Wolke, G; Rosario, AS; Gerken, M; Wellmann, J; Keller, G; Kreienbrock, L; Wichmann, HE. (2003). Residential radon and risk of lung cancer in Eastern Germany. *Epidemiology*. 14: 559-568. <http://dx.doi.org/10.1097/01.ede.0000071410.26053.c4>.
- Krevor, SCM; Lackner, KS. (2011). Enhancing serpentine dissolution kinetics for mineral carbon dioxide sequestration. *Int J Greenhouse Gas Control*. 5: 1073-1080. <http://dx.doi.org/10.1016/j.ijggc.2011.01.006>.
- Krewer, JA. (1987). ANALYSIS OF ASBESTOS FIBERS IN WATER BY TRANSMISSION ELECTRON-MICROSCOPY. *J Am Water Works Assoc*. 79: 56-56.
- Krinari, GA; Khalitov, ZY. (1995). DEFECTS IN CRYSTALLINE-STRUCTURE OF CHRYSOTILE AND THEIR ROLE IN DEVELOPMENT OF TECHNOLOGICAL PROPERTIES OF ASBESTOS FIBER. *Journal of Mining Science*. 31: 314-320.
- Kristein, MM. (1981). Asbestos workers and lung cancer [Letter]. *Am J Public Health*. 71: 1409.
- Kryvdik, SG. (2002). Rare-metal syenites of the Ukrainian Shield. *Geochem Int*. 40: 639-648.
- Kudo, Y; Aizawa, Y. (2011). Safety evaluation of rock wool after nasal inhalation in rats. *Ind Health*. 49: 47-55.
- Kudo, Y; Kohyama, N; Satoh, T; Konishi, Y; Aizawa, Y. (2006). Behavior of rock wool in rat lungs after exposure by nasal inhalation. *J Occup Health*. 48: 437-445.
- Kudo, Y; Kotani, M; Aizawa, Y. (2010). Cytotoxicity study of high temperature wool (HT wool) by cell magnetometric evaluation. *J Occup Health*. 52: 106-114.
- Kuhns, RJ; Sawkins, FJ; Ito, E. (1994). MAGMATISM, METAMORPHISM AND DEFORMATION AT HEMLO, ONTARIO, AND THE TIMING OF AU-MO MINERALIZATION IN THE GOLDEN GIANT MINE. *Econ Geol*. 89: 720-756.
- Kukkonen, MK; Vehmas, T; Piirilä, P; Hirvonen, A. (2014). Genes involved in innate immunity associated with asbestos-related fibrotic changes. *Occup Environ Med*. 71: 48-54. <http://dx.doi.org/10.1136/oemed-2013-101555>.
- Kumada, N; Yonesaki, Y; Takei, T; Kinomura, N; Kobayashi, M; Horiguchi, H. (2009). Hydrothermal conversion of chrysotile to amorphous silica or brucite. *Ceramic Society of Japan Journal*. 117: 1240-1242. <http://dx.doi.org/10.2109/jcersj2.117.1240>.
- Kumagai, S. (2010). Increased Risk of Lung Cancer Mortality among Residents near an Asbestos Product Manufacturing Plant (July, pg 271, 2010). *Int J Occup Environ Health*. 16: 387-387.
- Kumagai, S; Kurumatani, N. (2009). Asbestos fiber concentration in the area surrounding a former asbestos cement plant and excess mesothelioma deaths in residents. *Am J Ind Med*. 52: 790-798. <http://dx.doi.org/10.1002/ajim.20743>.
- Kumagai, S; Kurumatani, N; Tsuda, T; Yorifuji, T; Suzuki, E. (2010). Increased risk of lung cancer mortality among residents near an asbestos product manufacturing plant. *Int J Occup Environ Health*. 16: 268-278. <http://dx.doi.org/10.1179/oeh.2010.16.3.268>.
- Kumagai, S; Kurumatani, N; Tsuda, T; Yorifuji, T; Suzuki, E. (2011). Increased Risk of Lung Cancer Mortality Among Residents Who Had Lived Near an Asbestos Product Manufacturing Plant. *Epidemiology*. 22: S75-S76.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Kumar, A; Maiti, SK. (2014). Translocation and bioaccumulation of metals in *Oryza sativa* and *Zea mays* growing in chromite-asbestos contaminated agricultural fields, Jharkhand, India. *Bull Environ Contam Toxicol.* 93: 434-441. <http://dx.doi.org/10.1007/s00128-014-1339-x>.
- Kumar, A; Maiti, SK. (2015). Assessment of potentially toxic heavy metal contamination in agricultural fields, sediment, and water from an abandoned chromite-asbestos mine waste of Roro hill, Chaibasa, India. *Environ Earth Sci.* 74: 2617-2633. <http://dx.doi.org/10.1007/s12665-015-4282-1>.
- Kumar, A; Maiti, SK. (2015). Effect of Organic Manures on the Growth of *Cymbopogon citratus* and *Chrysopogon zizanioides* for the Phytoremediation of Chromite-Asbestos Mine Waste: A Pot Scale Experiment. *Int J Phytoremediation.* 17: 437-447. <http://dx.doi.org/10.1080/15226514.2014.910174>.
- Kumar, M; Bijwe, J. (2010). Role of different metallic fillers in non-asbestos organic (NAO) friction composites for controlling sensitivity of coefficient of friction to load and speed. *Tribology International.* 43: 965-974. <http://dx.doi.org/10.1016/j.triboint.2009.12.062>.
- Kumar, M; Bijwe, J. (2011). Non-asbestos organic (NAO) friction composites: Role of copper; its shape and amount. *Wear.* 270: 269-280. <http://dx.doi.org/10.1016/j.wear.2010.10.068>.
- Kumar, M; Bijwe, J. (2013). Optimized selection of metallic fillers for best combination of performance properties of friction materials: A comprehensive study. *Wear.* 303: 569-583. <http://dx.doi.org/10.1016/j.wear.2013.03.053>.
- Kumar, M; Bijwe, J. (2014). Influence of different types of binder in non-asbestos-organic brake lining materials: A case study on inertia brake dynamometer. *Institution of Mechanical Engineers Proceedings Part J: Journal of Engineering Tribology.* 228: 584-592. <http://dx.doi.org/10.1177/1350650113515459>.
- Kumar, M; Boidin, X; Desplanques, Y; Bijwe, J. (2011). Influence of various metallic fillers in friction materials on hot-spot appearance during stop braking. *Wear.* 270: 371-381. <http://dx.doi.org/10.1016/j.wear.2010.11.009>.
- Kuntz, SW; Winters, CA; Hill, WG; Weinert, C; Rowse, K; Hernandez, T; Black, B. (2009). Rural public health policy models to address an evolving environmental asbestos disaster. *Public Health Nursing.* 26: 70-78. <http://dx.doi.org/10.1111/j.1525-1446.2008.00755.x>.
- Kurihara, N; Wada, O. (2004). Silicosis and smoking strongly increase lung cancer risk in silica-exposed workers [Review]. *Ind Health.* 42: 303-314. <http://dx.doi.org/10.2486/indhealth.42.303>.
- Kurrer, KE; Gock, E; Vogt, V; Florescu, R. (2004). Centrifugal tube mill for finest grinding. *Int J Miner Process.* 74: S75-S83. <http://dx.doi.org/10.1016/j.minpro.2004.07.021>.
- Kurt, A; Boz, M. (2005). Wear behaviour of organic asbestos based and bronze based powder metal brake linings. *Materials & Design.* 26: 717-721. <http://dx.doi.org/10.1016/j.matdes.2004.09.006>.
- Kurumatani, N; Kumagai, S. (2011). Significant Clustering of Mesothelioma Caused by Neighborhood Exposure to Crocidolite From a Large Asbestos Cement Pipe Plant in Japan. *Epidemiology.* 22: S75-S75.
- Kuschner, ML, R.; Robeck, GG; Rossum, JR; Scheniderman, MA; Taylor, EW; Wright, GW. (1974). A study of the problem of asbestos in water. *J Am Water Works Assoc.* 66: 1-22.
- Kuscu, I; Yilmazer, E; Gulec, N; Bayir, S; Demirela, G; Kuscu, GG; Kuru, GS; Kaymakci, N. (2011). U-Pb and Ar-40-Ar-39 Geochronology and Isotopic Constraints on the Genesis of Copper-Gold-Bearing Iron Oxide Deposits in the Hasancelebi District, Eastern Turkey. *Econ Geol.* 106: 261-288.
- Kusiorowski, R; Zaremba, T; Piotrowski, J. (2014). The potential use of cement-asbestos waste in the ceramic masses destined for sintered wall clay brick manufacture. *Ceramics International.* 40: 11995-12002. <http://dx.doi.org/10.1016/j.ceramint.2014.04.037>.
- Kusiorowski, R; Zaremba, T; Piotrowski, J. (2016). Influence of the type of pre-calcined asbestos containing wastes on the properties of sintered ceramics. *Construction and Building Materials.* 106: 422-429. <http://dx.doi.org/10.1016/j.conbuildmat.2015.12.110>.
- Kusiorowski, R; Zaremba, T; Piotrowski, J; Podworny, J. (2015). Utilisation of cement-asbestos wastes by thermal treatment and the potential possibility use of obtained product for the clinker bricks manufacture. *Journal of Materials Science.* 50: 6757-6767. <http://dx.doi.org/10.1007/s10853-015-9231-6>.
- Kutty, TRN. (1984). NITROGEN AND WATER-VAPOR ADSORPTION ON AMPHIBOLE ASBESTOS. 22: 228-232.
- Labagnara, D; Patrucco, M; Rossetti, P; Pellegrino, V. (2013). Predictive assessment of the asbestos content in the Western Italian Alps: an essential tool for an effective approach to risk analysis and management in tunneling operations and muck reuse. *Environ Earth Sci.* 70: 857-868. <http://dx.doi.org/10.1007/s12665-012-2174-1>.
- Laborde, A; Tomasina, F; Bianchi, F; Bruné, MN; Buka, I; Comba, P; Corra, L; Cori, L; Duffert, CM; Harari, R; Iavarone, I; Mcdiarmid, MA; Gray, KA; Sly, PD; Soares, A; Suk, WA; Landrigan, PJ. (2014). Children's Health in Latin America: The Influence of Environmental Exposures [Review]. *Environ Health Perspect.* 123: 201-209. <http://dx.doi.org/10.1289/ehp.1408292>.
- Labrada-Delgado, G; Aragon-Pina, A; Campos-Ramos, A; Castro-Romero, T; Amador-Munoz, O; Villalobos-Pietrini, R. (2012). Chemical and morphological characterization of PM2.5 collected during MILAGRO campaign using scanning electron microscopy. *Atmos Pollut Res.* 3: 289-300. <http://dx.doi.org/10.5094/APR.2012.032>.
- Lacinska, AM; Styles, MT; Bateman, K; Wagner, D; Hall, MR; Gowing, C; Brown, PD. (2016). Acid-dissolution of antigorite, chrysotile and lizardite for ex situ carbon capture and storage by mineralisation. *Chem Geol.* 437: 153-169. <http://dx.doi.org/10.1016/j.chemgeo.2016.05.015>.
- Lacki, P. (2013). Friction conditions in the friction brake system of Mi-2 helicopter. 13: 297-303. <http://dx.doi.org/10.1016/j.acme.2013.04.005>.
- Ladou, J. (2004). The asbestos cancer epidemic. *Environ Health Perspect.* 112: 285-290. <http://dx.doi.org/10.1289/ehp.6704>.
- Ladou, J; Castleman, B; Frank, A; Gochfeld, M; Greenberg, M; Huff, J; Joshi, TK; Landrigan, PJ; Lemen, R; Myers, J; Soffritti, M; Soskolne, CL; Takahashi, K; Teitelbaum, D; Terracini, B; Watterson, A. (2010). The case for a global ban on asbestos. *Environ Health Perspect.* 118: 897-901. <http://dx.doi.org/10.1289/ehp.1002285>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Lafabrie, C; Pergent, G; Pergent-Martini, C. (2009). Utilization of the seagrass *Posidonia oceanica* to evaluate the spatial dispersion of metal contamination. *Sci Total Environ.* 407: 2440-2446. <http://dx.doi.org/10.1016/j.scitotenv.2008.11.001>.
- Lafabrie, C; Pergent-Martini, C; Pergent, G. (2008). First results on the study of metal contamination along the Corsican coastline using *Posidonia oceanica*. *Mar Pollut Bull.* 57: 155-159. <http://dx.doi.org/10.1016/j.marpolbul.2007.10.007>.
- Lafabrie, C; Pergent-Martini, C; Pergent, G. (2008). Metal contamination of *Posidonia oceanica* meadows along the Corsican coastline (Mediterranean). *Environ Pollut.* 151: 262-268. <http://dx.doi.org/10.1016/j.envpol.2007.01.047>.
- Lafay, R; Deschamps, F; Schwartz, S; Guillot, S; Godard, M; Debret, B; Nicollet, C. (2013). High-pressure serpentinites, a trap-and-release system controlled by metamorphic conditions: Example from the Piedmont zone of the western Alps. *Chem Geol.* 343: 38-54. <http://dx.doi.org/10.1016/j.chemgeo.2013.02.008>.
- Lafay, R; Montes-Hernandez, G; Janots, E; Auzende, AL; Chiriac, R; Lemarchand, D; Toche, F. (2014). Influence of trace elements on the textural properties of synthetic chrysotile: Complementary insights from macroscopic and nanoscopic measurements. *Microporous and Mesoporous Materials.* 183: 81-90. <http://dx.doi.org/10.1016/j.micromeso.2013.08.032>.
- Lafay, R; Montes-Hernandez, G; Janots, E; Chiriac, R; Findling, N; Toche, F. (2012). Mineral replacement rate of olivine by chrysotile and brucite under high alkaline conditions. *J Cryst Growth.* 347: 62-72. <http://dx.doi.org/10.1016/j.jcrysgr.2012.02.040>.
- Lafay, R; Montes-Hernandez, G; Janots, E; Chiriac, R; Findling, N; Toche, F. (2014). Simultaneous precipitation of magnesite and lizardite from hydrothermal alteration of olivine under high-carbonate alkalinity. *Chem Geol.* 368: 63-75. <http://dx.doi.org/10.1016/j.chemgeo.2014.01.008>.
- Lafay, R; Montes-Hernandez, G; Janots, E; Munoz, M; Auzende, AL; Gehin, A; Chiriac, R; Proux, O. (2016). Experimental investigation of As, Sb and Cs behavior during olivine serpentinization in hydrothermal alkaline systems. *Geochim Cosmo Acta.* 179: 177-202. <http://dx.doi.org/10.1016/j.gca.2016.02.014>.
- Lafleur, J; Vena, JE. (1991). RETROSPECTIVE COHORT MORTALITY STUDY OF CANCER AMONG SEWAGE PLANT WORKERS. *Am J Ind Med.* 19: 75-86. <http://dx.doi.org/10.1002/ajim.4700190110>.
- Laforest, L; Luce, D; Goldberg, P; Bégin, D; Gérin, M; Demers, PA; Brugère, J; Leclerc, A. (2000). Laryngeal and hypopharyngeal cancers and occupational exposure to formaldehyde and various dusts: A case-control study in France. *Occup Environ Med.* 57: 767-773. <http://dx.doi.org/10.1136/oem.57.11.767>.
- Lai, CY; Chen, CC; Hwang, JS; Shih, TS. (2002). Overall performance evaluation of aerosol number samplers. *Aerosol Sci Technol.* 36: 84-95.
- Lai, CY; Kuo, YM; Hwang, JS; Shih, TS; Chen, CC. (2006). Determination of Uniformity of Filter Deposits. *Aerosol Sci Technol.* 40: 607-614. <http://dx.doi.org/10.1080/02786820600754615>.
- Lakshmanan, S; Murugesan, T. (2014). The chlor-alkali process: Work in Progress. *Clean Tech Environ Pol.* 16: 225-234. <http://dx.doi.org/10.1007/s10098-013-0630-6>.
- Lam R, HF; Brown, JP; Fan, AM. (1994). CHEMICALS IN CALIFORNIA DRINKING WATER SOURCE OF CONTAMINATION RISK ASSESSMENT AND DRINKING WATER STANDARDS (pp. INTEGRATION OF EXPOSURE ASSESSMENT). (BIOSIS/94/23224). Lam R, HF; Brown, JP; Fan, AM.
- Lambert, C; Scott, LLF; Raleigh, K; Adgate, J; Ramachandran, G; Mandel, JH; Johnson, J; Messing, R; Alexander, BH. (2011). ENVIRONMENTAL EXPOSURE TO ASBESTOS-CONTAMINATED VERMICULITE AND PREVALENCE OF RESTRICTIVE LUNG DISEASE. *Am J Epidemiol.* 173: S260-S260.
- Lambert, CS; Alexander, BH; Ramachandran, G; Maclellan, RF; Nelson, HH; Ryan, AD; Mandel, JH. (2016). A case-control study of mesothelioma in Minnesota iron ore (taconite) miners. *Occup Environ Med.* 73: 103-109. <http://dx.doi.org/10.1136/oemed-2015-103105>.
- Lamote, K; Nackaerts, K; van Meerbeeck, J. (2014). Strengths, Weaknesses, and Opportunities of Diagnostic Breathomics in Pleural Mesothelioma-A Hypothesis. *Cancer Epidemiol Biomarkers Prev.* 23: 898-908. <http://dx.doi.org/10.1158/1055-9965.EPI-13-0737>.
- Landers, J, ay. (2009). US EPA Declares Libby Asbestos Site a 'Public Health Emergency'. *Civil Engineering.* 79: 16-19.
- Landrigan, P. (2004). Dr. T.K. Joshi and asbestos in India: a message from the Collegium Ramazzini. *Am J Ind Med.* 45: 125-128. <http://dx.doi.org/10.1002/ajim.10346>.
- Landrigan, PJ. (1991). A population of children at risk of exposure to asbestos in place. *Ann N Y Acad Sci.* 643: 283-286.
- Landrigan, PJ. (1992). Commentary: environmental disease--a preventable epidemic [Comment]. *Am J Public Health.* 82: 941-943.
- Landrigan, PJ. (2004). The WTC disaster: Landrigan's response. *Environ Health Perspect.* 112: A607-A607.
- Landrigan, PJ. (2005). Children as a vulnerable population. *Hum Ecol Risk Assess.* 11: 235-238. <http://dx.doi.org/10.1080/10807030590920051>.
- Landrigan, PJ. (2016). Comments on the 2014 Helsinki consensus report on asbestos. *Ind Health.* 54: 94-97. <http://dx.doi.org/10.2486/indhealth.cr03>.
- Landrigan, PJ; Ramazzini, C. (2016). Comments on the 2014 Helsinki Consensus Report on Asbestos. 82: 217-220. <http://dx.doi.org/10.1016/j.aogh.2016.01.018>.
- Landrigan, PJ; Ramazzini, C. (2016). Comments on the Causation of Malignant Mesothelioma: Rebutting the False Concept That Recent Exposures to Asbestos Do Not Contribute to Causation of Mesothelioma. 82: 214-216. <http://dx.doi.org/10.1016/j.aogh.2016.01.017>.
- Landrigan, PJ; Soffritti, M. (2005). Collegium Ramazzini call for an international ban on asbestos [Editorial]. *Am J Ind Med.* 47: 471-474. <http://dx.doi.org/10.1002/ajim.20173>.
- Landucci, G; Rossi, F; Nicoletta, C; Zanelli, S. (2009). Design and testing of innovative materials for passive fire protection. *Fire Safety Journal.* 44: 1103-1109. <http://dx.doi.org/10.1016/j.firesaf.2009.08.004>.
- Langard, S. (1992). ATTITUDES AND OPINIONS REGARDING ASBESTOS AND CANCER 1934-1965 - COMMENT. *Am J Ind Med.* 22: 267-269.
- Langard, S. (1992). PROPOSAL FOR FUTURE USES IN EPIDEMIOLOGY FOR COHORT STUDIES ON THE PREVENTION OF WORK-RELATED CANCER. *Scand J Work Environ Health.* 18: 57-63.
- Langård, S. (1994). Nickel-related cancer in welders [Review]. *Sci Total Environ.* 148: 303-309.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Lange, JH. (2000). Cost and distribution of bids for asbestos abatement projects in the public sector. *Indoor Built Environ.* 9: 201-206.
- Lange, JH. (2001). Has the World Trade Center tragedy established a new standard for asbestos? *Indoor Built Environ.* 10: 346-349.
- Lange, JH. (2001). Levels of aerosol trace metals along the Mediterranean coast of Israel (1996-1997) - Barak Herut, *Fres Environm Bulletin* 10, 89-93, 2001. *Fresen Environ Bull.* 10: 741-742.
- Lange, JH. (2002). Airborne exposure and soil levels associated with lead abatement of a steel tank. *Toxicol Ind Health.* 18: 28-38. <http://dx.doi.org/10.1191/0748233702th1270a>.
- Lange, JH. (2002). How do you interpret regulations: through science or agency rules? [Letter]. *Toxicol Ind Health.* 18: 107-108. <http://dx.doi.org/10.1191/0748233702th134xx>.
- Lange, JH. (2003). Are personal and static samples related? (letter on Harrison, R M; Thornton, C A; Lawrence, R G; Mark, D; Kinnersley, R P; Ayres, J G (2002) Personal exposure monitoring of particulate matter, nitrogen dioxide, and carbon monoxide, including susceptible groups. *Occup. Environ. Med.* 59: 671-679) [Letter]. *Occup Environ Med.* 60: 224-225.
- Lange, JH. (2004). Arsenic exposure levels during cleanup of fly ash and dermatitis in an air sampling technician. *Bull Environ Contam Toxicol.* 72: 1098-1100. <http://dx.doi.org/10.1007/s00128-004-0356-6>.
- Lange, JH. (2004). Emergence of a new policy for asbestos: A result of the World Trade Center tragedy. *Indoor Built Environ.* 13: 21-33. <http://dx.doi.org/10.1177/1420326x04038959>.
- Lange, JH; Bules, M; Lindquist, J; Gray, M; Ivarone, C. (2000). A survey of publicly funded asbestos abatement projects in the county of Erie, Pennsylvania, USA, during the time period 1996-1999. *Indoor Built Environ.* 9: 342-347.
- Lange, JH; Grad, JW; Lange, PA; Thomulka, KW; Dunmyre, GR; Lee, RJ; Richardson, CF; Blumershine, RVH. (1993). Asbestos abatement of ceiling panels and mold growth in a public school building after water damage: a case study of contaminant levels. *Fresen Environ Bull.* 2: 13-18.
- Lange, JH; Hoskins, JA; Mastrangelo, G. (2006). Smoking rates in asbestos workers [Letter]. *Occup Med (Lond).* 56: 581. <http://dx.doi.org/10.1093/ocmed/kql090>.
- Lange, JH; Kaiser, G; Thomulka, KW. (1994). Environmental site assessments and audits: building inspection requirements. *J Environ Manage.* 18: 151-160.
- Lange, JH; Marangi, G; Mastrangelo, G. (2009). Non-asbestos Risks of Asbestos Abatement Workers. *Indoor Built Environ.* 18: 90-92. <http://dx.doi.org/10.1177/1420326X08100810>.
- Lange, JH; Mastrangelo, G. (2009). Real Risk. *Indoor Built Environ.* 18: 187-188. <http://dx.doi.org/10.1177/1420326X09105604>.
- Lange, JH; Mastrangelo, G; Buja, A. (2006). Smoking and alcohol use in asbestos abatement workers. *Bull Environ Contam Toxicol.* 77: 338-342. <http://dx.doi.org/10.1007/s00128-006-1071-2>.
- Lange, JH; Mastrangelo, G; Cegolon, L. (2012). Infectious disease risk in asbestos abatement workers. *BMC Public Health.* 12: 665. <http://dx.doi.org/10.1186/1471-2458-12-665>.
- Lange, JH; Mastrangelo, G; Cegolon, L. (2012). A proposed threshold exposure for airborne asbestos [Letter]. *Occup Environ Med.* 69: 227-228. <http://dx.doi.org/10.1136/oemed-2011-100225>.
- Lange, JH; Priolo, G; Mastrangelo, G. (2004). Smoking trend in a high-risk group: asbestos abatement workers [Letter]. *J Occup Environ Med.* 46: 1195. <http://dx.doi.org/10.1097/01.jom.0000147221.40883.68>.
- Lange, JH; Thomulka, KW. (2003). Smoking prevalence of asbestos workers: a comment [Letter]. *Am J Ind Med.* 44: 218-219; author reply 220-211. <http://dx.doi.org/10.1002/ajim.10247>.
- Lange, JH; Wade, JW; Thomulka, KW. (1994). ENVIRONMENTAL CLEANUP - A DISCUSSION OF COST, QUALITY AND LIABILITY IN THE ASBESTOS ABATEMENT INDUSTRY. *Fresen Environ Bull.* 3: 269-274.
- Lange, JH; Weyel, DA; Rosato, LM; Tucker, D; Malek, DE; Mayernik, JA; Ryan, LK. (1987). PRELIMINARY RESULTS ON SMOKING PATTERNS FOR WORKERS ATTENDING AN ASBESTOS ABATEMENT COURSE [Letter]. *Scand J Work Environ Health.* 13: 459-459.
- Langer, AM. (1979). SIGNIFICANCE OF ASPECT RATIO IN REGULATION OF ASBESTOS FIBER EXPOSURE (pp. NEW YORK). (HEEP/81/07875). Langer, AM.
- Langer, AM; Morse, RG. (2001). The World Trade Center catastrophe: Was the type of spray fire proofing a factor in the collapse of the Twin Towers? *Indoor Built Environ.* 10: 350-360.
- Langer, AM; Nolan, RP. (1994). CHRYSOTILE - ITS OCCURRENCE AND PROPERTIES AS VARIABLES CONTROLLING BIOLOGICAL EFFECTS. *Ann Occup Hyg.* 38: 427-451.
- Langer, AM; Nolan, RP. (1997). Asbestos disease in foundrymen [Letter]. *J Occup Environ Med.* 39: 699-700.
- Langer, AM; Selikoff, IJ; Sastre, A. (1971). CHRYSOTILE ASBESTOS IN LUNGS OF PERSONS IN NEW YORK CITY. *Arch Environ Health.* 22: 348-&.
- Langer, WH; Van Gosen, BS; Meeker, GP; Adams, DT; Hoefen, TM. (2011). The dispersion of fibrous amphiboles by glacial processes in the area surrounding Libby, Montana, USA. *Environ Earth Sci.* 64: 157-168. <http://dx.doi.org/10.1007/s12665-010-0832-8>.
- Langseth, H; Andersen, A. (1999). Cancer incidence among women in the Norwegian pulp and paper industry. *Am J Ind Med.* 36: 108-113. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199907\)36:1<108::AID-AJIM15>3.0.CO;2-N](http://dx.doi.org/10.1002/(SICI)1097-0274(199907)36:1<108::AID-AJIM15>3.0.CO;2-N).
- Langseth, H; Hankinson, SE; Siemiatacki, J; Weiderpass, E. (2008). Perineal use of talc and risk of ovarian cancer [Review]. *J Epidemiol Community Health.* 62: 358-360. <http://dx.doi.org/10.1136/jech.2006.047894>.
- Lapalme, R; Patitsas, TAJ. (1993). LIGHT-SCATTERING BY ANTHOPHYLLITE-CROCIDOLITE ASBESTOS FIBERS .1. THE DOMAIN OF CONVERGENCE OF THE EBCM THEORY. *Particle & Particle Systems Characterization.* 10: 111-117.
- Lapalme, R; Patitsas, TAJ. (1993). LIGHT-SCATTERING BY ANTHOPHYLLITE-CROCIDOLITE ASBESTOS FIBERS .2. COMPARISON OF VARIOUS APPROXIMATE THEORIES WITH THE EBCM THEORY. *Particle & Particle Systems Characterization.* 10: 212-221.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Laquatra, J; Maxwell, LE; Pierce, M. (2005). Indoor air pollutants: Limited-resource households and child care facilities. *J Environ Health*. 67: 39-43.
- Larachi, F; Daldoul, I; Beaudoin, G. (2010). Fixation of CO₂ by chrysotile in low-pressure dry and moist carbonation: Ex-situ and in-situ characterizations. *Geochim Cosmo Acta*. 74: 3051-3075. <http://dx.doi.org/10.1016/j.gca.2010.03.007>.
- Larachi, F; Gravel, JP; Grandjean, BPA; Beaudoin, G. (2012). Role of steam, hydrogen and pretreatment in chrysotile gas-solid carbonation: Opportunities for pre-combustion CO₂ capture. *Int J Greenhouse Gas Control*. 6: 69-76. <http://dx.doi.org/10.1016/j.ijggc.2011.10.010>.
- Larsen, JF; Knittle, E; Williams, Q. (2003). Constraints on the speciation of hydrogen in earth's transition zone. *Phys Earth Planet In*. 136: 93-105. [http://dx.doi.org/10.1016/S0031-9201\(03\)00025-6](http://dx.doi.org/10.1016/S0031-9201(03)00025-6).
- Larsen, RI. (2003). An air quality data analysis system for interrelating effects, standards, and needed source reductions: Part 13 - Applying the EPA proposed guidelines for carcinogen risk assessment to a set of asbestos lung cancer mortality data. *J Air Waste Manag Assoc*. 53: 1326-1339.
- Larson, CD; Love, OT; Reynolds, G. (1983). TETRACHLOROETHYLENE LEACHED FROM LINED ASBESTOS CEMENT PIPE INTO DRINKING-WATER. *J Am Water Works Assoc*. 75: 184-188.
- Larson, D; Powers, A; Ambrosi, JP; Tanji, M; Napolitano, A; Flores, EG; Baumann, F; Pellegrini, L; Jennings, CJ; Buck, BJ; Mclaurin, BT; Merkler, D; Robinson, C; Morris, P; Dogan, M; Dogan, AU; Pass, HI; Pastorino, S; Carbone, M; Yang, H. (2016). Investigating palygorskite's role in the development of mesothelioma in southern Nevada: Insights into fiber-induced carcinogenicity. *J Toxicol Environ Health B Crit Rev*. 19: 213-230. <http://dx.doi.org/10.1080/10937404.2016.1195321>.
- Larson, T; Melnikova, N; Davis, SI; Jamison, P. (2007). Incidence and descriptive epidemiology of mesothelioma in the United States, 1999-2002. *Int J Occup Environ Health*. 13: 398-403.
- Larson, TC; Antao, VC; Bove, FJ. (2010). Vermiculite worker mortality: Estimated effects of occupational exposure to Libby amphibole. *J Occup Environ Med*. 52: 555-560. <http://dx.doi.org/10.1097/JOM.0b013e3181dc6d45>.
- Larson, TC; Antao, VC; Bove, FJ; Cusack, C. (2012). Association between cumulative fiber exposure and respiratory outcomes among Libby vermiculite workers. *J Occup Environ Med*. 54: 56-63. <http://dx.doi.org/10.1097/JOM.0b013e31823c141c>.
- Larson, TC; Lewin, M; Gottschall, EB; Antao, VC; Kapil, V; Rose, CS. (2012). Associations between radiographic findings and spirometry in a community exposed to Libby amphibole. *Occup Environ Med*. 69: 361-366. <http://dx.doi.org/10.1136/oemed-2011-100316>.
- Lash, TL; Crouch, EA; Green, LC. (1997). A meta-analysis of the relation between cumulative exposure to asbestos and relative risk of lung cancer. *Occup Environ Med*. 54: 254-263.
- Latif, MT; Baharudin, NH; Velayutham, P; Awang, N; Hamdan, H; Mohamad, R; Mokhtar, MB. (2011). Composition of heavy metals and airborne fibers in the indoor environment of a building during renovation. *Environ Monit Assess*. 181: 479-489. <http://dx.doi.org/10.1007/s10661-010-1843-3>.
- Latour, I; Miranda, R; Blanco, A. (2015). Silica removal with sparingly soluble magnesium compounds. Part II. Separation and Purification Technology. 149: 331-338. <http://dx.doi.org/10.1016/j.seppur.2015.05.037>.
- Latour, I; Miranda, R; Blanco, A. (2016). Optimization of silica removal with magnesium chloride in papermaking effluents: mechanistic and kinetic studies. *Environ Sci Pollut Res Int*. 23: 3707-3717. <http://dx.doi.org/10.1007/s11356-015-5542-z>.
- Laubscher, DH. (1978). NEW METHOD FOR EXAMINING CHRYSOTILE ASBESTOS FIBER PADS. 31: 308-&.
- Lauenstein, HD; Quarcoo, D; Welte, T; Braun, A; Groneberg, DA. (2013). Expression of VPAC1 in a murine model of allergic asthma. *J Occup Med Toxicol*. 8: 28. <http://dx.doi.org/10.1186/1745-6673-8-28>.
- Lauretti, RLB; Machado, JR; Crusciol, CAC; Andreotti, M. (2001). Effects of different water management on the plants settlement of the pre-germinated rice seeds system. *Pesqui Agropecu Bras*. 36: 1093-1099.
- Lave, LB. (1984). REPORT OF THE ROYAL-COMMISSION-ON-THE-MATTERS-OF-HEALTH-AND-SAFETY ARISING FROM THE USE OF ASBESTOS IN ONTARIO - ONTARIO-MINIST-ATTORNEY-GEN. *Issues Sci Technol*. 1: 132-132.
- Lave, LB. (1987). CONTROLLING ASBESTOS IN BUILDINGS - AN ECONOMIC INVESTIGATION - DEWEES, DN. *Issues Sci Technol*. 3: 124-124.
- Lavikko, S; Eklund, O. (2016). The significance of the serpentinite characteristics in mineral carbonation by "the AA Route". *Int J Miner Process*. 152: 7-15. <http://dx.doi.org/10.1016/j.minpro.2016.04.009>.
- Lavkulich, LM; Schreier, HE; Wilson, JE. (2014). Effects of natural acids on surface properties of asbestos minerals and kaolinite. *J Environ Sci Health A Tox Hazard Subst Environ Eng*. 49: 617-624. <http://dx.doi.org/10.1080/10934529.2014.865401>.
- Lawrence, J; Tosine, HM; Zimmermann, HW; Pang, TWS. (1975). REMOVAL OF ASBESTOS FIBERS FROM POTABLE WATER BY COAGULATION AND FILTRATION. *Water Res*. 9: 397-400.
- Le Bas, MJ; Xueming, Y; Taylor, RN; Spiro, B; Milton, JA; Peishan, Z. (2007). New evidence from a calcite-dolomite carbonatite dyke for the magmatic origin of the massive Bayan Obo ore-bearing dolomite marble, Inner Mongolia, China. *Mineralogy and Petrology*. 90: 223-248. <http://dx.doi.org/10.1007/s00710-006-0177-x>.
- le Bouffant, L. (1978). [Asbestos fibers in alcoholic beverages. Contaminating role of filtration material]. 32: 1011-1019.
- Le, GV; Takahashi, K; Karjalainen, A; Delgermaa, V; Hoshuyama, T; Miyamura, Y; Furuya, S; Higashi, T; Pan, G; Wagner, G. (2010). National use of asbestos in relation to economic development. *Environ Health Perspect*. 118: 116-119. <http://dx.doi.org/10.1289/ehp.0901196>.
- Lea, CS; Hertz-Picciotto, I; Andersen, A; Chang-Claude, J; Olsen, JH; Pesatori, AC; Teppo, L; Westerholm, P; Winter, PD; Boffetta, P. (1999). Gender differences in the healthy worker effect among synthetic vitreous fiber workers. *Am J Epidemiol*. 150: 1099-1106.
- Leake, BE; Woolley, AR; Arps, CES; Birch, WD; Gilbert, MC; Grice, JD; Hawthorne, FC; Kato, A; Kisch, HJ; Krivovichev, VG; Linthout, K; Laird, J; Mandarino, J; Maresch, WV; Nickel, EH; Rock, NMS; Schumacher, JC; Smith, DC; Shephenson, NCN; Ungaretti, L; Whittake, EJW; Youzhi, G. (1997). Nomenclature of amphiboles: report of the Subcommittee on Amphiboles of the International Mineralogical Association Commission on New Minerals and Mineral Names. *Can Mineral*. 35: 219-246.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Leanderson, P. (1992). HYDROGEN-PEROXIDE RELEASE AND HYDROXYL RADICAL FORMATION IN MIXTURES CONTAINING MINERAL FIBERS AND HUMAN NEUTROPHILS. *Br J Ind Med*. 49: 745-749.
- Leanderson, P; Lagesson, V; Tagesson, C. (1997). Demonstration of nitric oxide on asbestos and silicon carbide fibers with a new ultraviolet spectrophotometric assay. *Environ Health Perspect*. 105: 1037-1040.
- Leanderson, P; Soderkvist, P; Tagesson, C; Axelson, O. (1988). FORMATION OF 8-HYDROXYDEOXYGUANOSINE BY ASBESTOS AND MAN-MADE MINERAL FIBERS. *Br J Ind Med*. 45: 309-311.
- Leanderson, P; Tagesson, C. (1994). Cigarette tar promotes neutrophil-induced DNA damage in cultured lung cells. *Environ Res*. 64: 103-111. <http://dx.doi.org/10.1006/enrs.1994.1009>.
- Lebas, MJ; Keller, J; Tao, KJ; Wall, F; Williams, CT; Zhang, PS. (1992). CARBONATITE DYKES AT BAYAN OBO, INNER-MONGOLIA, CHINA. *Mineralogy and Petrology*. 46: 195-228.
- Lebedova, J; Dlouha, B; Rychla, L; Neuwirth, J; Brabec, M; Pelclova, D; Fenclova, Z. (2003). Lung function impairment in relation to asbestos-induced pleural lesions with reference to the extent of the lesions and the initial parenchymal fibrosis. *Scand J Work Environ Health*. 29: 388-395. <http://dx.doi.org/10.5271/sjweh.745>.
- Lebkuchnerneugebauer, J; Buchmann, C. (1992). EXPERIMENTS ON SURFACE-TREATMENT OF ASBESTOS MATERIALS BY LASER-BEAM. *Staub, Reinhaltung der Luft*. 52: 49-53.
- Lechat, K; Lemieux, JM; Molson, J; Beaudoin, G; Hebert, R. (2016). Field evidence of CO2 sequestration by mineral carbonation in ultramafic milling wastes, Thetford Mines, Canada. *Int J Greenhouse Gas Control*. 47: 110-121. <http://dx.doi.org/10.1016/j.ijggc.2016.01.036>.
- Lechner, JF; Tesfaigzi, J; Gerwin, BI. (1997). Oncogenes and tumor-suppressor genes in mesothelioma - A synopsis. *Environ Health Perspect*. 105: 1061-1067. <http://dx.doi.org/10.2307/3433510>.
- Ledda, C; Loreto, C; Pomara, C; Rapisarda, G; Fiore, M; Ferrante, M; Bracci, M; Santarelli, L; Fenga, C; Rapisarda, V. (2016). Sheep lymph-nodes as a biological indicator of environmental exposure to fluoro-edenite. *Environ Res*. 147: 97-101. <http://dx.doi.org/10.1016/j.envres.2016.01.043>.
- Ledda, C; Pomara, C; Bracci, M; Mangano, D; Ricceri, V; Musumeci, A; Ferrante, M; Musumeci, G; Loreto, C; Fenga, C; Santarelli, L; Rapisarda, V. (2016). Natural carcinogenic fiber and pleural plaques assessment in a general population: A cross-sectional study. *Environ Res*. 150: 23-29. <http://dx.doi.org/10.1016/j.envres.2016.05.024>.
- Lee, C, inTyA; Oka, M; Luffi, P; Agranier, A. (2008). Internal distribution of Li and B in serpentinites from the Feather River Ophiolite, California, based on laser ablation inductively coupled plasma mass spectrometry. *G-cubed*. 9. <http://dx.doi.org/10.1029/2008GC002078>.
- Lee, DG; Kim, SS. (2004). Failure analysis of asbestos-phenolic composite journal bearing. *Composite Structures*. 65: 37-46. <http://dx.doi.org/10.1016/j.compstruct.2003.10.004>.
- Lee, DJ; Fleming, LE; Mccollister, KE; Caban, AJ; Arheart, KL; Leblanc, WG; Chung-Bridges, K; Christ, SL; Dietz, N; Clark, JD. (2007). Healthcare provider smoking cessation advice among US worker groups. *Tob Control*. 16: 325-328. <http://dx.doi.org/10.1136/tc.2006.019117>.
- Lee, EG; Nelson, J; Hintz, PJ; Joy, G; Andrew, ME; Harper, M. (2010). Field performance of the CATHIA-T sampler and two cyclones against the standard Cowled sampler for thoracic fiber concentrations. *Ann Occup Hyg*. 54: 545-556. <http://dx.doi.org/10.1093/annhyg/meq019>.
- Lee, EG; Nelson, JH; Kashon, ML; Harper, M. (2015). Evaluation of the dark-medium objective lens in counting asbestos fibers by phase-contrast microscopy. *Ann Occup Hyg*. 59: 616-628. <http://dx.doi.org/10.1093/annhyg/mev007>.
- Lee, EG; Pang, TW; Nelson, J; Andrew, M; Harper, M. (2011). Comparison of mounting methods for the evaluation of fibers by phase contrast microscopy. *Ann Occup Hyg*. 55: 644-657. <http://dx.doi.org/10.1093/annhyg/mer015>.
- Lee, IM; Hennekens, CH; Trichopoulos, D; Buring, JE. (1995). Man-made vitreous fibers and risk of respiratory system cancer: a review of the epidemiologic evidence [Review]. *J Occup Environ Med*. 37: 725-738.
- Lee, J; Yoon, C; SeunghonHam; Tsai, PJ, y. (2015). Optimal Treatment Condition for Changing Characteristics of Naturally Occurring Asbestos. *Aerosol Air Qual Res*. 15: 2332-2345. <http://dx.doi.org/10.4209/aaqr.2015.02.0108>.
- Lee, JW; Won, EJ; Kang, HM; Hwang, DS; Kim, DH; Kim, RK; Lee, SJ; Lee, JS. (2016). Effects of multi-walled carbon nanotube (MWCNT) on antioxidant depletion, the ERK signaling pathway, and copper bioavailability in the copepod (*Tigriopus japonicus*). *Aquat Toxicol*. 171: 9-19. <http://dx.doi.org/10.1016/j.aquatox.2015.12.005>.
- Lee, KP; Barras, CE; Griffith, FD; Waritz, RS; Lapin, CA. (1981). Comparative pulmonary responses to inhaled inorganic fibers with asbestos and fiberglass. *Environ Res*. 24: 167-191.
- Lee, LJH; Chang, Y; Liou, SH; Wang, J. (2012). Estimation of benefit of prevention of occupational cancer for comparative risk assessment: methods and examples. *Occup Environ Med*. 69: 582-586. <http://dx.doi.org/10.1136/oemed-2011-100462>.
- Lee, P. (2002). Joint action of smoking and asbestos exposure on lung cancer - Reply. *Occup Environ Med*. 59: 495-496.
- Lee, PN. (2001). Relation between exposure to asbestos and smoking jointly and the risk of lung cancer [Review]. *Occup Environ Med*. 58: 145-153.
- Lee, R; Van Orden, D. (2015). Asbestos in commercial cosmetic talcum powder as a cause of mesothelioma in women [Letter]. *Int J Occup Environ Health*. 21: 337-341. <http://dx.doi.org/10.1080/10773525.2015.1122370>.
- Lee, RJ; Dagenhart, TV; Dunmyre, GR; Stewart, IM; Vanorden, DR. (1995). EFFECT OF INDIRECT SAMPLE PREPARATION PROCEDURES ON THE APPARENT CONCENTRATION OF ASBESTOS IN SETTLED DUSTS. *Environ Sci Technol*. 29: 1728-1736.
- Lee, RJ; Dagenhart, TV; Dunmyre, GR; Stewart, IM; Vanorden, DR. (1996). Effect of indirect sample preparation procedures on the apparent concentration of asbestos in settled dusts - Response. *Environ Sci Technol*. 30: 1405-1406.
- Lee, RJ; Strohmeier, BR; Bunker, KL; Van Orden, DR. (2008). Naturally occurring asbestos - A recurring public policy challenge [Review]. *J Hazard Mater*. 153: 1-21. <http://dx.doi.org/10.1016/j.jhazmat.2007.11.079>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Lee, RJ; Van Orden, DR. (2008). Airborne asbestos in buildings. *Regul Toxicol Pharmacol.* 50: 218-225.
<http://dx.doi.org/10.1016/j.yrtph.2007.10.005>.
- Lee, RJ; Van Orden, DR; Allison, KA; Bunker, KL; Huntington, C. (2009). Characterization of Airborne Amphibole Particles in Libby, MT. *Indoor Built Environ.* 18: 524-530. <http://dx.doi.org/10.1177/1420326X09341518>.
- Lee, RJ; Van Orden, DR; Corn, M; Crump, KS. (1992). Exposure to airborne asbestos in buildings. *Regul Toxicol Pharmacol.* 16: 93-107.
- Lee, RJ; Vanorden, DR; Dunmyre, GR. (1996). Interlaboratory evaluation of the breakup of asbestos containing dust particles by ultrasonic agitation. *Environ Sci Technol.* 30: 3010-3015.
- Lee, S; Matsuzaki, H; Kumagai-Takei, N; Yoshitome, K; Maeda, M; Chen, Y; Kusaka, M; Urakami, K; Hayashi, H; Fujimoto, W; Nishimura, Y; Otsuki, T. (2014). Silica exposure and altered regulation of autoimmunity [Review]. *Environ Health Prev Med.* 19: 322-329.
<http://dx.doi.org/10.1007/s12199-014-0403-9>.
- Lee, SF; O'Connor, MM; Chapman, Y; Hamilton, V; Francis, K. (2009). A very public death: dying of mesothelioma and asbestos-related lung cancer (M/ARLC) in the Latrobe Valley, Victoria, Australia. *Rural Remote Health.* 9: 1183.
- Lee, TC; Gold, LI; Reibman, J; Aston, C; Begin, R; Rom, WN; Jagirdar, J. (1997). Immunohistochemical localization of transforming growth factor-beta and insulin-like growth factor-I in asbestosis in the sheep model. *Int Arch Occup Environ Health.* 69: 157-164.
<http://dx.doi.org/10.1007/s004200050132>.
- Lee, WR. (1994). THE OCCUPATIONAL HISTORY (pp. LONDON). (BIOSIS/94/33339). Lee, WR.
- Lee, YCG; Singh, B; Pang, SC; de Klerk, NH; Hillman, DR; Musk, AW. (2003). Earlier study on asbestos workers, ILO scores, and oxygenation more comprehensive - Reply. *Occup Environ Med.* 60: 611-611.
- Lee, YCG; Singh, B; Pang, SC; de Klerk, NH; Hillman, DR; Musk, AW. (2003). Radiographic (ILO) readings predict arterial oxygen desaturation during exercise in subjects with asbestosis. *Occup Environ Med.* 60: 201-206.
- Lees, R, .E.M. (1986). THRESHOLD EXPOSURE LEVEL FOR CHRYSOTILE - Comment. *Can J Public Health.* 77: 42-43.
- Leger, A; Ferry, JM. (1991). HIGHLY ALUMINOUS HORNBLENDE FROM LOW-PRESSURE METACARBONATES AND A PRELIMINARY THERMODYNAMIC MODEL FOR THE AL CONTENT OF CALCIC AMPHIBOLE. *Am Mineral.* 76: 1002-1017.
- Legittimo, P; Silvestri, S. (2010). MASTER COMPANY/EXPOSURE TO ASBESTOS: A USEFUL IN-DEPTH ANALYSIS TOOL FOR EPIDEMIOLOGICAL DETERMINANTS FOR ASBESTOS-RELATED ILLNESSES. *Epidemiol Prev.* 34: 209-209.
- Leguen, JM; Burdett, G. (1981). ASBESTOS CONCENTRATIONS IN PUBLIC BUILDINGS - A PRELIMINARY-REPORT. *Ann Occup Hyg.* 24: 185-189.
- Leguen, JMM; Galvin, S. (1981). CLEARING AND MOUNTING TECHNIQUES FOR THE EVALUATION OF ASBESTOS FIBERS BY THE MEMBRANE-FILTER METHOD. *Ann Occup Hyg.* 24: 273-280.
- Lehman, EJ; Hein, MJ; Estill, CF. (2008). Proportionate mortality study of the United Association of Journeymen and Apprentices of the Plumbing and Pipe Fitting Industry. *Am J Ind Med.* 51: 950-963. <http://dx.doi.org/10.1002/ajim.20640>.
- Lehnert, G; Raithel, HJ; Valentin, H. (1992). ASBESTOS EXPOSURE, ASBESTOSIS AND LUNG-CANCER. *Arbeitsmedizin, Sozialmedizin, Praeventivmedizin.* 27: 96-101.
- Lei, J, ie; Jenkins, DM; Ishida, K. (2015). Experimental study along the magnesio-hornblende-glaucophane join. *Am Mineral.* 100: 495-509.
<http://dx.doi.org/10.2138/am-2015-5026>.
- Leibowitz, MC; Goldstein, B. (1987). Some investigations into the nature and cause of massive fibrosis (MF) in the lungs of South African gold, coal, and asbestos mine workers. *Am J Ind Med.* 12: 129-143.
- Leidel, NA; Bayer, SG; Zumwalde, RD; Busch, KA. (1979). USPHS Membrane Filter Method for Evaluating Airborne Asbestos Fibers (pp. 79-127). (NIOSH/00133465). Leidel, NA; Bayer, SG; Zumwalde, RD; Busch, KA.
- Leigh, J; Davidson, P; Hendrie, L; Berry, D. (2002). Malignant mesothelioma in Australia, 1945-2000. *Am J Ind Med.* 41: 188-201.
<http://dx.doi.org/10.1002/ajim.10047>.
- Leigh, JP; De Vogli, R. (2016). Low Wages as Occupational Health Hazards. *J Occup Environ Med.* 58: 444-447.
<http://dx.doi.org/10.1097/JOM.0000000000000717>.
- Lemaire, I; Gingras, D; Lemaire, S. (1982). THYMIDINE INCORPORATION BY LUNG FIBROBLASTS AS A SENSITIVE ASSAY FOR BIOLOGICALACTIVITY OF ASBESTOS (pp. 399-409). (ISSN 0013-9351; EISSN 1096-0953; EMICBACK/46565). Lemaire, I; Gingras, D; Lemaire, S.
- Lemaire, I; Gingras, G; Lemaire, S. (1983). THYMIDINE INCORPORATION BY LUNG FIBROBLASTS AS A SENSITIVE ASSAY FOR BIOLOGICAL-ACTIVITY OF ASBESTOS. *Environ Health Perspect.* 51: 373-373.
- Lemaire, I; Ouellet, S. (1996). Distinctive profile of alveolar macrophage-derived cytokine release induced by fibrogenic and nonfibrogenic mineral dusts. *J Toxicol Environ Health.* 47: 465-478. <http://dx.doi.org/10.1080/009841096161618>.
- Lemen, R. (1987). REPORT ON CANCER RISKS ASSOCIATED WITH THE INGESTION OF ASBESTOS. *Environ Health Perspect.* 72: 253-265.
- Lemen, RA. (1994). WAGONER,JOSEPH,K. DECEMBER 4, 1935 - MAY 30, 1993 - IN-MEMORIAM. *Am J Ind Med.* 25: 923-925.
- Lemen, RA. (2004). Chrysotile asbestos as a cause of mesothelioma: Application of the Hill Causation Model [Review]. *Int J Occup Environ Health.* 10: 233-239. <http://dx.doi.org/10.1179/oeh.2004.10.2.233>.
- Lemen, RA. (2004). RE: Asbestos in brakes: Exposure and risk of disease. *Am J Ind Med.* 46: 315-318. <http://dx.doi.org/10.1002/ajim.20061>.
- Lemen, RA. (2005). RE: Asbestos in brakes: Exposure and risk of disease - Reply. *Am J Ind Med.* 47: 278-280.
<http://dx.doi.org/10.1002/ajim.20130>.
- Lemen, RA. (2008). Re: Reply to Jay Turim, PhD letter of July 9, 2007 to the editor concerning 'asbestos in brakes', by Richard A. Lemen, PhD. *Am J Ind Med.* 51: 476-476. <http://dx.doi.org/10.1002/ajim.20574>.
- Lemen, RA. (2016). Mesothelioma from asbestos exposures: Epidemiologic patterns and impact in the United States. *J Toxicol Environ Health B Crit Rev.* 19: 250-265. <http://dx.doi.org/10.1080/10937404.2016.1195323>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Lemen, RA; Anderson, H; Bailar, JC; Bingham, E; Castleman, B; Frank, AL; Huff, J; Ladou, J; Melius, J; Monforton, C; Robbins, A; Teitelbaum, DT; Welch, LS. (2011). Exposure science will not increase protection of workers from asbestos-caused diseases: NIOSH fails to provide needed public health action and leadership [Letter]. *J Expo Sci Environ Epidemiol*. 21: 114-115; author reply 116. <http://dx.doi.org/10.1038/jes.2010.53>.
- Lemen, RA; Bingham, E. (1994). CASE-STUDY IN AVOIDING A DEADLY LEGACY IN DEVELOPING-COUNTRIES [Review]. *Toxicol Ind Health*. 10: 59-87.
- Lemos, BR; Soares, ÉA; Teixeira, AP; Ardisson, JD; Fernandez-Outon, LE; Amorim, CC; Lago, RM; Moura, FC. (2016). Growth of carbon structures on chrysotile surface for organic contaminants removal from wastewater. *Chemosphere*. 159: 602-609. <http://dx.doi.org/10.1016/j.chemosphere.2016.06.022>.
- Lemos, BRS; Teixeira, A, naPC; Ardisson, JD; Macedo, WAA; Fernandez-Outon, LE; Amorim, CC; Moura, FCC; Lago, RM. (2012). Magnetic Amphiphilic Composites Applied for the Treatment of Biodiesel Wastewaters. 2: 513-524. <http://dx.doi.org/10.3390/app2020513>.
- Lenain, JC; Bunsell, AR. (1979). RESISTANCE TO CRACK GROWTH OF ASBESTOS CEMENT. *Journal of Materials Science*. 14: 321-332.
- Lenters, V; Burdorf, A; Vermeulen, R; Stayner, L; Heederik, D. (2012). Quality of evidence must guide risk assessment of asbestos. *Ann Occup Hyg*. 56: 879-887. <http://dx.doi.org/10.1093/annhyg/mes065>.
- Lentz, DR; Suzuki, K. (2000). A low F pegmatite-related Mo skarn from the southwestern Grenville Province, Ontario, Canada: Phase equilibria and petrogenetic implications. *Econ Geol*. 95: 1319-1337.
- Lentz, TJ; Rice, CH; Lockey, JE; Succop, PA; Lemasters, GK. (1999). Potential significance of airborne fiber dimensions measured in the U.S. refractory ceramic fiber manufacturing industry. *Am J Ind Med*. 36: 286-298.
- Lentzen, DE; Lee, RJ; Casuccio, GS; Dunmyre, GR. (1986). SAMPLING AND ANALYSIS FOR AIRBORNE ASBESTOS AND OTHER INORGANIC PARTICULATES (pp. 7-12). (BIOSIS/86/37132). Lentzen, DE; Lee, RJ; Casuccio, GS; Dunmyre, GR.
- Leong, BKJ; Kociba, RJ; Pernel, HC; Lisowe, RW; Rampy, LW. (1978). INDUCTION OF PULMONARY CARCINOMA IN RATS BY CHRONIC INHALATION OF DUST FROM PULVERIZED ASBESTOS PIPE COVERING. *J Toxicol Environ Health*. 4: 645-659. <http://dx.doi.org/10.1080/15287397809529687>.
- Lerman, Y; Ribak, J; Selikoff, IJ. (1986). Hazards of lung biopsy in asbestos workers. *Br J Ind Med*. 43: 165-169.
- Lerman, Y; Schwarz, Y; Kaufman, G; Ganor, E; Fireman, E. (2003). Case series: Use of induced sputum in the evaluation of occupational lung diseases. *Arch Environ Health*. 58: 284-289.
- Lerman, Y; Segal, B; Rochvarger, M; Weinberg, D; Kivity, O; Fireman, E. (2003). Induced-sputum particle size distribution and pulmonary function in foundry workers. *Arch Environ Health*. 58: 565-571.
- Leroi, R; Aires, FJC, S; de Monsabert, TG; Le Poche, H; Dijon, J; Rousset, JL; Bertolini, JC. (2005). Nickel antigorite synthesis and carbon tubular nanostructures formation on antigorite-based nickel particles by acetylene decomposition. *Appl Catal A-Gen*. 294: 131-140. <http://dx.doi.org/10.1016/j.apcata.2005.06.006>.
- Lescano, L; Gandini, NA; Marfil, SA; Maiza, PJ. (2015). Biological effects of argentine asbestos: mineralogical and morphological characterisation. *Environ Earth Sci*. 73: 3433-3444. <http://dx.doi.org/10.1007/s12665-014-3638-2>.
- Lesci, IG; Balducci, G; Pierini, F; Soavi, F; Roveri, N. (2014). Surface features and thermal stability of mesoporous Fe doped geoinspired synthetic chrysotile nanotubes. *Microporous and Mesoporous Materials*. 197: 8-16. <http://dx.doi.org/10.1016/j.micromeso.2014.06.002>.
- Leslie, GB. (2000). Health risks from indoor air pollutants: public alarm and toxicological reality. *Indoor Built Environ*. 9: 5-16.
- Letargo, CMR; Lamb, WM; Park, JS. (1995). COMPARISON OF CALCITE PLUS DOLOMITE THERMOMETRY AND CARBONATE PLUS SILICATE EQUILIBRIA - CONSTRAINTS ON THE CONDITIONS OF METAMORPHISM OF THE LLANO UPLIFT, CENTRAL TEXAS, USA. *Am Mineral*. 80: 131-143.
- Leticia, L; Silvina, M; Pedro, M; Jorge, S; Aldo, B. (2013). Amphibole in vermiculite mined in Argentina. Morphology, quantitative and chemical studies on the different phases of production and their environmental impact. *Environ Earth Sci*. 70: 1809-1821. <http://dx.doi.org/10.1007/s12665-013-2268-4>.
- Levin, JL; Frank, AL; Williams, MG; Mcconnell, W; Suzuki, Y; Dodson, RF. (1996). Kaolinoses in a cotton mill worker. *Am J Ind Med*. 29: 215-221. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199602\)29:2<215::AID-AJIM13>3.0.CO;2-6](http://dx.doi.org/10.1002/(SICI)1097-0274(199602)29:2<215::AID-AJIM13>3.0.CO;2-6).
- Levin, L; Purdom, PW. (1984). ASBESTOS CONTAMINATION OF VERMICULITE - REPLY. *Am J Public Health*. 74: 519-520.
- Levin, SM; Kann, PE; Lax, MB. (2000). Medical examination for asbestos-related disease [Review]. *Am J Ind Med*. 37: 6-22.
- Levine, RJ. (1978). HOW INDUSTRIAL PHYSICIAN CAN REDUCE MORTALITY FROM ASBESTOS-RELATED DISEASES. *J Occup Environ Med*. 20: 464-468.
- Levy, BS; Sigurdson, E; Mandel, J; Laudon, E; Pearson, J. (1976). Investigating possible effects of asbestos in city water: surveillance of gastrointestinal cancer incidence in Duluth, Minnesota. *Am J Epidemiol*. 103: 362-368.
- Lewis, PG. (2000). Occupational and environmental medicine: moving the factory fence or hedging our bets? *Occup Med (Lond)*. 50: 217-220.
- Lewis, RJ; Gamble, JF. (2002). Mortality among three refinery/petrochemical plant cohorts - Reply. *J Occup Environ Med*. 44: 396-397.
- Lewis, RJ; Schnatter, AR; Drummond, I; Murray, N; Thompson, FS; Katz, AM; Jorgensen, G; Nicolich, MJ; Dahlman, D; Thériault, G. (2003). Mortality and cancer morbidity in a cohort of Canadian petroleum workers. *Occup Environ Med*. 60: 918-928.
- Leyko, W; Gendek, E. (1985). A spin label study of the effects of asbestos, quartz, and titanium dioxide dusts on the bovine erythrocyte membrane. *Br J Ind Med*. 42: 281-284.
- Lezongeyda, K; Jaime, CM; Godbold, JH; Savransky, EF; Hope, A; Kheiri, SA; Dzmura, ZM; Uehara, H; Johnson, EM; Fasy, TM. (1996). Chrysotile asbestos fibers mediate homologous recombination in Rat2 lambda fibroblasts: Implications for carcinogenesis. *Mutat Res Environ Mutagen Relat Subj*. 361: 113-120.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Li, C; Naldrett, AJ. (1993). HIGH CHLORINE ALTERATION MINERALS AND CALCIUM-RICH BRINES IN FLUID INCLUSIONS FROM THE STRATHCONA DEEP COPPER ZONE, SUDBURY, ONTARIO. *Econ Geol.* 88: 1780-1796.
- Li, C; Ripley, EM; Merino, E; Maier, WD. (2004). Replacement of base metal sulfides by actinolite, epidote, calcite, and magnetite in the UG2 and merensky reef of the Bushveld Complex, South Africa. *Econ Geol.* 99: 173-184.
- Li, CS; Xu, ZH; de Waal, SA; Ripley, EM; Maier, WD. (2004). Compositional variations of olivine from the Jinchuan Ni-Cu sulfide deposit, western China: implications for ore genesis. *Miner Depos.* 39: 159-172. <http://dx.doi.org/10.1007/s00126-003-0389-5>.
- Li, DF; Chen, H, uaY; Zhang, L, i; Hollings, P; Chen, Y, anJ; Lu, W, anJ; Zheng, Y, i; Wang, CM; Fang, J; Chen, G; Zhou, G. (2016). Ore geology and fluid evolution of the giant Caixiashan carbonate-hosted Zn-Pb deposit in the Eastern Tianshan, NW China. *Ore Geol Rev.* 72: 355-372. <http://dx.doi.org/10.1016/j.oregeorev.2015.08.007>.
- Li, J; Hitch, M. (2016). Carbon dioxide adsorption isotherm study on mine waste for integrated CO2 capture and sequestration processes. *Powder Technology.* 291: 408-413. <http://dx.doi.org/10.1016/j.powtec.2015.12.011>.
- Li, L; Sun, TD; Zhang, X; Lai, RN; Li, XY; Fan, XJ; Morinaga, K. (2004). Cohort studies on cancer mortality among workers exposed only to chrysotile asbestos: a meta-analysis. *Biomed Environ Sci.* 17: 459-468.
- Li, P; Deng, SS; Wang, JB; Iwata, A; Qiao, YL; Dai, XB; Boffetta, P. (2012). Occupational and environmental cancer incidence and mortality in China. *Occup Med (Lond).* 62: 281-287. <http://dx.doi.org/10.1093/occmed/kqs016>.
- Li, Q; Lu, S; Yang, F; Geng, X; Chai, F. (2015). Geological characteristics and genesis of the Laoshankou Fe-Cu-Au deposit in Junggar, Xinjiang, Central Asian Orogenic Belt. *Ore Geol Rev.* 68: 59-78. <http://dx.doi.org/10.1016/j.oregeorev.2015.01.006>.
- Li, WJ; Huang, ZH; Liu, YG; Fang, MH; Ouyang, X; Huang, SF. (2012). Phase behavior of serpentine mineral by carbothermal reduction nitridation. *Appl Clay Sci.* 57: 86-90. <http://dx.doi.org/10.1016/j.clay.2012.01.006>.
- Li, XY; Brown, GM; Lamb, D; Donaldson, K. (1991). Increased production of plasminogen activator inhibitor in vitro by pleural leukocytes from rats intratracheally instilled with crocidolite asbestos. *Environ Res.* 55: 135-144.
- Li, XY; Lamb, D; Donaldson, K. (1993). Production of interleukin 1 by rat pleural leukocytes in culture after intratracheal instillation of crocidolite asbestos. *Br J Ind Med.* 50: 90-94.
- Li, XY; Lamb, D; Donaldson, K. (1994). Mesothelial cell injury caused by pleural leukocytes from rats treated with intratracheal instillation of crocidolite asbestos or *Corynebacterium parvum*. *Environ Res.* 64: 181-191. <http://dx.doi.org/10.1006/enrs.1994.1014>.
- Li, Z; Xiuping, D; Heng, Z. (2009). Application research on self-healing technology with microcapsules for automobile brake pad. *Journal of Wuhan University of Technology--Materials Science Edition.* 24: 91-94. <http://dx.doi.org/10.1007/s11595-009-1091-y>.
- Li, Z; Xu, J, ie; Teng, HH; Liu, L; Chen, J, un; Chen, Y; Zhao, L; Ji, J. (2015). Bioleaching of Lizardite by Magnesium- and Nickel-Resistant Fungal Isolate from Serpentinite Soils-Implication for Carbon Capture and Storage. *Geomicrobiology Journal.* 32: 181-192. <http://dx.doi.org/10.1080/01490451.2013.835888>.
- Li, Z; Zhang, T; Hu, J, ie; Tang, Y, ue; Niu, Y; Wei, J; Yu, Q. (2014). Characterization of reaction products and reaction process of MgO-SiO2-H2O system at room temperature. *Construction and Building Materials.* 61: 252-259. <http://dx.doi.org/10.1016/j.conbuildmat.2014.03.004>.
- Liddell, D. (2001). Asbestos and cancer [Letter]. *Ann Occup Hyg.* 45: 329-335; author reply 336-328.
- Liddell, FD. (2001). The interaction of asbestos and smoking in lung cancer. *Ann Occup Hyg.* 45: 341-356.
- Liddell, FD. (2002). Joint action of smoking and asbestos exposure on lung cancer [Letter]. *Occup Environ Med.* 59: 494-495; author reply 495-496.
- Liebenberg, D; Claassens, S; Van Rensburg, L. (2012). A multidisciplinary approach for the assessment of rehabilitation at asbestos mines in South Africa. *Environ Earth Sci.* 67: 1237-1244. <http://dx.doi.org/10.1007/s12665-012-1650-y>.
- Liebling, RS. (1972). OPTICAL PROPERTIES OF FIBROUS BRUCITE FROM ASBESTOS, QUEBEC. *Am Mineral.* 57: 857-&.
- Liew, KW; Nirmal, U. (2013). Frictional performance evaluation of newly designed brake pad materials. *Materials & Design.* 48: 25-33. <http://dx.doi.org/10.1016/j.matdes.2012.07.055>.
- Light, WG; Wei, ET. (1977). Surface charge and hemolytic activity of asbestos. *Environ Res.* 13: 135-145.
- Lilienfeld, DE; Mandel, JS; Coin, P; Schuman, LM. (1988). Projection of asbestos related diseases in the United States, 1985-2009. I. *Cancer. Br J Ind Med.* 45: 283-291.
- Lilis, R. (2006). Ruth Lilis' award acceptance speech at the NY/NJ NIOSH Occupational Safety and Health Education and Research Center's 25th Anniversary Dinner. *Am J Ind Med.* 49: 705-707. <http://dx.doi.org/10.1002/ajim.20367>.
- Lim, HS; Kim, JY; Sakai, K; Hisanaga, N. (2004). Airborne asbestos and non-asbestos fiber concentrations in non-occupational environments in Korea. *Ind Health.* 42: 171-178.
- Lim, HS; Kim, JY; Sakai, K; Hisanaga, N. (2004). Pulmonary asbestos and non-asbestos fiber concentrations in autopsied inhabitants in Pohang, Korea. *Ind Health.* 42: 163-170.
- Lim, Y; Kim, SH; Kim, KA; Oh, MW; Lee, KH. (1997). Involvement of protein kinase C, phospholipase C, and protein tyrosine kinase pathways in oxygen radical generation by asbestos-stimulated alveolar macrophage. *Environ Health Perspect.* 105 Suppl 5: 1325-1327.
- Lima Cunha, P, deS; Teixeira Lanna, EA; Xavier Bastos, RK; Quadros, M; Rezende, FP; de Freitas, LM. (2010). Fertilizers for *Daphnia* sp (Crustacea, Cladocera) production in experimental tanks. *Revista Brasileira de Zootecnia.* 39: 955-960.
- Lin, C; Fugetsu, B; Su, Y; Watari, F. (2009). Studies on toxicity of multi-walled carbon nanotubes on Arabidopsis T87 suspension cells. *J Hazard Mater.* 170: 578-583. <http://dx.doi.org/10.1016/j.jhazmat.2009.05.025>.
- Lin, FC; Clemency, CV. (1981). THE DISSOLUTION KINETICS OF BRUCITE, ANTIGORITE, TALC, AND PHLOGOPITE AT ROOM-TEMPERATURE AND PRESSURE. *Am Mineral.* 66: 801-806.
- Lin, LY; Kuo, JT; Bai, H. (2011). Silica materials recovered from photonic industrial waste powder: its extraction, modification, characterization and application. *J Hazard Mater.* 192: 255-262. <http://dx.doi.org/10.1016/j.jhazmat.2011.05.011>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Linder, DE; Wylie, AG; Candela, PA. (1992). MINERALOGY AND ORIGIN OF THE STATE LINE TALC DEPOSIT, PENNSYLVANIA. *Econ Geol.* 87: 1607-1615.
- Ling, XX; Schmaedicke, E; Li, Q, iuLi; Gose, J; Wu, R, uiHua; Wang, S, hiQi; Liu, Y, u; Tang, G, uoQ; Li, XH, ua. (2015). Age determination of nephrite by in-situ SIMS U-Pb dating syngenetic titanite: A case study of the nephrite deposit from Luanchuan, Henan, China. *Lithos.* 220: 289-299. <http://dx.doi.org/10.1016/j.lithos.2015.02.019>.
- Linnainmaa, M; Kangas, J; Mäkinen, M; Metsärinne, S; Tossavainen, A; Sääntti, J; Veteli, M; Savolainen, H; Kalliokoski, P. (2007). Exposure to refractory ceramic fibres in the metal industry. *Ann Occup Hyg.* 51: 509-516. <http://dx.doi.org/10.1093/annhyg/mem027>.
- Lipkin, LE. (1980). Cellular effects of asbestos and other fibers: correlations with in vivo induction of pleural sarcoma. *Environ Health Perspect.* 34: 91-102.
- Lippmann, M. (1988). Asbestos exposure indices [Review]. *Environ Res.* 46: 86-106.
- Lippmann, M. (1991). INDUSTRIAL AND ENVIRONMENTAL HYGIENE - PROFESSIONAL GROWTH IN A CHANGING ENVIRONMENT. *Am Ind Hyg Assoc J.* 52: 341-348. <http://dx.doi.org/10.1080/15298669191364857>.
- Lippmann, M. (1994). Deposition and retention of inhaled fibres: effects on incidence of lung cancer and mesothelioma [Review]. *Occup Environ Med.* 51: 793-798.
- Lippmann, M. (1994). Nature of exposure to chrysotile. *Ann Occup Hyg.* 38: 459-467, 408.
- Lippmann, M. (1994). Workshop on the health risks associated with chrysotile asbestos: a brief review [Letter]. *Ann Occup Hyg.* 38: 639-642.
- Lippmann, M; Samet, J; Shaikh, R; eds. (1994). Proceedings of operations and maintenance programs in buildings containing asbestos - A workshop organized by the Health Effects Institute - Asbestos Research. *Appl Occup Environ Hyg.* 9: 773-926.
- Lippy, BE; Boggs, JA. (1989). MEASURING AIRBORNE ASBESTOS - THE SIGNIFICANCE OF SMALL FIBERS DETECTED UNDER TEM. *J Environ Health.* 52: 157-160.
- Lipworth, L; La Vecchia, C; Bosetti, C; McLaughlin, JK. (2009). Occupational exposure to rock wool and glass wool and risk of cancers of the lung and the head and neck: a systematic review and meta-analysis [Review]. *J Occup Environ Med.* 51: 1075-1087. <http://dx.doi.org/10.1097/JOM.0b013e3181b35125>.
- Lison, D; Knoop, B; Lauwerys, R. (1989). Effect of retinoic acid on asbestos induced plasminogen activator activity of peritoneal macrophages. *Br J Ind Med.* 46: 496-497.
- Littman, AJ; Thornquist, MD; White, E; Jackson, LA; Goodman, GE; Vaughan, TL. (2004). Prior lung disease and risk of lung cancer in a large prospective study. *Cancer Causes Control.* 15: 819-827. <http://dx.doi.org/10.1023/B:CACO.0000043432.71626.45>.
- Litzistorf, G; Guillemin, MP; Buffat, P; Iselin, F. (1985). Influence of human activity on the airborne fiber level in paraoccupational environments. *Journal of the Air and Waste Management Association.* 35: 836-837.
- Liu, BC; Fu, DC; Miao, Q; Wang, HH; You, BR. (1998). p53 gene mutations in asbestos associated cancers. *Biomed Environ Sci.* 11: 226-232.
- Liu, CY; Stücker, I; Chen, C; Goodman, G; Mchugh, MK; D'Amelio, AM; Etzel, CJ; Li, S; Lin, X; Christiani, DC. (2015). Genome-wide Gene-Asbestos Exposure Interaction Association Study Identifies a Common Susceptibility Variant on 22q13.31 Associated with Lung Cancer Risk. *Cancer Epidemiol Biomarkers Prev.* 24: 1564-1573. <http://dx.doi.org/10.1158/1055-9965.EPI-15-0021>.
- Liu, H; Peng, T; Ma, G; Sun, H; Hu, H. (2012). Simple chemical solution coating and gas sensing properties of alpha-Fe₂O₃/chrysotile fibrous composites. *Appl Surf Sci.* 258: 4866-4870. <http://dx.doi.org/10.1016/j.apsusc.2012.01.095>.
- Liu, J; Li, J; Chi, X; Qu, J; Hu, Z; Fang, S, hu; Zhang, Z. (2013). A late-Carboniferous to early early-Permian subduction-accretion complex in Daqing pasture, southeastern Inner Mongolia: Evidence of northward subduction beneath the Siberian paleoplate southern margin. *Lithos.* 177: 285-296. <http://dx.doi.org/10.1016/j.lithos.2013.07.008>.
- Liu, JB; Ye, K; Sun, M. (2006). Exhumation P-T path of UHP eclogites in the Hong'an area, western Dabie Mountains, China. *Lithos.* 89: 154-173. <http://dx.doi.org/10.1016/j.lithos.2005.12.002>.
- Liu, K, ui; Chen, Q; Hu, H; Yin, Z. (2010). Characterization and leaching behaviour of lizardite in Yuanjiang laterite ore. *Appl Clay Sci.* 47: 311-316. <http://dx.doi.org/10.1016/j.clay.2009.11.034>.
- Liu, K, un; Feng, Q; Yang, Y; Zhang, G; Ou, L; Lu, Y. (2007). Preparation and characterization of amorphous silica nanowires from natural chrysotile. *Journal of Non-Crystalline Solids.* 353: 1534-1539. <http://dx.doi.org/10.1016/j.jnoncrysol.2007.01.033>.
- Liu, K, un; Zhu, B; Duan, T, ao; Du, C; Tan, Y, an; Sheng, S, u. (2015). Transparency of chrysotile nanofiber-reinforced nanocomposite films: Effect of Rayleigh scattering. *Compos Sci Tech.* 119: 68-74. <http://dx.doi.org/10.1016/j.compscitech.2015.10.001>.
- Liu, K, un; Zhu, B; Feng, Q; Duan, T, ao. (2013). Novel transparent and flexible nanocomposite film prepared from chrysotile nanofibres. *Mater Chem Phys.* 142: 412-419. <http://dx.doi.org/10.1016/j.matchemphys.2013.07.037>.
- Liu, K, un; Zhu, B; Feng, Q; Wang, Q; Duan, T, ao; Ou, L; Zhang, G; Lu, Y. (2013). Adsorption of Cu(II) ions from aqueous solutions on modified chrysotile: Thermodynamic and kinetic studies. *Appl Clay Sci.* 80-81: 38-45. <http://dx.doi.org/10.1016/j.clay.2013.05.014>.
- Liu, L, inLin; He, G, uoQ; Wang, YH; Liu, P, eiJin. (2014). Factors Affecting the Measurement of the Percentage of Gaseous Products from Boron-based Fuel-rich Propellants. *Central European Journal of Energetic Materials.* 11: 15-29.
- Liu, MH; Li, ZH; Zhou, R; Yu, XQ; Cai, RL; Xie, SJ. (2005). Study on the assorted non-asbestos fiber reinforce composite by beater-addition process. *Materials Science Forum.* 475-479: 1051-1054.
- Liu, Q; Li, X; Cheng, H. (2016). Insight into the self-adaptive deformation of kaolinite layers into nanoscrolls. *Appl Clay Sci.* 124: 175-182. <http://dx.doi.org/10.1016/j.clay.2016.02.015>.
- Liu, Q; Zeng, Q; Zheng, J; Yang, T, ao; Qiu, N; Liu, Z; Luo, Y; Jin, Z. (2010). Magnetic properties of serpentinized garnet peridotites from the CCSD main hole in the Sulu ultrahigh-pressure metamorphic belt, eastern China. *J Geophys Res.* 115. <http://dx.doi.org/10.1029/2009JB000814>.
- Liu, T; Rhee, SK. (1976). HIGH-TEMPERATURE WEAR OF ASBESTOS-REINFORCED FRICTION MATERIALS. *Wear.* 37: 291-297.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Liu, X; Guo, L, in; Morris, D; Kane, AB; Hurt, RH. (2008). Targeted removal of bioavailable metal as a detoxification strategy for carbon nanotubes. *Carbon*. 46: 489-500. <http://dx.doi.org/10.1016/j.carbon.2007.12.018>.
- Liu, X; Hurt, RH; Kane, AB. (2010). Biodurability of Single-Walled Carbon Nanotubes Depends on Surface Functionalization. *Carbon*. 48: 1961-1969. <http://dx.doi.org/10.1016/j.carbon.2010.02.002>.
- Liu, X; Liu, W, ei; Si, C. (2016). Fluid metasomatic genesis of stratiform skarn in the Suoerkuduke Cu-Mo deposit, East Junggar, NW China. *Ore Geol Rev*. 78: 239-251. <http://dx.doi.org/10.1016/j.oregeorev.2016.04.009>.
- Liu, XR; Keane, MJ; Zhong, BZ; Ong, TM; Wallace, WE. (1996). Micronucleus formation in V79 cells treated with respirable silica dispersed in medium and in simulated pulmonary surfactant. *Mutat Res Environ Mutagen Relat Subj*. 361: 89-94.
- Liu, XZ. (1983). [Evaluation of wet technic dust control in an asbestos textile factory]. *Zhonghua Yufang Yixue Zazhi*. 17: 26-28.
- Liu, XZ; Luo, SQ. (1983). [Determination of airborne asbestos fiber concentration and fiber size distribution by phase contrast microscopy]. *Zhonghua Yufang Yixue Zazhi*. 17: 82-85.
- Liu, Y, an; Deng, J, un; Shi, G; Sun, X; Yang, L. (2011). Geochemistry and petrogenesis of placer nephrite from Hetian, Xinjiang, Northwest China. *Ore Geol Rev*. 41: 122-132. <http://dx.doi.org/10.1016/j.oregeorev.2011.07.004>.
- Liu, Y; Mungall, JE; Ames, DE. (2016). Hydrothermal Redistribution and Local Enrichment of Platinum Group Elements in the Tootoo and Mequillon Magmatic Sulfide Deposits, South Raglan Trend, Cape Smith Belt, New Quebec Orogen. *Econ Geol*. 111: 467-485.
- Liu, Y, an; Zhang, R; Zhang, Z; Shi, G; Zhang, Q; Abuduwayiti, M; Liu, J. (2015). Mineral inclusions and SHRIMP U-Pb dating of zircons from the Alamas nephrite and granodiorite: Implications for the genesis of a magnesian skarn deposit. *Lithos*. 212: 128-144. <http://dx.doi.org/10.1016/j.lithos.2014.11.002>.
- Liu, Y, an; Zhang, RQ; Abuduwayiti, M; Wang, C; Zhang, S; Shen, C; Zhang, Z; He, M; Zhang, Y; Yang, X. (2016). SHRIMP U-Pb zircon ages, mineral compositions and geochemistry of placer nephrite in the Yurungkash and Karakash River deposits, West Kunlun, Xinjiang, northwest China: Implication for a Magnesian Skarn. *Ore Geol Rev*. 72: 699-727. <http://dx.doi.org/10.1016/j.oregeorev.2015.08.023>.
- Liu, YK; Yang, GY; Wu, TN; Lin, RS; Sung, FC. (2003). Mortality among former shipbreaking workers - A 13-year retrospective follow-up study in Taiwan. *J Occup Health*. 45: 36-42. <http://dx.doi.org/10.1539/joh.45.36>.
- Ljungman, AG; Lindahl, M; Tagesson, C. (1994). Asbestos fibres and man made mineral fibres: induction and release of tumour necrosis factor-alpha from rat alveolar macrophages. *Occup Environ Med*. 51: 777-783.
- Lledo, HL; Jenkins, DM. (2008). Experimental investigation of the upper thermal stability of Mg-rich actinolite; Implications for Kiruna-type iron deposits. *Journal of Petrology*. 49: 225-238. <http://dx.doi.org/10.1093/petrology/egm078>.
- Lloyd, AO. (1977). FOULING OF ASBESTOS CEMENT ROOFING. 13: R6-R6.
- Lloyd, M, axK; Eiler, JM; Nabelek, PI. (2017). Clumped isotope thermometry of calcite and dolomite in a contact metamorphic environment. *Geochim Cosmo Acta*. 197: 323-344. <http://dx.doi.org/10.1016/j.gca.2016.10.037>.
- Lockey, JE; Dunning, K; Hilbert, TJ; Borton, E; Levin, L; Rice, CH; Mckay, RT; Shipley, R; Meyer, CA; Perme, C; Lemasters, GK. (2015). HRCT/CT and associated spirometric effects of low Libby amphibole asbestos exposure. *J Occup Environ Med*. 57: 6-13. <http://dx.doi.org/10.1097/JOM.0000000000000373>.
- Lockey, JE; Dunning, K; Hilbert, TJ; Borton, E; Levin, L; Rice, CH; Mckay, RT; Shipley, R; Meyer, CA; Perme, C; Lemasters, GK. (2015). Response Comment on "HRCT/CT and associated spirometric effects of low libby amphibole asbestos exposure" by lockey et al (2015) [Comment]. *J Occup Environ Med*. 57: e80-e82. <http://dx.doi.org/10.1097/JOM.0000000000000492>.
- Lockey, JE; Roggli, VL; Hitbert, TJ; Rice, CH; Levin, LS; Borton, EK; Biddinger, PW; Lemasters, GK. (2012). Biopersistence of Refractory Ceramic Fiber in Human Lung Tissue and a 20-Year Follow-Up of Radiographic Pleural Changes in Workers. *J Occup Environ Med*. 54: 781-788. <http://dx.doi.org/10.1097/JOM.0b013e31825296fd>.
- Lockwood, TH. (1974). THE ANALYSIS OF ASBESTOS FOR TRACE METALS (pp. 245-251; 1974). (ISSN 0002-8894; HMT/74/0003525). Lockwood, TH.
- Logan, MD. (1986). Extent Of Asbestos Danger Is International Disagreement. *Occup Health Saf*. 55: 63-64.
- Logsdon, GS. (1983). ENGINEERING AND OPERATING APPROACHES FOR CONTROLLING ASBESTOS FIBERS IN DRINKING-WATER. *Environ Health Perspect*. 53: 169-176.
- Logsdon, GS; Evavold, GL; Patton, JL; Watkins, J. (1983). FILTER PLANT-DESIGN FOR ASBESTOS FIBER REMOVAL. *J Environ Eng*. 109: 900-914.
- Logsdon, GS; Schleppenbach, FX; Zaudtke, TM. (1979). FILTRATION WORKS OUT ASBESTOS FIBERS. 126: 44-46.
- Logsdon, GS; Symons, JM; Sorg, TJ. (1981). MONITORING WATER FILTERS FOR ASBESTOS REMOVAL. *J Environ Eng Div (ASCE)*. 107: 1297-1315.
- Lohcharoenkal, W; Wang, L; Stueckle, TA; Dinu, CZ; Castranova, V; Liu, Y; Rojanasakul, Y. (2013). Chronic exposure to carbon nanotubes induces invasion of human mesothelial cells through matrix metalloproteinase-2. *ACS Nano*. 7: 7711-7723. <http://dx.doi.org/10.1021/nn402241b>.
- Lohmar, HJ. (1976). NEW CONCEPTION OF INDUSTRIAL POLICY FOR ASBESTOS INDUSTRY. *Kautschuk Gummi Kunststoffe*. 29: 389-391.
- Lohrer, W. (1983). ASBESTOS EXPOSED INTERIORS - ANALYSIS AND EVALUATION OF RISK POTENTIALS. *Staub, Reinhaltung der Luft*. 43: 434-438.
- Lohrer, W; Heide, H; Konig, R. (1979). ASBESTOS EMISSION OF ASBESTOS CEMENT AND ASBESTOS-CONTAINING FLOOR COVERINGS. *Staub, Reinhaltung der Luft*. 39: 417-422.
- Lohrer, W; H-J, N. (1987). Asbestos in the Environment, Part II (pp. 519-522). (NIOSH/00193064). Lohrer, W; Nantke H-J.
- Lohrer, W; Mierheim, H. (1983). SUBSTITUTION OF ASBESTOS IN FRICTION LININGS - ANALYSES OF PROBLEMS AND DEVELOPMENT TRENDS. *Staub, Reinhaltung der Luft*. 43: 78-85.
- Lohrer, W; Poeschel, E. (1980). ASBESTOS SUBSTITUTES - POSSIBILITIES OF APPLICATION - IMPORTANCE OF INDUSTRIAL-HYGIENE. *Staub, Reinhaltung der Luft*. 40: 210-217.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- London, L. (2005). Dual loyalties and the ethical and human rights obligations of occupational health professionals. *Am J Ind Med.* 47: 322-332. <http://dx.doi.org/10.1002/ajim.20148>.
- Long, JF; Dutta, PK; Hogg, BD. (1997). Fluorescence imaging of reactive oxygen metabolites generated in single macrophage cells (NR8383) upon phagocytosis of natural zeolite (erionite) fibers. *Environ Health Perspect.* 105: 706-711. <http://dx.doi.org/10.1289/ehp.97105706>.
- Longo, WE; Rigler, MW; Slade, J. (1995). Crocidolite asbestos fibers in smoke from original Kent cigarettes. *Cancer Res.* 55: 2232-2235.
- Lopatin, S; Tsay, JC; Addrizzo-Harris, D; Munger, JS; Pass, H; Rom, WN. (2016). Erratum to "reduced lung function in smokers in a lung cancer screening cohort with asbestos exposure and pleural plaques" [Erratum]. *Am J Ind Med.* 59: 424. <http://dx.doi.org/10.1002/ajim.22583>.
- Lopez, GP; Hitzman, MW; Nelson, EP. (2014). Alteration patterns and structural controls of the El Espino IOCG mining district, Chile. *Miner Depos.* 49: 235-259. <http://dx.doi.org/10.1007/s00126-013-0485-0>.
- Lopez Sanchez-Vizcaino, V; Teresa Gomez-Pugnaire, M; Garrido, CJ; Alberto Padron-Navarta, J; Mellini, M. (2009). Breakdown mechanisms of titanclinochumite in antigorite serpentinite (Cerro del Almiraz massif, S. Spain): A petrological and TEM study. *Lithos.* 107: 216-226. <http://dx.doi.org/10.1016/j.lithos.2008.10.008>.
- López-Abente, G; Fernández-Navarro, P; Boldo, E; Ramis, R; García-Pérez, J. (2012). Industrial pollution and pleural cancer mortality in Spain. *Sci Total Environ.* 424: 57-62. <http://dx.doi.org/10.1016/j.scitotenv.2012.02.047>.
- López-Abente, G; García-Pérez, J; Fernández-Navarro, P; Boldo, E; Ramis, R. (2012). Colorectal cancer mortality and industrial pollution in Spain. *BMC Public Health.* 12: 589. <http://dx.doi.org/10.1186/1471-2458-12-589>.
- López-Abente, G; Hernández-Barrera, V; Pollán, M; Aragonés, N; Pérez-Gómez, B. (2005). Municipal pleural cancer mortality in Spain. *Occup Environ Med.* 62: 195-199. <http://dx.doi.org/10.1136/oem.2004.015743>.
- Lopez-Arquillos, A; Carlos Rubio-Romero, J; Suarez-Cebador, M; del Carmen Pardo-Ferreira, M. (2015). Comparative risk assessment of vehicle maintenance activities: Hybrid, battery electric, and hydrogen fuel cell cars. *International Journal of Industrial Ergonomics.* 47: 53-60. <http://dx.doi.org/10.1016/j.ergon.2015.02.005>.
- Lopez-Cima, MF; Garcia-Perez, J; Perez-Gomez, B; Aragonés, N; Lopez-Abente, G; Pascual, T; Tardon, A; Pollan, M. (2013). Lung cancer risk associated with residential proximity to industrial installations: a spatial analysis. *Int J Environ Sci Tech.* 10: 891-902. <http://dx.doi.org/10.1007/s13762-013-0248-6>.
- Lorber, M; Gibb, H; Grant, L; Pinto, J; Pleil, J; Cleverly, D. (2007). Assessment of inhalation exposures and potential health risks to the general population that resulted from the collapse of the world trade center towers. *Risk Anal.* 27: 1203-1221. <http://dx.doi.org/10.1111/j.1539-6924.2007.00956.x>.
- Losman, D. (1979). Detection and analysis of asbestos in environmental-samples collected on membrane-filters - multiple-choice procedure integrating the Im, the sem and the emp. *Bull Environ Contam Toxicol.* 23: 170-178.
- Lott, PF. (1991). The detection of asbestos in floor tiles by X-ray diffractometry. *Microchem J.* 44: 161-167.
- Loughrey, L; Marshall, D; Ihlen, P; Jones, P. (2013). Boiling as a mechanism for colour zonations observed at the Byrud emerald deposit, Eidsvoll, Norway: fluid inclusion, stable isotope and Ar-Ar studies. *Geofluids.* 13: 542-558. <http://dx.doi.org/10.1111/gfl.12051>.
- Lourenco, MP; de Oliveira, C; Oliveira, AF; Guimaraes, L; Duarte, HA. (2012). Structural, Electronic, and Mechanical Properties of Single-Walled Chrysotile Nanotube Models. *J Phys Chem C.* 116: 9405-9411. <http://dx.doi.org/10.1021/jp301048p>.
- Love, DA; Roberts, RG. (1991). THE GEOLOGY AND GEOCHEMISTRY OF GOLD MINERALIZATION AND ASSOCIATED ALTERATION AT THE RUNDLE GOLD DEPOSIT, ABITIBI SUBPROVINCE, ONTARIO. *Econ Geol.* 86: 644-666.
- Lowenthal, G. (1994). Occupational Health Programs in Clinics and Hospitals. *Occup Med (Lond)*. Third Edition: 875-882.
- Lowers, HA; Meeker, GP; Liroy, PJ; Lippmann, M. (2009). Summary of the development of a signature for detection of residual dust from collapse of the World Trade Center buildings. *J Expo Sci Environ Epidemiol.* 19: 325-335. <http://dx.doi.org/10.1038/jes.2008.25>.
- Lowry, SJ; Weiss, NS. (2016). Geographic distribution of incidence of pericardial and paratesticular mesotheliomas in the USA. *Cancer Causes Control.* 27: 1487-1489. <http://dx.doi.org/10.1007/s10552-016-0825-3>.
- Lu, BQ; Xia, YB; Qi, LJ. (2005). Infrared absorption spectra of serpentine cat's eye and the mechanism of its thermotransformation. *Wuji Cailiao Xuebao.* 20: 285-290.
- Lu, S; Zhuang, L, in; Lu, J. (2007). Homogeneous blend membrane made from poly(ether sulphone) and poly(vinylpyrrolidone) and its application to water electrolysis. *J Memb Sci.* 300: 205-210. <http://dx.doi.org/10.1016/j.memsci.2007.05.026>.
- Luanpitpong, S; Wang, L; Davidson, DC; Riedel, H; Rojanasakul, Y. (2016). Carcinogenic Potential of High Aspect Ratio Carbon Nanomaterials. 3: 483-493. <http://dx.doi.org/10.1039/C5EN00238A>.
- Lubis, H; Prihatmoko, S; James, LP. (1994). BULAGIDUN PROSPECT - A COPPER, GOLD AND TOURMALINE BEARING PORPHYRY AND BRECCIA SYSTEM IN NORTHERN SULAWESI, INDONESIA. *J Geochem Explor.* 50: 257-278.
- Luce, D; Billon-Galland, MA; Bugel, I; Goldberg, P; Salomon, C; Févotte, J; Goldberg, M. (2004). Assessment of environmental and domestic exposure to tremolite in New Caledonia. *Arch Environ Health.* 59: 91-100. <http://dx.doi.org/10.3200/AEOH.59.2.91-100>.
- Luce, D; Bugel, I; Goldberg, P; Goldberg, M; Salomon, C; Billon-Galland, MA; Nicolau, J; Quenel, P; Fevotte, J; Brochard, P. (2000). Environmental exposure to tremolite and respiratory cancer in New Caledonia: a case-control study. *Am J Epidemiol.* 151: 259-265.
- Lumpkin, GR; Ewing, RC. (1995). GEOCHEMICAL ALTERATION OF PYROCHLORE GROUP MINERALS - PYROCHLORE SUBGROUP. *Am Mineral.* 80: 732-743.
- Lun, H; Ouyang, J; Yang, H. (2014). Enhancing dispersion of halloysite nanotubes via chemical modification. *Physics and Chemistry of Minerals.* 41: 281-288. <http://dx.doi.org/10.1007/s00269-013-0646-9>.
- Lund, LG; Williams, MG; Dodson, RF; Aust, AE. (1994). Iron associated with asbestos bodies is responsible for the formation of single strand breaks in phi X174 RFI DNA. *Occup Environ Med.* 51: 200-204.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Lundgren, DA; Vanderpool, RW; Liu, BYH. (1991). MEASUREMENT OF ASBESTOS FIBER CONCENTRATION ABOVE FLOOR TILE. *Particle & Particle Systems Characterization*. 8: 229-232.
- Lundgren, L; Lundstrom, S; Laszlo, I; Westling, B. (1995). MODERN FIBER COUNTING - A TECHNIQUE WITH THE PHASE-CONTRAST MICROSCOPE ONLINE TO A MACINTOSH COMPUTER. *Ann Occup Hyg*. 39: 455-&.
- Lundgren, L; Lundstrom, S; Sundstrom, G; Bergman, G; Krantz, S. (1996). A quantitative method using a light microscope on-line to a Macintosh computer for the analysis of tremolite fibres in dolomite. *Ann Occup Hyg*. 40: 197-&.
- Lundy, P; Barer, M. (1992). Asbestos-containing materials in New York City buildings. *Environ Res*. 58: 15-24.
- Luo, JC; Zehab, R; Anttila, S; Ridanpaa, M; Husgafvel-Pursiainen, K; Vainio, H; Carney, W; De Vivo, I; Milling, C; Brandt-Rauf, PW. (1994). Detection of serum p53 protein in lung cancer patients. *J Occup Med*. 36: 155-160.
- Luo, S; Liu, X; Mu, S; Tsai, SP; Wen, CP. (2003). Asbestos related diseases from environmental exposure to crocidolite in Da-yao, China. I. Review of exposure and epidemiological data [Review]. *Occup Environ Med*. 60: 35-41; discussion 41-32. <http://dx.doi.org/10.1136/oem.60.1.35>.
- Luo, W, ei; Feng, Q; Ou, L; Zhang, G; Chen, Y, un. (2010). Kinetics of saprolitic laterite leaching by sulphuric acid at atmospheric pressure. *Miner Eng*. 23: 458-462. <http://dx.doi.org/10.1016/j.mineng.2009.10.006>.
- Luoto, K; Holopainen, M; Kangas, J; Kalliokoski, P; Savolainen, K. (1995). The effect of fiber length on the dissolution by macrophages of rockwool and glasswool fibers. *Environ Res*. 70: 51-61. <http://dx.doi.org/10.1006/enrs.1995.1046>.
- Luoto, K; Holopainen, M; Kangas, J; Kalliokoski, P; Savolainen, K. (1998). Dissolution of short and long rockwool and glasswool fibers by macrophages in flowthrough cell culture. *Environ Res*. 78: 25-37. <http://dx.doi.org/10.1006/enrs.1997.3825>.
- Luoto, K; Holopainen, M; Sarataho, M; Savolainen, K. (1997). Comparison of cytotoxicity of man-made vitreous fibres. *Ann Occup Hyg*. 41: 37-50. [http://dx.doi.org/10.1016/S0003-4878\(96\)00031-2](http://dx.doi.org/10.1016/S0003-4878(96)00031-2).
- Luoto, K; Holopainen, M; Savolainen, K. (1994). SCANNING ELECTRON-MICROSCOPIC STUDY ON THE CHANGES IN THE CELL-SURFACE MORPHOLOGY OF RAT ALVEOLAR MACROPHAGES AFTER THEIR EXPOSURE TO MAN-MADE VITREOUS FIBERS. *Environ Res*. 66: 198-207.
- Luster, MI; Rosenthal, GJ. (1993). Chemical Agents and the Immune Response [Review]. *Environ Health Perspect*. 100: 219-226.
- Lustrato, G; Alfano, G; Andreotti, A; Colombini, MP; Ranalli, G. (2012). Fast biocleaning of mediaeval frescoes using viable bacterial cells. *Int Biodeterior Biodegradation*. 69: 51-61. <http://dx.doi.org/10.1016/j.ibiod.2011.12.010>.
- Luttge, A; Metz, P. (1993). MECHANISM AND KINETICS OF THE REACTION - 1 DOLOMITE PLUS 2 QUARTZ = 1 DIOPSIDE PLUS 2 CO₂ - A COMPARISON OF ROCK-SAMPLE AND OF POWDER EXPERIMENTS. *Contributions to Mineralogy and Petrology*. 115: 155-164.
- Luttge, A; Neumann, U; Lasaga, AC. (1998). The influence of heating rate on the kinetics of mineral reactions: An experimental study and computer models. *Am Mineral*. 83: 501-515.
- Lutz, EH; Swain, MV; Cook, PS. (1994). SIGNIFICANCE OF SPECIMEN SIZE FOR THE K(R)-CURVE BEHAVIOR OF QUASI-BRITTLE MATERIALS. *J Eur Ceram Soc*. 13: 501-507.
- Luxon, SG. (1971). USE OF DUST RESPIRATORS AGAINST ASBESTOS DUST HAZARDS IN UNITED-KINGDOM. *Am Ind Hyg Assoc J*. 32: 723-&.
- Lyaptsev, SA; Potapov, VY, a; Davydov, SY, a; Potapov, VV; Semerikov, LA; Vasil'ev, EA. (2015). Classification of Granular Material in an Impact with a Separation Surface. *Refractories and Industrial Ceramics*. 55: 570-572. <http://dx.doi.org/10.1007/s11148-015-9767-7>.
- Lykins, RW; Jenkins, DM. (1992). EXPERIMENTAL-DETERMINATION OF PARGASITE STABILITY RELATIONS IN THE PRESENCE OF ORTHO-PYROXENE. *Contributions to Mineralogy and Petrology*. 112: 405-413.
- Lynch, JR. (1971). Environmental Sampling and Analysis of Particulate Matter: Asbesto. *Arch Dermatol*. 85: 441-454.
- Lynch, JR; Ayer, HE; Johnson, DL. (1970). The interrelationships of selected asbestos exposure indices. *Am Ind Hyg Assoc J*. 31: 598-604. <http://dx.doi.org/10.1080/0002889708506298>.
- Lynge, E; Villadsen, E; Raffn, E; Engholm, G. (1997). Lung cancer in asbestos cement workers in Denmark - Reply. *Occup Environ Med*. 54: 143-143.
- Lyons, TJ; Knapik, JP. (1996). WORKER EXPOSURE DURING ENVIRONMENTAL SAMPLING THE HAZARDS INVOLVED (pp. PHILADELPHIA). (BIOSIS/96/38447). Lyons, TJ; Knapik, JP.
- Lyster, R. (2015). A Fossil Fuel-Funded Climate Disaster Response Fund under the Warsaw International Mechanism for Loss and Damage Associated with Climate Change Impacts. 4: 125-151.
- Maccarthy, J; Addai-Mensah, J; Nosrati, A. (2014). Atmospheric acid leaching of siliceous goethitic Ni laterite ore: Effect of solid loading and temperature. *Miner Eng*. 69: 154-164. <http://dx.doi.org/10.1016/j.mineng.2014.08.005>.
- Macher, JM; Hayward, SB. (1991). Public inquiries about indoor air quality in California. *Environ Health Perspect*. 92: 175-180.
- Maciejewska, A. (2012). [Application of infrared spectrometry (FT-IR) for mineral identification of asbestos in bulk samples]. *Med Pr*. 63: 181-189.
- Mackenzie, KJD; Bradley, S; Hanna, JV; Smith, ME. (2013). Magnesium analogues of aluminosilicate inorganic polymers (geopolymers) from magnesium minerals. *Journal of Materials Science*. 48: 1787-1793. <http://dx.doi.org/10.1007/s10853-012-6940-y>.
- Mackenzie, KJD; Meinhold, RH. (1994). A GLASS-BONDED CERAMIC MATERIAL FROM CHRYSOTILE (WHITE ASBESTOS). *Journal of Materials Science*. 29: 2775-2783.
- Mackenzie, KJD; Meinhold, RH. (1994). THERMAL-REACTIONS OF CHRYSOTILE REVISITED - A SI-29 AND MG-25 MAS NMR-STUDY. *Am Mineral*. 79: 43-50.
- Maclure, M. (1987). ASBESTOS AND RENAL ADENOCARCINOMA A CASE-CONTROL STUDY. *Environ Res*. 42: 353-361.
- Mactiernan, A; Fritschi, L; Slevin, T; Jalleh, G; Donovan, R; Heyworth, J. (2014). Public perceptions of cancer risk factors: a Western Australian study. *Health Promot J Austr*. 25: 90-96. <http://dx.doi.org/10.1071/HE13081>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Maddalon, G; Patroni, M; Trimarchi, R; Clerici, C; Ocella, E. (1991). [Sensitivity, precision and resolution of the optical microscope in the study of environmental pollution by asbestos fibers]. *Med Lav.* 82: 358-371.
- Madugalla, TBN, S; Pitawala, HMT, GA; Naumann, R; Trumbull, RB. (2015). Hydrothermal mica deposits in altered meta-ultrabasites from north-central Sri Lanka. *J Geochem Explor.* 153: 66-78. <http://dx.doi.org/10.1016/j.gexplo.2015.03.002>.
- Maeda, M; Yamamoto, S; Chen, Y; Kumagai-Takei, N; Hayashi, H; Matsuzaki, H; Lee, S; Hatayama, T; Miyahara, N; Katoh, M; Hiratsuka, J; Nishimura, Y; Otsuki, T. (2012). Resistance to asbestos-induced apoptosis with continuous exposure to crocidolite on a human T cell. *Sci Total Environ.* 429: 174-182. <http://dx.doi.org/10.1016/j.scitotenv.2012.04.043>.
- Magee, F; Wright, JL; Chan, N; Lawson, L; Churg, A. (1986). Malignant mesothelioma caused by childhood exposure to long-fiber low aspect ratio tremolite. *Am J Ind Med.* 9: 529-533. <http://dx.doi.org/10.1002/ajim.4700090604>.
- Magnani, C; Bianchi, C; Chellini, E; Consonni, D; Fubini, B; Gennaro, V; Marinaccio, A; Menegozzo, M; Mirabelli, D; Merler, E; Merletti, F; Musti, M; Oddone, E; Romanelli, A; Terracini, B; Zona, A; Zocchetti, C; Alessi, M; Baldassarre, A; Dianzani, I; Maule, M; Mensi, C; Silvestri, S. (2015). III Italian Consensus Conference on Malignant Mesothelioma of the Pleura. *Epidemiology, Public Health and Occupational Medicine related issues.* *Med Lav.* 106: 325-332.
- Magnani, C; Fubini, B; Mirabelli, D; Bertazzi, PA; Bianchi, C; Chellini, E; Gennaro, V; Marinaccio, A; Menegozzo, M; Merler, E; Merletti, F; Musti, M; Pira, E; Romanelli, A; Terracini, B; Zona, A. (2013). Pleural mesothelioma: epidemiological and public health issues. Report from the Second Italian Consensus Conference on Pleural Mesothelioma. *Med Lav.* 104: 191-202.
- Magnani, C; Terracini, B; Ivaldi, C; Botta, M; Budel, P; Mancini, A; Zanetti, R. (1993). A cohort study on mortality among wives of workers in the asbestos cement industry in Casale Monferrato, Italy. *Br J Ind Med.* 50: 779-784.
- Magrez, A; Kasas, S; Salicio, V; Pasquier, N; Seo, JW; Celio, M; Catsicas, S; Schwaller, B; Forró, L. (2006). Cellular toxicity of carbon-based nanomaterials. *Nano Lett.* 6: 1121-1125. <http://dx.doi.org/10.1021/nl060162e>.
- Mahmood, N; Khan, SG; Ali, S; Athar, M; Rahman, Q. (1993). Asbestos Induced Oxidative Injury to DNA. *Ann Occup Hyg.* 37: 315-319.
- Mai, YW. (1980). STRENGTH AND FRACTURE PROPERTIES OF ASBESTOS-CEMENT MORTAR COMPOSITES - REPLY. *Journal of Materials Science.* 15: 2388-2389.
- Mainprice, D; Le Page, Y; Rodgers, J; Jouanna, P. (2008). Ab initio elastic properties of talc from 0 to 12 GPa: Interpretation of seismic velocities at mantle pressures and prediction of auxetic behaviour at low pressure. *Earth Planet Sci Lett.* 274: 327-338. <http://dx.doi.org/10.1016/j.epsl.2008.07.047>.
- Majumdar, AS; Hoevelmann, J; Mondal, SK; Putnis, A. (2016). The role of reacting solution and temperature on compositional evolution during harzburgite alteration: Constraints from the Mesoarchean Nuasahi Massif (eastern India). *Lithos.* 256: 228-242. <http://dx.doi.org/10.1016/j.lithos.2016.04.016>.
- Majumdar, AS; Hoevelmann, J; Vollmer, C; Berndt, J; Mondal, SK; Putnis, A. (2016). Formation of Mg-rich Olivine Pseudomorphs in Serpentinized Dunitite from the Mesoarchean Nuasahi Massif, Eastern India: Insights into the Evolution of Fluid Composition at the Mineral-Fluid Interface. *Journal of Petrology.* 57: 3-26. <http://dx.doi.org/10.1093/petrology/egv070>.
- Maksimov, AP. (2009). The influence of water on the temperature of amphibole stability in melts. *Journal of Volcanology and Seismology.* 3: 27-33. <http://dx.doi.org/10.1134/S0742046309010035>.
- Makvandi, S; Beaudoin, G; Mcclenaghan, BM; Layton-Matthews, D. (2015). The surface texture and morphology of magnetite from the Izok Lake volcanogenic massive sulfide deposit and local glacial sediments, Nunavut, Canada: Application to mineral exploration. *J Geochem Explor.* 150: 84-103. <http://dx.doi.org/10.1016/j.gexplo.2014.12.013>.
- Makvandi, S; Ghasemzadeh-Barvarz, M; Beaudoin, G; Grunsky, EC; Mcclenaghan, MB; Duchesne, C; Boutroy, E. (2016). Partial least squares-discriminant analysis of trace element compositions of magnetite from various VMS deposit subtypes: Application to mineral exploration. *Ore Geol Rev.* 78: 388-408. <http://dx.doi.org/10.1016/j.oregeorev.2016.04.014>.
- Malaspina, N; Hermann, J; Scambelluri, M; Compagnoni, R. (2006). Polyphase inclusions in garnet-orthopyroxenite (Dabie Shan, China) as monitors for metasomatism and fluid-related trace element transfer in subduction zone peridotite. *Earth Planet Sci Lett.* 249: 173-187. <http://dx.doi.org/10.1016/j.epsl.2006.07.017>.
- Malorni, W; Iosi, F; Falchi, M; Donelli, G. (1990). On the mechanism of cell internalization of chrysotile fibers: An immunocytochemical and ultrastructural study. *Environ Res.* 52: 164-177. [http://dx.doi.org/10.1016/S0013-9351\(05\)80251-8](http://dx.doi.org/10.1016/S0013-9351(05)80251-8).
- Maltoni, C. (1999). Call for an international ban on asbestos [Review]. *Toxicol Ind Health.* 15: 529-531. <http://dx.doi.org/10.1177/074823379901500601>.
- Malvoisin, B; Austrheim, H; Malthe-Sorensen, A; Glodny, J. (2012). Deformation-related alteration of basaltic clasts during deep burial in sedimentary basins. *Chem Geol.* 322: 47-67. <http://dx.doi.org/10.1016/j.chemgeo.2012.06.011>.
- Malvoisin, B; Brunet, F; Carlut, J; Roumejon, S; Cannat, M. (2012). Serpentinization of oceanic peridotites: 2. Kinetics and processes of San Carlos olivine hydrothermal alteration. *J Geophys Res Solid Earth.* 117. <http://dx.doi.org/10.1029/2011JB008842>.
- Mameri, N; Piron, DL; Bouzid, A; Derenne, M; Marchand, L; Birembaut, Y. (2000). Corrosion quantification test for flanges with graphite-based gaskets. *Mater Perform.* 39: 64-69.
- Man, SF; Noujaim, AA; Lee, TK; Gibney, RT; Logus, JW. (1980). Canine tracheal mucus transport of particulate pollutants: comparison of radiolabeled corn pollen, ragweed pollen, asbestos, silica, and talc to Dowex anion exchange particles. *Arch Environ Health.* 35: 283-286.
- Manabe, M; Tatarazako, N; Kinoshita, M. (2011). Uptake, excretion and toxicity of nano-sized latex particles on medaka (*Oryzias latipes*) embryos and larvae. *Aquat Toxicol.* 105: 576-581. <http://dx.doi.org/10.1016/j.aquatox.2011.08.020>.
- Manavendra, G; Kumarappa, S; Kumar, GCM; Bharath, KN. (2011). Experimental Investigation of Thermal Properties of Areca Fiber Reinforced Phenol Formaldehyde Composites. 43: 87-93.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Mancini, F; Marshall, B; Papunen, H. (1996). Petrography and metamorphism of the Saaksjarvi ultramafic body, southwest Finland. *Mineralogy and Petrology*. 56: 185-208.
- Mancuso, TF. (1993). Re: "TLVs for asbestos" [Letter]. *Am J Ind Med*. 23: 961-965.
- Mancuso, TF. (1994). Unpublished data on asbestos dust continue to surface [Letter]. *Am J Ind Med*. 25: 457-460.
- Mancuso, TF. (1997). Chromium as an industrial carcinogen: Part II. Chromium in human tissues. *Am J Ind Med*. 31: 140-147. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(19970204\)31:2<140::AID-AJIM2>3.0.CO;2-3](http://dx.doi.org/10.1002/(SICI)1097-0274(19970204)31:2<140::AID-AJIM2>3.0.CO;2-3).
- Mann, JH. (1990). An industrial hygiene evaluation of beet sugar processing plants. *Am Ind Hyg Assoc J*. 51: 313-318. <http://dx.doi.org/10.1080/15298669091369727>.
- Manning, DP; Jones, C. (1995). HIGH HEELS AND POLISHED FLOORS - THE ULTIMATE CHALLENGE IN RESEARCH ON SLIP-RESISTANCE. *Safety Sci*. 19: 19-29.
- Manning, DP; Jones, C; Rowland, FJ; Roff, M. (1998). The surface roughness of a rubber soling material determines the coefficient of friction on water-lubricated surfaces. *J Safety Res*. 29: 275-283.
- Manos, CG; Patelmandlik, KJ; Lisk, DJ. (1992). PREVALENCE OF ASBESTOS IN COMPOSTED WASTE FROM 26 COMMUNITIES IN THE UNITED-STATES. *Arch Environ Contam Toxicol*. 23: 266-269.
- Manos, CG; Patelmandlik, KJ; Lisk, DJ. (1993). ASBESTOS IN YARD OR SLUDGE COMPOSTS FROM THE SAME COMMUNITY AS A FUNCTION OF TIME-OF-WASTE-COLLECTION. *Chemosphere*. 26: 1537-1540.
- Manos, CG; Patelmandlik, KJ; Ross, BJ; Jenkins, EJ; Lisk, DJ. (1991). PREVALENCE OF ASBESTOS IN SEWAGE SLUDGES FROM 51 LARGE AND SMALL CITIES IN THE UNITED-STATES. *Chemosphere*. 22: 963-973.
- Manos, CG; Patel-Mandlik, KJ; Ross, BJ; Jenkins, EJ; Lisk, DJ. (1991). Prevalence of asbestos in sewage sludges from 51 lae and small cites in the USA. *Chemosphere*. 22: 9-10.
- Manske, SL; Paul, AH. (2002). Geology of a major new porphyry copper center in the Superior (Pioneer) district, Arizona. *Econ Geol*. 97: 197-220.
- Manti, A; Bancolina, C; Capano, G. (2013). [Greenstones mining is a risk for public health?]. *Epidemiol Prev*. 37: 74-76.
- Manuella, FC. (2011). Vein mineral assemblage in partially serpentinized peridotite xenoliths from Hyblean Plateau (south-eastern Sicily, Italy). *Periodico di Mineralogia*. 80: 247-266. <http://dx.doi.org/10.2451/2011PM0019>.
- Manuella, FC; Carbone, S; Barreca, G. (2012). ORIGIN OF SAPONITE-RICH CLAYS IN A FOSSIL SERPENTINITE-HOSTED HYDROTHERMAL SYSTEM IN THE CRUSTAL BASEMENT OF THE HYBLEAN PLATEAU (SICILY, ITALY). *Clays and Clay Minerals*. 60: 18-31. <http://dx.doi.org/10.1346/CCMN.2012.0600102>.
- Manuella, FC; Ottolini, L; Carbone, S; Scavo, L. (2016). Metasomatizing effects of serpentinization-related hydrothermal fluids in abyssal peridotites: new contributions from Hyblean peridotite xenoliths (southeastern Sicily). *Lithos*. 264: 405-421. <http://dx.doi.org/10.1016/j.lithos.2016.09.010>.
- Manz, A. (1994). ASBESTOS FIBERS AND MAN-MADE MINERAL FIBERS - CARCINOGENS OR TRANSPORT MEDIA FOR CARCINOGEN - MEMORIES OF AN ALMOST FORGOTTEN THEORY. *Staub, Reinhaltung der Luft*. 54: 363-367.
- Mao, IF; Yeh, HR; Chen, ML. (2002). Comparison of fiber counting by TV screen and eyepieces of phase contrast microscopy. *AIHA J*. 63: 756-761.
- Marchand, L; Derenne, M; Bazergui, A. (1992). WEIGHT-LOSS CORRELATION FOR SHEET GASKET MATERIALS. *Journal of Pressure Vessel Technology*. 114: 1-7.
- Marchand, PE. (1991). HISTORICAL PERSPECTIVES IN OCCUPATIONAL MEDICINE THE DISCOVERY OF MESOTHELIOMA IN THE NORTHWESTERN CAPE PROVINCE IN THE REPUBLIC OF SOUTH AFRICA. *Am J Ind Med*. 19: 241-246.
- Marchesan, S; Kostarelos, K; Bianco, A; Prato, M. (2015). The winding road for carbon nanotubes in nanomedicine. *Mater Today*. 18. <http://dx.doi.org/10.1016/j.mattod.2014.07.009>.
- Marchesi, C; Garrido, CJ; Padron-Navarta, JA; Lopez Sanchez-Vizcaino, V; Teresa Gomez-Pugnaire, M. (2013). Element mobility from seafloor serpentinization to high-pressure dehydration of antigorite in subducted serpentinite: Insights from the Cerro del Almiraz ultramafic massif (southern Spain). *Lithos*. 178: 128-142. <http://dx.doi.org/10.1016/j.lithos.2012.11.025>.
- Marconi, A; Cecchetti, G; Barbieri, M. (1989). Airborne Mineral Fibre Concentrations in an Urban Area Near an Asbestos-Cement Plant (pp. 336-346). (ISSN 0300-5038; NIOSH/00191370). Marconi, A; Cecchetti, G; Barbieri, M.
- Marconi, A; Falleni, F; Campanella, E. (1993). Comparison between phase contrast optical microscopy and electron scanning microscopy for analysis of airborne asbestos fibres in office environments. 84: 211-216.
- Marconi, A; Maccione, M; Rossi, L. (1986). Asbestos and Talc: Determination of Mineral Fiber Content in Commercial Talc Powders by Combined Optical Microscopy Techniques (pp. 496-510). (NIOSH/00175467). Marconi, A; Maccione, M; Rossi, L.
- Marconi, A; Menichini, E; Paoletti, L. (1984). A comparison of light microscopy and transmission electron microscopy results in the evaluation of the occupational exposure to airborne chrysotile fibres. *Ann Occup Hyg*. 28: 321-331.
- Maresca, GP; Puffer, JH; Germine, M. (1984). ASBESTOS IN LAKE AND RESERVOIR WATERS OF STATEN-ISLAND, NEW-YORK - SOURCE, CONCENTRATION, MINERALOGY, AND SIZE DISTRIBUTION. *Environ Geol Water Sci*. 6: 201-210.
- Maresch, WV; Czank, M; Schreyer, W. (1994). GROWTH MECHANISMS, STRUCTURAL DEFECTS AND COMPOSITION OF SYNTHETIC TREMOLITE - WHAT ARE THE EFFECTS ON MACROSCOPIC PROPERTIES. *Contributions to Mineralogy and Petrology*. 118: 297-313.
- Marfels, H; Spurny, K; Boose, C; Althaus, W; Wulbeck, FJ; Weiss, G; Schormann, J; Opiela, H. (1988). MEASUREMENTS OF FIBROUS DUSTS IN AMBIENT AIR OF THE FEDERAL-REPUBLIC-OF-GERMANY .6. ASBESTOS IN AMBIENT AIR OF WASTE DUMPS. *Staub, Reinhaltung der Luft*. 48: 463-464.
- Marfels, H; Spurny, K; Chr, B; Schoermann, J; Opiela, H; Arthaus, W; Weiss, G. (1984). Measurements Of Fibrous Dusts In Ambient Air Of The Federal Republic Of Germany I. Measurements In The Vicinity Of An Industrial Sourc (pp. 259-263). (NIOSH/00152502). Marfels, H; Spurny, K; Boose Chr; Schoermann, J; Opiela, H; Arthaus, W; Weiss, G.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Marfels, H; Spurny, KR. (1988). FIBER DUST EMISSIONS ON DUMPS AND THEIR ASSESSMENT (pp. DORDRECHT). (BIOSIS/88/35673). Marfels, H; Spurny, KR.
- Marfels, H; Spurny, KR; Ibburg, J; Wenzel, A; Glaser, U. (1990). Anthropogene Staeube in der Aussenluft in Baden-Wuerttemberg: Physikalisch-chemische Analyse und toxikologische Bewertung. (Anthropogenic airborne dust in the ambient air of Baden-Wuerttemberg: Physical/chemical analysis and toxicological investigation) (pp. 51). (NTIS/02974643_a). Marfels, H; Spurny, KR; Ibburg, J; Wenzel, A; Glaser, U.
- Margler, LW; Rogozen, MB; Ziskind, RA; Reynolds, R. (1979). Rapid screening and identification of airborne carcinogens of greatest concern in California, USA. *J Air Pollut Control Assoc.* 29: 1153-1157.
- Margolis, SE; Morris, GE. (1986). Asbestos fibre supply and the regulation of asbestos exposure. *Resources Policy.* 12: 335-345.
- Marier, M; Charney, W; Rousseau, R; Lanthier, R; van Raalte, J. (2007). Exploratory sampling of asbestos in residences near Thetford Mines: the public health threat in Quebec. *Int J Occup Environ Health.* 13: 386-397. <http://dx.doi.org/10.1179/oeh.2007.13.4.386>.
- Marijnissen, J; Zeckendorf, A; Lemkowitz, S; Bibo, H. (1991). TRANSPORT AND DEPOSITION OF UNIFORM RESPIRABLE FIBERS IN A PHYSICAL LUNG MODEL. *J Aerosol Sci.* 22: S859-S862.
- Marinaccio, A. (2009). Epidemiologic surveillance of occupational cancers in the light of the new laws. *Epidemiol Prev.* 33: 80-84.
- Marinaccio, A. (2010). [Scientific research, epidemiologic surveillance, and compensation criteria for asbestos-related diseases] [Letter]. *Med Lav.* 101: 146-148.
- Marinaccio, A; Belli, S; Binazzi, A; Scarselli, A; Massari, S; Bruni, A; Conversano, M; Crosignani, P; Minerba, A; Zona, A; Comba, P. (2011). Residential proximity to industrial sites in the area of Taranto (Southern Italy). A case-control cancer incidence study. *Ann Ist Super Sanita.* 47: 192-199. http://dx.doi.org/10.4415/ANN_11_02_11.
- Marinaccio, A; Binazzi, A; Di Marzio, D; Scarselli, A; Verardo, M; Mirabelli, D; Gennaro, V; Mensi, C; Merler, E; De Zotti, R; Mangone, L; Chellini, E; Pascucci, C; Ascoli, V; Menegozzo, S; Cavone, D; Cauzillo, G; Nicita, C; Melis, M; Iavicoli, S. (2010). Incidence of extrapleural malignant mesothelioma and asbestos exposure, from the Italian national register. *Occup Environ Med.* 67: 760-765. <http://dx.doi.org/10.1136/oem.2009.051466>.
- Marinaccio, A; Scarselli, A; Binazzi, A; Altavista, P; Belli, S; Mastrantonio, M; Pasetto, R; Uccelli, R; Comba, P. (2008). Asbestos related diseases in Italy: an integrated approach to identify unexpected professional or environmental exposure risks at municipal level. *Int Arch Occup Environ Health.* 81: 993-1001. <http://dx.doi.org/10.1007/s00420-007-0293-x>.
- Marino, O; Palumbo, M; Mascolo, G. (1995). Destruction of asbestos fibres by sintering asbestos-volcanic tuff mixtures. *Environ Technol.* 16: 89-94.
- Mariotte, P; Buttler, A; Johnson, D; Thebault, A; Vandenberghe, C. (2012). Exclusion of root competition increases competitive abilities of subordinate plant species through root-shoot interactions. *J Veg Sci.* 23: 1148-1158. <http://dx.doi.org/10.1111/j.1654-1103.2012.01432.x>.
- Maris, JK. (1991). State of the Environment Report at Fort Lewis and Its Sub-Installations: A Program Review of the Environmental and Natural Resources Division at Fort Lewis (pp. 103). (NTIS/02980552). Maris, JK.
- Mark, G; Foster, DRW. (2000). Magmatic-hydrothermal albite-actinolite-apatite-rich rocks from the Cloncurry district, NW Queensland, Australia. *Lithos.* 51: 223-245.
- Markham, MC; Wosczyzna, K. (1976). DETERMINATION OF MICRO-QUANTITIES OF CHRYSOTILE ASBESTOS BY DYE ADSORPTION. *Environ Sci Technol.* 10: 930-931.
- Markl, G; Piazzolo, S. (1998). Halogen-bearing minerals in syenites and high-grade marbles of Dronning Maud Land, Antarctica: monitors of fluid compositional changes during late-magmatic fluid-rock interaction processes. *Contributions to Mineralogy and Petrology.* 132: 246-268.
- Markowitz, G; Rosner, D. (2016). "Unleashed on an Unsuspecting World": The Asbestos Information Association and Its Role in Perpetuating a National Epidemic. *Am J Public Health.* 106: 834-840. <http://dx.doi.org/10.2105/AJPH.2015.303023>.
- Markowski, A; Vallance, J; Chiaradia, M; Fontbote, L. (2006). Mineral zoning and gold occurrence in the Fortuna skarn mine, Nambija district, Ecuador. *Miner Depos.* 41: 301-321. <http://dx.doi.org/10.1007/s00126-006-0062-x>.
- Marks, M; Vennemann, T; Siebel, W; Markl, G. (2003). Quantification of magmatic and hydrothermal processes in a peralkaline syenite-alkali granite complex based on textures, phase equilibria, and stable and radiogenic isotopes. *Journal of Petrology.* 44: 1247-1280.
- Marmorato Gomes, CE; Savastano, H, Jr. (2014). Study of Hygral Behavior of NON-asbestos Fiber Cement Made by Similar Hatschek Process. *Mater Res.* 17: 121-129. <http://dx.doi.org/10.1590/S1516-14392013005000180>.
- Marocchi, M; Hermann, J; Morten, L. (2007). Evidence for multi-stage metasomatism of chlorite-amphibole peridotites (Ulten Zone, Italy): Constraints from trace element compositions of hydrous phases. *Lithos.* 99: 85-104. <http://dx.doi.org/10.1016/j.lithos.2007.05.010>.
- Marocchi, M; Hermann, J; Tropper, P; Bargossi, GM; Mair, V. (2010). Amphibole and phlogopite in "hybrid" metasomatic bands monitor trace element transfer at the interface between felsic and ultramafic rocks (Eastern Alps, Italy). *Lithos.* 117: 135-148. <http://dx.doi.org/10.1016/j.lithos.2010.02.011>.
- Marocchi, M; Mair, V; Tropper, P; Bargossi, GM. (2009). Metasomatic reaction bands at the Mt. Hochwart gneiss-peridotite contact (Ulten Zone, Italy): insights into fluid-rock interaction in subduction zones. *Mineralogy and Petrology.* 95: 251-272. <http://dx.doi.org/10.1007/s00710-009-0043-8>.
- Marquardt, H; Marquardt, K. (2012). Focused ion beam preparation and characterization of single-crystal samples for high-pressure experiments in the diamond-anvil cell. *Am Mineral.* 97: 299-304. <http://dx.doi.org/10.2138/am.2012.3911>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Marquardt, H; Speziale, S; Koch-Mueller, M; Marquardt, K; Capitani, GC. (2015). Structural insights and elasticity of single-crystal antigorite from high-pressure Raman and Brillouin spectroscopy measured in the (010) plane. *Am Mineral.* 100: 1932-1939. <http://dx.doi.org/10.2138/am-2015-5198>.
- Marques, JM; Carreira, PM; Carvalho, MR; Matias, MJ; Goff, FE; Basto, MJ; Graãşa, RC; Aires-Barros, L; Rocha, L. (2008). Origins of high pH mineral waters from ultramafic rocks, Central Portugal. *Appl Geochem.* 23: 3278-3289. <http://dx.doi.org/10.1016/j.apgeochem.2008.06.029>.
- Marsella, JM; Liu, BL; Vaslet, CA; Kane, AB. (1997). Susceptibility of p53-deficient mice to induction of mesothelioma by crocidolite asbestos fibers. *Environ Health Perspect.* 105: 1069-1072.
- Marsh, GM; Stone, RA; Henderson, VL. (1992). Lung cancer mortality among industrial workers exposed to formaldehyde: a Poisson regression analysis of the National Cancer Institute study. *AIHA J.* 53: 681-691. <http://dx.doi.org/10.1080/15298669291360373>.
- Marshall, LJ; Oliver, NHS. (2006). Monitoring fluid chemistry in iron oxide-copper-gold-related metasomatic processes, eastern Mt Isa Block, Australia. *Geofluids.* 6: 45-66.
- Marsili, D; Comba, P. (2013). Asbestos case and its current implications for global health. *Ann Ist Super Sanita.* 49: 249-251. http://dx.doi.org/DOI: 10.4415/ANN_13_03_03.
- Marsili, D; Comba, P; De Castro, P. (2015). Environmental health literacy within the Italian Asbestos Project: experience in Italy and Latin American contexts. *Commentary. Ann Ist Super Sanita.* 51: 180-182. http://dx.doi.org/10.4415/ANN_15_03_02.
- Marsili, D; Comba, P; Pasetto, R; Terracini, B. (2014). International scientific cooperation on asbestos-related disease prevention in Latin America [Editorial]. 80: 247-250. <http://dx.doi.org/10.1016/j.aogh.2014.09.002>.
- Martin, AK; Johnson, GC; Mccarthy, DF; Filson, RB. (1992). ATTEMPTS TO CONTROL LICHENS ON ASBESTOS CEMENT ROOFING. *Int Biodeterior Biodegradation.* 30: 261-271.
- Martin, C; Ponzevera, E; Harlow, G. (2015). In situ lithium and boron isotope determinations in mica, pyroxene, and serpentine by LA-MC-ICP-MS. *Chem Geol.* 412: 107-116. <http://dx.doi.org/10.1016/j.chemgeo.2015.07.022>.
- Martin, J; Beauparlant, M; Sauv , S; L'Esp rance, G. (2016). On the threshold conditions for electron beam damage of asbestos amosite fibers in the transmission electron microscope (TEM). *J Occup Environ Hyg.* 13: 924-935. <http://dx.doi.org/10.1080/15459624.2016.1191638>.
- Martinez, E. (1979). MAGNETIC CONCENTRATION OF ASBESTOS ORE. 72: 100-104.
- Mart nez-Miranda, MD; Nielsen, B; Nielsen, JP. (2016). Simple benchmark for mesothelioma projection for Great Britain. *Occup Environ Med.* 73: 561-563. <http://dx.doi.org/10.1136/oemed-2015-103303>.
- Martonik, JF; Nash, E; Grossman, E. (2001). The history of OSHA's asbestos rule makings and some distinctive approaches that they introduced for regulating occupational exposure to toxic substances. *AIHAJ.* 62: 208-217.
- Martra, G; Chiardola, E; Coluccia, S; Marchese, L; Tomatis, M; Fubini, B. (1999). Reactive sites at the surface of crocidolite asbestos. *Langmuir.* 15: 5742-5752.
- Martuzzi, M; Comba, P; De Santis, M; Iavarone, I; Di Paola, M; Mastrantonio, M; Pirastu, R. (1998). Asbestos-related lung cancer mortality in Piedmont, Italy. *Am J Ind Med.* 33: 565-570.
- Marty, NCM; Fritz, B; Clement, A; Michau, N. (2010). Modelling the long term alteration of the engineered bentonite barrier in an underground radioactive waste repository. *Appl Clay Sci.* 47: 82-90. <http://dx.doi.org/10.1016/j.clay.2008.10.002>.
- Marwa, EMM; Meharg, AA; Rice, CM. (2011). Accessory Minerals and Potentially Toxic Elements in Tanzanian Vermiculites with Respect to Agricultural Applications. *Commun Soil Sci Plant Anal.* 42: 1123-1142. <http://dx.doi.org/10.1080/00103624.2011.566958>.
- Maslennikova, TP; Korytkova, EN. (2010). Aqueous solutions of cesium salts and cesium hydroxide in hydrosilicate nanotubes of the Mg₃Si₂O₅(OH)₄ composition. *Glass Physics and Chemistry.* 36: 345-350. <http://dx.doi.org/10.1134/S1087659610030119>.
- Maslennikova, TP; Korytkova, EN. (2013). Influence of synthesis of physicochemical parameters on growth of Ni₃Si₂O₅(OH)₄ nanotubes and their filling with solutions of hydroxides and chlorides of alkaline metals. *Glass Physics and Chemistry.* 39: 67-72. <http://dx.doi.org/10.1134/S1087659613010082>.
- Maslennikova, TP; Korytkova, EN; Kuznetsova, OM; Pivovarova, LN. (2016). Thermochemical Modification of Mg₃Si₂O₅(OH)₄ Hydrosilicate Nanotubes by Silver Nitrate Solutions. *Glass Physics and Chemistry.* 42: 288-294. <http://dx.doi.org/10.1134/S1087659616030093>.
- Masood, A; Zuberi, MU; Husain, E. (2008). Breakdown strength of solid dielectrics in liquid nitrogen. *I E E E Transactions on Dielectrics and Electrical Insulation.* 15: 1051-1055.
- Massawe, E. (2013). Nanomaterials for Environmental Remediation: Investigating the Role of Nanoinformatics in Support of Environmental, Health, and Safety Oversight of Nanotechnologies at the Local Level. *J Environ Health.* 76: 8-17.
- Massola, A. (2005). [Air-dispersed asbestos fiber pollution in urban areas: current and previous levels]. *G Ital Med Lav Ergon.* 27: 431-435.
- Mast, MA; Drever, JI. (1987). THE EFFECT OF OXALATE ON THE DISSOLUTION RATES OF OLIGOCLEASE AND TREMOLITE. *Geochim Cosmo Acta.* 51: 2559-2568.
- Mast, RW; Hesterberg, TW; Glass, LR; Mcconnell, EE; Anderson, R; Bernstein, DM. (1994). Chronic inhalation and biopersistence of refractory ceramic fiber in rats and hamsters. *Environ Health Perspect.* 102 Suppl 5: 207-209.
- Mastrangelo, G; Marangi, G; Ballarin, MN; Bellini, E; De Marzo, N; Eder, M; Finchi, A; Giofr , F; Marcolina, D; Tessadri, G; Zannol, F; Altafini, I; Belluso, E; Zaina, S; Agnesi, R; Scozzato, L; Fedeli, U; Cegolon, L; Valentini, F; Marchiori, L. (2013). Post-occupational health surveillance of asbestos workers. *Med Lav.* 104: 351-358.
- Matei, E; Cocos, O; Manea, G; Vijulie, I. (2015). SOCIAL PERCEPTION OF PASSIVE POLLUTION BY ASBESTOS IN DARABANI TOWN, BOTOSANI COUNTY, ROMANIA. *Environmental Engineering and Management Journal.* 14: 1137-1142.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Matejka, V; Fu, Z; Kukutschova, J; Qi, S; Jiang, S; Zhang, X; Yun, R; Vaculik, M; Heliova, M; Lu, Y. (2013). Jute fibers and powdered hazelnut shells as natural fillers in non-asbestos organic non-metallic friction composites. *Materials & Design*. 51: 847-853. <http://dx.doi.org/10.1016/j.matdes.2013.04.079>.
- Mathee, A; Von Schirnding, YER; De Wet, T; Mokoetle, K. (2000). Potential risk factors for asbestos exposure amongst six-month-old infants living in the township of Soweto, South Africa. *Int J Environ Health Res*. 10: 135-139.
- Matsuda, M; Hunt, G. (2009). Research on the societal impacts of nanotechnology: a preliminary comparison of USA, Europe and Japan [Review]. *Biomed Mater Eng*. 19: 259-267. <http://dx.doi.org/10.3233/BME-2009-0588>.
- Matsuoka, M; Igisu, H; Morimoto, Y. (2003). Phosphorylation of p53 protein in A549 human pulmonary epithelial cells exposed to asbestos fibers. *Environ Health Perspect*. 111: 509-512. <http://dx.doi.org/10.1289/ehp.5945>.
- Mattei, F; Guida, F; Matrat, M; Cenée, S; Cyr, D; Sanchez, M; Radoi, L; Menvielle, G; Jellouli, F; Carton, M; Bara, S; Marrer, E; Luce, D; Stücker, I. (2014). Exposure to chlorinated solvents and lung cancer: results of the ICARE study. *Occup Environ Med*. 71: 681-689. <http://dx.doi.org/10.1136/oemed-2014-102182>.
- Mattei, F; Liverani, S; Guida, F; Matrat, M; Cenée, S; Azizi, L; Menvielle, G; Sanchez, M; Pilorget, C; Lapôtre-Ledoux, B; Luce, D; Richardson, S; Stücker, I; Group, IS. (2016). Multidimensional analysis of the effect of occupational exposure to organic solvents on lung cancer risk: the ICARE study. *Occup Environ Med*. 73: 368-377. <http://dx.doi.org/10.1136/oemed-2015-103177>.
- Mattenklott, M. (1998). Identification of asbestos fibres in dusts and powders from mineral raw materials. Part 1: Fundamentals, catalogue of criteria. *Staub, Reinhaltung der Luft*. 58: 15-22.
- Mattenklott, M. (2004). Analytics of thermally treated asbestos cement. *Staub, Reinhaltung der Luft*. 64: 480-484.
- Matthes, S; Okrusch, M; Rohr, C; Schussler, U; Richter, P; Vongehlen, K. (1995). TALC-CHLORITE-AMPHIBOLE FELSSES OF THE KTB PILOT HOLE, OBERPFALZ, BAVARIA - PROTOLITH CHARACTERISTICS AND PHASE-RELATIONSHIPS. *Mineralogy and Petrology*. 52: 25-59.
- Mattioli, M; Giordani, M; Dogan, M; Cangiotti, M; Avella, G; Giorgi, R; Dogan, AU; Ottaviani, MF. (2016). Morpho-chemical characterization and surface properties of carcinogenic zeolite fibers. *J Hazard Mater*. 306: 140-148. <http://dx.doi.org/10.1016/j.jhazmat.2015.11.015>.
- Mattson, SM. (1994). Glass Fibres in Simulated Lung Fluid: Dissolution Behaviour and Analytical Requirements. *Ann Occup Hyg*. 38: 857-877.
- Matzka, RA. (1989). A REVIEW OF THE APPLICATION OF NON-ASBESTOS PACKING AND GASKET MATERIALS IN THE PULP AND PAPER-INDUSTRY. *Tappi Journal*. 72: 233-238.
- Mauderly, JL. (1997). Relevance of particle-induced rat lung tumors for assessing lung carcinogenic hazard and human lung cancer risk [Review]. *Environ Health Perspect*. 105 (Suppl 5): 1337-1346.
- Maulana, A, di; Christy, AG; Ellis, DJ. (2015). Petrology, geochemistry and tectonic significance of serpentized ultramafic rocks from the South Arm of Sulawesi, Indonesia. *Chem Erde*. 75: 73-87. <http://dx.doi.org/10.1016/j.chemer.2014.09.003>.
- Maurel, M; Stoufflet, A; Thorel, L; Berna, V; Gislard, A; Letourneux, M; Pairon, JC; Survey, NNoAP-E; Paris, C. (2009). Factors associated with cancer distress in the Asbestos Post-Exposure Survey (APEXS). *Am J Ind Med*. 52: 288-296. <http://dx.doi.org/10.1002/ajim.20672>.
- Maurya, VP; Sejjan, V; Naqvi, SMK. (2013). Effect of cold stress on growth, physiological responses, blood metabolites and hormonal profile of native Malpura lambs under hot semi-arid tropics of India. *Indian J Anim Sci*. 83: 370-373.
- Mazza, R; Invernizzi, G; Sbrogio, L. (2010). Smoking while driving: do we need a law? [Editorial]. *Epidemiol Prev*. 34: 7-8.
- Mazziotti-Tagliani, S; Andreozzi, GB; Bruni, BM; Gianfagna, A; Pacella, A; Paoletti, L. (2009). Quantitative chemistry and compositional variability of fluorine fibrous amphiboles from Biancavilla (Sicily, Italy). *Periodico di Mineralogia*. 78: 65-74. <http://dx.doi.org/10.2451/2009PM0004>.
- Mccafferty, AE; Van Gosen, BS. (2009). Airborne gamma-ray and magnetic anomaly signatures of serpentinite in relation to soil geochemistry, northern California. *Appl Geochem*. 24: 1524-1537. <http://dx.doi.org/10.1016/j.apgeochem.2009.04.007>.
- Mccallum, IS; Thurber, MW; O'Brien, HE; Nelson, BK. (1999). Lead isotopes in sulfides from the Stillwater Complex, Montana: evidence for subsolidus remobilization. *Contributions to Mineralogy and Petrology*. 137: 206-219.
- Mcclean, MD; Kelsey, KT; Sison, JD; Quesenberry, CP; Wrensch, MR; Wiencke, JK. (2011). A case-control study of asphalt and tar exposure and lung cancer in minorities. *Am J Ind Med*. 54: 811-818. <http://dx.doi.org/10.1002/ajim.21007>.
- Mcclellan, RO; Hesterberg, TW. (1994). ROLE OF BIOPERSISTENCE IN THE PATHOGENICITY OF MAN-MADE FIBERS AND METHODS FOR EVALUATING BIOPERSISTENCE - A SUMMARY OF 2 ROUND-TABLE DISCUSSIONS. *Environ Health Perspect*. 102: 277-283.
- Mccollom, TM; Klein, F; Robbins, M; Moskowitz, B; Berquo, TS; Joens, N; Bach, W; Templeton, A. (2016). Temperature trends for reaction rates, hydrogen generation, and partitioning of iron during experimental serpentinization of olivine. *Geochim Cosmo Acta*. 181: 175-200. <http://dx.doi.org/10.1016/j.gca.2016.03.002>.
- Mccollom, TM; Shock, EL. (1998). Fluid-rock interactions in the lower oceanic crust: Thermodynamic models of hydrothermal alteration. *J Geophys Res Solid Earth*. 103: 547-575.
- Mcconnell, EE. (1995). FIBROGENIC EFFECT OF WOLLASTONITE COMPARED WITH ASBESTOS DUST AND DUSTS CONTAINING QUARTZ [Letter]. *Occup Environ Med*. 52: 621-621.
- Mcconnell, EE; Rutter, HA; Ulland, BM; Moore, JA. (1983). Chronic effects of dietary exposure to amosite asbestos and tremolite in F344 rats. *Environ Health Perspect*. 53: 27-44.
- Mcconnell, EE; Shefner, AM; Rust, JH; Moore, JA. (1983). Chronic effects of dietary exposure to amosite and chrysotile asbestos in Syrian golden hamsters. *Environ Health Perspect*. 53: 11-25.
- Mccuaig, TC; Kerrich, R; Groves, DI; Archer, N. (1993). THE NATURE AND DIMENSIONS OF REGIONAL AND LOCAL GOLD-RELATED HYDROTHERMAL ALTERATION IN THOLEIITIC METABASALTS IN THE NORSEMAN GOLDFIELDS - THE MISSING LINK IN A CRUSTAL CONTINUUM OF GOLD DEPOSITS. *Miner Depos*. 28: 420-435.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Mccutcheon, J; Dipple, GM; Wilson, SA; Southam, G. (2015). Production of magnesium-rich solutions by acid leaching of chrysotile: A precursor to field-scale deployment of microbially enabled carbonate mineral precipitation. *Chem Geol.* 413: 119-131. <http://dx.doi.org/10.1016/j.chemgeo.2015.08.023>.
- Mccutcheon, J; Wilson, SA; Southam, G. (2016). Microbially Accelerated Carbonate Mineral Precipitation as a Strategy for in Situ Carbon Sequestration and Rehabilitation of Asbestos Mine Sites. *Environ Sci Technol.* 50: 1419-1427. <http://dx.doi.org/10.1021/acs.est.5b04293>.
- Mcdonald, A; Fry, JS. (1982). MESOTHELIOMA AND FIBER TYPE IN 3 AMERICAN ASBESTOS FACTORIES PRELIMINARY REPORT (pp. 10-12). (ISSN 0355-3140; EISSN 1795-990X; HEEP/83/07739). Mcdonald, A; Fry, JS.
- Mcdonald, A; Scott, B; Villemure, G. (2009). Hydrothermal preparation of nanotubular particles of a 1:1 nickel phyllosilicate. *Microporous and Mesoporous Materials.* 120: 263-266. <http://dx.doi.org/10.1016/j.micromeso.2008.11.013>.
- Mcdonald, JC. (1991). An epidemiological view of asbestos in buildings. *Toxicol Ind Health.* 7: 187-193.
- Mcdonald, JC. (1994). Epidemiological significance of mineral fiber persistence in human lung tissue [Review]. *Environ Health Perspect.* 102 Suppl 5: 221-224.
- Mcdonald, JC; Armstrong, B; Case, B; Doell, D; Mccaughey, WT; Mcdonald, AD; Sébastien, P. (1989). Mesothelioma and asbestos fiber type. Evidence from lung tissue analyses. *Cancer.* 63: 1544-1547.
- Mcelvenny, DM; Armstrong, BG; Jarup, L; Higgins, JPT. (2004). Meta-analysis in occupational epidemiology: a review of practice [Review]. *Occup Med (Lond).* 54: 336-344. <http://dx.doi.org/10.1093/occmed/kqh049>.
- Mcgahan, DG; Southard, RJ; Claassen, VP. (2008). Tectonic inclusions in serpentinite landscapes contribute plant nutrient calcium. *Soil Sci Soc Am J.* 72: 838-847. <http://dx.doi.org/10.2136/sssaj2007.0159>.
- Mcgavin, DG; Palmer, RA; Tennant, WC; Devine, SD. (1982). USE OF ULTRASONICALLY MODULATED ELECTRON RESONANCE TO STUDY S-STATE IONS IN MINERAL CRYSTALS - MN-2+,FE-3+, IN TREMOLITE. *Physics and Chemistry of Minerals.* 8: 200-205.
- Mcgrath, DB; Van Orden, DR; Howard, RM; Guerrero, P; Davis, SC. (2010). Two different methods, three different variations, four different sources: what bulk asbestos PLM method is your laboratory using? Part 1. *J Occup Environ Hyg.* 7: D53-D56. <http://dx.doi.org/10.1080/15459624.2010.486305>.
- Mcguire, MJ; Bowers, AE; Bowers, DA. (1982). ASBESTOS ANALYSIS CASE-HISTORY - SURFACE-WATER SUPPLIES IN SOUTHERN-CALIFORNIA. *J Am Water Works Assoc.* 74: 470-478.
- Mcguire, MJ; Bowers, AE; Bowers, DA. (1983). OPTIMIZING LARGE-SCALE WATER-TREATMENT PLANTS FOR ASBESTOS-FIBER REMOVAL. *J Am Water Works Assoc.* 75: 364-370.
- Mckernan, JL; Toraason, MA; Fernback, JE. (2008). Presence of airborne fibers in tungsten refining and manufacturing processes: preliminary characterization. *J Occup Environ Hyg.* 5: 463-474. <http://dx.doi.org/10.1080/15459620802143742>.
- Mckiernan, M. (2012). Giovanni Antonio Canale (Canaletto): The Arsenal The Water Entrance 1732. *Occup Med (Lond).* 62: 86-87. <http://dx.doi.org/10.1093/occmed/kqs003>.
- Mckinley, M; Ronk, C; Jacobsen, M; Williams, E; Galbraith, D. (2012). CHRYSOTILE ASBESTOS EXPOSURE AND UPPER RESPIRATORY CANCERS: IS THERE AN ASSOCIATION? *Am J Epidemiol.* 175: S101-S101.
- Mclarty, J; Zinkgraf, S; Smith, K. (1986). VALIDATION OF SELF-REPORTED TOBACCO USE IN FORMER ASBESTOS WORKERS USING PLASMA COTININE AND THIOCYANATE - THE TYLER-CANCER-PREVENTION-PROGRAM. *Am J Epidemiol.* 124: 538-538.
- Mclaughlin, JK; Malker, HSR; Blot, WJ; Weiner, JA; Stone, BJ; Ericsson, JLE; Fraumeni, JF. (1992). RENAL-CELL CANCER AMONG ARCHITECTS AND ALLIED PROFESSIONALS IN SWEDEN. *Am J Ind Med.* 21: 873-876.
- Mcmartin, I; Corriveau, L; Beaudoin, G. (2011). An orientation study of the heavy mineral signature of the NICO Co-Au-Bi deposit, Great Bear magmatic zone, NW Territories, Canada. *Geochemistry: Exploration, Environment, Analysis.* 11: 293-307. <http://dx.doi.org/10.1144/1467-7873/10-IM-023>.
- Mcmillan, LM; Stout, RG; Willey, BF. (1977). ASBESTOS IN RAW AND TREATED WATER - ELECTRON-MICROSCOPY STUDY. *Environ Sci Technol.* 11: 390-394.
- Mcneil, BJ; Eddy, DM. (1982). The costs and effects of screening for cancer among asbestos-exposed workers. *J Chronic Dis.* 35: 351-358.
- McNulty, JC. (1970). Asbestos Exposure in Australia (pp. 201-203). (NIOSH/00177268). McNulty, JC.
- Mcsween, HY, Jr; Labotka, TC; Viviano-Beck, CE. (2015). Metamorphism in the Martian crust. *Meteoritics and Planetary Science.* 50: 590-603. <http://dx.doi.org/10.1111/maps.12330>.
- Mead Technology Labs, D, OH. (1982). Industrial Hygiene Survey with Cover Memo and Cover Letter. 53.
- Meek, ME; Long, G. (1994). MAN-MADE VITREOUS FIBERS - EVALUATION OF RISKS TO HEALTH FROM ENVIRONMENTAL EXPOSURE IN CANADA. *J Environ Sci Health C Environ Carcinog Ecotoxicol Rev.* 12: 361-387.
- Meeker, GP; Bern, AM; Brownfield, IK; Lowers, HA; Sutley, SJ; Hoefen, TM; Vance, JS. (2003). The composition and morphology of amphiboles from the Rainy Creek Complex, near Libby, Montana. *Am Mineral.* 88: 1955-1969.
- Meel, BL; Meel, R. (2005). Prevalence of asbestos exposure of the mine workforce from Transkei, South Africa. *Chest.* 128: 345S-345S.
- Mei, N; Tamae, K; Kunugita, N; Hirano, T; Kasai, H. (2003). Analysis of 8-hydroxydeoxyguanosine 5'-monophosphate (8-OH-dGMP) as a reliable marker of cellular oxidative DNA damage after gamma-irradiation. *Environ Mol Mutagen.* 41: 332-338. <http://dx.doi.org/10.1002/em.10165>.
- Meigs, JW. (1983). ASSESSMENT OF STUDIES ON CANCER RISKS FROM ASBESTOS IN CONNECTICUT DRINKING-WATER. *Environ Health Perspect.* 53: 107-108.
- Meigs, JW; Walter, SD; Heston, JF; Millette, J. R.; Craun, GF; Woodhull, RS; Flannery, JT. (1980). ASBESTOS-CEMENT PIPE IS NO DANGER IN CONNECTICUT. 127: 66-&.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Meigs, JW; Walter, SD; Heston, JF; Millette, JR; Craun, GF; Woodhull, RS; Flannery, JT. (1980). Asbestos cement pipe and cancer in Connecticut 1955-1974. *J Environ Health*. 42: 187-191.
- Melcher, F; Meisel, T. (2004). A metamorphosed early Cambrian crust-mantle transition in the Eastern Alps, Austria. *Journal of Petrology*. 45: 1689-1723. <http://dx.doi.org/10.1093/petrology/egh030>.
- Melchior, M; Goldberg, M; Krieger, N; Kawachi, I; Menvielle, G; Zins, M; Berkman, LF. (2005). Occupational class, occupational mobility and cancer incidence among middle-aged men and women: a prospective study of the French GAZEL cohort. *Cancer Causes Control*. 16: 515-524. <http://dx.doi.org/10.1007/s10552-004-7116-0>.
- Melchiorre, EB; Bottrill, R; Huss, GR; Lopez, A. (2017). Conditions of stichtite (Mg₆Cr₂(OH)(16)[CO₃center dot 4H(2)O) formation and its geochemical and isotope record of early phanerozoic serpentinizing environments. *Geochim Cosmo Acta*. 197: 43-61. <http://dx.doi.org/10.1016/j.gca.2016.10.020>.
- Melekhova, E; Schmidt, M, axW; Ulmer, P; Guggenbuehl, E. (2006). The reaction talc plus forsterite = enstatite plus H₂O revisited: Application of conventional and novel experimental techniques and derivation of revised thermodynamic properties. *Am Mineral*. 91: 1081-1088. <http://dx.doi.org/10.2138/am.2006.2065>.
- Melezhik, VA; Fallick, AE. (2003). delta C-13 and delta O-18 variations in primary and secondary carbonate phases: several contrasting examples from Palaeoproterozoic C-13-rich metamorphosed dolostones. *Chem Geol*. 201: 213-228. <http://dx.doi.org/10.1016/j.chemgeo.2003.07.003>.
- Melling, DR; Watkinson, DH; Fox, PE; Cameron, RS. (1990). CARBONATIZATION AND PROPYLITIC ALTERATION OF FRAGMENTAL BASALTIC ROCKS, QUESNEL RIVER GOLD DEPOSIT, CENTRAL BRITISH-COLUMBIA. *Miner Depos*. 25: S115-S124.
- Mellini, M. (2005). Micro- and mesoporous carbon forms, chrysotile, and clathrates. *Rev Mineral Geochem*. 57: 435-448. <http://dx.doi.org/10.2138/rmg.2005.57.12>.
- Melnick, RL; Ward, JM; Huff, J. (2013). War on carcinogens: Industry disputes human relevance of chemicals causing cancer in laboratory animals based on unproven hypotheses, using kidney tumors as an example [Editorial]. *Int J Occup Environ Health*. 19: 255-260. <http://dx.doi.org/10.1179/1077352513Z.00000000090>.
- Melo, T; Furlan, R; Milani, A; Buzanskas, M; Moura, A; Mota, D; Cardoso, D. (2013). Evaluation of different roof slopes and exposure in three types of coverage in models of animal installations. 34: 1327-1338. <http://dx.doi.org/10.5433/1679-0359.2013v34n3p1327>.
- Melzer, S; Gottschalk, M; Heinrich, W. (1998). Experimentally determined partitioning of Rb between richterites and aqueous (Na, K)-chloride solutions. *Contributions to Mineralogy and Petrology*. 133: 315-328.
- Menala, J; Alves, R; Sanches, S; Santos, G; Mesquita, E. (2003). Monitoring the active sessile-colonisation of two drinking water distribution systems based on the protein contents in native biofilm samples. *Water Sci Technol*. 47: 169-173.
- Menapace, C; Leonardi, M; Perricone, G; Bortolotti, M; Straffellini, G; Gialanella, S. (2017). Pin-on-disc study of brake friction materials with ball-milled nanostructured components. *Materials & Design*. 115: 287-298. <http://dx.doi.org/10.1016/j.matdes.2016.11.065>.
- Menard, H; Noel, L; Khorami, J; Jouve, JL; Dunnigan, J. (1986). The adsorption of polyaromatic hydrocarbons on natural and chemically modified asbestos fibers. *Environ Res*. 40: 84-91.
- Menard, JJ. (1995). RELATIONSHIP BETWEEN ALTERED PYROXENE DIORITE AND THE MAGNETITE MINERALIZATION IN THE CHILEAN IRON BELT, WITH EMPHASIS ON THE EL-ALGARROBO IRON DEPOSITS (ATACAMA REGION, CHILE). *Miner Depos*. 30: 268-274.
- Menard, T; Leshner, CM; Stowell, HH; Price, DP; Pickell, JR; Onstott, TC; Hulbert, L. (1996). Geology, genesis, and metamorphic history of the Nameew Lake Ni-Cu deposit, Manitoba. *Econ Geol*. 91: 1394-1413.
- Mensi, C; Sieno, C; Consonni, D; Riboldi, L. (2010). MALIGNANT MESOTHELIOMA AND ASBESTOS EXPOSURE IN THE LOMBARDY REGION, ITALY, 2000-2004. *Epidemiol Prev*. 34: 161-161.
- Menvielle, G; Fayosse, A; Radoi, L; Guida, F; Sanchez, M; Carton, M; Cyr, D; Schmaus, A; Cenee, S; Fevotte, J; Delafosse, P; Stuecker, I; Luce, D; Grp, IS. (2016). The joint effect of asbestos exposure, tobacco smoking and alcohol drinking on laryngeal cancer risk: evidence from the French population-based case-control study, ICARE. *Occup Environ Med*. 73: 28-33. <http://dx.doi.org/10.1136/oemed-2015-102954>.
- Meo, SA; Rasheed, S; Khan, MM; Shujaiddin, S; Al-Tuwaijri, AS. (2008). Effect of cement dust exposure on phagocytic function of polymorphonuclear neutrophils in cement mill workers. *Int J Occup Med Environ Health*. 21: 133-139. <http://dx.doi.org/10.2478/v10001-008-0017-9>.
- Méranger, JC; Reid, WW; Davey, AB. (1979). The transfer of asbestos from water to air via a portable drum-type home humidifier. *Can J Public Health*. 70: 276-278.
- Merkulova, M; Munoz, M; Vidal, O; Brunet, F. (2016). Role of iron content on serpentinite dehydration depth in subduction zones: Experiments and thermodynamic modeling. *Lithos*. 264: 441-452. <http://dx.doi.org/10.1016/j.lithos.2016.09.007>.
- Merler, E. (2014). [Importance of screening the exposed to asbestos with LDCT] [Letter]. *Med Lav*. 105: 307-308.
- Merler, E; Barbieri, PG; Mirabelli, D; Cavone, D; Somigliana, A. (2010). ASBESTOS FIBER BURDEN OF THE LUNGS IN PATIENTS WITH MESOTHELIOMAS WHO LIVED NEAR CEMENT-ASBESTOS FACTORIES. *Epidemiol Prev*. 34: 210-211.
- Merler, E; Bressan, V; Bilato, AM; Marinaccio, A; maligni, Grvsm. (2011). [The effectiveness of compensation system for mesotheliomas due to occupational exposure to asbestos and determinants for requests and awards: an evaluation based on record-linkage between the Veneto Mesothelioma Register and the claims and compensations recorded by the National Insurance Institute (INAIL)]. *Epidemiol Prev*. 35: 331-338.
- Merler, E; Vineis, P; Alhaique, D; Miligi, L. (1999). Occupational cancer in Italy [Review]. *Environ Health Perspect*. 107: 259-271.
- Merletti, F; Boffetta, P; Ferro, G; Pisani, P; Terracini, B. (1991). Occupation and cancer of the oral cavity or oropharynx in Turin, Italy. *Scand J Work Environ Health*. 17: 248-254.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Merli, M; Ungaretti, L; Oberti, R. (2000). Leverage analysis and structure refinement of minerals. *Am Mineral*. 85: 532-542.
- Merliss, RR. (1971). Talc and asbestos contaminant of rice. *JAMA*. 216: 2144.
- Mertig, HJ; Rubin, JN; Kyle, J. R. (1994). SKARN CU-AU OREBODIES OF THE GUNUNG-BIJIH (ERTSBERG) DISTRICT, IRIAN-JAYA, INDONESIA. *J Geochem Explor*. 50: 179-202.
- Mervat, H. (2008). Microstructure of calcined Mg-rich clay minerals of Egyptian serpentinites. *Periodico di Mineralogia*. 77: 93-107. <http://dx.doi.org/10.2451/2008PM0007>.
- Meshida, EA. (2006). Highway failure over talc-tremolite schist terrain: a case study of the Ife to Ilesha highway, South Western Nigeria. *Bulletin of Engineering Geology and the Environment*. 65: 457-461. <http://dx.doi.org/10.1007/s10064-005-0037-7>.
- Messier, L. (1984). ASBESTOS - IS THE NEW PERMISSIBLE EXPOSURE LEVEL JUSTIFIED. *Professional Safety*. 29: 35-37.
- Mester, B; Nieters, A; Deeg, E; Elsner, G; Becker, N; Seidler, A. (2006). Occupation and malignant lymphoma: A population based case control study in Germany. *Occup Environ Med*. 63: 17-26. <http://dx.doi.org/10.1136/oem.2005.020453>.
- Metintas, M; Hillerdal, G; Metintas, S; Dumortier, P. (2010). Endemic malignant mesothelioma: exposure to erionite is more important than genetic factors. *Arch Environ Occup Health*. 65: 86-93. <http://dx.doi.org/10.1080/19338240903390305>.
- Metintas, S; Metintas, M; Ak, G; Kalyoncu, C. (2012). Environmental asbestos exposure in rural Turkey and risk of lung cancer. *Int J Environ Health Res*. 22: 468-479. <http://dx.doi.org/10.1080/09603123.2011.654330>.
- Metraux, C; Grobety, B; Ulmer, P. (2002). Filling of chrysotile nanotubes with metals. *J Mater Res*. 17: 1129-1135.
- Metz, P; Milke, R. (2004). A rock-sample experiment to investigate the mechanism and resulting textures of the reaction: 1 tremolite plus 11 dolomite = 8 forsterite plus 13 calcite plus 9 CO₂ plus 1 H₂O. *Lithos*. 73: S75-S75.
- Metz-Flamant, C; Canu, IG; Laurier, D. (2011). Malignant pleural mesothelioma risk among nuclear workers: a review [Review]. *J Radiol Prot*. 31: 9-23. <http://dx.doi.org/10.1088/0952-4746/31/1/R01>.
- Meurman, LO. (1993). CHANGING ATTITUDES AND OPINIONS REGARDING ASBESTOS AND CANCER, 1934-1965. *Am J Ind Med*. 23: 517-517.
- Mevel, C; Cannat, M; Gente, P; Marion, E; Auzende, JM; Karson, JA. (1991). EMPLACEMENT OF DEEP CRUSTAL AND MANTLE ROCKS ON THE WEST MEDIAN VALLEY WALL OF THE MARK AREA (MAR, 23-DEGREES-N). *Tectonophysics*. 190: 31-53.
- Meyer, E. (1986). EXAMINATION OF THE IMPORTANCE OF WEATHERING ASBESTOS CEMENT PLANES FOR THE CONCENTRATION OF ASBESTOS FIBERS IN THE ENVIRONMENT. *Staub, Reinhaltung der Luft*. 46: 482-484.
- Meyer, JL; Aljibury, FK. (1976). LOW-HEAD IRRIGATION PIPE - CONCRETE ASBESTOS CEMENT PLASTIC. 2-12.
- Meyerowitz, BE; Sullivan, CD; Premeau, CL. (1989). Reactions of asbestos-exposed workers to notification and screening. *Am J Ind Med*. 15: 463-475.
- Michaels, D. (2006). Manufactured uncertainty: protecting public health in the age of contested science and product defense. *Ann N Y Acad Sci*. 1076: 149-162. <http://dx.doi.org/10.1196/annals.1371.058>.
- Michailidis, KM. (1995). COMPOSITIONAL VARIATION OF ZONED CHROMIAN SPINELS IN SERPENTINITES FROM THE KILKIS AREA, NORTHERN GREECE. *Chem Erde*. 55: 81-96.
- Michel, A. (1993). FLAT SEALS WITHOUT ASBESTOS. 83: 626-627.
- Michels, C; Larnberts, R; Gueths, S. (2008). Theoretical/experimental comparison of heat flux reduction in roofs achieved through the use of reflective thermal insulators. *Energy and Buildings*. 40: 438-444. <http://dx.doi.org/10.1016/j.enbuild.2007.03.012>.
- Michibayashi, K; Hirose, T; Nozaka, T; Harigane, Y; Escartin, J; Delius, H; Linek, M; Ohara, Y. (2008). Hydration due to high-T brittle failure within in situ oceanic crust, 30 degrees N Mid-Atlantic Ridge. *Earth Planet Sci Lett*. 275: 348-354. <http://dx.doi.org/10.1016/j.epsl.2008.08.033>.
- Middleton, AP. (1978). OCCURRENCE OF FIBERS OF CALCIUM-SULFATE RESEMBLING AMPHIBOLE ASBESTOS IN SAMPLES TAKEN FOR EVALUATION OF AIRBORNE ASBESTOS. *Ann Occup Hyg*. 21: 91-93.
- Middleton, AP. (1978). On the occurrence of fibres of calcium sulphate resembling amphibole asbestos in samples taken for the evaluation of airborne asbestos. *Ann Occup Hyg*. 21: 91-94.
- Middleton, AP. (1982). Analysis Of Airborne Dust Samples For Chrysotile By X-Ray Diffraction: Interference By Non-Asbestiforon Serpentine. *Ann Occup Hyg*. 25: 443-447.
- Middleton, AP. (1982). Visibility of fine fibres of asbestos during routine electron microscopical analysis. *Ann Occup Hyg*. 25: 53-62.
- Middleton, AP; Beckett, ST; Davis J, MG. (1979). Further observations on the short-term retention and clearance of asbestos by rats, using International Union Against Cancer reference samples. *Ann Occup Hyg*. 22: 141-152.
- Middleton, AP; Jackson, EA. (1982). A PROCEDURE FOR THE ESTIMATION OF ASBESTOS COLLECTED ON MEMBRANE FILTERS USING TRANSMISSION ELECTRON-MICROSCOPY (TEM). *Ann Occup Hyg*. 25: 381-&.
- Mijailovich, SM; Hamada, K; Tsuda, A. (2007). IL-8 response of cyclically stretching alveolar epithelial cells exposed to non-fibrous particles. *Ann Biomed Eng*. 35: 582-594. <http://dx.doi.org/10.1007/s10439-006-9233-2>.
- Mikata, K; Kiyosawa, S. (1998). Development of gland packing using graphite pellets. *JSME Int J Ser B*. 41: 746-751.
- Mikkola, P; Salminen, P; Torppa, A; Huhma, H. (2011). The 2.74 Ga Likamannikko complex in Suomussalmi, East Finland: Lost between sanukitoids and truly alkaline rocks? *Lithos*. 125: 716-728. <http://dx.doi.org/10.1016/j.lithos.2011.04.002>.
- Mikouchi, T; Miyamoto, M. (2000). Micro Raman spectroscopy of amphiboles and pyroxenes in the martian meteorites Zagami and Lewis Cliff 88516. *Meteoritics and Planetary Science*. 35: 155-159.
- Mikulski, MA; Hartley, PG; Sprince, NL; Sanderson, WT; Lourens, S; Worden, NE; Wang, K; Fuortes, LJ. (2011). Risk and significance of chest radiograph and pulmonary function abnormalities in an elderly cohort of former nuclear weapons workers. *J Occup Environ Med*. 53: 1046-1053. <http://dx.doi.org/10.1097/JOM.0b013e318229aaff>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Milashuk, S; Crane, W. (2012). Pipeline damage caused by transient ground deformation: Case study of 2010 Darfield and 2011 Christchurch earthquakes. *Soil Dynamics and Earthquake Engineering*. 41: 84-88. <http://dx.doi.org/10.1016/j.soildyn.2012.05.011>.
- Milke, R. (2004). Spiral growth of grossular under hydrothermal conditions. *Am Mineral*. 89: 211-218.
- Miller, A. (1993). Pulmonary function in asbestosis and asbestos-related pleural disease [Review]. *Environ Res*. 61: 1-18. <http://dx.doi.org/10.1006/enrs.1993.1044>.
- Miller, A. (2005). Mesothelioma in household members of asbestos-exposed workers: 32 United States cases since 1990. *Am J Ind Med*. 47: 458-462. <http://dx.doi.org/10.1002/ajim.20167>.
- Miller, A. (2007). Radiographic readings for asbestosis: misuse of science--validation of the ILO classification [Review]. *Am J Ind Med*. 50: 63-67. <http://dx.doi.org/10.1002/ajim.20401>.
- Miller, A. (2014). "Not your grandfather's pleural disease": rapid progression, ventilatory impairment, and chronic pleuritic pain from Libby vermiculite/amphibole [Comment]. *Am J Ind Med*. 57: 1195-1196. <http://dx.doi.org/10.1002/ajim.22370>.
- Miller, A. (2015). From the Clinic to the Field: Joint Pulmonary Medicine-Environmental Sciences Laboratory Investigations, 1973-1992 and Beyond. *Am J Ind Med*. 58: 1017-1020. <http://dx.doi.org/10.1002/ajim.22502>.
- Miller, A; Miller, JA. (1993). Diffuse thickening superimposed on circumscribed pleural thickening related to asbestos exposure. *Am J Ind Med*. 23: 859-871.
- Miller, A; Warshaw, R; Nezamis, J. (2013). Diffusing capacity and forced vital capacity in 5,003 asbestos-exposed workers: Relationships to interstitial fibrosis (ILO profusion score) and pleural thickening. *Am J Ind Med*. 56: 1383-1393. <http://dx.doi.org/10.1002/ajim.22239>.
- Miller, A; Widman, SA; Miller, JA; Manowitz, A; Markowitz, SB. (2013). Comparison of x-ray films and low-dose computed tomographic scans: demonstration of asbestos-related changes in 2760 nuclear weapons workers screened for lung cancer. *J Occup Environ Med*. 55: 741-745. <http://dx.doi.org/10.1097/JOM.0b013e3182954067>.
- Miller, AB. (1978). Asbestos fibre dust and gastro-intestinal malignancies. Review of literature with regard to a cause/effect relationship [Review]. *J Chronic Dis*. 31: 23-33.
- Miller, AK. (2005). Libby, Montana: Overview of asbestos exposures and health effects. *Geochim Cosmo Acta*. 69: A189-A189.
- Miller, BG; Jones, AD; Searl, A; Buchanan, D; Cullen, RT; Soutar, CA; Davis, JMG; Donaldson, K. (1999). Influence of characteristics of inhaled fibres on development of tumours in the rat lung. *Ann Occup Hyg*. 43: 167-179. [http://dx.doi.org/10.1016/S0003-4878\(99\)00019-8](http://dx.doi.org/10.1016/S0003-4878(99)00019-8).
- Miller, BG; Searl, A; Davis, JM; Donaldson, K; Cullen, RT; Bolton, RE; Buchanan, D; Soutar, CA. (1999). Influence of fibre length, dissolution and biopersistence on the production of mesothelioma in the rat peritoneal cavity. *Ann Occup Hyg*. 43: 155-166.
- Miller, J, and; Nalaskowski, J; Abdul, B; Du, H, ao. (2007). Surface characteristics of kaolinite and other selected two layer silicate minerals. *Can J Chem Eng*. 85: 617-624.
- Miller, K. (1979). Alterations in the Surface-Related Phenomena of Alveolar Macrophages Following Inhalation of Crocidolite Asbestos and Quartz Dusts: An Overview. *Environ Res*. 20: 162-182.
- Miller, K; Kagan, E. (1981). Manifestations of cellular immunity in the rat after prolonged asbestos inhalation. II. Alveolar macrophage-induced splenic lymphocyte proliferation. *Environ Res*. 26: 182-194.
- Millette, J. R. (1981). USE OF ASBESTOS-CEMENT PIPE [Letter]. *J Occup Environ Med*. 23: 226-226.
- Millette, J. R.; Logsdon, GS; Clark, PJ; Kinman, RN. (1984). EVALUATING THE CONDITION OF ASBESTOS-CEMENT PIPE. *Mater Perform*. 23: 14-20.
- Millette, J. R.; Pansing, MF; Boone, RL. (1981). ASBESTOS-CEMENT MATERIALS USED IN WATER-SUPPLY. *W E M*. 128: 48-&.
- Millette, JR. (1986). ANALYSIS OF ASBESTOS IN ENVIRONMENTAL SAMPLES BY TEM (pp. 21-24). (BIOSIS/87/11344). Millette, JR.
- Millette, JR. (1986). ASBESTOS IN WATER. *Microscope*. 34: 371-374.
- Millette, JR; Brown, RS; Hill, WB. (2008). Using environmental forensic microscopy in exposure science. *J Expo Sci Environ Epidemiol*. 18: 20-30. <http://dx.doi.org/10.1038/sj.jes.7500613>.
- Millette, JR; Clark, PJ; Pansing, MF; Twyman, JD. (1980). Concentration and size of asbestos in water supplies. *Environ Health Perspect*. 34: 13-25.
- Millette, JR; Clark, PJ; Stober, J; Rosenthal, M. (1983). Asbestos in water supplies of the United States. *Environ Health Perspect*. 53: 45-48.
- Millette, JR; Craun, GF; Stober, JA; Kraemer, DF; Tousignant, HG; Hildago, E; Duboise, RL; Benedict, J. (1983). Epidemiology study of the use of asbestos-cement pipe for the distribution of drinking water in Escambia County, Florida. *Environ Health Perspect*. 53: 91-98.
- Mills, SJ; Whitfield, PS; Wilson, SA; Woodhouse, JN; Dipple, GM; Raudsepp, M; Francis, CA. (2011). The crystal structure of stichtite, re-examination of barbertonite, and the nature of polytypism in MgCr hydrotalcites. *Am Mineral*. 96: 179-187. <http://dx.doi.org/10.2138/am.2011.3531>.
- Milner, G. (1995). UTILIZING MODIFIED PTFE AS ASBESTOS GASKET ALTERNATIVE - MATERIAL REDUCES FLUID LOSS, CREEP RELAXATION, COLD FLOW, ENERGY-CONSUMPTION AND MAINTENANCE. *Chemical Processing*. 58: 50-51.
- Min, SY; Maken, S; Park, J, inWon; Gaur, A; Hyun, JS, oo. (2008). Melting treatment of waste asbestos using mixture of hydrogen and oxygen produced from water electrolysis. *Korean J Chem Eng*. 25: 323-328.
- Mirabelli, D. (2009). [Evidence of effectiveness and prevention of occupational cancer]. *Epidemiol Prev*. 33: 74-78.
- Mirabelli, D; Stura, A; Gangemi, M; Bertolotti, M; Maule, MM; Magnani, C. (2007). Incidence of malignant mesothelioma in Piedmont, 1990-2001. *Epidemiol Prev*. 31: 132-138.
- Miralles Martinez-Portillo, L. (2009). ACHIEVEMENTS OF COLLABORATION WITH SOCIAL SECURITY IN THE POST-OCCUPATIONAL SURVEILLANCE OF WORKERS EXPOSED TO ASBESTOS IN LA RIOJA. *Gac Sanit*. 23: 6-7.
- Mirer, FE. (2002). Does the emperor have any clothes: Using mechanistic information or doing Houdini Risk Assessments? *Hum Ecol Risk Assess*. 8: 1229-1242.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Mirzapour, M, irA; Haghghat, HR; Eslami, Z. (2013). Effect of zirconia on ablation mechanism of asbestos fiber/phenolic composites in oxyacetylene torch environment. *Ceramics International*. 39: 9263-9272. <http://dx.doi.org/10.1016/j.ceramint.2013.05.034>.
- Miscetti, G; Bodo, P; Luciani, G; Garofani, P; Mazzanti, M; Marsili, G; Bessi, L. (2008). [Carcinogens project in a Local Health Unit in Umbria: updating of risk so as to estimate worker exposure levels]. *Med Lav*. 99: 454-465.
- Miscetti, G; Bodo, P; Lumare, A; Abbritti, EP; Garofani, P; Burani, V. (2016). [Asbestos exposure assessment in the first case of intrasplenic mesothelioma]. *Med Lav*. 107: 29-36.
- Miserocchi, G; Sancini, G; Mantegazza, F; Chiappino, G. (2008). Translocation pathways for inhaled asbestos fibers [Review]. *Environ Health*. 7: 4. <http://dx.doi.org/10.1186/1476-069X-7-4>.
- Mishra, B; Pal, N; Sarbadhikari, AB. (2005). Fluid inclusion characteristics of the Uti gold deposit, Hutti-Maski greenstone belt, southern India. *Ore Geol Rev*. 26: 1-16. <http://dx.doi.org/10.1016/j.oregeorev.2004.10.002>.
- Mishra, G; Viljoen, KS; Mouri, H. (2013). Influence of mineralogy and ore texture on pentlandite flotation at the Nkomati nickel mine, South Africa. *Miner Eng*. 54: 63-78. <http://dx.doi.org/10.1016/j.mineng.2013.04.009>.
- Mitchell, RH. (1990). A REVIEW OF THE COMPOSITIONAL VARIATION OF AMPHIBOLES IN ALKALINE PLUTONIC COMPLEXES. *Lithos*. 26: 135-156.
- Mitchell, RS. (1973). ASBESTOS FIBERS IN AIR OF TOWNS. *Atmos Environ*. 7: 668-669.
- Mitsis, I; Economou-Eliopoulos, M. (2001). Occurrence of apatite associated with magnetite in an ophiolite complex (Othrys), Greece. *Am Mineral*. 86: 1143-1150.
- Miyahara, M; Kitagawa, R; Uehara, S. (2005). Chlorite in metabasites from the Mikabu and North Chichibu belts, southwest Japan. *Clays and Clay Minerals*. 53: 466-477. <http://dx.doi.org/10.1346/CCMN.2005.0530504>.
- Miyano, T; Beukes, NJ. (1997). Mineralogy and petrology of the contact metamorphosed amphibole asbestos-bearing Penge iron formation, eastern Transvaal, South Africa. *Journal of Petrology*. 38: 651-676.
- Miyazaki, M; Une, H. (2001). Risk of lung cancer among Japanese coal miners on hazard risk and interaction between smoking and coal mining. *J Occup Health*. 43: 225-230.
- Miyoshi, A; Kogiso, T; Ishikawa, N; Mibe, K. (2014). Role of silica for the progress of serpentinization reactions: Constraints from successive changes in mineralogical textures of serpentinites from Iwanaidake ultramafic body, Japan. *Am Mineral*. 99: 1035-1044. <http://dx.doi.org/10.2138/am.2014.4748>.
- Mizukami, T; Kagi, H; Wallis, SR; Fukura, S. (2007). Pressure-induced change in the compressional behavior of the O-H bond in chrysotile: A Raman high-pressure study up to 4.5 GPa. *Am Mineral*. 92: 1456-1463. <http://dx.doi.org/10.2138/am.2007.2489>.
- Mizukami, T; Wallis, SR. (2005). Structural and petrological constraints on the tectonic evolution of the garnet-lherzolite facies Higashi-akaishi peridotite body, Sanbagawa belt, SW Japan. *Tectonics*. 24. <http://dx.doi.org/10.1029/2004TC001733>.
- Mizukami, T; Yokoyama, H; Hiramatsu, Y; Arai, S; Kawahara, H; Nagaya, T; Wallis, SR. (2014). Two types of antigorite serpentinite controlling heterogeneous slow-slip behaviours of slab-mantle interface. *Earth Planet Sci Lett*. 401: 148-158. <http://dx.doi.org/10.1016/j.epsl.2014.06.009>.
- Mizutani, Y; Obara, H; Nakajima, K. (1973). X-RAY STUDY OF FRICTION AND WEAR OF RESIN-BONDED ASBESTOS. *Wear*. 23: 387-392.
- Moatamed, F; Lockey, JE; Parry, WT. (1986). Fiber contamination of vermiculites: A potential occupational and environmental health hazard. *Environ Res*. 41: 207-218. [http://dx.doi.org/10.1016/S0013-9351\(86\)80183-9](http://dx.doi.org/10.1016/S0013-9351(86)80183-9).
- Mobius, K. (1986). ASBESTOS WORLD MARKET WITH REDUCED LEVEL OF ACTIVITY. 39: 87-88.
- Mocciola, M. (2007). [Criminal responsibility in non pre-meditated personal injury caused by inhalation of asbestos]. *Epidemiol Prev*. 31: 38-40.
- Mocek, B. (2001). Geochemical evidence for arc-type volcanism in the Aegean Sea: the blueschist unit of Siphnos, Cyclades (Greece). *Lithos*. 57: 263-289.
- Moen, BE; Nilsson, R; Nordlinder, R; Ovrebø, S; Bleie, K; Skorve, AH; Hollund, BE. (1996). Assessment of exposure to polycyclic aromatic hydrocarbons in engine rooms by measurement of urinary 1-hydroxypyrene. *Occup Environ Med*. 53: 692-696. <http://dx.doi.org/10.1136/oem.53.10.692>.
- Moene, R; Tijssen, EPA, M; Makkee, M; Moulijn, JA. (1999). Synthesis and thermal stability of Ni, Cu, Co, and Mo catalysts based on high surface area silicon carbide. *Appl Catal A-Gen*. 184: 127-141.
- Mogessie, A; Stumpfl, EF; Weiblen, PW. (1991). THE ROLE OF FLUIDS IN THE FORMATION OF PLATINUM-GROUP MINERALS, DULUTH COMPLEX, MINNESOTA - MINERALOGIC, TEXTURAL, AND CHEMICAL EVIDENCE. *Econ Geol*. 86: 1506-1518.
- Moghissi, AA. (1991). STRATEGIES FOR THE DEVELOPMENT OF INDOOR AIR-QUALITY STANDARDS. *Environ Int*. 17: 365-370.
- Mohammadian, Y; Shahtaheri, SJ; Yaraghi, A, liAS; Kakooei, H; Hajaghadzadeh, M. (2013). Cytotoxicity of single-walled carbon nanotubes, multi-walled carbon nanotubes, and chrysotile to human lung epithelial cells. *Toxicol Environ Chem*. 95: 1037-1047. <http://dx.doi.org/10.1080/02772248.2013.840371>.
- Mohammad-Taheri, Z; Nadji, SA; Raisi, F; Mohammadi, F; Bahadori, M; Mark, EJ. (2013). No association between simian virus 40 and diffuse malignant mesothelioma of the pleura in Iranian patients: a molecular and epidemiologic case-control study of 60 patients. *Am J Ind Med*. 56: 1221-1225. <http://dx.doi.org/10.1002/ajim.22160>.
- Mohiuddin, AKM; Kant, K; Sen, S. (1992). AN EXPERIMENTAL-STUDY ON PACKING AND DRIFT ELIMINATORS IN AN EVAPORATIVE CONDENSER WITH INDUCED DRAFT. 30: 507-511.
- Mohsenifar, Z. (1987). ASBESTOS AND AIR-FLOW LIMITATION - REPLY. *J Occup Environ Med*. 29: 265-265.
- Moir, W; Zeig-Owens, R; Daniels, RD; Hall, CB; Webber, MP; Jaber, N; Yiin, JH; Schwartz, T; Liu, X; Vossbrinck, M; Kelly, K; Prezant, DJ. (2016). Post-9/11 cancer incidence in World Trade Center-exposed New York City firefighters as compared to a pooled cohort of firefighters from San Francisco, Chicago and Philadelphia (9/11/2001-2009). *Am J Ind Med*. 59: 722-730. <http://dx.doi.org/10.1002/ajim.22635>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Moller, V; Williams-Jones, AE. (2016). Stable and radiogenic isotope constraints on the magmatic and hydrothermal evolution of the Nechalacho Layered Suite, northwest Canada. *Chem Geol.* 440: 248-274. <http://dx.doi.org/10.1016/j.chemgeo.2016.07.010>.
- Mollo, F; Cravello, M; Andreozzi, A; Burlo, P; Bo, P; Attanasio, A; De Giuli, P. (2000). Asbestos body burden in decomposed human lungs. *Am J Forensic Med Pathol.* 21: 148-150.
- Mollo, F; Tomatis, L. (2007). [Asbestos fibers and mesothelioma pathogenesis]. *Epidemiol Prev.* 31: 43-45.
- Molloy, LB. (1991). Asbestos in place in Metropolitan New York. *Ann N Y Acad Sci.* 643: 614-621.
- Molnar, F; Watkinson, DH; Jones, PC. (2001). Multiple hydrothermal processes in footwall units of the North Range, Sudbury Igneous Complex, Canada, and implications for the genesis of vein-type Cu-Ni-PGE deposits. *Econ Geol.* 96: 1645-1670.
- Molter, W. (1985). AERODYNAMIC SEPARATION AND CLASSIFICATION OF ASBESTOS FIBERS. *Staub, Reinhaltung der Luft.* 45: 211-214.
- Momba, MNB; Makala, N. (2004). Comparing the effect of various pipe materials on biofilm formation in chlorinated and combined chlorine-chloraminated water systems. *Water SA.* 30: 175-182.
- Monaro, S; Landsberger, S; Lecomte, R; Paradis, P; Desaulniers, G; Pan, A. (1983). ASBESTOS POLLUTION LEVELS IN RIVER WATER MEASURED BY PROTON-INDUCED X-RAY-EMISSION (PIXE) TECHNIQUES. *Environmental Pollution Series B: Chemical and Physical.* 5: 83-90.
- Monaro, S; Landsberger, S; Lecomte, R; Paradis, P; Desaulniers, G; P'An, A. (1983). Asbestos pollution levels in river water measured by proton-induced X-ray emission techniques (pp. 83-90). (HEEP/83/10378). Monaro, S; Landsberger, S; Lecomte, R; Paradis, P; Desaulniers, G; P'An, A.
- Monchaux, G; Morlier, JP; Fritsch, P; Rochefort, P; Douriez, E; Morin, M; Maximilien, R. (1996). Co-carcinogenic effects of various agents in rats following exposure to radon and radon daughters. *Environ Int.* 22: S917-S925.
- Monchaux, G; Morlier, JP; Morin, M; Chameaud, J; Lafuma, J; Masse, R. (1994). CARCINOGENIC AND COCARCINOGENIC EFFECTS OF RADON AND RADON DAUGHTERS IN RATS [Review]. *Environ Health Perspect.* 102: 64-73.
- Money, A; Carder, M; Noone, P; Bourke, J; Hayes, J; Turner, S; Agius, R. (2015). Work-related ill-health: Republic of Ireland, Northern Ireland, Great Britain 2005-2012. *Occup Med (Lond).* 65: 15-21. <http://dx.doi.org/10.1093/occmed/kqu137>.
- Moniz, M; de Castro, HA; Peres, F. (2012). [Asbestos, danger and invisibility: perception of environmental risks and health of the residents of Bom Jesus da Serra/Bahia state]. *Cien Saude Colet.* 17: 327-336.
- Monkman, LJ. (1979). PROCEDURE FOR THE DETECTION AND IDENTIFICATION OF ASBESTOS AND OTHER FIBERS IN FIBROUS INORGANIC MATERIALS. *Ann Occup Hyg.* 22: 127-139.
- Monso, E; Carreres, A; Tura, JM; Ruiz, J; Fiz, J; Xaus, C; Llatjos, M; Morera, J. (1997). Electron microscopic microanalysis of bronchoalveolar lavage: a way to identify exposure to silica and silicate dust. *Occup Environ Med.* 54: 560-565.
- Monsó, E; Teixidó, A; Lopez, D; Aguilar, X; Fiz, J; Ruiz, J; Rosell, A; Vaqueró, M; Morera, J. (1995). Asbestos bodies in normal lung of western Mediterranean populations with no occupational exposure to inorganic dust. *Arch Environ Health.* 50: 305-311. <http://dx.doi.org/10.1080/00039896.1995.9935959>.
- Monsó, E; Tura, JM; Pujadas, J; Morell, F; Ruiz, J; Morera, J. (1991). Lung dust content in idiopathic pulmonary fibrosis: a study with scanning electron microscopy and energy dispersive x ray analysis. *Br J Ind Med.* 48: 327-331.
- Montanaro, F; Bray, F; Gennaro, V; Merler, E; Tyczynski, JE; Parkin, DM; Strnad, M; Jechov'a, M; Storm, HH; Aareleid, T; Hakulinen, T; Velten, M; Lef'evre, H; Danzon, A; Buemi, A; Daur'es, JP; Ménégóz, F; Raverdy, N; Sauvage, M; Ziegler, H; Comber, H; Paci, E; Vercelli, M; De Lisi, V; Tumino, R; Zanetti, R; Berrino, F; Stanta, G; Langmark, F; Rachtan, J; Mezyk, R; Blaszczyk, J; Ivan, P; Primic-Zakelj, M; Martínez, AC; Izzarugaza, I; Borràs, J; Garcia, CM; Garau, I; Sánchez, NC; Aicua, A; Barlow, L; Torhorst, J; Bouchardey, C; Levi, F; Fisch, T; Probst, N; Visser, O; Quinn, M; Gavin, A; Brewster, D; Mikov, M; Group, EW. (2003). Pleural mesothelioma incidence in Europe: evidence of some deceleration in the increasing trends. *Cancer Causes Control.* 14: 791-803.
- Monteiro, LVS; Xavier, RP; de Carvalho, ER; Hitzman, MW; Johnson, CA; de Souza, CR; Torresi, I. (2008). Spatial and temporal zoning of hydrothermal alteration and mineralization in the Sossego iron oxide-copper-gold deposit, Carajá's Mineral Province, Brazil: paragenesis and stable isotope constraints. *Trans Nonferrous Met Soc China.* 43: 129-159. <http://dx.doi.org/10.1007/s00126-006-0121-3>.
- Montoneri, E; Modica, G; Maffi, S. (1986). ASBESTOS-BRUCITE-POLYPHENYLENE SULFIDE COMPOSITES .1. CHEMICAL AND ELECTROCHEMICAL DEGRADATION IN HOT ALKALI. *Journal of Composite Materials.* 20: 504-519.
- Montoneri, E; Ranzi, E; Modica, G; Hofmann, H. (1987). POLYPHENYLENE SULFIDE-ASBESTOS-BRUCITE COMPOSITES .2. PROPERTIES AND PERFORMANCE IN ADVANCED WATER ELECTROLYSIS. *Journal of Composite Materials.* 21: 690-707.
- Montoya Cabrera, MA; Pérez Reyes, MA; Alonso de Ruíz, P; Gutiérrez-Pastrana, MD; Maldonado Torres, L. (1988). [Investigation of ferruginous bodies in the sputum of individuals exposed to asbestos fibers. Comparative study of 3 identification technics]. *Arch Invest Med.* 19: 97-106.
- Montreuil, JF; Corriveau, L; Potter, EG. (2015). Formation of albitite-hosted uranium within IOCG systems: the Southern Breccia, Great Bear magmatic zone, Northwest Territories, Canada. *Miner Depos.* 50: 293-325. <http://dx.doi.org/10.1007/s00126-014-0530-7>.
- Moolgavkar, SH; Luebeck, EG; Turim, J; Hanna, L. (1999). Quantitative assessment of the risk of lung cancer associated with occupational exposure to refractory ceramic fibers. *Risk Anal.* 19: 599-611.
- Moolgavkar, SH; Meza, R; Turim, J, ay. (2009). Pleural and peritoneal mesotheliomas in SEER: age effects and temporal trends, 1973-2005. *Cancer Causes Control.* 20: 935-944. <http://dx.doi.org/10.1007/s10552-009-9328-9>.
- Moolgavkar, SH; Turim, J; Alexander, DD; Lau, EC; Cushing, CA. (2010). Potency factors for risk assessment at Libby, Montana. *Risk Anal.* 30: 1240-1248. <http://dx.doi.org/10.1111/j.1539-6924.2010.01411.x>.
- Moon, EK; Son, M; Jin, YW; Park, S; Lee, WJ. (2013). Variations of lung cancer risk from asbestos exposure: impact on estimation of population attributable fraction [Review]. *Ind Health.* 51: 128-133.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Moon, MC; Park, JD; Choi, BS; Park, SY; Kim, DW; Chung, YH; Hisanaga, N; Yu, IJ. (2011). Risk Assessment of Baby Powder Exposure through Inhalation. *Toxicological Research*. 27: 137-141. <http://dx.doi.org/10.5487/TR.2011.27.3.137>.
- Moorcroft, JS; Duggan, MJ. (1984). RATE OF DECLINE OF ASBESTOS FIBER CONCENTRATION IN ROOM AIR. *Ann Occup Hyg*. 28: 453-457.
- Moore, DE; Lockner, DA. (2011). Frictional strengths of talc-serpentine and talc-quartz mixtures. *J Geophys Res Solid Earth*. 116. <http://dx.doi.org/10.1029/2010JB007881>.
- Moore, DE; Lockner, DA. (2013). Chemical controls on fault behavior: Weakening of serpentinite sheared against quartz-bearing rocks and its significance for fault creep in the San Andreas system. *J Geophys Res Solid Earth*. 118: 2558-2570. <http://dx.doi.org/10.1002/jgrb.50140>.
- Moore, DE; Lockner, DA; Ma, SL; Summers, R; Byerlee, JD. (1997). Strengths of serpentinite gouges at elevated temperatures. *J Geophys Res Solid Earth*. 102: 14787-14801.
- Moore, JN; Gunderson, RP. (1995). FLUID INCLUSION AND ISOTOPIC SYSTEMATICS OF AN EVOLVING MAGMATIC-HYDROTHERMAL SYSTEM. *Geochim Cosmo Acta*. 59: 3887-3907.
- Moore, JN; Powell, TS; Heizler, MT; Norman, DI. (2000). Mineralization and hydrothermal history of the Tiwi geothermal system, Philippines. *Econ Geol*. 95: 1001-1023.
- Moraes, KAK; Valadares Filho, SC; Moraes, EHB, K; Pina, DS. (2015). CALCIUM OXIDE LEVELS IN SUGARCANE SILAGE, FRESH SUGARCANE OR CORN SILAGE FOR FEEDLOT NELLORE HEIFERS. *The J A P S*. 25: 989-996.
- Morales, LFG; Mainprice, D; Boudier, F. (2013). The influence of hydrous phases on the microstructure and seismic properties of a hydrated mantle rock. *Tectonophysics*. 594: 103-117. <http://dx.doi.org/10.1016/j.tecto.2013.03.022>.
- Moreto, CPN; Monteiro, LVS; Xavier, RP; Creaser, RA; Dufrane, SA; Tassinari, CCG; Sato, K; Kemp, AIS; Amaral, WS. (2015). Neoproterozoic and Paleoproterozoic Iron Oxide-Copper-Gold Events at the Sossego Deposit, Carajas Province, Brazil: Re-Os and U-Pb Geochronological Evidence. *Econ Geol*. 110: 809-835.
- Morfeld, P; Mccunney, RJ. (2009). Carbon Black and Lung Cancer-Testing a Novel Exposure Metric by Multi-Model Inference. *Am J Ind Med*. 52: 890-899. <http://dx.doi.org/10.1002/ajim.20754>.
- Morgan, A. (1974). ADSORPTION OF HUMAN-SERUM ALBUMIN BY ASBESTIFORM MINERALS AND ITS APPLICATION TO MEASUREMENT OF SURFACE-AREAS OF DISPERSED SAMPLES OF CHRYSOTILE. *Environ Res*. 7: 330-341.
- Morgan, A. (1994). IN-VIVO EVALUATION OF CHEMICAL BIOPERSISTENCE OF MAN-MADE MINERAL FIBERS. *Environ Health Perspect*. 102: 127-131.
- Morgan, A. (1994). The removal of fibres of chrysotile asbestos from lung [Letter]. *Ann Occup Hyg*. 38: 643-646.
- Morgan, A. (1995). Deposition of inhaled asbestos and man-made mineral fibres in the respiratory tract [Review]. *Ann Occup Hyg*. 39: 747-758.
- Morgan, A. (1997). Acid leaching studies of chrysotile asbestos from mines in the Coalinga region of California and from Quebec and British Columbia. *Ann Occup Hyg*. 41: 249-&.
- Morgan, A; Collier, CG; Kellington, JP. (1993). DISTRIBUTION OF GLASS-FIBERS IN THE PERITONEAL-CAVITY OF THE RAT FOLLOWING ADMINISTRATION BY INTRAPERITONEAL INJECTION. *J Toxicol Environ Health*. 38: 245-256.
- Morgan, A; Evans, JC; Evans, RJ; Hounam, RF; Holmes, A; Doyle, SG. (1975). Studies on the deposition of inhaled fibrous material in the respiratory tract of the rat and its subsequent clearance using radioactive tracer techniques II Deposition of the UICC standard reference samples of asbestos. *Environ Res*. 10: 196-207.
- Morgan, A; Gold, C; Holmes, A. (1971). STUDIES OF SOLUBILITY OF CONSTITUENTS OF CHRYSOTILE ASBESTOS IN-VIVO USING RADIOACTIVE TRACER TECHNIQUES. *Environ Res*. 4: 558-&.
- Morgan, A; Holmes, A. (1980). Concentrations and dimensions of coated and uncoated asbestos fibres in the human lung. *Occup Environ Med*. 37: 25-32.
- Morgan, A; Holmes, A. (1984). Solubility of rockwool fibres in vivo and the formation of pseudo-asbestos bodies. *Ann Occup Hyg*. 28: 307-314.
- Morgan, A; Holmes, A. (1985). The enigmatic asbestos body: its formation and significance in asbestos-related disease. *Environ Res*. 38: 283-292.
- Morgan, A; Holmes, A. (1986). Solubility of asbestos and man-made mineral fibers in vitro and in vivo: its significance in lung disease. *Environ Res*. 39: 475-484.
- Morgan, A; Lally, AE; Holmes, A. (1973). Some observations on the distribution of trace metals in chrysotile asbestos. *Ann Occup Hyg*. 16: 231-240.
- Morgan, A; Talbot, RJ. (1997). Acid Leaching Studies of Neutron-Irradiated Chrysotile Asbestos. *Ann Occup Hyg*. 41: 269-279. [http://dx.doi.org/10.1016/S0003-4878\(97\)00002-1](http://dx.doi.org/10.1016/S0003-4878(97)00002-1).
- Morgan, A; Talbot, RJ; Holmes, A. (1978). Significance of fibre length in the clearance of asbestos fibres from the lung. *Br J Ind Med*. 35: 146-153. <http://dx.doi.org/10.1136/oem.35.2.146>.
- Morgan, RW. (1991). METAANALYSIS OF ASBESTOS AND GASTROINTESTINAL CANCER. *Am J Ind Med*. 19: 407-408.
- Morgan, RW. (1992). Attitudes about asbestos and lung cancer. *Am J Ind Med*. 22: 437-441.
- Morgan, RW; Zhao, KE. (1994). Study of occupational lung cancer in asbestos factories in China [Letter]. *Occup Environ Med*. 51: 719.
- Morgan, WK; Bracken, M; Sargent, N; Wheeler, P. (1992). On the diagnostic accuracy of asbestos-induced disease [Letter]. *J Occup Med*. 34: 1205-1206.
- Morgenroth, K. (1982). SIZING AND IDENTIFICATION OF ASBESTOS FIBERS AND OTHER MINERALS WITH ANALYTICAL ELECTRON MICROSCOPY IN AUTOPSY AND BIOPSY MATERIAL (pp. 24-26). (HEEP/84/05467). Morgenroth, K.
- Morimoto, T; Biswas, G; Kono, T; Sakai, M; Hikima, J. (2016). Immune responses in the Japanese pufferfish (Takifugu rubripes) head kidney cells stimulated with particulate silica. *Fish Shellfish Immunol*. 49: 84-90. <http://dx.doi.org/10.1016/j.fsi.2015.12.023>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Morimoto, Y; Ding, L; Oyabu, T; Kim, H; Ogami, A; Hirohashi, M; Nagatomo, H; Yamato, H; Akiyama, I; Hori, H; Higashi, T; Tanaka, I. (2003). Gene expression of surfactant protein-A and thyroid transcription factor-1 in lungs of rats exposed to silicon-carbide whisker in vivo. *J Occup Health*. 45: 307-312.
- Morimoto, Y; Kido, M; Tanaka, I; Fujino, A; Higashi, T; Yokosaki, Y. (1993). Synergistic effects of mineral fibres and cigarette smoke on the production of tumour necrosis factor by alveolar macrophages of rats. *Br J Ind Med*. 50: 955-960.
- Morimoto, Y; Tanaka, I. (2001). In vivo studies of man-made mineral fibers--fibrosis-related factors [Review]. *Ind Health*. 39: 106-113.
- Morimoto, Y; Tsuda, T; Hirohashi, M; Yamato, H; Hori, H; Ohgami, A; Yatera, K; Kim, HN; Ding, L; Kido, M; Higashi, T; Tanaka, I. (1999). Effects of mineral fibers on the gene expression of proinflammatory cytokines and inducible nitric-oxide synthase in alveolar macrophages. *Ind Health*. 37: 329-334.
- Morimoto, Y; Tsuda, T; Hori, H; Yamato, H; Ohgami, A; Higashi, T; Nagata, N; Kido, M; Tanaka, I. (1999). Combined effect of cigarette smoke and mineral fibers on the gene expression of cytokine mRNA. *Environ Health Perspect*. 107: 495-500.
- Morimoto, Y; Tsuda, T; Nakamura, H; Hori, H; Yamato, H; Nagata, N; Higashi, T; Kido, M; Tanaka, I. (1997). Expression of Matrix Metalloproteinases, Tissue Inhibitors of Metalloproteinases, and Extracellular Matrix mRNA Following Exposure to Mineral Fibers and Cigarette Smoke In Vivo. *Environ Health Perspect*. 105: 1247-1251.
- Morimoto, Y; Yamato, H; Kido, M; Tanaka, I; Higashi, T; Fujino, A; Yokosaki, Y. (1994). Effects of Inhaled Ceramic Fibres on Macrophage Function of Rat Lungs. *Occup Environ Med*. 51: 62-67.
- Morlier, P; Khenfer, MM. (1991). EFFECT OF THE LENGTH OF FIBERS ON THE MECHANICAL-PROPERTIES OF CEMENTS REINFORCED WITH CELLULOSIC FIBERS. *Mater Struct*. 24: 185-190.
- Morris, RD. (1995). Drinking water and cancer [Review]. *Environ Health Perspect*. 103 Suppl 8: 225-231. <http://dx.doi.org/10.2307/3432315>.
- Morrison, JM; Goldhaber, MB; Mills, CT; Breit, GN; Hooper, RL; Holloway, JM; Diehl, SF; Ranville, JF. (2015). Weathering and transport of chromium and nickel from serpentinite in the Coast Range ophiolite to the Sacramento Valley, California, USA. *Appl Geochem*. 61: 72-86. <http://dx.doi.org/10.1016/j.apgeochem.2015.05.018>.
- Morse, HN. (1992). REMOVAL OF ASBESTOS DUST. *J Air Waste Manag Assoc*. 42: 1133-1133.
- Mossman, BT. (1988). CARCINOGENIC POTENTIAL OF ASBESTOS AND NONASBESTOS FIBERS. *J Environ Sci Health, Part C: Environ Carcinog Rev*. 6: 151-196.
- Mossman, BT. (1993). Mechanisms of asbestos carcinogenesis and toxicity: the amphibole hypothesis revisited [Editorial]. *Br J Ind Med*. 50: 673-676.
- Mossman, BT. (1994). Carcinogenesis and related cell and tissue responses to asbestos: a review [Review]. *Ann Occup Hyg*. 38: 617-624, 423.
- Mossman, BT; Eastman, A; Landesman, JM; Bresnick, E. (1983). Effects of crocidolite and chrysotile asbestos on cellular uptake and metabolism of benzo(a)pyrene in hamster tracheal epithelial cells. *Environ Health Perspect*. 51: 331-335.
- Mossman, BT; Faux, S; Janssen, Y; Jimenez, LA; Timblin, C; Zanella, C; Goldberg, J; Walsh, E; Barchowsky, A; Driscoll, K. (1997). Cell Signaling Pathways Elicited by Asbestos. *Environ Health Perspect*. 105: 1121. <http://dx.doi.org/10.2307/3433519>.
- Mossman, BT; Janssen, YMW; Marsh, JP; Manohar, M; Garrone, M; Shull, S; Hemenway, D. (1990). ANTIOXIDANT DEFENSE-MECHANISMS IN ASBESTOS-INDUCED LUNG-DISEASE. *J Aerosol Med*. 3: S75-S82.
- Mossman, BT; Lippmann, M; Hesterberg, TW; Kelsey, KT; Barchowsky, A; Bonner, JC. (2011). Pulmonary endpoints (lung carcinomas and asbestosis) following inhalation exposure to asbestos [Review]. *J Toxicol Environ Health B Crit Rev*. 14: 76-121. <http://dx.doi.org/10.1080/10937404.2011.556047>.
- Mossman, BT; Marsh, JP. (1989). Evidence Supporting a Role for Active Oxygen Species in Asbestos-Induced Toxicity and Lung Disease [Review]. *Environ Health Perspect*. 81: 91-94.
- Mota, LC; Urena-Benavides, EE; Yoon, Y; Son, A. (2013). Quantitative Detection of Single Walled Carbon Nanotube in Water Using DNA and Magnetic Fluorescent Spheres. *Environ Sci Technol*. 47: 493-501. <http://dx.doi.org/10.1021/es303671u>.
- Motte, F; Falcoz, Q; Veron, E; Py, X. (2015). Compatibility tests between Solar Salt and thermal storage ceramics from inorganic industrial wastes. *Appl Energ*. 155: 14-22. <http://dx.doi.org/10.1016/j.apenergy.2015.05.074>.
- Moudgal, RP; Misra, RP; Panda, JN; Ahuja, SD. (1992). CATECHOLAMINES IN EGG-YOLK OF GOOD OR POOR LAYERS DURING SUMMER UNDER DIFFERENT HOUSING SYSTEMS. *Indian J Anim Sci*. 62: 886-889.
- Moulin, JJ; Clavel, T; Roy, D; Dananché, B; Marquis, N; Févotte, J; Fontana, JM. (2000). Risk of lung cancer in workers producing stainless steel and metallic alloys. *Int Arch Occup Environ Health*. 73: 171-180.
- Moyer, VD; Cistulli, CA; Vaslet, CA; Kane, AB. (1994). OXYGEN RADICALS AND ASBESTOS CARCINOGENESIS [Review]. *Environ Health Perspect*. 102: 131-136.
- Moys, AL; Sabersky, RH. (1978). HEAT-TRANSFER AND FRICTION COEFFICIENTS FOR DILUTE SUSPENSIONS OF ASBESTOS FIBERS. *Int J Heat Mass Tran*. 21: 7-14.
- Mposkos, E; Baziotis, I; Leontakianakos, G; Barry, PH. (2013). The metamorphic evolution of the high-pressure Kechros complex in East Rhodope (NE Greece): Implications from Na-Al-rich leucocratic rocks within antigorite serpentinites. *Lithos*. 177: 17-33. <http://dx.doi.org/10.1016/j.lithos.2013.06.012>.
- Mposkos, E; Baziotis, I; Proyer, A. (2010). Metamorphic reprocessing of a serpentinitized carbonate-bearing peridotite after detachment from the mantle wedge: A P-T path constrained from textures and phase diagrams in the system CaO-MgO-Al₂O₃-SiO₂-CO₂-H₂O. *Lithos*. 118: 349-364. <http://dx.doi.org/10.1016/j.lithos.2010.05.009>.
- Mucke, A; Younessi, R. (1994). MAGNETITE-APATITE DEPOSITS (KIRUNA-TYPE) ALONG THE SANANDAJ-SIRJAN ZONE AND IN THE BAFQ AREA, IRAN, ASSOCIATED WITH ULTRAMAFIC AND CALCALKALINE ROCKS AND CARBONATITES. *Mineralogy and Petrology*. 50: 219-244.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Mueller, AG. (1997). The Nevorio gold skarn deposit in Archean iron-formation, southern cross greenstone belt, western Australia .1. Tectonic setting, petrography and classification. *Econ Geol.* 92: 181-209.
- Mueller, AG. (2007). Copper-gold endoskarns and high-Mg monzodiorite-tonalite intrusions at Mt. Shea, Kalgoorlie, Australia: implications for the origin of gold-pyrite-tennantite mineralization in the Golden Mile. *Miner Depos.* 42: 737-769. <http://dx.doi.org/10.1007/s00126-007-0132-8>.
- Mueller, AG; Hall, GC; Nemchin, AA; Stein, HJ; Creaser, RA; Mason, DR. (2008). Archean high-Mg monzodiorite-syenite, epidote skarn, and biotite-sericite gold lodes in the Granny Smith-Wallaby district, Australia: U-Pb and Re-Os chronometry of two intrusion-related hydrothermal systems. *Trans Nonferrous Met Soc China.* 43: 337-362. <http://dx.doi.org/10.1007/s00126-007-0164-0>.
- Mueller, AG; Nemchin, AA; Frei, R. (2004). The Nevorio gold skarn deposit, Southern Cross greenstone belt, western Australia: II. Pressure-temperature-time path and relationship to postorogenic granites. *Econ Geol.* 99: 453-478.
- Mugnaioli, E; Logar, M; Mellini, M; Viti, C. (2007). Complexity in 15-and 30-sectors polygonal serpentine: Longitudinal sections, intrasector stacking faults and XR-PD satellites. *Am Mineral.* 92: 603-616. <http://dx.doi.org/10.2138/am.2007.2272>.
- Muhle, H; Bellmann, B; Pott, F. (1994). Comparative investigations of the biodurability of mineral fibers in the rat lung. *Environ Health Perspect.* 102 Suppl 5: 163-168.
- Muhle, H; Pott, F. (2000). Asbestos as reference material for fibre-induced cancer [Review]. *Int Arch Occup Environ Health.* 73 Suppl: S53-S59.
- Muir, DC; Julian, J; Jadon, N; Roberts, R; Roos, J; Chan, J; Maehle, W; Morgan, WK. (1993). Prevalence of small opacities in chest radiographs of nickel sinter plant workers. *Br J Ind Med.* 50: 428-431.
- Mukerjee, S; Mukerjee, D; Powers, TJ; Wassermann, O. (1991). STRATEGY TO REDUCE RISK OF ASBESTOS IN THE UNITED-STATES. 1: 193-207.
- Mukherjee, PS; De, AK; Bhattacharjee, S. (1978). ELECTRICAL ANISOTROPY OF ASBESTOS - A FIBROUS TREMOLITE. *Journal of Materials Science.* 13: 1824-1827.
- Mukherjee, R, ia; Mondal, SK; Frei, R; Rosing, MT; Waight, T, odE; Zhong, H; Kumar, GRR. (2012). The 3.1 Ga Nuggihalli chromite deposits, Western Dharwar craton (India): Geochemical and isotopic constraints on mantle sources, crustal evolution and implications for supercontinent formation and ore mineralization. *Lithos.* 155: 392-409. <http://dx.doi.org/10.1016/j.lithos.2012.10.001>.
- Mukherjee, R, ia; Mondal, SK; Gonzalez-Jimenez, JM; Griffin, WL; Pearson, NJ; O'Reilly, SY. (2015). Trace-element fingerprints of chromite, magnetite and sulfides from the 3.1 Ga ultramafic-mafic rocks of the Nuggihalli greenstone belt, Western Dharwar craton India). *Contributions to Mineralogy and Petrology.* 169. <http://dx.doi.org/10.1007/s00410-015-1148-1>.
- Mukhopadhyay, S; Annamalai, D; Srikanta, R. (2011). Coir Fiber for Heat Insulation. *Journal of Natural Fibers.* 8: 48-58. <http://dx.doi.org/10.1080/15440478.2010.551001>.
- Mullan, RJ; Murthy, LI. (1991). OCCUPATIONAL SENTINEL HEALTH EVENTS - AN UP-DATED LIST FOR PHYSICIAN RECOGNITION AND PUBLIC-HEALTH SURVEILLANCE. *Am J Ind Med.* 19: 775-799.
- Muller, D; Morris, BJ; Farrand, MG. (1993). POTASSIC ALKALINE LAMPROPHYRES WITH AFFINITIES TO LAMPROITES FROM THE KARINYA-SYNCLINE, SOUTH-AUSTRALIA. *Lithos.* 30: 123-137.
- Muller, JG; Rudolph, WG; Lieske, JM; Hernandez, JE; Jan, MH; Kubiak, G. (2007). Changes in B-readings over time in the United States Navy Asbestos Medical Surveillance Program. *J Occup Environ Med.* 49: 194-203. <http://dx.doi.org/10.1097/JOM.0b013e31802df12c>.
- Mullins, M; Murphy, F; Baublyte, L; Mcalea, EM; Tofail, SA. (2013). The insurability of nanomaterial production risk. *Nat Nanotechnol.* 8: 222-224. <http://dx.doi.org/10.1038/nnano.2013.53>.
- Mundt, DJ; Marano, KM; Nunes, AP; Adams, RC. (2009). A review of changes in composition of hot mix asphalt in the United States. *J Occup Environ Hyg.* 6: 714-725. <http://dx.doi.org/10.1080/15459620903249125>.
- Mundt, DJ; van Wijngaarden, E; Mundt, KA. (2007). An assessment of the possible extent of confounding in epidemiological studies of lung cancer risk among roofers. *J Occup Environ Hyg.* 4: 163-174. <http://dx.doi.org/10.1080/15459620701354382>.
- Munoz, M; Vidal, O; Marcaillou, C; Pascarelli, S; Mathon, O; Farges, F. (2013). Iron oxidation state in phyllosilicate single crystals using Fe-K pre-edge and XANES spectroscopy: Effects of the linear polarization of the synchrotron X-ray beam. *Am Mineral.* 98: 1187-1197. <http://dx.doi.org/10.2138/am.2013.4289>.
- Muntener, O; Hermann, J. (1994). TITANIAN ANDRADITE IN A METAPYROXENITE LAYER FROM THE MALENCO ULTRAMAFICS (ITALY) - IMPLICATIONS FOR TI-MOBILITY AND LOW-OXYGEN FUGACITY. *Contributions to Mineralogy and Petrology.* 116: 156-168.
- Muntener, O; Hermann, J; Trommsdorff, V. (2000). Cooling history and exhumation of lower crustal granulite and Upper Mantle (Malenco, Eastern Central Alps). *Journal of Petrology.* 41: 175-200.
- Munz, IA; Wayne, D; Austrheim, H. (1994). RETROGRADE FLUID INFILTRATION IN THE HIGH-GRADE MODUM COMPLEX, SOUTH NORWAY - EVIDENCE FOR AGE, SOURCE AND REE MOBILITY. *Contributions to Mineralogy and Petrology.* 116: 32-46.
- Murai, Y. (2001). Malignant mesothelioma in Japan: analysis of registered autopsy cases. *Arch Environ Health.* 56: 84-88. <http://dx.doi.org/10.1080/00039890109604058>.
- Murai, Y; Kitagawa, M. (2000). Autopsy cases of asbestosis in Japan: a statistical analysis on registered cases. *Arch Environ Health.* 55: 447-452. <http://dx.doi.org/10.1080/00039890009604044>.
- Murai, Y; Kitagawa, M; Hiraoka, T. (1995). Asbestos body formation in the human lung: distinctions, by type and size. *Arch Environ Health.* 50: 19-25. <http://dx.doi.org/10.1080/00039896.1995.9955008>.
- Murai, Y; Kitagawa, M; Hiraoka, T. (1997). Fiber analysis in lungs of residents of a Japanese town with endemic pleural plaques. *Arch Environ Health.* 52: 263-269. <http://dx.doi.org/10.1080/00039899709602196>.
- Murai, Y; Kitagawa, M; Matsui, K; Koizumi, F; Miwa, A. (1995). Asbestos fiber analysis in nine lung cancer cases with high asbestos exposure [Review]. *Arch Environ Health.* 50: 320-325. <http://dx.doi.org/10.1080/00039896.1995.9935961>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Murai, Y; Kitagawa, M; Yasuda, M; Okada, E; Koizumi, F; Miwa, A. (1994). Asbestos fiber analysis in seven asbestosis cases. *Arch Environ Health*. 49: 67-72. <http://dx.doi.org/10.1080/00039896.1994.9934418>.
- Murata-Kamiya, N; Tsutsui, T; Fujino, A; Kasai, H; Kaji, H. (1997). Determination of carcinogenic potential of mineral fibers by 8-hydroxydeoxyguanosine as a marker of oxidative DNA damage in mammalian cells. *Int Arch Occup Environ Health*. 70: 321-326.
- Muravov, OI; Kaye, WE; Lewin, M; Berkowitz, Z; Lybarger, JA; Campolucci, SS; Parker, JE. (2005). The usefulness of computed tomography in detecting asbestos-related pleural abnormalities in people who had indeterminate chest radiographs: the Libby, MT, experience. *Int J Hyg Environ Health*. 208: 87-99. <http://dx.doi.org/10.1016/j.ijheh.2005.01.019>.
- Murayama, T; Takahashi, K; Natori, Y; Kurumatani, N. (2006). Estimation of future mortality from pleural malignant mesothelioma in Japan based on an age-cohort model. *Am J Ind Med*. 49: 1-7. <http://dx.doi.org/10.1002/ajim.20246>.
- Murbach, DM; Devlin, KD; Franke, KS; Paustenbach, DJ. (2008). A Review of Historical Ambient Airborne Asbestos Concentrations in Cities and Buildings: 1950s to the Present Day. *Epidemiology*. 19: S256-S257.
- Murr, LE. (2009). Nanoparticulate materials in antiquity: The good, the bad and the ugly. *Materials Characterization*. 60: 261-270. <http://dx.doi.org/10.1016/j.matchar.2008.03.012>.
- Murr, LE; Garza, KM. (2009). Natural and anthropogenic environmental nanoparticulates: Their microstructural characterization and respiratory health implications. *Atmos Environ*. 43: 2683-2692. <http://dx.doi.org/10.1016/j.atmosenv.2009.03.002>.
- Murr, LE; Kloska, K. (1976). The detection and analysis of particulates in municipal water supplies by transmission electron microscopy. *Water Res*. 10: 469-477.
- Murr, LE; Soto, KF. (2004). TEM comparison of chrysotile (asbestos) nanotubes and carbon nanotubes. *Journal of Materials Science*. 39: 4941-4947.
- Murray, JS. (1985). FIBER DISPERSION SURVEY - A NEW PROSPECTING METHOD FOR ASBESTOS. 78: 64-64.
- Murzin, VV; Shanina, SN. (2007). Fluid regime and origin of gold-bearing rodingites from the Karabash alpine-type ultrabasic massif, Southern Ural. *Geochem Int*. 45: 998-1011. <http://dx.doi.org/10.1134/S0016702907100047>.
- Music, S; Filipovic-Vincekovic, N; Sekovanic, L. (2011). PRECIPITATION OF AMORPHOUS SiO₂ PARTICLES AND THEIR PROPERTIES. *Brazilian Journal of Chemical Engineering*. 28: 89-94.
- Musk, AW; De Klerk, NH. (2002). The quantitative risks of mesothelioma and lung cancer in relation to asbestos exposure: The Wittenoom data - Reply. *Ann Occup Hyg*. 46: 128-129. <http://dx.doi.org/10.1093/annhyg/mef003>.
- Musk, AW; de Klerk, NH; Eccles, JL; Hansen, J; Shilkin, KB. (1995). Malignant mesothelioma in Pilbara Aborigines [Review]. 19: 520-522.
- Musk, AW; de Klerk, NH; Reid, A; Ambrosini, GL; Fritschi, L; Olsen, NJ; Merler, E; Hobbs, MST; Berry, G. (2008). Mortality of former crocidolite (blue asbestos) miners and millers at Wittenoom. *Occup Environ Med*. 65: 541-543. <http://dx.doi.org/10.1136/oem.2007.034280>.
- Musselman, RP; Miiller, WC; Eastes, W; Hadley, JG; Kamstrup, O; Thevenaz, P; Hesterberg, TW. (1994). Biopersistences of man-made vitreous fibers and crocidolite fibers in rat lungs following short-term exposures. *Environ Health Perspect*. 102 Suppl 5: 139-143.
- Mustafa, A; Abdollah, MFB; Ismail, N; Amiruddin, H; Umehara, N. (2014). Materials selection for eco-aware lightweight friction material. 15: 279-285. <http://dx.doi.org/10.1051/meca/2014039>.
- Mustard, JF. (1992). CHEMICAL-ANALYSIS OF ACTINOLITE FROM REFLECTANCE SPECTRA. *Am Mineral*. 77: 345-358.
- Musthapa, MS; Ahmad, I; Trivedi, AK; Rahman, Q. (2003). Asbestos contamination in biota and abiota in the vicinity of asbestos-cement factory. *Bull Environ Contam Toxicol*. 70: 1170-1177. <http://dx.doi.org/10.1007/s00128-003-0105-2>.
- Musti, M; Pollice, A; Cavone, D; Dragonieri, S; Bilancia, M. (2009). The relationship between malignant mesothelioma and an asbestos cement plant environmental risk: a spatial case-control study in the city of Bari (Italy). *Int Arch Occup Environ Health*. 82: 489-497. <http://dx.doi.org/10.1007/s00420-008-0358-5>.
- Mutlu, GM; Budinger, GR; Green, AA; Urich, D; Soberanes, S; Chiarella, SE; Alheid, GF; Mccrimmon, DR; Szeleifer, I; Hersam, MC. (2010). Biocompatible nanoscale dispersion of single-walled carbon nanotubes minimizes in vivo pulmonary toxicity. *Nano Lett*. 10: 1664-1670. <http://dx.doi.org/10.1021/nl9042483>.
- Mutlu, I; Alma, MH; Basturk, MA; Oner, C. (2005). Preparation and characterization of brake linings from modified tannin-phenol formaldehyde resin and asbestos-free fillers. *Journal of Materials Science*. 40: 3003-3005. <http://dx.doi.org/10.1007/s10853-005-2396-7>.
- Mutlu, I; Eldogan, O; Findik, F. (2005). Production of ceramic additive automotive brake lining and investigation of its braking characterisation. *Industrial Lubrication & Tribology*. 57: 84-92. <http://dx.doi.org/10.1108/00368790510583401>.
- Mutlu, I; Oner, C; Cevik, I; Findik, F. (2007). Wear performance of some phenolic composites with boric acid. *Industrial Lubrication & Tribology*. 59: 38-45. <http://dx.doi.org/10.1108/00368790710723124>.
- Muzembo, BA; Deguchi, Y; Ngatu, NR; Eitoku, M; Hirota, R; Suganuma, N. (2015). Selenium and exposure to fibrogenic mineral dust: a mini-review [Review]. *Environ Int*. 77: 16-24. <http://dx.doi.org/10.1016/j.envint.2015.01.002>.
- Myalski, J; Sleziona, J. (2005). The assessment of possibilities for utilisation of composites with thermosetting matrix. *J Mater Process Tech*. 162: 96-101. <http://dx.doi.org/10.1016/j.jmatprotec.2005.02.184>.
- Myers, JE. (1992). MERCHANT-MARINE IS NOT SUCH A STRANGE PLACE FOR ASBESTOS EXPOSURE [Letter]. *Am J Ind Med*. 21: 457-457.
- Myers, JL. (1975). HANDLING ASBESTOS - CHRYSOTILE ASBESTOS IN PLASTICS. *J Paint Technol*. 47: 63-67.
- Myojo, T; Ogami, A; Oyabu, T; Morimoto, Y; Hirohashi, M; Murakami, M; Nishi, K; Kadoya, C; Tanaka, I. (2010). Risk assessment of airborne fine particles and nanoparticles. *Adv Powder Tech*. 21: 507-512. <http://dx.doi.org/10.1016/j.apt.2010.05.004>.
- Myojo, T; Takaya, M. (2001). Estimation of fibrous aerosol deposition in upper bronchi based on experimental data with model bifurcation. *Ind Health*. 39: 141-149.
- Myrvik, QN; Knox, EA; Gordon, M; Shirley, PS. (1985). Effects of asbestos on the random migration of rabbit alveolar macrophages. *Environ Health Perspect*. 60: 387-393.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Nabeshi, H; Yoshikawa, T; Matsuyama, K; Nakazato, Y; Matsuo, K; Arimori, A; Isobe, M; Tochigi, S; Kondoh, S; Hirai, T; Akase, T; Yamashita, T; Yamashita, K; Yoshida, T; Nagano, K; Abe, Y; Yoshioka, Y; Kamada, H; Imazawa, T; Itoh, N; Nakagawa, S; Mayumi, T; Tsunoda, S; Tsutsumi, Y. (2011). Systemic distribution, nuclear entry and cytotoxicity of amorphous nanosilica following topical application. *Biomaterials*. 32: 2713-2724. <http://dx.doi.org/10.1016/j.biomaterials.2010.12.042>.
- Nadeau, O; Cayer, A; Pelletier, M; Stevenson, R; Jebrak, M. (2015). The Paleoproterozoic Montviel carbonatite-hosted REE-Nb deposit, Abitibi, Canada: Geology, mineralogy, geochemistry and genesis. *Ore Geol Rev*. 67: 314-335. <http://dx.doi.org/10.1016/j.oregeorev.2014.12.017>.
- Nagaya, T; Wallis, SR; Kobayashi, H; Michibayashi, K; Mizukami, T; Seto, Y; Miyake, A; Matsumoto, M. (2014). Dehydration breakdown of antigorite and the formation of B-type olivine CPO. *Earth Planet Sci Lett*. 387: 67-76. <http://dx.doi.org/10.1016/j.epsl.2013.11.025>.
- Naimi, AI; Cole, SR; Richardson, DB. (2012). ESTIMATING THE ASSOCIATION BETWEEN ASBESTOS AND LUNG CANCER MORTALITY USING STRUCTURAL NESTED MODELS. *Am J Epidemiol*. 175: S41-S41.
- Naimi, AI; Richardson, DB; Cole, SR. (2013). Causal Inference in Occupational Epidemiology: Accounting for the Healthy Worker Effect by Using Structural Nested Models [Comment]. *Am J Epidemiol*. 178: 1681-1686. <http://dx.doi.org/10.1093/aje/kwt215>.
- Najorka, J; Gottschalk, M. (2003). Crystal chemistry of tremolite-tschemmakite solid solutions. *Physics and Chemistry of Minerals*. 30: 108-124. <http://dx.doi.org/10.1007/s00269-002-0291-1>.
- Najorka, J; Gottschalk, M; Franz, G; Heinrich, W. (1999). Ca-Sr distribution among amphibole, clinopyroxene, and chloride-bearing solutions. *Am Mineral*. 84: 596-606.
- Najorka, J; Gottschalk, M; Heinrich, W. (2002). Composition of synthetic tremolite-tschemmakite solid solutions in amphibole+anorthite- and amphibole+zoisite-bearing assemblages. *Am Mineral*. 87: 462-477.
- Nakadate, T; Sato, T; Kagawa, J; Yagami, T. (1994). Effect of lifetime cigarette consumption on time domain spirogram indices. *Ind Health*. 32: 29-40.
- Nakamura, H; Kanazawa, K; Mizuhira, V. (1977). AN ATTEMPT TO IDENTIFY ASBESTOS BY WAVELENGTH DISPERSIVE X-RAY MICRO ANALYZER. (HEEP/79/01086). Nakamura, H; Kanazawa, K; Mizuhira, V.
- Nakamura, K; Kato, Y. (2004). Carbonatization of oceanic crust by the seafloor hydrothermal activity and its significance as a CO₂ sink in the Early Archean. *Geochim Cosmo Acta*. 68: 4595-4618. <http://dx.doi.org/10.1016/j.gca.2004.05.023>.
- Nakamura, M; Fukushima, T; Kamitani, M. (1992). MICROSTRUCTURE AND FROST DURABILITY OF CEMENTITIOUS BUILDING-MATERIALS REINFORCED WITH NONASBESTOS FIBERS. 100: 858-863.
- Nakamura, M; Ishibashi, Y. (1997). Frost durability of non-asbestos fiber-reinforced cement board fabricated from modified raw powders. *Ceramic Society of Japan Journal*. 105: 906-910. <http://dx.doi.org/10.2109/jcersj.105.906>.
- Nakamura, M; Takanori, D. (1996). Improvement of frost durability of vinylon fiber reinforced cement board. *Ceramic Society of Japan Journal*. 104: 989-991. <http://dx.doi.org/10.2109/jcersj.104.989>.
- Nakatani, T; Nakamura, M. (2016). Experimental constraints on the serpentinization rate of fore-arc peridotites: Implications for the upwelling condition of the slab-derived fluid. *G-cubed*. 17: 3393-3419. <http://dx.doi.org/10.1002/2016GC006295>.
- Nakayama, N; Hagiwara, K; Ito, Y; Ijiri, K; Osada, Y; Sano, K. (2015). Superior cell penetration by a rigid and anisotropic synthetic protein. *Langmuir*. 31: 2826-2832. <http://dx.doi.org/10.1021/la504494x>.
- Nam, JM. (2007). Comparison of validity of assessment methods using indices of adjusted agreement. *Stat Med*. 26: 620-632. <http://dx.doi.org/10.1002/sim.2562>.
- Nam, SN; Jeong, S; Lim, H. (2014). Thermochemical destruction of asbestos-containing roofing slate and the feasibility of using recycled waste sulfuric acid. *J Hazard Mater*. 265: 151-157. <http://dx.doi.org/10.1016/j.jhazmat.2013.11.004>.
- Narayan, S; Sinha, BR; Blum, FD; Dharani, LR; Chen, YR. (1990). NON-ASBESTOS FRICTION MATERIALS - MECHANICAL-PROPERTIES OF BINARY-SYSTEMS. 21: 17-22.
- Nascimento, RSC; Sial, AN; Pimentel, MM. (2007). C- and Sr-isotope systematics applied to Neoproterozoic marbles of the Serido belt, northeastern Brazil. *Chem Geol*. 237: 191-210. <http://dx.doi.org/10.1016/j.chemgeo.2006.06.017>.
- Natale, A. (1987). METHOD OF DISPOSING OF ASBESTOS WASTE MATERIAL US PATENT-4705429. NOVEMBER 10 1987. (BIOSIS/88/02681). Natale, A.
- Natarajan, MP; Rajmohan, B. (2016). Performance of non-asbestos organic brake liners for light motor vehicles. 58: 252-259. <http://dx.doi.org/10.3139/120.110849>.
- Naumczyk, J; Kucharska, M. (2011). TANNERY WASTEWATER TREATMENT BY ANODIC ELECTROOXIDATION COUPLED WITH ELECTRO-FENTON PROCESS. *Environ Protect Eng*. 37: 47-54.
- Navrátil, M; Dobiáš, J. (1973). Development of pleural hyalinoses in long term studies of persons exposed to asbestos dust. *Environ Res*. 6: 455-472.
- Navrátil, M; Morávková, K; Trippé, F. (1978). Follow-up study of pleural hyalinoses in individuals not exposed to asbestos dust. *Environ Res*. 15: 108-118.
- Navratil, M; Trippé, F. (1972). PREVALENCE OF PLEURAL CALCIFICATION IN PERSONS EXPOSED TO ASBESTOS DUST, AND IN GENERAL POPULATION IN SAME DISTRICT. *Environ Res*. 5: 210-&.
- Nawrat, G; Kopyto, D; Gonet, M. (2007). Integrated diaphragm-cathode systems in the process of electrolysis production of chlorine. *Przemysł Chemiczny*. 86: 866-871.
- Nay, SY. (2003). Asbestos in Belgium: use and abuse. *Int J Occup Environ Health*. 9: 287-293. <http://dx.doi.org/10.1179/oeh.2003.9.3.287>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Nayebzadeh, A; Dufresne, A; Case, B; Vali, H; Williams-Jones, AE; Martin, R; Normand, C; Clark, J. (2001). Lung mineral fibers of former miners and millers from Thetford-Mines and asbestos regions: a comparative study of fiber concentration and dimension. *Arch Environ Health*. 56: 65-76. <http://dx.doi.org/10.1080/00039890109604056>.
- Naylor, LM. (1989). ASBESTOS IN SLUDGE A SIGNIFICANT RISK. *Biocycle*. 30: 51-53.
- Ndiaye, M; Kasse, AA; Kebe, B; Sow, ML. (2010). Malignant pleural mesothelioma in an employee of a ship repair company. *Arch Mal Prof Environ*. 71: 157-160. <http://dx.doi.org/10.1016/j.admp.2010.02.010>.
- Ndlovu, B; Becker, M; Forbes, E; Deglon, D; Franzidis, JP. (2011). The influence of phyllosilicate mineralogy on the rheology of mineral slurries. *Miner Eng*. 24: 1314-1322. <http://dx.doi.org/10.1016/j.mineng.2011.05.008>.
- Ndlovu, B; Forbes, E; Farrokhpay, S; Becker, M; Bradshaw, D, ee; Deglon, D. (2014). A preliminary rheological classification of phyllosilicate group minerals. *Miner Eng*. 55: 190-200. <http://dx.doi.org/10.1016/j.mineng.2013.06.004>.
- Ndlovu, BN; Forbes, E; Becker, M; Deglon, DA; Franzidis, JP; Laskowski, JS. (2011). The effects of chrysotile mineralogical properties on the rheology of chrysotile suspensions. *Miner Eng*. 24: 1004-1009. <http://dx.doi.org/10.1016/j.mineng.2011.04.025>.
- Ndlovu, N; Naude, J, t; Murray, J. (2013). Compensation for environmental asbestos-related diseases in South Africa: a neglected issue. *Global Health Action*. 6: 19410. <http://dx.doi.org/10.3402/gha.v6i0.19410>.
- Nebel, ML; Hutchinson, RW; Zartman, RE. (1991). METAMORPHISM AND POLYGENESIS OF THE MADEM LAKKOS POLYMETALLIC SULFIDE DEPOSIT, CHALKIDIKI, GREECE. *Econ Geol*. 86: 81-105.
- Nebesar, B. (1984). THE MEASUREMENT OF CORROSION OF ASBESTOS-CEMENT PIPE. 77: 82-82.
- Negro, C; Blanco, A; Pio, IS; Tijero, J. (2006). Methodology for flocculant selection in fibre-cement manufacture. *Cement and Concrete Composites*. 28: 90-96. <http://dx.doi.org/10.1016/j.cemconcomp.2005.07.003>.
- Negro, C; Fuente, E; Sanchez, LM; Blanco, A; Tijero, J. (2006). Evaluation of an alternative flocculation system for manufacture of fiber-cement composites. *Ind Eng Chem Res*. 45: 6672-6678. <http://dx.doi.org/10.1021/ie060580u>.
- Negro, C; Sanchez, LM; Fuente, E; Blanco, A; Tijero, J. (2006). Polyacrylamide induced flocculation of a cement suspension. *Chem Eng Sci*. 61: 2522-2532. <http://dx.doi.org/10.1016/j.ces.2005.11.013>.
- Negro, C; Sanchez, LM; Fuente, H; Blanco, A. (2005). Effects of flocculants and sizing agents on bending strength of fiber cement composites. *Cement and Concrete Research*. 35: 2104-2109. <http://dx.doi.org/10.1016/j.cemconres.2005.06.009>.
- Nehlig, P; Juteau, T; Bendel, V; Cotten, J. (1994). THE ROOT ZONES OF OCEANIC HYDROTHERMAL SYSTEMS - CONSTRAINTS FROM THE SAMAIL OPHIOLITE (OMAN). *J Geophys Res Solid Earth*. 99: 4703-4713.
- Neis, PD; Ferreira, NF; da Silva, FP. (2014). Comparison between methods for measuring wear in brake friction materials. *Wear*. 319: 191-199. <http://dx.doi.org/10.1016/j.wear.2014.08.004>.
- Neis, PD; Ferreira, NF; Fekete, G; Matozo, LT; Masotti, D. (2017). Towards a better understanding of the structures existing on the surface of brake pads. *Tribology International*. 105: 135-147. <http://dx.doi.org/10.1016/j.triboint.2016.09.033>.
- Nejjari, A; Fournier, J; Pezerat, H; Leanderson, P. (1993). Mineral fibres: Correlation between oxidising surface activity and DNA base hydroxylation. *Br J Ind Med*. 50: 501-504.
- Nelson, BJ; Wood, SA; Gunter, ME. (2005). Dissolution of tremolite: An experimental study simulating conditions in the human lung. *Geochim Cosmo Acta*. 69: A195-A195.
- Nelson, G. (2013). Occupational respiratory diseases in the South African mining industry. *Global Health Action*. 6: 19520. <http://dx.doi.org/10.3402/gha.v6i0.19520>.
- Nelson, G; Murray, J; Phillips, JL. (2011). The risk of asbestos exposure in South African diamond mine workers. *Ann Occup Hyg*. 55: 569-577. <http://dx.doi.org/10.1093/annhyg/mer028>.
- Neophytou, AM; Picciotto, S; Costello, S; Eisen, EA. (2016). Occupational Diesel Exposure, Duration of Employment, and Lung Cancer An Application of the Parametric G-Formula. *Epidemiology*. 27: 21-28. <http://dx.doi.org/10.1097/EDE.0000000000000389>.
- Neri, M; Taioli, E; Filiberti, R; Paolo Ivaldi, G; Aldo Canessa, P; Verna, A; Marroni, P; Puntoni, R; Hirvonen, A; Garte, S. (2006). Metabolic genotypes as modulators of asbestos-related pleural malignant mesothelioma risk: a comparison of Finnish and Italian populations. *Int J Hyg Environ Health*. 209: 393-398. <http://dx.doi.org/10.1016/j.ijheh.2006.03.002>.
- Ness, RB; Nelson, DB; Kumanyika, SK; Grisso, JA. (1997). Evaluating minority recruitment into clinical studies: How good are the data? *Ann Epidemiol*. 7: 472-478. [http://dx.doi.org/10.1016/S1047-2797\(97\)00080-X](http://dx.doi.org/10.1016/S1047-2797(97)00080-X).
- Nestola, F; Angel, RJ; Zhao, J; Garrido, CJ; Lopez Sanchez-Vizcaino, V; Capitani, G; Mellini, M. (2010). Antigorite equation of state and anomalous softening at 6 GPa: an in situ single-crystal X-ray diffraction study. *Contributions to Mineralogy and Petrology*. 160: 33-43. <http://dx.doi.org/10.1007/s00410-009-0463-9>.
- Neto, JAS; Legrand, JM; Volfinger, M; Pascal, ML; Sonnet, P. (2008). W-Au skarns in the Neo-Proterozoic Serido Mobile Belt, Borborema Province in northeastern Brazil: an overview with emphasis on the Bonfim deposit. *Miner Depos*. 43: 185-205. <http://dx.doi.org/10.1007/s00126-007-0155-1>.
- Neuberger, M; Frank, W; Golob, P; Warbichler, P. (1996). Asbestos concentrations in drinking water - Asbestos cement pipes and geogen sources in Austria. *Zentralblatt fuer Hygiene und Umweltmedizin*. 198: 293-306.
- Neuberger, M; Kundi, M; Friedl, HP. (1984). Environmental asbestos exposure and cancer mortality. *Arch Environ Health*. 39: 261-265.
- Neuhouser, ML; Patterson, RE; Thornquist, MD; Omenn, GS; King, IB; Goodman, GE. (2003). Fruits and vegetables are associated with lower lung cancer risk only in the placebo arm of the beta-carotene and retinol efficacy trial (CARET). *Cancer Epidemiol Biomarkers Prev*. 12: 350-358.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Neumann, ER; Abu El-Rus, MA; Tiepolo, M; Ottolini, L; Vannucci, R; Whitehouse, M. (2015). Serpentinization and Deserpentinization Reactions in the Upper Mantle beneath Fuerteventura Revealed by Peridotite Xenoliths with Fibrous Orthopyroxene and Mottled Olivine. *Journal of Petrology*. 56: 3-31. <http://dx.doi.org/10.1093/petrology/egu069>.
- Neumann, V; Rütten, A; Scharmach, M; Müller, KM; Fischer, M. (2004). Factors influencing long-term survival in mesothelioma patients--results of the German mesothelioma register. *Int Arch Occup Environ Health*. 77: 191-199. <http://dx.doi.org/10.1007/s00420-003-0498-6>.
- Nevitt, C; Daniell, W; Rosenstock, L. (1994). Workers' compensation for nonmalignant asbestos-related lung disease. *Am J Ind Med*. 26: 821-830.
- Newhouse, ML. (1991). MESOTHELIOMA IN THE LONDON AREA. *Am J Ind Med*. 20: 411-413.
- Newhouse, ML; Berry, G. (1976). Predictions of mortality from mesothelial tumours in asbestos factory workers. *Br J Ind Med*. 33: 147-151.
- Newman, HAI; Saat, YA; Hart, RW. (1980). Putative inhibitory effects of chrysotile, crocidolite and amosite mineral fibers on the more complex surface membrane glycolipids and glycoproteins. *Environ Health Perspect*. 34: 103-111.
- Newman Taylor, A. (2009). Asbestos, lung cancer and mesothelioma in the British Journal of Industrial Medicine [Editorial]. *Occup Environ Med*. 66: 426-427. <http://dx.doi.org/10.1136/oem.2006.026724>.
- Ngatu, NR; Suzuki, S; Kusaka, Y; Shida, H; Akira, M; Suganuma, N. (2010). Effect of a two-hour training on physicians' skill in interpreting Pneumoconiotic chest radiographs. *J Occup Health*. 52: 294-301.
- Nguyen-Thanh, L; Hoang-Minh, T; Kasbohm, J; Herbert, HJ; Thuy, DN; Thi, LL. (2014). Characterization of Fe-smectites and their alteration potential in relation to engineered barriers for HLW repositories: The Nui Nua clay, Thanh Hoa Province, Vietnam. *Appl Clay Sci*. 101: 168-176. <http://dx.doi.org/10.1016/j.clay.2014.07.032>.
- Nichols, L; Sorahan, T. (2005). Mortality of UK electricity generation and transmission workers, 1973-2002. *Occup Med (Lond)*. 55: 541-548. <http://dx.doi.org/10.1093/ocmed/kqi157>.
- NICHOLSO,WJ; Langer, AM; Selikoff, JJ. (1973). ASBESTOS FIBERS IN AIR OF TOWNS. *Atmos Environ*. 7: 667-668.
- Nicholson, WJ. (1989). Airborne mineral fibre levels in the non-occupational environment. In J Bignon; J Peto; R Saracci (Eds.), *IARC Sci Publ* (pp. 239-261). Lyon, France: International Agency for Research on Cancer.
- Nicholson, WJ. (2000). Re: Call for an International Ban on Asbestos [Letter]. *Am J Ind Med*. 37: 238.
- Nicholson, WJ; Pundsack, FL. (1973). Asbestos in the environment.
- Nicholson, WJ; Rohl, AN; Weisman, I; Selikoff, JJ. (1980). Environmental asbestos concentrations in the United States.
- Nicholson, WJ; Swoszowski, EJ, Jr; Rohl, AN; Todaro, JD; Adams, A. (1979). Asbestos contamination in United States schools from use of asbestos surfacing materials. *Ann N Y Acad Sci*. 330: 587-596.
- Nicita, C; Buzzoni, C; Chellini, E; Ferretti, S; Marinaccio, A; Mensi, C; Grp, AW; Grp, RW; Grp, PR-AW. (2014). A comparative analysis between regional mesothelioma registries and cancer registries: results of the ReNaM-AIRTUM project. *Epidemiol Prev*. 38: 191-199.
- Nicol, M; Maudet, M. (2000). Carotenoids and vitamin A. Latest data. 7: 266-270.
- Nidhi; Bijwe, J; Mazumdar, N. (2006). Influence of amount and modification of resin on fade and recovery behavior of non-asbestos organic (NAO) friction materials. *Tribology Letters*. 23: 215-222. <http://dx.doi.org/10.1007/s11249-006-9055-2>.
- Nidhi; Satapathy, BK; Bijwe, J; Majumdar, N. (2006). Influence of modified phenolic resins on the fade and recovery properties of the friction materials: Supportive evidence multiple criteria decision-making method (MCDM). *Journal of Reinforced Plastics and Composites*. 25: 1333-1340. <http://dx.doi.org/10.1177/0731684406063527>.
- Nied, D; Enemark-Rasmussen, K; L'Hopital, E; Skibsted, J; Lothenbach, B. (2016). Properties of magnesium silicate hydrates (M-S-H). *Cement and Concrete Research*. 79: 323-332. <http://dx.doi.org/10.1016/j.cemconres.2015.10.003>.
- Nielsen, A. (1986). [Asbestos in the indoor atmosphere and environment]. *Ugeskr Laeger*. 148: 3323-3328.
- Niemeyer, IC; Gerchman, LL. (1981). PREPARATION OF ASBESTOS FILTER SAMPLES FOR REFERENCE-STANDARDS USING A WET GENERATION TECHNIQUE. *Am Ind Hyg Assoc J*. 42: 757-759.
- Nies, E. (1995). IN-VITRO TESTS - A CONTRIBUTION TO THE ESTIMATION OF THE CARCINOGENIC POTENCY OF MINERAL FIBERS. *Staub, Reinhaltung der Luft*. 55: 1-6.
- NIH. (1977). Educational needs of physicians and public regarding asbestos exposure [Review]. 1: 9-12.
- Niiranen, T; Manttari, I; Poutiainen, M; Oliver, NHS; Miller, JA. (2005). Genesis of Palaeoproterozoic iron skarns in the Misi region, northern Finland. *Trans Nonferrous Met Soc China*. 40: 192-217. <http://dx.doi.org/10.1007/s00126-005-0481-0>.
- Nikolaev, AI; Borodai, NV; Pleshakov, Y, uV. (2008). Components of Materials for Welding Electrodes Produced Using Products of Concentration of Olivinite Ores. *Theoretical Foundations of Chemical Engineering*. 42: 724-727. <http://dx.doi.org/10.1134/S0040579508050424>.
- Nikonova, NS; Tikhomirova, IN; Zakharov, AI; Belyakov, AV. (2004). Wollastonite-based structural and heat-insulating materials for nonferrous metallurgy. *Refractories and Industrial Ceramics*. 45: 300-303.
- Nikulin, A; Levin, V; Park, J. (2009). Receiver function study of the Cascadia megathrust: Evidence for localized serpentinization. *G-cubed*. 10. <http://dx.doi.org/10.1029/2009GC002376>.
- Nimis, P; Tesalina, SG; Omenetto, P; Tartarotti, P; Lerouge, C. (2004). Phyllosilicate minerals in the hydrothermal mafic-ultramafic-hosted massive-sulfide deposit of Ivanovka (southern Urals): comparison with modern ocean seafloor analogues. *Contributions to Mineralogy and Petrology*. 147: 363-383. <http://dx.doi.org/10.1007/s00410-004-0565-3>.
- Niquette, P; Servais, P; Savoie, R. (2000). Impacts of pipe materials on densities of fixed bacterial biomass in a drinking water distribution system. *Water Res*. 34: 1952-1956.
- Nishi, M; Irifune, T; Greaux, S; Tange, Y; Higo, Y. (2015). Phase transitions of serpentine in the lower mantle. *Phys Earth Planet In*. 245: 52-58. <http://dx.doi.org/10.1016/j.pepi.2015.05.007>.
- Nishimura, Y; Coombs, DS; Landis, CA; Itaya, T. (2000). Continuous metamorphic gradient documented by graphitization and K-Ar age, southeast Otago, New Zealand. *Am Mineral*. 85: 1625-1636.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Nishimura, Y; Maeda, M; Kumagai-Takei, N; Lee, S; Matsuzaki, H; Wada, Y; Nishiike-Wada, T; Iguchi, H; Otsuki, T. (2013). Altered functions of alveolar macrophages and NK cells involved in asbestos-related diseases [Review]. *Environ Health Prev Med.* 18: 198-204. <http://dx.doi.org/10.1007/s12199-013-0333-y>.
- Niu, JL; Burnett, J. (2001). Setting up the criteria and credit-awarding scheme for building interior material selection to achieve better indoor air quality. *Environ Int.* 26: 573-580.
- Niu, YL; Leshner, CM. (1991). HYDROTHERMAL ALTERATION OF MAFIC METAVOLCANIC ROCKS AND GENESIS OF FE-ZN-CU SULFIDE DEPOSITS, STONE HILL DISTRICT, ALABAMA. *Econ Geol.* 86: 983-1001.
- Nizze, H. (1971). [Frequency of so-called asbestos bodies in human lungs]. *Int Arch Arbeitsmed.* 28: 71-82.
- Nkoumbou, C; Villieras, F; Njopwouo, D; Ngoune, CY; Barres, O; Pelletier, M; Razafitianamaharavo, A; Yvon, J. (2008). Physicochemical properties of talc ore from three deposits of Lamal Pougue area (Yaounde Pan-African Belt, Cameroon), in relation to industrial uses. *Appl Clay Sci.* 41: 113-132. <http://dx.doi.org/10.1016/j.clay.2007.10.006>.
- Noah, V; Bullock, B; Horne, DK. (1995). Woodbridge Research Facility 1995 Asbestos Survey, Woodbridge, Virginia. 86.
- Noda, H; Miyagawa, K; Kobayashi, M; Horiguchi, H; Ozawa, K; Kumada, N; Yonesaki, Y; Takei, T; Kinomura, N. (2009). Preparation of cordierite from fibrous sepiolite. *Ceramic Society of Japan Journal.* 117: 1236-1239. <http://dx.doi.org/10.2109/jcersj2.117.1236>.
- Noguchi, N; Moriwaki, T; Ikemoto, Y; Shinoda, K. (2012). OH group behavior and pressure-induced amorphization of antigorite examined under high pressure and temperature using synchrotron infrared spectroscopy. *Am Mineral.* 97: 134-142. <http://dx.doi.org/10.2138/am.2012.3904>.
- Nogueira, CR; Nápolis, LM; Bagatin, E; Terra-Filho, M; Müller, NL; Silva, CI; Rodrigues, RT; Neder, JA; Nery, LE. (2011). Lung diffusing capacity relates better to short-term progression on HRCT abnormalities than spirometry in mild asbestosis. *Am J Ind Med.* 54: 185-193. <http://dx.doi.org/10.1002/ajim.20922>.
- Nolan, RP; Gamble, JF; Gibbs, GW. (2013). Letter to the editor on commentary: malignant mesothelioma incidence among talc miners and millers in New York state by M M Finkelstein [Letter]. *Am J Ind Med.* 56: 1116-1118. <http://dx.doi.org/10.1002/ajim.22161>.
- Nolan, RP; Langer, AM; Herson, GB. (1991). Characterisation of Palygorskite Specimens from Different Geological Locales for Health Hazard Evaluation. *Br J Ind Med.* 48: 463-475.
- Noonan, C; Pfau, J; Larson, T; Spence, M. (2006). Nested case-control study of autoimmune disease in an asbestos-exposed population. *Environ Health Perspect.* 114: 1243-1247. <http://dx.doi.org/10.1289/ehp.9203>.
- Noonan, CW; Conway, K; Landguth, EL; Mcnew, T; Linker, L; Pfau, J; Black, B; Szeinuk, J; Flores, R. (2015). Multiple pathway asbestos exposure assessment for a Superfund community. *J Expo Sci Environ Epidemiol.* 25: 18-25. <http://dx.doi.org/10.1038/jes.2014.25>.
- Noonan, CW; Pfau, JC; Larson, TC; Spence, MR. (2005). Asbestos exposure and risk of autoimmune disease. *Am J Epidemiol.* 161: S31-S31.
- Noonan, GP; Linn, HI; Reed, LD. (1986). A Guide to Respiratory Protection for the Asbestos Abatement Industry (pp. 85-86). (NIOSH/00166988). Noonan, GP; Linn, HI; Reed, LD.
- Norman, DK; Parry, WT; Bowman, J. R. (1991). PETROLOGY AND GEOCHEMISTRY OF PROPYLITIC ALTERATION AT SOUTHWEST TINTIC, UTAH. *Econ Geol.* 86: 13-28.
- Normand, C; Williams-Jones, AE. (2007). Physicochemical conditions and timing of rodingite formation: evidence from rodingite-hosted fluid inclusions in the JM Asbestos mine, Asbestos, Québec. *Geochemical Transactions.* 8: 11. <http://dx.doi.org/10.1186/1467-4866-8-11>.
- Normand, C; Williams-Jones, AE; Martin, RF; Vali, H. (2002). Hydrothermal alteration of olivine in a flow-through autoclave: Nucleation and growth of serpentine phases. *Am Mineral.* 87: 1699-1709.
- Novick, LF; Rice, C; Freedman, MA; Jillson, D. (1981). ASBESTOS IN VERMONT SCHOOLS - FINDINGS OF A STATEWIDE ON-SITE INVESTIGATION. *Am J Public Health.* 71: 744-746.
- Novikov YU, V; Tulakin, AV; Tsyplakova, GP; Ustyugov, VA; Ekhina, RS; Ampleeva, GP; Tyuleneva, IS; Semenova, OG. (1998). IMPACT OF PIPELINE CORROSION AND GROWTH PRODUCTS ON DRINKING WATER QUALITY (pp. 8-11). (BIOSIS/98/20876). Novikov YU, V; Tulakin, AV; Tsyplakova, GP; Ustyugov, VA; Ekhina, RS; Ampleeva, GP; Tyuleneva, IS; Semenova, OG.
- Nozaka, T. (2003). Compositional heterogeneity of olivine in thermally metamorphosed serpentinite from Southwest Japan. *Am Mineral.* 88: 1377-1384.
- Nozaka, T. (2014). Comment on "Dehydration breakdown of antigorite and the formation of B-type olivine CPO" by Nagaya et al. (2014). *Earth Planet Sci Lett.* 408: 402-405. <http://dx.doi.org/10.1016/j.epsl.2014.10.023>.
- Nozaka, T. (2014). Metasomatic hydration of the Oeyama forearc peridotites: Tectonic implications. *Lithos.* 184: 346-360. <http://dx.doi.org/10.1016/j.lithos.2013.11.012>.
- Nozaka, T; Fryer, P. (2011). Alteration of the Oceanic Lower Crust at a Slow-spreading Axis: Insight from Vein-related Zoned Halos in Olivine Gabbro from Atlantis Massif, Mid-Atlantic Ridge. *Journal of Petrology.* 52: 643-664. <http://dx.doi.org/10.1093/petrology/egq098>.
- Nozaka, T; Fryer, P; Andreani, M. (2008). Formation of clay minerals and exhumation of lower-crustal rocks at Atlantis Massif, Mid-Atlantic Ridge. *G-cubed.* 9. <http://dx.doi.org/10.1029/2008GC002207>.
- Nozaka, T; Meyer, R; Wintsch, RP; Wathen, B. (2016). Hydrothermal spinel, corundum and diaspore in lower oceanic crustal troctolites from the Hess Deep Rift. *Contributions to Mineralogy and Petrology.* 171. <http://dx.doi.org/10.1007/s00410-016-1266-4>.
- Nukushina, J. (1995). Japanese earthquake victims are being exposed to high density of asbestos. We need protective masks desperately [Letter]. *Epidemiol Prev.* 19: 226-227.
- Nuriel, P; Katzir, Y; Abelson, M; Valley, JW; Matthews, A; Spicuzza, MJ; Ayalon, A. (2009). Fault-related oceanic serpentinization in the Troodos ophiolite, Cyprus: Implications for a fossil oceanic core complex. *Earth Planet Sci Lett.* 282: 34-46. <http://dx.doi.org/10.1016/j.epsl.2009.02.029>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Nurminen, M; Tossavainen, A. (1994). Is there an association between pleural plaques and lung cancer without asbestosis? *Scand J Work Environ Health*. 20: 62-64.
- Nuyts, V; Vanhooren, H; Begyn, S; Nackaerts, K; Nemery, B. (2017). Asbestos bodies in bronchoalveolar lavage in the 21st century: a time-trend analysis in a clinical population. *Occup Environ Med*. 74: 59-65. <http://dx.doi.org/10.1136/oemed-2016-103710>.
- Nyberg, P. (1991). Polyvinylpyridine-N-oxide and carboxymethyl cellulose inhibit mineral dust-induced production of reactive oxygen species by human macrophages. *Environ Res*. 55: 157-164.
- Nygren, J; Suhonen, S; Norppa, H; Linnainmaa, K. (2004). DNA damage in bronchial epithelial and mesothelial cells with and without associated crocidolite asbestos fibers. *Environ Mol Mutagen*. 44: 477-482. <http://dx.doi.org/10.1002/em.20066>.
- Obata, Y; Morimoto, Y; Hirohashi, M; Ogami, A; Oyabu, T; Myojo, T; Kawanami, S; Horie, S; Nagatomo, H; Murakami, M; Tanaka, I. (2011). Expression of heme oxygenase-1 in the lungs of rats exposed to potassium octatitanate whiskers. *J Occup Health*. 53: 267-273.
- Oberdorster, G. (1991). Lung dosimetry and extrapolation of results from animal inhalation studies to man. *J Aerosol Med Pulm Drug Deliv*. 4: 335-347.
- Oberdorster, G. (1997). Pulmonary carcinogenicity of inhaled particles and the maximum tolerated dose [Review]. <http://dx.doi.org/10.2307/3433558>.
- Oberdörster, G. (1994). Macrophage-associated responses to chrysotile. *Ann Occup Hyg*. 38: 601-615, 421-602.
- Oberdörster, G. (2000). Determinants of the pathogenicity of man-made vitreous fibers (MMVF) [Review]. *Int Arch Occup Environ Health*. 73 Suppl: S60-S68.
- Oberti, R; Camara, F; Della Ventura, G; Iezzi, G; Benimoff, AI. (2006). Parvo-mangano-edenite, parvo-manganotremolite, and the solid solution between Ca and Mn²⁺ at the M4 site in amphiboles. *Am Mineral*. 91: 526-532. <http://dx.doi.org/10.2138/am.2006.1905>.
- Oberti, R; Camara, F; Ottolini, L. (2005). Clinoholmquistite discredited: The new amphibole end-member fluoro-sodic-pedrizite. *Am Mineral*. 90: 732-736. <http://dx.doi.org/10.2138/am.2005.1763>.
- Obiakor, EK. (1981). BRICKS AND ASBESCRETE BUILDING-BLOCKS FROM ASBESTOS-CEMENT FACTORY WASTES. 4: 123-128.
- O'Brien, DM; Todd, WF. (1984). Preliminary Survey Report No. CT-148-16a: Control Technology For New Materials At International Harvester, Columbus Plastics Plant, Columbus, Ohio (pp. 148-116). (NIOSH/00135181). O'Brien, DM; Todd, WF.
- Ochsmann, E; Carl, T; Brand, P; Raithel, HJ; Kraus, T. (2010). Inter-reader variability in chest radiography and HRCT for the early detection of asbestos-related lung and pleural abnormalities in a cohort of 636 asbestos-exposed subjects. *Int Arch Occup Environ Health*. 83: 39-46. <http://dx.doi.org/10.1007/s00420-009-0443-4>.
- O'Dell, RE; Claassen, VP. (2006). Relative performance of native and exotic grass species in response to amendment of drastically disturbed serpentine substrates. *J Appl Ecol*. 43: 898-908. <http://dx.doi.org/10.1111/j.1365-2664.2006.01193.x>.
- O'Dell, RE; Claassen, VP. (2009). Serpentine Revegetation: A Review. *Northeast Nat*. 16: 253-271.
- Oehlert, GW; Lee, RJ; Vanorden, D. (1995). STATISTICAL-ANALYSIS OF ASBESTOS FIBER COUNTS. *Environmetrics*. 6: 115-126.
- Ogami, A; Morimoto, Y; Yamato, H; Oyabu, T; Akiyama, I; Tanaka, I. (2001). Short term effect of silicon carbide whisker to the rat lung. *Ind Health*. 39: 175-182.
- Ogata, H. (2011). A review of some epidemiological studies on cancer risk from low-dose radiation or other carcinogenic agents [Review]. *Radiat Prot Dosimetry*. 146: 268-271. <http://dx.doi.org/10.1093/rpd/ncr167>.
- Ogden, T. (2006). Annals of occupational Hygiene at volume 50: Many achievements, a few mistakes, and an interesting future [Review]. *Ann Occup Hyg*. 50: 751-764. <http://dx.doi.org/10.1093/annhyg/mel070>.
- Ogden, T. (2009). Data Sharing, Federal Rule of Evidence 702, and the Lions in the Undergrowth. *Ann Occup Hyg*. 53: 651-655. <http://dx.doi.org/10.1093/annhyg/mep065>.
- Ogden, TL; Shentontaylor, T; Cherrie, JW; Crawford, NP; Moorcroft, S; Duggan, MJ; Jackson, PA; Treble, RD. (1986). WITHIN-LABORATORY QUALITY-CONTROL OF ASBESTOS COUNTING. *Ann Occup Hyg*. 30: 411-425.
- Oghiso, Y; Yamada, Y; Shibata, Y. (1992). Effects of instilled fibrogenic particles on the clonal growth of murine pulmonary alveolar macrophages. *Environ Health Perspect*. 97: 159-161.
- Ogino, S; Fukumori, N; Yasuno, T; Koseki, M; Kazama, M. (1988). ASBESTOS FIBERS IN SAKE. *J Food Prot*. 51: 737-739.
- Ogorodova, LP; Kiseleva, IA; Korytkova, EN; Gusarov, VV. (2007). Calorimetric investigation of nanotubular hydrosilicates in the Mg₃Si₂O₅(OH)₄-Ni₃Si₂O₅(OH)₄ system. *Glass Physics and Chemistry*. 33: 303-305. <http://dx.doi.org/10.1134/S1087659607040013>.
- Ogunseitan, OA. (2015). The asbestos paradox: global gaps in the translational science of disease prevention. *Bull World Health Organ*. 93: 359-360. <http://dx.doi.org/10.2471/BLT.14.142307>.
- Oh, CW; Liou, JG; Maruyama, S. (1991). LOW-TEMPERATURE ECLOGITES AND ECLOGITIC SCHISTS IN MN-RICH METABASITES IN WARD CREEK, CALIFORNIA - MN AND FE EFFECTS ON THE TRANSITION BETWEEN BLUESCHIST AND ECLOGITE. *Journal of Petrology*. 32: 275-302.
- Ohanley, DS. (1988). THE ORIGIN OF ALPINE PERIDOTITE-HOSTED, CROSS FIBER, CHRYSOTILE ASBESTOS DEPOSITS. *Econ Geol*. 83: 256-265.
- Ohanley, DS; Dyar, MD. (1993). THE COMPOSITION OF LIZARDITE 1T AND THE FORMATION OF MAGNETITE IN SERPENTINITES. *Am Mineral*. 78: 391-404.
- Ohanley, DS; Schandl, ES; Wicks, FJ. (1992). THE ORIGIN OF RODINGITES FROM CASSIAR, BRITISH-COLUMBIA, AND THEIR USE TO ESTIMATE T AND P(H₂O) DURING SERPENTINIZATION. *Geochim Cosmo Acta*. 56: 97-108.
- Ohnaka, T; Tochiara, Y; Muramatsu, T. (1993). Physiological strains in hot-humid conditions while wearing disposable protective clothing commonly used by the asbestos removal industry. *Ergonomics*. 36: 1241-1250. <http://dx.doi.org/10.1080/00140139308967990>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Ohnishi, M; Yajima, H; Kasai, T; Umeda, Y; Yamamoto, M; Yamamoto, S; Okuda, H; Suzuki, M; Nishizawa, T; Fukushima, S. (2013). Novel method using hybrid markers: development of an approach for pulmonary measurement of multi-walled carbon nanotubes. *J Occup Med Toxicol.* 8: 30. <http://dx.doi.org/10.1186/1745-6673-8-30>.
- Ohyama, M; Otake, T; Morinaga, K. (2000). The chemiluminescent response from human monocyte-derived macrophages exposed to various mineral fibers of different sizes. *Ind Health.* 38: 289-293. <http://dx.doi.org/10.2486/indhealth.38.289>.
- Ohyama, M; Otake, T; Morinaga, K. (2001). Effect of size of man-made and natural mineral fibers on chemiluminescent response in human monocyte-derived macrophages. *Environ Health Perspect.* 109: 1033-1038.
- Okamoto, A; Ogasawara, Y; Ogawa, Y; Tsuchiya, N. (2011). Progress of hydration reactions in olivine-H₂O and orthopyroxene-H₂O systems at 250 degrees C and vapor-saturated pressure. *Chem Geol.* 289: 245-255. <http://dx.doi.org/10.1016/j.chemgeo.2011.08.007>.
- Okamoto, A; Toriumi, M. (2001). Application of differential thermodynamics (Gibbs' method) to amphibole zonings in the metabasic system. *Contributions to Mineralogy and Petrology.* 141: 268-286.
- Okamoto, A; Toriumi, M. (2004). Optimal mixing properties of calcic and subcalcic amphiboles: application of Gibbs' method to the Sanbagawa schists, SW Japan. *Contributions to Mineralogy and Petrology.* 146: 529-545. <http://dx.doi.org/10.1007/s00410-003-0526-2>.
- Okazaki, K; Katayama, I; Takahashi, M. (2013). Effect of pore fluid pressure on the frictional strength of antigorite serpentinite. *Tectonophysics.* 583: 49-53. <http://dx.doi.org/10.1016/j.tecto.2012.10.017>.
- Okazaki, M; Kimura, SD; Kikuchi, T; Igura, M; Hattori, T; Abe, T. (2008). Suppressive effects of magnesium oxide materials on cadmium uptake and accumulation into rice grains I: Characteristics of magnesium oxide materials for cadmium sorption. *J Hazard Mater.* 154: 287-293. <http://dx.doi.org/10.1016/j.jhazmat.2007.10.119>.
- Oke, Y; Yamasaki, N; Yamamoto, G, o; Sasaki, K; Maeta, N; Fujimaki, H; Hashida, T. (2008). Novel selective dyeing method for chrysotile asbestos detection in concrete materials. *Environ Sci Technol.* 42: 1638-1642. <http://dx.doi.org/10.1021/es071805a>.
- Okeefe, GF. (1989). ASBESTOS SUBSTITUTE GASKETS - EXPERIENCE AT KINLEITH PULP AND PAPER-MILLS. *Appita.* 42: 141-143.
- Okland, I; Huang, S; Dahle, H; Thorseth, IH; Pedersen, RB. (2012). Low temperature alteration of serpentinized ultramafic rock and implications for microbial life. *Chem Geol.* 318: 75-87. <http://dx.doi.org/10.1016/j.chemgeo.2012.05.015>.
- Oksa, P; Huuskonen, MS; Järvisalo, J; Klockars, M; Zitting, A; Suoranta, H; Tossavainen, A; Vattulainen, K; Laippala, P. (1998). Follow-up of asbestosis patients and predictors for radiographic progression. *Int Arch Occup Environ Health.* 71: 465-471.
- Oksa, P; Koskinen, H; Rinne, JP; Zitting, A; Roto, P; Huuskonen, MS. (1992). Parenchymal and pleural fibrosis in construction workers. *Am J Ind Med.* 21: 561-567.
- Olabanji, IO; Adeniyi, IF. (2005). Trace metals in bulk freefall and roof intercepted rainwater at Ile-Ife, Southwest Nigeria. *Chem Ecol.* 21: 167-179. <http://dx.doi.org/10.1080/02757540500151648>.
- Olcerst, R. (1987). A Field Portable Asbestos Monitoring Statistical System (pp. 180-191). (NIOSH/00170706). Olcerst, R.
- Oldham, S. (1970). ASBESTOS AND RESPIRATORY DISEASES - REPLY. 41: 33-&.
- Oliveira, JR; Do Carmo, JL; Cavalcanti Oliveira, KK; Figueredo Soares, M, doC. (2009). Sodium chloride, benzocaine and clove oil in tilapia transport water. *Revista Brasileira de Zootecnia.* 38: 1163-1169.
- Oliveira, SF; Bisker, G; Bakh, NA; Gibbs, SL; Landry, MP; Strano, MS. (2015). Protein functionalized carbon nanomaterials for biomedical applications. *Carbon.* 95: 767-779. <http://dx.doi.org/10.1016/j.carbon.2015.08.076>.
- Oliver, NHS; Cleverley, JS; Mark, G; Pollard, PJ; Fu, B; Marshall, LJ; Rubenach, MJ; Williams, PJ; Baker, T. (2004). Modeling the role of sodic alteration in the genesis of iron oxide-copper-gold deposits, Eastern Mount Isa block, Australia. *Econ Geol.* 99: 1145-1176.
- Oliver, T; Murr, LE. (1977). An electron microscope study of asbestiform fiber concentrations in Rio Grande valley water supplies (pp. 428-431). (HEEP/78/05704). Oliver, T; Murr, LE.
- Oliveros, V; Trista-Aguilera, D; Feraud, G; Morata, D; Aguirre, L; Kojima, S; Ferraris, F. (2008). Time relationships between volcanism-plutonism-alteration-mineralization in Cu-stratabound ore deposits from the Michilla mining district, northern Chile: a Ar-40/Ar-39 geochronological approach. *Miner Depos.* 43: 61-78. <http://dx.doi.org/10.1007/s00126-007-0147-1>.
- Olivier, CA. (1972). ASBESTOS MILLING DISCARDS AS A SOURCE OF MAGNESIUM COMPOUNDS. 65: 48-&.
- Ollikainen, T; Linnainmaa, K; Kinnula, VL. (1999). DNA single strand breaks induced by asbestos fibers in human pleural mesothelial cells in vitro. *Environ Mol Mutagen.* 33: 153-160.
- Olson, BG; Decker, JJ; Nazarenko, S; Yudin, VE; Otaigbe, JU; Korytkova, EN; Gusarov, VV. (2008). Aggregation of synthetic chrysotile nanotubes in the bulk and in solution probed by nitrogen adsorption and viscosity measurements. *J Phys Chem C.* 112: 12943-12950. <http://dx.doi.org/10.1021/jp801522q>.
- Olson, HL. (1974). Asbestos in Potable-Water Supplies. *J Am Water Works Assoc.* 66: 515-518.
- Olson, M. (1981). Part 2: Insulating your hospital from asbestos risk. 3: 135-140.
- Olsson, A; Gustavsson, P, er; Zaridze, D; Mukeriya, A; Szeszenia-Dabrowska, N; Rudnai, P; Lissowska, J; Fabianova, E; Mates, D; Bencko, V; Foretova, L; Janout, V; Fevotte, J; T Mannetje, A; Fletcher, T; Brennan, P; Boffetta, P. (2011). Lung Cancer Risk Attributable to Occupational Exposures in a Multicenter Case-Control Study in Central and Eastern Europe. *J Occup Environ Med.* 53: 1262-1267. <http://dx.doi.org/10.1097/JOM.0b013e318234e2d2>.
- Olsson, A; Kromhout, H; Agostini, M; Hansen, J; Lassen, CF; Johansen, C; Kjaerheim, K; Langård, S; Stücker, I; Ahrens, W; Behrens, T; Lindbohm, ML; Heikkilä, P; Heederik, D; Portengen, L; Shaham, J; Ferro, G; de Vocht, F; Burstyn, I; Boffetta, P. (2010). A case-control study of lung cancer nested in a cohort of European asphalt workers. *Environ Health Perspect.* 118: 1418-1424. <http://dx.doi.org/10.1289/ehp.0901800>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Olsson, AC; Fevotte, J; Fletcher, T; Cassidy, A; 'T Mannetje, A; Zaridze, D; Szeszenia-Dabrowska, N; Rudnai, P; Lissowska, J; Fabianova, E; Mates, D; Bencko, V; Foretova, L; Janout, V; Brennan, P; Boffetta, P. (2010). Occupational exposure to polycyclic aromatic hydrocarbons and lung cancer risk: a multicenter study in Europe. *Occup Environ Med.* 67: 98-103. <http://dx.doi.org/10.1136/oem.2009.046680>.
- Omenn, GS. (1987). CHEMOPREVENTION OF LUNG-CANCER WITH RETINOIDS IN WORKERS WITH EXTENSIVE HISTORY OR SIGNS OF ASBESTOS EXPOSURES. *J Occup Environ Med.* 29: 367-367.
- Omenn, GS. (2004). Adverse effects in chemoprevention trials: Evidence of adverse interaction between asbestos exposure and the beta-carotene/retinyl palmitate intervention in CARET. *Cancer Epidemiol Biomarkers Prev.* 13: 1938S-1938S.
- Omori, S; Komabayashi, T; Maruyama, S. (2004). Dehydration and earthquakes in the subducting slab: empirical link in intermediate and deep seismic zones. *Phys Earth Planet In.* 146: 297-311. <http://dx.doi.org/10.1016/j.pepi.2003.08.014>.
- O'Neil, J; Francis, D, on; Carlson, RW. (2011). Implications of the Nuvvuagittuq Greenstone Belt for the Formation of Earth's Early Crust. *Journal of Petrology.* 52: 985-1009. <http://dx.doi.org/10.1093/petrology/egr014>.
- O'Neill, M; Schwar, M. (1998). Prioritizing asbestos remedial works in buildings. *Institution of Civil Engineers Proceedings Municipal Engineer.* 127: 174-180.
- Ong, T; Liu, Y; Zhong, BZ; Jones, WG; Whong, WZ. (1997). Induction of micronucleated and multinucleated cells by man-made fibers in vitro in mammalian cells. *J Toxicol Environ Health.* 50: 409-414. <http://dx.doi.org/10.1080/009841097160447>.
- O'Reilly, D; Reid, J; Middleton, R; Gavin, AT. (1999). Asbestos related mortality in Northern Ireland: 1985-1994. *J Publ Health Med.* 21: 95-101.
- Orlando, A; Borrini, D; Marini, L. (2011). Dissolution and carbonation of a serpentinite: Inferences from acid attack and high P-T experiments performed in aqueous solutions at variable salinity. *Appl Geochem.* 26: 1569-1583. <http://dx.doi.org/10.1016/j.apgeochem.2011.06.023>.
- Orlando, A; Lelli, M; Marini, L. (2012). Production of amorphous hydrated impure magnesium carbonate through ex situ carbonation. *Appl Geochem.* 27: 2500-2510. <http://dx.doi.org/10.1016/j.apgeochem.2012.07.021>.
- Orlowski, E; Paireon, JC; Ameille, J; Janson, X; Iwatsubo, Y; Dufour, G; Bignon, J; Brochard, P. (1994). Pleural plaques, asbestos exposure, and asbestos bodies in bronchoalveolar lavage fluid. *Am J Ind Med.* 26: 349-358.
- Orlowski, E; Pohlabeln, H; Berrino, F; Ahrens, W; Bolm-Audorff, U; Grossgarten, K; Iwatsubo, Y; Jöckel, KH; Brochard, P. (1993). Retrospective assessment of asbestos exposure--II. At the job level: complementarity of job-specific questionnaire and job exposure matrices. *Int J Epidemiol.* 22 Suppl 2: S96-105.
- Orriols, R; Costa, R; Albanell, M; Alberti, C; Castejon, J; Monso, E; Panades, R; Rubira, N; Zock, JP; Group, MOR. (2006). Reported occupational respiratory diseases in Catalonia. *Occup Environ Med.* 63: 255-260. <http://dx.doi.org/10.1136/oem.2005.022525>.
- Orriols, R; Isidro, I; Abu-Shams, K; Costa, R; Boldu, J; Rego, G; Zock, J; Y, ERO. (2010). Reported Occupational Respiratory Diseases in Three Spanish Regions. *Am J Ind Med.* 53: 922-930. <http://dx.doi.org/10.1002/ajim.20862>.
- Orriols, R; Munoz, X; Sunyer, J; Isidro, I; Tura, JM; Ferrer, J. (2005). Radiologically recognized pleural changes in nonpneumoconiotic silica-exposed coal miners. *Scand J Work Environ Health.* 31: 115-121.
- Ortega-Guerrero, MA; Carrasco-Núñez, G; Barragán-Campos, H; Ortega, MR. (2014). High incidence of lung cancer and malignant mesothelioma linked to erionite fibre exposure in a rural community in Central Mexico. *Occup Environ Med.* 72: 216-218. <http://dx.doi.org/10.1136/oemed-2013-101957>.
- Ortiz, LW; Soderholm, SC; Valdez, FO. (1988). Penetration of Respirator Filters by an Asbestos Aerosol. *Am Ind Hyg Assoc J.* 49: 451-460. <http://dx.doi.org/10.1080/15298668891380060>.
- Osako, M; Yoneda, A; Ito, E. (2010). Thermal diffusivity, thermal conductivity and heat capacity of serpentinite (antigorite) under high pressure. *Phys Earth Planet In.* 183: 229-233. <http://dx.doi.org/10.1016/j.pepi.2010.07.005>.
- Osawa, T; Kagi, H; Nakamura, T; Noguchi, T. (2005). Infrared spectroscopic taxonomy for carbonaceous chondrites from speciation of hydrous components. *Meteoritics and Planetary Science.* 40: 71-86.
- Osim, EE; Tandayi, M; Chinyanga, HM; Matarira, HT; Mudambo, KK; Musabayane, CT. (1999). Lung function, blood gases, pH and serum electrolytes of small-scale miners exposed to chrome ore dust on the Great Dyke in Zimbabwe. *Trop Med Int Health.* 4: 621-628. <http://dx.doi.org/10.1046/j.1365-3156.1999.00460.x>.
- Osinubi, OY; Moline, J; Rovner, E; Sinha, S; Perez-Lugo, M; Demissie, K; Kipen, HM. (2003). A pilot study of telephone-based smoking cessation intervention in asbestos workers. *J Occup Environ Med.* 45: 569-574. <http://dx.doi.org/10.1097/01.jom.0000063618.37065.ab>.
- Osinubi, OYO. (2003). RE: study of smoking behavior in asbestos workers by Osinubi et al. *Am J Ind Med* 41 : 62-69 2002. Reply to Lange and Thomulka's letter to the editor "smoking prevalence of asbestos workers: A comment". *Am J Ind Med.* 44: 220-221. <http://dx.doi.org/10.1002/ajim.10248>.
- Osinubi, OYO; Afilaka, AA; Doucette, J; Golden, A; Soriano, T; Rovner, E; Anselm, E. (2002). Study of smoking behavior in asbestos workers. *Am J Ind Med.* 41: 62-69. <http://dx.doi.org/10.1002/ajim.10031>.
- Oskierski, HC; Dlugogorski, BZ; Jacobsen, G. (2013). Sequestration of atmospheric CO₂ in chrysotile mine tailings of the Woodsreef Asbestos Mine, Australia: Quantitative mineralogy, isotopic fingerprinting and carbonation rates. *Chem Geol.* 358: 156-169. <http://dx.doi.org/10.1016/j.chemgeo.2013.09.001>.
- Oskierski, HC; Dlugogorski, BZ; Oliver, TK; Jacobsen, G. (2016). Chemical and isotopic signatures of waters associated with the carbonation of ultramafic mine tailings, Woodsreef Asbestos Mine, Australia. *Chem Geol.* 436: 11-23. <http://dx.doi.org/10.1016/j.chemgeo.2016.04.014>.
- Osornio-Vargas, AR; Hernández-Rodríguez, NA; Yáñez-Buruel, AG; Ussler, W; Overby, LH; Brody, AR. (1991). Lung cell toxicity experimentally induced by a mixed dust from Mexicali, Baja California, Mexico. *Environ Res.* 56: 31-47.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Ostiguy, G; Vaillancourt, C; Bégin, R. (1995). Respiratory health of workers exposed to metal dusts and foundry fumes in a copper refinery. *Occup Environ Med.* 52: 204-210.
- Ota, T; Terabayashi, M; Katayama, I. (2004). Thermobaric structure and metamorphic evolution of the Iratsu eclogite body in the Sanbagawa belt, central Shikoku, Japan. *Lithos.* 73: 95-126. <http://dx.doi.org/10.1016/j.lithos.2004.01.001>.
- Otofujii, Y; Uno, K; Higashi, T; Ichikawa, T; Ueno, T; Mishima, T; Matsuda, T. (2000). Secondary remanent magnetization carried by magnetite inclusions in silicates: a comparative study of unremagnetized and remagnetized granites. *Earth Planet Sci Lett.* 180: 271-285.
- Otsuki, T; Matsuzaki, H; Lee, S; Kumagai-Takei, N; Yamamoto, S; Hatayama, T; Yoshitome, K; Nishimura, Y. (2016). Environmental factors and human health: fibrous and particulate substance-induced immunological disorders and construction of a health-promoting living environment [Review]. *Environ Health Prev Med.* 21: 71-81. <http://dx.doi.org/10.1007/s12199-015-0499-6>.
- Otsuki, T; Tomokuni, A; Sakaguchi, H; Hyodoh, F; Kusaka, M; Ueki, A. (2000). Reduced expression of the inhibitory genes for Fas-mediated apoptosis in silicosis patients. *J Occup Health.* 42: 163-168.
- Otte, KE; Sigsgaard, TI; Kjaerulf, J. (1990). Malignant mesothelioma: clustering in a family producing asbestos cement in their home. *Br J Ind Med.* 47: 10-13.
- Otten, MT. (1993). HIGH-RESOLUTION TRANSMISSION ELECTRON-MICROSCOPY OF POLYSOMATISM AND STACKING DEFECTS IN ANTIGORITE. *Am Mineral.* 78: 75-84.
- Otto, H. (1991). BIOLOGICAL MONITORING USING ASBESTOS FIBER LEVELS - LIGHT-MICROSCOPY VERSUS ELECTRON-MICROSCOPY. *Arbeitsmedizin, Sozialmedizin, Praeventivmedizin.* 26: 438-439.
- Ouellette, RP; Cheremisinoff, PN. (1987). ASBESTOS HAZARD MANAGEMENT (pp. 36-43; 1987). (HMT/87/0004442). Ouellette, RP; Cheremisinoff, PN.
- Ovrevik, J; Myran, T; Refsnes, M; Låg, M; Becher, R; Hetland, RB; Schwarze, PE. (2005). Mineral particles of varying composition induce differential chemokine release from epithelial lung cells: importance of physico-chemical characteristics. *Ann Occup Hyg.* 49: 219-231. <http://dx.doi.org/10.1093/annhyg/meh087>.
- Owen, OS. (1975). Natural resource conservation. An ecological approach. (HEEP/75/11320). Owen, OS.
- Oyabu, T; Yamato, H; Ogami, A; Morimoto, Y; Akiyama, I; Ishimatsu, S; Hori, H; Tanaka, I. (2004). The effect of lung burden on biopersistence and pulmonary effects in rats exposed to potassium octatitanate whiskers by inhalation. *J Occup Health.* 46: 382-390.
- Oyabu, T; Yamato, H; Ogami, A; Morimoto, Y; Akiyama, I; Ishimatsu, S; Hori, H; Tanaka, I. (2006). The effect of lung burden on biopersistence and pulmonary effects in rats exposed to potassium octatitanate whiskers by intratracheal instillation. *J Occup Health.* 48: 44-48.
- Oyanagi, R; Okamoto, A; Hirano, N; Tsuchiya, N. (2015). Competitive hydration and dehydration at olivine-quartz boundary revealed by hydrothermal experiments: Implications for silica metasomatism at the crust-mantle boundary. *Earth Planet Sci Lett.* 425: 44-54. <http://dx.doi.org/10.1016/j.epsl.2015.05.046>.
- Oyman, T. (2010). Geochemistry, mineralogy and genesis of the Ayazmant Fe-Cu skarn deposit in Ayvalik, (Balikesir), Turkey. *Ore Geol Rev.* 37: 175-201. <http://dx.doi.org/10.1016/j.oregeorev.2010.03.002>.
- Ozdemir, T; Coplu, L; Dincer, N; Isik, L; Dumortier, P; Artvinli, M. (1997). ENVIRONMENTAL TREMOLITE EXPOSURE IN A VILLAGE LOCATED IN SOUTHWEST OF TURKEY (pp. 20-24). (BIOSIS/98/15088). Ozdemir, T; Coplu, L; Dincer, N; Isik, L; Dumortier, P; Artvinli, M.
- Oze, C; Solt, K. (2010). Biodurability of chrysotile and tremolite asbestos in simulated lung and gastric fluids. *Am Mineral.* 95: 825-831. <http://dx.doi.org/10.2138/am.2010.3265>.
- Ozeki, S; Masuda, Y; Nishimoto, Y; Henmi, T. (1994). STUDIES IN SURFACE SCIENCE AND CATALYSIS: WATER IN SPHERICAL, CYLINDRICAL AND SLITLIKE PORES.
- Ozeki, S; Uchiyama, H; Katada, M. (1994). HYDROLYSIS OF IRON-ION IN CHRYSOTILE NANOTUBULES - A TEMPLATE EFFECT ON CRYSTAL-GROWTH. *Langmuir.* 10: 923-928.
- Ozturk, YY; Helvacı, C; Satir, M. (2008). The influence of meteoric water on skarn formation and late-stage hydrothermal alteration at the Evçiler skarn occurrences, Kazdag, NW Turkey. *Ore Geol Rev.* 34: 271-284. <http://dx.doi.org/10.1016/j.oregeorev.2008.01.001>.
- Pabst, S; Zack, T; Savov, IP; Ludwig, T; Rost, D; Vicenzi, EP. (2011). Evidence for boron incorporation into the serpentine crystal structure. *Am Mineral.* 96: 1112-1119. <http://dx.doi.org/10.2138/am.2011.3709>.
- Pacella, A; Andreozzi, GB; Ballirano, P; Gianfagna, A. (2008). Crystal chemical and structural characterization of fibrous tremolite from Ala di Stura (Lanzo Valley, Italy). *Periodico di Mineralogia.* 77: 51-62. <http://dx.doi.org/10.2451/2008PM0013>.
- Pacella, A; Andreozzi, GB; Fournier, J. (2010). Detailed crystal chemistry and iron topochemistry of asbestos occurring in its natural setting: A first step to understanding its chemical reactivity. *Chem Geol.* 277: 197-206. <http://dx.doi.org/10.1016/j.chemgeo.2010.07.018>.
- Pacella, A; Ballirano, P. (2016). Chemical and structural characterization of fibrous richterite with high environmental and health relevance from Libby, Montana (USA). *Periodico di Mineralogia.* 85: 169-177. <http://dx.doi.org/10.2451/2016PM638>.
- Pacella, A; Fantauzzi, M; Turci, F; Cremisini, C; Montereali, MR; Nardi, E; Atzei, D; Rossi, A; Andreozzi, GB. (2014). Dissolution reaction and surface iron speciation of UICC crocidolite in buffered solution at pH 7.4: A combined ICP-OES, XPS and TEM investigation. *Geochim Cosmo Acta.* 127: 221-232. <http://dx.doi.org/10.1016/j.gca.2013.11.035>.
- Pacella, A; Fantauzzi, M; Turci, F; Cremisini, C; Montereali, MR; Nardi, E; Atzei, D; Rossi, A; Andreozzi, GB. (2015). Surface alteration mechanism and topochemistry of iron in tremolite asbestos: A step toward understanding the potential hazard of amphibole asbestos. *Chem Geol.* 405: 28-38. <http://dx.doi.org/10.1016/j.chemgeo.2015.03.028>.
- Pacurari, M; Castranova, V; Vallyathan, V. (2010). Single- and multi-wall carbon nanotubes versus asbestos: Are the carbon nanotubes a new health risk to humans [Review]. *J Toxicol Environ Health A.* 73: 378-395. <http://dx.doi.org/10.1080/15287390903486527>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Pacurari, M; Qian, Y; Fu, W; Schwegler-Berry, D; Ding, M; Castranova, V; Guo, NL. (2012). Cell permeability, migration, and reactive oxygen species induced by multiwalled carbon nanotubes in human microvascular endothelial cells. *J Toxicol Environ Health A*. 75: 112-128. <http://dx.doi.org/10.1080/15287394.2011.615110>.
- Pacurari, M; Schwegler-Berry, D; Friend, S; Leonard, S; Mercer, R; Vallyathan, V; Castranova, V. (2011). Raw single-walled carbon nanotube-induced cytotoxic effects in human bronchial epithelial cells: comparison to asbestos. *Toxicol Environ Chem*. 93: 1045-1072. <http://dx.doi.org/10.1080/02772248.2011.571530>.
- Pacurari, M; Xuejun, JY; Jinshun, Z; Ming, D; Leonard, SS; Schwegler-Berry, D; Ducatman, BS; Sbarra, D; Hoover, MD; Castranova, V; Vallyathan, V. (2008). Raw Single-Wall Carbon Nanotubes Induce Oxidative Stress and Activate MAPKs, AP-1, NF- κ B, and Akt in Normal and Malignant Human Mesothelial Cells. *Environ Health Perspect*. 116: 1211-1217. <http://dx.doi.org/10.1289/ehp.10924>.
- Padilla-Carlin, DJ; Schladweiler, MCJ; Shannahan, JH; Kodavanti, UP; Nyska, A; Burgoon, LD; Gavett, SH. (2011). Pulmonary inflammatory and fibrotic responses in Fischer 344 rats after intratracheal instillation exposure to Libby amphibole. *J Toxicol Environ Health A*. 74: 1111-1132. <http://dx.doi.org/10.1080/15287394.2011.586940>.
- Padron-Navarta, JA; Lopez Sanchez-Vizcaino, V; Hermann, J; Connolly, JAD; Garrido, CJ; Teresa Gomez-Pugnaire, M; Marchesi, C. (2013). Tschermak's substitution in antigorite and consequences for phase relations and water liberation in high-grade serpentinites. *Lithos*. 178: 186-196. <http://dx.doi.org/10.1016/j.lithos.2013.02.001>.
- Padron-Navarta, JA; Lopez-Sanchez-Vizcaino, V; Garrido, CJ; Gomez-Pugnaire, MT; Jabaloy, A; Capitani, GC; Mellini, M. (2008). Highly ordered antigorite from Cerro del Almirez HP-HT serpentinites, SE Spain. *Contributions to Mineralogy and Petrology*. 156: 679-688. <http://dx.doi.org/10.1007/s00410-008-0309-x>.
- Padron-Navarta, JA; Tommasi, A; Garrido, CJ; Lopez Sanchez-Vizcaino, V. (2012). Plastic deformation and development of antigorite crystal preferred orientation in high-pressure serpentinites. *Earth Planet Sci Lett*. 349: 75-86. <http://dx.doi.org/10.1016/j.epsl.2012.06.049>.
- Padron-Navarta, JA; Tommasi, A; Garrido, CJ; Mainprice, D. (2015). On topotaxy and compaction during antigorite and chlorite dehydration: an experimental and natural study. *Contributions to Mineralogy and Petrology*. 169. <http://dx.doi.org/10.1007/s00410-015-1129-4>.
- Paek, D. (2003). Asbestos problems yet to explode in Korea. *Int J Occup Environ Health*. 9: 266-271. <http://dx.doi.org/10.1179/oeht.2003.9.3.266>.
- Page, M; Dumas, L. (1985). MULTIPARAMETRIC IN-VITRO EVALUATION OF THE TOXICITY AND MUTAGENICITY OF ASBESTOS AND OTHER MINERAL FIBERS (pp. 28-28). (ISSN 0192-2521; BIOSIS/85/04815). Page, M; Dumas, L.
- Paget-Bailly, S; Guida, F; Carton, M; Menvielle, G; Radoï, L; Cyr, D; Schmaus, A; Cénéé, S; Papadopoulos, A; Févotte, J; Pilorget, C; Velten, M; Guizard, AV; Stücker, I; Luce, D. (2013). Occupation and head and neck cancer risk in men: results from the ICARE study, a French population-based case-control study. *J Occup Environ Med*. 55: 1065-1073. <http://dx.doi.org/10.1097/JOM.0b013e318298fae4>.
- Paglietti, F; Malinconico, S; della Staffa, BC; Bellagamba, S; De Simone, P. (2016). Classification and management of asbestos-containing waste: European legislation and the Italian experience. *Waste Manag*. 50: 130-150. <http://dx.doi.org/10.1016/j.wasman.2016.02.014>.
- Paglietti, F; Malinconico, S; Di Molfetta, V; Bellagamba, S; Damiani, F; Gennari, F; De Simone, P; Sallusti, F; Giangrasso, M. (2012). Asbestos Risk: From Raw Material to Waste Management: The Italian Experience. *Crit Rev Environ Sci Tech*. 42: 1781-1861. <http://dx.doi.org/10.1080/10643389.2011.569875>.
- Paglietti, F; Malinconico, S; Di Molfetta, V; Giangrasso, M. (2012). Guidelines for asbestos remediation at Italian superfund sites [Review]. 30: 253-286. <http://dx.doi.org/10.1080/10590501.2012.705161>.
- Pagoto, S; Hillhouse, J; Heckman, CJ; Coups, EJ; Stapleton, J; Buller, D; Turrisi, R; Robinson, J; Geller, AC. (2014). Society of Behavioral Medicine (SBM) position statement: ban indoor tanning for minors. 4: 124-126. <http://dx.doi.org/10.1007/s13142-013-0240-1>.
- Pairon, JC; Billongalland, MA; Iwatsubo, Y; Bernstein, M; Gaudichet, A; Bignon, J; Brochard, P. (1994). BIOPERSISTENCE OF NONFIBROUS MINERAL PARTICLES IN THE RESPIRATORY TRACTS OF SUBJECTS FOLLOWING OCCUPATIONAL EXPOSURE. *Environ Health Perspect*. 102: 269-275. <http://dx.doi.org/10.2307/3432102>.
- Pairon, JC; Jaurand, MC; Laurent, F; Salmi, R; Astoul, P; Galateau-Sallé, F; Brochard, P. (2006). [How to assess asbestos exposure and identify a population at risk?]. *Rev Mal Respir*. 23: 11S19-27.
- Pairon, JC; Orłowski, E; Iwatsubo, Y; Billon-Galland, MA; Dufour, G; Chamming's, S; Archambault, C; Bignon, J; Brochard, P. (1994). Pleural mesothelioma and exposure to asbestos: evaluation from work histories and analysis of asbestos bodies in bronchoalveolar lavage fluid or lung tissue in 131 patients. *Occup Environ Med*. 51: 244-249.
- Pairon, JC; Roos, F; Sebastien, P; Chamak, B; Abd-alsamad, I; Bernaudin, JF; Bignon, J; Brochard, P. (1995). Biopersistence of cerium in the human respiratory tract and ultrastructural findings. *Am J Ind Med*. 27: 349-358.
- Pal, T; Maity, PK; Das, D; Mitra, S. (1993). OXIDATION CHARACTER OF CHLORITE FROM BYRAPUR CHROMITE DEPOSIT, INDIA - A FE-57 MOSSBAUER EVALUATION. *Bulletin of Materials Science*. 16: 229-237.
- Palinkas, LA; Sostaric, SB; Palinkas, SS. (2008). Metallogeny of the Northwestern and Central Dinarides and Southern Tisia. *Ore Geol Rev*. 34: 501-520. <http://dx.doi.org/10.1016/j.oregeorev.2008.05.006>.
- Pallesen, BE. (1996). The quality of combine-harvested fibre flax for industrial purposes depends on the degree of retting. *Ind Crop Prod*. 5: 65-78.
- Palomäki, J; Välimäki, E; Sund, J; Vippola, M; Clausen, PA; Jensen, KA; Savolainen, K; Matikainen, S; Alenius, H. (2011). Long, needle-like carbon nanotubes and asbestos activate the NLRP3 inflammasome through a similar mechanism. *ACS Nano*. 5: 6861-6870. <http://dx.doi.org/10.1021/nn200595c>.
- Pan, YM; Fleet, ME. (1992). CALC-SILICATE ALTERATION IN THE HEMLO GOLD DEPOSIT, ONTARIO - MINERAL ASSEMBLAGES, P-T-X CONSTRAINTS, AND SIGNIFICANCE. *Econ Geol*. 87: 1104-1120.
- Pan, YM; Fleet, ME. (1992). MINERAL CHEMISTRY AND GEOCHEMISTRY OF VANADIAN SILICATES IN THE HEMLO GOLD DEPOSIT, ONTARIO, CANADA. *Contributions to Mineralogy and Petrology*. 109: 511-525.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Pandita, S. (2006). Banning asbestos in Asia: campaigns and strategies by the Asian Network for the Rights of Occupational Accident Victims (ANROAV). *Int J Occup Environ Health*. 12: 248-253. <http://dx.doi.org/10.1179/oeht.2006.12.3.248>.
- Pang, D. (1999). A relative power table for nested matched case-control studies. *Occup Environ Med*. 56: 67-69.
- Pang, TW. (2000). Precision and accuracy of asbestos fiber counting by phase contrast microscopy. *AIHAJ*. 61: 529-538.
- Pang, TW; Harper, M. (2008). The quality of fiber counts using improved slides with relocatable fields. *J Environ Monit*. 10: 89-95. <http://dx.doi.org/10.1039/b712323j>.
- Pang, TWS; Dicker, WL; Nazar, MA. (1984). An Evaluation Of The Precision And Accuracy Of The Direct Transfer Method For The Analysis Of Asbestos Fibers With Comparison To The NIOSH Method. *Am Ind Hyg Assoc J*. 45: 329-335. <http://dx.doi.org/10.1080/15298668491399875>.
- Pang, TWS; Robinson, AE. (1981). A TECHNIQUE TO PREPARE ASBESTOS AIR SAMPLES FOR LIGHT AND ELECTRON-MICROSCOPY. *Br J Ind Med*. 38: 389-393.
- Pang, TWS; Schonfeld, FA; Patel, K. (1988). THE PRECISION AND ACCURACY OF A METHOD FOR THE ANALYSIS OF AMOSITE ASBESTOS. *Am Ind Hyg Assoc J*. 49: 351-356.
- Pang, TWS; Schonfeldstarr, FA; Patel, K. (1989). AN IMPROVED MEMBRANE-FILTER TECHNIQUE FOR EVALUATION OF ASBESTOS FIBERS. *Am Ind Hyg Assoc J*. 50: 174-180.
- Pantelica, A; Georgescu, II; Murariu-Magureanu, MD; Margaritescu, I; Cincu, E. (2001). Thorium determination in intercomparison samples and in some romanian building materials by gamma ray spectrometry. *Radiat Prot Dosimetry*. 97: 187-191.
- Paoletti, L; Batisti, D; Bruno, C; Di Paola, M; Gianfagna, A; Mastrantonio, M; Nesti, M; Comba, P. (2000). Unusually high incidence of malignant pleural mesothelioma in a town of eastern Sicily: an epidemiological and environmental study. *Arch Environ Health*. 55: 392-398. <http://dx.doi.org/10.1080/00039890009604036>.
- Paoletti, L; Bruni, BM. (2009). [Size distribution of amphibole fibres from lung and pleural tissues sampled from mesothelioma cases due to environmental exposure]. *Med Lav*. 100: 11-20.
- Paoletti, L; Caiazza, S; Chessa, E; Notargiacomo, S; Donelli, G. (1982). ASBESTOS CONTAMINATION OF TALC - ELECTRON-MICROSCOPY AND X-RAY-MICROANALYSIS STUDY. 7: A74-A74.
- Papanicolaou, GC; Paspaspyrides, CD. (1987). THE INFLUENCE OF FIBER PRETREATMENT ON THE MECHANICAL-PROPERTIES OF EPOXY-ASBESTOS COMPOSITES. *Mater Chem Phys*. 17: 453-460.
- Papanicolaou, GC; Paspaspyrides, CD. (1988). EFFECT OF FIBER PRE-TREATMENT ON THERMAL-CHARACTERISTICS OF ASBESTOS NYLON EPOXY COMPOSITES. *Compos Sci Tech*. 31: 261-272.
- Papirer, E. (1981). UNUSUAL APPLICATION OF CHRYSOTILE ASBESTOS - THE ELIMINATION OF USED OIL-EMULSIONS. *Clays and Clay Minerals*. 29: 69-70.
- Papirer, E; Roland, P. (1981). GRINDING OF CHRYSOTILE IN HYDROCARBONS, ALCOHOL, AND WATER. *Clays and Clay Minerals*. 29: 161-170.
- Parent, ME; Hua, Y; Siemiatycki, J. (2000). Occupational risk factors for renal cell carcinoma in Montreal. *Am J Ind Med*. 38: 609-618.
- Parent, ME; Siemiatycki, J; Fritschi, L. (2000). Workplace exposures and oesophageal cancer. *Occup Environ Med*. 57: 325-334.
- Paris, C; Maurel, M; Luc, A; Stoufflet, A; Pairon, JC; Letourneux, M. (2010). CT scan screening is associated with increased distress among subjects of the APEXS. *BMC Public Health*. 10: 647. <http://dx.doi.org/10.1186/1471-2458-10-647>.
- Park, J; Hisanaga, N; Kim, Y. (2009). Transfer of occupational health problems from a developed to a developing country: Lessons from the Japan-South Korea experience. *Am J Ind Med*. 52: 625-632. <http://dx.doi.org/10.1002/ajim.2072>.
- Park, JK; Moon, YP; Park, BC; Song, MJ; Ko, KS; Cho, JM. (2001). Non-combustible waste vitrification with plasma torch melter. *J Environ Sci Health A Tox Hazard Subst Environ Eng*. 36: 861-871.
- Parker, LM; Patterson, JE. (1994). CATALYSTS FOR LOW-TEMPERATURE OXIDATION OF ETHENE. *ACS Symp Ser Am Chem Soc*. 552: 301-315.
- Parkinson, DK. (1981). ASBESTOS WORKERS AND LUNG-CANCER - REPLY. *Am J Public Health*. 71: 1409-1409.
- Parkinson, G. (1986). MAKERS OF GASKETS, PACKING, TRY ASBESTOS REPLACEMENTS. *Chem Eng*. 93: 23-&.
- Parmar, JP. (1992). ESOPHAGEAL CARCINOMA WITH ASBESTOS BODIES [Letter]. *Am J Ind Med*. 21: 605-608.
- Partanen, R; Hemminki, K; Koskinen, H; Luo, JC; Carney, WP; Brandt-Rauf, PW. (1994). The detection of increased amounts of the extracellular domain of the epidermal growth factor receptor in serum during carcinogenesis in asbestosis patients. *J Occup Med*. 36: 1324-1328.
- Partanen, T; Nurminen, M; Zitting, A; Koskinen, H; Wiikeri, M; Ahlman, K. (1992). Localized pleural plaques and lung cancer. *Am J Ind Med*. 22: 185-192.
- Partridge, MA; Huang, SXL; Kibriya, MG; Ahsan, H; Davidson, MM; Hei, TK. (2009). Environmental mutagens induced transversions but not transitions in regulatory region of mitochondrial DNA. *J Toxicol Environ Health A*. 72: 301-304. <http://dx.doi.org/10.1080/15287390802526381>.
- Pascolo, L; Gianoncelli, A; Rizzardi, C; de Jonge, M; Howard, D; Paterson, D; Cammisuli, F; Salomé, M; De Paoli, P; Melato, M; Canzonieri, V. (2016). Focused X-Ray Histological Analyses to Reveal Asbestos Fibers and Bodies in Lungs and Pleura of Asbestos-Exposed Subjects. 22: 1062-1071. <http://dx.doi.org/10.1017/S1431927616011685>.
- Pasetto, R; Biggeri, A; Comba, P; Pirastu, R. (2007). Mortality in the cohort of workers of the petrochemical plant in Gela (Sicily) 1960-2002. *Epidemiol Prev*. 31: 39-45.
- Pasquier, LC; Mercier, G; Blais, JF; Cecchi, E; Kentish, S. (2014). Parameters optimization for direct flue gas CO2 capture and sequestration by aqueous mineral carbonation using activated serpentinite based mining residue. *Appl Geochem*. 50: 66-73. <http://dx.doi.org/10.1016/j.apgeochem.2014.08.008>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Pasquier, LC; Mercier, G; Blais, JF; Cecchi, E; Kentish, S. (2014). Reaction mechanism for the aqueous-phase mineral carbonation of heat-activated serpentine at low temperatures and pressures in flue gas conditions. *Environ Sci Technol.* 48: 5163-5170. <http://dx.doi.org/10.1021/es405449v>.
- Pastuszka, JS. (2010). EMISSION OF AIRBORNE FIBERS FROM MECHANICALLY IMPACTED NON-ASBESTOS FIBER-CONTAINING MATERIALS: PRELIMINARY RESULTS. *Arch Environ Prot.* 36: 3-12.
- Pastuszka, JS; Kabala-Dzik, A; Paw, KT. (1999). A study of fibrous aerosols in the home environment in Sosnowiec, Poland. *Sci Total Environ.* 229: 131-136.
- Patel, HJ; Kwon, S. (2013). Length-dependent effect of single-walled carbon nanotube exposure in a dynamic cell growth environment of human alveolar epithelial cells. *J Expo Sci Environ Epidemiol.* 23: 101-108. <http://dx.doi.org/10.1038/jes.2012.75>.
- Patel-Mandlik, K; Millette, J. (1983). Accumulation of ingested asbestos fibers in rat tissues over time. *Environ Health Perspect.* 53: 197-200.
- Patel-Mandlik, KJ. (1981). Asbestos fibers in normal and cancerous human kidneys. *Arch Environ Contam Toxicol.* 10: 47-54. <http://dx.doi.org/10.1007/BF01057574>.
- Patelmandlik, KJ; Hallenbeck, WH; Millette, J. R. (1979). ASBESTOS FIBERS .1. MODIFIED PREPARATION OF TISSUE SAMPLES FOR ANALYSIS BY ELECTRON-MICROSCOPY .2. PRESENCE OF FIBERS IN TISSUES OF BABOON FED CHRYSOTILE ASBESTOS. *J Environ Pathol Toxicol.* 2: 1385-1395.
- Patelmandlik, KJ; Manos, CG; Lisk, DJ. (1988). ABSENCE OF ASBESTOS IN MUNICIPAL SEWAGE-SLUDGE ASHES. *Bull Environ Contam Toxicol.* 40: 703-706.
- Patelmandlik, KJ; Manos, CG; Lisk, DJ. (1988). ANALYSIS OF MUNICIPAL REFUSE INCINERATOR ASHES FOR ASBESTOS. *Bull Environ Contam Toxicol.* 41: 844-846.
- Patelmandlik, KJ; Manos, CG; Lisk, DJ. (1988). IDENTIFICATION OF ASBESTOS AND GLASS-FIBERS IN SEWAGE SLUDGES OF SMALL NEW YORK STATE CITIES. *Chemosphere.* 17: 1025-1032.
- Patrick, G; Rood, AP; Hoskins, JA; Mongan, LC; Houghton, CE; Jones, T; Dinsdale, D. (2001). A novel synthetic erionite fibre radiolabelled with Co-57. *Ann Occup Hyg.* 45: 365-370.
- Pattnaik, BK; Equeenuddin, S, kMd. (2016). Potentially toxic metal contamination and enzyme activities in soil around chromite mines at Sukinda Ultramafic Complex, India. *J Geochem Explor.* 168: 127-136. <http://dx.doi.org/10.1016/j.gexplo.2016.06.011>.
- Paul, BN; Prakash, A; Kumar, S; Yadav, AK; Mani, U; Saxena, AK; Sahu, AP; Lal, K; Dutta, KK. (2002). Silica induced early fibrogenic reaction in lung of mice ameliorated by *Nyctanthes arbortristis* extract. *Biomed Environ Sci.* 15: 215-222.
- Pauly, JL; Stegmeier, SJ; Allaart, HA; Cheney, RT; Zhang, PJ; Mayer, AG; Streck, RJ. (1998). Inhaled cellulosic and plastic fibers found in human lung tissue. *Cancer Epidemiol Biomarkers Prev.* 7: 419-428.
- Paunescu, M. (2010). Behaviour of Non-Metallic Gaskets in Small and Medium Pressure Conditions. *Rev Chim.* 61: 118-120.
- Paustenbach, DJ; Finley, BL; Sheehan, PJ; Brorby, GP. (2006). Re: Evaluation of the size and type of free particulates collected from unused asbestos-containing brake components as related to potential for respirability [Letter]. *Am J Ind Med.* 49: 60-61; author reply 62-64. <http://dx.doi.org/10.1002/ajim.20236>.
- Paustenbach, DJ; Sage, A; Bono, M; Mowat, F. (2004). Occupational exposure to airborne asbestos from coatings, mastics, and adhesives. *J Expo Anal Environ Epidemiol.* 14: 234-244. <http://dx.doi.org/10.1038/sj.jea.7500320>.
- Pavlovich, MS; Jenkins, DM. (2003). Assessment of cation substitutions along the gallium and fluorine analogue of the tremolite-glaucophane join. *Am Mineral.* 88: 1486-1495.
- Pawełczyk, A; Bożek, F. (2015). Health risk associated with airborne asbestos. *Environ Monit Assess.* 187: 428. <http://dx.doi.org/10.1007/s10661-015-4614-3>.
- Pawley, AR. (1998). The reaction talc plus forsterite = enstatite plus H₂O: New experimental results and petrological implication. *Am Mineral.* 83: 51-57.
- Pawley, AR; Graham, CM; Navrotsky, A. (1993). TREMOLITE-RICHTERITE AMPHIBOLES - SYNTHESIS, COMPOSITIONAL AND STRUCTURAL CHARACTERIZATION, AND THERMOCHEMISTRY. *Am Mineral.* 78: 23-35.
- Pedra, F; Tambellini, AT; Pereira, B; da Costa, AC; de Castro, HA. (2008). Mesothelioma mortality in Brazil, 1980-2003. *Int J Occup Environ Health.* 14: 170-175. <http://dx.doi.org/10.1179/oeh.2008.14.3.170>.
- Pedreira-Segade, U; Feuillie, C; Pelletier, M; Michot, LJ; Daniel, I. (2016). Adsorption of nucleotides onto ferromagnesian phyllosilicates: Significance for the origin of life. *Geochim Cosmo Acta.* 176: 81-95. <http://dx.doi.org/10.1016/j.gca.2015.12.025>.
- Peipins, LA; Lewin, M; Campolucci, S; Lybarger, JA; Miller, A; Middleton, D; Weis, C; Spence, M; Black, B; Kapil, V. (2003). Radiographic abnormalities and exposure to asbestos-contaminated vermiculite in the community of Libby, Montana, USA. *Environ Health Perspect.* 111: 1753-1759. <http://dx.doi.org/10.1289/ehp.6346>.
- Pelclová, D; Fenclová, Z; Syslová, K; Vlčková, S; Lebedová, J; Pecha, O; Běláček, J; Navrátil, T; Kuzma, M; Kačer, P. (2011). Oxidative stress markers in exhaled breath condensate in lung fibroses are not significantly affected by systemic diseases. *Ind Health.* 49: 746-754.
- Pelclová, D; Fenclová, Z; Vlčková, S; Lebedová, J; Syslová, K; Pecha, O; Beláček, J; Navrátil, T; Kuzma, M; Kacer, P. (2012). Leukotrienes B₄, C₄, D₄ and E₄ in the exhaled breath condensate (EBC), blood and urine in patients with pneumoconiosis. *Ind Health.* 50: 299-306.
- Pelclova, D; Zdimal, V; Fenclova, Z; Vlckova, S; Turci, F; Corazzari, I; Kacer, P; Schwarz, J; Zikova, N; Makes, O; Syslova, K; Komarc, M; Belacek, J; Navratil, T; Machajova, M; Zakharov, S. (2016). Markers of oxidative damage of nucleic acids and proteins among workers exposed to TiO₂ (nano) particles. *Occup Environ Med.* 73: 110-118. <http://dx.doi.org/10.1136/oemed-2015-103161>.
- Pele, JP; Calvert, R. (1983). A COMPARATIVE-STUDY ON THE HEMOLYTIC ACTION OF SHORT ASBESTOS FIBERS ON HUMAN, RAT, AND SHEEP ERYTHROCYTES. *Environ Res.* 31: 164-175.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Pele, JP; Calvert, R. (1983). HEMOLYSIS BY CHRYSOTILE ASBESTOS FIBERS .1. INFLUENCE OF THE SIALIC-ACID CONTENT IN HUMAN, RAT, AND SHEEP RED-BLOOD-CELL MEMBRANES. *J Toxicol Environ Health*. 12: 827-840.
- Pelin, K; Hirvonen, A; Taavitsainen, M; Linnainmaa, K. (1995). Cytogenetic response to asbestos fibers in cultured human primary mesothelial cells from 10 different donors. *Mutat Res*. 334: 225-233.
- Pelin, K; Kivipensas, P; Linnainmaa, K. (1995). Effects of asbestos and man-made vitreous fibers on cell division in cultured human mesothelial cells in comparison to rodent cells. *Environ Mol Mutagen*. 25: 118-125.
- Pellegrini, L; Montoneri, E; Savarino, P; Pappalardo, GC. (1991). ORGANO-INORGANIC COMPOSITE MEMBRANES - A MATHEMATICAL-MODELING APPROACH TO THE SOLID LIQUID INTERACTION PROPERTIES OF ASBESTOS IN ITS COMPOSITES. *Journal of Materials Science*. 26: 2557-2565.
- Pellerin, N; Bessada, C; Gruener, G; Boizot, B. (2001). Plasma: A possible solution for stabilisation of waste? *High Temperature Material Processes*. 5: 301-312.
- Pelletier, L; Muntener, O; Kalt, A; Vennemann, TW; Belgya, T. (2008). Emplacement of ultramafic rocks into the continental crust monitored by light and other trace elements: An example from the Geisspfad body (Swiss-Italian Alps). *Chem Geol*. 255: 143-159. <http://dx.doi.org/10.1016/j.chemgeo.2008.06.024>.
- Pelletier, L; Vils, F; Kalt, A; Gmeling, K. (2008). Li, B and Be Contents of Harzburgites from the Dramala Complex (Pindos Ophiolite, Greece): Evidence for a MOR-type Mantle in a Supra-subduction Zone Environment. *Journal of Petrology*. 49: 2043-2080. <http://dx.doi.org/10.1093/petrology/egn057>.
- Penczak, RS; Mason, R. (1997). Metamorphosed Archean epithermal Au-As-Sb-Zn-(Hg) vein mineralization at the Campbell mine, northwestern Ontario. *Econ Geol*. 92: 696-719.
- Penczak, RS; Mason, R. (1999). Characteristics and origin of Archean premetamorphic hydrothermal alteration at the Campbell gold mine, northwestern Ontario, Canada. *Econ Geol*. 94: 507-527.
- Peng, Y; Jing, Y. (2014). Hydrothermal preparation of analogous matrix minerals of CM carbonaceous chondrites from metal alloy particles. *Earth Planet Sci Lett*. 408: 252-262. <http://dx.doi.org/10.1016/j.epsl.2014.10.020>.
- Peng, Y; Xu, L; Xi, G; Zhong, C; Lu, J, un; Meng, Z; Li, G; Zhang, S; Zhang, G; Qian, Y. (2007). An experimental study on the hydrothermal preparation of tochilinite nanotubes and tochilinite-serpentine-intergrowth nanotubes from metal particles. *Geochim Cosmo Acta*. 71: 2858-2875. <http://dx.doi.org/10.1016/j.gca.2007.03.012>.
- Pens, M; Andreani, M; Daniel, I; Perrillat, JP; Cardon, H. (2016). Contrasted effect of aluminum on the serpentinization rate of olivine and orthopyroxene under hydrothermal conditions. *Chem Geol*. 441: 256-264. <http://dx.doi.org/10.1016/j.chemgeo.2016.08.007>.
- Pepelko, WE. (1996). Evaluation of the carcinogenic risk of biochemically inert insoluble particles by the EPAa using rat inhalation data. *Part Sci Technol*. 14: 123-134.
- Pereda, MP; Gromaz, LE. (2007). Asbestos: Modification of regulation and methodology of fiber evaluation. *Dyna*. 82: 61-63.
- Pereira, D; Blanco, JA; Peinado, M. (2013). Study on Serpentinites and the Consequence of the Misuse of Natural Stone in Buildings for Construction. *Journal of Materials in Civil Engineering*. 25: 1563-1567. [http://dx.doi.org/10.1061/\(ASCE\)MT.1943-5533.0000689](http://dx.doi.org/10.1061/(ASCE)MT.1943-5533.0000689).
- Pereira, MJ; Lima, MMF; Lima, RMF. (2014). Calcination and characterisation studies of a Brazilian manganese ore tailing. *Int J Miner Process*. 131: 26-30. <http://dx.doi.org/10.1016/j.minpro.2014.08.003>.
- Pereira, MM; Raposo, NR; Brayner, R; Teixeira, EM; Oliveira, V; Quintão, CC; Camargo, LS; Mattoso, LH; Brandão, HM. (2013). Cytotoxicity and expression of genes involved in the cellular stress response and apoptosis in mammalian fibroblast exposed to cotton cellulose nanofibers. *Nanotechnology*. 24: 075103. <http://dx.doi.org/10.1088/0957-4484/24/7/075103>.
- Peretti, A; Dubessy, J; Mullis, J; Frost, BR; Trommsdorff, V. (1992). HIGHLY REDUCING CONDITIONS DURING ALPINE METAMORPHISM OF THE MALENCO PERIDOTITE (SONDRIO, NORTHERN ITALY) INDICATED BY MINERAL PARAGENESIS AND H-2 IN FLUID INCLUSIONS. *Contributions to Mineralogy and Petrology*. 112: 329-340.
- Perić, I; Novak, K; Barisić, I; Mise, K; Vucković, M; Janković, S; Tocilj, J. (2009). Interobserver variations in diagnosing asbestosis according to the ILO classification. *Arh Hig Rada Toksikol*. 60: 191-195. <http://dx.doi.org/10.2478/10004-1254-60-2009-1904>.
- Perkins, JL; Cutter, GN; Cleveland, MS. (1990). Estimating the mean, variance, and confidence limits from censored (less than limit of detection), lognormally/distributed exposure data. *Am Ind Hyg Assoc J*. 51: 416-419.
- Pernía Leal, M; Assali, M; Cid, JJ; Valdivia, V; Franco, JM; Fernández, I; Pozo, D; Khiar, N. (2015). Synthesis of 1D-glyconanomaterials by a hybrid noncovalent-covalent functionalization of single wall carbon nanotubes: a study of their selective interactions with lectins and with live cells. *Nanoscale*. 7: 19259-19272. <http://dx.doi.org/10.1039/c5nr05956a>.
- Perrillat, JP; Daniel, I; Koga, KT; Reynard, B; Cardon, H; Crichton, WA. (2005). Kinetics of antigorite dehydration: A real-time X-ray diffraction study. *Earth Planet Sci Lett*. 236: 899-913. <http://dx.doi.org/10.1016/j.epsl.2005.06.006>.
- Perumal, P; Khan, MH; Chang, S; Sangma, CTR. (2016). Effect of walking and summer stress on physiological, hematological and antioxidant profiles in mithun bulls. *Indian J Anim Sci*. 86: 751-757.
- Pesch, B; Haerting, J; Ranft, U; Klimpel, A; Oelschlägel, B; Schill, W. (2000). Occupational risk factors for renal cell carcinoma: Agent-specific results from a case-control study in Germany. *Int J Epidemiol*. 29: 1014-1024. <http://dx.doi.org/10.1093/ije/29.6.1014>.
- Peters, BJ. (1983). Systematic Safety Analysis of Asbestos Disease and Its Prevention. *Professional Safety*. pages 21: 21-27.
- Peters, GA; Peters, BJ. (1981). ASBESTOS PRODUCT LIABILITY. 4: 49-54.
- Peters, R. (1981). ASBESTOS-CEMENT PIPES FOR THE WATER INDUSTRY. 85: 297-&.
- Peters, S; van Oyen, SC; Alfonso, H; Fritschi, L; de Klerk, NH; Reid, A; Franklin, P; Gordon, L; Benke, G; Musk, AW. (2016). Response to Kottek and Kilpatrick, 'Estimating Occupational Exposure to Asbestos in Australia' [Letter]. *Ann Occup Hyg*. 60: 533-535. <http://dx.doi.org/10.1093/annhyg/mew010>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Peters, S; Vermeulen, R; Cassidy, A; Mannetje, AT; van Tongeren, M; Boffetta, P; Straif, K; Kromhout, H. (2011). Comparison of exposure assessment methods for occupational carcinogens in a multi-centre lung cancer case-control study. *Occup Environ Med.* 68: 148-153. <http://dx.doi.org/10.1136/oem.2010.055608>.
- Peters, S; Vermeulen, R; Olsson, A; Van Gelder, R; Kendzia, B; Vincent, R; Savary, B; Williams, N; Woldbæk, T; Lavoué, J; Cavallo, D; Cattaneo, A; Mirabelli, D; Plato, N; Dahmann, D; Fevotte, J; Pesch, B; Brüning, T; Straif, K; Kromhout, H. (2012). Development of an exposure measurement database on five lung carcinogens (ExpoSYN) for quantitative retrospective occupational exposure assessment. *Ann Occup Hyg.* 56: 70-79. <http://dx.doi.org/10.1093/annhyg/mer081>.
- Peters, S; Vermeulen, R; Portengen, L; Olsson, A; Kendzia, B; Vincent, R; Savary, B; Lavoué, J; Cavallo, D; Cattaneo, A; Mirabelli, D; Plato, N; Fevotte, J; Pesch, B; Brüning, T; Straif, K; Kromhout, H. (2016). SYN-JEM: A Quantitative Job-Exposure Matrix for Five Lung Carcinogens. *Ann Occup Hyg.* 60: 795-811. <http://dx.doi.org/10.1093/annhyg/mew034>.
- Peterson, DL. (1978). DULUTH EXPERIENCE - ASBESTOS, WATER, AND PUBLIC. *J Am Water Works Assoc.* 70: 24-28.
- Peterson, DL; Schleppenbach, FX; Zaudtke, TM. (1980). STUDIES OF ASBESTOS REMOVAL BY DIRECT-FILTRATION OF A LAKE-SUPERIOR WATER. *J Am Water Works Assoc.* 72: 155-161.
- Peterson, MR; Naugle, DF; Berry, MA. (1990). *Indoor Air - Assessment: Methods of Analysis for Environmental Carcinogens.* 52.
- Peterson, PE. (1980). COMMENTS ON STRENGTH AND FRACTURE PROPERTIES OF ASBESTOS-CEMENT MORTAR COMPOSITES. *Journal of Materials Science.* 15: 2387-2388.
- Petkowicz, DI; Brambilla, R; Radtke, C; Silva da Silva, CD; da Rocha, ZN; Pergher, SBC; dos Santos, JHZ. (2009). Photodegradation of methylene blue by in situ generated titania supported on a NaA zeolite. *Appl Catal A-Gen.* 357: 125-134. <http://dx.doi.org/10.1016/j.apcata.2008.12.040>.
- Petkowicz, DI; Rigo, RT; Radtke, C; Pergher, SB; dos Santos, JHZ. (2008). Zeolite NaA from Brazilian chrysotile and rice husk. *Microporous and Mesoporous Materials.* 116: 548-554. <http://dx.doi.org/10.1016/j.micromeso.2008.05.014>.
- Peto, J; Gilham, C; Rake, C; Darnton, A; Hodgson, J; Burdett, G. (2016). Authors' reply to letters from Egilman et al and Oliver et al [Letter]. *Occup Environ Med.* 73: 710-711. <http://dx.doi.org/10.1136/oemed-2016-103870>.
- Petrisor, IG; Kanner, A. (2010). Chinese Drywall Environmental Forensic Opportunities. *Environ Forensics.* 11: 6-16. <http://dx.doi.org/10.1080/15275920903526445>.
- Petsonk, EL; Wang, M. (2010). Interpreting Screening Questionnaires Specific Respiratory Symptoms and Their Relationship to Objective Test Results. *J Occup Environ Med.* 52: 1225-1229. <http://dx.doi.org/10.1097/JOM.0b013e3181fd728f>.
- Pezerat, H. (2009). Chrysotile biopersistence: the misuse of biased studies. *Int J Occup Environ Health.* 15: 102-106. <http://dx.doi.org/10.1179/107735209799449770>.
- Pezerat, H; Guignard, J; Cherrie, JW. (1992). Man-made mineral fibers and lung cancer: An hypothesis. *Toxicol Ind Health.* 8: 1-2.
- Pflaumbaum, W. (2007). Activities with asbestos exposure. *Staub, Reinhaltung der Luft.* 67: 222-223.
- Phillips, G; Hand, M; Offler, R. (2008). P-T-t deformation framework of an accretionary prism, southern New England Orogen, eastern Australia: Implications for blueschist exhumation and metamorphic switching. *Tectonics.* 27. <http://dx.doi.org/10.1029/2008TC002323>.
- Pi, Q; Zhong, R; Hu, R. (2015). Tracing the ore-formation history of the shear-zone-controlled Huogeqi Cu-Pb-Zn deposit in Inner Mongolia, northern China, using H, O, S, and Fe isotopes. *Ore Geol Rev.* 71: 263-272. <http://dx.doi.org/10.1016/j.oregeorev.2015.06.003>.
- Picango, M, deS; Ghavami, K. (2008). Behavior of cement mortar reinforced with Amazonian fibers subjected to compression. *Revista da Escola de Minas.* 61: 13-18.
- Picazo, S; Cannat, M; Delacour, A; Escartin, J; Roumejon, S; Silantyev, S. (2012). Deformation associated with the denudation of mantle-derived rocks at the Mid-Atlantic Ridge 13 degrees-15 degrees N: The role of magmatic injections and hydrothermal alteration. *G-cubed.* 13. <http://dx.doi.org/10.1029/2012GC004121>.
- Picciotto, S; Ljungman, PL; Eisen, EA. (2016). Straight Metalworking Fluids and All-Cause and Cardiovascular Mortality Analyzed by Using G-Estimation of an Accelerated Failure Time Model With Quantitative Exposure: Methods and Interpretations. *Am J Epidemiol.* 183: 680-688. <http://dx.doi.org/10.1093/aje/kwv232>.
- Pichora, EC; Payne, JL. (2007). Trends and characteristics of compensated occupational cancer in Ontario, Canada, 1937-2003. *Am J Ind Med.* 50: 980-991. <http://dx.doi.org/10.1002/ajim.20530>.
- Pickrell, JA; Hill, JO; Carpenter, RL; Hahn, FF; Rebar, AH. (1983). In vitro and in vivo response after exposure to man-made mineral and asbestos insulation fibers. *Am Ind Hyg Assoc J.* 44: 557-561. <http://dx.doi.org/10.1080/15298668391405319>.
- Pierini, F; Lanzi, M; Lesci, IG; Roveri, N. (2015). Comparison between Inorganic Geomimetic Chrysotile and Multiwalled Carbon Nanotubes in the Preparation of One-dimensional Conducting Polymer Nanocomposites. *Fibers and Polymers.* 16: 426-433. <http://dx.doi.org/10.1007/s12221-015-0426-x>.
- Pietruska, JR; Johnston, T; Zhitkovich, A; Kane, AB. (2010). XRCC1 deficiency sensitizes human lung epithelial cells to genotoxicity by crocidolite asbestos and Libby amphibole. *Environ Health Perspect.* 118: 1707-1713. <http://dx.doi.org/10.1289/ehp.1002312>.
- Pigg, BJ. (1992). ASBESTOS GASKETS NOT A HAZARD. *Power Engineering.* 96: 85-85.
- Pigg, BJ. (1994). The uses of chrysotile. *Ann Occup Hyg.* 38: 453-458.
- Pikhutin, IA. (2008). Use of asbestos-free materials in aluminum production. *Refractories and Industrial Ceramics.* 49: 5-8.
- Pilorget, C; Imbernon, E; Goldberg, M; Bonenfant, S; Spycykerelle, Y; Fournier, B; Steinmetz, J; Schmaus, A. (2003). Evaluation of the quality of coding of job episodes collected by self questionnaires among French retired men for use in a job-exposure matrix. *Occup Environ Med.* 60: 438-443.
- Pinheiro, GA; Antao, VC; Bang, KM; Attfield, MD. (2004). Malignant mesothelioma surveillance: a comparison of ICD 10 mortality data with SEER incidence data in nine areas of the United States. *Int J Occup Environ Health.* 10: 251-255.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Pinheiro, GA; Antão, VC; Monteiro, MM; Capelozzi, VL; Terra-Filho, M. (2003). Mortality from pleural mesothelioma in Rio de Janeiro, Brazil, 1979-2000: estimation from death certificates, hospital records, and histopathologic assessments. *Int J Occup Environ Health*. 9: 147-152. <http://dx.doi.org/10.1179/oeh.2003.9.2.147>.
- Piolatto, PG; Putzu, MG; Botta, GC. (2003). [Asbestos fibres and reference values]. *G Ital Med Lav Ergon*. 25: 94-98.
- Piperno, S; Kaplan-Ashiri, I; Cohen, SR; Popovitz-Biro, R; Wagner, HD; Tenne, R; Foresti, E; Lesci, IG; Roveri, N. (2007). Characterization of geoinspired and synthetic chrysotile nanotubes by atomic force microscopy and transmission electron microscopy. *Adv Funct Mater*. 17: 3332-3338. <http://dx.doi.org/10.1002/adfm.200700278>.
- Pira, E. (2016). Untitled. *Med Lav*. 107: 148-150.
- Pira, E; Pelucchi, C; Romano, C; Manzari, M; Negri, E, va; La Vecchia, C. (2012). Mortality From Cancer and Other Causes in an Italian Cohort of Male Rubber Tire Workers. *J Occup Environ Med*. 54: 345-349. <http://dx.doi.org/10.1097/JOM.0b013e318244503c>.
- Pirajno, F; Gonzalez-Alvarez, I; Chen, W, ei; Kyser, KT; Simonetti, A; Leduc, E; Legras, M. (2014). The Gifford Creek Ferrocarbonate Complex, Gascoyne Province, Western Australia: Associated fenitic alteration and a putative link with the similar to 1075 Ma Warakurna LIP. *Lithos*. 202: 100-119. <http://dx.doi.org/10.1016/j.lithos.2014.05.012>.
- Pitarque, S; Cleries, R; Martinez, JM; Lopez-Abente, G; Kogevinas, M; Benavides, FG. (2008). Mesothelioma mortality in men: trends during 1977-2001 and projections for 2002-2016 in Spain. *Occup Environ Med*. 65: 279-282. <http://dx.doi.org/10.1136/oem.2007.034769>.
- Pitawala, A; Schidlowski, M; Dahanayake, K; Hofmeister, W. (2003). Geochemical and petrological characteristics of Eppawala phosphate deposits, Sri Lanka. *Miner Depos*. 38: 505-515. <http://dx.doi.org/10.1007/s00126-002-0327-y>.
- Pizzo, AM; Legittimo, P; Silvestri, S; Chellini, E; Gorini, G; Miligi, L; Costantini, SA. (2010). ASBESTOS EXPOSURE AND RISK OF LUNG CANCER AND MESOTHELIOMA IN A COHORT OF ABOUT 13,000 MALE SUBJECTS IN TUSCANY. *Epidemiol Prev*. 34: 160-160.
- Platek, SF; Riley, RD; Simon, SD. (1992). THE CLASSIFICATION OF ASBESTOS FIBERS BY SCANNING ELECTRON-MICROSCOPY AND COMPUTER-DIGITIZING TABLET. *Ann Occup Hyg*. 36: 155-171.
- Pleil, JD; Lorber, MN. (2007). Relative congener scaling of polychlorinated dibenzo-p-dioxins and dibenzofurans to estimate building fire contributions in air, surface wipes, and dust samples. *Environ Sci Technol*. 41: 7286-7293. <http://dx.doi.org/10.1021/es070714a>.
- Plescia, P; Gizzi, D; Benedetti, S; Camilucci, L; Fanizza, C; De Simone, P; Paglietti, F. (2003). Mechanochemical treatment to recycling asbestos-containing waste. *Waste Manag*. 23: 209-218. [http://dx.doi.org/10.1016/S0956-053X\(02\)00156-3](http://dx.doi.org/10.1016/S0956-053X(02)00156-3).
- Plomp, HN. (2013). The Contribution of Health Professionals to the Creation of Occupational Health Standards: The Impact of Professional Ethics in the Case of Asbestos. *Public Health Ethics*. 6: 73-89. <http://dx.doi.org/10.1093/phe/phs037>.
- Plotko, EG; Seliankina, KP; Kashanskiĭ, SV; Ryzhov, VV; Vinokurova, MV; Vinokurov, MV; Shtol', AV. (2005). [Hygienic problems in the protection of the environment and human health in the areas of chrysotile asbestos extract and utilization]. *Gig Sanit*70-71.
- Plumlee, GS; Alpers, CN; Morman, SA; San Juan, C. (2016). Anticipating Environmental and Environmental-Health Implications of Extreme Storms: ARKStorm Scenario. *Natural Hazards Review*. 17. [http://dx.doi.org/10.1061/\(ASCE\)NH.1527-6996.0000188](http://dx.doi.org/10.1061/(ASCE)NH.1527-6996.0000188).
- Plumlee, GS; Morman, SA; Ziegler, TL. (2006). Medical Mineralogy and Geochemistry: The toxicological geochemistry of earth materials: An overview of processes and the interdisciplinary methods used to understand them. *Chantilly: Mineralogical Soc America*. <http://dx.doi.org/10.2138/rmg.2006.64.2>.
- Plumper, O; King, HE; Vollmer, C; Ramasse, Q; Jung, H; Austrheim, H. (2012). The legacy of crystal-plastic deformation in olivine: high-diffusivity pathways during serpentinization. *Contributions to Mineralogy and Petrology*. 163: 701-724. <http://dx.doi.org/10.1007/s00410-011-0695-3>.
- Plumper, O; Piaolo, S; Austrheim, H. (2012). Olivine Pseudomorphs after Serpentinized Orthopyroxene Record Transient Oceanic Lithospheric Mantle Dehydration (Leka Ophiolite Complex, Norway). *Journal of Petrology*. 53: 1943-1968. <http://dx.doi.org/10.1093/petrology/egs039>.
- Plusnina, LP; Vysotsky, SV. (1994). 2-PHASE SEPARATION OF FOSSIL HYDROTHERMAL FLUIDS IN THE MID-INDIAN RIDGE OPHIOLITES. *Geochim Cosmo Acta*. 58: 2035-2039.
- Pohl-label, H; Jöckel, KH; Brüske-Hohlfeld, I; Möhner, M; Ahrens, W; Bolm-Audorff, U; Arhelger, R; Römer, W; Kreienbrock, L; Kreuzer, M; Jahn, I; Wichmann, HE. (2000). Lung cancer and exposure to man-made vitreous fibers: results from a pooled case-control study in Germany. *Am J Ind Med*. 37: 469-477.
- Pokonova, YV. (2004). Oily acid tars as feedstock for manufacture of cation exchangers. *Chemistry and Technology of Fuels and Oils*. 40: 189-194.
- Poland, CA; Duffin, R; Kinloch, I; Maynard, A; Wallace, WAH; Seaton, A; Stone, V; Brown, S; MacNee, W; Donaldson, K. (2008). Carbon nanotubes introduced into the abdominal cavity of mice show asbestos-like pathogenicity in a pilot study. *Nat Nanotechnol*. 3: 423-428. <http://dx.doi.org/10.1038/nnano.2008.111>.
- Polat, A; Frei, R; Appel, PWU; Dilek, Y; Fryer, B; Ordonez-Calderon, JC; Yang, Z. (2008). The origin and compositions of Mesozoic oceanic crust: Evidence from the 3075 Ma Ivisartoq greenstone belt, SW Greenland. *Lithos*. 100: 293-321. <http://dx.doi.org/10.1016/j.lithos.2007.06.021>.
- Polat, A; Frei, R; Fryer, B; Appel, PWU. (2009). The origin of geochemical trends and Eoarchean (ca. 3700 Ma) zircons in Mesozoic (ca. 3075 Ma) ocelli-hosting pillow basalts, Ivisartoq greenstone belt, SW Greenland: Evidence for crustal contamination versus crustal recycling. *Chem Geol*. 268: 248-271. <http://dx.doi.org/10.1016/j.chemgeo.2009.09.004>.
- Polatli, M; Erdinc, M; Erdinc, E; Cok, G. (2004). Response to "respiratory impairment due to asbestos exposure in brake-lining workers". *Environ Res*. 96: 106-108. <http://dx.doi.org/10.1016/j.envres.2004.04.004>.
- Polgari, M; Biro, L; Pal-Molnar, E; Dobosi, G; Bajnoczi, B; Nemeth, T; Kovacs Kis, V; Vigh, T. (2013). RHODOCHROSITE-BEARING CONCRETIONS FROM A JURASSIC MANGANESE ORE MINERALIZATION - URKUT, HUNGARY. *Carpath J Earth Env*. 8: 139-146.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Poli, S. (1991). REACTION SPACES AND P-T PATHS - FROM AMPHIBOLE ECLOGITE TO GREENSCHIST FACIES IN THE AUSTRALALPINE DOMAIN (OETZTAL COMPLEX). *Contributions to Mineralogy and Petrology*. 106: 399-416.
- Poli, S; Schmidt, MW. (2004). Experimental subsolidus studies on epidote minerals. *Rev Mineral Geochem*. 56: 171-195.
- Polissar, L; Severson, RK; Boatman, ES. (1983). ADDITIONAL NOTES ON THE CASE-CONTROL STUDY IN WESTERN WASHINGTON ON THE CANCER RISK FROM ASBESTOS IN DRINKING-WATER. *Environ Health Perspect*. 53: 189-190.
- Polissar, L; Severson, RK; Boatman, ES. (1983). Cancer risk from asbestos in drinking water: summary of a case-control study in western Washington. *Environ Health Perspect*. 53: 57-60.
- Polissar, L; Severson, RK; Boatman, ES. (1984). A case-control study of asbestos in drinking water and cancer risk. *Am J Epidemiol*. 119: 456-471.
- Polissar, L; Severson, RK; Boatman, ES; Thomas, DB. (1982). Cancer incidence in relation to asbestos in drinking water in the Puget Sound region. *Am J Epidemiol*. 116: 314-328.
- Polivka, BJ; Wills, C. (2014). Student nurses' risk perceptions of home environmental hazards. *Public Health Nursing*. 31: 298-308. <http://dx.doi.org/10.1111/phn.12098>.
- Pollak, H; Karfunkel, U; Kitwanga, SW. (1992). ORIENTATION OF THE EFG IN CROCIDOLITE SITES. *Physica Status Solidi A: Applications and Materials Science (Print)*. 134: 67-76.
- Pollard, PJ. (2001). Sodic(-calcic) alteration in Fe-oxide-Cu-Au districts: an origin via unmixing of magmatic H₂O-CO₂-NaCl +/- CaCl₂-KCl fluids. *Miner Depos*. 36: 93-100.
- Pollastri, S; D'Acapito, F; Trapananti, A; Colantoni, I; Andreozzi, GB; Gualtieri, AF. (2015). The chemical environment of iron in mineral fibres. A combined X-ray absorption and Mossbauer spectroscopic study. *J Hazard Mater*. 298: 282-293. <http://dx.doi.org/10.1016/j.jhazmat.2015.05.010>.
- Pollastri, S; Gualtieri, AF; Gualtieri, ML; Hanuskova, M; Cavallo, A; Gaudino, G. (2014). The zeta potential of mineral fibres. *J Hazard Mater*. 276: 469-479. <http://dx.doi.org/10.1016/j.jhazmat.2014.05.060>.
- Pollastri, S; Gualtieri, AF; Vigliaturo, R; Ignatyev, K; Strafella, E; Pugnali, A; Croce, A. (2016). Stability of mineral fibres in contact with human cell cultures. An in situ μ XANES, μ XRD and XRF iron mapping study. *Chemosphere*. 164: 547-557. <http://dx.doi.org/10.1016/j.chemosphere.2016.08.139>.
- Pollastri, S; Perchiazzi, N; Lezzerini, M; Plaisier, JR; Cavallo, A; Dalconi, MC; Gandolfi, NB; Gualtieri, AF. (2016). The crystal structure of mineral fibres 1. Chrysotile. *Periodico di Mineralogia*. 85: 249-259. <http://dx.doi.org/10.2451/2016PM655>.
- Pons, JM; Franchini, M; Meinert, L; Recio, C; Etcheverry, R. (2009). Iron Skarns of the Vegas Peladas District, Mendoza, Argentina. *Econ Geol*. 104: 157-184.
- Pontius, FW. (1992). USEPAS BAN ON ASBESTOS-CONTAINING PRODUCTS INVALIDATED. *J Am Water Works Assoc*. 84: 22-&.
- Poole, A; Brown, RC; Fleming, GTA. (1983). Study Of The Cell-Transforming Ability Of Amosite And Crocidolite Asbestos And The Ability To Induce Changes In The Metabolism And Macromolecular Binding Of Benzo(a)pyrene In C3H10T1/2 Cells. *Environ Health Perspect*. 51: 319-324.
- Pooley, FD. (1981). Mineralogy of asbestos: the physical and chemical properties of the dusts they form. *Semin Oncol*. 8: 243-249.
- Pooley, FD; Mitha, R. (1986). Determination and Interpretation of the Levels of Chrysotile Asbestos in Lung Tissue. *Accomplishments in Oncology*. 1: 12-18.
- Popescu, BM; Ali, N; Basturea, G; Comsa, GI; Materon, LA; Chipara, M. (2013). 1-Dimensional nanoparticles - A brief critical review on biological, medical, and toxicological aspects. *Appl Surf Sci*. 275: 2-6. <http://dx.doi.org/10.1016/j.apsusc.2013.01.122>.
- Popp, W. (1996). [New data on syncarcinogenesis in tumors of exogenous origin] [Review]. *Zentralblatt fuer Hygiene und Umweltmedizin*. 198: 407-428.
- Porter, WE. (1990). Asbestos management. Foreign trip report, August 25, 1989-September 10, 1989. 17.
- Portner, RA; Clague, DA; Helo, C; Dreyer, BM; Paduan, JB. (2015). Contrasting styles of deep-marine pyroclastic eruptions revealed from Axial Seamount push core records. *Earth Planet Sci Lett*. 423: 219-231. <http://dx.doi.org/10.1016/j.epsl.2015.03.043>.
- Potel, S; Maison, T; Maillat, M; Sarr, AC; Doublier, MP; Trullenque, G; Maehlmann, RF. (2016). Reliability of very low-grade metamorphic methods to decipher basin evolution: Case study from the Markstein basin (Southern Vosges, NE France). *Appl Clay Sci*. 134: 175-185. <http://dx.doi.org/10.1016/j.clay.2016.10.003>.
- Pott, F. (1978). SOME ASPECTS ON THE DOSIMETRY OF THE CARCINOGENIC POTENCY OF ASBESTOS AND OTHER FIBROUS DUSTS. *Staub, Reinhaltung der Luft*. 38: 486-490.
- Pott, F. (1995). DETECTION OF MINERAL FIBER CARCINOGENICITY WITH THE INTRAPERITONEAL TEST - RECENT RESULTS AND THEIR VALIDITY. *Ann Occup Hyg*. 39: 771-779.
- Pott, F; Roller, M. (1998). How far can carcinogenicity studies of fibre types be substituted by data on their biopersistence? *Gefahrst Reinhalt Luft*. 58: 85-91.
- Pott, F; Roller, M; Kamino, K; Bellmann, B. (1994). Significance of durability of mineral fibers for their toxicity and carcinogenic potency in the abdominal cavity of rats in comparison with the low sensitivity of inhalation studies. *Environ Health Perspect*. 102 Suppl 5: 145-150.
- Powell, R; Holland, T. (1999). Relating formulations of the thermodynamics of mineral solid solutions: Activity modeling of pyroxenes, amphiboles, and micas. *Am Mineral*. 84: 1-14.
- Power, I, anM; Mccutcheon, J; Harrison, AL; Wilson, SA; Dipple, GM; Kelly, S; Southam, C; Southam, G. (2014). Strategizing Carbon-Neutral Mines: A Case for Pilot Projects. 4: 399-436. <http://dx.doi.org/10.3390/min4020399>.
- Power, I, anM; Wilson, SA; Dipple, GM. (2013). Serpentine Carbonation for CO₂ Sequestration. *Elements*. 9: 115-121. <http://dx.doi.org/10.2113/gselements.9.2.115>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Power, IM; Wilson, SA; Dipple, GM; Southam, G. (2011). Modern carbonate microbialites from an asbestos open pit pond, Yukon, Canada. *Geobiology*. 9: 180-195. <http://dx.doi.org/10.1111/j.1472-4669.2010.00265.x>.
- Prabhakar, N; Bhattacharya, A. (2013). Origin of zoned spinel by coupled dissolution-precipitation and inter-crystalline diffusion: evidence from serpentinized wehrlite, Bangriposi, Eastern India. *Contributions to Mineralogy and Petrology*. 166: 1047-1066. <http://dx.doi.org/10.1007/s00410-013-0909-y>.
- Prabhakar, S; Rao, KH; Forsling, W. (2005). Dissolution of wollastonite and its flotation and surface interactions with tallow-1,3-diaminopropane (duomeen T). *Miner Eng*. 18: 691-700. <http://dx.doi.org/10.1016/j.mineng.2004.11.001>.
- Prandi, L; Bodoardo, S; Penazzi, N; Fubini, B. (2001). Redox state and mobility of iron at the asbestos surface: a voltammetric approach. *J Mater Chem*. 11: 1495-1501.
- Prasad, RK; Uma, R; Kansal, A; Gupta, S; Kumar, P; Saksena, S. (2002). Indoor air quality in an air-conditioned building in new Delhi and its relationship to ambient air quality. *Indoor Built Environ*. 11: 334-339. <http://dx.doi.org/10.1159/0000068234>.
- Préat, B. (2000). Confusion about the precision of asbestos fibres counting by electron microscopy [Letter]. *Ann Occup Hyg*. 44: 75-76.
- Préat, B. (2001). Performance of asbestos fibre counting laboratories by transmission electron microscopy [Letter]. *Ann Occup Hyg*. 45: 500-501.
- Price, B. (1997). Analysis of current trends in United States mesothelioma incidence. *Am J Epidemiol*. 145: 211-218.
- Price, B. (2004). Radiographic abnormalities and asbestos exposure: Libby, Montana [Letter]. *Environ Health Perspect*. 112: A82-A83. <http://dx.doi.org/10.1289/ehp.112-a82>.
- Price, B; Crump, KS. (1993). Exposure Inferences from Airborne Asbestos Measurements in Building (pp. 19-21). (NIOSH/00220386). Price, B; Crump, KS.
- Price, B; Ware, A. (2004). Mesothelioma trends in the United States: An update based on surveillance, epidemiology, and end results program data for 1973 through 2003. *Am J Epidemiol*. 159: 107-112. <http://dx.doi.org/10.1093/aje/kwh025>.
- Price, MJ; Darnton, AJ; Mcelvenny, DM; Hodgson, JT. (2007). Simian virus 40 and mesothelioma in Great Britain. *Occup Med (Lond)*. 57: 564-568. <http://dx.doi.org/10.1093/ocmed/kqm079>.
- Prieto, MA; Suess, A; March, JC; Danet, A; Corral, OP; Martín, A. (2011). [Opinions and expectations of patients with health problems associated to asbestos exposure]. *An Sist Sanit Navar*. 34: 33-42.
- Proctor, B; Hirth, G. (2015). Role of pore fluid pressure on transient strength changes and fabric development during serpentine dehydration at mantle conditions: Implications for subduction-zone seismicity. *Earth Planet Sci Lett*. 421: 1-12. <http://dx.doi.org/10.1016/j.epsl.2015.03.040>.
- Proctor, B; Hirth, G. (2016). "Ductile to brittle" transition in thermally stable antigorite gouge at mantle pressures. *J Geophys Res Solid Earth*. 121: 1652-1663. <http://dx.doi.org/10.1002/2015JB012710>.
- Proctor, BP; Mitchell, TM; Hirth, G; Goldsby, D; Zorzi, F; Platt, JD; Di Toro, G. (2014). Dynamic weakening of serpentinite gouges and bare surfaces at seismic slip rates. *J Geophys Res Solid Earth*. 119: 8107-8131. <http://dx.doi.org/10.1002/2014JB011057>.
- Prodi, V; De Zaiacomo, T; Hochrainer, D; Spurny, K. (1982). Fibre Collection and Measurement with the Inertial Spectrometer. *J Aerosol Sci*. 13: 49-58.
- Program, USAIR. (1994). Superfund record of decision (EPA Region 4); Alabama Army Ammunition Plant, operable unit 2, Childersburg, AL., August 1994. United States (USA): U. S. Environmental Protection Agency.
- Pronost, J; Beaudoin, G; Tremblay, J; Larachi, F; Duchesne, J; Hébert, R; Constantin, M. (2011). Carbon sequestration kinetic and storage capacity of ultramafic mining waste. *Environ Sci Technol*. 45: 9413-9420. <http://dx.doi.org/10.1021/es203063a>.
- Provencher, S; Labreche, FP. (1994). STUDY ON A HIGH-INCIDENCE OF CANCER AT A METAL FACTORY - PRACTICAL IMPLICATIONS FOR PUBLIC-HEALTH. *Can J Public Health*. 85: 330-333.
- Proyer, A; Baziotis, I; Mposkos, E; Rhede, D. (2014). Ti- and Zr-minerals in calcite-dolomite marbles from the ultrahigh-pressure Kimi Complex, Rhodope mountains, Greece: Implications for the P-T evolution based on reaction textures, petrogenetic grids, and geothermobarometry. *Am Mineral*. 99: 1429-1448. <http://dx.doi.org/10.2138/am.2014.4710>.
- Puchtel, IS; Zhuravlev, DZ; Samsonov, AV. (1992). PETROLOGY AND GEOCHEMISTRY OF KOMATIITES AND METABASALTS FROM THE TUNGURCHA GREENSTONE-BELT, ALDAN SHIELD. *Geokhimiya* 544-560.
- Puffer, JH; Germine, M; Hurtubise, DO; Mrotek, KA; Bello, DM. (1980). Asbestos distribution in the Central Serpentine District of Maryland-Pennsylvania. *Environ Res*. 23: 233-246.
- Puga, E; Nieto, JM; de Federico, AD; Bodinier, JL; Morten, L. (1999). Petrology and metamorphic evolution of ultramafic rocks and dolerite dykes of the Betic Ophiolitic Association (Mulhacen Complex, SE Spain): evidence of eo-Alpine subduction following an ocean-floor metasomatic process. *Lithos*. 49: 23-56.
- Puhan, D. (1988). REVERSE AGE RELATIONS OF TALC AND TREMOLITE DEDUCED FROM REACTION TEXTURES IN METAMORPHOSED SILICEOUS DOLOMITES OF THE SOUTHERN DAMARA-OROGEN (NAMIBIA). *Contributions to Mineralogy and Petrology*. 98: 24-27.
- Puhan, D. (1995). METAMORPHIC EVOLUTION OF THE ASSEMBLAGE TREMOLITE PLUS TALC PLUS CALCITE PLUS DOLOMITE PLUS QUARTZ WITHIN A SAMPLE OF SILICEOUS DOLOMITE FROM THE SOUTHERN DAMARA OROGEN (NAMIBIA). *Contributions to Mineralogy and Petrology*. 120: 180-185.
- Puhan, D; Hoffer, E. (1973). PHASE RELATIONS OF TALC AND TREMOLITE IN METAMORPHIC CALCITE-DOLOMITE SEDIMENTS IN SOUTHERN PORTION OF DAMARA BELT (SOUTH-WEST-AFRICA). *Contributions to Mineralogy and Petrology*. 40: 207-214.
- Puledda, S; Marconi, A. (1989). QUANTITATIVE X-RAY-DIFFRACTION ANALYSIS OF 4 TYPES OF AMPHIBOLIC ASBESTOS BY THE SILVER MEMBRANE-FILTER METHOD. *Int J Environ Anal Chem*. 36: 209-220.
- Puledda, S; Marconi, A. (1990). Quantitative X-ray diffraction analysis of asbestos by the silver membrane filter method: Application to chrysotile. *Am Ind Hyg Assoc J*. 51: 107-114.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Puledda, S; Paoletti, L. (1994). Study of the effect of comminution on the diffractometric response of chrysotile contained in a bulk sample. *Ann Occup Hyg.* 38: 59-65.
- Puledda, S; Paoletti, L; Ferdinandi, M. (1999). Airborne quartz concentration in an urban site. *Environ Pollut.* 104: 441-448.
- Punturo, R; Bloise, A; Critelli, T; Catalano, M; Fazio, E; Pollaro, C. (2015). Environmental Implications Related to Natural Asbestos Occurrences in the Ophiolites of the Gimigliano-Mount Reventino Unit (Calabria, Southern Italy). *International Journal of Environmental Research.* 9: 405-418.
- Puskar, MA; Harkins, JM; Moomey, JD; Hecker, LH. (1991). INTERNAL WALL LOSSES OF PHARMACEUTICAL DUSTS DURING CLOSED-FACE, 37-MM POLYSTYRENE CASSETTE SAMPLING. *Am Ind Hyg Assoc J.* 52: 280-286.
- Putirka, K. (2016). Amphibole thermometers and barometers for igneous systems and implications for eruption mechanisms of felsic magmas at arc volcanoes. *Am Mineral.* 101: 841-858. <http://dx.doi.org/10.2138/am-2016-5506>.
- Putis, M; Koppa, M; Snarska, B; Koller, F; Uher, P. (2012). The blueschist-associated perovskite-andradite-bearing serpentinized harzburgite from Dobsina (the Meliata Unit), Slovakia. *Journal of Geosciences.* 57: 221-240. <http://dx.doi.org/10.3190/jgeosci.128>.
- Putlitz, B; Katzir, Y; Matthews, A; Valley, JW. (2001). Oceanic and orogenic fluid-rock interaction in O-18/O-16-enriched metagabbros of an ophiolite (Tinos, Cyclades). *Earth Planet Sci Lett.* 193: 99-113.
- Putlitz, B; Matthews, A; Valley, JW. (2000). Oxygen and hydrogen isotope study of high-pressure metagabbros and metabasalts (Cyclades, Greece): implications for the subduction of oceanic crust. *Contributions to Mineralogy and Petrology.* 138: 114-126.
- Py, X; Calvet, N; Olives, R; Meffre, A; Echegut, P; Bessada, C; Veron, E; Ory, S. (2011). Recycled Material for Sensible Heat Based Thermal Energy Storage to be Used in Concentrated Solar Thermal Power Plants. *J Sol Energ Eng.* 133. <http://dx.doi.org/10.1115/1.4004267>.
- Pye, AM. (1979). REVIEW OF ASBESTOS SUBSTITUTE MATERIALS IN INDUSTRIAL APPLICATIONS. *J Hazard Mater.* 3: 125-147.
- Pyssa, J. (2010). Rules and criteria of selection of the technology for hazardous waste treatment. *Przemysł Chemiczny.* 89: 927-934.
- Pytel, Z; Malolepszy, J. (2000). DTA studies of phases synthesized in the system CaO-MgO-SiO₂-H₂O. 65: 81-85.
- Python, M; Ceuleneer, G; Ishida, Y; Barrat, JA; Arai, S. (2007). Oman diopsidites: a new lithology diagnostic of very high temperature hydrothermal circulation in mantle peridotite below oceanic spreading centres. *Earth Planet Sci Lett.* 255: 289-305. <http://dx.doi.org/10.1016/j.epsl.2006.12.030>.
- Qadi, A; Cloutis, E; Samson, C; Whyte, L; Ellery, A; Bell, JF, III; Berard, G; Boivin, A; Haddad, E; Lavoie, J; Jamroz, W; Kruzelecky, R; Mack, A; Mann, P; Olsen, K; Perrot, M; Popa, D; Rhind, T; Sharma, R; Stromberg, J; Strong, K; Tremblay, A; Wilhelm, R; Wing, B; Wong, B. (2015). Mars methane analogue mission: Mission simulation and rover operations at Jeffrey Mine and Norbestos Mine Quebec, Canada. *Adv Space Res.* 55: 2414-2426. <http://dx.doi.org/10.1016/j.asr.2014.12.008>.
- Qafoku, O; Hu, J; Hess, NJ; Hu, MY; Ilton, ES; Feng, J, u; Arey, BW; Felmy, AR. (2014). Formation of submicron magnesite during reaction of natural forsterite in H₂O-saturated supercritical CO₂. *Geochim Cosmo Acta.* 134: 197-209. <http://dx.doi.org/10.1016/j.gca.2013.09.024>.
- Q-E, W; C-H, H; W-D, W; H-B, W; S-J, L; Kohyama, N. (1999). Biological effects of man-made mineral fibers. (I.) Reactive oxygen species production and calcium homeostasis in alveolar macrophages. *Ind Health.* 37: 62-67.
- Qi, S; Fu, Z; Yun, R; Jiang, S; Zheng, X; Lu, Y; Matejka, V; Kukutschova, J; Peknikova, V; Prikasky, M. (2014). Effects of walnut shells on friction and wear performance of eco-friendly brake friction composites. *Institution of Mechanical Engineers Proceedings Part J: Journal of Engineering Tribology.* 228: 511-520. <http://dx.doi.org/10.1177/1350650113517112>.
- Qing-hua, C; Li, P; Liang, W; Nawrat, S; Ze-gong, L. (2015). Measuring solid material's thermo-physical properties with non-stationary hot wired method. *Journal of Ceramic Processing Research.* 16: 705-711.
- Qu, XW; Zhang, LC; Ding, HL; Liu, GD. (2004). The effect of steel fiber orientation on frictional properties of asbestos-free friction materials. *Polymer Composites.* 25: 94-101.
- Quek, U; Forster, J. (1993). TRACE-METALS IN ROOF RUNOFF. *Water Air Soil Pollut.* 68: 373-389.
- Quinlan, T; Spivack, S; Mossman, BT. (1994). Regulation of antioxidant enzymes in lung after oxidant injury [Review]. *Environ Health Perspect.* 2: 79-87.
- Quinlan, TR; Marsh, JP; Janssen, YM; Borm, PA; Mossman, BT. (1994). Oxygen radicals and asbestos-mediated disease [Review]. *Environ Health Perspect.* 102 Suppl 10: 107-110.
- Quinn, M. (1989). The control of exposure to asbestos in buildings in the United States: Legislation and industrial hygiene procedures (pp. 403-410). (CIS/90/00887). Quinn, M.
- Quinn, MM; Smith, TJ; Schneider, T; Eisen, EA; Wegman, DH. (2005). Determinants of airborne fiber size in the glass fiber production industry. *J Occup Environ Hyg.* 2: 19-28. <http://dx.doi.org/10.1080/15459620590898108>.
- Quinn, MW; Smith, TJ; Eisen, EA; Wegman, DH; Ellenbecker, MJ. (2000). Implications of different fiber measures for epidemiologic studies of man-made vitreous fibers. *Am J Ind Med.* 38: 132-139. [http://dx.doi.org/10.1002/1097-0274\(200008\)38:2<132::AID-AJIM3>3.0.CO;2-P](http://dx.doi.org/10.1002/1097-0274(200008)38:2<132::AID-AJIM3>3.0.CO;2-P).
- Quirion, DM; Jenkins, DM. (1998). Dehydration and partial melting of tremolitic amphibole coexisting with zoisite, quartz, anorthite, diopside, and water in the system H₂O-CaO-MgO-Al₂O₃-SiO₂. *Contributions to Mineralogy and Petrology.* 130: 379-389.
- Rabah, MA; El Rahman, MKA; Ismael, IS. (2000). Separation of demineralized graphite from Egyptian ore by hydrometallurgical treatments. *Journal of the Chinese Institute of Chemical Engineers.* 31: 309-319.
- Rabinowitz, JG; Efremidis, SC; Cohen, B; Dan, S; Efremidis, A; Chahinian, AP; Teirstein, AS. (1982). A Comparative Study of Mesothelioma and Asbestosis Using Computed Tomography and Conventional Chest Radiography. *Radiology.* 144: 453-460.
- Rabovsky, J. (1995). Biogenic amorphous silica [Review].

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Radvanec, M; Tuček, L; Derco, J; Čechovská, K; Németh, Z. (2013). Change of carcinogenic chrysotile fibers in the asbestos cement (eternit) to harmless waste by artificial carbonatization: petrological and technological results. *J Hazard Mater.* 252-253: 390-400. <http://dx.doi.org/10.1016/j.jhazmat.2013.02.036>.
- RAFFIN. (1993). INCIDENCE OF LUNG-CANCER BY HISTOLOGICAL TYPE AMONG ASBESTOS-CEMENT WORKERS IN DENMARK - REPLY. *Br J Ind Med.* 50: 767-767.
- Raffrenato, E; Van Amburgh, ME. (2011). Technical note: improved methodology for analyses of acid detergent fiber and acid detergent lignin. *J Dairy Sci.* 94: 3613-3617. <http://dx.doi.org/10.3168/jds.2010-3701>.
- Rahman, Q; Lohani, M; Dopp, E; Pemsel, H; Jonas, L; Weiss, DG; Schiffmann, D. (2002). Evidence that ultrafine titanium dioxide induces micronuclei and apoptosis in Syrian hamster embryo fibroblasts. *Environ Health Perspect.* 110: 797-800.
- Rahman, Q; Mahmood, N; Khan, SG; Arif, JM; Athar, M. (1997). Mechanism of Asbestos-Mediated DNA Damage: Role of Heme and Heme Proteins. *Environ Health Perspect.* 105: 1109-1112.
- Rahn, MK; Bucher, H. (1998). Titanian clinohumite formation in the Zermatt-Saas ophiolites, Central Alps. *Mineralogy and Petrology.* 64: 1-13.
- Raj, AKV; Rao, PP; Sameera, S; Divya, S. (2015). Pigments based on terbium-doped yttrium cerate with high NIR reflectance for cool roof and surface coating applications. *Dyes and Pigments.* 122: 116-125. <http://dx.doi.org/10.1016/j.dyepig.2015.06.021>.
- Raj, IA. (1992). ON THE CATALYTIC ACTIVITY OF NI-MO-FE COMPOSITE SURFACE-COATINGS FOR THE HYDROGEN CATHODES IN THE INDUSTRIAL ELECTROCHEMICAL PRODUCTION OF HYDROGEN. *Appl Surf Sci.* 59: 245-252.
- Raj, MAL, A; Madhu, GM; Rao, YJ. (2006). Kinetics of palladium catalysed partial oxidation of methane. *Indian J Chem Tech.* 13: 107-113.
- Rajapaksha, AU; Vithanage, M; Oze, C; Bandara, WMA, T; Weerasooriya, R. (2012). Nickel and manganese release in serpentine soil from the Ussangoda Ultramafic Complex, Sri Lanka. *Geoderma.* 189: 1-9. <http://dx.doi.org/10.1016/j.geoderma.2012.04.019>.
- Rajendran, S; Nasir, S. (2014). Hydrothermal altered serpentinized zone and a study of Ni-magnesioferrite-magnetite-awaruite occurrences in Wadi Hibi, Northern Oman Mountain: Discrimination through ASTER mapping. *Ore Geol Rev.* 62: 211-226. <http://dx.doi.org/10.1016/j.oregeorev.2014.03.016>.
- Rajhans, GS; Bragg, GM; Morton, JS. (1978). REVIEW OF ASBESTOS EXPOSURES IN ONTARIO. *Am Ind Hyg Assoc J.* 39: 767-771. <http://dx.doi.org/10.1080/0002889778507849>.
- Ramazzini, C. (1999). Call for an international ban on asbestos. *Scand J Work Environ Health.* 25: 633-635.
- Ramazzini, C. (1999). Call for an international ban on asbestos [Editorial]. *J Occup Environ Med.* 41: 830-832. <http://dx.doi.org/10.1179/oeh.1999.5.3.247>.
- Ramazzini, C. (2010). Asbestos is still with us: repeat call for a universal ban [Editorial]. *J Occup Environ Med.* 52: 469-472. <http://dx.doi.org/10.1080/19338241003776104>.
- Ramazzini, C. (2011). Asbestos Is Still With Us: Repeat Call for a Universal Ban. *Am J Ind Med.* 54: 168-173. <http://dx.doi.org/10.1002/ajim.20892>.
- Ramazzini, C. (2016). Collegium Ramazzini The global health dimensions of asbestos and asbestos-related diseases. *Med Lav.* 107: 75-79.
- Ramazzini, C. (2016). Comments on the 2014 helsinki consensus report on asbestos. *J Occup Health.* 58: 224-227.
- Ramazzini, C. (2016). Comments on the causation of malignant mesothelioma: rebutting the false concept that recent exposures to asbestos do not contribute to causation of mesothelioma. *Ind Health.* 54: 92-93. <http://dx.doi.org/10.2486/indhealth.cr02>.
- Ramazzini, C. (2016). Comments on the causation of malignant mesothelioma: rebutting the false concept that recent exposures to asbestos do not contribute to causation of mesothelioma. *J Occup Health.* 58: 228-229. <http://dx.doi.org/10.1539/joh.16-2003-LT>.
- Ramirez, W; Pontigo, M. (1979). RELATIVE HUMIDITY AND INTERNAL TEMPERATURE OF WOOD AND ASBESTOS-CEMENT HIVES. 3: 57-60.
- Rautiala, S; Reponen, T; Nevalainen, A; Husman, T; Kalliokoski, P. (1998). Control of exposure to airborne viable microorganisms during remediation of moldy buildings; Report of three case studies. *Am Ind Hyg Assoc J.* 59: 455-460.
- Ravikrishna, R; Lee, HW; Mbuligwe, S; Valsaraj, KT; Pardue, JH. (2010). Air quality during demolition and recovery activities in post-Katrina New Orleans. *Environ Toxicol Chem.* 29: 1438-1444. <http://dx.doi.org/10.1002/etc.210>.
- Raymond, MV. (1965). [ASBESTOS IN BUILDINGS AND PUBLIC WORKS]. *Arch Mal Prof Med Trav Secur Soc.* 26: 166-168.
- Rebay, G; Messiga, B. (2007). Prograde metamorphic evolution and development of chloritoid-bearing eclogitic assemblages in subcontinental metagabbro (Sesia-Lanzo zone, Italy). *Lithos.* 98: 275-291. <http://dx.doi.org/10.1016/j.lithos.2007.04.002>.
- Redwood, D; Lanier, AP; Brubaker, M; Orell, L; Tom-Orme, L; George, C; Edwards, S; Slattery, M. (2012). Occupational and Environmental Exposures Among Alaska Native and American Indian People Living in Alaska and the Southwest United States. *J Environ Health.* 74: 22-28.
- Reed, RB; Goodwin, DG; Marsh, KL; Capracotta, SS; Higgins, CP; Fairbrother, DH; Ranville, JF. (2013). Detection of single walled carbon nanotubes by monitoring embedded metals. *Environ Sci Process Impacts.* 15: 204-213. <http://dx.doi.org/10.1039/c2em30717k>.
- Rees, C; Riedell, KB; Proffett, JM; Macpherson, J; Robertson, S. (2015). The Red Chris Porphyry Copper-Gold Deposit, Northern British Columbia, Canada: Igneous Phases, Alteration, and Controls of Mineralization. *Econ Geol.* 110: 857-888.
- Reeves, AL; Puro, HE; Smith, RG. (1974). Inhalation carcinogenesis from various forms of asbestos. *Environ Res.* 8: 178-202.
- Regnier, R; Bemmer, D; Subra, I. (2009). Filtration efficiency of industrial vacuum cleaners - testing method. *Gefahrst Reinhalt Luft.* 69: 205-212.
- Reguir, EP; Chakhmouradian, AR; Pisiak, L; Halden, NM; Yang, P; Xu, C; Kynicky, J; Coueslan, CG. (2012). Trace-element composition and zoning in clinopyroxene- and amphibole-group minerals: Implications for element partitioning and evolution of carbonatites. *Lithos.* 128: 27-45. <http://dx.doi.org/10.1016/j.lithos.2011.10.003>.
- Rehn, B; Rehn, S; Bruch, J. (1999). A new in-vitro-testing concept (vector-model) in biological screening and monitoring the lung toxicity of dusts. Presentation of the concept and testing the method with dust of known lung toxicity. *Staub, Reinhaltung der Luft.* 59: 181-188.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Reich, M; Simon, AC; Deditius, A; Barra, F; Chrysoulis, S; Lagas, G; Tardani, D; Knipping, J; Bilenker, L; Sanchez-Alfaro, P; Roberts, MP; Munizaga, R. (2016). TRACE ELEMENT SIGNATURE OF PYRITE FROM THE LOS COLORADOS IRON OXIDE-APATITE (IOA) DEPOSIT, CHILE: A MISSING LINK BETWEEN ANDEAN IOA AND IRON OXIDE COPPER-GOLD SYSTEMS? *Econ Geol.* 111: 743-761.
- Reid, A; de Klerk, N; Musk, AW. (2011). Does Exposure to Asbestos Cause Ovarian Cancer? A Systematic Literature Review and Meta-analysis [Review]. *Cancer Epidemiol Biomarkers Prev.* 20: 1287-1295. <http://dx.doi.org/10.1158/1055-9965.EPI-10-1302>.
- Reid, A; Franklin, P; Olsen, N; Sleith, J; Samuel, L; Aboagye-Sarfo, P; de Klerk, N; Musk, AW. (2013). All-cause mortality and cancer incidence among adults exposed to blue asbestos during childhood. *Am J Ind Med.* 56: 133-145. <http://dx.doi.org/10.1002/ajim.22103>.
- Reid, A; Heyworth, J; de Klerk, N; Musk, A. (2008). The mortality of women exposed environmentally and domestically to blue asbestos at Wittenoom, Western Australia. *Occup Environ Med.* 65: 743-749. <http://dx.doi.org/10.1136/oem.2007.035782>.
- Reid, A; Segal, A; Heyworth, JS; de Klerk, NH; Musk, AW. (2009). Gynecologic and breast cancers in women after exposure to blue asbestos at Wittenoom. *Cancer Epidemiol Biomarkers Prev.* 18: 140-147. <http://dx.doi.org/10.1158/1055-9965.EPI-08-0746>.
- Reid, ME; Craven, G. (1996). Geologic sources of asbestos in Seattle's Tolt Reservoir. *NW Sci.* 70: 48-54.
- Reinen, LA; Weeks, JD; Tullis, TE. (1994). THE FRICTIONAL BEHAVIOR OF LIZARDITE AND ANTIGORITE SERPENTINITES - EXPERIMENTS, CONSTITUTIVE MODELS, AND IMPLICATIONS FOR NATURAL FAULTS. *Pure Appl Geophys.* 143: 317-358.
- Reisch, M. (1990). MORE WORKERS AT RISK FROM ASBESTOS EXPOSURE. *Chem Eng News.* 68: 10-10.
- Reiss, B; Millette, J. R.; Williams, GM. (1980). THE ACTIVITY OF ENVIRONMENTAL-SAMPLES IN A CELL-CULTURE TEST FOR ASBESTOS TOXICITY. *Environ Res.* 22: 315-321.
- Reiss, B; Solomon, S; Tong, C; Levenstein, M; Rosenberg, SH; Williams, GM. (1982). ABSENCE OF MUTAGENIC ACTIVITY OF 3 FORMS OF ASBESTOS IN LIVER EPITHELIAL-CELLS. *Environ Res.* 27: 389-397.
- Reist, PC. (1975). COUNTING ASBESTOS FIBERS BY MOST PROBABLE NUMBER METHOD. *Am Ind Hyg Assoc J.* 36: 379-384.
- Relini, G; Zamboni, N; Tixi, F; Torchia, G. (1994). PATTERNS OF SESSILE MACROBENTHOS COMMUNITY-DEVELOPMENT ON AN ARTIFICIAL REEF IN THE GULF OF GENOA (NORTHWESTERN MEDITERRANEAN). *Bulletin of Marine Science.* 55: 745-771.
- Renner, R. (2000). Asbestos in the air. *Sci Am.* 282: 34.
- Renner, R. (2003). Asbestos investigation under way. *Environ Sci Technol.* 37: 426A-428A.
- Renner, R. (2006). Naturally occurring asbestos linked to cancer [Comment]. *Environ Sci Technol.* 40: 636-637. <http://dx.doi.org/10.1021/es063007a>.
- Resque Meirelles, AC; da Costa, ML. (2012). Mineralogy and chemistry of the green stone artifacts (muiraquitãs) of the museums of the Brazilian State of Para. *Revista da Escola de Minas.* 65: 59-64.
- Reynard, B. (2013). Serpentine in active subduction zones. *Lithos.* 178: 171-185. <http://dx.doi.org/10.1016/j.lithos.2012.10.012>.
- Reynard, B; Bezacier, L; Caracas, R. (2015). Serpentes, talc, chlorites, and their high-pressure phase transitions: a Raman spectroscopic study. *Physics and Chemistry of Minerals.* 42: 641-649. <http://dx.doi.org/10.1007/s00269-015-0750-0>.
- Reynard, B; Mibe, K; van De Moortele, B. (2011). Electrical conductivity of the serpentinised mantle and fluid flow in subduction zones. *Earth Planet Sci Lett.* 307: 387-394. <http://dx.doi.org/10.1016/j.epsl.2011.05.013>.
- Reynard, B; Wunder, B. (2006). High-pressure behavior of synthetic antigorite in the MgO-SiO₂-H₂O system from Raman spectroscopy. *Am Mineral.* 91: 459-462. <http://dx.doi.org/10.2138/am.2006.2069>.
- Reynolds, SJ; Kreiger, RA; Bohn, JA; Fish, D; Marxhausen, T; Mcjilton, C. (1994). Factors affecting airborne concentrations of asbestos in a commercial building. *Am Ind Hyg Assoc J.* 55: 823-828.
- Reznitskii, L; Clark, CM; Hawthorne, FC; Grice, JD; Skogby, H; Halenius, U; If; Bosi, F. (2014). Chromo-alumino-povondraite, NaCr₃(Al₄Mg₂)(Si₆O₁₈)(BO₃)₃(OH)₃O, a new mineral species of the tourmaline supergroup. *Am Mineral.* 99: 1767-1773. <http://dx.doi.org/10.2138/am.2014.4787>.
- Rhee, SK. (1974). WEAR MECHANISMS FOR ASBESTOS-REINFORCED AUTOMOTIVE FRICTION MATERIALS. *Wear.* 29: 391-393.
- Ribak, J. (1994). Inconsistencies and delays in asbestos evaluations [Letter]. *Am J Ind Med.* 25: 455-456.
- Ribak, J; Lilis, R; Suzuki, Y; Penner, L; Selikoff, IJ. (1991). Death certificate categorization of malignant pleural and peritoneal mesothelioma in a cohort of asbestos insulation workers. *J Soc Occup Med.* 41: 137-139. <http://dx.doi.org/10.1093/occmed/41.3.137>.
- Ribak, J; Selikoff, IJ. (1992). Survival of asbestos insulation workers with mesothelioma. *Br J Ind Med.* 49: 732-735.
- Ricci, P. (2007). Conclusion. *Epidemiol Prev.* 31: 81-84.
- Riccò, M. (2015). Lung fibrosis and exposure to wood dusts: Two case reports and review of the literature. *Med Pr.* 66: 739-747. <http://dx.doi.org/10.13075/mp.5893.00140>.
- Rice, C; Heineman, EF. (2003). Application of a method to evaluate the quality of work histories and document the exposure assessment process. *Am J Ind Med.* 44: 94-106. <http://dx.doi.org/10.1002/ajim.10231>.
- Richards, RJ; Jacoby, F. (1976). Light microscope studies on the effects of chrysotile asbestos and fiber glass on the morphology and reticulin formation of cultured lung fibroblasts. *Environ Res.* 11: 112-121.
- Richardson, DB. (2008). A simple approach for fitting linear relative rate models in SAS. *Am J Epidemiol.* 168: 1333-1338. <http://dx.doi.org/10.1093/aje/kwn278>.
- Richardson, DB; Cole, SR; Chu, H; Langholz, B. (2011). Lagging exposure information in cumulative exposure-response analyses. *Am J Epidemiol.* 174: 1416-1422. <http://dx.doi.org/10.1093/aje/kwr260>.
- Richardson, DB; Cole, SR; Langholz, B. (2012). Regression models for the effects of exposure rate and cumulative exposure. *Epidemiology.* 23: 892-899. <http://dx.doi.org/10.1097/EDE.0b013e31826c3149>.
- Richardson, DB; Macleahose, RF; Langholz, B; Cole, S. R. (2011). Hierarchical latency models for dose-time-response associations. *Am J Epidemiol.* 173: 695-702. <http://dx.doi.org/10.1093/aje/kwq387>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Richter, ED. (2005). The precautionary principle, epidemiology and the ethics of delay (Reprinted from the European Journal of Oncology Library, vol 2, 2003). *Hum Ecol Risk Assess.* 11: 17-27. <http://dx.doi.org/10.1080/10807030590919864>.
- Richter, ED; Chlamtac, N. (2001). Bibliography of research and policy regarding asbestos in Israel. *Public Health Rev.* 29: 265-267.
- Rickards, AL. (1972). Estimation of trace amounts of chrysotile asbestos by x-ray diffraction. *Anal Chem.* 44: 1872-1873. <http://dx.doi.org/10.1021/ac60319a050>.
- Riediger, G; Rodelsperger, K. (2000). Confusion about the precision of asbestos fibres counting by electron microscopy. *Ann Occup Hyg.* 44: 76-76.
- Rihn, B; Coulais, C; Kauffer, E; Bottin, MC; Martin, P; Yvon, F; Vigneron, JC; Binet, S; Monhoven, N; Steiblen, G; Keith, G. (2000). Inhaled crocidolite mutagenicity in lung DNA. *Environ Health Perspect.* 108: 341-346.
- Rincón, A; Marangoni, M; Cetin, S; Bernardo, E. (2016). Recycling of inorganic waste in monolithic and cellular glass-based materials for structural and functional applications [Review]. 91: 1946-1961. <http://dx.doi.org/10.1002/jctb.4982>.
- Rindi, F; Guiry, MD. (2002). Diversity, life history, and ecology of Trentepohlia and Printzina (trentepohliales, chlorophyta) in urban habitats in Western Ireland. *J Phycol.* 38: 39-54.
- Rinne, M; Hollings, P. (2013). The Characteristics and Origin of the Big Lake Mafic-Ultramafic-Hosted Volcanogenic Massive Sulfide Occurrence, Marathon, Ontario, Canada. *Econ Geol.* 108: 719-738.
- Rioux, P; Carre, A. (1983). RESEARCH ON THE RISK-FACTORS OF ASBESTOS BY FACTORIAL ANALYSIS OF CORRESPONDENCE. *Scand J Work Environ Health.* 9: 70-70.
- Ripanucci, G; Grana, M; Vicentini, L; Magrini, A; Bergamaschi, A. (2006). Dust in the underground railway tunnels of an Italian town. *J Occup Environ Hyg.* 3: 16-25. <http://dx.doi.org/10.1080/15459620500444004>.
- Ripka, P; Navratil, P. (1997). Fluxgate sensor for magnetopneumometry. *Sens Actuators A.* 60: 76-79.
- Ripley, EM; Butler, BK; Taib, NI; Lee, I. (1993). HYDROTHERMAL ALTERATION IN THE BABBITT CU-NI DEPOSIT, DULUTH COMPLEX - MINERALOGY AND HYDROGEN ISOTOPE SYSTEMATICS. *Econ Geol.* 88: 679-696.
- Rita, P; Reddy, PP. (1986). EFFECT OF CHRYSOTILE ASBESTOS FIBERS ON GERM-CELLS OF MICE. *Environ Res.* 41: 139-143.
- Riva, MA; Carnevale, F; D'Orso, MI; Iavicoli, S; Bertazzi, PA; Cesana, G. (2012). The contribution of Enrico C. Vigliani (1907-1992) to the international development of occupational medicine and industrial hygiene. *Med Lav.* 103: 419-426.
- Rizaj, M; Beqiri, E; Mcbow, I; O'Brien, EZ; Kongoli, F. (2008). The mineral base and productive capacities of metals and non-metals of Kosovo. *J O M.* 60: 18-22.
- Robert, JL; Della Ventura, G; Hawthorne, FC. (1999). Near-infrared study of short-range disorder of OH and F in monoclinic amphiboles. *Am Mineral.* 84: 86-91.
- Robert, JL; Della Ventura, G; Welch, MD; Hawthorne, FC. (2000). The OH-F substitution in synthetic pargasite at 1.5 kbar, 850 degrees C. *Am Mineral.* 85: 926-931.
- Roberti, S; Merler, E; Bressan, V; Fiore, AR; Maligni, GRSM. (2007). [Malignant mesothelioma in the Veneto Region (north-east of Italy), 1988-2002: incidence, geographical analysis, trends and comparison with mortality]. *Epidemiol Prev.* 31: 309-316.
- Roberts, J. R.; Mercer, RR; Chapman, RS; Cohen, G; Bangsaruntip, S; Schwegler-Berry, D; Scabilloni, JF; Castranova, V; Antonini, JM; Leonard, SS. (2012). Pulmonary Toxicity, Distribution, and Clearance of Intratracheally Instilled Silicon Nanowires in Rats. *Journal of Nanomaterials.* 2012: 398302. <http://dx.doi.org/10.1155/2012/398302>.
- Roberts, D. (1981). Asbestos Analysis Report for St. Marys Elementary School, Alexandria, Kentucky, Report No. IWS-127-18 (pp. 127-118). (NIOSH/00195592). Roberts, D.
- Roberts, DR. (1980). Asbestos Analysis Report for Reading Community Schools, Ceiling Insulating Material, Reading, Ohio, Report No. IWS-127-16 (pp. 127-116). (NIOSH/00195591). Roberts, DR.
- Roberts, F; Mackinnon, JL; Cherie, L; Burnett, RA; Harper, CM. (2004). Interobserver variability in analysis of asbestos fibres and asbestos bodies in human lung tissue. *Med Sci Law.* 44: 151-159.
- Roberts, MD; Oliver, NHS; Fairclough, MC; Holttta, PS; Lahtinen, R. (2003). Geochemical and oxygen isotope signature of sea-floor alteration associated with a polydeformed and highly metamorphosed massive sulfide deposit, Ruostesuo, central Finland. *Econ Geol.* 98: 535-556.
- Roberts, S; Palmer, MR; Waller, L. (2006). Sm-Nd and REE characteristics of tourmaline and scheelite from the Bjorkdal gold deposit, northern Sweden: Evidence of an intrusion-related gold deposit? *Econ Geol.* 101: 1415-1425.
- Robins, TG; Weinstein, RJ; Demers, RY. (1991). LYMPHOCYTOPENIA, T-LYMPHOCYTE SUBSETS, AND COLORECTAL POLYPS IN AUTOMOTIVE PATTERN AND MODEL MAKERS. *J Occup Environ Med.* 33: 510-515.
- Robinson, D; Bevins, RE; Aguirre, L; Vergara, M. (2004). A reappraisal of episodic burial metamorphism in the Andes of central Chile. *Contributions to Mineralogy and Petrology.* 146: 513-528. <http://dx.doi.org/10.1007/s00410-003-0516-4>.
- Robinson, D; Reverdatto, VV; Bevins, RE; Polyansky, OP; Sheplev, VS. (1999). Thermal modeling of convergent and extensional tectonic settings for the development of low-grade metamorphism in the Welsh Basin. *J Geophys Res Solid Earth.* 104: 23069-23079.
- Robinson, JC; Paxman, DG. (1992). The role of threshold limit values in U.S. air pollution policy. *Am J Ind Med.* 21: 383-396.
- Roche, LM. (1995). Reducing Carcinogens in Public Schools: A Non-Regulatory Approach by a Regulatory Agency. *J Environ Health.* 57: 23-26.
- Rodelsperger, K. (1986). ASBESTOS-FREE FIBER MIXTURES - PROTOTYPE OF A PRODUCTION PLANT FOR ASBESTOS-FREE YARNS. *Arbeitsmedizin, Sozialmedizin, Praeventivmedizin.* 21: 312-312.
- Rodelsperger, K; Arhelger, R; Bruckel, B; Woitowitz, HJ. (1993). DETECTION OF MAN-MADE MINERAL FIBERS FROM INSULATION MATERIALS IN THE WORKPLACE ATMOSPHERE. *Staub, Reinhaltung der Luft.* 53: 395-399.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Rodelsperger, K; Roller, M. (2002). Exposure to artificial mineral fibers - Overview of the available information on possible health hazards. *Staub, Reinhaltung der Luft*. 62: 485-488.
- Rodelsperger, K; Teichert, U; Bruckel, B. (2004). Environmental risks caused by asbestos fibres and other onorganic fibres. *Staub, Reinhaltung der Luft*. 64: 415-426.
- Rodelsperger, K; Teichert, U; Marfels, H; Spurny, K; Arhelger, R; Woitowitz, HJ. (1989). Measurement of Inorganic Fibrous Particulates in Ambient Air and Indoors with the Scanning Electron Microscope (pp. 361-366). (ISSN 0300-5038; NIOSH/00191372). Rodelsperger, K; Teichert, U; Marfels, H; Spurny, K; Arhelger, R; Woitowitz, HJ.
- Rödelspberger, K; Woitowitz, HJ. (1991). [Asbestos in drinking water]. *Dtsch Med Wochenschr*. 116: 555-557.
- Rödelspberger, K; Woitowitz, HJ. (2003). Commentary regarding the article by Fischer et al.: Fibre years, pulmonary asbestos burden and asbestosis. *Int. J. Hyg. Environ. Health* 205, 245-248 (2002) [Letter]. *Int J Hyg Environ Health*. 206: 245-247; author reply 251-242. <http://dx.doi.org/10.1078/1438-4639-00210>.
- Rodelsperger, K; Woitowitz, HJ; Patzich, R; Bruckel, B. (1990). ASBESTOS FIBERS AND FERRUGINOUS BODIES IN THE LUNG-TISSUE OF MAN .1. ANALYSIS OF ASBESTOS FIBERS IN THE LUNGS OF PERSONS WITH NO EVIDENCE OF OCCUPATIONAL EXPOSURE. *Staub, Reinhaltung der Luft*. 50: 73-80.
- Rodelsperger, K; Woitowitz, HJ; Patzich, R; Bruckel, B; Gosch, V. (1990). ASBESTOS FIBERS AND FERRUGINOUS BODIES IN THE LUNG-TISSUE OF MAN .2. FERRUGINOUS BODIES ANALYSIS IN THE LUNGS OF PERSONS WITH NO EVIDENCE OF OCCUPATIONAL EXPOSURE. *Staub, Reinhaltung der Luft*. 50: 99-105.
- Rodrigues, C, deS; Ghavami, K; Stroeven, P. (2006). Porosity and water permeability of rice husk ash-blended cement composites reinforced with bamboo pulp. *Journal of Materials Science*. 41: 6925-6937. <http://dx.doi.org/10.1007/s10853-006-0217-2>.
- Rodrigues, C, deS; Ghavami, K; Stroeven, P. (2010). Rice Husk Ash as a Supplementary Raw Material for the Production of Cellulose-Cement Composites with Improved Performance. *Waste Biomass Valorization*. 1: 241-249. <http://dx.doi.org/10.1007/s12649-010-9017-7>.
- Rodriguez, EJ. (2004). Asbestos banned in Argentina [Review]. *Int J Occup Environ Health*. 10: 202-208. <http://dx.doi.org/10.1179/oeh.2004.10.2.202>.
- Rodríguez Portal, JA; Rodríguez Becerra, E; Rodríguez Rodríguez, D; Alfageme Michavila, I; Quero Martínez, A; Diego Roza, C; León Jiménez, A; Isidro Montes, I; Cebollero Rivas, P. (2009). Serum levels of soluble mesothelin-related peptides in malignant and nonmalignant asbestos-related pleural disease: relation with past asbestos exposure. *Cancer Epidemiol Biomarkers Prev*. 18: 646-650. <http://dx.doi.org/10.1158/1055-9965.EPI-08-0422>.
- Rodriguez, RB; Lopez, MDG. (2001). Investigating asbestos exposure was not the objective of the study. *Salud Publica Mex*. 43: 264-265.
- Roelofs, C. (2015). Latency attention deficit: Asbestos abatement workers need us to investigate. *Am J Ind Med*. 58: 1231-1234. <http://dx.doi.org/10.1002/ajim.22539>.
- Rogan, WJ. (1995). Environmental poisoning of children--lessons from the past [Review]. *Environ Health Perspect*. 103 Suppl 6: 19-23.
- Rogers, A. (1990). ASBESTOS AND OTHER FIBROUS MATERIALS - MINERALOGY, CRYSTAL-CHEMISTRY AND HEALTH-EFFECTS - SKINNER,HC, ROSS,M, FRONDEL,C. *Community Health Stud*. 14: 206-206.
- Rogers, A. (1990). CANCER MORTALITY AND EXPOSURE TO CROCIDOLITE [Letter]. *Br J Ind Med*. 47: 286-286.
- Rogers, A; Major, G. (2002). The quantitative risks of mesothelioma and lung cancer in relation to asbestos exposure: the Wittenoom data [Letter]. *Ann Occup Hyg*. 46: 127-128; author reply 128-129. <http://dx.doi.org/10.1093/annhyg/mef002>.
- Rogers, AJ; Baker, EM; Conaty, GJ. (1997). Asbestiform Minerals: Worker Exposure and Risk Assessment in Some Contaminated Australian Mines. *Appl Occup Environ Hyg*. 12: 867-871.
- Rogers, JA. (1992). THE WHITE,ARTHUR,W. MINE, RED LAKE AREA, ONTARIO - DETAILED STRUCTURAL INTERPRETATION THE KEY TO SUCCESSFUL GRADE CONTROL AND EXPLORATION. 85: 37-44.
- Rogers, RA; Antonini, JM; Brismar, H; Lai, J; Hesterberg, TW; Oldmixon, EH; Thevenaz, P; Brain, JD. (1999). In situ microscopic analysis of asbestos and synthetic vitreous fibers retained in hamster lungs following inhalation. *Environ Health Perspect*. 107: 367-375.
- Rogers, RJ; Foster, RP; Wastler, KL. (1991). CONSIDERATION IN THE FORMULATION OF GASKET MATERIALS. *Tappi Journal*. 74: 127-132.
- Roggli, VL; George, MH; Brody, AR. (1987). Clearance and dimensional changes of crocidolite asbestos fibers isolated from lungs of rats following short-term exposure. *Environ Res*. 42: 94-105.
- Roggli, VL; Hammar, SP; Pratt, PC; Maddox, JC; Legier, J; Mark, EJ; Brody, AR. (1994). Does asbestos or asbestosis cause carcinoma of the lung? *Am J Ind Med*. 26: 835-838.
- Roggli, VL; Langer, AM. (2005). RE: Asbestos in brakes: exposure and risk of disease [Letter]. *Am J Ind Med*. 47: 276-277; author reply 278-280. <http://dx.doi.org/10.1002/ajim.20129>.
- Roggli, VL; Mclarty, JW; Greenberg, SD. (1983). ASBESTOS BODIES IN SPUTUM - A CLINICAL MARKER OF EXPOSURE. *J Occup Environ Med*. 25: 508-508.
- Roggli, VL; Pratt, PC. (1988). Amphiboles and chrysotile asbestos exposure [Letter]. *Am J Ind Med*. 14: 245-246.
- Roggli, VL; Pratt, PC; Brody, AR. (1986). Asbestos content of lung tissue in asbestos associated diseases: a study of 110 cases. *Br J Ind Med*. 43: 18-28.
- Roggli, VL; Pratt, PC; Brody, AR. (1994). Fiber potency vs. importance [Letter]. *Am J Ind Med*. 25: 611-612.
- Roggli, VL; Sanders, LL. (2000). Asbestos content of lung tissue and carcinoma of the lung: a clinicopathologic correlation and mineral fiber analysis of 234 cases. *Ann Occup Hyg*. 44: 109-117.
- Roggli, VL; Sporn, TA; Case, BW; Butnor, KJ. (2009). Comments on Asbestos fibre concentrations in the lungs of brake workers: another look [Letter]. *Ann Occup Hyg*. 53: 191; author reply 192-193. <http://dx.doi.org/10.1093/annhyg/men079>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Roggli, VL; Vollmer, RT; Butnor, KJ; Sporn, TA. (2002). Tremolite and mesothelioma. *Ann Occup Hyg.* 46: 447-453. <http://dx.doi.org/10.1093/annhyg/mef056>.
- Rohl, AN. (1974). Asbestos in talc. *Environ Health Perspect.* 9: 129-132.
- Rohl, AN; Langer, AM. (1974). Identification and quantitation of asbestos in talc. *Environ Health Perspect.* 9: 95-109.
- Rohl, AN; Langer, AM. (1979). Fibrous mineral content of consumer talc-containing products.
- Rohl, AN; Langer, AM; Selikoff, IJ; Nicholson, WJ. (1975). Exposure to asbestos in the use of consumer spackling, patching, and taping compounds. *Science.* 189: 551-553.
- Rohl, AN; Langer, AM; Selikoff, IJ; Tordini, A; Klimentidis, R; Bowes, DR; Skinner, DL. (1976). Consumer talcums and powders: mineral and chemical characterization. *J Toxicol Environ Health.* 2: 255-284. <http://dx.doi.org/10.1080/15287397609529432>.
- Rohrens, H; Hillermeier, K. (1984). ARAMID FIBERS AS SUBSTITUTE FOR ASBESTOS IN SEALS, PACKINGS AND COMPENSATORS. 37: 547-&.
- Rolland, Y; Cox, S; Boullier, AM; Pennacchioni, G; Mancktelow, N. (2003). Rare earth and trace element mobility in mid-crustal shear zones: insights from the Mont Blanc Massif (Western Alps). *Earth Planet Sci Lett.* 214: 203-219. [http://dx.doi.org/10.1016/S0012-821X\(03\)00372-8](http://dx.doi.org/10.1016/S0012-821X(03)00372-8).
- Rolland, Y; Rossi, M. (2016). Two-stage fluid flow and element transfers in shear zones during collision burial-exhumation cycle: Insights from the Mont Blanc Crystalline Massif (Western Alps). *J Geodyn.* 101: 88-108. <http://dx.doi.org/10.1016/j.jog.2016.03.016>.
- Roller, M; Pott, F; Kamino, K; Althoff, GH; Bellmann, B. (1997). Dose-response relationship of fibrous dusts in intraperitoneal studies. *Environ Health Perspect.* 105: 1253-1256.
- Rom, WN; Hammar, SP; Rusch, V; Dodson, R; Hoffman, S. (2001). Malignant mesothelioma from neighborhood exposure to anthophyllite asbestos. *Am J Ind Med.* 40: 211-214. <http://dx.doi.org/10.1002/ajim.1089>.
- Roma, LC, Jr; Martello, LS; Savastano, H, Jr. (2008). Evaluation of mechanical, physical and thermal performance of cement-based tiles reinforced with vegetable fibers. *Construction and Building Materials.* 22: 668-674. <http://dx.doi.org/10.1016/j.conbuildmat.2006.10.001>.
- Romer, RL; Martinsson, O; Perdahl, JA. (1994). GEOCHRONOLOGY OF THE KIRUNA IRON-ORES AND HYDROTHERMAL ALTERATIONS. *Econ Geol.* 89: 1249-1261.
- Romundstad, PR; Rønneberg, A; Leira, HL; Bye, T. (1998). Health survey of former workers in a Norwegian coke plant: Part. 1. Estimation of historical exposures. *Occup Environ Med.* 55: 616-621. <http://dx.doi.org/10.1136/oem.55.9.616>.
- Roncey, K; Cattan, KL; Ameille, J; Dargery, S; Dores, M; Fleury, J; Gral, P; Housset, B; Iwatsubo, Y; Lauzier, F; Leroy, R; Martinon, L; Paris, C; Roos, F; Pairon, JC. (1999). Evaluation of past exposure to asbestos: Value of an asbestos body marker in the sputum (pp. 27-30). (BIOSIS/00/01222). Roncey, K; Cattan, KL; Ameille, J; Dargery, S; Dores, M; Fleury, J; Gral, P; Housset, B; Iwatsubo, Y; Lauzier, F; Leroy, R; Martinon, L; Paris, C; Roos, F; Pairon, JC.
- Rong, KY; Song, XM; Zhang, SC. (1996). Principle and method of CVD modified technique of foam asbestos. *Journal of Wuhan University of Technology--Materials Science Edition.* 11: 55-61.
- Rong-Hua, Z; Xue-Tong, Z; Shu-Min, H. (2010). Experimental study on water and water rock interactions in the mid-crust conditions and its significance. *Diqiu Wuli Xuebao.* 53: 2244-2256. <http://dx.doi.org/10.3969/j.issn.0001-5733.2010.09.026>.
- Rønneberg, A; Langmark, F. (1992). Epidemiologic evidence of cancer in aluminum reduction plant workers [Review]. *Am J Ind Med.* 22: 573-590.
- Röösli, M; Künzli, N; Schindler, C; Theis, G; Oglesby, L; Mathys, P; Camenzind, M; Braun-Fahrländer, C. (2003). Single pollutant versus surrogate measure approaches: do single pollutant risk assessments underestimate the impact of air pollution on lung cancer risk? *J Occup Environ Med.* 45: 715-723. <http://dx.doi.org/10.1097/01.jom.0000079082.33909.c2>.
- Rose, HA. (1974). Detection and determination of chrysotile in talc USP. *J Pharm Sci. Pharm.* 268-269.
- Rose, NM. (1995). GEOCHEMICAL CONSEQUENCES OF FLUID-FLOW IN POROUS BASALTIC CRUST CONTAINING PERMEABILITY CONTRASTS. *Geochim Cosmo Acta.* 59: 4381-4392.
- Rosell-Murphy, M; Abós-Herrándiz, R; Tarrés, J; Martínez-Artés, X; García-Allas, I; Krier, I; Cantarell, G; Gallego, M; Orriols, R; Albertí, C. (2010). Prospective study of asbestos-related diseases incidence cases in primary health care in an area of Barcelona province. *BMC Public Health.* 10: 203. <http://dx.doi.org/10.1186/1471-2458-10-203>.
- Rosell-Murphy, MI; Abós-Herrándiz, R; Olivella, JT; Alberti-Casas, C; Allas, IG; Artés, XM; Günther, IK; Malet, IG; Martínez, RO; Canela-Soler, J. (2013). Risk factors associated with asbestos-related diseases: a community-based case-control study. *BMC Public Health.* 13: 723. <http://dx.doi.org/10.1186/1471-2458-13-723>.
- Rosenberg, ND; Browning, L; Bourcier, WL. (2001). Modeling aqueous alteration of CM carbonaceous chondrites. *Meteoritics and Planetary Science.* 36: 239-244.
- Rosenstock, L; Hudson, LD. (1987). The pleural manifestations of asbestos exposure. *Occup Med: State of the Art Rev.* 2: 383-407.
- Rosenthal, FS. (1993). EXPOSURE ASSESSMENT FOR AIRBORNE MAN-MADE MINERAL FIBERS - THE ROLE OF FIBER DIMENSIONS. *Ann Occup Hyg.* 37: 395-417.
- Rosenthal, GJ; Corsini, E; Simeonova, P. (1998). Selected new developments in asbestos immunotoxicity [Review]. *Environ Health Perspect.* 106 Suppl 1: 159-169.
- Ross, M. (1995). THE SCHOOLROOM ASBESTOS ABATEMENT PROGRAM - A PUBLIC-POLICY DEBACLE. *Environ Geol.* 26: 182-188.
- Ross, RA; Todd, JE. (1983). THE EFFECT OF HEAT-TREATMENT OF CHRYSOTILE ASBESTOS ON THE HEATS AND ENTROPIES OF ADSORPTION OF AMMONIA BELOW MONOLAYER COVERAGE. 18: 1-12.
- Ross, RA; Todd, JE. (1983). THE SORPTION OF AMMONIA ON CALIFORNIAN CHRYSOTILE TREATED WITH BOILING WATER AND WITH AQUEOUS-SOLUTIONS OF SODIUM-NITRATE. 19: 233-240.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Ross, RM. (2011). Regarding "absence of radiographic asbestosis and the risk of lung cancer among asbestos-cement workers: extended follow-up of a cohort", by Murray Finkelstein, *American Journal of Industrial Medicine* 2010 [Letter]. *Am J Ind Med.* 54: 495-496; author reply 497-498. <http://dx.doi.org/10.1002/ajim.20940>.
- Rossi, M; Nestola, F; Ghiara, MR; Capitelli, F. (2016). Fibrous minerals from Somma-Vesuvius volcanic complex. *Mineralogy and Petrology.* 110: 471-489. <http://dx.doi.org/10.1007/s00710-015-0422-2>.
- Rossiter, CE; Chase, J. R. (1995). STATISTICAL-ANALYSIS OF RESULTS OF CARCINOGENICITY STUDIES OF SYNTHETIC VITREOUS FIBERS AT RESEARCH AND CONSULTING COMPANY, GENEVA. *Ann Occup Hyg.* 39: 759-769.
- Rossol, M. (1986). Stage fright - Health and safety in the theater. (CIS/87/01312). Rossol, M.
- Rotherham, JF. (1997). A metasomatic origin for the iron-oxide Au-Cu Starra orebodies, Eastern Fold Belt, Mount Isa Inlier. *Miner Depos.* 32: 205-218.
- Rotherham, JF; Blake, KL; Cartwright, KI; Williams, PJ. (1998). Stable isotope evidence for the origin of the Mesoproterozoic Starra Au-Cu deposit, Cloncurry district, northwest Queensland. *Econ Geol.* 93: 1435-1449.
- Roubicek, V; Raclavska, H; Juchelkova, D; Filip, P. (2008). Wear and environmental aspects of composite materials for automotive braking industry. *Wear.* 265: 167-175. <http://dx.doi.org/10.1016/j.wear.2007.09.006>.
- Roumejon, S; Cannat, M; Agrinier, P; Godard, M; Andreani, M. (2015). Serpentinization and Fluid Pathways in Tectonically Exhumed Peridotites from the Southwest Indian Ridge (62-65 degrees E). *Journal of Petrology.* 56: 703-734. <http://dx.doi.org/10.1093/petrology/egv014>.
- Roussat, N; Mehu, J; Abdelghafour, M; Brula, P. (2008). Leaching behaviour of hazardous demolition waste. *Waste Manag.* 28: 2032-2040. <http://dx.doi.org/10.1016/j.wasman.2007.10.019>.
- Roveri, N; Falini, G; Foresti, E; Fracasso, G; Lesci, IG; Sabatino, P. (2006). Geoinspired synthetic chrysotile nanotubes. *J Mater Res.* 21: 2711-2725. <http://dx.doi.org/10.1557/JMR.2006.0359>.
- Rowe, JN. (1983). RELATIVE SOURCE CONTRIBUTIONS OF DIET AND AIR TO INGESTED ASBESTOS EXPOSURE. *Environ Health Perspect.* 53: 115-120.
- Roy-Chowdhury, AK; Jr, MT; Reeves, AL. (1973). Trace Metals in Asbestos Carcinogenesis. *Arch Environ Health.* 26: 253-255.
- Rozalen, M; Javier Huertas, F. (2013). Comparative effect of chrysotile leaching in nitric, sulfuric and oxalic acids at room temperature. *Chem Geol.* 352: 134-142. <http://dx.doi.org/10.1016/j.chemgeo.2013.06.004>.
- Rozalen, M; Ramos, ME; Fiore, S; Gervilla, F; Huertas, FJ. (2014). Effect of oxalate and pH on chrysotile dissolution at 25 degrees C: An experimental study. *Am Mineral.* 99: 589-600. <http://dx.doi.org/10.2138/am.2014.4636>.
- Rozalen, M; Ramos, ME; Gervilla, F; Kerestedjian, T; Fiore, S; Huertas, FJ. (2014). Dissolution study of tremolite and anthophyllite: pH effect on the reaction kinetics. *Appl Geochem.* 49: 46-56. <http://dx.doi.org/10.1016/j.apgeochem.2014.06.009>.
- Rubatto, D; Angiboust, S. (2015). Oxygen isotope record of oceanic and high-pressure metasomatism: a P-T-time-fluid path for the Monviso eclogites (Italy). *Contributions to Mineralogy and Petrology.* 170. <http://dx.doi.org/10.1007/s00410-015-1198-4>.
- Rubin, AH. (1986). Common problems in asbestos-related pulmonary diseases. *Am J Ind Med.* 10: 555-562.
- Rubin, DB. (2001). Estimating the causal effects of smoking. *Stat Med.* 20: 1395-1414.
- Ruda, TA; Dutta, PK. (2005). Fenton chemistry of Fe(III)-exchanged zeolitic minerals treated with antioxidants. *Environ Sci Technol.* 39: 6147-6152. <http://dx.doi.org/10.1021/es050336e>.
- Rudd, RM. (1988). EXPOSURE TO ASBESTOS AND THE RISK OF GASTROINTESTINAL CANCER. *Br J Ind Med.* 45: 573-574.
- Rudzki, E. (1979). [Contact allergens found in Poland and their sources] [Review]. 34: 2031-2033.
- Ruegger, M; Schutz, R. (1997). Medico-legal aspects of asbestos-induced pleural plaques: The issue of worker's compensation. *Indoor Built Environ.* 6: 119-124.
- Ruff, K. (2015). Scientific journals and conflict of interest disclosure: what progress has been made? *Environ Health.* 14: 45. <http://dx.doi.org/10.1186/s12940-015-0035-6>.
- Ruff, K; Mirabelli, D; Magnani, C. (2016). Scientific journal publishes second eratum regarding false information by scientists funded by asbestos interests. *Epidemiol Prev.* 40: 138-139. <http://dx.doi.org/10.19191/EP16.2.P138.069>.
- Ruff, K; Turcotte, F; Notebaert, E; Lippman, A; Keyserlingk, EW; Zigby, J. (2011). Open Letter to Normand Paulin, Occupational Health & Safety Commission of Quebec, on the Export of Asbestos from Canada. *Int J Occup Environ Health.* 17: 186-188.
- Rumpf, HM; Dopp, E; Rettenmeier, AW; Chatzinikolaidou, M; Jennissen, HP. (2003). Absence of genotoxic effects after exposure of mammalian cells to the recombinant human bone morphogenetic protein 2 (BMP-2) prepared from *E. coli*. *Materwiss Werksttech.* 34: 1101-1105. <http://dx.doi.org/10.1002/mawe.200300711>.
- Ruse, E; Dumitru, RS; Ghica, I. (2005). Identification methods for asbestos in powders. *Rev Chim.* 56: 336-340.
- Russi, M; Dubrow, R; Flannery, JT; Cullen, MR; Mayne, ST. (1997). Occupational exposure to machining fluids and laryngeal cancer risk: Contrasting results using two separate control groups. *Am J Ind Med.* 31: 166-171.
- Russo, L; Colangelo, F; Cioffi, R; Rea, I; De Stefano, L. (2011). A Mechanochemical Approach to Porous Silicon Nanoparticles Fabrication. *Materials.* 4: 1023-1033. <http://dx.doi.org/10.3390/ma4061023>.
- Ryan, B; Kuhl, I; Ware, R. (2014). Framework for handling asbestos after a tidal surge. *J Environ Health.* 76: 170-176.
- Ryan, G; Buchan, RM; Keefe, TJ; Mccammon, CS. (1996). A Longitudinal Study of an American Public Building following Asbestos Removal. *Appl Occup Environ Hyg.* 11: 1417-1423.
- Ryan, PC; Kim, J; Wall, AJ; Moen, JC; Corenthal, LG; Chow, DR; Sullivan, CM; Bright, KS. (2011). Ultramafic-derived arsenic in a fractured bedrock aquifer. *Appl Geochem.* 26: 444-457. <http://dx.doi.org/10.1016/j.apgeochem.2011.01.004>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Ryan, PH; Dihle, M; Griffin, S; Partridge, C; Hilbert, TJ; Taylor, R; Adjei, S; Lockey, JE. (2011). Erionite in road gravel associated with interstitial and pleural changes—an occupational hazard in western United States. *J Occup Environ Med.* 53: 892-898. <http://dx.doi.org/10.1097/JOM.0b013e318223d44c>.
- Ryan, PH; Lemasters, GK; Burkley, J; Lockey, JE; Black, B; Rice, C. (2013). Childhood exposure to Libby amphibole during outdoor activities. *J Expo Sci Environ Epidemiol.* 25: 4-11. <http://dx.doi.org/10.1038/jes.2013.26>.
- Rybicki, BA; Johnson, CC; Peterson, EL; Kortsha, GX; Gorell, JM. (1997). Comparability of different methods of retrospective exposure assessment of metals in manufacturing industries. *Am J Ind Med.* 31: 36-43. [http://dx.doi.org/10.1002/\(sici\)1097-0274\(199701\)31:1<36::aid-ajim6>3.3.co;2-o](http://dx.doi.org/10.1002/(sici)1097-0274(199701)31:1<36::aid-ajim6>3.3.co;2-o).
- Ryer, FH. (1978). AIR POLLUTION EXPOSURES TO FIVE TARGET HEALTH HAZARDS (pp. 928-931; 1978). (HMTC/78/0003296). Ryer, FH. Ryman-Rasmussen, JP; Cesta, MF; Brody, AR; Shipley-Phillips, JK; Everitt, JI; Tewksbury, EW; Moss, OR; Wong, BA; Dodd, DE; Andersen, ME; Bonner, JC. (2009). Inhaled carbon nanotubes reach the subpleural tissue in mice. *Nat Nanotechnol.* 4: 747-751. <http://dx.doi.org/10.1038/nnano.2009.305>.
- Ryu, KW, on; Chae, S, ooC; Jang, YN, am. (2011). Carbonation of Chrysotile under Subcritical Conditions. *Mater Trans.* 52: 1983-1988. <http://dx.doi.org/10.2320/matertrans.M2011155>.
- Ryu, KW, on; Jang, YN, am; Lee, MG, yu. (2012). Enhancement of Chrysotile Carbonation in Alkali Solution. *Mater Trans.* 53: 1349-1352. <http://dx.doi.org/10.2320/matertrans.M2012059>.
- Ryu, KW, on; Jo, H; Choi, SH; Chae, S, ooC; Jang, YN, am. (2016). Changes in mineral assemblages during serpentine carbonation. *Appl Clay Sci.* 134: 62-67. <http://dx.doi.org/10.1016/j.clay.2016.08.005>.
- Ryu, KW, on; Lee, MG, yu; Jang, YN, am. (2011). Mechanism of tremolite carbonation. *Appl Geochem.* 26: 1215-1221. <http://dx.doi.org/10.1016/j.apgeochem.2011.04.010>.
- Rywak, AA; Burlitch, JM. (1996). The crystal chemistry and thermal stability of sol-gel prepared fluoride-substituted talc. *Physics and Chemistry of Minerals.* 23: 418-431.
- Saada, MA, li; Soulard, M; Patarin, J; Regis, RC. (2009). Synthesis of zeolite materials from asbestos wastes: An economical approach. *Microporous and Mesoporous Materials.* 122: 275-282. <http://dx.doi.org/10.1016/j.micromeso.2009.03.011>.
- Saat, YA; Newman, HAI; Hart, RW; Allison, DK. (1980). THE EFFECTS OF ASBESTOS ON PLASMA-MEMBRANE - SURFACE GLYCOLIPIDS AND GLYCOPROTEINS OF SYRIAN-HAMSTER EMBRYO CELLS. *J Environ Pathol Toxicol.* 4: 435-441.
- Saccocia, PJ; Seewald, JS; Shanks, WC, III. (2009). Oxygen and hydrogen isotope fractionation in serpentine-water and talc-water systems from 250 to 450 degrees C, 50 MPa. *Geochim Cosmo Acta.* 73: 6789-6804. <http://dx.doi.org/10.1016/j.gca.2009.07.036>.
- Sachan, HK; Mukherjee, BK; Bodnar, RJ. (2007). Preservation of methane generated during serpentinization of upper mantle rocks: Evidence from fluid inclusions in the Nidar ophiolite, Indus Suture Zone, Ladakh (India). *Earth Planet Sci Lett.* 257: 47-59. <http://dx.doi.org/10.1016/j.epsl.2007.02.023>.
- Safi, M; Yan, M; Guedeau-Boudeville, MA; Conjeaud, H; Garnier-Thibaud, V; Boggetto, N; Baeza-Squiban, A; Niedergang, F; Averbek, D; Berret, JF. (2011). Interactions between Magnetic Nanowires and Living Cells: Uptake, Toxicity, and Degradation. *ACS Nano.* 5: 5354-5364. <http://dx.doi.org/10.1021/nn201121e>.
- Sagan, LA; Whipple, CG. (1984). Cancer Control in the Workplace: Some Examples from the Utility Industry (pp. 159-174). (NIOSH/00165606). Commission of the European Communities.
- Sager, TM; Wolfarth, MW; Battelli, LA; Leonard, SS; Andrew, M; Steinbach, T; Endo, M; Tsuruoka, S; Porter, DW; Castranova, V. (2013). Investigation of the pulmonary bioactivity of double-walled carbon nanotubes. *J Toxicol Environ Health A.* 76: 922-936. <http://dx.doi.org/10.1080/15287394.2013.825571>.
- Sahin, S; Bayindirli, L. (1993). THE EFFECT OF DEPECTINIZATION AND CLARIFICATION ON THE FILTRATION OF SOUR CHERRY JUICE. *Journal of Food Engineering.* 19: 237-245.
- Sahle, W; Laszlo, I. (1996). Airborne Inorganic Fibre Level Monitoring by Transmission Electron Microscope (TEM): Comparison of Direct and Indirect Sample Transfer Methods. *Ann Occup Hyg.* 40: 29-44.
- Sahle, W; Laszlo, I; Krantz, S; Christensson, B. (1994). Airborne Tungsten Oxide Whiskers in a Hard-Metal Industry. Preliminary Findings. *Ann Occup Hyg.* 38: 37-44.
- Saini-Eidukat, B; Triplett, JW. (2014). Erionite and offretite from the Killdeer Mountains, Dunn County, North Dakota, USA. *Am Mineral.* 99: 8-15. <http://dx.doi.org/10.2138/am.2014.4567>.
- Saito, T. (1995). INDIRECT ESTIMATION OF ASBESTOS CONCENTRATION DUE TO VEHICLES IN PARTICULATE MATTER IN THE ATMOSPHERE AND ON ROADS BY PYROLYSIS-GAS CHROMATOGRAPHY. *J Anal Appl Pyrol.* 32: 171-178.
- Saitoh, K; Muto, H; Hachiya, N; Takizawa, Y. (1993). Asbestos body and fiber concentrations in pathological autopsy tissues of patients with malignant peritoneal mesothelioma. *Bull Environ Contam Toxicol.* 50: 325-332.
- Saitoh, K; Takizawa, Y; Muto, H; Hirano, K. (1992). [Concentration and form of asbestos fibers in tap drinking water contaminated from a water supply pipe with asbestos-cement]. *Nippon Eiseigaku Zasshi.* 47: 851-860.
- Saiyed, HN; Tiwari, RR. (2004). Occupational health research in India [Review]. *Ind Health.* 42: 141-148.
- Sakai, K; Hisanaga, N; Kohyama, N; Shibata, E; Takeuchi, Y. (2001). Airborne fiber concentration and size distribution of mineral fibers in area with serpentinite outcrops in Aichi prefecture, Japan. *Ind Health.* 39: 132-140.
- Sakai, K; Hisanaga, N; Mitani, K; Tsuchiya, H; Ko, T; Shibata, E; Ono, Y; Tanabe, E; Takeuchi, Y. (1990). [Asbestos concentrations in the air of the rooms sprayed with asbestos-containing materials]. *Nippon Koshu Eisei Zasshi.* 37: 109-117.
- Sakai, K; Hisanaga, N; Okuno, M; Kohyama, N; Shinohara, Y; Shibata, E; Kamijima, M; Yamanaka, K; Takeuchi, Y. (1996). [Concentration and fiber size of asbestos in lungs of residents living close to the serpentinite area]. *Nippon Koshu Eisei Zasshi.* 43: 551-562.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Sakai, K; Hisanaga, N; Shibata, E; Kojima, A; Takeuchi, Y. (1998). [Types and dimensions of mineral fibers in the atmosphere and from lungs of residents in the urban area]. *Nippon Koshu Eisei Zasshi*. 45: 921-933.
- Sakakibara, M. (1991). METAMORPHIC PETROLOGY OF THE NORTHERN TOKORO METABASITES, EASTERN HOKKAIDO, JAPAN. *Journal of Petrology*. 32: 333-364.
- Sakakibara, M; Isono, Y. (1996). Middle Miocene thermal metamorphism due to the infiltration of high-temperature fluid in the Sanbagawa metamorphic belt, southwest Japan. *Contributions to Mineralogy and Petrology*. 125: 341-358.
- Sakakibara, M; Ota, T. (1994). METAMORPHIC EVOLUTION OF THE KAMUIKOTAN HIGH-PRESSURE AND LOW-TEMPERATURE METAMORPHIC ROCKS IN CENTRAL HOKKAIDO, JAPAN. *J Geophys Res Solid Earth*. 99: 22221-22235.
- Sakari, WD. (1984). Rain water collected from asbestos tile roofs [Letter]. *East Afr Med J*. 61: 343.
- Sakhvidi, MJZ; Ardekani, JB; Firoozichahak, A, li; Zavarreza, J; Hajaghazade, M; Mostaghaci, M; Mehrparvar, A; Barkhordari, A. (2015). EXHALED BREATH MALONDIALDEHYDE, SPIROMETRIC RESULTS AND DUST EXPOSURE ASSESSMENT IN CERAMICS PRODUCTION WORKERS. *Int J Occup Med Environ Health*. 28: 81-89. <http://dx.doi.org/10.13075/ijomeh.1896.00262>.
- Salacinski, R; Delura, K. (2008). SERPENTINITES FROM THE NASLAWICE QUARRY (LOWER SILESIA) AS A POTENTIAL DIMENSIONAL STONE FOR TILE PRODUCTION. *Gospodarka Surowcami Mineralnymi*. 24: 309-323.
- Salama, RB; Farrington, P; Bartle, GA; Watson, GD. (1993). THE CHEMICAL EVOLUTION OF GROUNDWATER IN A 1ST-ORDER CATCHMENT AND THE PROCESS OF SALT ACCUMULATION IN THE SOIL-PROFILE. *J Hydrol*. 143: 233-258.
- Salamatipour, A; Mohanty, SK; Pietrofesa, RA; Vann, DR; Christofidou-Solomidou, M; Willenbring, JK. (2016). Asbestos Fiber Preparation Methods Affect Fiber Toxicity. 3: 270-274. <http://dx.doi.org/10.1021/acs.estlett.6b00174>.
- Salazar, KD; Copeland, CB; Luebke, RW. (2012). Effects of Libby amphibole asbestos exposure on two models of arthritis in the Lewis rat. *J Toxicol Environ Health A*. 75: 351-365. <http://dx.doi.org/10.1080/15287394.2012.668164>.
- Salg, J; Alterman, T. (2005). A proportionate mortality study of bricklayers and allied craftworkers. *Am J Ind Med*. 47: 10-19. <http://dx.doi.org/10.1002/ajim.20115>.
- Salier, BP; Groves, DI; Mcnaughton, NJ; Fletcher, IR. (2004). The world-class Wallaby gold deposit, Laverton, Western Australia: An orogenic-style overprint on a magmatic-hydrothermal magnetite-calcite alteration pipe? *Miner Depos*. 39: 473-494. <http://dx.doi.org/10.1007/s00126-004-0425-0>.
- Salma, I; Maenhaut, W. (2006). Changes in elemental composition and mass of atmospheric aerosol pollution between 1996 and 2002 in a Central European city. *Environ Pollut*. 143: 479-488. <http://dx.doi.org/10.1016/j.envpol.2005.11.042>.
- Salminen, R; Gregorauskiene, V; Tarvainen, T. (2008). The normative mineralogy of 10 soil profiles in Fennoscandia and north-western Russia. *Appl Geochem*. 23: 3651-3665. <http://dx.doi.org/10.1016/j.apgeochem.2008.09.007>.
- Saltzman, BE. (1985). Variability and bias in the analyses of industrial hygiene samples. *Am Ind Hyg Assoc J*. 46: 134-141. <http://dx.doi.org/10.1080/15298668591394545>.
- Sameera, S; Rao, PP; James, V; Divya, S; Raj, AKV. (2014). Influence of (LiLa)(1/2)MoO4 substitution on the pigmentary properties of BiVO4. *Dyes and Pigments*. 104: 41-47. <http://dx.doi.org/10.1016/j.dyepig.2013.12.029>.
- Samet, JM; Marbury, MC; Spengler, JD. (1987). HEALTH-EFFECTS AND SOURCES OF INDOOR AIR-POLLUTION .1. *Am Rev Respir Dis*. 136: 1486-1508.
- Sammon, NB; Harrower, KM; Fabbro, LD; Reed, RH. (2011). Three potential sources of microfungi in a treated municipal water supply system in sub-tropical Australia. *Int J Environ Res Public Health*. 8: 713-732. <http://dx.doi.org/10.3390/ijerph8030713>.
- Sampath, V. (2006). Studies on mechanical, friction, and wear characteristics of Kevlar and glass fiber-reinforced friction materials. 21: 47-57. <http://dx.doi.org/10.1081/AMP-200060591>.
- Samsom, IM; Bas, B; Holm, PE. (1997). Hydrothermal evolution of auriferous shear zones, Wawa, Ontario. *Econ Geol*. 92: 325-342.
- Sanchez, MS. (2006). Quantification of amphibole content in expanded vermiculite products from Libby, Montana U.S.A. using powder X-ray diffraction. *Am Mineral*. 91: 1448-1451. <http://dx.doi.org/10.2138/am.2006.2299>.
- Sanchez, MS; Gunter, ME. (2008). Tests of the correlation between composition and morphology of tremolite from Montgomery County, Maryland, USA. *Periodico di Mineralogia*. 77: 15-25. <http://dx.doi.org/10.2451/2008PM0009>.
- Sanchez-Valle, C; Sinogeikin, SV; Smyth, JR; Bass, J, ayD. (2008). Sound velocities and elasticity of DHMS phase A to high pressure and implications for seismic velocities and anisotropy in subducted slabs. *Phys Earth Planet In*. 170: 229-239. <http://dx.doi.org/10.1016/j.pepi.2008.07.015>.
- Sanchez-Vizcaino, VL; Trommsdorff, V; Gomez-Pugnaire, MT; Garrido, CJ; Muntener, O; Connolly, JAD. (2005). Petrology of titanian clinohumite and olivine at the high-pressure breakdown of antigorite serpentinite to chlorite harzburgite (Almirez Massif, S. Spain). *Contributions to Mineralogy and Petrology*. 149: 627-646. <http://dx.doi.org/10.1007/s00410-005-0678-3>.
- Sanden, A; Jarvholm, B; Larsson, S. (1993). THE IMPORTANCE OF LUNG-FUNCTION, NONMALIGNANT DISEASES ASSOCIATED WITH ASBESTOS, AND SYMPTOMS AS PREDICTORS OF ISCHEMIC-HEART-DISEASE IN SHIPYARD WORKERS EXPOSED TO ASBESTOS. *Br J Ind Med*. 50: 785-790.
- Sanders, CL. (1975). Dose distribution and neoplasia in the lung following intratracheal instillation of 239PuO2 and asbestos. *Health Phys*. 28: 383-386.
- Sanders, PG; Xu, N; Dalka, TM; Maricq, MM. (2003). Airborne brake wear debris: size distributions, composition, and a comparison of dynamometer and vehicle tests. *Environ Sci Technol*. 37: 4060-4069. <http://dx.doi.org/10.1021/es034145s>.
- Sandman, PM; Weinstein, ND; Miller, P. (1994). High risk or low: how location on a "risk ladder" affects perceived risk. *Risk Anal*. 14: 35-45.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Sandsta, NR; Robins, B; Furnes, H; de Wit, M. (2011). The origin of large varioles in flow-banded pillow lava from the Hooggenoeg Complex, Barberton Greenstone Belt, South Africa. *Contributions to Mineralogy and Petrology*. 162: 365-377. <http://dx.doi.org/10.1007/s00410-010-0601-4>.
- Sanna, A; Dri, M; Maroto-Valer, M. (2013). Carbon dioxide capture and storage by pH swing aqueous mineralisation using a mixture of ammonium salts and antigorite source. *Fuel*. 114: 153-161. <http://dx.doi.org/10.1016/j.fuel.2012.08.014>.
- Sansone, MTC; Prosser, G; Rizzo, G; Tartarotti, P. (2012). Spinel-peridotites of the Frido Unit ophiolites (Southern Apennine-Italy): evidence for oceanic evolution. *Periodico di Mineralogia*. 81: 35-59. <http://dx.doi.org/10.2451/2012PM0003>.
- Santi, I; Kroll, LE; Dietz, A; Becher, H; Ramroth, H. (2013). Occupation and educational inequalities in laryngeal cancer: the use of a job index. *BMC Public Health*. 13: 1080. <http://dx.doi.org/10.1186/1471-2458-13-1080>.
- Santos, HD; Yada, K. (1983). THERMAL TRANSFORMATION OF ANTIGORITE AS STUDIED BY ELECTRON-OPTICAL METHODS. *Clays and Clay Minerals*. 31: 241-250.
- Santos Souza, C, deBem; Rezende Fontes, PC; Moreira, MA; Cecon, PR; Puiatti, M. (2013). Basic seed potato yield in hydroponic systems as a function of N rates. 44: 714-723.
- Sargent, EN; Boswell, WD; Ralls, PW; Markovitz, A. (1984). Subpleural fat pads in patients exposed to asbestos: distinction from non-calcified pleural plaques. *Radiology*. 152: 273-277. <http://dx.doi.org/10.1148/radiology.152.2.6739783>.
- Sarifakioglu, E; Dilek, Y; Sevin, M. (2014). Jurassic-Paleogene intraoceanic magmatic evolution of the Ankara Melange, north-central Anatolia, Turkey. 5: 77-108. <http://dx.doi.org/10.5194/se-5-77-2014>.
- Sarkar, SL; Jolicoeur, C; Khorami, J. (1987). MICROCHEMICAL AND MICROSTRUCTURAL INVESTIGATIONS OF DEGRADATION IN ASBESTOS-CEMENT SHEET. *Cement and Concrete Research*. 17: 864-874.
- Sartorelli, P; Scancarello, G; Romeo, R; Marciano, G; Rottoli, P; Arcangeli, G; Palmi, S. (2001). Asbestos exposure assessment by mineralogical analysis of bronchoalveolar lavage fluid. *J Occup Environ Med*. 43: 872-881. <http://dx.doi.org/10.1097/00043764-200110000-00006>.
- Sarvaramini, A; Assima, GP; Beaudoin, G; Larachi, F. (2014). Biomass torrefaction and CO₂ capture using mining wastes - A new approach for reducing greenhouse gas emissions of co-firing plants. *Fuel*. 115: 749-757. <http://dx.doi.org/10.1016/j.fuel.2013.07.087>.
- Sarvaramini, A; Larachi, F. (2011). Mossbauer Spectroscopy and Catalytic Reaction Studies of Chrysotile-Catalyzed Steam Reforming of Benzene. *J Phys Chem C*. 115: 6841-6848. <http://dx.doi.org/10.1021/jp2005309>.
- Sarvaramini, A; Larachi, F. (2012). Catalytic oxygenless steam cracking of syngas-containing benzene model tar compound over natural Fe-bearing silicate minerals. *Fuel*. 97: 741-750. <http://dx.doi.org/10.1016/j.fuel.2012.02.039>.
- Sarvaramini, A; Larachi, F. (2014). Fe/Mg Silicate Mining Residues as Solid Oxygen Carriers for Chemical Looping Combustion of Torrefaction Volatiles. *Energy Fuels*. 28: 1983-1991. <http://dx.doi.org/10.1021/ef402294v>.
- Sarvaramini, A; Larachi, F. (2014). Integrated biomass torrefaction - Chemical looping combustion as a method to recover torrefaction volatiles energy. *Fuel*. 116: 158-167. <http://dx.doi.org/10.1016/j.fuel.2013.07.119>.
- Sasaki, T; Asakura, M; Ishioka, C; Kasai, T; Katagiri, T; Fukushima, S. (2016). In vitro chromosomal aberrations induced by various shapes of multi-walled carbon nanotubes (MWCNTs). *J Occup Health*. 58: 622-631. <http://dx.doi.org/10.1539/joh.16-0099-OA>.
- Sasidharan, A; Swaroop, S; Koduri, CK; Girish, CM; Chandran, P; Panchakarla, LS; Somasundaram, VH; Gowd, GS; Nair, S; Koyakutty, M. (2015). Comparative in vivo toxicity, organ biodistribution and immune response of pristine, carboxylated and PEGylated few-layer graphene sheets in Swiss albino mice: A three month study. *Carbon*. 95: 511-524. <http://dx.doi.org/10.1016/j.carbon.2015.08.074>.
- Satapathy, BK; Bijwe, J. (2004). Performance of friction materials based on variation in nature of organic fibres Part II. Optimisation by balancing and ranking using multiple criteria decision model (MCDM). *Wear*. 257: 585-589. <http://dx.doi.org/10.1016/j.wear.2004.03.004>.
- Satapathy, BK; Bijwe, J. (2005). Fade and recovery behavior of non-asbestos organic (NAO) composite friction materials based on combinations of rock fibers and organic fibers. *Journal of Reinforced Plastics and Composites*. 24: 563-577. <http://dx.doi.org/10.1177/0731684405043561>.
- Satapathy, BK; Bijwe, J; Kolluri, DK. (2006). Assessment of fiber contribution to friction material performance using grey relational analysis (GRA). *Journal of Composite Materials*. 40: 483-501. <http://dx.doi.org/10.1177/0021998305055200>.
- Sato, H; Yamaguchi, Y; Makino, K. (1997). Cl incorporation into successively zoned amphiboles from the Ramnes cauldron, Norway. *Am Mineral*. 82: 316-324.
- Sato, T; Ishimura, C; Kasahara, J; Maegawa, K; Tatetsu, H; Tanaka, M. (2004). The seismicity and structure of Izu-Bonin arc mantle wedge at 31 degrees N revealed by ocean bottom seismographic observation. *Phys Earth Planet In*. 146: 551-562. <http://dx.doi.org/10.1016/j.pepi.2004.06.003>.
- Sato, Y; Nishida, T; Hosokawa, K; Takahashi, H. (2005). Progress of sealing technology in Japan for half a century. *Toraiborojisu*. 50: 857-863.
- Sattar, AMA; Gharabaghi, B; Mcbean, EA. (2016). Prediction of Timing of Watermain Failure Using Gene Expression Models. *Water Resources Management*. 30: 1635-1651. <http://dx.doi.org/10.1007/s11269-016-1241-x>.
- Sauman, Z. (1970). MEETING ON CEMENT AND ASBESTOS CEMENT PRODUCTION IN YUGOSLAVIA. 14: 111-&.
- Sauni, R; Oksa, P; Huikko, S; Roto, P; Uitti, J. (2003). Increased risk of asthma among Finnish construction workers. *Occup Med (Lond)*. 53: 527-531. <http://dx.doi.org/10.1093/occmed/kqg112>.
- Sauni, R; Oksa, P; Lehtimäki, L; Toivio, P; Palmroos, P; Nieminen, R; Moilanen, E; Uitti, J. (2012). Increased alveolar nitric oxide and systemic inflammation markers in silica-exposed workers. *Occup Environ Med*. 69: 256-260. <http://dx.doi.org/10.1136/oemed-2011-100347>.
- Savage, KS; Ashley, RP; Bird, DK. (2009). Geochemical Evolution of a High Arsenic, Alkaline Pit-Lake in the Mother Lode Gold District, California. *Econ Geol*. 104: 1171-1211.
- Savastano, H; Agopyan, V. (1999). Transition zone studies of vegetable fibre-cement paste composites. *Cement and Concrete Composites*. 21: 49-57.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Savastano, H; Warden, PG; Coutts, RSP. (2004). Evaluation of pulps from natural fibrous material for use as reinforcement in cement product. 19: 963-978. <http://dx.doi.org/10.1081/LMMP-200030684>.
- Savel'eva, VB; Zyryanov, AS. (2005). Geochemistry of rare-metal granites and metasomatic rocks in the Main Sayan Fault Zone, southwestern Baikal area. *Geochem Int.* 43: 53-70.
- Savitz, DA; Dufort, V; Armstrong, B; Thériault, G. (1997). Lung cancer in relation to employment in the electrical utility industry and exposure to magnetic fields. *Occup Environ Med.* 54: 396-402.
- Sawai, M; Katayama, I; Hamada, A; Maeda, M; Nakashima, S. (2013). Dehydration kinetics of antigorite using in situ high-temperature infrared microspectroscopy. *Physics and Chemistry of Minerals.* 40: 319-330. <http://dx.doi.org/10.1007/s00269-013-0573-9>.
- Sawyer, RN. (1979). Indoor asbestos pollution: application of hazard criteria. *Ann N Y Acad Sci.* 330: 579-586.
- Sawyer, RN; Rohl, AN; Langer, AM. (1985). Airborne fiber control in buildings during asbestos material removal by amended water methodology. *Environ Res.* 36: 46-55.
- Scaillet, B; Macdonald, R. (2001). Phase relations of peralkaline silicic magmas and petrogenetic implications. *Journal of Petrology.* 42: 825-845.
- Scales, M. (1982). CANADA BACKS ASBESTOS USE, THIRD-WORLD PROVIDES MARKETS. 103: 19-&.
- Scambelluri, M; Bottazzi, P; Trommsdorff, V; Vannucci, R; Hermann, J; Gomez-Pugnaire, MT; Sanchez-Vizcaino, VL. (2001). Incompatible element-rich fluids released by antigorite breakdown in deeply subducted mantle. *Earth Planet Sci Lett.* 192: 457-470.
- Scambelluri, M; Malaspina, N; Hermann, J. (2007). Subduction fluids and their interaction with the mantle wedge: a perspective from the study of high-pressure ultramafic rocks. *Periodico di Mineralogia.* 76: 253-265. <http://dx.doi.org/10.2451/2007PM0028>.
- Scambelluri, M; Muntener, O; Ottolini, L; Pettke, TT; Vannucci, R. (2004). The fate of B, Cl and Li in the subducted oceanic mantle and in the antigorite breakdown fluids. *Earth Planet Sci Lett.* 222: 217-234. <http://dx.doi.org/10.1016/j.epsl.2004.02.012>.
- Scambelluri, M; Pettke, T; Cannao, E. (2015). Fluid-related inclusions in Alpine high-pressure peridotite reveal trace element recycling during subduction-zone dehydration of serpentinized mantle (Cima di Gagnone, Swiss Alps). *Earth Planet Sci Lett.* 429: 45-59. <http://dx.doi.org/10.1016/j.epsl.2015.07.060>.
- Scambelluri, M; Philippot, P. (2004). Volatile and mobile element recycling during subduction of the oceanic lithosphere. Insights from metasediments and serpentinites of the Alps. *Periodico di Mineralogia.* 73: 221-233.
- Scambelluri, M; Piccardo, GB; Philippot, P; Robbiano, A; Negretti, L. (1997). High salinity fluid inclusions formed from recycled seawater in deeply subducted alpine serpentinite. *Earth Planet Sci Lett.* 148: 485-499.
- Scambelluri, M; Rampone, E; Piccardo, GB. (2001). Fluid and element cycling in subducted serpentinite: A trace-element study of the Erro-Tobbio high-pressure ultramafites (Western alps, NW Italy). *Journal of Petrology.* 42: 55-67.
- Scansetti, G; Coscia, GC; Pisani, W; Rubino, GF. (1975). Cement, asbestos, and cement-asbestos pneumoconioses. *Arch Environ Health.* 30: 272-275.
- Scansetti, G; Pavan, I; Botta, GC; Belliardo, F. (1980). Problems deriving from asbestos fibres wetting in the textile industry. *Med Lav.* 71: 422-427.
- Scansetti, G; Piolatto, G. (1987). Tremolite/chrysotile ratios [Letter]. *Am J Ind Med.* 12: 117-118.
- Scarselli, A; Scano, P; Marinaccio, A; Iavicoli, S. (2009). Occupational Cancer in Italy: Evaluating the Extent of Compensated Cases in the Period 1994-2006. *Am J Ind Med.* 52: 859-867. <http://dx.doi.org/10.1002/ajim.20758>.
- Schanamann, SR. (1986). Air monitoring is not enough to estimate future asbestos hazards. *Occup Health Saf.* 55: 31-35, 55.
- Scheff, PA; Wadden, RA; Bates, BA. (1990). INDOOR AIR POLLUTION (pp. NEW YORK). (BIOSIS/91/08218). Scheff, PA; Wadden, RA; Bates, BA.
- Schempf, H; Mutschler, E; Chemel, B; Boehmke, S; Piegras, C; Crowley, W. (1998). A robotic pipe-asbestos insulation removal system. *Ind Robot.* 25: 196-+.
- Schepers, GW. (1995). Chronology of asbestos cancer discoveries: experimental studies of the Saranac Laboratory. *Am J Ind Med.* 27: 593-606.
- Schepers, GWH. (1993). TLVS FOR ASBESTOS [Letter]. *Am J Ind Med.* 23: 967-969.
- Schilirò, T; Alessandria, L; Degan, R; Traversi, D; Gilli, G. (2010). Chemical characterisation and cytotoxic effects in A549 cells of urban-air PM10 collected in Torino, Italy. *Environ Toxicol Pharmacol.* 29: 150-157. <http://dx.doi.org/10.1016/j.etap.2009.12.005>.
- Schillings, R; Goette, P; Viereck-Goette, L; Mergner, HJ. (1991). Indoor examinations of asbestos sources. *Int J Hyg Environ Health.* 192: 171.
- Schimmelpfeng, J; Drosselmeyer, E; Hofheinz, V; Seidel, A. (1992). Influence of surfactant components and exposure geometry on the effects of quartz and asbestos on alveolar macrophages. *Environ Health Perspect.* 97: 225-231.
- Schimmelpfeng, J; Seidel, A. (1991). Cytotoxic effects of quartz and chrysotile asbestos: in vitro interspecies comparison with alveolar macrophages. *J Toxicol Environ Health.* 33: 131-140. <http://dx.doi.org/10.1080/15287399109531513>.
- Schins, RPF; Gaudichet, A; Jaurand, MC. (1993). A METHOD TO OBTAIN A WELL-DEFINED FRACTION OF RESPIRABLE PARA-ARAMID FIBERS. *Environ Health Perspect.* 101: 414-416.
- Schins, RPF; Schilderman, P; Borm, PJA. (1995). OXIDATIVE DNA-DAMAGE IN PERIPHERAL-BLOOD LYMPHOCYTES OF COAL-WORKERS. *Int Arch Occup Environ Health.* 67: 153-157.
- Schinwald, A; Murphy, FA; Jones, A; Macnee, W; Donaldson, K. (2012). Graphene-based nanoplatelets: a new risk to the respiratory system as a consequence of their unusual aerodynamic properties. *ACS Nano.* 6: 736-746. <http://dx.doi.org/10.1021/nn204229f>.
- Schlecht, PC; Shulman, SA. (1986). PERFORMANCE OF ASBESTOS FIBER COUNTING LABORATORIES IN THE NIOSH PROFICIENCY ANALYTICAL TESTING (PAT) PROGRAM. *Am Ind Hyg Assoc J.* 47: 259-269.
- Schlecht, PC; Shulman, SA. (1995). Phase contrast microscopy asbestos fiber counting performance in the Proficiency Analytical Testing program. *Am Ind Hyg Assoc J.* 56: 480-489.
- Schloemer, JR. (1982). Health Hazard Evaluation Report No. TA-80-028-1063, Post Officeourthouse Building, Louisville, Kentucky (pp. 80-028). (NIOSH/00179180). Schloemer, JR.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Schmauder, K. (1984). SUBSTITUTION OF ASBESTOS IN CYLINDER HEAD SEALS. 37: 540-&.
- Schmidt, D; Schmidt, ST; Mullis, J; Mahlmann, RF; Frey, M. (1997). Very low grade metamorphism of the Taveyanne formation of western Switzerland. *Contributions to Mineralogy and Petrology*. 129: 385-403.
- Schmidt, K; Garbe-Schoenberg, D; Koschinsky, A; Strauss, H; Jost, CL; Kleyenz, V; Koeniger, P. (2011). Fluid elemental and stable isotope composition of the Nibelungen hydrothermal field (8 degrees 18 ' S, Mid-Atlantic Ridge): Constraints on fluid-rock interaction in heterogeneous lithosphere. *Chem Geol*. 280: 1-18. <http://dx.doi.org/10.1016/j.chemgeo.2010.07.008>.
- Schmitt, RP; Lindsten, DC; Shannon, TF. (1977). DECONTAMINATING LAKE-SUPERIOR OF ASBESTOS FIBERS. *Environ Sci Technol*. 11: 462-465.
- Schneider, GJ. (1994). Standardization of Protocol for the Sampling, Testing and abatement of Asbestos Containing Joint Compound. 130.
- Schneider, J; Brückel, B; Fink, L; Woitowitz, HJ. (2014). Pulmonary fibrosis following household exposure to asbestos dust? *J Occup Med Toxicol*. 9: 39. <http://dx.doi.org/10.1186/s12995-014-0039-0>.
- Schneider, J; Presek, P; Brauer, A; Woitowitz, HJ. (1999). Serum levels of pantropic p53 protein and EGF-receptor, and detection of anti-p53 antibodies in former uranium miners (SDAG Wismut). *Am J Ind Med*. 36: 602-609.
- Schneider, K; Konietzka, R; Schuhmacher-Wolz, U. (2001). Assignment of carcinogenic air contaminants to emission classes of the TA Luft amendment. *Staub, Reinhaltung der Luft*. 61: 454-458.
- Schneider, SP. (1987). ASBESTOS EXAMINATIONS FOR CONSTRUCTION WORKERS [Letter]. *Am J Public Health*. 77: 645-646.
- Schneider, T. (1992). ESTIMATION OF MINERAL FIBER CONTAMINATION. *Staub, Reinhaltung der Luft*. 52: 201-207.
- Schneider, T. (1993). SHAPE AND ORIENTATION EFFECTS ON VOLUME DETERMINATION BY MICROSCOPY OF LATHE-SHAPED FIBERS MODELED BY TRIVARIATE LOG-NORMAL SIZE DISTRIBUTIONS. *J Aerosol Sci*. 24: 963-971.
- Schneider, T; Burdett, G; Martinon, L; Brochard, P; Guillemin, M; Teichert, U; Draeger, U. (1996). Ubiquitous fiber exposure in selected sampling sites in Europe. *Scand J Work Environ Health*. 22: 274-284.
- Schneider, T; Holst, E. (1995). VARIABILITY OF TOTAL MASS AND OTHER MEASURES OF SMALL SAMPLES OF PARTICLES. *J Aerosol Sci*. 26: 127-136.
- Schneiderman, JS; Tracy, RJ. (1991). PETROLOGY OF ORTHOAMPHIBOLE-CORDIERITE GNEISSES FROM THE ORIJARVI AREA, SOUTHWEST FINLAND. *Am Mineral*. 76: 942-955.
- SCHNITZE.RJ; Bunescu, G. (1970). POLYMERS AS SELECTIVE ANTAGONISTS OF HEMOLYTIC ASBESTOS FIBERS. *Arch Environ Health*. 20: 481-&.
- Schnurrenberger, E. (1987). DUST AS A FACTOR IN THE ASSESSMENT OF POTENTIAL HEALTH RISKS IN CHEMICAL MANUFACTURING PLANTS (pp. 107-110). (BIOSIS/87/22977). Schnurrenberger, E.
- Schochat, T; Seidel, HJ. (2001). [Epidemiology in the study of human ecology - concept and evaluation of a seminar]. *Gesundheitswesen*. 63: 561-566. <http://dx.doi.org/10.1055/s-2001-16681>.
- Schock, MR; Buelow, RW. (1981). THE BEHAVIOR OF ASBESTOS-CEMENT PIPE UNDER VARIOUS WATER-QUALITY CONDITIONS .2. THEORETICAL CONSIDERATIONS. *J Am Water Works Assoc*. 73: 636-651.
- Scholten, JJ; Beers, AM; Kiel, AM. (1975). STUDIES ON PORE STRUCTURE OF ADSORBENTS AND CATALYSTS .1. DETERMINATION OF PORE-SIZE DISTRIBUTION OF SYNTHETIC CHRYSOTILE BY ELECTRON-MICROSCOPY. *J Catal*. 36: 23-29.
- Schonfeld, SJ; McCormack, V; Rutherford, MJ; Schuez, J. (2014). Regional variations in German mesothelioma mortality rates: 2000-2010. *Cancer Causes Control*. 25: 615-624. <http://dx.doi.org/10.1007/s10552-014-0368-4>.
- Schreier, H. (1986). ASBESTOS FIBERS AND ASSOCIATED TRACE METAL TOXICITY IN STREAM WATER (pp. 13-15). (BIOSIS/87/17335). Schreier, H.
- Schreier, H. (1987). ASBESTOS FIBERS INTRODUCE TRACE METALS INTO STREAMWATER AND SEDIMENTS. *Environ Pollut*. 43: 229-242.
- Schreier, H; Lavkulich, L, es. (2015). Cumulative effects of the transport of asbestos-rich serpentine sediments in the trans-boundary Sumas Watershed in Washington State and British Columbia. *Can Water Resour J*. 40: 262-271. <http://dx.doi.org/10.1080/07011784.2015.1051495>.
- Schreier, H; Northcote, TG; Hall, K. (1987). TRACE METALS IN FISH EXPOSED TO ASBESTOS RICH SEDIMENTS. *Water Air Soil Pollut*. 35: 3-4.
- Schreier, H; Omueti, JA; Lavkulich, LM. (1987). WEATHERING PROCESSES OF ASBESTOS-RICH SERPENTINITIC SEDIMENTS. *Soil Sci Soc Am J*. 51: 993-999.
- Schreier, H; Shelford, JA; Nguyen, TD. (1986). ASBESTOS FIBERS AND TRACE METALS IN THE BLOOD OF CATTLE GRAZING IN FIELDS INUNDATED BY ASBESTOS-RICH SEDIMENTS. *Environ Res*. 41: 99-109.
- Schreier, H; Timmenga, HJ. (1986). EARTHWORM RESPONSE TO ASBESTOS RICH SERPENTINITIC SEDIMENTS. *Soil Biol Biochem*. 18: 85-89.
- Schreurs, J; Westra, L. (1985). CORDIERITE-ORTHOPYROXENE ROCKS - THE GRANULITE FACIES EQUIVALENTS OF THE ORIJARVI CORDIERITE-ANTHOPHYLLITE ROCKS IN WEST UUSIMAA, SOUTHWEST FINLAND. *Lithos*. 18: 215-228.
- Schroeder, T; John, BE. (2004). Strain localization on an oceanic detachment fault system, Atlantis Massif, 30 degrees N, Mid-Atlantic Ridge. *G-cubed*. 5. <http://dx.doi.org/10.1029/2004GC000728>.
- Schubauer-Berigan, MK; Deddens, JA; Couch, JR; Petersen, MR. (2011). Risk of lung cancer associated with quantitative beryllium exposure metrics within an occupational cohort. *Occup Environ Med*. 68: 354-360. <http://dx.doi.org/10.1136/oem.2010.056515>.
- Schubauer-Berigan, MK; Hein, MJ; Raudabaugh, WM; Ruder, AM; Silver, SR; Spaeth, S; Steenland, K; Petersen, MR; Waters, KM. (2011). Update of the NIOSH Life Table Analysis System: A Person-Years Analysis Program for the Windows Computing Environment. *Am J Ind Med*. 54: 915-924. <http://dx.doi.org/10.1002/ajim.20999>.
- Schulte, PA; Kuempel, ED; Zumwalde, RD; Geraci, CL; Schubauer-Berigan, MK; Castranova, V; Hodson, L; Murashov, V; Dahm, MM; Ellenbecker, M. (2012). Focused actions to protect carbon nanotube workers [Review]. *Am J Ind Med*. 55: 395-411. <http://dx.doi.org/10.1002/ajim.22028>.
- Schultz, HJ. (1984). GLASS STAPLE FIBERS - A RAW-MATERIAL TO REPLACE ASBESTOS. 65: 449-454.
- Schultz, HJ. (1984). GLASS STAPLE FIBERS AS SUBSTITUTE FOR ASBESTOS. 37: 558-&.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Schulz, SE; Evans, JP. (1998). Spatial variability in microscopic deformation and composition of the Punchbowl fault, southern California: implications for mechanisms, fluid-rock interaction, and fault morphology. *Tectonophysics*. 295: 223-244.
- Schumacher, JC; Brady, JB; Cheney, JT; Tonnsen, RR. (2008). Glaucofane-bearing marbles on Syros, Greece. *Journal of Petrology*. 49: 1667-1686. <http://dx.doi.org/10.1093/petrology/egn042>.
- Schutz, A; Coenen, W. (1980). ASBESTOS LIMIT VALUES, CRITERIA FOR THE EFFECT DETERMINATION, ENTERPRISE MONITORING BY MEASURING TECHNIQUES. *Staub, Reinhaltung der Luft*. 40: 194-197.
- Schwartz, S; Guillot, S; Reynard, B; Lafay, R; Debret, B; Nicollet, C; Lanari, P; Auzende, AL. (2013). Pressure-temperature estimates of the lizardite/antigorite transition in high pressure serpentinites. *Lithos*. 178: 197-210. <http://dx.doi.org/10.1016/j.lithos.2012.11.023>.
- Sciuto, PF; Ottonello, G. (1995). WATER-ROCK INTERACTION ON ZABARGAD ISLAND, RED-SEA - A CASE-STUDY .2. FROM LOCAL EQUILIBRIUM TO IRREVERSIBLE EXCHANGES. *Geochim Cosmo Acta*. 59: 2207-2213.
- Scott, PW; Jackson, TA; Dunham, AC. (1999). Economic potential of the ultramafic rocks of Jamaica and Tobago: two contrasting geological settings in the Caribbean. *Miner Depos*. 34: 718-723.
- Scott, SW. (1983). FRICTION RESEARCH PUTS THE BRAKES ON ASBESTOS USE. *Res/Dev*. 25: 88-90.
- Scott, SW. (1984). ASBESTOS SUBSTITUTES IN FRICTION APPLICATIONS. *Design News*. 40: 44-&.
- Seal, S; Barr, TL; Krezoski, S; Petering, DH; Antholine, W. (1997). Characterization of chemical interaction of asbestos surfaces during culturing with lung cells. *Journal of Vacuum Science and Technology A*. 15: 1235-1245.
- Seal, S; Krezoski, S; Barr, TL; Petering, DH; Evans, PH; Klinowski, J. (1997). Surface chemical interaction of fibrous asbestos with biocells: An ESCA study. *J Hazard Mater*. 53: 57-74.
- Seal, S; Krezoski, S; Barr, TL; Petering, DH; Klinowski, J; Evans, PH. (1996). Surface chemistry and biological pathogenicity of silicates: An X-ray photoelectron spectroscopic study. *Proc Biol Sci*. 263: 943-951. <http://dx.doi.org/10.1098/rspb.1996.0140>.
- Searl, A. (1994). A review of the durability of inhaled fibres and options for the design of safer fibres. *Ann Occup Hyg*. 38: 839-855.
- Searl, A. (1997). A comparative study of the clearance of respirable para-aramid, chrysotile and glass fibres from rat lungs. *Ann Occup Hyg*. 41: 217-233. [http://dx.doi.org/10.1016/S0003-4878\(96\)00036-1](http://dx.doi.org/10.1016/S0003-4878(96)00036-1).
- Searl, A; Buchanan, D; Cullen, RT; Jones, AD; Miller, BG; Soutar, CA. (1999). Biopersistence and durability of nine mineral fibre types in rat lungs over 12 months. *Ann Occup Hyg*. 43: 143-153.
- Sebastien, P. (1987). Measuring Asbestos Dust in the Environment (pp. 97-108). (NIOSH/00170705). Sebastien, P.
- Sebastien, P; Bignon, J; Martin, M. (1982). Indoor airborne asbestos pollution: from the ceiling and the floor. *Science*. 216: 1410-1413.
- Sebastien, P; Masse, R; Bignon, J. (1980). Recovery of ingested asbestos fibers from the gastrointestinal lymph in rats. *Environ Res*. 22: 201-216.
- Sedlatschek, C. (2000). The European Agency for Safety and Health at Work - The information network providing information on all topics related to safety and health at work. *Staub, Reinhaltung der Luft*. 60: 295-299.
- Seetharaman, S; Ravichandran, S; Davidson, DJ; Vasudevan, S; Sozhan, G. (2011). Polyvinyl Alcohol Based Membrane as Separator for Alkaline Water Electrolyzer. *Separation Science and Technology*. 46: 1563-1570. <http://dx.doi.org/10.1080/01496395.2011.575427>.
- Segger, MCC; Gehring, MW. (2003). The WTO and precaution: Sustainable development implications of the WTO asbestos dispute. *Journal of Environmental Law*. 15: 289-+.
- Segura, O; Burdorf, A; Looman, C. (2003). Update of predictions of mortality from pleural mesothelioma in the Netherlands. *Occup Environ Med*. 60: 50-55.
- Seipold, U; Schilling, FR. (2003). Heat transport in serpentinites. *Tectonophysics*. 370: 147-162. [http://dx.doi.org/10.1016/S0040-1951\(03\)00183-5](http://dx.doi.org/10.1016/S0040-1951(03)00183-5).
- Seiti, B; Topi, D; Malollari, I; Xhaxhiu, K; Drushku, S; Shehu, F. (2013). CRUDE OIL WASTES RECYCLING, THE ECONOMICAL AND ENVIRONMENTAL OUTCOMES. A CASE STUDY. *J Environ Prot Ecol*. 14: 99-106.
- Seixas, NS. (2013). Protecting our science [Editorial]. *Ann Occup Hyg*. 57: 963-965. <http://dx.doi.org/10.1093/annhyg/met056>.
- Sekhon, HS; Keeling, B; Churg, A. (1993). Rat pleural mesothelial cells show damage after exposure to external but not internal cigarette smoke. *Environ Health Perspect*. 101: 326-330.
- Sekine, T; Meng, C; Zhu, W; He, H. (2012). Direct evidence for decomposition of antigorite under shock loading. *J Geophys Res*. 117. <http://dx.doi.org/10.1029/2011JB008439>.
- Seldén, AI; Westberg, HB; Axelson, O. (1997). Cancer morbidity in workers at aluminum foundries and secondary aluminum smelters. *Am J Ind Med*. 32: 467-477.
- Selig, O. (1990). USE OF ASBESTOS. *Chem Eng News*. 68: 2-&.
- Selikoff, IJ. (1991). Statistical compassion. *J Clin Epidemiol*. 44 Suppl 1: 141S-146S.
- Selikoff, IJ. (1992). Death certificates in epidemiological studies, including occupational hazards: inaccuracies in occupational categories. *Am J Ind Med*. 22: 493-504.
- Selikoff, IJ; Hammond, EC. (1970). Asbestos Bodies in the New York City Population in Two Periods of Time (pp. 99-105). (NIOSH/00045725). Selikoff, IJ; Hammond, EC.
- Selikoff, IJ; Hammond, EC. (1971). Asbestos exposure to coke oven operators. *J Occup Med*. 13: 496-497.
- Selikoff, IJ; Nicholson, WJ; Langer, AM. (1972). Asbestos air pollution. *Arch Environ Health*. 25: 1-13.
- Selikoff, IJ; Seidman, H. (1991). Evaluation of selection bias in a cross-sectional survey. *Am J Ind Med*. 20: 615-627.
- Selikoff, IJ; Seidman, H. (1992). Use of death certificates in epidemiological studies, including occupational hazards: Variations in discordance of different asbestos-associated diseases on best evidence ascertainment. *Am J Ind Med*. 22: 481-492. <http://dx.doi.org/10.1002/ajim.4700220403>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Selverstone, J; Sharp, ZD. (2011). Chlorine isotope evidence for multicomponent mantle metasomatism in the Ivrea Zone. *Earth Planet Sci Lett.* 310: 429-440. <http://dx.doi.org/10.1016/j.epsl.2011.08.034>.
- Semones, JA; Jolly, B. (1988). ASBESTOS AND THE INDUSTRIAL HYGIENIST. *Am Ind Hyg Assoc J.* 49: A16-A17.
- Senda, K; Ishida, K; Jenkins, DM. (2005). X-ray Rietveld refinement and FTIR spectra of synthetic (Si,Ge)-richterites. *Am Mineral.* 90: 1062-1071.
- Sengbusch, GV; Hannibalfriedrich, O. (1979). POTENTIAL DAMAGE TO HEALTH AS A RESULT OF EXPOSURE TO ASBESTOS OUTSIDE THE WORKPLACE. *Staub, Reinhaltung der Luft.* 39: 452-456.
- Sengupta, A; Kadam, RM; Rajeswari, B; Dhobale, AR; Babu, Y; Godbole, SV. (2010). Characterization of Indian serpentine by X-ray diffraction, photoacoustic spectroscopy and electron paramagnetic resonance spectroscopy. *Appl Clay Sci.* 50: 305-310. <http://dx.doi.org/10.1016/j.clay.2010.08.013>.
- Seo, J; Choi, SG, yu; Kim, DW, oo; Park, JW, oo; Oh, CW. (2015). A new genetic model for the Triassic Yangyang iron-oxide-apatite deposit, South Korea: Constraints from in situ U-Pb and trace element analyses of accessory minerals. *Ore Geol Rev.* 70: 110-135. <http://dx.doi.org/10.1016/j.oregeorev.2015.04.009>.
- Seshan, K. (1977). Explanation for the insensitivity to tilts of the electron diffraction patterns of amphibole asbestos fibers. *Environ Res.* 14: 46-58.
- Seshan, K. (1983). HOW ARE THE PHYSICAL AND CHEMICAL-PROPERTIES OF CHRYSOTILE ASBESTOS ALTERED BY A 10-YEAR RESIDENCE IN WATER AND UP TO 5 DAYS IN SIMULATED STOMACH ACID. *Environ Health Perspect.* 53: 143-148.
- Severson, RK; Harvey, J; Polissar, L. (1981). THE RELATIONSHIP BETWEEN ASBESTOS AND TURBIDITY IN RAW WATER. *J Am Water Works Assoc.* 73: 223-224.
- Seyfried, WE, Jr; Foustoukos, DI; Fu, Q, i. (2007). Redox evolution and mass transfer during serpentinization: An experimental and theoretical study at 200 degrees C, 500 bar with implications for ultramafic-hosted hydrothermal systems at Mid-Ocean Ridges. *Geochim Cosmo Act.* 71: 3872-3886. <http://dx.doi.org/10.1016/j.gca.2007.05.015>.
- Seyfried, WE, Jr; Pester, NJ; Ding, K; Rough, M. (2011). Vent fluid chemistry of the Rainbow hydrothermal system (36 degrees N, MAR): Phase equilibria and in situ pH controls on seafloor alteration processes. *Geochim Cosmo Act.* 75: 1574-1593. <http://dx.doi.org/10.1016/j.gca.2011.01.001>.
- Seyfried, WE, Jr; Pester, NJ; Tutolo, BM; Ding, K. (2015). The Lost City hydrothermal system: Constraints imposed by vent fluid chemistry and reaction path models on seafloor heat and mass transfer processes. *Geochim Cosmo Act.* 163: 59-79. <http://dx.doi.org/10.1016/j.gca.2015.04.040>.
- S-H, C; Kang, D; K-S, K; H-J, K; D-H, K; Ha, M; S-H, H; Ju, YS. (1997). Estimates of occupational cancer in Korea. *J Occup Health.* 39: 192-196.
- Sha, B; Gao, W, ei; Wang, S; Xu, F; Lu, T. (2011). Cytotoxicity of titanium dioxide nanoparticles differs in four liver cells from human and rat. *Composites Part B: Engineering.* 42: 2136-2144. <http://dx.doi.org/10.1016/j.compositesb.2011.05.009>.
- Sha, LK; Chappell, BW. (1996). A kinetic model for three-site intracrystalline ordering-disordering in minerals. *Geochim Cosmo Act.* 60: 2075-2086.
- Shafie-Pour, M; Tavakoli, A. (2013). On-Road Vehicle Emissions Forecast Using IVE Simulation Model. *International Journal of Environmental Research.* 7: 367-376.
- Shahata, K; Zayed, T. (2013). Simulation-based life cycle cost modeling and maintenance plan for water mains. *Structure & Infrastructure Engineering.* 9: 403-415. <http://dx.doi.org/10.1080/15732479.2011.552509>.
- Shaikh, RA; Satterfield, MH; Kinney, PL. (1994). Airborne Fiber Levels in a Hospital Operations and Maintenance Program. *Appl Occup Environ Hyg.* 9: 811-824.
- Shallari, S; Schwartz, C; Hasko, A; Morel, JL. (1998). Heavy metals in soils and plants of serpentine and industrial sites of Albania. *Sci Total Environ.* 209: 2-3.
- Shannahan, JH; Nyska, A; Cesta, M; Schladweiler, MC; Vallant, BD; Ward, WO; Ghio, AJ; Gavett, SH; Kodavanti, UP. (2012). Subchronic pulmonary pathology, iron overload, and transcriptional activity after libby amphibole exposure in rat models of cardiovascular disease. *Environ Health Perspect.* 120: 85-91. <http://dx.doi.org/10.1289/ehp.1103990>.
- Shannahan, JH; Schladweiler, MC; Thomas, RF; Ward, WO; Ghio, AJ; Gavett, SH; Kodavanti, UP. (2012). Vascular and thrombogenic effects of pulmonary exposure to Libby amphibole. *J Toxicol Environ Health A.* 75: 213-231. <http://dx.doi.org/10.1080/15287394.2012.652055>.
- Shao, JA; Fu, YQ; Zang, QJ; Wang, YF. (1990). DUCTILE INSTABILITY - SHENTANGYU DUCTILE SHEAR ZONE AND THE TREMOLITES GLASS IN HUAIROU, BEIJING. *Diqiu Wuli Xuebao.* 33: 196-201.
- Shao, T; Ji, S; Kondo, Y; Michibayashi, K; Wang, Q; Xu, Z; Sun, S; Marcotte, D; Salisbury, MH. (2014). Antigorite-induced seismic anisotropy and implications for deformation in subduction zones and the Tibetan Plateau. *J Geophys Res Solid Earth.* 119: 2068-2099. <http://dx.doi.org/10.1002/2013JB010661>.
- Sharikov, FY, u; Korytkov, EN; Gusarov, VV. (2007). Effect of the thermal prehistory of components on the hydration and crystallization of Mg₃Si₂O₅(OH)₄ nanotubes under hydrothermal conditions. *Glass Physics and Chemistry.* 33: 515-520. <http://dx.doi.org/10.1134/S108765960705015X>.
- Sharma, A. (1996). Experimentally derived thermochemical data for pargasite and reinvestigation of its stability with quartz in the system Na₂O-CaO-MgO-Al₂O₃-SiO₂-H₂O. *Contributions to Mineralogy and Petrology.* 125: 263-275.
- Sharma, A; Jenkins, DM. (1999). Hydrothermal synthesis of amphiboles along the tremolite-pargasite join and in the ternary system tremolite-pargasite-cummingtonite. *Am Mineral.* 84: 1304-1318.
- Sharma, RS. (1979). STRUCTURAL MODIFICATION OF CHRYSOTILE ASBESTOS FIBERS IN DRAG REDUCTION. *Chem Eng Sci.* 34: 415-417.
- Sharma, S; Bijwe, J; Kumar, M. (2013). Comparison Between Nano- and Micro-Sized Copper Particles as Fillers in NAO Friction Materials. 3.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Sharp, ZD; Barnes, JD. (2008). Comment to "Chlorine stable isotopes and halogen concentrations in convergent margins with implications for the Cl isotopes cycle in the ocean" by Wei et al. A review of the Cl isotope composition of serpentinites and the global chlorine cycle. *Earth Planet Sci Lett.* 274: 531-534. <http://dx.doi.org/10.1016/j.epsl.2008.07.031>.
- Sharpe, WE; Dewalle, DR. (1990). THE EFFECTS OF ACID PRECIPITATION RUNOFF EPISODES ON RESERVOIR AND TAPWATER QUALITY IN AN APPALACHIAN MOUNTAIN WATER-SUPPLY. *Environ Health Perspect.* 89: 153-158.
- Sharrock, P. (1982). CHRYSOTILE ASBESTOS FIBERS FROM QUEBEC - ELECTRON MAGNETIC-RESONANCE IDENTIFICATION. *Geochim Cosmo Acta.* 46: 1311-1315.
- Shau, YH; Peacor, DR; Ghose, S; Phakey, PP. (1993). SUBMICROSCOPIC EXSOLUTION IN MN-BEARING ALKALI AMPHIBOLES FROM TIRODI, MAHARASHTRA, INDIA. *Am Mineral.* 78: 96-106.
- Sheehan, P; Brorby, G; Berman, DW; Bogen, KT. (2014). Protecting good science [Comment]. *Ann Occup Hyg.* 58: 266-267. <http://dx.doi.org/10.1093/annhyg/met079>.
- Shen, SY; Hu, S; Li, Z; Zhang, D; Liu, XH; Song, XB. (2003). Preparation and properties of friction materials by using two kinds of fibrous industrial minerals. *Journal of Wuhan University of Technology--Materials Science Edition.* 18: 49-52.
- Shen, SY; Li, Z; Liu, XH; Peng, JR. (2003). The testing of friction materials with two kinds of fibrous industrial minerals. *Key Eng Mater.* 249: 405-408.
- Shen, T; Hermann, J; Zhang, L; Lu, Z; Padron-Navarta, JA; Xia, B, in; Bader, T. (2015). UHP Metamorphism Documented in Ti-chondrodite- and Ti-clinohumite-bearing Serpentinized Ultramafic Rocks from Chinese Southwestern Tianshan. *Journal of Petrology.* 56: 1425-1457. <http://dx.doi.org/10.1093/petrology/egv042>.
- Shen, T; Hermann, J; Zhang, L; Padron-Navarta, JA; Chen, J. (2014). FTIR spectroscopy of Ti-chondrodite, Ti-clinohumite, and olivine in deeply subducted serpentinites and implications for the deep water cycle. *Contributions to Mineralogy and Petrology.* 167. <http://dx.doi.org/10.1007/s00410-014-0992-8>.
- Sherif, MI; Ghoneim, MF; Heikal, MT, hS; El Dosuky, BT. (2013). Perogenesis of granites, Sharm El-Sheikh area, South Sinai, Egypt: petrological constrains and tectonic evolution. *Mineralogy and Petrology.* 107: 765-783. <http://dx.doi.org/10.1007/s00710-013-0267-5>.
- Sherman, CB; Barnhart, S; Rosenstock, L. (1988). Use of oblique chest roentgenograms in detecting pleural disease in asbestos-exposed workers. *J Occup Med.* 30: 681-683.
- Sherman, LA; Barak, P. (2000). Solubility and dissolution kinetics of dolomite in Ca-Mg-HCO₃/CO₃ solutions at 25 degrees C and 0.1 MPa carbon dioxide. *Soil Sci Soc Am J.* 64: 1959-1968.
- Sherriff, BL; Jenkins, DM; Kunath-Fandrei, G; Goetz, S; Jager, C. (1999). Na-23, Si-29, and Ga-71 MAS-NMR spectroscopy of synthetic gallian-fluor-amphiboles. *Am Mineral.* 84: 1033-1040.
- Shevtchenko, TV; Grigoriev, PP; Druzhinin, EA; Kubasov, VL; Bannikova, NV; Kurbatov, VA. (1987). ASBESTOS AND ASBESTOS POLYMERIC DIAPHRAGMS REGENERATION INVESTIGATION. 224-225.
- Shi, G; Li, X; Li, Q; Chen, Z; Deng, J, un; Liu, Y; Kang, Z; Pang, E; Xu, Y; Jia, X. (2012). Ion Microprobe U-Pb Age and Zr-in-Rutile Thermometry of Rutiles from the Daixian Rutile Deposit in the Hengshan Mountains, Shanxi Province, China. *Econ Geol.* 107: 525-535.
- Shi, G; Tropper, P; Zhu, R. (2009). The occurrence of magnesioferrite-rich spinels in a trachyandesite from NE China. *Mineralogy and Petrology.* 95: 125-134. <http://dx.doi.org/10.1007/s00710-008-0025-2>.
- Shi, X; von Dem Bussche, A; Hurt, RH; Kane, AB; Gao, H. (2011). Cell entry of one-dimensional nanomaterials occurs by tip recognition and rotation [Letter]. *Nat Nanotechnol.* 6: 714-719. <http://dx.doi.org/10.1038/nnano.2011.151>.
- Shibakusa, H; Maekawa, H. (1997). Lawsonite-bearing eclogitic metabasites in the Cazadero area, northern California. *Mineralogy and Petrology.* 61: 163-180.
- Shibata, K; Kudo, Y; Tsunoda, M; Hosokawa, M; Sakai, Y; Kotani, M; Aizawa, Y. (2007). Magnetometric evaluation of the effects of man-made mineral fibers on the function of macrophages using the macrophage cell line RAW 264.7. *Ind Health.* 45: 426-436.
- Shibuya, T; Komiya, T; Anma, R; Ota, T; Omori, S; Kon, Y; Yamamoto, S; Maruyama, S. (2007). Progressive metamorphism of the Taitao ophiolite; evidence for axial and off-axis hydrothermal alterations. *Lithos.* 98: 233-260. <http://dx.doi.org/10.1016/j.lithos.2007.04.003>.
- Shieh, SR; Mao, HK; Hemley, RJ; Ming, LC. (2000). In situ X-ray diffraction studies of dense hydrous magnesium silicates at mantle conditions. *Earth Planet Sci Lett.* 177: 69-80.
- Shikazono, N; Utada, M; Shimizu, M. (1995). Mineralogical and geochemical characteristics of hydrothermal alteration of basalt in the Kuroko mine area, Japan: Implications for the evolution of a Back Arc Basin hydrothermal system. *Appl Geochem.* 10: 621-8.
- Shimizu, VK; Kahn, H; Antoniassi, JL; Ulsen, C. (2012). Copper ore type definition from Sossego Mine using X-ray diffraction and cluster analysis technique. *Revista da Escola de Minas.* 65: 561-566.
- Shin, D; Lee, I. (2003). Carbonate-hosted talc deposits in the contact aureole of an igneous intrusion (Hwanggangri mineralized zone, South Korea): geochemistry, phase relationships, and stable isotope studies. *Ore Geol Rev.* 22: 17-39.
- Shishido, S; Iwai, K; Tukagoshi, K. (1989). Incidence of ferruginous bodies in the lungs during a 45-year period and mineralogical analysis of the core fibres and uncoated fibres. *IARC Sci Publ*229-238.
- Shishido, S; Tsukagoshi, K; Shichiku, C; Ushikubo, K; Iwai, K. (1976). [Asbestos pollution of the lung. (1) Incidence of asbestos bodies found in the lung and sputum]. *Nihon Kyobu Shikkan Gakkai Zasshi.* 14: 728-735.
- Shokrieh, MM; Mahmoudi, A; Shadkam, HR. (2015). Hybrid Polyvinyl Alcohol and Cellulose Fiber Pulp Instead of Asbestos Fibers in Cement-Based Composites. *Mechanics of Composite Materials.* 51: 231-238. <http://dx.doi.org/10.1007/s11029-015-9494-7>.
- Sichletidis, I; Chloros, D; Chatzidimitriou, N; Tsiotsios, I; Spyrtatos, D; Patakas, D. (2006). Diachronic study of pleural plaques in rural population with environmental exposure to asbestos. *Am J Ind Med.* 49: 634-641. <http://dx.doi.org/10.1002/ajim.20334>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Sida, P; Kachlik, V. (2009). Geological setting, petrology and mineralogy of metabasites in a thermal aureole of Tanvald granite (northern Bohemia) used for the manufacture of Neolithic tools. *Journal of Geosciences*. 54: 269-287. <http://dx.doi.org/10.3190/jgeosci.042>.
- Siddiqui, SM; Khan, SA; Ahmad, S; Beg, MU. (1992). Effects of airborne dust collected from Kuwait on human erythrocytes. *J Environ Sci Health A Tox Hazard Subst Environ Eng*. 27: 1229-1236.
- Sidike, A; Jilili, N; Kobayashi, S; Atobe, K; Yamashita, N. (2010). Photoluminescence properties of anthophyllite. *Physics and Chemistry of Minerals*. 37: 83-89. <http://dx.doi.org/10.1007/s00269-009-0312-4>.
- Sidorov, KK; Vishnevskaya, SS. (1992). HYGIENIC STANDARDIZATION OF HARMFUL SUBSTANCES IN THE AIR OF A WORK ZONE IN 1986-1990. *Gig Tr Prof Zabol*. 0: 33-34.
- Siegrist, HG; Wylie, AG. (1980). CHARACTERIZING AND DISCRIMINATING THE SHAPE OF ASBESTOS PARTICLES. *Environ Res*. 23: 348-361.
- Siegrist, M; Keller, C; Kastenholz, H; Frey, S; Wiek, A. (2007). Laypeople's and experts' perception of nanotechnology hazards. *Risk Anal*. 27: 59-69. <http://dx.doi.org/10.1111/j.1539-6924.2006.00859.x>.
- Siemiatycki, J; Boffetta, P. (1998). Invited commentary: Is it possible to investigate the quantitative relation between asbestos and mesothelioma in a community-based study? [Comment]. *Am J Epidemiol*. 148: 143-147.
- Siesling, S; Damste, HS; Burdorf, A. (2006). Environmental exposure to asbestos increases the risk of mesothelioma in women in the region Goor. *Eur J Epidemiol*. 21: 73-73.
- Sigurdson, EE. (1982). DESCRIPTION AND COMPARISON OF 2 POPULATION-BASED STUDIES OF DULUTH, MINNESOTA, AS A FOLLOW-UP OF ASBESTOS EXPOSURE AND RECOMMENDATIONS FOR FACILITATING SIMILAR STUDIES IN THE FUTURE. *Journal of Environmental Science and Health, Part A: Environmental Science and Engineering and Toxi*. 17: 463-471.
- Sigurdson, EE; Levy, BS; Mandel, J; Mchugh, R; Michienzi, LJ; Jagger, H; Pearson, J. (1981). Cancer morbidity investigations: lessons from the Duluth study of possible effects of asbestos in drinking water. *Environ Res*. 25: 50-61.
- Silant'ev, VV; Zaripova, EP; Brodilo, LI. (1992). [Work conditions and morbidity of workers at plants manufacturing asbestos-technical products]. *Gig Sanit*18-21.
- Silantyev, SA; Mironenko, MV; Bazylev, BA; Semenov, YV. (1992). METAMORPHISM ASSOCIATED WITH MIDOCEAN RIDGE HYDROTHERMAL SYSTEMS - THERMODYNAMIC MODELING EXPERIENCE. *Geokhimiya*1015-1034.
- Silberschmid, M; Sabroe, S; Andresen, J; Bolvig, L; Coutte, A. (1984). LIGHT ASBESTOS EXPOSURE DOSE INDEX AS A MEASURE FOR EXPOSURE IN DOSE EFFECT STUDIES (pp. NEW YORK). (HEEP/85/00838). Silberschmid, M; Sabroe, S; Andresen, J; Bolvig, L; Coutte, A.
- Sillitoe, RH. (2003). Iron oxide-copper-gold deposits: an Andean view. *Miner Depos*. 38: 787-812. <http://dx.doi.org/10.1007/s00126-003-0379-7>.
- Sillitoe, RH; Tolman, J; Van Kerkvoort, G. (2013). Geology of the Caspiche Porphyry Gold-Copper Deposit, Maricunga Belt, Northern Chile. *Econ Geol*. 108: 585-604.
- Silva, WM; Aneziris, CG; Brito, MAM. (2011). Effect of Alumina and Silica on the Hydration Behavior of Magnesia-Based Refractory Castables. *Journal of the American Ceramic Society*. 94: 4218-4225. <http://dx.doi.org/10.1111/j.1551-2916.2011.04788.x>.
- Silveira, F; Petry, CF; Pozebon, D; Pergher, SB; Detoni, C; Stedile, FC; dos Santos, JHZ. (2007). Supported metallocene on mesoporous materials. *Appl Catal A-Gen*. 333: 96-106. <http://dx.doi.org/10.1016/j.apcata.2007.09.010>.
- Silver, K. (1979). ASBESTOS IN SCHOOL BUILDINGS RESULTS OF A NATIONWIDE SURVEY (pp. NEW YORK). (HEEP/81/07989). Silver, K.
- Silver, SR; Pinkerton, LE; Fleming, DA; Jones, JH; Allee, S; Luo, L; Bertke, SJ. (2014). Retrospective Cohort Study of a Microelectronics and Business Machine Facility. *Am J Ind Med*. 57: 412-424. <http://dx.doi.org/10.1002/ajim.22288>.
- Silvestri, S. (2011). [Problems due to the prolonged permanence of asbestos-containing materials]. *Epidemiol Prev*. 35: 139-143.
- Sim, MR. (2013). Changing of the guard at Occupational and Environmental Medicine [Editorial]. *Occup Environ Med*. 70: 751-752. <http://dx.doi.org/10.1136/oemed-2013-101886>.
- Sim, MR. (2013). A worldwide ban on asbestos production and use: some recent progress, but more still to be done [Editorial]. *Occup Environ Med*. 70: 1-2. <http://dx.doi.org/10.1136/oemed-2012-101290>.
- Simard, A; Vauclair, R; Thouez, JP; Ghadirian, P. (1986). [Cytology of expectorations in steel and asbestos workers. Evaluation from 1980-1984]. *Union Med Can*. 115: 480-483.
- Simard, M; Gaboury, D; Daigneault, R; Mercier-Langevin, P. (2013). Multistage gold mineralization at the Lapa mine, Abitibi Subprovince: insights into auriferous hydrothermal and metasomatic processes in the Cadillac-Larder Lake Fault Zone. *Miner Depos*. 48: 883-905. <http://dx.doi.org/10.1007/s00126-013-0466-3>.
- Singer, BS; Jicha, BR; Leeman, WP; Rogers, NW; Thirlwall, MF; Ryan, J; Nicolaysen, KE. (2007). Along-strike trace element and isotopic variation in Aleutian Island arc basalt: Subduction melts sediments and dehydrates serpentinite. *J Geophys Res*. 112. <http://dx.doi.org/10.1029/2006jb004897>.
- Singh, B; Thouez, JP. (1983). Ambient air concentration of asbestos fibres, dust content and mortality: the case of Asbestos, Quebec. 2: 343-351.
- Singh, M; Tyagi, AK; Mehla, RK; Singh, C. (2003). Milk production performance of cows under two different sets of management during summer. *Indian J Anim Sci*. 73: 692-694.
- Singh, N; Yadav, JS; Singh, AP; Sharma, SN. (1997). Clinico-epidemiological studies on bovine dermatophytosis in and around Bikaner. *Indian J Anim Sci*. 67: 845-848.
- Singh, RK; Dey, S; Mohanta, MK; Das, A. (2014). Enhancing the Utilization Potential of a Low Grade Chromite Ore through Extensive Physical Separation. *Separation Science and Technology*. 49: 1937-1945. <http://dx.doi.org/10.1080/01496395.2014.903495>.
- Sirimanna, MPG; Attalage, RA. (2016). A model for analyzing the thermal performance of roof configurations with flat inclined surfaces. *Energy and Buildings*. 116: 122-132. <http://dx.doi.org/10.1016/j.enbuild.2015.12.052>.
- Sishodiya, PK; Bhattacharjee, A. (1985). VOID-COUNTING OF ASBESTOS FIBERS. *Ann Occup Hyg*. 29: 122-124.
- Siskind, FB. (1987). The cost of compensating asbestos victims under the Occupational Disease Compensation Act of 1983. *Risk Anal*. 7: 59-69.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Sissell, K. (2002). Product liability - Senate begins debate on asbestos. *Chem Week*. 164: 33-33.
- Sissell, K. (2002). Sealed air, Fresenius settle asbestos suits. *Chem Week*. 164: 12-12.
- Sissell, K. (2003). Leahy opposes asbestos bill; Amendment would ban all uses. *Chem Week*. 165: 10-10.
- Sissell, K. (2003). RPM shares slide on asbestos concerns. *Chem Week*. 165: 9-9.
- Sisson, VB; Ertan, IE; Lallemand, HGA. (1997). High-pressure (approximate to 2000 MPa) kyanite- and glaucophane-bearing pelitic schist and eclogite from Cordillera de la Costa belt, Venezuela. *Journal of Petrology*. 38: 65-83.
- Sjögren, B. (1997). Occupational exposure to dust: Inflammation and ischemic heart disease [Review]. *Occup Environ Med*. 54: 466-469. <http://dx.doi.org/10.1136/oem.54.7.466>.
- Sjögren, B. (2001). Association between pleural plaques and coronary heart disease [Letter]. *Scand J Work Environ Health*. 27: 420-421.
- Sjögren, B; Hansen, KS; Kjuus, H; Persson, PG. (1994). Exposure to stainless steel welding fumes and lung cancer: a meta-analysis. *Occup Environ Med*. 51: 335-336.
- Skikne, MI; Talbot, JH; Rendall, REG. (1971). ELECTRON DIFFRACTION PATTERNS OF UICC ASBESTOS SAMPLES. *Environ Res*. 4: 141-&.
- Skogby, H. (1987). KINETICS OF INTRACRYSTALLINE ORDER-DISORDER REACTIONS IN TREMOLITE. *Physics and Chemistry of Minerals*. 14: 521-526.
- Skogby, H; Rossman, GR. (1991). THE INTENSITY OF AMPHIBOLE OH BANDS IN THE INFRARED-ABSORPTION SPECTRUM. *Physics and Chemistry of Minerals*. 18: 64-68.
- Skogstad, A; Eduard, W; Huser, PO. (1996). A laboratory method for generation of replicate filter samples of asbestos fibers in air. *Am Ind Hyg Assoc J*. 57: 741-745. <http://dx.doi.org/10.1080/15428119691014602>.
- Skora, S; Blundy, J, on. (2010). High-pressure Hydrous Phase Relations of Radiolarian Clay and Implications for the Involvement of Subducted Sediment in Arc Magmatism. *Journal of Petrology*. 51: 2211-2243. <http://dx.doi.org/10.1093/petrology/egq054>.
- Skourlis, T; Duvis, T; Papispyrides, CD. (1993). THE ROLE OF A POLYAMIDE INTERPHASE ON CARBON-FIBERS REINFORCING AN EPOXY MATRIX. *Compos Sci Tech*. 48: 119-125.
- Sluchyk, V; Sluchyk, I; Shyichuk, A. (2014). Assessment of both environmental cytotoxicity and trace metal pollution using *Populus simonii* Carr. as a bioindicator. *Environ Monit Assess*. 186: 6645-6650. <http://dx.doi.org/10.1007/s10661-014-3879-2>.
- Sluiscremer, GK. (1993). ATTITUDES AND OPINIONS REGARDING ASBESTOS AND CANCER, 1934-1965. *Am J Ind Med*. 23: 511-511.
- Sluis-Cremer, GK. (1991). Asbestos disease at low exposure after long residence time in amphibole miners. *Toxicol Ind Health*. 7: 89-95.
- Sluis-Cremer, GK; Du Toit, RS. (1980). Asbestos-related radiological changes in residents of South African amphibole asbestos mining fields and the fibre counts to which they may have been exposed. *IARC Sci Publ*. IARC Scientific Publications No: 559-563.
- Sluis-Cremer, GK; Hnizdo, E. (1989). Progression of irregular opacities in asbestos miners. *Br J Ind Med*. 46: 846-852.
- Sluis-Cremer, GK; Thomas, RG; Schmaman, IB. (1984). The value of computerised axial tomography in the assessment of workers exposed to asbestos. *Am J Ind Med*. 6: 27-35.
- Smales, H. (1995). FRICTION MATERIALS - BLACK ART OR SCIENCE. *Institution of Mechanical Engineers Proceedings Part D: Journal of Automobile Engineering*. 209: 151-157.
- Smartt, AM; Brezinski, M; Trapkus, M; Gardner, D; Putnam, EA. (2010). Collagen accumulation over time in the murine lung after exposure to crocidolite asbestos or Libby amphibole. *Environ Toxicol*. 25: 68-76. <http://dx.doi.org/10.1002/tox.20472>.
- Smelik, EA; Jenkins, DM; Navrotsky, A. (1994). A CALORIMETRIC STUDY OF SYNTHETIC AMPHIBOLES ALONG THE TREMOLITE-TSCHERMAKITE JOIN AND THE HEATS OF FORMATION OF MAGNESIOHORNBLLENDE AND TSCHERMAKITE. *Am Mineral*. 79: 1110-1122.
- Smelik, EA; Nyman, MW; Veblen, DR. (1991). PERVASIVE EXOLUTION WITHIN THE CALCIC AMPHIBOLE SERIES - TEM EVIDENCE FOR A MISCIBILITY GAP BETWEEN ACTINOLITE AND HORNBLLENDE IN NATURAL SAMPLES. *Am Mineral*. 76: 1184-1204.
- Smelik, EA; Veblen, DR. (1992). EXOLUTION OF CA-AMPHIBOLE FROM GLAUCOPHANE AND THE MISCIBILITY GAP BETWEEN SODIC AND CALCIC AMPHIBOLES. *Contributions to Mineralogy and Petrology*. 112: 178-195.
- Smelik, EA; Veblen, DR. (1993). A TRANSMISSION AND ANALYTICAL ELECTRON-MICROSCOPE STUDY OF EXOLUTION MICROSTRUCTURES AND MECHANISMS IN THE ORTHOAMPHIBOLES ANTHOPHYLLITE AND GEDRITE. *Am Mineral*. 78: 511-532.
- Smith, AH. (1998). Amphibole fibers, chrysotile fibers, and pleural mesothelioma. *Am J Ind Med*. 33: 96-96.
- Smith, AH; Wright, CC. (1996). Chrysotile asbestos is the main cause of pleural mesothelioma [Review]. *Am J Ind Med*. 30: 252-266. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199609\)30:3<252::AID-AJIM2>3.0.CO;2-0](http://dx.doi.org/10.1002/(SICI)1097-0274(199609)30:3<252::AID-AJIM2>3.0.CO;2-0).
- Smith, C. (2006). Don't ask, don't tell? Preventing information exchange increases the risks of chemical exposures. *Int J Occup Environ Health*. 12: 286-288.
- Smith, C; Kelsey, K; Wiencke, J; Leyden, K; Levin, S; Christiani, D. (1994). Inherited glutathione-S-transferase deficiency is a risk factor for pulmonary asbestosis. *Cancer Epidemiol Biomarkers Prev*. 3: 471-477.
- Smith, CB; Sims, K; Chimuka, L; Duffin, A; Beard, AD; Townend, R. (2004). Kimberlite metasomatism at Murowa and Sese pipes, Zimbabwe. *Lithos*. 76: 219-232. <http://dx.doi.org/10.1016/j.lithos.2004.03.009>.
- Smith, CM; Batcher, S; Catanzaro, A; Abraham, JL; Phalen, R. (1987). Sequence of bronchoalveolar lavage and histopathologic findings in rat lungs early in inhalation asbestos exposure. *J Toxicol Environ Health*. 20: 147-161. <http://dx.doi.org/10.1080/15287398709530968>.
- Smith, D. (2010). Antigorite Peridotite, Metaserpentinite, and other Inclusions within Diatremes on the Colorado Plateau, SW USA: Implications for the Mantle Wedge during Low-angle Subduction. *Journal of Petrology*. 51: 1355-1379. <http://dx.doi.org/10.1093/petrology/egq022>.
- Smith, D; Riter, JCA. (1997). Genesis and evolution of low-Al orthopyroxene in spinel peridotite xenoliths, Grand Canyon field, Arizona, USA. *Contributions to Mineralogy and Petrology*. 127: 391-404.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Smith, DD. (2003). Earlier study on asbestos workers, ILO scores, and oxygenation more comprehensive [Letter]. *Occup Environ Med.* 60: 611; author reply 611.
- Smith, DK; Roberts, AC; Bayliss, P; Liebau, F. (1998). A systematic approach to general and structure-type formulas for minerals and other inorganic phases. *Am Mineral.* 83: 126-132.
- Smith, DR; Beh, EJ. (2012). Asbestos kills: no matter how you cut the data [Editorial]. *Arch Environ Occup Health.* 67: 187-188. <http://dx.doi.org/10.1080/19338244.2012.675791>.
- Smith, J; Bartley, D. (2003). Effect of sampler and manikin conductivity on the sampling efficiency of manikin-mounted personal samplers. *Aerosol Sci Technol.* 37: 79-81. <http://dx.doi.org/10.1080/02786820390112605>.
- Smith, JW. (1982). THE REPLACEMENT OF ASBESTOS CEMENT BY GRC. 13: 161-163.
- Smith, M; Coppard, J; Herrington, R; Stein, H. (2007). The geology of the Rakkurijarvi Cu-(Au) prospect, Norrbotten: A new iron oxide-copper-gold deposit in northern Sweden. *Econ Geol.* 102: 393-414.
- Smith, MP. (2007). Metasomatic silicate chemistry at the Bayan Obo Fe-REE-Nb deposit, Inner Mongolia, China: Contrasting chemistry and evolution of fenitising and mineralising fluids. *Lithos.* 93: 126-148. <http://dx.doi.org/10.1016/j.lithos.2006.06.013>.
- Smith, RB; Brady, DC. (1991). MAINTAINING SHAFT ACCESS AND SERVICES DURING HEADFRAME REPLACEMENT. 84: 34-38.
- Smith, TE; Harris, MJ. (1996). The Queensborough mafic-ultramafic complex: A fragment of a Meso-Proterozoic ophiolite? Grenville Province, Canada. *Tectonophysics.* 265: 53-82.
- Smith, WE; Badollet, MS; Hubert, DD. (1972). BIOLOGIC DIFFERENCES IN RESPONSE TO LONG AND SHORT ASBESTOS FIBERS. *Am Ind Hyg Assoc J.* 33: 67-8.
- Smith, WE; Hubert, DD; Sobel, HJ; Peters, ET; Doerfler, TE. (1980). Health of experimental animals drinking water with and without amosite asbestos and other mineral particles. *J Environ Pathol Toxicol.* 3: 277-300.
- Smith, WE; Spivey, ML; Roux, LJ. (1978). A method for exposing animals to particulates in drinking water. *Am Ind Hyg Assoc J.* 39: 583-586. <http://dx.doi.org/10.1080/0002889778507813>.
- Smither, WJ. (1977). Asbestos content of dust encountered in brake maintenance and repair [Letter]. *Proc R Soc Med.* 70: 369-370.
- Smolková, P; Nakládalová, M; Zapletalová, J. (2016). Response to the letter to editors concerning "Validity of mesothelin in occupational medicine practice". *Int J Occup Med Environ Health.* 29: 881. <http://dx.doi.org/10.13075/ijom.1896.01101>.
- Smrcek, L; Kolesnikov, AI; Rieder, M. (2012). Combined inelastic neutron scattering and solid-state DFT study of dynamics of hydrogen atoms in trioctahedral 1M phlogopite. *Physics and Chemistry of Minerals.* 39: 779-787. <http://dx.doi.org/10.1007/s00269-012-0532-x>.
- Snashall, DC; Bazas, T. (1984). Asbestos in hospitals [Letter]. *J Soc Occup Med.* 34: 99.
- Snyder, JG; Virta, RL; Segreti, JM. (1987). Evaluation of the phase contrast microscopy method for the detection of fibrous and other elongated mineral particulates by comparison with a STEM technique. *Am Ind Hyg Assoc J.* 48: 471-477. <http://dx.doi.org/10.1080/15298668791385066>.
- Snyder-Talkington, BN; Dong, C; Porter, DW; Ducatman, B; Wolfarth, MG; Andrew, M; Battelli, L; Raese, R; Castranova, V; Guo, NL; Qian, Y. (2016). Multiwalled carbon nanotube-induced pulmonary inflammatory and fibrotic responses and genomic changes following aspiration exposure in mice: A 1-year postexposure study. *J Toxicol Environ Health A.* 79: 352-366. <http://dx.doi.org/10.1080/15287394.2016.1159635>.
- Soares Monteiro, LV; Xavier, RP; Hitzman, MW; Juliani, C; de Souza Filho, CR; Carvalho, E, deR. (2008). Mineral chemistry of ore and hydrothermal alteration at the Sossego iron oxide-copper-gold deposit, Carajas Mineral Province, Brazil. *Ore Geol Rev.* 34: 317-336. <http://dx.doi.org/10.1016/j.oregeorev.2008.01.003>.
- Society, AC. (1986). OSHA REDUCES ALLOWED ASBESTOS EXPOSURE. *Chem Eng News.* 64: 7-8.
- Soda, Y; Wenk, HR. (2014). Antigorite crystallographic preferred orientations in serpentinites from Japan. *Tectonophysics.* 615: 199-212. <http://dx.doi.org/10.1016/j.tecto.2013.12.016>.
- Soeberg, MJ; Creighton, N; Currow, DC; Young, JM; van Zandwijk, N. (2016). Patterns in the incidence, mortality and survival of malignant pleural and peritoneal mesothelioma, New South Wales, 1972-2009. *Aust N Z J Public Health.* 40: 255-262. <http://dx.doi.org/10.1111/1753-6405.12503>.
- Soeberg, MJ; Leigh, J; Driscoll, T; Armstrong, B; Young, JM; van Zandwijk, N. (2016). Incidence and survival trends for malignant pleural and peritoneal mesothelioma, Australia, 1982-2009. *Occup Environ Med.* 73: 187-194. <http://dx.doi.org/10.1136/oemed-2015-103309>.
- Soeberg, MJ; Luong, MA; Tran, VT; Tran, AT; Nguyen, TT; Bui, D; Nguyen, TH; Takahashi, K; van Zandwijk, N. (2016). Estimating the incidence of malignant mesothelioma in Vietnam: a pilot descriptive cancer registration study. *Int J Occup Environ Health.* 22: 167-172. <http://dx.doi.org/10.1080/10773525.2016.1151604>.
- Soffritti, M; Chiozzotto, D; Belpoggi, F. (2009). [The role of scientific research in the identification of occupational carcinogenic agents: The contribution of the Cesare Maltoni Cancer research center of the European Ramazzini Foundation] [Review]. *Epidemiol Prev.* 33: 57-67.
- Soffritti, M; Falcioni, L; Bua, L; Tibaldi, E; Manservigi, M; Belpoggi, F. (2013). Potential carcinogenic effects of world trade center dust after intratracheal instillation to Sprague-Dawley rats: first observation. *Am J Ind Med.* 56: 155-162. <http://dx.doi.org/10.1002/ajim.22109>.
- Sohn, JR. (2002). Catalytic activities of nickel-containing catalysts for ethylene dimerization and butene isomerization and their relationship to acidic properties. *Catalysis Today.* 73: 197-209.
- Soler, JM; Cama, J; Gali, S; Melendez, W; Ramirez, A; Estanga, J. (2008). Composition and dissolution kinetics of garnierite from the Loma de Hierro Ni-laterite deposit, Venezuela. *Chem Geol.* 249: 191-202. <http://dx.doi.org/10.1016/j.chemgeo.2007.12.012>.
- Solomon, A. (1991). Radiological features of asbestos-related visceral pleural changes [Review]. *Am J Ind Med.* 19: 339-355.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Solomon, A. (2002). Semantics and the application of the ILO classification: the need for recording visceral pleural manifestations separately [Letter]. *Int J Occup Environ Health*. 8: 288-289. <http://dx.doi.org/10.1179/107735202800338849>.
- Solomon, A; Rubin, AH; Bar-Ziv, J; Carel, R. (1991). Inflammation of the visceral pleura, a nonspecific asbestos-related pleural reaction: chest radiograph and computed tomograph correlation. *Am J Ind Med*. 20: 49-55.
- Somarin, AK; Mumin, AH. (2014). P-T composition and evolution of paleofluids in the Paleoproterozoic Mag Hill IOCG system, Contact Lake belt, Northwest Territories, Canada. *Miner Depos*. 49: 199-215. <http://dx.doi.org/10.1007/s00126-013-0482-3>.
- Somiya, Y; Higo, N; Yoshida, N. (2012). Combination of Rolling Vibration and Serpentinite Induces the Formation of Penetration-Intermediates. *Geomicrobiology Journal*. 29: 820-829. <http://dx.doi.org/10.1080/01490451.2011.635756>.
- Sommer, H. (2009). "Wet" low angle subduction: a possible mechanism below the Tanzania craton 2 Ga ago. *Mineralogy and Petrology*. 96: 113-120. <http://dx.doi.org/10.1007/s00710-009-0048-3>.
- Sommer, H; Regenauer-Lieb, K; Gasharova, B; Jung, H. (2012). The formation of volcanic centers at the Colorado Plateau as a result of the passage of aqueous fluid through the oceanic lithosphere and the subcontinental mantle: New implications for the planetary water cycle in the western United States. *J Geodyn*. 61: 154-171. <http://dx.doi.org/10.1016/j.jog.2012.05.001>.
- Sonak, S; Sonak, M; Giriyan, A. (2008). Shipping hazardous waste: implications for economically developing countries. *International Environmental Agreements: Politics, Law and Economics*. 8: 143-159.
- Sonenshine, DE; Silverstein, RM; Plummer, E; West, JR; McCullough, T. (1976). 2,6-DICHLOROPHENOL, THE SEX PHEROMONE OF THE ROCKY MOUNTAIN WOOD TICK, *Dermacentor andersoni* STILES AND THE AMERICAN DOG TICK, *Dermacentor variabilis* (SAY). *J Chem Ecol*. 2: 201-209.
- Song, XY; Zhou, MF; Cao, ZM; Sun, M; Wang, YL. (2003). Ni-Cu-(PGE) magmatic sulfide deposits in the Yangliuping area, Permian Emeishan Igneous province, SW China. *Miner Depos*. 38: 831-843. <http://dx.doi.org/10.1007/s00126-003-0362-3>.
- Sonkar, SK; Tripathi, KM; Sarkar, S. (2014). Ferromagnetic behaviour of anthropogenic multi-walled carbon nanotubes trapped in spider web indoor. *J Nanosci Nanotechnol*. 14: 2532-2538. <http://dx.doi.org/10.1166/jnn.2014.8524>.
- Sood, A; Gee, JBL. (1997). Asbestos-related pleural plaques and pleural thickening: Functional consequences. *Indoor Built Environ*. 6: 114-118. <http://dx.doi.org/10.1177/1420326X9700600210>.
- Sorahan, T. (2012). Cancer incidence in UK electricity generation and transmission workers, 1973-2008. *Occup Med (Lond)*. 62: 496-505. <http://dx.doi.org/10.1093/occmed/kqs152>.
- Sorahan, T; Kinlen, LJ; Doll, R. (2005). Cancer risks in a historical UK cohort of benzene exposed workers. *Occup Environ Med*. 62: 231-236. <http://dx.doi.org/10.1136/oem.2004.015628>.
- Soroshian, P; Marikunte, S; Won, JP. (1994). WOOD FIBER-REINFORCED CEMENT COMPOSITES UNDER WETTING-DRYING AND FREEZING-THAWING CYCLES. *Journal of Materials in Civil Engineering*. 6: 595-611.
- Soskolne, CL; Jhangri, GS; Siemiatycki, J; Lakhani, R; Dewar, R; Burch, JD; Howe, GR; Miller, AB. (1992). Occupational exposure to sulfuric acid in southern Ontario, Canada, in association with laryngeal cancer. *Scand J Work Environ Health*. 18: 225-232.
- Sostaric, SB; Palinkas, AL; Neubauer, F; Cvetkovic, V; Bernroider, M; Genser, J. (2014). The origin and age of the metamorphic sole from the Rogozna Mts., Western Vardar Belt: New evidence for the one-ocean model for the Balkan ophiolites. *Lithos*. 192: 39-55. <http://dx.doi.org/10.1016/j.lithos.2014.01.011>.
- Soto, K; Garza, KM; Murr, LE. (2007). Cytotoxic effects of aggregated nanomaterials. *Acta Biomater*. 3: 351-358. <http://dx.doi.org/10.1016/j.actbio.2006.11.004>.
- Soto, KF; Carrasco, A; Powell, TG; Garza, KM; Murr, LE. (2005). Comparative in vitro cytotoxicity assessment of some manufactured nanoparticulate materials characterized by transmission electron microscopy. *J Nanopart Res*. 7: 145-169. <http://dx.doi.org/10.1007/s11051-005-3473-1>.
- Soto, KF; Carrasco, A; Powell, TG; Murr, LE; Garza, KM. (2006). Biological effects of nanoparticulate materials. *Mater Sci Eng C*. 26: 1421-1427. <http://dx.doi.org/10.1016/j.msec.2005.08.002>.
- Souza, C, deF; Campos, JA; dos Santos, CR; Bressan, WS; Mogami, CA. (2008). Methane volumetric yield - swine wastes. *Ciencia e Agrotecnologia*. 32: 219-224.
- Souza, TM; Luz, AP; Santos, T, Jr; Gimenes, DC; Miglioli, MM; Correa, AM; Pandolfelli, VC. (2014). Phosphate chemical binder as an anti-hydration additive for Al₂O₃-MgO refractory castables. *Ceramics International*. 40: 1503-1512. <http://dx.doi.org/10.1016/j.ceramint.2013.07.035>.
- Souzasantos, HD; Yada, K. (1979). THERMAL TRANSFORMATION OF CHRYSOTILE STUDIED BY HIGH-RESOLUTION ELECTRON-MICROSCOPY. *Clays and Clay Minerals*. 27: 161-174.
- Sowjanya, BL; Devi, KR; Madhavi, D. (2009). Modulatory effects of garlic extract against the cyclophosphamide induced genotoxicity in human lymphocytes in vitro. *J Environ Biol*. 30: 663-666.
- Spandler, C; Pettke, T; Hermann, J. (2014). Experimental study of trace element release during ultrahigh-pressure serpentinite dehydration. *Earth Planet Sci Lett*. 391: 296-306. <http://dx.doi.org/10.1016/j.epsl.2014.02.010>.
- Spandler, C; Pettke, T; Rubatto, D. (2011). Internal and External Fluid Sources for Eclogite-facies Veins in the Monviso Meta-ophiolite, Western Alps: Implications for Fluid Flow in Subduction Zones. *Journal of Petrology*. 52: 1207-1236. <http://dx.doi.org/10.1093/petrology/egr025>.
- Speight, RG; Marsh, AH. (1984). Use of a cowl in asbestos air sampling. *Ann Occup Hyg*. 28: 353-354.
- Spence, LA; Aschengrau, A; Gallagher, LE; Webster, TF; Heeren, TC; Ozonoff, DM. (2008). Evaluation of the Webber-Brown model for estimating tetrachloroethylene exposure from vinyl-lined asbestos-cement pipes. *Environ Health*. 7: 24. <http://dx.doi.org/10.1186/1476-069X-7-24>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Spicer, RC; Gangloff, HJ. (2016). Permutation/randomization-based inference for environmental data. *Environ Monit Assess.* 188: 147. <http://dx.doi.org/10.1007/s10661-016-5090-0>.
- Spier, CA; Ferreira, CFF. (2001). The chromite deposits of the Bacuri mafic-ultramafic layered complex, Guyana shield, Amapa State, Brazil. *Econ Geol.* 96: 817-835.
- Spinato, C; Giust, D; Vacchi, IA; Menard-Moyon, C; Kostarelos, K; Bianco, A. (2016). Different chemical strategies to aminate oxidised multi-walled carbon nanotubes for siRNA complexation and delivery. 4: 431-441. <http://dx.doi.org/10.1039/c5tb02088c>.
- Spiridonov, AM; Gnilusha, VA. (1995). Regional to detailed geochemical mapping of the Kariisk ore district, eastern Trans-Baikal region, Russia. *J Geochem Explor.* 55: 67-74.
- Spirtas, R; Keehn, R; Wright, W; Stark, A; Beebe, G; Dickson, E. (1985). MESOTHELIOMA RISK RELATED TO OCCUPATIONAL OR OTHER ASBESTOS EXPOSURE - PRELIMINARY-RESULTS FROM A CASE-CONTROL STUDY. *Am J Epidemiol.* 122: 518-518.
- Spince, NL; Oliver, LC; Mcloud, TC; Ginns, LC. (1992). T-cell alveolitis in lung lavage of asbestos-exposed subjects. *Am J Ind Med.* 21: 311-319.
- Sprung, S; Hoenig, V; Schneider, C. (1997). New process for utilizing asbestos cement products. 50: A29-A30.
- Spurny, K; Marfels, H; Boose, C; Weiss, G; Opiela, H; Wulbeck, FJ. (1988). [Measurement of the fibrous dusts in West Germany. Fiber concentration in the vicinity of objects and buildings with asbestos-containing building materials]. *Zentralbl Bakteriol, Mikrobiol Hyg, Ser B.* 187: 136-141.
- Spurny, K; Marfels, H; Boose, C; Weiss, G; Opiela, H; Wulbeck, FJ. (1988). MEASUREMENTS OF FIBROUS DUSTS IN AMBIENT AIR OF THE FEDERAL-REPUBLIC-OF-GERMANY - AMBIENT AIR CONCENTRATIONS OF ASBESTOS FIBERS IN THE VICINITY OF BUILDINGS WITH ASBESTOS CONTAINING MATERIALS. *Zentralbl Bakteriol Mikrobiol Hyg.* 187: 136-141.
- Spurny, K; Marfels, H; Boose, C; Weiss, G; Opiela, H; Wulbeck, FJ. (1989). ON THE MEASUREMENT OF FIBER EMISSIONS FROM WEATHERED AND CORRODED ASBESTOS-CEMENT-PRODUCTS .1. FIBER RELEASE IN THE AMBIENT AIR. *Zentralblatt fuer Hygiene und Umweltmedizin.* 188: 127-143.
- Spurny, K; Marfels, H; Boose, C; Weiss, G; Opiela, H; Wulbeck, FJ. (1989). ON THE MEASUREMENT OF FIBER EMISSIONS FROM WEATHERED AND CORRODED ASBESTOS-CEMENT-PRODUCTS .2. PHYSICAL AND CHEMICAL-PROPERTIES OF THE RELEASED ASBESTOS FIBERS. *Zentralblatt fuer Hygiene und Umweltmedizin.* 188: 262-270.
- Spurny, K; Marfels, H; Weiss, G; Boose, C; Schormann, J; Opiela, H. (1987). ON THE MEASUREMENT OF ASBESTOS CONTAINING INDUSTRIAL EMISSIONS. *Staub, Reinhaltung der Luft.* 47: 151-153.
- Spurny, K; Pott, F; Huth, F; Weiss, G; Opiela, H. (1979). IDENTIFICATION AND CARCINOGENICITY OF FIBROUS ACTINOLITE FROM A QUARRY. *Staub, Reinhaltung der Luft.* 39: 386-389.
- Spurny, KR. (1989). Asbestos Fibre Release by Corroded and Weathered Asbestos-Cement Products (pp. 367-371). (ISSN 0300-5038; NIOSH/00191373). Spurny, KR.
- Spurny, KR. (1991). AEROSOL PENETRATION THROUGH PROTECTIVE CLOTHING. *J Aerosol Sci.* 22: S789-S792.
- Spurny, KR. (1993). ANTHROPOGENIC ASBESTOS IN SOILS. *Z Pflanzenernaehr Bodenkd.* 156: 177-180.
- Spurny, KR; Pott, F; Stoeber, W; Opiela, H; Schoermann, J; Weiss, G. (1983). On the chemical changes of asbestos fibers and MMMFs in biologic residence and in the environment: part 1. *Am Ind Hyg Assoc J.* 44: 833-845.
- Spurny, KR; Stober, W; Ackerman, ER; Lodge, JP; Spurny, K. (1976). SAMPLING AND ELECTRON-MICROSCOPY OF ASBESTOS AEROSOL IN AMBIENT AIR BY MEANS OF NUCLEPORE FILTERS. *J Air Pollut Control Assoc.* 26: 496-498.
- Spurny, KR; Stöber, W; Opiela, H; Weiss, G. (1980). On the problem of milling and ultrasonic treatment of asbestos and glass fibers in biological and analytical applications. *Am Ind Hyg Assoc J.* 41: 198-203.
- Sreenath Reddy, M; Yadagiri Reddy, P; Rama Reddy, K; Eappen, KP; Ramachandran, TV; Mayya, YS. (2008). Indoor radon levels in urban Hyderabad area, Andhra Pradesh, India. *Radiat Prot Dosimetry.* 132: 403-408. <http://dx.doi.org/10.1093/rpd/ncn311>.
- Srivastava, RK; Lohani, M; Pant, AB; Rahman, Q. (2010). Cyto-genotoxicity of amphibole asbestos fibers in cultured human lung epithelial cell line: role of surface iron. *Toxicol Ind Health.* 26: 575-582. <http://dx.doi.org/10.1177/0748233710374464>.
- Stallard, E. (2001). Product liability forecasting for asbestos-related personal injury claims: a multidisciplinary approach [Review]. *Ann N Y Acad Sci.* 954: 223-244.
- Stamatis, G; Gartzos, E. (1999). The silica supersaturated waters of northern Evia and eastern central Greece. *Hydrolog Process.* 13: 2833-2845.
- Stanbury, M; Rosenman, KD. (1987). A METHODOLOGY FOR IDENTIFYING WORKERS EXPOSED TO ASBESTOS SINCE 1940. *Am J Public Health.* 77: 854-855.
- Stanbury, M; Solice-Sample, G; Pescatore, J. (1993). Asbestos disease risk communication conducted by the New Jersey Department of Health. *Am J Ind Med.* 23: 97-104.
- Stanford, MK; Jain, VK. (2001). Friction and wear characteristics of hard coatings. *Wear.* 251: 990-996.
- Stanik, IA; Cedzynska, K; Zakowska, Z. (2006). Destruction of the chrysotile asbestos structure with a population of bacteria *Lactobacillus casei* and *Lactobacillus plantarum*. *Fresen Environ Bull.* 15: 640-643.
- Stavisky, LP. (1982). State responsibility for the control of asbestos in the schools. *J Sch Health.* 52: 358-364.
- Stayner, L; Bailer, AJ; Smith, R; Gilbert, S; Rice, F; Kuempel, E. (1999). Sources of uncertainty in dose-response modeling of epidemiological data for cancer risk assessment. *Ann N Y Acad Sci.* 895: 212-222. <http://dx.doi.org/10.1111/j.1749-6632.1999.tb08087.x>.
- Stayner, L; Kuempel, E; Rice, F; Prince, M; Althouse, R. (1996). Approaches for assessing the efficacy of occupational health and safety standards [Review]. *Am J Ind Med.* 29: 353-357. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199604\)29:4<353::AID-AJIM14>3.0.CO;2-0](http://dx.doi.org/10.1002/(SICI)1097-0274(199604)29:4<353::AID-AJIM14>3.0.CO;2-0).
- Steen, B. (1991). Sveriges befolknings exponering foer kvaevexider och mutagena aemnen i luft. (Exposure of the Swedish population to nitrogen oxides and mutagenic substances in the air) (pp. 29). (NTIS/O2986822). Steen, B.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Steen, D; Guillemin, MP; Buffat, P; Litzistorf, G. (1983). DETERMINATION OF ASBESTOS FIBERS IN AIR TRANSMISSION ELECTRON-MICROSCOPY AS A REFERENCE METHOD. *Atmos Environ.* 17: 2285-2297.
- Steenland, K. (2002). Ten-year update on mortality among mild-steel welders. *Scand J Work Environ Health.* 28: 163-167.
- Steenland, K. (2005). One agent, many diseases: exposure-response data and comparative risks of different outcomes following silica exposure. *Am J Ind Med.* 48: 16-23. <http://dx.doi.org/10.1002/ajim.20181>.
- Steenland, K; Beaumont, J; Elliot, L. (1991). LUNG-CANCER IN MILD-STEEL WELDERS. *Am J Epidemiol.* 133: 220-229.
- Steenland, K; Brown, D. (1995). Mortality study of gold miners exposed to silica and nonasbestiform amphibole minerals: an update with 14 more years of follow-up. *Am J Ind Med.* 27: 217-229.
- Steenland, K; Tucker, J; Salvan, A. (1993). Problems in assessing the relative predictive value of internal markers versus external exposure in chronic disease epidemiology [Review]. *Cancer Epidemiol Biomarkers Prev.* 2: 487-491.
- Stegne, M; Liu, M; Tammemagi, G. (2010). THE ROLE OF ASBESTOS EXPOSURE AND PULMONARY FUNCTION IN THE PREDICTION OF PULMONARY FIBROSIS. *Am J Epidemiol.* 171: S87-S87.
- Steinau, P. (1984). SUBSTITUTION FIBERS FOR ASBESTOS. 37: 567-568.
- Steiner, WE; Koehler J, LM; Popenuck, WW. (1990). GUADALUPE CORRIDOR TRANSPORTATION PROJECT ASBESTOS HEALTH RISK ASSESSMENT SAN JOSE CALIFORNIA USA (pp. 18-22). (BIOSIS/90/24490). Steiner, WE; Koehler J, LM; Popenuck, WW.
- Steiner, WE; Koehler, JL; Popenuck, WW. (1990). Guadalupe corridor transportation project asbestos health risk assessment, San Jose, California. *Sci Total Environ.* 93: 115-124.
- Steinle, P; Schafer, M; Roth, P. (2016). Emission of asbestos fibers and other elongated mineral particles when working with serpentine rocks - a differentiated analytical approach. *Gefahrst Reinhalt Luft.* 76: 173-182.
- Steinmaus, CM; Ferreccio, C; Romo, JA; Yuan, Y; Cortes, S; Marshall, G; Moore, LE; Balmes, JR; Liaw, J; Golden, T; Smith, AH. (2013). Drinking water arsenic in northern Chile: High cancer risks 40 years after exposure cessation. *Cancer Epidemiol Biomarkers Prev.* 22: 623-630. <http://dx.doi.org/10.1158/1055-9965.EPI-12-1190>.
- Stella, GM. (2011). Carbon nanotubes and pleural damage: Perspectives of nanosafety in the light of asbestos experience [Review]. *Biointerphases.* 6: P1-P17. <http://dx.doi.org/10.1116/1.3582324>.
- Stellman, SD. (2003). Issues of causality in the history of occupational epidemiology. *Soz Praventivmed.* 48: 151-160. <http://dx.doi.org/10.1007/s00038-003-1051-9>.
- Stellman, SD; Demers, PA; Colin, D; Boffetta, P. (1998). Cancer mortality and wood dust exposure among participants in the American Cancer Society Cancer Prevention Study-II (CPS-II). *Am J Ind Med.* 34: 229-237. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199809\)34:3<229::AID-AJIM4>3.0.CO;2-Q](http://dx.doi.org/10.1002/(SICI)1097-0274(199809)34:3<229::AID-AJIM4>3.0.CO;2-Q).
- Stephenson, D. (1993). AMPHIBOLES FROM DALRADIAN METASEDIMENTARY ROCKS OF NE SCOTLAND - ENVIRONMENTAL INFERENCES AND DISTINCTION FROM AMPHIBOLES OF META-IGNEOUS AMPHIBOLITES. *Mineralogy and Petrology.* 49: 45-62.
- Stephenson, D. (1994). AMPHIBOLES FROM DALRADIAN METASEDIMENTARY ROCKS OF NE SCOTLAND - ENVIRONMENTAL INFERENCES AND DISTINCTION FROM AMPHIBOLES OF META-IGNEOUS AMPHIBOLITES. *Mineralogy and Petrology.* 51: 241-242.
- Sterling, TD; Collett, CW; Rosenbaum, WL; Weinkam, JJ. (1993). Comments on the health effects institute-asbestos research (HEI-AR) report: "Asbestos in public and commercial building," with emphasis on risk assessment methods used. *Am J Ind Med.* 24: 767-781.
- Sterling, TD; Glicksman, A; Perry, H; Sterling, DA; Rosenbaum, WL; Weinkam, JJ. (1996). An alternative explanation for the apparent elevated relative mortality and morbidity risks associated with exposure to environmental tobacco smoke. *J Clin Epidemiol.* 49: 803-808.
- Sterling, TP; Rosenbaum, WL; Weinkam, JJ. (1994). ASBESTOS EXPOSURES IN PUBLIC AND COMMERCIAL BUILDINGS - COMMENTARY. *Am J Ind Med.* 26: 845-847.
- Sterling, TP; Rosenbaum, WL; Weinkam, JJ. (1995). RE - ASBESTOS EXPOSURES IN PUBLIC AND COMMERCIAL BUILDINGS. *Am J Ind Med.* 27: 439-441.
- Stern, F; Schulte, P; Sweeney, MH; Fingerhut, M; Vossen, P; Burkhardt, G; Kornak, MF. (1995). Proportionate mortality among construction laborers. *Am J Ind Med.* 27: 485-509.
- Stern, FB; Sweeney, MH; Ward, E. (1997). Proportionate mortality among unionized construction ironworkers. *Am J Ind Med.* 31: 176-187.
- Stevens, RH; Cole, DA; Cheng, HF; Hodge, JA; Will, LA. (1983). Cell-mediated cytotoxicity expressed by lymphoid cells from rats with asbestos-induced peritoneal mesothelioma towards rat fetal cell. *Environ Health Perspect.* 51: 91-96.
- Stevens, RH; Will, LA; Cole, DA; Meek, ES; Frank, CW; Donham, KJ. (1979). CYCLIC NUCLEOTIDE CONCENTRATIONS IN ASBESTOS-INDUCED RAT PERITONEAL MESOTHELIOMA. *Environ Res.* 19: 442-448.
- Stewart, DJ; Edwards, JG; Smythe, WR; Waller, DA; O'Byrne, KJ. (2004). Malignant pleural mesothelioma--an update [Review]. *Int J Occup Environ Health.* 10: 26-39. <http://dx.doi.org/10.1179/oeh.2004.10.1.26>.
- Stewart, PA; Coble, JB; Vermeulen, R; Schleiff, P; Blair, A; Lubin, J; Attfield, M; Silverman, DT. (2010). The diesel exhaust in miners study: I. Overview of the exposure assessment process. *Ann Occup Hyg.* 54: 728-746. <http://dx.doi.org/10.1093/annhyg/meq022>.
- Stewart, W; Matanoski, G. (1984). THE RELATIONSHIP BETWEEN ASBESTOS EXPOSURE AND LUNG-CANCER CELL TYPE. *Am J Epidemiol.* 120: 459-459.
- Stewart-Taylor, AJ; Cherrie, JW. (1998). Does risk perception affect behaviour and exposure? A pilot study amongst asbestos workers. *Ann Occup Hyg.* 42: 565-569.
- Stocks, AI; Giezendanner, H; Vandenhurk, H. (1985). ASBESTOS-FREE CLUTCHES AND BRAKES REINFORCED WITH KEVLAR ARAMID FIBERS. *Int J Vehicle Des.* 6: 483-487.
- Stocks, SJ; Turner, S; Carder, M; Hussey, L; Mcnamee, R; Agius, RM. (2010). Medically reported work-related ill-health in the UK agricultural sector. *Occup Med (Lond).* 60: 340-347. <http://dx.doi.org/10.1093/occmed/kqq038>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Stojadinovic, J; Wiedenmann, D; Gorbar, M; La Mantia, F; Suarez, L; Zakaznova-Herzog, V; Vogt, UF; Grobety, B; Zuetzel, A. (2012). Electrochemical Characterization of Porous Diaphragms in Development for Gas Separation. 1: F25-F28. <http://dx.doi.org/10.1149/2.002204eel>.
- Stolkin, I; Ruttner, J. R.; Sahu, AP; Schibli, L; Spycher, MA. (1981). ELECTRON-MICROSCOPIC DETERMINATION OF THE NUMBER AND SIZE DISTRIBUTION OF MINERAL FIBERS IN ASBESTOS AND NON-ASBESTOS EXPOSED LUNGS. *Staub, Reinhaltung der Luft*. 41: 118-122.
- Storchi, C; Romanelli, A. (2010). MALIGNANT MESOTHELIOMA IN EMILIA-ROMAGNA AND IN ITALY: INCIDENCE AND EXPOSURE TO ASBESTOS IN COMPARISON. *Epidemiol Prev*. 34: 227-227.
- Straif, K; Chambless, L; Weiland, SK; Wienke, A; Bungers, M; Taeger, D; Keil, U. (1999). Occupational risk factors for mortality from stomach and lung cancer among rubber workers: an analysis using internal controls and refined exposure assessment. *Int J Epidemiol*. 28: 1037-1043.
- Straif, K; Silverstein, M. (1997). Comparison of US Occupational Safety and Health Administration standards and German Berufsgenossenschaften guidelines for preventive occupational health examinations. *Am J Ind Med*. 31: 373-380.
- Straif, K; Stayner, L; Demers, PA; Landrigan, PJ. (2012). Use of meta-analyses by IARC Working Groups [Letter]. *Environ Health Perspect*. 120: A342-A343. <http://dx.doi.org/10.1289/ehp.1205397>.
- Straka, M; Cehlar, M; Khouri, S; Trebuna, P; Rosova, A; Malindzakova, M. (2016). Asbestos exposure and minimization of risks at its disposal by applying the principles of logistics. *Przemysł Chemiczny*. 95: 963-970. <http://dx.doi.org/10.15199/62.2016.5.13>.
- Strating, EHH; Vissers, RLM. (1991). DEHYDRATION-INDUCED FRACTURING OF ECLOGITE-FACIES PERIDOTITES - IMPLICATIONS FOR THE MECHANICAL-BEHAVIOR OF SUBDUCTING OCEANIC LITHOSPHERE. *Tectonophysics*. 200: 187-198.
- Stratta, P; Messuerotti, A; Canavese, C; Coen, M; Luccoli, L; Bussolati, B; Giorda, L; Malavenda, P; Cacciabue, M; Bugiani, M; Bo, M; Ventura, M; Camussi, G; Fubini, B. (2001). The role of metals in autoimmune vasculitis: epidemiological and pathogenic study. *Sci Total Environ*. 270: 179-190. [http://dx.doi.org/10.1016/S0048-9697\(00\)00800-7](http://dx.doi.org/10.1016/S0048-9697(00)00800-7).
- Strauchen, JA. (2011). Rarity of malignant mesothelioma prior to the widespread commercial introduction of asbestos: the Mount Sinai autopsy experience 1883-1910. *Am J Ind Med*. 54: 467-469. <http://dx.doi.org/10.1002/ajim.20951>.
- Stringer, B; Kobzik, L. (1998). Environmental particulate-mediated cytokine production in lung epithelial cells (A549): role of preexisting inflammation and oxidant stress. *J Toxicol Environ Health A*. 55: 31-44.
- Stroink, G; Lim, D; Dunlap, RA. (1987). A Mössbauer-effect study of autopsied lung tissue of asbestos workers. *Phys Med Biol*. 32: 203-211.
- Strom, KA; Yu, CP. (1994). MATHEMATICAL-MODELING OF SILICON-CARBIDE WHISKER DEPOSITION IN THE LUNG - COMPARISON BETWEEN RATS AND HUMANS. *Aerosol Sci Technol*. 21: 193-209.
- Stroszejn-Mrowca, G. (1982). [Correlations between selected indicators of asbestos dust pollution of the work environment]. *Med Pr*. 33: 163-169.
- Stroszejn-Mrowca, G; Szczepaniak, M. (1993). [Microscopic quality control--numeric representation of asbestos fiber concentration in environmental air of the workplace]. *Med Pr*. 44: 153-159.
- Stuckemeier, I; Dettmann, P; Mangold, K; Schweers, H. (1999). Similitude theory considerations in the production of calcium hydrosilicates from lime-rich mixtures. 52: 264-+.
- Sturm, R. (2011). A computer model for the simulation of fiber-cell interaction in the alveolar region of the respiratory tract. *Comput Biol Med*. 41: 565-573. <http://dx.doi.org/10.1016/j.combiomed.2011.05.009>.
- Styles, MT; Sanna, A; Lacinska, AM; Naden, J; Maroto-Valer, M. (2014). The variation in composition of ultramafic rocks and the effect on their suitability for carbon dioxide sequestration by mineralization following acid leaching. *Greenhouse Gases*. 4: 440-451. <http://dx.doi.org/10.1002/ghg.1405>.
- Su, CM; Suarez, DL. (2004). Boron release from weathering of illites, serpentine, shales, and illitic/palygorskitic soils. *Soil Sci Soc Am J*. 68: 96-105.
- Su, SC. (2003). A rapid and accurate procedure for the determination of refractive indices of regulated asbestos minerals. *Am Mineral*. 88: 1979-1982.
- Su, W, eiC; Cheng, YS. (2006). Deposition of fiber in a human airway replica. *J Aerosol Sci*. 37: 1429-1441. <http://dx.doi.org/10.1016/j.jaerosci.2006.01.015>.
- Su, WH. (1996). Indoor air pollution. *Resour Conservat Recycl*. 16: 77-91.
- Su, Y; Tang, H; Sylvester, PJ; Liu, C; Qu, W; Hou, G; Cong, F. (2007). Petrogenesis of Karamaili alkaline A-type granites from East Junggar, Xinjiang (NW China) and their relationship with tin mineralization. *Geochemical Journal*. 41: 341-357.
- Subbanna, GN; Kutty, TRN; Iyer, GVA. (1985). INFLUENCE OF STRUCTURAL DEFECTS ON GAS-ADSORPTION PROPERTIES OF ANTHOPHYLLITE ASBESTOS. *Mater Chem Phys*. 13: 97-104.
- Suchanek, W; Suda, H; Yashima, M; Kakahana, M; Yoshimura, M. (1995). BIOCOMPATIBLE WHISKERS WITH CONTROLLED MORPHOLOGY AND STOICHIOMETRY. *J Mater Res*. 10: 521-529.
- Sucik, G; Szaboova, A; Popovic, L; Hrsak, D. (2016). THE RELATIONSHIP BETWEEN THERMAL TREATMENT OF SERPENTINE AND ITS REACTIVITY. *Materiali in Tehnologije*. 50: 55-58.
- Sueno, S; Matsuura, S; Gibbs, GV; Boisen, MB. (1998). A crystal chemical study of protoanthophyllite: orthoamphiboles with the protoamphibole structure. *Physics and Chemistry of Minerals*. 25: 366-377.
- Sugama, T; Sabatini, R; Petrakis, L. (1998). Decomposition of chrysotile asbestos by fluorosulfonic acid. *Ind Eng Chem Res*. 37: 79-88.
- Suganuma, N; Kusaka, Y; Hiraga, Y; Hosoda, Y; Shida, H; Morikubo, H; Matsumoto, T. (2001). Asbestos-related pleural abnormalities detected by chest X-ray: Fair agreement with detection by computed tomography. *J Occup Health*. 43: 365-370.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Sugozu, I; Mutlu, I; Sugozu, KB. (2016). The effect of coemanite on the friction performance of automotive brake friction materials. *Industrial Lubrication & Tribology*. 68: 92-98. <http://dx.doi.org/10.1108/ILT-04-2015-0044>.
- Suk, WA; Ruchirawat, KM; Balakrishnan, K; Berger, M; Carpenter, D; Damstra, T; de Garbino, JP; Koh, D; Landrigan, PJ; Makalinao, I; Sly, PD; Xu, Y; Zheng, BS. (2003). Environmental threats to children's health in Southeast Asia and the Western Pacific [Review]. *Environ Health Perspect*. 111: 1340-1347. <http://dx.doi.org/10.1289/ehp.6059>.
- Sullivan, PA; Cooper, G. (2008). Rheumatoid arthritis in an asbestos-exposed occupational cohort. *Am J Epidemiol*. 167: S117-S117.
- Sulotto, F; Capellaro, E; Chiesa, A; Villari, S; Bontempi, S; Scansetti, G. (1997). Relationship between asbestos bodies in sputum and the number of specimens. *Scand J Work Environ Health*. 23: 48-53.
- Sun, S; Ji, S; Michibayashi, K; Salisbury, M. (2016). Effects of olivine fabric, melt-rock reaction, and hydration on the seismic properties of peridotites: Insight from the Luobusha ophiolite in the Tibetan Plateau. *J Geophys Res Solid Earth*. 121: 3300-3323. <http://dx.doi.org/10.1002/2015JB012579>.
- Sun, X; Zhu, XQ; Tang, H; Zhang, Q; Luo, T. (2014). The Gongchangling BIFs from the Anshan-Benxi area, NE China: Petrological-geochemical characteristics and genesis of high-grade iron ores. *Ore Geol Rev*. 60: 112-125. <http://dx.doi.org/10.1016/j.oregeorev.2013.12.017>.
- Sun, XH, ui; Zhu, XQ; Tang, H, aoShu; Zhang, Q; Luo, T, aiYi. (2014). Reprint of "The Gongchangling BIFs from the Anshan-Benxi area, NE China: Petrological-geochemical characteristics and genesis of high-grade iron ores". *Ore Geol Rev*. 63: 374-387. <http://dx.doi.org/10.1016/j.oregeorev.2014.06.002>.
- Suquet, H. (1989). EFFECTS OF DRY GRINDING AND LEACHING ON THE CRYSTAL-STRUCTURE OF CHRYSOTILE. *Clays and Clay Minerals*. 37: 439-445.
- Suraj, G; Iyer, CSP; Rugmini, S; Lalithambika, M. (1997). The effect of micronization on kaolinites and their sorption behaviour. *Appl Clay Sci*. 12: 111-130.
- Surour, AA. (2017). Chemistry of serpentine "polymorphs" in the Pan-African serpentinites from the Eastern Desert of Egypt, with an emphasis on the effect of superimposed thermal metamorphism. *Mineralogy and Petrology*. 111: 99-119. <http://dx.doi.org/10.1007/s00710-016-0460-4>.
- Suslova, TB; Cheremisina, ZP; Korkina, LG. (1994). FREE-RADICAL GENERATION DURING INTERACTION OF CHRYSOTILE ASBESTOS WITH NATURAL COMPOUNDS. *Environ Res*. 66: 222-234. <http://dx.doi.org/10.1006/enrs.1994.1058>.
- Suzuki, T; Sakakibara, Y; Hisanaga, N; Sakai, K; Yu, IJ; Lim, HS; Mikamo, H; Seno, H; Kobayashi, F; Shibata, E. (2016). The association among ferruginous body, uncoated fibers, asbestos and non-asbestos fibers in lung tissue in terms of length. *Ind Health*. 54: 370-376. <http://dx.doi.org/10.2486/indhealth.2015-0159>.
- Suzuki, Y. (2001). Pathology of human malignant mesothelioma--preliminary analysis of 1,517 mesothelioma cases. *Ind Health*. 39: 183-185.
- Suzuki, Y; Aita, S; Hoshino, T; Iwata, H. (1976). APPLICATION OF ANALYTICAL ELECTRON MICROSCOPY FOR DETECTION OF SUB MICROSCOPIC ASBESTOS IN TISSUES. *Am J Pathol*. 82.
- Suzuki, Y; Kipen, H; Lilis, R; Selikoff, IJ. (1987). Pulmonary fibrosis in asbestos insulation workers with lung cancer [Letter]. *Br J Ind Med*. 44: 719-720.
- Suzuki, Y; Yuen, S. (2002). Asbestos fibers contributing to the induction of human malignant mesothelioma. *Ann N Y Acad Sci*. 982: 160-176.
- Suzuki, Y; Yuen, SR. (2001). Asbestos tissue burden study on human malignant mesothelioma. *Ind Health*. 39: 150-160. <http://dx.doi.org/10.2486/indhealth.39.150>.
- Suzuki, Y; Yuen, SR; Ashley, R. (2005). Short, thin asbestos fibers contribute to the development of human malignant mesothelioma: pathological evidence [Review]. *Int J Hyg Environ Health*. 208: 201-210. <http://dx.doi.org/10.1016/j.ijheh.2005.01.015>.
- Sveinbjornsdottir, AE. (1991). COMPOSITION OF GEOTHERMAL MINERALS FROM SALINE AND DILUTE FLUIDS - KRAFLA AND REYKJANES, ICELAND. *Lithos*. 27: 301-315.
- Svensden, K; Hilt, B. (1997). Exposure to mineral oil mist and respiratory symptoms in marine engineers. *Am J Ind Med*. 32: 84-89.
- Svensden, K; Hilt, B. (1999). Lung function disturbances and chest X-ray abnormalities among marine engineers. *Am J Ind Med*. 35: 590-594. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199906\)35:6<590::AID-AJIM6>3.0.CO;2-D](http://dx.doi.org/10.1002/(SICI)1097-0274(199906)35:6<590::AID-AJIM6>3.0.CO;2-D).
- Svensson, I; Artursson, E; Leanderson, P; Berglund, R; Lindgren, F. (1997). Toxicity In Vitro of Some Silicon Carbides and Silicon Nitrides: Whiskers and Powders. *Am J Ind Med*. 31: 335-343.
- Swart, J; Mendonidis, P; Pienaar, C. (2009). THE ELECTRICAL PROPERTIES OF CHLORITE TREMOLITE MARBLE MEASURED FOR A RANGE OF RADIO FREQUENCIES. *Mineral Processing and Extractive Metallurgy Review*. 30: 307-326. <http://dx.doi.org/10.1080/08827500902956252>.
- Swartjes, FA; Tromp, PC. (2008). A tiered approach for the assessment of the human health risks of asbestos in soils. *Soil Sediment Contam*. 17: 137-149. <http://dx.doi.org/10.1080/15320380701870484>.
- Swayze, GA; Higgins, CT; Clinkenbeard, JP; Kokaly, RF; Clark, RN; Meeker, GP; Sutley, SJ. (2005). Using imaging spectroscopy to map ultramafic rocks, serpentinites, and tremolite-actinolite-bearing rocks in California. *Geochim Cosmo Acta*. 69: A191-A191.
- Swiatkowska, B. (2013). [Legal aspects of workers' health protection against asbestos in Poland in the light of the EU legal framework] [Review]. *Med Pr*. 64: 689-697.
- Swiatkowska, B. (2014). Continued Spirometry Changes After Cessation of Exposure in Asbestos-Cement Workers (vol 56, pg 403, 2014). *J Occup Environ Med*. 56: E141-E141. <http://dx.doi.org/10.1097/JOM.0000000000000308>.
- Swuste, P; Burdorf, A; Ruers, B. (2004). Asbestos, asbestos-related diseases, and compensation claims in The Netherlands [Review]. *Int J Occup Environ Health*. 10: 159-165. <http://dx.doi.org/10.1179/oeht.2004.10.2.159>.
- Sysila, S; Laapas, H; Heiskanen, K; Ruokonen, E. (1996). The effect of surface potential on the flotation of chromite. *Miner Eng*. 9: 519-525.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Szabo, S; Burai, P; Kovacs, Z; Szabo, G; Kerenyi, A; Fazekas, I; Paladi, M; Buday, T; Szabo, G. (2014). TESTING ALGORITHMS FOR THE IDENTIFICATION OF ASBESTOS ROOFING BASED ON HYPERSPECTRAL DATA. *Environmental Engineering and Management Journal*. 13: 2875-2880.
- Szecsody, JE; Truex, MJ; Zhong, L; Johnson, TC; Qafoku, NP; Williams, MD; Greenwood, WJ; Wallin, EL; Bargar, JD; Faurie, DK. (2012). Geochemical and Geophysical Changes during Ammonia Gas Treatment of Vadose Zone Sediments for Uranium Remediation. *Vadose Zone Journal*. 11. <http://dx.doi.org/10.2136/vzj2011.0158>.
- Szeinuk, J; Noonan, CW; Henschke, CI; Pfau, J; Black, B; Miller, A; Yankelevitz, DF; Liang, M; Liu, Y; Yip, R; Linker, L; Mcnew, T; Flores, RM. (2017). Pulmonary abnormalities as a result of exposure to Libby amphibole during childhood and adolescence-The Pre-Adult Latency Study (PALS). *Am J Ind Med*. 60: 20-34. <http://dx.doi.org/10.1002/ajim.22674>.
- Szeinuk, J; Wilk-Rivard, EJ. (2007). Case report: Silicatosi in a carpet installer. *Environ Health Perspect*. 115: 932-935. <http://dx.doi.org/10.1289/ehp.9691>.
- Szeszenia-Dabrowska, N. (2013). Legal aspects of the protection of the health of workers against asbestos in Poland in the light of the EU's legal framework (vol 64(5), pg 689,2013). *Med Pr*. 64.
- Szuster-Janiaczyk, A. (2016). The microbiological evaluation of deposits come from water network on the example of selected water supply system. *Rocznik Ochrona Srodowiska*. 18: 815-827.
- Szyba, K; Lange, A. (1983). PRESENTATION OF BENZO(A)PYRENE TO MICROSOMAL ENZYMES BY ASBESTOS FIBERS IN THE SALMONELLA/MAMMALIAN MICROSOME MUTAGENICITY TEST (pp. 337-341). (ISSN 0091-6765; EISSN 1552-9924; EMICBACK/55863). Szyba, K; Lange, A.
- 'T Mannelte, A; Brennan, P; Zaridze, D; Szeszenia-Dabrowska, N; Rudnai, P; Lissowska, J; Fabianova, E; Cassidy, A; Mates, D; Bencko, V; Foretova, L; Janout, V; Fevotte, J; Fletcher, T; Boffetta, P. (2012). Welding and Lung Cancer in Central and Eastern Europe and the United Kingdom. *Am J Epidemiol*. 175: 706-714. <http://dx.doi.org/10.1093/aje/kwr358>.
- 'T Mannelte, A; Kromhout, H. (2003). The use of occupation and industry classifications in general population studies. *Int J Epidemiol*. 32: 419-428. <http://dx.doi.org/10.1093/ije/dyg080>.
- Tabata, M; Shono, A; Ghaffar, A. (2016). Decomposition of asbestos by a supernatant used for immobilization of heavy metals in fly ash. *Journal of Material Cycles and Waste Management*. 18: 483-492. <http://dx.doi.org/10.1007/s10163-016-0491-2>.
- Tabesh, M; Delavar, MR; Delkhah, A. (2010). Use of geospatial information system based tool for renovation and rehabilitation of water distribution systems. *Int J Environ Sci Tech*. 7: 47-58.
- Tabet, L; Bussy, C; Amara, N; Setyan, A, ri; Grodet, A; Rossi, MJ; Pairon, JC; Boczkowski, J; Lanone, S. (2009). Adverse Effects of Industrial Multiwalled Carbon Nanotubes on Human Pulmonary Cells. *J Toxicol Environ Health A*. 72: 60-73. <http://dx.doi.org/10.1080/15287390802476991>.
- Tachiyama, Y; Izumi, K; Kawanishi, M. (1990). Secular trends in incidence and degree of concentration of asbestos bodies in autopsied lungs in Hiroshima prefecture (Japan) (1957-1987) (pp. 25-34). (BIOSIS/90/17479). Tachiyama, Y; Izumi, K; Kawanishi, M.
- Tadas, P; Dainius, M; Edvinas, K; Linas, K; Maksim, K; Axel, Z. (2011). Comparative characterization of particle emissions from asbestos and non-asbestos cement roof slates. *Build Environ*. 46: 2295-2302. <http://dx.doi.org/10.1016/j.buildenv.2011.05.010>.
- Taddeo, D. (2006). Point of view of Occupational Health Prevention Units. *Med Lav*. 97: 458-462.
- Taeger, D; Gawrych, K; Brüning, T. (2016). Validity of mesothelin in occupational medicine practice [Letter]. *Int J Occup Med Environ Health*. 29: 879-880. <http://dx.doi.org/10.13075/ijomeh.1896.01062>.
- Taha, I. (2012). Investigation of flax fibre reinforced epoxy friction composites. *Materwiss Werksttech*. 43: 1059-1066. <http://dx.doi.org/10.1002/mawe.201200067>.
- Takabe, K; Tsukada, Y; Shimizu, T; Takagiwa, J; Hirayama, M; Nakayama, M; Miura, H; Akabane, H; Takayama, S; Aida, S. (1997). [The clinical utility of asbestos body counts in bronchoalveolar lavage fluid]. *Nihon Kyobu Shikkan Gakkai Zasshi*. 35: 1196-1204.
- Takahashi; Pan; Kasai; Hanaoka; Feng; Liu; Zhang; Xu; Tsuda; Yamato; Higashi; Okubo. (1997). Relationship between Asbestos Exposures and 8-Hydroxydeoxyguanosine Levels in Leukocytic DNA of Workers at a Chinese Asbestos-material Plant. *Int J Occup Environ Health*. 3: 111-119. <http://dx.doi.org/10.1179/oeh.1997.3.2.111>.
- Takahashi, K; Initiative, AA. (2008). Asbestos-related diseases: time for technology sharing [Editorial]. *Occup Med (Lond)*. 58: 384-385. <http://dx.doi.org/10.1093/ocmed/kqn086>.
- Takahashi, K; Landrigan, PJ. (2016). The global health dimensions of asbestos and asbestos-related diseases. *Ind Health*. 54: 87-91. <http://dx.doi.org/10.2486/indhealth.cr01>.
- Takahashi, K; Landrigan, PJ; Ramazzini, C. (2016). The Global Health Dimensions of Asbestos and Asbestos-Related Diseases. *J Occup Health*. 82: 209-213. <http://dx.doi.org/10.1016/j.aogh.2016.01.019>.
- Takahashi, M; Uehara, SI; Mizoguchi, K; Shimizu, I; Okazaki, K; Masuda, K. (2011). On the transient response of serpentine (antigorite) gouge to stepwise changes in slip velocity under high-temperature conditions. *J Geophys Res Solid Earth*. 116. <http://dx.doi.org/10.1029/2010JB008062>.
- Takahashi, T; Munakata, M; Takekawa, H; Homma, Y; Kawakami, Y. (1996). Pulmonary fibrosis in a carpenter with long-lasting exposure to fiberglass. *Am J Ind Med*. 30: 596-600.
- Takahashi, Y; Miyaki, K; Nakayama, T. (2007). Analysis of news of the Japanese asbestos panic: a supposedly resolved issue that turned out to be a time bomb. *J Public Health (Oxf)*. 29: 62-69. <http://dx.doi.org/10.1093/pubmed/fdl081>.
- Takaya, M; Serita, F; Yamazaki, K; Aiso, S; Kubota, H; Asakura, M; Ikawa, N; Nagano, K; Arito, H; Fukushima, S. (2010). Characteristics of Multiwall Carbon Nanotubes for an Intratracheal Instillation Study with Rats. *Ind Health*. 48: 452-459.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Takeda, H; Hashimoto, S; Okuda, A; Honda, S; Awaji, H; Fukuda, K. (2007). Detoxification of sprayed amosite. *Ceramic Society of Japan Journal*. 115: 562-566.
- Takemura, T; Rom, WN; Ferrans, VJ; Crystal, RG. (1989). Morphologic characterization of alveolar macrophages from subjects with occupational exposure to inorganic particles. *Am Rev Respir Dis*. 140: 1674-1685. <http://dx.doi.org/10.1164/ajrccm/140.6.1674>.
- Takir, D; Emery, JP; Mcsween, HY, Jr; Hibbitts, CA; Clark, RN; Pearson, N; Wang, A. (2013). Nature and degree of aqueous alteration in CM and CI carbonaceous chondrites. *Meteoritics and Planetary Science*. 48: 1618-1637. <http://dx.doi.org/10.1111/maps.12171>.
- Talegaonkar, RP; Gopinath, K. (2009). Influence of Alumina Fiber Content on Properties of Non-Asbestos Organic Brake Friction Material. *Journal of Reinforced Plastics and Composites*. 28: 2069-2081. <http://dx.doi.org/10.1177/0731684408091684>.
- Tamura, T; Suganuma, N; Hering, KG; Vehmas, T; Itoh, H; Akira, M; Takashima, Y; Hirano, H; Kusaka, Y. (2015). Relationships (I) of International Classification of High-resolution Computed Tomography for Occupational and Environmental Respiratory Diseases with the ILO International Classification of Radiographs of Pneumoconioses for parenchymal abnormalities. *Ind Health*. 53: 260-270. <http://dx.doi.org/10.2486/indhealth.2014-0073>.
- Tanaka, I; Yamato, H; Oyabu, T; Ogami, A. (2001). Biopersistence of man-made fibers by animal inhalation experiments in recent reports. *Ind Health*. 39: 114-118. <http://dx.doi.org/10.2486/indhealth.39.114>.
- Tang, KM; Nace, CG, Jr; Lynes, CL; Maddaloni, MA; Laposta, D; Callahan, KC. (2004). Characterization of background concentrations in upper Manhattan, New York apartments for select contaminants identified in World Trade Center dust. *Environ Sci Technol*. 38: 6482-6490. <http://dx.doi.org/10.1021/es035468r>.
- Tang, KM; Nace, CG; Maddaloni, MA; Harkay, JD; Graham, DR; Koustas, RN; Rotola, JD; Laposta, D; Callahan, KC. (2004). Evaluation of vacuum and wet-wipe methods for removal of World Trade Center dust from indoor environments. *Journal of the Air and Waste Management Association*. 54: 1293-1298. <http://dx.doi.org/10.1080/10473289.2004.10470992>.
- Tang, X; Feng, Q; Liu, K, un; Tan, Y, an. (2016). Synthesis and characterization of a novel nanofibrous TiO₂/SiO₂ composite with enhanced photocatalytic activity. *Mater Lett*. 183: 175-178. <http://dx.doi.org/10.1016/j.matlet.2016.07.103>.
- Tannahill, SN; Jackson, MH; Willey, RJ. (1990). Effect of Cowl on Air Samples for Amosite in the Workplace and in the Laboratory. *Ann Occup Hyg*. 34: 521-527.
- Tao, G; Zu, K; Kerper, LE; Goodman, JE. (2015). Comment on "HRCT/CT and associated spirometric effects of low Libby Amphibole asbestos exposure" by Lockey et al (2015) [Comment]. *J Occup Environ Med*. 57: e80. <http://dx.doi.org/10.1097/JOM.0000000000000463>.
- Tarter, ME. (1983). ANSWERS TO SOME QUESTIONS RAISED BY THE PRESENTATION ON THE GRAPHICAL ANALYSIS OF THE INTERRELATIONSHIPS BETWEEN WATERBORNE ASBESTOS, DIGESTIVE-SYSTEM CANCER AND POPULATION-DENSITY. *Environ Health Perspect*. 53: 193-194.
- Tarter, ME; Cooper, RC; Freeman, WR. (1983). A graphical analysis of the interrelationships among waterborne asbestos, digestive system cancer and population density. *Environ Health Perspect*. 53: 79-89.
- Tashiro, H; Yoshida, F. (1990). ANALYSIS OF AXIAL AND RADIAL STRESS-DISTRIBUTION IN PACKING IN STUFFING-BOX SEALS TAKING ACCOUNT OF STRESS-RELAXATION. 33: 597-602.
- Tat, M; Simionescu, C. (1972). FUNCTIONAL RESPIRATORY CHANGES BY INFLUENCE OF CONCENTRATIONS OF CEMENT, MICA, MARBLE, ASBESTOS AND COAL DUST. *Archives des Maladies Professionnelles et de Médecine du Travail*. 33: 553-+.
- Tat, M; Simionescu, C. (1972). Respiratory functional changes caused by the effects of various dust concentrations. *Arch Mal Prof Med Trav Secur Soc*. 33: 10-11.
- Taunton, AE; Gunter, ME; Druschel, GK; Wood, SA. (2010). Geochemistry in the lung: Reaction-path modeling and experimental examination of rock-forming minerals under physiologic conditions. *Am Mineral*. 95: 1624-1635. <http://dx.doi.org/10.2138/am.2010.3434>.
- Taunton, AE; Gunter, ME; Nolan, RP; Phillips, JI. (2011). Characterization of minerals in pleural plaques from lung tissue of non-human primates. *Periodico di Mineralogia*. 80: 167-179. <http://dx.doi.org/10.2451/2011PM0014>.
- Taunton, AE; Wood, SA; Gunter, ME. (2002). The thermodynamics of asbestos mineral dissolution and conversion in the human lung. *Geochim Cosmo Acta*. 66: A765-A765.
- Tavani, A; Negri, E; Franceschi, S; Barbone, F; Lavecchia, C. (1994). ATTRIBUTABLE RISK FOR LARYNGEAL-CANCER IN NORTHERN ITALY. *Cancer Epidemiol Biomarkers Prev*. 3: 121-125.
- Taylor, DG; Baron, PA; Shulman, SA; Carter, JW. (1984). Identification And Counting Of Asbestos Fibers. *Am Ind Hyg Assoc J*. 45: 84-88.
- Taylor, ES; Wylie, AG; Mossman, BT; Lower, SK. (2013). Repetitive dissociation from crocidolite asbestos acts as persistent signal for epidermal growth factor receptor. *Langmuir*. 29: 6323-6330. <http://dx.doi.org/10.1021/la400561t>.
- Taylor, RL; Taylor, MS; Noguchi, TT. (1975). APPLICATIONS OF SCANNING ELECTRON MICROSCOPIC X-RAY ANALYSIS AT THE LOS-ANGELES COUNTY CALIFORNIA USA FORENSIC SCIENCE CENTER (pp. PART 1). (HEEP/75/10828). Taylor, RL; Taylor, MS; Noguchi, TT.
- Teagle, DAH; Alt, JC. (2004). Hydrothermal alteration of basalts beneath the Bent Hill massive sulfide deposit, Middle Valley, Juan de Fuca Ridge. *Econ Geol*. 99: 561-584.
- Teichert, U. (1986). IMMISSION THROUGH ASBESTOS CEMENT PRODUCTS .1. Staub, Reinhaltung der Luft. 46: 432-434.
- Teichert, U. (1986). IMMISSION THROUGH ASBESTOS CEMENT PRODUCTS .2. Staub, Reinhaltung der Luft. 46: 484-486.
- Teixeira, A, naPC; Purceno, AD; Barros, AS; Lemos, BRS; Ardisson, JD; Macedo, WAA; Nassor, ECO; Amorim, CC; Moura, FCC; Hernandez-Terrones, MG; Portela, FM; Lago, RM. (2012). Amphiphilic magnetic composites based on layered vermiculite and fibrous chrysotile with carbon nanostructures: Application in catalysis. *Catalysis Today*. 190: 133-143. <http://dx.doi.org/10.1016/j.cattod.2012.01.042>.
- Teixeira, A, naPC; Santos, EM; Vieira, AFP; Lago, RM. (2013). Use of chrysotile to produce highly dispersed K-doped MgO catalyst for biodiesel synthesis. *Chem Eng J*. 232: 104-110. <http://dx.doi.org/10.1016/j.cej.2013.07.065>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Teixeira, AP; Purceno, AD; de Paula, CC; da Silva, JC; Ardisson, JD; Lago, RM. (2013). Efficient and versatile fibrous adsorbent based on magnetic amphiphilic composites of chrysotile/carbon nanostructures for the removal of ethynilestradiol. *J Hazard Mater.* 248-249: 295-302. <http://dx.doi.org/10.1016/j.jhazmat.2013.01.014>.
- Telle-Lamberton, M; Bergot, D; Gagneau, M; Samson, E; Giraud, JM; Neron, MO; Hubert, P. (2004). Cancer mortality among French Atomic Energy Commission workers. *Am J Ind Med.* 45: 34-44. <http://dx.doi.org/10.1002/ajim.10306>.
- Terada, T; Hiramatsu, Y; Mizukami, T. (2013). Shear wave anisotropy beneath the volcanic front in South Kyushu area, Japan: Development of C-type olivine CPO under H₂O-rich conditions. *J Geophys Res Solid Earth.* 118: 4253-4264. <http://dx.doi.org/10.1002/jgrb.50300>.
- Terracini, B; Mirabelli, D; Baur, X; Landrigan, P; Ramazzini, C. (2016). Comments on the causation of malignant mesothelioma: Rebutting the false concept that recent exposures to asbestos do not contribute to causation of mesothelioma. *Am J Ind Med.* 59: 506-507. <http://dx.doi.org/10.1002/ajim.22590>.
- Terracini, B; Mirabelli, D; Baur, X; Landrigan, PJ; Ramazzini, C. (2016). Re: Comments on the causation of malignant mesothelioma: Rebutting the false concept that recent exposures to asbestos do not contribute to causation of mesothelioma. *Am J Ind Med.* 59: 1180-1182. <http://dx.doi.org/10.1002/ajim.22663>.
- Terzano, R; Spagnuolo, M; Vekemans, B; De Nolf, W; Janssens, K; Falkenberg, G; Flore, S; Ruggiero, P. (2007). Assessing the origin and fate of Cr, Ni, Cu, Zn, Pb, and V in industrial polluted soil by combined microspectroscopic techniques and bulk extraction methods. *Environ Sci Technol.* 41: 6762-6769. <http://dx.doi.org/10.1021/es070260h>.
- Teschke, K; Olshan, AF; Daniels, JL; De Roos, AJ; Parks, CG; Schulz, M; Vaughan, TL. (2002). Occupational exposure assessment in case-control studies: Opportunities for improvement [Review]. *Occup Environ Med.* 59: 575-594. <http://dx.doi.org/10.1136/oem.59.9.575>.
- Teschler, H; Friedrichs, KH; Soltner, U; Fiegen, R; Konietzko, N; Costabel, U. (1992). COMPARISON OF COATED AND UNCOATED ASBESTOS FIBER CONTENT IN BRONCHOALVEOLAR LAVAGE AND LUNG TISSUE (pp. 17-20). (BIOSIS/92/20034). Teschler, H; Friedrichs, KH; Soltner, U; Fiegen, R; Konietzko, N; Costabel, U.
- Teta, MJ. (2004). RE: Asbestos in brakes: exposure and risk of disease [Letter]. *Am J Ind Med.* 46: 312-314; author reply 315-318. <http://dx.doi.org/10.1002/ajim.20060>.
- Tharr, D; 19Ed. (1993). Exposure to Different Metals during the Demolition of Oil-Fired Boilers. *Appl Occup Environ Hyg.* 8: 151-152.
- Thébaud-Mony, A. (2003). Justice for asbestos victims and the politics of compensation: the French experience. *Int J Occup Environ Health.* 9: 280-286. <http://dx.doi.org/10.1179/oeh.2003.9.3.280>.
- Thebaud-Mony, A; Badouraly, P; Ben Abdesselam, H; Boujasson, L; Chi, D; Lepetit, C; Levy, M; Grassulo, V; Vincenti, M; Deseve, G; Delmas, G; Breau, JL; Casassus, P; Onc, VA; Le Toumelin, P; Martin, A; Couilliot, MF; Boiron, C; Mathieu, M; Virally, J; Herman, D; Savatovsky, I; Choudat, L; Mbunga, JCL; Brunel, P; Piquet, J; Collon, T; Chait, Y; Adotti, F; Hery, M; Sterdyniak, JM; Bobbio, A; Bodart, JC; Bernard, F; Cousaut, P; Creau, Y; Hasni-Pichard, H; Laureillard, J; Pezerat, H; Selliez, S; 93, RS. (2005). Occupational cancer in a Paris suburb: First results of a proactive research study in Seine Saint-Denis. *Int J Occup Environ Health.* 11: 263-275.
- Theophilus, JP. (1988). EXPERIENCES IN CLEARING LARGE SITES SEVERELY CONTAMINATED WITH ASBESTOS (pp. DORDRECHT). (BIOSIS/88/35770). Theophilus, JP.
- Theriault, GP; Grandbois, L. (1978). MESOTHELIOMA AND ASBESTOS IN PROVINCE OF QUEBEC, 1969-1972. *Arch Environ Health.* 33: 15-19.
- Thiyagarajan, V; Kalaichelvan, K; Srinivasan, K; Venugopal, S; Vijay, R. (2015). INFLUENCE OF SPECIFIC HEAT CAPACITY ON HYBRID NON-ASBESTOS BRAKE PAD FORMULATION. *Balkan Tribological Association Journal.* 21: 102-119.
- Thiyagarajan, V; Kalaichelvan, K; Vijay, R; Singaravelu, DL. (2016). Influence of thermal conductivity and thermal stability on the fade and recovery characteristics of non-asbestos semi-metallic disc brake pad. *J Braz Soc Mech Sci & Eng.* 38: 1207-1219. <http://dx.doi.org/10.1007/s40430-015-0448-8>.
- Thom, JGM; Dipple, GM; Power, I, anM; Harrison, AL. (2013). Chrysotile dissolution rates: Implications for carbon sequestration. *Appl Geochem.* 35: 244-254. <http://dx.doi.org/10.1016/j.apgeochem.2013.04.016>.
- Thomas, RG; Sluis-Cremer, GK. (1977). 200 kV xeroradiography in occupational exposure to silica and asbestos. *Br J Ind Med.* 34: 281-290.
- Thomas, SF; Mckillop, GR. (1986). SUBSTITUTE MATERIALS TO REPLACE ASBESTOS IN REFINERY-SERVICE GASKETS AND PACKINGS. *Oil and Gas Journal.* 84: 47-51.
- Thomassin, JH; Goni, J; Touray, JC; Jaurand, MC; Baillif, P. (1977). XPS STUDY OF DISSOLUTION KINETICS OF CHRYSOTILE IN 0.1N OXALIC-ACID AT DIFFERENT TEMPERATURES. *Physics and Chemistry of Minerals.* 1: 385-398.
- Thompson, CJ; Loring, JS; Rosso, KM; Wang, Z. (2013). Comparative reactivity study of forsterite and antigorite in wet supercritical CO₂ by in situ infrared spectroscopy. *Int J Greenhouse Gas Control.* 18: 246-255. <http://dx.doi.org/10.1016/j.ijggc.2013.07.007>.
- Thompson, EC; Campbell, AJ; Liu, Z. (2016). In-situ infrared spectroscopic studies of hydroxyl in amphiboles at high pressure. *Am Mineral.* 101: 706-712. <http://dx.doi.org/10.2138/am-2016-5465>.
- Thomson, JG. (1965). Asbestos and the urban dweller. *Ann N Y Acad Sci.* 132: 196-214.
- Thomson, JG; Graves, WM. (1966). Asbestos as an urban air contaminant. *Arch Pathol.* 81: 458-464.
- Thomson, R; Webster, I; Kilroe-Smith, TA. (1974). The metabolism of benzo(a)pyrene in rat liver microsomes: The effect of asbestos-associated metal ions and pH. *Environ Res.* 7: 149-157.
- Thornburg, J. (2011). A Validated Approach for Assessing Exposure to Asbestos in Soil. *Epidemiology.* 22: S71-S72.
- Thornburg, J; Kominsky, J; Brown, GG; Frechtel, P; Barrett, W; Shaul, G. (2010). A model to predict the breathing zone concentrations of particles emitted from surfaces. *J Environ Monit.* 12: 973-980. <http://dx.doi.org/10.1039/b919385e>.
- Thurauf, J; Valentin, H. (1977). PLEURAL CHANGES AFTER EXPOSURE TO ASBESTOS - THEIR IMPORTANCE AND VALUATION. *Arbeitsmedizin, Sozialmedizin, Praeventivmedizin.* 12: 198-200.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Thurton, DAW; Sabnis, G; Raval, P. (2013). Performance of various semi-engineered roof deck systems under high velocity winds. *Scientia Iranica*. 20: 34-43. <http://dx.doi.org/10.1016/j.scient.2012.11.001>.
- Tian, L, in; Ahmadi, G. (2013). Fiber transport and deposition in human upper tracheobronchial airways. *J Aerosol Sci*. 60: 1-20. <http://dx.doi.org/10.1016/j.jaerosci.2013.02.001>.
- Tian, L, in; Ahmadi, G. (2016). On Nano-Ellipsoid Transport and Deposition in the Lung First Bifurcation-Effect of Slip Correction. *Journal of Fluids Engineering*. 138. <http://dx.doi.org/10.1115/1.4033997>.
- Tian, L, in; Ahmadi, G. (2016). Transport and deposition of nano-fibers in human upper tracheobronchial airways. *J Aerosol Sci*. 91: 22-32. <http://dx.doi.org/10.1016/j.jaerosci.2015.09.002>.
- Tian, M; Ague, J, ayJ. (2014). The impact of porosity waves on crustal reaction progress and CO₂ mass transfer. *Earth Planet Sci Lett*. 390: 80-92. <http://dx.doi.org/10.1016/j.epsl.2013.12.044>.
- Tiitola, M; Kivisaari, L; Zitting, A; Huuskonen, MS; Kaleva, S; Tossavainen, A; Vehmas, T. (2002). Computed tomography of asbestos-related pleural abnormalities. *Int Arch Occup Environ Health*. 75: 224-228. <http://dx.doi.org/10.1007/s00420-001-0297-x>.
- Tilkes, F. (1985). INVESTIGATION OF CYTOTOXICITY OF RESPIRABLE FIBERS FROM ASBESTOS-CEMENT PRODUCTS (pp. 16-17). (ISSN 0174-3015; BIOSIS/86/24697). Tilkes, F.
- Tilkes, F; Beck, EG. (1988). INVESTIGATIONS OF THE CYTOTOXICITY AND CARCINOGENICITY OF INHALABLE FIBERS FROM ASBESTOS CEMENT PRODUCTS (pp. 7-10). (ISSN 0174-3015; BIOSIS/89/08875). Tilkes, F; Beck, EG.
- Tillett, S; Sullivan, P. (1993). Asbestos screening and education programs for building and construction trades unions. *Am J Ind Med*. 23: 143-152.
- Tilly, TB; Kerr, L; Braydich-Stolle, LK; Schlager, JJ; Hussain, SM. (2014). Dispersions of geometric TiO₂ nanomaterials and their toxicity to RPMI 2650 nasal epithelial cells. *J Nanopart Res*. 16. <http://dx.doi.org/10.1007/s11051-014-2695-5>.
- Timbrell, V; Rendall, REG. (1972). PREPARATION OF IUCC STANDARD REFERENCE SAMPLES OF ASBESTOS. *Powder Technology*. 5: 279-&.
- Timmermans, K. (2008). International jurisprudence on trade and environmental health: one step forward, two steps back? *Int J Occup Environ Health*. 14: 307-316. <http://dx.doi.org/10.1179/oeh.2008.14.4.307>.
- Timon Sanchez, SM; Moro Benito, MC; Cembranos Perez, ML. (2009). Mineralogical and Physiochemical Evolution of the Los Santos Scheelite Skarn, Salamanca, NW Spain. *Econ Geol*. 104: 961-995.
- Titulaer, MK; Vanmiltenburg, JC; Jansen, JBH; Geus, JW. (1993). CHARACTERIZATION OF TUBULAR CHRYSOTILE BY THERMOPOROMETRY, NITROGEN SORPTION, DRIFTS, AND TEM. *Clays and Clay Minerals*. 41: 496-513.
- Tiwari, RR. (2013). Agreement between chest radiography and high-resolution computed tomography in diagnosing dust-related interstitial lung fibrosis. *Toxicol Ind Health*. 31: 235-238. <http://dx.doi.org/10.1177/0748233712471703>.
- Tiwary, A; Deb, M. (1997). Geochemistry of hydrothermal alteration at the Deri massive sulphide deposit, Sirohi district, Rajasthan, NW India. *J Geochem Explor*. 59: 99-121.
- Tobiszewski, M; Polkowska, Z; Konieczka, P; Namiesnik, J. (2010). Roofing Materials as Pollution Emitters - Concentration Changes during Runoff. *Pol J Environ Stud*. 19: 1019-1028.
- Todd, D. (1977). MOVING A BATTERY TO ALLOW ACCESS FOR SEALING ASBESTOS. 70: 196-196.
- Todd, JC. (1979). ASBESTOS - PRODUCTS BASIC STRENGTH WILL WEATHER SLOWING IN DEMAND AND INTENSIFIED HEALTH ISSUE. *EandMJ: Engineering and Mining Journal*. 180: 173-176.
- Toft, P; Meek, ME. (1983). ASBESTOS IN DRINKING-WATER - A CANADIAN VIEW. *Environ Health Perspect*. 53: 177-180.
- Toft, P; Meek, ME; Wigle, DT; Meranger, JC. (1984). ASBESTOS IN DRINKING-WATER. 14: 151-197.
- Toft, P; Wigle, DT; Meranger, JC; Mao, Y. (1981). Asbestos and drinking water in Canada. *Sci Total Environ*. 18: 77-89.
- Tomasson, K; Gudmundsson, G; Briem, H; Rafnsson, V. (2016). Malignant mesothelioma incidence by nation-wide cancer registry: a population-based study. 11: 37. <http://dx.doi.org/10.1186/s12995-016-0127-4>.
- Tomatis, L; Cantoni, S; Carnevale, F; Merler, E; Mollo, F; Ricci, P; Silvestri, S; Vineis, P; Terracini, B. (2007). The role of asbestos fiber dimensions in the prevention of mesothelioma [Review]. *Int J Occup Environ Health*. 13: 64-69. <http://dx.doi.org/10.1179/oeh.2007.13.1.64>.
- Tomatis, M; Prandi, L; Bodoardo, S; Fubini, B. (2002). Loss of surface reactivity upon heating amphibole asbestos. *Langmuir*. 18: 4345-4350. <http://dx.doi.org/10.1021/la011609w>.
- Tomilenko, AA; Chepurov, AI; Sonin, VM; Bul'bak, TA; Zhimulev, EI; Chepurov, AA; Timina, TY, u; Pokhilenko, NP. (2015). The synthesis of methane and heavier hydrocarbons in the system graphite-iron-serpentine at 2 and 4 GPa and 1200 degrees C. *High Temperatures - High Pressures*. 44: 451-465.
- Tonosaki, M; Sueyoshi, S; Oribe, Y. (1998). Effects of mass additions on the vibration and noise of a light frame full-scale modeled floor. 44: 103-108.
- Tornos, F; Casquet, C; Relvas, JMR, S. (2005). 4: Transpressional tectonics, lower crust decoupling and intrusion of deep mafic sills: A model for the unusual metallogenesis of SW Iberia. *Ore Geol Rev*. 27: 133-163. <http://dx.doi.org/10.1016/j.oregeorev.2005.07.020>.
- Tornos, F; Delgado, A; Casquet, C; Galindo, C. (2000). 300 Million years of episodic hydrothermal activity: stable isotope evidence from hydrothermal rocks of the Eastern Iberian Central System. *Miner Depos*. 35: 551-569.
- Torro, L; Garcia-Casco, A; Proenza, JA; Blanco-Quintero, IF; Gutierrez-Alonso, G; Lewis, JF. (2016). High-pressure greenschist to blueschist facies transition in the Maimon Formation (Dominican Republic) suggests mid-Cretaceous subduction of the Early Cretaceous Caribbean arc. *Lithos*. 266: 309-331. <http://dx.doi.org/10.1016/j.lithos.2016.10.026>.
- Touray, JC; Thomassin, JH; Gabis, V. (1979). MECHANISMS OF CHRYSOTILE DISSOLUTION. *Ann Chimie Sci Materiaux*. 4: 568-568.
- Tourmann, JL; Kaufmann, R. (1993). LASER MICROPROBE MASS-SPECTROMETRY (LAMMS) OF COAL-MINE DUSTS - SINGLE-PARTICLE ANALYSIS AND TOXICITY CORRELATION. *Int J Environ Anal Chem*. 52: 215-227.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Tourmann, JL; Kaufmann, R. (1994). BIOPERSISTENCE OF THE MINERAL MATTER OF COAL-MINE DUSTS IN SILICOTIC HUMAN LUNGS - IS THERE A PREFERENTIAL RELEASE OF IRON. *Environ Health Perspect.* 102: 265-268.
- Toussaint, CJ; Bo, F. (1985). ABOUT THE QUANTITATIVE-DETERMINATION OF CHRYSOTILE ASBESTOS AND ALPHA-QUARTZ IN AIRBORNE DUSTS BY X-RAY-DIFFRACTION. *Int J Environ Anal Chem.* 21: 1-8.
- Townley, B; Roperch, P; Oliveros, V; Tassara, A; Arriagada, C. (2007). 6Hydrothermal alteration and magnetic properties of rocks in the Carolina de Michilla stratabound copper district, northern Chile. *Miner Depos.* 42: 771-789. <http://dx.doi.org/10.1007/s00126-007-0134-6>.
- Tran, CL; Tantra, R; Donaldson, K; Stone, V; Hankin, SM; Ross, B; Aitken, RJ; Jones, AD. (2011). A hypothetical model for predicting the toxicity of high aspect ratio nanoparticles (HARN). *J Nanopart Res.* 13: 6683-6698. <http://dx.doi.org/10.1007/s11051-011-0575-9>.
- Trancu, TC. (1975). CEMENT-ASBESTOS BUILDING PANELS SAWN DRY MORE CHEAPLY WITH DIAMOND. 401-401.
- Treggiari, MM; Weiss, NS. (2004). Occupational asbestos exposure and the incidence of non-Hodgkin lymphoma of the gastrointestinal tract: an ecologic study. *Ann Epidemiol.* 14: 168-171. [http://dx.doi.org/10.1016/S1047-2797\(03\)00241-2](http://dx.doi.org/10.1016/S1047-2797(03)00241-2).
- Tribaudino, M; Bruno, M; Iezzi, G; Della Ventura, G; Margiolaki, I. (2008). The thermal behavior of richterite. *Am Mineral.* 93: 1659-1665. <http://dx.doi.org/10.2138/am.2008.2895>.
- Trittschack, R, oy; Grobety, B. (2013). The dehydroxylation of chrysotile: A combined in situ micro-Raman and micro-FTIR study. *Am Mineral.* 98: 1133-1145. <http://dx.doi.org/10.2138/am.2013.4352>.
- Trittschack, R, oy; Grobety, B; Brodard, P. (2014). Kinetics of the chrysotile and brucite dehydroxylation reaction: a combined non-isothermal/isothermal thermogravimetric analysis and high-temperature X-ray powder diffraction study. *Physics and Chemistry of Minerals.* 41: 197-214. <http://dx.doi.org/10.1007/s00269-013-0638-9>.
- Trittschack, R, oy; Grobety, B; Koch-Mueller, M. (2012). In situ high-temperature Raman and FTIR spectroscopy of the phase transformation of lizardite. *Am Mineral.* 97: 1965-1976. <http://dx.doi.org/10.2138/am.2012.4162>.
- Trommsdorff, V; Hermann, J; Muntener, O; Pfiffner, M; Risold, AC. (2000). Geodynamic cycles of subcontinental lithosphere in the Central Alps and the Arami enigma. *J Geodyn.* 30: 77-92.
- Trommsdorff, V; Sanchez-Vizcaino, VL; Gomez-Pugnaire, MT; Muntener, O. (1998). High pressure breakdown of antigorite to spinifex-textured olivine and orthopyroxene, SE Spain. *Contributions to Mineralogy and Petrology.* 132: 139-148.
- Tropper, P. (2014). Small grains and big implications: Accessory Ti- and Zr-minerals as petrogenetic indicators in HP and UHP marbles. *Am Mineral.* 99: 1197-1198. <http://dx.doi.org/10.2138/am.2014.4937>.
- Tropper, P; Manning, CE; Essene, EJ; Kao, LS. (2000). The compositional variation of synthetic sodic amphiboles at high and ultra-high pressures. *Contributions to Mineralogy and Petrology.* 139: 146-162.
- Trosic, I. (2001). Multinucleated giant cell appearance after whole body microwave irradiation of rats. *Int J Hyg Environ Health.* 204: 133-138. <http://dx.doi.org/10.1078/1438-4639-00078>.
- Trosic, I. (2009). [Issues related to long-term asbestos use and manufacture]. *Arh Hig Rada Toksikol.* 60 Suppl: 3-10.
- Trosic, I; Brumen, V; Horvat, D. (1997). In vitro assessment of asbestos fibers genotoxicity. *Zentralblatt fuer Hygiene und Umweltmedizin.* 199: 558-567.
- Trosic, I; Matausic-Pisl, M; Hors, N. (2000). Pathways and quantification of insoluble particles in the lung compartments of the rat. *Int J Hyg Environ Health.* 203: 39-43. [http://dx.doi.org/10.1078/S1438-4639\(04\)70006-1](http://dx.doi.org/10.1078/S1438-4639(04)70006-1).
- Trosic, I; Milkovic-Kraus, S. (2004). Asbestosis in the Republic of Croatia [Review]. *Int J Occup Environ Health.* 10: 198-201. <http://dx.doi.org/10.1179/oeh.2004.10.2.198>.
- Tsai, SP; Ahmed, FS; Wendt, JP; Foster, DE; Donnelly, RP; Strawmyer, TR. (2007). A 56-year mortality follow-up of Texas petroleum refinery and chemical employees, 1948-2003. *J Occup Environ Med.* 49: 557-567. <http://dx.doi.org/10.1097/JOM.0013618057777c>.
- Tse. (2010). Are Current or Future Mesothelioma Epidemics in Hong Kong the Tragic Legacy of Uncontrolled Use of Asbestos in the Past? (vol 118, pg 382, 2010). *Environ Health Perspect.* 118: A240-A240.
- Tse, LA; Chen, MH; Au, RKF; Wang, F; Wang, XR; Yu, ITS. (2012). Pulmonary tuberculosis and lung cancer mortality in a historical cohort of workers with asbestosis. *Public Health.* 126: 1013-1016. <http://dx.doi.org/10.1016/j.puhe.2012.09.012>.
- Tsikos, H; Moore, JM. (1997). Petrography and geochemistry of the Paleoproterozoic Hotazel iron-formation, Kalahari manganese field, South Africa: Implications for Precambrian manganese metallogenesis. *Econ Geol.* 92: 87-97.
- Tsirambides, A; Michailidis, K. (1999). An X-ray, EPMA, and oxygen isotope study of vermiculitized micas in the ultramafic rocks at Askos, Macedonia, Greece. *Appl Clay Sci.* 14: 121-140.
- Tsuchiya, J, un. (2013). A first-principles calculation of the elastic and vibrational anomalies of lizardite under pressure. *Am Mineral.* 98: 2046-2052. <http://dx.doi.org/10.2138/am.2013.4369>.
- Tsuda, T; Morimoto, Y; Yamato, H; Nakamura, H; Hori, H; Nagata, N; Kido, M; Higashi, T; Tanaka, I. (1997). Effects of mineral fibers on the expression of genes whose product may play a role in fiber pathogenesis. *Environ Health Perspect.* 105: 1173-1178.
- Tsujimori, T; Liou, JG. (2004). Coexisting chromian omphacite and diopside in tremolite schist from the Chugoku Mountains, SW Japan: The effect of Cr on the omphacite-diopside immiscibility gap. *Am Mineral.* 89: 7-14.
- Tsujimori, T; Liou, JG. (2005). Low-pressure and low-temperature K-bearing kosmochloric diopside from the Osayama serpentinite melange, SW Japan. *Am Mineral.* 90: 1629-1635. <http://dx.doi.org/10.2138/am.2005.1749>.
- Tulachka, GJ; Brantley, WA; McGivney, GP; Ziebert, GJ. (1987). An investigation of the potential biohazards associated with asbestos-substitute casting ring liners. *J Prosthet Dent.* 57: 108-112.
- Tulinska, J; Dusinska, M; Jahnova, E; Liskova, A; Kuricova, MF; Ilavska, S; Horvathova, M; Wsolova, L; Kyrtopoulos, S. (2003). Immunomodulatory effects of glass fibres in occupationally exposed workers-comparison with asbestos. *Epidemiology.* 14: S98-S99.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Tumidajski, PJ; Flengas, SN. (1991). POTENTIAL MEASUREMENTS OF REACTIVE METAL CHLORIDES IN ALKALI-HALIDE SOLUTIONS .2. CHROMIUM. *J Electrochem Soc.* 138: 1659-1665.
- Tunesi, S; Ferrante, D; Mirabelli, D; Gregori, D; Magnani, C. (2010). CUMULATIVE MORTALITY AFTER ASBESTOS EXPOSURE: AN ANALYSIS OF ETERNIT ASBESTOS CEMENT WORKERS COHORT. *Epidemiol Prev.* 34: 161-161.
- Tuomisto, JT; Pekkanen, J; Alm, S; Kurttio, P; Venalainen, R; Juuti, S; Kettunen, A; Viluksela, M. (1999). Deliberation process by an explicit factor-effect-value network (Pyrkilo): Paakkila asbestos mine case, Finland. *Epidemiology.* 10: S114-S114.
- Turci, F; Colonna, M; Tomatis, M; Mantegna, S; Cravotto, G; Fubini, B. (2010). New detoxification processes for asbestos fibers in the environment. *J Toxicol Environ Health A.* 73: 368-377. <http://dx.doi.org/10.1080/15287390903442678>.
- Turci, F; Tomatis, M; Compagnoni, R; Fubini, B. (2009). Role of associated mineral fibres in chrysotile asbestos health effects: the case of balangeroite. *Ann Occup Hyg.* 53: 491-497. <http://dx.doi.org/10.1093/annhyg/mep028>.
- Turci, F; Tomatis, M; Gazzano, E; Riganti, C; Martra, G; Bosia, A; Ghigo, D; Fubini, B. (2005). Potential toxicity of nonregulated asbestiform minerals: balangeroite from the western Alps. Part 2: Oxidant activity of the fibers. *J Toxicol Environ Health A.* 68: 21-39. <http://dx.doi.org/10.1080/15287390590523911>.
- Turci, F; Tomatis, M; Mantegna, S; Cravotto, G; Fubini, B. (2007). The combination of oxalic acid with power ultrasound fully degrades chrysotile asbestos fibres. *J Environ Monit.* 9: 1064-1066. <http://dx.doi.org/10.1039/b709571f>.
- Turim, J. (2008). Correction to R. Lemen's review article, 'Asbestos in Brakes: Exposure and Risk of Disease' [Letter]. *Am J Ind Med.* 51: 475; author reply 476. <http://dx.doi.org/10.1002/ajim.20575>.
- Turnock, AC; Bryks, S; Bertalanffy, FD. (1971). The synthesis of tritium-labeled asbestos for use in biological research. *Environ Res.* 4: 86-94.
- Turpin-Legendre, E; Meyer, JP. (2003). Comparison of physiological and subjective strain in workers wearing two different protective coveralls for asbestos abatement tasks. *Appl Ergon.* 34: 551-556. [http://dx.doi.org/10.1016/S0003-6870\(03\)00081-4](http://dx.doi.org/10.1016/S0003-6870(03)00081-4).
- Tweeddale, G. (2000). Science or public relations? The inside story of the Asbestosis Research Council, 1957-1990. *Am J Ind Med.* 38: 723-734.
- Tweeddale, G. (2007). The Rochdale asbestos cancer studies and the politics of epidemiology: what you see depends on where you sit. *Int J Occup Environ Health.* 13: 70-79. <http://dx.doi.org/10.1179/107735207800245045>.
- Tylee, BE; Davies, LST; Addison, J. (1996). Asbestos reference standards - Made available for analysts. *Ann Occup Hyg.* 40: 711-714.
- U.S. EPA. (1991). Superfund Record of Decision (EPA Region 2): Asbestos Dump, New Vernon Road and White Bridge Road Sites, Passaic Township, Meyersville, NJ. (Second Remedial Action), September 1991. 68.
- U.S. EPA. (1993). Summary of Data Presented in the Background Document for Effluent Limitations Guidelines and Standards, Mineral Mining and Processing Point Source Category. 78.
- Uba, BN; Aghogho, O. (2000). Rainwater quality from different roof catchments in the Port Harcourt district, Rivers State, Nigeria. *Journal of Water Supply: Research and Technology-AQUA.* 49: 281-288.
- Uddin, S; Rao, SR, SR; Mirnezami, M; Finch, JA. (2012). Processing an ultramafic ore using fiber disintegration by acid attack. *Int J Miner Process.* 102: 38-44. <http://dx.doi.org/10.1016/j.minpro.2011.09.015>.
- Ueki, A. (2001). Biological effects of asbestos fibers on human cells in vitro--especially on lymphocytes and neutrophils [Review]. *Ind Health.* 39: 84-93.
- Ugolini, D; Bonassi, S; Cristaudo, A; Leoncini, G; Ratto, GB; Neri, M. (2015). Temporal trend, geographic distribution, and publication quality in asbestos research. *Environ Sci Pollut Res Int.* 22: 6957-6967. <http://dx.doi.org/10.1007/s11356-014-3925-1>.
- Ugolini, D; Donatella, U; Neri, M; Monica, N; Canessa, PA; Aldo, CP; Casilli, C; Cristina, C; Catrambone, G; Giuseppe, C; Ivaldi, GP; Paolo, IG; Lando, C; Cecilia, L; Marroni, P; Paola, M; Paganuzzi, M; Michela, P; Parodi, B; Barbara, P; Visconti, P; Paola, V; Puntoni, R; Riccardo, P; Bonassi, S; Stefano, B. (2008). The CREST biorepository: a tool for molecular epidemiology and translational studies on malignant mesothelioma, lung cancer, and other respiratory tract diseases. *Cancer Epidemiol Biomarkers Prev.* 17: 3013-3019. <http://dx.doi.org/10.1158/1055-9965.EPI-08-0524>.
- Uher, P; Kovacik, M; Kubis, M; Shtukenberg, A; Ozdin, D. (2008). Metamorphic vanadian-chromian silicate mineralization in carbon-rich amphibole schists from the Male Karpaty Mountains, Western Carpathians, Slovakia. *Am Mineral.* 93: 63-73. <http://dx.doi.org/10.2138/am.2008.2470>.
- Ukar, E. (2012). Tectonic significance of low-temperature blueschist blocks in the Franciscan melange at San Simeon, California. *Tectonophysics.* 568: 154-169. <http://dx.doi.org/10.1016/j.tecto.2011.12.039>.
- Ukar, E; Cloos, M. (2013). Actinolitic rinds on low-T mafic blueschist blocks in the Franciscan shale-matrix melange near San Simeon: Implications for metasomatism and tectonic history. *Earth Planet Sci Lett.* 377: 155-168. <http://dx.doi.org/10.1016/j.epsl.2013.06.038>.
- Ukhanov, AV; Ustinov, VI; Devirts, AL. (2002). Oxygen and hydrogen isotopic compositions of ultramafic rocks at the antigorite stage of serpentinization: A case of voikarite from the Polar Urals. *Geochem Int.* 40: 1179-1186.
- Ulvestad, B; Kjaerheim, K; Martinsen, JI; Mowe, G; Andersen, A. (2004). Cancer incidence among members of the Norwegian trade union of insulation workers. *J Occup Environ Med.* 46: 84-89. <http://dx.doi.org/10.1097/01.jom.0000105981.46987.42>.
- Um, CH. (1971). Study of the secular trend in asbestos bodies in lungs in London 1936-66. *Br Med J.* 2: 248-251.
- Unalacak, M; Altin, R; Kart, L; Tor, M; Ornek, T; Altunel, H. (2004). Smoking prevalence, behaviour and nicotine addiction among coal workers in Zonguldak, Turkey. *J Occup Health.* 46: 289-295. <http://dx.doi.org/10.1539/joh.46.289>.
- Unfried, K; Roller, M; Pott, F; Friemann, J; Dehnen, W. (1997). Fiber-specific molecular features of tumors induced in rat peritoneum. *Environ Health Perspect.* 105: 1103-1108. <http://dx.doi.org/10.2307/3433516>.
- Uno, M; Iwamori, H; Toriumi, M. (2015). Transition from dehydration to hydration during exhumation of the Sanbagawa metamorphic belt, Japan, revealed by the continuous P-T path recorded in garnet and amphibole zoning. *Contributions to Mineralogy and Petrology.* 170. <http://dx.doi.org/10.1007/s00410-015-1185-9>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Uo, M; Akasaka, T; Watari, F; Sato, Y; Tohji, K. (2011). Toxicity evaluations of various carbon nanomaterials [Review]. *Dent Mater J.* 30: 245-263. <http://dx.doi.org/10.4012/dmj.2010-039>.
- Upreti, R; Dogra, RKS; Shanker, R; Murti, CRK; Dwivedi, KK; Rao, GN. (1984). Trace Elemental Analysis Of Asbestos With An X-Ray Fluorescence Technique. *Sci Total Environ.* 40: 259-267.
- Urano, H; Gotoh, S; Shirahata, A; Higashi, K; Karasaki, Y. (1997). Increases of Thrombomodulin Activity and Antigen Level on Human Umbilical Vein Endothelial Cells Treated with Asbestos and Man-Made Mineral Fibers. *Ind Health.* 35: 359-366.
- Urano, N; Yano, E; Evans, PH. (1991). Reactive oxygen metabolites produced by the carcinogenic fibrous mineral erionite. *Environ Res.* 54: 74-81.
- Vacha, R; Podlesakova, E; Nemecek, J. (1995). THE USE OF CRUSHED SERPENTINE ALTERNATIVE FERTILIZER. *Rostl Vyroba.* 41: 459-462.
- Vagt, GO; Boucher, MA; Prudhomme, M; Barry, GS; Stonehouse, D. (1986). INDUSTRIAL MINERALS - ASBESTOS, SULFUR, POTASH, CONSTRUCTION MATERIALS AND OTHERS. 107: 67-&.
- Vainio, H. (2015). Epidemics of asbestos-related diseases--something old, something new [Editorial]. *Scand J Work Environ Health.* 41: 1-4. <http://dx.doi.org/10.5271/sjweh.3471>.
- Vainio, H; Boffetta, P. (1994). Mechanisms of the combined effect of asbestos and smoking in the etiology of lung cancer [Review]. *Scand J Work Environ Health.* 20: 235-242.
- Vainio, H; Husgafvel-Pursiainen, K; Anttila, S; Karjalainen, A; Hackman, P; Partanen, T. (1993). Interaction between smoking and asbestos in human lung adenocarcinoma: role of K-ras mutations. *Environ Health Perspect.* 101 Suppl 3: 189-192.
- Valavanidis, A; Vlachogianni, T; Fiotakis, C. (2009). 8-hydroxy-2'-deoxyguanosine (8-OHdG): A Critical Biomarker of Oxidative Stress and Carcinogenesis [Review]. *J Environ Sci Health C Environ Carcinog Ecotoxicol Rev.* 27: 120-139. <http://dx.doi.org/10.1080/10590500902885684>.
- Valavanidis, A; Vlachogianni, T; Fiotakis, K. (2009). Tobacco smoke: involvement of reactive oxygen species and stable free radicals in mechanisms of oxidative damage, carcinogenesis and synergistic effects with other respirable particles. *Int J Environ Res Public Health.* 6: 445-462. <http://dx.doi.org/10.3390/ijerph6020445>.
- Valavanidis, A; Vlachogianni, T; Fiotakis, K; Loridas, S. (2013). Pulmonary Oxidative Stress, Inflammation and Cancer: Respirable Particulate Matter, Fibrous Dusts and Ozone as Major Causes of Lung Carcinogenesis through Reactive Oxygen Species Mechanisms [Review]. *Int J Environ Res Public Health.* 10: 3886-3907. <http://dx.doi.org/10.3390/ijerph10093886>.
- Valentim, IB; Martins, MH; Joekes, I. (2008). Influence of dipalmitoylphosphatidylcholine on the dissolution of Brazilian chrysotile. *Colloids Surf B Biointerfaces.* 66: 96-102. <http://dx.doi.org/10.1016/j.colsurfb.2008.05.014>.
- Valerio, F; Balducci, D. (1989). Qualitative and Quantitative Evaluation of Chrysotile and Crocidolite Fibres with Infrared Spectrophotometry: Application to Asbestos-Cement Products (pp. 197-204). (NIOSH/00191527). Valerio, F; Balducci, D.
- Valerio, F; Balducci, D; Lazzarotto, A. (1987). ADSORPTION OF PROTEINS BY CHRYSOTILE AND CROCIDOLITE - ROLE OF MOLECULAR-WEIGHT AND CHARGE-DENSITY. *Environ Res.* 44: 312-320.
- Valerio, F; Balducci, D; Scarabelli, L. (1986). SELECTIVE ADSORPTION OF SERUM PROTEINS BY CHRYSOTILE AND CROCIDOLITE. *Environ Res.* 41: 432-439.
- Valerio, F; Puntoni, R; Santi, L. (1979). Adsorption Properties of U.I.C.C. Rhodesian Chrysotile and Crocidolite in Aqueous Solution Effects of Cation Depletion. *Am Ind Hyg Assoc J.* 40: 781-788. <http://dx.doi.org/10.1080/15298667991430299>.
- Valerio, F; Veggi, M; Santi, L. (1980). ADSORPTION-ISOTHERMS OF ALBUMIN AND FERRITIN ON RHODESIAN CHRYSOTILE - EFFECTS OF MAGNESIUM DEPLETION. *Environ Res.* 21: 186-189.
- Vallance, DA. (2004). The phase-out of asbestos in the Australian manufacturing environment [Review]. *Int J Occup Environ Health.* 10: 209-211. <http://dx.doi.org/10.1179/oeh.2004.10.2.209>.
- Vallero, DA; Kominsky, JR; Beard, ME; Crankshaw, OS. (2009). Efficiency of Sampling and Analysis of Asbestos Fibers on Filter Media: Implications for Exposure Assessment. *J Occup Environ Hyg.* 6: 62-72. <http://dx.doi.org/10.1080/15459620802577485>.
- Valleron, AJ; Bignon, J; Hughes, JM; Hesterberg, TW; Schneider, T; Burdett, GJ; Brochard, P; Hemon, D. (1992). LOW-DOSE EXPOSURE TO NATURAL AND MAN-MADE FIBERS AND THE RISK OF CANCER - TOWARDS A COLLABORATIVE EUROPEAN EPIDEMIOLOGY - REPORT OF A WORKSHOP HELD IN PARIS, 10-12 JUNE, 1991. *Br J Ind Med.* 49: 606-614.
- Vallyathan, V; Green, F; Ducatman, B; Schulte, P. (1998). Roles of epidemiology, pathology, molecular biology, and biomarkers in the investigation of occupational lung cancer. *J Toxicol Environ Health B Crit Rev.* 1: 91-116.
- Vallyathan, V; Shi, X; Castranova, V. (1998). Reactive oxygen species: their relation to pneumoconiosis and carcinogenesis [Review]. *Environ Health Perspect.* 106: 1151-1155.
- Valouma, A; Verganelaki, A; Maravelaki-Kalaitzaki, P; Gidaracos, E. (2016). Chrysotile asbestos detoxification with a combined treatment of oxalic acid and silicates producing amorphous silica and biomaterial. *J Hazard Mater.* 305: 164-170. <http://dx.doi.org/10.1016/j.jhazmat.2015.11.036>.
- Van den Borre, L; Deboosere, P. (2014). Asbestos in Belgium: an underestimated health risk. The evolution of mesothelioma mortality rates (1969-2009). *Int J Occup Environ Health.* 20: 134-140. <http://dx.doi.org/10.1179/2049396714Y.0000000058>.
- van Der Bij, S; Koffijberg, H; Lenters, V; Portengen, L; Moons, KGM; Heederik, D; Vermeulen, RCH. (2013). Lung cancer risk at low cumulative asbestos exposure: meta-regression of the exposure-response relationship [Review]. *Cancer Causes Control.* 24: 1-12. <http://dx.doi.org/10.1007/s10552-012-0107-7>.
- Van der Bij, S; Vermeulen, RC; Portengen, L; Moons, KG; Koffijberg, H. (2016). Expected number of asbestos-related lung cancers in the Netherlands in the next two decades: a comparison of methods. *Occup Environ Med.* 73: 342-349. <http://dx.doi.org/10.1136/oemed-2014-102614>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- van Der Gon, HAC, D; Hulskotte, JHJ; Visschedijk, AJH; Schaap, M. (2007). A revised estimate of copper emissions from road transport in UNECE-Europe and its impact on predicted copper concentrations. *Atmos Environ.* 41: 8697-8710. <http://dx.doi.org/10.1016/j.atmosenv.2007.07.033>.
- Van Der walt, IJ. (2009). A model to determine nonoccupational human exposure to crocidolite asbestos fibers in the Northern Cape, South Africa. *Physical Geography.* 30: 79-87. <http://dx.doi.org/10.2747/0272-3646.30.1.79>.
- Van Gosen, BS; Lowers, HA; Sutley, SJ; Gent, CA. (2004). Using the geologic setting of talc deposits as an indicator of amphibole asbestos content. *Environ Geol.* 45: 920-939. <http://dx.doi.org/10.1007/s00254-003-0955-2>.
- van Kampen, V; Merget, R; Butz, M; Taeger, D; Brüning, T. (2008). Trends in suspected and recognized occupational respiratory diseases in Germany between 1970 and 2005. *Am J Ind Med.* 51: 492-502. <http://dx.doi.org/10.1002/ajim.20593>.
- van Loon, AJ; Goldbohm, RA; Kant, IJ; Swaen, GM; Kremer, AM; van den Brandt, PA. (1997). Socioeconomic status and lung cancer incidence in men in The Netherlands: is there a role for occupational exposure? *J Epidemiol Community Health.* 51: 24-29.
- Van Netten, C; Brands, R; Teschke, KE; Ashwood-Smith, MJ; Morley, DR; Ross, RN. (1995). Environmental Survey of RCMP Detachment Building in Powell River, B. C., Implicated in a Cancer Cluster. *Can J Public Health.* 86: 51-56.
- Van Orden, DR. (1993). Comment on "Exposure to airborne asbestos in buildings" [Letter]. *Regul Toxicol Pharmacol.* 18: 481.
- Van Orden, DR; Allison, KA; Lee, RJ. (2008). Differentiating amphibole asbestos from non-asbestos in a complex mineral environment. *Indoor Built Environ.* 17: 58-68. <http://dx.doi.org/10.1177/1420326X07087006>.
- Van Orden, DR; Lee, RJ; Allison, KA; Addison, J. (2009). Width Distributions of Asbestos and Non-Asbestos Amphibole Minerals. *Indoor Built Environ.* 18: 531-540. <http://dx.doi.org/10.1177/1420326X09341503>.
- Van Orden, DR; Lee, RJ; Badger, S. (2006). Characterizing asbestos fiber comminution resulting from preparation of environmental samples. *Powder Technology.* 162: 183-189. <http://dx.doi.org/10.1016/j.powtec.2005.12.015>.
- van Orden, DR; Lee, RJ; Bishop, KM; Kahane, D; Morse, R. (1995). Evaluation of ambient asbestos concentrations in buildings following the Loma Prieta earthquake. *Regul Toxicol Pharmacol.* 21: 117-122.
- Van Oss, CJ; Naim, JO; Costanzo, PM; Giese, RF; Wu, W; Sorling, AF. (1999). Impact of different asbestos species and other mineral particles on pulmonary pathogenesis. *Clays and Clay Minerals.* 47: 697-707.
- van Rensburg, L; Claassens, S; Bezuidenhout, JJ; van Rensburg, PJJ. (2009). Rehabilitation of asbestos mining waste: a Rehabilitation Prioritisation Index (RPI) for South Africa. *Environ Geol.* 57: 267-273. <http://dx.doi.org/10.1007/s00254-008-1250-z>.
- van Wijngaarden, E; Savitz, DA; Kleckner, RC; Kavet, R; Loomis, D. (2001). Mortality patterns by occupation in a cohort of electric utility workers. *Am J Ind Med.* 40: 667-673. <http://dx.doi.org/10.1002/ajim.10015>.
- Vanalboom, A; Degraeve, E. (1996). Temperature dependence of the Fe-57 Mossbauer parameters in riebeckite. *Physics and Chemistry of Minerals.* 23: 377-386.
- Vandenbergh, C; Frelechoux, F; Moravie, MA; Gadallah, F; Buttler, A. (2007). Short-term effects of cattle browsing on tree sapling growth in mountain wooded pastures. *Plant Ecol.* 188: 253-264. <http://dx.doi.org/10.1007/s11258-006-9160-1>.
- Vandendorren, S; Gorla, S; Lauzeille, D; Leng, S; Chanel, PD, eC; Ducamp, S; Gilg, A; Rolland, P; Brochard, P; Goldberg, M; Ledrans, M. (2006). Risk for mesothelioma among people living near asbestos-related factories: a France based case control study. *Epidemiology.* 17: S319-S319.
- Vandendorren, S; Salmi, LR; Mathoulin-Pélissier, S; Baldi, I; Brochard, P; Group, BI. (2006). Imputation of individual cancer cases to occupational causes. *Scand J Work Environ Health.* 32: 32-40.
- Vandergulden, JWJ; Jansen, IW; Verbeek, ALM; Kolk, JJ. (1993). REPEATABILITY OF SELF-REPORTED DATA ON OCCUPATIONAL EXPOSURE TO PARTICULAR COMPOUNDS. *Int J Epidemiol.* 22: 284-287.
- Vanmaaren, PW. (1984). QUANTITATIVE POLARIZATION-INTERFERENCE MICROSCOPIC CHARACTERIZATION OF ASBESTOS IN TECHNICAL DUST MIXTURES. *Staub, Reinhaltung der Luft.* 44: 433-440.
- Vanreenen, DD; Pretorius, AI; Roering, C. (1994). CHARACTERIZATION OF FLUIDS ASSOCIATED WITH GOLD MINERALIZATION AND WITH REGIONAL HIGH-TEMPERATURE RETROGRESSION OF GRANULITES IN THE LIMPOPO BELT, SOUTH-AFRICA. *Geochim Cosmo Acta.* 58: 1147-1159.
- Vansliedregt, A; Knook, M; Hesseling, SC; Koerten, HK; Degroot, K; Vanblitterswijk, CA. (1992). CELLULAR REACTION ON THE INTRAPERITONEAL INJECTION OF 4 TYPES OF POLYLACTIDE PARTICULATES. *Biomaterials.* 13: 819-824.
- Varga, C. (2000). Asbestos fibres in drinking water: are they carcinogenic or not? *Med Hypotheses.* 55: 225-226. <http://dx.doi.org/10.1054/mehy.2000.1049>.
- Vaughan, GL; Kennedy, JR; Trently, SA. (1991). The immediate effects of silicon carbide whiskers upon ciliated tracheal epithelium. *Environ Res.* 56: 178-185.
- Vaughan, GL; Trently, SA. (1996). The toxicity of silicon carbide whiskers, a review. *Journal of Environmental Science and Health, Part A: Environmental Science and Engineering and Toxi.* 31: 2033-2054.
- Vaughan, GL; Trently, SA; Wilson, RB. (1993). Pulmonary response, in vivo, to silicon carbide whiskers. *Environ Res.* 63: 191-201. <http://dx.doi.org/10.1006/enrs.1993.1140>.
- Vaughan, NP; Brown, RC; Evans, PG. (1996). The Effects of Asbestos Wet-Stripping Agents on Filters Used in Powered Respirators. *Ann Occup Hyg.* 40: 539-553.
- Vaughan, NP; Rooker, SJ; Leguen, JMM. (1981). INSITU IDENTIFICATION OF ASBESTOS FIBERS COLLECTED ON MEMBRANE FILTERS FOR COUNTING. *Ann Occup Hyg.* 24: 281-290.
- Vautiergiongo, C; Joekes, I. (1997). Deposition of titanium dioxide on Brazilian chrysotile fibres. *Powder Technology.* 94: 73-78.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Vavro, M; Gajda, J; Prikryl, R; Siegl, P. (2015). Soapstone as a locally used and limited sculptural material in remote area of Northern Moravia (Czech Republic). *Environ Earth Sci.* 73: 4557-4571. <http://dx.doi.org/10.1007/s12665-014-3742-3>.
- Veblen, DR. (1980). ANTHOPHYLLITE ASBESTOS - MICROSTRUCTURES, INTERGROWN SHEET SILICATES, AND MECHANISMS OF FIBER FORMATION. *Am Mineral.* 65: 1075-1086.
- Veblen, DR. (1991). POLYSOMATISM AND POLYSOMATIC SERIES - A REVIEW AND APPLICATIONS. *Am Mineral.* 76: 801-826.
- Veblen, DR; Burnham, CW. (1975). TRIPLE-CHAIN BIOPYRIBOLES - NEWLY DISCOVERED INTERMEDIATE PRODUCTS OF RETROGRADE ANTHOPHYLLITE-TALC TRANSFORMATION, CHESTER, VT. *Trans Am Geophys Union.* 56: 1076-1076.
- Veetil, SP; Mercier, G, uy; Blais, JF; Cecchi, E; Kentish, S. (2015). Magnetic separation of serpentinite mining residue as a precursor to mineral carbonation. *Int J Miner Process.* 140: 19-25. <http://dx.doi.org/10.1016/j.minpro.2015.04.024>.
- Veetil, SP; Pasquier, LC; Blais, JF; Cecchi, E; Kentish, S; Mercier, G. (2015). Direct gas-solid carbonation of serpentinite residues in the absence and presence of water vapor: a feasibility study for carbon dioxide sequestration. *Environ Sci Pollut Res Int.* 22: 13486-13495. <http://dx.doi.org/10.1007/s11356-015-4580-x>.
- Vehmas, T; Pallasaho, P; Oksa, P. (2012). Lung and pleural fibrosis in asbestos-exposed workers: a risk factor for pneumonia mortality. *Epidemiol Infect.* 140: 1987-1992. <http://dx.doi.org/10.1017/S0950268811002810>.
- Vehmas, T; Pallasaho, P; Piirilä, P. (2013). Lung function predicts mortality: 10-year follow-up after lung cancer screening among asbestos-exposed workers. *Int Arch Occup Environ Health.* 86: 667-672. <http://dx.doi.org/10.1007/s00420-012-0803-3>.
- Velasco-García, MI; Cruz, MJ; Ruano, L; Montero, MA; Freixa, A; Ferrer, J. (2011). Reproducibility of asbestos body counts in digestions of autopsy and surgical lung tissue. *Am J Ind Med.* 54: 597-602. <http://dx.doi.org/10.1002/ajim.20966>.
- Velinskii, VV; Gusev, GM. (2002). Production of extra pure silica from serpentinites. *Journal of Mining Science.* 38: 402-404.
- Velinskii, VV; Pavlov, AL; Bishaeva, LG. (2002). Contact effect of granitoids on serpentinites in ophiolitic complexes: Physicochemical models. *Geochem Int.* 40: 105-114.
- Veraldi, A; Seniore, CA; Bolejack, V; Miligi, L; Vineis, P; van Loveren, H. (2006). Immunotoxic effects of chemicals: A matrix for occupational and environmental epidemiological studies. *Am J Ind Med.* 49: 1046-1055. <http://dx.doi.org/10.1002/ajim.20364>.
- Vereshchagin, VI; Smirenskaya, VN; Antipina, SA; Kostyrev, YP; Kalugin, VG. (2005). Thermosilicate materials based on lime-silica binder and native wollastonite. *Refractories and Industrial Ceramics.* 46: 58-62.
- Verger, P; Arnaud, S; Ferrer, S; Iarmarcovai, G; Saliba, ML; Viau, A; Souville, M. (2008). Inequities in reporting asbestos-related lung cancer: influence of smoking stigma and physician's specialty, workload and role perception. *Occup Environ Med.* 65: 392-397. <http://dx.doi.org/10.1136/oem.2007.035808>.
- Verkouteren, JR; Windsor, ES; Conny, JM; Perkins, RL; Ennis, JT. (2002). Analysis of kaolinite/chrysotile mixtures by ashing and X-ray diffraction. *Powder Diffraction.* 17: 196-201. <http://dx.doi.org/10.1154/1.1481038>.
- Verkouteren, JR; Wylie, AG. (2000). The tremolite-actinolite-ferro-actinolite series: Systematic relationships among cell parameters, composition, optical properties, and habit, and evidence of discontinuities. *Am Mineral.* 85: 1239-1254.
- Verkouteren, JR; Wylie, AG. (2002). Anomalous optical properties of fibrous tremolite, actinolite, and ferro-actinolite. *Am Mineral.* 87: 1090-1095.
- Verma, DK; Clark, NE; Julian, JA. (1991). ASBESTOS FIBER CHARACTERIZATION USING AN ANALYTICAL TRANSMISSION ELECTRON-MICROSCOPE AND A MICROFILM READER. *Am Ind Hyg Assoc J.* 52: 113-119.
- Verma, DK; Sahai, D; Kurtz, LA; Finkelstein, MM. (2004). Current man-made mineral fibers (MMMMF) exposures among Ontario construction workers. *J Occup Environ Hyg.* 1: 306-318. <http://dx.doi.org/10.1080/15459620490445462>.
- Vermeiren, PH; Leysen, R; Beckers, H; Moreels, JP; Claes, A. (2008). The influence of manufacturing parameters on the properties of macroporous Zirfon (R) separators. *Journal of Porous Materials.* 15: 259-264. <http://dx.doi.org/10.1007/s10934-006-9084-0>.
- Veronesi, P; Leonelli, C; Rivasi, MR; Pellacani, GC. (2004). The Electromagnetic Field Modeling As A Tool In The Microwave Heating Feasibility Studies. *Mater Res Innovat.* 8: 9-12.
- Verrill, KJ. (1983). VICKERS INSTRUMENTS-M88 RAPID ASBESTOS FIBER MONITOR. *Ann Occup Hyg.* 27: 111-111.
- Versen, P. (1980). OCCUPATIONAL-DISEASES DUE TO ASBESTOS EXPOSURE COVERED BY THE INDUSTRIAL INJURIES INSURANCE INSTITUTES. *Staub, Reinhaltung der Luft.* 40: 181-187.
- Viallat, JR; Raybuad, F; Passarel, M; Boutin, C. (1986). Pleural migration of chrysotile fibers after intratracheal injection in rats. *Arch Environ Health.* 41: 282-286. <http://dx.doi.org/10.1080/00039896.1986.9936697>.
- Viani, A; Gualtieri, AF; Secco, M; Peruzzo, L; Artioli, G; Cruciani, G. (2013). Crystal chemistry of cement-asbestos. *Am Mineral.* 98: 1095-1105. <http://dx.doi.org/10.2138/am.2013.4347>.
- Vida, S; Pintos, J; Parent, ME; Lavoué, J; Siemiatycki, J. (2010). Occupational exposure to silica and lung cancer: pooled analysis of two case-control studies in Montreal, Canada. *Cancer Epidemiol Biomarkers Prev.* 19: 1602-1611. <http://dx.doi.org/10.1158/1055-9965.EPI-10-0015>.
- Vidal, CE; Injoqueespinoza, J; Sidder, GB; Mukasa, SB. (1990). AMPHIBOLITIC CU-FE SKARN DEPOSITS IN THE CENTRAL COAST OF PERU. *Econ Geol.* 85: 1447-1461.
- Vidal-Torrado, P; Calvo, R; Macias, F; Carvalho, SG; Silva, AC. (2007). Geochemical and mineralogical evolution in alteration profiles on serpentinitized rocks in southwestern Minas Gerais, Brazil. *Revista Brasileira de Ciencia do Solo.* 31: 1069-1083.
- Vidal-Torrado, P; Macias, F; Calvo, R; Gomes de Carvalho, S; Silva, AC. (2006). Genesis of soils formed from ultramafic serpentinitized rocks in southwestern Minas Gerais (Brazil). *Revista Brasileira de Ciencia do Solo.* 30: 523-541.
- Vidovic, K; Lovrecek, B; Hraste, M. (1996). Influence of surface charge on sedimentation and filtration behaviour of fibrous material. *Chemical and Biochemical Engineering Quarterly.* 10: 33-38.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Vielzeuf, D; Clemens, JD. (1992). THE FLUID-ABSENT MELTING OF PHLOGOPITE PLUS QUARTZ - EXPERIMENTS AND MODELS. *Am Mineral.* 77: 1206-1222.
- Vigliani, EC. (1969). [Criteria for the determination of maximum tolerable concentration of silica and asbestos in the air]. *Med Lav.* 60: 85-89.
- Vigliani, EC; Rendal, RE; Patroni, M; Skikne, M; Occella, E; Ellis, P. (1976). Presence and identification of fibres in the atmosphere of Milan. *Med Lav.* 67: 551-567.
- Vignaroli, G; Ballirano, P; Belardi, G; Rossetti, F. (2014). Asbestos fibre identification vs. evaluation of asbestos hazard in ophiolitic rock melanges, a case study from the Ligurian Alps (Italy). *Environ Earth Sci.* 72: 3679-3698. <http://dx.doi.org/10.1007/s12665-014-3303-9>.
- Vignaroli, G; Belardi, G; Serracino, M. (2013). Multi-scale geological evaluation for quarrying activities in ophiolitic rocks: implications for asbestos-related legislation. *Bulletin of Engineering Geology and the Environment.* 72: 285-302. <http://dx.doi.org/10.1007/s10064-013-0475-6>.
- Vignaroli, G; Rossetti, F; Belardi, G; Billi, A. (2011). Linking rock fabric to fibrous mineralisation: a basic tool for the asbestos hazard. *Natural Hazards and Earth System Sciences.* 11: 1267-1280. <http://dx.doi.org/10.5194/nhess-11-1267-2011>.
- Vilalva, FCJ; Vlach, SRF; Simonetti, A. (2016). Chemical and O-isotope compositions of amphiboles and clinopyroxenes from A-type granites of the Papanduva Pluton, South Brazil: Insights into late- to post-magmatic evolution of peralkaline systems. *Chem Geol.* 420: 186-199. <http://dx.doi.org/10.1016/j.chemgeo.2015.11.019>.
- Vilkman, S; Lahdensuo, A; Mattila, J; Tossavainen, A; Tuomi, T. (1993). Asbestos exposure according to different exposure indices among Finnish lung cancer patients. *Int Arch Occup Environ Health.* 65: 269-274.
- Villanova-De-Benavent, C; Nieto, F; Viti, C; Proenza, JA; Gali, S; Roque-Rosell, J. (2016). Ni-phylosilicates (garnierites) from the Falcondo Ni-laterite deposit (Dominican Republic): Mineralogy, nanotextures, and formation mechanisms by HRTEM and AEM. *Am Mineral.* 101: 1460-1473. <http://dx.doi.org/10.2138/am-2016-5518>.
- Villaro, BA; Ibarguchi, IG; Eguiluz, L. (1991). STRUCTURAL AND METAMORPHIC EVOLUTION OF THE ALMADEN-DE-LA-PLATA CORE (SEVILLE, SPAIN) IN RELATION TO SYN-METAMORPHIC SHEAR BETWEEN THE OSSA MORENA AND SOUTH PORTUGUESE ZONES OF THE IBERIAN VARISCAN FOLD BELT. *Tectonophysics.* 191: 365-387.
- Villeda-Cuevas, D; Quintero-Casas, D; Rivera-Rosales, RM; Eguía-Aguilar, P; Perezpeña-Diazconti, M; Arenas-Huertero, F. (2012). Elemental composition of ferruginous bodies and occupational categories: analyses and case studies in Mexico. *Inhal Toxicol.* 24: 201-212. <http://dx.doi.org/10.3109/08958378.2012.657307>.
- Villeneuve, PJ; Parent, MÉ; Sahni, V; Johnson, KC; Group, CCRER. (2011). Occupational exposure to diesel and gasoline emissions and lung cancer in Canadian men. *Environ Res.* 111: 727-735. <http://dx.doi.org/10.1016/j.envres.2011.04.003>.
- Vils, F; Muentener, O; Kalt, A; Ludwig, T. (2011). Implications of the serpentine phase transition on the behaviour of beryllium and lithium-boron of subducted ultramafic rocks. *Geochim Cosmo Acta.* 75: 1249-1271. <http://dx.doi.org/10.1016/j.gca.2010.12.007>.
- Vinikoor, LC; Larson, TC; Bateson, TF; Birnbaum, L. (2010). Exposure to asbestos-containing vermiculite ore and respiratory symptoms among individuals who were children while the mine was active in Libby, Montana. *Environ Health Perspect.* 118: 1033-1038. <http://dx.doi.org/10.1289/ehp.0901680>.
- Virta, RL; Segreti, JM. (1987). A MODEL FOR PREDICTING CROCIDOLITE FIBER SIZE DISTRIBUTIONS. *Environ Res.* 44: 148-160.
- Vishnu, VS; Reddy, ML. (2011). Near-infrared reflecting inorganic pigments based on molybdenum and praseodymium doped yttrium cerate: Synthesis, characterization and optical properties. *Solar Energy Materials and Solar Cells.* 95: 2685-2692. <http://dx.doi.org/10.1016/j.solmat.2011.05.042>.
- Vishnyakov, LR; Chizhan'kov, EY; Moroz, VP; Yuga, AI; Kostenko, AD. (1997). Tribological properties of thermally expanded graphite reinforced with knitted metal nets. *Powder Metallurgy and Metal Ceramics.* 36: 381-384.
- Viti, C. (2010). Serpentine minerals discrimination by thermal analysis. *Am Mineral.* 95: 631-638. <http://dx.doi.org/10.2138/am.2010.3366>.
- Viti, C; Colletini, C. (2009). Growth and deformation mechanisms of talc along a natural fault: a micro/nanostructural investigation. *Contributions to Mineralogy and Petrology.* 158: 529-542. <http://dx.doi.org/10.1007/s00410-009-0395-4>.
- Viti, C; Giacobbe, C; Gualtieri, AF. (2011). Quantitative determination of chrysotile in massive serpentinites using DTA: Implications for asbestos determinations. *Am Mineral.* 96: 1003-1011. <http://dx.doi.org/10.2138/am.2011.3734>.
- Viti, C; Hirose, T. (2009). Dehydration reactions and micro/nanostructures in experimentally-deformed serpentinites. *Contributions to Mineralogy and Petrology.* 157: 327-338. <http://dx.doi.org/10.1007/s00410-008-0337-6>.
- Vlasova, NN; Gavrishova, TN; Bozhok, VP; Matkovskii, PY; Ennan, AA. (1994). FEATURES OF THE OXIDATIVE CONDENSATION OF METHANE TO ETHYLENE ON OXIDE CATALYSTS. *Petroleum Chemistry.* 34: 462-467.
- von Goerne, G; Franz, G. (2000). Synthesis of Ca-tourmaline in the system CaO-MgO-Al₂O₃-SiO₂-B₂O₃-H₂O-HCl. *Mineralogy and Petrology.* 69: 161-182.
- Vonczarnecki, J; Loipfuehrer, C; Renk, G. (1993). PATTERN-RECOGNITION TECHNIQUES APPLIED TO THE IDENTIFICATION OF AIRBORNE MAN-MADE MINERAL FIBERS. *Staub, Reinhaltung der Luft.* 53: 147-152.
- Vonengelhardt, W; Matthai, SK; Walzebeck, J. (1992). ARAGUAINHA IMPACT CRATER, BRAZIL .1. THE INTERIOR PART OF THE UPLIFT. 27: 442-457.
- Voss, B; Kerenyi, T; Müller, KM; Wilhelm, M. (2000). Scanning electron microscopical investigations of broncho-alveolar casts after intratracheal asbestos fibre instillation. *Int J Hyg Environ Health.* 203: 127-134. [http://dx.doi.org/10.1078/S1438-4639\(04\)70017-6](http://dx.doi.org/10.1078/S1438-4639(04)70017-6).
- Votyakov, SL; Chashchukhin, IS; Galakhova, OL; Gulyaeva, TY. (2005). Crystal chemistry of lizardite as an indicator of early serpentinization in ultramafic rocks. I. Compositional and structural features of the mineral according to spectroscopic data. *Geochem Int.* 43: 862-880.
- Vry, VH; Wilkinson, JJ; Seguel, J; Millan, J. (2010). Multistage Intrusion, Brecciation, and Veining at El Teniente, Evolution of a Nested Porphyry System. *Econ Geol.* 105: 119-153.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Vu, VT; Lai, DY. (1997). Approaches to characterizing human health risks of exposure to fibers [Review]. *Environ Health Perspect.* 105 Suppl 5: 1329-1336.
- Vudrag, M; Rihtar, TK; Vegnuti, M. (2010). Mesothelioma risk associated with asbestos production in Slovenia. *Arh Hig Rada Toksikol.* 61: 45-52. <http://dx.doi.org/10.2478/10004-1254-61-2010-1939>.
- Waage, HP; Vatten, LJ; Opedal, E; Hilt, B. (1996). Lung function and respiratory symptoms related to changes in smoking habits in asbestos-exposed subjects. *J Occup Environ Med.* 38: 178-183.
- Waage, HP; Vatten, LJ; Opedal, E; Hilt, B. (1997). Smoking intervention in subjects at risk of asbestos-related lung cancer. *Am J Ind Med.* 31: 705-712.
- Wagman, J. (1979). PRESUMPTIVE IDENTIFICATION OF ASBESTOS IN URBAN AIR - DISCUSSION. *Sci Total Environ.* 13: 91-91.
- Wagner, J. (2015). Analysis of serpentine polymorphs in investigations of natural occurrences of asbestos. *Environ Sci Process Impacts.* 17: 985-996. <http://dx.doi.org/10.1039/c5em00089k>.
- Wahlstrom, J; Olander, L; Olofsson, U, lf. (2010). Size, Shape, and Elemental Composition of Airborne Wear Particles from Disc Brake Materials. *Tribology Letters.* 38: 15-24. <http://dx.doi.org/10.1007/s11249-009-9564-x>.
- Wahlstrom, J; Soderberg, A; Olander, L; Jansson, A; Olofsson, U, lf. (2010). A pin-on-disc simulation of airborne wear particles from disc brakes. *Wear.* 268: 763-769. <http://dx.doi.org/10.1016/j.wear.2009.11.014>.
- Wakasa, K; Matsui, H; Yamaki, M. (1990). AN APPLICATION OF NONASBESTOS PAPERS TO THE DENTAL FIELD - MECHANICAL-PROPERTIES AND STRUCTURAL-CHANGE. *J Mater Sci Mater Med.* 1: 177-181.
- Wakasa, K; Matsui, H; Yamaki, M. (1990). A THERMOANALYTICAL STUDY ON NONASBESTOS RING-LINING MATERIALS FOR DENTAL APPLICATION. *J Mater Sci Mater Med.* 1: 207-210.
- Wakeham, SG; Davis, AC; Witt, RT; Tripp, BW; Frew, NM. (1980). Tetrachloroethylene contamination of drinking water by vinyl-coated asbestos-cement pipe. *Bull Environ Contam Toxicol.* 25: 639-645.
- Waldman, L; Williams, H. (2013). Calculations of risk: regulation and responsibility for asbestos in social housing. *Int J Occup Environ Health.* 19: 91-103. <http://dx.doi.org/10.1179/2049396713Y.0000000022>.
- Walker, BL. (2015). Environments of Terror: 9/11, World Trade Center Dust, and the Global Nature of New York's Toxic Bodies. *Environmental History.* 20: 779-795.
- Walker, C; Everitt, J; Barrett, JC. (1992). Possible cellular and molecular mechanisms for asbestos carcinogenicity [Review]. *Am J Ind Med.* 21: 253-273. <http://dx.doi.org/10.1002/ajim.4700210214>.
- Walker, G; Ostendorp, G; Heinzow, B. (2012). Man-made vitreous fibres (MMVF) and fine dust in schools and kindergartens. *Gefahrst Reinhalt Luft.* 72: 89-93.
- Wallace, LA. (1991). Comparison of risks from outdoor and indoor exposure to toxic chemicals. *Environ Health Perspect.* 95: 7-13.
- Walls, KL; Boulic, M; Boddy, JW. (2016). The Built Environment-A Missing "Cause of the Causes" of Non-Communicable Diseases. *Int J Environ Res Public Health.* 13. <http://dx.doi.org/10.3390/ijerph13100956>.
- Walter, GP. (1984). ASBESTOS IN DRINKING WATER. (EPIDEM/008535). Walter, GP.
- Wang, A, nM; Li, X, gen; Huang, Z, hiQ; Huang, XC; Wang, Z, fu; Wu, Q, i; Cui, J, li; Lu, XJ. (2015). Laboratory study on engineering geological characteristics and formation mechanism of altered rocks of Henan Tianchi pumped storage power station, China. *Environ Earth Sci.* 74: 5063-5075. <http://dx.doi.org/10.1007/s12665-015-4520-6>.
- Wang, CM; Zhang, L, i; Tang, H, aoShu; Chen, H, uaY; Li, X, iL; Zheng, Y, i; Li, DF; Fang, J; Dong, LH, ui; Qu, X, un. (2017). Genesis of the Kaladawan Fe-Mo ore field in Altyn, Xinjiang, China: Constraints from mineralogy and geochemistry. *Ore Geol Rev.* 81: 587-601. <http://dx.doi.org/10.1016/j.oregeorev.2016.09.001>.
- Wang, CY, an; Prichard, HM; Zhou, M, eiFu; Fisher, PC. (2008). Platinum-group minerals from the Jinbaoshan Pd-Pt deposit, SW China: evidence for magmatic origin and hydrothermal alteration. *Miner Depos.* 43: 791-803. <http://dx.doi.org/10.1007/s00126-008-0196-0>.
- Wang, D; Cullimore, D. (2010). Bacteriological challenges to asbestos cement water distribution pipelines. *J Environ Sci.* 22: 1203-1208. [http://dx.doi.org/10.1016/S1001-0742\(09\)60239-4](http://dx.doi.org/10.1016/S1001-0742(09)60239-4).
- Wang, D; Cullimore, R, oy; Hu, Y; Chowdhury, R. (2011). Biodeterioration of asbestos cement (AC) pipe in drinking water distribution systems. *Int Biodeterior Biodegradation.* 65: 810-817. <http://dx.doi.org/10.1016/j.ibiod.2011.05.004>.
- Wang, J. (2013). Effects of Particle Size and Morphology on Filtration of Airborne Nanoparticles. 256-266.
- Wang, J; Gerlach, JD; Savage, N; Cobb, GP. (2013). Necessity and approach to integrated nanomaterial legislation and governance. *Sci Total Environ.* 442: 56-62. <http://dx.doi.org/10.1016/j.scitotenv.2012.09.073>.
- Wang, J; Kim, SC; Pui, D. (2011). Carbon Nanotube Penetration through a Screen Filter: Numerical Modeling and Comparison with Experiments. *Aerosol Sci Technol.* 45: 443-452. <http://dx.doi.org/10.1080/02786826.2010.541531>.
- Wang, J; Kim, SC; Pui, DYH. (2011). Measurement of multi-wall carbon nanotube penetration through a screen filter and single-fiber analysis. *J Nanopart Res.* 13: 4565-4573. <http://dx.doi.org/10.1007/s11051-011-0415-y>.
- Wang, J; Pui, DY. (2013). Dispersion and Filtration of Carbon Nanotubes (CNTs) and Measurement of Nanoparticle Agglomerates in Diesel Exhaust. *Chem Eng Sci.* 85: 69-76. <http://dx.doi.org/10.1016/j.ces.2011.12.045>.
- Wang, L; Lu, A; Xiao, Z; Ma, J; Li, Y. (2009). Modification of nano-fibriform silica by dimethyldichlorosilane. *Appl Surf Sci.* 255: 7542-7546. <http://dx.doi.org/10.1016/j.apsusc.2009.04.024>.
- Wang, L; Luanpitpong, S; Castranon, V; Tse, W; Lu, Y; Pongrakhananon, V; Rojanasakul, Y, on. (2011). Carbon Nanotubes Induce Malignant Transformation and Tumorigenesis of Human Lung Epithelial Cells. *Nano Lett.* 11: 2796-2803. <http://dx.doi.org/10.1021/nl2011214>.
- Wang, LI; Christiani, DC. (2002). Asbestos exposure, smoking, manganese superoxide dismutase (MnSOD) gene polymorphism and lung cancer risk. *Am J Epidemiol.* 155: s69-s69.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Wang, O. (2003). Asbestos related diseases from environmental exposure to crocidolite in Da-yao, China. I. Review of exposure and epidemiological data - Commentary. *Occup Environ Med.* 60: 41-42.
- Wang, Q; Aitkadi, A; Kaliaguine, S. (1992). MODIFIED FIBERS FOR POLYMER COMPOSITES WITH IMPROVED MECHANICAL-PROPERTIES. *Polymer Composites.* 13: 414-420.
- Wang, QE; Han, CH; Yang, YP; Wang, HB; Wu, WD; Liu, SJ; Kohyama, N. (1999). Biological effects of man-made mineral fibers (II)--their genetic damages examined by in vitro assay. *Ind Health.* 37: 342-347.
- Wang, SQ; Williams, PJ. (2001). Geochemistry and origin of Proterozoic skarns at the Mount Elliott Cu-Au(-Co-Ni) deposit, Cloncurry district, NW Queensland, Australia. *Miner Depos.* 36: 109-124.
- Wang, X; Xia, T; Ntim, SA; Ji, Z; Lin, S; Meng, H; Chung, CH; George, S; Zhang, H; Wang, M; Li, N; Yang, Y; Castranova, V; Mitra, S; Bonner, JC; Nel, AE. (2011). Dispersal state of multiwalled carbon nanotubes elicits profibrogenic cellular responses that correlate with fibrogenesis biomarkers and fibrosis in the murine lung. *ACS Nano.* 5: 9772-9787. <http://dx.doi.org/10.1021/nn2033055>.
- Wang, X; Yano, E. (1999). Pulmonary dysfunction in silica-exposed workers: a relationship to radiographic signs of silicosis and emphysema. *Am J Ind Med.* 36: 299-306. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199908\)36:2<299::AID-AJIM9>3.0.CO;2-W](http://dx.doi.org/10.1002/(SICI)1097-0274(199908)36:2<299::AID-AJIM9>3.0.CO;2-W).
- Wang, X; Zeng, Z; Chen, J. (2009). Serpentinization of peridotites from the southern Mariana forearc. *Progress in Natural Science.* 19: 1287-1295. <http://dx.doi.org/10.1016/j.pnsc.2009.04.004>.
- Wang, Y; Feng, T, ao; Wang, K, ai; Qian, M, in; Chen, Y; Sun, Z. (2011). A Facile Method for Preparing Transparent, Conductive, and Paper-Like Silver Nanowire Films. *Journal of Nanomaterials.* <http://dx.doi.org/10.1155/2011/935218>.
- Wang, YY; Gan, FX; Zhao, HX. (2012). Nondestructive analysis of Lantian jade from Shaanxi Province, China. *Appl Clay Sci.* 70: 79-83. <http://dx.doi.org/10.1016/j.clay.2012.09.012>.
- Wang, Z; Hopke, PK; Ahmadi, G; Cheng, YS; Baron, PA. (2008). Fibrous particle deposition in human nasal passage: The influence of particle length, flow rate, and geometry of nasal airway. *J Aerosol Sci.* 39: 1040-1054. <http://dx.doi.org/10.1016/j.jaerosci.2008.07.008>.
- Wang, ZC; Hopke, PK; Baron, PA; Ahmadi, G; Cheng, YS; Deye, G; Su, WC. (2005). Fiber classification and the influence of average air humidity. *Aerosol Sci Technol.* 39: 1056-1063. <http://dx.doi.org/10.1080/02786820500380198>.
- Ward, DL. (1979). ANALYSIS OF LAGGING MATERIALS FOR ASBESTOS - CEGB PROCEDURES. *Ann Occup Hyg.* 22: 319-323.
- Ward, EM; Ruder, AM; Suruda, A; Smith, AB; Halperin, W; Fessler, CA; Zahm, SH. (1994). Cancer mortality patterns among female and male workers employed in a cable manufacturing plant during World War II. *J Occup Med.* 36: 860-866.
- Ward, T; Spear, T; Hart, J; Noonan, C; Holian, A; Getman, M; Webber, J. (2006). Trees as reservoirs for amphibole fibers in Libby, Montana. *Sci Total Environ.* 367: 460-465. <http://dx.doi.org/10.1016/j.scitotenv.2006.03.041>.
- Ward, TJ; Spear, TM; Hart, JF; Webber, JS; Elashheb, MI. (2012). Amphibole Asbestos in Tree Bark-A Review of Findings for This Inhalational Exposure Source in Libby, Montana [Review]. *J Occup Environ Hyg.* 9: 387-397. <http://dx.doi.org/10.1080/15459624.2012.682217>.
- Warheit, DB. (1995). A review of inhalation toxicology studies with para-aramid fibrils [Review]. *Ann Occup Hyg.* 39: 691-697.
- Warheit, DB; Carakostas, MC; Bamberger, JR; Hartsky, MA. (1991). Complement facilitates macrophage phagocytosis of inhaled iron particles but has little effect in mediating silica-induced lung inflammatory and clearance responses. *Environ Res.* 56: 186-203.
- Warheit, DB; Chang, IY; Hill, IH; Brody, AR. (1983). PULMONARY MACROPHAGES EXHIBIT MORPHOLOGICAL, FUNCTIONAL AND BIOCHEMICAL-CHANGES AFTER ONE HOUR OF EXPOSURE TO CHRYSOTILE ASBESTOS INVIVO. *Environ Health Perspect.* 52: 289-289.
- Warheit, DB; Hartsky, MA; Mchugh, TA; Kellar, KA. (1994). BIOPERSISTENCE OF INHALED ORGANIC AND INORGANIC FIBERS IN THE LUNGS OF RATS. *Environ Health Perspect.* 102: 151-157.
- Warheit, DB; Hwang, HC; Achinko, L. (1991). Assessments of lung digestion methods for recovery of fibers. *Environ Res.* 54: 183-193.
- Warheit, DB; Reed, KL; Webb, TR. (2001). Man-made respirable-sized organic fibers: what do we know about their toxicological profiles? [Review]. *Ind Health.* 39: 119-125.
- Warheit, DB; Snajdr, SI; Hartsky, MA; Frame, SR. (1997). Lung proliferative and clearance responses to inhaled para-aramid RFP in exposed hamsters and rats: comparisons with chrysotile asbestos fibers. *Environ Health Perspect Suppl.* 105: 1219-1222.
- Warner, M. (1988). OPTICAL AND ELECTRON MICROSCOPY CAN BE USED TO DETERMINE ASBESTOS IN AMBIENT AIR. *Anal Chem.* 60.
- Warr, LN; Cox, SC. (2016). Correlating illite (Kubler) and chlorite (Arkai) "crystallinity" indices with metamorphic mineral zones of the South Island, New Zealand. *Appl Clay Sci.* 134: 164-174. <http://dx.doi.org/10.1016/j.clay.2016.06.024>.
- Wasserbauer, R; Zadak, Z; Novotny, J. (1988). NITRIFYING BACTERIA ON THE ASBESTOS-CEMENT ROOFS OF STABLE BUILDINGS. *International Biodeterioration.* 24: 153-165.
- Wastiaux, A; Blanchard, O; Honnons, S. (1994). POSSIBLE APPLICATION OF URINARY ANALYSIS TO ESTIMATE DISSOLUTION OF SOME MAN-MADE VITREOUS FIBERS. *Environ Health Perspect.* 102: 217-219. <http://dx.doi.org/10.2307/3432090>.
- Watanabe, M; Hoshino, K; Kagami, H; Nishido, H; Sugiyama, M. (1998). Rh-Sr, Sm-Nd and K-Ar systematics of metamorphosed pillowed basalts and associated Besshi-type deposits in the Sanbagawa Belt, Japan. *Miner Depos.* 34: 113-120.
- Watanabe, M; Okada, M; Aizawa, Y; Sakai, Y; Yamashina, S; Kotani, M. (2000). Magnetometric evaluation for the effects of silicon carbide whiskers on alveolar macrophages. *Ind Health.* 38: 239-245.
- Watanabe, M; Okada, M; Kudo, Y; Tonori, Y; Niitsuya, M; Sato, T; Aizawa, Y; Kotani, M. (2002). Differences in the effects of fibrous and particulate titanium dioxide on alveolar macrophages of Fischer 344 rats. *J Toxicol Environ Health A.* 65: 1047-1060. <http://dx.doi.org/10.1080/152873902760125219>.
- Watanabe, M; Shibata, K; Okada, M; Kudo, Y; Niitsuya, M; Satoh, T; Kotani, M; Aizawa, Y. (2002). Magnetometric evaluation for cytotoxicity of potassium octatitanate whisker on alveolar macrophages of Fischer 344 rats. *J Occup Health.* 44: 321-328.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Watanabe, T; Shirasugi, Y; Michibayashi, K. (2014). A new method for calculating seismic velocities in rocks containing strongly dimensionally anisotropic mineral grains and its application to antigorite-bearing serpentinite mylonites. *Earth Planet Sci Lett.* 391: 24-35. <http://dx.doi.org/10.1016/j.epsl.2014.01.025>.
- Waterman, YR; Peeters, MG. (2004). The Dutch Institute for Asbestos Victims [Review]. *Int J Occup Environ Health.* 10: 166-176. <http://dx.doi.org/10.1179/oeh.2004.10.2.166>.
- Watkinson, DH; Melling, DR. (1992). HYDROTHERMAL ORIGIN OF PLATINUM-GROUP MINERALIZATION IN LOW-TEMPERATURE COPPER SULFIDE-RICH ASSEMBLAGES, SALT CHUCK INTRUSION, ALASKA. *Econ Geol.* 87: 175-184.
- Watterson, A; Gorman, T; Malcolm, C; Robinson, M; Beck, M. (2006). The economic costs of health service treatments for asbestos-related mesothelioma deaths. *Ann N Y Acad Sci.* 1076: 871-881. <http://dx.doi.org/10.1196/annals.1371.042>.
- Webber, JS; Carhart, LJ; Czuhanych, AG. (1997). Analytical trends in asbestos analysis: New York state's bulk sample proficiency-testing program. *Am Ind Hyg Assoc J.* 58: 809-813.
- Webber, JS; Covey, J. R.; King, MV. (1989). ASBESTOS IN DRINKING-WATER SUPPLIED THROUGH GROSSLY DETERIORATED AC PIPE. *J Am Water Works Assoc.* 81: 80-85.
- Webber, JS; Czuhanych, AG; Carhart, LJ. (2007). Performance of membrane filters used for TEM analysis of asbestos. *J Occup Environ Hyg.* 4: 780-789. <http://dx.doi.org/10.1080/15459620701588385>.
- Webber, JS; Jackson, KW; Parekh, PP; Bopp, RF. (2004). Reconstruction of a century of airborne asbestos concentrations. *Environ Sci Technol.* 38: 707-714. <http://dx.doi.org/10.1021/es034479h>.
- Webber, JS; Janulis, R; Syrotynski, S. (1990). EXAMINING PLAY SAND PRODUCTS FOR ASBESTOS CONTAMINATION. *Bull Environ Contam Toxicol.* 45: 486-494.
- Webber, JS; Janulis, RJ; Carhart, LJ; Gillespie, MB. (1990). QUANTITATING ASBESTOS CONTENT IN FRIABLE BULK SAMPLES - DEVELOPMENT OF A STRATIFIED POINT-COUNTING METHOD. *Am Ind Hyg Assoc J.* 51: 447-452.
- Webber, JS; Pupons, A; Fleser, JM. (1982). QUALITY-CONTROL TESTING FOR ASBESTOS ANALYSIS WITH SYNTHETIC BULK SAMPLES. *Am Ind Hyg Assoc J.* 43: 427-431.
- Webber, JS; Syrotynski, S; King, MV. (1988). ASBESTOS-CONTAMINATED DRINKING-WATER - ITS IMPACT ON HOUSEHOLD AIR. *Environ Res.* 46: 153-167.
- Webster, I. (1970). Asbestos Exposure in South Africa (pp. 209-212). (NIOSH/00177270). Webster, I.
- Webster, I; Goldstein, B; Coetzee, FS; van Sittert, GC. (1993). Malignant mesothelioma induced in baboons by inhalation of amosite asbestos. *Am J Ind Med.* 24: 659-666.
- Weeks, RW; Mcleod, MJ. (1982). PENETRATION OF GREATER-THAN 5-MUM CHRYSOTILE FIBERS THROUGH DUPONT TYVEK 1422A AND KIMBERLY-CLARK CPF FABRICS. *Am Ind Hyg Assoc J.* 43: 84-88.
- Wegman, DH. (1992). THE POTENTIAL IMPACT OF EPIDEMIOLOGY ON THE PREVENTION OF OCCUPATIONAL-DISEASE [Review]. *Am J Public Health.* 82: 944-954.
- Wehner, AP; Busch, RH; Olson, RJ; Craig, DK. (1975). Chronic Inhalation of Asbestos and Cigarette Smoke by Hamsters. *Environ Res.* 10: 368-383.
- Wehner, AP; Dagle, GE; Cannon, WC; Buschbom, RL. (1978). Asbestos cement dust inhalation by hamsters. *Environ Res.* 17: 367-389.
- Wei, B; Jia, X; Ye, B; Yu, J; Zhang, B; Zhang, X; Lu, R; Dong, T; Yang, L. (2012). Impacts of land use on spatial distribution of mortality rates of cancers caused by naturally occurring asbestos. *J Expo Sci Environ Epidemiol.* 22: 516-521. <http://dx.doi.org/10.1038/jes.2012.63>.
- Wei, B; Yang, L; Zhang, X; Zhang, B; Yu, J; Jia, X. (2012). Airborne Crocidolite Asbestos Fibers in Indoor and Outdoor Air in a Rural Area, China. *Aerosol Air Qual Res.* 12: 1282-1288. <http://dx.doi.org/10.4209/aaqr.2011.08.0121>.
- Weideborg, M; A-I, R. (1989). MIXING SURFACE WATER AND GROUNDWATER IN A SMALL NORWEGIAN WATERWORK INFLUENCE ON WATER QUALITY AND CORROSION IN THE DISTRIBUTION SYSTEM. *Vatten.* 45: 9-15.
- Weiderpass, E; Pukkala, E; Kauppinen, T; Mutanen, P; Paakkulainen, H; Vasama-Neuvonen, K; Boffetta, P; Partanen, T. (1999). Breast cancer and occupational exposures in women in Finland. *Am J Ind Med.* 36: 48-53. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199907\)36:1<48::AID-AJIM7>3.0.CO;2-2](http://dx.doi.org/10.1002/(SICI)1097-0274(199907)36:1<48::AID-AJIM7>3.0.CO;2-2).
- Weidner, RB; et al. (1972). Preliminary Survey to Determine Possible Asbestos Exposures at Rock Crushing Operations at the Anaconda Company, in Butte, Montana. (NIOSH/00106160). Weidner, RB; Et al.
- Weill, H; Hughes, J; Churg, A. (2005). Changing trends in US mesothelioma incidence [Letter]. *Occup Environ Med.* 62: 270. <http://dx.doi.org/10.1136/oem.2005.020321>.
- Weill, H; Hughes, JM. (1986). Asbestos as a public health risk: disease and policy [Review]. *Annu Rev Public Health.* 7: 171-192. <http://dx.doi.org/10.1146/annurev.pu.07.050186.001131>.
- Weill, H; Hughes, JM; Churg, AM. (2004). Changing trends in US mesothelioma incidence. *Occup Environ Med.* 61: 438-441. <http://dx.doi.org/10.1136/oem.2003.010165>.
- Weiss, NS. (1993). Complex mixtures and indoor air pollution: overview of epidemiologic methods. *Environ Health Perspect.* 4: 179-181. <http://dx.doi.org/10.2307/3431674>.
- Weiss, W. (1991). Cigarette smoking and small irregular opacities. *Br J Ind Med.* 48: 841-844.
- Weiss, W. (1993). PULMONARY EFFECTS OF EXPOSURE TO FINE FIBERGLASS - IRREGULAR OPACITIES AND SMALL AIRWAYS OBSTRUCTION. *Br J Ind Med.* 50: 1054-1054.
- Weiss, W. (2000). Asbestosis and lobar site of lung cancer [Review]. *Occup Environ Med.* 57: 358-360.
- Welch, JF. (1983). ASBESTOS-CEMENT PIPE SAFETY. *Professional Safety.* 28: 11-11.
- Welch, L; Dement, J; West, G. (2015). Mortality among sheet metal workers participating in a respiratory screening program. *Am J Ind Med.* 58: 378-391. <http://dx.doi.org/10.1002/ajim.22421>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Welch, LS; Acherman, YIZ; Haile, E; Sokas, RK; Sugarbaker, PH. (2005). Asbestos and peritoneal mesothelioma among college-educated men. *Int J Occup Environ Health*. 11: 254-258. <http://dx.doi.org/10.1179/107735205800245975>.
- Welch, LS; Haile, E. (2009). Asbestos-related disease among sheet metal workers 1986-2004: radiographic changes over time. *Am J Ind Med*. 52: 519-525. <http://dx.doi.org/10.1002/ajim.20712>.
- Welch, MD; Camara, F; Oberti, R. (2011). Thermoelasticity and high-T behaviour of anthophyllite. *Physics and Chemistry of Minerals*. 38: 321-334. <http://dx.doi.org/10.1007/s00269-010-0406-z>.
- Welch, MD; Gatta, GD; Rotiroti, N. (2011). The high-pressure behavior of orthorhombic amphiboles. *Am Mineral*. 96: 623-630. <http://dx.doi.org/10.2138/am.2011.3670>.
- Welch, MD; Liu, SX; Klinowski, J. (1998). Si-29 MAS NMR systematics of calcic and sodic-calcic amphiboles. *Am Mineral*. 83: 85-96.
- Welch, MD; Pawley, AR. (1991). TREMOLITE - NEW ENTHALPY AND ENTROPY DATA FROM A PHASE-EQUILIBRIUM STUDY OF THE REACTION TREMOLITE = 2 DIOPSIDE + 1.5 ORTHOENSTATITE + BETA-QUARTZ + H₂O. *Am Mineral*. 76: 1931-1939.
- Wellham, EJ; Elber, L; Yan, DS. (1992). THE ROLE OF CARBOXY METHYL CELLULOSE IN THE FLOTATION OF A NICKEL SULFIDE TRANSITION ORE. *Miner Eng*. 5: 381-395.
- Wells, AH. (1975). Asbestos in Duluth water. *Minn Med*. 58: 458-459.
- Welsh, DE. (2007). Asbestos exposure during an abatement project. *J Occup Environ Hyg*. 4: D7-D9. <http://dx.doi.org/10.1080/15459620601098485>.
- Weng, XT; Yao, JC; Wang, YJ; Hu, TX; Yu, ZG; Lu, ZY; Guo, JS. (1989). A study of magnetic field in the lung of workers in an asbestos factory. *Ind Health*. 27: 9-15.
- Wennerlund, B. (1983). THE YELLOW FIBER - A SUCCESSFUL REPLACEMENT OF ASBESTOS. 86: 17-&.
- Werner, AJ; Hochella, MF; Guthrie, GD; Hardy, JA; Aust, AE; Rimstidt, JD. (1995). Asbestiform riebeckite (crocidolite) dissolution in the presence of Fe chelators: Implications for mineral-induced disease. *Am Mineral*. 80: 1093-1103.
- Werner, I. (1984). THERMAL DIVIDING OF ASBESTOS-CONTAINING MATERIALS BY LASER AND BY PLASM BEAM METHODS - ANALYSIS OF DIVIDING SURFACES AND RESPIRABLE DUST SAMPLES. *Staub, Reinhaltung der Luft*. 44: 469-471.
- Wesnigk, E. (1982). SUBSTITUTION OF ASBESTOS IN INSULATING AND SEALING MATERIALS. *Chem Tech (Leipzig)*. 34: 493-493.
- Westberg, H; Andersson, L; Bryngelsson, IL; Ngo, Y; Ohlson, CG. (2013). Cancer morbidity and quartz exposure in Swedish iron foundries. *Int Arch Occup Environ Health*. 86: 499-507. <http://dx.doi.org/10.1007/s00420-012-0782-4>.
- Westberg, KBT; Hardell, LO; Malmqvist, N; Ohlson, CG; Axelson, O. (2005). On the use of different measures of exposure - Experiences from a case-control study on testicular cancer and PVC exposure. *J Occup Environ Hyg*. 2: 351-356. <http://dx.doi.org/10.1080/15459620590969046>.
- Westerlund, J; Graff, P, al; Bryngelsson, I; Westberg, H; Eriksson, K; Lofstedt, H. (2015). Occupational Exposure to Trichloramine and Trihalomethanes in Swedish Indoor Swimming Pools: Evaluation of Personal and Stationary Monitoring. *Ann Occup Hyg*. 59: 1074-1084. <http://dx.doi.org/10.1093/annhyg/mev045>.
- White, AJR; Smith, RE; Nadoll, P; Legras, M. (2014). Regional-scale Metasomatism in the Fortescue Group Volcanics, Hamersley Basin, Western Australia: Implications for Hydrothermal Ore Systems. *Journal of Petrology*. 55: 977-1009. <http://dx.doi.org/10.1093/petrology/egu013>.
- White, MK; Hodous, TK; Hudnall, JB. (1989). Physiological and subjective responses to working in disposable protective coveralls and respirators commonly used by the asbestos abatement industry. *Am Ind Hyg Assoc J*. 50: 313-319. <http://dx.doi.org/10.1080/15298668991374723>.
- Whitehead, J; Reynolds, PH; Spray, JG. (1995). THE SUB-OPHIOLITIC METAMORPHIC ROCKS OF THE QUEBEC APPALACHIANS. *J Geodyn*. 19: 325-350.
- Whitehouse, A. (2004). Asbestos-related pleural disease due to tremolite associated with progressive loss of lung function: Serial observations in 123 miners, family members, and residents of Libby, Montana. *Am J Ind Med*. 46: 219-225. <http://dx.doi.org/10.1002/ajim.20053>.
- Whitehouse, A; Black, C; Heppe, M; Ruckdeschel, J; Levin, S. (2008). Environmental exposure to Libby asbestos and mesotheliomas. *Am J Ind Med*. 51: 877-880. <http://dx.doi.org/10.1002/ajim.20620>.
- WHO. (1991). INDOOR AIR QUALITY INORGANIC FIBERS. *Environ Technol*. 12: 833-836.
- WHO. (1997). Assessment of exposure to indoor air pollutants [Review]. 78: iii-xii, 1-139.
- Whong, WZ; Gao, HG; Zhou, G; Ong, T. (1999). Genetic alterations of cancer-related genes in glass fiber-induced transformed cells. *J Toxicol Environ Health A*. 56: 397-404.
- Whorton, MD. (1986). ASBESTOS EXAMINATIONS FOR CONSTRUCTION WORKERS A WORKABLE ALTERNATIVE [Editorial]. *Am J Public Health*. 76: 1388-1389.
- Whorton, MD. (1987). ASBESTOS EXAMINATIONS FOR CONSTRUCTION WORKERS - REPLY. *Am J Public Health*. 77: 646-646.
- Wichmann, HE; Rosario, AS; Heid, IM; Kreuzer, M; Heinrich, J; Kreienbrock, L. (2005). Increased lung cancer risk due to residential radon in a pooled and extended analysis of studies in Germany. *Health Phys*. 88: 71-79. <http://dx.doi.org/10.1097/01.HP.0000142497.31627.86>.
- Wicks, FJ. (2000). Status of the reference X-ray powder-diffraction patterns for the serpentine minerals in the PDF database - 1997. *Powder Diffraction*. 15: 42-50.
- Wigle, DT. (1977). Cancer mortality in relation to asbestos in municipal water supplies. *Arch Environ Occup Health*. 32: 185-190.
- Wigle, DT; Mao, Y; Semenciw, R; Smith, MH; Toft, P. (1986). Contaminants in drinking water and cancer risks in canadian cities. *Can J Public Health*. 77: 335-342.
- Wild, P. (2006). Lung cancer risk and talc not containing asbestiform fibres: a review of the epidemiological evidence [Review]. *Occup Environ Med*. 63: 4-9. <http://dx.doi.org/10.1136/oem.2005.020750>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Wild, P; Leodolter, K; Refregier, M; Schmidt, H; Bourgkard, E. (2008). Effects of talc dust on respiratory health: results of a longitudinal survey of 378 French and Austrian talc workers. *Occup Environ Med.* 65: 261-267. <http://dx.doi.org/10.1136/oem.2007.034298>.
- Wilde, A; Otto, A; Jory, J; Macrae, C; Pownceby, M; Wilson, N; Torpy, A. (2013). Geology and Mineralogy of Uranium Deposits from Mount Isa, Australia: Implications for Albitite Uranium Deposit Models. 3: 258-283. <http://dx.doi.org/10.3390/min3030258>.
- Wilkins, RWT. (1970). IRON-MAGNESIUM DISTRIBUTION IN TREMOLITE-ACTINOLITE SERIES. *Am Mineral.* 55: 1993-&.
- Wilkinson, JJ; Jenkin, GRT; Fallick, AE; Foster, RP. (1995). OXYGEN AND HYDROGEN ISOTOPIC EVOLUTION OF VARISCAN CRUSTAL FLUIDS, SOUTH CORNWALL, UK. *Chem Geol.* 123: 239-254.
- Will, TM; Powell, R. (1992). ACTIVITY-COMPOSITION RELATIONSHIPS IN MULTICOMPONENT AMPHIBOLES - AN APPLICATION OF DARKEN QUADRATIC FORMALISM. *Am Mineral.* 77: 954-966.
- Wiley, RJ. (1982). MAGNETIC-PROPERTIES OF ASBESTOS FIBERS. *I E E E Transactions on Magnetics.* 18: 1794-1795.
- Williams, C; Dell, L; Adams, R; Rose, T; Van Orden, D. (2013). State-of-the-science assessment of non-asbestos amphibole exposure: Is there a cancer risk? [Review]. *Environ Geochem Health.* 35: 357-377. <http://dx.doi.org/10.1007/s10653-012-9500-0>.
- Williams, MG; Dodson, RF; Dickson, EW; Fraire, AE. (2001). An assessment of asbestos body formation in extrapulmonary sites: liver and spleen. *Toxicol Ind Health.* 17: 1-6. <http://dx.doi.org/10.1191/0748233701th0900a>.
- Williams, P; Paustenbach, D. (2006). Retrospective exposure assessment of asbestos related to skilled craftsmen at a petroleum refinery in Beaumont, Texas (1940-2005). *Epidemiology.* 17: S186-S186.
- Williams, PR. (2014). An analysis of violations of Osha's (1987) occupational exposure to benzene standard. *J Toxicol Environ Health B Crit Rev.* 17: 259-283. <http://dx.doi.org/10.1080/10937404.2014.924452>.
- Willner, AP; Herve, F; Massonne, HJ. (2000). Mineral chemistry and pressure-temperature evolution of two contrasting high-pressure-low-temperature belts in the Chonos Archipelago, Southern Chile. *Journal of Petrology.* 41: 309-330.
- Willner, AP; Massonne, HJ; Barr, SM; White, CE. (2013). Very Low- to Low-grade Metamorphic Processes Related to the Collisional Assembly of Avalonia in SE Cape Breton Island (Nova Scotia, Canada). *Journal of Petrology.* 54: 1849-1874. <http://dx.doi.org/10.1093/petrology/egt033>.
- Willner, AP; Sepulveda, FA; Herve, F; Massonne, HJ; Sudo, M. (2009). Conditions and Timing of Pumpellyite-Actinolite-facies Metamorphism in the Early Mesozoic Frontal Accretionary Prism of the Madre de Dios Archipelago (Latitude 50 degree 20'S; Southern Chile). *Journal of Petrology.* 50: 2127-2155. <http://dx.doi.org/10.1093/petrology/egp071>.
- Wilmoth, RC; Powers, TJ; Millette, JR. (1988). Observations on Studies Useful to Asbestos O and M Activities. (NIOSH/00192908). Wilmoth, RC; Powers, TJ; Millette, JR.
- Wilmoth, RC; Powers, TJ; Millette, JR. (1991). Observations on Studies Useful to Asbestos Operations and Management Activities. 14.
- Wilson, AJ; Cooke, DR; Harper, BL. (2003). The ridgeway gold-copper deposit: A high-grade alkalic porphyry deposit in the Lachlan fold belt, New South Wales, Australia. *Econ Geol.* 98: 1637-1666.
- Wilson, B. (1997). Asbestos-free jointing products. *Industrial Lubrication & Tribology.* 49: 283-&.
- Wilson, DL; Dudney, CS; Gammage, RB. (1994). AN INTERIM PROTOCOL FOR THE MITIGATION OF RADON IN NONRESIDENTIAL BUILDINGS. *Radiat Prot Dosimetry.* 56: 9-11.
- Wilson, SA; Dipple, GM; Power, I, anM; Thom, JM; Anderson, RG; Raudsepp, M; Gabites, JE; Southam, G. (2009). Carbon Dioxide Fixation within Mine Wastes of Ultramafic-Hosted Ore Deposits: Examples from the Clinton Creek and Cassiar Chrysotile Deposits, Canada. *Econ Geol.* 104: 95-112.
- Wilson, SA; Raudsepp, M; Dipple, GM. (2006). Verifying and quantifying carbon fixation in minerals from serpentine-rich mine tailings using the Rietveld method with X-ray powder diffraction data. *Am Mineral.* 91: 1331-1341. <http://dx.doi.org/10.2138/am.2006.2058>.
- Wimpenny, J; Gislason, SR; James, RH; Gannoun, A; Pogge Von Strandmann, PAE; Burton, KW. (2010). The behaviour of Li and Mg isotopes during primary phase dissolution and secondary mineral formation in basalt. *Geochim Cosmo Acta.* 74: 5259-5279. <http://dx.doi.org/10.1016/j.gca.2010.06.028>.
- Windom, H; Griffin, J; Goldberg, ED. (1967). Talc in Atmospheric Dusts. *Environ Sci Technol.* 1: 923-926.
- Winer, A. (1974). MINERAL WOOL INSULATION FROM ASBESTOS TAILINGS. 67: 97-104.
- Wingren, G. (2004). Mortality and cancer incidence in a Swedish art glassworks--an updated cohort study. *Int Arch Occup Environ Health.* 77: 599-603. <http://dx.doi.org/10.1007/s00420-004-0553-y>.
- Winkler, J. (2015). High levels of dioxin-like PCBs found in organic-farmed eggs caused by coating PCB materials of asbestos-cement fiber plates: A case study. *Environ Int.* 80: 72-78. <http://dx.doi.org/10.1016/j.envint.2015.03.005>.
- Winter, CK; Seiber, JN; Nuckton, CF. (1990). CHEMICALS IN THE HUMAN FOOD CHAIN (pp. FLORENCE). (BIOSIS/91/02349). Winter, CK; Seiber, JN; Nuckton, CF.
- Winters, JW. (1976). A simple small light-weight personal dust sampling unit for full shift determination of asbestos dust exposure. *Ann Occup Hyg.* 19: 77-80.
- Wirth, A; Eggleston, D; Whitaker, R. (1994). A FUNDAMENTAL TRIBOCHEMICAL STUDY OF THE 3RD BODY LAYER FORMED DURING AUTOMOTIVE FRICTION BRAKING. *Wear.* 179: 75-81.
- Wittall, M. (2006). EU campaign for asbestos in the workplace. *Gefahrst Reinhalt Luft.* 66: 397-397.
- Woitowitz, HJ; Rodelsperger, K. (1980). ASBESTOS DUST AS CAUSE OF MALIGN TUMORS. *Staub, Reinhaltung der Luft.* 40: 178-181.
- Woitowitz, HJ; Rodelsperger, K. (1992). CHRYSOTILE ASBESTOS, MESOTHELIOMA AND GARAGE MECHANICS - RESPONSE. *Am J Ind Med.* 21: 453-455.
- Woitowitz, HJ; Rödelsperger, K. (1991). Chrysotile asbestos and mesothelioma [Letter]. *Am J Ind Med.* 19: 551-553.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Wolf, F. (1976). Industrial Hygiene Survey Report, Champion International Paper Company, Canton, North Carolina, Report No. IWS-62-12 (pp. 62-12). (NIOSH/00179847). Wolf, F.
- Wolfe, RC; Cooke, DR. (2011). Geology of the Didipio Region and Genesis of the Dinkidi Alkalic Porphyry Cu-Au Deposit and Related Pegmatites, Northern Luzon, Philippines. *Econ Geol.* 106: 1279-1315.
- Wolff, AH; Oehme, FW. (1974). Carcinogenic chemicals in food as an environmental health issue [Review]. *J Am Vet Med Assoc.* 164: 623-629.
- Wolff, H; Vehmas, T; Oksa, P; Tuomi, T; Rantanen, J; Vainio, H. (2016). Response by the organizers of the Helsinki criteria updates 2014: Criteria for asbestos-related diseases need periodic updates [Letter]. *Scand J Work Environ Health.* 42: 95-96. <http://dx.doi.org/10.5271/sjweh.3536>.
- Wols, BA; van Thienen, P. (2014). Impact of weather conditions on pipe failure: a statistical analysis. *Journal of Water Supply: Research and Technology-AQUA.* 63: 212-223. <http://dx.doi.org/10.2166/aqua.2013.088>.
- Wolter, HU; Seifert, F. (1984). MINERALOGY AND GENESIS OF CORDIERITE-ANTHOPHYLLITE ROCKS FROM THE SULFIDE DEPOSIT OF FALUN, SWEDEN. *Lithos.* 17: 147-152.
- Wong, O. (1993). Considerations of specificity in assessing the relationship between asbestos and cancer [Review]. *Am J Ind Med.* 23: 521-523.
- Woodford, DT; Sisson, VB; Leeman, WP. (2001). Boron metasomatism of the Alta stock contact aureole, Utah: Evidence from berates, mineral chemistry, and geochemistry. *Am Mineral.* 86: 513-533.
- Woodhead, AD; Setlow, RB; Pond, V. (1983). THE EFFECTS OF CHRONIC EXPOSURE TO ASBESTOS FIBERS IN THE AMAZON MOLLY POECILIA-FORMOSA. *Environ Int.* 9: 173-176.
- Woolf, AD. (1978). ASBESTOS DUST STANDARD. *Ann Occup Hyg.* 21: 327-327.
- Woźniak, H; Wiecek, E; Dobrucka, D; Pelc, W; Bielichowska-Cybuta, G; Król, M; Opalska, B. (1992). [Various ecological problems related to mining and processing of serpentinite. Evaluation of non-occupational exposure of the population of Naślawice to fibrous mineral dust]. *Med Pr.* 43: 235-243.
- Woźniak, H; Wiecek, E; Pelc, W; Dobrucka, D; Król, M; Opalska, B. (1994). [Respirable mineral fibers in atmospheric air of Wrocław]. *Med Pr.* 45: 239-247.
- Wraith, D; Mengersen, K. (2007). Assessing the combined effect of asbestos exposure and smoking on lung cancer: a Bayesian approach. *Stat Med.* 26: 1150-1169. <http://dx.doi.org/10.1002/sim.2602>.
- Wright, A; Cowie, H; Gormley, IP; Davis, JM. (1986). The in vitro cytotoxicity of asbestos fibers: I. P388D1 cells. *Am J Ind Med.* 9: 371-384.
- Wu, CZ; Wang, P; Yao, X; Liu, C; Chen, DM; Lu, GQ; Cheng, HM. (2006). Effect of carbon/noncarbon addition on hydrogen storage behaviors of magnesium hydride. *J Alloy Comp.* 414: 259-264. <http://dx.doi.org/10.1016/j.jallcom.2005.07.021>.
- Wu, FY; Sun, DY; Li, HM; Jahn, BM; Wilde, S. (2002). A-type granites in northeastern China: age and geochemical constraints on their petrogenesis. *Chem Geol.* 187: 143-173.
- Wu, J; Kreis, IA; Griffiths, D; Darling, C. (2004). Respiratory symptoms and lung function of coke oven workers: A lung function surveillance system from 1990-2000. *J Occup Environ Med.* 46: 906-915. <http://dx.doi.org/10.1097/01.jom.0000137719.38356.9b>.
- Wu, L; Ortiz, C; Xu, Y; Willenbring, J; Jerolmack, D. (2015). In Situ Liquid Cell Observations of Asbestos Fiber Diffusion in Water. *Environ Sci Technol.* 49: 13340-13349. <http://dx.doi.org/10.1021/acs.est.5b03839>.
- Wu, L; Ortiz, CP; Jerolmack, DJ. (2017). Aggregation of Elongated Colloids in Water. *Langmuir.* 33: 622-629. <http://dx.doi.org/10.1021/acs.langmuir.6b03962>.
- Wu, M; Gordon, RE; Herbert, R; Padilla, M; Moline, J; Mendelson, D; Litle, V; Travis, WD; Gil, J. (2010). Case report: Lung disease in World Trade Center responders exposed to dust and smoke: carbon nanotubes found in the lungs of World Trade Center patients and dust samples. *Environ Health Perspect.* 118: 499-504. <http://dx.doi.org/10.1289/ehp.0901159>.
- Wu, W; Giese, RF; van Oss, CJ. (1999). Stability versus flocculation of particle suspensions in water - correlation with the extended DLVO approach for aqueous systems, compared with classical DLVO theory. *Colloids Surf B Biointerfaces.* 14: 47-55.
- Wu, WT; Lu, YH; Lin, YJ; Yang, YH; Shiu, HS; Hsu, JH; Li, CY; Yang, CY; Liou, SH; Wu, TN. (2013). Mortality among shipbreaking workers in Taiwan - a retrospective cohort study from 1985 to 2008. *Am J Ind Med.* 56: 701-708. <http://dx.doi.org/10.1002/ajim.22135>.
- Wunder, B. (1998). Equilibrium experiments in the system MgO-SiO₂-H₂O (MSH): stability fields of clinohumite-OH [Mg₉Si₄O₁₆(OH)(2)], chondrodite-OH [Mg₅Si₂O₈(OH)(2)] and phase A (Mg₇Si₂O₈(OH)(6)). *Contributions to Mineralogy and Petrology.* 132: 111-120.
- Wunder, B; Baronnet, A; Schreyer, W. (1997). Ab-initio synthesis and TEM confirmation of antigorite in the system MgO-SiO₂-H₂O. *Am Mineral.* 82: 760-764.
- Wunder, B; Deschamps, F; Watenphul, A; Guillot, S; Meixner, A; Romer, RL; Wirth, R. (2010). The effect of chrysotile nanotubes on the serpentinite-fluid Li-isotopic fractionation. *Contributions to Mineralogy and Petrology.* 159: 781-790. <http://dx.doi.org/10.1007/s00410-009-0454-x>.
- Wunder, B; Schreyer, W. (1997). Antigorite: High pressure stability in the system MgO-SiO₂-H₂O (MSH). *Lithos.* 41: 213-227.
- Wyart-Remy, M. (1997). Asbestos disease in foundrymen [Letter]. *J Occup Environ Med.* 39: 700.
- Wylie, AG. (1990). Discriminating Amphibole Cleavage Fragments from Asbestos: Rationale and Methodology (pp. 23-26). (NIOSH/00198575). Wylie, AG.
- Wylie, AG; Bailey, KF; Kelse, JW; Lee, RJ. (1993). The importance of width in asbestos fiber carcinogenicity and its implications for public policy [Review]. *Am Ind Hyg Assoc J.* 54: 239-252. <http://dx.doi.org/10.1080/15298669391354621>.
- Wylie, AG; Candela, PA. (2015). Methodologies for determining the sources, characteristics, distribution, and abundance of asbestiform and nonasbestiform amphibole and serpentinite in ambient air and water. *J Toxicol Environ Health B Crit Rev.* 18: 1-42. <http://dx.doi.org/10.1080/10937404.2014.997945>.
- Wylie, AG; Verkouteren, JR. (2000). Amphibole asbestos from Libby, Montana: Aspects of nomenclature. *Am Mineral.* 85: 1540-1542.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Wylie, AG; Virta, RL; Russek, E. (1985). CHARACTERIZING AND DISCRIMINATING AIRBORNE AMPHIBOLE CLEAVAGE FRAGMENTS AND AMOSITE FIBERS IMPLICATIONS FOR NATIONAL INSTITUTE OF OCCUPATIONAL SAFETY AND HEALTH METHOD. *Am Ind Hyg Assoc J.* 46: 197-201.
- Wypych, F; Schreiner, WH; Mattoso, N; Mosca, DH; Marangoni, R; Bento, CAD. (2003). Covalent grafting of phenylphosphonate groups onto layered silica derived from in situ-leached chrysotile fibers. *J Mater Chem.* 13: 304-307. <http://dx.doi.org/10.1039/b210370b>.
- Xiao, G; Zhu, Z. (2010). Friction materials development by using DOE/RSM and artificial neural network. *Tribology International.* 43: 218-227. <http://dx.doi.org/10.1016/j.triboint.2009.05.019>.
- Xiao, H; Qiu, K; Gou, X; Ou, Q. (2013). A flameless catalytic combustion-based thermoelectric generator for powering electronic instruments on gas pipelines. *Appl Energ.* 112: 1161-1165. <http://dx.doi.org/10.1016/j.apenergy.2013.01.078>.
- XiaoKe, L; WeiDong, L; Bin, L; XinWei, L. (2013). Analysis of the potteries from ancient Liangzhu city-site. *Science China Technological Sciences.* 56: 945-951. <http://dx.doi.org/10.1007/s11431-013-5134-4>.
- Xiaomei, W; Zhigang, Z; Changhua, L; Junbing, C; Xuebo, Y; Xiaoyuan, W; Daigeng, C; Guoliang, Z; Shuai, C; Kang, L; Hegen, O. (2009). Talc-bearing serpentinized peridotites from the southern Mariana forearc: implications for aseismic character within subduction zones. *Chin J Oceanol Limnol.* 27: 667-673. <http://dx.doi.org/10.1007/s00343-009-9207-y>.
- Xin, X, u; Xu, CG; Qing, L, iuFei. (2007). Friction properties of sisal fibre reinforced resin brake composites. *Wear.* 262: 736-741. <http://dx.doi.org/10.1016/j.wear.2006.08.010>.
- Xu, A; Smilenov, LB; He, P; Masumura, K; Nohmi, T; Yu, Z; Hei, TK. (2007). New insight into intrachromosomal deletions induced by chrysotile in the gpt delta transgenic mutation assay. *Environ Health Perspect.* 115: 87-92. <http://dx.doi.org/10.1289/ehp.9425>.
- Xu, A; Zhou, H; Yu, DZ; Hei, TK. (2002). Mechanisms of the genotoxicity of crocidolite asbestos in mammalian cells: implication from mutation patterns induced by reactive oxygen species. *Environ Health Perspect.* 110: 1003-1008.
- Xu, G; Lin, X. (2000). Geology and geochemistry of the Changlongshan skarn iron deposit, Anhui Province, China. *Ore Geol Rev.* 16: 91-106.
- Xu, HF; Veblen, DR; Luo, GF; Xue, JY. (1996). Transmission electron microscopy study of the thermal decomposition of tremolite into clinopyroxene. *Am Mineral.* 81: 1126-1132.
- Xu, J; Ciobanu, CL; Cook, NJ; Zheng, Y; Sun, X; Wade, BP. (2016). Skarn formation and trace elements in garnet and associated minerals from Zhibula copper deposit, Gangdese Belt, southern Tibet. *Lithos.* 262: 213-231. <http://dx.doi.org/10.1016/j.lithos.2016.07.010>.
- Xu, J; Li, X; Zhou, W; Ding, L, ei; Jin, Z; Li, Y, an. (2006). The preparation of Mg₃Si₂O₅(OH)₄ naotubes under solvothermal conditons. *Journal of Porous Materials.* 13: 275-279. <http://dx.doi.org/10.1007/s10934-006-8016-3>.
- Xu, J; Yang, G; Li, G; Wu, Z; Shen, G. (2008). Dingdaohengite-(Ce) from the Bayan Obo REE-Nb-Fe Mine, China: Both a true polymorph of perrierite-(Ce) and a titanite analog at the C1 site of chevkinite subgroup. *Am Mineral.* 93: 740-744. <http://dx.doi.org/10.2138/am.2008.2543>.
- Xu, L, i; Li, W, ei; You, Y, an; Zhang, S; Zhao, Y. (2013). Polysulfone and zirconia composite separators for alkaline water electrolysis. 7: 154-161. <http://dx.doi.org/10.1007/s11705-013-1331-8>.
- Xu, L, i; Yu, Y, ue; Li, W, ei; You, Y, an; Xu, W, ei; Zhang, S. (2014). The influence of manufacturing parameters and adding support layer on the properties of Zirfon (R) separators. 8: 295-305. <http://dx.doi.org/10.1007/s11705-014-1433-y>.
- Xu, Q; Chen, H; Prozzi, JA. (2010). Performance of fiber reinforced asphalt concrete under environmental temperature and water effects. *Construction and Building Materials.* 24: 2003-2010. <http://dx.doi.org/10.1016/j.conbuildmat.2010.03.012>.
- Xu, X; Kelsey, KT; Wiencke, JK; Wain, JC; Christiani, DC. (1996). Cytochrome P450 CYP1A1 Mspol polymorphism and lung cancer susceptibility. *Cancer Epidemiol Biomarkers Prev.* 5: 687-692.
- Xypolias, P; Iliopoulos, I; Chatzaras, V; Kokkalas, S. (2012). Subduction- and exhumation-related structures in the Cycladic Blueschists: Insights from south Evia Island (Aegean region, Greece). *Tectonics.* 31. <http://dx.doi.org/10.1029/2011TC002946>.
- Yada, K; Kohyama, N. (2009). Microstructures and biological influence of environmental exposure of asbestos [Review]. *Biomed Mater Eng.* 19: 231-239. <http://dx.doi.org/10.3233/BME-2009-0585>.
- Yamada, H; Hashimoto, H; Akiyama, M; Kawabata, Y; Iwai, K. (1997). Talc and amosite/crocidolite preferentially deposited in the lungs of nonoccupational female lung cancer cases in urban areas of Japan. *Environ Health Perspect.* 105: 504-508.
- Yamai, I; Saito, H. (1974). EFFECTS OF STARTING COMPONENTS ON HYDROTHERMAL SYNTHESIS OF CHRYSOTILE FIBERS. *J Cryst Growth.* 24: 617-620.
- Yamamoto, T; Kida, A; Noma, Y; Terazono, A; Sakai, S. (2014). Development of a testing method for asbestos fibers in treated materials of asbestos containing wastes by transmission electron microscopy. *Waste Manag.* 34: 536-541. <http://dx.doi.org/10.1016/j.wasman.2013.11.008>.
- Yamanaka, Y; Akamatsu, Y; Kurokawa, S. (2011). Technology Trends Concerning Environmental Control of Gaskets. *Toraiborjisu.* 56: 87-92.
- Yamashita, T; Schubnel, A. (2016). Slow slip generated by dehydration reaction coupled with slip-induced dilatancy and thermal pressurization. *Journal of Seismology.* 20: 1217-1234. <http://dx.doi.org/10.1007/s10950-016-9585-5>.
- Yamato, H; Hori, H; Tanaka, I; Higashi, T; Morimoto, Y; Kido, M. (1994). RETENTION AND CLEARANCE OF INHALED CERAMIC FIBERS IN RAT LUNGS AND DEVELOPMENT OF A DISSOLUTION MODEL. *Occup Environ Med.* 51: 275-280.
- Yamato, H; Morimoto, Y; Tsuda, T; Ohgami, A; Kohyama, N; Tanaka, I. (1998). Fiber numbers per unit weight of JFM standard reference samples determined with a scanning electron microscope. *Ind Health.* 36: 384-387. <http://dx.doi.org/10.2486/indhealth.36.384>.
- Yanagisawa, K; Kozawa, T; Onda, A; Kanazawa, M; Shinohara, J; Takanami, T; Shiraishi, M. (2009). A novel decomposition technique of friable asbestos by CHClF₂-decomposed acidic gas. *J Hazard Mater.* 163: 593-599. <http://dx.doi.org/10.1016/j.jhazmat.2008.07.017>.
- Yanamala, N; Farcas, MT; Hatfield, MK; Kisin, ER; Kagan, VE; Geraci, CL; Shvedova, AA. (2014). In Vivo Evaluation of the Pulmonary Toxicity of Cellulose Nanocrystals: A Renewable and Sustainable Nanomaterial of the Future. 2: 1691-1698. <http://dx.doi.org/10.1021/sc500153k>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Yang, C; Inoue, T; Yamada, A; Kikegawa, T; Ando, J, unI. (2014). Equation of state and phase transition of antigorite under high pressure and high temperature. *Phys Earth Planet In.* 228: 56-62. <http://dx.doi.org/10.1016/j.pepi.2013.07.008>.
- Yang, D; Xie, L; Bobicki, E; Xu, Z; Liu, Q; Zeng, H. (2014). Probing anisotropic surface properties and interaction forces of chrysotile rods by atomic force microscopy and rheology. *Langmuir.* 30: 10809-10817. <http://dx.doi.org/10.1021/la5019373>.
- Yang, H; Xiao, Y, u; Liu, K, un; Feng, Q. (2008). Chemical precipitation synthesis and optical properties of ZnO/SiO(2) nanocomposites. *Journal of the American Ceramic Society.* 91: 1591-1596. <http://dx.doi.org/10.1111/j.1551-2916.2008.02340.x>.
- Yang, HX; Evans, BW. (1996). X-ray structure refinements of tremolite at 140 and 295 K: Crystal chemistry and petrologic implications. *Am Mineral.* 81: 1117-1125.
- Yang, HX; Hazen, RM; Prewitt, CT; Finger, LW; Lu, R; Hemley, RJ. (1998). High-pressure single-crystal x-ray diffraction and infrared spectroscopic studies of the C2/m-P2(1)/m phase transition in cummingtonite. *Am Mineral.* 83: 288-299.
- Yang, HX; Konzett, J; Prewitt, CT; Fei, YW. (1999). Single-crystal structure refinement of synthetic K-M4-substituted potassic richterite, K(KCa)Mg5Si8O22(OH)(2). *Am Mineral.* 84: 681-684.
- Yang, HY; Huang, SH; Shie, RH; Chen, PC. (2016). Cancer mortality in a population exposed to nephrite processing. *Occup Environ Med.* 73: 528-536. <http://dx.doi.org/10.1136/oemed-2016-103586>.
- Yang, HY; Shie, RH; Chen, PC. (2013). Pulmonary fibrosis in workers exposed to non-asbestiform tremolite asbestos minerals. *Epidemiology.* 24: 143-149. <http://dx.doi.org/10.1097/EDE.0b013e31826b822d>.
- Yang, HY; Wishart, J; Yang, YY; Lumeng, J; Paik, YK. (1998). A quantitative study of environmental asbestos exposure in Honolulu. *Hawaii Med J.* 57: 536-539.
- Yang, JJ, un; Powell, R. (2006). Calculated phase relations in the system Na(2)O-CaO-K(2)O-FeO-MgO-Al(2)O(3)-SiO(2)-H(2)O with applications to UHP eclogites and whiteschists. *Journal of Petrology.* 47: 2047-2071. <http://dx.doi.org/10.1093/petrology/egl036>.
- Yang, S; Pelton, R; Abarca, C; Dai, Z; Montgomery, M; Xu, M; Bos, JA, nn. (2013). Towards nanoparticle flotation collectors for pentlandite separation. *Int J Miner Process.* 123: 137-144. <http://dx.doi.org/10.1016/j.minpro.2013.05.007>.
- Yang, Y, an; Liang, Q; Li, J; Zhuang, Y; He, Y; Bai, B, o; Wang, X, un. (2011). Ni3Si2O5(OH)(4) multi-walled nanotubes with tunable magnetic properties and their application as anode materials for lithium batteries. *Nano Research.* 4: 882-890. <http://dx.doi.org/10.1007/s12274-011-0144-7>.
- Yanniello, R; Paoletti, GJ. (2009). Safety and Environmental Evaluation of Insulating Media in Medium-Voltage Distribution Equipment. *I E E E Transactions on Industry Applications.* 45: 1155-1158. <http://dx.doi.org/10.1109/TIA.2009.2018957>.
- Yano, E; Wang, X; Wang, ZM; Wang, MZ; Lan, YJ. (2011). CANCER MORTALITY AMONG CHRYSOTILE WORKERS. *J Epidemiol Community Health.* 65: A315-A315. <http://dx.doi.org/10.1136/jech.2011.142976k.67>.
- Yao, Y; Chen, J, un; Lu, J; Wang, R; Zhang, R. (2014). Geology and genesis of the Hehuaping magnesian skarn-type cassiterite-sulfide deposit, Hunan Province, Southern China. *Ore Geol Rev.* 58: 163-184. <http://dx.doi.org/10.1016/j.oregeorev.2013.10.012>.
- Yardley, BWD; Harlov, DE; Heinrich, W. (2010). Rates of retrograde metamorphism and their implications for crustal rheology. *Geofluids.* 10: 234-240. <http://dx.doi.org/10.1111/j.1468-8123.2010.00286.x>.
- Yates, HM; Flavell, WR; Pemble, ME; Johnson, NP; Romanov, SG; Sotomayortorres, CM. (1997). Novel quantum confined structures via atmospheric pressure MOCVD growth in asbestos and opals. *J Cryst Growth.* 170: 611-615.
- Yau, YH; Bromwich, D. (1994). FAILURE OF BAGS AND SHEETS USED IN ASBESTOS ABATEMENTS. *Am Ind Hyg Assoc J.* 55: 42-52.
- Ye, K; Hirajima, T. (1996). High-pressure marble at Yangguantun, Rongcheng county, Shandong province, eastern China. *Mineralogy and Petrology.* 57: 151-165.
- Yeager, H; Russo, DA; Yañez, M; Gerardi, D; Nolan, RP; Kagan, E; Langer, AM. (1983). Cytotoxicity of a short-fiber chrysotile asbestos for human alveolar macrophages: preliminary observations. *Environ Res.* 30: 224-232.
- Yefimov, AA; Potapova, TA. (1990). TECTONICS OF THE LOWER (METABASITE) STRUCTURAL UNIT OF THE VOYKAR OPHIOLITE ALLOCHTHON IN THE ARCTIC URALS. *Geotectonics.* 24: 407-414.
- Yendell, SJ; Fischer, M; Staples, JE. (2015). Colorado tick fever in the United States, 2002-2012. *Vector Borne and Zoonotic Diseases.* 15: 311-316. <http://dx.doi.org/10.1089/vbz.2014.1755>.
- Yoneda, A; Yonehara, M; Osako, M. (2012). Anisotropic thermal properties of talc under high temperature and pressure. *Phys Earth Planet In.* 190: 10-14. <http://dx.doi.org/10.1016/j.pepi.2011.10.003>.
- Yoon, C; Lee, K; Park, D. (2011). Indoor air quality differences between urban and rural preschools in Korea. *Environ Sci Pollut Res Int.* 18: 333-345. <http://dx.doi.org/10.1007/s11356-010-0377-0>.
- Yorifuji, T; Suzuki, E; Tsuda, T; Natori, Y; Matsui, E. (2011). Environmental Exposure to Asbestos and Pleural Plaques Among Retirees in a Factory Without Asbestos Use in H City, Japan. *Epidemiology.* 22: S76-S76.
- Yoshida, K; Hirajima, T; Ohsawa, S; Kobayashi, T; Mishima, T; Sengen, Y. (2015). Geochemical features and relative B-Li-Cl compositions of deep-origin fluids trapped in high-pressure metamorphic rocks. *Lithos.* 226: 50-64. <http://dx.doi.org/10.1016/j.lithos.2015.03.002>.
- Yoshikawa, N; Kashimura, K; Hashiguchi, M; Sato, M; Horikoshi, S; Mitani, T; Shinohara, N. (2015). Detoxification mechanism of asbestos materials by microwave treatment. *J Hazard Mater.* 284: 201-206. <http://dx.doi.org/10.1016/j.jhazmat.2014.09.030>.
- Yoshimura, M; Suda, H; Okamoto, K; Ioku, K. (1994). HYDROTHERMAL SYNTHESIS OF BIOCOMPATIBLE WHISKERS. *Journal of Materials Science.* 29: 3399-3402.
- Youli, Z; Feilong, B; Yanli, W; Qian, Z. (2014). Conjugate Heat Transfer Analysis of an Ultrasonic Molten Metal Treatment System. *Chinese Journal of Mechanical Engineering.* 27: 986-991. <http://dx.doi.org/10.3901/CJME.2014.0617.112>.
- Young, KA; Sztuke, J; Merrill, RJ. (1972). INVESTIGATIONS TO RECOVER NICKEL AND IRON CONCENTRATES FROM ASBESTOS TAILINGS OF CAREY CANADIAN MINES LTD. 65: 16-&.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Yranheikki, E; Savolainen, H. (2000). Occupational safety and health in Finland. *J Safety Res.* 31: 177-183.
- Y-T, Y; N-S, W; Michel, RP; Poulsen, RS. (1984). Mineral dusts in lungs with scar or scar cancer. *Cancer.* PHILA: 1814-1823.
- Yu, CP; Asgharian, B. (1990). A KINETIC-MODEL OF ALVEOLAR CLEARANCE OF AMOSITE ASBESTOS FIBERS FROM THE RAT LUNG AT HIGH LUNG BURDENS. *J Aerosol Sci.* 21: 21-27. [http://dx.doi.org/10.1016/0021-8502\(90\)90019-T](http://dx.doi.org/10.1016/0021-8502(90)90019-T).
- Yu, CP; Asgharian, B; Abraham, JL. (1990). MATHEMATICAL-MODELING OF ALVEOLAR CLEARANCE OF CHRYSOTILE ASBESTOS FIBERS FROM THE RAT LUNGS. *J Aerosol Sci.* 21: 587-594. [http://dx.doi.org/10.1016/0021-8502\(90\)90134-J](http://dx.doi.org/10.1016/0021-8502(90)90134-J).
- Yu, CP; Asgharian, B; Pinkerton, KE. (1991). INTRAPULMONARY DEPOSITION AND RETENTION MODELING OF CHRYSOTILE ASBESTOS FIBERS IN RATS. *J Aerosol Sci.* 22: 757-763. [http://dx.doi.org/10.1016/0021-8502\(91\)90068-S](http://dx.doi.org/10.1016/0021-8502(91)90068-S).
- Yu, CP; Ding, YJ; Zhang, L; Oberdorster, G. (1996). A clearance model of refractory ceramic fibers (RCF) in the rat lung including fiber dissolution and breakage. *J Aerosol Sci.* 27: 151-159. [http://dx.doi.org/10.1016/0021-8502\(95\)00536-6](http://dx.doi.org/10.1016/0021-8502(95)00536-6).
- Yu, CP; Zhang, L; Oberdörster, G; Mast, RW; Glass, LR; Utell, MJ. (1994). Clearance of refractory ceramic fibers (RCF) from the rat lung: development of a model. *Environ Res.* 65: 243-253. <http://dx.doi.org/10.1006/enrs.1994.1035>.
- Yu, H, aNa; Kim, SS, u; Lee, D, aiGil. (2009). Optimum design of aramid-phenolic/glass-phenolic composite journal bearings. *Composites Part A: Applied Science and Manufacturing.* 40: 1186-1191. <http://dx.doi.org/10.1016/j.compositesa.2009.05.001>.
- Yu, IJ; Moon, YH; Sakai, K; Hisanaga, N; Park, JD; Takeuchi, Y. (1998). Asbestos and non-asbestos fiber content in lungs of Korean subjects with no known occupational asbestos exposure history. *Environ Int.* 24: 293-300.
- Yu, J; Chen, Y; Mao, J; Pirajno, F; Duan, C. (2011). Review of geology, alteration and origin of iron oxide-apatite deposits in the Cretaceous Ningwu basin, Lower Yangtze River Valley, eastern China: Implications for ore genesis and geodynamic setting. *Ore Geol Rev.* 43: 170-181. <http://dx.doi.org/10.1016/j.oregeorev.2011.07.008>.
- Yu, M; Feng, CY; Zhu, YF; Mao, JW; Zhao, YM; Li, DX. (2017). Multistage amphiboles from the Galinge iron skarn deposit in Qiman Tagh, western China: evidence of igneous rocks replacement. *Mineralogy and Petrology.* 111: 81-97. <http://dx.doi.org/10.1007/s00710-016-0459-x>.
- Yu, PY; Wang, CC; Gentry, JW. (1987). Experimental Measurement of the Rate of Unipolar Charging of Actinolite Fibers. *J Aerosol Sci.* 18: 73-85.
- Yuan, ZX; Bai, G; Wu, CY; Zhang, ZQ; Ye, XJ. (1992). GEOLOGICAL FEATURES AND GENESIS OF THE BAYAN OBO REE ORE DEPOSIT, INNER-MONGOLIA, CHINA. *Appl Geochem.* 7: 429-442.
- Yudin, VE; Otaigbe, JU; Nazarenko, SI; Kim, WD; Korytkova, EN. (2011). A COMPARATIVE STUDY ON THE MECHANICAL AND BARRIER CHARACTERISTICS OF POLYIMIDE NANOCOMPOSITE FILMS FILLED WITH NANOPARTICLES OF PLANAR AND TUBULAR MORPHOLOGY. *Mechanics of Composite Materials.* 47: 335-342.
- Yui, TF; Jeng, RC. (1990). A STABLE-ISOTOPE STUDY OF THE HYDROTHERMAL ALTERATION OF THE EAST TAIWAN OPHIOLITE. *Chem Geol.* 89: 65-85.
- Yui, TF; Kwon, ST. (2002). Origin of a dolomite-related jade deposit at Chuncheon, Korea. *Econ Geol.* 97: 593-601.
- Yuskus, LR. (1984). REDUCING TETRACHLOROETHYLENE IN VINYL-LINED ASBESTOS-CEMENT PIPES THROUGH CEMENT-MORTAR LININGS. *J Am Water Works Assoc.* 76: 76-81.
- Yvon, Y, an; Ghandour, S; Sharrock, P. (2014). COMPUTER-AIDED IMAGE ANALYSIS AND EPR CHARACTERIZATION OF TRANSFORMED ASBESTOS CONTAINING WASTES. *Environmental Engineering and Management Journal.* 13: 51-60.
- Yvon, Y, an; Sharrock, P. (2011). Characterization of Thermochemical Inactivation of Asbestos Containing Wastes and Recycling the Mineral Residues in Cement Products. *Waste Biomass Valorization.* 2: 169-181. <http://dx.doi.org/10.1007/s12649-011-9063-9>.
- Zacek, V; Burianek, D; Pecskay, Z; Skoda, R. (2016). Astrophyllite-alkali amphibole rhyolite, an evidence of early Permian A-type alkaline volcanism in the western Mongolian Altai. *Journal of Geosciences.* 61: 93-103. <http://dx.doi.org/10.3190/jgeosci.205>.
- Zacek, V; Janousek, V; Ulloa, A; Kosler, J, an; Huapaya, S; Mixa, P; Vondrovicova, L; Alvarado, GE. (2011). The Late Miocene Guacimal Pluton in the Cordillera de Tilaran, Costa Rica: its nature, age and petrogenesis. *Journal of Geosciences.* 56: 51-79. <http://dx.doi.org/10.3190/jgeosci.087>.
- Zachar, J; Toth, TM; Janak, M. (2007). Kyanite eclogite xenolith from the orthogneiss terrane of the Tisza Megaunit, Janoshalma area, crystalline basement of southern Hungary. *Lithos.* 99: 249-265. <http://dx.doi.org/10.1016/j.lithos.2007.06.001>.
- Zacharias, J. (2008). Compositional trends in magmatic and hydrothermal silicates of the Petrackova hora intrusive complex, Bohemian Massif - link between the magmatic processes and intrusion-related gold mineralization. *Journal of Geosciences.* 53: 105-117. <http://dx.doi.org/10.3190/jgeosci.021>.
- Zagas, T; Tsitsoni, T; Ganatsas, P; Tsakalidimi, M; Skotidakis, T; Zagas, D. (2010). Land Reclamation and Ecological Restoration in a Marine Area. *International Journal of Environmental Research.* 4: 673-680.
- Zahm, SH; Blair, A. (2003). Occupational cancer among women: Where have we been and where are we going? [Review]. *Am J Ind Med.* 44: 565-575. <http://dx.doi.org/10.1002/ajim.10270>.
- Zaidi, SH; Gupta, GS; Rahman, Q; Kaw, JL; Shanker, R. (1976). Early response of gastric mucosa to ingested asbestos dust and the dissolution of nickel. *Environ Res.* 12: 139-143.
- Zaidi, SH; Shanker, R; Dogra, R, KS. (1973). Experimental infective pneumoconiosis: Effect of asbestos dust and *Candida albicans* infection on the lungs of Rhesus monkeys. *Environ Res.* 6: 274-286.
- Zanazzi, PF; Nestola, F; Pasqual, D. (2010). Compressibility of protoamphibole: A high-pressure single-crystal diffraction study of protomanganoferro-anthophyllite. *Am Mineral.* 95: 1758-1764. <http://dx.doi.org/10.2138/am.2010.3565>.
- Zarandi, A, liE; Larachi, F; Beaudoin, G; Plante, B; Sciortino, M. (2016). Multivariate study of the dynamics of CO2 reaction with brucite-rich ultramafic mine tailings. *Int J Greenhouse Gas Control.* 52: 110-119. <http://dx.doi.org/10.1016/j.ijggc.2016.06.022>.
- Zaremba, T; Witkowska, D. (2010). Methods of manufacturing of potassium titanate fibres and whiskers. A review. *Materials Science.* 28: 25-41.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Zarubiieva, I; Hwang, G, iB; Lee, J, iSok; Bae, G, wiNam; Oh, Y, ooMi; Park, S, unWoo; Lee, TJ, in; Lee, HJ, ae; Woo, DH, a; Lee, S; Cho, MO, ck; Kim, JK; Jun, SC; Kim, J, aeHun. (2013). Asbestos Imaging and Detection with Differential Interference Contrast Microscopy. *Aerosol Air Qual Res.* 13: 1145-1150. <http://dx.doi.org/10.4209/aaqr.2012.04.0094>.
- Zavatti, A; Lauriola, P. (1999). The contribution of environmental monitoring in the epidemiological assessment of exogenous risk - The experience of ARPA in the Emilia-Romagna Region of Italy. *Ann N Y Acad Sci.* 895: 173-187.
- Zazenski, R; Ashton, WH; Briggs, D; Chudkowski, M; Kelse, JW; Maceachern, L; Mccarthy, EF; Nordhauser, MA; Roddy, MT; Teetsel, NM; Wells, AB; Gettings, SD. (1995). TALC - OCCURRENCE, CHARACTERIZATION, AND CONSUMER APPLICATIONS. *Regul Toxicol Pharmacol.* 21: 218-229.
- Zeeh, J; Eitner, F; Otto, H. (1986). THE SIGNIFICANCE OF THE CASE-HISTORY IN ESTABLISHING OCCUPATIONAL ASBESTOS ENDANGERMENT. *Arbeitsmedizin, Sozialmedizin, Praeventivmedizin.* 21: 1-4.
- Zega, TJ; Buseck, PR. (2003). Fine-grained-rim mineralogy of the Cold Bokkeveld CM chondrite. *Geochim Cosmo Acta.* 67: 1711-1721. [http://dx.doi.org/10.1016/S0016-7037\(02\)01172-9](http://dx.doi.org/10.1016/S0016-7037(02)01172-9).
- Zega, TJ; Garvie, LAJ; Dodony, I; Buseck, PR. (2004). Serpentine nanotubes in the mighei CM chondrite. *Earth Planet Sci Lett.* 223: 141-146. <http://dx.doi.org/10.1016/j.epsl.2004.04.005>.
- Zeit, JE. (1981). ASBESTOS-FREE GASKETS FOR MANY USES. 52: 56-57.
- Zejda, J; Ernst, P. (1991). Fissural thickening and exposure to asbestos: occurrence, determinants, and functional impact. *Am J Ind Med.* 20: 785-793.
- Zema, M; Welch, MD; Oberti, R. (2012). High-T behaviour of gedrite: thermoelasticity, cation ordering and dehydrogenation. *Contributions to Mineralogy and Petrology.* 163: 923-937. <http://dx.doi.org/10.1007/s00410-011-0706-4>.
- Zeng, L, iP; Zhao, X, inFu; Li, XC; Hu, H, ao; Mcfarlane, C. (2016). In situ elemental and isotopic analysis of fluorapatite from the Taocun magnetite-apatite deposit, Eastern China: Constraints on fluid metasomatism. *Am Mineral.* 101: 2468-2483. <http://dx.doi.org/10.2138/am-2016-5743>.
- Zeng, YY; Liu, TB. (1999). Characteristics of the Devonian Xialei manganese deposit, Guangxi Zhuang Autonomous Region, China. *Ore Geol Rev.* 15: 153-163.
- Zeren, EH; Gümürdülü, D; Roggli, VL; Zorludemir, S; Erkisi, M; Tuncer, I. (2000). Environmental malignant mesothelioma in southern Anatolia: A study of fifty cases. *Environ Health Perspect.* 108: 1047-1050.
- Zevin, LS; Zevin, IM. (1979). ORIENTATION OF ASBESTOS IN ASBESTOS CEMENT. *Cement and Concrete Research.* 9: 599-606.
- Zey, JN. (1988). Health Hazard Evaluation Report No. HETA-87-147-1873, Rothan and Rothan, DDS, Cincinnati, Ohio (pp. 87-147). (NIOSH/00179858). Zey, JN.
- Zhai, W; Wang, Y; Deng, Y; Gao, H; Lin, Z; Li, M. (2014). Recycling of asbestos tailings used as reinforcing fillers in polypropylene based composites. *J Hazard Mater.* 270: 137-143. <http://dx.doi.org/10.1016/j.jhazmat.2014.01.052>.
- Zhang, GR; Kiene, L; Wable, O; Chan, US; Duguet, JP. (1992). MODELING OF CHLORINE RESIDUAL IN THE WATER DISTRIBUTION NETWORK OF MACAO. *Environ Technol.* 13: 937-946.
- Zhang, H; Duan, T, ao; Zhu, W; Yao, W, eiT. (2015). Natural Chrysotile-Based Nanowires Decorated with Monodispersed Ag Nanoparticles as a Highly Active and Reusable Hydrogenation Catalyst. *J Phys Chem C.* 119: 21465-21472. <http://dx.doi.org/10.1021/acs.jpcc.5b05450>.
- Zhang, H; Lohcharoenkal, W; Sun, J; Li, X; Wang, L; Wu, N; Rojanasakul, Y, on; Liu, Y. (2015). Microfluidic gradient device for studying mesothelial cell migration and the effect of chronic carbon nanotube exposure. *Journal of Micromechanics and Microengineering.* 25. <http://dx.doi.org/10.1088/0960-1317/25/7/075010>.
- Zhang, J; Cole, SR; Richardson, DB; Chu, H. (2013). A Bayesian approach to strengthen inference for case-control studies with multiple error-prone exposure assessments. *Stat Med.* 32: 4426-4437. <http://dx.doi.org/10.1002/sim.5842>.
- Zhang, J; Wei, C; Chu, H; Chen, Y. (2016). Mesozoic metamorphism and its tectonic implication along the Solonker suture zone in central Inner Mongolia, China. *Lithos.* 261: 262-277. <http://dx.doi.org/10.1016/j.lithos.2016.03.014>.
- Zhang, L; Hafner, SS. (1992). GAMMA-RESONANCE OF FE-57 IN GRUNERITE AT HIGH-PRESSURES. *Am Mineral.* 77: 474-479.
- Zhang, L; Sun, M; Xu, B. (2001). Phase relations in garnet-bearing metabasites of prehnite-pumpellyite facies from the Darbut-Sartuohai ophiolite, Western Junggar of Xinjiang, China. *Mineralogy and Petrology.* 71: 67-85.
- Zhang, Q; Huang, X. (2002). Induction of ferritin and lipid peroxidation by coal samples with different prevalence of coal workers' pneumoconiosis: Role of iron in the coals. *Am J Ind Med.* 42: 171-179. <http://dx.doi.org/10.1002/ajim.10101>.
- Zhang, QW; Kusaka, Y; Donaldson, K. (2000). Comparative pulmonary responses caused by exposure to standard cobalt and ultrafine cobalt. *J Occup Health.* 42: 179-184.
- Zhang, RY; Liou, JG; Cong, BL. (1995). TALC-BEARING, MAGNESITE-BEARING AND TI-CLINOHUMITE-BEARING ULTRAHIGH-PRESSURE META-MAFIC AND ULTRAMA-MAFIC COMPLEX IN THE DABIE MOUNTAINS, CHINA. *Journal of Petrology.* 36: 1011-1037.
- Zhang, XF; Zhang, XB; Vantendeloo, G; Meijer, G. (1994). HARMLESS CARBON TUBES AROUND DANGEROUS ASBESTOS FIBERS. *Carbon.* 32: 363-366.
- Zhang, Y; Sekine, T; He, H. (2014). A new interpretation of decomposition products of serpentine under shock compression. *Am Mineral.* 99: 2374-2377. <http://dx.doi.org/10.2138/am-2014-5021>.
- Zhang, Y; Sekine, T; Yu, Y, in; He, H; Meng, C; Liu, F; Zhang, M. (2014). Hugoniot and sound velocity of antigorite and evidence for sluggish decomposition. *Physics and Chemistry of Minerals.* 41: 313-322. <http://dx.doi.org/10.1007/s00269-013-0650-0>.
- Zhang, Y; Sun, F; Li, B; Huo, L; Ma, F. (2014). Ore textures and remobilization mechanisms of the Hongtoushan copper-zinc deposit, Liaoning, China. *Ore Geol Rev.* 57: 78-86. <http://dx.doi.org/10.1016/j.oregeorev.2013.09.006>.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Zhang, YL; Kim, YC; Hong, W, onHwa. (2016). Visualizing distribution of naturally discharged asbestos fibers in Korea through analysis of thickness changes in asbestos cement slates. *J Clean Prod.* 112: 607-619. <http://dx.doi.org/10.1016/j.jclepro.2015.08.004>.
- Zhang, Z; Hong, W, ei; Jiang, Z; Duan, S; Li, F; Shi, F. (2014). Geological characteristics and metallogenesis of iron deposits in western Tianshan, China. *Ore Geol Rev.* 57: 425-440. <http://dx.doi.org/10.1016/j.oregeorev.2013.09.012>.
- Zhang, ZY; Wang, XL; Lin, LG; Xing, SD; Wu, YH; Li, Y; Wu, LJ; Gang, BQ. (2001). The effects of carbon fibre and carbon fibre composite dusts on bronchoalveolar lavage component of rats. *J Occup Health.* 43: 75-79.
- Zhao, YM; Dong, YG; Li, DX; Bi, CS. (2003). Geology, mineralogy, geochemistry, and zonation of the Bajiazi dolostone-hosted Zn-Pb-Ag skarn deposit, Liaoning Province, China. *Ore Geol Rev.* 23: 153-182. [http://dx.doi.org/10.1016/S0169-1368\(03\)00034-9](http://dx.doi.org/10.1016/S0169-1368(03)00034-9).
- Zheng, YF. (1993). CALCULATION OF OXYGEN-ISOTOPE FRACTIONATION IN HYDROXYL-BEARING SILICATES. *Earth Planet Sci Lett.* 120: 247-263.
- Zheng, YF; Metz, P; Satir, M. (1994). OXYGEN-ISOTOPE FRACTIONATION BETWEEN CALCITE AND TREMOLITE - AN EXPERIMENTAL-STUDY. *Contributions to Mineralogy and Petrology.* 118: 249-255.
- Zheng, YF; Satir, M; Metz, P. (2004). Oxygen isotope exchange and disequilibrium between calcite and tremolite in the absence and presence of an experimental C-O-H fluid. *Contributions to Mineralogy and Petrology.* 146: 683-695. <http://dx.doi.org/10.1007/s00410-003-0528-0>.
- Zhi, S, uo; Gun, WW; Hui, L, uoX; Bo, T. (2012). Evaluation of fatigue crack behavior in asphalt concrete pavements with different polymer modifiers. *Construction and Building Materials.* 27: 117-125. <http://dx.doi.org/10.1016/j.conbuildmat.2011.08.017>.
- Zhong, CY; Zhou, YM; Smith, KR; Kennedy, IM; Chen, CY; Aust, AE; Pinkerton, KE. (2010). Oxidative injury in the lungs of neonatal rats following short-term exposure to ultrafine iron and soot particles. *J Toxicol Environ Health A.* 73: 837-847. <http://dx.doi.org/10.1080/15287391003689366>.
- Zhou, L; Chen, J; Lao, W. (2007). Study on elastic modulus and recovery coefficient of cushioning materials in pile driving. *Journal of Materials in Civil Engineering.* 19: 313-320. [http://dx.doi.org/10.1061/\(ASCE\)0899-1561\(2007\)19:4\(313\)](http://dx.doi.org/10.1061/(ASCE)0899-1561(2007)19:4(313)).
- Zhou, L; Lao, W. (2006). Studying of the dynamic behavior of pile cushioning materials in pile driving. *Journal of Testing and Evaluation.* 34: 447-452.
- Zhou, L; Zhou, J; Yang, J. (1999). Effects of cytokines induced by mineral dust on lung fibroblasts in vitro. *J Occup Health.* 41: 144-148. <http://dx.doi.org/http://dx.doi.org/10.1539/joh.41.144>.
- Zhou, Z; Mao, J; Che, H; Ouyang, H; Ma, X. (2017). Metallogeny of the Handagai skarn Fe-Cu deposit, northern Great Xing'an Range, NE China: Constraints on fluid inclusions and skarn genesis. *Ore Geol Rev.* 80: 623-644. <http://dx.doi.org/10.1016/j.oregeorev.2016.08.012>.
- Zhu, HL. (1994). STUDY OF OCCUPATIONAL LUNG-CANCER IN ASBESTOS FACTORIES IN CHINA - REPLY. *Occup Environ Med.* 51: 719-719.
- Zhu, P; Wang, LY; Hong, D; Zhou, M; Zhou, J. (2013). Investigative studies for inert transformation of toxic chrysotile tailing. *Journal of Material Cycles and Waste Management.* 15: 90-97. <http://dx.doi.org/10.1007/s10163-012-0093-6>.
- Zhu, S; Manuel, M; Tanaka, S; Choe, N; Kagan, E; Matalon, S. (1998). Contribution of reactive oxygen and nitrogen species to particulate-induced lung injury [Review]. *Environ Health Perspect.* 106 Suppl 5: 1157-1163.
- Zhu, XT; Ni, P, ei; Wang, G, uoG; Cai, Y, iTao; Chen, H, ui; Pan, J, uNyi. (2016). Fluid inclusion, H-O isotope and Pb-Pb age constraints on the genesis of the Yongping copper deposit, South China. *J Geochem Explor.* 171: 55-70. <http://dx.doi.org/10.1016/j.gexplo.2016.01.018>.
- Zhu, Z; Bao, J; Yin, Y, an; Chen, G. (2013). Frictional catastrophe behaviors and mechanisms of brake shoe for mine hoisters during repetitive emergency brakings. *Industrial Lubrication & Tribology.* 65: 245-250. <http://dx.doi.org/10.1108/00368791311331220>.
- Zielina, M; Dabrowski, W; Lang, T. (2007). Assessing the risk of corrosion of asbestos-cement pipes in Krakow's water supply network. *Environ Protect Eng.* 33: 17-26.
- Zimmermann, R; Hammerschmidt, K; Franz, G. (1994). EOCENE HIGH-PRESSURE METAMORPHISM IN THE PENNINIC UNITS OF THE TAUERN WINDOW (EASTERN ALPS) - EVIDENCE FROM AR-40-AR-39 DATING AND PETROLOGICAL INVESTIGATIONS. *Contributions to Mineralogy and Petrology.* 117: 175-186.
- Zingg, AJ. (1991). MINERAL REACTIONS IN CLOSED SYSTEMS INVOLVING AMPHIBOLE AND PLAGIOCLASE. *Am Mineral.* 76: 617-627.
- Zingg, AJ. (1996). Immiscibility in Ca-amphiboles. *Journal of Petrology.* 37: 471-496.
- Zirschky, J. (1996). Take-home toxin pathway. *J Environ Eng.* 122: 430-436.
- Zocchetti, C. (2015). Health expenditures for cases of pleural mesothelioma. *Med Lav.* 106: 361-373.
- Zocchetti, C. (2015). [In Process Citation]. *Med Lav.* 106: 431-446.
- Zoitos, BK; Demeringo, A; Rouyer, E; Thelohan, S; Bauer, J; Law, B; Boymel, PM; Olson, J. R.; Christensen, VR; Guldborg, M; Koenig, AR; Perander, M. (1997). In vitro measurement of fiber dissolution rate relevant to biopersistence at neutral pH: An interlaboratory round robin. *Inhal Toxicol.* 9: 525-540.
- Zoloth, S; Michaels, D; Lacher, M; Nagin, D; Drucker, E. (1986). Asbestos disease screening by non-specialists: results of an evaluation. *Am J Public Health.* 76: 1392-1395.
- Zona, A; Bruno, C. (2009). Health surveillance for subjects with past exposure to asbestos: from international experience and Italian regional practices to a proposed operational model [Review]. *Ann Ist Super Sanita.* 45: 147-161.
- Zona, A; Bruno, C; Villari, C; Contiguglia, R; Fazzo, L; Mollica, G; Puglisi, G; Comba, P. (2010). [Health surveillance for subjects with past occupational exposure to asbestos: the experience of Local Health Unit Messina 5 (Sicily)]. *Epidemiol Prev.* 34: 94-99.
- Zona, A; Fazzo, L; De Santis, M; Bellino, M; Bruno, C; Comba, P. (2010). ASBESTOS-RELATED MORTALITY IN ITALIAN POLLUTED SITES. *Epidemiol Prev.* 34: 139-140.
- Zukowski, W; Cooke, DR; Deyell, CL; Mcinnes, P; Simpson, K. (2014). Genesis and Exploration Implications of Epithermal Gold Mineralization and Porphyry-Style Alteration at the Endeavour 41 Prospect, Cowal District, New South Wales, Australia. *Econ Geol.* 109: 1079-1115.
- Zurcher, L; Ruiz, J; Barton, MD. (2001). Paragenesis, elemental distribution, and stable isotopes at the Pena Colorado iron skarn, Colima, Mexico. *Econ Geol.* 96: 535-557.

Engineering/Occupational Exposure Literature Search Results

Off Topic

- Zurer, P. (1989). COALITION SUES TO END BAN ON ASBESTOS USE. *Chem Eng News*. 67: 6-6.
- Zurer, PS. (1985). ASBESTOS - THE FIBER THATS PANICKING AMERICA. *Chem Eng News*. 63: 28-&.
- Zurer, PS. (1985). STATES AIM FOR UNIFIED APPROACH TO ASBESTOS CONTROL. *Chem Eng News*. 63: 26-&.
- Zwetsloot, GIJ, M; Zwanikken, S; Hale, A. (2011). Policy expectations and the use of market mechanisms for regulatory OSH certification and testing regimes. *Safety Sci*. 49: 1007-1013. <http://dx.doi.org/10.1016/j.ssci.2010.12.006>.

Exposure Literature Search Results

On Topic

- Abakay, A; Tanrikulu, AC; Ayhan, M; Imamoglu, MS; Taylan, M; Kaplan, MA; Abakay, O. (2015). High-risk mesothelioma relation to meteorological and geological condition and distance from naturally occurring asbestos. *Environ Health Prev Med*. 21: 82-90. <http://dx.doi.org/10.1007/s12199-015-0501-3>.
- Abecassis, JC. (1995). Exposure to asbestos and man-made mineral fibres. Nationwide investigation in the construction and civil engineering sectors. *DMT. Documents pour le m and acirc*: 107-112.
- Abraham, JL; Cohen, KS; Powell, B; Merritt, C. (1988). ANALYSES OF BULK AND AEROSOLIZED ASBESTOS FIBERS FROM CHILDREN'S PLAY SAND REVEAL A POTENTIAL HEALTH HAZARD (pp. 8-11). (BIOSIS/88/21272). Abraham, JL; Cohen, KS; Powell, B; Merritt, C.
- Accardo, G; Cioffi, R; Colangelo, F; D'Angelo, R; De Stefano, L; Paglietti, F. (2014). Diffuse Reflectance Infrared Fourier Transform Spectroscopy for the Determination of Asbestos Species in Bulk Building Materials. *Materials*. 7: 457-470. <http://dx.doi.org/10.3390/ma7010457>.
- Addison, J. (1999). Minimising health hazards associated with derogated products containing chrysotile asbestos. *Ann Occup Hyg*. 43: 496-498.
- Addison, J; Browne, K; Davis, JM; Gruber, UF. (1993). Asbestos fibers in parenteral medication [Review]. *Regul Toxicol Pharmacol*. 18: 371-380. <http://dx.doi.org/10.1006/rtp.1993.1063>.
- Addison, J; Davies, LST; Robertson, A; Willey, RJ. (1988). The Release of Dispersed Asbestos Fibres from Soils. (NIOSH/00190884). Addison, J; Davies, LST; Robertson, A; Willey, RJ.
- Adgate, JL; Cho, SJ; Alexander, BH; Ramachandran, G; Raleigh, KK; Johnson, J; Messing, RB; Williams, AL; Kelly, J; Pratt, GC. (2011). Modeling community asbestos exposure near a vermiculite processing facility: Impact of human activities on cumulative exposure. *J Expo Sci Environ Epidemiol*. 21: 529-535. <http://dx.doi.org/10.1038/jes.2011.8>.
- Agency, USATaHM. (1990). Report of Sampling and Analysis Results, Manhattan Beach Army Housing Units, Brooklyn, New York (pp. 57). (NTIS/O2972330_a).
- Agudo, A; González, CA; Bleda, MJ; Ramírez, J; Hernández, S; López, F; Calleja, A; Panadès, R; Turuguet, D; Escolar, A; Beltrán, M; González-Moya, JE. (2000). Occupation and risk of malignant pleural mesothelioma: A case-control study in Spain. *Am J Ind Med*. 37: 159-168.
- Aguilar-Madrid, G; Juárez-Pérez, CA; Markowitz, S; Hernández-Avila, M; Sanchez Roman, FR; Vázquez Grameix, JH. (2003). Globalization and the transfer of hazardous industry: asbestos in Mexico, 1979-2000. *Int J Occup Environ Health*. 9: 272-279. <http://dx.doi.org/10.1179/oeh.2003.9.3.272>.
- Ahmed, AK; Macleod, DF; Carmody, J. (1972). Control for Asbestos. *Environment*. 14: 16-29.
- Albedi, FM; Paoletti, L; Falchi, M; Carrieri, MP; Cassano, AM; Donelli, G. (1990). Mineral Fibers and Dusts in the Lungs of Subjects Living in an Urban Environment. *Toxicology*. 60: 1-2.
- Albin, M; Magnani, C; Krstev, S; Rapiti, E; Shefer, I. (1999). Asbestos and cancer: An overview of current trends in Europe [Review]. *Environ Health Perspect*. 107 Suppl 2: 289-298.
- Alderisio, M; Giovagnoli, MR; Cenci, M; Vecchione, A. (1996). Asbestos bodies in the sputum of workers exposed to environmental pollution. *Anticancer Res*. 16: 2965-2968.
- Alexander, B; Johnson, J; Raleigh, K; Mandel, J; Messing, R; Ramachandran, G; Adgate, J; Williams, A. (2009). Pleural Abnormalities and Community Exposure to Asbestos Contaminated Vermiculite. *Epidemiology*. 20: S88-S89.
- Alexander, BH; Raleigh, KK; Johnson, J; Mandel, JH; Adgate, JL; Ramachandran, G; Messing, RB; Eshenaur, T; Williams, A. (2012). Radiographic evidence of nonoccupational asbestos exposure from processing Libby vermiculite in Minneapolis, Minnesota. *Environ Health Perspect*. 120: 44-49. <http://dx.doi.org/10.1289/ehp.1103529>.
- Alexandre, Y. (1979). ASBESTOS CEMENT INDUSTRY AND THE ENVIRONMENT. 185: 61-62.
- Alfonso, HS; Fritschi, L; de Klerk, NH; Ambrosini, G; Beilby, J; Olsen, N; Musk, AW. (2005). Plasma concentrations of retinol, carotene, and vitamin E and mortality in subjects with asbestosis in a cohort exposed to crocidolite in Wittenoom, Western Australia. *J Occup Environ Med*. 47: 573-579. <http://dx.doi.org/10.1097/07.jom.0000165750.54747.27>.
- Alfonso, HS; Fritschi, L; de Klerk, NH; Ambrosini, G; Beilby, J; Olsen, N; Musk, WA. (2005). Plasma concentrations of retinol, carotene, and vitamin E and mortality in subjects with asbestosis in a cohort exposed to crocidolite in Wittenoom, WesternAustralia (vol 47, pg 573, 2005). *J Occup Environ Med*. 47: 972-972.
- Algranti, E; Saito, CA; Carneiro, AP; Moreira, B; Mendonça, EM; Bussacos, MA. (2015). The next mesothelioma wave: mortality trends and forecast to 2030 in Brazil. *Cancer Epidemiology*. 39: 687-692. <http://dx.doi.org/10.1016/j.canep.2015.08.007>.
- Altoft, RG. (1996). Demolition of the Connah's Quay coal-fired power station. *Institution of Civil Engineers Proceedings Civil Engineering*. 114: 64-72.
- Aintree-Williams, S; Preston, JS. (1985). Asbestos and other fibre levels in buildings. *Ann Occup Hyg*. 29: 357-363.

Exposure Literature Search Results

On Topic

- Amati, M; Tomasetti, M; Scartozzi, M; Mariotti, L; Alleva, R; Pignotti, E; Borghi, B; Valentino, M; Governa, M; Neuzil, J; Santarelli, L. (2008). Profiling tumor-associated markers for early detection of malignant mesothelioma: an epidemiologic study. *Cancer Epidemiol Biomarkers Prev.* 17: 163-170. <http://dx.doi.org/10.1158/1055-9965.EPI-07-0607>.
- Ameille, J; Brochard, P; Cordier, S; Bignon, J; Rochemaure, J; Raix, A; Proteau, J. (1987). CROSS SECTIONAL SURVEY OF A POPULATION EXPOSED TO INDOOR POLLUTION BY ASBESTOS INSIDE INSULATED BUILDINGS (pp. 15-18). (BIOSIS/87/21451). Ameille, J; Brochard, P; Cordier, S; Bignon, J; Rochemaure, J; Raix, A; Proteau, J.
- Ameille, J; Matrat, M; Paris, C; Joly, N; Raffaelli, C; Brochard, P; Iwatsubo, Y; Pairon, JC; Letourneux, M. (2004). Asbestos-related pleural diseases: Dimensional criteria are not appropriate to differentiate diffuse pleural thickening from pleural plaques. *Am J Ind Med.* 45: 289-296. <http://dx.doi.org/10.1002/ajim.10341>.
- Anania, T; Price, J. (1977). Hazard Evaluation and Technical Assistance, Report No. TA-77-41, Vimasco Corporation, Nitro, West Virginia. NIOSH: 19771977.
- Anastasiadou, K; Gidarakos, E. (2007). Toxicity evaluation for the broad area of the asbestos mine of northern Greece. *J Hazard Mater.* 139: 9-18. <http://dx.doi.org/10.1016/j.jhazmat.2006.06.031>.
- And, AD; Mcdonald, JC. (1985). MESOTHELIOMA AND ASBESTOS FIBER TYPE. *Br J Ind Med.* 42: 567-568.
- Andersen, A; Glatte, E; Johansen, BV. (1993). INCIDENCE OF CANCER AMONG LIGHTHOUSE KEEPERS EXPOSED TO ASBESTOS IN DRINKING-WATER. *Am J Epidemiol.* 138: 682-687.
- Anderson, BA; Dearwent, SM; Durant, JT; Dyken, JJ; Freed, JA; Moore, SM; Wheeler, JS. (2005). Exposure pathway evaluations for sites that processed asbestos-contaminated vermiculite. *Int J Hyg Environ Health.* 208: 55-65. <http://dx.doi.org/10.1016/j.ijheh.2005.01.008>.
- Andreozzi, GB; Ballirano, P; Gianfagna, A; Mazziotti-Tagliani, S; Pacella, A. (2009). Structural and spectroscopic characterization of a suite of fibrous amphiboles with high environmental and health relevance from Biancavilla (Sicily, Italy). *Am Mineral.* 94: 1333-1340. <http://dx.doi.org/10.2138/am.2009.3214>.
- Andrion, A; Pira, E; Barocelli, MP; Mollo, F. (1983). Indicators of asbestos exposure in autopsy routine. 1. Lung asbestos bodies and occupation. *Med Lav.* 74: 35-41.
- Andujar, P; Lacourt, A; Brochard, P; Pairon, JC; Jaurand, MC; Jean, D. (2016). Five years update on relationships between malignant pleural mesothelioma and exposure to asbestos and other elongated mineral particles. *J Toxicol Environ Health B Crit Rev.* 19: 151-172. <http://dx.doi.org/10.1080/10937404.2016.1193361>.
- Anjilvel, L; Thurlbeck, WM. (1966). The incidence of asbestos bodies in the lungs at random necropsies in Montreal. *Can Med Assoc J.* 95: 1179-1182.
- Anon. (1983). ASBESTOS FIBER IN AIR SAMPLING RESULTS, CELL RENEWAL ROOM OPERATIONS, WITH COVER LETTER. (TSCATS/018816).
- Anon. (1991). ON THE REMOVAL OF ASBESTOS-CONTAINING MATERIALS (ACM) FROM BUILDINGS. *Am Ind Hyg Assoc J.* 52: A324-&.
- Anon. (1994). Public Health Assessment for Spickler Landfill, Spencer,. Marathon County, Wisconsin, Region 5. CERCLIS No. WID980902969. Final Report. 53.
- ANON. (1995). Asbestos - Recommendation No.347 of the National Health Insurance Fund concerning work on or repair of sprayed asbestos or on building components containing asbestos. es de Pr and acirc: 36-39.
- Anon. (1995). Public Health Assessment for Blackburn and Union Privileges, Walpole, Norfolk County, Massachusetts, Region 1. CERCLIS No. MAD982191363. 78.
- Anon. (1998). Process destroys asbestos installed fireproofing. *Chemical Engineering Progress.* 94: 16-16.
- Anonymous. (1969). Environmental Asbestos: Threat or Phantom. *J Am Med Assoc.* 208.
- Anonymous. (1971). Airborne Asbestos (pp. 1150-1155). (NIOSH/00000191). Anonymous.
- Anonymous. (1971). Asbestos The Need for and Feasibility of Air Pollution Controls (pp. 19711971). (NIOSH/00000263). Anonymous.
- Anonymous. (1971). Determination of Magnitude of Exposure to Asbestos Fibers Associated with a Woman's Coat Containing 8 Percent Asbestos (pp. 1150-1155). (NIOSH/00000223). Anonymous.
- Anonymous. (1979). Preliminary Study on the Possible Release of Asbestos Fibres during the Operation of Hand-Held Hair Dryers. 7: 1979.
- Anonymous. (1981). The Bay Area Asbestos Surveillance Project. Case Study Of A Community Health Screening Project January 1981 (pp. 81-2327). (NIOSH/00145550). Anonymous.
- Anonymous. (1982). Dust In The London Underground. A Report By London Transport. 17: 19821982.
- Anonymous. (1982). The Safe Asbestos Treatment Program. U: 19821982.
- Anonymous. (1988). National Occupational Health Survey of Mining, Asbestos Report (pp. 1988). (NIOSH/00192797). Anonymous.
- Antao, VC; Pinheiro, GA; Wassell, JT. (2009). Asbestosis mortality in the USA: facts and predictions. *Occup Environ Med.* 66: 335-338. <http://dx.doi.org/10.1136/oem.2008.039172>.
- Antwi, SO; Eckert, EC; Sabaque, CV; Leof, ER; Hawthorne, KM; Bamlet, WR; Chaffee, KG; Oberg, AL; Petersen, GM. (2015). Exposure to environmental chemicals and heavy metals, and risk of pancreatic cancer. *Cancer Causes Control.* 26: 1583-1591. <http://dx.doi.org/10.1007/s10552-015-0652-y>.
- Anwar, WA. (1993). CHEMICAL INTERACTION - ENHANCEMENT AND INHIBITION OF CLASTOGENICITY. *Environ Health Perspect.* 101: 203-206.
- Appleman, N. (1985). ASBESTOS EXPOSURE. *Professional Safety.* 30: 8-9.
- Arblaster, L; Hatton, P; Howel, D; Renvoize, E; Schweiger, M; Swinburne, LM. (1995). Occupational and environmental links to mesothelioma deaths occurring in Leeds during 1971-1987. *J Publ Health Med.* 17: 297-304.
- Ardizzone, M; Vizio, C; Bozzetta, E; Pezzolato, M; Meistro, S; Dondo, A; Giorgi, I; Seghesio, A; Mirabelli, D; Capella, S; Vigliaturo, R; Belluso, E. (2014). The wild rat as sentinel animal in the environmental risk assessment of asbestos pollution: a pilot study. *Sci Total Environ.* 479-480: 31-38. <http://dx.doi.org/10.1016/j.scitotenv.2014.01.108>.

Exposure Literature Search Results

On Topic

- Arndt, V; Bochmans, F; Hohmann, S; Naumann, C; Ponto, K; Seibt, A. (2002). Carcinogenicity of occupational cadmium and arsenic exposure - First results from the Saxonia-study. *Gefahrst Reinhalt Luft*. 62: 159-163.
- Arul, KJ; Holt, PF. (1977). Mesothelioma possibly due to environmental exposure to asbestos in childhood. *Int Arch Occup Environ Health*. 40: 141-143. <http://dx.doi.org/10.1007/BF00575158>.
- Ascoli, V; Carnovale-Scalzo, C; Nardi, F; Efrati, C; Menegozzo, M. (2003). A one-generation cluster of malignant mesothelioma within a family reveals exposure to asbestos-contaminated jute bags in Naples, Italy. *Eur J Epidemiol*. 18: 171-174. <http://dx.doi.org/10.1023/A:1023032214444>.
- Ascoli, V; Cavone, D; Merler, E; Barbieri, PG; Romeo, L; Nardi, F; Musti, M. (2007). Mesothelioma in blood related subjects: report of 11 clusters among 1954 Italy cases and review of the literature. *Am J Ind Med*. 50: 357-369. <http://dx.doi.org/10.1002/ajim.20451>.
- Ascoli, V; Romeo, E; Carnovale Scalzo, C; Cozzi, I; Ancona, L; Cavariani, F; Balestri, A; Gasperini, L; Forastiere, F. (2014). Familial malignant mesothelioma: a population-based study in central Italy (1980-2012). *Cancer Epidemiology*. 38: 273-278. <http://dx.doi.org/10.1016/j.canep.2014.02.014>.
- Assuncao, J; Corn, M. (1975). EFFECTS OF MILLING ON DIAMETERS AND LENGTHS OF FIBROUS GLASS AND CHRYSOTILE ASBESTOS FIBERS. *Am Ind Hyg Assoc J*. 36: 811-819.
- Ates, G; Yildiz, T; Akyildiz, L; Topcu, F; Erturk, B. (2010). Environmental asbestos-related pleural plaque in southeast of Turkey. *Arch Environ Occup Health*. 65: 34-37. <http://dx.doi.org/10.1080/19338240903390321>.
- ATSDR. (2005). Health Consultation: Gila Crossing Presbyterian Church, District 6, Gila River Indian Community, Maricopa County, Arizona. EPA Facility ID: AZD981621881. 30.
- ATSDR. (2005). Health Consultation: Results of Air Exposure Investigation, Prima Asphalt Concrete, Inc., (PAVCO), Holbrook, Suffolk County, New York. EPA Facility ID: NYD041869645. 18.
- ATSDR. (2006). Health Consultation: Review of Activity-Based Sampling on the Hancock/Ripley Trail, Former Quincy Smelter Site, Town of Ripley, Houghton County, Michigan (Included in the Torch Lake Superfund Site, EPA Facility ID: MID980901946). 34.
- ATSDR. (2011). Letter Health Consultation: Powhatan Mining Company, Woodlawn, Baltimore County, Maryland, November 14, 2011. 9.
- ATSDR. (2012). Letter Health Consultation: 1st Offsite Residence Indoor Air Sampling, Powhatan Mining Company, Woodlawn, Baltimore County, Maryland, February 23, 2012. 5.
- ATSDR. (2012). Letter Health Consultation: 2nd Offsite Residence Indoor Air Sampling, Powhatan Mining Company, Woodlawn, Baltimore County, Maryland, February 23, 2012. 5.
- ATSDR. (2012). Letter Health Consultation: 3rd Offsite Residence Indoor Air Sampling, Powhatan Mining Company, Woodlawn, Baltimore County, Maryland, March 20, 2012. 5.
- ATSDR. (2012). Letter Health Consultation: 4th Offsite Residence Indoor Air Sampling, Powhatan Mining Company, Woodlawn, Baltimore County, Maryland, March 20, 2012. 5.
- ATSDR. (2012). Letter Health Consultation: 5th Offsite Residence Indoor Air Sampling, Powhatan Mining Company, Woodlawn, Baltimore County, Maryland, March 20, 2012. 5.
- ATSDR. (2012). Letter Health Consultation: Bald Friar Quarry NOA Site, Conowingo, Maryland, December 14, 2012. 8.
- ATSDR. (2012). Letter Health Consultation: Onsite Residence Indoor Air Sampling, Powhatan Mining Company, Woodlawn, Baltimore County, Maryland, February 23, 2012. 6.
- ATSDR. (2014). Letter Health Consultation: Hunting Point on the Potomac Residential Asbestos Site, Alexandria, Virginia, December 4, 2014. 11.
- Auerbach, O; Hammond, EC; Selikoff, IJ; Parks, VR; Kaslow, HD; Garfinkel, L. (1977). Asbestos bodies in lung parenchyma in relation to ingestion and inhalation of mineral fibers. *Environ Res*. 14: 286-304.
- Avril, J; Champeix, J. (1970). [Results of exposure to asbestos in France]. *Arch Mal Prof Med Trav Secur Soc*. 31: 197-200.
- Awad, A., AH. (2011). Airborne asbestos fibres and mesothelioma in the last 20 years in Egypt: a review. *Atmos Pollut Res*. 2: 445-451. <http://dx.doi.org/10.5094/APR.2011.051>.
- Ayer, HE. (1964). Results of Air samples at H.K. Porter Company, Charlotte, North Carolina. (NIOSH/00105820). Ayer, HE.
- Azen, SP; Niland, J; Hayward, SB; Liu, KS; Redinger, C; Porter, P. (1992). ESTIMATION OF THE COST OF ASBESTOS ABATEMENT IN PUBLIC BUILDINGS IN THE STATE OF CALIFORNIA - AN APPLICATION OF THE BOOTSTRAP. *Environmetrics*. 3: 193-209.
- Azuma, K; Uchiyama, I; Chiba, Y; Okumura, J. (2009). Mesothelioma risk and environmental exposure to asbestos: past and future trends in Japan. *Int J Occup Environ Health*. 15: 166-172. <http://dx.doi.org/10.1179/oe.2009.15.2.166>.
- Backer, LC; Grindem, CB; Corbett, WT; Cullins, L; Hunter, JL. (2001). Pet dogs as sentinels for environmental contamination. *Sci Total Environ*. 274: 161-169.
- Bacon, DW; Coomes, OT; Marsan, AA; Rowlands, N. (1986). ASSESSING POTENTIAL SOURCES OF ASBESTOS FIBERS IN WATER-SUPPLIES OF SE QUEBEC. *Water Resour Bull*. 22: 29-38.
- Bailey, S; Conchie, A; Hiatt, DM; Thomas, C. (1988). Personal exposure to asbestos dust during clearance certification. *Ann Occup Hyg*. 32: 423-426.
- Bakke, P; Baste, V; Hanao, R; Gulsvik, A. (1992). Occupational Airborne Exposure of the General Population of a Norwegian County (pp. 44-51). (ISSN 0355-3140; EISSN 1795-990X; NIOSH/00206720). Bakke, P; Baste, V; Hanao, R; Gulsvik, A.
- Bakke, P; Gulsvik, A; Eide, GE; Hanao, R. (1990). Smoking habits and lifetime occupational exposure to gases or dusts, including asbestos and quartz, in a Norwegian community. *Scand J Work Environ Health*. 16: 195-202.
- Baldwin, CA; Beaulieu, HJ; Buchan, RM; Johnson, HH. (1982). Asbestos in Colorado schools. *Public Health Rep*. 97: 325-331.
- Bales, RC; Morgan, JJ. (1985). SURFACE-CHARGE AND ADSORPTION PROPERTIES OF CHRYSOTILE ASBESTOS IN NATURAL-WATERS. *Environ Sci Technol*. 19: 1213-1219.

Exposure Literature Search Results

On Topic

- Bales, RC; Newkirk, DD; Hayward, SB. (1984). CHRYSOTILE ASBESTOS IN CALIFORNIA SURFACE WATERS - FROM UPSTREAM RIVERS THROUGH WATER-TREATMENT. *J Am Water Works Assoc.* 76: 66-74.
- Banaei, A; Auvert, B; Goldberg, M; Gueguen, A; Luce, D; Goldberg, S. (2000). Future trends in mortality of French men from mesothelioma. *Occup Environ Med.* 57: 488-494.
- Barbieri, PG; Merler, E; Mirabelli, D; Cavone, D; Somigliana, A. (2010). ASBESTOS FIBER BURDEN OF THE LUNGS IN PATIENTS WITH MESOTHELIOMAS WHO LIVED NEAR CEMENT-ASBESTOS FACTORIES. *Epidemiol Prev.* 34: 139-139.
- Barbieri, PG; Mirabelli, D; Somigliana, A; Cavone, D; Merler, E. (2012). Asbestos fibre burden in the lungs of patients with mesothelioma who lived near asbestos-cement factories. *Ann Occup Hyg.* 56: 660-670. <http://dx.doi.org/10.1093/annhyg/mer126>.
- Barış, YI; Artvinli, M; Sahin, AA; Bilir, N; Kalyoncu, F; Sebastien, P. (1988). Non-occupational asbestos related chest diseases in a small Anatolian village. *Br J Ind Med.* 45: 841-842.
- Baumann, F; Carbone, M. (2016). Environmental risk of mesothelioma in the United States: An emerging concern-epidemiological issues. *J Toxicol Environ Health B Crit Rev.* 19: 231-249. <http://dx.doi.org/10.1080/10937404.2016.1195322>.
- Baumann, F; Maurizot, P; Mangeas, M; Ambrosi, JP; Douwes, J; Robineau, B. (2011). Pleural mesothelioma in New Caledonia: associations with environmental risk factors. *Environ Health Perspect.* 119: 695-700. <http://dx.doi.org/10.1289/ehp.1002862>.
- Baur, X; Soskolne, CL; Lemen, RA; Schneider, J; Woitowitz, HJ; Budnik, LT. (2015). How conflicted authors undermine the World Health Organization (WHO) campaign to stop all use of asbestos: spotlight on studies showing that chrysotile is carcinogenic and facilitates other non-cancer asbestos-related diseases. *Int J Occup Environ Health.* 21: 176-179. <http://dx.doi.org/10.1179/2049396714Y.0000000105>.
- Becker, N; Berger, J; Bolm-Audorff, U. (2001). Asbestos exposure and malignant lymphomas--a review of the epidemiological literature [Review]. *Int Arch Occup Environ Health.* 74: 459-469.
- Beckett, ST; Gylseth, B; Krantz, S; Paris, IM; Schneider, T. (1979). EXCHANGE OF MEMBRANE-FILTER SAMPLES OF AIRBORNE ASBESTOS BETWEEN ONE UNITED-KINGDOM AND 3 SCANDINAVIAN LABORATORIES. *Scand J Work Environ Health.* 5: 42-49.
- Beckett, ST; Paris, I; Attfield, MD. (1980). THE EFFECT OF NON-ASBESTOS FIBERS AND SAMPLE FIBER DENSITY ON THE AGREEMENT BETWEEN LABORATORIES EVALUATING MEMBRANE-FILTER SAMPLES OF AIRBORNE ASBESTOS DUST. *Atmos Environ.* 14: 565-569.
- Belanger, PL. (1984). Health Hazard Evaluation Report No. HETA-84-408-1522, U.S. Forest Service, Redding, California (pp. 84-408). (NIOSH/00144843). Belanger, PL.
- Belanger, SE; Cherry, DS; Cairns, J; Mcguire, MJ. (1987). USING ASIATIC CLAMS AS A BIOMONITOR FOR CHRYSOTILE ASBESTOS IN PUBLIC WATER-SUPPLIES. *J Am Water Works Assoc.* 79: 69-74.
- Below, JE; Cox, NJ; Fukagawa, NK; Hirvonen, A; Testa, JR. (2011). Factors that impact susceptibility to fiber-induced health effects. *J Toxicol Environ Health B Crit Rev.* 14: 246-266. <http://dx.doi.org/10.1080/10937404.2011.556052>.
- Benarde, MA. (1991). Assessment of low level asbestos exposure in the urban environment [Review]. *Perspect Public Health.* 111: 54-56. <http://dx.doi.org/10.1177/146642409111100204>.
- Benarie, M; Bodin, D. (1979). PRESUMPTIVE IDENTIFICATION OF ASBESTOS IN URBAN AIR. *Sci Total Environ.* 12: 199-203.
- Ben-Shlomo, R; Shanas, U. (2011). Genetic ecotoxicology of asbestos pollution in the house mouse *Mus musculus domesticus*. *Environ Sci Pollut Res Int.* 18: 1264-1269. <http://dx.doi.org/10.1007/s11356-011-0481-9>.
- Bensted, J; Smith, JR. (2011). Asbestos legacy impacts on future prospects. 16: 161-+.
- Berk, S; Yalcin, H; Dogan, OT; Epozturk, K; Akkurt, I; Seyfikli, Z. (2014). The assessment of the malignant mesothelioma cases and environmental asbestos exposure in Sivas province, Turkey. *Environ Geochem Health.* 36: 55-64. <http://dx.doi.org/10.1007/s10653-013-9518-y>.
- Berlin, J; Frumkin, H. (1988). EXPOSURE TO ASBESTOS AND THE RISK OF GASTROINTESTINAL CANCER. *Br J Ind Med.* 45: 575-575.
- Berman, DW. (2011). Apples to apples: The origin and magnitude of differences in asbestos cancer risk estimates derived using varying protocols. *Risk Anal.* 55: 565-568. <http://dx.doi.org/10.1111/j.1539-6924.2010.01581.x>.
- Bernstein, D; Gibbs, A; Pooley, F; Langer, A; Donaldson, K, en; Hoskins, J; Dunnigan, J. (2007). Misconceptions and Misuse of International Agency for Research on Cancer 'Classification of Carcinogenic Substances'. The Case of Asbestos. *Indoor Built Environ.* 16: 94-98. <http://dx.doi.org/10.1177/1420326X06076258>.
- Bernstein, IL; Moteff, J. (1976). Possible asbestos hazards in clinical allergy. *J Allergy Clin Immunol.* 57: 489-492.
- Berry, G. (1995). Environmental mesothelioma incidence, time since exposure to asbestos and level of exposure. *Environmetrics.* 6: 221-228. <http://dx.doi.org/10.1002/env.3170060211>.
- Berry, G. (2002). Asbestos lung fibre analysis in the United Kingdom, 1976-96. *Ann Occup Hyg.* 46: 523-526. <http://dx.doi.org/10.1093/annhyg/mef066>.
- Berry, G; Liddell, FD. (2004). The interaction of asbestos and smoking in lung cancer: a modified measure of effect. *Ann Occup Hyg.* 48: 459-462. <http://dx.doi.org/10.1093/annhyg/meh023>.
- Berry, G; Newhouse, ML; Antonis, P. (1985). Combined effect of asbestos and smoking on mortality from lung cancer and mesothelioma in factory workers. *Br J Ind Med.* 42: 12-18.
- Berry, M. (1997). Mesothelioma incidence and community asbestos exposure. *Environ Res.* 75: 34-40.
- Besson, P; Lalanne, FX; Wang, Y; Guyot, F. (1999). Multi-parameter observation of environmental asbestos pollution at the Institut de Physique du Globe de Paris (Jussieu Campus, France). *Ann Occup Hyg.* 43: 527-541.
- Betta, PG. (1982). [Asbestos bodies in the general population of the district of Alessandria: an autoptical survey and correlation of quantitative asbestos body counts, occupation and place of residence (author's transl)]. *Med Lav.* 73: 58-64.

Exposure Literature Search Results

On Topic

- Betti, M; Neri, M; Ferrante, D; Landi, S; Biava, A; Gemignani, F; Bertolotti, M; Mirabelli, D; Padoan, M; Ugolini, D; Botta, M; Bonassi, S; Magnani, C; Dianzani, I. (2009). Pooled analysis of NAT2 genotypes as risk factors for asbestos-related malignant mesothelioma. *Int J Hyg Environ Health*. 212: 322-329. <http://dx.doi.org/10.1016/j.ijheh.2008.08.001>.
- Bhagavan, BS; Koss, LG. (1976). Secular trends in prevalence and concentration of pulmonary asbestos bodies--1940 to 1972. A necropsy study. *Arch Pathol Lab Med*. 100: 539-541.
- Bhattacharjee, P; Paul, S; Bhattacharjee, P. (2016). Risk of occupational exposure to asbestos, silicon and arsenic on pulmonary disorders: Understanding the genetic-epigenetic interplay and future prospects [Review]. *Environ Res*. 147: 425-434. <http://dx.doi.org/10.1016/j.envres.2016.02.038>.
- Bianchi, C; Bianchi, T. (2007). Malignant mesothelioma: global incidence and relationship with asbestos [Review]. *Ind Health*. 45: 379-387.
- Bianchi, C; Bianchi, T; Tommasi, M. (2007). [Mesothelioma of the pleura in the Province of Trieste]. *Med Lav*. 98: 374-380.
- Bianchi, C; Brollo, A; Ramani, L. (2000). Asbestos exposure in a shipyard area, northeastern Italy. *Ind Health*. 38: 301-308.
- Bianchi, C; Brollo, A; Ramani, L; Bianchi, T; Giarelli, L. (2004). Familial mesothelioma of the pleura--a report of 40 cases [Review]. *Ind Health*. 42: 235-239.
- Bianchi, C; Brollo, A; Ramani, L; Zuch, C. (1993). ASBESTOS EXPOSURE IN THE GENERAL POPULATION RELEVANCE OF NECROPSY-BASED STUDIES (pp. 5-10). (BIOSIS/94/36877). Bianchi, C; Brollo, A; Ramani, L; Zuch, C.
- Bianchi, C; Brollo, A; Ramani, L; Zuch, C. (1993). Asbestos-related mesothelioma in Monfalcone, Italy. *Am J Ind Med*. 24: 149-160.
- Bianchi, C; Brollo, A; Ramani, L; Zuch, C. (1999). Asbestos exposure in lung carcinoma: a necropsy-based study of 414 cases. *Am J Ind Med*. 36: 360-364.
- Bianchi, C; Castelli, M; Carluccio, L. (1976). [Frequency of lung asbestos bodies in autopsy material at Udine]. *Minerva Med*. 67: 1511-1512.
- Bignon, J. (1989). Non-occupational exposure to mineral fibres: Mineral fibres in the non-occupational environment [Review]. In IARC Scientific Publication. Lyon, France: International Agency on the Research of Cancer.
- Bignon, J; Bientz, M; Bonnaud, G; Sébastien, P. (1977). [Numerical estimation of asbestos fibers in wine samples] [Letter]. *La Nouvelle presse médicale*. 6: 1148-1149.
- Bignon, J; Bientz, M; Sébastien, P; Bonnaud, G. (1976). [Asbestos and environment: possible risk of cancer for the general population?] [Review]. *Rev Prat*. 26: 2353-2357.
- Bignon, J; Sebastien, P; Gaudichet, A. (1978). Measurement of asbestos retention in the human respiratory system related to health effects. In CC Gravatt; PD LaFleur; KFJ Heinrich (Eds.), NBS special publication (pp. 95-119). Washington, DC: National Bureau of Standards.
- Bishop, K; Ring, SJ; Zoltai, T; Manos, CG; Ahrens, VD; Lisk, DJ. (1985). IDENTIFICATION OF ASBESTOS AND GLASS-FIBERS IN MUNICIPAL SEWAGE SLUDGES. *Bull Environ Contam Toxicol*. 34: 301-308.
- Blake, CL; Dotson, GS; Harbison, RD. (2008). Evaluation of asbestos exposure within the automotive repair industry: a study involving removal of asbestos-containing body sealants and drive clutch replacement. *Regul Toxicol Pharmacol*. 52: 324-331. <http://dx.doi.org/10.1016/j.yrtph.2008.09.001>.
- Blanchette, RA; Held, BW; Jurgens, JA; Aislabie, J; Duncan, S; Farrell, RL. (2004). Environmental pollutants from the Scott and Shackleton expeditions during the 'Heroic Age' of Antarctic exploration. *Polar Rec (Gr Brit)*. 40: 143-151.
- Bloise, A; Critelli, T; Catalano, M; Apollaro, C; Miriello, D; Croce, A; Barrese, E; Liberi, F; Piluso, E; Rinaudo, C; Belluso, E. (2014). Asbestos and other fibrous minerals contained in the serpentinites of the Gimigliano-Mount Reventino Unit (Calabria, S-Italy). *Environ Earth Sci*. 71: 3773-3786. <http://dx.doi.org/10.1007/s12665-013-3035-2>.
- Blomqvist, AM; Palmer, M. (1995). ASBESTOS, ERGOT ALKALOIDS, AND PLEURITIS. *Int J Occup Med Toxicol*. 4: 277-283.
- Blount, AM. (1991). AMPHIBOLE CONTENT OF COSMETIC AND PHARMACEUTICAL TALCS. *Environ Health Perspect*. 94: 225-230.
- Boatman, ES. (1982). ANALYZING ASBESTOS FIBERS IN WATER BY MEANS OF TRANSMISSION ELECTRON-MICROSCOPY. *J Am Water Works Assoc*. 74: 532-536.
- Boatman, ES. (1983). ADDITIONAL NOTES ON THE USE OF QUANTITATIVE-ANALYSIS OF URINE TO ASSESS EXPOSURE TO ASBESTOS FIBERS IN DRINKING-WATER IN THE PUGET-SOUND REGION. *Environ Health Perspect*. 53: 195-195.
- Boatman, ES; Merrill, T; Oneill, A; Polissar, L; Millette, J. R. (1983). USE OF QUANTITATIVE-ANALYSIS OF URINE TO ASSESS EXPOSURE TO ASBESTOS FIBERS IN DRINKING-WATER IN THE PUGET-SOUND REGION. *Environ Health Perspect*. 53: 131-141.
- Boelter, FW; Xia, Y; Persky, JD. (2016). A Bayesian Model and Stochastic Exposure (Dose) Estimation for Relative Exposure Risk Comparison Involving Asbestos-Containing Dropped Ceiling Panel Installation and Maintenance Tasks. *Risk Anal*. <http://dx.doi.org/10.1111/risa.12733>.
- Boev, B; Stafilov, T; Bačeva, K; Šorša, A; Boev, I. (2013). Influence of a nickel smelter plant on the mineralogical composition of attic dust in the Tikveš Valley, Republic of Macedonia. *Environ Sci Pollut Res Int*. 20: 3781-3788. <http://dx.doi.org/10.1007/s11356-012-1318-x>.
- Bonnetterre, V; Faisandier, L; Bicout, D; Bernardet, C; Piollat, J; Ameille, J; de Claviere, C; Aptel, M; Lasfargues, G; de Gaudemaris, R; RNV3P. (2010). Programmed health surveillance and detection of emerging diseases in occupational health: contribution of the French national occupational disease surveillance and prevention network (RNV3P). *Occup Environ Med*. 67: 178-186. <http://dx.doi.org/10.1136/oem.2008.044610>.
- Bordeleau, LM; Lalande, R; Dekimpe, CR; Zizka, J; Tabi, M. (1977). EFFECTS OF ASBESTOS DUST ON SOIL MICROFLORA. *Plant Soil*. 46: 619-627.
- Bornemann, P; Hildebrandt, U. (1986). ABOUT THE PROBLEM CONCERNING ENVIRONMENTAL DUST EVIDENCE BY WEATHERED OFF ASBESTOS-CEMENT. *Staub, Reinhaltung der Luft*. 46: 487-489.
- Bostrom, CE; Almen, J; Steen, B; Westerholm, R. (1994). Human exposure to urban air pollution [Review]. *Environ Health Perspect Suppl*. 102: 39-47. <http://dx.doi.org/10.2307/3431929>.

Exposure Literature Search Results

On Topic

- Bouchardy, C; Schüler, G; Minder, C; Hotz, P; Bousquet, A; Levi, F; Fisch, T; Torhorst, J; Raymond, L. (2002). Cancer risk by occupation and socioeconomic group among men--A study by the Association of Swiss Cancer Registries. *Scand J Work Environ Health*. 28: 1-88.
- Bourdès, V; Boffetta, P; Pisani, P. (2000). Environmental exposure to asbestos and risk of pleural mesothelioma: review and meta-analysis [Review]. *Eur J Epidemiol*. 16: 411-417. <http://dx.doi.org/10.1023/A:1007691003600>.
- Bourgault, MH; Gagné, M; Valcke, M. (2014). Lung cancer and mesothelioma risk assessment for a population environmentally exposed to asbestos. *Int J Hyg Environ Health*. 217: 340-346. <http://dx.doi.org/10.1016/j.ijheh.2013.07.008>.
- Bozzelli, JW; Russell, JF. (1982). AIRBORNE ASBESTOS LEVELS IN SEVERAL SCHOOL BUILDINGS BEFORE AND AFTER BULK ASBESTOS REMOVAL. *Int J Environ Stud*. 20: 27-30.
- Braun, L; Kisting, S. (2006). Asbestos-related disease in South Africa: the social production of an invisible epidemic. *Am J Public Health*. 96: 1386-1396. <http://dx.doi.org/10.2105/AJPH.2005.064998>.
- Breedin, PH; Buss, DH. (1976). Ferruginous (asbestos) bodies in the lungs of rural dwellers, urban dwellers, and patients with pulmonary neoplasms. *South Med J*. 69: 401-404.
- Breen, JJ. (1987). Evaluating Asbestos Exposures in Buildings (pp. 71-78). (NIOSH/00170703). Breen, JJ.
- Breyse, PN; Cherrie, JW; Addison, J; Dodgson, J. (1989). EVALUATION OF AIRBORNE ASBESTOS CONCENTRATIONS USING TEM AND SEM DURING RESIDENTIAL WATER TANK REMOVAL. *Ann Occup Hyg*. 33: 243-&.
- Bridgman, S. (2001). Community health risk assessment after a fire with asbestos containing fallout. *J Epidemiol Community Health*. 55: 921-927.
- Bridgman, SA. (1999). Lessons learnt from a factory fire with asbestos-containing fallout. *J Publ Health Med*. 21: 158-165. <http://dx.doi.org/10.1093/pubmed/21.2.158>.
- Bridgman, SA. (2000). Acute health effects of a fire associated with asbestos-containing fallout. *J Publ Health Med*. 22: 400-405.
- Brown, C; Coleman, D; Dobson-Brown, D; Forman, K; Langmaack, M. (2004). Final Environmental Assessment Cape San Blas Towers Project Eglin Air Force Base, Florida, RCS 02-852 & 03-190. 74.
- Brown, DP; Dement, JM; Okun, A. (1994). Mortality patterns among female and male chrysotile asbestos textile workers. *J Occup Med*. 36: 882-888.
- Browne, K. (1982). ASBESTOS IN DRINKING-WATER AND CANCER INCIDENCE IN THE SAN-FRANCISCO BAY AREA. *Am J Epidemiol*. 115: 142-143.
- Browne, ML; Varadarajulu, D; Lewis-Michl, EL; Fitzgerald, EF. (2005). Cancer incidence and asbestos in drinking water, Town of Woodstock, New York, 1980-1998. *Environ Res*. 98: 224-232. <http://dx.doi.org/10.1016/j.envres.2004.07.017>.
- Brownson, RC; Alavanja, MC; Chang, JC. (1993). Occupational risk factors for lung cancer among nonsmoking women: A case-control study in Missouri (United States). *Cancer Causes Control*. 4: 449-454. <http://dx.doi.org/10.1007/bf00050864>.
- Bruckman, L. (1978). A Study Of Airborne Asbestos Fibers In Connecticut (pp. Definitions and Measurement Methods). (NIOSH/00145902). Bruckman, L.
- Bruckman, L; Rubino, RA. (1975). Asbestos: Rationale behind a proposed air quality standard. *J Air Pollut Control Assoc*. 25: 1207-1215.
- Bruckman, L; Rubino, RA. (1978). MONITORED ASBESTOS CONCENTRATIONS IN CONNECTICUT. *J Air Pollut Control Assoc*. 28: 1221-1226.
- Bryant, RS; Cotruvo, JA; Jackson, JC; Wade, JA; Covey, J. R.; Warden, JL. (1986). ARE ASBESTOS FIBERS IN DRINKING-WATER HARMFUL. *J Am Water Works Assoc*. 78: 18-&.
- Buck, M. (1986). [Sources, emissions and trends in air pollutants in concentrated areas--the Ruhr district]. *Schriftenr Ver Wasser Boden Lufthyg*. 69: 25-54.
- Buczaj, A; Brzana, W; Tarasińska, J; Buczaj, M; Choina, P. (2014). Study on the concentration of airborne respirable asbestos fibres in rural areas of the Lublin region in south-east Poland. *Ann Agric Environ Med*. 21: 639-643. <http://dx.doi.org/10.5604/12321966.1120617>.
- Burdett, GJ; Dewberry, K; Staff, J. (2016). Airborne Asbestos Exposures from Warm Air Heating Systems in Schools. *Ann Occup Hyg*. 60: 27-39. <http://dx.doi.org/10.1093/annhyg/mev062>.
- Burdett, GJ; Jaffrey, SA; Rood, AP. (1989). Non-occupational exposure to mineral fibres: Airborne asbestos fibre levels in buildings: a summary of UK measurements. In IARC Scientific Publication. Lyon, France: International Agency on the Research of Cancer.
- Burdett, GJ; Jaffrey, SAM, T. (1986). Airborne asbestos concentrations in buildings. *Ann Occup Hyg*. 30: 185-199.
- Burdett, GJ; le Guen, JM; Rood, AP. (1984). Mass concentrations of airborne asbestos in the non-occupational environment--a preliminary report of U.K. measurements. *Ann Occup Hyg*. 28: 31-38. <http://dx.doi.org/10.1093/annhyg/28.1.31>.
- Burdorf, A; Järnholm, B; Englund, A. (2005). Explaining differences in incidence rates of pleural mesothelioma between Sweden and the Netherlands. *Int J Cancer*. 113: 298-301. <http://dx.doi.org/10.1002/ijc.20552>.
- Burdorf, A; Järnholm, B; Siesling, S. (2007). Asbestos exposure and differences in occurrence of peritoneal mesothelioma between men and women across countries. *Occup Environ Med*. 64: 839-842. <http://dx.doi.org/10.1136/oem.2006.031724>.
- Burilkov, T; Michailova, L. (1970). ASBESTOS CONTENT OF SOIL AND ENDEMIC PLEURAL ASBESTOSIS. *Environ Res*. 3: 443-+.
- Burilkov, T; Michailova, L; Babadjov, L. (1973). Amphibol asbestos in the soil and its significance for the endemic occurrence of pleural plaques. *Z Gesamte Hyg Grenzgeb*. 18: 802-809.
- Burns, PB; Swanson, GM. (1995). STOMACH-CANCER RISK AMONG BLACK-AND-WHITE MEN AND WOMEN - THE ROLE OF OCCUPATION AND CIGARETTE-SMOKING. *J Occup Environ Med*. 37: 1218-1223.
- Bustanza Mantrana, JL; Jos, QS; eacute; MJ. (1997). Chemical agents - Exposure assessment. *Erga. Ediciones y Publicaciones*.
- Buzio, S; Pesando, G; Zuppi, GM. (2000). Hydrogeological study on the presence of asbestos fibres in water of northern Italy. *Water Res*. 34: 1817-1822.
- Cahill, TA; Cliff, SS; Perry, KD; Jimenez-Cruz, M; Bench, G; Grant, P; Ueda, D; Shackelford, JF; Dunlap, M; Kelly, PB; Riddle, S; Selco, J; Leifer, RZ. (2004). Analysis of aerosols from the World Trade Center collapse site, New York, October 2 to October 30, 2001. *Aerosol Sci Technol*. 38: 165-183. <http://dx.doi.org/10.1080/02786820490250836>.

Exposure Literature Search Results

On Topic

- Campopiano, A; Casciardi, S; Fioravanti, F; Ramires, D. (2004). Airborne asbestos levels in school buildings in Italy. *J Occup Environ Hyg.* 1: 256-261. <http://dx.doi.org/10.1080/15459620490433771>.
- Cantor, KP. (1997). Drinking water and cancer [Review]. *Cancer Causes Control.* 8: 292-308. <http://dx.doi.org/10.1023/A:1018444902486>.
- Caplan, PE. (1985). Preliminary Survey Report: Control Technology Of Asbestos Removal Industry, Report No. CT-147-17a, Baseline Junior High School, Boulder, Colorado (pp. 147-117). (NIOSH/00152204). Caplan, PE.
- Carter, RE; Taylor, WF. (1980). Identification of a particular amphibole asbestos fiber in tissues of persons exposed to a high oral intake of the mineral. *Environ Res.* 21: 85-93.
- Casali, M; Carugno, M; Cattaneo, A; Consonni, D; Mensi, C; Genovese, U; Cavallo, DM; Somigliana, A; Pesatori, AC. (2015). Asbestos Lung Burden in Necroscopic Samples from the General Population of Milan, Italy. *Ann Occup Hyg.* 59: 909-921. <http://dx.doi.org/10.1093/annhyg/mev028>.
- Casanovas Boixereu, X; Jim, T; eacute; Nez, L; Freixa Blanxart, A. (2004). [Asbestos detection in buildings (I): Basic aspects]. *Erga. Ediciones y Publicaciones.*
- Casanovas Boixereu, X; Trujillo Jim, Nez, L; Freixa Blanxart, A. (2004). [Asbestos detection in buildings (II): Identification and analysis methodology]. 73.
- Case, BW; Abraham, JL; Meeker, G; Pooley, FD; Pinkerton, KE. (2011). Applying definitions of "asbestos" to environmental and "low-dose" exposure levels and health effects, particularly malignant mesothelioma [Review]. *J Toxicol Environ Health B Crit Rev.* 14: 3-39. <http://dx.doi.org/10.1080/10937404.2011.556045>.
- Case, BW; Dufresne, A. (1997). Asbestos, asbestosis, and lung cancer: observations in Quebec chrysotile workers. *Environ Health Perspect.* 105 Suppl 5: 1113-1119.
- Case, BW; Sebastien, P. (1985). BIOLOGICAL ESTIMATION OF ENVIRONMENTAL EXPOSURE TO ASBESTOS (pp. 12-15). (BIOSIS/85/16452). Case, BW; Sebastien, P.
- Case, BW; Sebastien, P. (1987). Environmental and occupational exposures to chrysotile asbestos: a comparative microanalytic study. *Arch Environ Health.* 42: 185-191.
- Case, BW; Sébastien, P. (1989). Fibre levels in lung and correlation with air samples [Review]. In J Bignon; J Peto; R Saracci (Eds.), *IARC Sci Publ* (pp. 207-218). Lyon, France: International Agency for Research on Cancer.
- Case, BW; Sebastien, P; McDonald, JC. (1988). Lung fiber analysis in accident victims: a biological assessment of general environmental exposures. *Arch Environ Health.* 43: 178-179. <http://dx.doi.org/10.1080/00039896.1988.9935849>.
- Castellanos R, MA; Salazar, S; Gomez, LB; Lima G, RM. (1991). ASBESTOS IN THE URBAN AREA OF MEXICO CITY MEXICO (pp. 25-30). (BIOSIS/92/36905). Castellanos R, MA; Salazar, S; Gomez, LB; Lima G, RM.
- Cattaneo, A; Somigliana, A; Gemmi, M; Bernabeo, F; Savoca, D; Cavallo, DM; Bertazzi, PA. (2012). Airborne concentrations of chrysotile asbestos in serpentine quarries and stone processing facilities in Valmalenco, Italy. *Ann Occup Hyg.* 56: 671-683. <http://dx.doi.org/10.1093/annhyg/mer119>.
- Cavallo, A; Rimoldi, B. (2013). Chrysotile asbestos in serpentinite quarries: a case study in Valmalenco, Central Alps, Northern Italy. *Environ Sci Process Impacts.* 15: 1341-1350. <http://dx.doi.org/10.1039/c3em00193h>.
- Cazzadori, A; Malesani, F; Romeo, L. (1992). Malignant pleural mesothelioma caused by non-occupational childhood exposure to asbestos. *Br J Ind Med.* 49: 599. <http://dx.doi.org/10.1136/oem.49.8.599>.
- Cecchetti, G; Fruttero, A; Conti, ME. (2005). Asbestos reclamation at a disused industrial plant, Bagnoli (Naples, Italy). *J Hazard Mater.* 122: 65-73. <http://dx.doi.org/10.1016/j.jhazmat.2005.02.014>.
- Ceraso, J. (1986). BAN ON ASBESTOS CEMENT PIPE NEEDED. *J Am Water Works Assoc.* 78: 8-&.
- Chadwick, DA; Buchan, RM; Beaulieu, HJ. (1985). Airborne asbestos in Colorado public schools. *Environ Res.* 36: 1-13.
- Chan, CK; Gee J, BL. (1988). Asbestos exposure and laryngeal cancer: An analysis of the epidemiologic evidence [Review]. *J Occup Med.* 30: 23-27.
- Chang, HY; Chen, CR; Wang, JD. (1999). Risk assessment of lung cancer and mesothelioma in people living near asbestos-related factories in Taiwan. *Arch Environ Occup Health.* 54: 194-201. <http://dx.doi.org/10.1080/00039899909602259>.
- Chang, SN; White, LE; Scott, WD. (1987). Assessing asbestos exposure potential in nonindustrial settings. *J Community Health.* 12: 176-184. <http://dx.doi.org/10.1007/BF01323479>.
- Chang-Macchiu, P; Alvarez, D; Jesus Cruz, M; Perez, C; Curull, V; Guadalupe Silveira, M; Pijuan, L; Sanchez-Font, A; De Gracia, J; Ferrer, J. (2013). Utility of bronchoalveolar lavage in the determination of lung asbestos burden in Barcelona, Spain. *Eur Respir J.* 42.
- Chellini, E; Fornaciai, G; Merler, E; Paci, E; Constantini, AS; Silvestri, S; Zappa, M; Buiatti, E. (1992). Pleural malignant mesothelioma in Tuscany, Italy (1970-1988): II. Identification of occupational exposure to asbestos. *Am J Ind Med.* 21: 577-585.
- Chen, MS; Huang, CL. (1997). Industrial workers' health and environmental pollution under the new international division of labor: The Taiwan experience. *Am J Public Health.* 87: 1223-1231.
- Chen, WJ; Mottet, NK. (1978). Malignant mesothelioma with minimal asbestos exposure. *Hum Pathol.* 9: 253-258.
- Cheng, VK; O'Kelly, FJ. (1986). Asbestos exposure in the motor vehicle repair and servicing industry in Hong Kong. *J Soc Occup Med.* 36: 104-106.
- Cherrie, J; Addison, J; Dodgson, J. (1989). Comparative Studies of Airborne Asbestos in Occupational and Non-occupational Environments Using Optical and Electron Microscope Techniques (pp. 304-309). (NIOSH/00191366). Cherrie, J; Addison, J; Dodgson, J.
- Cherrie, JW; Dodgson, J; Groat, S; Carson, M. (1987). Comparison of Optical and Electron Microscopy for Evaluating Airborne Asbestos (pp. 533). (NIOSH/00172177). Cherrie, JW; Dodgson, J; Groat, S; Carson, M.
- Cherubini, M; Fornaciai, G; Mantelli, F; Chellini, E; Sacco, C. (1998). Results of a survey on asbestos fibre contamination of drinking water in Tuscany, Italy. *Journal of Water Supply: Research and Technology-AQUA.* 47: 1-8.

Exposure Literature Search Results

On Topic

- Chesson, J; Hatfield, J; Schultz, B; Dutrow, E; Blake, J. (1990). Airborne asbestos in public buildings. *Environ Res.* 51: 100-107.
- Chesson, J; Rench, JD; Schultz, BD; Milne, KL. (1990). Interpretation of airborne asbestos measurements. *Risk Anal.* 10: 437-447.
<http://dx.doi.org/10.1111/j.1539-6924.1990.tb00527.x>.
- Chiappino, G; Friedrichs, KH; Forni, A; Rivolta, G; Todaro, A. (1989). Alveolar and lung fibre levels in non-occupationally exposed subjects. *IARC Sci Publ. occupational Exposure to Mineral Fibres:* 310-313.
- Chiappino, G; Friedrichs, KH; Rivolta, G; Forni, A. (1988). Alveolar fiber load in asbestos workers and in subjects with no occupational asbestos exposure: an electron microscopy study. *Am J Ind Med.* 14: 37-46.
- Chiappino, G; Sebastien, P; Todaro, A. (1991). [Atmospheric asbestos pollution in the urban environment: Milan, Casale Monferrato, Brescia, Ancona, Bologna and Florence]. *Med Lav.* 82: 424-438.
- Choudat, D; Causse, E. (2009). Asbestos exposure and medical surveillance: State of the rules 10 years after the Consensus Conference. *Arch Mal Prof Environ.* 70: 471-474. <http://dx.doi.org/10.1016/j.admp.2009.07.001>.
- Christensen, BC; Godleski, JJ; Roelofs, CR; Longacker, JL; Bueno, R; Sugarbaker, DJ; Marsit, CJ; Nelson, HH; Kelsey, KT. (2008). Asbestos burden predicts survival in pleural mesothelioma. *Environ Health Perspect.* 116: 723-726. <http://dx.doi.org/10.1289/ehp.11151>.
- Chrostek, WJ. (1984). Health Hazard Evaluation Report No. HETA-84-029-1427, Jewish Family And Childrens Agency, Ardmore, Pennsylvania (pp. 89-029). (NIOSH/00150033). Chrostek, WJ.
- Chrostowski, PC; Foster, SA; Anderson, EL. (1991). Human health risks associated with asbestos abatement. *Risk Anal.* 11: 465-481.
- Churg, A; Wiggs, B. (1986). Fiber size and number in workers exposed to processed chrysotile asbestos, chrysotile miners, and the general population. *Am J Ind Med.* 9: 143-152.
- Churg, A; Wright, JL. (1994). Persistence of natural mineral fibers in human lungs: an overview [Review]. *Environ Health Perspect.* 102 Suppl 5: 229-233.
- Clark, PJ; Millette, JR; Boone, RL. (1980). Asbestos-cement products in contact with drinking water: Scanning electron microscope observations. 1980: 341-346.
- Comba, P; Merler, E; Pasetto, R. (2005). Asbestos-related diseases in Italy: epidemiologic evidences and public health issues [Review]. *Int J Occup Environ Health.* 11: 36-44. <http://dx.doi.org/10.1179/oeh.2005.11.1.36>.
- Company, SO. (1983). RESULTS OF AIR SAMPLES TAKEN DURING HEALTH HAZARD EVALUATION WITH ATTACHED DATA SHEETS. (TSCATS/016877). OREGON WORKERS COMP DEPT.
- Conforti, PM; Kanarek, MS; Jackson, LA; Cooper, RC; Murchio, JC. (1981). Asbestos in drinking water and cancer in the San Francisco Bay area: 1969-1974 incidence. *J Clin Epidemiol.* 34: 211-224. [http://dx.doi.org/10.1016/0021-9681\(81\)90065-5](http://dx.doi.org/10.1016/0021-9681(81)90065-5).
- Conti, S; Minelli, G; Ascoli, V; Marinaccio, A; Bonafede, M; Manno, V; Cialesi, R; Straif, K. (2015). Peritoneal mesothelioma in Italy: Trends and geography of mortality and incidence. *Am J Ind Med.* 58: 1050-1058. <http://dx.doi.org/10.1002/ajim.22491>.
- Cook, PM; Glass, GE; Tucker, JH. (1974). Asbestiform amphibole minerals: detection and measurement of high concentrations in municipal water supplies. *Science.* 185: 853-855.
- Cooper, RC; Cooper, WC. (1978). PUBLIC-HEALTH ASPECTS OF ASBESTOS FIBERS IN DRINKING-WATER. *J Am Water Works Assoc.* 70: 338-340.
- Cooper, WC; Murchio, J; Popendorf, W; Wenk, HR. (1979). Chrysotile asbestos in a California recreational area. *Science.* 206: 685-688.
- Corn, M. (1990). Airborne concentrations of asbestos-in-air in buildings and exposures of occupants: risk and regulatory implications.
- Corn, M. (1994). Airborne concentrations of asbestos in non-occupational environments. *Ann Occup Hyg.* 38: 495-502.
- Corn, M; Crump, K; Farrar, DB; Lee, RJ; Mcfee, DR. (1991). Airborne concentrations of asbestos in 71 school buildings. *Regul Toxicol Pharmacol.* 13: 99-114.
- Counil, E. (2013). The role of the research epidemiologist in responding to an environmental alert. Lessons from operational experience dealing with a former asbestos-grinding factory (Cmmp, Aulnay-sous-Bois, France). *E R S.* 12: 330-337.
<http://dx.doi.org/10.1684/ers.2013.0631>.
- Cralley, LJ. (1971). Identification and control of asbestos exposures. *Am Ind Hyg Assoc J.* 32: 82-85.
<http://dx.doi.org/10.1080/0002889718506414>.
- Craun, GF; Millette, JR; Woodhull, RS; Laiuppa, R. (1977). EXPOSURE TO ASBESTOS FIBERS IN WATER DISTRIBUTION SYSTEMS. (EPIDEM/002191).
Craun, GF; Millette, JR; Woodhull, RS; Laiuppa, R.
- Croke, K; Mensah, E; Fabian, R; Tolley, G. (1989). ASBESTOS REMOVAL AND TREATMENT IMPACTS ON HOUSING AND URBAN NEIGHBORHOODS. *Journal of Environmental Systems.* 18: 123-131.
- Crump, KS; Farrar, DB. (1989). STATISTICAL ANALYSIS OF DATA ON AIRBORNE ASBESTOS LEVELS COLLECTED IN AN EPA SURVEY OF PUBLIC BUILDINGS. *Regul Toxicol Pharmacol.* 10: 51-62.
- Cruz, MJ; Curull, V; Pijuan, L; Álvarez-Simón, D; Sánchez-Font, A; de Gracia, J; Culebras, M; Ferrer, J. (2016). Utility of Bronchoalveolar Lavage for the Diagnosis of Asbestos-Related Diseases. *Arch Bronconeumol.* <http://dx.doi.org/10.1016/j.arbres.2016.08.016>.
- Curtis, F. (1991). Monitoring the presence of asbestos in a residential apartment building. *Environ Pollut.* 71: 69-81.
- Czuba, R; Andruszczak, E; Chodak, T; Bogda, A; Straczynski, S. (1992). The impact of the Naslawice mine on the crops growing in its vicinity. *Med Pr.* 43: 227-233.
- Dahlgren, JG; Talbott, PJ. (2016). Lung cancer from asbestos textured ceilings: a case study. *Int J Occup Environ Health.* 22: 175-178.
<http://dx.doi.org/10.1080/10773525.2016.1162952>.
- Damiran, N; Silbergeld, EK; Frank, AL; Lkhasuren, O; Ochir, C; Breyse, PN. (2015). Exposure to airborne asbestos in thermal power plants in Mongolia [Erratum]. *Int J Occup Environ Health.* 21: 137-141. <http://dx.doi.org/10.1179/2049396715Y.0000000001>.
- Davis, DR. (1987). Potential health hazards of ceramic ring lining material. *J Prosthet Dent.* 57: 362-369.
- Davis, JM; Mcdonald, JC. (1988). Low level exposure to asbestos: is there a cancer risk? [Review]. *Br J Ind Med.* 45: 505-508.

Exposure Literature Search Results

On Topic

- De Vuyst, P; Dumortier, P; Gevenois, PA. (1997). Analysis of asbestos bodies in BAL from subjects with particular exposures. *Am J Ind Med.* 31: 699-704.
- Dearwent, SM; Mumtaz, M; Godfrey, G; Sinks, T; Falk, H. (2006). Health Effects of Hazardous Waste. *Ann N Y Acad Sci.* 1076: 439-448. <http://dx.doi.org/10.1196/annals.1371.043>.
- Deklerk, NH; Armstrong, BK; Musk, WA; Hobbs, MST. (1988). CROCIDOLITE EXPOSURE AT WITTENOOM AND SUBSEQUENT DEVELOPMENT OF MALIGNANT MESOTHELIOMA. *Community Health Stud.* 12: 472-472.
- del Piano, M; Palagiano, C; Rimatori, V. (1989). Asbestos hazards in the city of Rome, Italy [Review]. *Soc Sci Med.* 29: 1009-1013.
- Dement, JM; Brown, DP; Okun, A. (1994). Follow-up study of chrysotile asbestos textile workers: cohort mortality and case-control analyses. *Am J Ind Med.* 26: 431-447.
- Dement, JM; Harris, RL, Jr; Symons, MJ; Shy, C. (1982). Estimates of dose-response for respiratory cancer among chrysotile asbestos textile workers. *Ann Occup Hyg.* 26: 869-887.
- Dement, JM; Harris, RL, Jr; Symons, MJ; Shy, CM. (1983). Exposures and mortality among chrysotile asbestos workers Part I: exposure estimates. *Am J Ind Med.* 4: 399-419.
- Dement, JM; Harris, RL, Jr; Symons, MJ; Shy, CM. (1983). Exposures and mortality among chrysotile asbestos workers Part II: mortality. *Am J Ind Med.* 4: 421-433.
- Dement, JM; Hensley, L; Kieding, S; Lipscomb, H. (1998). Proportionate mortality among union members employed at three Texas refineries. *Am J Ind Med.* 33: 327-340. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199804\)33:4<327::AID-AJIM3>3.0.CO;2-R](http://dx.doi.org/10.1002/(SICI)1097-0274(199804)33:4<327::AID-AJIM3>3.0.CO;2-R).
- Dement, JM; Johnson, W. (1972). Walk Through Survey of Avon Products, Inc., Springdale, Ohio. 5: 19721972.
- Denardo, P; Bruni, B; Paoletti, L; Pasetto, R; Sirianni, B. (2004). Pulmonary fibre burden in sheep living in the Biancavilla area (Sicily): preliminary results. *Sci Total Environ.* 325: 51-58. <http://dx.doi.org/10.1016/j.scitotenv.2003.11.018>.
- Denner, JM; Langridge, RE; Affleck, MJ. (1988). DEVELOPMENT OF AN ASBESTOS-CONTAMINATED SITE - THE FASLANE PROJECT. *J Inst Water Environ Manag.* 2: 300-304.
- D'Errico, A; Mirabelli, D; Costa, G. (1999). Cancer mortality of a cohort of widows of asbestos workers. *Epidemiology.* 10: S62-S62.
- Derunt, JM; Shuler, PJ; Zumwalde, RD. (1972). Fiber Exposure During Use of Baby Powders. (NIOSH/00106056). Derunt, JM; Shuler, PJ; Zumwalde, RD.
- Dhariyal, KD; Rai, M. (1979). CALCIUM SILICATE BONDED ASBESTOS INSULATION PRODUCTS. 24: 90-101.
- di Bentivoglio, C; Ramazzini, C. (1999). Call for an international ban on asbestos. *Am J Ind Med.* 36: 227-229.
- Di Ciaula, A; Gennaro, V. (2016). [Possible health risks from asbestos in drinking water]. *Epidemiol Prev.* 40: 472-475. <http://dx.doi.org/10.19191/EP16.6.P472.129>.
- Dimiskovska, B. (2010). ENVIRONMENTAL RISKS DUE TO DEBRIS CONTAINING ASBESTOS IN POST-EARTHQUAKE CONDITIONS. 45: 299-306. <http://dx.doi.org/10.1556/AGeod.45.2010.3.4>.
- Dobbertin, S. (1977). HAZARDS TO HEALTH DUE TO AIR-POLLUTION WITH ASBESTOS. *Staub, Reinhaltung der Luft.* 37: 65-67.
- Dodoli, D; Del Nevo, M; Fiumalbi, C; Iaia, TE; Cristaudo, A; Comba, P; Viti, C; Battista, G. (1992). Environmental household exposures to asbestos and occurrence of pleural mesothelioma. *Am J Ind Med.* 21: 681-687. <http://dx.doi.org/10.1002/ajim.4700210508>.
- Dodson, RF; Atkinson, MA; O'sullivan, M. (2005). Stability of ferruginous bodies in human lung tissue following death, embalmment, and burial. *Inhal Toxicol.* 17: 789-795. <http://dx.doi.org/10.1080/08958370500240199>.
- Dodson, RF; O'Sullivan, M; Corn, C. (1993). Technique dependent variations in asbestos burden as illustrated in a case of nonoccupational exposed mesothelioma. *Am J Ind Med.* 24: 235-240. <http://dx.doi.org/10.1002/ajim.4700240210>.
- Dodson, RF; O'Sullivan, M; Corn, CJ. (1996). Relationships between ferruginous bodies and uncoated asbestos fibers in lung tissue. *Arch Environ Health.* 51: 462-466. <http://dx.doi.org/10.1080/00039896.1996.9936047>.
- Dodson, RF; Williams, MG; Huang, J; Bruce, JR. (1999). Tissue burden of asbestos in nonoccupationally exposed individuals from east Texas. *Am J Ind Med.* 35: 281-286.
- Dogan, M. (2003). Sources and types of mineral dust in regions of Turkey with endemic malignant mesothelioma. *Indoor Built Environ.* 12: 377-383. <http://dx.doi.org/10.1177/1420326X03038960>.
- Doll, R. (1987). The quantitative significance of asbestos fibres in the ambient air. *Experientia, Suppl.* 51: 213-219.
- Doll, R. (1989). Mineral fibres in the non-occupational environment: Concluding remarks. In J Bignon; J Peto; R Saracci (Eds.), *IARC Sci Publ* (pp. 511-518). Lyon, France: International Agency for Research on Cancer.
- Domanski, L; Dubielzig, R; Glickman, L. (1982). CANINE MESOTHELIOMA AND ASBESTOS - A CASE-CONTROL STUDY. *Am J Epidemiol.* 116: 586-586.
- Doniach, I; Swettenham, KV; Hathorn, MK. (1975). Prevalence of asbestos bodies in a necropsy series in East London: association with disease, occupation, and domiciliary address. *Br J Ind Med.* 32: 16-30.
- Dönmez, H; Ozkul, Y; Uçak, R. (1996). Sister chromatid exchange frequency in inhabitants exposed to asbestos in Turkey. *Mutat Res.* 361: 129-132.
- Dönmez-Altuntas, H; Baran, M; Oymak, FS; Hamurcu, Z; Imamoğlu, N; Ozesmi, M; Demirtas, H. (2007). Investigation of micronucleus frequencies in lymphocytes of inhabitants environmentally exposed to chrysotile asbestos. *Int J Environ Health Res.* 17: 45-51. <http://dx.doi.org/10.1080/09603120601124231>.
- Donovan, BL; Donovan, E; Sahmel, J; Epstien, B; Paustenbach, DJ. (2008). Evaluation of Bystander Exposure to Asbestos: Review of the Literature (1950s-Present). *Epidemiology.* 19: S186-S186.

Exposure Literature Search Results

On Topic

- Donovan, EP; Donovan, BL; Sahmel, J; Scott, PK; Paustenbach, DJ. (2011). Evaluation of bystander exposures to asbestos in occupational settings: a review of the literature and application of a simple eddy diffusion model [Review]. *Crit Rev Toxicol.* 41: 52-74. <http://dx.doi.org/10.3109/10408444.2010.506639>.
- Driece, HAL; Siesling, S; Swuste, PHJ, J; Burdorf, A. (2010). Assessment of cancer risks due to environmental exposure to asbestos. *J Expo Sci Environ Epidemiol.* 20: 478-485. <http://dx.doi.org/10.1038/jes.2009.56>.
- du Toit, RS. (1992). [Factors which may mask a possible safe threshold for asbestos fibre]. *S Afr Med J.* 82: 424-427.
- du Toit, RS; Gilfillan, TC. (1979). Conversion of the asbestos fibre concentration recorded by means of the konimeter and the thermal precipitator to that expected by means of the membrane filter method. *Ann Occup Hyg.* 22: 67-83.
- Dufresne, A; Begin, R; Dion, C; Jagirdar, J; Rom, WN; Loosereewanich, P; Muir, DCF; Ritchie, AC; Perrault, G. (1997). Angular and Fibrous Particles in Lung are Markers of Job Categories. *Sci Total Environ.* 206: 127-136.
- Dumortier, P; Rey, F; Viallat, JR; Broucke, I; Boutin, C; De Vuyst, P. (2002). Chrysotile and tremolite asbestos fibres in the lungs and parietal pleura of Corsican goats. *Occup Environ Med.* 59: 643-646.
- Dutoit, RSJ; Isserow, LW; Gilfillan, TC; Robock, K; Teichert, U. (1983). RELATIONSHIPS BETWEEN SIMULTANEOUS AIRBORNE DUST SAMPLES TAKEN WITH 5 TYPES OF INSTRUMENTS AT SOUTH-AFRICAN ASBESTOS MINES AND MILLS. *Ann Occup Hyg.* 27: 373-387.
- Dutt, AK; Achmatowiczotok, A; Mukhopadhyay, A; Carney, MC. (1992). URBAN AND RURAL HOUSING CHARACTERISTICS OF POLAND. *Landscape Urban Plan.* 22: 153-160.
- Dutta, M; Sreedhar, R; Basu, A. (2003). The blighted hills of Roro, Jharkhand, India: A tale of corporate greed and abandonment. *Int J Occup Environ Health.* 9: 254-259. <http://dx.doi.org/10.1179/oeh.2003.9.3.254>.
- Dyken, JJ; Wheeler, JS; ATSDR. (2008). ATSDR's experience with community exposure to "naturally occurring asbestos". *J Environ Health.* 70: 74-76.
- Egan, H. (1979). Organic and inorganic compounds: analytical aspects (pp. The Use of Biological Specimens for the Assessment of Human Exposure to Environmental Pollutants). (PESTAB/80/2810). Egan, H.
- Egilman, D; Reinert, A. (1996). The asbestos TLV: early evidence of inadequacy. *Am J Ind Med.* 30: 369-370. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199609\)30:3<369::AID-AJIM17>3.0.CO;2-U](http://dx.doi.org/10.1002/(SICI)1097-0274(199609)30:3<369::AID-AJIM17>3.0.CO;2-U).
- Egilman, D; Reinert, A. (1996). Lung cancer and asbestos exposure: asbestosis is not necessary [Review]. *Am J Ind Med.* 30: 398-406. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199610\)30:4<398::AID-AJIM4>3.0.CO;2-S](http://dx.doi.org/10.1002/(SICI)1097-0274(199610)30:4<398::AID-AJIM4>3.0.CO;2-S).
- egrave; Onig, R; Heide, H. (1983). Development of a procedure for automatic counting of (asbestos) fibre concentrations on membrane filters. (CIS/84/01221). K and egrave; Onig, R; Heide, H.
- EHRENREIT; Mackler, AD; Langer, AN; Selikoff, IJ. (1973). ASBESTOS FIBERS IN HUMAN LUNGS - FORENSIC SIGNIFICANCE IN ENVIRONMENTAL DISEASE. *Arch Mal Prof Med Trav Secur Soc.* 34: 189-204.
- Ehrlich, R; Lilis, R; Chan, E; Nicholson, WJ; Selikoff, IJ. (1992). Long term radiological effects of short term exposure to amosite asbestos among factory workers. *Br J Ind Med.* 49: 268-275.
- Eisen, EA; Tolbert, PE; Hallock, MF; Monson, RR; Smith, TJ; Woskie, SR. (1994). Mortality studies of machining fluid exposure in the automobile industry III: A case-control study of larynx cancer. *Am J Ind Med.* 26: 185-202.
- El Adnani, M; Plante, B; Benzaazoua, M; Hakkou, R; Bouzazah, H. (2016). Tailings Weathering and Arsenic Mobility at the Abandoned Zgounder Silver Mine, Morocco. *Mine Water Environ.* 35: 508-524. <http://dx.doi.org/10.1007/s10230-015-0370-4>.
- Emmanouil, K; Kalliopi, A; Dimitrios, K; Evangelos, G. (2009). Asbestos pollution in an inactive mine: Determination of asbestos fibers in the deposit tailings and water. *J Hazard Mater.* 167: 1080-1088. <http://dx.doi.org/10.1016/j.jhazmat.2009.01.102>.
- Emri, S. (2003). Recent developments in the therapy of malignant pleural mesothelioma. *Indoor Built Environ.* 12: 391-393. <http://dx.doi.org/10.1177/1420326X03039011>.
- Enterline, PE. (1983). Cancer produced by nonoccupational asbestos exposure in the United States. *J Air Pollut Control Assoc.* 33: 318-322.
- Er, O; Tanrikulu, AC; Abakay, A; Temurtas, F. (2012). An approach based on probabilistic neural network for diagnosis of Mesothelioma's disease. *Computers & Electrical Engineering.* 38: 75-81. <http://dx.doi.org/10.1016/j.compeleceng.2011.09.001>.
- Eriksson, M; Karlsson, M. (1992). Occupational and other environmental factors and multiple myeloma: a population based case-control study. *Br J Ind Med.* 49: 95-103.
- Esmen, NA; Erdal, S. (1990). Human occupational and nonoccupational exposure to fibers [Review]. *Environ Health Perspect.* 88: 277-286.
- Esposito, MP; Mcardle, J; Greber, JS; Clark, R. (1984). Guidelines For Decontaminating Buildings, Structures And Equipment At Superfund Sites (pp. 486-488). (NIOSH/00155016). Esposito, MP; Mcardle, J; Greber, JS; Clark, R.
- Etz, ES; Rosasco, GJ; Blaha, JJ. (1977). Observation of the Raman effect from small, single particles: its use in the chemical identification of airborne particulates. (PESTAB/79/0739). Etz, ES; Rosasco, GJ; Blaha, JJ.
- Everett, G. (1974). ANALYSIS FOR ASBESTOS IN ENVIRONMENTAL SAMPLES. *Environ Health Perspect.* 9: 181-182.
- Ewing, WM; Hays, SM; Hatfield, R; Longo, WE; Millette, JR. (2010). Zonolite attic insulation exposure studies. *Int J Occup Environ Health.* 16: 279-290. <http://dx.doi.org/10.1179/oeh.2010.16.3.279>.
- Faich, GA. (1980). Asbestos hazard evaluation in Rhode Island schools. *Am J Public Health.* 70: 162-164.
- Falcone, M; Capone, PP; Tarzia, V; Campopiano, A; Giardino, R; Iannò, A; De Simone, P; Spagnoli, G; Macri, G. (2006). [Mount Reventino greenstone: assessment of tremolite fibre dispersion in the workplace]. *Med Lav.* 97: 36-43.
- Falini, G; Foresti, E; Gazzano, M; Gualtieri, AF; Lesci, IG; Pecchini, G; Renna, E; Roveri, N. (2003). A new method for the detection of low levels of free fibres of chrysotile in contaminated soils by X-ray powder diffraction. *J Environ Monit.* 5: 654-660. <http://dx.doi.org/10.1039/b300328k>.

Exposure Literature Search Results

On Topic

- Fano, V; Michelozzi, P; Ancona, C; Capon, A; Forastiere, F; Perucci, CA. (2004). Occupational and environmental exposures and lung cancer in an industrialised area in Italy. *Occup Environ Med.* 61: 757-763. <http://dx.doi.org/10.1136/oem.2003.010728>.
- Favero-Longo, SE; Matteucci, E; Siniscalco, C. (2009). Plant Colonization Limits Dispersion in the Air of Asbestos Fibers in an Abandoned Asbestos Mine. *Northeast Nat.* 16: 163-177.
- Fazzo, L; Carere, M; Tisano, F; Bruno, C; Cernigliaro, A; Cicero, MR; Comba, P; Contrino, ML; De Santis, M; Falleni, F; Ingallinella, V; Madeddu, A; Marcello, I; Regalbutto, C; Sciacca, G; Soggiu, ME; Zona, A. (2016). Cancer incidence in Priolo, Sicily: a spatial approach for estimation of industrial air pollution impact. *Geospat Health.* 11: 320. <http://dx.doi.org/10.4081/gh.2016.320>.
- Fazzo, L; De Santis, M; Minelli, G; Bruno, C; Zona, A; Conti, S; Comb, P. (2011). Mesothelioma Mortality and Asbestos Exposure Mapping in Italy. *Epidemiology.* 22: S107-S107.
- Fazzo, L; De Santis, M; Minelli, G; Bruno, C; Zona, A; Marinaccio, A; Conti, S; Comba, P. (2012). Pleural mesothelioma mortality and asbestos exposure mapping in Italy. *Am J Ind Med.* 55: 11-24. <http://dx.doi.org/10.1002/ajim.21015>.
- Fazzo, L; Menegozzo, S; Soggiu, ME; De Santis, M; Santoro, M; Cozza, V; Brangi, A; Menegozzo, M; Comba, P. (2014). Mesothelioma incidence in the neighbourhood of an asbestos-cement plant located in a national priority contaminated site. *Ann Ist Super Sanita.* 50: 322-327. http://dx.doi.org/DOI: 10.4415/ANN_14_04_05.
- Fazzo, L; Minelli, G; De Santis, M; Bruno, C; Zona, A; Marinaccio, A; Conti, S; Pirastu, R; Comba, P. (2012). Mesothelioma mortality surveillance and asbestos exposure tracking in Italy. *Ann Ist Super Sanita.* 48: 300-310. http://dx.doi.org/DOI: 10.4415/ANN_12_03_11.
- Feigley, CE; Maguire, KE; Hussey, JR. (1992). Asbestos Fiber Deposition Patterns on Various 25-mm Cassette Filters at a High Flow Rate. *Appl Occup Environ Hyg.* 7: 749-757.
- Ferguson, D. (1991). Asbestos: insufficient action, overreaction, action for tomorrow. 12: 140-145.
- Fernandez-Caldas, E; Fox, RW. (1992). Environmental control of indoor air pollution. *Med Clin North Am.* 76: 935-952.
- Ferrante, D; Bertolotti, M; Todesco, A; Mirabelli, D; Terracini, B; Magnani, C. (2007). Cancer mortality and incidence of mesothelioma in a cohort of wives of asbestos workers in Casale Monferrato, Italy. *Environ Health Perspect.* 115: 1401-1405. <http://dx.doi.org/10.1289/ehp.10195>.
- Ferrante, D; Mirabelli, D; Tunesi, S; Terracini, B; Magnani, C. (2015). Pleural mesothelioma and occupational and non-occupational asbestos exposure: a case-control study with quantitative risk assessment. *Occup Environ Med.* 73: 147-153. <http://dx.doi.org/10.1136/oemed-2015-102803>.
- Ferrante, P; Binazzi, A; Branchi, C; Marinaccio, A. (2016). [National epidemiological surveillance systems of mesothelioma cases]. *Epidemiol Prev.* 40: 336-343. <http://dx.doi.org/10.19191/EP16.5.P336.108>.
- Ferrante, P; Mastrantonio, M; Uccelli, R; Corfiati, M; Marinaccio, A. (2016). [Pleural mesothelioma mortality in Italy: time series reconstruction (1970-2009) and comparison with incidence (2003-2008)]. *Epidemiol Prev.* 40: 205-214. <http://dx.doi.org/10.19191/EP16.3-4.P205.087>.
- Ferreccio, C; Yuan, Y; Calle, J; Benítez, H; Parra, RL; Acevedo, J; Smith, AH; Liaw, J; Steinmaus, C. (2013). Arsenic, tobacco smoke, and occupation: Associations of multiple agents with lung and bladder cancer. *Epidemiology.* 24: 898-905. <http://dx.doi.org/10.1097/EDE.0b013e31829e3e03>.
- Finkelstein, MM. (2015). Asbestos Fibres in the Lungs of an American Mechanic Who Drilled, Riveted, and Ground Brake Linings: A Case Report and Discussion [Letter]. *Ann Occup Hyg.* 59: 525-527. <http://dx.doi.org/10.1093/annhyg/mev008>.
- Fornero, E; Belluso, E; Capella, S; Bellis, D. (2009). Environmental exposure to asbestos and other inorganic fibres using animal lung model. *Sci Total Environ.* 407: 1010-1018. <http://dx.doi.org/10.1016/j.scitotenv.2008.10.021>.
- Fournier, E. (1996). [Asbestos and protection of the population exposed to inhalation of asbestos fibers in public and private buildings]. *Bull Acad Natl Med.* 180: 887-905.
- Fowler, DP. (2000). Exposures to asbestos arising from bandsawing gasket material. *Appl Occup Environ Hyg.* 15: 404-408. <http://dx.doi.org/10.1080/104732200301359>.
- Fox, DL. (1987). Air pollution [Review]. *Anal Chem.* 59: 280R-294R.
- Fox, DL. (1993). AIR-POLLUTION. *Anal Chem.* 65: R156-R170.
- Frank, AL; Joshi, TK. (2014). The global spread of asbestos [Review]. 80: 257-262. <http://dx.doi.org/10.1016/j.aogh.2014.09.016>.
- Franklin, P; Reid, A; Olsen, N; Peters, S; de Klerk, N; Brims, F; Threlfall, T; Murray, R; Musk, AB. (2016). Incidence of malignant mesothelioma in Aboriginal people in Western Australia. *Aust N Z J Public Health.* 40: 383-387. <http://dx.doi.org/10.1111/1753-6405.12542>.
- Franko, A; Dodic-Fikfak, M; Arnerić, N; Dolzan, V. (2007). Glutathione S-transferases GSTM1 and GSTT1 polymorphisms and asbestosis. *J Occup Environ Med.* 49: 667-671. <http://dx.doi.org/10.1097/JOM.0b013e318065b855>.
- Franko, A; Dolzan, V; Arnerić, N; Dodic-Fikfak, M. (2008). Asbestosis and catalase genetic polymorphism. *Arh Hig Rada Toksikol.* 59: 233-240. <http://dx.doi.org/10.2478/10004-1254-59-2008-1907>.
- Friedrichs, KH; Brockmann, M; Fischer, M; Wick, G. (1992). Electron microscopy analysis of mineral fibers in human lung tissue. *Am J Ind Med.* 22: 49-58.
- Friedrichs, KH; Einbrodt, HJ. (1976). The measurement of fibre concentration in lung dusts (pp. 5-6). (HEEP/77/00258). Friedrichs, KH; Einbrodt, HJ.
- Friedrichs, KH; Teschler, H; Wick, G; Konietzko, N; Costabel, U. (1991). [Asbestos content in bronchoalveolar lavage fluid]. *Zentralblatt fuer Hygiene und Umweltmedizin.* 192: 336-343.
- Frumkin, H; Berlin, J. (1988). Asbestos exposure and gastrointestinal malignancy review and meta-analysis [Review]. *Am J Ind Med.* 14: 79-95.
- Funari, E; Bastone, A; Bottoni, P; De Donno, D; Donati, L. (1991). Quality problems in waters used for drinking purposes in Italy. *Biomed Environ Sci.* 4: 339-347.

Exposure Literature Search Results

On Topic

- Furlan, C; Mortarino, C. (2012). Pleural mesothelioma: forecasts of the death toll in the area of Casale Monferrato, Italy. *Stat Med.* 31: 4114-4134. <http://dx.doi.org/10.1002/sim.5523>.
- Gaensler, EA. (1994). ASBESTOS EXPOSURE IN BUILDINGS (pp. S98-S110). (ISSN 0341-3055; BIOSIS/94/30152). Gaensler, EA.
- Galgani, F; Chiffolleau, JF; Orsoni, V; Costantini, L; Boissery, P; Calendini, S; Andral, B. (2006). Chemical contamination and sediment toxicity along the coast of Corsica. *Chem Ecol.* 22: 299-312. <http://dx.doi.org/10.1080/02757540600812156>.
- Gamble, JF. (1994). Asbestos and colon cancer: a weight-of-the-evidence review. *Environ Health Perspect.* 102: 1038-1050.
- Gamble, JF; Lewis, RJ; Jorgensen, G. (2000). Mortality among three refinery/petrochemical plant cohorts. II. Retirees. *J Occup Environ Med.* 42: 730-736.
- Ganor, E; Fischbein, A; Brenner, S; Froom, P. (1992). Extreme airborne asbestos concentrations in a public building. *Br J Ind Med.* 49: 486-488.
- Gao, Z; Hiroshima, K; Wu, X; Zhang, J; Shao, D; Shao, H; Yang, H; Yusa, T; Kiyokawa, T; Kobayashi, M; Shinohara, Y; Røe, OD; Zhang, X; Morinaga, K. (2015). Asbestos textile production linked to malignant peritoneal and pleural mesothelioma in women: Analysis of 28 cases in Southeast China. *Am J Ind Med.* 58: 1040-1049. <http://dx.doi.org/10.1002/ajim.22494>.
- Garabrant, DH; Peters, RK; Homa, DM. (1992). Asbestos and colon cancer: Lack of association in a large case-control study. *Am J Epidemiol.* 135: 843-853.
- Gaudichet, A; Bientz, M; Sebastien, P; Dufour, G; Bignon, J; Bonnaud, G; Puisais, J. (1978). ASBESTOS FIBERS IN WINES - RELATION TO FILTRATION PROCESS. *J Toxicol Environ Health.* 4: 853-860.
- Gazzi, D; Crockford, GW. (1987). INDOOR ASBESTOS LEVELS ON A HOUSING ESTATE DETERMINED BY TRANSMISSION ELECTRON MICROSCOPY. *Ann Occup Hyg.* 31: 429-440.
- Gentry, JW; Spurny, KR; Schormann, J. (1991). THE DIFFUSION-COEFFICIENTS FOR ULTRATHIN CHRYSOTILE FIBERS. *J Aerosol Sci.* 22: 869-880.
- Gentry, JW; Spurny, KR; Schormann, J; Opiela, H; Weiss, G. (1982). MEASUREMENT OF THE DIFFUSION-COEFFICIENT FOR CHRYSOTILE AND CROCIDOLITE FIBERS. *Atmos Environ.* 16: 2947-2957.
- Gentry, JW; Spurny, KR; Soulen, SA; Schormann, J. (1988). MEASUREMENTS OF THE DIFFUSION-COEFFICIENTS OF ULTRATHIN ASBESTOS FIBERS. *J Aerosol Sci.* 19: 1041-1044.
- Giacomini, S; Mensi, C; Sieno, C; Riboldi, L. (2009). Malignant pleural mesothelioma related to asbestos in young subjects. *Med Lav.* 100: 396-396.
- Giarelli, L; Bianchi, C; Grandi, G. (1992). Malignant mesothelioma of the pleura in Trieste, Italy. *Am J Ind Med.* 22: 521-530.
- Gibbs, AR; Stephens, M; Griffiths, DM; Blight, BJ; Pooley, FD. (1991). Fibre distribution in the lungs and pleura of subjects with asbestos related diffuse pleural fibrosis. *Br J Ind Med.* 48: 762-770. <http://dx.doi.org/10.1136/oem.48.11.762>.
- Gibbs, GW. (1975). Fibre release from asbestos garments. *Ann Occup Hyg.* 18: 143-149.
- Gilham, C; Rake, C; Burdett, G; Nicholson, AG; Davison, L; Franchini, A; Carpenter, J; Hodgson, J; Darnton, A; Peto, J. (2015). Pleural mesothelioma and lung cancer risks in relation to occupational history and asbestos lung burden. *Occup Environ Med.* 73: 290-299. <http://dx.doi.org/10.1136/oemed-2015-103074>.
- Giordano, F; Dell'orco, V; Fantini, F; Grippo, F; Perretta, V; Testa, A; Figà-Talamanca, I. (2012). Mortality in a cohort of cement workers in a plant of Central Italy. *Int Arch Occup Environ Health.* 85: 373-379. <http://dx.doi.org/10.1007/s00420-011-0678-8>.
- Glantz, CS; Laws, GL. (1990). Air quality monitoring program for the 1100-EM-1 remedial investigation. 173.
- Glickman, LT; Domanski, LM; Maguire, TG; Dubielzig, RR; Churg, A. (1983). Mesothelioma in pet dogs associated with exposure of their owners to asbestos. *Environ Res.* 32: 305-313. [http://dx.doi.org/10.1016/0013-9351\(83\)90114-7](http://dx.doi.org/10.1016/0013-9351(83)90114-7).
- Gloag, D. (1981). Asbestos fibers and the environment. *Br Med J.* 282: 1982.
- Gloag, D. (1981). Asbestos fibres and the environment. *Br Med J (Clin Res Ed).* 282: 623-626.
- Gluckman, J. (1983). ASBESTOS IN DRINKING-WATER. 63: 217-218.
- Godish, D. (1989). Asbestos exposure in schools. *J Sch Health.* 59: 362-363.
- Godoi, RH; Gonçalves, SJ; Sayama, C; Polezer, G; Reis Neto, JM; Alföldy, B; Van Grieken, R; Riedi, CA; Yamamoto, CI; Godoi, AF; Bencs, L. (2016). Health implications of atmospheric aerosols from asbestos-bearing road pavements traditionally used in Southern Brazil. *Environ Sci Pollut Res Int.* 23: 25180-25190. <http://dx.doi.org/10.1007/s11356-016-7586-0>.
- Gold, KW; Naugle, DF; Berry, MA. (1991). Indoor Air-Assessment: Indoor Concentrations of Environmental Carcinogens (pp. 1-56). (NTIS/02976355_a). Gold, KW; Naugle, DF; Berry, MA.
- Gold, KW; Naugle, DF; Berry, MA. (1993). Indoor concentrations of environmental carcinogens [Review]. *IARC Sci Publ*41-71.
- Goldberg, M; Imbernon, E; Rolland, P; Gilg Soit Ilg, A; Savès, M; de Quillacq, A; Frenay, C; Chamming's, S; Arveux, P; Boutin, C; Launoy, G; Pairon, JC; Astoul, P; Galateau-Sallé, F; Brochard, P. (2006). The French National Mesothelioma Surveillance Program. *Occup Environ Med.* 63: 390-395. <http://dx.doi.org/10.1136/oem.2005.023200>.
- Goldberg, P; Luce, D; Billon-Galland, MA; Quénel, P; Salomon-Nekiriai, C; Nicolau, J; Brochard, P; Goldberg, M. (1995). Potential role of environmental and domestic exposure to tremolite in pleural cancer in New Caledonia. *Rev Epidemiol Sante Publique.* 43: 444-450.
- Goldberg, S; Rey, G; Luce, D; Gilg Soit Ilg, A; Rolland, P; Brochard, P; Imbernon, E; Goldberg, M. (2010). Possible effect of environmental exposure to asbestos on geographical variation in mesothelioma rates. *Occup Environ Med.* 67: 417-421. <http://dx.doi.org/10.1136/oem.2009.050336>.
- Gordon, RE; Fitzgerald, S; Millette, J. (2014). Asbestos in commercial cosmetic talcum powder as a cause of mesothelioma in women. *Int J Occup Environ Health.* 20: 318-332. <http://dx.doi.org/10.1179/2049396714Y.0000000081>.
- Gorman, RW. (1979). Hazard Evaluation and Technical Assistance, Report No. TA-79-2, Department of Transportation Vehicle Inspection Stations, Washington, D.C (pp. 79-72). (NIOSH/00092153). Gorman, RW.

Exposure Literature Search Results

On Topic

- Goswami, E; Craven, V; Dahlstrom, DL; Alexander, D; Mowat, F. (2013). Domestic asbestos exposure: a review of epidemiologic and exposure data [Review]. *Int J Environ Res Public Health*. 10: 5629-5670. <http://dx.doi.org/10.3390/ijerph10115629>.
- Goung, SJ; Yang, J; Kim, YS; Lee, CM. (2015). A pilot study of indoor air quality in screen golf courses. *Environ Sci Pollut Res Int*. 22: 7176-7182. <http://dx.doi.org/10.1007/s11356-014-3947-8>.
- Gray, C; Carey, RN; Reid, A. (2016). Current and future risks of asbestos exposure in the Australian community. *Int J Occup Environ Health*. 22: 292-299. <http://dx.doi.org/10.1080/10773525.2016.1227037>.
- Graziano, G; Bilancia, M; Bisceglia, L; de Nichilo, G; Pollice, A; Assennato, G. (2009). [Statistical analysis of the incidence of some cancers in the province of Taranto 1999-2001]. *Epidemiol Prev*. 33: 37-44.
- Gregson, N; Watkins, H; Calestani, M. (2010). Inextinguishable Fibres: Demolition and the Vital Materialisms of Asbestos. *Environ Plan A*. 42: 1065-1083.
- Gross, P. (1974). ASBESTOS FIBERS IN DRINKING-WATER. *JAMA*. 229: 767-767.
- Gross, P; Harley, RA; Davis, JM; Cralley, LJ. (1974). Mineral fiber content of human lungs. *Am Ind Hyg Assoc J*. 35: 148-151.
- Grosse, I; Huetter, B; Hartmann, I; Binde, G; Gruber, H; Kurz, G. (1998). Asbestos on textiles: is there an endangering during washing and wearing? *J Hazard Mater*. 63: 119-130.
- Gruenwald G, JS. (1988). ASBESTOS LEVELS IN A LOS ANGELES CALIFORNIA USA BUILDING BEFORE AND AFTER AN EARTHQUAKE. *Am Ind Hyg Assoc J*. 49.
- Gruenwald, GJS. (1988). ASBESTOS LEVELS IN A LOS-ANGELES BUILDING BEFORE AND AFTER AN EARTHQUAKE. *Am Ind Hyg Assoc J*. 49: A87-A88.
- Gualtieri, AF; Mangano, D; Gualtieri, ML; Ricchi, A; Foresti, E; Lesci, G; Roveri, N; Mariotti, M; Pecchini, G. (2009). Ambient monitoring of asbestos in selected Italian living areas. *J Environ Manage*. 90: 3540-3552. <http://dx.doi.org/10.1016/j.jenvman.2009.06.007>.
- Guidotti, TL. (1988). QUANTITATIVE RISK ASSESSMENT OF EXPOSURE TO AIRBORNE ASBESTOS IN AN OFFICE BUILDING. *Can J Public Health*. 79: 249-254.
- Guillemin, MP; Madelaine, P; Litzistorf, G; Buffat, P; Iselin, F. (1989). ASBESTOS IN BUILDINGS - THE DIFFICULTIES OF A RELIABLE EXPOSURE ASSESSMENT. *Aerosol Sci Technol*. 11: 221-243.
- Gustavsson, P; Jakobsson, R; Johansson, H; Lewin, F; Norell, S; Rutkvist, LE. (1998). Occupational exposures and squamous cell carcinoma of the oral cavity, pharynx, larynx, and oesophagus: A case-control study in Sweden. *Occup Environ Med*. 55: 393-400.
- Gustavsson, P; Jakobsson, R; Nyberg, F; Pershagen, G; Järup, L; Schéele, P. (2000). Occupational exposure and lung cancer risk: a population-based case-referent study in Sweden. *Am J Epidemiol*. 152: 32-40.
- Gustavsson, P; Nyberg, F; Pershagen, G; Scheele, P; Jakobsson, R; Plato, N. (2002). Low-dose exposure to asbestos and lung cancer: Dose-response relations and interaction with smoking in a population-based case-referent study in Stockholm, Sweden. *Am J Epidemiol*. 155: 1016-1022. <http://dx.doi.org/10.1093/aje/155.11.1016>.
- Hain, E. (1980). OCCUPATIONAL MEDICAL PROPHYLACTIC CHECK-UPS FOR ASBESTOS DUST EXPOSED PERSONS - EXPERIENCES AND PERSPECTIVES. *Staub, Reinhaltung der Luft*. 40: 190-194.
- Hallenbeck, WH. (1981). CONSUMER PRODUCT-SAFETY - RISK ASSESSMENT OF EXPOSURE TO ASBESTOS EMISSIONS FROM HAND-HELD HAIR DRYERS. *Environ Manage*. 5: 23-32.
- Hallenbeck, WH; Chen, EH; Hesse, CS; Patelmandlik, K; Wolff, AH. (1978). IS CHRYSOTILE ASBESTOS RELEASED FROM ASBESTOS-CEMENT PIPE INTO DRINKING-WATER. *J Am Water Works Assoc*. 70: 97-102.
- Hallenbeck, WH; Hesse, CS; Chen, EH; Patel-Mandlik, K; Wolff, AH. (1977). Asbestos in potable water. 118: 1-78.
- Hama, GM; Curley, LC. (1971). STUDY OF EXPOSURES IN SPRAYING OF ASBESTOS FIREPROOFING MATERIAL. *Am Ind Hyg Assoc J*. 32: 36-&.
- Hamm, G; Krause, J. (1993). OCCUPATIONAL-SAFETY IN ASBESTOS REMOVAL - JANUARY 25-26, 1993. *Staub, Reinhaltung der Luft*. 53: 403-404.
- Han, JH; Park, JD; Sakai, K; Hisanaga, N; Chang, HK; Lee, YH; Kwon, IH; Choi, BS; Chung, YH; Kim, HY; Yang, JS; Cho, MH; Yu, IJ. (2009). Comparison of lung asbestos fiber content in cancer subjects with healthy individuals with no known history of occupational asbestos exposure in Korea. *J Toxicol Environ Health A*. 72: 1292-1295. <http://dx.doi.org/10.1080/15287390903212345>.
- Haque, AK; Vrazel, DM; Uchida, T. (1998). Assessment of asbestos burden in the placenta and tissue digests of stillborn infants in South Texas. *Arch Environ Contam Toxicol*. 35: 532-538. <http://dx.doi.org/10.1007/s002449900413>.
- Harrington, JM; Craun, GF; Meigs, JW; Landrigan, PJ; Flannery, JT; Woodhull, RS. (1978). An investigation of the use of asbestos cement pipe for public water supply and the incidence of gastrointestinal cancer in Connecticut, 1935-1973. *Am J Epidemiol*. 107: 96-103.
- Harrison, PT; Levy, LS; Patrick, G; Pigott, GH; Smith, LL. (1999). Comparative hazards of chrysotile asbestos and its substitutes: A European perspective. *Environ Health Perspect*. 107: 607-611.
- Hasanoglu, HC; Gokirmak, M; Baysal, T; Yildirim, Z; Koksall, N; Onal, Y. (2003). Environmental exposure to asbestos in eastern Turkey. *Arch Environ Health*. 58: 144-150. <http://dx.doi.org/10.3200/AEOH.58.3.144-150>.
- Hasanoglu, HC; Yildirim, Z; Ermis, H; Kilic, T; Koksall, N. (2006). Lung cancer and mesothelioma in towns with environmental exposure to asbestos in Eastern Anatolia. *Int Arch Occup Environ Health*. 79: 89-91. <http://dx.doi.org/10.1007/s00420-005-0010-6>.
- Hashim, D; Boffetta, P. (2014). Occupational and Environmental Exposures and Cancers in Developing Countries [Review]. 80: 393-411. <http://dx.doi.org/10.1016/j.aogh.2014.10.002>.
- Hayashi, H. (1974). Quantitative determination of airborne asbestos dust in occupational environment by X-ray diffraction using conventional and rotating anode X-ray tube. *Ind Health*. 11: 225-236.
- Hayward, SB. (1984). FIELD MONITORING OF CHRYSOTILE ASBESTOS IN CALIFORNIA WATERS. *J Am Water Works Assoc*. 76: 66-73.
- Health, Safety, E. (1999). Surveying, sampling and assessment of asbestos-containing materials. 21: 00.
- Health, IDo. (2000). Public Health Assessment for Illinois Beach Park Zion, Lake County, Illinois, Region 5. CERCLIS No. ILD984840140. 36.

Exposure Literature Search Results

On Topic

- Health, PDo. (2015). Health Assessment Final Release: Borit Asbestos National Priorities List Site, Ambler, Montgomery County, Pennsylvania, January 9, 2015.
- Heer, S; Ruttner, J. R. (1986). NUMBER AND LENGTH DISTRIBUTION OF FIBERS AND FERRUGINOUS BODIES FROM LUNGS OF INDIVIDUALS EXPOSED AND NOT EXPOSED TO ASBESTOS. *Arbeitsmedizin, Sozialmedizin, Praeventivmedizin*. 21: 233-235.
- HEI. (1991). Asbestos in public and commercial buildings: A literature review and synthesis of current knowledge [HEI] (pp. 422). (Special Report). Cambridge, MA: Health Effects Institute-Asbestos Research.
- Hein, MJ; Stayner, LT; Lehman, E; Dement, JM. (2007). Follow-up study of chrysotile textile workers: Cohort mortality and exposure-response. *Occup Environ Med*. 64: 616-625. <http://dx.doi.org/10.1136/oem.2006.031005>.
- Heller, D; Gordon, R; Westhoff, C; Gerber, S. (1996). Asbestos exposure and ovarian fiber burden. *Am J Ind Med*. 29: 435-439. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199605\)29:5<435::AID-AJIM1>3.0.CO;2-L](http://dx.doi.org/10.1002/(SICI)1097-0274(199605)29:5<435::AID-AJIM1>3.0.CO;2-L).
- Hemminki, K; Li, X. (2003). Time trends and occupational risk factors for pleural mesothelioma in Sweden. *J Occup Environ Med*. 45: 456-461. <http://dx.doi.org/10.1097/01.jom.0000058341.05741.7e>.
- Hemminki, K; Li, XJ. (2003). Time, trends and occupational risk factors for peritoneal mesothelioma in Sweden. *J Occup Environ Med*. 45: 451-455. <http://dx.doi.org/10.1097/01.jom.0000052960.59271.d4>.
- Hendrickx, M. (2008). Naturally occurring asbestos in eastern Australia: a review of geological occurrence, disturbance and mesothelioma risk. *Environ Geol*. 57: 909-926. <http://dx.doi.org/10.1007/s00254-008-1370-5>.
- Hesse, CS; Hallenbeck, WH. (1978). Potential sources of asbestos in lake michigan usa. *J Great Lakes Res*. 4: 1979.
- Hesse, CS; Hallenbeck, WH; Chen, EH; Brenniman, GR. (1977). Determination of chrysotile asbestos in rainwater. *Atmos Environ*. 11: 1233-1238.
- Hiatt, GF; Den, AR; Johnson, JM. (2006). Personal exposures to naturally-occurring asbestos during sports and play activities in a California community in the Sierra foothills [Abstract]. *Toxicologist*. 90: 174.
- Hibbert, L, ee. (2011). Asbestos lies hidden in many older buildings and plants - posing a hidden danger to maintenance workers. *Prof Eng*. 24: 18-+.
- Hickey, JE. (1987). Rhode island asbestos abatement program. *Appl Ind Hyg*. 2: 128-132.
- Higgins, ITT. (1981). ASBESTOS IN DRINKING-WATER AND CANCER INCIDENCE IN THE SAN-FRANCISCO BAY AREA. *Am J Epidemiol*. 114: 161-162.
- Hileman, B. (1983). Indoor air pollution. *Environ Sci Technol*. 17: 469A-472A.
- Hiller, U; Lange, H; Fichtmüller, A; Paul, M; Hiller, M; Rämisch, R. (1984). [Detection and monitoring of asbestos exposed persons in a district area]. 78: 733-736.
- Hillerdal, G. (1994). The human evidence: Parenchymal and pleural changes. *Ann Occup Hyg*. 38: 561-567. <http://dx.doi.org/10.1093/annhyg/38.4.561>.
- Hillerdal, G. (1997). Pleural plaques: Incidence and epidemiology, exposed workers and the general population. *Indoor Built Environ*. 6: 86-95.
- Hillerdal, G. (1999). Mesothelioma: Cases associated with non-occupational and low dose exposures [Review]. *Occup Environ Med*. 56: 505-513.
- Hillerdal, G. (2004). The Swedish experience with asbestos: history of use, diseases, legislation, and compensation [Review]. *Int J Occup Environ Health*. 10: 154-158. <http://dx.doi.org/10.1179/oeht.2004.10.2.154>.
- Hillerdal, G; Henderson, DW. (1997). Asbestos, asbestosis, pleural plaques and lung cancer [Review]. *Scand J Work Environ Health*. 23: 93-103.
- Hillerdal, G; Karlén, E; Aberg, T. (1983). Tobacco consumption and asbestos exposure in patients with lung cancer: a three year prospective study. *Br J Ind Med*. 40: 380-383.
- Hillerdal, G; Rask-Andersen, A. (2005). Pleuropulmonary lesions, ergotamines and asbestos exposure. *Scand J Work Environ Health*. 31: 459-464.
- Hilt, B; Lien, JT; Lund-Larsen, PG; Lund, K; Langård, S. (1986). Asbestos-related findings in chest radiographs of the male population of the county of Telemark, Norway--a cross-sectional study. *Scand J Work Environ Health*. 12: 567-573. <http://dx.doi.org/10.5271/sjweh.2105>.
- Hiraoka, K; Horie, A; Kido, M. (1990). Study of asbestos bodies in Japanese urban patients. *Am J Ind Med*. 18: 547-554.
- Hiraoka, T; Ohkura, M; Morinaga, K; Kohyama, N; Shimazu, K; Ando, M. (1998). Anthophyllite exposure and endemic pleural plaques in Kumamoto, Japan. *Scand J Work Environ Health*. 24: 392-397.
- Hlavay, J; Antal, L; Gyorgy-Pozsonyi, L; Inczedy, J. (1984). Determination of Chrysotile Content of Asbestos Cement Dusts by IR-Spectroscopy (pp. 547-551). (NIOSH/00192020). Hlavay, J; Antal, L; Gyorgy-Pozsonyi, L; Inczedy, J.
- Hlavay, J; Oravetz, D. (1991). MORPHOLOGICAL STUDY ON RESPIRABLE DUST (pp. 19-21). (BIOSIS/92/02634). Hlavay, J; Oravetz, D.
- Hollins, DM; Paustenbach, DJ; Clark, K; Mangold, CA. (2009). A visual historical review of exposure to asbestos at puget sound naval shipyard (1962-1972) [Review]. *J Toxicol Environ Health B Crit Rev*. 12: 124-156. <http://dx.doi.org/10.1080/10937400902729176>.
- Holmes, EP; Wilson, J; Schreier, H; Lavkulich, L, esM. (2012). Processes affecting surface and chemical properties of chrysotile: Implications for reclamation of asbestos in the natural environment. *Can J Soil Sci*. 92: 229-242. <http://dx.doi.org/10.4141/CJSS2010-014>.
- Holt, PF; Young, DK. (1973). ASBESTOS FIBERS IN AIR OF TOWNS. *Atmos Environ*. 7: 481-&.
- Holt, PF; Young, DK. (1973). Asbestos fibres in the air of towns. *Atmos Environ* (1967). 7: 481-483.
- Homa, DM; Garabrant, DH; Gillespie, BW. (1994). A meta-analysis of colorectal cancer and asbestos exposure. *Am J Epidemiol*. 139: 1210-1222.
- Hoppe, KA; Metwali, N; Perry, SS; Hart, T; Kostle, PA; Thorne, PS. (2012). Assessment of airborne exposures and health in flooded homes undergoing renovation. *Indoor Air*. 22: 446-456. <http://dx.doi.org/10.1111/j.1600-0668.2012.00785.x>.
- Hoskins, JA. (2001). Mineral fibres and health. *Indoor Built Environ*. 10: 244-251.
- Hoskins, JA; Brown, RC. (1994). Contamination of the air with mineral fibers following the explosive destruction of buildings and fire [Review]. *Drug Metab Rev*. 26: 663-673. <http://dx.doi.org/10.3109/03602539408998321>.
- Hosny, G; Akel, M. (2006). Assessment of asbestos in drinking water in Alexandria, Egypt. *J Egypt Public Health Assoc*. 81: 181-198.
- Hossain, M, dS; Fakhruddin, A, buNM; Chowdhury, MAZ; Gan, SH, ua. (2016). Impact of ship-Breaking activities on the coastal environment of Bangladesh and a management system for its sustainability. *Environ Sci Pol*. 60: 84-94. <http://dx.doi.org/10.1016/j.envsci.2016.03.005>.

Exposure Literature Search Results

On Topic

- Howe, HL; Wolfgang, PE; Burnett, WS; Nasca, PC; Youngblood, L. (1987). CANCER INCIDENCE FOLLOWING EXPOSURE TO DRINKING WATER WITH ASBESTOS LEACHATE (pp. 17-19). (ISSN 0002-9262; EISSN 1476-6256; BIOSIS/88/02954). Howe, HL; Wolfgang, PE; Burnett, WS; Nasca, PC; Youngblood, L. <Go to ISI>://WOS:A1987K258000058.
- Howe, HL; Wolfgang, PE; Burnett, WS; Nasca, PC; Youngblood, L. (1989). Cancer incidence following exposure to drinking water with asbestos leachate. *Public Health Rep.* 104: 251-256.
- Howel, D; Arblaster, L. (2000). Identifying industrial sites with potential for residential exposure to asbestos. *J Publ Health Med.* 22: 146-148.
- Howel, D; Arblaster, L; Swinburne, L; Schweiger, M; Renvoize, E; Hatton, P. (1997). Routes of asbestos exposure and the development of mesothelioma in an English region. *Occup Environ Med.* 54: 403-409.
- Howel, D; Gibbs, A; Arblaster, L; Swinburne, L; Schweiger, M; Renvoize, E; Hatton, P; Pooley, F. (1999). Mineral fibre analysis and routes of exposure to asbestos in the development of mesothelioma in an English region. *Occup Environ Med.* 56: 51-58.
- Howitt, DG; Hatfield, J; Fishler, G. (1993). The difficulties with low-level asbestos exposure assessments in public, commercial, and industrial buildings. *AIHA J.* 54: 267-271.
- Hu, Y; Wang, D; Cossitt, K; Chowdhury, R. (2010). AC Pipe in North America: Inventory, Breakage, and Working Environments. 1: 156-172. [http://dx.doi.org/10.1061/\(ASCE\)PS.1949-1204.0000064](http://dx.doi.org/10.1061/(ASCE)PS.1949-1204.0000064).
- Hueper, WC. (1965). Occupational and nonoccupational exposures to asbestos. *Ann N Y Acad Sci.* 132: 184-195.
- Hughes, JM. (1994). Human evidence: lung cancer mortality risk from chrysotile exposure. *Ann Occup Hyg.* 38: 555-560, 415-556.
- Humerfelt, S; Stensvold, I; Kvaale, G; Lund-Larsen, P; Bjartveit, K; Gulsvik, A. (1990). SMOKING HABITS AND ASBESTOS EXPOSURE IN RELATION TO AIRFLOW LIMITATION IN A MALE POPULATION OF AGE 30-44 YEARS IN NORWAY (pp. 20-24). (BIOSIS/90/18838). Humerfelt, S; Stensvold, I; Kvaale, G; Lund-Larsen, P; Bjartveit, K; Gulsvik, A.
- Huncharek, M; Capotorto, JV; Muscat, J. (1989). Domestic asbestos exposure, lung fibre burden, and pleural mesothelioma in a housewife. *Br J Ind Med.* 46: 354-355.
- Hunting, KL; Welch, LS. (1992). Health Hazards of Shipbuilding and Ship Repairing (pp. 634-641). (NIOSH/00211671). Hunting, KL; Welch, LS.
- Huoi, C; Olsson, A; Lightfoot, T; Roman, E; Clavel, J; Lacour, B; Kaatsch, P; Kromhout, H; Vermeulen, R; Peters, S; Bailey, HD; Schüz, J. (2014). Parental occupational exposure and risk of childhood central nervous system tumors: a pooled analysis of case-control studies from Germany, France, and the UK. *Cancer Causes Control.* 25: 1603-1613. <http://dx.doi.org/10.1007/s10552-014-0465-4>.
- Hwang, CY; Gibbs, GW. (1981). The dimensions of airborne asbestos fibres--I. Crocidolite from Kuruman area, Cape Province, South Africa. *Ann Occup Hyg.* 24: 23-41.
- Hwang, SH, o; Park, W, haMe. (2016). Application of asbestos management index and asbestos recognition in public buildings in South Korea. *Hum Ecol Risk Assess.* 22: 1542-1551. <http://dx.doi.org/10.1080/10807039.2016.1197768>.
- Hwang, SH; Park, WM. (2016). Evaluation of asbestos-containing products and released fibers in home appliances. 66: 922-929. <http://dx.doi.org/10.1080/10962247.2016.1180329>.
- Ichikawa, I; Matsumura, T. (1997). [Recent circumstances of standards for indoor air environment]. *J Toxicol Environ Health A.* 43: 162-173.
- Ide, G; Hofman, G; Vanruymbeke, M; Ossemerct, C. (1986). PROBLEMS CONCERNING THE PRESENCE OF ASBESTOS IN POWDER MADE FROM STEATITE-CHLORITE ROCKS, USED AS AN ADDITIVE IN CATTLE FEEDS. 39: 855-864.
- Igwe, O; Omonona, OV; Onwuka, OS; Nnebedum, OD. (2014). Evaluation of the impact of asbestos wastes on soils in Emene-Enugu, Southeastern Nigeria. *Environ Monit Assess.* 186: 8063-8080. <http://dx.doi.org/10.1007/s10661-014-3987-z>.
- Ilgren, EB. (2001). Health risks from exposures to asbestos, metals, and various chemicals due to collapse of the World Trade Center: An environmental residential survey with a commentary related to Ground Zero workers. *Indoor Built Environ.* 10: 361-383. <http://dx.doi.org/10.1177/1420326X0101000604>.
- Imbernon, E; Goldberg, M; Bonenfant, S; Chevalier, A; Guénel, P; Vatré, R; Dehaye, J. (1995). Occupational respiratory cancer and exposure to asbestos: a case-control study in a cohort of workers in the electricity and gas industry. *Am J Ind Med.* 28: 339-352.
- Inoko, M; Ariiso, K. (1982). DETERMINATION OF CHRYSOTILE FIBERS IN RESIDUAL DUST ON ROAD VEHICLE BRAKE DRUMS. *Environmental Pollution Series B: Chemical and Physical.* 4: 249-255.
- Irving, KF; Alexander, RG; Bavley, H. (1980). ASBESTOS EXPOSURES IN MASSACHUSETTS PUBLIC-SCHOOLS. *Am Ind Hyg Assoc J.* 41: 270-276. <http://dx.doi.org/10.1080/15298668091424735>.
- Isabel Velasco-Garcia, M; Recuero, R; Jesus Cruz, M; Panades, R; Marti, G; Ferrer, J. (2010). Prevalence and Distribution of Asbestos Lung Residue in a Spanish Urban Population. *Arch Bronconeumol.* 46: 176-181. <http://dx.doi.org/10.1016/j.arbres.2009.12.008>.
- Jaffrey, S. (1990). ENVIRONMENTAL ASBESTOS FIBER RELEASE FROM BRAKE AND CLUTCH LININGS OF VEHICULAR TRAFFIC. *Ann Occup Hyg.* 34: 529-534.
- Järnholm, B; Englund, A; Albin, M. (1999). Pleural mesothelioma in Sweden: an analysis of the incidence according to the use of asbestos. *Occup Environ Med.* 56: 110-113.
- Jones, AP. (1999). Indoor air quality and health. *Atmos Environ.* 33: 4535-4564.
- Jones, J; Mcguire, MJ. (1987). DREDGING TO REDUCE ASBESTOS CONCENTRATIONS IN THE CALIFORNIA AQUEDUCT. *J Am Water Works Assoc.* 79: 30-38.
- Jr, CR; Jr, WM; Lauderdale, J; Schosek, K; Dodson, RE. (1996). Quantification of Fiber Releases for Various Floor Tile Removal Methods. *Appl Occup Environ Hyg.* 11: 1113-1124.
- Jr, GC; Baron, PA; Carter, JW; Smith, DL. (1979). Testing of Hair Dryers for Asbestos Emissions (pp. 79-29). (NIOSH/00185315). Geraci CL Jr; Baron, PA; Carter, JW; Smith, DL.
- Jung, HS; Cha, J; Kim, S; Lee, W; Lim, H; Kim, H. (2015). Evaluating the efficiency of an asbestos stabilizer on ceiling tiles and the characteristics of the released asbestos fibers. *J Hazard Mater.* 300: 378-386. <http://dx.doi.org/10.1016/j.jhazmat.2015.07.021>.

Exposure Literature Search Results

On Topic

- Jung, SH; Kim, HR; Koh, SB; Yong, SJ; Chung, MJ; Lee, CH; Han, J; Eom, MS; Oh, SS. (2012). A decade of malignant mesothelioma surveillance in Korea. *Am J Ind Med.* 55: 869-875. <http://dx.doi.org/10.1002/ajim.22065>.
- Kakooei, H; Meshkani, M; Azam, K. (2013). Ambient monitoring of airborne asbestos in non-occupational environments in Tehran, Iran. *Atmos Environ.* 81: 671-675. <http://dx.doi.org/10.1016/j.atmosenv.2013.09.022>.
- Kakooei, H; Normohammadi, M. (2014). Asbestos exposure among construction workers during demolition of old houses in Tehran, Iran. *Ind Health.* 52: 71-77.
- Kakooei, H; Yunesian, M; Marioryad, H; Azam, K. (2009). Assessment of airborne asbestos fiber concentrations in urban area of Tehran, Iran. *Air Qual Atmos Health.* 2: 39-45. <http://dx.doi.org/10.1007/s11869-009-0032-4>.
- Kanarek, MS. (1983). THE SAN-FRANCISCO BAY EPIDEMIOLOGY STUDIES ON ASBESTOS IN DRINKING-WATER AND CANCER INCIDENCE - RELATIONSHIP TO STUDIES IN OTHER LOCATIONS AND POINTERS FOR FURTHER RESEARCH. *Environ Health Perspect.* 53: 105-106.
- Kanarek, MS. (2011). Mesothelioma from chrysotile asbestos: update [Review]. *Ann Epidemiol.* 21: 688-697. <http://dx.doi.org/10.1016/j.annepidem.2011.05.010>.
- Kanarek, MS; Conforti, PM; Jackson, LA. (1981). CHRYSOTILE ASBESTOS FIBERS IN DRINKING-WATER FROM ASBESTOS-CEMENT PIPE. *Environ Sci Technol.* 15: 923-925. <http://dx.doi.org/10.1021/es00090a006>.
- Kanarek, MS; Conforti, PM; Jackson, LA; Cooper, RC; Murchio, JC. (1980). Asbestos in drinking water and cancer incidence in the San Francisco Bay area. *Am J Epidemiol.* 112: 54-72.
- Kang, DM; Kim, JE; Kim, JY; Lee, HH; Hwang, YS; Kim, YK; Lee, YJ. (2016). Environmental asbestos exposure sources in Korea. *Int J Occup Environ Health.* 22: 307-314. <http://dx.doi.org/10.1080/10773525.2016.1231948>.
- Kang, SK; Burnett, CA; Freund, E; Walker, J; Lalich, N; Sestito, J. (1997). Gastrointestinal cancer mortality of workers in occupations with high asbestos exposures. *Am J Ind Med.* 31: 713-718.
- Karakoca, Y; Emri, S; Cangir, AK; Er, M; Findik, S; Baris, YI. (1997). Environmental Pleural Plaques Due to Asbestos and Fibrous Zeolite Exposure in Turkey. Berlin, Germany.
- Kashansky, SV; Domnin, SG; Kochelayev, VA; Monakhov, DD; Kogan, FM. (2001). Retrospective view of airborne dust levels in workplace of a chrysotile mine in Ural, Russia. *Ind Health.* 39: 51-56.
- Kauppinen, T; Korhonen, K. (1987). Exposure to Asbestos During Brake Maintenance of Automotive Vehicles by Different Methods. *Am Ind Hyg Assoc J.* 48: 499-504.
- Kay, GH. (1974). ASBESTOS IN DRINKING-WATER. *J Am Water Works Assoc.* 66: 513-514.
- Keyes, DL; Millette, JR. (1991). Asbestos exposure from activities in buildings with asbestos-containing materials. *Ann N Y Acad Sci.* 643: 509-510.
- Keys, DL; Millette, JR. (1991). ASBESTOS EXPOSURE FROM ACTIVITIES IN BUILDINGS WITH ASBESTOS-CONTAINING MATERIALS (pp. EXPOSURE TO ASBESTOS IN PLACE: PUBLIC HEALTH CONTROL; CONFERENCE). (BIOSIS/93/34961). Keys, DL; Millette, JR.
- Kgalamono, SM; Rees, D; Kielkowski, D; Solomon, A. (2005). Asbestos in the non-mining industry on the Witwatersrand, South Africa. *S Afr Med J.* 95: 47-51.
- Kim, SY; Kim, YC; Kim, Y; Hong, WH. (2016). Predicting the mortality from asbestos-related diseases based on the amount of asbestos used and the effects of slate buildings in Korea. *Sci Total Environ.* 542: 1-11. <http://dx.doi.org/10.1016/j.scitotenv.2015.10.115>.
- Kim, YC; Hong, W, onHwa; Zhang, YL. (2015). Development of a model to calculate asbestos fiber from damaged asbestos slates depending on the degree of damage. *J Clean Prod.* 86: 88-97. <http://dx.doi.org/10.1016/j.jclepro.2014.08.092>.
- King, JA; Wong, SW. (1996). Autopsy evaluation of asbestos exposure: retrospective study of 135 cases with quantitation of ferruginous bodies in digested lung tissue. *South Med J.* 89: 380-385.
- Kishimoto, T; Gemba, K; Fujimoto, N; Aoe, K; Kato, K; Takeshima, Y; Inai, K. (2010). Clinical study on mesothelioma in Japan: Relevance to occupational asbestos exposure. *Am J Ind Med.* 53: 1081-1087. <http://dx.doi.org/10.1002/ajim.20868>.
- Kishimoto, T; Kato, K; Arakawa, H; Ashizawa, K; Inai, K; Takeshima, Y. (2011). Clinical, radiological, and pathological investigation of asbestosis. *Int J Environ Res Public Health.* 8: 899-912. <http://dx.doi.org/10.3390/ijerph8030899>.
- Kishimoto, T; Okada, K. (1988). [Cases of suspected asbestos exposure in the family]. *Sangyo Igaku.* 30: 212-213.
- Kishimoto, T; Okada, K; Sato, T; Ono, T; Ito, H. (1989). Evaluation of the pleural malignant mesothelioma patients with the relation of asbestos exposure. *Environ Res.* 48: 42-48.
- Kitamura, F; Araki, S; Suzuki, Y; Yokoyama, K; Tanigawa, T; Iwasaki, R. (2002). Assessment of the mutations of p53 suppressor gene and Ha- and Ki-ras oncogenes in malignant mesothelioma in relation to asbestos exposure: a study of 12 American patients. *Ind Health.* 40: 175-181.
- Kitamura, F; Araki, S; Tanigawa, T; Miura, H; Akabane, H; Iwasaki, R. (1998). Assessment of mutations of Ha- and Ki-ras oncogenes and the p53 suppressor gene in seven malignant mesothelioma patients exposed to asbestos--PCR-SSCP and sequencing analyses of paraffin-embedded primary tumors. *Ind Health.* 36: 52-56.
- Kjuus, H; Skjaerven, R; Langård, S; Lien, JT; Aamodt, T. (1986). A case-referent study of lung cancer, occupational exposures and smoking. II. Role of asbestos exposure. *Scand J Work Environ Health.* 12: 203-209.
- Klojzy-Karczmarczyk, B; Makoudi, S. (2011). Assessment of Index of Asbestos Containing Waste Generation in Rural Areas of Selected Communes. *Rocznik Ochrona Srodowiska.* 13: 1823-1833.
- Knight, G. (1982). DIFFERENCES BETWEEN ASBESTOS FIBER SIZE DISTRIBUTIONS IN AIR AND IN THE LUNG (pp. 7-10). (ISSN 0003-4878; EISSN 1475-3162; HEEP/83/07555). Knight, G.
- Knight, JL; Sleeth, DK; Larson, RR; Pahler, LF. (2013). An analysis of OSHA inspections assessing contaminant exposures in general medical and surgical hospitals. 61: 153-160. <http://dx.doi.org/10.3928/21650799-20130318-27>.

Exposure Literature Search Results

On Topic

- Knishkowsky, B; Baker, EL. (1986). Transmission of occupational disease to family contacts. *Am J Ind Med.* 9: 543-550. <http://dx.doi.org/10.1002/ajim.4700090606>.
- Kokkinis, FP; Bouros, D; Hadjistavrou, K; Ulmeanu, R; Serbescu, A; Alexopoulos, EC. (2011). Bronchoalveolar lavage fluid cellular profile in workers exposed to chrysotile asbestos. *Toxicol Ind Health.* 27: 849-856. <http://dx.doi.org/10.1177/0748233711399315>.
- Köksal, N; Celik, M; Kahraman, H; Ekerbiçer, HC; Dağlı, CE; Ozkan, F. (2012). Survey of environmental exposure to asbestos in the town of Buyuktatlar, Turkey. *Int J Occup Environ Health.* 18: 130-134. <http://dx.doi.org/10.1179/1077352512Z.00000000011>.
- Kolmsee, K; Kieser, D; Kraus, J; Landauer, P; Mattenklott, M; Muller, L; Riediger, G; Ziem, H. (2000). Pilot measurements of asbestos exposure in road construction - Application of unbonded mineral products from quarries covered by the German TRGS 954. *Staub, Reinhaltung der Luft.* 60: 351-354.
- Kolmsee, K; Koch, J; Ziem, H; Binde, G; Hagedorn, W; Kieser, D; Kraus, J; Landauer, P; Mattenklott, M; Riediger, G; Muller, L; Schneck, H. (2001). Guidelines for the application of TRGS 954 "Recommendations relating to exceptional authorisations to derogate from 15 a par. 1 GefStoffV regulating the handling of asbestos-containing mineral raw material and products in quarries". *Staub, Reinhaltung der Luft.* 61: 267-274.
- Kolmsee, K; Mattenklott, M; Goetz, M; Spod, U. (2010). Asbestos in mineral raw materials - Part 1: The law, scope of TRGS 517 and exposure situation. *Gefahrst Reinhalt Luft.* 70: 37-42.
- Kolmsee, K; Mattenklott, M; Goetz, M; Spod, U. (2010). Asbestos in mineral raw materials - Part 2: Protective measures under TRGS 517. *Gefahrst Reinhalt Luft.* 70: 155-158.
- Kominsky, JR; Freyberg, RW; Brownlee, JA; Brackett, KA. (1992). Airborne Asbestos Concentrations Three Years After Abatement in Seventeen Schools. 131.
- Kominsky, JR; Freyberg, RW; Brownlee, JA; Gerber, DR. (1992). Asbestos Concentrations Two Years After Abatement in Seventeen Schools. 52.
- Kominsky, JR; Freyberg, RW; Hubert, CS; Brownlee, JA; Gerber, DR. (1994). Evaluation of Asbestos Management Programs in 17 New Jersey Schools: A Case Studies Report. 328.
- Kominsky, JR; Freyberg, RW; Powers, TJ; Wilmoth, RC; Frebis, CP. (1990). Airborne Asbestos Levels Measured Before, during and After Abatement. 10.
- Kopel, D; Brook, A; Wittenberg, L, ea; Malkinson, D, an. (2016). Spectroscopy application for soil differentiation in urban landscape. *Journal of Soils and Sediments.* 16: 2557-2567. <http://dx.doi.org/10.1007/s11368-016-1502-6>.
- Koustas, RN. (1991). CONTROL OF INCIDENTAL ASBESTOS EXPOSURE AT HAZARDOUS-WASTE SITES. *J Air Waste Manag Assoc.* 41: 1004-1009.
- Krakowiak, E; Górny, RL; Cembrzyńska, J; Sakol, G; Boissier-Draghi, M; Anczyk, E. (2009). Environmental exposure to airborne asbestos fibres in a highly urbanized city. *Ann Agric Environ Med.* 16: 121-128.
- Kram, P; Oulehle, F; Stedra, V; Hruska, J; Shanley, JB; Minocha, R; Traister, E. (2009). Geoecology of a Forest Watershed Underlain by Serpentine in Central Europe. *Northeast Nat.* 16: 309-328.
- Krasovskii, GN; Egorova, NA. (1985). [Asbestos and the quality of drinking water] [Review]. *Gig Sanit*64-67.
- Krasovskii, GN; Mozhaev, EA. (1993). ASBESTOS IN DRINKING WATER (pp. 20-22). (BIOSIS/94/10733). Krasovskii, GN; Mozhaev, EA.
- Krasovskii, GN; Mozhaev, EA. (1993). [Asbestos in drinking water (review)] [Review]. *Gig Sanit*20-22.
- Kraybill, HF. (1976). Distribution of chemical carcinogens in aquatic environments [Review]. *Prog Exp Tumor Res.* 20: 3-34.
- Kraybill, HF. (1978). ORIGIN CLASSIFICATION AND DISTRIBUTION OF CHEMICALS IN DRINKING WATER WITH AN ASSESSMENT OF THEIR CARCINOGENIC POTENTIAL (pp. ANN ARBOR). (HEEP/79/05672). Kraybill, HF.
- Krewer, JA. (1987). ANALYSIS OF ASBESTOS FIBERS IN WATER BY TRANSMISSION ELECTRON-MICROSCOPY. *J Am Water Works Assoc.* 79: 56-56.
- Krupoves, A; Camus, M; De Guire, L. (2015). Incidence of malignant mesothelioma of the pleura in Québec and Canada from 1984 to 2007, and projections from 2008 to 2032. *Am J Ind Med.* 58: 473-482. <http://dx.doi.org/10.1002/ajim.22442>.
- Kumagai, S; Kurumatani, N. (2009). Asbestos fiber concentration in the area surrounding a former asbestos cement plant and excess mesothelioma deaths in residents. *Am J Ind Med.* 52: 790-798. <http://dx.doi.org/10.1002/ajim.20743>.
- Kumagai, S; Kurumatani, N; Tsuda, T; Yorifuji, T; Suzuki, E. (2010). Increased risk of lung cancer mortality among residents near an asbestos product manufacturing plant. *Int J Occup Environ Health.* 16: 268-278. <http://dx.doi.org/10.1179/oeh.2010.16.3.268>.
- Kumagai, S; Kurumatani, N; Tsuda, T; Yorifuji, T; Suzuki, E. (2011). Increased Risk of Lung Cancer Mortality Among Residents Who Had Lived Near an Asbestos Product Manufacturing Plant. *Epidemiology.* 22: S75-S76.
- Kuntz, SW; Winters, CA; Hill, WG; Weinert, C; Rowse, K; Hernandez, T; Black, B. (2009). Rural public health policy models to address an evolving environmental asbestos disaster. *Public Health Nursing.* 26: 70-78. <http://dx.doi.org/10.1111/j.1525-1446.2008.00755.x>.
- Kurumatani, N; Kumagai, S. (2011). Significant Clustering of Mesothelioma Caused by Neighborhood Exposure to Crocidolite From a Large Asbestos Cement Pipe Plant in Japan. *Epidemiology.* 22: S75-S75.
- Kuschner, ML, R.; Robeck, GG; Rossum, JR; Scheniderman, MA; Taylor, EW; Wright, GW. (1974). A study of the problem of asbestos in water. *J Am Water Works Assoc.* 66: 1-22.
- Laborde, A; Tomasina, F; Bianchi, F; Bruné, MN; Buka, I; Comba, P; Corra, L; Cori, L; Duffert, CM; Harari, R; Iavarone, I; Mcdiarmid, MA; Gray, KA; Sly, PD; Soares, A; Suk, WA; Landrigan, PJ. (2014). Children's Health in Latin America: The Influence of Environmental Exposures [Review]. *Environ Health Perspect.* 123: 201-209. <http://dx.doi.org/10.1289/ehp.1408292>.
- Lam R, HF; Brown, JP; Fan, AM. (1994). CHEMICALS IN CALIFORNIA DRINKING WATER SOURCE OF CONTAMINATION RISK ASSESSMENT AND DRINKING WATER STANDARDS (pp. INTEGRATION OF EXPOSURE ASSESSMENT). (BIOSIS/94/23224). Lam R, HF; Brown, JP; Fan, AM.
- Landers, J, ay. (2009). US EPA Declares Libby Asbestos Site a 'Public Health Emergency'. *Civil Engineering.* 79: 16-19.
- Landrigan, P. (2004). Dr. T.K. Joshi and asbestos in India: a message from the Collegium Ramazzini. *Am J Ind Med.* 45: 125-128. <http://dx.doi.org/10.1002/ajim.10346>.

Exposure Literature Search Results

On Topic

- Landrigan, PJ. (1991). A population of children at risk of exposure to asbestos in place. *Ann N Y Acad Sci.* 643: 283-286.
- Landrigan, PJ; Liyo, PJ; Thurston, G; Berkowitz, G; Chen, LC; Chillrud, SN; Gavett, SH; Georgopoulos, PG; Geyh, AS; Levin, S; Perera, F; Rappaport, SM; Small, C. (2004). Health and environmental consequences of the world trade center disaster [Review]. *Environ Health Perspect.* 112: 731-739. <http://dx.doi.org/10.1289/ehp.6702>.
- Lange, JH; Grad, JW; Lange, PA; Thomulka, KW; Dunmyre, GR; Lee, RJ; Richardson, CF; Blumershire, RVH. (1993). Asbestos abatement of ceiling panels and mold growth in a public school building after water damage: a case study of contaminant levels. *Fresen Environ Bull.* 2: 13-18.
- Langer, AM; Maggiore, CM; Nicholson, WJ; Rohl, AN; Rubin, IB; Selikoff, IJ. (1979). The contamination of Lake Superior with amphibole gangue minerals. *Ann N Y Acad Sci.* 330: 549-572.
- Langer, AM; Nolan, RP. (1994). Chrysotile biopersistence in the lungs of persons in the general population and exposed workers. *Environ Health Perspect.* 102 Suppl 5: 235-239.
- Langer, AM; Selikoff, IJ; Sastre, A. (1971). CHRYSOTILE ASBESTOS IN LUNGS OF PERSONS IN NEW YORK CITY. *Arch Environ Health.* 22: 348-&.
- Laquatra, J; Maxwell, LE; Pierce, M. (2005). Indoor air pollutants: Limited-resource households and child care facilities. *J Environ Health.* 67: 39-43.
- Lash, TL; Crouch, EA; Green, LC. (1997). A meta-analysis of the relation between cumulative exposure to asbestos and relative risk of lung cancer. *Occup Environ Med.* 54: 254-263.
- Latif, MT; Baharudin, NH; Velayutham, P; Awang, N; Hamdan, H; Mohamad, R; Mokhtar, MB. (2011). Composition of heavy metals and airborne fibers in the indoor environment of a building during renovation. *Environ Monit Assess.* 181: 479-489. <http://dx.doi.org/10.1007/s10661-010-1843-3>.
- Lave, LB. (1984). REPORT OF THE ROYAL-COMMISSION-ON-THE-MATTERS-OF-HEALTH-AND-SAFETY ARISING FROM THE USE OF ASBESTOS IN ONTARIO - ONTARIO-MINIST-ATTORNEY-GEN. *Issues Sci Technol.* 1: 132-132.
- le Bouffant, L. (1978). [Asbestos fibers in alcoholic beverages. Contaminating role of filtration material]. 32: 1011-1019.
- Le Guen, JM; Burdett, G. (1981). Asbestos concentration in public buildings: A preliminary report. *Ann Occup Hyg.* 24: 185-190.
- Lebovits, AH; Chahinian, AP; Holland, JC. (1983). Exposure To Asbestos: Psychological Responses Of Mesothelioma Patients. *Am J Ind Med.* 4: 459-466.
- Lee, PN. (2001). Relation between exposure to asbestos and smoking jointly and the risk of lung cancer [Review]. *Occup Environ Med.* 58: 145-153.
- Lee, R; Van Orden, D. (2015). Asbestos in commercial cosmetic talcum powder as a cause of mesothelioma in women [Letter]. *Int J Occup Environ Health.* 21: 337-341. <http://dx.doi.org/10.1080/10773525.2015.1122370>.
- Lee, RJ; Strohmeier, BR; Bunker, KL; Van Orden, DR. (2008). Naturally occurring asbestos - A recurring public policy challenge [Review]. *J Hazard Mater.* 153: 1-21. <http://dx.doi.org/10.1016/j.jhazmat.2007.11.079>.
- Lee, RJ; Van Orden, DR. (2008). Airborne asbestos in buildings. *Regul Toxicol Pharmacol.* 50: 218-225. <http://dx.doi.org/10.1016/j.yrtph.2007.10.005>.
- Lee, RJ; Van Orden, DR; Allison, KA; Bunker, KL; Huntington, C. (2009). Characterization of Airborne Amphibole Particles in Libby, MT. *Indoor Built Environ.* 18: 524-530. <http://dx.doi.org/10.1177/1420326X09341518>.
- Lee, RJ; Van Orden, DR; Corn, M; Crump, KS. (1992). Exposure to airborne asbestos in buildings. *Regul Toxicol Pharmacol.* 16: 93-107.
- Leguen, JM; Burdett, G. (1981). ASBESTOS CONCENTRATIONS IN PUBLIC BUILDINGS - A PRELIMINARY-REPORT. *Ann Occup Hyg.* 24: 185-189.
- Leigh, J; Davidson, P; Hendrie, L; Berry, D. (2002). Malignant mesothelioma in Australia, 1945-2000. *Am J Ind Med.* 41: 188-201. <http://dx.doi.org/10.1002/ajim.10047>.
- Leigh, J; Driscoll, T. (2003). Malignant mesothelioma in Australia, 1945-2002. *Int J Occup Environ Health.* 9: 206-217. <http://dx.doi.org/10.1179/oeh.2003.9.3.206>.
- Lemen, RA. (2004). Asbestos in brakes: exposure and risk of disease [Review]. *Am J Ind Med.* 45: 229-237. <http://dx.doi.org/10.1002/ajim.10334>.
- Lemen, RA. (2004). RE: Asbestos in brakes: Exposure and risk of disease. *Am J Ind Med.* 46: 315-318. <http://dx.doi.org/10.1002/ajim.20061>.
- Lenters, V; Vermeulen, R; Dogger, S; Stayner, L; Portengen, L; Burdorf, A; Heederik, D. (2011). A meta-analysis of asbestos and lung cancer: is better quality exposure assessment associated with steeper slopes of the exposure-response relationships? [Review]. *Environ Health Perspect.* 119: 1547-1555. <http://dx.doi.org/10.1289/ehp.1002879>.
- Lentzen, DE; Lee, RJ; Casuccio, GS; Dunmyre, GR. (1986). SAMPLING AND ANALYSIS FOR AIRBORNE ASBESTOS AND OTHER INORGANIC PARTICULATES (pp. 7-12). (BIOSIS/86/37132). Lentzen, DE; Lee, RJ; Casuccio, GS; Dunmyre, GR.
- Levitan, DM; Hammarstrom, JM; Gunter, ME; Seal, RR; Chou, IM; Piatak, NM. (2009). Mineralogy of mine waste at the Vermont Asbestos Group mine, Belvidere Mountain, Vermont. *Am Mineral.* 94: 1063-1066. <http://dx.doi.org/10.2138/am.2009.3258>.
- Levy, BS; Sigurdson, E; Mandel, J; Laudon, E; Pearson, J. (1976). Investigating possible effects of asbestos in city water: surveillance of gastrointestinal cancer incidence in Duluth, Minnesota. *Am J Epidemiol.* 103: 362-368.
- Li, J; Dong, Q; Yu, K; Liu, L. (2014). Asbestos and asbestos waste management in the Asian-Pacific region: trends, challenges and solutions. *J Clean Prod.* 81: 218-226. <http://dx.doi.org/10.1016/j.jclepro.2014.06.022>.
- Liebenberg, D; Claassens, S; Van Rensburg, L. (2012). A multidisciplinary approach for the assessment of rehabilitation at asbestos mines in South Africa. *Environ Earth Sci.* 67: 1237-1244. <http://dx.doi.org/10.1007/s12665-012-1650-y>.
- LIEBERMAJ. (1971). ENVIRONMENTAL AND OCCUPATIONAL HAZARDS OF SPRAY ASBESTOS FIBERS. *Am Ind Hyg Assoc J.* 32: 53-&.
- Lim, HS; Kim, JY; Sakai, K; Hisanaga, N. (2004). Airborne asbestos and non-asbestos fiber concentrations in non-occupational environments in Korea. *Ind Health.* 42: 171-178.

Exposure Literature Search Results

On Topic

- Lim, HS; Kim, JY; Sakai, K; Hisanaga, N. (2004). Pulmonary asbestos and non-asbestos fiber concentrations in autopsied inhabitants in Pohang, Korea. *Ind Health*. 42: 163-170.
- Lim, MK. (1992). Asbestos in Buildings: Risk Assessment and Control Measures. *J Occup Med*. 4: 26-30.
- Lioy, PJ; Weisel, CP; Millette, JR; Eisenreich, S; Vallero, D; Offenberg, J; Buckley, B; Turpin, B; Zhong, M; Cohen, MD; Prophete, C; Yang, I; Stiles, R; Chee, G; Johnson, W; Porcja, R; Alimokhtari, S; Hale, RC; Weschler, C; Chen, LC. (2002). Characterization of the dust/smoke aerosol that settled east of the World Trade Center (WTC) in lower Manhattan after the collapse of the WTC 11 September 2001. *Environ Health Perspect*. 110: 703-714. <http://dx.doi.org/10.1289/ehp.02110703>.
- Liss, GM; Kusiak, RA; Gailitis, MM. (1997). Hospital records: an underutilized source of information regarding occupational diseases and exposures. *Am J Ind Med*. 31: 100-106.
- Liu, CY; Stücker, I; Chen, G; Goodman, G; Mchugh, MK; D'Amelio, AM; Etzel, CJ; Li, S; Lin, X; Christiani, DC. (2015). Genome-wide Gene-Asbestos Exposure Interaction Association Study Identifies a Common Susceptibility Variant on 22q13.31 Associated with Lung Cancer Risk. *Cancer Epidemiol Biomarkers Prev*. 24: 1564-1573. <http://dx.doi.org/10.1158/1055-9965.EPI-15-0021>.
- Logsdon, GS; Evavold, GL; Patton, JL; Watkins, J. (1983). FILTER PLANT-DESIGN FOR ASBESTOS FIBER REMOVAL. *J Environ Eng*. 109: 900-914.
- Lohrer, W. (1983). ASBESTOS EXPOSED INTERIORS - ANALYSIS AND EVALUATION OF RISK POTENTIALS. *Staub, Reinhaltung der Luft*. 43: 434-438.
- Lohrer, W; Heide, H; König, R. (1979). ASBESTOS EMISSION OF ASBESTOS CEMENT AND ASBESTOS-CONTAINING FLOOR COVERINGS. *Staub, Reinhaltung der Luft*. 39: 417-422.
- Lohrer, W; H-J, N. (1987). Asbestos in the Environment, Part II (pp. 519-522). (NIOSH/00193064). Lohrer, W; Nantke H-J.
- Longo, WE; Rigler, MW; Slade, J. (1995). Crocidolite asbestos fibers in smoke from original Kent cigarettes. *Cancer Res*. 55: 2232-2235.
- Lopez DE SA, A; Cirugeda, ME; Blanco, C. (1987). ASBESTOS FIBERS IN WATER-DISTRIBUTING SYSTEMS A REVIEW. *Alimentaria*. 24: 37-42.
- López-Abente, G; Fernández-Navarro, P; Boldo, E; Ramis, R; García-Pérez, J. (2012). Industrial pollution and pleural cancer mortality in Spain. *Sci Total Environ*. 424: 57-62. <http://dx.doi.org/10.1016/j.scitotenv.2012.02.047>.
- López-Abente, G; García-Pérez, J; Fernández-Navarro, P; Boldo, E; Ramis, R. (2012). Colorectal cancer mortality and industrial pollution in Spain. *BMC Public Health*. 12: 589. <http://dx.doi.org/10.1186/1471-2458-12-589>.
- López-Abente, G; Hernández-Barrera, V; Pollán, M; Aragonés, N; Pérez-Gómez, B. (2005). Municipal pleural cancer mortality in Spain. *Occup Environ Med*. 62: 195-199. <http://dx.doi.org/10.1136/oem.2004.015743>.
- Lorber, M; Gibb, H; Grant, L; Pinto, J; Pleil, J; Cleverly, D. (2007). Assessment of inhalation exposures and potential health risks to the general population that resulted from the collapse of the world trade center towers. *Risk Anal*. 27: 1203-1221. <http://dx.doi.org/10.1111/j.1539-6924.2007.00956.x>.
- Lord, BN; Jongedyk, HA. (1985). ASBESTOS IN BRAKE LININGS. *Chem Eng News*. 63: 4-4.
- Losman, D. (1979). Detection and analysis of asbestos in environmental-samples collected on membrane-filters - multiple-choice procedure integrating the Im, the sem and the emp. *Bull Environ Contam Toxicol*. 23: 170-178.
- Lowers, HA; Meeker, GP; Lioy, PJ; Lippmann, M. (2009). Summary of the development of a signature for detection of residual dust from collapse of the World Trade Center buildings. *J Expo Sci Environ Epidemiol*. 19: 325-335. <http://dx.doi.org/10.1038/jes.2008.25>.
- Lowry, SJ; Weiss, NS. (2016). Geographic distribution of incidence of pericardial and paratesticular mesotheliomas in the USA. *Cancer Causes Control*. 27: 1487-1489. <http://dx.doi.org/10.1007/s10552-016-0825-3>.
- Luce, D; Billon-Galland, MA; Bugel, I; Goldberg, P; Salomon, C; Févotte, J; Goldberg, M. (2004). Assessment of environmental and domestic exposure to tremolite in New Caledonia. *Arch Environ Health*. 59: 91-100. <http://dx.doi.org/10.3200/AEOH.59.2.91-100>.
- Luce, D; Bugel, I; Goldberg, P; Goldberg, M; Salomon, C; Billon-Galland, MA; Nicolau, J; Quenel, P; Fevotte, J; Brochard, P. (2000). Environmental exposure to tremolite and respiratory cancer in New Caledonia: a case-control study. *Am J Epidemiol*. 151: 259-265.
- Luce, D; Leclerc, A; Bégin, D; Demers, PA; Gérin, M; Orłowski, E; Kogevinas, M; Belli, S; Bugel, I; Bolm-Audorff, U; Brinton, LA; Comba, P; Hardell, L; Hayes, RB; Magnani, C; Merler, E; Preston-Martin, S; Vaughan, TL; Zheng, W; Boffetta, P. (2002). Sinonasal cancer and occupational exposures: a pooled analysis of 12 case-control studies. *Cancer Causes Control*. 13: 147-157. <http://dx.doi.org/10.1023/A:1014350004255>.
- Lundgren, DA; Vanderpool, RW; Liu, BYH. (1991). MEASUREMENT OF ASBESTOS FIBER CONCENTRATION ABOVE FLOOR TILE. *Particle & Particle Systems Characterization*. 8: 229-232.
- Lundy, P; Barer, M. (1992). Asbestos-containing materials in New York City buildings. *Environ Res*. 58: 15-24.
- Luo, S; Liu, X; Mu, S; Tsai, SP; Wen, CP. (2003). Asbestos related diseases from environmental exposure to crocidolite in Da-yao, China. I. Review of exposure and epidemiological data [Review]. *Occup Environ Med*. 60: 35-41; discussion 41-32. <http://dx.doi.org/10.1136/oem.60.1.35>.
- Madl, AK; Clark, K; Paustenbach, DJ. (2007). Exposure to airborne asbestos during removal and installation of gaskets and packings: a review of published and unpublished studies [Review]. *J Toxicol Environ Health B Crit Rev*. 10: 259-286. <http://dx.doi.org/10.1080/15287390600974957>.
- Magee, F; Wright, JL; Chan, N; Lawson, L; Churg, A. (1986). Malignant mesothelioma caused by childhood exposure to long-fiber low aspect ratio tremolite. *Am J Ind Med*. 9: 529-533. <http://dx.doi.org/10.1002/ajim.4700090604>.
- Magnani, C; Dalmasso, P; Biggeri, A; Ivaldi, C; Mirabelli, D; Terracini, B. (2001). Increased risk of malignant mesothelioma of the pleura after residential or domestic exposure to asbestos: A case-control study in Casale Monferrato, Italy. *Environ Health Perspect*. 109: 915-919. <http://dx.doi.org/10.1289/ehp.01109915>.
- Magnani, C; Leporati, M. (1998). Mortality from lung cancer and population risk attributable to asbestos in an asbestos cement manufacturing town in Italy. *Occup Environ Med*. 55: 111-114.

Exposure Literature Search Results

On Topic

- Magnani, C; Mollo, F; Paoletti, L; Bellis, D; Bernardi, P; Betta, P; Botta, M; Falchi, M; Ivaldi, C; Pavesi, M. (1998). Asbestos lung burden and asbestosis after occupational and environmental exposure in an asbestos cement manufacturing area: a necropsy study. *Occup Environ Med.* 55: 840-846.
- Magnani, C; Terracini, B; Ivaldi, C; Botta, M; Budel, P; Mancini, A; Zanetti, R. (1993). A cohort study on mortality among wives of workers in the asbestos cement industry in Casale Monferrato, Italy. *Br J Ind Med.* 50: 779-784.
- Magnani, C; Terracini, B; Ivaldi, C; Botta, M; Mancini, A; Andron, A. (1995). Pleural malignant mesothelioma and non-occupational exposure to asbestos in Casale Monferrato, Italy. *Occup Environ Med.* 52: 362-367.
- Mah, M; Boatman, ES. (1978). Scanning and transmission electron microscopy of new and used asbestos-cement pipe utilized in the distribution of water supplies (pp. 85-92). (HEEP/79/00474). Mah, M; Boatman, ES.
- Malhotra, VM; Winer, A. (1976). USE OF ASBESTOS FIBER IN PORTLAND-CEMENT AND SULFUR CONCRETES. 69: 131-138.
- Maltoni, C. (1997). The Long-Lasting Legacy of Industrial Carcinogens: The Lesson of Asbestos. Irving J. Selikoff Memorial Lecture, 1995. *Ann N Y Acad Sci.* 837: 570-586.
- Mangold, C; Clark, K; Madl, A; Paustenbach, D. (2006). An exposure study of bystanders and workers during the installation and removal of asbestos gaskets and packing. *J Occup Environ Hyg.* 3: 87-98. <http://dx.doi.org/10.1080/15459620500498067>.
- Manke, J; Roedelsperger, K; H-J, W; Scharmann, A. (1990). ELECTRON MICROSCOPE IDENTIFICATION OF MINERAL FIBERS IN HUMAN LUNG TISSUE. *Naturwissenschaften.* 77: 433-435.
- Manos, CG; Patelmandlik, KJ; Lisk, DJ. (1992). PREVALENCE OF ASBESTOS IN COMPOSTED WASTE FROM 26 COMMUNITIES IN THE UNITED-STATES. *Arch Environ Contam Toxicol.* 23: 266-269.
- Manos, CG; Patelmandlik, KJ; Lisk, DJ. (1993). ASBESTOS IN YARD OR SLUDGE COMPOSTS FROM THE SAME COMMUNITY AS A FUNCTION OF TIME-OF-WASTE-COLLECTION. *Chemosphere.* 26: 1537-1540.
- Manos, CG; Patelmandlik, KJ; Ross, BJ; Jenkins, EJ; Lisk, DJ. (1991). PREVALENCE OF ASBESTOS IN SEWAGE SLUDGES FROM 51 LARGE AND SMALL CITIES IN THE UNITED-STATES. *Chemosphere.* 22: 963-973.
- Manos, CG; Patel-Mandlik, KJ; Ross, BJ; Jenkins, EJ; Lisk, DJ. (1991). Prevalence of asbestos in sewage sludges from 51 lae and small cites in the USA. *Chemosphere.* 22: 9-10.
- Marconi, A; Cecchetti, G; Barbieri, M. (1989). Airborne Mineral Fibre Concentrations in an Urban Area Near an Asbestos-Cement Plant (pp. 336-346). (ISSN 0300-5038; NIOSH/00191370). Marconi, A; Cecchetti, G; Barbieri, M.
- Marconi, A; Maccione, M; Rossi, L. (1986). Asbestos and Talc: Determination of Mineral Fiber Content in Commercial Talc Powders by Combined Optical Microscopy Techniques (pp. 496-510). (NIOSH/00175467). Marconi, A; Maccione, M; Rossi, L.
- Maresca, GP; Puffer, JH; Germine, M. (1984). ASBESTOS IN LAKE AND RESERVOIR WATERS OF STATEN-ISLAND, NEW-YORK - SOURCE, CONCENTRATION, MINERALOGY, AND SIZE DISTRIBUTION. *Environ Geol Water Sci.* 6: 201-210.
- Marfels, H; Spurny, K; Boose, C; Althaus, W; Wulbeck, FJ; Weiss, G; Schormann, J; Opiela, H. (1988). MEASUREMENTS OF FIBROUS DUSTS IN AMBIENT AIR OF THE FEDERAL-REPUBLIC-OF-GERMANY .6. ASBESTOS IN AMBIENT AIR OF WASTE DUMPS. *Staub, Reinhaltung der Luft.* 48: 463-464.
- Marfels, H; Spurny, K; Chr, B; Schoermann, J; Opiela, H; Arthaus, W; Weiss, G. (1984). Measurements Of Fibrous Dusts In Ambient Air Of The Federal Republic Of Germany I. Measurements In The Vicinity Of An Industrial Sourc (pp. 259-263). (NIOSH/00152502). Marfels, H; Spurny, K; Boose Chr; Schoermann, J; Opiela, H; Arthaus, W; Weiss, G.
- Marfels, H; Spurny, KR. (1988). FIBER DUST EMISSIONS ON DUMPS AND THEIR ASSESSMENT (pp. DORDRECHT). (BIOSIS/88/35673). Marfels, H; Spurny, KR.
- Marfels, H; Spurny, KR; Iburg, J; Wenzel, A; Glaser, U. (1990). Anthropogene Staeube in der Aussenluft in Baden-Wuerttemberg: Physikalisch-chemische Analyse und toxikologische Bewertung. (Anthropogenic airborne dust in the ambient air of Baden-Wuerttemberg: Physical/chemical analysis and toxicological investigation) (pp. 51). (NTIS/02974643_a). Marfels, H; Spurny, KR; Iburg, J; Wenzel, A; Glaser, U.
- Marfels, H; Spurny, KR; Jaekel, F; Boose, C; Althaus, W; Opiela, H; Schormann, J; Weiss, G; Wulbeck, FJ. (1987). ASBESTOS FIBER MEASUREMENTS IN THE VICINITY OF EMITTENTS. *J Aerosol Sci.* 18: 627-630.
- Margler, LW; Rogozen, MB; Ziskind, RA; Reynolds, R. (1979). Rapid screening and identification of airborne carcinogens of greatest concern in California, USA. *J Air Pollut Control Assoc.* 29: 1153-1157.
- Marier, M; Charney, W; Rousseau, R; Lanthier, R; van Raalte, J. (2007). Exploratory sampling of asbestos in residences near Thetford Mines: the public health threat in Quebec. *Int J Occup Environ Health.* 13: 386-397. <http://dx.doi.org/10.1179/oeh.2007.13.4.386>.
- Marinaccio, A; Binazzi, A; Bonafede, M; Corfiati, M; Di Marzio, D; Scarselli, A; Verardo, M; Mirabelli, D; Gennaro, V; Mensi, C; Schallemborg, G; Merler, E; Negro, C; Romanelli, A; Chellini, E; Silvestri, S; Cocchioni, M; Pascucci, C; Stracci, F; Ascoli, V; Trafficante, L; Angelillo, I; Musti, M; Cavone, D; Cauzillo, G; Tallarigo, F; Tumino, R; Melis, M; Group, RW. (2015). Malignant mesothelioma due to non-occupational asbestos exposure from the Italian national surveillance system (ReNaM): epidemiology and public health issues. *Occup Environ Med.* 72: 648-655. <http://dx.doi.org/10.1136/oemed-2014-102297>.
- Marinaccio, A; Binazzi, A; Cauzillo, G; Chellini, E; De Zotti, R; Gennaro, V; Menegozzo, M; Mensi, C; Merler, E; Mirabelli, D; Musti, M; Pannelli, F; Romanelli, A; Scarselli, A; Tosi, S; Tumino, R; Nesti, M; ReNaM, Gdl. (2007). [Epidemiological surveillance of malignant mesothelioma cases in Italy: incidence and asbestos exposure figures by the Italian mesothelioma registry (ReNaM)]. *Epidemiol Prev.* 31: 23-26.
- Marinaccio, A; Binazzi, A; Di Marzio, D; Scarselli, A; Verardo, M; Mirabelli, D; Gennaro, V; Mensi, C; Merler, E; De Zotti, R; Mangone, L; Chellini, E; Pascucci, C; Ascoli, V; Menegozzo, S; Cavone, D; Cauzillo, G; Nicita, C; Melis, M; Iavicoli, S. (2010). Incidence of extrapleural malignant mesothelioma and asbestos exposure, from the Italian national register. *Occup Environ Med.* 67: 760-765. <http://dx.doi.org/10.1136/oem.2009.051466>.

Exposure Literature Search Results

On Topic

- Marinaccio, A; Scarselli, A; Binazzi, A; Altavista, P; Belli, S; Mastrantonio, M; Pasetto, R; Uccelli, R; Comba, P. (2008). Asbestos related diseases in Italy: an integrated approach to identify unexpected professional or environmental exposure risks at municipal level. *Int Arch Occup Environ Health*. 81: 993-1001. <http://dx.doi.org/10.1007/s00420-007-0293-x>.
- Marsh, GM; Stone, RA; Esmen, NA; Gula, MJ; Gause, CK; Petersen, NJ; Meaney, FJ; Rodney, S; Prybylski, D. (1997). A case-control study of lung cancer mortality in six Gila Basin, Arizona smelter towns. *Environ Res*. 75: 56-72. <http://dx.doi.org/10.1006/enrs.1997.3768>.
- Marsili, D; Terracini, B; Santana, VS; Ramos-Bonilla, JP; Pasetto, R; Mazzeo, A; Loomis, D; Comba, P; Algranti, E. (2016). Prevention of Asbestos-Related Disease in Countries Currently Using Asbestos [Review]. *Int J Environ Res Public Health*. 13. <http://dx.doi.org/10.3390/ijerph13050494>.
- Martin, B. (1900). Asbestos Removal or Treatment in Oklahoma Schools. (NIOSH/00181247). Martin, B.
- Massola, A. (2005). [Air-dispersed asbestos fiber pollution in urban areas: current and previous levels]. *G Ital Med Lav Ergon*. 27: 431-435.
- Mateo, M; Perez-Carraminana, C; Chinchon, S. (2013). Varieties of asbestos in buildings and risks associated with the work of deconstruction. *Informes de la Construcción*. 65: 311-324. <http://dx.doi.org/10.3989/ic.11.118>.
- Mathee, A; Von Schirnding, YER; De Wet, T; Mokoetle, K. (2000). Potential risk factors for asbestos exposure amongst six-month-old infants living in the township of Soweto, South Africa. *Int J Environ Health Res*. 10: 135-139.
- Matthews, JC; Stowe, R. (2015). Critical Data Needs Associated with Asbestos Cement Pipe Renewal Methods. *Journal of Construction Engineering and Management*. 141. [http://dx.doi.org/10.1061/\(ASCE\)CO.1943-7862.0000914](http://dx.doi.org/10.1061/(ASCE)CO.1943-7862.0000914).
- Mattioli, S; Truffelli, D; Baldasseroni, A; Risi, A; Marchesini, B; Giacomini, C; Bacchini, P; Violante, FS; Buiatti, E. (2002). Occupational risk factors for renal cell cancer: A case-control study in northern Italy. *J Occup Environ Med*. 44: 1028-1036. <http://dx.doi.org/10.1097/01.jom.0000038320.36316.cb>.
- Maule, MM; Magnani, C; Dalmaso, P; Mirabelli, D; Merletti, F; Biggeri, A. (2007). Modeling mesothelioma risk associated with environmental asbestos exposure. *Environ Health Perspect*. 115: 1066-1071. <http://dx.doi.org/10.1289/ehp.9900>.
- Mauskopf, JA. (1987). Projections of cancer risks attributable to future exposure to asbestos. *Risk Anal*. 7: 477-486.
- Mcclean, MD; Kelsey, KT; Sison, JD; Quesenberry, CP; Wrensch, MR; Wiencke, JK. (2011). A case-control study of asphalt and tar exposure and lung cancer in minorities. *Am J Ind Med*. 54: 811-818. <http://dx.doi.org/10.1002/ajim.21007>.
- Mccullagh, SF. (1980). Is There A Risk To Health In Using Asbestos-Cement Pipes For The Carriage Of Drinking Water. *Ann Occup Hyg*. 23: 189-193.
- Mccunney, RJ; Russo, PK; Doyle, JR. (1987). Occupational Illness in the Arts. *Am Fam Physician*. 36: 145-153.
- Mcdonald, C. (1997). Some observations on the epidemiology of benign pleural disease. *Indoor Built Environ*. 6: 96-99.
- Mcdonald, JC. (1985). Health implications of environmental exposure to asbestos. *Environ Health Perspect*. 62: 319-328.
- Mcdonald, JC. (1991). An epidemiological view of asbestos in buildings. *Toxicol Ind Health*. 7: 187-193.
- Mcdonald, JC; Armstrong, B; Case, B; Doell, D; Mccaughey, WT; Mcdonald, AD; Sébastien, P. (1989). Mesothelioma and asbestos fiber type. Evidence from lung tissue analyses. *Cancer*. 63: 1544-1547.
- Mcdonald, JC; Case, BW; Enterline, PE; Henderson, V; Mcdonald, AD; Plourde, M; Sebastien, P. (1990). Lung dust analysis in the assessment of past exposure of man-made mineral fibre workers. *Ann Occup Hyg*. 34: 427-441.
- Mcelvenny, DM; Darnnton, AJ; Price, MJ; Hodgson, JT. (2005). Mesothelioma mortality in Great Britain from 1968 to 2001. *Occup Med (Lond)*. 55: 79-87. <http://dx.doi.org/10.1093/occmed/kqi034>.
- Mcguire, MJ; Bowers, AE; Bowers, DA. (1982). ASBESTOS ANALYSIS CASE-HISTORY - SURFACE-WATER SUPPLIES IN SOUTHERN-CALIFORNIA. *J Am Water Works Assoc*. 74: 470-478.
- Mcmillan, GH; Pethybridge, RJ; Sheers, G. (1980). Effect of smoking on attack rates of pulmonary and pleural lesions related to exposure to asbestos dust. *Br J Ind Med*. 37: 268-272. <http://dx.doi.org/10.1136/oem.37.3.268>.
- Mcmillan, LM; Stout, RG; Willey, BF. (1977). ASBESTOS IN RAW AND TREATED WATER - ELECTRON-MICROSCOPY STUDY. *Environ Sci Technol*. 11: 390-394.
- Mcnulty, JC. (1970). Asbestos Exposure in Australia (pp. 201-203). (NIOSH/00177268). McNulty, JC.
- Meck, M; Love, D; Mapani, B. (2006). Zimbabwean mine dumps and their impacts on river water quality - a reconnaissance study. *Phys Chem Earth*. 31: 797-803. <http://dx.doi.org/10.1016/j.pce.2006.08.029>.
- Meigs, JW. (1983). ASSESSMENT OF STUDIES ON CANCER RISKS FROM ASBESTOS IN CONNECTICUT DRINKING-WATER. *Environ Health Perspect*. 53: 107-108.
- Meigs, JW; Walter, SD; Heston, JF; Millette, JR; Craun, GF; Woodhull, RS; Flannery, JT. (1980). Asbestos cement pipe and cancer in Connecticut 1955-1974. *J Environ Health*. 42: 187-191.
- Mensi, C; Bonzini, M; Macchione, M; Sieno, C; Riboldi, L; Pesatori, AC. (2011). Differences among peritoneal and pleural mesothelioma: data from the Lombardy Region Mesothelioma Register (Italy). *Med Lav*. 102: 409-416.
- Mensi, C; De Matteis, S; Dallari, B; Riboldi, L; Bertazzi, PA; Consonni, D. (2016). Incidence of mesothelioma in Lombardy, Italy: exposure to asbestos, time patterns and future projections. *Occup Environ Med*. 73: 607-613. <http://dx.doi.org/10.1136/oemed-2016-103652>.
- Mensi, C; Poltronieri, A; Romano, A; Dallari, B; Riboldi, L; Bertazzi, PA; Consonni, D. (2016). [Malignant mesotheliomas with unknown exposure to asbestos: a re-examination]. *Med Lav*. 107: 22-28.
- Mensi, C; Riboldi, L; De Matteis, S; Bertazzi, PA; Consonni, D. (2015). Impact of an asbestos cement factory on mesothelioma incidence: global assessment of effects of occupational, familial, and environmental exposure. *Environ Int*. 74: 191-199. <http://dx.doi.org/10.1016/j.envint.2014.10.016>.
- Mensi, C; Sieno, C; Consonni, D; Riboldi, L. (2010). MALIGNANT MESOTHELIOMA AND ASBESTOS EXPOSURE IN THE LOMBARDY REGION, ITALY, 2000-2004. *Epidemiol Prev*. 34: 161-161.

Exposure Literature Search Results

On Topic

- Mensi, C; Termine, L; Canti, Z; Rivolta, G; Riboldi, L; Pesatori, AC; Chiappino, G. (2007). [The Lombardy Mesothelioma Register, Regional Operating Centre (ROC) of National Mesothelioma Register: organizational aspects]. *Epidemiol Prev.* 31: 283-289.
- Menvielle, G; Fayosse, A; Radoi, L; Guida, F; Sanchez, M; Carton, M; Cyr, D; Schmaus, A; Cenee, S; Fevotte, J; Delafosse, P; Stuecker, I; Luce, D; Grp, IS. (2016). The joint effect of asbestos exposure, tobacco smoking and alcohol drinking on laryngeal cancer risk: evidence from the French population-based case-control study, ICARE. *Occup Environ Med.* 73: 28-33. <http://dx.doi.org/10.1136/oemed-2015-102954>.
- Merler, E. (2007). [Mesothelioma incidence decreases parallel to asbestos exposure decrement or interruption: a confirmation of a dose-response relationship, with implications in public health] [Review]. *Epidemiol Prev.* 31: 46-52.
- Merler, E; Barbieri, PG; Bressan, V; Somigliana, A. (2010). LUNG FIBER BURDEN AMONG ITALIAN SUBJECTS WITH MESOTHELIOMAS OCCUPATIONALLY OR OTHERWISE EXPOSED TO ASBESTOS. *Epidemiol Prev.* 34: 160-161.
- Merler, E; Barbieri, PG; Mirabelli, D; Cavone, D; Somigliana, A. (2010). ASBESTOS FIBER BURDEN OF THE LUNGS IN PATIENTS WITH MESOTHELIOMAS WHO LIVED NEAR CEMENT-ASBESTOS FACTORIES. *Epidemiol Prev.* 34: 210-211.
- Merliss, RR. (1971). Talc and asbestos contaminant of rice. *JAMA.* 216: 2144.
- Metintas, S; Metintas, M; Ak, G; Kalyoncu, C. (2012). Environmental asbestos exposure in rural Turkey and risk of lung cancer. *Int J Environ Health Res.* 22: 468-479. <http://dx.doi.org/10.1080/09603123.2011.654330>.
- Meurman, LO; Pukkala, E; Hakama, M. (1994). Incidence of cancer among anthophyllite asbestos miners in Finland. *Occup Environ Med.* 51: 421-425.
- Meyer, E. (1986). EXAMINATION OF THE IMPORTANCE OF WEATHERING ASBESTOS CEMENT PLANES FOR THE CONCENTRATION OF ASBESTOS FIBERS IN THE ENVIRONMENT. *Staub, Reinhaltung der Luft.* 46: 482-484.
- Middleton, AP. (1978). OCCURRENCE OF FIBERS OF CALCIUM-SULFATE RESEMBLING AMPHIBOLE ASBESTOS IN SAMPLES TAKEN FOR EVALUATION OF AIRBORNE ASBESTOS. *Ann Occup Hyg.* 21: 91-93.
- Middleton, AP. (1978). On the occurrence of fibres of calcium sulphate resembling amphibole asbestos in samples taken for the evaluation of airborne asbestos. *Ann Occup Hyg.* 21: 91-94.
- Miller, JA; Zurlo, JV. (1996). Asbestos plaques in a typical Veteran's hospital population. *Am J Ind Med.* 30: 726-729. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199612\)30:6<726::AID-AJIM9>3.0.CO;2-O](http://dx.doi.org/10.1002/(SICI)1097-0274(199612)30:6<726::AID-AJIM9>3.0.CO;2-O).
- Millette, JR. (1986). ANALYSIS OF ASBESTOS IN ENVIRONMENTAL SAMPLES BY TEM (pp. 21-24). (BIOSIS/87/11344). Millette, JR.
- Millette, JR. (1986). ASBESTOS IN WATER. *Microscope.* 34: 371-374.
- Millette, JR; Clark, PJ; Pansing, MF; Twyman, JD. (1980). Concentration and size of asbestos in water supplies. *Environ Health Perspect.* 34: 13-25.
- Millette, JR; Clark, PJ; Stober, J; Rosenthal, M. (1983). Asbestos in water supplies of the United States. *Environ Health Perspect.* 53: 45-48.
- Millette, JR; Craun, GF; Stober, JA; Kraemer, DF; Tousignant, HG; Hildago, E; DuBoise, RL; Benedict, J. (1983). Epidemiology study of the use of asbestos-cement pipe for the distribution of drinking water in Escambia County, Florida. *Environ Health Perspect.* 53: 91-98.
- Milne, JE. (1976). Thirty-two cases of mesothelioma in Victoria, Australia: a retrospective survey related to occupational asbestos exposure. *Br J Ind Med.* 33: 115-122.
- Minowa, M; Hatano, S; Ashizawa, M; Oguro, H; Naruhashi, H; Suzuki, M; Mitoku, K; Miwa, M; Wakamatsu, C; Yasuda, Y. (1991). A case-control study of lung cancer with special reference to asbestos exposure. *Environ Health Perspect.* 94: 39-42.
- Mirabelli, D. (2009). [Evidence of effectiveness and prevention of occupational cancer]. *Epidemiol Prev.* 33: 74-78.
- Mirabelli, D; Cavone, D; Merler, E; Gennaro, V; Romanelli, A; Mensi, C; Chellini, E; Nicita, C; Marinaccio, A; Magnani, C; Musti, M. (2010). Non-occupational exposure to asbestos and malignant mesothelioma in the Italian National Registry of Mesotheliomas. *Occup Environ Med.* 67: 792-794. <http://dx.doi.org/10.1136/oem.2009.047019>.
- Miscetti, G; Bodo, P; Garofani, P; Abbritti, EP; Lumare, A. (2014). [Levels of exposure to respirable fibres at worksites for abatement of compact and friable asbestos]. *Med Lav.* 105: 63-73.
- Mitchell, RS. (1973). ASBESTOS FIBERS IN AIR OF TOWNS. *Atmos Environ.* 7: 668-669.
- Molloy, LB. (1991). Asbestos in place in Metropolitan New York. *Ann N Y Acad Sci.* 643: 614-621.
- Monaro, S; Landsberger, S; Lecomte, R; Paradis, P; Desaulniers, G; Pan, A. (1983). ASBESTOS POLLUTION LEVELS IN RIVER WATER MEASURED BY PROTON-INDUCED X-RAY-EMISSION (PIXE) TECHNIQUES. *Environmental Pollution Series B: Chemical and Physical.* 5: 83-90.
- Monaro, S; Landsberger, S; Lecomte, R; Paradis, P; Desaulniers, G; P'An, A. (1983). Asbestos pollution levels in river water measured by proton-induced X-ray emission techniques (pp. 83-90). (HEEP/83/10378). Monaro, S; Landsberger, S; Lecomte, R; Paradis, P; Desaulniers, G; P'An, A.
- Montoya Cabrera, MA; Pérez Reyes, MA; Alonso de Ruíz, P; Gutiérrez-Pastrana, MD; Maldonado Torres, L. (1988). [Investigation of ferruginous bodies in the sputum of individuals exposed to asbestos fibers. Comparative study of 3 identification technics]. *Arch Invest Med.* 19: 97-106.
- Moorcroft, JS; Duggan, MJ. (1984). RATE OF DECLINE OF ASBESTOS FIBER CONCENTRATION IN ROOM AIR. *Ann Occup Hyg.* 28: 453-457.
- Morgenroth, K. (1982). SIZING AND IDENTIFICATION OF ASBESTOS FIBERS AND OTHER MINERALS WITH ANALYTICAL ELECTRON MICROSCOPY IN AUTOPSY AND BIOPSY MATERIAL (pp. 24-26). (HEEP/84/05467). Morgenroth, K.
- Morris, RD. (1995). Drinking water and cancer [Review]. *Environ Health Perspect.* 103 Suppl 8: 225-231. <http://dx.doi.org/10.2307/3432315>.
- Murai, Y; Kitagawa, M. (1992). Asbestos fiber analysis in 27 malignant mesothelioma cases. *Am J Ind Med.* 22: 193-207.
- Murai, Y; Kitagawa, M; Hiraoka, T. (1997). Fiber analysis in lungs of residents of a Japanese town with endemic pleural plaques. *Arch Environ Health.* 52: 263-269. <http://dx.doi.org/10.1080/00039899709602196>.

Exposure Literature Search Results

On Topic

- Murbach, D; Chapman, P; Madl, A; Paustenbach, D. (2006). Evaluation of background exposures to airborne asbestos on maritime shipping vessels (1972-1992). *Epidemiology*. 17: S462-S462.
- Murbach, DM; Devlin, KD; Franke, KS; Paustenbach, DJ. (2008). A Review of Historical Ambient Airborne Asbestos Concentrations in Cities and Buildings: 1950s to the Present Day. *Epidemiology*. 19: S256-S257.
- Murbach, DM; Madl, AK; Unice, KM; Knutsen, JS; Chapman, PS; Brown, JL; Paustenbach, DJ. (2008). Airborne concentrations of asbestos onboard maritime shipping vessels (1978-1992). *Ann Occup Hyg*. 52: 267-279. <http://dx.doi.org/10.1093/annhyg/men015>.
- Murr, LE; Kloska, K. (1976). The detection and analysis of particulates in municipal water supplies by transmission electron microscopy. *Water Res*. 10: 469-477.
- Musk, AW; de Klerk, NH; Eccles, JL; Hansen, J; Shiik, KB. (1995). Malignant mesothelioma in Pilbara Aborigines [Review]. 19: 520-522.
- Musk, AW; Olsen, NJ; Reid, A; Threlfall, T; de Klerk, NH. (2006). Asbestos-related disease from recycled hessian superphosphate bags in rural Western Australia. *Aust N Z J Public Health*. 30: 312-313.
- Musthapa, MS; Ahmad, I; Trivedi, AK; Rahman, Q. (2003). Asbestos contamination in biota and abiota in the vicinity of asbestos-cement factory. *Bull Environ Contam Toxicol*. 70: 1170-1177. <http://dx.doi.org/10.1007/s00128-003-0105-2>.
- Musti, M; Pollice, A; Cavone, D; Dragonieri, S; Bilancia, M. (2009). The relationship between malignant mesothelioma and an asbestos cement plant environmental risk: a spatial case-control study in the city of Bari (Italy). *Int Arch Occup Environ Health*. 82: 489-497. <http://dx.doi.org/10.1007/s00420-008-0358-5>.
- Mzileni, O; Sitas, F; Steyn, K; Carrara, H; Bekker, P. (1999). Lung cancer, tobacco, and environmental factors in the African population of the Northern Province, South Africa. *Tob Control*. 8: 398-401.
- Nam, IS; Oh, HJ; Kim, JM; Yang, JH; Kim, JS; Sohn, JR, JR. (2015). Comparison of Risk Assessment Criteria and Distribution of Asbestos-Containing Materials in School Building. *International Journal of Environmental Research*. 9: 1341-1350.
- NASA. (1990). Environmental Projects. Volume 12: Friable Asbestos Abatement, GDSCC. 210.
- Navrátil, M; Dobiás, J. (1973). Development of pleural hyalinoses in long term studies of persons exposed to asbestos dust. *Environ Res*. 6: 455-472.
- Navratil, M; Trippe, F. (1972). PREVALENCE OF PLEURAL CALCIFICATION IN PERSONS EXPOSED TO ASBESTOS DUST, AND IN GENERAL POPULATION IN SAME DISTRICT. *Environ Res*. 5: 210-&.
- Naylor, LM. (1989). ASBESTOS IN SLUDGE A SIGNIFICANT RISK. *Biocycle*. 30: 51-53.
- Ndiaye, M; Kasse, AA; Kebe, B; Sow, ML. (2010). Malignant pleural mesothelioma in an employee of a ship repair company. *Arch Mal Prof Environ*. 71: 157-160. <http://dx.doi.org/10.1016/j.admp.2010.02.010>.
- Nemo, A; Boccuzzi, MT; Silvestri, S. (2009). [Asbestos import in Italy: the transit through Livorno harbour from 1957 to 1995]. *Epidemiol Prev*. 33: 59-64.
- Nesti, M; Marinaccio, A; Chellini, E. (2004). Malignant mesothelioma in Italy, 1997. *Am J Ind Med*. 45: 55-62. <http://dx.doi.org/10.1002/ajim.10313>.
- Neuberger, M; Frank, W; Golob, P; Warbichler, P. (1996). Asbestos concentrations in drinking water - Asbestos cement pipes and geogen sources in Austria. *Zentralblatt fuer Hygiene und Umweltmedizin*. 198: 293-306.
- Neuberger, M; Kundi, M; Friedl, HP. (1984). Environmental asbestos exposure and cancer mortality. *Arch Environ Health*. 39: 261-265.
- Neumann, V; Günthe, S; Mülle, KM; Fischer, M. (2001). Malignant mesothelioma--German mesothelioma register 1987-1999. *Int Arch Occup Environ Health*. 74: 383-395.
- Newhouse, ML; Thompson, H. (1993). MESOTHELIOMA OF PLEURA AND PERITONEUM FOLLOWING EXPOSURE TO ASBESTOS IN THE LONDON AREA (REPRINTED FROM BRITISH JOURNAL OF INDUSTRIAL MEDICINE, VOL 22, PG 262-269, 1965). *Br J Ind Med*. 50: 769-769.
- NICHOLSON,WJ; Langer, AM; Selikoff, JJ. (1973). ASBESTOS FIBERS IN AIR OF TOWNS. *Atmos Environ*. 7: 667-668.
- Nicholson, WJ. (1989). Airborne mineral fibre levels in the non-occupational environment. In J Bignon; J Peto; R Saracci (Eds.), *IARC Sci Publ* (pp. 239-261). Lyon, France: International Agency for Research on Cancer.
- Nicholson, WJ. (2001). The carcinogenicity of chrysotile asbestos--a review [Review]. *Ind Health*. 39: 57-64.
- Nicholson, WJ; Pundsack, FL. (1973). Asbestos in the environment.
- Nicholson, WJ; Rohl, A; Fischbein, SA; Selikoff, IJ. (1975). OCCUPATIONAL AND COMMUNITY ASBESTOS EXPOSURE FROM WALLBOARD FINISHING COMPOUNDS. *Bull NY Acad Med*. 51: 1180-1181.
- Nicholson, WJ; Rohl, AN; Weisman, I; Selikoff, IJ. (1980). Environmental asbestos concentrations in the United States.
- Nicholson, WJ; Swoszowski, EJ, Jr; Rohl, AN; Todaro, JD; Adams, A. (1979). Asbestos contamination in United States schools from use of asbestos surfacing materials. *Ann N Y Acad Sci*. 330: 587-596.
- Nielsen, A. (1986). [Asbestos in the indoor atmosphere and environment]. *Ugeskr Laeger*. 148: 3323-3328.
- Nishikawa, K; Takahashi, K; Karjalainen, A; Wen, CP; Furuya, S; Hoshuyama, T; Todoroki, M; Kiyomoto, Y; Wilson, D; Higashi, T; Ohtaki, M; Pan, G; Wagner, G. (2008). Recent mortality from pleural mesothelioma, historical patterns of asbestos use, and adoption of bans: a global assessment. *Environ Health Perspect*. 116: 1675-1680. <http://dx.doi.org/10.1289/ehp.11272>.
- Nolan, RP; Ross, M; Nord, GL; Axten, CW; Osleeb, JP; Domnin, SG; Price, B; Wilson, R. (2005). Risk assessment for asbestos-related cancer from the 9/11 attack on the World Trade Center. *J Occup Environ Med*. 47: 817-825. <http://dx.doi.org/10.1097/01.jom.000167273.17109.6d>.
- Novick, LF; Rice, C; Freedman, MA; Jillson, D. (1981). ASBESTOS IN VERMONT SCHOOLS - FINDINGS OF A STATEWIDE ON-SITE INVESTIGATION. *Am J Public Health*. 71: 744-746.
- Nukushina, J. (1995). Japanese earthquake victims are being exposed to high density of asbestos. We need protective masks desperately [Letter]. *Epidemiol Prev*. 19: 226-227.

Exposure Literature Search Results

On Topic

- Nurminen, M; Karjalainen, A; Takahashi, K. (2003). Estimating the induction period of pleural mesothelioma from aggregate data on asbestos consumption. *J Occup Environ Med.* 45: 1107-1115. <http://dx.doi.org/10.1097/01.jom.0000091682.95314.01>.
- Nuyts, V; Vanhooren, H; Begyn, S; Nackaerts, K; Nemery, B. (2017). Asbestos bodies in bronchoalveolar lavage in the 21st century: a time-trend analysis in a clinical population. *Occup Environ Med.* 74: 59-65. <http://dx.doi.org/10.1136/oemed-2016-103710>.
- Ogata, H. (2011). A review of some epidemiological studies on cancer risk from low-dose radiation or other carcinogenic agents [Review]. *Radiat Prot Dosimetry.* 146: 268-271. <http://dx.doi.org/10.1093/rpd/ncr167>.
- Ogino, S; Fukumori, N; Yasuno, T; Koseki, M; Kazama, M. (1988). ASBESTOS FIBERS IN SAKE. *J Food Prot.* 51: 737-739.
- Ogunseitn, OA. (2015). The asbestos paradox: global gaps in the translational science of disease prevention (vol 93, pg 359, 2015). *Bull World Health Organ.* 93: 436-436.
- Oliver, LC; Welch, L; Frank, AL; Lemen, RA; Mutti, L. (2016). New standard for assessing asbestos exposure and its consequences? [Letter]. *Occup Environ Med.* 73: 709-710. <http://dx.doi.org/10.1136/oemed-2016-103693>.
- Oliver, T; Murr, LE. (1977). An electron microscope study of asbestiform fiber concentrations in Rio Grande valley water supplies (pp. 428-431). (HEEP/78/05704). Oliver, T; Murr, LE.
- Olson, HL. (1974). Asbestos in Potable-Water Supplies. *J Am Water Works Assoc.* 66: 515-518.
- Omenn, GS; Goodman, GE; Thornquist, MD; Rosenstock, L; Barnhart, S; Gylys-Colwell, I; Metch, B; Lund, B. (1993). The Carotene and Retinol Efficacy Trial (CARET) to prevent lung cancer in high-risk populations: pilot study with asbestos-exposed workers. *Cancer Epidemiol Biomarkers Prev.* 2: 381-387.
- O'Reilly, D; Reid, J; Middleton, R; Gavin, AT. (1999). Asbestos related mortality in Northern Ireland: 1985-1994. *J Publ Health Med.* 21: 95-101.
- Orlowski, E; Billon Galland, MA. (1998). [The assessment of asbestos exposure]. *Rev Mal Respir.* 15: 239-245.
- Orlowski, E; Galland, MA. (1999). [Assessment of exposure to asbestos]. *Rev Mal Respir.* 16 Suppl 2: S18-S24.
- Orlowski, E; Pairon, JC; Ameille, J; Janson, X; Iwatsubo, Y; Dufour, G; Bignon, J; Brochard, P. (1994). Pleural plaques, asbestos exposure, and asbestos bodies in bronchoalveolar lavage fluid. *Am J Ind Med.* 26: 349-358.
- Osada, M; Takamiya, K, en; Manako, K; Noguchi, M; Sakai, SI. (2013). Demonstration study of high temperature melting for asbestos-containing waste (ACW). *Journal of Material Cycles and Waste Management.* 15: 25-36. <http://dx.doi.org/10.1007/s10163-012-0088-3>.
- Osinubi, OY; Gochfeld, M; Kipen, HM. (2000). Health effects of asbestos and nonasbestos fibers [Review]. *Environ Health Perspect.* 108 Suppl 4: 665-674.
- Otte, KE; Sigsgaard, TI; Kjaerulff, J. (1990). Malignant mesothelioma: clustering in a family producing asbestos cement in their home. *Br J Ind Med.* 47: 10-13.
- Owen, OS. (1975). Natural resource conservation. An ecological approach. (HEEP/75/11320). Owen, OS.
- Ozdemir, T; Coplu, L; Dincer, N; Isik, L; Dumortier, P; Artvinli, M. (1997). ENVIRONMENTAL TREMOLITE EXPOSURE IN A VILLAGE LOCATED IN SOUTHWEST OF TURKEY (pp. 20-24). (BIOSIS/98/15088). Ozdemir, T; Coplu, L; Dincer, N; Isik, L; Dumortier, P; Artvinli, M.
- Pairon, JC; Orlowski, E; Iwatsubo, Y; Billon-Galland, MA; Dufour, G; Chamming's, S; Archambault, C; Bignon, J; Brochard, P. (1994). Pleural mesothelioma and exposure to asbestos: evaluation from work histories and analysis of asbestos bodies in bronchoalveolar lavage fluid or lung tissue in 131 patients. *Occup Environ Med.* 51: 244-249.
- Pang, TWS; Schonfeld, FA; Nazar, MA. (1987). THE DETERMINATION OF TREMOLITE ASBESTOS IN TALC POWDER SAMPLES. *Ann Occup Hyg.* 31: 219-&.
- Paoletti, L; Caiazza, S; Donelli, G; Pocchiari, F. (1984). Evaluation by electron microscopy techniques of asbestos contamination in industrial, cosmetic, and pharmaceutical talcs. *Regul Toxicol Pharmacol.* 4: 222-235.
- Paoletti, L; Puledda, S. (1992). An approach to the classification and assessment of asbestos-containing wastes - Description of a survey conducted in an industrial area. 83: 371-380.
- Park, EK; Hannaford-Turner, KM; Hyland, RA; Johnson, AR; Yates, DH. (2008). Asbestos-related occupational lung diseases in NSW, Australia and potential exposure of the general population [Review]. *Ind Health.* 46: 535-540.
- Park, EK; Takahashi, K; Hoshuyama, T; Cheng, TJ; Delgermaa, V; Le, GV; Sorahan, T. (2011). Global magnitude of reported and unreported mesothelioma. *Environ Health Perspect.* 119: 514-518. <http://dx.doi.org/10.1289/ehp.1002845>.
- Parmar, JP. (1992). ESOPHAGEAL CARCINOMA WITH ASBESTOS BODIES [Letter]. *Am J Ind Med.* 21: 605-608.
- Partanen, T; Nurminen, M; Zitting, A; Koskinen, H; Wiikeri, M; Ahlman, K. (1992). Localized pleural plaques and lung cancer. *Am J Ind Med.* 22: 185-192.
- Pastuszka, JS. (2009). Emission of airborne fibers from mechanically impacted asbestos-cement sheets and concentration of fibrous aerosol in the home environment in Upper Silesia, Poland. *J Hazard Mater.* 162: 1171-1177. <http://dx.doi.org/10.1016/j.jhazmat.2008.06.045>.
- Pastuszka, JS; Kabala-Dzik, A; Paw, KT. (1999). A study of fibrous aerosols in the home environment in Sosnowiec, Poland. *Sci Total Environ.* 229: 131-136.
- Patelmandlik, KJ; Manos, CG; Jahnsn, KEB; Norton, VL; Lisk, DJ. (1994). PREVALENCE OF ASBESTOS IN SLUDGES FROM 16 SEWAGE PLANTS IN LARGE AMERICAN CITIES IN 1993. *Chemosphere.* 29: 1369-1372.
- Patelmandlik, KJ; Manos, CG; Lisk, DJ. (1988). IDENTIFICATION OF ASBESTOS AND GLASS-FIBERS IN SEWAGE SLUDGES OF SMALL NEW YORK STATE CITIES. *Chemosphere.* 17: 1025-1032.
- Paustenbach, DJ; Sage, A; Bono, M; Mowat, F. (2004). Occupational exposure to airborne asbestos from coatings, mastics, and adhesives. *J Expo Anal Environ Epidemiol.* 14: 234-244. <http://dx.doi.org/10.1038/sj.jea.7500320>.
- Pawelczyk, A; Bożek, F. (2015). Health risk associated with airborne asbestos. *Environ Monit Assess.* 187: 428. <http://dx.doi.org/10.1007/s10661-015-4614-3>.

Exposure Literature Search Results

On Topic

- Pearce, N; Checkoway, H; Dement, J. (1988). Exponential models for analyses of time-related factors, illustrated with asbestos textile worker mortality data. *J Occup Med.* 30: 517-522.
- Pearson, VAH; Sims, PA. (1992). AN ASBESTOS HAZARD IN NORTH DEVON. *J Publ Health Med.* 14: 376-379.
- Peck, AS; Serocki, JJ; Dicker, LC. (1986). SAMPLE DENSITY AND THE QUANTITATIVE CAPABILITIES OF PCM ANALYSIS FOR THE MEASUREMENT OF AIRBORNE ASBESTOS. *Am Ind Hyg Assoc J.* 47: A230-&.
- Peipins, LA; Lewin, M; Campolucci, S; Lybarger, JA; Miller, A; Middleton, D; Weis, C; Spence, M; Black, B; Kapil, V. (2003). Radiographic abnormalities and exposure to asbestos-contaminated vermiculite in the community of Libby, Montana, USA. *Environ Health Perspect.* 111: 1753-1759. <http://dx.doi.org/10.1289/ehp.6346>.
- Perkins, RA; Hargesheimer, J; Fourie, W. (2007). Asbestos release from whole-building demolition of buildings with asbestos-containing material. *J Occup Environ Hyg.* 4: 889-894. <http://dx.doi.org/10.1080/15459620701691023>.
- Perkins, RA; Hargesheimer, J; Vaara, L. (2008). Evaluation of public and worker exposure due to naturally occurring asbestos in gravel discovered during a road construction project. *J Occup Environ Hyg.* 5: 609-616. <http://dx.doi.org/10.1080/15459620802289941>.
- Perry, HM; Aldon, EF; Brock, JH. (1987). RECLAMATION OF AN ASBESTOS MILL WASTE SITE IN THE SOUTHWESTERN UNITED-STATES. 6: 187-196.
- Peters, BJ. (1983). Systematic Safety Analysis of Asbestos Disease and Its Prevention. *Professional Safety.* pages 21: 21-27.
- Peters, GA; Peters, BJ. (1981). ASBESTOS PRODUCT LIABILITY. 4: 49-54.
- Peters, R. (1981). ASBESTOS-CEMENT PIPES FOR THE WATER INDUSTRY. 85: 297-&.
- Peterson, DL. (1978). DULUTH EXPERIENCE - ASBESTOS, WATER, AND PUBLIC. *J Am Water Works Assoc.* 70: 24-28.
- Pethran, A. (1990). ASBESTOS IN THE WORLD OF WORK - REVIEW OF POSSIBLE EXPOSURES TO ASBESTOS DUST. *Arbeitsmedizin, Sozialmedizin, Praeventivmedizin.* 25: 446-450.
- Pettazzoni, M; Rivolta, G; Mascagni, P; Carcano, M; Porro, S; Toffoletto, F. (2007). [The presence of asbestos bodies in induced sputum as an indicator of asbestos exposure]. *Med Lav.* 98: 25-29.
- Pfau, JC; Sentissi, JJ; Weller, G; Putnam, EA. (2005). Assessment of autoimmune responses associated with asbestos exposure in Libby, Montana, USA. *Environ Health Perspect.* 113: 25-30. <http://dx.doi.org/10.1289/ehp.7431>.
- Pflaumbaum, W. (2007). Activities with asbestos exposure. *Staub, Reinhaltung der Luft.* 67: 222-223.
- Pigg, BJ. (1992). ASBESTOS GASKETS NOT A HAZARD. *Power Engineering.* 96: 85-85.
- Pigg, BJ. (1994). The uses of chrysotile. *Ann Occup Hyg.* 38: 453-458.
- Pirastu, R; Lagorio, S; Miligi, L; Costantini, AS. (1999). Health and work among women in Italy: An overview of the epidemiological literature. *Eur J Epidemiol.* 15: 51-57. <http://dx.doi.org/10.1023/A:1007522000856>.
- Pitt, R. (1988). ASBESTOS AS AN URBAN AREA POLLUTANT. *J Water Pollut Control Fed.* 60: 1993-2001.
- Pizzo, AM; Legittimo, P; Silvestri, S; Chellini, E; Gorini, G; Miligi, L; Costantini, SA. (2010). ASBESTOS EXPOSURE AND RISK OF LUNG CANCER AND MESOTHELIOMA IN A COHORT OF ABOUT 13,000 MALE SUBJECTS IN TUSCANY. *Epidemiol Prev.* 34: 160-160.
- Plumpton, AJ. (1984). HEAP LEACHING OF ASBESTOS CONCENTRATOR TAILINGS WITH WASTE SULFURIC-ACID AND RECOVERY OF METAL VALUES. 77: 41-42.
- Polissar, L; Severson, RK; Boatman, ES. (1983). ADDITIONAL NOTES ON THE CASE-CONTROL STUDY IN WESTERN WASHINGTON ON THE CANCER RISK FROM ASBESTOS IN DRINKING-WATER. *Environ Health Perspect.* 53: 189-190.
- Polissar, L; Severson, RK; Boatman, ES. (1983). Cancer risk from asbestos in drinking water: summary of a case-control study in western Washington. *Environ Health Perspect.* 53: 57-60.
- Polissar, L; Severson, RK; Boatman, ES. (1984). A case-control study of asbestos in drinking water and cancer risk. *Am J Epidemiol.* 119: 456-471.
- Polissar, L; Severson, RK; Boatman, ES; Thomas, DB. (1982). Cancer incidence in relation to asbestos in drinking water in the Puget Sound region. *Am J Epidemiol.* 116: 314-328.
- Pontius, FW. (1992). USEPAS BAN ON ASBESTOS-CONTAINING PRODUCTS INVALIDATED. *J Am Water Works Assoc.* 84: 22-&.
- Popp, W. (1996). [New data on syncarcinogenesis in tumors of exogenous origin] [Review]. *Zentralblatt fuer Hygiene und Umweltmedizin.* 198: 407-428.
- Prasad, RK; Uma, R; Kansal, A; Gupta, S; Kumar, P; Saksena, S. (2002). Indoor air quality in an air-conditioned building in new Delhi and its relationship to ambient air quality. *Indoor Built Environ.* 11: 334-339. <http://dx.doi.org/10.1159/0000068234>.
- Price, B; Crump, KS. (1993). Exposure Inferences from Airborne Asbestos Measurements in Building (pp. 19-21). (NIOSH/00220386). Price, B; Crump, KS.
- Pukkala, E; Saarni, H. (1996). Cancer incidence among Finnish seafarers, 1967-92. *Cancer Causes Control.* 7: 231-239.
- Punturo, R; Bloise, A; Critelli, T; Catalano, M; Fazio, E; Pollaro, C. (2015). Environmental Implications Related to Natural Asbestos Occurrences in the Ophiolites of the Gimigliano-Mount Reventino Unit (Calabria, Southern Italy). *International Journal of Environmental Research.* 9: 405-418.
- Pye, AM. (1979). A review of asbestos substitute materials in industrial applications. *J Hazard Mater.* 3: 125-148.
- Pye, AM. (1979). REVIEW OF ASBESTOS SUBSTITUTE MATERIALS IN INDUSTRIAL APPLICATIONS. *J Hazard Mater.* 3: 125-147.
- Pyssa, J. (2010). Rules and criteria of selection of the technology for hazardous waste treatment. *Przemysł Chemiczny.* 89: 927-934.
- Pyssa, J; Rokita, GM. (2007). The asbestos - occurrence, using and the way of dealing with asbestic waste material. *Gospodarka Surowcami Mineralnymi.* 23: 49-61.
- Raffn, E; Lynge, E; Juel, K; Korsgaard, B. (1989). Incidence of cancer and mortality among employees in the asbestos cement industry in Denmark. *Occup Environ Med.* 46: 90-96.
- Raffn, E; Villadsen, E; Engholm, G; Lynge, E. (1996). Lung cancer in asbestos cement workers in Denmark. *Occup Environ Med.* 53: 399-402.

Exposure Literature Search Results

On Topic

- Rajhans, GS; Bragg, GM; Morton, JS. (1978). REVIEW OF ASBESTOS EXPOSURES IN ONTARIO. *Am Ind Hyg Assoc J.* 39: 767-771. <http://dx.doi.org/10.1080/0002889778507849>.
- Rajhans, GS; Sullivan, JL. (1981). Asbestos sampling and analysis. (CIS/82/01542). Rajhans, GS; Sullivan, JL.
- Ramroth, H; Ahrens, W; Dietz, A; Becher, H. (2011). Occupational Asbestos Exposure as a Risk Factor for Laryngeal Carcinoma in a Population-Based Case-Control Study from Germany. *Am J Ind Med.* 54: 510-514. <http://dx.doi.org/10.1002/ajim.20963>.
- Ravikrishna, R; Lee, HW; Mbuligwe, S; Valsaraj, KT; Pardue, JH. (2010). Air quality during demolition and recovery activities in post-Katrina New Orleans. *Environ Toxicol Chem.* 29: 1438-1444. <http://dx.doi.org/10.1002/etc.210>.
- Raymond, MV. (1965). [ASBESTOS IN BUILDINGS AND PUBLIC WORKS]. *Arch Mal Prof Med Trav Secur Soc.* 26: 166-168.
- Redwood, D; Lanier, AP; Brubaker, M; Orell, L; Tom-Orme, L; George, C; Edwards, S; Slattery, M. (2012). Occupational and Environmental Exposures Among Alaska Native and American Indian People Living in Alaska and the Southwest United States. *J Environ Health.* 74: 22-28.
- Rees, D; Myers, JE; Goodman, K; Fourie, E; Blignaut, C; Chapman, R; Bachmann, MO. (1999). Case-control study of mesothelioma in South Africa. *Am J Ind Med.* 35: 213-222.
- Reid, A; Berry, G; Heyworth, J; de Klerk, NH; Musk, AW. (2009). Predicted mortality from malignant mesothelioma among women exposed to blue asbestos at Wittenoom, Western Australia. *Occup Environ Med.* 66: 169-174. <http://dx.doi.org/10.1136/oem.2007.038315>.
- Reid, A; de Klerk, N; Ambrosini, G; Olsen, N; Pang, SC; Musk, AW. (2005). The additional risk of malignant mesothelioma in former workers and residents of Wittenoom with benign pleural disease or asbestosis. *Occup Environ Med.* 62: 665-669. <http://dx.doi.org/10.1136/oem.2004.018531>.
- Reid, A; de Klerk, N; Ambrosini, GL; Olsen, N; Pang, SC; Berry, G; Musk, AW. (2005). The effect of asbestosis on lung cancer risk beyond the dose related effect of asbestos alone. *Occup Environ Med.* 62: 885-889. <http://dx.doi.org/10.1136/oem.2005.020834>.
- Reid, A; de Klerk, N; Musk, AW. (2011). Does Exposure to Asbestos Cause Ovarian Cancer? A Systematic Literature Review and Meta-analysis [Review]. *Cancer Epidemiol Biomarkers Prev.* 20: 1287-1295. <http://dx.doi.org/10.1158/1055-9965.EPI-10-1302>.
- Reid, A; de Klerk, NH; Ambrosini, GL; Berry, G; Musk, AW. (2006). The risk of lung cancer with increasing time since ceasing exposure to asbestos and quitting smoking. *Occup Environ Med.* 63: 509-512. <http://dx.doi.org/10.1136/oem.2005.025379>.
- Reid, A; Franklin, P; Olsen, N; Sleith, J; Samuel, L; Aboagye-Sarfo, P; de Klerk, N; Musk, AW. (2013). All-cause mortality and cancer incidence among adults exposed to blue asbestos during childhood. *Am J Ind Med.* 56: 133-145. <http://dx.doi.org/10.1002/ajim.22103>.
- Reid, A; Heyworth, J; de Klerk, N; Musk, A. (2008). The mortality of women exposed environmentally and domestically to blue asbestos at Wittenoom, Western Australia. *Occup Environ Med.* 65: 743-749. <http://dx.doi.org/10.1136/oem.2007.035782>.
- Reid, A; Heyworth, J; de Klerk, N; Musk, AW. (2009). Asbestos exposure and gestational trophoblastic disease: a hypothesis. *Cancer Epidemiol Biomarkers Prev.* 18: 2895-2898. <http://dx.doi.org/10.1158/1055-9965.EPI-09-0731>.
- Reid, A; Segal, A; Heyworth, JS; de Klerk, NH; Musk, AW. (2009). Gynecologic and breast cancers in women after exposure to blue asbestos at Wittenoom. *Cancer Epidemiol Biomarkers Prev.* 18: 140-147. <http://dx.doi.org/10.1158/1055-9965.EPI-08-0746>.
- Reid, ME; Craven, G. (1996). Geologic sources of asbestos in Seattle's Tolt Reservoir. *NW Sci.* 70: 48-54.
- Renner, R. (1999). Asbestos dust stirs trouble in Sierra Nevada foothills. *Environ Sci Technol.* 33: 348A-349A.
- Renner, R. (2000). Asbestos in the air. *Sci Am.* 282: 34.
- Renner, R. (2006). Naturally occurring asbestos linked to cancer [Comment]. *Environ Sci Technol.* 40: 636-637. <http://dx.doi.org/10.1021/es063007a>.
- Reynolds, SJ; Kreiger, RA; Bohn, JA; Fish, D; Marxhausen, T; Mcjilton, C. (1994). Factors affecting airborne concentrations of asbestos in a commercial building. *Am Ind Hyg Assoc J.* 55: 823-828.
- Ribak, J; Lerman, Y. (1995). Use of asbestos in expected and unexpected places in Israel. *Public Health Rev.* 23: 35-45.
- Richardson, DB; Wing, S; Keil, A; Wolf, S. (2013). Mortality among workers at Oak Ridge National Laboratory. *Am J Ind Med.* 56: 725-732. <http://dx.doi.org/10.1002/ajim.22164>.
- Richter, ED; Chlamtac, N; Berman, T; Laster, R. (2001). A review of environmental and occupational exposure to asbestos in Israel [Review]. *Public Health Rev.* 29: 247-264.
- Roberts, D. (1981). Asbestos Analysis Report for St. Marys Elementary School, Alexandria, Kentucky, Report No. IWS-127-18 (pp. 127-118). (NIOSH/00195592). Roberts, D.
- Roberts, DR. (1980). Asbestos Analysis Report for Reading Community Schools, Ceiling Insulating Material, Reading, Ohio, Report No. IWS-127-16 (pp. 127-116). (NIOSH/00195591). Roberts, DR.
- Rodelsperger, K; H-J, W; Krieger, HG. (1980). Estimation Of Exposure To Asbestos-Cement Dust On Building Sites (pp. 845-853). (ISSN 0300-5038; NIOSH/00156017). Rodelsperger, K; Weitowitz H-J; Krieger, HG.
- Rödelsperger, K; Mándi, A; Tossavainen, A; Brückel, B; Barbisan, P; Weitowitz, HJ. (2001). Inorganic fibres in the lung tissue of Hungarian and German lung cancer patients. *Int Arch Occup Environ Health.* 74: 133-138.
- Rodelsperger, K; Roth, E. (2004). Fibre concentrations in the sanding of finishing grout, plaster carton- and plaster fibre plates. *Staub, Reinhaltung der Luft.* 64: 435-437.
- Rodelsperger, K; Schneider, J; Weitowitz, HJ. (1996). Non-occupational outdoor and indoor exposure to asbestos dust. *Gefahrst Reinhalt Luft.* 56: 117-126.
- Rodelsperger, K; Teichert, U; Bruckel, B. (2004). Environmental risks caused by asbestos fibres and other onorganic fibres. *Staub, Reinhaltung der Luft.* 64: 415-426.
- Rödelsperger, K; Weitowitz, HJ. (1991). [Asbestos in drinking water]. *Dtsch Med Wochenschr.* 116: 555-557.

Exposure Literature Search Results

On Topic

- Rodelsperger, K; Weitowitz, HJ; Patzich, R; Bruckel, B. (1990). ASBESTOS FIBERS AND FERRUGINOUS BODIES IN THE LUNG-TISSUE OF MAN .1. ANALYSIS OF ASBESTOS FIBERS IN THE LUNGS OF PERSONS WITH NO EVIDENCE OF OCCUPATIONAL EXPOSURE. *Staub, Reinhaltung der Luft*. 50: 73-80.
- Rodelsperger, K; Weitowitz, HJ; Patzich, R; Bruckel, B; Gosch, V. (1990). ASBESTOS FIBERS AND FERRUGINOUS BODIES IN THE LUNG-TISSUE OF MAN .2. FERRUGINOUS BODIES ANALYSIS IN THE LUNGS OF PERSONS WITH NO EVIDENCE OF OCCUPATIONAL EXPOSURE. *Staub, Reinhaltung der Luft*. 50: 99-105.
- Rogan, WJ; Ragan, NB; Dinse, GE. (2000). X-ray evidence of increased asbestos exposure in the US population from NHANES I and NHANES II, 1973-1978. *Cancer Causes Control*. 11: 441-449. <http://dx.doi.org/10.1023/A:1008952426060>.
- Rogers, A; Nevill, M. (1995). Occupational and environmental mesotheliomas due to crocidolite mining activities in Wittenoom, Western Australia. *Scand J Work Environ Health*. 21: 259-264.
- Roggli, VL. (1995). Malignant mesothelioma and duration of asbestos exposure: correlation with tissue mineral fibre content. *Ann Occup Hyg*. 39: 363-374.
- Roggli, VL; Langer, AM. (2005). RE: Asbestos in brakes: exposure and risk of disease [Letter]. *Am J Ind Med*. 47: 276-277; author reply 278-280. <http://dx.doi.org/10.1002/ajim.20129>.
- Roggli, VL; Sanders, LL. (2000). Asbestos content of lung tissue and carcinoma of the lung: a clinicopathologic correlation and mineral fiber analysis of 234 cases. *Ann Occup Hyg*. 44: 109-117.
- Roggli, VL; Vollmer, RT; Butnor, KJ; Sporn, TA. (2002). Tremolite and mesothelioma. *Ann Occup Hyg*. 46: 447-453. <http://dx.doi.org/10.1093/annhyg/mef056>.
- Rohl, AN. (1974). Asbestos in talc. *Environ Health Perspect*. 9: 129-132.
- Rohl, AN; Langer, AM. (1979). Fibrous mineral content of consumer talc-containing products.
- Rohl, AN; Langer, AM; Klimentidis, R; Wolff, MS; Seilikoff, IJ. (1977). Asbestos content of dust encountered in brake maintenance and repair. *Proc R Soc Med*. 70: 32-37.
- Rohl, AN; Langer, AM; Selikoff, IJ; Nicholson, WJ. (1975). Exposure to asbestos in the use of consumer spackling, patching, and taping compounds. *Science*. 189: 551-553.
- Rohl, AN; Langer, AM; Selikoff, IJ; Tordini, A; Klimentidis, R; Bowes, DR; Skinner, DL. (1976). Consumer talcums and powders: mineral and chemical characterization. *J Toxicol Environ Health*. 2: 255-284. <http://dx.doi.org/10.1080/15287397609529432>.
- Rolland, P; Gramond, C; Lacourt, A; Astoul, P; Chamming's, S; Ducamp, S; Frenay, C; Galateau-Salle, F; Ilg, AG; Imbernon, E; Le Stang, N; Pairon, JC; Goldberg, M; Brochard, P; Group, PS. (2010). Occupations and industries in France at high risk for pleural mesothelioma: A population-based case-control study (1998-2002). *Am J Ind Med*. 53: 1207-1219. <http://dx.doi.org/10.1002/ajim.20895>.
- Rollo, HA; Jamieson, HE. (2006). Interaction of diamond mine waste and surface water in the Canadian Arctic. *Appl Geochem*. 21: 1522-1538. <http://dx.doi.org/10.1016/j.apgeochem.2006.05.008>.
- Rom, WN; Hammar, SP; Rusch, V; Dodson, R; Hoffman, S. (2001). Malignant mesothelioma from neighborhood exposure to anthophyllite asbestos. *Am J Ind Med*. 40: 211-214. <http://dx.doi.org/10.1002/ajim.1089>.
- Romeo, E; Ancona, L; Ascoli, V; Balestri, A; Scalzo, CC; Cavariani, F; Compagnucci, P; Gasperini, L; Mataloni, F; Forastiere, F. (2011). OCCUPATIONAL AND ENVIRONMENTAL EXPOSURE TO ASBESTOS AND INCIDENCE OF MALIGNANT MESOTHELIOMA IN ROME AND IN LAZIO, 2001-2009. *Epidemiol Prev*. 35: 101-102.
- Romeo, E; Ascoli, V; Ancona, L; Balestri, A; Scalzo, CC; Cavariani, F; Compagnucci, P; Gasperini, L; Mataloni, F; Forastiere, F. (2013). [Occupational exposure to asbestos and incidence of malignant mesothelioma in the Lazio region, years 2001-2009: results of the activities of the regional register]. *Med Lav*. 104: 115-125.
- Roncey, K; Cattan, KL; Ameille, J; Dargery, S; Dores, M; Fleury, J; Gral, P; Housset, B; Iwatsubo, Y; Lauzier, F; Leroy, R; Martinon, L; Paris, C; Roos, F; Pairon, JC. (1999). Evaluation of past exposure to asbestos: Value of an asbestos body marker in the sputum (pp. 27-30). (BIOSIS/00/01222). Roncey, K; Cattan, KL; Ameille, J; Dargery, S; Dores, M; Fleury, J; Gral, P; Housset, B; Iwatsubo, Y; Lauzier, F; Leroy, R; Martinon, L; Paris, C; Roos, F; Pairon, JC.
- Rösler, JA; Weitowitz, HJ; Lange, HJ; Weitowitz, RH; Ulm, K; Rödelsperger, K. (1994). Mortality rates in a female cohort following asbestos exposure in Germany. *J Occup Med*. 36: 889-893.
- Ross, M. (1995). THE SCHOOLROOM ASBESTOS ABATEMENT PROGRAM - A PUBLIC-POLICY DEBACLE. *Environ Geol*. 26: 182-188.
- Rowe, JN. (1983). RELATIVE SOURCE CONTRIBUTIONS OF DIET AND AIR TO INGESTED ASBESTOS EXPOSURE. *Environ Health Perspect*. 53: 115-120.
- Roy F. Weston, I. (1990). Report of Sampling and Analysis Results, Addison Army Housing Units, Addison, Illinois. 42.
- Roy F. Weston, I. (1990). Report of Sampling and Analysis Results, Worth Army Housing Units, Worth, Illinois. 75.
- Roy F. Weston, I. (1990). Report of Sampling and Analysis Results: Tappan Army Housing Units, Tappan, New York (pp. 60). (NTIS/02972349_a).
- Rudd, RM. (1988). EXPOSURE TO ASBESTOS AND THE RISK OF GASTROINTESTINAL CANCER. *Br J Ind Med*. 45: 573-574.
- Rushworth, DH. (2005). The Navy and asbestos thermal insulation. *Naval Engineers Journal*. 117: 35-48.
- Ryan, G; Buchan, RM; Keefe, TJ; Mccammon, CS. (1996). A Longitudinal Study of an American Public Building following Asbestos Removal. *Appl Occup Environ Hyg*. 11: 1417-1423.
- Ryckman, MD; Ryckman, DW; Peters, JL. (1983). ASBESTOS CONTROL PROGRAM FOR INSTITUTIONAL FACILITIES. *J Environ Eng*. 109: 275-288.
- Ryer, FH. (1978). AIR POLLUTION EXPOSURES TO FIVE TARGET HEALTH HAZARDS (pp. 928-931; 1978). (HMTC/78/0003296). Ryer, FH.
- SA, LD. (1989). The influence of materials used for water pipes on water quality. *Alimentaria*. 26: 65-67.

Exposure Literature Search Results

On Topic

- Sahmel, J; Barlow, CA; Simmons, B; Gaffney, SH; Avens, HJ; Madl, AK; Henshaw, J; Lee, RJ; Van Orden, D; Sanchez, M; Zock, M; Paustenbach, DJ. (2014). Evaluation of Take-Home Exposure and Risk Associated with the Handling of Clothing Contaminated with Chrysotile Asbestos. *Risk Anal.* 34: 1448-1468. <http://dx.doi.org/10.1111/risa.12174>.
- Saito, T. (1995). INDIRECT ESTIMATION OF ASBESTOS CONCENTRATION DUE TO VEHICLES IN PARTICULATE MATTER IN THE ATMOSPHERE AND ON ROADS BY PYROLYSIS-GAS CHROMATOGRAPHY. *J Anal Appl Pyrol.* 32: 171-178.
- Saitoh, K; Muto, H; Hachiya, N; Takizawa, Y. (1993). Asbestos body and fiber concentrations in pathological autopsy tissues of patients with malignant peritoneal mesothelioma. *Bull Environ Contam Toxicol.* 50: 325-332.
- Saitoh, K; Takizawa, Y; Muto, H; Hirano, K. (1992). [Concentration and form of asbestos fibers in tap drinking water contaminated from a water supply pipe with asbestos-cement]. *Nippon Eiseigaku Zasshi.* 47: 851-860.
- Sakai, K; Hisanaga, N; Kohyama, N; Shibata, E; Takeuchi, Y. (2001). Airborne fiber concentration and size distribution of mineral fibers in area with serpentinite outcrops in Aichi prefecture, Japan. *Ind Health.* 39: 132-140.
- Sakai, K; Hisanaga, N; Mitani, K; Tsuchiya, H; Ko, T; Shibata, E; Ono, Y; Tanabe, E; Takeuchi, Y. (1990). [Asbestos concentrations in the air of the rooms sprayed with asbestos-containing materials]. *Nippon Koshu Eisei Zasshi.* 37: 109-117.
- Sakai, K; Hisanaga, N; Okuno, M; Kohyama, N; Shinohara, Y; Shibata, E; Kamijima, M; Yamanaka, K; Takeuchi, Y. (1996). [Concentration and fiber size of asbestos in lungs of residents living close to the serpentinite area]. *Nippon Koshu Eisei Zasshi.* 43: 551-562.
- Sakai, K; Hisanaga, N; Shibata, E; Kojima, A; Takeuchi, Y. (1998). [Types and dimensions of mineral fibers in the atmosphere and from lungs of residents in the urban area]. *Nippon Koshu Eisei Zasshi.* 45: 921-933.
- Sakai, K; Kojima, A; Hisanaga, N; Shibata, E; Huang, J; Ono, Y; Takeuchi, Y; Aoki, T; Takagi, H; Ando, T. (1991). [Asbestos concentration and fiber size in lungs of the urban residents]. *Nippon Koshu Eisei Zasshi.* 38: 762-770.
- Sakurai, T; Tagami, S; Takao, S; Baba, Y. (1989). MEASUREMENT OF ASBESTOS CONCENTRATIONS AROUND FACTORIES MANUFACTURING ASBESTOS-CONTAINING PRODUCTS (pp. 382-383). (BIOSIS/90/08400). Sakurai, T; Tagami, S; Takao, S; Baba, Y.
- Salazar, N; Cely-García, MF; Breyse, PN; Ramos-Bonilla, JP. (2015). Asbestos exposure among transmission mechanics in automotive repair shops. *Ann Occup Hyg.* 59: 292-306. <http://dx.doi.org/10.1093/annhyg/meu093>.
- Samet, JM; Marbury, MC; Spengler, JD. (1987). HEALTH-EFFECTS AND SOURCES OF INDOOR AIR-POLLUTION .1. *Am Rev Respir Dis.* 136: 1486-1508.
- Sargent, EN; Boswell, WD; Ralls, PW; Markovitz, A. (1984). Subpleural fat pads in patients exposed to asbestos: distinction from non-calcified pleural plaques. *Radiology.* 152: 273-277. <http://dx.doi.org/10.1148/radiology.152.2.6739783>.
- Sawyer, RN. (1977). Asbestos exposure in a Yale building: analysis and resolution. *Environ Res.* 13: 146-169.
- Sawyer, RN; Rohl, AN; Langer, AM. (1985). Airborne fiber control in buildings during asbestos material removal by amended water methodology. *Environ Res.* 36: 46-55.
- Scarlett, HP; Delzell, E; Sathiakumar, N; Oestenstad, RK; Postlethwait, E. (2010). Exposure to airborne asbestos in Jamaican hospitals. *West Indian Med J.* 59: 668-673.
- Scarlett, HP; Postlethwait, E; Delzell, E; Sathiakumar, N; Oestenstad, RK. (2012). Asbestos in public hospitals: are employees at risk? *J Environ Health.* 74: 22-26.
- Schabath, MB; Spitz, MR; Delclos, GL; Gunn, GB; Whitehead, LW; Wu, X. (2002). Association between asbestos exposure, cigarette smoking, myeloperoxidase (MPO) genotypes, and lung cancer risk. *Am J Ind Med.* 42: 29-37. <http://dx.doi.org/10.1002/ajim.10084>.
- Scheff, PA; Wadden, RA; Bates, BA. (1990). INDOOR AIR POLLUTION (pp. NEW YORK). (BIOSIS/91/08218). Scheff, PA; Wadden, RA; Bates, BA.
- Schillings, R; Goette, P; Viereck-Goette, L; Mergner, HJ. (1991). Indoor examinations of asbestos sources. *Int J Hyg Environ Health.* 192: 171.
- Schmitt, RP; Lindsten, DC; Shannon, TF. (1977). DECONTAMINATING LAKE-SUPERIOR OF ASBESTOS FIBERS. *Environ Sci Technol.* 11: 462-465.
- Schmitz, I; Falkhausen, M; Klemp, G; Muller, KM. (2004). Measuring the concentrations of asbestos fibres in public buildings. *Staub, Reinhaltung der Luft.* 64: 427-434.
- Schneider, J; Brückel, B; Fink, L; Woitowitz, HJ. (2014). Pulmonary fibrosis following household exposure to asbestos dust? *J Occup Med Toxicol.* 9: 39. <http://dx.doi.org/10.1186/s12995-014-0039-0>.
- Schneider, J; Rödelberger, K; Pohlbeln, H; Woitowitz, HJ. (1996). Umwelt-und Innenraum-Gefährdung durch Asbestfaserstaub als Risiko-und Einflussfaktor des diffusen malignen Pleuramesothelioms (DMM). *Zentralblatt fuer Hygiene und Umweltmedizin.* 199: 1-23.
- Schneider, J; Woitowitz, HJ. (1995). [Asbestos-related mesotheliomas in housewives from indoor air pollution] [Review]. *Zentralblatt fuer Hygiene und Umweltmedizin.* 196: 495-503.
- Schonfeld, SJ; McCormack, V; Rutherford, MJ; Schuez, J. (2014). Regional variations in German mesothelioma mortality rates: 2000-2010. *Cancer Causes Control.* 25: 615-624. <http://dx.doi.org/10.1007/s10552-014-0368-4>.
- Schreier, H. (1986). ASBESTOS FIBERS AND ASSOCIATED TRACE METAL TOXICITY IN STREAM WATER (pp. 13-15). (BIOSIS/87/17335). Schreier, H.
- Schreier, H. (1987). ASBESTOS FIBERS INTRODUCE TRACE METALS INTO STREAMWATER AND SEDIMENTS. *Environ Pollut.* 43: 229-242.
- Schreier, H; Northcote, TG; Hall, K. (1987). TRACE METALS IN FISH EXPOSED TO ASBESTOS RICH SEDIMENTS. *Water Air Soil Pollut.* 35: 3-4.
- Schreier, H; Omueti, JA; Lavkulich, LM. (1987). WEATHERING PROCESSES OF ASBESTOS-RICH SERPENTINITIC SEDIMENTS. *Soil Sci Soc Am J.* 51: 993-999.
- Sebastien, P. (1987). Measuring Asbestos Dust in the Environment (pp. 97-108). (NIOSH/00170705). Sebastien, P.
- Sebastien, P; Bignon, J; Martin, M. (1982). Indoor airborne asbestos pollution: from the ceiling and the floor. *Science.* 216: 1410-1413.
- Sekhvatjou, MS; Zangeneh, A. (2011). Asbestos Concentrations and Lung Restrictive Patterns. *International Journal of Environmental Research.* 5: 555-560.
- Selikoff, IJ. (1992). Influence of age at death on accuracy of death certificate disease diagnosis: findings in 475 consecutive deaths of mesothelioma among asbestos insulation workers and asbestos factory workers. *Am J Ind Med.* 22: 505-510.

Exposure Literature Search Results

On Topic

- Selikoff, IJ; Hammond, EC. (1970). Asbestos Bodies in the New York City Population in Two Periods of Time (pp. 99-105). (NIOSH/00045725).
Selikoff, IJ; Hammond, EC.
- Selikoff, IJ; Nicholson, WJ; Langer, AM. (1972). Asbestos air pollution. *Arch Environ Health*. 25: 1-13.
- Sen, D. (2015). Working with asbestos and the possible health risks. *Occup Med (Lond)*. 65: 6-14. <http://dx.doi.org/10.1093/occmed/kqu175>.
- Sengbusch, GV; Hannibalfriedrich, O. (1979). POTENTIAL DAMAGE TO HEALTH AS A RESULT OF EXPOSURE TO ASBESTOS OUTSIDE THE WORKPLACE. *Staub, Reinhaltung der Luft*. 39: 452-456.
- Senyigit, A; Dalgic, A; Kavak, O; Tanrikulu, AC. (2004). Determination of environmental exposure to asbestos (tremolite) and mesothelioma risks in the southeastern region of Turkey. *Arch Environ Health*. 59: 658-662. <http://dx.doi.org/10.1080/00039890409602950>.
- Services, NCHaH. (2009). Health Consultation: Sapphire Valley Gem Mine Naturally Occurring Asbestos Site, Jackson County, North Carolina, September 18, 2009. 95.
- Setton, E; Hystad, P; Poplawski, K; Cheasley, R; Cervantes-Larios, A; Keller, CP; Demers, PA. (2013). Risk-based indicators of Canadians' exposures to environmental carcinogens. *Environ Health*. 12: 15. <http://dx.doi.org/10.1186/1476-069X-12-15>.
- Severson, RK; Harvey, J; Polissar, L. (1981). THE RELATIONSHIP BETWEEN ASBESTOS AND TURBIDITY IN RAW WATER. *J Am Water Works Assoc*. 73: 223-224.
- Shaikh, RA; Satterfield, MH; Kinney, PL. (1994). Airborne Fiber Levels in a Hospital Operations and Maintenance Program. *Appl Occup Environ Hyg*. 9: 811-824.
- Sheehan, P; Brorby, G; Berman, D; Holm, S; Kolk, B; Kolk, A; Floyd, M. (2008). Potential Preparation Artifacts Associated with Historical Preparation of Joint Compound Samples and Reported Airborne Asbestos Concentrations. *Epidemiology*. 19: S271-S271.
- Sheehan, P; Mowat, F; Weidling, R; Floyd, M. (2010). Simulation tests to assess occupational exposure to airborne asbestos from artificially weathered asphalt-based roofing products. *Ann Occup Hyg*. 54: 880-892. <http://dx.doi.org/10.1093/annhyg/meq058>.
- Shepherd, J. R.; Hillerdal, G; Mclarty, J. (1997). Progression of pleural and parenchymal disease on chest radiographs of workers exposed to amosite asbestos. *Occup Environ Med*. 54: 410-415.
- Shongwe, L; Voyi, K. (2006). Relationship between abnormal changes of lung function test and the length of exposure to asbestos dust. *Epidemiology*. 17: S520-S520.
- Sichletidis, L; Chloros, D; Chatzidimitriou, N; Tsiotsios, I; Spyrtatos, D; Patakas, D. (2006). Diachronic study of pleural plaques in rural population with environmental exposure to asbestos. *Am J Ind Med*. 49: 634-641. <http://dx.doi.org/10.1002/ajim.20334>.
- Siesling, S; Damste, HS; Burdorf, A. (2006). Environmental exposure to asbestos increases the risk of mesothelioma in women in the region Goor. *Eur J Epidemiol*. 21: 73-73.
- Sigurdson, EE. (1982). DESCRIPTION AND COMPARISON OF 2 POPULATION-BASED STUDIES OF DULUTH, MINNESOTA, AS A FOLLOW-UP OF ASBESTOS EXPOSURE AND RECOMMENDATIONS FOR FACILITATING SIMILAR STUDIES IN THE FUTURE. *Journal of Environmental Science and Health, Part A: Environmental Science and Engineering and Toxi*. 17: 463-471.
- Sigurdson, EE; Levy, BS; Mandel, J; Mchugh, R; Michienzi, LJ; Jagger, H; Pearson, J. (1981). Cancer morbidity investigations: lessons from the Duluth study of possible effects of asbestos in drinking water. *Environ Res*. 25: 50-61.
- Silver, K. (1979). ASBESTOS IN SCHOOL BUILDINGS RESULTS OF A NATIONWIDE SURVEY (pp. NEW YORK). (HEEP/81/07989). Silver, K.
- Silverstein, MA; Welch, LS; Lemen, R. (2009). Developments in asbestos cancer risk assessment. *Am J Ind Med*. 52: 850-858. <http://dx.doi.org/10.1002/ajim.20756>.
- Singh, B; Thouez, JP. (1983). Ambient air concentration of asbestos fibres, dust content and mortality: the case of Asbestos, Quebec. 2: 343-351.
- Singh, B; Thouez, JP. (1985). AMBIENT AIR CONCENTRATIONS OF ASBESTOS FIBERS NEAR THE TOWN OF ASBESTOS, QUEBEC. *Environ Res*. 36: 144-159.
- Sluiscremer, GK. (1992). PNEUMOCONIOSIS RESEARCH IN SOUTH-AFRICA WITH EMPHASIS ON DEVELOPMENTS IN THE LAST QUARTER CENTURY. *Am J Ind Med*. 22: 591-603.
- Sluis-Cremer, GK. (1991). Asbestos disease at low exposure after long residence time in amphibole miners. *Toxicol Ind Health*. 7: 89-95.
- Sluis-Cremer, GK; Du Toit, RS. (1980). Asbestos-related radiological changes in residents of South African amphibole asbestos mining fields and the fibre counts to which they may have been exposed. *IARC Sci Publ. IARC Scientific Publications No: 559-563*.
- Sluis-Cremer, GK; Liddell, FD; Logan, WP; Bezuidenhout, BN. (1992). The mortality of amphibole miners in South Africa, 1946-80. *Br J Ind Med*. 49: 566-575.
- Smith, IM; Hall, K, enJ; Lavkulich, L, esM; Schreier, H. (2007). Trace metal concentrations in an intensive agricultural watershed in British Columbia, Canada. *J Am Water Resour Assoc*. 43: 1455-1467.
- Soeberg, MJ; Leigh, J; van Zandwijk, N. (2016). Malignant mesothelioma in Australia 2015: Current incidence and asbestos exposure trends. *J Toxicol Environ Health B Crit Rev*. 19: 173-189. <http://dx.doi.org/10.1080/10937404.2016.1194254>.
- Solomon, A; Sluis-Cremer, GK; Thomas, RG; Wright, VM. (1984). Calcified plaques on mediastinal pleural reflections associated with asbestos dust exposure: four case reports. *Am J Ind Med*. 6: 53-57.
- Solomon, SJ; Fischbein, A; Sharma, OK; Borek, E. (1985). Modified nucleosides in asbestos workers at high risk of malignant disease: results of a preliminary study applying discriminant analysis. *Br J Ind Med*. 42: 560-562.
- Spear, TM; Hart, JF; Spear, TE; Loushin, MM; Shaw, NN; Elashhab, MI. (2012). The presence of asbestos-contaminated vermiculite attic insulation or other asbestos-containing materials in homes and the potential for living space contamination. *J Environ Health*. 75: 24-29.
- Spicer, RC; Gangloff, HJ. (2000). A probability model for evaluating building contamination from an environmental event. *Journal of the Air and Waste Management Association*. 50: 1637-1646.

Exposure Literature Search Results

On Topic

- Spirtas, R; Heineman, EF; Bernstein, L; Beebe, GW; Keehn, RJ; Stark, A; Harlow, BL; Benichou, J. (1994). Malignant mesothelioma: attributable risk of asbestos exposure. *Occup Environ Med.* 51: 804-811.
- Spitz, MR; Barnett, MJ; Goodman, GE; Thornquist, MD; Wu, XF; Pollak, M. (2002). Serum insulin-like growth factor (IGF) and IGF-binding protein levels and risk of lung cancer: A case-control study nested in the beta-carotene and retinol efficacy trial cohort. *Cancer Epidemiol Biomarkers Prev.* 11: 1413-1418.
- Sprince, NL; Oliver, LC; Mcloud, TC; Ginns, LC. (1992). T-cell alveolitis in lung lavage of asbestos-exposed subjects. *Am J Ind Med.* 21: 311-319.
- Spurny, K; Marfels, H; Boose, C; Weiss, G; Opiela, H; Wulbeck, FJ. (1988). [Measurement of the fibrous dusts in West Germany. Fiber concentration in the vicinity of objects and buildings with asbestos-containing building materials]. *Zentralbl Bakteriol, Mikrobiol Hyg, Ser B.* 187: 136-141.
- Spurny, K; Marfels, H; Boose, C; Weiss, G; Opiela, H; Wulbeck, FJ. (1988). MEASUREMENTS OF FIBROUS DUSTS IN AMBIENT AIR OF THE FEDERAL-REPUBLIC-OF-GERMANY - AMBIENT AIR CONCENTRATIONS OF ASBESTOS FIBERS IN THE VICINITY OF BUILDINGS WITH ASBESTOS CONTAINING MATERIALS. *Zentralbl Bakteriol Mikrobiol Hyg.* 187: 136-141.
- Spurny, K; Marfels, H; Boose, C; Weiss, G; Opiela, H; Wulbeck, FJ. (1989). ON THE MEASUREMENT OF FIBER EMISSIONS FROM WEATHERED AND CORRODED ASBESTOS-CEMENT-PRODUCTS .1. FIBER RELEASE IN THE AMBIENT AIR. *Zentralblatt fuer Hygiene und Umweltmedizin.* 188: 127-143.
- Spurny, K; Marfels, H; Boose, C; Weiss, G; Opiela, H; Wulbeck, FJ. (1989). ON THE MEASUREMENT OF FIBER EMISSIONS FROM WEATHERED AND CORRODED ASBESTOS-CEMENT-PRODUCTS .2. PHYSICAL AND CHEMICAL-PROPERTIES OF THE RELEASED ASBESTOS FIBERS. *Zentralblatt fuer Hygiene und Umweltmedizin.* 188: 262-270.
- Spurny, KR. (1992). MEASUREMENTS OF FIBROUS DUSTS IN AMBIENT AIR OF THE FEDERAL-REPUBLIC-OF-GERMANY - AMBIENT AIR CONCENTRATIONS OF ASBESTOS FIBERS PRODUCED BY BRAKE LININGS OF AUTOMOBILES. *Zentralblatt fuer Hygiene und Umweltmedizin.* 193: 287-294.
- Spurny, KR. (1993). ANTHROPOGENIC ASBESTOS IN SOILS. *Z Pflanzenernaehr Bodenkd.* 156: 177-180.
- Squance, ML; Guest, M; Reeves, G; Attia, J; Bridgman, H. (2014). Exploring lifetime occupational exposure and SLE flare: a patient-focussed pilot study. 1: e000023. <http://dx.doi.org/10.1136/lupus-2014-000023>.
- Srebro, SH; Roggli, VL. (1994). Asbestos-related disease associated with exposure to asbestiform tremolite. *Am J Ind Med.* 26: 809-819. <http://dx.doi.org/10.1002/ajim.4700260610>.
- Standard Oil Co. of California, SF. (1979). Measurements of Airborne Asbestos in Building One with Cover Letter and Attachment. 189.
- Stayner, L; Welch, LS; Lemen, R. (2013). The worldwide pandemic of asbestos-related diseases [Review]. *Annu Rev Public Health.* 34: 205-216. <http://dx.doi.org/10.1146/annurev-publhealth-031811-124704>.
- Stefani, D; Wardman, D; Lambert, T. (2005). The implosion of the Calgary General Hospital: Ambient air quality issues. *J Air Waste Manag Assoc.* 55: 52-59.
- Su, WH. (1996). Indoor air pollution. *Resour Conservat Recycl.* 16: 77-91.
- Suta, BE; Levine, RJ. (1979). Non-occupational asbestos emissions and exposures. In L Michaels; SS Chissick (Eds.), (pp. 171-205). New York, NY: John Wiley & Sons.
- Szeszenia-Dąbrowska, N; Sobala, W; Świątkowska, B; Stroszejn-Mrowca, G; Wilczyńska, U. (2012). Environmental asbestos pollution -- situation in Poland. *Int J Occup Med Environ Health.* 25: 3-13. <http://dx.doi.org/10.2478/s13382-012-0003-0>.
- Tang, KM; Nace, CG, Jr; Lynes, CL; Maddaloni, MA; Laposta, D; Callahan, KC. (2004). Characterization of background concentrations in upper Manhattan, New York apartments for select contaminants identified in World Trade Center dust. *Environ Sci Technol.* 38: 6482-6490. <http://dx.doi.org/10.1021/es035468r>.
- Tarrés, J; Albertí, C; Martínez-Artés, X; Abós-Herràndiz, R; Rosell-Murphy, M; García-Allas, I; Krier, I; Cantarell, G; Gallego, M; Canela-Soler, J; Orriols, R. (2013). Pleural mesothelioma in relation to meteorological conditions and residential distance from an industrial source of asbestos. *Occup Environ Med.* 70: 588-590. <http://dx.doi.org/10.1136/oemed-2012-101198>.
- Tarter, ME. (1983). ANSWERS TO SOME QUESTIONS RAISED BY THE PRESENTATION ON THE GRAPHICAL ANALYSIS OF THE INTERRELATIONSHIPS BETWEEN WATERBORNE ASBESTOS, DIGESTIVE-SYSTEM CANCER AND POPULATION-DENSITY. *Environ Health Perspect.* 53: 193-194.
- Tarter, ME; Cooper, RC; Freeman, WR. (1983). A graphical analysis of the interrelationships among waterborne asbestos, digestive system cancer and population density. *Environ Health Perspect.* 53: 79-89.
- Teichert, U. (1986). IMMISSION THROUGH ASBESTOS CEMENT PRODUCTS .1. Staub, Reinhaltung der Luft. 46: 432-434.
- Teichert, U. (1986). IMMISSION THROUGH ASBESTOS CEMENT PRODUCTS .2. Staub, Reinhaltung der Luft. 46: 484-486.
- Teirstein, AS; Chahinian, P; Goldsmith, SJ; Sorek, M. (1986). Gallium scanning in differentiating malignant from benign asbestos-related pleural disease. *Am J Ind Med.* 9: 487-494.
- Teresa Sanchez-Cabo, M, a. (2009). Normative Spanish and technical guide of Royal Decree 396/2006. *Dyna.* 84: 347-352.
- Terracini, B; Mirabelli, D. (2016). Asbestos and product defence science [Editorial]. *Int J Epidemiol.* 45: 614-618. <http://dx.doi.org/10.1093/ije/dyw136>.
- Thornburg, J. (2011). A Validated Approach for Assessing Exposure to Asbestos in Soil. *Epidemiology.* 22: S71-S72.
- Tian, L, in; Ahmadi, G. (2016). Transport and deposition of nano-fibers in human upper tracheobronchial airways. *J Aerosol Sci.* 91: 22-32. <http://dx.doi.org/10.1016/j.jaerosci.2015.09.002>.
- Tilkes, F. (1985). INVESTIGATION OF CYTOTOXICITY OF RESPIRABLE FIBERS FROM ASBESTOS-CEMENT PRODUCTS (pp. 16-17). (ISSN 0174-3015; BIOSIS/86/24697). Tilkes, F.
- Tilkes, F; Beck, EG. (1988). INVESTIGATIONS OF THE CYTOTOXICITY AND CARCINOGENICITY OF INHALABLE FIBERS FROM ASBESTOS CEMENT PRODUCTS (pp. 7-10). (ISSN 0174-3015; BIOSIS/89/08875). Tilkes, F; Beck, EG.

Exposure Literature Search Results

On Topic

- Toft, P; Meek, ME. (1983). ASBESTOS IN DRINKING-WATER - A CANADIAN VIEW. *Environ Health Perspect.* 53: 177-180.
- Toft, P; Meek, ME; Wigle, DT; Meranger, JC. (1984). ASBESTOS IN DRINKING-WATER. 14: 151-197.
- Toft, P; Wigle, DT; Meranger, JC; Mao, Y. (1981). Asbestos and drinking water in Canada. *Sci Total Environ.* 18: 77-89.
- Tomasson, K; Gudmundsson, G; Briem, H; Rafnsson, V. (2016). Malignant mesothelioma incidence by nation-wide cancer registry: a population-based study. 11: 37. <http://dx.doi.org/10.1186/s12995-016-0127-4>.
- Tossavainen, A; Kovalevsky, E; Vanhala, E; Tuomi, T. (2000). Pulmonary mineral fibers after occupational and environmental exposure to asbestos in the Russian chrysotile industry. *Am J Ind Med.* 37: 327-333.
- Trivedi, AK; Ahmad, I; Musthapa, MS; Ansari, FA; Rahman, Q. (2004). Environmental contamination of chrysotile asbestos and its toxic effects on growth and physiological and biochemical parameters of *Lemna gibba*. *Arch Environ Contam Toxicol.* 47: 281-289. <http://dx.doi.org/10.1007/s00244-004-3161-7>.
- Turci, F; Colonna, M; Tomatis, M; Mantegna, S; Cravotto, G; Fubini, B. (2010). New detoxification processes for asbestos fibers in the environment. *J Toxicol Environ Health A.* 73: 368-377. <http://dx.doi.org/10.1080/15287390903442678>.
- Turci, F; Favero-Longo, SE; Gazzano, C; Tomatis, M; Gentile-Garofalo, L; Bergamini, M. (2016). Assessment of asbestos exposure during a simulated agricultural activity in the proximity of the former asbestos mine of Balangero, Italy. *J Hazard Mater.* 308: 321-327. <http://dx.doi.org/10.1016/j.jhazmat.2016.01.056>.
- Turi, E; Tidei, F; Paoletti, L. (1993). [Asbestos exposure on board ships: a study of the environmental situation on 2 classes of ferryboats]. *Med Lav.* 84: 201-210.
- Turner, S; Binnie, PWH. (1990). An indoor air quality survey of twenty-six Swiss office buildings.
- U.S. EPA. (1990). Superfund Record of Decision (EPA Region 9): Coalinga Asbestos Mine, Fresno County, CA. (Second Remedial Action), September 1990. 66.
- U.S. EPA. (1991). Superfund Record of Decision (EPA Region 2): Asbestos Dump, New Vernon Road and White Bridge Road Sites, Passaic Township, Meyersville, NJ. (Second Remedial Action), September 1991. 68.
- Upton, AC; Shaikh, RA. (1995). Asbestos exposures in public and commercial buildings. *Am J Ind Med.* 27: 433-437; discussion 439-441.
- Van den Borre, L; Deboosere, P. (2014). Asbestos in Belgium: an underestimated health risk. The evolution of mesothelioma mortality rates (1969-2009). *Int J Occup Environ Health.* 20: 134-140. <http://dx.doi.org/10.1179/2049396714Y.0000000058>.
- Van Der walt, JJ. (2009). A model to determine nonoccupational human exposure to crocidolite asbestos fibers in the Northern Cape, South Africa. *Physical Geography.* 30: 79-87. <http://dx.doi.org/10.2747/0272-3646.30.1.79>.
- van Orden, DR; Lee, RJ; Bishop, KM; Kahane, D; Morse, R. (1995). Evaluation of ambient asbestos concentrations in buildings following the Loma Prieta earthquake. *Regul Toxicol Pharmacol.* 21: 117-122.
- Varga, C. (2000). Asbestos fibres in drinking water: are they carcinogenic or not? *Med Hypotheses.* 55: 225-226. <http://dx.doi.org/10.1054/mehy.2000.1049>.
- Verma, DK; Middleton, CG. (1980). Occupational exposure to asbestos in the drywall taping process. *Am Ind Hyg Assoc J.* 41: 264-269. <http://dx.doi.org/10.1080/15298668091424726>.
- Vezencev, AI; Nejman, SM; Naumova, LN. (1998). Chrysotile asbestos emission from asbestos cement. *Bezopasnost' Truda v Promyshlennosti. truda v promyshlennosti 1998:* 40-44.
- Viani, A; Gualtieri, AF; Secco, M; Peruzzo, L; Artioli, G; Cruciani, G. (2013). Crystal chemistry of cement-asbestos. *Am Mineral.* 98: 1095-1105. <http://dx.doi.org/10.2138/am.2013.4347>.
- Vigliani, EC. (1969). [Criteria for the determination of maximum tolerable concentration of silica and asbestos in the air]. *Med Lav.* 60: 85-89.
- Vigliani, EC; Rendal, RE; Patroni, M; Skikne, M; Occella, E; Ellis, P. (1976). Presence and identification of fibres in the atmosphere of Milan. *Med Lav.* 67: 551-567.
- Villeda-Cuevas, D; Quintero-Casas, D; Rivera-Rosales, RM; Eguía-Aguilar, P; Perezpeña-Diazconti, M; Arenas-Huertero, F. (2012). Elemental composition of ferruginous bodies and occupational categories: analyses and case studies in Mexico. *Inhal Toxicol.* 24: 201-212. <http://dx.doi.org/10.3109/08958378.2012.657307>.
- Vrancic, T. (2008). Remedial activities at the asbestos polluted areas in Solin and Ploce. 60: 569-574.
- Vudrag, M; Rihtar, TK; Vegnuti, M. (2010). Mesothelioma risk associated with asbestos production in Slovenia. *Arh Hig Rada Toksikol.* 61: 45-52. <http://dx.doi.org/10.2478/10004-1254-61-2010-1939>.
- Wachowski, L; Domka, L. (2000). Sources and effects of asbestos and other mineral fibres present in ambient air. *Pol J Environ Stud.* 9: 443-454.
- Wagman, J. (1979). PRESUMPTIVE IDENTIFICATION OF ASBESTOS IN URBAN AIR - DISCUSSION. *Sci Total Environ.* 13: 91-91.
- Walker, AM; Loughlin, JE; Friedlander, ER; Rothman, KJ; Dreyer, NA. (1983). Projections of asbestos-related disease 1980-2009. *J Occup Med.* 25: 409-425.
- Walter, GP. (1984). ASBESTOS IN DRINKING WATER. (EPIDEM/008535). Walter, GP.
- Wang, LI; Neuberg, D; Christiani, DC. (2004). Asbestos exposure, Manganese Superoxide Dismutase (MnSOD) genotype, and lung cancer risk. *J Occup Environ Med.* 46: 556-564. <http://dx.doi.org/10.1097/01.jom.0000128155.86648.a4>.
- Wang, X; Araki, S; Yano, E; Wang, M; Wang, Z. (1995). Effects of smoking on respiratory function and exercise performance in asbestos workers. *Ind Health.* 33: 173-180.
- Weaver, PC. (2008). Interim Letter Report Verification Survey of 19 Grids in the Lester Flat Area, David Witherspoon, Inc. 1630 Site, Knoxville, Tennessee (pp. 11). (NTIS/02990088_a). Weaver, PC.
- Weaver, PC. (2008). Interim Letter Report Verification Survey of Partial Grids H19, J21, J22, X20, and X21 at the David Witherspoon, Inc., 1630 Site Knoxville, Tennessee (pp. 10). (NTIS/02990092_a). Weaver, PC.

Exposure Literature Search Results

On Topic

- Weaver, PC. (2008). Verification Survey of Partial Grid E9 at the David Witherspoon, Inc., 1630 Site Knoxville, Tennessee. Interim Letter Report (pp. 6). (NTIS/02990091_a). Weaver, PC.
- Weaver, PC. (2009). Verification Survey of Final Grids at the David Witherspoon, Inc. 1630 Site Knoxville, Tennessee (pp. 22). (NTIS/02990089_a). Weaver, PC.
- Webber, JS; Covey, J. R. (1991). ASBESTOS IN WATER. *Critical Reviews in Environmental Control*. 21: 331-371.
- Webber, JS; Covey, J. R.; King, MV. (1989). ASBESTOS IN DRINKING-WATER SUPPLIED THROUGH GROSSLY DETERIORATED AC PIPE. *J Am Water Works Assoc*. 81: 80-85.
- Webber, JS; Jackson, KW; Parekh, PP; Bopp, RF. (2004). Reconstruction of a century of airborne asbestos concentrations. *Environ Sci Technol*. 38: 707-714. <http://dx.doi.org/10.1021/es034479h>.
- Webber, JS; Janulis, R; Syrotynski, S. (1990). EXAMINING PLAY SAND PRODUCTS FOR ASBESTOS CONTAMINATION. *Bull Environ Contam Toxicol*. 45: 486-494.
- Webber, JS; Syrotynski, S; King, MV. (1988). ASBESTOS-CONTAMINATED DRINKING-WATER - ITS IMPACT ON HOUSEHOLD AIR. *Environ Res*. 46: 153-167.
- Wei, B; Jia, X; Ye, B; Yu, J; Zhang, B; Zhang, X; Lu, R; Dong, T; Yang, L. (2012). Impacts of land use on spatial distribution of mortality rates of cancers caused by naturally occurring asbestos. *J Expo Sci Environ Epidemiol*. 22: 516-521. <http://dx.doi.org/10.1038/jes.2012.63>.
- Wei, B; Yang, L; Zhang, X; Zhang, B; Yu, J; Jia, X. (2012). Airborne Crocidolite Asbestos Fibers in Indoor and Outdoor Air in a Rural Area, China. *Aerosol Air Qual Res*. 12: 1282-1288. <http://dx.doi.org/10.4209/aaqr.2011.08.0121>.
- Wei, B; Ye, B; Yu, J; Jia, X; Zhang, B; Zhang, X; Lu, R; Dong, T; Yang, L. (2013). Concentrations of asbestos fibers and metals in drinking water caused by natural crocidolite asbestos in the soil from a rural area. *Environ Monit Assess*. 185: 3013-3022. <http://dx.doi.org/10.1007/s10661-012-2768-9>.
- Weideborg, M; A-I, R. (1989). MIXING SURFACE WATER AND GROUNDWATER IN A SMALL NORWEGIAN WATERWORK INFLUENCE ON WATER QUALITY AND CORROSION IN THE DISTRIBUTION SYSTEM. *Vatten*. 45: 9-15.
- Welch, LS; Acherman, YIZ; Haile, E; Sokas, RK; Sugarbaker, PH. (2005). Asbestos and peritoneal mesothelioma among college-educated men. *Int J Occup Environ Health*. 11: 254-258. <http://dx.doi.org/10.1179/107735205800245975>.
- Welsh, DE. (2007). Asbestos exposure during an abatement project. *J Occup Environ Hyg*. 4: D7-D9. <http://dx.doi.org/10.1080/15459620601098485>.
- Wesolowski, JJ; Stanley, R; Smith, G; Carpenter, L; Berne, A. (1975). Asbestos Measurements In The California Environment (pp. 1729-1737). (NIOSH/00156339). Wesolowski, JJ; Stanley, R; Smith, G; Carpenter, L; Berne, A.
- WHO. (1997). Assessment of exposure to indoor air pollutants [Review]. 78: iii-xii, 1-139.
- Whysner, J; Covello, VT; Kuschner, M; Rifkind, AB; Rozman, KK; Trichopoulos, D; Williams, GM. (1994). ASBESTOS IN THE AIR OF PUBLIC BUILDINGS - A PUBLIC-HEALTH RISK [Review]. *Prev Med*. 23: 119-125. <http://dx.doi.org/10.1006/pmed.1994.1017>.
- Wigle, DT. (1977). Cancer mortality in relation to asbestos in municipal water supplies. *Arch Environ Occup Health*. 32: 185-190.
- Williams, RL; Muhlbaier, JL. (1982). Asbestos brake emissions. *Environ Res*. 29: 70-82.
- Wilmoth, RC; Powers, TJ; Millette, JR. (1988). Observations on Studies Useful to Asbestos O and M Activities. (NIOSH/00192908). Wilmoth, RC; Powers, TJ; Millette, JR.
- Wilmoth, RC; Powers, TJ; Millette, JR. (1991). Observations on studies useful to asbestos O&M activities. *Microscope*. 39: 299-312.
- Wilmoth, RC; Taylor, MS; Meyer, BE. (1994). Asbestos Release from the Demolition of Two Schools in Fairbanks, Alaska. 12.
- Woodhead, AD; Setlow, RB; Pond, V. (1983). THE EFFECTS OF CHRONIC EXPOSURE TO ASBESTOS FIBERS IN THE AMAZON MOLLY POECILIA-FORMOSA. *Environ Int*. 9: 173-176.
- Woźniak, H; Wiecek, E; Dobrucka, D; Pelc, W; Bielichowska-Cybula, G; Król, M; Opalska, B. (1992). [Various ecological problems related to mining and processing of serpentine. Evaluation of non-occupational exposure of the population of Nasławice to fibrous mineral dust]. *Med Pr*. 43: 235-243.
- Wozniak, H; Wiecek, E; Makowski, A; Gadalska, D; Jakobczyk, L; Maciejewska, A; Opalska, B. (1991). Occupational and non-occupational exposure to natural mineral fibres in the "Szkłary" metallurgical plant. *Med Pr*. 42: 127-135.
- Woźniak, H; Wiecek, E; Pelc, W; Dobrucka, D; Król, M; Opalska, B. (1994). [Respirable mineral fibers in atmospheric air of Wrocław]. *Med Pr*. 45: 239-247.
- Wraith, D; Mengersen, K. (2007). Assessing the combined effect of asbestos exposure and smoking on lung cancer: a Bayesian approach. *Stat Med*. 26: 1150-1169. <http://dx.doi.org/10.1002/sim.2602>.
- Wright, WE; Sherwin, RP; Dickson, EA; Bernstein, L; Fromm, JB; Henderson, BE. (1984). Malignant mesothelioma: incidence, asbestos exposure, and reclassification of histopathology. *Br J Ind Med*. 41: 39-45.
- Xu, X; Kelsey, KT; Wiencke, JK; Wain, JC; Christiani, DC. (1996). Cytochrome P450 CYP1A1 MspI polymorphism and lung cancer susceptibility. *Cancer Epidemiol Biomarkers Prev*. 5: 687-692.
- Yada, K; Kohyama, N. (2009). Microstructures and biological influence of environmental exposure of asbestos [Review]. *Biomed Mater Eng*. 19: 231-239. <http://dx.doi.org/10.3233/BME-2009-0585>.
- Yamada, H; Hashimoto, H; Akiyama, M; Kawabata, Y; Iwai, K. (1997). Talc and amosite/crocidolite preferentially deposited in the lungs of nonoccupational female lung cancer cases in urban areas of Japan. *Environ Health Perspect*. 105: 504-508.
- Yang, HY; Wishart, J; Yang, YY; Lumeng, J; Paik, YK. (1998). A quantitative study of environmental asbestos exposure in Honolulu. *Hawaii Med J*. 57: 536-539.
- Yano, E; Wang, ZM; Wang, XR; Wang, MZ; Takata, A; Kohyama, N; Suzuki, Y. (2009). Mesothelioma in a worker who spun chrysotile asbestos at home during childhood. *Am J Ind Med*. 52: 282-287. <http://dx.doi.org/10.1002/ajim.20675>.

Exposure Literature Search Results

On Topic

- Yoon, C; Lee, K; Park, D. (2011). Indoor air quality differences between urban and rural preschools in Korea. *Environ Sci Pollut Res Int.* 18: 333-345. <http://dx.doi.org/10.1007/s11356-010-0377-0>.
- Yu, IJ; Moon, YH; Sakai, K; Hisanaga, N; Park, JD; Takeuchi, Y. (1998). Asbestos and non-asbestos fiber content in lungs of Korean subjects with no known occupational asbestos exposure history. *Environ Int.* 24: 293-300.
- Zeren, EH; Gümürdülü, D; Roggli, VL; Zorludemir, S; Erkisi, M; Tuncer, I. (2000). Environmental malignant mesothelioma in southern Anatolia: A study of fifty cases. *Environ Health Perspect.* 108: 1047-1050.
- Zielhuis, RL. (1979). Public health risks of exposure to asbestos. Report of a Working Group. (HEEP/79/11632). Zielhuis, RL.
- Zielina, M; Dabrowski, W; Lang, T. (2007). Assessing the risk of corrosion of asbestos-cement pipes in Krakow's water supply network. *Environ Protect Eng.* 33: 17-26.
- Zirschky, J. (1996). Take-home toxin pathway. *J Environ Eng.* 122: 430-436.
- Zitting, AJ; Karjalainen, A; Impivaara, O; Kuusela, T; Mäki, J; Tossavainen, A; Järvisalo, J. (1996). Radiographic small lung opacities and pleural abnormalities in relation to smoking, urbanization status, and occupational asbestos exposure in Finland. *J Occup Environ Med.* 38: 602-609.
- Zona, A; Fazzo, L; De Santis, M; Bellino, M; Bruno, C; Comba, P. (2010). ASBESTOS-RELATED MORTALITY IN ITALIAN POLLUTED SITES. *Epidemiol Prev.* 34: 139-140.
- Zumwalde, RD. (1973). Asbestos Survey of Federal Office Building No. 7, U.S. Court of Claims and Court of Customs and Patent Appeals Building Washington, D.C. and George H. Fallon Office Building Baltimore, Maryland. (NIOSH/00073682). Zumwalde, RD.

Exposure Literature Search Results

Off Topic

- A-AM, K; El Khafif, M; Koraah, S; Massoud, A; J-F, C. (1992). Blood Superoxide Dismutase and Plasma Malondialdehyde among Workers Exposed to Asbestos. *Am J Ind Med.* 21: 353-361.
- Abakay, A; Tanrikulu, AC; Imamoglu, MS; Ayhan, M; Taylan, M; Kaplan, MA; Abakay, O. (2016). Erratum to: High-risk mesothelioma relation to meteorological and geological condition and distance from naturally occurring asbestos [Erratum]. *Environ Health Prev Med.* 21: 91. <http://dx.doi.org/10.1007/s12199-016-0508-4>.
- Abbaszadegan, M; Yi, M; Alum, A. (2015). Stimulation of 2-methylisoborneol (MIB) production by actinomycetes after cyclic chlorination in drinking water distribution systems. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 50: 365-371. <http://dx.doi.org/10.1080/10934529.2015.987526>.
- Abbott, RN; Burnham, CW. (1991). ENERGY CALCULATIONS BEARING ON BIOPYRIBOLES. *Am Mineral.* 76: 728-732.
- Abejie, BA; Chung, EH; Nesto, RW; Kales, SN. (2008). Grand rounds: asbestos-related pericarditis in a boiler operator. *Environ Health Perspect.* 116: 86-89. <http://dx.doi.org/10.1289/ehp.10354>.
- Abejie, BA; Wang, X; Kales, SN; Christiani, DC. (2010). Patterns of pulmonary dysfunction in asbestos workers: a cross-sectional study. *J Occup Med Toxicol.* 5: 12. <http://dx.doi.org/10.1186/1745-6673-5-12>.
- Abell, M. (1989). X-Ray Powder Diffraction (pp. 214-218). (NIOSH/00205582). Abell, M.
- Abell, MT. (1988). Quality Audit Samples and the Asbestos Analyst Registry. *Appl Ind Hyg.* 3.
- Abell, MT; Doemeny, LJ. (1991). MONITORING THE PERFORMANCE OF OCCUPATIONAL-HEALTH LABORATORIES. *Am Ind Hyg Assoc J.* 52: 336-339.
- Abeysondra, UGY; Babel, S; Gheewala, S. (2007). A decision making matrix with life cycle perspective of materials for roofs in Sri Lanka. *Materials & Design.* 28: 2478-2487. <http://dx.doi.org/10.1016/j.matdes.2006.09.011>.
- Abraham, JL. (1994). Asbestos inhalation, not asbestosis, causes lung cancer. *Am J Ind Med.* 26: 839-842.
- Abzalov, MZ. (1998). Chrome spinels in gabbro wehrlite intrusions of the Pechenga area, Kola Peninsula, Russia: emphasis on alteration features. *Lithos.* 43: 109-134.
- Acheson, ED; Gardner, MJ. (1979). Mesothelioma and exposure to mixtures of chrysotile and amphibole asbestos. *Arch Environ Health.* 34: 240-242.
- Acheson, ED; Gardner, MJ; Pippard, EC; Grime, LP. (1982). Mortality of 2 groups of women who manufactured gas masks from chrysotile and crocidolite asbestos: A 40-year follow-up. *Br J Ind Med.* 39: 344-348.
- Acheson, ED; Gardner, MJ; Winter, PD; Bennett, C. (1984). Cancer in a factory using amosite asbestos. *Int J Epidemiol.* 13: 3-10.
- acirc; Ery, M; Possoz, C; Kauffer, E. (1997). Occupational exposure of asbestos removal workers. *Cahiers de notes documentaires. Hygi and aacute:* 217-224.
- Acosta-Gongora, P; Gleeson, SA; Samson, IM; Ootes, L; Corriveau, L. (2015). Gold Refining by Bismuth Melts in the Iron Oxide-Dominated NICO Au-Co-Bi (+/- Cu +/- W) Deposit, NWT, Canada. *Econ Geol.* 110: 291-314.
- Adachi, S; Kawamura, K; Kimura, K; Takemoto, K. (1992). Tumor incidence was not related to the thickness of visceral pleural in female Syrian hamsters intratracheally administered amphibole asbestos or manmade fibers. *Environ Res.* 58: 55-65.
- Adachi, S; Kawamura, K; Takemoto, K. (2001). A trial on the quantitative risk assessment of man-made mineral fibers by the rat intraperitoneal administration assay using the JFM standard fibrous samples. *Ind Health.* 39: 168-174. <http://dx.doi.org/10.2486/indhealth.39.168>.
- Adachi, S; Kawamura, K; Yoshida, S; Takemoto, K. (1992). OXIDATIVE DAMAGE ON DNA INDUCED BY ASBESTOS AND MAN-MADE FIBERS INVITRO. *Int Arch Occup Environ Health.* 63: 553-557.

Exposure Literature Search Results

Off Topic

- Adachi, S; Takemoto, K; Kimura, K. (1991). Tumorigenicity of fine man-made fibers after intratracheal administrations to hamsters. *Environ Res.* 54: 52-73.
- Adamis, Z; Kerényi, T; Honma, K; Jäckel, M; Tátrai, E; Ungváry, G. (2001). Study of inflammatory responses to crocidolite and basalt wool in the rat lung. *J Toxicol Environ Health A.* 62: 409-415. <http://dx.doi.org/10.1080/152873901300018174>.
- Adamis, Z; Krass, BK. (1991). Studies on the Cytotoxicity of Ceramic Respirable Dusts Using In Vitro and In Vivo Test Systems. *Ann Occup Hyg.* 35: 469-483.
- Adamis, Z; Tatrai, E; Honma, K; Six, E; Ungvary, G. (2000). In vitro and in vivo tests for determination of the pathogenicity of quartz, diatomaceous earth, mordenite and clinoptilolite. *Ann Occup Hyg.* 44: 67-74. [http://dx.doi.org/10.1016/S0003-4878\(99\)00054-X](http://dx.doi.org/10.1016/S0003-4878(99)00054-X).
- Adams, DT; Langer, WH; Hoefen, TM; Vangosen, BS; Meeker, GP. (2010). Examination of Libby, Montana, Fill Material for Background Levels of Amphibole from the Rainy Creek Complex Using Scanning Electron Microscopy and X-Ray Microanalysis. 13.
- Adamson, I; Prieditis, H. (1995). Response of mouse lung to carbon deposition during injury and repair. *Environ Health Perspect.* 103: 72-76.
- Adamson, IY; Prieditis, H; Hedgecock, C. (1995). Pulmonary response of mice to fiberglass: cytokinetic and biochemical studies. *J Toxicol Environ Health.* 46: 411-424. <http://dx.doi.org/10.1080/15287399509532046>.
- Adamson, IYR. (1997). Early mesothelial cell proliferation after asbestos exposure: In vivo and in vitro studies. *Environ Health Perspect.* 105: 1205-1208. <http://dx.doi.org/10.2307/3433533>.
- Adamus, J; Sniegowski, A. (1990). Fibres in Lower Silesia Hard Coal Mines Respirable Dusts. *Ann Occup Hyg.* 34: 91-95.
- Addison, J; Davies, LST. (1990). ANALYSIS OF AMPHIBOLE ASBESTOS IN CHRYSOTILE AND OTHER MINERALS. *Ann Occup Hyg.* 34: 159-&.
- Addley, K; Mckeagney, P. (2012). The RMS Titanic. *Occup Med (Lond).* 62: 165-166. <http://dx.doi.org/10.1093/occmed/kqs015>.
- Adebayo, GA; Zhanabergenov, Z, h; Emazarov, U; Badmus, BS; Anusionwu, BC. (2014). First principles study of electronic structure, structural and optical properties of Mg₃Si₂O₅(OH)₄. *Appl Clay Sci.* 93-94: 8-11. <http://dx.doi.org/10.1016/j.clay.2014.03.003>.
- Adee, RR; Laidler, JJ. (1973). Subcellular identification of exogenous particles by high-voltage electron microscopy. *Am Ind Hyg Assoc J.* 34: 507-511.
- Adeli, M; Beyranvand, S; Hamid, M. (2012). Noncovalent interactions between linear-dendritic copolymers and carbon nanotubes lead to liposome-like nanocapsules. *J Mater Chem.* 22: 6947-6952. <http://dx.doi.org/10.1039/c2jm16919c>.
- Adeniyi, IF; Olabanji, IO. (2005). The physico-chemical and bacteriological quality of rainwater collected over different roofing materials in Ile-Ife, Southwestern Nigeria. *Chem Ecol.* 21: 149-166. <http://dx.doi.org/10.1080/02757540500117318>.
- Adesanya, DA. (1996). Evaluation of blended cement mortar, concrete and stabilized earth made from ordinary Portland cement and corn cob ash. *Construction and Building Materials.* 10: 451-456.
- Adib, G; Labrèche, F; De Guire, L; Dion, C; Dufresne, A. (2013). Short, fine and WHO asbestos fibers in the lungs of quebec workers with an asbestos-related disease. *Am J Ind Med.* 56: 1001-1014. <http://dx.doi.org/10.1002/ajim.22180>.
- Adolfsson, K; Schneider, M; Hammarin, G; Häcker, U; Prinz, CN. (2013). Ingestion of gallium phosphide nanowires has no adverse effect on *Drosophila* tissue function. *Nanotechnology.* 24: 285101. <http://dx.doi.org/10.1088/0957-4484/24/28/285101>.
- Adomeit, W. (1991). CENTRAL ASBESTOS DISPOSAL PLANT. *Staub, Reinhaltung der Luft.* 51: 341-343.
- Afanas'ev, AI; Lyaptsev, SA; Potapov, VY, a. (2013). Characteristics of Asbestos-Containing Rock and the Selection of Efficient Parameters of Equipment for their Separation. *Refractories and Industrial Ceramics.* 54: 281-284. <http://dx.doi.org/10.1007/s11148-013-9592-9>.
- Agassi, M; Levy, GJ. (1991). STONE-COVER AND RAIN INTENSITY - EFFECTS ON INFILTRATION, EROSION AND WATER SPLASH. *Aust J Soil Res.* 29: 565-575.
- Agemar, T; Worner, G; Heumann, A. (1999). Stable isotopes and amphibole chemistry on hydrothermally altered granitoids in the North Chilean Precordillera: a limited role for meteoric water? *Contributions to Mineralogy and Petrology.* 136: 331-344.
- Agency, EP. (1985). ASBESTOS WASTE MANAGEMENT GUIDANCE-GENERATION, TRANSPORT, DISPOSAL (pp. U). (HMTC/85/0004116). Environmental Protection Agency.
- Agopyan, V; Savastano, H; John, VM; Cincotto, MA. (2005). Developments on vegetable fibre-cement based materials in Sao Paulo, Brazil: an overview. *Cement and Concrete Composites.* 27: 527-536. <http://dx.doi.org/10.1016/j.cemconcomp.2004.09.004>.
- Agranier, A; Lee, CTA; Li, ZXA; Leeman, WP. (2007). Fluid-mobile element budgets in serpentinized oceanic lithospheric mantle: Insights from B, As, Li, Pb, PGEs and os isotopes in the feather river Ophiolite, California. *Chem Geol.* 245: 230-241. <http://dx.doi.org/10.1016/j.chemgeo.2007.08.008>.
- Agrinier, P; Mevel, C; Bosch, D; Javoy, M. (1993). METASOMATIC HYDROUS FLUIDS IN AMPHIBOLE PERIDOTITES FROM ZABARGAD ISLAND (RED-SEA). *Earth Planet Sci Lett.* 120: 187-205.
- Aguilar, M; Aguilar, CG. (2001). Comments on the reconstruction of asbestos exposure in cases of pleural mesothelioma in Mexico. *Salud Publica Mex.* 43: 263-264.
- Aguilar Madrid, G. (2001). [Reconstruction of the exposure to asbestos in cases of pleural mesothelioma in Mexico] [Letter]. *Salud Publica Mex.* 43: 263-265.
- Aguilar Madrid, G; Beaudry, M; Bell, W; Bowes, D; Brophy, J; Burdorf, A; Carlsten, C; Castleman, B; Chaturvedi, S; Conti, ME; Corra, L; Corrêa Filho, HR; Cranor, CF; Cullen, E; Dalvie, A; Dickson, RC; Digon, A; Egilman, D; Eisner Falvo, C; Fischer, E; Frank, AL; Frank, E; Gee, D; Giannasi, F; Goldstein, BD; Greenberg, M; Guidotti, TL; Harris, WA; Hindry, M; Houlson, A; Hu, H; Huff, J; Infante, PF; Thambyappa, J; Juarez Perez, CA; Jeebhay, MF; Joshi, TK; Keith, M; Keyserlingk, J. R.; Khatler, K; King, D; Kodeih, N; Kristensen, J; Kulsomboon, V; Landrigan, PJ; Lee, CW; Leigh, J; Lemen, RA; Lippman, A; London, L; Matzopoulos, R; Mcculloch, J; Mcdiarmid, MA; Mehrdad, R; Mirabelli, D; Moshhammer, H; Notebaert, É; Nycz, Z; Oberta, AF; O'Connor, J; O'Neill, R; Orris, P; Ozonoff, D; Paek, D; Rickard, C; Rodriguez, EJ; Sass, J; Sentes, KE; Simpson, IM; Soffritti, M; Soskolne, CL; Sparling, SP; Spiegel, J; Takahashi, K; Takaro, TK; Terracini, B; Thébaud-Mony, A; Trosic, I; Turcotte, F; Vakil, C; Van Der Walt, A; Waterman, YR; Watterson, A; Wegman, DH; Welch, LS; Weiss, SH;

Exposure Literature Search Results

Off Topic

- Winston, R; Yassi, A. (2013). Statement in response to asbestos industry efforts to prevent a ban on asbestos in Pakistan: chrysotile asbestos use is not safe and must be banned [Letter]. *Arch Environ Occup Health*. 68: 243-249. <http://dx.doi.org/10.1080/19338244.2013.780807>.
- Aguilar-Madrid, G; Robles-Perez, E; Arturo Juarez-Perez, C; Alvarado-Cabrero, I; Gerardo Rico-Mendez, F; Javier, KG. (2010). Case-Control Study of Pleural Mesothelioma in Workers With Social Security in Mexico. *Am J Ind Med*. 53: 241-251. <http://dx.doi.org/10.1002/ajim.20780>.
- Ahmad, I; Siddiqui, H; Akhtar, MJ; Khan, MI; Patil, G; Ashquin, M; Patel, DK; Arif, JM. (2011). Toxic responses in primary rat hepatocytes exposed with occupational dust collected from work environment of bone-based industrial unit. *Chemosphere*. 83: 455-460. <http://dx.doi.org/10.1016/j.chemosphere.2010.12.074>.
- Ahmad, M; Bajahlan, AS. (2009). Quality comparison of tap water vs. bottled water in the industrial city of Yanbu (Saudi Arabia). *Environ Monit Assess*. 159: 1-14. <http://dx.doi.org/10.1007/s10661-008-0608-8>.
- Ahmed, AF; Hoa, SV. (2012). Thermal insulation by heat resistant polymers for solid rocket motor insulation. *Journal of Composite Materials*. 46: 1549-1559. <http://dx.doi.org/10.1177/0021998311418850>.
- Ahmed, AH; Gharib, ME; Arai, S. (2012). Characterization of the thermally metamorphosed mantle-crust transition zone of the Neoproterozoic ophiolite at Gebel Mudarjaj, south Eastern Desert, Egypt. *Lithos*. 142: 67-83. <http://dx.doi.org/10.1016/j.lithos.2012.02.014>.
- Ahn, JH; Buseck, PR. (1991). MICROSTRUCTURES AND FIBER-FORMATION MECHANISMS OF CROCIDOLITE ASBESTOS. *Am Mineral*. 76: 1467-1478.
- Ahn, JH; Cho, M; Jenkins, DM; Buseck, PR. (1991). STRUCTURAL DEFECTS IN SYNTHETIC TREMOLITIC AMPHIBOLES. *Am Mineral*. 76: 1811-1823.
- Ahn, YS; Kang, SK. (2009). Asbestos-related occupational cancers compensated under the Industrial Accident Compensation Insurance in Korea. *Ind Health*. 47: 113-122.
- Ahrenholz, SH. (1986). Health Hazard Evaluation Report No. HETA-84-483-1669, National Aluminum Rolling Division, Salisbury, North Carolina (pp. 84-483). (NIOSH/00163101). Ahrenholz, SH.
- Ahrenholz, SH. (1988). Health Hazard Evaluation Report No. HETA-86-422-1891, City of Ames Municipal Power Plant, Ames, Iowa (pp. 86-422). (NIOSH/00181807). Ahrenholz, SH.
- Ahrenholz, SH; Bochnak, PM; Goldoft, M. (1989). Health Hazard Evaluation Report No. HETA-86-231-1954, Reade Manufacturing Company, Lakehurst, New Jersey (pp. 86-231). (NIOSH/00188717). Ahrenholz, SH; Bochnak, PM; Goldoft, M.
- Ahrenholz, SH; Lipscomb, J. (1983). Health Hazard Evaluation Report, No. HETA-82-96-1259, Kaiser Aluminum and Chemical Corporation, Ravenswood, West Virginia (pp. 19831983). (NIOSH/00127796). Ahrenholz, SH; Lipscomb, J.
- Ahrens, W; Jöckel, KH; Brochard, P; Bolm-Audorff, U; Grossgarten, K; Iwatsubo, Y; Orłowski, E; Pohlabeln, H; Berrino, F. (1993). Retrospective assessment of asbestos exposure--I. Case-control analysis in a study of lung cancer: efficiency of job-specific questionnaires and job exposure matrices. *Int J Epidemiol*. 22 Suppl 2: S83-S95.
- Ahrens, W; Jockel, KH; Patzak, W; Elsner, G. (1991). ALCOHOL, SMOKING, AND OCCUPATIONAL FACTORS IN CANCER OF THE LARYNX - A CASE-CONTROL STUDY. *Am J Ind Med*. 20: 477-493.
- AIHA-ACGIH. (1975). RECOMMENDED PROCEDURES FOR SAMPLING AND COUNTING ASBESTOS FIBERS (pp. 83-90; 1975). (HMTC/75/0003199). AIHA-ACGIH.
- Aiso, S; Yamazaki, K; Umeda, Y; Asakura, M; Kasai, T; Takaya, M; Toya, T; Koda, S; Nagano, K; Arito, H; Fukushima, S. (2010). Pulmonary Toxicity of Intratracheally Instilled Multiwall Carbon Nanotubes in Male Fischer 344 Rats. *Ind Health*. 48: 783-795.
- Aitcin, PC; Cossette, M. (1979). LIGHTWEIGHT CONCRETES WITH AGGREGATES MADE FROM ASBESTOS MINE TAILINGS. 72: 95-96.
- Aitcin, PC; Delvaux, P; Bradt, RC. (1981). ELASTIC PROPERTIES OF ASBESTOS FIBER-CEMENT COMPOSITES. *American Ceramic Society Bulletin*. 60: 388-388.
- Aitio, A. (2008). Research needs for environmental health risk assessment. *J Toxicol Environ Health A*. 71: 1254-1258. <http://dx.doi.org/10.1080/15287390802211786>.
- Akai, J; Nomura, N, ao; Matsushita, S; Kudo, H; Fukuhara, H; Matsuoka, S; Matsumoto, J. (2013). Mineralogical and geomicrobial examination of soil contamination by radioactive Cs due to 2011 Fukushima Daiichi Nuclear Power Plant accident. *Phys Chem Earth*. 58-60: 57-67. <http://dx.doi.org/10.1016/j.pce.2013.04.010>.
- Akers, SAS; Garrett, GG. (1983). FIBER MATRIX INTERFACE EFFECTS IN ASBESTOS CEMENT COMPOSITES. *Journal of Materials Science*. 18: 2200-2208.
- Akers, SAS; Garrett, GG. (1983). OBSERVATIONS AND PREDICTIONS OF FRACTURE IN ASBESTOS CEMENT COMPOSITES. *Journal of Materials Science*. 18: 2209-2214.
- Akiska, S; Demirela, G; Sayili, SI. (2013). Geology, mineralogy and the Pb, S isotope study of the Kalkim Pb-Zn +/- Cu deposits, Biga Peninsula, NW Turkey. *Journal of Geosciences*. 58: 379-396. <http://dx.doi.org/10.3190/jgeosci.154>.
- Akkersdijk, H; Bremmer, CF; Schliszka, C; Spee, T. (1989). Effect of respiratory protective equipment on exposure to asbestos fibres during removal of asbestos insulation. *Ann Occup Hyg*. 33: 113-116.
- Akkurt, I; Onal, B; Demir, AU; Tüzün, D; Sabir, H; Ulusoy, L; Karadağ, KO; Ersoy, N; Cöplü, L. (2006). Respiratory health in Turkish asbestos cement workers: the role of environmental exposure. *Am J Ind Med*. 49: 609-616. <http://dx.doi.org/10.1002/ajim.20326>.
- Al Jarad, N; Macey, M; Uthayakumar, S; Newland, AC; Rudd, RM. (1992). Lymphocyte subsets in subjects exposed to asbestos: changes in circulating natural killer cells. *Br J Ind Med*. 49: 811-814.
- Al Jarad, N; Uthayakumar, S; Buckland, EJ; Green, TS; Ord, J; Newland, AC; Rudd, RM. (1992). The histocompatibility antigen in asbestos related disease. *Br J Ind Med*. 49: 826-831.

Exposure Literature Search Results

Off Topic

- Alamshahi, V; Taeb, A; Ghaffarzadeh, R; Rezaee, MA. (2012). Effect of composition and length of PP and polyester fibres on mechanical properties of cement based composites. *Construction and Building Materials*. 36: 534-537. <http://dx.doi.org/10.1016/j.conbuildmat.2012.06.005>.
- Al-Barqawi, H; Zayed, T. (2006). Condition rating model for underground infrastructure sustainable water mains. *Journal of Performance of Constructed Facilities*. 20: 126-135. [http://dx.doi.org/10.1061/\(ASCE\)0887-3828\(2006\)20:2\(126\)](http://dx.doi.org/10.1061/(ASCE)0887-3828(2006)20:2(126)).
- Albers, A. (1982). Mining Surveillance Investigation. Natural Zeolites. Final Report (pp. 19821982). (NIOSH/00183523). Albers, A.
- Alberto Padron-Navarta, J; Hermann, J; Garrido, CJ; Lopez Sanchez-Vizcaino, V; Teresa Gomez-Pugnaire, M. (2010). An experimental investigation of antigorite dehydration in natural silica-enriched serpentinite. *Contributions to Mineralogy and Petrology*. 159: 25-42. <http://dx.doi.org/10.1007/s00410-009-0414-5>.
- Alberto Padron-Navarta, J; Lopez Sanchez-Vizcaino, V; Garrido, CJ; Teresa Gomez-Pugnaire, M. (2011). Metamorphic Record of High-pressure Dehydration of Antigorite Serpentinite to Chlorite Harzburgite in a Subduction Setting (Cerro del Almirez, Nevado-Filabride Complex, Southern Spain). *Journal of Petrology*. 52: 2047-2078. <http://dx.doi.org/10.1093/petrology/egr039>.
- Alberto Padron-Navarta, J; Tommasi, A; Garrido, CJ; Lopez Sanchez-Vizcaino, V; Teresa Gomez-Pugnaire, M; Jabaloy, A; Vauchez, A. (2010). Fluid transfer into the wedge controlled by high-pressure hydrofracturing in the cold top-slab mantle. *Earth Planet Sci Lett*. 297: 271-286. <http://dx.doi.org/10.1016/j.epsl.2010.06.029>.
- Albin, M; Engholm, G; Frostrom, K; Kheddache, S; Larsson, S; Swantesson, L. (1992). CHEST-X-RAY FILMS FROM CONSTRUCTION WORKERS - INTERNATIONAL-LABOR-OFFICE (ILO 1980) CLASSIFICATION COMPARED WITH ROUTINE READINGS. *Br J Ind Med*. 49: 862-868.
- Albin, M; Engholm, G; Hallin, N; Hagmar, L. (1998). Impact of exposure to insulation wool on lung function and cough in Swedish construction workers. *Occup Environ Med*. 55: 661-667.
- Albin, M; Horstmann, V; Jakobsson, K; Welinder, H. (1996). Survival in cohorts of asbestos cement workers and controls. *Occup Environ Med*. 53: 87-93.
- Albin, M; Jakobsson, K; Attewell, R; Johansson, L; Welinder, H. (1990). Mortality and cancer morbidity in cohorts of asbestos cement workers and referents. *Br J Ind Med*. 47: 602-610.
- Albin, M; Johansson, L; Pooley, FD; Jakobsson, K; Attewell, R; Mitha, R. (1990). Mineral fibres, fibrosis, and asbestos bodies in lung tissue from deceased asbestos cement workers. *Br J Ind Med*. 47: 767-774.
- Albin, M; Pooley, FD; Strömberg, U; Attewell, R; Mitha, R; Johansson, L; Welinder, H. (1994). Retention patterns of asbestos fibres in lung tissue among asbestos cement workers. *Occup Environ Med*. 51: 205-211.
- Albrecht, K. (1987). ASBESTOS PARTICLES AS EVIDENCE OF AN OCCUPATIONAL HAZARD RESULTING FROM EXPOSURE TO CHRYSOTILE. *Arbeitsmedizin, Sozialmedizin, Praeventivmedizin*. 22: 87-87.
- Albuquerque, ILT; Cavalcanti, EB; Vilar, EO. (2009). Mass transfer study of electrochemical processes with gas production. *Chemical Engineering and Processing: Process Intensification*. 48: 1432-1436. <http://dx.doi.org/10.1016/j.cep.2009.08.006>.
- Aldea, F; Craciun, ME; Iarca, L; Nechifor, G. (2010). DETERMINATION OF AEROSOLS POLLUTANTS ON MEMBRANES. 1. MEMBRANES PREPARATION AND CHARACTERIZATION. *Environmental Engineering and Management Journal*. 9: 1097-1103.
- Aldieri, E; Fenoglio, I; Cesano, F; Gazzano, E; Gulino, G; Scarano, D; Attanasio, A; Mazzucco, G; Ghigo, D; Fubini, B. (2013). The role of iron impurities in the toxic effects exerted by short multiwalled carbon nanotubes (MWCNT) in murine alveolar macrophages. *J Toxicol Environ Health A*. 76: 1056-1071. <http://dx.doi.org/10.1080/15287394.2013.834855>.
- Alexander, IC; Brown, RC; Jubbs, GA; Pickering, P; Hoskins, JA. (1994). DURABILITY OF CERAMIC AND NOVEL MAN-MADE MINERAL FIBERS. *Environ Health Perspect*. 102: 67-71.
- Alexandrescu, L; Popa, M; Georgescu, M; Leca, M. (2013). Development of new processes intended to obtain fireproof non-asbestos textiles covered with nanodispersions based on modified polychloroprene elastomers. 64: 277-284.
- Alexandrov, M; Ichida, E; Nishimura, T; Aoki, K; Ishida, T; Hirota, R; Ikeda, T; Kawasaki, T; Kuroda, A. (2015). Development of an automated asbestos counting software based on fluorescence microscopy. *Environ Monit Assess*. 187: 4166. <http://dx.doi.org/10.1007/s10661-014-4166-y>.
- Alexopoulos, EC; Bouros, D; Dimadi, M; Serbescu, A; Bakoyannis, G; Kokkinis, FP. (2011). Comparative analysis of induced sputum and bronchoalveolar lavage fluid (BALF) profile in asbestos exposed workers. *J Occup Med Toxicol*. 6: 23. <http://dx.doi.org/10.1186/1745-6673-6-23>.
- Al-Ghamdi, AS. (2011). Leakage-pressure relationship and leakage detection in intermittent water distribution systems. *Journal of Water Supply: Research and Technology-AQUA*. 60: 178-183. <http://dx.doi.org/10.2166/aqua.2011.003>.
- Algranti, E; Mendonça, EM; Decapitani, EM; Freitas, JB; Silva, HC; Bussacos, MA. (2001). Non-malignant asbestos-related diseases in Brazilian asbestos-cement workers. *Am J Ind Med*. 40: 240-254.
- Algranti, E; Mendonça, EM; Hnizdo, E; De Capitani, EM; Freitas, JB; Raile, V; Bussacos, MA. (2013). Longitudinal decline in lung function in former asbestos exposed workers. *Occup Environ Med*. 70: 15-21. <http://dx.doi.org/10.1136/oemed-2012-100715>.
- Ali, A; Suhail, M; Mathew, S; Shah, M; Harakeh, SM; Ahmad, S; Kazmi, Z; Alhamdan, MAR; Chaudhary, A; Damanhour, GA; Qadri, I. (2016). Nanomaterial Induced Immune Responses and Cytotoxicity [Review]. *J Nanosci Nanotechnol*. 16: 40-57. <http://dx.doi.org/10.1166/jnn.2016.10885>.
- Alies-Patin, AM; Valleron, AJ. (1985). Mortality of workers in a French asbestos cement factory 1940-82. *Br J Ind Med*. 42: 219-225.
- Alirezaei, S; Hassanzadeh, J. (2012). Geochemistry and zircon geochronology of the Permian A-type Hasanrobat granite, Sanandaj-Sirjan belt: A new record of the Gondwana break-up in Iran. *Lithos*. 151: 122-134. <http://dx.doi.org/10.1016/j.lithos.2011.11.015>.

Exposure Literature Search Results

Off Topic

- Aliyu, OA; Cullen, MR; Barnett, MJ; Balmes, JR; Cartmel, B; Redlich, CA; Brodtkin, CA; Barnhart, S; Rosenstock, L; Israel, L; Goodman, GE; Thornquist, MD; Omenn, GS. (2005). Evidence for excess colorectal cancer incidence among asbestos-exposed men in the Beta-Carotene and Retinol Efficacy Trial. *Am J Epidemiol.* 162: 868-878. <http://dx.doi.org/10.1093/aje/kwi285>.
- Alkassab, JMA; Adlan, MN; Abustan, I; Aziz, HA; Hanif, A, buBM. (2013). Applying Minimum Night Flow to Estimate Water Loss Using Statistical Modeling: A Case Study in Kinta Valley, Malaysia. *Water Resources Management.* 27: 1439-1455. <http://dx.doi.org/10.1007/s11269-012-0247-2>.
- Al-Khribash, S. (2015). Genesis and mineralogical classification of Ni-laterites, Oman Mountains. *Ore Geol Rev.* 65: 199-212. <http://dx.doi.org/10.1016/j.oregeorev.2014.09.022>.
- Alkhuja, S; Miller, A; Mastellone, AJ; Markowitz, S. (2000). Malignant pleural mesothelioma presenting as spontaneous pneumothorax: a case series and review. *Am J Ind Med.* 38: 219-223.
- Allen, DE; Seyfried, WE. (2003). Compositional controls on vent fluids from ultramafic-hosted hydrothermal systems at mid-ocean ridges: An experimental study at 400 degrees C, 500 bars. *Geochim Cosmo Acta.* 67: 1531-1542. [http://dx.doi.org/10.1016/S0016-7037\(02\)01173-0](http://dx.doi.org/10.1016/S0016-7037(02)01173-0).
- Allen, EM; Alexander, BH; Maclehorse, RF; Nelson, HH; Ramachandran, G; Mandel, JH. (2015). Cancer incidence among Minnesota taconite mining industry workers. *Ann Epidemiol.* 25: 811-815. <http://dx.doi.org/10.1016/j.annepidem.2015.08.003>.
- Allen, EM; Alexander, BH; Maclehorse, RF; Nelson, HH; Ryan, AD; Ramachandran, G; Mandel, JH. (2015). Occupational exposures and lung cancer risk among Minnesota taconite mining workers. *Occup Environ Med.* 72: 633-639. <http://dx.doi.org/10.1136/oemed-2015-102825>.
- Allen, MP; Smith, RW. (1994). DISSOLUTION OF FIBROUS SILICATES IN ACID AND BUFFERED SALT-SOLUTIONS. *Miner Eng.* 7: 1527-1537.
- Allibone, AH; Windh, J; Etheridge, MA; Burton, D; Anderson, G; Edwards, PW; Miller, A; Graves, C; Fanning, CM; Wysoczanski, R. (1998). Timing relationships and structural controls on the location of Au-Cu mineralization at the Boddington gold mine, western Australia. *Econ Geol.* 93: 245-270.
- Allred, M; Campolucci, S; Falk, H; Ganguly, NK; Saiyed, HN; Shah, B. (2003). Bilateral environmental and occupational health program with India. *Int J Hyg Environ Health.* 206: 323-332. <http://dx.doi.org/10.1078/1438-4639-00228>.
- Almeida Filho, EM; Vilar, EO; Feitoza, ACO. (2011). Physical-chemical characterization and statistical modeling applied in a chlor-alkali diaphragm-cell process. *Chem Eng Res Des.* 89: 491-498. <http://dx.doi.org/10.1016/j.cherd.2010.08.007>.
- Alt, JC; Garrido, CJ; Shanks, WC, III; Turchyn, A; Alberto Padron-Navarta, J; Lopez Sanchez-Vizcaino, V; Gomez Pugnaire, MT; Marchesi, C. (2012). Recycling of water, carbon, and sulfur during subduction of serpentinites: A stable isotope study of Cerro del Almiraz, Spain. *Earth Planet Sci Lett.* 327: 50-60. <http://dx.doi.org/10.1016/j.epsl.2012.01.029>.
- Alt, JC; Schwarzenbach, EM; Frueh-Green, GL; Shanks, WC, III; Bernasconi, SM; Garrido, CJ; Crispini, L; Gaggero, L; Padron-Navarta, JA; Marchesi, C. (2013). The role of serpentinites in cycling of carbon and sulfur: Seafloor serpentinitization and subduction metamorphism. *Lithos.* 178: 40-54. <http://dx.doi.org/10.1016/j.lithos.2012.12.006>.
- Alt, JC; Shanks, WC. (2006). Stable isotope compositions of serpentinite seamounts in the Mariana forearc: Serpentinization processes, fluid sources and sulfur metasomatism. *Earth Planet Sci Lett.* 242: 272-285. <http://dx.doi.org/10.1016/j.epsl.2005.11.063>.
- Alt, JC; Shanks, WC, III; Crispini, L; Gaggero, L; Schwarzenbach, EM; Frueh-Green, GL; Bernasconi, SM. (2012). Uptake of carbon and sulfur during seafloor serpentinitization and the effects of subduction metamorphism in Ligurian peridotites. *Chem Geol.* 322: 268-277. <http://dx.doi.org/10.1016/j.chemgeo.2012.07.009>.
- Altherr, R; Topuz, G; Marschall, H; Zack, T; Ludwig, T. (2004). Evolution of a tourmaline-bearing lawsonite eclogite from the Elekdag area (Central Pontides, N Turkey): evidence for infiltration of slab-derived B-rich fluids during exhumation. *Contributions to Mineralogy and Petrology.* 148: 409-425. <http://dx.doi.org/10.1007/s00410-004-0611-1>.
- Altrewilliams, S; Preston, JS. (1985). ASBESTOS AND OTHER FIBER LEVELS IN BUILDINGS. *Ann Occup Hyg.* 29: 357-363.
- Amacher, DE; Alarif, A; Epstein, SS. (1975). The dose-dependent effects of ingested chrysotile on DNA synthesis in the gastrointestinal tract, liver, and pancreas of the rat. *Environ Res.* 10: 208-216.
- Amandus, HE; Shy, C; Wing, S; Blair, A; Heineman, EF. (1991). SILICOSIS AND LUNG-CANCER IN NORTH-CAROLINA DUSTY TRADES WORKERS. *Am J Ind Med.* 20: 57-70.
- Amandus, HE; Wheeler, R; Janković, J; Tucker, J. (1987). The morbidity and mortality of vermiculite miners and millers exposed to tremolite-actinolite: Part I. Exposure estimates. *Am J Ind Med.* 11: 1-14.
- Amaren, SG; Yawas, DS; Aku, SY. (2013). Effect of periwinkles shell particle size on the wear behavior of asbestos free brake pad. 3: 109-114. <http://dx.doi.org/10.1016/j.rinp.2013.06.004>.
- Ambroise, D; Wild, P; Moulin, JJ. (2006). Update of a meta-analysis on lung cancer and welding. *Scand J Work Environ Health.* 32: 22-31.
- Ambrosini, GL; de Klerk, NH; Musk, AW; Mackerras, D. (2001). Agreement between a brief food frequency questionnaire and diet records using two statistical methods. *Public Health Nutr.* 4: 255-264. <http://dx.doi.org/10.1079/PHN200062>.
- Ambrosini, GL; Mackerras, D; de Klerk, NH; Musk, AW. (2003). Comparison of an Australian food-frequency questionnaire with diet records: implications for nutrition surveillance. *Public Health Nutr.* 6: 415-422. <http://dx.doi.org/10.1079/PHN2002434>.
- Ambrosius, S; Gundlach, H; Kieser, J. (1996). Thermal utilization of cement-bound asbestos products in cement kilns. 49: 444-&.
- Ameille, J; Brochard, P; Brechot, JM; Pascano, T; Cherin, A; Raix, A; Fredy, M; Bignon, J. (1993). Pleural thickening: a comparison of oblique chest radiographs and high-resolution computed tomography in subjects exposed to low levels of asbestos pollution. *Int Arch Occup Environ Health.* 64: 545-548.
- Ameille, J; Rosenberg, N; Matrat, M; Descatha, A; Mompoint, D; Hamzi, L; Atassi, C; Vasile, M; Garnier, R; Pairon, JC. (2012). Asbestos-related diseases in automobile mechanics. *Ann Occup Hyg.* 56: 55-60. <http://dx.doi.org/10.1093/annhyg/mer066>.

Exposure Literature Search Results

Off Topic

- Ames, DE; Franklin, JM; Froese, E. (1991). ZONATION OF HYDROTHERMAL ALTERATION AT THE SAN-ANTONIO GOLD MINE, BISSETT, MANITOBA, CANADA. *Econ Geol.* 86: 600-619.
- Amiguet, E; Van De Moortele, B; Cordier, P; Hilairet, N; Reynard, B. (2014). Deformation mechanisms and rheology of serpentines in experiments and in nature. *J Geophys Res Solid Earth.* 119: 4640-4655. <http://dx.doi.org/10.1002/2013JB010791>.
- Amre, DK; Infante-Rivard, C; Dufresne, A; Durgawale, PM; Ernst, P. (1999). Case-control study of lung cancer among sugar cane farmers in India. *Occup Environ Med.* 56: 548-552.
- Amrhein, TA. (1994). Negative Pressure Glove Bags for Operations and Maintenance and Large Scale Abatement Projects. *Appl Occup Environ Hyg.* 9: 891-894.
- Ams, BE; Jenkins, DM. (2011). Formation conditions for triple-chain silicates. *Am Mineral.* 96: 814-819. <http://dx.doi.org/10.2138/am.2011.3568>.
- Ams, BE; Jenkins, DM; Boero-Goates, J; Morcos, RM; Navrotsky, A; Bozhilov, KN. (2009). Thermochemistry of a synthetic Na-Mg-rich triple-chain silicate: Determination of thermodynamic variables. *Am Mineral.* 94: 1242-1254. <http://dx.doi.org/10.2138/am.2009.2980>.
- Anania, T. (1976). Hazard Evaluation and Technical Assistance Report No. TA-76-103, Law Building, Charlotte, North Carolina. NIOSH: 19761976.
- Anania, TL. (1976). Hazard Evaluation and Technical Assistance Report No. TA-76-40, National Science Foundation Building, Washington, DC (pp. 76-40). (NIOSH/00179002). Anania, TL.
- Anania, TL; Price, JH; Evans, WA. (1978). Health Hazard Evaluation Determination Report No. HHE-77-34-471, Midwest Steel Division, National Steel Corporation, Portage, Indiana (pp. 77-34). (NIOSH/00080314). Anania, TL; Price, JH; Evans, WA.
- Anastasiadou, K; Axiotis, D; Gidarakos, E. (2010). Hydrothermal conversion of chrysotile asbestos using near supercritical conditions. *J Hazard Mater.* 179: 926-932. <http://dx.doi.org/10.1016/j.jhazmat.2010.03.094>.
- Anbalagan, G; Sakthimurugesan, K; Balakrishnan, A; Gunasekaran, S. (2008). Structural analysis, optical absorption and EPR spectroscopic studies on chrysotile. *Appl Clay Sci.* 42: 175-179. <http://dx.doi.org/10.1016/j.clay.2008.01.011>.
- Ancona, C; Ascoli, V; Bellino, M; Benedetti, M; Bianchi, F; Bruno, C; Carboni, C; Comba, P; Conti, S; D'Ottavi, S; De Nardo, P; De Santis, M; Falleni, F; Fano, V; Fazzo, L; Forastiere, F; Iavarone, I; Leonardi, M; Marinaccio, A; Martuzzi, M; Minelli, G; Minichilli, F; Mitis, F; Musmeci, L; Pasetto, R; Piccardi, A; Pierini, A; Pirastu, R; Rago, G; Sampaolo, L; Vanacore, N; Zona, A; Grp, SW. (2010). SENTIERI Project Mortality study of residents in Italian polluted sites: evaluation of the epidemiological evidence. *Epidemiol Prev.* 34: 7-+.
- Anczkiewicz, R; Burg, JP; Villa, IM; Meier, M. (2000). Late Cretaceous blueschist metamorphism in the Indus Suture Zone, Shangla region, Pakistan Himalaya. *Tectonophysics.* 324: 111-134.
- Andersen, A; Barlow, L; Engeland, A; Kjaerheim, K; Lynge, E; Pukkala, E. (1999). Work-related cancer in the Nordic countries [Review]. *Scand J Work Environ Health.* 25: 1-116.
- Anderson, HA; Hanrahan, LP; Higgins, DN; Sarow, PG. (1992). A radiographic survey of public school building maintenance and custodial employees. *Environ Res.* 59: 159-166.
- Anderson, JL; Daniels, RD; Fleming, DA; Tseng, CY. (2012). Exposure assessment for a cohort of workers at a former uranium processing facility. *J Expo Sci Environ Epidemiol.* 22: 324-330. <http://dx.doi.org/10.1038/jes.2012.20>.
- Anderson, K. (1982). Health Hazard Evaluation Report, No. HETA-81-230-1093, Michigan State University, East Lansing, Michigan (pp. 19821982). (NIOSH/00127569). Anderson, K.
- Andersson, E; Hagberg, S; Nilsson, T; Persson, B; Wingren, G; Torén, K. (2001). A case-referent study of cancer mortality among sulfate mill workers in Sweden. *Occup Environ Med.* 58: 321-324.
- Andersson, E; Torén, K. (1995). Pleural mesotheliomas are underreported as occupational cancer in Sweden. *Am J Ind Med.* 27: 577-580.
- Andersson, E; Westberg, H; Bryngelsson, IL; Magnuson, A; Persson, B. (2012). Cancer incidence among Swedish pulp and paper mill workers: a cohort study of sulphate and sulphite mills. *Int Arch Occup Environ Health.* 86: 529-540. <http://dx.doi.org/10.1007/s00420-012-0785-1>.
- Andersson, L; Bryngelsson, I; Ngo, Y, en; Ohlson, CG; Westberg, H. (2012). Exposure Assessment and Modeling of Quartz in Swedish Iron Foundries for a Nested Case-Control Study on Lung Cancer. *J Occup Environ Hyg.* 9: 110-119. <http://dx.doi.org/10.1080/15459624.2011.645397>.
- Andersson, M; Selin, F; Järholm, B. (2016). Asbestos exposure and the risk of sinonasal cancer. *Occup Med (Lond).* 66: 326-331. <http://dx.doi.org/10.1093/ocmed/kqw018>.
- Andersson, N. (1991). TECHNOLOGICAL DISASTERS TOWARDS A PREVENTIVE STRATEGY A REVIEW [Review]. *Trop Doct.* 21: 70-81.
- Andra, SS; Makris, KC; Botsaris, G; Charisiadis, P; Kalyvas, H; Costa, CN. (2014). Evidence of arsenic release promoted by disinfection by-products within drinking-water distribution systems. *Sci Total Environ.* 472: 1145-1151. <http://dx.doi.org/10.1016/j.scitotenv.2013.11.045>.
- Andrion, A; Colombo, A; Dacorsi, M; Mollo, F. (1982). Pleural plaques at autopsy in Turin (Italy): A study of 1019 adult subjects. *Eur J Respir Dis.* 63: 107-112.
- Andrion, A; Colombo, A; Mollo, F. (1982). Lung asbestos bodies and pleural plaques at autopsy. 12: 461-468.
- Andrut, M; Gottschalk, M; Melzer, S; Najorka, J. (2000). Lattice vibrational modes in synthetic tremolite-Sr-tremolite and tremolite-richterite solid solutions. *Physics and Chemistry of Minerals.* 27: 301-309.
- Angel, RJ; Frost, DJ; Ross, NL; Hemley, R. (2001). Stabilities and equations of state of dense hydrous magnesium silicates. *Phys Earth Planet In.* 127: 181-196.
- Angiboust, S; Pettke, T; De Hoog, J, anCM; Caron, B; Oncken, O. (2014). Channelized Fluid Flow and Eclogite-facies Metasomatism along the Subduction Shear Zone. *Journal of Petrology.* 55: 883-916. <http://dx.doi.org/10.1093/petrology/egu010>.
- Angrisano, EF; Iervoglini, A; Rubino, A. (1977). [Hazards involved in the working stages of a plant for the manufacture of cement-asbestos]. *Ann Ist Super Sanita.* 13: 211-221.
- Anhaeusser, CR. (1976). NATURE OF CHRYSOTILE ASBESTOS OCCURRENCES IN SOUTHERN AFRICA - REVIEW. *Econ Geol.* 71: 96-116.

Exposure Literature Search Results

Off Topic

- Anon. (1973). ASBESTOS-CEMENT SLATE - FOR ROOF AND WALL COVERINGS. 7-11.
- Anon. (1973). EPA SETS FINAL EMISSION STANDARDS FOR ASBESTOS, BERYLLIUM, MERCURY. *J Air Pollut Control Assoc.* 23: 398-398.
- Anon. (1975). Background documentation of evaluation of occupational exposure to airborne asbestos [Review]. *Am Ind Hyg Assoc J.* 36: 91-103. <http://dx.doi.org/10.1080/0002889758507216>.
- Anon. (1977). 5 ASBESTOS PRODUCTS STUDIED FOR MANUFACTURE IN CANADA. 98: 46-&.
- Anon. (1977). CORROSION-RESISTANCE OF ASBESTOS-CEMENT PIPES. 82: 152-152.
- Anon. (1977). HANDLING ASBESTOS DUSTS WITH SAFETY. 23: 41-41.
- Anon. (1978). Risks of environmental exposure to asbestos [Editorial]. *Br Med J.* 1: 1164-1165.
- Anon. (1978). USE OF ASBESTOS IN WATER UTILITY CONSTRUCTION. *J Am Water Works Assoc.* 70: 217-219.
- Anon. (1979). ASBESTOS SEALANT. 23: 14-15.
- Anon. (1979). Greater public awareness of health hazards of asbestos exposure. *Public Health Rep.* 94: 388-389.
- Anon. (1981). ARAMID-GLASS FABRIC REPLACES ASBESTOS. 93: 18-18.
- Anon. (1981). Electro-microscopy mineral fibre particle counting and size distribution analysis in asbestos-exposed and unexposed lungs. 1981: 118-122.
- Anon. (1981). NON-ASBESTOS GASKETING USES ACRYLIC FIBERS. 93: 24-24.
- Anon. (1981). PROTECTION OF WORKERS FROM THE RISKS DUE TO EXPOSURE TO CHEMICAL, PHYSICAL AND BIOLOGICAL AGENTS AT WORK - ASBESTOS. *J Soc Occup Med.* 31: 126-127.
- Anon. (1982). Criteria for the diagnosis of asbestosis and considerations in the attribution of lung cancer and mesothelioma to asbestos exposure. Prepared by the Medical Advisory Panel to the Asbestos International Association. *Int Arch Occup Environ Health.* 49: 357-361.
- Anon. (1982). THE WORLD BIGGEST PRODUCER OF ASBESTOS PRODUCTS OVERROLLED THROUGH AN AVALANCHE FROM LAWSUITS. 35: 677-677.
- Anon. (1983). ASBESTOS AND LUNG FIBROSIS A COMPARISON OF THE CONTENT OF ASBESTOS BODIES AND FIBRES IN THE LUNGS AND LUNG FIBROSIS IN A FINNISH SERIES OF ADULT AUTOPSIES PREPARED BY DEPT OF. (TSCATS/018140).
- Anon. (1983). ASBESTOS IN WATER-SUPPLY - A NON-PROBLEM. 87: 340-340.
- Anon. (1983). ASBESTOS INVESTIGATION OF WORKER EXPOSURE. (TSCATS/016875).
- Anon. (1983). ASBESTOS RULE REVIVES WORK PRACTICE CONCEPT. 69: 4-4.
- Anon. (1983). CONVERSION OF THE OBLIGATION TO MEASURE ASBESTOS DUST. *Staub, Reinhaltung der Luft.* 43: 207-207.
- Anon. (1983). TRADES AIR ASBESTOS RULE. 211: 60-61.
- Anon. (1984). ASBESTOS CONCERNS CONTINUE. 212: 11-12.
- Anon. (1984). ASBESTOS DISPOSAL PROBLEMS SIMPLY MELT AWAY. *Process Engineering.* 65: 11-11.
- Anon. (1984). LOWER LIMITS PROPOSED FOR ASBESTOS EXPOSURE. *Chem Eng News.* 62: 9-9.
- Anon. (1984). OSHA AIRS ASBESTOS RULE PROPOSAL. 212: 66-66.
- ANON. (1984). Working with asbestos in building construction and the manufacturing industry. (CIS/85/00329). ANON.
- Anon. (1985). [Industrial hygiene: dusts and fibers as hazards in the industrial milieu]. *Soz Praeventivmed.* 30: 44-53.
- Anon. (1986). OCCUPATION CANCER STUDY ON ASBESTOS - POSSIBILITIES AND LIMITS OF EPIDEMIOLOGIC RESEARCH INTO CAUSES OF DEATH IN THE FEDERAL-REPUBLIC-OF-GERMANY. *Arbeitsmedizin, Sozialmedizin, Praeventivmedizin.* 21: 331-332.
- Anon. (1986). OSHA ANNOUNCES SHARP REDUCTION IN PERMISSIBLE WORKER ASBESTOS EXPOSURE. *J Air Pollut Control Assoc.* 36: 936-938.
- ANON. (1987). Revised text of 40 CFR Part 763: Asbestos Abatement Projects; Worker protection and eth;USA. 1987: 5618-5650.
- Anon. (1988). ASBESTOSIS, OR ASBESTOS-FIBERS IN THE ETIOLOGY OF PLEURAL-DISEASE. *Arbeitsmedizin, Sozialmedizin, Praeventivmedizin.* 23: 195-196.
- Anon. (1988). LUNG-CANCER AND ASBESTOS, OR ASBESTOS-FIBERS IN THE ETIOLOGY OF PLEURAL-DISEASE. *Arbeitsmedizin, Sozialmedizin, Praeventivmedizin.* 23: 197-197.
- Anon. (1989). READING ASBESTOS EXPOSURE FILMS. *J Occup Environ Med.* 31: 728-&.
- Anon. (1989). WATER PLANTS ASBESTOS INSULATION SEALED FOR SAFETY. *W E M.* 136: 30-31.
- Anon. (1990). ALTERATIONS IN LARYNGEAL MUCOSA AFTER EXPOSURE TO ASBESTOS - REPLY. *Br J Ind Med.* 47: 844-844.
- Anon. (1990). ASBESTOSIS OR PLEURAL DISEASES CAUSED BY AIRBORNE ASBESTOS. *Arbeitsmedizin, Sozialmedizin, Praeventivmedizin.* 25: 505-&.
- Anon. (1990). Book Reviews. *Risk Anal.* 10: 349-349.
- Anon. (1990). LUNG-CANCER ASSOCIATED WITH ASBESTOSIS OR WITH PLEURISY CAUSED BY ASBESTOS-DUST. *Arbeitsmedizin, Sozialmedizin, Praeventivmedizin.* 25: 512-512.
- Anon. (1991). ON TALC, TREMOLITE, AND TERGIVERSATION TER-GI-VER-SATE .2. TO USE SUBTERFUGES - REPLY. *Br J Ind Med.* 48: 358-359.
- Anon. (1992). Health Assessment for Industrial Waste Processing, Pinedale, Fresno County, California, Region 9. CERCLIS No. CAD980736284. 50.
- Anon. (1994). ASBESTOS = FIBER = SAME RISK. *American Ceramic Society Bulletin.* 73: 14-14.
- Anon. (1994). COMPENSATION FOR JOB-RELATED CANCER OF THE LARYNX DUE TO ASBESTOS EXPOSURE. *Staub, Reinhaltung der Luft.* 54: 282-282.
- Anon. (1995). ASBESTOS-RELATED DISEASES - A DEADLY LEGACY. *The Naval Architect* E411-E411.
- Anon. (1996). Asbestos-free brake linings for winches. *The Naval Architect* 27-27.
- Anon. (1997). Inert asbestos material used as ballast for road building in France. *Mater Perform.* 36: 11-11.
- Anon. (2000). Call for an international ban on asbestos. *Environ Res.* 83: 79-81.

Exposure Literature Search Results

Off Topic

- Anon. (2001). Luzenac detects asbestos, closes Quebec talc mine. 94: 32-32.
- Anon. (2002). Asbestos settlements give companies hope - Fresenius and sealed air settle asbestos suits out of court. Chem Eng (London)4-4.
- Anon. (2002). BHR Solutions sealing performance evaluation - asbestos replacement materials. Industrial Lubrication & Tribology. 54: 84-84.
- Anon. (2003). UN calls for tight controls on chemicals - DNOC, parathion, asbestos, tetraethyl and tetramethyl lead could require prior informed consent. Chem Eng (London)6-6.
- Anon. (2005). [Exposures to carcinogens]. (CIS/06/00362).
- Anon. (2007). Asbestos ban allows chlor-alkali use. Chem Eng News. 85: 29-29.
- Anon. (2007). Ultrasound and oxalic acid degrade asbestos in soil. Chem Eng (London)18-18.
- Anon. (2008). Remedial activities at the asbestos polluted areas in Solin and Ploce. 60: 569-569.
- Anon. (2008). W.R. Grace settles asbestos cleanup. Chem Eng News. 86: 30-30.
- Anon. (2015). New reports from the NIOSH health hazard evaluation program. Int J Occup Environ Health. 21: 180-181.
<http://dx.doi.org/10.1179/1077352515Z.000000000169>.
- Anonymous. (1965). Results of Air Samples at Johns-Manville, Textile Plant, Manville, New Jersey. (NIOSH/00105344). Anonymous.
- Anonymous. (1968). Preliminary Report Result of Air Samples at H. K. Porter Company, Middletown, Connecticut. (NIOSH/00105993). Anonymous.
- Anonymous. (1969). Provisional Notes for Guidance for Stripping and Fitting of Asbestos Containing Thermal Insulation Materials. (NIOSH/00000213). Anonymous.
- Anonymous. (1970). Exposure to Asbestos During Brake and Clutch Maintenance. Ann Occup Hyg. 13: 1-41.
- Anonymous. (1971). Results of U.S.P.H.S. Survey at Raybestos-Manhattan Marshville, North Carolina. 19711971: 19711971.
- Anonymous. (1972). Evaluation Of Exposure To Asbestosis In The Work Environment (pp. 1-6). (NIOSH/00136281). Anonymous.
- Anonymous. (1972). Occupational Exposure to Asbestos Criteria for a Recommended Standard (pp. 76). (NIOSH/00012192). Anonymous.
- Anonymous. (1972). U.S.P.H.S. Survey at Abex Corporation, American Brakeblok Division, Winchester, Virginia. 3: 19721972.
- Anonymous. (1973). Industrial Hygiene Survey at Johns-Manville Industrial Products Division-Textiles, Manville, New Jersey. 4: 19731973.
- Anonymous. (1973). Probable Asbestos Dust Concentrations at Construction Processes. (NIOSH/00179935). Anonymous.
- Anonymous. (1975). Current Intelligence Bulletin 5 Asbestos. Asbestos Exposure during Servicing of Motor Vehicle Brake and Clutch Assemblies (with reference package). 5: 6.
- Anonymous. (1975). Information Indicating a Potential Health Hazard for Persons Exposed to Asbestos during the Servicing of Motor Vehicle Brake and Clutch Assemblies. (NIOSH/00052026). Anonymous.
- Anonymous. (1977). Industrial Hygiene Survey Report at Asbestos Roofing Company, 8060 Armour St., San Diego, California (pp. 19771977). (NIOSH/00106171). Anonymous.
- Anonymous. (1977). Roofing Industry IN: "Information Profiles on Potential Occupational Hazards", NIOSH Contract No. 210-77-0120, October 1977, p. 316-320 (pp. 210-277). (NIOSH/00075438). Anonymous.
- Anonymous. (1979). Asbestos-Containing Materials In School Buildings: A Guidance Document (pp. 19791979). (NIOSH/00145464). Anonymous.
- Anonymous. (1983). Guidance For Controlling Friable Asbestos-Containing Materials In Buildings. 560: 5-83.
- Ansari, FA; Ahmad, I; Ashquin, M; Yunus, M; Rahman, Q. (2007). Monitoring and identification of airborne asbestos in unorganized sectors, India. Chemosphere. 68: 716-723. <http://dx.doi.org/10.1016/j.chemosphere.2007.01.040>.
- Ansari, FA; Ashquin, M; Siddiqui, H; Ahmad, I. (2007). Asbestos fiber counts in work zone area of an asbestos-cement factory. Journal of Sci Ind Res. 66: 935-937.
- Ansari, FA; Ashquin, M; Siddiqui, H; Prasad, R; Khan, MI; Ahmad, I. (2010). Workplace atmospheric asbestos levels in different plants manufacturing asbestos-cement roofing sheets in India. Atmos Pollut Res. 1: 128-131. <http://dx.doi.org/10.5094/APR.2010.016>.
- Antipin, VS; Savina, EA; Mitichkin, MA. (2006). Geochemistry and formation conditions of rare-metal granites with various fluorine-bearing minerals (fluorite, topaz, and cryolite). Geochem Int. 44: 965-975. <http://dx.doi.org/10.1134/S0016702906100028>.
- Anton-Culver, H; Culver, BD; Kurosaki, T. (1988). IMMUNE RESPONSE IN SHIPYARD WORKERS WITH X-RAY ABNORMALITIES CONSISTENT WITH ASBESTOS EXPOSURE. Br J Ind Med. 45: 464-468.
- Anton-Culver, H; Culver, BD; Kurosaki, T; Osann, KE. (1989). Pulmonary function and pleural plaques in asbestos-exposed shipyard workers [Abstract]. Am J Epidemiol. 130: 841.
- Antonini, JM; Reasor, MJ. (1994). Effect of short-term exogenous pulmonary surfactant treatment on acute lung damage associated with the intratracheal instillation of silica. J Toxicol Environ Health. 43: 85-101.
- Anttila, A; Sallmen, M; Hemminki, K. (1993). CARCINOGENIC CHEMICALS IN THE OCCUPATIONAL ENVIRONMENT (pp. PREVENTION OF CANCER). (BIOSIS/93/21369). Anttila, A; Sallmen, M; Hemminki, K.
- Anttila, P; Heikkilä, P; Mäkelä, M; Schlünssen, V; Priha, E. (2009). Retrospective exposure assessment for carcinogenic agents in bitumen waterproofing industry in Finland and denmark. Ann Occup Hyg. 53: 139-151. <http://dx.doi.org/10.1093/annhyg/men082>.
- Anttila, S; Karjalainen, A; Taikina-Aho, O; Kyyrönen, P; Vainio, H. (1993). Lung cancer in the lower lobe is associated with pulmonary asbestos fiber count and fiber size. Environ Health Perspect. 101: 166-170.
- Apollaro, C; Marini, L; Critelli, T; Barca, D; Bloise, A; De Rosa, R; Liberi, F; Miriello, D. (2011). Investigation of rock-to-water release and fate of major, minor, and trace elements in the metabasalt-serpentine shallow aquifer of Mt. Reventino (CZ, Italy) by reaction path modelling. Appl Geochem. 26: 1722-1740. <http://dx.doi.org/10.1016/j.apgeochem.2011.04.028>.
- Arai, S; Ishimaru, S; Mizukami, T. (2012). Methane and propane micro-inclusions in olivine in titanoclinohumite-bearing dunites from the Sanbagawa high-P metamorphic belt, Japan: Hydrocarbon activity in a subduction zone and Ti mobility. Earth Planet Sci Lett. 353: 1-11. <http://dx.doi.org/10.1016/j.epsl.2012.07.043>.

Exposure Literature Search Results

Off Topic

- Aranganathan, N; Bijwe, J. (2015). Special grade of graphite in NAO friction materials for possible replacement of copper. *Wear*. 330: 515-523. <http://dx.doi.org/10.1016/j.wear.2014.12.037>.
- Aranganathan, N; Bijwe, J; Khatri, DS. (2016). Role of combination of hexagonal boron nitride and graphite in NAO friction material. *Institution of Mechanical Engineers Proceedings Part J: Journal of Engineering Tribology*. 230: 1107-1112. <http://dx.doi.org/10.1177/1350650116629355>.
- Aranganathan, N; Mahale, V; Bijwe, J. (2016). Effects of aramid fiber concentration on the friction and wear characteristics of non-asbestos organic friction composites using standardized braking tests. *Wear*. 354-355: 69-77. <http://dx.doi.org/10.1016/j.wear.2016.03.002>.
- Araujo, SM; Scott, SD; Longstaffe, FJ. (1996). Oxygen isotope composition of alteration zones of highly metamorphosed volcanogenic massive sulfide deposits: Geco, Canada, and Palmeiropolis, Brazil. *Econ Geol*. 91: 697-712.
- Arce, GLA, F; Neto, TGS; Avila, I; Luna, CMR; Carvalho, JA, Jr. (2017). Leaching optimization of mining wastes with lizardite and brucite contents for use in indirect mineral carbonation through the pH swing method. *J Clean Prod*. 141: 1324-1336. <http://dx.doi.org/10.1016/j.jclepro.2016.09.204>.
- Arcot, DK. (2010). Asbestos Exposure Assessment Database. 22.
- Arenas, JP; Crocker, MJ. (2010). Recent Trends in Porous Sound-Absorbing Materials. *Sound and Vibration*. 44: 12-17.
- Arenas-Huertero, FJ; Salazar-Flores, M; Osornio-Vargas, AR. (1994). Ferruginous Bodies as Markers of Environmental Exposure to Inorganic Particles: Experience with 270 Autopsy Cases in Mexico. *Environ Res*. 64: 10-17.
- Arghir, OC; Halichidis, S; Cambrea, SC; Ruta, MV; Ciobotaru, C; Man, MA. (2014). ENVIRONMENTAL RISK FACTORS FOR LUNG CANCER IN NEVER-SMOKERS. *J Environ Prot Ecol*. 15: 348-352.
- Arhelger, R; Rödelsperger, K; Giesen, T; Sieben, J; Weitowitz, HJ. (1983). [Suitability of published measurements of asbestos dust in the work area for the evaluation of industrial medicine risk]. 33: 274-281.
- Arif, JM; Khan, SG; Ahmad, I; Joshi, LD; Rahman, Q. (1997). Effect of kerosene and its soot on the chrysotile-mediated toxicity to the rat alveolar macrophages. *Environ Res*. 72: 151-161. <http://dx.doi.org/10.1006/enrs.1996.3722>.
- Arif, JM; Khan, SG; Mahmood, N; Aslam, M; Rahman, Q. (1994). Effect of coexposure to asbestos and kerosene soot on pulmonary drug-metabolizing enzyme system. *Environ Health Perspect*. 102 Suppl 5: 181-183.
- Armbruster, T; Gnos, E. (2000). P4/n and P4nc long-range ordering in low-temperature vesuvianites. *Am Mineral*. 85: 563-569.
- Arndt, V; Rothenbacher, D; Daniel, U; Zschenderlein, B; Schuberth, S; Brenner, H. (2004). All-cause and cause specific mortality in a cohort of 20000 construction workers; results from a 10 year follow up. *Occup Environ Med*. 61: 419-425. <http://dx.doi.org/10.1136/oem.2003.008680>.
- Arocena, JM; Pawluk, S. (1991). THE NATURE AND ORIGIN OF NODULES IN PODZOLIC SOILS FROM ALBERTA. *Can J Soil Sci*. 71: 411-426.
- Aronson, MC; Stixrude, L; Davis, MK; Gannon, W; Ahilan, K. (2007). Magnetic excitations and heat capacity of fayalite, Fe₂SiO₄. *Am Mineral*. 92: 481-490. <http://dx.doi.org/10.2138/am.2007.2305>.
- Arroyo, MC; Rojo, JM. (1998). National versus international asbestos fibre counting schemes: comparison between the Spanish Interlaboratory Quality Control Programme (PICC-FA) and the Asbestos Fibre Regular Informal Counting Arrangement (AFRICA). *Ann Occup Hyg*. 42: 97-104.
- Arroyo, MC; Rojo, JM. (2001). A proposal for harmonising laboratory performance assessment criteria in national asbestos fibre counting schemes. *Ann Occup Hyg*. 45: 447-455.
- Arsene, MA; Bilba, K; Onesippe, C; Rodier, L. (2015). Thermal and flexural properties of bagasse/cement composites. 3: 132-143. <http://dx.doi.org/10.1680/jgrma.15.00012>.
- Arsenio, AM; Dheenathayalan, P; Hanssen, R; Vreeburg, J, an; Rietveld, L. (2015). Pipe failure predictions in drinking water systems using satellite observations. *Structure & Infrastructure Engineering*. 11: 1102-1111. <http://dx.doi.org/10.1080/15732479.2014.938660>.
- Arsenio, AM; Vreeburg, J, an; Rietveld, L. (2014). Quantitative non-destructive evaluation of push-fit joints. *Urban Water Journal*. 11: 657-667. <http://dx.doi.org/10.1080/1573062X.2013.806562>.
- Arul, KJ; Holt, PF. (1980). Clearance of asbestos bodies from the lung: a personal view. *Br J Ind Med*. 37: 273-277.
- Arvanitidis, N. (1998). Northern Greece's industrial minerals: production and environmental technology developments. *J Geochem Explor*. 62: 217-227.
- Asakura, M; Sasaki, T; Sugiyama, T; Takaya, M; Koda, S; Nagano, K; Arito, H; Fukushima, S. (2010). Genotoxicity and cytotoxicity of multi-wall carbon nanotubes in cultured Chinese hamster lung cells in comparison with chrysotile A fibers. *J Occup Health*. 52: 155-166.
- Ascoli, V; Calisti, R; Carnovale-Scalzo, C; Nardi, F. (2001). Malignant pleural mesothelioma in bakers and pastry cooks. *Am J Ind Med*. 40: 371-373.
- Asgharian, B; Cheng, YS. (2002). The filtration of fibrous aerosols. *Aerosol Sci Technol*. 36: 10-17.
- Ashbaugh, N. (1979). Letter Explaining Chem Hazards in Starter Plant GM. (TSCATS/029211). Washington, DC. Office of Toxic Substances.
 Office of Toxic Substances.
- Ashford, NA; Castleman, B; Frank, AL; Giannasi, F; Goldman, LR; Greenberg, M; Huff, J; Joshi, KT; Ladou, J; Lemen, RA; Maltoni, C; O'Neil, R; Richter, E; Silbergeld, EK; Teitelbaum, DT; Thebaud-Mony, A; Tomatis, L; Watterson, A. (2002). The International Commission on Occupational Health (ICOH) and its influence on international organizations. *Int J Occup Environ Health*. 8: 156-162. <http://dx.doi.org/10.1179/107735202800338984>.
- Ashley, PM; Lottemoser, BG; Westaway, JM. (1998). Iron-formations and epigenetic ironstones in the Palaeoproterozoic Willyama Supergroup, Olary Domain, South Australia. *Mineralogy and Petrology*. 64: 187-218.
- Ashley, S. (1998). Easier asbestos remediation. *Mech Eng (Am Soc Mech Eng)*. 120: 30-+.

Exposure Literature Search Results

Off Topic

- Ashworth, J. R.; Birdi, JJ; Emmett, TF. (1992). DIFFUSION IN CORONAS AROUND CLINOPYROXENE - MODELING WITH LOCAL EQUILIBRIUM AND STEADY-STATE, AND A NON-STEADY-STATE MODIFICATION TO ACCOUNT FOR ZONED ACTINOLITE-HORNBLLENDE. *Contributions to Mineralogy and Petrology*. 109: 307-325.
- Aslam, M; Ashquin, M; Rahman, Q. (1992). In Vitro Cytotoxic Effects of Wollastonites on Rat Hepatocytes: II. Lipid Peroxidation and Glutathione Depletion. *Bull Environ Contam Toxicol*. 49: 547-554.
- Assennato, G; Bisceglia, L; De Nichilo, G; Grassi, ME; Lo Izzo, A. (2005). Late industrial development and occupational health in southern Italy. *Int J Occup Environ Health*. 11: 82-87. <http://dx.doi.org/10.1179/oeh.2005.11.1.82>.
- Assima, GP; Larachi, F; Beaudoin, G; Molson, J. (2012). CO₂ Sequestration in Chrysotile Mining Residues-Implication of Watering and Passivation under Environmental Conditions. *Ind Eng Chem Res*. 51: 8726-8734. <http://dx.doi.org/10.1021/ie202693q>.
- Assima, GP; Larachi, F; Beaudoin, G; Molson, J. (2013). Dynamics of carbon dioxide uptake in chrysotile mining residues - Effect of mineralogy and liquid saturation. *Int J Greenhouse Gas Control*. 12: 124-135. <http://dx.doi.org/10.1016/j.ijggc.2012.10.001>.
- Assima, GP; Larachi, F; Molson, J; Beaudoin, G. (2014). Comparative study of five Quebec ultramafic mining residues for use in direct ambient carbon dioxide mineral sequestration. *Chem Eng J*. 245: 56-64. <http://dx.doi.org/10.1016/j.cej.2014.02.010>.
- Assima, GP; Larachi, F; Molson, J; Beaudoin, G. (2014). Impact of temperature and oxygen availability on the dynamics of ambient CO₂ mineral sequestration by nickel mining residues. *Chem Eng J*. 240: 394-403. <http://dx.doi.org/10.1016/j.cej.2013.12.010>.
- Assima, GP; Larachi, F; Molson, J; Beaudoin, G. (2014). NEW TOOLS FOR STIMULATING DISSOLUTION AND CARBONATION OF ULTRAMAFIC MINING RESIDUES. *Can J Chem Eng*. 92: 2029-2038. <http://dx.doi.org/10.1002/cjce.22066>.
- Association, BTaT. (1972). SURVEY OF PLEURAL THICKENING - ITS RELATION TO ASBESTOS EXPOSURE AND PREVIOUS PLEURAL DISEASE. *Environ Res*. 5: 142-&.
- Atkinson, MA; O'sullivan, M; Zuber, S; Dodson, RF. (2004). Evaluation of the size and type of free particulates collected from unused asbestos-containing brake components as related to potential for respirability. *Am J Ind Med*. 46: 545-553. <http://dx.doi.org/10.1002/ajim.20097>.
- Atkinson, MAL; Dodson, RF. (2006). Re: Evaluation of the size and type of free particulates collected from unused asbestos-containing brake components as related to potential for respirability - Response. *Am J Ind Med*. 49: 62-64. <http://dx.doi.org/10.1002/ajim.20237>.
- Atkinson, WD; Law, DV; Bromley, KJ; Inskip, HM. (2004). Mortality of employees of the United Kingdom Atomic Energy Authority, 1946-97. *Occup Environ Med*. 61: 577-585. <http://dx.doi.org/10.1136/oem.2003.012443>.
- Attfeld, M; Beckett, ST. (1985). VOID-COUNTING OF ASBESTOS FIBERS - REPLY. *Ann Occup Hyg*. 29: 124-125.
- Attfeld, MD; Beckett, ST. (1983). VOID-COUNTING IN ASSESSING MEMBRANE-FILTER SAMPLES OF ASBESTOS FIBER. *Ann Occup Hyg*. 27: 273-282.
- Aust, AE; Cook, PM; Dodson, RF. (2011). Morphological and chemical mechanisms of elongated mineral particle toxicities [Review]. *J Toxicol Environ Health B Crit Rev*. 14: 40-75. <http://dx.doi.org/10.1080/10937404.2011.556046>.
- Auzende, AL; Daniel, I; Reynard, B; Lemaire, C; Guyot, F. (2004). High-pressure behaviour of serpentine minerals: a Raman spectroscopic study. *Physics and Chemistry of Minerals*. 31: 269-277. <http://dx.doi.org/10.1007/s00269-004-0384-0>.
- Auzende, AL; Escartin, J; Walte, NP; Guillot, S; Hirth, G; Frost, DJ. (2015). Deformation mechanisms of antigorite serpentinite at subduction zone conditions determined from experimentally and naturally deformed rocks. *Earth Planet Sci Lett*. 411: 229-240. <http://dx.doi.org/10.1016/j.epsl.2014.11.053>.
- Averroes, A; Sekiguchi, H; Sakamoto, K. (2011). Treatment of airborne asbestos and asbestos-like microfiber particles using atmospheric microwave air plasma. *J Hazard Mater*. 195: 405-413. <http://dx.doi.org/10.1016/j.jhazmat.2011.08.062>.
- Awate, PG; Tabucanon, MT. (1993). CYCLIC MACHINE LOADING, PRODUCT ALLOCATION AND LOT SIZING IN AN ASBESTOS CEMENT SHEET FACTORY. *International Journal of Production Economics*. 29: 1-10.
- Ayer, HE. (1964). Results of Air Samples H.K. Porter Company, Davidson, North Carolina. (NIOSH/00105821). Ayer, HE.
- Ayer, HE. (1964). Results of Sampling at American Asbestos Textile, Meredith, New Hampshire. (NIOSH/00105815). Ayer, HE.
- Ayer, HE; Oster, CV; Ligo, RN; Weidner, RB; Raymond, HW; Knight, RM. (1970). PUBLIC HEALTH SERVICE STUDY OF ASBESTOS PROCESSING WORKERS - PROGRESS REPORT. *Am Ind Hyg Assoc J*. 31: 26-&.
- Azari, MR; Nasermoaddeli, A; Movahadi, M; Mehrabi, Y; Hatami, H; Soori, H; Moshfegh, E; Ramazni, B. (2010). Risk assessment of lung cancer and asbestosis in workers exposed to asbestos fibers in brake shoe factory in Iran. *Ind Health*. 48: 38-42.
- Baba, AA; Ibrahim, AS; Bale, RB; Adekola, FA; Alabi, AGF. (2015). Purification of a Nigerian talc ore by acid leaching. *Appl Clay Sci*. 114: 476-483. <http://dx.doi.org/10.1016/j.clay.2015.06.031>.
- Bach, W; Garrido, CJ; Paulick, H; Harvey, J; Rosner, M. (2004). Seawater-peridotite interactions: First insights from ODP Leg 209, MAR 15 degrees N. *G-cubed*. 5. <http://dx.doi.org/10.1029/2004GC000744>.
- Bach, W; Klein, F. (2009). The petrology of seafloor rodingites: Insights from geochemical reaction path modeling. *Lithos*. 112: 103-117. <http://dx.doi.org/10.1016/j.lithos.2008.10.022>.
- Bach, W; Rosner, M; Joens, N; Rausch, S; Robinson, LF; Paulick, H; Erzinger, J. (2011). Carbonate veins trace seawater circulation during exhumation and uplift of mantle rock: Results from ODP Leg 209. *Earth Planet Sci Lett*. 311: 242-252. <http://dx.doi.org/10.1016/j.epsl.2011.09.021>.
- Bachinski, DJ. (1978). SULFUR ISOTOPIC COMPOSITION OF THERMALLY METAMORPHOSED CUPRIFEROUS IRON SULFIDE ORES ASSOCIATED WITH CORDIERITE-ANTHOPHYLLITE ROCKS, GULL POND, NEWFOUNDLAND. *Econ Geol*. 73: 64-72.
- Baek, SC; Kim, YC; Choi, J, unHo; Hong, W, onHwa. (2016). Determination of the essential activity elements of an asbestos management system in the event of a disaster and their prioritization. *J Clean Prod*. 137: 414-426. <http://dx.doi.org/10.1016/j.jclepro.2016.07.117>.
- Baeten, J; Helsen, J; Deruyttere, A. (1980). Nature, structure, and properties of asbestos cement dust. *Br J Ind Med*. 37: 33-41.

Exposure Literature Search Results

Off Topic

- Bagatin, E; Neder, JA; Nery, LE; Terra-Filho, M; Kavakama, J; Castelo, A; Capelozzi, V; Sette, A; Kitamura, S; Favero, M; Moreira-Filho, DC; Tavares, R; Peres, C; Becklake, MR. (2005). Non-malignant consequences of decreasing asbestos exposure in the Brazil chrysotile mines and mills. *Occup Environ Med.* 62: 381-389. <http://dx.doi.org/10.1136/oem.2004.016188>.
- Bagchi, N. (1992). What Makes Silica Toxic? *Br J Ind Med.* 49: 163-166.
- Baghban, S; Hosseinzadeh, MR; Moayyed, M; Mokhtari, M, irAliA; Gregory, D. (2015). Geology, mineral chemistry and formation conditions of calc-silicate minerals of Astamal Fe-LREE distal skarn deposit, Eastern Azarbaijan Province, NW Iran. *Ore Geol Rev.* 68: 79-96. <http://dx.doi.org/10.1016/j.oregeorev.2014.12.016>.
- Bagioni, RP. (1975). SEPARATION OF CHRYSOTILE ASBESTOS FROM MINERALS THAT INTERFERE WITH ITS INFRARED ANALYSIS. *Environ Sci Technol.* 9: 262-263.
- Bahk, J; Choi, Y; Lim, S; Paek, D. (2013). Why some, but not all, countries have banned asbestos. *Int J Occup Environ Health.* 19: 127-135. <http://dx.doi.org/10.1179/2049396712Y.0000000011>.
- Bahramian, AR; Kokabi, M. (2009). Ablation mechanism of polymer layered silicate nanocomposite heat shield. *J Hazard Mater.* 166: 445-454. <http://dx.doi.org/10.1016/j.jhazmat.2008.11.061>.
- Bahramian, AR; Kokabi, M; Famili, MH; Beheshty, MH. (2008). High temperature ablation of kaolinite layered silicate/phenolic resin/asbestos cloth nanocomposite. *J Hazard Mater.* 150: 136-145. <http://dx.doi.org/10.1016/j.jhazmat.2007.04.104>.
- Bai, W, ei; Wu, Z; Mitra, S; Brown, JM. (2016). Effects of Multiwalled Carbon Nanotube Surface Modification and Purification on Bovine Serum Albumin Binding and Biological Responses. *Journal of Nanomaterials.* <http://dx.doi.org/10.1155/2016/2159537>.
- Bai, Z, hiMin; Yang, N, a; Guo, M, an; Li, S. (2016). Antigorite: Mineralogical characterization and friction performances. *Tribology International.* 101: 115-121. <http://dx.doi.org/10.1016/j.triboint.2016.03.036>.
- Baidya, A, buS; Paul, J; Pal, DC; Upadhyay, D. (2017). Mode of occurrences and geochemistry of amphibole in the Kolihan-Chandmari copper deposits, Rajasthan, India: insight into the ore-forming process. *Ore Geol Rev.* 80: 1092-1110. <http://dx.doi.org/10.1016/j.oregeorev.2016.08.032>.
- Baier, R; Meyer, A; Glaves-Ra, D; Axelson, E; Forsberg, R; Kozak, M; Nickerson, P. (2000). The body's response to inadvertent implants: Respirable particles in lung tissues. *Journal of Adhesion.* 74: 103-124.
- Baigenzhenov, OS; Kozlov, VA; Lukanov, VA; Mishra, B; Shayahmetova, RA; Aimbetova, IO. (2015). Complex Processing of Wastes Generated in Chrysotile Asbestos Production. *Mineral Processing and Extractive Metallurgy Review.* 36: 242-248. <http://dx.doi.org/10.1080/08827508.2014.955610>.
- Bailar, JC; Ballal, SG; Boback, M; Castleman, B; Chee, HL; Cherniack, M; Christiani, D; Cicolella, A; Fernández de D'Pool, J; Egilman, D; Frank, AL; Garcia, MA; Giannasi, F; Greenberg, M; Harrison, RJ; Huff, J; Infante, P; de Souza, EJ; Joshi, TK; Kamuzora, P; Kazan-Allen, L; Kern, DG; Kromhout, H; Kuswadji, S; Ladou, J; Lemen, RA; Levenstein, C; Luethje, B; Mancini, F; Meel, BL; Mekonnen, Y; Mendes, R; Murie, F; Myers, J; O'Neill, R; Osaro, E; Paek, D; Richter, E; Robertson, E; Samuels, SW; Soskolne, CL; Stuckey, R; Teitelbaum, DT; Terracini, B; Thébaud-Mony, A; Vanhoorne, M; Wang, X; Watterson, A; Wedeen, R. (2006). FIOH-sponsored newsletter misrepresents asbestos hazards in Zimbabwe. *Int J Occup Environ Health.* 12: 254-258. <http://dx.doi.org/10.1179/oeh.2006.12.3.254>.
- Bailey, WJ. (2001). RE: Mesothelioma and lung tumors attributable to asbestos among petroleum workers. *Am. J. Ind. Med.* 2000. 37:275-282 [Letter]. *Am J Ind Med.* 39: 513-514, 522-513; author reply 517-521.
- Bakdash, MB; Frydman, A. (1976). Asbestos in periodontal dressings: a possible health hazard. 7: 61-65.
- Baker, DB. (1991). Limitations in drawing etiologic inferences based on measurement of asbestos fibers from lung tissue [Review]. *Ann N Y Acad Sci.* 643: 61-70.
- Baker, DEL; Seccombe, PK; Collins, WJ. (2002). Structural history and timing of gold mineralization in the northern East Strelley belt, Pilbara Craton, Western Australia. *Econ Geol.* 97: 775-785.
- Baker, EL; Dagg, T; Greene, RE. (1985). RESPIRATORY ILLNESS IN THE CONSTRUCTION TRADES .1. THE SIGNIFICANCE OF ASBESTOS-ASSOCIATED PLEURAL DISEASE AMONG SHEET-METAL WORKERS. *J Occup Environ Med.* 27: 483-489.
- Baker, T. (1998). Alteration, mineralization, and fluid evolution at the Eloise Cu-Au deposit, Cloncurry District, northwest Queensland, Australia. *Econ Geol.* 93: 1213-1236.
- Baker, T; Perkins, C; Blake, KL; Williams, PJ. (2001). Radiogenic and stable isotope constraints on the genesis of the Eloise Cu-Au deposit, Cloncurry district, northwest Queensland. *Econ Geol.* 96: 723-742.
- Bakhterev, VV; Solomonov, VI. (1998). Properties of chrysotile asbestos in the temperature range 290-1230 K. *Inorg Mater.* 34: 289-292.
- Bakke, PS; Hanoa, R; Gulsvik, A. (2001). Relation of occupational exposure to respiratory symptoms and asthma in a general population sample: self-reported versus interview-based exposure data. *Am J Epidemiol.* 154: 477-483.
- Bakry, M; Mousa, MO; Ali, WY. (2013). Friction and wear of friction composites reinforced by natural fibres. *Materwiss Werksttech.* 44: 21-28. <http://dx.doi.org/10.1002/mawe.201300962>.
- Balaji, MAS, ai; Kalaichelvan, K. (2012). Experimental studies of various reinforcing fibres in automotive disc brake pad on friction stability, thermal stability and wear. *International Journal of Materials and Product Technology.* 45: 132-144.
- Balaji, MAS, ai; Kalaichelvan, K. (2014). Effect of varying cashew dust and resin on friction material formulation: stability and sensitivity of mu to pressure, speed and temperature. *International Journal of Surface Science and Engineering.* 8: 327-344. <http://dx.doi.org/10.1504/IJSURFSE.2014.065837>.
- BALAKRIS.TD; Udupa, HVK; Udupa, KS; SUBRAMAN.GS. (1972). CROCIDOLITE FABRICS AS DIAPHRAGMS IN ELECTROLYTIC REDUCTION OF NITROBENZENE TO PARA AMINOPHENOL. *Chem Ing Tech.* 44: 626-&.
- Balashazy, I; Martonen, TB; Hofmann, W. (1990). FIBER DEPOSITION IN AIRWAY BIFURCATIONS. *J Aerosol Med.* 3: 243-260.

Exposure Literature Search Results

Off Topic

- Balducci, D; Valerio, F. (1986). QUALITATIVE AND QUANTITATIVE-EVALUATION OF CHRYSOTILE AND CROCIDOLITE FIBERS WITH IR-SPECTROSCOPY - APPLICATION TO ASBESTOS-CEMENT PRODUCTS. *Int J Environ Anal Chem.* 27: 315-323.
- Bales, RC; Morgan, JJ. (1985). DISSOLUTION KINETICS OF CHRYSOTILE AT PH 7 TO 10. *Geochim Cosmo Act.* 49: 2281-2288.
- Baletic, N; Jakovljevic, B; Marmut, Z; Petrovic, Z; Paunovic, K. (2005). Chronic laryngitis in glassblowers. *Ind Health.* 43: 302-307.
- Bali, E; Audetat, A; Keppler, H. (2011). The mobility of U and Th in subduction zone fluids: an indicator of oxygen fugacity and fluid salinity. *Contributions to Mineralogy and Petrology.* 161: 597-613. <http://dx.doi.org/10.1007/s00410-010-0552-9>.
- Ballan, G; Del Brocco, A; Loizzo, S; Fabbri, A; Maroccia, Z; Fiorentini, C; Travaglione, S. (2014). Mode of action of fibrous amphiboles: the case of Biancavilla (Sicily, Italy) [Review]. *Ann Ist Super Sanita.* 50: 133-138. http://dx.doi.org/DOI: 10.4415/ANN_14_02_05.
- Ballaran, TB; Carpenter, MA; Domeneghetti, MC. (2001). Phase transition and mixing behaviour of the cummingtonite-grunerite solid solution. *Physics and Chemistry of Minerals.* 28: 87-101.
- Ballirano, P; Andreozzi, GB; Belardi, G. (2008). Crystal chemical and structural characterization of fibrous tremolite from Susa Valley, Italy, with comments on potential harmful effects on human health. *Am Mineral.* 93: 1349-1355. <http://dx.doi.org/10.2138/am.2008.2869>.
- Ballirano, P; Cametti, G. (2015). Crystal chemical and structural modifications of erionite fibers leached with simulated lung fluids. *Am Mineral.* 100: 1003-1012. <http://dx.doi.org/10.2138/am-2015-4922>.
- Balmes, J; Rempel, D; Alexander, M; Reiter, R; Harrison, R; Bernard, B; Benner, D; Cone, J. (1992). Hospital records as a data source for occupational disease surveillance: a feasibility study. *Am J Ind Med.* 21: 341-351.
- Balucan, RD; Dlugogorski, BZ. (2013). Thermal activation of antigorite for mineralization of CO₂. *Environ Sci Technol.* 47: 182-190. <http://dx.doi.org/10.1021/es303566z>.
- Balucan, RD; Dlugogorski, BZ; Kennedy, EM; Belova, IV; Murch, GE. (2013). Energy cost of heat activating serpentinites for CO₂ storage by mineralisation. *Int J Greenhouse Gas Control.* 17: 225-239. <http://dx.doi.org/10.1016/j.ijggc.2013.05.004>.
- Balucan, RD; Kennedy, EM; Mackie, JF; Dlugogorski, BZ. (2011). Optimization of antigorite heat pre-treatment via kinetic modeling of the dehydroxylation reaction for CO₂ mineralization. *Greenhouse Gases.* 1: 294-304. <http://dx.doi.org/10.1002/ghg.33>.
- Bamber, HA; Butterworth, R. (1970). Asbestos hazard from protective clothing. *Ann Occup Hyg.* 13: 77-79.
- Bamblin, WP. (1959). Dust Control in the Asbestos Textile Industry. *Ann Occup Hyg.* 2: 54-74.
- Band, PR; Le, ND; Fang, R; Astrakianakis, G; Bert, J; Keefe, A; Krewski, D. (2001). Cohort cancer incidence among pulp and paper mill workers in British Columbia. *Scand J Work Environ Health.* 27: 113-119.
- Band, PR; Le, ND; Fang, R; Threlfall, WJ; Astrakianakis, G; Anderson, JT; Keefe, A; Krewski, D. (1997). Cohort mortality study of pulp and paper mill workers in British Columbia, Canada. *Am J Epidemiol.* 146: 186-194.
- Bandli, BR; Gunter, ME. (2014). Scanning electron microscopy and transmitted electron backscatter diffraction examination of asbestos standard reference materials, amphibole particles of differing morphology, and particle phase discrimination from talc ores. 20: 1805-1816. <http://dx.doi.org/10.1017/S1431927614013415>.
- Banfield, JF; Bailey, SW; Barker, WW. (1994). POLYSOMATISM, POLYTYPISM, DEFECT MICROSTRUCTURES, AND REACTION-MECHANISMS IN REGULARLY AND RANDOMLY INTERSTRATIFIED SERPENTINE AND CHLORITE. *Contributions to Mineralogy and Petrology.* 117: 137-150.
- Banfield, JF; Bailey, SW; Barker, WW; Smith, RC. (1995). Complex polytypism: Relationships between serpentine structural characteristics and deformation. *Am Mineral.* 80: 1116-1131.
- Banfield, JF; Barker, WW. (1994). DIRECT OBSERVATION OF REACTANT-PRODUCT INTERFACES FORMED IN NATURAL WEATHERING OF EXSOLVED, DEFECTIVE AMPHIBOLE TO SMECTITE - EVIDENCE FOR EPISODIC, ISOVOLUMETRIC REACTIONS INVOLVING STRUCTURAL INHERITANCE. *Geochim Cosmo Act.* 58: 1419-1429.
- Bang, KM; Mazurek, JM; Wood, JM; Hendricks, SA. (2014). Diseases attributable to asbestos exposure: years of potential life lost, United States, 1999-2010. *Am J Ind Med.* 57: 38-48. <http://dx.doi.org/10.1002/ajim.22261>.
- Bang, KM; Pinheiro, GA; Wood, JM; Syamlal, G. (2006). Malignant mesothelioma mortality in the United States, 1999-2001. *Int J Occup Environ Health.* 12: 9-15. <http://dx.doi.org/10.1179/oeh.2006.12.1.9>.
- Banica, A; Breaban, IG; Paiu, M. (2016). FROM VULNERABILITY TOWARDS RESILIENCE APPROACH IN WATER DISTRIBUTION NETWORK - THE ISSUE OF ASBESTOS CEMENT PIPES. *J Environ Prot Ecol.* 17: 885-895.
- Banks, DE. (2014). Clinical aspects of asbestos-related diseases--what are the unresolved topics? [Review]. *J Occup Environ Med.* 56 Suppl 10: S8-S12. <http://dx.doi.org/10.1097/JOM.0000000000000242>.
- Banno, Y. (2000). Intermediate high-pressure exhumation of the northern segment of the Sanbagawa belt, Saruta-gawa area, central Shikoku, Japan. *Lithos.* 50: 289-303.
- Bao, J; Yin, Y, an; Zhu, Z; Tong, M; Lu, Y; Peng, Y. (2013). Wear Modalities and Mechanisms of the Mining Non-asbestos Composite Brake Material. *Applied Composite Materials.* 20: 331-339. <http://dx.doi.org/10.1007/s10443-012-9269-4>.
- Bao, J; Zhu, Z; Tong, M; Yin, Y, an; Peng, Y. (2012). Influence of braking pressure on tribological performance of non-asbestos brake shoe for mine hoister during emergency braking. *Industrial Lubrication & Tribology.* 64: 230-236. <http://dx.doi.org/10.1108/00368791211232780>.
- Baoguo, Z; Linshuang, Z; Zhiming, D; Huizhen, N; Shuai, Y. (2012). Preparation and characterization of the Zr/CuO pyrotechnical battery. *Journal of Wuhan University of Technology--Materials Science Edition.* 27: 489-494. <http://dx.doi.org/10.1007/s11595-012-0490-7>.
- Baoguo, Z; Zhiming, D; Linshuang, Z; Shuai, Y. (2011). Preparation and Characterization of Pyrotechnical Battery. 40: 191-195.
- Barber, CM; Wiggans, RE; Fishwick, D. (2016). Estimating Lifetime Asbestos Exposure in Patients With Idiopathic Pulmonary Fibrosis [Letter]. *Ann Occup Hyg.* 60: 649-650. <http://dx.doi.org/10.1093/annhyg/mew017>.
- Barber, CM; Wiggans, RE; Young, C; Fishwick, D. (2015). UK asbestos imports and mortality due to idiopathic pulmonary fibrosis. *Occup Med (Lond).* 66: 106-111. <http://dx.doi.org/10.1093/occmed/kqv142>.

Exposure Literature Search Results

Off Topic

- Barbers, RG; Oishi, J. (1987). Effects of in vitro asbestos exposure on natural killer and antibody-dependent cellular cytotoxicity. *Environ Res.* 43: 217-226.
- Barbieri, PG; Somigliana, A; Caironi, M; Migliori, M. (2007). [The epidemiologic surveillance of malignant mesothelioma in the Lower Iseo Lake area]. *Epidemiol Prev.* 31: 16-22.
- Barbieri, PG; Somigliana, A; Girelli, R; Lombardi, S; Festa, R; Silvestri, S. (2008). [Malignant mesothelioma in garment sewing-machine workers]. *Med Lav.* 99: 187-193.
- Barbieri, PG; Somigliana, A; Girelli, R; Lombardi, S; Sarnico, M; Silvestri, S. (2016). [Pleural mesothelioma in a school teacher: asbestos exposure due to DAS paste]. *Med Lav.* 107: 141-147.
- Barbieri, PG; Somigliana, A; Lombardi, S; Girelli, R; Benvenuti, A. (2009). [Asbestos fibre lung burden and exposure indices in asbestos-cement workers]. *Med Lav.* 100: 21-28.
- Barbieri, PG; Somigliana, A; Tironi, A. (2010). [Lung asbestos fibre burden in textile workers with malignant mesothelioma]. *Med Lav.* 101: 199-206.
- Barbieri, PG; Somigliana, AB. (2016). [Not Available]. *Med Lav.* 107: 315-326.
- Barbiero, F; Giangreco, M; Pisa, FE; Negro, C; Bovenzi, M; Rosolen, V; Barbone, F. (2016). [Not Available]. *Med Lav.* 107: 307-314.
- Barbone, F; Delzell, E; Austin, H; Cole, P. (1992). A case-control study of lung cancer at a dye and resin manufacturing plant. *Am J Ind Med.* 22: 835-849.
- Barca, D; Cirrincione, R; De Vuono, E; Fiannacca, P; Ietto, F; Lo Giudice, A. (2010). The Triassic rift system in the northern Calabrian-Peloritani Orogen: evidence from basaltic dyke magmatism in the San Donato Unit. *Periodico di Mineralogia.* 79: 61-72. <http://dx.doi.org/10.2451/2010PM0010>.
- Barchowsky, A; Lannon, BM; Elmore, LC; Treadwell, MD. (1997). Increased Focal Adhesion Kinase and Urokinase-Type Plasminogen Activator Receptor-Associated Cell Signaling in Endothelial Cells Exposed to Asbestos. *Environ Health Perspect.* 105: 1131-1137.
- Bard, D; Burdett, G. (2007). Exposure of UK industrial plumbers to asbestos, Part II: Awareness and responses of plumbers to working with asbestos during a survey in parallel with personal sampling. *Ann Occup Hyg.* 51: 113-119. <http://dx.doi.org/10.1093/annhyg/mel077>.
- Bardosova, M; Romanov, SG; Torres, CMS; Gaponik, N; Eychmueller, A; Kumzerov, YA; Bendall, JS. (2008). Effect of template defects in radiative energy relaxation of CdTe nanocrystals in nanotubes of chrysotile asbestos. *Microporous and Mesoporous Materials.* 107: 212-218. <http://dx.doi.org/10.1016/j.micromeso.2007.05.035>.
- Bark, LS; Moran, D; Percival, SJ. (1975). CHEMICAL CHANGES IN ASBESTOS-BASED FRICTION MATERIALS DURING PERFORMANCE - REVIEW. *Wear.* 34: 131-139.
- Barkov, AY; Martin, RF; Halkoaho, TAA; Poirier, G. (2000). The mechanism of charge compensation in Cu-Fe-PGE thiospinels from the Penikat layered intrusion, Finland. *Am Mineral.* 85: 694-697.
- Barnabe, JMC; Pandorfi, H; de Almeida, GLP; Guiselini, C; Jacob, AL. (2014). Surface temperature of materials used to cover of calf hutches. *Revista Brasileira de Engenharia Agrícola e Ambiental - Agriambi.* 18: 545-550.
- Barnes, JD; Selverstone, J; Sharp, ZD. (2006). Chlorine isotope chemistry of serpentinites from Elba, Italy, as an indicator of fluid source and subsequent tectonic history. *G-cubed.* 7. <http://dx.doi.org/10.1029/2006GC001296>.
- Barnes, JD; Sharp, ZD. (2006). A chlorine isotope study of DSDP/ODP serpentinitized ultramafic rocks: Insights into the serpentinitization process. *Chem Geol.* 228: 246-265. <http://dx.doi.org/10.1016/j.chemgeo.2005.10.011>.
- Barnes, R. (1976). Asbestos spraying, an occupational and environmental hazard. *Med J Aust.* 2: 599-602.
- Barnes, R. (1986). Progression of radiographic changes in asbestos workers and ex-workers. *J Soc Occup Med.* 36: 9-12.
- Barnes, SJ; Wells, MA; Verrall, MR. (2009). Effects of Magmatic Processes, Serpentinization, and Talc-Carbonate Alteration on Sulfide Mineralogy and Ore Textures in the Black Swan Disseminated Nickel Sulfide Deposit, Yilgarn Craton. *Econ Geol.* 104: 539-562.
- Barnett, DE; Chamberlain, CP. (1991). RELATIVE SCALES OF THERMAL INFILTRATION-DRIVEN AND FLUID INFILTRATION-DRIVEN METAMORPHISM IN FOLD NAPPES, NEW-ENGLAND, USA. *Am Mineral.* 76: 713-727.
- Barnhart, S; Keogh, J; Cullen, MR; Brodtkin, C; Liu, D; Goodman, G; Valanis, B; Glass, A; Thornquist, M; Rosenstock, L; Omenn, G; Balmes, J. (1997). The CARET asbestos-exposed cohort: baseline characteristics and comparison to other asbestos-exposed cohorts. *Am J Ind Med.* 32: 573-581. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199712\)32:6<573::AID-AJIM1>3.0.CO;2-R](http://dx.doi.org/10.1002/(SICI)1097-0274(199712)32:6<573::AID-AJIM1>3.0.CO;2-R).
- Baron, PA. (1987). OVERLOADING AND ELECTROSTATIC EFFECTS IN ASBESTOS FIBER SAMPLING. *Am Ind Hyg Assoc J.* 48: A709-A710.
- Baron, PA. (1996). Application of the thoracic sampling definition to fiber measurement. *Am Ind Hyg Assoc J.* 57: 820-824.
- Baron, PA. (2001). Measurement of airborne fibers: a review [Review]. *Ind Health.* 39: 39-50.
- Baron, PA; C-C, C; Hemenway, DR; O'Shaughnessy, P. (1994). Nonuniform Air Flow in Inlets: The Effect on Filter Deposits in the Fiber Sampling Cassette. *Am Ind Hyg Assoc J.* 55: 722-732.
- Baron, PA; Deye, GJ. (1990). ELECTROSTATIC EFFECTS IN ASBESTOS SAMPLING .2. COMPARISON OF THEORY AND EXPERIMENT. *Am Ind Hyg Assoc J.* 51: 63-69.
- Baron, PA; Deye, GJ. (1990). Electrostatic effects in asbestos sampling. I: Experimental measurements [Review]. *Am Ind Hyg Assoc J.* 51: 51-62.
- Baron, PA; Deye, GJ; Fernback, J. (1994). LENGTH SEPARATION OF FIBERS. *Aerosol Sci Technol.* 21: 179-192.
- Baron, PA; Platek, SF. (1990). NIOSH METHOD 7402-ASBESTOS FIBERS (REVISION =1) - LOW-TEMPERATURE ASHING OF FILTER SAMPLES. *Am Ind Hyg Assoc J.* 51: A730-A731.
- Baron, PA; Shulman, SA. (1987). Evaluation of the Magiscan image analyzer for asbestos fiber counting. *Am Ind Hyg Assoc J.* 48: 39-46.
- Barone-Adesi, F; Richiardi, L; Merletti, F. (2005). Population attributable risk for occupational cancer in Italy [Review]. *Int J Occup Environ Health.* 11: 23-31.

Exposure Literature Search Results

Off Topic

- Baronnet, A; Andreani, M; Grauby, O; Devouard, B; Nitsche, S; Chaudanson, D. (2007). Onion morphology and microstructure of polyhedral serpentine. *Am Mineral.* 92: 687-690.
- Baronnet, A; Devouard, B. (1996). Topology and crystal growth of natural chrysotile and polygonal serpentine. *J Cryst Growth.* 166: 952-960.
- Baronnet, A; Mellini, M; Devouard, B. (1994). SECTORS IN POLYGONAL SERPENTINE - A MODEL-BASED ON DISLOCATIONS. *Physics and Chemistry of Minerals.* 21: 330-343.
- Barrett, JC. (1994). Cellular and molecular mechanisms of asbestos carcinogenicity: implications for biopersistence [Review]. *Environ Health Perspect.* 102 Suppl 5: 19-23.
- Barrett, JC; Lamb, PW; Wiseman, RW. (1989). Multiple mechanisms for the carcinogenic effects of asbestos and other mineral fibers [Review]. *Environ Health Perspect.* 81: 81-89.
- Barrett, TJ; Maclean, WH; Areback, H. (2005). The Palaeoproterozoic Kristineberg VMS deposit, Skellefte district, northern Sweden. Part II: chemostratigraphy and alteration. *Miner Depos.* 40: 368-395. <http://dx.doi.org/10.1007/s00126-005-0001-2>.
- Barroetavena, MC; Teschke, K; Bates, DV. (1996). Unrecognized asbestos-induced disease. *Am J Ind Med.* 29: 183-185. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199602\)29:2<183::AID-AJIM8>3.0.CO;2-T](http://dx.doi.org/10.1002/(SICI)1097-0274(199602)29:2<183::AID-AJIM8>3.0.CO;2-T).
- Barros, LY; Neis, PD; Ferreira, NF; Pavlak, RP; Masotti, D; Matozo, LT; Sukumaran, J; De Baets, R; Ando, M. (2016). Morphological analysis of pad-disc system during braking operations. *Wear.* 352-353: 112-121. <http://dx.doi.org/10.1016/j.wear.2016.02.005>.
- Bartlett, P; Enkerlin, E. (1983). GROWTH OF THE PRAWN MACROBRACHIUM-ROSENBERGII IN ASBESTOS ASPHALT PONDS IN HARD WATER AND ON A LOW PROTEIN-DIET. *Aquaculture.* 30: 353-356.
- Bartosova, M; Glovinova, E; Povolny, D. (1997). Use of flesh-flies (Diptera, Sarcophagidae) for ecotoxicological bioindication. *Ekologia.* 16: 319-322.
- Baser, S; Duzce, O; Evyapan, F; Akdag, B; Ozkurt, S; Kiter, G. (2013). Occupational exposure and thoracic malignancies, is there a relationship? *J Occup Health.* 55: 301-306.
- Bashtannik, PI; Ovcharenko, VG; Boot, YA. (1997). Effect of combined extrusion parameters on mechanical properties of basalt fiber-reinforced plastics based on polypropylene. *Mechanics of Composite Materials.* 33: 600-603.
- Bassani, C; Cavalli, RM; Cavalcante, F; Cuomo, V; Palombo, A; Pascucci, S; Pignatti, S. (2007). Deterioration status of asbestos-cement roofing sheets assessed by analyzing hyperspectral data. *Rem Sens Environ.* 109: 361-378. <http://dx.doi.org/10.1016/j.rse.2007.01.014>.
- Bastener, H; Hublet, P; Pinto-Quezada, C. (1967). [Origin. Pollution of the general atmosphere in working places]. 58: 459-478.
- Basu, S; Fletcher, A; Shale, D; Adishes, A. (2015). Death and work: recognition of occupational association and coroner's investigation. *Occup Med (Lond).* 65: 197-201. <http://dx.doi.org/10.1093/occmed/kqv001>.
- Bateman, R; Martin, MP; Castro, A. (1992). MIXING OF CORDIERITE GRANITOID AND PYROXENE GABBRO, AND FRACTIONATION, IN THE SANTA-OLALLA TONALITE (ANDALUSIA). *Lithos.* 28: 111-131.
- Bateson, C. (1992). RESULTS OF A SURVEY DESIGNED TO DETERMINE THE SCIENTIFIC AND ECONOMIC-BENEFITS OF ASBESTOS ABATEMENT. *Am Ind Hyg Assoc J.* 53: 381-386.
- Bateson, T; Kopylev, L; Sullivan, P; Cooper, G; Vinukoor, L; De Voney, D. (2009). Evaluation of Alternative Exposure Metrics for Assessing Mortality Risk from Lung Cancer and Mesothelioma among an Occupational Cohort Exposed to Amphibole Asbestos from Vermiculite Mining Operations in Libby, Montana. *Epidemiology.* 20: 578-579.
- Bateson, TF; Kopylev, L. (2014). Influence of exposure assessment and parameterization on exposure response. Aspects of epidemiologic cohort analysis using the Libby Amphibole asbestos worker cohort. *J Expo Sci Environ Epidemiol.* e-pub: 12-17. <http://dx.doi.org/doi:10.1038/jes.2014.3>.
- Bath, AB; Cooke, DR; Friedman, RM; Faure, K; Kamenetsky, VS; Tosdal, RM; Berry, R, onF. (2014). Mineralization, U-Pb Geochronology, and Stable Isotope Geochemistry of the Lower Main Zone of the Lorraine Deposit, North-Central British Columbia: A Replacement-Style Alkaline Cu-Au Porphyry. *Econ Geol.* 109: 979-1004.
- Batra, P; Brown, K. (1991). Radiology in prevention and surveillance of occupational lung disease [Review]. *Occup Med: State of the Art Rev.* 6: 81-100.
- Battigelli, A; Wang, JT; Russier, J; Da Ros, T; Kostarelos, K; Al-Jamal, KT; Prato, M; Bianco, A. (2013). Ammonium and guanidinium dendron-carbon nanotubes by amidation and click chemistry and their use for siRNA delivery. *Small.* 9: 3610-3619. <http://dx.doi.org/10.1002/smll.201300264>.
- Battista, G; Belli, S; Comba, P; Fiumalbi, C; Grignoli, M; Loi, F; Orsi, D; Paredes, I. (1999). Mortality due to asbestos-related causes among railway carriage construction and repair workers. *Occup Med (Lond).* 49: 536-539.
- Battista, G; Costantini, AS; Gorini, G; Orsi, D; Paredes, I; Miceli, GB; De Vuono, G; Peccetti, V. (2007). [Mortality in a cohort of sugar refinery workers in Arezzo Province, Italy]. *Med Lav.* 98: 289-295.
- Bauge, SMY; Lavkulich, LM; Schreier, HE. (2013). Serpentine affected soils and the formation of magnesium phosphates (struvite). *Can J Soil Sci.* 93: 161-172. <http://dx.doi.org/10.4141/CJSS2012-117>.
- Baum, GL. (1986). PUBLIC AWARENESS OF THE PROBLEM OF ASBESTOS USE IN ISRAEL (pp. 5-6). (ISSN 0271-3586; EISSN 1097-0274; BIOSIS/87/09236). Baum, GL.
- Baumeister, JL; Hausrath, EM; Olsen, AA; Tschauer, O; Adcock, CT; Metcalf, RV. (2015). Biogeochemical weathering of serpentinites: An examination of incipient dissolution affecting serpentine soil formation. *Appl Geochem.* 54: 74-84. <http://dx.doi.org/10.1016/j.apgeochem.2015.01.002>.
- Baur, X; Frank, AL; Budnik, LT; Woitowitz, HJ; Oliver, LC; Welch, LS; Landrigan, P; Lemen, R; Ramazzini, C. (2016). Collegium Ramazzini: Comments on the 2014 Helsinki consensus report on asbestos. *Am J Ind Med.* 59: 591-594. <http://dx.doi.org/10.1002/ajim.22595>.

Exposure Literature Search Results

Off Topic

- Baur, X; Latza, U. (2005). Non-malignant occupational respiratory diseases in Germany in comparison with those of other countries. *Int Arch Occup Environ Health*. 78: 593-602. <http://dx.doi.org/10.1007/s00420-005-0613-y>.
- Beall, C; Corn, M; Cheng, H; Matthews, R; Delzell, E. (2007). Mortality and cancer incidence among tire manufacturing workers hired in or after 1962. *J Occup Environ Med*. 49: 680-690. <http://dx.doi.org/10.1097/JOM.0b013e318074bb30>.
- Beard, JS; Frost, BR; Fryer, P; Mccaig, A; Searle, R; Ildefonse, B; Zinin, P; Sharma, SK. (2009). Onset and Progression of Serpentinization and Magnetite Formation in Olivine-rich Troctolite from IODP Hole U1309D. *Journal of Petrology*. 50: 387-403. <http://dx.doi.org/10.1093/petrology/egp004>.
- Beard, ME; Millette, JR; Montague, N; Longo, WE; Hatfield, RL. (1996). Effect of indirect sample preparation procedures on the apparent concentration of asbestos in settled dusts - Comment. *Environ Sci Technol*. 30: 1404-1405.
- Bebout, GE; Barton, MD. (2002). Tectonic and metasomatic mixing in a high-T, subduction-zone melange - insights into the geochemical evolution of the slab-mantle interface. *Chem Geol*. 187: 79-106.
- Beck, EG; Holt, PF; Manojlovic, N. (1972). Comparison of effects on macrophage cultures of glass fibre, glass powder, and chrysotile asbestos. *Occup Environ Med*. 29: 280-286.
- Beck, EG; Schmidt, P. (1985). Epidemiological investigations of decreased employees of the asbestos cement industry in the Federal Republic of Germany. *Zentralbl Bakteriell Mikrobiol Hyg*. 181: 207-215.
- Becker, A; Kruse, CL; Patzelt, T; Overath, H. (1996). Reduction of copper loss in potable water in domestic installations by water treatment. *Mater Corros*. 47: 89-95.
- Becker, H; Herzberg, F; Schulte, A; Kolossa-Gehring, M. (2011). The carcinogenic potential of nanomaterials, their release from products and options for regulating them [Review]. *Int J Hyg Environ Health*. 214: 231-238. <http://dx.doi.org/10.1016/j.ijheh.2010.11.004>.
- Becker, N. (1999). Cancer mortality among arc welders exposed to fumes containing chromium and nickel. Results of a third follow-up: 1989-1995. *J Occup Environ Med*. 41: 294-303.
- Becker, N; Changclaude, J; Frenzelbeyme, R. (1991). RISK OF CANCER FOR ARC WELDERS IN THE FEDERAL-REPUBLIC-OF-GERMANY - RESULTS OF A 2ND FOLLOW-UP (1983-8). *Br J Ind Med*. 48: 675-683.
- Beckett, RR. (1976). ASBESTOS EXPOSURE CONTROL AT PUGET SOUND NAVAL SHIPYARD. *Environ Res*. 11: 248-260.
- Beckett, ST. (1980). THE EFFECTS OF SAMPLING PRACTICE ON THE MEASURED CONCENTRATION OF AIRBORNE ASBESTOS. *Ann Occup Hyg*. 23: 259-272.
- Beckett, ST; Jarvis, JL. (1979). A study of the size distributions of airborne amosite fibres in the manufacture of asbestos insulation boards. *Ann Occup Hyg*. 22: 273-284.
- Beckett, WS. (2007). Shipyard workers and asbestos: a persistent and international problem [Editorial]. *Occup Environ Med*. 64: 639-641. <http://dx.doi.org/10.1136/oem.2006.032284>.
- Becklake, M; Toyoto, B; Stewart, M; Hansen, R; Hanley, J. (1983). LUNG GEOMETRY AS A RISK FACTOR IN THE RESPONSE TO ASBESTOS EXPOSURE - A CASE-REFERENT STUDY ON QUEBEC CHRYSOTILE WORKERS. *Scand J Work Environ Health*. 9: 70-70.
- Becklake, MR. (1994). Symptoms and pulmonary functions as measures of morbidity. *Ann Occup Hyg*. 38: 569-580, 418.
- Becklake, MR; Fournier-Massey, G; Rossiter, CE; Mcdonald, JC. (1972). Lung function in chrysotile asbestos mine and mill workers of Quebec. *Arch Environ Health*. 24: 401-409.
- Becklake, MR; Liddell, FD; Manfreda, J; Mcdonald, JC. (1979). Radiological changes after withdrawal from asbestos exposure. *Br J Ind Med*. 36: 23-28.
- Bedard, E; Hebert, R; Guilmette, C; Dostal, J. (2008). The supra-ophiolitic sedimentary cover of the Asbestos ophiolite, Quebec, Canada: First geochemical evidence of transition from oceanic to continental sediment flux. *Lithos*. 105: 239-252. <http://dx.doi.org/10.1016/j.lithos.2008.04.005>.
- Beddows, NA. (1976). FIBROUS ASBESTOS - ITS USE IN CONVERTER INDUSTRIES. *Adhesives Age*. 19: 42-44.
- Beebe-Dimmer, JL; Fryzek, JP; Yee, CL; Dalvi, TB; Garabrant, DH; Schwartz, AG; Gadgeel, S. (2016). Mesothelioma in the United States: a Surveillance, Epidemiology, and End Results (SEER)-Medicare investigation of treatment patterns and overall survival. *Clinical Epidemiology*. 8: 743-750. <http://dx.doi.org/10.2147/CLEP.S105396>.
- Beeckmans, JM. (1970). The deposition of asbestos particles in the human respiratory tract. *Int J Environ Stud*. 1: 31-34. <http://dx.doi.org/10.1080/00207237008709392>.
- Beeckmans, JM. (1970). The deposition of asbestos particles in the human respiratory tract. *Int J Environ Stud*. 1: 31-34.
- Begander, P; Mattenklott, M. (2015). Amendments to and updates of TRGS 517-harmonisation with the risk-related concept of the Committee on Hazardous Substances. *Gefahrst Reinhalt Luft*. 75: 211-215.
- Begin, NJ; Carmichael, DM. (1992). TEXTURAL AND COMPOSITIONAL RELATIONSHIPS OF CA-AMPHIBOLES IN METABASITES OF THE CAPE SMITH BELT, NORTHERN QUEBEC - IMPLICATIONS FOR A MISCIBILITY GAP AT MEDIUM PRESSURE. *Journal of Petrology*. 33: 1317-1343.
- Begin, R; Boctor, M; Bergeron, D; Cantin, A; Berthiaume, Y; Peloquin, S; Bisson, G; Lamoureux, G. (1984). Radiographic assessment of pleuropulmonary disease in asbestos workers: Posteroanterior, 4 view films, and computed tomograms of the thorax. *Br J Ind Med*. 41: 373-383.
- Bégin, R; Boileau, R; Péroquin, S. (1987). Asbestos exposure, cigarette smoking, and airflow limitation in long-term Canadian chrysotile miners and millers. *Am J Ind Med*. 11: 55-66.
- Bégin, R; Cantin, A; Berthiaume, Y; Boileau, R; Bisson, G; Lamoureux, G; Rola-Pleszczynski, M; Drapeau, G; Massé, S; Boctor, M. (1985). Clinical features to stage alveolitis in asbestos workers. *Am J Ind Med*. 8: 521-536.
- Begin, R; Gauthier, JJ; Desmeules, M; Ostiguy, G. (1993). FURTHERANCE OF INFORMATION ON ASBESTOS AND MESOTHELIOMA. *Am J Ind Med*. 24: 247-248.

Exposure Literature Search Results

Off Topic

- Bégin, R; Gauthier, JJ; Desmeules, M; Ostiguy, G. (1992). Work-related mesothelioma in Québec, 1967-1990. *Am J Ind Med.* 22: 531-542.
- Begin, R; Lamoureux, G; Cantin, A; Bisson, G; Masse, S. (1983). DETECTION OF ALVEOLITIS IN ASBESTOS WORKERS (pp. 8-11). (HEEP/84/09079).
Begin, R; Lamoureux, G; Cantin, A; Bisson, G; Masse, S.
- Bégin, R; Ostiguy, G; Filion, R; Colman, N; Bertrand, P. (1993). Computed tomography in the early detection of asbestosis. *Br J Ind Med.* 50: 689-698.
- Begin, R; Rola-Pleszczynski, M; Sirois, P; Lemaire, I; Nadeau, D; Bureau, MA; Masse, S. (1981). Early lung events following low-dose asbestos exposure. *Environ Res.* 26: 392-401.
- Bégin, R; Sébastien, P. (1989). Excessive accumulation of asbestos fibre in the bronchoalveolar space may be a marker of individual susceptibility to developing asbestosis: experimental evidence. *Br J Ind Med.* 46: 853-855.
- Beh, EJ; Smith, DR. (2011). Real world occupational epidemiology, part 2: a visual interpretation of statistical significance. *Arch Environ Occup Health.* 66: 245-248. <http://dx.doi.org/10.1080/19338244.2011.564235>.
- Beierl, L. (1980). CENTRAL RECORDING OF EMPLOYEES ENDANGERED BY ASBESTOS DUST EXPOSURE - DUTIES, RESULTS, ANALYSES. *Staub, Reinhaltung der Luft.* 40: 187-190.
- Beigelman-Aubry, C; Ferretti, G; Mompoin, D; Ameille, J; Letourneux, M; Laurent, F. (2008). Computed tomographic atlas of benign asbestos related pathology. *Arch Mal Prof Environ.* 69: 5-23. <http://dx.doi.org/10.1016/j.admp.2008.03.020>.
- Beiler, M. (2014). Change of Downstream Navigation Lock Gates at Germany's deepest Lock Chambers. 104: 28-33.
- Beinlich, A; Mavromatis, V; Austrheim, H; Oelkers, EH. (2014). Inter-mineral Mg isotope fractionation during hydrothermal ultramafic rock alteration - Implications for the global Mg-cycle. *Earth Planet Sci Lett.* 392: 166-176. <http://dx.doi.org/10.1016/j.epsl.2014.02.028>.
- Belanger, M; Jacob, HL. (1999). Industrial minerals in Quebec: Production, major projects, and opportunities. 92: 61-66.
- Belanger, PL. (1982). Health Hazard Evaluation Report, No. HETA-81-348-1225, Public Utilities Commission, San Francisco, California. 15: 19821982.
- Belanger, PL. (1982). Health Hazards Evaluation Report, No. HETA-81-365-1083, Studio 311, Novato, California. 7: 19821982.
- Belanger, PL; Coye, MJ. (1982). Health Hazard Evaluation Report, No. HETA-80-197-1215, Pacific, Gas and Electric-Geyers Facility, San Francisco, California (pp. 19821982). (NIOSH/00127560). International Programme on Chemical Safety (IPCS).
- Belanger, PL; Coye, MJ. (1983). Health Hazard Evaluation Report No. HETA-79-129-1350, San Francisco Newspaper Agency, San Francisco, California (pp. 79-129). (NIOSH/00133420). Belanger, PL; Coye, MJ.
- Belanger, PL; Coye, MJ. (1985). Health Hazard Evaluation Report No. HETA-84-368-1624, FMC Corporation, San Jose, California (pp. 84-368). (NIOSH/00146595). Belanger, PL; Coye, MJ.
- Belanger, PL; Elesh, E. (1979). Hazard Evaluation and Technical Assistance, Report No. HHE-78-71-663, Kentile Floors, Inc., Brooklyn, New York. NIOSH: 19791979.
- Belanger, PL; Lockey, JE. (1984). Health Hazard Evaluation Report No. HETA-81-227-1408, Manville Corporation, Corona, California (pp. 81-227). (NIOSH/00149678). Belanger, PL; Lockey, JE.
- Belanger, SE; Cherry, DS; Cairns, J. (1990). FUNCTIONAL AND PATHOLOGICAL IMPAIRMENT OF JAPANESE MEDAKA (ORYZIAS-LATIPES) BY LONG-TERM ASBESTOS EXPOSURE. *Aquat Toxicol.* 17: 133-154.
- Belanger, SE; Cherry, DS; Cairns J, J. R. (1986). UPTAKE OF CHRYSOTILE ASBESTOS FIBERS ALTERS GROWTH AND REPRODUCTION OF ASIATIC CLAMS. *Can J Fish Aquat Sci.* 43: 43-52.
- Belanger, SE; Schurr, K; Allen, DJ; Gohara, AF. (1986). Effects of chrysotile asbestos on coho salmon and green sunfish: evidence of behavioral and pathological stress. *Environ Res.* 39: 74-85.
- Belardi, G; Vignaroli, G; Plescia, P; Passeri, L. (2013). The assessment of particulate matter emitted from stone-crushing industry by correlating rock textures with particles generated after comminution and dispersed in air environment. *Environ Sci Pollut Res Int.* 20: 4711-4728. <http://dx.doi.org/10.1007/s11356-012-1434-7>.
- Belhouideg, S; Lagache, M. (2014). PREDICTION OF THE EFFECTIVE PERMEABILITY COEFFICIENT IN RANDOM POROUS MEDIA USING THE FINITE ELEMENT METHOD. *Journal of Porous Media.* 17: 819-830.
- Belka, M; Lizal, F; Jedelsky, J, an; Starha, P; Druckmullerova, H; Hopke, PK; Jicha, M. (2016). Application of image analysis method to detection and counting of glass fibers from filter samples. *Aerosol Sci Technol.* 50: 353-362. <http://dx.doi.org/10.1080/02786826.2016.1151858>.
- Bellmann, B; Konig, H; Muhle, H; Pott, F. (1986). Chemical Durability of Asbestos and of Man-Made Mineral Fibres In Vivo. *J Aerosol Sci.* 17: 341-345.
- Bellmann, B; Muhle, H. (1994). Investigation of the Biodurability of Wollastonite and Xonotlite. *Environ Health Perspect.* 102: 191-195.
- Bellmann, B; Muhle, H; Kamstrup, O; Draeger, UF. (1994). Investigation on the durability of man-made vitreous fibers in rat lungs. *Environ Health Perspect.* 102 Suppl 5: 185-189.
- Bellmann, B; Muhle, H; Pott, F; Konig, H; Kloppel, H; Spurny, K. (1987). PERSISTENCE OF MAN-MADE MINERAL FIBERS (MMMF) AND ASBESTOS IN RAT LUNGS. *Ann Occup Hyg.* 31: 693-&.
- Bello, D; Wardle, BL; Zhang, J; Yamamoto, N; Santeufemio, C; Hallock, M; Virji, MA. (2010). Characterization of exposures to nanoscale particles and fibers during solid core drilling of hybrid carbon nanotube advanced composites. *Int J Occup Environ Health.* 16: 434-450. <http://dx.doi.org/10.1179/oeh.2010.16.4.434>.
- Bell-Sakyi, L; Kohl, A; Bente, DA; Fazakerley, JK. (2012). Tick cell lines for study of Crimean-Congo hemorrhagic fever virus and other arboviruses [Review]. *Vector Borne and Zoonotic Diseases.* 12: 769-781. <http://dx.doi.org/10.1089/vbz.2011.0766>.
- Belogub, EV; Krivovichev, SV; Pekov, IV; Kuznetsov, AM; Yapaskurt, VO; Kotlyarov, VA; Chukanov, NV; Belakovskiy, DI. (2015). Nickelpicromerite, K₂Ni(SO₄)₂·aEuro cent 6H₂O, a new picromerite-group mineral from Slyudorudnik, South Urals, Russia. *Mineralogy and Petrology.* 109: 143-152. <http://dx.doi.org/10.1007/s00710-014-0360-4>.

Exposure Literature Search Results

Off Topic

- Belrose, JS. (2002). Reginald Aubrey Fessenden and the birth of wireless telephony. *IEEE Antennas and Propagation Magazine*. 44: 38-47. <http://dx.doi.org/10.1109/MAP.2002.1003633>.
- Benavides, J; Kyser, TK; Clark, AH; Stanley, C; Oates, C. (2008). Exploration guidelines for copper-rich iron oxide-copper-gold deposits in the Mantoverde area, northern Chile: the integration of host-rock molar element ratios and oxygen isotope compositions. *Geochemistry: Exploration, Environment, Analysis*. 8: 343-367.
- Bender, AP; Williams, AN; Parker, DL. (1993). Experiences of a state-sponsored notification and screening program for asbestos workers. *Am J Ind Med*. 23: 161-169.
- Benea, M; Gorea, M; Har, N. (2007). Tegular materials from Sarmizegetusa - 1. Mineralogical and physical characteristics. 37: 219-227.
- Benkó, Z; Mogessie, A; Molnár, F; Krenn, K; Poulson, SR; Hauck, S; Severson, M; Arehart, GB. (2015). Hydrothermal alteration and Cu-Ni-PGE mobilization in the charnockitic rocks of the footwall of the South Kawishiwi intrusion, Duluth Complex, USA. *Ore Geol Rev*. 67: 170-188. <http://dx.doi.org/10.1016/j.oregeorev.2014.11.010>.
- Benmokrane, B; Chekired, M; Xu, H. (1995). MONITORING BEHAVIOR OF GROUTED ANCHORS USING VIBRATING-WIRE GAUGES. 121: 466-475.
- Bentabol, M; Ruiz Cruz, MD. (2013). Chemistry, morphology and structural characteristics of synthetic Al-Ni and Al-Co-lizardites. *Appl Clay Sci*. 77-78: 68-78. <http://dx.doi.org/10.1016/j.clay.2013.04.001>.
- Bera, SC; Pillai, CKS; Rangan, PN; Arankale, AR; Chirmade, JH. (1989). FRICTIONAL AND WEAR PROPERTIES OF ASBESTOS SHORT FIBER FILLED PHOSPHORYLATED CNSL POLYMERS FOR AUTOMOBILE BRAKELINING APPLICATIONS. 27: 393-397.
- Berg, R. (2004). When science crosses politics, I: The case of naturally occurring asbestos. *J Environ Health*. 66: 31-39.
- Berge, SR; Skyberg, K. (2003). Radiographic evidence of pulmonary fibrosis and possible etiologic factors at a nickel refinery in Norway. *J Environ Monit*. 5: 681-688. <http://dx.doi.org/10.1039/b209623b>.
- Berger, H. (1975). DEVELOPMENT OF CONTROL-SYSTEM FOR JEFFREY MINES ASBESTOS PROCESSING COMPLEX. 68: 52-59.
- Bergner, D. (1997). 20 years' development of a bipolar membrane cell for alkali chloride electrolysis from laboratory to global application. *Chem Ing Tech*. 69: 438-445.
- Beritić, T; Kovac, S. (1985). Asbestos-related disease without asbestosis--why not pleural asbestosis? [Editorial]. *Am J Ind Med*. 8: 517-520.
- Berkheiser, VE. (1982). ADSORPTION OF STEARIC-ACID BY CHRYSOTILE. *Clays and Clay Minerals*. 30: 91-96.
- Berman, DM. (1986). Asbestos and health in the Third World: the case of Brazil. *Int J Health Serv*. 16: 253-263.
- Berman, DW; Brorby, GP; Sheehan, PJ; Bogen, KT; Holm, SE. (2012). More on the dynamics of dust generation: the effects of mixing and sanding chrysotile, calcium carbonate, and other components on the characteristics of joint-compound dusts. *Ann Occup Hyg*. 56: 852-867. <http://dx.doi.org/10.1093/annhyg/mes008>.
- Berman, DW; Case, BW. (2012). Overreliance on a Single Study: There is no Real Evidence that Applying Quality Criteria to Exposure in Asbestos Epidemiology Affects the Estimated Risk. *Ann Occup Hyg*. 56: 869-878. <http://dx.doi.org/10.1093/annhyg/mes027>.
- Berman, DW; Case, BW. (2013). Quality of evidence must guide risk assessment of asbestos, by Lenters, V; Burdorf, A; Vermeulen, R; Stayner, L; Heederik, D [Letter]. *Ann Occup Hyg*. 57: 667-669. <http://dx.doi.org/10.1093/annhyg/met015>.
- Berman, DW; Crump, KS; Chatfield, EJ; Davis, JM; Jones, AD. (1995). The sizes, shapes, and mineralogy of asbestos structures that induce lung tumors or mesothelioma in AF/HAN rats following inhalation. *Risk Anal*. 15: 181-195.
- Berman DW, C, rump KS, C., hatfield EJ, D., avis JM, J., ones AD. (1995). The sizes, shapes, and mineralogy of asbestos structures that induce lung tumors or mesothelioma in AF/HAN rats following inhalation. Erratum in *Risk Anal* 1995 Aug; 15(4):541. *Risk Anal*. 15: 181-195.
- Bernardet, C; Bonnetterre, V; Bicout, D; Larabi, L; De Gaudemaris, R. (2007). Analysis of trends pathology-nuisance pairing in the french national occupational disease surveillance and prevention network (RNV3P). *Arch Mal Prof Environ*. 68: 438-444.
- Bernardo, E; Esposito, L; Rambaldi, E; Tucci, A. (2011). Sintered glass ceramic articles from plasma vitrified asbestos containing waste. *Advances in Applied Ceramics: Structural, Functional and Bioceramics*. 110: 346-352. <http://dx.doi.org/10.1179/1743676111Y.0000000020>.
- Bernardo, E; Scarinci, G. (2008). Fast sinter crystallisation of waste glasses. *Advances in Applied Ceramics: Structural, Functional and Bioceramics*. 107: 344-349. <http://dx.doi.org/10.1179/174367508X289451>.
- Bernatchez, SF; Parks, PJ; Gibbons, DF. (1996). Interaction of macrophages with fibrous materials in vitro. *Biomaterials*. 17: 2077-2086.
- Bernstein, DM; Mast, R; Anderson, R; Hesterberg, TW; Musselman, R; Kamstrup, O; Hadley, J. (1994). An experimental approach to the evaluation of the biopersistence of respirable synthetic fibers and minerals. *Environ Health Perspect*. 102 Suppl 5: 15-18.
- Bernstein, DM; Rossiter, CE; Grimm, HG; Rodelsperger, K; Woitowitz, HJ. (1994). LENGTH DISTRIBUTION OF ASBESTOS FIBERS AND MMVFS AT WORKPLACE AND IN INHALATION EXPERIMENTS WITH RATS. *Staub, Reinhaltung der Luft*. 54: 203-214.
- Berrigan, D. (2002). Respiratory cancer and exposure to man-made vitreous fibers: a systematic review. *Am J Ind Med*. 42: 354-362. <http://dx.doi.org/10.1002/ajim.10111>.
- Berrino, F; Richiardi, L; Boffetta, P; Estève, J; Belletti, I; Raymond, L; Troschel, L; Pisani, P; Zubiri, L; Ascunce, N; Gubéran, E; Tuyns, A; Terracini, B; Merletti, F; Group, MJW. (2003). Occupation and larynx and hypopharynx cancer: A job-exposure matrix approach in an international case-control study in France, Italy, Spain and Switzerland. *Cancer Causes Control*. 14: 213-223. <http://dx.doi.org/10.1023/a:1023661206177>.
- Berry, G. (1991). Prediction of mesothelioma, lung cancer, and asbestosis in former Wittenoom asbestos workers. *Br J Ind Med*. 48: 793-802.
- Berry, G. (1992). Re: "Changing opinions and attitudes regarding asbestos and cancer 1934-1965". *Am J Ind Med*. 22: 447-448.
- Berry, G. (1994). Mortality and cancer incidence of workers exposed to chrysotile asbestos in the friction-products industry. *Ann Occup Hyg*. 38: 539-546, 413.
- Berry, G; de Klerk, N; Reid, A; Ambrosini, G; Fritschi, L; Olsen, N; Merler, E; Musk, A. (2004). Malignant pleural and peritoneal mesotheliomas in former miners and millers of crocidolite at Wittenoom, Western Australia. *Occup Environ Med*. 61: e14. <http://dx.doi.org/10.1136/oem.2003.008128>.

Exposure Literature Search Results

Off Topic

- Berry, G; Gilson, JC; Holmes, S; Lewinsohn, HC; Roach, SA. (1979). Asbestosis: A study of dose-response relationships in an asbestos textile factory. *Occup Environ Med.* 36: 98-112. <http://dx.doi.org/10.1136/oem.36.2.98>.
- Berry, G; Newhouse, ML. (1983). Mortality of workers manufacturing friction materials using asbestos. *Occup Environ Med.* 40: 1-7.
- Berry, G; Newhouse, ML; Wagner, JC. (2000). Mortality from all cancers of asbestos factory workers in east London 1933-80. *Occup Environ Med.* 57: 782-785.
- Bertazzi, PA. (1976). [Glass fibers: exposure and risks for man]. *Med Lav.* 67: 535-550.
- Bertolotti, M; Ferrante, D; Mirabelli, D; Botta, M; Nonnato, M; Todesco, A; Terracini, B; Magnani, C. (2008). [Mortality in the cohort of the asbestos cement workers in the Eternit plant in Casale Monferrato (Italy)]. *Epidemiol Prev.* 32: 218-228.
- Bevilacqua, M; Ciarapica, FE; Mazzuto, G. (2012). Analysis of injury events with fuzzy cognitive maps. *J Loss Prev Process Ind.* 25: 677-685. <http://dx.doi.org/10.1016/j.jlp.2012.02.004>.
- Bezacier, L; Reynard, B; Bass, J, ayD; Sanchez-Valle, C; Van De Moortele, B. (2010). Elasticity of antigorite, seismic detection of serpentinites, and anisotropy in subduction zones. *Earth Planet Sci Lett.* 289: 198-208. <http://dx.doi.org/10.1016/j.epsl.2009.11.009>.
- Bezacier, L; Reynard, B; Cardon, H; Montagnac, G; Bass, JD. (2013). High-pressure elasticity of serpentine and seismic properties of the hydrated mantle wedge. *J Geophys Res Solid Earth.* 118: 527-535. <http://dx.doi.org/10.1002/jgrb.50076>.
- Bezerra, EM; Joaquim, AP; Savastano, H; John, VM; Agopyan, V. (2006). The effect of different mineral additions and synthetic fiber contents on properties of cement based composites. *Cement and Concrete Composites.* 28: 555-563. <http://dx.doi.org/10.1016/j.cemconcomp.2006.02.001>.
- Bezuidenhout, JJ; Liebenberg, D; Claassens, S; Van Rensburg, L. (2013). Application of evolutionary algorithms to develop a rule set for assessing the rehabilitation status of asbestos mines in South Africa. *Environ Earth Sci.* 70: 3267-3275. <http://dx.doi.org/10.1007/s12665-013-2391-2>.
- Bhadra, S; Bhattacharya, A. (2007). The barometer tremolite plus tschermakite+2 albite=2 pargasite+8 quartz: Constraints from experimental data at unit silica activity, with application to garnet-free natural assemblages. *Am Mineral.* 92: 491-502. <http://dx.doi.org/10.2138/am.2007.2067>.
- Bhagia, LJ; Vyas, JB; Shaikh, MI; Dodia, SL. (2010). Chrysotile asbestos exposure in the manufacturing of thermal insulating boards. *Environ Monit Assess.* 167: 559-564. <http://dx.doi.org/10.1007/s10661-009-1072-9>.
- Bhatta, R; Swain, N; Verma, DL; Singh, NP. (2004). Studies on feed intake and nutrient utilization of sheep under two housing systems in a semi-arid region of India. *Asian-Australas J Anim Sci.* 17: 814-819.
- Bhatta, R; Swain, N; Verma, DL; Singh, NP. (2005). Effect of housing on physiological responses and energy expenditure of sheep in a semi-arid region of India. *Asian-Australas J Anim Sci.* 18: 1188-1193.
- Bhatta, R; Vaithyanathan, S; Shinde, AK; Jakhmola, RC. (2005). Effect of feeding complete feed block containing *Prosopis cineraria* leaves and polyethylene glycol (PEG)-6000 on nutrient intake, its utilization, rumen fermentation pattern and rumen enzyme profile in kids. *J Sci Food Agric.* 85: 1788-1794. <http://dx.doi.org/10.1002/jsfa.2111>.
- Bhattacharya, S; John, PJ; Ledwani, L. (2015). Bacterial Weathering of Asbestos. *Silicon.* 7: 419-431. <http://dx.doi.org/10.1007/s12633-014-9260-9>.
- Bhattacharya, S; John, PJ; Ledwani, L. (2016). Fungal weathering of asbestos in semi arid regions of India. *Ecotoxicol Environ Saf.* 124: 186-192. <http://dx.doi.org/10.1016/j.ecoenv.2015.10.022>.
- Bhattacharjee, S; Paul, A. (1992). CORRELATION BETWEEN CHEMICAL CORROSION AND STRUCTURAL VARIATIONS IN FIBROUS TREMOLITE. *Journal of Materials Science.* 27: 704-710.
- Bhowmik, SK; Spiering, B. (2004). Constraining the prograde and retrograde P-T paths of granulites using decomposition of initially zoned garnets: an example from the Central Indian Tectonic Zone. *Contributions to Mineralogy and Petrology.* 147: 581-603. <http://dx.doi.org/10.1007/s00410-004-0573-3>.
- Bial, J; Trepmann, CA. (2013). The microstructural record of porphyroclasts and matrix of partly serpentinized peridotite mylonites - from brittle and crystal-plastic deformation to dissolution-precipitation creep. 4: 315-330. <http://dx.doi.org/10.5194/se-4-315-2013>.
- Bianchi, C; Bianchi, T. (2007). Malignant mesothelioma in telephone workers [Letter]. *J Occup Environ Med.* 49: 359. <http://dx.doi.org/10.1097/JOM.0b013e318046eb20>.
- Bianchi, C; Bianchi, T. (2015). [Asbestos at the time of the First World War]. *Med Lav.* 106: 424-430.
- Bianchi, C; Bianchi, T. (2015). Asbestos between science and myth. A 6,000-year story. *Med Lav.* 106: 83-90.
- Bianchi, C; Bianchi, T. (2016). [Non-Hodgkin lymphoma and asbestos exposure] [Letter]. *Med Lav.* 107: 73-74.
- Bianchi, C; Brollo, A; Ramani, L; Bianchi, T; Giarelli, L. (2001). Asbestos exposure in malignant mesothelioma of the pleura: a survey of 557 cases. *Ind Health.* 39: 161-167.
- Bianchi, C; Brollo, A; Ramani, L; Zuch, C. (1997). Pleural plaques as risk indicators for malignant pleural mesothelioma: A necropsy-based study. *Am J Ind Med.* 32: 445-449. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199711\)32:5<445::AID-AJIM3>3.0.CO;2-R](http://dx.doi.org/10.1002/(SICI)1097-0274(199711)32:5<445::AID-AJIM3>3.0.CO;2-R).
- Bianchi, C; Carluccio, L; Castelli, M. (1974). [Frequency of pulmonary asbestos bodies in autopsy material in Trieste. II]. *Minerva Med.* 65: 1144-1145.
- Bianchi, C; Pegan, M; Carluccio, L. (1974). [Frequency of pulmonary asbestos bodies in autopsy material in Trieste. I]. *Minerva Med.* 65: 1141-1143.
- Bianchi, C; Ramani, L; Bianchi, T. (2002). Concurrent malignant mesothelioma of the pleura and hepatocellular carcinoma in the same patient: a report of five cases [Review]. *Ind Health.* 40: 383-387.
- Bidassey-Manilal, S; Wright, CY; Engelbrecht, JC; Albers, PN; Garland, RM; Matoane, M. (2016). Students' Perceived Heat-Health Symptoms Increased with Warmer Classroom Temperatures. *Int J Environ Res Public Health.* 13. <http://dx.doi.org/10.3390/ijerph13060566>.

Exposure Literature Search Results

Off Topic

- Bieda, W; Herbut, P. (2007). Effect of a change in housing system on the productivity of Polish Red cattle using the example of the Cistercian monastic farm in Szczyrzyc. *Annals of Animal Science*. 7: 295-303.
- Biedermann, AR; Koch, CB; Pettke, T; Hirt, A, nm. (2015). Magnetic anisotropy in natural amphibole crystals. *Am Mineral*. 100: 1940-1951. <http://dx.doi.org/10.2138/am-2015-5173>.
- Bierl, A; Kremer, H. (1978). CALCULATION OF GASEOUS LEAKAGE FROM FLANGED JOINTS WITH ASBESTOS-METAL SEALS. *Chem Ing Tech*. 50: 542-543.
- Bignon, J; Saracci, R; Touray, JC. (1994). Introduction: INSERM-IARC-CNRS workshop on biopersistence of respirable synthetic fibers and minerals. *Environ Health Perspect*. 102 Suppl 5: 3-5.
- Bignon, J; Sebastien, P; Jaurand, MC; Hem, B. (1974). Microfiltration method for quantitative study of fibrous particles in biological specimens. *Environ Health Perspect*. 9: 155-160.
- Bijwe; Jayashree, AN. (2016). Development of copper-free eco-friendly brake-friction material using novel ingredients. *Wear*. 352-353: 79-91. <http://dx.doi.org/10.1016/j.wear.2016.01.023>.
- Bijwe, J. (1997). Composites as friction materials: Recent developments in non-asbestos fiber reinforced friction materials - A review. *Polymer Composites*. 18: 378-396.
- Bijwe, J; Aranganathan, N; Sharma, S; Dureja, N; Kumar, R, am. (2012). Nano-abrasives in friction materials-influence on tribological properties. *Wear*. 296: 693-701. <http://dx.doi.org/10.1016/j.wear.2012.07.023>.
- Bijwe, J; Kumar, M. (2007). Optimization of steel wool contents in non-asbestos organic (NAO) friction composites for best combination of thermal conductivity. *Wear*. 263: 1243-1248. <http://dx.doi.org/10.1016/j.wear.2007.01.125>.
- Bijwe, J; Kumar, M; Gurunath, PV; Desplanques, Y; Degallaix, G. (2008). Optimization of brass contents for best combination of tribo-performance and thermal conductivity of non-asbestos organic (NAO) friction composites. *Wear*. 265: 699-712. <http://dx.doi.org/10.1016/j.wear.2007.12.016>.
- Bijwe, NJ. (2007). NBR-modified resin in fade and recovery module in non-asbestos organic (NAO) friction materials. *Tribology Letters*. 27: 189-196. <http://dx.doi.org/10.1007/s11249-007-9225-x>.
- Bilenker, LD; Simon, AC; Reich, M; Lundstrom, CC; Gajos, N; Bindeman, I; Barra, F; Munizaga, R. (2016). Fe-O stable isotope pairs elucidate a high-temperature origin of Chilean iron oxide-apatite deposits. *Geochim Cosmo Acta*. 177: 94-104. <http://dx.doi.org/10.1016/j.gca.2016.01.009>.
- Billay, AY; Kisters, AFM; Meyer, FM; Schneider, J. (1997). The geology of the Lega Dembi gold deposit, southern Ethiopia: implications for Pan-African gold exploration. *Miner Depos*. 32: 491-504.
- Billon-Galland, MA. (2012). [Exposition markers: mineralogical analysis in the sputum and the bronchoalveolar lavage--asbestos bodies--uncoated fibres] [Review]. *Rev Mal Respir*. 29: 521-528. <http://dx.doi.org/10.1016/j.rmr.2012.03.001>.
- Binazzi, A; Scarselli, A; Corfiati, M; Di Marzio, D; Branchi, C; Verardo, M; Mirabelli, D; Gennaro, V; Mensi, C; Schallenberg, G; Merler, E; De Zotti, R; Romanelli, A; Chellini, E; Pascucci, C; D'Alò, D; Forastiere, F; Trafficante, L; Menegozzo, S; Musti, M; Cauzillo, G; Leotta, A; Tumino, R; Melis, M; Marinaccio, A; ReNaM, Gdl. (2013). [Epidemiologic surveillance of mesothelioma for the prevention of asbestos exposure also in non-traditional settings]. *Epidemiol Prev*. 37: 35-42.
- Bin-Bin, G; Hong-Cai, W; Wei-Hua, Z; Shao-Cheng, J; Dong-Sheng, S; A-Wei, L; Chang-Xing, L. (2014). Analysis of seismic anisotropy of slate and its application of slate. *Diqiu Wuli Xuebao*. 57: 837-846. <http://dx.doi.org/10.6038/cjg20140313>.
- Binet, P. (2009). An evaluation of asbestos occupational exposures through an activity-exposure matrix. *Arch Mal Prof Environ*. 70: 425-436. <http://dx.doi.org/10.1016/j.admp.2009.02.016>.
- Binette, MB; Binette, JP. (1987). A Method of Airborne Asbestos Fiber Collection. *Am Ind Hyg Assoc J*. 48: A332-A333.
- Biondi, JC. (2014). Neoproterozoic Cana Brava chrysotile deposit (Goias, Brazil): Geology and geochemistry of chrysotile vein formation. *Lithos*. 184: 132-154. <http://dx.doi.org/10.1016/j.lithos2013.10.017>.
- Biondi, JC; Santos, RV; Cury, LF. (2013). The Paleoproterozoic Aripuana Zn-Pb-Ag (Au, Cu) Volcanogenic Massive Sulfide Deposit, Mato Grosso, Brazil: Geology, Geochemistry of Alteration, Carbon and Oxygen Isotope Modeling, and Implications for Genesis. *Econ Geol*. 108: 781-811.
- Bird, B. (2002). The asbestos in buildings conundrum: who pays? *Chem Eng (London)*13-13.
- Bird, MJ; Macintosh, DL; Williams, PL. (2004). Occupational exposures during routine activities in coal-fueled power plants. *J Occup Environ Hyg*. 1: 403-413. <http://dx.doi.org/10.1080/15459620490453346>.
- Bish, DL; Chipera, SJ. (1991). DETECTION OF TRACE AMOUNTS OF ERIONITE USING X-RAY-POWDER DIFFRACTION - ERIONITE IN TUFFS OF YUCCA MOUNTAIN, NEVADA, AND CENTRAL TURKEY. *Clays and Clay Minerals*. 39: 437-445.
- Black, B; Szeinuk, J; Whitehouse, AC; Levin, SM; Henschke, CI; Yankelevitz, DF; Flores, RM. (2014). Rapid progression of pleural disease due to exposure to Libby amphibole: "Not your grandfather's asbestos related disease". *Am J Ind Med*. 57: 1197-1206. <http://dx.doi.org/10.1002/ajim.22330>.
- Blair, A; Zahm, SH; Silverman, DT. (1999). Occupational cancer among women: Research status and methodologic consideration [Review]. *Am J Ind Med*. 36: 6-17. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199907\)36:1<6::AID-AJIM2>3.0.CO;2-F](http://dx.doi.org/10.1002/(SICI)1097-0274(199907)36:1<6::AID-AJIM2>3.0.CO;2-F).
- Blake, CL; Dotson, GS; Harbison, RD. (2006). Assessment of airborne asbestos exposure during the servicing and handling of automobile asbestos-containing gaskets. *Regul Toxicol Pharmacol*. 45: 214-222. <http://dx.doi.org/10.1016/j.yrtph.2006.04.007>.
- Blake, CL; Harbison, SC; Johnson, GT; Harbison, RD. (2011). Airborne asbestos exposures associated with work on asbestos fire sleeve materials. *Regul Toxicol Pharmacol*. 61: 236-242. <http://dx.doi.org/10.1016/j.yrtph.2011.08.003>.
- Blake, CL; Johnson, GT; Harbison, RD. (2009). Airborne asbestos exposure during light aircraft brake replacement. *Regul Toxicol Pharmacol*. 54: 242-246. <http://dx.doi.org/10.1016/j.yrtph.2009.04.007>.

Exposure Literature Search Results

Off Topic

- Blake, CL; Van Orden, DR; Banasik, M; Harbison, RD. (2003). Airborne asbestos concentration from brake changing does not exceed permissible exposure limit. *Regul Toxicol Pharmacol.* 38: 58-70. [http://dx.doi.org/10.1016/S0273-2300\(03\)00069-2](http://dx.doi.org/10.1016/S0273-2300(03)00069-2).
- Blanco, A; Negro, C; Fuente, E; Miguel Sanchez, L. (2008). ALTERNATIVE USE OF DEINKING SLUDGE AS A SOURCE OF FIBERS IN FIBER-CEMENT MANUFACTURE. *Cellulose Chemistry and Technology.* 42: 89-95.
- Block, J; Petrakis, L; Dolhert, LE; Myers, DF; Hegedus, LL; Webster, RP; Kukacka, LE. (2000). A novel approach for the in-situ chemical elimination of chrysotile from asbestos-containing fireproofing materials. *Environ Sci Technol.* 34: 2293-2298.
- Bloise, A; Barca, D; Gualtieri, AF; Pollastri, S; Belluso, E. (2016). Trace elements in hazardous mineral fibres. *Environ Pollut.* 216: 314-323. <http://dx.doi.org/10.1016/j.envpol.2016.06.007>.
- Bloise, A; Belluso, E; Catalano, M; Barrese, E; Miriello, D; Apollaro, C. (2012). Hydrothermal Alteration of Glass to Chrysotile. *Journal of the American Ceramic Society.* 95: 3050-3055. <http://dx.doi.org/10.1111/j.1551-2916.2012.05323.x>.
- Bloise, A; Belluso, E; Fornero, E; Rinaudo, C; Barrese, E; Capella, S. (2010). Influence of synthesis conditions on growth of Ni-doped chrysotile. *Microporous and Mesoporous Materials.* 132: 239-245. <http://dx.doi.org/10.1016/j.micromeso.2010.03.003>.
- Bobicki, ER; Liu, Q; Xu, Z. (2014). Effect of microwave pre-treatment on ultramafic nickel ore slurry rheology. *Miner Eng.* 61: 97-104. <http://dx.doi.org/10.1016/j.mineng.2014.03.025>.
- Bobicki, ER; Liu, Q; Xu, Z. (2014). Ligand-promoted dissolution of serpentine in ultramafic nickel ores. *Miner Eng.* 64: 109-119. <http://dx.doi.org/10.1016/j.mineng.2014.05.020>.
- Bobicki, ER; Liu, Q; Xu, Z. (2014). Microwave heating of ultramafic nickel ores and mineralogical effects. *Miner Eng.* 58: 22-25. <http://dx.doi.org/10.1016/j.mineng.2014.01.003>.
- Boccaccini, DN; Leonelli, C; Rivasi, MR; Romagnoli, M; Veronesi, P; Pellacani, GC; Boccaccini, AR. (2007). Recycling of microwave inertised asbestos containing waste in refractory materials. *J Eur Ceram Soc.* 27: 1855-1858. <http://dx.doi.org/10.1016/j.jeurceramsoc.2006.05.003>.
- Bochkov, NP; Katosova, LD; Platonova, VI; Sapacheva, VA; Titenko, NV; Tsurikova, GV. (1991). [Cytogenetic examination of workers engaged in manufacturing of asbestos technical products]. *Gig Tr Prof Zabol*10-11.
- Boelter, F; Simmons, C; Hewett, P. (2011). Exposure data from multi-application, multi-industry maintenance of surfaces and joints sealed with asbestos-containing gaskets and packing. *J Occup Environ Hyg.* 8: 194-209. <http://dx.doi.org/10.1080/15459624.2011.557936>.
- Boelter, FW. (2003). Asbestos exposures from gasket removal - Reply. *AIHA J.* 64: 595-597.
- Boelter, FW; Crawford, GN; Podraza, DM. (2002). Airborne fiber exposure assessment of dry asbestos-containing gaskets and packings found in intact industrial and maritime fittings. *AIHA J.* 63: 732-740.
- Boelter, FW; Persky, JD; Podraza, DM; Bullock, WH. (2016). Characterizing and Communicating Risk with Exposure Reconstruction and Bayesian Analysis: Historical Locomotive Maintenance/Repair Associated with Asbestos Woven Tape Pipe Lagging. *Risk Anal.* 36: 228-243. <http://dx.doi.org/10.1111/risa.12458>.
- Boelter, FW; Spencer, JW; Simmons, CE. (2007). Heavy equipment maintenance exposure assessment: using a time-activity model to estimate surrogate values for replacement of missing data. *J Occup Environ Hyg.* 4: 525-537. <http://dx.doi.org/10.1080/15459620701411109>.
- Boelter, FW; Xia, Y; Dell, L. (2014). Comparative Risks of Cancer from Drywall Finishing Based on Stochastic Modeling of Cumulative Exposures to Respirable Dusts and Chrysotile Asbestos Fibers. *Risk Anal.* 35: 859-871. <http://dx.doi.org/10.1111/risa.12297>.
- Boffetta, P. (1994). Biopersistence of respirable synthetic fibers and minerals: the point of view of the epidemiologist [Review]. *Environ Health Perspect.* 102 Suppl 5: 11-13.
- Boffetta, P. (2016). Re: Terracini et al. Comments on the causation of malignant mesothelioma: Rebutting the false concept that recent exposures to asbestos do not contribute to causation of mesothelioma. *Am J Ind Med* 2016;59:506-507. *Am J Ind Med.* 59: 1177-1179. <http://dx.doi.org/10.1002/ajim.22672>.
- Boffetta, P. (2016). Response to: Pleural mesothelioma, and occupational and non-occupational asbestos exposure: a case-control study with quantitative risk assessment [Letter]. *Occup Environ Med.* 73: 712. <http://dx.doi.org/10.1136/oemed-2016-103776>.
- Boffetta, P; Autier, P; Boniol, M; Boyle, P; Hill, C; Aurengo, A; Masse, R; Thé, G; Valleron, AJ; Monier, R; Tubiana, M. (2010). An estimate of cancers attributable to occupational exposures in France. *J Occup Environ Med.* 52: 399-406. <http://dx.doi.org/10.1097/JOM.0b013e3181d5e355>.
- Boffetta, P; Burstyn, I; Partanen, T; Kromhout, H; Svane, O; Langard, S; Jarvholm, B; Frentzel-Beyme, R; Kauppinen, T; Stucker, I; Shaham, J; Heederik, D; Ahrens, W; Bergdahl, IA; Cenee, S; Ferro, G; Heikkila, P; Hooiveld, M; Johansen, C; Randem, BG; Schill, W. (2003). Cancer mortality among European asphalt workers: an international epidemiological study II Exposure to bitumen fume and other agents. *Am J Ind Med.* 43: 28-39. <http://dx.doi.org/10.1002/ajim.10182>.
- Boffetta, P; Saracci, R; Andersen, A; Bertazzi, PA; Chang-Claude, J; Cherrie, J; Ferro, G; Frentzel-Beyme, R; Hansen, J; Olsen, J; Plato, N; Teppo, L; Westerholm, P; Winter, PD; Zocchetti, C. (1997). Cancer mortality among man-made vitreous fiber production workers. *Epidemiology.* 8: 259-268.
- Bogen, KT; Brorby, G; Berman, DW; Sheehan, P; Floyd, M. (2011). Measuring mixed cellulose ester (MCE) filter mass under variable humidity conditions. *Ann Occup Hyg.* 55: 485-494. <http://dx.doi.org/10.1093/annhyg/mer003>.
- Bohan, P; Hertzberg, V; Burg, W; Clark, S. (1991). Airborne Lead, Dust, and Asbestos-Like Fibers in Mechanical Street Cleaner Environments and an Evaluation of Some Contributory Factors. *Appl Occup Environ Hyg.* 6: 54-58.
- Bohlig, H. (1993). ASBESTOS AND CANCER, 1934-1965. *Am J Ind Med.* 23: 519-519.
- Bohlig, H; Calavrezos, A. (1987). Development, radiological zone patterns, and importance of diffuse pleural thickening in relation to occupational exposure to asbestos. *Br J Ind Med.* 44: 673-681.

Exposure Literature Search Results

Off Topic

- Bohlig, H; Weitowitz, HJ. (1980). PROBLEMS IN MEDICAL CHECK UP OF ASBESTOS WORKERS ACCORDING TO G-1 - NEW REGULATIONS SINCE 1971 (EFFECTS OF FINE ASBESTOS DUST). *Arbeitsmedizin, Sozialmedizin, Praeventivmedizin*. 15: 127-130.
- Bohme, SR. (2012). Expression of concern: false claim to be free of conflicts in asbestos biopersistence debate [Letter]. *Int J Occup Environ Health*. 18: 85-88. <http://dx.doi.org/10.1179/1077352512Z.00000000024>.
- Bohnker, BK; Betts, LS; Sack, DM; Craft, N. (2001). Navy Asbestos Medical Surveillance Program, 1995-1999: demographic characteristics and smoking status. *Mil Med*. 166: 966-971.
- BOHS. (1983). Report from the committee on asbestos: A study of the health experience in two UK asbestos factories. *Ann Occup Hyg*. 27: 1-55.
- Bolognesi, C; Martini, F; Tognon, M; Filiberti, R; Neri, M; Perrone, E; Landini, E; Canessa, PA; Ivaldi, GP; Betta, P; Mutti, L; Puntoni, R. (2005). A molecular epidemiology case control study on pleural malignant mesothelioma. *Cancer Epidemiol Biomarkers Prev*. 14: 1741-1746. <http://dx.doi.org/10.1158/1055-9965.EPI-04-0903>.
- Bolstad-Johnson, DM; Burgess, JL; Crutchfield, CD; Storment, S; Gerkin, R; Wilson, JR. (2000). Characterization of firefighter exposures during fire overhaul. *Am Ind Hyg Assoc J*. 61: 636-641.
- Bolton, RE; Davis, JMG; Lamb, D. (1982). THE PATHOLOGICAL EFFECTS OF PROLONGED ASBESTOS INGESTION IN RATS. *Environ Res*. 29: 134-150.
- Bolton, RE; Vincent, JH; Jones, AD; Addison, J; Beckett, ST. (1983). AN OVERLOAD HYPOTHESIS FOR PULMONARY CLEARANCE OF UICC AMOSITE FIBERS INHALED BY RATS. *Br J Ind Med*. 40: 264-272.
- Bonar, GM; Leitch, PA. (1991). IN-HOUSE ASBESTOS MANAGEMENT. *Pulp and Paper Canada*. 92: 131-133.
- Bonneau, L; Malard, C; Pezerat, H. (1986). Studies on Surface Properties of Asbestos. II. Role of Dimensional Characteristics and Surface Properties of Mineral Fibers in the Induction of Pleural Tumors. *Environ Res*. 41: 268-275.
- Bonneau, L; Suquet, H; Malard, C; Pezerat, H. (1986). STUDIES ON SURFACE-PROPERTIES OF ASBESTOS .1. ACTIVE-SITES ON SURFACE OF CHRYSOTILE AND AMPHIBOLES. *Environ Res*. 41: 251-267.
- Bonnetterre, V; Mathern, G; Pelen, O; Balthazard, AL; Delafosse, P; Mitton, N; Colonna, M. (2012). Cancer incidence in a chlorochemical plant in Isère, France: an occupational cohort study, 1979-2002. *Am J Ind Med*. 55: 756-767. <http://dx.doi.org/10.1002/ajim.22069>.
- Bonyadi, Z; Davidson, GJ; Mehrabi, B; Meffre, S; Ghazban, F. (2011). Significance of apatite REE depletion and monazite inclusions in the brecciated Se-Chahun iron oxide-apatite deposit, Bafq district, Iran: Insights from paragenesis and geochemistry. *Chem Geol*. 281: 253-269. <http://dx.doi.org/10.1016/j.chemgeo.2010.12.013>.
- Booker, JM; Catlin, M; Weiss, LD. (1991). ASBESTOS TRAINING - EVALUATION OF A STATE CERTIFIED PROGRAM IN ALASKA. *J Environ Health*. 54: 18-21.
- Booth, CA; Haley, MH; Joyce, IH; Kuntze, RA. (1984). WET PROCESSING OF ASBESTOS. 77: 74-74.
- Boqin, G; Chen, Y, e; Dasheng, Z. (2007). Prediction of leakage rates through sealing connections with nonmetallic gaskets. *Chinese Journal of Chemical Engineering*. 15: 837-841.
- Boraschi, P; Neri, S; Braccini, G; Gigoni, R; Leoncini, B; Perri, G. (1999). Magnetic resonance appearance of asbestos-related benign and malignant pleural diseases. *Scand J Work Environ Health*. 25: 18-23.
- Borcherding, CH. (1976). Health Hazard Evaluation Report No. HHE-75-192-330, Pittsburgh Plate Glass Ind., Mt. Zion, Illinois. NIOSH: 19761976.
- Borelli, V; Brochetta, C; Melato, M; Rizzardi, C; Polentarutti, M; Busatto, C; Vita, F; Abbate, R; Gotter, R; Zabucchi, G. (2007). A procedure for the isolation of asbestos bodies from lung tissue by exploiting their magnetic properties: A new approach to asbestos body study. *J Toxicol Environ Health A*. 70: 1232-1240. <http://dx.doi.org/10.1080/15287390701380906>.
- Borelli, V; Trevisan, E; Vita, F; Bottin, C; Melato, M; Rizzardi, C; Zabucchi, G. (2012). Peroxidase-like activity of ferruginous bodies isolated by exploiting their magnetic property. *J Toxicol Environ Health A*. 75: 603-623. <http://dx.doi.org/10.1080/15287394.2012.688478>.
- Borisov, MV; Bychkov, DA; Shvarov, YV. (2002). Thermodynamic simulation of the genesis of filling veins. *Geochem Int*. 40: S92-S102.
- Borley, GD; Beckinsale, RD; Suddaby, P; Durham, JJ. (1976). VARIATIONS IN COMPOSITION AND DELTA-O-18 VALUES WITHIN KAFFO ALBITE-RIEBECKITE GRANITE OF LIRUEI COMPLEX, YOUNGER GRANITES OF NIGERIA. *Chem Geol*. 18: 297-308.
- Bornemann, P. (1980). INDUSTRIAL USE OF ASBESTOS SUBSTITUTES - EXPERIENCES, PROBLEMS, PERSPECTIVES. *Staub, Reinhaltung der Luft*. 40: 217-222.
- Borrok, DM; Kesler, SE; Boer, RH; Essene, EJ. (1998). The Vergenoeg magnetite-fluorite deposit, South Africa: Support for a hydrothermal model for massive iron oxide deposits. *Econ Geol*. 93: 564-586.
- Borron, SW; Forman, SA; Lockey, JE; Lemasters, GK; Yee, LM. (1997). An early study of pulmonary asbestosis among manufacturing workers: original data and reconstruction of the 1932 cohort. *Am J Ind Med*. 31: 324-334.
- Borschgaletke, E. (1991). ASBESTOS-INDUCED LUNG-CANCER - THE PROBLEMS ENTAILED IN OCCUPATIONAL-DISEASE LITIGATION. *Arbeitsmedizin, Sozialmedizin, Praeventivmedizin*. 26: 351-356.
- Borton, EK; Lemasters, GK; Hilbert, TJ; Lockey, JE; Dunning, KK; Rice, CH. (2012). Exposure estimates for workers in a facility expanding Libby vermiculite: updated values and comparison with original 1980 values. *J Occup Environ Med*. 54: 1350-1358. <http://dx.doi.org/10.1097/JOM.0b013e31824fe174>.
- Boschetti, T; Etiope, G; Pennisi, M; Romain, M; Toscani, L. (2013). Boron, lithium and methane isotope composition of hyperalkaline waters (Northern Apennines, Italy): Terrestrial serpentinization or mixing with brine? *Appl Geochem*. 32: 17-25. <http://dx.doi.org/10.1016/j.apgeochem.2012.08.018>.
- Boschetti, T; Toscani, L. (2008). Springs and streams of the Taro-Ceno Valleys (Northern Apennine, Italy): Reaction path modeling of waters interacting with serpentinized ultramafic rocks. *Chem Geol*. 257: 76-91. <http://dx.doi.org/10.1016/j.chemgeo.2008.08.017>.
- Bose, K; Ganguly, J. (1995). Experimental and theoretical studies of the stabilities of talc, antigorite and phase A at high pressures with applications to subduction processes. *Earth Planet Sci Lett*. 136: 109-121.

Exposure Literature Search Results

Off Topic

- Bose, K; Navrotsky, A. (1998). Thermochemistry and phase equilibria of hydrous phases in the system MgO-SiO₂-H₂O: Implications for volatile transport to the mantle. *J Geophys Res Solid Earth*. 103: 9713-9719.
- Böse-O'Reilly, S; Heudorf, U; Lob-Corzilius, T; von Mühlendahl, KE; Otto, M; Schmidt, S. (2007). Children's environment in Central Europe: threats and chances. *Int J Hyg Environ Health*. 210: 503-507. <http://dx.doi.org/10.1016/j.ijheh.2007.07.010>.
- Bosi, F; Reznitskii, L; Skogby, H. (2012). Oxy-chromium-dravite, NaCr₃(Cr₄Mg₂)(Si₆O₁₈)(BO₃)₃(OH)₃O, a new mineral species of the tourmaline supergroup. *Am Mineral*. 97: 2024-2030. <http://dx.doi.org/10.2138/am.2012.4210>.
- Bosi, F; Reznitskii, L; Skogby, H; Halenius, U, lf. (2014). Vanadio-oxy-chromium-dravite, NaV₃(Cr₄Mg₂)(Si₆O₁₈)(BO₃)₃(OH)₃O, a new mineral species of the tourmaline supergroup. *Am Mineral*. 99: 1155-1162. <http://dx.doi.org/10.2138/am.2014.4568>.
- Bosi, F; Skogby, H; Reznitskii, L; Halenius, U, lf. (2014). Vanadio-oxy-dravite, NaV₃(Al₄Mg₂)(Si₆O₁₈)(BO₃)₃(OH)₃O, a new mineral species of the tourmaline supergroup. *Am Mineral*. 99: 218-224. <http://dx.doi.org/10.2138/am.2014.4605>.
- Both, K; Turner, DR; Henderson, DW. (1995). LOSS OF HETEROZYGOSITY IN ASBESTOS-INDUCED MUTATIONS IN A HUMAN MESOTHELIOMA CELL-LINE. *Environ Mol Mutagen*. 26: 67-71.
- Botros, NS. (2003). On the relationship between auriferous talc deposits hosted in volcanic rocks and massive sulphide deposits in Egypt. *Ore Geol Rev*. 23: 223-257. <http://dx.doi.org/10.1016/j.oregeorev.2003.07.003>.
- Bottazzi, M. (2007). [The work of the social security and welfare branch of the Trade Union supporting workers suffering from mesothelioma and asbestos related diseases]. *Epidemiol Prev*. 31: 31-34.
- Boudier, F; Baronnet, A; Mainprice, D. (2010). Serpentine Mineral Replacements of Natural Olivine and their Seismic Implications: Oceanic Lizardite versus Subduction-Related Antigorite. *Journal of Petrology*. 51: 495-512. <http://dx.doi.org/10.1093/petrology/egp049>.
- Boudreau, A; Djon, L; Tchalikian, A; Corkery, J. (2014). The Lac Des Iles Palladium Deposit, Ontario, Canada part I. The effect of variable alteration on the Offset Zone. *Miner Depos*. 49: 625-654. <http://dx.doi.org/10.1007/s00126-014-0510-y>.
- Boudriche, L; Chamayou, A; Calvet, R; Hamdi, B; Balard, H. (2014). Influence of different dry milling processes on the properties of an attapulgite clay, contribution of inverse gas chromatography. *Powder Technology*. 254: 352-363. <http://dx.doi.org/10.1016/j.powtec.2014.01.041>.
- Bouharoun, S; Leklou, N; Mounanga, P. (2015). Use of asbestos-free fiber-cement waste as a partial substitute of Portland cement in mortar. *Mater Struct*. 48: 1679-1687. <http://dx.doi.org/10.1617/s11527-014-0264-0>.
- Bouige, D. (1990). Dust Exposure Results in 359 Asbestos-using Factories from 26 Countries (pp. 23-26). (NIOSH/00198574). Bouige, D.
- Boulanger, G; Andujar, P; Pairon, JC; Billon-Galland, MA; Dion, C; Dumortier, P; Brochard, P; Sobaszek, A; Bartsch, P; Paris, C; Jaurand, MC. (2014). Quantification of short and long asbestos fibers to assess asbestos exposure: a review of fiber size toxicity [Review]. *Environ Health*. 13: 59. <http://dx.doi.org/10.1186/1476-069X-13-59>.
- Boulanger, M; Morlais, F; Bouvier, V; Galateau-Salle, F; Guittet, L; Marquignon, MF; Paris, C; Raffaelli, C; Launoy, G; Clin, B. (2015). Digestive cancers and occupational asbestos exposure: incidence study in a cohort of asbestos plant workers. *Occup Environ Med*. 72: 792-797. <http://dx.doi.org/10.1136/oemed-2015-102871>.
- Boullier, AM; Firdaous, K; Robert, F. (1998). On the significance of aqueous fluid inclusions in gold-bearing quartz vein deposits from the southeastern Abitibi subprovince (Quebec, Canada). *Econ Geol*. 93: 216-223.
- Bounds, EB. (1989). A study of asbestos-related disease and disability in federal workers' compensation claims. *Toxicol Ind Health*. 5: 1111-1115.
- Bourgard, E; Wild, P; Gonzalez, M; Févotte, J; Penven, E; Paris, C. (2013). Comparison of exposure assessment methods in a lung cancer case-control study: performance of a lifelong task-based questionnaire for asbestos and PAHs. *Occup Environ Med*. 70: 884-891. <http://dx.doi.org/10.1136/oemed-2013-101467>.
- Boutin, C; Sébastien, P; Janson, X; Viallat, JR. (1981). [The metrology of mineral fibres in thoracoscopic lung and pleural biopsies. Preliminary results (author's transl)]. *Poumon Coeur*. 37: 253-257.
- Bovenzi, M; Stanta, G; Antiga, G; Peruzzo, P; Cavallieri, F. (1993). Occupational exposure and lung cancer risk in a coastal area of northeastern Italy. *Int Arch Occup Environ Health*. 65: 35-41.
- Bovy, J. (1996). Air pollution and asbestos (pp. 3-4). (IPA/97/1118512). Bovy, J.
- Bowen, DJ. (1994). PLATINUM EXPLORATION ON THE GREAT DYKE OF ZIMBABWE. *Exploration & Mining Geology*. 3: 329-335.
- Bowen, DJ; Cartmel, B; Barnett, M; Goodman, G; Omenn, GS. (1999). Predictors of participant retention in two chemoprevention feasibility trials. *Ann Behav Med*. 21: 210-215.
- Bowes, DR; CMBTIAJoIM, F. (1997). Major and trace element compositions of the UICC standard asbestos samples. *Am J Ind Med*. 32: 592-594.
- Bowes, DR; Farrow, CM. (1998). Major trace element compositions of the UICC standard asbestos samples (vol 32, pg 592, 1997). *Am J Ind Med*. 33: 425-425.
- Bowles, DR; Farrow, CM. (1998). Major trace element compositions of the UICC standard asbestos samples (vol 32, pg 592, 1997). *Am J Ind Med*. 33: 192-192.
- Boxall, JB; O'Hagan, A; Pooladsaz, S; Saul, AJ; Unwin, DM. (2007). Estimation of burst rates in water distribution mains. *Institution of Civil Engineers Proceedings Water Management*. 160: 73-82. <http://dx.doi.org/10.1680/wama.2007.160.2.73>.
- Boyle, CA; Brann, EA. (1992). Proxy respondents and the validity of occupational and other exposure data. The Selected Cancers Cooperative Study Group. *Am J Epidemiol*. 136: 712-721.
- Bozelka, BE; Sestini, P; Hammad, Y; Salvaggio, JE. (1986). Effects of asbestos fibers on alveolar macrophage-mediated lymphocyte cytostasis. *Environ Res*. 40: 172-180.
- Bozhilov, KN; Brownstein, D; Jenkins, DM. (2007). Biopyribole evolution during tremolite synthesis from dolomite and quartz in CO₂-H₂O fluid. *Am Mineral*. 92: 898-908. <http://dx.doi.org/10.2138/am.2007.2376>.
- Bozhilov, KN; Jenkins, DM; Veblen, DR. (2004). Pyribole evolution during tremolite synthesis from oxides. *Am Mineral*. 89: 74-84.

Exposure Literature Search Results

Off Topic

- Brabander, DJ; Giletti, BJ. (1995). STRONTIUM DIFFUSION KINETICS IN AMPHIBOLES AND SIGNIFICANCE TO THERMAL HISTORY DETERMINATIONS. *Geochim Cosmo Acta*. 59: 2223-2238.
- Brabander, DJ; Hervig, RL; Jenkins, DM. (1995). EXPERIMENTAL-DETERMINATION OF F-OH INTERDIFFUSION IN TREMOLITE AND SIGNIFICANCE TO FLUORINE-ZONED AMPHIBOLES. *Geochim Cosmo Acta*. 59: 3549-3560.
- Brackney, MM; Marfin, AA; Staples, JE; Stallones, L; Keefe, T; Black, WC; Campbell, GL. (2010). Epidemiology of Colorado tick fever in Montana, Utah, and Wyoming, 1995-2003. *Vector Borne and Zoonotic Diseases*. 10: 381-385. <http://dx.doi.org/10.1089/vbz.2009.0065>.
- Bradbury, KK; Davis, CR; Shervais, JW; Janecke, SU; Evans, JP. (2015). Composition, Alteration, and Texture of Fault-Related Rocks from Safod Core and Surface Outcrop Analogs: Evidence for Deformation Processes and Fluid-Rock Interactions. *Pure Appl Geophys*. 172: 1053-1078. <http://dx.doi.org/10.1007/s00024-014-0896-6>.
- Bradbury, KK; Evans, JP; Chester, JS; Chester, FM; Kirschner, DL. (2011). Lithology and internal structure of the San Andreas fault at depth. based on characterization of Phase 3 whole-rock core in the San Andreas Fault Observatory at Depth (SAFOD) borehole. *Earth Planet Sci Lett*. 310: 131-144. <http://dx.doi.org/10.1016/j.epsl.2011.07.020>.
- Bragg, GM. (1987). Effective Control of Asbestos Dust Emissions (pp. 192-197). (NIOSH/00170707). Bragg, GM.
- Bragg, GM. (1990). The behaviour of airborne asbestos fibres in indoor air.
- Brandi, G; Di Girolamo, S; Farioli, A; de Rosa, F; Curti, S; Pinna, AD; Ercolani, G; Violante, FS; Biasco, G; Mattioli, S. (2013). Asbestos: a hidden player behind the cholangiocarcinoma increase? Findings from a case-control analysis. *Cancer Causes Control*. 24: 911-918. <http://dx.doi.org/10.1007/s10552-013-0167-3>.
- Brandi, G; Farioli, A; Di Girolamo, S; Curti, S; De Rosa, F; Violante, FS; Biasco, G; Mattioli, S. (2011). ASSOCIATION BETWEEN OCCUPATIONAL EXPOSURE TO ASBESTOS AND CHOLANGIOCARCINOMA: RESULTS OF A CASE- CONTROLLED ANALYSIS. *Epidemiol Prev*. 35: 55-56.
- Brandriss, ME; Nevle, RJ; Bird, DK; Oneil, J. R. (1995). IMPRINT OF METEORIC WATER ON THE STABLE-ISOTOPE COMPOSITIONS OF IGNEOUS AND SECONDARY MINERALS, KAP-EDVARD-HOLM-COMPLEX, EAST GREENLAND. *Contributions to Mineralogy and Petrology*. 121: 74-86.
- Brandt, LPA; Kirk, NU; Jensen, OC; Hansen, HL. (1994). MORTALITY AMONG DANISH MERCHANT SEAMEN FROM 1970 TO 1985. *Am J Ind Med*. 25: 867-876.
- Brankovic, SR; Glisic, RM; Dekic, VR; Marin, MA. (2015). METAL ACCUMULATION AND TOLERANCE OF SELECTED PLANTS OF ASBESTOS TAILINGS (STRAGARI). *Hemijaska Industrija*. 69: 313-321. <http://dx.doi.org/10.2298/HEMIND131017045B>.
- Brattin, W; Barry, T; Foster, S. (2012). Estimation of the Upper Confidence Limit on the Mean of Datasets with Count-Based Concentration Values. *Hum Ecol Risk Assess*. 18: 435-455. <http://dx.doi.org/10.1080/10807039.2012.652469>.
- Bratzdrum, C; Grapes, R; Giere, R. (2009). Late-stage hydrothermal alteration and heteromorphism of calc-alkaline lamprophyre dykes in Late Jurassic Granite, Southeast China. *Lithos*. 113: 820-830. <http://dx.doi.org/10.1016/j.lithos.2009.07.008>.
- Braun, L; Greene, A; Manseau, M; Singhal, R; Kisting, S; Jacobs, N. (2003). Scientific controversy and asbestos: making disease invisible [Review]. *Int J Occup Environ Health*. 9: 194-205. <http://dx.doi.org/10.1179/oeh.2003.9.3.194>.
- Brautbar, N; Wu, MP; Gabel, E; Regev, L, ee. (2006). Occupational kidney cancer - Exposure to industrial solvents. *Ann N Y Acad Sci*. 1076: 753-764. <http://dx.doi.org/10.1196/annals.1371.012>.
- Brayner, R. (2008). The toxicological impact of nanoparticles. *Nano Today*. 3: 48-55.
- Bresnitz, EA. (1986). SCREENING GUIDELINES FOR ASBESTOS DISEASE. *Am J Public Health*. 76: 816-817.
- Bresnitz, EA; Frumkin, H; Goldstein, L; Neumark, D; Hodgson, M; Needleman, C. (1994). OCCUPATIONAL IMPAIRMENT AND DISABILITY AMONG APPLICANTS FOR SOCIAL-SECURITY DISABILITY BENEFITS IN PENNSYLVANIA. *Am J Public Health*. 84: 1786-1790.
- Breyse, J; Dixon, SL; Jacobs, DE; Lopez, J; Weber, W. (2015). Self-reported health outcomes associated with green-renovated public housing among primarily elderly residents. *J Public Health Manag Pract*. 21: 355-367. <http://dx.doi.org/10.1097/PHH.0000000000000199>.
- Breyse, PN; Weaver, V; Cadorette, M; Wiggs, L; Curbow, B; Stefaniak, A; Melius, J; Newman, L; Smith, H; Schwartz, B. (2002). Development of a medical examination program for former workers at a department of energy national laboratory. *Am J Ind Med*. 42: 443-454. <http://dx.doi.org/10.1002/ajim.10136>.
- Breyse, PN; Williams, DA; Henshaw, S; Rees, K; Herbstman, J; Symons, JM; Watson, M; Geyh, A. (2002). Asbestos exposures to truck drivers during World Trade Center clean up operations. *Epidemiology*. 13: S122-S122.
- Breyse, PN; Williams, DL; Herbstman, JB; Symons, JM; Chillrud, SN; Ross, J; Henshaw, S; Rees, K; Watson, M; Geyh, AS. (2005). Asbestos exposures to truck drivers during World Trade Center cleanup operations. *J Occup Environ Hyg*. 2: 400-405. <http://dx.doi.org/10.1080/15459620500194286>.
- Brhel, P. (2003). Occupational respiratory diseases in the Czech Republic. *Ind Health*. 41: 121-123.
- Briand, E. (2007). Vers une approche prédictive des politiques de santé environnementale en France. *E R S*. 6: 21-35. <http://dx.doi.org/10.1684/ers.2007.0029>.
- Brindley, GW; DESOUZAS.P. (1971). ANTIGORITE - ITS OCCURRENCE AS A CLAY MINERAL. *Clays and Clay Minerals*. 19: 187-&.
- Bristol, SK; Spry, PG; Voudouris, PC, h; Melfos, V; Mathur, RD; Fornadel, AP; Sakellaris, GA. (2015). Geochemical and geochronological constraints on the formation of shear-zone hosted Cu-Au-Bi-Te mineralization in the Stanos area, Chalkidiki, northern Greece. *Ore Geol Rev*. 66: 266-282. <http://dx.doi.org/10.1016/j.oregeorev.2014.11.001>.
- Broadbuss, VC; Everitt, JI; Black, B; Kane, AB. (2011). Non-neoplastic and neoplastic pleural endpoints following fiber exposure [Review]. *J Toxicol Environ Health B Crit Rev*. 14: 153-178. <http://dx.doi.org/10.1080/10937404.2011.556049>.
- Broadbuss, VC; Yang, L; Scavo, LM; Ernst, JD; Boylan, AM. (1997). Crocidolite asbestos induces apoptosis of pleural mesothelial cells: Role of reactive oxygen species and poly(ADP-ribosyl) polymerase. *Environ Health Perspect*. 105: 1147-1152. <http://dx.doi.org/10.2307/3433524>.
- Brockmann, M; Fischer, M; Müller, KM. (1998). Exposure to carbon black: a cancer risk? [Review]. *Int Arch Occup Environ Health*. 71: 85-99.

Exposure Literature Search Results

Off Topic

- Brodway, D; Fichman, M; Shapiro, M; Gutfinger, C. (1997). Motion of diffusionless particles in vertical stagnation flows .2. Deposition efficiency of elongated particles. *J Aerosol Sci.* 28: 35-52.
- Brodeur, P. (1980). Indirect Occupational Exposure (pp. 41-43). (NIOSH/00153958). Brodeur, P.
- Brodeur, P. (1980). The Insulation Workers (pp. 18-21). (NIOSH/00153947). Brodeur, P.
- Brodeur, P. (1980). Miners And Millers (pp. 22-28). (NIOSH/00153938). Brodeur, P.
- Brodeur, P. (1980). The Shipyard Problem (pp. 34-40). (NIOSH/00153971). Brodeur, P.
- Brodkin, CA; McCullough, J; Stover, B; Balmes, J; Hammar, S; Omenn, GS; Checkoway, H; Barnhart, S. (1997). Lobe of origin and histologic type of lung cancer associated with asbestos exposure in the Carotene and Retinol Efficacy Trial (CARET). *Am J Ind Med.* 32: 582-591.
- Brody, AR. (1993). ASBESTOS FINDINGS QUESTIONED - RESPONSE. *Environ Health Perspect.* 101: 564-565.
- Brody, AR. (1993). Asbestos-induced lung disease [Review]. *Environ Health Perspect.* 100: 21-30.
- Brody, AR. (1998). Asbestos-induced lung injury and fibrosis: A month in the life of an inhaled asbestos fiber. *J Clean Technol, Environ Toxicol, Occup Med.* 7: 397-412.
- Brody, AR; Crapo, JD. (1979). TRANSLOCATION AND ELEMENTAL CONTENT OF INHALED CHRYSOTILE ASBESTOS IN THE LUNGS OF RATS. *Environ Health Perspect.* 33: 337-337.
- Brody, AR; Hill, LH. (1983). INTERSTITIAL ACCUMULATION OF INHALED CHRYSOTILE ASBESTOS FIBERS AND CONSEQUENT FORMATION OF MICROCALCIFICATIONS. *Environ Health Perspect.* 52: 287-288.
- Brody, AR; Hill, LH; Adkins, B; Oconnor, RW. (1983). CHRYSOTILE ASBESTOS INHALATION IN RATS - DEPOSITION PATTERN AND REACTION OF ALVEOLAR EPITHELIUM AND PULMONARY MACROPHAGES. *Environ Health Perspect.* 52: 287-287.
- Brody, AR; Liu, JY; Brass, D; Corti, M. (1997). Analyzing the genes and peptide growth factors expressed in lung cells in vivo consequent to asbestos exposure and in vitro [Review]. *Environ Health Perspect.* 105 Suppl 5: 1165-1171.
- Bromiley, GD; Pawley, AR. (2002). The high-pressure stability of Mg-sursassite in a model hydrous peridotite: a possible mechanism for the deep subduction of significant volumes of H₂O. *Contributions to Mineralogy and Petrology.* 142: 714-723.
<http://dx.doi.org/10.1007/s00410-001-0318-5>.
- Bromiley, GD; Pawley, AR. (2003). The stability of antigorite in the systems MgO-SiO₂-H₂O (MSH) and MgO-Al₂O₃-SiO₂-H₂O (MASH): The effects of Al³⁺ substitution on high-pressure stability. *Am Mineral.* 88: 99-108.
- Brooker, M; Jaireth, S. (1995). Mount Rawdon, southeast Queensland, Australia - A diatreme-hosted gold-silver deposit. *Econ Geol.* 90: 1799-1817.
- Brophy, JT; Keith, MM; Schieman, J. (2007). Canada's asbestos legacy at home and abroad. *Int J Occup Environ Health.* 13: 236-243.
<http://dx.doi.org/10.1179/oeht.2007.13.2.236>.
- Brorby, GP; Sheehan, PJ; Berman, DW; Bogen, KT; Holm, SE. (2011). Potential artifacts associated with historical preparation of joint compound samples and reported airborne asbestos concentrations. *J Occup Environ Hyg.* 8: 271-278.
<http://dx.doi.org/10.1080/15459624.2011.566805>.
- Brorby, GP; Sheehan, PJ; Berman, DW; Bogen, KT; Holm, SE. (2013). Exposures from chrysotile-containing joint compound: evaluation of new model relating respirable dust to fiber concentrations. *Risk Anal.* 33: 161-176. <http://dx.doi.org/10.1111/j.1539-6924.2012.01847.x>.
- Broser, M; Zhang, Y; Aston, C; Harkin, T; Rom, WN. (1996). Elevated Interleukin-8 in the Alveolitis of Individuals with Asbestos Exposure. *Int Arch Occup Environ Health.* 68: 109-114.
- Brosseau, LM; Ellenbecker, MJ; Evans, JS. (1990). Collection of silica and asbestos aerosols by respirators at steady and cyclic flow. *Am Ind Hyg Assoc J.* 51: 420-426. <http://dx.doi.org/10.1080/15298669091369880>.
- Brosseau, LM; Evans, JS; Ellenbecker, MJ. (1993). An empirical model for estimating the collection efficiency of dust-mist respirators. *Ann Occup Hyg.* 37: 135-150.
- Brotzu, P; Gomes, CB; Melluso, L; Morbidelli, L; Morra, V; Ruberti, E. (1997). Petrogenesis of coexisting SiO₂-undersaturated to SiO₂-oversaturated felsic igneous rocks: The alkaline complex of Itatiaia, southeastern Brazil. *Lithos.* 40: 133-156.
- Brouet, G; Bignon, J; Bonnaud, G; Goni, J. (1971). Effect on public health of air pollution with asbestos and other fibrous dust particles (pp. 461-478). (HEEP/72/09598). Brouet, G; Bignon, J; Bonnaud, G; Goni, J.
- Brown, DM; Beswick, PH; Bell, KS; Donaldson, K. (2000). Depletion of glutathione and ascorbate in lung lining fluid by respirable fibres. *Ann Occup Hyg.* 44: 101-108.
- Brown, DM; Fisher, C; Donaldson, K. (1998). Free radical activity of synthetic vitreous fibers: iron chelation inhibits hydroxyl radical generation by refractory ceramic fiber. *J Toxicol Environ Health A.* 53: 545-561.
- Brown, DM; Kinloch, IA; Bangert, U; Windle, AH; Walter, DM; Walker, GS; Scotchford, CA; Donaldson, K; Stone, V. (2007). An in vitro study of the potential of carbon nanotubes and nanofibres to induce inflammatory mediators and frustrated phagocytosis. *Carbon.* 45: 1743-1756.
<http://dx.doi.org/10.1016/j.carbon.2007.05.011>.
- Brown, JM; Abramson, EH. (2016). Elasticity of calcium and calcium-sodium amphiboles. *Phys Earth Planet In.* 261: 161-171.
<http://dx.doi.org/10.1016/j.pepi.2016.10.010>.
- Brown, PW; Crawford, NP; Jones, AD; Miller, BG; Maclaren, WM. (1994). Development of the Regular Interlaboratory Counting Exchanges (RICE) scheme to include visual reference counts and samples from asbestos clearance operations. *Ann Occup Hyg.* 38: 687-703.
- Brown, PW; Jones, AD. (2001). Interlaboratory comparison schemes for fibre counting: AFRICA and the WHO/EURO reference scheme. *Staub, Reinhaltung der Luft.* 61: 101-104.
- Brown, PW; Jones, AD; Miller, BG. (2002). Developments in the RICE asbestos fibre counting scheme, 1992-2000. Regular Interlaboratory Counting Exchanges. *Ann Occup Hyg.* 46: 329-339. <http://dx.doi.org/10.1093/annhyg/mef033>.

Exposure Literature Search Results

Off Topic

- Brown, RC; Fleming, GT; Knight, AI. (1983). Asbestos affects the in vitro uptake and detoxification of aromatic compounds. *Environ Health Perspect.* 51: 315-318.
- Brown, RC; Hoskins, JA; Glass, LR. (1995). The in vivo biological activity of ceramic fibres. *Ann Occup Hyg.* 39: 705-713.
- Brown, RC; Pigott, GH; Alexander, I. (1995). CLASSIFICATION OF MMMF. *Ann Occup Hyg.* 39: 135-140.
- Brown, RC; Sara, EA; Hoskins, JA; Evans, CE. (1991). Factors Affecting the Interaction of Asbestos Fibres with Mammalian Cells: A Study Using Cells in Suspension. *Ann Occup Hyg.* 35: 25-34.
- Brown, RC; Sara, EA; Hoskins, JA; Evans, CE; Young, J; Laskowski, JJ; Acheson, R; Forder, SD; Rood, AP. (1992). THE EFFECTS OF HEATING AND DEVITRIFICATION ON THE STRUCTURE AND BIOLOGICAL-ACTIVITY OF ALUMINOSILICATE REFRACTORY CERAMIC FIBERS. *Ann Occup Hyg.* 36: 115-129.
- Brown, SC; Kamal, M; Nasreen, N; Baumuratov, A; Sharma, P; Antony, VB; Moudgil, BM. (2007). Influence of shape, adhesion and simulated lung mechanics on amorphous silica nanoparticle toxicity. *Adv Powder Tech.* 18: 69-79.
- Brown, SC; Schonbeck, MF; McClure, D; Barón, AE; Navidi, WC; Byers, T; Rutenber, AJ. (2004). Lung cancer and internal lung doses among plutonium workers at the Rocky Flats Plant: a case-control study. *Am J Epidemiol.* 160: 163-172.
<http://dx.doi.org/10.1093/aje/kwh192>.
- Brown, SK. (1987). Asbestos exposure during renovation and demolition of asbestos-cement clad buildings. *Am Ind Hyg Assoc J.* 48: 478-486.
<http://dx.doi.org/10.1080/15298668791385075>.
- Brown, SK. (1990). DEVELOPMENT OF TEST METHODS FOR ASSESSING ENCAPSULANTS FOR FRIABLE ASBESTOS INSULATION PRODUCTS. *J Coating Tech.* 62: 35-40.
- Brown, SK. (1990). Effect of Wetting Agents on Water Penetration into Asbestos Insulations. *Am Ind Hyg Assoc J.* 51: 384-389.
- Brown, SK. (1990). PENETRATION WETTING OF ASBESTOS INSULATION PRODUCTS. *Ind Eng Chem Res.* 29: 2123-2128.
- Brown, SK; Angelopoulos, M. (1991). EVALUATION OF EROSION RELEASE AND SUPPRESSION OF ASBESTOS FIBERS FROM ASBESTOS BUILDING PRODUCTS. *Am Ind Hyg Assoc J.* 52: 363-371.
- Browne, K. (1986). Is asbestos or asbestosis the cause of the increased risk of lung cancer in asbestos workers? [Review]. *Br J Ind Med.* 43: 145-149.
- Browne, K. (1988). Risk assessment in the asbestos cement industry [Letter]. *Br J Ind Med.* 45: 720.
- Browne, K. (1991). Asbestos related malignancy and the Cairns hypothesis [Editorial]. *Br J Ind Med.* 48: 73-76.
- Browne, K. (1997). Pathogenesis, diagnosis and clinical relevance of pleural plaques. *Indoor Built Environ.* 6: 125-130.
<http://dx.doi.org/10.1177/1420326X9700600212>.
- Browne, K. (2001). The quantitative risks of mesothelioma and lung cancer in relation to asbestos exposure [Letter]. *Ann Occup Hyg.* 45: 327-329; author reply 336-328.
- Browne, K; Gee, JB. (2000). Asbestos exposure and laryngeal cancer [Review]. *Ann Occup Hyg.* 44: 239-250.
- Browne, K; Smither, WJ. (1983). Asbestos-related mesothelioma: factors discriminating between pleural and peritoneal sites. *Br J Ind Med.* 40: 145-152.
- Brownlee, SJ; Hacker, BR; Harlow, GE; Seward, G. (2013). Seismic signatures of a hydrated mantle wedge from antigorite crystal-preferred orientation (CPO). *Earth Planet Sci Lett.* 375: 395-407. <http://dx.doi.org/10.1016/j.epsl.2013.06.003>.
- Bruckman, L; Rubino, RA. (1976). PROPOSED ASBESTOS AIR-QUALITY STANDARD - REPLY. *J Air Pollut Control Assoc.* 26: 415-416.
- Brunner, TJ; Wick, P; Manser, P; Spohn, P; Grass, RN; Limbach, LK; Bruinink, A; Stark, WJ. (2006). In vitro cytotoxicity of oxide nanoparticles: comparison to asbestos, silica, and the effect of particle solubility. *Environ Sci Technol.* 40: 4374-4381.
<http://dx.doi.org/10.1021/es052069i>.
- Brunner, WM; Williams, AN; Bender, AP. (2008). Investigation of exposures to commercial asbestos in northeastern Minnesota iron miners who developed mesothelioma. *Regul Toxicol Pharmacol.* 52: S116-S120. <http://dx.doi.org/10.1016/j.yrtph.2007.09.014>.
- Bruno, C; Tumino, R; Fazzo, L; Cascone, G; Cernigliaro, A; De Santis, M; Giurdanella, MC; Nicita, C; Rollo, PC; Scondotto, S; Spata, E; Zona, A; Comba, P. (2014). Incidence of pleural mesothelioma in a community exposed to fibres with fluoro-edenitic composition in Biancavilla (Sicily, Italy). *Ann Ist Super Sanita.* 50: 111-118. http://dx.doi.org/DOI: 10.4415/ANN_14_02_02.
- Brüske-Hohlfeld, I. (1999). Occupational cancer in Germany [Review]. *Environ Health Perspect.* 107 Suppl 2: 253-258.
- Bruske-Hohlfeld, I; Mohner, M; Ahrens, W; Pohlabein, H; Heinrich, J; Kreuzer, M; Jockel, KH; Wichmann, HE. (1999). Lung cancer risk in male workers occupationally exposed to diesel motor emissions in Germany. *Am J Ind Med.* 36: 405-414.
- Brüske-Hohlfeld, I; Mohner, M; Pohlabein, H; Ahrens, W; Bolm-Audorff, U; Kreienbrock, L; Kreuzer, M; Jahn, I; Wichmann, HE; Jöckel, KH. (2000). Occupational lung cancer risk for men in Germany: results from a pooled case-control study. *Am J Epidemiol.* 151: 384-395.
- Brüske-Hohlfeld, I; Rosario, AS; Wölke, G; Heinrich, J; Kreuzer, M; Kreienbrock, L; Wichmann, HE. (2006). Lung cancer risk among former uranium miners of the WISMUT Company in Germany. *Health Phys.* 90: 208-216.
<http://dx.doi.org/10.1097/01.HP.0000175443.08832.84>.
- Bucci, LA; Hagemann, SG; Groves, DT; Standing, JG. (2002). The Archean Chalice gold deposit: a record of complex, multistage, high-temperature hydrothermal activity and gold mineralisation associated with granitic rocks in the Yilgarn Craton, Western Australia. *Ore Geol Rev.* 19: 23-67.
- Bucci, LA; Mcnaughton, NJ; Fletcher, IR; Groves, DI; Kositcin, N; Stein, HJ; Hagemann, SG. (2004). Timing and duration of high-temperature gold mineralization and spatially associated granitoid magmatism at Chalice, Yilgarn craton, Western Australia. *Econ Geol.* 99: 1123-1144.
- Buccolieri, G; De Stefano, L. (2001). Accurate quantitative measurements of asbestos in XRPD analysis. *Ann Chim.* 91: 277-283.
- Buchan, RM; Richardson, DC; Beaulieu, HJ; Keefe, TJ. (1984). DEVELOPMENT OF A MATHEMATICAL-MODEL FOR PREDICTING CONCENTRATIONS OF SMALL ASBESTOS FIBERS. *Environ Res.* 33: 296-299.

Exposure Literature Search Results

Off Topic

- Bucher, K. (1998). Growth mechanisms of metasomatic reaction veins in dolomite marbles from the Bergell Alps. *Mineralogy and Petrology*. 63: 151-171.
- Bucher, K; Fazis, Y; De Capitani, C; Grapes, R. (2005). Blueschists, eclogites, and decompression assemblages of the Zermatt-Saas ophiolite: High-pressure metamorphism of subducted Tethys lithosphere. *Am Mineral*. 90: 821-835. <http://dx.doi.org/10.2138/am.2005.1718>.
- Büchte, SF; Morfeld, P; Wellmann, J; Bolm-Audorff, U; Mccunney, RJ; Piekarski, C; Association, ICB. (2006). Lung cancer mortality and carbon black exposure: a nested case-control study at a German carbon black production plant. *J Occup Environ Med*. 48: 1242-1252. <http://dx.doi.org/10.1097/01.jom.0000215710.17519.cd>.
- Buck, BJ; Goossens, D; Metcalf, RV; Mclaurin, B; Ren, M; Freudenberger, F. (2013). Naturally Occurring Asbestos: Potential for Human Exposure, Southern Nevada, USA. *Soil Sci Soc Am J*. 77: 2192-2204. <http://dx.doi.org/10.2136/sssaj2013.05.0183>.
- Buckley, JP; Keil, AP; Mcgrath, LJ; Edwards, JK. (2015). Evolving Methods for Inference in the Presence of Healthy Worker Survivor Bias [Review]. *Epidemiology*. 26: 204-212. <http://dx.doi.org/10.1097/EDE.0000000000000217>.
- Budroni, M; Sechi, O; Cesaraccio, R; Pirino, D; Fadda, A; Grottin, S; Flore, MV; Sale, P; Satta, G; Cossu, A; Tanda, F; Cocco, PL. (2010). [Cancer incidence among petrochemical workers in the Porto Torres industrial area, 1990-2006]. *Med Lav*. 101: 189-198.
- Buelow, RW; Millette, J. R.; Mcfarren, EF; Symons, JM. (1980). BEHAVIOR OF ASBESTOS-CEMENT PIPE UNDER VARIOUS WATER-QUALITY CONDITIONS - PROGRESS REPORT. *J Am Water Works Assoc*. 72: 91-102.
- Buick, R; Marais, DJD; Knoll, AH. (1995). STABLE ISOTOPIC COMPOSITIONS OF CARBONATES FROM THE MESOPROTEROZOIC BANGEMALL GROUP, NORTHWESTERN AUSTRALIA. *Chem Geol*. 123: 153-171.
- Bujak-Pietrek, S; Szadkowska-Stańczyk, I. (2012). [Exposure to respirable asbestos fibers at various stage of asbestos removal work]. *Med Pr*. 63: 191-198.
- Bulbulyan, MA; Ilychova, SA; Zahm, SH; Astashevsky, SV; Zaridze, DG. (1999). Cancer mortality among women in the Russian printing industry. *Am J Ind Med*. 36: 166-171.
- Bunderson-Schelvan, M; Pfau, JC; Crouch, R; Holian, A. (2011). Nonpulmonary outcomes of asbestos exposure [Review]. *J Toxicol Environ Health B Crit Rev*. 14: 122-152. <http://dx.doi.org/10.1080/10937404.2011.556048>.
- Bunn, WB; Bender, JR; Hesterberg, TW; Chase, GR; Konzen, JL. (1993). Recent studies of man-made vitreous fibers. Chronic animal inhalation studies [Review]. *J Occup Med*. 35: 101-113.
- Burdett, G. (1998). A comparison of historic asbestos measurements using a thermal precipitator with the membrane filter-phase contrast microscopy method. *Ann Occup Hyg*. 42: 21-31.
- Burdett, G; Bard, D. (2007). Exposure of UK industrial plumbers to asbestos, Part I: Monitoring of exposure using personal passive samplers. *Ann Occup Hyg*. 51: 121-130. <http://dx.doi.org/10.1093/annhyg/mel078>.
- Burdett, GJ; Nagar, N; Smith, L. (1994). Removal of Asbestos from Difficult-to-Access Large Diameter Pipes: A Comparison of Wet Removal Methods. *Appl Occup Environ Hyg*. 9: 836-844.
- Burdett, GJ; Rood, AP. (1983). Membrane-filter, direct-transfer technique for the analysis of asbestos fibers or other inorganic particles by transmission electron microscopy. *Environ Sci Technol*. 17: 643-648.
- Burdorf, A; Dahhan, M; Swuste, P. (2003). Occupational characteristics of cases with asbestos-related diseases in The Netherlands. *Ann Occup Hyg*. 47: 485-492. <http://dx.doi.org/10.1093/annhyg/meg062>.
- Burdorf, A; Heederik, D. (2011). Applying quality criteria to exposure in asbestos epidemiology increases the estimated risk. *Ann Occup Hyg*. 55: 565-568. <http://dx.doi.org/10.1093/annhyg/mer042>.
- Burdorf, A; Swuste, P. (1999). An expert system for the evaluation of historical asbestos exposure as diagnostic criterion in asbestos-related diseases. *Ann Occup Hyg*. 43: 57-66.
- Burdorf, L; Swuste, PH; Heederik, D. (1991). A history of awareness of asbestos disease and the control of occupational asbestos exposures in The Netherlands. *Am J Ind Med*. 20: 547-555.
- Burkart, W; Finch, GL; Jung, T. (1997). Quantifying health effects from the combined action of low-level radiation and other environmental agents: Can new approaches solve the enigma? [Review]. *Sci Total Environ*. 205: 51-70.
- Burkhard, DJM. (1993). ACCESSORY CHROMIUM SPINELS - THEIR COEXISTENCE AND ALTERATION IN SERPENTINITES. *Geochim Cosmo Acta*. 57: 1297-1306.
- Burkhart, G; Schulte, PA; Robinson, C; Sieber, WK; Vossenas, P; Ringen, K. (1993). Job tasks, potential exposures, and health risks of laborers employed in the construction industry [Review]. *Am J Ind Med*. 24: 413-425.
- Burki, T. (2009). Asbestos production increases despite WHO opposition. *Lancet Oncol*. 10: 846.
- Burnat, D; Schlupp, M; Wichser, A; Lothenbach, B; Gorbar, M; Zuettel, A; Vogt, UF. (2015). Composite membranes for alkaline electrolysis based on polysulfone and mineral fillers. *J Power Sources*. 291: 163-172. <http://dx.doi.org/10.1016/j.jpowsour.2015.04.066>.
- Burns, C; Harrison, K; Jammer, B; Zuccarini, D; Lafrance, B. (2005). A cancer incidence and mortality study of Dow Chemical Canada Inc. manufacturing sites. *Occup Med (Lond)*. 55: 618-624. <http://dx.doi.org/10.1093/occmed/kqi145>.
- Burns, PB; Swanson, GM. (1991). THE OCCUPATIONAL-CANCER INCIDENCE SURVEILLANCE STUDY (OCISS) - RISK OF LUNG-CANCER BY USUAL OCCUPATION AND INDUSTRY IN THE DETROIT METROPOLITAN-AREA. *Am J Ind Med*. 19: 655-671.
- Burnsky, PJ; Kirkland, L; Mcarthur, JC; Drozak, F; Luciano, P; Rice, ML; Jr, KI; Bennett, CE; Lemen, RA. (1984). Proceedings Metal Trades Department Third Biennial National Shipbuilding Conference (pp. 14-16). (NIOSH/00209356). Burnsky, PJ; Kirkland, L; Mcarthur, JC; Drozak, F; Luciano, P; Rice, ML; Kidd IC Jr; Bennett, CE; Lemen, RA.
- Burrigato, F; Comba, P; Baiocchi, V; Palladino, D; Simej, S; Gianfagna, A; Paoletti, L; Pasetto, R. (2005). Geo-volcanological, mineralogical and environmental aspects of quarry materials related to pleural neoplasm in the area of Biancavilla, Mount Etna (Eastern Sicily, Italy). *Environ Geol*. 47: 855-868. <http://dx.doi.org/10.1007/s00254-004-1217-7>.

Exposure Literature Search Results

Off Topic

- Burrigato, F; Gaglianone, G; Gerbasi, G; Mazziotti-Tagliani, S; Papacchini, L; Rossini, F; Sperduto, B. (2010). Fibrous mineral detection in natural soil and risk mitigation (1(st) paper). *Periodico di Mineralogia*. 79: 21-35. <http://dx.doi.org/10.2451/2010PM0015>.
- Burstyn, I; Boffetta, P; Kauppinen, T; Heikkilä, P; Svane, O; Partanen, T; Stücker, I; Frentzel-Beyme, R; Ahrens, W; Merzenich, H; Heederik, D; Hooiveld, M; Langård, S; Randem, BG; Järholm, B; Bergdahl, I; Shaham, J; Ribak, J; Kromhout, H. (2003). Estimating exposures in the asphalt industry for an international epidemiological cohort study of cancer risk. *Am J Ind Med*. 43: 3-17. <http://dx.doi.org/10.1002/ajim.10183>.
- Bursztyn, NE, va; Olivo, GR. (2010). PGE-Rich Ni-Cu Sulfide Mineralization in the Flin Flon Greenstone Belt, Manitoba, Canada: Implications for Hydrothermal Remobilization of Platinum Group Elements in Basic-Ultrabasic Sequences. *Econ Geol*. 105: 1469-1490.
- Bussy, C; Al-Jamal, KT; Boczkowski, J; Lanone, S; Prato, M; Bianco, A; Kostarelos, K. (2015). Microglia Determine Brain Region-Specific Neurotoxic Responses to Chemically Functionalized Carbon Nano tubes. *ACS Nano*. 9: 7815-7830. <http://dx.doi.org/10.1021/acsnano.5b02358>.
- Butnor, KJ; Sporn, TA; Roggli, VL. (2003). Exposure to brake dust and malignant mesothelioma: A study of 10 cases with mineral fiber analyses. *Ann Occup Hyg*. 47: 325-330. <http://dx.doi.org/10.1093/annhyg/meg048>.
- Butt, CA. (2016). Untitled: Tayo Adenaike. *JAMA*. 316: 252-253. <http://dx.doi.org/10.1139/cjb-2016-0104>.
- Cabana, L; Bourgoignon, M; Wang, JT; Protti, A; Klippstein, R; de Rosales, RT; Shah, AM; Fontcuberta, J; Tobías-Rossell, E; Sosabowski, JK; Al-Jamal, KT; Tobias, G. (2016). The Shortening of MWNT-SPION Hybrids by Steam Treatment Improves Their Magnetic Resonance Imaging Properties In Vitro and In Vivo. *Small*. 12: 2893-2905. <http://dx.doi.org/10.1002/sml.201502721>.
- Caby, R; Bruguier, O; Fernandez, L; Hammor, D; Bosch, D; Mechat, M; Laouar, R; Ouabadi, A; Abdallah, N; Douchet, C. (2014). Metamorphic diamonds in a garnet megacryst from the Edough Massif (northeastern Algeria). Recognition and geodynamic consequences. *Tectonophysics*. 637: 341-353. <http://dx.doi.org/10.1016/j.tecto.2014.10.017>.
- Cadieux, A; Massé, S; Sirois, P. (1983). Effect of asbestos on the metabolism of vasoactive substances in isolated perfused guinea pig lungs. *Environ Health Perspect*. 51: 287-291.
- Cahill, C. (1982). PUBLIC-PARTICIPATION CITIZENS CHALLENGE ASBESTOS PIPE USE. *Environment*. 24: 43-44.
- Cai, SX; Zhang, CH; Zhang, X; Morinaga, K. (2001). Epidemiology of occupational asbestos-related diseases in China [Review]. *Ind Health*. 39: 75-83.
- Caironi, M; Polini, S; Storto, T; Bertoli, M. (2007). [The productive district of textile asbestos in the Lower Iseo Lake area]. *Epidemiol Prev*. 31: 10-15.
- Calagari, A, liA; Abedini, A, li. (2007). Geochemical investigations on Permo-Triassic bauxite horizon at Kanisheeteh, east of Bukan, West-Azarbaidjan, Iran. *J Geochem Explor*. 94: 1-18. <http://dx.doi.org/10.1016/j.gexplo.2007.04.003>.
- Calcabrini, A; Meschini, S; Marra, M; Falzano, L; Colone, M; De Berardis, B; Paoletti, L; Arancia, G; Fiorentini, C. (2004). Fine environmental particulate engenders alterations in human lung epithelial A549 cells. *Environ Res*. 95: 82-91. <http://dx.doi.org/10.1016/j.envres.2003.07.011>.
- Calderon, M; Fosdick, JC; Warren, C; Massonne, HJ; Fanning, CM; Fadel Cury, L; Schwanethal, J; Fonseca, PE; Galaz, G; Gaytan, D; Herve, F. (2012). The low-grade Canal de las Montanas Shear Zone and its role in the tectonic emplacement of the Sarmiento Ophiolitic Complex and Late Cretaceous Patagonian Andes orogeny, Chile. *Tectonophysics*. 524: 165-185. <http://dx.doi.org/10.1016/j.tecto.2011.12.034>.
- Callahan, KC. (2004). Monitoring for asbestos: U.S. EPA methods [Letter]. *Environ Health Perspect*. 112: A728.
- Calvert, GM; Moore, M; Hessel, SM. (1991). Ventilatory function after exposure to various respirable hazards in a population of former coal miners. *Br J Ind Med*. 48: 38-40.
- Calvet, N; Gomez, JC; Faik, A; Roddatis, VV; Meffre, A; Glatzmaier, GC; Doppio, S; Py, X. (2013). Compatibility of a post-industrial ceramic with nitrate molten salts for use as filler material in a thermocline storage system. *Appl Energ*. 109: 387-393. <http://dx.doi.org/10.1016/j.apenergy.2012.12.078>.
- Camara, F; Oberti, R; Iezzi, G; Della Ventura, G. (2003). The P21/m <-> C2/m phase transition in synthetic amphibole NaNaMgMg5Si8O22(OH)2: thermodynamic and crystal-chemical evaluation. *Physics and Chemistry of Minerals*. 30: 570-581. <http://dx.doi.org/10.1007/s00269-003-0348-9>.
- Camargo, MC; Stayner, LT; Straif, K; Reina, M; Al-Alem, U; Demers, PA; Landrigan, PJ. (2011). Occupational exposure to asbestos and ovarian cancer: a meta-analysis. *Environ Health Perspect*. 119: 1211-1217. <http://dx.doi.org/10.1289/ehp.1003283>.
- Cambelova, M; Juck, A. (1994). FIBROGENIC EFFECT OF WOLLASTONITE COMPARED WITH ASBESTOS DUST AND DUSTS CONTAINING QUARTZ. *Occup Environ Med*. 51: 343-346.
- Cametti, G; Pacella, A; Mura, F; Rossi, M; Ballirano, P. (2013). New morphological, chemical, and structural data of woolly erionite-Na from Durkee, Oregon, USA. *Am Mineral*. 98: 2155-2163. <http://dx.doi.org/10.2138/am.2013.4474>.
- Camiade, E; Gramond, C; Jutand, MA; Audignon, S; Rinaldo, M; Imbernon, E; Luce, D; Galateau-Sallé, F; Astoul, P; Pairon, JC; Brochard, P; Lacourt, A. (2013). Characterization of a French series of female cases of mesothelioma. *Am J Ind Med*. 56: 1307-1316. <http://dx.doi.org/10.1002/ajim.22229>.
- Campbell, MJ; Langlands, JH. (1982). Analysis of a follow-up study: an example from asbestos-exposed insulation workers. *Scand J Work Environ Health*. 8 Suppl 1: 43-47.
- Campbell, WJ. (1979). IDENTIFICATION AND QUANTIFICATION OF ASBESTOS AND OTHER MINERAL PARTICULATES. *American Ceramic Society Bulletin*. 58: 330-330.
- Campopiano, A; Ramires, D; Zakrzewska, AM; Ferri, R; D'annibale, A; Pizzutelli, G. (2009). Risk assessment of the decay of asbestos cement roofs. *Ann Occup Hyg*. 53: 627-638. <http://dx.doi.org/10.1093/annhyg/mep036>.

Exposure Literature Search Results

Off Topic

- Campos, TFC; Nieva, AMR; Nardi, LSV. (2000). Geochemistry of granites and their minerals from Serra Negra do Norte Pluton, northeastern Brazil. *Chem Erde*. 60: 279-303.
- Camprubi, A; Gonzalez-Partida, E; Lopez-Martinez, M; Iriondo, A; Alfonso, P; Cienfuegos-Alvarado, E; Gutierrez-Armendariz, E; Morales-Puente, P; Canet, C; Gonzalez-Ruiz, L. (2017). The Upper Cretaceous Guaynopa IOCG and Guaynopita porphyry copper deposits, Chihuahua, Mexico. *Ore Geol Rev*. 81: 1096-1112. <http://dx.doi.org/10.1016/j.oregeorev.2016.01.006>.
- Candela, PA; Crummett, CD; Earnest, DJ; Frank, MR; Wylie, AG. (2007). Low-pressure decomposition of chrysotile as a function of time and temperature. *Am Mineral*. 92: 1704-1713. <http://dx.doi.org/10.2138/am.2007.2559>.
- Candura, SM; Boeri, R; Teragni, C; Chen, Y; Scafa, F. (2016). Renal cell carcinoma and malignant peritoneal mesothelioma after occupational asbestos exposure: case report. *Med Lav*. 107: 172-177.
- Canet, C; Gonzalez-Partida, E; Camprubi, A; Castro-Mora, J; Martin Romero, F; Maria Prol-Ledesma, R; Linares, C; Romero-Guadarrama, JA; Sanchez-Vargas, LI. (2011). The Zn-Pb-Ag skarns of Zacatepec, Northeastern Oaxaca, Mexico: A study of mineral assemblages and ore-forming fluids. *Ore Geol Rev*. 39: 277-290. <http://dx.doi.org/10.1016/j.oregeorev.2011.03.007>.
- Cannao, E; Agostini, S; Scambelluri, M; Tonarini, S; Godard, M. (2015). B, Sr and Pb isotope geochemistry of high-pressure Alpine metaperidotites monitors fluid-mediated element recycling during serpentinite dehydration in subduction melange (Cima di Gagnone, Swiss Central Alps). *Geochim Cosmo Acta*. 163: 80-100. <http://dx.doi.org/10.1016/j.gca.2015.04.024>.
- Cannao, E; Scambelluri, M; Agostini, S; Tonarini, S; Godard, M. (2016). Linking serpentinite geochemistry with tectonic evolution at the subduction plate-interface: The Voltri Massif case study (Ligurian Western Alps, Italy). *Geochim Cosmo Acta*. 190: 115-133. <http://dx.doi.org/10.1016/j.gca.2016.06.034>.
- Cannell, J; Davidson, GJ. (1998). A carbonate-dominated copper-cobalt Breccia-Vein system at the great Australia deposit, Mount Isa Eastern succession. *Econ Geol*. 93: 1406-1421.
- Canti, Z; Scillia, R; Cantoni, S; Mensi, C. (2007). [Malignant mesothelioma of the pleura in a truck driver]. *Med Lav*. 98: 216-220.
- Cao, M; Qin, K; Li, G; Evans, NJ; Jin, L. (2015). In situ LA-(MC)-ICP-MS trace element and Nd isotopic compositions and genesis of polygenetic titanite from the Baogutu reduced porphyry Cu deposit, Western Junggar, NW China. *Ore Geol Rev*. 65: 940-954. <http://dx.doi.org/10.1016/j.oregeorev.2014.07.014>.
- Cao, Y, i; Du, Y; Gao, F; Hu, L; Xin, F; Pang, Z. (2012). Origin and evolution of hydrothermal fluids in the Taochong iron deposit, Middle-Lower Yangtze Valley, Eastern China: Evidence from microthermometric and stable isotope analyses of fluid inclusions. *Ore Geol Rev*. 48: 225-238. <http://dx.doi.org/10.1016/j.oregeorev.2012.03.009>.
- Cao, Y, i; Du, Y; Pang, Z; Gao, F; Du, Y; Liu, X. (2016). Iron transport and deposition mechanisms in the Taochong iron-rich skarn deposit, Middle-Lower Yangtze Valley, Eastern China. *Ore Geol Rev*. 72: 1037-1052. <http://dx.doi.org/10.1016/j.oregeorev.2015.10.001>.
- Cao, Y, i; Jung, H; Song, S; Park, M; Jung, S; Lee, J. (2015). Plastic Deformation and Seismic Properties in Fore-arc Mantles: A Petrofabric Analysis of the Yushigou Harzburgites, North Qilian Suture Zone, NW China. *Journal of Petrology*. 56: 1897-1943. <http://dx.doi.org/10.1093/petrology/egv053>.
- Cao, Y, i; Song, S; Su, L, i; Jung, H; Niu, Y. (2016). Highly refractory peridotites in Songshugou, Qinling orogen: Insights into partial melting and melt/fluid-rock reactions in forearc mantle. *Lithos*. 252: 234-254. <http://dx.doi.org/10.1016/j.lithos.2016.03.002>.
- Capitani, G; Mellini, M. (2004). The modulated crystal structure of antigorite: The m=17 polysome. *Am Mineral*. 89: 147-158.
- Capitani, G; Mellini, M. (2005). HRTEM evidence for 8-reversals in the m=17 antigorite polysome. *Am Mineral*. 90: 991-999. <http://dx.doi.org/10.2138/am.2005.1634>.
- Capitani, GC; Mellini, M. (2006). The crystal structure of a second antigorite polysome (m=16), by single-crystal synchrotron diffraction. *Am Mineral*. 91: 394-399. <http://dx.doi.org/10.2138/am.2006.1919>.
- Capitani, GC; Mellini, M. (2007). High-resolution transmission electron microscopy (HRTEM) investigation of antigorite polysomes (m=15 to 18). *Am Mineral*. 92: 64-71. <http://dx.doi.org/10.2138/am.2007.2188>.
- Capitani, GC; Mellini, M. (2008). Rationale for the existence of four- and eight-reversals in antigorite. *Am Mineral*. 93: 796-799. <http://dx.doi.org/10.2138/am.2008.2538>.
- Capitani, GC; Stixrude, L. (2012). A first-principle investigation of antigorite up to 30 GPa: Structural behavior under compression. *Am Mineral*. 97: 1177-1186. <http://dx.doi.org/10.2138/am.2012.3956>.
- Capitani, GC; Stixrude, L; Mellini, M. (2009). First-principles energetics and structural relaxation of antigorite. *Am Mineral*. 94: 1271-1278. <http://dx.doi.org/10.2138/am.2009.3218>.
- Caplan, PE. (1985). Preliminary Survey Report: Control Technology For Asbestos Removal Industry, Report No. CT-147-15a, Gateway High School, Aurora, Colorado (pp. 147-115). (NIOSH/00152202). Caplan, PE.
- Caplan, PE. (1985). Preliminary Survey Report: Control Technology For Asbestos Removal Industry, Report No. CT-147-16a, Veterans Administration Hospital, Denver, Colorado (pp. 147-116). (NIOSH/00152206). Caplan, PE.
- Cappelletto, F; Merler, E. (2003). Perceptions of health hazards in the narratives of Italian migrant workers at an Australian asbestos mine (1943-1966). *Soc Sci Med*. 56: 1047-1059.
- Carel, R; Boffetta, P; Kauppinen, T; Teschke, K; Andersen, A; Jäppinen, P; Pearce, N; Rix, BA; Bergeret, A; Coggon, D; Persson, B; Szadkowska-Stanczyk, I; Kielkowski, D; Henneberger, P; Kishi, R; Facchini, LA; Sala, M; Colin, D; Kogevinas, M. (2002). Exposure to asbestos and lung and pleural cancer mortality among pulp and paper industry workers. *J Occup Environ Med*. 44: 579-584.
- Carel, R; Olsson, AC; Zaridze, D; Szeszenia-Dabrowska, N; Rudnai, P; Lissowska, J; Fabianova, E; Cassidy, A; Mates, D; Bencko, V; Foretova, L; Janout, V; Fovotte, J; Fletcher, T; 'T Mannetje, A; Brennan, P; Boffetta, P. (2007). Occupational exposure to asbestos and man-made vitreous fibres and risk of lung cancer: a multicentre case-control study in Europe. *Occup Environ Med*. 64: 502-508. <http://dx.doi.org/10.1136/oem.2006.027748>.

Exposure Literature Search Results

Off Topic

- Carlin, DJ; Larson, TC; Pfau, JC; Gavett, SH; Shukla, A; Miller, A; Hines, R. (2015). Current Research and Opportunities to Address Environmental Asbestos Exposures. *Environ Health Perspect.* 123: A194-A197. <http://dx.doi.org/10.1289/ehp.1409662>.
- Carlo, HL; Fonseca, RB; Goncalves, L; Correr-Sobrinho, L; Soares, CJ; Coelho Sinhoreti, MA. (2010). Analysis of Filler Particle Levels and Sizes in Dental Alginates. *Mater Res.* 13: 261-264.
- Carneiro, C; Sottomaior, AP; Andreoli, CV. (2005). Nitrogen dynamics in sewage sludge stored under distinct conditions. *Revista Brasileira de Ciencia do Solo.* 29: 987-994.
- Carnevale, F. (2007). [Asbestos: a long lasting tragedy. Useful considerations for a historical reconstruction of the most remarkable facts]. *Epidemiol Prev.* 31: 53-74.
- Carnevale, F. (2008). Grey and the color of dust. A factory, the clouds of asbestos, hundreds of workers died. A forgotten story. *Epidemiol Prev.* 32: 332-332.
- Carnevale, F. (2012). [Asbestos in pre-industrial times: from natural wonder to subject of scientific investigation]. *Med Lav.* 103: 3-16.
- Carpenter, PS; Walker, NW. (1992). ORIGIN AND TECTONIC SIGNIFICANCE OF THE ALDRICH MOUNTAINS SERPENTINITE MATRIX MELANGE, NORTHEASTERN OREGON. *Tectonics.* 11: 690-708.
- Carretier, J; Charbotel, B; Baan, R; Talla, L; Grosse, V; Philip, T; Straif, K; Fervers, B. (2013). [Reassessment of human carcinogens (volumes 100C and 100F of IARC monographs) and recognition as occupational diseases]. *E R S.* 12: 41-53. <http://dx.doi.org/10.1684/ers.2013.0593>.
- Carruth, RS; Goldstein, BD. (2004). The asbestos case: a comment on the appointment and use of nonpartisan experts in world trade organization dispute resolution involving health risk. *Risk Anal.* 24: 471-481. <http://dx.doi.org/10.1111/j.0272-4332.2004.00450.x>.
- Carson, PG; Johnston, MV; Wexler, AS. (1997). Real-time monitoring of the surface and total composition of aerosol particles. *Aerosol Sci Technol.* 26: 291-300.
- Carton, M; Bonnaud, S; Nachtigal, M; Serrano, A; Carole, C; Bonenfant, S; Coste, D; Lepinay, P; Varsat, B; Wadoux, B; Zins, M; Goldberg, M. (2011). Post-retirement surveillance of workers exposed to asbestos or wood dust: first results of the French national SPIRALE Program. *Epidemiol Prev.* 35: 315-323.
- Cartwright, I; Valley, JW. (1991). STEEP OXYGEN-ISOTOPE GRADIENTS AT MARBLE METAGRANITE CONTACTS IN THE NORTHWEST ADIRONDACK MOUNTAINS, NEW-YORK, USA - PRODUCTS OF FLUID-HOSTED DIFFUSION. *Earth Planet Sci Lett.* 107: 148-163.
- Carugno, M; Mensi, C; Sieno, C; Consonni, D; Riboldi, L. (2012). Asbestos exposure among hairdressers [Letter]. *Med Lav.* 103: 70-71.
- Case, BW. (1991). On talc, tremolite, and ter-giversation ter-gi-ver-sate: 2: to use subterfuges [Letter]. *Occup Environ Med.* 48: 357-358.
- Case, BW. (1994). Biological indicators of chrysotile exposure. *Ann Occup Hyg.* 38: 503-518, 410-501.
- Case, BW. (2006). Asbestos, smoking, and lung cancer: interaction and attribution [Comment]. *Occup Environ Med.* 63: 507-508. <http://dx.doi.org/10.1136/oem.2006.027631>.
- Case, BW. (2016). Pathology analysis for mesothelioma study in the United Kingdom: Current practice and historical development. *J Toxicol Environ Health B Crit Rev.* 19: 201-212. <http://dx.doi.org/10.1080/10937404.2016.1195320>.
- Case, BW; Dufresne, A; Sebastien, P. (2006). Lung-retained asbestos fibre analysis: Trends over 25 years in one institution and their implications. *Epidemiology.* 17: S136-S137.
- Cassa, AM; van Zyl, JE; Laubscher, RF. (2010). A numerical investigation into the effect of pressure on holes and cracks in water supply pipes. *Urban Water Journal.* 7: 109-120. <http://dx.doi.org/10.1080/15730620903447613>.
- Cassan, G; LESTERLI.P; Brun, J. (1973). ASBESTOS DUST IN INDUSTRY OF AUTOMOBILE ENGINE JOINTS AND MEDICAL DETECTION OF ASBESTOSIS. *Arch Mal Prof Med Trav Secur Soc.* 34: 560-563.
- Cassiola, F; Rogers, RA; Kiyohara, PK; Joekes, I. (2005). Yeast cells long-term interaction with asbestos fibers. *Colloids Surf B Biointerfaces.* 41: 277-283. <http://dx.doi.org/10.1016/j.colsurfb.2004.12.006>.
- Cassiola, F; Santos, HS; Joekes, I. (2003). *Saccharomyces cerevisiae* entrapped in chrysotile increases life-span for up to 3 years. *Colloids Surf B Biointerfaces.* 30: 283-289. [http://dx.doi.org/10.1016/S0927-7765\(03\)00099-7](http://dx.doi.org/10.1016/S0927-7765(03)00099-7).
- Castleman, B. (2003). "Controlled use" of asbestos. *Int J Occup Environ Health.* 9: 294-298. <http://dx.doi.org/10.1179/oeh.2003.9.3.294>.
- Castleman, B. (2016). The export of hazardous industries in 2015. *Environ Health.* 15: 8. <http://dx.doi.org/10.1186/s12940-016-0091-6>.
- Castleman, B; Camarota, LA; Fritsch, AJ; Mazzocchi, S; Crawley, RG. (1975). HAZARDS OF ASBESTOS FOR BRAKE MECHANICS. *Public Health Rep.* 90: 254-256.
- Castleman, BJ; Turcotte, F; Greenberg, M. (2010). Comment on: Ogden T (2009) 'data sharing, federal rule of evidence 702, and the lions in the undergrowth' [Letter]. *Ann Occup Hyg.* 54: 360-361; author reply 365-366. <http://dx.doi.org/10.1093/annhyg/meq013>.
- Castranova, V. (2009). The Nanotoxicology Research Program in NIOSH. *J Nanopart Res.* 11: 5-13. <http://dx.doi.org/10.1007/s11051-008-9421-0>.
- Castranova, V; Pailles, W; Judy, D; Blake, T; Schwegler-Berry, D; Jones, W. (1996). In vitro effects of large and small glass fibers on rat alveolar macrophages. *J Toxicol Environ Health.* 49: 357-369.
- Cathelineau, M; Marignac, C; Boiron, MC; Gianelli, G; Puxeddu, M. (1994). EVIDENCE FOR LI-RICH BRINES AND EARLY MAGMATIC FLUID-ROCK INTERACTION IN THE LARDERELLO GEOTHERMAL SYSTEM. *Geochim Cosmo Acta.* 58: 1083-1099.
- Catherine, H; Skinner, W. (2003). Mineralogy of asbestos minerals. *Indoor Built Environ.* 12: 385-389. <http://dx.doi.org/10.1177/1420326X03037003>.
- Cattaneo, A; Cavallo, DM; Chiappino, G. (2009). [Improvement of a sedimentation method for measuring dispersion of fibres from asbestos cement roofs]. *Med Lav.* 100: 187-196.
- Cattaneo, A; Gualtieri, AF; Artioli, G. (2003). Kinetic study of the dehydroxylation of chrysotile asbestos with temperature by in situ XRPD. *Physics and Chemistry of Minerals.* 30: 177-183. <http://dx.doi.org/10.1007/s00269-003-0298-2>.

Exposure Literature Search Results

Off Topic

- Cavalleri, A; Gobba, F; Bacchella, L; Ferrari, D. (1991). Evaluation of serum amino-terminal propeptide of type III procollagen as an early marker of the active fibrotic process in asbestos-exposed workers. *Scand J Work Environ Health*. 17: 139-144.
- Cavalleri, A; Gobba, F; Bacchella, L; Luberto, F; Ziccardi, A. (1988). Serum type III procollagen peptide in asbestos workers: an early indicator of pulmonary fibrosis. *Br J Ind Med*. 45: 818-823.
- Cavariani, F. (2016). Asbestos contamination in feldspar extraction sites: a failure of prevention? Commentary. *Ann Ist Super Sanita*. 52: 6-8. http://dx.doi.org/10.4415/ANN_16_01_03.
- Cecchi, E; Mercier, G, uy; Bergeron, M. (2009). A feasibility study of carbochlorination of chrysotile tailings. *Int J Miner Process*. 93: 278-283. <http://dx.doi.org/10.1016/j.minpro.2009.08.003>.
- Cegolon, L; Lange, JH; Mastrangelo, G. (2010). The Primary Care Practitioner and the diagnosis of occupational diseases. *BMC Public Health*. 10: 405. <http://dx.doi.org/10.1186/1471-2458-10-405>.
- Cele, EN; Maboeta, M. (2016). Response of soil enzyme activities to synergistic effects of biosolids and plants in iron ore mine soils. *Int J Environ Sci Tech*. 13: 2117-2126. <http://dx.doi.org/10.1007/s13762-016-1043-y>.
- Cely-García, MF; Curriero, FC; Giraldo, M; Méndez, L; Breyse, PN; Durán, M; Torres-Duque, CA; González-García, M; Pérez, C; Parada, P; Ramos-Bonilla, JP. (2016). Factors Associated With Non-compliance of Asbestos Occupational Standards in Brake Repair Workers. *Ann Occup Hyg*. 60: 1020-1035. <http://dx.doi.org/10.1093/annhyg/mew028>.
- Cely-García, MF; Sánchez, M; Breyse, PN; Ramos-Bonilla, JP. (2012). Personal exposures to asbestos fibers during brake maintenance of passenger vehicles. *Ann Occup Hyg*. 56: 985-999. <http://dx.doi.org/10.1093/annhyg/mes030>.
- Cely-García, MF; Torres-Duque, CA; Durán, M; Parada, P; Sarmiento, OL; Breyse, PN; Ramos-Bonilla, JP. (2015). Personal exposure to asbestos and respiratory health of heavy vehicle brake mechanics. *J Expo Sci Environ Epidemiol*. 25: 26-36. <http://dx.doi.org/10.1038/jes.2014.8>.
- Centner, TJ; Colson, G. (2013). Rationing health protection: a proposal to exempt nuisance dust from US Clean Air Act regulations. *J Environ Manage*. 117: 219-225. <http://dx.doi.org/10.1016/j.jenvman.2012.12.016>.
- Cepedal, A; Martin-Izard, A; Reguilon, R; Rodriguez-Pevida, L; Spiering, E; Gonzalez-Nistal, S. (2000). Origin and evolution of the calcic and magnesian skarns hosting the El Valle-Boinas copper-gold deposit, Asturias (Spain). *J Geochem Explor*. 71: 119-151.
- Cervini-Silva, J; Nieto-Camacho, A; Gómez-Vidales, V. (2015). Oxidative stress inhibition and oxidant activity by fibrous clays. *Colloids Surf B Biointerfaces*. 133: 32-35. <http://dx.doi.org/10.1016/j.colsurfb.2015.05.042>.
- Cervini-Silva, J; Nieto-Camacho, A; Ramírez-Apan, MT; Gómez-Vidales, V; Palacios, E; Montoya, A; Ronquillo de Jesús, E. (2015). Anti-inflammatory, anti-bacterial, and cytotoxic activity of fibrous clays. *Colloids Surf B Biointerfaces*. 129: 1-6. <http://dx.doi.org/10.1016/j.colsurfb.2015.03.019>.
- Chalokwu, Cl; Kuehner, SM. (1992). MINERAL CHEMISTRY AND THERMOBAROMETRY OF A SOUTHERN APPALACHIAN AMPHIBOLITE WITH EPIDOTE + QUARTZ SYMPLECTITE. *Am Mineral*. 77: 617-630.
- Chamming's, S; Clin, B; Brochard, P; Astoul, P; Ducamp, S; Galateau-Salle, F; Ilg, AG; Goldberg, M; Gramond, C; Imbernon, E; Rolland, P; Pairon, JC. (2013). Compensation of pleural mesothelioma in France: data from the French National Mesothelioma Surveillance Programme. *Am J Ind Med*. 56: 146-154. <http://dx.doi.org/10.1002/ajim.22106>.
- Chan, D; Stachowiak, GW. (2004). Review of automotive brake friction materials. *Institution of Mechanical Engineers Proceedings Part D: Journal of Automobile Engineering*. 218: 953-966.
- Chan, HK; Gonda, I. (1993). PREPARATION OF RADIOLABELED MATERIALS FOR STUDIES OF DEPOSITION OF FIBERS IN THE HUMAN RESPIRATORY-TRACT. *J Aerosol Med*. 6: 241-249.
- Chan, YM; Agamuthu, P; Mahalingam, R. (2000). Solidification and stabilization of asbestos brake lining dust using polymeric resins. *Environ Eng Sci*. 17: 203-213.
- Chan, YM; Agamuthu, P; Mahalingam, R. (2000). Solidification and stabilization of asbestos waste from an automobile brake manufacturing facility using cement. *J Hazard Mater*. 77: 209-226.
- Chang, MJW; Singh, NP; Hart, RW. (1983). EFFECTS OF CHRYSOTILE CO-EXPOSURE ON BAP BINDING IN NORMAL HUMAN-FIBROBLASTS. *Environ Health Perspect*. 51: 241-244.
- Chang, Z; Meinert, LD. (2008). The Empire Cu-Zn Mine, Idaho: Exploration Implications of Unusual Skarn Features Related to High Fluorine Activity. *Econ Geol*. 103: 909-938.
- Chapman, S; Heidemann, A; Woodward, S. (1996). Were asbestos-filtered Kent cigarettes sold in Australia? [Letter]. *Aust N Z J Public Health*. 20: 218-219.
- Chapman, TR; Niesz, DE; Fox, RT; Fawcett, T. (1999). Wear-resistant aluminum-boron-carbide cermets for automotive brake applications. *Wear*. 236: 81-87.
- Chardot-Jacques, V; Calvaruso, C; Simon, B; Turpault, MP; Echevarria, G; Morel, JL. (2013). Chrysotile dissolution in the rhizosphere of the nickel hyperaccumulator *Leptoplax emarginata*. *Environ Sci Technol*. 47: 2612-2620. <http://dx.doi.org/10.1021/es301229m>.
- Chase, GR. (1985). APPROACH TO ASBESTOS WORKER COMPENSATION PLAN ALLEGED TO BE FLAWED - RESPONSE. *J Occup Environ Med*. 27: 790-791.
- Chashchin, VV. (2007). Mineral assemblages and genesis of hornfels in the outer contact zone of the Khibina Massif, Kola Peninsula, Russia. *Geochem Int*. 45: 15-31. <http://dx.doi.org/10.1134/S0016702907010028>.
- Chatzis, C; Danaka, G; Linos, A; Kales, SN; Christiani, DC. (1999). Lung cancer and occupational risk factors in Greece. *J Occup Environ Med*. 41: 29-35. <http://dx.doi.org/10.1097/00043764-199901000-00006>.
- Chau, JL, ikH; Lee, CC; Yang, CC; Shih, H, siH. (2016). Zeolite-coated steel fibers for friction materials applications. *Institution of Mechanical Engineers Proceedings Part L: Journal of Materials: Design and Applicati*. 230: 35-42. <http://dx.doi.org/10.1177/1464420714542053>.

Exposure Literature Search Results

Off Topic

- Chaves, A, deO; de Oliveira, DV; Rodrigues Crincoli Pacheco, FE; Barroso, MF; de Magalhaes, MG; Dalla Vecchia Chaves, AM. (2011). Mineralogy and provenance of black sands from Iriri - ES. *Revista da Escola de Minas*. 64: 421-428.
- Checkoway, H; Heyer, NJ; Demers, PA; Gibbs, GW. (1996). Reanalysis of mortality from lung cancer among diatomaceous earth industry workers, with consideration of potential confounding by asbestos exposure. *Occup Environ Med*. 53: 645-647.
- Checkoway, H; Heyer, NJ; Seixas, NS; Welp, EA; Demers, PA; Hughes, JM; Weill, H. (1997). Dose-response associations of silica with nonmalignant respiratory disease and lung cancer mortality in the diatomaceous earth industry. *Am J Epidemiol*. 145: 680-688.
- Chellini, E; Martini, A; Cacciarini, V; Badiali, AM; toscane, RdAsl. (2013). [Considerations about the epidemiologic surveillance system on mesothelioma in Tuscany (Italy) after 25 years of activity]. *Epidemiol Prev*. 37: 43-50.
- Chellini, E; Martino, G; Grillo, A; Fedi, A; Martini, A; Indiani, L; Mauro, L. (2015). Malignant Mesotheliomas in Textile Rag Sorters. *Ann Occup Hyg*. 59: 547-553. <http://dx.doi.org/10.1093/annhyg/meu114>.
- Chen, CC; Lai, CY; Shih, TS; Yeh, WY. (1998). Development of respirable aerosol samplers using porous foams. *Am Ind Hyg Assoc J*. 59: 766-773. <http://dx.doi.org/10.1080/15428119891010938>.
- Chen, CC; Yu, TS; Shih, TS; Baron, P. (2001). Computer simulation of particle overlap in fiber count samples. *AIHAJ*. 62: 281-287.
- Chen, D; Stueckle, TA; Luanpitpong, S; Rojanasakul, Y; Lu, Y; Wang, L. (2015). Gene expression profile of human lung epithelial cells chronically exposed to single-walled carbon nanotubes. *Nanoscale Res Lett*. 10: 12. <http://dx.doi.org/10.1186/s11671-014-0707-0>.
- Chen, H; Clark, AH; Kyser, TK; Ullrich, TD; Baxter, R; Chen, Y; Moody, TC. (2010). Evolution of the Giant Marcona-Mina Justa Iron Oxide-Copper-Gold District, South-Central Peru. *Econ Geol*. 105: 155-185.
- Chen, H; Xu, Q. (2010). Experimental study of fibers in stabilizing and reinforcing asphalt binder. *Fuel*. 89: 1616-1622. <http://dx.doi.org/10.1016/j.fuel.2009.08.020>.
- Chen, H; Xu, Q; Chen, S; Zhang, Z. (2009). Evaluation and design of fiber-reinforced asphalt mixtures. *Materials & Design*. 30: 2595-2603. <http://dx.doi.org/10.1016/j.matdes.2008.09.030>.
- Chen, J; Halls, C; Stanley, CJ. (1992). TIN-BEARING SKARNS OF SOUTH CHINA - GEOLOGICAL SETTING AND MINERALOGY. *Ore Geol Rev*. 7: 225-248.
- Chen, M; Koeberl, C; Xiao, W; Xie, X; Tan, D. (2011). Planar deformation features in quartz from impact-produced polymict breccia of the Xiuyan crater, China. *Meteoritics and Planetary Science*. 46: 729-736. <http://dx.doi.org/10.1111/j.1945-5100.2011.01186.x>.
- Chen, M; Tse, LA. (2012). Laryngeal cancer and silica dust exposure: a systematic review and meta-analysis [Review]. *Am J Ind Med*. 55: 669-676. <http://dx.doi.org/10.1002/ajim.22037>.
- Chen, R; Froom, P. (2003). The CUSCORE test and the q-interval in cluster analyses of colon cancer and of lymphoma among asbestos workers. *Stat Med*. 22: 3101-3109. <http://dx.doi.org/10.1002/sim.1534>.
- Chen, SC; Hu, Y; Pui, DYH; Wang, J. (2016). Explicit expressions for the minimum efficiency and most penetrating particle size of Nuclepore filters. *J Aerosol Sci*. 100: 108-117. <http://dx.doi.org/10.1016/j.jaerosci.2016.07.008>.
- Chen, TH; Calligaro, T; Pages-Camagna, S; Menu, M. (2004). Investigation of Chinese archaic jade by PIXE and mu Raman spectrometry. *Applied Physics A: Materials Science and Processing*. 79: 177-180. <http://dx.doi.org/10.1007/s00339-004-2648-4>.
- Chen, W, eiT; Zhou, M, eiFu. (2012). Paragenesis, Stable Isotopes, and Molybdenite Re-Os Isotope Age of the Lala Iron-Copper Deposit, Southwest China. *Econ Geol*. 107: 459-480.
- Chen, Y; Brantley, SL. (1998). Diopside and anthophyllite dissolution at 25 degrees and 90 degrees C and acid pH. *Chem Geol*. 147: 233-248.
- Chen, Y, iX; Schertl, HP; Zheng, YF, ei; Huang, F; Zhou, K, un; Gong, YZ. (2016). Mg-O isotopes trace the origin of Mg-rich fluids in the deeply subducted continental crust of Western Alps. *Earth Planet Sci Lett*. 456: 157-167. <http://dx.doi.org/10.1016/j.epsl.2016.09.010>.
- Cheng, L; Ren, X; Wei, X; Sun, X; Yu, S. (2015). Facile Synthesis and Characterization of Chrysotile Nanotubes and Their Application for Lead(II) Removal from Aqueous Solution. *Separation Science and Technology*. 50: 700-709. <http://dx.doi.org/10.1080/01496395.2014.960936>.
- Cheng, L; Yu, S; Zha, C; Yao, Y; Pan, X. (2012). Removal of simulated radionuclide Ce(III) from aqueous solution by as-synthesized chrysotile nanotubes. *Chem Eng J*. 213: 22-30. <http://dx.doi.org/10.1016/j.cej.2012.09.083>.
- Cheng, WN; Kong, J. (1992). A retrospective mortality cohort study of chrysotile asbestos products workers in Tianjin 1972-1987. *Environ Res*. 59: 271-278.
- Cheng, Y; Mao, J; Rusk, B; Yang, Z. (2012). Geology and genesis of Kafang Cu-Sn deposit, Gejiu district, SW China. *Ore Geol Rev*. 48: 180-196. <http://dx.doi.org/10.1016/j.oregeorev.2012.03.004>.
- Cheng, YS. (1986). Bivariate lognormal distribution for characterizing asbestos fiber aerosols. *Aerosol Sci Technol*. 5: 359-368. <http://dx.doi.org/10.1080/02786828608959100>.
- Cheng, YS; Holmes, TD; Fan, B. (2006). Evaluation of respirator filters for asbestos fibers. *J Occup Environ Hyg*. 3: 26-35. <http://dx.doi.org/10.1080/15459620500444046>.
- Cheng, YS; Su, WC. (2013). Thoracic fraction of inhaled fiber aerosol. *J Occup Environ Hyg*. 10: 194-202. <http://dx.doi.org/10.1080/15459624.2012.762608>.
- Chernak, LJ; Hirth, G. (2010). Deformation of antigorite serpentinite at high temperature and pressure. *Earth Planet Sci Lett*. 296: 23-33. <http://dx.doi.org/10.1016/j.epsl.2010.04.035>.
- CHERNOSKJV. (1974). AGGREGATE REFRACTIVE-INDEXES AND UNIT-CELL PARAMETERS OF SYNTHETIC CHRYSOTILE AND ALUMINOUS SERPENTINE IN SYSTEM MGO-A12O3-SIO2-H2O. *Trans Am Geophys Union*. 55: 462-462.
- Chernosky, JV; Berman, RG; Jenkins, DM. (1998). The stability of tremolite: New experimental data and a thermodynamic assessment. *Am Mineral*. 83: 726-738.
- Cherrie, J; Dodgson, J. (1986). Past exposures to airborne fibers and other potential risk factors in the European man-made mineral fiber production industry. *Scand J Work Environ Health*. 1: 26-33.

Exposure Literature Search Results

Off Topic

- Cherrie, J; Dodgson, J. (1987). A Historical Environmental Investigation at 13 European Man-Made Mineral Fibre Production Plants. (NIOSH/00187938). Cherrie, J; Dodgson, J.
- Cherrie, JW; Gibson, H; Mcintosh, C; Maclaren, WM; Lynch, G. (1995). EXPOSURE TO FINE AIRBORNE FIBROUS DUST AMONGST PROCESSORS OF PARA-ARAMID. *Ann Occup Hyg.* 39: 403-&.
- Cherrie, JW; Schneider, T. (1999). Validation of a new method for structured subjective assessment of past concentrations. *Ann Occup Hyg.* 43: 235-245.
- Cheshire, M; Guven, N. (2005). Conversion of chrysotile to a magnesian smectite. *Clays and Clay Minerals.* 53: 155-161. <http://dx.doi.org/10.1346/CCMN.2005.0530205>.
- Chestney, AAW. (1980). PERFORMANCE OF LUBRICATED OVERLOAD CLUTCHES WITH ASBESTOS PAPER FRICTION MATERIALS. *Wear.* 58: 313-324.
- Chetelat, J; Kalbermatten, M; Lannas, KSM; Spiegelberger, T; Wettstein, JB; Gillet, F; Peringer, A; Buttler, A. (2013). A Contextual Analysis of Land-Use and Vegetation Changes in Two Wooded Pastures in the Swiss Jura Mountains. *Ecology and Society.* 18. <http://dx.doi.org/10.5751/ES-05287-180139>.
- Chew, PK; Chia, M; Chew, SF; Supramaniam, JM; Chan, W; Chew, CH; Ng, YK; Gandevia, B. (1973). Asbestos workers in Singapore. A clinical, functional, and radiological survey. *Arch Environ Health.* 26: 290-293.
- Chiazze, L, Jr; Watkins, DK; Fryar, C. (1997). Historical cohort mortality study of a continuous filament fiberglass manufacturing plant. I. White men. *J Occup Environ Med.* 39: 432-441. <http://dx.doi.org/10.1097/00043764-199705000-00009>.
- Chiazze, L; Watkins, DK; Fryar, C; Kozono, J. (1993). A CASE-CONTROL STUDY OF MALIGNANT AND NONMALIGNANT RESPIRATORY-DISEASE AMONG EMPLOYEES OF A FIBERGLASS MANUFACTURING FACILITY .2. EXPOSURE ASSESSMENT. *Br J Ind Med.* 50: 717-725.
- Chida, T; Iida, K. (1989). Exposure to asbestos dust of house construction workers in Japan. 3: 3-14.
- Childs, P. (1988). NON-METALLIC ASBESTOS-FREE GASKETS. *Institution of Mechanical Engineers Proceedings Part A: Journal of Power and Energy.* 202: 63-68.
- Childs, P. (1992). ASBESTOS-FREE GASKETS. *Chem Eng (London)*19-21.
- Chiu, C, hiC; Shinoda, W; Devane, RH; Nielsen, SO. (2012). Effects of spherical fullerene nanoparticles on a dipalmitoyl phosphatidylcholine lipid monolayer: a coarse grain molecular dynamics approach. *Soft Matter.* 8: 9610-9616. <http://dx.doi.org/10.1039/c2sm26357b>.
- Chmielowski, RM; Jansson, N; Persson, M, acF; Fagerstroem, P, ia. (2016). 3D modelling of hydrothermal alteration associated with VHMS deposits in the Kristineberg area, Skellefte district, northern Sweden. *Miner Depos.* 51: 113-130. <http://dx.doi.org/10.1007/s00126-014-0572-x>.
- Cho, B, umRae; Heo, D, aeH. (2006). Preparation of mullite composite using liquid infiltration technique. *Key Eng Mater.* 317-318: 105-109.
- Cho, H; Rossman, GR. (1993). SINGLE-CRYSTAL NMR-STUDIES OF LOW-CONCENTRATION HYDROUS SPECIES IN MINERALS - GROSSULAR GARNET. *Am Mineral.* 78: 1149-1164.
- Cho, KH; Cho, M, inH; Kim, SJ, in; Jang, H, o. (2008). Tribological properties of potassium titanate in the brake friction material; Morphological effects. *Tribology Letters.* 32: 59-66. <http://dx.doi.org/10.1007/s11249-008-9362-x>.
- Cho, MH; Kim, SJ; Kim, D; Jang, H. (2005). Effects of ingredients on tribological characteristics of a brake lining: an experimental case study. *Wear.* 258: 1682-1687. <http://dx.doi.org/10.1016/j.wear.2004.11.021>.
- Cho, MS; Ernst, WG. (1991). AN EXPERIMENTAL-DETERMINATION OF CALCIC AMPHIBOLE SOLID-SOLUTION ALONG THE JOIN TREMOLITE-TSCHERMAKITE. *Am Mineral.* 76: 985-1001.
- Choe, N; Tanaka, S; Xia, W; Hemenway, DR; Roggli, VL; Kagan, E. (1997). Pleural macrophage recruitment and activation in asbestos-induced pleural injury. *Environ Health Perspect.* 105 Suppl 5: 1257-1260.
- Choi, IK; Smith, RW. (1973). THEORETICAL MODEL OF SURFACE-AREA OF ASBESTOS MINERALS. *J Electrochem Soc.* 120: C250-C250.
- Choi, JY; Neuhaus, ML; Barnett, M; Hudson, M; Kristal, AR; Thornquist, M; King, IB; Goodman, GE; Ambrosone, CB. (2007). Polymorphisms in oxidative stress-related genes are not associated with prostate cancer risk in heavy smokers. *Cancer Epidemiol Biomarkers Prev.* 16: 1115-1120. <http://dx.doi.org/10.1158/1055-9965.EPI-07-0040>.
- Choi, SY; Kahyo, H. (1991). EFFECT OF CIGARETTE-SMOKING AND ALCOHOL-CONSUMPTION IN THE ETIOLOGY OF CANCER OF THE ORAL CAVITY, PHARYNX AND LARYNX. *Int J Epidemiol.* 20: 878-885.
- Choi, Y; Lim, S; Paek, D. (2013). Trades of dangers: a study of asbestos industry transfer cases in Asia. *Am J Ind Med.* 56: 335-346. <http://dx.doi.org/10.1002/ajim.22144>.
- Chollet, M; Daniel, I; Koga, KT; Morard, G; van De Moortele, B. (2011). Kinetics and mechanism of antigorite dehydration: Implications for subduction zone seismicity. *J Geophys Res Solid Earth.* 116. <http://dx.doi.org/10.1029/2010JB007739>.
- Chollet, M; Daniel, I; Koga, KT; Petitgirard, S; Morard, G. (2009). Dehydration kinetics of talc and 10 angstrom phase: Consequences for subduction zone seismicity. *Earth Planet Sci Lett.* 284: 57-64. <http://dx.doi.org/10.1016/j.epsl.2009.04.008>.
- Chou, S, uJ; Lo, CH, ua; He, Y, unAo; Zhang, JG, uo; Iizuka, Y; Na, J, uYu; Yeh, TK. (2009). Argon Isotopic Dating of Neolithic Jade Artifacts and Raw Materials from Eastern China and Its Implications. *Terr Atmos Ocean Sci.* 20: 501-509. [http://dx.doi.org/10.3319/TAO.2008.07.07.01\(TT\)](http://dx.doi.org/10.3319/TAO.2008.07.07.01(TT)).
- Choudhuri, A. (1974). DISTRIBUTION OF FE AND MG IN ACTINOLITE, HORNBLende AND BIOTITE IN SOME PRECAMBRIAN METAGREYWACKES FROM GUYANA, SOUTH-AMERICA. *Contributions to Mineralogy and Petrology.* 44: 45-55.
- Chow, WH; Malke, HSR; Hsing, AW; McLaughlin, JK; Weiner, JA; Stone, BJ; Ericsson, JLE; Blot, WJ. (1994). OCCUPATIONAL RISKS FOR COLON-CANCER IN SWEDEN. *J Occup Environ Med.* 36: 647-651.

Exposure Literature Search Results

Off Topic

- Chowdhury, S; Lentz, DR. (2011). Mineralogical and geochemical characteristics of scheelite-bearing skarns, and genetic relations between skarn mineralization and petrogenesis of the associated granitoid pluton at Sargipali, Sundergarh District, Eastern India. *J Geochem Explor.* 108: 39-61. <http://dx.doi.org/10.1016/j.gexplo.2010.07.005>.
- Chowdhury, ZK; Amy, GL; Bales, RC. (1991). Coagulation of submicron colloids in water treatment by incorporation into aluminum hydroxide floc. *Environ Sci Technol.* 25: 1766-1773.
- Chowdhury, ZK; Amy, GL; Bales, RC. (1993). INCORPORATION OF SUBMICRON COLLOIDS INTO LARGER FLOC IN WATER-TREATMENT. *J Environ Eng.* 119: 192-199.
- Christen, B; Wegmann, W; Vogt, P. (1997). Clinical pathology and histology of pleural plaques. *Indoor Built Environ.* 6: 79-85.
- Christensen, AM; Holm, PM; Schuessler, U; Petrasch, J. (2006). Indications of a major Neolithic trade route? An archaeometric geochemical and Sr, Pb isotope study on amphibolitic raw material from present day Europe. *Appl Geochem.* 21: 1635-1655. <http://dx.doi.org/10.1016/j.apgeochem.2006.07.009>.
- Christensen, KY; Bateson, TF; Kopylev, L. (2013). Low levels exposure to Libby amphibole asbestos and localized pleural thickening [Review]. *J Occup Environ Med.* 55: 1350-1355. <http://dx.doi.org/10.1097/JOM.0b013e3182a3bb25>.
- Christensen, KY; Kopylev, L. (2012). Localized pleural thickening: smoking and exposure to Libby vermiculite. *J Expo Sci Environ Epidemiol.* 22: 320-323. <http://dx.doi.org/10.1038/jes.2012.18>.
- Christie, D; Robinson, K; Gordon, I; Bisby, J. (1991). A prospective study in the Australian petroleum industry. I. Mortality. *Br J Ind Med.* 48: 507-510.
- Christoffel, T; Teret, SP. (1991). EPIDEMIOLOGY AND THE LAW - COURTS AND CONFIDENCE-INTERVALS. *Am J Public Health.* 81: 1661-1666.
- Chrostek, W. (1982). Health Hazard Evaluation Report, No. HETA-82-086-1126, Pennsylvania Department of Transportation, Montoursville, Pennsylvania. (NIOSH/00127109). Chrostek, W.
- Chrostek, WJ. (1984). Health Hazard Evaluation Report No. HETA-84-043-1429, Pennsylvania Department Of Transportation, Transportation And Safety Building, Harrisburg, Pennsylvania (pp. 84-043). (NIOSH/00149688). Chrostek, WJ.
- Chughtai, F; Zayed, T. (2008). Infrastructure condition prediction models for sustainable sewer pipelines. *Journal of Performance of Constructed Facilities.* 22: 333-341. [http://dx.doi.org/10.1061/\(ASCE\)0887-3828\(2008\)22:5\(333\)](http://dx.doi.org/10.1061/(ASCE)0887-3828(2008)22:5(333)).
- Chung, DA; Yang, RR; Verma, DK; Luo, J. (2015). Retrospective Exposure Assessment for Occupational Disease of an Individual Worker Using an Exposure Database and Trend Analysis. *J Occup Environ Hyg.* 12: 1-37. <http://dx.doi.org/10.1080/15459624.2015.1072630>.
- Chuppina, SV; Zhabrev, VA. (2008). Chemical reactions in the course of curing of organosilicate composites and aging of organosilicate coatings. *Glass Physics and Chemistry.* 34: 82-90. <http://dx.doi.org/10.1134/S1087659608010124>.
- Churg, A. (1985). FIBER SIZE AND NUMBER IN WORKERS EXPOSED TO PROCESSED CHRYSOTILE ASBESTOS (pp. 12-15). (BIOSIS/85/16447). Churg, A.
- Churg, A. (1990). The distribution of amosite asbestos in the periphery of the normal human lung. *Br J Ind Med.* 47: 677-681.
- Churg, A. (1991). Analysis of lung asbestos content [Editorial]. *Br J Ind Med.* 48: 649-652.
- Churg, A. (1994). Deposition and clearance of chrysotile asbestos. *Ann Occup Hyg.* 38: 625-633. <http://dx.doi.org/10.1093/annhyg/38.4.625>.
- Churg, A. (1997). The pathogenesis of pleural plaques. *Indoor Built Environ.* 6: 73-78.
- Churg, A; Stevens, B. (1993). Absence of amosite asbestos in airway mucosa of non-smoking long term workers with occupational exposure to asbestos. *Br J Ind Med.* 50: 355-359.
- Churg, A; Wiggs, B. (1987). Accumulation of long asbestos fibers in the peripheral upper lobe in cases of malignant mesothelioma. *Am J Ind Med.* 11: 563-569.
- Churg, A; Wood, P. (1983). Observations on the distribution of asbestos fibers in human lungs. *Environ Res.* 31: 374-380.
- Churg, A; Zay, K; Li, K. (1997). Mechanisms of mineral dust-induced emphysema. *Environ Health Perspect.* 105: 1215-1218.
- Cicioni, C; London, SJ; Garabrant, DH; Bernstein, L; Phillips, K; Peters, JM. (1991). Occupational asbestos exposure and mesothelioma risk in Los Angeles County: application of an occupational hazard survey job-exposure matrix. *Am J Ind Med.* 20: 371-379.
- Circone, S; Navrotsky, A. (1992). SUBSTITUTION OF AL-6, AL-4 IN PHLOGOPITE - HIGH-TEMPERATURE SOLUTION CALORIMETRY, HEAT-CAPACITIES, AND THERMODYNAMIC PROPERTIES OF THE PHLOGOPITE-EASTONITE JOIN. *Am Mineral.* 77: 1191-1205.
- Cirrincone, R; Atzori, P; Pezzino, A. (1999). Sub-greenschist facies assemblages of metabasites from south-eastern Peloritani range (NE-Sicily). *Mineralogy and Petrology.* 67: 193-212.
- Claassens, S; van Rensburg, PJ; Liebenberg, D; van Rensburg, L. (2012). A Comparison of Microbial Community Function and Structure in Rehabilitated Asbestos and Coal Discard Sites. *Water Air Soil Pollut.* 223: 1091-1100. <http://dx.doi.org/10.1007/s11270-011-0927-1>.
- Clapp, JT; Roberts, JA; Dahlberg, B; Berry, LS; Jacobs, LM; Emmett, EA; Barg, FK. (2016). Realities of environmental toxicity and their ramifications for community engagement. 170: 143-151. <http://dx.doi.org/10.1016/j.socscimed.2016.10.019>.
- Clark, NE; Verma, DK; Julian, JA. (1995). DETERMINATION OF THE VARIABILITY IN ELEMENTAL COMPOSITION OF ASBESTOS FIBERS BY ANALYTICAL TRANSMISSION ELECTRON-MICROSCOPY. *Ann Occup Hyg.* 39: 79-88.
- Clark, SHB; Gray, KJ; Back, JM. (1999). Geology of the barite hill gold-silver deposit in the southern Carolina slate belt. *Econ Geol.* 94: 1329-1346.
- Clarke, CC; Mowat, FS; Kelsh, MA; Roberts, MA. (2006). Pleural plaques: a review of diagnostic issues and possible nonasbestos factors [Review]. *Arch Environ Occup Health.* 61: 183-192. <http://dx.doi.org/10.3200/AEOH.61.4.183-192>.
- Class, P; Brown, RC. (2002). Exposure to artificial mineral fibers - Overview of the available information on possible health hazards - Reply. *Staub, Reinhaltung der Luft.* 62: 488-491.
- Class, P; Brown, RC. (2002). Exposure to man-made mineral fibres - an attempt to summarise the available information on potential health risks. *Gefahrst Reinhalt Luft.* 62: 197-201.
- Clausen, J; Netterstrøm, B; Wolff, C. (1993). Lung function in insulation workers. *Br J Ind Med.* 50: 252-256.

Exposure Literature Search Results

Off Topic

- Clayton, GD; Clayton, FE. (1991). Patty's industrial hygiene and toxicology. Vols.1A and 1B: General principles (pp. xviii). (CIS/92/01282). Clayton, GD; Clayton, FE.
- Clayton, MP; Bailey, AE; Vaughan, NP; Rajan, R. (2002). Performance of power assisted respirators during simulated asbestos removal. *Ann Occup Hyg.* 46: 49-59. <http://dx.doi.org/10.1093/annhyg/mef020>.
- Clemens, JD. (1995). PHLOGOPITE STABILITY IN THE SILICA-SATURATED PORTION OF THE SYSTEM KALO2-MGO-SIO2-H2O - NEW DATA AND A REAPPRAISAL OF PHASE-RELATIONS TO 1.5 GPA. *Am Mineral.* 80: 982-997.
- Clemente, M; Reig-Botella, A; Prados, JC. (2015). Alterations in psychosocial health of people affected by asbestos poisoning. *Rev Saude Publica.* 49: 24. <http://dx.doi.org/10.1590/S0034-8910.2015049005445>.
- Clements, M; Berry, G; Shi, J; Ware, S; Yates, D; Johnson, A. (2007). Projected mesothelioma incidence in men in New South Wales. *Occup Environ Med.* 64: 747-752. <http://dx.doi.org/10.1136/oem.2006.031823>.
- Clemmesen, J; Hjalgrim-Jensen, S. (1981). Cancer incidence among 5686 asbestos-cement workers followed from 1943 through 1976. *Ecotoxicol Environ Saf.* 5: 15-23.
- Cleverley, JS; Oliver, NHS. (2005). Comparing closed system, flow-through and fluid infiltration geochemical modelling: examples from K-alteration in the Ernest Henry Fe-oxide-Cu-Au system. *Geofluids.* 5: 289-307.
- Clin, B; Andujar, P; Abd Al Samad, I; Azpitarte, C; Le Pimpec-Barthes, F; Billon-Galland, MA; Danel, C; Galateau-Salle, F; Housset, B; Legrand-Cattan, K; Matrat, M; Monnet, I; Riquet, M; Paireon, JC. (2012). Pulmonary carcinoid tumors and asbestos exposure. *Ann Occup Hyg.* 56: 789-795. <http://dx.doi.org/10.1093/annhyg/mes017>.
- Clin, B; Morlais, F; Guittet, L; Gislard, A; Marquignon, MF; Paris, C; Caillard, JF; Launoy, G; Letourneux, M. (2009). Performance of chest radiograph and CT scan for lung cancer screening in asbestos-exposed workers. *Occup Environ Med.* 66: 529-534. <http://dx.doi.org/10.1136/oem.2008.041525>.
- Clin, B; Morlais, F; Launoy, G; Guizard, AV; Dubois, B; Bouvier, V; Desoubeaux, N; Marquignon, MF; Raffaelli, C; Paris, C; Galateau-Salle, F; Guittet, L; Letourneux, M. (2011). Cancer incidence within a cohort occupationally exposed to asbestos: a study of dose-response relationships. *Occup Environ Med.* 68: 832-836. <http://dx.doi.org/10.1136/oem.2010.059790>.
- Cline, RJ; Orom, H; Berry-Bobovski, L; Hernandez, T; Black, CB; Schwartz, AG; Ruckdeschel, JC. (2010). Community-level social support responses in a slow-motion technological disaster: the case of Libby, Montana. *Am J Community Psychol.* 46: 1-18. <http://dx.doi.org/10.1007/s10464-010-9329-6>.
- Cline, RJW; Orom, H; Chung, JE; Hernandez, T. (2014). The Role of Social Toxicity in Responses to a Slowly-Evolving Environmental Disaster: The Case of Amphibole Asbestos Exposure in Libby, Montana, USA. *Am J Community Psychol.* 54: 12-27. <http://dx.doi.org/10.1007/s10464-014-9660-4>.
- Cluff, DL; Patitsas, AJ. (1992). Size Characterization of Asbestos Fibers by Means of Electrostatic Alignment and Light-Scattering Techniques. *Aerosol Sci Technol.* 17: 186-198.
- Coates, TJ; Li, VC. (1983). DOES SMOKING CESSATION LEAD TO WEIGHT-GAIN - THE EXPERIENCE OF ASBESTOS-EXPOSED SHIPYARD WORKERS. *Am J Public Health.* 73: 1303-1304.
- Cocco, P; Dosemeci, M. (1999). Peritoneal cancer and occupational exposure to asbestos: results from the application of a job-exposure matrix. *Am J Ind Med.* 35: 9-14.
- Cocco, P; Palli, D; Buiatti, E; Cipriani, F; Decarli, A; Manca, P; Ward, MH; Blot, WJ; Fraumeni, JF. (1994). OCCUPATIONAL EXPOSURES AS RISK-FACTORS FOR GASTRIC-CANCER IN ITALY. *Cancer Causes Control.* 5: 241-248.
- Cocco, P; Ward, MH; Dosemeci, M. (1998). Occupational risk factors for cancer of the gastric cardia: Analysis of death certificates from 24 US states. *J Occup Environ Med.* 40: 855-861.
- Cocco, P; Ward, MH; Dosemeci, M. (1999). Risk of stomach cancer associated with 12 workplace hazards: Analysis of death certificates from 24 states of the United States with the aid of job exposure matrices. *Occup Environ Med.* 56: 781-787.
- Cockerton, A, myBD; Tomkins, AG. (2012). Insights into the Liquid Bismuth Collector Model Through Analysis of the Bi-Au Stormont Skarn Prospect, Northwest Tasmania. *Econ Geol.* 107: 667-682.
- Coenen, W; Kuhnen, G; Heimann, M. (1984). RECOMMENDATIONS OF BERUFSGENOSSENSCHAFTLICHES-INSTITUT-FUR-ARBEITSSICHERHEIT-BIA FOR TESTING DEVICES USED IN PROCESSING BRAKE LININGS RELATIVE TO THE ASBESTOS DUST EMISSION. *Staub, Reinhaltung der Luft.* 44: 250-252.
- Coffin, DL; Palekar, LD; Cook, PM. (1983). Correlation of in vitro and in vivo methods by means of mass dose and fiber distribution for amosite and fibrous ferroactinolite. *Environ Health Perspect.* 51: 49-53.
- Coggon, D. (1999). Occupational cancer in the United Kingdom [Review]. *Environ Health Perspect.* 107: 239-244.
- Coggon, D; Harris, EC; Brown, T; Rice, S; Palmer, KT. (2010). Work-related mortality in England and Wales, 1979-2000. *Occup Environ Med.* 67: 816-822. <http://dx.doi.org/10.1136/oem.2009.052670>.
- Coggon, D; Inskip, H; Winter, P; Pannett, B. (1995). Differences in occupational mortality from pleural cancer, peritoneal cancer, and asbestosis. *Occup Environ Med.* 52: 775-777.
- Coggon, D; Pannett, B; Wield, G. (1996). Upper aerodigestive cancer in battery manufacturers and steel workers exposed to mineral acid mists. *Occup Environ Med.* 53: 445-449.
- Coggon, J. (2003). Magnetism - key to the Wallaby gold deposit. *Exploration Geophysics.* 34: 125-130.
- Cohen, D; Crowther, TS; Gibbs, GW; Becklake, MR. (1981). Magnetic lung measurements of relation to occupational exposure in asbestos miners and millers of Quebec. *Environ Res.* 26: 535-550.
- Cohen, HJ; Van Orden, DR. (2008). Asbestos exposures of mechanics performing clutch service on motor vehicles. *J Occup Environ Hyg.* 5: 148-156. <http://dx.doi.org/10.1080/15459620701853227>.

Exposure Literature Search Results

Off Topic

- Cohen, KS. (1985). ASBESTOS IN BUILDINGS - TO REMOVE, OR NOT TO REMOVE, THAT IS THE QUESTION. *Am Ind Hyg Assoc J.* 46: A4-A4.
- Cohen, N. (1991). Regulation of in-place asbestos-containing material [Review]. *Environ Res.* 55: 97-106.
- Cohn, CA; Borda, MJ; Schoonen, MA. (2004). RNA decomposition by pyrite-induced radicals and possible role of lipids during the emergence of life. *Earth Planet Sci Lett.* 225: 271-278. <http://dx.doi.org/10.1016/j.epsl.2004.07.007>.
- Cohn, CA; Laffers, R; Schoonen, MAA. (2006). Using yeast RNA as a probe for generation of hydroxyl radicals by earth materials. *Environ Sci Technol.* 40: 2838-2843. <http://dx.doi.org/10.1021/es052301k>.
- Cohn, MS; White, PD; Preuss, PW. (1981). CONSUMER PRODUCT-SAFETY - RISK ASSESSMENT OF EXPOSURE TO ASBESTOS EMISSIONS FROM HAND-HELD HAIR DRYERS - CRITIQUE. *Environ Manage.* 5: 15-18.
- Cohn, MS; White, PD; Preuss, PW. (1981). CONSUMER PRODUCT-SAFETY - RISK ASSESSMENT OF EXPOSURE TO ASBESTOS EMISSIONS FROM HAND-HELD HAIR DRYERS - RESPONSE. *Environ Manage.* 5: 91-93.
- Coin, PG; Roggli, VL; Brody, AR. (1992). Deposition, clearance, and translocation of chrysotile asbestos from peripheral and central regions of the rat lung. *Environ Res.* 58: 97-116. [http://dx.doi.org/10.1016/S0013-9351\(05\)80207-5](http://dx.doi.org/10.1016/S0013-9351(05)80207-5).
- Coin, PG; Roggli, VL; Brody, AR. (1994). Persistence of long, thin chrysotile asbestos fibers in the lungs of rats [Review]. *Environ Health Perspect.* 102: 197-199.
- Colangelo, F; Cioffi, R; Lavorgna, M; Verdolotti, L; De Stefano, L. (2011). Treatment and recycling of asbestos-cement containing waste. *J Hazard Mater.* 195: 391-397. <http://dx.doi.org/10.1016/j.jhazmat.2011.08.057>.
- Cole, HM. (1977). Industrial Hygiene Experience in the Reduction Plant (pp. 133-136). (NIOSH/00191455). Cole, HM.
- Cole, SR, SR; Richardson, DB. (2009). STRUCTURAL MODELS FOR THE EFFECT OF OCCUPATIONAL ASBESTOS EXPOSURE ON LUNG-RELATED MORTALITY. *Am J Epidemiol.* 169: S41-S41.
- Cole, SR; Richardson, DB; Chu, H; Naimi, AI. (2013). Analysis of occupational asbestos exposure and lung cancer mortality using the g formula. *Am J Epidemiol.* 177: 989-996. <http://dx.doi.org/10.1093/aje/kws343>.
- Coleman, RG. (2014). THE OPHIOLITE CONCEPT EVOLVES. *Elements.* 10: 82-84. <http://dx.doi.org/10.2113/gselements.10.2.82>.
- Coles, GV. (1993). TLVS FOR ASBESTOS [Letter]. *Am J Ind Med.* 23: 955-957.
- Collegium Ramazzini. (2010). Asbestos is still with us: repeat call. *J Occup Environ Hyg.* 7: D57-D61. <http://dx.doi.org/10.1080/15459624.2010.486307>.
- Collegium Ramazzini. (2010). Asbestos is still with us: repeat call for a universal ban. *Int J Occup Med Environ Health.* 23: 201-207. <http://dx.doi.org/10.2478/v10001-010-0017-4>.
- Collegium Ramazzini. (2016). The 18th Collegium Ramazzini statement: The global health dimensions of asbestos and asbestos-related diseases. *Scand J Work Environ Health.* 42: 86-90. <http://dx.doi.org/10.5271/sjweh.3541>.
- Collegium Ramazzini. (2016). Collegium Ramazzini response to 'Asbestos, asbestosis, and cancer, the Helsinki criteria for diagnosis and attribution 2014: recommendations' [Letter]. *Scand J Work Environ Health.* 42: 91-94. <http://dx.doi.org/10.5271/sjweh.3535>.
- Collingwood, KW; Raabe, GK; Wong, O. (1996). An updated cohort mortality study of workers at a northeastern United States petroleum refinery. *Int Arch Occup Environ Health.* 68: 277-288.
- Comba, P; Consonni, D; Marinaccio, A; Mirabelli, D. (2010). Occupational epidemiology in Italy: a contribution to the European framework. *Epidemiol Prev.* 34: 25-30.
- Comba, P; Gianfagna, A; Paoletti, L. (2003). Pleural mesothelioma cases in Biancavilla are related to a new fluoro-edenite fibrous amphibole. *Arch Environ Health.* 58: 229-232. <http://dx.doi.org/10.3200/AEOH.58.4.229-232>.
- Comba, P; Scondotto, S; Musmeci, L. (2014). The fibres with fluoro-edenitic composition in Biancavilla (Sicily, Italy): health impact and clues for environmental remediation. *Ann Ist Super Sanita.* 50: 108-110. http://dx.doi.org/DOI:10.4415/ANN_14_02_01.
- Comes, NS; Evangelista, HJ; de Medeiros Junior, EB; Filippo, RC; Germano, LF. (2010). Occurrence of granulite-facies rocks in the Mineiro Belt, Minas Gerais, Brazil. *Revista da Escola de Minas.* 63: 433-440.
- Committee, JA-AAHE. (1975). Recommended procedures for sampling and counting asbestos fibers. Procedures for the evaluation of occupational exposures to airborne asbestos. *Am Ind Hyg Assoc J.* 36: 83-90.
- Company, SO. (1983). ASBESTOS SAMPLING OF TELECOM WORKERS WITH ATTACHMENT. (TSCATS/016900).
- Connolly, JAD; Trommsdorff, V. (1991). PETROGENETIC GRIDS FOR METACARBONATE ROCKS - PRESSURE-TEMPERATURE PHASE-DIAGRAM PROJECTION FOR MIXED-VOLATILE SYSTEMS. *Contributions to Mineralogy and Petrology.* 108: 93-105.
- Conrad, ME; Petersen, U; Oneil, J. R. (1992). EVOLUTION OF AN AU-AG-PRODUCING HYDROTHERMAL SYSTEM - THE TAYOLTITA MINE, DURANGO, MEXICO. *Econ Geol.* 87: 1451-1474.
- Conrad, R. (2009). On the entropy difference between the vitreous and the crystalline state. *Journal of Non-Crystalline Solids.* 355: 636-641. <http://dx.doi.org/10.1016/j.jnoncrysol.2008.12.013>.
- Conti, S; Minelli, G; Manno, V; Iavarone, I; Comba, P; Scondotto, S; Cernigliaro, A. (2014). Health impact of the exposure to fibres with fluoro-edenitic composition on the residents in Biancavilla (Sicily, Italy): mortality and hospitalization from current data. *Ann Ist Super Sanita.* 50: 127-132. http://dx.doi.org/DOI:10.4415/ANN_14_02_04.
- Contour, JP; Guerin, I; Mouvier, G. (1980). ADSORPTION OF AMINE ORGANIC POLLUTANTS IN ASBESTOS FIBERS. *Environmental Pollution Series B: Chemical and Physical.* 1: 243-257.
- Cook, PM. (1983). REVIEW OF PUBLISHED STUDIES ON GUT PENETRATION BY INGESTED ASBESTOS FIBERS. *Environ Health Perspect.* 53: 121-130.
- Cook, PM; Swintek, J; Dawson, TD; Chapman, D; Etersson, MA; Hoff, D. (2016). Quantitative structure-mesothelioma potency model optimization for complex mixtures of elongated particles in rat pleura: A retrospective study. *J Toxicol Environ Health B Crit Rev.* 19: 266-288. <http://dx.doi.org/10.1080/10937404.2016.1195326>.

Exposure Literature Search Results

Off Topic

- Cook, SJ; Bowman, J. R. (1994). CONTACT-METAMORPHISM SURROUNDING THE ALTA STOCK - THERMAL CONSTRAINTS AND EVIDENCE OF ADVECTIVE HEAT-TRANSPORT FROM CALCITE PLUS DOLOMITE GEOTHERMOMETRY. *Am Mineral.* 79: 513-525.
- Cook, SJ; Bowman, JR. (2000). Mineralogical evidence for fluid-rock interaction accompanying prograde contact metamorphism of siliceous dolomites: Alta Stock Aureole, Utah, USA. *Journal of Petrology.* 41: 739-757.
- Cook, WA. (1992). TLVS FOR ASBESTOS [Letter]. *Am J Ind Med.* 21: 765-766.
- Cooke, DR; Bull, SW; Donovan, S; Rogers, JR. (1998). K-metasomatism and base metal depletion in volcanic rocks from the McArthur basin, northern territory - Implications for base metal mineralization. *Econ Geol.* 93: 1237-1263.
- Cooke, TF. (1991). INORGANIC FIBERS - A LITERATURE-REVIEW. *Journal of the American Ceramic Society.* 74: 2959-2978.
- Coombspayac, J. (1985). CEMENT ASBESTOS AND OCCUPATIONAL-HEALTH. 31: 25-26.
- Cooper, AF; Palin, JM; Collins, AK. (2016). Fenitization of metabasic rocks by ferrocarnatites at Haast River, New Zealand. *Lithos.* 244: 109-121. <http://dx.doi.org/10.1016/j.lithos.2015.11.035>.
- Cooper, GS; Brown, RC. (2010). The ghost of public health journalism: past, present, and future. *Epidemiology.* 21: 263-266. <http://dx.doi.org/10.1097/EDE.0b013e3181cb8c3d>.
- Cooper, WC; Balzer, JL. (1969). Evaluation and Control of Asbestos Exposures in the Insulating Trade (pp. 22-25). (NIOSH/00036280). Cooper, WC; Balzer, JL.
- Copes, R; Thomas, D; Becklake, MR. (1985). Temporal patterns of exposure and nonmalignant pulmonary abnormality in Quebec chrysotile workers. *Arch Environ Health.* 40: 80-87.
- Corbett, RA. (1986). SUBSTITUTES SUCCESSFULLY REPLACING ASBESTOS FOR GASKETS AND PACKINGS. *Oil and Gas Journal.* 84: 39-44.
- Corbin, M; Mclean, D; Mannelje, A; Dryson, E; Walls, C; Mckenzie, F; Maule, M; Cheng, S; Cunningham, C; Kromhout, H; Blair, A; Pearce, N. (2011). Lung cancer and occupation: A New Zealand cancer registry-based case-control study. *Am J Ind Med.* 54: 89-101. <http://dx.doi.org/10.1002/ajim.20906>.
- Cordier, S; Lazar, P; Brochard, P; Bignon, J; Ameille, J; Proteau, J. (1987). Epidemiologic investigation of respiratory effects related to environmental exposure to asbestos inside insulated buildings. *Arch Environ Health.* 42: 303-309. <http://dx.doi.org/10.1080/00039896.1987.9935825>.
- Cordier, S; Theriault, G; Provencher, S. (1984). Radiographic changes in a group of chrysotile miners and millers exposed to low asbestos dust concentrations. *Br J Ind Med.* 41: 384-388.
- Corella, J; Asua, JM; Bilbao, J. (1980). KINETICS OF THE DEACTIVATION OF A 10-PERCENT CU-0,5-PERCENT CR2O3-ASBESTOS CATALYST FOR BENZYL ALCOHOL DEHYDROGENATION. *Chem Eng Sci.* 35: 1447-1449.
- Corhay, JL; Bury, T; Delavignette, JP; Baharloo, F; Radermecker, M; Hereng, P; Fransolet, AM; Weber, G; Roelandts, I. (1995). Nonfibrous mineralogical analysis of bronchoalveolar lavage fluid from blast-furnace workers. *Arch Environ Health.* 50: 312-319. <http://dx.doi.org/10.1080/00039896.1995.9935960>.
- Corhay, JL; Delavignette, JP; Bury, T; Saint-Remy, P; Radermecker, MF. (1990). Occult exposure to asbestos in steel workers revealed by bronchoalveolar lavage. *Arch Environ Health.* 45: 278-282. <http://dx.doi.org/10.1080/00039896.1990.10118746>.
- Corn, JK; Starr, J. (1987). Historical perspective on asbestos: policies and protective measures in World War II shipbuilding. *Am J Ind Med.* 11: 359-373.
- Corn, M. (1986). Asbestos and disease: an industrial hygienist's perspective. *Am Ind Hyg Assoc J.* 47: 515-523. <http://dx.doi.org/10.1080/15298668691390151>.
- Corn, M. (1993). TLVS FOR ASBESTOS. *Am J Ind Med.* 23: 959-959.
- Corn, M. (2003). Risk assessment in the courtroom. *Hum Ecol Risk Assess.* 9: 1101-1103. <http://dx.doi.org/10.1080/10807030390240247>.
- Corn, M; McArthur, B; Dellarco, M. (1994). Asbestos Exposures of Building Maintenance Personnel. *Appl Occup Environ Hyg.* 9: 845-852.
- Cossette, M; Aitcin, PC. (1972). CONCEPTS OF DENSITY AND POROSITY FOR ASBESTOS. 65: 48-&.
- Cossette, M; Aitcin, PC. (1972). DENSITY AND POROSITY CONCEPTS FOR ASBESTOS AND OTHER MINERALS. 65: 46-&.
- Cossette, M; Tran, VH. (1991). ASBESTOS IN ASPHALT. 84: 40-43.
- Costantini, AS; Pirastu, R; Lagorio, S; Miligi, L; Costa, G. (1994). Studying cancer among female workers: Methods and preliminary results from a record-linkage system in Italy. *J Occup Med.* 36: 1180-1186.
- Costello, J; Castellan, RM; Swecker, GS; Kullman, GK. (1992). Mortality of a cohort of U.S. workers employed in the crushed stone industry, 1940-1980. *Am J Ind Med.* 27: 625-640. <http://dx.doi.org/10.1002/ajim.4700270502>.
- Cotes, JE. (2000). The Medical Research Council Pneumoconiosis Research Unit, 1945-1985: a short history and tribute. *Occup Med (Lond).* 50: 440-449.
- Cotruvo, JA. (1983). ASBESTOS IN DRINKING-WATER - A STATUS-REPORT. *Environ Health Perspect.* 53: 181-183.
- Coulton, AJ; Harper, GD; Ohanley, DS. (1995). OCEANIC VERSUS EMPLACEMENT AGE SERPENTINIZATION IN THE JOSEPHINE OPHIOLITE - IMPLICATIONS FOR THE NATURE OF THE MOHO AT INTERMEDIATE AND SLOW-SPREADING RIDGES. *J Geophys Res Solid Earth.* 100: 22245-22260.
- Courtice, MN; Berman, DW; Yano, E; Kohyama, N; Wang, X. (2016). Size- and type-specific exposure assessment of an asbestos products factory in China. *J Expo Sci Environ Epidemiol.* 26: 63-69. <http://dx.doi.org/10.1038/jes.2015.46>.
- Courtice, MN; Demers, PA; Takaro, TK; Vedal, S; Ahmad, SK; Davies, HW; Siddique, Z. (2011). Asbestos-related disease in Bangladeshi ship breakers: a pilot study. *Int J Occup Environ Health.* 17: 144-153. <http://dx.doi.org/10.1179/oeh.2011.17.2.144>.
- Courtice, MN; Lin, S; Wang, X. (2012). An updated review on asbestos and related diseases in China [Review]. *Int J Occup Environ Health.* 18: 247-253. <http://dx.doi.org/10.1179/1077352512Z.00000000021>.

Exposure Literature Search Results

Off Topic

- Courtice, MN; Wang, X; Lin, S; Yu, IT; Berman, DW; Yano, E. (2016). Exposure-response estimate for lung cancer and asbestosis in a predominantly chrysotile-exposed Chinese factory cohort. *Am J Ind Med.* 59: 369-378. <http://dx.doi.org/10.1002/ajim.22579>.
- Coutts, RSP. (2005). A review of Australian research into natural fibre cement composites. *Cement and Concrete Composites.* 27: 518-526. <http://dx.doi.org/10.1016/j.cemconcomp.2004.09.003>.
- Cowan, DM; Cheng, TJ; Ground, M; Sahmel, J; Varughese, A; Madl, AK. (2015). Analysis of workplace compliance measurements of asbestos by the U.S. Occupational Safety and Health Administration (1984-2011). *Regul Toxicol Pharmacol.* 72: 615-629. <http://dx.doi.org/10.1016/j.yrtph.2015.05.002>.
- Cowie, HA; Wild, P; Beck, J; Auburtin, G; Piekarski, C; Massin, N; Cherrie, JW; Hurley, JF; Miller, BG; Groat, S; Soutar, CA. (2001). An epidemiological study of the respiratory health of workers in the European refractory ceramic fibre industry. *Occup Environ Med.* 58: 800-810.
- Cox, JE. (1986). ASBESTOS EXPOSURE LIMIT REDUCED. *ASHRAE Journal.* 28: 6-6.
- Cox, JE. (1988). ASBESTOS STUDY RELEASED. *ASHRAE Journal.* 30: 16-16.
- Cox, JE; Miro, CR. (1989). EPA BANS ASBESTOS USE - 3-PHASED PLAN SETS 1997 AS THE DEADLINE FOR ELIMINATING VIRTUALLY ALL USES. *ASHRAE Journal.* 31: 15-15.
- Cox, LA; Popken, DA. (2007). Some limitations of aggregate exposure metrics. *Risk Anal.* 27: 439-445. <http://dx.doi.org/10.1111/j.1539-6924.2007.00896.x>.
- Craciun, ME; Badea, NN; Gales, O; Aldea, F. (2011). DETERMINATION OF AEROSOLS POLLUTANTS ON MEMBRANES. EVALUATION OF PARTICLE COLLECTION EFFICIENCY AND LEAD CONCENTRATION IN AEROSOLS. *Environmental Engineering and Management Journal.* 10: 621-627.
- Craig, DK; Wehner, AP. (1971). GENERATION AND CHARACTERIZATION OF A RESPIRABLE AEROSOL OF CHRYSOTILE ASBESTOS FOR CHRONIC INHALATION STUDIES. *Am Ind Hyg Assoc J.* 32: 61-&.
- Craig, DK; Wehner, AP; Morrow, WG. (1972). The generation and characterization of a respirable aerosol of chrysotile asbestos for chronic inhalation studies. *Am Ind Hyg Assoc J.* 33: 283-292. <http://dx.doi.org/10.1080/0002889728506651>.
- Craighead, JE. (1992). Re: "Changing attitudes and opinions regarding asbestos and cancer 1934-1965" [Comment]. *Am J Ind Med.* 22: 271-273.
- Cralley, LJ. (1971). Electromotive phenomenon in metal and mineral particulate exposures: relevance to exposure to asbestos and occurrence of cancer. *Am Ind Hyg Assoc J.* 32: 653-661. <http://dx.doi.org/10.1080/0002889718506520>.
- Cralley, LJ; Keenan, RG; Lynch, JR. (1967). Exposure to metals in the manufacture of asbestos textile products. *Am Ind Hyg Assoc J.* 28: 452-461. <http://dx.doi.org/10.1080/00028896709342664>.
- Crawford, NP; Brown, P; Cowie, AJ. (1992). THE RICE AND AFRICA SCHEMES FOR ASBESTOS FIBER COUNTING. *Ann Occup Hyg.* 36: 59-69.
- Crawford, NP; Cowie, AJ. (1984). QUALITY-CONTROL OF AIRBORNE ASBESTOS FIBER COUNTS IN THE UNITED-KINGDOM - THE PRESENT POSITION. *Ann Occup Hyg.* 28: 391-398.
- Creaney, J; Olsen, NJ; Brims, F; Dick, I; Musk, AW; de Klerk, NH; Skates, SJ; Robinson, BWS. (2010). Serum Mesothelin for Early Detection of Asbestos-Induced Cancer Malignant Mesothelioma. *Cancer Epidemiol Biomarkers Prev.* 19: 2238-2246. <http://dx.doi.org/10.1158/1055-9965.EPI-10-0346>.
- Cree, M; Lalji, M; Jiang, B; Carriere, KC; Beach, J; Kamruzzaman, A. (2009). Explaining Alberta's rising mesothelioma rates. *Chronic Dis Can.* 29: 144-152.
- Cree, MW; Lalji, M; Jiang, B; Carriere, KC. (2009). Under-reporting of compensable mesothelioma in Alberta. *Am J Ind Med.* 52: 526-533. <http://dx.doi.org/10.1002/ajim.20705>.
- Cristaudo, A; Foddis, R; Bonotti, A; Simonini, S; Vivaldi, A; Guglielmi, G; Bruno, R; Landi, D; Gemignani, F; Landi, S. (2010). Polymorphisms in the putative micro-RNA-binding sites of mesothelin gene are associated with serum levels of mesothelin-related protein. *Occup Environ Med.* 67: 233-236. <http://dx.doi.org/10.1136/oem.2009.049205>.
- Critelli, T; Marini, L; Schott, J; Mavromatis, V; Apollaro, C; Rinder, T; De Rosa, R; Oelkers, EH. (2014). Dissolution rates of actinolite and chlorite from a whole-rock experimental study of metabasalt dissolution from 2 <= pH <= 12 at 25 degrees C. *Chem Geol.* 390: 100-108. <http://dx.doi.org/10.1016/j.chemgeo.2014.10.013>.
- Critelli, T; Marini, L; Schott, J; Mavromatis, V; Apollaro, C; Rinder, T; De Rosa, R; Oelkers, EH. (2015). Dissolution rate of antigorite from a whole-rock experimental study of serpentinite dissolution from 2 < pH < 9 at 25 degrees C: Implications for carbon mitigation via enhanced serpentinite weathering. *Appl Geochem.* 61: 259-271. <http://dx.doi.org/10.1016/j.apgeochem.2015.06.004>.
- Croce, A; Allegrina, M; Rinaudo, C; Gaudino, G; Yang, H; Carbone, M. (2015). Numerous Iron-Rich Particles Lie on the Surface of Erionite Fibers from Rome (Oregon, USA) and Karlik (Cappadocia, Turkey). *Microsc Microanal.* 21: 1341-1347. <http://dx.doi.org/10.1017/S1431927615014762>.
- Croce, A; Musa, M; Allegrina, M; Trivero, P; Rinaudo, C. (2013). Environmental scanning electron microscopy technique to identify asbestos phases inside ferruginous bodies. *Microsc Microanal.* 19: 420-424. <http://dx.doi.org/10.1017/S1431927612014390>.
- Cromley, J. (1992). SOME LESSONS LEARNED FROM USING PARTICIPATORY METHODS IN ASBESTOS WORKER TRAINING. *Am J Ind Med.* 22: 781-784.
- Crook, J; Mousavi, A. (2016). The chlor-alkali process: A review of history and pollution. *Environ Forensics.* 17: 211-217. <http://dx.doi.org/10.1080/15275922.2016.1177755>.
- Crosignani, P; Forastiere, F; Petrelli, G; Merler, E; Chellini, E; Pupp, N; Donelli, S; Magarotto, G; Rotondo, E; Perucci, C. (1995). Malignant mesothelioma in thermoelectric power plant workers in Italy. *Am J Ind Med.* 27: 573-576.
- Crossman, G. (1985). DISPERSION STAINING MICROSCOPY FOR ASBESTOS IDENTIFICATION. *Chem Eng News.* 63: 2-2.

Exposure Literature Search Results

Off Topic

- Crovella, S; Bianco, AM; Vuch, J; Zupin, L; Rodrigues Moura, R; Trevisan, E; Schneider, M; Brollo, A; Nicastro, EM; Cosenzi, A; Zabucchi, G; Borelli, V. (2016). Iron signature in asbestos-induced malignant pleural mesothelioma: A population-based autopsy study. *J Toxicol Environ Health A*. 79: 1-13. <http://dx.doi.org/10.1080/15287394.2015.1123452>.
- Crump, KS; Berman, DW. (2011). Counting rules for estimating concentrations of long asbestos fibers. *Ann Occup Hyg*. 55: 723-735. <http://dx.doi.org/10.1093/annhyg/mer027>.
- Cryberg, RL. (1989). THE ASBESTOS HAZARD - POST-ABATEMENT MONITORING USING TEM. *J Environ Health*. 52: 168-169.
- Cubrinovski, M; Hughes, M; O'Rourke, TD. (2014). Impacts of liquefaction on the potable water system of Christchurch in the 2010-2011 Canterbury (NZ) earthquakes. *Journal of Water Supply: Research and Technology-AQUA*. 63: 95-105. <http://dx.doi.org/10.2166/aqua.2013.004>.
- Cudahy, TJ; Whitbourn, LB; Conner, PM; Mason, P; Phillips, RN. (1999). Mapping surface mineralogy and scattering behavior using backscattered reflectance from a hyperspectral midinfrared airborne CO2 laser system (MIRACO(2)LAS). *IEEE Trans Geosci Remote Sens*. 37: 2019-2034.
- Cuendet, PA; Bilat, D. (1984). [Evaluation of the degree of protection provided by a cartridge-mask system during working with asbestos]. *Soz Praventivmed*. 29: 42-43.
- Cullen, MR. (1996). The amphibole hypothesis of asbestos-related cancer--gone but not forgotten [Editorial]. *Am J Public Health*. 86: 158-159.
- Cullen, MR; Baloyi, RS. (1991). Chrysotile asbestos and health in Zimbabwe: I. Analysis of miners and millers compensated for asbestos-related diseases since independence (1980). *Am J Ind Med*. 19: 161-169.
- Cullen, MR; Barnett, MJ; Balmes, JR; Cartmel, B; Redlich, CA; Brodtkin, CA; Barnhart, S; Rosenstock, L; Goodman, GE; Hammar, SP; Thornquist, MD; Omenn, GS. (2005). Predictors of lung cancer among asbestos-exposed men in the beta-carotene and retinol efficacy trial. *Am J Epidemiol*. 161: 260-270. <http://dx.doi.org/10.1093/aje/kwi034>.
- Cullen, MR; Lopez-Carrillo, L; Alli, B; Pace, PE; Shalat, SL; Baloyi, RS. (1991). Chrysotile asbestos and health in Zimbabwe: II. Health status survey of active miners and millers. *Am J Ind Med*. 19: 171-182. <http://dx.doi.org/10.1002/ajim.4700190205>.
- Cullen, R; Miller, B; Davis, J; Brown, D; Donaldson, K. (1997). Short-term inhalation and in vitro tests as predictors of fiber pathogenicity. *Environ Health Perspect*. 105 Suppl 5: 1235-1240.
- Culley, MR; Zorland, J; Freire, K. (2010). Community responses to naturally occurring asbestos: implications for public health practice. *Health Educ Res*. 25: 877-891. <http://dx.doi.org/10.1093/her/cyq039>.
- Cunningham, HM; Pontefract, RD; O'Brien, RC. (1976). Quantitative Relationship Of Fecal Asbestos To Asbestos Exposure. *J Toxicol Environ Health*. 1: 377-379. <http://dx.doi.org/10.1080/15287397609529337>.
- Curriel-Esparza, J; Canto-Perello, J. (2005). Indoor atmosphere hazard identification in person entry urban utility tunnels. *Tunnelling and Underground Space Technology*. 20: 426-434. <http://dx.doi.org/10.1016/j.tust.2005.02.003>.
- Curran, AD. (1999). Flow cytometry in the exploration of the physiopathology of occupational lung disease. *Occup Environ Med*. 56: 742-746.
- Currie, KL; Knutson, J; Temby, PA. (1992). THE MUD TANK CARBONATITE COMPLEX, CENTRAL AUSTRALIA - AN EXAMPLE OF METASOMATISM AT MIDCRUSTAL LEVELS. *Contributions to Mineralogy and Petrology*. 109: 326-339.
- Curtis, RA. (1974). Industrial Hygiene of Raybestos-Manhattan Asbestos Textile Plant, North Charleston, South Carolina. (NIOSH/00105097). Curtis, RA.
- Curtis, RA; Bierbaum, PJ. (1975). TECHNOLOGICAL FEASIBILITY OF 2 FIBERS-CC ASBESTOS STANDARD IN ASBESTOS TEXTILE FACILITIES. *Am Ind Hyg Assoc J*. 36: 115-125.
- Cury Camargo, PH; Satyanarayana, KG; Wypych, F. (2009). Nanocomposites: Synthesis, Structure, Properties and New Application Opportunities. *Mater Res*. 12: 1-39.
- Cyphert, JM; Carlin, DJ; Nyska, A; Schladweiler, MC; Ledbetter, AD; Shannahan, JH; Kodavanti, UP; Gavett, SH. (2015). Comparative long-term toxicity of Libby amphibole and amosite asbestos in rats after single or multiple intratracheal exposures. *J Toxicol Environ Health A*. 78: 151-165. <http://dx.doi.org/10.1080/15287394.2014.947455>.
- Cyphert, JM; Mcgee, MA; Nyska, A; Schladweiler, MC; Kodavanti, UP; Gavett, SH. (2016). Long-term toxicity of naturally occurring asbestos in male Fischer 344 rats. *J Toxicol Environ Health A*. 79: 49-60. <http://dx.doi.org/10.1080/15287394.2015.1099123>.
- Cyphert, JM; Padilla-Carlin, DJ; Schladweiler, MC; Shannahan, JH; Nyska, A; Kodavanti, UP; Gavett, SH. (2012). Long-term response of rats to single intratracheal exposure of libby amphibole or amosite. *J Toxicol Environ Health A*. 75: 183-200. <http://dx.doi.org/10.1080/15287394.2012.641203>.
- da Costa Silva, AR; Nobre Villas, RN; Lafon, JM; Craveiro, GS; Ferreira, VP. (2015). Stable isotope systematics and fluid inclusion studies in the Cu-Au Visconde deposit, Carajas Mineral Province, Brazil: implications for fluid source generation. *Miner Depos*. 50: 547-569. <http://dx.doi.org/10.1007/s00126-014-0558-8>.
- da Fonseca, MG; Airoidi, C. (1999). Action of silylating agents on a chrysotile surface and subsequent reactions with 2-pyridine and 2-thiophene carbaldehydes. *J Mater Chem*. 9: 1375-1380.
- da Silva, SP; Wander, AP; Bisatto, R; Galland, GB. (2011). Preparation and characterization of chrysotile for use as nanofiller in polyolefins. *Nanotechnology*. 22: 105701. <http://dx.doi.org/10.1088/0957-4484/22/10/105701>.
- D'Acri, V; De Souza, KR; Dos Santos, MBM; De Castro, HA. (2009). Workers Education and Research in the Construction of the Solidarity Action Movement for the Struggle for Health: the case of the Brazilian Association of the Exposed to Asbestos (ABREA/RJ). 18: 154-163.
- D'acri, V; Souza, KR, d; Santos, M; Castro, HA, d. (2009). Formação de trabalhadores e pesquisa na construção do movimento de ação solidária de luta pela saúde: o caso da Associação Brasileira de Expostos ao Amianto do Rio de Janeiro (ABREA/RJ). 18: 154-163.
- Daghino, S; Turci, F; Tomatis, M; Favier, A; Perotto, S; Douki, T; Fubini, B. (2006). Soil fungi reduce the iron content and the DNA damaging effects of asbestos fibers. *Environ Sci Technol*. 40: 5793-5798. <http://dx.doi.org/10.1021/es060881v>.

Exposure Literature Search Results

Off Topic

- D'Agostin, F; Negro, C; Barbati, G; De Zotti, R. (2012). [Anti-smoking counseling in a group of workers with past exposure to asbestos]. *Med Lav*. 103: 449-458.
- Dahl, PS. (1996). The effects of composition on retentivity of argon and oxygen in hornblende and related amphiboles: A field-tested empirical model. *Geochim Cosmo Acta*. 60: 3687-3700.
- Dahlgren, J; Peckham, T. (2012). Mesothelioma associated with use of drywall joint compound: a case series and review of literature [Review]. *Int J Occup Environ Health*. 18: 337-343. <http://dx.doi.org/10.1179/2049396712Y.0000000009>.
- Dahlgren, J; Talbott, P. (2015). Case report: peritoneal mesothelioma from asbestos in hairdryers [Review]. *Int J Occup Environ Health*. 21: 1-4. <http://dx.doi.org/10.1179/2049396714Y.0000000092>.
- Dahlqvist, M; Alexandersson, R; Hedenstierna, G. (1992). LUNG-FUNCTION AND EXPOSURE TO ASBESTOS AMONG VEHICLE MECHANICS. *Am J Ind Med*. 22: 59-68. <http://dx.doi.org/10.1002/ajim.4700220106>.
- Damiran, N; Davaajav, K; Erdenebayar, E; Gomboloi, B; Frank, AL. (2015). Mesothelioma in Mongolia: case report. *Int J Occup Environ Health*. 21: 166-168. <http://dx.doi.org/10.1179/2049396714Y.0000000101>.
- Daniel, H; Wastiaux, A; Sebastien, P; Begin, R. (1993). EFFECTS OF PHOSPHORYLATION OF CHRYSOTILE ON PLEUROPULMONARY FIBROGENICITY AND CARCINOGENICITY. *Br J Ind Med*. 50: 167-171.
- Daniel, LN; Mao, Y; Wang, TC; Markey, CJ; Markey, SP; Shi, X; Saffiotti, U. (1995). DNA strand breakage, thymine glycol production, and hydroxyl radical generation induced by different samples of crystalline silica in vitro. *Environ Res*. 71: 60-73. <http://dx.doi.org/10.1006/enrs.1995.1068>.
- Daniels, RD; Kubale, TL; Yiin, JH; Dahm, MM; Hales, TR; Baris, D; Zahm, SH; Beaumont, JJ; Waters, KM; Pinkerton, LE. (2014). Mortality and cancer incidence in a pooled cohort of US firefighters from San Francisco, Chicago and Philadelphia (1950-2009). *Occup Environ Med*. 71: 388-397. <http://dx.doi.org/10.1136/oemed-2013-101662>.
- Danielsen, TE; Langård, S; Andersen, A. (1996). Incidence of cancer among Norwegian boiler welders. *Occup Environ Med*. 53: 231-234.
- Danielsen, TE; Langård, S; Andersen, A. (2000). Incidence of cancer among welders and other shipyard workers with information on previous work history. *J Occup Environ Med*. 42: 101-109.
- Danielsen, TE; Langard, S; Andersen, A; Knudsen, O. (1993). INCIDENCE OF CANCER AMONG WELDERS OF MILD-STEEL AND OTHER SHIPYARD WORKERS. *Br J Ind Med*. 50: 1097-1103.
- Darne, C; Terzetti, F; Coulais, C; Fournier, J; Guichard, Y; Gaté, L; Binet, S. (2010). In vitro cytotoxicity and transforming potential of industrial carbon dust (fibers and particles) in syrian hamster embryo (SHE) cells. *Ann Occup Hyg*. 54: 532-544. <http://dx.doi.org/10.1093/annhyg/meq012>.
- Darnton, A; Hodgson, J; Benson, P; Coggon, D. (2012). Mortality from asbestosis and mesothelioma in Britain by birth cohort. *Occup Med (Lond)*. 62: 549-552. <http://dx.doi.org/10.1093/occmed/kqs119>.
- Darnton, AJ; Mcelvenny, DM; Hodgson, JT. (2006). Estimating the number of asbestos-related lung cancer deaths in Great Britain from 1980 to 2000. *Ann Occup Hyg*. 50: 29-38. <http://dx.doi.org/10.1093/annhyg/mei038>.
- Datta, AK. (1991). DEHYDRATION OF CHRYSOTILE ASBESTOS - AN INFRARED-ABSORPTION STUDY. *Journal of Mater Sci Lett*. 10: 870-871.
- Datta, AK; Mathur, BK; Samantaray, BK; Bhattacharjee, S. (1987). DEHYDRATION AND PHASE-TRANSFORMATION IN CHRYSOTILE ASBESTOS - A RADIAL-DISTRIBUTION ANALYSIS STUDY. *Bulletin of Materials Science*. 9: 103-110.
- Datta, AK; Samantaray, BK; Bhattacharjee, S. (1986). THERMAL TRANSFORMATION IN A CHRYSOTILE ASBESTOS. *Bulletin of Materials Science*. 8: 497-503.
- Daude, G; Lasnier, JM; Guillabert, B; Filliatre, C; Sabouraud, A; Guilhemat, R. (1996). Extraction and identification of organic fibres from fibre-reinforced cement composites without asbestos. *Cement and Concrete Research*. 26: 791-798.
- Daval, D; Hellmann, R; Martinez, I; Gangloff, S; Guyot, F. (2013). Lizardite serpentine dissolution kinetics as a function of pH and temperature, including effects of elevated pCO₂. *Chem Geol*. 351: 245-256. <http://dx.doi.org/10.1016/j.chemgeo.2013.05.020>.
- Dave, SK; Beckett, WS. (2005). Occupational asbestos exposure and predictable asbestos-related diseases in India. *Am J Ind Med*. 48: 137-143. <http://dx.doi.org/10.1002/ajim.20198>.
- David, AM; Ogawa, H; Takahashi, K. (2012). A baseline profile of asbestos in the US-affiliated Pacific Islands. *Int J Occup Environ Health*. 18: 22-28. <http://dx.doi.org/10.1179/1077352512Z.0000000003>.
- Davidson, GJ; Paterson, H; Meffre, S; Berry, RF. (2007). Characteristics and origin of the Oak Dam East breccia-hosted, iron oxide Cu-U-(Au) deposit: Olympic Dam region, Gawler craton, South Australia. *Econ Geol*. 102: 1471-1498.
- Davies, D. (1990). ALTERATIONS IN LARYNGEAL MUCOSA AFTER EXPOSURE TO ASBESTOS [Letter]. *Br J Ind Med*. 47: 844-844.
- Davies, JC; Kielkowski, D; Phillips, JI; Govuzela, M; Solomon, A; Makofane, MR; Sekgobela, ML; Garton, E. (2004). Asbestos in the sputum, crackles in the lungs, and radiologic changes in women exposed to asbestos. *Int J Occup Environ Health*. 10: 220-225. <http://dx.doi.org/10.1179/oeh.2004.10.2.220>.
- Davies, JCA. (1991). DEJA-VU. *Am J Ind Med*. 19: 141-143.
- Davies, L; Cherrie, JW. (1992). AIRBORNE FIBER CONCENTRATIONS IN A GLASS CONTINUOUS FILAMENT FACTORY. *Ann Occup Hyg*. 36: 609-627.
- Davis, BL. (1990). QUANTITATIVE-ANALYSIS OF ASBESTOS MINERALS BY THE REFERENCE INTENSITY-X-RAY DIFFRACTION PROCEDURE. *Am Ind Hyg Assoc J*. 51: 297-303.
- Davis, DR. (1995). Release of asbestos fibers during casting ring liner manipulation. *J Prosthet Dent*. 74: 294-298.
- Davis, HV; Reeves, AL. (1971). Collagen biosynthesis in rat lungs during exposure to asbestos. *Am Ind Hyg Assoc J*. 32: 599-602. <http://dx.doi.org/10.1080/0002889718506512>.
- Davis, JJ; Gulson, BL. (2005). Ceiling (attic) dust: a "museum" of contamination and potential hazard. *Environ Res*. 99: 177-194. <http://dx.doi.org/10.1016/j.envres.2004.10.011>.

Exposure Literature Search Results

Off Topic

- Davis, JM. (1994). Other diseases in animals. *Ann Occup Hyg.* 38: 581-587, 420.
- Davis, JM. (1994). The role of clearance and dissolution in determining the durability or biopersistence of mineral fibers. *Environ Health Perspect.* 102: 113-117.
- Davis, JMG. (1980). THE USE OF ANIMAL INHALATION EXPERIMENTS IN THE STUDY OF ASBESTOS BIOEFFECTS. *Staub, Reinhaltung der Luft.* 40: 453-455.
- Davis, JMG. (1993). THE NEED FOR STANDARDIZED TESTING PROCEDURES FOR ALL PRODUCTS CAPABLE OF LIBERATING RESPIRABLE FIBERS - THE EXAMPLE OF MATERIALS BASED ON CELLULOSE. *Br J Ind Med.* 50: 187-190.
- Davis, JMG; Cowie, HA. (1990). The Relationship between Fibrosis and Cancer in Experimental Animals Exposed to Asbestos and Other Fibers [Review]. *Environ Health Perspect.* 88: 305-309.
- Davis, JMG; Donaldson, K. (1993). RESPIRABLE INDUSTRIAL FIBERS - PATHOLOGY IN ANIMAL-MODELS. *Ann Occup Hyg.* 37: 227-236.
- Davis, P; Burn, S; Moglia, M; Gould, S. (2007). A physical probabilistic model to predict failure rates in buried PVC pipelines. *Reliab Eng Syst Saf.* 92: 1258-1266. <http://dx.doi.org/10.1016/j.ress.2006.08.001>.
- Davis, P; De Silva, D; Marlow, D; Moglia, M; Gould, S; Burn, S. (2008). Failure prediction and optimal scheduling of replacements in asbestos cement water pipes. *Journal of Water Supply: Research and Technology-AQUA.* 57: 239-252. <http://dx.doi.org/10.2166/aqua.2008.035>.
- Davis, TE. (1990). ASBESTOS ABATEMENT COST RECOVERY UNDER THE COMPREHENSIVE ENVIRONMENTAL RESPONSE, COMPENSATION, AND LIABILITY ACT. *Harvard Environmental Law Review.* 14: 253-276.
- Daynard, RA; Howard, PT; Wilking, CL. (2004). Private enforcement: Litigation as a tool to prevent obesity. *J Public Health Policy.* 25: 408-417.
- de Abreu, PG; Abreu, VMN; Coldebella, A; Lopes, L, dosS; da Conceicao, V; Tomazelli, IL. (2011). Thermographic analysis of the superficial temperature of roof tiles. *Revista Brasileira de Engenharia Agrícola e Ambiental - Agriambi.* 15: 1193-1198.
- de Almeida, EA; Passini, R. (2013). THERMAL COMFORT IN REDUCED MODELS OF BROILERS' HOUSES, UNDER DIFFERENT TYPES OF ROOFING MATERIALS. *Engenharia Agricola.* 33: 19-27.
- de Assis, SA; Fernandes, P; Ferreira, BS; Cabral, JMS; Oliveira, OMM, F. (2004). Screening of supports for the immobilization of pectinmethylesterase from acerola (*Malpighia glabra* L). *J Chem Tech Biotechnol.* 79: 277-280. <http://dx.doi.org/10.1002/jctb.973>.
- de Castro, AB; Garcia, G; Gee, GC; Tsai, JHC; Rue, T; Takeuchi, DT. (2010). Smoking and the Asian American Workforce in the National Latino and Asian American Study. *Am J Ind Med.* 53: 171-178. <http://dx.doi.org/10.1002/ajim.20697>.
- de Haller, A; Corfu, F; Fontbote, L; Schaltegger, U; Barra, F; Chiaradia, M; Frank, M; Alvarado, JZ. (2006). Geology, geochronology, and Hf and Pb isotope data of the Raul-Condostable iron oxide-copper-gold deposit, central coast of Peru. *Econ Geol.* 101: 281-310.
- De Hoog, J, anCM; Hattori, K; Jung, H. (2014). Titanium- and water-rich metamorphic olivine in high-pressure serpentinites from the Voltri Massif (Ligurian Alps, Italy): evidence for deep subduction of high-field strength and fluid-mobile elements. *Contributions to Mineralogy and Petrology.* 167. <http://dx.doi.org/10.1007/s00410-014-0990-x>.
- de Klerk, NH; Armstrong, BK; Musk, AW; Hobbs, MST. (1989). Cancer mortality in relation to measures of occupational exposure to crocidolite at Wittenoom Gorge in Western Australia. *Br J Ind Med.* 46: 529-536. <http://dx.doi.org/10.1136/oem.46.8.529>.
- de Klerk, NH; Cookson, WO; Musk, AW; Armstrong, BK; Glancy, JJ. (1989). Natural history of pleural thickening after exposure to crocidolite. *Br J Ind Med.* 46: 461-467.
- de Klerk, NH; Musk, AW; Armstrong, BK; Hobbs, MS. (1991). Smoking, exposure to crocidolite, and the incidence of lung cancer and asbestosis. *Br J Ind Med.* 48: 412-417.
- de Klerk, NH; Musk, AW; Cookson, WO; Glancy, JJ; Hobbs, MS. (1993). Radiographic abnormalities and mortality in subjects with exposure to crocidolite. *Br J Ind Med.* 50: 902-906.
- de Klerk, NH; Musk, AW; Eccles, JL; Hansen, J; Hobbs, MS. (1996). Exposure to crocidolite and the incidence of different histological types of lung cancer. *Occup Environ Med.* 53: 157-159.
- de Klerk, NH; Musk, AW; James, A; Glancy, JJ; Cookson, WO. (1990). Comparison of chest radiograph reading methods for assessing progress of pneumoconiosis over 10 years in Wittenoom crocidolite workers. *Br J Ind Med.* 47: 127-131.
- de Klerk, NH; Musk, AW; Williams, V; Filion, PR; Whitaker, D; Shilkina, KB. (1996). Comparison of measures of exposure to asbestos in former crocidolite workers from Wittenoom Gorge, W. Australia. *Am J Ind Med.* 30: 579-587. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199611\)30:5<579::AID-AJIM5>3.0.CO;2-O](http://dx.doi.org/10.1002/(SICI)1097-0274(199611)30:5<579::AID-AJIM5>3.0.CO;2-O).
- De Matteis, S; Consonni, D; Lubin, J; Tucker, M; Peters, S; Vermeulen, RCH; Kromhout, H; Bertazzi, PA; Caporaso, NE; Pesatori, AC; Wacholder, S; Landi, MT. (2012). Impact of occupational carcinogens on lung cancer risk in a general population. *Int J Epidemiol.* 41: 711-721. <http://dx.doi.org/10.1093/ije/dys042>.
- de Miranda, S; Molari, L; Scalet, G; Ubertini, F. (2012). Simple Beam Model to Estimate Leakage in Longitudinally Cracked Pressurized Pipes. *Journal of Structural Engineering.* 138: 1065-1074. [http://dx.doi.org/10.1061/\(ASCE\)ST.1943-541X.0000535](http://dx.doi.org/10.1061/(ASCE)ST.1943-541X.0000535).
- De Pedrini, C. (1968). [Observations on methods of collection and counting asbestos dust in work environments]. *Arch Sci Med.* 125: 769-776.
- De Stefani, E; Boffetta, P; Brennan, P; Deneo-Pellegrini, H; Ronco, A; Gutiérrez, LP. (2005). Occupational exposures and risk of adenocarcinoma of the lung in Uruguay. *Cancer Causes Control.* 16: 851-856. <http://dx.doi.org/10.1007/s10552-005-2819-4>.
- De Stefani, E; Boffetta, P; Oreggia, F; Ronco, A; Kogevinas, M; Mendilaharsu, M. (1998). Occupation and the risk of laryngeal cancer in Uruguay. *Am J Ind Med.* 33: 537-542. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199806\)33:6<537::AID-AJIM3>3.0.CO;2-N](http://dx.doi.org/10.1002/(SICI)1097-0274(199806)33:6<537::AID-AJIM3>3.0.CO;2-N).
- De Stefani, E; Kogevinas, M; Boffetta, P; Ronco, A; Mendilaharsu, M. (1996). Occupation and the risk of lung cancer in Uruguay. *Scand J Work Environ Health.* 22: 346-352.
- De Stefano, L; De Luca, F; Buccolieri, G. (1998). Analytical methods for quantitative asbestos determination by X-ray diffraction. *Ann Chim.* 88: 11-12.

Exposure Literature Search Results

Off Topic

- De Stefano, L; De Luca, F; Buccolieri, G; Plescia, P. (2000). Milling effects upon quantitative determinations of chrysotile asbestos by the reference intensity ratio method. *Powder Diffraction*. 15: 26-29.
- De Vita, J; Wall, S; Wagner, J; Wang, ZM; Rao, LE. (2012). Determining the frequency of asbestos use in automotive brakes from a fleet of on-road California vehicles. *Environ Sci Technol*. 46: 1344-1351. <http://dx.doi.org/10.1021/es202667d>.
- de Vries, H; Lechner, L. (2000). Motives for protective behavior against carcinogenic substances in the workplace: a pilot study among Dutch workers. *J Occup Environ Med*. 42: 88-95.
- De Vuyst, P. (1994). Biopersistence of respirable synthetic fibers and minerals: point of view of the chest physician [Review]. *Environ Health Perspect*. 102 Suppl 5: 7-9.
- De Vuyst, P; Dumortier, P; Moulin, E; Yourassowsky, N; Yernault, JC. (1987). Diagnostic value of asbestos bodies in bronchoalveolar lavage fluid. *Am Rev Respir Dis*. 136: 1219-1224. <http://dx.doi.org/10.1164/ajrccm/136.5.1219>.
- De Zotti, R; Barbati, G; Negro, C. (2013). [Autopsy findings and pleural plaques in the Malignant Mesothelioma (MM) Regional Register of Friuli-Venezia-Giulia]. *Med Lav*. 104: 55-66.
- De Zotti, R; Fiorito, A. (2007). A case of malignant mesothelioma in a rice-starch factory. *Int Arch Occup Environ Health*. 80: 743-745. <http://dx.doi.org/10.1007/s00420-007-0184-1>.
- Deadman, JE; Church, G; Bradley, C; Armstrong, B; Theriault, G. (1995). Retrospective Estimation of Exposures to Confirmed or Suspected Carcinogens in an Electrical Utility. *Appl Occup Environ Hyg*. 10: 856-869.
- Deangelis, MT; Labotka, TC; Cole, DR; Fayek, M; Anovitz, LM. (2007). Experimental investigation of the breakdown of dolomite in rock cores at 100 MPa, 650-750 degrees C. *Am Mineral*. 92: 510-517. <http://dx.doi.org/10.2138/am.2007.2164>.
- Debret, B; Andreani, M; Godard, M; Nicollet, C; Schwartz, S; Lafay, R. (2013). Trace element behavior during serpentization/deserpentinization of an eclogitized oceanic lithosphere: A LA-ICPMS study of the Lanzo ultramafic massif (Western Alps). *Chem Geol*. 357: 117-133. <http://dx.doi.org/10.1016/j.chemgeo.2013.08.025>.
- Debret, B; Andreani, M; Munoz, M; Bolfan-Casanova, N; Carlut, J; Nicollet, C; Schwartz, S; Trcera, N. (2014). Evolution of Fe redox state in serpentizing during subduction. *Earth Planet Sci Lett*. 400: 206-218. <http://dx.doi.org/10.1016/j.epsl.2014.05.038>.
- Debret, B; Bolfan-Casanova, N; Padron-Navarta, JA; Martin-Hernandez, F; Andreani, M; Garrido, CJ; Lopez Sanchez-Vizcaino, V; Teresa Gomez-Pugnaire, M; Munoz, M; Trcera, N. (2015). Redox state of iron during high-pressure serpentinite dehydration. *Contributions to Mineralogy and Petrology*. 169. <http://dx.doi.org/10.1007/s00410-015-1130-y>.
- Dechant, R; Piantanida, L. (1984). REDUCTION OF EXPOSURE DURING ASBESTOS LAGGING RIP-OUT. *Am Ind Hyg Assoc J*. 45: B9-B9.
- Degiovanni, D; Pesce, B; Pondrano, N. (2004). Asbestos in Italy. *Int J Occup Environ Health*. 10: 193-197. <http://dx.doi.org/10.1179/oeh.2004.10.2.193>.
- Degryse, P; Muech, P; Six, S; Waelkens, M. (2003). Identification of ore extraction and metal working in ancient times: a case study of Sagalassos (SW Turkey). *J Geochem Explor*. 77: 65-80. [http://dx.doi.org/10.1016/S0375-6742\(02\)00270-4](http://dx.doi.org/10.1016/S0375-6742(02)00270-4).
- DEKLERK. (1990). CANCER MORTALITY AND EXPOSURE TO CROCIDOLITE - REPLY. *Br J Ind Med*. 47: 286-286.
- Delclos, GL; Flitcraft, DG; Brousseau, KP; Windsor, NT; Nelson, DL; Wilson, RK; Lawrence, EC. (1989). Bronchoalveolar lavage analysis, gallium-67 lung scanning and soluble interleukin-2 receptor levels in asbestos exposure. *Environ Res*. 48: 164-178.
- Delfino, R; Ernst, P; Bourbeau, J. (1989). Relationship of lung geometry to the development of pleural abnormalities in insulation workers exposed to asbestos. *Am J Ind Med*. 15: 417-425.
- Delgermaa, V; Takahashi, K; Park, EK; Le, GV; Hara, T; Sorahan, T. (2011). Global mesothelioma deaths reported to the World Health Organization between 1994 and 2008. *Bull World Health Organ*. 89: 716-724, 724A-724C. <http://dx.doi.org/10.2471/BLT.11.086678>.
- Dell, L; Teta, MJ. (1995). Mortality among workers at a plastics manufacturing and research and development facility: 1946-1988. *Am J Ind Med*. 28: 373-384. <http://dx.doi.org/10.1002/ajim.4700280307>.
- Della Ventura, G; Iezzi, G; Redhammer, GJ; Hawthorne, FC; Scaillet, B; Novembre, D. (2005). Synthesis and crystal-chemistry of alkali amphiboles in the system Na₂O-MgO-FeO-Fe₂O₃SiO₂-H₂O as a function of f(O₂). *Am Mineral*. 90: 1375-1383.
- Della Ventura, G; Redhammer, GJ; Iezzi, G; Hawthorne, FC; Papin, A; Robert, JL. (2005). A Mossbauer and FTIR study of synthetic amphiboles along the magnesioriebeckite-ferri-clinoholmquistite join. *Physics and Chemistry of Minerals*. 32: 103-113. <http://dx.doi.org/10.1007/s00269-005-0451-1>.
- Della VENTURA, G; Robert, JL; Beny, JM. (1991). TETRAHEDRALLY COORDINATED TI-4(+) IN SYNTHETIC TI-RICH POTASSIC RICHTERITE - EVIDENCE FROM XRD, FTIR, AND RAMAN STUDIES. *Am Mineral*. 76: 1134-1140.
- Dellisanti, F; Rossi, PL; G, V. (2009). In-field remediation of tons of heavy metal-rich waste by Joule heating vitrification. *Int J Miner Process*. 93: 239-245. <http://dx.doi.org/10.1016/j.minpro.2009.09.002>.
- Dellisanti, F; Rossi, PL; Valdre, G. (2009). Remediation of asbestos containing materials by Joule heating vitrification performed in a pre-pilot apparatus. *Int J Miner Process*. 91: 61-67. <http://dx.doi.org/10.1016/j.minpro.2008.12.001>.
- Delon, J; Charretton, M; Prost, G; Cicolella, A. (1992). Short-term exposures and exposures close to threshold limit values - The response. 53: 91-98.
- Delpierre, S; Delvolgo-Gori, MJ; Faucher, M; Jammes, Y. (2002). High prevalence of reversible airway obstruction in asbestos-exposed workers. *Arch Environ Health*. 57: 441-445. <http://dx.doi.org/10.1080/00039890209601435>.
- Delvasto, S; Toro, EF; Perdomo, F; Mejia de Gutierrez, R. (2010). An appropriate vacuum technology for manufacture of corrugated fique fiber reinforced cementitious sheets. *Construction and Building Materials*. 24: 187-192. <http://dx.doi.org/10.1016/j.conbuildmat.2009.01.010>.
- Dement, J; Welch, L; Haile, E; Myers, D. (2009). Mortality among sheet metal workers participating in a medical screening program. *Am J Ind Med*. 52: 603-613. <http://dx.doi.org/10.1002/ajim.20725>.

Exposure Literature Search Results

Off Topic

- Dement, JM; Brown, DP. (1994). Lung cancer mortality among asbestos textile workers: a review and update. *Ann Occup Hyg.* 38: 525-532, 412.
- Dement, JM; Brown, DP. (1998). Cohort mortality and case-control studies of white male chrysotile asbestos textile workers. *J Clean Technol, Environ Toxicol, Occup Med.* 7: 413-419.
- Dement, JM; Kuempel, ED; Zumwalde, RD; Ristich, AM; Fernback, JE; Smith, RJ. (2015). Airborne fiber size characterization in exposure estimation: Evaluation of a modified transmission electron microscopy protocol for asbestos and potential use for carbon nanotubes and nanofibers. *Am J Ind Med.* 58: 494-508. <http://dx.doi.org/10.1002/ajim.22422>.
- Dement, JM; Loomis, D; Richardson, D; Wolf, SH; Kuempel, ED. (2011). Estimates of historical exposures by phase contrast and transmission electron microscopy for pooled exposure--response analyses of North Carolina and South Carolina, USA asbestos textile cohorts. *Occup Environ Med.* 68: 593-598. <http://dx.doi.org/10.1136/oem.2010.059972>.
- Dement, JM; Myers, D; Loomis, D; Richardson, D; Wolf, S. (2009). Estimates of historical exposures by phase contrast and transmission electron microscopy in North Carolina USA asbestos textile plants. *Occup Environ Med.* 66: 574-583. <http://dx.doi.org/10.1136/oem.2008.040410>.
- Dement, JM; Ringen, K; Welch, LS; Bingham, E; Quinn, P. (2009). Mortality of older construction and craft workers employed at Department of Energy (DOE) nuclear sites. *Am J Ind Med.* 52: 671-682. <http://dx.doi.org/10.1002/ajim.20729>.
- Dement, JM; Welch, L; Bingham, E; Cameron, B; Rice, C; Quinn, P; Ringen, K. (2003). Surveillance of respiratory diseases among construction and trade workers at Department of Energy nuclear sites. *Am J Ind Med.* 43: 559-573. <http://dx.doi.org/10.1002/ajim.10226>.
- Dement, JM; Welch, L; Ringen, K; Bingham, E; Quinn, P. (2010). Airways obstruction among older construction and trade workers at Department of Energy nuclear sites. *Am J Ind Med.* 53: 224-240. <http://dx.doi.org/10.1002/ajim.20792>.
- Dement, JM; Zumwalde, RD. (1979). Occupational exposures to talcs containing asbestiform minerals.
- Dement, JM; Zumwalde, RD; Wallingford, KM. (1976). Discussion Paper: Asbestos Fiber Exposures In A Hard Rock Gold Mine. *Ann N Y Acad Sci.* 271: 345-352.
- Dement JMI Kuempel, ED; Zumwalde, RD; Smith, RJ; Stayner, LT; Loomis, D. (2008). Development of a fibre size-specific job-exposure matrix for airborne asbestos fibres. *J Occup Environ Med.* 65: 605-612. <http://dx.doi.org/10.1136/oem.2007.033712>.
- Demers, PA; Schade, WJ; Demers, RY. (1994). LYMPHOCYTOPENIA AND OCCUPATIONAL EXPOSURES AMONG PATTERN AND MODEL MAKERS. *Scand J Work Environ Health.* 20: 107-112.
- Demers, PA; Stellman, SD; Colin, D; Boffetta, P. (1998). Nonmalignant respiratory disease mortality among woodworkers participating in the American Cancer Society Cancer Prevention Study-II (CPS-II). *Am J Ind Med.* 34: 238-243.
- Demers, RY; Burns, PB; Swanson, GM. (1994). Construction occupations, asbestos exposure, and cancer of the colon and rectum. *J Occup Med.* 36: 1027-1031.
- Demers, RY; Neale, AV; Robins, T; Herman, SC. (1990). Asbestos-related pulmonary disease in boilermakers. *Am J Ind Med.* 17: 327-339. <http://dx.doi.org/10.1002/ajim.4700170305>.
- Denes, G; Vaillancourt, A; Kipkemboi, P; Levanmao, R. (1988). MAGNESIUM LEACHING OF ASBESTOS CHRYSOTILE AS A NEW SYNTHETIC ROUTE TO MICROCRYSTALLINE SILICON DIOXIDE. 81: 98-98.
- Deng, JF; Sinks, T; Elliot, L; Smith, D; Singal, M; Fine, L. (1991). Characterisation of respiratory health and exposures at a sintered permanent magnet manufacturer. *Br J Ind Med.* 48: 609-615.
- Deng, Q; Wang, X; Wang, M; Lan, Y. (2012). Exposure-response relationship between chrysotile exposure and mortality from lung cancer and asbestosis. *Occup Environ Med.* 69: 81-86. <http://dx.doi.org/10.1136/oem.2011.064899>.
- Deng, XD; Li, JW, ei; Wen, G. (2014). Dating iron skarn mineralization using hydrothermal allanite-(La) U-Th-Pb isotopes by laser ablation ICP-MS. *Chem Geol.* 382: 95-110. <http://dx.doi.org/10.1016/j.chemgeo.2014.05.023>.
- Deng, XD; Li, JW, ei; Zhou, M, eiFu; Zhao, X, inFu; Yan, D, aiR. (2015). In-situ LA-ICPMS trace elements and U-Pb analysis of titanite from the Mesozoic Ruanjiawan W-Cu-Mo skarn deposit, Daye district, China. *Ore Geol Rev.* 65: 990-1004. <http://dx.doi.org/10.1016/j.oregeorev.2014.08.011>.
- Deng, XH, ua; Chen, Y, anJ; Santosh, M; Wang, JB, in; Li, C; Yue, S, uWei; Zheng, Z; Chen, HJ, in; Tang, H, aoShu; Dong, LH, ui; Qu, X, un. (2017). U-Pb zircon, Re-Os molybdenite geochronology and Rb-Sr geochemistry from the Xiaobaishitou W (-Mo) deposit: Implications for Triassic tectonic setting in eastern Tianshan, NW China. *Ore Geol Rev.* 80: 332-351. <http://dx.doi.org/10.1016/j.oregeorev.2016.05.013>.
- Denizeau, F; Marion, M; Fleury, J; Chevalier, G; Cote, MG. (1984). 2-ACETYLAMINOFUORENE-INDUCED UDS IN THE PRESENCE OF CHRYSOTILE ASBESTOS FIBERS. *Environ Mutagen.* 6: 427-428.
- Denson, FG. (1972). DESIGN CONSIDERATIONS IN USE OF ASBESTOS-CEMENT PRESSURE PIPE. *J Am Water Works Assoc.* 64: 441-&.
- Denzin Tonoli, GH; dos Santos, SF; Rabi, JA; dos Santos, WN; Savastano Junior, H. (2011). Thermal performance of sisal fiber-cement roofing tiles for rural constructions. *Scientia Agricola.* 68: 1-7.
- Depasse, J. (1982). INFLUENCE OF THE SIALIC-ACID CONTENT OF THE MEMBRANE ON ITS SUSCEPTIBILITY TO CHRYSOTILE. *Environ Res.* 27: 384-388.
- Derbyshire, EJ; O'Driscoll, B; Lenaz, D; Gertisser, R; Kronz, A. (2013). Compositionally heterogeneous podiform chromitite in the Shetland Ophiolite Complex (Scotland): Implications for chromitite petrogenesis and late-stage alteration in the upper mantle portion of a supra-subduction zone ophiolite. *Lithos.* 162: 279-300. <http://dx.doi.org/10.1016/j.lithos.2012.11.013>.
- Dermatas, D; Mpouras, T; Chrysochoou, M; Panagiotakis, I; Vatseris, C; Linardos, N; Theologou, E; Boboti, N; Xenidis, A; Papassiopi, N; Sakellariou, L. (2015). Origin and concentration profile of chromium in a Greek aquifer. *J Hazard Mater.* 281: 35-46. <http://dx.doi.org/10.1016/j.jhazmat.2014.09.050>.
- Deruyttere, A; Helsen, J; Baeten, J. (1980). Characterization And Properties Of Asbestos-Cement Dust (pp. 43-51). (NIOSH/00149443).
Deruyttere, A; Helsen, J; Baeten, J.

Exposure Literature Search Results

Off Topic

- Desai, R; Richards, RJ. (1983). Effects of chrysotile on a lysosomal enzyme preparation and on the hydrolytic enzyme activity of cultured alveolar macrophages. *Environ Health Perspect.* 51: 125-130.
- Descatha, A; Ollivier, S; Despreaux, T. (2015). Re: Fitzgerald et al. "Eligibility for low-dose computerized tomography screening among asbestos-exposed individuals" [Comment]. *Scand J Work Environ Health.* 41: 417-418. <http://dx.doi.org/10.5271/sjweh.3503>.
- Deschamps, E; Le Nalbault, J; Descatha, A. (2014). Association between the reasoned opinion of occupational physicians and the decisions of a regional occupational disease commission (CRRMP). *Arch Mal Prof Environ.* 75: 566-573. <http://dx.doi.org/10.1016/j.admp.2014.04.004>.
- Deschamps, F; Barouh, M; Deslee, G; Prevost, A; Munck, JN. (2006). Estimates of work-related cancers in workers exposed to carcinogens. *Occup Med (Lond).* 56: 204-209. <http://dx.doi.org/10.1093/occmed/kqj038>.
- Deschamps, F; Godard, M; Guillot, S; Chauvel, C; Andreani, M; Hattori, K; Wunder, B; France, L. (2012). Behavior of fluid-mobile elements in serpentines from abyssal to subduction environments: Examples from Cuba and Dominican Republic. *Chem Geol.* 312: 93-117. <http://dx.doi.org/10.1016/j.chemgeo.2012.04.009>.
- Deschamps, F; Guillot, S; Godard, M; Chauvel, C; Andreani, M; Hattori, K. (2010). In situ characterization of serpentinites from forearc mantle wedges: Timing of serpentinitization and behavior of fluid-mobile elements in subduction zones. *Chem Geol.* In Press, Corrected Proof: 262-277. <http://dx.doi.org/10.1016/j.chemgeo.2009.10.002>.
- Deseta, N; Ashwal, LD; Andersen, TB. (2014). Initiating intermediate-depth earthquakes: Insights from a HP-LT ophiolite from Corsica. *Lithos.* 206: 127-146. <http://dx.doi.org/10.1016/j.lithos.2014.07.022>.
- Desoubeaux, N; Bouvier, V; Gervais, R; Galateau-Salle, F; Thibon, P; Leplumey, T; Herbert, C; Lecherbonnier, Y; Daviet, JP; Letourneux, M. (2001). [Malignant mesothelioma in Basse-Normandie, a French population study. Descriptive analysis, prognostic factors and survival]. *Rev Epidemiol Sante Publique.* 49: 523-529.
- Desouza, JL; Mendes, JC; Bello, RMD; Svisero, DP; Valarelli, JV. (1992). PETROGRAPHIC AND MICROTHERMOMETRICAL STUDIES OF EMERALDS IN THE GARIMPO DE CAPOEIRANA, NOVA ERA, MINAS-GERAIS STATE, BRAZIL. *Miner Depos.* 27: 161-168.
- Devecerski, A; Posarac, M; Egelja, A; Radosavljevic-Mihajlovic, A; Boskovic, S; Logar, M; Matovic, B. (2008). Fabrication of SiC by carbothermal-reduction reactions of mountain leather asbestos. *J Alloy Comp.* 464: 270-276. <http://dx.doi.org/10.1016/j.jallcom.2007.09.090>.
- Dewit, LA; Scholten, JJ. (1975). STUDIES ON PORE STRUCTURE OF ADSORBENTS AND CATALYSTS .2. PORE-SIZE DISTRIBUTION IN SYNTHETIC CHRYSOTILE - CLASSICAL AND CORRECTED KELVIN EQUATION APPLIED TO NITROGEN CAPILLARY CONDENSATION. *J Catal.* 36: 30-35.
- Dewit, LA; Scholten, JJ. (1975). STUDIES ON PORE STRUCTURE OF ADSORBENTS AND CATALYSTS .3. COMPARISON OF PORE-SIZE DISTRIBUTIONS DETERMINED IN CHRYSOTILE AND ZIRCONIA SAMPLES BY MERCURY POROSIMETRY AND NITROGEN CAPILLARY CONDENSATION. *J Catal.* 36: 36-47.
- Di Lorenzo, L; Mele, M; Pegorari, MM; Fratello, A; Zocchetti, C; Capozzi, D. (1996). Lung cinescintigraphy in the dynamic assessment of ventilation and mucociliary clearance of asbestos cement workers. *Occup Environ Med.* 53: 628-635. <http://dx.doi.org/10.1136/oem.53.9.628>.
- Di Viesto, PL; Annibali, M; Cardellini, F; Marucci, G; Sica, M; Portofino, S. (2004). Asbestos Inertization Through Microwave Thermal Treatment: Materials Characterization And Economic Evaluation. *Mater Res Innovat.* 8: 58-62.
- Diandini, R; Takahashi, K; Park, EK; Jiang, Y; Movahed, M; Le, GV; Lee, LJ; Delgermaa, V; Kim, R. (2013). Potential years of life lost (PYLL) caused by asbestos-related diseases in the world. *Am J Ind Med.* 56: 993-1000. <http://dx.doi.org/10.1002/ajim.22206>.
- Dias, CMR; Cincotto, MA; Savastano, H, Jr; John, VM. (2008). Long-term aging of fiber-cement corrugated sheets - The effect of carbonation, leaching and acid rain. *Cement and Concrete Composites.* 30: 255-265. <http://dx.doi.org/10.1016/j.cemconcomp.2007.11.001>.
- Dias, GFD; Alves, PLD, A; Dias, TCD. (2004). Brachiaria decumbens suppresses the initial growth of Coffea arabica. *Scientia Agricola.* 61: 579-583.
- Dicicco, M; Compton, R; Duong, T; Jansen-Varnum, SA. (2005). Electron paramagnetic resonance analyses of surface radical chemistries of gamma-sterilized orthopedic materials: implications pointing to cytotoxicity via wear debris-induced inflammation. *J Biomed Mater Res B Appl Biomater.* 75: 6-17. <http://dx.doi.org/10.1002/jbm.b.30164>.
- Dicicco, M; Compton, R; Jansen-Varnum, SA. (2005). In vitro evaluation of orthopedic composite cytotoxicity: assessing the potential for postsurgical production of hydroxyl radicals. *J Biomed Mater Res B Appl Biomater.* 72: 146-155. <http://dx.doi.org/10.1002/jbm.b.30127>.
- Diella, V; Ferrario, A; Girardi, VAV. (1995). PGE AND PGM IN THE LUANGA MAFIC-ULTRAMAFIC INTRUSION IN SERRA-DOS-CARAJAS (PARA STATE, BRAZIL). *Ore Geol Rev.* 9: 445-453.
- Dilek, Y; Whitney, DL. (1997). Counterclockwise P-T-t trajectory from the metamorphic sole of a Neo-Tethyan ophiolite (Turkey). *Tectonophysics.* 280: 295-310.
- Dilles, JH; Einaudi, MT. (1992). WALL-ROCK ALTERATION AND HYDROTHERMAL FLOW PATHS ABOUT THE ANN-MASON PORPHYRY COPPER-DEPOSIT, NEVADA - A 6-KM VERTICAL RECONSTRUCTION. *Econ Geol.* 87: 1963-2001.
- Dilles, JH; Solomon, GC; Taylor, HP; Einaudi, MT. (1992). OXYGEN AND HYDROGEN ISOTOPE CHARACTERISTICS OF HYDROTHERMAL ALTERATION AT THE ANN-MASON PORPHYRY COPPER-DEPOSIT, YERINGTON, NEVADA. *Econ Geol.* 87: 44-63.
- Ding, JY; Yu, CP; Zhang, L; Chen, YK. (1997). Deposition modeling of fibrous particles in rats: Comparisons with available experimental data. *Aerosol Sci Technol.* 26: 403-414.
- Ding, L; Morimoto, Y; Oyabu, T; Kim, H; Ohgami, A; Yatera, K; Hirohashi, M; Yamato, H; Hori, H; Higashi, T; Tanaka, I. (2001). Gene expression of Clara cell secretory protein, surfactant protein-A and thyroid transcription factor-1 in the lungs of rats exposed to potassium octatitanate whiskers in vivo. *J Occup Health.* 43: 111-117.
- Dingle, P; Lalla, F. (2002). Indoor Air Health Risk Perceptions in Australia. *Indoor Built Environ.* 11: 275-284. <http://dx.doi.org/10.1159/000066527>.

Exposure Literature Search Results

Off Topic

- Divine, BJ; Hartman, CM; Wendt, JK. (1999). Update of the Texaco mortality study 1947-93: part II. Analyses of specific causes of death for white men employed in refining, research, and petrochemicals. *Occup Environ Med.* 56: 174-180.
- Dixon, WC. (1978). *Occupational Safety And Health Administration Methods.* 506: 431-440.
- Djon, MLN; Barnes, SJ. (2012). Changes in sulfides and platinum-group minerals with the degree of alteration in the Roby, Twilight, and High Grade Zones of the Lac des Iles Complex, Ontario, Canada. *Miner Depos.* 47: 875-896. <http://dx.doi.org/10.1007/s00126-012-0401-z>.
- Dneprovskii, V; Karavanskii, V; Poborchii, V; Salamatina, I; Zhukov, E. (1997). Semiconductor quantum wires: Nonlinear optical properties. *Institute of Physics Conference Series*825-828.
- Dobbe, RTM. (1991). TELLURIDES, SELENIDES AND ASSOCIATED MINERALS IN THE TUNABERG COPPER-DEPOSITS, SE BERGSLAGEN, CENTRAL SWEDEN. *Mineralogy and Petrology.* 44: 89-106.
- Dobbe, RTM. (1994). GEOCHEMISTRY OF CORDIERITE-ANTHOPHYLLITE ROCKS, TUNABERG, BERGSLAGEN, SWEDEN. *Econ Geol.* 89: 919-930.
- Dobrev, M. (1976). Criteria for standardization and methods for measurement of asbestos dust in the air of working areas. 19: 290-296.
- Dobrev, M. (1988). Some aspects of methodology of measuring and hygienic evaluation of dust in the air of the working environment. 31: 12-15.
- Dobrev, M. (1988). SOME METHODOLOGICAL ASPECTS OF THE MEASUREMENT AND HYGIENIC EVALUATION OF DUST IN THE AIR OF WORKING ENVIRONMENT (pp. 12-16). (BIOSIS/89/07613). Dobrev, M.
- Dobrev, M; Burilkov, T; Tocheva, V; Mikhaïlova, L; Lukanova, R. (1979). [Occupational risk in asbestos textile manufacture]. *Probl Khig.* 4: 32-40.
- Dobrev, M; Dinolova, B. (1978). Hygienic evaluation of dust in the production and usage of asbestos materials. 21: 339-344.
- Dodgson, J; Ottery, J; Cherie, JW; Harrison, GE. (1980). Fibre concentrations and size distributions of airborne fibres in several European man-made mineral fibre plants. *IARC Sci Publ*913-925.
- Dodic Fikfak, M; Kriebel, D; Quinn, MM; Eisen, EA; Wegman, DH. (2007). A case control study of lung cancer and exposure to chrysotile and amphibole at a slovenian asbestos-cement plant. *Ann Occup Hyg.* 51: 261-268. <http://dx.doi.org/10.1093/annhyg/mem003>.
- Dodony, I. (1997). Structure of the 30-sectored polygonal serpentine. A model based on TEM and SAED studies. *Physics and Chemistry of Minerals.* 24: 39-49.
- Dodony, I; Posfai, M; Buseck, PR. (2002). Revised structure models for antigorite: An HRTEM study. *Am Mineral.* 87: 1443-1457.
- Dodony, I; Posfai, M; Buseck, PR. (2006). Does antigorite really contain 4- and 8-membered rings of tetrahedra? *Am Mineral.* 91: 1831-1838. <http://dx.doi.org/10.2138/am.2006.1971>.
- Dodson, R; Hurst, G; Williams, M; Corn, C; Greenberg, S. (1987). A COMPARISON OF LIGHT AND ELECTRON MICROSCOPY TECHNIQUES FOR DEFINING OCCUPATIONAL EXPOSURE TO ASBESTOS (pp. 8-13). (BIOSIS/87/12329). Dodson, R; Hurst, G; Williams, M; Corn, C; Greenberg, S.
- Dodson, R; O'Sullivan, M; Brooks, D; Bruce, J. (2001). Asbestos content of omentum and mesentery in nonoccupationally exposed individuals. *Toxicol Ind Health.* 17: 138-143. <http://dx.doi.org/10.1191/0748233701th101oa>.
- Dodson, R; O'Sullivan, M; Brooks, D; Hammar, S. (2003). Quantitative analysis of asbestos burden in women with mesothelioma. *Am J Ind Med.* 43: 188-195. <http://dx.doi.org/10.1002/ajim.10164>.
- Dodson, RF; Akematsu, T; Jr, WM; Ford, JO; Hurst, GA. (1984). The Influence of Amosite Asbestos Exposure on Lung Permeability. *Environ Res.* 35: 497-506.
- Dodson, RF; Atkinson, MA. (2006). Measurements of asbestos burden in tissues. *Ann N Y Acad Sci.* 1076: 281-291. <http://dx.doi.org/10.1196/annals.1371.015>.
- Dodson, RF; Atkinson, MAL; Levin, JL. (2003). Asbestos fiber length as related to potential pathogenicity: A critical review [Review]. *Am J Ind Med.* 44: 291-297. <http://dx.doi.org/10.1002/ajim.10263>.
- Dodson, RF; Ford, JO. (1985). Early response of the visceral pleura following asbestos exposure: an ultrastructural study. *J Toxicol Environ Health.* 15: 673-686. <http://dx.doi.org/10.1080/15287398509530695>.
- Dodson, RF; Garcia, JG; O'Sullivan, M; Corn, C; Levin, JL; Griffith, DE; Kronenberg, RS. (1991). The usefulness of bronchoalveolar lavage in identifying past occupational exposure to asbestos: a light and electron microscopy study. *Am J Ind Med.* 19: 619-628.
- Dodson, RF; Hammar, SP; Poye, LW. (2011). Mesothelioma in an individual following exposure to crocidolite-containing gaskets as a teenager. *Int J Occup Environ Health.* 17: 190-194. <http://dx.doi.org/10.1179/oeht.2011.17.3.190>.
- Dodson, RF; Huang, J; Bruce, JR. (2000). Asbestos content in the lymph nodes of nonoccupationally exposed individuals. *Am J Ind Med.* 37: 169-174. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(200002\)37:2<169::AID-AJIM2>3.0.CO;2-V](http://dx.doi.org/10.1002/(SICI)1097-0274(200002)37:2<169::AID-AJIM2>3.0.CO;2-V).
- Dodson, RF; Levin, JL. (2001). An unusual case of mixed-dust exposure involving a "noncommercial" asbestos. *Environ Health Perspect.* 109: 199-203. <http://dx.doi.org/10.2307/3434777>.
- Dodson, RF; O'Sullivan, M; Corn, CJ; Garcia, JG; Stocks, JM; Griffith, DE. (1993). Analysis of ferruginous bodies in bronchoalveolar lavage from foundry workers. *Br J Ind Med.* 50: 1032-1038.
- Dodson, RF; O'Sullivan, M; Corn, CJ; Hammar, SP. (1995). Quantitative comparison of asbestos and talc bodies in an individual with mixed exposure. *Am J Ind Med.* 27: 207-215.
- Dodson, RF; O'Sullivan, MF; Williams, MG; Hurst, GA. (1982). Analysis of cores of ferruginous bodies from former asbestos workers. *Environ Res.* 28: 171-178.
- Dodson, RF; Williams, MG; Hurst, GA. (1983). Method for removing the ferruginous coating from asbestos bodies. *J Toxicol Environ Health.* 11: 959-966. <http://dx.doi.org/10.1080/15287398309530398>.
- Dodson, RF; Williams, MG; Satterley, JD. (2002). Asbestos burden in two cases of mesothelioma where the work history included manufacturing of cigarette filters. *J Toxicol Environ Health A.* 65: 1109-1120. <http://dx.doi.org/10.1080/152873902760125354>.
- Dogan, A. (2003). Zeolite Mineralogy and Cappadocian Erionite. *Indoor Built Environ.* 12: 337-342.

Exposure Literature Search Results

Off Topic

- Dogan, AU. (2003). Mesothelioma in Cappadocian villages. *Indoor Built Environ.* 12: 367-375. <http://dx.doi.org/10.1177/1420326X03039065>.
- Dogan, AU; Dogan, M. (2008). Re-evaluation and re-classification of erionite series minerals. *Environ Geochem Health.* 30: 355-366. <http://dx.doi.org/10.1007/s10653-008-9163-z>.
- Dogan, AU; Dogan, M; Hoskins, JA. (2008). Erionite series minerals: mineralogical and carcinogenic properties. *Environ Geochem Health.* 30: 367-381. <http://dx.doi.org/10.1007/s10653-008-9165-x>.
- Dogan, M. (2002). Environmental pulmonary health problems related to mineral dusts: Examples from central Anatolia, Turkey. *Environ Geol.* 41: 571-578. <http://dx.doi.org/10.1007/s002540100435>.
- Dogra, S; Donaldson, K. (1995). Effect of long and short fibre amosite asbestos on in vitro TNF production by rat alveolar macrophages: The modifying effect of lipopolysaccharide. *Ind Health.* 33: 131-141.
- DOLINSKA,ES; Chemleva, TA. (1970). INVESTIGATION OF A 3-COMPONENT SYSTEM OF ASBESTOS FIBERS IN ASBESTOS CEMENT USING SIMPLEX-LATTICE PLANNING OF EXPERIMENT. *Industrial Laboratory.* 36: 1567-&.
- Doll, R. (1993). MORTALITY FROM LUNG-CANCER IN ASBESTOS WORKERS (REPRINTED FROM BRIT J INDUSTR MED, VOL 12, PG 81, 1955). *Br J Ind Med.* 50: 484-490.
- Donaldson, K; Brown, DM; Mitchell, C; Dineva, M; Beswick, PH; Gilmour, P; Macnee, W. (1997). Free radical activity of PM10: iron-mediated generation of hydroxyl radicals. *Environ Health Perspect.* 105: 1285-1289.
- Donaldson, K; Brown, GM; Brown, DM; Bolton, RE; Davis, JMG. (1989). Inflammation Generating Potential of Long and Short Fibre Amosite Asbestos Samples. *Br J Ind Med.* 46: 271-276.
- Donaldson, K; Davis, JM; James, K. (1984). Asbestos-activated peritoneal macrophages release a factor(s) which inhibits lymphocyte mitogenesis. *Environ Res.* 35: 104-114.
- Donaldson, K; Oberdörster, G. (2011). Continued controversy on chrysotile biopersistence [Letter]. *Int J Occup Environ Health.* 17: 98-99; discussion 99-102. <http://dx.doi.org/10.1179/107735211799031121>.
- Dong, FQ; Wan, P; Feng, QN; Song, GB; Peng, TJ; Li, P; Li, GW. (2004). The surface groups and active site of fibrous mineral materials. *Journal of Wuhan University of Technology--Materials Science Edition.* 19: 94-97.
- Donoghue, AM. (2004). Occupational health hazards in mining: an overview [Review]. *Occup Med (Lond).* 54: 283-289. <http://dx.doi.org/10.1093/occmed/kqh072>.
- Donovan, S; Pickin, J. (2016). An Australian stocks and flows model for asbestos. *Waste Manag Res.* 34: 1081-1088. <http://dx.doi.org/10.1177/0734242X16659353>.
- Dopp, E; Jonas, L; Nebe, B; Budde, A; Knippel, E. (2000). Dielectric changes in membrane properties and cell interiors of human mesothelial cells in vitro after crocidolite asbestos exposure. *Environ Health Perspect.* 108: 153-158.
- Dopp, E; Saedler, J; Stopper, H; Weiss, DG; Schiffmann, D. (1995). Mitotic disturbances and micronucleus induction in Syrian hamster embryo fibroblast cells caused by asbestos fibers. *Environ Health Perspect.* 103: 268-271.
- Dorbath, C; Gerbault, M; Carlier, G; Guiraud, M. (2008). Double seismic zone of the Nazca plate in northern Chile: High-resolution velocity structure, petrological implications, and thermomechanical modeling. *G-cubed.* 9. <http://dx.doi.org/10.1029/2008GC002020>.
- Dorevitch, S; Demirtas, H; Perksy, VW; Erdal, S; Conroy, L; Schoonover, T; Scheff, PA. (2006). Demolition of high-rise public housing increases particulate matter air pollution in communities of high-risk asthmatics. *Journal of the Air and Waste Management Association.* 56: 1022-1032.
- Dorger, M; Munzing, S; Allmeling, AM; Messmer, K; Krombach, F. (2001). Differential responses of rat alveolar and peritoneal macrophages to man-made vitreous fibers in vitro. *Environ Res.* 85: 207-214. <http://dx.doi.org/10.1006/enrs.2001.4234>.
- dos Santos, LD; Furuya, WM; Matsushita, M; da Silva, LCR; Silva, TS, deC; Botaro, D; Sales, PP. (2007). Deposition of conjugated linoleic acid (CLA) in Nile tilapia. *Revista Brasileira de Zootecnia.* 36: 1225-1230.
- dos Santos Teixeira, R, uil; Ribeiro Neiva, A, naM; Preto Gomes, ME. (2012). Chromian spinels and magnetite of serpentinites, steatitic rocks, tremolite asbestos and chloritites from Braganca massif, northeastern Portugal. *Periodico di Mineralogia.* 81: 237-256. <http://dx.doi.org/10.2451/2012PM00014>.
- Dosemeci, M; Gokmen, I; Unsal, H; Hayes, RB; Blair, A. (1997). Tobacco, alcohol use, and risks of laryngeal and lung cancer by subsite and histologic type in Turkey. *Cancer Causes Control.* 8: 729-737. <http://dx.doi.org/10.1023/A:1018479304728>.
- Døssing, M; Langer, SW. (1994). Asbestos-induced lung injury among Danish jewelry workers [Review]. *Am J Ind Med.* 26: 755-758.
- Dotzel, O; Schneider, L. (2002). Asbestos-free diaphragms for the diaphragm process of chlor-alkali electrolysis. *Chem Ing Tech.* 74: 1289-1294.
- Dotzel, O; Schneider, L. (2002). Non-asbestos diaphragm in chlorine-alkali electrolysis. *Chem Eng Tech.* 25: 167-171.
- Downs, FM; Giles, GM; Johnson, MJ. (2002). Palliative physicians persuade procurators fiscal. *Palliative Medicine.* 16: 532-539. <http://dx.doi.org/10.1191/0269216302pm594oa>.
- Doyen, W; Leysen, R; Mottar, J; Waes, G. (1990). NEW COMPOSITE TUBULAR MEMBRANES FOR ULTRAFILTRATION. *Desalination.* 79: 163-179.
- Draeger, U; Teichert, U; Schneider, T; Trappmann, J. (1998). Criteria for the identification of insulation wool fibres by microscopic evaluation of filter samples. *Staub, Reinhaltung der Luft.* 58: 343-346.
- Dragicevic, JS. (2009). REMEDY OF ASBESTOS POLLUTION IN VRANJIC. 61: 983-986.
- Dreassi, E; Lagazio, C; Maule, MM; Magnani, C; Biggeri, A. (2008). Sensitivity analysis of the relationship between disease occurrence and distance from a putative source of pollution. *Geospat Health.* 2: 263-271. <http://dx.doi.org/10.4081/gh.2008.249>.
- Drief, A; Nieto, F. (1999). The effect of dry grinding on antigorite from Mulhacen, Spain. *Clays and Clay Minerals.* 47: 417-424.
- Driscoll, J; Jenkins, DM; Dyar, MD; Bozhilov, KN. (2005). Cation ordering in synthetic low-calcium actinolite. *Am Mineral.* 90: 900-911. <http://dx.doi.org/10.2138/am.2005.1655>.
- Driscoll, KE; Carter, JM; Hassenbein, DG; Howard, B. (1997). Cytokines and particle-induced inflammatory cell recruitment [Review].

Exposure Literature Search Results

Off Topic

- Driscoll, KE; Carter, JM; Howard, BW; Hassenbein, D; Janssen, YMW; Mossman, BT. (1998). Crocidolite activates NF-kappa B and MIP-2 gene expression in rat alveolar epithelial cells. Role of mitochondrial-derived oxidants. *Environ Health Perspect.* 106: 1171-1174.
- Driscoll, KE; Maurer, JK; Higgins, J; Poynter, J. (1995). Alveolar macrophage cytokine and growth factor production in a rat model of crocidolite-induced pulmonary inflammation and fibrosis. *J Toxicol Environ Health.* 46: 155-169. <http://dx.doi.org/10.1080/15287399509532026>.
- Driscoll, RJ; Elliott, LJ. (1990). Health Hazard Evaluation Report HETA 87-126-2019, Chrysler Chemical Division, Trenton, Michigan. 42.
- Driscoll, T; Nelson, DI; Steenland, K; Leigh, J; Concha-Barrientos, M; Fingerhut, M; Pr; uuml; ss-Ust; uuml; N, A. (2005). The global burden of disease due to occupational carcinogens. *Am J Ind Med.* 48: 419-431. <http://dx.doi.org/10.1002/ajim.20209>.
- Driscoll, T; Nelson, DI; Steenland, K; Leigh, J; Concha-Barrientos, M; Fingerhut, M; Pr; uuml; ss-Ust; uuml; N, A. (2005). The global burden of non-malignant respiratory disease due to occupational airborne exposures. *Am J Ind Med.* 48: 432-445. <http://dx.doi.org/10.1002/ajim.20210>.
- Droop; R., GT. (2013). Paragonite in marbles from the Tauern Window, Austria: Compositional and thermobaric controls. *Lithos.* 162: 1-13. <http://dx.doi.org/10.1016/j.lithos.2012.12.013>.
- Drucker, E; Nagin, D; Michaels, D; Lacher, M; Zoloth, S. (1987). Exposure of Sheet-Metal Workers to Asbestos during the Construction and Renovation of Commercial Buildings in New York City. A Case Study in Social Medicine. *Ann N Y Acad Sci.* 502: 230-244.
- Drury, MR; Vissers, RLM; Vanderwal, D; Strating, EHH. (1991). SHEAR LOCALIZATION IN UPPER MANTLE PERIDOTITES. *Pure Appl Geophys.* 137: 439-460.
- Druzhinin, EA; Yakushev, YI. (1987). FILTER ASBESTOS-POLYMERIC DIAPHRAGM MANUFACTURE AND COMPLEX TECHNOLOGY OF CHLORIDE ELECTROLYSIS WITH ASBESTOS-POLYMERIC DIAPHRAGM. 353-356.
- Dtsch, FOR, SCHUNGSGEM. (1987). MAXIMUM CONCENTRATIONS AT THE WORKPLACE AND BIOLOGICAL TOLERANCE VALUES FOR WORKING MATERIALS 1987 REPORT NO. XXIII COMMISSION FOR THE INVESTIGATION OF HEALTH HAZARDS OF CHEMICAL COMPOUNDS IN THE WORK AREA (pp. REPORT NO). (BIOSIS/88/30306). Dtsch, FORSCHUNGSGEM.
- Du Toit R, SJ; Gilfillan, TC. (1977). Simultaneous airborne dust samples with konimeter, thermal precipitator and dosimeter in asbestos mines. *Ann Occup Hyg.* 20: 333-344.
- Du Toit, RS. (1991). An estimate of the rate at which crocidolite asbestos fibres are cleared from the lung. *Ann Occup Hyg.* 35: 433-438.
- Du Toit, RSJ. (1978). Methods Used in the Measurement of Asbestos-Dust Exposures (pp. 3-7). (NIOSH/00172124). Du Toit, RSJ.
- Du Toit, RSJ; Isserow, LW; Gilfillan, TC; Robock, K; Teichert, U. (1983). Relationships Between Simultaneous Airborne Dust Samples Taken With Five Types Of Instruments At South African Asbestos Mines And Mills. *Ann Occup Hyg.* 27: 373-387.
- Dubey, P; Ghia, U; Turkevich, LA. (2014). Numerical Investigation of Sheath and Aerosol Flows in the Flow Combination Section of a Baron Fiber Classifier. *Aerosol Sci Technol.* 48: 896-905. <http://dx.doi.org/10.1080/02786826.2014.936342>.
- Dubinska, E; Wiewiora, A. (1999). Layer silicates from a rodingite and its blackwall from Przemilow (Lower Silesia, Poland): mineralogical record of metasomatic processes during serpentinization and serpentinite recrystallization. *Mineralogy and Petrology.* 67: 223-237.
- Ducatman, AM. (1993). OCCUPATIONAL PHYSICIANS AND ENVIRONMENTAL MEDICINE. *J Occup Environ Med.* 35: 251-259.
- Ducea, MN; Negulescu, E; Profeta, L; Sabau, G; Jianu, D; Petrescu, L; Hoffman, D. (2016). Evolution of the Sibiel Shear Zone (South Carpathians): A study of its type locality near Rinari (Romania) and tectonic implications. *Tectonics.* 35: 2131-2157. <http://dx.doi.org/10.1002/2016TC004193>.
- Dueva, LA; Elovskaia, LT; Kovalevskaia, EV. (1997). [Evaluation of health hazards of asbestos containing wastes in the mining industry and prospects of their utilization]. *Med Tr Prom Ekol*9-13.
- Dufaud, F; Martinez, I; Shilobreeva, S. (2009). Experimental study of Mg-rich silicates carbonation at 400 and 500 degrees C and 1 kbar. *Chem Geol.* 265: 79-87. <http://dx.doi.org/10.1016/j.chemgeo.2009.01.026>.
- Dufault, R; Abelquist, E; Crooks, S; Demers, D; Diberardinis, L; Franklin, T; Horowitz, M; Petullo, C; Sturchio, G. (2000). Reducing environmental risk associated with laboratory decommissioning and property transfer. *Environ Health Perspect.* 108: 1015-1022.
- Dufresne, A; Begin, R; Dion, C; Jagirdar, J; Rom, WN; Loosereewanich, P; Muir D, CF; Ritchie, AC; Perrault, G. (1998). Angular and fibrous particles in lung in relation to silica-induced diseases. *Int Arch Occup Environ Health.* 71: 263-269.
- Dufresne, A; Bégin, R; Massé, S; Dufresne, CM; Loosereewanich, P; Perrault, G. (1996). Retention of asbestos fibres in lungs of workers with asbestosis, asbestosis and lung cancer, and mesothelioma in Asbestos township. *Occup Environ Med.* 53: 801-807.
- Dufresne, A; Dion, C; Frielaender, A; Audet, E; Perrault, G. (2009). Personal and static sample measurements of asbestos fibres during two abatement projects. *Bull Environ Contam Toxicol.* 82: 440-443. <http://dx.doi.org/10.1007/s00128-009-9661-4>.
- Dufresne, A; Harrigan, M; Massé, S; Bégin, R. (1995). Fibers in lung tissues of mesothelioma cases among miners and millers of the township of Asbestos, Quebec. *Am J Ind Med.* 27: 581-592.
- Dufresne, A; Loosereewanich, P; Armstrong, B; Infanterivard, C; Perrault, G; Dion, C; Masse, S; Begin, R. (1995). PULMONARY RETENTION OF CERAMIC FIBERS IN SILICON-CARBIDE (SIC) WORKERS. *Am Ind Hyg Assoc J.* 56: 490-498.
- Dufresne, A; Loosereewanich, P; Armstrong, B; Thériault, G; Bégin, R. (1996). Inorganic particles in the lungs of five aluminum smelter workers with pleuro-pulmonary cancer. *Am Ind Hyg Assoc J.* 57: 370-375. <http://dx.doi.org/10.1080/15428119691014918>.
- Dufresne, A; Loosereewanich, P; Harrigan, M; Sébastien, P; Perrault, G; Bégin, R. (1993). Pulmonary dust retention in a silicon carbide worker [Review]. *Am Ind Hyg Assoc J.* 54: 327-330. <http://dx.doi.org/10.1080/15298669391354748>.
- Dufresne, A; Perrault, G; Yamato, H; Massé, S; Bégin, R. (1999). Clearance of man made mineral fibres from the lungs of sheep. *Occup Environ Med.* 56: 684-690.
- Dufresne, A; Sebastien, P; Perrault, G; Masse, S; Begin, R. (1992). PULMONARY CLEARANCE OF FIBROUS AND ANGULAR SIC PARTICULATES IN THE SHEEP MODEL OF PNEUMOCONIOSIS. *Ann Occup Hyg.* 36: 519-530.

Exposure Literature Search Results

Off Topic

- Duggan, MJ; Culley, EW. (1978). COUNTING OF SMALL NUMBERS OF ASBESTOS FIBERS ON MEMBRANE FILTERS - COMPARISON OF RESULTS FROM SOME COMMERCIAL LABORATORIES. *Ann Occup Hyg.* 21: 85-89.
- Dujić, Z; Eterović, D; Tocilj, J. (1993). Association between asbestos-related pleural plaques and resting hyperventilation. *Scand J Work Environ Health.* 19: 346-351. <http://dx.doi.org/10.5271/sjweh.1464>.
- Dujić, Z; Tocilj, J; Boschi, S; Sarić, M; Eterović, D. (1992). Biphasic lung diffusing capacity: Detection of early asbestos induced changes in lung function. *Br J Ind Med.* 49: 260-267. <http://dx.doi.org/10.1136/oem.49.4.260>.
- Dujić, Z; Tocilj, J; Saric, M. (1991). Early detection of interstitial lung disease in asbestos exposed non-smoking workers by mid-expiratory flow rate and high resolution computed tomography. *Br J Ind Med.* 48: 663-664.
- Dumanska-Slowik, M; Heflik, W. (2016). ULTRAMAFIC AND MAFIC ROCKS FOUND IN THE NEAR VICINITY OF MARIUPOLITES WITHIN THE ALKALINE OKTIABRSKI MASSIF (SE UKRAINE) - PRELIMINARY INVESTIGATIONS. *Gospodarka Surowcami Mineralnymi.* 32: 63-77. <http://dx.doi.org/10.1515/gospo-2016-0015>.
- Dumas, A; Martin, F; Le Roux, C; Micoud, P; Petit, S; Ferrage, E; Brendle, J; Grauby, O; Greenhill-Hooper, M. (2013). Phyllosilicates synthesis: a way of accessing edges contributions in NMR and FTIR spectroscopies. Example of synthetic talc. *Physics and Chemistry of Minerals.* 40: 361-373. <http://dx.doi.org/10.1007/s00269-013-0577-5>.
- Dumortier, P; Coplū, L; Broucke, I; Emri, S; Selcuk, T; de Maertelaer, V; De Vuyst, P; Baris, I. (2001). Erionite bodies and fibres in bronchoalveolar lavage fluid (BALF) of residents from Tuzköy, Cappadocia, Turkey. *Occup Environ Med.* 58: 261-266.
- Dumortier, P; De Vuyst, P. (2012). Asbestos exposure during uncontrolled removal of sprayed-on asbestos. *Ann Occup Hyg.* 56: 49-54. <http://dx.doi.org/10.1093/annhyg/mer096>.
- Dumortier, P; De Vuyst, P; Rey, F; Boutin, C. (1998). RE main asbestos type in pleural mesothelioma [Letter]. *Am J Ind Med.* 33: 94-96.
- Dumortier, P; De Vuyst, P; Strauss, P; Yernault, JC. (1990). Asbestos bodies in bronchoalveolar lavage fluids of brake lining and asbestos cement workers. *Br J Ind Med.* 47: 91-98.
- Dunlop, DJ; Zhang, BX; Ozdemir, O. (2005). Linear and nonlinear Thellier paleointensity behavior of natural minerals. *J Geophys Res.* 110. <http://dx.doi.org/10.1029/2004jb003095>.
- Dunnigan, J. (1986). THRESHOLD EXPOSURE LEVEL FOR CHRYSOTILE. *Can J Public Health.* 77: 41-42.
- Dunning, KK; Adjei, S; Levin, L; Rohs, AM; Hilbert, T; Borton, E; Kapil, V; Rice, C; Lemasters, GK; Lockey, JE. (2012). Mesothelioma associated with commercial use of vermiculite containing Libby amphibole. *J Occup Environ Med.* 54: 1359-1363. <http://dx.doi.org/10.1097/JOM.0b013e318250b5f5>.
- Dutoit, RSJ. (1991). AN ESTIMATE OF THE RATE AT WHICH CROCIDOLITE ASBESTOS FIBERS ARE CLEARED FROM THE LUNG. *Ann Occup Hyg.* 35: 433-438.
- Duuring, P; Hassan, L, ee; Zelic, M; Gessner, K. (2016). Geochemical and Spectral Footprint of Metamorphosed and Deformed VMS-Style Mineralization in the Quinns District, Yilgarn Craton, Western Australia. *Econ Geol.* 111: 1411-1438.
- Duvis, T; Papaspyrides, CD; Andreopoulos, AG. (1991). ASBESTOS REPLACEMENT ASPECTS - THE EFFECT OF ASBESTOS PRETREATMENT ON THE TENSILE PROPERTIES OF EPOXY-KEVLAR-ASBESTOS HYBRID COMPOSITES. *J Adhes Sci Tech.* 5: 191-199.
- Duwe, K; Beck, B. (1983). Measurement and evaluation of non-toxic dusts in occupational hygiene - TGL 32620 and 32621. 22: 12-15.
- Dyar, MD; Breves, EA; Gunter, ME; Lanzirotti, A; Tucker, JM; Carey, CJ; Peel, SE; Buown, EB; Oberti, R; Lerotic, M; Delaney, JS. (2016). Use of multivariate analysis for synchrotron micro-XANES analysis of iron valence state in amphiboles. *Am Mineral.* 101: 1171-1189. <http://dx.doi.org/10.2138/am-2016-5556>.
- Dzemua, GL; Gleeson, SA. (2012). Petrography, Mineralogy, and Geochemistry of the Nkamouna Serpentinite: Implications for the Formation of the Cobalt-Manganese Laterite Deposit, Southeast Cameroon. *Econ Geol.* 107: 25-41.
- Dziggel, A; Wulff, K; Kolb, J; Meyer, FM. (2009). Processes of high-T fluid-rock interaction during gold mineralization in carbonate-bearing metasediments: the Navachab gold deposit, Namibia. *Miner Depos.* 44: 665-687. <http://dx.doi.org/10.1007/s00126-009-0231-9>.
- Dzikowski, TJ; Cempirek, J, an; Groat, L, eeA; Dipple, GM; Giuliani, G. (2014). Origin of gem corundum in calcite marble: The Revelstoke occurrence in the Canadian Cordillera of British Columbia. *Lithos.* 198: 281-297. <http://dx.doi.org/10.1016/j.lithos.2014.03.030>.
- Earley, D; Stout, JH. (1991). CORDIERITE CUMMINGTONITE FACIES ROCKS FROM THE GOLD BRICK DISTRICT, COLORADO. *Journal of Petrology.* 32: 1169-1201.
- Ebert, R. (1988). [Register for work sites and workers exposed to asbestos dust pollution--organization and initial results]. *Z Gesamte Hyg Grenzgeb.* 34: 399-400.
- EDELMAN. (1988). EXPOSURE TO ASBESTOS AND THE RISK OF GASTROINTESTINAL CANCER - REPLY. *Br J Ind Med.* 45: 574-575.
- Edelman, DA. (1988). Asbestos exposure, pleural plaques and the risk of lung cancer [Review]. *Int Arch Occup Environ Health.* 60: 389-393.
- Edelman, DA. (1988). Exposure to asbestos and the risk of gastrointestinal cancer: a reassessment. *Br J Ind Med.* 45: 75-82.
- Edelman, DA. (1989). LARYNGEAL CANCER AND OCCUPATIONAL EXPOSURE TO ASBESTOS [Review]. *Int Arch Occup Environ Health.* 61: 223-228.
- Edelman, DA. (1992). DOES ASBESTOS EXPOSURE INCREASE THE RISK OF UROGENITAL CANCER [Review]. *Int Arch Occup Environ Health.* 63: 469-475.
- Edelman, P. (1987). ASBESTOS AND AIR-FLOW LIMITATION [Letter]. *J Occup Environ Med.* 29: 264-265.
- Edge, JR. (1976). Asbestos related disease in Barrow-in-Furness. *Environ Res.* 11: 244-247.
- Edkins, DJ; Orense, RP; Henry, RS; Ingham, JM. (2016). Signature Failure Modes of Pipelines Constructed of Different Materials When Subjected to Earthquakes. 7. [http://dx.doi.org/10.1061/\(ASCE\)PS.1949-1204.0000213](http://dx.doi.org/10.1061/(ASCE)PS.1949-1204.0000213).
- Edward, AT; Whitaker, D; Browne, K; Pooley, FD; Gibbs, AR. (1996). Mesothelioma in a community in the north of England. *Occup Environ Med.* 53: 547-552.

Exposure Literature Search Results

Off Topic

- Edwards, AT; Whitaker, D; Browne, K; Pooley, FD; Gibbs, AR. (1997). Mesothelioma in a community in the north of England - Reply. *Occup Environ Med.* 54: 67-68.
- Edwards, CR; Kipkie, WB; Agar, GE. (1980). THE EFFECT OF SLIME COATINGS OF THE SERPENTINE MINERALS, CHRYSOTILE AND LIZARDITE, ON PENTLANDITE FLOTATION. *Int J Miner Process.* 7: 33-42.
- Edwards, H. (1976). POLLUTION-CONTROL IN ASBESTOS, CEMENT, GLASS AND ALLIED MINERAL INDUSTRIES - SITTIG, M. *Int J Environ Stud.* 9: 222-223.
- Edwards, JK; Cole, SR; Chu, H; Olshan, AF; Richardson, DB. (2014). Accounting for outcome misclassification in estimates of the effect of occupational asbestos exposure on lung cancer death. *Am J Epidemiol.* 179: 641-647. <http://dx.doi.org/10.1093/aje/kwt309>.
- Edwards, RE; Wagner, MM; Moncrieff, CB. (1984). Cell population and histochemistry of asbestos related lesions of rat pleural cavity after injection of various inorganic dusts. *Br J Ind Med.* 41: 506-513.
- Eggler, DH; Ehmann, A, myN. (2010). Rate of antigorite dehydration at 2 GPa applied to subduction zones. *Am Mineral.* 95: 761-769. <http://dx.doi.org/10.2138/am.2010.3227>.
- Egilman, D. (2000). Researchers should talk to workers [Letter]. *Am J Ind Med.* 37: 668.
- Egilman, D. (2001). Re: Researchers should talk to workers - Am. J. Ind. Med. 2000. 37 : 668. *Am J Ind Med.* 39: 347-347.
- Egilman, D. (2009). Fiber types, asbestos potency, and environmental causation: a peer review of published work and legal and regulatory scientific testimony. *Int J Occup Environ Health.* 15: 202-228. <http://dx.doi.org/10.1179/oeht.2009.15.2.202>.
- Egilman, D. (2009). Fiber Types, Asbestos Potency, and Environmental Causation: A Peer Review of Published Work and Legal and Regulatory Scientific Testimony (vol 15, pg 202, 2009). *Int J Occup Environ Health.* 15: 248-248.
- Egilman, D; Baur, X; Soskolne, CL. (2016). Unreliable proposed 'new standard' for assessing asbestos exposure [Letter]. *Occup Environ Med.* 73: 709. <http://dx.doi.org/10.1136/oemed-2016-103704>.
- Egilman, D; Bird, T. (2016). Short fiber tremolite free chrysotile mesothelioma cohort revealed. *Am J Ind Med.* 59: 196-199. <http://dx.doi.org/10.1002/ajim.22552>.
- Egilman, D; Bird, T; Lee, C. (2014). Dust diseases and the legacy of corporate manipulation of science and law. *Int J Occup Environ Health.* 20: 115-125. <http://dx.doi.org/10.1179/1077352514Z.000000000104>.
- Egilman, D; Fehnel, C; Bohme, SR. (2003). Exposing the 'myth' of ABC, 'anything but chrysotile': a critique of the Canadian asbestos mining industry and McGill University chrysotile studies. *Am J Ind Med.* 44: 540-557. <http://dx.doi.org/10.1002/ajim.10300>.
- Egilman, D; Howe, S. (2007). Against anti-health epidemiology: Corporate obstruction of public health via manipulation of epidemiology. *Int J Occup Environ Health.* 13: 118-124.
- Egilman, D; Menéndez, LM. (2011). A case of occupational peritoneal mesothelioma from exposure to tremolite-free chrysotile in Quebec, Canada: A black swan case. *Am J Ind Med.* 54: 153-156. <http://dx.doi.org/10.1002/ajim.20882>.
- Egilman, D; Rankin Bohme, S. (2004). Attorney-directed screenings can be hazardous. *Am J Ind Med.* 45: 305-307. <http://dx.doi.org/10.1002/ajim.10347>.
- Egilman, D; Roberts, M. (2004). Re: Controlled use of asbestos [Letter]. *Int J Occup Environ Health.* 10: 99-103. <http://dx.doi.org/10.1179/oeht.2004.10.1.99>.
- Egilman, D; Schilling, JH. (2012). Letter to the Editor regarding the Donovan et al. (2011) article [Letter]. *Crit Rev Toxicol.* 42: 169-172; author reply 173-183. <http://dx.doi.org/10.3109/10408444.2011.651011>.
- Egilman, D; Tran, T. (2016). A commentary on Roggli's 'The So-Called Short-Fiber Controversy'. *Int J Occup Environ Health* 1-6. <http://dx.doi.org/10.1080/10773525.2016.1153866>.
- Egilman, DS. (1992). PUBLIC-HEALTH AND EPISTEMOLOGY. *Am J Ind Med.* 22: 457-459.
- Egilman, DS. (2011). Continued Controversy on Chrysotile Biopersistence Reply. *Int J Occup Environ Health.* 17: 99-102.
- Egilman, DS. (2013). The importance of scientific debate [Editorial]. *Int J Occup Environ Health.* 19: 157-159. <http://dx.doi.org/10.1179/1077352513Z.00000000076>.
- Egilman, DS. (2016). The production of corporate research to manufacture doubt about the health hazards of products: an overview of the Exponent Bakelite™ simulation study. *Int J Occup Environ Health.* 22: 18-26. <http://dx.doi.org/10.1080/10773525.2015.1123379>.
- Egilman, DS; Billings, MA. (2005). Abuse of epidemiology: Automobile manufacturers manufacture a defense to asbestos liability. *Int J Occup Environ Health.* 11: 360-371. <http://dx.doi.org/10.1179/oeht.2005.11.4.360>.
- Egilman, DS; Bird, T; Lee, C. (2013). MetLife and its corporate allies: dust diseases and the manipulation of science. *Int J Occup Environ Health.* 19: 287-303. <http://dx.doi.org/10.1179/2049396713Y.00000000033>.
- Egilman, DS; Druar, NM. (2013). Commentary on 'evaluation of take home (para-occupational) exposure to asbestos and disease: a review of the literature', Donovan et al.1 [Editorial]. *Int J Occup Environ Health.* 19: 163-168. <http://dx.doi.org/10.1179/1077352513Z.00000000072>.
- Egorova, IV. (1990). ON THE MATERIAL SOURCE IN THE PROCESSES OF FORMATION OF CHRYSOTILE-ASBEST. *Geokhimiya* 1788-1792.
- Ehrlich, A; Gordon, RE; Dikman, SH. (1991). CARCINOMA OF THE COLON IN ASBESTOS-EXPOSED WORKERS - ANALYSIS OF ASBESTOS CONTENT IN COLON TISSUE. *Am J Ind Med.* 19: 629-636.
- Ehrlich, R; Myers, J. (1992). CHANGING ATTITUDES AND OPINIONS REGARDING ASBESTOS AND CANCER 1934-1965 - COMMENT [Comment]. *Am J Ind Med.* 22: 279-280.
- Eisenhawer, C; Felten, MK; Tamm, M; Das, M; Kraus, T. (2014). Radiological surveillance of formerly asbestos-exposed power industry workers: rates and risk factors of benign changes on chest X-ray and MDCT. *J Occup Med Toxicol.* 9: 18. <http://dx.doi.org/10.1186/1745-6673-9-18>.
- Eitner, F. (1988). Substantiating hazardous exposure to asbestos by examination of pulmonary dust. *Int Arch Occup Environ Health.* 61: 163-166.

Exposure Literature Search Results

Off Topic

- Eitner, F; Otto, H. (1984). THE PATHOLOGICAL RELEVANCE OF ASBESTOS PARTICLE COUNTS IN LUNG-TISSUE. *Arbeitsmedizin, Sozialmedizin, Praeventivmedizin*. 19: 1-5.
- Ekimov, SP; Krizhanskii, LM; Krotikov, VA; Filina, LV; Kharitonov, NP. (1982). NUCLEAR-GAMMA-RESONANCE-SPECTRAL ANALYSIS OF STRUCTURAL TRANSFORMATIONS OF IRON-CONTAINING CHRYSOTILE ASBESTOS AND ITS COMPOSITION WITH POLYORGANOSILOXANE DURING HEAT-TREATMENT. *Inorg Mater*. 18: 724-730.
- Ekosse, GI, voE. (2008). MICROMORPHOLOGICAL AND MICROCHEMICAL CHARACTERISATION OF MOSHENENG SERPENTINITE ASSOCIATED WITH THE NEO-ARCHAEN TAUPONE DOLOMITE GROUP, BOTSWANA. *Fresen Environ Bull*. 17: 2126-2133.
- El Yamani, M; Boulanger, G; Nerriere-Catelois, E; Paillat, A; Modelon, H; Soyey, A; Paquet, F; Binet, S; Paris, C; Brochard, P. (2012). Revision of French Occupational Exposure Limits of Asbestos and Recommendation of Measurement Method: Can the Dimensional Characteristics of the Asbestos Fibers (Long, Thin, Short) Be Taken Into Account? *Crit Rev Environ Sci Tech*. 42: 1441-1484. <http://dx.doi.org/10.1080/10643389.2011.556895>.
- Elbra, T; Karlqvist, R; Lassila, J; Haeggstrom, E; Pesonen, L. (2011). Laboratory measurements of the seismic velocities and other petrophysical properties of the Outokumpu deep drill core samples, eastern Finland. *Geophysical Journal International*. 184: 405-415. <http://dx.doi.org/10.1111/j.1365-246X.2010.04845.x>.
- Elburg, MA. (1996). Evidence of isotopic equilibration between microgranitoid enclaves and host granodiorite, Warburton Granodiorite, Lachlan Fold Belt, Australia. *Lithos*. 38: 1-22.
- Elci, OC; Akpınar-Elci, M; Blair, A; Dosemeci, M. (2002). Occupational dust exposure and the risk of laryngeal cancer in Turkey. *Scand J Work Environ Health*. 28: 278-284.
- Elder, D; Abramson, M; Fish, D; Johnson, A; Mckenzie, D; Sim, M. (2004). Surveillance of Australian workplace Based Respiratory Events (SABRE): notifications for the first 3.5 years and validation of occupational asthma cases. *Occup Med (Lond)*. 54: 395-399. <http://dx.doi.org/10.1093/occmed/kqh050>.
- Elias, Z; Poirot, O; Danière, MC; Terzetti, F; Binet, S; Tomatis, M; Fubini, B. (2002). Surface reactivity, cytotoxicity, and transforming potency of iron-covered compared to untreated refractory ceramic fibers. *J Toxicol Environ Health A*. 65: 2007-2027. <http://dx.doi.org/10.1080/00984100290071360>.
- Elliehausen, HJ; Paur, R; Rodelsperger, K; Woitowitz, HJ. (1985). THE RISK OF SEQUELAE OF ASBESTOS INHALATION IN MOTOR MECHANICS WORKING IN BRAKES SERVICES. *Arbeitsmedizin, Sozialmedizin, Praeventivmedizin*. 20: 256-261.
- Ellingsen, DG; Andersen, A; Nordhagen, HP; Efskind, J; Kjuus, H. (1993). Incidence of cancer and mortality among workers exposed to mercury vapour in the Norwegian chloralkali industry. *Br J Ind Med*. 50: 875-880.
- Elliott, L; Loomis, D; Dement, J; Hein, MJ; Richardson, D; Stayner, L. (2012). Lung cancer mortality in North Carolina and South Carolina chrysotile asbestos textile workers. *Occup Environ Med*. 69: 385-390. <http://dx.doi.org/10.1136/oemed-2011-100229>.
- Elliottmeadows, S. R.; Appleyard, EC. (1991). THE ALTERATION GEOCHEMISTRY AND PETROLOGY OF THE LAR CU-ZN DEPOSIT, LYNN LAKE AREA, MANITOBA, CANADA. *Econ Geol*. 86: 486-505.
- Ellison, JM; Howard, WP. (1970). The control of asbestos in the working environment. *Ann Occup Hyg*. 13: 153-158.
- Elouk, SA; Jaurand, MC. (1994). Review of animal/in vitro data on biological effects of man-made fibers [Review]. *Environ Health Perspect*. 102 Suppl 2: 47-61.
- Elmaghraby, SE; Elimam, AA. (1984). COMPOSITE MIX DESIGN IN THE PRODUCTION OF ASBESTOS CEMENT PIPES. *Appl Math Model*. 8: 425-432.
- Elmer, FL; Powell, R; White, RW; Phillips, GN. (2007). Timing of gold mineralization relative to the peak of metamorphism at Bronzewing, Western Australia. *Econ Geol*. 102: 379-392.
- Elmes, PC; Simpson, MJC. (1977). INSULATION WORKERS IN BELFAST - FURTHER STUDY OF MORTALITY DUE TO ASBESTOS EXPOSURE (1940-75). *Br J Ind Med*. 34: 174-180.
- El-Sharkawy, MF. (2000). Talc mineralization of ultramafic affinity in the Eastern Desert of Egypt. *Miner Depos*. 35: 346-363.
- Elshazley, M; Shibata, E; Hisanaga, N; Ichihara, G; Ewis, AA; Kamijima, M; Ichihara, S; Sakai, K; Sato, M; Kondo, M; Hasegawa, Y. (2011). Pleural plaque profiles on the chest radiographs and CT scans of asbestos-exposed Japanese construction workers. *Ind Health*. 49: 626-633.
- Elvira Espinosa, M; Garcia Regidor, C; Fernandez Rodriguez, J; Vegas Prieto, L; Ibanez Martin, JC; Aguado Cuenca, E; Velayos Pablo, T; Sanchez Gonzalez, ML; Susinos Arroyo, B. (2009). THE HEALTH MONITORING BY PREVENTION SERVICES IN ACTIVE WORKERS EXPOSED AND POST-EXPOSED WITHING THE ACTION PLAN IN PEOPLE WITH OCCUPATIONAL EXPOSURE TO ASBESTOS Y CASTILLA AND LEON. *Gac Sanit*. 23: 6-6.
- Enders, M; Speer, D; Maresch, WV; Mccammon, CA. (2000). Ferric/ferrous iron ratios in sodic amphiboles: Mossbauer analysis, stoichiometry-based model calculations and the high-resolution microanalytical flank method. *Contributions to Mineralogy and Petrology*. 140: 135-147.
- Endo, S; Mizukami, T; Wallis, SR; Tamura, A; Arai, S. (2015). Orthopyroxene-rich Rocks from the Sanbagawa Belt (SW Japan): Fluid-Rock Interaction in the Forearc Slab-Mantle Wedge Interface. *Journal of Petrology*. 56: 1113-1137. <http://dx.doi.org/10.1093/petrology/egv031>.
- Engholm, G; Englund, A. (2005). Asbestos hazard in the Swedish construction industry--recent trends in mesothelioma incidence. *Scand J Work Environ Health*. 31 Suppl 2: 27-30.
- Engholm, G; Englund, A; Fletcher, A. (1987). RESPIRATORY CANCER AMONG SWEDISH CONSTRUCTION WORKERS IN RELATION TO EXPOSURE TO ASBESTOS AND MAN-MADE MINERAL FIBERS. *Scand J Work Environ Health*. 13: 162-162.
- Engholm, G; Englund, A; Fletcher, AC; Hallin, N. (1987). Respiratory cancer incidence in Swedish construction workers exposed to man-made mineral fibres and asbestos. *Ann Occup Hyg*. 31: 663-675.

Exposure Literature Search Results

Off Topic

- Englund, A. (1991). SWEDISH APPROACHES TO INDUSTRY-WIDE STUDIES THE CONSTRUCTION INDUSTRY (pp. EXPOSURE TO ASBESTOS IN PLACE: PUBLIC HEALTH CONTROL; CONFERENCE). (ISSN 0077-8923; EISSN 1749-6632; BIOSIS/93/34944). Englund, A.
- Engvik, AK; Austrheim, H; Erambert, M. (2001). Interaction between fluid flow, fracturing and mineral growth during eclogitization, an example from the Sunnfjord area, Western Gneiss Region, Norway. *Lithos*. 57: 111-141.
- Enrico Favero-Longo, S; Turci, F; Tomatis, M; Compagnoni, R; Piervittori, R; Fubini, B. (2009). The effect of weathering on ecopersistence, reactivity, and potential toxicity of naturally occurring asbestos and asbestiform minerals. *J Toxicol Environ Health A*. 72: 305-314. <http://dx.doi.org/10.1080/15287390802529864>.
- Enterline, P; de Coufle, P; Henderson, V. (1973). Respiratory cancer in relation to occupational exposures among retired asbestos workers. *Br J Ind Med*. 30: 162-166.
- Enterline, PE. (1983). ASBESTOS EXPOSURE - REPLY. *J Air Pollut Control Assoc*. 33: 820-820.
- Enterline, PE. (1991). Carcinogenic Effects of Man-Made Vitreous Fibers. *Annu Rev Public Health*. 12: 459-480.
- Enterline, PE. (1991). Changing attitudes and opinions regarding asbestos and cancer 1934-1965. *Am J Ind Med*. 20: 685-700.
- Erdinc, M; Erdinc, E; Cok, G; Polatli, M. (2003). Respiratory impairment due to asbestos exposure in brake-lining workers. *Environ Res*. 91: 151-156. [http://dx.doi.org/10.1016/S0013-9351\(02\)00063-4](http://dx.doi.org/10.1016/S0013-9351(02)00063-4).
- Erdinc, W; Erdinc, E; Cok, G; Polatli, M. (2003). Respiratory impairment due to asbestos exposure in brake-lining workers (vol 91, pg 151, 2003). *Environ Res*. 92: 282-282. [http://dx.doi.org/10.1016/S0013-9351\(03\)00072-0](http://dx.doi.org/10.1016/S0013-9351(03)00072-0).
- Erdogdu, G; Hasirci, V. (1998). An overview of the role of mineral solubility in silicosis and asbestosis [Review]. *Environ Res*. 78: 38-42. <http://dx.doi.org/10.1006/enrs.1998.3842>.
- Erdreich, LS. (1983). Comparing epidemiologic studies of ingested asbestos for use in risk assessment. *Environ Health Perspect*. 53: 99-104.
- Eriksson, PG; Hattingh, PJ; Altermann, W. (1995). AN OVERVIEW OF THE GEOLOGY OF THE TRANSVAAL SEQUENCE AND BUSHVELD COMPLEX, SOUTH-AFRICA. *Miner Depos*. 30: 98-111.
- Ernst, G. (1986). EMISSION OF ASBESTOS FIBERS FROM NATURAL-DRAFT WET COOLING-TOWERS. *Brennstoff-Waerme-Kraft*. 38: 229-229.
- Ernst, P. (2004). A conversation with Margaret Becklake. *Epidemiology*. 15: 245-249. <http://dx.doi.org/10.1097/01.ede.0000112785.81971.07>.
- Ernst, P; Shapiro, S; Dales, RE; Becklake, MR. (1987). Determinants of respiratory symptoms in insulation workers exposed to asbestos and synthetic mineral fibres. *Br J Ind Med*. 44: 90-95.
- Ernst, WG. (1997). Metamorphism of mafic dikes from the central White-Inyo Range, eastern California. *Contributions to Mineralogy and Petrology*. 128: 30-44.
- Ernst, WG. (2002). Paragenesis and thermobarometry of Ca-amphiboles in the Barcroft granodioritic pluton, central White Mountains, eastern California. *Am Mineral*. 87: 478-490.
- Ernst, WG. (2005). Contact metamorphism of the White Mountain Peak metavolcanic complex, eastern California. *Am Mineral*. 90: 1-12. <http://dx.doi.org/10.2138/am.2005.1620>.
- Ernst, WG; Rumble, D. (2003). Oxygen isotopic study of late mesozoic cooling of the mount Barcroft Area, central White Mountains, Eastern California. *Contributions to Mineralogy and Petrology*. 144: 639-651. <http://dx.doi.org/10.1007/s00410-002-0427-9>.
- Erren, TC; Jacobsen, M; Piekarski, C. (1999). Synergy between asbestos and smoking on lung cancer risks. *Epidemiology*. 10: 405-411.
- Erren, TC; Piekarski, C. (1999). A meta-analysis of synergy between asbestos and smoking on lung cancer. *Epidemiology*. 10: S62-S62.
- Errico, JC; Barnes, JD; Strickland, A; Valley, JW. (2013). Oxygen isotope zoning in garnets from Franciscan eclogite blocks: evidence for rock-buffered fluid interaction in the mantle wedge. *Contributions to Mineralogy and Petrology*. 166: 1161-1176. <http://dx.doi.org/10.1007/s00410-013-0915-0>.
- Ertan, R; Yavuz, N. (2011). The effects of graphite, coke and ZnS on the tribological and surface characteristics of automotive brake friction materials. *Industrial Lubrication & Tribology*. 63: 245-253. <http://dx.doi.org/10.1108/00368791111140468>.
- Erzinger, BF. (1987). METHOD AND COMPOSITION FOR REMOVING ASBESTOS-CONTAINING MATERIALS US PATENT-4693755. SEPTEMBER 15 1987. (BIOSIS/87/33126). Erzinger, BF.
- Escartin, J; Hirth, G; Evans, B. (1997). Nondilatant brittle deformation of serpentinites: Implications for Mohr-Coulomb theory and the strength of faults. *J Geophys Res Solid Earth*. 102: 2897-2913.
- Esmen, N; Corn, M; Hammad, Y; Whittier, D; Kotsko, N. (1979). Summary of measurements of employee exposure to airborne dust and fiber in sixteen facilities producing man-made mineral fibers. *Am Ind Hyg Assoc J*. 40: 108-117.
- Esmen, NA; Corn, M. (1998). Airborne fiber concentrations during splitting open and boxing bags of asbestos. *Toxicol Ind Health*. 14: 843-856.
- Esmen, NA; Hammad, YY; Corn, M; Whittier, D; Kotsko, N; Haller, M; Kahn, RA. (1978). Exposure of employees to man-made mineral fibers: mineral wool production. *Environ Res*. 15: 262-277.
- Esposito, MP; Mcardle, JL; Crone, AH; Greber, JS; Clark, R; Brown, S; Hallowell, JB; Langham, A; Mccandlish, CD. (1987). Decontamination techniques for buildings, structures and equipment. (CIS/87/01391). Esposito, MP; Mcardle, JL; Crone, AH; Greber, JS; Clark, R; Brown, S; Hallowell, JB; Langham, A; Mccandlish, CD.
- Esswein, EJ; Tubbs, RL. (1994). Health Hazard Evaluation Report HETA 93-0696-2395, Hardy Road Landfill, Akron, Ohio. 27.
- Etzel, K; Benisek, A; Dachs, E; Cemic, L. (2007). Thermodynamic mixing behavior of synthetic Ca-Tschermak-diopside pyroxene solid solutions: I. Volume and heat capacity of mixing. *Physics and Chemistry of Minerals*. 34: 733-746. <http://dx.doi.org/10.1007/s00269-007-0191-5>.
- Eugenie, S. (2003). T&N's asbestos-affected workers win court case, but delays go on. *Prof Eng*. 16: 8-8.
- Evans, BW. (2008). Control of the Products of Serpentinization by the (FeMg1)-Mg-2 Exchange Potential of Olivine and Orthopyroxene. *Journal of Petrology*. 49: 1873-1887. <http://dx.doi.org/10.1093/petrology/egn050>.
- Evans, BW; Dyar, MD; Kuehner, SM. (2012). Implications of ferrous and ferric iron in antigorite. *Am Mineral*. 97: 184-196. <http://dx.doi.org/10.2138/am.2012.3926>.

Exposure Literature Search Results

Off Topic

- Evans, BW; Ghiorso, MS; Kuehner, SM. (2000). Thermodynamic properties of tremolite: A correction and some comments. *Am Mineral*. 85: 466-472.
- Evans, BW; Ghiorso, MS; Yang, HX; Medenbach, O. (2001). Thermodynamics of the amphiboles: Anthophyllite-ferroanthophyllite and the ortho-clino phase loop. *Am Mineral*. 86: 640-651.
- Evans, BW; Hattori, K; Baronnet, A. (2013). Serpentinite: What, Why, Where? *Elements*. 9: 99-106. <http://dx.doi.org/10.2113/gselements.9.2.99>.
- Evans, BW; Yang, HX. (1998). Fe-Mg order-disorder in tremolite-actinolite-ferro-actinolite at ambient and high temperature. *Am Mineral*. 83: 458-475.
- Evans, CA. (1993). PUBLIC-HEALTH IMPACT OF THE 1992 LOS-ANGELES CIVIL UNREST. *Public Health Rep*. 108: 265-272.
- Evans, JC; Evans, RJ; Holmes, A; Hounam, RF; Jones, DM; Morgan, A; Walsh, M. (1973). Studies on the deposition of inhaled fibrous material in the respiratory tract of the rat and its subsequent clearance using radioactive tracer techniques: 1 UICC crocidolite asbestos. *Environ Res*. 6: 180-201.
- Evans, PH; Brown, RC; Poole, A. (1983). Modification of the in vitro activities of amosite asbestos by surface derivatization. *J Toxicol Environ Health*. 11: 535-543. <http://dx.doi.org/10.1080/15287398309530365>.
- Evans, RE; Pfeiffer, RE. (1991). A NEW GENERATION OF FIBRILLATED ACRYLIC FIBER FOR HIGH-PERFORMANCE NONWOVENS AND SPECIALTY COMPOSITES. *Tappi Journal*. 74: 155-162.
- Evans, RG. (1975). OPERATIONAL PARAMETERS, DESIGN CONCEPTS AND PRE-INSTALLATION TESTING FOR A NEW ASBESTOS PROCESSING COMPLEX AT JEFFREY MINE. 68: 105-110.
- Evelo, CTA; Bos, RP; Borm, PJA. (1993). DECREASED GLUTATHIONE CONTENT AND GLUTATHIONE-S-TRANSFERASE ACTIVITY IN RED-BLOOD-CELLS OF COAL-MINERS WITH EARLY STAGES OF PNEUMOCONIOSIS. *Br J Ind Med*. 50: 633-636.
- Everatt, R; Jankauskas, R; Kuciauskaite, A. (2006). Status of occupational cancer in Lithuania. *Int J Occup Environ Health*. 12: 24-27.
- Everatt, RP; Smolianskiene, G; Tossavainen, A; Cienas, S; Jankauskas, R. (2007). Occupational asbestos exposure among respiratory cancer patients in Lithuania. *Am J Ind Med*. 50: 455-463. <http://dx.doi.org/10.1002/ajim.20467>.
- Everitt, JI; Gelzleichter, TR; Bermudez, E; Mangum, JB; Wong, BA; Janszen, DB; Moss, OR. (1997). Comparison of pleural responses of rats and hamsters to subchronic inhalation of refractory ceramic fibers. *Environ Health Perspect*. 105: 1209-1213.
- Evison, M; Barber, P. (2015). Diffuse pleural thickening following heart failure-related pleural effusions in an asbestos exposed patient. *Int J Occup Environ Health*. 21: 169-171. <http://dx.doi.org/10.1179/2049396714Y.0000000104>.
- Eypert-Blaison, C; Veissiere, S; Rastoin, O; Kauffer, E. (2010). Comparison of direct and indirect methods of measuring airborne chrysotile fibre concentration. *Ann Occup Hyg*. 54: 55-67. <http://dx.doi.org/10.1093/annhyg/mep066>.
- Ezejiolor, TI; Ezejiolor, AN; Orisakwe, OE; Nwigwe, HC; Osuala, FO; Iwuala, MO. (2014). Anicteric hepatotoxicity: a potential health risk of occupational exposures in Nigerian petroleum oil refining and distribution industry. 9: 3. <http://dx.doi.org/10.1186/1745-6673-9-3>.
- Ezhov, SV; Akinfiev, NN. (1997). A study of mineral formation in a contact between silicate and carbonate rocks using the BALANCE program. *Geokhimiya* 1058-1065.
- Fabian, F; Bulzan, V. (1986). ASSESSING THE RISK OF EXPOSURE TO CHRYSOTILE FIBERS IN THE COURSE OF THE MANUFACTURING OF ASBESTOS-CEMENT PLATES AND OF ASBESTOS-CARDBOARD. *Rev Ig Bacteriol Virusol Parazitol Epidemiol Pneumoftiziol Ser Ig*. 35: 213-218.
- Facer, J; Downes, H; Beard, A. (2009). In situ Serpentinization and Hydrous Fluid Metasomatism in Spinel Dunite Xenoliths from the Bearpaw Mountains, Montana, USA. *Journal of Petrology*. 50: 1443-1475. <http://dx.doi.org/10.1093/petrology/egp037>.
- Fach, E; Kristovich, R; Long, JF; Waldman, WJ; Dutta, PK; Williams, MV. (2003). The effect of iron on the biological activities of erionite and mordenite. *Environ Int*. 29: 451-458. [http://dx.doi.org/10.1016/S0160-4120\(02\)00193-9](http://dx.doi.org/10.1016/S0160-4120(02)00193-9).
- Fach, E; Waldman, WJ; Williams, M; Long, J; Meister, RK; Dutta, PK. (2002). Analysis of the biological and chemical reactivity of zeolite-based aluminosilicate fibers and particulates. *Environ Health Perspect*. 110: 1087-1096.
- Fachini, A; Joekes, I. (2007). Use of chrysotile fibres in the degradation of cationic and nonionic surfactants in aqueous solutions. *CLEAN - Soil, Air, Water*. 35: 100-103. <http://dx.doi.org/10.1002/clen.200600002>.
- Fachini, A; Mendes, MA; Joekes, I; Eberlin, MN. (2007). Oxidation of sodium dodecylbenzenesulfonate with chrysotile: On-line monitoring by membrane introduction mass spectrometry. *Journal of Surfactants and Detergents*. 10: 207-210. <http://dx.doi.org/10.1007/s11743-007-1032-8>.
- Fadrilan-Camacho, VF, eF; Quizon, RR; Diaz, DV; Manalato, ANP. (2016). CHALLENGES IN THE DEVELOPMENT OF A MEDICAL SURVEILLANCE SYSTEM FOR PNEUMOCONIOSES AND OTHER ASBESTOS-RELATED DISEASES IN THE PHILIPPINES. *Southeast Asian J Trop Med Public Health*. 47: 822-832.
- Fairfax, R; 19Ed. (1994). Construction Health Exposures. *Appl Occup Environ Hyg*. 9: 168-170.
- Fajen, JM; Hills, B; Calvert, GM. (1990). Health Hazard Evaluation Report HETA 89-126-2057, Hagaman Finishing, Hagaman, New York. 40.
- Falchi, M; Donelli, G; Paoletti, L. (1994). INFLUENCE OF PARTICLE-SIZE AND CHEMICAL-COMPOSITION ON EFFICIENCY OF CLEARANCE MECHANISMS - ELECTRON-MICROSCOPY STUDIES ON HUMANS. *Environ Health Perspect*. 102: 241-243.
- Falchi, M; Paoletti, L; Mariotta, S; Giosue, S; Guidi, L; Biondo, L; Scavalli, P; Bisetti, A. (1996). Non-fibrous inorganic particles in bronchoalveolar lavage fluid of pottery workers. *Occup Environ Med*. 53: 762-766.
- Falk, ES; Kelemen, PB. (2015). Geochemistry and petrology of listvenite in the Samail ophiolite, Sultanate of Oman: Complete carbonation of peridotite during ophiolite emplacement. *Geochim Cosmo Acta*. 160: 70-90. <http://dx.doi.org/10.1016/j.gca.2015.03.014>.
- Famoso, D; Mangiameli, M; Roccaro, P; Mussumeci, G; Vagliasindi, FGA. (2012). Asbestiform fibers in the Biancavilla site of national interest (Sicily, Italy): review of environmental data via GIS platforms. *Reviews in Environmental Science and Biotechnology*. 11: 417-427. <http://dx.doi.org/10.1007/s11157-012-9284-9>.

Exposure Literature Search Results

Off Topic

- Fan, JG; Wang, QE; Liu, SJ. (2000). Chrysotile-induced cell transformation and transcriptional changes of c-myc oncogene in human embryo lung cells. *Biomed Environ Sci.* 13: 163-169.
- Fan, JG; Wang, QE; Liu, SJ. (2001). Ameliorated chrysotile-induced DNA damage in human embryo lung cells by surface modification of chrysotile with rare earth compounds. *Biomed Environ Sci.* 14: 220-228.
- Fan, JG; Wang, QE; Liu, SJ; Wu, WD; Jia, G; Zhou, LL. (1998). Pretreatment of chrysotile with rare earth compounds lowered its cytotoxicity by lessening surface charges. *Biomed Environ Sci.* 11: 125-132.
- Fan, W; Wang, Y; Zhang, Y; Zhang, Y; Jourdan, F; Zi, J; Liu, H. (2015). Paleotethyan subduction process revealed from Triassic blueschists in the Lancang tectonic belt of Southwest China. *Tectonophysics.* 662: 95-108. <http://dx.doi.org/10.1016/j.tecto.2014.12.021>.
- Fang, R; Le, N; Band, P. (2011). Identification of occupational cancer risks in British Columbia, Canada: a population-based case-control study of 1,155 cases of colon cancer. *Int J Environ Res Public Health.* 8: 3821-3843. <http://dx.doi.org/10.3390/ijerph8103821>.
- Farioli, A; Violante, FS; Mattioli, S; Curti, S; Kriebel, D. (2013). Risk of mesothelioma following external beam radiotherapy for prostate cancer: a cohort analysis of SEER database. *Cancer Causes Control.* 24: 1535-1545. <http://dx.doi.org/10.1007/s10552-013-0230-0>.
- Farrera, C; Bhattacharya, K; Lazzaretto, B; Andon, FT; Hultenby, K; Kotchey, GP; Star, A; Fadeel, B. (2014). Extracellular entrapment and degradation of single-walled carbon nanotubes. *Nanoscale.* 6: 6974-6983. <http://dx.doi.org/10.1039/c3nr06047k>.
- Farrow, A; Farrow, SC; Little, R; Golding, J. (1996). The repeatability of self-reported exposure after miscarriage. ALSPAC Study Team. Avon Longitudinal Study of Pregnancy and Childhood. *Int J Epidemiol.* 25: 797-806.
- Farrow, CEG; Watkinson, DH. (1992). ALTERATION AND THE ROLE OF FLUIDS IN NI, CU AND PLATINUM-GROUP ELEMENT DEPOSITION, SUDBURY IGNEOUS COMPLEX CONTACT, ONAPING-LEVACK AREA, ONTARIO. *Mineralogy and Petrology.* 46: 67-83.
- Farrow, CEG; Watkinson, DH. (1996). Geochemical evolution of the Epidote Zone, Fraser Mine, Sudbury, Ontario: Ni-Cu-PGE remobilization by saline fluids. *Exploration & Mining Geology.* 5: 17-31.
- Faryad, SW; Melcher, F; Hoinkes, G; Puhl, J; Meisel, T; Frank, W. (2002). Relics of eclogite facies metamorphism in the Austroalpine basement, Hochgrossen (Speik complex), Austria. *Mineralogy and Petrology.* 74: 49-73.
- Fatma, N; Jain, AK; Rahman, Q. (1991). Frequency of sister chromatid exchange and chromosomal aberrations in asbestos cement workers. *Br J Ind Med.* 48: 103-105.
- Faulring, GM; Forgeng, WD; Kleber, EJ; Rhodes, HB. (1975). DETECTION OF CHRYSOTILE ASBESTOS IN AIRBORNE DUST FROM THERMOSETTING RESIN GRINDING. *Journal of Testing and Evaluation.* 3: 482-490.
- Faux, SP; Howden, PJ. (1997). Possible role of lipid peroxidation in the induction of NF-kappa B and AP-1 in RFL-6 cells by crocidolite asbestos: evidence following protection by vitamin E. *Environ Health Perspect.* 105 Suppl 5: 1127-1130.
- Favero-Longo, SE; Castelli, D; Fubini, B; Piervittori, R. (2009). Lichens on asbestos-cement roofs: bioweathering and biocovering effects. *J Hazard Mater.* 162: 1300-1308. <http://dx.doi.org/10.1016/j.jhazmat.2008.06.060>.
- Favero-Longo, SE; Castelli, D; Salvadori, O; Belluso, E; Piervittori, R. (2005). Pedogenetic action of the lichens *Lecidea atrobrunnea*, *Rhizocarpon geographicum* gr. and *Sporastatia testudinea* on serpentized ultramafic rocks in an alpine environment. *Int Biodeterior Biodegradation.* 56: 17-27. <http://dx.doi.org/10.1016/j.ibiod.2004.11.006>.
- Favero-Longo, SE; Gazzano, C; Giralanda, M; Castelli, D; Tretiac, M; Baiocchi, C; Piervittori, R. (2011). Physical and Chemical Deterioration of Silicate and Carbonate Rocks by Meristematic Microcolonial Fungi and Endolithic Lichens (Chaetothryiomycetidae). *Geomicrobiology Journal.* 28: 732-744. <http://dx.doi.org/10.1080/01490451.2010.517696>.
- Favero-Longo, SE; Turci, F; Fubini, B; Castelli, D; Piervittori, R. (2013). Lichen deterioration of asbestos and asbestiform minerals of serpentinite rocks in Western Alps. *Int Biodeterior Biodegradation.* 84: 342-350. <http://dx.doi.org/10.1016/j.ibiod.2012.07.018>.
- Favero-Longo, SE; Turci, F; Tomatis, M; Castelli, D; Bonfante, P; Hochella, MF; Piervittori, R; Fubini, B. (2005). Chrysotile asbestos is progressively converted into a non-fibrous amorphous material by the chelating action of lichen metabolites. *J Environ Monit.* 7: 764-766. <http://dx.doi.org/10.1039/b507569f>.
- Fazzo, L; Nicita, C; Cernigliaro, A; Zona, A; Bruno, C; Fiumanò, G; Villari, C; Puglisi, G; Marinaccio, A; Comba, P; Tumino, R. (2010). [Mortality from asbestos-related causes and incidence of pleural mesothelioma among former asbestos cement workers in San Filippo del Mela (Sicily)]. *Epidemiol Prev.* 34: 87-92.
- Fediuk, F; Balogh, K. (2009). CONTRIBUTION TO PETROLOGY AND K/Ar AMPHIBOLE DATA FOR PLUTONIC ROCKS OF THE HAGGIER MTS., SOCOTRA ISLAND, YEMEN. *Acta Geodynamica et Geomaterialia.* 6: 441-451.
- Fedorockova, A; Raschman, P; Suck, G; Ivanova, D; Kavulicova, J. (2016). Utilization of Chrysotile-Type Tailings for Synthesis of High-Grade Silica by Controlled Precipitation. *Mineral Processing and Extractive Metallurgy Review.* 37: 287-294. <http://dx.doi.org/10.1080/08827508.2016.1195738>.
- Fedorowich, J; Stauffer, M; Kerrich, R. (1991). STRUCTURAL SETTING AND FLUID CHARACTERISTICS OF THE PROTEROZOIC TARTAN LAKE GOLD DEPOSIT, TRANS-HUDSON OROGEN, NORTHERN MANITOBA. *Econ Geol.* 86: 1434-1467.
- Fehnel, JW. (1990). AIR SAMPLING OF ASBESTOS DUST - COMPARISON OF IMPINGER AND ELECTROSTATIC PRECIPITATOR METHODS. *Am Ind Hyg Assoc J.* 51: A19-A21.
- Feigley, CE; Chen, HC. (1992). PENETRATION OF SEVERAL FILTER MATERIALS BY ASBESTOS AS A FUNCTION OF FIBER DIMENSIONS. *Am Ind Hyg Assoc J.* 53: 767-772.
- Feldman, RS. (1982). Development Of An Asbestos Reference Suspension (pp. Materials and Analytical Methods). (NIOSH/00145892). Feldman, RS.
- Feliu, LA; Polanco, A; Martinez, M; Centeno, JA. (1992). Identification of polynuclear aromatic hydrocarbons in automobile exhaust by high-performance liquid chromatography with a fluorescence detector. 203: ENVR64.

Exposure Literature Search Results

Off Topic

- Felten, MK; Khatab, K; Knoll, L; Schettgen, T; Müller-Berndorff, H; Kraus, T. (2014). Changes of mesothelin and osteopontin levels over time in formerly asbestos-exposed power industry workers. *Int Arch Occup Environ Health*. 87: 195-204. <http://dx.doi.org/10.1007/s00420-013-0853-1>.
- Felten, MK; Knoll, L; Eisenhawer, C; Ackermann, D; Khatab, K; Hüdepohl, J; Zschesche, W; Kraus, T. (2010). Retrospective exposure assessment to airborne asbestos among power industry workers. *J Occup Med Toxicol*. 5: 15. <http://dx.doi.org/10.1186/1745-6673-5-15>.
- Felten, MK; Knoll, L; Schikowsky, C; Das, M; Feldhaus, C; Hering, KG; Böcking, A; Kraus, T. (2014). Is it useful to combine sputum cytology and low-dose spiral computed tomography for early detection of lung cancer in formerly asbestos-exposed power industry workers? *J Occup Med Toxicol*. 9: 14. <http://dx.doi.org/10.1186/1745-6673-9-14>.
- Felton, JS; Sargent, EN; Gordonson, JS. (1980). Radiographic changes following asbestos exposure: experience with 7,500 workers. *J Occup Med*. 22: 15-20.
- Fenner, EM. (1979). United States regulations for control of asbestos exposure. *Ann N Y Acad Sci*. 330: 179-183.
- Fenner, EM. (1979). USA REGULATIONS FOR CONTROL OF ASBESTOS EXPOSURE (pp. NEW YORK). (HEEP/81/07839). Fenner, EM.
- Fent, KW; Dowell, CH. (2010). Health Hazard Evaluation Report: HETA-2009-0085-3107, Consolidation Coal Company, Blacksville, West Virginia, April 2010. Evaluation of Isocyanate Exposure during Polyurethane Foam Application and Silica Exposure during Rock Dusting at an Underground Coal Mine. 28.
- Feric, T; Krstulovic, R; Krolo, P; Peric, J; Vucak, M. (1996). Adsorption of calcium hydroxide onto polyacrylonitrile, cellulose and chrysotile fibres. 49: 58-60.
- Feric, T; Krstulovic, R; Peric, J; Krolo, P. (1997). Effect of chrysotile asbestos on cement hydration. *Cement and Concrete Composites*. 19: 301-305.
- Ferin, J; Leach, LJ. (1976). The Effect of Amosite and Chrysotile Asbestos on the Clearance of TiO₂ Particles from the Lung. *Environ Res*. 12: 250-254.
- Ferland, RH. (1988). NEW COMPRESSION PACKINGS AIM TO REPLACE ASBESTOS. *Power Engineering*. 92: 28-31.
- Ferrandino, D; Reich, A; Ryer, FH. (1980). LABELING IN THE WORKPLACE AS REQUIRED BY THE OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION USA (pp. COLD SPRING HARBOR). (HEEP/82/01962). Ferrandino, D; Reich, A; Ryer, FH.
- Ferrante, D; Mirabelli, D; Tunesi, S; Terracini, B; Magnani, C. (2016). Authors's response: Pleural mesothelioma and occupational and non-occupational asbestos exposure: a case-control study with quantitative risk assessment [Letter]. *Occup Environ Med*. 73: 713-714. <http://dx.doi.org/10.1136/oemed-2016-103851>.
- Ferrante, D; Tunesi, S; Mirabelli, D; Terracini, B; Magnani, C. (2010). INCIDENCE OF MALIGNANT PLEURAL MESOTHELIOMA AFTER OCCUPATIONAL AND HOUSEHOLD EXPOSURE TO ASBESTOS IN THE PERIOD 1990-2008. *Epidemiol Prev*. 34: 71-71.
- Ferrari, M; Viti, C. (2010). Retrograde hydration sequence in disordered Mg amphiboles: A TEM investigation. *Am Mineral*. 95: 81-91. <http://dx.doi.org/10.2138/am.2010.3254>.
- Ferry, JM. (1995). FLUID-FLOW DURING CONTACT-METAMORPHISM OF OPHICARBONATE ROCKS IN THE BERGELL-AUREOLE, VAL-MALENCO, ITALIAN ALPS. *Journal of Petrology*. 36: 1039-1053.
- Ferry, JM. (1996). Prograde and retrograde fluid flow during contact metamorphism of siliceous carbonate rocks from the Ballachulish aureole, Scotland. *Contributions to Mineralogy and Petrology*. 124: 235-254.
- Ferry, JM. (1996). Three novel isograds in metamorphosed siliceous dolomites from the Ballachulish aureole, Scotland. *Am Mineral*. 81: 485-494.
- Ferry, JM. (2000). Patterns of mineral occurrence in metamorphic rocks. *Am Mineral*. 85: 1573-1588.
- Ferry, JM; Dipple, GM. (1992). MODELS FOR COUPLED FLUID-FLOW, MINERAL REACTION, AND ISOTOPIC ALTERATION DURING CONTACT-METAMORPHISM - THE NOTCH PEAK AUREOLE, UTAH. *Am Mineral*. 77: 577-591.
- Févotte, J; Charbotel, B; Muller-Beauté, P; Martin, JL; Hours, M; Bergeret, A. (2006). Case-control study on renal cell cancer and occupational exposure to trichloroethylene. Part I: Exposure assessment. *Ann Occup Hyg*. 50: 765-775. <http://dx.doi.org/10.1093/annhyg/mel040>.
- Févotte, J; Dananché, B; Delabre, L; Ducamp, S; Garras, L; Houot, M; Luce, D; Orłowski, E; Pilorget, C; Lacourt, A; Brochard, P; Goldberg, M; Imbernon, E. (2011). Matgéné: a program to develop job-exposure matrices in the general population in France. *Ann Occup Hyg*. 55: 865-878. <http://dx.doi.org/10.1093/annhyg/mer067>.
- Filip, I; Orlandea, E. (2015). EVOLUTION & TIMING OF ALTERATION-MINERALIZATION PROCESSES IN TIGRESA-TRANSITO IOCG VEIN DEPOSITS FROM OJANCOS TECTONIC ALIGNMENTS, ATACAMA REGION, CHILE. *Carpath J Earth Env*. 10: 247-260.
- Filizzola, C; Pergola, N; Pignatti, S; Tramutoli, V. (2002). Aerial remote sensing hyperspectral techniques for rocky outcrops mapping. *Annals of Geophysics*. 45: 233-245.
- Finendale, MJ. (1993). Beyond notification: a case study from Cloquet, Minnesota. *Am J Ind Med*. 23: 153-159.
- Finkelstein, M. (1985). On the relative toxicity of asbestos fibres [Letter]. *Br J Ind Med*. 42: 69-70.
- Finkelstein, M. (1986). Pulmonary function in asbestos cement workers: a dose-response study. *Br J Ind Med*. 43: 406-413.
- Finkelstein, M. (2011). Regarding "Absence of Radiographic Asbestosis and the Risk of Lung Cancer among Asbestos-Cement Workers: Extended Follow-Up of a Cohort", by Murray Finkelstein, *American Journal of Industrial Medicine* 2010 Response. *Am J Ind Med*. 54: 497-498. <http://dx.doi.org/10.1002/ajim.20938>.
- Finkelstein, M. (2013). Reply to letter by Nolan and colleagues-re: The carcinogenicity of New York state talc dusts in humans [Letter]. *Am J Ind Med*. 56: 1119-1124. <http://dx.doi.org/10.1002/ajim.22208>.
- Finkelstein, MM. (1983). MORTALITY AMONG ASBESTOS-CEMENT FACTORY-WORKERS. *Scand J Work Environ Health*. 9: 69-69.
- Finkelstein, MM. (1983). Mortality among long-term employees of an Ontario (Canada) asbestos-cement factory. *Br J Ind Med*. 40: 138-144.
- Finkelstein, MM. (1984). EXPOSURES AND MORTALITY AMONG CHRYSOTILE ASBESTOS WORKERS. *Am J Ind Med*. 5: 407-408.
- Finkelstein, MM. (1985). A study of dose-response relationships for asbestos associated disease. *Br J Ind Med*. 42: 319-325.

Exposure Literature Search Results

Off Topic

- Finkelstein, MM. (1988). Risk assessment in the asbestos cement industry [Letter]. *Br J Ind Med*. 45: 201-203.
- Finkelstein, MM. (1989). Analysis of mortality patterns and workers' compensation awards among asbestos insulation workers in Ontario. *Am J Ind Med*. 16: 523-528.
- Finkelstein, MM. (1989). Mortality among employees of an Ontario factory manufacturing insulation materials from amosite asbestos. *Am J Ind Med*. 15: 477-481.
- Finkelstein, MM. (1989). Mortality among employees of an Ontario factory that manufactured construction materials using chrysotile asbestos and coal tar pitch. *Am J Ind Med*. 16: 281-287.
- Finkelstein, MM. (1990). The exposure-response relationship for mesothelioma among asbestos-cement factory workers. *Toxicol Ind Health*. 6: 623-627.
- Finkelstein, MM. (1995). Potential pitfall in using cumulative exposure in exposure-response relationships: demonstration and discussion. *Am J Ind Med*. 28: 41-47.
- Finkelstein, MM. (1996). Asbestos-associated cancers in the Ontario refinery and petrochemical sector. *Am J Ind Med*. 30: 610-615. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199611\)30:5<610::AID-AJIM9>3.0.CO;2-W](http://dx.doi.org/10.1002/(SICI)1097-0274(199611)30:5<610::AID-AJIM9>3.0.CO;2-W).
- Finkelstein, MM. (1997). Radiographic asbestosis is not a prerequisite for asbestos-associated lung cancer in Ontario asbestos-cement workers. *Am J Ind Med*. 32: 341-348.
- Finkelstein, MM. (1999). Maintenance work and asbestos-related cancers in the refinery and petrochemical sector [Letter]. *Am J Ind Med*. 36: 326. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199908\)36:2<326::AID-AJIM12>3.0.CO;2-Q](http://dx.doi.org/10.1002/(SICI)1097-0274(199908)36:2<326::AID-AJIM12>3.0.CO;2-Q).
- Finkelstein, MM. (2008). Asbestos fibre concentrations in the lungs of brake workers: another look. *Ann Occup Hyg*. 52: 455-461. <http://dx.doi.org/10.1093/annhyg/men036>.
- Finkelstein, MM. (2009). Comments on Asbestos Fibre Concentrations in the Lungs of Brake Workers: Another Look Reply. *Ann Occup Hyg*. 53: 192-193. <http://dx.doi.org/10.1093/annhyg/men080>.
- Finkelstein, MM. (2010). Absence of radiographic asbestosis and the risk of lung cancer among asbestos-cement workers: Extended follow-up of a cohort. *Am J Ind Med*. 53: 1065-1069. <http://dx.doi.org/10.1002/ajim.20881>.
- Finkelstein, MM. (2011). Mesothelioma in a Connecticut Friction Plant: The Need for Transparency and Exposure Information in Attribution of Risk Reply. *Ann Occup Hyg*. 55: 820-822. <http://dx.doi.org/10.1093/annhyg/mer052>.
- Finkelstein, MM. (2012). Malignant mesothelioma incidence among talc miners and millers in New York State. *Am J Ind Med*. 55: 863-868. <http://dx.doi.org/10.1002/ajim.22063>.
- Finkelstein, MM. (2013). The analysis of asbestos count data with "nondetects": the example of asbestos fiber concentrations in the lungs of brake workers. *Am J Ind Med*. 56: 1482-1489. <http://dx.doi.org/10.1002/ajim.22262>.
- Finkelstein, MM. (2013). Pneumoconiosis and malignant mesothelioma in a family operated metal casting business that used industrial talc from New York state. *Am J Ind Med*. 56: 550-555. <http://dx.doi.org/10.1002/ajim.22159>.
- Finkelstein, MM; Dufresne, A. (1999). Inferences on the kinetics of asbestos deposition and clearance among chrysotile miners and millers. *Am J Ind Med*. 35: 401-412. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199904\)35:4<401::AID-AJIM12>3.0.CO;2-4](http://dx.doi.org/10.1002/(SICI)1097-0274(199904)35:4<401::AID-AJIM12>3.0.CO;2-4).
- Finkelstein, MM; Meisenkothen, C. (2010). Malignant mesothelioma among employees of a Connecticut factory that manufactured friction materials using chrysotile asbestos. *Ann Occup Hyg*. 54: 692-696. <http://dx.doi.org/10.1093/annhyg/meq046>.
- Finkelstein, MM; Verma, DK. (2004). A cohort study of mortality among Ontario pipe trades workers. *Occup Environ Med*. 61: 736-742. <http://dx.doi.org/10.1136/oem.2003.011916>.
- Finley, BL; Richter, RO; Mowat, FS; Mlynarek, S; Paustenbach, DJ; Warmerdam, JM; Sheehan, PJ. (2007). Cumulative asbestos exposure for US automobile mechanics involved in brake repair (circa 1950s-2000). *J Expo Sci Environ Epidemiol*. 17: 644-655. <http://dx.doi.org/10.1038/sj.jes.7500553>.
- Finn, MB; Hallenbeck, WH. (1984). Detection of chrysotile asbestos in workers' urine. *Am Ind Hyg Assoc J*. 45: 752-759. <http://dx.doi.org/10.1080/15298668491400566>.
- Finn, MB; Hallenbeck, WH. (1985). Detection of chrysotile asbestos in workers' urine. *Am Ind Hyg Assoc J*. 46: 162-169. <http://dx.doi.org/10.1080/15298668591394581>.
- Finocchiaro, C; Lark, A; Keating, M; Ugoni, A; Abramson, M. (1997). Does occupational exposure to brown coal dust cause a decline in lung function? *Occup Environ Med*. 54: 642-645.
- Fiorelli, J; Schmidt, R; Kawabata, CY; Lins de Oliveira, CE; Savastano Junior, H; Rossignolo, JA. (2012). Thermal efficiency of fiber cement corrugated sheets applied to individual housing for calves exposed to sun and shade. *Ciencia Rural*. 42: 64-67.
- First, MW; Love, D. (1982). ENGINEERING CONTROL OF ASBESTOS. *Am Ind Hyg Assoc J*. 43: 634-639.
- Firth, HM; Elwood, JM; Cox, B; Herbison, GP. (1999). Historical cohort study of a New Zealand foundry and heavy engineering plant. *Occup Environ Med*. 56: 134-138.
- Fischbein, A; Luo, JC; Lacher, M; Rosenfeld, S; Rosenbaum, A; Miller, A; Solomon, SJ. (1993). Respiratory findings among millwright and machinery erectors: identification of health hazards from asbestos in place at work. *Environ Res*. 61: 25-35. <http://dx.doi.org/10.1006/enrs.1993.1046>.
- Fischbein, A; Luo, JC; Pinkston, GR. (1991). Asbestosis, laryngeal carcinoma, and malignant peritoneal mesothelioma in an insulation worker. *Br J Ind Med*. 48: 338-341.
- Fischbein, A; Luo, JC; Rosenfeld, S; Lacher, M; Miller, A; Rosenbaum, A. (1991). Respiratory findings among ironworkers: Results from a clinical survey in the New York metropolitan area and identification of health hazards from asbestos in place at work. *Br J Ind Med*. 48: 404-411. <http://dx.doi.org/10.1136/oem.48.6.404>.

Exposure Literature Search Results

Off Topic

- Fischbein, A; Rohl, AN; Langer, AM; Selikoff, IJ. (1979). Drywall construction and asbestos exposure. *Am Ind Hyg Assoc J.* 40: 402-407. <http://dx.doi.org/10.1080/15298667991429750>.
- Fischbein, A; Rohl, AN; Langer, AM; Selikoff, IJ. (1979). DRYWALL CONSTRUCTION AND ASBESTOS EXPOSURE - REPLY. *Am Ind Hyg Assoc J.* 40: 829-830.
- Fischbein, A; Rohl, AN; Langer, AM; Selikoff, IJ. (1981). Past asbestos exposure among cable splicers. *Am J Public Health.* 71: 1277-1278.
- Fischer, M; Günther, S; Müller, KM. (2002). Fibre-years, pulmonary asbestos burden and asbestosis. *Int J Hyg Environ Health.* 205: 245-248. <http://dx.doi.org/10.1078/1438-4639-00149>.
- Fish, R. (1977). GRAPHS SHOW LAKE ASBESTOS AT 2 FIBERS PER CC. 98: 38-&.
- Fisher, CE; Brown, DM; Shaw, J; Beswick, PH; Donaldson, K. (1998). Respirable fibres: surfactant coated fibres release more Fe³⁺ than native fibres at both pH 4.5 and 7.2. *Ann Occup Hyg.* 42: 337-345.
- Fitzgerald, NR; Flanagan, WM; Evans, WK; Miller, AB; Working, CPaCCRMLC. (2015). Eligibility for low-dose computerized tomography screening among asbestos-exposed individuals. *Scand J Work Environ Health.* 41: 407-412. <http://dx.doi.org/10.5271/sjweh.3496>.
- Fitz-Simons, T; Beard, ME. (1982). Simulation Of The EPA Provisional Method For Airborne Asbestos Concentrations (pp. Materials and Analytical Methods). (NIOSH/00146036). Fitz-Simons, T; Beard, ME.
- Flechsig, R. (1991). Peritoneal Mesothelioma How a Good Occupational Case History Can Best Be Used [Letter]. *Ind Health.* 29: 73-76.
- Fleming, DW; Rubin, GA. (1978). DIELECTRIC CHARACTERIZATION OF UICC ASBESTOS SAMPLES. *Powder Technology.* 20: 261-271.
- Fletcher, AC; Engholm, G; Englund, A. (1993). The risk of lung cancer from asbestos among Swedish construction workers: self-reported exposure and a job exposure matrix compared. *Int J Epidemiol.* 22 Suppl 2: S29-S35.
- Fletcher, LS; Barber, S; Anderson, AE; Fobian, J; Gratch, S; McCulloch, J; Nelson, R; Rabins, MJ; Radlinski, R; Rabinowicz, E. (1990). FEASIBILITY ANALYSIS OF ASBESTOS REPLACEMENT IN AUTOMOBILE AND TRUCK BRAKE SYSTEMS. *Mech Eng (Am Soc Mech Eng).* 112: 50-56.
- Fletcher, RA; Small, JA; Blackburn, DH. (1998). Heated inlet sampling system for removing carbonaceous aerosol. *Aerosol Sci Technol.* 28: 283-291.
- Flick, K. (1981). MEASUREMENTS FOR THE DETERMINATION OF THE CONCENTRATION OF RESPIRABLE ASBESTOS DUST PRODUCED IN THE PROCESSING OF ASBESTOS IN THE TEXTILE-INDUSTRY. *Staub, Reinhaltung der Luft.* 41: 113-117.
- Flohr, MJK. (1994). TITANIUM, VANADIUM, AND NIOBIUM MINERALIZATION AND ALKALI METASOMATISM FROM THE MAGNET COVE COMPLEX, ARKANSAS. *Econ Geol.* 89: 105-130.
- Flohr, MJK; Huebner, JS. (1992). MINERALOGY AND GEOCHEMISTRY OF 2 METAMORPHOSED SEDIMENTARY MANGANESE DEPOSITS, SIERRA-NEVADA, CALIFORNIA, USA. *Lithos.* 29: 57-85.
- Flowers, ES. (1974). Relationship between exposure to asbestos, collagen formation, ferruginous bodies, and carcinoma. *Am Ind Hyg Assoc J.* 35: 724-729. <http://dx.doi.org/10.1080/0002889748507093>.
- Fodero, SD. (1977). REMOVAL AND DISPOSAL OF AN ENVIRONMENTAL CARCINOGEN - ASBESTOS. *J Environ Health.* 40: 133-137.
- Fokin, MA; Cohn, CA; Hylton, S; Schoonen, MA. (2009). Detecting asbestos-promoted (OH)-O-center dot using APF. *Geochim Cosmo Acta.* 73: A387-A387.
- Fonseca, PC, deF; de Almeida, EA; Passini, R. (2011). THERMAL COMFORT INDICES IN INDIVIDUAL SHELTERS FOR DAIRY CALVES WITH DIFFERENT TYPES OF ROOFS. *Engenharia Agricola.* 31: 1044-1051.
- Fonseca, PC, deF; de Almeida, EA; Passini, R. (2012). EVALUATION OF COVERING MATERIALS IN INDIVIDUAL SHELTERS AND ITS EFFECTS ON PHYSIOLOGICAL RESPONSES AND PERFORMANCE OF DAIRY CALVES. *Engenharia Agricola.* 32: 1041-1047.
- Fontaine, JH; Trayer, DM. (1975). Asbestos control in steam-electric generating plants. *Am Ind Hyg Assoc J.* 36: 126-130. <http://dx.doi.org/10.1080/0002889758507220>.
- Fonte, R; Gambettino, S; Melazzini, M; Scelsi, M; Zanon, C; Candura, SM. (2004). Asbestos-induced peritoneal mesothelioma in a construction worker. *Environ Health Perspect.* 112: 616-619.
- Force, DotA. (1994). Disposal and Reuse of Castle Air Force Base, California. Final Environmental Impact Statement (pp. 791). (NTIS/03005364_a).
- Force, ER. (1998). Laramide alteration of Proterozoic diabase: A likely contributor of copper to porphyry systems in the Dripping Spring mountains area, southeastern Arizona. *Econ Geol.* 93: 171-183.
- Foreland, S; Bugge, MD; Bakke, B; Bye, E; Eduard, W. (2012). A Novel Strategy for Retrospective Exposure Assessment in the Norwegian Silicon Carbide Industry. *J Occup Environ Hyg.* 9: 230-241. <http://dx.doi.org/10.1080/15459624.2012.666189>.
- Foresti, E; Fornero, E; Lesci, IG; Rinaudo, C; Zuccheri, T; Roveri, N. (2009). Asbestos health hazard: a spectroscopic study of synthetic geoinspired Fe-doped chrysotile. *J Hazard Mater.* 167: 1070-1079. <http://dx.doi.org/10.1016/j.jhazmat.2009.01.103>.
- Foresti, E; Hochella, MF; Konishi, H; Lesci, IG; Madden, AS; Roveri, N; Xu, HF. (2005). Morphological and chemical/physical characterization of Fe-doped synthetic chrysotile nanotubes. *Adv Funct Mater.* 15: 1009-1016. <http://dx.doi.org/10.1002/adfm.200400355>.
- Fornero, E; Allegrina, M; Rinaudo, C; Mazziotti-Tagliani, S; Gianfagna, A. (2008). Micro-Raman spectroscopy applied on oriented crystals of fluoro-edenite amphibole. *Periodico di Mineralogia.* 77: 5-14. <http://dx.doi.org/10.2451/2008PM0008>.
- Forster, H; Tiesler, H. (1993). CONTRIBUTION TO COMPARABILITY OF IN-VITRO AND IN-VIVO MAN-MADE MINERAL FIBER (MMMMF) DURABILITY EXPERIMENTS. 66: 255-266.
- Fouillac, AM; Girard, JP. (1996). Laser oxygen isotope analysis of silicate/oxide grain separates: Evidence for a grain size effect? *Chem Geol.* 130: 31-54.
- Fournier-Massey, G; Wong, G; Hall, TC. (1984). Retired and former asbestos workers in Hawaii. *Am J Ind Med.* 6: 139-153.
- Foustoukos, DI; Savov, IP; Janecky, DR. (2008). Chemical and isotopic constraints on water/rock interactions at the Lost City hydrothermal field, 30 degrees N Mid-Atlantic Ridge. *Geochim Cosmo Acta.* 72: 5457-5474. <http://dx.doi.org/10.1016/j.gca.2008.07.035>.

Exposure Literature Search Results

Off Topic

- Fowler, DP. (1977). Industrial Hygiene Survey Report at Celotex Corporation, Pittston, Pennsylvania (pp. 210-276). (NIOSH/00106256). Fowler, DP.
- Fowler, DP; et al. (1978). Industrial Hygiene Survey Report, Forty-Eight Insulations, Inc. in Aurora, Illinois (pp. 1978-1978). (NIOSH/00106151). Fowler, DP; Et al.
- Franceschelli, M; Carcangiu, G; Caredda, AM; Cruciani, G; Memmi, I; Zucca, M. (2002). Transformation of cumulate mafic rocks to granulite and re-equilibration in amphibolite and greenschist facies in NE Sardinia, Italy. *Lithos*. 63: 1-18.
- Franceschelli, M; Eltrudis, A; Memmi, I; Palmeri, R; Carcangiu, G. (1998). Multi-stage metamorphic re-equilibration in eclogitic rocks from the Hercynian basement of NE Sardinia (Italy). *Mineralogy and Petrology*. 62: 167-193.
- Franchini, MB; Meinert, LD; Valles, JM. (2002). First occurrence of ilvaite in a gold skarn deposit. *Econ Geol*. 97: 1119-1126.
- Frank, A; Rohl, A; Wade, M; Lipkin, L. (1979). Biological activity in vitro of chrysotile compared to its quarried parent rock (platy serpentine). *J Environ Pathol Toxicol*. 2: 1041-1046.
- Frank, AL. (1980). Clinical observations following asbestos exposure. *Environ Health Perspect*. 34: 27-30.
- Frank, AL. (1993). GLOBAL PROBLEMS FROM EXPOSURE TO ASBESTOS [Review]. *Environ Health Perspect*. 101: 165-167.
- Frank, AL. (2007). Ban on asbestos diaphragms in the chlorine-related chemical industry and efforts toward a worldwide ban - Comment. *Int J Occup Environ Health*. 13: 84-84.
- Frank, AL; Dodson, RF; Williams, MG. (1998). Carcinogenic implications of the lack of tremolite in UICC reference chrysotile. *Am J Ind Med*. 34: 314-317.
- Franklin, P; Alfonso, H; Reid, A; Olsen, N; Shilkin, KB; Brims, F; de Klerk, N; Musk, AW. (2016). Asbestos exposure and histological subtype of malignant mesothelioma. *Occup Environ Med*. 73: 749-752. <http://dx.doi.org/10.1136/oemed-2016-103721>.
- Franklin, P; Robinson, M; Abaogye-Sarfo, P; Samuel, L; Olsen, N; Mina, R; Musk, AW; Reid, A. (2015). The mental health of asbestos-exposed subjects with pleural abnormalities. *Int Arch Occup Environ Health*. 88: 343-350. <http://dx.doi.org/10.1007/s00420-014-0960-7>.
- Franko, A; Dolzan, V; Arnerić, N; Dodic-Fikfak, M. (2008). The influence of genetic polymorphisms of GSTP1 on the development of asbestosis. *J Occup Environ Med*. 50: 7-12. <http://dx.doi.org/10.1097/JOM.0b013e31815cbab5>.
- Franzblau, A; Garabrant, DH. (2004). Respiratory impairment due to asbestos exposure in brake-lining workers [Letter]. *Environ Res*. 96: 105-106; author reply 106-108. <http://dx.doi.org/10.1016/j.envres.2004.04.005>.
- Freed, JA; Miller, A; Gordon, RE; Fischbein, A; Kleinerman, J; Langer, AM. (1991). Desquamative interstitial pneumonia associated with chrysotile asbestos fibres. *Br J Ind Med*. 48: 332-337.
- Freeman, MD; Kohles, SS. (2012). Assessing specific causation of mesothelioma following exposure to chrysotile asbestos-containing brake dust [Review]. *Int J Occup Environ Health*. 18: 329-336. <http://dx.doi.org/10.1179/2049396712Y.0000000002>.
- Frei, R; Bridgwater, D; Rosing, T; Stecher, O. (1999). Controversial Pb-Pb and Sm-Nd isotope results in the early Archean Isua (West Greenland) oxide iron formation: Preservation of primary signatures versus secondary disturbances. *Geochim Cosmo Acta*. 63: 473-488.
- Freimuth, VS; Vannevel, JP. (1993). CHANNELS AND VEHICLES OF COMMUNICATION - THE ASBESTOS AWARENESS CAMPAIGN. *Am J Ind Med*. 23: 105-111.
- Freville, L; Moulut, JC; Grzebyk, M; Kauffer, E. (2010). Producing samples for the organization of proficiency tests. Study of the homogeneity of replicas produced from two atmosphere generation systems. *Ann Occup Hyg*. 54: 659-670. <http://dx.doi.org/10.1093/annhyg/meq031>.
- Friedrichs, KH. (1987). IMMISSION THROUGH ASBESTOS CEMENT PRODUCTS .2. COMMENT. *Staub, Reinhaltung der Luft*. 47: 122-122.
- Friedrichs, KH; Chiappino, G; Forni, A; Wick, G. (1993). ASBESTOS BODIES IN LUNG-TISSUE - A COMPARISON STUDY OF LM, SEM, AND TEM. 3: 243-254.
- Friedrichs, KH; Otto, H. (1981). Fibers in human lung dust samples: a scanning electron microscope study. *Am Ind Hyg Assoc J*. 42: 150-156. <http://dx.doi.org/10.1080/15298668191419497>.
- Friedrichs, KH; Otto, H. (1981). METHODOLOGY OF LUNG DUST ANALYSIS FOR DEMONSTRATION OF OCCUPATIONAL ASBESTOS EXPOSURE. *Arbeitsmedizin, Sozialmedizin, Praeventivmedizin*. 16: 189-191.
- Friedrichs, KH; Otto, H; Fischer, M. (1992). CRITERIA FOR ANALYSIS OF FIBERS IN PULMONARY DUSTS. *Arbeitsmedizin, Sozialmedizin, Praeventivmedizin*. 27: 228-232.
- Frimmel, HE. (1996). Witwatersrand iron-formations and their significance for gold genesis and the composition limits of orthoamphibole. *Mineralogy and Petrology*. 56: 273-295.
- Fritschi, L; Chan, J; Hutchings, SJ; Driscoll, TR; Wong, AY; Carey, RN. (2016). The future excess fraction model for calculating burden of disease. *BMC Public Health*. 16: 386. <http://dx.doi.org/10.1186/s12889-016-3066-1>.
- Froom, P; Lahat, N; Kristal-Boneh, E; Cohen, C; Lerman, Y; Ribak, J. (2000). Circulating natural killer cells in retired asbestos cement workers. *J Occup Environ Med*. 42: 19-24.
- Frost, BR; Evans, KA; Swapp, SM; Beard, JS; Mothersole, FE. (2013). The process of serpentinization in dunite from New Caledonia. *Lithos*. 178: 24-39. <http://dx.doi.org/10.1016/j.lithos.2013.02.002>.
- Frost, G; Darnton, A; Harding, AH. (2011). The effect of smoking on the risk of lung cancer mortality for asbestos workers in Great Britain (1971-2005). *Ann Occup Hyg*. 55: 239-247. <http://dx.doi.org/10.1093/annhyg/meq089>.
- Frost, V; Wesnik, E. (1983). EXPERIENCES WITH THE SUBSTITUTION OF ASBESTOS IN PLANTS PRODUCING BREAK LININGS, SEALS ETC. *Chem Tech (Leipzig)*. 35: 485-485.
- Fruh-Green, GL; Scambelluri, M; Vallis, F. (2001). O-H isotope ratios of high pressure ultramafic rocks: implications for fluid sources and mobility in the subducted hydrous mantle. *Contributions to Mineralogy and Petrology*. 141: 145-159.
- Frumkin, H; Berlin, JA. (1991). ASBESTOS EXPOSURE AND GASTROINTESTINAL CANCER - A RESPONSE. *Am J Ind Med*. 19: 409-411.

Exposure Literature Search Results

Off Topic

- Fry, JS; Woolley, AJ; McDonald, JC; McDonald, AD. (1983). RESPIRATORY CANCER IN CHRYSOTILE PRODUCTION AND TEXTILE MANUFACTURE. *Scand J Work Environ Health*. 9: 69-70.
- Fryrs, K; Snape, I, an; Babicka, N. (2013). The type and spatial distribution of past waste at the abandoned Wilkes Station, East Antarctica. *Polar Rec (Gr Brit)*. 49: 328-347. <http://dx.doi.org/10.1017/S0032247412000721>.
- Fu, B, in; Valley, JW; Kita, NT; Spicuzza, MJ; Paton, C; Tsujimori, T; Broecker, M; Harlow, GE. (2010). Multiple origins of zircons in jadeitite. *Contributions to Mineralogy and Petrology*. 159: 769-780. <http://dx.doi.org/10.1007/s00410-009-0453-y>.
- Fubini, B. (1997). Surface reactivity in the pathogenic response to particulates [Review]. <http://dx.doi.org/10.2307/3433502>.
- Fubini, B; Barcelo, F; Arean, CO. (1997). Ferritin adsorption on amosite fibers: Possible implications in the formation and toxicity of asbestos bodies. *J Toxicol Environ Health*. 52: 343-352. <http://dx.doi.org/10.1080/00984109708984069>.
- Fubini, B; Fenoglio, I. (2007). Toxic potential of mineral dusts. *Elements*. 3: 407-414. <http://dx.doi.org/10.2113/GSELEMENTS.3.6.407>.
- Fubini, B; Mollo, L; Bodoardo, S; Onida, B; Oberson, D; Lafuma, C. (1997). Evaluation of the surface acidity of some phyllosilicates in relation to their inactivating activity toward the enzyme human leucocyte elastase. *Langmuir*. 13: 919-927.
- Fuertes-Fuente, M; Martin-Izard, A; Nieto, JG; Maldonado, C; Varela, A. (2000). Preliminary mineralogical and petrological study of the Ortosa Au-Bi-Te ore deposit: a reduced gold skarn in the northern part of the Rio Narcea Gold Belt, Asturias, Spain. *J Geochem Explor*. 71: 177-190.
- Fujii, H; Matsumoto, T; Hata, N; Nakano, T; Kohno, M; Nogi, K. (2000). Surface tension of molten silicon measured by the electromagnetic levitation method under microgravity. *Metallurgical and Materials Transactions A*. 31: 1585-1589.
- Fujii, H; Matsumoto, T; Izutani, S; Kiguchi, S; Nogi, K. (2006). Surface tension of molten silicon measured by microgravity oscillating drop method and improved sessile drop method. *Acta Materialia*. 54: 1221-1225. <http://dx.doi.org/10.1016/j.actamat.2005.10.058>.
- Fujishige, M; Kuribara, A; Karasawa, I; Kojima, A. (2007). Low-temperature pyrolysis of crocidolite and amosite using calcium salts as a flux. *Ceramic Society of Japan Journal*. 115: 434-439.
- Fujishige, M; Obuchi, H; Sato, R; Kojima, A. (2006). Low temperature decomposition of Chrysotile in sprayed asbestos using salts. *Ceramic Society of Japan Journal*. 114: 355-358.
- Fujishige, M; Sato, R; Kuribara, A; Karasawa, I; Kojima, A. (2006). CaCl₂ addition effect and melt formation in low-temperature decomposition of chrysotile with CaCO₃. *Ceramic Society of Japan Journal*. 114: 844-848.
- Fujishige, M; Sato, R; Kuribara, A; Karasawa, I; Kojima, A. (2006). Low-temperature decomposition of sprayed-on asbestos. *Ceramic Society of Japan Journal*. 114: 1133-1137.
- Fujita, T; Sugimori, K; Nakazawa, H. (1993). FORMATION OF NA-SEPIOLITE FIBERS BY HYDROTHERMAL TREATMENT OF NA-FLUOR-TAENIOLITE AND NA-FLUOR-TETRA-SILICIC MICA. 101: 600-603.
- Fujiwara, H; Kamimori, T; Morinaga, K; Takeda, Y; Kohyama, N; Miki, Y; Inai, K; Yamamoto, S. (2005). An autopsy case of primary pericardial mesothelioma in arc cutter exposed to asbestos through talc pencils. *Ind Health*. 43: 346-350.
- Fukagawa, NK; Li, M; Sabo-Attwood, T; Timblin, CR; Butnor, KJ; Gagne, J; Steele, C; Taatjes, DJ; Huber, S; Mossman, BT. (2008). Inhaled Asbestos Exacerbates Atherosclerosis in Apolipoprotein E--Deficient Mice via CD4⁺T Cells. *Environ Health Perspect*. 116: 1218-1225. <http://dx.doi.org/10.1289/ehp.11172>.
- Furness, IW; Reed, PJ. (1985). The Assessment Of A Modification To The Acetoneriacetin Clearing Technique As Used In The Measurement Of Airborne Asbestos Dust. *Ann Occup Hyg*. 29: 109-112.
- Furuya, S; Natori, Y; Ikeda, R. (2003). Asbestos in Japan. *Int J Occup Environ Health*. 9: 260-265. <http://dx.doi.org/10.1179/oeh.2003.9.3.260>.
- Fuxi, G; JingYan, C; HuanSheng, C; DongHong, G; GuoYao, R; XiangMing, F; JunQing, D; HongXia, Z. (2010). The non-destructive analysis of ancient jade artifacts unearthed from the Liangzhu sites at Yuhang, Zhejiang. *Science China Technological Sciences*. 53: 3404-3419. <http://dx.doi.org/10.1007/s11431-010-4167-1>.
- Gabbanelli, F; Mattioli-Belmonte, M; Giantomassi, F; Rimondini, L; Viticchi, C; Biagini, G; Torricelli, P; Gualtieri, AF; Lesci, IG; Giardino, R. (2003). Exploring the damage limitation possibilities of mineral fibres for future integrated solutions: an in vitro study. *Int J Artif Organs*. 26: 73-79.
- Gadikota, G; Natali, C; Boschi, C; Park, AH. (2014). Morphological changes during enhanced carbonation of asbestos containing material and its comparison to magnesium silicate minerals. *J Hazard Mater*. 264: 42-52. <http://dx.doi.org/10.1016/j.jhazmat.2013.09.068>.
- Gaensler, EA. (1977). Pleural Complications from Asbestos Exposure. *J Occup Environ Med*. 19: 286.
- Gaffuri, E. (2009). The lung burden of amphibole asbestos fibers in workers exposed and dead. *Med Lav*. 100: 315-315.
- Gaggero, L; Cortesogno, L. (1997). Metamorphic evolution of oceanic gabbros: recrystallization from subsolidus to hydrothermal conditions in the MARK area (ODP Leg 153). *Lithos*. 40: 105-131.
- Gagnon, MDN; Normand, C. (2008). Distribution of Ni-Fe alloys in the serpentinized harzburgites of the Jeffrey Mine, Asbestos, Quebec. *Geochim Cosmo Acta*. 72: A289-A289.
- Galimany, E; Ramón, M; Delgado, M. (2009). First evidence of fiberglass ingestion by a marine invertebrate (*Mytilus galloprovincialis* L.) in a N.W. Mediterranean estuary. *Mar Pollut Bull*. 58: 1334-1338. <http://dx.doi.org/10.1016/j.marpolbul.2009.04.027>.
- Gall, CA; Reif, KE; Scoles, GA; Mason, KL; Mousel, M; Noh, SM; Brayton, KA. (2016). The bacterial microbiome of *Dermacentor andersoni* ticks influences pathogen susceptibility. *ISME J*. 10: 1846-1855. <http://dx.doi.org/10.1038/ismej.2015.266>.
- Gallagher, LG; Park, RM; Checkoway, H. (2015). Extended follow-up of lung cancer and non-malignant respiratory disease mortality among California diatomaceous earth workers. *Occup Environ Med*. 72: 360-365. <http://dx.doi.org/10.1136/oemed-2014-102412>.
- Gällentoft, L; Pettersson, LM; Danielsen, N; Schouenborg, J; Prinz, CN; Linsmeier, CE. (2015). Size-dependent long-term tissue response to biostable nanowires in the brain. *Biomaterials*. 42: 172-183. <http://dx.doi.org/10.1016/j.biomaterials.2014.11.051>.

Exposure Literature Search Results

Off Topic

- Galley, AG; Jonasson, IR; Watkinson, DH. (2000). Magnetite-rich calc-silicate alteration in relation to synvolcanic intrusion at the Ansil volcanogenic massive sulfide deposit, Rouyn-Noranda, Quebec, Canada. *Miner Depos*. 35: 619-637.
- Gamble, JF. (1993). A NESTED CASE CONTROL STUDY OF LUNG-CANCER AMONG NEW-YORK TALC WORKERS. *Int Arch Occup Environ Health*. 64: 449-456.
- Gamsu, G. (1989). High-resolution CT in the diagnosis of asbestos-related pleuroparenchymal disease [Editorial]. *Am J Ind Med*. 16: 115-117.
- Gamsu, G. (1991). Computed tomography and high-resolution computed tomography of pneumoconioses [Review]. *J Occup Med*. 33: 794-796.
- Gan, L; Savransky, EF; Fasy, TM; Johnson, EM. (1993). Transfection of human mesothelial cells mediated by different asbestos fiber types. *Environ Res*. 62: 28-42.
- Gandhi, S; Lyon, R; Speitel, L. (1999). Potential health hazards from burning aircraft composites. *J Fire Sci*. 17: 20-41.
- Gandolfi, NB; Gualtieri, AF; Pollastri, S; Tibaldi, E; Belpoggi, F. (2015). Assessment of asbestos body formation by high resolution FEG-SEM after exposure of Sprague-Dawley rats to chrysotile, crocidolite, or erionite. *J Hazard Mater*. 306: 95-104. <http://dx.doi.org/10.1016/j.jhazmat.2015.11.050>.
- Gandy, M. (1999). Rethinking the ecological leviathan: environmental regulation in an age of risk. *Global Environ Change*. 9: 59-69.
- Gangemi, S; Rapisarda, V; Minciullo, PL; Di Pasquale, G; Lombardo, G; Valentino, M; Fenga, C. (2005). Circulating levels of interleukin-18 in asbestos-exposed workers. *Toxicol Ind Health*. 21: 125-129. <http://dx.doi.org/10.1191/0748233705th221oa>.
- Ganguly, A; George, R. (2008). Asbestos free friction composition for brake linings. *Bulletin of Materials Science*. 31: 19-22.
- Ganotes, JT; Tan, HT. (1980). ASBESTOS IDENTIFICATION BY DISPERSION STAINING MICROSCOPY. *Am Ind Hyg Assoc J*. 41: 70-73.
- GaoXiang, D; ShuiLin, Z; Hao, D. (2009). Process optimization of reaction of acid leaching residue of asbestos tailing and sodium hydroxide aqueous solution. *Science in China Series E: Technological Sciences*. 52: 204-209. <http://dx.doi.org/10.1007/s11431-009-0030-7>.
- Garabrant, DH; Alexander, DD; Miller, PE; Fryzek, JP; Boffetta, P; Teta, MJ; Hessel, PA; Craven, VA; Kelsh, MA; Goodman, M. (2015). Mesothelioma among Motor Vehicle Mechanics: An Updated Review and Meta-analysis [Review]. *Ann Occup Hyg*. 60: 8-26. <http://dx.doi.org/10.1093/annhyg/mev060>.
- García C, BM; Fonseca J, AC; Gutierrez, J. R.; De La MAZA M, CR. (1987). ASBESTOS CONTAMINATION IN A MOZAMBIKAN LUSALITE FACTORY (pp. 8-11). (BIOSIS/87/34579). García C, BM; Fonseca J, AC; Gutierrez, , JR; De La MAZA M, CR.
- García Gómez, M; Artieda Pellejero, L; Esteban Buedo, V; Guzmán Fernández, A; Camino Durán, F; Martínez Castillo, A; Lezzáun Goñi, M; Gallo Fernández, M; González García, I; Martínez Arguisuelas, N; Elvira Espinosa, M; Sánchez de Navas, AM; Zimmermann Verdejo, M; Campos Acedo, R; Galván Olivares, F; Castañeda López, R; Estaún Blasco, E; Castell Salvá, R; Martínez-Portillo, LM; Rubio Sanz, A; Unamuno Achúcarro, A; Fernández Fernández, I; Lama Herrera, C; Mayoral Cortés, JM. (2006). [Health surveillance of workers exposed to asbestos: an example of cooperation between the occupational prevention system and the national health system]. *Rev Esp Salud Publica*. 80: 27-39.
- García Gomez, M; Castaneda Lopez, R. (2009). EVALUATION OF THE HEALTH SURVEILLANCE OF WORKERS WHO HAVE BEEN EXPOSED TO ASBESTOS IN SPAIN 2004-2007. *Gac Sanit*. 23: 5-5.
- García Gómez, M; Menéndez-Navarro, A; Castañeda López, R. (2012). [Incidence of asbestosis and other benign lung diseases: Spain, 1962-2010]. *Rev Esp Salud Publica*. 86: 613-625. <http://dx.doi.org/10.4321/S1135-57272012000600007>.
- García, JG; Griffith, DE; Cohen, AB; Callahan, KS. (1989). Alveolar macrophages from patients with asbestos exposure release increased levels of leukotriene B4. *Am Rev Respir Dis*. 139: 1494-1501. <http://dx.doi.org/10.1164/ajrccm/139.6.1494>.
- García Lopez, V; Beloqui, A; Parra, A; Hoyo, A; Alsua, C; Palomino, M; Cipriain, C; Artieda, L. (2009). EVALUATION OF THE HEALTH SURVEILLANCE OF WORKERS EXPOSED TO ASBESTOS IN NAVARRA. YEAR 2007. *Gac Sanit*. 23: 6-6.
- García-Casco, A; Lazaro, C; Rojas-Agramonte, Y; Kroener, A; Torres-Roldan, RL; Nunez, K; Neubauer, F; Millan, G; Blanco-Quintero, I. (2008). Partial melting and counterclockwise P-T path of subducted oceanic crust (Sierra del Convento Melange, Cuba). *Journal of Petrology*. 49: 129-161. <http://dx.doi.org/10.1093/petrology/egm074>.
- García-Closas, M; Christiani, DC. (1995). Asbestos-related diseases in construction carpenters. *Am J Ind Med*. 27: 115-125. <http://dx.doi.org/10.1002/ajim.4700270111>.
- García-Gómez, M; Menéndez-Navarro, A; López, RC. (2015). Asbestos-related occupational cancers compensated under the Spanish National Insurance System, 1978-2011. *Int J Occup Environ Health*. 21: 31-39. <http://dx.doi.org/10.1179/2049396714Y.0000000087>.
- García-Guinea, J; Sapalski, C; Cardenas, V; Lombardero, M. (2000). Mineral inlays in natural stone slabs: techniques, materials and preservation. *Construction and Building Materials*. 14: 365-373.
- García-Lopez, MD; Barrera-Rodríguez, R. (2000). Malignant mesothelioma: Clinical and radiological picture of 45 cases with or without exposure to asbestos. *Salud Publica Mex*. 42: 511-519.
- García-López, MP; Barrera-Rodríguez, R. (2000). [Malignant mesothelioma: clinical and radiological description of 45 cases with and without asbestos exposure] [Review]. *Salud Publica Mex*. 42: 511-519.
- García-Montero, LG; Manjon, JL; Martin-Fernandez, S; Di Massimo, G. (2007). Problems of using pines in Tuber melanosporum culture: soils and truffle harvest associated with Pinus nigra and P-sylvestris. *Agroforestry Systems*. 70: 243-249. <http://dx.doi.org/10.1007/s10457-007-9052-y>.
- Gardner, MJ; Powell, CA. (1986). Mortality of asbestos cement workers using almost exclusively chrysotile fibre. *J Soc Occup Med*. 36: 124-126.
- Gardner, MJ; Powell, CA. (1987). MORTALITY OF ASBESTOS-CEMENT WORKERS USING ALMOST EXCLUSIVELY CHRYSOTILE FIBER. *Scand J Work Environ Health*. 13: 170-170.
- Gardner, MJ; Powell, CA; Gardner, AW; Winter, PD; Fletcher, AC. (1988). Continuing high lung cancer mortality among ex-amosite asbestos factory workers and a pilot study of individual anti-smoking advice. *J Soc Occup Med*. 38: 69-72.

Exposure Literature Search Results

Off Topic

- Gardner, MJ; Winter, PD; Pannett, B; Powell, CA. (1986). Follow up study of workers manufacturing chrysotile asbestos cement products. *Br J Ind Med.* 43: 726-732.
- Garg, BD; Cadle, SH; Mulawa, PA; Groblicki, PJ. (2000). Brake wear particulate matter emissions. *Environ Sci Technol.* 34: 4463-4469.
- Garrido, CJ; Sanchez-Vizcaino, VL; Gomez-Pugnaire, MT; Trommsdorff, V; Alard, O; Bodinier, JL; Godard, M. (2005). Enrichment of HFSE in chlorite-harzburgite produced by high-pressure dehydration of antigorite-serpentinite: Implications for subduction magmatism. *G-cubed.* 6. <http://dx.doi.org/10.1029/2004gc000791>.
- Garshick, E; Schenker, MB; Woskie, SR; Speizer, FE. (1987). Past Exposure to Asbestos among Active Railroad Workers. *Am J Ind Med.* 12: 399-406.
- Gasc, J; Schubnel, A; Brunet, F; Guillon, S; Mueller, HJ; Lathe, C. (2011). Simultaneous acoustic emissions monitoring and synchrotron X-ray diffraction at high pressure and temperature: Calibration and application to serpentinite dehydration. *Phys Earth Planet In.* 189: 121-133. <http://dx.doi.org/10.1016/j.pepi.2011.08.003>.
- Gaspar, LM; Inverno, CMC. (2000). Mineralogy and metasomatic evolution of distal strata-bound scheelite skarns in the Riba de Alva mine, northeastern Portugal. *Econ Geol.* 95: 1259-1275.
- Gasparrini, A; Pizzo, AM; Gorini, G; Costantini, AS; Silvestri, S; Ciapini, C; Innocenti, A; Berry, G. (2008). Prediction of mesothelioma and lung cancer in a cohort of asbestos exposed workers. *Eur J Epidemiol.* 23: 541-546. <http://dx.doi.org/10.1007/s10654-008-9257-z>.
- Gates, AE. (1995). MIDDLE PROTEROZOIC DEXTRAL STRIKE-SLIP EVENT IN THE CENTRAL APPALACHIANS - EVIDENCE FROM THE RESERVOIR FAULT, NJ. *J Geodyn.* 19: 195-212.
- Gates, MA; Tworoger, SS; Terry, KL; Titus-Ernstoff, L; Rosner, B; De Vivo, I; Cramer, DW; Hankinson, SE. (2008). Talc use, variants of the GSTM1, GSTT1, and NAT2 genes, and risk of epithelial ovarian cancer. *Cancer Epidemiol Biomarkers Prev.* 17: 2436-2444. <http://dx.doi.org/10.1158/1055-9965.EPI-08-0399>.
- Gatto, MP; Tanna, D; Tanna, GL. (2013). Distribution and trends in mesothelioma mortality in Italy from 1974 to 2006. *Int Arch Occup Environ Health.* 86: 489-496. <http://dx.doi.org/10.1007/s00420-012-0780-6>.
- Gaudichet, A; Petit, G; Billon-Galland, MA; Dufour, G. (1989). Levels of atmospheric pollution by man-made mineral fibres in buildings. *IARC Sci Publ. occupational Exposure to Mineral Fibres:* 291-298.
- Gautam, AK; Yunus, M; Rahman, A; Reddy, SS. (2003). Environmental monitoring of asbestos products manufacturing units--a case study. *Indian J Environ Health.* 45: 289-292.
- Gavett, SH. (2006). Physical characteristics and health effects of aerosols from collapsed buildings [Review]. *J Aerosol Med.* 19: 84-91. <http://dx.doi.org/10.1089/jam.2006.19.84>.
- Gazzano, E; Riganti, C; Tomatis, M; Turci, F; Bosia, A; Fubini, B; Ghigo, D. (2005). Potential toxicity of nonregulated asbestiform minerals: balangeroite from the western Alps. Part 3: Depletion of antioxidant defenses. *J Toxicol Environ Health A.* 68: 41-49. <http://dx.doi.org/10.1080/15287390590523957>.
- Gehanno, JF; Paris, C; Thirion, B; Caillard, JF. (1998). Assessment of bibliographic databases performance in information retrieval for occupational and environmental toxicology. *Occup Environ Med.* 55: 562-566.
- Geiser, M; Matter, M; Maye, I; Hof, VI; Gehr, P; Schurch, S. (2003). Influence of airspace geometry and surfactant on the retention of man-made vitreous fibers (MMVF 10a). *Environ Health Perspect.* 111: 895-901. <http://dx.doi.org/10.1289/ehp.5888>.
- Gelcich, S; Davis, DW; Spooner, ETC. (2005). Testing the apatite-magnetite geochronometer: U-Pb and Ar-40/Ar-39 geochronology of plutonic rocks, massive magnetite-apatite tabular bodies, and IOCG mineralization in Northern Chile. *Geochim Cosmo Acta.* 69: 3367-3384. <http://dx.doi.org/10.1016/j.gca.2004.12.020>.
- Gellert, AR; Kitajewska, JY; Uthayakumar, S; Kirkham, JB; Rudd, RM. (1986). Asbestos fibres in bronchoalveolar lavage fluid from asbestos workers: examination by electron microscopy. *Br J Ind Med.* 43: 170-176.
- Gellert, AR; Langford, JA; Uthayakumar, S; Rudd, RM. (1985). Bronchoalveolar lavage and clearance of 99m-Tc-DTPA in asbestos workers without evidence of asbestosis. *Br J Dis Chest.* 79: 251-257.
- Gellert, AR; Langford, JA; Winter, RJ; Lewis, CA; Tolfree, SE; Rudd, RM. (1985). Clearance of 99m-technetium-labelled DTPA in asbestos-exposed subjects without clinical or radiological evidence of interstitial lung disease. *Br J Dis Chest.* 79: 37-42.
- Gellert, AR; Macey, MG; Uthayakumar, S; Newland, AC; Rudd, RM. (1985). Lymphocyte subpopulations in bronchoalveolar lavage fluid in asbestos workers. *Am Rev Respir Dis.* 132: 824-828. <http://dx.doi.org/10.1164/arrd.1985.132.4.824>.
- Gelono, C; Gianelli, G. (2007). A preliminary geochemical model of the fluid-rock interaction processes forming the eastern Liguria ophicalcite (northern Apennines, Italy). *Periodico di Mineralogia.* 76: 137-154. <http://dx.doi.org/10.2451/2007PM00112>.
- Gemmell, JB; Zantop, H; Meinert, LD. (1992). GENESIS OF THE AGUILAR ZINC-LEAD-SILVER DEPOSIT, ARGENTINA - CONTACT METASOMATIC VS SEDIMENTARY EXHALATIVE. *Econ Geol.* 87: 2085-2112.
- Gendek, EG; Brody, AR. (1990). Changes in lipid ordering of model phospholipid membranes treated with chrysotile and crocidolite asbestos. *Environ Res.* 53: 152-167.
- Gennaro, V; Ceppi, M; Boffetta, P; Fontana, V; Perrotta, A. (1994). Pleural mesothelioma and asbestos exposure among Italian oil refinery workers. *Scand J Work Environ Health.* 20: 213-215.
- Gennaro, V; Ceppi, M; Fontana, V; Perrotta, A; Silvano, S; Boffetta, P. (1995). PLEURAL MESOTHELIOMA IN OIL REFINERY WORKERS - REPLY. *Scand J Work Environ Health.* 21: 303-309.
- Gennaro, V; Finkelstein, MM; Ceppi, M; Fontana, V; Montanaro, F; Perrotta, A; Puntoni, R; Silvano, S. (1999). Lung tumors attributable to asbestos among oil refinery workers. *Epidemiology.* 10: S76-S76.
- Gennaro, V; Finkelstein, MM; Ceppi, M; Fontana, V; Montanaro, F; Perrotta, A; Puntoni, R; Silvano, S. (2000). Mesothelioma and lung tumors attributable to asbestos among petroleum workers. *Am J Ind Med.* 37: 275-282.

Exposure Literature Search Results

Off Topic

- Gennaro, V; Montanaro, F; Ceppi, M; Fontana, V; Perrotta, A; Puntoni, R. (2001). RE: Mesothelioma and lung tumors attributable to asbestos among petroleum workers. *Am. J. Ind. Med.* 2000. 37 : 275-282. I. Reply to Tsai et al.'s letter to the editor and new evidence. *Am J Ind Med.* 39: 517-521.
- Gennaro, V; Montanaro, F; Ceppi, M; Fontana, V; Perrotta, A; Puntoni, R; Finkelstein, MM; Silvano, S. (2001). RE: Mesothelioma and lung tumors attributable to asbestos among petroleum workers. *Am. J. Ind. Med.* 2000. 37 : 275-282. II. Reply to William J. Bailey's letter to the editor. *Am J Ind Med.* 39: 522-523.
- Gennaro, V; Tomatis, L. (2005). Business bias: How epidemiologic studies may underestimate or fail to detect increased risks of cancer and other diseases. *Int J Occup Environ Health.* 11: 356-359.
- Gentry, JW. (1987). SURVEY OF RECENT MEASUREMENTS WITH ASBESTOS FIBERS. *J Aerosol Sci.* 18: 47-486.
- Gentry, JW; Spurny, KR; Opiela, H; Weiss, G. (1980). MEASUREMENT OF COLLECTION EFFICIENCY OF AMOSITE FIBERS. *Ind Eng Chem Process Des Dev.* 19: 47-52.
- Gentry, JW; Spurny, KR; Schormann, J. (1989). COLLECTION EFFICIENCY OF ULTRAFINE ASBESTOS FIBERS EXPERIMENT AND THEORY. *Aerosol Sci Technol.* 11: 184-195.
- Gentry, JW; Spurny, KR; Schormann, J; Chang, YC; Han, RJ; Lien, P. (1992). ALGORITHM FOR CALCULATING THE COLLECTION EFFICIENCY OF NUCLEPORE FILTERS FOR FIBERS. *J Aerosol Sci.* 23: 139-152.
- Gentry, JW; Spurny, KR; Schormann, J; Han, RJ. (1990). FILTRATION AND DIFFUSION OF ASBESTOS FIBERS - COMPARISON OF EXPERIMENT AND THEORY. *J Aerosol Sci.* 21: S711-S714.
- George, G; Vishnu, VS; Reddy, MLP. (2011). The synthesis, characterization and optical properties of silicon and praseodymium doped Y6MoO12 compounds: Environmentally benign inorganic pigments with high NIR reflectance. *Dyes and Pigments.* 88: 109-115. <http://dx.doi.org/10.1016/j.dyepig.2010.05.010>.
- Gerde, P; Scholander, P. (1987). A hypothesis concerning asbestos carcinogenicity: the migration of lipophilic carcinogens in adsorbed lipid bilayers. *Ann Occup Hyg.* 31: 395-400.
- Gerde, P; Scholander, P. (1988). Adsorption of benzo(a)pyrene on to asbestos and manmade mineral fibres in an aqueous solution and in a biological model solution. *Br J Ind Med.* 45: 682-688.
- Gerhardsson de Verdier, M; Plato, N; Steineck, G; Peters, JM. (1992). Occupational exposures and cancer of the colon and rectum. *Am J Ind Med.* 22: 291-303.
- Germani, D; Belli, S; Bruno, C; Grignoli, M; Nesti, M; Pirastu, R; Comba, P. (1999). Cohort mortality study of women compensated for asbestosis in Italy. *Am J Ind Med.* 36: 129-134.
- Germine, M; Puffer, JH. (1981). DISTRIBUTION OF ASBESTOS IN THE BEDROCK OF THE NORTHERN NEW-JERSEY AREA. *Environ Geol.* 3: 337-351.
- Germine, M; Puffer, JH. (2015). Analytical Transmission Electron Microscopy of Amphibole Fibers From the Lungs of Quebec Miners. *Arch Environ Occup Health.* 70: 323-331. <http://dx.doi.org/10.1080/19338244.2014.918928>.
- Gervilla, F; Padron-Navarta, JA; Kerestedjian, T; Sergeeva, I; Gonzalez-Jimenez, JM; Fanlo, I. (2012). Formation of ferrian chromite in podiform chromitites from the Golyamo Kamenyane serpentinite, Eastern Rhodopes, SE Bulgaria: a two-stage process. *Contributions to Mineralogy and Petrology.* 164: 643-657. <http://dx.doi.org/10.1007/s00410-012-0763-3>.
- Geyh, A; Chillrud, S; Williams, D; Herbstman, J; Symons, J; Rees, K; Ross, J; Kim, S; Lim, H; Turpin, B; Breyse, P. (2005). Assessing truck driver exposure at the World Trade Center disaster site: personal and area monitoring for particulate matter and volatile organic compounds during October 2001 and April 2002. *J Occup Environ Hyg.* 2: 179-193. <http://dx.doi.org/10.1080/15459620590923154>.
- Ghaderi, N; Zhang, H; Sun, T, ao. (2015). Relative stability and contrasting elastic properties of serpentine polymorphs from first-principles calculations. *J Geophys Res Solid Earth.* 120: 4831-4842. <http://dx.doi.org/10.1002/2015JB012148>.
- Ghent, ED. (1988). TREMOLITE AND H2O ACTIVITY ATTENDING METAMORPHISM OF HORNBLende-PLAGIOCLASE-GARNET ASSEMBLAGES. *Contributions to Mineralogy and Petrology.* 98: 163-168.
- Ghio, AJ; Lefurgey, A; Roggli, VL. (1997). In vivo accumulation of iron on crocidolite is associated with decrements in oxidant generation by the fiber. *J Toxicol Environ Health.* 50: 125-142.
- Ghiorso, MS; Evans, BW. (2002). Thermodynamics of the amphiboles: Ca-Mg-Fe2+ quadrilateral. *Am Mineral.* 87: 79-98.
- Ghiorso, MS; Evans, BW; Hirschmann, MM; Yang, HX. (1995). THERMODYNAMICS OF THE AMPHIBOLES - FE-MG CUMMINGTONITE SOLID-SOLUTIONS. *Am Mineral.* 80: 502-519.
- Ghoorah, M; Dlugogorski, BZ; Oskierski, HC; Kennedy, EM. (2014). Study of thermally conditioned and weak acid-treated serpentinites for mineralisation of carbon dioxide. *Miner Eng.* 59: 17-30. <http://dx.doi.org/10.1016/j.mineng.2014.02.005>.
- Ghosh, D; Deb, A; Bera, S; Sengupta, R; Patra, KK. (2008). Assessment of alpha activity of building materials commonly used in West Bengal, India. *J Environ Radioact.* 99: 316-321. <http://dx.doi.org/10.1016/j.jenvrad.2007.08.002>.
- Giacco, G; McClarty, J; Buffler, P; Reeve, G; Guinee, V; Hurst, G. (1982). THE MORTALITY EXPERIENCE IN A COHORT OF WORKERS EXPOSED TO AMOSITE ASBESTOS. *Am J Epidemiol.* 116: 569-569.
- Giacomini, F; Boerio, V; Polattini, S; Tiepolo, M; Tribuzio, R; Zanetti, A. (2010). Evaluating asbestos fibre concentration in metaophiolites: a case study from the Voltri Massif and Sestri-Voltaggio Zone (Liguria, NW Italy). *Environ Earth Sci.* 61: 1621-1639. <http://dx.doi.org/10.1007/s12665-010-0475-9>.
- Giannasi, F. (2007). Ban on asbestos diaphragms in the chlorine-related chemical industry and efforts toward a worldwide ban. *Int J Occup Environ Health.* 13: 80-84. <http://dx.doi.org/10.1179/107735207800244983>.
- Giaroli, C; Belli, S; Bruno, C; Candela, S; Grignoli, M; Minisci, S; Poletti, R; Ricco, G; Vecchi, G; Et, AL. (1994). Mortality study of asbestos cement workers. *Int Arch Occup Environ Health.* 66: 7-11.

Exposure Literature Search Results

Off Topic

- Gibb, H; Fulcher, K; Nagarajan, S; Mccord, S; Fallahian, NA; Hoffman, HJ; Haver, C; Tolmachev, S. (2013). Analyses of radiation and mesothelioma in the US Transuranium and Uranium Registries. *Am J Public Health*. 103: 710-716. <http://dx.doi.org/10.2105/AJPH.2012.300928>.
- Gibbons, W. (1998). The exploitation and environmental legacy of amphibole asbestos: A late 20th century overview. *Environ Geochem Health*. 20: 213-230.
- Gibbs, AR; Gardner, MJ; Pooley, FD; Griffiths, DM; Blight, B; Wagner, JC. (1994). Fiber levels and disease in workers from a factory predominantly using amosite. *Environ Health Perspect*. 102 Suppl 5: 261-263.
- Gibbs, GV; Cox, DF; Ross, NL; Crawford, TD; Burt, JB; Rosso, KM. (2005). A mapping of the electron localization function for earth materials. *Physics and Chemistry of Minerals*. 32: 208-221. <http://dx.doi.org/10.1007/s00269-005-0463-x>.
- Gibbs, GW. (1970). Qualitative aspects of dust exposure in the Quebec asbestos mining and milling industry. *Inhaled Particles*. 2: 783-799.
- Gibbs, GW. (1994). THE ASSESSMENT OF EXPOSURE IN TERMS OF FIBERS. *Ann Occup Hyg*. 38: 477-487.
- Gibbs, GW; Baron, P; Beckett, ST; Dillen, R; Du Toit, RS; Koponen, M; Robock, K. (1977). A summary of asbestos fibre counting experience in seven countries. *Ann Occup Hyg*. 20: 321-332.
- Gibbs, GW; Du Toit, RSJ. (1973). Environmental Data In Mining. 8: 138-144.
- Gibbs, GW; Hwang, CY. (1975). Physical parameters of airborne asbestos fibres in various work environments--preliminary findings. *Am Ind Hyg Assoc J*. 36: 459-466. <http://dx.doi.org/10.1080/0002889758507271>.
- Gibbs, GW; Hwang, CY. (1980). Dimensions of airborne asbestos fibres. *IARC Sci Publ*. 1: 69-78.
- Gibbs, GW; Lachance, M. (1972). DUST EXPOSURE IN CHRYSOTILE ASBESTOS MINES AND MILLS OF QUEBEC. *Arch Environ Health*. 24: 189-&.
- Gibbs, GW; Lachance, M. (1974). Dust-fiber relationships in the Quebec chrysotile industry. *Arch Environ Occup Health*. 28: 69-71.
- Gibbs, GW; Valic, F; Browne, K. (1994). HEALTH RISKS ASSOCIATED WITH CHRYSOTILE ASBESTOS - A REPORT ON A WORKSHOP HELD IN JERSEY, CHANNEL-ISLANDS - 14-17 NOVEMBER 1993. *Ann Occup Hyg*. 38: 399-426.
- Gidarakos, E; Anastasiadou, K; Koumantakis, E; Nikolaos, S. (2008). Investigative studies for the use of an inactive asbestos mine as a disposal site for asbestos wastes. *J Hazard Mater*. 153: 955-965. <http://dx.doi.org/10.1016/j.jhazmat.2007.09.060>.
- Gil, L; Perez, MA; Bernat, E; Cruz, JJ. (2011). Loss of strength in asbestos-cement water pipes due to leaching. *Structural Engineering and Mechanics*. 40: 655-663.
- Gill, SPS; Kansal, ML. (1993). EFFECT OF REARING SYSTEM AND SHED DESIGN ON LAYER PERFORMANCE UNDER FIELD CONDITIONS. *Indian J Anim Sci*. 63: 1291-1294.
- Gillard, AC. (2012). Evaluation of routine screening of ethmoid adenocarcinoma (EADC) by ENT and nasal fibroscopy among employees and former employees exposed to wood dust for over 20 years. *Arch Mal Prof Environ*. 73: 3-8. <http://dx.doi.org/10.1016/j.admp.2011.12.009>.
- Gillen, TR. (1972). ASBESTOS-CEMENT PRESSURE PIPE. *J Am Water Works Assoc*. 64: 682-&.
- Gillis, KM; Thompson, G. (1993). METABASALTS FROM THE MID-ATLANTIC RIDGE - NEW INSIGHTS INTO HYDROTHERMAL SYSTEMS IN SLOW-SPREADING CRUST. *Contributions to Mineralogy and Petrology*. 113: 502-523.
- Gilmour, PS; Brown, DM; Beswick, PH; Macnee, W; Rahman, I; Donaldson, K. (1997). Free radical activity of industrial fibers: role of iron in oxidative stress and activation of transcription factors. *Environ Health Perspect*. 105 Suppl 5: 1313-1317.
- Gilmour, PS; Brown, DM; Lindsay, TG; Beswick, PH; Macnee, W; Donaldson, K. (1996). Adverse health effects of PM10 particles: involvement of iron in generation of hydroxyl radical. *Occup Environ Med*. 53: 817-822.
- Ginder-Vogel, M; Borch, T; Mayes, MA; Jardine, PM; Fendorf, S. (2005). Chromate reduction and retention processes within arid subsurface environments. *Environ Sci Technol*. 39: 7833-7839. <http://dx.doi.org/10.1021/es050535y>.
- Giordani, M; Mattioli, M; Dogan, M; Dogan, AU. (2016). Potential carcinogenic erionite from Lessini Mounts, NE Italy: Morphological, mineralogical and chemical characterization. *J Toxicol Environ Health A*. 79: 808-824. <http://dx.doi.org/10.1080/15287394.2016.1182453>.
- Girardi, P; Bressan, V; Merler, E. (2014). Past trends and future prediction of mesothelioma incidence in an industrialized area of Italy, the Veneto Region. *Cancer Epidemiology*. 38: 496-503. <http://dx.doi.org/10.1016/j.canep.2014.08.007>.
- Girnis, AV; Plaksenko, AN; Ryabchikov, ID; Suddaby, P. (1991). GEOCHEMICAL-PECULIARITIES OF ULTRAMAFIC XENOLITHS FROM NORITIC INTRUSIONS OF VORONEZH CRYSTALLINE MASSIF. *Geokhimiya*451-460.
- Gislard, A; Schorle, E; Letourneux, M; Ameille, J; Brochard, P; Clin, B; Conso, F; Laurent, F; Luc, A; Paris, C; Pairon, JC. (2013). [Compensation for occupational diseases after tomodensitometry screening for benign pleuro-pulmonary disease in a multiregional post-occupational medical surveillance program of asbestos-exposed retired workers]. *Rev Epidemiol Sante Publique*. 61: 11-20. <http://dx.doi.org/10.1016/j.respe.2012.06.402>.
- Gislason, S. R.; Veblen, DR; Livi, KJT. (1993). EXPERIMENTAL METEORIC WATER-BASALT INTERACTIONS - CHARACTERIZATION AND INTERPRETATION OF ALTERATION PRODUCTS. *Geochim Cosmo Acta*. 57: 1459-1471.
- Gisquet, E; Chamming's, S; Pairon, JC; Gilg Soit Ilg, A; Imbernon, E; Goldberg, M. (2011). [The determinants of under-reporting occupational diseases. The case of mesothelioma]. *Rev Epidemiol Sante Publique*. 59: 393-400. <http://dx.doi.org/10.1016/j.respe.2011.06.006>.
- Glass, LR; Brown, RC; Hoskins, JA. (1995). Health effects of refractory ceramic fibres: scientific issues and policy considerations [Review]. *Occup Environ Med*. 52: 433-440.
- Glencross, PM; Weinberg, JM; Ibrahim, JG; Christiani, DC. (1997). Loss of lung function among sheet metal workers: ten-year study. *Am J Ind Med*. 32: 460-466.
- Glovinova, E; Kucera, M; Pavel, J. (1994). TESTING HAZARDOUS ASBESTOS FIBERS IN ANIMAL-TISSUES. *Toxicol Environ Chem*. 43: 13-17.
- Gochfeld, M. (2005). Chronologic history of occupational medicine. *J Occup Environ Med*. 47: 96-114. <http://dx.doi.org/10.1097/01.jom.0000152917.0349.0e>.

Exposure Literature Search Results

Off Topic

- Godard, P; Delvaux, P; DELLAFAI.M; Mercier, JP. (1974). MECHANICAL-PROPERTIES OF IMPREGNATED ASBESTOS-CEMENT. *Polymer Engineering and Science*. 14: 429-434.
- Godbey, FW. (1988). Preliminary Survey Report: Evaluation of Brake Drum Service Controls at U.S. Army Armor Center, Fort Knox, Kentucky, Report No. CT-152-15A (pp. 152-115). (NIOSH/00181819). Godbey, FW.
- Godbey, FW; Cooper, TC; Sheehy, JW; O'Brien, DM; Van Wagenen, HD; Mcglothlin, JD; Todd, WF. (1987). In-Depth Survey Report: Evaluation of Brake Drum Service Controls at United States Postal Service, Vehicle Maintenance Facility, Nashville, Tennessee, Report No. CT-152-20B (pp. 152-120). (NIOSH/00175415). Godbey, FW; Cooper, TC; Sheehy, JW; O'Brien, DM; Van Wagenen, HD; Mcglothlin, JD; Todd, WF.
- Goergen, S; Saada, MA, li; Soulard, M; Rouleau, L; Patarin, J. (2010). Dry gel conversion synthesis of shape controlled MFI type zeolite materials. *Journal of Porous Materials*. 17: 635-641. <http://dx.doi.org/10.1007/s10934-009-9333-0>.
- Gold, B; Kathren, RL. (1998). Causes of death in a cohort of 260 plutonium workers. *Health Phys*. 75: 236-240.
- Gold, J; Amandusson, H; Krozer, A; Kasemo, B; Ericsson, T; Zanetti, G; Fubini, B. (1997). Chemical characterization and reactivity of iron chelator-treated amphibole asbestos. *Environ Health Perspect*. 105: 1021-1030. <http://dx.doi.org/10.2307/3433503>.
- Gold, J; Nilsson, B; Kasemo, B. (1995). MICROFABRICATED METAL AND OXIDE FIBERS FOR BIOLOGICAL APPLICATIONS. *Journal of Vacuum Science and Technology A*. 13: 2638-2644.
- Goldade, MP; O'Brien, WP. (2014). Use of direct versus indirect preparation data for assessing risk associated with airborne exposures at asbestos-contaminated sites. *J Occup Environ Hyg*. 11: 67-76. <http://dx.doi.org/10.1080/15459624.2013.843779>.
- Goldberg, M. (2001). [Asbestos: is there still a future for epidemiology?] [Editorial]. *Rev Epidemiol Sante Publique*. 49: 505-511.
- Goldberg, M. (2005). Are lung and pleural benign asbestos induced diseases a preliminary step in the pathogenic process of mesothelioma and lung cancer development? [Comment]. *Occup Environ Med*. 62: 663-664. <http://dx.doi.org/10.1136/oem.2005.021865>.
- Goldberg, M; Banaei, A; Goldberg, S; Auvert, B; Luce, D; Gueguen, A. (2000). Past occupational exposure to asbestos among men in France. *Scand J Work Environ Health*. 26: 52-61.
- Goldberg, M; Goldberg, S; Luce, D. (1999). [Regional differences in the compensation of pleural mesothelioma as occupational disease in France (1986-1993)]. *Rev Epidemiol Sante Publique*. 47: 421-431.
- Goldberg, M; Parent, M; Siemiatycki, J; Désy, M; Nadon, L; Richardson, L; Lakhani, R; Latreille, B; Valois, M. (2001). A case-control study of the relationship between the risk of colon cancer in men and exposures to occupational agents. *Am J Ind Med*. 39: 531-546.
- Goldberg, P; Goldberg, M; M-J, M; Hirsch, A; Tredaniel, J. (1991). Incidence of Pleural Mesothelioma in New Caledonia: A 10-Year Survey (1978-1987). *Arch Environ Health*. 46: 306-309.
- Goldberg, P; Leclerc, A; Luce, D; Morcet, JF; Brugere, J. (1997). Laryngeal and hypopharyngeal cancer and occupation: Results of a case-control study. *Occup Environ Med*. 54: 477-482.
- Goldberg, S; Suarez, DL. (2011). Influence of Soil Solution Cation Composition on Boron Adsorption by Soils. *Soil Sci*. 176: 80-83. <http://dx.doi.org/10.1097/SS.0b013e318203aec5>.
- Golden, RL. (1974). LONG-RANGE IMPACT OF ASBESTOS EXPOSURE. *Int J Occup Health Saf*. 43: 18-19.
- Goldfield, J; Brandt, FE. (1974). Dust control techniques in the asbestos industry. *Am Ind Hyg Assoc J*. 35: 799-808.
- Goldsmith, DF; Dellarco, M; Greer, MA. (2007). Risks and precautionary policies related to naturally occurring asbestos. *Epidemiology*. 18: S154-S155.
- Goldsmith, JR. (1986). Comparative epidemiology of men exposed to asbestos and man-made mineral fibers. *Am J Ind Med*. 10: 543-552.
- Goldstein, B; Carruth, RS. (2004). The precautionary principle and/or risk assessment in World Trade Organization decisions: A possible role for risk perception. *Risk Anal*. 24: 491-499.
- Goldstein, B; Rendall, REG; Webster, I. (1983). A comparison of the effects of exposure of baboons to crocidolite and fibrous-glass dusts. *Environ Res*. 32: 344-359.
- Goldstein, B; Webster, I; Rendall, REG; Skikne, MI. (1978). EFFECTS OF ASBESTOS - CEMENT DUST INHALATION ON BABOONS. *Environ Res*. 16: 216-225.
- Golladay, SA; Park, SH; Aust, AE. (1997). Efflux of reduced glutathione after exposure of human lung epithelial cells to crocidolite asbestos. *Environ Health Perspect*. 105 Suppl 5: 1273-1277.
- Gollmann, MAC; Capeletti, LB; Fisch, AG; dos Santos, JHZ; Miranda, MSL. (2008). Adsorbents for acetone in cyclohexane effluent employed in Ziegler-Natta catalyst process. *Adsorption*. 14: 805-813. <http://dx.doi.org/10.1007/s10450-008-9143-8>.
- Gollmann, MAC; Capeletti, LB; Miranda, MSL; dos Santos, JHZ. (2009). Modified-sorbents for acetone adsorption: Application in ethylene polymerization process. *Chem Eng J*. 147: 383-390. <http://dx.doi.org/10.1016/j.cej.2008.11.023>.
- Golmohammadi, A; Karimpour, MH; Shafaroudi, AM; Mazaheri, SA. (2015). Alteration-mineralization, and radiometric ages of the source pluton at the Sangan iron skarn deposit, northeastern Iran. *Ore Geol Rev*. 65: 545-563. <http://dx.doi.org/10.1016/j.oregeorev.2014.07.005>.
- Golubev, Y, uA; Ivanenko, VV. (2009). A calculation method of energy intensity of brake lining wear as related to temperature. *Journal of Friction and Wear*. 30: 258-260. <http://dx.doi.org/10.3103/S1068366609040059>.
- Golubeva, OY, u; Maslennikova, TP; Ulyanova, NY, u; Dyakina, MP. (2014). Sorption of lead(II) ions and water vapors by synthetic hydro- and aluminosilicates with layered, framework, and nanotube morphology. *Glass Physics and Chemistry*. 40: 250-255. <http://dx.doi.org/10.1134/S1087659614020084>.
- Gomes, MEP. (2008). Geochemistry of microgranular enclaves and host granite from Teloes (Vila Pouca de Aguiar), Northern Portugal. *Chem Erde*. 68: 69-80. <http://dx.doi.org/10.1016/j.chemer.2005.08.001>.
- Gomez, E; Rani, DA; Cheeseman, CR; Deegan, D; Wise, M; Boccaccini, AR. (2009). Thermal plasma technology for the treatment of wastes: A critical review [Review]. *J Hazard Mater*. 161: 614-626. <http://dx.doi.org/10.1016/j.jhazmat.2008.04.017>.

Exposure Literature Search Results

Off Topic

- Gómez, MG; Castañeda, R; López, VG; Vidal, MM; Villanueva, V; Espinosa, ME; Health, WGoHotCCoP. (2012). Evaluation of the national health surveillance program of workers previously exposed to asbestos in Spain (2008). *Gac Sanit.* 26: 45-50. <http://dx.doi.org/10.1016/j.gaceta.2011.06.012>.
- Gomezpugnaire, MT; Karsten, L; Sanchezvizcaino, VL. (1997). Phase relationships and P-T conditions of coexisting eclogite-blueschists and their transformation to greenschist-facies rocks in the Nerka Complex (Northern Urals). *Tectonophysics.* 276: 195-216.
- Goncalves, MRF; Phillipeto, CK; Vicenzi, J; Bergmann, CF. (2011). Evaluation of mechanical performance of cement matrix composites with dispersed phases used in substitution to asbestos. *Construction and Building Materials.* 25: 320-327. <http://dx.doi.org/10.1016/j.conbuildmat.2010.06.022>.
- Gong, J; Lambert, M; Zecchin, A; Simpson, A; Arbon, N; Kim, Y, il. (2016). Field study on non-invasive and non-destructive condition assessment for asbestos cement pipelines by time-domain fluid transient analysis. *Structural Health Monitoring.* 15: 113-124. <http://dx.doi.org/10.1177/1475921715624505>.
- Gong, KC; Zheng, YC. (1981). STRUCTURAL-CHANGES OF CIS-7,4-POLYBUTADIENE-PHENOL RESIN-ASBESTOS SYSTEMS IN HOT AIR. *Kautschuk Gummi Kunststoffe.* 34: 757-&.
- Gontier, F. (1972). [Asbestos dust, pleural calcifications and ship-building]. *Arch Mal Prof Med Trav Secur Soc.* 23: 124-126.
- Gonzalez Gomez, MF; Alvarez Castillo, MC; Martinez Vidal, M; Zimmermann Verdejo, M; Saguees Cifuentes, MJ. (2009). RECONSTRUCTION OF DYNAMIC COHORT OF WORKERS EXPOSED TO ASBESTOS IN THE COMMUNITY OF MADRID. PROBLEMS ENCOUNTERED. *Gac Sanit.* 23: 5-5.
- Gonzalez-Alvarez, I; Sweetapple, M; Lindley, ID; Kirakar, J. (2013). Hydrothermal Ni: Doriri Creek, Papua New Guinea. *Ore Geol Rev.* 52: 37-57. <http://dx.doi.org/10.1016/j.oregeorev.2012.10.001>.
- Gonzalezfernandez, E; Delaosa, PD; Martin, FR. (1987). COMPARISON OF AIA AND NIOSH METHODS ON ASBESTOS FIBER MEASUREMENTS IN THE WORKPLACE. *Ann Occup Hyg.* 31: 363-373.
- Gonzalez-Fernandez, E; Martín, FR. (1986). Comparison of NIOSH and AIA methods for evaluating asbestos fibres: effects of asbestos type, mounting medium, graticule type and counting rules. *Ann Occup Hyg.* 30: 397-410.
- Gonzalez-Jimenez, JM; Barra, F; Garrido, LNF; Reich, M; Satsukawa, T; Romero, R; Salazar, E; Colas, V; Orellana, F; Rabbia, O; Plissart, G; Morata, D. (2016). A secondary precious and base metal mineralization in chromitites linked to the development of a Paleozoic accretionary complex in Central Chile. *Ore Geol Rev.* 78: 14-40. <http://dx.doi.org/10.1016/j.oregeorev.2016.02.017>.
- Goodman, GE; Schaffer, S; Bankson, DD; Hughes, MP; Omenn, GS; Carotene; Co-Investigators, RET. (2001). Predictors of serum selenium in cigarette smokers and the lack of association with lung and prostate cancer risk. *Cancer Epidemiol Biomarkers Prev.* 10: 1069-1076.
- Goodman, GE; Thornquist, M; Kestin, M; Metch, B; Anderson, G; Omenn, GS. (1996). The association between participant characteristics and serum concentrations of beta-carotene, retinol, retinyl palmitate, and alpha-tocopherol among participants in the Carotene and Retinol Efficacy Trial (CARET) for prevention of lung cancer. *Cancer Epidemiol Biomarkers Prev.* 5: 815-821.
- Goodman, JE; Nascarella, MA; Valberg, PA. (2009). Ionizing radiation: a risk factor for mesothelioma [Review]. *Cancer Causes Control.* 20: 1237-1254. <http://dx.doi.org/10.1007/s10552-009-9357-4>.
- Goodman, M; Morgan, RW; Ray, R; Malloy, CD; Zhao, K. (1999). Cancer in asbestos-exposed occupational cohorts: a meta-analysis. *Cancer Causes Control.* 10: 453-465.
- Goodman, M; Teta, MJ; Hessel, PA; Garabrant, DH; Craven, VA; Scrafford, CG; Kelsh, MA. (2004). Mesothelioma and lung cancer among motor vehicle mechanics: a meta-analysis [Review]. *Ann Occup Hyg.* 48: 309-326. <http://dx.doi.org/10.1093/annhyg/meh022>.
- Goodwin, LB; Renne, PR. (1991). EFFECTS OF PROGRESSIVE MYLONITIZATION ON AR RETENTION IN BIOTITES FROM THE SANTA ROSA MYLONITE ZONE, CALIFORNIA, AND THERMOCHRONOLOGICAL IMPLICATIONS. *Contributions to Mineralogy and Petrology.* 108: 283-297.
- Goodwin, SS; Stanbury, M; Wang, ML; Silbergeld, E; Parker, JE. (2003). Previously undetected silicosis in New Jersey decedents. *Am J Ind Med.* 44: 304-311. <http://dx.doi.org/10.1002/ajim.10260>.
- Gordon, R; Fitzgerald, S; Millette, J. (2015). Asbestos in commercial cosmetic talcum powder as a cause of mesothelioma in women [Erratum]. *Int J Occup Environ Health.* 21: 347-348. <http://dx.doi.org/10.1080/10773525.2015.1122368>.
- Gordon, RE. (2015). Response to RE: Gordon R, Fitzgerald S, and Millette J. Asbestos in commercial cosmetic talcum powder as a cause of mesothelioma in women. *Int J Occup Environ Health.* 2014;20(4):318-332 [Letter]. *Int J Occup Environ Health.* 21: 342-346. <http://dx.doi.org/10.1080/10773525.2015.1122367>.
- Gori, F; Corasaniti, S. (2014). Effective thermal conductivity of composites. *Int J Heat Mass Tran.* 77: 653-661. <http://dx.doi.org/10.1016/j.ijheatmasstransfer.2014.05.047>.
- Gorman, T; Johnston, R; Mcivor, A; Watterson, A. (2004). Asbestos in Scotland [Review]. *Int J Occup Environ Health.* 10: 183-192. <http://dx.doi.org/10.1179/oeh.2004.10.2.183>.
- Gormley, IP; Bolton, RE; Brown, GM; Davis, JMG; Wright, A. (1983). Some Observations On The In Vitro Cytotoxicity Of Chrysotile Prepared By The Wet Dispersion Process. *Environ Health Perspect.* 51: 35-39.
- Gorski, CH; Stettler, LE. (1975). ADSORPTION OF WATER AND BENZENE ON AMOSITE AND CHRYSOTILE ASBESTOS. *Am Ind Hyg Assoc J.* 36: 292-298.
- Got, C. (2008). [Processes involved in decision-making: the asbestos example]. *Sante Publique.* 20: 357-366.
- Gotloib, L; Wajsbrot, V; Shostak, A. (2005). A short review of experimental peritoneal sclerosis: from mice to men [Review]. *Int J Artif Organs.* 28: 97-104.
- Gottesfeld, P. (1989). EVALUATING STRATEGIES FOR COLLECTING AND ANALYZING BULK SAMPLES - A CASE-STUDY OF AN ASBESTOS HAZARD EMERGENCY RESPONSE ACT (AHERA) BUILDING INSPECTION. *Am Ind Hyg Assoc J.* 50: A428-A430.

Exposure Literature Search Results

Off Topic

- Gottesfeld, P. (2010). Libby trial ends but asbestos hazards remain in buildings. *Int J Occup Environ Health*. 16: 87-88. <http://dx.doi.org/10.1179/107735210800546083>.
- Gottschalk, M; Andrut, M. (1998). Structural and chemical characterization of synthetic (Na,K)-richterite solid solutions by EMP, HRTEM, XRD and OH-valence vibrational spectroscopy. *Physics and Chemistry of Minerals*. 25: 101-111.
- Gottschalk, M; Najorka, J; Andrut, M. (1998). Structural and compositional characterization of synthetic (Ca,Sr)-tremolite and (Ca,Sr)-diopside solid solutions. *Physics and Chemistry of Minerals*. 25: 415-428.
- Gotze, JP; Lindeskog, P; Tornquist, CSI. (1994). EFFECTS OF INDUCTION AND AGE-DEPENDENT ENZYME EXPRESSION ON LUNG BIOAVAILABILITY, METABOLISM, AND DNA-BINDING OF URBAN AIR PARTICULATE-ABSORBED BENZO[A]PYRENE, 2-NITROFLUORENE, AND 3-AMINO-1,4-DIMETHYL-5H-PYRIDOL-(4,3)-INDOLE. *Environ Health Perspect*. 102: 147-156.
- Gough, M. (1983). Sources and interpretation of asbestos exposure data. *J Toxicol Clin Toxicol*. 21: 211-235.
- Gough, M. (1988). UNCLE-SAM FLUNKS ASBESTOS CONTROL IN SCHOOLS. *Issues Sci Technol*. 4: 81-85.
- Goulding, R. (1988). ASBESTOS AND OTHER NATURAL MINERAL FIBERS - UN-ENVIRONM-PROGRAMME-INT-LAB-ORG-WHO. *J R Soc Health*. 108: 38-38. <http://dx.doi.org/10.1177/146642408810800125>.
- Goulding, R. (1988). Book Reviews : EHC 53: Asbestos and Other Natural Mineral Fibres by The United Nations Environmental Programme, the International Labour Organisation and the WHO. Published by WHO, Geneva, 1986. Price Sw. Fr. 16. Paperback. Pp 194. ISBN: 92 4 154193 8. *J Roy Soc Promot Health*. 108: 38-38.
- Gouriet, K; Hilairet, N; Amiguet, E; Bolfan-Casanova, N; Wang, Y; Reynard, B; Cordier, P. (2015). Plasticity of the dense hydrous magnesium silicate phase A at subduction zones conditions. *Phys Earth Planet In*. 248: 1-11. <http://dx.doi.org/10.1016/j.pepi.2015.09.004>.
- Gournis, D; Karakassides, MA; Petridis, D. (2002). Formation of hydroxyl radicals catalyzed by clay surfaces. *Physics and Chemistry of Minerals*. 29: 155-158. <http://dx.doi.org/10.1007/s002690100215>.
- Governa, M; Amati, M; Fontana, S; Visona, I; Botta, G; Mollo, F; Bellis, D; Bo, P. (1999). Role of iron in asbestos-body-induced oxidant radical generation (pp. 279-287). (ISSN 1528-7394; BIOSIS/00/05436). Governa, M; Amati, M; Fontana, S; Visona, I; Botta, G; Mollo, F; Bellis, D; Bo, P.
- Governa, M; Amati, M; Valentino, M; Visonà, I; Fubini, B; Botta, GC; Volpe, AR; Carmignani, M. (2000). In vitro cleavage by asbestos fibers of the fifth component of human complement through free-radical generation and kallikrein activation. *J Toxicol Environ Health A*. 59: 539-552.
- Governa, M; Rosanda, C. (1972). HISTOCHEMICAL STUDY OF ASBESTOS BODY COATING. *Br J Ind Med*. 29: 154-&.
- Governa, M; Vadala, CR. (1973). HISTOCHEMICAL STUDY OF ASBESTOS FIBER COATING IN EXPERIMENTAL CARRAGEENIN GRANULOMAS. *Br J Ind Med*. 30: 248-252.
- Graham, A; Higinbotham, J; Allan, D; Donaldson, K; Beswick, PH. (1999). Chemical differences between long and short amosite asbestos: differences in oxidation state and coordination sites of iron, detected by infrared spectroscopy. *Occup Environ Med*. 56: 606-611.
- Graham, CM; Navrotsky, A. (1986). THERMOCHEMISTRY OF THE TREMOLITE-EDENITE AMPHIBOLES USING FLUORINE ANALOGS, AND APPLICATIONS TO AMPHIBOLE-PLAGIOCLASE-QUARTZ EQUILIBRIA. *Contributions to Mineralogy and Petrology*. 93: 18-32.
- Graham, IT; Franklin, BJ; Marshall, B. (1996). Chemistry and mineralogy of podiform chromitite deposits, southern NSW, Australia: A guide to their origin and evolution. *Mineralogy and Petrology*. 57: 129-150.
- Gralley, L; Ayer, H; Amoudri, C; Holmes, S; Ocella, E. (1973). [Assessment of the effect of asbestos in the industrial environment. (Recommendations of the Subcommittee on Asbestosis of the Permanent Committee and of the International Occupational Disease Association)]. *Gig Sanit*. 38: 76-79.
- Gramond, C; Rolland, P; Lacourt, A; Ducamp, S; Chamming's, S; Creau, Y; Hery, M; Laureillard, J; Mohammed-Brahim, B; Orłowski, E, wa; Paris, C; Pairon, JC; Goldberg, M; Brochard, P; Grp, PS. (2012). Choice of rating method for assessing occupational asbestos exposure: Study for compensation purposes in France. *Am J Ind Med*. 55: 440-449. <http://dx.doi.org/10.1002/ajim.22008>.
- Granat, K; Nowak, D; Pigiel, M; Florczak, W; Opyd, B. (2015). Application of microwave radiation in innovative process of neutralising asbestos-containing wastes. 15: 188-194. <http://dx.doi.org/10.1016/j.acme.2014.05.012>.
- Grandjean, P; Bach, E. (1986). Indirect exposures: the significance of bystanders at work and at home. *Am Ind Hyg Assoc J*. 47: 819-824. <http://dx.doi.org/10.1080/15298668691390719>.
- Granieri, A. (2015). Community exposure to asbestos in Casale Monferrato: from research on psychological impact to a community needs-centered healthcare organization. *Ann Ist Super Sanita*. 51: 336-341. http://dx.doi.org/10.4415/ANN_15_04_14.
- Grant, CD; Campbell, CJ; Charnock, NR. (2002). Selection of species suitable for derelict mine site rehabilitation in New South Wales, Australia. *Water Air Soil Pollut*. 139: 215-235.
- Graveland, A. (1998). Particle and micro-organism removal in conventional and advanced treatment technology. *Water Sci Technol*. 37: 125-134.
- Green, FHY; Harley, R; Vallyathan, V; Althouse, R; Fick, G; Dement, J; Mitha, R; Pooley, F. (1997). Exposure and mineralogical correlates of pulmonary fibrosis in chrysotile asbestos workers. *Occup Environ Med*. 54: 549-559.
- Greenberg, M. (1970). Asbestos release from battery boxes. *Ann Occup Hyg*. 13: 79-80.
- Greenberg, M. (1994). DUST EXPOSURE AND MORTALITY IN CHRYSOTILE MINING, 1910-76 [Letter]. *Occup Environ Med*. 51: 431-431.
- Greenberg, M. (1994). Thoughts inspired by reading the correspondence: Hughes and Weill vs. Roggli et al., April 1994. *Am J Ind Med*. 26: 843-844.
- Greenberg, M. (1996). Malignant mesothelioma in paper mill workers: Where might the asbestos have come from? [Letter]. *Am J Ind Med*. 30: 641-641. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199611\)30:5<641::AID-AJIM13>3.0.CO;2-3](http://dx.doi.org/10.1002/(SICI)1097-0274(199611)30:5<641::AID-AJIM13>3.0.CO;2-3).
- Greenberg, M. (1997). A battle for compensation for Welsh coal miners: JS Haldane v "Sericite" Jones, 1932-1934. *Am J Ind Med*. 32: 309-314. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199709\)32:3<309::AID-AJIM19>3.0.CO;2-Z](http://dx.doi.org/10.1002/(SICI)1097-0274(199709)32:3<309::AID-AJIM19>3.0.CO;2-Z).

Exposure Literature Search Results

Off Topic

- Greenberg, M. (1997). Lung cancer in asbestos cement workers in Denmark [Letter]. *Occup Environ Med.* 54: 143.
- Greenberg, M. (1997). Professor Matthew Stewart: asbestosis research 1929-1934. *Am J Ind Med.* 32: 562-569.
- Greenberg, M. (1999). A study of lung cancer mortality in asbestos workers: Doll, 1955. *Am J Ind Med.* 36: 331-347.
- Greenberg, M. (2003). Biological effects of asbestos: New York Academy of Sciences 1964. *Am J Ind Med.* 43: 543-552.
<http://dx.doi.org/10.1002/ajim.10192>.
- Greenberg, M. (2003). Cape Asbestos, Barking, health and environment: 1928-1946. *Am J Ind Med.* 43: 109-119.
<http://dx.doi.org/10.1002/ajim.10147>.
- Greenberg, M. (2004). The British approach to asbestos standard setting: 1898-2000. *Am J Ind Med.* 46: 534-541.
<http://dx.doi.org/10.1002/ajim.20083>.
- Greenberg, M. (2004). The doctors and the dockers. *Am J Ind Med.* 45: 573-581. <http://dx.doi.org/10.1002/ajim.20011>.
- Greenberg, M. (2004). Loyalty of the asbestos worker: a brief historical note. *Am J Ind Med.* 45: 475-477. <http://dx.doi.org/10.1002/ajim.10366>.
- Greenberg, M. (2004). Mineral fiber problems and their management: UK 1890-1935. *Am J Ind Med.* 46: 304-311.
<http://dx.doi.org/10.1002/ajim.20056>.
- Greenberg, M. (2005). The art of perpetuating a public health hazard [Review]. *J Occup Environ Med.* 47: 137-144.
<http://dx.doi.org/10.1097/01.jom.0000152921.94835.f3>.
- Greenberg, M. (2005). Changing trends in US mesothelioma incidence [Letter]. *Occup Environ Med.* 62: 134.
<http://dx.doi.org/10.1136/oem.2004.018051>.
- Greenberg, M. (2005). A report on the health of asbestos, Quebec miners 1940. *Am J Ind Med.* 48: 230-237.
<http://dx.doi.org/10.1002/ajim.20206>.
- Greenberg, M. (2006). Estimating the number of asbestos-related cancer deaths in Great Britain [Letter]. *Ann Occup Hyg.* 50: 107-107.
<http://dx.doi.org/10.1093/annhyg/mei067>.
- Greenberg, M. (2006). Revising the British Occupational Hygiene Society asbestos standard: 1968-1982. *Am J Ind Med.* 49: 577-604.
<http://dx.doi.org/10.1002/ajim.20321>.
- Greenberg, M. (2008). The defence of chrysotile, 1912-2007. *Int J Occup Environ Health.* 14: 57-66. <http://dx.doi.org/10.1179/oeh.2008.14.1.57>.
- Greenberger, RN; Mustard, JF; Cloutis, EA; Pratt, LM; Sauer, PE; Mann, P; Turner, K; Dyar, MD; Bish, DL. (2015). Serpentinization, iron oxidation, and aqueous conditions in an ophiolite: Implications for hydrogen production and habitability on Mars. *Earth Planet Sci Lett.* 416: 21-34. <http://dx.doi.org/10.1016/j.epsl.2015.02.002>.
- Greenland, S; Salvan, A; Wegman, DH; Hallock, MF; Smith, TJ. (1994). A case-control study of cancer mortality at a transformer-assembly facility. *Int Arch Occup Environ Health.* 66: 49-54. <http://dx.doi.org/10.1007/BF00386579>.
- Grew, ES; Pertsev, NN; Vrana, S; Yates, MG; Shearer, CK; Wiedenbeck, M. (1998). Kornerupine parageneses in whiteschists and other magnesian rocks: is kornerupine plus talc a high-pressure assemblage equivalent to tourmaline plus orthoamphibole? *Contributions to Mineralogy and Petrology.* 131: 22-38.
- Greyvenstein, B; van Zyl, JE. (2007). An experimental investigation into the pressure-leakage relationship of some failed water pipes. *Journal of Water Supply: Research and Technology-AQUA.* 56: 117-124. <http://dx.doi.org/10.2166/aqua.2007.065>.
- Griffin, WL; Afonso, JC; Belousova, EA; Gain, SE; Gong, XH; Gonzalez-Jimenez, JM; Howell, D; Huang, JX; Mcgowan, N; Pearson, NJ; Satsukawa, T; Shi, R; Williams, P; Xiong, Q; Yang, JS; Zhang, M; O'Reilly, SY. (2016). Mantle Recycling: Transition Zone Metamorphism of Tibetan Ophiolitic Peridotites and its Tectonic Implications. *Journal of Petrology.* 57: 655-684. <http://dx.doi.org/10.1093/petrology/egw011>.
- Griffis, LC; Pickrell, JA; Carpenter, RL; Wolff, RK; Mcallen, SJ; Yerkes, KL. (1983). Deposition of crocidolite asbestos and glass microfibers inhaled by the beagle dog. *Am Ind Hyg Assoc J.* 44: 216-222. <http://dx.doi.org/10.1080/15298668391404671>.
- Grimson, RC. (1987). Apportionment of risk among environmental exposures: application to asbestos exposure and cigarette smoking. *J Occup Med.* 29: 253-255.
- Grimsrud, TK; Andersen, A. (2010). Evidence of carcinogenicity in humans of water-soluble nickel salts [Editorial]. *J Occup Med Toxicol.* 5: 7. <http://dx.doi.org/10.1186/1745-6673-5-7>.
- Grimsrud, TK; Berge, SR; Haldorsen, T; Andersen, A. (2005). Can lung cancer risk among nickel refinery workers be explained by occupational exposures other than nickel? *Epidemiology.* 16: 146-154. <http://dx.doi.org/10.1097/01.ede.0000152902.48916.d7>.
- Grimsrud, TK; Langseth, H; Engeland, A; Andersen, A. (1998). Lung and bladder cancer in a Norwegian municipality with iron and steel producing industry: population based case-control studies. *Occup Environ Med.* 55: 387-392.
- Grobety, B. (2003). Polytypes and higher-order structures of antigorite: A TEM study. *Am Mineral.* 88: 27-36.
- Grobety, BH. (1996). New short-range biopyribole polysomes from the Lepontine Alps, Switzerland. *Am Mineral.* 81: 404-417.
- Grobety, BH. (1997). The replacement of anthophyllite by jimthompsonite: A model for hydration reactions in biopyriboles. *Contributions to Mineralogy and Petrology.* 127: 237-247.
- Groppo, C; Compagnoni, R. (2007). Metamorphic veins from the serpentinites of the Piemonte Zone, western Alps, Italy: a review. *Periodico di Mineralogia.* 76: 127-153. <http://dx.doi.org/10.2451/2007PM0021>.
- Groppo, C; Compagnoni, R. (2007). Ubiquitous fibrous antigorite veins from the Lanzo Ultramafic Massif, Internal Western Alps (Italy): characterisation and genetic conditions. *Periodico di Mineralogia.* 76: 169-181. <http://dx.doi.org/10.2451/2007PM0014>.
- Groppo, C; Forster, M; Lister, G; Compagnoni, R. (2009). Glaucophane schists and associated rocks from Sifnos (Cyclades, Greece): New constraints on the P-T evolution from oxidized systems. *Lithos.* 109: 254-273. <http://dx.doi.org/10.1016/j.lithos.2008.10.005>.
- Groppo, C; Tomatis, M; Turci, F; Gazzano, E; Ghigo, D; Compagnoni, R; Fubini, B. (2005). Potential toxicity of nonregulated asbestiform minerals: Balangeroite from the western Alps. Part 1: Identification and characterization. *J Toxicol Environ Health A.* 68: 1-19. <http://dx.doi.org/10.1080/15287390590523867>.

Exposure Literature Search Results

Off Topic

- Gross, P. (1974). Is short-fibered asbestos dust a biological hazard? *Arch Environ Health*. 29: 115-117.
- Gross, P; Davis, JM; Harley, RA; de Treville, RT. (1973). Lymphatic transport of fibrous dust from the lungs. *J Occup Med*. 15: 186-189.
- Gross, P; DETREVIL.RT; Haller, MN. (1970). ASBESTOS VERSUS NONASBESTOS FIBERS - ULTRAMICROSCOPIC CRITERIA. *Arch Environ Health*. 20: 571-&.
- Gross, P; Harley, RA. (1973). LOCUS OF PATHOGENICITY OF ASBESTOS DUST - THEORY. *Arch Environ Health*. 27: 240-242.
- Grove, M; Bebout, GE. (1995). Cretaceous tectonic evolution of coastal southern California: Insights from the Catalina Schist. *Tectonics*. 14: 1290-1308.
- Grunthaler, KH; Konig, R; Poeschel, E. (1986). FIBROUS SUBSTITUTE FOR ASBESTOS IN BRAKE LININGS - POSSIBLE CANCERIGENIC EMISSIONS IN PROCESSING AND PREPARATION. *Arbeitsmedizin, Sozialmedizin, Praeventivmedizin*. 21: 331-331.
- Gu, L; Zheng, Y; Tang, X; Zaw, K; Della-Pasque, F; Wu, C; Tian, Z; Lu, J; Ni, P; Li, X; Yang, F; Wang, X. (2007). Copper, gold and silver enrichment in ore mylonites within massive sulphide orebodies at Hongtoushan VHMS deposit, N.E. China. *Ore Geol Rev*. 30: 1-29. <http://dx.doi.org/10.1016/j.oregeorev.2005.09.001>.
- Gualtieri, AF; Andreozzi, GB; Giacobbe, C; Lusvardi, G; Viti, C. (2011). Structural and spectroscopic characterization of anorthite synthesized from secondary raw materials. *Periodico di Mineralogia*. 80: 231-245. <http://dx.doi.org/10.2451/2011PM0018>.
- Gualtieri, AF; Boccaletti, M. (2011). Recycling of the product of thermal inertization of cement-asbestos for the production of concrete. *Construction and Building Materials*. 25: 3561-3569. <http://dx.doi.org/10.1016/j.conbuildmat.2011.03.049>.
- Gualtieri, AF; Cavenati, C; Zanatto, I; Meloni, M; Elmi, G; Gualtieri, ML. (2008). The transformation sequence of cement-asbestos slates up to 1200 degrees C and safe recycling of the reaction product in stoneware tile mixtures. *J Hazard Mater*. 152: 563-570. <http://dx.doi.org/10.1016/j.jhazmat.2007.07.037>.
- Gualtieri, AF; Foresti, E; Lesci, IG; Roveri, N; Gualtieri, ML; Dondi, M; Zapparoli, M. (2009). The thermal transformation of Man Made Vitreous Fibers (MMVF) and safe recycling as secondary raw materials (SRM). *J Hazard Mater*. 162: 1494-1506. <http://dx.doi.org/10.1016/j.jhazmat.2008.06.066>.
- Gualtieri, AF; Giacobbe, C; Rinaudo, C; Croce, A; Allegrina, M; Gaudino, G; Yang, H; Carbone, M. (2013). Preliminary results of the spectroscopic and structural characterization of mesothelioma inducing crocidolite fibers injected in mice. *Periodico di Mineralogia*. 82: 299-312. <http://dx.doi.org/10.2451/2013PM0018>.
- Gualtieri, AF; Giacobbe, C; Sardisco, L; Saraceno, M; Gualtieri, ML; Lusvardi, G; Cavenati, C; Zanatto, I. (2011). Recycling of the product of thermal inertization of cement-asbestos for various industrial applications. *Waste Manag*. 31: 91-100. <http://dx.doi.org/10.1016/j.wasman.2010.07.006>.
- Gualtieri, AF; Giacobbe, C; Viti, C. (2012). The dehydroxylation of serpentine group minerals. *Am Mineral*. 97: 666-680. <http://dx.doi.org/10.2138/am.2012.3952>.
- Gualtieri, AF; Gualtieri, ML; Meneghini, C. (2008). In situ high-temperature synchrotron powder diffraction study of the thermal decomposition of cement-asbestos. *Powder Diffraction*. 23: 323-328. <http://dx.doi.org/10.1154/1.2991362>.
- Gualtieri, AF; Gualtieri, ML; Tonelli, M. (2008). In situ ESEM study of the thermal decomposition of chrysotile asbestos in view of safe recycling of the transformation product. *J Hazard Mater*. 156: 260-266. <http://dx.doi.org/10.1016/j.jhazmat.2007.12.016>.
- Gualtieri, AF; Levy, D; Belluso, E; Dapiaggi, M. (2004). Kinetics of the decomposition of crocidolite asbestos: A preliminary real-time X-ray powder diffraction study. *Materials Science Forum*. 443-4: 291-294.
- Gualtieri, AF; Pollastri, S; Gandolfi, NB; Ronchetti, F; Albino, C; Cavallo, A; Zanetti, G; Marini, P; Sala, O. (2014). Determination of the concentration of asbestos minerals in highly contaminated mine tailings: An example from abandoned mine waste of Cretaz and Emarese (Valle d'Aosta, Italy). *Am Mineral*. 99: 1233-1247. <http://dx.doi.org/10.2138/am.2014.4708>.
- Gualtieri, AF; Tartaglia, A. (2000). Thermal decomposition of asbestos and recycling in traditional ceramics. *J Eur Ceram Soc*. 20: 1409-1418.
- Gualtieri, AF; Veratti, L; Tucci, A; Esposito, L. (2012). Recycling of the product of thermal inertization of cement-asbestos in geopolymers. *Construction and Building Materials*. 31: 47-51. <http://dx.doi.org/10.1016/j.conbuildmat.2011.12.087>.
- Gualtieri, AF; Viani, A; Sgarbi, G; Lusvardi, G. (2012). In vitro biodurability of the product of thermal transformation of cement-asbestos. *J Hazard Mater*. 205-206: 63-71. <http://dx.doi.org/10.1016/j.jhazmat.2011.12.005>.
- Gualtieri, AF; Zanni, M. (1998). Quantitative determination of crystalline and amorphous phase in traditional ceramics by combined Rietveld-RIR method. *Materials Science Forum*. 278-2: 834-839.
- Guberan, E; Usel, M. (1987). RISK OF CANCER IN BUILDINGS CONTAINING SPRAYED ASBESTOS INSULATING MATERIAL - MYTH OR REALITY. *Soz Praeventivmed*. 32: 246-248.
- Guénel, P; Imbernon, E; Chevalier, A; Crinquand-Calastreng, A; Goldberg, M. (2002). Leukemia in relation to occupational exposures to benzene and other agents: A case-control study nested in a cohort of gas and electric utility workers. *Am J Ind Med*. 42: 87-97. <http://dx.doi.org/10.1002/ajim.10090>.
- Guida, F; Paget-Bailly, S; Lamkarkach, F; Gaye, O; Ducamp, S; Menvielle, G; Papadopoulos, A; Matrat, M; Févotte, J; Cénée, S; Cyr, D; Schmaus, A; Carton, M; Radoi, L; Lapôtre-Ledoux, B; Molinié, F; Luce, D; Stücker, I. (2013). Risk of lung cancer associated with occupational exposure to mineral wools: updating knowledge from a french population-based case-control study, the ICARE study. *J Occup Environ Med*. 55: 786-795. <http://dx.doi.org/10.1097/JOM.0b013e318289ee8b>.
- Guidotti, TL. (2002). Apportionment in asbestos-related disease for purposes of compensation [Review]. *Ind Health*. 40: 295-311.
- Guidotti, TL. (2013). Why pretend that "non-asbestos" fibrous silicates are not "asbestos"? [Editorial]. *Arch Environ Occup Health*. 68: 187-189. <http://dx.doi.org/10.1080/19338244.2012.760363>.
- Guidotti, TL. (2016). Conflict of interest in EOH research. *Arch Environ Occup Health*. 71: 127-128. <http://dx.doi.org/10.1080/19338244.2016.1171090>.

Exposure Literature Search Results

Off Topic

- Guignon, N; Sandret, N; Vincent, R. (2005). [Exposures to carcinogens, mutagens and reprotoxic substances]. DMT471-483.
- Guilhaumou, N; Sautter, V; Dumas, P. (2005). Synchrotron FTIR microanalysis of volatiles in melt inclusions and exsolved particles in ultramafic deep-seated garnets. *Chem Geol.* 223: 82-92. <http://dx.doi.org/10.1016/j.chemgeo.2005.05.008>.
- Guilianelli, C; Baeza-Squiban, A; Boisvieux-Ulrich, E; Houcine, O; Zalma, R; Guennou, C; Pezerat, H; Marano, F. (1993). Effect of mineral particles containing iron on primary cultures of rabbit tracheal epithelial cells: possible implication of oxidative stress. *Environ Health Perspect.* 101: 436-442.
- Guillemin, MP; Litzistorf, G; Buffat, PA. (1989). URINARY FIBERS IN OCCUPATIONAL EXPOSURE TO ASBESTOS. *Ann Occup Hyg.* 33: 219-234.
- Guillot, S; Faik, A; Rakhmatullin, A; Lambert, J; Veron, E; Echegut, P; Bessada, C; Calvet, N; Py, X. (2012). Corrosion effects between molten salts and thermal storage material for concentrated solar power plants. *Appl Energ.* 94: 174-181. <http://dx.doi.org/10.1016/j.apenergy.2011.12.057>.
- Guillot, S; Hattori, K. (2013). Serpentinites: Essential Roles in Geodynamics, Arc Volcanism, Sustainable Development, and the Origin of Life. *Elements.* 9: 95-98. <http://dx.doi.org/10.2113/gselements.9.2.95>.
- Guillot, S; Hattori, KH; de Sigoyer, J; Nagler, T; Auzende, AL. (2001). Evidence of hydration of the mantle wedge and its role in the exhumation of eclogites. *Earth Planet Sci Lett.* 193: 115-127.
- Guillot, S; Schwartz, S; Reynard, B; Agard, P; Prigent, C. (2015). Tectonic significance of serpentinites. *Tectonophysics.* 646: 1-19. <http://dx.doi.org/10.1016/j.tecto.2015.01.020>.
- Guimaraes, L; Enyashin, AN; Seifert, G; Duarte, HA. (2010). Structural, Electronic, and Mechanical Properties of Single-Walled Halloysite Nanotube Models. *J Phys Chem C.* 114: 11358-11363. <http://dx.doi.org/10.1021/jp100902e>.
- Gul, J; Saleemi, AR; Mirza, S; Feroze, N; Mansha, M. (2010). Thermal and mechanical characteristics of cork filled insulation for aerospace applications. *Plastics, Rubber and Composites.* 39: 28-32. <http://dx.doi.org/10.1179/174328910X12608851832010>.
- Gulino, GR; Polimeni, M; Prato, M; Gazzano, E; Kopecka, J; Colombatto, S; Ghigo, D; Aldieri, E. (2015). Effect of Chrysotile Exposure in Human Bronchial Epithelial Cells: Insights on the Pathogenic Mechanisms of Asbestos-Related Diseases. *Environ Health Perspect.* 124: 776-784. <http://dx.doi.org/10.1289/ehp.1409627>.
- Gulumian, M. (2005). An update on the detoxification processes for silica particles and asbestos fibers: successess and limitations [Review]. *J Toxicol Environ Health B Crit Rev.* 8: 453-483. <http://dx.doi.org/10.1080/10937400590952547>.
- Gulumian, M; Bhoolia, DJ; Du Toit, RSJ; Rendall, REG; Pollak, H; Van Wyk, JA; Rhempula, M. (1993). Activation of UICC Crocidolite: The Effect of Conversion of Some Ferric Ions to Ferrous Ions. *Environ Res.* 60: 193-206.
- Gulumian, M; Nkosibomvu, ZL; Channa, K; Pollak, H. (1997). Can microwave radiation at high temperatures reduce the toxicity of fibrous crocidolite asbestos? *Environ Health Perspect.* 105: 1041-1044.
- Gun, R; Pratt, NL; Roder, DM; Ryan, P. (2006). Asbestos-related cancers in refinery workers in the Australian petroleum industry. *Arch Environ Occup Health.* 61: 11-16. <http://dx.doi.org/10.3200/AEOH.61.1.11-16>.
- Gun, RT; Parsons, J; Crouch, P; Ryan, P; Hiller, JE. (2008). Mortality and cancer incidence of Australian participants in the British nuclear tests in Australia. *Occup Environ Med.* 65: 843-848. <http://dx.doi.org/10.1136/oem.2007.034652>.
- Gun, RT; Pratt, N; Ryan, P; Roder, D. (2006). Update of mortality and cancer incidence in the Australian petroleum industry cohort. *Occup Environ Med.* 63: 476-481. <http://dx.doi.org/10.1136/oem.2005.023796>.
- Gun, RT; Pratt, NL; Griffith, EC; Adams, GG; Bisby, JA; Robinson, KL. (2004). Update of a prospective study of mortality and cancer incidence in the Australian petroleum industry. *Occup Environ Med.* 61: 150-156. <http://dx.doi.org/10.1136/oem.2002.005199>.
- Gunnarsson, I; Arnorsson, S; Jakobsson, S. (2005). Precipitation of poorly crystalline antigorite under hydrothermal conditions. *Geochim Cosmo Acta.* 69: 2813-2828. <http://dx.doi.org/10.1016/j.gca.2005.02.001>.
- Gunter, BJ. (1978). Health Hazard Evaluation Determination, Report No. HHE-78-112-535, Beech Aircraft Corporation, Boulder, Colorado, November, 1978. NIOSH: 19781978.
- Gunter, ME; Belluso, E; Mottana, A. (2007). Amphiboles: environmental and health concerns. *Rev Mineral Geochem.* 67: 453-516. <http://dx.doi.org/10.2138/rmg.2007.67.12>.
- Gunter, ME; Dyar, MD; Lanzirrotti, A; Tucker, JM; Speicher, EA. (2011). Differences in Fe-redox for asbestiform and nonasbestiform amphiboles from the former vermiculite mine, near Libby, Montana, USA. *Am Mineral.* 96: 1414-1417. <http://dx.doi.org/10.2138/am.2011.3800>.
- Gunter, ME; Dyar, MD; Twamley, B; Foit, FF, Jr; Cornelius, S. (2003). Composition, Fe³⁺/ΣFe, and crystal structure of non-asbestiform and asbestiform amphiboles from Libby, Montana, USA. *Am Mineral.* 88: 1970-1978.
- Gunter, ME; Sanchez, MS. (2008). Amphibole content of commercial vermiculites by powder X-ray diffraction. *Periodico di Mineralogia.* 77: 35-41. <http://dx.doi.org/10.2451/2008PM0011>.
- Gunter, ME; Sanchez, MS. (2009). Amphibole forensics: Using the composition of amphiboles to determine their source, the Libby, Montana, example. *Am Mineral.* 94: 837-840. <http://dx.doi.org/10.2138/am.2009.3224>.
- Guo, J; Kauppinen, T; Kyrrönen, P; Lindbohm, ML; Heikkilä, P; Pukkala, E. (2004). Occupational exposure to diesel and gasoline engine exhausts and risk of lung cancer among Finnish workers. *Am J Ind Med.* 45: 483-490. <http://dx.doi.org/10.1002/ajim.20013>.
- Guo, L, in; Morris, DG; Liu, X; Vaslet, C; Hurt, RH; Kane, AB. (2007). Iron bioavailability and redox activity in diverse carbon nanotube samples. *Chem Mater.* 19: 3472-3478. <http://dx.doi.org/10.1021/cm062691p>.
- Guo, X; Xiang, D; Duan, G; Mou, P. (2010). A review of mechanochemistry applications in waste management [Review]. *Waste Manag.* 30: 4-10. <http://dx.doi.org/10.1016/j.wasman.2009.08.017>.
- Gurtner, F; Minder, CE. (1993). [Cancer mortality according to occupation: implications for prevention]. *Soz Praventivmed.* 38 Suppl 2: S137-S139.

Exposure Literature Search Results

Off Topic

- Gurunath, PV; Bijwe, J. (2007). Friction and wear studies on brake-pad materials based on newly developed resin. *Wear*. 263: 1212-1219. <http://dx.doi.org/10.1016/j.wear.2006.12.050>.
- Gurunath, PV; Bijwe, J. (2009). Potential exploration of novel green resins as binders for NAO friction composites in severe operating conditions. *Wear*. 267: 789-796. <http://dx.doi.org/10.1016/j.wear.2009.02.012>.
- Gurvich, VB; Kogan, FM; Deminov, AG; Gusev'nikova, NA. (1983). [Current problems in occupational hygiene during extraction and concentration of asbestos]. *Gig Tr Prof Zabol*. 0: 1-5.
- Gurzau, ES; Neagu, C; Gurzau, AE. (2003). Essential metals--case study on iron [Review]. *Ecotoxicol Environ Saf*. 56: 190-200. [http://dx.doi.org/10.1016/S0147-6513\(03\)00062-9](http://dx.doi.org/10.1016/S0147-6513(03)00062-9).
- Guseva Canu, I; Cardis, E; Metz-Flamant, C; Caër-Lorho, S; Auriol, B; Wild, P; Laurier, D; Tirmarche, M. (2010). French cohort of the uranium processing workers: mortality pattern after 30-year follow-up. *Int Arch Occup Environ Health*. 83: 301-308. <http://dx.doi.org/10.1007/s00420-009-0455-0>.
- Guseva Canu, I; Paquet, F; Goldberg, M; Auriol, B; Bérard, P; Collomb, P; David, JC; Molina, G; Perez, P; Tirmarche, M. (2009). Comparative assessing for radiological, chemical, and physical exposures at the French uranium conversion plant: Is uranium the only stressor. *Int J Hyg Environ Health*. 212: 398-413. <http://dx.doi.org/10.1016/j.ijheh.2008.09.002>.
- Gustafson, LB; Quiroga, J. (1995). PATTERNS OF MINERALIZATION AND ALTERATION BELOW THE PORPHYRY COPPER OREBODY AT EL SALVADOR, CHILE. *Econ Geol*. 90: 2-16.
- Gustavsson, P; Ahlbom, A; Andersson, T; Schéele, P. (2003). Calculation of fractions of lung cancer incidence attributable to occupational exposure to asbestos and combustion products in Stockholm, Sweden. *Eur J Epidemiol*. 18: 937-940.
- Gustavsson, P; Evanoff, B; Hogstedt, C. (1993). INCREASED RISK OF ESOPHAGEAL CANCER AMONG WORKERS EXPOSED TO COMBUSTION PRODUCTS. *Arch Environ Health*. 48: 243-245.
- Gustavsson, P; Jakobsson, R. (2001). Re: "Occupational exposure and lung cancer risk: A population-based case-referent study in Sweden" - The first two authors reply. *Am J Epidemiol*. 153: 1029-1029.
- Guthrie, GD. (1992). BIOLOGICAL EFFECTS OF INHALED MINERALS. *Am Mineral*. 77: 225-243.
- Guthrie, GD. (1995). EAT, BREATHE, AND BE WARY - MINERALOGY IN ENVIRONMENTAL-HEALTH. *Rev Geophys*. 33: 117-121.
- Guthrie, GD. (1997). Mineral properties and their contributions to particle toxicity. *Environ Health Perspect*. 105: 1003-1011.
- Gwinn, MR. (2011). Multiple modes of action of asbestos and related mineral fibers. *J Toxicol Environ Health B Crit Rev*. 14: 1-2. <http://dx.doi.org/10.1080/10937404.2011.556044>.
- Gwinn, MR; Devoney, D; Jarabek, A; Sonawane, B; Wheeler, J; Weissman, DN; Masten, SA; Thompson, C. (2011). Mode(s) of Action of Asbestos and Related Mineral Fibers: A meeting summary report. *Environ Health Perspect*. 119: 1806-1810. <http://dx.doi.org/10.1289/ehp.1003240>.
- Gylseth, B; Baunan, R. (1981). Topographic and size distribution of asbestos bodies in exposed human lungs. *Scand J Work Environ Health*. 7: 190-195.
- Gylseth, B; Churg, A; Davis, JM; Johnson, N; Morgan, A; Mowe, G; Rogers, A; Roggli, V. (1985). Analysis of asbestos fibers and asbestos bodies in tissue samples from human lung. An international interlaboratory trial. *Scand J Work Environ Health*. 11: 107-110.
- Gylseth, B; Mowé, G; Wannag, A. (1983). Fibre type and concentration in the lungs of workers in an asbestos cement factory. *Br J Ind Med*. 40: 375-379.
- Gylseth, B; Ophus, EM; Mowé, G. (1979). Determination of inorganic fiber density in human lung tissue by scanning electron microscopy after low temperature ashing. *Scand J Work Environ Health*. 5: 151-157.
- Habashi, F. (1992). DYEING ASBESTOS FIBERS. *Text Chem Color*. 24: 23-25.
- Habashi, F; Awadalla, FT; Page, M. (1991). SURFACE MODIFICATION OF CHRYSOTILE ASBESTOS WITH ORGANIC-REAGENTS - A PRELIMINARY INVITRO TOXICOLOGICAL STUDY. 84: 67-79.
- Haber, SE; Haber, JM. (2011). Malignant mesothelioma: a clinical study of 238 cases. *Ind Health*. 49: 166-172.
- Habib, RR; Abdallah, SM; Law, M; Kaldor, J. (2005). Mortality rates among nuclear industry workers at Lucas Heights Science and Technology Centre. *Aust N Z J Public Health*. 29: 229-237.
- Habib, RR; Abdallah, SM; Law, M; Kaldor, J. (2006). Cancer incidence among Australian nuclear industry workers. *J Occup Health*. 48: 358-365.
- Hacker, BR; Abers, GA. (2012). Subduction Factory 5: Unusually low Poisson's ratios in subduction zones from elastic anisotropy of peridotite. *J Geophys Res Solid Earth*. 117. <http://dx.doi.org/10.1029/2012JB009187>.
- Ha-Duong, M; Casman, EA; Morgan, MG. (2004). Bounding poorly characterized risks: a lung cancer example. *Risk Anal*. 24: 1071-1083. <http://dx.doi.org/10.1111/j.0272-4332.2004.00508.x>.
- Haendeler, F; Hofmann, S. (1990). COMPARISON OF LEAKAGE AND STABILITY OF RUBBER-ASBESTOS, RUBBER-ASBESTOS SUBSTITUTE, AND GRAPHITE SEALS IN CHLOROBENZENE UNDER CONDITIONS OF THERMAL AND ALTERNATING STRESS. *Chem Ing Tech*. 62: 958-959.
- Hagemann, SG; Brown, PE; Ridley, J; Stern, P; Fournelle, J. (1998). Ore petrology, chemistry, and timing of electrum in the archean hypozonal transvaal lode gold deposit, western Australia. *Econ Geol*. 93: 271-291.
- Hagemeyer, O; Otten, H; Kraus, T. (2006). Asbestos consumption, asbestos exposure and asbestos-related occupational diseases in Germany [Review]. *Int Arch Occup Environ Health*. 79: 613-620. <http://dx.doi.org/10.1007/s00420-006-0091-x>.
- Hagino, H; Oyama, M; Sasaki, S. (2015). Airborne brake wear particle emission due to braking and accelerating. *Wear*. 334: 44-48. <http://dx.doi.org/10.1016/j.wear.2015.04.012>.
- Hagino, H; Oyama, M; Sasaki, S. (2016). Laboratory testing of airborne brake wear particle emissions using a dynamometer system under urban city driving cycles. *Atmos Environ*. 131: 269-278. <http://dx.doi.org/10.1016/j.atmosenv.2016.02.014>.

Exposure Literature Search Results

Off Topic

- Hahne, RMA; Landenberger, BD. (1993). THE USE OF SPIKED ASBESTOS SAMPLES TO DETERMINE ANALYTICAL PROFICIENCY OF COMMERCIAL LABORATORIES DOING FIBER COUNTING. *Am Ind Hyg Assoc J.* 54: 560-563.
- Hahon, N; Booth, JA; Eckert, HL. (1977). Antagonistic activity of poly (4-vinylpyridine-N-oxide) to the inhibition of viral interferon induction by asbestos fibres. *Br J Ind Med.* 34: 119-125.
- Hahon, N; Eckert, HL. (1976). Depression of viral interferon induction in cell monolayers by asbestos fibers. *Environ Res.* 11: 52-65.
- Hain, E; Hinz, I; Dalquen, P. (1975). [Retrospective study in 236 asbestos textile workers at hamburg (author's transl)]. *Int Arch Occup Environ Health.* 36: 119-136.
- Halama, R; Konrad-Schmolke, M. (2015). Retrograde metasomatic effects on phase assemblages in an interlayered blueschist-greenschist sequence (Coastal Cordillera, Chile). *Lithos.* 216: 31-47. <http://dx.doi.org/10.1016/j.lithos.2014.12.004>.
- Hall, SA. (1971). Occupational exposures to pollution. *J R Coll Physicians Lond.* 5: 379-384.
- Hall, SK. (1989). PULMONARY HEALTH RISK - ABNORMALITIES FOUND IN WORKERS HANDLING ASBESTOS PRODUCTS. *J Environ Health.* 52: 165-167.
- Hall, SK; Cissik, JH. (1982). Effects of cigarette smoking on pulmonary function in asymptomatic asbestos workers with normal chest radiograms. *Am Ind Hyg Assoc J.* 43: 381-386. <http://dx.doi.org/10.1080/15298668291409901>.
- Hallenbeck, W; Finn, M; Chen, E. (1900). Urine as a Biological Index of Human Exposure to Airborne Asbestos. 16.
- Hallenbeck, WH. (1981). CONSUMER PRODUCT-SAFETY - RISK ASSESSMENT OF EXPOSURE TO ASBESTOS EMISSIONS FROM HAND-HELD HAIR DRYERS - REBUTTAL. *Environ Manage.* 5: 19-22.
- Hallenbeck, WH; Chen, EH; Patelmandlik, K; Wolff, AH. (1977). PRECISION OF ANALYSIS FOR WATERBORNE CHRYSOTILE ASBESTOS BY TRANSMISSION ELECTRON-MICROSCOPY. *Bull Environ Contam Toxicol.* 17: 551-558.
- Hallenbeck, WH; Markey, DR; Dolan, DG. (1981). ANALYSES OF TISSUE, BLOOD, AND URINE SAMPLES FROM A BABOON RAVAGED WITH CHRYSOTILE AND CROCIDOLITE ASBESTOS. *Environ Res.* 25: 349-360.
- Hallenbeck, WH; Patelmandlik, KJ. (1979). PRESENCE OF FIBERS IN THE URINE OF A BABOON GAVAGED WITH CHRYSOTILE ASBESTOS. *Environ Res.* 20: 335-340.
- Hamblin, C; Ensor, B. (2004). Decommissioning of a liquid effluent treatment R&D facility. *Institution of Mechanical Engineers Proceedings Part E: Journal of Process Mechanical Engineering.* 218: 169-174.
- Hamedianfar, A; Shafri, HZM. (2016). Integrated approach using data mining-based decision tree and object-based image analysis for high-resolution urban mapping of WorldView-2 satellite sensor data. *J of Applied Remote Sensing.* 10. <http://dx.doi.org/10.1117/1.JRS.10.025001>.
- Hamedianfar, A; Shafri, HZM; Mansor, S; Ahmad, N. (2014). Combining data mining algorithm and object-based image analysis for detailed urban mapping of hyperspectral images. *J of Applied Remote Sensing.* 8. <http://dx.doi.org/10.1117/1.JRS.8.085091>.
- Hamilton, JA. (1983). Asbestos fibers, plasma and inflammation. *Environ Health Perspect.* 51: 281-285.
- Hamilton, JA. (1983). Suppression of the neutral protease activity of macrophages treated with asbestos in vitro. *Environ Health Perspect.* 51: 103-108.
- Hamilton, JA; Chan, JY; Movat, HZ. (1981). COAGULATION OF HUMAN-PLASMA BY ASBESTOS FIBERS. *Environ Res.* 26: 119-124.
- Hamilton, JA; Vadas, P; Hay, JB. (1981). MEASUREMENT OF BLOOD-FLOW AND VASCULAR-PERMEABILITY CHANGES IN RESPONSE TO 12-ORTHO-TETRADECANOYL-PHORBOYL-13-ACETATE AND TO ASBESTOS FIBERS. *J Toxicol Environ Health.* 8: 205-214. <http://dx.doi.org/10.1080/15287398109530064>.
- Hamilton, WT; Round, AP; Sharp, DJ; Peters, TJ. (2004). High incidence of mesothelioma in an English city without heavy industrial use of asbestos. *J Public Health (Oxf).* 26: 77-78. <http://dx.doi.org/10.1093/pubmed/fdh116>.
- Hammad, YY; Diem, J; Weill, H. (1979). Evaluation of dust exposure in asbestos cement manufacturing operations. *Am Ind Hyg Assoc J.* 40: 490-495. <http://dx.doi.org/10.1080/15298667991429877>.
- Hammar, SP; Abraham, JL. (2015). Commentary on pathologic diagnosis of asbestosis and critique of the 2010 Asbestosis Committee of the College of American Pathologists (CAP) and Pulmonary Pathology Society's (PPS) update on the diagnostic criteria for pathologic asbestosis. *Am J Ind Med.* 58: 1034-1039. <http://dx.doi.org/10.1002/ajim.22512>.
- Hammons, AS; Huff, JE. (1974). ASBESTOS - WORLD CONCERN, INVOLVEMENT AND CULPABILITY. *Int J Environ Stud.* 6: 247-252. <http://dx.doi.org/10.1080/00207237408709659>.
- Hammons, AS; Huff, JE. (2007). Asbestos: world concern, involvement and culpability. *Int J Environ Stud.* 6: 247-251.
- Hamra, GB; Loomis, D; Dement, J. (2014). Examining the association of lung cancer and highly correlated fibre size-specific asbestos exposures with a hierarchical Bayesian model. *Occup Environ Med.* 71: 353-357. <http://dx.doi.org/10.1136/oemed-2013-101965>.
- Hanaoka, T; Tsugane, S; Yamano, Y; Takahashi, T; Kasai, H; Natori, Y; Watanabe, S. (1993). Quantitative analysis of 8-hydroxyguanine in peripheral blood cells: an application for asbestosis patients. *Int Arch Occup Environ Health.* 65: S215-S217.
- Hanley, JJ; Bray, CJ. (2009). THE TRACE METAL CONTENT OF AMPHIBOLE AS A PROXIMITY INDICATOR FOR Cu-Ni-PGE MINERALIZATION IN THE FOOTWALL OF THE SUDBURY IGNEOUS COMPLEX, ONTARIO, CANADA. *Econ Geol.* 104: 113-125.
- Hannaford-Turner, K; Elder, D; Sim, MR; Abramson, MJ; Johnson, AR; Yates, DH. (2010). Surveillance of Australian workplace Based Respiratory Events (SABRE) in New South Wales. *Occup Med (Lond).* 60: 376-382. <http://dx.doi.org/10.1093/occmed/kqq011>.
- Hannant, DJ. (1995). FIBER REINFORCEMENT IN THE CEMENT AND CONCRETE INDUSTRY. *Mater Sci Tech.* 11: 853-861.
- Hannila, HH; Hallman, ED. (1979). ADSORPTION OF GOLD SOLS ON ASBESTOS SURFACE-CHARGE SITES. *Powder Technology.* 23: 149-157.
- Hannington, MD; Kjarsgaard, IM; Galley, AG; Taylor, B. (2003). Mineral-chemical studies of metamorphosed hydrothermal alteration in the Kristineberg volcanogenic massive sulfide district, Sweden. *Miner Depos.* 38: 423-442. <http://dx.doi.org/10.1007/s00126-002-0299-y>.

Exposure Literature Search Results

Off Topic

- Hannington, MD; Santaguida, F; Kjarsgaard, IM; Cathles, LM. (2003). Regional-scale hydrothermal alteration in the Central Blake River Group, western Abitibi subprovince, Canada: implications for VMS prospectivity. *Miner Depos.* 38: 393-422. <http://dx.doi.org/10.1007/s00126-002-0298-z>.
- Hansell, A. (2008). Airborne environmental exposure to asbestos [Editorial]. *Am J Respir Crit Care Med.* 178: 556-557. <http://dx.doi.org/10.1164/rccm.200806-859ED>.
- Hansen, ES. (2002). No effect or no information? Comments on a nested case-control study of lung cancer among European rock and slag wool production workers. *Int J Occup Environ Health.* 8: 281-283. <http://dx.doi.org/10.1179/oeh.2002.8.3.281>.
- Haque, AK; Ali, I; Vrazel, DM; Uchida, T. (2001). Chrysotile asbestos fibers detected in the newborn pups following gavage feeding of pregnant mice. *J Toxicol Environ Health A.* 62: 23-31.
- Haque, AK; Mancuso, MG; Williams, MG; Dodson, RF. (1992). Asbestos in organs and placenta of five stillborn infants suggests transplacental transfer. *Environ Res.* 58: 163-175.
- Haque, AK; Vrazel, DM. (1998). Transplacental transfer of asbestos in pregnant mice. *Bull Environ Contam Toxicol.* 60: 620-625. <http://dx.doi.org/10.1007/s001289900671>.
- Harber, AJ; Forth, RA. (2001). The contamination of former iron and steel works sites. *Environ Geol.* 40: 324-330.
- Harber, P; Lew, M; Tashkin, DP; Simmons, M. (1987). Factor analysis of clinical data from asbestos workers: implications for diagnosis and screening. *Br J Ind Med.* 44: 780-784.
- Harber, P; Merz, B; Lam, I; Yuan, M; Parker, JE; Chen, WL. (2000). Intelligent database generated occupational questionnaire system. *J Occup Environ Med.* 42: 483-490. <http://dx.doi.org/10.1097/00043764-200005000-00004>.
- Harber, P; Oren, A; Mohsenifar, Z; Lew, M. (1986). Obstructive airway disease as a risk factor for asbestos-associated malignancy. *J Occup Med.* 28: 82-86.
- Harber, P; Smitherman, J. (1991). Asbestosis: Diagnostic Dilution [Review]. *J Occup Environ Med.* 33: 786-793. <http://dx.doi.org/10.1097/00043764-199107000-00011>.
- Harbut, MR. (2007). Treatment of nonmalignant asbestos-related diseases [Editorial]. *Am J Ind Med.* 50: 71-72. <http://dx.doi.org/10.1002/ajim.20416>.
- Harbut, MR; Endress, C; Graff, JJ; Weis, C; Pass, H. (2009). Clinical Presentation of Asbestosis with Intractable Pleural Pain in the Adult Child of a Taconite Miner and Radiographic Demonstration of the Probable Pathology Causing the Pain. *Int J Occup Environ Health.* 15: 269-273. <http://dx.doi.org/10.1179/oeh.2009.15.3.269>.
- Harding, AH; Darnton, A; Osman, J. (2012). Cardiovascular disease mortality among British asbestos workers (1971-2005). *Occup Environ Med.* 69: 417-421. <http://dx.doi.org/10.1136/oemed-2011-100313>.
- Harding, AH; Darnton, A; Wegerdt, J; McElvenny, D. (2009). Mortality among British asbestos workers undergoing regular medical examinations (1971-2005). *Occup Environ Med.* 66: 487-495. <http://dx.doi.org/10.1136/oem.2008.043414>.
- Harding, AH; Darnton, AJ. (2010). Asbestosis and mesothelioma among British asbestos workers (1971-2005). *Am J Ind Med.* 53: 1070-1080. <http://dx.doi.org/10.1002/ajim.20844>.
- Hardt, JS; Vermeulen, R; Peters, S; Kromhout, H; McLaughlin, J. R.; Demers, PA. (2014). A comparison of exposure assessment approaches: lung cancer and occupational asbestos exposure in a population-based case-control study. *Occup Environ Med.* 71: 282-288. <http://dx.doi.org/10.1136/oemed-2013-101735>.
- Hardy, H; Egilman, D. (1991). Corruption of occupational medical literature: the asbestos example [Letter]. *Am J Ind Med.* 20: 127-129.
- Hardy, RJ; Highsmith, VR; Costa, DL; Krewer, JA. (1992). Indoor asbestos concentrations associated with the use of asbestos-contaminated tap water in portable home humidifiers. *Environ Sci Technol.* 26: 680-689.
- Harigane, Y; Michibayashi, K; Ohara, Y. (2008). Shearing within lower crust during progressive retrogression: Structural analysis of gabbroic rocks from the Godzilla Mullion, an oceanic core complex in the Parece Vela backarc basin. *Tectonophysics.* 457: 183-196. <http://dx.doi.org/10.1016/j.tecto.2008.06.009>.
- Harigane, Y; Michibayashi, K; Ohara, Y. (2011). Deformation and hydrothermal metamorphism of gabbroic rocks within the Godzilla Megamullion, Parece Vela Basin, Philippine Sea. *Lithos.* 124: 185-199. <http://dx.doi.org/10.1016/j.lithos.2011.02.001>.
- Harington, JS. (1992). MESOTHELIOMA AMONG WORKERS IN THE QUEBEC CHRYSOTILE MINING AND MILLING INDUSTRY [Letter]. *Am J Ind Med.* 22: 925-926.
- Harington, JS; Mcglashan, ND. (1998). South African asbestos: Production, exports, and destinations, 1959-1993 [Review]. *Am J Ind Med.* 33: 321-326.
- Harington, JS; Mcglashan, ND; Chelkowska, EZ. (2010). South Africa's export trade in asbestos: demise of an industry. *Am J Ind Med.* 53: 524-534. <http://dx.doi.org/10.1002/ajim.20784>.
- Harkin, TJ; McGuinness, G; Goldring, R; Cohen, H; Parker, JE; Crane, M; Naidich, DP; Rom, WN. (1996). Differentiation of the ILO boundary chest roentgenograph (0/1 to 1/0) in asbestosis by high-resolution computed tomography scan, alveolitis, and respiratory impairment. *J Occup Environ Med.* 38: 46-52.
- Harless, KW; Watanabe, S; Renzetti, AD. (1978). The acute effects of chrysotile asbestos exposure on lung function. *Environ Res.* 16: 360-372.
- Harlov, DE; Andersson, UB; Forster, HJ; Nystrom, JO; Dulski, P; Broman, C. (2002). Apatite-monazite relations in the Kiirunavaara magnetite-apatite ore, northern Sweden. *Chem Geol.* 191: 47-72.
- Harper, GD; Grady, K; Coulton, AJ. (1996). Origin of the amphibolite "sole" of the Josephine ophiolite: Emplacement of a cold ophiolite over a hot arc. *Tectonics.* 15: 296-313.
- Harper, M. (2008). 10th Anniversary Critical Review: Naturally occurring asbestos [Review]. *J Environ Monit.* 10: 1394-1408. <http://dx.doi.org/10.1039/b810541n>.

Exposure Literature Search Results

Off Topic

- Harper, M; Bartolucci, A. (2003). Preparation and examination of proposed consensus reference standards for fiber-counting. *AIHA J.* 64: 283-287.
- Harper, M; Butler, C; Berry, D; Wroble, J. (2015). Where occupation and environment overlap: US Forest Service worker exposure to Libby Amphibole fibers. *J Occup Environ Hyg.* 12: D47-D53. <http://dx.doi.org/10.1080/15459624.2014.989362>.
- Harper, M; Lee, E; Doorn, SS; Hammond, O. (2008). Differentiating Non-Asbestiform Amphibole and Amphibole Asbestos by Size Characteristics. *J Occup Environ Hyg.* 5: 761-770. <http://dx.doi.org/10.1080/15459620802462290>.
- Harper, M; Lee, EG; Slaven, JE; Bartley, DL. (2012). An inter-laboratory study to determine the effectiveness of procedures for discriminating amphibole asbestos fibers from amphibole cleavage fragments in fiber counting by phase-contrast microscopy. *Ann Occup Hyg.* 56: 645-659. <http://dx.doi.org/10.1093/annhyg/mer123>.
- Harper, M; Slaven, JE; Pang, TW. (2009). Continued participation in an asbestos fiber-counting proficiency test with relocatable grid slides. *J Environ Monit.* 11: 434-438. <http://dx.doi.org/10.1039/b813893a>.
- Harper, M; Van Gosen, B; Crankshaw, OS; Doorn, SS; Ennis, TJ; Harrison, SE. (2015). Characterization of Lone Pine, California, tremolite asbestos and preparation of research material. *Ann Occup Hyg.* 59: 91-103. <http://dx.doi.org/10.1093/annhyg/meu074>.
- Harper, S. (1981). THE DEVELOPMENT OF ASBESTOS FREE INSULATING BOARDS. *Trans J Br Ceram Soc.* 80: 75-75.
- Harper, S. (1982). DEVELOPING ASBESTOS-FREE CALCIUM SILICATE BUILDING BOARDS. 13: 123-128.
- Harries, PG. (1971). Asbestos dust concentrations in ship repairing: a practical approach to improving asbestos hygiene in naval dockyards. *Ann Occup Hyg.* 14: 241-254.
- Harries, PG. (1976). Experience with asbestos disease and its control in Great Britain's naval dockyards. *Environ Res.* 11: 261-267.
- Harrington, JM. (1999). 1998 and beyond--Legge's legacy to modern occupational health. *Ann Occup Hyg.* 43: 1-6.
- Harris, EC; Palmer, KT; Cox, V; Darnton, A; Osman, J; Coggon, D. (2016). Trends in mortality from occupational hazards among men in England and Wales during 1979-2010. *Occup Environ Med.* 73: 385-393. <http://dx.doi.org/10.1136/oemed-2015-103336>.
- Harris, LV; Kahwa, IA. (2003). Asbestos: old foe in 21st century developing countries [Editorial]. *Sci Total Environ.* 307: 1-9. [http://dx.doi.org/10.1016/S0048-9697\(02\)00504-1](http://dx.doi.org/10.1016/S0048-9697(02)00504-1).
- Harrison, AL; Dipple, GM; Power, I, anM; Mayer, KU. (2016). The impact of evolving mineral-water-gas interfacial areas on mineral-fluid reaction rates in unsaturated porous media. *Chem Geol.* 421: 65-80. <http://dx.doi.org/10.1016/j.chemgeo.2015.12.005>.
- Harrison, J; Sepai, O. (2000). Should control measures be based on air measurements or biological/biological effect monitoring? *Occup Med (Lond).* 50: 61-63.
- Hart, GA; Hesterberg, TW. (1998). In vitro toxicity of respirable-size particles of diatomaceous earth and crystalline silica compared with asbestos and titanium dioxide. *J Occup Environ Med.* 40: 29-42.
- Hart, J; Ward, T; Spear, T; Crispin, K; Zolnikov, T. (2007). Evaluation of asbestos exposures during firewood-harvesting simulations in Libby, MT, USA--preliminary data. *Ann Occup Hyg.* 51: 717-723. <http://dx.doi.org/10.1093/annhyg/mem052>.
- Hartford, WH. (1983). Asbestos exposure [Letter]. *J Air Pollut Control Assoc.* 33: 820.
- Hartikainen, T; Tossavainen, A. (1997). Quantification of silicate fiber concentrations in rock products and dusts by electron microscopy. *Am Ind Hyg Assoc J.* 58: 264-269.
- Hartung, M. (1980). OCCUPATIONALLY CONDITIONED PLEURAMESOTHELIOMA AFTER HANDLING WITH ASBESTOS CONTAINING PROTECTIVE CLOTHES. *Arbeitsmedizin, Sozialmedizin, Praeventivmedizin.* 15: 153-154.
- Harvey, BW; Winstead, WG. (2008). Analysis of the analytical performance of laboratories participating in two major U.S. bulk asbestos proficiency testing programs. *J Occup Environ Hyg.* 5: 455-462. <http://dx.doi.org/10.1080/15459620802138197>.
- Harvey, G; Pagé, M; Dumas, L. (1984). Binding of environmental carcinogens to asbestos and mineral fibres. *Br J Ind Med.* 41: 396-400.
- Harvey, G; Page, M; Paquin, R; Dumas, L. (1983). BINDING OF ENVIRONMENTAL CARCINOGENS TO ASBESTOS AND MINERAL FIBERS. *Environ Health Perspect.* 51: 375-375.
- Harvey, J; Garrido, CJ; Savov, I; Agostini, S; Padron-Navarta, JA; Marchesi, C; Lopez Sanchez-Vizcaino, V; Teresa Gomez-Pugnaire, M. (2014). B-11-rich fluids in subduction zones: The role of antigorite dehydration in subducting slabs and boron isotope heterogeneity in the mantle. *Chem Geol.* 376: 20-30. <http://dx.doi.org/10.1016/j.chemgeo.2014.03.015>.
- Harwood, CF; Oestreich, DK; Siebert, P; Stockham, JD. (1975). Asbestos emissions from baghouse controlled sources. *Am Ind Hyg Assoc J.* 36: 595-603.
- Harwood, CF; Siebert, PC; Oestreich, DK. (1977). OPTIMIZING BAGHOUSE PERFORMANCE TO CONTROL ASBESTOS EMISSIONS. *Chemical Engineering Progress.* 73: 54-56.
- Hasanoglu, HC; Bayram, E; Hasanoglu, A; Demirag, F. (2008). Orally ingested chrysotile asbestos affects rat lungs and pleura. *Arch Environ Occup Health.* 63: 71-75. <http://dx.doi.org/10.3200/AEOH.63.2.71-75>.
- Hashim, D; Gaughan, D; Boffetta, P; Lucchini, RG. (2015). Baseline serum β -carotene concentration and mortality among long-term asbestos-exposed insulators. *Cancer Epidemiol Biomarkers Prev.* 24: 555-560. <http://dx.doi.org/10.1158/1055-9965.EPI-14-0952>.
- Hashimoto, S; Okuda, A; Kambayashi, A; Honda, S; Awaji, H; Fukuda, K. (2006). Detoxification of sprayed crocidolite. *Ceramic Society of Japan Journal.* 114: 1150-1154.
- Hashimoto, S; Okuda, A; Kanbayashi, A; Honda, S; Awar, H; Fukuda, K. (2006). Evaluation of heated chrysotile using phase-contrast microscope. *Ceramic Society of Japan Journal.* 114: 716-718.
- Hashimoto, S; Takeda, H; Okuda, A; Kambayashi, A; Honda, S; Awaji, H; Fukuda, K. (2007). Detoxification of asbestos-containing building material waste and its application to cement product. *Ceramic Society of Japan Journal.* 115: 290-293.
- Hashimoto, S; Takeda, H; Okuda, A; Kambayashi, A; Honda, S; Iwamoto, Y; Fukuda, K. (2008). Detoxification of industrial asbestos waste by low-temperature heating in a vacuum. *Ceramic Society of Japan Journal.* 116: 242-246.

Exposure Literature Search Results

Off Topic

- Hashimoto, S; Yamaguchi, A. (2005). Comminution of asbestos by a mechanical grinding and its sinterability. *Ceramic Society of Japan Journal*. 113: 312-316.
- Hashimoto, S; Yamaguchi, A; Honda, S; Awaji, H; Fukuda, K. (2005). Comminution of asbestos by a mechanical grinding in asbestos-containing cement board. *Ceramic Society of Japan Journal*. 113: 804-807.
- Hassanen, MA; Mohamed, FH; Meguid, AAA; Schmidt, W; Shalaby, IM. (1997). Geochemistry and petrogenesis of a Cambrian ring complex: An example of alkaline magmatism at Wadi Dib, Eastern Desert, Egypt. *Chem Erde*. 57: 63-89.
- Hassanin, SH; Abdalla, EB; Kotby, EA; Abdelaziz, AMS; Elfouly, MA. (1996). Efficiency of asbestos shading for growth of Barki rams during hot summer. *Small Ruminant Research*. 20: 199-203.
- Hatch, M; Moline, J. (1997). Women, work, and health. *Am J Ind Med*. 32: 303-308.
- Hatfield, R; Longo, W; Newton, L; Templin, J. (2003). Asbestos exposure from gasket removal [Letter]. 64: 595; author reply 595-597.
- Hatfield, R; Longo, W; Newton, L; Templin, J. (2003). Asbestos exposures from gasket removal. *AIHA J*. 64: 595-595.
- Hattori, K; Takahashi, Y; Guillot, S; Johanson, B. (2005). Occurrence of arsenic (V) in forearc mantle serpentinites based on X-ray absorption spectroscopy study. *Geochim Cosmo Acta*. 69: 5585-5596. <http://dx.doi.org/10.1016/j.gca.2005.07.009>.
- Haugaard, R; Ootes, L; Creaser, RA; Konhauser, KO. (2016). The nature of Mesoarchean seawater and continental weathering in 2.85 Ga banded iron formation, Slave craton, NW Canada. *Geochim Cosmo Acta*. 194: 34-56. <http://dx.doi.org/10.1016/j.gca.2016.08.020>.
- Hauptmann, M; Pohlabein, H; Lubin, JH; Jöckel, KH; Ahrens, W; Brüske-Hohlfeld, I; Wichmann, HE. (2002). The exposure-time-response relationship between occupational asbestos exposure and lung cancer in two German case-control studies. *Am J Ind Med*. 41: 89-97.
- Hauptmann, M; Pohlabein, H; Lubin, JH; Joeckel, KH; Ahrens, W; Brueske-Hohlfeld, I; Wichmann, HE. (2001). On the exposure-time-response-relationship between occupational asbestos exposure and lung cancer in two german case-control studies. *Epidemiology*. 12: S62-S62.
- Hawkins, JW; Hayes, DC; Istone, WK; Schmidt, AF. (1987). ASBESTOS ABATEMENT .1. SAMPLING AND IDENTIFICATION. *Tappi Journal*. 70: 233-235.
- Hawthorne, FC; Della Ventura, G. (2007). Short-range order in amphiboles. *Rev Mineral Geochem*. 67: 173-222. <http://dx.doi.org/10.2138/rmg.2007.67.5>.
- Hawthorne, FC; Della Ventura, G; Robert, JL. (1996). Short-range order of (Na,K) and Al in tremolite: An infrared study. *Am Mineral*. 81: 782-784.
- Hawthorne, FC; Della Ventura, G; Robert, JL; Welch, MD; Raudsepp, M; Jenkins, DM. (1997). A Rietveld and infrared study of synthetic amphiboles along the potassium-richterite-tremolite join. *Am Mineral*. 82: 708-716.
- Hawthorne, FC; Welch, MD; Della Ventrua, G; Liu, SX; Robert, JL; Jenkins, DM. (2000). Short-range order in synthetic aluminous tremolites: An infrared and triple-quantum MAS NMR study. *Am Mineral*. 85: 1716-1724.
- Hay, I. (1992). Place, Power, and Medical Liability Insurance in the United States. *Environ Plan A*. 24: 645-661.
- Hayashi, H; Aita, S; Suzuki, M. (1978). SEMI-QUANTITATIVE CHEMICAL-ANALYSIS OF ASBESTOS FIBERS AND CLAY-MINERALS WITH AN ANALYTICAL ELECTRON-MICROSCOPE. *Clays and Clay Minerals*. 26: 181-188.
- Hayman, NW; Karson, JA. (2007). Faults and damage zones in fast-spread crust exposed on the north wall of the Hess Deep Rift: Conduits and seals in seafloor hydrothermal systems. *G-cubed*. 8. <http://dx.doi.org/10.1029/2007GC001623>.
- Hayward, SB; Smith, GR. (1984). ASBESTOS CONTAMINATION OF VERMICULITE [Letter]. *Am J Public Health*. 74: 519-519.
- Hazarika, P; Mishra, B; Pruseth, KL. (2016). Scheelite, apatite, calcite and tourmaline compositions from the late Archean Hutti orogenic gold deposit: Implications for analogous two stage ore fluids. *Ore Geol Rev*. 72: 989-1003. <http://dx.doi.org/10.1016/j.oregeorev.2015.09.004>.
- Heasman, L; Baldwin, G. (1986). THE DESTRUCTION OF CHRYSOTILE ASBESTOS USING WASTE ACIDS (pp. 215223; 211986). (ISSN 0734-242X; EISSN 1096-3669; HMTC/86/0004660). Heasman, L; Baldwin, G.
- Hebert, C; Ruffinatto, S; Eon, D; Mermoux, M; Gheeraert, E; Omnes, F; Mailley, P. (2013). A composite material made of carbon nanotubes partially embedded in a nanocrystalline diamond film. *Carbon*. 52: 408-417. <http://dx.doi.org/10.1016/j.carbon.2012.09.051>.
- Hechler, B; Klein, B; Bruch, J. (1994). PREREQUISITES FOR TESTING THE TUMORGENICITY AND BIODURABILITY OF MAN-MADE MINERAL FIBERS (MMMMF) USING STANDARDIZED FINE FIBER SAMPLES. *Staub, Reinhaltung der Luft*. 54: 253-258.
- Hedmer, M; Isaxon, C; Nilsson, PT; Ludvigsson, L; Messing, ME; Genberg, J; Skaug, V; Bohgard, M; Tinnerberg, H; Pagels, JH. (2014). Exposure and emission measurements during production, purification, and functionalization of arc-discharge-produced multi-walled carbon nanotubes. *Ann Occup Hyg*. 58: 355-379. <http://dx.doi.org/10.1093/annhyg/met072>.
- Heederik, D; Lenters, V; Vermeulen, R. (2013). Reply: Response to the letter by Drs Berman and Case [Letter]. *Ann Occup Hyg*. 57: 675-677. <http://dx.doi.org/10.1093/annhyg/met017>.
- Heegn, H; Scheibe, W; Schlegel, R. (2000). Comminution of permanent lining material of asbestos cement to be used in the cement industry mixed with waste oil. 53: 622-+.
- Hei, TK; Wu, LJ; Piao, CQ. (1997). Malignant transformation of immortalized human bronchial epithelial cells by asbestos fibers. *Environ Health Perspect*. 105 Suppl 5: 1085-1088.
- Heidermanns, G. (1978). INFLUENCE OF CONTRAST IN CASE OF PHASE-CONTRAST COUNTING OF FIBERS, IN PARTICULAR OF ASBESTOS, UNDER MICROSCOPE. *Staub, Reinhaltung der Luft*. 38: 423-425.
- Heidermanns, G; Riediger, G; Pflaumbaum, W; Blome, H. (1990). APPLICATION OF THE NEW TECHNICAL GUIDANCE CONCENTRATION VALUE FOR ASBESTOS. *Staub, Reinhaltung der Luft*. 50: 197-201.
- Heidermanns, G; Riediger, G; Schütz, A. (1975). [Asbestos determination in industrial microdusts and in lung dusts]. 574-584.
- Heidermanns, G; Riediger, G; Schütz, A. (1975). [Asbestos determination in industrial microdusts and in pulmonary dusts]. 617-623.
- Heikkilä, P; Kauppinen, T. (1992). Occupational exposure to carcinogens in Finland. *Am J Ind Med*. 21: 467-480.

Exposure Literature Search Results

Off Topic

- Heinrich, W. (1993). FLUID INFILTRATION THROUGH METACHERT LAYERS AT THE CONTACT AUREOLE OF THE BUFA-DEL-DIENTE INTRUSION, NORTHEAST MEXICO - IMPLICATIONS FOR WOLLASTONITE FORMATION AND FLUID IMMISCIBILITY. *Am Mineral*. 78: 804-818.
- Heinrich, W. (1994). POTASSIUM-FLUOR-RICHTERITE IN METACHERTS FROM THE BUFA-DEL-DIENTE CONTACT-METAMORPHIC AUREOLE, NE-MEXICO. *Mineralogy and Petrology*. 50: 259-270.
- Heinrich, W; Metz, P; Gottschalk, M. (1989). EXPERIMENTAL INVESTIGATION OF THE KINETICS OF THE REACTION 1 TREMOLITE + 11 DOLOMITE-REVERSIBLE-8 FORSTERITE + 13 CALCITE + 9 CO₂ + 1 H₂O. *Contributions to Mineralogy and Petrology*. 102: 163-173.
- Hekinian, R; Hoffert, M; Larque, P; Cheminee, JL; Stoffers, P; Bideau, D. (1993). HYDROTHERMAL FE AND SI OXYHYDROXIDE DEPOSITS FROM SOUTH-PACIFIC INTRAPLATE VOLCANOS AND EAST PACIFIC RISE AXIAL AND OFF-AXIAL REGIONS. *Econ Geol*. 88: 2099-2121.
- Heller, DS; Gordon, RE. (1991). Demonstration of asbestos fibers in a ten-year-old sputum sample [Letter]. *Am J Ind Med*. 20: 415-419.
- Helsen, JA; Vandeveldel, P; Kuczumow, A; Deruyttere, A. (1989). SURFACE CHARACTERISTICS OF ASBESTOS FIBERS RELEASED FROM ASBESTOS-CEMENT PRODUCTS. *Am Ind Hyg Assoc J*. 50: 655-663.
- Henderson, DW. (2003). Commentary regarding the article by Fischer et al.: Fibre years, pulmonary asbestos burden and asbestosis. *Int. J. Hyg. Environ. Health* 205, 245-248 (2002) [Letter]. *Int J Hyg Environ Health*. 206: 249-250; author reply 251-242. <http://dx.doi.org/10.1078/1438-4639-00211>.
- Henderson, DW; Jones, ML; De Klerk, N; Leigh, J; Musk, AW; Shilkin, KB; Williams, VM. (2004). The diagnosis and attribution of asbestos-related diseases in an Australian context: report of the Adelaide Workshop on Asbestos-Related Diseases. October 6-7, 2000 [Review]. *Int J Occup Environ Health*. 10: 40-46. <http://dx.doi.org/10.1179/oe.2004.10.1.40>.
- Henderson, WJ; Gough, J; Harse, J. (1970). Identification of mineral particles in pneumoconiotic lungs. *J Clin Pathol*. 23: 104-109.
- Henley, SJ; Larson, TC; Wu, M; Antao, VC; Lewis, M; Pinheiro, GA; Ehemann, C. (2013). Mesothelioma incidence in 50 states and the District of Columbia, United States, 2003-2008. *Int J Occup Environ Health*. 19: 1-10. <http://dx.doi.org/10.1179/2049396712Y.0000000016>.
- Henne, A; Craw, D. (2012). Synmetamorphic carbon mobility and graphite enrichment in metaturbidites as a precursor to orogenic gold mineralisation, Otago Schist, New Zealand. *Miner Depos*. 47: 781-797. <http://dx.doi.org/10.1007/s00126-012-0399-2>.
- Henneberger, PK; Stanbury, MJ. (1992). Patterns of asbestosis in New Jersey. *Am J Ind Med*. 21: 689-697.
- Heppleston, AG. (1991). MINERALS, FIBROSIS, AND THE LUNG. *Environ Health Perspect*. 94: 149-168.
- Heran-Leroy, O; Sandret, N. (1998). Results of the "SUMER 94" survey - Occupational exposure to carcinogens. *D M T. Documents pour le médecin du travail* 3th Quarter 1998: 265-272.
- Herd-Lojavio, ML; Mauer, MP; Carlson, GA. (2008). Development of an exposure assessment method for epidemiological studies of New York State personnel who responded to the World Trade Center disaster. *Ann Occup Hyg*. 52: 83-93. <http://dx.doi.org/10.1093/annhyg/mem065>.
- Hermann, J; Muntener, O; Scambelluri, M. (2000). The importance of serpentinite mylonites for subduction and exhumation of oceanic crust. *Tectonophysics*. 327: 225-238.
- Hermes, P; John, T; Bakker, RJ; Schenk, V. (2012). Evidence for channelized external fluid flow and element transfer in subducting slabs (Raspas Complex, Ecuador). *Chem Geol*. 310: 79-96. <http://dx.doi.org/10.1016/j.chemgeo.2012.03.023>.
- Heron, K; Jessell, M; Benn, K; Harris, E; Crowley, QG. (2016). The Tasiast deposit, Mauritania. *Ore Geol Rev*. 78: 564-572. <http://dx.doi.org/10.1016/j.oregeorev.2015.08.020>.
- Herrmann, W; Hill, AP. (2001). The origin of chlorite-tremolite-carbonate rocks associated with the Thalanga Volcanic-hosted massive sulfide deposit, North Queensland, Australia. *Econ Geol*. 96: 1149-1173.
- Hertzberg, T. (2005). Dangers relating to fires in carbon-fibre based composite material. *Fire and Materials*. 29: 231-248. <http://dx.doi.org/10.1002/fam.882>.
- Hertzberg, T; Blomqvist, P. (2003). Particles from fires - a screening of common materials found in buildings. *Fire and Materials*. 27: 295-314. <http://dx.doi.org/10.1002/fam.837>.
- Hervin, RL. (1979). Hazard Evaluation and Technical Assistance Report No. TA-79-18, Cedar Rapids School District, Bureau of Labor, State of Iowa, Des Moines, Iowa. NIOSH: 19791979.
- Hessel, PA. (1999). Methodological issues related to studies of workers in the diatomaceous earth industry. *Indoor Built Environ*. 8: 127-131.
- Hessel, PA. (2009). Inaccuracies in article on mesothelioma in brake workers [Letter]. *Int J Occup Environ Health*. 15: 232-234; author reply 234-238. <http://dx.doi.org/10.1179/oe.2009.15.2.232>.
- Hessel, PA; Melenka, LS; Michaelchuk, D; Herbert, FA; Cowie, RL. (1998). Lung health among boilermakers in Edmonton, Alberta. *Am J Ind Med*. 34: 381-386. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199810\)34:4<381::AID-AJIM12>3.0.CO;2-Z](http://dx.doi.org/10.1002/(SICI)1097-0274(199810)34:4<381::AID-AJIM12>3.0.CO;2-Z).
- Hessel, PA; Melenka, LS; Michaelchuk, D; Herbert, FA; Cowie, RL. (1998). Lung health among plumbers and pipefitters in Edmonton, Alberta. *Occup Environ Med*. 55: 678-683. <http://dx.doi.org/10.1136/oem.55.10.678>.
- Hessel, PA; Teta, MJ; Goodman, M; Lau, E. (2004). Mesothelioma among brake mechanics: an expanded analysis of a case-control study. *Risk Anal*. 24: 547-552. <http://dx.doi.org/10.1111/j.0272-4332.2004.00458.x>.
- Hesterberg, TW; Axten, C; Mcconnell, EE; Oberdörster, G; Everitt, J; Miiller, WC; Chevalier, J; Chase, GR; Thevenaz, P. (1997). Chronic inhalation study of fiber glass and amosite asbestos in hamsters: twelve-month preliminary results. *Environ Health Perspect*. 105 Suppl 5: 1223-1229.
- Hesterberg, TW; Miiller, WC; Thevenaz, P; Anderson, R. (1995). Chronic inhalation studies of man-made vitreous fibres: characterization of fibres in the exposure aerosol and lungs. *Ann Occup Hyg*. 39: 637-653.
- Hesterberg, TW; Oshimura, M; Barrett, JC. (1985). ASBESTOS INDUCES ANAPHASE ABNORMALITIES IN MAMMALIAN-CELLS IN CULTURE AT DOSES WHICH INDUCE CELL-TRANSFORMATION AND HETEROPLIIDY. *Environ Mutagen*. 7: 88-89.

Exposure Literature Search Results

Off Topic

- Hickey, J; Saunders, J; Davern, P. (2015). The extent and influence of Asbestos Safety Awareness training among managers who had previously commissioned an asbestos survey in their workplace buildings. *Ind Health*. 53: 398-409. <http://dx.doi.org/10.2486/indhealth.2014-0162>.
- Hickish, DE; Knight, KL. (1970). Exposure to asbestos during brake maintenance. *Ann Occup Hyg*. 13: 17-21.
- Hiatt, DM. (1978). Experimental asbestosis: an investigation of functional and pathological disturbances. II. Results for chrysotile and amosite exposures. *Br J Ind Med*. 35: 135-145.
- Higashi, T; Hori, H; Sakurai, H; Omae, K; Tsuda, T; Tanaka, I; Satoh, T; Hoshi, H. (1994). Work environment of plants manufacturing asbestos-containing products in Japan. *Ann Occup Hyg*. 38: 489-494, 409.
- Hilairiet, N; Daniel, I; Reynard, B. (2006). P-V Equations of State and the relative stabilities of serpentine varieties. *Physics and Chemistry of Minerals*. 33: 629-637. <http://dx.doi.org/10.1007/s00269-006-0111-0>.
- Hilairiet, N; Reynard, B. (2009). Stability and dynamics of serpentinite layer in subduction zone. *Tectonophysics*. 465: 24-29. <http://dx.doi.org/10.1016/j.tecto.2008.10.005>.
- Hilbert, TJ; Franzblau, A; Dunning, KK; Borton, EK; Rohs, AM; Lockey, JE. (2013). Asbestos-related radiographic findings among household contacts of workers exposed to Libby vermiculite: impact of workers' personal hygiene practices. *J Occup Environ Med*. 55: 1300-1304. <http://dx.doi.org/10.1097/JOM.0b013e31829f1a>.
- Hilding, AC; Hilding, DA; Larson, DM; Aufderheide, AC. (1981). Biological Effects of Ingested Amosite Asbestos, Taconite Tailings, Diatomaceous Earth and Lake Superior Water in Rats. *Arch Environ Health*. 36: 298-303.
- Hill, IM; Beswick, PH; Donaldson, K. (1995). Differential release of superoxide anions by macrophages treated with long and short fibre amosite asbestos is a consequence of differential affinity for opsonin. *Occup Environ Med*. 52: 92-96.
- Hillegass, JM; Shukla, A; Macpherson, MB; Bond, JP; Steele, C; Mossman, BT. (2010). Utilization of gene profiling and proteomics to determine mineral pathogenicity in a human mesothelial cell line (LP9/TERT-1). *J Toxicol Environ Health A*. 73: 423-436. <http://dx.doi.org/10.1080/15287390903486568>.
- Hillerdal, G. (1991). Pleural lesions and the ILO classification: the need for a revision. *Am J Ind Med*. 19: 125-130.
- Hillerdal, G; Musk, AW. (1990). Pleural lesions in crocidolite workers from Western Australia. *Br J Ind Med*. 47: 782-783.
- Hilliard, AK; Lovett, JK; Mcgavin, CR. (2003). The rise and fall in incidence of malignant mesothelioma from a British Naval Dockyard, 1979-1999. *Occup Med (Lond)*. 53: 209-212. <http://dx.doi.org/10.1093/occmed/kqg051>.
- Hills, B. (1986). Industrywide Studies Report of an Industrial Hygiene Survey at the Clermont Sun, Batavia, Ohio, Report No. IWS-77-37 (pp. 77-37). (NIOSH/00163299). Hills, B.
- Hills, B. (2005). The James Hardie story: asbestos victims' claims evaded by manufacturer. *Int J Occup Environ Health*. 11: 212-214. <http://dx.doi.org/10.1179/oeh.2005.11.2.212>.
- Hilt, B. (1987). Non-malignant asbestos diseases in workers in an electrochemical plant. *Br J Ind Med*. 44: 621-626.
- Hilt, B; Andersen, A; Rosenberg, J; Langård, S. (1991). Cancer incidence among asbestos-exposed chemical industry workers: an extended observation period. *Am J Ind Med*. 20: 261-264.
- Hilt, B; Borgerson, A; Lien, JT; Langård, S. (1992). Chest radiographs in subjects with asbestos-related abnormalities: comparison between ILO categorizations and clinical reading. *Am J Ind Med*. 21: 855-861.
- Hilt, B; Hillerdal, G; Lund-Larsen, PG; Lien, JT; Langård, S. (1995). Asbestos-related radiographic changes by ILO classification of 10 x 10 cm chest X-rays in a screening of the general population. *J Occup Environ Med*. 37: 189-193.
- Hilt, B; Langård, S; Andersen, A; Rosenberg, J. (1985). Asbestos exposure, smoking habits, and cancer incidence among production and maintenance workers in an electrochemical plant. *Am J Ind Med*. 8: 565-577.
- Hilt, B; Langård, S; Lund-Larsen, PG; Lien, JT. (1986). Previous asbestos exposure and smoking habits in the county of Telemark, Norway--a cross-sectional population study. *Scand J Work Environ Health*. 12: 561-566. <http://dx.doi.org/10.5271/sjweh.2106>.
- Hilt, B; Rosenberg, J; Lang, ecirc; Ard, S. (1981). Occurrence of cancer in a small cohort of asbestos-exposed workers. *Scand J Work Environ Health*. 7: 185-189.
- Hinchev, JG; Hattori, KH. (2005). Magmatic mineralization and hydrothermal enrichment of the High Grade Zone at the Lac des Iles palladium mine, northern Ontario, Canada. *Miner Depos*. 40: 13-23. <http://dx.doi.org/10.1007/s00126-005-0472-1>.
- Hinchev, JG; Hattori, KH; Langne, MJ. (2005). Geology, petrology, and controls on PGE mineralization of the southern Roby and Twilight zones, Lac des Iles mine, Canada. *Econ Geol*. 100: 43-61.
- Hine, F; Yasuda, M. (1971). STUDIES ON DEPOSITED ASBESTOS DIAPHRAGM WITH A MINIATURE DIAPHRAGM-TYPE CHLORINE CELL. *J Electrochem Soc*. 118: 166-&.
- Hiraku, Y; Sakai, K; Shibata, E; Kamijima, M; Hisanaga, N; Ma, N; Kawanishi, S; Murata, M. (2014). Formation of the Nitrate DNA Lesion 8-Nitroguanine is Associated with Asbestos Contents in Human Lung Tissues: A Pilot Study. *J Occup Health*. 56: 186-196.
- Hiraoka, T; Watanabe, A; Usuma, Y; Mori, T; Kohyama, N; Takata, A. (2001). An operated case of lung cancer with pleural plaques: its asbestos bodies, fiber analysis and asbestos exposure. *Ind Health*. 39: 194-197.
- Hirauchi, K, en; Katayama, I. (2013). Rheological contrast between serpentine species and implications for slab-mantle wedge decoupling. *Tectonophysics*. 608: 545-551. <http://dx.doi.org/10.1016/j.tecto.2013.08.027>.
- Hirauchi, K, en; Michibayashi, K; Ueda, H; Katayama, I. (2010). Spatial variations in antigorite fabric across a serpentinite subduction channel: Insights from the Ohmachi Seamount, Izu-Bonin frontal arc. *Earth Planet Sci Lett*. 299: 196-206. <http://dx.doi.org/10.1016/j.epsl.2010.08.035>.
- Hiroi, Y; Haradakondo, H; Ogo, Y. (1992). CUPRIAN MANGANOAN PHLOGOPITE IN HIGHLY OXIDIZED MINEOKA SILICEOUS SCHISTS FROM KAMOGAWA, BOSO PENINSULA, CENTRAL JAPAN. *Am Mineral*. 77: 1099-1106.

Exposure Literature Search Results

Off Topic

- Hirose, T; Bystricky, M; Kunze, K; Stuenitz, H. (2006). Semi-brittle flow during dehydration of lizardite-chrysotile serpentinite deformed in torsion: Implications for the rheology of oceanic lithosphere. *Earth Planet Sci Lett.* 249: 484-493. <http://dx.doi.org/10.1016/j.epsl.2006.07.014>.
- Hiroshima, K; Murai, Y; Suzuki, Y; Goldstein, B; Webster, I. (1993). Characterization of asbestos fibers in lungs and mesotheliomatous tissues of baboons following long-term inhalation. *Am J Ind Med.* 23: 883-901.
- Hirschmann, M; Evans, BW; Yang, HX. (1994). COMPOSITION AND TEMPERATURE-DEPENDENCE OF FE-MG ORDERING IN CUMMINGTONITE-GRUNERITE AS DETERMINED BY X-RAY-DIFFRACTION. *Am Mineral.* 79: 862-877.
- Hirst, E; Kaye, PH; Hoskins, JA. (1995). POTENTIAL FOR RECOGNITION OF AIRBORNE ASBESTOS FIBERS FROM SPATIAL LASER SCATTERING PROFILES. *Ann Occup Hyg.* 39: 623-&.
- Hisanaga, N; Hosokawa, T; Sakai, K; Shibata, E; O, T; Takeuchi, Y; Ono, Y. (1988). THE PRESENT STATE OF THE USE OF ASBESTOS-CONTAINING CONSTRUCTION MATERIAL BY CONSTRUCTION WORKERS RESULTS OF A QUESTIONNAIRE SURVEY (pp. 292). (BIOSIS/89/08458). Hisanaga, N; Hosokawa, T; Sakai, K; Shibata, E; O, T; Takeuchi, Y; Ono, Y.
- Hisanaga, N; Takeuchi, Y; Ono, Y; Shibata, E; O, T. (1988). PROBLEMS OF INDUSTRIAL HYGIENE IN THE AUTOMOBILE FRICTION MATERIAL REGENERATING INDUSTRY (pp. 305). (BIOSIS/89/08440). Hisanaga, N; Takeuchi, Y; Ono, Y; Shibata, E; O, T.
- Hjortsberg, U; Orbaek, P; Aborelius, M; Ranstam, J; Welinder, H. (1988). Railroad workers with pleural plaques: II. Small airway dysfunction among asbestos-exposed workers. *Am J Ind Med.* 14: 643-647.
- Hjortsberg, U; Ørbaek, P; Aborelius, M, Jr; Ranstam, J; Welinder, H. (1988). Railroad workers with pleural plaques: I. Spirometric and nitrogen washout investigation on smoking and nonsmoking asbestos-exposed workers. *Am J Ind Med.* 14: 635-641. <http://dx.doi.org/10.1002/ajim.4700140602>.
- Hlavay, J; Wesemann, G. (1993). DISTRIBUTION OF MINERALOGICAL PHASES IN DUSTS COLLECTED AT DIFFERENT WORKSHOPS. *Sci Total Environ.* 136: 33-42.
- Hoar, SK. (1981). Epidemiology And Occupational Classification Systems. 9: 455-466.
- Hoar, SK; Morrison, AS; Cole, P; Silverman, DT. (1980). An occupation and exposure linkage system for the study of occupational carcinogenesis. *J Occup Environ Med.* 22: 722-726.
- Hodgson, AA. (1993). INDUSTRIAL FIBERS - A TECHNICAL AND COMMERCIAL REVIEW. *Ann Occup Hyg.* 37: 203-210.
- Hodgson, J; Darnton, A. (2001). Untitled. *Ann Occup Hyg.* 45: 336-338.
- Hodgson, JT. (2013). Quality of evidence must guide risk assessment of asbestos, by Lenters, V; Burdorf, A; Vermeulen, R; Stayner, L; Heederik, D [Letter]. *Ann Occup Hyg.* 57: 670-674. <http://dx.doi.org/10.1093/annhyg/met016>.
- Hodgson, JT; Darnton, A. (2000). The quantitative risks of mesothelioma and lung cancer in relation to asbestos exposure. *Ann Occup Hyg.* 44: 565-601.
- Hodgson, JT; Jones, RD. (1986). Mortality of asbestos workers in England and Wales 1971-81. *Br J Ind Med.* 43: 158-164.
- Hodson, MJ; Smith, RJ; Vanblaaderen, A; Crafton, T; Oneill, CH. (1994). DETECTING PLANT SILICA FIBERS IN ANIMAL TISSUE BY CONFOCAL FLUORESCENCE MICROSCOPY. *Ann Occup Hyg.* 38: 149-160.
- Hoevelmann, J; Austrheim, H; Putnis, A. (2014). Cordierite formation during the experimental reaction of plagioclase with Mg-rich aqueous solutions. *Contributions to Mineralogy and Petrology.* 168. <http://dx.doi.org/10.1007/s00410-014-1063-x>.
- Hofert, N; Konig, R; Grefen, K; Rodelsperger, K; Teichert, U. (1996). Measurement of fibrous particles - First interlaboratory comparison test based on guideline VDI 3492 .1. Background, procedure, results .1. *Staub, Reinhaltung der Luft.* 56: 11-15.
- Hofert, N; Konig, R; Grefen, K; Rodelsperger, K; Teichert, U. (1996). Measurement of fibrous particles - First interlaboratory comparison test based on guideline VDI 3492 .1. Background, procedure, results .2. *Staub, Reinhaltung der Luft.* 56: 63-68.
- Hoffman, D; Wynder, EL. (1978). Identification and reduction of carcinogens in the respiratory environment [Review]. 113-135.
- Hoffmann, B; Jockel, KH. (2006). Diesel exhaust and coal mine dust - Lung cancer risk in occupational settings. *Ann N Y Acad Sci.* 1076: 253-265. <http://dx.doi.org/10.1196/annals.1371.025>.
- Hoffmann, E. (1980). INDUSTRIAL USE OF ASBESTOS - REGISTRATION OF ENTERPRISES AND EMPLOYEES - PROTECTION MEASURES. *Staub, Reinhaltung der Luft.* 40: 202-207.
- Hoffmann, O. (1994). HIGH-TEMPERATURE DILATOMETRY OF FIBER, REINFORCED CALCIUM HYDROSILICATES. *Ceramics - Silikaty.* 38: 1-3.
- Hogan, TJ. (1988). AIRBORNE ASBESTOS MONITORING TECHNIQUES THAT WORK. *Power Engineering.* 92: 30-32.
- Hogstedt, C; Jansson, C; Hugosson, M; Tinnerberg, H; Gustavsson, P. (2013). Cancer incidence in a cohort of Swedish chimney sweeps, 1958-2006. *Am J Public Health.* 103: 1708-1714. <http://dx.doi.org/10.2105/AJPH.2012.300860>.
- Hohenadel, K; Pichora, E; Marrett, L; Bukvic, D; Brown, J; Harris, SA; Demers, PA; Blair, A. (2011). Priority issues in occupational cancer research: Ontario stakeholder perspectives. *Chronic Dis Inj Can.* 31: 147-151.
- Holaday, DA; Reitze, WB. (1972). Control of Exposure to Asbestos-Containing Dusts in Shipyards. 40: 53-58.
- Holbrook, RD; Kline, CN; Filliben, JJ. (2010). Impact of source water quality on multiwall carbon nanotube coagulation. *Environ Sci Technol.* 44: 1386-1391. <http://dx.doi.org/10.1021/es902946j>.
- Holcapek, O; Reiterman, P; Konvalinka, P. (2015). Fracture characteristics of refractory composites containing metakaolin and ceramic fibers. *Advances in Mechanical Engineering.* 7. <http://dx.doi.org/10.1177/1687814015573619>.
- Holden, J; Churg, A. (1986). Asbestos bodies and the diagnosis of asbestosis in chrysotile workers. *Environ Res.* 39: 232-236.
- Holder, M; O'Brien, T. (2007). Protest and survive, the U.K. Construction Safety Campaign: a case study of workers' and victims' family action and legal and regulatory inaction on construction health and safety. *Int J Occup Environ Health.* 13: 27-31. <http://dx.doi.org/10.1179/107735207800245072>.

Exposure Literature Search Results

Off Topic

- Holian, A; Kelley, K; Hamilton, RF. (1994). Mechanisms associated with human alveolar macrophage stimulation by particulates. *Environ Health Perspect.* 102 Suppl 10: 69-74.
- Holian, A; Uthman, MO; Goltsova, T; Brown, SD; Hamilton, RF, Jr. (1997). Asbestos and silica-induced changes in human alveolar macrophage phenotype. *Environ Health Perspect.* 105: 1139-1142.
- Holland, T; Blundy, J. (1994). NONIDEAL INTERACTIONS IN CALCIC AMPHIBOLES AND THEIR BEARING ON AMPHIBOLE-PLAGIOCLASE THERMOMETRY. *Contributions to Mineralogy and Petrology.* 116: 433-447.
- Holland, T; Powell, R. (1996). Thermodynamics of order-disorder in minerals .2. Symmetric formalism applied to solid solutions. *Am Mineral.* 81: 1425-1437.
- Hollett, B; Moody, PL. (1984). Health Hazard Evaluation Report No. HETA-80-115-1401, U.S. Steel, Lorain-Cuyahoga Works, Lorain, Ohio (pp. 80-115). (NIOSH/00149671). Hollett, B; Moody, PL.
- Hollett, BA. (1976). Health Hazard Evaluation Determination Report No. HHE-76-25-539, Quincy Steel Casting Company, Inc., North Quincy, Massachusetts (pp. 76-25). (NIOSH/00058640). Hollett, BA.
- Hollett, BA. (1983). Walk-Through Survey Report, Control Technology for Asbestos Removal, Contractor at Duall Inc., Mt. Laurel, New Jersey (pp. 145-114). (NIOSH/00130215). Hollett, BA.
- Hollett, BA. (1985). Walk-Through Survey Report No. CT-147-12a: Control Technology For Asbestos Removal Industry At James Monroe Elementary School, Norfolk, Virginia (pp. 147-112). (NIOSH/00148160). Hollett, BA.
- Hollett, BA. (1985). Walk-Through Survey Report No. CT-147-13a: Control Technology For Asbestos Removal Industry At Tidewater Park Elementary School, Norfolk, Virginia (pp. 147-113). (NIOSH/00148162). Hollett, BA.
- Hollett, BA. (1985). Walk-Through Survey Report No. CT-147-14a: Control Technology For Asbestos Removal Industry At Tarrallton Elementary School, Norfolk, Virginia (pp. 147-114). (NIOSH/00148161). Hollett, BA.
- Hollett, BA. (1985). Walk-Through Survey Report: Control Technology For Asbestos Removal Industry, Report No. CT-147-11a, Columbus East High School, Columbus, Indiana (pp. 147-111). (NIOSH/00152211). Hollett, BA.
- Hollett, BA; Caplan, PE; Cooper, TC; Froehlich, PA. (1987). In-Depth Survey Report: Control Technology for Asbestos Removal at Bloom Middle School, Cincinnati, Ohio, Report No. CT-147-19C (pp. 147-119). (NIOSH/00177555). Hollett, BA; Caplan, PE; Cooper, TC; Froehlich, PA.
- Hollett, BA; Caplan, PE; Cooper, TC; Froehlich, PA. (1987). In-Depth Survey Report: Control Technology for Asbestos Removal at Sands Elementary School, Cincinnati, Ohio, Report No. CT-147-19B (pp. 147-119). (NIOSH/00175438). Hollett, BA; Caplan, PE; Cooper, TC; Froehlich, PA.
- Hollett, BA; Caplan, PE; Cooper, TC; Froehlich, PA. (1987). In-Depth Survey Report: Control Technology for Asbestos Removal at Washburn Elementary School, Cincinnati, Ohio, Report No. CT-147-19A (pp. 147-119). (NIOSH/00175432). Hollett, BA; Caplan, PE; Cooper, TC; Froehlich, PA.
- Hollett, BA; Caplan, PE; Cooper, TC; Froehlich, PA. (1987). In-Depth Survey Report: Control Technology for Asbestos Removal at Winton Place Elementary School, Cincinnati, Ohio, Report No. CT-147-19D (pp. 147-119). (NIOSH/00175423). Hollett, BA; Caplan, PE; Cooper, TC; Froehlich, PA.
- Hollett, BA; Froehlich, PA; Caplan, PE; Cooper, TC; Shulman, SA. (1990). An Evaluation of Glove Bag Containment in Asbestos Removal. *NIOSH:* 88-22.
- Hollins, DM; Paustenbach, DJ; Clark, K; Mangold, CA. (2009). A Visual Historical Review of Exposure to Asbestos at Puget Sound Naval Shipyard (1962-1972) (vol 12, pg 124, 2009). *J Toxicol Environ Health B Crit Rev.* 12: 224-224. <http://dx.doi.org/10.1080/10937400903038288>.
- Hollis, SP; Cooper, MR; Herrington, RJ; Roberts, S; Earls, G; Verbeeten, A; Piercey, SJ; Archibald, SM. (2015). Distribution, mineralogy and geochemistry of silica-iron exhalites and related rocks from the Tyrone Igneous Complex: Implications for VMS mineralization in Northern Ireland. *J Geochem Explor.* 159: 148-168. <http://dx.doi.org/10.1016/j.gexplo.2015.09.001>.
- Holly, EA; Aston, DA; Ahm, DK; Smith, AH. (1996). Intraocular Melanoma Linked to Occupations and Chemical Exposures. *Epidemiology.* 7: 55-61. <http://dx.doi.org/10.1097/00001648-199601000-00010>.
- Holmen, A; Karlsson, A; Bratt, I; Raihle, G; Hogstedt, B. (1994). INCREASED FREQUENCY OF MICRONUCLEI IN LYMPHOCYTES OF SWEDISH CHIMNEY SWEEPS. *Int Arch Occup Environ Health.* 66: 185-187.
- Holmer, I; Nilsson, H; Rissanen, S; Hirata, K; Smolander, J. (1992). QUANTIFICATION OF HEAT-BALANCE DURING WORK IN 3 TYPES OF ASBESTOS-PROTECTIVE CLOTHING. *Int Arch Occup Environ Health.* 64: 243-249.
- Holmes, A; Morgan, A. (1980). Clearance of anthophyllite fibers from the rat lung and the formation of asbestos bodies. *Environ Res.* 22: 13-21.
- Holmes, A; Morgan, A; Davison, W. (1983). Formation of pseudo-asbestos bodies on sized glass fibres in the hamster lung. *Ann Occup Hyg.* 27: 301-313.
- Holmes, A; Morgan, A; Sandalls, FJ. (1971). DETERMINATION OF IRON, CHROMIUM, COBALT, NICKEL, AND SCANDIUM IN ASBESTOS BY NEUTRON ACTIVATION ANALYSIS. *Am Ind Hyg Assoc J.* 32: 281-&. <http://dx.doi.org/10.1080/0002889718506461>.
- Holmes, E; Garshick, E. (1991). The reproducibility of the self-report of occupational exposure to asbestos and dust. *J Occup Med.* 33: 134-138.
- Holmes, EP; Lavkulich, LM. (2014). The effects of naturally occurring acids on the surface properties of chrysotile asbestos. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 49: 1445-1452. <http://dx.doi.org/10.1080/10934529.2014.928558>.
- Holness, MB. (1992). METAMORPHISM AND FLUID INFILTRATION OF THE CALC-SILICATE AUREOLE OF THE BEINN AN DUBHAICH GRANITE, SKYE. *Journal of Petrology.* 33: 1261-1293.
- Holopainen, M; Hirvonen, MR; Komulainen, H; Klockars, M. (2004). Effect of the shape of mica particles on the production of tumor necrosis factor alpha in mouse macrophages. *Scand J Work Environ Health.* 30 Suppl 2: 91-98.
- Holt, P. (1982). Translocation of asbestos dust through the bronchiolar wall. *Environ Res.* 27: 255-260. [http://dx.doi.org/10.1016/0013-9351\(82\)90080-9](http://dx.doi.org/10.1016/0013-9351(82)90080-9).

Exposure Literature Search Results

Off Topic

- Holt, PF; Young, DK. (1973). ASBESTOS FIBERS IN AIR OF TOWNS - REPLY. *Atmos Environ.* 7: 669-669.
- Holwell, DA; Jenkin, GRT; Butterworth, KG; Abraham-James, T; Boyce, AJ. (2013). Orogenic gold mineralisation hosted by Archaean basement rocks at Sortekap, Kangerlussuaq area, East Greenland. *Miner Depos.* 48: 453-466. <http://dx.doi.org/10.1007/s00126-012-0434-3>.
- Honda, Y; Beall, C; Delzell, E; Oestenstad, K; Brill, I; Matthews, R. (2002). Mortality among workers at a talc mining and milling facility. *Ann Occup Hyg.* 46: 575-585. <http://dx.doi.org/10.1093/annhyg/mef075>.
- Honda, Y; Delzell, E; Cole, P. (1995). An updated study of mortality among workers at a petroleum manufacturing plant. *J Occup Environ Med.* 37: 194-200.
- Hook, MB; Feigley, CE; Ludwig, DA. (1983). Interwedge Variation In The Membrane Filter Method For Airborne Asbestos Fibers. *Am Ind Hyg Assoc J.* 44: 542-546. <http://dx.doi.org/10.1080/15298668391405274>.
- Hook, SJ; Cudahy, TJ; Kahle, AB; Whitbourn, LB. (1998). Synergy of active and passive airborne thermal infrared systems for surface compositional mapping. *J Geophys Res Solid Earth.* 103: 18269-18276.
- Hooper, K; Ladou, J; Rosenbaum, JS; Book, SA. (1992). Regulation of priority carcinogens and reproductive or developmental toxicants. *Am J Ind Med.* 22: 793-808. <http://dx.doi.org/10.1002/ajim.4700220603>.
- Hopf, NB; Waters, MA; Ruder, AM. (2009). Cumulative exposure estimates for polychlorinated biphenyls using a job-exposure matrix. *Chemosphere.* 76: 185-193. <http://dx.doi.org/10.1016/j.chemosphere.2009.03.058>.
- Horbe, AMC; da Costa, ML. (1999). Geochemical evolution of a lateritic Sn-Zr-Th-Nb-Y-REE-bearing ore body derived from apogranite: the case of Pitinga, Amazonas - Brazil. *J Geochem Explor.* 66: 339-351.
- Horbe, MA; Horbe, AC; Costi, HT; Teixeira, JT. (1991). GEOCHEMICAL CHARACTERISTICS OF CRYOLITE-TIN-BEARING GRANITES FROM THE PITINGA MINE, NORTHWESTERN BRAZIL - A REVIEW. *J Geochem Explor.* 40: 227-249.
- Hori, H; Kasai, T; Haratake, J; Ishimatsu, S; Oyabu, T; Yamato, H; Higashi, T; Tanaka, I. (1994). BIOLOGICAL EFFECTS OF INHALED MAGNESIUM-SULFATE WHISKERS IN RATS. *Occup Environ Med.* 51: 492-499.
- Horie, M; Stowe, M; Kambara, T; Lee, B; Endoh, S; Maru, J; Oyabu, T; Myojo, T; Ogami, A; Uchida, K; Yamamoto, K; Kobayashi, N; Kuroda, E; Nakazato, T; Morimoto, Y. (2012). Pulmonary Inflammation of Well-Dispersed Multi-Wall Carbon Nanotubes Following Intratracheal Instillation: Toxicity by Fiber of 1-5 μ m in Length. *Materials.* 5: 2833-2849. <http://dx.doi.org/10.3390/ma5122833>.
- Horii, H; Nagasaka, Y; Yamada, Y. (1992). Asbestos-related pleural thickenings in Japanese sake brewers. *Int Arch Occup Environ Health.* 64: 315-319.
- Horikoshi, S; Sumi, T; Ito, S; Dillert, R; Kashimura, K; Yoshikawa, N; Sato, M; Shinohara, N. (2014). Microwave-driven asbestos treatment and its scale-up for use after natural disasters. *Environ Sci Technol.* 48: 6882-6890. <http://dx.doi.org/10.1021/es500551b>.
- Horiuchi, Y, u; Ohno, T; Hoshino, M; Shin, K, iC; Murakami, H; Tsunematsu, M; Watanabe, Y. (2014). Geochemical prospecting for rare earth elements using termite mound materials. *Miner Depos.* 49: 1013-1023. <http://dx.doi.org/10.1007/s00126-014-0550-3>.
- Horvath, P; Arkai, P. (2005). Amphibole-bearing assemblages as indicators of microdomain-scale equilibrium conditions in metabasites: an example from Alpine ophiolites of the Meliata Unit, NE Hungary. *Mineralogy and Petrology.* 84: 233-258. <http://dx.doi.org/10.1007/s00710-005-0078-4>.
- Horwell, CJ; Baxter, PJ; Hillman, SE; Calkins, JA; Damby, DE; Delmelle, P; Donaldson, K; Dunster, C; Fubini, B; Kelly, FJ; Le Blond, JS; Livi, KJ; Murphy, F; Natrass, C; Sweeney, S; Tetley, TD; Thordarson, T; Tomatis, M. (2013). Physicochemical and toxicological profiling of ash from the 2010 and 2011 eruptions of Eyjafjallajökull and Grímsvötn volcanoes, Iceland using a rapid respiratory hazard assessment protocol. *Environ Res.* 127: 63-73. <http://dx.doi.org/10.1016/j.envres.2013.08.011>.
- Hosey, AD. (1970). Development of Criteria for Standards. *May* 10: 19701970.
- Hoshino, T. (1993). FRICTION MATERIALS OF NONASBESTOS FOR AUTOMOBILES - WEAR CHARACTERISTICS OF BRAKE PADS USING FIBROUS POTASSIUM TITANATE. 47: 117-129.
- Hoskins, JA; Brown, RC; Alexander, IC. (1992). BIOLOGICAL PERSISTENCE OF MINERAL FIBERS FOUND AS CONTAMINANTS OF INDOOR AIR. *Environ Technol.* 13: 361-366.
- Hosoda, Y; Hiraga, Y; Sasagawa, S. (2008). Railways and asbestos in Japan (1928-1987)--epidemiology of pleural plaques, malignancies and pneumoconioses [Review]. *J Occup Health.* 50: 297-307.
- Hosseinpourpia, R; Varshoe, A; Soltani, M; Hosseini, P; Tabari, HZ. (2012). Production of waste bio-fiber cement-based composites reinforced with nano-SiO₂ particles as a substitute for asbestos cement composites. *Construction and Building Materials.* 31: 105-111. <http://dx.doi.org/10.1016/j.conbuildmat.2011.12.102>.
- Hou, ZQ; Zeng, PS; Gao, YF; Du, AD; Fu, DM. (2006). Himalayan Cu-Mo-Au mineralization in the eastern Indo-Asian collision zone: constraints from Re-Os dating of molybdenite. *Trans Nonferrous Met Soc China.* 41: 33-45. <http://dx.doi.org/10.1007/s00126-005-0038-2>.
- Howard, J; Middendorf, P. (2010). Exposure science can increase protection of workers and their families from exposure to asbestos and inform on the effects of other elongate mineral particles. *J Expo Sci Environ Epidemiol.* 20: 485-486. <http://dx.doi.org/10.1038/jes.2010.40>.
- Howard, J; Middendorf, P. (2011). Response to 'Exposure science will not increase protection of workers from asbestos-caused diseases: NIOSH fails to provide needed public health action and leadership'. *J Expo Sci Environ Epidemiol.* 21: 116-116. <http://dx.doi.org/10.1038/jes.2010.54>.
- Howard, J; Mohsenifar, Z; Brown, HV; Koerner, SK. (1982). Role of exercise testing in assessing functional respiratory impairment due to asbestos exposure. *J Occup Med.* 24: 685-689.
- Howard, TP. (2003). Pneumoconiosis in a vermiculite end-product user. *Am J Ind Med.* 44: 214-217. <http://dx.doi.org/10.1002/ajim.10245>.
- Howard, WP. (1970). ASBESTOS AND RESPIRATORY DISEASES. 41: 33-&.
- Howie, R. (2005). Asbestos lung residue and asbestosis risk - Reply. *Ann Occup Hyg.* 49: 364-365. <http://dx.doi.org/10.1093/annhyg/mei006>.

Exposure Literature Search Results

Off Topic

- Howie, RM. (1999). Minimising health hazards associated with derogated products and in-situ materials containing chrysotile contaminated with amphibole asbestos fibres [Letter]. *Ann Occup Hyg.* 43: 493-498.
- Howie, RM. (2000). An important source of error in asbestos-related lung cancer estimates [Letter]. *Ann Occup Hyg.* 44: 484-487.
- Howlett, L. (1994). IN SEARCH OF THE HOLY-GRAIL. *Process Engineering.* 75: 39-39.
- Howse, R. (2004). The WHO/WTO study on trade and public health: A critical assessment. *Risk Anal.* 24: 501-507.
- Hoyes, JR; Clayton, R. (1980). A routine for the control of the performance of microscopists evaluating airborne asbestos fibre samples on membrane filters by phase contrast microscopy. *Ann Occup Hyg.* 23: 381-401.
- Hrapka, LW; Opoczky, L. (1991). CORROSION OF SYNTHETIC INORGANIC FIBERS IN CEMENT MATRIX. *Hungarian Journal of Industrial Chemistry.* 19: 223-230.
- Hraste, M; Vidovic, K. (1986). ASBESTOS PARTICLE CHARACTERISTICS IMPORTANT FOR THE FILTER CAKE FORMATION. 3: 40-42.
- HSE. (1999). Occupational exposure limits 1999 (pp. GBP 8). (CIS/00/01100).
- Hu, S; Evans, K; Craw, D; Rempel, K; Bourdet, J; Dick, J; Grice, K. (2015). Raman characterization of carbonaceous material in the Macraes orogenic gold deposit and metasedimentary host rocks, New Zealand. *Ore Geol Rev.* 70: 80-95. <http://dx.doi.org/10.1016/j.oregeorev.2015.03.021>.
- Hu, Y; Hubble, DW. (2007). Factors contributing to the failure of asbestos cement water mains. *Can J Civ Eng.* 34: 608-621. <http://dx.doi.org/10.1139/L06-162>.
- Huang, J; Hisanaga, N; Sakai, K; Iwata, M; Ono, Y; Shibata, E; Takeuchi, Y. (1988). Asbestos fibers in human pulmonary and extrapulmonary tissues. *Am J Ind Med.* 14: 331-339.
- Huang, SX; Jaurand, MC; Kamp, DW; Whysner, J; Hei, TK. (2011). Role of mutagenicity in asbestos fiber-induced carcinogenicity and other diseases [Review]. *J Toxicol Environ Health B Crit Rev.* 14: 179-245. <http://dx.doi.org/10.1080/10937404.2011.556051>.
- Huang, SX; Partridge, MA; Ghandhi, SA; Davidson, MM; Amundson, SA; Hei, TK. (2012). Mitochondria-derived reactive intermediate species mediate asbestos-induced genotoxicity and oxidative stress-responsive signaling pathways. *Environ Health Perspect.* 120: 840-847. <http://dx.doi.org/10.1289/ehp.1104287>.
- Huang, X; Li, WH; Atfield, MD; Nadas, A; Frenkel, K; Finkelman, RB. (2005). Mapping and prediction of coal workers' pneumoconiosis with bioavailable iron content in the bituminous coals. *Environ Health Perspect.* 113: 964-968. <http://dx.doi.org/10.1289/ehp.7679>.
- Huang, XW, en; Gao, JF; Qi, L; Zhou, M, eFu. (2015). In-situ LA-ICP-MS trace elemental analyses of magnetite and Re-Os dating of pyrite: The Tianhu hydrothermally remobilized sedimentary Fe deposit, NW China. *Ore Geol Rev.* 65: 900-916. <http://dx.doi.org/10.1016/j.oregeorev.2014.07.020>.
- Huang, ZH, ui; Li, W, en; Pan, Z, iHe; Liu, Y, anGai; Fang, MH, ao. (2013). HIGH-TEMPERATURE TRANSFORMATION OF ASBESTOS TAILINGS BY CARBOTHERMAL REDUCTION. *Clays and Clay Minerals.* 61: 75-82. <http://dx.doi.org/10.1346/CCMN.2013.0610106>.
- Hubaux, R; Becker-Santos, DD; Enfield, KSS; Lam, S; Lam, WL; Martinez, VD. (2012). Arsenic, asbestos and radon: Emerging players in lung tumorigenesis [Review]. *Environ Health.* 11: 89. <http://dx.doi.org/10.1186/1476-069X-11-89>.
- Huck, PM; Toft, P. (1987). TREATMENT OF DRINKING WATER FOR ORGANIC CONTAMINANTS SECOND NATIONAL CONFERENCE EDMONTON ALBERTA CANADA APRIL 7-8 1986 (pp. NEW YORK). (BIOSIS/88/35585). Gesellschaft Deutscher Chemiker (GDCh) Advisory Committee on Existing Chemicals of Environmental Relevance (BUA).
- Huczko, A; Lange, H; Calko, E; Grubek-Jaworska, H; Droszcz, P. (2001). Physiological testing of carbon nanotubes: are they asbestos-like? *Fullerene Sci Technol.* 9: 251-254.
- Hueper, WC. (1949). Occupational Cancer Hazards Found in Industry. *Ind Hyg Newsl.* 9: 7-9.
- Hueper, WC. (1966). Occupational and environmental cancers of the respiratory system. In *Recent Results in Cancer Research*, vol 3. New York, NY: Springer. <http://www.springer.com/medicine/book/978-3-642-87685-1>.
- Huff, J. (1993). ISSUES AN CONTROVERSIES SURROUNDING QUALITATIVE STRATEGIES FOR IDENTIFYING AND FORECASTING CANCER CAUSING AGENTS IN THE HUMAN ENVIRONMENT (pp. PREVENTION OF CANCER). (BIOSIS/93/21361). Huff, J.
- Huffman, LJ; Judy, DJ; Castranova, V. (1998). Regulation of nitric oxide production by rat alveolar macrophages in response to silica exposure. *J Toxicol Environ Health.* 53: 29-46.
- HUGHES; WEILL. (1988). RISK ASSESSMENT IN THE ASBESTOS CEMENT INDUSTRY - REPLY. *Br J Ind Med.* 45: 202-203.
- Hughes, JM; Weill, H. (1991). Asbestosis as a precursor of asbestos related lung cancer: Results of a prospective mortality study. *Br J Ind Med.* 48: 229-233.
- Hughes, JM; Weill, H. (1994). Potency versus importance in fiber pathogenicity [Letter]. *Am J Ind Med.* 25: 609-610.
- Hughes, JM; Weill, H; Hammad, YY. (1987). MORTALITY OF WORKERS EMPLOYED IN 2 ASBESTOS CEMENT MANUFACTURING PLANTS. *Br J Ind Med.* 44: 161-174.
- Hume, LA; Rimstidt, JD. (1992). THE BIODURABILITY OF CHRYSOTILE ASBESTOS. *Am Mineral.* 77: 1125-1128.
- Humerfelt, S; Gulsvik, A; Skjaerven, R; Nilssen, S; Kvale, G; Sulheim, O; Ramm, E; Eilertsen, E; Hummerfelt, SB. (1993). Decline in FEV1 and Airflow Limitation Related to Occupational Exposures in Men of an Urban Community. *Eur Respir J.* 6: 1095-1103.
- Huncharek, M. (1987). Chrysotile asbestos exposure and mesothelioma [Letter]. *Br J Ind Med.* 44: 287-288.
- Huncharek, M. (1991). Occult asbestos exposure [Letter]. *Am J Ind Med.* 20: 713-714.
- Huncharek, M. (1994). Pleural mesothelioma in a cigarette filter factory worker. *Scand J Work Environ Health.* 20: 146-147.
- Huncharek, M; Capotorto, J. (1988). Asbestos related lung disease in maintenance workers [Letter]. *Br J Ind Med.* 45: 203-204.
- Hung, IF; Yu, CC; Tung, CJ. (1994). INDOOR RADON CONCENTRATIONS IN TAIWANESE HOMES. *Journal of Environmental Science and Health, Part A: Environmental Science and Engineering and Toxi.* 29: 1859-1870.

Exposure Literature Search Results

Off Topic

- Hunsinger, RB; Roberts, KJ; Lawrence, J. (1980). CHRYSOTILE ASBESTOS FIBER REMOVAL DURING POTABLE WATER-TREATMENT - PILOT-PLANT STUDIES. *Environ Sci Technol.* 14: 333-336.
- Hunting, KL; Welch, LS. (1993). OCCUPATIONAL EXPOSURE TO DUST AND LUNG-DISEASE AMONG SHEET-METAL WORKERS. *Br J Ind Med.* 50: 432-442.
- Huntington, JC; Ptasienski, JJ; Bunker, KL; Strohmeier, BR; Van Orden, DR; Lee, RJ. (2008). A new method for fracturing mineral particles for cross-sectional FESEM analysis. *Periodico di Mineralogia.* 77: 43-50. <http://dx.doi.org/10.2451/2008PM0012>.
- Hurbankova, M. (1993). DYNAMIC STUDY OF THE PHAGOCYTIC-ACTIVITY OF RATS LEUKOCYTES AFTER EXPOSURE TO ASBESTOS AND BASALT FIBERS. *Zentralblatt fuer Hygiene und Umweltmedizin.* 194: 292-300.
- Hurbankova, M. (1994). ONE-YEAR FOLLOW-UP OF THE PHAGOCYTIC ACTIVITY OF LEUKOCYTES AFTER EXPOSURE OF RATS TO ASBESTOS AND BASALT FIBERS. *Environ Health Perspect.* 102: 201-203.
- Hurbánková, M; Hraškov, D; Beňo, M; Černa, S; Wimmerova, S; Moricová, Š. (2014). Combined effect of selected mineral fibres and tobacco smoke on respiratory tract in rats. *Cent Eur J Public Health.* 22: 159-163. <http://dx.doi.org/10.21101/cejph.a3894>.
- Hurbánková, M; Kaiglová, A. (1993). The changes of some immunological parameters in subjects exposed to asbestos in dependence on age, duration of exposure, radiological findings and smoking habits. *Zentralblatt fuer Hygiene und Umweltmedizin.* 195: 55-65.
- Hurbankova, M; Ulrich, L. (1992). SOME IMMUNOLOGICAL RESPONSES TO OCCUPATIONAL EXPOSURE TO ASBESTOS AND OTHER FIBROUS DUSTS. *Zentralblatt fuer Hygiene und Umweltmedizin.* 193: 130-139.
- Hurbankova, M; Ulrich, L; Barlogova, S; Malik, E. (1991). Application of some immunological methods in preventive examinations of workers exposed to asbestos (pp. 5-8). (BIOSIS/92/35865). Hurbankova, M; Ulrich, L; Barlogova, S; Malik, E.
- Hurst, GA; Spivey, CG; Matlage, WT; Miller, JM; Faulk, G; Hieger, LR; McClarty, JW; Greenberg, SD. (1979). The Tyler Asbestos Workers Program. I. A medical surveillance model and method. *Arch Environ Health.* 34: 432-439.
- Husgafvelpursiainen, K; Kannio, A. (1996). Cigarette smoking and p53 mutations in lung cancer and bladder cancer. *Environ Health Perspect.* 104: 553-556.
- Husgafvel-Pursiainen, K; Kannio, A; Oksa, P; Suijala, T; Koskinen, H; Partanen, R; Hemminki, K; Smith, S; Rosenstock-Leibu, R; Brandt-Rauf, PW. (1997). Mutations, tissue accumulations, and serum levels of p53 in patients with occupational cancers from asbestos and silica exposure. *Environ Mol Mutagen.* 30: 224-230.
- Husgafvel-Pursiainen, K; Ridanpää, M; Anttila, S; Vainio, H. (1995). p53 and ras gene mutations in lung cancer: implications for smoking and occupational exposures [Review]. *J Occup Environ Med.* 37: 69-76.
- HUTCHESO JR. (1971). ENVIRONMENTAL CONTROL IN ASBESTOS INDUSTRY. 64: 65-&.
- HUTCHESO JR. (1971). ENVIRONMENTAL CONTROL IN ASBESTOS INDUSTRY OF QUEBEC. 64: 83-&.
- Hutchison, JL; Whittaker, EJW. (1979). NATURE OF ELECTRON-DIFFRACTION PATTERNS OF AMPHIBOLE ASBESTOS AND THEIR USE IN IDENTIFICATION. *Environ Res.* 20: 445-449.
- Huuskonen, MS. (1992). Screening for occupational cancer [Review]. *Scand J Work Environ Health.* 18 Suppl 1: 110-114.
- Huuskonen, MS; Ahlman, K; Mattsson, T; Tossavainen, A. (1980). Asbestos disease in Finland. *J Occup Med.* 22: 751-754.
- Huuskonen, MS; Koskinen, K; Tossavainen, A; Karjalainen, A; Rinne, JP; Rantanen, J. (1995). Finnish Institute of Occupational Health Asbestos Program 1987-1992. *Am J Ind Med.* 28: 123-142.
- Huuskonen, MS; Rantanen, J. (2006). Finnish Institute of Occupational Health (FIOH): prevention and detection of asbestos-related diseases, 1987-2005. *Am J Ind Med.* 49: 215-220. <http://dx.doi.org/10.1002/ajim.20282>.
- Huuskonen, O; Kivisaari, L; Zitting, A; Kaleva, S; Vehmas, T. (2004). Emphysema findings associated with heavy asbestos-exposure in high resolution computed tomography of finnish construction workers. *J Occup Health.* 46: 266-271.
- Huuskonen, O; Kivisaari, L; Zitting, A; Taskinen, K; Tossavainen, A; Vehmas, T. (2001). High-resolution computed tomography classification of lung fibrosis for patients with asbestos-related disease. *Scand J Work Environ Health.* 27: 106-112.
- Hwang, CY. (1983). Size and shape of airborne asbestos fibres in mines and mills. *Br J Ind Med.* 40: 273-279.
- Hwang, CY; Wang, ZM. (1983). Comparison of methods of assessing asbestos fiber concentrations. *Arch Environ Health.* 38: 5-10.
- Hwang, J; Ramachandran, G; Raynor, PC; Alexander, BH; Mandel, JH. (2013). Comprehensive assessment of exposures to elongate mineral particles in the taconite mining industry. *Ann Occup Hyg.* 57: 966-978. <http://dx.doi.org/10.1093/annhyg/met026>.
- Hwang, J; Ramachandran, G; Raynor, PC; Alexander, BH; Mandel, JH. (2014). The Relationship Between Various Exposure Metrics for Elongate Mineral Particles (EMP) in the Taconite Mining and Processing Industry. *J Occup Environ Hyg.* 11: 613-624. <http://dx.doi.org/10.1080/15459624.2014.890287>.
- Hwang, Y; Kang, D; Kim, J; Lee, S, u; Lim, Y; Jeon, B. (2011). Environmental Exposures From Asbestos Textiles Process: Old Versus New. *Epidemiology.* 22: S76-S76.
- Hyland, RA; Ware, S; Johnson, AR; Yates, DH. (2007). Incidence trends and gender differences in malignant mesothelioma in New South Wales, Australia. *Scand J Work Environ Health.* 33: 286-292.
- Hyland, RA; Yates, DH; Benke, G; Sim, M; Johnson, AR. (2010). Occupational exposure to asbestos in New South Wales, Australia (1970-1989): development of an asbestos task exposure matrix. *Occup Environ Med.* 67: 201-206. <http://dx.doi.org/10.1136/oem.2008.039347>.
- Iakhiaev, A; Idell, S. (2004). Asbestos induces tissue factor in Beas-2B cells via PI3 kinase-PKC-mediated signaling. *J Toxicol Environ Health A.* 67: 1537-1547. <http://dx.doi.org/10.1080/15287390490486716>.
- IARC. (1989). Non-occupational exposure to mineral fibres. *IARC Sci Publ*1-529.
- Ibhadode, AOA; Dagwa, IM. (2008). Development of asbestos-free friction lining material from palm kernel shell. *J Braz Soc Mech Sci & Eng.* 30: 166-173.
- Ibrahim, N. (1999). Determination of natural activity in building materials by direct gamma spectrometry. *Fresen Environ Bull.* 8: 72-77.

Exposure Literature Search Results

Off Topic

- Ibrahim, N. (1999). Natural activities of U-238, Th-232 and K-40 in building materials. *J Environ Radioact.* 43: 255-258.
- Iezzi, G; Camara, F; Della Ventura, G; Oberti, R; Pedrazzi, G; Robert, JL. (2004). Synthesis, crystal structure and crystal chemistry of ferri-clinoholmquistite, square $\text{Li}_2\text{Mg}_3\text{Fe}_{23}+\text{Si}_8\text{O}_{22}(\text{OH})_2$. *Physics and Chemistry of Minerals.* 31: 375-385. <http://dx.doi.org/10.1007/s00269-004-0402-2>.
- Iezzi, G; Della Ventura, G; Camara, F; Pedrazzi, G; Robert, JL. (2003). Na-B-Li-B solid-solution in A-site-vacant amphiboles: synthesis and cation ordering along the ferri-clinoferroholmquistite-riebeckite join. *Am Mineral.* 88: 955-961.
- Iezzi, G; Della Ventura, G; Oberti, R; Camara, F; Holtz, F. (2004). Synthesis and crystal-chemistry of $\text{Na}(\text{NaMg})\text{Mg}_5\text{Si}_8\text{O}_{22}(\text{OH})_2$, a $\text{P}_2(1)/m$ amphibole. *Am Mineral.* 89: 640-646.
- Iezzi, G; Della Ventura, G; Tribaudino, M. (2006). Synthetic $\text{P}_2(1)/m$ amphiboles in the system $\text{Li}_2\text{O}-\text{Na}_2\text{O}-\text{MgO}-\text{SiO}_2-\text{H}_2\text{O}(\text{LNMSH})$. *Am Mineral.* 91: 425-429. <http://dx.doi.org/10.2138/am.2006.1964>.
- Iezzi, G; Tribaudino, M; Della Ventura, G; Nestola, F; Bellatreccia, F. (2005). High-T phase transition of synthetic Na-A(B)(LiMg)(Mg₅Si₈O₂₂)-Mg-C(OH)₂ amphibole: an X-ray synchrotron powder diffraction and FTIR spectroscopic study. *Physics and Chemistry of Minerals.* 32: 515-523. <http://dx.doi.org/10.1007/s00269-005-0032-3>.
- Ikai, S; Reichert, JR, JR; Rodrigues, AV; Zampieri, VA. (2010). Asbestos-free technology with new high toughness polypropylene (PP) fibers in air-cured Hatschek process. *Construction and Building Materials.* 24: 171-180. <http://dx.doi.org/10.1016/j.conbuildmat.2009.06.019>.
- Ikeda, T; Nishiyama, T; Yamada, S; Yanagi, T. (2007). Microstructures of olivine-plagioclase corona in meta-ultramafic rocks from Sefuri Mountains, NW Kyushu, Japan. *Lithos.* 97: 289-306. <http://dx.doi.org/10.1016/j.lithos.2006.12.016>.
- Ilanko, AK; Vijayaraghavan, S. (2016). Wear behavior of asbestos-free eco-friendly composites for automobile brake materials. 4: 144-152. <http://dx.doi.org/10.1007/s40544-016-0111-0>.
- Iles, KA; Hergt, JM; Sircombe, KN; Woodhead, J, onD; Bodorkos, S; Williams, I, anS. (2015). Portrait of a reference material: Zircon production in the Middledale Gabbroic Diorite, Australia, and its implications for the TEMORA standard. *Chem Geol.* 402: 140-152. <http://dx.doi.org/10.1016/j.chemgeo.2015.02.036>.
- Iles, PJ; Johnston, AM. (1983). Problems of Asbestos Fibre Counting in the Presence of Fibre-Fibre and Particle-Fibre Overlap. *Ann Occup Hyg.* 27: 389-403.
- Iles, PJ; Shenton-Taylor, T. (1986). Comparison of a fibrous aerosol monitor (FAM) with the membrane filter method for measuring airborne asbestos concentrations. *Ann Occup Hyg.* 30: 77-87.
- Ilg, AG; Bignon, J; Valleron, AJ. (1998). Estimation of the past and future burden of mortality from mesothelioma in France. *Occup Environ Med.* 55: 760-765.
- Ilgren; Chatfield. (1998). Coalinga fibre - A short, amphibole-free chrysotile (vol 7, pg 18, 1998). *Indoor Built Environ.* 7: 241-241.
- Ilgren, E. (2008). The fiber length of Coalinga chrysotile: Enhanced clearance due to its short nature in aqueous solution with a brief critique on "Short Fiber Toxicity". *Indoor Built Environ.* 17: 5-26. <http://dx.doi.org/10.1177/1420326X07086427>.
- Ilgren, E. (2008). The fiber width of Coalinga chrysotile: Reduced respirability due to its thick nature in an aerosol and its "Ultra-Thin" nature in aqueous solution (In vivo). *Indoor Built Environ.* 17: 27-41. <http://dx.doi.org/10.1177/1420326X07086428>.
- Ilgren, E; Chatfield, E. (1997). Coalinga fibre - A short, amphibole-free chrysotile .1. Evidence for a lack of fibrogenic activity. *Indoor Built Environ.* 6: 264-276.
- Ilgren, E; Chatfield, E. (1998). Coalinga fibre - A short, amphibole-free chrysotile - Part 2: Evidence for lack of tumourigenic activity. *Indoor Built Environ.* 7: 18-31.
- Ilgren, E; Chatfield, E. (1998). Coalinga fibre: A short, amphibole-free chrysotile Part 3: Lack of biopersistence. *Indoor Built Environ.* 7: 98-109.
- Ilgren, EB. (2002). Coalinga fibre: A short-fibre, amphibole-free chrysotile - Part 4: Further evidence for a lack of fibrogenic and tumorigenic activity. *Indoor Built Environ.* 11: 171-177.
- Ilgren, EB. (2002). Response to the California EPA's Office of Environmental Health Hazard Assessment critical assessment of Ilgren and Chatfield's studies of Coalinga chrysotile's fibrogenicity, tumorigenicity, and biopersistence. *Indoor Built Environ.* 11: 243-245. <http://dx.doi.org/10.1159/000066013>.
- Ilgren, EB. (2004). The biology of cleavage fragments: A brief synthesis and analysis of current knowledge. *Indoor Built Environ.* 13: 343-356. <http://dx.doi.org/10.1177/1420326X04047563>.
- Ilgren, EB. (2004). Coalinga chrysotile - The case of the missing "asbestos study": Corporate connivance or plaintiff ploy? *Indoor Built Environ.* 13: 357-373. <http://dx.doi.org/10.1177/1420326X04047763>.
- Ilgren, EB. (2004). Coalinga Chrysotile: A Short Fibre, Amphibole Free, Chrysotile: Part V - Lack of Amphibole Asbestos Contamination. *Indoor Built Environ.* 13: 325-341. <http://dx.doi.org/10.1177/1420326x04047657>.
- Ilgren, EB. (2004). Coalinga chrysotile: A short-fibre, amphibole-free, chrysotile: Part VI - Additional evidence for lack of fibrogenicity. *Indoor Built Environ.* 13: 375-382. <http://dx.doi.org/10.1177/1420326X04047764>.
- Ilgren, EB. (2008). Coalinga chrysotile: Dissolution, concentration, regulation and general relevance. *Indoor Built Environ.* 17: 42-57. <http://dx.doi.org/10.1177/1420326X07086944>.
- Ilgren, EB. (2010). The California Coalinga Chrysotile Miners and Millers - Further Evidence for a Lack of Attributable Disease. *Indoor Built Environ.* 19: 562-585. <http://dx.doi.org/10.1177/1420326X09359969>.
- Ilgren, EB; Ortega brena, M; Castro larragoitia, J; Loustaunau navarrete, G; Fuentes brena, A; Krauss, E; Feher, G. (2008). A reconnaissance study of a potential emerging Mexican mesothelioma epidemic due to fibrous zeolite exposure. *Indoor Built Environ.* 17: 496-515. <http://dx.doi.org/10.1177/1420326x08096610>.
- Il'ina, VP; Lebedeva, GA. (2012). Effect of talc stone and chlorite-tremolite rock on ceramic tile phase composition and properties. *Glass Ceram.* 68: 369-372. <http://dx.doi.org/10.1007/s10717-012-9392-6>.

Exposure Literature Search Results

Off Topic

- Ilmen, S; Alansari, A; Baidada, B; Maacha, L; Bajddi, A. (2016). Minerals of the Ag-Bi-Cu-Pb-S system from the Amensif carbonate -replacement deposit (western High Atlas, Morocco). *J Geochem Explor.* 161: 85-97. <http://dx.doi.org/10.1016/j.gexplo.2015.11.008>.
- Imam, M; Racherla, V; Biswas, K. (2015). Effect of backing plate material in friction stir butt and lap welding of 6063-T4 aluminium alloy. *International Journal of Advanced Manufacturing Technology.* 77: 2181-2195. <http://dx.doi.org/10.1007/s00170-014-6617-6>.
- Imanari, Y; Nonogawa, T; Miyoshi, J; Toda, K; Uematsu, K; Sato, M; Kosuge, K; Nishisu, Y; Kobayashi, M. (2003). Synthesis of phosphor materials using natural ore "serpentine". *Ceramic Society of Japan Journal.* 111: 151-154.
- Imbernon, E; Goldberg, M; Guenel, P; Chevalier, A; Vatre, R; Bonenfant, S. (1996). Validation of Asbestos Exposure Assessment in a Job-Exposure Matrix in the Electricity and Gas Industry in France: The Matex Project. *Occup Hyg.* 3: 1-3.
- Imbernon, E; Goldberg, M; Spyckerelle, Y; Steinmetz, J; Bonenfant, S; Fournier, B. (2004). Use of a job-exposure matrix for the screening of occupational exposure to asbestos. *Rev Epidemiol Sante Publique.* 52: 7-17. [http://dx.doi.org/10.1016/S0398-7620\(04\)99018-9](http://dx.doi.org/10.1016/S0398-7620(04)99018-9).
- Imbernon, E; Marchand, JL; Garras, L; Goldberg, M. (2005). [Quantitative assessment of the risk of lung cancer and pleural mesothelioma among automobile mechanics]. *Rev Epidemiol Sante Publique.* 53: 491-500.
- Impivaara, O; Zitting, AJ; Kuusela, T; Alanen, E; Karjalainen, A. (1998). Observer variation in classifying chest radiographs for small lung opacities and pleural abnormalities in a population sample. *Am J Ind Med.* 34: 261-265. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199809\)34:3<261::AID-AJIM8>3.0.CO;2-Y](http://dx.doi.org/10.1002/(SICI)1097-0274(199809)34:3<261::AID-AJIM8>3.0.CO;2-Y).
- Inaba, T; Iwao, T. (2000). Treatment of waste by dc arc discharge plasmas. *I E E Transactions on Dielectrics and Electrical Insulation.* 7: 684-692.
- Inaba, T; Nagano, M; Endo, M. (1999). Investigation of plasma treatment for hazardous wastes such as fly ash and asbestos. *Electrical Engineering in Japan.* 126: 73-82.
- Infante, PF; Schuman, LD; Dement, J; Huff, J. (1994). Fibrous glass and cancer [Review]. *Am J Ind Med.* 26: 559-584.
- Inoue, A; Utada, M. (1991). SMECTITE-TO-CHLORITE TRANSFORMATION IN THERMALLY METAMORPHOSED VOLCANOCLASTIC ROCKS IN THE KAMIKITA AREA, NORTHERN HONSHU, JAPAN. *Am Mineral.* 76: 628-640.
- Inoue, Y; Kaga, A; Yamaguchi, K; Kamoi, S. (1998). Development of an automatic system for counting asbestos fibers using image processing. *Part Sci Technol.* 16: 263-279.
- Inthavong, K; Wen, H, an; Tian, Z; Tu, J. (2008). Numerical study of fibre deposition in a human nasal cavity. *J Aerosol Sci.* 39: 253-265. <http://dx.doi.org/10.1016/j.jaerosci.2007.11.007>.
- Ionescu, S; Deac, V; Corpodean, C. (2011). RISK OF EXPOSURE TO ASBESTOS IN CASE OF THE MECHANICAL DEGRADATION OF SOME ASBOCEMENT COMPOSITES. *Environmental Engineering and Management Journal.* 10: 1773-1777.
- Irannajad, M; Mehdilo, A; Nuri, OS. (2014). Influence of microwave irradiation on ilmenite flotation behavior in the presence of different gangue minerals. *Separation and Purification Technology.* 132: 401-412. <http://dx.doi.org/10.1016/j.seppur.2014.05.046>.
- Irwig, HG; Oliver, LC; Page, T; Wegman, DH; Ellenbecker, MJ. (1991). Asbestos in Place: A Building Management Perspective. *Ann N Y Acad Sci.* 643: 589-596.
- Ishida, K. (1998). Cation disordering in heat-treated anthophyllites through oxidation and dehydrogenation. *Physics and Chemistry of Minerals.* 25: 160-167.
- Ishida, K; Hawthorne, FC. (2001). Assignment of infrared OH-stretching bands in manganoan magnesio-arfvedsonite and richterite through heat-treatment. *Am Mineral.* 86: 965-972.
- Ishida, K; Hawthorne, FC. (2003). Fine structure in the infrared OH-stretching bands of holmquistite and anthophyllite. *Physics and Chemistry of Minerals.* 30: 330-336. <http://dx.doi.org/10.1007/s00269-003-0311-9>.
- Ishida, K; Hawthorne, FC. (2006). Assignment of infrared OH-stretching bands in calcic amphiboles through deuteration and heat treatment. *Am Mineral.* 91: 871-879.
- Ishida, K; Hawthorne, FC; Ando, Y. (2002). Fine structure of infrared OH-stretching bands in natural and heat-treated amphiboles of the tremolite-ferro-actinolite series. *Am Mineral.* 87: 891-898.
- Ishida, K; Jenkins, DM; Hawthorne, FC. (2008). Mid-IR bands of synthetic calcic amphiboles of tremolite-pargasite series and of natural calcic amphiboles. *Am Mineral.* 93: 1112-1118. <http://dx.doi.org/10.2138/am.2008.2756>.
- Ishida, T; Alexandrov, M; Nishimura, T; Minakawa, K; Hirota, R; Sekiguchi, K; Kohyama, N; Kuroda, A. (2010). Selective detection of airborne asbestos fibers using protein-based fluorescent probes. *Environ Sci Technol.* 44: 755-759. <http://dx.doi.org/10.1021/es902395h>.
- Ishihara, Y. (2001). In vitro studies on biological effects of fibrous minerals [Review]. *Ind Health.* 39: 94-105.
- Ishimatsu, S; Oyabu, T; Hori, H; Tanaka, I. (1999). A new digestion method for recovery of MMMFs from lungs. *Ind Health.* 37: 307-312. <http://dx.doi.org/10.2486/indhealth.37.307>.
- Ishizaki, T; Yano, E; Evans, PH. (1997). Cellular mechanisms of reactive oxygen metabolite generation from human polymorphonuclear leukocytes induced by crocidolite asbestos. *Environ Res.* 75: 135-140. <http://dx.doi.org/10.1006/enrs.1997.3772>.
- Ishizaki, T; Yano, E; Urano, N; Evans, PH. (1994). Crocidolite-induced reactive oxygen metabolites generation from human polymorphonuclear leukocytes. *Environ Res.* 66: 208-216. <http://dx.doi.org/10.1006/enrs.1994.1056>.
- Ismail, R; Ciobanu, CL; Cook, NJ; Teale, GS; Giles, D; Mumm, AS; Wade, B. (2014). Rare earths and other trace elements in minerals from skarn assemblages, Hillside iron oxide-copper-gold deposit, Yorke Peninsula, South Australia. *Lithos.* 184: 456-477. <http://dx.doi.org/10.1016/j.lithos.2013.07.023>.
- Issa, SS. (1990). RESIDUAL-STRESSES IN ASBESTOS-CEMENT PIPES. *Journal of Engineering Mechanics.* 116: 1125-1141.
- Iudicello, JJ; Englehardt, JD. (2009). A Predictive Bayesian Dose-Response Assessment for Evaluating the Toxicity of Carbon Nanotubes Relative to Crocidolite Using a Proposed Emergent Model. *Hum Ecol Risk Assess.* 15: 1168-1186. <http://dx.doi.org/10.1080/10807030903304781>.

Exposure Literature Search Results

Off Topic

- Ivanov, AV; Ivanova, MA; Kononkova, NN. (2007). Concentrically zonal textures in a sample of the Kaidun meteorite. *Geochem Int.* 45: 957-970. <http://dx.doi.org/10.1134/S0016702907100011>.
- Ivanova, MS; Kumzerov, YA; Poborchii, VV; Ulashkevich, YV; Zhuravlev, VV. (1995). ULTRATHIN WIRES INCORPORATED WITHIN CHRYSOTILE ASBESTOS NANOTUBES - OPTICAL AND ELECTRICAL-PROPERTIES. 4: 319-322.
- Iwata, T; Kohyama, N; Yano, E. (2002). Chemiluminescent detection of induced reactive oxygen metabolite production of human polymorphonuclear leucocytes by anthophyllite asbestos. *Environ Res.* 88: 36-40. <http://dx.doi.org/10.1006/enrs.2001.4314>.
- Iwata, T; Yano, E. (2003). Reactive oxygen metabolite production induced by asbestos and glass fibers: effect of fiber milling. *Ind Health.* 41: 32-38.
- Iwatsubo, Y; Benezet, L; Boutou-Kempf, O; Fevotte, J; Garras, L; Goldberg, M; Luce, D; Pilorget, C; Imbernon, E. (2014). An extensive epidemiological investigation of a kidney cancer cluster in a chemical plant: what have we learned? *Occup Environ Med.* 71: 4-11. <http://dx.doi.org/10.1136/oemed-2013-101477>.
- Iwatsubo, Y; Matrat, M; Michel, E; Boutin, C; Galateau-Salle, F; Jouglu, E; Bignon, J; Pairon, JC; Brochard, P. (2002). Estimation of the incidence of pleural mesothelioma according to death certificates in France. *Am J Ind Med.* 42: 188-199. <http://dx.doi.org/10.1002/ajim.10098>.
- Iwatsubo, Y; Pairon, JC; Boutin, C; Ménard, O; Massin, N; Caillaud, D; Orłowski, E; Galateau-Salle, F; Bignon, J; Brochard, P. (1998). Pleural mesothelioma: dose-response relation at low levels of asbestos exposure in a French population-based case-control study. *Am J Epidemiol.* 148: 133-142.
- Iwatsubo, Y; Pairon, JC; Debeaune, CA; Chamings, S; Bignon, J; Brochard, P. (1994). PLEURAL MESOTHELIOMA - A DESCRIPTIVE ANALYSIS BASED ON A CASE-CONTROL STUDY AND MORTALITY DATA IN ILE-DE-FRANCE, 1987-1990. *Am J Ind Med.* 26: 77-88.
- Izumi, H; Morimoto, Y. (2014). Physicochemical Properties and Factors that Induce Asbestos-Related Respiratory Disease. 126-134.
- Jabaloy-Sanchez, A; Teresa Gomez-Pugnaire, M; Padron-Navarta, JA; Lopez Sanchez-Vizcaino, V; Garrido, CJ. (2015). Subduction- and exhumation-related structures preserved in metaserpentinites and associated metasediments from the Nevado-Filabride Complex (Betic Cordillera, SE Spain). *Tectonophysics.* 644: 40-57. <http://dx.doi.org/10.1016/j.tecto.2014.12.022>.
- Jackson, CRM; Parman, SW; Kelley, SP; Cooper, RF. (2015). Light noble gas dissolution into ring structure-bearing materials and lattice influences on noble gas recycling. *Geochim Cosmo Acta.* 159: 1-15. <http://dx.doi.org/10.1016/j.gca.2015.02.036>.
- Jackson, HM; West, NG. (1992). Initial Experience with the Workplace Analysis Scheme for Proficiency (WASP). *Ann Occup Hyg.* 36: 545-561.
- Jacobs, N; Kisting, S; Braun, L. (2004). Collaborative research, participatory solutions: research on asbestos in Kuruman, South Africa [Review]. *Int J Occup Environ Health.* 10: 226-232. <http://dx.doi.org/10.1179/oeh.2004.10.2.226>.
- Jacobs, R; Richards, RJ. (1980). DISTRIBUTION OF 6-6(N)-3[H]SUCROSE AND ITS RADIOLABELED DEGRADATION PRODUCTS FROM ISOLATED, PERFUSED RAT SMALL-INTESTINE LOOPS FOLLOWING PROLONGED INGESTION OF CHRYSOTILE ASBESTOS. *Environ Res.* 21: 423-431.
- Jacobsen, M; Dodgson, J; Maclaren, W. (1983). ESTIMATING FACTORY-WORKERS CUMULATIVE EXPOSURE TO LOW CONCENTRATIONS OF ASBESTOS DUST. *Scand J Work Environ Health.* 9: 61-61.
- Jacobsen, M; Ducatman, B; Cox-Ganser, J. (2000). Study of the Feasibility of Research on Pathologic Types of Lung Cancer in Silica- and Radon-Exposed Miners, Final Report. 66.
- Jacobsen, M; Foda, A; Ronk, C; Mckinley, M, eg. (2013). CHRYSOTILE ASBESTOS EXPOSURE AND OVARIAN CANCER: IS THERE AN ASSOCIATION? *Am J Epidemiol.* 177: S123-S123.
- Jaenchen, R; Defren, K; Reinhardt, M. (1995). QUALIFICATION OF MICROBIOLOGY VALIDATED FILTERS FOR THE ELIMINATION OF ASBESTOS FIBERS FROM PARENTERALS. 57: 183-187.
- Jaffrey, SAM, T; Rood, AP; Scott, RM. (1992). Fibrous Dust Release from Asbestos Substitutes in Friction Products. *Ann Occup Hyg.* 36: 173-181.
- Jagirdar, J; Lee, TC; Reibman, J; Gold, LI; Aston, C; Bégin, R; Rom, WN. (1997). Immunohistochemical localization of transforming growth factor beta isoforms in asbestos-related diseases. *Environ Health Perspect.* 105 Suppl 5: 1197-1203.
- Jahn, H; Rodelsperger, K; Bruckel, B; Manke, J; Woitowitz, HJ. (1985). ASBESTOS DUST RISKS IN BRAKE REPAIR SERVICES. *Staub, Reinhaltung der Luft.* 45: 80-83.
- Jahn, I; Ahrens, W; Brüske-Hohfeld, I; Kreuzer, M; Möhner, M; Pohlabein, H; Wichmann, HE; Jöckel, KH. (1999). Occupational risk factors for lung cancer in women: results of a case-control study in Germany. *Am J Ind Med.* 36: 90-100.
- Jahn, I; Becker, U; Jöckel, KH; Pohlabein, H. (1995). Occupational life course and lung cancer risk in men. Findings from a socio-epidemiological analysis of job-changing histories in a case-control study. *Soc Sci Med.* 40: 961-975.
- Jajte, J; Lao, I; Wiśniewska-Knypl, JM. (1987). Enhanced lipid peroxidation and lysosomal enzyme activity in the lungs of rats with prolonged pulmonary deposition of crocidolite asbestos. *Br J Ind Med.* 44: 180-186.
- Jakobsson, K. (1994). ASBESTOS, CEMENT, AND CANCER IN THE RIGHT PART OF THE COLON (VOL 51, PG 95, 1994). *Occup Environ Med.* 51: 576-576.
- Jakobsson, K; Albin, M; Hagmar, L. (1994). Asbestos, cement, and cancer in the right part of the colon. *Occup Environ Med.* 51: 95-101.
- Jakobsson, K; Rannug, A; Alexandrie, AK; Rylander, L; Albin, M; Hagmar, L. (1994). Genetic polymorphism for glutathione-S-transferase mu in asbestos cement workers. *Occup Environ Med.* 51: 812-816.
- Jakobsson, K; Strömberg, U; Albin, M; Welinder, H; Hagmar, L. (1995). Radiological changes in asbestos cement workers. *Occup Environ Med.* 52: 20-27.
- Jakubec, P; Pelclova, D; Smolkova, P; Kolek, V; Nakladalova, M. (2015). Significance of serum mesothelin in an asbestos-exposed population in the Czech Republic. *Biomed Pap Med Fac Univ Palacky Olomouc Czech Repub.* 159: 472-479. <http://dx.doi.org/10.5507/bp.2014.015>.
- Jamshaid, H; Mishra, R. (2016). A green material from rock: basalt fiber - a review. *J Text Inst.* 107: 923-937. <http://dx.doi.org/10.1080/00405000.2015.1071940>.

Exposure Literature Search Results

Off Topic

- Jamshidi, M; Ramezani-pour, AA. (2011). Laboratory and industrial investigations on hybrid of acrylic and glass short fibers as an alternative for substituting asbestos in Hatschek process. *Construction and Building Materials*. 25: 298-302. <http://dx.doi.org/10.1016/j.conbuildmat.2010.06.026>.
- Janak, M; Obrien, PJ; Hurai, V; Reutel, C. (1996). Metamorphic evolution and fluid composition of garnet-clinopyroxene amphibolites from the Tatra Mountains, Western Carpathians. *Lithos*. 39: 57-79.
- Jancar, B; Suvorov, D. (2006). The influence of hydrothermal-reaction parameters on the formation of chrysotile nanotubes. *Nanotechnology*. 17: 25-29. <http://dx.doi.org/10.1088/0957-4484/17/1/005>.
- Jankovic, JT. (1985). ASBESTOS BULK SAMPLING PROCEDURE. *Am Ind Hyg Assoc J*. 46: B8-&.
- Janssen, YMW; Driscoll, KE; Timblin, CR; Hassenbein, D; Mossman, BT. (1998). Modulation of mitochondrial gene expression in pulmonary epithelial cells exposed to oxidants. *Environ Health Perspect*. 106: 1191-1195.
- Jansson, C; Johansson, AL; Bergdahl, IA; Dickman, PW; Plato, N; Adami, J; Boffetta, P; Lagergren, J. (2005). Occupational exposures and risk of esophageal and gastric cardia cancers among male Swedish construction workers. *Cancer Causes Control*. 16: 755-764. <http://dx.doi.org/10.1007/s10552-005-1723-2>.
- Jansson, NF; Allen, RL. (2011). The origin of skarn beds, Ryllshyttan Zn-Pb-Ag plus magnetite deposit, Bergslagen, Sweden. *Mineralogy and Petrology*. 103: 49-78. <http://dx.doi.org/10.1007/s00710-011-0154-x>.
- Jarabo, R; Fuente, E; Savastano, H, Jr; Negro, C. (2014). Effect of Sepiolite on Mechanical and Physical Properties of Fiber Cement. *ACI Mater J*. 111: 355-362.
- Jarad, NA; Wilkinson, P; Pearson, MC; Rudd, RM. (1992). A new high resolution computed tomography scoring system for pulmonary fibrosis, pleural disease, and emphysema in patients with asbestos related disease. *Br J Ind Med*. 49: 73-84.
- Jarc, S; Zupancic, N. (2009). A cathodoluminescence and petrographical study of marbles from the Pohorje area in Slovenia. *Chem Erde*. 69: 75-80. <http://dx.doi.org/10.1016/j.chemer.2008.01.001>.
- Järholm, B. (1993). Incidence of lung cancer by histological type among asbestos cement workers in Denmark [Letter]. *Br J Ind Med*. 50: 767.
- Jarvholm, B. (1992). DOSE-RESPONSE IN EPIDEMIOLOGY - AGE AND TIME ASPECTS. *Am J Ind Med*. 21: 101-106.
- Jarvholm, B. (2006). Carcinogens in the construction industry. *Ann N Y Acad Sci*. 1076: 421-428. <http://dx.doi.org/10.1196/annals.1371.055>.
- Järholm, B. (1992). Pleural plaques and exposure to asbestos: a mathematical model. *Int J Epidemiol*. 21: 1180-1184.
- Järholm, B. (2000). Natural organic fibers--health effects [Review]. *Int Arch Occup Environ Health*. 73 Suppl: S69-S74.
- Järholm, B; Åström, E. (2014). The risk of lung cancer after cessation of asbestos exposure in construction workers using pleural malignant mesothelioma as a marker of exposure. *J Occup Environ Med*. 56: 1297-1301. <http://dx.doi.org/10.1097/JOM.0000000000000258>.
- Järholm, B; Burdorf, A. (2015). Emerging evidence that the ban on asbestos use is reducing the occurrence of pleural mesothelioma in Sweden. *Scand J Public Health*. 43: 875-881. <http://dx.doi.org/10.1177/1403494815596500>.
- Järholm, B; Englund, A. (2014). The impact of asbestos exposure in Swedish construction workers. *Am J Ind Med*. 57: 49-55. <http://dx.doi.org/10.1002/ajim.22264>.
- Jarvholm, B; Hillerdal, G; Jarliden, AK; Hansson, A; Lilja, BG; Tornling, G; Westerholm, P. (1995). OCCURRENCE OF PLEURAL PLAQUES IN WORKERS WITH EXPOSURE TO MINERAL WOOL. *Int Arch Occup Environ Health*. 67: 343-346.
- Järholm, B; Malker, H; Malker, B; Ericsson, J; Sällsten, G. (1988). Pleural mesotheliomas and asbestos exposure in the pulp and paper industries: a new risk group identified by linkage of official registers. *Am J Ind Med*. 13: 561-567.
- Järholm, B; Reuterwall, C; Bystedt, J. (2013). Mortality attributable to occupational exposure in Sweden. *Scand J Work Environ Health*. 39: 106-111. <http://dx.doi.org/10.5271/sjweh.3284>.
- Järholm, B; Sandén, A. (1987). Estimating asbestos exposure: a comparison of methods. *J Occup Med*. 29: 361-363.
- Järholm, B; Sandén, A. (1998). Lung cancer and mesothelioma in the pleura and peritoneum among Swedish insulation workers. *Occup Environ Med*. 55: 766-770.
- Jaszczak, JA; Rumsey, MS; Bindi, L; Hackney, SA; Wise, MA; Stanley, CJ; Spratt, J. (2016). Merelaniite, Mo₄Pb₄V₅Sb₁₅, a New Molybdenum-Essential Member of the Cylindrite Group, from the Merelani Tanzanite Deposit, Lelatema Mountains, Manyara Region, Tanzania. 6. <http://dx.doi.org/10.3390/min6040115>.
- Jaurand, M; Bastie-Sigeac, I; Magne, L; Hubert-Habart, M; Bignon, J. (1983). Studies on in vitro chrysotile-pleural mesothelial cell interaction: morphological aspects and metabolism of benzo-3,4-pyrene. *Environ Health Perspect*. 51: 159-165.
- Jaurand, MC. (1994). IN-VITRO ASSESSMENT OF BIOPERSTENCE USING MAMMALIAN-CELL SYSTEMS. *Environ Health Perspect*. 102: 55-59.
- Jaurand, MC. (1997). Mechanisms of fiber-induced genotoxicity [Review]. *Environ Health Perspect*. 105: 1073-1084.
- Jaurand, MC; Bignon, J; Gaudichet, A; Magne, L; Oblin, A. (1978). Biological effects of chrysotile after SO₂ sorption. II. Effects on alveolar macrophages and red blood cells. *Environ Res*. 17: 216-227. [http://dx.doi.org/10.1016/0013-9351\(78\)90023-3](http://dx.doi.org/10.1016/0013-9351(78)90023-3).
- Jaurand, MC; Bignon, J; Sebastien, P; Goni, J. (1977). Leaching of chrysotile asbestos in human lungs. Correlation with in vitro studies using rabbit alveolar macrophages. *Environ Res*. 14: 245-254.
- Jaurand, MC; Gaudichet, A; Halpern, S; Bignon, J. (1984). INVITRO BIODEGRADATION OF CHRYSOTILE FIBERS BY ALVEOLAR MACROPHAGES AND MESOTHELIAL CELLS IN CULTURE - COMPARISON WITH A PH EFFECT. *Br J Ind Med*. 41: 389-395.
- Jaurand, MC; Thomassin, JH; Baillif, P; Magne, L; Touray, JC; Bignon, J. (1980). Chemical and photoelectron spectrometry analysis of the adsorption of phospholipid model membranes and red blood cell membranes on to chrysotile fibres. *Br J Ind Med*. 37: 169-174.
- Jayanty, RKM; Peterson, MR; Naugle, DF; Berry, MA. (1990). Exposure Assessment: Methods of Analysis for Environmental Carcinogens. *Risk Anal*. 10: 587-595. <http://dx.doi.org/10.1111/j.1539-6924.1990.tb00543.x>.
- Jayasuriya, N; Navaratne, CM; Weerasignhe, KD, onN; Nawarathna, B; Adams, R. (2014). Roof Runoff Capture for Home Garden Crop Cultivation in Sri Lanka. *Journal of Irrigation and Drainage Engineering*. 140. [http://dx.doi.org/10.1061/\(ASCE\)IR.1943-4774.0000711](http://dx.doi.org/10.1061/(ASCE)IR.1943-4774.0000711).

Exposure Literature Search Results

Off Topic

- Jaynes, LM. (1981). MISLEADING STATEMENT REGARDING ASBESTOS DUST IN A BRAKE REPAIR OPERATION. *J Occup Environ Med.* 23: 389-389.
- Jeanjean, A; Olives, R; Py, X. (2013). Selection criteria of thermal mass materials for low-energy building construction applied to conventional and alternative materials. *Energy and Buildings.* 63: 36-48. <http://dx.doi.org/10.1016/j.enbuild.2013.03.047>.
- Jeebun, V; Stenton, SC. (2012). The presentation and natural history of asbestos-induced diffuse pleural thickening. *Occup Med (Lond).* 62: 266-268. <http://dx.doi.org/10.1093/occmed/kqs028>.
- Jemal, A; Grauman, D; Devesa, S. (2000). Recent geographic patterns of lung cancer and mesothelioma mortality rates in 49 shipyard counties in the United States, 1970-94. *Am J Ind Med.* 37: 512-521.
- Jenchuraeva, RJ. (1997). Tectonic settings of porphyry-type mineralization and hydrothermal alteration in Paleozoic island arcs and active continental margins, Kyrghyz range, (Tien Shan) Kyrghyzstan. *Miner Depos.* 32: 434-440.
- Jenkins, DM. (2011). The transition from blueschist to greenschist facies modeled by the reaction glaucophane+2 diopside+2 quartz = tremolite+2 albite. *Contributions to Mineralogy and Petrology.* 162: 725-738. <http://dx.doi.org/10.1007/s00410-011-0621-8>.
- Jenkins, DM; Bozhilov, KN; Ishida, K. (2003). Infrared and TEM characterization of amphiboles synthesized near the tremolite-pargasite join in the ternary system tremolite-pargasite-cummingtonite. *Am Mineral.* 88: 1104-1114.
- Jenkins, DM; Carpenter, MA; Zhang, M. (2014). Experimental and infrared characterization of the miscibility gap along the tremolite-glaucophane join. *Am Mineral.* 99: 730-741. <http://dx.doi.org/10.2138/am.2014.4590>.
- Jenkins, DM; Corona, JC. (2006). Molar volume and thermal expansion of glaucophane. *Physics and Chemistry of Minerals.* 33: 356-362. <http://dx.doi.org/10.1007/s00269-006-0083-0>.
- Jenkins, DM; Della Ventura, G; Oberti, R; Bozhilov, K. (2013). Synthesis and characterization of amphiboles along the tremolite-glaucophane join. *Am Mineral.* 98: 588-600. <http://dx.doi.org/10.2138/am.2013.4281>.
- Jenkins, DM; Gilleaudeau, GJ; Kawa, C; Dibiase, JM; Fokin, M. (2012). Compositional limits and analogs of monoclinic triple-chain silicates. *Contributions to Mineralogy and Petrology.* 164: 229-244. <http://dx.doi.org/10.1007/s00410-012-0735-7>.
- Jenkins, DM; Holland, TJB; Clare, AK. (1991). EXPERIMENTAL-DETERMINATION OF THE PRESSURE-TEMPERATURE STABILITY FIELD AND THERMOCHEMICAL PROPERTIES OF SYNTHETIC TREMOLITE. *Am Mineral.* 76: 458-469.
- Jenkins, DM; Ishida, K; Liogys, V; Ghosh, D. (2002). Cation distribution in amphiboles synthesized along the Ga analogue of the tremolite-aluminotschermakite join. *Physics and Chemistry of Minerals.* 29: 87-97. <http://dx.doi.org/10.1007/s002690100214>.
- Jenkins, DM; Sherriff, BL; Cramer, J; Xu, Z. (1997). Al, Si, and Mg occupancies in tetrahedrally and octahedrally coordinated sites in synthetic aluminous tremolite. *Am Mineral.* 82: 280-290.
- Jennings, CJ; Walsh, PM; Deady, S; Harvey, BJ; Thomas, W. (2014). Malignant pleural mesothelioma incidence and survival in the Republic of Ireland 1994-2009. *Cancer Epidemiology.* 38: 35-41. <http://dx.doi.org/10.1016/j.canep.2013.12.002>.
- Jeon, SS; O'Rourke, TD. (2005). Northridge earthquake effects on pipelines and residential buildings. *Seismological Society of America Bulletin.* 95: 294-318.
- Jeong, KS; Kim, Y; Kim, MC; Yoo, CI, n. (2011). Comparison of Cancer Incidence Between Production and Office Workers at a Shipyard in Korea: A Retrospective Cohort Study From 1992 to 2005. *Am J Ind Med.* 54: 719-725. <http://dx.doi.org/10.1002/ajim.20957>.
- Jeyaratnam, M; West, NG. (1994). A STUDY OF HEAT-DEGRADED CHRYSOTILE, AMOSITE AND CROCIDOLITE BY X-RAY-DIFFRACTION. *Ann Occup Hyg.* 38: 137-148.
- Ji, S; Li, A; Wang, Q; Long, C; Wang, H; Marcotte, D; Salisbury, M. (2013). Seismic velocities, anisotropy, and shear-wave splitting of antigorite serpentinites and tectonic implications for subduction zones. *J Geophys Res Solid Earth.* 118: 1015-1037. <http://dx.doi.org/10.1002/jgrb.50110>.
- Ji, WD; Chen, JK; Lu, JC; Wu, ZL; Yi, F; Feng, SM. (2006). Alterations of FHIT gene and P16 gene in nickel transformed human bronchial epithelial cells. *Biomed Environ Sci.* 19: 277-284.
- Ji, Z; Wang, X; Zhang, H; Lin, S; Meng, H; Sun, B; George, S; Xia, T; Nel, AE; Zink, JI. (2012). Designed Synthesis of CeO₂ Nanorods and Nanowires for Studying Toxicological Effects of High Aspect Ratio Nanomaterials. *ACS Nano.* 6: 5366-5380. <http://dx.doi.org/10.1021/nn3012114>.
- Jiang, GC; Madl, AK; Ingmundson, KJ; Murbach, DM; Fehling, KA; Paustenbach, DJ; Finley, BL. (2008). A study of airborne chrysotile concentrations associated with handling, unpacking, and repacking boxes of automobile clutch discs. *Regul Toxicol Pharmacol.* 51: 87-97. <http://dx.doi.org/10.1016/j.yrtph.2008.02.009>.
- Jiang, H; Lee, C, inTyA; Morgan, JK; Ross, CH. (2015). Geochemistry and thermodynamics of an earthquake: A case study of pseudotachylites within mylonitic granitoid. *Earth Planet Sci Lett.* 430: 235-248. <http://dx.doi.org/10.1016/j.epsl.2015.08.027>.
- Jiang, Z; Chen, J; Lou, J; Miao, C; Shao, D; Zhang, X. (2015). [Monitoring and analysis of asbestos concentration in working environment of different asbestos-producing technologies in a certain area]. *Zhonghua Lao Dong Wei Sheng Zhi Ye Bing Za Zhi.* 33: 833-837.
- Jiang, Z; Zhang, Z; Wang, Z; Duan, S; Li, F; Tian, J. (2014). Geology, geochemistry, and geochronology of the Zhibo iron deposit in the Western Tianshan, NW China: Constraints on metallogenesis and tectonic setting. *Ore Geol Rev.* 57: 406-424. <http://dx.doi.org/10.1016/j.oregeorev.2013.09.016>.
- Jin, H, ui; Wang, Y. (2012). Synthesis and characterization of the novel meta-modified aramid fibers with liquid crystalline properties. *Polymer Composites.* 33: 1620-1627. <http://dx.doi.org/10.1002/pc.22263>.
- Jiusheng, B; Zhencai, Z; Yan, Y; Guoan, C. (2009). Catastrophe Model for the Friction Coefficient of Mine Hoister's Brake Shoe During Emergency Braking. *Journal of Computational and Theoretical Nanoscience.* 6: 1622-1625. <http://dx.doi.org/10.1166/jctn.2009.1221>.
- Jiusheng, B; Zhencai, Z; Yan, Y; Guoan, C. (2009). Influence of initial braking velocity and braking frequency on tribological performance of non-asbestos brake shoe. *Industrial Lubrication & Tribology.* 61: 332-338. <http://dx.doi.org/10.1108/00368790910988453>.
- Jo, H; Jo, H, oY; Rha, S; Lee, PK, oo. (2015). Direct Aqueous Mineral Carbonation of Waste Slate Using Ammonium Salt Solutions. *5: 2413-2427.*

Exposure Literature Search Results

Off Topic

- Jöckel, KH; Ahrens, W; Bolm-Audorff, U. (1994). Lung cancer risk and welding--preliminary results from an ongoing case-control study. *Am J Ind Med.* 25: 805-812.
- Jöckel, KH; Ahrens, W; Jahn, I; Pohlabeln, H; Bolm-Audorff, U. (1998). Occupational risk factors for lung cancer: a case-control study in West Germany. *Int J Epidemiol.* 27: 549-560.
- Jöckel, KH; Ahrens, W; Pohlabeln, H; Bolm-Audorff, U; Müller, KM. (1998). Lung cancer risk and welding: results from a case-control study in Germany. *Am J Ind Med.* 33: 313-320.
- Jöckel, KH; Pohlabeln, H; Bolm-Audorff, U; Brüske-Hohlfeld, I; Wichmann, HE. (2000). Lung cancer risk of workers in shoe manufacture and repair. *Am J Ind Med.* 37: 575-580.
- Joekes, I; Moran, PJS; Rodrigues, JAR; Wendhausen, R; Tonella, E; Cassiola, F. (1998). Characterization of *Saccharomyces cerevisiae* immobilized onto chrysotile for ethanol production. *J Chem Tech Biotechnol.* 73: 54-58.
- Joens, N; Bach, W; Schroeder, T. (2009). Formation and alteration of plagiogranites in an ultramafic-hosted detachment fault at the Mid-Atlantic Ridge (ODP Leg 209). *Contributions to Mineralogy and Petrology.* 157: 625-639. <http://dx.doi.org/10.1007/s00410-008-0357-2>.
- Joesten, R. (1991). LOCAL EQUILIBRIUM IN METASOMATIC PROCESSES REVISITED - DIFFUSION-CONTROLLED GROWTH OF CHERT NODULE REACTION RIMS IN DOLOMITE. *Am Mineral.* 76: 743-755.
- Johan, Z. (2006). Platinum-group minerals from placers related to the Nizhni Tagil (Middle Urals, Russia) Uralian-Alaskan-type ultramafic complex: ore-mineralogy and study of silicate inclusions in (Pt, Fe) alloys. *Mineralogy and Petrology.* 87: 1-30. <http://dx.doi.org/10.1007/s00710-005-0117-1>.
- Johanning, E; Goldberg, M; Kim, R. (1994). Asbestos hazard evaluation in South Korean textile production. *Int J Health Serv.* 24: 131-144.
- Johansen, C. (2004). Electromagnetic fields and health effects--epidemiologic studies of cancer, diseases of the central nervous system and arrhythmia-related heart disease [Review]. *Scand J Work Environ Health.* 30 Suppl 1: 1-30.
- Johansen, C; Olsen, JH. (1998). Mortality from amyotrophic lateral sclerosis, other chronic disorders, and electric shocks among utility workers. *Am J Epidemiol.* 148: 362-368.
- Johansen, C; Olsen, JH. (1998). Risk of cancer among Danish utility workers--a nationwide cohort study. *Am J Epidemiol.* 147: 548-555.
- Johansson, L; Albin, M; Jakobsson, K; Mikoczy, Z. (1992). Histological type of lung carcinoma in asbestos cement workers and matched controls. *Br J Ind Med.* 49: 626-630.
- Johansson, LG; Albin, MP; Jakobsson, KM; Welinder, HE; Ranstam, PJ; Attewell, RG. (1987). Ferruginous bodies and pulmonary fibrosis in dead low to moderately exposed asbestos cement workers: histological examination. *Br J Ind Med.* 44: 550-558.
- John, T; Scambelluri, M; Frische, M; Barnes, JD; Bach, W. (2011). Dehydration of subducting serpentinite: Implications for halogen mobility in subduction zones and the deep halogen cycle. *Earth Planet Sci Lett.* 308: 65-76. <http://dx.doi.org/10.1016/j.epsl.2011.05.038>.
- John, W; Smith, G; Hayward, S. (1985). ASBESTOS IN BRAKE LININGS. *Chem Eng News.* 63: 5-5.
- Johnson, A; Farrow, P; Jenkins, R. (2006). Effectiveness of smoking cessation advice for asbestos workers. *Occup Med (Lond).* 56: 59-60. <http://dx.doi.org/10.1093/occmed/kqj001>.
- Johnson, BB. (2002). Stability and inoculation of risk comparisons' effects under conflict: replicating and extending the "asbestos jury" study by Slovic et al. *Risk Anal.* 22: 777-788.
- Johnson, BB. (2004). Varying risk comparison elements: effects on public reactions. *Risk Anal.* 24: 103-114. <http://dx.doi.org/10.1111/j.0272-4332.2004.00415.x>.
- Johnson, CA; Day, WC; Rye, RO. (2016). Oxygen, Hydrogen, Sulfur, and Carbon Isotopes in the Pea Ridge Magnetite-Apatite Deposit, Southeast Missouri, and Sulfur Isotope Comparisons to Other Iron Deposits in the Region. *Econ Geol.* 111: 2017-2032.
- Johnson, DL; Martonen, TB. (1994). PREDICTED AND OBSERVED BEHAVIOR OF PLATELET AEROSOLS. *Part Sci Technol.* 12: 149-159.
- Johnson, FM. (2002). How many food additives are rodent carcinogens? *Environ Mol Mutagen.* 39: 69-80. <http://dx.doi.org/10.1002/em.10037>.
- Johnson, J; Messing, R; Kelly, J; Souther, L. (2004). Community asbestos exposure from a vermiculite processing facility. *Epidemiology.* 15: S168-S169.
- Johnson, NF. (1994). Phagosomal pH and glass fiber dissolution in cultured nasal epithelial cells and alveolar macrophages: a preliminary study. *Environ Health Perspect.* 102 Suppl 5: 97-102.
- Johnson, NF; Carpenter, TR; Jaramillo, RJ; Liberati, TA. (1997). DNA damage-inducible genes as biomarkers for exposures to environmental agents. *Environ Health Perspect.* 105: 913-918. <http://dx.doi.org/10.2307/3433303>.
- Johnson, NF; Hahn, FF. (1996). Induction of mesothelioma after intrapleural inoculation of F344 rats with silicon carbide whiskers or continuous ceramic filaments. *Occup Environ Med.* 53: 813-816.
- Johnson, NF; Hoover, MD; Thomassen, DG; Cheng, YS; Dalley, A; Brooks, AL. (1992). In vitro activity of silicon carbide whiskers in comparison to other industrial fibers using four cell culture systems. *Am J Ind Med.* 21: 807-823.
- Johnson, NF; Jaramillo, RJ. (1997). p53, Cip1, and Gadd153 expression following treatment of A549 cells with natural and man-made vitreous fibers. *Environ Health Perspect.* 105 Suppl 5: 1143-1145.
- Johnson, PL. (1976). Preliminary Industrial Hygiene Survey at Auto Brake Clinic, Cincinnati, Ohio. 3: 19761976.
- Johnson, PL. (1978). Industrial Hygiene Study of Tuffy Service Center. 11: 19781978.
- Johnson, TW; Thompson, TB. (2006). Breccia- and carbonate-hosted Au-Cu-Ag replacement mineralization associated with the Homestake porphyry intrusive complex, New World district, Montana. *Econ Geol.* 101: 955-980.
- Johnson, WG; Heler, E. (1983). The costs of asbestos-associated disease and death. 61: 177-194.
- Johnson, WM; Lemen, RA; Hurst, GA; Spiegel, RM; Liu, FH. (1982). Respiratory morbidity among workers in an amosite asbestos insulation plant. *J Occup Med.* 24: 994-999.

Exposure Literature Search Results

Off Topic

- Johnston, AM; Jones, AD; Vincent, JH. (1982). THE INFLUENCE OF EXTERNAL AERODYNAMIC FACTORS ON THE MEASUREMENT OF THE AIRBORNE CONCENTRATION OF ASBESTOS FIBERS BY THE MEMBRANE-FILTER METHOD. *Ann Occup Hyg.* 25: 309-316.
- Johnston, AM; Jones, AD; Vincent, JH. (1987). The effect of electrostatic charge on the aspiration efficiencies of airborne dust samplers: with special reference to asbestos. *Am Ind Hyg Assoc J.* 48: 613-621. <http://dx.doi.org/10.1080/15298668791385291>.
- Johnston, WL. (1985). Evaluation Of Asbestos Fibers In The Exhaust Air Of Industrial Vacuum Cleaners. *Am Ind Hyg Assoc J.* 46: 402-406.
- Jones, AD. (1993). RESPIRABLE INDUSTRIAL FIBERS - DEPOSITION, CLEARANCE AND DISSOLUTION IN ANIMAL-MODELS. *Ann Occup Hyg.* 37: 211-226.
- Jones, AD; Apsley, A; Clark, S; Addison, J; Van Orden, DR; Lee, RJ. (2010). Laboratory Tests to Compare Airborne Respirable Mass and Fibre Concentrations from Soil Samples from Libby, Montana. *Indoor Built Environ.* 19: 286-297. <http://dx.doi.org/10.1177/1420326X09349908>.
- Jones, AD; Arroyo, MC; Grosjean, R; Tylee, B; Miller, BG; Brown, P. (2005). A comparison of fibre counting across three European national proficiency testing schemes. *Ann Occup Hyg.* 49: 309-324. <http://dx.doi.org/10.1093/annhyg/meh100>.
- Jones, AD; Gale, RW. (1982). Industrial trials with the Vickers M88 rapid asbestos fibre counter. *Ann Occup Hyg.* 25: 39-51.
- Jones, AD; Gale, RW. (1983). VICKERS INSTRUMENTS-M88 RAPID ASBESTOS FIBER MONITOR - REPLY. *Ann Occup Hyg.* 27: 112-112.
- Jones, AD; Mcmillan, CH; Johnston, AM; McIntosh, C; Cowie, H; Bolton, RE; Borzucki, G; Vincent, JH. (1988). Pulmonary clearance of UICC amosite fibres inhaled by rats during chronic exposure at low concentration. *Br J Ind Med.* 45: 300-304.
- Jones, DR. (1979). Assessment of Asbestos Concentrations in the Engineerroom Environment of Marine Vessels, Phase I. (NIOSH/00191929). Jones, DR.
- Jones, RN. (1997). Pleural plaques: Diagnostic problems and significance. *Indoor Built Environ.* 6: 106-113.
- Jones, TD; Morris, MD; Basavaraju, SR. (1998). Atherosclerotic risks from chemicals: Part II. A RASH analysis of in vitro and in vivo bioassay data to evaluate 45 potentially hazardous compounds. *Arch Environ Contam Toxicol.* 35: 165-177. <http://dx.doi.org/10.1007/s002449900364>.
- Jones, WF; Seth, BB. (1992). REPLACING ASBESTOS STEAM PATH GASKETS. *Power Engineering.* 96: 43-45.
- Jones, WF; Seth, BB. (1993). ASBESTOS-FREE GASKET MATERIALS FOR TURBINES. *Journal of Testing and Evaluation.* 21: 94-96.
- Jordan, RC. (1980). The identification of asbestos minerals in insulation materials. 96: 102.
- Jørgensen, NK. (1981). [Pleural plaques after indirect, non work-related exposure to asbestos]. *Ugeskr Laeger.* 143: 548-550.
- Jose, DJ; Salzenberg, CH. (1992). The Effectiveness of Decontamination Procedures Used by Asbestos Abatement Workers (pp. Fourth Volume). (NIOSH/00238265). Jose, DJ; Salzenberg, CH.
- Joseph, LB; Stephens, RE; Ottolenghi, AC; Lipetz, PD; Newman, HA. (1983). Morphological transformation in vitro of normal human fibroblasts by chrysotile. *Environ Health Perspect.* 51: 17-22.
- Joshi, N; Mukhopadhyay, A; Basak, S; De, G; Chattopadhyay, K. (2013). Surface Coating Rescues Proteins from Magnetite Nanoparticle Induced Damage. *Particle & Particle Systems Characterization.* 30: 683-694. <http://dx.doi.org/10.1002/ppsc.201200148>.
- Joshi, TK; Bhuvu, UB; Katoch, P. (2006). Asbestos ban in India: challenges ahead. *Ann N Y Acad Sci.* 1076: 292-308. <http://dx.doi.org/10.1196/annals.1371.072>.
- Joshi, TK; Gupta, RK. (2003). Asbestos-related morbidity in India. *Int J Occup Environ Health.* 9: 249-253. <http://dx.doi.org/10.1179/oeh.2003.9.3.249>.
- Jovanovski, G; Makreski, P. (2016). MINERALS FROM MACEDONIA. XXX. COMPLEMENTARY USE OF VIBRATIONAL SPECTROSCOPY AND X-RAY POWDER DIFFRACTION FOR SPECTRA-STRUCTURAL STUDY OF SOME CYCLO-, PHYLLO- AND TECTOSILICATE MINERALS. A REVIEW. *Macedonian Journal of Chemistry and Chemical Engineering.* 35: 125-155. <http://dx.doi.org/10.20450/mjcc.2016.1047>.
- Jr, KG. (1988). Limited-Use Garments Have Expanded Role in Protective Clothing Industry. *Occup Health Saf.* 57: 35-36.
- Jung, H. (2011). Seismic anisotropy produced by serpentine in mantle wedge. *Earth Planet Sci Lett.* 307: 535-543. <http://dx.doi.org/10.1016/j.epsl.2011.05.041>.
- Junqueira, PA; Lobato, LM; Ladeira, EA; Simes, EJM. (2007). Structural control and hydrothermal alteration at the BIF-hosted Raposos lode-gold deposit, Quadrilátero Ferrífero, Brazil. *Ore Geol Rev.* 32: 629-650. <http://dx.doi.org/10.1016/j.oregeorev.2006.03.004>.
- Junttila, S; Tossavainen, A; Hartikainen, T; Harma, P; Korhonen, K; Suominen, V; Pyy, L. (1996). Airborne Mineral Fibers and Quartz Dust in Precambrian Metamorphic Limestone and Dolomite Mines in Finland. *Appl Occup Environ Hyg.* 11: 1075-1080.
- Jurinski, JB; Rimstidt, JD. (2001). Biodurability of talc. *Am Mineral.* 86: 392-399.
- Kachuri, L; Villeneuve, PJ; Parent, MÉ; Johnson, KC; Group, CCRER; Harris, SA. (2016). Workplace exposure to diesel and gasoline engine exhausts and the risk of colorectal cancer in Canadian men. *Environ Health.* 15: 4. <http://dx.doi.org/10.1186/s12940-016-0088-1>.
- Kaczynski, JH; Hallenbeck, WH. (1984). MIGRATION OF INGESTED ASBESTOS. *Environ Res.* 35: 531-551.
- Kaden, H; Pohl, A. (1978). POROSITY AND STRUCTURE OF PORES IN ASBESTOS DIAPHRAGMS. *Chem Tech (Leipzig).* 30: 25-28.
- Kaden, H; Schonherr, S; Hofmann, H; Zimmermann, K. (1980). INVESTIGATIONS ON MODIFIED ASBESTOS DIAPHRAGMS FOR ALKALINE CHLORIDE ELECTROLYSIS. *Chem Tech (Leipzig).* 32: 38-40.
- Kadir, S; Onen-Hall, AP; Aydin, SN; Yakicier, C; Akarsu, N; Tuncer, M. (2008). Environmental effect and genetic influence: a regional cancer predisposition survey in the Zonguldak region of Northwest Turkey. *Environ Geol.* 54: 391-409. <http://dx.doi.org/10.1007/s00254-007-0826-3>.
- Kaerlev, L; Hansen, J; Hansen, HL; Nielsen, PS. (2005). Cancer incidence among Danish seafarers: a population based cohort study. *Occup Environ Med.* 62: 761-765. <http://dx.doi.org/10.1136/oem.2005.020818>.
- Kagan, E; Oghiso, Y; Hartmann, DP. (1983). The effects of chrysotile and crocidolite asbestos on the lower respiratory tract: analysis of bronchoalveolar lavage constituents. *Environ Res.* 32: 382-397.

Exposure Literature Search Results

Off Topic

- Kahl, WA; Joens, N; Bach, W; Klein, F; Alt, JC. (2015). Ultramafic clasts from the South Chamorro serpentinite mud volcano reveal a polyphase serpentinization history of the Mariana forearc mantle. *Lithos*. 227: 1-20. <http://dx.doi.org/10.1016/j.lithos.2015.03.015>.
- Kahl, WA; Maresch, WV. (2001). Enthalpies of formation of tremolite and talc by high-temperature solution calorimetry - a consistent picture. *Am Mineral*. 86: 1345-1357.
- Kahl, WA; Schumacher, JC. (2000). Multiple pyroxene and amphibole assemblages in the amphibolite facies: Bulk compositional controls. *Am Mineral*. 85: 1606-1616.
- Kahn, El; Rohl, A; Barrett, EW; Suzuki, Y. (1980). PRIMARY PERICARDIAL MESOTHELIOMA FOLLOWING EXPOSURE TO ASBESTOS. *Environ Res*. 23: 270-281.
- Kaiglová, A; Kováčiková, Z; Hurbánková, M. (1999). Impact of acute and subchronic asbestos exposure on some parameters of antioxidant defense system and lung tissue injury. *Ind Health*. 37: 348-351.
- Kakooei, H; Hormozy, M; Marioryad, H. (2011). Evaluation of asbestos exposure during brake repair and replacement. *Ind Health*. 49: 374-380.
- Kakooei, H; Sameti, M; Kakooei, AA. (2006). Occupational exposure to asbestos during routine brake lining manufacture in Iran. *Epidemiology*. 17: S515-S515.
- Kakooei, H; Sameti, M; Kakooei, AA. (2007). Asbestos exposure during routine brake lining manufacture. *Ind Health*. 45: 787-792.
- Kalapathy, U; Proctor, A; Shultz, J. (2003). Silicate thermal insulation material from rice hull ash. *Ind Eng Chem Res*. 42: 46-49. <http://dx.doi.org/10.1002/ie0203227>.
- Kalinin, DV; DENISKIN,ND; Likhova, GG. (1971). CONDITIONS OF SYNTHESIS OF FIBROUS AMPHIBOLES AND GENESIS OF NATURAL AMPHIBOLE ASBESTOS. *Geochem Int*. 8: 628-&.
- Kamal, AA; Goma, A; El Khafif, M; Hammad, AS. (1989). Plasma lipid peroxides among workers exposed to silica or asbestos dusts. *Environ Res*. 49: 173-180.
- Kamal, AA; Sayed, GM; Hassan, MH; Massoud, AA. (1988). Usage of personal protective devices among Egyptian industrial workers. *Am J Ind Med*. 13: 707-716.
- Kamal, R; Dutt, T; Patel, BHM; Singh, G; Chandran, PC; Dey, A; Barari, SK. (2016). Effect of shade materials on rectal temperature, respiration rate and body surface temperature of crossbred calves during rainy season. *Indian J Anim Sci*. 86: 75-81.
- Kamal, R; Dutt, T; Patel, M; Dey, A; Chandran, PC; Bharti, PK; Barari, SK. (2016). Behavioural, biochemical and hormonal responses of heat-stressed crossbred calves to different shade materials. *Journal of Applied Animal Research*. 44: 347-354. <http://dx.doi.org/10.1080/09712119.2015.1074076>.
- Kambic, V; Radsel, Z; Gale, N. (1989). Alterations in the laryngeal mucosa after exposure to asbestos. *Br J Ind Med*. 46: 717-723.
- Kambouchner, M; Bernaudin, JF. (2015). The pathologist's view of silicosis in 1930 and in 2015. The Johannesburg Conference legacy. *Am J Ind Med*. 58: 48-58. <http://dx.doi.org/10.1002/ajim.22506>.
- Kameda, T; Takahashi, K; Kim, R; Jiang, Y; Movahed, M; Park, EK; Rantanen, J. (2014). Asbestos: use, bans and disease burden in Europe. *Bull World Health Organ*. 92: 790-797. <http://dx.doi.org/10.2471/BLT.13.132118>.
- Kamimura, A; Kasahara, J; Shinohara, M; Hino, R; Shiobara, H; Fujie, G; Kanazawa, T. (2002). Crustal structure study at the Izu-Bonin subduction zone around 31 degrees N: implications of serpentinized materials along the subduction plate boundary. *Phys Earth Planet In*. 132: 105-129.
- Kampmann, TC; Stephens, MB; Weiher, P, ar. (2016). 3D modelling and sheath folding at the Falun pyritic Zn-Pb-Cu-(Au-Ag) sulphide deposit and implications for exploration in a 1.9 Ga ore district, Fennoscandian Shield, Sweden. *Miner Depos*. 51: 665-680. <http://dx.doi.org/10.1007/s00126-016-0638-z>.
- Kamstrup, O; Ellehauge, A; Bellmann, B; Chevalier, J; Davis, JMG. (2004). Subchronic inhalation study of stone wool fibres in rats. *Ann Occup Hyg*. 48: 91-104. <http://dx.doi.org/10.1093/annhyg/meg093>.
- Kamstrup, O; Ellehauge, A; Collier, CG; Davis, JMG. (2002). Carcinogenicity studies after intraperitoneal injection of two types of stone wool fibres in rats. *Ann Occup Hyg*. 46: 135-142. <http://dx.doi.org/10.1093/annhyg/mf034>.
- Kanarek, MS; Conforti, PM. (1981). ASBESTOS IN DRINKING-WATER AND CANCER INCIDENCE IN THE SAN-FRANCISCO BAY AREA - REPLY. *Am J Epidemiol*. 114: 163-164.
- Kanarek, MS; Conforti, PM. (1982). ASBESTOS IN DRINKING-WATER AND CANCER INCIDENCE IN THE SAN-FRANCISCO BAY AREA - REPLY. *Am J Epidemiol*. 115: 143-144.
- Kandaswami, C; O'Brien, PJ. (1983). EFFECT OF CHRYSOTILE ASBESTOS AND SILICA ON THE MICROSOMAL METABOLISM OF BENZO(A)PYRENE. *Environ Health Perspect*. 51: 311-314.
- Kang, KY; Bice, D; D'Amato, R; Ziskind, M; Salvaggio, J. (1979). Effects of asbestos and beryllium on release of alveolar macrophage enzymes. *Arch Environ Health*. 34: 133-140.
- Kangur, M. (2007). Occupational exposure to asbestos during renovation of oil-shale fuelled power plants in Estonia. *Int J Occup Saf Ergon*. 13: 341-346. <http://dx.doi.org/10.1080/10803548.2007.11076733>.
- Kannio, A; Ridanpää, M; Koskinen, H; Partanen, T; Anttila, S; Collan, Y; Hietanen, E; Vainio, H; Husgafvel-Pursiainen, K. (1996). A molecular and epidemiological study on bladder cancer: p53 mutations, tobacco smoking, and occupational exposure to asbestos. *Cancer Epidemiol Biomarkers Prev*. 5: 33-39.
- Kano, T. (1991). METASOMATIC ORIGIN OF AUGEN GNEISSES AND RELATED MYLONITIC ROCKS IN THE HIDA METAMORPHIC COMPLEX, CENTRAL JAPAN. *Mineralogy and Petrology*. 45: 29-45.
- Kantz, ME. (1976). PROPOSED ASBESTOS AIR-QUALITY STANDARD. *J Air Pollut Control Assoc*. 26: 413-414.
- Kaplan, DE. (1993). UNREGULATED DISPOSAL OF ASBESTOS CONTAMINATED SHOWER WATER EFFLUENT - A QUESTION OF PUBLIC-HEALTH RISK. *J Environ Health*. 55: 6-8.

Exposure Literature Search Results

Off Topic

- Kaplan, DE. (1993). UNREGULATED DISPOSAL OF ASBESTOS CONTAMINATED SHOWER WATER EFFLUENT (VOL 55, PG 6, 1993). *J Environ Health*. 55: 39-39.
- Karadagli, F. (2011). Comparative Assessment of Asbestos-Containing and Alternative Materials in Turkish Industrial Facilities. *Indoor Built Environ*. 20: 471-478. <http://dx.doi.org/10.1177/1420326X11410089>.
- Karaffa, MA; Amick, RS; Crone, A; Powers, TJ. (1987). An Evaluation of Asbestos Removal Effectiveness: The Potential for Exposures (pp. 59-70). (NIOSH/00170702). Karaffa, MA; Amick, RS; Crone, A; Powers, TJ.
- Karageorgi, S; Gates, MA; Hankinson, SE; De Vivo, I. (2010). Perineal Use of Talcum Powder and Endometrial Cancer Risk. *Cancer Epidemiol Biomarkers Prev*. 19: 1269-1275. <http://dx.doi.org/10.1158/1055-9965.EPI-09-1221>.
- Karasaki, Y; Urano, H; Shirahata, A; Nambu, Z; Ohji, T; Miura, M; Gotoh, S. (1998). Increases in DNA and protein syntheses in human umbilical vein endothelial cells treated with asbestos. *J Occup Health*. 40: 302-306.
- Karches, GJ. (1990). Personal Protection (pp. The Hazardous Fiber). (NIOSH/00210919). Karches, GJ.
- Karches, GJ; Faas, JC. (1987). Proper Asbestos Abatement Techniques and Respirator Selection. *Appl Ind Hyg*. 2: 28-30.
- Karipi, S; Tsikouras, B; Hatzipanagiotou, K; Grammatikopoulos, TA. (2007). Petrogenetic significance of spinel-group minerals from the ultramafic rocks of the Itri and Kallidromon ophiolites (Central Greece). *Lithos*. 99: 136-149. <http://dx.doi.org/10.1016/j.lithos.2007.06.005>.
- Karjalainen, A. (1997). Asbestos--a continuing concern [Editorial]. *Scand J Work Environ Health*. 23: 81-82.
- Karjalainen, A; Anttila, S; Heikkilä, L; Karhunen, P; Vainio, H. (1993). Asbestos exposure among Finnish lung cancer patients: occupational history and fiber concentration in lung tissue. *Am J Ind Med*. 23: 461-471.
- Karjalainen, A; Anttila, S; Heikkilä, L; Kyyrönen, P; Vainio, H. (1993). Lobe of origin of lung cancer among asbestos-exposed patients with or without diffuse interstitial fibrosis. *Scand J Work Environ Health*. 19: 102-107.
- Karjalainen, A; Anttila, S; Mäntylä, T; Taskinen, E; Kyyrönen, P; Tukiainen, P. (1994). Asbestos bodies in bronchoalveolar lavage fluid in relation to occupational history. *Am J Ind Med*. 26: 645-654.
- Karjalainen, A; Anttila, S; Vanhala, E; Vainio, H. (1994). Asbestos exposure and the risk of lung cancer in a general urban population. *Scand J Work Environ Health*. 20: 243-250.
- Karjalainen, A; Karhunen, PJ; Lalu, K; Penttilä, A; Vanhala, E; Kyyrönen, P; Tossavainen, A. (1994). Pleural plaques and exposure to mineral fibres in a male urban necropsy population. *Occup Environ Med*. 51: 456-460.
- Karjalainen, A; Martikainen, R; Oksa, P; Saarinen, K; Uitti, J. (2002). Incidence of asthma among Finnish construction workers. *J Occup Environ Med*. 44: 752-757. <http://dx.doi.org/10.1097/01.jom.0000026043.24145.50>.
- Karjalainen, A; Meurman, LO; Pukkala, E. (1994). Four cases of mesothelioma among Finnish anthophyllite miners. *Occup Environ Med*. 51: 212-215.
- Karjalainen, A; Nurminen, M; Vanhala, E; Vainio, H; Anttila, S. (1996). Pulmonary asbestos bodies and asbestos fibers as indicators of exposure. *Scand J Work Environ Health*. 22: 34-38.
- Karjalainen, A; Pukkala, E; Kauppinen, T; Partanen, T. (1999). Incidence of cancer among Finnish patients with asbestos-related pulmonary or pleural fibrosis. *Cancer Causes Control*. 10: 51-57.
- Karjalainen, A; Pukkala, E; Mattson, K; Tammilehto, L; Vainio, H. (1997). Trends in mesothelioma incidence and occupational mesotheliomas in Finland in 1960-1995. *Scand J Work Environ Health*. 23: 266-270.
- Karjalainen, A; Vanhala, E; Karhunen, PJ; Lalu, K; Penttilä, A; Tossavainen, A. (1994). Asbestos exposure and pulmonary fiber concentrations of 300 Finnish urban men. *Scand J Work Environ Health*. 20: 34-41.
- Karkanas, P. (1995). THE SLIP-FIBER CHRYSOTILE ASBESTOS DEPOSIT IN THE ZIDANI AREA, NORTHERN GREECE. *Ore Geol Rev*. 10: 19-29.
- Karl, U; Rentz, O; Kemper, BM; Kamm, K. (2002). Uncertainties in the evaluation of emissions of carcinogenic air pollutants. *Gefahrst Reinhalt Luft*. 62: 53-59.
- Karstadt, M. (1998). Availability of epidemiologic data for chemicals known to cause cancer in animals: An update. *Am J Ind Med*. 34: 519-525. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199811\)34:5<519::AID-AJIM15>3.0.CO;2-4](http://dx.doi.org/10.1002/(SICI)1097-0274(199811)34:5<519::AID-AJIM15>3.0.CO;2-4).
- Karsten, H. (1985). Strategy of conimetric sampling of asbestos-containing dusts. 31: 163-165.
- Kasai, E; Goto, H; Mase, Y. (2011). Vitrification Treatment of Asbestos Waste with Incineration Ash of Solid Waste. *High Temperature Materials and Processes*. 30: 353-357. <http://dx.doi.org/10.1515/HTMP.2011.056>.
- Kashanskiĭ, SV; Kogan, FM; Shcherbakov, SV. (1997). [Occupational health issues at enterprises and utilization of road-building materials derived from the wastes of lead-containing enriched ore from the Aktovrak mines]. *Med Tr Prom Ekol*. 0: 13-16.
- Kassolifournaraki, A; Filippidis, A; Kolcheva, K; Hatzipanayotou, K; Koepke, J; Dimadis, E. (1995). Multi-stage alteration of the Gorgona ultramafic body, central Rhodope Massif, Greece. *Chem Erde*. 55: 331-344.
- Katayama, I; Kurosaki, I; Hirauchi, K, enl. (2010). Low silica activity for hydrogen generation during serpentinization: An example of natural serpentinites in the Mineoka ophiolite complex, central Japan. *Earth Planet Sci Lett*. 298: 199-204. <http://dx.doi.org/10.1016/j.epsl.2010.07.045>.
- Katt, R; Elias, G; Moore, E. (1982). Final Report On The Sampling Design For The OHSMI, Volume 2 (pp. 210-280). (NIOSH/00133327). Katt, R; Elias, G; Moore, E.
- Kauffer, E; Billon-Galland, MA; Vigneron, JC; Veissiere, S; Brochard, P. (1996). Effect of preparation methods on the assessment of airborne concentrations of asbestos fibres by transmission electron microscopy. *Ann Occup Hyg*. 40: 321-330.
- Kauffer, E; Martin, P; Grzebyk, M; Villa, M; Vigneron, JC. (2003). Comparison of two direct-reading instruments (FM-7400 and Fibrecheck FC-2) with phase contrast optical microscopy to measure the airborne fibre number concentration. *Ann Occup Hyg*. 47: 413-426. <http://dx.doi.org/10.1093/annhyg/meg055>.

Exposure Literature Search Results

Off Topic

- Kauffer, E; Martine, M; Grzebyk, M; Vigneron, JC; Sandino, JP. (2001). Performance of asbestos fibre counting laboratories by transmission electron microscopy. *Ann Occup Hyg.* 45: 61-69.
- Kauffer, E; Martine, M; Grzebyk, M; Vigneron, JC; Sandino, JP. (2001). Performance of asbestos fibre counting laboratories by transmission electron microscopy - Reply. *Ann Occup Hyg.* 45: 501-501.
- Kauffer, E; Schneider, T; Vigneron, JC. (1993). ASSESSMENT OF MAN-MADE MINERAL FIBER SIZE DISTRIBUTIONS BY SCANNING ELECTRON-MICROSCOPY. *Ann Occup Hyg.* 37: 469-479.
- Kauffer, E; Vigneron, JC; Fabriès, JC; Billon-Galland, MA; Brochard, P. (1996). The use of a new static device based on the collection of the thoracic fraction for the assessment of the airborne concentration of asbestos fibres by transmission electron microscopy. *Ann Occup Hyg.* 40: 311-319.
- Kauffer, E; Vigneron, JC; Hesbert, A; Lemonnier, M. (1987). A study of the length and diameter of fibres, in lung and in broncho-alveolar lavage fluid, following exposure of rats to chrysotile asbestos. *Ann Occup Hyg.* 31: 233-240.
- Kauffer, E; Vincent, R. (2007). Occupational exposure to mineral fibres: Analysis of results stored on colchic database. *Ann Occup Hyg.* 51: 131-142. <http://dx.doi.org/10.1093/annhyg/mel063>.
- Kauppinen, T; Pajarskiene, B; Podniece, Z; Rjazanov, V; Smerhovsky, Z; Veidebaum, T; Leino, T. (2001). Occupational exposure to carcinogens in Estonia, Latvia, Lithuania and the Czech Republic in 1997. *Scand J Work Environ Health.* 27: 343-345.
- Kauppinen, T; Partanen, T; Degerth, R; Ojajarvi, A. (1995). Pancreatic cancer and occupational exposures. *Epidemiology.* 6: 498-502.
- Kauppinen, T; Saalo, A; Pukkala, E; Virtanen, S; Karjalainen, A; Vuorela, R. (2007). Evaluation of a national register on occupational exposure to carcinogens: effectiveness in the prevention of occupational cancer, and cancer risks among the exposed workers. *Ann Occup Hyg.* 51: 463-470. <http://dx.doi.org/10.1093/annhyg/mem030>.
- Kauppinen, T; Teschke, K; Savela, A; Kogevinas, M; Boffetta, P. (1997). International data base of exposure measurements in the pulp, paper and paper product industries. *Int Arch Occup Environ Health.* 70: 119-127. <http://dx.doi.org/10.1007/s004200050195>.
- Kauppinen, T; Uuksulainen, S; Saalo, A; Mäkinen, I. (2013). Trends of Occupational Exposure to Chemical Agents in Finland in 1950-2020. *Ann Occup Hyg.* 57: 593-609. <http://dx.doi.org/10.1093/annhyg/mes090>.
- Kaur, P; Chaudhri, N; Hofmann, AW; Raczek, I; Okrusch, M; Skora, S; Baumgartner, LP. (2012). Two-Stage, Extreme Albitization of A-type Granites from Rajasthan, NW India. *Journal of Petrology.* 53: 919-948. <http://dx.doi.org/10.1093/petrology/egs003>.
- Kaw, JL. (1981). HEALTH HAZARDS OF ASBESTOS EXPOSURE (pp. 342-346). (ISSN 0022-4456; HEEP/82/06850). Kaw, JL.
- Kaw, JL; Waseem, M. (1992). SOME ADVANCES IN DUST-RELATED PULMONARY TOXICOLOGY DURING THE LAST DECADE. *Journal of Sci Ind Res.* 51: 791-801.
- Kawabata, CY; de Jesus, L, deA; da Silva, PV; de Sousa, TVR; da Cruz, LFB. (2013). PHYSIOLOGICAL RESPONSES OF CAPRINES RAISED UNDER DIFFERENT TYPES OF COVERING. *Engenharia Agrícola.* 33: 910-918.
- Kawabata, K; Komori, Y; Mishima, T; Asama, H. (2009). An Asbestos Fiber Detection Technique Utilizing Image Processing Based on Dispersion Color. *Part Sci Technol.* 27: 177-192. <http://dx.doi.org/10.1080/02726350902776259>.
- Kawahara, H; Endo, S; Wallis, SR; Nagaya, T; Mori, H; Asahara, Y. (2016). Brucite as an important phase of the shallow mantle wedge: Evidence from the Shiraga unit of the Sanbagawa subduction zone, SW Japan. *Lithos.* 254: 53-66. <http://dx.doi.org/10.1016/j.lithos.2016.02.022>.
- Kawahata, H; Nohara, M; Ishizuka, H; Hasebe, S; Chiba, H. (2001). Sr isotope geochemistry and hydrothermal alteration of the Oman ophiolite. *J Geophys Res Solid Earth.* 106: 11083-11099.
- Kawai, T; Windley, BF; Shibuya, T; Omori, S; Sawaki, Y; Maruyama, S. (2008). Large P-T gap between Ballantrae blueschist/garnet pyroxenite and surrounding ophiolite, southern Scotland, UK: Diapiric exhumation of a Caledonian serpentinite melange. *Lithos.* 104: 337-354. <http://dx.doi.org/10.1016/j.lithos.2008.01.005>.
- Kaye, PH. (1998). Spatial light-scattering analysis as a means of characterizing and classifying non-spherical particles. *Meas Sci Technol.* 9: 141-149.
- Kazan-Allen, L. (2004). Asbestos dispatches. *Int J Occup Environ Health.* 10: 111-120. <http://dx.doi.org/10.1179/oeh.2004.10.2.111>.
- Kazan-Allen, L. (2004). Canadian asbestos: a global concern. *Int J Occup Environ Health.* 10: 121-143. <http://dx.doi.org/10.1179/oeh.2004.10.2.121>.
- Kazan-Allen, L; ed. (2003). The asbestos war [Review]. *Int J Occup Environ Health.* 9: 173-193. <http://dx.doi.org/10.1179/oeh.2003.9.3.173>.
- Keane, MJ; Stephens, JW; Zhong, BZ; Miller, WE; Ong, TM; Wallace, WE. (1999). A study of the effect of chrysotile fiber surface composition on genotoxicity in vitro. *J Toxicol Environ Health A.* 57: 529-541.
- Keating, GM. (1984). HOSPITAL AS WORKPLACE - ASBESTOS AND OCCUPATIONAL-HEALTH. *Community Health Stud.* 8: 340-340.
- Keil, AP; Richardson, DB; Troester, MA. (2015). Healthy worker survivor bias in the colorado plateau uranium miners cohort. *Am J Epidemiol.* 181: 762-770. <http://dx.doi.org/10.1093/aje/kwu348>.
- Keirn, MA; Mousa, JJ; Stratton, CL; Brown, JK. (1982). Environmental Survey and Assessment of Gateway Army Ammunition Plant (pp. 166). (NTIS/O3450011). Keirn, MA; Mousa, JJ; Stratton, CL; Brown, JK.
- Keith, MM; Brophy, JT. (2004). Participatory mapping of occupational hazards and disease among asbestos-exposed workers from a foundry and insulation complex in Canada. *Int J Occup Environ Health.* 10: 144-153. <http://dx.doi.org/10.1179/oeh.2004.10.2.144>.
- Kelleher, P; Pacheco, K; Newman, LS. (2000). Inorganic dust pneumonias: the metal-related parenchymal disorders [Review]. *Environ Health Perspect.* 108 Suppl 4: 685-696.
- Kelly, JE. (1993). Health Hazard Evaluation Report HETA 92-314-2308, Ohio University, Athens, Ohio. (HHE Report No. HETA-92-314-2308). Cincinnati, OH: National Institute for Occupational Safety and Health (NIOSH).
- Kelly, JE; Moss, CE; Tepper, A. (1992). Health Hazard Evaluation Report HETA 91-390-2270, Warner Amex, Cincinnati, Ohio. 36.

Exposure Literature Search Results

Off Topic

- Kelly, RJ. (1984). Effective Method for Thermal Insulation Core Sampling. *Am Ind Hyg Assoc J.* 45.
- Kelse, JW; Thompson, CS. (1989). THE REGULATORY AND MINERALOGICAL DEFINITIONS OF ASBESTOS AND THEIR IMPACT ON AMPHIBOLE DUST ANALYSIS. *Am Ind Hyg Assoc J.* 50: 613-622.
- Kelsey, KT; Christiani, DC. (1985). Approach to asbestos worker compensation plan alleged to be flawed [Letter]. *J Occup Med.* 27: 790-791.
- Kelsey, KT; Nelson, HH; Wiencke, JK; Smith, CM; Levin, S. (1997). The glutathione S-transferase theta and mu deletion polymorphisms in asbestosis. *Am J Ind Med.* 31: 274-279.
- Kelsh, MA; Craven, VA; Teta, MJ; Mowat, FS; Goodman, M. (2007). Mesothelioma in vehicle mechanics: is the risk different for Australians? [Review]. *Occup Med (Lond).* 57: 581-589. <http://dx.doi.org/10.1093/occmed/kqm114>.
- Kemplin, MG. (1980). DRY WALL CONSTRUCTION AND ASBESTOS EXPOSURE. *Am Ind Hyg Assoc J.* 41: 462-462.
- Kendrick, MA; Honda, M; Pettke, T; Scambelluri, M; Phillips, D; Giuliani, A. (2013). Subduction zone fluxes of halogens and noble gases in seafloor and forearc serpentinites. *Earth Planet Sci Lett.* 365: 86-96. <http://dx.doi.org/10.1016/j.epsl.2013.01.006>.
- Kenne, K; Ljungquist, S; Ringertz, NR. (1986). EFFECTS OF ASBESTOS FIBERS ON CELL-DIVISION, CELL-SURVIVAL, AND FORMATION OF THIOGUANINE-RESISTANT MUTANTS IN CHINESE-HAMSTER OVARY CELLS. *Environ Res.* 39: 448-464.
- Kennedy, SM; Vedal, S; Müller, N; Kassam, A; Chan-Yeung, M. (1991). Lung function and chest radiograph abnormalities among construction insulators. *Am J Ind Med.* 20: 673-684. <http://dx.doi.org/10.1002/ajim.4700200510>.
- Kenny, LC. (1984). ASBESTOS FIBER COUNTING BY IMAGE-ANALYSIS - THE PERFORMANCE OF THE MANCHESTER ASBESTOS PROGRAM ON MAGISCAN. *Ann Occup Hyg.* 28: 401-415.
- Kenny, LC. (1988). AUTOMATED-ANALYSIS OF ASBESTOS CLEARANCE SAMPLES. *Ann Occup Hyg.* 32: 115-128.
- Kenny, LC; Rood, AP; Blight, BJN. (1987). A DIRECT MEASUREMENT OF THE VISIBILITY OF AMOSITE ASBESTOS FIBERS BY PHASE-CONTRAST OPTICAL MICROSCOPY. *Ann Occup Hyg.* 31: 261-264.
- Kent, AJR; Ashley, PM; Fanning, CM. (2000). Metasomatic alteration associated with regional metamorphism: an example from the Willyama Supergroup, South Australia. *Lithos.* 54: 33-62.
- Kent, AJR; Mccuaig, TC. (1997). Disturbed Ar-40-Ar-39 systematics in hydrothermal biotite and hornblende at the Scotia gold mine, western Australia: Evidence for argon loss associated with post-mineralisation fluid movement. *Geochim Cosmo Acta.* 61: 4655-4669.
- Kentner, M; Valentin, H. (1993). Identification and prevention of work-related diseases and premature incapacity. *Zentralblatt fuer Hygiene und Umweltmedizin.* 193: 495-512.
- Kern, DG; Frumkin, H. (1988). Asbestos-related disease in the jewelry industry: report of two cases. *Am J Ind Med.* 13: 407-410.
- Kern, DG; Frumkin, H. (1990). Asbestos-related disease in the jewelry industry [Letter]. *J Occup Med.* 32: 87.
- Kern, DG; Hanley, KT; Roggli, VL. (1992). Malignant mesothelioma in the jewelry industry. *Am J Ind Med.* 21: 409-416.
- Kern, H. (1993). P-WAVE AND S-WAVE ANISOTROPY AND SHEAR-WAVE SPLITTING AT PRESSURE AND TEMPERATURE IN POSSIBLE MANTLE ROCKS AND THEIR RELATION TO THE ROCK FABRIC. *Phys Earth Planet In.* 78: 245-256.
- Kern, H; Liu, B; Popp, T. (1997). Relationship between anisotropy of P and S wave velocities and anisotropy of attenuation in serpentinite and amphibolite. *J Geophys Res Solid Earth.* 102: 3051-3065.
- Kern, H; Lokajicek, T; Svitek, T; Wenk, HR. (2015). Seismic anisotropy of serpentinite from Val Malenco, Italy. *J Geophys Res Solid Earth.* 120: 4113-4129. <http://dx.doi.org/10.1002/2015JB012030>.
- Kesting, A. (1980). 20 YEARS DEVELOPMENT OF TECHNICAL AND PERSONAL PROTECTION MEASURES AGAINST ASBESTOS EXPOSURE. *Staub, Reinhaltung der Luft.* 40: 198-201.
- Keyes, DL; Chesson, J; Ewing, WM; Faas, JC; Hatfield, RL; Hays, SM; Longo, WE; Millette, J. R. (1991). EXPOSURE TO AIRBORNE ASBESTOS ASSOCIATED WITH SIMULATED CABLE INSTALLATION ABOVE A SUSPENDED CEILING. *Am Ind Hyg Assoc J.* 52: 479-484. <http://dx.doi.org/10.1080/15298669191365081>.
- Keyes, DL; Ewing, WM; Hays, SM; Longo, WE; Millette, JR. (1994). Baseline Studies of Asbestos Exposure during Operations and Maintenance Activities. *Appl Occup Environ Hyg.* 9: 853-860.
- Keyf, F; Erman, G. (2000). Full-crown castings made with water-saturated and dry casting ring liners. *J Biomater Appl.* 14: 399-408.
- Khan, AH; Ansari, FA; Misra, D; Bhargava, SK. (2006). Study of asbestos fibre levels in and around a brake-lining industry. *Journal of Sci Ind Res.* 65: 437-439.
- Khan, G; Mahmood, N; Arif, JM; Rahman, Q. (1992). ASBESTOS AND LUNG-DISEASES - A MECHANISTIC APPROACH. *Journal of Sci Ind Res.* 51: 507-514.
- Khan, SG; Ali, S; Rahman, Q. (1991). Diminution of Phase I and Phase II Drug Metabolizing Enzymes of Rat Lung by Asbestos: An In Vitro Study. *Bull Environ Contam Toxicol.* 47: 660-667.
- Khan, SG; Ali, S; Rahman, Q. (1992). INTERACTION OF MINERAL FIBERS WITH LUNG CYTOCHROME-P-450 SYSTEM - IMPAIRMENT OF DRUG-METABOLIZING ENZYME-ACTIVITIES. *Chemosphere.* 24: 959-968.
- Khan, SG; Rizvi, RY; Hadi, SM; Rahman, Q. (1991). INFLUENCE OF SILICIC-ACID ON INVITRO DEPURINATION OF DNA. *Bull Environ Contam Toxicol.* 47: 342-349.
- Khedr, MZ; Arai, S. (2010). Hydrous peridotites with Ti-rich chromian spinel as a low-temperature forearc mantle facies: evidence from the Happo-O'ne metaperidotites (Japan). *Contributions to Mineralogy and Petrology.* 159: 137-157. <http://dx.doi.org/10.1007/s00410-009-0420-7>.
- Khedr, MZ; Arai, S. (2013). Origin of Neoproterozoic ophiolitic peridotites in south Eastern Desert, Egypt, constrained from primary mantle mineral chemistry. *Mineralogy and Petrology.* 107: 807-828. <http://dx.doi.org/10.1007/s00710-012-0213-y>.
- Khedr, MZ; Arai, S; Tamura, A; Morishita, T. (2010). Clinopyroxenes in high-P metaperidotites from Happo-O'ne, central Japan: Implications for wedge-transversal chemical change of slab-derived fluids. *Lithos.* 119: 439-456. <http://dx.doi.org/10.1016/j.lithos.2010.07.021>.

Exposure Literature Search Results

Off Topic

- Khisina, NR; Wirth, R. (2002). Hydrous olivine (Mg_{1-y}Fey₂₊)(2-x)v(x)SiO₄H(2x) - a new DHMS phase of variable composition observed as nanometer-sized precipitations in mantle olivine. *Physics and Chemistry of Minerals*. 29: 98-111. <http://dx.doi.org/10.1007/s002690100205>.
- Khorami, M; Sobhani, J. (2013). An experimental study on the flexural performance of agro-waste cement composite boards. 11: 207-216.
- Khudu-Petersen, K; Bard, D; Garrington, N; Yarwood, J; Tylee, B. (2000). Microscopic identification of asbestos fibres associated with African clay crafts manufacture. *Ann Occup Hyg*. 44: 137-141.
- Kiakouama, L; Faucon, D. (2010). Refractory ceramic fibres: A human health hazard? A literature review. *Arch Mal Prof Environ*. 71: 759-770. <http://dx.doi.org/10.1016/j.admp.2010.06.015>.
- Kiec-Swierczynska, M; Wojtczak, J. (2000). Occupational ceramic fibres dermatitis in Poland. *Occup Med (Lond)*. 50: 337-342.
- Kiefer, MJ; Buchan, RM; Keefe, TJ; Blehm, KD. (1987). A PREDICTIVE MODEL FOR DETERMINING ASBESTOS CONCENTRATIONS FOR FIBERS LESS THAN FIVE MICROMETERS IN LENGTH. *Environ Res*. 43: 31-38.
- Kielkowski, D; Nelson, G; Bello, B; Kgalamono, S; Phillips, JI. (2011). Trends in mesothelioma mortality rates in South Africa: 1995-2007. *Occup Environ Med*. 68: 547-549. <http://dx.doi.org/10.1136/oem.2010.062182>.
- Kielkowski, D; Nelson, G; Rees, D. (2000). Risk of mesothelioma from exposure to crocidolite asbestos: a 1995 update of a South African mortality study. *Occup Environ Med*. 57: 563-567.
- Kienast, K; Kaes, C; Drumm, K; Buhl, R; Micke, P; Oesch, F; Hengstler, JG. (2000). Asbestos-exposed blood monocytes--deoxyribonucleic acid strand lesions in co-cultured bronchial epithelial cells. *Scand J Work Environ Health*. 26: 71-77.
- Kilburn, KH. (2000). Prevalence and features of advanced asbestosis (ILO profusion scores above 2/2). International Labour Office. *Arch Environ Health*. 55: 104-108. <http://dx.doi.org/10.1080/00039890009603395>.
- Kilburn, KH; Lillis, R; Anderson, HA; Boylen, CT; Einstein, HE; Johnson, SJS; Warshaw, R. (1985). Asbestos disease in family contacts of shipyard workers. *Am J Public Health*. 75: 615-617.
- Kilburn, KH; Powers, D; Warshaw, RH. (1992). Pulmonary effects of exposure to fine fibreglass: irregular opacities and small airways obstruction. *Br J Ind Med*. 49: 714-720.
- Kilburn, KH; Powers, D; Warshaw, RH. (1993). PULMONARY EFFECTS OF EXPOSURE TO FINE FIBERGLASS - IRREGULAR OPACITIES AND SMALL AIRWAYS OBSTRUCTION - REPLY. *Br J Ind Med*. 50: 863-864.
- Kilburn, KH; Warshaw, RH. (1990). Abnormal pulmonary function associated with diaphragmatic pleural plaques due to exposure to asbestos. *Br J Ind Med*. 47: 611-614. <http://dx.doi.org/10.1136/oem.47.9.611>.
- Kilburn, KH; Warshaw, RH. (1991). Difficulties of attribution of effect in workers exposed to fiberglass and asbestos. *Am J Ind Med*. 20: 745-751. <http://dx.doi.org/10.1002/ajim.4700200605>.
- Kilburn, KH; Warshaw, RH. (1992). Irregular opacities in the lung, occupational asthma, and airways dysfunction in aluminum workers. *Am J Ind Med*. 21: 845-853.
- Kilburn, KH; Warshaw, RH; Einstein, K; Bernstein, J. (1985). Airway disease in non-smoking asbestos workers. *Arch Environ Health*. 40: 293-295.
- Kilic, AD; Inceoz, M. (2015). Mineralogical, Geochemical and Isotopic Effect of Silica in Ultramafic Systems, Eastern Anatolian Turkey. *Geochem Int*. 53: 369-382. <http://dx.doi.org/10.1134/S0016702915040035>.
- Kilpatrick, N; Frumkin, H; Trowbridge, J; Escoffery, C; Geller, R; Rubin, L; Teague, G; Nodvin, J. (2002). The environmental history in pediatric practice: A study of pediatricians' attitudes, beliefs, and practices. *Environ Health Perspect*. 110: 823-827.
- Kim, H; Morimoto, Y; Ogami, A; Nagatomo, H; Hirohashi, M; Oyabu, T; Kawanami, Y; Kuroda, E; Higashi, T; Tanaka, I. (2007). Differential expression of EC-SOD, Mn-SOD and CuZn-SOD in rat lung exposed to crystalline silica. *J Occup Health*. 49: 242-248.
- Kim, J; Oak, C; Jang, T; Jung, M; Chun, B; Park, EK; Takahashi, K. (2013). Lung cancer probably related to talc exposure: a case report. *Ind Health*. 51: 228-231.
- Kim, J; Song, KS; Yu, I. (2015). Evaluation of in vitro and in vivo genotoxicity of single-walled carbon nanotubes. *Toxicol Ind Health*. 31: 747-757. <http://dx.doi.org/10.1177/0748233713483201>.
- Kim, J; Yu, I. (2014). SINGLE-WALL CARBON NANOTUBES (SWCNT) INDUCE CYTOTOXICITY AND GENOTOXICITY PRODUCED BY REACTIVE OXYGEN SPECIES (ROS) GENERATION IN PHYTOHEMAGGLUTININ (PHA)-STIMULATED MALE HUMAN PERIPHERAL BLOOD LYMPHOCYTES. *J Toxicol Environ Health A*. 77: 1141-1153. <http://dx.doi.org/10.1080/15287394.2014.917062>.
- Kim, JE; Lim, HT; Minai-Tehrani, A; Kwon, JT; Shin, JY; Woo, CG; Choi, M; Baek, J; Jeong, DH; Ha, YC; Chae, CH; Song, KS; Ahn, KH; Lee, JH; Sung, HJ; Yu, IJ; Beck, GR; Cho, MH. (2010). Toxicity and clearance of intratracheally administered multiwalled carbon nanotubes from murine lung. *J Toxicol Environ Health A*. 73: 1530-1543. <http://dx.doi.org/10.1080/15287394.2010.511578>.
- Kim, JH; Chang, HS; Kim, KY; Park, WM; Lee, YJ; Choi, HC; Kim, KA; Lim, Y. (1999). Environmental measurements of total dust and fiber concentration in manufacturer and user of man-made mineral fibers. *Ind Health*. 37: 322-328.
- Kim, JS; Song, KS; Joo, HJ; Lee, JH; Yu, IJ. (2010). Determination of cytotoxicity attributed to multiwall carbon nanotubes (MWCNT) in normal human embryonic lung cell (WI-38) line. *J Toxicol Environ Health A*. 73: 1521-1529. <http://dx.doi.org/10.1080/15287394.2010.511577>.
- Kim, JT, ai; Hoskins, JA. (2010). Asbestos in Korean Buildings, Safety Concerns, and Sensible Risk Assessment. *Indoor Built Environ*. 19: 21-29. <http://dx.doi.org/10.1177/1420326X09357997>.
- Kim, JT, ai; Yu, CWF. (2014). Hazardous materials in buildings. *Indoor Built Environ*. 23: 44-61. <http://dx.doi.org/10.1177/1420326X14524073>.
- Kim, KA; Lee, WK; Kim, JK; Seo, MS; Lim, Y; Lee, KH; Chae, G; Lee, SH; Chung, Y. (2001). Mechanism of refractory ceramic fiber- and rock wool-induced cytotoxicity in alveolar macrophages. *Int Arch Occup Environ Health*. 74: 9-15.
- Kim, M; Bae, M; Na, H; Yang, M. (2012). Environmental toxicants--induced epigenetic alterations and their reversers [Review]. 30: 323-367. <http://dx.doi.org/10.1080/10590501.2012.731959>.

Exposure Literature Search Results

Off Topic

- Kim, SJ, in; Cho, M, inH; Cho, KH; Jang, H, o. (2007). Complementary effects of solid lubricants in the automotive brake lining. *Tribology International*. 40: 15-20. <http://dx.doi.org/10.1016/j.triboint.2006.01.022>.
- Kim, Y, unC; Cho, M, inH; Kim, SJ, in; Jang, H, o. (2008). The effect of phenolic resin, potassium titanate, and CNSL on the tribological properties of brake friction materials. *Wear*. 264: 204-210. <http://dx.doi.org/10.1016/j.wear.2007.03.004>.
- Kim, YC; Hong, WH; Zhang, YL; Son, BH; Seo, YK; Choi, JH. (2016). Estimating the Additional Greenhouse Gas Emissions in Korea: Focused on Demolition of Asbestos Containing Materials in Building. *Int J Environ Res Public Health*. 13. <http://dx.doi.org/10.3390/ijerph13090902>.
- Kingsley, I. (1976). Health Hazard Evaluation Report No. HHE-76-40-341, 919 Third Garage Company, New York, New York (pp. 76-40). (NIOSH/00057818). Kingsley, I.
- Kinnes, GM; Lushniak, BD. (1990). Health Hazard Evaluation Report No. HETA-89-244-2068, Thomson Consumer Electronics, Inc., Circleville, Ohio (pp. 89-244). (NIOSH/00197953). Kinnes, GM; Lushniak, BD.
- Kinney, PL; Satterfield, MH; Shaikh, RA. (1994). Airborne Fiber Levels during Asbestos Operations and Maintenance Work in a Large Office Building. *Appl Occup Environ Hyg*. 9: 825-835.
- Kipen, HM; Lillis, R; Suzuki, Y; Valciukas, JA; Selikoff, IJ. (1987). Pulmonary fibrosis in asbestos insulation workers with lung cancer: a radiological and histopathological evaluation. *Br J Ind Med*. 44: 96-100.
- Kirkham, TL; Koehoorn, MW; Mcleod, CB; Demers, PA. (2011). Surveillance of mesothelioma and workers' compensation in British Columbia, Canada. *Occup Environ Med*. 68: 30-35. <http://dx.doi.org/10.1136/oem.2009.048629>.
- Kirkham, TL; Siemiatycki, J; Labrèche, F; Lavoué, J. (2016). Impact of aggregating exposure information from cases and controls when building a population-based job-exposure matrix from past expert evaluations. *Occup Environ Med*. 73: 474-481. <http://dx.doi.org/10.1136/oemed-2014-102690>.
- Kirshner, M; Bleach, K. (1994). ENVIRONMENTAL AND OCCUPATIONAL REMEDIATION SUBSEQUENT TO THE WORLD-TRADE-CENTER BOMBING. *Environ Int*. 20: 253-261.
- Kiseleva, IA; Ogorodova, LP. (1983). ON USING OF THE HIGH-TEMPERATURE CALORIMETRY OF DISSOLUTION FOR DETERMINATION OF ENTHALPIES OF FORMATION OF HYDROXYL-BEARING MINERALS (ON THE EXAMPLES OF TALC AND TREMOLITE). *Geokhimiya* 1745-1755.
- Kishimoto, T; Morinaga, K; Kira, S. (2000). The prevalence of pleural plaques and/or pulmonary changes among construction workers in Okayama, Japan. *Am J Ind Med*. 37: 291-295.
- Kishimoto, T; Ohnishi, K; Saito, Y. (2003). Clinical study of asbestos-related lung cancer. *Ind Health*. 41: 94-100.
- Kishimoto, T; Ozaki, S; Kato, K; Nishi, H; Genba, K. (2004). Malignant pleural mesothelioma in parts of Japan in relationship to asbestos exposure. *Ind Health*. 42: 435-439.
- Kishimoto, T; Tsuda, K. (2001). A patient with asbestos-induced lung cancer complicated by silicosis. *Ind Health*. 39: 189-193.
- Kisting, S. (2005). South African environmental justice: Struggles by asbestos exposed communities. *Epidemiology*. 16: S155-S156.
- Kittaka, S; Matsuda, T; Yamaguchi, K; Yamashita, A. (2006). Formation of ultra-thin nanotubular chrysotile particles and their thermal properties. *AST*. 24: 531-545.
- Kittl, P; Diaz, G. (1987). FRACTURE STATISTICS AND LOW THERMAL-SHOCK FATIGUE OF ASBESTOS-CEMENT COMPOSITE. *Cement and Concrete Research*. 17: 31-36.
- Kjaergaard, J; Andersson, M. (2000). Incidence rates of malignant mesothelioma in Denmark and predicted future number of cases among men. *Scand J Work Environ Health*. 26: 112-117.
- Kjaerheim, K. (1999). Occupational cancer research in the Nordic countries. *Environ Health Perspect*. 107: 233-238. <http://dx.doi.org/10.2307/3434411>.
- Kjaerheim, K; Ulvestad, B; Martinsen, JI; Andersen, A. (2005). Cancer of the gastrointestinal tract and exposure to asbestos in drinking water among lighthouse keepers (Norway). *Cancer Causes Control*. 16: 593-598. <http://dx.doi.org/10.1007/s10552-004-7844-1>.
- Kjellstrom, T. (1984). ASBESTOS, AN OCCUPATIONAL-DISEASE TIME-BOMB IN NEW-ZEALAND. *Community Health Stud*. 8: 268-269.
- Kjellstrom, TE. (2004). The epidemic of asbestos-related diseases in New Zealand [Review]. *Int J Occup Environ Health*. 10: 212-219. <http://dx.doi.org/10.1179/oeh.2004.10.2.212>.
- Klaas, VE. (1993). A diagnostic approach to asbestosis, utilizing clinical criteria, high resolution computed tomography, and gallium scanning. *Am J Ind Med*. 23: 801-809. <http://dx.doi.org/10.1002/ajim.4700230513>.
- Klein, C. (2005). Some Precambrian banded iron-formations (BIFs) from around the world: Their age, geologic setting, mineralogy, metamorphism, geochemistry, and origin. *Am Mineral*. 90: 1473-1499. <http://dx.doi.org/10.2138/am.2005.1871>.
- Klein, F; Bach, W; Mccollom, TM. (2013). Compositional controls on hydrogen generation during serpentinization of ultramafic rocks. *Lithos*. 178: 55-69. <http://dx.doi.org/10.1016/j.lithos.2013.03.008>.
- Klein, F; Bauer, J. (1993). Cleanup of dioxins and asbestos in a hospital incinerator - From planning to implementation. 19: 40-43.
- Kleine, BI; Skelton, ADL; Huet, B; Pitcairn, IK. (2014). Preservation of Blueschist-facies Minerals along a Shear Zone by Coupled Metasomatism and Fast-flowing CO₂-bearing Fluids. *Journal of Petrology*. 55: 1905-1939. <http://dx.doi.org/10.1093/petrology/egu045>.
- Klemm, DD; Krautner, HG. (2000). Hydrothermal alteration and associated mineralization in the Freda-Rebecca gold deposit - Bindura District, Zimbabwe. *Miner Depos*. 35: 90-108.
- Klerks, PL; Fraleigh, PC. (1991). CONTROLLING ADULT ZEBRA MUSSELS WITH OXIDANTS. *J Am Water Works Assoc*. 83: 92-100.
- Kline, ER; Mattson, VR; Pickering, QH; Spehar, DL; Stephan, CE. (1987). EFFECTS OF POLLUTION ON FRESHWATER ORGANISMS. *J Water Pollut Control Fed*. 59: 539-572.
- Klippe, J. (1979). ASBESTOS CEMENT AS MATERIAL IN VENTILATORS AND AIR CONDITIONERS. 32: 156-157.

Exposure Literature Search Results

Off Topic

- Klockars, M; Hedenborg, M; Vanhala, E. (1990). Effect of two particle surface-modifying agents, polyvinylpyridine-N-oxide and carboxymethylcellulose, on the quartz and asbestos mineral fiber-induced production of reactive oxygen metabolites by human polymorphonuclear leukocytes. *Arch Environ Health*. 45: 8-14. <http://dx.doi.org/10.1080/00039896.1990.9935917>.
- Kloprooge, JT; Hammond, M; Hickey, L; Frost, RL. (2001). A new low temperature synthesis route of Fraipontite (Zn,Al)(3)(Si,Al)(2)O-5(OH)(4). *Materials Research Bulletin*. 36: 1091-1098.
- Kneller, EA; Long, MD; van Keken, PE. (2008). Olivine fabric transitions and shear wave anisotropy in the Ryukyu subduction system. *Earth Planet Sci Lett*. 268: 268-282. <http://dx.doi.org/10.1016/j.epsl.2008.01.004>.
- Knight, KL; Bloor, DM; Miller, F. (1985). Use of a cowl in asbestos air sampling [Letter]. *Ann Occup Hyg*. 29: 289-291.
- Knobloch, S. (1980). CODICIL OF THE ACCIDENT PREVENTION REGULATION PROTECTION AGAINST HARMFUL MINERAL DUST (VBG 119) .2. PROPOSALS FOR ASBESTOS USE RESTRICTIONS. *Staub, Reinhaltung der Luft*. 40: 207-210.
- Knoff, WF. (1993). MECHANICAL-BEHAVIOR OF RESPIRABLE FIBRILS OF KEVLAR ARAMID FIBER, GLASS, AND ASBESTOS. *J Text Inst*. 84: 130-137.
- Knoll, L; Felten, MK; Ackermann, D; Kraus, T. (2011). Non-response bias in a surveillance program for asbestos-related lung cancer. *J Occup Health*. 53: 16-22.
- Kobusch, AB; Simard, A; Feldstein, M; Vauclair, R; Gibbs, GW; Bergeron, F; Morissette, N; Davis, R. (1984). Pulmonary cytology in chrysotile asbestos workers. *J Chronic Dis*. 37: 599-607.
- Koc, AC, em; Ciner, F; Toprak, S; Selcuk, H; Aktan, B. (2010). The Geographical Information System (GIS) based water quality assessment of a drinking water distribution system in the Denizli City. *Desalination and Water Treatment*. 19: 318-324. <http://dx.doi.org/10.5004/dwt.2010.1940>.
- Kocak, F; Ergen, Z; Cinar, ME. (1999). Fouling organisms and their developments in a polluted and an unpolluted marina in the Aegean Sea (Turkey). *Ophelia*. 50: 1-20.
- Kodavanti, UP; Andrews, D; Schladweiler, MC; Gavett, SH; Dodd, DE; Cyphert, JM. (2014). EARLY AND DELAYED EFFECTS OF NATURALLY OCCURRING ASBESTOS ON SERUM BIOMARKERS OF INFLAMMATION AND METABOLISM. *J Toxicol Environ Health A*. 77: 1024-1039. <http://dx.doi.org/10.1080/15287394.2014.899171>.
- Kodolanyi, J; Pettke, T. (2011). Loss of trace elements from serpentinites during fluid-assisted transformation of chrysotile to antigorite - An example from Guatemala. *Chem Geol*. 284: 351-362. <http://dx.doi.org/10.1016/j.chemgeo.2011.03.016>.
- Kodolanyi, J; Pettke, T; Spandler, C; Kamber, BS; Gmeling, K. (2012). Geochemistry of Ocean Floor and Fore-arc Serpentinites: Constraints on the Ultramafic Input to Subduction Zones. *Journal of Petrology*. 53: 235-270. <http://dx.doi.org/10.1093/petrology/egr058>.
- Koeman, T, om; Offermans, NSM; Christopher-De Vries, Y; Slottje, P; Van Den Brandt, PA; Goldbohm, RA; Kromhout, H; Vermeulen, R. (2013). JEMs and Incompatible Occupational Coding Systems: Effect of Manual and Automatic Recoding of Job Codes on Exposure Assignment. *Ann Occup Hyg*. 57: 107-114. <http://dx.doi.org/10.1093/annhyg/mes046>.
- Koga, KT; Daniel, I; Reynard, B. (2004). Trace element distribution between antigorite and fluid at the condition relevant to subduction zone tectonic settings. *Lithos*. 73: S60-S60.
- Koga, KT; Daniel, I; Reynard, B. (2005). Determination of trace element partition coefficients between water and minerals by high-pressure and high-temperature experiments: Leaching technique. *G-cubed*. 6. <http://dx.doi.org/10.1029/2005GC000944>.
- Koga, KT; Reynard, B; Daniel, I. (2004). Trace element distribution between antigorite and fluid near the dehydration conditions. *Geochim Cosmo Acta*. 68: A597-A597.
- Koga, Y; Satoh, T; Kaira, K; Koka, M; Hisada, T; Hirato, J; Altan, B; Yatomi, M; Ono, A; Kamide, Y; Shimizu, Y; Aoki-Saito, H; Tsurumaki, H; Shimizu, K; Mogi, A; Ishizuka, T; Yamada, M; Dobashi, K. (2016). Elemental and immunohistochemical analysis of the lungs and hilar lymph node in a patient with asbestos exposure, a pilot study. *Environ Health Prev Med*. 21: 492-500. <http://dx.doi.org/10.1007/s12199-016-0576-5>.
- Kogan, FM. (1977). [Maximum Permissible Exposure Level (MPEL) of asbestos powders]. *Med Lav*. 68: 142-148.
- Kogan, FM; Deminov, AG; Troitskaia, EE; Kolesnikova, TN; Kopytova, MV. (1977). [Working conditions of women track maintenance workers in asbestos mines]. *Gig Sanit* 19-23.
- Kogan, FM; Nikitina, OV. (1994). Solubility of chrysotile asbestos and basalt fibers in relation to their fibrogenic and carcinogenic action. *Environ Health Perspect*. 102 Suppl 5: 205-206.
- Kogan, FM; Polzik, EV. (1990). Prophylaxis of asbestos-induced diseases: studies and perspectives [Review]. *Am J Ind Med*. 18: 95-99.
- Kogan, FM; Polzik, EV. (1991). RESPONSE TO QUALMS ABOUT MEDICAL SCREENING AS A DISCRIMINATORY TOOL [Letter]. *Am J Ind Med*. 20: 273-274.
- Kogevinas, M; Boffetta, P; Pearce, N. (1994). Occupational Exposure to Carcinogens in Developing Countries [Review] (pp. 63-95). (ISSN 0300-5038; NIOSH/00229412). Kogevinas, M; Boffetta, P; Pearce, N.
- Koh, DH; Chung, EK; Jang, JK; Lee, HE; Ryu, HW; Yoo, KM; Kim, EA; Kim, KS. (2014). Cancer incidence and mortality among temporary maintenance workers in a refinery/petrochemical complex in Korea. *Int J Occup Environ Health*. 20: 141-145. <http://dx.doi.org/10.1179/2049396714Y.0000000059>.
- Koh, WH. (1980). CHARACTERIZATION OF STRUCTURAL-PROPERTIES OF POLYMER-MODIFIED ASBESTOS CHLOR-ALKALI SEPARATORS. *J Electrochem Soc*. 127: C121-C121.
- Kohler, F; Gillet, F; Reust, S; Wagner, HH; Gadallah, F; Gobat, JM; Buttler, A. (2006). Spatial and seasonal patterns of cattle habitat use in a mountain wooded pasture. *Landsc Ecol*. 21: 281-295. <http://dx.doi.org/10.1007/s10980-005-0144-7>.
- Kohli, AH; Goldsby, DL; Hirth, G; Tullis, T. (2011). Flash weakening of serpentinite at near-seismic slip rates. *J Geophys Res Solid Earth*. 116. <http://dx.doi.org/10.1029/2010JB007833>.

Exposure Literature Search Results

Off Topic

- Kohn, MJ; Valley, JW. (1998). Oxygen isotope geochemistry of the amphiboles: Isotope effects of cation substitutions in minerals. *Geochim Cosmo Acta*. 62: 1947-1958.
- Kohyama, N. (1997). Length-reduction method for man-made mineral fibers for biological experiments. *Ind Health*. 35: 126-134.
- Kohyama, N; Kurimori, S. (1996). A total sample preparation method for the measurement of airborne asbestos and other fibers by optical and electron microscopy. *Ind Health*. 34: 185-203.
- Kohyama, N; Morinaga, K; Tanaka, I. (2001). Special issue: "Health effects of asbestos and other mineral fibers" - Preface. *Ind Health*. 39: 37-37.
- Kohyama, N; Shinohara, Y; Suzuki, Y. (1996). Mineral phases and some reexamined characteristics of the International Union Against Cancer standard asbestos samples. *Am J Ind Med*. 30: 515-528. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199611\)30:5<515::AID-AJIM1>3.0.CO;2-S](http://dx.doi.org/10.1002/(SICI)1097-0274(199611)30:5<515::AID-AJIM1>3.0.CO;2-S).
- Kohyama, N; Tanaka, I; Tomita, M; Kudo, M; Shinohara, Y. (1997). Preparation and characteristics of standard reference samples of fibrous minerals for biological experiments. *Ind Health*. 35: 415-432. <http://dx.doi.org/10.2486/indhealth.35.415>.
- Kokki, E; Ranta, J; Penttinen, A; Pukkala, E; Pekkanen, J. (2001). Small area estimation of incidence of cancer around a known source of exposure with fine resolution data. *Occup Environ Med*. 58: 315-320.
- Kolb, J; Sakellaris, GA; Meyer, FM. (2006). Controls on hydrothermal Fe oxide-Cu-Au-Co mineralization at the Guelb Moghrein deposit, Akjoujt area, Mauritania. *Miner Depos*. 41: 68-81. <http://dx.doi.org/10.1007/s00126-005-0041-7>.
- Kolb, J; Sindern, S; Kisters, AFM; Meyer, FM; Hoernes, S; Schneider, J. (2005). Timing of Uralian orogenic gold mineralization at Kochkar in the evolution of the East Uralian granite-gneiss terrane. *Trans Nonferrous Met Soc China*. 40: 473-491. <http://dx.doi.org/10.1007/s00126-005-0020-z>.
- Kolev, K. (1982). EXPERIMENTALLY INDUCED MESOTHELIOMA IN WHITE-RATS IN RESPONSE TO INTRAPERITONEAL ADMINISTRATION OF AMORPHOUS CROCIDOLITE ASBESTOS - PRELIMINARY-REPORT. *Environ Res*. 29: 123-133.
- Kolopp-Sarda, MN; Bene, MC; Massin, N; Wild, P; Faure, GC. (1995). Altered partition of T cell subsets in the peripheral blood of healthy workers exposed to flour dust. *Am J Ind Med*. 28: 497-504.
- Kolstad, H; Lynge, E; Olsen, J; Sabroe, S. (1992). OCCUPATIONAL CAUSES OF SOME RARE CANCERS - A LITERATURE-REVIEW. *Scand J Soc Med* 1-148.
- Koltsov, AB; Kostitsyn, YA. (1995). ISOTOPIC AND THERMODYNAMIC MODEL OF THE MURUNTAU SKARN SERIES. *Geokhimiya* 512-523.
- Komabayashi, T; Hirose, K; Funakoshi, K; Takafuji, N. (2005). Stability of phase A in antigorite (serpentine) composition determined by in situ X-ray pressure observations. *Phys Earth Planet In*. 151: 276-289. <http://dx.doi.org/10.1016/j.pepi.2005.04.002>.
- Komabayashi, T; Omori, S; Maruyama, S. (2004). Petrogenetic grid in the system MgO-SiO₂-H₂O up to 30 GPa, 1600 degrees C: Applications to hydrous peridotite subducting into the Earth's deep interior. *J Geophys Res Solid Earth*. 109. <http://dx.doi.org/10.1029/2003JB002651>.
- Komabayashi, T; Omori, S; Maruyama, S. (2005). Experimental and theoretical study of stability of dense hydrous magnesium silicates in the deep upper mantle. *Phys Earth Planet In*. 153: 191-209. <http://dx.doi.org/10.1016/j.pepi.2005.07.001>.
- Kominsky, J. R.; Freyberg, RW; Chesson, J; Cain, WC; Powers, TJ; Wilmoth, RC. (1990). EVALUATION OF 2 CLEANING METHODS FOR THE REMOVAL OF ASBESTOS FIBERS FROM CARPET. *Am Ind Hyg Assoc J*. 51: 500-504.
- Kominsky, JR; Freyberg, RW; Boiano, JM. (1995). Airborne Asbestos Concentrations during Buffing, Burnishing, and Stripping of Resilient Floor Tile. 114.
- Kominsky, JR; Freyberg, RW; Clark, PJ; Edwards, A; Wilmoth, RC; Brackett, KA. (1998). Asbestos Exposures During Routine Floor Tile Maintenance. Part 1: Spray-Buffering and Wet-Stripping. *Appl Occup Environ Hyg*. 13: 101-106.
- Kominsky, JR; Freyberg, RW; Clark, PJ; Hollett, BA; Edwards, A; Wilmoth, RC; Boiano, JM; Brackett, KA. (1998). Asbestos Exposures During Routine Floor Tile Maintenance. Part 2: Ultra High Speed Burnishing and Wet-Stripping. *Appl Occup Environ Hyg*. 13: 107-112.
- Kominsky, JR; Freyberg, RW; Hollett, BA; Clark, PJ; Brackett, KA. (1991). Asbestos Fiber Release during Change-Out of Filter Bags from HEPA-Filtered Vacuum Cleaners. 8.
- Kominsky, JR; Freyburg, R. (1991). Assessment of Asbestos Removal Carried Out Using EPA Purple Book Guidance. 106.
- Kominsky, JR; Thornburg, JW; Shaul, GM; Barrett, WM; Hall, FD; Konz, JJ. (2010). Development of the releasable asbestos field sampler. *Journal of the Air and Waste Management Association*. 60: 294-301. <http://dx.doi.org/10.3155/1047-3289.60.3.294>.
- Koné Pefoyo, AJ; Genesove, L; Moore, K; Del Bianco, A; Kramer, D. (2014). Exploring the usefulness of occupational exposure registries for surveillance: the case of the Ontario Asbestos Workers Registry (1986-2012). *J Occup Environ Med*. 56: 1100-1110. <http://dx.doi.org/10.1097/JOM.0000000000000235>.
- Konieczko, K; Palaszewska-Tkacz, A; Czerczak, S. (2013). [Chemical carcinogenic and mutagenic agents in the workplace, Poland, 2008-2010]. *Med Pr*. 64: 181-192.
- Konishi, H; Alviola, R; Buseck, PR. (2004). 2111 biopyribole intermediate between pyroxene and amphibole: Artifact or natural product? *Am Mineral*. 89: 15-19.
- Konishi, H; Dodony, I; Buseck, PR. (2002). Protoanthophyllite from three metamorphosed serpentinites. *Am Mineral*. 87: 1096-1103.
- Konishi, H; Groy, TL; Dodony, I; Miyawaki, R; Matsubara, S; Buseck, PR. (2003). Crystal structure of protoanthophyllite: A new mineral from the Takase ultramafic complex, Japan. *Am Mineral*. 88: 1718-1723.
- Konishi, H; Xu, H; Dymek, RF. (2010). High-resolution TEM study of jimthompsonite, chesterite, and chain-width disorder in Archean ultramafic rocks from Isua, West Greenland. *Am Mineral*. 95: 73-80. <http://dx.doi.org/10.2138/am.2010.3212>.
- Konovalov, EA; Artamonov, VY; Belei, II; Afonin, VN. (1989). USE OF ASBESTOS HELIUM DRILLING MUDS. 6-10.
- Kontonikas-Charos, A; Ciobanu, CL; Cook, NJ. (2014). Albitization and redistribution of REE and Y in IOCG systems: Insights from Moonta-Wallaroo, Yorke Peninsula, South Australia. *Lithos*. 208: 178-201. <http://dx.doi.org/10.1016/j.lithos.2014.09.001>.

Exposure Literature Search Results

Off Topic

- Konzett, J; Libowitzky, E; Hejny, C; Miller, C; Zanetti, A. (2008). Oriented quartz plus calcic amphibole inclusions in omphacite from the Saualpe and Pohorje Mountain eclogites, Eastern Alps-An assessment of possible formation mechanisms based on IR- and mineral chemical data and water storage in Eastern Alpine eclogites. *Lithos*. 106: 336-350. <http://dx.doi.org/10.1016/j.lithos.2008.09.002>.
- Kopczyk, M; Tabał, S; Szczesniak, B; Styczynski, S; Brudka, Z. (2003). The technology for making new thermally activated batteries (BTR-03). *Przemysł Chemiczny*. 82: 1295-1297.
- Kopczykmyslon, T. (1984). COMPARATIVE-ANALYSIS OF THE INDEXES FOR ASBESTOS DUST CONTAMINATION. *Arbeitsmedizin, Sozialmedizin, Praeventivmedizin*. 19: 6-8.
- Kopylev, L; Christensen, KY; Brown, JS; Cooper, GS. (2014). A systematic review of the association between pleural plaques and changes in lung function [Review]. *Occup Environ Med*. 72: 606-614. <http://dx.doi.org/10.1136/oemed-2014-102468>.
- Korallus, U; Ulm, K; Steinmann-Steiner-Haldenstaett, W. (1993). Bronchial carcinoma mortality in the German chromate-producing industry: the effects of process modification. *Int Arch Occup Environ Health*. 65: 171-178. <http://dx.doi.org/10.1007/BF00381153>.
- Korhola, O; Hiltunen, A; Karjalainen, A; Martikainen, R; Riihimäki, H. (2001). Association between pleural plaques and coronary heart disease. *Scand J Work Environ Health*. 27: 154-155.
- Korhonen, K; Liukkonen, T; Ahrens, W; Astrakianakis, G; Boffetta, P; Burdorf, A; Heederik, D; Kauppinen, T; Kogevinas, M; Osvoll, P; Rix, BA; Saalo, A; Sunyer, J; Szadkowska-Stanczyk, I; Teschke, K; Westberg, H; Widerkiewicz, K. (2004). Occupational exposure to chemical agents in the paper industry. *Int Arch Occup Environ Health*. 77: 451-460. <http://dx.doi.org/10.1007/s00420-004-0530-5>.
- Korytkova, EN; Brovkin, AS; Maslennikova, TP; Pivovarova, LN; Drozdova, IA. (2011). Influence of the physicochemical parameters of synthesis on the growth of nanotubes of the Mg₃Si₂O₅(OH)₄ composition under hydrothermal conditions. *Glass Physics and Chemistry*. 37: 161-171. <http://dx.doi.org/10.1134/S1087659611020076>.
- Korytkova, EN; Maslov, AV; Pivovarova, LN; Drozdova, IA; Gusarov, VV. (2004). Formation of Mg₃Si₂O₅(OH)₄ nanotubes under hydrothermal conditions. *Glass Physics and Chemistry*. 30: 51-55.
- Korytkova, EN; Maslov, AV; Pivovarova, LN; Polegotchenkova, YV; Povinich, VF; Gusarov, VV. (2005). Synthesis of nanotubular Mg₃Si₂O₅(OH)₄-Ni₃Si₂O₅(OH)₄ silicates at elevated temperatures and pressures. *Inorg Mater*. 41: 743-749.
- Korytkova, EN; Pivovarova, LN; Drozdova, IA; Gusarov, VV. (2005). Synthesis of nanotubular nickel hydrosilicates and nickel-magnesium hydrosilicates under hydrothermal conditions. *Glass Physics and Chemistry*. 31: 797-802.
- Korytkova, EN; Pivovarova, LN; Gusarov, VV. (2007). Influence of iron on the kinetics of formation of chrysotile nanotubes of composition (Mg, Fe)₃Si₂O₅(OH)₄ under hydrothermal conditions. *Geochem Int*. 45: 825-831. <http://dx.doi.org/10.1134/S0016702907080083>.
- Korytkova, EN; Semyashkina, MP; Maslennikova, TP; Pivovarova, LN; Al'myashev, VI; Ugolkov, VL. (2013). Synthesis and growth of nanotubes Mg₃Si₂O₅(OH,F)₄ composition under hydrothermal conditions. *Glass Physics and Chemistry*. 39: 294-300. <http://dx.doi.org/10.1134/S1087659613030103>.
- Koshi, K; Kohyama, N; Myojo, T; Fukuda, K. (1991). CELL TOXICITY, HEMOLYTIC ACTION AND CLASTOGENIC ACTIVITY OF ASBESTOS AND ITS SUBSTITUTES. *Ind Health*. 29: 37-56.
- Koskinen, HO; Nordman, HL; Zitting, AJ; Suoranta, HT; Anttila, SL; Taikina-Aho, OS; Luukkonen, RA. (1997). Fibrosis of the lung and pleura and long-term exposure to wollastonite. *Scand J Work Environ Health*. 23: 41-47.
- Koskinen, K; Pukkala, E; Martikainen, R; Reijula, K; Karjalainen, A. (2002). Different measures of asbestos exposure in estimating risk of lung cancer and mesothelioma among construction workers. *J Occup Environ Med*. 44: 1190-1196. <http://dx.doi.org/10.1097/01.jom.0000044129.59147.6e>.
- Koskinen, K; Pukkala, E; Reijula, K; Karjalainen, A. (2003). Incidence of cancer among the participants of the Finnish Asbestos Screening Campaign. *Scand J Work Environ Health*. 29: 64-70.
- Koskinen, K; Rinne, JP; Zitting, A; Tossavainen, A; Kivekas, J; Reijula, K; Roto, P; Huuskonen, MS. (1996). Screening for asbestos-induced diseases in Finland. *Am J Ind Med*. 30: 241-251. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199609\)30:3<241::AID-AJIM1>3.0.CO;2-1](http://dx.doi.org/10.1002/(SICI)1097-0274(199609)30:3<241::AID-AJIM1>3.0.CO;2-1).
- Koskinen, K; Zitting, A; Tossavainen, A; Rinne, JP; Roto, P; Kivekäs, J; Reijula, K; Huuskonen, MS. (1998). Radiographic abnormalities among Finnish construction, shipyard and asbestos industry workers. *Scand J Work Environ Health*. 24: 109-117.
- Kosolapova, AV; Ulenkova, LV. (1984). [Hygienic characteristics of working conditions in the manufacture of asbestos-cement slag cotton products]. *Gig Tr Prof Zabol*49-51.
- Kosuge, K; Shimada, K; Tsunashima, A. (1995). Micropore formation by acid treatment of antigorite. *Chem Mater*. 7: 2241-2246.
- Kottek, M; Kilpatrick, D. (2002). Re: Malignant mesothelioma from neighborhood exposure to anthophyllite asbestos [Letter]. *Am J Ind Med*. 41: 514. <http://dx.doi.org/10.1002/ajim.10071>.
- Kottek, M; Kilpatrick, DJ. (2016). Estimating Occupational Exposure to Asbestos in Australia [Letter]. *Ann Occup Hyg*. 60: 531-532. <http://dx.doi.org/10.1093/annhyg/mew002>.
- Kouris, SP; Parker, DL; Bender, AP; Williams, AN. (1991). Effects of asbestos-related pleural disease on pulmonary function. *Scand J Work Environ Health*. 17: 179-183.
- Kovacs, G; Radovics, BG; Toth, TM. (2016). Petrologic comparison of the Gyod and Helesfa serpentinite bodies (Tisia Mega Unit, SW Hungary). *Journal of Geosciences*. 61: 255-279. <http://dx.doi.org/10.3190/jgeosci.218>.
- Kovalevskii, EV. (1993). [Hygienic evaluation of contact with asbestos-containing dusts at thermoelectric power plants]. *Med Tr Prom Eko*17-20.
- Kovalevskiy, EV; Schonfeld, SJ; Feletto, E; Moissonnier, M; Kashanskiy, SV; Bukhtiyarov, IV; Schüz, J. (2016). Comparison of mortality in Asbest city and the Sverdlovsk region in the Russian Federation: 1997-2010. *Environ Health*. 15: 42. <http://dx.doi.org/10.1186/s12940-016-0125-0>.

Exposure Literature Search Results

Off Topic

- Koyama, S; Endo, M; Kim, YA; Hayashi, T; Yanagisawa, T; Osaka, K; Koyama, H; Haniu, H; Kuroiwa, N. (2006). Role of systemic T-cells and histopathological aspects after subcutaneous implantation of various carbon nanotubes in mice. *Carbon*. 44: 1079-1092. <http://dx.doi.org/10.1016/j.carbon.2005.08.006>.
- Kozak, PK; Duke, EF; Roselle, GT. (2004). Mineral distribution in contact-metamorphosed siliceous dolomite at Ubehebe Peak, California, based on airborne imaging spectrometer data. *Am Mineral*. 89: 701-713.
- Kozawa, T; Onda, A; Yanagisawa, K; Chiba, O; Ishiwata, H; Takanami, T. (2010). Thermal decomposition of chrysotile-containing wastes in a water vapor atmosphere. *Ceramic Society of Japan Journal*. 118: 1199-1201. <http://dx.doi.org/10.2109/jcersj2.118.1199>.
- Krafcsin, GJ. (1979). Drywall construction and asbestos exposure [Letter]. *Am Ind Hyg Assoc J*. 40: 829-830.
- Kralj, P. (2016). Hydrothermal alteration of chlorite to randomly interstratified corrensite-chlorite: Geological evidence from the Oligocene Smrekovec Volcanic Complex, Slovenia. *Appl Clay Sci*. 134: 235-245. <http://dx.doi.org/10.1016/j.clay.2016.10.025>.
- Krasilin, AA; Suprun, AM; Ubyivovk, EV; Gusarov, VV. (2016). Morphology vs. chemical composition of single Ni-doped hydrosilicate nanoscroll. *Mater Lett*. 171: 68-71. <http://dx.doi.org/10.1016/j.matlet.2016.01.152>.
- Krasinskaia, GF; Migair, KV. (1953). [Preventive measures in preparation and working with products from asbestos and cement]. *Gig Sanit*. 9: 47-49.
- Kraus, T; Raithel, HJ; Hering, KG. (1996). Evaluation and classification of high-resolution computed tomographic findings in patients with pneumoconiosis. *Int Arch Occup Environ Health*. 68: 249-254.
- Kraus, T; Raithel, HJ; Lehnert, G. (1997). Computer-assisted classification system for chest X-ray and computed tomography findings in occupational lung disease. *Int Arch Occup Environ Health*. 69: 482-486.
- Kraut, AG. (2009). Hospitalization in Winnipeg, Canada due to Occupational Disease: A Pilot Study. *Am J Ind Med*. 52: 372-379. <http://dx.doi.org/10.1002/ajim.20681>.
- Kreienbrock, L; Kreuzer, M; Gerken, M; Dingerkus, G; Wellmann, J; Keller, G; Wichmann, HE. (2001). Case-control study on lung cancer and residential radon in western Germany. *Am J Epidemiol*. 153: 42-52. <http://dx.doi.org/10.1093/aje/153.1.42>.
- Kreuzer, M; Heinrich, J; Wolke, G; Rosario, AS; Gerken, M; Wellmann, J; Keller, G; Kreienbrock, L; Wichmann, HE. (2003). Residential radon and risk of lung cancer in Eastern Germany. *Epidemiology*. 14: 559-568. <http://dx.doi.org/10.1097/01.ede.0000071410.26053.c4>.
- Kreuzer, M; Pohlabeln, H; Ahrens, W; Kreienbrock, L; Brüske-Hohlfeld, I; Jöckel, KH; Wichmann, HE. (1999). Occupational risk factors for lung cancer among young men. *Scand J Work Environ Health*. 25: 422-429.
- Krevor, SCM; Lackner, KS. (2011). Enhancing serpentine dissolution kinetics for mineral carbon dioxide sequestration. *Int J Greenhouse Gas Control*. 5: 1073-1080. <http://dx.doi.org/10.1016/j.ijggc.2011.01.006>.
- Krinari, GA; Khalitov, ZY. (1995). DEFECTS IN CRYSTALLINE-STRUCTURE OF CHRYSOTILE AND THEIR ROLE IN DEVELOPMENT OF TECHNOLOGICAL PROPERTIES OF ASBESTOS FIBER. *Journal of Mining Science*. 31: 314-320.
- Kristein, MM. (1981). Asbestos workers and lung cancer [Letter]. *Am J Public Health*. 71: 1409.
- Kromhout, H; Heederik, D; Dalderup, LM; Kromhout, D. (1992). Performance of two general job-exposure matrices in a study of lung cancer morbidity in the Zutphen cohort. *Am J Epidemiol*. 136: 698-711.
- Kronenberg, RS; Levin, JL; Dodson, RF; Garcia, JG; Griffith, DE. (1991). Asbestos-related disease in employees of a steel mill and a glass bottle-manufacturing plant. *Ann N Y Acad Sci*. 643: 397-403. <http://dx.doi.org/10.1177/074823379100700104>.
- Krstev, S; Dosemeci, M; Lissowska, J; Chow, WH; Zatonski, W; Ward, MH. (2005). Occupation and risk of stomach cancer in Poland. *Occup Environ Med*. 62: 318-324. <http://dx.doi.org/10.1136/oem.2004.015883>.
- Krstev, S; Stewart, P; Rusiecki, J; Blair, A. (2007). Mortality among shipyard Coast Guard workers: a retrospective cohort study. *Occup Environ Med*. 64: 651-658. <http://dx.doi.org/10.1136/oem.2006.029652>.
- Kryvdik, SG. (2002). Rare-metal syenites of the Ukrainian Shield. *Geochem Int*. 40: 639-648.
- Kudo, Y; Aizawa, Y. (2011). Safety evaluation of rock wool after nasal inhalation in rats. *Ind Health*. 49: 47-55.
- Kudo, Y; Kohyama, N; Satoh, T; Konishi, Y; Aizawa, Y. (2006). Behavior of rock wool in rat lungs after exposure by nasal inhalation. *J Occup Health*. 48: 437-445.
- Kudo, Y; Kotani, M; Aizawa, Y. (2010). Cytotoxicity study of high temperature wool (HT wool) by cell magnetometric evaluation. *J Occup Health*. 52: 106-114.
- Kuempel, ED; Stayner, LT; Dement, JD; Gilbert, SJ; Hein, MJ. (2006). Fiber Size-Specific Exposure Estimates And Updated Mortality Analysis Of Chrysotile Asbestos Textile Workers. *Toxicol Sci*. 90: 71.
- Kuhns, RJ; Sawkins, FJ; Ito, E. (1994). MAGMATISM, METAMORPHISM AND DEFORMATION AT HEMLO, ONTARIO, AND THE TIMING OF AU-MO MINERALIZATION IN THE GOLDEN GIANT MINE. *Econ Geol*. 89: 720-756.
- Kukkonen, MK; Vehmas, T; Piirilä, P; Hirvonen, A. (2014). Genes involved in innate immunity associated with asbestos-related fibrotic changes. *Occup Environ Med*. 71: 48-54. <http://dx.doi.org/10.1136/oemed-2013-101555>.
- Kullman, GJ; Greife, AL; Costello, J; Hearl, FJ. (1995). Occupational exposures to fibers and quartz at 19 crushed stone mining and milling operations. *Am J Ind Med*. 27: 641-660.
- Kumada, N; Yonesaki, Y; Takei, T; Kinomura, N; Kobayashi, M; Horiguchi, H. (2009). Hydrothermal conversion of chrysotile to amorphous silica or brucite. *Ceramic Society of Japan Journal*. 117: 1240-1242. <http://dx.doi.org/10.2109/jcersj2.117.1240>.
- Kumagai, S. (2010). Increased Risk of Lung Cancer Mortality among Residents near an Asbestos Product Manufacturing Plant (July, pg 271, 2010). *Int J Occup Environ Health*. 16: 387-387.
- Kumagai, S; Nakachi, S; Kurumatani, N; Nakagiri, S; Kataoka, A. (1993). [Estimation of asbestos exposure among workers repairing asbestos cement pipes used for conduits]. *Sangyo Igaku*. 35: 178-187.

Exposure Literature Search Results

Off Topic

- Kumar, A; Maiti, SK. (2014). Translocation and bioaccumulation of metals in *Oryza sativa* and *Zea mays* growing in chromite-asbestos contaminated agricultural fields, Jharkhand, India. *Bull Environ Contam Toxicol*. 93: 434-441. <http://dx.doi.org/10.1007/s00128-014-1339-x>.
- Kumar, A; Maiti, SK. (2015). Assessment of potentially toxic heavy metal contamination in agricultural fields, sediment, and water from an abandoned chromite-asbestos mine waste of Roro hill, Chaibasa, India. *Environ Earth Sci*. 74: 2617-2633. <http://dx.doi.org/10.1007/s12665-015-4282-1>.
- Kumar, A; Maiti, SK. (2015). Effect of Organic Manures on the Growth of *Cymbopogon citratus* and *Chrysopogon zizanioides* for the Phytoremediation of Chromite-Asbestos Mine Waste: A Pot Scale Experiment. *Int J Phytoremediation*. 17: 437-447. <http://dx.doi.org/10.1080/15226514.2014.910174>.
- Kumar, M; Bijwe, J. (2010). Role of different metallic fillers in non-asbestos organic (NAO) friction composites for controlling sensitivity of coefficient of friction to load and speed. *Tribology International*. 43: 965-974. <http://dx.doi.org/10.1016/j.triboint.2009.12.062>.
- Kumar, M; Bijwe, J. (2011). Non-asbestos organic (NAO) friction composites: Role of copper; its shape and amount. *Wear*. 270: 269-280. <http://dx.doi.org/10.1016/j.wear.2010.10.068>.
- Kumar, M; Bijwe, J. (2013). Optimized selection of metallic fillers for best combination of performance properties of friction materials: A comprehensive study. *Wear*. 303: 569-583. <http://dx.doi.org/10.1016/j.wear.2013.03.053>.
- Kumar, M; Bijwe, J. (2014). Influence of different types of binder in non-asbestos-organic brake lining materials: A case study on inertia brake dynamometer. *Institution of Mechanical Engineers Proceedings Part J: Journal of Engineering Tribology*. 228: 584-592. <http://dx.doi.org/10.1177/1350650113515459>.
- Kumar, M; Boidin, X; Desplanques, Y; Bijwe, J. (2011). Influence of various metallic fillers in friction materials on hot-spot appearance during stop braking. *Wear*. 270: 371-381. <http://dx.doi.org/10.1016/j.wear.2010.11.009>.
- Kundiev, I, ul; Cherniuk, VI; Karakashian, AN; Kucheruk, TK; Martynovskaia, TI, u; Demetskaia, AV; Sal'nikova, NA; Chuř, TS; Piatnitsa-Gorpinchenko, NK. (2008). [Hygienic characteristics of work conditions for main occupations in asbestos cement production of Ukraine]. *Med Tr Prom Ekol*21-27.
- Kurihara, N; Wada, O. (2004). Silicosis and smoking strongly increase lung cancer risk in silica-exposed workers [Review]. *Ind Health*. 42: 303-314. <http://dx.doi.org/10.2486/indhealth.42.303>.
- Kurrer, KE; Gock, E; Vogt, V; Florescu, R. (2004). Centrifugal tube mill for finest grinding. *Int J Miner Process*. 74: S75-S83. <http://dx.doi.org/10.1016/j.minpro.2004.07.021>.
- Kurt, A; Boz, M. (2005). Wear behaviour of organic asbestos based and bronze based powder metal brake linings. *Materials & Design*. 26: 717-721. <http://dx.doi.org/10.1016/j.matdes.2004.09.006>.
- Kurumatani, N; Natori, Y; Mizutani, R; Kumagai, S; Haruta, M; Miura, H; Yonemasu, K. (1999). A historical cohort mortality study of workers exposed to asbestos in a refitting shipyard. *Ind Health*. 37: 9-17.
- Kuscu, I; Yilmazer, E; Gulec, N; Bayir, S; Demirela, G; Kuscu, GG; Kuru, GS; Kaymakci, N. (2011). U-Pb and Ar-40-Ar-39 Geochronology and Isotopic Constraints on the Genesis of Copper-Gold-Bearing Iron Oxide Deposits in the Hasancelebi District, Eastern Turkey. *Econ Geol*. 106: 261-288.
- Kusiorowski, R; Zaremba, T; Piotrowski, J. (2014). The potential use of cement-asbestos waste in the ceramic masses destined for sintered wall clay brick manufacture. *Ceramics International*. 40: 11995-12002. <http://dx.doi.org/10.1016/j.ceramint.2014.04.037>.
- Kusiorowski, R; Zaremba, T; Piotrowski, J. (2016). Influence of the type of pre-calcined asbestos containing wastes on the properties of sintered ceramics. *Construction and Building Materials*. 106: 422-429. <http://dx.doi.org/10.1016/j.conbuildmat.2015.12.110>.
- Kusiorowski, R; Zaremba, T; Piotrowski, J; Podworny, J. (2015). Utilisation of cement-asbestos wastes by thermal treatment and the potential possibility use of obtained product for the clinker bricks manufacture. *Journal of Materials Science*. 50: 6757-6767. <http://dx.doi.org/10.1007/s10853-015-9231-6>.
- Kutty, TRN. (1984). NITROGEN AND WATER-VAPOR ADSORPTION ON AMPHIBOLE ASBESTOS. 22: 228-232.
- Kuyper, LN. (1970). Dust Problems in the Mining, Milling and Packaging of Asbestos (pp. 42-50). (NIOSH/00177487). Kuyper, LN.
- Labagnara, D; Patrucco, M; Rossetti, P; Pellegrino, V. (2013). Predictive assessment of the asbestos content in the Western Italian Alps: an essential tool for an effective approach to risk analysis and management in tunneling operations and muck reuse. *Environ Earth Sci*. 70: 857-868. <http://dx.doi.org/10.1007/s12665-012-2174-1>.
- Labrada-Delgado, G; Aragon-Pina, A; Campos-Ramos, A; Castro-Romero, T; Amador-Munoz, O; Villalobos-Pietrini, R. (2012). Chemical and morphological characterization of PM2.5 collected during MILAGRO campaign using scanning electron microscopy. *Atmos Pollut Res*. 3: 289-300. <http://dx.doi.org/10.5094/APR.2012.032>.
- Lacinska, AM; Styles, MT; Bateman, K; Wagner, D; Hall, MR; Gowing, C; Brown, PD. (2016). Acid-dissolution of antigorite, chrysotile and lizardite for ex situ carbon capture and storage by mineralisation. *Chem Geol*. 437: 153-169. <http://dx.doi.org/10.1016/j.chemgeo.2016.05.015>.
- Lacki, P. (2013). Friction conditions in the friction brake system of Mi-2 helicopter. 13: 297-303. <http://dx.doi.org/10.1016/j.acme.2013.04.005>.
- Lacourt, A; Cardis, E; Pintos, J; Richardson, L; Kincl, L; Benke, G; Fleming, S; Hours, M; Krewski, D; Mclean, D; Parent, ME; Sadetzki, S; Schläefer, K; Schlehofer, B; Lavoue, J; van Tongeren, M; Siemiatycki, J. (2013). INTEROCC case-control study: lack of association between glioma tumors and occupational exposure to selected combustion products, dusts and other chemical agents. *BMC Public Health*. 13: 340. <http://dx.doi.org/10.1186/1471-2458-13-340>.
- Lacourt, A; Pintos, J; Lavoué, J; Richardson, L; Siemiatycki, J. (2015). Lung cancer risk among workers in the construction industry: results from two case-control studies in Montreal. *BMC Public Health*. 15: 941. <http://dx.doi.org/10.1186/s12889-015-2237-9>.

Exposure Literature Search Results

Off Topic

- Lacourt, A; Rolland, P; Gramond, C; Astoul, P; Chamming's, S; Ducamp, S; Frenay, C; Galateau-Sallé, F; Gilg Soit Ilg, A; Imbernon, E; Le Stang, N; Pairon, JC; Goldberg, M; Iwatsubo, Y; Salmi, LR; Brochard, P. (2010). Attributable risk in men in two French case-control studies on mesothelioma and asbestos. *Eur J Epidemiol.* 25: 799-806. <http://dx.doi.org/10.1007/s10654-010-9502-0>.
- Ladou, J. (2004). The asbestos cancer epidemic. *Environ Health Perspect.* 112: 285-290. <http://dx.doi.org/10.1289/ehp.6704>.
- Ladou, J; Castleman, B; Frank, A; Gochfeld, M; Greenberg, M; Huff, J; Joshi, TK; Landrigan, PJ; Lemen, R; Myers, J; Soffritti, M; Soskolne, CL; Takahashi, K; Teitelbaum, D; Terracini, B; Watterson, A. (2010). The case for a global ban on asbestos. *Environ Health Perspect.* 118: 897-901. <http://dx.doi.org/10.1289/ehp.1002285>.
- Lafabrie, C; Pergent, G; Pergent-Martini, C. (2009). Utilization of the seagrass *Posidonia oceanica* to evaluate the spatial dispersion of metal contamination. *Sci Total Environ.* 407: 2440-2446. <http://dx.doi.org/10.1016/j.scitotenv.2008.11.001>.
- Lafabrie, C; Pergent-Martini, C; Pergent, G. (2008). First results on the study of metal contamination along the Corsican coastline using *Posidonia oceanica*. *Mar Pollut Bull.* 57: 155-159. <http://dx.doi.org/10.1016/j.marpolbul.2007.10.007>.
- Lafabrie, C; Pergent-Martini, C; Pergent, G. (2008). Metal contamination of *Posidonia oceanica* meadows along the Corsican coastline (Mediterranean). *Environ Pollut.* 151: 262-268. <http://dx.doi.org/10.1016/j.envpol.2007.01.047>.
- Lafay, R; Deschamps, F; Schwartz, S; Guillot, S; Godard, M; Debret, B; Nicollet, C. (2013). High-pressure serpentinites, a trap-and-release system controlled by metamorphic conditions: Example from the Piedmont zone of the western Alps. *Chem Geol.* 343: 38-54. <http://dx.doi.org/10.1016/j.chemgeo.2013.02.008>.
- Lafay, R; Montes-Hernandez, G; Janots, E; Auzende, AL; Chiriac, R; Lemarchand, D; Toche, F. (2014). Influence of trace elements on the textural properties of synthetic chrysotile: Complementary insights from macroscopic and nanoscopic measurements. *Microporous and Mesoporous Materials.* 183: 81-90. <http://dx.doi.org/10.1016/j.micromeso.2013.08.032>.
- Lafay, R; Montes-Hernandez, G; Janots, E; Chiriac, R; Findling, N; Toche, F. (2012). Mineral replacement rate of olivine by chrysotile and brucite under high alkaline conditions. *J Cryst Growth.* 347: 62-72. <http://dx.doi.org/10.1016/j.jcrysgro.2012.02.040>.
- Lafay, R; Montes-Hernandez, G; Janots, E; Chiriac, R; Findling, N; Toche, F. (2014). Simultaneous precipitation of magnesite and lizardite from hydrothermal alteration of olivine under high-carbonate alkalinity. *Chem Geol.* 368: 63-75. <http://dx.doi.org/10.1016/j.chemgeo.2014.01.008>.
- Lafay, R; Montes-Hernandez, G; Janots, E; Munoz, M; Auzende, AL; Gehin, A; Chiriac, R; Proux, O. (2016). Experimental investigation of As, Sb and Cs behavior during olivine serpentinization in hydrothermal alkaline systems. *Geochim Cosmo Acta.* 179: 177-202. <http://dx.doi.org/10.1016/j.gca.2016.02.014>.
- Lafleur, J; Vena, JE. (1991). RETROSPECTIVE COHORT MORTALITY STUDY OF CANCER AMONG SEWAGE PLANT WORKERS. *Am J Ind Med.* 19: 75-86. <http://dx.doi.org/10.1002/ajim.4700190110>.
- Laforest, L; Luce, D; Goldberg, P; Bégin, D; Gérin, M; Demers, PA; Brugère, J; Leclerc, A. (2000). Laryngeal and hypopharyngeal cancers and occupational exposure to formaldehyde and various dusts: A case-control study in France. *Occup Environ Med.* 57: 767-773. <http://dx.doi.org/10.1136/oem.57.11.767>.
- Lahat, N; Froom, P; Kristal-Boneh, E; Cohen, C; Lerman, Y; Ribak, J. (1999). Increased serum concentrations of growth factor receptors and Neu in workers previously exposed to asbestos. *Occup Environ Med.* 56: 114-117.
- Lahat, N; Sobel, E; Djerassi, L; Kaufman, G; Horenstein, L; Gruener, N. (1988). IMMUNOLOGICAL PROFILE OF CHEST X-RAY-NEGATIVE ASYMPTOMATIC ASBESTOS WORKERS. *Am J Ind Med.* 13: 473-482.
- Lai, CY; Chen, CC; Hwang, JS; Shih, TS. (2002). Overall performance evaluation of aerosol number samplers. *Aerosol Sci Technol.* 36: 84-95.
- Lai, CY; Kuo, YM; Hwang, JS; Shih, TS; Chen, CC. (2006). Determination of Uniformity of Filter Deposits. *Aerosol Sci Technol.* 40: 607-614. <http://dx.doi.org/10.1080/02786820600754615>.
- Lakshmanan, S; Murugesan, T. (2014). The chlor-alkali process: Work in Progress. *Clean Tech Environ Pol.* 16: 225-234. <http://dx.doi.org/10.1007/s10098-013-0630-6>.
- Lam, WK; Kung, TM; Ma, PL; So, SY; Mok, CK. (1983). First report of asbestos-related diseases in Hong Kong. *Trop Geogr Med.* 35: 225-229.
- Lambert, C; Scott, LLF; Raleigh, K; Adgate, J; Ramachandran, G; Mandel, JH; Johnson, J; Messing, R; Alexander, BH. (2011). ENVIRONMENTAL EXPOSURE TO ASBESTOS-CONTAMINATED VERMICULITE AND PREVALENCE OF RESTRICTIVE LUNG DISEASE. *Am J Epidemiol.* 173: S260-S260.
- Lambert, CS; Alexander, BH; Ramachandran, G; Maclehorse, RF; Nelson, HH; Ryan, AD; Mandel, JH. (2016). A case-control study of mesothelioma in Minnesota iron ore (taconite) miners. *Occup Environ Med.* 73: 103-109. <http://dx.doi.org/10.1136/oemed-2015-103105>.
- Lamote, K; Nackaerts, K; van Meerbeeck, J. (2014). Strengths, Weaknesses, and Opportunities of Diagnostic Breathomics in Pleural Mesothelioma-A Hypothesis. *Cancer Epidemiol Biomarkers Prev.* 23: 898-908. <http://dx.doi.org/10.1158/1055-9965.EPI-13-0737>.
- Landrigan, PJ. (1992). Commentary: environmental disease--a preventable epidemic [Comment]. *Am J Public Health.* 82: 941-943.
- Landrigan, PJ. (2004). The WTC disaster: Landrigan's response. *Environ Health Perspect.* 112: A607-A607.
- Landrigan, PJ. (2005). Children as a vulnerable population. *Hum Ecol Risk Assess.* 11: 235-238. <http://dx.doi.org/10.1080/10807030590920051>.
- Landrigan, PJ. (2016). Comments on the 2014 Helsinki consensus report on asbestos. *Ind Health.* 54: 94-97. <http://dx.doi.org/10.2486/indhealth.cr03>.
- Landrigan, PJ; Melius, JM; Rinsky, RA; Thun, MJ. (1985). APPROACHES TO THE ESTIMATION OF EXPOSURE IN OCCUPATIONAL EPIDEMIOLOGY (pp. COLD SPRING HARBOR). (BIOSIS/86/16406). Landrigan, PJ; Melius, JM; Rinsky, RA; Thun, MJ.
- Landrigan, PJ; Nicholson, WJ; Suzuki, Y; Ladou, J. (1999). The hazards of chrysotile asbestos: a critical review [Review]. *Ind Health.* 37: 271-280.
- Landrigan, PJ; Ramazzini, C. (2016). Comments on the 2014 Helsinki Consensus Report on Asbestos. 82: 217-220. <http://dx.doi.org/10.1016/j.aogh.2016.01.018>.

Exposure Literature Search Results

Off Topic

- Landrigan, PJ; Ramazzini, C. (2016). Comments on the Causation of Malignant Mesothelioma: Rebutting the False Concept That Recent Exposures to Asbestos Do Not Contribute to Causation of Mesothelioma. 82: 214-216. <http://dx.doi.org/10.1016/j.aogh.2016.01.017>.
- Landrigan, PJ; Soffritti, M. (2005). Collegium Ramazzini call for an international ban on asbestos [Editorial]. *Am J Ind Med.* 47: 471-474. <http://dx.doi.org/10.1002/ajim.20173>.
- Landucci, G; Rossi, F; Nicoletta, C; Zanelli, S. (2009). Design and testing of innovative materials for passive fire protection. *Fire Safety Journal.* 44: 1103-1109. <http://dx.doi.org/10.1016/j.firesaf.2009.08.004>.
- Langard, S. (1992). ATTITUDES AND OPINIONS REGARDING ASBESTOS AND CANCER 1934-1965 - COMMENT. *Am J Ind Med.* 22: 267-269.
- Langard, S. (1992). PROPOSAL FOR FUTURE USES IN EPIDEMIOLOGY FOR COHORT STUDIES ON THE PREVENTION OF WORK-RELATED CANCER. *Scand J Work Environ Health.* 18: 57-63.
- Langard, S. (1994). PREVENTION OF LUNG-CANCER THROUGH THE USE OF KNOWLEDGE ON ASBESTOS AND OTHER WORK-RELATED CAUSES - NORWEGIAN EXPERIENCES [Review]. *Scand J Work Environ Health.* 20: 100-107.
- Langård, S. (1994). Nickel-related cancer in welders [Review]. *Sci Total Environ.* 148: 303-309.
- Lange, A. (1980). An epidemiological survey of immunological abnormalities in asbestos workers. I. Nonorgan and organ-specific autoantibodies. *Environ Res.* 22: 162-175.
- Lange, A. (1980). An epidemiological survey of immunological abnormalities in asbestos workers. II. Serum immunoglobulin levels. *Environ Res.* 22: 176-183.
- Lange, A; Garncarek, D; Tomeczko, J; Ciechanowski, G; Bisikiewicz, R. (1986). Outcome of asbestos exposure (lung fibrosis and antinuclear antibodies) with respect to skin reactivity: an 8-year longitudinal study. *Environ Res.* 41: 1-13.
- Lange, J; Mastrangelo, G; Cegolon, L. (2011). Asbestos abatement workers versus asbestos workers: exposure and health-effects differ [Letter]. *Int J Occup Med Environ Health.* 24: 418-419; author reply 420-411. <http://dx.doi.org/10.2478/s13382-011-0039-6>.
- Lange, JH. (1999). A statistical evaluation of asbestos air concentrations. *Indoor Built Environ.* 8: 293-303.
- Lange, JH. (2000). Cost and distribution of bids for asbestos abatement projects in the public sector. *Indoor Built Environ.* 9: 201-206.
- Lange, JH. (2001). Airborne asbestos concentrations during abatement of floor tile and mastic: Evaluation of two different containment systems and discussion of regulatory issues. *Indoor Built Environ.* 10: 193-199.
- Lange, JH. (2001). Has the World Trade Center tragedy established a new standard for asbestos? *Indoor Built Environ.* 10: 346-349.
- Lange, JH. (2001). Levels of aerosol trace metals along the Mediterranean coast of Israel (1996-1997) - Barak Herut, *Fres Environm Bulletin* 10, 89-93, 2001. *Fresen Environ Bull.* 10: 741-742.
- Lange, JH. (2001). Occupational exposure during removal of windows with lead-based paint and asbestos caulking. *Bull Environ Contam Toxicol.* 66: 146-149.
- Lange, JH. (2002). Airborne exposure and soil levels associated with lead abatement of a steel tank. *Toxicol Ind Health.* 18: 28-38. <http://dx.doi.org/10.1191/0748233702th127oa>.
- Lange, JH. (2002). How do you interpret regulations: through science or agency rules? [Letter]. *Toxicol Ind Health.* 18: 107-108. <http://dx.doi.org/10.1191/0748233702th134xx>.
- Lange, JH. (2002). Impact of asbestos concentrations in floor tiles on exposure during removal. *Int J Environ Health Res.* 12: 293-300. <http://dx.doi.org/10.1080/0960312021000056401>.
- Lange, JH. (2003). Are personal and static samples related? (letter on Harrison, R M; Thornton, C A; Lawrence, R G; Mark, D; Kinnersley, R P; Ayres, J G (2002) Personal exposure monitoring of particulate matter, nitrogen dioxide, and carbon monoxide, including susceptible groups. *Occup. Environ. Med.* 59: 671-679) [Letter]. *Occup Environ Med.* 60: 224-225.
- Lange, JH. (2004). Arsenic exposure levels during cleanup of fly ash and dermatitis in an air sampling technician. *Bull Environ Contam Toxicol.* 72: 1098-1100. <http://dx.doi.org/10.1007/s00128-004-0356-6>.
- Lange, JH. (2004). Asbestos abatement of pipe and floor tile/mastic and comparison of critical plastic barrier controls. *Bull Environ Contam Toxicol.* 72: 542-546. <http://dx.doi.org/10.1007/s00128-001-0278-3>.
- Lange, JH. (2004). Emergence of a new policy for asbestos: A result of the World Trade Center tragedy. *Indoor Built Environ.* 13: 21-33. <http://dx.doi.org/10.1177/1420326x04038959>.
- Lange, JH. (2005). Airborne exposure during asbestos abatement of floor tile, wall plaster, and pipe insulation. *Bull Environ Contam Toxicol.* 74: 70-72. <http://dx.doi.org/10.1007/s00128-004-0549-z>.
- Lange, JH. (2005). Asbestos-containing floor tile and mastic abatement: Is there enough exposure to cause asbestos-related disease? *Indoor Built Environ.* 14: 83-88. <http://dx.doi.org/10.1177/142032X05050675>.
- Lange, JH. (2006). Type and amount of asbestos in floor tile and mastic. *Bull Environ Contam Toxicol.* 77: 807-809. <http://dx.doi.org/10.1007/s00128-006-1215-4>.
- Lange, JH; Bules, M; Lindquist, J; Gray, M; Ivarone, C. (2000). A survey of publicly funded asbestos abatement projects in the county of Erie, Pennsylvania, USA, during the time period 1996-1999. *Indoor Built Environ.* 9: 342-347.
- Lange, JH; Hoskins, JA; Mastrangelo, G. (2006). Smoking rates in asbestos workers [Letter]. *Occup Med (Lond).* 56: 581. <http://dx.doi.org/10.1093/occmed/kql090>.
- Lange, JH; Kaiser, G; Thomulka, KW. (1994). Environmental site assessments and audits: building inspection requirements. *J Environ Manage.* 18: 151-160.
- Lange, JH; Kuhn, BD; Thomulka, KW; Sites, SLM. (2000). A study of area and personal airborne asbestos samples during abatement in a crawl space. *Indoor Built Environ.* 9: 192-200.
- Lange, JH; Lange, PR; Reinhard, TK; Thomulka, KW. (1996). A study of personal and area airborne asbestos concentrations during asbestos abatement: A statistical evaluation of fibre concentration data. *Ann Occup Hyg.* 40: 449-466.

Exposure Literature Search Results

Off Topic

- Lange, JH; Marangi, G; Mastrangelo, G. (2009). Non-asbestos Risks of Asbestos Abatement Workers. *Indoor Built Environ.* 18: 90-92. <http://dx.doi.org/10.1177/1420326X08100810>.
- Lange, JH; Mastrangelo, G. (2008). What are the real risks for asbestos abatement workers? *Indoor Built Environ.* 17: 274-276. <http://dx.doi.org/10.1177/1420326X08091055>.
- Lange, JH; Mastrangelo, G. (2009). Real Risk. *Indoor Built Environ.* 18: 187-188. <http://dx.doi.org/10.1177/1420326X09105604>.
- Lange, JH; Mastrangelo, G; Buja, A. (2006). Smoking and alcohol use in asbestos abatement workers. *Bull Environ Contam Toxicol.* 77: 338-342. <http://dx.doi.org/10.1007/s00128-006-1071-2>.
- Lange, JH; Mastrangelo, G; Cegolon, L. (2012). Infectious disease risk in asbestos abatement workers. *BMC Public Health.* 12: 665. <http://dx.doi.org/10.1186/1471-2458-12-665>.
- Lange, JH; Mastrangelo, G; Cegolon, L. (2012). A proposed threshold exposure for airborne asbestos [Letter]. *Occup Environ Med.* 69: 227-228. <http://dx.doi.org/10.1136/oemed-2011-100225>.
- Lange, JH; Priolo, G; Mastrangelo, G. (2004). Smoking trend in a high-risk group: asbestos abatement workers [Letter]. *J Occup Environ Med.* 46: 1195. <http://dx.doi.org/10.1097/01.jom.0000147221.40883.68>.
- Lange, JH; Sites, SL; Mastrangelo, G; Thomulka, KW. (2006). Exposure to airborne asbestos during abatement of ceiling material, window caulking, floor tile, and roofing material. *Bull Environ Contam Toxicol.* 77: 718-722. <http://dx.doi.org/10.1007/s00128-006-1122-8>.
- Lange, JH; Sites, SL; Mastrangelo, G; Thomulka, KW. (2008). Exposure to airborne asbestos during abatement of ceiling material, window caulking, floor tile and roofing material. *Bull Environ Contam Toxicol.* 80: 10-13. <http://dx.doi.org/10.1007/s00128-007-9280-x>.
- Lange, JH; Spence, PL; Rosato, PA. (1991). A MEDICAL-SURVEILLANCE PROGRAM FOR HAZARDOUS-WASTE ACTIVITIES AND ASBESTOS-ABATEMENT OPERATION FOR A CONSULTING ENGINEERING FIRM. *Journal of Environmental Science and Health, Part A: Environmental Science and Engineering and Toxi.* 26: 953-970.
- Lange, JH; Thomulka, KW. (2000). Air sampling during asbestos abatement of floor tile and mastic. *Bull Environ Contam Toxicol.* 64: 497-501.
- Lange, JH; Thomulka, KW. (2000). Area and personal airborne exposure during abatement of asbestos-containing roofing material. *Bull Environ Contam Toxicol.* 64: 673-678.
- Lange, JH; Thomulka, KW. (2000). An evaluation of personal airborne asbestos exposure measurements during abatement of dry wall and floor tile/mastic. *Int J Environ Health Res.* 10: 5-19.
- Lange, JH; Thomulka, KW. (2000). Occupational exposure to airborne asbestos during abatement of asbestos-containing pipe and boiler insulation. *Fresen Environ Bull.* 9: 477-482.
- Lange, JH; Thomulka, KW. (2001). Personal exposure to asbestos during removal of asbestos-containing window caulking and floor tile/pipe insulation. *Fresen Environ Bull.* 10: 688-691.
- Lange, JH; Thomulka, KW. (2002). Airborne exposure concentrations during asbestos abatement of ceiling and wall plaster. *Bull Environ Contam Toxicol.* 69: 712-718. <http://dx.doi.org/10.1007/s00128-002-0119-1>.
- Lange, JH; Thomulka, KW. (2003). Smoking prevalence of asbestos workers: a comment [Letter]. *Am J Ind Med.* 44: 218-219; author reply 220-211. <http://dx.doi.org/10.1002/ajim.10247>.
- Lange, JH; Thomulka, KW; Lee, RH; Van Orden, DR. (2002). Surface and passive monitoring for asbestos in an industrial facility. *Indoor Built Environ.* 11: 327-333. <http://dx.doi.org/10.1159/000068233>.
- Lange, JH; Thomulka, KW; Lee, RJ; Dunmyre, GR. (1995). EVALUATION OF LIFT AND PASSIVE SAMPLING METHODS DURING ASBESTOS ABATEMENT ACTIVITIES. *Bull Environ Contam Toxicol.* 55: 325-331.
- Lange, JH; Thomulka, KW; Sites, SL. (2002). Comparison of asbestos exposure in a containment system with and without employment of glovebags. *Bull Environ Contam Toxicol.* 69: 843-846. <http://dx.doi.org/10.1007/s00128-002-0136-0>.
- Lange, JH; Thomulka, KW; Sites, SL; Priolo, G; Mastrangelo, G. (2006). Personal airborne asbestos exposure levels associated with various types of abatement. *Bull Environ Contam Toxicol.* 76: 389-391. <http://dx.doi.org/10.1007/s00128-006-0933-y>.
- Lange, JH; Thomulka, KW; Sites, SLM. (2003). Airborne concentrations of asbestos during removal of pipe/boiler insulation using glovebags with and without containments. *Fresen Environ Bull.* 12: 431-434.
- Lange, JH; Thomulka, KW; Sites, SS; Priolo, G; Buja, A; Mastrangelo, G. (2005). Personal exposure during abatement of various asbestos-containing materials in the same work area. *Bull Environ Contam Toxicol.* 74: 1034-1036.
- Lange, JH; Wade, JW; Thomulka, KW. (1994). ENVIRONMENTAL CLEANUP - A DISCUSSION OF COST, QUALITY AND LIABILITY IN THE ASBESTOS ABATEMENT INDUSTRY. *Fresen Environ Bull.* 3: 269-274.
- Lange, JH; Wang, M; Buja, A; Mastrangelo, G. (2005). Area and personal exposure measurements during asbestos abatement of a crawl space and boiler room. *Bull Environ Contam Toxicol.* 74: 388-390. <http://dx.doi.org/10.1007/s00128-004-0596-5>.
- Lange, JH; Weyel, DA; Rosato, LM; Tucker, D; Malek, DE; Mayernik, JA; Ryan, LK. (1987). PRELIMINARY RESULTS ON SMOKING PATTERNS FOR WORKERS ATTENDING AN ASBESTOS ABATEMENT COURSE [Letter]. *Scand J Work Environ Health.* 13: 459-459.
- Langer, AM. (1979). SIGNIFICANCE OF ASPECT RATIO IN REGULATION OF ASBESTOS FIBER EXPOSURE (pp. NEW YORK). (HEEP/81/07875). Langer, AM.
- Langer, AM; Morse, RG. (2001). The World Trade Center catastrophe: Was the type of spray fire proofing a factor in the collapse of the Twin Towers? *Indoor Built Environ.* 10: 350-360.
- Langer, AM; Nolan, RP. (1994). CHRYSOTILE - ITS OCCURRENCE AND PROPERTIES AS VARIABLES CONTROLLING BIOLOGICAL EFFECTS. *Ann Occup Hyg.* 38: 427-451.
- Langer, AM; Nolan, RP. (1997). Asbestos disease in foundrymen [Letter]. *J Occup Environ Med.* 39: 699-700.
- Langer, WH; Van Gosen, BS; Meecker, GP; Adams, DT; Hoefen, TM. (2011). The dispersion of fibrous amphiboles by glacial processes in the area surrounding Libby, Montana, USA. *Environ Earth Sci.* 64: 157-168. <http://dx.doi.org/10.1007/s12665-010-0832-8>.

Exposure Literature Search Results

Off Topic

- Langevin, SM; O'Sullivan, MH; Valerio, JL; Pawlita, M; Applebaum, KM; Eliot, M; Mcclean, MD; Kelsey, KT. (2013). Occupational asbestos exposure is associated with pharyngeal squamous cell carcinoma in men from the greater Boston area. *Occup Environ Med.* 70: 858-863. <http://dx.doi.org/10.1136/oemed-2013-101528>.
- Langseth, H; Andersen, A. (1999). Cancer incidence among women in the Norwegian pulp and paper industry. *Am J Ind Med.* 36: 108-113. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199907\)36:1<108::AID-AJIM15>3.0.CO;2-N](http://dx.doi.org/10.1002/(SICI)1097-0274(199907)36:1<108::AID-AJIM15>3.0.CO;2-N).
- Langseth, H; Andersen, A. (2000). Cancer incidence among male pulp and paper workers in Norway. *Scand J Work Environ Health.* 26: 99-105.
- Langseth, H; Hankinson, SE; Siemiatycki, J; Weiderpass, E. (2008). Perineal use of talc and risk of ovarian cancer [Review]. *J Epidemiol Community Health.* 62: 358-360. <http://dx.doi.org/10.1136/jech.2006.047894>.
- Langseth, H; Kjaerheim, K. (2004). Ovarian cancer and occupational exposure among pulp and paper employees in Norway. *Scand J Work Environ Health.* 30: 356-361.
- Lanphear, BP; Buncher, CR. (1992). Latent period for malignant mesothelioma of occupational origin [Review]. *J Occup Med.* 34: 718-721.
- Lapalme, R; Patitsas, TAJ. (1993). LIGHT-SCATTERING BY ANTHOPHYLLITE-CROCIDOLITE ASBESTOS FIBERS .1. THE DOMAIN OF CONVERGENCE OF THE EBCM THEORY. *Particle & Particle Systems Characterization.* 10: 111-117.
- Lapalme, R; Patitsas, TAJ. (1993). LIGHT-SCATTERING BY ANTHOPHYLLITE-CROCIDOLITE ASBESTOS FIBERS .2. COMPARISON OF VARIOUS APPROXIMATE THEORIES WITH THE EBCM THEORY. *Particle & Particle Systems Characterization.* 10: 212-221.
- Larachi, F; Daldoul, I; Beaudoin, G. (2010). Fixation of CO₂ by chrysotile in low-pressure dry and moist carbonation: Ex-situ and in-situ characterizations. *Geochim Cosmo Acta.* 74: 3051-3075. <http://dx.doi.org/10.1016/j.gca.2010.03.007>.
- Larachi, F; Gravel, JP; Grandjean, BPA; Beaudoin, G. (2012). Role of steam, hydrogen and pretreatment in chrysotile gas-solid carbonation: Opportunities for pre-combustion CO₂ capture. *Int J Greenhouse Gas Control.* 6: 69-76. <http://dx.doi.org/10.1016/j.ijggc.2011.10.010>.
- Larsen, JF; Knittle, E; Williams, Q. (2003). Constraints on the speciation of hydrogen in earth's transition zone. *Phys Earth Planet In.* 136: 93-105. [http://dx.doi.org/10.1016/S0031-9201\(03\)00025-6](http://dx.doi.org/10.1016/S0031-9201(03)00025-6).
- Larsen, RI. (2003). An air quality data analysis system for interrelating effects, standards, and needed source reductions: Part 13 - Applying the EPA proposed guidelines for carcinogen risk assessment to a set of asbestos lung cancer mortality data. *J Air Waste Manag Assoc.* 53: 1326-1339.
- Larson, CD; Love, OT; Reynolds, G. (1983). TETRACHLOROETHYLENE LEACHED FROM LINED ASBESTOS CEMENT PIPE INTO DRINKING-WATER. *J Am Water Works Assoc.* 75: 184-188.
- Larson, D; Powers, A; Ambrosi, JP; Tanji, M; Napolitano, A; Flores, EG; Baumann, F; Pellegrini, L; Jennings, CJ; Buck, BJ; Mclaurin, BT; Merkler, D; Robinson, C; Morris, P; Dogan, M; Dogan, AU; Pass, HI; Pastorino, S; Carbone, M; Yang, H. (2016). Investigating palygorskite's role in the development of mesothelioma in southern Nevada: Insights into fiber-induced carcinogenicity. *J Toxicol Environ Health B Crit Rev.* 19: 213-230. <http://dx.doi.org/10.1080/10937404.2016.1195321>.
- Larson, T; Melnikova, N; Davis, SI; Jamison, P. (2007). Incidence and descriptive epidemiology of mesothelioma in the United States, 1999-2002. *Int J Occup Environ Health.* 13: 398-403.
- Larson, TC; Antao, VC; Bove, FJ. (2010). Vermiculite worker mortality: Estimated effects of occupational exposure to Libby amphibole. *J Occup Environ Med.* 52: 555-560. <http://dx.doi.org/10.1097/JOM.0b013e3181dc6d45>.
- Larson, TC; Antao, VC; Bove, FJ; Cusack, C. (2012). Association between cumulative fiber exposure and respiratory outcomes among Libby vermiculite workers. *J Occup Environ Med.* 54: 56-63. <http://dx.doi.org/10.1097/JOM.0b013e31823c141c>.
- Larson, TC; Lewin, M; Gottschall, EB; Antao, VC; Kapil, V; Rose, CS. (2012). Associations between radiographic findings and spirometry in a community exposed to Libby amphibole. *Occup Environ Med.* 69: 361-366. <http://dx.doi.org/10.1136/oemed-2011-100316>.
- Laster, R. (1992). EXPOSURE OF WORKERS TO TOXIC SUBSTANCES AND PHYSICAL HAZARDS THE LAW IN THEORY AND PRACTICE. *Isr J Med Sci.* 28: 8-9.
- Latour, I; Miranda, R; Blanco, A. (2015). Silica removal with sparingly soluble magnesium compounds. Part II. Separation and Purification Technology. 149: 331-338. <http://dx.doi.org/10.1016/j.seppur.2015.05.037>.
- Latour, I; Miranda, R; Blanco, A. (2016). Optimization of silica removal with magnesium chloride in papermaking effluents: mechanistic and kinetic studies. *Environ Sci Pollut Res Int.* 23: 3707-3717. <http://dx.doi.org/10.1007/s11356-015-5542-z>.
- Laubscher, DH. (1978). NEW METHOD FOR EXAMINING CHRYSOTILE ASBESTOS FIBER PADS. 31: 308-&.
- Lauenstein, HD; Quarcoo, D; Welte, T; Braun, A; Groneberg, DA. (2013). Expression of VPAC1 in a murine model of allergic asthma. *J Occup Med Toxicol.* 8: 28. <http://dx.doi.org/10.1186/1745-6673-8-28>.
- Laurent, F; Paris, C; Ferretti, GR; Beigelman, C; Montaudon, M; Latrabe, V; Jankowski, A; Badachi, Y; Clin, B; Gislard, A; Letourneux, M; Luc, A; Schorlé, E; Brochard, P; Ameille, J; Pairon, JC. (2014). Inter-reader agreement in HRCT detection of pleural plaques and asbestosis in participants with previous occupational exposure to asbestos. *Occup Environ Med.* 71: 865-870. <http://dx.doi.org/10.1136/oemed-2014-102336>.
- Lauretti, RLB; Machado, JR; Crusciol, CAC; Andreotti, M. (2001). Effects of different water management on the plants settlement of the pre-germinated rice seeds system. *Pesqui Agropecu Bras.* 36: 1093-1099.
- Lave, LB. (1987). CONTROLLING ASBESTOS IN BUILDINGS - AN ECONOMIC INVESTIGATION - DEWEES, DN. *Issues Sci Technol.* 3: 124-124.
- Lavikko, S; Eklund, O. (2016). The significance of the serpentinite characteristics in mineral carbonation by "the AA Route". *Int J Miner Process.* 152: 7-15. <http://dx.doi.org/10.1016/j.minpro.2016.04.009>.
- Lavkulich, LM; Schreier, HE; Wilson, JE. (2014). Effects of natural acids on surface properties of asbestos minerals and kaolinite. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 49: 617-624. <http://dx.doi.org/10.1080/10934529.2014.865401>.
- Lavrent'ev, OV. (2001). Asbestos board - An 87-year-long history of the heat-insulating materials market. *Refractories and Industrial Ceramics.* 42: 402-404.

Exposure Literature Search Results

Off Topic

- Lawrence, J; Tosine, HM; Zimmermann, HW; Pang, TWS. (1975). REMOVAL OF ASBESTOS FIBERS FROM POTABLE WATER BY COAGULATION AND FILTRATION. *Water Res.* 9: 397-400.
- Lawrence, J; Zimmermann, HW. (1977). ASBESTOS IN WATER - MINING AND PROCESSING EFFLUENT TREATMENT. *J Water Pollut Control Fed.* 49: 156-160.
- Lazar, M; Carnogurska, M; Brestovic, TG; Jasminska, N; Kmet'ova, L; Kapustova, L; Jezny, T. (2016). High-Temperature Processing of Asbestos-Cement Roofing Material in a Plasma Reactor. *Pol J Environ Stud.* 25: 2027-2033. <http://dx.doi.org/10.15244/pjoes/62959>.
- Le Bas, MJ; Xueming, Y; Taylor, RN; Spiro, B; Milton, JA; Peishan, Z. (2007). New evidence from a calcite-dolomite carbonatite dyke for the magmatic origin of the massive Bayan Obo ore-bearing dolomite marble, Inner Mongolia, China. *Mineralogy and Petrology.* 90: 223-248. <http://dx.doi.org/10.1007/s00710-006-0177-x>.
- Le, GV; Takahashi, K; Karjalainen, A; Delgermaa, V; Hoshuyama, T; Miyamura, Y; Furuya, S; Higashi, T; Pan, G; Wagner, G. (2010). National use of asbestos in relation to economic development. *Environ Health Perspect.* 118: 116-119. <http://dx.doi.org/10.1289/ehp.0901196>.
- Le Neindre, B; Bouvier, V; Galateau-Sallé, F; de Quillacq, A; Launoy, G; Letourneux, M. (2007). [Compensation of malignant mesothelioma as an occupational disease in Lower Normandy, from 1995 to 2002]. *Rev Epidemiol Sante Publique.* 55: 123-131. <http://dx.doi.org/10.1016/j.respe.2006.10.002>.
- Lea, CS; Hertz-Picciotto, I; Andersen, A; Chang-Claude, J; Olsen, JH; Pesatori, AC; Teppo, L; Westerholm, P; Winter, PD; Boffetta, P. (1999). Gender differences in the healthy worker effect among synthetic vitreous fiber workers. *Am J Epidemiol.* 150: 1099-1106.
- Leake, BE; Woolley, AR; Arps, CES; Birch, WD; Gilbert, MC; Grice, JD; Hawthorne, FC; Kato, A; Kisch, HJ; Krivovichev, VG; Linthout, K; Laird, J; Mandarino, J; Maresch, WV; Nickel, EH; Rock, NMS; Schumacher, JC; Smith, DC; Shephenson, NCN; Ungaretti, L; Whittake, EJW; Youzhi, G. (1997). Nomenclature of amphiboles: report of the Subcommittee on Amphiboles of the International Mineralogical Association Commission on New Minerals and Mineral Names. *Can Mineral.* 35: 219-246.
- Leanderson, P. (1992). HYDROGEN-PEROXIDE RELEASE AND HYDROXYL RADICAL FORMATION IN MIXTURES CONTAINING MINERAL FIBERS AND HUMAN NEUTROPHILS. *Br J Ind Med.* 49: 745-749.
- Leanderson, P; Lagesson, V; Tagesson, C. (1997). Demonstration of nitric oxide on asbestos and silicon carbide fibers with a new ultraviolet spectrophotometric assay. *Environ Health Perspect.* 105: 1037-1040.
- Leanderson, P; Soderkvist, P; Tagesson, C; Axelson, O. (1988). FORMATION OF 8-HYDROXYDEOXYGUANOSINE BY ASBESTOS AND MAN-MADE MINERAL FIBERS. *Br J Ind Med.* 45: 309-311.
- Leanderson, P; Tagesson, C. (1994). Cigarette tar promotes neutrophil-induced DNA damage in cultured lung cells. *Environ Res.* 64: 103-111. <http://dx.doi.org/10.1006/enrs.1994.1009>.
- Lebas, MJ; Keller, J; Tao, KJ; Wall, F; Williams, CT; Zhang, PS. (1992). CARBONATITE DYKES AT BAYAN OBO, INNER-MONGOLIA, CHINA. *Mineralogy and Petrology.* 46: 195-228.
- Lebedova, J; Dlouha, B; Rychla, L; Neuwirth, J; Brabec, M; Pelclova, D; Fenclova, Z. (2003). Lung function impairment in relation to asbestos-induced pleural lesions with reference to the extent of the lesions and the initial parenchymal fibrosis. *Scand J Work Environ Health.* 29: 388-395. <http://dx.doi.org/10.5271/sjweh.745>.
- Lebkuchnerneugebauer, J; Buchmann, C. (1992). EXPERIMENTS ON SURFACE-TREATMENT OF ASBESTOS MATERIALS BY LASER-BEAM. *Staub, Reinhaltung der Luft.* 52: 49-53.
- Lebovits, AH; Byrne, M; Bernstein, J; Strain, JJ. (1988). CHRONIC OCCUPATIONAL EXPOSURE TO ASBESTOS - MORE THAN MEDICAL EFFECTS. *J Occup Environ Med.* 30: 49-54.
- Lechat, K; Lemieux, JM; Molson, J; Beaudoin, G; Hebert, R. (2016). Field evidence of CO2 sequestration by mineral carbonation in ultramafic milling wastes, Thetford Mines, Canada. *Int J Greenhouse Gas Control.* 47: 110-121. <http://dx.doi.org/10.1016/j.ijggc.2016.01.036>.
- Lechner, JF; Tesfaigzi, J; Gerwin, BI. (1997). Oncogenes and tumor-suppressor genes in mesothelioma - A synopsis. *Environ Health Perspect.* 105: 1061-1067. <http://dx.doi.org/10.2307/3433510>.
- Ledda, C; Loreto, C; Pomara, C; Rapisarda, G; Fiore, M; Ferrante, M; Bracci, M; Santarelli, L; Fenga, C; Rapisarda, V. (2016). Sheep lymph-nodes as a biological indicator of environmental exposure to fluoro-edenite. *Environ Res.* 147: 97-101. <http://dx.doi.org/10.1016/j.envres.2016.01.043>.
- Ledda, C; Pomara, C; Bracci, M; Mangano, D; Ricceri, V; Musumeci, A; Ferrante, M; Musumeci, G; Loreto, C; Fenga, C; Santarelli, L; Rapisarda, V. (2016). Natural carcinogenic fiber and pleural plaques assessment in a general population: A cross-sectional study. *Environ Res.* 150: 23-29. <http://dx.doi.org/10.1016/j.envres.2016.05.024>.
- Lee, C, inTyA; Oka, M; Luffi, P; Agranier, A. (2008). Internal distribution of Li and B in serpentinites from the Feather River Ophiolite, California, based on laser ablation inductively coupled plasma mass spectrometry. *G-cubed.* 9. <http://dx.doi.org/10.1029/2008GC002078>.
- Lee, DG; Kim, SS. (2004). Failure analysis of asbestos-phenolic composite journal bearing. *Composite Structures.* 65: 37-46. <http://dx.doi.org/10.1016/j.compstruct.2003.10.004>.
- Lee, DJ; Fleming, LE; Mccollister, KE; Caban, AJ; Arheart, KL; Leblanc, WG; Chung-Bridges, K; Christ, SL; Dietz, N; Clark, JD. (2007). Healthcare provider smoking cessation advice among US worker groups. *Tob Control.* 16: 325-328. <http://dx.doi.org/10.1136/tc.2006.019117>.
- Lee, EG; Nelson, J; Hintz, PJ; Joy, G; Andrew, ME; Harper, M. (2010). Field performance of the CATHIA-T sampler and two cyclones against the standard Cowled sampler for thoracic fiber concentrations. *Ann Occup Hyg.* 54: 545-556. <http://dx.doi.org/10.1093/annhyg/meq019>.
- Lee, EG; Nelson, JH; Kashon, ML; Harper, M. (2015). Evaluation of the dark-medium objective lens in counting asbestos fibers by phase-contrast microscopy. *Ann Occup Hyg.* 59: 616-628. <http://dx.doi.org/10.1093/annhyg/mev007>.
- Lee, EG; Pang, TW; Nelson, J; Andrew, M; Harper, M. (2011). Comparison of mounting methods for the evaluation of fibers by phase contrast microscopy. *Ann Occup Hyg.* 55: 644-657. <http://dx.doi.org/10.1093/annhyg/mer015>.

Exposure Literature Search Results

Off Topic

- Lee, IM; Hennekens, CH; Trichopoulos, D; Buring, JE. (1995). Man-made vitreous fibers and risk of respiratory system cancer: a review of the epidemiologic evidence [Review]. *J Occup Environ Med.* 37: 725-738.
- Lee, J; Vandervort, R. (1970). Report On Survey Of Sager Glove Corporation, Murray, Kentucky, Hazard Evaluation And Technical Assistance Report No. HETA-70-036 (pp. 70-036). (NIOSH/00133819). Lee, J; Vandervort, R.
- Lee, J; Yoon, C; SeunghonHam; Tsai, PJ, y. (2015). Optimal Treatment Condition for Changing Characteristics of Naturally Occurring Asbestos. *Aerosol Air Qual Res.* 15: 2332-2345. <http://dx.doi.org/10.4209/aaqr.2015.02.0108>.
- Lee, JG; Lee, KH; Choi, H; Moon, HL; Byeon, SH. (2012). Total Dust and Asbestos Concentrations during Asbestos-Containing Materials Abatement in Korea. *International Journal of Environmental Research.* 6: 849-852.
- Lee, JW; Won, EJ; Kang, HM; Hwang, DS; Kim, DH; Kim, RK; Lee, SJ; Lee, JS. (2016). Effects of multi-walled carbon nanotube (MWCNT) on antioxidant depletion, the ERK signaling pathway, and copper bioavailability in the copepod (*Tigriopus japonicus*). *Aquat Toxicol.* 171: 9-19. <http://dx.doi.org/10.1016/j.aquatox.2015.12.005>.
- Lee, KP; Barras, CE; Griffith, FD; Waritz, RS; Lapin, CA. (1981). Comparative pulmonary responses to inhaled inorganic fibers with asbestos and fiberglass. *Environ Res.* 24: 167-191.
- Lee, LJH; Chang, Y; Liou, SH; Wang, J. (2012). Estimation of benefit of prevention of occupational cancer for comparative risk assessment: methods and examples. *Occup Environ Med.* 69: 582-586. <http://dx.doi.org/10.1136/oemed-2011-100462>.
- Lee, P. (2002). Joint action of smoking and asbestos exposure on lung cancer - Reply. *Occup Environ Med.* 59: 495-496.
- Lee, RJ; Dagenhart, TV; Dunmyre, GR; Stewart, IM; Vanorden, DR. (1995). EFFECT OF INDIRECT SAMPLE PREPARATION PROCEDURES ON THE APPARENT CONCENTRATION OF ASBESTOS IN SETTLED DUSTS. *Environ Sci Technol.* 29: 1728-1736.
- Lee, RJ; Dagenhart, TV; Dunmyre, GR; Stewart, IM; Vanorden, DR. (1996). Effect of indirect sample preparation procedures on the apparent concentration of asbestos in settled dusts - Response. *Environ Sci Technol.* 30: 1405-1406.
- Lee, RJ; Vanorden, DR; Dunmyre, GR. (1996). Interlaboratory evaluation of the breakup of asbestos containing dust particles by ultrasonic agitation. *Environ Sci Technol.* 30: 3010-3015.
- Lee, S; Matsuzaki, H; Kumagai-Takei, N; Yoshitome, K; Maeda, M; Chen, Y; Kusaka, M; Urakami, K; Hayashi, H; Fujimoto, W; Nishimura, Y; Otsuki, T. (2014). Silica exposure and altered regulation of autoimmunity [Review]. *Environ Health Prev Med.* 19: 322-329. <http://dx.doi.org/10.1007/s12199-014-0403-9>.
- Lee, SF; O'Connor, MM; Chapman, Y; Hamilton, V; Francis, K. (2009). A very public death: dying of mesothelioma and asbestos-related lung cancer (M/ARLC) in the Latrobe Valley, Victoria, Australia. *Rural Remote Health.* 9: 1183.
- Lee, TC; Gold, LI; Reibman, J; Aston, C; Begin, R; Rom, WN; Jagirdar, J. (1997). Immunohistochemical localization of transforming growth factor-beta and insulin-like growth factor-I in asbestosis in the sheep model. *Int Arch Occup Environ Health.* 69: 157-164. <http://dx.doi.org/10.1007/s004200050132>.
- Lee, WR. (1994). THE OCCUPATIONAL HISTORY (pp. LONDON). (BIOSIS/94/33339). Lee, WR.
- Lee, YC; Runnion, CK; Pang, SC; de Klerk, NH; Musk, AW. (2001). Increased body mass index is related to apparent circumscribed pleural thickening on plain chest radiographs. *Am J Ind Med.* 39: 112-116.
- Lee, YCG; Singh, B; Pang, SC; de Klerk, NH; Hillman, DR; Musk, AW. (2003). Earlier study on asbestos workers, ILO scores, and oxygenation more comprehensive - Reply. *Occup Environ Med.* 60: 611-611.
- Lee, YCG; Singh, B; Pang, SC; de Klerk, NH; Hillman, DR; Musk, AW. (2003). Radiographic (ILO) readings predict arterial oxygen desaturation during exercise in subjects with asbestosis. *Occup Environ Med.* 60: 201-206.
- Lees, R, .E.M. (1986). THRESHOLD EXPOSURE LEVEL FOR CHRYSOTILE - Comment. *Can J Public Health.* 77: 42-43.
- Legales, C. (1984). AN EVALUATION MODEL FOR OCCUPATIONAL MORTALITY IN ASBESTOS INDUSTRY. *Rev Epidemiol Sante Publique.* 32: 122-133.
- Legales, C; Oudiz, A. (1984). METHODOLOGICAL CONTRIBUTION TO THE DETERMINATION OF PERMISSIBLE OCCUPATIONAL EXPOSURE LIMITS TO ASBESTOS - EXPOSURE-RISK RELATIONS AND ECONOMIC CRITERIA. *Rev Epidemiol Sante Publique.* 32: 113-121.
- Leger, A; Ferry, JM. (1991). HIGHLY ALUMINOUS HORNBLende FROM LOW-PRESSURE METACARBONATES AND A PRELIMINARY THERMODYNAMIC MODEL FOR THE AL CONTENT OF CALCIC AMPHIBOLE. *Am Mineral.* 76: 1002-1017.
- Legittimo, P; Silvestri, S. (2010). MASTER COMPANY/EXPOSURE TO ASBESTOS: A USEFUL IN-DEPTH ANALYSIS TOOL FOR EPIDEMIOLOGICAL DETERMINANTS FOR ASBESTOS-RELATED ILLNESSES. *Epidemiol Prev.* 34: 209-209.
- Leguen, JMM; Galvin, S. (1981). CLEARING AND MOUNTING TECHNIQUES FOR THE EVALUATION OF ASBESTOS FIBERS BY THE MEMBRANE-FILTER METHOD. *Ann Occup Hyg.* 24: 273-280.
- Lehman, EJ; Hein, MJ; Estill, CF. (2008). Proportionate mortality study of the United Association of Journeymen and Apprentices of the Plumbing and Pipe Fitting Industry. *Am J Ind Med.* 51: 950-963. <http://dx.doi.org/10.1002/ajim.20640>.
- Lehnert, G; Raithel, HJ; Valentin, H. (1992). ASBESTOS EXPOSURE, ASBESTOSIS AND LUNG-CANCER. *Arbeitsmedizin, Sozialmedizin, Praeventivmedizin.* 27: 96-101.
- Lei, J, ie; Jenkins, DM; Ishida, K. (2015). Experimental study along the magnesio-hornblende-glaucophane join. *Am Mineral.* 100: 495-509. <http://dx.doi.org/10.2138/am-2015-5026>.
- Leibowitz, MC; Goldstein, B. (1987). Some investigations into the nature and cause of massive fibrosis (MF) in the lungs of South African gold, coal, and asbestos mine workers. *Am J Ind Med.* 12: 129-143.
- Leidel, NA; Bayer, SG; Zumwalde, RD; Busch, KA. (1979). USPHS Membrane Filter Method for Evaluating Airborne Asbestos Fibers (pp. 79-127). (NIOSH/00133465). Leidel, NA; Bayer, SG; Zumwalde, RD; Busch, KA.
- Leigh, J; Corvalán, CF; Grimwood, A; Berry, G; Ferguson, DA; Thompson, R. (1991). The incidence of malignant mesothelioma in Australia 1982-1988. *Am J Ind Med.* 20: 643-655.

Exposure Literature Search Results

Off Topic

- Leigh, JP; De Vogli, R. (2016). Low Wages as Occupational Health Hazards. *J Occup Environ Med.* 58: 444-447. <http://dx.doi.org/10.1097/JOM.0000000000000717>.
- Lemaire, I; Gingras, D; Lemaire, S. (1982). THYMIDINE INCORPORATION BY LUNG FIBROBLASTS AS A SENSITIVE ASSAY FOR BIOLOGICALACTIVITY OF ASBESTOS (pp. 399-409). (ISSN 0013-9351; EISSN 1096-0953; EMICBACK/46565). Lemaire, I; Gingras, D; Lemaire, S.
- Lemaire, I; Gingras, G; Lemaire, S. (1983). THYMIDINE INCORPORATION BY LUNG FIBROBLASTS AS A SENSITIVE ASSAY FOR BIOLOGICAL-ACTIVITY OF ASBESTOS. *Environ Health Perspect.* 51: 373-373.
- Lemaire, I; Ouellet, S. (1996). Distinctive profile of alveolar macrophage-derived cytokine release induced by fibrogenic and nonfibrogenic mineral dusts. *J Toxicol Environ Health.* 47: 465-478. <http://dx.doi.org/10.1080/009841096161618>.
- Lemen, R. (1987). REPORT ON CANCER RISKS ASSOCIATED WITH THE INGESTION OF ASBESTOS. *Environ Health Perspect.* 72: 253-265.
- Lemen, RA. (1972). Spray Application of Fireproof Insulation at the Construction Site of the Proctor and Gamble Technical Center, Blue Ash, Ohio. (NIOSH/00192309). Lemen, RA.
- Lemen, RA. (1994). WAGONER,JOSEPH,K. DECEMBER 4, 1935 - MAY 30, 1993 - IN-MEMORIAM. *Am J Ind Med.* 25: 923-925.
- Lemen, RA. (2004). Chrysotile asbestos as a cause of mesothelioma: Application of the Hill Causation Model [Review]. *Int J Occup Environ Health.* 10: 233-239. <http://dx.doi.org/10.1179/oeht.2004.10.2.233>.
- Lemen, RA. (2005). RE: Asbestos in brakes: Exposure and risk of disease - Reply. *Am J Ind Med.* 47: 278-280. <http://dx.doi.org/10.1002/ajim.20130>.
- Lemen, RA. (2008). Re: Reply to Jay Turim, PhD letter of July 9, 2007 to the editor concerning 'asbestos in brakes', by Richard A. Lemen, PhD. *Am J Ind Med.* 51: 476-476. <http://dx.doi.org/10.1002/ajim.20574>.
- Lemen, RA. (2016). Mesothelioma from asbestos exposures: Epidemiologic patterns and impact in the United States. *J Toxicol Environ Health B Crit Rev.* 19: 250-265. <http://dx.doi.org/10.1080/10937404.2016.1195323>.
- Lemen, RA; Anderson, H; Bailar, JC; Bingham, E; Castleman, B; Frank, AL; Huff, J; Ladou, J; Melius, J; Monforton, C; Robbins, A; Teitelbaum, DT; Welch, LS. (2011). Exposure science will not increase protection of workers from asbestos-caused diseases: NIOSH fails to provide needed public health action and leadership [Letter]. *J Expo Sci Environ Epidemiol.* 21: 114-115; author reply 116. <http://dx.doi.org/10.1038/jes.2010.53>.
- Lemen, RA; Bingham, E. (1994). CASE-STUDY IN AVOIDING A DEADLY LEGACY IN DEVELOPING-COUNTRIES [Review]. *Toxicol Ind Health.* 10: 59-87.
- Lemen, RA; Dement, JM; Wagoner, JK. (1980). Epidemiology of asbestos-related diseases [Review]. *Environ Health Perspect.* 34: 1-11.
- Lemos, BR; Soares, ÉA; Teixeira, AP; Ardisson, JD; Fernandez-Outon, LE; Amorim, CC; Lago, RM; Moura, FC. (2016). Growth of carbon structures on chrysotile surface for organic contaminants removal from wastewater. *Chemosphere.* 159: 602-609. <http://dx.doi.org/10.1016/j.chemosphere.2016.06.022>.
- Lemos, BRS; Teixeira, A, naPC; Ardisson, JD; Macedo, WAA; Fernandez-Outon, LE; Amorim, CC; Moura, FCC; Lago, RM. (2012). Magnetic Amphiphilic Composites Applied for the Treatment of Biodiesel Wastewaters. 2: 513-524. <http://dx.doi.org/10.3390/app2020513>.
- Lenain, JC; Bunsell, AR. (1979). RESISTANCE TO CRACK GROWTH OF ASBESTOS CEMENT. *Journal of Materials Science.* 14: 321-332.
- Lenters, V; Burdorf, A; Vermeulen, R; Stayner, L; Heederik, D. (2012). Quality of evidence must guide risk assessment of asbestos. *Ann Occup Hyg.* 56: 879-887. <http://dx.doi.org/10.1093/annhyg/mes065>.
- Lentz, DR; Suzuki, K. (2000). A low F pegmatite-related Mo skarn from the southwestern Grenville Province, Ontario, Canada: Phase equilibria and petrogenetic implications. *Econ Geol.* 95: 1319-1337.
- Lentz, TJ; Rice, CH; Lockey, JE; Succop, PA; Lemasters, GK. (1999). Potential significance of airborne fiber dimensions measured in the U.S. refractory ceramic fiber manufacturing industry. *Am J Ind Med.* 36: 286-298.
- Leonelli, C; Veronesi, P; Boccacini, DN; Rivasi, MR; Barbieri, L; Andreola, F; Lancellotti, I; Rabitti, D; Pellacani, GC. (2006). Microwave thermal inertisation of asbestos containing waste and its recycling in traditional ceramics. *J Hazard Mater.* 135: 149-155. <http://dx.doi.org/10.1016/j.jhazmat.2005.11.035>.
- Leong, BKJ; Kociba, RJ; Pernell, HC; Lisowe, RW; Rampy, LW. (1978). INDUCTION OF PULMONARY CARCINOMA IN RATS BY CHRONIC INHALATION OF DUST FROM PULVERIZED ASBESTOS PIPE COVERING. *J Toxicol Environ Health.* 4: 645-659. <http://dx.doi.org/10.1080/15287397809529687>.
- Lerman, Y; Finkelstein, A; Levo, Y; Tupilsky, M; Baratz, M; Solomon, A; Sackstein, G. (1990). Asbestos related health hazards among power plant workers. *Br J Ind Med.* 47: 281-282.
- Lerman, Y; Ribak, J; Selikoff, IJ. (1986). Hazards of lung biopsy in asbestos workers. *Br J Ind Med.* 43: 165-169.
- Lerman, Y; Schwarz, Y; Kaufman, G; Ganor, E; Fireman, E. (2003). Case series: Use of induced sputum in the evaluation of occupational lung diseases. *Arch Environ Health.* 58: 284-289.
- Lerman, Y; Segal, B; Rochvarger, M; Weinberg, D; Kivity, O; Fireman, E. (2003). Induced-sputum particle size distribution and pulmonary function in foundry workers. *Arch Environ Health.* 58: 565-571.
- Lerman, Y; Seidman, H; Gelb, S; Miller, A; Selikoff, IJ. (1988). Spirometric abnormalities among asbestos insulation workers. *J Occup Med.* 30: 228-233.
- Lerman, Y; Selikoff, IJ; Lilis, R; Seidman, H; Gelb, SK. (1986). Clinical findings among asbestos workers in U.S.: influence of cigarette smoking. *Am J Ind Med.* 10: 449-458.
- Leroi, R; Aires, FJC, S; de Monsabert, TG; Le Poche, H; Dijon, J; Rousset, JL; Bertolini, JC. (2005). Nickel antigorite synthesis and carbon tubular nanostructures formation on antigorite-based nickel particles by acetylene decomposition. *Appl Catal A-Gen.* 294: 131-140. <http://dx.doi.org/10.1016/j.apcata.2005.06.006>.

Exposure Literature Search Results

Off Topic

- Lescano, L; Gandini, NA; Marfil, SA; Maiza, PJ. (2015). Biological effects of argentine asbestos: mineralogical and morphological characterisation. *Environ Earth Sci.* 73: 3433-3444. <http://dx.doi.org/10.1007/s12665-014-3638-2>.
- Lesci, IG; Balducci, G; Pierini, F; Soavi, F; Roveri, N. (2014). Surface features and thermal stability of mesoporous Fe doped geoinspired synthetic chrysotile nanotubes. *Microporous and Mesoporous Materials.* 197: 8-16. <http://dx.doi.org/10.1016/j.micromeso.2014.06.002>.
- Leslie, GB. (2000). Health risks from indoor air pollutants: public alarm and toxicological reality. *Indoor Built Environ.* 9: 5-16.
- Letargo, CMR; Lamb, WM; Park, JS. (1995). COMPARISON OF CALCITE PLUS DOLOMITE THERMOMETRY AND CARBONATE PLUS SILICATE EQUILIBRIA - CONSTRAINTS ON THE CONDITIONS OF METAMORPHISM OF THE LLANO UPLIFT, CENTRAL TEXAS, USA. *Am Mineral.* 80: 131-143.
- Leticia, L; Silvina, M; Pedro, M; Jorge, S; Aldo, B. (2013). Amphibole in vermiculite mined in Argentina. Morphology, quantitative and chemical studies on the different phases of production and their environmental impact. *Environ Earth Sci.* 70: 1809-1821. <http://dx.doi.org/10.1007/s12665-013-2268-4>.
- Levan, TD; Koh, WP; Lee, H; Koh, D; Yu, MC; London, SJ. (2006). Vapor, dust, and smoke exposure in relation to adult-onset asthma and chronic respiratory symptoms - The Singapore Chinese Health Study. *Am J Epidemiol.* 163: 1118-1128. <http://dx.doi.org/10.1093/aje/kwj144>.
- Levin, JL; Frank, AL; Williams, MG; Mcconnell, W; Suzuki, Y; Dodson, RF. (1996). Kaolinosis in a cotton mill worker. *Am J Ind Med.* 29: 215-221. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199602\)29:2<215::AID-AJIM13>3.0.CO;2-6](http://dx.doi.org/10.1002/(SICI)1097-0274(199602)29:2<215::AID-AJIM13>3.0.CO;2-6).
- Levin, JL; Mclarty, JW; Hurst, GA; Smith, AN; Frank, AL. (1998). Tyler asbestos workers: mortality experience in a cohort exposed to amosite. *Occup Environ Med.* 55: 155-160.
- Levin, JL; O'Sullivan, MF; Corn, CJ; Dodson, RF. (1995). An individual with a majority of ferruginous bodies formed on chrysotile cores. *Arch Environ Health.* 50: 462-465. <http://dx.doi.org/10.1080/00039896.1995.9935984>.
- Levin, JL; O'Sullivan, MF; Corn, CJ; Williams, MG; Dodson, RF. (1999). Asbestosis and small cell lung cancer in a clutch refabricator. *Occup Environ Med.* 56: 602-605.
- Levin, JL; Rouk, A; Shepherd, S; Hurst, GA; Mclarty, JW. (2016). Tyler asbestos workers: A mortality update in a cohort exposed to amosite. *J Toxicol Environ Health B Crit Rev.* 19: 190-200. <http://dx.doi.org/10.1080/10937404.2016.1195319>.
- Levin, JL; Stocks, JM; Shepherd, JR; Fagan, MF; Dodson, RF. (1992). Asbestos exposures: known and underrecognized sources [Letter]. *Am J Ind Med.* 22: 607-608.
- Levin, L; Purdom, PW. (1984). ASBESTOS CONTAMINATION OF VERMICULITE - REPLY. *Am J Public Health.* 74: 519-520.
- Levin, SM; Kann, PE; Lax, MB. (2000). Medical examination for asbestos-related disease [Review]. *Am J Ind Med.* 37: 6-22.
- Levine, RJ. (1978). HOW INDUSTRIAL PHYSICIAN CAN REDUCE MORTALITY FROM ASBESTOS-RELATED DISEASES. *J Occup Environ Med.* 20: 464-468.
- Levy, BS; Seplow, A. (1992). Asbestos-Related Hazards in Developing Countries [Review]. *Environ Res.* 59: 167-174.
- Lewinsohn, HC. (1972). The medical surveillance of asbestos workers. *J Roy Soc Promot Health.* 92: 69-77.
- Lewinsohn, HC; Kennedy, CA; Day, JE; Cooper, PH. (1979). Dust control in a conventional asbestos textile factory. *Ann N Y Acad Sci.* 330: 225-241.
- Lewis, NJ; Curtis, MF. (1990). Occupational health and hygiene following a fire in a warehouse with an asbestos cement roof. *J Soc Occup Med.* 40: 53-54.
- Lewis, PG. (2000). Occupational and environmental medicine: moving the factory fence or hedging our bets? *Occup Med (Lond).* 50: 217-220.
- Lewis, RJ; Gamble, JF. (2002). Mortality among three refinery/petrochemical plant cohorts - Reply. *J Occup Environ Med.* 44: 396-397.
- Lewis, RJ; Schnatter, AR; Drummond, I; Murray, N; Thompson, FS; Katz, AM; Jorgensen, G; Nicolich, MJ; Dahlman, D; Thériault, G. (2003). Mortality and cancer morbidity in a cohort of Canadian petroleum workers. *Occup Environ Med.* 60: 918-928.
- Lewis, RJ; Schnatter, AR; Katz, AM; Thompson, FS; Murray, N; Jorgensen, G; Thériault, G. (2000). Updated mortality among diverse operating segments of a petroleum company. *Occup Environ Med.* 57: 595-604.
- Leyko, W; Gendek, E. (1985). A spin label study of the effects of asbestos, quartz, and titanium dioxide dusts on the bovine erythrocyte membrane. *Br J Ind Med.* 42: 281-284.
- Lezongeyda, K; Jaime, CM; Godbold, JH; Savransky, EF; Hope, A; Kheiri, SA; Dzmura, ZM; Uehara, H; Johnson, EM; Fasy, TM. (1996). Chrysotile asbestos fibers mediate homologous recombination in Rat2 lambda fibroblasts: Implications for carcinogenesis. *Mutat Res Environ Mutagen Relat Subj.* 361: 113-120.
- Li, C; Naldrett, AJ. (1993). HIGH CHLORINE ALTERATION MINERALS AND CALCIUM-RICH BRINES IN FLUID INCLUSIONS FROM THE STRATHCONA DEEP COPPER ZONE, SUDBURY, ONTARIO. *Econ Geol.* 88: 1780-1796.
- Li, C; Ripley, EM; Merino, E; Maier, WD. (2004). Replacement of base metal sulfides by actinolite, epidote, calcite, and magnetite in the UG2 and merensky reef of the Bushveld Complex, South Africa. *Econ Geol.* 99: 173-184.
- Li, CS; Xu, ZH; de Waal, SA; Ripley, EM; Maier, WD. (2004). Compositional variations of olivine from the Jinchuan Ni-Cu sulfide deposit, western China: implications for ore genesis. *Miner Depos.* 39: 159-172. <http://dx.doi.org/10.1007/s00126-003-0389-5>.
- Li, DF; Chen, H, uaY; Zhang, L, i; Hollings, P; Chen, Y, anJ; Lu, W, anJ; Zheng, Y, i; Wang, CM; Fang, J; Chen, G; Zhou, G. (2016). Ore geology and fluid evolution of the giant Caixiashan carbonate-hosted Zn-Pb deposit in the Eastern Tianshan, NW China. *Ore Geol Rev.* 72: 355-372. <http://dx.doi.org/10.1016/j.oregeorev.2015.08.007>.
- Li, J; Hitch, M. (2016). Carbon dioxide adsorption isotherm study on mine waste for integrated CO2 capture and sequestration processes. *Powder Technology.* 291: 408-413. <http://dx.doi.org/10.1016/j.powtec.2015.12.011>.
- Li, L; Sun, TD; Zhang, X; Lai, RN; Li, XY; Fan, XJ; Morinaga, K. (2004). Cohort studies on cancer mortality among workers exposed only to chrysotile asbestos: a meta-analysis. *Biomed Environ Sci.* 17: 459-468.

Exposure Literature Search Results

Off Topic

- Li, P; Deng, SS; Wang, JB; Iwata, A; Qiao, YL; Dai, XB; Boffetta, P. (2012). Occupational and environmental cancer incidence and mortality in China. *Occup Med (Lond)*. 62: 281-287. <http://dx.doi.org/10.1093/occmed/kqs016>.
- Li, Q; Lu, S; Yang, F; Geng, X; Chai, F. (2015). Geological characteristics and genesis of the Laoshankou Fe-Cu-Au deposit in Junggar, Xinjiang, Central Asian Orogenic Belt. *Ore Geol Rev*. 68: 59-78. <http://dx.doi.org/10.1016/j.oregeorev.2015.01.006>.
- Li, VC; Kim, YJ; Ewart, CK; Terry, PB; Cuthie, JC; Wood, J; Emmett, EA; Permutt, S. (1984). Effects of physician counseling on the smoking behavior of asbestos-exposed workers. *Prev Med*. 13: 462-476.
- Li, VC; Kim, YJ; Terry, PB; Cuthie, JC; Roter, D; Emmett, EA; Harvey, A; Permutt, S. (1983). Behavioral, attitudinal, and physiologic characteristics of smoking and nonsmoking asbestos-exposed shipyard workers. *J Occup Med*. 25: 864-870.
- Li, WJ; Huang, ZH; Liu, YG; Fang, MH; Ouyang, X; Huang, SF. (2012). Phase behavior of serpentine mineral by carbothermal reduction nitridation. *Appl Clay Sci*. 57: 86-90. <http://dx.doi.org/10.1016/j.clay.2012.01.006>.
- Li, XY; Brown, GM; Lamb, D; Donaldson, K. (1991). Increased production of plasminogen activator inhibitor in vitro by pleural leukocytes from rats intratracheally instilled with crocidolite asbestos. *Environ Res*. 55: 135-144.
- Li, XY; Lamb, D; Donaldson, K. (1993). Production of interleukin 1 by rat pleural leukocytes in culture after intratracheal instillation of crocidolite asbestos. *Br J Ind Med*. 50: 90-94.
- Li, XY; Lamb, D; Donaldson, K. (1994). Mesothelial cell injury caused by pleural leukocytes from rats treated with intratracheal instillation of crocidolite asbestos or *Corynebacterium parvum*. *Environ Res*. 64: 181-191. <http://dx.doi.org/10.1006/enrs.1994.1014>.
- Li, Z; Xiuping, D; Heng, Z. (2009). Application research on self-healing technology with microcapsules for automobile brake pad. *Journal of Wuhan University of Technology--Materials Science Edition*. 24: 91-94. <http://dx.doi.org/10.1007/s11595-009-1091-y>.
- Li, Z; Xu, J, ie; Teng, HH; Liu, L; Chen, J, un; Chen, Y; Zhao, L; Ji, J. (2015). Bioleaching of Lizardite by Magnesium- and Nickel-Resistant Fungal Isolate from Serpentinite Soils-Implication for Carbon Capture and Storage. *Geomicrobiology Journal*. 32: 181-192. <http://dx.doi.org/10.1080/01490451.2013.835888>.
- Li, Z; Zhang, T; Hu, J, ie; Tang, Y, ue; Niu, Y; Wei, J; Yu, Q. (2014). Characterization of reaction products and reaction process of MgO-SiO₂-H₂O system at room temperature. *Construction and Building Materials*. 61: 252-259. <http://dx.doi.org/10.1016/j.conbuildmat.2014.03.004>.
- Liddell, D. (1994). Cancer mortality in chrysotile mining and milling: exposure-response. *Ann Occup Hyg*. 38: 519-523, 412.
- Liddell, D. (2001). Asbestos and cancer [Letter]. *Ann Occup Hyg*. 45: 329-335; author reply 336-328.
- Liddell, FD. (2001). The interaction of asbestos and smoking in lung cancer. *Ann Occup Hyg*. 45: 341-356.
- Liddell, FD. (2002). Joint action of smoking and asbestos exposure on lung cancer [Letter]. *Occup Environ Med*. 59: 494-495; author reply 495-496.
- Liddell, FD; Armstrong, BG. (2002). The combination of effects on lung cancer of cigarette smoking and exposure in quebec chrysotile miners and millers. *Ann Occup Hyg*. 46: 5-13. <http://dx.doi.org/10.1093/annhyg/mef008>.
- Liddell, FD; Gibbs, GW; Mcdonald, JC. (1982). Radiological changes and fibre exposure in chrysotile workers aged 60-69 years at Thetford Mines. *Ann Occup Hyg*. 26: 889-898.
- Liddell, FD; Mcdonald, AD; Mcdonald, JC. (1997). The 1891-1920 birth cohort of Quebec chrysotile miners and millers: development from 1904 and mortality to 1992. *Ann Occup Hyg*. 41: 13-36. [http://dx.doi.org/10.1016/S0003-4878\(96\)00044-0](http://dx.doi.org/10.1016/S0003-4878(96)00044-0).
- Liddell, FD; Mcdonald, AD; Mcdonald, JC. (1998). Dust exposure and lung cancer in Quebec chrysotile miners and millers. *Ann Occup Hyg*. 42: 7-20.
- Liddell, FDK; Hanley, JA. (1985). Relations between asbestos exposure and lung cancer SMRs in occupational cohort studies. *Occup Environ Med*. 42: 389-396.
- Liddell, FDK; Mcdonald, JC. (1980). Radiological findings as predictors of mortality in Quebec asbestos workers. *Br Med J*. 37: 257-267.
- Liddell, FDK; Thomas, DC; Gibbs, GW; Mcdonald, JC. (1984). FIBER EXPOSURE AND MORTALITY IN CHRYSOTILE PRODUCTION IN QUEBEC, 1910-1975. *Scand J Work Environ Health*. 10: 127-128.
- Liebling, RS. (1972). OPTICAL PROPERTIES OF FIBROUS BRUCITE FROM ASBESTOS, QUEBEC. *Am Mineral*. 57: 857-&.
- Liew, KW; Nirmal, U. (2013). Frictional performance evaluation of newly designed brake pad materials. *Materials & Design*. 48: 25-33. <http://dx.doi.org/10.1016/j.matdes.2012.07.055>.
- Light, WG; Wei, ET. (1977). Surface charge and hemolytic activity of asbestos. *Environ Res*. 13: 135-145.
- Lilienfeld, DE. (1991). The silence: the asbestos industry and early occupational cancer research--a case study. *Am J Public Health*. 81: 791-800.
- Lilienfeld, DE; Mandel, JS; Coin, P; Schuman, LM. (1988). Projection of asbestos related diseases in the United States, 1985-2009. I. Cancer. *Br J Ind Med*. 45: 283-291.
- Lilis, R. (2006). Ruth Lilis' award acceptance speech at the NY/NJ NIOSH Occupational Safety and Health Education and Research Center's 25th Anniversary Dinner. *Am J Ind Med*. 49: 705-707. <http://dx.doi.org/10.1002/ajim.20367>.
- Lilis, R; Lerman, Y; Selikoff, IJ. (1988). Symptomatic benign pleural effusions among asbestos insulation workers: Residual radiographic abnormalities. *Br J Ind Med*. 45: 443-449. <http://dx.doi.org/10.1136/oem.45.7.443>.
- Lilis, R; Miller, A; Godbold, J; Benkert, S; Wu, X; Selikoff, IJ. (1992). Comparative quantitative evaluation of pleural fibrosis and its effects on pulmonary function in two large asbestos-exposed occupational groups--insulators and sheet metal workers. *Environ Res*. 59: 49-66. [http://dx.doi.org/10.1016/S0013-9351\(05\)80225-7](http://dx.doi.org/10.1016/S0013-9351(05)80225-7).
- Lilis, R; Miller, A; Godbold, J; Benkert, S; Wu, XC; Selikoff, IJ. (1993). COMPARATIVE QUANTITATIVE-EVALUATION OF PLEURAL FIBROSIS AND ITS EFFECTS ON PULMONARY-FUNCTION IN 2 LARGE ASBESTOS-EXPOSED OCCUPATIONAL GROUPS - INSULATORS AND SHEET-METAL WORKERS (VOL 59, PG 49, 1992). *Environ Res*. 60: 332-332.
- Lilis, R; Miller, A; Godbold, J; Chan, E; Selikoff, IJ. (1991). Pulmonary function and pleural fibrosis: Quantitative relationships with an integrative index of pleural abnormalities. *Am J Ind Med*. 20: 145-161. <http://dx.doi.org/10.1002/ajim.4700200203>.

Exposure Literature Search Results

Off Topic

- Lilis, R; Miller, A; Godbold, J; Chan, E; Selikoff, IJ. (1991). Radiographic abnormalities in asbestos insulators: Effects of duration from onset of exposure and smoking. Relationships of dyspnea with parenchymal and pleural fibrosis. *Am J Ind Med.* 20: 1-15. <http://dx.doi.org/10.1002/ajim.4700200102>.
- Lilis, R; Ribak, J; Suzuki, Y; Penner, L; Bernstein, N; Selikoff, IJ. (1987). Non-malignant chest x ray changes in patients with mesothelioma in a large cohort of asbestos insulation workers. *Br J Ind Med.* 44: 402-406.
- Lilis, R; Selikoff, IJ; Lerman, Y; Seidman, H; Gelb, SK. (1986). Asbestosis: interstitial pulmonary fibrosis and pleural fibrosis in a cohort of asbestos insulation workers: influence of cigarette smoking. *Am J Ind Med.* 10: 459-470.
- Lim, Y; Kim, SH; Kim, KA; Oh, MW; Lee, KH. (1997). Involvement of protein kinase C, phospholipase C, and protein tyrosine kinase pathways in oxygen radical generation by asbestos-stimulated alveolar macrophage. *Environ Health Perspect.* 105 Suppl 5: 1325-1327.
- Lima Cunha, P, deS; Teixeira Lanna, EA; Xavier Bastos, RK; Quadros, M; Rezende, FP; de Freitas, LM. (2010). Fertilizers for *Daphnia* sp (Crustacea, Cladocera) production in experimental tanks. *Revista Brasileira de Zootecnia.* 39: 955-960.
- Lin, C; Fugetsu, B; Su, Y; Watari, F. (2009). Studies on toxicity of multi-walled carbon nanotubes on *Arabidopsis* T87 suspension cells. *J Hazard Mater.* 170: 578-583. <http://dx.doi.org/10.1016/j.jhazmat.2009.05.025>.
- Lin, FB; Chang, JW. (1988). MEASUREMENT OF AIRBORNE ASBESTOS DUST IN WORKSITES (pp. KOBE). (BIOSIS/89/32761). Lin, FB; Chang, JW.
- Lin, FC; Clemency, CV. (1981). THE DISSOLUTION KINETICS OF BRUCITE, ANTIGORITE, TALC, AND PHLOGOPITE AT ROOM-TEMPERATURE AND PRESSURE. *Am Mineral.* 66: 801-806.
- Lin, LY; Kuo, JT; Bai, H. (2011). Silica materials recovered from photonic industrial waste powder: its extraction, modification, characterization and application. *J Hazard Mater.* 192: 255-262. <http://dx.doi.org/10.1016/j.jhazmat.2011.05.011>.
- Lin, Q; Jiang, CQ; Lam, T; Xu, L, in; Jin, Y; Cheng, K. (2014). Past Occupational Dust Exposure, Depressive Symptoms and Anxiety in Retired Chinese Factory Workers: The Guangzhou Biobank Cohort Study. *J Occup Health.* 56: 444-452. <http://dx.doi.org/10.1539/joh.14-0100-OA>.
- Lin, S; Wang, X; Yano, E; Yu, I; Lan, Y; Courtice, MN; Christiani, DC. (2014). Exposure to chrysotile mining dust and digestive cancer mortality in a Chinese miner/miller cohort. *Occup Environ Med.* 71: 323-328. <http://dx.doi.org/10.1136/oemed-2013-101360>.
- Linder, DE; Wylie, AG; Candela, PA. (1992). MINERALOGY AND ORIGIN OF THE STATE LINE TALC DEPOSIT, PENNSYLVANIA. *Econ Geol.* 87: 1607-1615.
- Lindsay, JP; Stavrakys, KM; Howe, GR. (1993). THE CANADIAN LABOR-FORCE 10-PERCENT SAMPLE STUDY - CANCER MORTALITY AMONG MEN, 1965-1979. *J Occup Environ Med.* 35: 408-414.
- Ling, XX; Schmaedicke, E; Li, Q, iuLi; Gose, J; Wu, R, uiHua; Wang, S, hiQi; Liu, Y, u; Tang, G, uoQ; Li, XH, ua. (2015). Age determination of nephrite by in-situ SIMS U-Pb dating syngenetic titanite: A case study of the nephrite deposit from Luanchuan, Henan, China. *Lithos.* 220: 289-299. <http://dx.doi.org/10.1016/j.lithos.2015.02.019>.
- Linnainmaa, M; Kangas, J; Mäkinen, M; Metsärinne, S; Tossavainen, A; Sääntti, J; Veteli, M; Savolainen, H; Kalliokoski, P. (2007). Exposure to refractory ceramic fibres in the metal industry. *Ann Occup Hyg.* 51: 509-516. <http://dx.doi.org/10.1093/annhyg/mem027>.
- Lipkin, LE. (1980). Cellular effects of asbestos and other fibers: correlations with in vivo induction of pleural sarcoma. *Environ Health Perspect.* 34: 91-102.
- Lippmann, M. (1988). Asbestos exposure indices [Review]. *Environ Res.* 46: 86-106.
- Lippmann, M. (1991). INDUSTRIAL AND ENVIRONMENTAL HYGIENE - PROFESSIONAL GROWTH IN A CHANGING ENVIRONMENT. *Am Ind Hyg Assoc J.* 52: 341-348. <http://dx.doi.org/10.1080/15298669191364857>.
- Lippmann, M. (1994). Deposition and retention of inhaled fibres: effects on incidence of lung cancer and mesothelioma [Review]. *Occup Environ Med.* 51: 793-798.
- Lippmann, M. (1994). Nature of exposure to chrysotile. *Ann Occup Hyg.* 38: 459-467, 408.
- Lippmann, M. (1994). Workshop on the health risks associated with chrysotile asbestos: a brief review [Letter]. *Ann Occup Hyg.* 38: 639-642.
- Lippmann, M; Samet, J; Shaikh, R; eds. (1994). Proceedings of operations and maintenance programs in buildings containing asbestos - A workshop organized by the Health Effects Institute - Asbestos Research. *Appl Occup Environ Hyg.* 9: 773-926.
- Lippmann, M; Timbrell, V. (1990). PARTICLE LOADING IN THE HUMAN LUNG - HUMAN-EXPERIENCE AND IMPLICATIONS FOR EXPOSURE LIMITS. *J Aerosol Med.* 3: S155-S168.
- Lippy, BE. (2002). Safety and health of heavy equipment operators at Ground Zero. *Am J Ind Med.* 42: 539-542. <http://dx.doi.org/10.1002/ajim.10152>.
- Lippy, BE; Boggs, JA. (1989). MEASURING AIRBORNE ASBESTOS - THE SIGNIFICANCE OF SMALL FIBERS DETECTED UNDER TEM. *J Environ Health.* 52: 157-160.
- Lipworth, L; La Vecchia, C; Bosetti, C; McLaughlin, JK. (2009). Occupational exposure to rock wool and glass wool and risk of cancers of the lung and the head and neck: a systematic review and meta-analysis [Review]. *J Occup Environ Med.* 51: 1075-1087. <http://dx.doi.org/10.1097/JOM.0b013e3181b35125>.
- Lison, D; Knoop, B; Lauwerys, R. (1989). Effect of retinoic acid on asbestos induced plasminogen activator activity of peritoneal macrophages. *Br J Ind Med.* 46: 496-497.
- Littman, AJ; Thornquist, MD; White, E; Jackson, LA; Goodman, GE; Vaughan, TL. (2004). Prior lung disease and risk of lung cancer in a large prospective study. *Cancer Causes Control.* 15: 819-827. <http://dx.doi.org/10.1023/B:CACO.0000043432.71626.45>.
- Litzistorf, G; Guillemin, MP; Buffat, P; Iselin, F. (1985). Influence of human activity on the airborne fiber level in paraoccupational environments. *Journal of the Air and Waste Management Association.* 35: 836-837.
- Liu, BC; Fu, DC; Miao, Q; Wang, HH; You, BR. (1998). p53 gene mutations in asbestos associated cancers. *Biomed Environ Sci.* 11: 226-232.

Exposure Literature Search Results

Off Topic

- Liu, H; Peng, T; Ma, G; Sun, H; Hu, H. (2012). Simple chemical solution coating and gas sensing properties of alpha-Fe₂O₃/chrysotile fibrous composites. *Appl Surf Sci.* 258: 4866-4870. <http://dx.doi.org/10.1016/j.apsusc.2012.01.095>.
- Liu, J; Li, J; Chi, X; Qu, J; Hu, Z; Fang, S, hu; Zhang, Z. (2013). A late-Carboniferous to early early-Permian subduction-accretion complex in Daqing pasture, southeastern Inner Mongolia: Evidence of northward subduction beneath the Siberian paleoplate southern margin. *Lithos.* 177: 285-296. <http://dx.doi.org/10.1016/j.lithos.2013.07.008>.
- Liu, JB; Ye, K; Sun, M. (2006). Exhumation P-T path of UHP eclogites in the Hong'an area, western Dabie Mountains, China. *Lithos.* 89: 154-173. <http://dx.doi.org/10.1016/j.lithos.2005.12.002>.
- Liu, K, ui; Chen, Q; Hu, H; Yin, Z. (2010). Characterization and leaching behaviour of lizardite in Yuanjiang laterite ore. *Appl Clay Sci.* 47: 311-316. <http://dx.doi.org/10.1016/j.clay.2009.11.034>.
- Liu, K, un; Feng, Q; Yang, Y; Zhang, G; Ou, L; Lu, Y. (2007). Preparation and characterization of amorphous silica nanowires from natural chrysotile. *Journal of Non-Crystalline Solids.* 353: 1534-1539. <http://dx.doi.org/10.1016/j.jnoncrysol.2007.01.033>.
- Liu, K, un; Zhu, B; Duan, T, ao; Du, C; Tan, Y, an; Sheng, S, u. (2015). Transparency of chrysotile nanofiber-reinforced nanocomposite films: Effect of Rayleigh scattering. *Compos Sci Tech.* 119: 68-74. <http://dx.doi.org/10.1016/j.compscitech.2015.10.001>.
- Liu, K, un; Zhu, B; Feng, Q; Duan, T, ao. (2013). Novel transparent and flexible nanocomposite film prepared from chrysotile nanofibres. *Mater Chem Phys.* 142: 412-419. <http://dx.doi.org/10.1016/j.matchemphys.2013.07.037>.
- Liu, K, un; Zhu, B; Feng, Q; Wang, Q; Duan, T, ao; Ou, L; Zhang, G; Lu, Y. (2013). Adsorption of Cu(II) ions from aqueous solutions on modified chrysotile: Thermodynamic and kinetic studies. *Appl Clay Sci.* 80-81: 38-45. <http://dx.doi.org/10.1016/j.clay.2013.05.014>.
- Liu, L, inLin; He, G, uoQ; Wang, YH; Liu, P, eiJin. (2014). Factors Affecting the Measurement of the Percentage of Gaseous Products from Boron-based Fuel-rich Propellants. *Central European Journal of Energetic Materials.* 11: 15-29.
- Liu, MH; Li, ZH; Zhou, R; Yu, XQ; Cai, RL; Xie, SJ. (2005). Study on the assorted non-asbestos fiber reinforce composite by beater-addition process. *Materials Science Forum.* 475-479: 1051-1054.
- Liu, Q; Li, X; Cheng, H. (2016). Insight into the self-adaptive deformation of kaolinite layers into nanoscrolls. *Appl Clay Sci.* 124: 175-182. <http://dx.doi.org/10.1016/j.clay.2016.02.015>.
- Liu, Q; Zeng, Q; Zheng, J; Yang, T, ao; Qiu, N; Liu, Z; Luo, Y; Jin, Z. (2010). Magnetic properties of serpentinized garnet peridotites from the CCSD main hole in the Sulu ultrahigh-pressure metamorphic belt, eastern China. *J Geophys Res.* 115. <http://dx.doi.org/10.1029/2009JB000814>.
- Liu, T; Rhee, SK. (1976). HIGH-TEMPERATURE WEAR OF ASBESTOS-REINFORCED FRICTION MATERIALS. *Wear.* 37: 291-297.
- Liu, X; Guo, L, in; Morris, D; Kane, AB; Hurt, RH. (2008). Targeted removal of bioavailable metal as a detoxification strategy for carbon nanotubes. *Carbon.* 46: 489-500. <http://dx.doi.org/10.1016/j.carbon.2007.12.018>.
- Liu, X; Hurt, RH; Kane, AB. (2010). Biodurability of Single-Walled Carbon Nanotubes Depends on Surface Functionalization. *Carbon.* 48: 1961-1969. <http://dx.doi.org/10.1016/j.carbon.2010.02.002>.
- Liu, X; Liu, W, ei; Si, C. (2016). Fluid metasomatic genesis of stratiform skarn in the Suoerkuduke Cu-Mo deposit, East Junggar, NW China. *Ore Geol Rev.* 78: 239-251. <http://dx.doi.org/10.1016/j.oregeorev.2016.04.009>.
- Liu, XR; Keane, MJ; Zhong, BZ; Ong, TM; Wallace, WE. (1996). Micronucleus formation in V79 cells treated with respirable silica dispersed in medium and in simulated pulmonary surfactant. *Mutat Res Environ Mutagen Relat Subj.* 361: 89-94.
- Liu, XZ. (1983). [Evaluation of wet technic dust control in an asbestos textile factory]. *Zhonghua Yufang Yixue Zazhi.* 17: 26-28.
- Liu, XZ; Luo, SQ. (1983). [Determination of airborne asbestos fiber concentration and fiber size distribution by phase contrast microscopy]. *Zhonghua Yufang Yixue Zazhi.* 17: 82-85.
- Liu, Y, an; Deng, J, un; Shi, G; Sun, X; Yang, L. (2011). Geochemistry and petrogenesis of placer nephrite from Hetian, Xinjiang, Northwest China. *Ore Geol Rev.* 41: 122-132. <http://dx.doi.org/10.1016/j.oregeorev.2011.07.004>.
- Liu, Y; Mungall, JE; Ames, DE. (2016). Hydrothermal Redistribution and Local Enrichment of Platinum Group Elements in the Tootoo and Mequillon Magmatic Sulfide Deposits, South Raglan Trend, Cape Smith Belt, New Quebec Orogen. *Econ Geol.* 111: 467-485.
- Liu, Y, an; Zhang, R; Zhang, Z; Shi, G; Zhang, Q; Abuduwayiti, M; Liu, J. (2015). Mineral inclusions and SHRIMP U-Pb dating of zircons from the Alamas nephrite and granodiorite: Implications for the genesis of a magnesian skarn deposit. *Lithos.* 212: 128-144. <http://dx.doi.org/10.1016/j.lithos.2014.11.002>.
- Liu, Y, an; Zhang, RQ; Abuduwayiti, M; Wang, C; Zhang, S; Shen, C; Zhang, Z; He, M; Zhang, Y; Yang, X. (2016). SHRIMP U-Pb zircon ages, mineral compositions and geochemistry of placer nephrite in the Yurungkash and Karakash River deposits, West Kunlun, Xinjiang, northwest China: Implication for a Magnesium Skarn. *Ore Geol Rev.* 72: 699-727. <http://dx.doi.org/10.1016/j.oregeorev.2015.08.023>.
- Liu, YK; Yang, GY; Wu, TN; Lin, RS; Sung, FC. (2003). Mortality among former shipbreaking workers - A 13-year retrospective follow-up study in Taiwan. *J Occup Health.* 45: 36-42. <http://dx.doi.org/10.1539/joh.45.36>.
- Liukonen, LR; Weir, FW. (2005). Asbestos exposure from gaskets during disassembly of a medium duty diesel engine. *Regul Toxicol Pharmacol.* 41: 113-121. <http://dx.doi.org/10.1016/j.yrtph.2004.10.003>.
- Liveright, T; Gann, P; Mcana, J. (1986). Health Hazard Evaluation Report No. HETA-81-372-1727, Exxon Corporation, Bayway Refinery and Chemical Plant, Linden, New Jersey (pp. 81-372). (NIOSH/00165825). Liveright, T; Gann, P; Mcana, J.
- Ljungman, AG; Lindahl, M; Tagesson, C. (1994). Asbestos fibres and man made mineral fibres: induction and release of tumour necrosis factor-alpha from rat alveolar macrophages. *Occup Environ Med.* 51: 777-783.
- Lledo, HL; Jenkins, DM. (2008). Experimental investigation of the upper thermal stability of Mg-rich actinolite; Implications for Kiruna-type iron deposits. *Journal of Petrology.* 49: 225-238. <http://dx.doi.org/10.1093/petrology/egm078>.
- Lloyd, AO. (1977). FOULING OF ASBESTOS CEMENT ROOFING. 13: R6-R6.

Exposure Literature Search Results

Off Topic

- Lloyd, M, axK; Eiler, JM; Nabelek, PI. (2017). Clumped isotope thermometry of calcite and dolomite in a contact metamorphic environment. *Geochim Cosmo Acta*. 197: 323-344. <http://dx.doi.org/10.1016/j.gca.2016.10.037>.
- Lockey, JE; Dunning, K; Hilbert, TJ; Borton, E; Levin, L; Rice, CH; Mckay, RT; Shipley, R; Meyer, CA; Perme, C; Lemasters, GK. (2015). HRCT/CT and associated spirometric effects of low Libby amphibole asbestos exposure. *J Occup Environ Med*. 57: 6-13. <http://dx.doi.org/10.1097/JOM.0000000000000373>.
- Lockey, JE; Dunning, K; Hilbert, TJ; Borton, E; Levin, L; Rice, CH; Mckay, RT; Shipley, R; Meyer, CA; Perme, C; Lemasters, GK. (2015). Response Comment on "HRCT/CT and associated apirometric effects of low libby amphibole asbestos exposure" by lockey et al (2015) [Comment]. *J Occup Environ Med*. 57: e80-e82. <http://dx.doi.org/10.1097/JOM.0000000000000492>.
- Lockey, JE; Roggli, VL; Hitbert, TJ; Rice, CH; Levin, LS; Borton, EK; Biddinger, PW; Lemasters, GK. (2012). Biopersistence of Refractory Ceramic Fiber in Human Lung Tissue and a 20-Year Follow-Up of Radiographic Pleural Changes in Workers. *J Occup Environ Med*. 54: 781-788. <http://dx.doi.org/10.1097/JOM.0b013e31825296fd>.
- Lockwood, TH. (1974). THE ANALYSIS OF ASBESTOS FOR TRACE METALS (pp. 245-251; 1974). (ISSN 0002-8894; HMTC/74/0003525). Lockwood, TH.
- Logan, MD. (1986). Extent Of Asbestos Danger Is International Disagreement. *Occup Health Saf*. 55: 63-64.
- Logsdon, GS. (1983). ENGINEERING AND OPERATING APPROACHES FOR CONTROLLING ASBESTOS FIBERS IN DRINKING-WATER. *Environ Health Perspect*. 53: 169-176.
- Logsdon, GS; Schleppenbach, FX; Zaudtke, TM. (1979). FILTRATION WORKS OUT ASBESTOS FIBERS. 126: 44-46.
- Logsdon, GS; Symons, JM; Sorg, TJ. (1981). MONITORING WATER FILTERS FOR ASBESTOS REMOVAL. *J Environ Eng Div (ASCE)*. 107: 1297-1315.
- Lohcharoenkal, W; Wang, L; Stueckle, TA; Dinu, CZ; Castranova, V; Liu, Y; Rojanasakul, Y. (2013). Chronic exposure to carbon nanotubes induces invasion of human mesothelial cells through matrix metalloproteinase-2. *ACS Nano*. 7: 7711-7723. <http://dx.doi.org/10.1021/nn402241b>.
- Lohmar, HJ. (1976). NEW CONCEPTION OF INDUSTRIAL POLICY FOR ASBESTOS INDUSTRY. *Kautschuk Gummi Kunststoffe*. 29: 389-391.
- Lohrer, W. (1981). AIR-POLLUTION BY ASBESTOS AND OTHER FIBROUS DUSTS - A REVIEW ON THE WHOLE OF THE PROBLEM. *Staub, Reinhaltung der Luft*. 41: 387-395.
- Lohrer, W; Mierheim, H. (1983). SUBSTITUTION OF ASBESTOS IN FRICTION LININGS - ANALYSES OF PROBLEMS AND DEVELOPMENT TRENDS. *Staub, Reinhaltung der Luft*. 43: 78-85.
- Lohrer, W; Poeschel, E. (1980). ASBESTOS SUBSTITUTES - POSSIBILITIES OF APPLICATION - IMPORTANCE OF INDUSTRIAL-HYGIENE. *Staub, Reinhaltung der Luft*. 40: 210-217.
- London, L. (2005). Dual loyalties and the ethical and human rights obligations of occupational health professionals. *Am J Ind Med*. 47: 322-332. <http://dx.doi.org/10.1002/ajim.20148>.
- London, M; Rinsky, R. (1986). Health Hazard Evaluation Report No. HETA-81-025-1668, Operative Plasterers' and Cement Masons' International Association, Washington, D.C (pp. 81-025). (NIOSH/00163124). London, M; Rinsky, R.
- Long, JF; Dutta, PK; Hogg, BD. (1997). Fluorescence imaging of reactive oxygen metabolites generated in single macrophage cells (NR8383) upon phagocytosis of natural zeolite (erionite) fibers. *Environ Health Perspect*. 105: 706-711. <http://dx.doi.org/10.1289/ehp.97105706>.
- Longo, WE; Egeland, WB; Hatfield, RL; Newton, LR. (2002). Fiber release during the removal of asbestos-containing gaskets: a work practice simulation. *Appl Occup Environ Hyg*. 17: 55-62. <http://dx.doi.org/10.1080/104732202753306168>.
- Loomis, D; Dement, J; Richardson, D; Wolf, S. (2010). Asbestos fibre dimensions and lung cancer mortality among workers exposed to chrysotile. *Occup Environ Med*. 67: 580-584. <http://dx.doi.org/10.1136/oem.2009.050120>.
- Loomis, D; Dement, JM; Elliott, L; Richardson, D; Kuempel, ED; Stayner, L. (2012). Increased lung cancer mortality among chrysotile asbestos textile workers is more strongly associated with exposure to long thin fibres. *Occup Environ Med*. 69: 564-568. <http://dx.doi.org/10.1136/oemed-2012-100676>.
- Loomis, D; Dement, JM; Wolf, SH; Richardson, DB. (2009). Lung cancer mortality and fibre exposures among North Carolina asbestos textile workers. *Occup Environ Med*. 66: 535-542. <http://dx.doi.org/10.1136/oem.2008.044362>.
- Loomis, D; Schulz, M. (2000). Mortality from six work-related cancers among African Americans and Latinos. *Am J Ind Med*. 38: 565-575.
- Lopatin, S; Tsay, JC; Addrizzo-Harris, D; Munger, JS; Pass, H; Rom, WN. (2016). Erratum to "reduced lung function in smokers in a lung cancer screening cohort with asbestos exposure and pleural plaques" [Erratum]. *Am J Ind Med*. 59: 424. <http://dx.doi.org/10.1002/ajim.22583>.
- Lope, V; Pollan, M; Gustavsson, P; Plato, N; Perez-Gomez, B; Aragones, N; Suarez, B; Carrasco, JM; Rodriguez, S; Ramis, R; Boldo, E; Lopez-Abente, G. (2005). Occupation and thyroid cancer risk in Sweden. *J Occup Environ Med*. 47: 948-957. <http://dx.doi.org/10.1097/01.jom.0000169564.21523.5d>.
- Lopez, GP; Hitzman, MW; Nelson, EP. (2014). Alteration patterns and structural controls of the El Espino IOCG mining district, Chile. *Miner Depos*. 49: 235-259. <http://dx.doi.org/10.1007/s00126-013-0485-0>.
- Lopez Sanchez-Vizcaino, V; Teresa Gomez-Pugnaire, M; Garrido, CJ; Alberto Padron-Navarta, J; Mellini, M. (2009). Breakdown mechanisms of titanclinochumite in antigorite serpentinite (Cerro del Almiraz massif, S. Spain): A petrological and TEM study. *Lithos*. 107: 216-226. <http://dx.doi.org/10.1016/j.lithos.2008.10.008>.
- Lopez-Arquillos, A; Carlos Rubio-Romero, J; Suarez-Cebador, M; del Carmen Pardo-Ferreira, M. (2015). Comparative risk assessment of vehicle maintenance activities: Hybrid, battery electric, and hydrogen fuel cell cars. *International Journal of Industrial Ergonomics*. 47: 53-60. <http://dx.doi.org/10.1016/j.ergon.2015.02.005>.

Exposure Literature Search Results

Off Topic

- Lopez-Cima, MF; Garcia-Perez, J; Perez-Gomez, B; Aragonés, N; Lopez-Abente, G; Pascual, T; Tardon, A; Pollan, M. (2013). Lung cancer risk associated with residential proximity to industrial installations: a spatial analysis. *Int J Environ Sci Tech.* 10: 891-902. <http://dx.doi.org/10.1007/s13762-013-0248-6>.
- Lordi, GM; Reichman, LB. (1993). Pulmonary complications of asbestos exposure [Review]. *Am Fam Physician.* 48: 1471-1477.
- Lorimer, WV; Rohl, AN; Miller, A; Nicholson, WJ; Selikoff, JJ. (1976). ASBESTOS EXPOSURE OF BRAKE REPAIR WORKERS IN UNITED-STATES. *Mt Sinai J Med.* 43: 207-218.
- Lott, PF. (1991). The detection of asbestos in floor tiles by X-ray diffractometry. *Microchem J.* 44: 161-167.
- Lotter, JT; Roberts, B; Henshaw, JL; Pierce, JS. (2016). Airborne asbestos exposures associated with the installation and removal of roofing products. *J Occup Environ Hyg.* 13: D121-D131. <http://dx.doi.org/10.1080/15459624.2016.1183010>.
- Loughrey, L; Marshall, D; Ihlen, P; Jones, P. (2013). Boiling as a mechanism for colour zonations observed at the Byrud emerald deposit, Eidsvoll, Norway: fluid inclusion, stable isotope and Ar-Ar studies. *Geofluids.* 13: 542-558. <http://dx.doi.org/10.1111/gfl.12051>.
- Lourenco, MP; de Oliveira, C; Oliveira, AF; Guimaraes, L; Duarte, HA. (2012). Structural, Electronic, and Mechanical Properties of Single-Walled Chrysotile Nanotube Models. *J Phys Chem C.* 116: 9405-9411. <http://dx.doi.org/10.1021/jp301048p>.
- Love, DA; Roberts, RG. (1991). THE GEOLOGY AND GEOCHEMISTRY OF GOLD MINERALIZATION AND ASSOCIATED ALTERATION AT THE RUNDLE GOLD DEPOSIT, ABITIBI SUBPROVINCE, ONTARIO. *Econ Geol.* 86: 644-666.
- Lowenthal, G. (1994). Occupational Health Programs in Clinics and Hospitals. *Occup Med (Lond).* Third Edition: 875-882.
- Loyola, RC; Carneiro, AP; Silveira, AM; La Rocca, P; Nascimento, MS; Chaves, RH. (2010). Respiratory effects from industrial talc exposure among former mining workers. *Rev Saude Publica.* 44: 541-547.
- Lozewicz, S; Reznick, RH; Herdman, M; Dacie, JE; Mclean, A; Davies, RJ. (1989). Role of computed tomography in evaluating asbestos related lung disease. *Br J Ind Med.* 46: 777-781.
- Lu, BQ; Xia, YB; Qi, LJ. (2005). Infrared absorption spectra of serpentine cat's eye and the mechanism of its thermotransformation. *Wuji Cailiao Xuebao.* 20: 285-290.
- Lu, S; Zhuang, L, in; Lu, J. (2007). Homogeneous blend membrane made from poly(ether sulphone) and poly(vinylpyrrolidone) and its application to water electrolysis. *J Memb Sci.* 300: 205-210. <http://dx.doi.org/10.1016/j.memsci.2007.05.026>.
- Luanpitpong, S; Wang, L; Davidson, DC; Riedel, H; Rojanasakul, Y. (2016). Carcinogenic Potential of High Aspect Ratio Carbon Nanomaterials. 3: 483-493. <http://dx.doi.org/10.1039/C5EN00238A>.
- Lubis, H; Prihatmoko, S; James, LP. (1994). BULAGIDUN PROSPECT - A COPPER, GOLD AND TOURMALINE BEARING PORPHYRY AND BRECCIA SYSTEM IN NORTHERN SULAWESI, INDONESIA. *J Geochem Explor.* 50: 257-278.
- Lucas, JE; Kronoveter, KJ. (1982). Health Hazard Evaluation Report, No. HETA-81-297-1116, U. S. Postal Service, Washington Bulk Mail Center, Washington, D.C. (NIOSH/00127498). Lucas, JE; Kronoveter, KJ.
- Luce, D; Stücker, I; Group, IS. (2011). Investigation of occupational and environmental causes of respiratory cancers (ICARE): A multicenter, population-based case-control study in France. *BMC Public Health.* 11: 928. <http://dx.doi.org/10.1186/1471-2458-11-928>.
- Ludwig, ER; Madeksho, L; Egilman, D. (2001). RE: Mesothelioma and lung tumors attributable to asbestos among petroleum workers. *Am. J. Ind. Med.* 2000. 37:275-282 [Letter]. *Am J Ind Med.* 39: 524-527.
- Lumley, KP. (1971). Asbestos dust levels inside firefighting helmets with chrysotile asbestos covers. *Ann Occup Hyg.* 14: 285-286.
- Lumpkin, GR; Ewing, RC. (1995). GEOCHEMICAL ALTERATION OF PYROCHLORE GROUP MINERALS - PYROCHLORE SUBGROUP. *Am Mineral.* 80: 732-743.
- Lun, H; Ouyang, J; Yang, H. (2014). Enhancing dispersion of halloysite nanotubes via chemical modification. *Physics and Chemistry of Minerals.* 41: 281-288. <http://dx.doi.org/10.1007/s00269-013-0646-9>.
- Lund, LG; Williams, MG; Dodson, RF; Aust, AE. (1994). Iron associated with asbestos bodies is responsible for the formation of single strand breaks in phi X174 RFI DNA. *Occup Environ Med.* 51: 200-204.
- Lundgren, DA; Vanderpool, RW; Liu, BYH. (1991). ASBESTOS FIBER CONCENTRATIONS RESULTING FROM THE INSTALLATION, MAINTENANCE AND REMOVAL OF VINYL-ASBESTOS FLOOR TILE. *Particle & Particle Systems Characterization.* 8: 233-236.
- Lundgren, L; Lundstrom, S; Laszlo, I; Westling, B. (1995). MODERN FIBER COUNTING - A TECHNIQUE WITH THE PHASE-CONTRAST MICROSCOPE ONLINE TO A MACINTOSH COMPUTER. *Ann Occup Hyg.* 39: 455-&.
- Lundgren, L; Lundstrom, S; Sundstrom, G; Bergman, G; Krantz, S. (1996). A quantitative method using a light microscope on-line to a Macintosh computer for the analysis of tremolite fibres in dolomite. *Ann Occup Hyg.* 40: 197-&.
- Luo, JC; Zehab, R; Anttila, S; Ridanpaa, M; Husgafvel-Pursiainen, K; Vainio, H; Carney, W; De Vivo, I; Milling, C; Brandt-Rauf, PW. (1994). Detection of serum p53 protein in lung cancer patients. *J Occup Med.* 36: 155-160.
- Luo, W, ei; Feng, Q; Ou, L; Zhang, G; Chen, Y, un. (2010). Kinetics of saprolitic laterite leaching by sulphuric acid at atmospheric pressure. *Miner Eng.* 23: 458-462. <http://dx.doi.org/10.1016/j.mineng.2009.10.006>.
- Luoto, K; Holopainen, M; Kangas, J; Kalliokoski, P; Savolainen, K. (1995). The effect of fiber length on the dissolution by macrophages of rockwool and glasswool fibers. *Environ Res.* 70: 51-61. <http://dx.doi.org/10.1006/enrs.1995.1046>.
- Luoto, K; Holopainen, M; Kangas, J; Kalliokoski, P; Savolainen, K. (1998). Dissolution of short and long rockwool and glasswool fibers by macrophages in flowthrough cell culture. *Environ Res.* 78: 25-37. <http://dx.doi.org/10.1006/enrs.1997.3825>.
- Luoto, K; Holopainen, M; Sarataho, M; Savolainen, K. (1997). Comparison of cytotoxicity of man-made vitreous fibres. *Ann Occup Hyg.* 41: 37-50. [http://dx.doi.org/10.1016/S0003-4878\(96\)00031-2](http://dx.doi.org/10.1016/S0003-4878(96)00031-2).
- Luoto, K; Holopainen, M; Savolainen, K. (1994). SCANNING ELECTRON-MICROSCOPIC STUDY ON THE CHANGES IN THE CELL-SURFACE MORPHOLOGY OF RAT ALVEOLAR MACROPHAGES AFTER THEIR EXPOSURE TO MAN-MADE VITREOUS FIBERS. *Environ Res.* 66: 198-207.

Exposure Literature Search Results

Off Topic

- Luster, MI; Rosenthal, GJ. (1993). Chemical Agents and the Immune Response [Review]. *Environ Health Perspect.* 100: 219-226.
- Lustrato, G; Alfano, G; Andreotti, A; Colombini, MP; Ranalli, G. (2012). Fast biocleaning of mediaeval frescoes using viable bacterial cells. *Int Biodeterior Biodegradation.* 69: 51-61. <http://dx.doi.org/10.1016/j.ibiod.2011.12.010>.
- Luttge, A; Metz, P. (1993). MECHANISM AND KINETICS OF THE REACTION - 1 DOLOMITE PLUS 2 QUARTZ = 1 DIOPSIDE PLUS 2 CO₂ - A COMPARISON OF ROCK-SAMPLE AND OF POWDER EXPERIMENTS. *Contributions to Mineralogy and Petrology.* 115: 155-164.
- Luttge, A; Neumann, U; Lasaga, AC. (1998). The influence of heating rate on the kinetics of mineral reactions: An experimental study and computer models. *Am Mineral.* 83: 501-515.
- Lutz, EH; Swain, MV; Cook, PS. (1994). SIGNIFICANCE OF SPECIMEN SIZE FOR THE K(R)-CURVE BEHAVIOR OF QUASI-BRITTLE MATERIALS. *J Eur Ceram Soc.* 13: 501-507.
- Lutz, W; Krajewska, B; Piřacik, B. (1997). Determination of tissue polypeptide antigens (TPA) and carcinoembryonic antigen (CEA) in serum: its value in the preliminary cancer risk assessment in asbestos exposed workers. *Int J Occup Med Environ Health.* 10: 259-265.
- Luxon, SG. (1971). USE OF DUST RESPIRATORS AGAINST ASBESTOS DUST HAZARDS IN UNITED-KINGDOM. *Am Ind Hyg Assoc J.* 32: 723-&.
- Lypatsev, SA; Potapov, VV, a; Davydov, SY, a; Potapov, VV; Semerikov, LA; Vasil'ev, EA. (2015). Classification of Granular Material in an Impact with a Separation Surface. *Refractories and Industrial Ceramics.* 55: 570-572. <http://dx.doi.org/10.1007/s11148-015-9767-7>.
- Lynkins, RW; Jenkins, DM. (1992). EXPERIMENTAL-DETERMINATION OF PARGASITE STABILITY RELATIONS IN THE PRESENCE OF ORTHO-PYROXENE. *Contributions to Mineralogy and Petrology.* 112: 405-413.
- Lynch, JR. (1966). Results of Air Samples at American Asbestos Textile Corporation, Meredith, New Hampshire. (NIOSH/00105827). Lynch, JR.
- Lynch, JR. (1967). Result of Air Sample at Flint-Kote, Ravenna, Ohio. (NIOSH/00105346). Lynch, JR.
- Lynch, JR. (1968). Results of Air Samples at Certain-Teed Products, Santa Clara, California. (NIOSH/00105989). Lynch, JR.
- Lynch, JR. (1968). Results of Air Samples at Fabco Industrial Insulation, Emeryville, California. (NIOSH/00105995). Lynch, JR.
- Lynch, JR. (1968). Results of Air Samples at Pittsburg Corning in Tyler, Texas. (NIOSH/00106145). Lynch, JR.
- Lynch, JR. (1971). Environmental Sampling and Analysis of Particulate Matter: Asbestos. *Arch Dermatol.* 85: 441-454.
- Lynch, JR; Ayer, HE. (1966). Measurement of dust exposures in the asbestos textile industry. *Am Ind Hyg Assoc J.* 27: 431-437. <http://dx.doi.org/10.1080/00028896609342449>.
- Lynch, JR; Ayer, HE. (1968). Measurement of asbestos exposure. *J Occup Med.* 10: 21-24.
- Lynch, JR; Ayer, HE; Johnson, DL. (1970). The interrelationships of selected asbestos exposure indices. *Am Ind Hyg Assoc J.* 31: 598-604. <http://dx.doi.org/10.1080/0002889708506298>.
- Lynge, E; Villadsen, E; Raffn, E; Engholm, G. (1997). Lung cancer in asbestos cement workers in Denmark - Reply. *Occup Environ Med.* 54: 143-143.
- Lyons, TJ; Knapik, JP. (1996). WORKER EXPOSURE DURING ENVIRONMENTAL SAMPLING THE HAZARDS INVOLVED (pp. PHILADELPHIA). (BIOSIS/96/38447). Lyons, TJ; Knapik, JP.
- Lyster, R. (2015). A Fossil Fuel-Funded Climate Disaster Response Fund under the Warsaw International Mechanism for Loss and Damage Associated with Climate Change Impacts. 4: 125-151.
- Macarthur, A; Le, N; Fang, R; Band, P. (2009). Identification of occupational cancer risk in British Columbia: A population-based case-control study of 2,998 lung cancers by histopathological subtype. *Am J Ind Med.* 52: 221-232. <http://dx.doi.org/10.1002/ajim.20663>.
- Maccarthy, J; Addai-Mensah, J; Nosrati, A. (2014). Atmospheric acid leaching of siliceous goethitic Ni laterite ore: Effect of solid loading and temperature. *Miner Eng.* 69: 154-164. <http://dx.doi.org/10.1016/j.mineng.2014.08.005>.
- Macher, JM; Hayward, SB. (1991). Public inquiries about indoor air quality in California. *Environ Health Perspect.* 92: 175-180.
- Maciejewska, A. (2012). [Application of infrared spectrometry (FT-IR) for mineral identification of asbestos in bulk samples]. *Med Pr.* 63: 181-189.
- Mackenzie, KJD; Bradley, S; Hanna, JV; Smith, ME. (2013). Magnesium analogues of aluminosilicate inorganic polymers (geopolymers) from magnesium minerals. *Journal of Materials Science.* 48: 1787-1793. <http://dx.doi.org/10.1007/s10853-012-6940-y>.
- Mackenzie, KJD; Meinhold, RH. (1994). A GLASS-BONDED CERAMIC MATERIAL FROM CHRYSOTILE (WHITE ASBESTOS). *Journal of Materials Science.* 29: 2775-2783.
- Mackenzie, KJD; Meinhold, RH. (1994). THERMAL-REACTIONS OF CHRYSOTILE REVISITED - A SI-29 AND MG-25 MAS NMR-STUDY. *Am Mineral.* 79: 43-50.
- Maclure, M. (1987). ASBESTOS AND RENAL ADENOCARCINOMA A CASE-CONTROL STUDY. *Environ Res.* 42: 353-361.
- Mactiernan, A; Fritschi, L; Slevin, T; Jalleh, G; Donovan, R; Heyworth, J. (2014). Public perceptions of cancer risk factors: a Western Australian study. *Health Promot J Austr.* 25: 90-96. <http://dx.doi.org/10.1071/HE13081>.
- Maddalon, G; Patroni, M; Trimarchi, R; Clerici, C; Ocella, E. (1991). [Sensitivity, precision and resolution of the optical microscope in the study of environmental pollution by asbestos fibers]. *Med Lav.* 82: 358-371.
- Madl, AK; Devlin, KD; Perez, AL; Hollins, DM; Cowan, DM; Scott, PK; White, K; Cheng, TJ; Henshaw, JL. (2015). Airborne asbestos exposures associated with gasket and packing replacement: a simulation study of flange and valve repair work and an assessment of exposure variables. *Regul Toxicol Pharmacol.* 71: 35-51. <http://dx.doi.org/10.1016/j.yrtph.2014.10.017>.
- Madl, AK; Gaffney, SH; Balzer, JL; Paustenbach, DJ. (2009). Airborne asbestos concentrations associated with heavy equipment brake removal. *Ann Occup Hyg.* 53: 839-857. <http://dx.doi.org/10.1093/annhyg/mep056>.
- Madl, AK; Hollins, DM; Devlin, KD; Donovan, EP; Dopart, PJ; Scott, PK; Perez, AL. (2014). Airborne asbestos exposures associated with gasket and packing replacement: a simulation study and meta-analysis. *Regul Toxicol Pharmacol.* 69: 304-319. <http://dx.doi.org/10.1016/j.yrtph.2014.04.007>.

Exposure Literature Search Results

Off Topic

- Madl, AK; Scott, LL; Murbach, DM; Fehling, KA; Finley, BL; Paustenbach, DJ. (2008). Exposure to chrysotile asbestos associated with unpacking and repacking boxes of automobile brake pads and shoes. *Ann Occup Hyg.* 52: 463-479. <http://dx.doi.org/10.1093/annhyg/men028>.
- Madugalla, TBN, S; Pitawala, HMT, GA; Naumann, R; Trumbull, RB. (2015). Hydrothermal mica deposits in altered meta-ultrabasites from north-central Sri Lanka. *J Geochem Explor.* 153: 66-78. <http://dx.doi.org/10.1016/j.gexplo.2015.03.002>.
- Maeda, M; Yamamoto, S; Chen, Y; Kumagai-Takei, N; Hayashi, H; Matsuzaki, H; Lee, S; Hatayama, T; Miyahara, N; Katoh, M; Hiratsuka, J; Nishimura, Y; Otsuki, T. (2012). Resistance to asbestos-induced apoptosis with continuous exposure to crocidolite on a human T cell. *Sci Total Environ.* 429: 174-182. <http://dx.doi.org/10.1016/j.scitotenv.2012.04.043>.
- Magnani, C; Bianchi, C; Chellini, E; Consonni, D; Fubini, B; Gennaro, V; Marinaccio, A; Menegozzo, M; Mirabelli, D; Merler, E; Merletti, F; Musti, M; Oddone, E; Romanelli, A; Terracini, B; Zona, A; Zocchetti, C; Alessi, M; Baldassarre, A; Dianzani, I; Maule, M; Mensi, C; Silvestri, S. (2015). III Italian Consensus Conference on Malignant Mesothelioma of the Pleura. *Epidemiology, Public Health and Occupational Medicine related issues. Med Lav.* 106: 325-332.
- Magnani, C; Ferrante, D; Barone-Adesi, F; Bertolotti, M; Todesco, A; Mirabelli, D; Terracini, B. (2008). Cancer risk after cessation of asbestos exposure: A cohort study of Italian asbestos cement workers. *Occup Environ Med.* 65: 164-170. <http://dx.doi.org/10.1136/oem.2007.032847>.
- Magnani, C; Fubini, B; Mirabelli, D; Bertazzi, PA; Bianchi, C; Chellini, E; Gennaro, V; Marinaccio, A; Menegozzo, M; Merler, E; Merletti, F; Musti, M; Pira, E; Romanelli, A; Terracini, B; Zona, A. (2013). Pleural mesothelioma: epidemiological and public health issues. Report from the Second Italian Consensus Conference on Pleural Mesothelioma. *Med Lav.* 104: 191-202.
- Magrez, A; Kasas, S; Salicio, V; Pasquier, N; Seo, JW; Celio, M; Catsicas, S; Schwaller, B; Forró, L. (2006). Cellular toxicity of carbon-based nanomaterials. *Nano Lett.* 6: 1121-1125. <http://dx.doi.org/10.1021/nl060162e>.
- Mahmood, N; Khan, SG; Ali, S; Athar, M; Rahman, Q. (1993). Asbestos Induced Oxidative Injury to DNA. *Ann Occup Hyg.* 37: 315-319.
- Mai, YW. (1979). STRENGTH AND FRACTURE PROPERTIES OF ASBESTOS-CEMENT MORTAR COMPOSITES. *Journal of Materials Science.* 14: 2091-2102.
- Mai, YW. (1980). STRENGTH AND FRACTURE PROPERTIES OF ASBESTOS-CEMENT MORTAR COMPOSITES - REPLY. *Journal of Materials Science.* 15: 2388-2389.
- Maino, A; Gianelle, V; Onida, F; Albiero, S. (1995). [Occupational exposure to asbestos in removal and protective treatment of roof coverings]. *Med Lav.* 86: 546-554.
- Mainprice, D; Le Page, Y; Rodgers, J; Jouanna, P. (2008). Ab initio elastic properties of talc from 0 to 12 GPa: Interpretation of seismic velocities at mantle pressures and prediction of auxetic behaviour at low pressure. *Earth Planet Sci Lett.* 274: 327-338. <http://dx.doi.org/10.1016/j.epsl.2008.07.047>.
- Major, G; Vardy, GF. (1989). Public perception of risk and its consequences: the case of a natural fibrous mineral deposit. *IARC Sci Publ*497-508.
- Majumdar, AS; Hoevelmann, J; Mondal, SK; Putnis, A. (2016). The role of reacting solution and temperature on compositional evolution during harzburgite alteration: Constraints from the Mesoproterozoic Nuasahi Massif (eastern India). *Lithos.* 256: 228-242. <http://dx.doi.org/10.1016/j.lithos.2016.04.016>.
- Majumdar, AS; Hoevelmann, J; Vollmer, C; Berndt, J; Mondal, SK; Putnis, A. (2016). Formation of Mg-rich Olivine Pseudomorphs in Serpentinized Dunite from the Mesoproterozoic Nuasahi Massif, Eastern India: Insights into the Evolution of Fluid Composition at the Mineral-Fluid Interface. *Journal of Petrology.* 57: 3-26. <http://dx.doi.org/10.1093/petrology/egv070>.
- Makie, T; Adcock, D; Lackland, DT; Hoel, DG. (2005). Pulmonary abnormalities associated with occupational exposures at the Savannah River Site. *Am J Ind Med.* 48: 365-372. <http://dx.doi.org/10.1002/ajim.20224>.
- Maksimov, AP. (2009). The influence of water on the temperature of amphibole stability in melts. *Journal of Volcanology and Seismology.* 3: 27-33. <http://dx.doi.org/10.1134/S0742046309010035>.
- Makvandi, S; Beaudoin, G; Mcclenaghan, BM; Layton-Matthews, D. (2015). The surface texture and morphology of magnetite from the Izok Lake volcanogenic massive sulfide deposit and local glacial sediments, Nunavut, Canada: Application to mineral exploration. *J Geochem Explor.* 150: 84-103. <http://dx.doi.org/10.1016/j.gexplo.2014.12.013>.
- Makvandi, S; Ghasemzadeh-Barvarz, M; Beaudoin, G; Grunsky, EC; Mcclenaghan, MB; Duchesne, C; Boutroy, E. (2016). Partial least squares-discriminant analysis of trace element compositions of magnetite from various VMS deposit subtypes: Application to mineral exploration. *Ore Geol Rev.* 78: 388-408. <http://dx.doi.org/10.1016/j.oregeorev.2016.04.014>.
- Malaspina, N; Hermann, J; Scambelluri, M; Compagnoni, R. (2006). Polyphase inclusions in garnet-orthopyroxene (Dabie Shan, China) as monitors for metasomatism and fluid-related trace element transfer in subduction zone peridotite. *Earth Planet Sci Lett.* 249: 173-187. <http://dx.doi.org/10.1016/j.epsl.2006.07.017>.
- Malorni, W; Iosi, F; Falchi, M; Donelli, G. (1990). On the mechanism of cell internalization of chrysotile fibers: An immunocytochemical and ultrastructural study. *Environ Res.* 52: 164-177. [http://dx.doi.org/10.1016/S0013-9351\(05\)80251-8](http://dx.doi.org/10.1016/S0013-9351(05)80251-8).
- Maltoni, C. (1999). Call for an international ban on asbestos [Review]. *Toxicol Ind Health.* 15: 529-531. <http://dx.doi.org/10.1177/074823379901500601>.
- Maltoni, C; Pinto, C; Mobiglia, A. (1991). Mesotheliomas following exposure to asbestos used in railroads: the Italian cases. *Toxicol Ind Health.* 7: 1-45.
- Malvoisin, B; Austrheim, H; Malthe-Sorensen, A; Glodny, J. (2012). Deformation-related alteration of basaltic clasts during deep burial in sedimentary basins. *Chem Geol.* 322: 47-67. <http://dx.doi.org/10.1016/j.chemgeo.2012.06.011>.
- Malvoisin, B; Brunet, F; Carlut, J; Roumejon, S; Cannat, M. (2012). Serpentinization of oceanic peridotites: 2. Kinetics and processes of San Carlos olivine hydrothermal alteration. *J Geophys Res Solid Earth.* 117. <http://dx.doi.org/10.1029/2011JB008842>.

Exposure Literature Search Results

Off Topic

- Mameri, N; Piron, DL; Bouzid, A; Derenne, M; Marchand, L; Birembaut, Y. (2000). Corrosion quantification test for flanges with graphite-based gaskets. *Mater Perform.* 39: 64-69.
- Man, SF; Noujaim, AA; Lee, TK; Gibney, RT; Logus, JW. (1980). Canine tracheal mucus transport of particulate pollutants: comparison of radiolabeled corn pollen, ragweed pollen, asbestos, silica, and talc to Dowex anion exchange particles. *Arch Environ Health.* 35: 283-286.
- Manabe, M; Tatarazako, N; Kinoshita, M. (2011). Uptake, excretion and toxicity of nano-sized latex particles on medaka (*Oryzias latipes*) embryos and larvae. *Aquat Toxicol.* 105: 576-581. <http://dx.doi.org/10.1016/j.aquatox.2011.08.020>.
- Manavendra, G; Kumarappa, S; Kumar, GCM; Bharath, KN. (2011). Experimental Investigation of Thermal Properties of Areca Fiber Reinforced Phenol Formaldehyde Composites. 43: 87-93.
- Mancini, F; Marshall, B; Papunen, H. (1996). Petrography and metamorphism of the Saaksjarvi ultramafic body, southwest Finland. *Mineralogy and Petrology.* 56: 185-208.
- Mancuso, TF. (1993). Re: "TLVs for asbestos" [Letter]. *Am J Ind Med.* 23: 961-965.
- Mancuso, TF. (1994). Unpublished data on asbestos dust continue to surface [Letter]. *Am J Ind Med.* 25: 457-460.
- Mancuso, TF. (1997). Chromium as an industrial carcinogen: Part II. Chromium in human tissues. *Am J Ind Med.* 31: 140-147. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(19970204\)31:2<140::AID-AJIM2>3.0.CO;2-3](http://dx.doi.org/10.1002/(SICI)1097-0274(19970204)31:2<140::AID-AJIM2>3.0.CO;2-3).
- Mándi, A; Posgay, M; Vadász, P; Major, K; Rödelberger, K; Tossavainen, A; Ungváry, G; Woitowitz, HJ; Galambos, E; Németh, L; Soltész, I; Egerváry, M; Böszörményi Nagy, G. (2000). Role of occupational asbestos exposure in Hungarian lung cancer patients. *Int Arch Occup Environ Health.* 73: 555-560.
- Manfredo, I. (2015). Accidental discovery of asbestos-related occupational pleural disease in unemployed carpenter: a healthcare safety net that needs mending. *Arh Hig Rada Toksikol.* 66: 213-215. <http://dx.doi.org/10.1515/aiht-2015-66-2682>.
- Manke, J; Bruckel, B; Rodelsperger, K; Woitowitz, HJ. (1984). ANALYSIS OF LUNG DUST AFTER OCCUPATIONAL EXPOSURE TO WHITE ASBESTOS (CHRYSTOL). *Arbeitsmedizin, Sozialmedizin, Praeventivmedizin.* 19: 257-261.
- Mann, JH. (1990). An industrial hygiene evaluation of beet sugar processing plants. *Am Ind Hyg Assoc J.* 51: 313-318. <http://dx.doi.org/10.1080/15298669091369727>.
- Manning, DP; Jones, C. (1995). HIGH HEELS AND POLISHED FLOORS - THE ULTIMATE CHALLENGE IN RESEARCH ON SLIP-RESISTANCE. *Safety Sci.* 19: 19-29.
- Manning, DP; Jones, C; Rowland, FJ; Roff, M. (1998). The surface roughness of a rubber soling material determines the coefficient of friction on water-lubricated surfaces. *J Safety Res.* 29: 275-283.
- Manske, SL; Paul, AH. (2002). Geology of a major new porphyry copper center in the Superior (Pioneer) district, Arizona. *Econ Geol.* 97: 197-220.
- Manti, A; Bancomina, C; Capano, G. (2013). [Greenstones mining is a risk for public health?]. *Epidemiol Prev.* 37: 74-76.
- Manuella, FC. (2011). Vein mineral assemblage in partially serpentinized peridotite xenoliths from Hyblean Plateau (south-eastern Sicily, Italy). *Periodico di Mineralogia.* 80: 247-266. <http://dx.doi.org/10.2451/2011PM0019>.
- Manuella, FC; Carbone, S; Barreca, G. (2012). ORIGIN OF SAPONITE-RICH CLAYS IN A FOSSIL SERPENTINITE-HOSTED HYDROTHERMAL SYSTEM IN THE CRUSTAL BASEMENT OF THE HYBLEAN PLATEAU (SICILY, ITALY). *Clays and Clay Minerals.* 60: 18-31. <http://dx.doi.org/10.1346/CCMN.2012.0600102>.
- Manuella, FC; Ottolini, L; Carbone, S; Scavo, L. (2016). Metasomatizing effects of serpentinization-related hydrothermal fluids in abyssal peridotites: new contributions from Hyblean peridotite xenoliths (southeastern Sicily). *Lithos.* 264: 405-421. <http://dx.doi.org/10.1016/j.lithos.2016.09.010>.
- Manz, A. (1994). ASBESTOS FIBERS AND MAN-MADE MINERAL FIBERS - CARCINOGENS OR TRANSPORT MEDIA FOR CARCINOGEN - MEMORIES OF AN ALMOST FORGOTTEN THEORY. *Staub, Reinhaltung der Luft.* 54: 363-367.
- Mao, IF; Yeh, HR; Chen, ML. (2002). Comparison of fiber counting by TV screen and eyepieces of phase contrast microscopy. *AIHA J.* 63: 756-761.
- Marchand, JL; Luce, D; Leclerc, A; Goldberg, P; Orlowski, E; Bugel, I; Brugère, J. (2000). Laryngeal and hypopharyngeal cancer and occupational exposure to asbestos and man-made vitreous fibers: results of a case-control study. *Am J Ind Med.* 37: 581-589.
- Marchand, L; Derenne, M; Bazergui, A. (1992). WEIGHT-LOSS CORRELATION FOR SHEET GASKET MATERIALS. *Journal of Pressure Vessel Technology.* 114: 1-7.
- Marchand, PE. (1991). HISTORICAL PERSPECTIVES IN OCCUPATIONAL MEDICINE THE DISCOVERY OF MESOTHELIOMA IN THE NORTHWESTERN CAPE PROVINCE IN THE REPUBLIC OF SOUTH AFRICA. *Am J Ind Med.* 19: 241-246.
- Marchesan, S; Kostarelos, K; Bianco, A; Prato, M. (2015). The winding road for carbon nanotubes in nanomedicine. *Mater Today.* 18. <http://dx.doi.org/10.1016/j.mattod.2014.07.009>.
- Marchesi, C; Garrido, CJ; Padron-Navarta, JA; Lopez Sanchez-Vizcaino, V; Teresa Gomez-Pugnaire, M. (2013). Element mobility from seafloor serpentinization to high-pressure dehydration of antigorite in subducted serpentinite: Insights from the Cerro del Almiraz ultramafic massif (southern Spain). *Lithos.* 178: 128-142. <http://dx.doi.org/10.1016/j.lithos.2012.11.025>.
- Marconi, A; Falleni, F; Campanella, E. (1993). Comparison between phase contrast optical microscopy and electron scanning microscopy for analysis of airborne asbestos fibres in office environments. 84: 211-216.
- Marconi, A; Menichini, E; Paoletti, L. (1984). A comparison of light microscopy and transmission electron microscopy results in the evaluation of the occupational exposure to airborne chrysotile fibres. *Ann Occup Hyg.* 28: 321-331.
- Marczynski, B; Kraus, T; Rozynek, P; Schlösser, S; Raithel, HJ; Baur, X. (2001). Changes in low molecular weight DNA fragmentation in white blood cells of workers highly exposed to asbestos. *Int Arch Occup Environ Health.* 74: 315-324.
- Maresch, WV; Czank, M; Schreyer, W. (1994). GROWTH MECHANISMS, STRUCTURAL DEFECTS AND COMPOSITION OF SYNTHETIC TREMOLITE - WHAT ARE THE EFFECTS ON MACROSCOPIC PROPERTIES. *Contributions to Mineralogy and Petrology.* 118: 297-313.

Exposure Literature Search Results

Off Topic

- Margolis, SE; Morris, GE. (1986). Asbestos fibre supply and the regulation of asbestos exposure. *Resources Policy*. 12: 335-345.
- Marijnissen, J; Zeckendorf, A; Lemkowitz, S; Bibo, H. (1991). TRANSPORT AND DEPOSITION OF UNIFORM RESPIRABLE FIBERS IN A PHYSICAL LUNG MODEL. *J Aerosol Sci*. 22: S859-S862.
- Marinaccio, A. (2009). Epidemiologic surveillance of occupational cancers in the light of the new laws. *Epidemiol Prev*. 33: 80-84.
- Marinaccio, A. (2010). [Scientific research, epidemiologic surveillance, and compensation criteria for asbestos-related diseases] [Letter]. *Med Lav*. 101: 146-148.
- Marinaccio, A; Belli, S; Binazzi, A; Scarselli, A; Massari, S; Bruni, A; Conversano, M; Crosignani, P; Minerba, A; Zona, A; Comba, P. (2011). Residential proximity to industrial sites in the area of Taranto (Southern Italy). A case-control cancer incidence study. *Ann Ist Super Sanita*. 47: 192-199. http://dx.doi.org/10.4415/ANN_11_02_11.
- Marinaccio, A; Scarselli, A; Merler, E; Iavicoli, S. (2012). Mesothelioma incidence surveillance systems and claims for workers' compensation. Epidemiological evidence and prospects for an integrated framework. *BMC Public Health*. 12: 314. <http://dx.doi.org/10.1186/1471-2458-12-314>.
- Marino, O; Palumbo, M; Mascolo, G. (1995). Destruction of asbestos fibres by sintering asbestos-volcanic tuff mixtures. *Environ Technol*. 16: 89-94.
- Marioryad, H; Kakooei, H; Shahtaheri, SJ; Yunesian, M; Azam, K. (2011). Assessment of airborne asbestos exposure at an asbestos cement sheet and pipe factory in Iran. *Regul Toxicol Pharmacol*. 60: 200-205. <http://dx.doi.org/10.1016/j.yrtph.2011.03.005>.
- Mariotte, P; Buttler, A; Johnson, D; Thebault, A; Vandenberghe, C. (2012). Exclusion of root competition increases competitive abilities of subordinate plant species through root-shoot interactions. *J Veg Sci*. 23: 1148-1158. <http://dx.doi.org/10.1111/j.1654-1103.2012.01432.x>.
- Maris, JK. (1991). State of the Environment Report at Fort Lewis and Its Sub-Installations: A Program Review of the Environmental and Natural Resources Division at Fort Lewis (pp. 103). (NTIS/O2980552). Maris, JK.
- Mark, G; Foster, DRW. (2000). Magmatic-hydrothermal albite-actinolite-apatite-rich rocks from the Cloncurry district, NW Queensland, Australia. *Lithos*. 51: 223-245.
- Markham, MC; Wosczyzna, K. (1976). DETERMINATION OF MICRO-QUANTITIES OF CHRYSOTILE ASBESTOS BY DYE ADSORPTION. *Environ Sci Technol*. 10: 930-931.
- Markl, G; Piazzolo, S. (1998). Halogen-bearing minerals in syenites and high-grade marbles of Dronning Maud Land, Antarctica: monitors of fluid compositional changes during late-magmatic fluid-rock interaction processes. *Contributions to Mineralogy and Petrology*. 132: 246-268.
- Markowitz, G; Rosner, D. (2016). "Unleashed on an Unsuspecting World": The Asbestos Information Association and Its Role in Perpetuating a National Epidemic. *Am J Public Health*. 106: 834-840. <http://dx.doi.org/10.2105/AJPH.2015.303023>.
- Markowski, A; Vallance, J; Chiaradia, M; Fontbote, L. (2006). Mineral zoning and gold occurrence in the Fortuna skarn mine, Nambija district, Ecuador. *Miner Depos*. 41: 301-321. <http://dx.doi.org/10.1007/s00126-006-0062-x>.
- Marks, M; Vennemann, T; Siebel, W; Markl, G. (2003). Quantification of magmatic and hydrothermal processes in a peralkaline syenite-alkali granite complex based on textures, phase equilibria, and stable and radiogenic isotopes. *Journal of Petrology*. 44: 1247-1280.
- Marmorato Gomes, CE; Savastano, H, Jr. (2014). Study of Hygral Behavior of NON-asbestos Fiber Cement Made by Similar Hatschek Process. *Mater Res*. 17: 121-129. <http://dx.doi.org/10.1590/S1516-14392013005000180>.
- Marocchi, M; Hermann, J; Morten, L. (2007). Evidence for multi-stage metasomatism of chlorite-amphibole peridotites (Ulten Zone, Italy): Constraints from trace element compositions of hydrous phases. *Lithos*. 99: 85-104. <http://dx.doi.org/10.1016/j.lithos.2007.05.010>.
- Marocchi, M; Hermann, J; Tropper, P; Bargossi, GM; Mair, V. (2010). Amphibole and phlogopite in "hybrid" metasomatic bands monitor trace element transfer at the interface between felsic and ultramafic rocks (Eastern Alps, Italy). *Lithos*. 117: 135-148. <http://dx.doi.org/10.1016/j.lithos.2010.02.011>.
- Marocchi, M; Mair, V; Tropper, P; Bargossi, GM. (2009). Metasomatic reaction bands at the Mt. Hochwart gneiss-peridotite contact (Ulten Zone, Italy): insights into fluid-rock interaction in subduction zones. *Mineralogy and Petrology*. 95: 251-272. <http://dx.doi.org/10.1007/s00710-009-0043-8>.
- Marquardt, H; Marquardt, K. (2012). Focused ion beam preparation and characterization of single-crystal samples for high-pressure experiments in the diamond-anvil cell. *Am Mineral*. 97: 299-304. <http://dx.doi.org/10.2138/am.2012.3911>.
- Marquardt, H; Speziale, S; Koch-Mueller, M; Marquardt, K; Capitani, GC. (2015). Structural insights and elasticity of single-crystal antigorite from high-pressure Raman and Brillouin spectroscopy measured in the (010) plane. *Am Mineral*. 100: 1932-1939. <http://dx.doi.org/10.2138/am-2015-5198>.
- Marques, JM; Carreira, PM; Carvalho, MR; Matias, MJ; Goff, FE; Basto, MJ; Graça, RC; Aires-Barros, L; Rocha, L. (2008). Origins of high pH mineral waters from ultramafic rocks, Central Portugal. *Appl Geochem*. 23: 3278-3289. <http://dx.doi.org/10.1016/j.apgeochem.2008.06.029>.
- Marr, WT. (1964). ASBESTOS EXPOSURE DURING NAVAL VESSEL OVERHAUL. *Am Ind Hyg Assoc J*. 25: 264-268. <http://dx.doi.org/10.1080/00028896409342585>.
- Marsella, JM; Liu, BL; Vaslet, CA; Kane, AB. (1997). Susceptibility of p53-deficient mice to induction of mesothelioma by crocidolite asbestos fibers. *Environ Health Perspect*. 105: 1069-1072.
- Marsh, G; Youk, A; Stone, R; Buchanich, J; Gula, M; Smith, T; Quinn, M. (2001). Historical cohort study of US man-made vitreous fiber production workers: I. 1992 fiberglass cohort follow-up: Initial findings. *J Occup Environ Med*. 43: 741-756.
- Marsh, GM; Gula, MJ; Roggli, VL; Churg, A. (2003). The role of smoking and exposure to asbestos and man-made vitreous fibers in a questionable case of mesothelioma. *Ind Health*. 41: 332-334.

Exposure Literature Search Results

Off Topic

- Marsh, GM; Gula, MJ; Youk, AO; Buchanich, JM; Churg, A; Colby, TV. (2001). Historical cohort study of US man-made vitreous fiber production workers: II. Mortality from mesothelioma. *J Occup Environ Med.* 43: 757-766.
- Marsh, GM; Stone, RA; Henderson, VL. (1992). Lung cancer mortality among industrial workers exposed to formaldehyde: a Poisson regression analysis of the National Cancer Institute study. *AIHA J.* 53: 681-691. <http://dx.doi.org/10.1080/15298669291360373>.
- Marsh, GM; Youk, AO; Roggli, VL. (2011). Asbestos fiber concentrations in the lungs of brake repair workers: commercial amphiboles levels are predictive of chrysotile levels. *Inhal Toxicol.* 23: 681-688. <http://dx.doi.org/10.3109/08958378.2011.580472>.
- Marshall, LJ; Oliver, NHS. (2006). Monitoring fluid chemistry in iron oxide-copper-gold-related metasomatic processes, eastern Mt Isa Block, Australia. *Geofluids.* 6: 45-66.
- Marsili, D; Comba, P. (2013). Asbestos case and its current implications for global health. *Ann Ist Super Sanita.* 49: 249-251. http://dx.doi.org/DOI:10.4415/ANN_13_03_03.
- Marsili, D; Comba, P; De Castro, P. (2015). Environmental health literacy within the Italian Asbestos Project: experience in Italy and Latin American contexts. Commentary. *Ann Ist Super Sanita.* 51: 180-182. http://dx.doi.org/10.4415/ANN_15_03_02.
- Marsili, D; Comba, P; Pasetto, R; Terracini, B. (2014). International scientific cooperation on asbestos-related disease prevention in Latin America [Editorial]. 80: 247-250. <http://dx.doi.org/10.1016/j.aogh.2014.09.002>.
- Martikainen, P; Lahelma, E; Ripatti, S; Albanes, D; Virtamo, J. (2001). Educational differences in lung cancer mortality in male smokers. *Int J Epidemiol.* 30: 264-267.
- Martin, AK; Johnson, GC; Mccarthy, DF; Filson, RB. (1992). ATTEMPTS TO CONTROL LICHENS ON ASBESTOS CEMENT ROOFING. *Int Biodeterior Biodegradation.* 30: 261-271.
- Martin, C; Ponzevera, E; Harlow, G. (2015). In situ lithium and boron isotope determinations in mica, pyroxene, and serpentine by LA-MC-ICP-MS. *Chem Geol.* 412: 107-116. <http://dx.doi.org/10.1016/j.chemgeo.2015.07.022>.
- Martin, J; Beauparlant, M; Sauv e, S; L'Esp rance, G. (2016). On the threshold conditions for electron beam damage of asbestos amosite fibers in the transmission electron microscope (TEM). *J Occup Environ Hyg.* 13: 924-935. <http://dx.doi.org/10.1080/15459624.2016.1191638>.
- Martinez, E. (1979). MAGNETIC CONCENTRATION OF ASBESTOS ORE. 72: 100-104.
- Mart nez-Miranda, MD; Nielsen, B; Nielsen, JP. (2016). Simple benchmark for mesothelioma projection for Great Britain. *Occup Environ Med.* 73: 561-563. <http://dx.doi.org/10.1136/oemed-2015-103303>.
- Martini, E. (1980). [The measurements of asbestos fibres in the working environment. Methods and problems (author's transl)]. *Med Lav.* 71: 174-182.
- Martino, E; Cerminara, S; Prandi, L; Fubini, B; Perotto, S. (2004). Physical and biochemical interactions of soil fungi with asbestos fibers. *Environ Toxicol Chem.* 23: 938-944. <http://dx.doi.org/10.1897/03-266>.
- Martonik, JF; Nash, E; Grossman, E. (2001). The history of OSHA's asbestos rule makings and some distinctive approaches that they introduced for regulating occupational exposure to toxic substances. *AIHAJ.* 62: 208-217.
- Martra, G; Chiardola, E; Coluccia, S; Marchese, L; Tomatis, M; Fubini, B. (1999). Reactive sites at the surface of crocidolite asbestos. *Langmuir.* 15: 5742-5752.
- Martuzzi, M; Comba, P; De Santis, M; Iavarone, I; Di Paola, M; Mastrantonio, M; Pirastu, R. (1998). Asbestos-related lung cancer mortality in Piedmont, Italy. *Am J Ind Med.* 33: 565-570.
- Marty, NCM; Fritz, B; Clement, A; Michau, N. (2010). Modelling the long term alteration of the engineered bentonite barrier in an underground radioactive waste repository. *Appl Clay Sci.* 47: 82-90. <http://dx.doi.org/10.1016/j.clay.2008.10.002>.
- Marwa, EMM; Meharg, AA; Rice, CM. (2011). Accessory Minerals and Potentially Toxic Elements in Tanzanian Vermiculites with Respect to Agricultural Applications. *Commun Soil Sci Plant Anal.* 42: 1123-1142. <http://dx.doi.org/10.1080/00103624.2011.566958>.
- Mas, S; Casterad, X; Laso, N; Lafuente, MJ; Panades, R; Calleja, A; Hernandez, S; Turuguet, D; Deulofeu, R; Ballesta, A; Ascaso, C; Lafuente, A. (2004). Concentration of hydroxyproline in blood: a biological marker in occupational exposure to asbestos and its relationship with Pi*Z and Pi*S polymorphism in the alpha-1 antitrypsin gene. *Am J Ind Med.* 45: 186-193. <http://dx.doi.org/10.1002/ajim.10350>.
- Maslennikova, TP; Korytkova, EN. (2010). Aqueous solutions of cesium salts and cesium hydroxide in hydrosilicate nanotubes of the Mg3Si2O5(OH)(4) composition. *Glass Physics and Chemistry.* 36: 345-350. <http://dx.doi.org/10.1134/S1087659610030119>.
- Maslennikova, TP; Korytkova, EN. (2013). Influence of synthesis of physicochemical parameters on growth of Ni3Si2O5(OH)(4) nanotubes and their filling with solutions of hydroxides and chlorides of alkaline metals. *Glass Physics and Chemistry.* 39: 67-72. <http://dx.doi.org/10.1134/S1087659613010082>.
- Maslennikova, TP; Korytkova, EN; Kuznetsova, OM; Pivovarova, LN. (2016). Thermochemical Modification of Mg3Si2O5(OH)(4) Hydrosilicate Nanotubes by Silver Nitrate Solutions. *Glass Physics and Chemistry.* 42: 288-294. <http://dx.doi.org/10.1134/S1087659616030093>.
- Masood, A; Zuberi, MU; Husain, E. (2008). Breakdown strength of solid dielectrics in liquid nitrogen. *I E E E Transactions on Dielectrics and Electrical Insulation.* 15: 1051-1055.
- Massaro, T; Baldassarre, A; Pinca, A; Martina, GL; Fiore, S; Lettino, A; Cassano, F; Musti, M. (2012). [Exposure to asbestos in buildings in areas of Basilicata characterized by the presence of rocks containing tremolite]. *G Ital Med Lav Ergon.* 34: 568-570.
- Massaro, T; Dragonieri, S; Martina, GL; Baldassarre, A; Cassano, F; Musti, M. (2012). [Asbestos and agriculture: new perspectives of risk]. *G Ital Med Lav Ergon.* 34: 581-582.
- Massawe, E. (2013). Nanomaterials for Environmental Remediation: Investigating the Role of Nanoinformatics in Support of Environmental, Health, and Safety Oversight of Nanotechnologies at the Local Level. *J Environ Health.* 76: 8-17.
- Mast, MA; Drever, JI. (1987). THE EFFECT OF OXALATE ON THE DISSOLUTION RATES OF OLIGOCLASE AND TREMOLITE. *Geochim Cosmo Acta.* 51: 2559-2568.

Exposure Literature Search Results

Off Topic

- Mast, RW; Hesterberg, TW; Glass, LR; McConnell, EE; Anderson, R; Bernstein, DM. (1994). Chronic inhalation and biopersistence of refractory ceramic fiber in rats and hamsters. *Environ Health Perspect.* 102 Suppl 5: 207-209.
- Mastrangelo, G; Ballarin, MN; Bellini, E; Bicciato, F; Zannol, F; Giofrè, F; Zedde, A; Tessadri, G; Fedeli, U; Valentini, F; Scozzato, L; Marangi, G; Lange, JH. (2009). Asbestos exposure and benign asbestos diseases in 772 formerly exposed workers: dose-response relationships. *Am J Ind Med.* 52: 596-602. <http://dx.doi.org/10.1002/ajim.20713>.
- Mastrangelo, G; Ballarin, MN; Bellini, E; Bizzotto, R; Zannol, F; Giofrè, F; Gobbi, M; Tessadri, G; Marchiori, L; Marangi, G; Bozzolan, S; Lange, JH; Valentini, F; Spolaore, P. (2008). Feasibility of a screening programme for lung cancer in former asbestos workers. *Occup Med (Lond).* 58: 175-180. <http://dx.doi.org/10.1093/occmed/kqn018>.
- Mastrangelo, G; Fadda, E; Comiati, V; Dell'Aquila, M; Zamprognò, E; Fedeli, U; Bellini, E. (2014). A rare occupation causing mesothelioma: mechanisms and differential etiology. *Med Lav.* 105: 337-345.
- Mastrangelo, G; Marangi, G; Ballarin, MN; Bellini, E; De Marzo, N; Eder, M; Finchi, A; Giofrè, F; Marcolina, D; Tessadri, G; Zannol, F; Altafini, I; Belluso, E; Zaina, S; Agnesi, R; Scozzato, L; Fedeli, U; Cegolon, L; Valentini, F; Marchiori, L. (2013). Post-occupational health surveillance of asbestos workers. *Med Lav.* 104: 351-358.
- Mastrangelo, G; Marangi, G; Ballarin, MN; Fadda, E; Scozzato, L; Fedeli, U; Marchiori, L; Valentini, F. (2016). Lung cancer risk in past asbestos workers few decades after exposure cessation and prospects for screening. *Arch Environ Occup Health.* 71: 0. <http://dx.doi.org/10.1080/19338244.2015.1134423>.
- Mastrangelo, G; Marangi, G; Ballarin, MN; Michilin, S; Fabricio, AS; Valentini, F; Lange, JH; Fedeli, U; Cegolon, L; Gion, M. (2011). Osteopontin, asbestos exposure and pleural plaques: a cross-sectional study. *BMC Public Health.* 11: 220. <http://dx.doi.org/10.1186/1471-2458-11-220>.
- Matei, E; Cocos, O; Manea, G; Vijulie, I. (2015). SOCIAL PERCEPTION OF PASSIVE POLLUTION BY ASBESTOS IN DARABANI TOWN, BOTOSANI COUNTY, ROMANIA. *Environmental Engineering and Management Journal.* 14: 1137-1142.
- Matejka, V; Fu, Z; Kukutschova, J; Qi, S; Jiang, S; Zhang, X; Yun, R; Vaculik, M; Heliova, M; Lu, Y. (2013). Jute fibers and powdered hazelnut shells as natural fillers in non-asbestos organic non-metallic friction composites. *Materials & Design.* 51: 847-853. <http://dx.doi.org/10.1016/j.matdes.2013.04.079>.
- Matos, EL; Vilensky, M; Mirabelli, D; Boffetta, P. (2000). Occupational exposures and lung cancer in Buenos Aires, Argentina. *J Occup Environ Med.* 42: 653-659.
- Matrat, M; Guida, F; Mattei, F; Cénée, S; Cyr, D; Févotte, J; Sanchez, M; Menvielle, G; Radoi, L; Schmaus, A; Woronoff, AS; Luce, D; Stücker, I; Group, IS. (2016). Welding, a risk factor of lung cancer: the ICARE study. *Occup Environ Med.* 73: 254-261. <http://dx.doi.org/10.1136/oemed-2015-102964>.
- Matrat, M; Pairon, JC; Paolillo, AG; Joly, N; Iwatsubo, Y; Orłowski, E; Letourneux, M; Ameille, J. (2004). Asbestos exposure and radiological abnormalities among maintenance and custodian workers in buildings with friable asbestos-containing materials. *Int Arch Occup Environ Health.* 77: 307-312. <http://dx.doi.org/10.1007/s00420-004-0520-7>.
- Matsuda, M; Hunt, G. (2009). Research on the societal impacts of nanotechnology: a preliminary comparison of USA, Europe and Japan [Review]. *Biomed Mater Eng.* 19: 259-267. <http://dx.doi.org/10.3233/BME-2009-0588>.
- Matsuoka, M; Igisu, H; Morimoto, Y. (2003). Phosphorylation of p53 protein in A549 human pulmonary epithelial cells exposed to asbestos fibers. *Environ Health Perspect.* 111: 509-512. <http://dx.doi.org/10.1289/ehp.5945>.
- Mattei, F; Guida, F; Matrat, M; Cénée, S; Cyr, D; Sanchez, M; Radoi, L; Menvielle, G; Jellouli, F; Carton, M; Bara, S; Marrer, E; Luce, D; Stücker, I. (2014). Exposure to chlorinated solvents and lung cancer: results of the ICARE study. *Occup Environ Med.* 71: 681-689. <http://dx.doi.org/10.1136/oemed-2014-102182>.
- Mattei, F; Liverani, S; Guida, F; Matrat, M; Cénée, S; Azizi, L; Menvielle, G; Sanchez, M; Pilorget, C; Lapôtre-Ledoux, B; Luce, D; Richardson, S; Stücker, I; Group, IS. (2016). Multidimensional analysis of the effect of occupational exposure to organic solvents on lung cancer risk: the ICARE study. *Occup Environ Med.* 73: 368-377. <http://dx.doi.org/10.1136/oemed-2015-103177>.
- Mattenklott, M. (1998). Identification of asbestos fibres in dusts and powders from mineral raw materials. Part 1: Fundamentals, catalogue of criteria. *Staub, Reinhaltung der Luft.* 58: 15-22.
- Mattenklott, M. (2004). Analytics of thermally treated asbestos cement. *Staub, Reinhaltung der Luft.* 64: 480-484.
- Mattenklott, M. (2007). Asbestos in talc powders and in soapstone - The present state. *Staub, Reinhaltung der Luft.* 67: 287-292.
- Matthes, S; Okrusch, M; Rohr, C; Schussler, U; Richter, P; Vongehlen, K. (1995). TALC-CHLORITE-AMPHIBOLE FELSES OF THE KTB PILOT HOLE, OBERPFALZ, BAVARIA - PROTOLITH CHARACTERISTICS AND PHASE-RELATIONSHIPS. *Mineralogy and Petrology.* 52: 25-59.
- Mattioli, M; Giordani, M; Dogan, M; Cangioti, M; Avella, G; Giorgi, R; Dogan, AU; Ottaviani, MF. (2016). Morpho-chemical characterization and surface properties of carcinogenic zeolite fibers. *J Hazard Mater.* 306: 140-148. <http://dx.doi.org/10.1016/j.jhazmat.2015.11.015>.
- Mattioli, S; Nini, D; Mancini, G; Violante, FS. (2002). Past asbestos exposure levels in foundries and cement-asbestos factories [Letter]. *Am J Ind Med.* 42: 363. <http://dx.doi.org/10.1002/ajim.10114>.
- Mattson, SM. (1994). Glass Fibres in Simulated Lung Fluid: Dissolution Behaviour and Analytical Requirements. *Ann Occup Hyg.* 38: 857-877.
- Matzka, RA. (1989). A REVIEW OF THE APPLICATION OF NON-ASBESTOS PACKING AND GASKET MATERIALS IN THE PULP AND PAPER-INDUSTRY. *Tappi Journal.* 72: 233-238.
- Mauderly, JL. (1997). Relevance of particle-induced rat lung tumors for assessing lung carcinogenic hazard and human lung cancer risk [Review]. *Environ Health Perspect.* 105 (Suppl 5): 1337-1346.
- Maulana, A, di; Christy, AG; Ellis, DJ. (2015). Petrology, geochemistry and tectonic significance of serpentized ultramafic rocks from the South Arm of Sulawesi, Indonesia. *Chem Erde.* 75: 73-87. <http://dx.doi.org/10.1016/j.chemer.2014.09.003>.

Exposure Literature Search Results

Off Topic

- Maule, MM; Biggeri, A; Dalmaso, P; Merletti, F; Magnani, C. (2006). Environmental exposure increases dramatically the risk of mesothelioma in an asbestos manufacturing area. *Eur J Epidemiol.* 21: 47-47.
- Maurel, M; Stoufflet, A; Thorel, L; Berna, V; Gislard, A; Letourneux, M; Pairon, JC; Survey, NNoAP-E; Paris, C. (2009). Factors associated with cancer distress in the Asbestos Post-Exposure Survey (APEXS). *Am J Ind Med.* 52: 288-296. <http://dx.doi.org/10.1002/ajim.20672>.
- Maurya, VP; Sejian, V; Naqvi, SMK. (2013). Effect of cold stress on growth, physiological responses, blood metabolites and hormonal profile of native Malpura lambs under hot semi-arid tropics of India. *Indian J Anim Sci.* 83: 370-373.
- Mazza, R; Invernizzi, G; Sbrogio, L. (2010). Smoking while driving: do we need a law? [Editorial]. *Epidemiol Prev.* 34: 7-8.
- Mazziotti-Tagliani, S; Andreozzi, GB; Bruni, BM; Gianfagna, A; Pacella, A; Paoletti, L. (2009). Quantitative chemistry and compositional variability of fluorine fibrous amphiboles from Biancavilla (Sicily, Italy). *Periodico di Mineralogia.* 78: 65-74. <http://dx.doi.org/10.2451/2009PM0004>.
- Mccafferty, AE; Van Gosen, BS. (2009). Airborne gamma-ray and magnetic anomaly signatures of serpentinite in relation to soil geochemistry, northern California. *Appl Geochem.* 24: 1524-1537. <http://dx.doi.org/10.1016/j.apgeochem.2009.04.007>.
- Mccallum, IS; Thurber, MW; O'Brien, HE; Nelson, BK. (1999). Lead isotopes in sulfides from the Stillwater Complex, Montana: evidence for subsolidus remobilization. *Contributions to Mineralogy and Petrology.* 137: 206-219.
- Mccammon, C; Lee, S. (1990). Hazard Evaluation and Technical Assistance Report HETA 90-151-L2067, Department of Energy, Westside Energy Co-Op, Denver, Colorado. 13.
- Mccammon, C; Lee, S. (1990). Hazard Evaluation and Technical Assistance Report No. HETA-90-151-L2067, Department of Energy, Westside Energy Co-Op, Denver, Colorado (pp. 90-151). (NIOSH/00196019). Mccammon, C; Lee, S.
- Mccammon, JB; Hills, B; Orgel, D. (1990). Health Hazard Evaluation Report HETA 88-348-2081, A.E. Staley Manufacturing Company, Decatur, Illinois. 45.
- Mcclellan, RO; Hesterberg, TW. (1994). ROLE OF BIOPERSISTENCE IN THE PATHOGENICITY OF MAN-MADE FIBERS AND METHODS FOR EVALUATING BIOPERSISTENCE - A SUMMARY OF 2 ROUND-TABLE DISCUSSIONS. *Environ Health Perspect.* 102: 277-283.
- Mccollom, TM; Klein, F; Robbins, M; Moskowitz, B; Berquo, TS; Joens, N; Bach, W; Templeton, A. (2016). Temperature trends for reaction rates, hydrogen generation, and partitioning of iron during experimental serpentinization of olivine. *Geochim Cosmo Acta.* 181: 175-200. <http://dx.doi.org/10.1016/j.gca.2016.03.002>.
- Mccollom, TM; Shock, EL. (1998). Fluid-rock interactions in the lower oceanic crust: Thermodynamic models of hydrothermal alteration. *J Geophys Res Solid Earth.* 103: 547-575.
- Mcconnell, EE. (1995). FIBROGENIC EFFECT OF WOLLASTONITE COMPARED WITH ASBESTOS DUST AND DUSTS CONTAINING QUARTZ [Letter]. *Occup Environ Med.* 52: 621-621.
- Mcconnell, EE; Rutter, HA; Ulland, BM; Moore, JA. (1983). Chronic effects of dietary exposure to amosite asbestos and tremolite in F344 rats. *Environ Health Perspect.* 53: 27-44.
- Mcconnell, EE; Shefner, AM; Rust, JH; Moore, JA. (1983). Chronic effects of dietary exposure to amosite and chrysotile asbestos in Syrian golden hamsters. *Environ Health Perspect.* 53: 11-25.
- Mccredie, M; Stewart, JH. (1993). RISK-FACTORS FOR KIDNEY CANCER IN NEW-SOUTH-WALES. 4. OCCUPATION. *Br J Ind Med.* 50: 349-354.
- Mccuaig, TC; Kerrich, R; Groves, DI; Archer, N. (1993). THE NATURE AND DIMENSIONS OF REGIONAL AND LOCAL GOLD-RELATED HYDROTHERMAL ALTERATION IN THOLEIITIC METABASALTS IN THE NORSEMAN GOLDFIELDS - THE MISSING LINK IN A CRUSTAL CONTINUUM OF GOLD DEPOSITS. *Miner Depos.* 28: 420-435.
- Mcculloch, J. (2003). Asbestos mining in Southern Africa, 1893-2002. *Int J Occup Environ Health.* 9: 230-235. <http://dx.doi.org/10.1179/oeh.2003.9.3.230>.
- Mcculloch, J. (2005). Mining and mendacity, or how to keep a toxic product in the marketplace. *Int J Occup Environ Health.* 11: 398-403. <http://dx.doi.org/10.1179/oeh.2005.11.4.398>.
- Mccutcheon, J; Dipple, GM; Wilson, SA; Southam, G. (2015). Production of magnesium-rich solutions by acid leaching of chrysotile: A precursor to field-scale deployment of microbially enabled carbonate mineral precipitation. *Chem Geol.* 413: 119-131. <http://dx.doi.org/10.1016/j.chemgeo.2015.08.023>.
- Mccutcheon, J; Wilson, SA; Southam, G. (2016). Microbially Accelerated Carbonate Mineral Precipitation as a Strategy for in Situ Carbon Sequestration and Rehabilitation of Asbestos Mine Sites. *Environ Sci Technol.* 50: 1419-1427. <http://dx.doi.org/10.1021/acs.est.5b04293>.
- Mcdermott, M; Bevan, MM; Elmes, PC; Allardice, JT; Bradley, AC. (1982). Lung function and radiographic change in chrysotile workers in Swaziland. *Br J Ind Med.* 39: 338-343. <http://dx.doi.org/10.1136/oem.39.4.338>.
- Mcdonald, A; Fry, JS. (1982). MESOTHELIOMA AND FIBER TYPE IN 3 AMERICAN ASBESTOS FACTORIES PRELIMINARY REPORT (pp. 10-12). (ISSN 0355-3140; EISSN 1795-990X; HEEP/83/07739). Mcdonald, A; Fry, JS.
- Mcdonald, A; Scott, B; Villemure, G. (2009). Hydrothermal preparation of nanotubular particles of a 1:1 nickel phyllosilicate. *Microporous and Mesoporous Materials.* 120: 263-266. <http://dx.doi.org/10.1016/j.micromeso.2008.11.013>.
- Mcdonald, AD; Case, BW; Churg, A; Dufresne, A; Gibbs, GW; Sébastien, P; Mcdonald, JC. (1997). Mesothelioma in Quebec chrysotile miners and millers: epidemiology and aetiology. *Ann Occup Hyg.* 41: 707-719. [http://dx.doi.org/10.1016/S0003-4878\(97\)00020-3](http://dx.doi.org/10.1016/S0003-4878(97)00020-3).
- Mcdonald, AD; Fry, JS; Woolley, AJ; Mcdonald, JC. (1983). Dust exposure and mortality in an American chrysotile textile plant. *Occup Environ Med.* 40: 361-367.
- Mcdonald, AD; Fry, JS; Woolley, AJ; Mcdonald, JC. (1983). Dust exposure and mortality in an American factory using chrysotile, amosite, and crocidolite in mainly textile manufacture. *Occup Environ Med.* 40: 368-374.

Exposure Literature Search Results

Off Topic

- Mcdonald, AD; Fry, JS; Woolley, AJ; Mcdonald, JC. (1984). Dust exposure and mortality in an American chrysotile asbestos friction products plant. *Occup Environ Med.* 41: 151-157.
- Mcdonald, AD; Mcdonald, JC. (1978). Mesothelioma after crocidolite exposure during gas mask manufacture. *Environ Res.* 17: 340-346.
- Mcdonald, JC. (1971). HEALTH OF QUEBEC ASBESTOS WORKERS. 64: 65-&.
- Mcdonald, JC. (1994). Epidemiological significance of mineral fiber persistence in human lung tissue [Review]. *Environ Health Perspect.* 102 Suppl 5: 221-224.
- Mcdonald, JC. (1998). Mineral fibre persistence and carcinogenicity. *Ind Health.* 36: 372-375.
- Mcdonald, JC. (1998). Unfinished business: the asbestos textiles mystery [Review]. *Ann Occup Hyg.* 42: 3-5.
- Mcdonald, JC. (2010). Epidemiology of malignant mesothelioma--an outline. *Ann Occup Hyg.* 54: 851-857. <http://dx.doi.org/10.1093/annhyg/meq076>.
- Mcdonald, JC; Armstrong, BG; Edwards, CW; Gibbs, AR; Lloyd, HM; Pooley, FD; Ross, DJ; Rudd, RM. (2001). Case-referent survey of young adults with mesothelioma: I. Lung fibre analyses. *Ann Occup Hyg.* 45: 513-518.
- Mcdonald, JC; Becklake, MR; Fournier-Massey, G; Rossiter, CE. (1972). Respiratory symptoms in chrysotile asbestos mine and mill workers of Quebec. *Arch Environ Health.* 24: 358-363.
- Mcdonald, JC; Becklake, MR; Gibbs, GW; Mcdonald, AD; Rossiter, CE. (1974). The health of chrysotile asbestos mine and mill workers of Quebec. *Arch Environ Health.* 28: 61-68.
- Mcdonald, JC; Cherry, N; Mcnamee, R; Burgess, G; Turner, S. (1995). Preliminary analysis of proportional mortality in a cohort of British pottery workers exposed to crystalline silica. *Scand J Work Environ Health.* 21 Suppl 2: 63-65.
- Mcdonald, JC; Edwards, CW; Gibbs, AR; Lloyd, HM; Pooley, FD; Ross, DJ; Rudd, RM. (2001). Case-referent survey of young adults with mesothelioma: II. Occupational analyses. *Ann Occup Hyg.* 45: 519-523. <http://dx.doi.org/10.1093/annhyg/45.7.519>.
- Mcdonald, JC; Harris, J; Armstrong, B. (2004). Mortality in a cohort of vermiculite miners exposed to fibrous amphibole in Libby, Montana. *Occup Environ Med.* 61: 363-366. <http://dx.doi.org/10.1136/oem.2003.008649>.
- Mcdonald, JC; Harris, JM; Berry, G. (2006). Sixty years on: The price of assembling military gas masks in 1940. *Occup Environ Med.* 63: 852-855. <http://dx.doi.org/10.1136/oem.2006.028258>.
- Mcdonald, JC; Liddell, FD; Dufresne, A; Mcdonald, AD. (1993). The 1891-1920 birth cohort of Quebec chrysotile miners and millers: mortality 1976-88. *Br J Ind Med.* 50: 1073-1081.
- Mcdonald, JC; Liddell, FD; Gibbs, GW; Eyssen, GE; Mcdonald, AD. (1993). Dust exposure and mortality in chrysotile mining, 1910-75. 1980. *Br J Ind Med.* 50: 1058-1072.
- Mcdonald, JC; Liddell, FD; Gibbs, GW; Eyssen, GE; Mcdonald, AD. (1980). Dust exposure and mortality in chrysotile mining, 1910-75. *Occup Environ Med.* 37: 11-24.
- Mcdonald, JC; Mcdonald, A. (1993). WORK-RELATED MESOTHELIOMA IN QUEBEC, 1967-1990. *Am J Ind Med.* 24: 245-246.
- Mcdonald, JC; Mcdonald, AD. (1997). Chrysotile, tremolite and carcinogenicity. *Ann Occup Hyg.* 41: 699-705. [http://dx.doi.org/10.1016/S0003-4878\(97\)89350-7](http://dx.doi.org/10.1016/S0003-4878(97)89350-7).
- Mcdonald, JC; Mcdonald, AD; Hughes, JM. (1999). Chrysotile, tremolite and fibrogenicity. *Ann Occup Hyg.* 43: 439-442.
- Mcdonald, JC; Mcdonald, AD; Sebastien, P; Moy, K. (1988). Health of vermiculite miners exposed to trace amounts of fibrous tremolite. *Occup Environ Med.* 45: 630-634. <http://dx.doi.org/10.1136/oem.45.9.630>.
- Mcdonald, JC; Sébastien, P; Case, B; Mcdonald, AD; Dufresne, A. (1992). Ferruginous body counts in sputum as an index of past exposure to mineral fibres. *Ann Occup Hyg.* 36: 271-282.
- Mcelvenny, DM; Armstrong, BG; Jarup, L; Higgins, JPT. (2004). Meta-analysis in occupational epidemiology: a review of practice [Review]. *Occup Med (Lond).* 54: 336-344. <http://dx.doi.org/10.1093/occmed/kqh049>.
- Mcgahan, DG; Southard, RJ; Claassen, VP. (2008). Tectonic inclusions in serpentinite landscapes contribute plant nutrient calcium. *Soil Sci Soc Am J.* 72: 838-847. <http://dx.doi.org/10.2136/sssaj2007.0159>.
- Mcgavin, DG; Palmer, RA; Tennant, WC; Devine, SD. (1982). USE OF ULTRASONICALLY MODULATED ELECTRON RESONANCE TO STUDY S-STATE IONS IN MINERAL CRYSTALS - MN-2+, FE-3+, IN TREMOLITE. *Physics and Chemistry of Minerals.* 8: 200-205.
- Mcgrath, DB; Van Orden, DR; Howard, RM; Guerrero, P; Davis, SC. (2010). Two different methods, three different variations, four different sources: what bulk asbestos PLM method is your laboratory using? Part 1. *J Occup Environ Hyg.* 7: D53-D56. <http://dx.doi.org/10.1080/15459624.2010.486305>.
- Mcguire, MJ; Bowers, AE; Bowers, DA. (1983). OPTIMIZING LARGE-SCALE WATER-TREATMENT PLANTS FOR ASBESTOS-FIBER REMOVAL. *J Am Water Works Assoc.* 75: 364-370.
- Mckernan, JL; Toraason, MA; Fernback, JE. (2008). Presence of airborne fibers in tungsten refining and manufacturing processes: preliminary characterization. *J Occup Environ Hyg.* 5: 463-474. <http://dx.doi.org/10.1080/15459620802143742>.
- Mckiernan, M. (2012). Giovanni Antonio Canale (Canaletto): The Arsenal The Water Entrance 1732. *Occup Med (Lond).* 62: 86-87. <http://dx.doi.org/10.1093/occmed/kqs003>.
- Mckinley, M; Ronk, C; Jacobsen, M; Williams, E; Galbraith, D. (2012). CHRYSOTILE ASBESTOS EXPOSURE AND UPPER RESPIRATORY CANCERS: IS THERE AN ASSOCIATION? *Am J Epidemiol.* 175: S101-S101.
- Mckinnery, WN, Jr; Moore, RW. (1992). Evaluation of airborne asbestos fiber levels during removal and installation of valve gaskets and packing. *AIHA J.* 53: 531-532.
- Mclarty, J; Zinkgraf, S; Smith, K. (1986). VALIDATION OF SELF-REPORTED TOBACCO USE IN FORMER ASBESTOS WORKERS USING PLASMA COTININE AND THIOCYANATE - THE TYLER-CANCER-PREVENTION-PROGRAM. *Am J Epidemiol.* 124: 538-538.

Exposure Literature Search Results

Off Topic

- Mclaughlin, JK; Malker, HSR; Blot, WJ; Weiner, JA; Stone, BJ; Ericsson, JLE; Fraumeni, JF. (1992). RENAL-CELL CANCER AMONG ARCHITECTS AND ALLIED PROFESSIONALS IN SWEDEN. *Am J Ind Med.* 21: 873-876.
- Mcmartin, I; Corriveau, L; Beaudoin, G. (2011). An orientation study of the heavy mineral signature of the NICO Co-Au-Bi deposit, Great Bear magmatic zone, NW Territories, Canada. *Geochemistry: Exploration, Environment, Analysis.* 11: 293-307. <http://dx.doi.org/10.1144/1467-7873/10-IM-023>.
- Mcmillan, GH. (1983). The health of welders in naval dockyards. The risk of asbestos-related diseases occurring in welders. *J Occup Med.* 25: 727-730.
- Mcneil, BJ; Eddy, DM. (1982). The costs and effects of screening for cancer among asbestos-exposed workers. *J Chronic Dis.* 35: 351-358.
- Mcsween, HY, Jr; Labotka, TC; Viviano-Beck, CE. (2015). Metamorphism in the Martian crust. *Meteoritics and Planetary Science.* 50: 590-603. <http://dx.doi.org/10.1111/maps.12330>.
- Mead Technology Labs, D, OH. (1982). Industrial Hygiene Survey with Cover Memo and Cover Letter. 53.
- Meek, ME; Long, G. (1994). MAN-MADE VITREOUS FIBERS - EVALUATION OF RISKS TO HEALTH FROM ENVIRONMENTAL EXPOSURE IN CANADA. *J Environ Sci Health C Environ Carcinog Ecotoxicol Rev.* 12: 361-387.
- Meeker, GP; Bern, AM; Brownfield, IK; Lowers, HA; Sutley, SJ; Hoefen, TM; Vance, JS. (2003). The composition and morphology of amphiboles from the Rainy Creek Complex, near Libby, Montana. *Am Mineral.* 88: 1955-1969.
- Meel, BL; Meel, R. (2005). Prevalence of asbestos exposure of the mine workforce from Transkei, South Africa. *Chest.* 128: 345S-345S.
- Meeran, R. (2003). Cape Plc: South African mineworkers' quest for justice. *Int J Occup Environ Health.* 9: 218-229. <http://dx.doi.org/10.1179/oeh.2003.9.3.218>.
- Meguelli-Hakkas, D; Cyr, D; Stücker, I; Févotte, J; Pilorget, C; Luce, D; Guénel, P. (2006). Lung cancer mortality and occupational exposure to asbestos among telephone linemen: a historical cohort study in France. *J Occup Environ Med.* 48: 1166-1172. <http://dx.doi.org/10.1097/01.jom.0000243357.70143.47>.
- Mehlman, MA. (1991). Dangerous and cancer-causing properties of products and chemicals in the oil refining and petrochemical industry: Part V--Asbestos-caused cancers and exposure of workers in the oil refining industry. *Toxicol Ind Health.* 7: 53-71.
- Mehlman, MA. (1991). Dangerous and cancer-causing properties of products and chemicals in the oil-refining and petrochemical industries. Part IX: Asbestos exposure and analysis of exposures [Review]. *Ann N Y Acad Sci.* 643: 368-389.
- Mei, N; Tamae, K; Kunugita, N; Hirano, T; Kasai, H. (2003). Analysis of 8-hydroxydeoxyguanosine 5'-monophosphate (8-OH-dGMP) as a reliable marker of cellular oxidative DNA damage after gamma-irradiation. *Environ Mol Mutagen.* 41: 332-338. <http://dx.doi.org/10.1002/em.10165>.
- Meigs, JW; Walter, SD; Heston, JF; Millette, J. R.; Craun, GF; Woodhull, RS; Flannery, JT. (1980). ASBESTOS-CEMENT PIPE IS NO DANGER IN CONNECTICUT. 127: 66-&.
- Melcher, F; Meisel, T. (2004). A metamorphosed early Cambrian crust-mantle transition in the Eastern Alps, Austria. *Journal of Petrology.* 45: 1689-1723. <http://dx.doi.org/10.1093/petrology/egh030>.
- Melchior, M; Goldberg, M; Krieger, N; Kawachi, I; Menvielle, G; Zins, M; Berkman, LF. (2005). Occupational class, occupational mobility and cancer incidence among middle-aged men and women: a prospective study of the French GAZEL cohort. *Cancer Causes Control.* 16: 515-524. <http://dx.doi.org/10.1007/s10552-004-7116-0>.
- Melchiorre, EB; Bottrill, R; Huss, GR; Lopez, A. (2017). Conditions of stichtite (Mg6Cr2(OH)(16)[CO3]center dot 4H(2)O) formation and its geochemical and isotope record of early phanerozoic serpentinizing environments. *Geochim Cosmo Acta.* 197: 43-61. <http://dx.doi.org/10.1016/j.gca.2016.10.020>.
- Melekhova, E; Schmidt, M, axW; Ulmer, P; Guggenbuehl, E. (2006). The reaction talc plus forsterite = enstatite plus H2O revisited: Application of conventional and novel experimental techniques and derivation of revised thermodynamic properties. *Am Mineral.* 91: 1081-1088. <http://dx.doi.org/10.2138/am.2006.2065>.
- Melezhik, VA; Fallick, AE. (2003). delta C-13 and delta O-18 variations in primary and secondary carbonate phases: several contrasting examples from Palaeoproterozoic C-13-rich metamorphosed dolostones. *Chem Geol.* 201: 213-228. <http://dx.doi.org/10.1016/j.chemgeo.2003.07.003>.
- Mellemgaard, A; Engholm, G; Mclaughlin, JK; Olsen, JH. (1994). Occupational risk factors for renal-cell carcinoma in Denmark. *Scand J Work Environ Health.* 20: 160-165.
- Melling, DR; Watkinson, DH; Fox, PE; Cameron, RS. (1990). CARBONATIZATION AND PROPYLITIC ALTERATION OF FRAGMENTAL BASALTIC ROCKS, QUESNEL RIVER GOLD DEPOSIT, CENTRAL BRITISH-COLUMBIA. *Miner Depos.* 25: S115-S124.
- Mellini, M. (2005). Micro- and mesoporous carbon forms, chrysotile, and clathrates. *Rev Mineral Geochem.* 57: 435-448. <http://dx.doi.org/10.2138/rmg.2005.57.12>.
- Melnick, RL; Ward, JM; Huff, J. (2013). War on carcinogens: Industry disputes human relevance of chemicals causing cancer in laboratory animals based on unproven hypotheses, using kidney tumors as an example [Editorial]. *Int J Occup Environ Health.* 19: 255-260. <http://dx.doi.org/10.1179/1077352513Z.00000000090>.
- Melo, T; Furlan, R; Milani, A; Buzanskas, M; Moura, A; Mota, D; Cardoso, D. (2013). Evaluation of different roof slopes and exposure in three types of coverage in models of animal installations. 34: 1327-1338. <http://dx.doi.org/10.5433/1679-0359.2013v34n3p1327>.
- Melzer, S; Gottschalk, M; Heinrich, W. (1998). Experimentally determined partitioning of Rb between richterites and aqueous (Na, K)-chloride solutions. *Contributions to Mineralogy and Petrology.* 133: 315-328.
- Menala, J; Alves, R; Sanches, S; Santos, G; Mesquita, E. (2003). Monitoring the active sessile-colonisation of two drinking water distribution systems based on the protein contents in native biofilm samples. *Water Sci Technol.* 47: 169-173.

Exposure Literature Search Results

Off Topic

- Menapace, C; Leonardi, M; Perricone, G; Bortolotti, M; Straffelini, G; Gialanella, S. (2017). Pin-on-disc study of brake friction materials with ball-milled nanostructured components. *Materials & Design*. 115: 287-298. <http://dx.doi.org/10.1016/j.matdes.2016.11.065>.
- Menard, H; Noel, L; Khorami, J; Jouve, JL; Dunnigan, J. (1986). The adsorption of polyaromatic hydrocarbons on natural and chemically modified asbestos fibers. *Environ Res*. 40: 84-91.
- Menard, JJ. (1995). RELATIONSHIP BETWEEN ALTERED PYROXENE DIORITE AND THE MAGNETITE MINERALIZATION IN THE CHILEAN IRON BELT, WITH EMPHASIS ON THE EL-ALGARROBO IRON DEPOSITS (ATACAMA REGION, CHILE). *Miner Depos*. 30: 268-274.
- Menard, T; Leshner, CM; Stowell, HH; Price, DP; Pickell, JR; Onstott, TC; Hulbert, L. (1996). Geology, genesis, and metamorphic history of the Namew Lake Ni-Cu deposit, Manitoba. *Econ Geol*. 91: 1394-1413.
- Menegozzo, S; Comba, P; Ferrante, D; De Santis, M; Gorini, G; Izzo, F; Magnani, C; Pirastu, R; Simonetti, A; Tunesi, S; Menegozzo, M. (2011). Mortality study in an asbestos cement factory in Naples, Italy. *Ann Ist Super Sanita*. 47: 296-304. http://dx.doi.org/DOI:10.4415/ANN_11_03_10.
- Menichini, E; Marconi, A. (1982). Asbestos in brake and clutch factories: Results of an environmental survey. *G Ital Med Lav*. 4: 4-5.
- Mensi, C; Garberi, A; Bordini, L; Sieno, C; Riboldi, L. (2010). Asbestos-related diseases in entertainment workers. *Med Lav*. 101: 416-418.
- Mensi, C; Garberi, A; Trinco, R; Riboldi, L. (2009). The upholsterer and the asbestos [Letter]. *Occup Environ Med*. 66: 855. <http://dx.doi.org/10.1136/oem.2009.050658>.
- Mensi, C; Giacomini, S; Sieno, C; Consonni, D; Riboldi, L. (2011). Pericardial mesothelioma and asbestos exposure. *Int J Hyg Environ Health*. 214: 276-279. <http://dx.doi.org/10.1016/j.ijheh.2010.11.005>.
- Mensi, C; Macchione, M; Termine, L; Canti, Z; Rivolta, G; Riboldi, L; Chiappino, G. (2007). [Asbestos exposure in the non-asbestos textile industry: the experience of the Lombardy Mesothelioma Registry]. *Epidemiol Prev*. 31: 27-30.
- Menvielle, G; Franck, JE; Radoï, L; Sanchez, M; Févotte, J; Guizard, AV; Stücker, I; Luce, D; group, Is. (2016). Quantifying the mediating effects of smoking and occupational exposures in the relation between education and lung cancer: the ICARE study. *Eur J Epidemiol*. 31: 1213-1221. <http://dx.doi.org/10.1007/s10654-016-0182-2>.
- Menvielle, G; Luce, D; Fevotte, J; Bugel, I; Salomon, C; Goldberg, P; Billon-Galland, MA; Goldberg, M. (2003). Occupational exposures and lung cancer in New Caledonia. *Occup Environ Med*. 60: 584-589.
- Meo, SA; Rasheed, S; Khan, MM; Shujaiddin, S; Al-Tuwaijri, AS. (2008). Effect of cement dust exposure on phagocytic function of polymorphonuclear neutrophils in cement mill workers. *Int J Occup Med Environ Health*. 21: 133-139. <http://dx.doi.org/10.2478/v10001-008-0017-9>.
- Méranger, JC; Reid, WW; Davey, AB. (1979). The transfer of asbestos from water to air via a portable drum-type home humidifier. *Can J Public Health*. 70: 276-278.
- Merchant, JA; Klouda, PT; Soutar, CA; Parkes, WR; Lawler, SD; Turner-Warwick, M. (1975). The HL-A system in asbestos workers. *Br Med J*. 1: 189-191.
- Meredith, SK; McDonald, JC. (1994). Work-related respiratory disease in the United Kingdom, 1989-1992: report on the SWORD project. *Occup Med (Lond)*. 44: 183-189.
- Meredith, SK; Taylor, VM; McDonald, JC. (1991). Occupational respiratory disease in the United Kingdom 1989: a report to the British Thoracic Society and the Society of Occupational Medicine by the SWORD project group. *Br J Ind Med*. 48: 292-298.
- Merkulova, M; Munoz, M; Vidal, O; Brunet, F. (2016). Role of iron content on serpentinite dehydration depth in subduction zones: Experiments and thermodynamic modeling. *Lithos*. 264: 441-452. <http://dx.doi.org/10.1016/j.lithos.2016.09.007>.
- Merler, E. (1998). A cross-sectional study on asbestos workers carried out in Italy in 1940: a forgotten study. *Am J Ind Med*. 33: 90-93.
- Merler, E. (2014). [Importance of screening the exposed to asbestos with LDCT] [Letter]. *Med Lav*. 105: 307-308.
- Merler, E; Bizzotto, R; Calisti, R; Cavone, D; De Marzo, N; Gioffrè, F; Mabilia, T; Marcolina, D; Musti, M; Munafò, MG; Roberti, S; Zambon, P. (2003). Mesotheliomas among Italians, returned to the home country, who worked when migrant at a cement-asbestos factory in Switzerland. *Soz Praventivmed*. 48: 65-69.
- Merler, E; Bressan, V; Bilato, AM; Marinaccio, A; maligni, Grvsm. (2011). [The effectiveness of compensation system for mesotheliomas due to occupational exposure to asbestos and determinants for requests and awards: an evaluation based on record-linkage between the Veneto Mesothelioma Register and the claims and compensations recorded by the National Insurance Institute (INAIL)]. *Epidemiol Prev*. 35: 331-338.
- Merler, E; Bressan, V; Somigliana, A; Maligni, GRVSM. (2009). [Mesothelioma in construction workers: risk estimate, lung content of asbestos fibres, claims for compensation for occupational disease in the Veneto Region mesothelioma register]. *Med Lav*. 100: 120-132.
- Merler, E; Buiatti, E; Vainio, H. (1997). Surveillance and intervention studies on respiratory cancers in asbestos-exposed workers [Review]. *Scand J Work Environ Health*. 23: 83-92.
- Merler, E; Vineis, P; Alhague, D; Miligi, L. (1999). Occupational cancer in Italy [Review]. *Environ Health Perspect*. 107: 259-271.
- Merletti, F; Boffetta, P; Ferro, G; Pisani, P; Terracini, B. (1991). Occupation and cancer of the oral cavity or oropharynx in Turin, Italy. *Scand J Work Environ Health*. 17: 248-254.
- Merli, M; Ungaretti, L; Oberti, R. (2000). Leverage analysis and structure refinement of minerals. *Am Mineral*. 85: 532-542.
- Merlo, DF; Garattini, S; Gelatti, U; Simonati, C; Covolo, L; Ceppi, M; Donato, F. (2004). A mortality cohort study among workers in a graphite electrode production plant in Italy. *Occup Environ Med*. 61.
- Mertig, HJ; Rubin, JN; Kyle, J. R. (1994). SKARN CU-AU OREBODIES OF THE GUNUNG-BIJIH (ERTSBERG) DISTRICT, IRIAN-JAYA, INDONESIA. *J Geochem Explor*. 50: 179-202.
- Mervat, H. (2008). Microstructure of calcined Mg-rich clay minerals of Egyptian serpentinites. *Periodico di Mineralogia*. 77: 93-107. <http://dx.doi.org/10.2451/2008PM0007>.

Exposure Literature Search Results

Off Topic

- Meshida, EA. (2006). Highway failure over talc-tremolite schist terrain: a case study of the Ife to Ilesha highway, South Western Nigeria. *Bulletin of Engineering Geology and the Environment*. 65: 457-461. <http://dx.doi.org/10.1007/s10064-005-0037-7>.
- Messier, L. (1984). ASBESTOS - IS THE NEW PERMISSIBLE EXPOSURE LEVEL JUSTIFIED. *Professional Safety*. 29: 35-37.
- Mester, B; Nieters, A; Deeg, E; Elsner, G; Becker, N; Seidler, A. (2006). Occupation and malignant lymphoma: A population based case control study in Germany. *Occup Environ Med*. 63: 17-26. <http://dx.doi.org/10.1136/oem.2005.020453>.
- Metayer, C; Scelo, G; Kang, AY; Gunier, RB; Reinier, K; Lea, S; Chang, JS; Selvin, S; Kirsch, J; Crouse, V; Does, M; Quinlan, P; Hammond, SK. (2016). A task-based assessment of parental occupational exposure to organic solvents and other compounds and the risk of childhood leukemia in California. *Environ Res*. 151: 174-183. <http://dx.doi.org/10.1016/j.envres.2016.06.047>.
- Metintas, M; Hillerdal, G; Metintas, S; Dumortier, P. (2010). Endemic malignant mesothelioma: exposure to erionite is more important than genetic factors. *Arch Environ Occup Health*. 65: 86-93. <http://dx.doi.org/10.1080/19338240903390305>.
- Metraux, C; Grobety, B; Ulmer, P. (2002). Filling of chrysotile nanotubes with metals. *J Mater Res*. 17: 1129-1135.
- Metz, P; Milke, R. (2004). A rock-sample experiment to investigate the mechanism and resulting textures of the reaction: 1 tremolite plus 11 dolomite = 8 forsterite plus 13 calcite plus 9 CO₂ plus 1 H₂O. *Lithos*. 73: S75-S75.
- Metz-Flamant, C; Canu, IG; Laurier, D. (2011). Malignant pleural mesothelioma risk among nuclear workers: a review [Review]. *J Radiol Prot*. 31: 9-23. <http://dx.doi.org/10.1088/0952-4746/31/1/R01>.
- Meurman, LO. (1993). CHANGING ATTITUDES AND OPINIONS REGARDING ASBESTOS AND CANCER, 1934-1965. *Am J Ind Med*. 23: 517-517.
- Mevel, C; Cannat, M; Gente, P; Marion, E; Auzende, JM; Karson, JA. (1991). EMPLACEMENT OF DEEP CRUSTAL AND MANTLE ROCKS ON THE WEST MEDIAN VALLEY WALL OF THE MARK AREA (MAR, 23-DEGREES-N). *Tectonophysics*. 190: 31-53.
- Meyer, JL; Aljibury, FK. (1976). LOW-HEAD IRRIGATION PIPE - CONCRETE ASBESTOS CEMENT PLASTIC. 2-12.
- Meyerowitz, BE; Sullivan, CD; Premeau, CL. (1989). Reactions of asbestos-exposed workers to notification and screening. *Am J Ind Med*. 15: 463-475.
- Mezger, J; Pethran, A; Weitowitz, HJ. (1992). MESOTHELIOMA AFTER EXPOSURE TO ASBESTOS AS PRISONER OF WAR. *Arbeitsmedizin, Sozialmedizin, Praeventivmedizin*. 27: 23-25.
- Michaels, D. (2006). Manufactured uncertainty: protecting public health in the age of contested science and product defense. *Ann N Y Acad Sci*. 1076: 149-162. <http://dx.doi.org/10.1196/annals.1371.058>.
- Michaels, D; Zoloth, S. (1988). Asbestos disease in sheet metal workers: proportional mortality update. *Am J Ind Med*. 13: 731-734.
- Michaels, D; Zoloth, S; Lacher, M; Holstein, E; Lilis, R; Drucker, E. (1987). Asbestos disease in sheet metal workers: II. Radiologic signs of asbestosis among active workers. *Am J Ind Med*. 12: 595-603.
- Michailidis, KM. (1995). COMPOSITIONAL VARIATION OF ZONED CHROMIAN SPINELS IN SERPENTINITES FROM THE KILKIS AREA, NORTHERN GREECE. *Chem Erde*. 55: 81-96.
- Michel, A. (1993). FLAT SEALS WITHOUT ASBESTOS. 83: 626-627.
- Michels, C; Larnberts, R; Gueths, S. (2008). Theoretical/experimental comparison of heat flux reduction in roofs achieved through the use of reflective thermal insulators. *Energy and Buildings*. 40: 438-444. <http://dx.doi.org/10.1016/j.enbuild.2007.03.012>.
- Michibayashi, K; Hirose, T; Nozaka, T; Harigane, Y; Escartin, J; Delius, H; Linek, M; Ohara, Y. (2008). Hydration due to high-T brittle failure within in situ oceanic crust, 30 degrees N Mid-Atlantic Ridge. *Earth Planet Sci Lett*. 275: 348-354. <http://dx.doi.org/10.1016/j.epsl.2008.08.033>.
- Middleton, AP. (1982). Analysis Of Airborne Dust Samples For Chrysotile By X-Ray Diffraction: Interference By Non-Asbestiforon Serpentine. *Ann Occup Hyg*. 25: 443-447.
- Middleton, AP. (1982). Visibility of fine fibres of asbestos during routine electron microscopical analysis. *Ann Occup Hyg*. 25: 53-62.
- Middleton, AP; Beckett, ST; Davis, J, MG. (1979). Further observations on the short-term retention and clearance of asbestos by rats, using International Union Against Cancer reference samples. *Ann Occup Hyg*. 22: 141-152.
- Middleton, AP; Jackson, EA. (1982). A PROCEDURE FOR THE ESTIMATION OF ASBESTOS COLLECTED ON MEMBRANE FILTERS USING TRANSMISSION ELECTRON-MICROSCOPY (TEM). *Ann Occup Hyg*. 25: 381-&.
- Mijailovich, SM; Hamada, K; Tsuda, A. (2007). IL-8 response of cyclically stretching alveolar epithelial cells exposed to non-fibrous particles. *Ann Biomed Eng*. 35: 582-594. <http://dx.doi.org/10.1007/s10439-006-9233-2>.
- Mikata, K; Kiyosawa, S. (1998). Development of gland packing using graphite pellets. *JSME Int J Ser B*. 41: 746-751.
- Mikkola, P; Salminen, P; Torppa, A; Huhma, H. (2011). The 2.74 Ga Likamannikko complex in Suomussalmi, East Finland: Lost between sanukitoids and truly alkaline rocks? *Lithos*. 125: 716-728. <http://dx.doi.org/10.1016/j.lithos.2011.04.002>.
- Mikouchi, T; Miyamoto, M. (2000). Micro Raman spectroscopy of amphiboles and pyroxenes in the martian meteorites Zagami and Lewis Cliff 88516. *Meteoritics and Planetary Science*. 35: 155-159.
- Mikulski, MA; Hartley, PG; Sprince, NL; Sanderson, WT; Lourens, S; Worden, NE; Wang, K; Fuortes, LJ. (2011). Risk and significance of chest radiograph and pulmonary function abnormalities in an elderly cohort of former nuclear weapons workers. *J Occup Environ Med*. 53: 1046-1053. <http://dx.doi.org/10.1097/JOM.0b013e318229aaff>.
- Milashuk, S; Crane, W. (2012). Pipeline damage caused by transient ground deformation: Case study of 2010 Darfield and 2011 Christchurch earthquakes. *Soil Dynamics and Earthquake Engineering*. 41: 84-88. <http://dx.doi.org/10.1016/j.soildyn.2012.05.011>.
- Milke, R. (2004). Spiral growth of grossular under hydrothermal conditions. *Am Mineral*. 89: 211-218.
- Miller, A. (1984). DECREASED LUNG-FUNCTION IN LONG-TERM ASBESTOS CEMENT WORKERS - A CROSS-SECTIONAL STUDY. *Am J Ind Med*. 6: 321-321.
- Miller, A. (1993). Pulmonary function in asbestosis and asbestos-related pleural disease [Review]. *Environ Res*. 61: 1-18. <http://dx.doi.org/10.1006/enrs.1993.1044>.

Exposure Literature Search Results

Off Topic

- Miller, A. (2005). Mesothelioma in household members of asbestos-exposed workers: 32 United States cases since 1990. *Am J Ind Med.* 47: 458-462. <http://dx.doi.org/10.1002/ajim.20167>.
- Miller, A. (2007). Radiographic readings for asbestosis: misuse of science--validation of the ILO classification [Review]. *Am J Ind Med.* 50: 63-67. <http://dx.doi.org/10.1002/ajim.20401>.
- Miller, A. (2014). "Not your grandfather's pleural disease": rapid progression, ventilatory impairment, and chronic pleuritic pain from Libby vermiculite/amphibole [Comment]. *Am J Ind Med.* 57: 1195-1196. <http://dx.doi.org/10.1002/ajim.22370>.
- Miller, A. (2015). From the Clinic to the Field: Joint Pulmonary Medicine-Environmental Sciences Laboratory Investigations, 1973-1992 and Beyond. *Am J Ind Med.* 58: 1017-1020. <http://dx.doi.org/10.1002/ajim.22502>.
- Miller, A; Lillis, R; Godbold, J; Wu, X. (1996). Relation of spirometric function to radiographic interstitial fibrosis in two large workforces exposed to asbestos: An evaluation of the ILO profusion score. *Occup Environ Med.* 53: 808-812. <http://dx.doi.org/10.1136/oem.53.12.808>.
- Miller, A; Miller, JA. (1993). Diffuse thickening superimposed on circumscribed pleural thickening related to asbestos exposure. *Am J Ind Med.* 23: 859-871.
- Miller, A; Warshaw, R; Nezamis, J. (2013). Diffusing capacity and forced vital capacity in 5,003 asbestos-exposed workers: Relationships to interstitial fibrosis (ILO profusion score) and pleural thickening. *Am J Ind Med.* 56: 1383-1393. <http://dx.doi.org/10.1002/ajim.22239>.
- Miller, A; Widman, SA; Miller, JA; Manowitz, A; Markowitz, SB. (2013). Comparison of x-ray films and low-dose computed tomographic scans: demonstration of asbestos-related changes in 2760 nuclear weapons workers screened for lung cancer. *J Occup Environ Med.* 55: 741-745. <http://dx.doi.org/10.1097/JOM.0b013e3182954067>.
- Miller, AB. (1978). Asbestos fibre dust and gastro-intestinal malignancies. Review of literature with regard to a cause/effect relationship [Review]. *J Chronic Dis.* 31: 23-33.
- Miller, AK. (2005). Libby, Montana: Overview of asbestos exposures and health effects. *Geochim Cosmo Acta.* 69: A189-A189.
- Miller, BG; Jones, AD; Searl, A; Buchanan, D; Cullen, RT; Soutar, CA; Davis, JMG; Donaldson, K. (1999). Influence of characteristics of inhaled fibres on development of tumours in the rat lung. *Ann Occup Hyg.* 43: 167-179. [http://dx.doi.org/10.1016/S0003-4878\(99\)00019-8](http://dx.doi.org/10.1016/S0003-4878(99)00019-8).
- Miller, BG; Searl, A; Davis, JM; Donaldson, K; Cullen, RT; Bolton, RE; Buchanan, D; Soutar, CA. (1999). Influence of fibre length, dissolution and biopersistence on the production of mesothelioma in the rat peritoneal cavity. *Ann Occup Hyg.* 43: 155-166.
- Miller, J, and; Nalaskowski, J; Abdul, B; Du, H, ao. (2007). Surface characteristics of kaolinite and other selected two layer silicate minerals. *Can J Chem Eng.* 85: 617-624.
- Miller, K. (1979). Alterations in the Surface-Related Phenomena of Alveolar Macrophages Following Inhalation of Crocidolite Asbestos and Quartz Dusts: An Overview. *Environ Res.* 20: 162-182.
- Miller, K; Kagan, E. (1981). Manifestations of cellular immunity in the rat after prolonged asbestos inhalation. II. Alveolar macrophage-induced splenic lymphocyte proliferation. *Environ Res.* 26: 182-194.
- Millette, J. R. (1981). USE OF ASBESTOS-CEMENT PIPE [Letter]. *J Occup Environ Med.* 23: 226-226.
- Millette, J. R.; Boone, RL; Rosenthal, MT; McCabe, LJ. (1981). The need to control asbestos fibers in potable water supply systems. *Sci Total Environ.* 18: 91-102.
- Millette, J. R.; Logsdon, GS; Clark, PJ; Kinman, RN. (1984). EVALUATING THE CONDITION OF ASBESTOS-CEMENT PIPE. *Mater Perform.* 23: 14-20.
- Millette, J. R.; Pansing, MF; Boone, RL. (1981). ASBESTOS-CEMENT MATERIALS USED IN WATER-SUPPLY. *W E M.* 128: 48-&.
- Millette, JR; Brown, RS; Hill, WB. (2008). Using environmental forensic microscopy in exposure science. *J Expo Sci Environ Epidemiol.* 18: 20-30. <http://dx.doi.org/10.1038/sj.jes.7500613>.
- Millette, JR; Mount, MD. (1993). A Study Determining Asbestos Fiber Release during the Removal of Valve Packing. *Appl Occup Environ Hyg.* 8: 790-793.
- Mills, SJ; Whitfield, PS; Wilson, SA; Woodhouse, JN; Dipple, GM; Raudsepp, M; Francis, CA. (2011). The crystal structure of stichtite, re-examination of barbertonite, and the nature of polytypism in MgCr hydrotalcites. *Am Mineral.* 96: 179-187. <http://dx.doi.org/10.2138/am.2011.3531>.
- Milner, G. (1995). UTILIZING MODIFIED PTFE AS ASBESTOS GASKET ALTERNATIVE - MATERIAL REDUCES FLUID LOSS, CREEP RELAXATION, COLD FLOW, ENERGY-CONSUMPTION AND MAINTENANCE. *Chemical Processing.* 58: 50-51.
- Min, SY; Maken, S; Park, J, inWon; Gaur, A; Hyun, JS, oo. (2008). Melting treatment of waste asbestos using mixture of hydrogen and oxygen produced from water electrolysis. *Korean J Chem Eng.* 25: 323-328.
- Mirabelli, D; Calisti, R; Barone-Adesi, F; Fornero, E; Merletti, F; Magnani, C. (2008). Excess of mesotheliomas after exposure to chrysotile in Balangero, Italy. *Occup Environ Med.* 65: 815-819. <http://dx.doi.org/10.1136/oem.2007.037689>.
- Mirabelli, D; Stura, A; Gangemi, M; Bertolotti, M; Maule, MM; Magnani, C. (2007). Incidence of malignant mesothelioma in Piedmont, 1990-2001. *Epidemiol Prev.* 31: 132-138.
- Miralles Martinez-Portillo, L. (2009). ACHIEVEMENTS OF COLLABORATION WITH SOCIAL SECURITY IN THE POST-OCCUPATIONAL SURVEILLANCE OF WORKERS EXPOSED TO ASBESTOS IN LA RIOJA. *Gac Sanit.* 23: 6-7.
- Mirer, FE. (2002). Does the emperor have any clothes: Using mechanistic information or doing Houdini Risk Assessments? *Hum Ecol Risk Assess.* 8: 1229-1242.
- Mirzapour, M, irA; Haghghat, HR; Eslami, Z. (2013). Effect of zirconia on ablation mechanism of asbestos fiber/phenolic composites in oxyacetylene torch environment. *Ceramics International.* 39: 9263-9272. <http://dx.doi.org/10.1016/j.ceramint.2013.05.034>.
- Miscetti, G; Bodo, P; Luciani, G; Garofani, P; Mazzanti, M; Marsili, G; Bessi, L. (2008). [Carcinogens project in a Local Health Unit in Umbria: updating of risk so as to estimate worker exposure levels]. *Med Lav.* 99: 454-465.
- Miscetti, G; Bodo, P; Lumare, A; Abbritti, EP; Garofani, P; Burani, V. (2016). [Asbestos exposure assessment in the first case of intrasplenic mesothelioma]. *Med Lav.* 107: 29-36.

Exposure Literature Search Results

Off Topic

- Miserocchi, G; Sancini, G; Mantegazza, F; Chiappino, G. (2008). Translocation pathways for inhaled asbestos fibers [Review]. *Environ Health*. 7: 4. <http://dx.doi.org/10.1186/1476-069X-7-4>.
- Mishra, B; Pal, N; Sarbadhikari, AB. (2005). Fluid inclusion characteristics of the Uti gold deposit, Utti-Maski greenstone belt, southern India. *Ore Geol Rev*. 26: 1-16. <http://dx.doi.org/10.1016/j.oregeorev.2004.10.002>.
- Mishra, G; Viljoen, KS; Mouri, H. (2013). Influence of mineralogy and ore texture on pentlandite flotation at the Nkomati nickel mine, South Africa. *Miner Eng*. 54: 63-78. <http://dx.doi.org/10.1016/j.mineng.2013.04.009>.
- Mitchell, RH. (1990). A REVIEW OF THE COMPOSITIONAL VARIATION OF AMPHIBOLES IN ALKALINE PLUTONIC COMPLEXES. *Lithos*. 26: 135-156.
- Mitsis, I; Economou-Eliopoulos, M. (2001). Occurrence of apatite associated with magnetite in an ophiolite complex (Othrys), Greece. *Am Mineral*. 86: 1143-1150.
- Miyahara, M; Kitagawa, R; Uehara, S. (2005). Chlorite in metabasites from the Mikabu and North Chichibu belts, southwest Japan. *Clays and Clay Minerals*. 53: 466-477. <http://dx.doi.org/10.1346/CCMN.2005.0530504>.
- Miyano, T; Beukes, NJ. (1997). Mineralogy and petrology of the contact metamorphosed amphibole asbestos-bearing Penge iron formation, eastern Transvaal, South Africa. *Journal of Petrology*. 38: 651-676.
- Miyazaki, M; Une, H. (2001). Risk of lung cancer among Japanese coal miners on hazard risk and interaction between smoking and coal mining. *J Occup Health*. 43: 225-230.
- Miyoshi, A; Kogiso, T; Ishikawa, N; Mibe, K. (2014). Role of silica for the progress of serpentinization reactions: Constraints from successive changes in mineralogical textures of serpentinites from Iwanaidake ultramafic body, Japan. *Am Mineral*. 99: 1035-1044. <http://dx.doi.org/10.2138/am.2014.4748>.
- Mizukami, T; Kagi, H; Wallis, SR; Fukura, S. (2007). Pressure-induced change in the compressional behavior of the O-H bond in chrysotile: A Raman high-pressure study up to 4.5 GPa. *Am Mineral*. 92: 1456-1463. <http://dx.doi.org/10.2138/am.2007.2489>.
- Mizukami, T; Wallis, SR. (2005). Structural and petrological constraints on the tectonic evolution of the garnet-lherzolite facies Higashi-akaishi peridotite body, Sanbagawa belt, SW Japan. *Tectonics*. 24. <http://dx.doi.org/10.1029/2004TC001733>.
- Mizukami, T; Yokoyama, H; Hiramatsu, Y; Arai, S; Kawahara, H; Nagaya, T; Wallis, SR. (2014). Two types of antigorite serpentinite controlling heterogeneous slow-slip behaviours of slab-mantle interface. *Earth Planet Sci Lett*. 401: 148-158. <http://dx.doi.org/10.1016/j.epsl.2014.06.009>.
- Mizutani, Y; Obara, H; Nakajima, K. (1973). X-RAY STUDY OF FRICTION AND WEAR OF RESIN-BONDED ASBESTOS. *Wear*. 23: 387-392.
- Mlynarek, S; Corn, M; Blake, C. (1996). Asbestos exposure of building maintenance personnel. *Regul Toxicol Pharmacol*. 23: 213-224. <http://dx.doi.org/10.1006/rtph.1996.0045>.
- Mlynarek, SP; Van Orden, DR. (2012). Asbestos exposure from the overhaul of a Pratt & Whitney R2800 engine. *Regul Toxicol Pharmacol*. 64: 189-194. <http://dx.doi.org/10.1016/j.yrtph.2012.07.004>.
- Mlynarek, SP; Van Orden, DR. (2012). Assessment of potential asbestos exposures from jet engine overhaul work. *Regul Toxicol Pharmacol*. 63: 78-83. <http://dx.doi.org/10.1016/j.yrtph.2012.02.010>.
- Moatamed, F; Lockey, JE; Parry, WT. (1986). Fiber contamination of vermiculites: A potential occupational and environmental health hazard. *Environ Res*. 41: 207-218. [http://dx.doi.org/10.1016/S0013-9351\(86\)80183-9](http://dx.doi.org/10.1016/S0013-9351(86)80183-9).
- Mobius, K. (1986). ASBESTOS WORLD MARKET WITH REDUCED LEVEL OF ACTIVITY. 39: 87-88.
- Mocciola, M. (2007). [Criminal responsibility in non pre-meditated personal injury caused by inhalation of asbestos]. *Epidemiol Prev*. 31: 38-40.
- Mocek, B. (2001). Geochemical evidence for arc-type volcanism in the Aegean Sea: the blueschist unit of Siphnos, Cyclades (Greece). *Lithos*. 57: 263-289.
- Moen, BE; Nilsson, R; Nordlinder, R; Ovrebø, S; Bleie, K; Skorve, AH; Hollund, BE. (1996). Assessment of exposure to polycyclic aromatic hydrocarbons in engine rooms by measurement of urinary 1-hydroxypyrene. *Occup Environ Med*. 53: 692-696. <http://dx.doi.org/10.1136/oem.53.10.692>.
- Moene, R; Tijssen, EPA, M; Makkee, M; Moulijn, JA. (1999). Synthesis and thermal stability of Ni, Cu, Co, and Mo catalysts based on high surface area silicon carbide. *Appl Catal A-Gen*. 184: 127-141.
- Mogessie, A; Stumpfl, EF; Weiblen, PW. (1991). THE ROLE OF FLUIDS IN THE FORMATION OF PLATINUM-GROUP MINERALS, DULUTH COMPLEX, MINNESOTA - MINERALOGIC, TEXTURAL, AND CHEMICAL EVIDENCE. *Econ Geol*. 86: 1506-1518.
- Moghissi, AA. (1991). STRATEGIES FOR THE DEVELOPMENT OF INDOOR AIR-QUALITY STANDARDS. *Environ Int*. 17: 365-370.
- Mohamed, IY. (1990). Asbestos-cement pneumoconiosis: first surgically confirmed case in Kuwait. *Am J Ind Med*. 17: 241-245.
- Mohammadian, Y; Shahtaheri, SJ; Yaraghi, A, liAS; Kakooei, H; Hajaghazadeh, M. (2013). Cytotoxicity of single-walled carbon nanotubes, multi-walled carbon nanotubes, and chrysotile to human lung epithelial cells. *Toxicol Environ Chem*. 95: 1037-1047. <http://dx.doi.org/10.1080/02772248.2013.840371>.
- Mohammad-Taheri, Z; Nadjji, SA; Raisi, F; Mohammadi, F; Bahadori, M; Mark, EJ. (2013). No association between simian virus 40 and diffuse malignant mesothelioma of the pleura in Iranian patients: a molecular and epidemiologic case-control study of 60 patients. *Am J Ind Med*. 56: 1221-1225. <http://dx.doi.org/10.1002/ajim.22160>.
- Mohiuddin, AKM; Kant, K; Sen, S. (1992). AN EXPERIMENTAL-STUDY ON PACKING AND DRIFT ELIMINATORS IN AN EVAPORATIVE CONDENSER WITH INDUCED DRAFT. 30: 507-511.
- Mohsenifar, Z. (1987). ASBESTOS AND AIR-FLOW LIMITATION - REPLY. *J Occup Environ Med*. 29: 265-265.
- Mohsenifar, Z; Jasper, AJ; Mahrer, T; Koerner, SK. (1986). Asbestos and airflow limitation. *J Occup Med*. 28: 817-820. <http://dx.doi.org/10.1097/00043764-198609000-00012>.

Exposure Literature Search Results

Off Topic

- Moir, W; Zeig-Owens, R; Daniels, RD; Hall, CB; Webber, MP; Jaber, N; Yiin, JH; Schwartz, T; Liu, X; Vossbrinck, M; Kelly, K; Prezant, DJ. (2016). Post-9/11 cancer incidence in World Trade Center-exposed New York City firefighters as compared to a pooled cohort of firefighters from San Francisco, Chicago and Philadelphia (9/11/2001-2009). *Am J Ind Med.* 59: 722-730. <http://dx.doi.org/10.1002/ajim.22635>.
- Molinini, R; Paoletti, L; Albrizio, M; Pennella, A; Nardulli, F; Caruso, G. (1992). Occupational exposure to asbestos and urinary bladder cancer. *Environ Res.* 58: 176-183.
- Moller, V; Williams-Jones, AE. (2016). Stable and radiogenic isotope constraints on the magmatic and hydrothermal evolution of the Nechalacho Layered Suite, northwest Canada. *Chem Geol.* 440: 248-274. <http://dx.doi.org/10.1016/j.chemgeo.2016.07.010>.
- Mollo, F; Andrion, A; Bellis, D; Bertoldo, E; Colombo, A. (1987). Screening of autopsy populations for previous occupational exposure to asbestos. *Arch Environ Health.* 42: 44-50. <http://dx.doi.org/10.1080/00039896.1987.9935794>.
- Mollo, F; Cravello, M; Andreozzi, A; Burlo, P; Bo, P; Attanasio, A; De Giuli, P. (2000). Asbestos body burden in decomposed human lungs. *Am J Forensic Med Pathol.* 21: 148-150.
- Mollo, F; Tomatis, L. (2007). [Asbestos fibers and mesothelioma pathogenesis]. *Epidemiol Prev.* 31: 43-45.
- Molnar, F; Watkinson, DH; Jones, PC. (2001). Multiple hydrothermal processes in footwall units of the North Range, Sudbury Igneous Complex, Canada, and implications for the genesis of vein-type Cu-Ni-PGE deposits. *Econ Geol.* 96: 1645-1670.
- Molter, W. (1985). AERODYNAMIC SEPARATION AND CLASSIFICATION OF ASBESTOS FIBERS. *Staub, Reinhaltung der Luft.* 45: 211-214.
- Momba, MNB; Makala, N. (2004). Comparing the effect of various pipe materials on biofilm formation in chlorinated and combined chlorine-chloraminated water systems. *Water SA.* 30: 175-182.
- Monchaux, G; Morlier, JP; Fritsch, P; Rochefort, P; Douriez, E; Morin, M; Maximilien, R. (1996). Co-carcinogenic effects of various agents in rats following exposure to radon and radon daughters. *Environ Int.* 22: S917-S925.
- Monchaux, G; Morlier, JP; Morin, M; Chameaud, J; Lafuma, J; Masse, R. (1994). CARCINOGENIC AND COCARCINOGENIC EFFECTS OF RADON AND RADON DAUGHTERS IN RATS [Review]. *Environ Health Perspect.* 102: 64-73.
- Monechi, MV; Di Natale, M; Vannucchi, G; Zappa, M. (1987). [Asbestos pollution in the Prato textile cycle: environmental study]. *Med Lav.* 78: 293-300.
- Monechi, MV; Di Natale, M; Vannucchi, G; Zappa, M. (1987). Asbestos pollution in the Prato textile industry: Environmental investigation. 78: 293-300.
- Money, A; Carder, M; Noone, P; Bourke, J; Hayes, J; Turner, S; Agius, R. (2015). Work-related ill-health: Republic of Ireland, Northern Ireland, Great Britain 2005-2012. *Occup Med (Lond).* 65: 15-21. <http://dx.doi.org/10.1093/occmed/kqu137>.
- Moniz, M; de Castro, HA; Peres, F. (2012). [Asbestos, danger and invisibility: perception of environmental risks and health of the residents of Bom Jesus da Serra/Bahia state]. *Cien Saude Colet.* 17: 327-336.
- Monkman, LJ. (1979). PROCEDURE FOR THE DETECTION AND IDENTIFICATION OF ASBESTOS AND OTHER FIBERS IN FIBROUS INORGANIC MATERIALS. *Ann Occup Hyg.* 22: 127-139.
- Monso, E; Carreres, A; Tura, JM; Ruiz, J; Fiz, J; Xaus, C; Llatjos, M; Morera, J. (1997). Electron microscopic microanalysis of bronchoalveolar lavage: a way to identify exposure to silica and silicate dust. *Occup Environ Med.* 54: 560-565.
- Monsó, E; Teixidó, A; Lopez, D; Aguilar, X; Fiz, J; Ruiz, J; Rosell, A; Vaqueró, M; Morera, J. (1995). Asbestos bodies in normal lung of western Mediterranean populations with no occupational exposure to inorganic dust. *Arch Environ Health.* 50: 305-311. <http://dx.doi.org/10.1080/00039896.1995.9935959>.
- Monsó, E; Tura, JM; Pujadas, J; Morell, F; Ruiz, J; Morera, J. (1991). Lung dust content in idiopathic pulmonary fibrosis: a study with scanning electron microscopy and energy dispersive x ray analysis. *Br J Ind Med.* 48: 327-331.
- Montanaro, F; Bray, F; Gennaro, V; Merler, E; Tyczynski, JE; Parkin, DM; Strnad, M; Jechov'a, M; Storm, HH; Aareleid, T; Hakulinen, T; Velten, M; Lef'evre, H; Danzon, A; Buemi, A; Daur'es, JP; Ménégöz, F; Raverdy, N; Sauvage, M; Ziegler, H; Comber, H; Paci, E; Vercelli, M; De Lisi, V; Tumino, R; Zanetti, R; Berrino, F; Stanta, G; Langmark, F; Rachtan, J; Mezyk, R; Blaszczyk, J; Ivan, P; Primic-Zakelj, M; Martínez, AC; Izarzugaza, I; Borràs, J; Garcia, CM; Garau, I; Sánchez, NC; Aicua, A; Barlow, L; Torhorst, J; Bouchardy, C; Levi, F; Fisch, T; Probst, N; Visser, O; Quinn, M; Gavin, A; Brewster, D; Mikov, M; Group, EW. (2003). Pleural mesothelioma incidence in Europe: evidence of some deceleration in the increasing trends. *Cancer Causes Control.* 14: 791-803.
- Montanaro, F; Ceppi, M; Puntoni, R; Silvano, S; Gennaro, V. (2004). Asbestos exposure and cancer mortality among petroleum refinery workers: a Poisson regression analysis of updated data. *Arch Environ Health.* 59: 188-193. <http://dx.doi.org/10.3200/AEOH.59.4.188-193>.
- Monteiro, LVS; Xavier, RP; de Carvalho, ER; Hitzman, MW; Johnson, CA; de Souza, CR; Torresi, I. (2008). Spatial and temporal zoning of hydrothermal alteration and mineralization in the Sossego iron oxide-copper-gold deposit, Caraja's Mineral Province, Brazil: paragenesis and stable isotope constraints. *Trans Nonferrous Met Soc China.* 43: 129-159. <http://dx.doi.org/10.1007/s00126-006-0121-3>.
- Montoneri, E; Modica, G; Maffi, S. (1986). ASBESTOS-BRUCITE-POLYPHENYLENE SULFIDE COMPOSITES .1. CHEMICAL AND ELECTROCHEMICAL DEGRADATION IN HOT ALKALI. *Journal of Composite Materials.* 20: 504-519.
- Montoneri, E; Ranzi, E; Modica, G; Hofmann, H. (1987). POLYPHENYLENE SULFIDE-ASBESTOS-BRUCITE COMPOSITES .2. PROPERTIES AND PERFORMANCE IN ADVANCED WATER ELECTROLYSIS. *Journal of Composite Materials.* 21: 690-707.
- Montreuil, JF; Corriveau, L; Potter, EG. (2015). Formation of albitite-hosted uranium within IOCG systems: the Southern Breccia, Great Bear magmatic zone, Northwest Territories, Canada. *Miner Depos.* 50: 293-325. <http://dx.doi.org/10.1007/s00126-014-0530-7>.
- Moolgavkar, SH; Luebeck, EG; Turim, J; Hanna, L. (1999). Quantitative assessment of the risk of lung cancer associated with occupational exposure to refractory ceramic fibers. *Risk Anal.* 19: 599-611.
- Moolgavkar, SH; Meza, R; Turim, J, ay. (2009). Pleural and peritoneal mesotheliomas in SEER: age effects and temporal trends, 1973-2005. *Cancer Causes Control.* 20: 935-944. <http://dx.doi.org/10.1007/s10552-009-9328-9>.

Exposure Literature Search Results

Off Topic

- Moolgavkar, SH; Turim, J; Alexander, DD; Lau, EC; Cushing, CA. (2010). Potency factors for risk assessment at Libby, Montana. *Risk Anal.* 30: 1240-1248. <http://dx.doi.org/10.1111/j.1539-6924.2010.01411.x>.
- Moon, EK; Son, M; Jin, YW; Park, S; Lee, WJ. (2013). Variations of lung cancer risk from asbestos exposure: impact on estimation of population attributable fraction [Review]. *Ind Health.* 51: 128-133.
- Moon, MC; Park, JD; Choi, BS; Park, SY; Kim, DW; Chung, YH; Hisanaga, N; Yu, JJ. (2011). Risk Assessment of Baby Powder Exposure through Inhalation. *Toxicological Research.* 27: 137-141. <http://dx.doi.org/10.5487/TR.2011.27.3.137>.
- Moore, DE; Lockner, DA. (2011). Frictional strengths of talc-serpentine and talc-quartz mixtures. *J Geophys Res Solid Earth.* 116. <http://dx.doi.org/10.1029/2010JB007881>.
- Moore, DE; Lockner, DA. (2013). Chemical controls on fault behavior: Weakening of serpentinite sheared against quartz-bearing rocks and its significance for fault creep in the San Andreas system. *J Geophys Res Solid Earth.* 118: 2558-2570. <http://dx.doi.org/10.1002/jgrb.50140>.
- Moore, DE; Lockner, DA; Ma, SL; Summers, R; Byerlee, JD. (1997). Strengths of serpentinite gouges at elevated temperatures. *J Geophys Res Solid Earth.* 102: 14787-14801.
- Moore, JN; Gunderson, RP. (1995). FLUID INCLUSION AND ISOTOPIC SYSTEMATICS OF AN EVOLVING MAGMATIC-HYDROTHERMAL SYSTEM. *Geochim Cosmo Acta.* 59: 3887-3907.
- Moore, JN; Powell, TS; Heizler, MT; Norman, DI. (2000). Mineralization and hydrothermal history of the Tiwi geothermal system, Philippines. *Econ Geol.* 95: 1001-1023.
- Moore, LL. (1988). ASBESTOS EXPOSURE ASSOCIATED WITH AUTOMOTIVE BRAKE REPAIR IN PENNSYLVANIA. *Am Ind Hyg Assoc J.* 49: A12-A13.
- Moore, LL. (1988). ASBESTOS EXPOSURE ASSOCIATED WITH AUTOMOTIVE BRAKE REPAIR IN PENNSYLVANIA USA. *Am Ind Hyg Assoc J.* 49.
- Morabia, A; Markowitz, S; Garibaldi, K; Wynder, EL. (1992). LUNG-CANCER AND OCCUPATION - RESULTS OF A MULTICENTER CASE-CONTROL STUDY. *Br J Ind Med.* 49: 721-727.
- Moraes, KAK; Valadares Filho, SC; Moraes, EHB, K; Pina, DS. (2015). CALCIUM OXIDE LEVELS IN SUGARCANE SILAGE, FRESH SUGARCANE OR CORN SILAGE FOR FEEDLOT NELLORE HEIFERS. *The J A P S.* 25: 989-996.
- Morales, LFG; Mainprice, D; Boudier, F. (2013). The influence of hydrous phases on the microstructure and seismic properties of a hydrated mantle rock. *Tectonophysics.* 594: 103-117. <http://dx.doi.org/10.1016/j.tecto.2013.03.022>.
- Moreto, CPN; Monteiro, LVS; Xavier, RP; Creaser, RA; Dufrane, SA; Tassinari, CCG; Sato, K; Kemp, AIS; Amaral, WS. (2015). Neoproterozoic Iron Oxide-Copper-Gold Events at the Sossego Deposit, Carajas Province, Brazil: Re-Os and U-Pb Geochronological Evidence. *Econ Geol.* 110: 809-835.
- Morfeld, P; Mccunney, RJ. (2009). Carbon Black and Lung Cancer-Testing a Novel Exposure Metric by Multi-Model Inference. *Am J Ind Med.* 52: 890-899. <http://dx.doi.org/10.1002/ajim.20754>.
- Morgan, A. (1974). ADSORPTION OF HUMAN-SERUM ALBUMIN BY ASBESTIFORM MINERALS AND ITS APPLICATION TO MEASUREMENT OF SURFACE-AREAS OF DISPERSED SAMPLES OF CHRYSOTILE. *Environ Res.* 7: 330-341.
- Morgan, A. (1994). IN-VIVO EVALUATION OF CHEMICAL BIOPERSISTENCE OF MAN-MADE MINERAL FIBERS. *Environ Health Perspect.* 102: 127-131.
- Morgan, A. (1994). The removal of fibres of chrysotile asbestos from lung [Letter]. *Ann Occup Hyg.* 38: 643-646.
- Morgan, A. (1995). Deposition of inhaled asbestos and man-made mineral fibres in the respiratory tract [Review]. *Ann Occup Hyg.* 39: 747-758.
- Morgan, A. (1997). Acid leaching studies of chrysotile asbestos from mines in the Coalinga region of California and from Quebec and British Columbia. *Ann Occup Hyg.* 41: 249-&.
- Morgan, A; Collier, CG; Kellington, JP. (1993). DISTRIBUTION OF GLASS-FIBERS IN THE PERITONEAL-CAVITY OF THE RAT FOLLOWING ADMINISTRATION BY INTRAPERITONEAL INJECTION. *J Toxicol Environ Health.* 38: 245-256.
- Morgan, A; Evans, JC; Evans, RJ; Hounam, RF; Holmes, A; Doyle, SG. (1975). Studies on the deposition of inhaled fibrous material in the respiratory tract of the rat and its subsequent clearance using radioactive tracer techniques II Deposition of the UICC standard reference samples of asbestos. *Environ Res.* 10: 196-207.
- Morgan, A; Gold, C; Holmes, A. (1971). STUDIES OF SOLUBILITY OF CONSTITUENTS OF CHRYSOTILE ASBESTOS IN-VIVO USING RADIOACTIVE TRACER TECHNIQUES. *Environ Res.* 4: 558-&.
- Morgan, A; Holmes, A. (1980). Concentrations and dimensions of coated and uncoated asbestos fibres in the human lung. *Occup Environ Med.* 37: 25-32.
- Morgan, A; Holmes, A. (1982). Concentrations and characteristics of amphibole fibres in the lungs of workers exposed to crocidolite in the British gas-mask factories, and elsewhere, during the second world war. *Br J Ind Med.* 39: 62-69.
- Morgan, A; Holmes, A. (1983). Distribution and characteristics of amphibole asbestos fibres, measured with the light microscope, in the left lung of an insulation worker. *Occup Environ Med.* 40: 45-50.
- Morgan, A; Holmes, A. (1984). The distribution and characteristics of asbestos fibers in the lungs of Finnish anthophyllite mine-workers. *Environ Res.* 33: 62-75.
- Morgan, A; Holmes, A. (1984). Solubility of rockwool fibres in vivo and the formation of pseudo-asbestos bodies. *Ann Occup Hyg.* 28: 307-314.
- Morgan, A; Holmes, A. (1985). The enigmatic asbestos body: its formation and significance in asbestos-related disease. *Environ Res.* 38: 283-292.
- Morgan, A; Holmes, A. (1986). Solubility of asbestos and man-made mineral fibers in vitro and in vivo: its significance in lung disease. *Environ Res.* 39: 475-484.
- Morgan, A; Lally, AE; Holmes, A. (1973). Some observations on the distribution of trace metals in chrysotile asbestos. *Ann Occup Hyg.* 16: 231-240.

Exposure Literature Search Results

Off Topic

- Morgan, A; Talbot, RJ. (1997). Acid Leaching Studies of Neutron-Irradiated Chrysotile Asbestos. *Ann Occup Hyg.* 41: 269-279. [http://dx.doi.org/10.1016/S0003-4878\(97\)00002-1](http://dx.doi.org/10.1016/S0003-4878(97)00002-1).
- Morgan, A; Talbot, RJ; Holmes, A. (1978). Significance of fibre length in the clearance of asbestos fibres from the lung. *Br J Ind Med.* 35: 146-153. <http://dx.doi.org/10.1136/oem.35.2.146>.
- Morgan, RW. (1991). METAANALYSIS OF ASBESTOS AND GASTROINTESTINAL CANCER. *Am J Ind Med.* 19: 407-408.
- Morgan, RW. (1992). Attitudes about asbestos and lung cancer. *Am J Ind Med.* 22: 437-441.
- Morgan, RW; Zhao, KE. (1994). Study of occupational lung cancer in asbestos factories in China [Letter]. *Occup Environ Med.* 51: 719.
- Morgan, WK; Bracken, M; Sargent, N; Wheeler, P. (1992). On the diagnostic accuracy of asbestos-induced disease [Letter]. *J Occup Med.* 34: 1205-1206.
- Morimoto, T; Biswas, G; Kono, T; Sakai, M; Hikima, J. (2016). Immune responses in the Japanese pufferfish (Takifugu rubripes) head kidney cells stimulated with particulate silica. *Fish Shellfish Immunol.* 49: 84-90. <http://dx.doi.org/10.1016/j.fsi.2015.12.023>.
- Morimoto, Y; Ding, L; Oyabu, T; Kim, H; Ogami, A; Hirohashi, M; Nagatomo, H; Yamato, H; Akiyama, I; Hori, H; Higashi, T; Tanaka, I. (2003). Gene expression of surfactant protein-A and thyroid transcription factor-1 in lungs of rats exposed to silicon-carbide whisker in vivo. *J Occup Health.* 45: 307-312.
- Morimoto, Y; Kido, M; Tanaka, I; Fujino, A; Higashi, T; Yokosaki, Y. (1993). Synergistic effects of mineral fibres and cigarette smoke on the production of tumour necrosis factor by alveolar macrophages of rats. *Br J Ind Med.* 50: 955-960.
- Morimoto, Y; Tanaka, I. (2001). In vivo studies of man-made mineral fibers--fibrosis-related factors [Review]. *Ind Health.* 39: 106-113.
- Morimoto, Y; Tsuda, T; Hirohashi, M; Yamato, H; Hori, H; Ohgami, A; Yatera, K; Kim, HN; Ding, L; Kido, M; Higashi, T; Tanaka, I. (1999). Effects of mineral fibers on the gene expression of proinflammatory cytokines and inducible nitric-oxide synthase in alveolar macrophages. *Ind Health.* 37: 329-334.
- Morimoto, Y; Tsuda, T; Hori, H; Yamato, H; Ohgami, A; Higashi, T; Nagata, N; Kido, M; Tanaka, I. (1999). Combined effect of cigarette smoke and mineral fibers on the gene expression of cytokine mRNA. *Environ Health Perspect.* 107: 495-500.
- Morimoto, Y; Tsuda, T; Nakamura, H; Hori, H; Yamato, H; Nagata, N; Higashi, T; Kido, M; Tanaka, I. (1997). Expression of Matrix Metalloproteinases, Tissue Inhibitors of Metalloproteinases, and Extracellular Matrix mRNA Following Exposure to Mineral Fibers and Cigarette Smoke In Vivo. *Environ Health Perspect.* 105: 1247-1251.
- Morimoto, Y; Yamato, H; Kido, M; Tanaka, I; Higashi, T; Fujino, A; Yokosaki, Y. (1994). Effects of Inhaled Ceramic Fibres on Macrophage Function of Rat Lungs. *Occup Environ Med.* 51: 62-67.
- Morinaga, K; Kishimoto, T; Sakatani, M; Akira, M; Yokoyama, K; Sera, Y. (2001). Asbestos-related lung cancer and mesothelioma in Japan [Review]. *Ind Health.* 39: 65-74.
- Morlier, P; Khenfer, MM. (1991). EFFECT OF THE LENGTH OF FIBERS ON THE MECHANICAL-PROPERTIES OF CEMENTS REINFORCED WITH CELLULOSIC FIBERS. *Mater Struct.* 24: 185-190.
- Morrison, JM; Goldhaber, MB; Mills, CT; Breit, GN; Hooper, RL; Holloway, JM; Diehl, SF; Ranville, JF. (2015). Weathering and transport of chromium and nickel from serpentinite in the Coast Range ophiolite to the Sacramento Valley, California, USA. *Appl Geochem.* 61: 72-86. <http://dx.doi.org/10.1016/j.apgeochem.2015.05.018>.
- Morse, HN. (1992). REMOVAL OF ASBESTOS DUST. *J Air Waste Manag Assoc.* 42: 1133-1133.
- Morshed, MM; Haseeb, ASM, A. (2004). Physical and chemical characteristics of commercially available brake shoe lining materials: a comparative study. *J Mater Process Tech.* 155: 1422-1427. <http://dx.doi.org/10.1016/j.matprotec.2004.04.232>.
- Moshhammer, H; Neuberger, M. (2009). Lung function predicts survival in a cohort of asbestos cement workers. *Int Arch Occup Environ Health.* 82: 199-207. <http://dx.doi.org/10.1007/s00420-008-0322-4>.
- Mossman, BT. (1988). CARCINOGENIC POTENTIAL OF ASBESTOS AND NONASBESTOS FIBERS. *J Environ Sci Health, Part C: Environ Carcinog Rev.* 6: 151-196.
- Mossman, BT. (1993). Mechanisms of asbestos carcinogenesis and toxicity: the amphibole hypothesis revisited [Editorial]. *Br J Ind Med.* 50: 673-676.
- Mossman, BT. (1994). Carcinogenesis and related cell and tissue responses to asbestos: a review [Review]. *Ann Occup Hyg.* 38: 617-624, 423.
- Mossman, BT; Eastman, A; Landesman, JM; Bresnick, E. (1983). Effects of crocidolite and chrysotile asbestos on cellular uptake and metabolism of benzo(a)pyrene in hamster tracheal epithelial cells. *Environ Health Perspect.* 51: 331-335.
- Mossman, BT; Faux, S; Janssen, Y; Jimenez, LA; Timblin, C; Zanella, C; Goldberg, J; Walsh, E; Barchowsky, A; Driscoll, K. (1997). Cell Signaling Pathways Elicited by Asbestos. *Environ Health Perspect.* 105: 1121. <http://dx.doi.org/10.2307/3433519>.
- Mossman, BT; Janssen, YMW; Marsh, JP; Manohar, M; Garrone, M; Shull, S; Hemenway, D. (1990). ANTIOXIDANT DEFENSE-MECHANISMS IN ASBESTOS-INDUCED LUNG-DISEASE. *J Aerosol Med.* 3: S75-S82.
- Mossman, BT; Lippmann, M; Hesterberg, TW; Kelsey, KT; Barchowsky, A; Bonner, JC. (2011). Pulmonary endpoints (lung carcinomas and asbestosis) following inhalation exposure to asbestos [Review]. *J Toxicol Environ Health B Crit Rev.* 14: 76-121. <http://dx.doi.org/10.1080/10937404.2011.556047>.
- Mossman, BT; Marsh, JP. (1989). Evidence Supporting a Role for Active Oxygen Species in Asbestos-Induced Toxicity and Lung Disease [Review]. *Environ Health Perspect.* 81: 91-94.
- Mota, LC; Urena-Benavides, EE; Yoon, Y; Son, A. (2013). Quantitative Detection of Single Walled Carbon Nanotube in Water Using DNA and Magnetic Fluorescent Spheres. *Environ Sci Technol.* 47: 493-501. <http://dx.doi.org/10.1021/es303671u>.
- Motte, F; Falcoz, Q; Veron, E; Py, X. (2015). Compatibility tests between Solar Salt and thermal storage ceramics from inorganic industrial wastes. *Appl Energ.* 155: 14-22. <http://dx.doi.org/10.1016/j.apenergy.2015.05.074>.

Exposure Literature Search Results

Off Topic

- Moudgal, RP; Misra, RP; Panda, JN; Ahuja, SD. (1992). CATECHOLAMINES IN EGG-YOLK OF GOOD OR POOR LAYERS DURING SUMMER UNDER DIFFERENT HOUSING SYSTEMS. *Indian J Anim Sci.* 62: 886-889.
- Moulin, JJ. (1997). A meta-analysis of epidemiologic studies of lung cancer in welders. *Scand J Work Environ Health.* 23: 104-113.
- Moulin, JJ; Clavel, T; Roy, D; Dananché, B; Marquis, N; Févotte, J; Fontana, JM. (2000). Risk of lung cancer in workers producing stainless steel and metallic alloys. *Int Arch Occup Environ Health.* 73: 171-180.
- Moulin, JJ; Lafontaine, M; Mantout, B; Belanger, A; Michel, M; Wild, P; Clavel, T; Fournier, M; Fontana, JM. (1995). [Mortality due to bronchopulmonary cancers in workers of 2 foundries]. *Rev Epidemiol Sante Publique.* 43: 107-121.
- Moulin, JJ; Wild, P; Haguenoer, JM; Faucon, D; De Gaudemaris, R; Mur, JM; Mereau, M; Gary, Y; Toamain, JP; Birembaut, Y. (1993). A mortality study among mild steel and stainless steel welders. *Br J Ind Med.* 50: 234-243.
- Mowat, F; Bono, M; Lee, RJ; Tamburello, S; Paustenbach, D. (2005). Occupational exposure to airborne asbestos from phenolic molding material (Bakelite) during sanding, drilling, and related activities. *J Occup Environ Hyg.* 2: 497-507. <http://dx.doi.org/10.1080/15459620500274237>.
- Mowat, F; Weidling, R; Sheehan, P. (2007). Simulation tests to assess occupational exposure to airborne asbestos from asphalt-based roofing products. *Ann Occup Hyg.* 51: 451-462. <http://dx.doi.org/10.1093/annhyg/mem020>.
- Mowat, FS; Bono, M; Paustenbach, DJ. (2004). Occupational Exposure To Airborne Chrysotile Asbestos During Use And Removal Of Mastics, Coating, And Adhesives (CIRCA 1940s-Present Day). *Toxicologist.* 78: 108.
- Mowé, G; Gylseth, B; Hartveit, F; Skaug, V. (1984). Occupational asbestos exposure, lung-fiber concentration and latency time in malignant mesothelioma. *Scand J Work Environ Health.* 10: 293-298.
- Moy, EV; Hu, H; Christiani, DC. (1999). A retired shipyard worker with rapidly progressive pulmonary interstitial fibrosis. *Environ Health Perspect.* 107: 321-327.
- Moyer, VD; Cistulli, CA; Vaslet, CA; Kane, AB. (1994). OXYGEN RADICALS AND ASBESTOS CARCINOGENESIS [Review]. *Environ Health Perspect.* 102: 131-136.
- Moys, AL; Sabersky, RH. (1978). HEAT-TRANSFER AND FRICTION COEFFICIENTS FOR DILUTE SUSPENSIONS OF ASBESTOS FIBERS. *Int J Heat Mass Tran.* 21: 7-14.
- Mposkos, E; Baziotis, I; Leontakianakos, G; Barry, PH. (2013). The metamorphic evolution of the high-pressure Kechros complex in East Rhodope (NE Greece): Implications from Na-Al-rich leucocratic rocks within antigorite serpentinites. *Lithos.* 177: 17-33. <http://dx.doi.org/10.1016/j.lithos.2013.06.012>.
- Mposkos, E; Baziotis, I; Proyer, A. (2010). Metamorphic reprocessing of a serpentinitized carbonate-bearing peridotite after detachment from the mantle wedge: A P-T path constrained from textures and phase diagrams in the system CaO-MgO-Al₂O₃-SiO₂-CO₂-H₂O. *Lithos.* 118: 349-364. <http://dx.doi.org/10.1016/j.lithos.2010.05.009>.
- Mucke, A; Younessi, R. (1994). MAGNETITE-APATITE DEPOSITS (KIRUNA-TYPE) ALONG THE SANANDAJ-SIRJAN ZONE AND IN THE BAFQ AREA, IRAN, ASSOCIATED WITH ULTRAMAFIC AND CALCALKALINE ROCKS AND CARBONATITES. *Mineralogy and Petrology.* 50: 219-244.
- Mueller, AG. (1997). The Nevorio gold skarn deposit in Archean iron-formation, southern cross greenstone belt, western Australia .1. Tectonic setting, petrography and classification. *Econ Geol.* 92: 181-209.
- Mueller, AG. (2007). Copper-gold endoskarns and high-Mg monzodiorite-tonalite intrusions at Mt. Shea, Kalgoorlie, Australia: implications for the origin of gold-pyrite-tennantite mineralization in the Golden Mile. *Miner Depos.* 42: 737-769. <http://dx.doi.org/10.1007/s00126-007-0132-8>.
- Mueller, AG; Hall, GC; Nemchin, AA; Stein, HJ; Creaser, RA; Mason, DR. (2008). Archean high-Mg monzodiorite-syenite, epidote skarn, and biotite-sericite gold lodes in the Granny Smith-Wallaby district, Australia: U-Pb and Re-Os chronometry of two intrusion-related hydrothermal systems. *Trans Nonferrous Met Soc China.* 43: 337-362. <http://dx.doi.org/10.1007/s00126-007-0164-0>.
- Mueller, AG; Nemchin, AA; Frei, R. (2004). The Nevorio gold skarn deposit, Southern Cross greenstone belt, western Australia: II. Pressure-temperature-time path and relationship to postorogenic granites. *Econ Geol.* 99: 453-478.
- Mugnaoli, E; Logar, M; Mellini, M; Viti, C. (2007). Complexity in 15- and 30-sectors polygonal serpentine: Longitudinal sections, intrasector stacking faults and XR-PD satellites. *Am Mineral.* 92: 603-616. <http://dx.doi.org/10.2138/am.2007.2272>.
- Muhle, H; Bellmann, B; Pott, F. (1994). Comparative investigations of the biodurability of mineral fibers in the rat lung. *Environ Health Perspect.* 102 Suppl 5: 163-168.
- Muhle, H; Pott, F. (2000). Asbestos as reference material for fibre-induced cancer [Review]. *Int Arch Occup Environ Health.* 73 Suppl: S53-S59.
- Muir, DC; Julian, J; Jadon, N; Roberts, R; Roos, J; Chan, J; Maehle, W; Morgan, WK. (1993). Prevalence of small opacities in chest radiographs of nickel sinter plant workers. *Br J Ind Med.* 50: 428-431.
- Mukerjee, S; Mukerjee, D; Powers, TJ; Wassermann, O. (1991). STRATEGY TO REDUCE RISK OF ASBESTOS IN THE UNITED-STATES. 1: 193-207.
- Mukherjee, AK; Rajmohan, HR; Dave, SK; Rajan, BK; Kakde, Y; Rao, SR. (1992). An environmental survey in chrysotile asbestos milling processes in India. *Am J Ind Med.* 22: 543-551.
- Mukherjee, AK; Rajmohan, RR; Dave, SK; Rajan, BK; Kakde, Y; Rao, SR. (1996). Pollution and its control in asbestos milling processes in India. *Ind Health.* 34: 35-43.
- Mukherjee, PS; De, AK; Bhattacharjee, S. (1978). ELECTRICAL ANISOTROPY OF ASBESTOS - A FIBROUS TREMOLITE. *Journal of Materials Science.* 13: 1824-1827.
- Mukherjee, R, ia; Mondal, SK; Frei, R; Rosing, MT; Waight, T, odE; Zhong, H; Kumar, GRR. (2012). The 3.1 Ga Nuggihalli chromite deposits, Western Dharwar craton (India): Geochemical and isotopic constraints on mantle sources, crustal evolution and implications for supercontinent formation and ore mineralization. *Lithos.* 155: 392-409. <http://dx.doi.org/10.1016/j.lithos.2012.10.001>.

Exposure Literature Search Results

Off Topic

- Mukherjee, R, ia; Mondal, SK; Gonzalez-Jimenez, JM; Griffin, WL; Pearson, NJ; O'Reilly, SY. (2015). Trace-element fingerprints of chromite, magnetite and sulfides from the 3.1 Ga ultramafic-mafic rocks of the Nuggihalli greenstone belt, Western Dharwar craton India). *Contributions to Mineralogy and Petrology*. 169. <http://dx.doi.org/10.1007/s00410-015-1148-1>.
- Mukhopadhyay, S; Annamalai, D; Srikanta, R. (2011). Coir Fiber for Heat Insulation. *Journal of Natural Fibers*. 8: 48-58. <http://dx.doi.org/10.1080/15440478.2010.551001>.
- Mullan, RJ; Murthy, LI. (1991). OCCUPATIONAL SENTINEL HEALTH EVENTS - AN UP-DATED LIST FOR PHYSICIAN RECOGNITION AND PUBLIC-HEALTH SURVEILLANCE. *Am J Ind Med*. 19: 775-799.
- Muller, D; Morris, BJ; Farrand, MG. (1993). POTASSIC ALKALINE LAMPORPHYRES WITH AFFINITIES TO LAMPROITES FROM THE KARINYA-SYNCLINE, SOUTH-AUSTRALIA. *Lithos*. 30: 123-137.
- Muller, JG; Rudolph, WG; Lieske, JM; Hernandez, JE; Jan, MH; Kubiak, G. (2007). Changes in B-readings over time in the United States Navy Asbestos Medical Surveillance Program. *J Occup Environ Med*. 49: 194-203. <http://dx.doi.org/10.1097/JOM.0b013e31802df12c>.
- Mullins, M; Murphy, F; Baublyte, L; Mcalea, EM; Tofail, SA. (2013). The insurability of nanomaterial production risk. *Nat Nanotechnol*. 8: 222-224. <http://dx.doi.org/10.1038/nnano.2013.53>.
- Mundt, DJ; Marano, KM; Nunes, AP; Adams, RC. (2009). A review of changes in composition of hot mix asphalt in the United States. *J Occup Environ Hyg*. 6: 714-725. <http://dx.doi.org/10.1080/15459620903249125>.
- Mundt, DJ; van Wijngaarden, E; Mundt, KA. (2007). An assessment of the possible extent of confounding in epidemiological studies of lung cancer risk among roofers. *J Occup Environ Hyg*. 4: 163-174. <http://dx.doi.org/10.1080/15459620701354382>.
- Munoz, M; Vidal, O; Marcaillou, C; Pascarelli, S; Mathon, O; Farges, F. (2013). Iron oxidation state in phyllosilicate single crystals using Fe-K pre-edge and XANES spectroscopy: Effects of the linear polarization of the synchrotron X-ray beam. *Am Mineral*. 98: 1187-1197. <http://dx.doi.org/10.2138/am.2013.4289>.
- Muntener, O; Hermann, J. (1994). TITANIAN ANDRADITE IN A METAPYROXENITE LAYER FROM THE MALENCO ULTRAMAFICS (ITALY) - IMPLICATIONS FOR TI-MOBILITY AND LOW-OXYGEN FUGACITY. *Contributions to Mineralogy and Petrology*. 116: 156-168.
- Muntener, O; Hermann, J; Trommsdorff, V. (2000). Cooling history and exhumation of lower crustal granulite and Upper Mantle (Malenco, Eastern Central Alps). *Journal of Petrology*. 41: 175-200.
- Munz, IA; Wayne, D; Austrheim, H. (1994). RETROGRADE FLUID INFILTRATION IN THE HIGH-GRADE MODUM COMPLEX, SOUTH NORWAY - EVIDENCE FOR AGE, SOURCE AND REE MOBILITY. *Contributions to Mineralogy and Petrology*. 116: 32-46.
- Mur, JM. (1992). Epidemiology of respiratory hazards: recent advances [Review]. *Rev Epidemiol Sante Publique*. 40 Suppl 1: S27-S41.
- Murai, Y. (2001). Malignant mesothelioma in Japan: analysis of registered autopsy cases. *Arch Environ Health*. 56: 84-88. <http://dx.doi.org/10.1080/00039890109604058>.
- Murai, Y; Kitagawa, M. (2000). Autopsy cases of asbestosis in Japan: a statistical analysis on registered cases. *Arch Environ Health*. 55: 447-452. <http://dx.doi.org/10.1080/00039890009604044>.
- Murai, Y; Kitagawa, M; Hiraoka, T. (1995). Asbestos body formation in the human lung: distinctions, by type and size. *Arch Environ Health*. 50: 19-25. <http://dx.doi.org/10.1080/00039896.1995.9955008>.
- Murai, Y; Kitagawa, M; Matsui, K; Koizumi, F; Miwa, A. (1995). Asbestos fiber analysis in nine lung cancer cases with high asbestos exposure [Review]. *Arch Environ Health*. 50: 320-325. <http://dx.doi.org/10.1080/00039896.1995.9935961>.
- Murai, Y; Kitagawa, M; Yasuda, M; Okada, E; Koizumi, F; Miwa, A. (1994). Asbestos fiber analysis in seven asbestosis cases. *Arch Environ Health*. 49: 67-72. <http://dx.doi.org/10.1080/00039896.1994.9934418>.
- Murata-Kamiya, N; Tsutsui, T; Fujino, A; Kasai, H; Kaji, H. (1997). Determination of carcinogenic potential of mineral fibers by 8-hydroxydeoxyguanosine as a marker of oxidative DNA damage in mammalian cells. *Int Arch Occup Environ Health*. 70: 321-326.
- Muravov, OI; Kaye, WE; Lewin, M; Berkowitz, Z; Lybarger, JA; Campolucci, SS; Parker, JE. (2005). The usefulness of computed tomography in detecting asbestos-related pleural abnormalities in people who had indeterminate chest radiographs: the Libby, MT, experience. *Int J Hyg Environ Health*. 208: 87-99. <http://dx.doi.org/10.1016/j.ijheh.2005.01.019>.
- Murayama, T; Takahashi, K; Natori, Y; Kurumatani, N. (2006). Estimation of future mortality from pleural malignant mesothelioma in Japan based on an age-cohort model. *Am J Ind Med*. 49: 1-7. <http://dx.doi.org/10.1002/ajim.20246>.
- Murbach, D; Chapman, P; Madl, A; Brown, J; Paustenbach, D. (2006). Evaluation of bricklayer exposures to airborne asbestos in steel mills (1972-1981). *Epidemiology*. 17: S462-S463.
- Murphy, RL; Gaensler, EA; Redding, RA; Belleau, R; Keelan, PJ; Smith, AA; Goff, AM; Ferris, BG. (1972). Low exposure to asbestos. Gas exchange in ship pipe coverers and controls. *Arch Environ Health*. 25: 253-264.
- Murr, LE. (2009). Nanoparticulate materials in antiquity: The good, the bad and the ugly. *Materials Characterization*. 60: 261-270. <http://dx.doi.org/10.1016/j.matchar.2008.03.012>.
- Murr, LE; Garza, KM. (2009). Natural and anthropogenic environmental nanoparticulates: Their microstructural characterization and respiratory health implications. *Atmos Environ*. 43: 2683-2692. <http://dx.doi.org/10.1016/j.atmosenv.2009.03.002>.
- Murr, LE; Soto, KF. (2004). TEM comparison of chrysotile (asbestos) nanotubes and carbon nanotubes. *Journal of Materials Science*. 39: 4941-4947.
- Murray, JS. (1985). FIBER DISPERSION SURVEY - A NEW PROSPECTING METHOD FOR ASBESTOS. 78: 64-64.
- Murzin, VV; Shanina, SN. (2007). Fluid regime and origin of gold-bearing rodingites from the Karabash alpine-type ultrabasic massif, Southern Ural. *Geochem Int*. 45: 998-1011. <http://dx.doi.org/10.1134/S0016702907100047>.
- Muscat, JE; Stellman, SD; Richie, JP; Wynder, EL. (1998). Lung cancer risk and workplace exposures in black men and women. *Environ Res*. 76: 78-84. <http://dx.doi.org/10.1006/enrs.1997.3787>.
- Muscat, JE; Stellman, SD; Wynder, EL. (1995). Insulation, asbestos, smoking habits, and lung cancer cell types. *Am J Ind Med*. 27: 257-269.

Exposure Literature Search Results

Off Topic

- Music, S; Filipovic-Vincekovic, N; Sekovanic, L. (2011). PRECIPITATION OF AMORPHOUS SiO₂ PARTICLES AND THEIR PROPERTIES. *Brazilian Journal of Chemical Engineering*. 28: 89-94.
- Musingwini, C; Muzoriwa, C; Phuti, D; Mbirikira, D. (2005). First cycle experience of a business process re-engineering programme at Shabanie Mine. *J S Afr Inst Min Metall*. 105: 215-221.
- Musk, AW; De Klerk, NH. (2002). The quantitative risks of mesothelioma and lung cancer in relation to asbestos exposure: The Wittenoom data - Reply. *Ann Occup Hyg*. 46: 128-129. <http://dx.doi.org/10.1093/annhyg/mef003>.
- Musk, AW; de Klerk, NH; Reid, A; Ambrosini, GL; Fritschi, L; Olsen, NJ; Merler, E; Hobbs, MST; Berry, G. (2008). Mortality of former crocidolite (blue asbestos) miners and millers at Wittenoom. *Occup Environ Med*. 65: 541-543. <http://dx.doi.org/10.1136/oem.2007.034280>.
- Musk, AW; Deklerk, NH; Eccles, JL; Hobbs, MST; Armstrong, BK; Layman, L; McNulty, JC. (1992). WITTENOOM, WESTERN-AUSTRALIA - A MODERN INDUSTRIAL DISASTER. *Am J Ind Med*. 21: 735-747.
- Musselman, RP; Miiller, WC; Eastes, W; Hadley, JG; Kamstrup, O; Thevenaz, P; Hesterberg, TW. (1994). Biopersistences of man-made vitreous fibers and crocidolite fibers in rat lungs following short-term exposures. *Environ Health Perspect*. 102 Suppl 5: 139-143.
- Mustafa, A; Abdollah, MFB; Ismail, N; Amiruddin, H; Umehara, N. (2014). Materials selection for eco-aware lightweight friction material. 15: 279-285. <http://dx.doi.org/10.1051/meca/2014039>.
- Mustard, JF. (1992). CHEMICAL-ANALYSIS OF ACTINOLITE FROM REFLECTANCE SPECTRA. *Am Mineral*. 77: 345-358.
- Mutetwa, B; Chikonyora, M; Dozva, R; Mazibuko, D. (2005). The evaluation of chrysotile asbestos fibre levels in major chrysotile cement manufacturing companies in Zimbabwe. 11: 7-11.
- Mutlu, GM; Budinger, GR; Green, AA; Ulrich, D; Soberanes, S; Chiarella, SE; Alheid, GF; Mccrimmon, DR; Szeifer, I; Hersam, MC. (2010). Biocompatible nanoscale dispersion of single-walled carbon nanotubes minimizes in vivo pulmonary toxicity. *Nano Lett*. 10: 1664-1670. <http://dx.doi.org/10.1021/nl9042483>.
- Mutlu, I; Alma, MH; Basturk, MA; Oner, C. (2005). Preparation and characterization of brake linings from modified tannin-phenol formaldehyde resin and asbestos-free fillers. *Journal of Materials Science*. 40: 3003-3005. <http://dx.doi.org/10.1007/s10853-005-2396-7>.
- Mutlu, I; Eldogan, O; Findik, F. (2005). Production of ceramic additive automotive brake lining and investigation of its braking characterisation. *Industrial Lubrication & Tribology*. 57: 84-92. <http://dx.doi.org/10.1108/00368790510583401>.
- Mutlu, I; Oner, C; Cevik, I; Findik, F. (2007). Wear performance of some phenolic composites with boric acid. *Industrial Lubrication & Tribology*. 59: 38-45. <http://dx.doi.org/10.1108/00368790710723124>.
- Muzembo, BA; Deguchi, Y; Ngatu, NR; Eitoku, M; Hirota, R; Suganuma, N. (2015). Selenium and exposure to fibrogenic mineral dust: a mini-review [Review]. *Environ Int*. 77: 16-24. <http://dx.doi.org/10.1016/j.envint.2015.01.002>.
- Mwaiselage, J; Bratveit, M; Moen, B; Mashalla, Y. (2004). Cement dust exposure and ventilatory function impairment: An exposure-response study. *J Occup Environ Med*. 46: 658-667. <http://dx.doi.org/10.1097/01.jom.0000131787.02250.79>.
- Myalski, J; Sleziona, J. (2005). The assessment of possibilities for utilisation of composites with thermosetting matrix. *J Mater Process Tech*. 162: 96-101. <http://dx.doi.org/10.1016/j.jmatprotec.2005.02.184>.
- Myers, JE. (1992). MERCHANT-MARINE IS NOT SUCH A STRANGE PLACE FOR ASBESTOS EXPOSURE [Letter]. *Am J Ind Med*. 21: 457-457.
- Myers, JL. (1975). HANDLING ASBESTOS - CHRYSOTILE ASBESTOS IN PLASTICS. *J Paint Technol*. 47: 63-67.
- Myojin, T; Azuma, K; Okumura, J; Uchiyama, I. (2012). Future Trends of Mesothelioma Mortality in Japan Based on a Risk Function. *Ind Health*. 50: 197-204.
- Myojo, T; Ogami, A; Oyabu, T; Morimoto, Y; Hirohashi, M; Murakami, M; Nishi, K; Kadoya, C; Tanaka, I. (2010). Risk assessment of airborne fine particles and nanoparticles. *Adv Powder Tech*. 21: 507-512. <http://dx.doi.org/10.1016/j.apt.2010.05.004>.
- Myojo, T; Takaya, M. (2001). Estimation of fibrous aerosol deposition in upper bronchi based on experimental data with model bifurcation. *Ind Health*. 39: 141-149.
- Myrvik, QN; Knox, EA; Gordon, M; Shirley, PS. (1985). Effects of asbestos on the random migration of rabbit alveolar macrophages. *Environ Health Perspect*. 60: 387-393.
- Nabeshi, H; Yoshikawa, T; Matsuyama, K; Nakazato, Y; Matsuo, K; Arimori, A; Isobe, M; Tochigi, S; Kondoh, S; Hirai, T; Akase, T; Yamashita, T; Yamashita, K; Yoshida, T; Nagano, K; Abe, Y; Yoshioka, Y; Kamada, H; Imazawa, T; Itoh, N; Nakagawa, S; Mayumi, T; Tsunoda, S; Tsutsumi, Y. (2011). Systemic distribution, nuclear entry and cytotoxicity of amorphous nanosilica following topical application. *Biomaterials*. 32: 2713-2724. <http://dx.doi.org/10.1016/j.biomaterials.2010.12.042>.
- Nadeau, O; Cayer, A; Pelletier, M; Stevenson, R; Jebrak, M. (2015). The Paleoproterozoic Montviel carbonatite-hosted REE-Nb deposit, Abitibi, Canada: Geology, mineralogy, geochemistry and genesis. *Ore Geol Rev*. 67: 314-335. <http://dx.doi.org/10.1016/j.oregeorev.2014.12.017>.
- Nagaya, T; Wallis, SR; Kobayashi, H; Michibayashi, K; Mizukami, T; Seto, Y; Miyake, A; Matsumoto, M. (2014). Dehydration breakdown of antigorite and the formation of B-type olivine CPO. *Earth Planet Sci Lett*. 387: 67-76. <http://dx.doi.org/10.1016/j.epsl.2013.11.025>.
- Naidoo, RN; Robins, TG; Solomon, A; White, N; Franzblau, A. (2004). Radiographic outcomes among South African coal miners. *Int Arch Occup Environ Health*. 77: 471-481. <http://dx.doi.org/10.1007/s00420-004-0532-3>.
- Naimi. (2015). Estimating the Effect of Cumulative Occupational Asbestos Exposure on Time to Lung Cancer Mortality: using structural nested failure-time models to account for healthy-worker survivor bias (vol 25, pg 246, 2014). *Epidemiology*. 26: 778-778.
- Naimi, AI; Cole, SR; Hudgens, MG; Brookhart, MA; Richardson, DB. (2013). Assessing the component associations of the healthy worker survivor bias: occupational asbestos exposure and lung cancer mortality. *Ann Epidemiol*. 23: 334-341. <http://dx.doi.org/10.1016/j.annepidem.2013.03.013>.

Exposure Literature Search Results

Off Topic

- Naimi, AI; Cole, SR; Hudgens, MG; Richardson, DB. (2014). Estimating the effect of cumulative occupational asbestos exposure on time to lung cancer mortality: using structural nested failure-time models to account for healthy-worker survivor bias. *Epidemiology*. 25: 246-254. <http://dx.doi.org/10.1097/EDE.0000000000000045>.
- Naimi, AI; Cole, SR, SR; Richardson, DB. (2012). ESTIMATING THE ASSOCIATION BETWEEN ASBESTOS AND LUNG CANCER MORTALITY USING STRUCTURAL NESTED MODELS. *Am J Epidemiol*. 175: S41-S41.
- Naimi, AI; Richardson, DB; Cole, SR. (2013). Causal Inference in Occupational Epidemiology: Accounting for the Healthy Worker Effect by Using Structural Nested Models [Comment]. *Am J Epidemiol*. 178: 1681-1686. <http://dx.doi.org/10.1093/aje/kwt215>.
- Najorka, J; Gottschalk, M. (2003). Crystal chemistry of tremolite-tschemmakite solid solutions. *Physics and Chemistry of Minerals*. 30: 108-124. <http://dx.doi.org/10.1007/s00269-002-0291-1>.
- Najorka, J; Gottschalk, M; Franz, G; Heinrich, W. (1999). Ca-Sr distribution among amphibole, clinopyroxene, and chloride-bearing solutions. *Am Mineral*. 84: 596-606.
- Najorka, J; Gottschalk, M; Heinrich, W. (2002). Composition of synthetic tremolite-tschemmakite solid solutions in amphibole+anorthite- and amphibole+zoisite-bearing assemblages. *Am Mineral*. 87: 462-477.
- Nakadate, T. (1995). Decline in annual lung function in workers exposed to asbestos with and without pre-existing fibrotic changes on chest radiography. *Occup Environ Med*. 52: 368-373.
- Nakadate, T; Sato, T; Kagawa, J; Yagami, T. (1994). Effect of lifetime cigarette consumption on time domain spirogram indices. *Ind Health*. 32: 29-40.
- Nakamura, H; Kanazawa, K; Mizuhira, V. (1977). AN ATTEMPT TO IDENTIFY ASBESTOS BY WAVELENGTH DISPERSIVE X-RAY MICRO ANALYZER. (HEEP/79/01086). Nakamura, H; Kanazawa, K; Mizuhira, V.
- Nakamura, K; Kato, Y. (2004). Carbonatization of oceanic crust by the seafloor hydrothermal activity and its significance as a CO₂ sink in the Early Archean. *Geochim Cosmo Acta*. 68: 4595-4618. <http://dx.doi.org/10.1016/j.gca.2004.05.023>.
- Nakamura, M; Fukushima, T; Kamitani, M. (1992). MICROSTRUCTURE AND FROST DURABILITY OF CEMENTITIOUS BUILDING-MATERIALS REINFORCED WITH NONASBESTOS FIBERS. 100: 858-863.
- Nakamura, M; Ishibashi, Y. (1997). Frost durability of non-asbestos fiber-reinforced cement board fabricated from modified raw powders. *Ceramic Society of Japan Journal*. 105: 906-910. <http://dx.doi.org/10.2109/jcersj.105.906>.
- Nakamura, M; Takanori, D. (1996). Improvement of frost durability of vinylon fiber reinforced cement board. *Ceramic Society of Japan Journal*. 104: 989-991. <http://dx.doi.org/10.2109/jcersj.104.989>.
- Nakatani, T; Nakamura, M. (2016). Experimental constraints on the serpentinization rate of fore-arc peridotites: Implications for the upwelling condition of the slab-derived fluid. *G-cubed*. 17: 3393-3419. <http://dx.doi.org/10.1002/2016GC006295>.
- Nakayama, N; Hagiwara, K; Ito, Y; Ijiro, K; Osada, Y; Sano, K. (2015). Superior cell penetration by a rigid and anisotropic synthetic protein. *Langmuir*. 31: 2826-2832. <http://dx.doi.org/10.1021/la504494x>.
- Nam, JM. (2007). Comparison of validity of assessment methods using indices of adjusted agreement. *Stat Med*. 26: 620-632. <http://dx.doi.org/10.1002/sim.2562>.
- Nam, JM; Rice, C; Gail, MH. (2005). Comparison of asbestos exposure assessments by next-of-kin respondents, by an occupational hygienist, and by a job-exposure matrix from the National Occupational Hazard Survey. *Am J Ind Med*. 47: 443-450. <http://dx.doi.org/10.1002/ajim.20168>.
- Nam, SN; Jeong, S; Lim, H. (2014). Thermochemical destruction of asbestos-containing roofing slate and the feasibility of using recycled waste sulfuric acid. *J Hazard Mater*. 265: 151-157. <http://dx.doi.org/10.1016/j.jhazmat.2013.11.004>.
- Narayan, S; Sinha, BR; Blum, FD; Dharani, LR; Chen, YR. (1990). NON-ASBESTOS FRICTION MATERIALS - MECHANICAL-PROPERTIES OF BINARY-SYSTEMS. 21: 17-22.
- Nascimento, RSC; Sial, AN; Pimentel, MM. (2007). C- and Sr-isotope systematics applied to Neoproterozoic marbles of the Serido belt, northeastern Brazil. *Chem Geol*. 237: 191-210. <http://dx.doi.org/10.1016/j.chemgeo.2006.06.017>.
- Nash, DR; Fortson, NG; Mclarty, JW; Hurst, GA. (1981). Serum protein concentrations and respiratory tract abnormalities following short-term exposure to amosite: A comparison between former asbestos workers and unexposed controls. *J Toxicol Environ Health*. 7: 733-744. <http://dx.doi.org/10.1080/15287398109530015>.
- Natale, A. (1987). METHOD OF DISPOSING OF ASBESTOS WASTE MATERIAL US PATENT-4705429. NOVEMBER 10 1987. (BIOSIS/88/02681). Natale, A.
- Natarajan, MP; Rajmohan, B. (2016). Performance of non-asbestos organic brake liners for light motor vehicles. 58: 252-259. <http://dx.doi.org/10.3139/120.110849>.
- Nath, S. (1985). PREVALENCE OF ASBESTOSIS IN ASBESTOS FIBER PROCESSING UNIT (pp. 139-150). (BIOSIS/86/14066). Nath, S.
- Naumczyk, J; Kucharska, M. (2011). TANNERY WASTEWATER TREATMENT BY ANODIC ELECTROOXIDATION COUPLED WITH ELECTRO-FENTON PROCESS. *Environ Protect Eng*. 37: 47-54.
- Navrátil, M; Morávková, K; Trippé, F. (1978). Follow-up study of pleural hyalinosis in individuals not exposed to asbestos dust. *Environ Res*. 15: 108-118.
- Nawrat, G; Gnot, W. (2000). Diaphragms and membranes used in electrolyzers for chlorine production. *Przemysł Chemiczny*. 79: 407-+.
- Nawrat, G; Kopyto, D; Gonet, M. (2007). Integrated diaphragm-cathode systems in the process of electrolysis production of chlorine. *Przemysł Chemiczny*. 86: 866-871.
- Nay, SY. (2003). Asbestos in Belgium: use and abuse. *Int J Occup Environ Health*. 9: 287-293. <http://dx.doi.org/10.1179/oeh.2003.9.3.287>.
- Nayebzadeh, A; Case, BW; Massé, J; Dufresne, A. (2006). Mineralogical and exposure determinants of pulmonary fibrosis among Québec chrysotile miners and millers. *Int Arch Occup Environ Health*. 79: 227-236. <http://dx.doi.org/10.1007/s00420-005-0046-7>.

Exposure Literature Search Results

Off Topic

- Nayebzadeh, A; Dufresne, A; Case, B; Vali, H; Williams-Jones, AE; Martin, R; Normand, C; Clark, J. (2001). Lung mineral fibers of former miners and millers from Thetford-Mines and asbestos regions: a comparative study of fiber concentration and dimension. *Arch Environ Health*. 56: 65-76. <http://dx.doi.org/10.1080/00039890109604056>.
- Ndlovu, B; Becker, M; Forbes, E; Deglon, D; Franzidis, JP. (2011). The influence of phyllosilicate mineralogy on the rheology of mineral slurries. *Miner Eng*. 24: 1314-1322. <http://dx.doi.org/10.1016/j.mineng.2011.05.008>.
- Ndlovu, B; Forbes, E; Farrokhpay, S; Becker, M; Bradshaw, D, ee; Deglon, D. (2014). A preliminary rheological classification of phyllosilicate group minerals. *Miner Eng*. 55: 190-200. <http://dx.doi.org/10.1016/j.mineng.2013.06.004>.
- Ndlovu, BN; Forbes, E; Becker, M; Deglon, DA; Franzidis, JP; Laskowski, JS. (2011). The effects of chrysotile mineralogical properties on the rheology of chrysotile suspensions. *Miner Eng*. 24: 1004-1009. <http://dx.doi.org/10.1016/j.mineng.2011.04.025>.
- Ndlovu, N; Naude, J, t; Murray, J. (2013). Compensation for environmental asbestos-related diseases in South Africa: a neglected issue. *Global Health Action*. 6: 19410. <http://dx.doi.org/10.3402/gha.v6i0.19410>.
- Nebel, ML; Hutchinson, RW; Zartman, RE. (1991). METAMORPHISM AND POLYGENESIS OF THE MADEM LAKKOS POLYMETALLIC SULFIDE DEPOSIT, CHALKIDIKI, GREECE. *Econ Geol*. 86: 81-105.
- Nebesar, B. (1984). THE MEASUREMENT OF CORROSION OF ASBESTOS-CEMENT PIPE. 77: 82-82.
- Negro, C; Blanco, A; Pio, IS; Tijero, J. (2006). Methodology for flocculant selection in fibre-cement manufacture. *Cement and Concrete Composites*. 28: 90-96. <http://dx.doi.org/10.1016/j.cemconcomp.2005.07.003>.
- Negro, C; Fuente, E; Sanchez, LM; Blanco, A; Tijero, J. (2006). Evaluation of an alternative flocculation system for manufacture of fiber-cement composites. *Ind Eng Chem Res*. 45: 6672-6678. <http://dx.doi.org/10.1021/ie060580u>.
- Negro, C; Sanchez, LM; Fuente, E; Blanco, A; Tijero, J. (2006). Polyacrylamide induced flocculation of a cement suspension. *Chem Eng Sci*. 61: 2522-2532. <http://dx.doi.org/10.1016/j.ces.2005.11.013>.
- Negro, C; Sanchez, LM; Fuente, H; Blanco, A. (2005). Effects of flocculants and sizing agents on bending strength of fiber cement composites. *Cement and Concrete Research*. 35: 2104-2109. <http://dx.doi.org/10.1016/j.cemconres.2005.06.009>.
- Nehlig, P; Juteau, T; Bendel, V; Cotten, J. (1994). THE ROOT ZONES OF OCEANIC HYDROTHERMAL SYSTEMS - CONSTRAINTS FROM THE SAMAIL OPHIOLITE (OMAN). *J Geophys Res Solid Earth*. 99: 4703-4713.
- Neis, PD; Ferreira, NF; da Silva, FP. (2014). Comparison between methods for measuring wear in brake friction materials. *Wear*. 319: 191-199. <http://dx.doi.org/10.1016/j.wear.2014.08.004>.
- Neis, PD; Ferreira, NF; Fekete, G; Matozo, LT; Masotti, D. (2017). Towards a better understanding of the structures existing on the surface of brake pads. *Tribology International*. 105: 135-147. <http://dx.doi.org/10.1016/j.triboint.2016.09.033>.
- Nejjari, A; Fournier, J; Pezerat, H; Leanderson, P. (1993). Mineral fibres: Correlation between oxidising surface activity and DNA base hydroxylation. *Br J Ind Med*. 50: 501-504.
- Nelson, BJ; Wood, SA; Gunter, ME. (2005). Dissolution of tremolite: An experimental study simulating conditions in the human lung. *Geochim Cosmo Acta*. 69: A195-A195.
- Nelson, G. (2013). Occupational respiratory diseases in the South African mining industry. *Global Health Action*. 6: 19520. <http://dx.doi.org/10.3402/gha.v6i0.19520>.
- Nelson, G; Murray, J; Phillips, JI. (2011). The risk of asbestos exposure in South African diamond mine workers. *Ann Occup Hyg*. 55: 569-577. <http://dx.doi.org/10.1093/annhyg/mer028>.
- Nemo, A; Silvestri, S. (2014). Mesothelioma in a wine cellar man: detailed description of working procedures and past asbestos exposure estimation. *Ann Occup Hyg*. 58: 1168-1174. <http://dx.doi.org/10.1093/annhyg/meu062>.
- Neophytou, AM; Picciotto, S; Costello, S; Eisen, EA. (2016). Occupational Diesel Exposure, Duration of Employment, and Lung Cancer An Application of the Parametric G-Formula. *Epidemiology*. 27: 21-28. <http://dx.doi.org/10.1097/EDE.0000000000000389>.
- Neri, M; Taioli, E; Filiberti, R; Paolo Ivaldi, G; Aldo Canessa, P; Verna, A; Marroni, P; Puntoni, R; Hirvonen, A; Garte, S. (2006). Metabolic genotypes as modulators of asbestos-related pleural malignant mesothelioma risk: a comparison of Finnish and Italian populations. *Int J Hyg Environ Health*. 209: 393-398. <http://dx.doi.org/10.1016/j.ijheh.2006.03.002>.
- Neri, S; Antonelli, A; Falaschi, F; Boraschi, P; Baschieri, L. (1994). Findings from high resolution computed tomography of the lung and pleura of symptom free workers exposed to amosite who had normal chest radiographs and pulmonary function tests. *Occup Environ Med*. 51: 239-243.
- Neri, S; Boraschi, P; Antonelli, A; Falaschi, F; Baschieri, L. (1996). Pulmonary function, smoking habits, and high resolution computed tomography (HRCT) early abnormalities of lung and pleural fibrosis in shipyard workers exposed to asbestos. *Am J Ind Med*. 30: 588-595. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199611\)30:5<588::AID-AJIM6>3.0.CO;2-P](http://dx.doi.org/10.1002/(SICI)1097-0274(199611)30:5<588::AID-AJIM6>3.0.CO;2-P).
- Ness, RB; Nelson, DB; Kumanyika, SK; Grisso, JA. (1997). Evaluating minority recruitment into clinical studies: How good are the data? *Ann Epidemiol*. 7: 472-478. [http://dx.doi.org/10.1016/S1047-2797\(97\)00080-X](http://dx.doi.org/10.1016/S1047-2797(97)00080-X).
- Nestola, F; Angel, RJ; Zhao, J; Garrido, CJ; Lopez Sanchez-Vizcaino, V; Capitani, G; Mellini, M. (2010). Antigorite equation of state and anomalous softening at 6 GPa: an in situ single-crystal X-ray diffraction study. *Contributions to Mineralogy and Petrology*. 160: 33-43. <http://dx.doi.org/10.1007/s00410-009-0463-9>.
- Neto, JAS; Legrand, JM; Volfinger, M; Pascal, ML; Sonnet, P. (2008). W-Au skarns in the Neo-Proterozoic Serido Mobile Belt, Borborema Province in northeastern Brazil: an overview with emphasis on the Bonfim deposit. *Miner Depos*. 43: 185-205. <http://dx.doi.org/10.1007/s00126-007-0155-1>.
- Neuberger, M. (1979). ASBESTOS INDUCED OCCUPATIONAL-DISEASES IN AUSTRIA. *Arbeitsmedizin, Sozialmedizin, Praeventivmedizin*. 14: 35-39.
- Neuberger, M. (1983). OCCUPATIONAL ASBESTOS DISEASES IN AUSTRIA. *Arbeitsmedizin, Sozialmedizin, Praeventivmedizin*. 18: 54-58.

Exposure Literature Search Results

Off Topic

- Neuberger, M; Ambrosch, P; Kundi, M. (1985). [Prevention of occupational cancer in the asbestos cement industry (preliminary report)]. Zentralbl Bakteriol Mikrobiol Hyg. 181: 81-86.
- Neuberger, M; Kundi, M. (1990). Individual asbestos exposure: smoking and mortality--a cohort study in the asbestos cement industry. Br J Ind Med. 47: 615-620.
- Neuberger, M; Vutuc, C. (2003). Three decades of pleural cancer and mesothelioma registration in Austria where asbestos cement was invented. Int Arch Occup Environ Health. 76: 161-166. <http://dx.doi.org/10.1007/s00420-002-0397-2>.
- Neuhouser, ML; Patterson, RE; Thornquist, MD; Omenn, GS; King, IB; Goodman, GE. (2003). Fruits and vegetables are associated with lower lung cancer risk only in the placebo arm of the beta-carotene and retinol efficacy trial (CARET). Cancer Epidemiol Biomarkers Prev. 12: 350-358.
- Neumann, ER; Abu El-Rus, MA; Tiepolo, M; Ottolini, L; Vannucci, R; Whitehouse, M. (2015). Serpentinization and Deserpentinization Reactions in the Upper Mantle beneath Fuerteventura Revealed by Peridotite Xenoliths with Fibrous Orthopyroxene and Mottled Olivine. Journal of Petrology. 56: 3-31. <http://dx.doi.org/10.1093/petrology/egu069>.
- Neumann, V; Rütten, A; Scharmach, M; Müller, KM; Fischer, M. (2004). Factors influencing long-term survival in mesothelioma patients--results of the German mesothelioma register. Int Arch Occup Environ Health. 77: 191-199. <http://dx.doi.org/10.1007/s00420-003-0498-6>.
- Nevitt, C; Daniell, W; Rosenstock, L. (1994). Workers' compensation for nonmalignant asbestos-related lung disease. Am J Ind Med. 26: 821-830.
- Newhouse, ML. (1977). Asbestos content of dust encountered in brake maintenance and repair. Proc R Soc Med. 70: 291.
- Newhouse, ML. (1991). MESOTHELIOMA IN THE LONDON AREA. Am J Ind Med. 20: 411-413.
- Newhouse, ML; Berry, G. (1976). Predictions of mortality from mesothelial tumours in asbestos factory workers. Br J Ind Med. 33: 147-151.
- Newhouse, ML; Berry, G; Skidmore, JW. (1982). A mortality study of workers manufacturing friction materials with chrysotile asbestos. Ann Occup Hyg. 26: 899-909.
- Newhouse, ML; Wagner, JC; Turok, ME; Berry, G. (1972). STUDY OF MORTALITY OF FEMALE ASBESTOS WORKERS. Br J Ind Med. 29: 134-&.
- Newman, HAI; Saat, YA; Hart, RW. (1980). Putative inhibitory effects of chrysotile, crocidolite and amosite mineral fibers on the more complex surface membrane glycolipids and glycoproteins. Environ Health Perspect. 34: 103-111.
- Newman Taylor, A. (2009). Asbestos, lung cancer and mesothelioma in the British Journal of Industrial Medicine [Editorial]. Occup Environ Med. 66: 426-427. <http://dx.doi.org/10.1136/oem.2006.026724>.
- Ngatu, NR; Suzuki, S; Kusaka, Y; Shida, H; Akira, M; Suganuma, N. (2010). Effect of a two-hour training on physicians' skill in interpreting Pneumoconiotic chest radiographs. J Occup Health. 52: 294-301.
- Nguyen-Thanh, L; Hoang-Minh, T; Kasbohm, J; Herbert, HJ; Thuy, DN; Thi, LL. (2014). Characterization of Fe-smectites and their alteration potential in relation to engineered barriers for HLW repositories: The Nui Nua clay, Thanh Hoa Province, Vietnam. Appl Clay Sci. 101: 168-176. <http://dx.doi.org/10.1016/j.clay.2014.07.032>.
- Nichols, L; Sorahan, T. (2005). Mortality of UK electricity generation and transmission workers, 1973-2002. Occup Med (Lond). 55: 541-548. <http://dx.doi.org/10.1093/occmed/kqi157>.
- Nicholson, WJ. (2000). Re: Call for an International Ban on Asbestos [Letter]. Am J Ind Med. 37: 238.
- Nicita, C; Buzzoni, C; Chellini, E; Ferretti, S; Marinaccio, A; Mensi, C; Grp, AW; Grp, RW; Grp, PR-AW. (2014). A comparative analysis between regional mesothelioma registries and cancer registries: results of the ReNaM-AIRTUM project. Epidemiol Prev. 38: 191-199.
- Nicol, M; Maudet, M. (2000). Carotenoids and vitamin A. Latest data. 7: 266-270.
- Nidhi; Bijwe, J; Mazumdar, N. (2006). Influence of amount and modification of resin on fade and recovery behavior of non-asbestos organic (NAO) friction materials. Tribology Letters. 23: 215-222. <http://dx.doi.org/10.1007/s11249-006-9055-2>.
- Nidhi; Satapathy, BK; Bijwe, J; Majumdar, N. (2006). Influence of modified phenolic resins on the fade and recovery properties of the friction materials: Supportive evidence multiple criteria decision-making method (MCDM). Journal of Reinforced Plastics and Composites. 25: 1333-1340. <http://dx.doi.org/10.1177/0731684406063527>.
- Nied, D; Enemark-Rasmussen, K; L'Hopital, E; Skibsted, J; Lothenbach, B. (2016). Properties of magnesium silicate hydrates (M-S-H). Cement and Concrete Research. 79: 323-332. <http://dx.doi.org/10.1016/j.cemconres.2015.10.003>.
- Nielsen, LS; Baelum, J; Rasmussen, J; Dahl, S; Olsen, K; Albin, M; Hansen, NC; Sherson, D. (2014). Occupational Asbestos Exposure and Lung Cancer-A Systematic Review of the Literature [Review]. Arch Environ Occup Health. 69: 191-206. <http://dx.doi.org/10.1080/19338244.2013.863752>.
- Niemeyer, IC; Gerchman, LL. (1981). PREPARATION OF ASBESTOS FILTER SAMPLES FOR REFERENCE-STANDARDS USING A WET GENERATION TECHNIQUE. Am Ind Hyg Assoc J. 42: 757-759.
- Nies, E. (1995). IN-VITRO TESTS - A CONTRIBUTION TO THE ESTIMATION OF THE CARCINOGENIC POTENCY OF MINERAL FIBERS. Staub, Reinhaltung der Luft. 55: 1-6.
- NIH. (1977). Educational needs of physicians and public regarding asbestos exposure [Review]. 1: 9-12.
- Niiranen, T; Manttari, I; Poutiainen, M; Oliver, NHS; Miller, JA. (2005). Genesis of Palaeoproterozoic iron skarns in the Misi region, northern Finland. Trans Nonferrous Met Soc China. 40: 192-217. <http://dx.doi.org/10.1007/s00126-005-0481-0>.
- Nikolaev, AI; Borodai, NV; Pleshakov, Y, uV. (2008). Components of Materials for Welding Electrodes Produced Using Products of Concentration of Olivinite Ores. Theoretical Foundations of Chemical Engineering. 42: 724-727. <http://dx.doi.org/10.1134/S0040579508050424>.
- Nikonova, NS; Tikhomirova, IN; Zakharov, AI; Belyakov, AV. (2004). Wollastonite-based structural and heat-insulating materials for nonferrous metallurgy. Refractories and Industrial Ceramics. 45: 300-303.
- Nikulin, A; Levin, V; Park, J. (2009). Receiver function study of the Cascadia megathrust: Evidence for localized serpentinization. G-cubed. 10. <http://dx.doi.org/10.1029/2009GC002376>.

Exposure Literature Search Results

Off Topic

- Nimis, P; Tesalina, SG; Omenetto, P; Tartarotti, P; Lerouge, C. (2004). Phyllosilicate minerals in the hydrothermal mafic-ultramafic-hosted massive-sulfide deposit of Ivanovka (southern Urals): comparison with modern ocean seafloor analogues. *Contributions to Mineralogy and Petrology*. 147: 363-383. <http://dx.doi.org/10.1007/s00410-004-0565-3>.
- Niquette, P; Servais, P; Savoie, R. (2000). Impacts of pipe materials on densities of fixed bacterial biomass in a drinking water distribution system. *Water Res*. 34: 1952-1956.
- Nishi, M; Irifune, T; Greaux, S; Tange, Y; Higo, Y. (2015). Phase transitions of serpentine in the lower mantle. *Phys Earth Planet In*. 245: 52-58. <http://dx.doi.org/10.1016/j.pepi.2015.05.007>.
- Nishimura, Y; Coombs, DS; Landis, CA; Itaya, T. (2000). Continuous metamorphic gradient documented by graphitization and K-Ar age, southeast Otago, New Zealand. *Am Mineral*. 85: 1625-1636.
- Nishimura, Y; Maeda, M; Kumagai-Takei, N; Lee, S; Matsuzaki, H; Wada, Y; Nishiike-Wada, T; Iguchi, H; Otsuki, T. (2013). Altered functions of alveolar macrophages and NK cells involved in asbestos-related diseases [Review]. *Environ Health Prev Med*. 18: 198-204. <http://dx.doi.org/10.1007/s12199-013-0333-y>.
- Niu, JL; Burnett, J. (2001). Setting up the criteria and credit-awarding scheme for building interior material selection to achieve better indoor air quality. *Environ Int*. 26: 573-580.
- Niu, YL; Leshner, CM. (1991). HYDROTHERMAL ALTERATION OF MAFIC METAVOLCANIC ROCKS AND GENESIS OF FE-ZN-CU SULFIDE DEPOSITS, STONE HILL DISTRICT, ALABAMA. *Econ Geol*. 86: 983-1001.
- Nizze, H. (1971). [Frequency of so-called asbestos bodies in human lungs]. *Int Arch Arbeitsmed*. 28: 71-82.
- Nkoumbou, C; Villieras, F; Njopwouo, D; Ngoune, CY; Barres, O; Pelletier, M; Razafitianamaharavo, A; Yvon, J. (2008). Physicochemical properties of talc ore from three deposits of Lamal Pougue area (Yaounde Pan-African Belt, Cameroon), in relation to industrial uses. *Appl Clay Sci*. 41: 113-132. <http://dx.doi.org/10.1016/j.clay.2007.10.006>.
- Noah, V; Bullock, B; Horne, DK. (1995). Woodbridge Research Facility 1995 Asbestos Survey, Woodbridge, Virginia. 86.
- Noda, H; Miyagawa, K; Kobayashi, M; Horiguchi, H; Ozawa, K; Kumada, N; Yonesaki, Y; Takei, T; Kinomura, N. (2009). Preparation of cordierite from fibrous sepiolite. *Ceramic Society of Japan Journal*. 117: 1236-1239. <http://dx.doi.org/10.2109/jcersj2.117.1236>.
- Noguchi, N; Moriwaki, T; Ikemoto, Y; Shinoda, K. (2012). OH group behavior and pressure-induced amorphization of antigorite examined under high pressure and temperature using synchrotron infrared spectroscopy. *Am Mineral*. 97: 134-142. <http://dx.doi.org/10.2138/am.2012.3904>.
- Nogueira, CR; Nápolis, LM; Bagatin, E; Terra-Filho, M; Müller, NL; Silva, CI; Rodrigues, RT; Neder, JA; Nery, LE. (2011). Lung diffusing capacity relates better to short-term progression on HRCT abnormalities than spirometry in mild asbestosis. *Am J Ind Med*. 54: 185-193. <http://dx.doi.org/10.1002/ajim.20922>.
- Nokso-Koivisto, P; Pukkala, E. (1994). Past exposure to asbestos and combustion products and incidence of cancer among Finnish locomotive drivers. *Occup Environ Med*. 51: 330-334.
- Nolan, RP; Gamble, JF; Gibbs, GW. (2013). Letter to the editor on commentary: malignant mesothelioma incidence among talc miners and millers in New York state by M M Finkelstein [Letter]. *Am J Ind Med*. 56: 1116-1118. <http://dx.doi.org/10.1002/ajim.22161>.
- Nolan, RP; Langer, AM; Addison, J. (1994). Lung content analysis of cases occupationally exposed to chrysotile asbestos. *Environ Health Perspect*. 102 Suppl 5: 245-250.
- Nolan, RP; Langer, AM; Herson, GB. (1991). Characterisation of Palygorskite Specimens from Different Geological Locales for Health Hazard Evaluation. *Br J Ind Med*. 48: 463-475.
- Nolan, RP; Langer, AM; Wilson, R. (1999). A risk assessment for exposure to grunerite asbestos (amosite) in an iron ore mine. *Proc Natl Acad Sci USA*. 96: 3412-3419.
- Noonan, C; Pfau, J; Larson, T; Spence, M. (2006). Nested case-control study of autoimmune disease in an asbestos-exposed population. *Environ Health Perspect*. 114: 1243-1247. <http://dx.doi.org/10.1289/ehp.9203>.
- Noonan, CW; Conway, K; Landguth, EL; Mcnew, T; Linker, L; Pfau, J; Black, B; Szeinuk, J; Flores, R. (2015). Multiple pathway asbestos exposure assessment for a Superfund community. *J Expo Sci Environ Epidemiol*. 25: 18-25. <http://dx.doi.org/10.1038/jes.2014.25>.
- Noonan, CW; Pfau, JC; Larson, TC; Spence, MR. (2005). Asbestos exposure and risk of autoimmune disease. *Am J Epidemiol*. 161: S31-S31.
- Noonan, GP; Linn, HI; Reed, LD. (1986). A Guide to Respiratory Protection for the Asbestos Abatement Industry (pp. 85-86). (NIOSH/00166988). Noonan, GP; Linn, HI; Reed, LD.
- Norman, DK; Parry, WT; Bowman, J. R. (1991). PETROLOGY AND GEOCHEMISTRY OF PROPYLITIC ALTERATION AT SOUTHWEST TINTIC, UTAH. *Econ Geol*. 86: 13-28.
- Normand, C; Williams-Jones, AE. (2007). Physicochemical conditions and timing of rodingite formation: evidence from rodingite-hosted fluid inclusions in the JM Asbestos mine, Asbestos, Québec. *Geochemical Transactions*. 8: 11. <http://dx.doi.org/10.1186/1467-4866-8-11>.
- Normand, C; Williams-Jones, AE; Martin, RF; Vali, H. (2002). Hydrothermal alteration of olivine in a flow-through autoclave: Nucleation and growth of serpentine phases. *Am Mineral*. 87: 1699-1709.
- Novikov YU, V; Tulakin, AV; Tsyplakova, GP; Ustyugov, VA; Ekhina, RS; Ampleeva, GP; Tyuleneva, IS; Semenova, OG. (1998). IMPACT OF PIPELINE CORROSION AND GROWTH PRODUCTS ON DRINKING WATER QUALITY (pp. 8-11). (BIOSIS/98/20876). Novikov YU, V; Tulakin, AV; Tsyplakova, GP; Ustyugov, VA; Ekhina, RS; Ampleeva, GP; Tyuleneva, IS; Semenova, OG.
- Nozaka, T. (2003). Compositional heterogeneity of olivine in thermally metamorphosed serpentinite from Southwest Japan. *Am Mineral*. 88: 1377-1384.
- Nozaka, T. (2014). Comment on "Dehydration breakdown of antigorite and the formation of B-type olivine CPO" by Nagaya et al. (2014). *Earth Planet Sci Lett*. 408: 402-405. <http://dx.doi.org/10.1016/j.epsl.2014.10.023>.

Exposure Literature Search Results

Off Topic

- Nozaka, T. (2014). Metasomatic hydration of the Oeyama forearc peridotites: Tectonic implications. *Lithos*. 184: 346-360. <http://dx.doi.org/10.1016/j.lithos.2013.11.012>.
- Nozaka, T; Fryer, P. (2011). Alteration of the Oceanic Lower Crust at a Slow-spreading Axis: Insight from Vein-related Zoned Halos in Olivine Gabbro from Atlantis Massif, Mid-Atlantic Ridge. *Journal of Petrology*. 52: 643-664. <http://dx.doi.org/10.1093/petrology/egq098>.
- Nozaka, T; Fryer, P; Andreani, M. (2008). Formation of clay minerals and exhumation of lower-crustal rocks at Atlantis Massif, Mid-Atlantic Ridge. *G-cubed*. 9. <http://dx.doi.org/10.1029/2008GC002207>.
- Nozaka, T; Meyer, R; Wintsch, RP; Wathen, B. (2016). Hydrothermal spinel, corundum and diaspore in lower oceanic crustal troctolites from the Hess Deep Rift. *Contributions to Mineralogy and Petrology*. 171. <http://dx.doi.org/10.1007/s00410-016-1266-4>.
- Nuriel, P; Katzir, Y; Abelson, M; Valley, JW; Matthews, A; Spicuzza, MJ; Ayalon, A. (2009). Fault-related oceanic serpentinization in the Troodos ophiolite, Cyprus: Implications for a fossil oceanic core complex. *Earth Planet Sci Lett*. 282: 34-46. <http://dx.doi.org/10.1016/j.epsl.2009.02.029>.
- Nurminen, M; Karjalainen, A. (2001). Epidemiologic estimate of the proportion of fatalities related to occupational factors in Finland. *Scand J Work Environ Health*. 27: 161-213.
- Nurminen, M; Tossavainen, A. (1994). Is there an association between pleural plaques and lung cancer without asbestosis? *Scand J Work Environ Health*. 20: 62-64.
- Nyberg, F; Gustavsson, P; Jarup, L; Bellander, T; Berglind, N; Jakobsson, R; Pershagen, G. (2000). Urban air pollution and lung cancer in Stockholm. *Epidemiology*. 11: 487-495.
- Nyberg, P. (1991). Polyvinylpyridine-N-oxide and carboxymethyl cellulose inhibit mineral dust-induced production of reactive oxygen species by human macrophages. *Environ Res*. 55: 157-164.
- Nygren, J; Suhonen, S; Norppa, H; Linnainmaa, K. (2004). DNA damage in bronchial epithelial and mesothelial cells with and without associated crocidolite asbestos fibers. *Environ Mol Mutagen*. 44: 477-482. <http://dx.doi.org/10.1002/em.20066>.
- Nzimande, Z; Chauke, H. (2012). Sustainability through responsible environmental mining. 112: 135-139.
- Obata, Y; Morimoto, Y; Hirohashi, M; Ogami, A; Oyabu, T; Myojo, T; Kawanami, S; Horie, S; Nagatomo, H; Murakami, M; Tanaka, I. (2011). Expression of heme oxygenase-1 in the lungs of rats exposed to potassium octatitanate whiskers. *J Occup Health*. 53: 267-273.
- Oberdorster, G. (1991). Lung dosimetry and extrapolation of results from animal inhalation studies to man. *J Aerosol Med Pulm Drug Deliv*. 4: 335-347.
- Oberdorster, G. (1997). Pulmonary carcinogenicity of inhaled particles and the maximum tolerated dose [Review]. <http://dx.doi.org/10.2307/3433558>.
- Oberdorster, G. (1994). Macrophage-associated responses to chrysotile. *Ann Occup Hyg*. 38: 601-615, 421-602.
- Oberdorster, G. (2000). Determinants of the pathogenicity of man-made vitreous fibers (MMVF) [Review]. *Int Arch Occup Environ Health*. 73 Suppl: S60-S68.
- Oberti, R; Camara, F; Della Ventura, G; Iezzi, G; Benimoff, AI. (2006). Parvo-mangano-edenite, parvo-manganotremolite, and the solid solution between Ca and Mn²⁺ at the M4 site in amphiboles. *Am Mineral*. 91: 526-532. <http://dx.doi.org/10.2138/am.2006.1905>.
- Oberti, R; Camara, F; Ottolini, L. (2005). Clinoholmquistite discredited: The new amphibole end-member fluoro-sodic-pedrizite. *Am Mineral*. 90: 732-736. <http://dx.doi.org/10.2138/am.2005.1763>.
- Obiakor, EK. (1981). BRICKS AND ASBESCRETE BUILDING-BLOCKS FROM ASBESTOS-CEMENT FACTORY WASTES. 4: 123-128.
- O'Brien, DM; Todd, WF. (1984). Preliminary Survey Report No. CT-148-16a: Control Technology For New Materials At International Harvester, Columbus Plastics Plant, Columbus, Ohio (pp. 148-116). (NIOSH/00135181). O'Brien, DM; Todd, WF.
- Ochsmann, E; Carl, T; Brand, P; Raithel, HJ; Kraus, T. (2010). Inter-reader variability in chest radiography and HRCT for the early detection of asbestos-related lung and pleural abnormalities in a cohort of 636 asbestos-exposed subjects. *Int Arch Occup Environ Health*. 83: 39-46. <http://dx.doi.org/10.1007/s00420-009-0443-4>.
- Oddone, E; Ferrante, D; Cena, T; Tunesi, S; Amendola, P; Magnani, C. (2014). [Asbestos cement factory in Broni (Pavia, Italy): a mortality study]. *Med Lav*. 105: 15-29.
- Oddone, E; Imbriani, M. (2016). Pleural mesothelioma: Case-report of uncommon occupational asbestos exposure in a small furniture industry. *Int J Occup Med Environ Health*. 29: 523-526. <http://dx.doi.org/10.13075/ijomeh.1896.00597>.
- O'Dell, RE; Claassen, VP. (2006). Relative performance of native and exotic grass species in response to amendment of drastically disturbed serpentine substrates. *J Appl Ecol*. 43: 898-908. <http://dx.doi.org/10.1111/j.1365-2664.2006.01193.x>.
- O'Dell, RE; Claassen, VP. (2009). Serpentine Revegetation: A Review. *Northeast Nat*. 16: 253-271.
- Oehlert, GW; Lee, RJ; Vanorden, D. (1995). STATISTICAL-ANALYSIS OF ASBESTOS FIBER COUNTS. *Environmetrics*. 6: 115-126.
- Offermans, NS; Vermeulen, R; Burdorf, A; Goldbohm, RA; Kauppinen, T; Kromhout, H; van den Brandt, PA. (2014). Occupational asbestos exposure and risk of pleural mesothelioma, lung cancer, and laryngeal cancer in the prospective Netherlands cohort study. *J Occup Environ Med*. 56: 6-19. <http://dx.doi.org/10.1097/JOM.000000000000060>.
- Offermans, NSM; Vermeulen, R; Burdorf, A; Goldbohm, RA; Keszei, AP; Peters, S; Kauppinen, T; Kromhout, H; van Den Brandt, PA. (2014). Occupational asbestos exposure and risk of oral cavity and pharyngeal cancer in the prospective Netherlands Cohort Study. *Scand J Work Environ Health*. 40: 420-427. <http://dx.doi.org/10.5271/sjweh.3434>.
- Offermans, NSM; Vermeulen, R; Burdorf, A; Peters, S; Goldbohm, RA; Koeman, T, om; van Tongeren, M; Kauppinen, T; Kant, I; Kromhout, H; van Den Brandt, PA. (2012). Comparison of expert and job-exposure matrix-based retrospective exposure assessment of occupational carcinogens in the Netherlands Cohort Study. *Occup Environ Med*. 69: 745-751. <http://dx.doi.org/10.1136/oemed-2011-100556>.
- Ogami, A; Morimoto, Y; Yamato, H; Oyabu, T; Akiyama, I; Tanaka, I. (2001). Short term effect of silicon carbide whisker to the rat lung. *Ind Health*. 39: 175-182.

Exposure Literature Search Results

Off Topic

- Ogden, T. (2006). Annals of occupational Hygiene at volume 50: Many achievements, a few mistakes, and an interesting future [Review]. *Ann Occup Hyg.* 50: 751-764. <http://dx.doi.org/10.1093/annhyg/mel070>.
- Ogden, T. (2009). Data Sharing, Federal Rule of Evidence 702, and the Lions in the Undergrowth. *Ann Occup Hyg.* 53: 651-655. <http://dx.doi.org/10.1093/annhyg/mep065>.
- Ogden, TL. (2009). Canadian chrysotile report released--at last [Editorial]. *Ann Occup Hyg.* 53: 307-309. <http://dx.doi.org/10.1093/annhyg/mep031>.
- Ogden, TL; Shentontaylor, T; Cherrie, JW; Crawford, NP; Moorcroft, S; Duggan, MJ; Jackson, PA; Treble, RD. (1986). WITHIN-LABORATORY QUALITY-CONTROL OF ASBESTOS COUNTING. *Ann Occup Hyg.* 30: 411-425.
- Oghiso, Y; Yamada, Y; Shibata, Y. (1992). Effects of instilled fibrogenic particles on the clonal growth of murine pulmonary alveolar macrophages. *Environ Health Perspect.* 97: 159-161.
- Ogorodova, LP; Kiseleva, IA; Korytkova, EN; Gusarov, VV. (2007). Calorimetric investigation of nanotubular hydrosilicates in the Mg₃Si₂O₅(OH)₄-Ni₃Si₂O₅(OH)₄ system. *Glass Physics and Chemistry.* 33: 303-305. <http://dx.doi.org/10.1134/S1087659607040013>.
- Ogunseitan, OA. (2015). The asbestos paradox: global gaps in the translational science of disease prevention. *Bull World Health Organ.* 93: 359-360. <http://dx.doi.org/10.2471/BLT.14.142307>.
- Oh, CW; Liou, JG; Maruyama, S. (1991). LOW-TEMPERATURE ECLOGITES AND ECLOGITIC SCHISTS IN MN-RICH METABASITES IN WARD CREEK, CALIFORNIA - MN AND FE EFFECTS ON THE TRANSITION BETWEEN BLUESCHIST AND ECLOGITE. *Journal of Petrology.* 32: 275-302.
- Ohanley, DS. (1988). THE ORIGIN OF ALPINE PERIDOTITE-HOSTED, CROSS FIBER, CHRYSOTILE ASBESTOS DEPOSITS. *Econ Geol.* 83: 256-265.
- Ohanley, DS; Dyar, MD. (1993). THE COMPOSITION OF LIZARDITE 1T AND THE FORMATION OF MAGNETITE IN SERPENTINITES. *Am Mineral.* 78: 391-404.
- Ohanley, DS; Schandl, ES; Wicks, FJ. (1992). THE ORIGIN OF RODINGITES FROM CASSIAR, BRITISH-COLUMBIA, AND THEIR USE TO ESTIMATE T AND P(H₂O) DURING SERPENTINIZATION. *Geochim Cosmo Acta.* 56: 97-108.
- Ohlson, CG; Bodin, L; Rydman, T; Hogstedt, C. (1985). Ventilatory decrements in former asbestos cement workers: a four year follow up. *Br J Ind Med.* 42: 612-616.
- Ohlson, CG; Hogstedt, C. (1985). Lung cancer among asbestos cement workers. A Swedish cohort study and a review. *Br J Ind Med.* 42: 397-402.
- Ohlson, CG; Klaesson, B; Hogstedt, C. (1984). Mortality among asbestos-exposed workers in a railroad workshop. *Scand J Work Environ Health.* 10: 283-291.
- Ohlson, CG; Rydman, T; Sundell, L; Bodin, L; Hogstedt, C. (1984). Decreased lung function in long-term asbestos cement workers: a cross-sectional study. *Am J Ind Med.* 5: 359-366.
- Ohnaka, T; Tochihara, Y; Muramatsu, T. (1993). Physiological strains in hot-humid conditions while wearing disposable protective clothing commonly used by the asbestos removal industry. *Ergonomics.* 36: 1241-1250. <http://dx.doi.org/10.1080/00140139308967990>.
- Ohnishi, M; Yajima, H; Kasai, T; Umeda, Y; Yamamoto, M; Yamamoto, S; Okuda, H; Suzuki, M; Nishizawa, T; Fukushima, S. (2013). Novel method using hybrid markers: development of an approach for pulmonary measurement of multi-walled carbon nanotubes. *J Occup Med Toxicol.* 8: 30. <http://dx.doi.org/10.1186/1745-6673-8-30>.
- Ohyama, M; Otake, T; Morinaga, K. (2000). The chemiluminescent response from human monocyte-derived macrophages exposed to various mineral fibers of different sizes. *Ind Health.* 38: 289-293. <http://dx.doi.org/10.2486/indhealth.38.289>.
- Ohyama, M; Otake, T; Morinaga, K. (2001). Effect of size of man-made and natural mineral fibers on chemiluminescent response in human monocyte-derived macrophages. *Environ Health Perspect.* 109: 1033-1038.
- Ojajärvi, IA; Partanen, TJ; Ahlbom, A; Boffetta, P; Hakulinen, T; Jourenkova, N; Kauppinen, TP; Kogevinas, M; Porta, M; Vainio, HU; Weiderpass, E; Wesseling, CH. (2000). Occupational exposures and pancreatic cancer: A meta-analysis. *Occup Environ Med.* 57: 316-324. <http://dx.doi.org/10.1136/oem.57.5.316>.
- Okamoto, A; Ogasawara, Y; Ogawa, Y; Tsuchiya, N. (2011). Progress of hydration reactions in olivine-H₂O and orthopyroxene-H₂O systems at 250 degrees C and vapor-saturated pressure. *Chem Geol.* 289: 245-255. <http://dx.doi.org/10.1016/j.chemgeo.2011.08.007>.
- Okamoto, A; Toriumi, M. (2001). Application of differential thermodynamics (Gibbs' method) to amphibole zonings in the metabasic system. *Contributions to Mineralogy and Petrology.* 141: 268-286.
- Okamoto, A; Toriumi, M. (2004). Optimal mixing properties of calcic and subcalcic amphiboles: application of Gibbs' method to the Sanbagawa schists, SW Japan. *Contributions to Mineralogy and Petrology.* 146: 529-545. <http://dx.doi.org/10.1007/s00410-003-0526-2>.
- Okazaki, I; Maruyama, K; Kobayashi, Y; Lilis, R; Suzuki, Y. (1987). Serum type III procollagen peptide: indicator for pulmonary fibrosis: II. Application in 80 asbestos insulation workers. *Am J Ind Med.* 11: 439-446.
- Okazaki, K; Katayama, I; Takahashi, M. (2013). Effect of pore fluid pressure on the frictional strength of antigorite serpentinite. *Tectonophysics.* 583: 49-53. <http://dx.doi.org/10.1016/j.tecto.2012.10.017>.
- Okazaki, M; Kimura, SD; Kikuchi, T; Igura, M; Hattori, T; Abe, T. (2008). Suppressive effects of magnesium oxide materials on cadmium uptake and accumulation into rice grains I: Characteristics of magnesium oxide materials for cadmium sorption. *J Hazard Mater.* 154: 287-293. <http://dx.doi.org/10.1016/j.jhazmat.2007.10.119>.
- Oke, Y; Yamasaki, N; Yamamoto, G, o; Sasaki, K; Maeta, N; Fujimaki, H; Hashida, T. (2008). Novel selective dyeing method for chrysotile asbestos detection in concrete materials. *Environ Sci Technol.* 42: 1638-1642. <http://dx.doi.org/10.1021/es071805a>.
- Okeefe, GF. (1989). ASBESTOS SUBSTITUTE GASKETS - EXPERIENCE AT KINLEITH PULP AND PAPER-MILLS. *Appita.* 42: 141-143.
- Okland, I; Huang, S; Dahle, H; Thorseth, IH; Pedersen, RB. (2012). Low temperature alteration of serpentinitized ultramafic rock and implications for microbial life. *Chem Geol.* 318: 75-87. <http://dx.doi.org/10.1016/j.chemgeo.2012.05.015>.

Exposure Literature Search Results

Off Topic

- Oksa, P; Huuskonen, MS; Järvisalo, J; Klockars, M; Zitting, A; Suoranta, H; Tossavainen, A; Vattulainen, K; Laippala, P. (1998). Follow-up of asbestosis patients and predictors for radiographic progression. *Int Arch Occup Environ Health*. 71: 465-471.
- Oksa, P; Koskinen, H; Rinne, JP; Zitting, A; Roto, P; Huuskonen, MS. (1992). Parenchymal and pleural fibrosis in construction workers. *Am J Ind Med*. 21: 561-567.
- Oksa, P; Pukkala, E; Karjalainen, A; Ojajarvi, A; Huuskonen, MS. (1997). Cancer incidence and mortality among Finnish asbestos sprayers and in asbestosis and silicosis patients. *Am J Ind Med*. 31: 693-698.
- Oksa, P; Suoranta, H; Koskinen, H; Zitting, A; Nordman, H. (1994). High-resolution computed tomography in the early detection of asbestosis. *Int Arch Occup Environ Health*. 65: 299-304. <http://dx.doi.org/10.1007/BF00405693>.
- Olabanji, IO; Adeniyi, IF. (2005). Trace metals in bulk freefall and roof intercepted rainwater at Ile-Ife, Southwest Nigeria. *Chem Ecol*. 21: 167-179. <http://dx.doi.org/10.1080/02757540500151648>.
- Olcerst, R. (1987). A Field Portable Asbestos Monitoring Statistical System (pp. 180-191). (NIOSH/00170706). Olcerst, R.
- Oldham, S. (1970). ASBESTOS AND RESPIRATORY DISEASES - REPLY. 41: 33-&.
- Oleru, UG. (1980). Pulmonary function of control and industrially exposed Nigerians in asbestos, textile, and toluene diisocyanate-foam factories. *Environ Res*. 23: 137-148.
- Oliveira, JR; Do Carmo, JL; Cavalcanti Oliveira, KK; Figueredo Soares, M, doC. (2009). Sodium chloride, benzocaine and clove oil in tilapia transport water. *Revista Brasileira de Zootecnia*. 38: 1163-1169.
- Oliveira, SF; Bisker, G; Bakh, NA; Gibbs, SL; Landry, MP; Strano, MS. (2015). Protein functionalized carbon nanomaterials for biomedical applications. *Carbon*. 95: 767-779. <http://dx.doi.org/10.1016/j.carbon.2015.08.076>.
- Oliver, LC. (1998). Asbestos in building: Management and related health effects. *J Clean Technol, Environ Toxicol, Occup Med*. 7: 433-443.
- Oliver, LC; Sprince, NL; Greene, R. (1990). Asbestos-related radiographic abnormalities in public school custodians. *Toxicol Ind Health*. 6: 629-636.
- Oliver, LC; Sprince, NL; Greene, R. (1991). Asbestos-related disease in public school custodians. *Am J Ind Med*. 19: 303-316. <http://dx.doi.org/10.1002/ajim.4700190305>.
- Oliver, LC; Sprince, NL; Greene, R. (1992). ASBESTOS-RELATED RADIOGRAPHIC ABNORMALITIES IN PUBLIC-SCHOOL CUSTODIANS. 2: 93-99.
- Oliver, NHS; Cleverley, JS; Mark, G; Pollard, PJ; Fu, B; Marshall, LJ; Rubenach, MJ; Williams, PJ; Baker, T. (2004). Modeling the role of sodic alteration in the genesis of iron oxide-copper-gold deposits, Eastern Mount Isa block, Australia. *Econ Geol*. 99: 1145-1176.
- Oliveros, V; Trista-Aguilera, D; Feraud, G; Morata, D; Aguirre, L; Kojima, S; Ferraris, F. (2008). Time relationships between volcanism-plutonism-alteration-mineralization in Cu-stratabound ore deposits from the Michilla mining district, northern Chile: a Ar-40/Ar-39 geochronological approach. *Miner Depos*. 43: 61-78. <http://dx.doi.org/10.1007/s00126-007-0147-1>.
- Olivier, CA. (1972). ASBESTOS MILLING DISCARDS AS A SOURCE OF MAGNESIUM COMPOUNDS. 65: 48-&.
- Ollikainen, T; Linnainmaa, K; Kinnula, VL. (1999). DNA single strand breaks induced by asbestos fibers in human pleural mesothelial cells in vitro. *Environ Mol Mutagen*. 33: 153-160.
- Olson, BG; Decker, JJ; Nazarenko, S; Yudin, VE; Otaigbe, JU; Korytkova, EN; Gusarov, VV. (2008). Aggregation of synthetic chrysotile nanotubes in the bulk and in solution probed by nitrogen adsorption and viscosity measurements. *J Phys Chem C*. 112: 12943-12950. <http://dx.doi.org/10.1021/jp801522q>.
- Olson, M. (1981). Part 2: Insulating your hospital from asbestos risk. 3: 135-140.
- Olsson, A; Gustavsson, P, er; Zaridze, D; Mukeriya, A; Szeszenia-Dabrowska, N; Rudnai, P; Lissowska, J; Fabianova, E; Mates, D; Bencko, V; Foretova, L; Janout, V; Fevotte, J; T Mannelje, A; Fletcher, T; Brennan, P; Boffetta, P. (2011). Lung Cancer Risk Attributable to Occupational Exposures in a Multicenter Case-Control Study in Central and Eastern Europe. *J Occup Environ Med*. 53: 1262-1267. <http://dx.doi.org/10.1097/JOM.0b013e318234e2d2>.
- Olsson, A; Kromhout, H; Agostini, M; Hansen, J; Lassen, CF; Johansen, C; Kjaerheim, K; Langård, S; Stücker, I; Ahrens, W; Behrens, T; Lindbohm, ML; Heikkilä, P; Heederik, D; Portengen, L; Shaham, J; Ferro, G; de Vocht, F; Burstyn, I; Boffetta, P. (2010). A case-control study of lung cancer nested in a cohort of European asphalt workers. *Environ Health Perspect*. 118: 1418-1424. <http://dx.doi.org/10.1289/ehp.0901800>.
- Olsson, A; Skogh, T; Axelson, O; Wingren, G. (2004). Occupations and exposures in the work environment as determinants for rheumatoid arthritis. *Occup Environ Med*. 61: 233-238. <http://dx.doi.org/10.1136/oem.2003.007971>.
- Olsson, AC; Fevotte, J; Fletcher, T; Cassidy, A; T Mannelje, A; Zaridze, D; Szeszenia-Dabrowska, N; Rudnai, P; Lissowska, J; Fabianova, E; Mates, D; Bencko, V; Foretova, L; Janout, V; Brennan, P; Boffetta, P. (2010). Occupational exposure to polycyclic aromatic hydrocarbons and lung cancer risk: a multicenter study in Europe. *Occup Environ Med*. 67: 98-103. <http://dx.doi.org/10.1136/oem.2009.046680>.
- Omenn, GS. (1987). CHEMOPREVENTION OF LUNG-CANCER WITH RETINOIDS IN WORKERS WITH EXTENSIVE HISTORY OR SIGNS OF ASBESTOS EXPOSURES. *J Occup Environ Med*. 29: 367-367.
- Omenn, GS. (2004). Adverse effects in chemoprevention trials: Evidence of adverse interaction between asbestos exposure and the beta-carotene/retinyl palmitate intervention in CARET. *Cancer Epidemiol Biomarkers Prev*. 13: 1938S-1938S.
- Omori, S; Komabayashi, T; Maruyama, S. (2004). Dehydration and earthquakes in the subducting slab: empirical link in intermediate and deep seismic zones. *Phys Earth Planet In*. 146: 297-311. <http://dx.doi.org/10.1016/j.pepi.2003.08.014>.
- O'Neil, J; Francis, D, on; Carlson, RW. (2011). Implications of the Nuvvuagittuq Greenstone Belt for the Formation of Earth's Early Crust. *Journal of Petrology*. 52: 985-1009. <http://dx.doi.org/10.1093/petrology/egr014>.
- O'Neill, M; Schwar, M. (1998). Prioritizing asbestos remedial works in buildings. *Institution of Civil Engineers Proceedings Municipal Engineer*. 127: 174-180.

Exposure Literature Search Results

Off Topic

- Ong, T; Liu, Y; Zhong, BZ; Jones, WG; Whong, WZ. (1997). Induction of micronucleated and multinucleated cells by man-made fibers in vitro in mammalian cells. *J Toxicol Environ Health*. 50: 409-414. <http://dx.doi.org/10.1080/009841097160447>.
- Orlando, A; Borrini, D; Marini, L. (2011). Dissolution and carbonation of a serpentinite: Inferences from acid attack and high P-T experiments performed in aqueous solutions at variable salinity. *Appl Geochem*. 26: 1569-1583. <http://dx.doi.org/10.1016/j.apgeochem.2011.06.023>.
- Orlando, A; Lelli, M; Marini, L. (2012). Production of amorphous hydrated impure magnesium carbonate through ex situ carbonation. *Appl Geochem*. 27: 2500-2510. <http://dx.doi.org/10.1016/j.apgeochem.2012.07.021>.
- Orlowski, E, wa; Audignon-Durand, S; Goldberg, M; Imbernon, E; Brochard, P. (2015). EV@LUTIL: An Open Access Database on Occupational Exposures to Asbestos and Man-Made Mineral Fibres. *Am J Ind Med*. 58: 1059-1074. <http://dx.doi.org/10.1002/ajim.22498>.
- Orlowski, E; et al. (1997). EVALUTIL: Data base for assessing asbestos exposure among users of asbestos containing materials. *Cahiers de notes documentaires. Hygi and aacute: 5-16*.
- Orlowski, E; Pohlabeln, H; Berrino, F; Ahrens, W; Bolmaudorff, U; Grossgarten, K; Iwatsubo, Y; Jockel, KH; Brochard, P. (1993). RETROSPECTIVE ASSESSMENT OF ASBESTOS EXPOSURE .2. AT THE JOB LEVEL - COMPLEMENTARITY OF JOB-SPECIFIC QUESTIONNAIRE AND JOB EXPOSURE MATRICES. *Int J Epidemiol*. 22: S96-S105.
- Orlowski, E; Pohlabeln, H; Berrino, F; Ahrens, W; Bolm-Audorff, U; Grossgarten, K; Iwatsubo, Y; Jöckel, KH; Brochard, P. (1993). Retrospective assessment of asbestos exposure--II. At the job level: complementarity of job-specific questionnaire and job exposure matrices. *Int J Epidemiol*. 22 Suppl 2: S96-105.
- Orriols, R; Costa, R; Albanell, M; Alberti, C; Castejon, J; Monso, E; Panades, R; Rubira, N; Zock, JP; Group, MOR. (2006). Reported occupational respiratory diseases in Catalonia. *Occup Environ Med*. 63: 255-260. <http://dx.doi.org/10.1136/oem.2005.022525>.
- Orriols, R; Isidro, I; Abu-Shams, K; Costa, R; Boldu, J; Rego, G; Zock, J; Y, ERO. (2010). Reported Occupational Respiratory Diseases in Three Spanish Regions. *Am J Ind Med*. 53: 922-930. <http://dx.doi.org/10.1002/ajim.20862>.
- Orriols, R; Munoz, X; Sunyer, J; Isidro, I; Tura, JM; Ferrer, J. (2005). Radiologically recognized pleural changes in nonpneumoconiotic silica-exposed coal miners. *Scand J Work Environ Health*. 31: 115-121.
- Orris, P; Cone, J; Mcquilkin, S. (1983). Health Hazard Evaluation Report No. HETA-80-096-1359, Eureka Company, Bloomington, Illinois (pp. 80-096). (NIOSH/00134196). Orris, P; Cone, J; Mcquilkin, S.
- Ortega-Guerrero, MA; Carrasco-Núñez, G; Barragán-Campos, H; Ortega, MR. (2014). High incidence of lung cancer and malignant mesothelioma linked to erionite fibre exposure in a rural community in Central Mexico. *Occup Environ Med*. 72: 216-218. <http://dx.doi.org/10.1136/oemed-2013-101957>.
- Ortiz, LW; Soderholm, SC; Valdez, FO. (1988). Penetration of Respirator Filters by an Asbestos Aerosol. *Am Ind Hyg Assoc J*. 49: 451-460. <http://dx.doi.org/10.1080/15298668891380060>.
- Osako, M; Yoneda, A; Ito, E. (2010). Thermal diffusivity, thermal conductivity and heat capacity of serpentine (antigorite) under high pressure. *Phys Earth Planet In*. 183: 229-233. <http://dx.doi.org/10.1016/j.pepi.2010.07.005>.
- Osawa, T; Kagi, H; Nakamura, T; Noguchi, T. (2005). Infrared spectroscopic taxonomy for carbonaceous chondrites from speciation of hydrous components. *Meteoritics and Planetary Science*. 40: 71-86.
- Osim, EE; Tandayi, M; Chinyanga, HM; Matarira, HT; Mudambo, KK; Musabayane, CT. (1999). Lung function, blood gases, pH and serum electrolytes of small-scale miners exposed to chrome ore dust on the Great Dyke in Zimbabwe. *Trop Med Int Health*. 4: 621-628. <http://dx.doi.org/10.1046/j.1365-3156.1999.00460.x>.
- Osinubi, OY; Moline, J; Rovner, E; Sinha, S; Perez-Lugo, M; Demissie, K; Kipen, HM. (2003). A pilot study of telephone-based smoking cessation intervention in asbestos workers. *J Occup Environ Med*. 45: 569-574. <http://dx.doi.org/10.1097/01.jom.0000063618.37065.ab>.
- Osinubi, OYO. (2003). RE: study of smoking behavior in asbestos workers by Osinubi et al. *Am J Ind Med* 41 : 62-69 2002. Reply to Lange and Thomulka's letter to the editor "smoking prevalence of asbestos workers: A comment". *Am J Ind Med*. 44: 220-221. <http://dx.doi.org/10.1002/ajim.10248>.
- Osinubi, OYO; Afilaka, AA; Doucette, J; Golden, A; Soriano, T; Rovner, E; Anselm, E. (2002). Study of smoking behavior in asbestos workers. *Am J Ind Med*. 41: 62-69. <http://dx.doi.org/10.1002/ajim.10031>.
- Oskierski, HC; Dlugogorski, BZ; Jacobsen, G. (2013). Sequestration of atmospheric CO2 in chrysotile mine tailings of the Woodsreef Asbestos Mine, Australia: Quantitative mineralogy, isotopic fingerprinting and carbonation rates. *Chem Geol*. 358: 156-169. <http://dx.doi.org/10.1016/j.chemgeo.2013.09.001>.
- Oskierski, HC; Dlugogorski, BZ; Oliver, TK; Jacobsen, G. (2016). Chemical and isotopic signatures of waters associated with the carbonation of ultramafic mine tailings, Woodsreef Asbestos Mine, Australia. *Chem Geol*. 436: 11-23. <http://dx.doi.org/10.1016/j.chemgeo.2016.04.014>.
- Osornio-Vargas, AR; Hernández-Rodríguez, NA; Yáñez-Buruel, AG; Ussler, W; Overby, LH; Brody, AR. (1991). Lung cell toxicity experimentally induced by a mixed dust from Mexicali, Baja California, Mexico. *Environ Res*. 56: 31-47.
- Oster, CV. (1971). Results of Sampling at American Asbestos Textile Company, Meredith, New Hampshire. (NIOSH/00105833). Oster, CV.
- Ostiguy, G; Vaillancourt, C; Bégin, R. (1995). Respiratory health of workers exposed to metal dusts and foundry fumes in a copper refinery. *Occup Environ Med*. 52: 204-210.
- Ota, T; Terabayashi, M; Katayama, I. (2004). Thermobaric structure and metamorphic evolution of the Iratsu eclogite body in the Sanbagawa belt, central Shikoku, Japan. *Lithos*. 73: 95-126. <http://dx.doi.org/10.1016/j.lithos.2004.01.001>.
- Otofujii, Y; Uno, K; Higashi, T; Ichikawa, T; Ueno, T; Mishima, T; Matsuda, T. (2000). Secondary remanent magnetization carried by magnetite inclusions in silicates: a comparative study of unremagnetized and remagnetized granites. *Earth Planet Sci Lett*. 180: 271-285.

Exposure Literature Search Results

Off Topic

- Otsuki, T; Matsuzaki, H; Lee, S; Kumagai-Takei, N; Yamamoto, S; Hatayama, T; Yoshitome, K; Nishimura, Y. (2016). Environmental factors and human health: fibrous and particulate substance-induced immunological disorders and construction of a health-promoting living environment [Review]. *Environ Health Prev Med.* 21: 71-81. <http://dx.doi.org/10.1007/s12199-015-0499-6>.
- Otsuki, T; Tomokuni, A; Sakaguchi, H; Hyodoh, F; Kusaka, M; Ueki, A. (2000). Reduced expression of the inhibitory genes for Fas-mediated apoptosis in silicosis patients. *J Occup Health.* 42: 163-168.
- Otten, MT. (1993). HIGH-RESOLUTION TRANSMISSION ELECTRON-MICROSCOPY OF POLYSOMATISM AND STACKING DEFECTS IN ANTIGORITE. *Am Mineral.* 78: 75-84.
- Otto, H. (1991). BIOLOGICAL MONITORING USING ASBESTOS FIBER LEVELS - LIGHT-MICROSCOPY VERSUS ELECTRON-MICROSCOPY. *Arbeitsmedizin, Sozialmedizin, Praeventivmedizin.* 26: 438-439.
- Ouellette, RP; Cheremisinoff, PN. (1987). ASBESTOS HAZARD MANAGEMENT (pp. 36-43; 1987). (HMT/87/0004442). Ouellette, RP; Cheremisinoff, PN.
- Ovrevik, J; Myran, T; Refsnes, M; Låg, M; Becher, R; Hetland, RB; Schwarze, PE. (2005). Mineral particles of varying composition induce differential chemokine release from epithelial lung cells: importance of physico-chemical characteristics. *Ann Occup Hyg.* 49: 219-231. <http://dx.doi.org/10.1093/annhyg/meh087>.
- Oyabu, T; Yamato, H; Ogami, A; Morimoto, Y; Akiyama, I; Ishimatsu, S; Hori, H; Tanaka, I. (2004). The effect of lung burden on biopersistence and pulmonary effects in rats exposed to potassium octatitanate whiskers by inhalation. *J Occup Health.* 46: 382-390.
- Oyabu, T; Yamato, H; Ogami, A; Morimoto, Y; Akiyama, I; Ishimatsu, S; Hori, H; Tanaka, I. (2006). The effect of lung burden on biopersistence and pulmonary effects in rats exposed to potassium octatitanate whiskers by intratracheal instillation. *J Occup Health.* 48: 44-48.
- Oyanagi, R; Okamoto, A; Hirano, N; Tsuchiya, N. (2015). Competitive hydration and dehydration at olivine-quartz boundary revealed by hydrothermal experiments: Implications for silica metasomatism at the crust-mantle boundary. *Earth Planet Sci Lett.* 425: 44-54. <http://dx.doi.org/10.1016/j.epsl.2015.05.046>.
- Oyman, T. (2010). Geochemistry, mineralogy and genesis of the Ayazmant Fe-Cu skarn deposit in Ayvalik, (Balikesir), Turkey. *Ore Geol Rev.* 37: 175-201. <http://dx.doi.org/10.1016/j.oregeorev.2010.03.002>.
- Oze, C; Solt, K. (2010). Biodurability of chrysotile and tremolite asbestos in simulated lung and gastric fluids. *Am Mineral.* 95: 825-831. <http://dx.doi.org/10.2138/am.2010.3265>.
- Ozeki, S; Masuda, Y; Nishimoto, Y; Henmi, T. (1994). STUDIES IN SURFACE SCIENCE AND CATALYSIS: WATER IN SPHERICAL, CYLINDRICAL AND SLITLIKE PORES.
- Ozeki, S; Uchiyama, H; Katada, M. (1994). HYDROLYSIS OF IRON-ION IN CHRYSOTILE NANOTUBULES - A TEMPLATE EFFECT ON CRYSTAL-GROWTH. *Langmuir.* 10: 923-928.
- Ozturk, YY; Helvacı, C; Satir, M. (2008). The influence of meteoric water on skarn formation and late-stage hydrothermal alteration at the Evçiler skarn occurrences, Kazdag, NW Turkey. *Ore Geol Rev.* 34: 271-284. <http://dx.doi.org/10.1016/j.oregeorev.2008.01.001>.
- Pabst, S; Zack, T; Savov, IP; Ludwig, T; Rost, D; Vicenzi, EP. (2011). Evidence for boron incorporation into the serpentine crystal structure. *Am Mineral.* 96: 1112-1119. <http://dx.doi.org/10.2138/am.2011.3709>.
- Pacella, A; Andreozzi, GB; Ballirano, P; Gianfagna, A. (2008). Crystal chemical and structural characterization of fibrous tremolite from Ala di Stura (Lanzo Valley, Italy). *Periodico di Mineralogia.* 77: 51-62. <http://dx.doi.org/10.2451/2008PM0013>.
- Pacella, A; Andreozzi, GB; Fournier, J. (2010). Detailed crystal chemistry and iron topochemistry of asbestos occurring in its natural setting: A first step to understanding its chemical reactivity. *Chem Geol.* 277: 197-206. <http://dx.doi.org/10.1016/j.chemgeo.2010.07.018>.
- Pacella, A; Ballirano, P. (2016). Chemical and structural characterization of fibrous richterite with high environmental and health relevance from Libby, Montana (USA). *Periodico di Mineralogia.* 85: 169-177. <http://dx.doi.org/10.2451/2016PM638>.
- Pacella, A; Fantauzzi, M; Turci, F; Cremisini, C; Montereali, MR; Nardi, E; Atzei, D; Rossi, A; Andreozzi, GB. (2014). Dissolution reaction and surface iron speciation of UICC crocidolite in buffered solution at pH 7.4: A combined ICP-OES, XPS and TEM investigation. *Geochim Cosmo Acta.* 127: 221-232. <http://dx.doi.org/10.1016/j.gca.2013.11.035>.
- Pacella, A; Fantauzzi, M; Turci, F; Cremisini, C; Montereali, MR; Nardi, E; Atzei, D; Rossi, A; Andreozzi, GB. (2015). Surface alteration mechanism and topochemistry of iron in tremolite asbestos: A step toward understanding the potential hazard of amphibole asbestos. *Chem Geol.* 405: 28-38. <http://dx.doi.org/10.1016/j.chemgeo.2015.03.028>.
- Pacurari, M; Castranova, V; Vallyathan, V. (2010). Single- and multi-wall carbon nanotubes versus asbestos: Are the carbon nanotubes a new health risk to humans [Review]. *J Toxicol Environ Health A.* 73: 378-395. <http://dx.doi.org/10.1080/15287390903486527>.
- Pacurari, M; Qian, Y; Fu, W; Schwegler-Berry, D; Ding, M; Castranova, V; Guo, NL. (2012). Cell permeability, migration, and reactive oxygen species induced by multiwalled carbon nanotubes in human microvascular endothelial cells. *J Toxicol Environ Health A.* 75: 112-128. <http://dx.doi.org/10.1080/15287394.2011.615110>.
- Pacurari, M; Schwegler-Berry, D; Friend, S; Leonard, S; Mercer, R; Vallyathan, V; Castranova, V. (2011). Raw single-walled carbon nanotube-induced cytotoxic effects in human bronchial epithelial cells: comparison to asbestos. *Toxicol Environ Chem.* 93: 1045-1072. <http://dx.doi.org/10.1080/02772248.2011.571530>.
- Pacurari, M; Xuejun, JY; Jinshun, Z; Ming, D; Leonard, SS; Schwegler-Berry, D; Ducatman, BS; Sbarra, D; Hoover, MD; Castranova, V; Vallyathan, V. (2008). Raw Single-Wall Carbon Nanotubes Induce Oxidative Stress and Activate MAPKs, AP-1, NF- κ B, and Akt in Normal and Malignant Human Mesothelial Cells. *Environ Health Perspect.* 116: 1211-1217. <http://dx.doi.org/10.1289/ehp.10924>.
- Padilla-Carlin, DJ; Schladweiler, MCJ; Shannahan, JH; Kodavanti, UP; Nyska, A; Burgoon, LD; Gavett, SH. (2011). Pulmonary inflammatory and fibrotic responses in Fischer 344 rats after intratracheal instillation exposure to Libby amphibole. *J Toxicol Environ Health A.* 74: 1111-1132. <http://dx.doi.org/10.1080/15287394.2011.586940>.

Exposure Literature Search Results

Off Topic

- Padron-Navarta, JA; Lopez Sanchez-Vizcaino, V; Hermann, J; Connolly, JAD; Garrido, CJ; Teresa Gomez-Pugnaire, M; Marchesi, C. (2013). Tschermak's substitution in antigorite and consequences for phase relations and water liberation in high-grade serpentinites. *Lithos*. 178: 186-196. <http://dx.doi.org/10.1016/j.lithos.2013.02.001>.
- Padron-Navarta, JA; Lopez-Sanchez-Vizcaino, V; Garrido, CJ; Gomez-Pugnaire, MT; Jabaloy, A; Capitani, GC; Mellini, M. (2008). Highly ordered antigorite from Cerro del Almiraz HP-HT serpentinites, SE Spain. *Contributions to Mineralogy and Petrology*. 156: 679-688. <http://dx.doi.org/10.1007/s00410-008-0309-x>.
- Padron-Navarta, JA; Tommasi, A; Garrido, CJ; Lopez Sanchez-Vizcaino, V. (2012). Plastic deformation and development of antigorite crystal preferred orientation in high-pressure serpentinites. *Earth Planet Sci Lett*. 349: 75-86. <http://dx.doi.org/10.1016/j.epsl.2012.06.049>.
- Padron-Navarta, JA; Tommasi, A; Garrido, CJ; Mainprice, D. (2015). On topotaxy and compaction during antigorite and chlorite dehydration: an experimental and natural study. *Contributions to Mineralogy and Petrology*. 169. <http://dx.doi.org/10.1007/s00410-015-1129-4>.
- Paek, D. (2003). Asbestos problems yet to explode in Korea. *Int J Occup Environ Health*. 9: 266-271. <http://dx.doi.org/10.1179/oe.2003.9.3.266>.
- Page, M; Dumas, L. (1985). MULTIPARAMETRIC IN-VITRO EVALUATION OF THE TOXICITY AND MUTAGENICITY OF ASBESTOS AND OTHER MINERAL FIBERS (pp. 28-28). (ISSN 0192-2521; BIOSIS/85/04815). Page, M; Dumas, L.
- Page, RT; Bloomfield, JJ. (1937). A Study of Dust Control Methods in an Asbestos Fabricating Plant. *Public Health Rep*. 52: 1713-1727.
- Paget-Bailly, S; Cyr, D; Luce, D. (2012). Occupational exposures to asbestos, polycyclic aromatic hydrocarbons and solvents, and cancers of the oral cavity and pharynx: a quantitative literature review [Review]. *Int Arch Occup Environ Health*. 85: 341-351. <http://dx.doi.org/10.1007/s00420-011-0683-y>.
- Paget-Bailly, S; Guida, F; Carton, M; Menvielle, G; Radoi, L; Cyr, D; Schmaus, A; C enee, S; Papadopoulou, A; F evotte, J; Pilorget, C; Velten, M; Guizard, AV; St ucker, I; Luce, D. (2013). Occupation and head and neck cancer risk in men: results from the ICARE study, a French population-based case-control study. *J Occup Environ Med*. 55: 1065-1073. <http://dx.doi.org/10.1097/JOM.0b013e318298fae4>.
- Paglietti, F; Malinconico, S; della Staffa, BC; Bellagamba, S; De Simone, P. (2016). Classification and management of asbestos-containing waste: European legislation and the Italian experience. *Waste Manag*. 50: 130-150. <http://dx.doi.org/10.1016/j.wasman.2016.02.014>.
- Paglietti, F; Malinconico, S; Di Molfetta, V; Bellagamba, S; Damiani, F; Gennari, F; De Simone, P; Sallusti, F; Giangrosso, M. (2012). Asbestos Risk: From Raw Material to Waste Management: The Italian Experience. *Crit Rev Environ Sci Tech*. 42: 1781-1861. <http://dx.doi.org/10.1080/10643389.2011.569875>.
- Paglietti, F; Malinconico, S; Di Molfetta, V; Giangrosso, M. (2012). Guidelines for asbestos remediation at Italian superfund sites [Review]. 30: 253-286. <http://dx.doi.org/10.1080/10590501.2012.705161>.
- Pagoto, S; Hillhouse, J; Heckman, CJ; Coups, EJ; Stapleton, J; Buller, D; Turrisi, R; Robinson, J; Geller, AC. (2014). Society of Behavioral Medicine (SBM) position statement: ban indoor tanning for minors. 4: 124-126. <http://dx.doi.org/10.1007/s13142-013-0240-1>.
- Paik, NW; Walcott, RJ; Brogan, PA. (1983). WORKER EXPOSURE TO ASBESTOS DURING REMOVAL OF SPRAYED MATERIAL AND RENOVATION ACTIVITY IN BUILDINGS CONTAINING SPRAYED MATERIAL. *Am Ind Hyg Assoc J*. 44: 428-432. <http://dx.doi.org/10.1080/15298668391405085>.
- Pairon, JC; Billongalland, MA; Iwatsubo, Y; Bernstein, M; Gaudichet, A; Bignon, J; Brochard, P. (1994). BIOPERSISTENCE OF NONFIBROUS MINERAL PARTICLES IN THE RESPIRATORY TRACTS OF SUBJECTS FOLLOWING OCCUPATIONAL EXPOSURE. *Environ Health Perspect*. 102: 269-275. <http://dx.doi.org/10.2307/3432102>.
- Pairon, JC; Jaurand, MC; Laurent, F; Salmi, R; Astoul, P; Galateau-Sall e, F; Brochard, P. (2006). [How to assess asbestos exposure and identify a population at risk?]. *Rev Mal Respir*. 23: 11S19-27.
- Pairon, JC; Martinon, L; Iwatsubo, Y; Vallentin, F; Billon-Galland, MA; Bignon, J; Brochard, P. (1994). Retention of asbestos bodies in the lungs of welders. *Am J Ind Med*. 25: 793-804.
- Pairon, JC; Roos, F; Sebastien, P; Chamak, B; Abd-alsamad, I; Bernaudin, JF; Bignon, J; Brochard, P. (1995). Biopersistence of cerium in the human respiratory tract and ultrastructural findings. *Am J Ind Med*. 27: 349-358.
- Pal, T; Maity, PK; Das, D; Mitra, S. (1993). OXIDATION CHARACTER OF CHLORITE FROM BYRAPUR CHROMITE DEPOSIT, INDIA - A FE-57 MOSSBAUER EVALUATION. *Bulletin of Materials Science*. 16: 229-237.
- Pałaszewska-Tkacz, A; Czerczak, S; Konieczko, K. (2015). [Carcinogenic and mutagenic agents in the workplace, Poland, 2011-2012]. *Med Pr*. 66: 29-38.
- Palinkas, LA; Sostaric, SB; Palinkas, SS. (2008). Metallogeny of the Northwestern and Central Dinarides and Southern Tisia. *Ore Geol Rev*. 34: 501-520. <http://dx.doi.org/10.1016/j.oregeorev.2008.05.006>.
- Pallesen, BE. (1996). The quality of combine-harvested fibre flax for industrial purposes depends on the degree of retting. *Ind Crop Prod*. 5: 65-78.
- Palom aki, J; V alim aki, E; Sund, J; Vippola, M; Clausen, PA; Jensen, KA; Savolainen, K; Matikainen, S; Alenius, H. (2011). Long, needle-like carbon nanotubes and asbestos activate the NLRP3 inflammasome through a similar mechanism. *ACS Nano*. 5: 6861-6870. <http://dx.doi.org/10.1021/nn200595c>.
- Pan, SY; Ugnat, AM; Mao, Y; Group, CCRER. (2005). Occupational risk factors for brain cancer in Canada. *J Occup Environ Med*. 47: 704-717.
- Pan, YM; Fleet, ME. (1992). CALC-SILICATE ALTERATION IN THE HEMLO GOLD DEPOSIT, ONTARIO - MINERAL ASSEMBLAGES, P-T-X CONSTRAINTS, AND SIGNIFICANCE. *Econ Geol*. 87: 1104-1120.
- Pan, YM; Fleet, ME. (1992). MINERAL CHEMISTRY AND GEOCHEMISTRY OF VANADIAN SILICATES IN THE HEMLO GOLD DEPOSIT, ONTARIO, CANADA. *Contributions to Mineralogy and Petrology*. 109: 511-525.
- Panahi, D; Kakooei, H; Marioryad, H; Mehrdad, R; Golhosseini, M. (2011). Evaluation of exposure to the airborne asbestos in an asbestos cement sheet manufacturing industry in Iran. *Environ Monit Assess*. 178: 449-454. <http://dx.doi.org/10.1007/s10661-010-1703-1>.

Exposure Literature Search Results

Off Topic

- Pandita, S. (2006). Banning asbestos in Asia: campaigns and strategies by the Asian Network for the Rights of Occupational Accident Victims (ANROAV). *Int J Occup Environ Health*. 12: 248-253. <http://dx.doi.org/10.1179/oeht.2006.12.3.248>.
- Pang, D. (1999). A relative power table for nested matched case-control studies. *Occup Environ Med*. 56: 67-69.
- Pang, TW. (2000). Precision and accuracy of asbestos fiber counting by phase contrast microscopy. *AIHAJ*. 61: 529-538.
- Pang, TW; Harper, M. (2008). The quality of fiber counts using improved slides with relocatable fields. *J Environ Monit*. 10: 89-95. <http://dx.doi.org/10.1039/b712323j>.
- Pang, TWS; Dicker, WL; Nazar, MA. (1984). An Evaluation Of The Precision And Accuracy Of The Direct Transfer Method For The Analysis Of Asbestos Fibers With Comparison To The NIOSH Method. *Am Ind Hyg Assoc J*. 45: 329-335. <http://dx.doi.org/10.1080/15298668491399875>.
- Pang, TWS; Robinson, AE. (1981). A TECHNIQUE TO PREPARE ASBESTOS AIR SAMPLES FOR LIGHT AND ELECTRON-MICROSCOPY. *Br J Ind Med*. 38: 389-393.
- Pang, TWS; Schonfeld, FA; Patel, K. (1988). THE PRECISION AND ACCURACY OF A METHOD FOR THE ANALYSIS OF AMOSITE ASBESTOS. *Am Ind Hyg Assoc J*. 49: 351-356.
- Pang, TWS; Schonfeldstarr, FA; Patel, K. (1989). AN IMPROVED MEMBRANE-FILTER TECHNIQUE FOR EVALUATION OF ASBESTOS FIBERS. *Am Ind Hyg Assoc J*. 50: 174-180.
- Pang, ZC; Zhang, Z; Wang, Y; Zhang, H. (1997). Mortality from a Chinese asbestos plant: overall cancer mortality. *Am J Ind Med*. 32: 442-444.
- Pantelica, A; Georgescu, I; Murariu-Magureanu, MD; Margaritescu, I; Cincu, E. (2001). Thorium determination in intercomparison samples and in some romanian building materials by gamma ray spectrometry. *Radiat Prot Dosimetry*. 97: 187-191.
- Paoletti, L; Batisti, D; Bruno, C; Di Paola, M; Gianfagna, A; Mastrantonio, M; Nesti, M; Comba, P. (2000). Unusually high incidence of malignant pleural mesothelioma in a town of eastern Sicily: an epidemiological and environmental study. *Arch Environ Health*. 55: 392-398. <http://dx.doi.org/10.1080/00039890009604036>.
- Paoletti, L; Bruni, BM. (2009). [Size distribution of amphibole fibres from lung and pleural tissues sampled from mesothelioma cases due to environmental exposure]. *Med Lav*. 100: 11-20.
- Paoletti, L; Caiazza, S; Chessa, E; Notargiacomo, S; Donelli, G. (1982). ASBESTOS CONTAMINATION OF TALC - ELECTRON-MICROSCOPY AND X-RAY-MICROANALYSIS STUDY. 7: A74-A74.
- Papanicolaou, GC; Paspaspyrides, CD. (1987). THE INFLUENCE OF FIBER PRETREATMENT ON THE MECHANICAL-PROPERTIES OF EPOXY-ASBESTOS COMPOSITES. *Mater Chem Phys*. 17: 453-460.
- Papanicolaou, GC; Paspaspyrides, CD. (1988). EFFECT OF FIBER PRE-TREATMENT ON THERMAL-CHARACTERISTICS OF ASBESTOS NYLON EPOXY COMPOSITES. *Compos Sci Tech*. 31: 261-272.
- Papirer, E. (1981). UNUSUAL APPLICATION OF CHRYSOTILE ASBESTOS - THE ELIMINATION OF USED OIL-EMULSIONS. *Clays and Clay Minerals*. 29: 69-70.
- Papirer, E; Roland, P. (1981). GRINDING OF CHRYSOTILE IN HYDROCARBONS, ALCOHOL, AND WATER. *Clays and Clay Minerals*. 29: 161-170.
- Parent, ME; Hua, Y; Siemiatycki, J. (2000). Occupational risk factors for renal cell carcinoma in Montreal. *Am J Ind Med*. 38: 609-618.
- Parent, ME; Siemiatycki, J; Fritschi, L. (2000). Workplace exposures and oesophageal cancer. *Occup Environ Med*. 57: 325-334.
- Parent, ME; Siemiatycki, J; Laplante, E; Desy, M. (2003). Risk of lung cancer and mesothelioma associated with occupational exposure to asbestos: A population-based case-control study in Montreal, Canada. *Epidemiology*. 14: S69-S70.
- Paris, C; Benichou, J; Raffaelli, C; Genevois, A; Fournier, L; Menard, G; Broessel, N; Ameille, J; Brochard, P; Gillon, JC; Gislard, A; Letourneux, M. (2004). Factors associated with early-stage pulmonary fibrosis as determined by high-resolution computed tomography among persons occupationally exposed to asbestos. *Scand J Work Environ Health*. 30: 206-214.
- Paris, C; Gonzalez, M. (2010). Epidemiology and traceability of occupational exposures to carcinogens. *Arch Mal Prof Environ*. 71: 242-247. <http://dx.doi.org/10.1016/j.admp.2010.03.062>.
- Paris, C; Martin, A; Letourneux, M; Wild, P. (2008). Modelling prevalence and incidence of fibrosis and pleural plaques in asbestos-exposed populations for screening and follow-up: a cross-sectional study. *Environ Health*. 7: 30. <http://dx.doi.org/10.1186/1476-069X-7-30>.
- Paris, C; Maurel, M; Luc, A; Stoufflet, A; Paireon, JC; Letourneux, M. (2010). CT scan screening is associated with increased distress among subjects of the APExS. *BMC Public Health*. 10: 647. <http://dx.doi.org/10.1186/1471-2458-10-647>.
- Park, D. (2008). Trends in occupational asbestos exposure and asbestos consumption over recent decades in Korea (vol 14, pg 18, 2008). *Int J Occup Environ Health*. 14: 93-93.
- Park, D; Choi, S; Ryu, K; Park, J; Paik, N. (2008). Trends in occupational asbestos exposure and asbestos consumption over recent decades in Korea. *Int J Occup Environ Health*. 14: 18-24. <http://dx.doi.org/10.1179/oeht.2008.14.1.18>.
- Park, EK; Thomas, PS; Wilson, D; Choi, HJ; Johnson, AR; Yates, DH. (2011). Chest pain in asbestos and silica-exposed workers. *Occup Med (Lond)*. 61: 178-183. <http://dx.doi.org/10.1093/ocmed/kqr011>.
- Park, J; Hisanaga, N; Kim, Y. (2009). Transfer of occupational health problems from a developed to a developing country: Lessons from the Japan-South Korea experience. *Am J Ind Med*. 52: 625-632. <http://dx.doi.org/10.1002/ajim.2072>.
- Park, JK; Moon, YP; Park, BC; Song, MJ; Ko, KS; Cho, JM. (2001). Non-combustible waste vitrification with plasma torch melter. *J Environ Sci Health A Tox Hazard Subst Environ Eng*. 36: 861-871.
- Parker, GE. (1982). OCCUPATIONAL-DISEASE - THE ASBESTOS EXPERIENCE. 68: 19-&.
- Parker, LM; Patterson, JE. (1994). CATALYSTS FOR LOW-TEMPERATURE OXIDATION OF ETHENE. *ACS Symp Ser Am Chem Soc*. 552: 301-315.
- Parkin, DM; Vizcaino, AP; Skinner, MEG; Ndhlovu, A. (1994). CANCER PATTERNS AND RISK-FACTORS IN THE AFRICAN POPULATION OF SOUTHWESTERN ZIMBABWE, 1963-1977. *Cancer Epidemiol Biomarkers Prev*. 3: 537-547.
- Parkinson, DK. (1981). ASBESTOS WORKERS AND LUNG-CANCER - REPLY. *Am J Public Health*. 71: 1409-1409.

Exposure Literature Search Results

Off Topic

- Parkinson, G. (1986). MAKERS OF GASKETS, PACKING, TRY ASBESTOS REPLACEMENTS. *Chem Eng.* 93: 23-&.
- Parks, HJ. (1983). WATER JET SLICES ASBESTOS SAFELY. 36: 10-&.
- Parrish, RG; Hartle, R; Groth, D. (1985). Health Hazard Evaluation Report No. HETA-83-044-1596, General Electric Plant, Evendale, Ohio (pp. 83-044). (NIOSH/00153673). Parrish, RG; Hartle, R; Groth, D.
- Parsons, RC; Bryant, DG; Edstrom, HW. (1986). Variation in fibre and dust counts in an asbestos mine and mill. *Ann Occup Hyg.* 30: 63-75.
- Partanen, R; Hemminki, K; Koskinen, H; Luo, JC; Carney, WP; Brandt-Rauf, PW. (1994). The detection of increased amounts of the extracellular domain of the epidermal growth factor receptor in serum during carcinogenesis in asbestosis patients. *J Occup Med.* 36: 1324-1328.
- Partanen, T; Heikkila, P; Hernberg, S; Kauppinen, T; Moneta, G; Ojararvi, A. (1991). Renal cell cancer and occupational exposure to chemical agents. *Scand J Work Environ Health.* 17: 231-239.
- Partridge, MA; Huang, SXL; Kibriya, MG; Ahsan, H; Davidson, MM; Hei, TK. (2009). Environmental mutagens induced transversions but not transitions in regulatory region of mitochondrial DNA. *J Toxicol Environ Health A.* 72: 301-304.
<http://dx.doi.org/10.1080/15287390802526381>.
- Pascolo, L; Gianoncelli, A; Rizzardi, C; de Jonge, M; Howard, D; Paterson, D; Cammisuli, F; Salomé, M; De Paoli, P; Melato, M; Canzonieri, V. (2016). Focused X-Ray Histological Analyses to Reveal Asbestos Fibers and Bodies in Lungs and Pleura of Asbestos-Exposed Subjects. 22: 1062-1071. <http://dx.doi.org/10.1017/S1431927616011685>.
- Pasetto, R; Biggeri, A; Comba, P; Pirastu, R. (2007). Mortality in the cohort of workers of the petrochemical plant in Gela (Sicily) 1960-2002. *Epidemiol Prev.* 31: 39-45.
- Pasetto, R; Terracini, B; Marsili, D; Comba, P. (2014). Occupational burden of asbestos-related cancer in Argentina, Brazil, Colombia, and Mexico. 80: 263-268. <http://dx.doi.org/10.1016/j.aogh.2014.09.003>.
- Pasquier, LC; Mercier, G, uy; Blais, JF; Cecchi, E; Kentish, S. (2014). Parameters optimization for direct flue gas CO2 capture and sequestration by aqueous mineral carbonation using activated serpentinite based mining residue. *Appl Geochem.* 50: 66-73.
<http://dx.doi.org/10.1016/j.apgeochem.2014.08.008>.
- Pasquier, LC; Mercier, G; Blais, JF; Cecchi, E; Kentish, S. (2014). Reaction mechanism for the aqueous-phase mineral carbonation of heat-activated serpentine at low temperatures and pressures in flue gas conditions. *Environ Sci Technol.* 48: 5163-5170.
<http://dx.doi.org/10.1021/es405449v>.
- Pastuszka, JS. (2010). EMISSION OF AIRBORNE FIBERS FROM MECHANICALLY IMPACTED NON-ASBESTOS FIBER-CONTAINING MATERIALS: PRELIMINARY RESULTS. *Arch Environ Prot.* 36: 3-12.
- Patel, HJ; Kwon, S. (2013). Length-dependent effect of single-walled carbon nanotube exposure in a dynamic cell growth environment of human alveolar epithelial cells. *J Expo Sci Environ Epidemiol.* 23: 101-108. <http://dx.doi.org/10.1038/jes.2012.75>.
- Patel-Mandlik, K; Millette, J. (1983). Accumulation of ingested asbestos fibers in rat tissues over time. *Environ Health Perspect.* 53: 197-200.
- Patel-Mandlik, KJ. (1981). Asbestos fibers in normal and cancerous human kidneys. *Arch Environ Contam Toxicol.* 10: 47-54.
<http://dx.doi.org/10.1007/BF01057574>.
- Patelmandlik, KJ; Hallenbeck, WH; Millette, J. R. (1979). ASBESTOS FIBERS .1. MODIFIED PREPARATION OF TISSUE SAMPLES FOR ANALYSIS BY ELECTRON-MICROSCOPY .2. PRESENCE OF FIBERS IN TISSUES OF BABOON FED CHRYSOTILE ASBESTOS. *J Environ Pathol Toxicol.* 2: 1385-1395.
- Patelmandlik, KJ; Manos, CG; Lisk, DJ. (1988). ABSENCE OF ASBESTOS IN MUNICIPAL SEWAGE-SLUDGE ASHES. *Bull Environ Contam Toxicol.* 40: 703-706.
- Patelmandlik, KJ; Manos, CG; Lisk, DJ. (1988). ANALYSIS OF MUNICIPAL REFUSE INCINERATOR ASHES FOR ASBESTOS. *Bull Environ Contam Toxicol.* 41: 844-846.
- Patrick, G; Rood, AP; Hoskins, JA; Mongan, LC; Houghton, CE; Jones, T; Dinsdale, D. (2001). A novel synthetic erionite fibre radiolabelled with Co-57. *Ann Occup Hyg.* 45: 365-370.
- Pattnaik, BK; Equeenuddin, S, kMd. (2016). Potentially toxic metal contamination and enzyme activities in soil around chromite mines at Sukinda Ultramafic Complex, India. *J Geochem Explor.* 168: 127-136. <http://dx.doi.org/10.1016/j.gexplo.2016.06.011>.
- Patton, JL. (1977). UNUSUAL WATER TREATMENT-PLANT LICKS ASBESTOS FIBER PROBLEM. 14: 41-&.
- Paul, BN; Prakash, A; Kumar, S; Yadav, AK; Mani, U; Saxena, AK; Sahu, AP; Lal, K; Dutta, KK. (2002). Silica induced early fibrogenic reaction in lung of mice ameliorated by *Nyctanthes arbortristis* extract. *Biomed Environ Sci.* 15: 215-222.
- Paull, JM; Corn, M; Lees P, SJ; Breyse, PN. (1986). NON-OCCUPATIONAL EXPOSURE TO ASBESTOS IN BUILDINGS A PRACTICAL RISK MANAGEMENT PROGRAM. *Am Ind Hyg Assoc J.* 47: 497-504.
- Pauly, JL; Stegmeier, SJ; Allaart, HA; Cheney, RT; Zhang, PJ; Mayer, AG; Streck, RJ. (1998). Inhaled cellulosic and plastic fibers found in human lung tissue. *Cancer Epidemiol Biomarkers Prev.* 7: 419-428.
- Paunescu, M. (2010). Behaviour of Non-Metallic Gaskets in Small and Medium Pressure Conditions. *Rev Chim.* 61: 118-120.
- Paustenbach, DJ; Finley, BL; Lu, ET; Brorby, GP; Sheehan, PJ. (2004). Environmental and occupational health hazards associated with the presence of asbestos in brake linings and pads (1900 to present): a "state-of-the-art" review [Review]. *J Toxicol Environ Health B Crit Rev.* 7: 25-80. <http://dx.doi.org/10.1080/10937400490231494>.
- Paustenbach, DJ; Finley, BL; Sheehan, PJ; Brorby, GP. (2006). Re: Evaluation of the size and type of free particulates collected from unused asbestos-containing brake components as related to potential for respirability [Letter]. *Am J Ind Med.* 49: 60-61; author reply 62-64. <http://dx.doi.org/10.1002/ajim.20236>.
- Paustenbach, DJ; Richter, RO; Finley, BL; Sheehan, PJ. (2003). An evaluation of the historical exposures of mechanics to asbestos in brake dust. *Appl Occup Environ Hyg.* 18: 786-804. <http://dx.doi.org/10.1080/10473220301439>.
- Pavlidis, T; Steiglitz, K. (1978). AUTOMATIC COUNTING OF ASBESTOS FIBERS IN AIR SAMPLES. *I E E E Transactions on Computers.* 27: 258-261.

Exposure Literature Search Results

Off Topic

- Pavlovich, MS; Jenkins, DM. (2003). Assessment of cation substitutions along the gallium and fluorine analogue of the tremolite-glaucophane join. *Am Mineral*. 88: 1486-1495.
- Pavone, VL; Scarnato, C; Marinilli, P; Costellati, L; Tiranno, A; Alberghini, V; Pandolfi, P. (2012). [Mortality in a cohort of railway rolling stock construction and repair workers in Bologna]. *Med Lav*. 103: 112-122.
- Pawley, AR. (1998). The reaction talc plus forsterite = enstatite plus H₂O: New experimental results and petrological implication. *Am Mineral*. 83: 51-57.
- Pawley, AR; Graham, CM; Navrotsky, A. (1993). TREMOLITE-RICHTERITE AMPHIBOLES - SYNTHESIS, COMPOSITIONAL AND STRUCTURAL CHARACTERIZATION, AND THERMOCHEMISTRY. *Am Mineral*. 78: 23-35.
- Pearce, N. (1988). Multistage modelling of lung cancer mortality in asbestos textile workers. *Int J Epidemiol*. 17: 747-752.
- Pearce, N; Matos, E; Boffetta, P; Kogevinas, M; Vainio, H. (1994). Occupational Exposures to Carcinogens in Developing Countries (pp. 684-689). (NIOSH/00225268). Pearce, N; Matos, E; Boffetta, P; Kogevinas, M; Vainio, H.
- Pearle, JL. (1982). Smoking and duration of asbestos exposure in the production of functional and roentgenographic abnormalities in shipyard workers. *J Occup Med*. 24: 37-40.
- Pearson, WL. (1985). CEMENT ASBESTOS AND OCCUPATIONAL-HEALTH. 31: 13-14.
- Peck, AS; Serocki, JJ; Dicker, LC. (1985). AIRBORNE ASBESTOS MEASUREMENT - PRELIMINARY FINDINGS IDENTIFY A NEW SOURCE OF VARIABILITY IN THE MEMBRANE-FILTER METHOD. *Am Ind Hyg Assoc J*. 46: B14-B16.
- Pedra, F; Tambellini, AT; Pereira, B; da Costa, AC; de Castro, HA. (2008). Mesothelioma mortality in Brazil, 1980-2003. *Int J Occup Environ Health*. 14: 170-175. <http://dx.doi.org/10.1179/oeh.2008.14.3.170>.
- Pedreira-Segade, U; Feuillie, C; Pelletier, M; Michot, LJ; Daniel, I. (2016). Adsorption of nucleotides onto ferromagnesian phyllosilicates: Significance for the origin of life. *Geochim Cosmo Acta*. 176: 81-95. <http://dx.doi.org/10.1016/j.gca.2015.12.025>.
- Pekarskii, GS; Volchenko, YA; Katsman, YY; Kucher, GA. (1978). NONDESTRUCTIVE NEUTRON-RADIATION TESTING OF MOISTURE-CONTENT IN NEWLY FORMED ASBESTOS-CEMENT PIPES. *Measurement Techniques*. 21: 713-715.
- Pelclová, D; Bartůnková, J; Fenclová, Z; Lebedová, J; Hladíková, M; Benáková, H. (2003). Asbestos exposure and antineutrophil cytoplasmic Antibody (ANCA) positivity. *Arch Environ Health*. 58: 662-668. <http://dx.doi.org/10.3200/AEOH.58.10.662-668>.
- Pelclová, D; Fenclová, Z; Kacer, P; Kuzma, M; Navrátil, T; Lebedová, J. (2008). Increased 8-isoprostane, a marker of oxidative stress in exhaled breath condensate in subjects with asbestos exposure. *Ind Health*. 46: 484-489.
- Pelclová, D; Fenclová, Z; Syslová, K; Vlčková, S; Lebedová, J; Pecha, O; Běláček, J; Navrátil, T; Kuzma, M; Kačer, P. (2011). Oxidative stress markers in exhaled breath condensate in lung fibroses are not significantly affected by systemic diseases. *Ind Health*. 49: 746-754.
- Pelclová, D; Fenclová, Z; Vlčková, S; Lebedová, J; Syslová, K; Pecha, O; Beláček, J; Navrátil, T; Kuzma, M; Kacer, P. (2012). Leukotrienes B₄, C₄, D₄ and E₄ in the exhaled breath condensate (EBC), blood and urine in patients with pneumoconiosis. *Ind Health*. 50: 299-306.
- Pelcova, D; Zdimal, V; Fenclova, Z; Vlckova, S; Turci, F; Corazzari, I; Kacer, P; Schwarz, J; Zikova, N; Makes, O; Syslova, K; Komarc, M; Belacek, J; Navratil, T; Machajova, M; Zakharov, S. (2016). Markers of oxidative damage of nucleic acids and proteins among workers exposed to TiO₂ (nano) particles. *Occup Environ Med*. 73: 110-118. <http://dx.doi.org/10.1136/oemed-2015-103161>.
- Pele, JP; Calvert, R. (1983). A COMPARATIVE-STUDY ON THE HEMOLYTIC ACTION OF SHORT ASBESTOS FIBERS ON HUMAN, RAT, AND SHEEP ERYTHROCYTES. *Environ Res*. 31: 164-175.
- Pele, JP; Calvert, R. (1983). HEMOLYSIS BY CHRYSOTILE ASBESTOS FIBERS .1. INFLUENCE OF THE SIALIC-ACID CONTENT IN HUMAN, RAT, AND SHEEP RED-BLOOD-CELL MEMBRANES. *J Toxicol Environ Health*. 12: 827-840.
- Pele, JP; Dunnigan, J; Calvert, R. (1983). THE HEMOLYTIC-ACTIVITY OF CHRYSOTILE ASBESTOS FIBERS - A FREEZE-FRACTURE STUDY. *Environ Res*. 31: 152-163.
- Pelin, K; Hirvonen, A; Taavitsainen, M; Linnainmaa, K. (1995). Cytogenetic response to asbestos fibers in cultured human primary mesothelial cells from 10 different donors. *Mutat Res*. 334: 225-233.
- Pelin, K; Kivipensas, P; Linnainmaa, K. (1995). Effects of asbestos and man-made vitreous fibers on cell division in cultured human mesothelial cells in comparison to rodent cells. *Environ Mol Mutagen*. 25: 118-125.
- Pellegrini, L; Montoneri, E; Savarino, P; Pappalardo, GC. (1991). ORGANO-INORGANIC COMPOSITE MEMBRANES - A MATHEMATICAL-MODELING APPROACH TO THE SOLID LIQUID INTERACTION PROPERTIES OF ASBESTOS IN ITS COMPOSITES. *Journal of Materials Science*. 26: 2557-2565.
- Pellerin, N; Bessada, C; Gruener, G; Boizot, B. (2001). Plasma: A possible solution for stabilisation of waste? *High Temperature Material Processes*. 5: 301-312.
- Pelletier, L; Muntener, O; Kalt, A; Vennemann, TW; Belgya, T. (2008). Emplacement of ultramafic rocks into the continental crust monitored by light and other trace elements: An example from the Geisspfad body (Swiss-Italian Alps). *Chem Geol*. 255: 143-159. <http://dx.doi.org/10.1016/j.chemgeo.2008.06.024>.
- Pelletier, L; Vils, F; Kalt, A; Gmeling, K. (2008). Li, B and Be Contents of Harzburgites from the Dramala Complex (Pindos Ophiolite, Greece): Evidence for a MOR-type Mantle in a Supra-subduction Zone Environment. *Journal of Petrology*. 49: 2043-2080. <http://dx.doi.org/10.1093/petrology/egn057>.
- Penczak, RS; Mason, R. (1997). Metamorphosed Archean epithermal Au-As-Sb-Zn-(Hg) vein mineralization at the Campbell mine, northwestern Ontario. *Econ Geol*. 92: 696-719.
- Penczak, RS; Mason, R. (1999). Characteristics and origin of Archean premetamorphic hydrothermal alteration at the Campbell gold mine, northwestern Ontario, Canada. *Econ Geol*. 94: 507-527.
- Peng, L; Wang, X. (1993). Lymphocyte B and T cell subsets in peripheral blood from patients with asbestosis. *Br J Ind Med*. 50: 183-184.

Exposure Literature Search Results

Off Topic

- Peng, Y; Jing, Y. (2014). Hydrothermal preparation of analogous matrix minerals of CM carbonaceous chondrites from metal alloy particles. *Earth Planet Sci Lett.* 408: 252-262. <http://dx.doi.org/10.1016/j.epsl.2014.10.020>.
- Peng, Y; Xu, L; Xi, G; Zhong, C; Lu, J, un; Meng, Z; Li, G; Zhang, S; Zhang, G; Qian, Y. (2007). An experimental study on the hydrothermal preparation of tochilinite nanotubes and tochilinite-serpentine-intergrowth nanotubes from metal particles. *Geochim Cosmo Acta.* 71: 2858-2875. <http://dx.doi.org/10.1016/j.gca.2007.03.012>.
- Pens, M; Andreani, M; Daniel, I; Perrillat, JP; Cardon, H. (2016). Contrasted effect of aluminum on the serpentinization rate of olivine and orthopyroxene under hydrothermal conditions. *Chem Geol.* 441: 256-264. <http://dx.doi.org/10.1016/j.chemgeo.2016.08.007>.
- Pepelko, WE. (1996). Evaluation of the carcinogenic risk of biochemically inert insoluble particles by the EPAa using rat inhalation data. *Part Sci Technol.* 14: 123-134.
- Pereda, MP; Gromaz, LE. (2007). Asbestos: Modification of regulation and methodology of fiber evaluation. *Dyna.* 82: 61-63.
- Pereira, D; Blanco, JA; Peinado, M. (2013). Study on Serpentinities and the Consequence of the Misuse of Natural Stone in Buildings for Construction. *Journal of Materials in Civil Engineering.* 25: 1563-1567. [http://dx.doi.org/10.1061/\(ASCE\)MT.1943-5533.0000689](http://dx.doi.org/10.1061/(ASCE)MT.1943-5533.0000689).
- Pereira, MJ; Lima, MMF; Lima, RMF. (2014). Calcination and characterisation studies of a Brazilian manganese ore tailing. *Int J Miner Process.* 131: 26-30. <http://dx.doi.org/10.1016/j.minpro.2014.08.003>.
- Pereira, MM; Raposo, NR; Brayner, R; Teixeira, EM; Oliveira, V; Quintão, CC; Camargo, LS; Mattoso, LH; Brandão, HM. (2013). Cytotoxicity and expression of genes involved in the cellular stress response and apoptosis in mammalian fibroblast exposed to cotton cellulose nanofibers. *Nanotechnology.* 24: 075103. <http://dx.doi.org/10.1088/0957-4484/24/7/075103>.
- Peretti, A; Dubessy, J; Mullis, J; Frost, BR; Trommsdorff, V. (1992). HIGHLY REDUCING CONDITIONS DURING ALPINE METAMORPHISM OF THE MALENCO PERIDOTITE (SONDRIO, NORTHERN ITALY) INDICATED BY MINERAL PARAGENESIS AND H-2 IN FLUID INCLUSIONS. *Contributions to Mineralogy and Petrology.* 112: 329-340.
- Perić, I; Novak, K; Barisić, I; Mise, K; Vucković, M; Janković, S; Tocilj, J. (2009). Interobserver variations in diagnosing asbestosis according to the ILO classification. *Arh Hig Rada Toksikol.* 60: 191-195. <http://dx.doi.org/10.2478/10004-1254-60-2009-1904>.
- Perkins, JL; Cutter, GN; Cleveland, MS. (1990). Estimating the mean, variance, and confidence limits from censored (less than limit of detection), lognormally/distributed exposure data. *Am Ind Hyg Assoc J.* 51: 416-419.
- Pernía Leal, M; Assali, M; Cid, JJ; Valdivia, V; Franco, JM; Fernández, I; Pozo, D; Khair, N. (2015). Synthesis of 1D-glyconanomaterials by a hybrid noncovalent-covalent functionalization of single wall carbon nanotubes: a study of their selective interactions with lectins and with live cells. *Nanoscale.* 7: 19259-19272. <http://dx.doi.org/10.1039/c5nr05956a>.
- Perrillat, JP; Daniel, I; Koga, KT; Reynard, B; Cardon, H; Crichton, WA. (2005). Kinetics of antigorite dehydration: A real-time X-ray diffraction study. *Earth Planet Sci Lett.* 236: 899-913. <http://dx.doi.org/10.1016/j.epsl.2005.06.006>.
- Perticaroli, P; Mengucci, R; Carletti, M; Magnini, P; Marcellini, M; Pettinari, A; Durastanti, M. (2013). [Asbestos-related diseases in former asbestos-cement workers in Senigallia]. *Med Lav.* 104: 277-288.
- Perumal, P; Khan, MH; Chang, S; Sangma, CTR. (2016). Effect of walking and summer stress on physiological, hematological and antioxidant profiles in mithun bulls. *Indian J Anim Sci.* 86: 751-757.
- Perunicic, B; Jablanov, L. (1987). AIRBORNE DUST LEVELS IN AN ASBESTOS PLANT USING CHRYSOTILE RESULTS OF SIMULTANEOUS MEASUREMENTS WITH FOUR METHODS (pp. 323-330). (BIOSIS/88/35152). Perunicic, B; Jablanov, L.
- Pesch, B; Haerting, J; Ranft, U; Klimpel, A; Oelschlägel, B; Schill, W. (2000). Occupational risk factors for renal cell carcinoma: Agent-specific results from a case-control study in Germany. *Int J Epidemiol.* 29: 1014-1024. <http://dx.doi.org/10.1093/ije/29.6.1014>.
- Pesch, B; Taeger, D; Johnen, G; Gross, IM; Weber, DG; Gube, M; Müller-Lux, A; Heinze, E; Wiethage, T; Neumann, V; Tannapfel, A; Raithele, HJ; Brüning, T; Kraus, T. (2010). Cancer mortality in a surveillance cohort of German males formerly exposed to asbestos. *Int J Hyg Environ Health.* 213: 44-51. <http://dx.doi.org/10.1016/j.ijheh.2009.09.001>.
- Peters, S; van Oyen, SC; Alfonso, H; Fritschi, L; de Klerk, NH; Reid, A; Franklin, P; Gordon, L; Benke, G; Musk, AW. (2016). Response to Kottek and Kilpatrick, 'Estimating Occupational Exposure to Asbestos in Australia' [Letter]. *Ann Occup Hyg.* 60: 533-535. <http://dx.doi.org/10.1093/annhyg/mew010>.
- Peters, S; Vermeulen, R; Cassidy, A; Mannelte, AT; van Tongeren, M; Boffetta, P; Straif, K; Kromhout, H. (2011). Comparison of exposure assessment methods for occupational carcinogens in a multi-centre lung cancer case-control study. *Occup Environ Med.* 68: 148-153. <http://dx.doi.org/10.1136/oem.2010.055608>.
- Peters, S; Vermeulen, R; Olsson, A; Van Gelder, R; Kendzia, B; Vincent, R; Savary, B; Williams, N; Woldbæk, T; Lavoué, J; Cavallo, D; Cattaneo, A; Mirabelli, D; Plato, N; Dahmann, D; Fevotte, J; Pesch, B; Brüning, T; Straif, K; Kromhout, H. (2012). Development of an exposure measurement database on five lung carcinogens (ExpoSYN) for quantitative retrospective occupational exposure assessment. *Ann Occup Hyg.* 56: 70-79. <http://dx.doi.org/10.1093/annhyg/mer081>.
- Peters, S; Vermeulen, R; Portengen, L; Olsson, A; Kendzia, B; Vincent, R; Savary, B; Lavoué, J; Cavallo, D; Cattaneo, A; Mirabelli, D; Plato, N; Fevotte, J; Pesch, B; Brüning, T; Straif, K; Kromhout, H. (2016). SYN-JEM: A Quantitative Job-Exposure Matrix for Five Lung Carcinogens. *Ann Occup Hyg.* 60: 795-811. <http://dx.doi.org/10.1093/annhyg/mew034>.
- Peterson, DL; Schlegel, FX; Zaudtke, TM. (1980). STUDIES OF ASBESTOS REMOVAL BY DIRECT-FILTRATION OF A LAKE-SUPERIOR WATER. *J Am Water Works Assoc.* 72: 155-161.
- Peterson, MR; Naugle, DF; Berry, MA. (1990). Indoor Air - Assessment: Methods of Analysis for Environmental Carcinogens. 52.
- Peterson, PE. (1980). COMMENTS ON STRENGTH AND FRACTURE PROPERTIES OF ASBESTOS-CEMENT MORTAR COMPOSITES. *Journal of Materials Science.* 15: 2387-2388.

Exposure Literature Search Results

Off Topic

- Petkowicz, DI; Brambilla, R; Radtke, C; Silva da Silva, CD; da Rocha, ZN; Pergher, SBC; dos Santos, JHZ. (2009). Photodegradation of methylene blue by in situ generated titania supported on a NaA zeolite. *Appl Catal A-Gen.* 357: 125-134. <http://dx.doi.org/10.1016/j.apcata.2008.12.040>.
- Petkowicz, DI; Rigo, RT; Radtke, C; Pergher, SB; dos Santos, JHZ. (2008). Zeolite NaA from Brazilian chrysotile and rice husk. *Microporous and Mesoporous Materials.* 116: 548-554. <http://dx.doi.org/10.1016/j.micromeso.2008.05.014>.
- Peto, J; Doll, R; Howard, SV; Kinlen, LJ; Lewinsohn, HC. (1977). A mortality study among workers in an English asbestos factory. *Br J Ind Med.* 34: 169-173.
- Peto, J; Gilham, C; Rake, C; Darnton, A; Hodgson, J; Burdett, G. (2016). Authors' reply to letters from Egilman et al and Oliver et al [Letter]. *Occup Environ Med.* 73: 710-711. <http://dx.doi.org/10.1136/oemed-2016-103870>.
- Petrisor, IG; Kanner, A. (2010). Chinese Drywall Environmental Forensic Opportunities. *Environ Forensics.* 11: 6-16. <http://dx.doi.org/10.1080/15275920903526445>.
- Petsonk, EL; Wang, M. (2010). Interpreting Screening Questionnaires Specific Respiratory Symptoms and Their Relationship to Objective Test Results. *J Occup Environ Med.* 52: 1225-1229. <http://dx.doi.org/10.1097/JOM.0b013e3181fd728f>.
- Pezerat, H. (2009). Chrysotile biopersistence: the misuse of biased studies. *Int J Occup Environ Health.* 15: 102-106. <http://dx.doi.org/10.1179/107735209799449770>.
- Pezerat, H; Guignard, J; Cherrie, JW. (1992). Man-made mineral fibers and lung cancer: An hypothesis. *Toxicol Ind Health.* 8: 1-2.
- Phanpravit, W; Sujirarat, D; Musigapong, P; Sripaiboonkij, P; Chaikittiporn, C. (2012). Asbestos Exposure among Mitering Workers. *Saf Health Work.* 3: 235-240. <http://dx.doi.org/10.5491/SHAW.2012.3.3.235>.
- Phillips, CC; Hamilton, CB. (1994). A PRELIMINARY ASSESSMENT OF ASBESTOS AWARENESS AND CONTROL MEASURES IN BRAKE AND CLUTCH REPAIR SERVICES IN KNOXVILLE AND KNOX COUNTY, TENNESSEE. *J Environ Health.* 56: 7-12.
- Phillips, G; Hand, M; Offler, R. (2008). P-T-t deformation framework of an accretionary prism, southern New England Orogen, eastern Australia: Implications for blueschist exhumation and metamorphic switching. *Tectonics.* 27. <http://dx.doi.org/10.1029/2008TC002323>.
- Phillips, JI; Murray, J. (2010). Malignant mesothelioma in a patient with anthophyllite asbestos fibres in the lungs. *Ann Occup Hyg.* 54: 412-416. <http://dx.doi.org/10.1093/annhyg/meq034>.
- Phoon, WO. (1998). Occupational health in Australia. *Int Arch Occup Environ Health.* 71: 363-371.
- Pi, Q; Zhong, R; Hu, R. (2015). Tracing the ore-formation history of the shear-zone-controlled Huogeqi Cu-Pb-Zn deposit in Inner Mongolia, northern China, using H, O, S, and Fe isotopes. *Ore Geol Rev.* 71: 263-272. <http://dx.doi.org/10.1016/j.oregeorev.2015.06.003>.
- Picango, M, deS; Ghavami, K. (2008). Behavior of cement mortar reinforced with Amazonian fibers subjected to compression. *Revista da Escola de Minas.* 61: 13-18.
- Picazo, S; Cannat, M; Delacour, A; Escartin, J; Roumejon, S; Silantsev, S. (2012). Deformation associated with the denudation of mantle-derived rocks at the Mid-Atlantic Ridge 13 degrees-15 degrees N: The role of magmatic injections and hydrothermal alteration. *G-cubed.* 13. <http://dx.doi.org/10.1029/2012GC004121>.
- Picciotto, S; Ljungman, PL; Eisen, EA. (2016). Straight Metalworking Fluids and All-Cause and Cardiovascular Mortality Analyzed by Using G-Estimation of an Accelerated Failure Time Model With Quantitative Exposure: Methods and Interpretations. *Am J Epidemiol.* 183: 680-688. <http://dx.doi.org/10.1093/aje/kwv232>.
- Pichora, EC; Payne, JI. (2007). Trends and characteristics of compensated occupational cancer in Ontario, Canada, 1937-2003. *Am J Ind Med.* 50: 980-991. <http://dx.doi.org/10.1002/ajim.20530>.
- Pickrell, JA; Hill, JO; Carpenter, RL; Hahn, FF; Rebar, AH. (1983). In vitro and in vivo response after exposure to man-made mineral and asbestos insulation fibers. *Am Ind Hyg Assoc J.* 44: 557-561. <http://dx.doi.org/10.1080/15298668391405319>.
- Pierce, J; Mowat, F; Finley, BL. (2006). Characterization Of Chrysotile Asbestos Exposures For Garage Mechanics. *Toxicol Sci.* 90: 173-174.
- Pierini, F; Lanzi, M; Lesci, IG; Roveri, N. (2015). Comparison between Inorganic Geomimetic Chrysotile and Multiwalled Carbon Nanotubes in the Preparation of One-dimensional Conducting Polymer Nanocomposites. *Fibers and Polymers.* 16: 426-433. <http://dx.doi.org/10.1007/s12221-015-0426-x>.
- Pierre, N; Iwatsubo, Y; Ameille, J; Cordier, S; Mandereau, L; Raix, A; Freddy, M; Delage, A; Bignon, J; Brochard, P. (1995). [Longitudinal study of radiologic anomalies in subjects working in asbestos-insulated buildings]. *Rev Epidemiol Sante Publique.* 43: 432-443.
- Pietruska, JR; Johnston, T; Zhitkovich, A; Kane, AB. (2010). XRCC1 deficiency sensitizes human lung epithelial cells to genotoxicity by crocidolite asbestos and Libby amphibole. *Environ Health Perspect.* 118: 1707-1713. <http://dx.doi.org/10.1289/ehp.1002312>.
- Piirilä, P; Lindqvist, M; Huuskonen, O; Kaleva, S; Koskinen, H; Lehtola, H; Vehmas, T; Kivisaari, L; Sovijärvi, AR. (2005). Impairment of lung function in asbestos-exposed workers in relation to high-resolution computed tomography. *Scand J Work Environ Health.* 31: 44-51.
- Pikhutin, IA. (2008). Use of asbestos-free materials in aluminum production. *Refractories and Industrial Ceramics.* 49: 5-8.
- Pilger, A; Rüdiger, HW. (2006). 8-Hydroxy-2'-deoxyguanosine as a marker of oxidative DNA damage related to occupational and environmental exposures [Review]. *Int Arch Occup Environ Health.* 80: 1-15. <http://dx.doi.org/10.1007/s00420-006-0106-7>.
- Pilorget, C; Imbernon, E; Goldberg, M; Bonenfant, S; Spyckerelle, Y; Fournier, B; Steinmetz, J; Schmaus, A. (2003). Evaluation of the quality of coding of job episodes collected by self questionnaires among French retired men for use in a job-exposure matrix. *Occup Environ Med.* 60: 438-443.
- Pinheiro, GA; Antao, VC; Bang, KM; Attfield, MD. (2004). Malignant mesothelioma surveillance: a comparison of ICD 10 mortality data with SEER incidence data in nine areas of the United States. *Int J Occup Environ Health.* 10: 251-255.
- Pinheiro, GA; Antão, VC; Monteiro, MM; Capelozzi, VL; Terra-Filho, M. (2003). Mortality from pleural mesothelioma in Rio de Janeiro, Brazil, 1979-2000: estimation from death certificates, hospital records, and histopathologic assessments. *Int J Occup Environ Health.* 9: 147-152. <http://dx.doi.org/10.1179/oe.2003.9.2.147>.

Exposure Literature Search Results

Off Topic

- Pintos, J; Parent, ME; Case, BW; Rousseau, MC; Siemiatycki, J. (2009). Risk of mesothelioma and occupational exposure to asbestos and man-made vitreous fibers: evidence from two case-control studies in Montreal, Canada. *J Occup Environ Med.* 51: 1177-1184. <http://dx.doi.org/10.1097/JOM.0b013e3181b68cef>.
- Pintos, J; Parent, ME; Rousseau, MC; Case, BW; Siemiatycki, J. (2008). Occupational exposure to asbestos and man-made vitreous fibers, and risk of lung cancer: evidence from two case-control studies in Montreal, Canada. *J Occup Environ Med.* 50: 1273-1281. <http://dx.doi.org/10.1097/JOM.0b013e31818345bb>.
- Pintos, J; Parent, ME; Rousseau, MC; Siemiatycki, J. (2007). Occupational exposure to asbestos and manmade vitreous fibers, and risk of lung cancer: Evidence from two case-control studies in Montreal, Canada. *Am J Epidemiol.* 165: S102-S102.
- Piolatto, PG; Putzu, MG; Botta, GC. (2003). [Asbestos fibres and reference values]. *G Ital Med Lav Ergon.* 25: 94-98.
- Piperno, S; Kaplan-Ashiri, I; Cohen, SR; Popovitz-Biro, R; Wagner, HD; Tenne, R; Foresti, E; Lesci, IG; Roveri, N. (2007). Characterization of geoinspired and synthetic chrysotile nanotubes by atomic force microscopy and transmission electron microscopy. *Adv Funct Mater.* 17: 3332-3338. <http://dx.doi.org/10.1002/adfm.200700278>.
- Pira, E. (2016). Untitled. *Med Lav.* 107: 148-150.
- Pira, E; Pelucchi, C; Piolatto, PG; Negri, E; Bilei, T; La Vecchia, C. (2009). Mortality from cancer and other causes in the Balangero cohort of chrysotile asbestos miners. *Occup Environ Med.* 66: 805-809. <http://dx.doi.org/10.1136/oem.2008.044693>.
- Pira, E; Pelucchi, C; Romano, C; Manzari, M; Negri, E, va; La Vecchia, C. (2012). Mortality From Cancer and Other Causes in an Italian Cohort of Male Rubber Tire Workers. *J Occup Environ Med.* 54: 345-349. <http://dx.doi.org/10.1097/JOM.0b013e318244503c>.
- Pira, E; Turbiglio, M; Maroni, M; Carrer, P; La Vecchia, C; Negri, E; Iachetta, R. (1999). Mortality among workers in the geothermal power plants at Larderello, Italy. *Am J Ind Med.* 35: 536-539.
- Pirajno, F; Gonzalez-Alvarez, I; Chen, W, ei; Kyser, KT; Simonetti, A; Leduc, E; Legras, M. (2014). The Gifford Creek Ferrocarnatite Complex, Gascoyne Province, Western Australia: Associated fenitic alteration and a putative link with the similar to 1075 Ma Warakurna LIP. *Lithos.* 202: 100-119. <http://dx.doi.org/10.1016/j.lithos.2014.05.012>.
- Pitarque, S; Cleries, R; Martinez, JM; Lopez-Abente, G; Kogevinas, M; Benavides, FG. (2008). Mesothelioma mortality in men: trends during 1977-2001 and projections for 2002-2016 in Spain. *Occup Environ Med.* 65: 279-282. <http://dx.doi.org/10.1136/oem.2007.034769>.
- Pitarque, S; Fabrega, O; de Lara, N; Company, A; de Peray, JL; Delclos, J; Benavides, FG. (2009). RECONSTRUCTION AND FIRST RESULTS OF THE COHORT OF WORKERS EXPOSED TO ASBESTOS IN CATALONIA. *Gac Sanit.* 23: 7-7.
- Pitawala, A; Schidlowski, M; Dahanayake, K; Hofmeister, W. (2003). Geochemical and petrological characteristics of Eppawala phosphate deposits, Sri Lanka. *Miner Depos.* 38: 505-515. <http://dx.doi.org/10.1007/s00126-002-0327-y>.
- Platek, SF; Riley, RD; Simon, SD. (1992). THE CLASSIFICATION OF ASBESTOS FIBERS BY SCANNING ELECTRON-MICROSCOPY AND COMPUTER-DIGITIZING TABLET. *Ann Occup Hyg.* 36: 155-171.
- Plato, N; Tornling, G; Hogstedt, C; Krantz, S. (1995). An index of past asbestos exposure as applied to car and bus mechanics. *Ann Occup Hyg.* 39: 441-454.
- Pleil, JD; Lorber, MN. (2007). Relative congener scaling of polychlorinated dibenzo-p-dioxins and dibenzofurans to estimate building fire contributions in air, surface wipes, and dust samples. *Environ Sci Technol.* 41: 7286-7293. <http://dx.doi.org/10.1021/es070714a>.
- Plescia, P; Gizzi, D; Benedetti, S; Camilucci, L; Fanizza, C; De Simone, P; Paglietti, F. (2003). Mechanochemical treatment to recycling asbestos-containing waste. *Waste Manag.* 23: 209-218. [http://dx.doi.org/10.1016/S0956-053X\(02\)00156-3](http://dx.doi.org/10.1016/S0956-053X(02)00156-3).
- Plomp, HN. (2013). The Contribution of Health Professionals to the Creation of Occupational Health Standards: The Impact of Professional Ethics in the Case of Asbestos. *Public Health Ethics.* 6: 73-89. <http://dx.doi.org/10.1093/phe/phs037>.
- Plotko, EG; Domnin, SG; Kashanskiĭ, SV; Kulikov, VG; Seliankina, KP; Bogdanov, GB; Manakova, NS. (2000). [Ecological and occupational evaluation of chrysotile-asbestos fibers emitted during construction and exploitation by roof materials made of asbestos cement]. *Med Tr Prom Ekol*41-45.
- Plotko, EG; Seliankina, KP; Kashanskiĭ, SV; Ryzhov, VV; Vinokurova, MV; Vinokurov, MV; Shtol', AV. (2005). [Hygienic problems in the protection of the environment and human health in the areas of chrysotile asbestos extract and utilization]. *Gig Sanit*70-71.
- Plumlee, GS; Alpers, CN; Morman, SA; San Juan, C. (2016). Anticipating Environmental and Environmental-Health Implications of Extreme Storms: ARkStorm Scenario. *Natural Hazards Review.* 17. [http://dx.doi.org/10.1061/\(ASCE\)NH.1527-6996.0000188](http://dx.doi.org/10.1061/(ASCE)NH.1527-6996.0000188).
- Plumlee, GS; Morman, SA; Ziegler, TL. (2006). Medical Mineralogy and Geochemistry: The toxicological geochemistry of earth materials: An overview of processes and the interdisciplinary methods used to understand them. *Chantilly: Mineralogical Soc America.* <http://dx.doi.org/10.2138/rmg.2006.64.2>.
- Plumper, O; King, HE; Vollmer, C; Ramasse, Q; Jung, H; Austrheim, H. (2012). The legacy of crystal-plastic deformation in olivine: high-diffusivity pathways during serpentinization. *Contributions to Mineralogy and Petrology.* 163: 701-724. <http://dx.doi.org/10.1007/s00410-011-0695-3>.
- Plumper, O; Piazzolo, S; Austrheim, H. (2012). Olivine Pseudomorphs after Serpentinized Orthopyroxene Record Transient Oceanic Lithospheric Mantle Dehydration (Leka Ophiolite Complex, Norway). *Journal of Petrology.* 53: 1943-1968. <http://dx.doi.org/10.1093/petrology/egs039>.
- Plyusnina, LP; Vysotsky, SV. (1994). 2-PHASE SEPARATION OF FOSSIL HYDROTHERMAL FLUIDS IN THE MID-INDIAN RIDGE OPHIOLITES. *Geochim Cosmo Acta.* 58: 2035-2039.
- Pogosian, AK; Lambarian, NA. (1979). WEAR AND THERMAL-PROCESSES IN ASBESTOS-REINFORCED FRICTION MATERIALS. 101: 481-485.
- Pogrebekov, VM; Mel'nik, ED; Vereshchagin, VI. (1998). The use of natural zeolites for tileboard production. *Glass Ceram.* 55: 19-21.
- Pogrebekov, VM; Sedelnikova, MB; Vereshchagin, VI. (1996). Ceramic pigments based on calcium-magnesium silicates. *Glass Ceram.* 53: 30-32.

Exposure Literature Search Results

Off Topic

- Pohlabein, H; Jöckel, KH; Brüske-Hohlfeld, I; Möhner, M; Ahrens, W; Bolm-Audorff, U; Arhelger, R; Römer, W; Kreienbrock, L; Kreuzer, M; Jahn, I; Wichmann, HE. (2000). Lung cancer and exposure to man-made vitreous fibers: results from a pooled case-control study in Germany. *Am J Ind Med.* 37: 469-477.
- Pohlabein, H; Wild, P; Schill, W; Ahrens, W; Jahn, I; Bolm-Audorff, U; Jockel, KH. (2002). Asbestos fibreyears and lung cancer: a two phase case-control study with expert exposure assessment. *Occup Environ Med.* 59: 410-414.
- Pokonova, YV. (2004). Oily acid tars as feedstock for manufacture of cation exchangers. *Chemistry and Technology of Fuels and Oils.* 40: 189-194.
- Poland, CA; Duffin, R; Kinloch, I; Maynard, A; Wallace, WAH; Seaton, A; Stone, V; Brown, S; MacNee, W; Donaldson, K. (2008). Carbon nanotubes introduced into the abdominal cavity of mice show asbestos-like pathogenicity in a pilot study. *Nat Nanotechnol.* 3: 423-428. <http://dx.doi.org/10.1038/nnano.2008.111>.
- Polat, A; Frei, R; Appel, PWU; Dilek, Y; Fryer, B; Ordonez-Calderon, JC; Yang, Z. (2008). The origin and compositions of Mesoproterozoic oceanic crust: Evidence from the 3075 Ma Ivisartoq greenstone belt, SW Greenland. *Lithos.* 100: 293-321. <http://dx.doi.org/10.1016/j.lithos.2007.06.021>.
- Polat, A; Frei, R; Fryer, B; Appel, PWU. (2009). The origin of geochemical trends and Eoarchean (ca. 3700 Ma) zircons in Mesoproterozoic (ca. 3075 Ma) ocelli-hosting pillow basalts, Ivisartoq greenstone belt, SW Greenland: Evidence for crustal contamination versus crustal recycling. *Chem Geol.* 268: 248-271. <http://dx.doi.org/10.1016/j.chemgeo.2009.09.004>.
- Polatli, M; Erdinc, M; Erdinc, E; Cok, G. (2004). Response to "respiratory impairment due to asbestos exposure in brake-lining workers". *Environ Res.* 96: 106-108. <http://dx.doi.org/10.1016/j.envres.2004.04.004>.
- Polgari, M; Biro, L; Pal-Molnar, E; Dobosi, G; Bajnoczi, B; Nemeth, T; Kovacs Kis, V; Vigh, T. (2013). RHODOCHROSITE-BEARING CONCRETIONS FROM A JURASSIC MANGANESE ORE MINERALIZATION - URKUT, HUNGARY. *Carpath J Earth Env.* 8: 139-146.
- Poli, S. (1991). REACTION SPACES AND P-T PATHS - FROM AMPHIBOLE ECLOGITE TO GREENSCHIST FACIES IN THE AUSTRALALPINE DOMAIN (OETZTAL COMPLEX). *Contributions to Mineralogy and Petrology.* 106: 399-416.
- Poli, S; Schmidt, MW. (2004). Experimental subsolidus studies on epidote minerals. *Rev Mineral Geochem.* 56: 171-195.
- Polivka, BJ; Wills, C. (2014). Student nurses' risk perceptions of home environmental hazards. *Public Health Nursing.* 31: 298-308. <http://dx.doi.org/10.1111/phn.12098>.
- Pollak, H; Karfunkel, U; Kitwanga, SW. (1992). ORIENTATION OF THE EFG IN CROCIDOLITE SITES. *Physica Status Solidi A: Applications and Materials Science (Print).* 134: 67-76.
- Pollard, PJ. (2001). Sodic(-calcic) alteration in Fe-oxide-Cu-Au districts: an origin via unmixing of magmatic H₂O-CO₂-NaCl +/- CaCl₂-KCl fluids. *Miner Depos.* 36: 93-100.
- Pollastri, S; D'Acapito, F; Trapananti, A; Colantoni, I; Andreozzi, GB; Gualtieri, AF. (2015). The chemical environment of iron in mineral fibres. A combined X-ray absorption and Mossbauer spectroscopic study. *J Hazard Mater.* 298: 282-293. <http://dx.doi.org/10.1016/j.jhazmat.2015.05.010>.
- Pollastri, S; Gualtieri, AF; Gualtieri, ML; Hanuskova, M; Cavallo, A; Gaudino, G. (2014). The zeta potential of mineral fibres. *J Hazard Mater.* 276: 469-479. <http://dx.doi.org/10.1016/j.jhazmat.2014.05.060>.
- Pollastri, S; Gualtieri, AF; Vigliaturo, R; Ignatyev, K; Strafella, E; Pugnali, A; Croce, A. (2016). Stability of mineral fibres in contact with human cell cultures. An in situ μ XANES, μ XRD and XRF iron mapping study. *Chemosphere.* 164: 547-557. <http://dx.doi.org/10.1016/j.chemosphere.2016.08.139>.
- Pollastri, S; Perchiazzi, N; Lezzerini, M; Plaisier, JR; Cavallo, A; Dalconi, MC; Gandolfi, NB; Gualtieri, AF. (2016). The crystal structure of mineral fibres 1. Chrysotile. *Periodico di Mineralogia.* 85: 249-259. <http://dx.doi.org/10.2451/2016PM655>.
- Pons, JM; Franchini, M; Meinert, L; Recio, C; Etcheverry, R. (2009). Iron Skarns of the Vegas Peladas District, Mendoza, Argentina. *Econ Geol.* 104: 157-184.
- Poole, A; Brown, RC; Fleming, GTA. (1983). Study Of The Cell-Transforming Ability Of Amosite And Crocidolite Asbestos And The Ability To Induce Changes In The Metabolism And Macromolecular Binding Of Benzo(a)pyrene In C3H10T1/2 Cells. *Environ Health Perspect.* 51: 319-324.
- Poole, C; Dreyer, NA; Satterfield, MH; Levin, L; Rothman, KJ. (1993). Kidney cancer and hydrocarbon exposures among petroleum refinery workers. *Environ Health Perspect.* 101: 53-62.
- Pooley, FD. (1972). ELECTRON-MICROSCOPE CHARACTERISTICS OF INHALED CHRYSOTILE ASBESTOS FIBER. *Br J Ind Med.* 29: 146-8.
- Pooley, FD. (1976). An examination of the fibrous mineral content of asbestos lung tissue from the Canadian chrysotile mining industry. *Environ Res.* 12: 281-298.
- Pooley, FD. (1981). Mineralogy of asbestos: the physical and chemical properties of the dusts they form. *Semin Oncol.* 8: 243-249.
- Pooley, FD; Mitha, R. (1986). Determination and Interpretation of the Levels of Chrysotile Asbestos in Lung Tissue. *Accomplishments in Oncology.* 1: 12-18.
- Popescu, BM; Ali, N; Basturea, G; Comsa, GI; Materon, LA; Chipara, M. (2013). 1-Dimensional nanoparticles - A brief critical review on biological, medical, and toxicological aspects. *Appl Surf Sci.* 275: 2-6. <http://dx.doi.org/10.1016/j.apsusc.2013.01.122>.
- Porcu, M; Orru, R; Cincotti, A; Cao, GC. (2005). Self-propagating reactions for environmental protection: Treatment of wastes containing asbestos. *Ind Eng Chem Res.* 44: 85-91. <http://dx.doi.org/10.1021/ie040058c>.
- Porru, S; Carta, A; Toninelli, E; Bozzola, S; Arici, C. (2016). Reducing the underreporting of lung cancer attributable to occupation: outcomes from a hospital-based systematic search in Northern Italy. *Int Arch Occup Environ Health.* 89: 981-989. <http://dx.doi.org/10.1007/s00420-016-1135-5>.
- Porter, WE. (1990). Asbestos management. Foreign trip report, August 25, 1989-September 10, 1989. 17.

Exposure Literature Search Results

Off Topic

- Portner, RA; Clague, DA; Helo, C; Dreyer, BM; Paduan, JB. (2015). Contrasting styles of deep-marine pyroclastic eruptions revealed from Axial Seamount push core records. *Earth Planet Sci Lett.* 423: 219-231. <http://dx.doi.org/10.1016/j.epsl.2015.03.043>.
- Potel, S; Maison, T; Mailliet, M; Sarr, AC; Doublier, MP; Trullenque, G; Maehlmann, RF. (2016). Reliability of very low-grade metamorphic methods to decipher basin evolution: Case study from the Markstein basin (Southern Vosges, NE France). *Appl Clay Sci.* 134: 175-185. <http://dx.doi.org/10.1016/j.clay.2016.10.003>.
- Pott, F. (1978). SOME ASPECTS ON THE DOSIMETRY OF THE CARCINOGENIC POTENCY OF ASBESTOS AND OTHER FIBROUS DUSTS. *Staub, Reinhaltung der Luft.* 38: 486-490.
- Pott, F. (1994). Asbestos use and carcinogenicity in Germany and a comparison with animal studies. *Ann Occup Hyg.* 38: 589-600, 420.
- Pott, F. (1995). DETECTION OF MINERAL FIBER CARCINOGENICITY WITH THE INTRAPERITONEAL TEST - RECENT RESULTS AND THEIR VALIDITY. *Ann Occup Hyg.* 39: 771-779.
- Pott, F; Roller, M. (1998). How far can carcinogenicity studies of fibre types be substituted by data on their biopersistence? *Gefahrst Reinhalt Luft.* 58: 85-91.
- Pott, F; Roller, M; Kamino, K; Bellmann, B. (1994). Significance of durability of mineral fibers for their toxicity and carcinogenic potency in the abdominal cavity of rats in comparison with the low sensitivity of inhalation studies. *Environ Health Perspect.* 102 Suppl 5: 145-150.
- Powell, CH; Holaday, DA; Kendrick, MA; Dyson, WL. (1968). The Preliminary Survey: A Technique for the Assessment of the Nation's Occupational Health Requirements. (NIOSH/00000376). ACGIH.
- Powell, R; Holland, T. (1999). Relating formulations of the thermodynamics of mineral solid solutions: Activity modeling of pyroxenes, amphiboles, and micas. *Am Mineral.* 84: 1-14.
- Power, I, anM; Mccutcheon, J; Harrison, AL; Wilson, SA; Dipple, GM; Kelly, S; Southam, C; Southam, G. (2014). Strategizing Carbon-Neutral Mines: A Case for Pilot Projects. 4: 399-436. <http://dx.doi.org/10.3390/min4020399>.
- Power, I, anM; Wilson, SA; Dipple, GM. (2013). Serpentinite Carbonation for CO2 Sequestration. *Elements.* 9: 115-121. <http://dx.doi.org/10.2113/gselements.9.2.115>.
- Power, IM; Dipple, GM; Southam, G. (2010). Bioleaching of ultramafic tailings by acidithiobacillus spp. for CO2 sequestration. *Environ Sci Technol.* 44: 456-462. <http://dx.doi.org/10.1021/es900986n>.
- Power, IM; Wilson, SA; Dipple, GM; Southam, G. (2011). Modern carbonate microbialites from an asbestos open pit pond, Yukon, Canada. *Geobiology.* 9: 180-195. <http://dx.doi.org/10.1111/j.1472-4669.2010.00265.x>.
- Prabhakar, N; Bhattacharya, A. (2013). Origin of zoned spinel by coupled dissolution-precipitation and inter-crystalline diffusion: evidence from serpentinized wehrlite, Bangriposi, Eastern India. *Contributions to Mineralogy and Petrology.* 166: 1047-1066. <http://dx.doi.org/10.1007/s00410-013-0909-y>.
- Prabhakar, S; Rao, KH; Forsling, W. (2005). Dissolution of wollastonite and its flotation and surface interactions with tallow-1,3-diaminopropane (duomeen T). *Miner Eng.* 18: 691-700. <http://dx.doi.org/10.1016/j.mineng.2004.11.001>.
- Prandi, L; Bodoardo, S; Penazzi, N; Fubini, B. (2001). Redox state and mobility of iron at the asbestos surface: a voltammetric approach. *J Mater Chem.* 11: 1495-1501.
- Pr at, B. (2000). Confusion about the precision of asbestos fibres counting by electron microscopy [Letter]. *Ann Occup Hyg.* 44: 75-76.
- Pr at, B. (2001). Performance of asbestos fibre counting laboratories by transmission electron microscopy [Letter]. *Ann Occup Hyg.* 45: 500-501.
- Preller, L; van den Bosch, LM; van den Brandt, PA; Kauppinen, T; Goldbohm, A. (2010). Occupational exposure to silica and lung cancer risk in the Netherlands. *Occup Environ Med.* 67: 657-663. <http://dx.doi.org/10.1136/oem.2009.046326>.
- Prentice, J. (1985). RATE OF DECLINE OF ASBESTOS FIBER CONCENTRATIONS IN ROOM AIR [Letter]. *Ann Occup Hyg.* 29: 439-440.
- Prentice, J; Gonsalves, B. (1985). REPRODUCIBILITY OF DUST DISTURBANCE TECHNIQUES DURING CLEARANCE SAMPLING AFTER ASBESTOS REMOVAL. *Ann Occup Hyg.* 29: 435-437.
- Price, B. (1997). Analysis of current trends in United States mesothelioma incidence. *Am J Epidemiol.* 145: 211-218.
- Price, B. (2004). Radiographic abnormalities and asbestos exposure: Libby, Montana [Letter]. *Environ Health Perspect.* 112: A82-A83. <http://dx.doi.org/10.1289/ehp.112-a82>.
- Price, B; Crump, KS; Baird, EC. (1992). AIRBORNE ASBESTOS LEVELS IN BUILDINGS - MAINTENANCE WORKER AND OCCUPANT EXPOSURES. *J Expo Anal Environ Epidemiol.* 2: 357-374.
- Price, B; Ware, A. (2004). Mesothelioma trends in the United States: An update based on surveillance, epidemiology, and end results program data for 1973 through 2003. *Am J Epidemiol.* 159: 107-112. <http://dx.doi.org/10.1093/aje/kwh025>.
- Price, B; Ware, A. (2005). Mesothelioma: Risk apportionment among asbestos exposure sources. *Risk Anal.* 25: 937-943. <http://dx.doi.org/10.1111/j.1539-6924.2005.00643.x>.
- Price, B; Ware, A. (2007). Mesothelioma: Risk apportionment among asbestos exposure sources (vol 25, pg 937, 2005). *Risk Anal.* 27: 787-787. <http://dx.doi.org/10.1111/j.1539-6924.2007.00923>.
- Price, MJ; Darnton, AJ; Mcelvenny, DM; Hodgson, JT. (2007). Simian virus 40 and mesothelioma in Great Britain. *Occup Med (Lond).* 57: 564-568. <http://dx.doi.org/10.1093/occmed/kqm079>.
- Prieto, MA; Suess, A; March, JC; Danet, A; Corral, OP; Mart n, A. (2011). [Opinions and expectations of patients with health problems associated to asbestos exposure]. *An Sist Sanit Navar.* 34: 33-42.
- Proctor, B; Hirth, G. (2015). Role of pore fluid pressure on transient strength changes and fabric development during serpentine dehydration at mantle conditions: Implications for subduction-zone seismicity. *Earth Planet Sci Lett.* 421: 1-12. <http://dx.doi.org/10.1016/j.epsl.2015.03.040>.
- Proctor, B; Hirth, G. (2016). "Ductile to brittle" transition in thermally stable antigorite gouge at mantle pressures. *J Geophys Res Solid Earth.* 121: 1652-1663. <http://dx.doi.org/10.1002/2015JB012710>.

Exposure Literature Search Results

Off Topic

- Proctor, BP; Mitchell, TM; Hirth, G; Goldsby, D; Zorzi, F; Platt, JD; Di Toro, G. (2014). Dynamic weakening of serpentinite gouges and bare surfaces at seismic slip rates. *J Geophys Res Solid Earth*. 119: 8107-8131. <http://dx.doi.org/10.1002/2014JB011057>.
- Prodi, V; De Zaiacomo, T; Hochrainer, D; Spurny, K. (1982). Fibre Collection and Measurement with the Inertial Spectrometer. *J Aerosol Sci*. 13: 49-58.
- Program, USAIR. (1994). Superfund record of decision (EPA Region 4); Alabama Army Ammunition Plant, operable unit 2, Childersburg, AL., August 1994. United States (USA): U. S. Environmental Protection Agency.
- Pronost, J; Beaudoin, G; Tremblay, J; Larachi, F; Duchesne, J; Hébert, R; Constantin, M. (2011). Carbon sequestration kinetic and storage capacity of ultramafic mining waste. *Environ Sci Technol*. 45: 9413-9420. <http://dx.doi.org/10.1021/es203063a>.
- Proulx, D; Lapointe, J; Leger, S. (1985). COPPER-PLATING FROM MAGNETIC CHRYSOTILE FIBERS. 78: 45-48.
- Provencher, S; Labreche, FP. (1994). STUDY ON A HIGH-INCIDENCE OF CANCER AT A METAL FACTORY - PRACTICAL IMPLICATIONS FOR PUBLIC-HEALTH. *Can J Public Health*. 85: 330-333.
- Provencher, S; Labrèche, FP; De Guire, L. (1997). Physician based surveillance system for occupational respiratory diseases: the experience of PROPULSE, Québec, Canada. *Occup Environ Med*. 54: 272-276.
- Proyer, A; Baziotis, I; Mposkos, E; Rhede, D. (2014). Ti- and Zr-minerals in calcite-dolomite marbles from the ultrahigh-pressure Kimi Complex, Rhodope mountains, Greece: Implications for the P-T evolution based on reaction textures, petrogenetic grids, and geothermobarometry. *Am Mineral*. 99: 1429-1448. <http://dx.doi.org/10.2138/am.2014.4710>.
- Prudhomme, M; Hoskin, WM; Barry, GS; Boucher, MA; Vagt, O. (1989). INDUSTRIAL MINERALS - REVIEW AND OUTLOOK FOR SULFUR, ASBESTOS, POTASH, PHOSPHATE, SILICA, SALT, GRAPHITE AND CONSTRUCTION MATERIALS. 110: 71-78.
- Pryor, P. (1980). Health Hazard Evaluation Determination Report, No. HHE-78-79-736, Cissell Manufacturing Company, Louisville, Kentucky. 21: 19801980.
- Pryor, P. (1982). Health Hazard Evaluation Report, No. HETA-82-270-1238, Drive Train Industries, Inc., Denver, Colorado. (NIOSH/00127603). Pryor, P.
- Puchtel, IS; Zhuravlev, DZ; Samsonov, AV. (1992). PETROLOGY AND GEOCHEMISTRY OF KOMATIITES AND METABASALTS FROM THE TUNGURCHA GREENSTONE-BELT, ALDAN SHIELD. *Geokhimiya* 544-560.
- Puffer, JH; Germine, M; Hurtubise, DO; Mrotek, KA; Bello, DM. (1980). Asbestos distribution in the Central Serpentine District of Maryland-Pennsylvania. *Environ Res*. 23: 233-246.
- Puga, E; Nieto, JM; de Federico, AD; Bodinier, JL; Morten, L. (1999). Petrology and metamorphic evolution of ultramafic rocks and dolerite dykes of the Betic Ophiolitic Association (Mulhacen Complex, SE Spain): evidence of eo-Alpine subduction following an ocean-floor metasomatic process. *Lithos*. 49: 23-56.
- Puhan, D. (1988). REVERSE AGE RELATIONS OF TALC AND TREMOLITE DEDUCED FROM REACTION TEXTURES IN METAMORPHOSED SILICEOUS DOLOMITES OF THE SOUTHERN DAMARA-OROGEN (NAMIBIA). *Contributions to Mineralogy and Petrology*. 98: 24-27.
- Puhan, D. (1995). METAMORPHIC EVOLUTION OF THE ASSEMBLAGE TREMOLITE PLUS TALC PLUS CALCITE PLUS DOLOMITE PLUS QUARTZ WITHIN A SAMPLE OF SILICEOUS DOLOMITE FROM THE SOUTHERN DAMARA OROGEN (NAMIBIA). *Contributions to Mineralogy and Petrology*. 120: 180-185.
- Puhan, D; Hoffer, E. (1973). PHASE RELATIONS OF TALC AND TREMOLITE IN METAMORPHIC CALCITE-DOLOMITE SEDIMENTS IN SOUTHERN PORTION OF DAMARA BELT (SOUTH-WEST-AFRICA). *Contributions to Mineralogy and Petrology*. 40: 207-214.
- Pujolar, AE; González, C; Agudo, A; Calleja, A; Beltrán, M; González-Moya, J; Hernandez, S; Panades, R; Ramirez, J; Turuguet, D. (2001). Information about occupational exposure to asbestos given to cases in an etiological study: ethical aspects. *Eur J Epidemiol*. 17: 1-6.
- Pukkala, E; Guo, J; Kyrrönen, P; Lindbohm, ML; Sallmén, M; Kauppinen, T. (2005). National job-exposure matrix in analyses of census-based estimates of occupational cancer risk. *Scand J Work Environ Health*. 31: 97-107.
- Pukkala, E; Martinsen, JI; Weiderpass, E; Kjaerheim, K; Lynge, E; Tryggvadottir, L; Sparén, P; Demers, PA. (2014). Cancer incidence among firefighters: 45 years of follow-up in five Nordic countries. *Occup Environ Med*. 71: 398-404. <http://dx.doi.org/10.1136/oemed-2013-101803>.
- Puledda, S; Marconi, A. (1989). QUANTITATIVE X-RAY-DIFFRACTION ANALYSIS OF 4 TYPES OF AMPHIBOLIC ASBESTOS BY THE SILVER MEMBRANE-FILTER METHOD. *Int J Environ Anal Chem*. 36: 209-220.
- Puledda, S; Marconi, A. (1990). Quantitative X-ray diffraction analysis of asbestos by the silver membrane filter method: Application to chrysotile. *Am Ind Hyg Assoc J*. 51: 107-114.
- Puledda, S; Marconi, A. (1991). Study of the Count-to-Mass Conversion Factor for Asbestos Fibres in Samples Collected at the Emissions of Three Industrial Plants. *Ann Occup Hyg*. 35: 517-524.
- Puledda, S; Paoletti, L. (1994). Study of the effect of comminution on the diffractometric response of chrysotile contained in a bulk sample. *Ann Occup Hyg*. 38: 59-65.
- Puledda, S; Paoletti, L; Ferdinandi, M. (1999). Airborne quartz concentration in an urban site. *Environ Pollut*. 104: 441-448.
- Puntoni, R; Merlo, F; Borsa, L; Reggiardo, G; Garrone, E; Ceppi, M. (2001). A historical cohort mortality study among shipyard workers in Genoa, Italy. *Am J Ind Med*. 40: 363-370.
- Purdue, MP; Järholm, B; Bergdahl, IA; Hayes, RB; Baris, D. (2006). Occupational exposures and head and neck cancers among Swedish construction workers. *Scand J Work Environ Health*. 32: 270-275.
- Puskar, MA; Harkins, JM; Coomey, JD; Hecker, LH. (1991). INTERNAL WALL LOSSES OF PHARMACEUTICAL DUSTS DURING CLOSED-FACE, 37-MM POLYSTYRENE CASSETTE SAMPLING. *Am Ind Hyg Assoc J*. 52: 280-286.
- Putirka, K. (2016). Amphibole thermometers and barometers for igneous systems and implications for eruption mechanisms of felsic magmas at arc volcanoes. *Am Mineral*. 101: 841-858. <http://dx.doi.org/10.2138/am-2016-5506>.

Exposure Literature Search Results

Off Topic

- Putis, M; Koppa, M; Snarska, B; Koller, F; Uher, P. (2012). The blueschist-associated perovskite-andradite-bearing serpentized harzburgite from Dobsina (the Meliata Unit), Slovakia. *Journal of Geosciences*. 57: 221-240. <http://dx.doi.org/10.3190/jgeosci.128>.
- Putlitz, B; Katzir, Y; Matthews, A; Valley, JW. (2001). Oceanic and orogenic fluid-rock interaction in O-18/O-16-enriched metagabbros of an ophiolite (Tinos, Cyclades). *Earth Planet Sci Lett*. 193: 99-113.
- Putlitz, B; Matthews, A; Valley, JW. (2000). Oxygen and hydrogen isotope study of high-pressure metagabbros and metabasalts (Cyclades, Greece): implications for the subduction of oceanic crust. *Contributions to Mineralogy and Petrology*. 138: 114-126.
- Py, X; Calvet, N; Olives, R; Meffre, A; Echegut, P; Bessada, C; Veron, E; Ory, S. (2011). Recycled Material for Sensible Heat Based Thermal Energy Storage to be Used in Concentrated Solar Thermal Power Plants. *J Sol Energ Eng*. 133. <http://dx.doi.org/10.1115/1.4004267>.
- Pytel, Z; Malolepszy, J. (2000). DTA studies of phases synthesized in the system CaO-MgO-SiO₂-H₂O. 65: 81-85.
- Python, M; Ceuleneer, G; Ishida, Y; Barrat, JA; Arai, S. (2007). Oman diopsidites: a new lithology diagnostic of very high temperature hydrothermal circulation in mantle peridotite below oceanic spreading centres. *Earth Planet Sci Lett*. 255: 289-305. <http://dx.doi.org/10.1016/j.epsl.2006.12.030>.
- Qadi, A; Cloutis, E; Samson, C; Whyte, L; Ellery, A; Bell, JF, III; Berard, G; Boivin, A; Haddad, E; Lavoie, J; Jamroz, W; Kruzelecky, R; Mack, A; Mann, P; Olsen, K; Perrot, M; Popa, D; Rhind, T; Sharma, R; Stromberg, J; Strong, K; Tremblay, A; Wilhelm, R; Wing, B; Wong, B. (2015). Mars methane analogue mission: Mission simulation and rover operations at Jeffrey Mine and Norbestos Mine Quebec, Canada. *Adv Space Res*. 55: 2414-2426. <http://dx.doi.org/10.1016/j.asr.2014.12.008>.
- Qafoku, O; Hu, J; Hess, NJ; Hu, MY; Ilton, ES; Feng, J, u; Arey, BW; Felmy, AR. (2014). Formation of submicron magnesite during reaction of natural forsterite in H₂O-saturated supercritical CO₂. *Geochim Cosmo Acta*. 134: 197-209. <http://dx.doi.org/10.1016/j.gca.2013.09.024>.
- Q-E, W; C-H, H; W-D, W; H-B, W; S-J, L; Kohyama, N. (1999). Biological effects of man-made mineral fibers. (I.) Reactive oxygen species production and calcium homeostasis in alveolar macrophages. *Ind Health*. 37: 62-67.
- Qi, S; Fu, Z; Yun, R; Jiang, S; Zheng, X; Lu, Y; Matejka, V; Kukutschova, J; Peknikova, V; Prikasky, M. (2014). Effects of walnut shells on friction and wear performance of eco-friendly brake friction composites. *Institution of Mechanical Engineers Proceedings Part J: Journal of Engineering Tribology*. 228: 511-520. <http://dx.doi.org/10.1177/1350650113517112>.
- Qing-hua, C; Li, P; Liang, W; Nawrat, S; Ze-gong, L. (2015). Measuring solid material's thermo-physical properties with non-stationary hot wired method. *Journal of Ceramic Processing Research*. 16: 705-711.
- Qu, XW; Zhang, LC; Ding, HL; Liu, GD. (2004). The effect of steel fiber orientation on frictional properties of asbestos-free friction materials. *Polymer Composites*. 25: 94-101.
- Quek, U; Forster, J. (1993). TRACE-METALS IN ROOF RUNOFF. *Water Air Soil Pollut*. 68: 373-389.
- Quinlan, T; Spivack, S; Mossman, BT. (1994). Regulation of antioxidant enzymes in lung after oxidant injury [Review]. *Environ Health Perspect*. 2: 79-87.
- Quinlan, TR; Marsh, JP; Janssen, YM; Borm, PA; Mossman, BT. (1994). Oxygen radicals and asbestos-mediated disease [Review]. *Environ Health Perspect*. 102 Suppl 10: 107-110.
- Quinn, M. (1989). The control of exposure to asbestos in buildings in the United States: Legislation and industrial hygiene procedures (pp. 403-410). (CIS/90/00887). Quinn, M.
- Quinn, MM; Kriebel, D; Buiatti, E; Paci, E; Sini, S; Vannucchi, G; Zappa, M. (1987). An asbestos hazard in the reprocessed textile industry. *Am J Ind Med*. 11: 255-266.
- Quinn, MM; Smith, TJ; Schneider, T; Eisen, EA; Wegman, DH. (2005). Determinants of airborne fiber size in the glass fiber production industry. *J Occup Environ Hyg*. 2: 19-28. <http://dx.doi.org/10.1080/15459620590898108>.
- Quinn, MW; Smith, TJ; Eisen, EA; Wegman, DH; Ellenbecker, MJ. (2000). Implications of different fiber measures for epidemiologic studies of man-made vitreous fibers. *Am J Ind Med*. 38: 132-139. [http://dx.doi.org/10.1002/1097-0274\(200008\)38:2<132::AID-AJIM3>3.0.CO;2-P](http://dx.doi.org/10.1002/1097-0274(200008)38:2<132::AID-AJIM3>3.0.CO;2-P).
- Quirion, DM; Jenkins, DM. (1998). Dehydration and partial melting of tremolitic amphibole coexisting with zoisite, quartz, anorthite, diopside, and water in the system H₂O-CaO-MgO-Al₂O₃-SiO₂. *Contributions to Mineralogy and Petrology*. 130: 379-389.
- Rabah, MA; El Rahman, MKA; Ismael, IS. (2000). Separation of demineralized graphite from Egyptian ore by hydrometallurgical treatments. *Journal of the Chinese Institute of Chemical Engineers*. 31: 309-319.
- Rabinowitz, JG; Efreimidis, SC; Cohen, B; Dan, S; Efreimidis, A; Chahinian, AP; Teirstein, AS. (1982). A Comparative Study of Mesothelioma and Asbestosis Using Computed Tomography and Conventional Chest Radiography. *Radiology*. 144: 453-460.
- Rabovsky, J. (1995). Biogenic amorphous silica [Review].
- Racine, WP. (2010). Emissions concerns during renovation in the healthcare setting: asbestos abatement of floor tile and mastic in medical facilities. *J Environ Manage*. 91: 1429-1436. <http://dx.doi.org/10.1016/j.jenvman.2010.02.027>.
- Radauceanu, A; Chouaniere, D; Wild, P; Hery, M; Creau, Y. (2008). Assessment of asbestos exposure in asbestos removal operations: Proposal of a task exposure matrix. *Arch Mal Prof Environ*. 69: 586-592. <http://dx.doi.org/10.1016/j.admp.2008.05.006>.
- Radi, S; Dalphin, JC; Manzoni, P; Pernet, D; Leboube, MP; Viel, JF. (2002). Respiratory morbidity in a population of French dental technicians. *Occup Environ Med*. 59: 398-404. <http://dx.doi.org/10.1136/oem.59.6.398>.
- Radvanec, M; Tuček, L; Derco, J; Čechovská, K; Németh, Z. (2013). Change of carcinogenic chrysotile fibers in the asbestos cement (eternit) to harmless waste by artificial carbonatization: petrological and technological results. *J Hazard Mater*. 252-253: 390-400. <http://dx.doi.org/10.1016/j.jhazmat.2013.02.036>.
- Raffaelli, I; Festa, G; Costantini, AS; Leva, G; Gorini, G. (2007). [Mortality in a cohort of asbestos cement workers in Carrara, Italy]. *Med Lav*. 98: 156-163.

Exposure Literature Search Results

Off Topic

- RAFFIN. (1993). INCIDENCE OF LUNG-CANCER BY HISTOLOGICAL TYPE AMONG ASBESTOS-CEMENT WORKERS IN DENMARK - REPLY. *Br J Ind Med*. 50: 767-767.
- Raffn, E; Lynge, E; Korsgaard, B. (1993). Incidence of lung cancer by histological type among asbestos cement workers in Denmark. *Br J Ind Med*. 50: 85-89.
- Raffn, E; Villadsen, E; Lynge, E. (1996). Colorectal cancer in asbestos cement workers in Denmark. *Am J Ind Med*. 30: 267-272. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199609\)30:3<267::AID-AJIM3>3.0.CO;2-W](http://dx.doi.org/10.1002/(SICI)1097-0274(199609)30:3<267::AID-AJIM3>3.0.CO;2-W).
- Raffrenato, E; Van Amburgh, ME. (2011). Technical note: improved methodology for analyses of acid detergent fiber and acid detergent lignin. *J Dairy Sci*. 94: 3613-3617. <http://dx.doi.org/10.3168/jds.2010-3701>.
- Rafnsson, V; Gunnarsdottir, H. (1994). MORTALITY AMONG ICELANDIC SEAMEN. *Int J Epidemiol*. 23: 730-736.
- Rafnsson, V; Gunnarsdottir, H. (1995). CANCER INCIDENCE AMONG SEAMEN IN ICELAND. *Am J Ind Med*. 27: 187-193.
- Rafnsson, V; Sulem, P. (2003). Cancer incidence among marine engineers, a population-based study (Iceland). *Cancer Causes Control*. 14: 29-35.
- Rahman, Q; Lohani, M; Dopp, E; Pemsel, H; Jonas, L; Weiss, DG; Schiffmann, D. (2002). Evidence that ultrafine titanium dioxide induces micronuclei and apoptosis in Syrian hamster embryo fibroblasts. *Environ Health Perspect*. 110: 797-800.
- Rahman, Q; Mahmood, N; Khan, SG; Arif, JM; Athar, M. (1997). Mechanism of Asbestos-Mediated DNA Damage: Role of Heme and Heme Proteins. *Environ Health Perspect*. 105: 1109-1112.
- Rahn, MK; Bucher, H. (1998). Titanian clinohumite formation in the Zermatt-Saas ophiolites, Central Alps. *Mineralogy and Petrology*. 64: 1-13.
- Raithel, HJ; Weltle, D; Bohlig, H; Valentin, H. (1989). Health hazards from fine asbestos dusts. An analysis of 70,656 occupational preventive medical investigations from 1973 to the end of 1986. *Int Arch Occup Environ Health*. 61: 527-541.
- Raj, AKV; Rao, PP; Sameera, S; Divya, S. (2015). Pigments based on terbium-doped yttrium cerate with high NIR reflectance for cool roof and surface coating applications. *Dyes and Pigments*. 122: 116-125. <http://dx.doi.org/10.1016/j.dyepig.2015.06.021>.
- Raj, IA. (1992). ON THE CATALYTIC ACTIVITY OF NI-MO-FE COMPOSITE SURFACE-COATINGS FOR THE HYDROGEN CATHODES IN THE INDUSTRIAL ELECTROCHEMICAL PRODUCTION OF HYDROGEN. *Appl Surf Sci*. 59: 245-252.
- Raj, MAL, A; Madhu, GM; Rao, YJ. (2006). Kinetics of palladium catalysed partial oxidation of methane. *Indian J Chem Tech*. 13: 107-113.
- Rajapaksha, AU; Vithanage, M; Oze, C; Bandara, WMA, T; Weerasooriya, R. (2012). Nickel and manganese release in serpentine soil from the Ussangoda Ultramafic Complex, Sri Lanka. *Geoderma*. 189: 1-9. <http://dx.doi.org/10.1016/j.geoderma.2012.04.019>.
- Rajendran, S; Nasir, S. (2014). Hydrothermal altered serpentinized zone and a study of Ni-magnesioferrite-magnetite-awaruite occurrences in Wadi Hibi, Northern Oman Mountain: Discrimination through ASTER mapping. *Ore Geol Rev*. 62: 211-226. <http://dx.doi.org/10.1016/j.oregeorev.2014.03.016>.
- Rajhans, GS; Bragg, GM. (1975). STATISTICAL-ANALYSIS OF ASBESTOS FIBER COUNTING IN LABORATORY AND INDUSTRIAL ENVIRONMENT. *Am Ind Hyg Assoc J*. 36: 909-915.
- Ramanathan, AL; Subramanian, V. (2001). Present status of asbestos mining and related health problems in India--a survey. *Ind Health*. 39: 309-315.
- Ramazzini, C. (1999). Call for an international ban on asbestos. *Scand J Work Environ Health*. 25: 633-635.
- Ramazzini, C. (1999). Call for an international ban on asbestos [Editorial]. *J Occup Environ Med*. 41: 830-832. <http://dx.doi.org/10.1179/oe.1999.5.3.247>.
- Ramazzini, C. (2010). Asbestos is still with us: repeat call for a universal ban [Editorial]. *J Occup Environ Med*. 52: 469-472. <http://dx.doi.org/10.1080/19338241003776104>.
- Ramazzini, C. (2011). Asbestos Is Still With Us: Repeat Call for a Universal Ban. *Am J Ind Med*. 54: 168-173. <http://dx.doi.org/10.1002/ajim.20892>.
- Ramazzini, C. (2016). Collegium Ramazzini The global health dimensions of asbestos and asbestos-related diseases. *Med Lav*. 107: 75-79.
- Ramazzini, C. (2016). Comments on the 2014 helsinki consensus report on asbestos. *J Occup Health*. 58: 224-227.
- Ramazzini, C. (2016). Comments on the causation of malignant mesothelioma: rebutting the false concept that recent exposures to asbestos do not contribute to causation of mesothelioma. *Ind Health*. 54: 92-93. <http://dx.doi.org/10.2486/indhealth.cr02>.
- Ramazzini, C. (2016). Comments on the causation of malignant mesothelioma: rebutting the false concept that recent exposures to asbestos do not contribute to causation of mesothelioma. *J Occup Health*. 58: 228-229. <http://dx.doi.org/10.1539/joh.16-2003-LT>.
- Ramirez, W; Pontigo, M. (1979). RELATIVE HUMIDITY AND INTERNAL TEMPERATURE OF WOOD AND ASBESTOS-CEMENT HIVES. 3: 57-60.
- Rapiti, E; Turi, E; Forastiere, F; Borgia, P; Comba, P; Perucci, CA; Axelson, O. (1992). A mortality cohort study of seamen in Italy. *Am J Ind Med*. 21: 863-872.
- Rasmuson, JO; Roggli, VL; Boelter, FW; Rasmuson, EJ; Redinger, CF. (2014). Cumulative Retrospective Exposure Assessment (REA) as a predictor of amphibole asbestos lung burden: validation procedures and results for industrial hygiene and pathology estimates. *Inhal Toxicol*. 26: 1-13. <http://dx.doi.org/10.3109/08958378.2013.845273>.
- Rautiala, S; Reponen, T; Nevalainen, A; Husman, T; Kalliokoski, P. (1998). Control of exposure to airborne viable microorganisms during remediation of moldy buildings; Report of three case studies. *Am Ind Hyg Assoc J*. 59: 455-460.
- Rebay, G; Messiga, B. (2007). Prograde metamorphic evolution and development of chloritoid-bearing eclogitic assemblages in subcontinental metagabbro (Sesia-Lanzo zone, Italy). *Lithos*. 98: 275-291. <http://dx.doi.org/10.1016/j.lithos.2007.04.002>.
- Reed, RB; Goodwin, DG; Marsh, KL; Capracotta, SS; Higgins, CP; Fairbrother, DH; Ranville, JF. (2013). Detection of single walled carbon nanotubes by monitoring embedded metals. *Environ Sci Process Impacts*. 15: 204-213. <http://dx.doi.org/10.1039/c2em30717k>.
- Rees, C; Riedell, KB; Proffett, JM; Macpherson, J; Robertson, S. (2015). The Red Chris Porphyry Copper-Gold Deposit, Northern British Columbia, Canada: Igneous Phases, Alteration, and Controls of Mineralization. *Econ Geol*. 110: 857-888.

Exposure Literature Search Results

Off Topic

- Rees, D; Phillips, JI; Garton, E; Pooley, FD. (2001). Asbestos lung fibre concentrations in South African chrysotile mine workers. *Ann Occup Hyg.* 45: 473-477.
- Rees, D; Steinberg, M; Becker, PJ; Solomon, A. (1992). DUST EXPOSURE AND PNEUMOCONIOSIS IN A SOUTH-AFRICAN POTTERY .2. PNEUMOCONIOSIS AND FACTORS INFLUENCING READING OF RADIOLOGICAL OPACITIES. *Br J Ind Med.* 49: 465-471.
- Reeves, AL; Puro, HE; Smith, RG. (1974). Inhalation carcinogenesis from various forms of asbestos. *Environ Res.* 8: 178-202.
- Reger, RB; Cole, WS; Sargent, EN; Wheeler, PS. (1990). Cases of alleged asbestos-related disease: a radiologic re-evaluation. *J Occup Med.* 32: 1088-1090.
- Regnier, R; Aubertin, G; Kauffer, E; Braconnier, R. (1986). EMISSION OF ASBESTOS FIBERS FROM HEAT PROTECTIVE CLOTHS. *Staub, Reinhaltung der Luft.* 46: 89-91.
- Regnier, R; Bemer, D; Subra, I. (2009). Filtration efficiency of industrial vacuum cleaners - testing method. *Gefahrst Reinhalt Luft.* 69: 205-212.
- Reguir, EP; Chakhmouradian, AR; Pisiak, L; Halden, NM; Yang, P; Xu, C; Kynicky, J; Coueslan, CG. (2012). Trace-element composition and zoning in clinopyroxene- and amphibole-group minerals: Implications for element partitioning and evolution of carbonatites. *Lithos.* 128: 27-45. <http://dx.doi.org/10.1016/j.lithos.2011.10.003>.
- Rehn, B; Rehn, S; Bruch, J. (1999). A new in-vitro-testing concept (vector-model) in biological screening and monitoring the lung toxicity of dusts. Presentation of the concept and testing the method with dust of known lung toxicity. *Staub, Reinhaltung der Luft.* 59: 181-188.
- Reich, M; Simon, AC; Deditius, A; Barra, F; Chrysosoulis, S; Lagas, G; Tardani, D; Knipping, J; Bilenker, L; Sanchez-Alfaro, P; Roberts, MP; Munizaga, R. (2016). TRACE ELEMENT SIGNATURE OF PYRITE FROM THE LOS COLORADOS IRON OXIDE-APATITE (IOA) DEPOSIT, CHILE: A MISSING LINK BETWEEN ANDEAN IOA AND IRON OXIDE COPPER-GOLD SYSTEMS? *Econ Geol.* 111: 743-761.
- Reid, A; Alfonso, H; Ti, JS; Wong, E; de Klerk, N; Musk, AW. (2012). Sense of control and wellbeing decades after exposure to blue asbestos at Wittenoom, Western Australia. *Int J Occup Environ Health.* 18: 116-123. <http://dx.doi.org/10.1179/1077352512Z.0000000006>.
- Reinen, LA; Weeks, JD; Tullis, TE. (1994). THE FRICTIONAL BEHAVIOR OF LIZARDITE AND ANTIGORITE SERPENTINITES - EXPERIMENTS, CONSTITUTIVE MODELS, AND IMPLICATIONS FOR NATURAL FAULTS. *Pure Appl Geophys.* 143: 317-358.
- Reisch, M. (1990). MORE WORKERS AT RISK FROM ASBESTOS EXPOSURE. *Chem Eng News.* 68: 10-10.
- Reiss, B; Millette, J. R.; Williams, GM. (1980). THE ACTIVITY OF ENVIRONMENTAL-SAMPLES IN A CELL-CULTURE TEST FOR ASBESTOS TOXICITY. *Environ Res.* 22: 315-321.
- Reiss, B; Solomon, S; Tong, C; Levenstein, M; Rosenberg, SH; Williams, GM. (1982). ABSENCE OF MUTAGENIC ACTIVITY OF 3 FORMS OF ASBESTOS IN LIVER EPITHELIAL-CELLS. *Environ Res.* 27: 389-397.
- Reist, PC. (1975). COUNTING ASBESTOS FIBERS BY MOST PROBABLE NUMBER METHOD. *Am Ind Hyg Assoc J.* 36: 379-384.
- Reitze, WB; Nicholson, WJ; Holaday, DA; Selikoff, IJ. (1972). Application of sprayed inorganic fiber containing asbestos: occupational health hazards. *Am Ind Hyg Assoc J.* 33: 178-191. <http://dx.doi.org/10.1080/0002889728506628>.
- Relini, G; Zamboni, N; Tixi, F; Torchia, G. (1994). PATTERNS OF SESSILE MACROBENTHOS COMMUNITY-DEVELOPMENT ON AN ARTIFICIAL REEF IN THE GULF OF GENOA (NORTHWESTERN MEDITERRANEAN). *Bulletin of Marine Science.* 55: 745-771.
- Rendall, RE; Davies, JC. (2007). Dust and fibre levels at Penge amosite mine, 1970-1971. 33: 26-30.
- Renner, R. (2003). Asbestos investigation under way. *Environ Sci Technol.* 37: 426A-428A.
- Repp, K; Lorbeer, R; Ittermann, T; Gläser, S; John, U; Hoffmann, W; Völzke, H. (2015). Occupational exposure to asbestos is associated with increased mortality in men recruited for a population-based study in Germany. *Int J Occup Med Environ Health.* 28: 849-862. <http://dx.doi.org/10.13075/ijom.1896.00549>.
- Resque Meirelles, AC; da Costa, ML. (2012). Mineralogy and chemistry of the green stone artifacts (muiraquitãs) of the museums of the Brazilian State of Para. *Revista da Escola de Minas.* 65: 59-64.
- Rey, F; Boutin, C; Viallat, JR; Steinbauer, J; Alessandrini, P; Jutisz, P; Di Giambattista, D; Billon-Galland, MA; Hereng, P; Dumortier, P; De Vuyst, P. (1994). Environmental asbestotic pleural plaques in northeast Corsica: Correlations with airborne and pleural mineralogical analysis. *Environ Health Perspect.* 102: 251-252.
- Reynard, B. (2013). Serpentine in active subduction zones. *Lithos.* 178: 171-185. <http://dx.doi.org/10.1016/j.lithos.2012.10.012>.
- Reynard, B; Bezacier, L; Caracas, R. (2015). Serpentine, talc, chlorites, and their high-pressure phase transitions: a Raman spectroscopic study. *Physics and Chemistry of Minerals.* 42: 641-649. <http://dx.doi.org/10.1007/s00269-015-0750-0>.
- Reynard, B; Mibe, K; van De Moortele, B. (2011). Electrical conductivity of the serpentinised mantle and fluid flow in subduction zones. *Earth Planet Sci Lett.* 307: 387-394. <http://dx.doi.org/10.1016/j.epsl.2011.05.013>.
- Reynard, B; Wunder, B. (2006). High-pressure behavior of synthetic antigorite in the MgO-SiO₂-H₂O system from Raman spectroscopy. *Am Mineral.* 91: 459-462. <http://dx.doi.org/10.2138/am.2006.2069>.
- Reznitskii, L; Clark, CM; Hawthorne, FC; Grice, JD; Skogby, H; Halenius, U; If, Bosi, F. (2014). Chromo-alumino-povondraite, NaCr₃(Al₄Mg₂)(Si₆O₁₈)(BO₃)(OH)₃O, a new mineral species of the tourmaline supergroup. *Am Mineral.* 99: 1767-1773. <http://dx.doi.org/10.2138/am.2014.4787>.
- Rhee, SK. (1974). WEAR MECHANISMS FOR ASBESTOS-REINFORCED AUTOMOTIVE FRICTION MATERIALS. *Wear.* 29: 391-393.
- Riala, RE; Riipinen, HM. (1998). Respirator and High Efficiency Particulate Air Filtration Unit Performance in Asbestos Abatement. *Appl Occup Environ Hyg.* 13: 32-40.
- Ribak, J. (1994). Inconsistencies and delays in asbestos evaluations [Letter]. *Am J Ind Med.* 25: 455-456.
- Ribak, J; Lilis, R; Suzuki, Y; Penner, L; Selikoff, IJ. (1988). Malignant mesothelioma in a cohort of asbestos insulation workers: clinical presentation, diagnosis, and causes of death. *Br J Ind Med.* 45: 182-187.
- Ribak, J; Lilis, R; Suzuki, Y; Penner, L; Selikoff, IJ. (1991). Death certificate categorization of malignant pleural and peritoneal mesothelioma in a cohort of asbestos insulation workers. *J Soc Occup Med.* 41: 137-139. <http://dx.doi.org/10.1093/occmed/41.3.137>.

Exposure Literature Search Results

Off Topic

- Ribak, J; Seidman, H; Selikoff, IJ. (1989). Amosite mesothelioma in a cohort of asbestos workers. *Scand J Work Environ Health*. 15: 106-110.
- Ribak, J; Selikoff, IJ. (1992). Survival of asbestos insulation workers with mesothelioma. *Br J Ind Med*. 49: 732-735.
- Ricci, P. (2007). Conclusion. *Epidemiol Prev*. 31: 81-84.
- Riccò, M. (2015). Lung fibrosis and exposure to wood dusts: Two case reports and review of the literature. *Med Pr*. 66: 739-747.
<http://dx.doi.org/10.13075/mp.5893.00140>.
- Rice, C; Heineman, EF. (2003). Application of a method to evaluate the quality of work histories and document the exposure assessment process. *Am J Ind Med*. 44: 94-106. <http://dx.doi.org/10.1002/ajim.10231>.
- Rice, C; Heineman, EF. (2003). An asbestos job exposure matrix to characterize fiber type, length, and relative exposure intensity. *Appl Occup Environ Hyg*. 18: 506-512. <http://dx.doi.org/10.1080/10473220301459>.
- Richards, RJ; Jacoby, F. (1976). Light microscope studies on the effects of chrysotile asbestos and fiber glass on the morphology and reticulin formation of cultured lung fibroblasts. *Environ Res*. 11: 112-121.
- Richardson, DB. (2008). A simple approach for fitting linear relative rate models in SAS. *Am J Epidemiol*. 168: 1333-1338.
<http://dx.doi.org/10.1093/aje/kwn278>.
- Richardson, DB. (2009). Lung cancer in chrysotile asbestos workers: analyses based on the two-stage clonal expansion model. *Cancer Causes Control*. 20: 917-923. <http://dx.doi.org/10.1007/s10552-009-9297-z>.
- Richardson, DB; Cole, SR; Chu, H; Langholz, B. (2011). Lagging exposure information in cumulative exposure-response analyses. *Am J Epidemiol*. 174: 1416-1422. <http://dx.doi.org/10.1093/aje/kwr260>.
- Richardson, DB; Cole, SR; Langholz, B. (2012). Regression models for the effects of exposure rate and cumulative exposure. *Epidemiology*. 23: 892-899. <http://dx.doi.org/10.1097/EDE.0b013e31826c3149>.
- Richardson, DB; Maclehorse, RF; Langholz, B; Cole, S. R. (2011). Hierarchical latency models for dose-time-response associations. *Am J Epidemiol*. 173: 695-702. <http://dx.doi.org/10.1093/aje/kwq387>.
- Richardson, DB; Wing, S; Wolf, S. (2007). Mortality among workers at the Savannah River Site. *Am J Ind Med*. 50: 881-891.
<http://dx.doi.org/10.1002/ajim.20511>.
- Richter, ED. (1984). Asbestos exposure in Israel: findings, issues and needs [Review]. *Isr J Med Sci*. 20: 89-97.
- Richter, ED. (2005). The precautionary principle, epidemiology and the ethics of delay (Reprinted from the European Journal of Oncology Library, vol 2, 2003). *Hum Ecol Risk Assess*. 11: 17-27. <http://dx.doi.org/10.1080/10807030590919864>.
- Richter, ED; Chlamtac, N. (2001). Bibliography of research and policy regarding asbestos in Israel. *Public Health Rev*. 29: 265-267.
- Richter, ED; Tuch, H; Sarel, O; Shabbat, Z; Weiler, D. (1986). Smoking, morbidity, and pulmonary function in a group of ex-asbestos workers: a pilot study. *Am J Ind Med*. 10: 515-523.
- Richter, RO; Finley, BL; Paustenbach, DJ; Williams, PRD; Sheehan, PJ. (2009). An evaluation of short-term exposures of brake mechanics to asbestos during automotive and truck brake cleaning and machining activities. *J Expo Sci Environ Epidemiol*. 19: 458-474.
<http://dx.doi.org/10.1038/jes.2008.36>.
- Rickards, AL. (1972). Estimation of trace amounts of chrysotile asbestos by x-ray diffraction. *Anal Chem*. 44: 1872-1873.
<http://dx.doi.org/10.1021/ac60319a050>.
- Rickards, AL. (1978). The routine monitoring of airborne asbestos in an occupational environment. *Ann Occup Hyg*. 21: 315-322.
- Rickards, AL. (1994). Levels of workplace exposure. *Ann Occup Hyg*. 38: 469-475, 409.
- Riediger, G. (1984). INORGANIC FIBERS IN INDUSTRIAL WORKPLACE ATMOSPHERES - COMPARISON OF MEASUREMENTS FOR ASBESTOS FIBERS AND FOR MAN-MADE MINERAL FIBERS. *Staub, Reinhaltung der Luft*. 44: 38-45.
- Riediger, G. (1995). DETERMINATION OF ASBESTOS FIBER LEVELS AT THE WORKPLACE. *Staub, Reinhaltung der Luft*. 55: 377-378.
- Riediger, G; Rodelsperger, K. (2000). Confusion about the precision of asbestos fibres counting by electron microscopy. *Ann Occup Hyg*. 44: 76-76.
- Rihn, B; Coulais, C; Kauffer, E; Bottin, MC; Martin, P; Yvon, F; Vigneron, JC; Binet, S; Monhoven, N; Steiblen, G; Keith, G. (2000). Inhaled crocidolite mutagenicity in lung DNA. *Environ Health Perspect*. 108: 341-346.
- Rincón, A; Marangoni, M; Cetin, S; Bernardo, E. (2016). Recycling of inorganic waste in monolithic and cellular glass-based materials for structural and functional applications [Review]. 91: 1946-1961. <http://dx.doi.org/10.1002/jctb.4982>.
- Rindi, F; Guiry, MD. (2002). Diversity, life history, and ecology of Trentepohlia and Printzina (trentepohliales, chlorophyta) in urban habitats in Western Ireland. *J Phycol*. 38: 39-54.
- Rinne, M; Hollings, P. (2013). The Characteristics and Origin of the Big Lake Mafic-Ultramafic-Hosted Volcanogenic Massive Sulfide Occurrence, Marathon, Ontario, Canada. *Econ Geol*. 108: 719-738.
- Rioux, P; Carre, A. (1983). RESEARCH ON THE RISK-FACTORS OF ASBESTOS BY FACTORIAL ANALYSIS OF CORRESPONDENCE. *Scand J Work Environ Health*. 9: 70-70.
- Ripanucci, G; Grana, M; Vicentini, L; Magrini, A; Bergamaschi, A. (2006). Dust in the underground railway tunnels of an Italian town. *J Occup Environ Hyg*. 3: 16-25. <http://dx.doi.org/10.1080/15459620500444004>.
- Ripka, P; Navratil, P. (1997). Fluxgate sensor for magnetopneumometry. *Sens Actuators A*. 60: 76-79.
- Ripley, EM; Butler, BK; Taib, NI; Lee, I. (1993). HYDROTHERMAL ALTERATION IN THE BABBITT CU-NI DEPOSIT, DULUTH COMPLEX - MINERALOGY AND HYDROGEN ISOTOPE SYSTEMATICS. *Econ Geol*. 88: 679-696.
- Rissanen, S; Smolander, J; Louhevaara, V. (1991). Work load and physiological responses during asbestos removal with protective clothing. *Int Arch Occup Environ Health*. 63: 241-246.
- Rita, P; Reddy, PP. (1986). EFFECT OF CHRYSOTILE ASBESTOS FIBERS ON GERM-CELLS OF MICE. *Environ Res*. 41: 139-143.

Exposure Literature Search Results

Off Topic

- Riva, MA; Carnevale, F; D'Orso, MI; Iavicoli, S; Bertazzi, PA; Cesana, G. (2012). The contribution of Enrico C. Vigliani (1907-1992) to the international development of occupational medicine and industrial hygiene. *Med Lav.* 103: 419-426.
- Riva, MA; Carnevale, F; Sironi, VA; De Vito, G; Cesana, G. (2010). Mesothelioma and asbestos, fifty years of evidence: Chris Wagner and the contribution of the Italian occupational medicine community. *Med Lav.* 101: 409-415.
- Rizaj, M; Beqiri, E; Mcbow, I; O'Brien, EZ; Kongoli, F. (2008). The mineral base and productive capacities of metals and non-metals of Kosovo. *J O M.* 60: 18-22.
- Roberson, KT; Thomas, TC; Sherman, LR. (1992). COMPARISON OF ASBESTOS AIR SAMPLES BY SEM-EDXA AND TEM-EDXA. *Ann Occup Hyg.* 36: 265-269.
- Robert, JL; Della Ventura, G; Hawthorne, FC. (1999). Near-infrared study of short-range disorder of OH and F in monoclinic amphiboles. *Am Mineral.* 84: 86-91.
- Robert, JL; Della Ventura, G; Welch, MD; Hawthorne, FC. (2000). The OH-F substitution in synthetic pargasite at 1.5 kbar, 850 degrees C. *Am Mineral.* 85: 926-931.
- Roberti, S; Merler, E; Bressan, V; Fiore, AR; Maligni, GRSM. (2007). [Malignant mesothelioma in the Veneto Region (north-east of Italy), 1988-2002: incidence, geographical analysis, trends and comparison with mortality]. *Epidemiol Prev.* 31: 309-316.
- Roberts, J. R.; Mercer, RR; Chapman, RS; Cohen, G; Bangsaruntip, S; Schwegler-Berry, D; Scabilloni, JF; Castranova, V; Antonini, JM; Leonard, SS. (2012). Pulmonary Toxicity, Distribution, and Clearance of Intratracheally Instilled Silicon Nanowires in Rats. *Journal of Nanomaterials.* 2012: 398302. <http://dx.doi.org/10.1155/2012/398302>.
- Roberts, DR; Zumwalde, RD. (1982). Industrial Hygiene Summary Report of Asbestos Exposure Assessment for Brake Mechanics, Report No. IWS-32-4 (pp. 32-34). (NIOSH/00133792). Roberts, DR; Zumwalde, RD.
- Roberts, F; Mackinnon, JL; Cherrie, L; Burnett, RA; Harper, CM. (2004). Interobserver variability in analysis of asbestos fibres and asbestos bodies in human lung tissue. *Med Sci Law.* 44: 151-159.
- Roberts, MD; Oliver, NHS; Fairclough, MC; Holtta, PS; Lahtinen, R. (2003). Geochemical and oxygen isotope signature of sea-floor alteration associated with a polydeformed and highly metamorphosed massive sulfide deposit, Ruostesuo, central Finland. *Econ Geol.* 98: 535-556.
- Roberts, S; Palmer, MR; Waller, L. (2006). Sm-Nd and REE characteristics of tourmaline and scheelite from the Bjorkdal gold deposit, northern Sweden: Evidence of an intrusion-related gold deposit? *Econ Geol.* 101: 1415-1425.
- Robins, TG; Green, MA. (1988). Respiratory morbidity in workers exposed to asbestos in the primary manufacture of building materials. *Am J Ind Med.* 14: 433-448. <http://dx.doi.org/10.1002/ajim.4700140407>.
- Robins, TG; Weinstein, RJ; Demers, RY. (1991). LYMPHOCYTOPENIA, T-LYMPHOCYTE SUBSETS, AND COLORECTAL POLYPS IN AUTOMOTIVE PATTERN AND MODEL MAKERS. *J Occup Environ Med.* 33: 510-515.
- Robinson, C; Stern, F; Halperin, W; Venable, H; Petersen, M; Frazier, T; Burnett, C; Lulich, N; Salg, J; Sestito, J. (1995). Assessment of mortality in the construction industry in the United States, 1984-1986. *Am J Ind Med.* 28: 49-70.
- Robinson, CF; Petersen, M; Palu, S. (1999). Mortality patterns among electrical workers employed in the U.S. construction industry, 1982-1987. *Am J Ind Med.* 36: 630-637.
- Robinson, CF; Petersen, M; Sieber, WK; Palu, S; Halperin, WE. (1996). Mortality of Carpenters' Union members employed in the U.S. construction or wood products industries, 1987-1990. *Am J Ind Med.* 30: 674-694. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199612\)30:6<674::AID-AJIM4>3.0.CO;2-R](http://dx.doi.org/10.1002/(SICI)1097-0274(199612)30:6<674::AID-AJIM4>3.0.CO;2-R).
- Robinson, D; Bevins, RE; Aguirre, L; Vergara, M. (2004). A reappraisal of episodic burial metamorphism in the Andes of central Chile. *Contributions to Mineralogy and Petrology.* 146: 513-528. <http://dx.doi.org/10.1007/s00410-003-0516-4>.
- Robinson, D; Reverdatto, VV; Bevins, RE; Polyansky, OP; Sheplev, VS. (1999). Thermal modeling of convergent and extensional tectonic settings for the development of low-grade metamorphism in the Welsh Basin. *J Geophys Res Solid Earth.* 104: 23069-23079.
- Robinson, JC; Paxman, DG. (1992). The role of threshold limit values in U.S. air pollution policy. *Am J Ind Med.* 21: 383-396.
- Robock, K. (1981). ENDANGERING THE ENVIRONMENT BY ASBESTOS CEMENT-PRODUCTS. *Staub, Reinhaltung der Luft.* 41: 309-310.
- Roby, TJ; Swan, GE; Schumann, GB; Jr, EL. (1990). Utility of Quantitated Sputum Cytology to Detect the Effects of Exposure in Smokers and Nonsmokers. *Am J Ind Med.* 17: 537-552.
- Roche, LM. (1995). Reducing Carcinogens in Public Schools: A Non-Regulatory Approach by a Regulatory Agency. *J Environ Health.* 57: 23-26.
- Rocskay, AZ; Harbut, MR; Green, MA; Osher, DL; Zellers, ET. (1996). Respiratory health in asbestos-exposed ironworkers. *Am J Ind Med.* 29: 459-466. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199605\)29:5<459::AID-AJIM4>3.0.CO;2-H](http://dx.doi.org/10.1002/(SICI)1097-0274(199605)29:5<459::AID-AJIM4>3.0.CO;2-H).
- Rodelsperger, K. (1986). ASBESTOS-FREE FIBER MIXTURES - PROTOTYPE OF A PRODUCTION PLANT FOR ASBESTOS-FREE YARNS. *Arbeitsmedizin, Sozialmedizin, Praeventivmedizin.* 21: 312-312.
- Rodelsperger, K; Arhelger, R; Bruckel, B; Woitowitz, HJ. (1988). DOSIMETRY OF FIBROUS ASBESTOS DUST - RESULTS FROM A BUILDING SITE STUDY AND A STUDY OF BRAKE REPAIR SERVICE. *Staub, Reinhaltung der Luft.* 48: 19-25.
- Rodelsperger, K; Arhelger, R; Bruckel, B; Woitowitz, HJ. (1993). DETECTION OF MAN-MADE MINERAL FIBERS FROM INSULATION MATERIALS IN THE WORKPLACE ATMOSPHERE. *Staub, Reinhaltung der Luft.* 53: 395-399.
- Rodelsperger, K; Bruckel, B; Jahn, H; Manke, J; Woitowitz, HJ. (1985). ASBESTOS EMISSION DURING BRAKING. *Staub, Reinhaltung der Luft.* 45: 26-31.
- Rödelsperger, K; Jöckel, KH; Pohlabeln, H; Römer, W; Woitowitz, HJ. (2001). Asbestos and man-made vitreous fibers as risk factors for diffuse malignant mesothelioma: results from a German hospital-based case-control study. *Am J Ind Med.* 39: 262-275.
- Rodelsperger, K; Manke, J; Bruckel, B; Knecht, U; Woitowitz, HJ. (1982). DUST FROM WORKING WITH ASBESTOS OR CEMENT AS A COMPLEX NOXA MIXTURE. *Arbeitsmedizin, Sozialmedizin, Praeventivmedizin.* 17: 257-261.

Exposure Literature Search Results

Off Topic

- Rodelsperger, K; Roller, M. (2002). Exposure to artificial mineral fibers - Overview of the available information on possible health hazards. *Staub, Reinhaltung der Luft*. 62: 485-488.
- Rodelsperger, K; Teichert, U; Marfels, H; Spurny, K; Arhelger, R; Woitowitz, HJ. (1989). Measurement of Inorganic Fibrous Particulates in Ambient Air and Indoors with the Scanning Electron Microscope (pp. 361-366). (ISSN 0300-5038; NIOSH/00191372). Rodelsperger, K; Teichert, U; Marfels, H; Spurny, K; Arhelger, R; Woitowitz, HJ.
- Rodelsperger, K; Woitowitz, HJ. (1993). LENGTH DISTRIBUTION OF ASBESTOS FIBERS AND MMVFS AT WORKPLACE AND IN INHALATION EXPERIMENTS WITH RATS. *Staub, Reinhaltung der Luft*. 53: 115-123.
- Rödelsperger, K; Woitowitz, HJ. (1983). [Carcinogenic working materials exemplified by fibers]. *Zentralbl Arbeitsmed Arbeitsschutz Prophyl Ergonomie*. 33: 83-92.
- Rödelsperger, K; Woitowitz, HJ. (1995). Airborne fibre concentrations and lung burden compared to the tumour response in rats and humans exposed to asbestos [Review]. *Ann Occup Hyg*. 39: 715-725.
- Rödelsperger, K; Woitowitz, HJ. (2003). Commentary regarding the article by Fischer et al.: Fibre years, pulmonary asbestos burden and asbestosis. *Int. J. Hyg. Environ. Health* 205, 245-248 (2002) [Letter]. *Int J Hyg Environ Health*. 206: 245-247; author reply 251-242. <http://dx.doi.org/10.1078/1438-4639-00210>.
- Rodrigues, C, deS; Ghavami, K; Stroeven, P. (2006). Porosity and water permeability of rice husk ash-blended cement composites reinforced with bamboo pulp. *Journal of Materials Science*. 41: 6925-6937. <http://dx.doi.org/10.1007/s10853-006-0217-2>.
- Rodrigues, C, deS; Ghavami, K; Stroeven, P. (2010). Rice Husk Ash as a Supplementary Raw Material for the Production of Cellulose-Cement Composites with Improved Performance. *Waste Biomass Valorization*. 1: 241-249. <http://dx.doi.org/10.1007/s12649-010-9017-7>.
- Rodriguez, EJ. (2004). Asbestos banned in Argentina [Review]. *Int J Occup Environ Health*. 10: 202-208. <http://dx.doi.org/10.1179/oeh.2004.10.2.202>.
- Rodríguez Portal, JA; Rodríguez Becerra, E; Rodríguez Rodríguez, D; Alfageme Michavila, I; Quero Martínez, A; Diego Roza, C; León Jiménez, A; Isidro Montes, I; Cebollero Rivas, P. (2009). Serum levels of soluble mesothelin-related peptides in malignant and nonmalignant asbestos-related pleural disease: relation with past asbestos exposure. *Cancer Epidemiol Biomarkers Prev*. 18: 646-650. <http://dx.doi.org/10.1158/1055-9965.EPI-08-0422>.
- Rodriguez, RB; Lopez, MDG. (2001). Investigating asbestos exposure was not the objective of the study. *Salud Publica Mex*. 43: 264-265.
- Roedelsperger, K; Jahn, H; Brueckel, B; Manke, J; Paur, R; H-J, W. (1986). ASBESTOS DUST EXPOSURE DURING BRAKE REPAIR. *Am J Ind Med*. 10: 63-72.
- Roelofs, C. (2015). Latency attention deficit: Asbestos abatement workers need us to investigate. *Am J Ind Med*. 58: 1231-1234. <http://dx.doi.org/10.1002/ajim.22539>.
- Roelofs, CR; Kernan, GJ; Davis, LK; Clapp, RW; Hunt, PR. (2013). Mesothelioma and employment in massachusetts: analysis of cancer registry data 1988-2003. *Am J Ind Med*. 56: 985-992. <http://dx.doi.org/10.1002/ajim.22218>.
- Rogan, WJ. (1995). Environmental poisoning of children--lessons from the past [Review]. *Environ Health Perspect*. 103 Suppl 6: 19-23.
- Roger, RS. (1969). Results of Air Samples at Maremont-Grizzly Corporation in Paulding, Ohio. (NIOSH/00106144). Roger, RS.
- Rogers, A. (1990). ASBESTOS AND OTHER FIBROUS MATERIALS - MINERALOGY, CRYSTAL-CHEMISTRY AND HEALTH-EFFECTS - SKINNER,HC, ROSS,M, FRONDEL,C. *Community Health Stud*. 14: 206-206.
- Rogers, A. (1990). CANCER MORTALITY AND EXPOSURE TO CROCIDOLITE [Letter]. *Br J Ind Med*. 47: 286-286.
- Rogers, A. (1992). Prediction of mesothelioma, lung cancer, and asbestosis in former Wittenoom asbestos workers [Letter]. *Br J Ind Med*. 49: 451-452.
- Rogers, A; Major, G. (2002). The quantitative risks of mesothelioma and lung cancer in relation to asbestos exposure: the Wittenoom data [Letter]. *Ann Occup Hyg*. 46: 127-128; author reply 128-129. <http://dx.doi.org/10.1093/annhyg/mef002>.
- Rogers, AJ; Baker, EM; Conaty, GJ. (1997). Asbestiform Minerals: Worker Exposure and Risk Assessment in Some Contaminated Australian Mines. *Appl Occup Environ Hyg*. 12: 867-871.
- Rogers, JA. (1992). THE WHITE,ARTHUR,W. MINE, RED LAKE AREA, ONTARIO - DETAILED STRUCTURAL INTERPRETATION THE KEY TO SUCCESSFUL GRADE CONTROL AND EXPLORATION. 85: 37-44.
- Rogers, RA; Antonini, JM; Brismar, H; Lai, J; Hesterberg, TW; Oldmixon, EH; Thevenaz, P; Brain, JD. (1999). In situ microscopic analysis of asbestos and synthetic vitreous fibers retained in hamster lungs following inhalation. *Environ Health Perspect*. 107: 367-375.
- Rogers, RJ; Foster, RP; Wastler, KL. (1991). CONSIDERATION IN THE FORMULATION OF GASKET MATERIALS. *Tappi Journal*. 74: 127-132.
- Roggli, VL; George, MH; Brody, AR. (1987). Clearance and dimensional changes of crocidolite asbestos fibers isolated from lungs of rats following short-term exposure. *Environ Res*. 42: 94-105.
- Roggli, VL; Hammar, SP; Pratt, PC; Maddox, JC; Legier, J; Mark, EJ; Brody, AR. (1994). Does asbestos or asbestosis cause carcinoma of the lung? *Am J Ind Med*. 26: 835-838.
- Roggli, VL; McClarty, JW; Greenberg, SD. (1983). ASBESTOS BODIES IN SPUTUM - A CLINICAL MARKER OF EXPOSURE. *J Occup Environ Med*. 25: 508-508.
- Roggli, VL; Pratt, PC. (1988). Amphiboles and chrysotile asbestos exposure [Letter]. *Am J Ind Med*. 14: 245-246.
- Roggli, VL; Pratt, PC; Brody, AR. (1986). Asbestos content of lung tissue in asbestos associated diseases: a study of 110 cases. *Br J Ind Med*. 43: 18-28.
- Roggli, VL; Pratt, PC; Brody, AR. (1993). Asbestos fiber type in malignant mesothelioma: an analytical scanning electron microscopic study of 94 cases. *Am J Ind Med*. 23: 605-614.
- Roggli, VL; Pratt, PC; Brody, AR. (1994). Fiber potency vs. importance [Letter]. *Am J Ind Med*. 25: 611-612.

Exposure Literature Search Results

Off Topic

- Roggli, VL; Sporn, TA; Case, BW; Butnor, KJ. (2009). Comments on Asbestos fibre concentrations in the lungs of brake workers: another look [Letter]. *Ann Occup Hyg.* 53: 191; author reply 192-193. <http://dx.doi.org/10.1093/annhyg/men079>.
- Rohl, AN; Langer, AM. (1974). Identification and quantitation of asbestos in talc. *Environ Health Perspect.* 9: 95-109.
- Rohl, AN; Langer, AM; Wolff, MS; Weisman, I. (1976). Asbestos exposure during brake lining maintenance and repair. *Environ Res.* 12: 110-128.
- Rohrens, H; Hillermeier, K. (1984). ARAMID FIBERS AS SUBSTITUTE FOR ASBESTOS IN SEALS, PACKINGS AND COMPENSATORS. 37: 547-&.
- Rolland, Y; Cox, S; Boullier, AM; Pennacchioni, G; Mancktelow, N. (2003). Rare earth and trace element mobility in mid-crustal shear zones: insights from the Mont Blanc Massif (Western Alps). *Earth Planet Sci Lett.* 214: 203-219. [http://dx.doi.org/10.1016/S0012-821X\(03\)00372-8](http://dx.doi.org/10.1016/S0012-821X(03)00372-8).
- Rolland, Y; Rossi, M. (2016). Two-stage fluid flow and element transfers in shear zones during collision burial-exhumation cycle: Insights from the Mont Blanc Crystalline Massif (Western Alps). *J Geodyn.* 101: 88-108. <http://dx.doi.org/10.1016/j.jog.2016.03.016>.
- Roller, M; Pott, F; Kamino, K; Althoff, GH; Bellmann, B. (1997). Dose-response relationship of fibrous dusts in intraperitoneal studies. *Environ Health Perspect.* 105: 1253-1256.
- Rom, WN. (1991). Relationship of inflammatory cell cytokines to disease severity in individuals with occupational inorganic dust exposure [Review]. *Am J Ind Med.* 19: 15-27.
- Rom, WN. (1992). Accelerated loss of lung function and alveolitis in a longitudinal study of non-smoking individuals with occupational exposure to asbestos. *Am J Ind Med.* 21: 835-844. <http://dx.doi.org/10.1002/ajim.4700210606>.
- Rom, WN; Churg, A; Leapman, R; Fiori, C; Swyt, C. (1990). EVALUATION OF ALVEOLAR MACROPHAGE PARTICLE BURDEN IN INDIVIDUALS OCCUPATIONALLY EXPOSED TO INORGANIC DUSTS. *J Aerosol Med.* 3: S43-S56.
- Rom, WN; Lopatin, S; Tsay, JJ; Addrizzo-Harris, D; Munger, JS; Pass, H. (2016). Reduced lung function in smokers in a lung cancer screening cohort with asbestos exposure and pleural plaques. *Am J Ind Med.* 59: 178-185. <http://dx.doi.org/10.1002/ajim.22571>.
- Roma, LC, Jr; Martello, LS; Savastano, H, Jr. (2008). Evaluation of mechanical, physical and thermal performance of cement-based tiles reinforced with vegetable fibers. *Construction and Building Materials.* 22: 668-674. <http://dx.doi.org/10.1016/j.conbuildmat.2006.10.001>.
- Romer, RL; Martinsson, O; Perdahl, JA. (1994). GEOCHRONOLOGY OF THE KIRUNA IRON-ORES AND HYDROTHERMAL ALTERATIONS. *Econ Geol.* 89: 1249-1261.
- Romundstad, PR; Rønneberg, A; Leira, HL; Bye, T. (1998). Health survey of former workers in a Norwegian coke plant: Part. 1. Estimation of historical exposures. *Occup Environ Med.* 55: 616-621. <http://dx.doi.org/10.1136/oem.55.9.616>.
- Rong, KY; Song, XM; Zhang, SC. (1996). Principle and method of CVD modified technique of foam asbestos. *Journal of Wuhan University of Technology--Materials Science Edition.* 11: 55-61.
- Rong-Hua, Z; Xue-Tong, Z; Shu-Min, H. (2010). Experimental study on water and water rock interactions in the mid-crust conditions and its significance. *Diqiu Wuli Xuebao.* 53: 2244-2256. <http://dx.doi.org/10.3969/j.issn.0001-5733.2010.09.026>.
- Ronneberg, A. (1995). Mortality and cancer morbidity in workers from an aluminium smelter with prebaked carbon anodes--part I: exposure assessment. *Occup Environ Med.* 52: 242-249.
- Ronneberg, A; Andersen, A. (1995). Mortality and cancer morbidity in workers from an aluminium smelter with prebaked carbon anodes--part II: cancer morbidity. *Occup Environ Med.* 52: 250-254.
- Ronneberg, A; Haldorsen, T; Romundstad, P; Andersen, A. (1999). Occupational exposure and cancer incidence among workers from an aluminum smelter in western Norway. *Scand J Work Environ Health.* 25: 207-214.
- Rönneberg, A; Langmark, F. (1992). Epidemiologic evidence of cancer in aluminum reduction plant workers [Review]. *Am J Ind Med.* 22: 573-590.
- Rood, AP; Scott, RM. (1989). SIZE DISTRIBUTIONS OF CHRYSOTILE ASBESTOS IN A FRICTION PRODUCTS FACTORY AS DETERMINED BY TRANSMISSION ELECTRON-MICROSCOPY. *Ann Occup Hyg.* 33: 583-590.
- Rood, AP; Streeter, RR. (1984). Size distributions of occupational airborne asbestos textile fibres as determined by transmission electron microscopy. *Ann Occup Hyg.* 28: 333-339.
- Röösl, M; Künzli, N; Schindler, C; Theis, G; Oglesby, L; Mathys, P; Camenzind, M; Braun-Fahrländer, C. (2003). Single pollutant versus surrogate measure approaches: do single pollutant risk assessments underestimate the impact of air pollution on lung cancer risk? *J Occup Environ Med.* 45: 715-723. <http://dx.doi.org/10.1097/01.jom.0000079082.33909.c2>.
- Rosamilia, K; Wong, O; Raabe, GK. (1999). A case-control study of lung cancer among refinery workers. *J Occup Environ Med.* 41: 1091-1103.
- Rose, HA. (1974). Detection and determination of chrysotile in talc USP. *J Pharm Sci. Pharm.* 268-269.
- Rose, NM. (1995). GEOCHEMICAL CONSEQUENCES OF FLUID-FLOW IN POROUS BASALTIC CRUST CONTAINING PERMEABILITY CONTRASTS. *Geochim Cosmo Acta.* 59: 4381-4392.
- Rosell-Murphy, M; Abós-Herràndiz, R; Tarrés, J; Martínez-Artés, X; García-Allas, I; Krier, I; Cantarell, G; Gallego, M; Orriols, R; Albertí, C. (2010). Prospective study of asbestos-related diseases incidence cases in primary health care in an area of Barcelona province. *BMC Public Health.* 10: 203. <http://dx.doi.org/10.1186/1471-2458-10-203>.
- Rosell-Murphy, MI; Abós-Herràndiz, R; Olivella, JT; Alberti-Casas, C; Allas, IG; Artés, XM; Günther, IK; Malet, IG; Martínez, RO; Canela-Soler, J. (2013). Risk factors associated with asbestos-related diseases: a community-based case-control study. *BMC Public Health.* 13: 723. <http://dx.doi.org/10.1186/1471-2458-13-723>.
- Rosenberg, ND; Browning, L; Bourcier, WL. (2001). Modeling aqueous alteration of CM carbonaceous chondrites. *Meteoritics and Planetary Science.* 36: 239-244.
- Rosenman, KD; Reilly, MJ. (1998). Asbestos-related x-ray changes in foundry workers. *Am J Ind Med.* 34: 197-201.

Exposure Literature Search Results

Off Topic

- Rosenman, KD; Reilly, MJ; Rice, C; Hertzberg, V; Tseng, CY; Anderson, HA. (1996). Silicosis among foundry workers. Implication for the need to revise the OSHA standard. *Am J Epidemiol.* 144: 890-900.
- Rosenstock, L. (1991). Roentgenographic manifestations and pulmonary function effects of asbestos-induced pleural thickening [Review]. *Toxicol Ind Health.* 7: 81-87. <http://dx.doi.org/10.1177/074823379100700105>.
- Rosenstock, L. (1992). ROENTGENOGRAPHIC MANIFESTATIONS AND PULMONARY-FUNCTION EFFECTS OF ASBESTOS-INDUCED PLEURAL THICKENING. 2: 215-221.
- Rosenstock, L; Hudson, LD. (1987). The pleural manifestations of asbestos exposure. *Occup Med: State of the Art Rev.* 2: 383-407.
- Rosenthal, FS. (1993). EXPOSURE ASSESSMENT FOR AIRBORNE MAN-MADE MINERAL FIBERS - THE ROLE OF FIBER DIMENSIONS. *Ann Occup Hyg.* 37: 395-417.
- Rosenthal, GJ; Corsini, E; Simeonova, P. (1998). Selected new developments in asbestos immunotoxicity [Review]. *Environ Health Perspect.* 106 Suppl 1: 159-169.
- Ross, DJ; Sallie, BA; Mcdonald, JC. (1995). SWORD '94: surveillance of work-related and occupational respiratory disease in the UK. *Occup Med (Lond).* 45: 175-178.
- Ross, MH; Murray, J. (2004). Occupational respiratory disease in mining [Review]. *Occup Med (Lond).* 54: 304-310. <http://dx.doi.org/10.1093/occmed/kqh073>.
- Ross, RA; Todd, JE. (1983). THE EFFECT OF HEAT-TREATMENT OF CHRYSOTILE ASBESTOS ON THE HEATS AND ENTROPIES OF ADSORPTION OF AMMONIA BELOW MONOLAYER COVERAGE. 18: 1-12.
- Ross, RA; Todd, JE. (1983). THE SORPTION OF AMMONIA ON CALIFORNIAN CHRYSOTILE TREATED WITH BOILING WATER AND WITH AQUEOUS-SOLUTIONS OF SODIUM-NITRATE. 19: 233-240.
- Ross, RM. (2011). Regarding "absence of radiographic asbestosis and the risk of lung cancer among asbestos-cement workers: extended follow-up of a cohort" and "by Murray Finkelstein, American Journal of Industrial Medicine 2010 [Letter]. *Am J Ind Med.* 54: 495-496; author reply 497-498. <http://dx.doi.org/10.1002/ajim.20940>.
- Rossi, M; Nestola, F; Ghiara, MR; Capitelli, F. (2016). Fibrous minerals from Somma-Vesuvius volcanic complex. *Mineralogy and Petrology.* 110: 471-489. <http://dx.doi.org/10.1007/s00710-015-0422-2>.
- Rossiter, CE; Bristol, LJ; Cartier, PH; Gilson, JG; Grainger, TR; Sluis-Cremer, GK; Mcdonald, JC. (1972). Radiographic changes in chrysotile asbestos mine and mill workers of Quebec. *Arch Environ Health.* 24: 388-400.
- Rossiter, CE; Browne, K; Gilson, JC. (1988). International classification trial of AIA set of 100 radiographs of asbestos workers. *Br J Ind Med.* 45: 538-543.
- Rossiter, CE; Chase, J. R. (1995). STATISTICAL-ANALYSIS OF RESULTS OF CARCINOGENICITY STUDIES OF SYNTHETIC VITREOUS FIBERS AT RESEARCH AND CONSULTING COMPANY, GENEVA. *Ann Occup Hyg.* 39: 759-769.
- Rossol, M. (1986). Stage fright - Health and safety in the theater. (CIS/87/01312). Rossol, M.
- Rotherham, JF. (1997). A metasomatic origin for the iron-oxide Au-Cu Starra orebodies, Eastern Fold Belt, Mount Isa Inlier. *Miner Depos.* 32: 205-218.
- Rotherham, JF; Blake, KL; Cartwright, KI; Williams, PJ. (1998). Stable isotope evidence for the origin of the Mesoproterozoic Starra Au-Cu deposit, Cloncurry district, northwest Queensland. *Econ Geol.* 93: 1435-1449.
- Roubicek, V; Raclavska, H; Juchelkova, D; Filip, P. (2008). Wear and environmental aspects of composite materials for automotive braking industry. *Wear.* 265: 167-175. <http://dx.doi.org/10.1016/j.wear.2007.09.006>.
- Rouhier, D; Andre, C; Allard, C; Gillon, J; Brette, R. (1982). Malignant alpha chain disease and exposure to asbestos. *Environ Res.* 27: 222-225.
- Roumejon, S; Cannat, M; Agrinier, P; Godard, M; Andreani, M. (2015). Serpentinization and Fluid Pathways in Tectonically Exhumed Peridotites from the Southwest Indian Ridge (62-65 degrees E). *Journal of Petrology.* 56: 703-734. <http://dx.doi.org/10.1093/petrology/egv014>.
- Rousmaniere, P; Raj, N. (2007). Shipbreaking in the developing world: Problems and prospects. *Int J Occup Environ Health.* 13: 359-368.
- Roussat, N; Mehu, J; Abdelghafour, M; Brula, P. (2008). Leaching behaviour of hazardous demolition waste. *Waste Manag.* 28: 2032-2040. <http://dx.doi.org/10.1016/j.wasman.2007.10.019>.
- Roveri, N; Falini, G; Foresti, E; Fracasso, G; Lesci, IG; Sabatino, P. (2006). Geoinspired synthetic chrysotile nanotubes. *J Mater Res.* 21: 2711-2725. <http://dx.doi.org/10.1557/JMR.2006.0359>.
- Rowlands, N; Gibbs, GW; Mcdonald, AD. (1982). ASBESTOS FIBERS IN THE LUNGS OF CHRYSOTILE MINERS AND MILLERS - A PRELIMINARY-REPORT. *Ann Occup Hyg.* 26: 411-415.
- Rowson, DM. (1978). CHRYSOTILE CONTENT OF WEAR DEBRIS OF BRAKE LININGS. *Wear.* 47: 315-321.
- Roy-Chowdhury, AK; Jr, MT; Reeves, AL. (1973). Trace Metals in Asbestos Carcinogenesis. *Arch Environ Health.* 26: 253-255.
- Rozalen, M; Javier Huertas, F. (2013). Comparative effect of chrysotile leaching in nitric, sulfuric and oxalic acids at room temperature. *Chem Geol.* 352: 134-142. <http://dx.doi.org/10.1016/j.chemgeo.2013.06.004>.
- Rozalen, M; Ramos, ME; Fiore, S; Gervilla, F; Huertas, FJ. (2014). Effect of oxalate and pH on chrysotile dissolution at 25 degrees C: An experimental study. *Am Mineral.* 99: 589-600. <http://dx.doi.org/10.2138/am.2014.4636>.
- Rozalen, M; Ramos, ME; Gervilla, F; Kerestedjian, T; Fiore, S; Huertas, FJ. (2014). Dissolution study of tremolite and anthophyllite: pH effect on the reaction kinetics. *Appl Geochem.* 49: 46-56. <http://dx.doi.org/10.1016/j.apgeochem.2014.06.009>.
- Rubatto, D; Angiboust, S. (2015). Oxygen isotope record of oceanic and high-pressure metasomatism: a P-T-time-fluid path for the Monviso eclogites (Italy). *Contributions to Mineralogy and Petrology.* 170. <http://dx.doi.org/10.1007/s00410-015-1198-4>.
- Rubin, AH. (1986). Common problems in asbestos-related pulmonary diseases. *Am J Ind Med.* 10: 555-562.
- Rubin, DB. (2001). Estimating the causal effects of smoking. *Stat Med.* 20: 1395-1414.

Exposure Literature Search Results

Off Topic

- Rubino, GF; Newhouse, M; Murray, R; Scansetti, G; Piolatto, G; Aresini, G. (1979). Radiologic changes after cessation of exposure among chrysotile asbestos miners in Italy. *Ann N Y Acad Sci.* 330: 157-161.
- Rubino, GF; Piolatto, G; Newhouse, ML; Scansetti, G; Aresini, GA; Murray, R. (1979). Mortality of chrysotile asbestos workers at the Balangero Mine, northern Italy. *Occup Environ Med.* 36: 187-194.
- Ruda, TA; Dutta, PK. (2005). Fenton chemistry of Fe(III)-exchanged zeolitic minerals treated with antioxidants. *Environ Sci Technol.* 39: 6147-6152. <http://dx.doi.org/10.1021/es050336e>.
- Rudd, RM. (1987). PULMONARY FIBROSIS IN ASBESTOS INSULATION WORKERS WITH LUNG-CANCER. *Br J Ind Med.* 44: 428-429.
- Rudd, RM. (1989). CORRELATION BETWEEN FIBER CONTENT OF LUNG AND DISEASE IN EAST LONDON ASBESTOS FACTORY-WORKERS. *Br J Ind Med.* 46: 358-360.
- Rudzki, E. (1979). [Contact allergens found in Poland and their sources] [Review]. 34: 2031-2033.
- Ruegger, M; Schutz, R. (1997). Medico-legal aspects of asbestos-induced pleural plaques: The issue of worker's compensation. *Indoor Built Environ.* 6: 119-124.
- Ruff, K. (2015). Scientific journals and conflict of interest disclosure: what progress has been made? *Environ Health.* 14: 45. <http://dx.doi.org/10.1186/s12940-015-0035-6>.
- Ruff, K; Mirabelli, D; Magnani, C. (2016). Scientific journal publishes second eratum regarding false information by scientists funded by asbestos interests. *Epidemiol Prev.* 40: 138-139. <http://dx.doi.org/10.19191/EP16.2.P138.069>.
- Ruff, K; Turcotte, F; Notebaert, E; Lippman, A; Keyserlingk, EW; Zigby, J. (2011). Open Letter to Normand Paulin, Occupational Health & Safety Commission of Quebec, on the Export of Asbestos from Canada. *Int J Occup Environ Health.* 17: 186-188.
- Ruhe, RL. (1979). Health Hazard Evaluation Determination, Report No. HHE-79-95-613, Federal-Mogul Corporation, Gallipolis, Ohio. (NIOSH/00091888). Ruhe, RL.
- Ruhe, RL. (1983). Health Hazard Evaluation Report No. HETA-83-189-1368, Goodyear Aerospace Corporation, Akron, Ohio (pp. 83-189). (NIOSH/00134130). Ruhe, RL.
- Rumpf, HM; Dopp, E; Rettenmeier, AW; Chatzinikolaidou, M; Jennissen, HP. (2003). Absence of genotoxic effects after exposure of mammalian cells to the recombinant human bone morphogenetic protein 2 (BMP-2) prepared from *E. coli*. *Materwiss Werksttech.* 34: 1101-1105. <http://dx.doi.org/10.1002/mawe.200300711>.
- Ruse, E; Dumitru, RS; Ghica, I. (2005). Identification methods for asbestos in powders. *Rev Chim.* 56: 336-340.
- Rushton, L; Hutchings, S; Brown, T. (2008). The burden of cancer at work: estimation as the first step to prevention. *Occup Environ Med.* 65: 789-800. <http://dx.doi.org/10.1136/oem.2007.037002>.
- Russi, M; Dubrow, R; Flannery, JT; Cullen, MR; Mayne, ST. (1997). Occupational exposure to machining fluids and laryngeal cancer risk: Contrasting results using two separate control groups. *Am J Ind Med.* 31: 166-171.
- Russo, L; Colangelo, F; Cioffi, R; Rea, I; De Stefano, L. (2011). A Mechanochemical Approach to Porous Silicon Nanoparticles Fabrication. *Materials.* 4: 1023-1033. <http://dx.doi.org/10.3390/ma4061023>.
- Ryan, B; Kuhl, I; Ware, R. (2014). Framework for handling asbestos after a tidal surge. *J Environ Health.* 76: 170-176.
- Ryan, D. (1986). MOVING TO RID AMERICA OF ASBESTOS (pp. 7-8; 1986). (HMTC/86/0004145). Ryan, D.
- Ryan, PC; Kim, J; Wall, AJ; Moen, JC; Corenthal, LG; Chow, DR; Sullivan, CM; Bright, KS. (2011). Ultramafic-derived arsenic in a fractured bedrock aquifer. *Appl Geochem.* 26: 444-457. <http://dx.doi.org/10.1016/j.apgeochem.2011.01.004>.
- Ryan, PH; Dihle, M; Griffin, S; Partridge, C; Hilbert, TJ; Taylor, R; Adjei, S; Lockey, JE. (2011). Erionite in road gravel associated with interstitial and pleural changes--an occupational hazard in western United States. *J Occup Environ Med.* 53: 892-898. <http://dx.doi.org/10.1097/JOM.0b013e318223d44c>.
- Ryan, PH; Lemasters, GK; Burkle, J; Lockey, JE; Black, B; Rice, C. (2013). Childhood exposure to Libby amphibole during outdoor activities. *J Expo Sci Environ Epidemiol.* 25: 4-11. <http://dx.doi.org/10.1038/jes.2013.26>.
- Rybicki, BA; Johnson, CC; Peterson, EL; Kortsha, GX; Gorell, JM. (1997). Comparability of different methods of retrospective exposure assessment of metals in manufacturing industries. *Am J Ind Med.* 31: 36-43. [http://dx.doi.org/10.1002/\(sici\)1097-0274\(199701\)31:1<36::aid-ajim6>3.3.co;2-o](http://dx.doi.org/10.1002/(sici)1097-0274(199701)31:1<36::aid-ajim6>3.3.co;2-o).
- Ryman-Rasmussen, JP; Cesta, MF; Brody, AR; Shipley-Phillips, JK; Everitt, JI; Tewksbury, EW; Moss, OR; Wong, BA; Dodd, DE; Andersen, ME; Bonner, JC. (2009). Inhaled carbon nanotubes reach the subpleural tissue in mice. *Nat Nanotechnol.* 4: 747-751. <http://dx.doi.org/10.1038/nnano.2009.305>.
- Ryu, KW, on; Chae, S, ooC; Jang, YN, am. (2011). Carbonation of Chrysotile under Subcritical Conditions. *Mater Trans.* 52: 1983-1988. <http://dx.doi.org/10.2320/matertrans.M2011155>.
- Ryu, KW, on; Jang, YN, am; Lee, MG, yu. (2012). Enhancement of Chrysotile Carbonation in Alkali Solution. *Mater Trans.* 53: 1349-1352. <http://dx.doi.org/10.2320/matertrans.M2012059>.
- Ryu, KW, on; Jo, H; Choi, SH; Chae, S, ooC; Jang, YN, am. (2016). Changes in mineral assemblages during serpentine carbonation. *Appl Clay Sci.* 134: 62-67. <http://dx.doi.org/10.1016/j.clay.2016.08.005>.
- Ryu, KW, on; Lee, MG, yu; Jang, YN, am. (2011). Mechanism of tremolite carbonation. *Appl Geochem.* 26: 1215-1221. <http://dx.doi.org/10.1016/j.apgeochem.2011.04.010>.
- Rywak, AA; Burlitch, JM. (1996). The crystal chemistry and thermal stability of sol-gel prepared fluoride-substituted talc. *Physics and Chemistry of Minerals.* 23: 418-431.
- Ryzhov, VV; Kashanskiĭ, SV; Manakova, NS; Plotko, EG; Seliankina, KP; Makarenko, NP; Kyzhina, I, uV. (2000). [Occupational evaluation of air in workplace area and populated zone at asbestos cardboard production]. *Med Tr Prom Ekol*37-39.

Exposure Literature Search Results

Off Topic

- Saada, MA, Ii; Soulard, M; Patarin, J; Regis, RC. (2009). Synthesis of zeolite materials from asbestos wastes: An economical approach. *Microporous and Mesoporous Materials*. 122: 275-282. <http://dx.doi.org/10.1016/j.micromeso.2009.03.011>.
- Saarni, H; Pentti, J; Pukkala, E. (2002). Cancer at sea: a case-control study among male Finnish seafarers. *Occup Environ Med*. 59: 613-619. <http://dx.doi.org/10.1136/oem.59.9.613>.
- Saat, YA; Newman, HAI; Hart, RW; Allison, DK. (1980). THE EFFECTS OF ASBESTOS ON PLASMA-MEMBRANE - SURFACE GLYCOLIPIDS AND GLYCOPROTEINS OF SYRIAN-HAMSTER EMBRYO CELLS. *J Environ Pathol Toxicol*. 4: 435-441.
- Saccocia, PJ; Seewald, JS; Shanks, WC, III. (2009). Oxygen and hydrogen isotope fractionation in serpentine-water and talc-water systems from 250 to 450 degrees C, 50 MPa. *Geochim Cosmo Acta*. 73: 6789-6804. <http://dx.doi.org/10.1016/j.gca.2009.07.036>.
- Sachan, HK; Mukherjee, BK; Bodnar, RJ. (2007). Preservation of methane generated during serpentinization of upper mantle rocks: Evidence from fluid inclusions in the Nidar ophiolite, Indus Suture Zone, Ladakh (India). *Earth Planet Sci Lett*. 257: 47-59. <http://dx.doi.org/10.1016/j.epsl.2007.02.023>.
- Safi, M; Yan, M; Guedeau-Boudeville, MA; Conjeaud, H; Garnier-Thibaud, V; Boggetto, N; Baeza-Squiban, A; Niedergang, F; Averbeck, D; Berret, JF. (2011). Interactions between Magnetic Nanowires and Living Cells: Uptake, Toxicity, and Degradation. *ACS Nano*. 5: 5354-5364. <http://dx.doi.org/10.1021/nn201121e>.
- Safitri Zen, I; Ahamad, R; Gopal Rampal, K; Omar, W. (2013). Use of asbestos building materials in Malaysia: legislative measures, the management, and recommendations for a ban on use. *Int J Occup Environ Health*. 19: 169-178. <http://dx.doi.org/10.1179/2049396713Y.0000000028>.
- Sagan, LA; Whipple, CG. (1984). Cancer Control in the Workplace: Some Examples from the Utility Industry (pp. 159-174). (NIOSH/00165606). Commission of the European Communities.
- Sager, TM; Wolfarth, MW; Battelli, LA; Leonard, SS; Andrew, M; Steinbach, T; Endo, M; Tsuruoka, S; Porter, DW; Castranova, V. (2013). Investigation of the pulmonary bioactivity of double-walled carbon nanotubes. *J Toxicol Environ Health A*. 76: 922-936. <http://dx.doi.org/10.1080/15287394.2013.825571>.
- Sahin, S; Bayindirli, L. (1993). THE EFFECT OF DEPECTINIZATION AND CLARIFICATION ON THE FILTRATION OF SOUR CHERRY JUICE. *Journal of Food Engineering*. 19: 237-245.
- Sahle, W; Laszlo, I. (1996). Airborne Inorganic Fibre Level Monitoring by Transmission Electron Microscope (TEM): Comparison of Direct and Indirect Sample Transfer Methods. *Ann Occup Hyg*. 40: 29-44.
- Sahle, W; Laszlo, I; Krantz, S; Christensson, B. (1994). Airborne Tungsten Oxide Whiskers in a Hard-Metal Industry. Preliminary Findings. *Ann Occup Hyg*. 38: 37-44.
- Saini-Eidukat, B; Triplett, JW. (2014). Erionite and offretite from the Killdeer Mountains, Dunn County, North Dakota, USA. *Am Mineral*. 99: 8-15. <http://dx.doi.org/10.2138/am.2014.4567>.
- Saiyed, HN; Tiwari, RR. (2004). Occupational health research in India [Review]. *Ind Health*. 42: 141-148.
- Sakai, K; Hisanaga, N; Shibata, E; Kamijima, M; Ichihara, G; Takeuchi, Y; Nakajima, T. (2014). Trends in asbestos and non-asbestos fibre concentrations in the lung tissues of Japanese patients with mesothelioma. *Ann Occup Hyg*. 58: 103-120. <http://dx.doi.org/10.1093/annhyg/met055>.
- Sakai, K; Hisanaga, N; Shibata, E; Ono, Y; Tabe, E; Takeuchi, Y. (1988). ASBESTOS LEVEL IN THE AIR IN ASBESTOS CONSTRUCTION MATERIAL-MANUFACTURING FACTORIES (pp. 291-292). (BIOSIS/89/08457). Sakai, K; Hisanaga, N; Shibata, E; Ono, Y; Tabe, E; Takeuchi, Y.
- Sakai, K; Hisanaga, N; Shibata, E; Ono, Y; Takeuchi, Y. (2006). Asbestos exposures during reprocessing of automobile brakes and clutches. *Int J Occup Environ Health*. 12: 95-105. <http://dx.doi.org/10.1179/oeh.2006.12.1.95>.
- Sakai, S; Takatsuki, H; Hiraoka, M; Tsunemi, T. (1991). SLUDGE MELTING PROCESS WITH HAZARDOUS ASBESTOS WASTES (pp. 10-12). (ISSN 0273-1223; EISSN 0273-1223; BIOSIS/91/08708). Sakai, S; Takatsuki, H; Hiraoka, M; Tsunemi, T.
- Sakakibara, M. (1991). METAMORPHIC PETROLOGY OF THE NORTHERN TOKORO METABASITES, EASTERN HOKKAIDO, JAPAN. *Journal of Petrology*. 32: 333-364.
- Sakakibara, M; Isono, Y. (1996). Middle Miocene thermal metamorphism due to the infiltration of high-temperature fluid in the Sanbagawa metamorphic belt, southwest Japan. *Contributions to Mineralogy and Petrology*. 125: 341-358.
- Sakakibara, M; Ota, T. (1994). METAMORPHIC EVOLUTION OF THE KAMUIKOTAN HIGH-PRESSURE AND LOW-TEMPERATURE METAMORPHIC ROCKS IN CENTRAL HOKKAIDO, JAPAN. *J Geophys Res Solid Earth*. 99: 22221-22235.
- Sakari, WD. (1984). Rain water collected from asbestos tile roofs [Letter]. *East Afr Med J*. 61: 343.
- Sakhvidi, MJZ; Ardekani, JB; Firoozichahak, A, Ii; Zavarreza, J; Hajaghazade, M; Mostaghaci, M; Mehrparvar, A; Barkhordari, A. (2015). EXHALED BREATH MALONDIALDEHYDE, SPIROMETRIC RESULTS AND DUST EXPOSURE ASSESSMENT IN CERAMICS PRODUCTION WORKERS. *Int J Occup Med Environ Health*. 28: 81-89. <http://dx.doi.org/10.13075/ijomeh.1896.00262>.
- Salacnski, R; Delura, K. (2008). SERPENTINITES FROM THE NASLAWICE QUARRY (LOWER SILESIA) AS A POTENTIAL DIMENSIONAL STONE FOR TILE PRODUCTION. *Gospodarka Surowcami Mineralnymi*. 24: 309-323.
- Salama, RB; Farrington, P; Bartle, GA; Watson, GD. (1993). THE CHEMICAL EVOLUTION OF GROUNDWATER IN A 1ST-ORDER CATCHMENT AND THE PROCESS OF SALT ACCUMULATION IN THE SOIL-PROFILE. *J Hydrol*. 143: 233-258.
- Salamatipour, A; Mohanty, SK; Pietrofesa, RA; Vann, DR; Christofidou-Solomidou, M; Willenbring, JK. (2016). Asbestos Fiber Preparation Methods Affect Fiber Toxicity. 3: 270-274. <http://dx.doi.org/10.1021/acs.estlett.6b00174>.
- Salazar, KD; Copeland, CB; Luebke, RW. (2012). Effects of Libby amphibole asbestos exposure on two models of arthritis in the Lewis rat. *J Toxicol Environ Health A*. 75: 351-365. <http://dx.doi.org/10.1080/15287394.2012.668164>.
- Salazar, MK; Takaro, TK; Ertell, K; Gochfeld, M; O'Neill, S; Connon, C; Barnhart, S. (1999). Structure and function of occupational health services within selected department of energy sites. *J Occup Environ Med*. 41: 1072-1078.

Exposure Literature Search Results

Off Topic

- Salg, J; Alterman, T. (2005). A proportionate mortality study of bricklayers and allied craftworkers. *Am J Ind Med.* 47: 10-19. <http://dx.doi.org/10.1002/ajim.20115>.
- Sali, D; Boffetta, P. (2000). Kidney cancer and occupational exposure to asbestos: a meta-analysis of occupational cohort studies. *Cancer Causes Control.* 11: 37-47.
- Salier, BP; Groves, DI; Mcnaughton, NJ; Fletcher, IR. (2004). The world-class Wallaby gold deposit, Laverton, Western Australia: An orogenic-style overprint on a magmatic-hydrothermal magnetite-calcite alteration pipe? *Miner Depos.* 39: 473-494. <http://dx.doi.org/10.1007/s00126-004-0425-0>.
- Sallie, BA; Ross, DJ; Meredith, SK; McDonald, JC. (1994). SWORD '93. Surveillance of work-related and occupational respiratory disease in the UK. *Occup Med (Lond).* 44: 177-182.
- Salma, I; Maenhaut, W. (2006). Changes in elemental composition and mass of atmospheric aerosol pollution between 1996 and 2002 in a Central European city. *Environ Pollut.* 143: 479-488. <http://dx.doi.org/10.1016/j.envpol.2005.11.042>.
- Salminen, R; Gregorauskiene, V; Tarvainen, T. (2008). The normative mineralogy of 10 soil profiles in Fennoscandia and north-western Russia. *Appl Geochem.* 23: 3651-3665. <http://dx.doi.org/10.1016/j.apgeochem.2008.09.007>.
- Saltzman, BE. (1985). Variability and bias in the analyses of industrial hygiene samples. *Am Ind Hyg Assoc J.* 46: 134-141. <http://dx.doi.org/10.1080/15298668591394545>.
- Sameera, S; Rao, PP; James, V; Divya, S; Raj, AKV. (2014). Influence of (LiLa)_{1/2}MoO₄ substitution on the pigmentary properties of BiVO₄. *Dyes and Pigments.* 104: 41-47. <http://dx.doi.org/10.1016/j.dyepig.2013.12.029>.
- Samimi, BS; Williams, AM. (1981). OCCUPATIONAL EXPOSURE TO ASBESTOS FIBERS RESULTING FROM USE OF ASBESTOS GLOVES. *Am Ind Hyg Assoc J.* 42: 870-875. <http://dx.doi.org/10.1080/15298668191420837>.
- Sammon, NB; Harrower, KM; Fabbro, LD; Reed, RH. (2011). Three potential sources of microfungi in a treated municipal water supply system in sub-tropical Australia. *Int J Environ Res Public Health.* 8: 713-732. <http://dx.doi.org/10.3390/ijerph8030713>.
- Sampath, V. (2006). Studies on mechanical, friction, and wear characteristics of Kevlar and glass fiber-reinforced friction materials. 21: 47-57. <http://dx.doi.org/10.1081/AMP-200060591>.
- Samsom, IM; Bas, B; Holm, PE. (1997). Hydrothermal evolution of auriferous shear zones, Wawa, Ontario. *Econ Geol.* 92: 325-342.
- Sanchez, MS. (2006). Quantification of amphibole content in expanded vermiculite products from Libby, Montana U.S.A. using powder X-ray diffraction. *Am Mineral.* 91: 1448-1451. <http://dx.doi.org/10.2138/am.2006.2299>.
- Sanchez, MS; Gunter, ME. (2008). Tests of the correlation between composition and morphology of tremolite from Montgomery County, Maryland, USA. *Periodico di Mineralogia.* 77: 15-25. <http://dx.doi.org/10.2451/2008PM0009>.
- Sanchez-Valle, C; Sinogeikin, SV; Smyth, JR; Bass, J, ayD. (2008). Sound velocities and elasticity of DHMS phase A to high pressure and implications for seismic velocities and anisotropy in subducted slabs. *Phys Earth Planet In.* 170: 229-239. <http://dx.doi.org/10.1016/j.pepi.2008.07.015>.
- Sanchez-Vizcaino, VL; Trommsdorff, V; Gomez-Pugnaire, MT; Garrido, CJ; Muntener, O; Connolly, JAD. (2005). Petrology of titanian clinohumite and olivine at the high-pressure breakdown of antigorite serpentinite to chlorite harzburgite (Almirez Massif, S. Spain). *Contributions to Mineralogy and Petrology.* 149: 627-646. <http://dx.doi.org/10.1007/s00410-005-0678-3>.
- Sandén, A; Järholm, B. (1991). A study of possible predictors of mesothelioma in shipyard workers exposed to asbestos. *J Occup Med.* 33: 770-773.
- Sanden, A; Jarvholm, B; Larsson, S. (1993). THE IMPORTANCE OF LUNG-FUNCTION, NONMALIGNANT DISEASES ASSOCIATED WITH ASBESTOS, AND SYMPTOMS AS PREDICTORS OF ISCHEMIC-HEART-DISEASE IN SHIPYARD WORKERS EXPOSED TO ASBESTOS. *Br J Ind Med.* 50: 785-790.
- Sanders, CL. (1975). Dose distribution and neoplasia in the lung following intratracheal instillation of ²³⁹PuO₂ and asbestos. *Health Phys.* 28: 383-386.
- Sanders, PG; Xu, N; Dalka, TM; Maricq, MM. (2003). Airborne brake wear debris: size distributions, composition, and a comparison of dynamometer and vehicle tests. *Environ Sci Technol.* 37: 4060-4069. <http://dx.doi.org/10.1021/es034145s>.
- Sanderson, W; Knutti, E. (1988). Health Hazard Evaluation Report No. MHETA-86-528-1889, McGraw-Edison, Canonsburg, Pennsylvania (pp. 86-528). (NIOSH/00181280). Sanderson, W; Knutti, E.
- Sanderson, WT; Ferguson, RP. (1987). Health Hazard Evaluation Report No. MHETA-85-226-1839, Freshlabs, Inc., Warren, Michigan (pp. 147-119). (NIOSH/00175422). Sanderson, WT; Ferguson, RP.
- Sandman, PM; Weinstein, ND; Miller, P. (1994). High risk or low: how location on a "risk ladder" affects perceived risk. *Risk Anal.* 14: 35-45.
- Sandret, N; Pairon, JC; Orłowski, E; Zakia, T; Nourry, J; Saux, M; Dufour, G; Bignon, J; Brochard, P. (1994). Characterization of occupational exposures in compensated asbestos-related diseases in France. *Archives des Maladies Professionnelles et de Médecine du Travail.* 55: 25-34.
- Sandsta, NR; Robins, B; Furnes, H; de Wit, M. (2011). The origin of large varioles in flow-banded pillow lava from the Hooggenoeg Complex, Barberton Greenstone Belt, South Africa. *Contributions to Mineralogy and Petrology.* 162: 365-377. <http://dx.doi.org/10.1007/s00410-010-0601-4>.
- Sanna, A; Dri, M; Maroto-Valer, M. (2013). Carbon dioxide capture and storage by pH swing aqueous mineralisation using a mixture of ammonium salts and antigorite source. *Fuel.* 114: 153-161. <http://dx.doi.org/10.1016/j.fuel.2012.08.014>.
- Sansone, MTC; Prosser, G; Rizzo, G; Tartarotti, P. (2012). Spinel-peridotites of the Frido Unit ophiolites (Southern Apennine-Italy): evidence for oceanic evolution. *Periodico di Mineralogia.* 81: 35-59. <http://dx.doi.org/10.2451/2012PM0003>.

Exposure Literature Search Results

Off Topic

- Santi, I; Kröll, LE; Dietz, A; Becher, H; Ramroth, H. (2013). Occupation and educational inequalities in laryngeal cancer: the use of a job index. *BMC Public Health*. 13: 1080. <http://dx.doi.org/10.1186/1471-2458-13-1080>.
- Santibañez, M; Alguacil, J; de La Hera, MG; Navarrete-Muñoz, EM; Llorca, J; Aragonés, N; Kauppinen, T; Vioque, J; Group, PS. (2012). Occupational exposures and risk of stomach cancer by histological type. *Occup Environ Med*. 69: 268-275. <http://dx.doi.org/10.1136/oemed-2011-100071>.
- Santibanez, M; Vioque, J; Alguacil, J; Barber, X; de la Hera, G; Kauppinen, T. (2008). Occupational exposures and risk of oesophageal cancer by histological type: a case-control study in eastern Spain. *Occup Environ Med*. 65: 774-781. <http://dx.doi.org/10.1136/oem.2007.037929>.
- Santos, HD; Yada, K. (1983). THERMAL TRANSFORMATION OF ANTIGORITE AS STUDIED BY ELECTRON-OPTICAL METHODS. *Clays and Clay Minerals*. 31: 241-250.
- Santos Souza, C, deBem; Rezende Fontes, PC; Moreira, MA; Cecon, PR; Puiatti, M. (2013). Basic seed potato yield in hydroponic systems as a function of N rates. 44: 714-723.
- Sargent, EN; Gordonson, J; Jacobson, G; Birnbaum, W; Shaub, M. (1978). Bilateral pleural thickening: a manifestation of asbestos dust exposure. *AJR Am J Roentgenol*. 131: 579-585. <http://dx.doi.org/10.2214/ajr.131.4.579>.
- Sarifakioglu, E; Dilek, Y; Sevin, M. (2014). Jurassic-Paleogene intraoceanic magmatic evolution of the Ankara Melange, north-central Anatolia, Turkey. 5: 77-108. <http://dx.doi.org/10.5194/se-5-77-2014>.
- Sarkar, SL; Jolicoeur, C; Khorami, J. (1987). MICROCHEMICAL AND MICROSTRUCTURAL INVESTIGATIONS OF DEGRADATION IN ASBESTOS-CEMENT SHEET. *Cement and Concrete Research*. 17: 864-874.
- Sartor, SG; Eluf-Neto, J; Travier, N; Wünsch Filho, V; Arcuri, AS; Kowalski, LP; Boffetta, P. (2007). [Occupational risks for laryngeal cancer: a case-control study]. *Cad Saude Publica*. 23: 1473-1481.
- Sartorelli, P; Romeo, R; Scancarello, G; Montomoli, L; Muzzupappa, C; Barabesi, L. (2007). Measurement of asbestos fibre concentrations in fluid of repeated bro-choalveolar lavages of exposed workers. *Ann Occup Hyg*. 51: 495-500. <http://dx.doi.org/10.1093/annhyg/mem014>.
- Sartorelli, P; Scancarello, G; Romeo, R; Marciano, G; Rottoli, P; Arcangeli, G; Palmi, S. (2001). Asbestos exposure assessment by mineralogical analysis of bronchoalveolar lavage fluid. *J Occup Environ Med*. 43: 872-881. <http://dx.doi.org/10.1097/00043764-200110000-00006>.
- Sarvaramini, A; Assima, GP; Beaudoin, G; Larachi, F. (2014). Biomass torrefaction and CO2 capture using mining wastes - A new approach for reducing greenhouse gas emissions of co-firing plants. *Fuel*. 115: 749-757. <http://dx.doi.org/10.1016/j.fuel.2013.07.087>.
- Sarvaramini, A; Larachi, F. (2011). Mossbauer Spectroscopy and Catalytic Reaction Studies of Chrysotile-Catalyzed Steam Reforming of Benzene. *J Phys Chem C*. 115: 6841-6848. <http://dx.doi.org/10.1021/jp2005309>.
- Sarvaramini, A; Larachi, F. (2012). Catalytic oxygenless steam cracking of syngas-containing benzene model tar compound over natural Fe-bearing silicate minerals. *Fuel*. 97: 741-750. <http://dx.doi.org/10.1016/j.fuel.2012.02.039>.
- Sarvaramini, A; Larachi, F. (2014). Fe/Mg Silicate Mining Residues as Solid Oxygen Carriers for Chemical Looping Combustion of Torrefaction Volatiles. *Energy Fuels*. 28: 1983-1991. <http://dx.doi.org/10.1021/ef402294v>.
- Sarvaramini, A; Larachi, F. (2014). Integrated biomass torrefaction - Chemical looping combustion as a method to recover torrefaction volatiles energy. *Fuel*. 116: 158-167. <http://dx.doi.org/10.1016/j.fuel.2013.07.119>.
- Sasaki, T; Asakura, M; Ishioka, C; Kasai, T; Katagiri, T; Fukushima, S. (2016). In vitro chromosomal aberrations induced by various shapes of multi-walled carbon nanotubes (MWCNTs). *J Occup Health*. 58: 622-631. <http://dx.doi.org/10.1539/joh.16-0099-OA>.
- Sasidharan, A; Swaroop, S; Koduri, CK; Girish, CM; Chandran, P; Panchakarla, LS; Somasundaram, VH; Gowd, GS; Nair, S; Koyakutty, M. (2015). Comparative in vivo toxicity, organ biodistribution and immune response of pristine, carboxylated and PEGylated few-layer graphene sheets in Swiss albino mice: A three month study. *Carbon*. 95: 511-524. <http://dx.doi.org/10.1016/j.carbon.2015.08.074>.
- Satapathy, BK; Bijwe, J. (2004). Performance of friction materials based on variation in nature of organic fibres Part II. Optimisation by balancing and ranking using multiple criteria decision model (MCDM). *Wear*. 257: 585-589. <http://dx.doi.org/10.1016/j.wear.2004.03.004>.
- Satapathy, BK; Bijwe, J. (2005). Fade and recovery behavior of non-asbestos organic (NAO) composite friction materials based on combinations of rock fibers and organic fibers. *Journal of Reinforced Plastics and Composites*. 24: 563-577. <http://dx.doi.org/10.1177/0731684405043561>.
- Satapathy, BK; Bijwe, J; Kolluri, DK. (2006). Assessment of fiber contribution to friction material performance using grey relational analysis (GRA). *Journal of Composite Materials*. 40: 483-501. <http://dx.doi.org/10.1177/0021998305055200>.
- Satin, KP; Bailey, WJ; Newton, KL; Ross, AY; Wong, O. (2002). Updated epidemiological study of workers at two California petroleum refineries, 1950-95. *Occup Environ Med*. 59: 248-256.
- Sato, H; Yamaguchi, Y; Makino, K. (1997). Cl incorporation into successively zoned amphiboles from the Ramnes cauldron, Norway. *Am Mineral*. 82: 316-324.
- Sato, T; Ishimura, C; Kasahara, J; Maegawa, K; Tatetsu, H; Tanaka, M. (2004). The seismicity and structure of Izu-Bonin arc mantle wedge at 31 degrees N revealed by ocean bottom seismographic observation. *Phys Earth Planet In*. 146: 551-562. <http://dx.doi.org/10.1016/j.pepi.2004.06.003>.
- Sato, Y; Nishida, T; Hosokawa, K; Takahashi, H. (2005). Progress of sealing technology in Japan for half a century. *Toraiborojitsuto*. 50: 857-863.
- Sattar, AMA; Gharabaghi, B; Mcbean, EA. (2016). Prediction of Timing of Watermain Failure Using Gene Expression Models. *Water Resources Management*. 30: 1635-1651. <http://dx.doi.org/10.1007/s11269-016-1241-x>.
- Sauman, Z. (1970). MEETING ON CEMENT AND ASBESTOS CEMENT PRODUCTION IN YUGOSLAVIA. 14: 111-&.
- Sauni, R; Oksa, P; Huikko, S; Roto, P; Uitti, J. (2003). Increased risk of asthma among Finnish construction workers. *Occup Med (Lond)*. 53: 527-531. <http://dx.doi.org/10.1093/occmed/kqg112>.

Exposure Literature Search Results

Off Topic

- Sauni, R; Oksa, P; Järvenpää, R; Parker, JE; Roto, P. (1998). Asbestos exposure: a potential cause of retroperitoneal fibrosis. *Am J Ind Med.* 33: 418-421.
- Sauni, R; Oksa, P; Lehtimäki, L; Toivio, P; Palmroos, P; Nieminen, R; Moilanen, E; Uitti, J. (2012). Increased alveolar nitric oxide and systemic inflammation markers in silica-exposed workers. *Occup Environ Med.* 69: 256-260. <http://dx.doi.org/10.1136/oemed-2011-100347>.
- Savage, KS; Ashley, RP; Bird, DK. (2009). Geochemical Evolution of a High Arsenic, Alkaline Pit-Lake in the Mother Lode Gold District, California. *Econ Geol.* 104: 1171-1211.
- Savastano, H; Agopyan, V. (1999). Transition zone studies of vegetable fibre-cement paste composites. *Cement and Concrete Composites.* 21: 49-57.
- Savastano, H; Warden, PG; Coutts, RSP. (2004). Evaluation of pulps from natural fibrous material for use as reinforcement in cement product. 19: 963-978. <http://dx.doi.org/10.1081/LMMP-200030684>.
- Savel'eva, VB; Zyryanov, AS. (2005). Geochemistry of rare-metal granites and metasomatic rocks in the Main Sayan Fault Zone, southwestern Baikal area. *Geochem Int.* 43: 53-70.
- Savitz, DA; Dufort, V; Armstrong, B; Thériault, G. (1997). Lung cancer in relation to employment in the electrical utility industry and exposure to magnetic fields. *Occup Environ Med.* 54: 396-402.
- Sawai, M; Katayama, I; Hamada, A; Maeda, M; Nakashima, S. (2013). Dehydration kinetics of antigorite using in situ high-temperature infrared microspectroscopy. *Physics and Chemistry of Minerals.* 40: 319-330. <http://dx.doi.org/10.1007/s00269-013-0573-9>.
- Sawyer, RN. (1979). Indoor asbestos pollution: application of hazard criteria. *Ann N Y Acad Sci.* 330: 579-586.
- Scaillet, B; Macdonald, R. (2001). Phase relations of peralkaline silicic magmas and petrogenetic implications. *Journal of Petrology.* 42: 825-845.
- Scales, M. (1982). CANADA BACKS ASBESTOS USE, THIRD-WORLD PROVIDES MARKETS. 103: 19-&.
- Scambelluri, M; Bottazzi, P; Trommsdorff, V; Vannucci, R; Hermann, J; Gomez-Pugnaire, MT; Sanchez-Vizcaino, VL. (2001). Incompatible element-rich fluids released by antigorite breakdown in deeply subducted mantle. *Earth Planet Sci Lett.* 192: 457-470.
- Scambelluri, M; Malaspina, N; Hermann, J. (2007). Subduction fluids and their interaction with the mantle wedge: a perspective from the study of high-pressure ultramafic rocks. *Periodico di Mineralogia.* 76: 253-265. <http://dx.doi.org/10.2451/2007PM0028>.
- Scambelluri, M; Muntener, O; Ottolini, L; Pettke, TT; Vannucci, R. (2004). The fate of B, Cl and Li in the subducted oceanic mantle and in the antigorite breakdown fluids. *Earth Planet Sci Lett.* 222: 217-234. <http://dx.doi.org/10.1016/j.epsl.2004.02.012>.
- Scambelluri, M; Pettke, T; Cannao, E. (2015). Fluid-related inclusions in Alpine high-pressure peridotite reveal trace element recycling during subduction-zone dehydration of serpentinized mantle (Cima di Gagnone, Swiss Alps). *Earth Planet Sci Lett.* 429: 45-59. <http://dx.doi.org/10.1016/j.epsl.2015.07.060>.
- Scambelluri, M; Philippot, P. (2004). Volatile and mobile element recycling during subduction of the oceanic lithosphere. Insights from metasediments and serpentinites of the Alps. *Periodico di Mineralogia.* 73: 221-233.
- Scambelluri, M; Piccardo, GB; Philippot, P; Robbiano, A; Negretti, L. (1997). High salinity fluid inclusions formed from recycled seawater in deeply subducted alpine serpentinite. *Earth Planet Sci Lett.* 148: 485-499.
- Scambelluri, M; Rampone, E; Piccardo, GB. (2001). Fluid and element cycling in subducted serpentinite: A trace-element study of the Erro-Tobbio high-pressure ultramafites (Western alps, NW Italy). *Journal of Petrology.* 42: 55-67.
- Scancarello, G; Romeo, R; Sartorelli, E. (1996). Respiratory disease as a result of talc inhalation. *J Occup Environ Med.* 38: 610-614.
- Scansetti, G; Botta, GC; Capellaro, F; Piolatto, G. (1981). Exposure to chrysotile asbestos in friction materials industry. *Med Lav.* 72: 46-51.
- Scansetti, G; Coscia, GC; Pisani, W; Rubino, GF. (1975). Cement, asbestos, and cement-asbestos pneumoconioses. *Arch Environ Health.* 30: 272-275.
- Scansetti, G; Pavan, I; Botta, GC; Belliardo, F. (1980). Problems deriving from asbestos fibres wetting in the textile industry. *Med Lav.* 71: 422-427.
- Scansetti, G; Piolatto, G. (1987). Tremolite/chrysotile ratios [Letter]. *Am J Ind Med.* 12: 117-118.
- Scansetti, G; Pira, E; Botta, GC; Turbiglio, M; Piolatto, G. (1993). ASBESTOS EXPOSURE IN A STEAM-ELECTRIC GENERATING PLANT. *Ann Occup Hyg.* 37: 645-653.
- Scarselli, A; Binazzi, A; Altavista, P; Mastrantonio, M; Uccelli, R; Marinaccio, A. (2007). [Malignant pleural cancers mortality and compensated cases for asbestos related diseases in Lazio municipalities (1980-2001)]. *Med Lav.* 98: 30-38.
- Scarselli, A; Corfiati, M; Di Marzio, D. (2016). Occupational exposure in the removal and disposal of asbestos-containing materials in Italy. *Int Arch Occup Environ Health.* 89: 857-865. <http://dx.doi.org/10.1007/s00420-016-1126-6>.
- Scarselli, A; Scano, P; Marinaccio, A; Iavicoli, S. (2009). Occupational Cancer in Italy: Evaluating the Extent of Compensated Cases in the Period 1994-2006. *Am J Ind Med.* 52: 859-867. <http://dx.doi.org/10.1002/ajim.20758>.
- Schanamann, SR. (1986). Air monitoring is not enough to estimate future asbestos hazards. *Occup Health Saf.* 55: 31-35, 55.
- Schempf, H; Mutschler, E; Chemel, B; Boehmke, S; Piegras, C; Crowley, W. (1998). A robotic pipe-asbestos insulation removal system. *Ind Robot.* 25: 196-+.
- Schepers, GW. (1995). Chronology of asbestos cancer discoveries: experimental studies of the Saranac Laboratory. *Am J Ind Med.* 27: 593-606.
- Schepers, GWH. (1993). TLVS FOR ASBESTOS [Letter]. *Am J Ind Med.* 23: 967-969.
- Schilirò, T; Alessandria, L; Degan, R; Traversi, D; Gilli, G. (2010). Chemical characterisation and cytotoxic effects in A549 cells of urban-air PM10 collected in Torino, Italy. *Environ Toxicol Pharmacol.* 29: 150-157. <http://dx.doi.org/10.1016/j.etap.2009.12.005>.
- Schimmelpfeng, J; Drosselmeyer, E; Hofheinz, V; Seidel, A. (1992). Influence of surfactant components and exposure geometry on the effects of quartz and asbestos on alveolar macrophages. *Environ Health Perspect.* 97: 225-231.
- Schimmelpfeng, J; Seidel, A. (1991). Cytotoxic effects of quartz and chrysotile asbestos: in vitro interspecies comparison with alveolar macrophages. *J Toxicol Environ Health.* 33: 131-140. <http://dx.doi.org/10.1080/15287399109531513>.

Exposure Literature Search Results

Off Topic

- Schins, RPF; Gaudichet, A; Jaurand, MC. (1993). A METHOD TO OBTAIN A WELL-DEFINED FRACTION OF RESPIRABLE PARA-ARAMID FIBERS. *Environ Health Perspect.* 101: 414-416.
- Schins, RPF; Schilderman, P; Borm, PJA. (1995). OXIDATIVE DNA-DAMAGE IN PERIPHERAL-BLOOD LYMPHOCYTES OF COAL-WORKERS. *Int Arch Occup Environ Health.* 67: 153-157.
- Schinwald, A; Murphy, FA; Jones, A; Macnee, W; Donaldson, K. (2012). Graphene-based nanoplatelets: a new risk to the respiratory system as a consequence of their unusual aerodynamic properties. *ACS Nano.* 6: 736-746. <http://dx.doi.org/10.1021/nl204229f>.
- Schlecht, PC; Shulman, SA. (1986). PERFORMANCE OF ASBESTOS FIBER COUNTING LABORATORIES IN THE NIOSH PROFICIENCY ANALYTICAL TESTING (PAT) PROGRAM. *Am Ind Hyg Assoc J.* 47: 259-269.
- Schlecht, PC; Shulman, SA. (1995). Phase contrast microscopy asbestos fiber counting performance in the Proficiency Analytical Testing program. *Am Ind Hyg Assoc J.* 56: 480-489.
- Schlegel, H; Kempf, E. (1982). [Mesothelioma following occupational contact with asbestos]. *Soz Praventivmed.* 27: 220-222.
- Schlezinger, Z. (1986). USE OF ASBESTOS IN THE ISRAELI DEFENSE FORCES. *Am J Ind Med.* 10: 539-541.
- Schlipkoter, HW; K-H, F. (1975). The Importance Of Fibrous Dusts On Health And The Method Of Measuring Its Effect (pp. 359-362). (NIOSH/00136347). Schlipkoter, HW; Friedrichs K-H.
- Schloemer, JR. (1982). Health Hazard Evaluation Report No. TA-80-028-1063, Post Office Courthouse Building, Louisville, Kentucky (pp. 80-028). (NIOSH/00179180). Schloemer, JR.
- Schmauder, K. (1984). SUBSTITUTION OF ASBESTOS IN CYLINDER HEAD SEALS. 37: 540-&.
- Schmidt, D; Schmidt, ST; Mullis, J; Mahlmann, RF; Frey, M. (1997). Very low grade metamorphism of the Tavayanne formation of western Switzerland. *Contributions to Mineralogy and Petrology.* 129: 385-403.
- Schmidt, K; Garbe-Schoenberg, D; Koschinsky, A; Strauss, H; Jost, CL; Kleyenz, V; Koeniger, P. (2011). Fluid elemental and stable isotope composition of the Nibelungen hydrothermal field (8 degrees 18 ' S, Mid-Atlantic Ridge): Constraints on fluid-rock interaction in heterogeneous lithosphere. *Chem Geol.* 280: 1-18. <http://dx.doi.org/10.1016/j.chemgeo.2010.07.008>.
- Schnatter, AR; Nicolich, MJ; Lewis, RJ; Thompson, FL; Dineen, HK; Drummond, I; Dahlman, D; Katz, AM; Thériault, G. (2012). Lung cancer incidence in Canadian petroleum workers. *Occup Environ Med.* 69: 877-882. <http://dx.doi.org/10.1136/oemed-2011-100641>.
- Schneider, GJ. (1994). Standardization of Protocol for the Sampling, Testing and abatement of Asbestos Containing Joint Compound. 130.
- Schneider, J; Presek, P; Braun, A; Woitowitz, HJ. (1999). Serum levels of pantropic p53 protein and EGF-receptor, and detection of anti-p53 antibodies in former uranium miners (SDAG Wismut). *Am J Ind Med.* 36: 602-609.
- Schneider, K; Konietzka, R; Schuhmacher-Wolz, U. (2001). Assignment of carcinogenic air contaminants to emission classes of the TA Luft amendment. *Staub, Reinhaltung der Luft.* 61: 454-458.
- Schneider, SP. (1987). ASBESTOS EXAMINATIONS FOR CONSTRUCTION WORKERS [Letter]. *Am J Public Health.* 77: 645-646.
- Schneider, T. (1992). ESTIMATION OF MINERAL FIBER CONTAMINATION. *Staub, Reinhaltung der Luft.* 52: 201-207.
- Schneider, T. (1993). SHAPE AND ORIENTATION EFFECTS ON VOLUME DETERMINATION BY MICROSCOPY OF LATHE-SHAPED FIBERS MODELED BY TRIVARIATE LOG-NORMAL SIZE DISTRIBUTIONS. *J Aerosol Sci.* 24: 963-971.
- Schneider, T; Burdett, G; Martinon, L; Brochard, P; Guillemin, M; Teichert, U; Draeger, U. (1996). Ubiquitous fiber exposure in selected sampling sites in Europe. *Scand J Work Environ Health.* 22: 274-284.
- Schneider, T; Holst, E. (1995). VARIABILITY OF TOTAL MASS AND OTHER MEASURES OF SMALL SAMPLES OF PARTICLES. *J Aerosol Sci.* 26: 127-136.
- Schneiderman, JS; Tracy, RJ. (1991). PETROLOGY OF ORTHOAMPHIBOLE-CORDIERITE GNEISSES FROM THE ORIJARVI AREA, SOUTHWEST FINLAND. *Am Mineral.* 76: 942-955.
- SCHNITZE.RJ; Bunescu, G. (1970). POLYMERS AS SELECTIVE ANTAGONISTS OF HEMOLYTIC ASBESTOS FIBERS. *Arch Environ Health.* 20: 481-&.
- Schnurrenberger, E. (1987). DUST AS A FACTOR IN THE ASSESSMENT OF POTENTIAL HEALTH RISKS IN CHEMICAL MANUFACTURING PLANTS (pp. 107-110). (BIOSIS/87/22977). Schnurrenberger, E.
- Schochat, T; Seidel, HJ. (2001). [Epidemiology in the study of human ecology - concept and evaluation of a seminar]. *Gesundheitswesen.* 63: 561-566. <http://dx.doi.org/10.1055/s-2001-16681>.
- Schock, MR; Buelow, RW. (1981). THE BEHAVIOR OF ASBESTOS-CEMENT PIPE UNDER VARIOUS WATER-QUALITY CONDITIONS .2. THEORETICAL CONSIDERATIONS. *J Am Water Works Assoc.* 73: 636-651.
- Scholten, JJ; Beers, AM; Kiel, AM. (1975). STUDIES ON PORE STRUCTURE OF ADSORBENTS AND CATALYSTS .1. DETERMINATION OF PORE-SIZE DISTRIBUTION OF SYNTHETIC CHRYSOTILE BY ELECTRON-MICROSCOPY. *J Catal.* 36: 23-29.
- Schreier, H; Lavkulich, L, es. (2015). Cumulative effects of the transport of asbestos-rich serpentinite sediments in the trans-boundary Sumas Watershed in Washington State and British Columbia. *Can Water Resour J.* 40: 262-271. <http://dx.doi.org/10.1080/07011784.2015.1051495>.
- Schreier, H; Shelford, JA; Nguyen, TD. (1986). ASBESTOS FIBERS AND TRACE METALS IN THE BLOOD OF CATTLE GRAZING IN FIELDS INUNDATED BY ASBESTOS-RICH SEDIMENTS. *Environ Res.* 41: 99-109.
- Schreier, H; Timmenga, HJ. (1986). EARTHWORM RESPONSE TO ASBESTOS RICH SERPENTINITIC SEDIMENTS. *Soil Biol Biochem.* 18: 85-89.
- Schreurs, J; Westra, L. (1985). CORDIERITE-ORTHOPYROXENE ROCKS - THE GRANULITE FACIES EQUIVALENTS OF THE ORIJARVI CORDIERITE-ANTHOPHYLLITE ROCKS IN WEST UUSIMAA, SOUTHWEST FINLAND. *Lithos.* 18: 215-228.
- Schroeder, T; John, BE. (2004). Strain localization on an oceanic detachment fault system, Atlantis Massif, 30 degrees N, Mid-Atlantic Ridge. *G-cubed.* 5. <http://dx.doi.org/10.1029/2004GC000728>.
- Schubauer-Berigan, MK; Deddens, JA; Couch, JR; Petersen, MR. (2011). Risk of lung cancer associated with quantitative beryllium exposure metrics within an occupational cohort. *Occup Environ Med.* 68: 354-360. <http://dx.doi.org/10.1136/oem.2010.056515>.

Exposure Literature Search Results

Off Topic

- Schubauer-Berigan, MK; Hein, MJ; Raudabaugh, WM; Ruder, AM; Silver, SR; Spaeth, S; Steenland, K; Petersen, MR; Waters, KM. (2011). Update of the NIOSH Life Table Analysis System: A Person-Years Analysis Program for the Windows Computing Environment. *Am J Ind Med.* 54: 915-924. <http://dx.doi.org/10.1002/ajim.20999>.
- Schuez, J; Schonfeld, SJ; Kromhout, H; Straif, K; Kashanskiy, SV; Kovalevskiy, EV; Bukhtiyarov, IV; McCormack, V. (2013). A retrospective cohort study of cancer mortality in employees of a Russian chrysotile asbestos mine and mills: Study rationale and key features. *Cancer Epidemiology.* 37: 440-445. <http://dx.doi.org/10.1016/j.canep.2013.03.001>.
- Schulte, PA; Kuempel, ED; Zumwalde, RD; Geraci, CL; Schubauer-Berigan, MK; Castranova, V; Hodson, L; Murashov, V; Dahm, MM; Ellenbecker, M. (2012). Focused actions to protect carbon nanotube workers [Review]. *Am J Ind Med.* 55: 395-411. <http://dx.doi.org/10.1002/ajim.22028>.
- Schultz, HJ. (1984). GLASS STAPLE FIBERS - A RAW-MATERIAL TO REPLACE ASBESTOS. 65: 449-454.
- Schultz, HJ. (1984). GLASS STAPLE FIBERS AS SUBSTITUTE FOR ASBESTOS. 37: 558-&.
- Schulz, SE; Evans, JP. (1998). Spatial variability in microscopic deformation and composition of the Punchbowl fault, southern California: implications for mechanisms, fluid-rock interaction, and fault morphology. *Tectonophysics.* 295: 223-244.
- Schumacher, JC; Brady, JB; Cheney, JT; Tonnsen, RR. (2008). Glaucofane-bearing marbles on Syros, Greece. *Journal of Petrology.* 49: 1667-1686. <http://dx.doi.org/10.1093/petrology/egn042>.
- Schutz, A; Coenen, W. (1980). ASBESTOS LIMIT VALUES, CRITERIA FOR THE EFFECT DETERMINATION, ENTERPRISE MONITORING BY MEASURING TECHNIQUES. *Staub, Reinhaltung der Luft.* 40: 194-197.
- Schutz, A; H-J, W. (1973). Technical Standard Values for the Admissible Working Place Concentration of Chrysotile Asbestos (pp. 445-450). (NIOSH/00191489). Schutz, A; Woitowitz H-J.
- Schwartz, DA; Vaughan, TL; Heyer, NJ; Koepsell, TD; Lyon, JL; Swanson, GM; Weiss, NS. (1988). B cell neoplasms and occupational asbestos exposure. *Am J Ind Med.* 14: 661-671.
- Schwartz, S; Guillot, S; Reynard, B; Lafay, R; Debret, B; Nicolle, C; Lanari, P; Auzende, AL. (2013). Pressure-temperature estimates of the lizardite/antigorite transition in high pressure serpentinites. *Lithos.* 178: 197-210. <http://dx.doi.org/10.1016/j.lithos.2012.11.023>.
- Sciuto, PF; Ottonello, G. (1995). WATER-ROCK INTERACTION ON ZABARGAD ISLAND, RED-SEA - A CASE-STUDY .2. FROM LOCAL EQUILIBRIUM TO IRREVERSIBLE EXCHANGES. *Geochim Cosmo Acta.* 59: 2207-2213.
- Scott, PW; Jackson, TA; Dunham, AC. (1999). Economic potential of the ultramafic rocks of Jamaica and Tobago: two contrasting geological settings in the Caribbean. *Miner Depos.* 34: 718-723.
- Scott, SW. (1983). FRICTION RESEARCH PUTS THE BRAKES ON ASBESTOS USE. *Res/Dev.* 25: 88-90.
- Scott, SW. (1984). ASBESTOS SUBSTITUTES IN FRICTION APPLICATIONS. *Design News.* 40: 44-&.
- Seal, S; Barr, TL; Krezoski, S; Petering, DH; Antholine, W. (1997). Characterization of chemical interaction of asbestos surfaces during culturing with lung cells. *Journal of Vacuum Science and Technology A.* 15: 1235-1245.
- Seal, S; Krezoski, S; Barr, TL; Petering, DH; Evans, PH; Klinowski, J. (1997). Surface chemical interaction of fibrous asbestos with biocells: An ESCA study. *J Hazard Mater.* 53: 57-74.
- Seal, S; Krezoski, S; Barr, TL; Petering, DH; Klinowski, J; Evans, PH. (1996). Surface chemistry and biological pathogenicity of silicates: An X-ray photoelectron spectroscopic study. *Proc Biol Sci.* 263: 943-951. <http://dx.doi.org/10.1098/rspb.1996.0140>.
- Searl, A. (1994). A review of the durability of inhaled fibres and options for the design of safer fibres. *Ann Occup Hyg.* 38: 839-855.
- Searl, A. (1997). A comparative study of the clearance of respirable para-aramid, chrysotile and glass fibres from rat lungs. *Ann Occup Hyg.* 41: 217-233. [http://dx.doi.org/10.1016/S0003-4878\(96\)00036-1](http://dx.doi.org/10.1016/S0003-4878(96)00036-1).
- Searl, A; Buchanan, D; Cullen, RT; Jones, AD; Miller, BG; Soutar, CA. (1999). Biopersistence and durability of nine mineral fibre types in rat lungs over 12 months. *Ann Occup Hyg.* 43: 143-153.
- Sebastien, P; Masse, R; Bignon, J. (1980). Recovery of ingested asbestos fibers from the gastrointestinal lymph in rats. *Environ Res.* 22: 201-216.
- Sebastien, P; McDonald, JC; McDonald, AD; Case, B; Harley, R. (1989). Respiratory cancer in chrysotile textile and mining industries: exposure inferences from lung analysis. *Br J Ind Med.* 46: 180-187.
- Sedlatschek, C. (2000). The European Agency for Safety and Health at Work - The information network providing information on all topics related to safety and health at work. *Staub, Reinhaltung der Luft.* 60: 295-299.
- Seel, EA; Zaebst, DD; Hein, MJ; Liu, J; Nowlin, SJ; Chen, P. (2007). Inter-rater agreement for a retrospective exposure assessment of asbestos, chromium, nickel and welding fumes in a study of lung cancer and ionizing radiation. *Ann Occup Hyg.* 51: 601-610. <http://dx.doi.org/10.1093/annhyg/mem037>.
- Seetharaman, S; Ravichandran, S; Davidson, DJ; Vasudevan, S; Sozhan, G. (2011). Polyvinyl Alcohol Based Membrane as Separator for Alkaline Water Electrolyzer. *Separation Science and Technology.* 46: 1563-1570. <http://dx.doi.org/10.1080/01496395.2011.575427>.
- Segger, MCC; Gehring, MW. (2003). The WTO and precaution: Sustainable development implications of the WTO asbestos dispute. *Journal of Environmental Law.* 15: 289-+.
- Segura, O; Burdorf, A; Looman, C. (2003). Update of predictions of mortality from pleural mesothelioma in the Netherlands. *Occup Environ Med.* 60: 50-55.
- Seidler, A; Becker, N; Nieters, A; Arhelger, R; Mester, B; Rossnagel, K; Deeg, E; Elsner, G; Melis, M; Sesler, S; Avataneo, G; Meloni, M; Cocco, P. (2010). Asbestos exposure and malignant lymphoma: a multicenter case-control study in Germany and Italy. *Int Arch Occup Environ Health.* 83: 563-570. <http://dx.doi.org/10.1007/s00420-009-0502-x>.
- Seidman, H; Selikoff, IJ; Gelb, SK. (1986). Mortality experience of amosite asbestos factory workers: Dose-response relationships 5 to 40 years after onset of short-term work exposure. *Am J Ind Med.* 10: 479-514.

Exposure Literature Search Results

Off Topic

- Seipold, U; Schilling, FR. (2003). Heat transport in serpentinites. *Tectonophysics*. 370: 147-162. [http://dx.doi.org/10.1016/S0040-1951\(03\)00183-5](http://dx.doi.org/10.1016/S0040-1951(03)00183-5).
- Seiti, B; Topi, D; Malollari, I; Xhaxhiu, K; Drushku, S; Shehu, F. (2013). CRUDE OIL WASTES RECYCLING, THE ECONOMICAL AND ENVIRONMENTAL OUTCOMES. A CASE STUDY. *J Environ Prot Ecol*. 14: 99-106.
- Seixas, NS. (2013). Protecting our science [Editorial]. *Ann Occup Hyg*. 57: 963-965. <http://dx.doi.org/10.1093/annhyg/met056>.
- Sekhon, HS; Keeling, B; Churg, A. (1993). Rat pleural mesothelial cells show damage after exposure to external but not internal cigarette smoke. *Environ Health Perspect*. 101: 326-330.
- Sekine, T; Meng, C; Zhu, W; He, H. (2012). Direct evidence for decomposition of antigorite under shock loading. *J Geophys Res*. 117. <http://dx.doi.org/10.1029/2011JB008439>.
- Seldén, AI; Berg, NP; Lundgren, EA; Hillerdal, G; Wik, NG; Ohlson, CG; Bodin, LS. (2001). Exposure to tremolite asbestos and respiratory health in Swedish dolomite workers. *Occup Environ Med*. 58: 670-677. <http://dx.doi.org/10.1136/oem.58.10.670>.
- Seldén, AI; Westberg, HB; Axelson, O. (1997). Cancer morbidity in workers at aluminum foundries and secondary aluminum smelters. *Am J Ind Med*. 32: 467-477.
- Selig, O. (1990). USE OF ASBESTOS. *Chem Eng News*. 68: 2-&.
- Selikoff, IJ. (1991). Asbestos disease-1990-2020: the risks of asbestos risk assessment [Review]. *Toxicol Ind Health*. 7: 117-127.
- Selikoff, IJ. (1991). Statistical compassion. *J Clin Epidemiol*. 44 Suppl 1: 141S-146S.
- Selikoff, IJ. (1992). Death certificates in epidemiological studies, including occupational hazards: inaccuracies in occupational categories. *Am J Ind Med*. 22: 493-504.
- Selikoff, IJ; Churg, J; Hammond, EC. (1972). EPIDEMIOLOGIC STUDY OF ASBESTOS INSULATION WORKERS. *Am Ind Hyg Assoc J*. 33: 43-&.
- Selikoff, IJ; Hammond, EC. (1971). Asbestos exposure to coke oven operators. *J Occup Med*. 13: 496-497.
- Selikoff, IJ; Hammond, EC; Churg, J. (1999). Asbestos exposure, smoking and neoplasia. *Salud Publica Mex*. 41: S143-S154.
- Selikoff, IJ; Lillis, R. (1991). Radiological abnormalities among sheet-metal workers in the construction industry in the United States and Canada: Relationship to asbestos exposure. *Arch Environ Health*. 46: 30-36. <http://dx.doi.org/10.1080/00039896.1991.9937426>.
- Selikoff, IJ; Seidman, H. (1981). Health Effects of Amosite Asbestos Exposure. *J Environ Biol*. 2: 63-78.
- Selikoff, IJ; Seidman, H. (1991). Evaluation of selection bias in a cross-sectional survey. *Am J Ind Med*. 20: 615-627.
- Selikoff, IJ; Seidman, H. (1992). Use of death certificates in epidemiological studies, including occupational hazards: Variations in discordance of different asbestos-associated diseases on best evidence ascertainment. *Am J Ind Med*. 22: 481-492. <http://dx.doi.org/10.1002/ajim.4700220403>.
- Silverstone, J; Sharp, ZD. (2011). Chlorine isotope evidence for multicomponent mantle metasomatism in the Ivrea Zone. *Earth Planet Sci Lett*. 310: 429-440. <http://dx.doi.org/10.1016/j.epsl.2011.08.034>.
- Semones, JA; Jolly, B. (1988). ASBESTOS AND THE INDUSTRIAL HYGIENIST. *Am Ind Hyg Assoc J*. 49: A16-A17.
- Senda, K; Ishida, K; Jenkins, DM. (2005). X-ray Rietveld refinement and FTIR spectra of synthetic (Si,Ge)-richterites. *Am Mineral*. 90: 1062-1071.
- Sengupta, A; Kadam, RM; Rajeswari, B; Dhobale, AR; Babu, Y; Godbole, SV. (2010). Characterization of Indian serpentine by X-ray diffraction, photoacoustic spectroscopy and electron paramagnetic resonance spectroscopy. *Appl Clay Sci*. 50: 305-310. <http://dx.doi.org/10.1016/j.clay.2010.08.013>.
- Seo, J; Choi, SG, yu; Kim, DW, oo; Park, JW, oo; Oh, CW. (2015). A new genetic model for the Triassic Yangyang iron-oxide-apatite deposit, South Korea: Constraints from in situ U-Pb and trace element analyses of accessory minerals. *Ore Geol Rev*. 70: 110-135. <http://dx.doi.org/10.1016/j.oregeorev.2015.04.009>.
- Sepulveda, MJ; Merchant, JA. (1983). Roentgenographic evidence of asbestos exposure in a select population of railroad workers. *Am J Ind Med*. 4: 631-639.
- Seshan, K. (1977). Explanation for the insensitivity to tilts of the electron diffraction patterns of amphibole asbestos fibers. *Environ Res*. 14: 46-58.
- Seshan, K. (1983). HOW ARE THE PHYSICAL AND CHEMICAL-PROPERTIES OF CHRYSOTILE ASBESTOS ALTERED BY A 10-YEAR RESIDENCE IN WATER AND UP TO 5 DAYS IN SIMULATED STOMACH ACID. *Environ Health Perspect*. 53: 143-148.
- Seyfried, WE, Jr; Foustoukos, DI; Fu, Q, i. (2007). Redox evolution and mass transfer during serpentinization: An experimental and theoretical study at 200 degrees C, 500 bar with implications for ultramafic-hosted hydrothermal systems at Mid-Ocean Ridges. *Geochim Cosmo Acta*. 71: 3872-3886. <http://dx.doi.org/10.1016/j.gca.2007.05.015>.
- Seyfried, WE, Jr; Pester, NJ; Ding, K; Rough, M. (2011). Vent fluid chemistry of the Rainbow hydrothermal system (36 degrees N, MAR): Phase equilibria and in situ pH controls on seafloor alteration processes. *Geochim Cosmo Acta*. 75: 1574-1593. <http://dx.doi.org/10.1016/j.gca.2011.01.001>.
- Seyfried, WE, Jr; Pester, NJ; Tutolo, BM; Ding, K. (2015). The Lost City hydrothermal system: Constraints imposed by vent fluid chemistry and reaction path models on seafloor heat and mass transfer processes. *Geochim Cosmo Acta*. 163: 59-79. <http://dx.doi.org/10.1016/j.gca.2015.04.040>.
- S-H, C; Kang, D; K-S, K; H-J, K; D-H, K; Ha, M; S-H, H; Ju, YS. (1997). Estimates of occupational cancer in Korea. *J Occup Health*. 39: 192-196.
- Sha, B; Gao, W, ei; Wang, S; Xu, F; Lu, T. (2011). Cytotoxicity of titanium dioxide nanoparticles differs in four liver cells from human and rat. *Composites Part B: Engineering*. 42: 2136-2144. <http://dx.doi.org/10.1016/j.compositesb.2011.05.009>.
- Sha, LK; Chappell, BW. (1996). A kinetic model for three-site intracrystalline ordering-disordering in minerals. *Geochim Cosmo Acta*. 60: 2075-2086.
- Shafie-Pour, M; Tavakoli, A. (2013). On-Road Vehicle Emissions Forecast Using IVE Simulation Model. *International Journal of Environmental Research*. 7: 367-376.

Exposure Literature Search Results

Off Topic

- Shahata, K; Zayed, T. (2013). Simulation-based life cycle cost modeling and maintenance plan for water mains. *Structure & Infrastructure Engineering*. 9: 403-415. <http://dx.doi.org/10.1080/15732479.2011.552509>.
- Shallari, S; Schwartz, C; Hasko, A; Morel, JL. (1998). Heavy metals in soils and plants of serpentine and industrial sites of Albania. *Sci Total Environ*. 209: 2-3.
- Shangina, O; Brennan, P; Szeszenia-Dabrowska, N; Mates, D; Fabiánová, E; Fletcher, T; T'Mannetje, A; Boffetta, P; Zaridze, D. (2006). Occupational exposure and laryngeal and hypopharyngeal cancer risk in central and eastern Europe. *Am J Epidemiol*. 164: 367-375. <http://dx.doi.org/10.1093/aje/kwj208>.
- Shannahan, JH; Nyska, A; Cesta, M; Schladweiler, MC; Vallant, BD; Ward, WO; Ghio, AJ; Gavett, SH; Kodavanti, UP. (2012). Subchronic pulmonary pathology, iron overload, and transcriptional activity after libby amphibole exposure in rat models of cardiovascular disease. *Environ Health Perspect*. 120: 85-91. <http://dx.doi.org/10.1289/ehp.1103990>.
- Shannahan, JH; Schladweiler, MC; Thomas, RF; Ward, WO; Ghio, AJ; Gavett, SH; Kodavanti, UP. (2012). Vascular and thrombogenic effects of pulmonary exposure to Libby amphibole. *J Toxicol Environ Health A*. 75: 213-231. <http://dx.doi.org/10.1080/15287394.2012.652055>.
- Shao, JA; Fu, YQ; Zang, QJ; Wang, YF. (1990). DUCTILE INSTABILITY - SHENTANGYU DUCTILE SHEAR ZONE AND THE TREMOLITES GLASS IN HUAIROU, BEIJING. *Diqiu Wuli Xuebao*. 33: 196-201.
- Shao, T; Ji, S; Kondo, Y; Michibayashi, K; Wang, Q; Xu, Z; Sun, S; Marcotte, D; Salisbury, MH. (2014). Antigorite-induced seismic anisotropy and implications for deformation in subduction zones and the Tibetan Plateau. *J Geophys Res Solid Earth*. 119: 2068-2099. <http://dx.doi.org/10.1002/2013JB010661>.
- Sharikov, FY, u; Korytkov, EN; Gusarov, VV. (2007). Effect of the thermal prehistory of components on the hydration and crystallization of Mg₃Si₂O₅(OH)₄ nanotubes under hydrothermal conditions. *Glass Physics and Chemistry*. 33: 515-520. <http://dx.doi.org/10.1134/S108765960705015X>.
- Sharma, A. (1996). Experimentally derived thermochemical data for pargasite and reinvestigation of its stability with quartz in the system Na₂O-CaO-MgO-Al₂O₃-SiO₂-H₂O. *Contributions to Mineralogy and Petrology*. 125: 263-275.
- Sharma, A; Jenkins, DM. (1999). Hydrothermal synthesis of amphiboles along the tremolite-pargasite join and in the ternary system tremolite-pargasite-cummingtonite. *Am Mineral*. 84: 1304-1318.
- Sharma, RS. (1979). STRUCTURAL MODIFICATION OF CHRYSOTILE ASBESTOS FIBERS IN DRAG REDUCTION. *Chem Eng Sci*. 34: 415-417.
- Sharma, S; Bijwe, J; Kumar, M. (2013). Comparison Between Nano- and Micro-Sized Copper Particles as Fillers in NAO Friction Materials. 3.
- Sharon, A. (1986). DUST LEVELS IN AN ASBESTOS-CEMENT FACTORY PROBLEM SOLVING (pp. 5-6). (ISSN 0271-3586; EISSN 1097-0274; BIOSIS/87/09243). Sharon, A.
- Sharp, ZD; Barnes, JD. (2008). Comment to "Chlorine stable isotopes and halogen concentrations in convergent margins with implications for the Cl isotopes cycle in the ocean" by Wei et al. A review of the Cl isotope composition of serpentinites and the global chlorine cycle. *Earth Planet Sci Lett*. 274: 531-534. <http://dx.doi.org/10.1016/j.epsl.2008.07.031>.
- Sharpe, WE; Dewalle, DR. (1990). THE EFFECTS OF ACID PRECIPITATION RUNOFF EPISODES ON RESERVOIR AND TAPWATER QUALITY IN AN APPALACHIAN MOUNTAIN WATER-SUPPLY. *Environ Health Perspect*. 89: 153-158.
- Sharrock, P. (1982). CHRYSOTILE ASBESTOS FIBERS FROM QUEBEC - ELECTRON MAGNETIC-RESONANCE IDENTIFICATION. *Geochim Cosmo Acta*. 46: 1311-1315.
- Shau, YH; Peacor, DR; Ghose, S; Phakey, PP. (1993). SUBMICROSCOPIC EXSOLUTION IN MN-BEARING ALKALI AMPHIBOLES FROM TIRODI, MAHARASHTRA, INDIA. *Am Mineral*. 78: 96-106.
- Sheehan, P; Brorby, G; Berman, DW; Bogen, KT. (2014). Protecting good science [Comment]. *Ann Occup Hyg*. 58: 266-267. <http://dx.doi.org/10.1093/annhyg/met079>.
- Sheehan, P; Mowat, F; Weidling, R; Floyd, M. (2011). Simulation Tests to Assess Occupational Exposure to Airborne Asbestos from Artificially Weathered Asphalt-Based Roofing Products (vol 54, pg 880, 2010). *Ann Occup Hyg*. 55: 827-827. <http://dx.doi.org/10.1093/annhyg/mer057>.
- Sheehan, PJ; Brorby, GP; Berman, DW; Bogen, KT; Holm, SE. (2011). Chamber for testing asbestos-containing products: validation and testing of a re-created chrysotile-containing joint compound. *Ann Occup Hyg*. 55: 797-809. <http://dx.doi.org/10.1093/annhyg/mer048>.
- Sheehy, JW. (1986). Preliminary Survey Report: Evaluation of Brake Drum Service Controls at Ohio Department of Transportation, Maintenance Facility, Lebanon, Ohio, Report No. CT-152-18a (pp. 152-118). (NIOSH/00163313). Sheehy, JW.
- Sheehy, JW; Cooper, TC; O'Brien, DM; Mcglothlin, JD; Froehlich, PA. (1989). Control of asbestos exposure during brake drum service. (CIS/90/00953). Sheehy, JW; Cooper, TC; O'Brien, DM; Mcglothlin, JD; Froehlich, PA.
- Sheehy, JW; Godbey, FW; Cooper, TC; Lenihan, KL; Van Wagenen, HD; Mcglothlin, JD. (1987). In-Depth Survey Report: Control Technology for Brake Drum Service Operations at Ohio Department of Transportation, Maintenance Facility, Lebanon, Ohio, CT-152-18b (pp. 152-118). (NIOSH/00166990). Sheehy, JW; Godbey, FW; Cooper, TC; Lenihan, KL; Van Wagenen, HD; Mcglothlin, JD.
- Sheehy, JW; Todd, WF; Cooper, TC; Van Wagenen, HD. (1987). In-Depth Survey Report: Evaluation of Brake Drum Service Controls at Cincinnati Bell Maintenance Facility, Fairfax, Ohio, Report No. CT-152-21B (pp. 152-121). (NIOSH/00175414). Sheehy, JW; Todd, WF; Cooper, TC; Van Wagenen, HD.
- Sheers, G. (1979). Asbestos-associated disease in employees of Devonport Dockyard. *Ann N Y Acad Sci*. 330: 281-287.
- Sheers, G; Rossiter, CE; Gilson, JC; Mackenzie, FA. (1978). UK Naval Dockyards Asbestosis Study: radiological methods in the surveillance of workers exposed to asbestos. *Br J Ind Med*. 35: 195-203.
- Shen, SY; Hu, S; Li, Z; Zhang, D; Liu, XH; Song, XB. (2003). Preparation and properties of friction materials by using two kinds of fibrous industrial minerals. *Journal of Wuhan University of Technology--Materials Science Edition*. 18: 49-52.

Exposure Literature Search Results

Off Topic

- Shen, SY; Li, Z; Liu, XH; Peng, JR. (2003). The testing of friction materials with two kinds of fibrous industrial minerals. *Key Eng Mater.* 249: 405-408.
- Shen, T; Hermann, J; Zhang, L; Lu, Z; Padron-Navarta, JA; Xia, B, in; Bader, T. (2015). UHP Metamorphism Documented in Ti-chondrodite- and Ti-clinohumite-bearing Serpentinized Ultramafic Rocks from Chinese Southwestern Tianshan. *Journal of Petrology.* 56: 1425-1457. <http://dx.doi.org/10.1093/petrology/egv042>.
- Shen, T; Hermann, J; Zhang, L; Padron-Navarta, JA; Chen, J. (2014). FTIR spectroscopy of Ti-chondrodite, Ti-clinohumite, and olivine in deeply subducted serpentinites and implications for the deep water cycle. *Contributions to Mineralogy and Petrology.* 167. <http://dx.doi.org/10.1007/s00410-014-0992-8>.
- Sherif, MI; Ghoneim, MF; Heikal, MT, hS; El Dosuky, BT. (2013). Perogenesis of granites, Sharm El-Sheikh area, South Sinai, Egypt: petrological constrains and tectonic evolution. *Mineralogy and Petrology.* 107: 765-783. <http://dx.doi.org/10.1007/s00710-013-0267-5>.
- Sherman, CB; Barnhart, S; Rosenstock, L. (1988). Use of oblique chest roentgenograms in detecting pleural disease in asbestos-exposed workers. *J Occup Med.* 30: 681-683.
- Sherman, LA; Barak, P. (2000). Solubility and dissolution kinetics of dolomite in Ca-Mg-HCO₃/CO₃ solutions at 25 degrees C and 0.1 MPa carbon dioxide. *Soil Sci Soc Am J.* 64: 1959-1968.
- Sherriff, BL; Jenkins, DM; Kunath-Fandrei, G; Goetz, S; Jager, C. (1999). Na-23, Si-29, and Ga-71 MAS-NMR spectroscopy of synthetic gallian-fluor-amphiboles. *Am Mineral.* 84: 1033-1040.
- Shevtchenko, TV; Grigoriev, PP; Druzhinin, EA; Kubasov, VL; Bannikova, NV; Kurbatov, VA. (1987). ASBESTOS AND ASBESTOS POLYMERIC DIAPHRAGMS REGENERATION INVESTIGATION. 224-225.
- Shi, G; Li, X; Li, Q; Chen, Z; Deng, J, un; Liu, Y; Kang, Z; Pang, E; Xu, Y; Jia, X. (2012). Ion Microprobe U-Pb Age and Zr-in-Rutile Thermometry of Rutilites from the Daixian Rutile Deposit in the Hengshan Mountains, Shanxi Province, China. *Econ Geol.* 107: 525-535.
- Shi, G; Tropper, P; Zhu, R. (2009). The occurrence of magnesioferrite-rich spinels in a trachyandesite from NE China. *Mineralogy and Petrology.* 95: 125-134. <http://dx.doi.org/10.1007/s00710-008-0025-2>.
- Shi, X; von Dem Bussche, A; Hurt, RH; Kane, AB; Gao, H. (2011). Cell entry of one-dimensional nanomaterials occurs by tip recognition and rotation [Letter]. *Nat Nanotechnol.* 6: 714-719. <http://dx.doi.org/10.1038/nnano.2011.151>.
- Shibakusa, H; Maekawa, H. (1997). Lawsonite-bearing eclogitic metabasites in the Cazadero area, northern California. *Mineralogy and Petrology.* 61: 163-180.
- Shibata, K; Kudo, Y; Tsunoda, M; Hosokawa, M; Sakai, Y; Kotani, M; Aizawa, Y. (2007). Magnetometric evaluation of the effects of man-made mineral fibers on the function of macrophages using the macrophage cell line RAW 264.7. *Ind Health.* 45: 426-436.
- Shibuya, T; Komiya, T; Anma, R; Ota, T; Omori, S; Kon, Y; Yamamoto, S; Maruyama, S. (2007). Progressive metamorphism of the Taitao ophiolite; evidence for axial and off-axis hydrothermal alterations. *Lithos.* 98: 233-260. <http://dx.doi.org/10.1016/j.lithos.2007.04.003>.
- Shieh, SR; Mao, HK; Hemley, RJ; Ming, LC. (2000). In situ X-ray diffraction studies of dense hydrous magnesium silicates at mantle conditions. *Earth Planet Sci Lett.* 177: 69-80.
- Shikazono, N; Utada, M; Shimizu, M. (1995). Mineralogical and geochemical characteristics of hydrothermal alteration of basalt in the Kuroko mine area, Japan: Implications for the evolution of a Back Arc Basin hydrothermal system. *Appl Geochem.* 10: 621-&.
- Shimizu, VK; Kahn, H; Antoniassi, JL; Ulsen, C. (2012). Copper ore type definition from Sossego Mine using X-ray diffraction and cluster analysis technique. *Revista da Escola de Minas.* 65: 561-566.
- Shin, D; Lee, I. (2003). Carbonate-hosted talc deposits in the contact aureole of an igneous intrusion (Hwanggangri mineralized zone, South Korea): geochemistry, phase relationships, and stable isotope studies. *Ore Geol Rev.* 22: 17-39.
- Shishido, S; Iwai, K; Tukagoshi, K. (1989). Incidence of ferruginous bodies in the lungs during a 45-year period and mineralogical analysis of the core fibres and uncoated fibres. *IARC Sci Publ*229-238.
- Shishido, S; Tsukagoshi, K; Shichiku, C; Ushikubo, K; Iwai, K. (1976). [Asbestos pollution of the lung. (1) Incidence of asbestos bodies found in the lung and sputum]. *Nihon Kyobu Shikkan Gakkai Zasshi.* 14: 728-735.
- Shokrieh, MM; Mahmoudi, A; Shadkam, HR. (2015). Hybrid Polyvinyl Alcohol and Cellulose Fiber Pulp Instead of Asbestos Fibers in Cement-Based Composites. *Mechanics of Composite Materials.* 51: 231-238. <http://dx.doi.org/10.1007/s11029-015-9494-7>.
- Shterengartz, RI, a; Boiarchuk, IF; Dorfman, AA; Siriachenko, SS. (1995). [Sanitary-hygienic regulations of the utilization of asbestos production waste in railway facilities]. *Gig Sanit*55-57.
- Si, S; Carey, R; Reid, A; Peters, S; Glass, DD; Driscoll, T; Darcey, E; Fritschi, L. (2016). Occupational exposure to carcinogens in Australian road transport workers. *Am J Ind Med.* 59: 31-41. <http://dx.doi.org/10.1002/ajim.22536>.
- Sichletidis, L; Spyrtatos, D; Chloros, D; Michailidis, K; Fourkiotou, I. (2009). Pleural plaques in dentists from occupational asbestos exposure: a report of three cases. *Am J Ind Med.* 52: 926-930. <http://dx.doi.org/10.1002/ajim.20757>.
- Sida, P; Kachlik, V. (2009). Geological setting, petrology and mineralogy of metabasites in a thermal aureole of Tanvald granite (northern Bohemia) used for the manufacture of Neolithic tools. *Journal of Geosciences.* 54: 269-287. <http://dx.doi.org/10.3190/jgeosci.042>.
- Siddiqui, SM; Khan, SA; Ahmad, S; Beg, MU. (1992). Effects of airborne dust collected from Kuwait on human erythrocytes. *J Environ Sci Health A Tox Hazard Subst Environ Eng.* 27: 1229-1236.
- Sidike, A; Jilili, N; Kobayashi, S; Atobe, K; Yamashita, N. (2010). Photoluminescence properties of anthophyllite. *Physics and Chemistry of Minerals.* 37: 83-89. <http://dx.doi.org/10.1007/s00269-009-0312-4>.
- Sidorov, KK; Vishnevskaya, SS. (1992). HYGIENIC STANDARDIZATION OF HARMFUL SUBSTANCES IN THE AIR OF A WORK ZONE IN 1986-1990. *Gig Tr Prof Zabol.* 0: 33-34.
- Siegrist, HG; Wylie, AG. (1980). CHARACTERIZING AND DISCRIMINATING THE SHAPE OF ASBESTOS PARTICLES. *Environ Res.* 23: 348-361.

Exposure Literature Search Results

Off Topic

- Siegrist, M; Keller, C; Kastenholz, H; Frey, S; Wiek, A. (2007). Laypeople's and experts' perception of nanotechnology hazards. *Risk Anal.* 27: 59-69. <http://dx.doi.org/10.1111/j.1539-6924.2006.00859.x>.
- Siemiatycki, J. (2007). Investigating cancer risks related to asbestos and other occupational carcinogens [Editorial]. *Occup Environ Med.* 64: 500-501. <http://dx.doi.org/10.1136/oem.2006.030759>.
- Siemiatycki, J; Boffetta, P. (1998). Invited commentary: Is it possible to investigate the quantitative relation between asbestos and mesothelioma in a community-based study? [Comment]. *Am J Epidemiol.* 148: 143-147.
- Siew, SS; Kauppinen, T; Kyyrönen, P; Heikkilä, P; Pukkala, E. (2008). Exposure to iron and welding fumes and the risk of lung cancer. *Scand J Work Environ Health.* 34: 444-450.
- Silant'ev, VV; Zaripova, EP; Brodilo, LI. (1992). [Work conditions and morbidity of workers at plants manufacturing asbestos-technical products]. *Gig Sanit*18-21.
- Silantyev, SA; Mironenko, MV; Bazylev, BA; Semenov, YV. (1992). METAMORPHISM ASSOCIATED WITH MIDOCEAN RIDGE HYDROTHERMAL SYSTEMS - THERMODYNAMIC MODELING EXPERIENCE. *Geokhimiya*1015-1034.
- Silberschmid, M; Sabroe, S; Andresen, J; Bolvig, L; Coutte, A. (1984). LIGHT ASBESTOS EXPOSURE DOSE INDEX AS A MEASURE FOR EXPOSURE IN DOSE EFFECT STUDIES (pp. NEW YORK). (HEEP/85/00838). Silberschmid, M; Sabroe, S; Andresen, J; Bolvig, L; Coutte, A.
- Sillitoe, RH. (2003). Iron oxide-copper-gold deposits: an Andean view. *Miner Depos.* 38: 787-812. <http://dx.doi.org/10.1007/s00126-003-0379-7>.
- Sillitoe, RH; Tolman, J; Van Kerkvoort, G. (2013). Geology of the Caspiche Porphyry Gold-Copper Deposit, Maricunga Belt, Northern Chile. *Econ Geol.* 108: 585-604.
- Silva, WM; Aneziris, CG; Brito, MAM. (2011). Effect of Alumina and Silica on the Hydration Behavior of Magnesia-Based Refractory Castables. *Journal of the American Ceramic Society.* 94: 4218-4225. <http://dx.doi.org/10.1111/j.1551-2916.2011.04788.x>.
- Silveira, F; Petry, CF; Pozebon, D; Pergher, SB; Detoni, C; Stedile, FC; dos Santos, JHZ. (2007). Supported metallocene on mesoporous materials. *Appl Catal A-Gen.* 333: 96-106. <http://dx.doi.org/10.1016/j.apcata.2007.09.010>.
- Silver, SR; Daniels, RD; Taulbee, TD; Zaebst, DD; Kinnes, GM; Couch, JR; Kubale, TL; Yiin, JH; Schubauer-Berigan, MK; Chen, PH. (2004). Differences in mortality by radiation monitoring status in an expanded cohort of Portsmouth Naval Shipyard workers. *J Occup Environ Med.* 46: 677-690. <http://dx.doi.org/10.1097/01.jom.0000128154.79025.2a>.
- Silver, SR; Pinkerton, LE; Fleming, DA; Jones, JH; Allee, S; Luo, L; Bertke, SJ. (2014). Retrospective Cohort Study of a Microelectronics and Business Machine Facility. *Am J Ind Med.* 57: 412-424. <http://dx.doi.org/10.1002/ajim.22288>.
- Silvestri, S. (2009). Carcinogens exposure risk control: balance and strategies of action within the most emblematic industrial divisions. *Epidemiol Prev.* 33: 37-42.
- Silvestri, S. (2011). [Problems due to the prolonged permanence of asbestos-containing materials]. *Epidemiol Prev.* 35: 139-143.
- Silvestri, S; Benvenuti, A. (2007). [Asbestos exposure circumstances and malignant mesothelioma casuistry of the Tuscan Registry: preliminary indications on the efficacy of dust control measures introduced during the Seventies]. *Epidemiol Prev.* 31: 75-80.
- Silvestri, S; Di Benedetto, F; Raffaelli, C; Veraldi, A. (2016). Asbestos in toys: an exemplary case. *Scand J Work Environ Health.* 42: 80-85. <http://dx.doi.org/10.5271/sjweh.3542>.
- Silvestri, S; Nemo, A. (2014). [Reconstruction of past asbestos exposure of dockers in the Port of Livorno]. *Med Lav.* 105: 187-196.
- Sim, MR. (2013). Changing of the guard at Occupational and Environmental Medicine [Editorial]. *Occup Environ Med.* 70: 751-752. <http://dx.doi.org/10.1136/oemed-2013-101886>.
- Sim, MR. (2013). A worldwide ban on asbestos production and use: some recent progress, but more still to be done [Editorial]. *Occup Environ Med.* 70: 1-2. <http://dx.doi.org/10.1136/oemed-2012-101290>.
- Sim, MR; Boffetta, P. (2009). Occupational cancer: an emerging problem in newly industrializing countries [Editorial]. *Asia Pac J Public Health.* 21: 241-243. <http://dx.doi.org/10.1177/1010539509341404>.
- Simard, A; Vauclair, R; Thouez, JP; Ghadirian, P. (1986). [Cytology of expectorations in steel and asbestos workers. Evaluation from 1980-1984]. *Union Med Can.* 115: 480-483.
- Simard, M; Gaboury, D; Daigneault, R; Mercier-Langevin, P. (2013). Multistage gold mineralization at the Lapa mine, Abitibi Subprovince: insights into auriferous hydrothermal and metasomatic processes in the Cadillac-Larder Lake Fault Zone. *Miner Depos.* 48: 883-905. <http://dx.doi.org/10.1007/s00126-013-0466-3>.
- Simonato, L; Fletcher, AC; Andersen, A; Anderson, K; Becker, N; Chang-Claude, J; Ferro, G; Gérin, M; Gray, CN; Hansen, KS. (1991). A historical prospective study of European stainless steel, mild steel, and shipyard welders. *Br J Ind Med.* 48: 145-154.
- Simoncini, C. (2007). [Socio-economic context in the Lower Iseo Lake area after World War II]. *Epidemiol Prev.* 31: 6-9.
- Simpson, J; Roman, E; Law, G; Pannett, B. (1999). Women's occupation and cancer: preliminary analysis of cancer registrations in England and Wales, 1971-1990. *Am J Ind Med.* 36: 172-185.
- Singer, BS; Jicha, BR; Leeman, WP; Rogers, NW; Thirlwall, MF; Ryan, J; Nicolaysen, KE. (2007). Along-strike trace element and isotopic variation in Aleutian Island arc basalt: Subduction melts sediments and dehydrates serpentinite. *J Geophys Res.* 112. <http://dx.doi.org/10.1029/2006jb004897>.
- Singh, M; Tyagi, AK; Mehla, RK; Singh, C. (2003). Milk production performance of cows under two different sets of management during summer. *Indian J Anim Sci.* 73: 692-694.
- Singh, N; Yadav, JS; Singh, AP; Sharma, SN. (1997). Clinico-epidemiological studies on bovine dermatophytosis in and around Bikaner. *Indian J Anim Sci.* 67: 845-848.
- Singh, RK; Dey, S; Mohanta, MK; Das, A. (2014). Enhancing the Utilization Potential of a Low Grade Chromite Ore through Extensive Physical Separation. *Separation Science and Technology.* 49: 1937-1945. <http://dx.doi.org/10.1080/01496395.2014.903495>.
- Singh, Z; Chadha, P. (2016). Textile industry and occupational cancer [Review]. 11: 39. <http://dx.doi.org/10.1186/s12995-016-0128-3>.

Exposure Literature Search Results

Off Topic

- Sinks, T; Goodman, MT; Kolonel, LN; Anderson, B. (1994). A case-control study of mesothelioma and employment in the Hawaii sugarcane industry. *Epidemiology*. 5: 466-468.
- Siracusa, A; Cicioni, C; Volpi, R; Canalicchi, P; Brugnami, G; Comodi, AR; Abbritti, G. (1984). Lung function among asbestos cement factory workers: cross-sectional and longitudinal study. *Am J Ind Med*. 5: 315-325.
- Siracusa, A; Forcina, A; Volpi, R. (1987). AN 11-YEAR FOLLOW-UP OF LUNG-FUNCTION AMONG POLYVINYL-CHLORIDE, CEMENT AND ASBESTOS-CEMENT FACTORY-WORKERS. *Scand J Work Environ Health*. 13: 172-172.
- Siracusa, A; Forcina, A; Volpi, R; Mollichella, E; Cicioni, C; Fiordi, T. (1988). An 11-year longitudinal study of the occupational dust exposure and lung function of polyvinyl chloride, cement and asbestos cement factory workers. *Scand J Work Environ Health*. 14: 181-188.
- Sirimanna, MPG; Attalage, RA. (2016). A model for analyzing the thermal performance of roof configurations with flat inclined surfaces. *Energy and Buildings*. 116: 122-132. <http://dx.doi.org/10.1016/j.enbuild.2015.12.052>.
- Sishodiya, PK; Bhattacharjee, A. (1985). VOID-COUNTING OF ASBESTOS FIBERS. *Ann Occup Hyg*. 29: 122-124.
- Siskind, FB. (1987). The cost of compensating asbestos victims under the Occupational Disease Compensation Act of 1983. *Risk Anal*. 7: 59-69.
- Sissell, K. (2002). Product liability - Senate begins debate on asbestos. *Chem Week*. 164: 33-33.
- Sissell, K. (2002). Sealed air, Fresenius settle asbestos suits. *Chem Week*. 164: 12-12.
- Sissell, K. (2003). Leahy opposes asbestos bill; Amendment would ban all uses. *Chem Week*. 165: 10-10.
- Sissell, K. (2003). RPM shares slide on asbestos concerns. *Chem Week*. 165: 9-9.
- Sisson, VB; Ertan, IE; Lallemand, HGA. (1997). High-pressure (approximate to 2000 MPa) kyanite- and glaucophane-bearing pelitic schist and eclogite from Cordillera de la Costa belt, Venezuela. *Journal of Petrology*. 38: 65-83.
- Sjogren, B. (2009). Mortality among British asbestos workers [Comment]. *Occup Environ Med*. 66: 854-855. <http://dx.doi.org/10.1136/oem.2009.050831>.
- Sjögren, B. (1997). Occupational exposure to dust: Inflammation and ischemic heart disease [Review]. *Occup Environ Med*. 54: 466-469. <http://dx.doi.org/10.1136/oem.54.7.466>.
- Sjögren, B. (2001). Association between pleural plaques and coronary heart disease [Letter]. *Scand J Work Environ Health*. 27: 420-421.
- Sjögren, B; Hansen, KS; Kjuus, H; Persson, PG. (1994). Exposure to stainless steel welding fumes and lung cancer: a meta-analysis. *Occup Environ Med*. 51: 335-336.
- Skidmore, JW; Dufficy, BL. (1983). Environmental History Of A Factory Producing Friction Material. *Br J Ind Med*. 40: 8-12.
- Skikne, MI; Talbot, JH; Rendall, REG. (1971). ELECTRON DIFFRACTION PATTERNS OF UICC ASBESTOS SAMPLES. *Environ Res*. 4: 141-&.
- Skogby, H. (1987). KINETICS OF INTRACRYSTALLINE ORDER-DISORDER REACTIONS IN TREMOLITE. *Physics and Chemistry of Minerals*. 14: 521-526.
- Skogby, H; Rossman, GR. (1991). THE INTENSITY OF AMPHIBOLE OH BANDS IN THE INFRARED-ABSORPTION SPECTRUM. *Physics and Chemistry of Minerals*. 18: 64-68.
- Skogstad, A; Eduard, W; Huser, PO. (1996). A laboratory method for generation of replicate filter samples of asbestos fibers in air. *Am Ind Hyg Assoc J*. 57: 741-745. <http://dx.doi.org/10.1080/15428119691014602>.
- Skora, S; Blundy, J, on. (2010). High-pressure Hydrous Phase Relations of Radiolarian Clay and Implications for the Involvement of Subducted Sediment in Arc Magmatism. *Journal of Petrology*. 51: 2211-2243. <http://dx.doi.org/10.1093/petrology/eggq054>.
- Skourlis, T; Duvis, T; Paspaspyrides, CD. (1993). THE ROLE OF A POLYAMIDE INTERPHASE ON CARBON-FIBERS REINFORCING AN EPOXY MATRIX. *Compos Sci Tech*. 48: 119-125.
- Skvarla, J; Kozakova, L; Sisol, M; Zelenak, F. (2009). Detection of asbestos fibres in selected building materials. *Acta Montanistica Slovaca*. 14: 28-32.
- Slaats, PGG; Mesman, GAM; Rosenthal, LPM; Brink, H. (2004). Tools to monitor corrosion of cement-containing water mains. *Water Sci Technol*. 49: 33-39.
- Sluchyk, V; Sluchyk, I; Shyichuk, A. (2014). Assessment of both environmental cytotoxicity and trace metal pollution using *Populus simonii* Carr. as a bioindicator. *Environ Monit Assess*. 186: 6645-6650. <http://dx.doi.org/10.1007/s10661-014-3879-2>.
- Sluiscremer, GK. (1993). ATTITUDES AND OPINIONS REGARDING ASBESTOS AND CANCER, 1934-1965. *Am J Ind Med*. 23: 511-511.
- Sluis-Cremer, GK; Hnizdo, E. (1989). Progression of irregular opacities in asbestos miners. *Br J Ind Med*. 46: 846-852.
- Sluis-Cremer, GK; Hnizdo, E; du Toit, RS. (1990). Evidence for an amphibole asbestos threshold exposure for asbestosis assessed by autopsy in South African asbestos miners. *Ann Occup Hyg*. 34: 443-451.
- Sluis-Cremer, GK; Thomas, RG; Schmaman, IB. (1984). The value of computerised axial tomography in the assessment of workers exposed to asbestos. *Am J Ind Med*. 6: 27-35.
- Smailyte, G; Kurtinaitis, J; Andersen, A. (2004). Cancer mortality and morbidity among Lithuanian asbestos-cement producing workers. *Scand J Work Environ Health*. 30: 64-70.
- Smales, H. (1995). FRICTION MATERIALS - BLACK ART OR SCIENCE. *Institution of Mechanical Engineers Proceedings Part D: Journal of Automobile Engineering*. 209: 151-157.
- Smartt, AM; Brezinski, M; Trapkus, M; Gardner, D; Putnam, EA. (2010). Collagen accumulation over time in the murine lung after exposure to crocidolite asbestos or Libby amphibole. *Environ Toxicol*. 25: 68-76. <http://dx.doi.org/10.1002/tox.20472>.
- Smelik, EA; Jenkins, DM; Navrotsky, A. (1994). A CALORIMETRIC STUDY OF SYNTHETIC AMPHIBOLES ALONG THE TREMOLITE-TSCHERMAKITE JOIN AND THE HEATS OF FORMATION OF MAGNESIOHORNBLLENDE AND TSCHERMAKITE. *Am Mineral*. 79: 1110-1122.
- Smelik, EA; Nyman, MW; Veblen, DR. (1991). PERVASIVE EXSOLUTION WITHIN THE CALCIC AMPHIBOLE SERIES - TEM EVIDENCE FOR A MISCIBILITY GAP BETWEEN ACTINOLITE AND HORNBLLENDE IN NATURAL SAMPLES. *Am Mineral*. 76: 1184-1204.

Exposure Literature Search Results

Off Topic

- Smelik, EA; Veblen, DR. (1992). EXSOLUTION OF CA-AMPHIBOLE FROM GLAUCOPHANE AND THE MISCIBILITY GAP BETWEEN SODIC AND CALCIC AMPHIBOLES. *Contributions to Mineralogy and Petrology*. 112: 178-195.
- Smelik, EA; Veblen, DR. (1993). A TRANSMISSION AND ANALYTICAL ELECTRON-MICROSCOPE STUDY OF EXSOLUTION MICROSTRUCTURES AND MECHANISMS IN THE ORTHOAMPHIBOLES ANTHOPHYLLITE AND GEDRITE. *Am Mineral*. 78: 511-532.
- Smith, AH. (1998). Amphibole fibers, chrysotile fibers, and pleural mesothelioma. *Am J Ind Med*. 33: 96-96.
- Smith, AH; Wright, CC. (1996). Chrysotile asbestos is the main cause of pleural mesothelioma [Review]. *Am J Ind Med*. 30: 252-266. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199609\)30:3<252::AID-AJIM2>3.0.CO;2-0](http://dx.doi.org/10.1002/(SICI)1097-0274(199609)30:3<252::AID-AJIM2>3.0.CO;2-0).
- Smith, C. (2006). Don't ask, don't tell? Preventing information exchange increases the risks of chemical exposures. *Int J Occup Environ Health*. 12: 286-288.
- Smith, C; Kelsey, K; Wiencke, J; Leyden, K; Levin, S; Christiani, D. (1994). Inherited glutathione-S-transferase deficiency is a risk factor for pulmonary asbestosis. *Cancer Epidemiol Biomarkers Prev*. 3: 471-477.
- Smith, CB; Sims, K; Chimuka, L; Duffin, A; Beard, AD; Townend, R. (2004). Kimberlite metasomatism at Murowa and Sese pipes, Zimbabwe. *Lithos*. 76: 219-232. <http://dx.doi.org/10.1016/j.lithos.2004.03.009>.
- Smith, CM; Batcher, S; Catanzaro, A; Abraham, JL; Phalen, R. (1987). Sequence of bronchoalveolar lavage and histopathologic findings in rat lungs early in inhalation asbestos exposure. *J Toxicol Environ Health*. 20: 147-161. <http://dx.doi.org/10.1080/15287398709530968>.
- Smith, D. (2010). Antigorite Peridotite, Metaserpentinite, and other Inclusions within Diatremes on the Colorado Plateau, SW USA: Implications for the Mantle Wedge during Low-angle Subduction. *Journal of Petrology*. 51: 1355-1379. <http://dx.doi.org/10.1093/petrology/egq022>.
- Smith, D; Riter, JCA. (1997). Genesis and evolution of low-Al orthopyroxene in spinel peridotite xenoliths, Grand Canyon field, Arizona, USA. *Contributions to Mineralogy and Petrology*. 127: 391-404.
- Smith, DD. (2003). Earlier study on asbestos workers, ILO scores, and oxygenation more comprehensive [Letter]. *Occup Environ Med*. 60: 611; author reply 611.
- Smith, DK; Roberts, AC; Bayliss, P; Liebau, F. (1998). A systematic approach to general and structure-type formulas for minerals and other inorganic phases. *Am Mineral*. 83: 126-132.
- Smith, DR; Beh, EJ. (2012). Asbestos kills: no matter how you cut the data [Editorial]. *Arch Environ Occup Health*. 67: 187-188. <http://dx.doi.org/10.1080/19338244.2012.675791>.
- Smith, DR; Leggat, PA. (2006). 24 years of pneumoconiosis mortality surveillance in Australia. *J Occup Health*. 48: 309-313.
- Smith, J; Bartley, D. (2003). Effect of sampler and manikin conductivity on the sampling efficiency of manikin-mounted personal samplers. *Aerosol Sci Technol*. 37: 79-81. <http://dx.doi.org/10.1080/02786820390112605>.
- Smith, JW. (1982). THE REPLACEMENT OF ASBESTOS CEMENT BY GRC. 13: 161-163.
- Smith, KA; Sykes, LJ; Mcgavin, CR. (2003). Diffuse pleural fibrosis--an unreliable indicator of heavy asbestos exposure? *Scand J Work Environ Health*. 29: 60-63.
- Smith, M; Coppard, J; Herrington, R; Stein, H. (2007). The geology of the Rakkurijarvi Cu-(Au) prospect, Norrbotten: A new iron oxide-copper-gold deposit in northern Sweden. *Econ Geol*. 102: 393-414.
- Smith, MP. (2007). Metasomatic silicate chemistry at the Bayan Obo Fe-REE-Nb deposit, Inner Mongolia, China: Contrasting chemistry and evolution of fenitising and mineralising fluids. *Lithos*. 93: 126-148. <http://dx.doi.org/10.1016/j.lithos.2006.06.013>.
- Smith, RB; Brady, DC. (1991). MAINTAINING SHAFT ACCESS AND SERVICES DURING HEADFRAME REPLACEMENT. 84: 34-38.
- Smith, TE; Harris, MJ. (1996). The Queensborough mafic-ultramafic complex: A fragment of a Meso-Proterozoic ophiolite? Grenville Province, Canada. *Tectonophysics*. 265: 53-82.
- Smith, WE; Badollet, MS; Hubert, DD. (1972). BIOLOGIC DIFFERENCES IN RESPONSE TO LONG AND SHORT ASBESTOS FIBERS. *Am Ind Hyg Assoc J*. 33: 67-8.
- Smith, WE; Hubert, DD; Sobel, HJ; Peters, ET; Doerfler, TE. (1980). Health of experimental animals drinking water with and without amosite asbestos and other mineral particles. *J Environ Pathol Toxicol*. 3: 277-300.
- Smith, WE; Spivey, ML; Roux, LJ. (1978). A method for exposing animals to particulates in drinking water. *Am Ind Hyg Assoc J*. 39: 583-586. <http://dx.doi.org/10.1080/0002889778507813>.
- Smither, WJ. (1977). Asbestos content of dust encountered in brake maintenance and repair [Letter]. *Proc R Soc Med*. 70: 369-370.
- Smolders, S; Verhoest, L; De Gueldre, G; Van De Steene, B. (2009). Inspection of deteriorating asbestos cement force mains with georadar technique. *Water Sci Technol*. 60: 995-1001. <http://dx.doi.org/10.2166/wst.2009.429>.
- Smolianskiene, G; Adamoniene, D; Seskauskas, V. (2005). Studies on occupational asbestos in Lithuania: Achievements and problems. *Indoor Built Environ*. 14: 331-335. <http://dx.doi.org/10.1177/1420326X05054264>.
- Smolková, P; Nakládlová, M; Zapletalová, J. (2016). Response to the letter to editors concerning "Validity of mesothelin in occupational medicine practice". *Int J Occup Med Environ Health*. 29: 881. <http://dx.doi.org/10.13075/ijomeh.1896.01101>.
- Smolková, P; Nakládlová, M; Zapletalová, J; Jakubec, P; Vildová, H; Kolek, V; Petřek, M; Naklád, Z. (2016). Validity of mesothelin in occupational medicine practice. *Int J Occup Med Environ Health*. 29: 395-404. <http://dx.doi.org/10.13075/ijomeh.1896.00637>.
- Smrcek, L; Kolesnikov, AI; Rieder, M. (2012). Combined inelastic neutron scattering and solid-state DFT study of dynamics of hydrogen atoms in trioctahedral 1M phlogopite. *Physics and Chemistry of Minerals*. 39: 779-787. <http://dx.doi.org/10.1007/s00269-012-0532-x>.
- Snashall, DC; Bazas, T. (1984). Asbestos in hospitals [Letter]. *J Soc Occup Med*. 34: 99.
- Snyder, JG; Virta, RL; Segreti, JM. (1987). Evaluation of the phase contrast microscopy method for the detection of fibrous and other elongated mineral particulates by comparison with a STEM technique. *Am Ind Hyg Assoc J*. 48: 471-477. <http://dx.doi.org/10.1080/15298668791385066>.

Exposure Literature Search Results

Off Topic

- Snyder-Talkington, BN; Dong, C; Porter, DW; Ducatman, B; Wolfarth, MG; Andrew, M; Battelli, L; Raese, R; Castranova, V; Guo, NL; Qian, Y. (2016). Multiwalled carbon nanotube-induced pulmonary inflammatory and fibrotic responses and genomic changes following aspiration exposure in mice: A 1-year postexposure study. *J Toxicol Environ Health A*. 79: 352-366. <http://dx.doi.org/10.1080/15287394.2016.1159635>.
- Soares Monteiro, LV; Xavier, RP; Hitzman, MW; Juliani, C; de Souza Filho, CR; Carvalho, E, deR. (2008). Mineral chemistry of ore and hydrothermal alteration at the Sossego iron oxide-copper-gold deposit, Carajas Mineral Province, Brazil. *Ore Geol Rev*. 34: 317-336. <http://dx.doi.org/10.1016/j.oregeorev.2008.01.003>.
- Society, AC. (1986). OSHA REDUCES ALLOWED ASBESTOS EXPOSURE. *Chem Eng News*. 64: 7-8.
- Soda, Y; Wenk, HR. (2014). Antigorite crystallographic preferred orientations in serpentinites from Japan. *Tectonophysics*. 615: 199-212. <http://dx.doi.org/10.1016/j.tecto.2013.12.016>.
- Soeberg, MJ; Creighton, N; Currow, DC; Young, JM; van Zandwijk, N. (2016). Patterns in the incidence, mortality and survival of malignant pleural and peritoneal mesothelioma, New South Wales, 1972-2009. *Aust N Z J Public Health*. 40: 255-262. <http://dx.doi.org/10.1111/1753-6405.12503>.
- Soeberg, MJ; Leigh, J; Driscoll, T; Armstrong, B; Young, JM; van Zandwijk, N. (2016). Incidence and survival trends for malignant pleural and peritoneal mesothelioma, Australia, 1982-2009. *Occup Environ Med*. 73: 187-194. <http://dx.doi.org/10.1136/oemed-2015-103309>.
- Soeberg, MJ; Luong, MA; Tran, VT; Tran, AT; Nguyen, TT; Bui, D; Nguyen, TH; Takahashi, K; van Zandwijk, N. (2016). Estimating the incidence of malignant mesothelioma in Vietnam: a pilot descriptive cancer registration study. *Int J Occup Environ Health*. 22: 167-172. <http://dx.doi.org/10.1080/10773525.2016.1151604>.
- Soffritti, M; Chiozzotto, D; Belpoggi, F. (2009). [The role of scientific research in the identification of occupational carcinogenic agents: The contribution of the Cesare Maltoni Cancer research center of the European Ramazzini Foundation] [Review]. *Epidemiol Prev*. 33: 57-67.
- Soffritti, M; Falcioni, L; Bua, L; Tibaldi, E; Manservigi, M; Belpoggi, F. (2013). Potential carcinogenic effects of world trade center dust after intratracheal instillation to Sprague-Dawley rats: first observation. *Am J Ind Med*. 56: 155-162. <http://dx.doi.org/10.1002/ajim.22109>.
- Sohn, JR. (2002). Catalytic activities of nickel-containing catalysts for ethylene dimerization and butene isomerization and their relationship to acidic properties. *Catalysis Today*. 73: 197-209.
- Soldan, K; Pooley, FD; Hansen, J; Andersen, A; Chang-Claude, J; Ferro, G; Ohgaki, H; Skov, BG; Cherrie, JW; Saracci, R; Boffetta, P. (2006). Lung fibre burden in lung cancer cases employed in the rock and slag wool industry. *Ann Occup Hyg*. 50: 241-248. <http://dx.doi.org/10.1093/annhyg/mei064>.
- Soler, JM; Cama, J; Gali, S; Melendez, W; Ramirez, A; Estanga, J. (2008). Composition and dissolution kinetics of garnierite from the Loma de Hierro Ni-laterite deposit, Venezuela. *Chem Geol*. 249: 191-202. <http://dx.doi.org/10.1016/j.chemgeo.2007.12.012>.
- Solomon, A. (1991). Radiological features of asbestos-related visceral pleural changes [Review]. *Am J Ind Med*. 19: 339-355.
- Solomon, A. (2002). Semantics and the application of the ILO classification: the need for recording visceral pleural manifestations separately [Letter]. *Int J Occup Environ Health*. 8: 288-289. <http://dx.doi.org/10.1179/107735202800338849>.
- Solomon, A; Irwig, LM; Sluis-Cremer, GK; Thomas, RG; Du Toit, RS. (1979). Thickening of pulmonary interlobar fissures: exposure-response relationship in crocidolite and amosite miners. *Br J Ind Med*. 36: 195-198.
- Solomon, A; Rubin, AH; Bar-Ziv, J; Carel, R. (1991). Inflammation of the visceral pleura, a nonspecific asbestos-related pleural reaction: chest radiograph and computed tomograph correlation. *Am J Ind Med*. 20: 49-55.
- Somarin, AK; Mumin, AH. (2014). P-T composition and evolution of paleofluids in the Paleoproterozoic Mag Hill IOCG system, Contact Lake belt, Northwest Territories, Canada. *Miner Depos*. 49: 199-215. <http://dx.doi.org/10.1007/s00126-013-0482-3>.
- Somiya, Y; Higo, N; Yoshida, N. (2012). Combination of Rolling Vibration and Serpentine Induces the Formation of Penetration-Intermediates. *Geomicrobiology Journal*. 29: 820-829. <http://dx.doi.org/10.1080/01490451.2011.635756>.
- Sommer, H. (2009). "Wet" low angle subduction: a possible mechanism below the Tanzania craton 2 Ga ago. *Mineralogy and Petrology*. 96: 113-120. <http://dx.doi.org/10.1007/s00710-009-0048-3>.
- Sommer, H; Regenauer-Lieb, K; Gasharova, B; Jung, H. (2012). The formation of volcanic centers at the Colorado Plateau as a result of the passage of aqueous fluid through the oceanic lithosphere and the subcontinental mantle: New implications for the planetary water cycle in the western United States. *J Geodyn*. 61: 154-171. <http://dx.doi.org/10.1016/j.jog.2012.05.001>.
- Sonak, S; Sonak, M; Giriyan, A. (2008). Shipping hazardous waste: implications for economically developing countries. *International Environmental Agreements: Politics, Law and Economics*. 8: 143-159.
- Sonenshine, DE; Silverstein, RM; Plummer, E; West, JR; McCullough, T. (1976). 2,6-DICHLOROPHENOL, THE SEX PHEROMONE OF THE ROCKY MOUNTAIN WOOD TICK, *Dermacentor andersoni* STILES AND THE AMERICAN DOG TICK, *Dermacentor variabilis* (SAY). *J Chem Ecol*. 2: 201-209.
- Song, XY; Zhou, MF; Cao, ZM; Sun, M; Wang, YL. (2003). Ni-Cu-(PGE) magmatic sulfide deposits in the Yangliuping area, Permian Emeishan Igneous province, SW China. *Miner Depos*. 38: 831-843. <http://dx.doi.org/10.1007/s00126-003-0362-3>.
- Sonkar, SK; Tripathi, KM; Sarkar, S. (2014). Ferromagnetic behaviour of anthropogenic multi-walled carbon nanotubes trapped in spider web indoor. *J Nanosci Nanotechnol*. 14: 2532-2538. <http://dx.doi.org/10.1166/jnn.2014.8524>.
- Sood, A; Gee, JBL. (1997). Asbestos-related pleural plaques and diffuse pleural thickening: Functional consequences. *Indoor Built Environ*. 6: 114-118. <http://dx.doi.org/10.1177/1420326X9700600210>.
- Sorahan, T. (2012). Cancer incidence in UK electricity generation and transmission workers, 1973-2008. *Occup Med (Lond)*. 62: 496-505. <http://dx.doi.org/10.1093/occmed/kqs152>.

Exposure Literature Search Results

Off Topic

- Sorahan, T; Kinlen, LJ; Doll, R. (2005). Cancer risks in a historical UK cohort of benzene exposed workers. *Occup Environ Med.* 62: 231-236. <http://dx.doi.org/10.1136/oem.2004.015628>.
- Sorensen, AR; Thulstrup, A; Hansen, J; Ramlau-Hansen, CH; Meersohn, A; Skytthe, A; Bonde, JP. (2007). Risk of lung cancer according to mild steel and stainless steel welding. *Scand J Work Environ Health.* 33: 379-386.
- Soroushian, P; Marikunte, S; Won, JP. (1994). WOOD FIBER-REINFORCED CEMENT COMPOSITES UNDER WETTING-DRYING AND FREEZING-THAWING CYCLES. *Journal of Materials in Civil Engineering.* 6: 595-611.
- Soskolne, CL; Jhangri, GS; Siemiatycki, J; Lakhani, R; Dewar, R; Burch, JD; Howe, GR; Miller, AB. (1992). Occupational exposure to sulfuric acid in southern Ontario, Canada, in association with laryngeal cancer. *Scand J Work Environ Health.* 18: 225-232.
- Sostaric, SB; Palinkas, AL; Neubauer, F; Cvetkovic, V; Bernroider, M; Genser, J. (2014). The origin and age of the metamorphic sole from the Rogozna Mts., Western Vardar Belt: New evidence for the one-ocean model for the Balkan ophiolites. *Lithos.* 192: 39-55. <http://dx.doi.org/10.1016/j.lithos.2014.01.011>.
- Soto, K; Garza, KM; Murr, LE. (2007). Cytotoxic effects of aggregated nanomaterials. *Acta Biomater.* 3: 351-358. <http://dx.doi.org/10.1016/j.actbio.2006.11.004>.
- Soto, KF; Carrasco, A; Powell, TG; Garza, KM; Murr, LE. (2005). Comparative in vitro cytotoxicity assessment of some manufactured nanoparticulate materials characterized by transmission electron microscopy. *J Nanopart Res.* 7: 145-169. <http://dx.doi.org/10.1007/s11051-005-3473-1>.
- Soto, KF; Carrasco, A; Powell, TG; Murr, LE; Garza, KM. (2006). Biological effects of nanoparticulate materials. *Mater Sci Eng C.* 26: 1421-1427. <http://dx.doi.org/10.1016/j.msec.2005.08.002>.
- Soulat, JM; Lauque, D; Esquirol, Y; Déprés, M; Giron, J; Claudel, R; Carles, P. (1999). High-resolution computed tomography abnormalities in ex-insulators annually exposed to asbestos dust. *Am J Ind Med.* 36: 593-601. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199912\)36:6<593::AID-AJIM1>3.0.CO;2-Z](http://dx.doi.org/10.1002/(SICI)1097-0274(199912)36:6<593::AID-AJIM1>3.0.CO;2-Z).
- Souza, C, deF; Campos, JA; dos Santos, CR; Bressan, WS; Mogami, CA. (2008). Methane volumetric yield - swine wastes. *Ciencia e Agrotecnologia.* 32: 219-224.
- Souza, TM; Luz, AP; Santos, T, Jr; Gimenes, DC; Miglioli, MM; Correa, AM; Pandolfelli, VC. (2014). Phosphate chemical binder as an anti-hydration additive for Al₂O₃-MgO refractory castables. *Ceramics International.* 40: 1503-1512. <http://dx.doi.org/10.1016/j.ceramint.2013.07.035>.
- Souzasantos, HD; Yada, K. (1979). THERMAL TRANSFORMATION OF CHRYSOTILE STUDIED BY HIGH-RESOLUTION ELECTRON-MICROSCOPY. *Clays and Clay Minerals.* 27: 161-174.
- Sowjanya, BL; Devi, KR; Madhavi, D. (2009). Modulatory effects of garlic extract against the cyclophosphamide induced genotoxicity in human lymphocytes in vitro. *J Environ Biol.* 30: 663-666.
- Spandler, C; Pettke, T; Hermann, J. (2014). Experimental study of trace element release during ultrahigh-pressure serpentinite dehydration. *Earth Planet Sci Lett.* 391: 296-306. <http://dx.doi.org/10.1016/j.epsl.2014.02.010>.
- Spandler, C; Pettke, T; Rubatto, D. (2011). Internal and External Fluid Sources for Eclogite-facies Veins in the Monviso Meta-ophiolite, Western Alps: Implications for Fluid Flow in Subduction Zones. *Journal of Petrology.* 52: 1207-1236. <http://dx.doi.org/10.1093/petrology/egr025>.
- Speight, RG; Marsh, AH. (1984). Use of a cowl in asbestos air sampling. *Ann Occup Hyg.* 28: 353-354.
- Spence, LA; Aschengrau, A; Gallagher, LE; Webster, TF; Heeren, TC; Ozonoff, DM. (2008). Evaluation of the Webber-Brown model for estimating tetrachloroethylene exposure from vinyl-lined asbestos-cement pipes. *Environ Health.* 7: 24. <http://dx.doi.org/10.1186/1476-069X-7-24>.
- Spence, SK; Rocchi, PSJ. (1996). Exposure to asbestos fibres during gasket removal. *Ann Occup Hyg.* 40: 583-588.
- Spencer, JW; Plisko, MJ; Balzer, JL. (1999). Asbestos fiber release from the brake pads of overhead industrial cranes. *Appl Occup Environ Hyg.* 14: 397-402. <http://dx.doi.org/10.1080/104732299302800>.
- Spicer, RC; Gangloff, HJ. (2016). Permutation/randomization-based inference for environmental data. *Environ Monit Assess.* 188: 147. <http://dx.doi.org/10.1007/s10661-016-5090-0>.
- Spier, CA; Ferreira, CFF. (2001). The chromite deposits of the Bacuri mafic-ultramafic layered complex, Guyana shield, Amapa State, Brazil. *Econ Geol.* 96: 817-835.
- Spinato, C; Giust, D; Vacchi, IA; Menard-Moyon, C; Kostarelos, K; Bianco, A. (2016). Different chemical strategies to aminate oxidised multi-walled carbon nanotubes for siRNA complexation and delivery. 4: 431-441. <http://dx.doi.org/10.1039/c5tb02088c>.
- Spiridonov, AM; Gnilusha, VA. (1995). Regional to detailed geochemical mapping of the Kariisk ore district, eastern Trans-Baikal region, Russia. *J Geochem Explor.* 55: 67-74.
- Spirtas, R; Keehn, R; Wright, W; Stark, A; Beebe, G; Dickson, E. (1985). MESOTHELIOMA RISK RELATED TO OCCUPATIONAL OR OTHER ASBESTOS EXPOSURE - PRELIMINARY-RESULTS FROM A CASE-CONTROL STUDY. *Am J Epidemiol.* 122: 518-518.
- Sprince, NL; Oliver, LC; Mcloud, TC. (1985). Asbestos-related disease in plumbers and pipefitters employed in building construction. *J Occup Med.* 27: 771-775.
- Sprung, S; Hoenig, V; Schneider, C. (1997). New process for utilizing asbestos cement products. 50: A29-A30.
- Sprung, S; Hoenig, V; Schneider, C; Gajewski, S. (1998). Environmentally compatible utilization of asbestos cement products. 51: 527-+.
- Spurny, K; Marfels, H; Weiss, G; Boose, C; Schormann, J; Opiela, H. (1987). ON THE MEASUREMENT OF ASBESTOS CONTAINING INDUSTRIAL EMISSIONS. *Staub, Reinhaltung der Luft.* 47: 151-153.
- Spurny, K; Pott, F; Huth, F; Weiss, G; Opiela, H. (1979). IDENTIFICATION AND CARCINOGENICITY OF FIBROUS ACTINOLITE FROM A QUARRY. *Staub, Reinhaltung der Luft.* 39: 386-389.

Exposure Literature Search Results

Off Topic

- Spurny, K; Weiss, G; Opiela, H. (1979). PROBLEM OF ASBESTOS FIBER EMISSIONS FROM ASBESTOS-CEMENT PLATES. *Staub, Reinhaltung der Luft*. 39: 422-427.
- Spurny, KR. (1988). On the emission of fibrous particles from corroded asbestos-cement products. In NH Seemayer; W Hadnagy (Eds.), (pp. 205-208). New York, NY: Springer.
- Spurny, KR. (1989). Asbestos Fibre Release by Corroded and Weathered Asbestos-Cement Products (pp. 367-371). (ISSN 0300-5038; NIOSH/00191373). Spurny, KR.
- Spurny, KR. (1989). On the release of asbestos fibers from weathered and corroded asbestos cement products. *Environ Res*. 48: 100-116.
- Spurny, KR. (1991). AEROSOL PENETRATION THROUGH PROTECTIVE CLOTHING. *J Aerosol Sci*. 22: S789-S792.
- Spurny, KR; Pott, F; Stoerber, W; Opiela, H; Schoermann, J; Weiss, G. (1983). On the chemical changes of asbestos fibers and MMMFs in biologic residence and in the environment: part 1. *Am Ind Hyg Assoc J*. 44: 833-845.
- Spurny, KR; Schormann, J; Weiss, G; Opiela, H; Langer, H; Schroder, J. (1981). ON THE PROBLEM OF LIQUIDS AND GASES CONTAMINATED BY FIBERS WHEN USING FILTERS CONTAINING CHRYSOTILE. *Sci Total Environ*. 19: 143-153.
- Spurny, KR; Stober, W; Ackerman, ER; Lodge, JP; Spurny, K. (1976). SAMPLING AND ELECTRON-MICROSCOPY OF ASBESTOS AEROSOL IN AMBIENT AIR BY MEANS OF NUCLEOPORE FILTERS. *J Air Pollut Control Assoc*. 26: 496-498.
- Spurny, KR; Stöber, W; Opiela, H; Weiss, G. (1980). On the problem of milling and ultrasonic treatment of asbestos and glass fibers in biological and analytical applications. *Am Ind Hyg Assoc J*. 41: 198-203.
- Spyratos, D; Chloros, D; Haidich, B; Dagdilelis, L; Markou, S; Sichelidis, L. (2012). Chest imaging and lung function impairment after long-term occupational exposure to low concentrations of chrysotile. *Arch Environ Occup Health*. 67: 84-90. <http://dx.doi.org/10.1080/19338244.2011.578681>.
- Sreenath Reddy, M; Yadagiri Reddy, P; Rama Reddy, K; Eappen, KP; Ramachandran, TV; Mayya, YS. (2008). Indoor radon levels in urban Hyderabad area, Andhra Pradesh, India. *Radiat Prot Dosimetry*. 132: 403-408. <http://dx.doi.org/10.1093/rpd/ncn311>.
- Srivastava, RK; Lohani, M; Pant, AB; Rahman, Q. (2010). Cyto-genotoxicity of amphibole asbestos fibers in cultured human lung epithelial cell line: role of surface iron. *Toxicol Ind Health*. 26: 575-582. <http://dx.doi.org/10.1177/0748233710374464>.
- Stallard, E. (2001). Product liability forecasting for asbestos-related personal injury claims: a multidisciplinary approach [Review]. *Ann N Y Acad Sci*. 954: 223-244.
- Stamatis, G; Gartzos, E. (1999). The silica supersaturated waters of northern Evia and eastern central Greece. *Hydrolog Process*. 13: 2833-2845.
- Stanbury, M; Rosenman, KD. (1987). A METHODOLOGY FOR IDENTIFYING WORKERS EXPOSED TO ASBESTOS SINCE 1940. *Am J Public Health*. 77: 854-855.
- Stanbury, M; Solice-Sample, G; Pescatore, J. (1993). Asbestos disease risk communication conducted by the New Jersey Department of Health. *Am J Ind Med*. 23: 97-104.
- Stanford, MK; Jain, VK. (2001). Friction and wear characteristics of hard coatings. *Wear*. 251: 990-996.
- Stanik, IA; Cedzynska, K; Zakowska, Z. (2006). Destruction of the chrysotile asbestos structure with a population of bacteria *Lactobacillus casei* and *Lactobacillus plantarum*. *Fresen Environ Bull*. 15: 640-643.
- Stauder, B; Breuer, G; Greven, U; Woitowitz, RH; Rodelsperger, K; Woitowitz, HJ. (1982). X-RAY RESULTS IN ROOFERS AFTER EXPOSURE TO DUST FROM WORKING WITH ASBESTOS CEMENT FOR MANY YEARS. *Arbeitsmedizin, Sozialmedizin, Praeventivmedizin*. 17: 275-278.
- Stavisky, LP. (1982). State responsibility for the control of asbestos in the schools. *J Sch Health*. 52: 358-364.
- Stayner, L; Bailer, AJ; Smith, R; Gilbert, S; Rice, F; Kuempel, E. (1999). Sources of uncertainty in dose-response modeling of epidemiological data for cancer risk assessment. *Ann N Y Acad Sci*. 895: 212-222. <http://dx.doi.org/10.1111/j.1749-6632.1999.tb08087.x>.
- Stayner, L; Kuempel, E; Gilbert, S; Hein, M; Dement, J. (2008). An epidemiological study of the role of chrysotile asbestos fibre dimensions in determining respiratory disease risk in exposed workers. *Occup Environ Med*. 65: 613-619. <http://dx.doi.org/10.1136/oem.2007.035584>.
- Stayner, L; Kuempel, E; Rice, F; Prince, M; Althouse, R. (1996). Approaches for assessing the efficacy of occupational health and safety standards [Review]. *Am J Ind Med*. 29: 353-357. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199604\)29:4<353::AID-AJIM14>3.0.CO;2-0](http://dx.doi.org/10.1002/(SICI)1097-0274(199604)29:4<353::AID-AJIM14>3.0.CO;2-0).
- Stayner, L; Smith, R; Bailer, J; Gilbert, S; Steenland, K; Dement, J; Brown, D; Lemen, R. (1997). Exposure-response analysis of risk of respiratory disease associated with occupational exposure to chrysotile asbestos. *Occup Environ Med*. 54: 646-652.
- Stayner, LT. (2015). Para-occupational exposures to asbestos: lessons learned from Casale Monferrato, Italy [Comment]. *Occup Environ Med*. 73: 145-146. <http://dx.doi.org/10.1136/oemed-2015-103233>.
- Stayner, LT; Dankovic, DA; Lemen, RA. (1996). Occupational exposure to chrysotile asbestos and cancer risk: a review of the amphibole hypothesis [Review]. *Am J Public Health*. 86: 179-186.
- Steen, B. (1991). Sveriges befolknings exponering foer kvaevexider och mutagena aemnen i luft. (Exposure of the Swedish population to nitrogen oxides and mutagenic substances in the air) (pp. 29). (NTIS/02986822). Steen, B.
- Steen, D; Guillemin, MP; Buffat, P; Litzistorf, G. (1983). DETERMINATION OF ASBESTOS FIBERS IN AIR TRANSMISSION ELECTRON-MICROSCOPY AS A REFERENCE METHOD. *Atmos Environ*. 17: 2285-2297.
- Steenland, K. (2002). Ten-year update on mortality among mild-steel welders. *Scand J Work Environ Health*. 28: 163-167.
- Steenland, K. (2005). One agent, many diseases: exposure-response data and comparative risks of different outcomes following silica exposure. *Am J Ind Med*. 48: 16-23. <http://dx.doi.org/10.1002/ajim.20181>.
- Steenland, K; Beaumont, J; Elliot, L. (1991). LUNG-CANCER IN MILD-STEEL WELDERS. *Am J Epidemiol*. 133: 220-229.
- Steenland, K; Brown, D. (1995). Mortality study of gold miners exposed to silica and nonasbestiform amphibole minerals: an update with 14 more years of follow-up. *Am J Ind Med*. 27: 217-229.

Exposure Literature Search Results

Off Topic

- Steenland, K; Loomis, D; Shy, C; Simonsen, N. (1996). Review of occupational lung carcinogens [Review]. *Am J Ind Med.* 29: 474-490. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199605\)29:5<474::AID-AJIM6>3.0.CO;2-M](http://dx.doi.org/10.1002/(SICI)1097-0274(199605)29:5<474::AID-AJIM6>3.0.CO;2-M).
- Steenland, K; Stayner, L. (1997). Silica, asbestos, man-made mineral fibers, and cancer [Review]. *Cancer Causes Control.* 8: 491-503.
- Steenland, K; Tucker, J; Salvan, A. (1993). Problems in assessing the relative predictive value of internal markers versus external exposure in chronic disease epidemiology [Review]. *Cancer Epidemiol Biomarkers Prev.* 2: 487-491.
- Stegne, M; Liu, M; Tammemagi, G. (2010). THE ROLE OF ASBESTOS EXPOSURE AND PULMONARY FUNCTION IN THE PREDICTION OF PULMONARY FIBROSIS. *Am J Epidemiol.* 171: S87-S87.
- Steinau, P. (1984). SUBSTITUTION FIBERS FOR ASBESTOS. 37: 567-568.
- Steiner, WE; Koehler J, LM; Popenuck, WW. (1990). GUADALUPE CORRIDOR TRANSPORTATION PROJECT ASBESTOS HEALTH RISK ASSESSMENT SAN JOSE CALIFORNIA USA (pp. 18-22). (BIOSIS/90/24490). Steiner, WE; Koehler J, LM; Popenuck, WW.
- Steiner, WE; Koehler, JL; Popenuck, WW. (1990). Guadalupe corridor transportation project asbestos health risk assessment, San Jose, California. *Sci Total Environ.* 93: 115-124.
- Steinle, P; Schafer, M; Roth, P. (2016). Emission of asbestos fibers and other elongated mineral particles when working with serpentine rocks - a differentiated analytical approach. *Gefahrst Reinhalt Luft.* 76: 173-182.
- Steinmaus, C; Balmes, JR. (2000). Government laboratory worker with lung cancer: comparing risks from beryllium, asbestos, and tobacco smoke. *Environ Health Perspect.* 108: 1003-1006.
- Steinmaus, CM; Ferreccio, C; Romo, JA; Yuan, Y; Cortes, S; Marshall, G; Moore, LE; Balmes, JR; Liaw, J; Golden, T; Smith, AH. (2013). Drinking water arsenic in northern Chile: High cancer risks 40 years after exposure cessation. *Cancer Epidemiol Biomarkers Prev.* 22: 623-630. <http://dx.doi.org/10.1158/1055-9965.EPI-12-1190>.
- Steinsvag, K; Bratveit, M; Moen, BE. (2007). Exposure to carcinogens for defined job categories in Norway's offshore petroleum industry, 1970 to 2005. *Occup Environ Med.* 64: 250-258. <http://dx.doi.org/10.1136/oem.2006.028225>.
- Stella, GM. (2011). Carbon nanotubes and pleural damage: Perspectives of nanosafety in the light of asbestos experience [Review]. *Biointerphases.* 6: P1-P17. <http://dx.doi.org/10.1116/1.3582324>.
- Stellman, SD. (2003). Issues of causality in the history of occupational epidemiology. *Soz Praventivmed.* 48: 151-160. <http://dx.doi.org/10.1007/s00038-003-1051-9>.
- Stellman, SD; Demers, PA; Colin, D; Boffetta, P. (1998). Cancer mortality and wood dust exposure among participants in the American Cancer Society Cancer Prevention Study-II (CPS-II). *Am J Ind Med.* 34: 229-237. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199809\)34:3<229::AID-AJIM4>3.0.CO;2-Q](http://dx.doi.org/10.1002/(SICI)1097-0274(199809)34:3<229::AID-AJIM4>3.0.CO;2-Q).
- Stephenson, D. (1993). AMPHIBOLES FROM DALRDIAN METASEDIMENTARY ROCKS OF NE SCOTLAND - ENVIRONMENTAL INFERENCES AND DISTINCTION FROM AMPHIBOLES OF META-IGNEOUS AMPHIBOLITES. *Mineralogy and Petrology.* 49: 45-62.
- Stephenson, D. (1994). AMPHIBOLES FROM DALRDIAN METASEDIMENTARY ROCKS OF NE SCOTLAND - ENVIRONMENTAL INFERENCES AND DISTINCTION FROM AMPHIBOLES OF META-IGNEOUS AMPHIBOLITES. *Mineralogy and Petrology.* 51: 241-242.
- Sterling, TD; Collett, CW; Rosenbaum, WL; Weinkam, JJ. (1993). Comments on the health effects institute-asbestos research (HEI-AR) report: "Asbestos in public and commercial building," with emphasis on risk assessment methods used. *Am J Ind Med.* 24: 767-781.
- Sterling, TD; Glicksman, A; Perry, H; Sterling, DA; Rosenbaum, WL; Weinkam, JJ. (1996). An alternative explanation for the apparent elevated relative mortality and morbidity risks associated with exposure to environmental tobacco smoke. *J Clin Epidemiol.* 49: 803-808.
- Sterling, TP; Rosenbaum, WL; Weinkam, JJ. (1994). ASBESTOS EXPOSURES IN PUBLIC AND COMMERCIAL BUILDINGS - COMMENTARY. *Am J Ind Med.* 26: 845-847.
- Sterling, TP; Rosenbaum, WL; Weinkam, JJ. (1995). RE - ASBESTOS EXPOSURES IN PUBLIC AND COMMERCIAL BUILDINGS. *Am J Ind Med.* 27: 439-441.
- Stern, F; Lehman, E; Ruder, A. (2001). Mortality among unionized construction plasterers and cement masons. *Am J Ind Med.* 39: 373-388.
- Stern, F; Schulte, P; Sweeney, MH; Fingerhut, M; Vossenas, P; Burkhardt, G; Kornak, MF. (1995). Proportionate mortality among construction laborers. *Am J Ind Med.* 27: 485-509.
- Stern, FB; Ruder, AM; Chen, G. (2000). Proportionate mortality among unionized roofers and waterproofers. *Am J Ind Med.* 37: 478-492.
- Stern, FB; Sweeney, MH; Ward, E. (1997). Proportionate mortality among unionized construction ironworkers. *Am J Ind Med.* 31: 176-187.
- Stevens, RH; Cole, DA; Cheng, HF; Hodge, JA; Will, LA. (1983). Cell-mediated cytotoxicity expressed by lymphoid cells from rats with asbestos-induced peritoneal mesothelioma towards rat fetal cell. *Environ Health Perspect.* 51: 91-96.
- Stevens, RH; Will, LA; Cole, DA; Meek, ES; Frank, CW; Donham, KJ. (1979). CYCLIC NUCLEOTIDE CONCENTRATIONS IN ASBESTOS-INDUCED RAT PERITONEAL MESOTHELIOMA. *Environ Res.* 19: 442-448.
- Stevens, WH. (1997). Thermal removal of asbestos pipeline coating. *Pipeline and Gas Journal.* 224: 41-43.
- Stewart, DJ; Edwards, JG; Smythe, WR; Waller, DA; O'Byrne, KJ. (2004). Malignant pleural mesothelioma--an update [Review]. *Int J Occup Environ Health.* 10: 26-39. <http://dx.doi.org/10.1179/oeh.2004.10.1.26>.
- Stewart, PA; Coble, JB; Vermeulen, R; Schleiff, P; Blair, A; Lubin, J; Attfield, M; Silverman, DT. (2010). The diesel exhaust in miners study: I. Overview of the exposure assessment process. *Ann Occup Hyg.* 54: 728-746. <http://dx.doi.org/10.1093/annhyg/meq022>.
- Stewart, W; Matanoski, G. (1984). THE RELATIONSHIP BETWEEN ASBESTOS EXPOSURE AND LUNG-CANCER CELL TYPE. *Am J Epidemiol.* 120: 459-459.
- Stewart-Taylor, AJ; Cherrie, JW. (1998). Does risk perception affect behaviour and exposure? A pilot study amongst asbestos workers. *Ann Occup Hyg.* 42: 565-569.
- Stocks, AI; Giezendanner, H; Vandenhurk, H. (1985). ASBESTOS-FREE CLUTCHES AND BRAKES REINFORCED WITH KEVLAR ARAMID FIBERS. *Int J Vehicle Des.* 6: 483-487.

Exposure Literature Search Results

Off Topic

- Stocks, SJ; Turner, S; Carder, M; Hussey, L; Mcnamee, R; Agius, RM. (2010). Medically reported work-related ill-health in the UK agricultural sector. *Occup Med (Lond)*. 60: 340-347. <http://dx.doi.org/10.1093/occmed/kqq038>.
- Stojadinovic, J; Wiedenmann, D; Gorbar, M; La Mantia, F; Suarez, L; Zakaznova-Herzog, V; Vogt, UF; Grobety, B; Zuetzel, A. (2012). Electrochemical Characterization of Porous Diaphragms in Development for Gas Separation. 1: F25-F28. <http://dx.doi.org/10.1149/2.002204eel>.
- Stolkin, I; Ruttner, J. R.; Sahu, AP; Schibli, L; Spycher, MA. (1981). ELECTRON-MICROSCOPIC DETERMINATION OF THE NUMBER AND SIZE DISTRIBUTION OF MINERAL FIBERS IN ASBESTOS AND NON-ASBESTOS EXPOSED LUNGS. *Staub, Reinhaltung der Luft*. 41: 118-122.
- Storchi, C; Romanelli, A. (2010). MALIGNANT MESOTHELIOMA IN EMILIA-ROMAGNA AND IN ITALY: INCIDENCE AND EXPOSURE TO ASBESTOS IN COMPARISON. *Epidemiol Prev*. 34: 227-227.
- Straif, K; Chambless, L; Weiland, SK; Wienke, A; Bungers, M; Taeger, D; Keil, U. (1999). Occupational risk factors for mortality from stomach and lung cancer among rubber workers: an analysis using internal controls and refined exposure assessment. *Int J Epidemiol*. 28: 1037-1043.
- Straif, K; Keil, U; Taeger, D; Holthenrich, D; Sun, Y; Bungers, M; Weiland, SK. (2000). Exposure to nitrosamines, carbon black, asbestos, and talc and mortality from stomach, lung, and laryngeal cancer in a cohort of rubber workers. *Am J Epidemiol*. 152: 297-306. <http://dx.doi.org/10.1093/aje/152.4.297>.
- Straif, K; Silverstein, M. (1997). Comparison of US Occupational Safety and Health Administration standards and German Berufsgenossenschaften guidelines for preventive occupational health examinations. *Am J Ind Med*. 31: 373-380.
- Straif, K; Stayner, L; Demers, PA; Landrigan, PJ. (2012). Use of meta-analyses by IARC Working Groups [Letter]. *Environ Health Perspect*. 120: A342-A343. <http://dx.doi.org/10.1289/ehp.1205397>.
- Straka, M; Cehlar, M; Khouri, S; Trebuna, P; Rosova, A; Malindzakova, M. (2016). Asbestos exposure and minimization of risks at its disposal by applying the principles of logistics. *Przemysł Chemiczny*. 95: 963-970. <http://dx.doi.org/10.15199/62.2016.5.13>.
- Strand, LA; Martinsen, JI; Koefoed, VF; Sommerfelt-Pettersen, J; Grimsrud, TK. (2010). Asbestos-related cancers among 28,300 military servicemen in the Royal Norwegian Navy. *Am J Ind Med*. 53: 64-71. <http://dx.doi.org/10.1002/ajim.20778>.
- Strating, EHH; Vissers, RLM. (1991). DEHYDRATION-INDUCED FRACTURING OF ECLOGITE-FACIES PERIDOTITES - IMPLICATIONS FOR THE MECHANICAL-BEHAVIOR OF SUBDUCTING OCEANIC LITHOSPHERE. *Tectonophysics*. 200: 187-198.
- Stratta, P; Messuerotti, A; Canavese, C; Coen, M; Luccoli, L; Bussolati, B; Giorda, L; Malavenda, P; Cacciabue, M; Bugiani, M; Bo, M; Ventura, M; Camussi, G; Fubini, B. (2001). The role of metals in autoimmune vasculitis: epidemiological and pathogenic study. *Sci Total Environ*. 270: 179-190. [http://dx.doi.org/10.1016/s0048-9697\(00\)00800-7](http://dx.doi.org/10.1016/s0048-9697(00)00800-7).
- Strauchen, JA. (2011). Rarity of malignant mesothelioma prior to the widespread commercial introduction of asbestos: the Mount Sinai autopsy experience 1883-1910. *Am J Ind Med*. 54: 467-469. <http://dx.doi.org/10.1002/ajim.20951>.
- Stringer, B; Kobzik, L. (1998). Environmental particulate-mediated cytokine production in lung epithelial cells (A549): role of preexisting inflammation and oxidant stress. *J Toxicol Environ Health A*. 55: 31-44.
- Stroink, G; Lim, D; Dunlap, RA. (1987). A Mössbauer-effect study of autopsied lung tissue of asbestos workers. *Phys Med Biol*. 32: 203-211.
- Stroikova, B; Evstatieva, S; Dimitrova, S; Mavrodieva, E; Lukanova, R. (1998). Study of asbestos exposure in some applications of asbestos materials in the chemical industry. *Int Arch Occup Environ Health*. 71 Suppl: S19-S21.
- Strom, KA; Yu, CP. (1994). MATHEMATICAL-MODELING OF SILICON-CARBIDE WHISKER DEPOSITION IN THE LUNG - COMPARISON BETWEEN RATS AND HUMANS. *Aerosol Sci Technol*. 21: 193-209.
- Stroszejn-Mrowca, G. (1982). [Correlations between selected indicators of asbestos dust pollution of the work environment]. *Med Pr*. 33: 163-169.
- Stroszejn-Mrowca, G; Szczepaniak, M. (1993). [Microscopic quality control--numeric representation of asbestos fiber concentration in environmental air of the workplace]. *Med Pr*. 44: 153-159.
- Stroszejn-Mrowca, G; Szczepaniak, M; Wiecek, E. (1991). [Occupational exposure to asbestos-containing dust at the plants manufacturing and using asbestos products during the years 1986-1989]. *Med Pr*. 42: 343-348.
- Stroszejn-Mrowca, G; Wiecek, E. (1979). [Air concentration of asbestos fibers at work sites]. *Med Pr*. 30: 293-299.
- Stroszejn-Mrowca, G; Wiecek, E. (1985). EVALUATION OF EXPOSURE TO ASBESTOS DUST IN ASBESTOS-PROCESSING PLANTS. *Med Pr*. 36: 214-222.
- Strubel, G. (1992). THERMAL-TREATMENT FOR DISPOSAL OF ASBESTOS AND ASBESTOS PRODUCTS. *Brennstoff-Waerme-Kraft*. 44: S41-S47.
- Stuckemeier, I; Dettmann, P; Mangold, K; Schweers, H. (1999). Similitude theory considerations in the production of calcium hydrosilicates from lime-rich mixtures. 52: 264-+.
- Stücker, I; Boffetta, P; Antilla, S; Benhamou, S; Hirvonen, A; London, S; Taioli, E. (2001). Lack of interaction between asbestos exposure and glutathione S-transferase M1 and T1 genotypes in lung carcinogenesis. *Cancer Epidemiol Biomarkers Prev*. 10: 1253-1258.
- Sturm, R. (2011). A computer model for the simulation of fiber-cell interaction in the alveolar region of the respiratory tract. *Comput Biol Med*. 41: 565-573. <http://dx.doi.org/10.1016/j.compbiomed.2011.05.009>.
- Styles, MT; Sanna, A; Lacinska, AM; Naden, J; Maroto-Valer, M. (2014). The variation in composition of ultramafic rocks and the effect on their suitability for carbon dioxide sequestration by mineralization following acid leaching. *Greenhouse Gases*. 4: 440-451. <http://dx.doi.org/10.1002/ghg.1405>.
- Su, CM; Suarez, DL. (2004). Boron release from weathering of illites, serpentinite, shales, and illitic/palygorskitic soils. *Soil Sci Soc Am J*. 68: 96-105.
- Su, SC. (2003). A rapid and accurate procedure for the determination of refractive indices of regulated asbestos minerals. *Am Mineral*. 88: 1979-1982.

Exposure Literature Search Results

Off Topic

- Su, W, eiC; Cheng, YS. (2006). Deposition of fiber in a human airway replica. *J Aerosol Sci.* 37: 1429-1441. <http://dx.doi.org/10.1016/j.jaerosci.2006.01.015>.
- Su, Y; Tang, H; Sylvester, PJ; Liu, C; Qu, W; Hou, G; Cong, F. (2007). Petrogenesis of Karamaili alkaline A-type granites from East Junggar, Xinjiang (NW China) and their relationship with tin mineralization. *Geochemical Journal.* 41: 341-357.
- Subbanna, GN; Kutty, TRN; Iyer, GVA. (1985). INFLUENCE OF STRUCTURAL DEFECTS ON GAS-ADSORPTION PROPERTIES OF ANTHOPHYLLITE ASBESTOS. *Mater Chem Phys.* 13: 97-104.
- Suchanek, W; Suda, H; Yashima, M; Kakihana, M; Yoshimura, M. (1995). BIOCOMPATIBLE WHISKERS WITH CONTROLLED MORPHOLOGY AND STOICHIOMETRY. *J Mater Res.* 10: 521-529.
- Sucik, G; Szaboova, A; Popovic, L; Hrsak, D. (2016). THE RELATIONSHIP BETWEEN THERMAL TREATMENT OF SERPENTINE AND ITS REACTIVITY. *Materiali in Tehnologije.* 50: 55-58.
- Sueno, S; Matsuura, S; Gibbs, GV; Boisen, MB. (1998). A crystal chemical study of protoanthophyllite: orthoamphiboles with the protoamphibole structure. *Physics and Chemistry of Minerals.* 25: 366-377.
- Sugama, T; Sabatini, R; Petrakis, L. (1998). Decomposition of chrysotile asbestos by fluorosulfonic acid. *Ind Eng Chem Res.* 37: 79-88.
- Suganuma, N; Kusaka, Y; Hiraga, Y; Hosoda, Y; Shida, H; Morikubo, H; Matsumoto, T. (2001). Asbestos-related pleural abnormalities detected by chest X-ray: Fair agreement with detection by computed tomography. *J Occup Health.* 43: 365-370.
- Sugozu, I; Mutlu, I; Sugozu, KB. (2016). The effect of coemanite on the friction performance of automotive brake friction materials. *Industrial Lubrication & Tribology.* 68: 92-98. <http://dx.doi.org/10.1108/ILT-04-2015-0044>.
- Suk, WA; Ruchirawat, KM; Balakrishnan, K; Berger, M; Carpenter, D; Damstra, T; de Garbino, JP; Koh, D; Landrigan, PJ; Makalinao, I; Sly, PD; Xu, Y; Zheng, BS. (2003). Environmental threats to children's health in Southeast Asia and the Western Pacific [Review]. *Environ Health Perspect.* 111: 1340-1347. <http://dx.doi.org/10.1289/ehp.6059>.
- Sullivan, PA. (2007). Vermiculite, respiratory disease, and asbestos exposure in Libby, Montana: update of a cohort mortality study. *Environ Health Perspect.* 115: 579-585. <http://dx.doi.org/10.1289/ehp.9481>.
- Sullivan, PA; Cooper, G. (2008). Rheumatoid arthritis in an asbestos-exposed occupational cohort. *Am J Epidemiol.* 167: S117-S117.
- Sulotto, F; Capellaro, E; Chiesa, A; Villari, S; Bontempi, S; Scansetti, G. (1997). Relationship between asbestos bodies in sputum and the number of specimens. *Scand J Work Environ Health.* 23: 48-53.
- Sun, J; Shibata, E; Hisanaga, N; Kamijima, M; Ichihara, G; Huang, J; Toida, M; Takeuchi, Y. (1997). A cohort mortality study of construction workers. *Am J Ind Med.* 32: 35-41.
- Sun, S; Ji, S; Michibayashi, K; Salisbury, M. (2016). Effects of olivine fabric, melt-rock reaction, and hydration on the seismic properties of peridotites: Insight from the Luobusha ophiolite in the Tibetan Plateau. *J Geophys Res Solid Earth.* 121: 3300-3323. <http://dx.doi.org/10.1002/2015JB012579>.
- Sun, X; Zhu, XQ; Tang, H; Zhang, Q; Luo, T. (2014). The Gongchangling BIFs from the Anshan-Benxi area, NE China: Petrological-geochemical characteristics and genesis of high-grade iron ores. *Ore Geol Rev.* 60: 112-125. <http://dx.doi.org/10.1016/j.oregeorev.2013.12.017>.
- Sun, XH, ui; Zhu, XQ; Tang, H, aoShu; Zhang, Q; Luo, T, aiYi. (2014). Reprint of "The Gongchangling BIFs from the Anshan-Benxi area, NE China: Petrological-geochemical characteristics and genesis of high-grade iron ores". *Ore Geol Rev.* 63: 374-387. <http://dx.doi.org/10.1016/j.oregeorev.2014.06.002>.
- Suquet, H. (1989). EFFECTS OF DRY GRINDING AND LEACHING ON THE CRYSTAL-STRUCTURE OF CHRYSOTILE. *Clays and Clay Minerals.* 37: 439-445.
- Suraj, G; Iyer, CSP; Rugmini, S; Lalithambika, M. (1997). The effect of micronization on kaolinites and their sorption behaviour. *Appl Clay Sci.* 12: 111-130.
- Surour, AA. (2017). Chemistry of serpentine "polymorphs" in the Pan-African serpentinites from the Eastern Desert of Egypt, with an emphasis on the effect of superimposed thermal metamorphism. *Mineralogy and Petrology.* 111: 99-119. <http://dx.doi.org/10.1007/s00710-016-0460-4>.
- Suslova, TB; Cheremisina, ZP; Korkina, LG. (1994). FREE-RADICAL GENERATION DURING INTERACTION OF CHRYSOTILE ASBESTOS WITH NATURAL COMPOUNDS. *Environ Res.* 66: 222-234. <http://dx.doi.org/10.1006/enrs.1994.1058>.
- Suzuki, T; Sakakibara, Y; Hisanaga, N; Sakai, K; Yu, IJ; Lim, HS; Mikamo, H; Seno, H; Kobayashi, F; Shibata, E. (2016). The association among ferruginous body, uncoated fibers, asbestos and non-asbestos fibers in lung tissue in terms of length. *Ind Health.* 54: 370-376. <http://dx.doi.org/10.2486/indhealth.2015-0159>.
- Suzuki, Y. (2001). Pathology of human malignant mesothelioma--preliminary analysis of 1,517 mesothelioma cases. *Ind Health.* 39: 183-185.
- Suzuki, Y; Aita, S; Hoshino, T; Iwata, H. (1976). APPLICATION OF ANALYTICAL ELECTRON MICROSCOPY FOR DETECTION OF SUB MICROSCOPIC ASBESTOS IN TISSUES. *Am J Pathol.* 82.
- Suzuki, Y; Kipen, H; Lilis, R; Selikoff, IJ. (1987). Pulmonary fibrosis in asbestos insulation workers with lung cancer [Letter]. *Br J Ind Med.* 44: 719-720.
- Suzuki, Y; Kohyama, N. (1991). Translocation of inhaled asbestos fibers from the lung to other tissues. *Am J Ind Med.* 19: 701-704. <http://dx.doi.org/10.1002/ajim.4700190603>.
- Suzuki, Y; Yuen, S. (2002). Asbestos fibers contributing to the induction of human malignant mesothelioma. *Ann N Y Acad Sci.* 982: 160-176.
- Suzuki, Y; Yuen, SR. (2001). Asbestos tissue burden study on human malignant mesothelioma. *Ind Health.* 39: 150-160. <http://dx.doi.org/10.2486/indhealth.39.150>.
- Suzuki, Y; Yuen, SR; Ashley, R. (2005). Short, thin asbestos fibers contribute to the development of human malignant mesothelioma: pathological evidence [Review]. *Int J Hyg Environ Health.* 208: 201-210. <http://dx.doi.org/10.1016/j.ijheh.2005.01.015>.

Exposure Literature Search Results

Off Topic

- Sveinbjornsdottir, AE. (1991). COMPOSITION OF GEOTHERMAL MINERALS FROM SALINE AND DILUTE FLUIDS - KRAFLA AND REYKJANES, ICELAND. *Lithos*. 27: 301-315.
- Svendsen, K; Hilt, B. (1997). Exposure to mineral oil mist and respiratory symptoms in marine engineers. *Am J Ind Med*. 32: 84-89.
- Svendsen, K; Hilt, B. (1999). Lung function disturbances and chest X-ray abnormalities among marine engineers. *Am J Ind Med*. 35: 590-594. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199906\)35:6<590::AID-AJIM6>3.0.CO;2-D](http://dx.doi.org/10.1002/(SICI)1097-0274(199906)35:6<590::AID-AJIM6>3.0.CO;2-D).
- Svensson, I; Artursson, E; Leanderson, P; Berglund, R; Lindgren, F. (1997). Toxicity In Vitro of Some Silicon Carbides and Silicon Nitrides: Whiskers and Powders. *Am J Ind Med*. 31: 335-343.
- Swart, J; Mendonidis, P; Pienaar, C. (2009). THE ELECTRICAL PROPERTIES OF CHLORITE TREMOLITE MARBLE MEASURED FOR A RANGE OF RADIO FREQUENCIES. *Mineral Processing and Extractive Metallurgy Review*. 30: 307-326. <http://dx.doi.org/10.1080/08827500902956252>.
- Swartjes, FA; Tromp, PC. (2008). A tiered approach for the assessment of the human health risks of asbestos in soils. *Soil Sediment Contam*. 17: 137-149. <http://dx.doi.org/10.1080/15320380701870484>.
- Swayze, GA; Higgins, CT; Clinkenbeard, JP; Kokaly, RF; Clark, RN; Meeker, GP; Sutley, SJ. (2005). Using imaging spectroscopy to map ultramafic rocks, serpentinites, and tremolite-actinolite-bearing rocks in California. *Geochim Cosmo Acta*. 69: A191-A191.
- Świątkowska, B. (2013). [Legal aspects of workers' health protection against asbestos in Poland in the light of the EU legal framework] [Review]. *Med Pr*. 64: 689-697.
- Świątkowska, B. (2014). Continued Spirometry Changes After Cessation of Exposure in Asbestos-Cement Workers (vol 56, pg 403, 2014). *J Occup Environ Med*. 56: E141-E141. <http://dx.doi.org/10.1097/JOM.0000000000000308>.
- Świątkowska, B; Sobala, W; Szubert, Z. (2012). Progression of small, irregular opacities in chest radiographs of former asbestos workers. *Int J Occup Med Environ Health*. 25: 481-491. <http://dx.doi.org/10.2478/S13382-012-0062-2>.
- Świątkowska, B; Szeszenia-Dąbrowska, N; Sobala, W; Wilczyńska, U. (2008). [Occupational risk factors for lung cancer: A case-control study, Lodz industrial center]. *Med Pr*. 59: 25-34.
- Świątkowska, B; Szeszenia-Dąbrowska, N; Wilczyńska, U. (2016). Medical monitoring of asbestos-exposed workers: experience from Poland. *Bull World Health Organ*. 94: 599-604. <http://dx.doi.org/10.2471/BLT.15.159426>.
- Świątkowska, B; Wojciech, S; Szubert, Z; Szeszenia-Dąbrowska, N. (2014). Continued spirometry changes after cessation of exposure in asbestos-cement workers. *J Occup Environ Med*. 56: 403-408. <http://dx.doi.org/10.1097/JOM.0000000000000117>.
- Swuste, P; Burdorf, A; Ruers, B. (2004). Asbestos, asbestos-related diseases, and compensation claims in The Netherlands [Review]. *Int J Occup Environ Health*. 10: 159-165. <http://dx.doi.org/10.1179/oeh.2004.10.2.159>.
- Swuste, P; Dahhan, M; Burdorf, A. (2008). Linking expert judgement and trends in occupational exposure into a job-exposure matrix for historical exposure to asbestos in The Netherlands. *Ann Occup Hyg*. 52: 397-403. <http://dx.doi.org/10.1093/annhyg/men030>.
- Sysila, S; Laapas, H; Heiskanen, K; Ruokonen, E. (1996). The effect of surface potential on the flotation of chromite. *Miner Eng*. 9: 519-525.
- Szabo, S; Burai, P; Kovacs, Z; Szabo, G; Kerényi, A; Fazekas, I; Paladi, M; Buday, T; Szabo, G. (2014). TESTING ALGORITHMS FOR THE IDENTIFICATION OF ASBESTOS ROOFING BASED ON HYPERSPECTRAL DATA. *Environmental Engineering and Management Journal*. 13: 2875-2880.
- Szecsody, JE; Truex, MJ; Zhong, L; Johnson, TC; Qafoku, NP; Williams, MD; Greenwood, WJ; Wallin, EL; Bargar, JD; Faurie, DK. (2012). Geochemical and Geophysical Changes during Ammonia Gas Treatment of Vadose Zone Sediments for Uranium Remediation. *Vadose Zone Journal*. 11. <http://dx.doi.org/10.2136/vzj2011.0158>.
- Szeinuk, J; Noonan, CW; Henschke, CI; Pfau, J; Black, B; Miller, A; Yankelevitz, DF; Liang, M; Liu, Y; Yip, R; Linker, L; Mcnew, T; Flores, RM. (2017). Pulmonary abnormalities as a result of exposure to Libby amphibole during childhood and adolescence-The Pre-Adult Latency Study (PALS). *Am J Ind Med*. 60: 20-34. <http://dx.doi.org/10.1002/ajim.22674>.
- Szeinuk, J; Wilk-Rivard, EJ. (2007). Case report: Silicosis in a carpet installer. *Environ Health Perspect*. 115: 932-935. <http://dx.doi.org/10.1289/ehp.9691>.
- Szendrői, M; Németh, L; Vajta, G. (1983). Asbestos bodies in a bile duct cancer after occupational exposure. *Environ Res*. 30: 270-280.
- Szeszenia-Dąbrowska, N. (2011). ASBESTOS ABATEMENT WORKERS VERSUS ASBESTOS WORKERS: EXPOSURE AND HEALTH-EFFECTS DIFFER Reply. *Int J Occup Med Environ Health*. 24: 420-421. <http://dx.doi.org/10.2478/s13382-011-0045-8>.
- Szeszenia-Dąbrowska, N. (2013). Legal aspects of the protection of the health of workers against asbestos in Poland in the light of the EU's legal framework (vol 64(5), pg 689,2013). *Med Pr*. 64.
- Szeszenia-Dąbrowska, N; Strzelecka, A; Wilczyńska, U. (1991). Exposure to carcinogens in industry: Evaluation of the existing situation and a draft of an information system. *Med Pr*. 42: 60-65.
- Szeszenia-Dąbrowska, N; Świątkowska, B; Sobala, W; Szubert, Z; Wilczyńska, U. (2015). Asbestos related diseases among workers of asbestos processing plants in relation to type of production and asbestos use. *Med Pr*. 66: 1-9.
- Szeszenia-Dąbrowska, N; Świątkowska, B; Szubert, Z; Wilczyńska, U. (2011). Asbestos in Poland: occupational health problems. *Int J Occup Med Environ Health*. 24: 142-152. <http://dx.doi.org/10.2478/s13382-011-0020-4>.
- Szeszenia-Dąbrowska, N; Wilczyńska, U. (2013). Occupational diseases among workers employed in various branches of the national economy. *Med Pr*. 64: 161-174.
- Szeszenia-Dąbrowska, N; Wilczyńska, U. (2013). Occupational diseases in Poland--an overview of current trends. *Int J Occup Med Environ Health*. 26: 457-470. <http://dx.doi.org/10.2478/s13382-013-0119-x>.
- Szeszenia-Dąbrowska, N; Wilczyńska, U; Sobala, W. (2014). OCCUPATIONAL DISEASES IN POLAND IN 2013 AND THEIR CAUSATIVE AGENTS. *Med Pr*. 65: 463-472.
- Szubert, Z; Stankiewicz-Choroszuca, B; Wrońska-Sobolewska, M; Cwynar, E; Dobrowolska, J; Wróbel, R; Ratka, M; Jakubowski, J; Skórska-Ciszewska, I; Turbańska, R; Gazda, U; Sova, M; Pawłowska-Kozieł, H; Latala-Łoś, E; Komorowska, E; Sobala, W; Świątkowska, B;

Exposure Literature Search Results

Off Topic

- Szeszenia-Dabrowska, N. (2011). [Implementation of the Amiantus project involving prophylactic medical examinations of the former employees of asbestos processing plants]. *Med Pr.* 62: 465-472.
- Szuster-Janiaczek, A. (2016). The microbiological evaluation of deposits come from water network on the example of selected water supply system. *Rocznik Ochrona Srodowiska.* 18: 815-827.
- Szyba, K; Lange, A. (1983). PRESENTATION OF BENZO(A)PYRENE TO MICROSOMAL ENZYMES BY ASBESTOS FIBERS IN THE SALMONELLA/MAMMALIAN MICROSOME MUTAGENICITY TEST (pp. 337-341). (ISSN 0091-6765; EISSN 1552-9924; EMICBACK/55863). Szyba, K; Lange, A.
- 'T Mannelte, A; Brennan, P; Zaridze, D; Szeszenia-Dabrowska, N; Rudnai, P; Lissowska, J; Fabianova, E; Cassidy, A; Mates, D; Bencko, V; Foretova, L; Janout, V; Fevotte, J; Fletcher, T; Boffetta, P. (2012). Welding and Lung Cancer in Central and Eastern Europe and the United Kingdom. *Am J Epidemiol.* 175: 706-714. <http://dx.doi.org/10.1093/aje/kwr358>.
- 'T Mannelte, A; Kromhout, H. (2003). The use of occupation and industry classifications in general population studies. *Int J Epidemiol.* 32: 419-428. <http://dx.doi.org/10.1093/ije/dyg080>.
- Tabata, M; Shono, A; Ghaffar, A. (2016). Decomposition of asbestos by a supernatant used for immobilization of heavy metals in fly ash. *Journal of Material Cycles and Waste Management.* 18: 483-492. <http://dx.doi.org/10.1007/s10163-016-0491-2>.
- Tabesh, M; Delavar, MR; Delkhal, A. (2010). Use of geospatial information system based tool for renovation and rehabilitation of water distribution systems. *Int J Environ Sci Tech.* 7: 47-58.
- Tabet, L; Bussy, C; Amara, N; Setyan, A, ri; Grodet, A; Rossi, MJ; Pairon, JC; Boczkowski, J; Lanone, S. (2009). Adverse Effects of Industrial Multiwalled Carbon Nanotubes on Human Pulmonary Cells. *J Toxicol Environ Health A.* 72: 60-73. <http://dx.doi.org/10.1080/15287390802476991>.
- Tachiyama, Y; Izumi, K; Kawanishi, M. (1990). Secular trends in incidence and degree of concentration of asbestos bodies in autopsied lungs in Hiroshima prefecture (Japan) (1957-1987) (pp. 25-34). (BIOSIS/90/17479). Tachiyama, Y; Izumi, K; Kawanishi, M.
- Tadas, P; Dainius, M; Edvinas, K; Linas, K; Maksim, K; Axel, Z. (2011). Comparative characterization of particle emissions from asbestos and non-asbestos cement roof slates. *Build Environ.* 46: 2295-2302. <http://dx.doi.org/10.1016/j.buildenv.2011.05.010>.
- Taddeo, D. (2006). Point of view of Occupational Health Prevention Units. *Med Lav.* 97: 458-462.
- Taeger, D; Gawrych, K; Brüning, T. (2016). Validity of mesothelin in occupational medicine practice [Letter]. *Int J Occup Med Environ Health.* 29: 879-880. <http://dx.doi.org/10.13075/ijom.1896.01062>.
- Taha, I. (2012). Investigation of flax fibre reinforced epoxy friction composites. *Materwiss Werksttech.* 43: 1059-1066. <http://dx.doi.org/10.1002/mawe.201200067>.
- Takabe, K; Tsukada, Y; Shimizu, T; Takagiwa, J; Hirayama, M; Nakayama, M; Miura, H; Akabane, H; Takayama, S; Aida, S. (1997). [The clinical utility of asbestos body counts in bronchoalveolar lavage fluid]. *Nihon Kyobu Shikkan Gakkai Zasshi.* 35: 1196-1204.
- Takahashi; Pan; Kasai; Hanaoka; Feng; Liu; Zhang; Xu; Tsuda; Yamato; Higashi; Okubo. (1997). Relationship between Asbestos Exposures and 8-Hydroxydeoxyguanosine Levels in Leukocytic DNA of Workers at a Chinese Asbestos-material Plant. *Int J Occup Environ Health.* 3: 111-119. <http://dx.doi.org/10.1179/oeh.1997.3.2.111>.
- Takahashi, K; Case, BW; Dufresne, A; Fraser, R; Higashi, T; Siemiatycki, J. (1994). Relation between lung asbestos fibre burden and exposure indices based on job history. *Occup Environ Med.* 51: 461-469.
- Takahashi, K; Huuskonen, MS; Tossavainen, A; Higashi, T; Okubo, T; Rantanen, J. (1999). Ecological relationship between mesothelioma incidence/mortality and asbestos consumption in ten Western countries and Japan. *J Occup Health.* 41: 8-11.
- Takahashi, K; Initiative, AA. (2008). Asbestos-related diseases: time for technology sharing [Editorial]. *Occup Med (Lond).* 58: 384-385. <http://dx.doi.org/10.1093/occmed/kqn086>.
- Takahashi, K; Karjalainen, A. (2003). A cross-country comparative overview of the asbestos situation in ten Asian countries. *Int J Occup Environ Health.* 9: 244-248. <http://dx.doi.org/10.1179/oeh.2003.9.3.244>.
- Takahashi, K; Landrigan, PJ. (2016). The global health dimensions of asbestos and asbestos-related diseases. *Ind Health.* 54: 87-91. <http://dx.doi.org/10.2486/indhealth.cr01>.
- Takahashi, K; Landrigan, PJ; Ramazzini, C. (2016). The Global Health Dimensions of Asbestos and Asbestos-Related Diseases. *J Occup Health.* 82: 209-213. <http://dx.doi.org/10.1016/j.aogh.2016.01.019>.
- Takahashi, K; Sekikawa, A; Laporte, RE; Satoh, T; Pan, G; Ren, A; Okubo, T; Yoshimura, T. (1998). Occupational lung diseases and global occupational health on the Net. *Occup Med (Lond).* 48: 3-6.
- Takahashi, M; Uehara, SI; Mizoguchi, K; Shimizu, I; Okazaki, K; Masuda, K. (2011). On the transient response of serpentine (antigorite) gouge to stepwise changes in slip velocity under high-temperature conditions. *J Geophys Res Solid Earth.* 116. <http://dx.doi.org/10.1029/2010JB008062>.
- Takahashi, T; Munakata, M; Takekawa, H; Homma, Y; Kawakami, Y. (1996). Pulmonary fibrosis in a carpenter with long-lasting exposure to fiberglass. *Am J Ind Med.* 30: 596-600.
- Takahashi, Y; Miyaki, K; Nakayama, T. (2007). Analysis of news of the Japanese asbestos panic: a supposedly resolved issue that turned out to be a time bomb. *J Public Health (Oxf).* 29: 62-69. <http://dx.doi.org/10.1093/pubmed/fdl081>.
- Takala, J. (1996). Chemical Safety Information for developing countries. *Sci Total Environ.* 188: S112-S129. [http://dx.doi.org/10.1016/0048-9697\(96\)05283-7](http://dx.doi.org/10.1016/0048-9697(96)05283-7).
- Takaya, M; Serita, F; Yamazaki, K; Aiso, S; Kubota, H; Asakura, M; Ikawa, N; Nagano, K; Arito, H; Fukushima, S. (2010). Characteristics of Multiwall Carbon Nanotubes for an Intratracheal Instillation Study with Rats. *Ind Health.* 48: 452-459.
- Takeda, H; Hashimoto, S; Okuda, A; Honda, S; Awaji, H; Fukuda, K. (2007). Detoxification of sprayed amosite. *Ceramic Society of Japan Journal.* 115: 562-566.

Exposure Literature Search Results

Off Topic

- Takemura, T; Rom, WN; Ferrans, VJ; Crystal, RG. (1989). Morphologic characterization of alveolar macrophages from subjects with occupational exposure to inorganic particles. *Am Rev Respir Dis.* 140: 1674-1685. <http://dx.doi.org/10.1164/ajrccm/140.6.1674>.
- Takir, D; Emery, JP; Mcsween, HY, Jr; Hibbitts, CA; Clark, RN; Pearson, N; Wang, A. (2013). Nature and degree of aqueous alteration in CM and CI carbonaceous chondrites. *Meteoritics and Planetary Science.* 48: 1618-1637. <http://dx.doi.org/10.1111/maps.12171>.
- Takkouche, B; Gestalotero, JJ. (1996). The epidemiology of lung cancer: Review of risk factors and Spanish data [Review]. *Eur J Epidemiol.* 12: 341-349. <http://dx.doi.org/10.1007/BF00145296>.
- Talegaonkar, RP; Gopinath, K. (2009). Influence of Alumina Fiber Content on Properties of Non-Asbestos Organic Brake Friction Material. *Journal of Reinforced Plastics and Composites.* 28: 2069-2081. <http://dx.doi.org/10.1177/0731684408091684>.
- Tamura, T; Suganuma, N; Hering, KG; Vehmas, T; Itoh, H; Akira, M; Takashima, Y; Hirano, H; Kusaka, Y. (2015). Relationships (I) of International Classification of High-resolution Computed Tomography for Occupational and Environmental Respiratory Diseases with the ILO International Classification of Radiographs of Pneumoconioses for parenchymal abnormalities. *Ind Health.* 53: 260-270. <http://dx.doi.org/10.2486/indhealth.2014-0073>.
- Tanaka, I; Yamato, H; Oyabu, T; Ogami, A. (2001). Biopersistence of man-made fibers by animal inhalation experiments in recent reports. *Ind Health.* 39: 114-118. <http://dx.doi.org/10.2486/indhealth.39.114>.
- Tang, KM; Nace, CG; Maddaloni, MA; Harkay, JD; Graham, DR; Koustas, RN; Rotola, JD; Laposta, D; Callahan, KC. (2004). Evaluation of vacuum and wet-wipe methods for removal of World Trade Center dust from indoor environments. *Journal of the Air and Waste Management Association.* 54: 1293-1298. <http://dx.doi.org/10.1080/10473289.2004.10470992>.
- Tang, X; Feng, Q; Liu, K, un; Tan, Y, an. (2016). Synthesis and characterization of a novel nanofibrous TiO₂/SiO₂ composite with enhanced photocatalytic activity. *Mater Lett.* 183: 175-178. <http://dx.doi.org/10.1016/j.matlet.2016.07.103>.
- Tannahill, SN; Jackson, MH; Willey, RJ. (1990). Effect of Cowl on Air Samples for Amosite in the Workplace and in the Laboratory. *Ann Occup Hyg.* 34: 521-527.
- Tannahill, SN; Willey, RJ; Jackson, MH. (1990). Workplace protection factors of HSE approved negative pressure full-facepiece dust respirators during asbestos stripping: preliminary findings. *Ann Occup Hyg.* 34: 547-552.
- Tao, G; Zu, K; Kerper, LE; Goodman, JE. (2015). Comment on "HRCT/CT and associated spirometric effects of low Libby Amphibole asbestos exposure" by Lockey et al (2015) [Comment]. *J Occup Environ Med.* 57: e80. <http://dx.doi.org/10.1097/JOM.0000000000000463>.
- Tarchi, M; Orsi, D; Comba, P; De Santis, M; Pirastu, R; Battista, G; Valiani, M. (1994). Cohort mortality study of rock salt workers in Italy. *Am J Ind Med.* 25: 251-256.
- Tashiro, H; Yoshida, F. (1990). ANALYSIS OF AXIAL AND RADIAL STRESS-DISTRIBUTION IN PACKING IN STUFFING-BOX SEALS TAKING ACCOUNT OF STRESS-RELAXATION. 33: 597-602.
- Tat, M; Simionescu, C. (1972). FUNCTIONAL RESPIRATORY CHANGES BY INFLUENCE OF CONCENTRATIONS OF CEMENT, MICA, MARBLE, ASBESTOS AND COAL DUST. *Archives des Maladies Professionnelles et de Médecine du Travail.* 33: 553-+.
- Tat, M; Simionescu, C. (1972). Respiratory functional changes caused by the effects of various dust concentrations. *Arch Mal Prof Med Trav Secur Soc.* 33: 10-11.
- Taunton, AE; Gunter, ME; Druschel, GK; Wood, SA. (2010). Geochemistry in the lung: Reaction-path modeling and experimental examination of rock-forming minerals under physiologic conditions. *Am Mineral.* 95: 1624-1635. <http://dx.doi.org/10.2138/am.2010.3434>.
- Taunton, AE; Gunter, ME; Nolan, RP; Phillips, JI. (2011). Characterization of minerals in pleural plaques from lung tissue of non-human primates. *Periodico di Mineralogia.* 80: 167-179. <http://dx.doi.org/10.2451/2011PM0014>.
- Taunton, AE; Wood, SA; Gunter, ME. (2002). The thermodynamics of asbestos mineral dissolution and conversion in the human lung. *Geochim Cosmo Acta.* 66: A765-A765.
- Tavani, A; Negri, E; Franceschi, S; Barbone, F; Lavecchia, C. (1994). ATTRIBUTABLE RISK FOR LARYNGEAL-CANCER IN NORTHERN ITALY. *Cancer Epidemiol Biomarkers Prev.* 3: 121-125.
- Taylor, DG; Baron, PA; Shulman, SA; Carter, JW. (1984). Identification And Counting Of Asbestos Fibers. *Am Ind Hyg Assoc J.* 45: 84-88.
- Taylor, ES; Wylie, AG; Mossman, BT; Lower, SK. (2013). Repetitive dissociation from crocidolite asbestos acts as persistent signal for epidermal growth factor receptor. *Langmuir.* 29: 6323-6330. <http://dx.doi.org/10.1021/la400561t>.
- Taylor, RL; Taylor, MS; Noguchi, TT. (1975). APPLICATIONS OF SCANNING ELECTRON MICROSCOPIC X-RAY ANALYSIS AT THE LOS-ANGELES COUNTY CALIFORNIA USA FORENSIC SCIENCE CENTER (pp. PART 1). (HEEP/75/10828). Taylor, RL; Taylor, MS; Noguchi, TT.
- Teagle, DAH; Alt, JC. (2004). Hydrothermal alteration of basalts beneath the Bent Hill massive sulfide deposit, Middle Valley, Juan de Fuca Ridge. *Econ Geol.* 99: 561-584.
- Teichert, U. (1983). Emission Reduction By Prefabrication Of Asbestos Cement Products And By The Use Of Low-Dust Shaping Devices (pp. 425-429). (NIOSH/00148916). Teichert, U.
- Teixeira, A, naPC; Purceno, AD; Barros, AS; Lemos, BRS; Ardisson, JD; Macedo, WAA; Nassor, ECO; Amorim, CC; Moura, FCC; Hernandez-Terrones, MG; Portela, FM; Lago, RM. (2012). Amphiphilic magnetic composites based on layered vermiculite and fibrous chrysotile with carbon nanostructures: Application in catalysis. *Catalysis Today.* 190: 133-143. <http://dx.doi.org/10.1016/j.cattod.2012.01.042>.
- Teixeira, A, naPC; Santos, EM; Vieira, AFP; Lago, RM. (2013). Use of chrysotile to produce highly dispersed K-doped MgO catalyst for biodiesel synthesis. *Chem Eng J.* 232: 104-110. <http://dx.doi.org/10.1016/j.cej.2013.07.065>.
- Teixeira, AP; Purceno, AD; de Paula, CC; da Silva, JC; Ardisson, JD; Lago, RM. (2013). Efficient and versatile fibrous adsorbent based on magnetic amphiphilic composites of chrysotile/carbon nanostructures for the removal of ethynilestradiol. *J Hazard Mater.* 248-249: 295-302. <http://dx.doi.org/10.1016/j.jhazmat.2013.01.014>.
- Telle-Lamberton, M; Bergot, D; Gagneau, M; Samson, E; Neron, MO; Hubert, P. (2004). Cancer mortality among French Atomic Energy Commission workers. *Am J Ind Med.* 45: 34-44. <http://dx.doi.org/10.1002/ajim.10306>.

Exposure Literature Search Results

Off Topic

- Terada, T; Hiramatsu, Y; Mizukami, T. (2013). Shear wave anisotropy beneath the volcanic front in South Kyushu area, Japan: Development of C-type olivine CPO under H₂O-rich conditions. *J Geophys Res Solid Earth*. 118: 4253-4264. <http://dx.doi.org/10.1002/jgrb.50300>.
- Terracini, B; Mirabelli, D; Baur, X; Landrigan, P; Ramazzini, C. (2016). Comments on the causation of malignant mesothelioma: Rebutting the false concept that recent exposures to asbestos do not contribute to causation of mesothelioma. *Am J Ind Med*. 59: 506-507. <http://dx.doi.org/10.1002/ajim.22590>.
- Terracini, B; Mirabelli, D; Baur, X; Landrigan, PJ; Ramazzini, C. (2016). Re: Comments on the causation of malignant mesothelioma: Rebutting the false concept that recent exposures to asbestos do not contribute to causation of mesothelioma. *Am J Ind Med*. 59: 1180-1182. <http://dx.doi.org/10.1002/ajim.22663>.
- Terzano, R; Spagnuolo, M; Vekemans, B; De Nolf, W; Janssens, K; Falkenberg, G; Flore, S; Ruggiero, P. (2007). Assessing the origin and fate of Cr, Ni, Cu, Zn, Pb, and V in industrial polluted soil by combined microspectroscopic techniques and bulk extraction methods. *Environ Sci Technol*. 41: 6762-6769. <http://dx.doi.org/10.1021/es070260h>.
- Teschke, K. (2016). Thinking about Occupation-Response and Exposure-Response Relationships: Vehicle Mechanics, Chrysotile, and Mesothelioma [Letter]. *Ann Occup Hyg*. 60: 528-530. <http://dx.doi.org/10.1093/annhyg/mew015>.
- Teschke, K; Ahrens, W; Andersen, A; Boffetta, P; Fincham, S; Finkelstein, M; Henneberger, P; Kauppinen, T; Kogevinas, M; Korhonen, K; Liss, G; Liukkonen, T; Osvoll, P; Savela, A; Szadkowska-Stanczyk, I; Westberg, H; Widerkiewicz, K. (1999). Occupational exposure to chemical and biological agents in the nonproduction departments of pulp, paper, and paper product mills: an international study. *Am Ind Hyg Assoc J*. 60: 73-83. <http://dx.doi.org/10.1080/00028899908984424>.
- Teschke, K; Morgan, MS; Checkoway, H; Franklin, G; Spinelli, JJ; van Belle, G; Weiss, NS. (1997). Mesothelioma surveillance to locate sources of exposure to asbestos. *Can J Public Health*. 88: 163-168.
- Teschke, K; Olshan, AF; Daniels, JL; De Roos, AJ; Parks, CG; Schulz, M; Vaughan, TL. (2002). Occupational exposure assessment in case-control studies: Opportunities for improvement [Review]. *Occup Environ Med*. 59: 575-594. <http://dx.doi.org/10.1136/oem.59.9.575>.
- Teschler, H; Friedrichs, KH; Soltner, U; Fiegen, R; Konietzko, N; Costabel, U. (1992). COMPARISON OF COATED AND UNCOATED ASBESTOS FIBER CONTENT IN BRONCHOALVEOLAR LAVAGE AND LUNG TISSUE (pp. 17-20). (BIOSIS/92/20034). Teschler, H; Friedrichs, KH; Soltner, U; Fiegen, R; Konietzko, N; Costabel, U.
- Teta, MJ. (2004). RE: Asbestos in brakes: exposure and risk of disease [Letter]. *Am J Ind Med*. 46: 312-314; author reply 315-318. <http://dx.doi.org/10.1002/ajim.20060>.
- Teta, MJ. (2011). Mesothelioma in a connecticut friction plant: the need for transparency and exposure information in attribution of risk [Letter]. *Ann Occup Hyg*. 55: 817-819; author reply 820-812. <http://dx.doi.org/10.1093/annhyg/mer049>.
- Tharr, D. (1991). Asbestos Exposure During Low-Income Housing Weatherization. *Appl Occup Environ Hyg*. 6: 347-348.
- Tharr, D; 19Ed. (1993). Exposure to Different Metals during the Demolition of Oil-Fired Boilers. *Appl Occup Environ Hyg*. 8: 151-152.
- Tharr, D; 19Ed. (1993). Exposure to Silica Dust among Street-Sweeper Operators. *Appl Occup Environ Hyg*. 8: 13-14.
- Thayer, WC; Griffith, DA; Diamond, GL. (2007). Geography of asbestos contamination near the World Trade Center site. *Stoch Environ Res Risk Assess*. 21: 461-471. <http://dx.doi.org/10.1007/s00477-007-0129-y>.
- Thébaud-Mony, A. (2003). Justice for asbestos victims and the politics of compensation: the French experience. *Int J Occup Environ Health*. 9: 280-286. <http://dx.doi.org/10.1179/oeh.2003.9.3.280>.
- Thebaud-Mony, A; Badoural, P; Ben Abdesselam, H; Boujasson, L; Chi, D; Lepetit, C; Levy, M; Grassulo, V; Vincenti, M; Deseve, G; Delmas, G; Breau, JL; Casassus, P; Onc, VA; Le Toumelin, P; Martin, A; Couilliot, MF; Boiron, C; Mathieu, M; Virally, J; Herman, D; Savatovsky, I; Choudat, L; Mbunga, JCL; Brunel, P; Piquet, J; Collon, T; Chait, Y; Adotti, F; Hery, M; Sterdyniak, JM; Bobbio, A; Bodart, JC; Bernard, F; Cousaut, P; Creau, Y; Hasni-Pichard, H; Laureillard, J; Pezerat, H; Selliez, S; 93, RS. (2005). Occupational cancer in a Paris suburb: First results of a proactive research study in Seine Saint-Denis. *Int J Occup Environ Health*. 11: 263-275.
- Theophilus, JP. (1988). EXPERIENCES IN CLEARING LARGE SITES SEVERELY CONTAMINATED WITH ASBESTOS (pp. DORDRECHT). (BIOSIS/88/35770). Theophilus, JP.
- Theriault, GP; Grandbois, L. (1978). MESOTHELIOMA AND ASBESTOS IN PROVINCE OF QUEBEC, 1969-1972. *Arch Environ Health*. 33: 15-19.
- Thiyagarajan, V; Kalaichelvan, K; Srinivasan, K; Venugopal, S; Vijay, R. (2015). INFLUENCE OF SPECIFIC HEAT CAPACITY ON HYBRID NON-ASBESTOS BRAKE PAD FORMULATION. *Balkan Tribological Association Journal*. 21: 102-119.
- Thiyagarajan, V; Kalaichelvan, K; Vijay, R; Singaravelu, DL. (2016). Influence of thermal conductivity and thermal stability on the fade and recovery characteristics of non-asbestos semi-metallic disc brake pad. *J Braz Soc Mech Sci & Eng*. 38: 1207-1219. <http://dx.doi.org/10.1007/s40430-015-0448-8>.
- Thom, JGM; Dipple, GM; Power, I, anM; Harrison, AL. (2013). Chrysotile dissolution rates: Implications for carbon sequestration. *Appl Geochem*. 35: 244-254. <http://dx.doi.org/10.1016/j.apgeochem.2013.04.016>.
- Thomas, HF; Benjamin, IT; Elwood, PC; Sweetnam, PM. (1982). Further follow-up study of workers from an asbestos cement factory. *Occup Environ Med*. 39: 273-276.
- Thomas, RG; Sluis-Cremer, GK. (1977). 200 kV xeroradiography in occupational exposure to silica and asbestos. *Br J Ind Med*. 34: 281-290.
- Thomas, SF; Mckillop, GR. (1986). SUBSTITUTE MATERIALS TO REPLACE ASBESTOS IN REFINERY-SERVICE GASKETS AND PACKINGS. *Oil and Gas Journal*. 84: 47-51.
- Thomassin, JH; Goni, J; Touray, JC; Jaurand, MC; Baillif, P. (1977). XPS STUDY OF DISSOLUTION KINETICS OF CHRYSOTILE IN 0.1N OXALIC-ACID AT DIFFERENT TEMPERATURES. *Physics and Chemistry of Minerals*. 1: 385-398.
- Thompson, A; Wills, M; House, R. (2004). Rounded atelectasis in an asbestos exposed worker. *Occup Med (Lond)*. 54: 494-496. <http://dx.doi.org/10.1093/occmed/kqh099>.

Exposure Literature Search Results

Off Topic

- Thompson, BD; Gunter, ME; Wilson, MA. (2011). Amphibole asbestos soil contamination in the USA: A matter of definition. *Am Mineral*. 96: 690-693. <http://dx.doi.org/10.2138/am.2011.3777>.
- Thompson, CJ; Loring, JS; Rosso, KM; Wang, Z. (2013). Comparative reactivity study of forsterite and antigorite in wet supercritical CO₂ by in situ infrared spectroscopy. *Int J Greenhouse Gas Control*. 18: 246-255. <http://dx.doi.org/10.1016/j.ijggc.2013.07.007>.
- Thompson, EC; Campbell, AJ; Liu, Z. (2016). In-situ infrared spectroscopic studies of hydroxyl in amphiboles at high pressure. *Am Mineral*. 101: 706-712. <http://dx.doi.org/10.2138/am-2016-5465>.
- Thomson, JG. (1965). Asbestos and the urban dweller. *Ann N Y Acad Sci*. 132: 196-214.
- Thomson, JG; Graves, WM. (1966). Asbestos as an urban air contaminant. *Arch Pathol*. 81: 458-464.
- Thomson, R; Webster, I; Kilroe-Smith, TA. (1974). The metabolism of benzo(a)pyrene in rat liver microsomes: The effect of asbestos-associated metal ions and pH. *Environ Res*. 7: 149-157.
- Thornburg, J; Kominsky, J; Brown, GG; Frechtel, P; Barrett, W; Shaul, G. (2010). A model to predict the breathing zone concentrations of particles emitted from surfaces. *J Environ Monit*. 12: 973-980. <http://dx.doi.org/10.1039/b919385e>.
- Thurauf, J; Valentin, H. (1977). PLEURAL CHANGES AFTER EXPOSURE TO ASBESTOS - THEIR IMPORTANCE AND VALUATION. *Arbeitsmedizin, Sozialmedizin, Praeventivmedizin*. 12: 198-200.
- Thurton, DAW; Sabnis, G; Raval, P. (2013). Performance of various semi-engineered roof deck systems under high velocity winds. *Scientia Iranica*. 20: 34-43. <http://dx.doi.org/10.1016/j.scient.2012.11.001>.
- Tian, L, in; Ahmadi, G. (2013). Fiber transport and deposition in human upper tracheobronchial airways. *J Aerosol Sci*. 60: 1-20. <http://dx.doi.org/10.1016/j.jaerosci.2013.02.001>.
- Tian, L, in; Ahmadi, G. (2016). On Nano-Ellipsoid Transport and Deposition in the Lung First Bifurcation-Effect of Slip Correction. *Journal of Fluids Engineering*. 138. <http://dx.doi.org/10.1115/1.4033997>.
- Tian, M; Ague, J, ayJ. (2014). The impact of porosity waves on crustal reaction progress and CO₂ mass transfer. *Earth Planet Sci Lett*. 390: 80-92. <http://dx.doi.org/10.1016/j.epsl.2013.12.044>.
- Tiitola, M; Kivisaari, L; Zitting, A; Huuskonen, MS; Kaleva, S; Tossavainen, A; Vehmas, T. (2002). Computed tomography of asbestos-related pleural abnormalities. *Int Arch Occup Environ Health*. 75: 224-228. <http://dx.doi.org/10.1007/s00420-001-0297-x>.
- Tillett, S; Sullivan, P. (1993). Asbestos screening and education programs for building and construction trades unions. *Am J Ind Med*. 23: 143-152.
- Tilly, TB; Kerr, L; Braydich-Stolle, LK; Schlager, JJ; Hussain, SM. (2014). Dispersions of geometric TiO₂ nanomaterials and their toxicity to RPMI 2650 nasal epithelial cells. *J Nanopart Res*. 16. <http://dx.doi.org/10.1007/s11051-014-2695-5>.
- Timbrell, V; Rendall, REG. (1972). PREPARATION OF IUCC STANDARD REFERENCE SAMPLES OF ASBESTOS. *Powder Technology*. 5: 279-&.
- Timmermans, K. (2008). International jurisprudence on trade and environmental health: one step forward, two steps back? *Int J Occup Environ Health*. 14: 307-316. <http://dx.doi.org/10.1179/oeh.2008.14.4.307>.
- Timon Sanchez, SM; Moro Benito, MC; Cembranos Perez, ML. (2009). Mineralogical and Physiochemical Evolution of the Los Santos Scheelite Skarn, Salamanca, NW Spain. *Econ Geol*. 104: 961-995.
- Titulaer, MK; Vanmiltenburg, JC; Jansen, JBH; Geus, JW. (1993). CHARACTERIZATION OF TUBULAR CHRYSOTILE BY THERMOPOROMETRY, NITROGEN SORPTION, DRIFTS, AND TEM. *Clays and Clay Minerals*. 41: 496-513.
- Tiwari, RR. (2013). Agreement between chest radiography and high-resolution computed tomography in diagnosing dust-related interstitial lung fibrosis. *Toxicol Ind Health*. 31: 235-238. <http://dx.doi.org/10.1177/0748233712471703>.
- Tiwary, A; Deb, M. (1997). Geochemistry of hydrothermal alteration at the Deri massive sulphide deposit, Sirohi district, Rajasthan, NW India. *J Geochem Explor*. 59: 99-121.
- Tobiszewski, M; Polkowska, Z; Konieczka, P; Namiesnik, J. (2010). Roofing Materials as Pollution Emitters - Concentration Changes during Runoff. *Pol J Environ Stud*. 19: 1019-1028.
- Todd, D. (1977). MOVING A BATTERY TO ALLOW ACCESS FOR SEALING ASBESTOS. 70: 196-196.
- Todd, JC. (1979). ASBESTOS - PRODUCTS BASIC STRENGTH WILL WEATHER SLOWING IN DEMAND AND INTENSIFIED HEALTH ISSUE. *EandMJ: Engineering and Mining Journal*. 180: 173-176.
- Tomasicchio, GR; D'Alessandro, F; Musci, F. (2010). A multi-layer capping of a coastal area contaminated with materials dangerous to health. *Chem Ecol*. 26: 155-168. <http://dx.doi.org/10.1080/02757541003689811>.
- Tomatis, L; Cantoni, S; Carnevale, F; Merler, E; Mollo, F; Ricci, P; Silvestri, S; Vineis, P; Terracini, B. (2007). The role of asbestos fiber dimensions in the prevention of mesothelioma [Review]. *Int J Occup Environ Health*. 13: 64-69. <http://dx.doi.org/10.1179/oeh.2007.13.1.64>.
- Tomatis, M; Prandi, L; Bodoardo, S; Fubini, B. (2002). Loss of surface reactivity upon heating amphibole asbestos. *Langmuir*. 18: 4345-4350. <http://dx.doi.org/10.1021/la011609w>.
- Tomilenko, AA; Chepurov, AI; Sonin, VM; Bul'bak, TA; Zhimulev, EI; Chepurov, AA; Timina, TY, u; Pokhilenko, NP. (2015). The synthesis of methane and heavier hydrocarbons in the system graphite-iron-serpentine at 2 and 4 GPa and 1200 degrees C. *High Temperatures - High Pressures*. 44: 451-465.
- Tomioka, K; Natori, Y; Kumagai, S; Kurumatani, N. (2011). An updated historical cohort mortality study of workers exposed to asbestos in a refitting shipyard, 1947-2007. *Int Arch Occup Environ Health*. 84: 959-967. <http://dx.doi.org/10.1007/s00420-011-0655-2>.
- Tomioka, K; Saeki, K; Obayashi, K; Kurumatani, N. (2016). Risk of Lung Cancer in Workers Exposed to Benzidine and/or Beta-Naphthylamine: A Systematic Review and Meta-Analysis. *J Epidemiol*. 26: 447-458. <http://dx.doi.org/10.2188/jea.JE20150233>.
- Tonori, Y; Niitsuya, M; Sato, T; Sugiura, Y; Miyake, H; Aizawa, Y. (2005). Relationship between chest X-ray findings and pulmonary function tests in dust workers. *Ind Health*. 43: 256-266.

Exposure Literature Search Results

Off Topic

- Tonosaki, M; Sueyoshi, S; Oribe, Y. (1998). Effects of mass additions on the vibration and noise of a light frame full-scale modeled floor. 44: 103-108.
- Toren, K; Bergdahl, IA; Nilsson, T; Jarvholm, B. (2007). Occupational exposure to particulate air pollution and mortality due to ischaemic heart disease and cerebrovascular disease. *Occup Environ Med.* 64: 515-519. <http://dx.doi.org/10.1136/oem.2006.029488>.
- Toren, K; Persson, B; Wingren, G. (1996). Health Effects of Working in Pulp and Paper Mills: Malignant Diseases [Review]. *Am J Ind Med.* 29: 123-130. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199602\)29:2<123::AID-AJIM2>3.0.CO;2-T](http://dx.doi.org/10.1002/(SICI)1097-0274(199602)29:2<123::AID-AJIM2>3.0.CO;2-T).
- Toren, K; Sallsten, G; Jarvholm, B. (1991). MORTALITY FROM ASTHMA, CHRONIC OBSTRUCTIVE PULMONARY-DISEASE, RESPIRATORY SYSTEM CANCER, AND STOMACH-CANCER AMONG PAPER-MILL WORKERS - A CASE-REFERENT STUDY. *Am J Ind Med.* 19: 729-737.
- Tornos, F; Casquet, C; Relvas, JMR, S. (2005). 4: Transpressional tectonics, lower crust decoupling and intrusion of deep mafic sills: A model for the unusual metallogenesis of SW Iberia. *Ore Geol Rev.* 27: 133-163. <http://dx.doi.org/10.1016/j.oregeorev.2005.07.020>.
- Tornos, F; Delgado, A; Casquet, C; Galindo, C. (2000). 300 Million years of episodic hydrothermal activity: stable isotope evidence from hydrothermal rocks of the Eastern Iberian Central System. *Miner Depos.* 35: 551-569.
- Torro, L; Garcia-Casco, A; Proenza, JA; Blanco-Quintero, IF; Gutierrez-Alonso, G; Lewis, JF. (2016). High-pressure greenschist to blueschist facies transition in the Maimon Formation (Dominican Republic) suggests mid-Cretaceous subduction of the Early Cretaceous Caribbean arc. *Lithos.* 266: 309-331. <http://dx.doi.org/10.1016/j.lithos.2016.10.026>.
- Tossavainen, A. (2004). Global use of asbestos and the incidence of mesothelioma. *Int J Occup Environ Health.* 10: 22-25. <http://dx.doi.org/10.1179/oeh.2004.10.1.22>.
- Tossavainen, A; Karjalainen, A; Karhunen, PJ. (1994). Retention of asbestos fibers in the human body. *Environ Health Perspect.* 102: 253-255.
- Tossavainen, A; Kotilainen, M; Takahashi, K; Pan, G; Vanhala, E. (2001). Amphibole fibres in Chinese chrysotile asbestos. *Ann Occup Hyg.* 45: 145-152.
- Tossavainen, A; Riala, R; Zitting, A; Parker, J; Jones, W; Groce, D; Izmerov, N; Elovskaya, L; Kovalevsky, E; Burmistrova, T; Domnin, S; Scherbakov, S; Kachansky, S. (1999). Health and exposure surveillance of Siberian asbestos miners: A joint Finnish-American-Russian project. *Am J Ind Med. Suppl 1:* 142-144.
- Touray, JC; Thomassin, JH; Gabis, V. (1979). MECHANISMS OF CHRYSOTILE DISSOLUTION. *Ann Chimie Sci Materiaux.* 4: 568-568.
- Tourmann, JL; Kaufmann, R. (1993). LASER MICROPROBE MASS-SPECTROMETRY (LAMMS) OF COAL-MINE DUSTS - SINGLE-PARTICLE ANALYSIS AND TOXICITY CORRELATION. *Int J Environ Anal Chem.* 52: 215-227.
- Tourmann, JL; Kaufmann, R. (1994). BIOPERSISTENCE OF THE MINERAL MATTER OF COAL-MINE DUSTS IN SILICOTIC HUMAN LUNGS - IS THERE A PREFERENTIAL RELEASE OF IRON. *Environ Health Perspect.* 102: 265-268.
- Toussaint, CJ; Bo, F. (1985). ABOUT THE QUANTITATIVE-DETERMINATION OF CHRYSOTILE ASBESTOS AND ALPHA-QUARTZ IN AIRBORNE DUSTS BY X-RAY-DIFFRACTION. *Int J Environ Anal Chem.* 21: 1-8.
- Townley, B; Roperch, P; Oliveros, V; Tassara, A; Arriagada, C. (2007). 6Hydrothermal alteration and magnetic properties of rocks in the Carolina de Michilla stratabound copper district, northern Chile. *Miner Depos.* 42: 771-789. <http://dx.doi.org/10.1007/s00126-007-0134-6>.
- Tran, CL; Tantra, R; Donaldson, K; Stone, V; Hankin, SM; Ross, B; Aitken, RJ; Jones, AD. (2011). A hypothetical model for predicting the toxicity of high aspect ratio nanoparticles (HARN). *J Nanopart Res.* 13: 6683-6698. <http://dx.doi.org/10.1007/s11051-011-0575-9>.
- Trancu, TC. (1975). CEMENT-ASBESTOS BUILDING PANELS SAWN DRY MORE CHEAPLY WITH DIAMOND. 401-401.
- Trattner, RB; Swanson, NR; Cheremisinoff, PN. (1980). FACTS ABOUT ASBESTOS ... BASIC INFORMATION ON THE EFFECTS, REGULATION, AND CONTROL OF THIS CONTROVERSIAL MATERIAL IN THE PLANT. *Plant Engineering.* 34: 121-123.
- Treggiari, MM; Weiss, NS. (2004). Occupational asbestos exposure and the incidence of non-Hodgkin lymphoma of the gastrointestinal tract: an ecologic study. *Ann Epidemiol.* 14: 168-171. [http://dx.doi.org/10.1016/S1047-2797\(03\)00241-2](http://dx.doi.org/10.1016/S1047-2797(03)00241-2).
- Tribaudino, M; Bruno, M; Iezzi, G; Della Ventura, G; Margioliaki, I. (2008). The thermal behavior of richterite. *Am Mineral.* 93: 1659-1665. <http://dx.doi.org/10.2138/am.2008.2895>.
- Trittschack, R, oy; Grobety, B. (2013). The dehydroxylation of chrysotile: A combined in situ micro-Raman and micro-FTIR study. *Am Mineral.* 98: 1133-1145. <http://dx.doi.org/10.2138/am.2013.4352>.
- Trittschack, R, oy; Grobety, B; Brodard, P. (2014). Kinetics of the chrysotile and brucite dehydroxylation reaction: a combined non-isothermal/isothermal thermogravimetric analysis and high-temperature X-ray powder diffraction study. *Physics and Chemistry of Minerals.* 41: 197-214. <http://dx.doi.org/10.1007/s00269-013-0638-9>.
- Trittschack, R, oy; Grobety, B; Koch-Mueller, M. (2012). In situ high-temperature Raman and FTIR spectroscopy of the phase transformation of lizardite. *Am Mineral.* 97: 1965-1976. <http://dx.doi.org/10.2138/am.2012.4162>.
- Trivedi, AK; Ahmad, I. (2011). Effects of Chrysotile Asbestos Contaminated Soil on Crop Plants. *Soil Sediment Contam.* 20: 767-776. <http://dx.doi.org/10.1080/15320383.2011.609197>.
- Trivedi, AK; Ahmad, I; Musthapa, MS; Ansari, FA. (2007). Environmental contamination of chrysotile asbestos and its toxic effects on antioxidative system of Lemna gibba. *Arch Environ Contam Toxicol.* 52: 355-362. <http://dx.doi.org/10.1007/s00244-006-0056-9>.
- Trommsdorff, V; Hermann, J; Muntener, O; Pfiffner, M; Risold, AC. (2000). Geodynamic cycles of subcontinental lithosphere in the Central Alps and the Arami enigma. *J Geodyn.* 30: 77-92.
- Trommsdorff, V; Sanchez-Vizcaino, VL; Gomez-Pugnaire, MT; Muntener, O. (1998). High pressure breakdown of antigorite to spinifex-textured olivine and orthopyroxene, SE Spain. *Contributions to Mineralogy and Petrology.* 132: 139-148.
- Tropper, P. (2014). Small grains and big implications: Accessory Ti- and Zr-minerals as petrogenetic indicators in HP and UHP marbles. *Am Mineral.* 99: 1197-1198. <http://dx.doi.org/10.2138/am.2014.4937>.
- Tropper, P; Manning, CE; Essene, EJ; Kao, LS. (2000). The compositional variation of synthetic sodic amphiboles at high and ultra-high pressures. *Contributions to Mineralogy and Petrology.* 139: 146-162.

Exposure Literature Search Results

Off Topic

- Trosic, I. (2001). Multinucleated giant cell appearance after whole body microwave irradiation of rats. *Int J Hyg Environ Health*. 204: 133-138. <http://dx.doi.org/10.1078/1438-4639-00078>.
- Trosic, I. (2009). [Issues related to long-term asbestos use and manufacture]. *Arh Hig Rada Toksikol*. 60 Suppl: 3-10.
- Trosic, I; Brumen, V; Horvat, D. (1997). In vitro assessment of asbestos fibers genotoxicity. *Zentralblatt fuer Hygiene und Umweltmedizin*. 199: 558-567.
- Trosic, I; Matausic-Pisl, M; Hors, N. (2000). Pathways and quantification of insoluble particles in the lung compartments of the rat. *Int J Hyg Environ Health*. 203: 39-43. [http://dx.doi.org/10.1078/S1438-4639\(04\)70006-1](http://dx.doi.org/10.1078/S1438-4639(04)70006-1).
- Trosic, I; Milkovic-Kraus, S. (2004). Asbestosis in the Republic of Croatia [Review]. *Int J Occup Environ Health*. 10: 198-201. <http://dx.doi.org/10.1179/oeh.2004.10.2.198>.
- Tsai, SP; Ahmed, FS; Wendt, JP; Foster, DE; Donnelly, RP; Strawmyer, TR. (2007). A 56-year mortality follow-up of Texas petroleum refinery and chemical employees, 1948-2003. *J Occup Environ Med*. 49: 557-567. <http://dx.doi.org/10.1097/JOM.0013618057777c>.
- Tsai, SP; Waddell, LC; Gilstrap, EL; Ransdell, JD; Ross, CE. (1996). Mortality among maintenance employees potentially exposed to asbestos in a refinery and petrochemical plant. *Am J Ind Med*. 29: 89-98. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199601\)29:1<AID-AJIM11>3.0.CO;2-W](http://dx.doi.org/10.1002/(SICI)1097-0274(199601)29:1<AID-AJIM11>3.0.CO;2-W).
- Tsai, SP; Waddell, LC; Ransdell, JC. (2001). RE: Mesothelioma and lung tumors attributable to asbestos among petroleum workers. *Am. J. Ind. Med.* 2000. 37:275-282 [Letter]. *Am J Ind Med*. 39: 515-521; author reply 517-521.
- Tse. (2010). Are Current or Future Mesothelioma Epidemics in Hong Kong the Tragic Legacy of Uncontrolled Use of Asbestos in the Past? (vol 118, pg 382, 2010). *Environ Health Perspect*. 118: A240-A240.
- Tse, LA; Chen, MH; Au, RKF; Wang, F; Wang, XR; Yu, ITS. (2012). Pulmonary tuberculosis and lung cancer mortality in a historical cohort of workers with asbestosis. *Public Health*. 126: 1013-1016. <http://dx.doi.org/10.1016/j.puhe.2012.09.012>.
- Tse, LA; Yu, IT; Goggins, W; Clements, M; Wang, XR; Au, JS; Yu, KS. (2010). Are current or future mesothelioma epidemics in Hong Kong the tragic legacy of uncontrolled use of asbestos in the past? *Environ Health Perspect*. 118: 382-386. <http://dx.doi.org/10.1289/ehp.0900868>.
- Tsikos, H; Moore, JM. (1997). Petrography and geochemistry of the Paleoproterozoic Hotazel iron-formation, Kalahari manganese field, South Africa: Implications for Precambrian manganese metallogenesis. *Econ Geol*. 92: 87-97.
- Tsirambides, A; Michailidis, K. (1999). An X-ray, EPMA, and oxygen isotope study of vermiculitized micas in the ultramafic rocks at Askos, Macedonia, Greece. *Appl Clay Sci*. 14: 121-140.
- Tsuchiya, J, un. (2013). A first-principles calculation of the elastic and vibrational anomalies of lizardite under pressure. *Am Mineral*. 98: 2046-2052. <http://dx.doi.org/10.2138/am.2013.4369>.
- Tsuda, T; Morimoto, Y; Yamato, H; Nakamura, H; Hori, H; Nagata, N; Kido, M; Higashi, T; Tanaka, I. (1997). Effects of mineral fibers on the expression of genes whose product may play a role in fiber pathogenesis. *Environ Health Perspect*. 105: 1173-1178.
- Tsujimori, T; Liou, JG. (2004). Coexisting chromian omphacite and diopside in tremolite schist from the Chugoku Mountains, SW Japan: The effect of Cr on the omphacite-diopside immiscibility gap. *Am Mineral*. 89: 7-14.
- Tsujimori, T; Liou, JG. (2005). Low-pressure and low-temperature K-bearing kosmochlor diopside from the Osayama serpentinite melange, SW Japan. *Am Mineral*. 90: 1629-1635. <http://dx.doi.org/10.2138/am.2005.1749>.
- Tuch, H; Tulchinsky, TH; Casper, M; Knaane, H. (1986). Medical screening of former asbestos cement workers in Israel: a pilot program. *Am J Ind Med*. 10: 471-478.
- Tulachka, GJ; Brantley, WA; Mcgivney, GP; Ziebert, GJ. (1987). An investigation of the potential biohazards associated with asbestos-substitute casting ring liners. *J Prosthet Dent*. 57: 108-112.
- Tulchinsky, TH; Ginsberg, GM; Iscovich, J; Shihab, S; Fischbein, A; Richter, ED. (1999). Cancer in ex-asbestos cement workers in Israel, 1953-1992. *Am J Ind Med*. 35: 1-8.
- Tulinska, J; Dusinska, M; Jahnova, E; Liskova, A; Kuricova, MF; Ilavska, S; Horvathova, M; Wsolova, L; Kyrtopoulos, S. (2003). Immunomodulatory effects of glass fibres in occupationally exposed workers-comparison with asbestos. *Epidemiology*. 14: S98-S99.
- Tumidajski, PJ; Flengas, SN. (1991). POTENTIAL MEASUREMENTS OF REACTIVE METAL CHLORIDES IN ALKALI-HALIDE SOLUTIONS .2. CHROMIUM. *J Electrochem Soc*. 138: 1659-1665.
- Tunesi, S; Ferrante, D; Mirabelli, D; Gregori, D; Magnani, C. (2010). CUMULATIVE MORTALITY AFTER ASBESTOS EXPOSURE: AN ANALYSIS OF ETERNIT ASBESTOS CEMENT WORKERS COHORT. *Epidemiol Prev*. 34: 161-161.
- Tuomi, T. (1992). Fibrous minerals in the lungs of mesothelioma patients: comparison between data on SEM, TEM, and personal interview information. *Am J Ind Med*. 21: 155-162.
- Tuomi, T; Huuskonen, MS; Tammilehto, L; Vanhala, E; Virtamo, M. (1991). Occupational exposure to asbestos as evaluated from work histories and analysis of lung tissues from patients with mesothelioma. *Br J Ind Med*. 48: 48-52.
- Tuomi, T; Huuskonen, MS; Virtamo, M; Tossavainen, A; Tammilehto, L; Mattson, K; Lahdensuo, A; Mattila, J; Karhunen, P; Liippo, K. (1991). Relative risk of mesothelioma associated with different levels of exposure to asbestos. *Scand J Work Environ Health*. 17: 404-408.
- Tuomi, T; Oksa, P; Anttila, S; Taikina-Aho, O; Taskinen, E; Karjalainen, A; Tukiainen, P. (1992). Fibres and asbestos bodies in bronchoalveolar lavage fluids of asbestos sprayers. *Br J Ind Med*. 49: 480-485.
- Tuomisto, JT; Pekkanen, J; Alm, S; Kurttio, P; Venalainen, R; Juuti, S; Kettunen, A; Viluksela, M. (1999). Deliberation process by an explicit factor-effect-value network (Pyrkilo): Paakkila asbestos mine case, Finland. *Epidemiology*. 10: S114-S114.
- Turci, F; Tomatis, M; Compagnoni, R; Fubini, B. (2009). Role of associated mineral fibres in chrysotile asbestos health effects: the case of balangeroite. *Ann Occup Hyg*. 53: 491-497. <http://dx.doi.org/10.1093/annhyg/mep028>.

Exposure Literature Search Results

Off Topic

- Turci, F; Tomatis, M; Gazzano, E; Riganti, C; Martra, G; Bosia, A; Ghigo, D; Fubini, B. (2005). Potential toxicity of nonregulated asbestiform minerals: balangeroite from the western Alps. Part 2: Oxidant activity of the fibers. *J Toxicol Environ Health A*. 68: 21-39. <http://dx.doi.org/10.1080/15287390590523911>.
- Turci, F; Tomatis, M; Mantegna, S; Cravotto, G; Fubini, B. (2007). The combination of oxalic acid with power ultrasound fully degrades chrysotile asbestos fibres. *J Environ Monit*. 9: 1064-1066. <http://dx.doi.org/10.1039/b709571f>.
- Turim, J. (2008). Correction to R. Lemen's review article, 'Asbestos in Brakes: Exposure and Risk of Disease' [Letter]. *Am J Ind Med*. 51: 475; author reply 476. <http://dx.doi.org/10.1002/ajim.20575>.
- Turnock, AC; Bryks, S; Bertalanffy, FD. (1971). The synthesis of tritium-labeled asbestos for use in biological research. *Environ Res*. 4: 86-94.
- Turpin-Legendre, E; Meyer, JP. (2003). Comparison of physiological and subjective strain in workers wearing two different protective coveralls for asbestos abatement tasks. *Appl Ergon*. 34: 551-556. [http://dx.doi.org/10.1016/S0003-6870\(03\)00081-4](http://dx.doi.org/10.1016/S0003-6870(03)00081-4).
- Tweedale, G. (2000). Science or public relations? The inside story of the Asbestosis Research Council, 1957-1990. *Am J Ind Med*. 38: 723-734.
- Tweedale, G. (2007). The Rochdale asbestos cancer studies and the politics of epidemiology: what you see depends on where you sit. *Int J Occup Environ Health*. 13: 70-79. <http://dx.doi.org/10.1179/107735207800245045>.
- Tylee, BE; Davies, LST; Addison, J. (1996). Asbestos reference standards - Made available for analysts. *Ann Occup Hyg*. 40: 711-714.
- U.S. EPA. (1993). Summary of Data Presented in the Background Document for Effluent Limitations Guidelines and Standards, Mineral Mining and Processing Point Source Category. 78.
- Uba, BN; Aghogho, O. (2000). Rainwater quality from different roof catchments in the Port Harcourt district, Rivers State, Nigeria. *Journal of Water Supply: Research and Technology-AQUA*. 49: 281-288.
- Uddin, S; Rao, SR, SR; Mirnezami, M; Finch, JA. (2012). Processing an ultramafic ore using fiber disintegration by acid attack. *Int J Miner Process*. 102: 38-44. <http://dx.doi.org/10.1016/j.minpro.2011.09.015>.
- Ueki, A. (2001). Biological effects of asbestos fibers on human cells in vitro--especially on lymphocytes and neutrophils [Review]. *Ind Health*. 39: 84-93.
- Ugolini, D; Bonassi, S; Cristaudo, A; Leoncini, G; Ratto, GB; Neri, M. (2015). Temporal trend, geographic distribution, and publication quality in asbestos research. *Environ Sci Pollut Res Int*. 22: 6957-6967. <http://dx.doi.org/10.1007/s11356-014-3925-1>.
- Ugolini, D; Donatella, U; Neri, M; Monica, N; Canessa, PA; Aldo, CP; Casilli, C; Cristina, C; Catrambone, G; Giuseppe, C; Ivaldi, GP; Paolo, IG; Lando, C; Cecilia, L; Marroni, P; Paola, M; Paganuzzi, M; Michela, P; Parodi, B; Barbara, P; Visconti, P; Paola, V; Puntoni, R; Riccardo, P; Bonassi, S; Stefano, B. (2008). The CREST biorepository: a tool for molecular epidemiology and translational studies on malignant mesothelioma, lung cancer, and other respiratory tract diseases. *Cancer Epidemiol Biomarkers Prev*. 17: 3013-3019. <http://dx.doi.org/10.1158/1055-9965.EPI-08-0524>.
- Uher, P; Kovacik, M; Kubis, M; Shtukenberg, A; Ozdin, D. (2008). Metamorphic vanadian-chromian silicate mineralization in carbon-rich amphibole schists from the Male Karpaty Mountains, Western Carpathians, Slovakia. *Am Mineral*. 93: 63-73. <http://dx.doi.org/10.2138/am.2008.2470>.
- Uibu, T; Vanhala, E; Sajantila, A; Lunetta, P; Mäkelä-Bengts, P; Goebeler, S; Jäntti, M; Tossavainen, A. (2009). Asbestos fibers in para-aortic and mesenteric lymph nodes. *Am J Ind Med*. 52: 464-470. <http://dx.doi.org/10.1002/ajim.20694>.
- Ukar, E. (2012). Tectonic significance of low-temperature blueschist blocks in the Franciscan melange at San Simeon, California. *Tectonophysics*. 568: 154-169. <http://dx.doi.org/10.1016/j.tecto.2011.12.039>.
- Ukar, E; Cloos, M. (2013). Actinolitic rinds on low-T mafic blueschist blocks in the Franciscan shale-matrix melange near San Simeon: Implications for metasomatism and tectonic history. *Earth Planet Sci Lett*. 377: 155-168. <http://dx.doi.org/10.1016/j.epsl.2013.06.038>.
- Ukhanov, AV; Ustinov, VI; Devirts, AL. (2002). Oxygen and hydrogen isotopic compositions of ultramafic rocks at the antigorite stage of serpentinization: A case of voikarite from the Polar Urals. *Geochem Int*. 40: 1179-1186.
- Ulvestad, B; Kjaerheim, K; Martinsen, JI; Damberg, G; Wannag, A; Mowe, G; Andersen, A. (2002). Cancer incidence among workers in the asbestos-cement producing industry in Norway. *Scand J Work Environ Health*. 28: 411-417.
- Ulvestad, B; Kjaerheim, K; Martinsen, JI; Mowe, G; Andersen, A. (2004). Cancer incidence among members of the Norwegian trade union of insulation workers. *J Occup Environ Med*. 46: 84-89. <http://dx.doi.org/10.1097/01.jom.0000105981.46987.42>.
- Um, CH. (1971). Study of the secular trend in asbestos bodies in lungs in London 1936-66. *Br Med J*. 2: 248-251.
- Unalacak, M; Altin, R; Kart, L; Tor, M; Ornek, T; Altunel, H. (2004). Smoking prevalence, behaviour and nicotine addiction among coal workers in Zonguldak, Turkey. *J Occup Health*. 46: 289-295. <http://dx.doi.org/10.1539/joh.46.289>.
- Unfried, K; Roller, M; Pott, F; Friemann, J; Dehnen, W. (1997). Fiber-specific molecular features of tumors induced in rat peritoneum. *Environ Health Perspect*. 105: 1103-1108. <http://dx.doi.org/10.2307/3433516>.
- Uno, M; Iwamori, H; Toriumi, M. (2015). Transition from dehydration to hydration during exhumation of the Sanbagawa metamorphic belt, Japan, revealed by the continuous P-T path recorded in garnet and amphibole zoning. *Contributions to Mineralogy and Petrology*. 170. <http://dx.doi.org/10.1007/s00410-015-1185-9>.
- Uo, M; Akasaka, T; Watari, F; Sato, Y; Tohji, K. (2011). Toxicity evaluations of various carbon nanomaterials [Review]. *Dent Mater J*. 30: 245-263. <http://dx.doi.org/10.4012/dmj.2010-039>.
- Upreti, R; Dogra, RKS; Shanker, R; Murti, CRK; Dwivedi, KK; Rao, GN. (1984). Trace Elemental Analysis Of Asbestos With An X-Ray Fluorescence Technique. *Sci Total Environ*. 40: 259-267.
- Urano, H; Gotoh, S; Shirahata, A; Higashi, K; Karasaki, Y. (1997). Increases of Thrombomodulin Activity and Antigen Level on Human Umbilical Vein Endothelial Cells Treated with Asbestos and Man-Made Mineral Fibers. *Ind Health*. 35: 359-366.
- Urano, N; Yano, E; Evans, PH. (1991). Reactive oxygen metabolites produced by the carcinogenic fibrous mineral erionite. *Environ Res*. 54: 74-81.

Exposure Literature Search Results

Off Topic

- Utell, MJ; Beckett, WS. (2006). Implications for occupational exposure to particulate matter [Review]. *Clin Occup Environ Med.* 5: 883-893. <http://dx.doi.org/10.1016/j.coem.2006.07.001>.
- Vacek, PM. (1997). Assessing the effect of intensity when exposure varies over time. *Stat Med.* 16: 505-513.
- Vacek, PM. (1998). Effects of the intensity and timing of asbestos exposure on lung cancer risk at two mining areas in Quebec. *J Occup Environ Med.* 40: 821-828.
- Vacek, PM; McDonald, JC. (1991). Risk assessment using exposure intensity: an application to vermiculite mining. *Br J Ind Med.* 48: 543-547.
- Vacha, R; Podlesakova, E; Nemecek, J. (1995). THE USE OF CRUSHED SERPENTINE ALTERNATIVE FERTILIZER. *Rostl Vyroba.* 41: 459-462.
- Vagt, GO; Boucher, MA; Prudhomme, M; Barry, GS; Stonehouse, D. (1986). INDUSTRIAL MINERALS - ASBESTOS, SULFUR, POTASH, CONSTRUCTION MATERIALS AND OTHERS. 107: 67-&.
- Vainio, H. (2015). Epidemics of asbestos-related diseases--something old, something new [Editorial]. *Scand J Work Environ Health.* 41: 1-4. <http://dx.doi.org/10.5271/sjweh.3471>.
- Vainio, H; Boffetta, P. (1994). Mechanisms of the combined effect of asbestos and smoking in the etiology of lung cancer [Review]. *Scand J Work Environ Health.* 20: 235-242.
- Vainio, H; Husgafvel-Pursiainen, K; Anttila, S; Karjalainen, A; Hackman, P; Partanen, T. (1993). Interaction between smoking and asbestos in human lung adenocarcinoma: role of K-ras mutations. *Environ Health Perspect.* 101 Suppl 3: 189-192.
- Valavanidis, A; Vlachogianni, T; Fiotakis, C. (2009). 8-hydroxy-2'-deoxyguanosine (8-OHdG): A Critical Biomarker of Oxidative Stress and Carcinogenesis [Review]. *J Environ Sci Health C Environ Carcinog Ecotoxicol Rev.* 27: 120-139. <http://dx.doi.org/10.1080/10590500902885684>.
- Valavanidis, A; Vlachogianni, T; Fiotakis, K. (2009). Tobacco smoke: involvement of reactive oxygen species and stable free radicals in mechanisms of oxidative damage, carcinogenesis and synergistic effects with other respirable particles. *Int J Environ Res Public Health.* 6: 445-462. <http://dx.doi.org/10.3390/ijerph6020445>.
- Valavanidis, A; Vlachogianni, T; Fiotakis, K; Loridas, S. (2013). Pulmonary Oxidative Stress, Inflammation and Cancer: Respirable Particulate Matter, Fibrous Dusts and Ozone as Major Causes of Lung Carcinogenesis through Reactive Oxygen Species Mechanisms [Review]. *Int J Environ Res Public Health.* 10: 3886-3907. <http://dx.doi.org/10.3390/ijerph10093886>.
- Valcin, M; Henneberger, PK; Kullman, GJ; Umbach, DM; London, SJ; Alavanja, MCR; Sandler, DP; Hoppin, JA. (2007). Chronic bronchitis among nonsmoking farm women in the agricultural health study. *J Occup Environ Med.* 49: 574-583. <http://dx.doi.org/10.1097/JOM.0b013e3180577768>.
- Valentim, IB; Martins, MH; Joekes, I. (2008). Influence of dipalmitoylphosphatidylcholine on the dissolution of Brazilian chrysotile. *Colloids Surf B Biointerfaces.* 66: 96-102. <http://dx.doi.org/10.1016/j.colsurfb.2008.05.014>.
- Valerio, F; Balducci, D. (1989). Qualitative and Quantitative Evaluation of Chrysotile and Crocidolite Fibres with Infrared Spectrophotometry: Application to Asbestos-Cement Products (pp. 197-204). (NIOSH/00191527). Valerio, F; Balducci, D.
- Valerio, F; Balducci, D; Lazzarotto, A. (1987). ADSORPTION OF PROTEINS BY CHRYSOTILE AND CROCIDOLITE - ROLE OF MOLECULAR-WEIGHT AND CHARGE-DENSITY. *Environ Res.* 44: 312-320.
- Valerio, F; Balducci, D; Scarabelli, L. (1986). SELECTIVE ADSORPTION OF SERUM PROTEINS BY CHRYSOTILE AND CROCIDOLITE. *Environ Res.* 41: 432-439.
- Valerio, F; Puntoni, R; Santi, L. (1979). Adsorption Properties of U.I.C.C. Rhodesian Chrysotile and Crocidolite in Aqueous Solution Effects of Cation Depletion. *Am Ind Hyg Assoc J.* 40: 781-788. <http://dx.doi.org/10.1080/15298667991430299>.
- Valerio, F; Veggi, M; Santi, L. (1980). ADSORPTION-ISOTHERMS OF ALBUMIN AND FERRITIN ON RHODESIAN CHRYSOTILE - EFFECTS OF MAGNESIUM DEPLETION. *Environ Res.* 21: 186-189.
- Valkila, EH; Nieminen, MM; Moilanen, AK; Kuusisto, PA; Lahdensuo, AH; Karvonen, JI. (1995). Asbestos-induced visceral pleural fibrosis reduces pulmonary compliance. *Am J Ind Med.* 28: 363-372. <http://dx.doi.org/10.1002/ajim.4700280306>.
- Vallance, DA. (2004). The phase-out of asbestos in the Australian manufacturing environment [Review]. *Int J Occup Environ Health.* 10: 209-211. <http://dx.doi.org/10.1179/oeh.2004.10.2.209>.
- Vallero, DA; Kominsky, JR; Beard, ME; Crankshaw, OS. (2009). Efficiency of Sampling and Analysis of Asbestos Fibers on Filter Media: Implications for Exposure Assessment. *J Occup Environ Hyg.* 6: 62-72. <http://dx.doi.org/10.1080/15459620802577485>.
- Valleron, AJ; Bignon, J; Hughes, JM; Hesterberg, TW; Schneider, T; Burdett, GJ; Brochard, P; Hemon, D. (1992). LOW-DOSE EXPOSURE TO NATURAL AND MAN-MADE FIBERS AND THE RISK OF CANCER - TOWARDS A COLLABORATIVE EUROPEAN EPIDEMIOLOGY - REPORT OF A WORKSHOP HELD IN PARIS, 10-12 JUNE, 1991. *Br J Ind Med.* 49: 606-614.
- Vallyathan, V; Green, F; Ducatman, B; Schulte, P. (1998). Roles of epidemiology, pathology, molecular biology, and biomarkers in the investigation of occupational lung cancer. *J Toxicol Environ Health B Crit Rev.* 1: 91-116.
- Vallyathan, V; Shi, X; Castranova, V. (1998). Reactive oxygen species: their relation to pneumoconiosis and carcinogenesis [Review]. *Environ Health Perspect.* 106: 1151-1155.
- Valouma, A; Verganelaki, A; Marvelaki-Kalaitzaki, P; Gidakos, E. (2016). Chrysotile asbestos detoxification with a combined treatment of oxalic acid and silicates producing amorphous silica and biomaterial. *J Hazard Mater.* 305: 164-170. <http://dx.doi.org/10.1016/j.jhazmat.2015.11.036>.
- van Balen, E; Font, R; Cavallé, N; Font, L; Garcia-Villanueva, M; Benavente, Y; Brennan, P; de Sanjose, S. (2006). Exposure to non-arsenic pesticides is associated with lymphoma among farmers in Spain. *Occup Environ Med.* 63: 663-668. <http://dx.doi.org/10.1136/oem.2005.024026>.

Exposure Literature Search Results

Off Topic

- van Der Bij, S; Koffijberg, H; Lenters, V; Portengen, L; Moons, KGM; Heederik, D; Vermeulen, RCH. (2013). Lung cancer risk at low cumulative asbestos exposure: meta-regression of the exposure-response relationship [Review]. *Cancer Causes Control*. 24: 1-12. <http://dx.doi.org/10.1007/s10552-012-0107-7>.
- Van der Bij, S; Vermeulen, RC; Portengen, L; Moons, KG; Koffijberg, H. (2016). Expected number of asbestos-related lung cancers in the Netherlands in the next two decades: a comparison of methods. *Occup Environ Med*. 73: 342-349. <http://dx.doi.org/10.1136/oemed-2014-102614>.
- van Der Gon, HAC, D; Hulskotte, JHJ; Visschedijk, AJH; Schaap, M. (2007). A revised estimate of copper emissions from road transport in UNECE-Europe and its impact on predicted copper concentrations. *Atmos Environ*. 41: 8697-8710. <http://dx.doi.org/10.1016/j.atmosenv.2007.07.033>.
- Van Gosen, BS. (2007). The geology of asbestos in the United States and its practical applications. *Environmental and Engineering Geoscience*. 13: 55-68. <http://dx.doi.org/10.2113/gseegeosci.13.1.55>.
- Van Gosen, BS; Lowers, HA; Sutley, SJ; Gent, CA. (2004). Using the geologic setting of talc deposits as an indicator of amphibole asbestos content. *Environ Geol*. 45: 920-939. <http://dx.doi.org/10.1007/s00254-003-0955-2>.
- van Kampen, V; Merget, R; Butz, M; Taeger, D; Brüning, T. (2008). Trends in suspected and recognized occupational respiratory diseases in Germany between 1970 and 2005. *Am J Ind Med*. 51: 492-502. <http://dx.doi.org/10.1002/ajim.20593>.
- van Loon, AJ; Goldbohm, RA; Kant, IJ; Swaen, GM; Kremer, AM; van den Brandt, PA. (1997). Socioeconomic status and lung cancer incidence in men in The Netherlands: is there a role for occupational exposure? *J Epidemiol Community Health*. 51: 24-29.
- van Loon, AJ; Kant, IJ; Swaen, GM; Goldbohm, RA; Kremer, AM; van den Brandt, PA. (1997). Occupational exposure to carcinogens and risk of lung cancer: results from The Netherlands cohort study. *Occup Environ Med*. 54: 817-824.
- Van Netten, C; Brands, R; Teschke, KE; Ashwood-Smith, MJ; Morley, DR; Ross, RN. (1995). Environmental Survey of RCMP Detachment Building in Powell River, B. C., Implicated in a Cancer Cluster. *Can J Public Health*. 86: 51-56.
- Van Orden, DR. (1993). Comment on "Exposure to airborne asbestos in buildings" [Letter]. *Regul Toxicol Pharmacol*. 18: 481.
- Van Orden, DR; Allison, KA; Lee, RJ. (2008). Differentiating amphibole asbestos from non-asbestos in a complex mineral environment. *Indoor Built Environ*. 17: 58-68. <http://dx.doi.org/10.1177/1420326X07087006>.
- Van Orden, DR; Lee, RJ; Allison, KA; Addison, J. (2009). Width Distributions of Asbestos and Non-Asbestos Amphibole Minerals. *Indoor Built Environ*. 18: 531-540. <http://dx.doi.org/10.1177/1420326X09341503>.
- Van Orden, DR; Lee, RJ; Badger, S. (2006). Characterizing asbestos fiber comminution resulting from preparation of environmental samples. *Powder Technology*. 162: 183-189. <http://dx.doi.org/10.1016/j.powtec.2005.12.015>.
- Van Oss, CJ; Naim, JO; Costanzo, PM; Giese, RF; Wu, W; Sorling, AF. (1999). Impact of different asbestos species and other mineral particles on pulmonary pathogenesis. *Clays and Clay Minerals*. 47: 697-707.
- van Oyen, SC; Peters, S; Alfonso, H; Fritschi, L; de Klerk, NH; Reid, A; Franklin, P; Gordon, L; Benke, G; Musk, AW. (2015). Development of a Job-Exposure Matrix (AsbJEM) to Estimate Occupational Exposure to Asbestos in Australia. *Ann Occup Hyg*. 59: 737-748. <http://dx.doi.org/10.1093/annhyg/mev017>.
- van Rensburg, L; Claassens, S; Bezuidenhout, JJ; van Rensburg, PJJ. (2009). Rehabilitation of asbestos mining waste: a Rehabilitation Prioritisation Index (RPI) for South Africa. *Environ Geol*. 57: 267-273. <http://dx.doi.org/10.1007/s00254-008-1250-z>.
- Van Wagenen, HD. (1987). Preliminary Survey Report: Evaluation of Brake Drum Service Controls at Pennsylvania Bureau of Vehicle Management, Vehicle Maintenance Division, Harrisburg, Pennsylvania, Report No. CT-152-19a (pp. 152-119). (NIOSH/00169479). Van Wagenen, HD.
- van Wijngaarden, E; Savitz, DA; Kleckner, RC; Kavet, R; Loomis, D. (2001). Mortality patterns by occupation in a cohort of electric utility workers. *Am J Ind Med*. 40: 667-673. <http://dx.doi.org/10.1002/ajim.10015>.
- Vanalboom, A; Degraeve, E. (1996). Temperature dependence of the Fe-57 Mossbauer parameters in riebeckite. *Physics and Chemistry of Minerals*. 23: 377-386.
- Vandenbergh, C; Frelechoux, F; Moravie, MA; Gadallah, F; Buttler, A. (2007). Short-term effects of cattle browsing on tree sapling growth in mountain wooded pastures. *Plant Ecol*. 188: 253-264. <http://dx.doi.org/10.1007/s11258-006-9160-1>.
- Vandentorren, S; Gorla, S; Lauzeille, D; Leng, S; Chanel, PD, eC; Ducamp, S; Gilg, A; Rolland, P; Brochard, P; Goldberg, M; Ledrans, M. (2006). Risk for mesothelioma among people living near asbestos-related factories: a France based case control study. *Epidemiology*. 17: S319-S319.
- Vandentorren, S; Salmi, LR; Mathoulin-Péllissier, S; Baldi, I; Brochard, P; Group, BI. (2006). Imputation of individual cancer cases to occupational causes. *Scand J Work Environ Health*. 32: 32-40.
- Vandergulden, JWJ; Jansen, IW; Verbeek, ALM; Kolk, JJ. (1993). REPEATABILITY OF SELF-REPORTED DATA ON OCCUPATIONAL EXPOSURE TO PARTICULAR COMPOUNDS. *Int J Epidemiol*. 22: 284-287.
- Vanmaaren, PW. (1984). QUANTITATIVE POLARIZATION-INTERFERENCE MICROSCOPIC CHARACTERIZATION OF ASBESTOS IN TECHNICAL DUST MIXTURES. *Staub, Reinhaltung der Luft*. 44: 433-440.
- Vanreenen, DD; Pretorius, AI; Roering, C. (1994). CHARACTERIZATION OF FLUIDS ASSOCIATED WITH GOLD MINERALIZATION AND WITH REGIONAL HIGH-TEMPERATURE RETROGRESSION OF GRANULITES IN THE LIMPOPO BELT, SOUTH-AFRICA. *Geochim Cosmo Acta*. 58: 1147-1159.
- Vansliedregt, A; Knook, M; Hesseling, SC; Koerten, HK; Degroot, K; Vanblitterswijk, CA. (1992). CELLULAR REACTION ON THE INTRAPERITONEAL INJECTION OF 4 TYPES OF POLYLACTIDE PARTICULATES. *Biomaterials*. 13: 819-824.
- Varouchakis, G; Velonakis, EG; Amfilochiou, S; Trichopoulos, D. (1991). ASBESTOS IN STRANGE PLACES TWO CASE REPORTS OF MESOTHELIOMA AMONG MERCHANT SEAMEN. *Am J Ind Med*. 19: 673-676.

Exposure Literature Search Results

Off Topic

- Vasama-Neuvonen, K; Pukkala, E; Paakkulainen, H; Mutanen, P; Weiderpass, E; Boffetta, P; Shen, N; Kauppinen, T; Vainio, H; Partanen, T. (1999). Ovarian cancer and occupational exposures in Finland. *Am J Ind Med.* 36: 83-89.
- Vathesatogkit, P; Harkin, TJ; Addrizzo-Harris, DJ; Bodkin, M; Crane, M; Rom, WN. (2004). Clinical correlation of asbestos bodies in BAL fluid. *Chest.* 126: 966-971. <http://dx.doi.org/10.1378/chest.126.3.966>.
- Vaughan, GL; Kennedy, JR; Trently, SA. (1991). The immediate effects of silicon carbide whiskers upon ciliated tracheal epithelium. *Environ Res.* 56: 178-185.
- Vaughan, GL; Trently, SA. (1996). The toxicity of silicon carbide whiskers, a review. *Journal of Environmental Science and Health, Part A: Environmental Science and Engineering and Toxi.* 31: 2033-2054.
- Vaughan, GL; Trently, SA; Wilson, RB. (1993). Pulmonary response, in vivo, to silicon carbide whiskers. *Environ Res.* 63: 191-201. <http://dx.doi.org/10.1006/enrs.1993.1140>.
- Vaughan, NP; Brown, RC; Evans, PG. (1996). The Effects of Asbestos Wet-Stripping Agents on Filters Used in Powered Respirators. *Ann Occup Hyg.* 40: 539-553.
- Vaughan, NP; Rooper, SJ; Leguen, JMM. (1981). INSITU IDENTIFICATION OF ASBESTOS FIBERS COLLECTED ON MEMBRANE FILTERS FOR COUNTING. *Ann Occup Hyg.* 24: 281-290.
- Vautiergiongo, C; Joekes, I. (1997). Deposition of titanium dioxide on Brazilian chrysotile fibres. *Powder Technology.* 94: 73-78.
- Vavro, M; Gajda, J; Prikryl, R; Siegl, P. (2015). Soapstone as a locally used and limited sculptural material in remote area of Northern Moravia (Czech Republic). *Environ Earth Sci.* 73: 4557-4571. <http://dx.doi.org/10.1007/s12665-014-3742-3>.
- Veblen, DR. (1980). ANTHOPHYLLITE ASBESTOS - MICROSTRUCTURES, INTERGROWN SHEET SILICATES, AND MECHANISMS OF FIBER FORMATION. *Am Mineral.* 65: 1075-1086.
- Veblen, DR. (1991). POLYSOMATISM AND POLYSOMATIC SERIES - A REVIEW AND APPLICATIONS. *Am Mineral.* 76: 801-826.
- Veblen, DR; Burnham, CW. (1975). TRIPLE-CHAIN BIOPYRIBOLES - NEWLY DISCOVERED INTERMEDIATE PRODUCTS OF RETROGRADE ANTHOPHYLLITE-TALC TRANSFORMATION, CHESTER, VT. *Trans Am Geophys Union.* 56: 1076-1076.
- Veetil, SP; Mercier, G, uy; Blais, JF; Cecchi, E; Kentish, S. (2015). Magnetic separation of serpentinite mining residue as a precursor to mineral carbonation. *Int J Miner Process.* 140: 19-25. <http://dx.doi.org/10.1016/j.minpro.2015.04.024>.
- Veetil, SP; Pasquier, LC; Blais, JF; Cecchi, E; Kentish, S; Mercier, G. (2015). Direct gas-solid carbonation of serpentinite residues in the absence and presence of water vapor: a feasibility study for carbon dioxide sequestration. *Environ Sci Pollut Res Int.* 22: 13486-13495. <http://dx.doi.org/10.1007/s11356-015-4580-x>.
- Veglia, F; Vineis, P; Overvad, K; Boeing, H; Bergmann, M; Trichopoulou, A; Trichopoulos, D; Palli, D; Krogh, V; Tumino, R; Linseisen, J; Steindorf, K; Raaschou-Nielsen, O; Tjonneland, A; Gonzalez, CA; Martinez, C; Dorronsoro, M; Barricarte, A; Cirera, L; Quiros, JR; Day, NE; Saracci, R; Riboli, E. (2007). Occupational exposures, environmental tobacco smoke, and lung cancer. *Epidemiology.* 18: 769-775. <http://dx.doi.org/10.1097/EDE.0b013e318142c8a1>.
- Vehmas, T; Oksa, P; Kivisaari, L. (2012). Lung and pleural CT signs predict deaths: 10-year follow-up after lung cancer screening of asbestos-exposed workers. *Int Arch Occup Environ Health.* 85: 207-213. <http://dx.doi.org/10.1007/s00420-011-0654-3>.
- Vehmas, T; Pallasaho, P; Oksa, P. (2012). Lung and pleural fibrosis in asbestos-exposed workers: a risk factor for pneumonia mortality. *Epidemiol Infect.* 140: 1987-1992. <http://dx.doi.org/10.1017/S0950268811002810>.
- Vehmas, T; Pallasaho, P; Piirilä, P. (2013). Lung function predicts mortality: 10-year follow-up after lung cancer screening among asbestos-exposed workers. *Int Arch Occup Environ Health.* 86: 667-672. <http://dx.doi.org/10.1007/s00420-012-0803-3>.
- Velasco-García, MI; Cruz, MJ; Ruano, L; Montero, MA; Freixa, A; Ferrer, J. (2011). Reproducibility of asbestos body counts in digestions of autopsy and surgical lung tissue. *Am J Ind Med.* 54: 597-602. <http://dx.doi.org/10.1002/ajim.20966>.
- Velinskii, VV; Gusev, GM. (2002). Production of extra pure silica from serpentinites. *Journal of Mining Science.* 38: 402-404.
- Velinskii, VV; Pavlov, AL; Bishaeva, LG. (2002). Contact effect of granitoids on serpentinites in ophiolitic complexes: Physicochemical models. *Geochem Int.* 40: 105-114.
- Venter, E; Nyantumbu, B; Solomon, A; Rees, D. (2004). Radiologic abnormalities in South African mica millers: a survey of a mica milling plant in the Limpopo Province. *Int J Occup Environ Health.* 10: 278-283. <http://dx.doi.org/10.1179/oeh.2004.10.3.278>.
- Veraldi, A; Seniore, CA; Bolejack, V; Miligi, L; Vineis, P; van Loveren, H. (2006). Immunotoxic effects of chemicals: A matrix for occupational and environmental epidemiological studies. *Am J Ind Med.* 49: 1046-1055. <http://dx.doi.org/10.1002/ajim.20364>.
- Vereshchagin, VI; Borilo, LP; Kozik, AV. (2002). Porous composite materials based on liquid glass and natural silicates. *Glass Ceram.* 59: 319-321.
- Vereshchagin, VI; Smirenskaya, VN; Antipina, SA; Kostyrev, YP; Kalugin, VG. (2005). Thermosilicate materials based on lime-silica binder and native wollastonite. *Refractories and Industrial Ceramics.* 46: 58-62.
- Verger, P; Arnaud, S; Ferrer, S; Iarmarcovai, G; Saliba, ML; Viau, A; Souville, M. (2008). Inequities in reporting asbestos-related lung cancer: influence of smoking stigma and physician's specialty, workload and role perception. *Occup Environ Med.* 65: 392-397. <http://dx.doi.org/10.1136/oem.2007.035808>.
- Verkouteren, JR; Windsor, ES; Conny, JM; Perkins, RL; Ennis, JT. (2002). Analysis of kaolinite/chrysotile mixtures by ashing and X-ray diffraction. *Powder Diffraction.* 17: 196-201. <http://dx.doi.org/10.1154/1.1481038>.
- Verkouteren, JR; Wylie, AG. (2000). The tremolite-actinolite-ferro-actinolite series: Systematic relationships among cell parameters, composition, optical properties, and habit, and evidence of discontinuities. *Am Mineral.* 85: 1239-1254.
- Verkouteren, JR; Wylie, AG. (2002). Anomalous optical properties of fibrous tremolite, actinolite, and ferro-actinolite. *Am Mineral.* 87: 1090-1095.

Exposure Literature Search Results

Off Topic

- Verma, DK; Clark, NE. (1995). Relationships between phase contrast microscopy and transmission electron microscopy results of samples from occupational exposure to airborne chrysotile asbestos. *Am Ind Hyg Assoc J.* 56: 866-873. <http://dx.doi.org/10.1080/15428119591016494>.
- Verma, DK; Clark, NE. (2012). Asbestos fiber burden in lung tissues of occupationally exposed workers. *J Occup Environ Hyg.* 9: D177-D182. <http://dx.doi.org/10.1080/15459624.2012.711606>.
- Verma, DK; Clark, NE; Julian, JA. (1991). ASBESTOS FIBER CHARACTERIZATION USING AN ANALYTICAL TRANSMISSION ELECTRON-MICROSCOPE AND A MICROFILM READER. *Am Ind Hyg Assoc J.* 52: 113-119.
- Verma, DK; Sahai, D; Kurtz, LA; Finkelstein, MM. (2004). Current man-made mineral fibers (MMMMF) exposures among Ontario construction workers. *J Occup Environ Hyg.* 1: 306-318. <http://dx.doi.org/10.1080/15459620490445462>.
- Vermeiren, PH; Leysen, R; Beckers, H; Moreels, JP; Claes, A. (2008). The influence of manufacturing parameters on the properties of macroporous Zirfon (R) separators. *Journal of Porous Materials.* 15: 259-264. <http://dx.doi.org/10.1007/s10934-006-9084-0>.
- Veronesi, P; Leonelli, C; Rivasi, MR; Pellacani, GC. (2004). The Electromagnetic Field Modeling As A Tool In The Microwave Heating Feasibility Studies. *Mater Res Innovat.* 8: 9-12.
- Verrill, KJ. (1983). VICKERS INSTRUMENTS-M88 RAPID ASBESTOS FIBER MONITOR. *Ann Occup Hyg.* 27: 111-111.
- Versen, P. (1980). OCCUPATIONAL-DISEASES DUE TO ASBESTOS EXPOSURE COVERED BY THE INDUSTRIAL INJURIES INSURANCE INSTITUTES. *Staub, Reinhaltung der Luft.* 40: 181-187.
- Vestbo, J; Knudsen, KM; Raffn, E; Korsgaard, B; Rasmussen, FV. (1991). Exposure to cement dust at a Portland cement factory and the risk of cancer. *Br J Ind Med.* 48: 803-807.
- Viallat, JR; Raybuad, F; Passarel, M; Boutin, C. (1986). Pleural migration of chrysotile fibers after intratracheal injection in rats. *Arch Environ Health.* 41: 282-286. <http://dx.doi.org/10.1080/00039896.1986.9936697>.
- Viani, A; Gualtieri, AF. (2013). Recycling the product of thermal transformation of cement-asbestos for the preparation of calcium sulfoaluminate clinker. *J Hazard Mater.* 260: 813-818. <http://dx.doi.org/10.1016/j.jhazmat.2013.06.020>.
- Viani, A; Gualtieri, AF. (2014). Preparation of magnesium phosphate cement by recycling the product of thermal transformation of asbestos containing wastes. *Cement and Concrete Research.* 58: 56-66. <http://dx.doi.org/10.1016/j.cemconres.2013.11.016>.
- Viani, A; Gualtieri, AF; Pollastri, S; Rinaudo, C; Croce, A; Urso, G. (2013). Crystal chemistry of the high temperature product of transformation of cement-asbestos. *J Hazard Mater.* 248-249: 69-80. <http://dx.doi.org/10.1016/j.jhazmat.2012.12.030>.
- Vida, S; Pintos, J; Parent, ME; Lavoué, J; Siemiatycki, J. (2010). Occupational exposure to silica and lung cancer: pooled analysis of two case-control studies in Montreal, Canada. *Cancer Epidemiol Biomarkers Prev.* 19: 1602-1611. <http://dx.doi.org/10.1158/1055-9965.EPI-10-0015>.
- Vidal, CE; Injoqueespinoza, J; Sidder, GB; Mukasa, SB. (1990). AMPHIBOLITIC CU-FE SKARN DEPOSITS IN THE CENTRAL COAST OF PERU. *Econ Geol.* 85: 1447-1461.
- Vidal-Torrado, P; Calvo, R; Macias, F; Carvalho, SG; Silva, AC. (2007). Geochemical and mineralogical evolution in alteration profiles on serpentized rocks in southwestern Minas Gerais, Brazil. *Revista Brasileira de Ciencia do Solo.* 31: 1069-1083.
- Vidal-Torrado, P; Macias, F; Calvo, R; Gomes de Carvalho, S; Silva, AC. (2006). Genesis of soils formed from ultramafic serpentized rocks in southwestern Minas Gerais (Brazil). *Revista Brasileira de Ciencia do Solo.* 30: 523-541.
- Vidovic, K; Lovrecek, B; Hraste, M. (1996). Influence of surface charge on sedimentation and filtration behaviour of fibrous material. *Chemical and Biochemical Engineering Quarterly.* 10: 33-38.
- Vielzeuf, D; Clemens, JD. (1992). THE FLUID-ABSENT MELTING OF PHLOGOPITE PLUS QUARTZ - EXPERIMENTS AND MODELS. *Am Mineral.* 77: 1206-1222.
- Vierikko, T; Jarvenpaa, R; Toivio, P; Uitti, J; Oksa, P; Lindholm, T; Vehmas, T. (2010). Clinical and HRCT screening of heavily asbestos-exposed workers. *Int Arch Occup Environ Health.* 83: 47-54. <http://dx.doi.org/10.1007/s00420-009-0462-1>.
- Vignaroli, G; Ballirano, P; Belardi, G; Rossetti, F. (2014). Asbestos fibre identification vs. evaluation of asbestos hazard in ophiolitic rock melanges, a case study from the Ligurian Alps (Italy). *Environ Earth Sci.* 72: 3679-3698. <http://dx.doi.org/10.1007/s12665-014-3303-9>.
- Vignaroli, G; Belardi, G; Serracino, M. (2013). Multi-scale geological evaluation for quarrying activities in ophiolitic rocks: implications for asbestos-related legislation. *Bulletin of Engineering Geology and the Environment.* 72: 285-302. <http://dx.doi.org/10.1007/s10064-013-0475-6>.
- Vignaroli, G; Rossetti, F; Belardi, G; Billi, A. (2011). Linking rock fabric to fibrous mineralisation: a basic tool for the asbestos hazard. *Natural Hazards and Earth System Sciences.* 11: 1267-1280. <http://dx.doi.org/10.5194/nhess-11-1267-2011>.
- Vilalva, FCJ; Vlach, SRF; Simonetti, A. (2016). Chemical and O-isotope compositions of amphiboles and clinopyroxenes from A-type granites of the Papanduva Pluton, South Brazil: Insights into late- to post-magmatic evolution of peralkaline systems. *Chem Geol.* 420: 186-199. <http://dx.doi.org/10.1016/j.chemgeo.2015.11.019>.
- Vilkman, S; Lahdensuo, A; Mattila, J; Tossavainen, A; Tuomi, T. (1993). Asbestos exposure according to different exposure indices among Finnish lung cancer patients. *Int Arch Occup Environ Health.* 65: 269-274.
- Villa, M; Hubert, G; Lima, S; Kauffer, E; acirc; Ery, M. (1995). Asbestos removal in an office building - Efficacy of personal protection. *Cahiers de notes documentaires. Hygi and aacute:* 463-467.
- Villa, M; Hubert, G; Lima, S; Kauffer, E; Hery, M. (1994). Occupational Exposure during Asbestos Removal Operations (pp. 7-14). (NIOSH/00225667). Villa, M; Hubert, G; Lima, S; Kauffer, E; Hery, M.
- Villanova-De-Benavent, C; Nieto, F; Viti, C; Proenza, JA; Gali, S; Roque-Rosell, J. (2016). Ni-phylosilicates (garnierites) from the Falcondo Ni-laterite deposit (Dominican Republic): Mineralogy, nanotextures, and formation mechanisms by HRTEM and AEM. *Am Mineral.* 101: 1460-1473. <http://dx.doi.org/10.2138/am-2016-5518>.

Exposure Literature Search Results

Off Topic

- Villaro, BA; Ibarguchi, IG; Eguiluz, L. (1991). STRUCTURAL AND METAMORPHIC EVOLUTION OF THE ALMADEN-DE-LA-PLATA CORE (SEVILLE, SPAIN) IN RELATION TO SYN-METAMORPHIC SHEAR BETWEEN THE OSSA MORENA AND SOUTH PORTUGUESE ZONES OF THE IBERIAN VARISCAN FOLD BELT. *Tectonophysics*. 191: 365-387.
- Villeneuve, PJ; Parent, MÉ; Sahni, V; Johnson, KC; Group, CCRER. (2011). Occupational exposure to diesel and gasoline emissions and lung cancer in Canadian men. *Environ Res*. 111: 727-735. <http://dx.doi.org/10.1016/j.envres.2011.04.003>.
- Vils, F; Muentener, O; Kalt, A; Ludwig, T. (2011). Implications of the serpentine phase transition on the behaviour of beryllium and lithium-boron of subducted ultramafic rocks. *Geochim Cosmo Acta*. 75: 1249-1271. <http://dx.doi.org/10.1016/j.gca.2010.12.007>.
- Vincent, R; Kauppinen, T; Toikkanen, J; Pedersen, D; Young, R; Kogevinas, M. (1999). CAREX: International information system on occupational exposure to carcinogenic agents in Europe - Occupational exposure to carcinogenic agents in France from 1990 to 1993. *Cahiers de notes documentaires. Hygi and egrave*: 49-58.
- Vineis, P; Simonato, L. (1991). Proportion of lung and bladder cancers in males resulting from occupation: A systematic approach [Review]. *Arch Environ Health*. 46: 6-15. <http://dx.doi.org/10.1080/00039896.1991.9937423>.
- Vinikoor, LC; Larson, TC; Bateson, TF; Birnbaum, L. (2010). Exposure to asbestos-containing vermiculite ore and respiratory symptoms among individuals who were children while the mine was active in Libby, Montana. *Environ Health Perspect*. 118: 1033-1038. <http://dx.doi.org/10.1289/ehp.0901680>.
- Virta, RL; Segreti, JM. (1987). A MODEL FOR PREDICTING CROCIDOLITE FIBER SIZE DISTRIBUTIONS. *Environ Res*. 44: 148-160.
- Vishnu, VS; Reddy, ML. (2011). Near-infrared reflecting inorganic pigments based on molybdenum and praseodymium doped yttrium cerate: Synthesis, characterization and optical properties. *Solar Energy Materials and Solar Cells*. 95: 2685-2692. <http://dx.doi.org/10.1016/j.solmat.2011.05.042>.
- Vishnyakov, LR; Chizhan'kov, EY; Moroz, VP; Yuga, AI; Kostenko, AD. (1997). Tribological properties of thermally expanded graphite reinforced with knitted metal nets. *Powder Metallurgy and Metal Ceramics*. 36: 381-384.
- Viti, C. (2010). Serpentine minerals discrimination by thermal analysis. *Am Mineral*. 95: 631-638. <http://dx.doi.org/10.2138/am.2010.3366>.
- Viti, C; Collettini, C. (2009). Growth and deformation mechanisms of talc along a natural fault: a micro/nanostructural investigation. *Contributions to Mineralogy and Petrology*. 158: 529-542. <http://dx.doi.org/10.1007/s00410-009-0395-4>.
- Viti, C; Giacobbe, C; Gualtieri, AF. (2011). Quantitative determination of chrysotile in massive serpentinites using DTA: Implications for asbestos determinations. *Am Mineral*. 96: 1003-1011. <http://dx.doi.org/10.2138/am.2011.3734>.
- Viti, C; Hirose, T. (2009). Dehydration reactions and micro/nanostructures in experimentally-deformed serpentinites. *Contributions to Mineralogy and Petrology*. 157: 327-338. <http://dx.doi.org/10.1007/s00410-008-0337-6>.
- Vlasova, NN; Gavrishova, TN; Bozhok, VP; Matkovskii, PY; Ennan, AA. (1994). FEATURES OF THE OXIDATIVE CONDENSATION OF METHANE TO ETHYLENE ON OXIDE CATALYSTS. *Petroleum Chemistry*. 34: 462-467.
- von Goerne, G; Franz, G. (2000). Synthesis of Ca-tourmaline in the system CaO-MgO-Al₂O₃-SiO₂-B₂O₃-H₂O-HCl. *Mineralogy and Petrology*. 69: 161-182.
- Voncarnecki, J; Loipfuehrer, C; Renk, G. (1993). PATTERN-RECOGNITION TECHNIQUES APPLIED TO THE IDENTIFICATION OF AIRBORNE MAN-MADE MINERAL FIBERS. *Staub, Reinhaltung der Luft*. 53: 147-152.
- Vonengelhardt, W; Matthai, SK; Walzebuck, J. (1992). ARAGUAINHA IMPACT CRATER, BRAZIL .1. THE INTERIOR PART OF THE UPLIFT. 27: 442-457.
- Voronov, IE; Gur'Ev, SA; Kogan, FM; Gurchich, VB. (1983). DETERMINATION OF CHRYSOLITE LEVELS IN THE DUST OF ASBESTOS PROCESSING ENTERPRISES AND ITS HYGIENIC SIGNIFICANCE. *Gig Sanit*. 0: 44-46.
- Voss, B; Kerenyi, T; Müller, KM; Wilhelm, M. (2000). Scanning electron microscopical investigations of broncho-alveolar casts after intratracheal asbestos fibre instillation. *Int J Hyg Environ Health*. 203: 127-134. [http://dx.doi.org/10.1078/S1438-4639\(04\)70017-6](http://dx.doi.org/10.1078/S1438-4639(04)70017-6).
- Votyakov, SL; Chashchukhin, IS; Galakhova, OL; Gulyaeva, TY. (2005). Crystal chemistry of lizardite as an indicator of early serpentinization in ultramafic rocks. I. Compositional and structural features of the mineral according to spectroscopic data. *Geochem Int*. 43: 862-880.
- Vry, VH; Wilkinson, JJ; Seguel, J; Millan, J. (2010). Multistage Intrusion, Brecciation, and Veining at El Teniente, Evolution of a Nested Porphyry System. *Econ Geol*. 105: 119-153.
- Vu, VT; Lai, DY. (1997). Approaches to characterizing human health risks of exposure to fibers [Review]. *Environ Health Perspect*. 105 Suppl 5: 1329-1336.
- Waage, HP; Vatten, LJ; Opedal, E; Hilt, B. (1996). Lung function and respiratory symptoms related to changes in smoking habits in asbestos-exposed subjects. *J Occup Environ Med*. 38: 178-183.
- Waage, HP; Vatten, LJ; Opedal, E; Hilt, B. (1997). Smoking intervention in subjects at risk of asbestos-related lung cancer. *Am J Ind Med*. 31: 705-712.
- Wagner, J. (2015). Analysis of serpentine polymorphs in investigations of natural occurrences of asbestos. *Environ Sci Process Impacts*. 17: 985-996. <http://dx.doi.org/10.1039/c5em00089k>.
- Wagner, JC. (1989). Correlation between fiber content of lung and disease in east london asbestos factory-workers - reply. *Br J Ind Med*. 46: 305-308.
- Wagner, JC. (1991). The discovery of the association between blue asbestos and mesotheliomas and the aftermath. *Br J Ind Med*. 48: 399-403.
- Wagner, JC; Newhouse, ML; Corrin, B; Rossiter, CE; Griffiths, DM. (1988). Correlation between fibre content of the lung and disease in east London asbestos factory workers. *Br J Ind Med*. 45: 305-308.
- Wagoner, JK; Bayliss, DL; Ayer, HE; Johnson, WH. (1972). MORTALITY PATTERNS AMONG ASBESTOS TEXTILE WORKERS. *Am Ind Hyg Assoc J*. 33: 63-&.

Exposure Literature Search Results

Off Topic

- Wahlstrom, J; Olander, L; Olofsson, U, If. (2010). Size, Shape, and Elemental Composition of Airborne Wear Particles from Disc Brake Materials. *Tribology Letters*. 38: 15-24. <http://dx.doi.org/10.1007/s11249-009-9564-x>.
- Wahlstrom, J; Soderberg, A; Olander, L; Jansson, A; Olofsson, U, If. (2010). A pin-on-disc simulation of airborne wear particles from disc brakes. *Wear*. 268: 763-769. <http://dx.doi.org/10.1016/j.wear.2009.11.014>.
- Wakasa, K; Matsui, H; Yamaki, M. (1990). AN APPLICATION OF NONASBESTOS PAPERS TO THE DENTAL FIELD - MECHANICAL-PROPERTIES AND STRUCTURAL-CHANGE. *J Mater Sci Mater Med*. 1: 177-181.
- Wakasa, K; Matsui, H; Yamaki, M. (1990). A THERMOANALYTICAL STUDY ON NONASBESTOS RING-LINING MATERIALS FOR DENTAL APPLICATION. *J Mater Sci Mater Med*. 1: 207-210.
- Wakeham, SG; Davis, AC; Witt, RT; Tripp, BW; Frew, NM. (1980). Tetrachloroethylene contamination of drinking water by vinyl-coated asbestos-cement pipe. *Bull Environ Contam Toxicol*. 25: 639-645.
- Waldman, L; Williams, H. (2013). Calculations of risk: regulation and responsibility for asbestos in social housing. *Int J Occup Environ Health*. 19: 91-103. <http://dx.doi.org/10.1179/2049396713Y.0000000022>.
- Walker, AM. (1984). Declining relative risks for lung cancer after cessation of asbestos exposure. *J Occup Med*. 26: 422-426.
- Walker, BL. (2015). Environments of Terror: 9/11, World Trade Center Dust, and the Global Nature of New York's Toxic Bodies. *Environmental History*. 20: 779-795.
- Walker, C; Everitt, J; Barrett, JC. (1992). Possible cellular and molecular mechanisms for asbestos carcinogenicity [Review]. *Am J Ind Med*. 21: 253-273. <http://dx.doi.org/10.1002/ajim.4700210214>.
- Walker, G; Ostendorp, G; Heinzow, B. (2012). Man-made vitreous fibres (MMVF) and fine dust in schools and kindergartens. *Gefahrst Reinhalt Luft*. 72: 89-93.
- Walker, T. (1985). EXPOSURE TO ASBESTOS. *Chem Eng News*. 63: 76-76.
- Wallace, LA. (1991). Comparison of risks from outdoor and indoor exposure to toxic chemicals. *Environ Health Perspect*. 95: 7-13.
- Wallingford, KM; Snyder, EM. (2001). Occupational exposures during the World Trade Center disaster response. *Toxicol Ind Health*. 17: 247-253. <http://dx.doi.org/10.1191/0748233701th1120a>.
- Walls, KL; Boulic, M; Boddy, JW. (2016). The Built Environment-A Missing "Cause of the Causes" of Non-Communicable Diseases. *Int J Environ Res Public Health*. 13. <http://dx.doi.org/10.3390/ijerph13100956>.
- Walton, WH. (1982). The nature, hazards and assessment of occupational exposure to airborne asbestos dust: a review [Review]. *Ann Occup Hyg*. 25: 117-247.
- Wambach, PF. (2002). Variation in exposure levels for high hazard frequently monitored agents. *AIHA J*. 63: 424-429.
- Wan, KC; Street, NR. (1990). Criteria for Determining Work Related Heavy Asbestos Exposure. *J Occup Med*. 32: 1088-1090.
- Wang, A, nM; Li, X, gen; Huang, Z, hiQ; Huang, XC; Wang, Z, fu; Wu, Q, i; Cui, J, li; Lu, XJ. (2015). Laboratory study on engineering geological characteristics and formation mechanism of altered rocks of Henan Tianchi pumped storage power station, China. *Environ Earth Sci*. 74: 5063-5075. <http://dx.doi.org/10.1007/s12665-015-4520-6>.
- Wang, CM; Zhang, L, i; Tang, H, aoShu; Chen, H, uaY; Li, X, iL; Zheng, Y, i; Li, DF; Fang, J; Dong, LH, ui; Qu, X, un. (2017). Genesis of the Kaladawan Fe-Mo ore field in Altyn, Xinjiang, China: Constraints from mineralogy and geochemistry. *Ore Geol Rev*. 81: 587-601. <http://dx.doi.org/10.1016/j.oregeorev.2016.09.001>.
- Wang, CY, an; Prichard, HM; Zhou, M, eiFu; Fisher, PC. (2008). Platinum-group minerals from the Jinbaoshan Pd-Pt deposit, SW China: evidence for magmatic origin and hydrothermal alteration. *Miner Depos*. 43: 791-803. <http://dx.doi.org/10.1007/s00126-008-0196-0>.
- Wang, D; Cullimore, D. (2010). Bacteriological challenges to asbestos cement water distribution pipelines. *J Environ Sci*. 22: 1203-1208. [http://dx.doi.org/10.1016/S1001-0742\(09\)60239-4](http://dx.doi.org/10.1016/S1001-0742(09)60239-4).
- Wang, D; Cullimore, R, oy; Hu, Y; Chowdhury, R. (2011). Biodeterioration of asbestos cement (AC) pipe in drinking water distribution systems. *Int Biodeterior Biodegradation*. 65: 810-817. <http://dx.doi.org/10.1016/j.ibiod.2011.05.004>.
- Wang, J. (2013). Effects of Particle Size and Morphology on Filtration of Airborne Nanoparticles. 256-266.
- Wang, J; Gerlach, JD; Savage, N; Cobb, GP. (2013). Necessity and approach to integrated nanomaterial legislation and governance. *Sci Total Environ*. 442: 56-62. <http://dx.doi.org/10.1016/j.scitotenv.2012.09.073>.
- Wang, J; Kim, SC; Pui, D. (2011). Carbon Nanotube Penetration through a Screen Filter: Numerical Modeling and Comparison with Experiments. *Aerosol Sci Technol*. 45: 443-452. <http://dx.doi.org/10.1080/02786826.2010.541531>.
- Wang, J; Kim, SC; Pui, DYH. (2011). Measurement of multi-wall carbon nanotube penetration through a screen filter and single-fiber analysis. *J Nanopart Res*. 13: 4565-4573. <http://dx.doi.org/10.1007/s11051-011-0415-y>.
- Wang, J; Pui, DY. (2013). Dispersion and Filtration of Carbon Nanotubes (CNTs) and Measurement of Nanoparticle Agglomerates in Diesel Exhaust. *Chem Eng Sci*. 85: 69-76. <http://dx.doi.org/10.1016/j.ces.2011.12.045>.
- Wang, L; Lu, A; Xiao, Z; Ma, J; Li, Y. (2009). Modification of nano-fibriform silica by dimethyldichlorosilane. *Appl Surf Sci*. 255: 7542-7546. <http://dx.doi.org/10.1016/j.apsusc.2009.04.024>.
- Wang, L; Luanpitpong, S; Castranova, V; Tse, W; Lu, Y; Pongrakhananon, V; Rojanasakul, Y, on. (2011). Carbon Nanotubes Induce Malignant Transformation and Tumorigenesis of Human Lung Epithelial Cells. *Nano Lett*. 11: 2796-2803. <http://dx.doi.org/10.1021/nl2011214>.
- Wang, Li; Christiani, DC. (2002). Asbestos exposure, smoking, manganese superoxide dismutase (MnSOD) gene polymorphism and lung cancer risk. *Am J Epidemiol*. 155: s69-s69.
- Wang, ML; Lu, PL. (1985). Lung function studies of asbestos workers. *Scand J Work Environ Health*. 11: 34-42.
- Wang, O. (2003). Asbestos related diseases from environmental exposure to crocidolite in Da-yao, China. I. Review of exposure and epidemiological data - Commentary. *Occup Environ Med*. 60: 41-42.

Exposure Literature Search Results

Off Topic

- Wang, Q; Aitkadi, A; Kaliaguine, S. (1992). MODIFIED FIBERS FOR POLYMER COMPOSITES WITH IMPROVED MECHANICAL-PROPERTIES. *Polymer Composites*. 13: 414-420.
- Wang, QE; Han, CH; Yang, YP; Wang, HB; Wu, WD; Liu, SJ; Kohyama, N. (1999). Biological effects of man-made mineral fibers (II)--their genetic damages examined by in vitro assay. *Ind Health*. 37: 342-347.
- Wang, SQ; Williams, PJ. (2001). Geochemistry and origin of Proterozoic skarns at the Mount Elliott Cu-Au(-Co-Ni) deposit, Cloncurry district, NW Queensland, Australia. *Miner Depos*. 36: 109-124.
- Wang, X; Christiani, DC; Wiencke, JK; Fischbein, M; Xu, X; Cheng, TJ; Mark, E; Wain, JC; Kelsey, KT. (1995). Mutations in the p53 gene in lung cancer are associated with cigarette smoking and asbestos exposure. *Cancer Epidemiol Biomarkers Prev*. 4: 543-548.
- Wang, X; Lin, S; Yano, E; Qiu, H; Yu, IT; Tse, L; Lan, Y; Wang, M. (2012). Mortality in a Chinese chrysotile miner cohort. *Int Arch Occup Environ Health*. 85: 405-412. <http://dx.doi.org/10.1007/s00420-011-0685-9>.
- Wang, X; Wang, M; Qiu, H; Yu, I; Yano, E. (2010). Longitudinal changes in pulmonary function of asbestos workers. *J Occup Health*. 52: 272-277.
- Wang, X; Xia, T; Ntim, SA; Ji, Z; Lin, S; Meng, H; Chung, CH; George, S; Zhang, H; Wang, M; Li, N; Yang, Y; Castranova, V; Mitra, S; Bonner, JC; Nel, AE. (2011). Dispersal state of multiwalled carbon nanotubes elicits profibrogenic cellular responses that correlate with fibrogenesis biomarkers and fibrosis in the murine lung. *ACS Nano*. 5: 9772-9787. <http://dx.doi.org/10.1021/nn2033055>.
- Wang, X; Yano, E. (1999). Pulmonary dysfunction in silica-exposed workers: a relationship to radiographic signs of silicosis and emphysema. *Am J Ind Med*. 36: 299-306. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199908\)36:2<299::AID-AJIM9>3.0.CO;2-W](http://dx.doi.org/10.1002/(SICI)1097-0274(199908)36:2<299::AID-AJIM9>3.0.CO;2-W).
- Wang, X; Zeng, Z; Chen, J. (2009). Serpentinization of peridotites from the southern Mariana forearc. *Progress in Natural Science*. 19: 1287-1295. <http://dx.doi.org/10.1016/j.pnsc.2009.04.004>.
- Wang, XR; Christiani, DC. (2000). Respiratory symptoms and functional status in workers exposed to silica, asbestos, and coal mine dusts. *J Occup Environ Med*. 42: 1076-1084.
- Wang, XR; Yano, E; Nonaka, K; Wang, M; Wang, Z. (1998). Pulmonary function of nonsmoking female asbestos workers without radiographic signs of asbestosis. *Arch Environ Health*. 53: 292-298. <http://dx.doi.org/10.1080/00039899809605711>.
- Wang, XR; Yano, E; Nonaka, K; Wang, MZ; Wang, ZM. (1997). Respiratory impairments due to dust exposure: A comparative study among workers exposed to silica, asbestos, and coalmine dust. *Am J Ind Med*. 31: 495-502.
- Wang, XR; Yano, E; Wang, M; Wang, Z; Christiani, DC. (2001). Pulmonary function in long-term asbestos workers in China. *J Occup Environ Med*. 43: 623-629.
- Wang, XR; Yano, EJ; Wang, ZM; Wang, MZ; Christiani, DC. (2006). Adverse effects of asbestos exposure and smoking on lung function. *Am J Ind Med*. 49: 337-342. <http://dx.doi.org/10.1002/ajim.20293>.
- Wang, Y; Feng, T, ao; Wang, K, ai; Qian, M, in; Chen, Y; Sun, Z. (2011). A Facile Method for Preparing Transparent, Conductive, and Paper-Like Silver Nanowire Films. *Journal of Nanomaterials*. <http://dx.doi.org/10.1155/2011/935218>.
- Wang, YY; Gan, FX; Zhao, HX. (2012). Nondestructive analysis of Lantian jade from Shaanxi Province, China. *Appl Clay Sci*. 70: 79-83. <http://dx.doi.org/10.1016/j.clay.2012.09.012>.
- Wang, Z; Hopke, PK; Ahmadi, G; Cheng, YS; Baron, PA. (2008). Fibrous particle deposition in human nasal passage: The influence of particle length, flow rate, and geometry of nasal airway. *J Aerosol Sci*. 39: 1040-1054. <http://dx.doi.org/10.1016/j.jaerosci.2008.07.008>.
- Wang, ZC; Hopke, PK; Baron, PA; Ahmadi, G; Cheng, YS; Deye, G; Su, WC. (2005). Fiber classification and the influence of average air humidity. *Aerosol Sci Technol*. 39: 1056-1063. <http://dx.doi.org/10.1080/02786820500380198>.
- Ward, DL. (1979). ANALYSIS OF LAGGING MATERIALS FOR ASBESTOS - CEGB PROCEDURES. *Ann Occup Hyg*. 22: 319-323.
- Ward, EM; Ruder, AM; Suruda, A; Smith, AB; Halperin, W; Fessler, CA; Zahm, SH. (1994). Cancer mortality patterns among female and male workers employed in a cable manufacturing plant during World War II. *J Occup Med*. 36: 860-866.
- Ward, T; Spear, T; Hart, J; Noonan, C; Holian, A; Getman, M; Webber, J. (2006). Trees as reservoirs for amphibole fibers in Libby, Montana. *Sci Total Environ*. 367: 460-465. <http://dx.doi.org/10.1016/j.scitotenv.2006.03.041>.
- Ward, TJ; Hart, JF; Spear, TM; Meyer, BJ; Webber, JS. (2009). Fate of Libby amphibole fibers when burning contaminated firewood. *Environ Sci Technol*. 43: 2878-2883. <http://dx.doi.org/10.1021/es802817w>.
- Ward, TJ; Spear, TM; Hart, JF; Webber, JS; Elashheb, MI. (2012). Amphibole Asbestos in Tree Bark-A Review of Findings for This Inhalational Exposure Source in Libby, Montana [Review]. *J Occup Environ Hyg*. 9: 387-397. <http://dx.doi.org/10.1080/15459624.2012.682217>.
- Warheit, DB. (1995). A review of inhalation toxicology studies with para-aramid fibrils [Review]. *Ann Occup Hyg*. 39: 691-697.
- Warheit, DB; Carakostas, MC; Bamberger, JR; Hartsky, MA. (1991). Complement facilitates macrophage phagocytosis of inhaled iron particles but has little effect in mediating silica-induced lung inflammatory and clearance responses. *Environ Res*. 56: 186-203.
- Warheit, DB; Chang, IY; Hill, IH; Brody, AR. (1983). PULMONARY MACROPHAGES EXHIBIT MORPHOLOGICAL, FUNCTIONAL AND BIOCHEMICAL-CHANGES AFTER ONE HOUR OF EXPOSURE TO CHRYSOTILE ASBESTOS INVIVO. *Environ Health Perspect*. 52: 289-289.
- Warheit, DB; Hartsky, MA; Mchugh, TA; Kellar, KA. (1994). BIOPERSISTENCE OF INHALED ORGANIC AND INORGANIC FIBERS IN THE LUNGS OF RATS. *Environ Health Perspect*. 102: 151-157.
- Warheit, DB; Hwang, HC; Achinko, L. (1991). Assessments of lung digestion methods for recovery of fibers. *Environ Res*. 54: 183-193.
- Warheit, DB; Reed, KL; Webb, TR. (2001). Man-made respirable-sized organic fibers: what do we know about their toxicological profiles? [Review]. *Ind Health*. 39: 119-125.
- Warheit, DB; Snajdr, SI; Hartsky, MA; Frame, SR. (1997). Lung proliferative and clearance responses to inhaled para-aramid RFP in exposed hamsters and rats: comparisons with chrysotile asbestos fibers. *Environ Health Perspect Suppl*. 105: 1219-1222.
- Warner, M. (1988). OPTICAL AND ELECTRON MICROSCOPY CAN BE USED TO DETERMINE ASBESTOS IN AMBIENT AIR. *Anal Chem*. 60.
- Warnock, ML. (1989). Lung asbestos burden in shipyard and construction workers with mesothelioma: comparison with burdens in subjects with asbestosis or lung cancer. *Environ Res*. 50: 68-85.

Exposure Literature Search Results

Off Topic

- Warnock, ML; Wolery, G. (1987). Asbestos bodies or fibers and the diagnosis of asbestosis. *Environ Res.* 44: 29-44.
- Warr, LN; Cox, SC. (2016). Correlating illite (Kubler) and chlorite (Arkai) "crystallinity" indices with metamorphic mineral zones of the South Island, New Zealand. *Appl Clay Sci.* 134: 164-174. <http://dx.doi.org/10.1016/j.clay.2016.06.024>.
- Wasserbauer, R; Zadak, Z; Novotny, J. (1988). NITRIFYING BACTERIA ON THE ASBESTOS-CEMENT ROOFS OF STABLE BUILDINGS. *International Biodeterioration.* 24: 153-165.
- Wastiaux, A; Blanchard, O; Honnons, S. (1994). POSSIBLE APPLICATION OF URINARY ANALYSIS TO ESTIMATE DISSOLUTION OF SOME MAN-MADE VITREOUS FIBERS. *Environ Health Perspect.* 102: 217-219. <http://dx.doi.org/10.2307/3432090>.
- Watanabe, M; Hoshino, K; Kagami, H; Nishido, H; Sugiyama, M. (1998). Rh-Sr, Sm-Nd and K-Ar systematics of metamorphosed pillowed basalts and associated Besshi-type deposits in the Sanbagawa Belt, Japan. *Miner Depos.* 34: 113-120.
- Watanabe, M; Okada, M; Aizawa, Y; Sakai, Y; Yamashina, S; Kotani, M. (2000). Magnetometric evaluation for the effects of silicon carbide whiskers on alveolar macrophages. *Ind Health.* 38: 239-245.
- Watanabe, M; Okada, M; Kudo, Y; Tonori, Y; Niitsuya, M; Sato, T; Aizawa, Y; Kotani, M. (2002). Differences in the effects of fibrous and particulate titanium dioxide on alveolar macrophages of Fischer 344 rats. *J Toxicol Environ Health A.* 65: 1047-1060. <http://dx.doi.org/10.1080/152873902760125219>.
- Watanabe, M; Shibata, K; Okada, M; Kudo, Y; Niitsuya, M; Satoh, T; Kotani, M; Aizawa, Y. (2002). Magnetometric evaluation for cytotoxicity of potassium octatitanate whisker on alveolar macrophages of Fischer 344 rats. *J Occup Health.* 44: 321-328.
- Watanabe, T; Shirasugi, Y; Michibayashi, K. (2014). A new method for calculating seismic velocities in rocks containing strongly dimensionally anisotropic mineral grains and its application to antigorite-bearing serpentinite mylonites. *Earth Planet Sci Lett.* 391: 24-35. <http://dx.doi.org/10.1016/j.epsl.2014.01.025>.
- Waterman, YR; Peeters, MG. (2004). The Dutch Institute for Asbestos Victims [Review]. *Int J Occup Environ Health.* 10: 166-176. <http://dx.doi.org/10.1179/oeh.2004.10.2.166>.
- Watkinson, DH; Melling, DR. (1992). HYDROTHERMAL ORIGIN OF PLATINUM-GROUP MINERALIZATION IN LOW-TEMPERATURE COPPER SULFIDE-RICH ASSEMBLAGES, SALT CHUCK INTRUSION, ALASKA. *Econ Geol.* 87: 175-184.
- Watterson, A; Gorman, T; Malcolm, C; Robinson, M; Beck, M. (2006). The economic costs of health service treatments for asbestos-related mesothelioma deaths. *Ann N Y Acad Sci.* 1076: 871-881. <http://dx.doi.org/10.1196/annals.1371.042>.
- Webber, JS; Carhart, LJ; Czuhanych, AG. (1997). Analytical trends in asbestos analysis: New York state's bulk sample proficiency-testing program. *Am Ind Hyg Assoc J.* 58: 809-813.
- Webber, JS; Czuhanych, AG; Carhart, LJ. (2007). Performance of membrane filters used for TEM analysis of asbestos. *J Occup Environ Hyg.* 4: 780-789. <http://dx.doi.org/10.1080/15459620701588385>.
- Webber, JS; Janulis, RJ; Carhart, LJ; Gillespie, MB. (1990). QUANTITATING ASBESTOS CONTENT IN FRIABLE BULK SAMPLES - DEVELOPMENT OF A STRATIFIED POINT-COUNTING METHOD. *Am Ind Hyg Assoc J.* 51: 447-452.
- Webber, JS; Pupons, A; Fleser, JM. (1982). QUALITY-CONTROL TESTING FOR ASBESTOS ANALYSIS WITH SYNTHETIC BULK SAMPLES. *Am Ind Hyg Assoc J.* 43: 427-431.
- Webster, I. (1970). Asbestos Exposure in South Africa (pp. 209-212). (NIOSH/00177270). Webster, I.
- Webster, I; Goldstein, B; Coetzee, FS; van Sittert, GC. (1993). Malignant mesothelioma induced in baboons by inhalation of amosite asbestos. *Am J Ind Med.* 24: 659-666.
- Weeks, RW; Mcleod, MJ. (1982). PENETRATION OF GREATER-THAN 5-MUM CHRYSOTILE FIBERS THROUGH DUPONT TYVEK 1422A AND KIMBERLY-CLARK CPF FABRICS. *Am Ind Hyg Assoc J.* 43: 84-88.
- Wegman, DH. (1992). THE POTENTIAL IMPACT OF EPIDEMIOLOGY ON THE PREVENTION OF OCCUPATIONAL-DISEASE [Review]. *Am J Public Health.* 82: 944-954.
- Wegman, DH; Theriaul, GP; Peters, JM. (1972). WORKER-SPONSORED SURVEY FOR ASBESTOS DISEASE. *Am Ind Hyg Assoc J.* 33: 43-&.
- Wehner, AP; Busch, RH; Olson, RJ; Craig, DK. (1975). Chronic Inhalation of Asbestos and Cigarette Smoke by Hamsters. *Environ Res.* 10: 368-383.
- Wehner, AP; Dagle, GE; Cannon, WC. (1978). Development of an animal model, techniques, and an exposure system to study the effects of asbestos cement dust inhalation. *Environ Res.* 16: 393-407.
- Wehner, AP; Dagle, GE; Cannon, WC; Buschbom, RL. (1978). Asbestos cement dust inhalation by hamsters. *Environ Res.* 17: 367-389.
- Weichenthal, S; Joseph, L; Bélisle, P; Dufresne, A. (2010). Bayesian estimation of the probability of asbestos exposure from lung fiber counts. *Biometrics.* 66: 603-612. <http://dx.doi.org/10.1111/j.1541-0420.2009.01279.x>.
- Weiderpass, E; Pukkala, E; Kauppinen, T; Mutanen, P; Paakkulainen, H; Vasama-Neuvonen, K; Boffetta, P; Partanen, T. (1999). Breast cancer and occupational exposures in women in Finland. *Am J Ind Med.* 36: 48-53. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199907\)36:1<48::AID-AJIM7>3.0.CO;2-2](http://dx.doi.org/10.1002/(SICI)1097-0274(199907)36:1<48::AID-AJIM7>3.0.CO;2-2).
- Weidner, RB. (1971). Analysis of Personal Samples at Certain-Teed, Santa Clara, California. (NIOSH/00105991). Weidner, RB.
- Weidner, RB. (1971). Analysis of Personal Samples at Johns-Manville, Long Beach, California. (NIOSH/00105996). Weidner, RB.
- Weidner, RB. (1971). Analysis of Personal Samples at Johns-Manville, Stockton, California. (NIOSH/00105992). Weidner, RB.
- Weidner, RB. (1971). Results of U.S.P.H.S. Survey at Raybestos Manhattan Asbestos Textile Plant, Charleston, South Carolina. (NIOSH/00105343). Weidner, RB.
- Weidner, RB. (1972). Results of U.S.P.H.S. Survey at H.K. Porter Company, Charlotte, North Carolina. (NIOSH/00105830). Weidner, RB.
- Weidner, RB; et al. (1972). Preliminary Survey to Determine Possible Asbestos Exposures at Rock Crushing Operations at the Anaconda Company, in Butte, Montana. (NIOSH/00106160). Weidner, RB; Et al.
- Weiland, SK; Straif, K; Chambless, L; Werner, B; Mundt, KA; Bucher, A; Birk, T; Keil, U. (1998). Workplace risk factors for cancer in the German rubber industry: Part 1. Mortality from respiratory cancers. *Occup Environ Med.* 55: 317-324.

Exposure Literature Search Results

Off Topic

- Weill, H. (1994). Biological effects: asbestos-cement manufacturing. *Ann Occup Hyg.* 38: 533-538, 413.
- Weill, H; Hughes, J; Churg, A. (2005). Changing trends in US mesothelioma incidence [Letter]. *Occup Environ Med.* 62: 270. <http://dx.doi.org/10.1136/oem.2005.020321>.
- Weill, H; Hughes, JM. (1986). Asbestos as a public health risk: disease and policy [Review]. *Annu Rev Public Health.* 7: 171-192. <http://dx.doi.org/10.1146/annurev.pu.07.050186.001131>.
- Weill, H; Hughes, JM; Churg, AM. (2004). Changing trends in US mesothelioma incidence. *Occup Environ Med.* 61: 438-441. <http://dx.doi.org/10.1136/oem.2003.010165>.
- Weill, H; Ziskind, MM; Waggenspack, C; Rossiter, CE. (1975). Lung function consequences of dust exposure in asbestos cement manufacturing plants. *Arch Environ Health.* 30: 88-97. <http://dx.doi.org/10.1080/00039896.1975.10666650>.
- Weir, FW; Tolar, G; Meraz, LB. (2001). Characterization of vehicular brake service personnel exposure to airborne asbestos and particulate. *Appl Occup Environ Hyg.* 16: 1139-1146. <http://dx.doi.org/10.1080/10473220127402>.
- Weiss, NS. (1993). Complex mixtures and indoor air pollution: overview of epidemiologic methods. *Environ Health Perspect.* 4: 179-181. <http://dx.doi.org/10.2307/3431674>.
- Weiss, W. (1989). Pulmonary fibrosis in asbestos insulation workers with lung cancer [Letter]. *Br J Ind Med.* 46: 430.
- Weiss, W. (1991). Cigarette smoking and small irregular opacities. *Br J Ind Med.* 48: 841-844.
- Weiss, W. (1993). PULMONARY EFFECTS OF EXPOSURE TO FINE FIBERGLASS - IRREGULAR OPACITIES AND SMALL AIRWAYS OBSTRUCTION. *Br J Ind Med.* 50: 1054-1054.
- Weiss, W. (1995). The lack of causality between asbestos and colorectal cancer. *J Occup Environ Med.* 37: 1364-1373.
- Weiss, W. (2000). Asbestosis and lobar site of lung cancer [Review]. *Occup Environ Med.* 57: 358-360.
- Weiss, W; Levin, R; Goodman, L. (1981). Pleural plaques and cigarette smoking in asbestos workers. *J Occup Med.* 23: 427-430.
- Weiss, W; Theodos, PA. (1978). Pleuropulmonary disease among asbestos workers in relation to smoking and type of exposure. *J Occup Med.* 20: 341-345.
- Welch, JF. (1983). ASBESTOS-CEMENT PIPE SAFETY. *Professional Safety.* 28: 11-11.
- Welch, L; Dement, J; West, G. (2015). Mortality among sheet metal workers participating in a respiratory screening program. *Am J Ind Med.* 58: 378-391. <http://dx.doi.org/10.1002/ajim.22421>.
- Welch, LS. (2007). Asbestos exposure causes mesothelioma, but not this asbestos exposure: an amicus brief to the Michigan Supreme Court. *Int J Occup Environ Health.* 13: 318-327. <http://dx.doi.org/10.1179/oeh.2007.13.3.318>.
- Welch, LS; Anderson, HA; Balmes, J; Braun, L; Brody, A; Castleman, B; Davis, D; Dement, JM; Frank, A; Gochfeld, M; Goldstein, BD; Rodriguez Guzman, J; Henderson, DW; Huff, J; Infante, PF; Ladou, J; Landrigan, PJ; Leigh, J; Levin, SM; Mulloy, KB; Michaels, D; Oliver, LC; Pepper, L; Rosenman, KD; Schwartz, BS; Silverstein, M; Sokas, RK; Takahashi, K, en; Takaro, T, imK; Teitelbaum, DT; Vojakovic, R; Watterson, A. (2009). Research on Mesothelioma from Brake Exposure: Corporate Influence Remains Relevant Concern. *Int J Occup Environ Health.* 15: 234-238.
- Welch, LS; Haile, E. (2009). Asbestos-related disease among sheet metal workers 1986-2004: radiographic changes over time. *Am J Ind Med.* 52: 519-525. <http://dx.doi.org/10.1002/ajim.20712>.
- Welch, LS; Michaels, D; Zoloth, S. R.; Alexander, V; Balmes, J; Barnhart, S; Bresnitz, E; Bonham, D; Casten, P; Christiani, D; Cook, R; Cooper, K; Cullen, M; Dehart, D; Demers, R; Fagan, K; Frumkin, H; Frank, A; Friedman, G; Garman, R; Gibson, M; Hake, J; Herbert, R; Hessel, S; Hincamp, D; Hodgson, M; Holstein, E; Johns, RE; Kalamoto, M; Kern, D; Kay, K; Lang, E; Langworthy, J. R.; Lockey, J; Merchant, J; Miller, K; Morse, L; Mulloy, K; Oliver, C; Rosenstock, L; Roundtree, P; Schenker, M; Sharpe, I; Schwartz, D; Simmons, J; Sliwinski, J; Stein, C; Tencza, A; Wallerstein, N; Wagner, G. (1994). THE NATIONAL SHEET-METAL WORKER ASBESTOS DISEASE SCREENING-PROGRAM - RADIOLOGIC FINDINGS. *Am J Ind Med.* 25: 635-648. <http://dx.doi.org/10.1002/ajim.4700250504>.
- Welch, MD; Camara, F; Oberti, R. (2011). Thermoelasticity and high-T behaviour of anthophyllite. *Physics and Chemistry of Minerals.* 38: 321-334. <http://dx.doi.org/10.1007/s00269-010-0406-z>.
- Welch, MD; Gatta, GD; Rotiroti, N. (2011). The high-pressure behavior of orthorhombic amphiboles. *Am Mineral.* 96: 623-630. <http://dx.doi.org/10.2138/am.2011.3670>.
- Welch, MD; Liu, SX; Klinowski, J. (1998). Si-29 MAS NMR systematics of calcic and sodic-calcic amphiboles. *Am Mineral.* 83: 85-96.
- Welch, MD; Pawley, AR. (1991). TREMOLITE - NEW ENTHALPY AND ENTROPY DATA FROM A PHASE-EQUILIBRIUM STUDY OF THE REACTION TREMOLITE = 2 DIOPSIDE + 1.5 ORTHOENSTATITE + BETA-QUARTZ + H2O. *Am Mineral.* 76: 1931-1939.
- Wellham, EJ; Elber, L; Yan, DS. (1992). THE ROLE OF CARBOXY METHYL CELLULOSE IN THE FLOTATION OF A NICKEL SULFIDE TRANSITION ORE. *Miner Eng.* 5: 381-395.
- Wells, AH. (1975). Asbestos in Duluth water. *Minn Med.* 58: 458-459.
- Weng, XT; Yao, JC; Wang, YJ; Hu, TX; Yu, ZG; Lu, ZY; Guo, JS. (1989). A study of magnetic field in the lung of workers in an asbestos factory. *Ind Health.* 27: 9-15.
- Wennerlund, B. (1983). THE YELLOW FIBER - A SUCCESSFUL REPLACEMENT OF ASBESTOS. 86: 17-&.
- Werner, AJ; Hochella, MF; Guthrie, GD; Hardy, JA; Aust, AE; Rimstidt, JD. (1995). Asbestiform riebeckite (crocidolite) dissolution in the presence of Fe chelators: Implications for mineral-induced disease. *Am Mineral.* 80: 1093-1103.
- Werner, I. (1984). THERMAL DIVIDING OF ASBESTOS-CONTAINING MATERIALS BY LASER AND BY PLASM BEAM METHODS - ANALYSIS OF DIVIDING SURFACES AND RESPIRABLE DUST SAMPLES. *Staub, Reinhaltung der Luft.* 44: 469-471.
- Werner, I; Karsten, H. (1981). CHRISOTILE UNDERGOING A THERMAL-CHANGE AS A PECULIARITY OF THE EXPOSURE TO ASBESTOS DUST AT PLACES OF WORK IN PLANT CONSTRUCTION. *Staub, Reinhaltung der Luft.* 41: 262-264.
- Wesnigk, E. (1982). SUBSTITUTION OF ASBESTOS IN INSULATING AND SEALING MATERIALS. *Chem Tech (Leipzig).* 34: 493-493.

Exposure Literature Search Results

Off Topic

- Westberg, H; Andersson, L; Bryngelsson, IL; Ngo, Y; Ohlson, CG. (2013). Cancer morbidity and quartz exposure in Swedish iron foundries. *Int Arch Occup Environ Health*. 86: 499-507. <http://dx.doi.org/10.1007/s00420-012-0782-4>.
- Westberg, KBT; Hardell, LO; Malmqvist, N; Ohlson, CG; Axelson, O. (2005). On the use of different measures of exposure - Experiences from a case-control study on testicular cancer and PVC exposure. *J Occup Environ Hyg*. 2: 351-356. <http://dx.doi.org/10.1080/15459620590969046>.
- Westerlund, J; Graff, P, al; Bryngelsson, I; Westberg, H; Eriksson, K; Lofstedt, H. (2015). Occupational Exposure to Trichloramine and Trihalomethanes in Swedish Indoor Swimming Pools: Evaluation of Personal and Stationary Monitoring. *Ann Occup Hyg*. 59: 1074-1084. <http://dx.doi.org/10.1093/annhyg/mev045>.
- White, AJR; Smith, RE; Nadoll, P; Legras, M. (2014). Regional-scale Metasomatism in the Fortescue Group Volcanics, Hamersley Basin, Western Australia: Implications for Hydrothermal Ore Systems. *Journal of Petrology*. 55: 977-1009. <http://dx.doi.org/10.1093/petrology/egu013>.
- White, MK; Hodous, TK; Hudnall, JB. (1989). Physiological and subjective responses to working in disposable protective coveralls and respirators commonly used by the asbestos abatement industry. *Am Ind Hyg Assoc J*. 50: 313-319. <http://dx.doi.org/10.1080/15298668991374723>.
- Whitehead, J; Reynolds, PH; Spray, JG. (1995). THE SUB-OPIHOLITIC METAMORPHIC ROCKS OF THE QUEBEC APPALACHIANS. *J Geodyn*. 19: 325-350.
- Whitehouse, A. (2004). Asbestos-related pleural disease due to tremolite associated with progressive loss of lung function: Serial observations in 123 miners, family members, and residents of Libby, Montana. *Am J Ind Med*. 46: 219-225. <http://dx.doi.org/10.1002/ajim.20053>.
- Whitehouse, A; Black, C; Heppe, M; Ruckdeschel, J; Levin, S. (2008). Environmental exposure to Libby asbestos and mesotheliomas. *Am J Ind Med*. 51: 877-880. <http://dx.doi.org/10.1002/ajim.20620>.
- WHO. (1991). INDOOR AIR QUALITY INORGANIC FIBERS. *Environ Technol*. 12: 833-836.
- Whong, WZ; Gao, HG; Zhou, G; Ong, T. (1999). Genetic alterations of cancer-related genes in glass fiber-induced transformed cells. *J Toxicol Environ Health A*. 56: 397-404.
- Whorton, MD. (1986). ASBESTOS EXAMINATIONS FOR CONSTRUCTION WORKERS A WORKABLE ALTERNATIVE [Editorial]. *Am J Public Health*. 76: 1388-1389.
- Whorton, MD. (1987). ASBESTOS EXAMINATIONS FOR CONSTRUCTION WORKERS - REPLY. *Am J Public Health*. 77: 646-646.
- Wichmann, HE; Rosario, AS; Heid, IM; Kreuzer, M; Heinrich, J; Kreienbrock, L. (2005). Increased lung cancer risk due to residential radon in a pooled and extended analysis of studies in Germany. *Health Phys*. 88: 71-79. <http://dx.doi.org/10.1097/01.HP.0000142497.31627.86>.
- Wicks, FJ. (2000). Status of the reference X-ray powder-diffraction patterns for the serpentine minerals in the PDF database - 1997. *Powder Diffraction*. 15: 42-50.
- Wigle, DT; Mao, Y; Semenciw, R; Smith, MH; Toft, P. (1986). Contaminants in drinking water and cancer risks in canadian cities. *Can J Public Health*. 77: 335-342.
- Wikeley, NJ. (1993). Measurement of asbestos dust levels in British asbestos factories in the 1930s. *Am J Ind Med*. 24: 509-520.
- Wild, P. (2006). Lung cancer risk and talc not containing asbestiform fibres: a review of the epidemiological evidence [Review]. *Occup Environ Med*. 63: 4-9. <http://dx.doi.org/10.1136/oem.2005.020750>.
- Wild, P; Leodolter, K; Refregier, M; Schmidt, H; Bourgkard, E. (2008). Effects of talc dust on respiratory health: results of a longitudinal survey of 378 French and Austrian talc workers. *Occup Environ Med*. 65: 261-267. <http://dx.doi.org/10.1136/oem.2007.034298>.
- Wild, P; Schill, W; Bourgkard, E; Drescher, K; Gonzalez, M; Paris, C. (2016). The 2-phase case-control design: an efficient way to use expert-time. *Scand J Work Environ Health*. 42: 162-169. <http://dx.doi.org/10.5271/sjweh.3547>.
- Wilde, A; Otto, A; Jory, J; Macrae, C; Pownceby, M; Wilson, N; Torpy, A. (2013). Geology and Mineralogy of Uranium Deposits from Mount Isa, Australia: Implications for Albitite Uranium Deposit Models. 3: 258-283. <http://dx.doi.org/10.3390/min3030258>.
- Wilken, D; Velasco Garrido, M; Manuwald, U; Baur, X. (2011). Lung function in asbestos-exposed workers, a systematic review and meta-analysis. *J Occup Med Toxicol*. 6: 21. <http://dx.doi.org/10.1186/1745-6673-6-21>.
- Wilkins, RWT. (1970). IRON-MAGNESIUM DISTRIBUTION IN TREMOLITE-ACTINOLITE SERIES. *Am Mineral*. 55: 1993-&.
- Wilkinson, JJ; Jenkin, GRT; Fallick, AE; Foster, RP. (1995). OXYGEN AND HYDROGEN ISOTOPIC EVOLUTION OF VARISCAN CRUSTAL FLUIDS, SOUTH CORNWALL, UK. *Chem Geol*. 123: 239-254.
- Will, TM; Powell, R. (1992). ACTIVITY-COMPOSITION RELATIONSHIPS IN MULTICOMPONENT AMPHIBOLES - AN APPLICATION OF DARKEN QUADRATIC FORMALISM. *Am Mineral*. 77: 954-966.
- Wiley, RJ. (1982). MAGNETIC-PROPERTIES OF ASBESTOS FIBERS. *I E E E Transactions on Magnetics*. 18: 1794-1795.
- Williams, C; Dell, L; Adams, R; Rose, T; Van Orden, D. (2013). State-of-the-science assessment of non-asbestos amphibole exposure: Is there a cancer risk? [Review]. *Environ Geochem Health*. 35: 357-377. <http://dx.doi.org/10.1007/s10653-012-9500-0>.
- Williams, MG; Crossman, RN. (2003). Asbestos release during removal of resilient floor covering materials by recommended work practices of the resilient floor covering institute. *Appl Occup Environ Hyg*. 18: 466-478. <http://dx.doi.org/10.1080/713833178>.
- Williams, MG; Dodson, RF; Dickson, EW; Fraire, AE. (2001). An assessment of asbestos body formation in extrapulmonary sites: liver and spleen. *Toxicol Ind Health*. 17: 1-6. <http://dx.doi.org/10.1191/0748233701th090oa>.
- Williams, P; Paustenbach, D. (2006). Retrospective exposure assessment of asbestos related to skilled craftsmen at a petroleum refinery in Beaumont, Texas (1940-2005). *Epidemiology*. 17: S186-S186.
- Williams, P; Paustenbach, D; Balzer, JL; Mangold, C. (2007). Retrospective exposure assessment of airborne asbestos related to skilled craftsmen at a petroleum refinery in Beaumont, Texas (1940-2006). *J Toxicol Environ Health A*. 70: 1076-1107. <http://dx.doi.org/10.1080/15287390701208305>.

Exposure Literature Search Results

Off Topic

- Williams, PR. (2014). An analysis of violations of Osha's (1987) occupational exposure to benzene standard. *J Toxicol Environ Health B Crit Rev.* 17: 259-283. <http://dx.doi.org/10.1080/10937404.2014.924452>.
- Williams, PR; Paustenbach, DJ. (2006). Reconstruction Of Exposure Of Skilled Craftsmen To Asbestos At The Beaumont, Texas Refinery (1946-2004). *Toxicol Sci.* 90: 173.
- Williams, PRD; Phelka, AD; Paustenbach, DJ. (2007). A review of historical exposures to asbestos among skilled craftsmen (1940-2006) [Review]. *J Toxicol Environ Health B Crit Rev.* 10: 319-377. <http://dx.doi.org/10.1080/10937400601034191>.
- Williams, V; de Klerk, NH; Whitaker, D; Musk, AW; Shilkin, KB. (1995). Asbestos bodies in lung tissue following exposure to crocidolite. *Am J Ind Med.* 28: 489-495.
- Willner, AP; Herve, F; Massonne, HJ. (2000). Mineral chemistry and pressure-temperature evolution of two contrasting high-pressure-low-temperature belts in the Chonos Archipelago, Southern Chile. *Journal of Petrology.* 41: 309-330.
- Willner, AP; Massonne, HJ; Barr, SM; White, CE. (2013). Very Low- to Low-grade Metamorphic Processes Related to the Collisional Assembly of Avalonia in SE Cape Breton Island (Nova Scotia, Canada). *Journal of Petrology.* 54: 1849-1874. <http://dx.doi.org/10.1093/petrology/egt033>.
- Willner, AP; Sepulveda, FA; Herve, F; Massonne, HJ; Sudo, M. (2009). Conditions and Timing of Pumpellyite-Actinolite-facies Metamorphism in the Early Mesozoic Frontal Accretionary Prism of the Madre de Dios Archipelago (Latitude 50 degree 20'S; Southern Chile). *Journal of Petrology.* 50: 2127-2155. <http://dx.doi.org/10.1093/petrology/egp071>.
- Wilmoth, RC; Powers, TJ; Millette, JR. (1991). Observations on Studies Useful to Asbestos Operations and Management Activities. 14.
- Wilson, AJ; Cooke, DR; Harper, BL. (2003). The ridgeway gold-copper deposit: A high-grade alkalic porphyry deposit in the Lachlan fold belt, New South Wales, Australia. *Econ Geol.* 98: 1637-1666.
- Wilson, B. (1997). Asbestos-free jointing products. *Industrial Lubrication & Tribology.* 49: 283-&.
- Wilson, DL; Dudney, CS; Gammage, RB. (1994). AN INTERIM PROTOCOL FOR THE MITIGATION OF RADON IN NONRESIDENTIAL BUILDINGS. *Radiat Prot Dosimetry.* 56: 9-11.
- Wilson, SA; Dipple, GM; Power, I, anM; Thom, JM; Anderson, RG; Raudsepp, M; Gabites, JE; Southam, G. (2009). Carbon Dioxide Fixation within Mine Wastes of Ultramafic-Hosted Ore Deposits: Examples from the Clinton Creek and Cassiar Chrysotile Deposits, Canada. *Econ Geol.* 104: 95-112.
- Wilson, SA; Raudsepp, M; Dipple, GM. (2006). Verifying and quantifying carbon fixation in minerals from serpentine-rich mine tailings using the Rietveld method with X-ray powder diffraction data. *Am Mineral.* 91: 1331-1341. <http://dx.doi.org/10.2138/am.2006.2058>.
- Wimpenny, J; Gislason, SR; James, RH; Gannoun, A; Pogge Von Strandmann, PAE; Burton, KW. (2010). The behaviour of Li and Mg isotopes during primary phase dissolution and secondary mineral formation in basalt. *Geochim Cosmo Acta.* 74: 5259-5279. <http://dx.doi.org/10.1016/j.gca.2010.06.028>.
- Windom, H; Griffin, J; Goldberg, ED. (1967). Talc in Atmospheric Dusts. *Environ Sci Technol.* 1: 923-926.
- Winer, A. (1974). MINERAL WOOL INSULATION FROM ASBESTOS TAILINGS. 67: 97-104.
- Wingren, G. (2004). Mortality and cancer incidence in a Swedish art glassworks--an updated cohort study. *Int Arch Occup Environ Health.* 77: 599-603. <http://dx.doi.org/10.1007/s00420-004-0553-y>.
- Winkler, J. (2015). High levels of dioxin-like PCBs found in organic-farmed eggs caused by coating PCB materials of asbestos-cement fiber plates: A case study. *Environ Int.* 80: 72-78. <http://dx.doi.org/10.1016/j.envint.2015.03.005>.
- Winter, CK; Seiber, JN; Nuckton, CF. (1990). CHEMICALS IN THE HUMAN FOOD CHAIN (pp. FLORENCE). (BIOSIS/91/02349). Winter, CK; Seiber, JN; Nuckton, CF.
- Winters, JW. (1976). A simple small light-weight personal dust sampling unit for full shift determination of asbestos dust exposure. *Ann Occup Hyg.* 19: 77-80.
- Wirth, A; Eggleston, D; Whitaker, R. (1994). A FUNDAMENTAL TRIBOCHEMICAL STUDY OF THE 3RD BODY LAYER FORMED DURING AUTOMOTIVE FRICTION BRAKING. *Wear.* 179: 75-81.
- Wittall, M. (2006). EU campaign for asbestos in the workplace. *Gefahrst Reinhalt Luft.* 66: 397-397.
- Woitowitz, HJ; egrave, Odelsperger, K; Arhelger, R; Giesen, T. (1983). Exposure to asbestos dust in the workplace - Measurement results in the international literature. (CIS/85/01251). *Woitowitz, HJ; R and egrave, Odelsperger, K; Arhelger, R; Giesen, T.*
- Woitowitz, HJ; Krieger, HG; Woitowitz, RH. (1978). OCCUPATIONAL EXPOSURE TO ASBESTOS DUST AND OBSTRUCTIVE BRONCHOPULMONARY DISEASE. *Arbeitsmedizin, Sozialmedizin, Praeventivmedizin.* 13: 210-215.
- Woitowitz, HJ; Lange, HJ; Beierl, L; Rathgeb, M; Schmidt, K; Ulm, K; Giesen, T; Woitowitz, RH; Pache, L; Rödelsperger, K. (1986). Mortality rates in the Federal Republic of Germany following previous occupational exposure to asbestos dust. *Int Arch Occup Environ Health.* 57: 161-171.
- Woitowitz, HJ; Lange, HJ; Ulm, K; Rodelsperger, K; Woitowitz, RH; Pache, L. (1988). ASBESTOS RELATED TUMORS AMONG WORKERS IN THE FEDERAL-REPUBLIC-OF-GERMANY. *Staub, Reinhaltung der Luft.* 48: 307-315.
- Woitowitz, HJ; Rodelsperger, K. (1980). ASBESTOS DUST AS CAUSE OF MALIGN TUMORS. *Staub, Reinhaltung der Luft.* 40: 178-181.
- Woitowitz, HJ; Rodelsperger, K. (1980). WORKING PLACES AT BUILDING YARDS AS EMISSION SOURCES OF THE ENVIRONMENTAL LOAD BY RESPIRABLE ASBESTOS CEMENT DUST. *Staub, Reinhaltung der Luft.* 40: 143-144.
- Woitowitz, HJ; Rodelsperger, K. (1992). CHRYSOTILE ASBESTOS, MESOTHELIOMA AND GARAGE MECHANICS - RESPONSE. *Am J Ind Med.* 21: 453-455.
- Woitowitz, HJ; Rödelsperger, K. (1991). Chrysotile asbestos and mesothelioma [Letter]. *Am J Ind Med.* 19: 551-553.
- Woitowitz, HJ; Rodelsperger, K; Bodeker, H; Bruckel, B; Gosch, V. (1991). BIOMONITORING AFTER EXPOSURE TO ASBESTOS-FIBER DUST - LIGHT-MICROSCOPY AS AGAINST ELECTRON-MICROSCOPY. *Arbeitsmedizin, Sozialmedizin, Praeventivmedizin.* 26: 219-224.

Exposure Literature Search Results

Off Topic

- Wolf, F. (1976). Industrial Hygiene Survey Report, Champion International Paper Company, Canton, North Carolina, Report No. IWS-62-12 (pp. 62-12). (NIOSH/00179847). Wolf, F.
- Wolfe, RC; Cooke, DR. (2011). Geology of the Didipio Region and Genesis of the Dinkidi Alkalic Porphyry Cu-Au Deposit and Related Pegmatites, Northern Luzon, Philippines. *Econ Geol.* 106: 1279-1315.
- Wolff, AH; Oehme, FW. (1974). Carcinogenic chemicals in food as an environmental health issue [Review]. *J Am Vet Med Assoc.* 164: 623-629.
- Wolff, H; Vehmas, T; Oksa, P; Tuomi, T; Rantanen, J; Vainio, H. (2016). Response by the organizers of the Helsinki criteria updates 2014: Criteria for asbestos-related diseases need periodic updates [Letter]. *Scand J Work Environ Health.* 42: 95-96. <http://dx.doi.org/10.5271/sjweh.3536>.
- Wollmer, P; Eriksson, L; Jonson, B; Jakobsson, K; Albin, M; Skerfving, S; Welinder, H. (1987). Relation between lung function, exercise capacity, and exposure to asbestos cement. *Br J Ind Med.* 44: 542-549.
- Wols, BA; van Thienen, P. (2014). Impact of weather conditions on pipe failure: a statistical analysis. *Journal of Water Supply: Research and Technology-AQUA.* 63: 212-223. <http://dx.doi.org/10.2166/aqua.2013.088>.
- Wolter, HU; Seifert, F. (1984). MINERALOGY AND GENESIS OF CORDIERITE-ANTHOPHYLLITE ROCKS FROM THE SULFIDE DEPOSIT OF FALUN, SWEDEN. *Lithos.* 17: 147-152.
- Wong, O. (1992). CHRYSOTILE ASBESTOS, MESOTHELIOMA, AND GARAGE MECHANICS [Letter]. *Am J Ind Med.* 21: 449-451.
- Wong, O. (1993). Considerations of specificity in assessing the relationship between asbestos and cancer [Review]. *Am J Ind Med.* 23: 521-523.
- Woodford, DT; Sisson, VB; Leeman, WP. (2001). Boron metasomatism of the Alta stock contact aureole, Utah: Evidence from berates, mineral chemistry, and geochemistry. *Am Mineral.* 86: 513-533.
- Woolf, AD. (1978). ASBESTOS DUST STANDARD. *Ann Occup Hyg.* 21: 327-327.
- Wortley, P; Vaughan, TL; Davis, S; Morgan, MS; Thomas, DB. (1992). A case-control study of occupational risk factors for laryngeal cancer. *Br J Ind Med.* 49: 837-844. <http://dx.doi.org/10.1136/oem.49.12.837>.
- Woźniak, H; Wiecek, E; Dobrucka, D; Pelc, W; Maciejewska, A; Bielichowska, G; Opalska, B. (1991). [Evaluation of occupational exposure of workers engaged in mining of rock raw materials in the Sleza massif]. *Med Pr.* 42: 411-417.
- Woźniak, H; Wiecek, E; Kesik, K; Bojarska, D. (1995). [Exposure to mineral fibers in selected ceramics plants]. *Med Pr.* 46: 327-336.
- Woźniak, H; Wiecek, E; Stroszejn-Mrowca, G; Wojtczak, J. (1992). [Asbestos substitutes and their biological action. I. Types, use, exposure and MPEL] [Review]. *Med Pr.* 43: 159-164.
- Wright, A; Cowie, H; Gormley, IP; Davis, JM. (1986). The in vitro cytotoxicity of asbestos fibers: I. P388D1 cells. *Am J Ind Med.* 9: 371-384.
- Wright, WE; Sherwin, RP. (1984). Histological types of malignant mesothelioma and asbestos exposure. *Br J Ind Med.* 41: 514-517.
- Wu, CC. (1984). OCCUPATIONAL ASBESTOS-RELATED DISEASES IN TAIWAN. *Scand J Work Environ Health.* 10: 136-136.
- Wu, CZ; Wang, P; Yao, X; Liu, C; Chen, DM; Lu, GQ; Cheng, HM. (2006). Effect of carbon/noncarbon addition on hydrogen storage behaviors of magnesium hydride. *J Alloy Comp.* 414: 259-264. <http://dx.doi.org/10.1016/j.jallcom.2005.07.021>.
- Wu, FY; Sun, DY; Li, HM; Jahn, BM; Wilde, S. (2002). A-type granites in northeastern China: age and geochemical constraints on their petrogenesis. *Chem Geol.* 187: 143-173.
- Wu, J; Kreis, IA; Griffiths, D; Darling, C. (2004). Respiratory symptoms and lung function of coke oven workers: A lung function surveillance system from 1990-2000. *J Occup Environ Med.* 46: 906-915. <http://dx.doi.org/10.1097/01.jom.0000137719.38356.9b>.
- Wu, L; Ortiz, C; Xu, Y; Willenbring, J; Jerolmack, D. (2015). In Situ Liquid Cell Observations of Asbestos Fiber Diffusion in Water. *Environ Sci Technol.* 49: 13340-13349. <http://dx.doi.org/10.1021/acs.est.5b03839>.
- Wu, L; Ortiz, CP; Jerolmack, DJ. (2017). Aggregation of Elongated Colloids in Water. *Langmuir.* 33: 622-629. <http://dx.doi.org/10.1021/acs.langmuir.6b03962>.
- Wu, M; Gordon, RE; Herbert, R; Padilla, M; Moline, J; Mendelson, D; Litle, V; Travis, WD; Gil, J. (2010). Case report: Lung disease in World Trade Center responders exposed to dust and smoke: carbon nanotubes found in the lungs of World Trade Center patients and dust samples. *Environ Health Perspect.* 118: 499-504. <http://dx.doi.org/10.1289/ehp.0901159>.
- Wu, W; Giese, RF; van Oss, CJ. (1999). Stability versus flocculation of particle suspensions in water - correlation with the extended DLVO approach for aqueous systems, compared with classical DLVO theory. *Colloids Surf B Biointerfaces.* 14: 47-55.
- Wu, WT; Lin, YJ; Shiue, HS; Li, CY; Tsai, PJ; Yang, CY; Liou, SH; Wu, TN. (2014). Cancer incidence of Taiwanese shipbreaking workers who have been potentially exposed to asbestos. *Environ Res.* 132: 370-378. <http://dx.doi.org/10.1016/j.envres.2014.04.026>.
- Wu, WT; Lu, YH; Lin, YJ; Yang, YH; Shiue, HS; Hsu, JH; Li, CY; Yang, CY; Liou, SH; Wu, TN. (2013). Mortality among shipbreaking workers in Taiwan - a retrospective cohort study from 1985 to 2008. *Am J Ind Med.* 56: 701-708. <http://dx.doi.org/10.1002/ajim.22135>.
- Wunder, B. (1998). Equilibrium experiments in the system MgO-SiO₂-H₂O (MSH): stability fields of clinohumite-OH [Mg₉Si₄O₁₆(OH)(2)], chondrodite-OH [Mg₅Si₂O₈(OH)(2)] and phase A (Mg₇Si₂O₈(OH)(6)). *Contributions to Mineralogy and Petrology.* 132: 111-120.
- Wunder, B; Baronnet, A; Schreyer, W. (1997). Ab-initio synthesis and TEM confirmation of antigorite in the system MgO-SiO₂-H₂O. *Am Mineral.* 82: 760-764.
- Wunder, B; Deschamps, F; Watenphul, A; Guillot, S; Meixner, A; Romer, RL; Wirth, R. (2010). The effect of chrysotile nanotubes on the serpentine-fluid Li-isotopic fractionation. *Contributions to Mineralogy and Petrology.* 159: 781-790. <http://dx.doi.org/10.1007/s00410-009-0454-x>.
- Wunder, B; Schreyer, W. (1997). Antigorite: High pressure stability in the system MgO-SiO₂-H₂O (MSH). *Lithos.* 41: 213-227.
- Wünsch-Filho, V; Moncau, JE; Mirabelli, D; Boffetta, P. (1998). Occupational risk factors of lung cancer in São Paulo, Brazil. *Scand J Work Environ Health.* 24: 118-124.
- Wyart-Remy, M. (1997). Asbestos disease in foundrymen [Letter]. *J Occup Environ Med.* 39: 700.

Exposure Literature Search Results

Off Topic

- Wylie, AG. (1990). Discriminating Amphibole Cleavage Fragments from Asbestos: Rationale and Methodology (pp. 23-26). (NIOSH/00198575). Wylie, AG.
- Wylie, AG; Bailey, KF. (1992). THE MINERALOGY AND SIZE OF AIRBORNE CHRYSOTILE AND ROCK FRAGMENTS - RAMIFICATIONS OF USING THE NIOSH 7400 METHOD. *Am Ind Hyg Assoc J.* 53: 442-447.
- Wylie, AG; Bailey, KF; Kelse, JW; Lee, RJ. (1993). The importance of width in asbestos fiber carcinogenicity and its implications for public policy [Review]. *Am Ind Hyg Assoc J.* 54: 239-252. <http://dx.doi.org/10.1080/15298669391354621>.
- Wylie, AG; Candela, PA. (2015). Methodologies for determining the sources, characteristics, distribution, and abundance of asbestiform and nonasbestiform amphibole and serpentine in ambient air and water. *J Toxicol Environ Health B Crit Rev.* 18: 1-42. <http://dx.doi.org/10.1080/10937404.2014.997945>.
- Wylie, AG; Verkouteren, JR. (2000). Amphibole asbestos from Libby, Montana: Aspects of nomenclature. *Am Mineral.* 85: 1540-1542.
- Wylie, AG; Virta, RL; Russek, E. (1985). CHARACTERIZING AND DISCRIMINATING AIRBORNE AMPHIBOLE CLEAVAGE FRAGMENTS AND AMOSITE FIBERS IMPLICATIONS FOR NATIONAL INSTITUTE OF OCCUPATIONAL SAFETY AND HEALTH METHOD. *Am Ind Hyg Assoc J.* 46: 197-201.
- Wypych, F; Schreiner, WH; Mattoso, N; Mosca, DH; Marangoni, R; Bento, CAD. (2003). Covalent grafting of phenylphosphonate groups onto layered silica derived from in situ-leached chrysotile fibers. *J Mater Chem.* 13: 304-307. <http://dx.doi.org/10.1039/b210370b>.
- Xiao, G; Zhu, Z. (2010). Friction materials development by using DOE/RSM and artificial neural network. *Tribology International.* 43: 218-227. <http://dx.doi.org/10.1016/j.triboint.2009.05.019>.
- Xiao, H; Qiu, K; Gou, X; Ou, Q. (2013). A flameless catalytic combustion-based thermoelectric generator for powering electronic instruments on gas pipelines. *Appl Energ.* 112: 1161-1165. <http://dx.doi.org/10.1016/j.apenergy.2013.01.078>.
- XiaoKe, L; WeiDong, L; Bin, L; XinWei, L. (2013). Analysis of the potteries from ancient Liangzhu city-site. *Science China Technological Sciences.* 56: 945-951. <http://dx.doi.org/10.1007/s11431-013-5134-4>.
- Xiaomei, W; Zhigang, Z; Changhua, L; Junbing, C; Xuebo, Y; Xiaoyuan, W; Daigeng, C; Guoliang, Z; Shuai, C; Kang, L; Hegen, O. (2009). Talc-bearing serpentinized peridotites from the southern Mariana forearc: implications for aseismic character within subduction zones. *Chin J Oceanol Limnol.* 27: 667-673. <http://dx.doi.org/10.1007/s00343-009-9207-y>.
- Xiaoming, L; Linrong, X. (2011). Asbestos Tailings as Aggregates for Asphalt Mixture. *Journal of Wuhan University of Technology--Materials Science Edition.* 26: 336-339. <http://dx.doi.org/10.1007/s11595-011-225-1>.
- Xin, X, u; Xu, CG; Qing, L, iuFei. (2007). Friction properties of sisal fibre reinforced resin brake composites. *Wear.* 262: 736-741. <http://dx.doi.org/10.1016/j.wear.2006.08.010>.
- Xu, A; Smilenov, LB; He, P; Masumura, K; Nohmi, T; Yu, Z; Hei, TK. (2007). New insight into intrachromosomal deletions induced by chrysotile in the gpt delta transgenic mutation assay. *Environ Health Perspect.* 115: 87-92. <http://dx.doi.org/10.1289/ehp.9425>.
- Xu, A; Zhou, H; Yu, DZ; Hei, TK. (2002). Mechanisms of the genotoxicity of crocidolite asbestos in mammalian cells: implication from mutation patterns induced by reactive oxygen species. *Environ Health Perspect.* 110: 1003-1008.
- Xu, G; Lin, X. (2000). Geology and geochemistry of the Changlongshan skarn iron deposit, Anhui Province, China. *Ore Geol Rev.* 16: 91-106.
- Xu, HF; Veblen, DR; Luo, GF; Xue, JY. (1996). Transmission electron microscopy study of the thermal decomposition of tremolite into clinopyroxene. *Am Mineral.* 81: 1126-1132.
- Xu, J; Ciobanu, CL; Cook, NJ; Zheng, Y; Sun, X; Wade, BP. (2016). Skarn formation and trace elements in garnet and associated minerals from Zhibula copper deposit, Gangdese Belt, southern Tibet. *Lithos.* 262: 213-231. <http://dx.doi.org/10.1016/j.lithos.2016.07.010>.
- Xu, J; Li, X; Zhou, W; Ding, L, ei; Jin, Z; Li, Y, an. (2006). The preparation of Mg₃Si₂O₅(OH)₄ naotubes under solvothermal conditons. *Journal of Porous Materials.* 13: 275-279. <http://dx.doi.org/10.1007/s10934-006-8016-3>.
- Xu, J; Yang, G; Li, G; Wu, Z; Shen, G. (2008). Dingdaohengite-(Ce) from the Bayan Obo REE-Nb-Fe Mine, China: Both a true polymorph of perrierite-(Ce) and a titanic analog at the C1 site of chevkinite subgroup. *Am Mineral.* 93: 740-744. <http://dx.doi.org/10.2138/am.2008.2543>.
- Xu, L, i; Li, W, ei; You, Y, an; Zhang, S; Zhao, Y. (2013). Polysulfone and zirconia composite separators for alkaline water electrolysis. 7: 154-161. <http://dx.doi.org/10.1007/s11705-013-1331-8>.
- Xu, L, i; Yu, Y, ue; Li, W, ei; You, Y, an; Xu, W, ei; Zhang, S. (2014). The influence of manufacturing parameters and adding support layer on the properties of Zirfon (R) separators. 8: 295-305. <http://dx.doi.org/10.1007/s11705-014-1433-y>.
- Xu, Q; Chen, H; Prozzi, JA. (2010). Performance of fiber reinforced asphalt concrete under environmental temperature and water effects. *Construction and Building Materials.* 24: 2003-2010. <http://dx.doi.org/10.1016/j.conbuildmat.2010.03.012>.
- Xu, Z; Brown, LM; Pan, GW; Liu, TF; Gao, GS; Stone, BJ; Cao, RM; Guan, DX; Sheng, JH; Yan, ZS; Dosemeci, M; Fraumeni, JF; Blot, WJ. (1996). Cancer risks among iron and steel workers in Anshan, China, Part II: Case-control studies of lung and stomach cancer. *Am J Ind Med.* 30: 7-15. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199607\)30:1<7::AID-AJIM2>3.0.CO;2-#](http://dx.doi.org/10.1002/(SICI)1097-0274(199607)30:1<7::AID-AJIM2>3.0.CO;2-#).
- Xu, Z; Pan, GW; Liu, LM; Brown, LM; Guan, DX; Xiu, Q; Sheng, JH; Stone, BJ; Dosemeci, M; Fraumeni, JF; Blot, WJ. (1996). Cancer risks among iron and steel workers in Anshan, China, Part I: Proportional mortality ratio analysis. *Am J Ind Med.* 30: 1-6. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199607\)30:1<1::AID-AJIM1>3.0.CO;2-5](http://dx.doi.org/10.1002/(SICI)1097-0274(199607)30:1<1::AID-AJIM1>3.0.CO;2-5).
- Xypolias, P; Iliopoulos, I; Chatzaras, V; Kokkalas, S. (2012). Subduction- and exhumation-related structures in the Cycladic Blueschists: Insights from south Evia Island (Aegean region, Greece). *Tectonics.* 31. <http://dx.doi.org/10.1029/2011TC002946>.
- Yamada, Y; Kido, T; Ishizaki, M; Kobayashi, K. (1990). Pleural thickening presumably caused by asbestos exposure on the chest X-ray film of sake brewers - Part II. The relationship between the duration of work for breweries and prevalence of pleural thickening. 17: 43-47.
- Yamai, I; Saito, H. (1974). EFFECTS OF STARTING COMPONENTS ON HYDROTHERMAL SYNTHESIS OF CHRYSOTILE FIBERS. *J Cryst Growth.* 24: 617-620.

Exposure Literature Search Results

Off Topic

- Yamamoto, T; Kida, A; Noma, Y; Terazono, A; Sakai, S. (2014). Development of a testing method for asbestos fibers in treated materials of asbestos containing wastes by transmission electron microscopy. *Waste Manag.* 34: 536-541. <http://dx.doi.org/10.1016/j.wasman.2013.11.008>.
- Yamanaka, Y; Akamatsu, Y; Kurokawa, S. (2011). Technology Trends Concerning Environmental Control of Gaskets. *Toraiborjitsuto.* 56: 87-92.
- Yamashita, T; Schubnel, A. (2016). Slow slip generated by dehydration reaction coupled with slip-induced dilatancy and thermal pressurization. *Journal of Seismology.* 20: 1217-1234. <http://dx.doi.org/10.1007/s10950-016-9585-5>.
- Yamato, H; Hori, H; Tanaka, I; Higashi, T; Morimoto, Y; Kido, M. (1994). RETENTION AND CLEARANCE OF INHALED CERAMIC FIBERS IN RAT LUNGS AND DEVELOPMENT OF A DISSOLUTION MODEL. *Occup Environ Med.* 51: 275-280.
- Yamato, H; Morimoto, Y; Tsuda, T; Ohgami, A; Kohyama, N; Tanaka, I. (1998). Fiber numbers per unit weight of JFM standard reference samples determined with a scanning electron microscope. *Ind Health.* 36: 384-387. <http://dx.doi.org/10.2486/indhealth.36.384>.
- Yanagisawa, K; Kozawa, T; Onda, A; Kanazawa, M; Shinohara, J; Takunami, T; Shiraishi, M. (2009). A novel decomposition technique of friable asbestos by CHCl₃-decomposed acidic gas. *J Hazard Mater.* 163: 593-599. <http://dx.doi.org/10.1016/j.jhazmat.2008.07.017>.
- Yanamala, N; Farcas, MT; Hatfield, MK; Kisin, ER; Kagan, VE; Geraci, CL; Shvedova, AA. (2014). In Vivo Evaluation of the Pulmonary Toxicity of Cellulose Nanocrystals: A Renewable and Sustainable Nanomaterial of the Future. 2: 1691-1698. <http://dx.doi.org/10.1021/sc500153k>.
- Yang, C; Inoue, T; Yamada, A; Kikegawa, T; Ando, J, unl. (2014). Equation of state and phase transition of antigorite under high pressure and high temperature. *Phys Earth Planet In.* 228: 56-62. <http://dx.doi.org/10.1016/j.pepi.2013.07.008>.
- Yang, D; Xie, L; Bobicki, E; Xu, Z; Liu, Q; Zeng, H. (2014). Probing anisotropic surface properties and interaction forces of chrysotile rods by atomic force microscopy and rheology. *Langmuir.* 30: 10809-10817. <http://dx.doi.org/10.1021/la5019373>.
- Yang, H; Xiao, Y, u; Liu, K, un; Feng, Q. (2008). Chemical precipitation synthesis and optical properties of ZnO/SiO₂ nanocomposites. *Journal of the American Ceramic Society.* 91: 1591-1596. <http://dx.doi.org/10.1111/j.1551-2916.2008.02340.x>.
- Yang, HX; Evans, BW. (1996). X-ray structure refinements of tremolite at 140 and 295 K: Crystal chemistry and petrologic implications. *Am Mineral.* 81: 1117-1125.
- Yang, HX; Hazen, RM; Prewitt, CT; Finger, LW; Lu, R; Hemley, RJ. (1998). High-pressure single-crystal x-ray diffraction and infrared spectroscopic studies of the C2/m-P2(1)/m phase transition in cummingtonite. *Am Mineral.* 83: 288-299.
- Yang, HX; Konzett, J; Prewitt, CT; Fei, YW. (1999). Single-crystal structure refinement of synthetic K-M4-substituted potassic richterite, K(KCa)Mg₅Si₈O₂₂(OH)₂. *Am Mineral.* 84: 681-684.
- Yang, HY; Huang, SH; Shie, RH; Chen, PC. (2016). Cancer mortality in a population exposed to nephrite processing. *Occup Environ Med.* 73: 528-536. <http://dx.doi.org/10.1136/oemed-2016-103586>.
- Yang, HY; Shie, RH; Chen, PC. (2013). Carving of non-asbestiform tremolite and the risk of lung cancer: a follow-up mortality study in a historical nephrite processing cohort. *Occup Environ Med.* 70: 852-857. <http://dx.doi.org/10.1136/oemed-2013-101404>.
- Yang, HY; Shie, RH; Chen, PC. (2013). Pulmonary fibrosis in workers exposed to non-asbestiform tremolite asbestos minerals. *Epidemiology.* 24: 143-149. <http://dx.doi.org/10.1097/EDE.0b013e31826b822d>.
- Yang, JJ, un; Powell, R. (2006). Calculated phase relations in the system Na₂O-CaO-K₂O-FeO-MgO-Al₂O₃-SiO₂-H₂O with applications to UHP eclogites and whiteschists. *Journal of Petrology.* 47: 2047-2071. <http://dx.doi.org/10.1093/petrology/egl036>.
- Yang, M. (2011). A current global view of environmental and occupational cancers. *J Environ Sci Health C Environ Carcinog Ecotoxicol Rev.* 29: 223-249. <http://dx.doi.org/10.1080/10590501.2011.601848>.
- Yang, S; Pelton, R; Abarca, C; Dai, Z; Montgomery, M; Xu, M; Bos, JA, nn. (2013). Towards nanoparticle flotation collectors for pentlandite separation. *Int J Miner Process.* 123: 137-144. <http://dx.doi.org/10.1016/j.minpro.2013.05.007>.
- Yang, Y, an; Liang, Q; Li, J; Zhuang, Y; He, Y; Bai, B, o; Wang, X, un. (2011). Ni₃Si₂O₅(OH)₄ multi-walled nanotubes with tunable magnetic properties and their application as anode materials for lithium batteries. *Nano Research.* 4: 882-890. <http://dx.doi.org/10.1007/s12274-011-0144-7>.
- Yanniello, R; Paoletti, GJ. (2009). Safety and Environmental Evaluation of Insulating Media in Medium-Voltage Distribution Equipment. *I E E E Transactions on Industry Applications.* 45: 1155-1158. <http://dx.doi.org/10.1109/TIA.2009.2018957>.
- Yano, E; Tanaka, K; Funaki, M; Maeda, K; Matsunaga, C; Yamaoka, K. (1993). Effect of smoking on pleural thickening in asbestos workers. *Br J Ind Med.* 50: 898-901. <http://dx.doi.org/10.1136/oem.50.10.898>.
- Yano, E; Wang, X; Wang, M; Qiu, H; Wang, Z. (2010). Lung cancer mortality from exposure to chrysotile asbestos and smoking: a case-control study within a cohort in China. *Occup Environ Med.* 67: 867-871. <http://dx.doi.org/10.1136/oem.2009.051615>.
- Yano, E; Wang, X; Wang, ZM; Wang, MZ; Lan, YJ. (2011). CANCER MORTALITY AMONG CHRYSOTILE WORKERS. *J Epidemiol Community Health.* 65: A315-A315. <http://dx.doi.org/10.1136/jech.2011.142976k.67>.
- Yano, E; Wang, ZM; Wang, XR; Wang, MZ; Lan, YJ. (2001). Cancer mortality among workers exposed to amphibole-free chrysotile asbestos. *Am J Epidemiol.* 154: 538-543.
- Yao, Y; Chen, J, un; Lu, J; Wang, R; Zhang, R. (2014). Geology and genesis of the Hehuaping magnesian skarn-type cassiterite-sulfide deposit, Hunan Province, Southern China. *Ore Geol Rev.* 58: 163-184. <http://dx.doi.org/10.1016/j.oregeorev.2013.10.012>.
- Yardley, BWD; Harlov, DE; Heinrich, W. (2010). Rates of retrograde metamorphism and their implications for crustal rheology. *Geofluids.* 10: 234-240. <http://dx.doi.org/10.1111/j.1468-8123.2010.00286.x>.
- Yates, HM; Flavell, WR; Pemble, ME; Johnson, NP; Romanov, SG; Sotomayortorres, CM. (1997). Novel quantum confined structures via atmospheric pressure MOCVD growth in asbestos and opals. *J Cryst Growth.* 170: 611-615.
- Yau, YH; Bromwich, D. (1994). FAILURE OF BAGS AND SHEETS USED IN ASBESTOS ABATEMENTS. *Am Ind Hyg Assoc J.* 55: 42-52.
- Ye, K; Hirajima, T. (1996). High-pressure marble at Yangguantun, Rongcheng county, Shandong province, eastern China. *Mineralogy and Petrology.* 57: 151-165.

Exposure Literature Search Results

Off Topic

- Yeager, H; Russo, DA; Yañez, M; Gerardi, D; Nolan, RP; Kagan, E; Langer, AM. (1983). Cytotoxicity of a short-fiber chrysotile asbestos for human alveolar macrophages: preliminary observations. *Environ Res.* 30: 224-232.
- Yearwood, P. (1991). Asbestos fibre exposure during a removal project. (CIS/93/00786). Yearwood, P.
- Yefimov, AA; Potapova, TA. (1990). TECTONICS OF THE LOWER (METABASITE) STRUCTURAL UNIT OF THE VOYKAR OPHIOLITE ALLOCHTHON IN THE ARCTIC URALS. *Geotectonics.* 24: 407-414.
- Yendell, SJ; Fischer, M; Staples, JE. (2015). Colorado tick fever in the United States, 2002-2012. *Vector Borne and Zoonotic Diseases.* 15: 311-316. <http://dx.doi.org/10.1089/vbz.2014.1755>.
- Yeung, P; Patience, K; Apthorpe, L; Willcocks, D. (1999). An Australian study to evaluate worker exposure to chrysotile in the automotive service industry. *Appl Occup Environ Hyg.* 14: 448-457.
- Yoneda, A; Yonehara, M; Osako, M. (2012). Anisotropic thermal properties of talc under high temperature and pressure. *Phys Earth Planet In.* 190: 10-14. <http://dx.doi.org/10.1016/j.pepi.2011.10.003>.
- Yorifuji, T; Suzuki, E; Tsuda, T; Natori, Y; Matsui, E. (2011). Environmental Exposure to Asbestos and Pleural Plaques Among Retirees in a Factory Without Asbestos Use in H City, Japan. *Epidemiology.* 22: S76-S76.
- Yoshida, K; Hirajima, T; Ohsawa, S; Kobayashi, T; Mishima, T; Sengen, Y. (2015). Geochemical features and relative B-Li-Cl compositions of deep-origin fluids trapped in high-pressure metamorphic rocks. *Lithos.* 226: 50-64. <http://dx.doi.org/10.1016/j.lithos.2015.03.002>.
- Yoshida, R; Ogawa, Y; Shioji, I; Yu, X; Shibata, E; Mori, I; Kubota, H; Kishida, A; Hisanaga, N. (2001). Urinary 8-oxo-7, 8-dihydro-2'-deoxyguanosine and biopyrrins levels among construction workers with asbestos exposure history. *Ind Health.* 39: 186-188.
- Yoshikawa, N; Kashimura, K; Hashiguchi, M; Sato, M; Horikoshi, S; Mitani, T; Shinohara, N. (2015). Detoxification mechanism of asbestos materials by microwave treatment. *J Hazard Mater.* 284: 201-206. <http://dx.doi.org/10.1016/j.jhazmat.2014.09.030>.
- Yoshimura, M; Suda, H; Okamoto, K; Ioku, K. (1994). HYDROTHERMAL SYNTHESIS OF BIOCOMPATIBLE WHISKERS. *Journal of Materials Science.* 29: 3399-3402.
- Yoshizumi, K; Hori, H; Satoh, T; Higashi, T. (2001). The trend in airborne asbestos concentrations at plants manufacturing asbestos-containing products in Japan. *Ind Health.* 39: 127-131.
- Youli, Z; Feilong, B; Yanli, W; Qian, Z. (2014). Conjugate Heat Transfer Analysis of an Ultrasonic Molten Metal Treatment System. *Chinese Journal of Mechanical Engineering.* 27: 986-991. <http://dx.doi.org/10.3901/CJME.2014.0617.112>.
- Young, KA; Sztuke, J; Merrill, RJ. (1972). INVESTIGATIONS TO RECOVER NICKEL AND IRON CONCENTRATES FROM ASBESTOS TAILINGS OF CAREY CANADIAN MINES LTD. 65: 16-&.
- Yranheikki, E; Savolainen, H. (2000). Occupational safety and health in Finland. *J Safety Res.* 31: 177-183.
- Y-T, Y; N-S, W; Michel, RP; Poulsen, RS. (1984). Mineral dusts in lungs with scar or scar cancer. *Cancer.* PHILA: 1814-1823.
- Yu, CP; Asgharian, B. (1990). A KINETIC-MODEL OF ALVEOLAR CLEARANCE OF AMOSITE ASBESTOS FIBERS FROM THE RAT LUNG AT HIGH LUNG BURDENS. *J Aerosol Sci.* 21: 21-27. [http://dx.doi.org/10.1016/0021-8502\(90\)90019-T](http://dx.doi.org/10.1016/0021-8502(90)90019-T).
- Yu, CP; Asgharian, B; Abraham, JL. (1990). MATHEMATICAL-MODELING OF ALVEOLAR CLEARANCE OF CHRYSOTILE ASBESTOS FIBERS FROM THE RAT LUNGS. *J Aerosol Sci.* 21: 587-594. [http://dx.doi.org/10.1016/0021-8502\(90\)90134-J](http://dx.doi.org/10.1016/0021-8502(90)90134-J).
- Yu, CP; Asgharian, B; Pinkerton, KE. (1991). INTRAPULMONARY DEPOSITION AND RETENTION MODELING OF CHRYSOTILE ASBESTOS FIBERS IN RATS. *J Aerosol Sci.* 22: 757-763. [http://dx.doi.org/10.1016/0021-8502\(91\)90068-S](http://dx.doi.org/10.1016/0021-8502(91)90068-S).
- Yu, CP; Ding, YJ; Zhang, L; Oberdorster, G. (1996). A clearance model of refractory ceramic fibers (RCF) in the rat lung including fiber dissolution and breakage. *J Aerosol Sci.* 27: 151-159. [http://dx.doi.org/10.1016/0021-8502\(95\)00536-6](http://dx.doi.org/10.1016/0021-8502(95)00536-6).
- Yu, CP; Zhang, L; Oberdorster, G; Mast, RW; Glass, LR; Utell, MJ. (1994). Clearance of refractory ceramic fibers (RCF) from the rat lung: development of a model. *Environ Res.* 65: 243-253. <http://dx.doi.org/10.1006/enrs.1994.1035>.
- Yu, H, aNa; Kim, SS, u; Lee, D, aiGil. (2009). Optimum design of aramid-phenolic/glass-phenolic composite journal bearings. *Composites Part A: Applied Science and Manufacturing.* 40: 1186-1191. <http://dx.doi.org/10.1016/j.compositesa.2009.05.001>.
- Yu, IJ; Choi, JK; Kang, SK; Chang, HK; Chung, YH; Han, JH; Song, KS; Lee, YM; Chung, HK. (2002). Potential source of asbestos in non-asbestos textile manufacturing company. *Environ Int.* 28: 35-39.
- Yu, IJ; Yoo, CY; Chung, YH; Han, JH; Yhang, SY; Yu, GM; Song, KS. (2004). Asbestos exposure among Seoul metropolitan subway workers during renovation of subway air-conditioning systems. *Environ Int.* 29: 931-934. [http://dx.doi.org/10.1016/S0160-4120\(03\)00058-8](http://dx.doi.org/10.1016/S0160-4120(03)00058-8).
- Yu, J; Chen, Y; Mao, J; Pirajno, F; Duan, C. (2011). Review of geology, alteration and origin of iron oxide-apatite deposits in the Cretaceous Ningwu basin, Lower Yangtze River Valley, eastern China: Implications for ore genesis and geodynamic setting. *Ore Geol Rev.* 43: 170-181. <http://dx.doi.org/10.1016/j.oregeorev.2011.07.008>.
- Yu, M; Feng, CY; Zhu, YF; Mao, JW; Zhao, YM; Li, DX. (2017). Multistage amphiboles from the Galinge iron skarn deposit in Qiman Tagh, western China: evidence of igneous rocks replacement. *Mineralogy and Petrology.* 111: 81-97. <http://dx.doi.org/10.1007/s00710-016-0459-x>.
- Yu, M; Zhang, Y; Jiang, Z; Chen, J; Liu, L; Lou, J; Zhang, X. (2015). Mesothelin (MSLN) methylation and soluble mesothelin-related protein levels in a Chinese asbestos-exposed population. *Environ Health Prev Med.* 20: 369-378. <http://dx.doi.org/10.1007/s12199-015-0477-z>.
- Yu, PY; Wang, CC; Gentry, JW. (1987). Experimental Measurement of the Rate of Unipolar Charging of Actinolite Fibers. *J Aerosol Sci.* 18: 73-85.
- Yuan, ZX; Bai, G; Wu, CY; Zhang, ZQ; Ye, XJ. (1992). GEOLOGICAL FEATURES AND GENESIS OF THE BAYAN OBO REE ORE DEPOSIT, INNER-MONGOLIA, CHINA. *Appl Geochem.* 7: 429-442.
- Yudin, VE; Otaigbe, JU; Nazarenko, SI; Kim, WD; Korytkova, EN. (2011). A COMPARATIVE STUDY ON THE MECHANICAL AND BARRIER CHARACTERISTICS OF POLYIMIDE NANOCOMPOSITE FILMS FILLED WITH NANOPARTICLES OF PLANAR AND TUBULAR MORPHOLOGY. *Mechanics of Composite Materials.* 47: 335-342.
- Yui, TF; Jeng, RC. (1990). A STABLE-ISOTOPE STUDY OF THE HYDROTHERMAL ALTERATION OF THE EAST TAIWAN OPHIOLITE. *Chem Geol.* 89: 65-85.

Exposure Literature Search Results

Off Topic

- Yui, TF; Kwon, ST. (2002). Origin of a dolomite-related jade deposit at Chuncheon, Korea. *Econ Geol.* 97: 593-601.
- Yusa, T; Hiroshima, K; Sakai, F; Kishimoto, T; Ohnishi, K; Usami, I; Morikawa, T; Wu, D; Itoi, K; Okamoto, K; Shinohara, Y; Kohyama, N; Morinaga, K. (2015). Significant relationship between the extent of pleural plaques and pulmonary asbestos body concentration in lung cancer patients with occupational asbestos exposure. *Am J Ind Med.* 58: 444-455. <http://dx.doi.org/10.1002/ajim.22430>.
- Yuskus, LR. (1984). REDUCING TETRACHLOROETHYLENE IN VINYL-LINED ASBESTOS-CEMENT PIPES THROUGH CEMENT-MORTAR LININGS. *J Am Water Works Assoc.* 76: 76-81.
- Yvon, Y, an; Ghandour, S; Sharrock, P. (2014). COMPUTER-AIDED IMAGE ANALYSIS AND EPR CHARACTERIZATION OF TRANSFORMED ASBESTOS CONTAINING WASTES. *Environmental Engineering and Management Journal.* 13: 51-60.
- Yvon, Y, an; Sharrock, P. (2011). Characterization of Thermochemical Inactivation of Asbestos Containing Wastes and Recycling the Mineral Residues in Cement Products. *Waste Biomass Valorization.* 2: 169-181. <http://dx.doi.org/10.1007/s12649-011-9063-9>.
- Zacek, V; Burianek, D; Pecskey, Z; Skoda, R. (2016). Astrophyllite-alkali amphibole rhyolite, an evidence of early Permian A-type alkaline volcanism in the western Mongolian Altai. *Journal of Geosciences.* 61: 93-103. <http://dx.doi.org/10.3190/jgeosci.205>.
- Zacek, V; Janousek, V; Ulloa, A; Kosler, J, an; Huapaya, S; Mixa, P; Vondrovicova, L; Alvarado, GE. (2011). The Late Miocene Guacimal Pluton in the Cordillera de Tilaran, Costa Rica: its nature, age and petrogenesis. *Journal of Geosciences.* 56: 51-79. <http://dx.doi.org/10.3190/jgeosci.087>.
- Zachar, J; Toth, TM; Janak, M. (2007). Kyanite eclogite xenolith from the orthogneiss terrane of the Tisza Megaunit, Janoshalma area, crystalline basement of southern Hungary. *Lithos.* 99: 249-265. <http://dx.doi.org/10.1016/j.lithos.2007.06.001>.
- Zacharias, J. (2008). Compositional trends in magmatic and hydrothermal silicates of the Petrackova hora intrusive complex, Bohemian Massif - link between the magmatic processes and intrusion-related gold mineralization. *Journal of Geosciences.* 53: 105-117. <http://dx.doi.org/10.3190/jgeosci.021>.
- Zaebst, DD; Seel, EA; Yiin, JH; Nowlin, SJ; Chen, P. (2009). Summary of retrospective asbestos and welding fume exposure estimates for a nuclear naval shipyard and their correlation with radiation exposure estimates. *J Occup Environ Hyg.* 6: 404-414. <http://dx.doi.org/10.1080/15459620902922573>.
- Zagas, T; Tsitsoni, T; Ganatsas, P; Tsakalidimi, M; Skotidakis, T; Zagas, D. (2010). Land Reclamation and Ecological Restoration in a Marine Area. *International Journal of Environmental Research.* 4: 673-680.
- Zahm, SH; Blair, A. (2003). Occupational cancer among women: Where have we been and where are we going? [Review]. *Am J Ind Med.* 44: 565-575. <http://dx.doi.org/10.1002/ajim.10270>.
- Zaidi, SH; Gupta, GS; Rahman, Q; Kaw, JL; Shanker, R. (1976). Early response of gastric mucosa to ingested asbestos dust and the dissolution of nickel. *Environ Res.* 12: 139-143.
- Zaidi, SH; Shanker, R; Dogra, R, KS. (1973). Experimental infective pneumoconiosis: Effect of asbestos dust and *Candida albicans* infection on the lungs of Rhesus monkeys. *Environ Res.* 6: 274-286.
- Zaina, S; Mastrangelo, G; Ballarin, MN; Scoizzato, L; Carradori, G; Fedeli, U; Capella, S; Belluso, E. (2014). Urinary asbestos fibers and inorganic particles in past asbestos workers. *Arch Environ Occup Health.* 71: 1-7. <http://dx.doi.org/10.1080/19338244.2014.988675>.
- Zakrewska, AM; Capone, PP; Ianno, A; Tarzia, V; Campopiano, A; Villella, E; Giardino, R. (2008). Calabrian ophiolites: dispersion of airborne asbestos fibers during mining and milling operations. *Periodico di Mineralogia.* 77: 27-34. <http://dx.doi.org/10.2451/2008PM0010>.
- Zanardi, F; Salvarani, R; Cooke, RM; Pirastu, R; Baccini, M; Christiani, D; Curti, S; Risi, A; Barbieri, A; Barbieri, G; Mattioli, S; Violante, FS. (2013). Carcinoma of the pharynx and tonsils in an occupational cohort of asphalt workers. *Epidemiology.* 24: 100-103. <http://dx.doi.org/10.1097/EDE.0b013e318276cc95>.
- Zanazzi, PF; Nestola, F; Pasqual, D. (2010). Compressibility of protoamphibole: A high-pressure single-crystal diffraction study of protomanganoferro-anthophyllite. *Am Mineral.* 95: 1758-1764. <http://dx.doi.org/10.2138/am.2010.3565>.
- Zandjani, F; Hogsøet, B; Andersen, A; Langard, S. (1994). INCIDENCE OF CANCER AMONG NITRATE FERTILIZER WORKERS. *Int Arch Occup Environ Health.* 66: 189-193. <http://dx.doi.org/10.1007/BF00380779>.
- Zappa, M; Paci, E; Seniori Costantini, A; Kriebel, D. (1993). Lung cancer among textile workers in the Prato area of Italy. *Scand J Work Environ Health.* 19: 16-20.
- Zarandi, A, liE; Larachi, F; Beaudoin, G; Plante, B; Sciortino, M. (2016). Multivariate study of the dynamics of CO₂ reaction with brucite-rich ultramafic mine tailings. *Int J Greenhouse Gas Control.* 52: 110-119. <http://dx.doi.org/10.1016/j.ijggc.2016.06.022>.
- Zaremba, T; Witkowska, D. (2010). Methods of manufacturing of potassium titanate fibres and whiskers. A review. *Materials Science.* 28: 25-41.
- Zarubiieva, I; Hwang, G, iB; Lee, J, iSok; Bae, G, wiNam; Oh, Y, ooMi; Park, S, unWoo; Lee, TJ, in; Lee, HJ, ae; Woo, DH, a; Lee, S; Cho, MO, ck; Kim, JK; Jun, SC; Kim, J, aeHun. (2013). Asbestos Imaging and Detection with Differential Interference Contrast Microscopy. *Aerosol Air Qual Res.* 13: 1145-1150. <http://dx.doi.org/10.4209/aaqr.2012.04.0094>.
- Zavatti, A; Lauriola, P. (1999). The contribution of environmental monitoring in the epidemiological assessment of exogenous risk - The experience of ARPA in the Emilia-Romagna Region of Italy. *Ann N Y Acad Sci.* 895: 173-187.
- Zazenski, R; Ashton, WH; Briggs, D; Chudkowski, M; Kelse, JW; Maceachern, L; Mccarthy, EF; Nordhauser, MA; Roddy, MT; Teetsel, NM; Wells, AB; Gettings, SD. (1995). TALC - OCCURRENCE, CHARACTERIZATION, AND CONSUMER APPLICATIONS. *Regul Toxicol Pharmacol.* 21: 218-229.
- Zeeh, J; Eitner, F; Otto, H. (1986). THE SIGNIFICANCE OF THE CASE-HISTORY IN ESTABLISHING OCCUPATIONAL ASBESTOS ENDANGERMENT. *Arbeitsmedizin, Sozialmedizin, Praeventivmedizin.* 21: 1-4.
- Zega, TJ; Buseck, PR. (2003). Fine-grained-rim mineralogy of the Cold Bokkeveld CM chondrite. *Geochim Cosmo Acta.* 67: 1711-1721. [http://dx.doi.org/10.1016/S0016-7037\(02\)01172-9](http://dx.doi.org/10.1016/S0016-7037(02)01172-9).

Exposure Literature Search Results

Off Topic

- Zega, TJ; Garvie, LAJ; Dodony, I; Buseck, PR. (2004). Serpentine nanotubes in the mighei CM chondrite. *Earth Planet Sci Lett.* 223: 141-146. <http://dx.doi.org/10.1016/j.epsl.2004.04.005>.
- Zeit, JE. (1981). ASBESTOS-FREE GASKETS FOR MANY USES. 52: 56-57.
- Zeida, J; Ernst, P. (1991). Fissural thickening and exposure to asbestos: occurrence, determinants, and functional impact. *Am J Ind Med.* 20: 785-793.
- Zeka, A; Gore, R; Kriebel, D. (2011). The two-stage clonal expansion model in occupational cancer epidemiology: results from three cohort studies. *Occup Environ Med.* 68: 618-624. <http://dx.doi.org/10.1136/oem.2009.053983>.
- Zema, M; Welch, MD; Oberti, R. (2012). High-T behaviour of gedrite: thermoelasticity, cation ordering and dehydrogenation. *Contributions to Mineralogy and Petrology.* 163: 923-937. <http://dx.doi.org/10.1007/s00410-011-0706-4>.
- Zeng, L, iP; Zhao, X, inFu; Li, XC; Hu, H, ao; Mcfarlane, C. (2016). In situ elemental and isotopic analysis of fluorapatite from the Taocun magnetite-apatite deposit, Eastern China: Constraints on fluid metasomatism. *Am Mineral.* 101: 2468-2483. <http://dx.doi.org/10.2138/am-2016-5743>.
- Zeng, YY; Liu, TB. (1999). Characteristics of the Devonian Xialei manganese deposit, Guangxi Zhuang Autonomous Region, China. *Ore Geol Rev.* 15: 153-163.
- Zevin, LS; Zevin, IM. (1979). ORIENTATION OF ASBESTOS IN ASBESTOS CEMENT. *Cement and Concrete Research.* 9: 599-606.
- Zey, JN. (1988). Health Hazard Evaluation Report No. HETA-87-147-1873, Rothan and Rothan, DDS, Cincinnati, Ohio (pp. 87-147). (NIOSH/00179858). Zey, JN.
- Zhai, W; Wang, Y; Deng, Y; Gao, H; Lin, Z; Li, M. (2014). Recycling of asbestos tailings used as reinforcing fillers in polypropylene based composites. *J Hazard Mater.* 270: 137-143. <http://dx.doi.org/10.1016/j.jhazmat.2014.01.052>.
- Zhang, GR; Kiene, L; Wable, O; Chan, US; Duguet, JP. (1992). MODELING OF CHLORINE RESIDUAL IN THE WATER DISTRIBUTION NETWORK OF MACAO. *Environ Technol.* 13: 937-946.
- Zhang, H; Duan, T, ao; Zhu, W; Yao, W, eiT. (2015). Natural Chrysotile-Based Nanowires Decorated with Monodispersed Ag Nanoparticles as a Highly Active and Reusable Hydrogenation Catalyst. *J Phys Chem C.* 119: 21465-21472. <http://dx.doi.org/10.1021/acs.jpcc.5b05450>.
- Zhang, H; Lohcharoenkal, W; Sun, J; Li, X; Wang, L; Wu, N; Rojanasakul, Y, on; Liu, Y. (2015). Microfluidic gradient device for studying mesothelial cell migration and the effect of chronic carbon nanotube exposure. *Journal of Micromechanics and Microengineering.* 25. <http://dx.doi.org/10.1088/0960-1317/25/7/075010>.
- Zhang, J; Cole, SR; Richardson, DB; Chu, H. (2013). A Bayesian approach to strengthen inference for case-control studies with multiple error-prone exposure assessments. *Stat Med.* 32: 4426-4437. <http://dx.doi.org/10.1002/sim.5842>.
- Zhang, J; Wei, C; Chu, H; Chen, Y. (2016). Mesozoic metamorphism and its tectonic implication along the Solonker suture zone in central Inner Mongolia, China. *Lithos.* 261: 262-277. <http://dx.doi.org/10.1016/j.lithos.2016.03.014>.
- Zhang, L; Hafner, SS. (1992). GAMMA-RESONANCE OF FE-57 IN GRUNERITE AT HIGH-PRESSURES. *Am Mineral.* 77: 474-479.
- Zhang, L; Sun, M; Xu, B. (2001). Phase relations in garnet-bearing metabasites of prehnite-pumpellyite facies from the Darbut-Sartuohai ophiolite, Western Junggar of Xinjiang, China. *Mineralogy and Petrology.* 71: 67-85.
- Zhang, Q; Huang, X. (2002). Induction of ferritin and lipid peroxidation by coal samples with different prevalence of coal workers' pneumoconiosis: Role of iron in the coals. *Am J Ind Med.* 42: 171-179. <http://dx.doi.org/10.1002/ajim.10101>.
- Zhang, QW; Kusaka, Y; Donaldson, K. (2000). Comparative pulmonary responses caused by exposure to standard cobalt and ultrafine cobalt. *J Occup Health.* 42: 179-184.
- Zhang, RY; Liou, JG; Cong, BL. (1995). TALC-BEARING, MAGNESITE-BEARING AND TI-CLINOHUMITE-BEARING ULTRAHIGH-PRESSURE META-MAFIC AND ULTRAMAFIC COMPLEX IN THE DABIE MOUNTAINS, CHINA. *Journal of Petrology.* 36: 1011-1037.
- Zhang, XF; Zhang, XB; Vantendeloo, G; Meijer, G. (1994). HARMLESS CARBON TUBES AROUND DANGEROUS ASBESTOS FIBERS. *Carbon.* 32: 363-366.
- Zhang, Y; Sekine, T; He, H. (2014). A new interpretation of decomposition products of serpentine under shock compression. *Am Mineral.* 99: 2374-2377. <http://dx.doi.org/10.2138/am-2014-5021>.
- Zhang, Y; Sekine, T; Yu, Y, in; He, H; Meng, C; Liu, F; Zhang, M. (2014). Hugoniot and sound velocity of antigorite and evidence for sluggish decomposition. *Physics and Chemistry of Minerals.* 41: 313-322. <http://dx.doi.org/10.1007/s00269-013-0650-0>.
- Zhang, Y; Sun, F; Li, B; Huo, L; Ma, F. (2014). Ore textures and remobilization mechanisms of the Hongtoushan copper-zinc deposit, Liaoning, China. *Ore Geol Rev.* 57: 78-86. <http://dx.doi.org/10.1016/j.oregeorev.2013.09.006>.
- Zhang, YL; Kim, YC; Hong, W, onHwa. (2016). Visualizing distribution of naturally discharged asbestos fibers in Korea through analysis of thickness changes in asbestos cement slates. *J Clean Prod.* 112: 607-619. <http://dx.doi.org/10.1016/j.jclepro.2015.08.004>.
- Zhang, Z; Hong, W, ei; Jiang, Z; Duan, S; Li, F; Shi, F. (2014). Geological characteristics and metallogenesis of iron deposits in western Tianshan, China. *Ore Geol Rev.* 57: 425-440. <http://dx.doi.org/10.1016/j.oregeorev.2013.09.012>.
- Zhang, ZY; Wang, XL; Lin, LG; Xing, SD; Wu, YH; Li, Y; Wu, LJ; Gang, BQ. (2001). The effects of carbon fibre and carbon fibre composite dusts on bronchoalveolar lavage component of rats. *J Occup Health.* 43: 75-79.
- Zhao, XH; Jia, G; Liu, YQ; Liu, SW; Yan, L; Jin, Y; Liu, N. (2006). Association between polymorphisms of DNA repair gene XRCC1 and DNA damage in asbestos-exposed workers. *Biomed Environ Sci.* 19: 232-238.
- Zhao, YM; Dong, YG; Li, DX; Bi, CS. (2003). Geology, mineralogy, geochemistry, and zonation of the Bajiazhi dolostone-hosted Zn-Pb-Ag skarn deposit, Liaoning Province, China. *Ore Geol Rev.* 23: 153-182. [http://dx.doi.org/10.1016/S0169-1368\(03\)00034-9](http://dx.doi.org/10.1016/S0169-1368(03)00034-9).
- Zheng, W; Blot, WJ; Shu, XO; Diamond, EL; Gao, YT; Ji, BT; Fraumeni, JF. (1992). RISK-FACTORS FOR ORAL AND PHARYNGEAL CANCER IN SHANGHAI, WITH EMPHASIS ON DIET. *Cancer Epidemiol Biomarkers Prev.* 1: 441-448.

Exposure Literature Search Results

Off Topic

- Zheng, W; Blot, WJ; X-O, S; Y-T, G; B-T, J; Ziegler, RG; Fraumeni J F, J. R. (1992). Diet and other risk factors for laryngeal cancer in Shanghai, China. *Am J Epidemiol.* 136: 178-191.
- Zheng, YF. (1993). CALCULATION OF OXYGEN-ISOTOPE FRACTIONATION IN HYDROXYL-BEARING SILICATES. *Earth Planet Sci Lett.* 120: 247-263.
- Zheng, YF; Metz, P; Satir, M. (1994). OXYGEN-ISOTOPE FRACTIONATION BETWEEN CALCITE AND TREMOLITE - AN EXPERIMENTAL-STUDY. *Contributions to Mineralogy and Petrology.* 118: 249-255.
- Zheng, YF; Satir, M; Metz, P. (2004). Oxygen isotope exchange and disequilibrium between calcite and tremolite in the absence and presence of an experimental C-O-H fluid. *Contributions to Mineralogy and Petrology.* 146: 683-695. <http://dx.doi.org/10.1007/s00410-003-0528-0>.
- Zhi, S, uo; Gun, WW; Hui, L, uoX; Bo, T. (2012). Evaluation of fatigue crack behavior in asphalt concrete pavements with different polymer modifiers. *Construction and Building Materials.* 27: 117-125. <http://dx.doi.org/10.1016/j.conbuildmat.2011.08.017>.
- Zhong, CY; Zhou, YM; Smith, KR; Kennedy, IM; Chen, CY; Aust, AE; Pinkerton, KE. (2010). Oxidative injury in the lungs of neonatal rats following short-term exposure to ultrafine iron and soot particles. *J Toxicol Environ Health A.* 73: 837-847. <http://dx.doi.org/10.1080/15287391003689366>.
- Zhong, F; Yano, E; Wang, ZM; Wang, MZ; Lan, YJ. (2008). Cancer mortality and asbestosis among workers in an asbestos plant in Chongqing, China. *Biomed Environ Sci.* 21: 205-211. [http://dx.doi.org/10.1016/S0895-3988\(08\)60030-6](http://dx.doi.org/10.1016/S0895-3988(08)60030-6).
- Zhou, L; Chen, J; Lao, W. (2007). Study on elastic modulus and recovery coefficient of cushioning materials in pile driving. *Journal of Materials in Civil Engineering.* 19: 313-320. [http://dx.doi.org/10.1061/\(ASCE\)0899-1561\(2007\)19:4\(313\)](http://dx.doi.org/10.1061/(ASCE)0899-1561(2007)19:4(313)).
- Zhou, L; Lao, W. (2006). Studying of the dynamic behavior of pile cushioning materials in pile driving. *Journal of Testing and Evaluation.* 34: 447-452.
- Zhou, L; Zhou, J; Yang, J. (1999). Effects of cytokines induced by mineral dust on lung fibroblasts in vitro. *J Occup Health.* 41: 144-148. <http://dx.doi.org/http://dx.doi.org/10.1539/joh.41.144>.
- Zhou, Z; Mao, J; Che, H; Ouyang, H; Ma, X. (2017). Metallogeny of the Handagai skarn Fe-Cu deposit, northern Great Xing'an Range, NE China: Constraints on fluid inclusions and skarn genesis. *Ore Geol Rev.* 80: 623-644. <http://dx.doi.org/10.1016/j.oregeorev.2016.08.012>.
- Zhu, H; Wang, Z. (1993). Study of occupational lung cancer in asbestos factories in China. *Br J Ind Med.* 50: 1039-1042.
- Zhu, HL. (1994). STUDY OF OCCUPATIONAL LUNG-CANCER IN ASBESTOS FACTORIES IN CHINA - REPLY. *Occup Environ Med.* 51: 719-719.
- Zhu, P; Wang, LY; Hong, D; Zhou, M; Zhou, J. (2013). Investigative studies for inert transformation of toxic chrysotile tailing. *Journal of Material Cycles and Waste Management.* 15: 90-97. <http://dx.doi.org/10.1007/s10163-012-0093-6>.
- Zhu, S; Manuel, M; Tanaka, S; Choe, N; Kagan, E; Matalon, S. (1998). Contribution of reactive oxygen and nitrogen species to particulate-induced lung injury [Review]. *Environ Health Perspect.* 106 Suppl 5: 1157-1163.
- Zhu, XT; Ni, P, ei; Wang, G, uoG; Cai, Y, iTao; Chen, H, ui; Pan, J, unYi. (2016). Fluid inclusion, H-O isotope and Pb-Pb age constraints on the genesis of the Yongping copper deposit, South China. *J Geochem Explor.* 171: 55-70. <http://dx.doi.org/10.1016/j.gexplo.2016.01.018>.
- Zhu, Z; Bao, J; Yin, Y, an; Chen, G. (2013). Frictional catastrophe behaviors and mechanisms of brake shoe for mine hoisters during repetitious emergency brakings. *Industrial Lubrication & Tribology.* 65: 245-250. <http://dx.doi.org/10.1108/00368791311331220>.
- Zielhuis, RL; Versteeg, JP; Planteijdt, HT. (1975). Pleura mesothelioma and exposure to asbestos. A retrospective case-control study in the Netherlands. *Int Arch Occup Environ Health.* 36: 1-18.
- Zimmermann, R; Hammerschmidt, K; Franz, G. (1994). EOCENE HIGH-PRESSURE METAMORPHISM IN THE PENNINIC UNITS OF THE TAUERN WINDOW (EASTERN ALPS) - EVIDENCE FROM AR-40-AR-39 DATING AND PETROLOGICAL INVESTIGATIONS. *Contributions to Mineralogy and Petrology.* 117: 175-186.
- Zingg, AJ. (1991). MINERAL REACTIONS IN CLOSED SYSTEMS INVOLVING AMPHIBOLE AND PLAGIOCLASE. *Am Mineral.* 76: 617-627.
- Zingg, AJ. (1996). Immiscibility in Ca-amphiboles. *Journal of Petrology.* 37: 471-496.
- Zitting, AJ; Karjalainen, A; Impivaara, O; Tossavainen, A; Kuusela, T; Maki, J; Huuskonen, MS. (1995). Radiographic small lung opacities and pleural abnormalities as a consequence of asbestos exposure in an adult population. *Scand J Work Environ Health.* 21: 470-477.
- Zocchetti, C. (2015). Health expenditures for cases of pleural mesothelioma. *Med Lav.* 106: 361-373.
- Zocchetti, C. (2015). [In Process Citation]. *Med Lav.* 106: 431-446.
- Zoitos, BK; Demeringo, A; Rouyer, E; Thelohan, S; Bauer, J; Law, B; Boymel, PM; Olson, J. R.; Christensen, VR; Guldberg, M; Koenig, AR; Perander, M. (1997). In vitro measurement of fiber dissolution rate relevant to biopersistence at neutral pH: An interlaboratory round robin. *Inhal Toxicol.* 9: 525-540.
- Zoloth, S; Michaels, D. (1985). Asbestos disease in sheet metal workers: the results of a proportional mortality analysis. *Am J Ind Med.* 7: 315-321.
- Zoloth, S; Michaels, D; Lacher, M; Nagin, D; Drucker, E. (1986). Asbestos disease screening by non-specialists: results of an evaluation. *Am J Public Health.* 76: 1392-1395.
- Zona, A; Bruno, C. (2009). Health surveillance for subjects with past exposure to asbestos: from international experience and Italian regional practices to a proposed operational model [Review]. *Ann Ist Super Sanita.* 45: 147-161.
- Zona, A; Bruno, C; Villari, C; Contiguglia, R; Fazzo, L; Mollica, G; Puglisi, G; Comba, P. (2010). [Health surveillance for subjects with past occupational exposure to asbestos: the experience of Local Health Unit Messina 5 (Sicily)]. *Epidemiol Prev.* 34: 94-99.
- Zone, JJ; Rom, WN. (1985). Circulating immune complexes in asbestos workers. *Environ Res.* 37: 383-389.
- Zukowski, W; Cooke, DR; Deyell, CL; Mcinnes, P; Simpson, K. (2014). Genesis and Exploration Implications of Epithermal Gold Mineralization and Porphyry-Style Alteration at the Endeavour 41 Prospect, Cowal District, New South Wales, Australia. *Econ Geol.* 109: 1079-1115.
- Zurcher, L; Ruiz, J; Barton, MD. (2001). Paragenesis, elemental distribution, and stable isotopes at the Pena Colorado iron skarn, Colima, Mexico. *Econ Geol.* 96: 535-557.
- Zurer, P. (1989). COALITION SUES TO END BAN ON ASBESTOS USE. *Chem Eng News.* 67: 6-6.

Exposure Literature Search Results

Off Topic

- Zurer, PS. (1985). ASBESTOS - THE FIBER THATS PANICKING AMERICA. *Chem Eng News*. 63: 28-&.
- Zurer, PS. (1985). STATES AIM FOR UNIFIED APPROACH TO ASBESTOS CONTROL. *Chem Eng News*. 63: 26-&.
- Zwetsloot, GIJ, M; Zwanikken, S; Hale, A. (2011). Policy expectations and the use of market mechanisms for regulatory OSH certification and testing regimes. *Safety Sci*. 49: 1007-1013. <http://dx.doi.org/10.1016/j.ssci.2010.12.006>.

Environmental Hazard Literature Search Results

On Topic

- Adamson, IYL, H. L. Bowden, D. H. (1991). Comparison of alveolar and interstitial macrophages in fibroblast stimulation after silica and long or short asbestos. *Lab Invest*. 64: 339-344.
- Afaq, FA, P. Rahman, Q. (2000). N-acetyl L-cysteine attenuates oxidant-mediated toxicity induced by chrysotile fibers. *Toxicol Lett*. 117: 53-60.
- Bevan, DRU, M. R. (1991). Examination of factors that may influence disposition of benzo[a]pyrene in vivo: Vehicles and asbestos. *Cancer Lett*. 57: 173-179. [http://dx.doi.org/10.1016/0304-3835\(91\)90212-Z](http://dx.doi.org/10.1016/0304-3835(91)90212-Z).
- Briers, JH; Van Wyk, S; Michael, MD. (1988). ROOT DEVELOPMENT AND GROWTH OF SELECTED PLANT SPECIES UNDER VARIOUS FERTILIZATION CONDITIONS AND WITH VARIOUS SOIL STRUCTURES IN THE ASBESTOS TAILINGS FROM THE MSAULI MINE IN EAST TRANSVAAL SOUTH AFRICA. *S Afr J Sci*. 84: 325-329.
- Brunner, TJW, P. Manser, P. Spohn, P. Grass, R. N. Limbach, L. K. Bruinink, A. Stark, W. J. (2006). In vitro cytotoxicity of oxide nanoparticles: comparison to asbestos, silica, and the effect of particle solubility. *Environ Sci Technol*. 40: 4374-4381. <http://dx.doi.org/10.1021/es052069i>.
- Buelow, RWM, J. R. McFarren, E. F. Symons, J. M. (1980). The Behavior of Asbestos-Cement Pipe Under Various Water Quality Conditions: A Progress Report. 72: 91-102.
- Coffin, DLP, L. D. Cook, P. M. (1983). Correlation of in vitro and in vivo methods by means of mass dose and fiber distribution for amosite and fibrous ferroactinolite. *Environ Health Perspect*. 51: 49-53.
- Commission, IJ. (1977). Asbestos. 142-143.
- Cook, PM. (1983). REVIEW OF PUBLISHED STUDIES ON GUT PENETRATION BY INGESTED ASBESTOS FIBERS. *Environ Health Perspect*. 53: 121-130.
- Davis, JMG. (1970). The Long Term Fibrogenic Effects of Chrysotile and Crocidolite Abestos Dust Injected into the Pleural Cavity of Experimental Animals. 51: 617-627.
- Dipaolo, JAD, A. J. Doniger, J. (1983). Asbestos and benzo(a)pyrene synergism in the transformation of Syrian hamster embryo cells. *Pharmacology*. 27: 65-73. <http://dx.doi.org/10.1159/000137837>.
- Donham, KJB, J. W. Will, L. A. Leininger, J. R. (1980). The effects of long-term ingestion of asbestos on the colon of F344 rats. *Cancer*. 45: 1073-1084.
- Ferrante, DB, M. Todesco, A. Mirabelli, D. Terracini, B. Magnani, C. (2007). Cancer mortality and incidence of mesothelioma in a cohort of wives of asbestos workers in Casale Monferrato, Italy. *Environ Health Perspect*. 115: 1401-1405. <http://dx.doi.org/10.1289/ehp.10195>.
- Haque, AKV, D. M. (1998). Transplacental transfer of asbestos in pregnant mice. *Bull Environ Contam Toxicol*. 60: 620-625. <http://dx.doi.org/10.1007/s001289900671>.
- Haseman, JKH, J. E. Zeiger, E. McConnell, E. E. (1987). Comparative Results of 327 Chemical Carcinogenicity Studies. 74: 229-235.
- Hueper, WC. (1954). Experimental studies in metal cancerigenesis. VI. Tissue reactions in rats and rabbits after parenteral introduction of suspensions of arsenic, beryllium, or asbestos in lanolin. *J Natl Cancer Inst*. 15: 113-129.
- Kumar, AM, S. K. (2014). Translocation and bioaccumulation of metals in *Oryza sativa* and *Zea mays* growing in chromite-asbestos contaminated agricultural fields, Jharkhand, India. *Bull Environ Contam Toxicol*. 93: 434-441. <http://dx.doi.org/10.1007/s00128-014-1339-x>.
- Martin, AKJ, G. C. McCarthy, D. F. Filson, R. B. (1992). ATTEMPTS TO CONTROL LICHENS ON ASBESTOS CEMENT ROOFING. *Int Biodeterior Biodegradation*. 30: 261-271.
- Martino, EC, S. Prandi, L. Fubini, B. Perotto, S. (2004). Physical and biochemical interactions of soil fungi with asbestos fibers. *Environ Toxicol Chem*. 23: 938-944. <http://dx.doi.org/10.1897/03-266>.
- Maule, MMM, C. Dalmasso, P. Mirabelli, D. Merletti, F. Biggeri, A. (2007). Modeling mesothelioma risk associated with environmental asbestos exposure. *Environ Health Perspect*. 115: 1066-1071. <http://dx.doi.org/10.1289/ehp.9900>.
- Mendelsohn, MLMD, I. I. Lohman, P. H. M. (1992). A method for comparing and combining short-term genotoxicity test data: results and interpretation. *DNA Repair*. 266: 43-60.
- Miller, LS, W. E. Berliner, S. W. (1965). Tests for effect of asbestos on benzo[a]pyrene carcinogenesis in the respiratory tract. *Ann N Y Acad Sci*. 132: 489-500.
- Murr, LEG, K. M. Soto, K. F. Carrasco, A. Powell, T. G. Ramirez, D. A. Guerrero, P. A. Lopez, D. A. Venzor, J., III. (2005). Cytotoxicity assessment of some carbon nanotubes and related carbon nanoparticle aggregates and the implications for anthropogenic carbon nanotube aggregates in the environment. *Int J Environ Res Public Health*. 2: 31-42.
- P., NT. (1985). Toxicology and Carcinogenesis Studies of Chrysotile Asbestos in F344 Rats.
- Reiss, BT, C. Telang, S. Williams, G. M. (1983). Enhancement of benzo[a]pyrene mutagenicity by chrysotile asbestos in rat liver epithelial cells. *Environ Res*. 31: 100-104. [http://dx.doi.org/10.1016/0013-9351\(83\)90065-8](http://dx.doi.org/10.1016/0013-9351(83)90065-8).
- Schreier, HT, H. J. (1986). EARTH WORM RESPONSE TO ASBESTOS RICH SERPENTINITIC SEDIMENTS. *Soil Biol Biochem*. 18: 85-89.
- Shugar, S. (1979). Effects of asbestos in the Canadian environment (pp. 1-185). (RISKLINE/1988110005). Shugar, S.
- Sontag, JM. (1977). Bioassay Limitations and Economics. 3 p.

Environmental Hazard Literature Search Results

On Topic

- Soto, KG, K. M. Murr, L. E. (2007). Cytotoxic effects of aggregated nanomaterials. *Acta Biomater.* 3: 351-358.
<http://dx.doi.org/10.1016/j.actbio.2006.11.004>.
- Speil, S. (1974). Chrysotile in Water. 9: 161-163.
- Trivedi, AKA, I. Musthapa, M. S. Ansari, F. A. Rahman, Q. (2004). Environmental contamination of chrysotile asbestos and its toxic effects on growth and physiological and biochemical parameters of *Lemna gibba*. *Arch Environ Contam Toxicol.* 47: 281-289.
<http://dx.doi.org/10.1007/s00244-004-3161-7>.
- U.S. EPA. (1980). Ambient water quality criteria for asbestos [EPA Report]. (EPA/440/5-80/022). Washington, DC.
<http://nepis.epa.gov/Exe/ZyPURL.cgi?Dockey=00001LP6.txt>.
- U.S. EPA. (1980). Water Quality Criteria Documents; Availability. 45: 79319-79377.
- U.S. EPA. (1995). Final Water Quality Guidance for the Great Lakes System. 60: 15366-15422.
- Vasilewa, LAP, L. N. Wozniak, H. Wiecek, E. (1991). Biological Activity of Synthetic Amphibole Asbestos. *Pol J Occup Med Environ Health.* 4: 33-41.
- Wagner, JCB, G. Timbrell, V. (1973). Mesotheliomata in rats after inoculation with asbestos and other materials. *Br J Cancer.* 28: 173-185.

Environmental Hazard Literature Search Results

Off Topic

- Åontevska, V; Jovanovski, G; Makreski, P. (2007). Minerals from Macedonia. Part XIX. Vibrational spectroscopy as identificational tool for some sheet silicate minerals. *Journal of Molecular Structure.* 834-836: 318-327.
- Aalto, M; Heppleston, AG. (1984). Fibrogenesis by mineral fibres: An in-vitro study of the roles of the macrophage and fibre length. *Br J Exp Pathol.* 65: 91-99.
- Aalto, M; Turakainen, H; Kulonen, E. (1979). Effect of SiO₂-liberated macrophage factor on protein synthesis in connective tissue in vitro. *Scand J Clin Lab Invest.* 39: 205-213.
- Aatmeeyata; Kaul, DS; Sharma, M. (2009). Traffic generated non-exhaust particulate emissions from concrete pavement: A mass and particle size study for two-wheelers and small cars. *Atmos Environ.* 43: 5691-5697.
- Abd El-Fattah, AM; Abd Rabo, FHR; El-Dieb, SM; El-Kashef, HAS. (2014). Preservation methods of buffalo and bovine colostrum as a source of bioactive components. *International Dairy Journal.* 39: 24-27.
- Abdel-Baki, AAS; Al-Quraishy, S; Al Omar, SY; Mansour, L. (2016). Ultrastructure and phylogeny of *Kudoa barracudai* sp nov infecting *Sphyræna putnamae* in the Red Sea. *Parasitol Res.* 115: 1799-1805.
- Abdelouahed, S; Baadji, N; Alouani, M. (2007). Electronic structure and x-ray magnetic circular dichroism of gadolinium beyond the local spin density approximation. *Physical Review B.* 75: 4428-4428.
- Abelmann, A; Glynn, ME; Pierce, JS; Scott, PK; Paustenbach, DJ. (2016). Authors' response to Finkelstein's letter to the editor regarding our recent review of ambient airborne asbestos concentrations (Abelmann et al., 2015). *Inhal Toxicol.* 28: 581-582.
- Abelmann, A; Glynn, ME; Pierce, JS; Scott, PK; Serrano, S; Paustenbach, DJ. (2015). Historical ambient airborne asbestos concentrations in the United States - an analysis of published and unpublished literature (1960s-2000s). *Inhal Toxicol.* 27: 754-766.
- Abelson, PH. (1990). The asbestos removal fiasco. *Science (New York, NY).* 247: 1017.
- Abraham, JL. (1986). Asbestos exposure--quantitative assessment of risk. *The American review of respiratory disease.* 133: 946-947.
- Accinelli, TRA; LÃ¡cpeza, LM. Status of the ban on asbestos use in Spain and Latin America.
- Achard, S; Perderiset, M; Jaurand, MC. (1987). Sister chromatid exchanges in rat pleural mesothelial cells treated with crocidolite, attapulgit, or benzo 3-4 pyrene. *Br J Ind Med.* 44: 281-283.
- Acheson, ED; Gardner, MJ. (1980). Asbestos: scientific basis for environmental control of fibres. *IARC Sci Publ.* 30: 737-754.
- Acheson, ED; Gardner, MJ. (1980). Possible synergism between chrysotile and amphibole asbestos. *Lancet (London, England).* 1: 706.
- Adachi, S; Takemoto, K; Kimura, K. (1991). Tumorigenicity of fine man-made fibers after intratracheal administrations to hamsters. *Environ Res.* 54: 52-73.
- Adamson, IYR; Bakowska, J; Prieditis, H. (2000). Proliferation of rat pleural mesothelial cells in response to hepatocyte and keratinocyte growth factors. *Am J Respir Cell Mol Biol.* 23: 345-349.
- Adamson, IYR; Bowden, DH. (1986). Crocidolite-induced pulmonary fibrosis in mice. Cytokinetic and biochemical studies. *American Journal of Pathology.* 122: 261-267.
- Addingley, CG. (1965). Dust measurement and monitoring in the asbestos industry. *Ann N Y Acad Sci.* 132: 298-305.
- Addison, J. Vermiculite: a review of the mineralogy and health effects of vermiculite exploitation. *Regul Toxicol Pharmacol.* June 1995. v. 21 (3): 397-405.
- Addison, J; McConnell, EE. (2008). A review of carcinogenicity studies of asbestos and non-asbestos tremolite and other amphiboles. *Regul Toxicol Pharmacol.* 52: S187-S199.
- Adee, RR; Laidler, JJ. (1973). Subcellular identification of exogenous particles by high-voltage electron microscopy. *Am Ind Hyg Assoc J.* 34: 507-511.
- Adeniyi, IF; Olabanji, IO. (2005). The physico-chemical and bacteriological quality of rainwater collected over different roofing materials in Ile-Ife, Southwestern Nigeria. *Chem Ecol.* 21: 149-166.
- Adler, T. (2003). Asbestos standards scrutinized. *Frontiers in Ecology and the Environment.* 1: 177-177.

Environmental Hazard Literature Search Results

Off Topic

- Afanasyeva, TP; Kulaev, IS. (1973). Polyphosphate phosphohydrolase from *Endomyces magnush*. *Biochimica et Biophysica Acta (BBA) - Enzymology*. 321: 336-347.
- Agnew, R. (2009). Re: Asbestos--a legacy and a persistent problem. *J R Nav Med Serv*. 95: 102.
- Aguilar-Madrid, G; ute; rez-Páez, CA. Globalization and the transfer of hazardous industry: asbestos in Mexico, 1979-2000.
- Ahearn, A; Lemen, R. (2011). Asbestos Trends Worldwide, with Richard Lemen. *Environ Health Perspect*. 119: NIL_28-NIL_34.
- Ahmad, M; Bajahlan, AS. (2009). Quality comparison of tap water vs. bottled water in the industrial city of Yanbu (Saudi Arabia). *Environ Monit Assess*. 159: 1-14.
- Ahmed, M; Shayya, WH; Hoey, D; Al-Handaly, J. (2001). Brine disposal from reverse osmosis desalination plants in Oman and the United Arab Emirates. *Desalination*. 133: 135-147.
- Aho, S; Lahesmaa, R; Nuutila, P; Lehtinen, P; Pulkki, K; Kulonen, E. (1982). The in vitro effect of asbestos on the SiO₂-induced macrophage fibrogenic factor and alkaline ribonuclease. *Exp Pathol*. 21: 181-186.
- Aho, S; Lahesmaa, R; Nuutila, P; Lehtinen, P; Pulkki, K; Kulonen, E. (1982). The in vivo effect of asbestos on the SiO₂-induced macrophage fibrogenic factor and alkaline ribonuclease. *Exp Pathol*. 21: 181-186.
- Aisner, J; Wiernik, PH. (1981). Asbestos-related neoplasms. Introduction. *Semin Oncol*. 8: 241-242.
- Aitken, RJ; Howie, RM; Clapp, R. (1993). 11 O 01 Dilution sampler for evaluation of airborne fibre concentrations in asbestos stripping enclosures. *J Aerosol Sci*. 24, Supplement 1: S61-S62.
- Aiyar, SE; McLeod, SM; Ross, W; Hirvonen, CA; Thomas, MS; Johnson, RC; Gourse, RL. (2002). Architecture of fis-activated transcription complexes at the *Escherichia coli* rrnB P1 and rrnE P1 promoters. *Journal of Molecular Biology*. 316: 501-516.
- Akimoto, S; Ishikawa, O; Iijima, C; Miyachi, Y. (1999). Expression of basic fibroblast growth factor and its receptor by fibroblasts, macrophages and mast cells in hypertrophic scar. *Eur J Dermatol*. 9: 357-362.
- Akira, M; Morinaga, K. (2016). The comparison of high-resolution computed tomography findings in asbestosis and idiopathic pulmonary fibrosis. *Am J Ind Med*. 59: 301-306.
- Alam, T; Goyal, GK. (2006). Influence of modified atmosphere packaging on the chemical quality of Mozzarella cheese during refrigerated storage. *Journal of Food Science and Technology-Mysore*. 43: 662-666.
- Alam, T; Goyal, GK. (2007). Changes in functional characteristics of mozzarella cheese during storage as influenced by modified atmosphere packaging (MAP). *Indian Journal of Animal Sciences*. 77: 196-200.
- Alam, T; Goyal, GK. (2011). Effect of MAP on microbiological quality of Mozzarella cheese stored in different packages at 7 +/- 1 degrees C. *Journal of Food Science and Technology-Mysore*. 48: 120-123.
- Al-Assiuty, A-NIM; Khalil, MA; Ismail, A-WA; van Straalen, NM; Ageba, MF. (2014). Effects of fungicides and biofungicides on population density and community structure of soil oribatid mites. *Sci Total Environ*. 466-467: 412-420.
- Albertini, S; Friederich, U; Holderegger, C; Würgler, FE. (1988). The in vitro porcine brain tubulin assembly assay: effects of a genotoxic carcinogen (aflatoxin B1), eight tumor promoters and nine miscellaneous substances. *Mutation Research/Fundamental and Molecular Mechanisms of Mutagenesis*. 201: 283-292.
- Albright, FR; Schumacher, DV; Sweigart, DS; Stasny, JT; Husack, C; Boyer, K. Methods for isolating and identifying asbestos fibers in spiked beverages and foods. *Food technology*. Nov 1979. v. 33 (11): 69-70,72-76 ill.
- Al-Delaimy, WK. (2013). The JPC-SE Position Statement on Asbestos: A Long-Overdue Appeal by Epidemiologists to Ban Asbestos Worldwide and End Related Global Environmental Injustice. *Environ Health Perspect*. 121: A144-A145.
- Aldieri, E; Ghigo, D; Tomatis, M; Prandi, L; Fenoglio, I; Costamagna, C; Pescarmona, G; Bosia, A; Fubini, B. (2001). Iron inhibits the nitric oxide synthesis elicited by asbestos in murine macrophages. *Free Radic Biol Med*. 31: 412-417.
- Alegre, RM; Rigo, M; Joekes, I. (2003). Ethanol fermentation of a diluted molasses medium by *Saccharomyces cerevisiae* immobilized on chrysotile. *Brazilian Archives of Biology and Technology*. 46: 751-757.
- Alexandrov, M; Ichida, E; Nishimura, T; Aoki, K; Ishida, T; Hirota, R; Ikeda, T; Kawasaki, T; Kuroda, A. (2015). Development of an automated asbestos counting software based on fluorescence microscopy. *Environ Monit Assess*. 187: NIL_12-NIL_21.
- Ali-Boucetta, H; Nunes, A; Sainz, R; Herrero, MA; Tian, BW; Prato, M; Bianco, A; Kostarelos, K. (2013). Asbestos-like Pathogenicity of Long Carbon Nanotubes Alleviated by Chemical Functionalization. *Angewandte Chemie-International Edition*. 52: 2274-2278.
- Al-jasser, MS. (2012). Effect of cooling and freezing temperatures on microbial and chemical properties of chicken meat during storage. *Journal of Food Agriculture & Environment*. 10: 113-116.
- Allison, A. (1970). Effects of particles on lysosomes. *Advancement of science*. 27: 137-140.
- Allison, AC. (1970). Effects of silica and asbestos on cells in culture. *Inhaled Particles*. 1: 437-445.
- Allison, AC. (1971). Lysosomes and the toxicity of particulate pollutants. *Arch Intern Med*. 128: 131-139.
- Allison, AC; Ferluga, J. (1977). Cell membranes in cytotoxicity. *Adv Exp Med Biol*. 84: 231-246.
- Allison, AC; Morgan, DM. (1979). Effects of silica, asbestos, and other particles on macrophage and neutrophil lysosomes. *Frontiers of biology*. 48: 149-159.
- Alonso-Hernando, A; Alonso-Calleja, C; Capita, R. (2013). Effectiveness of several chemical decontamination treatments against Gram-negative bacteria on poultry during storage under different simulated cold chain disruptions. *Food Control*. 34: 574-580.
- Alonso-Hernando, A; Alonso-Calleja, C; Capita, R. (2015). Effect of various decontamination treatments against Gram-positive bacteria on chicken stored under differing conditions of temperature abuse. *Food Control*. 47: 71-76.
- Alonso-Hernando, A; Capita, R; Alonso-Calleja, C. (2013). Decontamination Treatments for Psychrotrophic Microorganisms on Chicken Meat during Storage at Different Temperatures. *J Food Prot*. 76: 1977-1980.

Environmental Hazard Literature Search Results

Off Topic

- Alonzo, M; Bookhagen, B; McFadden, JP; Sun, A; Roberts, DA. (2015). Mapping urban forest leaf area index with airborne lidar using penetration metrics and allometry. *Rem Sens Environ.* 162: 141-153.
- Alste, J; Watson, D; Bagg, J. (1976). Airborne asbestos in the vicinity of a freeway. *Atmos Environ.* 10: 583-589.
- Alt, JC; Shanks, WC, III; Crispini, L; Gaggero, L; Schwarzenbach, EM; Fr h-Green, GL; Bernasconi, SM. (2012). Uptake of carbon and sulfur during seafloor serpentinization and the effects of subduction metamorphism in Ligurian peridotites. *Chem Geol.* 322-323: 268-277.
- Alves, RMV; Sarantopoulos, CIGdL; Dender, AGFv; Faria, JdAF. Stability of sliced mozzarella cheese in modified-atmosphere packaging. *J Food Prot.* Aug 1996. v. 59 (8): 838-844.
- Alzate-Marin, AL; Menarim, H; Chagas, JM; de Barros, EG; Moreira, MA. (2000). Identification of a RAPD marker linked to the Co-6 anthracnose resistant gene in common bean cultivar AB 136. *Genet Mol Biol.* 23: 633-637.
- Amacher, DE; Alarif, A; Epstein, SS. (1974). Effects of ingested chrysotile on DNA synthesis in the gastrointestinal tract and liver of the rat. *Environ Health Perspect.* 9: 319-324.
- Amacher, DE; Alarif, A; Epstein, SS. (1975). The dose-dependent effects of ingested chrysotile on DNA synthesis in the gastrointestinal tract, liver, and pancreas of the rat. *Environ Res.* 10: 208-216.
- Amandus, HE; Wheeler, R; Jankovic, J; Tucker, J. (1987). The morbidity and mortality of vermiculite miners and millers exposed to tremolite-actinolite: Part I. Exposure estimates. *Am J Ind Med.* 11: 1-14.
- Ambrosini, GL; Mackerras, D; de Klerk, NH; Musk, AW. (2003). Comparison of an Australian food-frequency questionnaire with diet records: implications for nutrition surveillance. *Public Health Nutr.* 6: 415-422.
- Ameille, J; Brochard, P; Brechot, JM. Pleural thickening: a comparison of oblique chest radiographs and high-resolution computed tomography in subjects exposed to low levels of asbestos pollution.
- Ameille, J; Letourneux, M; Paris, C; Brochard, P; Pairon, JC. (2011). Possible Relationship between Asbestos Exposure and Bronchial Asthma: A Need for Clarification. *Am J Respir Crit Care Med.* 183: 1572-1572.
- Ameille, J; Nor s, JM; R  my, JM. (1993). Renal adenocarcinoma and exposure to asbestos. *The European journal of medicine.*
- Ameille, J; Paris, CU; eacit  , dPPedS aTH eRP AaFara-h-pf; JoU, JN; Ili, C; Brochard, U; eUnit  , dPPedS aT; oil, H eRP Sjara-h-pf; lwatsubo, Y; Pairon, JC. (2004). Asbestos-related pleural diseases: dimensional criteria are not appropriate to differentiate diffuse pleural thickening from pleural plaques. *Am J Ind Med.* 45: 289-296.
- Amor, C; Lucas, MS; Pirra, AnJ; Peres, JA. (2012). Treatment of concentrated fruit juice wastewater by the combination of biological and chemical processes. *Journal of environmental science and health Part A.* 47: 1809-1817.
- Anastasiadou, K; Axiotis, D; Gidarakos, E. (2010). Hydrothermal conversion of chrysotile asbestos using near supercritical conditions. *J Hazard Mater.* 179: 926-932.
- Anbalagan, G; SakthiMurugesan, K; Balakrishnan, M; Gunasekaran, S. (2008). Structural analysis, optical absorption and EPR spectroscopic studies on chrysotile. *Appl Clay Sci.* 42: 175-179.
- Anderson, BS; Phillips, BM; Voorhees, JP; Petersen, MA; Jennings, LL; Fojut, TL; Vasquez, ME; Siegler, C; Tjeerdema, RS. (2015). Relative Toxicity of Bifenthrin to *Hyalella azteca* in 10 Day Versus 28 Day Exposures. *Integr Environ Assess Manag.* 11: 319-328.
- Anderson, HA; Lillis, R; Daum, SM; Fischbein, AS; Selikoff, IJ. (1976). Household-contact asbestos neoplastic risk. *Ann N Y Acad Sci.* 271: 311-323.
- Andersson, H; Wallgren, M; Rydhmer, L; Lundstr  m, K; Andersson, K; Forsberg, M. (1998). Photoperiodic effects on pubertal maturation of spermatogenesis, pituitary responsiveness to exogenous GnRH, and expression of boar taint in crossbred boars. *Anim Reprod Sci.* 54: 121-137.
- Andra, SS; Makris, KC; Botsaris, G; Charisiadis, P; Kalyvas, H; Costa, CN. (2014). Evidence of arsenic release promoted by disinfection by-products within drinking-water distribution systems. *Sci Total Environ.* 472: 1145-1151.
- Anilkumar, TB; Sastry, MNL. (1982). Control of Seedling Death of Sunflower due to *Rhizoctonia solani*. *Zentralblatt f  r Mikrobiologie.* 137: 225-227.
- Anjum, G; Kumar, R; Mollah, S; Thakur, P; Gautam, S; Chae, KH. (2011). NEXAFS studies of La(0.8B)i(0.2)Fe(1-x)Mn(x)O(3)(0.0 <= x <= 0.4) multiferroic system using x-ray absorption spectroscopy. *Journal of Physics D-Applied Physics.* 44: 75403-75403.
- Anon. Asbestos contamination. A review of the FACC examination of asbestos contamination of food. *British food journal.* Nov/Dec 1979. v. 81 (893): 40-42.
- Anon. (1973). MORE LIFE FOR DIAPHRAGM CELLS. *CHEMICAL WEEK, VOL 113, NO 18, P 32, OCTOBER, 1973-1 PHOTO.*
- Anon. (1978). Public health risks of exposure to asbestos. *Food Cosmet Toxicol.* 16: 379.
- Anon. (1982). Intermittent asbestos. *Food Chem Toxicol.* 20: 239-240.
- Anon. (1984). Asbestos and lipid peroxidation. *Food Chem Toxicol.* 22: 494-495.
- Anon. (1984). Asbestos factsheet 2. ANTI-ASBESTOS CAMPAIGN, LONDON (UK) 1984.
- Anon. (1984). Dealing with asbestos in the industrial environment, Arlington, VA, U.S.A., March 27  28, 1984. *J Hazard Mater.* 8: 293.
- Anon. (1984). HEALTH TRENDS. *N Z Med J.* 97: 855-856.
- Anon. (1987). Asbestos in drinking water. 1977-January 1987 (citations from the selected Water Resources Abstracts database). NTIS, SPRINGFIELD, VA (USA) 1987.
- Anon. (1991). Method and apparatus for real time asbestos aerosol monitoring. *J Aerosol Sci.* 22: ii-iii.
- Anon. (1991). Method and apparatus for real time asbestos aerosol monitoring: Pedro Lilienfeld assigned to TRC Companies Inc. *Environ Int.* 17: III.
- Anon. (1993). Ziram, thiram, dithane M-45. *Food Chem Toxicol.* 31: 1042.
- Anon. (1997). Silicon carbides and silicon nitrides similar to asbestos. *Food Chem Toxicol.* 35: 532.
- Anonymous. (1983). UK insurance giant hit by work disease claims. *SAFETY & FIRE NEWS.*

Environmental Hazard Literature Search Results

Off Topic

- Anonymous. (1987). Asbestos blues. *Med J Aust.* 147: 162-163.
- Anonymous. (1988). Cases with suspected asbestos exposure in the family. *Japanese Journal of Industrial Health.* 30: 212.
- Anonymous. (1988). (Problem substances in beer.). *Brauwelt.* 128: 999-1001.
- Anonymous. (1991). Through rain, sleet, snow ... and asbestos. *Asbestos Issues.* 4: 46-51.
- Anonymous. (1992). Fine china makers forced to re-evaluate glazes, limit lead leaching and food contamination. *ASBESTOS ABATEMENT NEWS.* 3: 7-8.
- Ansari, FA; Ashquin, M; Siddiqui, H; Prasad, R; Imran Khan, M; Ahmad, I. (2010). Workplace atmospheric asbestos levels in different plants manufacturing asbestos-cement roofing sheets in India. *Atmos Pollut Res.* 1: 128-131.
- Anthonisen, NR. (2004). Trouble in Anatolia. *Can Respir J.* 11: 273-274.
- Antonescu-Turcu, AL; Schapira, RM. (2010). Parenchymal and airway diseases caused by asbestos. *Curr Opin Pulm Med.* 16: 155-161.
- Antonov, VN; Harmon, BN; Yaresko, AN; Shpak, AP. (2007). X-ray magnetic circular dichroism in GdN: First-principles calculations. *Physical Review B.* 75: 4422-4422.
- Antonov, VN; Kukusta, DA; Yaresko, AN. (2008). X-ray magnetic circular dichroism in CeFe(2): First-principles calculations. *Physical Review B.* 78: 4401-4401.
- Appel, JD; Fasy, TM; Kohtz, DS; Kohtz, JD; Johnson, EM. (1988). Asbestos fibers mediate transformation of monkey cells by exogenous plasmid DNA. *Proceedings of the National Academy of Sciences of the United States of America.* 85: 7670-7674.
- Arce, G; Neto, TGS; Avila, I; Luna, CMR; Carvalho, JA. (2017). Leaching optimization of mining wastes with lizardite and brucite contents for use in indirect mineral carbonation through the pH swing method. *J Clean Prod.* 141: 1324-1336.
- Arean, CO; Barcelo, F; Fenoglio, I; Fubini, B; Xamena, F; Tomatis, M. (2001). Free radical activity of natural and heat treated amphibole asbestos. *J Inorg Biochem.* 83: 211-216.
- Arenas-Huertero, FJ; Salazar-Flores, M; Osornio-Vargas, AR. (1994). Ferruginous bodies as markers of environmental exposure to inorganic particles: experience with 270 autopsy cases in Mexico. *Environ Res.* 64: 10-17.
- Arenholz, E; Schmehl, A; Schlom, DG; van der Laan, G. (2009). Contribution of Eu 4f states to the magnetic anisotropy of EuO. *Journal of Applied Physics.* 105: E7101-E7101.
- Ares, J. (1990). Exposure to non-asbestos refractory materials: corrections of fiber counts for comparable risk assessment. *Bull Environ Contam Toxicol.* 45: 783-788.
- Ares, J. (1990). Exposure to non-asbestos refractory materials: morphological changes of airborne particulate following attrition and recrystallization. *Bull Environ Contam Toxicol.* 45: 789-795.
- Arias, D; Corretg , LG; Villa, L; Gallastegui, G; Su rez, O; Cuesta, A. (1997). A sulphur isotopic study of the Navia gold belt (Spain). *J Geochem Explor.* 59: 1-10.
- Arias, DG; Gutierrez, CE; Iglesias, AA; Guerrero, SA. (2007). Thioredoxin-linked metabolism in *Entamoeba histolytica*. *Free Radic Biol Med.* 42: 1496-1505.
- Aroesty, J; Wolf, K. (1986). Risk from exposure to asbestos. *Science (New York, NY).* 234: 923.
- Ariola Apelo, SI; Singer, LM; Ray, WK; Helm, RF; Lin, XY; McGilliard, ML; St-Pierre, NR; Hanigan, MD. (2014). Casein synthesis is independently and additively related to individual essential amino acid supply. *J Dairy Sci.* 97: 2998-3005.
- Arsenio, AM; Vreeburg, J; Rietveld, L. (2014). Quantitative non-destructive evaluation of push-fit joints. *Urban Water Journal.* 11: 657-667.
- Artom, C. (1957). [59] Nitrogenous constituents of phospholipids. *Methods Enzymol* 358-367.
- Arvanitidis, N. (1998). Northern Greece's industrial minerals: production and environmental technology developments. *J Geochem Explor.* 62: 217-227.
- Ashcroft, T. (1968). Asbestos bodies in routine necropsies on Tyneside: a pathological and social study. *Br Med J.* 1: 614-618.
- Ashcroft, T; Heppleston, AG. (1972). Asbestos-fibre concentration in relation to the pulmonary reaction. *The Journal of pathology.* 107: P13.
- Aslam, M; Ashquin, M; Rahman, Q. (1992). In vitro cytotoxic effects of wollastonites on rat hepatocytes: II. Lipid peroxidation and glutathione depletion. *Bull Environ Contam Toxicol.* 49: 547-554.
- Assima, GP; Larachi, F ; Beaudoin, G; Molson, J. (2013). Dynamics of carbon dioxide uptake in chrysotile mining residues   Effect of mineralogy and liquid saturation. *Int J Greenhouse Gas Control.* 12: 124-135.
- Assima, GP; Larachi, F ; Molson, J; Beaudoin, G. (2014). Comparative study of five Qu bec ultramafic mining residues for use in direct ambient carbon dioxide mineral sequestration. *Chem Eng J.* 245: 56-64.
- Assuncao, J; Corn, M. (1975). The effects of milling on diameters and lengths of fibrous glass and chrysotile asbestos fibers. *Am Ind Hyg Assoc J.* 36: 811-819.
- Atkinson, MAL. (2006). Molecular and cellular responses to asbestos exposure. *Asbestos: Risk Assessment, Epidemiology, and Health Effects* 91-136.
- Attanoos, RL; Alchami, FS; Pooley, FD; Gibbs, AR. (2016). Usual interstitial pneumonia in asbestos-exposed cohorts - concurrent idiopathic pulmonary fibrosis or atypical asbestosis? *Histopathology.* 69: 492-498.
- Attanoos, RL; Griffiths, DM; Gibbs, AR. (2003). Unusual contaminant fibres on mineral analysis. *Histopathology.* 43: 405-406.
- Attaran, A; Boyd, DR; Stanbrook, MB. (2008). Asbestos mortality: a Canadian export. *Can Med Assoc J.* 179: 871-872.
- Atwal, AS; Sauer, F. (1973). An in vitro study of control mechanisms of gluconeogenesis in beef liver. *International Journal of Biochemistry.* 4: 283-292.
- Auerbach, L. (1977). Use of three optical systems to obtain a microscopic profile of asbestos and other nonopaque particulate matter larger than 5 µm in parenteral drugs. *Journal - Association of Official Analytical Chemists.* 60: 289-296.

Environmental Hazard Literature Search Results

Off Topic

- Aust, AE; Cook, PM; Dodson, RF. (2011). MORPHOLOGICAL AND CHEMICAL MECHANISMS OF ELONGATED MINERAL PARTICLE TOXICITIES. *Journal of Toxicology and Environmental Health-Part B-Critical Reviews*. 14: 40-75.
- Austin, RH; Lim, SF. (2008). The Sackler Colloquium on promises and perils in nanotechnology for medicine. *Proceedings of the National Academy of Sciences of the United States of America*. 105: 17217-17221.
- Avis, KE; Gershenfeld, L. (1955). Bacteria-Excluding Filters for Oils. *Journal of the American Pharmaceutical Association (Scientific ed)*. 44: 682-687.
- Awadalla, FT; Habashi, F; Page, M. Reaction of chrysotile asbestos with phosphate ion in relation to toxicity. *J Chem Tech Biotechnol*. 1990. v. 49 (2): 183-196.
- Ayer, HE; Lynch, JR; Faney, JH. (1965). A comparison of impinger and membrane filter techniques for evaluating air samples in asbestos plants. *Ann N Y Acad Sci*. 132: 274-287.
- Åžahin, S; Bayindirli, L. (1993). The effect of depectinization and clarification on the filtration of sour cherry juice. *Journal of Food Engineering*. 19: 237-245.
- Ä-zgÄ¼n, S; Asker, E; Zeybek, O. (2017). Synthesis, structures and chargeâˆtransfer complexations of 1,n-di-[3,6-di-(9-carbazolyl)-9-carbazolyl]alkanes with tetracyanoethylene and tetranitromethane. *Journal of Molecular Structure*. 1127: 31-42.
- Bâ€šgin, R; Cantin, A. Contributions of experimental asbestosis in sheep to the understanding of asbestosis.
- Bâ€šgin, R; Cantin, A; Massâ€š, S; Câœt; e, Y. Effects of cyclophosphamide treatment in experimental asbestosis.
- Baba, AA; Ibrahim, AS; Bale, RB; Adekola, FA; Alabi, AGF. (2015). Purification of a Nigerian talc ore by acid leaching. *Appl Clay Sci*. 114: 476-483.
- Babu, KA; Lakkad, BC; Nigam, SK; Bhatt, DK; Karnik, AB; Thakore, KN; Kashyap, SK; Chatterjee, SK. (1980). In vitro cytological and cytogenetic effects of an Indian variety of chrysotile asbestos. *Environ Res*. 21: 416-422.
- Bach, D; Schneider, R; Gerthsen, D. (2009). EELS of Niobium and Stoichiometric Niobium-Oxide Phases-Part II: Quantification. *Microsc Microanal*. 15: 524-538.
- Bach, D; Schneider, R; Gerthsen, D; Verbeeck, J; Sigle, W. (2009). EELS of Niobium and Stoichiometric Niobium-Oxide Phases-Part I: Plasmon and Near-Edges Fine Structure. *Microsc Microanal*. 15: 505-523.
- Bach, D; Stormer, H; Schneider, R; Gerthsen, D; Verbeeck, J. (2006). EELS investigations of different niobium oxide phases. *Microsc Microanal*. 12: 416-423.
- Bacon, DW; Coomes, OT; Marsan, AA; Rowlands, N. (1986). Assessing potential sources of asbestos fibers in water supplies of S.E. Quebec. *Water Resour Bull*. 22: 29-38.
- Badollet, MS; Gantt, WA. (1965). Preparation of asbestos fibers for experimental use. *Ann N Y Acad Sci*. 132: 451-455.
- Baek, SC; Kim, YC; Choi, JH; Hong, WH. (2016). Determination of the essential activity elements of an asbestos management system in the event of a disaster and their prioritization. *J Clean Prod*. 137: 414-426.
- Baeten, J; Helsen, J; Deruyttere, A. (1980). Nature, structure, and properties of asbestos cement dust. *Br J Ind Med*. 37: 33-41.
- Baggerman, C; Brandsema, C; Humer, M; Visser, J. (1981). A comparative study on the performance of asbestos-free depth-filters for removal of pyrogens from infusion fluids. *The Journal of pharmacy and pharmacology*. 33: 685-691.
- Baggerman, C; Loos, JA; Junginger, HE. (1985). Endotoxin removal from Large-Volume Parenterals by various adsorbents. *Int J Pharm*. 27: 17-27.
- Bagnich, SA. (1999). Triplet-excitation transport kinetics in ultrathin molecular pores and wires. *Physical Review B*. 60: 11374-11379.
- Bagnich, SA. (2001). Low-dimensional transport of the triplet excitation of chrysene in porous matrices. *Optics and Spectroscopy*. 90: 375-380.
- Bahramian, AR; Kokabi, M. (2009). Ablation mechanism of polymer layered silicate nanocomposite heat shield. *J Hazard Mater*. 166: 445-454.
- Bahramian, AR; Kokabi, M; Famili, MHN; Beheshty, MH. (2008). High temperature ablation of kaolinite layered silicate/phenolic resin/asbestos cloth nanocomposite. *J Hazard Mater*. 150: 136-145.
- Bai, P; Sharratt, P; Yeo, TY; Bu, J. (2014). A facile route to preparation of high purity nanoporous silica from acid-leached residue of serpentine. *Part Fibre Toxicol*. 14: 6915-6922.
- Bai, W; Raghavendra, A; Podila, R; Brown, JM. (2016). Defect density in multiwalled carbon nanotubes influences ovalbumin adsorption and promotes macrophage activation and CD4(+) T-cell proliferation. *Int J Nanomedicine*. 11: 4357-4371.
- Bailey, DA; Bailey, LA. (1991). On-site chemical awareness. *Asbestos Issues*. 4: 18-20.
- Bailey, S. (1983). Asbestos seminars by independent environmental pollution consultants. *The Environmentalist*. 3: 312-313.
- Bakdash, MB; Frydman, A. (1976). Asbestos in periodontal dressings: a possible health hazard. *Quintessence international, dental digest*. 7: 61-65.
- BalÃiti, Bt; lost, N; Simon, J; VarrÃ³, As; Papp, JG. (2000). Analysis of the electrophysiological effects of ambasilide, a new antiarrhythmic agent, in canine isolated ventricular muscle and Purkinje fibers. *General Pharmacology: The Vascular System*. 34: 85-93.
- Balaiya, S; Ferguson, LR; Chalam, KV. (2012). Evaluation of Sirtuin Role in Neuroprotection of Retinal Ganglion Cells in Hypoxia. *Investigative Ophthalmology & Visual Science*. 53: 4315-4322.
- Balan, E; Mauri, F; Lemaire, C; Brouder, C; Guyot, F; Saitta, AM; Devouard, B. (2002). Multiple ionic-plasmon resonances in naturally occurring multiwall nanotubes: Infrared spectra of chrysotile asbestos. *Physical Review Letters*. 8917: 7401-7401.
- Balducci, D; Valerio, F. (1986). Qualitative and quantitative evaluation of chrysotile and crocidolite fibers with IR-spectroscopy: application to asbestos-cement products. *Cell Biol Toxicol*. 27: 315-323.
- Baldwin, TO; Holzman, TF; Holzman, RB; Riddle, VA. (1986). [9] Purification of bacterial luciferase by affinity methods. *Methods Enzymol*98-108.
- Bales, RC; Morgan, JJ. (1985). SURFACE CHARGE AND ADSORPTION PROPERTIES OF CHRYSOTILE ASBESTOS IN NATURAL WATERS. *Environ Sci Technol*. 19: 1213-1219.
- Ball, JD. (1970). Pleural abnormalities and asbestos exposure (B.T.T.A. research committee report). *Tubercle*. 51: 340.

Environmental Hazard Literature Search Results

Off Topic

- Balucan, RD; Dlugogorski, BZ. (2013). Thermal Activation of Antigorite for Mineralization of CO(2). *Environmental Science & Technology*. 47: 182-190.
- Barabe, J; Sirois, P; St. Pierre, S. (1984). Evidence for the activation of the kallikrein-kinin system in experimental asbestosis. *Research Communications in Molecular Pathology and Pharmacology*. 44: 93-98.
- Baram, D; Degene, A; Amin, O; Bilfinger, T; Smaldone, G. (2004). A case of hypercapnic respiratory failure. *Chest*. 126: 1994-1999.
- Barbeau, C; Dupuis, M; Roy, JC. (1985). Metallic elements in crude and milled chrysotile asbestos from Quebec. *Environ Res*. 38: 275-282.
- Barchowsky, A; Lannon, BM; Elmore, LC; Treadwell, MD. (1997). Increased focal adhesion kinase- and urokinase-type plasminogen activator receptor-associated cell signaling in endothelial cells exposed to asbestos. *Environ Health Perspect*. 105: 1131-1137.
- Barchowsky, A; Roussel, RR; Krieser, RJ; Mossman, BT; Treadwell, MD. (1998). Expression and activity of urokinase and its receptor in endothelial and pulmonary epithelial cells exposed to asbestos. *Toxicol Appl Pharmacol*. 152: 388-396.
- Barclay, WR. (1984). Landmark perspective: Asbestos. An industrial asset with a health cost. *JAMA*. 252: 96.
- Barlow, PG; Donaldson, K; MacCallum, J; Clouter, A; Stone, V. (2005). Serum exposed to nanoparticle carbon black displays increased potential to induce macrophage migration. *Toxicol Lett*. 155: 397-401.
- Barnes, R. (1983). Compensable asbestos-related disease in New South Wales. *The Medical journal of Australia*. 2: 221-224.
- Baron, L; Gombault, A; Fanny, M; Villeret, B; Savigny, F; Guillou, N; Panek, C; Le Bert, M; Lagente, V; Rassendren, F; Riteau, N; Couillin, I. (2015). The NLRP3 inflammasome is activated by nanoparticles through ATP, ADP and adenosine. *Cell Death & Disease*. 6: E1629-E1629.
- Baron, PA; Deye, GJ. (1990). Electrostatic effects in asbestos sampling I: Experimental measurements. *Am Ind Hyg Assoc J*. 51: 51-62.
- Baron, PA; Deye, GJ. (1990). Electrostatic effects in asbestos sampling II: Comparison of theory and experiment. *Am Ind Hyg Assoc J*. 51: 63-69.
- Baron, PA; Shulman, SA. (1987). EVALUATION OF THE MAGISCAN IMAGE ANALYZER FOR ASBESTOS FIBER COUNTING. *Am Ind Hyg Assoc J*. 48: 39-46.
- Barratt, RS. (1978). Ambient asbestos levels in perspective. *Royal Society of Health journal*. 98: 25-26, 49-50.
- Barrett, EG; Johnston, C; Oberdorster, G; Finkelstein, JN. (1999). Silica binds serum proteins resulting in a shift of the dose-response for silica-induced chemokine expression in an alveolar type II cell line. *Toxicol Appl Pharmacol*. 161: 111-122.
- Barrett, JC. (1984). CELL TRANSFORMATION STATE-OF-THE-ART. *Beck, E G And J Bignon*. 0: 171-176.
- Barrett, JC; Oshimura, M; Tanaka, N; Tsutsui, T. (1985). ROLE OF ANEUPLOIDY IN EARLY AND LATE STAGES OF NEOPLASTIC PROGRESSION OF SYRIAN HAMSTER EMBRYO CELLS IN CULTURE. *Dellarco*25-29.
- Bar-Shai, A; Tiran, B; Topilsky, M; Greif, J; Fomin, I; Schwarz, Y. (2012). Continued progression of asbestos-related respiratory disease after more than 15 years of non-exposure. *The Israel Medical Association journal : IMAJ*. 14: 560-565.
- Bartosiewicz, L. (1973). Improved techniques of identification and determination of airborne asbestos. *Am Ind Hyg Assoc J*. 34: 252-259.
- Bartosova, M; Glovinova, E; Povolny, D. (1997). Use of flesh-flies (Diptera, Sarcophagidae) for ecotoxicological bioindication. *Ekologia (Bratislava)/Ecology (Bratislava)*. 16: 319-322.
- Bartrip, P. (1998). Too little, too late? The home office and the asbestos industry regulations, 1931. *Medical history*. 42: 421-438.
- Barzanti, R; Colzi, I; Arnetoli, M. (2011). Cadmium phytoextraction potential of different Alyssum species. *Nat Nanotechnol*.
- Basu, DK; Saxena, J; Stoss, FW; Santodonato, J; Neal, MW. (1987). Comparison of Drinking Water Mutagenicity with Leaching of Polycyclic Aromatic Hydrocarbons from Water Distribution Pipes. *Chemosphere CMSHAF Vol 16, Nos 10-12, p 2592-2612, 1987 1 fig, 5 tab, 31 ref US EPA Grant R806413*.
- Bateman, ED; Benatar, SR. (1987). Asbestos-induced diseases: clinical perspectives. *The Quarterly journal of medicine*. 62: 183-194.
- Bateman, ED; Emerson, RJ; Cole, PJ. (1982). A study of macrophage-mediated initiation of fibrosis by asbestos and silica using a diffusion chamber technique. *Br J Exp Pathol*. 63: 414-425.
- Bates, DV. (1979). Community air pollution in Canada: a review and predictions for the 1980s. *Can Med Assoc J*. 120: 1252-1256.
- Bates, TF; Sand, LB; Mink, JF. (1950). Tubular crystals of chrysotile asbestos. *Science (New York, NY)*. 111: 512-513.
- Bateson, C. (1992). Results of a survey designed to determine the scientific and economic benefits of asbestos abatement. *Am Ind Hyg Assoc J*. 53: 381-386.
- Batterman, AR; Cook, PM. Determination of mineral fiber concentrations in fish tissues. *Canadian journal of fisheries and aquatic sciences* =.
- Battigelli, A; Menard-Moyon, C; Da Ros, T; Prato, M; Bianco, A. (2013). Endowing carbon nanotubes with biological and biomedical properties by chemical modifications. *Adv Drug Deliv Rev*. 65: 1899-1920.
- Bauge, SMY; Lavkulich, LM; Schreier, HE. (2013). Serpentine affected soils and the formation of magnesium phosphates (struvite). *Can J Soil Sci*. 93: 161-172.
- Bazas, T. (1987). Pleural effects of tremolite in north-west Greece. *Lancet (London, England)*. 1: 1490-1491.
- Bechert, U; Christensen, JM; Nguyen, C; Neelkant, R; Bendas, E. (2008). Pharmacokinetics of orally administered phenylbutazone in African and Asian elephants (*Loxodonta africana* and *Elephas maximus*). *Journal of Zoo and Wildlife Medicine*. 39: 188-200.
- Beck, EG. (1976). Interaction between fibrous dust and cells in vitro. *Annales d'anatomie pathologique*. 21: 227-236.
- Beck, EG; Holt, PF; Manojlovi. (1972). Comparison of effects on macrophage cultures of glass fibre, glass powder, and chrysotile asbestos. *Br J Ind Med*. 29: 280-286.
- Beck, EG; Holt, PF; Nasrallah, ET. (1971). Effects of chrysotile and acid-treated chrysotile on macrophage cultures. *Br J Ind Med*. 28: 179-185.
- Beckett, ST; Gylseth, B; Krantz, S; Paris, IM; Schneider, T. (1979). An exchange of membrane filter samples of airborne asbestos between one United Kingdom and three Scandinavian laboratories. *Scandinavian journal of work, environment & health*. 5: 42-49.
- Beckett, ST; Paris, I; Attfield, MD. (1980). The effect of non-asbestos fibres and sample fibre density on the agreement between laboratories evaluating membrane filter samples of airborne asbestos dust. *Atmos Environ (1967)*. 14: 565-569.

Environmental Hazard Literature Search Results

Off Topic

- Becklake, MR. (1985). Use of information: environmental standards, assessments of risk, prevention and clinical implications. *The Medical journal of Australia*. 143: 63-64.
- Becklake, MR. (1987). Control of asbestos-related disease in the RSA. *South African medical journal = Suid-Afrikaanse tydskrif vir geneeskunde*. 71: 208-210.
- Becklake, MR; Liddell, FD; Manfreda, J; McDonald, JC. (1979). Radiological changes after withdrawal from asbestos exposure. *Br J Ind Med*. 36: 23-28.
- Beech, JA. (1992). Cell proliferation and carcinogenesis may share a common basis of permeable plasma membrane clusters. *Med Hypotheses*. 38: 208-214.
- Been, A. Greening South Africa: I. Asbestos tailings. Restoration & management notes. Summer 1990. v. 8 (1): 14-22.
- Been, A. (1992). Greening South Africa: I. Asbestos tailings. *Biological Conservation*. 59: 83.
- Begin, R; Christman, JW. (2002). The "gold standard" for past asbestos exposure. *Am J Respir Crit Care Med*. 165: 134-134.
- Begin, R; Dufresne, A; Cantin, A; Masse, S; Sebastien, P; Perrault, G. (1989). Carborundum pneumoconiosis. Fibers in the mineral activate macrophages to produce fibroblast growth factors and sustain the chronic inflammatory disease. *CHEST*. 95: 842-849.
- Begin, R; Masse, S; Sebastien, P; Bosse, J; Rola-Pleszczynski, M; Boctor, M; Cote, Y; Fabi, D; Dalle, D. (1986). ASBESTOS EXPOSURE AND RETENTION AS DETERMINANTS OF AIRWAY DISEASE AND ASBESTOS ALVEOLITIS. *Am Rev Respir Dis*. 134: 1176-1181.
- Beille, J; Beierlein, U; Dumas, J; Schlenker, C; Groult, D. (2001). Pressure effect on the charge density wave instabilities in the quasi-two-dimensional conductors $(\text{PO}(2))_4(\text{WO}(3))_2m$ ($m=4, 5, 6$) and $\text{eta-Mo}(4)\text{O}(11)$. *Journal of Physics-Condensed Matter*. 13: 1517-1527.
- Belanger, SE; Cherry, DS; Cairns, JJR; McGuire, MJ. (1987). USING ASIATIC CLAMS AS A BIOMONITOR FOR CHRYSOTILE ASBESTOS IN PUBLIC WATER SUPPLIES. *Am Water Works Assoc J*. 79: 69-74.
- Belardi, G; Piga, L. (2013). Influence of calcium carbonate on the decomposition of asbestos contained in end-of-life products. *Thermochim Acta*. 573: 220-228.
- Belardi, G; Vignaroli, G; Plescia, P; Passeri, L. (2013). The assessment of particulate matter emitted from stone-crushing industry by correlating rock textures with particles generated after comminution and dispersed in air environment. *Environ Sci Pollut Res Int*. 20: 4711-4728.
- Bellmann, B; KÄ¶nig, H; Muhle, H; Pott, F. (1986). Chemical durability of asbestos and of man-made mineral fibres in vivo. *J Aerosol Sci*. 17: 341-345.
- Bellmann, B; Schaeffer, HA; Muhle, H. (2010). Impact of variations in the chemical composition of vitreous mineral fibers on biopersistence in rat lungs and consequences for regulation. *Inhal Toxicol*. 22: 817-827.
- Bellows, JG. (1978). Environmental health hazards. *Compr Ther*. 4: 3-4.
- Bell-Parikh, LC; Guengerich, FP. (1999). Kinetics of cytochrome P450 2E1-catalyzed oxidation of ethanol to acetic acid via acetaldehyde. *J Biol Chem*. 274: 23833-23840.
- Belotitskii, VI; Kumzerov, YA; Fokin, AV. (2009). Generation of second optical harmonic in a macroscopic array of parallel nanowires. *Optics and Spectroscopy*. 107: 460-463.
- Belrose, JS. (2002). Reginald Aubrey Fessenden and the birth of wireless telephony. *Ieee Antennas and Propagation Magazine*. 44: 38-47.
- Belt, TH; Friedmann, I; King, EJ. (1947). The effect of asbestos on tissue cultures; a comparative study with quartz and coal dust. *The Journal of pathology and bacteriology*. 59: 159-164.
- Benarde, MA. (1991). Assessment of low level asbestos exposure in the urban environment. *J R Soc Health*. 111: 54-56.
- Benarie, MM. (1980). Asbestos " Properties, applications and hazards: Volume 1, edited by L. Michaels and S. S. Chissick, John Wiley and Sons, New York and Chichester, 1979, 553 p. Price: US \$ 25.00. *Sci Total Environ*. 14: 104.
- Benko, S; Philpott, DJ; Girardin, SE. (2008). The microbial and danger signals that activate Nod-like receptors. *Cytokine*. 43: 368-373.
- Bennett, G. (1990). Asbestos engineering, management and control : By K.F. Cherry, Lewis Publishers, Chelsea, MI, 1984, ISBN No. 0-87371-110-6, 265 pp., \$49.95. *J Hazard Mater*. 24: 92-93.
- Bennett, LT; Weston, CJ; Judd, TS; Attiwill, PM; Whiteman, PH. (1996). The effects of fertilizers on early growth and foliar nutrient concentrations of three plantation eucalypts on high quality sites in Gippsland, southeastern Australia. *Forest Ecology and Management*. 89: 213-226.
- Benoit, RJ. (1987). What's wrong with the environment? *Ann N Y Acad Sci*. 502: 1-20.
- Benvenuto, M; Mattera, R; Taffera, G; Giganti, MG; Lido, P; Masuelli, L; Modesti, A; Bei, R. (2016). The Potential Protective Effects of Polyphenols in Asbestos-Mediated Inflammation and Carcinogenesis of Mesothelium. *Nutrients*. 09.
- Berg, G. (1974). Water pollution. Microbiology--detection, occurrence, and removal of viruses. *Journal - Water Pollution Control Federation*. 46: 1408-1413.
- Berg, GG; Bayes, PE; Morgan, RG. (2008). Asset retirement obligations: a reporting concern for healthcare facilities. *Healthcare financial management : journal of the Healthcare Financial Management Association*. 62: 110-112, 114, 116.
- Berg, R. (2004). When science crosses politics, I: The case of naturally occurring asbestos. *J Environ Health*. 66: 31-39.
- Berger, M; de Hazen, M; Nejjar, A; Fournier, J; Guignard, J; Pezerat, H; Cadet, J. (1993). Radical oxidation reactions of the purine moiety of 2'-deoxyribonucleosides and DNA by iron-containing minerals. *Carcinogenesis*. 14: 41-46.
- Bergeron, T. (1963). The possible role of snowdrift in building up high inland ice-sheets. *Progress in Oceanography*. 3: 385-390.
- Berghmans, P; Injuk, J; Van Grieken, R; Adams, F. (1994). Microanalysis of atmospheric particles and fibres by electron energy loss spectroscopy, electron spectroscopic imaging and scanning proton microscopy. *Anal Chim Acta*. 297: 27-42.
- Beriti, Dimov, D; Bunarevi; Sondi; Sirec, A. (1971). Asbestos and ferruginous bodies. *Arh Hig Rada Toksikol*. 22: 317-322.
- Beriti; Kovac, S. (1985). Asbestos-related disease without asbestosis--why not pleural asbestosis? *Am J Ind Med*. 8: 517-520.

Environmental Hazard Literature Search Results

Off Topic

- Berken, A; Abel, J; Unfried, K. (2003). beta 1-integrin mediates asbestos-induced phosphorylation of AKT and ERK1/2 in a rat pleural mesothelial cell line. *Oncogene*. 22: 8524-8528.
- Berlinger, NT. (1982). Inhalant granulomas: Silicosis, asbestosis, berylliosis. *OTOLARYNGOL CLIN NORTH AM*. 15: 561-566.
- Berman, DW. (2010). Reply to Letter to the Editor: "Comparing milled fiber, Quebec ore, and textile factory dust: Has another piece of the asbestos puzzle fallen into place?" by D. Wayne Berman. *Crit Rev Toxicol*. 40: 752-757.
- Berman, DW; Cox, LA; Popken, DA. (2013). A cautionary tale: The characteristics of two-dimensional distributions and their effects on epidemiological studies employing an ecological design. *Crit Rev Toxicol*. 43: 1-25.
- Berman, DW; Cox, LA, Jr.; Popken, DA. (2013). Resisting the urge to act on random patterns: a reply to Schenker et al. *Crit Rev Toxicol*. 43: 609-610.
- Bernstein; Donaldson; Decker; Gaering; Kunzendorf; Chevalier; Holm. (2012). A Biopersistence Study following Exposure To Chrysotile Asbestos Alone or in Combination with Fine Particles (vol 20, pg 1009, 2008). *Inhal Toxicol*. 24: 80-80.
- Bernstein, D; Castranova, V; Donaldson, K; Fubini, B; Hadley, J; Hesterberg, T; Kane, A; Lai, D; McConnell, EE; Muhle, H; Oberdorster, G; Olin, S; Warheit, DB; Ilsi, RSIWG. (2005). Testing of fibrous particles: short-term assays and strategies. *Inhal Toxicol*. 17: 497-537.
- Bernstein, D; Dunnigan, J; Hesterberg, T; Brown, R; Velasco, JAL; Barrerao, R; Hoskins, J; Gibbs, A. (2013). Response to Murray M. Finkelstein, letter to the editor re Bernstein et al: Health risk of chrysotile revisited. *Crit Rev Toxicol*, 2013; 43(2): 154-183. *Crit Rev Toxicol*. 43: 709-710.
- Bernstein, DM. (2014). The health risk of chrysotile asbestos. *Curr Opin Pulm Med*. 20: 366-370.
- Bernstein, IL; Moteff, J. (1976). Possible asbestos hazards in clinical allergy. *The Journal of allergy and clinical immunology*. 57: 489-492.
- Berry, G; Gilson, JC; Holmes, S; Lewinsohn, HC; Roach, SA. (1979). Asbestosis: a study of dose-response relationships in an asbestos textile factory. *Br J Ind Med*. 36: 98-112.
- Berry, G; Lewinsohn, HC. (1979). Dose-response relationships for asbestos-related disease; implications for hygiene standards. Part I. Morbidity. *Ann N Y Acad Sci*. 330: 185-194.
- Berry, J. (1990). EPA and asbestos removal. *Science (New York, NY)*. 248: 1595.
- Bevan, DR; Manger, WE. (1985). Effect of particulates on metabolism and mutagenicity of benzo[a]pyrene. *Chem Biol Interact*. 56: 13-28.
- Bevan, DR; Riemer, SC; Lakowicz, JR. (1981). Effects of particulate matter on rates of membrane uptake of polynuclear aromatic hydrocarbons. *J Toxicol Environ Health*. 8: 241-250.
- Bey, E; Harington, JS. (1971). Cytotoxic effects of some mineral dusts on Syrian hamster peritoneal macrophages. *The Journal of experimental medicine*. 133: 1149-1169.
- Bezuidenhout, JJ; Liebenberg, D; Claassens, S; Van Rensburg, L. (2013). Application of evolutionary algorithms to develop a rule set for assessing the rehabilitation status of asbestos mines in South Africa. *Environ Earth Sci*. 70: 3267-3275.
- Bhardwaj, N; Lu, H. (2007). Residue-level prediction of DNA-binding sites and its application on DNA-binding protein predictions. *FEBS Lett*. 581: 1058-1066.
- Bharel, S; Colovos, C; Ngai, DA; Adusumilli, PS. (2010). Slumdog's silent killer. *The National medical journal of India*. 23: 305-306.
- Bhatta, R; Swain, N; Verma, DL; Singh, NP. (2004). Studies on feed intake and nutrient utilization of sheep under two housing systems in a semi-arid region of India. *Asian-Australasian Journal of Animal Sciences*. 17: 814-819.
- Bhatta, R; Swain, N; Verma, DL; Singh, NP. (2005). Effect of housing on physiological responses and energy expenditure of sheep in a semi-arid region of India. *Asian-Australasian Journal of Animal Sciences*. 18: 1188-1193.
- Bhatta, R; Vaithyanathan, S; Shinde, AK; Jakhmola, RC. (2005). Effect of feeding complete feed block containing *Prosopis cineraria* leaves and polyethylene glycol (PEG)-6000 on nutrient intake, its utilization, rumen fermentation pattern and rumen enzyme profile in kids. *J Sci Food Agric*. 85: 1788-1794.
- Bhattacharya, K; Andon, FT; El-Sayed, R; Fadeel, B. (2013). Mechanisms of carbon nanotube-induced toxicity: Focus on pulmonary inflammation. *Adv Drug Deliv Rev*. 65: 2087-2097.
- Bhattacharya, S; John, PJ; Ledwani, L. (2016). Fungal weathering of asbestos in semi arid regions of India. *Ecotoxicol Environ Saf*. 124: 186-192.
- Bhuiyan, AA; Naser, J. (2015). Computational modelling of co-firing of biomass with coal under oxy-fuel condition in a small scale furnace. *Fuel*. 143: 455-466.
- Biagi, R; Fernandez-Rodriguez, J; Gonidec, M; Mirone, A; Corradini, V; Moro, F; De Renzi, V; del Pennino, U; Cezar, JC; Amabilino, DB; Veciana, J. (2010). X-ray absorption and magnetic circular dichroism investigation of bis(phthalocyaninato)terbium single-molecule magnets deposited on graphite. *Physical Review B*. 82: 4406-4406.
- Bianchi, C; Bianchi, T. (2014). Asbestos risk in archaeology. *Med Lav*. 105: 158.
- Bianconi, A; Davoli, I; Alemã, S; Castellani, I; Fasella, P; Oesch, B. (1980). High and low affinity Ca⁺⁺ binding sites in troponin-C studied by synchrotron radiation. *Inorganica Chimica Acta*. 40: X111-X112.
- Bickmeyer, U; Drechsler, C; Koeck, M; Assmann, M. (2004). Brominated pyrrole alkaloids from marine *Agelas* sponges reduce depolarization-induced cellular calcium elevation. *Toxicol*. 44: 45-51.
- Bignon, J. Assessment of the toxicity of man-made fibres. A final report of a workshop held in Paris, France 3-4 February 1994.
- Bignon, J. Introduction: INSERM-IARC-CNRS workshop on biopersistence of respirable synthetic fibers and minerals.
- Binette, MB; Binette, JP. (1987). A method of airborne asbestos fiber collection. *Am Ind Hyg Assoc J*. 48: A332-333.
- Biscaye, PE. (1974). Deep sea sedimentation. *Environ Health Perspect*. 9: 177-178.
- Bishop, K; Ring, SJ; Zoltai, T; Manos, CG; Ahrens, VD; Lisk, DJ. (1985). Identification of asbestos and glass fibers in municipal sewage sludges. *Bull Environ Contam Toxicol*. 34: 301-308.

Environmental Hazard Literature Search Results

Off Topic

- Bissonnette, E; Dubois, C; Rola-Pleszczynski, M. (1986). PERTURBATION OF IMMUNE RESPONSES BY ASBESTOS FIBERS IN THE MOUSE. 23rd National Meeting Of The Reticuloendothelial Society, Denver, Colo, Usa, Sept. 40: 309.
- Biswal, J; Paul, J; Naik, DB; Sarkar, SK; Sabharwal, S. (2013). Radiolytic degradation of 4-nitrophenol in aqueous solutions: Pulse and steady state radiolysis study. *Radiation physics and chemistry*. 85: 161-166.
- Black, B; Szeinuk, J; Whitehouse, AC; Levin, SM; Henschke, CI; Yankelevitz, DF; Flores, RM. (2014). Rapid progression of pleural disease due to exposure to Libby amphibole: "Not your grandfather's asbestos related disease". *Am J Ind Med*. 57: 1197-1206.
- Blanchette, RA; Held, BW; Jurgens, JA; Aislabie, J; Duncan, S; Farrell, RL. (2004). Environmental pollutants from the Scott and Shackleton expeditions during the 'Heroic Age' of Antarctic exploration. *Polar Rec (Gr Brit)*. 40: 143-151.
- Bleckman, J. (1989). How to pick asbestos-removal contractors. *Health Facil Manage*. 2: 18-21.
- Block, J; Petrakis, L; Dolher, LE; Myers, DF; Hegedus, LL; Webster, RP; Kukacka, LE. (2000). A novel approach for the in-situ chemical elimination of chrysotile from asbestos-containing fireproofing materials. *Environmental Science & Technology*. 34: 2293-2298.
- Blount, AM; Vassiliou, AH. (1983). Identification of chlorite and serpentine in cosmetic or pharmaceutical talc. *Environ Health Perspect*. 51: 379-385.
- Boatman, ES; Merrill, T; O'Neill, A; Polissar, L; Millette, JR. (1983). Use of quantitative analysis of urine to assess exposure to asbestos fibers in drinking water in the Puget Sound region. *Environ Health Perspect*. 53: 131-141.
- Boehme, DS; Maples, KR; Henderson, RF. (1992). Glutathione release by pulmonary alveolar macrophages in response to particles in vitro. *Toxicol Lett*. 60: 53-60.
- Boelter, FW; Persky, JD; Podraza, DM; Bullock, WH. (2016). Characterizing and Communicating Risk with Exposure Reconstruction and Bayesian Analysis: Historical Locomotive Maintenance/Repair Associated with Asbestos Woven Tape Pipe Lagging. *Risk analysis : an official publication of the Society for Risk Analysis*. 36: 228-243.
- Boev, B; Stafilov, T; Baceva, K; Sorsa, A; Boev, I. (2013). Influence of a nickel smelter plant on the mineralogical composition of attic dust in the Tikves Valley, Republic of Macedonia. *Environ Sci Pollut Res Int*. 20: 3781-3788.
- Bolton, RE; Addison, J; Davis, JMG; Donaldson, K; Jones, AD; Miller, BG; Wright, A. (1986). Effects of the inhalation of dusts from calcium silicate insulation materials in laboratory rats. *Environ Res*. 39: 26-43.
- Bolton, RE; Davis, JMG; Lamb, D. (1982). The pathological effects of prolonged asbestos ingestion in rats. *Environ Res*. 29: 134-150.
- Bonar, GM; Leitch, PA. In-house asbestos management. *Pulp & paper Canada*. Dec 1991. v. 92 (12): 131-133.
- Bondino, F; Brinkman, A; Zangrando, M; Carbone, F; van der Marel, D; Schlagel, DL; Lograsso, TA; Gschneidner, KA; Pecharsky, VK; Parmigiani, F. (2007). Experimental investigation of the electronic structure of Gd(5)Ge(2)Si(2) by photoemission and x-ray absorption spectroscopy. *Journal of Physics-Condensed Matter*. 19: 86219-86219.
- Bonneau, L; Malard, C; Pezerat, H. (1986). Studies on surface properties of asbestos. II. Role of dimensional characteristics and surface properties of mineral fibers in the induction of pleural tumors. *Environ Res*. 41: 268-275.
- Bonneau, L; Suquet, H; Malard, C; Pezerat, H. (1986). Studies on surface properties of asbestos. I. Active sites on surface of chrysotile and amphiboles. *Environ Res*. 41: 251-267.
- Bonner, JC; Brody, AR. (1991). Asbestos-induced alveolar injury. Evidence for macrophage-derived PDGF as a mediator of the fibrogenic response. *Chest*. 99: 54S-55S.
- Boraschi, P; Neri, S; Braccini, G; Gigoni, R; Leoncini, B; Perri, G. (1999). Magnetic resonance appearance of asbestos-related benign and malignant pleural diseases. *Scandinavian journal of work, environment & health*. 25: 18-23.
- Borcherding, J; Maw, SK; Tauber, S. (2000). Growth of 0+perch (*Perca fluviatilis*) predating on 0+bream (*Abramis brama*). *Ecology of Freshwater Fish*. 9: 236-241.
- Borm, PJ; Schins, PF. (1993). Lymphocyte subsets in subjects exposed to asbestos: changes in circulating natural killer cells. *Br J Ind Med*. 50: 575.
- Borovoi, NA; Kmetsinskaya, NA; Surzhko, VF; Shiyankovskii, VI. (2002). High-resolution X-ray emission L alpha(1) and L beta(2) spectra of Hf, Ta, W, Re, and Os. *Optics and Spectroscopy*. 93: 345-350.
- Borovoy, NA. (2009). M alpha and M beta X-ray emission spectra of Au atoms upon photoionization of L subshells. *Optics and Spectroscopy*. 107: 25-32.
- Botham, SK; Holt, PF. (1968). The mechanism of formation of asbestos bodies. *The Journal of pathology and bacteriology*. 96: 443-453.
- Bottome, RS. (1991). Preservationism versus removalism. *Asbestos Issues*. 4: 52-53.
- Bouchard, C; Beauchamp, G; Nguon, S; Trudel, L; Milord, F; Lindsay, LR; BÃ©langer, D; Ogden, NH. (2011). Associations between Ixodes scapularis ticks and small mammal hosts in a newly endemic zone in southeastern Canada: Implications for *Borrelia burgdorferi* transmission. *Ticks and Tick-borne Diseases*. 2: 183-190.
- Boudard, D; Forest, V; Pourchez, J; Tomatis, M; Guilhot, B. In vitro cellular responses to silicon carbide particles manufactured through the Acheson process: impact of physico-chemical features on pro-inflammatory and pro-oxidative effects.
- Boulard, JC; Hanslik, T; Doleris, LM; Prinseau, J; Baglin, A. (1995). Asbestos and idiopathic retroperitoneal fibrosis. *Lancet (London, England)*. 345: 1379.
- Bowden, DH. (1971). The alveolar macrophage. *Current topics in pathology Ergebnisse der Pathologie*. 55: 1-36.
- Bowden, DH. (1973). The alveolar macrophage and its role in toxicology. *CRC Crit Rev Toxicol*. 2: 95-124.
- Bowers, MH. (1992). Stabilization and a multimedia cap for a doe mixed waste site. *Remediation*. 2: 311-319.
- Bowes, DR. (1974). Identification and quantitation of microparticles in solid materials. *Environ Health Perspect*. 9: 125-127.
- Bowkett, LA; Kirkpatrick, JB. (2003). Ecology and conservation of remnant *Melaleuca ericifolia* stands in the Tamar Valley, Tasmania. *Australian Journal of Botany*. 51: 405-413.

Environmental Hazard Literature Search Results

Off Topic

- Boyd, GR; Wang, H; Britton, MD; Howie, DC; Wood, DJ; Funk, JE; Friedman, MJ. (2004). Intrusion within a simulated water distribution system due to hydraulic transients. II: Volumetric method and comparison of results. *Journal of Environmental Engineering-Asce*. 130: 778-783.
- Bozelka, BE; Salvaggio, JE. Immunomodulation by environmental contaminants: asbestos, cadmium, and halogenated biphenyls: a review. *Environmental carcinogenesis review : Part C of the journal of environmental science and health*. 1985. v. 3 (1): 1-62.
- Brabec, DL; Maghirang, RG; Casada, ME. (2004). Effectiveness of a high-pressure water-fogging system in controlling dust emissions at grain receiving. *Transactions of the Asae*. 47: 505-511.
- Bradbury, KK; Evans, JP; Chester, JS; Chester, FM; Kirschner, DL. (2011). Lithology and internal structure of the San Andreas fault at depth based on characterization of Phase 3 whole-rock core in the San Andreas Fault Observatory at Depth (SAFOD) borehole. *Earth Planet Sci Lett*. 310: 131-144.
- Braicovich, L; Tagliaferri, A; Annese, E; Ghiringhelli, G; Dallera, C; Fracassi, F; Palenzona, A; Brookes, NB. (2007). Spectroscopy of strongly correlated systems: Resonant x-ray scattering without energy resolution in the scattered beam. *Physical Review B*. 75: 3104-3104.
- Branco, S; Ree, RH. (2010). Serpentine soils do not limit mycorrhizal fungal diversity. *PLoS ONE*. 5: e11757.
- Brandi, G; Nobili, E; Di Girolamo, S; Grazi, G; Fiorentino, M; Golfieri, R; Biasco, G. (2009). Nanotechnology-Related Environment, Health, and Safety Research. *Environ Health Perspect*. 117: A433-A434.
- Brandt, MJ; Johnson, KM; Elphinston, AJ; Ratnayaka, DD. (2017). Chapter 17 - Pipeline Design and Construction. *Twort's Water Supply (Seventh Edition)* Boston 693-742.
- Bratteler, M; Lexer, C. A genetic linkage map of *Silene vulgaris* based on AFLP markers.
- Braun, DC; DeTreville, RT. (1972). Comment on McDonald et al's study on mortality in asbestos industry. *Arch Environ Health*. 24: 294-295.
- Brenner, S; Anavi, Z. (1986). Review of the Israeli Technical Committee for Asbestos. *Am J Ind Med*. 10: 527-532.
- Brennom, EF. (1973). Technic for creating disposable inlay rings. *Dental survey*. 49: 40-41.
- Bresnick, E. (1983). The price of progress or Pandora's purse. *Biochem Pharmacol*. 32: 1331-1336.
- Breyse, PA. (1991). ACGIH TLVs: a critical analysis of the documentation. *Am J Ind Med*. 20: 423-430.
- Bridle, J; Hoskins, J. (2011). Canadian hypocrisy regarding chrysotile. *Lancet*. 377: 720-720.
- Bridle, J; Hoskins, J. (2011). Canadian hypocrisy regarding chrysotile (vol 377, pg 720, 2011). *Lancet*. 377: 1836-1836.
- Brimms, FJ; Arif, M; Chauhan, AJ. (2012). Outcomes and complications following medical thoracoscopy. *The clinical respiratory journal*. 6: 144-149.
- Britton, DC. (1976). Letter: Exposure to asbestos dust. *Br Med J*. 2: 175.
- Brodeur, P. (1981). The asbestos hazard. *Food Cosmet Toxicol*. 19: 496-497.
- Brodin, CA; Balmes, J; Redlich, CA; Cullen, MR. (2006). Residential proximity to naturally occurring asbestos: Health risk or ecological fallacy? *Am J Respir Crit Care Med*. 173: 573-573.
- Brody, AR; Hill, L. (1984). THE TARGET CELLS OF INHALED MINERAL DUSTS. *Beck, E G And J Bignon*. 0: 53-58.
- Brody, AR; Hill, LH. (1981). Deposition pattern and clearance pathways of inhaled chrysotile asbestos. *Chest*. 80: 64-67.
- Brody, AR; Hill, LH. (1983). Interactions of chrysotile asbestos with erythrocyte membranes. *Environ Health Perspect*. 51: 85-89.
- Brody, AR; Hill, LH; Adkins, B, Jr.; O'Connor, RW. (1981). Chrysotile Asbestos Inhalation in Rats: Deposition Pattern and Reaction of Alveolar Epithelium and Pulmonary Macrophages. *Am J Respir Crit Care Med*. 123: 670-679.
- Brody, AR; Hill, LH; Stirewalt, WS; Adler, KB. (1983). Actin-containing microfilaments of pulmonary epithelial cells provide a mechanism for translocating asbestos to the interstitium. *Chest*. 83: 115-125.
- Brody, AR; McGavran, PD; Overby, LH. (1989). Brief inhalation of chrysotile asbestos induces rapid proliferation of bronchiolar-alveolar epithelial and interstitial cells. *IARC Sci Publ*. 90: 93-99.
- Brody, AR; Warheit, DB; Chang, LY; Roe, MW; George, G; Hill, LH. (1984). Initial deposition pattern of inhaled minerals and consequent pathogenic events at the alveolar level. *Ann N Y Acad Sci*. 428: 108-120.
- Brokenbrow, B; Sims, D; Stokoe, AL. Asbestos fillers in rubber. *Rubber journal*. Oct 1969, 151 (10): 61, 64, 66, 68, 70, 74, 76.
- Brorby; Sheehan; Berman; Green; Holm. (2012). Re-Creation of Historical Chrysotile-Containing Joint Compounds (vol 20, pg 1043, 2008). *Inhal Toxicol*. 24: 80-80.
- Brown, A. (1974). Lymphohematogenous spread of asbestos. *Environ Health Perspect*. 9: 203-204.
- Brown, AL. (1986). Prediction in the face of uncertainty: the United States versus Reserve Mining Company. *Regulatory toxicology and pharmacology : RTP*. 6: 75-79.
- Brown, AL, Jr.; Taylor, WF; Carter, RE. (1976). The reliability of measures of amphibole fiber concentration in water. *Environ Res*. 12: 150-160.
- Brown, B; Wang, HP; Li, L; Givens, C; Wallat, G. (2007). Yellow perch strain evaluation I: Genetic variance of six broodstock populations. *Aquaculture*. 271: 142-151.
- Brown, DM; Fisher, C; Donaldson, K. (1998). Free radical activity of synthetic vitreous fibers: Iron chelation inhibits hydroxyl radical generation by refractory ceramic fiber. *Journal of Toxicology and Environmental Health-Part a-Current Issues*. 53: 545-561.
- Brown, F; Cartwright, B; Newman, JF. (1965). INHIBITION OF VIRUS GROWTH BY A TOXIC FACTOR FROM ASBESTOS PAD AND CELLULOSE ACETATE MEMBRANE FILTERS. *Nature*. 205: 310-311.
- Brown, ML. (1975). The quality of the work environment. *The American journal of nursing*. 75: 1755-1760, 1793-1754.
- Brown, RC; Chamberlain, M. (1980). The activity of two types of asbestos in tissue culture. *IARC Sci Publ*. 30: 401-407.
- Brown, RC; Davies, R; Rood, AP. (1989). Modification of fibrous Oregon erionite and its effects on in vitro activity. *IARC Sci Publ*. 90: 74-80.
- Brown, RC; Hoskins, JA; Miller, K; Mossman, BT. (1990). Pathogenetic mechanisms of asbestos and other mineral fibres. *Mol Aspects Med*. 11: 325-349.

Environmental Hazard Literature Search Results

Off Topic

- Brown, RC; Poole, A; Fleming, GTA. (1984). The metabolism of benzo(a)pyrene by the lungs of asbestos exposed rats. *EXP PATHOL.* 26: 101-105.
- Brown, RC; Poole, A; Turver, CJ. (1986). In vitro correlates of mineral dust toxicity. *Food and chemical toxicology : an international journal published for the British Industrial Biological Research Association.* 24: 535-538.
- Brown, RC; Poole, A; Turver, CJ; Vann, C. (1987). Role of iron-mediated free-radical generation in asbestos-induced cytotoxicity. *Toxicol In Vitro.* 1: 67-70.
- Brown, SK; Angelopoulos, M. (1991). Evaluation of erosion release and suppression of asbestos fibers from asbestos building products. *Am Ind Hyg Assoc J.* 52: 363-371.
- Browne, K. (1991). Environmental asbestos. *Lancet (London, England).* 338: 949.
- Browne, RC. (1971). Health in power stations. *Proc R Soc Med.* 64: 1075-1077.
- Bruch, J. (1974). Response of cell cultures to asbestos fibers. *Environ Health Perspect.* 9: 253-254.
- Brummer, B. (1976). Influence of possible disinfectant transfer on *Staphylococcus aureus* plate counts after agar contact sampling. *Appl Environ Microbiol.* 32: 80-84.
- Brune, D; Beltesbrekke, H. (1981). Levels of methylmethacrylate, formaldehyde, and asbestos in dental workroom air. *Scandinavian journal of dental research.* 89: 113-116.
- Bruni, BM; MazziottiTagliani, S. Nature and extent of the exposure to fibrous amphiboles in Biancavilla.
- Bruni, BM; Soggiu, ME. Environmental concentrations of fibers with fluoro-edenitic composition and population exposure in Biancavilla (Sicily, Italy).
- Bruni, M; Cimini, F; Costa, U. (1998). An alternative method of detecting dispersion staining colors for the determination of asbestos fibers in bulk materials. *Med Lav.* 89: 254-264.
- Bruno, C; Bruni, B. Prevention of disease caused by fluoro-edenite fibrous amphibole: the way forward.
- Bryce-Smith, D. (1978). Community nursing: dangers in the air. *Nursing mirror.* 146: 44-46.
- Bryks, S; Bertalanffy, FD. (1971). Cytodynamic reactivity of the mesothelium. Pleural reaction to chrysotile asbestos. *Arch Environ Health.* 23: 469-472.
- Bryushinin, M; Golubev, V; Kumzerov, Y; Kurdyukov, D; Sokolov, I. (2009). Non-steady-state photo-EMF in nanostructured GaN and polypyrrole within porous matrices. *Applied Physics B-Lasers and Optics.* 95: 489-495.
- Buccolieri, G; De, SL. (2001). Accurate quantitative measurements of asbestos in XRPD analysis. *Ann2001 May.* 91: 277-283.
- Buch, S; Pinto, S; Aparnathi, KD. (2014). Evaluation of efficacy of turmeric as a preservative in paneer. *Journal of Food Science and Technology-Mysore.* 51: 3226-3234.
- Buchan, RM; Richardson, DC; Beaulieu, HJ; Keefe, TJ. (1984). Development of a mathematical model for predicting concentrations of small asbestos fibers. *Environ Res.* 33: 296-299.
- Buckel, SD; Cottam, PF; Simplaceanu, V; Ho, C. (1989). Formation of intermolecular and intramolecular hydrogen bonds in histidine-binding protein J of *Salmonella typhimurium* upon binding l-histidine: A proton nuclear magnetic resonance study. *Journal of Molecular Biology.* 208: 477-489.
- Buckley, SKL; Steele, CE; New, DAT. (1978). In vitro development of early postimplantation rat embryos. *Developmental Biology.* 65: 396-403.
- Bucky, AR; Hayes, PR; Robinson, DS. (1986). Lipase production by a strain of *Pseudomonas fluorescens* in whole milk and skimmed milk. *Food Microbiology.* 3: 37-44.
- Bucky, AR; Robinson, DS; Hayes, PR. (1987). Factors affecting the heat stability of lipase produced by a strain of *Pseudomonas fluorescens*. *Food Chem.* 23: 159-173.
- Bucurescu, D; Dragulescu, E; Pascu, S; Wirth, HF; Filipescu, D; Cata-Danil, G; Cata-Danil, I; Deleanu, D; Eppinger, K; Faestermann, T; Ghita, DG; Glodariu, T; Hertenberger, R; Ivascu, M; Krucken, R; Marginean, N; Marginean, R; Mihai, C; Negret, A; Sava, T; Stroe, L; Wimmer, K; Zamfir, NV. (2012). Excited states of the (150)Pm odd-odd nucleus. *Physical Review C.* 85: 7304-7304.
- Buczaj, A; Brzana, W; Tarasinska, J; Buczaj, M; Choina, P. (2014). Study on the concentration of airborne respirable asbestos fibres in rural areas of the Lublin region in south-east Poland. *Ann Agric Environ Med.* 21: 639-643.
- Buder-Hoffmann, S; Palmer, C; Vacek, P; Taatjes, D; Mossman, B. (2001). Different accumulation of activated extracellular signal-regulated kinases (ERK 1/2) and role in cell-cycle alterations by epidermal growth factor, hydrogen peroxide, or asbestos in pulmonary epithelial cells. *Am J Respir Cell Mol Biol.* 24: 405-413.
- Burda, D. (1985). Major hospital group asbestos suit planned. *Hospitals.* 59: 24.
- Burkart, W; Chakraborty, S. (1984). Possible health effects of energy conservation: Impairment of indoor air quality due to reduction of ventilation rate. *Environ Int.* 10: 455-461.
- Burki, T. (2010). Health experts concerned over India's asbestos industry. *Lancet.* 375: 626-627.
- Burns, DT. (1982). Asbestos, volume 1: Properties, applications, and hazards : L. Michaels and S.S. Chissick (Eds.). Wiley, New York, 1979, xi + 553 pp., price £25.00. *Anal Chim Acta.* 138: 434.
- Burrell, R. (1974). Immunological reflections on asbestos. *Environ Health Perspect.* 9: 297-298.
- Buth, C; Schafer, KJ. (2009). Theory of Auger decay by laser-dressed atoms. *Physical Review A.* 80: 3410-3410.
- Butler, AJ. (1986). Recruitment of sessile invertebrates at five sites in Gulf St. Vincent, South Australia. *Exp Mar Bio Ecol.* 97: 13-36.
- Butler, D; Spurgeon, D. (1997). Canada and France fall out over the risks of asbestos. *Nature.* 385: 379.
- Buzio, S; Pesando, G; Zuppi, GM. (2000). Hydrogeological study on the presence of asbestos fibres in water of northern Italy. *Water Res.* 34: 1817-1822.
- Byczkowski, JZ; Kulkarni. (1990). Lipid peroxidation and benzo(a)pyrene derivative co-oxygenation by environmental pollutants. *Bull Environ Contam Toxicol.* 45: 633-640.

Environmental Hazard Literature Search Results

Off Topic

- Calagari, AA; Abedini, A. (2007). Geochemical investigations on Permo-Triassic bauxite horizon at Kanisheeteh, east of Bukan, West-Azarbaidjan, Iran. *J Geochem Explor.* 94: 1-18.
- Califano, JA, Jr. (1978). Statement of Secretary Joseph A. Califano, Jr. Department of Health, Education, and Welfare. *J Environ Pathol Toxicol.* 1: 727-729.
- Callahan, KC. (2004). Monitoring for asbestos: US EPA methods. *Environ Health Perspect.* 112: A728-A728.
- Calvet, N; Gomez, JC; Faik, A; Roddatis, VV; Meffre, A; Glatzmaier, GC; Doppiu, S; Py, X. (2013). Compatibility of a post-industrial ceramic with nitrate molten salts for use as filler material in a thermocline storage system. *Appl Energ.* 109: 387-393.
- Camus, M. (2001). A ban on asbestos must be based on a comparative risk assessment. *Can Med Assoc J.* 164: 491-494.
- Camus, P; Hillerdal, G; De Vuyst, P. (1998). Asbestos, ergot drugs and the pleura. *Eur Respir J.* 11: 1427-1427.
- Canada Centre for Inland Waters. (1974). 1975. 138 P, 63 FIG, 11 TAB, 2 APPEND.
- Cao, W; Dousse, JC; Hoszowska, J; Kavcic, M; Kayser, Y; Schenker, JL; Zitnik, M. (2011). Double L(3)M ionization of Pd induced by impact with medium-energy electrons. *Physical Review A.* 83: 2708-2708.
- Cao, W; Dousse, JC; Hoszowska, J; Zitnik, M; Kavcic, M; Bucar, K. (2010). Synchrotron-radiation-based determination of Xe L-subshell Coster-Kronig yields: A reexamination via high-resolution x-ray spectroscopy. *Physical Review A.* 81: 2501-2501.
- Cao, W; Hoszowska, J; Dousse, JC; Kayser, Y; Kavcic, M; Zitnik, M; Bucar, K; Mihelic, A; Szlachetko, J; Slabkowska, K. (2009). L-subshell Coster-Kronig yields of palladium determined via synchrotron-radiation-based high-resolution x-ray spectroscopy. *Physical Review A.* 80: 2512-2512.
- Capita, R; Alvarez-Fernandez, E; Fernandez-Buelta, E; Manteca, J; Alonso-Calleja, C. (2013). Decontamination treatments can increase the prevalence of resistance to antibiotics of *Escherichia coli* naturally present on poultry. *Food Microbiology.* 34: 112-117.
- Cardinali, G; Kovacs, D; Maresca, V; Flori, E; Dell'Anna, ML; Campopiano, A; Casciardi, S; Spagnoli, G; Torrissi, MR; Picardo, M. (2006). Differential in vitro cellular response induced by exposure to synthetic vitreous fibers (SVFs) and asbestos crocidolite fibers. *Exp Mol Pathol.* 81: 31-41.
- Carlborg, FW. (1981). 2-acetylaminofluorene and the Weibull model. *Food Cosmet Toxicol.* 19: 367-371.
- Carlsten, C; Croke, J. (1997). What every physician should know about environmental health. *Wilderness & environmental medicine.* 8: 250-252.
- Carnevale, C; Finzi, G; Pederzoli, A; Turrini, E; Volta, M; Ferrari, F; Gianfreda, R; Maffei, G. (2015). Impact of pollutant emission reductions on summertime aerosol feedbacks: A case study over the PO valley. *Atmos Environ.* 122: 41-57.
- Carton, B; Kauffer, E. (1980). The metrology of asbestos. *Atmos Environ* (1967). 14: 1181-1196.
- Carton, B; Kauffer, E; Derzko, G; Grosdemange, JP; Jeandel, B. (1981). Results of an Asbestos Counting Trial Performed in France in 1979. *ANNALS OCCUP HYG.* 24: 9-21.
- Carvajal, JA; Aguan, K; Thompson, LP; Buhimschi, IA; Weiner, CP. (2001). Natriuretic peptide-induced relaxation of myometrium from the pregnant guinea pig is not mediated by guanylate cyclase activation. *J Pharmacol Exp Ther.* 297: 181-188.
- Case, BW. (1991). On talc, tremolite, and tergit-15. *Br J Ind Med.* 48: 357-359.
- Case, BW; Ip, MPC; Padilla, M; Kleinerman, J. (1986). Asbestos effects on superoxide production. An in vitro study of hamster alveolar macrophages. *Environ Res.* 39: 299-306.
- Casola, AR. (1975). I. Federal regulations concerning use of asbestos filters in manufacturing parenteral drugs. *Bulletin of the Parenteral Drug Association.* 29: 216-218.
- Cassa, AM; van Zyl, JE; Laubscher, RF. (2010). A numerical investigation into the effect of pressure on holes and cracks in water supply pipes. *Urban Water Journal.* 7: 109-120.
- Cassel, SL; Eisenbarth, SC; Iyer, SS; Sadler, JJ; Colegio, OR; Tephly, LA; Carter, AB; Rothman, PB; Flavell, RA; Sutterwala, FS. (2008). The Nalp3 inflammasome is essential for the development of silicosis. *Proceedings of the National Academy of Sciences of the United States of America.* 105: 9035-9040.
- Cassiola, F; Rogers, RA; Kiyohara, PK; Joekes, I. (2005). Yeast cells long-term interaction with asbestos fibers. *Colloids and Surfaces B-Biointerfaces.* 41: 277-283.
- Cassiola, F; Santos, HS; Joekes, I. (2003). *Saccharomyces cerevisiae* entrapped in chrysotile increases life-span for up to 3 years. *Colloids and Surfaces B-Biointerfaces.* 30: 283-289.
- Castañeda-Gutiérrez, E; Pelton, SH; Gilbert, RO; Butler, WR. (2009). Effect of peripartum dietary energy supplementation of dairy cows on metabolites, liver function and reproductive variables. *Anim Reprod Sci.* 112: 301-315.
- Castleman, B. (2000). Re: Call for an International Ban on Asbestos: Why not ban asbestos? *Am J Ind Med.* 37: 239-240.
- Castleman, B; Camarota, LA; Fritsch, AJ; Mazzocchi, S; Crawley, RG. (1975). The hazards of asbestos for brake mechanics. *Public health reports* (Washington, DC : 1974). 90: 254-256.
- Castleman, Bl. (1981). More on the international asbestos business. *International journal of health services : planning, administration, evaluation.* 11: 339-340.
- Castleman, Bl. (2001). Controversies at international organizations over asbestos industry influence. *International journal of health services : planning, administration, evaluation.* 31: 193-202.
- Castleman, Bl; Ziem, GE. (1988). Corporate influence on threshold limit values. *Am J Ind Med.* 13: 531-559.
- Castro, HA. (2012). Brazil on the road to the elimination of asbestos. *Cadernos de saude publica.* 28: 816-817.
- Cates, NL; Ziegler, K; Schmitt, AK; Mojzsis, SJ. (2013). Reduced, reused and recycled: Detrital zircons define a maximum age for the Eoarchean (ca. 3750-3780Ma) Nuvvuagittuq Supracrustal Belt, Québec (Canada). *Earth Planet Sci Lett.* 362: 283-293.

Environmental Hazard Literature Search Results

Off Topic

- CDC. (2003). Potential Exposures to Airborne and Settled Surface Dust in Residential Areas of Lower Manhattan Following the Collapse of the World Trade Center - New York City, November 4-December 11, 2001. *Morbidity and Mortality Weekly Report*. 52: 131-136.
- Cecchetti, G; Fruttero, A; Conti, ME. (2005). Asbestos reclamation at a disused industrial plant, Bagnoli (Naples, Italy). *J Hazard Mater*. 122: 65-73.
- Centner, TJ; Colson, G. (2013). Rationing health protection: A proposal to exempt nuisance dust from US Clean Air Act Regulations. *J Environ Manage*. 117: 219-225.
- Cerna, S; Hurbankova, M; Kovacikova, Z; Wimmerova, S; Beno, M. (2006). Influence of 2-week exposure to amosite and their substitutes on the selected cytotoxic parameters of bronchoalveolar lavage in rats. *Toxicol Lett*. 164, Supplement: S182-S183.
- Cerna, S; Hurbankova, M; Kovaciková, Z; Wimmerova, S; Beno, M; Kiss, T. (2008). Effect of exposure to amosite asbestos and its substitutes on the activity of chosen enzymes of rat bronchoalveolar lavage. *Toxicol Lett*. 180, Supplement: S144.
- Cervini-Silva, J; Nieto-Camacho, A; Gomez-Vidales, V. (2015). Oxidative stress inhibition and oxidant activity by fibrous clays. *Colloids and Surfaces B-Biointerfaces*. 133: 32-35.
- Chaiprapat, S; Charnok, B; Kantachote, D; Sung, S. (2015). Bio-desulfurization of biogas using acidic biotrickling filter with dissolved oxygen in step feed recirculation. *Bioresour Technol*. 179: 429-435.
- Chalmer, PN. (1982). Settlement patterns of species in a marine fouling community and some mechanisms of succession. *Exp Mar Bio Ecol*. 58: 73-85.
- Chamberlain, M. (1982). The Influence of Mineral Dusts on Metabolic Co-Operation Between Mammalian Cells in Tissue Culture. *Carcinogenesis*. 3: 337-339.
- Chamberlain, M; Brown, RC. (1978). The cytotoxic effects of asbestos and other mineral dust in tissue culture cell lines. *Br J Exp Pathol*. 59: 183-189.
- Chamberlain, M; Tarmy, EM. (1977). Asbestos and glass fibres in bacterial mutation tests. *Mutation Research/Fundamental and Molecular Mechanisms of Mutagenesis*. 43: 159-164.
- Champion, G; Lalioti, N; Tangoulis, V; Arrio, MA; Saintavit, P; Villain, F; Caneschi, A; Gatteschi, D; Giorgetti, C; Baudalet, F; Verdaguer, M; Moulin, CCD. (2003). XMCD for monitoring exchange interactions. The role of the Gd 4f and 5d orbitals in metal-nitronyl nitroxide magnetic chains. *J Am Chem Soc*. 125: 8371-8376.
- Chan, YM; Agamuthu, P; Mahalingam, R. (2000). Solidification and stabilization of asbestos brake lining dust using polymeric resins. *Environ Eng Sci*. 17: 203-213.
- Chan, YM; Agamuthu, P; Mahalingam, R. (2000). Solidification and stabilization of asbestos waste from an automobile brake manufacturing facility using cement. *J Hazard Mater*. 77: 209-226.
- Chandler, KW. (1986). Asbestos-related pleuropulmonary disorders. *Compr Ther*. 12: 45-54.
- Chang, BV; Hsu, FY; Liao, HY. (2014). Biodegradation of three tetracyclines in swine wastewater. *Journal of Environmental Science and Health Part B-Pesticides Food Contaminants and Agricultural Wastes*. 49: 449-455.
- Chang, GS; Kurmaev, EZ; Boukhalov, DW; D Finkelstein, L; Kim, DH; Noh, TW; Moewes, A; Callcott, TA. (2006). Clustering of impurity atoms in Co-doped anatase TiO₂ thin films probed with soft x-ray fluorescence. *Journal of Physics-Condensed Matter*. 18: 4243-4251.
- Chanturiya, V; Masloboev, V; Makarov, D; Mazukhina, S; Nesterov, D; Men'shikov, Y. (2011). Artificial geochemical barriers for additional recovery of non-ferrous metals and reduction of ecological hazard from the mining industry waste. *Journal of environmental science and health Part A, Toxic/hazardous substances & environmental engineering*. 46: 1579-1587.
- Chao, C; Shea, R; Lund, L; Aust, A. (1993). The role of iron in the cytotoxicity of crocidolite. *Free Radic Biol Med*. 15: 520.
- Chao, C-C; Aust, AE. (1994). Effect of long-term removal of iron from asbestos by desferrioxamine B on subsequent mobilization by other chelators and induction of DNA single-strand breaks. *Arch Biochem Biophys*. 308: 64-69.
- Chardot-Jacques, V; Calvaruso, C; Simon, B; Turpault, MP; Echevarria, G; Morel, JL. (2013). Chrysotile Dissolution in the Rhizosphere of the Nickel Hyperaccumulator *Leptoplax emarginata*. *Environmental Science & Technology*. 47: 2612-2620.
- Chatfield, EJ. Quantitative analysis of asbestos minerals in air and water. 1974, 32d: 528-529.
- Chaturvedi, S. (2000). Chrysotile asbestos: why should a carcinogen remain in demand? *Indian J Public Health*. 44: 71-74.
- Chaturvedi, S. (2008). Continued use of asbestos: market's signature on science. *Indian J Public Health*. 52: 61-64.
- Chau, D; Ng, K; Chan, TS; Cheng, YY; Fong, B; Tam, S; Kwong, YL; Tse, E. (2015). Azacytidine sensitizes acute myeloid leukemia cells to arsenic trioxide by up-regulating the arsenic transporter aquaglyceroporin 9. *Journal of hematology & oncology*. 8: 46.
- Chavancy, Gr; Marbaix, Gr; Huez, G; Cleuter, Y. (1981). Effect of tRNA pool balance on rate and uniformity of elongation during translation of fibroin mRNA in a reticulocyte cell-free system. *Biochimie*. 63: 611-618.
- Chavarha, M; Khoojinian, H; Schulwitz Jr, LE; Biswas, SC; Ranavavare, SB; Hall, SB. (2010). Hydrophobic Surfactant Proteins Induce a Phosphatidylethanolamine to Form Cubic Phases. *Biophysical Journal*. 98: 1549-1557.
- Che, RC; Xiao, RJ; Liang, CY; Yang, HX; Ma, C; Shi, HL; Li, JQ. (2008). Electron energy-loss spectroscopy and ab initio electronic structure of the LaOFeP superconductor. *Physical Review B*. 77: 4518-4518.
- Chen, H; Xu, Q. (2010). Experimental study of fibers in stabilizing and reinforcing asphalt binder. *Fuel*. 89: 1616-1622.
- Chen, S-C; Hu, Y; Pui, DYH; Wang, J. (2016). Explicit expressions for the minimum efficiency and most penetrating particle size of Nuclepore filters. *J Aerosol Sci*. 100: 108-117.
- Chen, XM; Peterson, GG; Goldberg, C; Nuesca, G; Frisch, HL; Kaloyeros, AE; Arkles, B; Sullivan, J. (1999). Low-temperature chemical vapor deposition of tantalum nitride from tantalum pentabromide for integrated circuitry copper metallization applications. *J Mater Res*. 14: 2043-2052.

Environmental Hazard Literature Search Results

Off Topic

- Chen, ZQ; Zhou, HY; Yao, HQ; Liu, Y; Li, J; Yang, QH. (2015). Serpentinization of peridotites in Logatchev Massif, 14.75 degrees N Mid- Atlantic Ridge. *Indian Journal of Geo-Marine Sciences*. 44: 1568-1578.
- Cheng, HR; Li, ZL; Jiang, N; Deng, ZX. (2009). Cloning, Purification and Characterization of an NAD-Dependent d-Arabitol Dehydrogenase from Acetic Acid Bacterium, *Acetobacter suboxydans*. *Protein Journal*. 28: 263-272.
- Cheng, L; Yu, S; Zha, C; Yao, Y; Pan, X. (2012). Removal of simulated radionuclide Ce(III) from aqueous solution by as-synthesized chrysotile nanotubes. *Chem Eng J*. 213: 22-30.
- Cheng, L; Zhai, L; Liao, W; Huang, X; Niu, B; Yu, S. (2014). An investigation on the behaviors of thorium(IV) adsorption onto chrysotile nanotubes. *Journal of Environmental Chemical Engineering*. 2: 1236-1242.
- Cheng, TW; Hsu, CW. (2006). A study of silicon carbide synthesis from waste serpentine. *Chemosphere*. 64: 510-514.
- Cherrie, J; Jones, AD; Johnston, AM. (1986). THE INFLUENCE OF FIBER DENSITY ON THE ASSESSMENT OF FIBER CONCENTRATION USING THE MEMBRANE FILTER METHOD. *Am Ind Hyg Assoc J*. 47: 465-474.
- Cheshire, M; Guven, N. (2005). Conversion of chrysotile to a magnesian smectite. *Clays and Clay Minerals*. 53: 155-161.
- Chesson, J. (1991). Confusion regarding asbestos data and censoring. *Am Ind Hyg Assoc J*. 52: A612.
- Chesson, J; Rench, JD; Schultz, BD; Milne, KL. (1990). Interpretation of airborne asbestos measurements. *Risk analysis : an official publication of the Society for Risk Analysis*. 10: 437-447.
- Chikita, K; Okumura, Y. (1990). Dynamics of turbidity currents measured in Katsurazawa Reservoir, Hokkaido, Japan. *J Hydrol*. 117: 323-338.
- Chirko, CP; Gold, MA; Nguyen, PV; Jiang, JP. (1996). Influence of direction and distance from trees on wheat yield and photosynthetic photon flux density (Qp) in a Paulownia and wheat intercropping system. *Forest Ecology and Management*. 83: 171-180.
- Chissick, S; Michaels, L. (1980). Asbestos. Vol. 1. Properties, applications, and hazards. *Food Cosmet Toxicol*. 18: 307.
- Chissick, S; Michaels, L. (1980). Asbestos: Volume I: Properties, applications and hazards. *Build Environ*. 15: 197.
- Cho, WI; Lee, SG; Park, HM; Ahn, YJ. (2004). Toxicity of plant essential oils to *Tetranychus urticae* (Acari : Tetranychidae) and *Phytoseiulus persimilis* (Acari : Phytoseiidae). *J Econ Entomol*. 97: 553-558.
- Cho, YJ; Seo, MS; Kim, JK; Lim, Y; Chae, G; Ha, KS; Lee, KH. (1999). Silica-induced generation of reactive oxygen species in Rat2 fibroblast: Role in activation of mitogen-activated protein kinase. *Biochem Biophys Res Commun*. 262: 708-712.
- Choe, N; Tanaka, S; Xia, W; Hemenway; Roggli, VL; Kagan, E. (1997). Pleural macrophage recruitment and activation in asbestos-induced pleural injury. *Environ Health Perspect*. 105: 1257-1260.
- Chong, PL; Tang, D; Sugar, IP. (1994). Exploration of physical principles underlying lipid regular distribution: effects of pressure, temperature, and radius of curvature on E/M dips in pyrene-labeled PC/DMPC binary mixtures. *Biophysical Journal*. 66: 2029-2038.
- Choudat, D; Causse, E. (2009). Surveillance médicale et exposition à l'amiante : l'état de la réglementation dix ans après la conférence de Consensus. *Arch Mal Prof Environ*. 70: 471-474.
- Chowdhury, S; Lentz, DR. (2011). Mineralogical and geochemical characteristics of scheelite-bearing skarns, and genetic relations between skarn mineralization and petrogenesis of the associated granitoid pluton at Sargipali, Sundergarh District, Eastern India. *J Geochem Explor*. 108: 39-61.
- Christensen, AM; Holm, PM; Schuessler, U; Petrasch, J. (2006). Indications of a major Neolithic trade route? An archaeometric geochemical and Sr, Pb isotope study on amphibolitic raw material from present day Europe. *Appl Geochem*. 21: 1635-1655.
- Chudley, P. (1983). Asbestos dust 'scandal'. *RCN Nurs Stand*. 14.
- Churg, A. (1967). Asbestos Bodies and Pleural Plaques in a Finnish Series of Autopsy Cases. *Food Cosmet Toxicol*. 5: 61-62.
- Churg, A. (1983). Current issues in the pathologic and mineralogic diagnosis of asbestos-induced disease. *Chest*. 84: 275-280.
- Churg, A. (1986). Nonneoplastic asbestos-induced disease. *The Mount Sinai journal of medicine, New York*. 53: 409-415.
- Churg, A. (1988). Reply to Dr. Dunnigan. Chrysotile as a mesothelial carcinogen in man. *Am J Ind Med*. 14: 235-238.
- Churg, A. (1996). The uptake of mineral particles by pulmonary epithelial cells. *Am J Respir Crit Care Med*. 154: 1124-1140.
- Churg, A; Dai, J; Wright, JL. (2001). Increasing surface iron increases asbestos-induced expression of procollagen and transforms nonfibrogenic titanium dioxide into a fibrogenic dust - Role of NF-kappa B. *Chest*. 120: 19S-19S.
- Churg, A; Warnock, ML. (1980). Asbestos fibers in the general population. *The American review of respiratory disease*. 122: 669-678.
- Churg, A; Warnock, ML; Green, N. (1979). Analysis of the cores of ferruginous (asbestos) bodies from the general population. II. True asbestos bodies and pseudoasbestos bodies. *Laboratory investigation; a journal of technical methods and pathology*. 40: 31-38.
- Churg, A; Wright, J; Gilks, B; Dai, J. (2000). Pathogenesis of fibrosis produced by asbestos and man-made mineral fibers: What makes a fiber fibrogenic? *Inhal Toxicol*. 12: 15-26.
- Churg, A; Wright, JL. (1983). Small airways disease and mineral dust exposure. *Pathology annual*. 18 Pt 2: 233-251.
- Cistulli, CA; Sorger, T; Marsella, JM; Vaslet, CA; Kane, AB. (1996). Spontaneous p53 mutation in murine mesothelial cells: Increased sensitivity to DNA damage induced by asbestos and ionizing radiation. *Toxicol Appl Pharmacol*. 141: 264-271.
- Claassens, S; van Rensburg, PJ; Liebenberg, D; van Rensburg, L. (2012). A Comparison of Microbial Community Function and Structure in Rehabilitated Asbestos and Coal Discard Sites. *Water Air and Soil Pollution*. 223: 1091-1100.
- Clarke, GD; Newman, RH; O'Neill, CH; Parry, DW. (1983). Exposure to asbestos versus organic fibrous dusts. *Lancet (London, England)*. 2: 1423-1424.
- Claudio, L. (2001). Environmental aftermath. *Environ Health Perspect*. 109: A528-536.
- Clausnitzer, H; Singer, MJ. (1999). Mineralogy of agricultural source soil and respirable dust in California. *J Environ Qual*. 28: 1619-1629.
- Cleveland, MG. (1984). Mutagenesis of *Escherichia coli* (CSH50) by asbestos. *Proceedings of the Society for Experimental Biology and Medicine Society for Experimental Biology and Medicine (New York, NY)*. 177: 343-346.

Environmental Hazard Literature Search Results

Off Topic

- Clouter, A; Houghton, CE; Bowskill, CA; Hoskins, JA; Brown, RC. (1996). An in vitro/in vivo study into the short term effects of exposure to mineral fibres. *Experimental and toxicologic pathology : official journal of the Gesellschaft für Toxikologische Pathologie*. 48: 484-486.
- Coggiola, M; Bosio, D. An update of a mortality study of talc miners and millers in Italy.
- Coghlan, A. (2001). Fate sealed for asbestos - Just add a dash of spice to lock up those lethal fibres. *New Scientist*. 172: 25-25.
- Cohen, M; Sahn, SA. (2001). Resolution of pleural effusions. *Chest*. 119: 1547-1562.
- Cohen, N. (1991). Regulation of in-place asbestos-containing material. *Environ Res*. 55: 97-106.
- Colangelo, F; Cioffi, R; Lavorgna, M; Verdolotti, L; De Stefano, L. (2011). Treatment and recycling of asbestos-cement containing waste. *J Hazard Mater*. 195: 391-397.
- Cole, JC. (1975). III. Views of the filter manufacturers on the regulations. *Bulletin of the Parenteral Drug Association*. 29: 222-226.
- Coleman, JR. (1976). Letter: Duluth water revised. *Minn Med*. 59: 95-97.
- Collier, R. (2008). Health advocates assail Canada's asbestos stance. *Can Med Assoc J*. 179: 1257-1257.
- Collier, R. (2009). Health advocates assail Canada's asbestos stance (vol 179, pg 1257, 2008). *Can Med Assoc J*. 180: 739-739.
- Collins, TF. (1968). Asbestos--the lethal dust. *South African medical journal = Suid-Afrikaanse tydskrif vir geneeskunde*. 42: 218-219.
- Collins, TF. (1968). Pleural reaction associated with asbestos exposure. *The British journal of radiology*. 41: 655-661.
- Coman, M; Butac, M; Sumedrea, D; Dutu, I; Iancu, M; Mazilu, C; Plopa, C. (2012). Plum culture in Romania - current status and perspectives. *Acta horticulturae* 25-32.
- Comba, P; Fazzo, L; Zona, A. (2011). Respiratory illness in asbestos contaminated sites: the role of environmental exposure. *Eur Respir J*. 38: 248-250.
- Comba, P; Scondotto, S; Musmeci, L. (2014). The fibres with fluoro-edenitic composition in Biancavilla (Sicily, Italy): health impact and clues for environmental remediation. *Ann Ist Super Sanit*. 50: 108-110.
- Condie, LW. (1983). Review of published studies of orally administered asbestos. *Environ Health Perspect*. 53: 3-9.
- Conning, DM; Hayes, MJ; Styles, JA; Nicholas, JA. (1970). Comparison between in vitro toxicity of dusts of certain polymers and minerals and their fibrogenicity. *Inhaled Particles*. 1: 499-506.
- Conrad, EM; Ahearn, GA. (2005). (3)H-L-histidine and (65)Zn(2+) are cotransported by a dipeptide transport system in intestine of lobster *Homarus americanus*. *Journal of Experimental Biology*. 208: 287-296.
- Converso, A; DeMass, MSL; Markle-Elder, S. (2007). Is your hospital safe? *The American journal of nursing*. 107: 37-39.
- Cook, A. (2008). Asbestos dressing. *Br Dent J*. 204: 224.
- Cook, DJ; Pama, RP; Weerasingle, H. (1978). Coir fibre reinforced cement as a low cost roofing material. *Build Environ*. 13: 193-198.
- Cook, PM. (1979). Preparation of extrapulmonary tissues and body fluids for quantitative transmission electron microscope analysis of asbestos and other mineral particle concentrations. *Ann N Y Acad Sci*. 330: 717-724.
- Cook, PM; Palekar, LD; Coffin, DL. (1982). Interpretation of the Carcinogenicity of Amosite Asbestos and Ferroactinolite on the Basis of Retained Fiber Dose and Characteristics in vivo. *Toxicol Lett*. 13: 151-158.
- Cook, R. (1968). The bacterial degradation of synthetic anionic detergents. *Water Res*. 2: 849-876.
- Cook, RA; Poole, GM. (1974). Factors influencing the activity of sterile filtered and heat-sterilized trypsin solutions. *Applied Microbiology*. 28: 154-155.
- Cook, WA. (1992). TLVs for asbestos. *Am J Ind Med*. 21: 765-766.
- Cooper, RC. (1983). Comments on the California studies. *Environ Health Perspect*. 53: 109-110.
- Cooper, RJ; Milton, CT; Klopfenstein, TJ; Jordon, DJ. (2002). Effect of corn processing on degradable intake protein requirement of finishing cattle. *J Anim Sci*. 80: 242-247.
- Cooper, WC. (1967). Asbestos as a hazard to health. Fact and speculation. *Arch Environ Health*. 15: 285-290.
- Corcoran, JP; Psallidas, I; Ross, CL; Halifax, RJ; Rahman, NM. (2016). Always Worth Another Look? Thoracic Ultrasonography before, during, and after Pleural Intervention. *Annals of the American Thoracic Society*. 13: 118-121.
- Cordier, S; Lazar, P; Brochard, P; Bignon, J; Ameille, J; Proteau, J. (1987). Epidemiologic investigation of respiratory effects related to environmental exposure to asbestos inside insulated buildings. *Arch Environ Health*. 42: 303-309.
- Cornia, PB; Lipsky, BA; Dhaliwal, G; Saint, S. (2004). Clinical problem-solving. Red snapper or crab? *The New England journal of medicine*. 350: 1443-1448.
- Corrin, B; Price, AB. (1972). Electron microscopic studies in desquamative interstitial pneumonia associated with asbestos. *Thorax*. 27: 324-331.
- Cortese, C; DeMay, RM; Frain, BM; Grossl, N; Moriarty, AT; Prey, MU; Sharamitaro, N; Van Duzer, S; Cytopathology Practice, C. (2004). Nongynecologic cytology practice guideline. *Acta Cytol*. 48: 521-546.
- Cortez, BA. Multipolar mitosis and aneuploidy after chrysotile treatment: a consequence of abscission failure and cytokinesis regression.
- Cosentino, A; Warnock, ML. (1992). Cellular and molecular basis of the asbestos-related diseases. *The American review of respiratory disease*. 145: 238-239.
- Cotes, JE; King, B. (1991). The relationship between respiratory impairment and asbestos-related pleural abnormality in an active work force. *The American review of respiratory disease*. 143: 1197.
- Coudray, C; Charon, C; Komar, N; Mory, Gr; Diot-Dupuy, F; Manganiello, V; Ferre, P; Bazin, R. (1999). Evidence for the presence of several phosphodiesterase isoforms in brown adipose tissue of Zucker rats: modulation of PDE2 by the fa gene expression. *FEBS Lett*. 456: 207-210.
- Courapied, D; Kromer, R; Berthe, L; Peyre, P; Costil, S; Cormier, J; Boustie, M; Milhet, X. (2016). Laser adhesion test for thermal sprayed coatings on textured surface by laser. *Journal of Laser Applications*. 28: 22509-22509.

Environmental Hazard Literature Search Results

Off Topic

- Coustou, F. (1979). Carcinogenic risk of products used in the pharmaceutical and related industries. *IARC Sci Publ.* 25: 129-149.
- Coutts, II; Gilson, JC; Kerr, IH; Parkes, WR; Turner-Warwick, M. (1987). Significance of finger clubbing in asbestosis. *Thorax.* 42: 117-119.
- Covelo, EF; Vega, FA. Heavy metal sorption and desorption capacity of soils containing endogenous contaminants.
- Cox, LA; Popken, DA; Berman, DW. (2013). Causal versus spurious spatial exposure-response associations in health risk analysis. *Crit Rev Toxicol.* 43: 26-38.
- Crabbe, JV; Knott, MJ. (1966). Quantitative X-ray diffraction analysis of crocidolite and amosite in bulk or settled dust samples. *Am Ind Hyg Assoc J.* 27: 449-453.
- Craddock, RC; Hatfield, L. Examination of the use of glass filter paper in asbestos-free fiber determination. *Journal of the Association of Official Analytical Chemists.* Nov 1981. v. 64 (6): 1275-1276.
- Craig, DK; Wehner, AP; Morrow, WG. (1972). The generation and characterization of a respirable aerosol of chrysotile asbestos for chronic inhalation studies. *Am Ind Hyg Assoc J.* 33: 283-292.
- Craighead, JE. (1984). Asbestos. An environmental reality. *JAMA.* 252: 3292-3293.
- Craighead, JE; Mossman, BT. (1982). The Pathogenesis of Asbestos-Associated Diseases. *N Engl J Med.* 306: 1446-1455.
- Cralley, LJ. (1971). Identification and control of asbestos exposures. *Am Ind Hyg Assoc J.* 32: 82-85.
- Cralley, LJ; Keenan, RG; Lynch, JR. (1967). Exposure to metals in the manufacture of asbestos textile products. *Am Ind Hyg Assoc J.* 28: 452-461.
- Croce, A; Allegrina, M; Rinaudo, C; Gaudino, G; Yang, HN; Carbone, M. (2015). Numerous Iron-Rich Particles Lie on the Surface of Erionite Fibers from Rome (Oregon, USA) and Karlik (Cappadocia, Turkey). *Microsc Microanal.* 21: 1341-1347.
- Crook, J; Mousavi, A. (2016). The chlor-alkali process: A review of history and pollution. *Environ Forensics.* 17: 211-217.
- Crump, KS. (1991). Comments on Chesson et al. Interpretation of airborne asbestos measurements. *Risk analysis : an official publication of the Society for Risk Analysis.* 11: 367-371.
- Cugell, DW; Kamp, DW. (2004). Asbestos and the pleura - A review. *Chest.* 125: 1103-1117.
- Cui, HY; Wu, WJ; Okuhira, K; Miyazawa, K; Hattori, T; Sai, K; Naito, M; Suzuki, K; Nishimura, T; Sakamoto, Y; Ogata, A; Maeno, T; Inomata, A; Nakae, D; Hirose, A; Nishimaki-Mogami, T. (2014). High-temperature calcined fullerene nanowhiskers as well as long needle-like multi-wall carbon nanotubes have abilities to induce NLRP3-mediated IL-1 beta secretion. *Biochem Biophys Res Commun.* 452: 593-599.
- Cullen, MR. (1998). Chrysotile asbestos: enough is enough (vol 351, pg 1377, 1998). *Lancet.* 351: 1742-1742.
- Cunningham, HM; Moodie, CA; Lawrence, GA; Pontefract, RD. (1977). Chronic effects of ingested asbestos in rats. *Arch Environ Contam Toxicol.* 6: 507-513.
- Cunningham, HM; Pontefract, R. (1971). Asbestos fibres in beverages and drinking water. *Nature.* 232: 332-333.
- Cunningham, HM; Pontefract, RD. (1974). Placental transfer of asbestos. *Nature.* 249: 177-178.
- Cunningham, HM; Pontefract, RD; O'Brien, RC. (1976). Quantitative relationship of fecal asbestos to asbestos exposure. *J Toxicol Environ Health.* 1: 377-379.
- Curro, GM; Grasso, V; Silipigni, L. (1998). X-ray photoelectron spectroscopy of CdPS(3). *Journal of Applied Physics.* 84: 6693-6697.
- Curtis, F. (1991). Monitoring the presence of asbestos in a residential apartment building. *Environ Pollut.* 71: 69-81.
- Cusens, AR; Zeidan, MA; Pama, RP. (1972). Elastic rigidities of ribbed plates. *Building Science.* 7: 23-32.
- Cuthbertson, RS; Hettwer, EB. (1970). A PRACTICAL APPROACH TO THE FILTRATION OF METAL HYDROXIDES. PROCEEDINGS, ONTARIO INDUSTRIAL WASTE CONFERENCE, 17TH, NIAGARA FALLS, ONTARIO, P 178-193, JUNE 7-10, 1970.
- Cvitanovic, S; Ivancevic, Z; Capkun, V; Tenzera-Taslak, G. (2009). INCIDENCIJA MALIGNOG MEZOTELIOMA POPLUCNICE U PODRUČJU SPLITSKODALMATINSKE ZUPANIJE U RAZDOBLJU OD 2001. DO 2005. *Arhiv za Higijenu Rada i Toksikologiju/Archives of Industrial Hygiene and Toxicology.* 60: 31.
- Cyriac, J; Rius, AG; McGilliard, ML; Pearson, RE; Bequette, BJ; Hanigan, MD. (2008). Lactation Performance of Mid-Lactation Dairy Cows Fed Ruminally Degradable Protein at Concentrations Lower Than National Research Council Recommendations. *J Dairy Sci.* 91: 4704-4713.
- da Silva, MC; dos Santos, EC; Lourenco, MP; Duarte, HA. (2013). Structural, mechanical and electronic properties of nano-fibriform silica and its organic functionalization by dimethyl silane: a SCC-DFTB approach. *J Mol Model.* 19: 1995-2005.
- da, SSP. Preparation and characterization of chrysotile for use as nanofiller in polyolefins.
- Dagenais, M; Skeldon, A; Saleh, M. (2012). The inflammasome: in memory of Dr. Jurg Tschopp. *Cell Death Differ.* 19: 5-12.
- Daghino, S; Turci, F; Tomatis, M; Girlanda, M; Fubini, B; Perotto, S. (2009). Weathering of chrysotile asbestos by the serpentine rock-inhabiting fungus *Verticillium leptobactrum*. *FEMS Microbiol Ecol.* 69: 132-141.
- Dagle, GE; Wehner, AP. (1985). ASBESTOSIS HAMSTER. *Jones, T C, U Mohr And R D Hunt.* 0: 183-186.
- Dahlggaard, H. (1994). Sources of ¹³⁷Cs, ⁹⁰Sr and ⁹⁹Tc in the East Greenland Current. *J Environ Radioact.* 25: 37-55.
- Dai, J; Churg, A. (2001). Relationship of fiber surface iron and active oxygen species to expression of procollagen, PDGF-A, and TGF-beta(1) in tracheal explants exposed to amosite asbestos. *Am J Respir Cell Mol Biol.* 24: 427-435.
- Dai, J; Gilks, B; Price, K; Churg, A. (1998). Mineral dusts directly induce epithelial and interstitial fibrogenic mediators and matrix components in the airway wall. *Am J Respir Crit Care Med.* 158: 1907-1913.
- Dai, J; Xie, CS; Churg, A. (2002). Iron loading makes a nonfibrogenic model air pollutant particle fibrogenic in rat tracheal explants. *Am J Respir Cell Mol Biol.* 26: 685-693.
- Dale, MT; McKeough, ZJ; Munoz, PA; Corte, P; Bye, PT; Alison, JA. (2013). Functional exercise capacity and health-related quality of life in people with asbestos related pleural disease: an observational study. *BMC Pulm Med.* 13: 1.
- Dallera, C; Grioni, M; Palenzona, A; Taguchi, M; Annese, E; Ghiringhelli, G; Tagliaferri, A; Brookes, NB; Neisius, T; Braicovich, L. (2004). alpha-gamma transition in metallic Ce studied by resonant x-ray spectroscopies. *Physical Review B.* 7008: 5112-5112.
- Daniel, H; Wastiaux, A. Effects of phosphorylation of chrysotile on pleuropulmonary fibrogenicity and carcinogenicity.

Environmental Hazard Literature Search Results

Off Topic

- Danielsen, KM; Gland, JL; Hayes, KF. (2005). Influence of amine buffers on carbon tetrachloride reductive dechlorination by the iron oxide magnetite. *Environmental Science & Technology*. 39: 756-763.
- Darehshouri, A; Lutz-Meindl, U. (2010). H₂O₂ localization in the green alga *Micrasterias* after salt and osmotic stress by TEM-coupled electron energy loss spectroscopy. *Protoplasma*. 239: 49-56.
- Das, JJ; Datar, VM; Sugathan, P; Madhavan, N; Rao, PVM; Jhingan, A; Navin, A; Dhiman, SK; Barua, S; Nath, S; Varughese, T; Sinha, AK; Singh, R; Ray, A; Sastry, DL; Kulkarni, RG; Shyam, R. (2006). Astrophysical S-17(0) factor from a measurement of the H-2(Be-7,B-8)n reaction at E-c.m.=4.5 MeV. *Physical Review C*. 7301: 5808-5808.
- Das Kanungo, JL; De, DK. Interaction of methylene blue and crystal violet with asbestos. *Journal of the Indian Society of Soil Science*. Sept 1982. v. 30 (3): 369-373 ill.
- Das, RM; Holt, PF; Horne, MC. (1977). The formation of asbestos bodies. *Med Lav*. 68: 431-436.
- Das, SC; Sarkar, PK; Bhuyan, M; Rao, KM. (1989). Substrate preference of Simuliidae larvae in the field in India. *J Am Mosq Control Assoc*. 5: 96-97.
- Davidson, VJ; Smith, KD. (1995). A fuzzy controller for a batch cooking process. *Journal of Food Engineering*. 24: 15-24.
- Davies, CN. (1970). Tissue response to asbestos. *J Aerosol Sci*. 1: 269-271.
- Davies, CN. (1977). Public Health Risks of Exposure to Asbestos: A report by R. L. Zielhuis from a Working Group appointed by the Health and Safety Directorate of the Commission of European Communities. 149 pp., facsimile reproduction, paper cover. 158 references. £6.75. 1977, Pergamon Press, Oxford. *J Aerosol Sci*. 8: 465-466.
- Davies, D. (1977). Community exposure to asbestos. *Lancet (London, England)*. 2: 924.
- Davies, D. (1983). Asbestos related diseases without asbestosis. *British medical journal (Clinical research ed)*. 287: 164-165.
- Davies, JC. (2004). Early South African insights into the risks of exposure to asbestos dust: Drs Simson, Strachan and Slade. *Adler Museum bulletin*. 30: 17-23.
- Davies, P; Allison, AC. (1976). The macrophage as a secretory cell in chronic inflammation. *Agents and Actions*. 6: 60-74.
- Davies, P; Allison, AC; Ackerman, J; Butterfield, A; Williams, S. (1974). Asbestos induces selective release of lysosomal enzymes from mononuclear phagocytes. *Nature*. 251: 423-425.
- Davies, R. (1980). The effect of mineral fibres on macrophages. *IARC Sci Publ*. 30: 419-425.
- Davies, R; Griffiths, DM; Preece, AW. (1983). Factors involved in the cytotoxicity of UICC amosite towards macrophages. *Environ Health Perspect*. 51: 245-248.
- Davis, DR. (1986). The nature and hazards of asbestos. *CDA journal California Dental Association*. 14: 28-34.
- Davis, DR. (1987). Potential health hazards of ceramic ring lining material. *The Journal of prosthetic dentistry*. 57: 362-369.
- Davis, DR. (1995). Release of asbestos fibers during casting ring liner manipulation. *The Journal of prosthetic dentistry*. 74: 294-298.
- Davis, JM. (1965). Electron-microscope studies of asbestos in man and animals. *Med Lav*. 56: 521-529.
- Davis, JM. (1970). The long term fibrogenic effects of chrysotile and crocidolite asbestos dust injected into the pleural cavity of experimental animals. *Br J Exp Pathol*. 51: 617-627.
- Davis, JM. (1971). The calcification of fibrous pleural lesions produced in guinea-pigs by the injection of chrysotile asbestos dust. *Br J Exp Pathol*. 52: 238-243.
- Davis, JM. (1972). The effects of polyvinyl pyridine-N-oxide (P204) on the cytopathogenic action of chrysotile asbestos in vivo and in vitro. *Br J Exp Pathol*. 53: 652-658.
- Davis, JM. (1974). An electron microscope study of the response of mesothelial cells to the intrapleural injection of asbestos dust. *Br J Exp Pathol*. 55: 64-70.
- Davis, JM. (1975). The use of animal experiments in the study of asbestos bioeffects. *Hefta Unfallheilkd*. 126: 564-574.
- Davis, JM. (1979). The use of animal models for studies on asbestos bioeffects. *Ann N Y Acad Sci*. 330: 795-798.
- Davis, JM. (1984). The pathology of asbestos related disease. *Thorax*. 39: 801-808.
- Davis, JM; Bolton, RE; Garrett, J. (1974). Penetration of cells by asbestos fibers. *Environ Health Perspect*. 9: 255-260.
- Davis, JM; Gross, P; De, TRT. (1970). "Ferruginous bodies" in guinea pigs. Fine structure produced experimentally from minerals other than asbestos. *Arch Pathol*. 89: 364-373.
- Davis, JMG. (1970). Further observations on the ultrastructure and chemistry of the formation of asbestos bodies. *Exp Mol Pathol*. 13: 346-358.
- Davis, JMG; Coniam, SW. (1973). Experimental studies on the effects of heated chrysotile asbestos and automobile brake lining dust injected into the body cavities of mice. *Exp Mol Pathol*. 19: 339-353.
- Day, NE. (1985). Interpretation of negative epidemiological evidence for carcinogenicity. Statistical considerations. *IARC Sci Publ*. 65: 13-27.
- De, K; Kumar, D; Kumar, K; Sahoo, A; Naqvi, SMK. (2015). Effect of different types of housing on behavior of Malpura lambs during winter in semi-arid tropical environment. *J Vet Behav Clin Appl Res*. 10: 237-242.
- De Luca, G; Romeo, A; Villari, V; Micali, N; Foltran, I; Foresti, E; Lesci, IG; Roveri, N; Zuccheri, T; Scolaro, LM. (2009). Self-Organizing Functional Materials via Ionic Self Assembly: Porphyrins H- and J-Aggregates on Synthetic Chrysotile Nanotubes. *J Am Chem Soc*. 131: 6920-+.
- de Oliveira Filho, AP; Moreira, BG; Moran, PJS; Rodrigues, JAR. (1996). Oxidations with acyl nitrates: A simple and rapid method for preparing quinones, ketones and aldehydes. *Tetrahedron Letters*. 37: 5029-5032.
- De, STEFANOL; De, LUCAF; Buccolieri, G. (1998). Analytical methods for quantitative asbestos determination by X-ray diffraction. *Ann Chim*. 88: 839-847.
- De, VP; Dumortier, P; Vande, WR; Yernault, JC. (1992). Clinical utility of asbestos bodies in BAL fluid. *The American review of respiratory disease*. 145: 1513-1514.

Environmental Hazard Literature Search Results

Off Topic

- De, VP; Karjalainen, A; Dumortier, P; Pairon, JC; Mons, P; Oucous, E; Brochard, C. Guidelines for mineral fibre analyses in biological samples: report of the ERS Working Group. European Respiratory Society.
- de Vries, A; Steenholdt, C; Risco, CA. (2005). Pregnancy Rates and Milk Production in Natural Service and Artificially Inseminated Dairy Herds in Florida and Georgia*. *J Dairy Sci.* 88: 948-956.
- De Vuyst, P; Pfitzenmeyer, P; Camus, P. (1997). Asbestos, ergot drugs and the pleura. *Eur Respir J.* 10: 2695-2698.
- De, VUYSTP; Vande, WEYERR; De, COSTERA; Marchandise, FX; Dumortier, P; Ketelbant, P; Jedwab, J; Yernault, J.C. (1986). DENTAL TECHNICIAN'S PNEUMOCOONIOSIS A REPORT OF TWO CASES. *Am Rev Respir Dis.* 133: 316-320.
- Dean, CA. (2010). Genetic Parameters of Somatic Clones of Coastal Douglas-fir for Growth, Stem and Wood Traits at 6 1/2 or 7 1/2-Years in Washington and Oregon, USA. *Silvae Genetica.* 59: 107-113.
- Dean, CA; Welty, DE; Herold, GE. (2009). Performance and Genetic Parameters of Somatic and Zygotic Progenies of Coastal Douglas-fir at 7 1/2-Years across Washington and Oregon, USA. *Silvae Genetica.* 58: 212-219.
- Dean, JH; Boorman, GA; Luster, MI; Adkins, BJR; Lauer, LD; Adams, DO. (1982). EFFECT OF AGENTS OF ENVIRONMENTAL CONCERN ON MACROPHAGE FUNCTIONS. *Volkman, A.* 0: 473-485.
- Dean, RT; Hylton, W; Allison, AC. (1979). Lysosomal enzyme secretion by macrophages during intracellular storage of particles. *Biochimica et Biophysica Acta (BBA) - General Subjects.* 584: 57-65.
- Dean, TA. (1981). Structural aspects of sessile invertebrates as organizing forces in an Estuarine fouling community. *Exp Mar Bio Ecol.* 53: 163-180.
- Deanin, RD. (1975). Additives in plastics. *Environ Health Perspect.* 11: 35-39.
- Debarbieux, F; Brunton, J; Charpak, S. (1998). Effect of bicuculline on thalamic activity: A direct blockade of I(AHP) in reticularis neurons. *J Neurophysiol.* 79: 2911-2918.
- Defouillo, C; Manaouil, C. (2006). Amiante : reconnaissance en maladie professionnelle. *Arch Mal Prof Environ.* 67: 33-36.
- del Barrio, P; Ganju, NK; Aretxabalea, AL; Hayn, M; Garc a-a, As; Howarth, RW. (2014). Modeling future scenarios of light attenuation and potential seagrass success in a eutrophic estuary. *Estuar Coast Shelf Sci.* 149: 13-23.
- Delahunty, TJ; Hollander, D. Toxic effect on the rat small intestine of chronic administration of asbestos in drinking water. *Toxicol Lett.* Dec 1987. v. 39 (2/3): 205-209.
- Dellarco, VL; Mavournin, KH; Waters, MD. (1986). ANEUPLOIDY DATA REVIEW COMMITTEE SUMMARY COMPILATION OF CHEMICAL DATA-BASE AND EVALUATION OF TEST METHODOLOGY. *Mutat Res.* 167: 149-170.
- DeLorme, MP; Muro, Y; Arai, T; Banas, DA; Frame, SR; Reed, KL; Warheit, DB. (2012). Ninety-Day Inhalation Toxicity Study With A Vapor Grown Carbon Nanofiber in Rats. *Toxicol Sci.* 128: 449-460.
- Dement, JM. (1984). Measurement and latency in asbestos studies. *Am J Ind Med.* 5: 408-410.
- Dement, JM. (1990). Asbestos in the Natural Environment, H. Schreier. Elsevier Science Publishers, Washington, DC (1989). *Environ Res.* 53: 100.
- Dement, JM. (1991). Carcinogenicity of chrysotile asbestos: evidence from cohort studies. *Ann N Y Acad Sci.* 643: 15-23.
- Dement, JM; Zumwalde, RD; Wallingford, KM. (1976). Discussion paper: asbestos fiber exposures in a hard rock gold mine. *Ann N Y Acad Sci.* 271: 345-352.
- Demiroglu, H. (1998). Hazards of white asbestos. *Lancet.* 352: 322-323.
- Deng, J; Chen, K; Yao, Z; Lin, J; Wei, D. (2015). Efficient synthesis of optically active halogenated aryl alcohols at high substrate load using a recombinant carbonyl reductase from *Gluconobacter oxydans*. *Journal of Molecular Catalysis B: Enzymatic.* 118: 1-7.
- Deng, JJ; Dong, FQ; Pu, XY; Wu, FC; Zhao, SQ; Feng, JJ. (1999). Study on the mechanism of industrial mineral dusts effect on pulmonary alveolar macrophages injury. *China Environmental Science.* 19.
- Denham, A; Green, J; Hawkey, S. (2011). What's in the bottle? Prescriptions formulated by medical herbalists in a clinical trial of treatment during the menopause. *Journal of Herbal Medicine.* 1: 95-101.
- Denizeau, F; Marion, M; Chevalier, G; Cote, MG. (1985). Inability of chrysotile asbestos fibers to modulate the 2-acetylaminofluorene-induced UDS in primary cultures of rat hepatocytes. *Mutat Res.* 155: 83-90.
- Denizeau, F; Marion, M; Chevalier, G; Cote, MG. (1985). ULTRASTRUCTURAL STUDY OF MINERAL FIBER UPTAKE BY HEPATOCYTES IN-VITRO. *Toxicol Lett.* 26: 119-126.
- Denizeau, F; Marion, M; Fleury, J; Chevalier, G; Cote, MG. (1984). GENOTOXIC EFFECTS OF NATURAL AND MAN-MADE MINERAL FIBERS. *Beck, E G And J Bignon.* 0: 261-266.
- Denson, FA; Onderick, WA. (1993). Managing asbestos: Ten costly sins. *Power.* 137: 46-48.
- Dermatas, D; Mpouras, T; Chrysochoou, M; Panagiotakis, I; Vatseris, C; Linardos, N; Theologou, E; Boboti, N; Xenidis, A; Papassiopi, N; Sakellariou, L. (2015). Origin and concentration profile of chromium in a Greek aquifer. *J Hazard Mater.* 281: 35-46.
- Dernevik, L. (1989). Shrinking pleuritis with atelectasis. *Am J Ind Med.* 16: 451-454.
- Deruyttere, A; Helsen, J; Baeten, J. (1980). Characterization and properties of asbestos-cement dust. *IARC Sci Publ.* 30: 43-51.
- Desai, R; Hext, P; Richards, R. (1975). The prevention of asbestos-induced hemolysis. *Life Sci.* 16: 1931-1938.
- Desai, R; Richards, RJ. (1978). The adsorption of biological macromolecules by mineral dusts. *Environ Res.* 16: 449-464.
- Desai, R; Richards, RJ. (1983). Effects of chrysotile on a lysosomal enzyme preparation and on the hydrolytic enzyme activity of cultured alveolar macrophages. *Environ Health Perspect.* 51: 125-130.
- DeTreville, RT; Gross, P. (1968). Asbestos bodies and their bioeffects. *JAMA.* 203: 1142-1143.
- Dey, PM; Nak, S; Pridham, JB. (1986). *Vicia faba* β -galactosidase with lectin activity. *Phytochemistry.* 25: 1057-1061.
- Dhesi, SS; Bencok, P; Brookes, NB; van der Laan, G; Galera, RM. (2003). X-ray magnetic circular dichroism study of SmAl(2) using the M(4,5) x-ray absorption edges. *Journal of Applied Physics.* 93: 8337-8339.

Environmental Hazard Literature Search Results

Off Topic

- Di, ML; Hirsch, A; Mangold, M; Bignon, J. (1979). Radiologic and surgical aspects of the diaphragm in asbestos exposure. *Ann N Y Acad Sci.* 330: 787-789.
- Dias, GFD; Alves, P; Dias, TCD. (2004). *Brachiaria decumbens* suppresses the initial growth of *Coffea arabica*. *Scientia Agricola.* 61: 579-583.
- DiCicco, M; Compton, R; Duong, T; Jansen-Varnum, SA. (2005). Electron paramagnetic resonance analyses of surface radical chemistries of gamma-sterilized orthopedic materials: Implications pointing to cytotoxicity via wear debris-induced inflammation. *Journal of Biomedical Materials Research Part B-Applied Biomaterials.* 75B: 6-17.
- DiCicco, M; Compton, R; Jansen-Varnum, SA. (2005). In vitro evaluation of orthopedic composite cytotoxicity: Assessing the potential for postsurgical production of hydroxyl radicals. *Journal of Biomedical Materials Research Part B-Applied Biomaterials.* 72B: 146-155.
- Dickey, T; Zedler, S; Yu, X; Doney, SC; Frye, D; Jannasch, H; Manov, D; Sigurdson, D; McNeil, JD; Dobeck, L; Gilboy, T; Bravo, C; Siegel, DA; Nelson, N. (2001). Physical and biogeochemical variability from hours to years at the Bermuda Testbed Mooring site: June 1994–March 1998. *Deep Sea Research Part II: Topical Studies in Oceanography.* 48: 2105-2140.
- DiGregorio, GJ; Kotyuk, BL. (1985). Toxicology of asbestos. *Am Fam Physician.* 32: 201-204.
- Ding, SJ; Zhang, QQ; Zhang, DW; Wang, JT; Lee, WW. (2001). Copper metallization of low-dielectric-constant a-SiCOF films for ULSI interconnects. *Journal of Physics-Condensed Matter.* 13: 6595-6608.
- Djerassi, L. (1988). Time to reconsider TLVs. *Am J Ind Med.* 13: 611-612.
- Dodgson, J; Ottery, J; Cherrie, JW; Harrison, GE. (1980). Fibre concentrations and size distributions of airborne fibres in several European man-made mineral fibre plants. *IARC Sci Publ.* 30: 913-925.
- Dodson, R; Hammar, S. (2008). Comments on Dodson et al., A Technical Comparison of Evaluating Asbestos Concentration by Phase Contrast Microscopy (PCM), Scanning Electron Microscopy (SEM), and Analytical Transmission Electron Microscopy (ATEM) as Illustrated from Data Generated from a Case Report Response. *Inhal Toxicol.* 20: 1115-1117.
- Dodson, RF. (2006). Analysis and relevance of asbestos burden in tissue. *Asbestos: Risk Assessment, Epidemiology, and Health Effects* 39-90.
- Dodson, RF; Ford, JO. (1985). Early response of the visceral pleura following asbestos exposure: an ultrastructural study. *J Toxicol Environ Health.* 15: 673-686.
- Dodson, RF; O'Sullivan, M; Brooks, D; Levin, JL. (2003). The sensitivity of lavage analysis by light and analytical electron microscopy in correlating the types of asbestos from a known exposure setting. *Inhal Toxicol.* 15: 461-471.
- Dodson, RF; Williams, MG; Huang, J; Bruce, JR. (1999). Tissue burden of asbestos in nonoccupationally exposed individuals from east Texas. *Am J Ind Med.* 35: 281-286.
- Does, MD; Snyder, RE. (1995). T2 Relaxation of peripheral nerve measured in vivo. *Magnetic Resonance Imaging.* 13: 575-580.
- Dogra, S; Donaldson, K. (1995). Effect of long and short fibre amosite asbestos on in vitro TNF production by rat alveolar macrophages: the modifying effect of lipopolysaccharide. *Ind Health.* 33: 131-141.
- Dolan, MM. (1989). State legislative report, asbestos in buildings: The state role (6 pp.) and state asbestos program related to the asbestos hazard emergency response act: by D. K. Neilander and D. M. Sacarto. (232 pp.). *Waste Manag.* 9: 266.
- Dolan, MM. (1989). State legislative report, state asbestos programs: The fee-based financing alternative: by D. K. Neilander and D. M. Sacarto. (8 pp.). *Waste Manag.* 9: 265.
- Donaldson, K. (1996). Short-term animal studies for detecting inflammation, fibrosis and pre-neoplastic changes induced by fibres. *IARC Sci Publ.* 140: 97-106.
- Donaldson, K; Beswick, PH; Gilmour, PS. (1996). Free radical activity associated with the surface of particles: a unifying factor in determining biological activity? *Toxicol Lett.* 88: 293-298.
- Donaldson, K; Bolton, RE; Brown, D; Douglas, A. (1984). An improved macrophage spreading assay--a simple and effective measure of activation. *Immunological communications.* 13: 229-244.
- Donaldson, K; Brown, GM. (1988). Assessment of mineral dust cytotoxicity toward rat alveolar macrophages using a ⁵¹Cr release assay. *Fundam Appl Toxicol.* 10: 365-366.
- Donaldson, K; Brown, GM; Bolton, RE; Davis, JMG. (1988). Fibrinolysis by rat mesothelial cells in vitro: The effect of mineral dusts at non-toxic doses. *Br J Exp Pathol.* 69: 487-494.
- Donaldson, K; Cullen, RT. (1984). Chemiluminescence of asbestos-activated macrophages. *Br J Exp Pathol.* 65: 81-90.
- Donaldson, K; Davis, JM; Ewing, A; James, K. (1983). Interactions of asbestos-activated macrophages with an experimental fibrosarcoma. *Environ Health Perspect.* 51: 97-101.
- Donaldson, K; Davis, JMG; James, K. (1982). Characteristics of peritoneal macrophages induced by asbestos injection. *Environ Res.* 29: 414-424.
- Donaldson, K; Davis, JMG; James, K. (1984). Asbestos-activated peritoneal macrophages release a factor(s) which inhibits lymphocyte mitogenesis. *Environ Res.* 35: 104-114.
- Donaldson, K; Gilmour, PS; Beswick, PH. (1995). Supercoiled plasmid DNA as a model target for assessing the generation of free radicals at the surface of fibres. *Exp Toxicol Pathol.* 47: 235-237.
- Donaldson, K; Golyasny, N. (1995). Cytogenetic and pathogenic effects of long and short amosite asbestos. *The Journal of pathology.* 177: 303-307.
- Donaldson, K; Seaton, A. (2012). A short history of the toxicology of inhaled particles. *Part Fibre Toxicol.* 9: 13-13.
- Donaldson, K; Slight, J; Bolton, RE. (1984). RELEASE OF SUPEROXIDE ANION AND HYDROGEN PEROXIDE BY MACROPHAGES IN RESPONSE TO ASBESTOS. *Beck, E G And J Bignon.* 0: 75-82.
- Donaldson, K; Slight, J; Bolton, RE. (1987). In vitro fibrinolytic activity and viability of rat alveolar macrophages treated with inflammation generating mineral dusts. *Agents and Actions.* 20: 87-92.

Environmental Hazard Literature Search Results

Off Topic

- Donaldson, K; Slight, J; Hannant, D; Bolton, RE. (1985). Increased release of hydrogen peroxide and superoxide anion from asbestos-primed macrophages. Effect of hydrogen peroxide on the functional activity of alpha sub(1)-protease inhibitor. *Inflammation*. 9: 139-148.
- Dong, H; Saint-Etienne, L; Renier, A; Galland, MA; Brochard, P; Jaurand, MC. (1994). Air samples from a building with asbestos-containing material: Asbestos content and in vitro toxicity on rat pleural mesothelial cells. *Fundam Appl Toxicol*. 22: 178-185.
- Dong, HY; Buard, A; Levy, F; Renier, A; Laval, F; Jaurand, MC. (1995). Synthesis of poly(ADP-ribose) in asbestos treated rat pleural mesothelial cells in culture. *Mutation Research-Fundamental and Molecular Mechanisms of Mutagenesis*. 331: 197-204.
- Dong, HY; Buard, A; Renier, A; Levy, F; Saint-Etienne, L; Jaurand, MC. (1994). Role of oxygen derivatives in the cytotoxicity and DNA damage produced by asbestos on rat pleural mesothelial cells in vitro. *Carcinogenesis*. 15: 1251-1255.
- Dong, XY; Jiang, YJ; Wang, MQ; Wang, YM; Zou, XT. (2013). Effects of in ovo feeding of carbohydrates on hatchability, body weight, and energy status in domestic pigeons (*Columba livia*). *Poultry Science*. 92: 2118-2123.
- Donham, KJ; Will, LA; Denman, D; Leininger, JR. (1984). The combined effects of asbestos ingestion and localized X-irradiation of the colon in rats. *J Environ Pathol Toxicol Oncol*. 5: 299-308.
- Donna, A; Betta, PG. (1986). Differentiation towards cartilage and bone in a primary tumor of pleura: Further evidence in support of the concept of mesodermoma. *Histopathology*. 10: 101-108.
- Donovan, E; Sahmel, J; Scott, P; Paustenbach, D. (2012). Response to a letter to the Editor by Dr. David Egilman and Mr. John Schilling regarding the article by Donovan et al. (2011). *Crit Rev Toxicol*. 42: 173-183.
- Donovan, S; Pickin, J. (2016). An Australian stocks and flows model for asbestos. *Waste Management & Research*. 34: 1081-1088.
- Dorger, M; Allmeling, AM; Kieffmann, R; Munzing, S; Messmer, K; Krombach, F. (2002). Early inflammatory response to asbestos exposure in rat and hamster lungs: Role of inducible nitric oxide synthase. *Toxicol Appl Pharmacol*. 181: 93-105.
- Dorger, M; Krombach, F. (2002). Response of alveolar macrophages to inhaled particulates. *Eur Surg Res*. 34: 47-52.
- Dorno, N; Feilberg, A; Balsari, P; Nyord, T. (2013). Nitrous oxide losses from untreated and digested slurry as influenced by soil moisture and application method. *Biosystems Engineering*. 115: 423-433.
- dos Santos, MCV; Esteves, I; Abrantes, I. (2012). In vitro water stress bioassays with the nematophagous fungus *Pochonia chlamydosporia*: Effects on growth and parasitism. *Biological Control*. 63: 310-319.
- Doyen, W; Leysen, R; Mottar, J; Waes, G. (1990). New composite tubular membranes for ultrafiltration. *Desalination*. 79: 163-179.
- Driscoll, HE; Vincent, JJ; English, EL; Dolci, ED. (2016). Metagenomic investigation of the microbial diversity in a chrysotile asbestos mine pit pond, Lowell, Vermont, USA. *Genomics Data*. 10: 158-164.
- Driscoll, KE; Carter, JM; Howard, BW; Hassenbein, D; Janssen, YMW; Mossman, BT. (1998). Crocidolite activates NF-kappa B and MIP-2 gene expression in rat alveolar epithelial cells. Role of mitochondrial-derived oxidants. *Environ Health Perspect*. 106: 1171-1174.
- Driscoll, KE; Higgins, JM; Leytart, MJ; Crosby, LL. (1990). Differential effects of mineral dusts on the in vitro activation of alveolar macrophage eicosanoid and cytokine release. *Toxicol In Vitro*. 4: 284-288.
- Drube, W; Sham, TK; Kravtsova, A; Soldatov, AV. (2003). Fine structure of unoccupied Ag d states near the Fermi level in Ag and AgPd studied by high-resolution partial Auger yield spectroscopy at the Ag L(3) edge. *Physical Review B*. 6703: 5122-5122.
- Du, S-J; Dong, C-J; Zhang, B; Lai, T-F; Du, X-M; Liu, J-Y. (2013). Comparative proteomic analysis reveals differentially expressed proteins correlated with fuzz fiber initiation in diploid cotton (*Gossypium arboreum* L.). *J Proteomics*. 82: 113-129.
- Du, TRS. (1992). Re: "Tiger's-eye pneumoconiosis". *Am J Ind Med*. 22: 605-606.
- Duan, L; Xiu, G; Feng, L; Cheng, N; Wang, C. (2016). The mercury species and their association with carbonaceous compositions, bromine and iodine in PM2.5 in Shanghai. *Chemosphere*. 146: 263-271.
- Dubes, GR; Mack, LR. (1988). Asbestos-mediated transfection of mammalian cell cultures. *IN VITRO*. 24: 175-182.
- Dubois, CM; Bissonnette, E; Rola-Pleszczynski, M. (1989). Asbestos fibers and silica particles stimulate rat alveolar macrophages to release tumor necrosis factor. Autoregulatory role of leukotriene B sub(4). *Am J Respir Crit Care Med*. 139: 1257-1264.
- Ducoussou, M; Ge, X; Boutu, W; Gauthier, D; Barbrel, B; Wang, F; Borta, A; Gonzalez, AI; Billon, M; Vodungbo, B; Gautier, J; Hawaldar, R; Tudou, B; Delaunay, R; Tortarolo, M; Zeitoun, P; Luning, J; Merdji, H. (2014). Single-shot studies of a Co/Pd thin film's magnetic nano-domain structure using ultrafast x-ray scattering. *Laser Physics*. 24: 25301-25301.
- Dufault, R; Abelquist, E; Crooks, S; Demers, D; DiBerardinis, L; Franklin, T; Horowitz, M; Petullo, C; Sturchio, G. (2000). Reducing environmental risk associated with laboratory decommissioning and property transfer. *Environ Health Perspect*. 108: 1015-1022.
- Duma, RJ. (1973). Particulate matter of particular interest. *Ann Intern Med*. 78: 146-147.
- Dummer, T; Gotay, C. (2015). Asbestos in Canada: time to change our legacy. *Can Med Assoc J*. 187: E315-E316.
- Dumortier, P; Cu, CL; Broucke, CDDHœUUšLdBRdLBBBpuab; Emri, S; Su, ST. Erionite bodies and fibres in bronchoalveolar lavage fluid (BALF) of residents from Tuzkâ€ y, docia, Tia, Turkey.
- Dunkel, AM; Rognlie, MC; Rob Johnson, G; Knapp, SE. (1996). Distribution of potential intermediate hosts for *Fasciola hepatica* and *Fascioloides magna* in Montana, USA. *Veterinary Parasitology*. 62: 63-70.
- Dunlap, SE; Kiser, TE; Rampacek, GB; Kraeling, RR; Thompson, FN. (1981). Effect of suckling on cortisol, progesterone and luteinizing hormone in postpartum beef cows. *Theriogenology*. 16: 185-193.
- Dunn, JR. (1984). Asbestos found in New York talc. *Am Ind Hyg Assoc J*. 45: B8-9.
- Dunnigan, J. (1986). Threshold exposure level for chrysotile. *Canadian journal of public health = Revue canadienne de santé publique*. 77: 41-43.
- Dunnigan, J; Nadeau, D; Paradis, D. (1984). Cytotoxic effects of aramid fibres on rat pulmonary macrophages: Comparison with chrysotile asbestos. *Toxicol Lett*. 20: 277-282.
- Dunnigan, J; Seymoar, NK. (1988). A scientific update on asbestos and health. THE ASBESTOS INSTITUTE, MONTREAL (CANADA) 1988.

Environmental Hazard Literature Search Results

Off Topic

- Durand, E; Boulanger, G; Paillat, A; Brunet, D; Billon-Galland, M-A; Brochard, P; Dion, C; Eypert-Blaison, C; Jaurand, M-C; Lahondre, D; Luce, D; Martinon, L; Michiels, F. (2016). Fragments de clivage d'amphiboles : identification, effets sanitaires et impact sur la réglementation. *Arch Mal Prof Environ.* 77: 530.
- Dutt, AK; Achmatowicz-Otok, A; Mukhopadhyay, A; Carney, MC. (1992). Urban and rural housing characteristics of Poland. *Landscape Urban Plan.* 22: 153-160.
- Dutta Roy, S; Sankar Das, M. (1970). Studies on the cation-exchange behaviour of Ammonium 12-molybdophosphate: Part I. Separation of Rubidium, Thallium and Caesium. *Anal Chim Acta.* 51: 520-522.
- Duval, C. (1949). Pyrolyse de l'amiante. *Anal Chim Acta.* 3: 163-164.
- Dwight, JFSJ; Hendry, BM. (1995). Actions of arachidonic acid on erythrocyte membrane Rb permeability. *Clin Chim Acta.* 238: 187-197.
- Dwivedi, SK; Sattari, S; Jamali, F; Mitchell, AG. (1992). Ibuprofen racemate and enantiomers: Phase diagram, solubility and thermodynamic studies. *Int J Pharm.* 87: 95-104.
- Dwyer, JL. (1975). IV. Fiber shedding properties of depth filter media for sterile filtration. *Bulletin of the Parenteral Drug Association.* 29: 227-237.
- Dyer, C. (2000). Surgeon dies from hospital exposure to asbestos. *Br Med J.* 320: 1358-1358.
- Dyer, EL. (1980). Asbestos: a ubiquitous fibrogenic and oncogenic dust. *The Journal of the Indiana State Medical Association.* 73: 34-35.
- Dyer, MR. (1967). The possible adverse effects of asbestos in gingivectomy packs. *Br Dent J.* 122: 507.
- Dyken, JJ; Wheeler, JS. (2008). Direct from ATSDR: ATSDR experience with community exposure to "Naturally Occurring Asbestos". *J Environ Health.* 70: 74-76.
- Dyken, JJ; Wheeler, JS; Atsdr. (2008). ATSDR's experience with community exposure to "naturally occurring asbestos". *J Environ Health.* 70: 74-76.
- Earnshaw, R. (1988). The effect of casting ring liners on the potential expansion of a gypsum-bonded investment. *J Dent Res.* 67: 1366-1370.
- Ebert, R; Barrett, JC; Wiseman, RW; Pechan, R; Reiss, E; IllicAd, IloTUoWrFFRoG. Activation of cellular oncogenes by chemical carcinogens in Syrian hamster embryo fibroblasts. *Environ Health Perspect.*
- Eccleston, CH. (2004). Toxic mold: The next asbestos? *Environmental Quality Management.* 13: 1-10.
- Economakis, CD; Said, M. (2002). Effect of solution temperature on growth and shoot nitrate content of lettuce grown in solution culture. *Proceedings of the Second Balkan Symposium on Vegetables and Potatoes* 411-415.
- Edge, JR. (1976). Asbestos related disease in Barrow-in-Furness. *Environ Res.* 11: 244-247.
- Eeswara, JP; Allan, EJ; Powell, AA. (1998). The influence of stage of seed maturity, moisture content and storage temperature on the survival of neem (*Azadirachta indica*) seed in storage. *Seed Science and Technology.* 26: 299-308.
- Efiuwewwere, BJO; Eka, AE. (1992). The susceptibility of fungicide-treated and packaged tomato fruits to biodeterioration and post-inoculation disease development. *International Biodeterioration & Biodegradation.* 29: 75-85.
- Eggertson, L. (2010). Quebec stands firm on asbestos exports despite growing controversy. *Can Med Assoc J.* 182: E239-E240.
- Eggleton, AEJ; Atkins, DH; Cousins, LB. (1964). CHEMICAL AND PHYSICAL NATURE OF FALLOUT I131 AND CARRIER-FREE I131 RELEASED IN AIR AN ABSTRACT A2 - BUSTAD, L.K. *Biology of Radioiodine* 31.
- Egilman, D; Fehnel, C; Bohme, SR. (2003). Exposing the "myth" of ABC, "anything but chrysotile": a critique of the Canadian asbestos mining industry and McGill University chrysotile studies. *Am J Ind Med.* 44: 540-557.
- Egilman, D; Reinert, A. (1996). The asbestos TLV: early evidence of inadequacy. *Am J Ind Med.* 30: 369-370.
- Egilman, D; Schilling, JH. (2012). Letter to the Editor regarding the Donovan et al. (2011) article. *Crit Rev Toxicol.* 42: 169-172.
- Egilman, D; Wallace, W; Hom, C. (1998). Corporate corruption of medical literature: asbestos studies concealed by W.R. Grace & Co. *Accountability in research.* 6: 127-147.
- Egilman, DS; Reinert, A. (2000). Corruption of previously published asbestos research. *Arch Environ Health.* 55: 75-76.
- Egilman, DS; Reinert, AA. (1995). The origin and development of the asbestos Threshold Limit Value: scientific indifference and corporate influence. *International journal of health services : planning, administration, evaluation.* 25: 667-696.
- Ehrenreich, T; Mackler, AD; Langer, AM; Selikoff, IJ. (1973). Identification and characterization of pulmonary dust burden in pneumoconiosis. *Annals of clinical laboratory science.* 3: 118-131.
- Eigenwillig, GG. (2006). Errors and blunders in the estimation of radiation exposure for the uranium miners of WISMUT in Germany. *Health Phys.* 91: 390-391; author reply 392.
- Eisele, GR. (1981). A perspective on asbestos ingestion. *Environ Int.* 5: 11-14.
- Eisenberg, BC. (1973). Letters to the editor: Syringes with asbestos wound plungers. *Ann Allergy.* 31: 516.
- Eisenberg, WV. (1974). Inorganic particle content of foods and drugs. *Environ Health Perspect.* 9: 183-191.
- Eisenstadt, HB. (1964). ASBESTOS PLEURISY. *Dis Chest.* 46: 78-81.
- Eisenstadt, HB. (1965). BENIGN ASBESTOS PLEURISY. *JAMA.* 192: 419-421.
- Ekmecki, Y; Terzioglu, S. (2002). Changes in the electrophoretic pattern of soluble shoot proteins of wild and cultivated tetraploid wheats following cold acclimation and freezing. *Israel Journal of Plant Sciences.* 50: 95-102.
- Elabed, H; Hamza, R; Bakhrouf, A; Gaddour, K. (2016). Rapid DNA transformation in *Salmonella Typhimurium* by the hydrogel exposure method. *J Microbiol Methods.* 126: 67-71.
- Elferink, JG; Deierkauf, M; Kramps, JA; Koerten, HK. (1989). An activating and cytotoxic effect of asbestos on polymorphonuclear leukocytes. *Agents and Actions.* 26: 213-215.
- Elferink, JG; Ebbenhout, JL. (1988). Asbestos-induced activation of the respiratory burst in rabbit neutrophils. *Res Comm Chem Pathol Pharmacol.* 61: 201-211.

Environmental Hazard Literature Search Results

Off Topic

- Elferink, JGR. (1989). Chrysotile asbestos-induced cytotoxicity and calcium-dependent exocytosis in polymorphonuclear leukocytes. *Research Communications in Molecular Pathology and Pharmacology*. 65: 361-372.
- Elferink, JGR; Deierkauf, M; Kramps, JA; Koerten, HK. (1989). The involvement of ionic interactions during asbestos-induced enzyme release from polymorphonuclear leukocytes. *Chem Biol Interact*. 72: 215-227.
- El-Garhy, HAS; Rashid, IAS; Abou-Ali, RM; Moustafa, MMA. (2016). Field application of safe chemical elicitors induced the expression of some resistance genes against grey mold and cottony rot diseases during snap bean pods storage. *Gene*. 576: 358-365.
- El-Goorani, MA; Abo-El-Dahab, MK; Wagih, EE. (1978). Tests in vitro and in Pots with Certain Chemicals for Inhibition of *Pseudomonas solanacearum*. *Zentralblatt für Bakteriologie, Parasitenkunde, Infektionskrankheiten und Hygiene Zweite Naturwissenschaftliche Abteilung: Mikrobiologie der Landwirtschaft, der Technologie und des Umweltschutzes*. 133: 235-239.
- Elias, JA; Rossman, MD; Daniele, RP. (1985). Pathogenesis of pleural plaques. *The American review of respiratory disease*. 131: 965-966.
- Elias, Z; Poirrot, O; Daniere, MC; Terzetti, F; Binet, S; Tomatis, M; Fubini, B. (2002). Surface reactivity, cytotoxicity, and transforming potency of iron-covered compared to untreated refractory ceramic fibers. *Journal of Toxicology and Environmental Health-Part a-Current Issues*. 65: 2007-2027.
- Elizarov, AY; Tupitsyn, I. (2004). Study of the angular distribution of Auger electrons for the N(3)O(1)O(4,5) and L(3)M(1)M(4,5) transitions in the Hg atom. *Optics and Spectroscopy*. 96: 486-491.
- El-Kholy, HK; Burrige, JC; Scott, RO. (1975). A triple-flow gas-sheathed d.c. arc for spectrochemical analysis. *Anal Chim Acta*. 74: 247-252.
- Ellery, KS; Walker, BH. Growth characteristics of selected plant species on asbestos tailings from Msauli Mine, eastern Transvaal. *South African journal of botany = Suid-Afrikaanse tydskrif vir plantkunde*. June 1986. v. 52 (3): 201-206.
- Ellinghausen, HC. Death and lysis of leptospirae when cultured in asbestos-filtered growth media. *Applied Microbiology*. Dec 1973, 26 (6): 959-968.
- Elliott, J. (1980). Experts cite paralysis of asbestos exposure control efforts. *JAMA*. 243: 211-213, 219.
- Ellouk, SA; Jaurand, MC. (1994). Review of animal/in vitro data on biological effects of man-made fibers. *Environ Health Perspect*. 102 Suppl 2: 47-61.
- El-Magoli, SB; Larola, S; Hansen, PMT. (1995). Ultrastructure of low-fat ground beef patties with added whey protein concentrate. *Food Hydrocolloids*. 9: 291-306.
- Elmes, PC. (1976). Current information on the health risk of asbestos. *Royal Society of Health journal*. 96: 248-252.
- Elmes, PC. (1977). Investigation into the hazardous use of asbestos. Northern Ireland 1960-76. *Ulster Med J*. 46: 71-80.
- Elmes, PC. (1978). Risk factors in asbestos exposure. *J R Soc Med*. 71: 914-916.
- Elmes, PC; Wade, OL. (1965). Relationship between exposure to asbestos and pleural malignancy in Belfast. *Ann N Y Acad Sci*. 132: 549-557.
- el-Sewefy, AZ. (1969). Radiological findings in a cement-asbestos pipe factory. *The Journal of the Egyptian Medical Association*. 52: 836-844.
- el-Sewefy, AZ; Awad, S; Abdel-Salam, MS. (1970). Chest symptomatology in an Egyptian cement-asbestos pipe factory. (A field survey). *The Journal of the Egyptian Medical Association*. 53: 84-92.
- Elstner, EF; Osswald, W. (1991). Air pollution: involvement of oxygen radicals (a mini review). *Free Radic Res Commun*. 2.
- Elstner, EF; SchÄ tz, W. Enhancement of enzyme-catalyzed production of reactive oxygen species by suspensions of "crocidolite" asbestos fibres.
- Elstner, EF; SchÄ tz, W; Vogl, G. (1988). Cooperative stimulation by sulfite and crocidolite asbestos fibres of enzyme catalyzed production of reactive oxygen species. *Arch Toxicol*. 62: 424-427.
- Emerit, I; Jaurand, MC. Formation of a clastogenic factor by asbestos-treated rat pleural mesothelial cells.
- Emerson, RJ; Cole, PJ. (1983). Failure of macrophage activation to induce pulmonary fibrosis in asbestos-exposed guinea-pigs. *Br J Exp Pathol*. 64: 66-74.
- Engeland, IV; Waldeland, H; Kindahl, H; Ropstad, E; Andresen, Åy. (1996). Effect of *Toxoplasma gondii* infection on the development of pregnancy and on endocrine foetal-placental function in the goat. *Veterinary Parasitology*. 67: 61-74.
- Engelbrecht, FM. (1964). EXPERIMENTAL STUDIES ON ASBESTOS. *South African journal of laboratory and clinical medicine Suid-Afrikaanse tydskrif vir laboratorium- en kliniekwerk*. 10: 45-48.
- Engelbrecht, FM. (1966). Experimental studies on asbestos. II. *South African medical journal = Suid-Afrikaanse tydskrif vir geneeskunde*. 40: 976-979.
- Engelbrecht, FM; Burger, BF. (1973). Biological effect of asbestos dust on the peritoneal viscera of rats. *South African medical journal = Suid-Afrikaanse tydskrif vir geneeskunde*. 47: 1746-1750.
- Engelbrecht, FM; Thiart, BF. (1972). The effect of small amounts of aluminium, carbon and carborundum on the development of silicosis and asbestosis. *South African medical journal = Suid-Afrikaanse tydskrif vir geneeskunde*. 46: 462-464.
- Englund, A. (1979). Based on available data, can we project an acceptable standard for industrial use of asbestos? No. *Ann N Y Acad Sci*. 330: 219-221.
- Englund, A. (1991). Swedish approaches to industry-wide studies: the construction industry. *Ann N Y Acad Sci*. 643: 313-315.
- Enterline, P. (1987). Man-made fibers: Simply another kind of asbestos? *Health & Environment Digest*. 1: 3-4.
- Enterline, PE; Kendrick, MA. (1967). Asbestos-dust exposures at various levels and mortality. *Arch Environ Health*. 15: 181-186.
- Epler, GR. (1988). Incidental exposure to asbestos: how real is the risk? *Hospital practice (Office ed)*. 23: 6, 9-10.
- Epstein, SS. (1974). Multiple factors in carcinogenesis. *Environ Health Perspect*. 9: 331-333.
- Epstein, SS; Varnes, M. (1976). The short-term effects of ingested chrysotile asbestos on DNA synthesis in the pancreas and other organs of a primate. *Experientia*. 32: 602-604.

Environmental Hazard Literature Search Results

Off Topic

- Erdman, WC; Swift, HE; Douglas, BE. (1962). The racemization of complex ions on activated carbon: II: The racemization of d-tris(ethylenediamine)cobalt(III) chloride and other complexes. *Journal of Inorganic and Nuclear Chemistry*. 24: 1365-1371.
- Erdogdu, G; Hasirci, V. (1998). An overview of the role of mineral solubility in silicosis and asbestosis. *Environ Res*. 78: 38-42.
- Erdogdu, G; Hasirci, VN. (1994). The use of liposomes in the investigation of mechanisms of asbestos damage. *Experientia*. 50: 785-787.
- Eresam, EKK; Pinto, S; Aparnathi, KD. (2015). Concise and informative title: evaluation of selected spices in extending shelf life of paneer. *Journal of Food Science and Technology-Mysore*. 52: 2043-2052.
- Ernst, P; Bourbeau, J; Becklake, MR. (1991). Pleural abnormality as a cause of impairment and disability. *Ann N Y Acad Sci*. 643: 157-161.
- Errandonea, D; Pellicer-Porres, J; Manjon, FJ; Segura, A; Ferrer-Roca, C; Kumar, RS; Tschauer, O; Lopez-Solano, J; Rodriguez-Hernandez, P; Radescu, S; Mujica, A; Munoz, A; Aquilanti, G. (2006). Determination of the high-pressure crystal structure of BaWO(4) and PbWO(4). *Physical Review B*. 7322: 4103-4103.
- Erriquez, J; Bolis, V; Morel, S; Fenoglio, I; Fubini, B; Quagliotto, P; Distasi, C. (2015). Nanosized TiO2 is internalized by dorsal root ganglion cells and causes damage via apoptosis. *Nanomedicine : nanotechnology, biology, and medicine*. 11: 1309-1319.
- Esmen, NA. (1991). The costs of imprecision: perspectives in asbestos abatement. *Ann N Y Acad Sci*. 643: 582-588.
- Esmen, NA; Hammad, YY; Corn, M; Whittier, D; Kotsko, N; Haller, M; Kahn, RA. (1978). Exposure of employees to man-made mineral fibers: mineral wool production. *Environ Res*. 15: 262-277.
- Everett, G. (1974). Analysis for asbestos in environmental samples. *Environ Health Perspect*. 9: 181-182.
- Exner, JH; Catalano, D; Collough, C; Erikson, D; Lidstrom, R; Noble, E; Pullum, H; Wojinski, S; Campbell, JD. (1986). SITE INVESTIGATION AT A FORMER 2 4 5-T MANUFACTURING SITE. 191st American Chemical Society National Meeting, New York, NY, Usa, Apr. 191.
- Eyde, DT. (1988). What--me worry? *Am Ind Hyg Assoc J*. 49: A318, A320.
- Fachini, A; Joekes, I. (2007). Use of chrysotile fibres in the degradation of cationic and nonionic surfactants in aqueous solutions. *Clean-Soil Air Water*. 35: 100-103.
- Fahy, A. (1972). Enemies in the dust; asbestos. *Bulletin - National Tuberculosis and Respiratory Disease Association*. 58: 12-14.
- Falchi, M; Biondo, L; Conti, C. Inorganic particles in bronchoalveolar lavage fluids from nonoccupationally exposed subjects.
- Falini, G; Foresti, E; Gazzano, M; Gualtieri, AF; Lesci, IG; Pecchini, G; Renna, E; Roveri, N. (2003). A new method for the detection of low levels of free fibres of chrysotile in contaminated soils by X-ray powder diffraction. *J Environ Monit*. 5: 654-660.
- Falini, G; Foresti, E; Lesci, G; Roveri, N. (2002). Structural and morphological characterization of synthetic chrysotile single crystals. *Chem Commun*. 21: 1512-1513.
- Falini, G; Foresti, E; Lesci, IG; Lunelli, B; Sabatino, P; Roveri, N. (2006). Interaction of bovine serum albumin with chrysotile: spectroscopic and morphological studies. *Chemistry (Weinheim an der Bergstrasse, Germany)*. 12: 1968-1974.
- Fantauzzi, M; Pacella, A; Fournier, J; Gianfagna, A; Andreozzi, GB; Rossi, A. (2012). Surface chemistry and surface reactivity of fibrous amphiboles that are not regulated as asbestos. *Anal Bioanal Chem*. 404: 821-833.
- Farjad-Rad, R; Dally, W; Ng, HT; Senthinathan, R; Lee, MJE; Rathi, R; Poulton, J. (2002). A low-power multiplying DLL for low-jitter multigigahertz clock generation in highly integrated digital chips. *Ieee Journal of Solid-State Circuits*. 37: 1804-1812.
- Farquhar, D. (2009). Environmental health in the 2009 state legislative sessions. *J Environ Health*. 72: 26-28.
- Fasy, TM; Andrews, PW; Johnson, EM. (1986). ASBESTOS FIBERS MEDIATE THE UPTAKE OF DNA INTO PRIMATE CELLS IN CULTURE. 76th Annual Meeting Of The American Society Of Biological Chemists, Washington, DC, Usa, June. 45.
- Faustino, M; Power, DM. (1998). Development of osteological structures in the sea bream: vertebral column and caudal fin complex. *Journal of Fish Biology*. 52: 11-22.
- Faux, SP; Howden, PJ; Levy, LS. (1994). Iron-dependent formation of 8-hydroxydeoxyguanosine in isolated DNA and mutagenicity in *Salmonella typhimurium* TA102 induced by crocidolite. *Carcinogenesis*. 15: 1749-1751.
- Favero-Longo, SE; Castelli, D; Fubini, B; Piervittori, R. (2009). Lichens on asbestos-cement roofs: Bioweathering and biocovering effects. *J Hazard Mater*. 162: 1300-1308.
- Favero-Longo, SE; Castelli, D; Fubini, B; Piervittori, R. (2009). Lichens on asbestos-cement roofs: bioweathering and biocovering effects. *J Hazard Mater*. 162: 1300-1308.
- Favero-Longo, SE; Gazzano, C; Giralanda, M; Castelli, D; Tretiach, M; Baiocchi, C; Piervittori, R. (2011). Physical and Chemical Deterioration of Silicate and Carbonate Rocks by Meristematic Microcolonial Fungi and Endolithic Lichens (Chaetothyriomycetidae). *Geomicrobiology Journal*. 28: 732-744.
- Favero-Longo, SE; Giralanda, M; Honegger, R; Fubini, B; Piervittori, R. (2007). Interactions of sterile-cultured lichen-forming ascomycetes with asbestos fibres. *Mycol Res*. 111: 473-481.
- Favero-Longo, SE; Matteucci, E; Morando, M; Rolfo, F; Harris, TB; Piervittori, R. (2015). Metals and secondary metabolites in saxicolous lichen communities on ultramafic and non-ultramafic rocks of the Western Italian Alps. *Australian Journal of Botany*. 63: 276-291.
- Favero-Longo, SE; Piervittori, R. (2012). Cultivation of isidia and transplantation of adult thalli of *Xanthoparmelia tinctoria* in an abandoned asbestos mine. *Lichenologist*. 44: 840-844.
- Favero-Longo, SE; Siniscalco, C; Piervittori, R. (2006). Plant and lichen colonization in an asbestos mine: Spontaneous bioattenuation limits air dispersion of fibres. *Plant Biosystems*. 140: 190-205.
- Favero-Longo, SE; Turci, F; Fubini, B; Castelli, D; Piervittori, R. (2013). Lichen deterioration of asbestos and asbestiform minerals of serpentinite rocks in Western Alps. *International Biodeterioration & Biodegradation*. 84: 342-350.
- Favero-Longo, SE; Turci, F; Tomatis, M; Castelli, D; Bonfante, P; Hochella, MF; Piervittori, R; Fubini, B. (2005). Chrysotile asbestos is progressively converted into a non-fibrous amorphous material by the chelating action of lichen metabolites. *J Environ Monit*. 7: 764-766.

Environmental Hazard Literature Search Results

Off Topic

- Fawcett, HH. (1984). Asbestos, vol. 2, properties, applications, and hazards : by S.S. Chissick and R. Derricott (Eds.) Wiley-Interscience, New York, 1983, 625 pages plus index, \$ 110.00. *J Hazard Mater.* 9: 386-388.
- Feasby, TE; Pullen, AH; Sears, TA. (1981). A quantitative ultrastructural study of dorsal root regeneration. *Journal of the Neurological Sciences.* 49: 363-386.
- Federico, A; Dallio, M; Gravina, AG; Iannotta, C; Romano, M; Rossetti, G; Somalvico, F; Tuccillo, C; Loguercio, C. (2015). A PILOT STUDY ON THE ABILITY OF CLINOPTILOLITE TO ABSORB ETHANOL IN VIVO IN HEALTHY DRINKERS: EFFECT OF GENDER. *Journal of Physiology and Pharmacology.* 66: 441-447.
- Fedotov, AP; Phedorin, MA; Enushchenko, IV; Vershinin, KE; Melgunov, MS; Khodzher, TV. (2012). A reconstruction of the thawing of the permafrost during the last 170 years on the Taimyr Peninsula (East Siberia, Russia). *Global and Planetary Change.* 98: 139-152.
- Feigin, DS. (1986). Talc: understanding its manifestations in the chest. *AJR American journal of roentgenology.* 146: 295-301.
- Felton, JS. (1980). The autopsy and asbestos exposure. *JAMA.* 244: 1675.
- Feng, XM; Wills, AA; Sokell, E; Wiedenhoef, M; Berrah, N. (2006). Atomic Auger decay in core-excited HBr by angle-resolved two-dimensional photoelectron spectroscopy. *Physical Review A.* 7301: 2716-2716.
- Fenner, EM. (1979). United States regulations for control of asbestos exposure. *Ann N Y Acad Sci.* 330: 179-183.
- Fenoglio, I; Fonsato, S; Fubini, B. (2003). Reaction of cysteine and glutathione (GSH) at the freshly fractured quartz surface: a possible role in silica-related diseases? *Free Radic Biol Med.*
- Fenoglio, I; Fubini, B; Llabrés, iFX; Tomatis, M; Chaturvedi, S; Chaturvedi, S. (2001). Carcinogenicity of asbestos: convincing evidence, conflicting interests. *J Inorg Biochem.* 83: 211-216.
- Fenoglio, I; Greco, G; Livraghi, S; Fubini, B. (2009). Non-UV-induced radical reactions at the surface of TiO₂ nanoparticles that may trigger toxic responses. *Chemistry (Weinheim an der Bergstrasse, Germany).* 15: 4614-4621.
- Fenoglio, I; Prandi, L; Tomatis, M; Fubini, B. Free radical generation in the toxicity of inhaled mineral particles: the role of iron speciation at the surface of asbestos and silica.
- Fenoglio, I; Tomatis, M; Interdepartmental, CGSfSoA; other, TPUDTVPGTIfcui; Fubini, B. (2001). Spontaneous polymerisation on amphibole asbestos: relevance to asbestos removal. *Chem Commun.* 7: 2182-2183.
- Fereidou, M; Daneshi, A; Younesi, H. (2009). Biosorption equilibria of binary Cd(II) and Ni(II) systems onto *Saccharomyces cerevisiae* and *Ralstonia eutropha* cells: Application of response surface methodology. *J Hazard Mater.* 168: 1437-1448.
- Ferguson, D. (1990). Low-level asbestos--the priorities are wrong. *The Medical journal of Australia.* 152: 617-618.
- Fielding, DI; McKeon, JL; Oliver, WA; Matar, K; Brown, IG. (1995). Pleurectomy for persistent pain in benign asbestos-related pleural disease. *Thorax.* 50: 181-183.
- Figueroa, JV; Chieves, LP; Johnson, GS; Buening, GM. (1993). Multiplex polymerase chain reaction based assay for the detection of *Babesia bigemina*, *Babesia bovis* and *Anaplasma marginale* DNA in bovine blood. *Veterinary Parasitology.* 50: 69-81.
- Fileman, ES; Fitzgeorge-Balfour, T; Tarran, GA; Harris, RP. (2011). Plankton community diversity from bacteria to copepods in bloom and non-bloom conditions in the Celtic Sea in spring. *Estuar Coast Shelf Sci.* 93: 403-414.
- Filipenko, D; Wright, JL; Churg, A. (1985). Pathologic changes in the small airways of the guinea pig after amosite asbestos exposure. *American Journal of Pathology.* 119: 273-278.
- Findley, ME; Rose, VE; Cutter, GR; Windsor, RA. (1983). An assessment of the Environmental Protection Agency's asbestos hazard evaluation algorithm. *Am J Public Health.* 73: 1179-1181.
- Finkelstein, M. (1985). On the relative toxicity of asbestos fibres. *Br J Ind Med.* 42: 69-70.
- Finkelstein, M. (2012). Letter re Marsh et al. *Inhal Toxicol.* 24: 139-140; author reply 141-132.
- Finkelstein, M. (2012). Untitled. *Inhal Toxicol.* 24: 139-140.
- Finkelstein, MM. (2013). Letter concerning the paper by Finley and colleagues: [dx.doi.org/10.1016/j.yrtph.2012.05.015](https://doi.org/10.1016/j.yrtph.2012.05.015). *Regulatory toxicology and pharmacology : RTP.* 65: 178-179.
- Finkelstein, MM. (2013). Letter to the Editor re Bernstein et al: Health risk of chrysotile revisited. *Crit Rev Toxicol.* 2013; 43(2): 154-183. *Crit Rev Toxicol.* 43: 707-708.
- Finkelstein, MM. (2016). Historical ambient airborne asbestos concentrations in the United States. *Inhal Toxicol.* 28: 429-430.
- Finley, BL; Pierce, JS; Paustenbach, DJ; Galbraith, DA. (2013). Response to a letter to the editor by Dr. Murray M. Finkelstein regarding the article by Finley et al. (2012). *Regulatory toxicology and pharmacology : RTP.* 65: 180-181.
- Finley, BL; Pierce, JS; Paustenbach, DJ; Galbraith, DA. (2013). Untitled Response. *Regul Toxicol Pharmacol.* 65: 180-181.
- Fiore, JV; Babineau, RA. Filtration: An old process with a new look. *Food technology.* Apr 1979. v. 33 (4): 67-72 ill , charts.
- Fischbein, A; Rohl, AN; Langer, AM; Selikoff, IJ. (1981). Past asbestos exposure among cable splicers. *Am J Public Health.* 71: 1277-1278.
- Fischbein, L; Namade, M; R, M; Lanfranch, S-SdMšleMCHœABF. (1988). Chronic constrictive pericarditis associated with asbestosis. *Chest.*
- Fischer, AB; Kaw, JL; Diemer, K; Eikmann, T. (1998). Low dose effects of fibrous and non-fibrous mineral dusts on the proliferation of mammalian cells in vitro. *Toxicol Lett.* 96-7: 97-103.
- Fish, RH; Lundin, RE; Salentine, CG. (1975). Mechanistic aspects in syntheses and reactions of dipivaloylmethylmercury compounds. *Journal of Organometallic Chemistry.* 84: 281-289.
- Fisher, D. (2006). Double-dippers. *Forbes.* 178: 136-+.
- Fisher, GL; Mossman, BT; McFarland, AR; Hart, RW. (1987). A possible mechanism of chrysotile asbestos toxicity. *Drug Chem Toxicol.* 10: 109-131.
- Fishwick, D; Barber, CM. (2014). Non-malignant asbestos-related diseases: a clinical view. *Clinical medicine (London, England).* 14: 68-71.
- Fitch, S. (2001). The gypsum king. *Forbes.* 167: 68-70.

Environmental Hazard Literature Search Results

Off Topic

- Fiume, MM; Boyer, I; Bergfeld, WF; Belsito, DV; Hill, RA; Klaassen, CD; Liebler, DC; Marks, JG; Shank, RC; Slaga, TJ; Snyder, PW; Andersen, FA. (2015). Safety Assessment of Talc as Used in Cosmetics. *Int J Toxicol*. 34: 66S-129S.
- Fleury, J; Cote, MG; Marion, M; Chevalier, G; Denizeau, F. (1983). Interactions of asbestos fibers with hepatocytes in vitro: An ultrastructural study. *Toxicol Lett*. 19: 15-22.
- Florova, G; Kazanina, G; Reynolds, KA. (2002). Enzymes involved in fatty acid and polyketide biosynthesis in *Streptomyces glaucescens*: Role of FabH and FabD and their acyl carrier protein specificity. *Biochemistry*. 41: 10462-10471.
- Flynn, JJ; Kardos, S; Yan, L. (2004). Overstating the consequences of radiographic abnormalities. *Environ Health Perspect*. 112: A84; author reply A84-85.
- Foelker, CJ; Vandenberg, JD; Whitmore, M; Fierke, MK. (2013). Modeling *Agrilus planipennis* (Coleoptera: Buprestidae) Within-Tree Colonization Patterns and Development of a Subsampling Technique. *Environmental Entomology*. 42: 532-538.
- Fontecave, M; Jaouen, M; Mansuy, D; Costa, D; Zalma, R; Pezerat, H. (1990). Microsomal lipid peroxidation and oxy-radicals formation are induced by insoluble iron-containing minerals. *Biochem Biophys Res Commun*. 173: 912-918.
- Fontecave, M; Mansuy, D; Jaouen, M; Pezerat, H. (1987). The stimulatory effects of asbestos on NADPH-dependent lipid peroxidation in rat liver microsomes. *The Biochemical journal*. 241: 561-565.
- Foresti, E; Fornero, E; Lesci, IG; Rinaudo, C; Zuccheri, T; Roveri, N. (2009). Asbestos health hazard: A spectroscopic study of synthetic geoinspired Fe-doped chrysotile. *J Hazard Mater*. 167: 1070-1079.
- Foresti, E; Gazzano, M; Gualtieri, AF; Lesci, IG; Lunelli, B; Pecchini, G; Renna, E; Roveri, N. (2003). Determination of low levels of free fibres of chrysotile in contaminated soils by X-ray diffraction and FTIR spectroscopy. *Anal Bioanal Chem*. 376: 653-658.
- Foresti, E; Hochella, MF; Konishi, H; Lesci, IG; Madden, AS; Roveri, N; Xu, HF. (2005). Morphological and chemical/physical characterization of Fe-doped synthetic chrysotile nanotubes. *Adv Funct Mater*. 15: 1009-1016.
- Forget, G; Lacroix, MJ; Brown, RC; Evans, PH; Sirois, P. (1986). Response of perfused alveolar macrophages to glass fibers: Effect of exposure duration and fiber length. *Environ Res*. 39: 124-135.
- Forget, G; Lacroix, MJ; Cadieux, A; Calvert, R; Grose, JH; Sirois, P. (1983). An adherent cell perfusion technique to study the overall and sequential response of rat alveolar macrophages to toxic substances. *Environ Health Perspect*. 51: 131-140.
- Forrest, R. (1991). Weyerhaeuser uses "hot" process to remove Prince Albert asbestos. *PULP PAPER J*. 44: 111-111, 113.
- Foster, PM; Williams, MI; Winter, RJ. (1974). Droplet behaviour and collection by counterflow cooling tower eliminators. *Atmos Environ* (1967). 8: 349-360.
- Fournier, J; Pezerat, H. (1986). Studies on surface properties of asbestos: III. Interactions between asbestos and polynuclear aromatic hydrocarbons. *Environ Res*. 41: 276-295.
- Fowler, P; Homan, A; Atkins, D; Whitwell, J; Lloyd, M; Bradford, R. (2016). The utility of the in vitro micronucleus test for evaluating the genotoxicity of natural and manmade nano-scale fibres. *Mutation Research-Genetic Toxicology and Environmental Mutagenesis*. 809: 33-42.
- Frank, AL. (1981). Sourcebook on asbestos disease: Medical, legal, and engineering aspects: By George A. Peters and Barbara J. Peters. Garland STPM Press, New York, 1980, \$46.00. *Environ Res*. 26: 241.
- Frank, AL; Joshi, TK. (2014). The global spread of asbestos. *Annals of global health*. 80: 257-262.
- Frank, AL; Rohl, AN; Wade, MJ; Lipkin, LE. (1979). Biological activity in vitro of chrysotile compared to its quarried parent rock (platy serpentine). *J Environ Pathol Toxicol*. 2: 1041-1046.
- Franklin, BH. (1979). Public health control of environmental asbestos disease: consumer products. *Ann N Y Acad Sci*. 330: 497-501.
- Franzblau, A. (1989). Asbestos-associated rounded atelectasis: a case report and review of the literature. *The Mount Sinai journal of medicine, New York*. 56: 321-325.
- Freedman, M. (2001). Turning lead into gold. *Forbes*. 167: 122-126.
- Freimuth, VS; Van, NJP. (1981). Reaching the public: the asbestos awareness campaign. *The Journal of communication*. 31: 155-167.
- Friedman, AC; Fiel, SB; Radecki, PD; Lev-Toaff, AS. (1990). Computed tomography of benign pleural and pulmonary parenchymal abnormalities related to asbestos exposure. *Seminars in ultrasound, CT, and MR*. 11: 393-408.
- Friedman, GK. (2006). Clinical diagnosis of asbestos-related disease. *Asbestos: Risk Assessment, Epidemiology, and Health Effects* 309-380.
- Friemann, J; Mueller, KM; Pott, F. (1990). Mesothelial proliferation due to asbestos and man-made fibres: Experimental studies on rat omentum. *Pathology, Research and Practice*. 186: 117-123.
- Friemann, J; Varnai, M; Sutter, C; HÄ¶hr, B; Behrens, A; Althoff, GH; SchilpkÄ¶ter, HW. (1996). Differential diagnosis of malignant tumours in the abdominal cavity of rats after intraperitoneal injection of crocidolite or benzo[a]pyrene. *Exp Toxicol Pathol*. 48: 13-17.
- Friemann, J; Voss, B; Weller, W. Asbestos induced fibrosis in the omentum of rats. Immunofluorescence microscopical demonstration of collagens types I and III; laminin and fibronectin.
- Fringeli, UP. (1981). A new crystalline phase of L-alpha-dipalmitoyl phosphatidylcholine monohydrate. *Biophysical Journal*. 34: 173-187.
- Fritsch, AJ. (1975). Public Interest Methods for Assessing Chemical Hazards. *Papers of a Seminar on Early Warning Systems for Toxic Substances held on January 30-February 1, 1974, at Battelle Research Center, Seattle, Washington (EPA-560/1-75-003, July 1975)*, p 196-201.
- Frumkin, H. (1988). Re: Frumkin H, Berlin J (1988): asbestos exposure and gastrointestinal malignancy: review and meta-analysis. *Am J Ind Med* 14: 79-85. *Am J Ind Med*. 14: 493.
- Fry, C. (2008). Asbestos awareness. *Br Dent J*. 204: 476-477.
- Fryirs, K; Snape, I; Babicka, N. (2013). The type and spatial distribution of past waste at the abandoned Wilkes Station, East Antarctica. *Polar Rec (Gr Brit)*. 49: 328-347.

Environmental Hazard Literature Search Results

Off Topic

- Fubini, B; Aust, AE; Bolton, RE; Borm, PJA; Bruch, J; Ciapetti, G; Donaldson, K; Elias, Z; Gold, J; Jaurand, MC; Kane, AB; Lison, D; Muhle, H. (1998). Non-animal tests for evaluating the toxicity of solid xenobiotics - The report and recommendations of ECVAM Workshop 30. *Alternatives to Laboratory Animals*. 26: 579-617.
- Fubini, B; Barcelo, F; Otero Arean, C. (1997). Ferritin adsorption on amosite fibers: Possible implications in the formation and toxicity of asbestos bodies. *J Toxicol Environ Health*. 52: 343-352.
- Fubini, B; Fenoglio, DdCCIFMICGSfSoA; other, TPUDTVPGITIbfui; Ceschino, R; Ghiazza, M; Martra, DdCIFMICGSfSoA; other, TPUDTVPGITIbfui; Tomatis, M; Schins, R. Relationship between the state of the surface of four commercial quartz flours and their biological activity in vitro and in vivo.
- Fubini, B; Fenoglio, I; Tomatis, M; Turci, F. (2011). Effect of chemical composition and state of the surface on the toxic response to high aspect ratio nanomaterials. *Nanomed*. 6: 899-920.
- Fubini, B; Ghiazza, M; Fenoglio, I. (2010). Physico-chemical features of engineered nanoparticles relevant to their toxicity. *Nanotoxicology*. 4: 347-363.
- Fubini, B; Mollo, L. (1995). Role of iron in the reactivity of mineral fibers. *Toxicol Lett*. 82-3: 951-960.
- Fubini, B; Mollo, L; Giamello, E. (1995). Free radical generation at the solid/liquid interface in iron containing minerals. *Free Radic Res*. 23: 593-614.
- Fuertes-Fuente, M; Martin-Izard, A; Nieto, JG; Maldonado, C; Varela, A. (2000). Preliminary mineralogical and petrological study of the Ortosa Au-Bi-Te ore deposit: a reduced gold skarn in the northern part of the Rio Narcea Gold Belt, Asturias, Spain. *J Geochem Explor*. 71: 177-190.
- Fujitani, T; Hojo, M; Inomata, A; Ogata, A; Hirose, A; Nishimura, T; Nakae, D. (2014). Teratogenicity of asbestos in mice. *The Journal of toxicological sciences*. 39: 363-370.
- Fukui, N; Nakajima, K; Tashiro, T; Oda, H; Nakamura, K. (2001). Neutralization of fibroblast growth factor-2 reduces intraarticular adhesions. *Clin Orthop Relat Res* 250-258.
- Fukuoka, S-I; Fushiki, T; Kitagawa, Y; Sugimoto, E; Iwai, K. (1987). Competition of a growth stimulating-/cholecystokinin (CCK) releasing-peptide (monitor peptide) with epidermal growth factor for binding to 3T3 fibroblasts. *Biochem Biophys Res Commun*. 145: 646-650.
- Furness, IW; Reed, PJ. (1985). THE ASSESSMENT OF A MODIFICATION TO THE ACETONE-TRIACETIN CLEARING TECHNIQUE AS USED IN THE MEASUREMENT OF AIRBORNE ASBESTOS DUST. *Ann Occup Hyg*. 29: 109-112.
- Furst, A; Haro, RT. (1969). A survey of metal carcinogenesis. *Prog Exp Tumor Res*. 12: 102-133.
- Furuya, K; Mitsuishi, K; Song, MH; Saito, T. (1999). In-situ, analytical, high-voltage and high-resolution transmission electron microscopy of Xe ion implantation into Al. *J Electron Microsc (Tokyo)*. 48: 511-518.
- Gabor, EP. (1990). Case 28-1989: pulmonary infiltrates and an axillary mass. *The New England journal of medicine*. 322: 131.
- Gadikota, G; Natali, C; Boschi, C; Park, A-HA. (2014). Morphological changes during enhanced carbonation of asbestos containing material and its comparison to magnesium silicate minerals. *J Hazard Mater*. 264: 42-52.
- Gaensler, EA; Addington, WW. (1969). Asbestos or ferruginous bodies. *The New England journal of medicine*. 280: 488-492.
- Gaensler, EA; Kaplan, AI. (1971). Asbestos pleural effusion. *Ann Intern Med*. 74: 178-191.
- Gailing, O; Macnair, MR; Bachmann, K. (2004). QTL mapping for a trade-off between leaf and bud production in a recombinant inbred population of *Microseris douglasii* and *M. bigelovii* (Asteraceae, Lactuceae): a potential preadaptation for the colonization of serpentine soils. *Plant Biol*. 6.
- Gaille, C; Reimmann, C; Haas, D. (2003). Isochorismate synthase (PchA), the first and rate-limiting enzyme in salicylate biosynthesis of *Pseudomonas aeruginosa*. *J Biol Chem*. 278: 16893-16898.
- Gale, RW; Timbrell, V. (1980). Practical application of magnetic alignment of mineral fibres for hazard evaluation. *IARC Sci Publ*. 30: 53-60.
- Galgani, F; Chiffolleau, JF; Orsoni, V; Costantini, L; Boissery, P; Calendini, S; Andral, B. (2006). Chemical contamination and sediment toxicity along the coast of Corsica. *Chem Ecol*. 22: 299-312.
- Galloway, SM; Ivett, JL. (1986). CHEMICALLY INDUCED ANEUPLOIDY IN MAMMALIAN CELLS IN CULTURE. *Mutat Res*. 167: 89-106.
- Gamsu, G. (1989). High-resolution CT in the diagnosis of asbestos-related pleuroparenchymal disease. *Am J Ind Med*. 16: 115-117.
- Ganick, NR; Gobbell, RV. (1996). Asbestos management and removal in hospitals. *Healthc Facil Manag Ser*.
- Ganim, RB; Peckol, EL; Larkin, J; Ruchhoeft, ML; Cameron, JS. (1998). ATP-sensitive K⁺ channels in cardiac muscle from cold-acclimated goldfish: Characterization and altered response to ATP. *Comparative Biochemistry and Physiology a-Molecular & Integrative Physiology*. 119: 395-401.
- Gannon, C. (1986). ANALYSTS MANUAL FOR LARGE ASBESTOS INSPECTION PROJECTS. 32nd Inter Symposium, Chicago, Illinois, Usa, July. 34: 268-269.
- Ganor, E; Fischbein, A; Brenner, S; Froom, P. (1992). Extreme airborne asbestos concentrations in a public building. *Br J Ind Med*. 49: 486-488.
- Ganotes, JT; Tan, HT. (1980). Asbestos identification by dispersion staining microscopy. *Am Ind Hyg Assoc J*. 41: 70-73.
- Garcia, LM; Chaboy, J; Bartolome, F; Goedkoop, JB. (2000). Soft x-ray magnetic circular dichroism investigation of the spin reorientation transition in Nd(2)Fe(14)B. *Journal of Applied Physics*. 87: 6567-6569.
- Gardner, BR; Lowe, HJ. (1974). The research and development background to the environmental problems of natural draught cooling towers. *Atmos Environ* (1967). 8: 313-320.
- Gardner, MJ. (1983). Effect of a second factor on a linear dose-response relationship. *Journal of UOEH*. 5 Suppl: 183-188.
- Garellick, H; Scutt, JE. (1981). Concentration of virus from tap water at ambient salt and pH levels using positively charged filter media. *Water Res*. 15: 815-816.

Environmental Hazard Literature Search Results

Off Topic

- Garg, BD; Cadle, SH; Mulawa, PA; Groblicki, PJ; Laroo, C; Parr, GA. (2000). Brake wear particulate matter emissions. *Environmental Science & Technology*. 34: 4463-4469.
- Garlipp, F; Hessel, EF; van den Hurk, M; Timmerman, MF; Van den Weghe, HFA. (2010). The Influence of a Particle Separation Technology on the Generation of Airborne Particles from Different Roughages and Bedding Materials Used for Horses. *Journal of Equine Veterinary Science*. 30: 545-559.
- Gaudichet, A; Petit, G; Billon-Galland, MA; Dufour, G. (1989). Levels of atmospheric pollution by man-made mineral fibres in buildings. *IARC Sci Publ*. 90: 291-298.
- Gazzano, E; Ghiazza, M; Polimeni, M; Bolis, V; Fenoglio, I; Attanasio, A; Mazzucco, G; Fubini, B; Ghigo, D. (2012). Physicochemical determinants in the cellular responses to nanostructured amorphous silicas. *Toxicological sciences : an official journal of the Society of Toxicology*. 128: 158-170.
- Gazzano, E; Turci, F; Foresti, E; Putzu, MG; Aldieri, E; Silvagno, F; Lesci, IG; Tomatis, M; Riganti, C; Romano, C; Fubini, B; Roveri, N; Ghigo, D. (2007). Iron-loaded synthetic chrysotile: A new model solid for studying the role of iron in asbestos toxicity. *Chem Res Toxicol*. 20: 380-387.
- Gee, JB. (1994). Regarding bias. *Environ Health Perspect*. 102: 425-426.
- Gefter, WB; Conant, EF. (1988). Issues and controversies in the plain-film diagnosis of asbestos-related disorders in the chest. *J Thorac Imaging*. 3: 11-28.
- Gehring, PJ. (1985). ON CHEMICALS AND RISKS. *Chemtech*. 15: 522-525.
- Geiser, M; Matter, M; Maye, I; Hof, VI; Gehr, P; Schurch, S. (2003). Influence of airspace geometry and surfactant on the retention of man-made vitreous fibers (MMVF 10a). *Environ Health Perspect*. 111: 895-901.
- Gelain, DP; Pasquali, MAD; Caregnato, FF; Moreira, JCF. (2011). Vitamin A (retinol) up-regulates the receptor for advanced glycation endproducts (RAGE) through p38 and Akt oxidant-dependent activation. *Toxicology*. 289: 38-44.
- Gelman, C; Mehta, DV; Meltzer, TH. (1979). New filter compositions for the analysis of airborne particulate and trace metals. *Am Ind Hyg Assoc J*. 40: 926-932.
- Gelpi Jr, AJ; Devereux, ED. (1930). Effect of the Electropure Process and of the Holding Method of Treating Milk upon Bacterial Endospores. *J Dairy Sci*. 13: 368-371.
- Gendek, EG; Brody, AR. (1990). Changes in lipid ordering of model phospholipid membranes treated with chrysotile and crocidolite asbestos. *Environ Res*. 53: 152-167.
- Gentry, JW. (1987). Survey of recent measurements with asbestos fibers. *J Aerosol Sci*. 18: 479-486.
- Gentry, JW; Spurny, KR; SchÅrmmann, J. (1991). The diffusion coefficients for ultrathin chrysotile fibers. *J Aerosol Sci*. 22: 869-880.
- Gentry, JW; Spurny, KR; SchÅrmmann, J; Han, RJ. (1990). Filtration and diffusion of asbestos fibers: Comparison of experiment and theory. *J Aerosol Sci*. 21, Supplement 1: S711-S714.
- Gentry, JW; Spurny, KR; Schormann, J; Opiela, H; Weiss, G. (1982). Measurement of the diffusion coefficient for chrysotile and crocidolite fibers. *Atmos Environ* (1967). 16: 2947-2957.
- Gentry, JW; Spurny, KR; Soulen, SA; SchÅrmmann, J. (1988). Measurements of the diffusion coefficients of ultrathin asbestos fibers. *J Aerosol Sci*. 19: 1041-1044.
- George, G; Vishnu, VS; Reddy, MLP. (2011). The synthesis, characterization and optical properties of silicon and praseodymium doped Yâ†MoOâ, compounds: Environmentally benign inorganic pigments with high NIR reflectance. *Dyes and Pigments*. 88: 109-115.
- George, SJ; Drury, OB; Fu, JX; Friedrich, S; Doonan, CJ; George, GN; White, JM; Young, CG; Cramer, SP. (2009). Molybdenum X-ray absorption edges from 200 to 20,000 eV: The benefits of soft X-ray spectroscopy for chemical speciation. *J Inorg Biochem*. 103: 157-167.
- Georgy, ST; Widdicombe, JG; Young, V. (2002). The pyrophysiology and sexuality of dragons. *Respiratory Physiology & Neurobiology*. 133: 3-10.
- Geraci, S; Relini, G. (1971). (Fouling in the polluted zone. Observations in Genova harbour I. Bryozoans). *Pubbl Stn Zool Napoli*. 38: 21-32.
- Gerde, P; Scholander, P. (1989). Adsorption of polycyclic aromatic hydrocarbons on to asbestos and man-made mineral fibres in the gas phase. *IARC Sci Publ*. 90: 140-148.
- Geremia, G; Mintzer, RA. (1984). An unusual case of rounded atelectasis. *Chest*. 86: 485-486.
- Germine, M. (1987). Sepiolite asbestos from Franklin, New Jersey: A case study in medical geology. *Environ Res*. 42: 386-399.
- Gert, G; Joachim, K. (1998). Process of treatment and environment-friendly utilization of asbestos-cement products. *J Clean Prod*. 6: 71.
- Ghadially, FN; Lalonde, JM; Yong, NK. (1979). Ultrastructure of amianthoid fibers in osteoarthrotic cartilage. *Virchows Archiv B, Cell pathology including molecular pathology*. 31: 81-86.
- Ghandour, MA; Kasim, EA; Ali, AMM; El-Haty, MT; Ahmed, MM. (2001). Adsorptive stripping voltammetric determination of antihypertensive agent: diltiazem. *J Pharm Biomed Anal*. 25: 443-451.
- Ghiazza, M; Gazzano, E; Bonelli, B; Fenoglio, I; Polimeni, M; Ghigo, D; Garrone, E; Fubini, B. (2009). Formation of a Vitreous Phase at the Surface of Some Commercial Diatomaceous Earth Prevents the Onset of Oxidative Stress Effects. *Chem Res Toxicol*. 22: 136-145.
- Ghiazza, M; Scherbar, AM; Fenoglio, I; Grendene, F; Turci, F; Martra, G; Albrecht, C; Schins, RP; Fubini, B. (2011). Surface iron inhibits quartz-induced cytotoxic and inflammatory responses in alveolar macrophages. *Chem Res Toxicol*. 24: 99-110.
- Ghiazza, M; Tomatis, M; Doublier, S; Grendene, F; Gazzano, E; Ghigo, D; Fubini, B. (2013). Carbon in intimate contact with quartz reduces the biological activity of crystalline silica dusts. *ACS Nano*. 26: 46-54.
- Ghio, AJ; LeFurgey, A; Roggli, VL. (1997). In vivo accumulation of iron on crocidolite is associated with decrements in oxidant generation by the fiber. *J Toxicol Environ Health*. 50: 125-142.
- Ghio, AJ; Soukup, JM; Dailey, LA; Richards, JH; Tong, H. (2016). The biological effect of asbestos exposure is dependent on changes in iron homeostasis. *Inhal Toxicol*. 28: 698-705.

Environmental Hazard Literature Search Results

Off Topic

- Ghio, AJ; Stonehuerner, J. (1997). COMPLEMENT ACTIVATION AFTER IN VITRO ASBESTOS EXPOSURE CORRESPONDS TO OXIDANT GENERATION. *Inhal Toxicol.* 9: 31-42.
- Ghio, AJ; Stonehuerner, J; Steele, MP; Crumbliss, AL. (1994). Phagocyte-Generated Superoxide Reduces Fe³⁺ to Displace It from the Surface of Asbestos. *Arch Biochem Biophys.* 315: 219-225.
- Ghio, AJ; Taylor, DE; Stonehuerner, JG; Piantadosi, CA; Crumbliss, AL. (1998). The release of iron from different asbestos structures by hydrogen peroxide with concomitant O₂ generation. *Biometals.* 11: 41-47.
- Ghio, AJ; Zhang, J; Piantadosi, CA. (1992). Generation of hydroxyl radical by crocidolite asbestos is proportional to surface [Fe³⁺]. *Arch Biochem Biophys.* 298: 646-650.
- Giacomini, F; Boerio, V; Polattini, S; Tiepolo, M; Tribuzio, R; Zanetti, A. (2010). Evaluating asbestos fibre concentration in metaophiolites: a case study from the Voltri Massif and Sestri-Voltaggio Zone (Liguria, NW Italy). *Environ Earth Sci.* 61: 1621-1639.
- Gibbs, G. (2008). Rapporteur's Report Session 3: Exposure to grunerite asbestos (amosite): Historical perspectives of the health effects. *Regul Toxicol Pharmacol.* 52: S91.
- Gibbs, GW. (1969). Some problems associated with the storage of asbestos in polyethylene bags. *Am Ind Hyg Assoc J.* 30: 458-464.
- Gibbs, GW. (1970). Qualitative aspects of dust exposure in the Quebec asbestos mining and milling industry. *Inhaled Particles.* 2: 783-799.
- Gibbs, GW. (1979). Etiology of pleural calcification: a study of Quebec chrysotile asbestos miners and millers. *Arch Environ Health.* 34: 76-83.
- Gibbs, GW. (2008). Rapporteur's Report Session 3: exposure to grunerite (amosite) asbestos: historical perspectives of the health effects. *Regulatory toxicology and pharmacology : RTP.* 52: S91.
- Gibbs, GW; du, TRS. (1979). Environmental considerations in surveillance of asbestos miners and millers. *Ann N Y Acad Sci.* 330: 163-178.
- Gibbs, GW; Hui, HY. (1971). The organic content of Canadian chrysotile. *Am Ind Hyg Assoc J.* 32: 519-528.
- Gibbs, GW; Lachance, M. (1972). Dust exposure in the chrysotile asbestos mines and mills of Quebec. *Arch Environ Health.* 24: 189-197.
- Gibbs, GW; LaChance, M. (1974). Dust-fiber relationships in the Quebec chrysotile industry. *Arch Environ Health.* 28: 69-71.
- Gibbs, GW; McCullough, RS; Tate, RA. (1979). A Canadian asbestos counting trial. *Canadian journal of public health = Revue canadienne de santé publique.* 70: 343-350.
- Gibson, DP; Aardema, MJ; Kerckaert, GA; Carr, GJ; Brauningner, RM; LeBoeuf, RA. (1995). Detection of aneuploidy-inducing carcinogens in the Syrian hamster embryo (SHE) cell transformation assay. *MUTAT RES-GENET TOXICOL TEST.* 343: 7-24.
- Gidarakos, E; Anastasiadou, K; Koumantakis, E; Nikolaos, S. (2008). Investigative studies for the use of an inactive asbestos mine as a disposal site for asbestos wastes. *J Hazard Mater.* 153: 955-965.
- Gidenne, T; Combes, S; Fortun-Lamothe, L. (2013). Protein replacement by digestible fibre in the diet of growing rabbits. 1: Impact on digestive balance, nitrogen excretion and microbial activity. *Anim Feed Sci Technol.* 183: 132-141.
- Gilbert, B; Paesleme, LA; Ferreira, AM; BulhÃæres, MCCC. (1973). Field tests of hexabutyl-distannoxane (TBTO) in slow-release formulations against *Biomphalaria* spp. *Bull World Health Organ.* 49: 633-636.
- Gilbert, S. (1988). Home remedies. A sensible approach to finding and eliminating indoor pollutants. *NEHW health watch.* 9: 1, 4-6.
- Gill, CO; Badoni, M. (2004). Effects of peroxyacetic acid, acidified sodium chlorite or lactic acid solutions on the microflora of chilled beef carcasses. *International Journal of Food Microbiology.* 91: 43-50.
- Gill, I; Patel, R. (2006). Biocatalytic ammonolysis of (5S)-4,5-dihydro-1H-pyrrole-1,5-dicarboxylic acid, 1-(1,1-dimethylethyl)-5-ethyl ester: preparation of an intermediate to the dipeptidyl peptidase IV inhibitor Saxagliptin. *Bioorganic & medicinal chemistry letters.* 16: 705-709.
- Gillis, JG. (1965). THE ASSOCIATION OF ASBESTOS AND MALIGNANCY. *Can Med Assoc J.* 92: 1034-1035.
- Gillissn, A; Loeseke, S; Montalvan-Dobmayr, S; Mazerant, P; Rasche, K; Schulze-Werninghaus, G. (1998). Apoptosis in bronchoepithelial cells after dust exposure: The predominant role of oxidants. *European Respiratory Society Annual Congress, Geneva, Switzerland, September.* 12.
- Gilmer, TM; Annab, LA; Barrett, JC. (1988). Characterization of activated proto-oncogenes in chemically transformed Syrian hamster embryo cells. *Mol Carcinog.* 1: 180-188.
- Gilmour, PS; Beswick, PH; Brown, DM; Donaldson, K. (1995). Detection of surface free radical activity of respirable industrial fibres using supercoiled phi X174 RF1 plasmid DNA. *Carcinogenesis.* 16: 2973-2979.
- Gilmour, PS; Brown, DM; Beswick, PH; MacNee, W; Rahman, I; Donaldson, K. (1997). Free radical activity of industrial fibers: Role of iron in oxidative stress and activation of transcription factors. *Environ Health Perspect.* 105: 1313-1317.
- Gilson, JC. (1965). Problems and perspectives: the changing hazards of exposure to asbestos. *Ann N Y Acad Sci.* 132: 696-705.
- Gilson, JC. (1974). Proceedings: Biological effects of asbestos. Unanswered questions posed by epidemiological studies. *Clin Sci Mol Med.* 47: 11P.
- Gloag, D. (1981). Asbestos fibres and the environment. *British medical journal (Clinical research ed).* 282: 623-626.
- Gloag, D. (1981). Asbestos--can it be used safely? *British medical journal (Clinical research ed).* 282: 551-553.
- Gloag, D. (1982). Can society live with asbestos? *British medical journal (Clinical research ed).* 284: 1728-1729.
- Glovinova, E; Kucera, M; Pavel, J. (1994). Testing hazardous asbestos fibres in animal tissues. *Toxicol Environ Chem.* 43: 13-17.
- Gloyne, SR. (1930). The reaction of tissues to the asbestos fibre, with reference to pulmonary asbestosis. *Tubercle.* 11: 151-IN152.
- Gold, J; Amandusson, H; Krozer, A; Kasemo, B; Ericsson, T; Zanetti, G; Fubini, B. (1997). Chemical characterization and reactivity of iron chelator-treated amphibole asbestos. *Environ Health Perspect.* 105: 1021-1030.
- Gold, KW; Naugle, DF; Berry, MA. (1993). Indoor concentrations of environmental carcinogens. *IARC Sci Publ.* 109: 41-71.
- Goldberg, JL; Zanella, CL; Janssen, YM; Timblin, CR; Jimenez, LA; Vacek, P; Taatjes, DJ; Mossman, BT. (1997). Novel cell imaging techniques show induction of apoptosis and proliferation in mesothelial cells by asbestos. *Am J Respir Cell Mol Biol.* 17: 265-271.

Environmental Hazard Literature Search Results

Off Topic

- Goldberg, S; Suarez, DL. (2011). Influence of Soil Solution Cation Composition on Boron Adsorption by Soils. *Soil Sci.* 176: 80-83.
- Goldfield, J; Brandt, FE. (1974). Dust control techniques in the asbestos industry. *Am Ind Hyg Assoc J.* 35: 799-808.
- Goldman, JM; Murr, AS; Buckalew, AR; Cooper, RL. (2008). Suppression of the steroid-primed luteinizing hormone surge in the female rat by sodium dimethyldithiocarbamate: Relationship to hypothalamic catecholamines and GnRH neuronal activation. *Toxicol Sci.* 104: 107-112.
- Goldstein, B; Rendall, REG; Webster, I. (1983). A comparison of the effects of exposure of baboons to crocidolite and fibrous-glass dusts. *Environ Res.* 32: 344-359.
- Goldstein, B; Webster, I. (1970). Mixed dust fibrosis in mineworkers. *Inhaled Particles.* 2: 705-712.
- Goldstein, B; Webster, I; Van As, A. (1974). The use of nonhuman primates in pneumoconiosis and other industrial disease research. *Environ Res.* 7: 320-329.
- Gollmann, MAIC; Capeletti, LB; Miranda, MrSL; dos Santos, JoHZ. (2009). Modified-sorbents for acetone adsorption: Application in ethylene polymerization process. *Chem Eng J.* 147: 383-390.
- Gomes, CL; Pflanzler, SrB; de Felício, PE; Bolini, HMA. (2014). Temporal changes of tenderness and juiciness of beef strip loin steaks. *LWT - Food Science and Technology.* 59: 629-634.
- Gomes, MEP. (2008). Geochemistry of microgranular enclaves and host granite from Telões (Vila Pouca de Aguiar), Northern Portugal. *Chemie der Erde - Geochemistry.* 68: 69-80.
- Gomez, E; Rani, DA; Cheeseman, CR; Deegan, D; Wise, M; Boccacini, AR. (2009). Thermal plasma technology for the treatment of wastes: A critical review. *J Hazard Mater.* 161: 614-626.
- Goncalves, MR; Freitas, P; Marques, IP. (2012). Bioenergy recovery from olive mill effluent in a hybrid reactor. *Biomass & Bioenergy.* 39: 253-260.
- Goncalves, RR; Masui, DC; McNamara, JC; Mantelatto, FLM; Garçon, DP; Furriel, RPM; Leone, FA. (2006). A kinetic study of the gill (Na(+), K(+))-ATPase, and its role in ammonia excretion in the intertidal hermit crab, *Clibanarius vittatus*. *Comparative Biochemistry and Physiology a-Molecular & Integrative Physiology.* 145: 346-356.
- Gondret, F; Pãre, M-C; Tacher, S; Darã©, S; Trefeu, C; Le Huãrou-Luron, I; Louveau, I. (2013). Spontaneous intra-uterine growth restriction modulates the endocrine status and the developmental expression of genes in porcine fetal and neonatal adipose tissue. *General and Comparative Endocrinology.* 194: 208-216.
- Gonzalez, S; Friemann, J; Mueller, KM; Pott, F. (1991). Ultrastructure of mesothelial regeneration after intraperitoneal injection of asbestos fibres on rat omentum. *Pathology, Research and Practice.* 187: 931-935.
- Gonzalez-Fernandez, E; Martin, FR. (1986). COMPARISON OF NIOSH AND AIA METHODS FOR EVALUATING ASBESTOS FIBERS EFFECTS OF ASBESTOS TYPE MOUNTING MEDIUM GRATICULE TYPE AND COUNTING RULES. *Ann Occup Hyg.* 30: 397-410.
- Goodglick, LA; Pietras, LA; Kane, AB. (1989). Evaluation of the causal relationship between crocidolite asbestos-induced lipid peroxidation and toxicity to macrophages. *Am J Respir Crit Care Med.* 139: 1265-1273.
- Gordon, JRC; Leigh, J. (2011). Medicolegal aspects of the third wave of asbestos-related disease in Australia. *Med J Aust.* 195: 247-248.
- Gormley, IP; Wright, MO. (1980). Electrophysiological changes induced by asbestos in macrophage-like cells during long-term culture. *IARC Sci Publ.* 30: 435-439.
- Gorski, CH; Stettler, LE. (1974). The surface energetics of asbestos minerals. *Am Ind Hyg Assoc J.* 35: 345-353.
- Gorski, CH; Stettler, LE. (1975). The adsorption of water and benzene on amosite and chrysotile asbestos. *Am Ind Hyg Assoc J.* 36: 292-298.
- Gorski, CH; Stettler, LE; Lempert, BL. (1976). The porosity of amosite and chrysotile asbestos. *Am Ind Hyg Assoc J.* 37: 117-122.
- Gotloib, L; Wajsbrot, V; Shostak, A. (2005). A short review of experimental peritoneal sclerosis: from mice to men. *The International journal of artificial organs.* 28: 97-104.
- Gottschall, EB. (2010). Taking a Retrospective Look at Asbestos-related Thoracic Disease Produces Interesting Results. *Radiology.* 255: 681-682.
- Gough, M. (1983). Sources and interpretation of asbestos exposure data. *Journal of toxicology Clinical toxicology.* 21: 211-235.
- Goulian, M; Simon, SM. (2000). Tracking Single Proteins within Cells. *Biophysical Journal.* 79: 2188-2198.
- Governa, M; Rosanda, C. (1972). A histochemical study of the asbestos body coating. *Br J Ind Med.* 29: 154-159.
- Governa, M; Rosanda, VC. (1973). Histochemical study of asbestos fibre coating in experimental carrageenin granulomas. *Br J Ind Med.* 30: 248-252.
- Governa, M; Valentino, M; Lo, MN. (1987). Biological reactivity of continuous glass fibres: in vitro and in vivo studies. *Med Lav.* 78: 190-198.
- Gowda, S; Abiraj, K; Gowda, DC. (2002). Reductive cleavage of azo compounds catalyzed by commercial zinc dust using ammonium formate or formic acid. *Tetrahedron Letters.* 43: 1329-1331.
- Grãcia-Juliã, A; Renã©, M; Cortã©s-Muãoz, M; Picart, Lt; Lãpez-Pedemonte, Ts; Chevalier, D; Dumay, E. (2008). Effect of dynamic high pressure on whey protein aggregation: A comparison with the effect of continuous short-time thermal treatments. *Food Hydrocolloids.* 22: 1014-1032.
- Grallath, S; Weimar, T; Meyer, A; Gummy, C; Suter-Grotemeyer, M; Neuhaus, JM; Rentsch, D. (2005). The AtProT family. Compatible solute transporters with similar substrate specificity but differential expression patterns. *Plant Physiology.* 137: 117-126.
- Grandhi, RR; Kornegay, ET; Lindemann, MD; Knight, JW. (1987). Effect of chlortetracycline supplementation during prebreeding and early gestation on age at puberty, ovulation rate, embryo survival and fetal development in gilts. *Theriogenology.* 28: 661-665.
- Grant, C; Bravery, AF. (1985). LABORATORY EVALUATION OF ALGICIDAL BIOCIDES FOR USE ON CONSTRUCTIONAL MATERIALS 3. USE OF THE VERMICULITE BED TECHNIQUE TO EVALUATE TOXIC WASHES SURFACE COATINGS AND SURFACE TREATMENTS. *Int Biodeterior.* 21: 285-294.

Environmental Hazard Literature Search Results

Off Topic

- Grant, CD; Campbell, CJ; Charnock, NR. (2002). Selection of species suitable for derelict mine site rehabilitation in New South Wales, Australia. *Water Air and Soil Pollution*. 139: 215-235.
- Graveland, A. (1998). Particle and micro-organism removal in conventional and advanced treatment technology. *Water Science and Technology*. 37: 125-134.
- Green, ML; Clapper, JA; Diekman, M. (1999). Serum concentrations of melatonin during scotophase and photophase in 3, 4, 5 and 6 month old gilts and barrows¹. *Anim Reprod Sci*. 57: 99-110.
- Green, RA; Dimcheff, DG. (1974). Massive bilateral upper lobe fibrosis secondary to asbestos exposure. *Chest*. 65: 52-55.
- Greenberg, M. (1984). S fibers. *Am J Ind Med*. 5: 421-422.
- Greenberg, M. (1993). The hazards of asbestos. Access to vital data is denied. *BMJ (Clinical research ed)*. 307: 259.
- Greenberg, M. (1993). Reginald Tague: a UK asbestos prophet--a postscript. *Am J Ind Med*. 24: 521-524.
- Greenberg, M. (1994). Thoughts inspired by reading the correspondence: Hughes and Weill vs. Roggli et al., April 1994. *Am J Ind Med*. 26: 843-844.
- Greenberg, M. (1998). The priority for recognizing asbestos as a multicentre carcinogen, and problems in categorizing asbestos tumours. *Eur Respir J*. 11: 996-996.
- Greenberg, M. (2011). Re: Paradis G. Ban all production and export of chrysotile asbestos [Editor's Page]. *Can J Public Health* 2010;101(5):352. *Canadian journal of public health = Revue canadienne de santé publique*. 102: 76.
- Greenberg, M; Wikeley, N. (1999). Too little, too late? The home office and the asbestos industry regulations, 1931: a reply. *Medical history*. 43: 508-510; discussion 511-503.
- Greenburg, L. (1947). The dust hazard in tremolite talc mining. *The Yale journal of biology and medicine*. 19: 481-501.
- Greene, R; Schaefer, CM; Oliver, LC. (1991). Improved detection of asbestos-related pleural plaques with digital radiography. *Ann N Y Acad Sci*. 643: 90-96.
- Gregori, G; Kleebe, HJ; Siegelin, F; Ziegler, G. (2002). In situ SEM imaging at temperatures as high as 1450 degrees C. *J Electron Microsc (Tokyo)*. 51: 347-352.
- Grice, PG; Kajikuri, H; Riberi, A; Rodrigues, RW; Shumacker, HB, Jr. (1956). Intrapericardial asbestos in experimental coronary artery ligation. *Surgery*. 40: 757-762.
- Grieger, GR; Stewart, IM. (1976). The use of Soluene and KOH as tissue digestants for the determination of asbestos in tissue. *Environ Health Perspect*. 18: 222-223.
- Grier, DD. (2004). Kenneth Lynch and asbestos. *Journal of the South Carolina Medical Association* (1975). 100: 210-213.
- Griffiths, RF. (1983). Sourcebook on asbestos diseases: Medical, legal and engineering aspects : G.A. Peters and B.J. Peters, Garland STPM Press, New York, 1980, ISBN 0-8240-7175-1, 457 pages incl. index, price \$46.00. *J Hazard Mater*. 7: 404.
- Griffiths, WD. (1988). The shape selective sampling of fibrous aerosols. *J Aerosol Sci*. 19: 703-713.
- Grodsky, JA. (2007). Genomics and toxic torts: Dismantling the risk-injury divide. *Stanford Law Rev*. 59: 1671-1734.
- Gross, P. (1974). Is short-fibered asbestos dust a biological hazard? *Arch Environ Health*. 29: 115-117.
- Gross, P. (1974). Letter: Asbestos fibers in drinking water. *JAMA*. 229: 767.
- Gross, P. (1975). Letter: Is short-fibered asbestos dust a biological hazard? *Arch Environ Health*. 30: 56.
- Gross, P. (1977). The biologic response to inhaled mineral fibers: facts and fancies. *Rev Environ Health*. 2: 167-175.
- Gross, P; Cralley, LJ; DeTreville, RT. (1967). "Asbestos" bodies: their nonspecificity. *Am Ind Hyg Assoc J*. 28: 541-542.
- Gross, P; De, TRT. (1967). Experimental asbestosis. Studies on the progressiveness of the pulmonary fibrosis caused by chrysotile dust. *Arch Environ Health*. 15: 638-649.
- Gross, P; deTreville, RT; Haller, MN. (1970). Asbestos versus nonasbestos fibers. Ultramicroscopic criteria. *Arch Environ Health*. 20: 571-578.
- Gross, P; Harley, RA, Jr. (1973). Asbestos-induced intrathoracic tissue reactions. *Arch Pathol*. 96: 245-250.
- Gross, P; Harley, RA, Jr. (1973). The locus of pathogenicity of asbestos dust: a theory. *Arch Environ Health*. 27: 240-242.
- Gross, P; Kociba, RJ; Sparschu, GL; Norris, JM. (1977). The biologic response to titanium phosphate. A new synthetic mineral fiber. *Archives of pathology & laboratory medicine*. 101: 550-554.
- Grosse, I; Huetter, B; Hartmann, I; Binde, G; Gruber, H; Kurz, G. (1998). Asbestos on textiles: is there an endangering during washing and wearing? *J Hazard Mater*. 63: 119-130.
- Grunder, W; Biesold, M; Wagner, M; Werner, A. (1998). Improved nuclear magnetic resonance microscopic visualization of joint cartilage using liposome entrapped contrast agents. *Invest Radiol*. 33: 193-202.
- Gualtieri, AF; Cavenati, C; Zanatto, I; Meloni, M; Elmi, G; Gualtieri, ML. (2008). The transformation sequence of cementäasbestos slates up to 1200 °C and safe recycling of the reaction product in stoneware tile mixtures. *J Hazard Mater*. 152: 563-570.
- Gualtieri, AF; Foresti, E; Lesci, IG; Roveri, N; Gualtieri, ML; Dondi, M; Zapparoli, M. (2009). The thermal transformation of Man Made Vitreous Fibers (MMVF) and safe recycling as secondary raw materials (SRM). *J Hazard Mater*. 162: 1494-1506.
- Gualtieri, AF; Giacobbe, C; Sardisco, L; Saraceno, M; Lassinantti Gualtieri, M; Lusvardi, G; Cavenati, C; Zanatto, I. (2011). Recycling of the product of thermal inertization of cementäasbestos for various industrial applications. *Waste Manag*. 31: 91-100.
- Gualtieri, AF; Gualtieri, ML; Tonelli, M. (2008). In situ ESEM study of the thermal decomposition of chrysotile asbestos in view of safe recycling of the transformation product. *J Hazard Mater*. 156: 260-266.
- Gualtieri, AF; Mangano, D; Gualtieri, ML; Ricchi, A; Foresti, E; Lesci, G; Roveri, N; Mariotti, M; Pecchini, G. (2009). Ambient monitoring of asbestos in selected Italian living areas. *J Environ Manage*. 90: 3540-3552.
- Gualtieri, AF; Sardisco, L; Saraceno, M; GualL; Lusvardi, G. Recycling of the product of thermal inertization of cement-asbestos for various industrial applications.

Environmental Hazard Literature Search Results

Off Topic

- Gualtieri, AF; Viani, A; Sgarb, SG. In vitro biodurability of the product of thermal transformation of cement-asbestos.
- Gualtieri, AF; Zanatto, I; Meloni, M. The transformation sequence of cement-asbestos slates up to 1200 degrees C and safe recycling of the reaction product in stoneware tile mixtures.
- Guan, W; Fan, X; Yan, R. (2013). Effect of combination of ultraviolet light and hydrogen peroxide on inactivation of *Escherichia coli* O157:H7, native microbial loads, and quality of button mushrooms. *Food Control*. 34: 554-559.
- Guerra, ON; Canada, K. (1976). Open-cast technique for metal molds used in constructing facial prostheses. *The Journal of prosthetic dentistry*. 36: 421-425.
- Guerrero, RA. (2005). Volume holographic storage and animation based on addressing with an elastomer phase mask. *Optics Communications*. 245: 75-83.
- Guerrero, S; Lpez-Malo, A; Alzamora, SM. (2001). Effect of ultrasound on the survival of *Saccharomyces cerevisiae*: influence of temperature, pH and amplitude. *Innovative Food Science & Emerging Technologies*. 2: 31-39.
- Guezoul, O; Sekour, M; Souttou, K; Doumandji, S. (2013). Damage due to the hybrid sparrows on dates (*Phoenix dactylifera* L.) In the palm plantations of Ouargla (The Sahara, Algeria). *Acta horticulturae*341-346.
- Guichard, Y; Gat; ea. In Vitro Study of Mutagenesis Induced by Crocidolite-Exposed Alveolar Macrophages NR8383 in Cocultured Big Blue Rat2 Embryonic Fibroblasts.
- Guignard, J. (1991). Asbestos in the natural environment. *Studies in environmental science* 37: H. Schreier. Elsevier, Amsterdam, 1989. 159 pp, 15 Figs, 17 Tables. ISBN 0-444-8803 1-3. ISBN 0-444-4 1696-X (Series)_. *Geoderma*. 50: 266-267.
- Guilianelli, C; Baeza-Squiban, A; Boisvieux-Ulrich, E; Houcine, O; Zalma, R; Guennou, C; Pezerat, H; Marano, F. (1993). Effect of mineral particles containing iron on primary cultures of rabbit tracheal epithelial cells: Possible implication of oxidative stress. *Environ Health Perspect*. 101: 436-442.
- Guilianelli, C; Baeza-Squiban, A; Lapait, E; Marano, F. (1996). Cultured airway epithelium responses to mineral particles: role of the oxidative stress. *Toxicol Lett*. 88: 39-44.
- Guillot, Sp; Faik, A; Rakhmatullin, A; Lambert, J; Veron, E; Echegut, P; Bessada, C; Calvet, N; Py, X. (2012). Corrosion effects between molten salts and thermal storage material for concentrated solar power plants. *Appl Energ*. 94: 174-181.
- Guitreau, M; Blichert-Toft, J; Mojzsis, SJ; Roth, ASG; Bourdon, B. (2013). A legacy of Hadean silicate differentiation inferred from Hf isotopes in Eoarchean rocks of the Nuvvuagittuq supracrustal belt (Qubec, Canada). *Earth Planet Sci Lett*. 362: 171-181.
- Gulumian, M; Bhoolia, DJ; Dutoit, RSJ; Rendall, REG; Pollak, H; Vanwyk, JA; Rhempula, M. (1993). Activation of UICC Crocidolite: The Effect of Conversion of Some Ferric Ions to Ferrous Ions. *Environ Res*. 60: 193-206.
- Gulumian, M; van, WJA. (1987). Hydroxyl radical production in the presence of fibres by a Fenton-type reaction. *Chem Biol Interact*. 62: 89-97.
- Gulumian, M; van Wyk, JA; Hearne, GR; Kolk, B; Pollak, H. (1993). ESR and Mssbauer studies on detoxified crocidolite: Mechanism of reduced toxicity. *J Inorg Biochem*. 50: 133-143.
- Guo, X; Xiang, D; Duan, G; Mou, P. (2010). A review of mechanochemistry applications in waste management. *Waste Manag*. 30: 4-10.
- Gupta, H; Shashidhar, D; Pereira, M; Mandal, P; Rao, NP; Kousalya, M; Satyanarayana, HVS; Dimri, VP. (2007). Earthquake forecast appears feasible at Koyna, India. *Current Science*. 93: 843-848.
- Gupta, PK; Frost, JK. (1981). Cytologic changes associated with asbestos exposure. *Semin Oncol*. 8: 283-289.
- Gursel, A; Gursoy, A; Senel, E; Deveci, O; Karademir, E. (2003). The use of freeze-shocked lactic starters in low-fat white pickled cheese. *Milchwissenschaft-Milk Science International*. 58: 279-282.
- Guthrie, GD. (1997). Mineral properties and their contributions to particle toxicity. *Environ Health Perspect*. 105: 1003-1011.
- Gwaltney-Brant, SM; Murphy, LA; Wismer, TA; Albretsen, JC. (2003). General toxicologic hazards and risks for search-and-rescue dogs responding to urban disasters. *Journal of the American Veterinary Medical Association*. 222: 292-295.
- Gwinn, MR. (2011). MULTIPLE MODES OF ACTION OF ASBESTOS AND RELATED MINERAL FIBERS. *Journal of Toxicology and Environmental Health-Part B-Critical Reviews*. 14: 1-2.
- H.M. (1977). Asbestos emission standards for Canada. *Environmental Policy and Law*. 3: 157.
- Ha, C; Miller, LT; Kerkvliet, NI. (1984). The effect of vitamin B6 deficiency on cytotoxic immune responses of T cells, antibodies, and natural killer cells, and phagocytosis by macrophages. *Cellular Immunology*. 85: 318-329.
- Haase, A; Luch, A. (2016). Genotoxicity of nanomaterials in vitro: treasure or trash? *Arch Toxicol*. 90: 2827-2830.
- Habashi, F. (2001). Chemisorption of organic dyes on chrysotile asbestos and the toxicity issue. *ejmp & ep(European Journal of Mineral Processing and Environmental Protection)*. 1: 1-9.
- Haberman, SA; Laosmaa, PJ; Willeke, K. (1984). Size classification of fibers and isometric particles keeping each fraction airborne. *Am Ind Hyg Assoc J*. 45: 598-602.
- Hagino, H; Oyama, M; Sasaki, S. (2016). Laboratory testing of airborne brake wear particle emissions using a dynamometer system under urban city driving cycles. *Atmos Environ*. 131: 269-278.
- Hahon, N; Booth, JA. (1986). Coinhibition of viral interferon induction by benzo[a]pyrene and chrysotile asbestos. *Environ Res*. 40: 103-109.
- Hahon, N; Booth, JA; Eckert, HL. (1977). Antagonistic activity of poly (4-vinylpyridine-N-oxide) to the inhibition of viral interferon induction by asbestos fibres. *Br J Ind Med*. 34: 119-125.
- Hahon, N; Eckert, HL. (1976). Depression of viral interferon induction in cell monolayers by asbestos fibers. *Environ Res*. 11: 52-65.
- Hahon, N; Vallyathan, V; Booth, JA; Sepulveda, MJ. (1986). In vitro biologic responses to native and surface-modified asbestos. *Environ Res*. 39: 345-355.
- Haley, TJ. (1975). Review article. Asbestosis: a reassessment of the overall problem. *J Pharm Sci*. 64: 1435-1449.
- Hallenbeck, WH. (1983). Asbestos penetration of the gastrointestinal tract. *Environ Health Perspect*. 53: 153-154.

Environmental Hazard Literature Search Results

Off Topic

- Hallenbeck, WH; Chen, EH; Patel-Mandlik, K; Wolff, AH. (1977). Precision of analysis for waterborne chrysotile asbestos by transmission electron microscopy. *Bull Environ Contam Toxicol.* 17: 551-558.
- Hallenbeck, WH; Markey, D; Dolan, DG. (1981). Analyses of Tissue, Blood, and Urine Samples From a Baboon Gavigated With Chrysotile and Crocidolite Asbestos. *Environ Res.* 25: 349-360.
- Hallenbeck, WH; Patel-Mandlik, KJ. (1979). Presence of fibers in the urine of a baboon gavigated with chrysotile asbestos. *Environ Res.* 20: 335-340.
- Halliwell, JL. (1991). Capitalizing on the EPA's shift in favor of "in-place" asbestos management. *Health Facil Manage.* 4: 16-19.
- Hamad, KS; Roth, R; Rockenberger, J; van Buuren, T; Alivisatos, AP. (1999). Structural disorder in colloidal InAs and CdSe nanocrystals observed by X-ray absorption near-edge spectroscopy. *Physical Review Letters.* 83: 3474-3477.
- Hambidge, A. (2006). Tools greatly assist asbestos programmes. *Health estate.* 60: 36-37.
- Hamedianfar, A; Shafri, HZM. (2016). Integrated approach using data mining-based decision tree and object-based image analysis for high-resolution urban mapping of WorldView-2 satellite sensor data. *J of Applied Remote Sensing.* 10: 25001-25001.
- Hamedianfar, A; Shafri, HZM; Mansor, S; Ahmad, N. (2014). Combining data mining algorithm and object-based image analysis for detailed urban mapping of hyperspectral images. *J of Applied Remote Sensing.* 8: 85091-85091.
- Hamid, MR; Hall, PS; Gardner, P. (2010). Frequency reconfigurable log periodic patch array. *Electronics Letters.* 46: 1648-1649.
- Hamilton, EI. (1976). Pollution control in the asbestos, cement, glass and allied mineral industries, pollution technology review No. 19: by Marshall Sittig, Noyes Data Corporation, Park Ridge, N.J. 07656, 1975, 333 pp., price: \$36.00. *Sci Total Environ.* 6: 203.
- Hamilton, J; Vassalli, JD; Reich, E. (1976). Macrophage plasminogen activator: induction by asbestos is blocked by anti-inflammatory steroids. *The Journal of experimental medicine.* 144: 1689-1694.
- Hamilton, JA. (1980). Macrophage stimulation and the inflammatory response to asbestos. *Environ Health Perspect.* 34: 69-74.
- Hamilton, JA. (1983). Suppression of the neutral protease activity of macrophages treated with asbestos in vitro. *Environ Health Perspect.* 51: 103-108.
- Hamilton, JA; Vadas, P; Hay, JB. (1981). Measurement of blood flow and vascular permeability changes in response to 12-O-tetradecanoyl-phorbol-13-acetate and to asbestos fibers. *J Toxicol Environ Health.* 8: 205-214.
- Hamilton, M. (1981). World's Most Stringent Controls Recommended. *OCCUP HEALTH AND SAFETY.* 50: 38-41.
- Han, Z; Xie, Z; Wang, G; Zhang, R; Tao, J. (2016). Modeling organic aerosols over east China using a volatility basis-set approach with aging mechanism in a regional air quality model. *Atmos Environ.* 124, Part B: 186-198.
- Hanin, B. (1996). Inventory of hazardous situations in building. *Pollution Atmospherique.* 38: 81-84.
- Haniu, H; Tsukahara, T; Matsuda, Y; Usui, Y; Aoki, K; Shimizu, M; Oghihara, N; Hara, K; Takanashi, S; Okamoto, M; Ishigaki, N; Nakamura, K; Kato, H; Saito, N. (2011). DJ-1 as a potential biomarker for the development of biocompatible multiwalled carbon nanotubes. *Int J Nanomedicine.* 6: 2689-2695.
- Hannant, D; Donaldson, K; Bolton, RE. (1985). Immunomodulatory effects of mineral dust. I. Effects of intraperitoneal dust inoculation on splenic lymphocyte function and humoral immune responses in vivo. *Journal of clinical & laboratory immunology.* 16: 81-85.
- Hannibal, AL. (1983). *Caveat fumator.* Hospital practice (Office ed). 18: 26-32.
- Hansmann, P; Severing, A; Hu, Z; Haverkort, MW; Chang, CF; Klein, S; Tanaka, A; Hsieh, HH; Lin, HJ; Chen, CT; Fak, B; Lejay, P; Tjeng, LH. (2008). Determining the crystal-field ground state in rare earth heavy fermion materials using soft-X-ray absorption spectroscopy. *Physical Review Letters.* 100: 6405-6405.
- Harber, AJ; Forth, RA. (2001). The contamination of former iron and steel works sites. *Environ Geol.* 40: 324-330.
- Harbut, MR. (2007). Treatment of nonmalignant asbestos-related diseases. *Am J Ind Med.* 50: 71-72.
- Hardie, HD. (1980). Mineral fibre problems: a management view. *IARC Sci Publ.* 30: 769-774.
- Hardy, JA; Aust, AE. (1995). The effect of iron binding on the ability of crocidolite asbestos to catalyze DNA single-strand breaks. *Carcinogenesis.* 16: 319-325.
- Hardy, MJ. (1985). More than 400-member hospitals join in asbestos suit. *Health law vigil.* 8: 9.
- Harington, JS. (1965). Chemical studies of asbestos. *Ann N Y Acad Sci.* 132: 31-47.
- Harington, JS. (1976). The biological effects of mineral fibres, especially asbestos, as seen from in vitro and in vivo studies. *Annales d'anatomie pathologique.* 21: 155-198.
- Harington, JS; Macnab, GM; King, PC. (1971). Enhancement of haemolytic activity of asbestos by heat-labile factors in fresh serum. *Med Lav.* 62: 171-176.
- Harington, JS; McGlashan, ND. (2000). The South African asbestos trade, 1994-1999. *Am J Ind Med.* 37: 229.
- Harington, JS; Miller, K; Macnab, G. (1971). Hemolysis by asbestos. *Environ Res.* 4: 95-117.
- Harington, JS; Roe, FJ. (1965). Studies of carcinogenesis of asbestos fibers and their natural oils. *Ann N Y Acad Sci.* 132: 439-450.
- Harington, JS; Roe, FJ; Walters, M. (1967). Studies of the mode of action of asbestos as a carcinogen. *South African medical journal = Suid-Afrikaanse tydskrif vir geneeskunde.* 41: 800-804.
- Harington, JS; Smith, M. (1964). STUDIES OF HYDROCARBONS IN MINERAL DUSTS. THE ELUTION OF 3:4-BENZOPYRENE AND OILS FROM ASBESTOS AND COAL DUSTS BY SERUM. *Arch Environ Health.* 8: 453-458.
- Harmon, BN; Antonov, VN. (2003). Electronic structure and x-ray magnetic circular dichroism in Gd₅(Si₂Ge₂). *Journal of Applied Physics.* 93: 4678-4685.
- Harper, BL; Morris, DL. (1984). Implications of multiple mechanisms of carcinogenesis for short-term testing. *Teratog Carcinog Mutagen.* 4: 483-503.

Environmental Hazard Literature Search Results

Off Topic

- Harries, PG; Mackenzie, FA; Sheers, G; Kemp, JH; Oliver, TP; Wright, DS. (1972). Radiological survey of men exposed to asbestos in naval dockyards. *Br J Ind Med*. 29: 274-279.
- Harris, MD; Johnson, CR. (2006). Preventive medicine in Task Force 1st Armored Division during Operation Iraqi Freedom. *Mil Med*. 171: 807-812.
- Harris, P. (2005). Ongoing regulatory compliance required. *Health estate*. 59: 49-50.
- Harris, R. (2002). Stoking Ground Zero health worries. *Current biology : CB*. 12: R122.
- Hart, Ct; van Weel, PA. (1988). Constructional aspects of some heated concrete floors for greenhouses. *Journal of Agricultural Engineering Research*. 39: 161-172.
- Hart, GA; Kathman, LM; Hesterberg, TW. (1994). In vitro cytotoxicity of asbestos and man-made vitreous fibers: Roles of fiber length, diameter and composition. *Carcinogenesis*. 15: 971-978.
- Hartmann, DP. (1985). Immunological consequences of asbestos exposure. *Survey of Immunologic Research*. 4: 65-68.
- Hartmann, DP; Georgian, MM; Oghiso, Y; Kagan, E. (1984). Enhanced interleukin activity following asbestos inhalation. *Clin Exp Immunol*. 55: 643-650.
- Hasan, FM. (1975). Letter: Asbestos pleural effusion? *Ann Intern Med*. 83: 735.
- Hasegawa, K; Ishikawa, R; Saitou, A; Honjo, K. (2015). Digital Spatial Modulation Using Dual Scatterers Embedded with Switches for Wireless Power Transmission Applications. *Ieice Transactions on Electronics*. E98C: 709-715.
- Hasegawa, N; Shinohara, N; Kawasaki, S. (2016). A 7.1 GHz 170 W Solid-State Power Amplifier with 20-Way Combiner for Space Applications. *Ieice Transactions on Electronics*. E99C: 1140-1146.
- Hashimoto, S; Takeda, H; Okuda, A; Kambayashi, A; Honda, S; Iwamoto, Y; Fukuda, K. (2008). Detoxification of industrial asbestos waste by low-temperature heating in a vacuum. *Journal of the Ceramic Society of Japan*. 116: 242-246.
- Hassanin, SH; Abdalla, EB; Kotby, EA; Abd-Elaziz, AMS; El-Fouly, MA. (1996). Efficiency of asbestos shading for growth of Barki rams during hot summer. *Small Ruminant Research*. 20: 199-203.
- Hatch, GE; Boykin, E; Graham, JA; Lewtas, J; Pott, F; Loud, K; Mumford, JL. (1985). Inhalable particles and pulmonary host defense: In vivo and in vitro effects of ambient air and combustion particles. *Environ Res*. 36: 67-80.
- Hatch, GE; Gardner, DE; Menzel, DB. (1980). Stimulation of oxidant production in alveolar macrophages by pollutant and latex particles. *Environ Res*. 23: 121-136.
- Hatch, GE; Spock, A; Gardner, DE; Menzel, DB. (1980). Differences between particulate and peptide stimuli on activation of oxidant production in alveolar macrophages. *Chest*. 77: 267-269.
- Hawtrey, AO; Pieterse, A; van Zyl, JM; Bester, A; Harington, JS. (2002). Binding of deoxy-thymidine-5'-triphosphate and deoxyadenosine-5'-triphosphate to chrysotile asbestos. *S Afr J Sci*. 98: 557-559.
- Hay, A. (1979). Asbestos: killer dust, says book. *Nature*. 281: 172.
- Hay, A. (1979). UK to tighten asbestos controls. *Nature*. 282: 5.
- Hayashi, H. (1974). Cytotoxicity of heated chrysotile. *Environ Health Perspect*. 9: 267-270.
- Hayes, AA; Rose, AH; Musk, AW; Robinson, BW. (1988). Neutrophil chemotactic factor release and neutrophil alveolitis in asbestos-exposed individuals. *Chest*. 94: 521-525.
- Hayes, AB; Cline, D; Wu, CY; Simon, MW; Teng, R; Gerl, J; Schlegel, C; Wollersheim, HJ; Macchiavelli, AO; Vetter, K; Napiorkowski, P; Srebrny, J. (2002). Coulomb excitation paths of high-K isomer bands in (178)Hf. *Physical Review Letters*. 8924: 2501-2501.
- Haynes, RC. (2010). A Worn-Out Welcome Renewed Call for a Global Ban on Asbestos. *Environ Health Perspect*. 118: A298-A303.
- Hayward, SB; Smith, GR. (1984). Asbestos contamination of vermiculite. *Am J Public Health*. 74: 519-520.
- Heffelfinger, RE. (1971). Determination of chrysotile in airborne asbestos by an infra-red spectrographic technique. *Atmos Environ* (1967). 5: 565.
- Heflich, RH; Howard, PC; Beland, FA. (1985). 1-Nitrosopyrene: An intermediate in the metabolic activation of 1-nitropyrene to a mutagen in *Salmonella typhimurium* TA1538. *Mutat Res*. 149: 25-32.
- Hefner, RE, Jr.; Gehring, PJ. (1975). A comparison of the relative rates of hemolysis induced by various fibrogenic and non-fibrogenic particles with washed rat erythrocytes in vitro. *Am Ind Hyg Assoc J*. 36: 734-740.
- Hei, TK; Hall, EJ. (1985). EFFECTS OF ASBESTOS FIBERS ON RADIATION INDUCED IN-VITRO ONCOGENIC TRANSFORMATION. *Workshop On Cell Transformation In Radiobiology*, Oxford, England, Sept. 49.
- Heinen, E. (2002). Comparative serum pharmacokinetics of the fluoroquinolones enrofloxacin, difloxacin, marbofloxacin, and orbifloxacin in dogs after single oral administration. *Journal of Veterinary Pharmacology and Therapeutics*. 25: 1-5.
- Heinrich, U; Muhle, H; Koch, W; Mohr, U. (1983). LONG-TERM INHALATION STUDIES WITH RODENTS. *Homburger, F*. 0: 239-250.
- Helsen, JA; van, dVP; Kuczumow, A; Deruyttere, A. (1989). Surface characteristics of asbestos fibers released from asbestos-cement products. *Am Ind Hyg Assoc J*. 50: 655-663.
- Henderson, DW. (2003). Commentary regarding the article by Fischer et al.: Fibre years, pulmonary asbestos burden and asbestosis. *Int. J. Hyg. Environ. Health* 205, 245-248 (2002). *Int J Hyg Environ Health*. 206: 249-250.
- Henry, D. (2003). Paper plays - Bad bet on asbestos? *Business Week* 14-14.
- Heppleston, AG. (1979). Silica and asbestos: contrasts in tissue response. *Ann N Y Acad Sci*. 330: 725-744.
- Herbosa, CG; Wood, RI; Foster, DL. Prenatal androgens modify the reproductive response to photoperiod in the developing sheep. *Biol Reprod*. Jan 1995. v. 52 (1): 163-169.
- Heron, VS; Tremblay, GF; Oba, M. (2009). Timothy hays differing in dietary cation-anion difference affect the capability of dairy cows to maintain their calcium homeostasis. *J Dairy Sci*. 92: 238-246.

Environmental Hazard Literature Search Results

Off Topic

- Herrington, BL; Kley, DH. (1960). A Potentiometric Method for the Determination of Chloride in Milk. *J Dairy Sci.* 43: 1050-1057.
- Hesse, CS; Hallenbeck, WH. (1978). Potential Sources of Asbestos in Lake Michigan. *J Great Lakes Res.* 4: 57-61.
- Hesse, CS; Hallenbeck, WH; Chen, EH; Brennum, GR. (1977). Determination of chrysotile asbestos in rainwater. *Atmos Environ* (1967). 11: 1233-1237.
- Hesterberg, TW; Oshimura, M; Barrett, JC. (1985). ASBESTOS INDUCES ANAPHASE ABNORMALITIES IN MAMMALIAN CELLS IN CULTURE AT DOSES WHICH INDUCE CELL TRANSFORMATION AND HETEROPLIIDY. 16th Annual Meeting Of The Environmental Mutagen Society, Las Vegas, Nev, Usa, Feb. 7: 88-89.
- Hesterberg, TW; Ririe, DG; Barrett, JC; Nettesheim, P. (1987). Mechanisms of cytotoxicity of asbestos fibres in rat tracheal epithelial cells in culture. *Toxicol In Vitro.* 1: 59-65.
- Heuch, PA; Nordhagen, J; Schram, TA. (2000). Egg production in the salmon louse *Lepeophtheirus salmonis* (Kroyer) in relation to origin and water temperature. *Aquaculture Research.* 31: 805-814.
- Heydarian, SM; Mirjalili, N; Ison, AP. (1999). Effect of shear on morphology and erythromycin production in *Saccharopolyspora erythraea* fermentations. *Bioprocess Engineering.* 21: 31-39.
- Heyworth, F. (1973). Inhalation of sodium chloride mist for sputum production. *The Medical journal of Australia.* 2: 271-274.
- Hickey, J; Saunders, J; Davern, P. (2015). The extent and influence of Asbestos Safety Awareness training among managers who had previously commissioned an asbestos survey in their workplace buildings. *Ind Health.* 53: 398-409.
- Hiendlmeyer, R; Randi, AM. (2010). Potential for Spore Germination, Sporophyte Formation and Growth of Young Sporophytes of Four Fern Species from the Atlantic Forest (Brazil). *American Fern Journal.* 100: 207-218.
- Hiett, DM. (1978). Experimental asbestosis: an investigation of functional and pathological disturbances. II. Results for chrysotile and amosite exposures. *Br J Ind Med.* 35: 135-145.
- Higginson, J. (1983). An epidemiological approach to the problem of dose responses to genotoxic carcinogenic stimuli in relation to modulating factors. *Dev Toxicol Environ Sci.* 11: 181-190.
- Hikosaka, A; Kusakabe, T; Satoh, N. (1994). Short Upstream Sequences Associated with the Muscle-Specific Expression of an Actin Gene in Ascidian Embryos. *Developmental Biology.* 166: 763-769.
- Hilding, AC; Hilding, DA; Larson, DM; Aufderheide, AC. Biological effects of ingested amosite asbestos, taconite tailings, diatomaceous earth and Lake Superior water in rats. *Arch Environ Health.* Nov/Dec 1981. v. 36 (6): 298-303.
- Hill, JW. (1970). Water-cooled suit for protection against hot environments. *Proc R Soc Med.* 63: 1014-1015.
- Hillegass, J; Lima, FS; Si Filho, MF; Santos, JEP. (2008). Effect of Time of Artificial Insemination and Supplemental Estradiol on Reproduction of Lactating Dairy Cows. *J Dairy Sci.* 91: 4226-4237.
- Hillerdal, G. (1981). Dorsal pleural plaques in the lateral projection. *Eur J Respir Dis.* 62: 140-141.
- Hillerdal, G. (1982). Asbestos exposure and upper lobe involvement. *AJR American journal of roentgenology.* 139: 1163-1166.
- Hillerdal, G. (1985). Nonmalignant pleural disease related to asbestos exposure. *Clin Chest Med.* 6: 141-152.
- Hillerdal, G. (1986). Endemic pleural plaques. *Eur J Respir Dis.* 69: 1-3.
- Hillman, SE; Horwell, CJ; Densmore, AL; Damby, DE; Fubini, B; Ishimine, Y; Tomatis, M. (2012). Sakurajima volcano: a physico-chemical study of the health consequences of long-term exposure to volcanic ash. *Bulletin of Volcanology.* 74: 913-930.
- Hills, JP. (1979). Asbestos in public water supplies: discussion of future problems. *Ann N Y Acad Sci.* 330: 573-577.
- Hindley-Smith, JD. (1947). Some medical problems of the asbestos cement industry. *The British journal of physical medicine : including its application to industry.* 10: 50-53.
- Hippeli, S. (1995). Biological and biochemical effects of air pollutants: synergistic effects of sulphite. *Biochemical Society symposium.* 61: 153-161.
- Hippeli, S; Dornisch, K; Kaiser, S; Draeger, U; Elstner, EF. (1997). Biological durability and oxidative potential of a stonewool mineral fibre compared to crocidolite asbestos fibres. *Arch Toxicol.* 71: 532-535.
- Hippeli, S; Dornisch, K; Wiethage, T; Gillissen, A; Muller, KM; Elstner, EF. (2001). Biological durability and oxidative potential of man-made vitreous fibres as compared to crocidolite asbestos fibres. *Zeitschrift Fur Naturforschung Section C-a Journal of Biosciences.* 56: 633-648.
- Hippeli, S; Elstner, EF. (1999). Transition metal ion-catalyzed oxygen activation during pathogenic processes. *FEBS Lett.* 443: 1-7.
- Hiraki, A; Aoe, K; Ueoka, H. (2006). Asbestos exposure and serum osteopontin. *N Engl J Med.* 354: 304-305.
- Hirani, N; Bayliff, CC; McCormack, DG. (2005). Diagnosis and management of pergolide-induced fibrosis. *Mov Disord.* 20: 512-513.
- Hirano, S; Fujitani, Y; Furuyama, A; Kanno, S. (2012). Macrophage receptor with collagenous structure (MARCO) is a dynamic adhesive molecule that enhances uptake of carbon nanotubes by CHO-K1 Cells. *Toxicol Appl Pharmacol.* 259: 96-103.
- Hirano, S; Kanno, S; Furuyama, A. (2008). Multi-walled carbon nanotubes injure the plasma membrane of macrophages. *Toxicol Appl Pharmacol.* 232: 244-251.
- Hobson, J; Wright, JL; Churg, A. (1990). Active oxygen species mediate asbestos fiber uptake by tracheal epithelial cells. *FASEB journal : official publication of the Federation of American Societies for Experimental Biology.* 4: 3135-3139.
- Hoffbrand, BI; Hetzel, MR; Goldstraw, P. (1985). Fibrosing pleuritis with extrathoracic extension. *J R Soc Med.* 78: 953-954.
- Hollins, DM; Paustenbach, DJ; Clark, K; Mangold, CA. (2009). A Visual Historical Review of Exposure to Asbestos at Puget Sound Naval Shipyard (1962-1972) (vol 12, pg 124, 2009). *Journal of Toxicology and Environmental Health-Part B-Critical Reviews.* 12: 224-224.
- Hollis, SP; Cooper, MR; Herrington, RJ; Roberts, S; Earls, G; Verbeeten, A; Piercey, SJ; Archibald, SM. (2015). Distribution, mineralogy and geochemistry of silica-iron exhalites and related rocks from the Tyrone Igneous Complex: Implications for VMS mineralization in Northern Ireland. *J Geochem Explor.* 159: 148-168.

Environmental Hazard Literature Search Results

Off Topic

- Holmes, A; Morgan, A; Sandalls, J. (1971). Determination of iron, chromium, cobalt, nickel, and scandium in asbestos by neutron activation analysis. *Am Ind Hyg Assoc J.* 32: 281-286.
- Holmes, D. (2013). IARC in the dock over ties with asbestos industry. *Lancet.* 381: 359-361.
- Holmes, EP; Lavkulich, LM. (2014). The effects of naturally occurring acids on the surface properties of chrysotile asbestos. *Journal of Environmental Science and Health Part a-Toxic/Hazardous Substances & Environmental Engineering.* 49: 1445-1452.
- Holmes, EP; Wilson, J; Schreier, H; Lavkulich, LM. (2012). Processes affecting surface and chemical properties of chrysotile: Implications for reclamation of asbestos in the natural environment. *Can J Soil Sci.* 92: 229-242.
- Holmes, S. (1965). Developments in dust sampling and counting techniques in the asbestos industry. *Ann N Y Acad Sci.* 132: 288-297.
- Holst, DO. Asbestos free method for determining crude fiber: collaborative study. *Jan 1978, 61 (1): 154-160.*
- Holst, DO. Ceramic fiber for replacement of asbestos as filter aid in crude fiber determination: collaborative study. *Journal of the Association of Official Analytical Chemists.* Mar 1982. v. 65 (2): 265-269 ill.
- Holst, DO; Gehrke, CW. Crude fiber analysis without asbestos. *May 1975, 58 (3): 474-476.*
- Holst, S; Martinez, M; Zarth, B. (1978). Alternatives to asbestos in Cohn fractionation. *Journal of the Parenteral Drug Association.* 32: 15-21.
- Holt, PF. Small animals in the study of pathological effects of asbestos. *Dec 1974, 9: 205-211.*
- Holt, PF; Young, DK. (1967). The mechanism of production of asbestos bodies from anthophyllite fibres. *The Journal of pathology and bacteriology.* 93: 696-699.
- Holt, PF; Young, DK. (1973). Asbestos fibres in the air of towns. *Atmos Environ.* 7: 481-483.
- Hook, MB; Feigley, CE; Ludwig, DA. (1983). Interwedge variation in the membrane filter method for airborne asbestos fibers. *Am Ind Hyg Assoc J.* 44: 542-546.
- Hopkins, J. (1984). Epidemiological studies on ingested asbestos. *Food Chem Toxicol.* 22: 179-181.
- Horan, A; Smith, D. (2005). Extensive feedback results in new guide for limited asbestos screens. *Astm Standardization News.* 33: 15-15.
- Horan, AP. (2006). Clearing the air for asbestos screens. *Astm Standardization News.* 34: 31-+.
- Horbe, AMC; da Costa, ML. (1999). Geochemical evolution of a lateritic Sn-Zr-Th-Nb-Ta-REE-bearing ore body derived from apogranite: the case of Pitinga, Amazonas - Brazil. *J Geochem Explor.* 66: 339-351.
- Horbe, MA; Horbe, AC; Costi, HT; Teixeira, JT. (1991). Geochemical characteristics of cryolite-tin-bearing granites from the Pitinga Mine, northwestern Brazil - A review. *J Geochem Explor.* 40: 227-249.
- Horner, R. Removal of vinyl asbestos floor tile. *Engineering field notes - US.* May/June 1990. v. 22: 31-33.
- Horvath, SM. (1981). Impact of air quality in exercise performance. *Exerc Sport Sci Rev.* 9: 265-296.
- Hosoda, Y; Saito, N; Hachiya, J; Chiba, Y; Chikachi, Y. (1980). Differential diagnosis of asbestos-induced pleural thickening using computer tomography: a preliminary study. *IARC Sci Publ.* 30: 527-536.
- Hossmann, KA. (1972). *Physiologie von erregung und kontraktion. Physiologie des zentralnervensystems: (Ergebnisse der experimentellen medizin, vol. 3),* by Cl. Pfister (ed.), 422 pages, 190 illustrations, 22 tables, VEB Verlag Volk und Gesundheit, Berlin, 1970, M 45.80. *Journal of the Neurological Sciences.* 15: 121.
- House, W. (1964). TOXICITY OF CELL CULTURE MEDIUM DUE TO FILTRATION THROUGH ASBESTOS PADS. *Nature.* 201: 1242.
- Howden, PJ; Faux, SP. (1996). Glutathione modulates the formation of 8-hydroxydeoxyguanosine in isolated DNA and mutagenicity in *Salmonella typhimurium* TA100 induced by mineral fibres. *Carcinogenesis.* 17: 2275-2277.
- Howell, G; Miller, R. (2006). Spinning out the asbestos agenda: How big business uses public relations in Australia. *Public Relations Review.* 32: 261-266.
- Hrijac, JA; Eylem, C; Zhu, Q; Sabatini, R; Petrakis, L; Hu, R; Block, J. (1997). On the use of X-ray powder diffraction for determining low levels of chrysotile asbestos in gypsum-based bulk materials: use of a synchrotron source. *Anal Chim Acta.* 350: 221-229.
- Hsieh, YP; Wei, ZH; Yip, MC. (2011). Magnetization Reversal in Different Magnetic Thin Films Studied Using a Magnetic Actuator. *Japanese Journal of Applied Physics.* 50: 6601-6601.
- Hu, X; Compton, JR; Leary, DH; Olson, MA; Lee, MS; Cheung, J; Ye, W; Ferrer, M; Southall, N; Jadhav, A; Morazzani, EM; Glass, PJ; Marugan, J; Legler, PM. (2016). Kinetic, Mutational, and Structural Studies of the Venezuelan Equine Encephalitis Virus Nonstructural Protein 2 Cysteine Protease. *Biochemistry.* 55: 3007-3019.
- Huang, C; Zhao, Y; Li, Z; Yuan, Y; Chen, C; Tan, W; Gao, S; Gao, L; Zhou, J; Wang, A. (2015). Enhanced elementary sulfur recovery with sequential sulfate-reducing, denitrifying sulfide-oxidizing processes in a cylindrical-type anaerobic baffled reactor. *Bioresour Technol.* 192: 478-485.
- Huang, SXL; Jaurand, MC; Kamp, DW; Whysner, J; Hei, TK. (2011). ROLE OF MUTAGENICITY IN ASBESTOS FIBER-INDUCED CARCINOGENICITY AND OTHER DISEASES. *Journal of Toxicology and Environmental Health-Part B-Critical Reviews.* 14: 179-245.
- Hubbard, AK; Timblin, CR; Rincon, M; Mossman, BT. (2001). Use of transgenic luciferase reporter mice to determine activation of transcription factors and gene expression by fibrogenic particles. *Chest.* 120: 245-255.
- Huebert, DB; Shay, JM. (1991). The effect of cadmium and its interaction with external calcium in the submerged aquatic macrophyte *Lemna trisulca* L. *Aquat Toxicol.* 20: 57-71.
- Hueter, FG; Shearer, SD; Akland, GG. (1975). The World Health Organization 's Environmental Health Criteria and Air Monitoring Programs. *Papers of a Seminar on Early Warning Systems for Toxic Substances held on January 30-February 1, 1974, at Battelle Research Center, Seattle, Washington (EPA-560/1-75-003, July 1975),* p 82-92.
- Huff, JE; Dinger, CY; Kline, BW; Whitfield, BL; Hammons, AS. (1974). A health view of asbestos: an annotated literature collection--1960-1974. *Environ Health Perspect.* 9: 341-417.

Environmental Hazard Literature Search Results

Off Topic

- Huffman, LJ; Judy, DJ; Castranova, V. (1998). Regulation of nitric oxide production by rat alveolar macrophages in response to silica exposure. *Journal of Toxicology and Environmental Health-Part a-Current Issues*. 53: 29-46.
- Hughes, JM; Weill, H. (1994). Potency versus importance in fiber pathogenicity. *Am J Ind Med*. 25: 609-610.
- Huisman, SS; Astin, MS; Fleet, TM; Grasmick, DL. (1995). Cost effectively decommissioning an automotive parts facility. *Remediation*. 5: 49-60.
- Huncharek, M. (1986). The biomedical and epidemiological characteristics of asbestos-related diseases: A review. *Yale J Biol Med*. 59: 435-451.
- Huncharek, M. (1991). Occult asbestos exposure. *Am J Ind Med*. 20: 713-714.
- Hunt, KE; Trites, AW; Wasser, SK. (2004). Validation of a fecal glucocorticoid assay for Steller sea lions (*Eumetopias jubatus*). *Physiology & Behavior*. 80: 595-601.
- Hunter, B; Thomson, C. (1973). Evaluation of the tumorigenic potential of vermiculite by intrapleural injection in rats. *Br J Ind Med*. 30: 167-173.
- Hurbánková, M. Influence of refractory ceramic fibres - asbestos substitute - on the selected parameters of bronchoalveolar lavage 6 months after intratracheal instillation to W-rats.
- Hurbánková, M. (1994). One-year follow-up of the phagocytic activity of leukocytes after exposure of rats to asbestos and basalt fibers. *Environ Health Perspect*. 102 Suppl 5: 201-203.
- Hurbánková, M; Kaiglová, A; Grambličková, I. (1995). Immunotoxicological changes of some BAL parameters after intratracheal instillation of asbestos and wollastonite fibers to rats in dependence on their dimensions. *Toxicol Lett*. 78, Supplement 1: 41.
- Hurbankova, M; Kaiglova, A. (1999). Compared effects of asbestos and wollastonite fibrous dusts on various biological parameters measured in bronchoalveolar lavage fluid. *J Trace Microprobe Tech*. 17: 233-243.
- Hurbankova, M; Kaiglova, A; Jakubovsky, J; Wsolova, L. (1996). Comparison of some bronchoalveolar lavage parameters and histological findings after exposure of rats to amosite and wollastonite fibres. *Biologia (Bratisl)*. 51: 723-728.
- Hutchison, JL; Whittaker, EJW. (1979). The nature of electron diffraction patterns of amphibole asbestos and their use in identification. *Environ Res*. 20: 445-449.
- Hutchison, WG; Harker, RI; Allen, MM. (1978). Comparison of rhabdosomes and asbestos microfibrils. *Science (New York, NY)*. 200: 1401-1403.
- Hutzinger, O. (1986). THE HANDBOOK OF ENVIRONMENTAL CHEMISTRY VOL. 3. PART D. ANTHROPOGENIC COMPOUNDS. Hutzinger, O. O.
- Hwang, CY. (1983). Size and shape of airborne asbestos fibres in mines and mills. *Br J Ind Med*. 40: 273-279.
- Hwang, CY; Gibbs, GW. (1981). Dimensions of Airborne Asbestos Fibres-I. Crocidolite From Kuruman Area, Cape Province, South Africa. *ANNALS OCCUP HYG*. 24: 23-41.
- Hwang, CY; Jung, S; Hwang, YS; Cho, BC. (2010). Lethal Effects of Pulsed High-Voltage Discharge on Marine Plankton and *Escherichia coli*. *Water Air and Soil Pollution*. 213: 161-169.
- Hwang, CY; Wang, ZM. (1983). Comparison of methods of assessing asbestos fiber concentrations. *Arch Environ Health*. 38: 5-10.
- Hwang, SH; Park, WM. (2016). Evaluation of asbestos-containing products and released fibers in home appliances. *Journal of the Air & Waste Management Association*. 66: 922-929.
- Hyatt, M; MacRae, ND; Nesbitt, HW. (1982). Chemical treatment of chrysotile asbestos in laboratory solutions. *Environ Int*. 7: 215-220.
- Hyslop, NS. (1961). A method of treating asbestos filter pads for virus filtration. *Nature*. 191: 305-307.
- Iantomasi, T; Favilli, F; Vincenzini, MT. (1999). Evidence of glutathione transporter in rat brain synaptosomal membrane vesicles. *Neurochem Int*. 34: 509-516.
- Ibrahim, N. (1999). Natural activities of ²³⁸U, ²³²Th and ⁴⁰K in building materials. *J Environ Radioact*. 43: 255-258.
- Iguchi, H; Kojo, S. (1989). Possible generation of hydrogen peroxide and lipid peroxidation of erythrocyte membrane by asbestos: cytotoxic mechanism of asbestos. *Biochem Int*. 18: 981-990.
- Igwe, O; Omonona, OV; Onwuka, OS; Nnebedum, OD. (2014). Evaluation of the impact of asbestos wastes on soils in Emene-Enugu, Southeastern Nigeria. *Environ Monit Assess*. 186: 8063-8080.
- Imae, N; Nakamuta, Y; Shinoda, K. (1999). An experimental study of hydrous mineral formation by reaction between forsterite and water vapor. *Proceedings of the Japan Academy Series B-Physical and Biological Sciences*. 75: 229-234.
- Inamoto, T; Georgian, MM; Kagan, E; Ogimoto, K. (1992). The effects of asbestos inhalation on the distribution and enhancement of immunoassociated antigen expression of alveolar macrophage subpopulation. *J Vet Med Sci*. 54: 829-836.
- Inoko, M; Ariiso, K. (1982). Determination of chrysotile fibres in residual dust on road vehicle brake drums. *Environmental Pollution Series B, Chemical and Physical*. 4: 249-255.
- Inoko, M; Ariiso, K; Matsuno, T. (1982). Determination of asbestos fibers in alcoholic beverages and tap water. *J FOOD HYG SOC JAP*. 26: 422-427.
- Irwig, HG; Oliver, LC; Page, T; Wegman, DH; Ellenbecker, MJ. (1991). Asbestos in place: a building management perspective. *Ann N Y Acad Sci*. 643: 589-596.
- Irwig, LM; du Toit, RSJ; Sluis-Cremer, GK; Thomas, RG. (1984). Risk of asbestosis in crocidolite and amosite mines in South Africa: An erratum. *Am J Ind Med*. 5: 479-483.
- Israels, LG; Friesen, E; Sinclair, C. (1958). Activation of factor VII by asbestos in beef plasma and serum. *Can J Biochem Physiol*. 36: 953-958.
- Izquierdo, JF; Fitó, C; Cunill, F; Iborra, M; Tejero, J. (2000). Kinetic study of the reaction between sulfur dioxide and calcium hydroxide at low temperature in a fixed-bed reactor. *J Hazard Mater*. 76: 113-123.
- J. Morin, R. (1973). Cholesteryl ester synthesis and hydrolysis by subcellular fractions of corpora lutea and interstitial tissue from ovaries of pregnant rabbits. *Biochimica et Biophysica Acta (BBA) - Lipids and Lipid Metabolism*. 296: 203-208.
- Jãřřvřh; U, AH; Bake, B; Hillerdal, G; Westrin, CG. (1986). Pleural plaques--asbestos--ill-health. *European journal of respiratory diseases Supplement*. 145: 1-59.

Environmental Hazard Literature Search Results

Off Topic

- Jackson, JH; Schraufstatter, IU; Hyslop, PA; Vosbeck, K; Sauerheber, R; Weitzman, SA; Cochrane, CG. (1987). Role of hydroxyl radical in DNA damage. *Transactions of the Association of American Physicians*. 100: 147-157.
- Jacobs, R; Humphrys, J; Dodgson, KS; Richards, RJ. (1978). Light and electron microscope studies of the rat digestive tract following prolonged and short-term ingestion of chrysotile asbestos. *Br J Exp Pathol*. 59: 443-453.
- Jacobs, R; Richards, RJ. (1980). Distribution of 6-6(n)-3[H]sucrose and its radiolabeled degradation products from isolated, perfused rat small intestine loops following prolonged ingestion of chrysotile asbestos. *Environ Res*. 21: 423-431.
- Jacobson, EB. (1989). 4820000 Glove bag waste removal system for asbestos impregnated brakes. *Atmos Environ* (1967). 23: ii.
- Jagirdar, J; Lee, TC; Reibman, J; Gold, LI; Aston, C; Bâ€šgin, R. Immunohistochemical localization of transforming growth factor beta isoforms in asbestos-related diseases.
- Jakubowski, W; Hill, WF, Jr.; Clarke, NA. (1975). Comparative study of four microporous filters for concentrating viruses from drinking water. *Applied Microbiology*. 30: 58-65.
- James, RM; Klerkx, AHEM; Keighren, M; Flockhart, JH; West, JD. (1995). Restricted Distribution of Tetraploid Cells in Mouse Tetraploid â€” Diploid Chimaeras. *Developmental Biology*. 167: 213-226.
- Jamme, I; Petit, E; Gerbi, A; Maixent, JM; MacKenzie, ET; Nouvelot, A. (1997). Changes in ouabain affinity of Na⁺,K⁺-ATPase during focal cerebral ischaemia in the mouse. *Brain Res*. 774: 123-130.
- Janik, H; Wrona, M. (2005). ASBESTOS A2 - Worsfold, Paul. *Encyclopedia of Analytical Science (Second Edition)* Oxford141-148.
- Jankala, K; Anin, D; Urpelainen, S; Huttula, SM; Heinasmaki, S; Huttula, M. (2011). Analysis of 3d photoionization and subsequent Auger decay of atomic germanium. *Physical Review A*. 84: 2501-2501.
- Jankala, K; Schulz, J; Huttula, M; Calo, A; Urpelainen, S; Heinasmaki, S; Fritzsche, S; Svensson, S; Aksela, S; Aksela, H. (2006). Effects of initial-state laser excitation on inner-shell photoionization and Auger decay of Rb. *Physical Review A*. 7406: 2704-2704.
- Janssen, YMW; Marsh, JP; Shull, S; Borm, PJA; Mossman, BT. (1990). Profiles of antioxidant enzyme expression in rat lungs after inhalation of asbestos or silica. *Free Radic Biol Med*. 9, Supplement 1: 131.
- Januch, J; Brattin, W; Woodbury, L; Berry, D. (2013). Evaluation of a fluidized bed asbestos segregator preparation method for the analysis of low-levels of asbestos in soil and other solid media. *Analytical Methods*. 5: 1658-1668.
- Jarabo, Ro; Monte, MCn; Blanco, A; Negro, C; Tijero, J. (2012). Characterisation of agricultural residues used as a source of fibres for fibre-cement production. *Ind Crop Prod*. 36: 14-21.
- Jaurand, MC. (1984). COMPARATIVE RESPONSES OF CULTURED CELLS TO ASBESTOS FIBERS IN RELATION TO CARCINOGENICITY. *Beck, E G And J Bignon*. 0: 215-220.
- Jaurand, MC. (1991). Observations on the carcinogenicity of asbestos fibers. *Ann N Y Acad Sci*. 643: 258-270.
- Jaurand, MC. (1997). Mechanisms of fiber-induced genotoxicity. *Environ Health Perspect*. 105: 1073-1084.
- Jaurand, MC. (2000). Investigations of DNA damage produced by asbestos fibers in rat pleural mesothelial cells. *Inhal Toxicol*. 12: 183-187.
- Jaurand, MC; Bastie-Sigeac, I; Bignon, J; Stoener, P. (1983). Effect of chrysotile and crocidolite on the morphology and growth of rat pleural mesothelial cells. *Environ Res*. 30: 225-269.
- Jaurand, MC; Bastie-Sigeac, I; Magne, L; Hubert-Habart, M; Bignon, J. (1983). Studies on in vitro chrysotile-pleural mesothelial cell interaction: morphological aspects and metabolism of benzo-3,4-pyrene. *Environ Health Perspect*. 51: 159-165.
- Jaurand, MC; Bastie-Sigeac, I; Renier, A; Bignon, J. (1983). Comparative toxicities of different forms of asbestos on rat pleural mesothelial cells. *Environ Health Perspect*. 51: 153-158.
- Jaurand, MC; Bignon, J; Gaudichet, A; Magne, L; Oblin, A. (1978). Biological effects of chrysotile after SO₂ sorption: II. Effects on alveolar macrophages and red blood cells. *Environ Res*. 17: 216-227.
- Jaurand, MC; Gaudichet, A; Atassi, K; Sâ€šbastien, P; Bignon, J. (1980). Relationship between the number of asbestos fibres and the cellular and enzymatic content of bronchoalveolar fluid in asbestos exposed subjects. *Bulletin européen de physiopathologie respiratoire*. 16: 595-606.
- Jaurand, MC; Kaplan, H; Thiollet, J; Pinchon, MC; Bernaudin, JF; Bignon, J. (1979). Phagocytosis of chrysotile fibers by pleural mesothelial cells in culture. *Am J Pathol*. 94: 529-538.
- Jaurand, MC; Kheuang, L; Magne, L; Bignon, J. (1986). Chromosomal changes induced by chrysotile fibres or benzo-3,4-pyrene in rat pleural mesothelial cells. *Mutat Res*. 169: 141-148.
- Jaurand, MC; Magne, L; Bignon, J. (1979). Inhibition by phospholipids of haemolytic action of asbestos. *Br J Ind Med*. 36: 113-116.
- Jaurand, MC; Magne, L; Bignon, J. (1983). Mechanism of haemolysis by chrysotile fibres. *Toxicol Lett*. 15: 205-211.
- Jaurand, MC; Magne, L; Renier, A; Kheuang, L; Bignon, J. (1986). IN-VITRO RESPONSES OF TARGET PLEURAL MESOTHELIAL CELLS PMC TO CHRYSOTILE ASBESTOS FIBERS. 34th Meeting Of The European Tissue Culture Society, Heidelberg, West Germany, Oct. 0: 35.
- Jaurand, M-C; Magne, L; Boulmier, J-L; Bignon, J. (1981). In vitro reactivity of alveolar macrophages and red blood cells with asbestos fibres treated with oxalic acid, sulfur dioxide and benzo-3,4-pyrene. *Toxicology*. 21: 323-342.
- Jayakrishnan, R; Srinivasan, R; Arnold, JG. (2004). Comparison of raingage and WSR-88D Stage III precipitation data over the Texas-Gulf basin. *J Hydrol*. 292: 135-152.
- Jayasingh, P; Cornforth, DP. (2004). Comparison of antioxidant effects of milk mineral, butylated hydroxytoluene and sodium tripolyphosphate in raw and cooked ground pork. *Meat Science*. 66: 83-89.
- Jayasuriya, N; Navaratne, CM; Weerasignhe, KDN; Nawarathna, B; Adams, R. (2014). Roof Runoff Capture for Home Garden Crop Cultivation in Sri Lanka. *Journal of Irrigation and Drainage Engineering*. 140: 14004-14004.

Environmental Hazard Literature Search Results

Off Topic

- Jeanjean, As; Olives, Rg; Py, X. (2013). Selection criteria of thermal mass materials for low-energy building construction applied to conventional and alternative materials. *Energy and Buildings*. 63: 36-48.
- Jensen, CG; Jensen, LCW; Rieder, CL; Cole, RW; Ault, JG. (1996). Long crocidolite asbestos fibers cause polyploidy by sterically blocking cytokinesis. *Carcinogenesis*. 17: 2013-2021.
- Jensen, MB; Duve, LR; Weary, DM. (2015). Pair housing and enhanced milk allowance increase play behavior and improve performance in dairy calves. *J Dairy Sci*. 98: 2568-2575.
- Jeyaratnam, J. (1994). Transfer of hazardous industries. *IARC Sci Publ*. 129: 23-29.
- Jia, TT; Kimura, H; Cheng, ZX; Zhao, HY. (2015). Ferroelectric and magnetic properties of Aurivillius Bim+1Ti3Fem-3O3m+3 thin films. *Journal of Vacuum Science & Technology A*. 33: 60605-60605.
- jiang, S; Yang, X; Yang, C; Tong, M; Zou, D; Wu, Y. (2013). Guest-size determining the selective binding modes of cucurbit[8]uril, electron-rich guests and N-alkyl-N-methyl-4,4'-bipyridinium. *Tetrahedron Letters*. 54: 1638-1644.
- Jiang, S; Yang, XN; Yang, CX; Tong, MQ; Zou, DP; Wu, YJ. (2013). Guest-size determining the selective binding modes of cucurbit 8 uril, electron-rich guests and N-alkyl-N'-methyl-4,4'-bipyridinium. *Tetrahedron Letters*. 54: 1638-1644.
- Jiang, X-H; Yang, J-Q; Li, N; Wang, H; Zhou, Q-X. (2011). The pharmacokinetic study of plant alkaloid tetrandrine with a simple HPLC method in rabbits. *Fitoterapia*. 82: 878-882.
- Jim, CY; Chen, WY. (2006). Impacts of urban environmental elements on residential housing prices in Guangzhou (China). *Landscape Urban Plan*. 78: 422-434.
- Jiménez, LDDoPComUBUSA; Zane, ZC; Fung, H; Janssen, YM; Vacek, P; Charland, C; Goldberg, J; Mossman, BT. (1997). Role of extracellular signal-regulated protein kinases in apoptosis by asbestos and H₂O₂. *The American journal of physiology*. 273: L1029-1035.
- Jimenez, M; Cabanes, J; Gandia-Herrero, F; Escribano, J; Garcia-Carmona, F; Perez-Gilabert, M. (2003). A continuous spectrophotometric assay for phospholipase A(2) activity. *Anal Biochem*. 319: 131-137.
- Jimenez, M; Garcia-Carmona, F. (1999). Myricetin, an antioxidant flavonol, is a substrate of polyphenol oxidase. *J Sci Food Agric*. 79: 1993-2000.
- Jin, T; Luo, K; Dai, Q; Fan, J. (2016). Direct numerical simulation on supersonic turbulent reacting and non-reacting spray jet in heated coflow. *Fuel*. 164: 267-276.
- Jirsa, MA; Miller, JD; Morey, GB. (2008). Geology of the Biwabik Iron Formation and Duluth Complex. *Regul Toxicol Pharmacol*. 52: S5-S10.
- Jitschin, W; Stotzel, R; Papp, T; Sarkar, M. (1999). Coster-Kronig, fluorescence, and Auger yields of the (47)Ag L subshells measured through synchrotron photoionization. *Physical Review A*. 59: 3408-3414.
- Joekes, I; Moran, PJS; Rodrigues, JAR; Wendhausen, R; Tonella, E; Cassiola, F. (1998). Characterization of *Saccharomyces cerevisiae* immobilized onto chrysotile for ethanol production. *J Chem Tech Biotechnol*. 73: 54-58.
- Johnson, DL. (1983). Automated scanning electron microscopic characterization of particulate inclusions in biological tissues. *Scan Electron Microsc*. 3.
- Johnson, FB. (1972). Crystals in pathologic specimens. *Pathology annual*. 7: 321-344.
- Johnson, NF; Davies, R. (1981). An ultrastructural study of the effects of asbestos fibres on cultured peritoneal macrophages. *Br J Exp Pathol*. 62: 559-570.
- Johnson, NF; Davies, R. (1983). Effect of asbestos on the P388D1 macrophagelike cell line: preliminary ultrastructural observations. *Environ Health Perspect*. 51: 109-117.
- Johnson, NF; Hoover, MD; Thomassen, DG; Cheng, YS; Dalley, A; Brooks, AL. (1992). In vitro activity of silicon carbide whiskers in comparison to other industrial fibers using four cell culture systems. *Am J Ind Med*. 21: 807-823.
- Johnson, NF; Ibe, K. (1981). Sectioning and imaging hard mineral fibres in biological tissues. *J Microsc*. 122: 87-92.
- Johnston, SP; Porter, K. (2004). Extension of section 524(g) of the bankruptcy code to nondebtor parents, affiliates, and transaction parties. *Business Lawyer*. 59: 503-+.
- Johnston, WL. (1985). EVALUATION OF ASBESTOS FIBERS IN THE EXHAUST AIR OF INDUSTRIAL VACUUM CLEANERS. *Am Ind Hyg Assoc J*. 46: 402-406.
- Jolicoeur, C. (1987). Surface physico-chemical studies of chrysotile asbestos and related minerals. *Drug Chem Toxicol*. 10: 1-47.
- Jolivet, R; Lasserre, C; Doin, MP; Peltzer, G; Avouac, JP; Sun, J; Dailu, R. (2013). Spatio-temporal evolution of aseismic slip along the Haiyuan fault, China: Implications for fault frictional properties. *Earth Planet Sci Lett*. 377-378: 23-33.
- Jones, BM; Edwards, JH; Wagner, JC. (1972). Absorption of serum proteins by inorganic dusts. *Br J Ind Med*. 29: 287-292.
- Jones, GM. (1973). Performance of Dairy Cows Fed Propionic Acid-treated High-moisture Shelled Corn Rations for Complete Lactations. *J Dairy Sci*. 56: 207-211.
- Jones, GM; Dodson, GS; Whiton, TB; Cronin, R; Huff, PA; Leach, PC; Marquiss, RE; Merrill, MS; Smith, EC; Trager, PA; Wheeler, W. (2008). Chapter 26 - Pumping Station Design Examples. *Pumping Station Design (Third Edition)* Burlington 26.21-26.18.
- Jones, J; McGuire, MJ. (1987). DREDGING TO REDUCE ASBESTOS CONCENTRATIONS IN THE CALIFORNIA AQUEDUCT USA. *Am Water Works Assoc J*. 79: 30-37.
- Jones, JS; Pooley, FD; Smith, PG. (1976). Factory populations exposed to crocidolite asbestos - a continuing survey. *IARC Sci Publ*. 13: 117-120.
- Joyeux, J-C; Miller, JM; Aliaume, C; Zerbi, A. (1995). Growth of sand whiff *Citharichthys arenaceus* and bay whiff *Citharichthys spilopterus* (pleuronectiformes: bothidae) in Puerto Rico (greater antilles) and North Carolina (USA), with comments on growth rate comparisons. *Netherlands Journal of Sea Research*. 34: 211-220.
- Julius, PJ. (1990). How to safely maintain asbestos-containing tile. *Health Facil Manage*. 3: 58-60.

Environmental Hazard Literature Search Results

Off Topic

- Jung, H-S; Cha, J-S; Kim, S; Lee, W; Lim, H-j; Kim, H. (2015). Evaluating the efficiency of an asbestos stabilizer on ceiling tiles and the characteristics of the released asbestos fibers. *J Hazard Mater.* 300: 378-386.
- Jung, J; Furutani, H; Uematsu, M; Park, J. (2014). Distributions of atmospheric non-sea-salt sulfate and methanesulfonic acid over the Pacific Ocean between 48°N and 55°S during summer. *Atmos Environ.* 99: 374-384.
- Ka, MH; Baskakov, AI; Jeon, SY; Paek, I; Jang, J. (2016). Multi-frequency precision radar altimetry from space for estimation of sea surface state. *Electronics Letters.* 52: 1804-1805.
- Ka€ksaAd, DDoPDFoMKIUTnnket; â,-elik, DDoPDFoMaSIUTnnket; Kahraman, H; Ekerbiâ€jedil. Survey of environmental exposure to asbestos in the town of Buyuktatlar, Turkey.
- Kachani, M; Oliver, RA; Brown, CGD; Ouhelli, H; Spooner, RL. (1992). Common and stage-specific antigens of *Theileria annulata*. *Veterinary Immunology and Immunopathology.* 34: 221-234.
- Kacmar, P; Pistl, J; Mikula, I. (1999). Immunotoxicology and veterinary medicine. *Acta Veterinaria Brno.* 68: 57-79.
- Kaczinski, JH; Hallenbeck, WH. (1984). Migration of ingested asbestos. *Environ Res.* 35: 531-551.
- Kagan, E. (1981). The alveolar macrophage: immune derangement and asbestos-related malignancy. *Semin Oncol.* 8: 258-267.
- Kagan, E; Hartmann, D-P. (1984). [32] Elimination of macrophages with silica and asbestos. *Methods Enzymol*325-335.
- Kagan, E; Hartmann, DP. (1984). Elimination of macrophages with silica and asbestos. *Methods Enzymol.* 108: 325-335.
- Kagan, E; Miller, K. (1979). Alveolar macrophage--splenic lymphocyte interactions following chronic asbestos inhalation in the rat. *Adv Exp Med Biol.* 121: 539-554.
- Kagan, E; Miller, K. (1981). Asbestos inhalation and the induction of splenic lymphocytic proliferation in the rat. *Chest.* 80: 11-12.
- Kagan, E; Miller, K. (1981). Manifestations of Cellular Immunity in the Rat After Prolonged Asbestos Inhalation. II. Alveolar Macrophage-Induced Splenic Lymphocyte Proliferation. *Environ Res.* 26: 182-194.
- Kagan, E; Oghiso, Y; Hartmann, DP. (1983). The effects of chrysotile and crocidolite asbestos on the lower respiratory tract: Analysis of bronchoalveolar lavage constituents. *Environ Res.* 32: 382-397.
- Kagan, E; Oghiso, Y; Hartmann, DP. (1983). Enhanced release of a chemoattractant for alveolar macrophages after asbestos inhalation. *Am J Respir Crit Care Med.* 128: 680-687.
- Kahal, EJ. (1984). Innovative approach to asbestos removal. NTIS, SPRINGFIELD, VA (USA) 1984.
- Kahkonen, MA; Wittmann, C; Kurola, J; Ilvesniemi, H; Salkinoja-Salonen, MS. (2001). Microbial activity of boreal forest soil in a cold climate. *Boreal Environment Research.* 6: 19-28.
- Kalavrouziotis, IK; Koukoulakis, PH. (2009). Environmental Implications of Soil Properties and Essential Nutrient Interactions, Under the Effect of Treated Municipal Wastewater. *Water Air and Soil Pollution.* 197: 267-276.
- Kalla, B; Hamilton, RF; Scheule, RK; Holian, A. (1990). Role of extracellular calcium in chrysotile asbestos stimulation of alveolar macrophages. *Toxicol Appl Pharmacol.* 104: 130-138.
- Kamal, R; Dutt, T; Patel, BHM; Singh, G; Chandran, PC; Dey, A; Barari, SK. (2016). Effect of shade materials on rectal temperature, respiration rate and body surface temperature of crossbred calves during rainy season. *Indian Journal of Animal Sciences.* 86: 75-81.
- Kamal, R; Dutt, T; Patel, M; Dey, A; Chandran, PC; Bharti, PK; Barari, SK. (2016). Behavioural, biochemical and hormonal responses of heat-stressed crossbred calves to different shade materials. *Journal of Applied Animal Research.* 44: 347-354.
- Kameda, H; Risinger, JI; Han, BB; Baek, SJ; Barrett, JC; Abe, T; Takeuchi, T; Glasgow, WC; Eling, TE. (2001). Expression of Gab1 lacking the pleckstrin homology domain is associated with neoplastic progression. *Mol Cell Biol.* 21: 6895-6905.
- Kamp, DW; Panduri, V; Weitzman, SA; Chandel, N. (2002). Asbestos-induced alveolar epithelial cell apoptosis: Role of mitochondrial dysfunction caused by iron-derived free radicals. *Mol Cell Biochem.* 234: 153-160.
- Kamrin, MA. (1988). *Toxicology--A Primer on Toxicology Principles and Applications.* Lewis Publishers, Chelsea Michigan 1988 145p.
- Kandaswami, C; Morin, G; Sirois, P. (1988). Lipid peroxidation in rat alveolar macrophages exposed to chrysotile fibres. *Toxicol In Vitro.* 2: 117-120.
- Kandaswami, C; O'Brien, PJ. (1980). Effects of asbestos on membrane transport and metabolism of benzo(a)pyrene. *Biochem Biophys Res Commun.* 97: 794-801.
- Kandaswami, C; O'Brien, PJ. (1983). Effect of chrysotile asbestos and silica on the microsomal metabolism of benzo(a)pyrene. *Environ Health Perspect.* 51: 311-314.
- Kandaswami, C; Rahimtula, M; O'Brien, PJ. (1986). Effect of asbestos fibers on aryl hydrocarbon hydroxylase and aminopyrine N-demethylase activities of rat liver microsomes. *Toxicology.* 38: 119-132.
- Kane, AB. (1993). Epidemiology and pathology of asbestos-related diseases. *Reviews in Mineralogy.* 28: 347-359.
- Kane, AB; Hurt, RH. (2008). Nanotoxicology: the asbestos analogy revisited. *Nat Nanotechnol.* 3: 378-379.
- Kang, KY; Bice, D; D'Amato, R; Ziskind, M; Salvaggio, J. (1979). Effects of asbestos and beryllium on release of alveolar macrophage enzymes. *Arch Environ Health.* 34: 133-140.
- Kang, KY; Salvaggio, J. (1976). Effects of asbestos and beryllium compounds on the alveolar macrophages. *Med J Osaka Univ.* 27: 47-58.
- Kang, S; Li, C; Wang, F; Zhang, Q; Cong, Z. (2009). Total suspended particulate matter and toxic elements indoors during cooking with yak dung. *Atmos Environ.* 43: 4243-4246.
- Kankwatsa, P; Hakiza, JJ; Olanya, M; Kidenamariam, HM; Adipala, E. (2003). Efficacy of different fungicide spray schedules for control of potato late blight in Southwestern Uganda. *Crop Protection.* 22: 545-552.
- Kaplan, H; Jaurand, MC; Pinchon, MC; Bernaudin, JF; Bignon, J; Adnet, JJ. (1980). How pleural mesothelial cells react in vitro with chrysotile fibres. *IARC Sci Publ.* 30: 451-457.

Environmental Hazard Literature Search Results

Off Topic

- Karakoca, Y; Emri, S; Cangir, AK; Baris, YI. (1997). Environmental pleural plaques due to asbestos and fibrous zeolite exposure in Turkey. *Indoor Built Environ.* 6: 100-105.
- Karvonen, J; Kivimaki, A; Aksela, H; Aksela, S; Camilloni, R; Avaldi, L; Coreno, M; de Simone, M. (1999). Angular distribution in xenon $M(4,5)N(4,5)N(4,5)$ Auger decay. *Physical Review A.* 59: 315-319.
- Kasprzak, KS; Ward, JM. (1991). Prevention of nickel subsulfide carcinogenesis by local administration of *Mycobacterium bovis* antigen in male F344/NCr rats. *Toxicology.* 67: 97-105.
- Katellaris, A. (2011). Renovation and renewal. *The Medical journal of Australia.* 195: 245.
- Katsaboxakis, K. Determination of moisture in raisins. *J AOAC Int.* Mar/Apr 1997. v. 80 (2): 439-440.
- Kauffer, E; Vigneron, JC; FabriÅ s; Billon-Galland, aMA; Brochard, P. (1996). The use of a new static device based on the collection of the thoracic fraction for the assessment of the airborne concentration of asbestos fibres by transmission electron microscopy. *Ann Occup Hyg.* 199640: 311-319.
- Kauppinen, T; Korhonen, K. (1987). Exposure to asbestos during brake maintenance of automotive vehicles by different methods. *Am Ind Hyg Assoc J.* 48: 499-504.
- Kaw, JL. (1977). Tissue culture in pneumoconiosis. *CRC Crit Rev Toxicol.* 5: 103-114.
- Kaw, JL; Tilkes, F; Beck, EG. (1982). Reaction of cells cultured in vitro to different asbestos dusts of equal surface area but different fibre length. *Br J Exp Pathol.* 63: 109-115.
- Kaw, JL; Waseem, M. (1983). Surface area of asbestos dusts in relation to hemolysis of mammalian erythrocytes & macrophage adherence. *Indian J Exp Biol.* 21: 379-382.
- Kaw, JL; Zaidi, SH. (1975). In vitro studies on the cytotoxic action of different varieties of asbestos dust on macrophages. *Acta Pharmacol Toxicol.* 36: 225-235.
- Kaw, JL; Zaidi, SH. (1977). Chapter 67 - Effect of some chelating agents and polymers on asbestos induced hemolysis and macrophage cytotoxicity A2 - BHATIA, BALRAJ. *Selected Topics in Environmental Biology*429-431.
- Kawamoto, T; Yoshikawa, M; Kumagai, Y; Mirabueno, MHT; Okuno, M; Kobayashi, T. (2013). Mantle wedge infiltrated with saline fluids from dehydration and decarbonation of subducting slab. *Proceedings of the National Academy of Sciences of the United States of America.* 110: 9663-9668.
- Kawashima, E; Aoyama, Y; Sekine, T; Nakamura, E; Kainosho, M; Kyogoku, Y; Ishido, Y. (1993). Sonochemical and triethylborane-induced tin deuteride reduction for the highly stereoselective synthesis of (2â€²R)-[2â€²-2H]-2â€²-deoxyribonucleosides from 2â€²-functionalized ribonucleosides. *Tetrahedron Letters.* 34: 1317-1320.
- Kay, GH. Asbestos in drinking water. *Journal.* Sept 1974, 66 (9): 513-514.
- Kay, K. (1974). Inorganic particles of agricultural origin. *Environ Health Perspect.* 9: 193-195.
- Kay, P; Blackwell, PA; Boxall, ABA. (2005). Transport of veterinary antibiotics in overland flow following the application of slurry to arable land. *Chemosphere.* 59: 951-959.
- Kaye, PH; Hirst, E; Saunders, S; Hoskins, JA. (1997). Real-time spatial light scattering analysis and its potential for asbestos fibre detection. *J Aerosol Sci.* 28: 333.
- Kazan-Allen, L. (2001). Global asbestos justice: South African asbestos victims win right to sue Cape PLC in U.K. courts. *International journal of health services : planning, administration, evaluation.* 31: 815-821.
- Kazerooni, EA. (2001). Perspective - High-resolution CT of the lungs. *AJR Am J Roentgenol.* 177: 501-519.
- Kebler, DG; Bales, RC; Amy, GL. (1988). COAGULATION OF SUBMICRON COLLOIDS BY SUPRAMICRON SILICA PARTICLES. *Water Pollution Research and Control Brighton*519-528.
- Keenan, RG; Lynch, JR. (1970). Techniques for the detection, identification and analysis of fibers. *Am Ind Hyg Assoc J.* 31: 587-597.
- Kehrer, JP; Mossman, BT; Sevanian, A; Trush, MA; Smith, MT. (1988). Free radical mechanisms in chemical pathogenesis. Summary of the symposium presented at the 1988 annual meeting of the Society of Toxicology. *Toxicol Appl Pharmacol.* 95: 349-362.
- Keira, T; Okada, M; Katagiri, H; Aizawa, Y; Okayasu, I; Kotani, M. (1998). Magnetometric evaluation for the effect of chrysotile on alveolar macrophages. *Tohoku J Exp Med.* 186: 87-98.
- Keles, A; Dogruer, Y; Ucar, G; Guner, A. (2003). Preacidification treatments of milk used in Halloumi cheese manufacture. *Acta Alimentaria.* 32: 257-267.
- Kelly, M; McKerrow, AJ. An instance of porous asbestos sheeting and its treatment--an advisory case. *Farm building progress.* Oct 1983. (74): 13-15 ill.
- Kelly, RT. (1976). Asbestos--health hazards in perspective. *Constructional uses.* Royal Society of Health journal. 96: 246-248.
- Kendrick, MA; Honda, M; Pettke, T; Scambelluri, M; Phillips, D; Giuliani, A. (2013). Subduction zone fluxes of halogens and noble gases in seafloor and forearc serpentinites. *Earth Planet Sci Lett.* 365: 86-96.
- Kenne, K; Ljungquist, S; Ringertz, NR. (1986). Effects of asbestos fibers on cell division, cell survival, and formation of thioguanine-resistant mutants in Chinese hamster ovary cells. *Environ Res.* 39: 448-464.
- Kennedy, MC; Routledge, R. (1967). Investigation of a minor asbestos hazard. *Br J Ind Med.* 24: 232-239.
- Kere, A; Sadiki, N; Py, X; Goetz, V. (2014). Applicability of thermal energy storage recycled ceramics to high temperature and compressed air operating conditions. *Energy Conversion and Management.* 88: 113-119.
- Kern, DG; Patel, SR. (1991). Auscultated forced expiratory time as a clinical and epidemiologic test of airway obstruction. *Chest.* 100: 636-639.
- Kernavanois, N; Boucherle, JX; de Reotier, PD; Givord, F; Lelievre-Berna, E; Ressouche, E; Rogalev, A; Sanchez, JP; Sato, N; Yaouanc, A. (2000). Polarized neutron scattering and x-ray magnetic circular dichroism studies of the heavy-fermion superconductor UNi(2)Al(3). *Journal of Physics-Condensed Matter.* 12: 7857-7867.

Environmental Hazard Literature Search Results

Off Topic

- Kernavainis, N; de Reotier, PD; Yaouanc, A; Sanchez, JP; Honkimaki, V; Tschentscher, T; McCarthy, J; Vogt, O. (2001). Orbital and spin magnetism in US - comparison with USe and UTe. *Journal of Physics-Condensed Matter*. 13: 9677-9690.
- Kernavainis, N; Mannix, D; de Reotier, PD; Sanchez, JP; Yaouanc, A; Rogalev, A; Lander, GH; Stirling, WG. (2004). UAs/Co multilayers studied by x-ray magnetic circular dichroism at the U M(4,5) edges. *Physical Review B*. 6905: 4405-4405.
- Kersh, FW; Frank, AL. (1999). Environmental awareness among physicians: what are environmental health and environmental medicine? *Tex Med*. 95: 39-44.
- Kessler, R. (2011). Examining Nanotech's Clean Energy Promises. *Environ Health Perspect*. 119: A17-A17.
- Keyes, DL; Millette, JR. (1991). Asbestos exposure from activities in buildings with asbestos-containing materials. *Ann N Y Acad Sci*. 643: 509-510.
- Keyf, F; Erman, G. (2000). Full-crown castings made with water-saturated and dry casting ring liners. *J Biomater Appl*. 14: 399-408.
- Khan, IM; Dill, CW; Chandan, RC; Shahani, KM. (1967). Production and properties of the extracellular lipase of *Achromobacter lipolyticum*. *Biochimica et Biophysica Acta (BBA) - Enzymology*. 132: 68-77.
- Khan, MR; Khan, MM. (2010). Effect of intermittent exposures of SO₂ on the leaf blight caused by *Alternaria brassicicola* on Indian mustard. *Agriculture, Ecosystems & Environment*. 139: 728-735.
- Khan, SG; Rizvi, RY; Hadi, SM; Rahman, Q. (1988). Strand breakage in DNA by silicic acid. *Mutat Res Lett*. 208: 27-32.
- Khartsev, SI; Grishin, AM. (2007). High performance Bi(3)Fe(5)O(12)/Sm(3)Ga(5)O(12) (m) magneto-optical photonic crystals. *Journal of Applied Physics*. 101: 53906-53906.
- Kiefer, MJ; Buchan, RM; Keefe, TJ; Blehm, KD. (1987). A predictive model for determining asbestos concentrations for fibers less than five micrometers in length. *Environ Res*. 43: 31-38.
- Kilburn, KH. (1982). Flame-attenuated fiberglass: another asbestos? *Am J Ind Med*. 3: 121-125.
- Kim, C-S; Kim, T-W; Cho, K-H; Ha, HK; Lee, S; Kim, H-C; Lee, J-H. (2016). Variability of the Antarctic Coastal Current in the Amundsen Sea. *Estuar Coast Shelf Sci*. 181: 123-133.
- Kim, HR; Lee, YB. (2011). A design and characteristic experiment of the small annular linear induction electromagnetic pump. *Annals of Nuclear Energy*. 38: 1046-1052.
- Kim, JH; Chang, HS; Kim, KY; Park, WM; Lee, YJ; Choi, HC; Kim, KA; Lim, Y. (1999). Environmental measurements of total dust and fiber concentration in manufacturer and user of man-made mineral fibers. *Ind Health*. 37: 322-328.
- Kim, JS; Song, KS; Lee, JH; Yu, JJ. (2011). Evaluation of biocompatible dispersants for carbon nanotube toxicity tests. *Arch Toxicol*. 85: 1499-1508.
- Kim, JS; Yi, JG; Kim, YK; Doo, KW; Lee, JW; Ham, SY; Kim, JI; Kang, EY. (2013). Notes from the 2012 Annual Meeting of the Korean Society of Thoracic Radiology: asbestos-related thoracic diseases. *J Thorac Imaging*. 28: W49-55.
- Kim, KH; Yeon, SM; Kim, HG; Lee, H; Kim, SK; Han, SH; Min, KJ; Byun, Y; Lee, EH; Lee, KS; Yuk, SH; Ha, UH; Jung, YW. (2014). Single-Walled Carbon Nanotubes Induce Cell Death and Transcription of TNF-alpha in Macrophages Without Affecting Nitric Oxide Production. *Inflammation*. 37: 44-54.
- Kim, YC; Hong, WH; Zhang, YL. (2015). Development of a model to calculate asbestos fiber from damaged asbestos slates depending on the degree of damage. *J Clean Prod*. 86: 88-97.
- Kim, YC; Hong, WH; Zhang, YL; Son, BH; Seo, YK; Choi, JH. (2016). Estimating the Additional Greenhouse Gas Emissions in Korea: Focused on Demolition of Asbestos Containing Materials in Building. *Int J Environ Res Public Health*. 13: 902-902.
- King, C; Mayes, D; Dorsey, DA. (2011). Benign asbestos-related pleural disease. *Disease-a-month : DM*. 57: 27-39.
- King, HE; Putnis, A. (2010). Effect of secondary phase formation on the carbonation of olivine. *Environ Sci Technol*. 15: 446503-446509.
- King, RH. (1987). Provenance of clay material used in the manufacture of archaeological pottery from Cyprus. *Appl Clay Sci*. 2: 199-213.
- Kirby, T. (2010). Canada accused of hypocrisy over asbestos exports. *Lancet*. 376: 1973-1974.
- Kirby, T. (2014). Canberra Government to demolish asbestos-contaminated homes. *The Lancet Respiratory medicine*. 2: 975.
- Kitahara, G; Kamata, R; Sasaki, Y; Ali, HE; Mido, S; Kobayashi, I; Hemmi, K; Osawa, T. (2016). Changes in peripheral anti-Mullerian hormone concentration and their relationship with testicular structure in beef bull calves. *Domestic Animal Endocrinology*. 57: 127-132.
- Kiviluoto, R. (1965). Pleural plaques and asbestos: further observations on endemic and other nonoccupational asbestosis. *Ann N Y Acad Sci*. 132: 235-239.
- Kiviluoto, R; Meurman, LO; Hakama, M. (1979). Pleural plaques and neoplasia in Finland. *Ann N Y Acad Sci*. 330: 31-33.
- Klaas, VE. (1993). A diagnostic approach to asbestosis, utilizing clinical criteria, high resolution computed tomography, and gallium scanning. *Am J Ind Med*. 23: 801-809.
- Kline, ND; Tripathi, A; Mirsafavi, R; Pardoe, I; Moskovits, M; Meinhart, C; Guicheteau, JA; Christesen, SD; Fountain, AW. (2016). Optimization of Surface-Enhanced Raman Spectroscopy Conditions for Implementation into a Microfluidic Device for Drug Detection. *Anal Chem*. 88: 10513-10522.
- Knight, AMY; Brower, LP; Williams, EH. (1999). Spring remigration of the monarch butterfly, *Danaus plexippus* (Lepidoptera: Nymphalidae) in north-central Florida: estimating population parameters using mark-recapture. *Biological Journal of the Linnean Society*. 68: 531-556.
- Knox, EA; Gordon, M; Shirley, PS. (1985). EFFECTS OF ASBESTOS ON THE RANDOM MIGRATION OF RABBIT ALVEOLAR MACROPHAGES AU - MYRVIK QN. *Environ Health Perspect*. 60: 387-394.
- Knox, RL; Engvall, DS; Ginther, BE. Crude fiber determination using ceramic fiber to replace asbestos. *Journal of the Association of Official Analytical Chemists*. Sept 1982. v. 65 (5): 1073-1075.
- Kocak, F; Ergen, Z; Cinar, ME. (1999). Fouling organisms and their developments in a polluted and an unpolluted marina in the Aegean Sea (Turkey). *Ophelia*. 50: 1-20.
- Kochhar, OS. (1968). Effect of glutamine starvation on the ultrastructural organization of Chang's cultured cells. *Exp Cell Res*. 49: 598-611.

Environmental Hazard Literature Search Results

Off Topic

- Kodolányi, Jn; Pettke, T. (2011). Loss of trace elements from serpentinites during fluid-assisted transformation of chrysotile to antigorite – An example from Guatemala. *Chem Geol.* 284: 351-362.
- Koelle, GB; Friedenwald, JS. (1951). The adrenochrome redox system. *Arch Biochem Biophys.* 32: 370-381.
- Koerten, HK; Brederoo, P; Ginsel, LA; Daems, WT. (1986). The endocytosis of asbestos by mouse peritoneal macrophages and its long-term effect on iron accumulation and labyrinth formation. *Eur J Cell Biol.* 40: 25-36.
- Koerten, HK; Hazekamp, J; Kroon, M; Daems, WT. (1990). Asbestos body formation and iron accumulation in mouse peritoneal granulomas after the introduction of crocidolite asbestos fibers. *American Journal of Pathology.* 136: 141-158.
- Kogan, FM; Polzik, EV. (1991). Response to qualms about medical screening as a discriminatory tool. *Am J Ind Med.* 20: 273-274.
- Kogevinas, M; Pearce, N. (2012). Importance of meta-analyses for evaluating carcinogens. *Environ Health Perspect.* 120: A145; author reply A146-147.
- Kohyama, N; Kurimori, S. (1996). A total sample preparation method for the measurement of airborne asbestos and other fibers by optical and electron microscopy. *Ind Health.* 34: 185-203.
- Kolbye, AC, Jr. (1991). Facts or fears: the need for appropriate responses. *Regulatory toxicology and pharmacology : RTP.* 13: 115.
- Koller, LD. (1980). Public health risks of environmental contaminants: heavy metals and industrial chemicals. *Journal of the American Veterinary Medical Association.* 176: 525-529.
- Komelj, M; Stojic, N. (2005). Ab initio investigation of magnetism in two-dimensional uranium systems. *Physical Review B.* 7105: 2410-2410.
- Kominsky, JR; Thornburg, JW; Shaul, GM; Barrett, WM; Hall, FD; Konz, JJ. (2010). Development of the Releasable Asbestos Field Sampler. *Journal of the Air & Waste Management Association.* 60: 294-301.
- Kon, SH. (1978). Biological autoxidation I. Decontrolled iron: An ultimate carcinogen and toxicant: An hypothesis. *Med Hypotheses.* 4: 445-471.
- Kon, SH. (1978). Biological autoxidation: II. Cholesterol esters as inert barrier antioxidants. Self-assembly of porous membrane sacs. An hypothesis. *Med Hypotheses.* 4: 559-580.
- Konnert, JH. (1974). Structural information in diffuse diffraction patterns. *Environ Health Perspect.* 9: 137-138.
- Kopel, D; Brook, A; Wittenberg, L; Malkinson, D. (2016). Spectroscopy application for soil differentiation in urban landscape. *Journal of Soils and Sediments.* 16: 2557-2567.
- Korkmaz, S; Carlsson, S; Wahlström, Gr. (1998). Development of physical dependence to lorazepam in rats: The effects of repeated short treatments, dose and age. *European Neuropsychopharmacology.* 8: 175-181.
- Koshi, K; Kohyama, N; Myojo, T; Fukuda, K. (1991). Cell toxicity, hemolytic action and clastogenic activity of asbestos and its substitutes. *Ind Health.* 29: 37-56.
- Koski, RA. (1983). Sulphide mineralization and wall-rock alteration in ophiolites and modern oceanic spreading centres. *J Geochem Explor.* 19: 496-498.
- Kostal, S. (2005). Asbestos they can? *Aba Journal.* 91: 20-+.
- Kostarelos, K. (2008). The long and short of carbon nanotube toxicity. *Nature Biotechnology.* 26: 774-776.
- Kostyuk, VA; Potapovich, AI; Speransky, SD; Maslova, GT. (1996). Protective effect of natural flavonoids on rat peritoneal macrophages injury caused by asbestos fibers. *Free Radic Biol Med.* 21: 487-493.
- Kostyuk, VA; Potapovich, AI; Vladykovskaya, EN; Hiramatsu, M. (2000). Protective effects of green tea catechins against asbestos-induced cell injury. *Planta Med.* 66: 762-764.
- Kostyuk, VA; Potapovich, AI; Vladykovskaya, EN; Korkina, LG; Afanas'ev, IBA. (2001). Influence of metal ions on flavonoid protection against asbestos-induced cell injury. *Arch Biochem Biophys.* 385: 129-137.
- Kotagiri, N; Kim, JW. (2014). Stealth nanotubes: strategies of shielding carbon nanotubes to evade opsonization and improve biodistribution. *Int J Nanomedicine.* 9: 85-105.
- Kotaki, A; Katoh, S; Kitani, K. (2011). Correlation of Middle Pleistocene crystal-rich tephra layers from Daisen Volcano, southwest Japan, based on the chemical composition and refractive index of mafic minerals. *Quaternary international.* 246: 105-117.
- Kotelchuck, D. (1990). The Third-Wave Asbestos Conference: high drama in science. *Health PAC bulletin.* 20: 13-17.
- Kotin, P. (1979). Based upon available data, can we project an acceptable standard for industrial use of asbestos? Yes. *Ann N Y Acad Sci.* 330: 211-213.
- Kotin, P. (1979). Industry responsibility for the use of its products. *Ann N Y Acad Sci.* 330: 503-505.
- Koumantakis, E; Kalliopi, A; Dimitrios, K; Gidaracos, E. (2009). Asbestos pollution in an inactive mine: Determination of asbestos fibers in the deposit tailings and water. *J Hazard Mater.* 167: 1080-1088.
- Kousta, RN. (1991). Control of incidental asbestos exposure at hazardous waste sites. *Journal of the Air & Waste Management Association.* 41: 1004-1009.
- Kouzan, S; Brody, AR; Nettesheim, P; Eling, T. (1985). PRODUCTION OF ARACHIDONIC-ACID METABOLITES BY MACROPHAGES EXPOSED IN-VITRO TO ASBESTOS CARBONYL IRON PARTICLES OR CALCIUM IONOPHORE. *Am Rev Respir Dis.* 131: 624-632.
- Kovacic, P; Crawford, PW; Ryan, MD; Nelson, VC. (1986). CHARGE TRANSFER MECHANISM FOR CARCINOGENESIS BY ALKYLATING AND OTHER AGENTS. *Bioelectrochem Bioenerg.* 15: 305-316.
- Kovacic, P; Somanathan, R. (2008). Integrated approach to immunotoxicity: electron transfer, reactive oxygen species, antioxidants, cell signaling, and receptors. *Journal of receptor and signal transduction research.* 28: 323-346.
- Kozakova, L; Kralikova, R. (2009). POSSIBILITIES OF ASBESTOS WASTES DISPOSAL. *International Multidisciplinary Scientific GeoConference : SGEM : Surveying Geology & mining Ecology Management.* 2: 599.
- Kozlowski, D; Provost, SC; Tucker, J; van, dZR. (2014). Dusted community: piloting a virtual peer-to-peer support community for people with an asbestos-related diagnosis and their families. *J Psychosoc Oncol.* 32: 463-475.

Environmental Hazard Literature Search Results

Off Topic

- Kracisin, GJ. (1979). Drywall construction and asbestos exposure. *Am Ind Hyg Assoc J.* 40: 829-830.
- Kralj, P. (2016). Hydrothermal alteration of chlorite to randomly interstratified corrensite-chlorite: Geological evidence from the Oligocene Smrekovec Volcanic Complex, Slovenia. *Appl Clay Sci.* 134, Part 3: 235-245.
- Kravchenko, IV; Furalyov, VA; Vasylieva, LA; Pylev, LN. (1998). Spontaneous and asbestos-induced transformation of mesothelial cells in vitro. *Teratogenesis Carcinogenesis and Mutagenesis.* 18: 141-151.
- Kraybill, HF. (1976). Distribution of chemical carcinogens in aquatic environments. *Prog Exp Tumor Res.* 20: 3-34.
- Kreel, L. (2008). The story behind the development of computed tomography. *Adler Museum bulletin.* 34: 20-24.
- Krishnamurthy, VV; Keavney, DJ; Haskel, D; Lang, JC; Srajer, G; Sales, BC; Mandrus, DG; Robertson, JL. (2009). Temperature dependence of Eu 4f and Eu 5d magnetizations in the filled skutterudite EuFe(4)Sb(12). *Physical Review B.* 79: 4426-4426.
- Krishnamurthy, VV; Lang, JC; Haskel, D; Keavney, DJ; Srajer, G; Robertson, JL; Sales, BC; Mandrus, DG; Singh, DJ; Bilc, DI. (2007). Ferrimagnetism in EuFe(4)Sb(12) due to the interplay of f-electron moments and a nearly ferromagnetic host. *Physical Review Letters.* 98: 6403-6403.
- Kroon, M; Smit, R. (1991). New Policy Developments Concerning Traffic, Freight Transport, and Environment in the Netherlands. *Studies in Environmental Science* 63-80.
- Krowki, R; Bluth, U; Merker, HJ; Neubert, D. (1984). PLACENTAL TRANSFER AND POSSIBLE TERATOGENIC POTENTIAL OF ASBESTOS IN MICE. 12th Conference Of The European Teratology Society, Veldhoven, Netherlands, Sept. 32: 26A-27A.
- Krstic, DZ; Colovic, M; Kralj, MB; Franko, M; Krinulovic, K; Trebse, P; Vasic, V. (2008). Inhibition of AChE by malathion and some structurally similar compounds. *J Enzyme Inhib Med Chem.* 23: 562-573.
- Krtil, J. (1961). Exchange properties of ammonium salts of 12-heteropolyacids: II: Separation of rubidium and caesium on ammonium phosphotungstate. *Journal of Inorganic and Nuclear Chemistry.* 19: 298-303.
- Krukovsky, VN; Guthrie, ES; Whiting, F. (1948). Lipid Deterioration in Dairy Products. The Stability of Milk Fat and Fat-Soluble Vitamins as Determined by the Re-Emulsification Test. *J Dairy Sci.* 31: 961-972.
- Kruzic, P; Zibrowius, H; Pozar-Domac, A. (2002). Actinaria and Scleractinia (Cnidaria, Anthozoa) from the Adriatic Sea (Croatia): first records, confirmed occurrences and significant range extensions of certain species. *Italian Journal of Zoology.* 69: 345-353.
- Ku, BK; Deye, GJ; Turkevich, LA. (2014). Efficacy of screens in removing long fibers from an aerosol stream - sample preparation technique for toxicology studies. *Inhal Toxicol.* 26: 70-83.
- Kubota, M; Takayama, K; Namimoto, D. (2005). Pleading for the use of biodegradable polymers in favor of marine environments and to avoid an asbestos-like problem for the future. *Appl Microbiol Biotechnol.* 67: 469-476.
- Kucheyev, SO; Clapsaddle, BJ; Wang, YM; van Buuren, T; Hamza, AV. (2007). Electronic structure of nanoporous ceria from x-ray absorption spectroscopy and atomic multiplet calculations. *Physical Review B.* 76: 5420-5420.
- Kuchino, Y; Mori, F; Kasai, H; Inoue, H; Iwai, S; Miura, K; Ohtsuka, E; Nishimura, S. (1987). Misreading of DNA templates containing 8-hydroxydeoxyguanosine at the modified base and at adjacent residues. *Nature.* 327: 77-79.
- Kudo, Y; Kotani, M; Aizawa, Y. (2009). Cytotoxicity study of rock wool by cell magnetometric evaluation. *Regul Toxicol Pharmacol.* 55: 151-157.
- Kudo, Y; Watanabe, M; Okada, M; Shinji, H; Niitsuya, M; Satoh, T; Sakai, Y; Kohyama, N; Kotani, M; Aizawa, Y. (2003). Comparative cytotoxicity study of rock wool and chrysotile by cell magnetometric evaluation. *Inhal Toxicol.* 15: 1275-1295.
- Kumar, A; Maiti, SK. (2015). Effect of Organic Manures on the Growth of *Cymbopogon citratus* and *Chrysopogon zizanioides* for the Phytoremediation of Chromite-Asbestos Mine Waste: A Pot Scale Experiment. *Int J Phytoremediation.* 17: 437-447.
- Kumar, PD. (1992). Asbestos is here again. *The Journal of the Association of Physicians of India.* 40: 482-483.
- Kumar, R; Choudhary, RJ; Khan, MW; Srivastava, JP; Bao, CW; Tsai, HM; Chiou, JW; Asokan, K; Pong, WF. (2005). Structural, electrical transport and x-ray absorption spectroscopy studies of LaFe(1-x)Ni(x)O(3) (x <= 0.6). *Journal of Applied Physics.* 97: 93526-93526.
- Kumar, RS; Rajkumar, P. (2014). Characterization of minerals in air dust particles in the state of Tamilnadu, India through FTIR, XRD and SEM analyses. *Infrared Physics & Technology.* 67: 30-41.
- Kunes, J; Novak, P; Divis, M; Oppeneer, PM. (2001). Magnetic, magneto-optical, and structural properties of URhAl from first-principles calculations. *Physical Review B.* 6320: 5111-5111.
- Kunugi, S; Hirohara, H; Nishimura, E; Ise, N. (1978). Presteady-state kinetic study of the elementary processes in the chymotrypsin-catalyzed hydrolysis of specific ester substrate: Rate-limiting association process due to the secondary binding. *Arch Biochem Biophys.* 189: 298-308.
- Kurajica, L; Tenzera-Taslak, G. (2009). PRAVILNO DIJAGNOSTICIRANJE PROFESIONALNE AZBESTNE PNEUMOKONIOZE I PROFESIONALNIH AZBESTNIH ZADEBLJANJA POPLUCNICA S PRIKAZOM MODELA. *Arhiv za Higijenu Rada i Toksikologiju/Archives of Industrial Hygiene and Toxicology.* 60: 65.
- Kurishita, A; Ono, T; Okada, S; Mori, Y; Sawada, S. (1992). Induction of external abnormalities in offspring of male mice irradiated with 252Cf neutron. *Mutation Research/Fundamental and Molecular Mechanisms of Mutagenesis.* 268: 323-328.
- Kuroda, A; Ishida, T; Alexandrov, M; Nishimura, T; Minagawa, K; Hirota, R. (2010). Fluorescence staining of asbestos using asbestos-binding proteins and its application to rapid and sensitive asbestos detection. *J Biotechnol.* 150, Supplement: 556-557.
- Kuroda, A; Nishimura, T; Ishida, T; Hirota, R; Nomura, K. (2008). Detection of chrysotile asbestos by using a chrysotile-binding protein. *Biotechnol Bioeng.* 99: 285-289.
- Kusiorowski, R; Zaremba, T; Piotrowski, J; Podworny, J. (2015). Utilisation of cement-asbestos wastes by thermal treatment and the potential possibility use of obtained product for the clinker bricks manufacture. *Journal of Materials Science.* 50: 6757-6767.
- Kuwahara, M; Kagan, E. (1995). The mesothelial cell and its role in asbestos-induced pleural injury. *Int J Exp Pathol.* 76: 163-170.
- Kuzin, IP; Solov'eva, ON. (2006). Distinguishing features of the seismicity in South Kamchatka in the 20th century with regard to the Avacha Bay seismic gap. *Oceanology.* 46: 134-144.

Environmental Hazard Literature Search Results

Off Topic

- Kwok, CTM; Dev, K; Braatz, RD; Seebauer, EG. (2005). A method for quantifying annihilation rates of bulk point defects at surfaces. *Journal of Applied Physics*. 98: 13524-13524.
- Kyrtopoulos, SA. (2005). Can one assess genotoxic and carcinogenic risk of asbestos without mentioning ingested fibres? Guest editor's response to Dr. Cs. Varga's letter. *Mutation Research-Fundamental and Molecular Mechanisms of Mutagenesis*. 572: 175-176.
- Laamanen, A; Noro, L; Raunio, V. (1965). Observations an atmospheric air pollution caused by asbestos. *Ann N Y Acad Sci*. 132: 240-245.
- Labrada-Delgado, G; Aragon-Pina, A; Campos-Ramos, A; Castro-Romero, T; Amador-Munoz, O; Villalobos-Pietrini, R. (2012). Chemical and morphological characterization of PM2.5 collected during MILAGRO campaign using scanning electron microscopy. *Atmos Pollut Res*. 3: 289-300.
- LaDou, J; Landrigan, P; Bailar, JC; Fao, V; Frank, A. (2001). A call for an international ban on asbestos (vol 164, pg 489, 2001). *Can Med Assoc J*. 164: 753-753.
- LaDou, L; Landrigan, P; Bailar, JC; Foa, V; Frank, A; Collegium, R. (2001). A call for an international ban on asbestos. *Can Med Assoc J*. 164: 489-490.
- Lafabrie, C; Pergent, G; Pergent-Martini, C. (2009). Utilization of the seagrass *Posidonia oceanica* to evaluate the spatial dispersion of metal contamination. *Sci Total Environ*. 407: 2440-2446.
- Lafabrie, C; Pergent-Martini, C; Pergent, G. (2008). First results on the study of metal contamination along the Corsican coastline using *Posidonia oceanica*. *Mar Pollut Bull*. 57: 155-159.
- Lafabrie, C; Pergent-Martini, C; Pergent, G. (2008). Metal contamination of *Posidonia oceanica* meadows along the Corsican coastline (Mediterranean). *Environ Pollut*. 151: 262-268.
- Lafay, R; Deschamps, F; Schwartz, Sp; Guillot, Sp; Godard, M; Debret, B; Nicollet, C. (2013). High-pressure serpentinites, a trap-and-release system controlled by metamorphic conditions: Example from the Piedmont zone of the western Alps. *Chem Geol*. 343: 38-54.
- Lafay, R; Montes-Hernandez, G; Janots, E; Chiriach, R; Findling, N; Toche, F. (2012). Mineral replacement rate of olivine by chrysotile and brucite under high alkaline conditions. *J Cryst Growth*. 347: 62-72.
- Lafay, R; Montes-Hernandez, G; Janots, E; Chiriach, R; Findling, N; Toche, F. (2013). Nucleation and growth of chrysotile nanotubes in H₂SiO₃/MgCl₂/NaOH medium at 90 to 300°C. *Chemistry (Weinheim an der Bergstrasse, Germany)*. 19: 5417-5424.
- Lakowicz, JR; Bevan, DR. (1979). Effects of asbestos, iron oxide, silica, and carbon black on the microsomal availability of benzo[a]pyrene. *Biochemistry*. 18: 5170-5176.
- Lakowicz, JR; Bevan, DR. (1980). Benzo[a]pyrene uptake into rat liver microsomes: Effects of adsorption of benzo[a]pyrene to asbestos and non-fibrous mineral particulates. *Chem Biol Interact*. 29: 129-138.
- Lakowicz, JR; Bevan, DR; Riemer, SC. (1980). Transport of a carcinogen, benzo[a]pyrene, from particulates to lipid bilayers: A model for the fate of particle-adsorbed polynuclear aromatic hydrocarbons which are retained in the lungs. *Biochimica et Biophysica Acta (BBA) - General Subjects*. 629: 243-258.
- Lakowicz, JR; Hylden, JL. (1978). Asbestos-mediated membrane uptake of benzo[a]pyrene observed by fluorescence spectroscopy. *Nature*. 275: 446-448.
- Lakshmanan, S; Murugesan, T. (2014). The chlor-alkali process: Work in Progress. *Clean Tech Environ Pol*. 16: 225-234.
- Lal, MM; Kidwai, MM; Zaidi, SH. (1973). Chemical aspects of Indian varieties of asbestos dust. *Chemosphere*. 2: 73-76.
- Lam, F-PA. (1999). Shelf waves with diurnal tidal frequency at the Greenland shelf edge. *Deep Sea Research Part I: Oceanographic Research Papers*. 46: 895-923.
- Landrigan, P. (2004). Dr. T.K. Joshi and asbestos in India: a message from the Collegium Ramazzini. *Am J Ind Med*. 45: 125-128.
- Landrigan, PJ; Soffritti, M. (2005). Collegium Ramazzini call for an international ban on asbestos. *Am J Ind Med*. 47: 471-474.
- Landrigan, PJ; Soffritti, M. (2005). Collegium Ramazzini statement on the Tokyo Declaration banning asbestos. *Am J Ind Med*. 48: 89-90.
- Lange, JH. (2001). Levels of aerosol trace metals along the Mediterranean coast of Israel (1996-1997) - Barak Herut, *Fres Environm Bulletin* 10, 89-93, 2001. *Fresen Environ Bull*. 10: 741-742.
- Lange, JH. (2002). How do you interpret regulations: through science or agency rules? *Toxicol Ind Health*. 18: 107-108.
- Lange, JH. (2004). Arsenic exposure levels during cleanup of fly ash and dermatitis in an air sampling technician. *Bull Environ Contam Toxicol*. 72: 1098-1100.
- Lange, JH. (2004). Asbestos abatement of pipe and floor tile/mastic and comparison of critical plastic barrier controls. *Bull Environ Contam Toxicol*. 72: 542-546.
- Lange, JH. (2004). The WTC disaster and asbestos regulations. *Environ Health Perspect*. 112: A606-A607.
- Lange, JH. (2006). Type and amount of asbestos in floor tile and mastic. *Bull Environ Contam Toxicol*. 77: 807-809.
- Lange, JH; Sites, SLM; Mastrange, G; Thomulka, KW. (2006). Asbestos abatement in a location previously improperly abated. *Bull Environ Contam Toxicol*. 77: 723-725.
- Lange, JH; Sites, SLM; Mastrangelo, G; Thomulka, KW. (2006). Exposure to airborne asbestos during abatement of ceiling material, window caulking, floor tile, and roofing material. *Bull Environ Contam Toxicol*. 77: 718-722.
- Lange, JH; Sites, SLM; Mastrangelo, G; Thomulka, KW. (2008). Exposure to airborne asbestos during abatement of ceiling material, window caulking, floor tile and roofing material. *Bull Environ Contam Toxicol*. 80: 10-13.
- Lange, JH; Thomulka, KW. (2000). Area and personal airborne exposure during abatement of asbestos-containing roofing material. *Bull Environ Contam Toxicol*. 64: 673-678.
- Lange, JH; Thomulka, KW; Lee, RJ; Dunmyre, GR. (1995). Evaluation of lift and passive sampling methods during asbestos abatement activities. *Bull Environ Contam Toxicol*. 55: 325-331.

Environmental Hazard Literature Search Results

Off Topic

- Lange, JH; Thomulka, KW; Lee, RJ; Orden, V. (2002). Surface and Passive Monitoring for Asbestos in an Industrial Facility. *Indoor Built Environ.* 11: 327-333.
- Lange, JH; Thomulka, KW; Sites, SLM. (2002). Comparison of asbestos exposure in a containment system with and without employment of glovebags. *Bull Environ Contam Toxicol.* 69: 843-846.
- Lange, JH; Thomulka, KW; Sites, SLM; Priolo, G; Mastrangelo, G. (2006). Personal airborne asbestos exposure levels associated with various types of abatement. *Bull Environ Contam Toxicol.* 76: 389-391.
- Lange, JH; Thomulka, KW; Sites, SSL; Priolo, G; Buja, A; Mastrangelo, G. (2005). Personal exposure during abatement of various asbestos-containing materials in the same work area. *Bull Environ Contam Toxicol.* 74: 1034-1036.
- Lange, JH; Wang, M; Buja, A; Mastrangelo, G. (2005). Area and personal exposure measurements during asbestos abatement of a crawl space and boiler room. *Bull Environ Contam Toxicol.* 74: 388-390.
- Langer, A. (1984). Mineral dust and pulmonary lesions: Etiological link or epiphenomenon? *Am J Ind Med.* 6: 169-171.
- Langer, AM. (1974). Approaches and constraints to identification and quantitation of asbestos fibers. *Environ Health Perspect.* 9: 133-136.
- Langer, AM. (1974). Research perspectives concerning asbestos minerals and their effects on biological systems. *Environ Health Perspect.* 9: 335-338.
- Langer, AM. (1979). Significance of aspect ration in regulation of asbestos fiber exposure. *Ann N Y Acad Sci.* 330: 601-604.
- Langer, AM. (2008). Rapporteur's Report Session 2: characterization of fibrous minerals. *Regulatory toxicology and pharmacology* : RTP. 52: S73-74.
- Langer, AM; Mackler, AD; Pooley, FD. (1974). Electron microscopical investigation of asbestos fibers. *Environ Health Perspect.* 9: 63-80.
- Langer, AM; Maggiore, CM; Nicholson, WJ; Rohl, AN; Rubin, IB; Selikoff, IJ. (1979). The contamination of Lake Superior with amphibole gangue minerals. *Ann N Y Acad Sci.* 330: 549-572.
- Langer, AM; Nolan, RP; Ross, M. (1990). Asbestos policy. *Science (New York, NY).* 249: 1485.
- Langer, AM; Rohl, AN; Selikoff, IJ. (1978). Asbestos on Maryland's roads. *Lancet (London, England).* 1: 1263-1264.
- Langer, AM; Rubin, IB; Selikoff, IJ. (1972). Chemical characterization of asbestos body cores by electron microprobe analysis. *The journal of histochemistry and cytochemistry : official journal of the Histochemistry Society.* 20: 723-734.
- Langer, AM; Selikoff, IJ. (1971). MB 9A - CHRYSOTILE ASBESTOS IN LUNGS OF RESIDENTS OF NEW YORK CITY: L'AMIANTE CHRYSOTILE DANS LES POUMONS DES HABITANTS DE LA VILLE NEW YORK. *Proceedings of the Second International Clean Air Congress* 161-165.
- Langer, AM; Wolff, MS; Rohl, AN; Selikoff, IJ. (1978). Variation of properties of chrysotile asbestos subjected to milling. *J Toxicol Environ Health.* 4: 173-188.
- Larachi, F; Gravel, JP; Grandjean, BPA; Beaudoin, G. (2012). Role of steam, hydrogen and pretreatment in chrysotile gas-solid carbonation: Opportunities for pre-combustion CO₂ capture. *Int J Greenhouse Gas Control.* 6: 69-76.
- Laraque, A; Pouyaud, B; Rocchia, R; Robin, E; Chaffaut, I; Moutsambote, JM; Maziezoula, B; Censier, C; Albouy, Y; Elenga, H; Etcheber, H; Delaune, M; Sondag, F; Gasse, Fo. (1998). Origin and function of a closed depression in equatorial humid zones: The Lake Tã©ã© in North Congo. *J Hydrol.* 207: 236-253.
- Larson, TC; Holiday, DB; Antao, VC; Thomas, J; Pinheiro, G; Kapil, V; Franzblau, A. (2012). Comparison of digital with film radiographs for the classification of pneumoconiotic pleural abnormalities. *Acad Radiol.* 19: 131-140.
- Lasky, JA; Friedman, M; Zhuo, Y; Liu, JY; Poovey, H; Brody, A. (2001). Platelet-derived growth factor receptors are essential in the development of asbestos-induced fibrosis. *Chest.* 120: 615-615.
- Last, JM. (1984). Health hazards of the indoor environment. *Canadian journal of public health = Revue canadienne de sante* ́ publique. 75: 189-191.
- Lavappa, KS; Fu, MM; Epstein, SS. (1975). Cytogenetic studies on chrysotile asbestos. *Environ Res.* 10: 165-173.
- Lavelle, CL; Landman, AD. (1976). Letter: Hazards in laboratories. *Can Med Assoc J.* 114: 498, 503.
- Lawrence, EC; McClung, HW; Wilson, RK; Key, MM; Dodson, RM; Hurst, GA. (1982). Alteration of in vitro immunoglobulin secretion by amosite asbestos. *J Immunol.* 129: 1931-1935.
- Lawrence, J; Tosine, HM; Zimmermann, HW; Pang, TWS. (1975). Removal of asbestos fibres from potable water by coagulation and filtration. *Water Res.* 9: 397-400.
- Lawrence, J; Zimmermann, HW. (1976). Potable water treatment for some asbestiform minerals: optimization and turbidity data. *Water Res.* 10: 195-198.
- Lawther, PJ. (1971). Asbestos: some nonradiological aspects. *Proc R Soc Med.* 64: 833-834.
- Lawther, PJ. (1979). Epidemics of non-infectious disease. *Proceedings of the Royal Society of London Series B, Biological sciences.* 205: 63-75.
- Lazar, M; Carnogurska, M; Brestovic, TG; Jasminska, N; Kmet'ova, L; Kapustova, L; Jezny, T. (2016). High-Temperature Processing of Asbestos-Cement Roofing Material in a Plasma Reactor. *Pol J Environ Stud.* 25: 2027-2033.
- Lazarus, A; Massoumi, A; Hostler, J; Hostler, DC. (2012). Asbestos-related pleuropulmonary diseases: benign and malignant. *Postgrad Med.* 124: 116-130.
- Le, BL. (1980). Physics and chemistry of asbestos dust. *IARC Sci Publ.* 30: 15-33.
- Le, MS; Bignon, J; Lambre, C; Jaurand, MC; Masse, R. (1984). Early cellular and biochemical alveolar responses following intra-tracheal inoculation with low dose of asbestos and quartz. *Arch Immunol Ther Exp.* 32: 85-98.
- Lebowitz, MD. (1983). Health effects of indoor pollutants. *Annu Rev Public Health.* 4: 203-221.
- Lechat, K; Lemieux, J-M; Molson, J; Beaudoin, G; HÃ©bert, Rj. (2016). Field evidence of CO₂ sequestration by mineral carbonation in ultramafic milling wastes, Thetford Mines, Canada. *Int J Greenhouse Gas Control.* 47: 110-121.
- Lee, DH. (1974). Biological effects of ingested asbestos: report and commentary. *Environ Health Perspect.* 9: 113-122.

Environmental Hazard Literature Search Results

Off Topic

- Lee, DHK; Selikoff, IJ. (1979). Historical background to the asbestos problem. *Environ Res.* 18: 300-314.
- Lee, EK; Kim, JS; Kim, Y; Park, JS. (2015). CT Findings in People Who Were Environmentally Exposed to Asbestos in Korea. *J Korean Med Sci.* 30: 1896-1901.
- Lee, JW; Won, EJ; Kang, HM; Hwang, DS; Kim, DH; Kim, RK; Lee, SJ; Lee, JS. (2016). Effects of multi-walled carbon nanotube (MWCNT) on antioxidant depletion, the ERK signaling pathway, and copper bioavailability in the copepod (*Tigriopus japonicus*). *Aquat Toxicol.* 171: 9-19.
- Lee, YC; Runnion, CK; Pang, SC; de, KNH; Musk, AW. (2001). Increased body mass index is related to apparent circumscribed pleural thickening on plain chest radiographs. *Am J Ind Med.* 39: 112-116.
- Leelahagul, P; Bovornkitti, S. (2015). Plasma adipokine levels in Thais. *Asian Pacific journal of allergy and immunology / launched by the Allergy and Immunology Society of Thailand.* 33: 59-64.
- LeFevre, ME; Hammer, R; Joel, DD. (1979). Macrophages of the mammalian small intestine: a review. *J Reticuloendothel Soc.* 26: 553-573.
- LeFevre, ME; Warren, JB; Joel, DD. (1985). Particles and macrophages in murine Peyer's patches. *Exp Cell Biol.* 53: 121-129.
- Legan, J; Madden, R; Thoma, G; Patten, J. (1973). Biologic exposure to dental materials. *Oral Surg Oral Med Oral Pathol.* 36: 908-914.
- Leheny, EA; Theg, SM. Apparent inhibition of chloroplast protein import by cold temperatures is due to energetic considerations not membrane fluidity. *Plant cell.* Mar 1994. v. 6 (3): 427-437.
- Leiman, G; Markowitz, S. (1986). Asbestos bodies in pulmonary fine needle aspirates: a more sinister finding than in other cytologic specimens? *Acta Cytol.* 30: 555-556.
- Leith, D; First, MW. (1976). Uncertainty in particle counting and sizing procedures. *Am Ind Hyg Assoc J.* 37: 103-108.
- Lemaire, I; Gingras, D; Dubois, C. (1982). Suppression of growth inhibitory lymphokine production by asbestos. *International Journal of Immunopharmacology.* 4: 380.
- Lemaire, I; Lemay, S. (1985). SEPARATION OF SUBPOPULATIONS OF ALVEOLAR MACROPHAGES FROM CONTROL AND ASBESTOS-EXPOSED RATS ON CONTINUOUS GRADIENTS OF PERCOLL. 69th Annual Meeting Of The Federation Of American Societies For Experimental Biology, Anaheim, Calif, Usa, Apr. 44.
- Lemaire, I; Masse, S; Beaudoin, H. (1984). ALVEOLAR MACROPHAGE-DERIVED GROWTH FACTOR FOR FIBROBLASTS A POTENTIAL MEDIATOR OF ASBESTOS-INDUCED FIBROSIS. *Beck, E G And J Bignon.* 0: 459-466.
- Lemaire, I; Nadeau, D; Begin, R. (1981). Significant Increases of Cyclic AMP and Alkaline Phosphatase in Bronchoalveolar Lavage Fluids of Sheep Exposed to Asbestos. *RES COMMUN CHEM PATHOL PHARM.* 33: 567-570.
- Lemaire, S; Lemaire, I. (1981). Asbestos-Elicited Catecholamine Secretion From Isolated Bovine Adrenal Chromaffin Cells. *Life Sci.* 29: 1117-1124.
- Lemen, RA. (1997). Conclusion: prevention of asbestos-induced disease. *Med Lav.* 88: 339-341.
- Lemen, RA. (2000). RE: Call for an International Ban on Asbestos: Why asbestos should be banned. *Am J Ind Med.* 37: 236-237.
- Lemen, RA. (2006). Epidemiology of asbestos-related diseases and the knowledge that led to what is known today. *Asbestos: Risk Assessment, Epidemiology, and Health Effects* 201-308.
- Lemkin, P; Lipkin, L; Merrill, C; Shifrin, S. (1980). Protein abnormalities in macrophages bearing asbestos. *Environ Health Perspect.* 34: 75-89.
- Lemos, BRS; Soares, EAR; Teixeira, APC; Ardisson, JD; Fernandez-Outon, LE; Amorim, CC; Lago, RM; Moura, FCC. (2016). Growth of carbon structures on chrysotile surface for organic contaminants removal from wastewater. *Chemosphere.* 159: 602-609.
- Lentzen, DE; Lee, RJ; Casuccio, GS; Dunmyre, GR. (1986). SAMPLING AND ANALYSIS FOR AIRBORNE ASBESTOS AND OTHER INORGANIC PARTICULATES. 192nd American Chemical Society National Meeting, Anaheim, Calif, Usa, Sept. 192.
- Leonelli, C; Veronesi, P; Boccaccini, DN; Rivasi, MR; Barbieri, L; Andreola, F; Lancellotti, I; Rabitti, D; Pellacani, GC. (2006). Microwave thermal inertisation of asbestos containing waste and its recycling in traditional ceramics. *J Hazard Mater.* 135: 149-155.
- Lescano, L; Gandini, NA; Marfil, SA; Maiza, PJ. (2015). Biological effects of argentine asbestos: mineralogical and morphological characterisation. *Environ Earth Sci.* 73: 3433-3444.
- Lesci, G; Roveri, RN; Mariotti, M; Pecchi, PG; Burki, T. (2009). Asbestos production increases despite WHO opposition. *J Environ Manage.* 90: 3540-3552.
- Leslie, GB. (2000). Health Risks from Indoor Air Pollutants: Public Alarm and Toxicological Reality. *Indoor+Built Environment.* 9: 5-16.
- Lesmeister, KE; Heinrichs, AJ. (2004). Effects of corn processing on growth characteristics, rumen development, and rumen parameters in neonatal dairy calves. *J Dairy Sci.* 87: 3439-3450.
- Leuenberger, F; Parge, A; Felsch, W; Fauth, K; Hessler, M. (2005). GdN thin films: Bulk and local electronic and magnetic properties. *Physical Review B.* 7201: 4427-4427.
- Levin, JL; Stocks, JM; Shepherd, JR; Fagan, MF; Dodson, RF. (1992). Asbestos exposures: known and underrecognized sources. *Am J Ind Med.* 22: 607-608.
- Levine, S; Sowinski, R. (1970). Carbonyl iron: a new adjuvant for experimental autoimmune diseases. *Journal of immunology (Baltimore, Md : 1950).* 105: 1530-1535.
- Levesse, V; Renier, A; Fleury-Feith, J; Levy, F; Moritz, S; Vivo, C; Pilatte, Y; Jaurand, MC. (1997). Analysis of cell cycle disruptions in cultures of rat pleural mesothelial cells exposed to asbestos fibers. *Am J Respir Cell Mol Biol.* 17: 660-671.
- Levy, BS; Seplow, A. (1992). Asbestos-related hazards in developing countries. *Environ Res.* 59: 167-174.
- Lewinsohn, HC. (1974). Early malignant changes in pleural plaques due to asbestos exposure: a case report. *Br J Dis Chest.* 68: 121-127.
- Lewinsohn, HC. (1979). Surveillance of high-risk groups exposed to asbestos in the United States. *Ann N Y Acad Sci.* 330: 533-540.
- Lewinsohn, HC. (1982). The medical surveillance of persons exposed to asbestos. *Conn Med.* 46: 510-514.
- Lewinsohn, HC; Kennedy, CA; Day, JE; Cooper, PH. (1979). Dust control in a conventional asbestos textile factory. *Ann N Y Acad Sci.* 330: 225-241.

Environmental Hazard Literature Search Results

Off Topic

- Lewis, G; Mirihagalia, P. (1979). A low-cost roofing material for developing countries. *Build Environ.* 14: 131-134.
- Leyko, W; Gendek, E. (1985). A spin label study of the effects of asbestos, quartz, and titanium dioxide dusts on the bovine erythrocyte membrane. *Br J Ind Med.* 42: 281-284.
- Lezon-Geyda, K; Jaime, CM; Godbold, JH; Savransky, EF; Hope, A; Kheiri, SA; Dzmura, ZM; Uehara, H; Johnson, EM; Fasy, TM. (1996). Chrysotile asbestos fibers mediate homologous recombination in Rat21 fibroblasts: implications for carcinogenesis. *Mutation Research/Environmental Mutagenesis and Related Subjects.* 361: 113-120.
- Li, C; Bando, Y; Nakamura, M; Kimizuka, N. (2000). Relation between In ion ordering and crystal structure variation in homologous compounds InMO(3)(ZnO)(m) (M = Al and In; m = integer). *Micron.* 31: 543-550.
- Li, CL; Su, YJ; Tao, YT; Chou, PT; Chien, CH; Cheng, CC; Liu, RS. (2005). Yellow and red electrophosphors based on linkage isomers of phenylisoquinolinyliridium complexes: Distinct differences in photophysical and electroluminescence properties. *Adv Funct Mater.* 15: 387-395.
- Li, JX; Huang, BH; Shi, XL; Castranova, V; Vallyathan, V; Huang, CS. (2002). Involvement of hydrogen peroxide in asbestos-induced NFAT activation. *Mol Cell Biochem.* 234: 161-168.
- Li, M; Fukagawa, NK. (2010). THP-1 cells Exposed to Chrysotile Asbestos (CHRY) and Libby Amphiboles (LIB) Induce Inflammation in Bronchial Epithelial Cells (BEAS-2B) via IL1- β and Oxidative Stress. *Free Radic Biol Med.* 49, Supplement: S133.
- Li, M; Gunter, ME; Fukagawa, NK. (2012). Differential activation of the inflammasome in THP-1 cells exposed to chrysotile asbestos and Libby amphiboles and subsequent activation of BEAS-2B cells. *Cytokine.* 60: 718-730.
- Li, MY; Gunter, ME; Fukagawa, NK. (2012). Differential activation of the inflammasome in THP-1 cells exposed to chrysotile asbestos and Libby "six-mix" amphiboles and subsequent activation of BEAS-2B cells. *Cytokine.* 60: 718-730.
- Li, QX; Tang, HA; Li, YZ; Wang, M; Wang, LF; Xia, CG. (2000). Synthesis, characterization, and antibacterial activity of novel Mn(II), Co(II), Ni(II), Cu(II), and Zn(II) complexes with vitamin K(3)-thiosemicarbazone. *J Inorg Biochem.* 78: 167-174.
- Li, XY; Lamb, D; Donaldson, K. (1994). Mesothelial cell injury caused by pleural leukocytes from rats treated with intratracheal instillation of crocidolite asbestos or *Corynebacterium parvum*. *Environ Res.* 64: 181-191.
- Li, Y; Rauth, AM; Wu, XY. (2005). Prediction of kinetics of doxorubicin release from sulfopropyl dextran ion-exchange microspheres using artificial neural networks. *Eur J Pharm Sci.* 24: 401-410.
- Li, YK; Hsu, HS; Chang, LF; Chen, G. (1998). New imidazoles as probes of the active site topology and potent inhibitors of beta-glucosidase. *J Biochem.* 123: 416-422.
- Li, ZB; Xu, J; Teng, HH; Liu, LW; Chen, J; Chen, Y; Zhao, L; Ji, JF. (2015). Bioleaching of Lizardite by Magnesium- and Nickel-Resistant Fungal Isolate from Serpentinite Soils-Implication for Carbon Capture and Storage. *Geomicrobiology Journal.* 32: 181-192.
- Liang, XS; Liu, FM; Zhong, TG; Wang, B; Quan, BF; Lu, GY. (2008). Chlorine sensor combining NASICON with CaMg(3)(SiO(3))(4)-doped CdS electrode. *Solid State Ionics.* 179: 1636-1640.
- Lichtenstein, MD; Masilamani, PR. (2006). Recent developments in toxic torts and environmental law. *Tort trial & insurance practice law journal.* 41: 755-781.
- Liebenberg, D; Claassens, S; Van Rensburg, L. (2012). A multidisciplinary approach for the assessment of rehabilitation at asbestos mines in South Africa. *Environ Earth Sci.* 67: 1237-1244.
- Light, WG. (1981). Asbestos surface charge heterogeneity and biological effects. *Science (New York, NY).* 213: 1534.
- Light, WG; Wei, ET. (1977). Surface charge and asbestos toxicity. *Nature.* 265: 537-539.
- Lilienfeld, P. (1985). Rotational electrostatics of airborne fibers. *J Aerosol Sci.* 16: 315-322.
- Lilienfeld, P. (1987). Light scattering from oscillating fibers at normal incidence. *J Aerosol Sci.* 18: 389-400.
- Lilja, RK; Morozov, V. (1998). Industrial hazardous waste management in Petrozavodsk: Republic of Karelia, Russia. *Ambio.* 27: 580-582.
- Lim, CK; Chen, YF. (2014). Asbestos-related pleural plaques. *Qjm-an International Journal of Medicine.* 107: 403-404.
- Lim, Y; Kim, S-H; Kim, K-A; Oh, M-W; Lee, K-H. (1997). Involvement of protein kinase C, phospholipase C, and protein tyrosine kinase pathways in oxygen radical generation by asbestos-stimulated alveolar macrophage. *Environ Health Perspect.* 105: 1325-1327.
- Lin, C; Feng, X; Heal, MR. (2016). Temporal persistence of intra-urban spatial contrasts in ambient NO₂, O₃ and Ox in Edinburgh, UK. *Atmos Pollut Res.* 7: 734-741.
- Lin, C; Fugetsu, B; Su, Y; Watari, F. (2009). Studies on toxicity of multi-walled carbon nanotubes on *Arabidopsis T87* suspension cells. *J Hazard Mater.* 170: 578-583.
- Lin, F; Liu, YG; Liu, YQ; Keshava, N; Li, SQ. (2000). Crocidolite induces cell transformation and p53 gene mutation in BALB/c-3T3 cells. *Teratogenesis Carcinogenesis and Mutagenesis.* 20: 273-281.
- Lin, YC. (1986). A QUICK SCREEN TEST FOR THE IDENTIFICATION OF ASBESTOS. Fourth International Congress Of Toxicology, Tokyo, Japan, July. 31: 192.
- Lind, AE. An un-reserved judgment. *Who's poisoning America : corporate polluters and their victims in the chemical age.* 1981.: 206-239.
- Lindsten, DC. Technology transfer: water purification, U.S. Army to the civilian community. *Journal of technology transfer.* Fall 1984. v. 9 (1): 57-59.
- Lippl, F; Schusdziarra, V; Huepfgens, K; Allescher, H-D. (2002). Inhibitory effect of nociceptin on somatostatin secretion of the isolated perfused rat stomach. *Regulatory Peptides.* 107: 37-42.
- Lippmann, M. (1991). 1991 Cummings Memorial Award Lecture. Industrial and environmental hygiene: professional growth in a changing environment. *Am Ind Hyg Assoc J.* 52: 341-348.
- Lippmann, M. (2003). An air quality data analysis system for interrelating effects, standards, and needed source reductions. *Journal of the Air & Waste Management Association* (1995). 53: 1298-1300; author reply 1300.

Environmental Hazard Literature Search Results

Off Topic

- Lippy, BE. (2002). Safety and health of heavy equipment operators at Ground Zero. *Am J Ind Med.* 42: 539-542.
- Lison, D; Raguzzi, F; Lauwerys, R. (1991). Induction of macrophage plasminogen activator by asbestos is independent of PKC activation. *Arch Toxicol.* 65: 386-389.
- Lister, J. (1976). Hazards from asbestos - more problems for hospital staffs. *The New England journal of medicine.* 295: 490-491.
- Litterst, CL; Lichtenstein, EP. (1970). Toxicity of HeLa cell growth medium after passage through asbestos filters. *Laboratory practice.* 19: 1221 passim.
- Litvinov, NN. (1985). Hygienic classification of carcinogens and its use in limiting exposure to carcinogens. *Gigiena i Sanitariya*10-13.
- Liu, K; Zhu, B; Feng, Q; Wang, Q; Duan, T; Ou, L; Zhang, G; Lu, Y. (2013). Adsorption of Cu(II) ions from aqueous solutions on modified chrysotile: Thermodynamic and kinetic studies. *Appl Clay Sci.* 80-81: 38-45.
- Liu, M; Crussiere, M; Helard, M; Helard, JF. (2014). Achieving low-complexity maximum-likelihood detection for the 3D MIMO code. *Eurasip Journal on Wireless Communications and Networking*20-20.
- Liu, R; Tang, H. (2000). Oxidative decolorization of direct light red F3B dye at natural manganese mineral surface. *Water Res.* 34: 4029-4035.
- Liu, XL; Meng, ZQ. (2005). Effects of airborne fine particulate matter on antioxidant capacity and lipid peroxidation in multiple organs of rats. *Inhal Toxicol.* 17: 467-473.
- Liu, Y; Zhang, J; Gao, B; Feng, S. (2014). Combined effects of two antibiotic contaminants on *Microcystis aeruginosa*. *J Hazard Mater.* 279: 148-155.
- Livingston, GK; Rom, WN; Morris, MV. (1980). Asbestos-Induced Sister Chromatid Exchanges in Cultured Chinese Hamster Ovarian Fibroblast Cells. *J ENVIRON PATHOL AND TOXICOL.* 4: 373-382.
- Livraghi, S; Corazzari, I; Paganini, MC; Ceccone, G; Giamello, E; Fubini, B; Fenoglio, I. (2010). Decreasing the oxidative potential of TiO₂ nanoparticles through modification of the surface with carbon: a new strategy for the production of safe UV filters. *Chemical communications (Cambridge, England).* 46: 8478-8480.
- Lock, SO; Rockley, J; Chamberlain, M; Friend, JV. (1987). Effects of fibrous and non-fibrous dusts on Chinese hamster V79 cells: Cytotoxicity or cytostasis? *Toxicol In Vitro.* 1: 71-76.
- Lockwood, TH. (1974). The analysis of asbestos for trace metals. *Am Ind Hyg Assoc J.* 35: 245-251.
- Lodge, C. (2001). Asbestos risks. *New Scientist.* 172: 55-55.
- Lodge Jr, JP. (1980). Health hazards of asbestos exposure, *annals of the New York academy of sciences: Vol. 330*, edited by I. J. Selikoff and E. C. Hammond. The New York Academy of Sciences, New York 10021, 1979. 814 pp. Price \$149.00. Paperbound. *Atmos Environ (1967).* 14: 1212.
- Lodge Jr, JP. (1981). The asbestos particle atlas. W. C. McCrone, Ann Arbor Science Publishers, Inc., P.O. Box 1425, Ann Arbor, MI 48106, 1980. 122 pp. Price \$185.00. *Atmos Environ (1967).* 15: 637-638.
- Lodge Jr, JP. (1987). Asbestos hazard management: Guidebook to abatement: Robert P. Ouellette, Clarke F. Dilks, W. Corey Thompson, Jr, Paul N. Cheremisinoff, Technomic Publishing Company, Inc., 851 New Holland Ave., Box 3535, Lancaster, PA 17604, 1986, xii + 399 pp. Price \$45.00, softcover. *Atmos Environ (1967).* 21: 2265.
- Logsdon, GS. (1983). Engineering and operating approaches for controlling asbestos fibers in drinking water. *Environ Health Perspect.* 53: 169-176.
- Lohani, M; Schiffmann, F; Becker, HH; Dopp, E; Schiffmann, D; Rahman, Q. (1999). Co-exposure to kerosene soot and chrysotile asbestos causes additive genotoxic effects in Syrian hamster embryo fibroblasts. 23rd Annual Meeting Of The German Society For Cell Biology, Rostock, Germany, March. 78: 99.
- Lomasney, HL; Grawe, JG; Sheth, VK. (1073). IN-SITU POLYMERIC MEMBRANE FOR ISOLATING HAZARDOUS MATERIALS US PATENT-4632847. DEC. 30 1986. *Off Gaz U S Pat Trademark Off Pat.* 5.
- Lombini, A; Llugany, M. Influence of the Ca/Mg ratio on Cu resistance in three *Silene armeria* ecotypes adapted to calcareous soil or to different, Ni- or Cu-enriched, serpentine sites.
- Long, JW; Ray Jr, WJ. (1970). Role of bivalent cations in the phosphoglucomutase system V. The phosphoglucomutase-copper(II) complex. *Biochimica et Biophysica Acta (BBA) - Protein Structure.* 221: 522-528.
- Longland, AC; Low, AG. (1989). Digestion of diets containing molassed or plain sugar-beet pulp by growing pigs. *Anim Feed Sci Technol.* 23: 67-78.
- Longo, WE. (1996). Asbestos contamination in paraffin tissue blocks. *Archives of pathology & laboratory medicine.* 120: 225-226.
- Lopez, H; Kanitz, FD; Moreira, VR; Satter, LD; Wiltbank, MC. (2004). Reproductive Performance of Dairy Cows Fed Two Concentrations of Phosphorus*. *J Dairy Sci.* 87: 146-157.
- Losman, D. (1979). Detection and analysis of asbestos in environmental samples collected on membrane-filters: a multiple-choice procedure integrating the LM, the SEM and the EMP. *Bull Environ Contam Toxicol.* 23: 170-178.
- Loss, A; Toniolo, S; Mazzi, A; Manzardo, A; Scipioni, A. LCA comparison of traditional open cut and pipe bursting systems for relining water pipelines. *Resour Conservat Recycl.*
- Lottermoser, BG; Ashley, PM. (1996). Geochemistry and exploration significance of ironstones and barite-rich rocks in the Proterozoic Willyama Supergroup, Olary Block, South Australia. *J Geochem Explor.* 57: 57-73.
- Low, PS; Moriarty, WW; Todd, JJ. (1989). Complex air flows in the lower tamar valley, Tasmania: Some observations. *Atmos Environ (1967).* 23: 1925-1938.
- Lowinger, P. (1990). Asbestos and other toxins. *Am J Public Health.* 80: 1274.
- Lu, YP; Lasne, C; Lowy, R; Chour, CI. (1988). Use of the orthogonal design method to study the synergistic effects of asbestos fibres and 12-O-tetradecanoylphorbol-13-acetate (TPA) in the BALB/3T3 cell transformation system. *Mutagenesis.*

Environmental Hazard Literature Search Results

Off Topic

- Lubick, N. (2006). Fungi partly disarm asbestos. *Environmental Science & Technology*. 40: 5590-5591.
- Lubis, H; Prihatmoko, S; James, LP. (1994). Bulagidun prospect: a copper, gold and tourmaline bearing porphyry and breccia system in northern Sulawesi, Indonesia. *J Geochem Explor*. 50: 257-278.
- Ludlow, K. (2007). One size fits all? Australian regulation of nanoparticle exposure in the workplace. *J Law Med*. 15: 136-152.
- Lukens, HR. (1978). Production of antibody toward asbestos. *Res Comm Chem Pathol Pharmacol*. 21: 517-522.
- Lund, LG; Aust, AE. (1990). Iron mobilization from asbestos by chelators and ascorbic acid. *Arch Biochem Biophys*. 278: 60-64.
- Lund, LG; Aust, AE. (1990). Mobilization of iron from crocidolite asbestos by certain chelators results in enhanced crocidolite-catalyzed O₂ consumption. *Free Radic Biol Med*. 9, Supplement 1: 173.
- Lund, LG; Aust, AE. (1991). Iron-catalyzed reactions may be responsible for the biochemical and biological effects of asbestos. *BioFactors*. 3: 83-89.
- Lund, LG; Aust, AE. (1991). Mobilization of iron from crocidolite asbestos by certain chelators results in enhanced crocidolite-dependent oxygen consumption. *Arch Biochem Biophys*. 287: 91-96.
- Lund, LG; Aust, AE. (1992). Iron mobilization from crocidolite asbestos greatly enhances crocidolite-dependent formation of DNA single-strand breaks in Phi X174 RFI DNA. *Carcinogenesis*. 13: 637-642.
- Lund, LG; Lust, AE. (1990). Effect of chelators and/or ascorbate on the induction of single strand breaks in Φ X174 DNA by crocidolite asbestos. *Free Radic Biol Med*. 9, Supplement 1: 51.
- LundÅn, A. (1973). Isotope effect on electromigration of cations in molten nitrates A comment on the interpretation of some electrophoresis experiments. *Journal of Inorganic and Nuclear Chemistry*. 35: 1971-1975.
- Lundy, P; Barer, M. (1992). Asbestos-containing materials in New York City buildings. *Environ Res*. 58: 15-24.
- Luo, Q; Sugiong; Liu Xueze, Z; Wang Chaojun, J. (1992). An investigation of crocidolite contamination and experimental study in Southwestern China. *Journal of Hygiene, Epidemiology, Microbiology, and Immunology*. 36: 223-224.
- Lustrato, G; Alfano, G; Andreotti, A; Colombini, MP; Ranalli, G. (2012). Fast biocleaning of mediaeval frescoes using viable bacterial cells. *International Biodeterioration & Biodegradation*. 69: 51-61.
- Luttgenau, J; Mang, H; Borel, N; Bruckmaier, RM; Bollwein, H. (2016). Ultrasonographic examination reduces the percentage of unsuccessful inseminations in dairy cows. *Theriogenology*. 85: 664-670.
- Luxon, SG. (1971). The use of dust respirators against asbestos dust hazards in the United Kingdom. *Am Ind Hyg Assoc J*. 32: 723-725.
- Lv, X; Wang, CY; Hou, J; Zhang, BJ; Deng, S; Tian, Y; Huang, SS; Zhang, HL; Shu, XH; Zhen, YH; Liu, KX; Yao, JH; Ma, XC. (2012). Isolation and identification of metabolites of osthole in rats. *Xenobiotica*. 42: 1120-1127.
- Lydia, SI; Princy Merlin, J. (2003). Assessment of airborne asbestos in asbestos pipes manufacturing industry. *Journal of Ecotoxicology & Environmental Monitoring*. 13: 65-68.
- Lynch, JJ; Burgess, WA. (1974). A personal exposure sampler for carbon monoxide. *Am Ind Hyg Assoc J*. 35: 354-358.
- Lynch, JR; Ayer, HE. (1966). Measurement of dust exposures in the asbestos textile industry. *Am Ind Hyg Assoc J*. 27: 431-437.
- Lynch, JR; Ayer, HE; Johnson, DL. (1970). The interrelationships of selected asbestos exposure indices. *Am Ind Hyg Assoc J*. 31: 598-604.
- Lynch, KM; McIver, FA; Cain, JR. (1957). Pulmonary tumors in mice exposed to asbestos dust. *AMA archives of industrial health*. 15: 207-214.
- Lyndal-Murphy, M; Rogers, D; Ehrlich, WK; James, PJ; Pepper, PM. (2010). Reduced efficacy of macrocyclic lactone treatments in controlling gastrointestinal nematode infections of weaner dairy calves in subtropical eastern Australia. *Veterinary Parasitology*. 168: 146-150.
- M, JCT. (1979). Three years of cassava technology evaluation in Colombia. *Field Crops Research*. 2: 291-308.
- Mâ€šranger, JC; Davey, ABHa; Welfare, CEHDOO. (1989). Non-asbestos fibre content of selected consumer products. *IARC Sci Publ*. 90: 347-353.
- Mâ€šranger, JC; Reid, WW; Davey, AB. (1979). The transfer of asbestos from water to air via a portable drum-type home humidifier. *Can J Public Health*. 4: 276-278.
- MÃ©vel, C. (2003). Serpentinization of abyssal peridotites at mid-ocean ridges. *Comptes Rendus Geoscience*. 335: 825-852.
- MÃ©lle. (1993). Imaging of the pleura. *Radiology*. 186: 297-309.
- MÃ©ller, KMIIfRPBKBRŽBp. (1992). Sidero-elastosis pulmonum–M. Ceelen of the adult. *Pathology, research and practice*.
- Macdonald, B. (2004). Managing the asbestos risk. *Health estate*. 58: 29-31.
- Macdonald, JL; Kane, AB. (1997). Mesothelial cell proliferation and biopersistence of wollastonite and crocidolite asbestos fibers. *Fundam Appl Toxicol*. 38: 173-183.
- MacDonald, L. (1992). The health hazards of asbestos removal. *JAMA*. 267: 52-53.
- Mackenzie, FA. (1971). The radiological investigation of the early manifestations of exposure to asbestos dust. *Proc R Soc Med*. 64: 834-837.
- MacKenzie, KJD; Bradley, S; Hanna, JV; Smith, ME. (2013). Magnesium analogues of aluminosilicate inorganic polymers (geopolymers) from magnesium minerals. *Journal of Materials Science*. 48: 1787-1793.
- Magee, PN. (1974). Carcinogens in the environment. *Proc R Soc Med*. 67: 741-743.
- Maguire, GP; Meggs, LG; Addonizio, J; Del, GLR. (1991). Association of asbestos exposure, retroperitoneal fibrosis, and acute renal failure. *N Y State J Med*. 91: 357-359.
- Mahl, MC; Sadler, C. (1975). Virus survival on inanimate surfaces. *Canadian journal of microbiology*. 21: 819-823.
- Mahmood, N; Khan, SG; Athar, M; Rahman, Q. (1994). Differential role of hydrogen peroxide and organic peroxides in augmenting asbestos-mediated DNA damage: Implications for asbestos induced carcinogenesis. *Biochem Biophys Res Commun*. 200: 687-694.
- Maiti, SK; Kumar, A. (2016). Chapter 2 - Energy Plantations, Medicinal and Aromatic Plants on Contaminated Soil A2 - Prasad, M.N.V. *Bioremediation and Bioeconomy* 29-47.
- Major, G; Vardy, GF. (1989). Public perception of risk and its consequences: the case of a natural fibrous mineral deposit. *IARC Sci Publ*. 90: 497-508.

Environmental Hazard Literature Search Results

Off Topic

- Makvandi, S; Beaudoin, G; McClenaghan, BM; Layton-Matthews, D. (2015). The surface texture and morphology of magnetite from the Izok Lake volcanogenic massive sulfide deposit and local glacial sediments, Nunavut, Canada: Application to mineral exploration. *J Geochem Explor.* 150: 84-103.
- Malik, U; Karmakar, A; Barik, A. (2016). Attraction of the potential biocontrol agent *Galerucella placida* (Coleoptera: Chrysomelidae) to the volatiles of *Polygonum orientale* (Polygonaceae) weed leaves. *Chemoecology.* 26: 45-58.
- Maloney, MC; Preston, BL. (2014). A geospatial dataset for U.S. hurricane storm surge and sea-level rise vulnerability: Development and case study applications. *Climate Risk Management.* 2: 26-41.
- Maltoni, C. (1978). Predictive carcinogenicity bioassays in industrial oncogenesis. *Prog Biochem Pharmacol.* 14: 47-56.
- Mamontov, E; Kumzerov, YA; Vakhrushev, SB. (2005). Diffusion of benzene confined in the oriented nanochannels of chrysotile asbestos fibers. *Physical Review E.* 7205: 1502-1502.
- Mamontov, E; Kumzerov, YA; Vakhrushev, SB. (2005). Translational dynamics of water in the nanochannels of oriented chrysotile asbestos fibers. *Physical Review E.* 7106: 1502-1502.
- Mamontov, E; Vakhrushev, SB; Kumzerov, YA; Alatas, A; Sinn, H. (2009). Acoustic phonons in chrysotile asbestos probed by high-resolution inelastic x-ray scattering. *Solid State Communications.* 149: 589-592.
- Man, SF; Noujaim, AA; Lee, TK; Gibney, RT; Logus, JW. (1980). Canine tracheal mucus transport of particulate pollutants: comparison of radiolabeled corn pollen, ragweed pollen, asbestos, silica, and talc to Dowex anion exchange particles. *Arch Environ Health.* 35: 283-286.
- Man, SFP; Lee, TK; Gibney, RTN; Logus, JW; Noujaim, AA. (1980). Canine Tracheal Mucus Transport of Particulate Pollutants: Comparison of Radiolabeled Corn Pollen, Ragweed Pollen, Asbestos, Silica, and Talc to Dowex super(registered) Anion Exchange Particles. *ARCHIVES ENVIRON HEALTH.* 35: 283-286.
- Manalan, DA. (1974). Asbestos removal by membrane filters. *Bulletin of the Parenteral Drug Association.* 28: 247-251.
- Mancuso, T. (1990). Response to Drs. Churg and Green (on asbestos). *Am J Ind Med.* 17: 525-530.
- Mancuso, TF. (1994). Unpublished data on asbestos dust continue to surface. *Am J Ind Med.* 25: 457-460.
- Mangia, A. (1980). A new approach to the problem of kaolinite interference in the determination of chrysotile asbestos by means of x-ray diffraction. *Anal Chim Acta.* 117: 337-342.
- Manios, SG; Skandamis, PN. (2015). Effect of frozen storage, different thawing methods and cooking processes on the survival of *Salmonella* spp. and *Escherichia coli* O157:H7 in commercially shaped beef patties. *Meat Science.* 101: 25-32.
- Mann, SK. (1977). Cytological and genetical effects of dithane fungicides on *Allium cepa*. *Environmental and Experimental Botany.* 17: 7-12.
- Manning, CB; Mossman, BT; Taatjes, DJ. (2006). Analysis of asbestos-induced gene expression changes in bronchiolar epithelial cells using laser capture microdissection and quantitative reverse transcriptase-polymerase chain reaction. *Methods in molecular biology (Clifton, NJ).* 319: 231-236.
- Manning, WJ. (2001). Terrorist attacks: do we know how to assess the results? *TheScientificWorldJournal.* 1: 588-589.
- Manos, CG; Patel-Mandlik, KJ; Lisk, DJ. Prevalence of asbestos in composted waste from 26 communities in the United States. *Arch Environ Contam Toxicol.* Aug 1992. v. 23 (2): 266-269.
- Manos, CG; Patel-Mandlik, KJ; Lisk, DJ. (1993). Asbestos in yard or sludge composts from the same community as a function of time-of-waste-collection. *Chemosphere.* 26: 1537-1540.
- Manuella, FC; Carbone, S; Barreca, G. (2012). ORIGIN OF SAPONITE-RICH CLAYS IN A FOSSIL SERPENTINITE-HOSTED HYDROTHERMAL SYSTEM IN THE CRUSTAL BASEMENT OF THE HYBLEAN PLATEAU (SICILY, ITALY). *Clays and Clay Minerals.* 60: 18-31.
- Marchal-SÃ©gault, D; SeugÃ©, J; LaugÃ©, G. (1985). Studies on the toxicity of some carbamate fungicides in *Drosophila melanogaster* meig. (insecta, diptera). *Environ Res.* 37: 26-32.
- Marchand, LS; St-Hilaire, S; Putnam, EA; Serve, KM; Pfau, JC. (2012). Mesothelial cell and anti-nuclear autoantibodies associated with pleural abnormalities in an asbestos exposed population of Libby MT. *Toxicol Lett.* 208: 168-173.
- Marcus, D. (2008). Some Realism about Mass Torts. *University of Chicago Law Review.* 75: 1949-1998.
- Marfels, H; Spurny, KR; Jaekel, F; Boose, C; Althaus, W; Opiela, H; SchÃ¶rmann, J; Weiss, G; Wulbeck, FJ. (1987). Asbestos fiber measurements in the vicinity of emittents. *J Aerosol Sci.* 18: 627-630.
- Margolis, SE; Morris, GE. (1986). Asbestos fibre supply and the regulation of asbestos exposure. *Resources Policy.* 12: 335-345.
- Marimuthu, G; Rajan, KE; Kandula, S; Parsons, S; Jones, G. (2002). Effects of different surfaces on the perception of prey-generated noise by the Indian false vampire bat *Megaderma lyra*. *Acta Chiropterologica.* 4: 25-32.
- Markowitz, S; Morabia, A; Miller, A. (2014). Reply: To PMID 23590275. *Am J Respir Crit Care Med.* 189: 116-117.
- Maroudas, NG; O'Neill, CH; Stanton, MF. (1973). Fibroblast anchorage in carcinogenesis by fibres. *Lancet (London, England).* 1: 807-809.
- Marques, JM; Carreira, PM; Carvalho, MR; Matias, MJ; Goff, FE; Basto, MJ; GraÃ§a, RC; Aires-Barros, Ls; Rocha, Ls. (2008). Origins of high pH mineral waters from ultramafic rocks, Central Portugal. *Appl Geochem.* 23: 3278-3289.
- Marrs, RH. (1990). Asbestos in the natural environment: By H. Schreier. Elsevier, Amsterdam, 1989. 172 pp. ISBN 0-444-88031-3. Price: US\$89.50. *Environ Pollut.* 63: 384.
- Marsh, GM. (1983). Additional thoughts on the review of epidemiologic studies related to ingested asbestos. *Environ Health Perspect.* 53: 185-187.
- Marsh, JP; Jean, L; Mossman, BT. (1984). ASBESTOS AND FIBROUS GLASS INDUCE BIOSYNTHESIS OF POLYAMINES IN TRACHEOBRONCHIAL EPITHELIAL CELLS IN-VITRO. *Beck, E G And J Bignon.* 0: 305-312.
- Marsili, D. Asbestos case and its current implications for global health.
- Marsili, D; Comba, ISdSRII; Pasetto, R. International scientific cooperation on asbestos-related disease prevention in Latin America.

Environmental Hazard Literature Search Results

Off Topic

- Marsili, D; Terracini, B; Santana, VS; Ramos-Bonilla, JP; Pasetto, R; Mazzeo, A; Loomis, D; Comba, P; Algranti, E. (2016). Prevention of Asbestos-Related Disease in Countries Currently Using Asbestos. *Int J Environ Res Public Health*. 13: 494-494.
- Martin, B; Vranckx, R; Denoulet, P; Nunez, EA. (1985). β -fetoprotein expression in intra- and extraembryonic fluids of developing chick embryo. *Developmental Biology*. 111: 352-358.
- Martin, J; Beauparlant, M; SauvÃ©, Sb; LÃ©EspÃ©rance, G. (2017). Effect of temperature on beam damage of asbestos fibers in the transmission electron microscope (TEM) at 100 kV. *Micron*. 94: 26-36.
- Martin, P. (1992). Asbestos: the miracle mineral. *The New Zealand medical journal*. 105: 53-54.
- Martincic, M; Tobias, G. (2015). Filled carbon nanotubes in biomedical imaging and drug delivery. *Expert Opin Drug Deliv*. 12: 563-581.
- Martinez-Giron, R; van Woerden, HC; Ribas-Barcelo, A. (2007). Experimental method for isolating and identifying dust mites from sputum in pulmonary acariasis. *Exp Appl Acarol*. 42: 55-59.
- Martinez-Rossi, NM; Azevedo, JL. (1987). Detection of point-mutation mutagens in *Aspergillus nidulans*: Comparison of methionine suppressors and arginine resistance induction by fungicides. *Mutation Research/Fundamental and Molecular Mechanisms of Mutagenesis*. 176: 29-35.
- Martino, E; Prandi, L; Fenoglio, I; Bonfante, P; Perotto, S; Fubini, B. (2003). Soil fungal hyphae bind and attack asbestos fibers. *Angewandte Chemie-International Edition*. 42: 219-+.
- Marty, NCM; Fritz, B; ClÃ©ment, A; Michau, N. (2010). Modelling the long term alteration of the engineered bentonite barrier in an underground radioactive waste repository. *Appl Clay Sci*. 47: 82-90.
- Marucco, A; Catalano, F; Fenoglio, I; Turci, F; Martra, G; Fubini, B. (2015). Possible Chemical Source of Discrepancy between in Vitro and in Vivo Tests in Nanotoxicology Caused by Strong Adsorption of Buffer Components. *Chem Res Toxicol*. 28: 87-91.
- Marucco, A; Gazzano, E; Ghigo, D; Enrico, E; Fenoglio, I. (2016). Fibrinogen enhances the inflammatory response of alveolar macrophages to TiO₂, SiO₂ and carbon nanomaterials. *Nanotoxicology*. 10: 1-9.
- Marucco, A; Turci, F; O'Neill, L; Byrne, HJ; Fubini, B; Fenoglio, I. (2014). Hydroxyl density affects the interaction of fibrinogen with silica nanoparticles at physiological concentration. *J Colloid Interface Sci*. 419: 86-94.
- Masarsky, I. (1994). Suffocating asbestos crisis. *ASHA*. 36: 79.
- Masse, S; Begin, R; Pleszczynski, M; Laurin, M; Gauthier, J. (1984). The sheep tracheal lobe as a model for rapid in vivo assessment of asbestos fibers toxicity. *Clin Biochem*. 17: 208.
- Massey, DG; Fournier-Massey, G. (1987). Asbestos removal from buildings: a review. *Hawaii Med J*. 46: 153-154, 157.
- Mastrangelo, G; Marangi, G; Ballarin, MN; Michilin, S; Fabricio, AS; Valentini, F; Lange, JH; Fedeli, U; Cegolon, L; Gion, M. (2011). Osteopontin, asbestos exposure and pleural plaques: a cross-sectional study. *BMC Public Health*. 11: 220.
- Masuda, H; Hochrainer, D; StÃ¼ber, W. (1979). An improved virtual impactor for particle classification and generation of test aerosols with narrow size distributions. *J Aerosol Sci*. 10: 275-287.
- Matsui, F; Fujita, M; Ohta, T; Maejima, N; Matsui, H; Nishikawa, H; Matsushita, T; Daimon, H. (2015). Selective Detection of Angular-Momentum-Polarized Auger Electrons by Atomic Stereography. *Physical Review Letters*. 114: 5501-5501.
- Matsu'ura, T; Miyagi, I; Furusawa, A. (2011). Late Quaternary cryptotephra detection and correlation in loess in northeastern Japan using cummingtonite geochemistry. *Quaternary research*. 75: 624-635.
- Matsuyama, T; Domyoung, K; Umetsu, M; Ikawa, T; Yamanishi, M; Ishida, N; Kumagai, I; Takahashi, H. (2012). Ionic liquid/water interfacial localization of a green fluorescent protein fused to a tryptophan-rich peptide. *J Biosci Bioeng*. 113: 160-165.
- Mattinen, PR; Bennett, GH. (1986). The green mountain massive sulphide deposit. Besshi-style mineralization within the california foothills copper-zinc belt. *J Geochem Explor*. 25: 185-200.
- Mattioli, S; Nini, D; Mancini, G; Violante, FS. (2002). Past asbestos exposure levels in foundries and cement-asbestos factories. *Am J Ind Med*. 42: 363.
- Maurya, VP; Sejian, V; Naqvi, SMK. (2013). Effect of cold stress on growth, physiological responses, blood metabolites and hormonal profile of native Malpura lambs under hot semi-arid tropics of India. *Indian Journal of Animal Sciences*. 83: 370-373.
- Maxim, LD; Niebo, R; LaRosa, S; Johnston, B; Allison, K; McConnell, EE. (2008). Product Stewardship in Wollastonite Production. *Inhal Toxicol*. 20: 1199-1214.
- May, TC. (1965). Statistical tables--asbestos. *Ann N Y Acad Sci*. 132: 745-765.
- Mayall, FG. (1993). The hazards of asbestos. Inaccurate diagnoses distort results. *BMJ (Clinical research ed)*. 307: 258-259.
- Maynard, C. (2004). Asbestos problems in Montana and California. *Environmental Science & Technology*. 38: 46A-46A.
- McCaughey, WT. (1965). Asbestos and neoplasia: diffuse mesothelial tumors. Criteria for diagnosis of diffuse mesothelial tumors. *Ann N Y Acad Sci*. 132: 603-613.
- McCaughey, WT. (1986). Neoplastic asbestos-induced disease. *The Mount Sinai journal of medicine, New York*. 53: 416-420.
- McConnell, EE; Shefner, AM; Rust, JH; Moore, JA. (1983). Chronic effects of dietary exposure to amosite and chrysotile asbestos in Syrian golden hamsters. *Environ Health Perspect*. 53: 11-25.
- McCrone, WC. (1974). Detection and identification of asbestos by microscopical dispersion staining. *Environ Health Perspect*. 9: 57-62.
- McCullagh, SF. (1974). The biological effects of asbestos. *The Medical journal of Australia*. 2: 45-49.
- McCulloch, J. (2007). Beyond the factory gates: Asbestos and health in twentieth century America. *Journal of Health Politics Policy and Law*. 32: 543-547.
- McCutcheon, J; Wilson, SA; Southam, G. (2016). Microbially Accelerated Carbonate Mineral Precipitation as a Strategy for in Situ Carbon Sequestration and Rehabilitation of Asbestos Mine Sites. *Environmental Science & Technology*. 50: 1419-1427.
- McDonald, JC. (1980). Asbestos-related disease: an epidemiological review. *IARC Sci Publ*. 30: 587-601.

Environmental Hazard Literature Search Results

Off Topic

- McDonald, JC; Jones, HD. (2014). Feeding, maintenance and reproduction of *Microplana terrestris* (Platyhelminthes: Tricladida: Continenticola: Geoplaninae: Microplaninae) under laboratory conditions. *Journal of Natural History*. 48: 1-34.
- McDonald, JC; Liddell, FD; Gibbs, GW; Eysen, GE; McDonald, AD. (1993). Dust exposure and mortality in chrysotile mining, 1910-75. 1980. *Br J Ind Med*. 50: 1058-1072.
- McDonald, JC; McDonald, AD. (1990). Asbestos and carcinogenicity. *Science (New York, NY)*. 249: 844.
- McGavran, PD; Moore, LB; Brody, AR. Inhalation of chrysotile asbestos induced rapid cellular proliferation in small pulmonary vessels of mice and rats. *American journal of pathology*. Mar 1990. v. 136 (3): 695-705.
- McGovern, FE. (2002). The tragedy of the asbestos commons. *Virginia Law Review*. 88: 1721-1756.
- McKelvy, MJ; Chizmeshya, AV; Diefenbacher, J; Bâĉsarar, H. (2004). Exploration of the role of heat activation in enhancing serpentine carbon sequestration reactions. *Environmental science & technology*. 38: 6897-6903.
- McKerracher, I; Wong-Leung, J; Jolley, G; Fu, L; Tan, HH; Jagadish, C. (2011). Selective Intermixing of InGaAs/GaAs Quantum Dot Infrared Photodetectors. *Ieee Journal of Quantum Electronics*. 47: 577-590.
- McKinnery, WN, Jr.; Morre, RW. (1992). Evaluation of airborne asbestos fiber levels during removal and installation of valve gaskets and packing. *Am Ind Hyg Assoc J*. 53: 531-532.
- McLarty, JW. (1992). An intervention trial in high-risk asbestos-exposed persons. *Adv Exp Med Biol*. 320: 141-149.
- McLeland, SM; Imhoff, DJ; Thomas, M; Powers, BE; Quimby, JM. (2013). Subcutaneous fluid port-associated soft tissue sarcoma in a cat. *J Feline Med Surg*. 15: 917-920.
- McLemore, TL; Greenberg, SD; Wilson, RK; Buffler, PA; Roggli, VL; Mace, ML. (1981). Update on asbestos-associated pulmonary disease. *Tex Med*. 77: 38-46.
- McLeod, SM; Aiyar, SE; Gourse, RL; Johnson, RC. (2002). The C-terminal domains of the RNA polymerase $\hat{\pm}$ subunits: contact site with fis and localization during co-activation with CRP at the *Escherichia coli* proP P2 promoter1. *Journal of Molecular Biology*. 316: 517-529.
- McLoud, TC. (1988). The use of CT in the examination of asbestos-exposed persons. *Radiology*. 169: 862-863.
- McLoud, TC; Woods, BO; Carrington, CB; Epler, GR; Gaensler, EA. (1985). Diffuse pleural thickening in an asbestos-exposed population: prevalence and causes. *AJR American journal of roentgenology*. 144: 9-18.
- McQueen, RE. Ceramic fiber as filter aid in determination of acid-insoluble lignin in forages. *Association of Official Analytical Chemists journal*. May/June 1987. v. 70 (3): 423-425.
- McRae, KM; Good, B; Hanrahan, JP; Glynn, A; Oâ€™Connell, MJ; Keane, OM. (2014). Response to *Teladorsagia circumcincta* infection in Scottish Blackface lambs with divergent phenotypes for nematode resistance. *Veterinary Parasitology*. 206: 200-207.
- McSwiggen, PL; Morey, GB. (2008). Overview of the mineralogy of the Biwabik Iron Formation, Mesabi Iron Range, northern Minnesota. *Regul Toxicol Pharmacol*. 52: S11-S25.
- Measures, CI; Vink, S. (2001). Dissolved Fe in the upper waters of the Pacific sector of the Southern Ocean. *Deep Sea Research Part II: Topical Studies in Oceanography*. 48: 3913-3941.
- Medrano, L; Kheuang, L; Paterour, MJ; Bignon, J; Jaurand, MC. (1984). CHROMOSOMAL CHANGES IN CULTURED RAT MESOTHELIAL CELLS TREATED WITH BENZO-3-4-PYRENE AND/OR CHRYSOTILE ASBESTOS. *Beck, E G And J Bignon*. 0: 511-514.
- Meek, ME; Grasso, P. (1983). An investigation of the penetration of ingested asbestos into the normal and abnormal intestinal mucosa of the rat. *Food Chem Toxicol*. 21: 193-200.
- Mehiar, FF; El-Samra, IA. (1978). Effect of some organic phosphorus and carbamate pesticides on *Streptomyces scabies*. *Zentralblatt fĂ¼r Bakteriologie, Parasitenkunde, Infektionskrankheiten und Hygiene Zweite Naturwissenschaftliche Abteilung: Mikrobiologie der Landwirtschaft, der Technologie und des Umweltschutzes*. 133: 91-95.
- Meijers, JM. (1990). Comparing biological effects of mineral fibres. *Br J Ind Med*. 47: 286-287.
- Meinzel, T; Patiny, L; Ragusa, S; Blanquet, S. (1999). Design and synthesis of substrate analogue inhibitors of peptide deformylase. *Biochemistry*. 38: 4287-4295.
- Melling, J. (2001). Magic mineral to killer dust: Turner & Newall and the asbestos hazard. *Business History*. 43: 133-135.
- Mello, NK. (1975). Behavioral toxicology: a developing discipline. *Fed Proc*. 34: 1832-1834.
- Menala, J; Alves, R; Sanches, S; Santos, G; Mesquita, E. (2003). Monitoring the active sessile-colonisation of two drinking water distribution systems based on the protein contents in native biofilm samples. *Water Science and Technology*. 47: 169-173.
- Menard, H; Noel, L; Khorami, J; Jouve, JL; Dunnigan, J. (1986). The adsorption of polyaromatic hydrocarbons on natural and chemically modified asbestos fibers. *Environ Res*. 40: 84-91.
- Mendes, GP; Vieira, PS; Lanceros-Mendez, S; Kluskens, LD; Mota, M. (2015). Transformation of *Escherichia coli* JM109 using pUC19 by the Yoshida effect. *J Microbiol Methods*. 115: 1-5.
- Mengoni, A; Tatti, E; Decorosi, FDdBAeGutdudFvRIFlou; Viti, C; Bazz, M; Giovannetti, L. (2005). Comparison of 16S rRNA and 16S rDNA T-RFLP approaches to study bacterial communities in soil microcosms treated with chromate as perturbing agent. *Microb Ecol*.
- Merali, S; Vargas, D; Franklin, M; Clarkson, AB. (2000). S-adenosylmethionine and *Pneumocystis carinii*. *J Biol Chem*. 275: 14958-14963.
- Merino-Trigo, A; Sampedro, L; Rodriguez-Berrocal, FJ; Mato, S; de la Cadena, MP. (1999). Activity and partial characterisation of xylanolytic enzymes in the earthworm *Eisenia andrei* fed on organic wastes. *Soil Biology & Biochemistry*. 31: 1735-1740.
- Merler, E; Ricci, P; Silvestri, S. (1996). Crocidolite and not chrysotile was mainly used by the Italian railroad system. *Med Lav*. 87: 268-269.
- Merliss, RR. (1971). Talc and asbestos contaminant of rice. *JAMA*. 216: 2144.
- Merrett, NR. (1976). *SystĂ©matique et phylogenie des Sparidae du genre Diplodus Raf., (Pisces, Teleostei)*: R. M. de la Paz 1975 Travaux et Documents de L'O.R.S.T.O.M. (45), 96 pp. 30 francs. *Deep Sea Research and Oceanographic Abstracts*. 23: 1241.
- Merritt, CA. (2002). Wetlands mitigation/protection during an asbestos disposal site cleanup. *Wetlands and Remediation* 11337-345.

Environmental Hazard Literature Search Results

Off Topic

- Mertig, HJ; Rubin, JN; Kyle, JR. (1994). Skarn Cu—Au orebodies of the Gunung Bijih (Ertsberg) district, Irian Jaya, Indonesia. *J Geochem Explor.* 50: 179-202.
- Meyer, DR. (1980). Nutritional problems associated with the establishment of vegetation on tailings from an asbestos mine. *Environmental Pollution Series A, Ecological and Biological.* 23: 287-298.
- Michailidis, K; Tsirambides, A; Tsamantouridis, P. (1993). Kaolin weathering crusts on gabbroic rocks at Griva, Macedonia, Greece. *Appl Clay Sci.* 8: 19-36.
- Michels, C; Lamberts, R; Gijts, S. (2008). Theoretical/experimental comparison of heat flux reduction in roofs achieved through the use of reflective thermal insulators. *Energy and Buildings.* 40: 438-444.
- Mijailovich, SM; Hamada, K; Tsuda, A. (2007). IL-8 response of cyclically stretching alveolar epithelial cells exposed to non-fibrous particles. *Ann Biomed Eng.* 35: 582-594.
- Mikalsen, SO; Modalsli, KR. (1994). A simple fluorescence method for the study of the internalization of particles in cultured cells: Application to asbestos and glass fibres. *Toxicol In Vitro.* 8: 243-250.
- Milashuk, S; Crane, W. (2012). Pipeline damage caused by transient ground deformation: Case study of 2010 Darfield and 2011 Christchurch earthquakes. *Soil Dynamics and Earthquake Engineering.* 41: 84-88.
- Miller, A. (1999). On perception, perspicuity, and precision. *Chest.* 115: 305-305.
- Miller, A. (2007). Radiographic readings for asbestosis: misuse of science--validation of the ILO classification. *Am J Ind Med.* 50: 63-67.
- Miller, A; Langer, AM; Teirstein, AS; Selikoff, IJ. (1975). "Nonspecific" interstitial pulmonary fibrosis. Association with asbestos fibers detected by electron microscopy. *The New England journal of medicine.* 292: 91-93.
- Miller, A; Rom, WN. (2010). Does Asbestos Exposure (Asbestosis) Cause (Clinical) Airway Obstruction (Small Airway Disease)? *Am J Respir Crit Care Med.* 182: 444-445.
- Miller, JR; Deeken, CR; Ray, S; Henn, MC; Lancaster, TS; Schuessler, RB; Damiano, RJ; Melby, SJ. (2015). Expanded Polytetrafluoroethylene for Chordal Replacement: Preventing Knot Failure. *Ann Thorac Surg.* 100: 2325-2329.
- Miller, K. (1978). The effects of asbestos on macrophages. *CRC Crit Rev Toxicol.* 5: 319-354.
- Miller, K. (1979). Alterations in the surface-related phenomena of alveolar macrophages following inhalation of crocidolite asbestos and quartz dusts: An overview. *Environ Res.* 20: 162-182.
- Miller, K. (1985). Immunotoxicology. *Clin Exp Immunol.* 61: 219-223.
- Miller, K; Handfield, RIM; Kagan, E. (1978). The effect of different mineral dusts on the mechanism of phagocytosis: A scanning electron microscope study. *Environ Res.* 15: 139-154.
- Miller, K; Harington, JS. (1972). Some biochemical effects of asbestos on macrophages. *Br J Exp Pathol.* 53: 397-405.
- Miller, K; Kagan, E. (1976). The in vivo effects of asbestos on macrophage membrane structure and population characteristics of macrophages: a scanning electron microscope study. *J Reticuloendothel Soc.* 20: 159-170.
- Miller, K; Kagan, E. (1977). Immune adherence reactivity of rat alveolar macrophages following inhalation of crocidolite asbestos. *Clin Exp Immunol.* 29: 152-158.
- Miller, K; Weintraub, Z; Kagan, E. (1979). Manifestations of cellular immunity in the rat after prolonged asbestos inhalation. I. Physical interactions between alveolar macrophages and splenic lymphocytes. *Journal of immunology (Baltimore, Md : 1950).* 123: 1029-1038.
- Miller, K; Weintraub, Z; Kagan, E. (1980). The effect on prolonged inhalation of crocidolite asbestos on macrophage-lymphocyte interaction. *IARC Sci Publ.* 30: 467-474.
- Miller, WT. (1992). Various aspects of asbestos exposure. *Semin Roentgenol.* 27: 81.
- Miller, WT, Jr.; Gefter, WB; Miller, WT, Sr. (1992). Asbestos-related chest diseases: Plain radiographic findings. *Semin Roentgenol.* 27: 102-120.
- Millette, JR. (1986). ANALYSIS OF ASBESTOS IN ENVIRONMENTAL SAMPLES BY TEM. 32nd Inter Symposium, Chicago, Illinois, Usa, July. 34: 271-272.
- Millette, JR. (2006). Asbestos analysis methods. *Asbestos: Risk Assessment, Epidemiology, and Health Effects* 9-37.
- Millette, JR; Brown, RS; Hill, WB. (2008). Using environmental forensic microscopy in exposure science. *J Expo Sci Environ Epidemiol.* 18: 20-30.
- Millette, JR; Clark, PJ; Boone, RL; Rosenthal, MT. (1987). Occurrence and biological activity testing of particulates in drinking water. *Bull Environ Contam Toxicol.* 38: 1-8.
- Millette, JR; Clark, PJ; Pansing, MF; Twyman, JD. (1980). Concentration and size of asbestos in water supplies. *Environ Health Perspect.* 34: 13-25.
- Millette, JR; Clark, PJ; Stober, J; Rosenthal, M. (1983). Asbestos in water supplies of the United States. *Environ Health Perspect.* 53: 45-48.
- Mills, KHG; Dungan, LS; Jones, SA; Harris, J. (2013). The role of inflammasome-derived IL-1 in driving IL-17 responses. *J Leukoc Biol.* 93: 489-497.
- Misra, V; Rahman, Q; Viswanathan, PN. (1983). Adsorption of nucleic acids on asbestos fibers in vitro. *Toxicol Lett.* 15: 187-191.
- Mitchell, J. (1961). Health progress in an asbestos textile works. *Arch Environ Health.* 3: 37-41.
- Mizoguchi, T; Olovsson, W; Ikeno, H; Tanaka, I. (2010). Theoretical ELNES using one-particle and multi-particle calculations. *Micron.* 41: 695-709.
- Mizumaki, M; Uozumi, T; Agui, A; Kawamura, N; Nakazawa, M. (2005). Admixture of excited states and ground states of a Eu(3+) ion in Eu(3)Fe(5)O(12) by means of magnetic circular dichroism. *Physical Review B.* 7113: 4416-4416.
- Mizumaki, M; Yano, K; Umehara, I; Ishikawa, F; Sato, K; Koizumi, A; Sakai, N; Muro, T. (2003). Verification of Ni magnetic moment in GdNi(2) Laves phase by magnetic circular dichroism measurement. *Physical Review B.* 6713: 2404-2404.
- Mkhoyan, KA; Silcox, J. (2003). Electron-beam-induced damage in wurtzite InN. *Appl Phys Lett.* 82: 859-861.
- Moerman, L; van der Laan, S; Campbell, D. (2014). A tale of two asbestos giants: Corporate reports as (auto)biography. *Business History.* 56: 975-995.

Environmental Hazard Literature Search Results

Off Topic

- Moewes, A; Kurmaev, EZ; Ederer, DL; Callcott, TA. (2000). No multiautom resonances observed in x-ray fluorescence. *Physical Review B*. 62: 15427-15430.
- Molloy, LB. (1991). Asbestos in place in Metropolitan New York. *Ann N Y Acad Sci*. 643: 614-621.
- Momba, MNB; Makala, N. (2004). Comparing the effect of various pipe materials on biofilm formation in chlorinated and combined chlorine-chloraminated water systems. *Water SA*. 30: 175-182.
- Monaro, S; Landsberger, S; Lecomte, R; Paradis, P; Desaulniers, G; P'an, A. (1983). Asbestos pollution levels in river water measured by proton-induced X-ray emission (PIXE) techniques. *Environmental Pollution Series B, Chemical and Physical*. 5: 83-90.
- Mondal, P; Majumder, CB; Mohanty, B. (2008). Growth of three bacteria in arsenic solution and their application for arsenic removal from wastewater. *J Basic Microbiol*. 48: 521-525.
- Mongan, LC; Jones, T; Patrick, G. (2000). Cytokine and free radical responses of alveolar macrophages in vitro to asbestos fibres. *Cytokine*. 12: 1243-1247.
- Monguzzi, A; Leschi, IG. Mineral-organic hybrid nanotubes as highly sensitive solid state optical chemical sensors.
- Moniewska, A; Szyba, K; Ja; wiec, B; Lange, A. (1989). Chrysotile A affects YAC-1 cytolytic activity of spleen cells. *Arch Immunol Ther Exp*. 37: 61-68.
- Monsalve, Mla; Calles, Bn; MencÄ± a, M; Rojo, F; Salas, M. (1998). Binding of phage λ 29 protein p4 to the early A2c promoter: recruitment of a repressor by the RNA polymerase1. *Journal of Molecular Biology*. 283: 559-569.
- Montanari, M; Relini, G. (1971). (Fouling in the polluted zone. Observations in Genova harbour: hydroids and ascidians). *Pubbl Stn Zool Napoli*. 38: 34-54.
- Monteiro, A; Carvalho, A; Ribeiro, I; Scotto, M; Barbosa, S; Alonso, A; Baldasano, JM; Pay, MT; Miranda, AI; Borrego, C. (2012). Trends in ozone concentrations in the Iberian Peninsula by quantile regression and clustering. *Atmos Environ*. 56: 184-193.
- Montenegro, N. (1990). Asbestos abatement requires prudent approach. *Health Facil Manage*. 3: 34, 36, 38.
- Moolgavkar, SH; Turim, J; Brown, RC. (2001). The power of the European Union protocol to test for carcinogenicity of inhaled fibers. *Regul Toxicol Pharmacol*. 33: 350-355.
- Moore, TL; Grimes, SW; Lewis, RL; Alexis, F. (2014). Multilayered Polymer-Coated Carbon Nanotubes To Deliver Dasatinib. *Mol Pharm*. 11: 276-282.
- Moreira, S; Silva, NB; Almeida-Lima, J; Rocha, HAO; Medeiros, SRB; Alves, C; Gama, FM. (2009). BC nanofibres: In vitro study of genotoxicity and cell proliferation. *Toxicol Lett*. 189: 235-241.
- Moreno, EA; Rojas, GF; Frenk, FH; De la Huerta, AO; Belmares, RQ; Vargas, ARO. (1997). In vitro induction of abnormal anaphases by contaminating atmospheric dust from the City of Mexicali, Baja California, Mexico. *Arch Med Res*. 28: 549-553.
- Moreno, MS; Egerton, RF; Midgley, PA. (2004). Differentiation of tin oxides using electron energy-loss spectroscopy. *Physical Review B*. 69: 3304-3304.
- Moreno, MS; Egerton, RF; Rehr, JJ; Midgley, PA. (2005). Electronic structure of tin oxides by electron energy loss spectroscopy and real-space multiple scattering calculations. *Physical Review B*. 71: 5103-5103.
- Morey, EF; Earnshaw, R. (1992). The fit of gold-alloy full-crown castings made with pre-wetted casting ring liners. *J Dent Res*. 71: 1858-1864.
- Morgan, A; Black, A; Evans, N; Holmes, A; Pritchard, JN. (1980). Deposition of Sized Glass Fibres in the Respiratory Tract of the Rat. *ANNALS OCCUP HYG*. 23: 353-356.
- Morgan, A; Davies, P; Wagner, JC; Berry, G; Holmes, A. (1977). The biological effects of magnesium-leached chrysotile asbestos. *Br J Exp Pathol*. 58: 465-473.
- Morgan, A; Evans, JC; Evans, RJ; Hounam, RF; Holmes, A; Doyle, SG. (1975). Studies on the deposition of inhaled fibrous material in the respiratory tract of the rat and its subsequent clearance using radioactive tracer techniques. *Environ Res*. 10: 196-207.
- Morgan, A; Holmes, A; Gold, C. (1971). Studies of the solubility of constituents of chrysotile asbestos in vivo using radioactive tracer techniques. *Environ Res*. 4: 558-570.
- Morgan, A; Timbrell, V. (1971). The use of neutron activation analysis to determine the composition of blended samples of asbestos. *The International journal of applied radiation and isotopes*. 22: 745-751.
- Morgenthal, T; Maboeta, M; van Rensburg, L; Bredenkamp, GJ. (2004). Revegetation of heavy metal contaminated mine dumps using locally serpentine-adapted grassland species. *South African Journal of Botany*. 70: 784-789.
- Mori, M; Kantou, T. (1987). Changes in progesterone production in granulosa cells during the ovulatory cycle of the Japanese quail (*Coturnix coturnix japonica*). *General and Comparative Endocrinology*. 68: 57-63.
- Morimoto, T; Biswas, G; Kono, T; Sakai, M; Hikima, J. (2016). Immune responses in the Japanese pufferfish (*Takifugu rubripes*) head kidney cells stimulated with particulate silica. *Fish & Shellfish Immunology*. 49: 84-90.
- Morley, GE. (1976). Letter: Asbestos in the air. *Lancet (London, England)*. 1: 1075.
- Morosova, KI; Aronova, GV; Katsnelson, BA; Velichkovski, BT; Genkin, AM; Elnichnykh, LN; Privalova, LI. (1982). On the defensive action of glutamate against the cytotoxicity and fibrogenicity of quartz dust. *Br J Ind Med*. 39: 244-252.
- Morris, DL; Greenberg, SD; Lawrence, EC. (1985). Immune responses in asbestos-exposed individuals. *Chest*. 87: 278-280.
- Morrison, JM; Goldhaber, MB; Mills, CT; Breit, GN; Hooper, RL; Holloway, JM; Diehl, SF; Ranville, JF. (2015). Weathering and transport of chromium and nickel from serpentinite in the Coast Range ophiolite to the Sacramento Valley, California, USA. *Appl Geochem*. 61: 72-86.
- Morriss, AP; Dudley, SE. (2006). Defining what to regulate: Silica and the problem of regulatory categorization. *Administrative Law Review*. 58: 269-357.

Environmental Hazard Literature Search Results

Off Topic

- Morrow, PE; Haseman, JK; Hobbs, CH; Driscoll, KE; Vu, V; Oberdorster, G. (1996). The maximum tolerated dose for inhalation bioassays: Toxicity vs overload. *Fundam Appl Toxicol.* 29: 155-167.
- Mortlock, AM; Fitzsimons, JTR; Kerkut, GA. (1984). The effects of farnesol on the late stage nauplius and free swimming cypris larvae of *Elminius modestus* (Darwin). *Comparative Biochemistry and Physiology Part A: Physiology.* 78: 345-357.
- Mossman, BT. (1983). In vitro approaches for determining mechanisms of toxicity and carcinogenicity by asbestos in the gastrointestinal and respiratory tracts. *Environ Health Perspect.* 53: 155-161.
- Mossman, BT. (1988). Carcinogenic potential of asbestos and nonasbestos fibers. *J ENVIRON SCI HEALTH, PART C.* C6: 151-195.
- Mossman, BT. (1993). Mechanisms of asbestos carcinogenesis and toxicity: the amphibole hypothesis revisited. *Br J Ind Med.* 50: 673-676.
- Mossman, BT. (1994). Asbestos: facts and fiction. *Environ Health Perspect.* 102: 424-425.
- Mossman, BT. (1999). Environmental pathology: New directions and opportunities. *Toxicol Pathol.* 27: 180-186.
- Mossman, BT. (2008). Assessment of the pathogenic potential of asbestiform vs. nonasbestiform particulates (cleavage fragments) in in vitro (cell or organ culture) models and bioassays. *Regul Toxicol Pharmacol.* 52: S200-S203.
- Mossman, BT; Churg, A. (1998). Mechanisms in the pathogenesis of asbestosis and silicosis. *Am J Respir Crit Care Med.* 157: 1666-1680.
- Mossman, BT; Craighead, JE. (1979). Use of hamster tracheal organ cultures for assessing the cocarcinogenic effects of inorganic particulates on the respiratory epithelium. *Prog Exp Tumor Res.* 24: 37-47.
- Mossman, BT; Craighead, JE; MacPherson, BV. (1980). Asbestos-induced epithelial changes in organ cultures of hamster trachea: inhibition by retinyl methyl ether. *Science (New York, NY).* 207: 311-313.
- Mossman, BT; Jean, L; Landesman, JM. (1983). Studies using lectins to determine mineral interactions with cellular membranes. *Environ Health Perspect.* 51: 23-25.
- Mossman, BT; Landesman, JM. (1983). Importance of oxygen free radicals in asbestos-induced injury to airway epithelial cells. *Chest.* 83: 50S-51S.
- Mossman, BT; Marsh, JP; Shatos, MA; Doherty, J; Gilbert, R; Hill, S. (1987). Implication of active oxygen species as second messengers of asbestos toxicity. *Drug Chem Toxicol.* 10: 157-180.
- Mossman, BT; Shukla, A; Fukagawa, NK. (2007). Highlight Commentary on "Oxidative stress and lipid mediators induced in alveolar macrophages by ultrafine particles". *Free Radic Biol Med.* 43: 504-505.
- Mossman, BT; Surinrut, P; Brinton, BT; Marsh, JP; Heintz, NH; Lindau-Shepard, B; Shaffer, JB. (1996). Transfection of a manganese-containing superoxide dismutase gene into hamster tracheal epithelial cells ameliorates asbestos-mediated cytotoxicity. *Free Radical Biology & Medicine.* 21: 125-131.
- Mossop, RT. (1983). Asbestos hazards in Zimbabwe. *The Central African journal of medicine.* 29: 117-118.
- Mota, LC; Urena-Benavides, EE; Yoon, Y; Son, A. (2013). Quantitative Detection of Single Walled Carbon Nanotube in Water Using DNA and Magnetic Fluorescent Spheres. *Environmental Science & Technology.* 47: 493-501.
- Muir, DC. (1973). Inhaled particles. *BTTA review.* 3: 65-74.
- Mukherjee, AK; Rajmohan, HR; Dave, SK; Rajan, BK; Kakde, Y; Raghavendra Rao, S. (1992). An environmental survey in chrysotile asbestos milling processes in India. *Am J Ind Med.* 22: 543-551.
- Mukhopadhyay, S; Annamalai, D; Srikanta, R. (2011). Coir Fiber for Heat Insulation. *Journal of Natural Fibers.* 8: 48-58.
- Mulders, AM; Staub, U; Scagnoli, V; Tanaka, Y; Kikkawa, A; Katsumata, K; Tonnerre, JM. (2007). Manipulating 4f quadrupolar pair-interactions in TbB(2)C(2) using a magnetic field. *Physical Review B.* 75: 4438-4438.
- Muljarov, EA; Zhukov, EA; Dneprovskii, VS; Masumoto, Y. (2000). Dielectrically enhanced excitons in semiconductor-insulator quantum wires: Theory and experiment. *Physical Review B.* 62: 7420-7432.
- Muller, B; Seifart, C; Barth, PJ. (1998). Effect of air pollutants on the pulmonary surfactant system. *Eur J Clin Invest.* 28: 762-777.
- Muller, JG; Lieske, JM; Hernandez, JE; Kubiak, G; Rudolph, WG; Jan, MH. (2008). Variability in interpretation among B-readers in the U.S. Navy Asbestos Medical Surveillance Program. *Mil Med.* 173: 375-380.
- Mullick, AE; Zaid, UB; Athanassious, CN; Lentz, SR; Rutledge, JC; Symons, JD. (2006). Hyperhomocysteinemia increases arterial permeability and stiffness in mice. *American Journal of Physiology-Regulatory Integrative and Comparative Physiology.* 291: R1349-R1354.
- Mundell, LR; Jaeger, JR; Waggoner, JW; Stevenson, JS; Grieger, DM; Pacheco, LA; Bolte, JW; Aubel, NA; Eckerle, GJ; Macek, MJ; Ensley, SM; Havenga, LJ; Olson, KC. (2012). Effects of prepartum and postpartum bolus injections of trace minerals on performance of beef cows and calves grazing native range. *The Professional Animal Scientist.* 28: 82-88.
- Munder, PG; Lebert, S. (1975). The activation of phospholipase A in macrophages after the phagocytosis of silica and other cytotoxic dusts. *Inhaled Particles.* 4 Pt 2: 531-541.
- Munoz, X; Marti, S; Ferrer, J. (2005). Noninvasive mechanical ventilation for asbestos-induced ventilatory failure. *Am J Respir Crit Care Med.* 172: 785-786.
- Munson, AE. (1986). SUPPRESSION OF THE IN-VITRO HUMORAL IMMUNE RESPONSE BY CHRYSOTILE ASBESTOS AU - WHITE K L JR. *Toxicol Appl Pharmacol.* 82: 493-504.
- Muok, BO; Ishii, T. (2006). Effect of arbuscular mycorrhizal fungi on tree growth and nutrient uptake of *Sclerocarya birrea* under water stress, salt stress and flooding. *Journal of the Japanese Society for Horticultural Science.* 75: 26-31.
- Murai, Y; Kitagawa, M; Yasuda, M; Okada, E; Koizumi, F; Miwa, A. (1994). Asbestos fiber analysis in seven asbestosis cases. *Arch Environ Health.* 49: 67-72.
- Murphy, F; Chernova, T; Schinwald, A; Sun, XM; Grosso, S; Dudek, K; Dinsdale, D; Greaves, P; Poland, C; Donaldson, K; Bushell, M; Willis, A; MacFarlane, M. (2014). Long-fibre carbon nanotube- and asbestos-induced pleural lesions exhibit a common molecular signature. *Toxicol Lett.* 229, Supplement: S196.

Environmental Hazard Literature Search Results

Off Topic

- Murphy, LA; Gwaltney-Brant, SM; Albretsen, JC; Wismer, TA. (2003). Toxicologic agents of concern for search-and-rescue dogs responding to urban disasters. *Journal of the American Veterinary Medical Association*. 222: 296-304.
- Murphy, RL, Jr.; Ferris, BG, Jr.; Burgess, WA; Worcester, J; Gaensler, EA. (1971). Effects of low concentrations of asbestos. Clinical, environmental, radiologic and epidemiologic observations in shipyard pipe coverers and controls. *The New England journal of medicine*. 285: 1271-1278.
- Murphy, RL, Jr.; Gaensler, EA; Redding, RA; Belleau, R; Keelan, PJ; Smith, AA; Goff, AM; Ferris, BG, Jr. (1972). Low exposure to asbestos. Gas exchange in ship pipe coverers and controls. *Arch Environ Health*. 25: 253-264.
- Murphy, RL; Levine, BW; al-Bazzaz, FJ; Lynch, JJ; Burgess, WA. (1971). Floor tile installation as a source of asbestos exposure. *The American review of respiratory disease*. 104: 576-580.
- Murphy, WJ; Ross, RA. A comparative study of thermal effects on surface and structural parameters of natural Californian and Quebec chrysotile asbestos up to 700 degrees Celsius. 1977, 25 (2): 78-89.
- Murr, LE. (2008). Microstructures and nanostructures for environmental carbon nanotubes and nanoparticulate soots. *Int J Environ Res Public Health*. 5: 321-336.
- Murr, LE; Kloska, K. (1976). The detection and analysis of particulates in municipal water supplies by transmission electron microscopy. *Water Res*. 10: 469-477.
- Murr, LE; Soto, KF. (2004). TEM comparison of chrysotile (asbestos) nanotubes and carbon nanotubes. *Journal of Materials Science*. 39: 4941-4947.
- Musk, AW; Baker, JE; Whitaker, D. (1983). Sputum asbestos bodies and radiographic changes in residents of Wittenoom, Western Australia. *Community Health Stud*. 7: 19-23.
- Musk, AW; de Klerk, NH; Nowak, AK. (2016). Asbestos exposure: challenges for Australian clinicians. *Med J Aust*. 204: 48-49.
- Musthapa, MS; Ahmad, I; Trivedi, AK; Rahman, Q. (2003). Asbestos contamination in biota and abiota in the vicinity of asbestos-cement factory. *Bull Environ Contam Toxicol*. 70: 1170-1177.
- Muthu, MS; Abdulla, A; Pandey, BL. (2013). Major toxicities of carbon nanotubes induced by reactive oxygen species: should we worry about the effects on the lungs, liver and normal cells? *Nanomed*. 8: 863-866.
- Mutlu, I; Alma, MH; Basturk, MA; Oner, C. (2005). Preparation and characterization of brake linings from modified tannin-phenol formaldehyde resin and asbestos-free fillers. *Journal of Materials Science*. 40: 3003-3005.
- Mutsaers, SE; Prele, CM; Brody, AR; Idell, S. (2004). Pathogenesis of pleural fibrosis. *Respirology (Carlton, Vic)*. 9: 428-440.
- Mutzner, L; Stauffer, P; Ort, C. (2016). Model-based screening for critical wet-weather discharges related to micropollutants from urban areas. *Water Res*. 104: 547-557.
- Myers, GE. (1987). Asbestos substitutes: A closer look at potential health hazards. NTIS, SPRINGFIELD, VA (USA) 1987.
- Myers, JE. (1992). Merchant Marine is not such a strange place for asbestos exposure. *Am J Ind Med*. 21: 457.
- Myran, T; Hedalen, T. (1994). 29.P.01 Traffic air pollution. *J Aerosol Sci*. 25, Supplement 1: 471-472.
- Myrvik, QN. (1984). EFFECT OF ASBESTOS PREPARATIONS ON THE RANDOM MIGRATION PATTERN OF RABBIT ALVEOLAR MACROPHAGES. *Beck, E G And J Bignon*. 0: 121-128.
- Myrvik, QN; Knox, EA; Gordon, M; Shirley, PS. (1985). Effects of asbestos on the random migration of rabbit alveolar macrophages. *Environ Health Perspect*. 60: 387-393.
- Nabeshi, H; Yoshikawa, T; Matsuyama, K; Nakazato, Y; Matsuo, K; Arimori, A; Isobe, M; Tochigi, S; Kondoh, S; Hirai, T; Akase, T; Yamashita, T; Yamashita, K; Yoshida, T; Nagano, K; Abe, Y; Yoshioka, Y; Kamada, H; Imazawa, T; Itoh, N; Nakagawa, S; Mayumi, T; Tsunoda, S; Tsutsumi, Y. (2011). Systemic distribution, nuclear entry and cytotoxicity of amorphous nanosilica following topical application. *Biomaterials*. 32: 2713-2724.
- Nadeau, D; Fouquette-Couture, L; Khorami, J; Lane, D. Cytotoxicity of respirable dusts from industrial minerals: comparison of two naturally occurring and two man-made silicates.
- Nadeau, D; Lane, DA. The cytotoxicity of chrysotile asbestos fibers to pulmonary alveolar macrophages. I. Effects of inhibitors of ADP-ribosyl transferase.
- Nadeau, D; Lane, DA. (1989). On the cytotoxicity of chrysotile asbestos fibers toward pulmonary alveolar macrophages. II. Effects of nicotinamide on the cell metabolism. *Toxicol Appl Pharmacol*. 98: 144-158.
- Nadolny, L; Sequeira, L. (1980). Increases in peroxidase activities are not directly involved in induced resistance in tobacco. *Physiological Plant Pathology*. 16: 1-8.
- Nagai, H; Okazaki, Y; Jiang, L; Akatsuka, S; Yamashita, Y; Toyokuni Ź, S. (2012). Asbestos surface provides a niche for oxidative modification: A novel role of free radicals in carcinogenesis. *Free Radic Biol Med*. 53, Supplement 1: S51-S52.
- Nagao, T; Igarashi, J. (2005). Resonant x-ray scattering spectra from multipole ordering: Np M(4,5) edges in NpO(2). *Physical Review B*. 72: 4421-4421.
- Nagda, P. (2013). Nanomedicine: experts state safety concerns regarding carbon nanotubes have been allayed by chemistry. *Am J Public Health*. 8: 325-326.
- Nakai, K; Tazuma, S; Nishioka, T; Chayama, K. (2003). Inhibition of cholesterol crystallization under bilirubin deconjugation: partial characterization of mechanisms whereby infected bile accelerates pigment stone formation. *Biochimica et Biophysica Acta (BBA) - Molecular and Cell Biology of Lipids*. 1632: 48-54.
- Nakai, K; Tazuma, S; Ochi, H; Chayama, K. (2001). Does bilirubin play a role in the pathogenesis of both cholesterol and pigment gallstone formation?: Direct and indirect influences of bilirubin on bile lithogenicity. *Biochimica et Biophysica Acta (BBA) - Molecular and Cell Biology of Lipids*. 1534: 78-84.

Environmental Hazard Literature Search Results

Off Topic

- Nakajima, T; Ito, M; Tchoua, U; Tojo, H; Hashimoto, M. (2000). Phospholipase A(2)-mediated superoxide production of murine peritoneal macrophages induced by chrysotile stimulation. *International Journal of Biochemistry & Cell Biology*. 32: 779-787.
- Nakamura, T; Shoji, H; Hirai, E; Nanao, S; Fukui, K; Ogasawara, H; Kotani, A; Iwazumi, T; Harada, I; Katano, R; Isozumi, Y. (2003). Magnetic circular dichroism of resonant x-ray emission spectroscopy for Sm L(3)M(4,5) and L(2)M(4) in a Sm(21)Co(79) amorphous alloy. *Physical Review B*. 6709: 4439-4439.
- Nam, S-N; Jeong, S; Lim, H. (2014). Thermochemical destruction of asbestos-containing roofing slate and the feasibility of using recycled waste sulfuric acid. *J Hazard Mater*. 265: 151-157.
- Narang, S; Rahman, Q; Kaw, JL; Zaidi, SH. (1977). Dissolution of silicic acid from dusts of kaolin, mica and talc and its relation to their hemolytic activity. "An in vitro study. *Exp Pathol (Jena)*. 13: 346-349.
- National, TP. (1990). NTP Lifetime Carcinogenesis Studies of Chrysotile Asbestos (CAS No. 12001-29-5) in Syrian Golden Hamsters (Feed Studies). *Natl Toxicol Program Tech Rep Ser*. 246: 1-192.
- Natow, AJ. (1986). Talc: need we beware? *Cutis*. 37: 328-329.
- NavrÅtil, M. (1970). Pleural calcifications due to asbestos exposure compared with relevant findings in the non-exposed population. *Inhaled Particles*. 2: 695-703.
- Nayak, L. (2016). The Mineral Fibre: Asbestos - Its Manufacture, Properties, Toxic Effects and Substitutes. *Nature, Environment and Pollution Technology*. 15: 477.
- Naylor, B. (1977). Regarding cyanophilic bodies, toxoplasma cysts and ferruginous bodies. *Acta Cytol*. 21: 490-492.
- Naylor, LM. Asbestos in sludge--a significant risk? *Biocycle*. Jan 1989. v. 30 (1): 51-53.
- Naylor, WP; Moore, BK; Phillips, RW. (1987). A topographical assessment of casting ring liners using scanning electron microscopy (SEM). *Quintessence of dental technology*. 11: 413-420.
- Nelson, AJ; van Buuren, T; Bostedt, C; Schaffers, KI; Terminello, LJ; Engelhard, M; Baer, D. (2002). Electronic structure of ytterbium-doped strontium fluoroapatite: Photoemission and photoabsorption investigation. *Journal of Applied Physics*. 91: 5135-5140.
- Nesnow, S; Argus, M; Bergman, H; Chu, K; Frith, C; Helmes, T; McGaughy, R; Ray, V; Slaga, TJ; al., e. (1987). CHEMICAL CARCINOGENS A REVIEW AND ANALYSIS OF THE LITERATURE OF SELECTED CHEMICALS AND THE ESTABLISHMENT OF THE GENE-TOX CARCINOGEN DATA BASE. *Mutat Res*. 185: 1-195.
- Neugut, AI; Eisenberg, D; Silverstein, M; Pulkrabek, P; Weinstein, IB. (1978). Effects of asbestos on epithelioid cell lines. *Environ Res*. 17: 256-265.
- Newhouse, ML. (1967). The medical risks of exposure to asbestos. *The Practitioner*. 199: 285-293.
- Newhouse, ML. (1975). Methods of control and evaluation in Great Britain. *Hefte Unfallheilkd*. 126: 609-612.
- Newhouse, ML; Williams, JM. (1967). Techniques for tracing past employees. An example from an asbestos factory. *British journal of preventive & social medicine*. 21: 35-39.
- Newman, HA; Saat, YA; Hart, RW. (1980). Putative inhibitory effects of chrysotile, crocidolite, and amosite mineral fibers on the more complex surface membrane glycolipids and glycoproteins. *Environ Health Perspect*. 34: 103-111.
- Newman, RH. (1983). Asbestos-like fibres of biogenic silica in sugar cane. *Lancet (London, England)*. 2: 857.
- Newmark, H. (1975). II. Views of the pharmaceutical industry on the regulations. *Bulletin of the Parenteral Drug Association*. 29: 218-221.
- Newton, MF; Lilly, LJ. (1979). The effect of Dithane M-45 on rat lymphocyte chromosomes exposed in vivo. *Mutation Research/Environmental Mutagenesis and Related Subjects*. 64: 142.
- Ng, G; Chau, EMT; Shi, Y. (2010). Recent Developments in Immune Activation by Uric Acid Crystals. *Arch Immunol Ther Exp*. 58: 273-277.
- Nicar, MJ; Norman, DA. (1978). Talc in drugs. *The New England journal of medicine*. 299: 556-557.
- Nicholson, WJ. (1974). Analysis of amphibole asbestiform fibers in municipal water supplies. *Environ Health Perspect*. 9: 165-172.
- Nicholson, WJ; Maggiore, CJ; Selikoff, JJ. (1972). Asbestos contamination of parenteral drugs. *Science (New York, NY)*. 177: 171-173.
- Nicholson, WJ; Rohl, AN; Ferrand, EF. (1971). SU 30H - ASBESTOS AIR POLLUTION IN NEW YORK CITY: POLLUTION DE L'AIR DE LA CITE DE NEW YORK PAR L'AMIANTE. *Proceedings of the Second International Clean Air Congress* 136-139.
- NikliÅska, M; Chodak, M; Laskowski, R. (2005). Characterization of the forest humus microbial community in a heavy metal polluted area. *Soil Biol Biochem*. 37: 2185-2194.
- Niquette, P; Servais, P; Savoie, R. (2000). Impacts of pipe materials on densities of fixed bacterial biomass in a drinking water distribution system. *Water Res*. 34: 1952-1956.
- Nishiike, T; Nishimura, Y; Wada, Y; Iguchi, H. (2005). Production of nitric oxide elevates nitrosothiol formation resulting in decreased glutathione in macrophages exposed to asbestos or asbestos substitutes. *Arch Toxicol*. 79: 83-89.
- Niu, JL; Burnett, J. (2001). Setting up the criteria and credit-awarding scheme for building interior material selection to achieve better indoor air quality. *Environ Int*. 26: 573-580.
- Nizze, H. (1973). Exposure to asbestos and the genesis of pleural plaques and neoplasia. *Arch Pathol*. 95: 213-214.
- Nkoumbou, C; Villieras, F; Njopwouo, D; Yonta Ngoune, C; Barres, O; Pelletier, M; Razafitianamaharavo, A; Yvon, J. (2008). Physicochemical properties of talc ore from three deposits of Lamal Pougue area (Yaounde Pan-African Belt, Cameroon), in relation to industrial uses. *Appl Clay Sci*. 41: 113-132.
- Noble, PW; Henson, PM; Riches, DW. (1991). Insulin-like growth factor-1 (IGF-1) mRNA expression in bone marrow derived macrophages is stimulated by chrysotile asbestos and bleomycin. A potential marker for a reparative macrophage phenotype. *Chest*. 99: 79S-80S.
- Nogueira, LB; Godinho, AL; Godinho, HP. (2014). Early development and allometric growth in hatchery-reared characin *Brycon orbignyanus*. *Aquaculture Research*. 45: 1004-1011.

Environmental Hazard Literature Search Results

Off Topic

- Nolan, R; Langer, A. (2008). Rapporteur's Report Session 6: Risk assessment of asbestos and other fibrous mineral particulates. *Regul Toxicol Pharmacol.* 52: S246-S248.
- Nolan, RP. (2008). International symposium on the health hazard evaluation of fibrous particles associated with taconite and the adjacent duluth complex. Introduction. *Regulatory toxicology and pharmacology : RTP.* 52: S4.
- Nolan, RP; Langer, AM. (2008). Rapporteur's Report Session 6: risk assessment of asbestos and other fibrous mineral particulates. *Regulatory toxicology and pharmacology : RTP.* 52: S246-248.
- Nolan, RP; Langer, AM. (2008). Rapporteur's Report Session 6: Risk assessment of asbestos and other fibrous mineral particulates: Robert P. Nolan & Arthur M. Langer. *Regul Toxicol Pharmacol.* 52: S246-S248.
- Nolle, D; Weigand, M; Schutz, G; Goering, E. (2011). High Contrast Magnetic and Nonmagnetic Sample Current Microscopy for Bulk and Transparent Samples Using Soft X-Rays. *Microsc Microanal.* 17: 834-842.
- Noonan, FM; Linsky, B. (1970). Internal reflection spectroscopy applied to air pollution. *Atmos Environ* (1967). 4: 125-128.
- Norwood, WD; Fuqua, PA; Mancuso, TF. (1967). Asbestos--an environmental health hazard. *Northwest medicine.* 66: 821-828.
- Nunez-Riboni, I; Kristinsson, K; Bernreuther, M; van Aken, HM; Stransky, C; Cisewski, B; Rolskiy, A. (2013). Impact of interannual changes of large scale circulation and hydrography on the spatial distribution of beaked redfish (*Sebastes mentella*) in the Irminger Sea. *Deep-Sea Research Part I-Oceanographic Research Papers.* 82: 80-94.
- Nurdogan, Y; Oswald, WJ. (1996). Tube settling of high-rate pond algae. *Water Science and Technology.* 33: 229-241.
- Nuuja, IJM; Arstila, AU. (1982). On the response of mouse peritoneal macrophages to titanium dioxide pigments in vitro. *Environ Res.* 29: 174-184.
- Oberta, AF. (1991). Letter to the Board of Directors. *Am Ind Hyg Assoc J.* 52: A569-570.
- Oberta, AF. (2005). Standards for asbestos control: A holistic approach to managing a health hazard. *Astm Standardization News.* 33: 20-23.
- Ocella, E; Maddalon, G. (1963). X-ray diffraction characteristics of some types of asbestos in relation to different techniques of comminution. *Med Lav.* 54: 628-636.
- Ochi, T; Nakajima, F; Nasui, M. (1999). Distribution of gamma-tubulin in multipolar spindles and multinucleated cells induced by dimethylarsinic acid, a methylated derivative of inorganic arsenics, in Chinese hamster V79 cells. *Toxicology.* 136: 79-88.
- O'Dell, RE; Claassen, VP. (2006). Relative performance of native and exotic grass species in response to amendment of drastically disturbed serpentine substrates. *J Appl Ecol.* 43: 898-908.
- O'Dell, RE; Claassen, VP. (2009). Serpentine Revegetation: A Review. *Northeast Nat.* 16: 253-271.
- O'Donovan, M; Delaby, L. (2008). Sward characteristics, grass dry matter intake and milk production performance is affected by timing of spring grazing and subsequent stocking rate. *Livest Sci.* 115: 158-168.
- O'Neill, J; Boyet, M; Carlson, RW; Paquette, J-L. (2013). Half a billion years of reworking of Hadean mafic crust to produce the Nuvvuagittuq Eoarchean felsic crust. *Earth Planet Sci Lett.* 379: 13-25.
- Oeser, H; Koeppe, P. (1981). Environmental Pollution by Asbestos: Critically Analyzed From the Standpoint of the Environment Federation Office. *Muenchener Medizinische Wochenschrift.* 123: 860-862.
- Oeststad, RK; Rose, VE. (1986). An evaluation of the K super(2) asbestos screening test. *Am Ind Hyg Assoc J.* 47: 245-248.
- Oghiso, Y. (1986). DIFFERENT IMMUNOSTIMULATORY EFFECTS OF MINERAL DUST PARTICLES ON RAT ALVEOLAR MACROPHAGES AND T LYMPHOCYTES IN-VITRO. Fourth International Congress Of Toxicology, Tokyo, Japan, July. 31: 225.
- Oghiso, Y. (1987). Heterogeneity in immunologic functions of rat alveolar macrophages--their accessory cell function and IL-1 production. *Microbiol Immunol.* 31: 247-260.
- Oghiso, Y; Hartmann, DP; Kagan, E. (1982). Effects of inhaled asbestos of the release of chemoattractants. *International Journal of Immunopharmacology.* 4: 326.
- Oghiso, Y; Kagan, E; Brody, AR. (1984). Intrapulmonary distribution of inhaled chrysotile and crocidolite asbestos: ultrastructural features. *Br J Exp Pathol.* 65: 467-484.
- Oghiso, Y; Kubota, Y. (1986). Interleukin 1-like thymocyte and fibroblast activating factors from rat alveolar macrophages exposed to silica and asbestos particles. *Nihon juigaku zasshi The Japanese journal of veterinary science.* 48: 461-471.
- Oghiso, Y; Kubota, Y. (1987). Interleukin 1 production and accessory cell function of rat alveolar macrophages exposed to mineral dust particles. *Microbiol Immunol.* 31: 275-287.
- Oghiso, Y; Kubota, Y; Fukuda, S; Iida, H. Interleukin 1 release from beagle alveolar macrophages exposed to dust particles. *Japanese journal of veterinary science = Nihon juigaku zasshi.* Oct 1985. v. 47 (5): 851-854.
- Ogino, S; Fukumori, N; Yasuno, T; Koseki, M; Kazama, M. Asbestos fibers in sake. *J Food Prot.* Sept 1988. v. 51 (9): 737-739 ill.
- Oh, CW; Hartnoll, RG; Nash, RDM. (1999). Population dynamics of the common shrimp, *Crangon crangon* (L.), in Port Erin Bay, Isle of Man, Irish Sea. *Ices Journal of Marine Science.* 56: 718-733.
- Ohberg, I; Hartung, W. (1980). On the need for a new, distinct terminology for inorganic fibres. *IARC Sci Publ.* 30: 927-930.
- Ohlde, G; Becker, K. (1982). Suitability of cell-wall constituents as predictors of organic matter digestibility in some tropical and subtropical by-products. *Anim Feed Sci Technol.* 7: 191-199.
- Ohno, H; Miyakawa, O; Shiokawa, N. (1982). Distortion of a MOD pattern caused by the setting and hygroscopic expansion of the investment in the casting ring. II. Influence of W/P ratio, pattern position in the ring, and the condition of the asbestos lining. *Dent Mater J.* 1: 47-54.
- Ohshima, S. (2001). Induction of aneuploidy by nickel sulfate in V79 Chinese hamster cells. *Mutation Research-Genetic Toxicology and Environmental Mutagenesis.* 492: 39-50.
- Ohyagi, S; Kagamimori, S; Hillerdal, G; Saitoh, N; Hosoda, Y; Shishido, S; Iwai, K. (1985). Study on prevalence of pleural plaques in miniature X-ray films in Japan and Sweden. *Ind Health.* 23: 127-134.

Environmental Hazard Literature Search Results

Off Topic

- Ohzu, A; Esaka, F; Yasuda, K. (2009). Time-Resolved Laser-Induced Fluorescence of Asbestos in Visible Region. *Japanese Journal of Applied Physics*. 48: 42303-42303.
- Oka, A; Sasaki, H; Sugimoto, K; Takanami, M. (1984). Sequence organization of replication origin of the Escherichia coli K-12 chromosome. *Journal of Molecular Biology*. 176: 443-458.
- Okane, T; Ohkochi, T; Inami, T; Takeda, Y; Fujimori, SI; Kawamura, N; Suzuki, M; Tsutsui, S; Yamagami, H; Fujimori, A; Tanaka, A; Aoki, D; Homma, Y; Shiokawa, Y; Yamamoto, E; Haga, Y; Nakamura, A; Onuki, Y. (2009). Element and orbital-specific observation of two-step magnetic transition in NpNiGa(5): X-ray magnetic circular dichroism study. *Physical Review B*. 80: 4419-4419.
- Oke, Y; Yamasaki, N; Yamamoto, G; Sasaki, K; Maeta, N; Fujimaki, H; Hashida, T. (2008). Novel selective dyeing method for chrysotile asbestos detection in concrete materials. *Environmental Science & Technology*. 42: 1638-1642.
- Okland, I; Huang, S; Dahle, H; Thorseth, IH; Pedersen, RB. (2012). Low temperature alteration of serpentinized ultramafic rock and implications for microbial life. *Chem Geol*. 318-319: 75-87.
- Olabanji, IO; Adeniyi, IF. (2005). Trace metals in bulk freefall and roof intercepted rainwater at Ile-Ife, Southwest Nigeria. *Chem Ecol*. 21: 167-179.
- O'Leary, MA; Richardson, GW; Wege, D. (1981). The addition of benzocyclobutenylidene to benzene : The facile rearrangement of spiro[benzocyclobutene-1,7'-cyclohepta-1',3',5'-triene] to 9a,10-dihydrobenz[\pm]azulene. *Tetrahedron*. 37: 813-823.
- Olovsson, W; Abrikosov, IA; Johansson, B; Newton, A; Cole, RJ; Weightman, P. (2004). Auger energy shifts in fcc AgPd random alloys from complete screening picture and experiment. *Physical Review Letters*. 9222: 6406-6406.
- Olson, HL. Asbestos in potable-water supplies. *Journal*. Sept 1974, 66 (9): 515-518.
- Olszta, MJ; Dickey, EC. (2008). Interface stoichiometry and structure in anodic niobium pentoxide. *Microsc Microanal*. 14: 451-458.
- O'Neill, S. (1987). Asbestos induced disease--the cost of containment. *Ir Med J*. 80: 78-79.
- Oner, ME; Walker, PN. (2011). Effect of Processing and Packaging Conditions on Quality of Refrigerated Potato Strips. *Journal of Food Science*. 76: S35-S40.
- Oner, ME; Walker, PN. (2011). Shelf-life of near-aseptically packaged refrigerated potato strips. *Lwt-Food Science and Technology*. 44: 1616-1620.
- Opassiri, R; Maneesan, J; Akiyama, T; Pomthong, B; Jin, S; Kimura, A; Cairns, JRK. (2010). Rice Os4BGlu12 is a wound-induced beta-glucosidase that hydrolyzes cell wall-beta-glucan-derived oligosaccharides and glycosides. *Plant Sci*. 179: 273-280.
- Ordenez-Gonzalez, JG; Mercado-Hernandez, R; Flores-Suarez, AE; Fernandez-Salas, I. (2001). The use of sticky ovitraps to estimate dispersal of Aedes aegypti in northeastern Mexico. *J Am Mosq Control Assoc*. 17: 93-97.
- O'Regan, AW; Serlin, D; Berman, JS. (2006). Asbestos exposure and serum osteopontin. *N Engl J Med*. 354: 304-304.
- Orlando, A; Lelli, M; Marini, L. (2012). Production of amorphous hydrated impure magnesium carbonate through ex situ carbonation. *Appl Geochem*. 27: 2500-2510.
- Orlowski, E. Pleural plaques, asbestos exposure, and asbestos bodies in bronchoalveolar lavage fluid.
- Ortiz, LW; Ettinger, HJ; Fairchild, CI. (1975). Calibration standards for counting asbestos. *Am Ind Hyg Assoc J*. 36: 104-112.
- Osaka, M; Miwa, S; Tanaka, K; Akutsu, Y; Ikeda, K; Mimura, H; Suzuki, T; Usuki, T; Yano, T. (2011). Reformation of hazardous wastes into useful supporting materials for fast reactor fuels. *Annals of Nuclear Energy*. 38: 2661-2666.
- Oscarson, DW; van Scoyoc, GE; Ahlrichs, JL. (1981). Effect of Poly-2-vinylpyridine-N-oxide and Sucrose on Silicate-Induced Hemolysis of Erythrocytes. *J Pharm Sci*. 70: 657-659.
- Osgood, CJ. (1994). Refractory ceramic fibers (RCFs) induce germline aneuploidy in Drosophila oocytes. *Mutat Res*. 324: 23-27.
- Otsuki, T; Sakaguchi, H; Tomokuni, A; Aikoh, T; Matsuki, T; Kawakami, Y; Kusaka, M; Ueki, H; Kita, S; Ueki, A. (1998). Soluble Fas mRNA is dominantly expressed in cases with silicosis. *Immunology*. 94: 258-262.
- Ott, H; Heise, SJ; Sutarto, R; Hu, Z; Chang, CF; Hsieh, HH; Lin, HJ; Chen, CT; Tjeng, LH. (2006). Soft X-ray magnetic circular dichroism study on Gd-doped EuO thin films. *Physical Review B*. 7309: 4407-4407.
- Ottaviani, M; Marconi, A; Magnatti, P. (1986). Asbestos Fiber Removal During Effluent Wastewater Treatment. *Pilot Plant Evaluation. Studies in Environmental Science*335-343.
- Otterson, EJ; Arra, MC. (1974). Potential hazards of asbestos in periodontal packs. *The Journal of the Wisconsin Dental Association*. 50: 435-438.
- Otto, CM; Downend, AB; Serpell, JA; Ziemer, LS; Saunders, HM. (2004). Medical and behavioral surveillance of dogs deployed to the World Trade Center and the Pentagon from October 2001 to June 2002. *Javma-Journal of the American Veterinary Medical Association*. 225: 861-867.
- Ouellet, S; Yang, H; Aubin, RA; Hawley, RG; Wenckebach, GF; Lemaire, I. (1993). Bidirectional modulation of TNF-alpha production by alveolar macrophages in asbestos-induced pulmonary fibrosis. *J Leukoc Biol*. 53: 279-286.
- Owen, WG. (1965). Mesothelial tumors and exposure to asbestos dust. *Ann N Y Acad Sci*. 132: 674-679.
- Oxtoby, K. (2009). The lethal legacy of asbestos. *Nurs Times*. 105: 34-36.
- Ozcan, S; Ozaytekin, HH. (2011). Soil formation overlying volcanic materials at Mount Erenler, Konya, Turkey. *Turkish Journal of Agriculture and Forestry*. 35: 545-562.
- Pacella, A; Conti, S; Minelli, G; Manno, V; Iavarone, I; Comba, P; Scondotto, S; Cernigliaro, A. (2014). Health impact of the exposure to fibres with fluoro-edenitic composition on the residents in Biancavilla (Sicily, Italy): mortality and hospitalization from current data. *Ann Ist Super Sanita*. 50: 119-126.
- Packman, PM; Jakoby, WB. (1970). [60] Quinolate phosphoribosyltransferase (pseudomonas). *Methods Enzymol*501-505.
- Page, M; Dumas, L. (1986). MULTIPARAMETRIC ANALYSIS OF SYNTHETIC FIBERS AND NORMAL MINERAL FIBERS. *Uicc*. 0: 963-905.

Environmental Hazard Literature Search Results

Off Topic

- Pagliara, S; Sangaletti, L; Goldoni, A; Kim, C; Shen, ZX; Revcolevschi, A; Dhalenne, G; Parmigiani, F. (2002). Coexistence of interfering and noninterfering channels in resonant photoemission spectra across the Cu 2p → 3d threshold. *Physical Review B*. 6520: 5107-5107.
- Paglietti, F; Malinconico, S; della Staffa, BC; Bellagamba, S; De Simone, P. (2016). Classification and management of asbestos-containing waste: European legislation and the Italian experience. *Waste Manag*. 50: 130-150.
- Pailles, WH; Judy, DJ; Resnick, H; Castranova, V. (1984). Relative effects of asbestos and wollastonite on alveolar macrophages. *J Toxicol Environ Health*. 14: 497-510.
- Paine, AJ; Williams, LJ; Legg, RF. (1979). Apparent maintenance of cytochrome P 450 by nicotinamide in primary cultures of rat hepatocytes. *Life Sci*. 24: 2185-2191.
- Paurolo, PC; Bernatz, PH; Harrison, EG. (1973). Surgical implications of parietal pleural plaques. *The Surgical clinics of North America*. 53: 867-873.
- Paixao, JA; Detlefs, C; Longfield, MJ; Caciuffo, R; Santini, P; Bernhoeft, N; Rebizant, J; Lander, GH. (2002). Triple-q over-right-arrow octupolar ordering in NpO(2). *Physical Review Letters*. 8918: 7202-7202.
- Pakdel, F; Petit, F; Anglade, I; Kah, O; Delaunay, F; Bailhache, T; Valotaire, Y. (1994). Overexpression of rainbow trout estrogen receptor domains in *Escherichia coli*: characterization and utilization in the production of antibodies for immunoblotting and immunocytochemistry. *Molecular and Cellular Endocrinology*. 104: 81-93.
- Pal, S; Xueref-Remy, I; Ammoura, L; Chazette, P; Gibert, F; Royer, P; Dieudonné, E; Dupont, JC; Haeffelin, M; Lac, C; Lopez, M; Morille, Y; Ravetta, F. (2012). Spatio-temporal variability of the atmospheric boundary layer depth over the Paris agglomeration: An assessment of the impact of the urban heat island intensity. *Atmos Environ*. 63: 261-275.
- Paleari, A; Chiodini, N; Di Martino, D; Meinardi, F. (2005). Radiative decay of vacuum-ultraviolet excitation of silica synthesized by molecular precursors of Si-Si sites: An indicator of intracenter relaxation of neutral oxygen vacancies. *Physical Review B*. 7107: 5101-5101.
- Palekar, LD; Cook, PM; Coffin, DL. (1983). In vitro effects of mineral fibers. *Environ Health Perspect*. 51: 11-16.
- Palekar, LD; Eyre, JF; Most, BM; Coffin, DL. (1987). Metaphase and anaphase analysis of V79 cells exposed to erionite, UICC chrysotile and UICC crocidolite. *Carcinogenesis*. 8: 553-560.
- Palekar, LD; Spooner, CM; Coffin, DL. (1979). Influence of crystallization habit of minerals on in vitro cytotoxicity. *Ann N Y Acad Sci*. 330: 673-686.
- Pallesen, BE. (1996). The quality of combine-harvested fibre flax for industrial purposes depends on the degree of retting. *Ind Crop Prod*. 5: 65-78.
- Palominos, MA; Vilches, D; Bossel, E; Soto-Arriaza, MA. (2016). Interaction between amphiphatic triblock copolymers and L- α -dipalmitoyl phosphatidylcholine large unilamellar vesicles. *Colloids Surf B Biointerfaces*. 148: 30-40.
- Pampalon, R; Siemiatycki, J; Blanchet, M. (1982). (Environmental Pollution by Asbestos and Public Health in Quebec.). *Union Medicale du Canada*. 111: 475-488.
- Pan, J; Yang, Y-L; Zhang, G; Shi, J-L; Zhu, X-H; Li, Y; Yu, H-Q. (2011). Simultaneous observation of seasonal variations of beryllium-7 and typical POPs in near-surface atmospheric aerosols in Guangzhou, China. *Atmos Environ*. 45: 3371-3380.
- Panduri, V; Weitzman, SA; Chandel, N; Kamp, DW. (2003). The mitochondria-regulated death pathway mediates asbestos-induced alveolar epithelial cell apoptosis. *Am J Respir Cell Mol Biol*. 28: 241-248.
- Pang, TW; Robinson, AE. (1981). A technique to prepare asbestos air samples for light and electron microscopy. *Br J Ind Med*. 38: 389-393.
- Pang, TWS; Schonfeld-Starr, FA; Patel, K. (1989). An improved membrane filter technique for evaluation of asbestos fibers. *Am Ind Hyg Assoc J*. 50: 174-180.
- Pantel, R; Cheynet, MC; Tichelaar, FD. (2006). Comparison of Si and Ge low-loss spectra to interpret the Ge contrast in EFTEM images of Si(1-x)Ge(x) nanostructures. *Micron*. 37: 657-665.
- Paoletti, L; Caiazza, S; Donelli, G; Pocchiari, F. (1984). Evaluation by electron microscopy techniques of asbestos contamination in industrial, cosmetic, and pharmaceutical talcs. *Regul Toxicol Pharmacol*. 4: 222-235.
- Papliaka, ZE; Vaccari, L; Zanini, F; Sotiropoulou, S. (2015). Improving FTIR imaging speciation of organic compound residues or their degradation products in wall painting samples, by introducing a new thin section preparation strategy based on cyclododecane pre-treatment. *Anal Bioanal Chem*. 407: 5393-5403.
- Paradis, G. (2010). Exporting death made in Quebec. *Canadian journal of public health = Revue canadienne de santé publique*. 101: 112.
- Paradis, G. (2012). Asbestos: avoiding a pyrrhic victory. *Canadian journal of public health = Revue canadienne de santé publique*. 103: e321.
- Parfett, CLJ; Marquardt, T; Pilon, R. (2000). Promotion of morphological transformation by di-n-butyltin dichloride in C3H/10T1/2 cells: Prediction by prior expression of tumour promoter-responsive genes. *Food Chem Toxicol*. 38: 339-349.
- Parfett, CLJ; Pilon, R; Barlow, JW; Caldeira, AA. (1996). Altered abundance of multiple, oxidant-inducible mRNA species in C3H/10T1/2 cells following exposure to asbestos or reactive oxygen species. *In Vitro Toxicol*. 9: 403-417.
- Parfett, CLJ; Pilon, R; Caldeira, AA. (1996). Asbestos promotes morphological transformation and elevates expression of a gene family invariably induced by tumor promoters in C3H/10T1/2 cells. *Carcinogenesis*. 17: 2719-2726.
- Park, D. (1964). Some properties of a staling substance from *Fusarium oxysporum*. *Transactions of the British Mycological Society*. 47: 541-546.
- Park, JK; Moon, YP; Park, BC; Song, MJ; Ko, KS; Cho, JM. (2001). Non-combustible waste vitrification with plasma torch melter. *Journal of Environmental Science and Health Part a-Toxic/Hazardous Substances & Environmental Engineering*. 36: 861-871.
- Park, K; Park, J; Lee, S; Cho, H-j; Kang, M. (2012). Real time measurement of chemical composition of submicrometer aerosols at urban Gwangju in Korea by aerosol mass spectrometer. *Atmos Environ*. 62: 281-290.

Environmental Hazard Literature Search Results

Off Topic

- Parker, GG; Tibbs, DJ. (2004). Structural phenology of the leaf community in the canopy of a *Liriodendron tulipifera* L. forest in Maryland, USA. *Forest Science*. 50: 387-397.
- Parkes, WR. (1973). Asbestos-related disorders. *Br J Dis Chest*. 67: 261-300.
- Parlin, TB. (2008). State Legislative Solutions to Silica/Mixed-Dust Claims. *Environmental Claims Journal*. 20: 96-109.
- Parloff, R. (2004). Tort lawyers: there they go again! *Fortune*. 150: 186-188, 190, 193-184 passim.
- Parrish, RG; Hartle, R; Groth, D. (1985). Health Hazard Evaluation Report HETA 83-044-1596, General Electric Plant, Evendale, Ohio.
- Parry, WT. (1985). Calculated solubility of chrysotile asbestos in physiological systems. *Environ Res*. 37: 410-418.
- Parsons, RC; Bryant, DG; Edstrom, HW. (1986). Variations in fiber and dust counts in an asbestos mine and mill. *Ann Occup Hyg*. 30: 63-76.
- Pasquier, LC; Mercier, G; Blais, JF; Cecchi, E; Kentish, S. (2014). Reaction Mechanism for the Aqueous-Phase Mineral Carbonation of Heat-Activated Serpentine at Low Temperatures and Pressures in Flue Gas Conditions. *Environmental Science & Technology*. 48: 5163-5170.
- Pass, HI; Carbone, M; Wali, A. (2006). Asbestos exposure and serum osteopontin - Reply. *N Engl J Med*. 354: 305-305.
- Passone, MA; Rosso, LC; Etcheverry, M. (2012). Influence of sub-lethal antioxidant doses, water potential and temperature on growth, sclerotia, aflatoxins and aFD (=nor-1) expression by *Aspergillus flavus* RCP08108. *Microbiological Research*. 167: 470-477.
- Pastuszka, JS. (2009). Emission of airborne fibers from mechanically impacted asbestos-cement sheets and concentration of fibrous aerosol in the home environment in Upper Silesia, Poland. *J Hazard Mater*. 162: 1171-1177.
- Pastuszka, JS; U, KTP; Kabala-Dzik, A; Kohyama, N; Sokal, JA. (2000). Respirable airborne fibers in the home environment in upper silesia, Poland, compared with Davis, California. *J Aerosol Sci*. 31, Supplement 1: 484-485.
- Patel, N; Jones, DK; Raven, EL. (2000). Investigation of the haem-nicotinate interaction in leghaemoglobin - Role of hydrogen bonding. *Eur J Biochem*. 267: 2581-2587.
- Patel-Mandlik, K; Millette, J. (1983). Accumulation of ingested asbestos fibers in rat tissues over time. *Environ Health Perspect*. 53: 197-200.
- Patel-Mandlik, KJ; Hallenbeck, WH; Millette, JR. (1979). Asbestos fibers: 1. A modified preparation of tissue samples for analysis by electron microscopy. 2. Presence of fibers in tissues of baboon fed chrysotile asbestos. *J Environ Pathol Toxicol*. 2: 1385-1395.
- Patel-Mandlik, KJ; Manos, CG; Lisk, DJ. (1988). Absence of asbestos in municipal sewage sludge ashes. *Bull Environ Contam Toxicol*. 40: 703-706.
- Patel-Mandlik, KJ; Manos, CG; Lisk, DJ. (1988). Analysis of municipal refuse incinerator ashes for asbestos. *Bull Environ Contam Toxicol*. 41: 844-846.
- Patel-Mandlik, KJ; Manos, CG; Lisk, DJ. (1988). Identification of asbestos and glass fibers in sewage sludges of small New York State cities. *Chemosphere*. 17: 1025-1032.
- Patel-Mandlik, KJ; Millette, JR. (1980). Evidence of migration of ingested asbestos into various baboon organs. *Scan Electron Microsc*. 1: 347-354.
- Paterour, MJ; Bignon, J; Jaurand, MC. (1985). In vitro transformation of rat pleural mesothelial cells by chrysotile fibres and/or benzo[a]pyrene. *Carcinogenesis*. 6: 523-529.
- Paterour, MJ; Renier, A; Bignon, J; Jaurand, MC. (1984). INDUCTION OF TRANSFORMATION IN CULTURED RAT PLEURAL MESOTHELIAL CELLS BY CHRYSOTILE FIBERS. *Beck, E G And J Bignon*. 0: 203-208.
- Patra, P; Bhambhani, T; Nagaraj, DR; Somasundaran, P. (2012). Impact of pulp rheological behavior on selective separation of Ni minerals from fibrous serpentine ores. *Colloids and surfaces*. 411: 24-26.
- Pattnaik, BK; Equeenuddin, SM. (2016). Potentially toxic metal contamination and enzyme activities in soil around chromite mines at Sukinda Ultramafic Complex, India. *J Geochem Explor*. 168: 127-136.
- Paustenbach, DJ; Finley, BL; Lu, ET; Brorby, GP; Sheehan, PJ. (2004). Untitled - Reply. *Journal of Toxicology and Environmental Health-Part B-Critical Reviews*. 7: 482-483.
- Paustenbach, DJ; Finley, BL; Sheehan, PJ; Brorby, GP. (2006). Re: Evaluation of the size and type of free particulates collected from unused asbestos-containing brake components as related to potential for respirability. *Am J Ind Med*. 49: 60-61; author reply 62-64.
- Pavan, C; Tomatis, M; Ghiazza, M; Rabolli, V; Bolis, V; Lison, D; Fubini, B. (2013). In search of the chemical basis of the hemolytic potential of silicas. *Chem Res Toxicol*. 26: 1188-1198.
- Pawełczyk, A; Bożek, Fe; Grabas, K; Chmąćmanowski, J. Chemical elimination of the harmful properties of asbestos from military facilities. *Waste Manag*.
- Pawelczyk, A; Bozek, F. (2015). Health risk associated with airborne asbestos. *Environ Monit Assess*. 187: 428-428.
- Peacock, PR. (1968). Detection o asbestos in asbestos bodies. *Lancet (London, England)*. 1: 1153-1154.
- Pearson, MG. (1991). Asbestos exposure and airways obstruction. *Respir Med*. 85: 344-346.
- Peck, AS; Serocki, JJ; Dicker, LC. (1985). Airborne asbestos measurement: preliminary findings identify a new source of variability in the membrane filter method. *Am Ind Hyg Assoc J*. 46: B14-16.
- Peck, AS; Serocki, JJ; Dicker, LC. (1986). SAMPLE DENSITY AND THE QUANTITATIVE CAPABILITIES OF PHASE-CONTRAST MICROSCOPY ANALYSIS FOR THE MEASUREMENT OF AIRBORNE ASBESTOS. *Am Ind Hyg Assoc J*. 47: A-234.
- Peeters-Joris, C; Vaes, G. (1984). Degradation of cartilage proteoglycan and collagen by synovial cells: Stimulation by macrophages under activation by phagocytosis, lymphocyte factors, bacterial products or other inflammatory stimuli. *Biochimica et Biophysica Acta (BBA) - Molecular Cell Research*. 804: 474-486.
- Pele, JP; Dunnigan, J; Calvert, R. (1983). The hemolytic activity of chrysotile asbestos fibers: A freeze-fracture study. *Environ Res*. 31: 152-163.
- Pelfrene, AF. (1977). Early vascular modifications induced by asbestos fibers in the hamster cheek pouch. *Microvasc Res*. 13: 261-266.
- Pelfrene, AF. (1977). Magnesium and cytotoxic effects of asbestos fibers. *Med Lav*. 68: 349-354.
- Pelley, J. (2005). Mine tailings soak up greenhouse gas. *Environmental science & technology*. 39: 60A.

Environmental Hazard Literature Search Results

Off Topic

- Pelosi, G; Coltro, N; Iannucci, A. (1990). The use of cellulose membrane filters for detecting asbestos in sputum specimens. *Acta Cytol.* 34: 588-590.
- Pennington, DN; Hansel, J; Blair, RB. (2008). The conservation value of urban riparian areas for landbirds during spring migration: Land cover, scale, and vegetation effects. *Biological Conservation.* 141: 1235-1248.
- Penny, A. (2015). Thorough training and knowledge are key. *Archivos de bronconeumologia* 51: 152.
- Penone, C; Machon, N; Julliard, R; Le Viol, I. (2012). Do railway edges provide functional connectivity for plant communities in an urban context? *Biological Conservation.* 148: 126-133.
- Perderiset, M; Marsh, JP; Mossman, BT. (1991). Activation of protein kinase C by crocidolite asbestos in hamster tracheal epithelial cells. *Carcinogenesis.* 12: 1499-1502.
- Pereira, JA; Silva, P; Matos, TJS; Patarata, L. (2015). Shelf Life Determination of Sliced Portuguese Traditional Blood Sausage-Morcele de Arroz de Monchique through Microbiological Challenge and Consumer Test. *Journal of Food Science.* 80: M642-M648.
- Pereira, JA; Silva, P; Matos, TJS; Patarata, Ls. (2015). Shelf Life Determination of Sliced Portuguese Traditional Blood Sausage-Morcele de Arroz de Monchique through Microbiological Challenge and Consumer Test. *Journal of food science.* 80: M642-M648.
- Pernis, B; Vigliani, EC; Marchisio, MA; Zanardi, S. (1966). Observations on the effect of asbestos on cells "in vitro". *Med Lav.* 57: 721-729.
- Pernis, B; Vigliani, EC; Selikoff, IJ. (1965). Rheumatoid factor in serum of individuals exposed to asbestos. *Ann N Y Acad Sci.* 132: 112-120.
- Perry, DF; LatgÅ%, JP. (1983). The effect of eight fungicides on germination of *Conidiobolus obscurus* resting spores. *J Invertebr Pathol.* 42: 83-86.
- Pertot, WJ. In vivo comparison of the biocompatibility of two root canal sealers implanted into the mandibular bone of rabbits.
- Perumal, P; Khan, MH; Chang, S; Sangma, CTR. (2016). Effect of walking and summer stress on physiological, hematological and antioxidant profiles in mithun bulls. *Indian Journal of Animal Sciences.* 86: 751-757.
- Peto, J. (1979). Dose-response relationships for asbestos-related disease: implications for hygiene standards. Part II. Mortality. *Ann N Y Acad Sci.* 330: 195-203.
- Peto, J. (1984). Early- and late-stage carcinogenesis in mouse skin and in man. *IARC Sci Publ.* 56: 359-371.
- Petruska, JM; Marsh, J; Bergeron, M; Mossman, BT. (1990). Brief inhalation of asbestos compromises superoxide production in cells from bronchoalveolar lavage. *Am J Respir Cell Mol Biol.* 2: 129-136.
- Pezerat, H. (1989). Production of oxygen radicals by the reduction of oxygen arising from the surface activity of mineral fibres. *IARC Sci Publ.*
- Pfau, JC; Brown, JM; Holian, A. (2004). Silica-exposed mice generate autoantibodies to apoptotic cells. *Toxicology.* 195: 167-176.
- Pfau, JC; Sentissi, JJ; Li, S; Calderon-Garciduenas, L; Brown, JM; Blake, DJ. (2008). Asbestos-induced autoimmunity in C57BL/6 mice. *J Immunotoxicol.* 5: 129-137.
- Phelka, AD. (2013). Potential health hazards associated with exposures to asbestos-containing drywall accessory products: A state-of-the-science assessment (vol 42, pg 1, 2012). *Crit Rev Toxicol.* 43: 184-184.
- Pigott, GH; Gaskell, BA; Ishmael, J. (1981). Effects of Long Term Inhalation of Alumina Fibres in Rats. *Br J Exp Pathol.* 62: 323-331.
- Pigott, GH; Ishmael, J. (1981). An assessment of the fibrogenic potential of two refractory fibres by intraperitoneal injection in rats. *Toxicol Lett.* 8: 153-163.
- Piperno, S; Kaplan-Ashiri, I; Cohen, SR; Popovitz-Biro, R; Wagner, HD; Tenne, R; Foresti, E; Lesci, IG; Roveri, N. (2007). Characterization of geoinspired and synthetic chrysotile nanotubes by atomic force microscopy and transmission electron microscopy. *Adv Funct Mater.* 17: 3332-3338.
- Piyasena, P; McKellar, RC; Bartlett, FM. (2003). Thermal inactivation of *Pediococcus* sp. in simulated apple cider during high-temperature short-time pasteurization. *International Journal of Food Microbiology.* 82: 25-31.
- Plamenac, P; Tomi; Pikula, B; Kahvi; Markovi; Selak, I; Zeger-Vidovi. (1974). Pleural plaques and splenic capsular sclerosis in urban and rural series of autopsy cases. *Acta medica Iugoslavica.* 28: 201-217.
- PlavÅjiÄš, M; Bilinski, H; Branica, M. (1987). Voltammetric study of adsorption of cu(II) species on solid particles added to seawater. *Marine Chemistry.* 21: 151-160.
- Plavsic, M. (2003). Electroanalytical techniques applied for studying the interaction of organic matter and particles with metal ions in natural waters. *Analytical Letters.* 36: 145-160.
- Plescia, P; Gizzi, D; Benedetti, S; Camilucci, L; Fanizza, C; De Simone, P; Paglietti, F. (2003). Mechanochemical treatment to recycling asbestos-containing waste. *Waste Manag.* 23: 209-218.
- Plowman, C. (1973). Effect of heat on the identification of asbestos by x-ray diffraction. *Nature.* 244: 280.
- Plowman, C; Hobson, E. (1980). The identification of asbestos by x-ray diffraction. *Am Ind Hyg Assoc J.* 41: 299-304.
- Polednak, AP. (1974). Latency periods in neoplastic diseases. *Am J Epidemiol.* 100: 354-356.
- Polimeni, M; Gazzano, E; Ghiazza, M; Fenoglio, I; Bosia, A; Fubini, B; Ghigo, D. (2008). Quartz inhibits glucose 6-phosphate dehydrogenase in murine alveolar macrophages. *Chem Res Toxicol.* 21: 888-894.
- Pollastri, S; D'Acapito, F; Trapananti, A; Colantoni, I; Andreozzi, GB; Gualtieri, AF. (2015). The chemical environment of iron in mineral fibres. A combined X-ray absorption and MÅšbauer spectroscopic study. *J Hazard Mater.* 298: 282-293.
- Pollastri, S; D'Acapito, F; Trapananti, A; Colantoni, I; Andreozzi, GB; Gualtieri, AF. (2015). The chemical environment of iron in mineral fibres. A combined X-ray absorption and MÅšbauer spectroscopic study. *J Hazard Mater.* 298: 282-293.
- Pollastri, S; Gualtieri, AF; Gualtieri, ML; Hanuskova, M; Cavallo, A; Gaudino, G. (2014). The zeta potential of mineral fibres. *J Hazard Mater.* 276: 469-479.
- Pontefract, RD. Penetration of asbestos through the digestive wall in rats. *Dec 1974,* 9: 213-214.
- Pontefract, RD; Cunningham, HM. (1973). Letter: Penetration of asbestos through the digestive tract of rats. *Nature.* 243: 352-353.

Environmental Hazard Literature Search Results

Off Topic

- Ponti, J; Broggi, F; Mariani, V; De Marzi, L; Colognato, R; Marmorato, P; Gioria, S; Gilliland, D; Garcia, CP; Meschini, S; Stringaro, A; Molinari, A; Rauscher, H; Rossi, F. (2013). Morphological transformation induced by multiwall carbon nanotubes on Balb/3T3 cell model as an in vitro end point of carcinogenic potential. *Nanotoxicology*. 7: 221-233.
- Pontius, FW. (1999). Complying with future water regulations: With regulatory activity picking up momentum into 2000, utilities must anticipate and strategically plan for compliance. *American Water Works Association Journal*. 91: 46-58.
- Poole, A; Brown, RC. (1986). COMPARISON OF THE IN-VITRO GENOTOXIC ACTIVITIES OF THREE CARCINOGENIC MINERAL DUSTS. 10th Annual Meeting Of The United Kingdom Environmental Mutagen Society, Manchester, England, Apr. 1: 385.
- Poole, A; Brown, RC; Fleming, GT. (1983). Study of the cell-transforming ability of amosite and crocidolite asbestos and the ability to induce changes in the metabolism and macromolecular binding of benzo(a)pyrene in C3H10T1/2 cells. *Environ Health Perspect*. 51: 319-324.
- Pooley, FD. (1972). Electron microscope characteristics of inhaled chrysotile asbestos fibre. *Br J Ind Med*. 29: 146-153.
- Pooley, FD. (1974). Proceedings: The recognition of various types of asbestos as minerals, and in tissues. *Clin Sci Mol Med*. 47: 11P-12P.
- Pooley, FD. (1981). Mineralogy of asbestos: the physical and chemical properties of the dusts they form. *Semin Oncol*. 8: 243-249.
- Pooley, FD; Rowlands, N. (1975). Chemical and physical properties of British talc powders. *Inhaled Particles*. 4 Pt 2: 639-646.
- Poppendieck, DG; Ng, LC; Persily, AK; Hodgson, AT. (2015). Long term air quality monitoring in a net-zero energy residence designed with low emitting interior products. *Build Environ*. 94, Part 1: 33-42.
- Porter, RA; Ginn, PE; Dame, JB; Greiner, EC. (2001). Evaluation of the shedding of *Sarcocystis falcatula* sporocysts in experimentally infected Virginia opossums (*Didelphis virginiana*). *Veterinary Parasitology*. 95: 313-319.
- Porto, ALM; Cassiola, Fv; Dias, SLP; Joekes, Is; Gushikem, Y; Rodrigues, JAR; Moran, PJS; Manfio, GP; Marsaioli, AJ. (2002). *Aspergillus terreus* CCT 3320 immobilized on chrysotile or cellulose/TiO₂ for sulfide oxidation. *Journal of Molecular Catalysis B: Enzymatic*. 19: 327-334.
- Postman, BF. (1962). Dust control in the asbestos textile industry. *Am Ind Hyg Assoc J*. 23: 67-74.
- Potapovich, AI; Kostyuk, VA. (2003). Comparative study of antioxidant properties and cytoprotective activity of flavonoids. *Biochemistry-Moscow*. 68: 514-519.
- Potel, Sb; Maison, T; Maillet, M; Sarr, A-C; Doublie, MP; Trullenque, G; Mählmann, RF. (2016). Reliability of very low-grade metamorphic methods to decipher basin evolution: Case study from the Markstein basin (Southern Vosges, NE France). *Appl Clay Sci*. 134, Part 3: 175-185.
- Pott, F; Roller, M; Ziem, U; Reiffer, FJ; Bellmann, B; Rosenbruch, M; Huth, F. (1989). Carcinogenicity studies on natural and man-made fibres with the intraperitoneal test in rats. *IARC Sci Publolyvinylpyridine-N*.
- Poulain, AJ; Orihel, DM; Amyot, M; Paterson, MJ; Hintelmann, H; Southworth, GR. (2006). Relationship between the loading rate of inorganic mercury to aquatic ecosystems and dissolved gaseous mercury production and evasion. *Chemosphere*. 65: 2199-2207.
- Poulain, AJ; Orihel, DM; Amyot, M; Paterson, MJ; Hintelmann, H; Southworth, GR. (2006). Relationship to aquatic between the loading rate of inorganic mercury ecosystems and dissolved gaseous mercury production and evasion. *Chemosphere*. 65: 2199-2207.
- Power, IM; Dipple, GM; Southam, G. (2010). Bioleaching of Ultramafic Tailings by *Acidithiobacillus* spp. for CO₂ Sequestration. *Environmental Science & Technology*. 44: 456-462.
- Power, IM; Wilson, SA; Dipple, GM; Southam, G. (2011). Modern carbonate microbialites from an asbestos open pit pond, Yukon, Canada. *Geobiology*. 9: 180-195.
- Power, ML; Ryan, UM. (2008). A NEW SPECIES OF CRYPTOSPORIDIUM (APICOMPLEXA: CRYPTOSPORIDIIDAE) FROM EASTERN GREY KANGAROOS (*MACROPUS GIGANTEUS*). *J Parasitol*. 94: 1114-1117.
- Poynter, ME; Janssen-Heininger, YMW; Buder-Hoffmann, S; Taatjes, DJ; Mossman, BT. (1999). Measurement of oxidant-induced signal transduction proteins using cell imaging. *Free Radic Biol Med*. 27: 1164-1172.
- Pratt, PC. (1992). Was the literature "corrupted"? *Am J Ind Med*. 22: 609-613.
- Preece, NE; Cerdan, S. (1993). Determining 15N to 14N Ratios in Biofluids by Single-Pulse 1H Nuclear Magnetic Resonance. *Anal Biochem*. 215: 180-183.
- Prego, R; Caetano, M; Bernardez, P; Brito, P; Ospina-Alvarez, N; Vale, C. (2012). Rare earth elements in coastal sediments of the northern Galician shelf: Influence of geological features. *Continental Shelf Research*. 35: 75-85.
- Preston, ARH; Ruck, BJ; Lambrecht, WRL; Piper, LFJ; Downes, JE; Smith, KE; Trodahl, HJ. (2010). Electronic band structure information of GdN extracted from x-ray absorption and emission spectroscopy. *Appl Phys Lett*. 96: 32101-32101.
- Price, B. (2004). Radiographic abnormalities and asbestos exposure: Libby, Montana. *Environ Health Perspect*. 112: A82-A83.
- Price, B. (2008). Rapporteur's Report Session 5: Experimental animal and epidemiological studies of asbestos and non-asbestos tremolite including ingestion studies. *Regul Toxicol Pharmacol*. 52: S204-S206.
- Price, B. (2008). Rapporteur's Report Session 5: assessment of health risk associated with exposure to non-asbestiform amphiboles including ingestion studies. *Regulatory toxicology and pharmacology : RTP*. 52: S204-206.
- Price-Jones, MJ; Gubbings, G; Chamberlain, M. (1980). The genetic effects of crocidolite asbestos; comparison of chromosome abnormalities and sister-chromatid exchanges. *Mutation Research/Genetic Toxicology*. 79: 331-336.
- Priestly, BG; Bartholomaeus, A; Drew, R. (2014). Hazards of Food Contact Material: Nanotechnologies and Nanomaterials A2 - Motarjemi, Yasmine. *Encyclopedia of Food Safety* Waltham444-448.
- Priestman, DA; Mistry, SC; Kerbey, AL; Randle, PJ. (1992). Purification and partial characterization of rat liver pyruvate dehydrogenase kinase activator protein (free pyruvate dehydrogenase kinase). *FEBS Lett*. 308: 83-86.
- Princep, AJ; Mulders, AM; Staub, U; Scagnoli, V; Nakamura, T; Kikkawa, A; Lovesey, SW; Balcar, E. (2011). Triakontadipole and high-order dysprosium multipoles in the antiferromagnetic phase of DyB(2)C(2). *Journal of Physics-Condensed Matter*. 23: 66002-66002.

Environmental Hazard Literature Search Results

Off Topic

- Proctor, J; Woodell, SRJ. (1975). The Ecology of Serpentine Soils. *Advances in Ecological Research* 255-366.
- Prodi, V; De Zaiacomo, T; Hochrainer, D; Spurny, K. (1982). Fibre collection and measurement with the inertial spectrometer. *J Aerosol Sci.* 13: 49-58.
- Pronost, J; Beaudoin, G; Tremblay, J; Larachi, F; Duchesne, J; Hebert, R; Constantin, M. (2011). Carbon Sequestration Kinetic and Storage Capacity of Ultramafic Mining Waste. *Environmental Science & Technology.* 45: 9413-9420.
- Prust, RS. (1979). Future problems to be anticipated: demolition, repair, and disposal. *Ann N Y Acad Sci.* 330: 545-547.
- Puffei, JH; Germine, M; Maresca, GP. (1987). Rutile fibers in surface waters of northern New Jersey. *Arch Environ Contam Toxicol.* 16: 103-109.
- Puffer, JH; Germine, M; Hurtubise, DO; Mrotek, KA; Bello, DM. (1980). Asbestos Distribution in the Central Serpentine District of Maryland-Pennsylvania. *Environ Res.* 23: 233-246.
- Pugnaloni, A; Lucarini, G. In vitro study of biofunctional indicators after exposure to asbestos-like fluoro-edenite fibres.
- Pugnaloni, A; Lucarini, G; Rubini, C; Smorlesi, A; Tomasetti, M; Strafella, E; Armeni, T; Gualtieri, AF. (2015). Raw and thermally treated cement asbestos exerts different cytotoxicity effects on A549 cells in vitro. *Acta Histochem.* 117: 29-39.
- Puledda, S. Study of the count-to-mass conversion factor for asbestos fibres in samples collected at the emissions of three industrial plants.
- Puleio, R; Schiavo, MR; Macaluso, G; Manno, C; Loria, GR. (2013). The use of wild animal models to detect evidence of environmental contamination by asbestos-like substance. *Vet Rec.* 172: 398-+.
- Pullan, BR; Chapman, JA; Williams, AR; Taylor, CJ; Hukins, DW; Sharma, H. (1983). Medical biophysics in Manchester. *Engineering in medicine.* 12: 155-156.
- Puvanendran, V; Boyce, DL; Brown, JA. (2003). Food ration requirements of 0+ yellowtail flounder *Limanda ferruginea* (Storer) juveniles. *Aquaculture.* 220: 459-475.
- Qamar, R; Viswanathan, PN; Tandon, SK. (1973). Influence of citrate ions on the dissolution of silica from asbestos. *Med Lav.* 64: 245-249.
- Qin, Y; Ding, Y; Tang, H. (2016). Highly efficient visible-light photocatalytic activity of graphitic carbon nitride prepared from melamine-thiourea molecular composite. *Journal of Environmental Chemical Engineering.* 4: 4374-4384.
- Quaccia, L; Collins, DT; Zarth, BW. A viable alternative to asbestos. *Wines & vines.* June 1974, 55 (6): 46-47.
- Quinlan, TR; BeruBe, KA; Hacker, MP; Taatjes, DJ; Timblin, CR; Goldberg, J; Kimberley, P; O'Shaughnessy, P; Hemenway, D; Torino, J; Jimenez, LA; Mossman, BT. (1998). Mechanisms of Asbestos-induced Nitric Oxide Production by Rat Alveolar Macrophages in Inhalation and in vitro Models 1. *Free Radic Biol Med.* 24: 778-788.
- Quinlan, TR; BeruBe, KA; Hacker, MP; Taatjes, DJ; Timblin, CR; Goldberg, J; Kimberley, P; O'Shaughnessy, P; Hemenway, D; Torino, J; Jimenez, LA; Mossman, BT. (1998). Mechanisms of asbestos-induced nitric oxide production by rat alveolar macrophages in inhalation and in vitro models. *Free Radic Biol Med.* 24: 778-788.
- R&#euml;delsperg; Woitowitz, HJ; Krieger, HG. (1980). Estimation of exposure to asbestos-cement dust on building sites. *IARC Sci Publ.* 30: 845-853.
- R&#euml;zn&#euml;nen, T. (1967). Different hormonal responses of mast cells in gastric mucosa and dermis in the rat. *Scand J Gastroenterol.* 2: 118-123.
- Raboud, PA; Berset, M; Dousse, JC; Maillard, YP. (2002). L(1) atomic-level width of elements 62 <= Z <= 83. *Physical Review A.* 6502: 2512-2512.
- Racine, WP. (2010). Emissions concerns during renovation in the healthcare setting: Asbestos abatement of floor tile and mastic in medical facilities. *J Environ Manage.* 91: 1429-1436.
- Radjenovic, J; Bagastyo, A; Rozendal, RA; Mu, Y; Keller, Jr; Rabaey, K. (2011). Electrochemical oxidation of trace organic contaminants in reverse osmosis concentrate using RuO2/IrO2-coated titanium anodes. *Water Res.* 45: 1579-1586.
- Radnofsky, MI. (1969). History and development of nonflammable material for Apollo spacecraft. *Aerosp Med.* 40: 1181-1185.
- Raffrenato, E; Van Amburgh, ME. (2011). Technical note: Improved methodology for analyses of acid detergent fiber and acid detergent lignin. *J Dairy Sci.* 94: 3613-3617.
- Raghavendra, VB; Lokesh, S; Govindappa, M; VasanthKumar, T. (2007). Dravya&#euml;As an organic agent for the management of seed-borne fungi of sorghum and its role in the induction of defense enzymes. *Pestic Biochem Physiol.* 89: 190-197.
- Rahman, Q; Mahmood, N; Khan, SG; Arif, JM; Athar, M. (1997). Mechanism of asbestos-mediated DNA damage: Role of heme and heme proteins. *Environ Health Perspect.* 105: 1109-1112.
- Rahman, Q; Narang, S; Kaw, JL; Zaidi, SH. (1974). Asbestos induced haemolysis in relation to its silica solubility. *Environmental physiology & biochemistry.* 4: 284-288.
- Rahman, Q; Viswanathan, PN; Tandon, SK. (1974). In vitro dissolution of three varieties of asbestos in physiological fluids. *Work, environment, health.* 11: 39-42.
- Rahman, Q; Viswanathan, PN; Zaidi, SH. (1977). Some new perspectives on the biological effects of asbestos. *Environ Res.* 14: 487-498.
- Rajhans, GS; Bragg, GM. (1975). A statistical analysis of asbestos fiber counting in the laboratory and industrial environment. *Am Ind Hyg Assoc J.* 36: 909-915.
- Rajhans, GS; Bragg, GM; Morton, JS. (1978). A review of asbestos exposures in Ontario. *Am Ind Hyg Assoc J.* 39: 767-771.
- Rajkumar, M; Ma, Y; Freitas, H. (2008). Characterization of metal-resistant plant-growth promoting *Bacillus weihenstephanensis* isolated from serpentine soil in Portugal. *J Basic Microbiol.* 48: 500-508.
- Rall, DP. (1994). Media and science: harmless dioxin, benign CFCs, and good asbestos. *Environ Health Perspect.* 102: 10.
- Ramos-Nino, ME; Haegens, A; Shukla, A; Mossman, BT. (2002). Role of mitogen-activated protein kinases (MAPK) in cell injury and proliferation by environmental particulates. *Mol Cell Biochem.* 234: 111-118.
- Ramos-Nino, ME; Heintz, N; Scapoli, L; Martinelli, M; Land, S; Nowak, N; Haegens, A; Manning, B; Manning, N; MacPherson, M; Stern, M; Mossman, B. (2003). Gene profiling and kinase screening in asbestos-exposed epithelial cells and lungs. *Am J Respir Cell Mol Biol.* 29: S51-S58.

Environmental Hazard Literature Search Results

Off Topic

- Rasanen, T. (1962). Effects of heparin and asbestos with corticotrophin on the mucosal mast cells and tissue eosinophils of rat stomach. *Acta Endocrinol.* 41: 437-440.
- Rasmussen, L; Kludt, TA. (1970). Particulate material as a prerequisite for rapid cell multiplication in Tetrahymena cultures. *Exp Cell Res.* 59: 457-463.
- Raunio, V. (1966). Occurrence of unusual pleural calcification in Finland. Studies on atmospheric pollution caused by asbestos. *Annales medicinae internae Fenniae.* 55: Suppl 47:41-61.
- Rauscher, RJ. (1973). Eventual control and prevention of leukemia and related neoplasms. *Bibl Haematol.* 39: 1236-1238.
- Ray, D; Banerjee, R; Iyer, SD; Mukhopadhyay, S. (2009). Evidences for seawater-rock hydrothermal interaction in the serpentinites from Northern Central Indian Ridge. *Current Science.* 97: 1239-1243.
- Reche, J; MartÃ-nez, FJ. (2008). Exhumation of HTÃ-LP Variscan metapelites from interlayered cordierite-orthoamphibole assemblages (MnNCFMASH System) Catalan Coastal Ranges, NE Iberia. *Comptes Rendus Geoscience.* 340: 288-297.
- Reddy, MS; Natarajan, K. (1995). Effects of the fungicide Dithane M-45 on the growth and mycorrhizal formation of Pinus patula seedlings. *Soil Biol Biochem.* 27: 1503-1504.
- Rees, D; Issah, W. (2000). Don't forget the ferruginous bodies. *South African medical journal = Suid-Afrikaanse tydskrif vir geneeskunde.* 90: 128.
- Reger, RB; Cole, WS; Sargent, EN; Wheeler, PS. (1990). Cases of alleged asbestos-related disease: A radiologic re-evaluation. *J OCCUP MED.* 32: 1088-1090.
- Regunathan, P. (1985). OVERVIEW OF POINT-OF-USE WATER TREATMENT TECHNOLOGY. Rice, R G *Safe Drinking Water: The Impact Of Chemicals On A Limited Resource.* 0: 43-62.
- Reid, ME; Craven, G. (1996). Geologic sources of asbestos in Seattle's Tolt Reservoir. *NW Sci.* 70: 48-54.
- Reinstein, L; Kazan-Allen, L. (2007). Asbestos update. *Am J Ind Med.* 50: 73-75.
- Reiss, B; Solomon, S; Tong, C; Levenstein, M; Rosenberg, SH; Williams, GM. (1982). Absence of Mutagenic Activity of Three Forms of Asbestos in Liver Epithelial Cells. *Environ Res.* 27: 389-397.
- Reitze, W. (1979). Industrial hygiene perspectives in control of asbestos exposure. *Ann N Y Acad Sci.* 330: 223-224.
- Reitze, WB; Holaday, DA; Romer, H; Fenner, EM. (1971). SU 24F - CONTROL OF ASBESTOS FIBER EMISSIONS FROM INDUSTRIAL AND COMMERCIAL SOURCES: LE CONTROLE D'EMISSION DE FIBRES AMIANTES DES SOURCES INDUSTRIELLES. *Proceedings of the Second International Clean Air Congress* 100-103.
- Relini, G; Relini Orsi, L. (1971). (Fouling in the polluted zone. Observations in Genoa harbour I.Cirripedi). *Pubbl Stn Zool Napoli.* 38: 125-144.
- Rendall, RE. (1980). Physical and chemical characteristics of UICC reference samples. *IARC Sci Publ.* 30: 87-96.
- Rendall, RE; Skikne, MI. (1980). Submicroscopic fibres in industrial atmospheres. *IARC Sci Publ.* 30: 837-843.
- Reneau, RB; Carlisle, VW. Clay mineral differential thermograms as affected by fired asbestos. 1970 (Pub. 1971), 30th: 315-320.
- Renier, A; Fleury, J. Toxicity of an attapulgitic sample studied in vivo and in vitro.
- Renier, A; Laval, F; Jaurand, MC; McConnell, EE. (1995). Fibrogenic effect of wollastonite compared with asbestos dust and dusts containing quartz. *Mutat Res.* 331: 197-204.
- Renier, A; Levy, F; Pilliere, F; Jaurand, MC. (1990). Unscheduled DNA synthesis in rat pleural mesothelial cells treated with mineral fibres. *Mutat Res.* 241: 361-367.
- Renier, A; Yegles, M; Buard, A; Dong, HLDPCeieMšdlECHUHMF; Kheuang, L. Use of mesothelial cell cultures to assess the carcinogenic potency of mineral or man made fibers.
- Renner, R. (1999). Asbestos dust stirs trouble in Sierra Nevada foothills. *Environmental Science & Technology.* 33: 348A-349A.
- Renner, R. (2000). Health - Asbestos in the air. *Sci Am.* 282: 34-34.
- Renner, R. (2007). Chrysotile on ice. *Environ Health Perspect.* 115: A130-A130.
- Renner, R. (2007). Policy: chrysotile on ice. *Environ Health Perspect.* 115: A130.
- Renner, R. (2007). US EPA to revisit asbestos toxicity. *Environmental Science & Technology.* 41: 1808-1809.
- Resa, CPO; Gerschenson, LN; Jagus, RJ. (2016). Starch edible film supporting natamycin and nisin for improving microbiological stability of refrigerated argentinian Port Salut cheese. *Food Control.* 59: 737-742.
- Rey, F; Boutin, C; Steinbauer, J; Viallat, JR; Alessandrini, P. Environmental pleural plaques in an asbestos exposed population of northeast Corsica.
- Ribak, J. (1994). Inconsistencies and delays in asbestos evaluations. *Am J Ind Med.* 25: 455-456.
- Richards, RJ; Desai, R; Hext, PM; Rose, FA. (1975). Biological reactivity of PVC dust. *Nature.* 256: 664-665.
- Richter, ED; Chlamtac, N. (2001). Bibliography of research and policy regarding asbestos in Israel. *Public Health Rev.* 29: 265-267.
- Rickards, AL. (1973). Estimation of submicrogram quantities of chrysotile asbestos by electron microscopy. *Anal Chem.* 45: 809-811.
- Rickert, RR. (1974). Technique for the systematic examination of colon--rectum specimens. *Environ Health Perspect.* 9: 237.
- Rigdon, RH. (1975). Tissue reaction to foreign materials. *CRC Crit Rev Toxicol.* 3: 435-476.
- Rimoldi, S; Terova, G; Brambilla, F; Bernardini, G; Gornati, R; Saroglia, M. (2009). Molecular characterization and expression analysis of Na⁺/H⁺ exchanger (NHE)-1 and c-Fos genes in sea bass (*Dicentrarchus labrax*, L) exposed to acute and chronic hypercapnia. *Exp Mar Bio Ecol.* 375: 32-40.
- Rincon, A; Marangoni, M; Cetin, S; Bernardo, E. (2016). Recycling of inorganic waste in monolithic and cellular glass-based materials for structural and functional applications. *J Chem Tech Biotechnol.* 91: 1946-1961.
- Rindi, F; Guiry, MD. (2002). Diversity, life history, and ecology of Trentepohlia and Printzina (trentepohliales, chlorophyta) in urban habitats in Western Ireland. *J Phycol.* 38: 39-54.

Environmental Hazard Literature Search Results

Off Topic

- RistiÄ±, M; CzakaÄ±-Nagy, I; MusiÄ±, S; VÄ±rtes, A. (2011). Spectroscopic characterization of chrysotile asbestos from different regions. *Journal of molecular structure*. 993: 120-126.
- Rita, P; Reddy, PP. (1986). Effect of chrysotile asbestos fibers on germ cells of mice. *Environ Res*. 41: 139-143.
- Roach, SA. (1965). Measurement of airborne asbestos dust by instruments measuring different parameters. *Ann N Y Acad Sci*. 132: 306-315.
- Roberts, D; Stuart, JH. (1989). 4820328 Vitrification of asbestos waste. *Atmos Environ* (1967). 23: ii.
- Robock, K. (1979). Based on available data, can we project an acceptable standard for industrial use of asbestos? Absolutely. *Ann N Y Acad Sci*. 330: 205-210.
- Robock, K; KlosterkÄ±tter, W. (1970). Biological action of different asbestos dusts with special respect to fibre length and semiconductor properties. *Inhaled Particles*. 1: 465-475.
- Rockoff, SD. (1987). CT demonstration of interlobar fissure calcification due to asbestos exposure. *J Comput Assist Tomogr*. 11: 1066-1068.
- Rockoff, SD; Kagan, E. (1988). Inorganic dust pneumoconioses. *J Thorac Imaging*. 3: vii.
- Rockoff, SD; Schwartz, A. (1988). Roentgenographic underestimation of early asbestosis by International Labor Organization classification. Analysis of data and probabilities. *Chest*. 93: 1088-1091.
- Rockoff, SD; Schwartz, AM. (1991). Noninvasive detection of early asbestos-related disease of the thorax: algorithmic analysis of radiographic, nuclear, and serologic tests. *Ann N Y Acad Sci*. 643: 121-132.
- Rodelsperger, K; Bruckel, B. (2006). The Carcinogenicity of WHO fibers of silicon carbide: SiC whiskers compared to cleavage fragments of granular SiC. *Inhal Toxicol*. 18: 623-631.
- Rodelsperger, K; Weitowitz, HJ. (2003). Commentary regarding the article by Fischer et al.: Fibre years, pulmonary asbestos burden and asbestosis. *Int. J. Hyg. Environ. Health* 205, 245-248 (2002). *Int J Hyg Environ Health*. 206: 245-247.
- Rodman, T; Rodman, MS. (1983). Pleural thickening: its significance and relationship to asbestos dust exposure. *The American review of respiratory disease*. 127: 656-657.
- RodrÄ±guez Portal, JA. (2012). Asbestos-Related Disease: Screening and Diagnosis. *Advances in Clinical Chemistry* 163-185.
- Rodrigues, CD; Ghavami, K; Stroeven, P. (2006). Porosity and water permeability of rice husk ash-blended cement composites reinforced with bamboo pulp. *Journal of Materials Science*. 41: 6925-6937.
- Rodriguez-Roisin, R; Cochrane, GM; Clark, TJ. (1976). Asbestos exposure and small airways disease [proceedings]. *Scand J Respir Dis*. 57: 318.
- Roe, FJ. (1968). Experimental asbestos carcinogenesis. *Food Cosmet Toxicol*. 6: 566-568.
- Roe, FJC. (1968). Asbestos as a carcinogenic hazard. *Food Cosmet Toxicol*. 6: 565-566.
- Roggli, VL. (2007). Environmental asbestos contamination - What are the risks? *Chest*. 131: 336-338.
- Roggli, VL. (2016). Fiber analysis vignettes: Electron microscopy to the rescue! *Ultrastruct Pathol*. 40: 126-133.
- Roggli, VL; Pratt, PC. (1988). Amphiboles and chrysotile asbestos exposure. *Am J Ind Med*. 14: 245-246.
- Roggli, VL; Pratt, PC; Brody, AR. (1994). Fiber potency vs. importance. *Am J Ind Med*. 25: 611-612.
- Roggli, VL; Sporn, TA; Butnor, KJ. (2008). Comments on Dodson et al., A Technical Comparison of Evaluating Asbestos Concentration by Phase Contrast Microscopy (PCM), Scanning Electron Microscopy (SEM), and Analytical Transmission Electron Microscopy (ATEM) as Illustrated from Data Generated from a Case Report. *Inhal Toxicol*. 20: 1113-1114.
- Rohl, AN. (1974). Asbestos in talc. *Environ Health Perspect*. 9: 129-132.
- Rohl, AN; Langer, AM. (1974). Identification and quantitation of asbestos in talc. *Environ Health Perspect*. 9: 95-109.
- Rohl, AN; Langer, AM; Selikoff, IJ. (1977). Environmental asbestos pollution related to use of quarried serpentine rock. *Science (New York, NY)*. 196: 1319-1322.
- Rohl, AN; Langer, AM; Selikoff, IJ; Nicholson, WJ. (1975). Exposure to asbestos in the use of consumer spackling, patching, and taping compounds. *Science (New York, NY)*. 189: 551-553.
- Rohl, AN; Langer, AM; Selikoff, IJ; Tordini, A; Klimentidis, R; Bowes, DR; Skinner, DL. (1976). Consumer talcums and powders: mineral and chemical characterization. *J Toxicol Environ Health*. 2: 255-284.
- Rola-Pleszczynski, M; Lemaire, I; Sirois, P; MassÄ±s, S. (1982). Asbestos related changes in pulmonary and systemic immune responses--early enhancement followed by inhibition. *Clin Exp Immunol*.
- Rollo, HA; Jamieson, HE. (2006). Interaction of diamond mine waste and surface water in the Canadian Arctic. *Appl Geochem*. 21: 1522-1538.
- Rom, WN; Weiden, M; Garcia, R; Yie, TA; Vathesatogkit, P; Tse, DB; McGuinness, G; Roggli, V; Prezant, D. (2002). Acute eosinophilic pneumonia in a New York City firefighter exposed to World Trade Center dust. *Am J Respir Crit Care Med*. 166: 797-800.
- Roney, PL; Holian, A. (1989). Possible mechanism of chrysotile asbestos-stimulated superoxide anion production in guinea pig alveolar macrophages. *Toxicol Appl Pharmacol*. 100: 132-144.
- Rose, HA. (1974). Detection and Determination of Chrysotile in Talc USP. *J Pharm Sci*. 63: 268-269.
- Rosell-Murphy, M; AbÄ±cs-HerrÄ±ndiz, R. (2010). Prospective study of asbestos-related diseases incidence cases in primary health care in an area of Barcelona province. *J Clin Biochem Nutr*.
- Rosell-Murphy, MI; AbÄ±cs-HerrÄ±ndiz, R. Risk factors associated with asbestos-related diseases: a community-based case-control study.
- Ross, M. (1974). Geology, asbestos, and health. *Environ Health Perspect*. 9: 123-124.
- Ross, M; Langer, AM; Nord, GL; Nolan, RP; Lee, RJ; Van Orden, D; Addison, J. (2008). The mineral nature of asbestos. *Regul Toxicol Pharmacol*. 52: S26-S30.
- Rosser, TG; Griffin, MJ; Quiniou, SMA; Khoo, LH; Greenway, TE; Wise, DJ; Pote, LM. (2015). Small subunit ribosomal RNA sequence links the myxospore stage of *Henneguya mississippiensis* n. sp from channel catfish *Ictalurus punctatus* to an actinospore released by the benthic oligochaete *Dero digitata*. *Parasitol Res*. 114: 1595-1602.

Environmental Hazard Literature Search Results

Off Topic

- Rossi, GG; Bazzicalupo, G; Relini, G. (1971). (Fouling in the polluted zone. Observations in Genoa harbour: algae and sedentary polychaetes). *Pubbl Stn Zool Napoli*. 38: 146-173.
- Rothman, KJ. (1978). Occam's razor pares the choice among statistical models. *Am J Epidemiol*. 108: 347-349.
- Rous, V; Studen, J. (1970). Aetiology of pleural plaques. *Thorax*.
- Roveri, N; Falini, G; Foresti, E; Fracasso, G; Lesci, IG; Sabatino, P. (2006). Geoinspired synthetic chrysotile nanotubes. *J Mater Res*. 21: 2711-2725.
- Rowe, JN. (1983). Relative source contributions of diet and air to ingested asbestos exposure. *Environ Health Perspect*. 53: 115-120.
- Royall, HJ. (1968). The health of the public and asbestos usage. *The Royal Institute of Public Health and Hygiene journal*. 31: 126-146.
- Roy-Chowdhury, AK; Mooney, TF, Jr.; Reeves, AL. (1973). Trace metals in asbestos carcinogenesis. *Arch Environ Health*. 26: 253-255.
- Rozalen, M; Huertas, FJ. (2013). Comparative effect of chrysotile leaching in nitric, sulfuric and oxalic acids at room temperature. *Chem Geol*. 352: 134-142.
- Rozalen, M; Ramos, ME; Gervilla, F; Kerestedjian, T; Fiore, S; Huertas, FJ. (2014). Dissolution study of tremolite and anthophyllite: pH effect on the reaction kinetics. *Appl Geochem*. 49: 46-56.
- Rubin, ES. (1999). Toxic releases from power plants. *Environmental Science & Technology*. 33: 3062-3067.
- Rubin, IA; Maggiore, CJ. (1974). Elemental analysis of asbestos fibers by means of electron probe techniques. *Environ Health Perspect*. 9: 81-94.
- Rubino, GF; Newhouse, M; Murray, R; Scansetti, G; Piolatto, G; Aresini, G. (1979). Radiologic changes after cessation of exposure among chrysotile asbestos miners in Italy. *Ann N Y Acad Sci*. 330: 157-161.
- Ruck, BJ; Trodahl, HJ; Richter, JH; Cezar, JC; Wilhelm, F; Rogalev, A; Antonov, VN; Do Le, B; Meyer, C. (2011). Magnetic state of EuN: X-ray magnetic circular dichroism at the Eu M(4,5) and L(2,3) absorption edges. *Physical Review B*. 83: 4404-4404.
- Rudd, RM. (1996). New developments in asbestos-related pleural disease. *Thorax*. 51: 210-216.
- Rudenko, LI; Skylar, V. (1984). Composite filter aids for cleanup of additives. *CHEM TECHNOL FUEL OILS*. 19: 384-386.
- Ruff, K. (2015). Scientific journals and conflict of interest disclosure: what progress has been made? *Environmental Health*. 14: 45-45.
- Ruff, K; Mirabelli, D; Magnani, C. (2016). Scientific journal publishes second erratum regarding false information by scientists funded by asbestos interests. *Epidemiol Prev*. 40: 138-139.
- Rupp, SB; Jolles, H. (1989). Calcified plaque in the superior portion of the major fissure. An unusual manifestation of asbestos exposure. *Chest*. 96: 1436-1437.
- Rusby, NL. (1968). Pleural manifestations following the inhalation of asbestos in relation to malignant change. *J R Nav Med Serv*. 54: 142-148.
- Russell, HH; Jackson, RJ; Spath, DP; Book, SA. (1987). Chemical contamination of California drinking water. *West J Med*. 147: 615-622.
- Ryan, B; Kuhl, I; Ware, R. (2014). Framework for Handling Asbestos After a Tidal Surge. *J Environ Health*. 76: 170-176.
- Rzepka, M; Ozogul, F; Surowka, K; Michalczyk, M. (2013). Freshness and quality attributes of cold stored Atlantic bonito (*Sarda sarda*) gravid. *International Journal of Food Science and Technology*. 48: 1318-1326.
- Saat, YA; Newman, HA; Hart, RW; Allison, DK. (1980). The effects of asbestos on plasma membrane; surface glycolipids and glycoproteins of Syrian hamster embryo cells. *J Environ Pathol Toxicol*. 4: 435-441.
- Sabatino, P; Casella, L; Granata, A; Iafisco, M; Lesci, IG; Monzani, E; Roveri, N. (2007). Synthetic chrysotile nanocrystals as a reference standard to investigate surface-induced serum albumin structural modifications. *J Colloid Interface Sci*. 314: 389-397.
- Sadahira, MS; Rodrigues, MI; Akhtar, M; Murray, BS; Netto, FM. (2016). Effect of egg white protein-pectin electrostatic interactions in a high sugar content system on foaming and foam rheological properties. *Food Hydrocolloids*. 58: 1-10.
- Sado, T; Kimura, S. (2006). Developmental morphology of the cyprinid fish *Inlecypris auropurpureus*. *Ichthyological research*. 53: 34-40.
- Sae-Lao, B; Soufli, R. (2002). Measurements of the refractive index of yttrium in the 50-1300-eV energy region. *Appl Opt*. 41: 7309-7316.
- Safi, M; Yan, M; Guedeau-Boudeville, M-A; Conjeaud, H; Garnier-Thibaud, V; Boggetto, N; Baeza-Squiban, A; Niedergang, F; Averbeck, D; Berret, J-F. (2011). Interactions between Magnetic Nanowires and Living Cells: Uptake, Toxicity, and Degradation. *ACS Nano*. 5: 5354-5364.
- Sahin, AB; Adamczyk, OH; Willner, AE. (2002). Dispersion division multiplexing in subcarrier modulated data transmission using channel-specific RF fading. *Ieee Photonics Technology Letters*. 14: 1190-1192.
- Sahin, U; Ozturk, O; Songur, N; Bircan, A; Akkaya, A. (2009). Observations on environmental asbestos exposure in a high risk area. *Respirolog*. 14: 579-582.
- Sahmel, J; Avens, HJ; Scott, PK; Unice, K; Burns, A; Barlow, CA; Madl, AK; Henshaw, J; Paustenbach, DJ. (2015). Measured removal rates of chrysotile asbestos fibers from air and comparison with theoretical estimates based on gravitational settling and dilution ventilation. *Inhal Toxicol*. 27: 787-801.
- Sahn, SA; Antony, VB. (1984). Pathogenesis of pleural plaques. Relationship of early cellular response and pathology. *Am J Respir Crit Care Med*. 130: 884-887.
- Sahu, AP; Dogra, RKS; Shanker, R; Zaidi, SH. (1975). Fibrogenic response in murine lungs to asbestos. *Exp Pathol (Jena)*. 11: 21-24.
- Sahu, AP; Shanker, R; Zaidi, SH. (1978). Early changes in lymph nodes of mice after intraperitoneal injection of asbestos. *Indian J Exp Biol*. 16: 976-979.
- Saito, H; Tsuda, A; Nojiri, Y; Nishioka, J; Takeda, S; Kiyosawa, H; Kudo, I; Noiri, Y; Ono, T; Taira, Y; Suzuki, K; Yoshimura, T; Boyd, PW. (2006). Nutrient and phytoplankton dynamics during the stationary and declining phases of a phytoplankton bloom induced by iron-enrichment in the eastern subarctic Pacific. *Deep Sea Research Part II: Topical Studies in Oceanography*. 53: 2168-2181.
- Saito, S; Hi Yamuta, S; Kurasaki, M; Saito, T; Hosokawa, T; Fujita, H; Yoshida, K. (2002). The effect of Au injection on the ceruloplasmin, metallothionein and 8-hydroxydeoxyguanosine of rat serum, kidney and liver. *Chem Biol Interact*. 140: 265-278.
- Sakari, WD. (1984). Rain water collected from asbestos tile roofs. *East African medical journal*. 61: 343.
- Salleh, HM; Mullegger, J; Reid, SP; Chan, WY; Hwang, JY; Warren, RAJ; Withers, SG. (2006). Cloning and characterization of *Thermotoga maritima* beta-glucuronidase. *Carbohydr Res*. 341: 49-59.

Environmental Hazard Literature Search Results

Off Topic

- Salma, I; Maenhaut, W. (2006). Changes in elemental composition and mass of atmospheric aerosol pollution between 1996 and 2002 in a Central European city. *Environ Pollut.* 143: 479-488.
- Saltzman, BE. (1985). Variability and bias in the analyses of industrial hygiene samples. *Am Ind Hyg Assoc J.* 46: 134-141.
- Samuels, S. (1979). Based on available data, can we project an acceptable standard for industrial use of asbestos? Perhaps. *Ann N Y Acad Sci.* 330: 215-218.
- Samuels, SW. (1992). Funding in the asbestos debate. *CMAJ : Canadian Medical Association journal = journal de l'Association medicale canadienne.* 146: 1697, 1700.
- Sardari, RRR; Dishisha, T; Pyo, S-H; Hatti-Kaul, R. (2014). Semicarbazide-functionalized resin as a new scavenger for in situ recovery of 3-hydroxypropionaldehyde during biotransformation of glycerol by *Lactobacillus reuteri*. *J Biotechnol.* 192, Part A: 223-230.
- Sargent, EN; Felton, JS; Barnes, LT. (1981). Calcified interlobar pleural plaques: visceral pleural involvement due to asbestos. *Radiology.* 140: 634.
- Sargent, EN; Jacobson, G; Gordonson, JS. (1977). Pleural plaques: a signpost of asbestos dust inhalation. *Semin Roentgenol.* 12: 287-297.
- Sarvaramini, A; Larachi, F. (2012). Catalytic oxygenless steam cracking of syngas-containing benzene model tar compound over natural Fe-bearing silicate minerals. *Fuel.* 97: 741-750.
- Sattar, AMA; Gharabaghi, B; McBean, EA. (2016). Prediction of Timing of Watermain Failure Using Gene Expression Models. *Water Resources Management.* 30: 1635-1651.
- Savastano, H. (1999). Comments on "Comparative hazards of chrysotile asbestos and its substitutes: A European perspective". *Environ Health Perspect.* 107: A596-A596.
- Saxena, KC; Srivastava, L; Ali, S; Dogra, RKS. (1982). Pleural Plaques in Asbestosis: Effect of *Candida albicans*. *Toxicol Lett.* 13: 175-178.
- Scansetti, G; Botta, GC; Capellaro, F; Piolatto, G. (1981). Exposure to chrysotile asbestos in friction materials industry. *Med Lav.* 72: 46-51.
- Scansetti, G; Coscia, GC; Pisani, W; Rubino, GF. (1975). Cement, asbestos, and cement-asbestos pneumoconioses. *Arch Environ Health.* 30: 272-275.
- Scansetti, G; Pavan, I; Botta, GC; Belliardo, F. (1980). Problems deriving from asbestos fibres wetting in the textile industry. *Med Lav.* 71: 422-427.
- Scansetti, G; Piolatto, G. (1987). Tremolite/chrysotile ratios. *Am J Ind Med.* 12: 117-118.
- Schäffelfeld, M; Schickler, H. (1989). Modes of action of uncouplers in thylakoids: External and internal pH profiles of electron transport. *FEBS Lett.* 243: 218-222.
- Schaefer, CM; Greene, R; Oliver, LC; Lanza, RC; Hall, D; Lindemann, SR; Llewellyn, HJ; McCarthy, KA; Pile-Spellman, E; Rubens, JR. (1990). Screening for asbestos-related pleural disease with digital storage phosphor radiography. *Invest Radiol.* 25: 645-650.
- Schall, EL. (1965). Present threshold limit value in the U.S.A. for asbestos dust: a critique. *Ann N Y Acad Sci.* 132: 316-321.
- Schapira, R; Osornio, A; Brody, A. (1989). Platelet-derived growth factor secretion by alveolar macrophages is stimulated by chrysotile asbestos in vitro. *Cytokine.* 1: 117.
- Schechter, SP; Bruns, TD. (2008). Serpentine and non-serpentine ecotypes of *Collinsia sparsiflora* associate with distinct arbuscular mycorrhizal fungal assemblages. *Mol Ecol.* 17: 3198-3210.
- Schenker, M; Day, H; Beckett, L; Pan, XL. (2006). Residential proximity to naturally occurring asbestos: Health risk or ecologic fallacy? *Am J Respir Crit Care Med.* 173: 573-574.
- Schill, W; Wild, P. (2006). Minmax designs for planning the second phase in a two-phase case-control study. *Stat Med.* 30.
- Schimmelpfeng, J; Drosselmeyer, E; Hofheinz, V; Seidel, A. (1992). Influence of surfactant components and exposure geometry on the effects of quartz and asbestos on alveolar macrophages. *Environ Health Perspect.* 97: 225-231.
- Schinwald, A; Chernova, T; Donaldson, K. (2012). Use of silver nanowires to determine thresholds for fibre length-dependent pulmonary inflammation and inhibition of macrophage migration in vitro. *Part Fibre Toxicol.* 9: 47-47.
- Schlecht, PC; Shulman, SA. (1986). Performance of asbestos fiber counting laboratories in the NIOSH proficiency analytical testing (PAT) program. *Am Ind Hyg Assoc J.* 47: 259-269.
- Schmidt, K; Pflugmacher, S; Staaks, GBO; Steinberg, CEW. (2006). The influence of tributyltin chloride and polychlorinated biphenyls on swimming behavior, body growth, reproduction, and activity of biotransformation enzymes in *Daphnia magna*. *Journal of Freshwater Ecology.* 21: 109-120.
- Schmitt, RP; Lindsten, DC; Shannon, TF. Decontaminating Lake Superior of asbestos fibers. *May 1977, 11 (5): 462-465.*
- Schneider, HP. IARC monographs program on carcinogenicity of combined hormonal contraceptives and menopausal therapy.
- Schneider, T; Holst, E. (1995). Variability of total mass and other measures of small samples of particles. *J Aerosol Sci.* 26: 127-136.
- Schneider, T; Sethi, SA; Davies, LST; Burdett, G; Jørgensen, O. (1997). Statistics of asbestos fibre mass determination by microscopy. *J Aerosol Sci.* 28, Supplement 1: S611-S612.
- Schneider, U; Maurer, RR. (1977). Asbestos and embryonic development. *Teratology.* 15: 273-279.
- Schnitzer, RJ. (1974). Modification of biological surface activity of particles. *Environ Health Perspect.* 9: 261-266.
- Schnitzer, RJ; Bunescu, G. (1970). Polymers as selective antagonists of hemolytic asbestos fibers. *Arch Environ Health.* 20: 481-482.
- Schnitzer, RJ; Pundsack, FL. (1970). Asbestos hemolysis. *Environ Res.* 3: 1-13.
- Schoenberger, C; Hunninghake, G; Gadek, J; Crystal, R. (1981). Inflammation and asbestosis: characterization and maintenance of alveolitis following acute asbestos exposure. *Chest.* 80: 70-71.
- Schorlemmer, HU; Davies, P; Hylton, W; Gugig, M; Allison, AC. (1977). The selective release of lysosomal acid hydrolases from mouse peritoneal macrophages by stimuli of chronic inflammation. *Br J Exp Pathol.* 58: 315-326.
- Schreier, H. Asbestos fibers in the soil environment. *Studies in environmental science.* 1989. (37): 68-94.
- Schreier, H. (1987). Asbestos fibres introduce trace metals into streamwater and sediments. *Environ Pollut.* 43: 229-242.

Environmental Hazard Literature Search Results

Off Topic

- Schreier, H. (1989). Chapter 1 General Introduction. *Studies in Environmental Science* 3-14.
- Schreier, H. (1989). Chapter 2 Properties, Mineralogy, Distribution and Analysis. *Studies in Environmental Science* 15-44.
- Schreier, H. (1989). Chapter 3 Asbestos in the Aquatic Environment. *Studies in Environmental Science* 45-67.
- Schreier, H. (1989). Chapter 5 Asbestos and Plant Growth. *Studies in Environmental Science* 95-108.
- Schreier, H. (1989). Chapter 6 Other Environmental Concerns. *Studies in Environmental Science* 109-124.
- Schreier, H. (1991). Asbestos in the natural environment *Environ Int.* 17: 500.
- Schreier, H; Northcote, TG; Hall, K. (1987). Trace metals in fish exposed to asbestos rich sediments. *Water, Air, & Soil Pollution.* 35: 279-291.
- Schreier, H; Omueti, JA; Lavkulich, LM. Weathering processes of asbestos-rich serpentinitic sediments. *Soil Sci Soc Am J.* July/Aug 1987. v. 51 (4): 993-999 ill.
- Schreier, H; Shelford, JA; Nguyen, TD. Asbestos fibers and trace metals in the blood of cattle grazing in fields inundated by asbestos-rich sediments. *Environ Res.* Oct 1986. v. 41 (1): 99-109.
- Schreier, H; Taylor, J. (1980). Asbestos Fibres in Receiving Waters. *Technical Bulletin No 117 1980* 18 p, 7 Fig, 9 Tab, 63 Ref, 1 Append.
- Schulz, MH; Devanny, WE; Gitter, A; Zhong, S; Ernst, J; Bar-Joseph, Z. (2012). DREM 2.0: Improved reconstruction of dynamic regulatory networks from time-series expression data. *BMC Syst Biol.* 6: 104.
- Schwanke, U; Schrader, L; Moog, R. (2005). Storage of neutrophil granulocytes (PMNs) in additive solution or in autologous plasma for 72 h. *Transfusion Medicine.* 15: 223-231.
- Schwartz, A; Rockoff, SD; Christiani, D; Hyde, J. (1988). A clinical diagnostic model for the assessment of asbestosis: a new algorithmic approach. *J Thorac Imaging.* 3: 29-35.
- Schweitzer, GE. (1974). Panel 'C' - Toxic Substances. Symposium proceedings 'Economics of a Clean Environment' January 14-16, 1974, Mitre Corporation, McLean, Virginia (Report M-74-24, July 1974), p 231-241 and 313-330.
- Scott, D. (2000). Chapter 6 - Using Non-Metallic Materials with Potable Water. *Advanced Materials for Water Handling Oxford* 111-123.
- Scroggs, RS. (2012). THE DISTRIBUTION OF LOW-THRESHOLD TTX-RESISTANT NA(+) CURRENTS IN RAT TRIGEMINAL GANGLION CELLS. *Neuroscience.* 222: 205-214.
- Seal, RM. (1980). Current views on pathological aspects of asbestosis (the unresolved questions and problems). *IARC Sci Publ.* 30: 217-235.
- Sebastien, P; Bignon, J; Martin, M. (1982). Indoor airborne asbestos pollution: from the ceiling and the floor. *Science (New York, NY).* 216: 1410-1412.
- Sebastien, P; Billon, MA; Dufour, G; Gaudichet, A; Bonnaud, G; Bignon, J. (1979). Levels of asbestos air pollution in some environmental situations. *Ann N Y Acad Sci.* 330: 401-415.
- Sebastien, P; Masse, R; Bignon, J. (1980). Recovery of ingested asbestos fibers from the gastrointestinal lymph in rats. *Environ Res.* 22: 201-216.
- Secchi, GC; Rezzonico, A. (1968). Hemolytic activity of asbestos dusts. *Med Lav.* 59: 1-5.
- Seidman, H; Selikoff, IJ; Hammond, EC. (1979). Short-term asbestos work exposure and long-term observation. *Ann N Y Acad Sci.* 330: 61-89.
- Seitz, JA; Flessland, GM. (1965). Evaluation of the Physical Properties of Compressed Tablets I: Tablet Hardness and Friability. *J Pharm Sci.* 54: 1353-1357.
- Seixas, N; Siwinski, G; Ghosh, A. (1987). Bias introduced by NIOSH Method 7400 quantitative fiber exposure assessment. *Am Ind Hyg Assoc J.* 48: A242-243.
- Selikoff, IJ. (1970). Partnership for prevention--the insulation industry hygiene research program. *IMS, Industrial medicine and surgery.* 39: 162-166.
- Selikoff, IJ. (1977). Air pollution and asbestos carcinogenesis: investigation of possible synergism. *IARC Sci Publ.* 16: 247-253.
- Selikoff, IJ. (1981). Household risks with inorganic fibers. *Bull NY Acad Med.* 57: 947-961.
- Selikoff, IJ; Churg, J; Hammond, EC. (1984). Landmark article April 6, 1964: Asbestos exposure and neoplasia. By Irving J. Selikoff, Jacob Churg, and E. Cuyler Hammond. *JAMA.* 252: 91-95.
- Selikoff, IJ; Frank, AL. (1983). Keynote address: potential of in vitro tests in asbestos-related problems. *Environ Health Perspect.* 51: 1-4.
- Selikoff, IJ; Hammond, EC. (1968). Environmental epidemiology. 3. Community effects of nonoccupational environmental asbestos exposure. *American journal of public health and the nation's health.* 58: 1658-1666.
- Selikoff, IJ; Hammond, EC; Churg, J. (1972). Carcinogenicity of amosite asbestos. *Arch Environ Health.* 25: 183-186.
- Selikoff, IJ; Hammond, EC; Heimann, H. (1971). MB 9B - CRITICAL EVALUATION OF DISEASE HAZARDS ASSOCIATED WITH COMMUNITY ASBESTOS AIR POLLUTION: EVALUATION CRITIQUES DE MALADIES ASSOCIES AVEC LA POLLUTION ATMOSPHERIQUE D'AMIANTE. *Proceedings of the Second International Clean Air Congress* 165-171.
- Selikoff, IJ; Lee, DHK. (1978). 2 - Asbestos Minerals: Nature, Occurrence, and Properties. *Asbestos and Disease San Diego* 33-50.
- Selikoff, IJ; Lee, DHK. (1978). 4 - Identification and Quantitation of Asbestos Fibers. *Asbestos and Disease San Diego* 71-100.
- Selikoff, IJ; Lee, DHK. (1978). 16 - Phagocytosis and the Asbestos Body. *Asbestos and Disease San Diego* 393-412.
- Selikoff, IJ; Nicholson, WJ; Langer, AM. (1972). Asbestos air pollution. *Arch Environ Health.* 25: 1-13.
- Selner, JC; Staudenmayer, H. (1985). THE PRACTICAL APPROACH TO THE EVALUATION OF SUSPECTED ENVIRONMENTAL EXPOSURES CHEMICAL INTOLERANCE. *Ann Allergy.* 55: 665-673.
- Semenov, Y; Ramousse, R; Le Berre, M; Vassiliev, V; Solomonov, N. (2001). Aboveground activity rhythm in Arctic black-capped marmot (*Marmota camtschatica bungei* Katschenko 1901) under polar day conditions. *Acta Oecologica.* 22: 99-107.

Environmental Hazard Literature Search Results

Off Topic

- Senanayake, V; Juurlink, BH; Zhang, C; Zhan, E; Wilson, LD; Kwon, J; Yang, J; Lim, ZL; Brunet, SMK; Schatte, G; Maley, JM; Hoffmeyer, RE; Sammynaiken, R. (2008). Do Surface Defects and Modification Determine the Observed Toxicity of Carbon Nanotubes? *Journal of Biomedical Nanotechnology*. 4: 515-523.
- Seniczak, S. A method of cultivation of soil mites in glass cultivation tubes with asbestos bottoms. *Polish journal of soil science*. 1972 (Pub. 1973), 5 (2): 127-132.
- Seshan, K. (1977). Explanation for the insensitivity to tilts of the electron diffraction patterns of amphibole asbestos fibers. *Environ Res*. 14: 46-58.
- Seshan, K. (1983). How are the physical and chemical properties of chrysotile asbestos altered by a 10-year residence in water and up to 5 days in simulated stomach acid? *Environ Health Perspect*. 53: 143-148.
- Sesko, A; Cabot, M; Mossman, B. (1990). Hydrolysis of inositol phospholipids precedes cellular proliferation in asbestos-stimulated tracheobronchial epithelial cells. *Proceedings of the National Academy of Sciences, USA*. 87: 7385-7389.
- Sethi, S; Hilscher, W; Flasbeck, R. (1973). Tissue response to a single intraperitoneal injection of various substances in rats. *Zentralblatt für Bakteriologie, Parasitenkunde, Infektionskrankheiten und Hygiene Erste Abteilung Originale Reihe B: Hygiene, präventive Medizin*. 157: 131-144.
- Sevilgen, V; Stein, RS; Pollitz, FF. (2012). Stress imparted by the great 2004 Sumatra earthquake shut down transforms and activated rifts up to 400 km away in the Andaman Sea. *Proceedings of the National Academy of Sciences of the United States of America*. 109: 15152-15156.
- Shackleton, R. Asbestos in beverage filtration. *Food; flavourings, ingredients & processing*. Mar 1980. v. 1 (7): 43, 45 ill.
- Shah, AB; Ramasse, QM; Wen, JG; Bhattacharya, A; Zuo, JM. (2011). Practical spatial resolution of electron energy loss spectroscopy in aberration corrected scanning transmission electron microscopy. *Micron*. 42: 539-546.
- Shalshin, A. (2008). Pleural disease manifests years after asbestos exposure. *JAAPA : official journal of the American Academy of Physician Assistants*. 21: 50, 52.
- Sharkey, BP; Coffey, TJ; DiBiasi, DT; Leardi, JW; Van, DT. (2006). Recent developments in products, general liability, and consumer law. *Tort trial & insurance practice law journal*. 41: 629-650.
- Sharma, DC. (2002). Indian groups demand ban on asbestos. *Lancet*. 359: 1414-1414.
- Sharma, S. (2012). Shattered lives: asbestos-related diseases. *Curr Opin Pulm Med*. 18: 375-376.
- Sharpe, WE; DeWalle, DR. (1990). The effects of acid precipitation runoff episodes on reservoir and tapwater quality in an Appalachian Mountain water supply. *Environ Health Perspect*. 89: 153-158.
- Sheehan, NJ. (2004). The ramifications of HLA-B27. *J R Soc Med*. 97: 10-14.
- Sherman, LA; Cohen, WS. (1972). Proton uptake and quenching of bacteriochlorophyll fluorescence in *Rhodospseudomonas spheroides*. *Biochimica et Biophysica Acta (BBA) - Bioenergetics*. 283: 54-66.
- Shi, G-L; Zeng, F; Li, X; Feng, Y-C; Wang, Y-Q; Liu, G-X; Zhu, T. (2011). Estimated contributions and uncertainties of PCA/MLR CMB results: Source apportionment for synthetic and ambient datasets. *Atmos Environ*. 45: 2811-2819.
- Shier, WT. (1985). THE FINAL STEPS TO TOXIC CELL DEATH. *J Toxicol Toxin Rev*. 4: 191-249.
- Shih, H-C; Chen, L-S; Lin, C; Yu, J-P; Ma Lin, AW-S. (1995). Assessment of airborne asbestos exposures in asbestos cement board manufacturing plants. *J Aerosol Sci*. 26: 162.
- Shikazono, N; Utada, M; Shimizu, M. (1995). Mineralogical and geochemical characteristics of hydrothermal alteration of basalt in the Kuroko mine area, Japan: implications for the evolution of a Back Arc Basin hydrothermal system. *Appl Geochem*. 10: 621-641.
- Shin, MS; Ho, KJ; Sears, NJ. (1984). Cicatrizing pleuritis with rounded atelectasis associated with asbestos exposure. *Alabama medicine : journal of the Medical Association of the State of Alabama*. 54: 12-14, 16-17.
- Shore, BL; Daughaday, CC; Spilberg, I. (1983). Benign asbestos pleurisy in the rabbit. A model for the study of pathogenesis. *Am J Respir Crit Care Med*. 128: 481-485.
- Shukla, A; Stern, M; Lounsbury, KM; Flanders, T; Mossman, BT. (2003). Asbestos-induced apoptosis is protein kinase C delta-dependent. *Am J Respir Cell Mol Biol*. 29: 198-205.
- Sibbald, B. (2001). Chile bans asbestos, others to follow? *Can Med Assoc J*. 165: 463-463.
- Sidhu, S; Graham, J; Striebich, R. (2001). Semi-volatile and particulate emissions from the combustion of alternative diesel fuels. *Chemosphere*. 42: 681-690.
- Siegrist Jr, HG; Wylie, AG. (1980). Characterizing and discriminating the shape of asbestos particles. *Environ Res*. 23: 348-361.
- Siegrist, M; Keller, C; Kastenholz, H; Frey, S; Wiek, A. (2007). Laypeople's and Experts' Perception of Nanotechnology Hazards. *Risk Anal*. 27: 59-69.
- Siemiatycki, J. (2001). Should Canadian health care professionals support the call for a worldwide ban on asbestos? *Can Med Assoc J*. 164: 495-497.
- Silcocks, P. (1984). Asbestos link to lymphoid neoplasms still just a hypothesis. *Am J Clin Pathol*. 81: 410.
- Sincock, A; Seabright, M. (1975). Induction of chromosome changes in Chinese hamster cells by exposure to asbestos fibres. *Nature*. 257: 56-58.
- Singh, B; Thouez, JP. (1983). Ambient air concentration of asbestos fibres, dust content and mortality: the case of Asbestos, Quebec. *Ecology of disease*. 2: 343-351.
- Singh, BP; Behera, BK. (2009). Regulation of tacrolimus production by altering primary source of carbons and amino acids. *Letters in applied microbiology*. 49: 254-259.
- Singh, J; Beg, MU; Kaw, JL; Viswanathan, PN; Zaidi, SH. (1976). Biochemical changes and pulmonary response of guinea pigs to asbestos dust. *Acta Pharmacol Toxicol*. 39: 77-86.

Environmental Hazard Literature Search Results

Off Topic

- Singh, K. (2014). Chemicals: friends and foes. *Rev Environ Health*. 29: 43-44.
- Singh, M; Tyagi, AK; Mehla, RK; Singh, C. (2003). Milk production performance of cows under two different sets of management during summer. *Indian Journal of Animal Sciences*. 73: 692-694.
- Singh, P; Goyal, GK; Wani, AA. (2010). Influence of modified atmosphere packaging (MAP) and refrigerated storage on the sensory characteristics of ready-to-serve pizza. *Milchwissenschaft-Milk Science International*. 65: 306-309.
- Singh, P; Wani, AA; Goyal, GK. (2010). The Extension of the Shelf Life of Ready-to-Serve Pizza by a Combination of Modified Atmosphere Packaging and Refrigeration. *Food Science and Technology Research*. 16: 373-380.
- Singh, P; Wani, AA; Goyal, GK. (2011). Quality of Chilled Ready-to-Bake Pizza Stored in Air and under Modified Atmospheres: Microbiological and Sensory Attributes. *Food Science and Biotechnology*. 20: 1-6.
- Singh, R; Jha, YK. (2005). Effect of sugar replacers on sensory attributes, biochemical changes and shelf-life of shrikhand. *Journal of Food Science and Technology-Mysore*. 42: 199-202.
- Singh, R; Trivedi, VD; Phale, PS. (2014). Purification and Characterization of NAD(+)-Dependent Salicylaldehyde Dehydrogenase from Carbaryl-Degrading *Pseudomonas* sp Strain C6. *Appl Biochem Biotechnol*. 172: 806-819.
- Singh, S; Srivastava, VC; Mandal, TK. (2015). Treatment of fertilizer industry wastewater by catalytic peroxidation process using copper-loaded SBA-15. *Journal of environmental science and health*. 50: 1468-1478.
- Sirimanna, MPG; Attalage, RA. (2016). A model for analyzing the thermal performance of roof configurations with flat inclined surfaces. *Energy and Buildings*. 116: 122-132.
- Sirohi, D; Patel, S; Choudhary, PL; Sahu, C. (2005). Studies on preparation and storage of whey-based mango herbal pudina (*Mentha arvensis*) beverage. *Journal of Food Science and Technology-Mysore*. 42: 157-161.
- Sirois, P; Cadieux, A; Rola-Pleszczynski, M; Begin, R. (1982). Perifused Alveolar Macrophages. A Technique to Study the Effects of Toxicants on Prostaglandin Release. *Experientia Basel*. 38: 1125-1127.
- Sirois, P; Rola-Pleszczynski, M; Begin, R. (1980). Phospholipase a activity and prostaglandin release from alveolar macrophages exposed to asbestos. *Prostaglandins and Medicine*. 5: 31-37.
- Sivamurugan, P; Ravikumar, P. (2014). Heat balance characteristics of a pressure vessel. *Current Science*. 107: 227-233.
- Sjögren, B. (2001). Association between pleural plaques and coronary heart disease. *Scandinavian journal of work, environment & health*.
- Skaug, V; Gylseth, B; Reiss, ALP; Norseth, T. (1984). TUMOR INDUCTION IN RATS AFTER INTRAPLEURAL INJECTION OF NICKEL SUBSULFIDE AND NICKEL OXIDE. Brown, S S And F W Sunderman, Jr *Progress In Nickel Toxicology*. 0: 37-40.
- Skidmore, JW; Dufficy, BL. (1983). Environmental history of a factory producing friction material. *Br J Ind Med*. 40: 8-12.
- Skikne, MI; Talbot, JH; Rendall, REG. (1971). Electron diffraction patterns of U.I.C.C. asbestos samples. *Environ Res*. 4: 141-145.
- Slaats, PGG; Mesman, GAM; Rosenthal, LPM; Brink, H. (2004). Tools to monitor corrosion of cement-containing water mains. *Water Science and Technology*. 49: 33-39.
- Slobodchikov, SV; Salikhov, KM; Russu, EV. (2000). Charge transport mechanism and photoelectric characteristics of n(+)-Si-n-Si-Al(2)O(3)-Pd diode structures. *Semiconductors*. 34: 1224-1228.
- Sluchyk, V; Sluchyk, I; Shyichuk, A. (2014). Assessment of both environmental cytotoxicity and trace metal pollution using *Populus simonii* Carr. as a bioindicator. *Environ Monit Assess*. 186: 6645-6650.
- Sluis-Cremer, GK. (1991). Asbestos disease at low exposure after long residence time in amphibole miners. *Toxicol Ind Health*. 7: 89-95.
- Sluis-Cremer, GK; Du, TRS. (1980). Asbestos-related radiological changes in residents of South African amphibole asbestos mining fields and the fibre counts to which they may have been exposed. *IARC Sci Publ*. 30: 559-563.
- Sluis-Cremer, GK; Thomas, RG; Wright, VMF. (1984). super(131)I macro-aggregated albumin perfusion scanning and chest radiography in asbestos exposure. *South African Medical Journal/Suid-Afrikaanse Mediese Tydskrift*. 66: 334-336.
- Smart, J. (1972). Some stepping stones in the history of chest medicine. *Br J Dis Chest*. 66: 207-221.
- Smith, BA; Davis, JM. (1971). The association of phagocytosed asbestos dust with lysosome enzymes. *The Journal of pathology*. 105: 153-157.
- Smith, DJ; Schuerger, AC; Davidson, MM; Pacala, SW; Bakermans, C; Onstott, TC. (2009). Survivability of *Psychrobacter cryohalolentis* K5 Under Simulated Martian Surface Conditions. *Astrobiology*. 9: 221-228.
- Smith, IM; Hall, KJ; Lavkulich, LM; Schreier, H. (2007). Trace metal concentrations in an intensive agricultural watershed in British Columbia, Canada. *J Am Water Resour Assoc*. 43: 1455-1467.
- Smith, KA; Sykes, LJ; McGavin, CR. (2003). Diffuse pleural fibrosis--an unreliable indicator of heavy asbestos exposure? *Scandinavian journal of work, environment & health*. 29: 60-63.
- Smith, MD. (1991). Asbestos management assures staff, resident safety. *Provider (Washington, DC)*. 17: 27, 30.
- Smith, MJ; Naylor, B. (1972). A method for extracting ferruginous bodies from sputum and pulmonary tissue. *Am J Clin Pathol*. 58: 250-254.
- Smith, RJ. (2000). Asbestos can't be overlooked when renovating. *Journal of Management in Engineering*. 16: 29-30.
- Smith, WE; Miller, L; Elsassser, RE; Hubert, DD. (1965). Tests for carcinogenicity of asbestos. *Ann N Y Acad Sci*. 132: 456-488.
- Smith, WE; Spivey, ML; Roux, LJ. (1978). A method for exposing animals to particulates in drinking water. *Am Ind Hyg Assoc J*. 39: 583-586.
- Smither, WJ. (1965). Secular changes in asbestosis in an asbestos factory. *Ann N Y Acad Sci*. 132: 166-181.
- Smolders, S; Verhoest, L; De Gueldre, G; Van De Steene, B. (2009). Inspection of deteriorating asbestos cement force mains with georadar technique. *Water Science and Technology*. 60: 995-1001.
- Snell, G; Langer, B; Young, AT; Berrah, N. (2002). Spin-polarization measurements of the krypton M(4,5)NN and xenon N(4,5)OO Auger electrons: Orientation and intrinsic parameters. *Physical Review A*. 6602: 2701-2701.

Environmental Hazard Literature Search Results

Off Topic

- Snider, GL. (1985). Interstitial pulmonary fibrosis environmental or idiopathic? Hospital practice (Office ed). 20: 94C-94H, 94M-94P, 94T-94U passim.
- So, YP; Idler; Ruby, SM. (1987). Changes in Plasma, Liver, and Ovary Vitellogenin in Landlocked Atlantic Salmon Following Exposure to Sublethal Cyanide. Archives of Environmental Contamination and Toxicology AECTCV, Vol 16, No 4, p 507-510, July 1987 1 fig, 1 tab, 30 ref.
- Sobajima, Y; Nakano, S; Toyama, T; Okamoto, H. (2007). High-rate deposition of microcrystalline silicon photovoltaic active layers by plasma-enhanced chemical vapor deposition at kilo-pascal pressures. Japanese Journal of Applied Physics Part 2-Letters & Express Letters. 46: L199-L201.
- Soffritti, M; Landrigan, PJ. (2004). Statement of the Collegium Ramazzini. Am J Ind Med. 46: 88.
- Solomon, A; Irwig, LM; Sluis-Cremer, GK; Thomas, RG; Du, TRS. (1979). Thickening of pulmonary interlobar fissures: exposure-response relationship in crocidolite and amosite miners. Br J Ind Med. 36: 195-198.
- Solomon, A; Sluis-Cremer, GK; Thomas, RG; Wright, VM. (1984). Calcified plaques on mediastinal pleural reflections associated with asbestos dust exposure: four case reports. Am J Ind Med. 6: 53-57.
- Somerford, DJ; Powers, SR. (1980). The sizing of fibres using optical scattering. IARC Sci Publ. 30: 97-104.
- Somiya, Y; Higo, N; Yoshida, N. (2012). Combination of Rolling Vibration and Serpentinite Induces the Formation of Penetration-Intermediates. Geomicrobiology Journal. 29: 820-829.
- Song, M; Mitsuishi, K; Furuya, K. (1999). Electron energy loss spectroscopy and energy filtered imaging of Xe cavities embedded in Al at 423 and 473 K. Micron. 30: 129-133.
- Song, Y; Li, P; Lee, KY; Chang, TM; Chey, WY. (1999). Canine pancreatic juice stimulates the release of secretin and pancreatic secretion in the dog. American Journal of Physiology-Gastrointestinal and Liver Physiology. 277: G731-G735.
- Song, YG; Zheng, J; Liu, XJ; Sun, M; Zhao, S. (2016). Facile synthesis of BaTiO₃ on multiwalled carbon nanotubes as a synergistic microwave absorber. Journal of Materials Science-Materials in Electronics. 27: 3390-3396.
- Soodaeva, SK; Korkina, LG; Velichkovskiy, BT; Klegeris, AM. (1991). The formation of reactive oxygen intermediates by rat peritoneal macrophages under the action of cytotoxic dusts. Byulleten Eksperimental'noi Biologii i Meditsiny. 112: 252-254.
- Sorilha, AEPM; Marques, M; Joekes, I; JosÃ©, P; Moran, S; Augusto, J; Rodrigues, R. (1992). Reduction of phenylketones by immobilized baker's yeast. Bioorganic & Medicinal Chemistry Letters. 2: 191-196.
- Souza Santos, Hd; Yada, K. Thermal transformation of chrysotile studied by high resolution electron microscopy. Clays and Clay Minerals. 1979. v. 27 (3): 161-174 ill.
- Spear, TM; Hart, JF; Spear, TE; Loushin, MM; Shaw, NN; Elashhab, MI. (2012). The Presence of Asbestos-Contaminated Vermiculite Attic Insulation or Other Asbestos-Containing Materials in Homes and the Potential for Living Space Contamination. J Environ Health. 75: 24-29.
- Speight, RG. (1986). AN EXAMINATION OF THE INFLUENCE OF MICROSCOPE CHARACTERISTICS ON ASBESTOS FIBER COUNTING. Microscope. 34: 93-106.
- Speil, S. Chrysotile in water. Dec 1974, 9: 161-163.
- Speil, S; Leineweber, JP. (1969). Asbestos minerals in modern technology. Environ Res. 2: 166-208.
- Speirs, RS; Wenck, U. (1955). Local inflammatory response produced by solutions sterilized with asbestos type filters. Proceedings of the Society for Experimental Biology and Medicine Society for Experimental Biology and Medicine (New York, NY). 88: 89-93.
- Spengler, JD; Sexton, K. (1983). Indoor air pollution: A public health perspective. Science (Washington). 221: 9-16.
- Spicer, RC; Gangloff, HJ. (2000). A probability model for evaluating building contamination from an environmental event. Journal of the Air & Waste Management Association. 50: 1637-1646.
- Spicer, RC; Gangloff, HJ. (2016). Permutation/randomization-based inference for environmental data. Environ Monit Assess. 188: 147-147.
- Spinelli, R; Ebone, A; Gianella, M. (2014). Biomass production from traditional coppice management in northern Italy. Biomass and Bioenergy. 62: 68-73.
- Spiridonov, AM; Gnilusha, VA. (1995). Regional to detailed geochemical mapping of the Kariisk ore district, eastern Trans-Baikal region, Russia. J Geochem Explor. 55: 67-74.
- Springell, R; Wilhelm, F; Rogalev, A; Stirling, WG; Ward, RCC; Wells, MR; Langridge, S; Zochowski, SW; Lander, GH. (2008). Polarization of U 5f states in uranium multilayers. Physical Review B. 77: 4423-4423.
- Spurgeon, D. (2008). Canadian academics call for asbestos report to be published. BMJ (Clinical research ed). 336: 1269.
- Spurgeon, D. (2010). Scientists protest about Quebec's "hypocrisy" over export of asbestos. Br Med J. 340: C639-C639.
- Spurny, K; Marfels, H; Boose, C; Weiss, G; Opiela, H; Wulbeck, FJ. (1989). On the measurement of fiber emissions from weathered and corroded asbestos-cement-products. 2. Physical and chemical properties of the released asbestos fibers. Zentralblatt fuer Hygiene und Umweltmedizin. 188: 262-270.
- Spurny, KR. (1980). Preparation of size-selected fibers and fibrous aerosols for biological experiments. Environ Int. 4: 39-46.
- Spurny, KR. (1986). ON THE FILTRATION OF FIBROUS AEROSOLS. Sci Total Environ. 52: 189-199.
- Spurny, KR. (1989). Asbestos fibre release by corroded and weathered asbestos-cement products. IARC Sci Publ. 90: 367-371.
- Spurny, KR. (1989). On the release of asbestos fibers from weathered and corroded asbestos cement products. Environ Res. 48: 100-116.
- Spurny, KR. (1991). Aerosol penetration through protective clothing. J Aerosol Sci. 22, Supplement 1: S789-S792.
- Spurny, KR; Opiela, H; Weiss, G. (1980). On the milling and ultrasonic treatment of fibres for biological and analytical applications. IARC Sci Publ. 30: 931-933.
- Spurny, KR; Opiela, H; Weiss, G; Pott, F; Huth, F. (1980). Identification and carcinogenicity of fibrous actinolite from a quarry. J Aerosol Sci. 11: 245.

Environmental Hazard Literature Search Results

Off Topic

- Spurny, KR; SchÄ¶rmann, J; Weiss, G; Opiela, H; Langer, H; SchrÄ¶der, J. (1981). On the problem of liquids and gases contaminated by fibers when using filters containing chrysotile. *Sci Total Environ.* 19: 143-153.
- Spurny, KR; StÄ¶ber, W. (1981). Some aspects of analysis of single fibers in environmental and biological samples. *Int J Environ Anal Chem.* 9: 265-281.
- Spurny, KR; StÄ¶ber, W; Opiela, H; Weiss, G. (1979). Size-selective preparation of inorganic fibers for biological experiments. *Am Ind Hyg Assoc J.* 40: 20-38.
- Spurny, KR; StÄ¶ber, W; Weiss, G. (1980). On the problem of milling and ultrasonic treatment of asbestos and glass fibers in biological and analytical applications. *Am Ind Hyg Assoc J.* 41: 198-203.
- Spurny, KR; StÄ¶ber, W; Opiela, H; Weiss, G. (1979). On the evaluation of fibrous particles in remote ambient air. *Sci Total Environ.* 11: 1-40.
- Spurny, KR; StÄ¶ber, W; Weiss, G; Opiela, H. (1980). Some Special Problems Concerning Asbestos Fiber Pollution in Ambient Air. *Studies in Environmental Science* 315-322.
- Spurny, KR; Stober, W; Ackerman, ER; Lodge, JP, Jr.; Spurny, K, Jr. (1976). The sampling and electron microscopy of asbestos aerosol in ambient air by means of nuclepore filters. *J Air Pollut Control Assoc.* 26: 496-498.
- Sreenath Reddy, M; Yadagiri Reddy, P; Rama Reddy, K; Eappen, KP; Ramachandran, TV; Mayya, YS. (2008). Indoor radon levels in urban Hyderabad area, Andhra Pradesh, India. *Radiat Prot Dosimetry.* 132: 403-408.
- Srivastava, MG. (1986). POLLUTANTS AND CHEMICAL HAZARDS EN-ROUTE 21ST CENTURY. *Pesticides.* 20: 9-16.
- Stack, N. (1983). Standards for asbestos exposure. *Lancet (London, England).* 2: 1424.
- Stallard, E. (2001). Product liability forecasting for asbestos-related personal injury claims: a multidisciplinary approach. *Ann N Y Acad Sci.* 954: 223-244.
- Stanik, IA; Cedzynska, K; Zakowska, Z. (2006). Destruction of the chrysotile asbestos structure with a population of bacteria *Lactobacillus casei* and *Lactobacillus plantarum*. *Fresen Environ Bull.* 15: 640-643.
- Stankova, J; Gouin, S; Begin, R; Rola-Pleszczynski, M. (1984). IMMUNOREGULATION DURING EXPERIMENTAL ASBESTOSIS. *Beck, E G And J Bignon. O:* 139-148.
- Stanton, MF; Blackwell, R; Miller, E. (1969). Experimental pulmonary carcinogenesis with asbestos. *Am Ind Hyg Assoc J.* 30: 236-244.
- Starovoytov, AA; Belotitskii, VI; Kumzerov, YA; Sysoeva, AA. (2012). Optical properties of polymethine molecules incorporated into a macroscopic set of parallel nanotubes. *Optics and Spectroscopy.* 113: 512-516.
- Stasny, JT; Husack, C; Albright, FR; Schumacher, DV; Sweigart, DS; Boyer, K. Development of methods to isolate asbestos from spiked beverages and foods for SEM characterization. *Scan Electron Microsc.* 1979. (1): 587-595 ill.
- Stefaniak, O; Åšlizak, W; Piotrowski, W. (1993). Influence of seed dressing on rhizosphere microflora of legumes I. biotic relations. *Zentralblatt fÄ¶r Mikrobiologie.* 148: 357-364.
- Stefaniak, O; Åšlizak, W; Piotrowski, W. (1993). Influence of seed dressing on rhizosphere microflora of legumes II. response of some physiological groups. *Zentralblatt fÄ¶r Mikrobiologie.* 148: 365-373.
- Steiner, WE; Koehler, JLM; Popenuck, WW. (1990). *Guadalupe Corridor Transportation Project asbestos health risk assessment*, San Jose, California. *Sci Total Environ.* 93: 115-124.
- Stephenson, J. (2008). Nanotechnology hazard? *Jama-Journal of the American Medical Association.* 299: 2737-2737.
- Stevens, BJ; Montgomery, SA; Phillips, KL; Wester, MW; Jennings, SH. (2014). Pathology in Practice. *Javma-Journal of the American Veterinary Medical Association.* 245: 57-59.
- Stevens, RH; Cole, DA. (1982). Identification of carcinogens by measurements of cell-mediated immunity. II. Assay specificity. *Environ Res.* 28: 67-76.
- Stober, M; Stockhofe-Zurwieden, N; Pohlenz, J. Mesotheliosis in cattle. *American Association of Bovine Practitioners Conference : [proceedings].* 1992. v. 1: 240-244.
- Stone, R. (1991). No meeting of the minds on asbestos. *Science (New York, NY).* 254: 928-931.
- Stoner, PS, Jr. (1996). You're the flight surgeon. *Aviat Space Environ Med.* 67: 382-383.
- Storeygard, AR; Brown, AL, Jr. (1977). Penetration of the small intestinal mucosa by asbestos fibers. *Mayo Clin Proc.* 52: 809-812.
- Strauss, SH. (1993). Regulation and management of asbestos-containing materials in hospitals. *Regulatory analyst Medical waste.* 1: 9-15.
- Stricker-Krongrad, A; Barbanel, G; Beck, B; Bulet, A; Nicolas, JP; Bulet, C. (1993). K+-stimulated neuropeptide Y release into the paraventricular nucleus and relation to feeding behavior in free-moving rats. *Neuropeptides.* 24: 307-312.
- Strohlein, AC. (1972). A technique for making flexible casts of brain specimens. *Medical & biological illustration.* 22: 174-181.
- Stupfel, M; Mordelet-Dambrine, M. (1976). Penetration of carcinogens through respiratory airways. *IARC Sci Publ.* 13: 61-72.
- Su, WH. (1996). Indoor air pollution. *Resources Conservation and Recycling.* 16: 77-91.
- Suarez-Pinzon, WL; Rabinovitch, A. (2008). Combination therapy with epidermal growth factor and gastrin delays autoimmune diabetes recurrence in nonobese diabetic mice transplanted with syngeneic islets. *Transplantation Proceedings.* 40: 529-532.
- Subach, FV; Subach, OM; Gundorov, IS; Morozova, KS; Piatkevich, KD; Cuervo, AM; Verkhusha, VV. (2009). Monomeric fluorescent timers that change color from blue to red report on cellular trafficking. *Nature Chemical Biology.* 5: 118-126.
- Sudisha, J; Niranjana, SR; Umesha, S; Prakash, HS; Shekar Shetty, H. (2006). Transmission of seed-borne infection of muskmelon by *Didymella bryoniae* and effect of seed treatments on disease incidence and fruit yield. *Biological Control.* 37: 196-205.
- Sugibayashi, K; Todo, H; Kimura, E. (2008). Safety evaluation of titanium dioxide nanoparticles by their absorption and elimination profiles. *J Toxicol Sci.* 33: 293-298.
- Sugiyama, T; Kitamura, E; Kubokawa, S; Kobayashi, S; Hashizume, T; Matsubara, S. (1975). Synthesis and cytokinin activity of N-acylaminodeazapurines. *Phytochemistry.* 14: 2539-2543.

Environmental Hazard Literature Search Results

Off Topic

- Surovtsev, YS; Bydzovsky, P; Gutsche, T; Kaminski, R; Lyubovitskij, VE; Nagy, M. (2015). Unified description of BABAR and Belle data on the bottomonia decays $Upsilon(mS) \rightarrow Upsilon(nS)\pi^+\pi^-$. *Physical Review D*. 92: 6002-6002.
- Suslova, TB; Cheremisina, ZP; Korkina, LG. (1994). B7â€”Chrysotile asbestos generates free radicals during interaction with biological compounds and air pollutants. *Free Radic Biol Med*. 16: 12.
- Sussman, RG; Gearhart, JM; Lippmann, M. (1985). A variable feed rate mechanism for fluidized bed asbestos generators. *Am Ind Hyg Assoc J*. 46: 24-27.
- Sutarto, R; Altendorf, SG; Coloru, B; Moretti Sala, M; Haupricht, T; Chang, CF; Hu, Z; Schussler-Langeheine, C; Hollmann, N; Kierspel, H; Mydosh, JA; Hsieh, HH; Lin, HJ; Chen, CT; Tjeng, LH. (2009). Epitaxy, stoichiometry, and magnetic properties of Gd-doped EuO films on YSZ (001). *Physical Review B*. 80: 5308-5308.
- Suzuki, Y; Churg, J. (1969). Structure and development of the asbestos body. *Am J Pathol*. 55: 79-107.
- Suzuki, Y; Churg, J. (1970). Formation of the asbestos body: A comparative study with three types of asbestos. *Environ Res*. 3: 107-118.
- Suzuki, Y; Churg, J; Ono, T. (1972). Phagocytic activity of the alveolar epithelial cells in pulmonary asbestosis. *Am J Pathol*. 69: 373-388.
- Svensson, I; Artursson, E; Leanderson, P; Berglund, R; Lindgren, F. (1997). Toxicity in vitro of some silicon carbides and silicon nitrides: Whiskers and powders. *Am J Ind Med*. 31: 335-343.
- SzÃ©pvÃ©llyi, J; Nagy, K; BedÃ©s, M; RegÃ©ly-MÃ©rei, A; Szerletics, M; SoÃ©s, K; Antal, M. (1988). Examination of the interaction of Decis and Dithane in rats. *Toxicology*. 53: 107-111.
- SzÃ©pvÃ©llyi, J; Nagy, K; SajgÃ©nÃ©vukÃ©jn, K; RegÃ©ly-MÃ©rei, A; SoÃ©s, K; TÃ©th, K; PintÃ©r, A; Antal, M. (1989). Subacute toxicological examination of Dithane M-45. *Food Chem Toxicol*. 27: 531-538.
- Szecsody, JE; Truex, MJ; Zhong, L; Johnson, TC; Qafoku, NP; Williams, MD; Greenwood, WJ; Wallin, EL; Bargar, JD; Faurie, DK. (2012). Geochemical and Geophysical Changes during Ammonia Gas Treatment of Vadose Zone Sediments for Uranium Remediation. *Vadose Zone Journal*. 11: NIL_182-NIL_194.
- Szyba, K; Lange, A. (1982). Effects of asbestos on benzo[a]pyrene mutagenicity. *Mutation Research/Environmental Mutagenesis and Related Subjects*. 97: 227-228.
- Szyba, K; Lange, A. (1983). Presentation of benzo(a)pyrene to microsomal enzymes by asbestos fibers in the Salmonella/mammalian microsome mutagenicity test. *Environ Health Perspect*. 51: 337-341.
- TÃ©rai, FFJzNCFPHBfh; Br; oac, BzM; HorvÃ©th, FjzNnCFPHBtfh. (2005). The effect of asbestos and stone-wool fibres on some chemokines and redox system of pulmonary alveolar macrophages and pneumocytes type II. *Biomedical papers of the Medical Faculty of the University Palacký, Olomouc, Czechoslovakia*. 149: 357-361.
- Taatjes, DJ; Sobel, BE; Budd, RC. (2008). Morphological and cytochemical determination of cell death by apoptosis. *Histochem Cell Biol*. 129: 33-43.
- Tadas, P; Dainius, M; Edvinas, K; Linas, K; Maksim, K; Axel, Z. (2011). Comparative characterization of particle emissions from asbestos and non-asbestos cement roof slates. *Build Environ*. 46: 2295-2302.
- Takala, J. (1996). Chemical Safety Information for developing countries. *Sci Total Environ*. 188, Supplement: S112-S129.
- Takayama, Y; Nakasako, M. (2011). A few low-frequency normal modes predominantly contribute to conformational responses of hen egg white lysozyme in the tetragonal crystal to variations of molecular packing controlled by environmental humidity. *Biophys Chem*. 159: 237-246.
- Tang, KM; Nace, CG; Lynes, CL; Maddaloni, MA; Laposta, D; Callahan, KC. (2004). Characterization of background concentrations in Upper Manhattan, New York apartments for select contaminants identified in World Trade Center dust. *Environmental Science & Technology*. 38: 6482-6490.
- Tang, KM; Nace, CG; Maddaloni, MA; Harkay, JD; Graham, DR; Koustas, RN; Rotola, JD; LaPosta, D; Callahan, KC. (2004). Evaluation of vacuum and wet-wipe methods for removal of world trade center dust from indoor environments. *Journal of the Air & Waste Management Association*. 54: 1293-1298.
- Tanibe, T; Ikezaki, D; Sakamoto, O; Ochiai, M; Fukui, H. (2014). Characteristics of new granular Rockwool. *Acta horticulturae*387-389.
- TAnonymous. (1982). Asbestos Looked Like Magnesium. SAFETY.
- Tapbergenov, SO; Zhetpisbaev, BA; Ilderbayev, OZ; Zhetpisbaeva, HS; Olzhayeva, RR; Prozor, I; Usenova, OA; Ilderbayeva, GO. (2013). Free radical oxidation in rats in the delayed period after combined exposure to dust and radiation. *Bull Exp Biol Med*. 154: 747-749.
- Tapella, F; Sotelano, MP; Romero, MC; Lovrich, GA. (2012). Experimental natural substrate preference of southern king crab *Lithodes santolla* larvae. *Exp Mar Bio Ecol*. 411: 70-77.
- Tarnoff, S. (1985). Suit seeks to stall asbestos claims facility. *Business insurance*. 19: 3-4.
- Tat, M; Dumitru-St; nescu, R; Bunescu, C; Ni. (1989). Evaluation of the risk to health in the exposure to asbestos, by means of scanning electron microscopy. *La Santé publique*. 32: 71-77.
- Tatrai, E; Brozik, M; Drahos, A; Kovacicova, Z; Six, E; Csik, M; Dam, A. (2006). The effect of stone-wool on rat lungs and on the primary culture of rat alveolar macrophages and type II pneumocytes. *J Appl Toxicol*. 26: 16-24.
- TVerroes, A; Sekiguchi, H; Sakamoto, K. (2011). Treatment of airborne asbestos and asbestos-like microfiber particles using atmospheric microwave air plasma. *J Hazard Mater*. 195: 405-413.
- Taylor, DG; Baron, PA; Shulman, SA; Carter, JW. (1984). Identification and counting of asbestos fibers. *Am Ind Hyg Assoc J*. 45: 84-88.
- Taylor, PM. (1988). Dynamic contrast enhancement of asbestos-related pulmonary pseudotumours. *The British journal of radiology*. 61: 1070-1072.
- Taylor, ZL. (1991). With the touch of a hand. *Asbestos Issues*. 4: 45-45, 79.

Environmental Hazard Literature Search Results

Off Topic

- TBernstein, DM; Rogers, R; Smith, P. (2004). The biopersistence of Canadian chrysotile asbestos following inhalation (vol 15, pg 1247, 2003). *Inhal Toxicol.* 16: 67-67.
- Teherani, DK. (1985). DETERMINATION OF ARSENIC SCANDIUM CHROMIUM COBALT AND NICKEL IN ASBESTOS BY NEUTRON ACTIVATION ANALYSIS. *J Radioanal Nucl Chem.* 95: 177-184.
- Teixeira, APC; Purceno, AD; Barros, AS; Lemos, BRS; Ardisson, JD; Macedo, WAA; Nassor, ECO; Amorim, CC; Moura, FvCC; Hernández-Terrones, MG; Portela, FM; Lago, RM. (2012). Amphiphilic magnetic composites based on layered vermiculite and fibrous chrysotile with carbon nanostructures: Application in catalysis. *Catalysis Today.* 190: 133-143.
- Teixeira, APC; Purceno, AD; de Paula, CCA; da Silva, JCS; Ardisson, JD; Lago, RM. (2013). Efficient and versatile fibrous adsorbent based on magnetic amphiphilic composites of chrysotile/carbon nanostructures for the removal of ethynilestradiol. *J Hazard Mater.* 248-249: 295-302.
- Teixeira, APC; Santos, EM; Vieira, AIFP; Lago, RM. (2013). Use of chrysotile to produce highly dispersed K-doped MgO catalyst for biodiesel synthesis. *Chem Eng J.* 232: 104-110.
- Tekath, M; Duthheil, F; Bellini, R; Roche, A; Pereira, B; Naughton, G; Chamoux, A; Michel, JL. (2014). Comparison of the ultra-low-dose Veo algorithm with the gold standard filtered back projection for detecting pulmonary asbestos-related conditions: a clinical observational study. *BMJ Open.* 4: e004980.
- Tephly, LA; Carter, AB. (2007). Differential expression and oxidation of MKP-1 modulates TNF-alpha gene expression. *Am J Respir Cell Mol Biol.* 37: 366-374.
- Ternes, W. (1995). Toxic substances in the environment: Francis B.M. 360 pp. Chichester: Wiley (1994). *Toxicol.* 33: 708.
- Terra-Filho, M; Nery, LE; NÂ poliD; Neder, JA; Meirelles, GS; Muller, NL. (2015). Screening of miners and millers at decreasing levels of asbestos exposure: comparison of chest radiography and thin-section computed tomography. *PLoS ONE.* 10: e0118585.
- Terzano, R; Spagnuolo, M; Vekemans, B; De Nolf, W; Janssens, K; Falkenberg, G; Flore, S; Ruggiero, P. (2007). Assessing the origin and fate of Cr, Ni, Cu, Zn, Pb, and V in industrial polluted soil by combined microspectroscopic techniques and bulk extraction methods. *Environmental Science & Technology.* 41: 6762-6769.
- Terzic, J; Wang, JC; Ye, F; Song, WH; Yuan, SJ; Aswartham, S; DeLong, LE; Streltsov, SV; Khomskii, DI; Cao, G. (2015). Coexisting charge and magnetic orders in the dimer-chain iridate Ba₅AlIr₂O₁₁. *Physical Review B.* 91: 5147-5147.
- Thapar, S; Sekhon, BS; Atwal, A; Singh, R. (1991). Phosphorus Nutrition and Nitrogen Assimilation in Chickpea (*Cicer arietinum* L.). *J Plant Physiol.* 138: 111-114.
- THartford, WH. (1983). Asbestos exposure. *J Air Pollut Control Assoc.* 33: 820.
- Tharwat, EE; Amin, SO; Younis, AA; Kotby, EA. Physiological responses of growing rams to asbestos shading during summer. *Asian-Australasian journal of animal sciences.* Dec 1991. v. 4 (4): 395-398.
- Thayer, WC; Griffith, DA; Diamond, GL. (2007). Geography of asbestos contamination near the World Trade Center site. *Stoch Environ Res Risk Assess.* 21: 461-471.
- Theart, HFJ; Ghavami-Riabi, R; Mouri, H; GrÃ¼ser, P. (2011). Applying the box plot to the recognition of footwall alteration zones related to VMS deposits in a high-grade metamorphic terrain, South Africa, a lithochemical exploration application. *Chemie der Erde - Geochemistry - Interdisciplinary Journal for Chemical Problems of the Geosciences and Geoecology.* 71: 143-154.
- THEasman, L; Baldwin, G. (1986). The destruction of chrysotile asbestos using waste acids. *Waste Management & Research.* 4: 215-223.
- Theodore, TG; Howe, SS; Blake, DW; Wotruba, PR. (1986). Geochemical and fluid zonation in the skarn environment at the tomboyâ€”minnie gold deposits, Lander County, Nevada. *J Geochem Explor.* 25: 99-128.
- Theron, CN; Russell, VA; Taljaard, JJF. (1985). Evidence that estradiol-24-hydroxylase activities in rat hypothalamus and hippocampus differ qualitatively and involve multiple forms of P-450: Ontogenetic and inhibition studies. *Journal of Steroid Biochemistry.* 23: 919-927.
- THiraoka, T; Ohkura, M; Morinaga, K; Kohyama, N; Shimazu, K; Ando, M. (1998). Anthophyllite exposure and endemic pleural plaques in Kumamoto, Japan. *Scandinavian journal of work, environment & health.* 24: 392-397.
- Thom, JGM; Dipple, GM; Power, IM; Harrison, AL. (2013). Chrysotile dissolution rates: Implications for carbon sequestration. *Appl Geochem.* 35: 244-254.
- Thomas, G; Ando, T; Verma, K; Kagan, E. (1994). Asbestos-induced nitric oxide production: synergistic effect with interferon-gamma. *Ann N Y Acad Sci.* 725: 207-212.
- Thomas, RG; Sluis-Cremer, GK; Solomon, A. (1987). The posterior pleural junction line in pneumoconiosis. A report of 3 cases with thickening. *South African medical journal = Suid-Afrikaanse tydskrif vir geneeskunde.* 71: 792-795.
- Thomas, TD; Yoichiro, H. (2010). In vitro propagation for the conservation of a rare medicinal plant *Justicia gendarussa* Burm. f. by nodal explants and shoot regeneration from callus. *Acta Physiologiae Plantarum.* 32: 943-950.
- Thomassin, JH; Touray, JC; Baillif, P; Jaurand, MC; Magne, L; Goni, J. (1980). Surface interaction between chrysotile and solutions (dissolution and adsorption): systematic x-ray photoelectron spectroscopy studies. *IARC Sci Publ.* 30: 105-112.
- Thompson, RH; Blanchflower, WJ. (1971). WET-ASHING APPARATUS TO PREPARE BIOLOGICAL MATERIALS FOR ATOMIC ABSORPTION SPECTROPHOTOMETRY. *LABORATORY PRACTICE, VOL 20, NO 11, P 859-861, NOVEMBER 1971 1 FIG, 3 TAB, 2 REF.*
- Thomson, JG; Graves, WM, Jr. (1966). Asbestos as an urban air contaminant. *Arch Pathol.* 81: 458-464.
- Thomson, JG; Kaschula, RO; Macdonald, RR. (1963). Asbestos as a modern urban hazard. *South African medical journal = Suid-Afrikaanse tydskrif vir geneeskunde.* 37: 77-81.
- Thomson, W. (1970). The problem of asbestos. *Nurs Times.* 66: 1449-1451.
- Thornburg, J; Kominsky, J; Brown, GG; Frechtel, P; Barrett, W; Shaul, G. (2010). A model to predict the breathing zone concentrations of particles emitted from surfaces. *J Environ Monit.* 12: 973-980.

Environmental Hazard Literature Search Results

Off Topic

- Thorne, PS; Lightfoot, EN; Albrecht, RM. (1985). Physicochemical characterization of cryogenically ground, size separated, fibrogenic particles. *Environ Res.* 36: 89-110.
- Thouez, JP; Singh, B. (1997). Perceptions and attitudes to air pollution in an asbestos mining town. *GeoJournal.* 8: 123-128.
- Tilkes, F; Beck, EG. (1980). Comparison of length-dependent cytotoxicity of inhalable asbestos and man-made mineral fibres. *IARC Sci Publ.* 30: 475-483.
- Tilkes, F; Beck, EG. (1983). Influence of well-defined mineral fibers on proliferating cells. *Environ Health Perspect.* 51: 275-279.
- Tilkes, F; Beck, EG. (1989). Cytotoxicity and carcinogenicity of chrysotile fibres from asbestos-cement products. *IARC Sci Publ.* 90: 190-196.
- Tillett, T. (2012). The Traveling Libby Legacy Minnesota Community Exhibits Nonoccupational Health Impacts Consistent with Asbestos Damage. *Environ Health Perspect.* 120: A35-A35.
- Tilley, A; Lopez-Angarita, J; Turner, JR. (2013). Effects of scale and habitat distribution on the movement of the southern stingray *Dasyatis americana* on a Caribbean atoll. *Mar Ecol Prog Ser.* 482: 169-179.
- Timbrell, V. (1980). Uses of the UICC samples. *IARC Sci Publ.* 30: 127-142.
- Tiwary, A; Deb, M. (1997). Geochemistry of hydrothermal alteration at the Deri massive sulphide deposit, Sirohi district, Rajasthan, NW India. *J Geochem Explor.* 59: 99-121.
- TLuther, R; Wetzer, K; KÃ hne, W. Asbestos-induced pleural diseases--thoroscopic aspects.
- TMannix, ET; Martin, WJ, 2nd. (1994). Exercise impairment in asbestos-induced pleural fibrosis. Is it really just interstitial fibrosis? *Chest.* 105: 1312-1313.
- TMarconi, A. (1983). Application of infrared spectroscopy in asbestos mineral analysis. *Annali dell'Istituto superiore di sanità*. 19: 629-637.
- Tobaly, J; Salle, M; Paterour, M; Jaurand, MC; Bignon, J. (1984). PRELIMINARY RESULTS ON ONCOGENES IN RAT PLEURAL MESOTHELIAL CELLS TRANSFORMED IN-VITRO BY BENZO-A-PYRENE AND/OR CHRYSOTILE. Beck, E G And J Bignon. 0: 209-214.
- Tobiszewski, M; Polkowska, Z; Konieczka, P; Namiesnik, J. (2010). Roofing Materials as Pollution Emitters - Concentration Changes during Runoff. *Pol J Environ Stud.* 19: 1019-1028.
- Toft, P; Meek, ME. (1983). Asbestos in drinking water: a Canadian view. *Environ Health Perspect.* 53: 177-180.
- Tomasetti, M; Straffella, E; Amati, M; Nocchi, L; Saccucci, F; Santarelli, L. (2009). Asbestos exposure affects poly(ADP-Ribose) polymerase-1 activity: Role in the asbestos-induced carcinogenesis. *Toxicol Lett.* 189: 1.
- Tomasichio, GR; D'Alessandro, F; Musci, F. (2010). A multi-layer capping of a coastal area contaminated with materials dangerous to health. *Chem Ecol.* 26: 155-168.
- Tomatis, L. (2004). Asbestos and international organizations. *Environ Health Perspect.* 112: A336-A337.
- Tonoli, GHD; dos Santos, SF; Rabi, JA; dos Santos, WN; Savastano, H. (2011). Thermal performance of sisal fiber-cement roofing tiles for rural constructions. *Scientia Agricola.* 68: 1-7.
- Topalcengiz, Z; Danyluk, MD. (2017). Thermal inactivation responses of acid adapted and non-adapted stationary phase Shiga toxin-producing *Escherichia coli* (STEC), *Salmonella* spp. and *Listeria monocytogenes* in orange juice. *Food Control.* 72, Part A: 73-82.
- Torabi, G. (2009). Chromitite potential in mantle peridotites of the Jandaq ophiolite (central Iran). *Comptes Rendus Geoscience.* 341: 982-992.
- Torres-Anjel, MJ; Hedrick, TI. (1971). Spore Removal by Centrifugation and Its Effect on Ultra-High Temperature Commercial Sterilization of Milk. *J Dairy Sci.* 54: 326-330.
- Toulemonde, O; Studer, F; Barnabe, A; Raveau, B; Goedkoop, JB. (1999). Magnetic properties of chromium doped rare earth manganites $\text{Ln}_{0.5}\text{Ca}_{0.5}\text{Mn}_{1-x}\text{Cr}_x\text{O}_3$ ($\text{Ln}=\text{Pr, Nd, Sm}$ and $0.05 \leq x \leq 0.10$) by soft x-ray magnetic circular dichroism. *Journal of Applied Physics.* 86: 2616-2621.
- Townes-Anderson, E; Raviola, G. (1981). The formation and distribution of intercellular junctions in the rhesus monkey optic cup: The early development of the cilio-iridic and sensory retinas. *Developmental Biology.* 85: 209-232.
- Toyoshima, M; Chida, K; Suda, T; Sato, M. (2011). Possible Relationship between Asbestos Exposure and Bronchial Asthma: A Need for Clarification. *Am J Respir Crit Care Med.* 183: 1571-1572.
- TPowell, CS. (1997). Science in court. Reflections on science and truth in an asbestos trial. *Sci Am.* 277: 32, 34.
- Tra Anh, D; Blancou, H; Commeyras, A. (1999). SynthÃ se d'acides Å perfluoroalkylalcanoÃ±ques et d'Å perfluoroalkylalcanols. *Journal of Fluorine Chemistry.* 96: 167-174.
- Trabelsi, N; Greffard, A; Paireon, JC; Kheuang, L; Bignon, J; Jaurand, MC; Pilatte, Y. (1998). Shedding of CD44 from PMA-differentiated U-937 cells is enhanced by treatment with mineral particles. *Biochem Biophys Res Commun.* 245: 240-245.
- Treadwell, MD; Barchowsky, A. (1993). Activation of endothelial cell transacting factors following exposure to H₂O₂ or asbestos. *Free Radic Biol Med.* 15: 547.
- Treadwell, MD; Mossman, BT; Barchowsky, A. (1996). Increased neutrophil adherence to endothelial cells exposed to asbestos. *Toxicol Appl Pharmacol.* 139: 62-70.
- Trent, T. (2004). Asbestos problems in Montana and California. *Environmental Science & Technology.* 38: 46A-46A.
- TRickards, AL; Badami, DV. (1971). Chrysotile asbestos in urban air. *Nature.* 234: 93-94.
- Trivedi, AK; Ahmad, I. (2011). Effects of Chrysotile Asbestos Contaminated Soil on Crop Plants. *Soil & Sediment Contamination.* 20: 767-776.
- TroÅjiÅ±, Ii; Brumen, V; Horvat, D. (1996). In vitro assessment of asbestos fibers genotoxicity. *Toxicol Lett.* 88, Supplement 1: 73.
- TroÅjiÅ±, Ii; MatauÅjiÅ±-PiÅi, M; VuÅ iniÅ±, D. (1995). Macrophage phagocytic activity and cell phagocytic capacity following intratracheal instillation of a mixture of asbestos fibers. *Exp Toxicol Pathol.* 47: 238-240.
- Trosic, I. (2009). RAZMJERI PROBLEMATIKE POVEZANE S DUGOTRAJNOM PRERADOM I UPORABOM AZBESTA. *Arhiv za Higijenu Rada i Toksikologiju/Archives of Industrial Hygiene and Toxicology.* 60: 3.

Environmental Hazard Literature Search Results

Off Topic

- Trueba, A; Garcia-Lastra, JM; Aramburu, JA; Garcia-Fernandez, P; Barriuso, MT; Moreno, M. (2010). Pressure-induced changes in Cr(3+)-doped elpasolites and LiCaAlF(6): Interpretation of macroscopic data. *Physical Review B*. 81: 3104-3104.
- Truhaut, R; Chouroulinkov, I. (1989). Effect of long-term ingestion of asbestos fibres in rats. *IARC Sci Publ*.
- Tschopp, J. (2008). PL-10 Induction of innate immune responses through Nalp3 inflammasome sensing of asbestos and silica. *Cytokine*. 43: 276.
- TSchwartz, DA. (1991). New developments in asbestos-induced pleural disease. *Chest*. 99: 191-198.
- Tsuchimochi, H; Matsukawa, K; Komine, H; Murata, J. (2002). Direct measurement of cardiac sympathetic efferent nerve activity during dynamic exercise. *American Journal of Physiology-Heart and Circulatory Physiology*. 283: H1896-H1906.
- Tsuda, H; Tokunaga, H; Hirose, A; Kanno, J. (2008). Hazard Identification of Nanomaterials. *Yakugaku Zasshi-Journal of the Pharmaceutical Society of Japan*. 128: 1727-1732.
- Tsukue, N; Tsubone, H; Suzuki, AK. (2002). Diesel exhaust affects the abnormal delivery in pregnant mice and the growth of their young. *Inhal Toxicol*. 14: 635-651.
- Tsurikova, GV; Spitsin, VA; Gladkova, VY. (1993). Demographic indices as indicators of genetic adaptation to asbestos. *Reprod Toxicol*. 7: 523.
- Tsutsui, T; Kirihaara, N; Hori, T; Concannon, PW. (2007). Plasma progesterone and prolactin concentrations in overtly pseudopregnant bitches: A clinical study. *Theriogenology*. 67: 1032-1038.
- Tsvetkova, N; Koynova, R; Tsonev, L; Quinn, P; Tenchov, B. (1991). Influence of proline on the stability of fully hydrated and freeze-dried lipid phases. *Chem Phys Lipids*. 60: 51-59.
- Tucker, JH; Cook, PM; Phipps, GL; Stokes, GN; Lima, PH. (1978). Asbestos - A Bibliography. Available from the National Technical Information Service, Springfield VA 22161 as PB-286 486, Price codes: A05 in paper copy, A01 in microfiche Report No EPA-600/3-78-066, July 1978, 92 p.
- Tulachka, GJ; Brantley, WA; McGivney, GP; Ziebert, GJ. (1987). An investigation of the potential biohazards associated with asbestos-substitute casting ring liners. *The Journal of prosthetic dentistry*. 57: 108-112.
- Tumuluru, JS; Tabil, L; Opoku, A; Mosqueda, MR; Fadeyi, O. (2010). Effect of process variables on the quality characteristics of pelleted wheat distiller's dried grains with solubles. *Biosystems Engineering*. 105: 466-475.
- Turci, F; Corazzari, I; Alberto, G; Martra, G; Fubini, B. (2015). Free-Radical Chemistry as a Means to Evaluate Lunar Dust Health Hazard in View of Future Missions to the Moon. *Astrobiology*. 15: 371-380.
- Turci, F; Tomatis, M; Lesci, IG; Roveri, N; Fubini, B. (2011). The Iron-Related Molecular Toxicity Mechanism of Synthetic Asbestos Nanofibres: A Model Study for High-Aspect-Ratio Nanoparticles. *Chemistry*. 17: 350-358.
- Turci, F; Tomatis, M; Mantegna, S; Cravotto, G; Fubini, B. (2007). The combination of oxalic acid with power ultrasound fully degrades chrysotile asbestos fibres. *J Environ Monit*. 9: 1064-1066.
- Turci, F; Tomatis, M; Mantegna, S; Cravotto, G; Fubini, B. (2008). A new approach to the decontamination of asbestos-polluted waters by treatment with oxalic acid under power ultrasound. *Ultrason Sonochem*. 15: 420-427.
- Turim, J. (2008). Correction to R. Lemen's review article, 'Asbestos in Brakes: Exposure and Risk of Disease'. *Am J Ind Med*. 51: 475; author reply 476.
- Turner, TL; Bourne, EC; Von, WEJ; Hu, TT; Nuzhdin, SV. (2010). Population resequencing reveals local adaptation of *Arabidopsis lyrata* to serpentine soils. *Nat Genet*. 42: 260-263.
- Turner-Warwick, M. (1973). Immunology and asbestosis. *Proc R Soc Med*. 66: 927-930.
- Tyberghein, A; Deroost, K; Schwarzer, E; Arese, P; Van, dSPE. (2014). Immunopathological effects of malaria pigment or hemozoin and other crystals. *BioFactors (Oxford, England)*. 40: 59-78.
- U.S. EPA. (1976). Identification of Selected Federal Activities Directed to Chemicals of Near-Term Concern. Available from the National Technical Information Service, Springfield VA 22161 as PB-257 494, Price codes: A03 in paper copy, A01 in microfiche July, 1976 29 p.
- Uadal, S; Sagar, VR. (2008). Influence of packaging and storage temperature on the quality of dehydrated selected leafy vegetables. *Journal of Food Science and Technology-Mysore*. 45: 450-453.
- Ueno, S; Kashimoto, T; Susa, N; Wada, K; Ito, N; Takeda-Homma, S; Nishimura, Y; Sugiyama, M. (2006). Estimation of hydroxyl radical generation by salicylate hydroxylation method in multiple organs of mice exposed to whole-body X-ray irradiation. *Free Radic Res*. 40: 944-951.
- Uetake, K; Akiyama, K; Tanaka, T. (2014). Relationship between stress levels of the antepartum cow and her newborn calf. *Animal Science Journal*. 85: 81-84.
- Uhlenbeck, OC; Borer, PN; Dangler, B; Tinoco Jr, I. (1973). Stability of RNA hairpin loops: A6-Cm-U6. *Journal of Molecular Biology*. 73: 483-496.
- Uibu, T; Vanhala, E; Sajantila, A; Lunetta, P; Mäčžkelâž-Bengs, PDDoRMTUHTFsusf; Goebeler, S; Jâžntti, M. Asbestos fibers in para-aortic and mesenteric lymph nodes.
- Ulanowski, Z; Kaye, PH. (1999). Magnetic anisotropy of asbestos fibers. *Journal of Applied Physics*. 85: 4104-4109.
- Ulanowski, Z; Kaye, PH; Hirst, E. (1998). Respirable asbestos detection using light scattering and magnetic alignment. *J Aerosol Sci*. 29, Supplement 1: S13-S14.
- Ulmer, DD; Holmquist, B; Vallee, BL. (1973). Magnetic circular dichroism of non-heme iron proteins. *Biochem Biophys Res Commun*. 51: 1054-1061.
- Umemoto, EY; Speck, M; Shimoda, LMN; Kahue, K; Sung, C; Stokes, AJ; Turner, H. (2014). Single-walled carbon nanotube exposure induces membrane rearrangement and suppression of receptor-mediated signalling pathways in model mast cells. *Toxicol Lett*. 229: 198-209.
- Unfried, K; Kociok, N; Roller, M; Friemann, J; Pott, F; Dehnen, W. (1997). P53 mutations in tumours induced by intraperitoneal injection of crocidolite asbestos and benzo[a]pyrene in rats. *Exp Toxicol Pathol*. 49: 181-187.
- Unger, TA. (1996). - Mancozeb. *Pesticide Synthesis Handbook* Park Ridge, NJ124.

Environmental Hazard Literature Search Results

Off Topic

- Unites, D; Possidento, M; Housman, J. (1980). Preliminary Risk Evaluation for Suspected Hazardous Waste Disposal Sites in Connecticut. EPA National Conference on Management of Uncontrolled Hazardous Wastes October 15-17, 1980 Washington, DC, Environmental Protection Agency Report (1980) p 25-29, 3 Fig, 1 Tab, 3 Ref.
- Uo, M; Akasaka, T; Watari, F; Sato, Y; Tohji, K. (2011). Toxicity evaluations of various carbon nanomaterials. *Dent Mater J.* 30: 245-263.
- Upadhyay, N; Sun, Q; Allen, JO; Westerhoff, P; Herckes, P. (2011). Synthetic musk emissions from wastewater aeration basins. *Water Res.* 45: 1071-1078.
- Upreti, RK; Dogra, RKS; Shanker, R; Krishna Murti, CR; Dwivedi, KK; Rao, GN. (1984). Trace elemental analysis of asbestos with an x-ray fluorescence technique. *Sci Total Environ.* 40: 259-267.
- Upton, AC; Shaikh, RA. (1995). Asbestos exposures in public and commercial buildings. *Am J Ind Med.* 27: 433-437; discussion 439-441.
- Uragoda, CG; Sheriffdeen, AH; Amerasinghe, A. (1983). A case of asbestos associated disease in Sri Lanka. *The Ceylon medical journal.* 28: 247-249.
- Uryupin, ON; Kartenko, NF; Tabachkova, NY. (2014). On the structure of InSb nanowires in the channels of chrysotile asbestos. *Semiconductors.* 48: 974-978.
- Ushada, M; Murase, H. (2013). Pilot model of production system for moss greening material in Yogyakarta. *Acta horticulturae*479-486.
- Vaglio, A. (2009). Retroperitoneal fibrosis: new insights into clinical presentation and diagnosis. *Medicine (Baltimore).* 88: 208-210.
- Valanis, B; Blank, J; Glass, A. (1998). Mailing strategies and costs of recruiting heavy smokers in CARET, a large chemoprevention trial. *Contr Clin Trials.* 19: 25-38.
- Valerio, F; Balducci, D; Lazzarotto, A. (1987). Adsorption of proteins by chrysotile and crocidolite: Role of molecular weight and charge density. *Environ Res.* 44: 312-320.
- Valerio, F; Balducci, D; Scarabelli, L. (1986). Selective adsorption of serum proteins by chrysotile and crocidolite. *Environ Res.* 41: 432-439.
- Valerio, F; Puntoni, R; Santi, L. (1979). Adsorption properties of U.I.C.C. Rhodesian chrysotile and crocidolite in aqueous solution -- effects of cation depletion. *Am Ind Hyg Assoc J.* 40: 781-788.
- Valerio, F; Veggi, M; Santi, L. (1980). Adsorption isotherms of albumin and ferritin on Rhodesian chrysotile: Effects of magnesium depletion. *Environ Res.* 21: 186-189.
- Vallero, D. (2014). Chapter 4 - Air Pollution Decision Tools. *Fundamentals of Air Pollution (Fifth Edition)* Boston83-109.
- Vallero, D. (2014). Chapter 24 - Source Sampling and Emission Measurement. *Fundamentals of Air Pollution (Fifth Edition)* Boston559-577.
- Vallero, DA; Letcher, TM. (2013). Chapter 10 - Minerals. *Unraveling Environmental Disasters* Boston235-273.
- Vallyathan, NV; Green, FH; Craighead, JE. (1980). Recent advances in the study of mineral pneumoconiosis. *Pathology annual.* 15: 77-104.
- Valouma, A; Verganelaki, A; Maravelaki-Kalaitzaki, P; Gidakos, E. (2016). Chrysotile asbestos detoxification with a combined treatment of oxalic acid and silicates producing amorphous silica and biomaterial. *J Hazard Mater.* 305: 164-170.
- van, BD; Clift, MJ; Albrecht, C; Schins, RP. (2012). Carbon nanotubes: an insight into the mechanisms of their potential genotoxicity. *Swiss Med Wkly.* 142: w13698.
- van der Gon, H; Hulskotte, JHJ; Visschedijk, AJH; Schaap, M. (2007). A revised estimate of copper emissions from road transport in UNECE-Europe and its impact on predicted copper concentrations. *Atmos Environ.* 41: 8697-8710.
- van der Laan, G; Arenholz, E; Schmehl, A; Schlom, DG. (2008). Weak anisotropic X-ray magnetic linear dichroism at the Eu M(4,5) edges of ferromagnetic EuO(001): Evidence for 4f-state contributions. *Physical Review Letters.* 100: 7403-7403.
- van der Laan, G; Arenholz, E; Schmehl, A; Schlom, DG. (2008). Weak anisotropic X-ray magnetic linear dichroism at the Eu M(4,5) edges of ferromagnetic EuO(001): Evidence for 4f-state contributions (vol 100, art no 067403, 2008). *Physical Review Letters.* 100: 9903-9903.
- van der Louw, J; Komen, CMD; Knol, A; de Kanter, FJJ; van der Baan, JL; Bickelhaupt, F; Klumpp, GW. (1989). 1,5-annelated 4-methylenecyclopentenes by intramolecular type I zinc-ene reactions followed by Pd(0)-catalyzed cyclization. *Tetrahedron Letters.* 30: 4453-4456.
- van der Louw, J; van der Baan, JL; Komen, CMD; Knol, A; de Kanter, FJJ; Bickelhaupt, F; Klumpp, GW. (1992). Intramolecular zinc-ene reactions of alkynes; preparation of 1,5-annelated 4-methylenecyclopentenes. *Tetrahedron.* 48: 6105-6122.
- Van der Meeren, A; Levy, Fo; Bignon, J; Jaurand, M-C. (1988). Growth of normal and neoplastic rat pleural mesothelial cells in the presence of conditioned medium from neoplastic mesothelial cells. *Biol Cell.* 62: 293-296.
- Van der Vliet, PC; Tonino, GJM; Rozijn, TH. (1969). Studies on the yeast nucleus: III. Properties of a deoxyribonucleoprotein complex derived from yeast. *Biochimica et Biophysica Acta (BBA) - Nucleic Acids and Protein Synthesis.* 195: 473-483.
- Van, DERMEERENA; Renier, A; Magne, L; Bignon, J; Jaurand, MC. (1986). PRODUCTION OF GROWTH AND INHIBITOR FACTORS BY TRANSFORMED RAT PLEURAL MESOTHELIAL CELLS PMC. 34th Meeting Of The European Tissue Culture Society, Heidelberg, West Germany, Oct. 0: 23.
- van, DP; van, dVH. (1977). Factors affecting pyrogen testing in rabbits. *Dev Biol Stand.* 34: 57-63.
- van, dWHJ; MÃ-lhSo, ISOIARCSP. (1993). Sampling strategies for indoor air analyses. COST 613 document. IARC Sci Publ.
- van Geel, J; Magill, J; Schmidt, HE. (1992). A survey of aerosol research in European community programmes. *J Aerosol Sci.* 23, Supplement 1: 9-13.
- Van Gosen, BS; Lowers, HA; Sutley, SJ; Gent, CA. (2004). Using the geologic setting of talc deposits as an indicator of amphibole asbestos content. *Environ Geol.* 45: 920-939.
- Van Orden, DR. (1964). 2 - Asbestos A2 - Morrison, Robert D. *Environmental Forensics* Burlington19-33.

Environmental Hazard Literature Search Results

Off Topic

- Van Oss, CJ; Naim, JO; Costanzo, PM; Giese, RF; Wu, W; Sorling, AF. (1999). Impact of different asbestos species and other mineral particles on pulmonary pathogenesis. *Clays and Clay Minerals*. 47: 697-707.
- Van, RENSBURGL; Pistorius, L. (1998). An investigation into the problems associated with revegetating chrysotile tailings. *South African Journal Of Plant And Soil*. 15: 130-140.
- van Sliedregt, A; Knook, M; Hesseling, SC; Koerten, HK; de Groot, K; van Blitterswijk, CA. (1992). Cellular reaction on the intraperitoneal injection of four types of polylactide particulates. *Biomaterials*. 13: 819-824.
- van Zandwijk, N; Soeberg, M; Reid, G. (2016). Using a multidisciplinary approach to combat the burden of asbestos-related disease. *Med J Aust*. 204: 52-52.
- vanKuyk, PA; Diderich, JA; MacCabe, AP; Hererro, O; Ruijter, GJG; Visser, J. (2004). *Aspergillus niger* mstA encodes a high-affinity sugar/H(+) symporter which is regulated in response to extracellular pH. *Biochem J*. 379: 375-383.
- Vanorden, DR. (1993). Comment on "Exposure to Airborne Asbestos in Buildings". *Regul Toxicol Pharmacol*. 18: 481.
- Varchaver, N. (2008). The tombstone at Ground Zone. *Fortune*. 157: 92-96, 98, 100 passim.
- Varga, C. (2005). Can one assess genotoxic and carcinogenic risk of asbestos without mentioning ingested fibres? *Mutation Research-Fundamental and Molecular Mechanisms of Mutagenesis*. 572: 173-174.
- Varga, C; Szendi, K; Ember, I. (2006). An in vivo model for testing genotoxicity of environmental fibre-associated nitroarenes. *In vivo (Athens, Greece)*. 20: 539-541.
- Varga, CS. (2000). Asbestos fibres in drinking water: are they carcinogenic or not? *Med Hypotheses*. 55: 225-226.
- Vasudev, V; Krishnamurthy, NB. (1980). Non-mutagenicity of the fungicide dithane M-45 as inducer of recessive lethals after larval feeding in *Drosophila melanogaster*. *Mutation Research/Genetic Toxicology*. 77: 189-191.
- Vasudev, V; Krishnamurthy, NB. (1994). In vivo cytogenetic analyses of the carbamate pesticides Dithane M-45 and Baygon in mice. *Mutat Res Lett*. 323: 133-135.
- Vasudev, V; Subramanya, G; Krishnamurthy, NB. (1994). Dominant Lethals Induced by Dithane M-45 in Silkworm *Bombyx mori*. *Environ Res*. 65: 145-148.
- Vasuki, V; Rajavel, AR. (1992). Beta-cyfluthrin, a synthetic pyrethroid for mosquito control. *The Southeast Asian journal of tropical medicine and public health*. 23: 318-323.
- Vaughan, GL; Kennedy, JR; Trently, SA. (1991). The immediate effects of silicon carbide whiskers upon ciliated tracheal epithelium. *Environ Res*. 56: 178-185.
- Vazquez, G; Selles, J; de Boland, AR; Boland, R. (1999). Rapid actions of calcitriol and its side chain analogues CB1093 and GS1500 on intracellular calcium levels in skeletal muscle cells: a comparative study. *Br J Pharmacol*. 126: 1815-1823.
- Veale, AG. (2004). Regarding 'mortality, morbidity, and asbestosis in New Zealand: the hidden legacy of asbestos exposure'. *The New Zealand medical journal*. 117: U1225.
- Veetil, SP; Pasquier, LC; Blais, JF; Cecchi, E; Kentish, S; Mercier, G. (2015). Direct gas-solid carbonation of serpentinite residues in the absence and presence of water vapor: a feasibility study for carbon dioxide sequestration. *Environ Sci Pollut Res Int*. 22: 13486-13495.
- Vega, JM; Cardenas, J; Losada, M. (1980). [23] Ferredoxin-nitrite reductase. *Methods Enzymol* 255-270.
- Velasco, L; Perez-Vich, B; Fernandez-Martinez, JM. (2004). Novel variation for the tocopherol profile in a sunflower created by mutagenesis and recombination. *Plant Breeding*. 123: 490-492.
- Venezia, AJ. (2001). The quality of sausage. *Environ Health Perspect*. 94: 6-7.
- Vermeer, AWP; Norde, W; van Amerongen, A. (2000). The Unfolding/Denaturation of Immunoglobulin of Isotype 2b and its Fab and Fc Fragments. *Biophysical Journal*. 79: 2150-2154.
- Vernunft, A; Viergutz, T; Plinski, C; Weitzel, JM. (2014). Postpartum levels of 8-iso-prostaglandin F₂± in plasma and milk phospholipid fractions as biomarker of oxidative stress in first-lactating dairy cows. *Prostaglandins & Other Lipid Mediators*. 112: 34-38.
- Viallat, JR; Boutin, C; Pietri, JF; Fondarai, J. (1983). Late progression of radiographic changes in canari chrysotile mine and mill exworkers. *Arch Environ Health*. 38: 54-58.
- Viallat, JR; Boutin, C; Steinbauer, J; Gaudichet, A; Dufour, G. (1991). Pleural effects of environmental asbestos pollution in Corsica. *Ann N Y Acad Sci*. 643: 438-443.
- Viani, A; Gualtieri, AF. (2013). Recycling the product of thermal transformation of cement-asbestos for the preparation of calcium sulfoaluminate clinker. *J Hazard Mater*. 260: 813-818.
- Viani, A; Gualtieri, AF; Pollastri, S; Rinaudo, C; Croce, A; Urso, G. (2013). Crystal chemistry of the high temperature product of transformation of cement-asbestos. *J Hazard Mater*. 248-249: 69-80.
- Vianna, NJ. (1984). Asbestos in New York State. *N Y State J Med*. 84: 103-104.
- Vigliani, EC. (1968). The fibrogenic response to asbestos. *Med Lav*. 59: 401-410.
- Vigliani, EC. (1969). Asbestos exposure and its results in Italy. *Med Lav*. 60: 325-330.
- Vigliani, EC. (1991). A glance at the early Italian studies on the health effects of asbestos. *Med Lav*. 82: 489-491.
- Vigliani, EC; Rendal, RE; Patroni, M; Skikne, M; Occella, E; Ellis, P. (1976). Presence and identification of fibres in the atmosphere of Milan. *Med Lav*. 67: 551-567.
- Vignaroli, G; Ballirano, P; Belardi, G; Rossetti, F. (2014). Asbestos fibre identification vs. evaluation of asbestos hazard in ophiolitic rock melanges, a case study from the Ligurian Alps (Italy). *Environ Earth Sci*. 72: 3679-3698.
- Vilim, V; Wilhelm, J; Brzak, P; Hurych, J. (1987). Stimulation of alveolar macrophages by mineral dusts in vitro: Luminol-dependent chemiluminescence study. *Environ Res*. 42: 246-256.
- Virta, RL; Segreti, JM. (1987). A model for predicting crocidolite fiber size distributions. *Environ Res*. 44: 148-160.

Environmental Hazard Literature Search Results

Off Topic

- Visioli, G; Menta, C; Gardi, C; Conti, FD. (2013). Metal toxicity and biodiversity in serpentine soils: application of bioassay tests and microarthropod index. *Chemosphere*. 90: 1267-1273.
- Vlahos, I. (2013). Commentary on: Comparison of chest digital tomosynthesis and chest radiography for detection of asbestos-related pleuropulmonary disease. *Clin Radiol*. 68: 336-337.
- Vogel, SA; Roberts, JA. (2011). Why the toxic substances control act needs an overhaul, and how to strengthen oversight of chemicals in the interim. *Health affairs (Project Hope)*. 30: 898-905.
- Voisin, C. Environmental airborne tremolite asbestos pollution and pleural plaques in Afghanistan.
- Voitylov, AV; Vojtylov, VV; Dolgov, IS; Klemeshev, SA; Korytkova, EN; Maslennikova, TP; Petrov, MP; Pivovarova, LN. (2012). Electrooptical Properties of Aqueous Suspensions of Nickel Hydrosilicate Nanotubes. *Optics and Spectroscopy*. 112: 64-71.
- Vollono, C; Petrelli, G; Maggini, M; Siepi, G. (1982). The diffusion of asbestos in Italy: Preliminary note. *Igiene Moderna*. 78: 411-422.
- Voormeij, DA; Simandl, GJ; O'Connor, B. (2005). A systematic assessment of ultramafic rocks and their suitability for mineral sequestration of CO₂. *Greenhouse Gas Control Technologies 7* Oxford2405-2409.
- Voytek, P; Anver, M; Thorslund, T; Conley, J; Anderson, E. (1990). Mechanisms of asbestos carcinogenicity. *J Am Coll Toxicol*. 9: 541-550.
- Vyth, A; Stolk, LM; Abbad, FC. (1986). Aluminum contamination of dialysis and intravenous fluids after asbestos-free depth filtration. *Am J Hosp Pharm*. 43: 2390.
- Waananen, KM; Okos, MR. (1996). Effect of porosity on moisture diffusion during drying of pasta. *Journal of Food Engineering*. 28: 121-137.
- Wachsmuth, L; Keiffer, R; Juretschke, HP; Raiss, RX; Kimmig, N; Lindhorst, E. (2003). In vivo contrast-enhanced micro MR-imaging of experimental osteoarthritis in the rabbit knee joint at 7.1T. *Osteoarthritis and Cartilage*. 11: 891-902.
- Wade, MJ; Lipkin, LE; Tucker, RW; Frank, AL. (1976). Asbestos cytotoxicity in a long term macrophage-like cell culture. *Nature*. 264: 444-446.
- Waerhaug, J. (1980). Temporary restorations: advantages and disadvantages. *Dent Clin North Am*. 24: 305-316.
- Wagg, RM. (1976). Safety measures when handling asbestos. *Royal Society of Health journal*. 96: 252-255.
- Wagman, J. (1979). Discussion on "Presumptive identification of asbestos in urban air", by M. Benarie and D. Bodin. *Sci Total Environ*. 13: 91.
- Wagner, GR. (2007). The fallout from asbestos. *Lancet*. 369: 973-974.
- Wagner, GR. (2008). Thinking longitudinally in a cross-sectional world. *Am J Respir Crit Care Med*. 177: 565-566.
- Wagner, ID; Zhao, WD; Zhang, CL; Romanek, CS; Rohde, M; Wiegel, J. (2008). *Thermoanaerobacter uzonensis* sp nov., an anaerobic thermophilic bacterium isolated from a hot spring within the Uzon Caldera, Kamchatka, Far East Russia. *Int J Syst Evol Microbiol*. 58: 2565-2573.
- Wagner, J. (2015). Analysis of serpentine polymorphs in investigations of natural occurrences of asbestos. *Environmental Science-Processes & Impacts*. 17: 985-996.
- Wagner, JC. (1965). The sequelae of exposure to asbestos dust. *Ann N Y Acad Sci*. 132: 691-695.
- Wagner, JC. (1974). Proceedings: Biological effects of asbestos. Experimental and future studies. *Clin Sci Mol Med*. 47: 12P.
- Wagner, JC; Berry, G; Pooley, FD. (1980). Carcinogenesis and mineral fibres. *Br Med Bull*. 36: 53-56.
- Wagner, JC; Skidmore, JW. (1965). Asbestos dust deposition and retention in rats. *Ann N Y Acad Sci*. 132: 77-86.
- Wagner, M. (1985). Safeguarding the physical well-being of dentists. *Journal of the American Dental Association* (1939). 110: 16-24.
- Wagner, M; Werner, A; Grunder, W. (1999). Visualization of collagenase-induced cartilage degradation using NMR microscopy. *Invest Radiol*. 34: 607-614.
- Wagner, ME; Travis, LB. (2008). Letter to the Editor Re: "Mesothelioma and asbestos". *Regul Toxicol Pharmacol*. 52: 353-354.
- Wakeham, SG; Davis, AC; Tripp, BW; Frew, NM; Witt, RT. (1980). Tetrachloroethylene Contamination of Drinking Water by Vinyl-Coated Asbestos-Cement Pipe. *Bull Environ Contam Toxicol*. 25: 639-645.
- Waldman, L. (2007). Evaluating science and risk: Living with and dying from asbestos. *Ids Bulletin-Institute of Development Studies*. 38: 36-+.
- Waldron, HA. (2002). Fairchild and the "guilty" fibre. *The Medico-legal journal*. 70: 87-88.
- Wale, R. A solution to the asbestos filtration problem. *Food technology in Australia*. Jan 1982. v. 34 (1): 30 ill.
- Walker, AM; Maxim, LD; Utell, MJ. (2012). Are airborne refractory ceramic fibers similar to asbestos in their carcinogenicity? *Inhalation Toxicology* (vol 24, pg 416, 2012). *Inhal Toxicol*. 24: 928-929.
- Walker, AM; Maxim, LD; Utell, MJ. (2012). Corrigendum. Are airborne refractory ceramic fibers similar to asbestos in their carcinogenicity? *Inhal Toxicol*. 24: 928-929.
- Walker, C; Everitt, J; Barrett, JC. (1992). Possible cellular and molecular mechanisms for asbestos carcinogenicity. *Am J Ind Med*. 21: 253-273.
- Wall, ST; Saha, K; Ashton, RS; Kam, KR; Schaffer, DV; Healy, KE. (2008). Multivalency of Sonic hedgehog conjugated to linear polymer chains modulates protein potency. *Bioconjug Chem*. 19: 806-812.
- Walls, C; Wilsher, M; Glass, B. (2003). An uncommon clinical presentation of asbestos-related disease. *The New Zealand medical journal*. 116: U385.
- Wanders, JBW. (1977). The role of benthic algae in the shallow reef of Curaçao (Netherlands Antilles) III: The significance of grazing. *Aquatic Botany*. 3: 357-390.
- Wang, A; Dhamelincourt, P; Turrell, G. (1988). Raman and infrared spectroscopic investigation of the cation distributions in amphiboles. *Journal of Molecular Structure*. 175: 183-188.
- Wang, C; Wu, J; Bernard, GM. (2014). Preparation and characterization of canola protein isolate-poly(glycidyl methacrylate) conjugates: A bio-based adhesive. *Ind Crop Prod*. 57: 124-131.
- Wang, CC; Han, RJ; Gentry, JW; Fletcher, RA. (1992). Deposition uniformity on filter cassettes when the sampling is not isokinetic and isoaxial. *J Aerosol Sci*. 23, Supplement 1: 603-606.

Environmental Hazard Literature Search Results

Off Topic

- Wang, CC; Wu, JP; Bernard, GM. (2014). Preparation and characterization of canola protein isolate-poly(glycidyl methacrylate) conjugates: A bio-based adhesive. *Ind Crop Prod.* 57: 124-131.
- Wang, D; Li, Y; Li, G; Wang, C; Zhang, W; Wang, Q. (2013). Modeling of quantitative effects of water components on the photocatalytic degradation of 17 α -ethynylestradiol in a modified flat plate serpentine reactor. *J Hazard Mater.* 254-255: 64-71.
- Wang, DL; Cullimore, DR. (2010). Bacteriological challenges to asbestos cement water distribution pipelines. *J Environ Sci.* 22: 1203-1208.
- Wang, DL; Cullimore, R; Hu, YF; Chowdhury, R. (2011). Biodeterioration of asbestos cement (AC) pipe in drinking water distribution systems. *International Biodeterioration & Biodegradation.* 65: 810-817.
- Wang, NS; Jaurand, MC; Magne, L; Kheuang, L; Pinchon, MC; Bignon, J. (1987). The interaction between asbestos fibers and metaphase chromosomes of rat pleural mesothelial cells in culture: A scanning and transmission electron microscopic study. *American Journal of Pathology.* 126: 343-349.
- Wang, NS; Jaurand, MC; Magne, L; Kheuang, L; Pinchon, MC; Bignon, J. (1987). The interactions between asbestos fibers and metaphase chromosomes of rat pleural mesothelial cells in culture. A scanning and transmission electron microscopic study. *Am J Pathol.* 126: 343-349.
- Wang, S; Wu, X; Zou, J; Chen, A; Tao, X; Cao, Y. Survey of organochlorine pesticides in the atmosphere and soil of two typical landforms of Southern Anhui Province, China: Sources and air-soil exchange. *Atmos Pollut Res.*
- Wang, SW; Leonard, SS; Castranova, V; Vallyathan, V; Shi, XL. (1999). The role of superoxide radical in TNF-alpha induced NF-kappa B activation. *Ann Clin Lab Sci.* 29: 192-199.
- Wang, XP; Zhou, XM; Lei, CL. (2007). Development, survival and reproduction of the Brassica leaf beetle, *Phaedon brassicae* Baly (Coleoptera : Chrysomelidae) under different thermal conditions. *Pan-Pacific Entomologist.* 83: 143-151.
- Wang, ZW; Schliehe, C; Wang, T; Nagaoka, Y; Cao, YC; Bassett, WA; Wu, HM; Fan, HY; Weller, H. (2011). Deviatoric Stress Driven Formation of Large Single-Crystal PbS Nanosheet from Nanoparticles and in Situ Monitoring of Oriented Attachment. *J Am Chem Soc.* 133: 14484-14487.
- Ward, TJ; Hart, JF; Spear, TM; Meyer, BJ; Webber, JS. (2009). Fate of Libby Amphibole Fibers When Burning Contaminated Firewood. *Environmental Science & Technology.* 43: 2878-2883.
- Ward, TJ; Spear, T; Hart, J; Noonan, C; Holian, A; Getman, M; Webber, JS. (2006). Trees as reservoirs for amphibole fibers in Libby, Montana. *Sci Total Environ.* 367: 460-465.
- Warheit, DB; Driscoll, KE; Oberdoerster, G; Walker, C; Kuschner, M; Hesterberg, TW. (1995). Contemporary issues in fiber toxicology. *Fundamental and applied toxicology : official journal of the Society of Toxicology.* 25: 171-183.
- Warheit, DB; George, G; Hill, LH; Snyderman, R; Brody, AR. (1984). INHALED ASBESTOS FIBERS PRODUCE COMPLEMENT-DERIVED CHEMOTACTIC FACTORS ON ALVEOLAR SURFACES. *Beck, E G And J Bignon.* 0: 129-138.
- Warheit, DB; Johnson, NF. (1990). Symposium on health effects of inhaled fibrous materials. *Fundamental and applied toxicology : official journal of the Society of Toxicology.* 15: 633-640.
- Warner, M. (1988). Asbestos. Optical and electron microscopy can be used to determine asbestos in ambient air. *Anal Chem.* 60: 395A-396A.
- Warr, LN; Cox, SC. (2016). Correlating illite (K $\frac{1}{2}$ Al $\frac{1}{2}$ Si $\frac{1}{2}$) and chlorite (Al $\frac{1}{2}$ Si $\frac{1}{2}$) crystallinity indices with metamorphic mineral zones of the South Island, New Zealand. *Appl Clay Sci.* 134, Part 3: 164-174.
- Warren, C. (2001). Magic mineral to killer dust: Turner & Newall and the asbestos hazard. *Business History Review.* 75: 628-631.
- Washburn, MP; Wells, WW. (1997). Glutathione dependent reduction of alloxan to dialuric acid catalyzed by thioltransferase (glutaredoxin): A possible role for thioltransferase in alloxan toxicity. *Free Radical Biology & Medicine.* 23: 563-570.
- Wasserbauer, R; Zadak, Z; Novotny, J. Nitrifying bacteria on the asbestos-cement roofs of stable buildings. *International Biodeterioration.* 1988. v. 24 (3): 153-165 ill.
- Waterworth, LG; Worrall, JJ. (1973). Raman studies into the constitution of gallium iodides of intermediate composition. *Journal of Inorganic and Nuclear Chemistry.* 35: 1535-1537.
- Webber, JS. (1987). A microcomputer program for the generation of random grid squares in quantitative analysis. *Journal of electron microscopy technique.* 7: 195-197.
- Webber, JS. (1993). Asbestos-Contaminated Drinking Water A2 - Corn, Morton. *Handbook of Hazardous Materials* Boston 29-44.
- Webber, JS. (1998). A simple technique for measuring asbestos layer-line spacings during TEM analysis. *Microscope.* 46: 197-200.
- Webber, JS; Getman, M; Ward, TJ. (2006). Evidence and reconstruction of airborne asbestos from unconventional environmental samples. *Inhal Toxicol.* 18: 969-973.
- Webber, JS; Jackson, KW; Parekh, PP; Bopp, RF. (2004). Reconstruction of a century of airborne asbestos concentrations. *Environmental Science & Technology.* 38: 707-714.
- Webber, JS; Janulis, R; Syrotynski, S. (1990). Examining play sand products for asbestos contamination. *Bull Environ Contam Toxicol.* 45: 486-494.
- Webber, JS; Syrotynski, S; King, MV. (1988). Asbestos-contaminated drinking water: Its impact on household air. *Environ Res.* 46: 153-167.
- Weber, JKR; Felten, JJ; Cho, B; Nordine, PC. (1998). Glass fibres of pure and erbium- or neodymium-doped yttria-alumina compositions. *Nature.* 393: 769-771.
- Weeks, TJ; Burns, AF. (1970). Performance of dust respirators against a fibrous dust. *Am Ind Hyg Assoc J.* 31: 290-293.
- Weerasekara, A; Rinzan, M; Matsik, S; Perera, AGU; Buchanan, M; Liu, HC; von Winckel, G; Stintz, A; Krishna, S. (2007). n-type GaAs/AlGaAs heterostructure detector with a 3.2 THz threshold frequency. *Optics Letters.* 32: 1335-1337.

Environmental Hazard Literature Search Results

Off Topic

- Weerasekara, AB; Rinzan, MBM; Matsik, SG; Perera, AGU; Buchanan, M; Liu, HC; von Winckel, G; Stintz, A; Krishna, S. (2007). Si doped GaAs/AlGaAs terahertz detector and phonon effect on the responsivity. *Infrared Physics & Technology*. 50: 194-198.
- Wehman, HJ; Plantholt, BA. (1974). Asbestos fibrils in beverages. I. *Gin. Bull Environ Contam Toxicol*. 11: 267-272.
- Wehner, AP; Craig, DK; Stuart, BO. (1972). An aerosol exposure system for chronic inhalation studies with rodents. *Am Ind Hyg Assoc J*. 33: 483-487.
- Wehner, AP; Dagle, GE; Cannon, WC. (1978). Development of an animal model, techniques, and an exposure system to study the effects of asbestos cement dust inhalation. *Environ Res*. 16: 393-407.
- Wehner, AP; Stuart, BO; Sanders, CL. (1979). Inhalation studies with Syrian golden hamsters. *Prog Exp Tumor Res*. 24: 177-198.
- Weiler, M; Tiikes, F; Beck, EG. (1984). DETERMINATION OF THE PHAGOCYtic CAPACITY OF RAT ALVEOLAR MACROPHAGES FOLLOWING EXPOSURE TO INHALABLE FIBROUS AND NON-FIBROUS DUST FRACTIONS. *Beck, E G And J Bignon*. 0: 529-532.
- Weill, H. (1980). Basis for clinical decision making. *Chest*. 78: 382-383.
- Weill, H; Hughes, J; Waggenspack, C. (1979). Influence of dose and fiber type on respiratory malignancy risk in asbestos cement manufacturing. *The American review of respiratory disease*. 120: 345-354.
- Weinberg, ED. (1989). Iron, asbestos, and carcinogenicity. *Lancet (London, England)*. 1: 1399-1400.
- Weiner, ML. (1988). Intestinal transport of some macromolecules in food. *Food and chemical toxicology : an international journal published for the British Industrial Biological Research Association*. 26: 867-880.
- Weinstein, RB; Full, RJ. (1998). Performance limits of low-temperature, continuous locomotion are exceeded when locomotion is intermittent in the ghost crab. *Physiological Zoology*. 71: 274-284.
- Weinzweig, M; Richards, RJ. Quantitative assessment of chrysotile fibrils in the bloodstream of rats which have ingested the mineral under different dietary conditions. *Environ Res*. Aug 1983. v. 31 (2): 245-255 ill.
- Weisburger, E. (1993). State asbestos programs : Related to the Asbestos Hazard Emergency Response Act. A Survey of State Laws and Regulations, September 1992. Compiled by D. Farquhar, published by National Conference of State Legislatures, 1560 Broadway, Denver, CO 80202, 1992, ISBN-1-55516-494-3, 358 pp. (paperback), \$65.00. *J Hazard Mater*. 34: 397.
- Weiss, W. (1986). History of hazards associated with asbestos. *Pa Med*. 89: 57-60.
- Weitzman, SA; Chester, JF; Graceffa, P. (1988). Binding of deferoxamine to asbestos fibers in vitro and in vivo. *Carcinogenesis*. 9: 1643-1645.
- Weitzman, SA; Graceffa, P. (1984). Asbestos catalyzes hydroxyl and superoxide radical generation from hydrogen peroxide. *Arch Biochem Biophys*. 228: 373-376.
- Weitzman, SA; Weitberg, AB. (1985). Asbestos-catalysed lipid peroxidation and its inhibition by desferroxamine. *The Biochemical journal*. 225: 259-262.
- Weller, M. (1992). Insurance, reinsurance and underwriting names' liability for asbestos-related diseases. *Medicine, science, and the law*. 32: 23-34.
- Wells, AH. (1975). Asbestos in Duluth water. *Minn Med*. 58: 458-459.
- Wendhausen Jr, R; Moran, PJS; Joekes, I; Rodrigues, JAR. (1998). Continuous process for large-scale preparation of chiral alcohols with baker's yeast immobilized on chrysotile fibers. *Journal of Molecular Catalysis B: Enzymatic*. 5: 69-73.
- Wendhausen, R; Fregonesi, A; Moran, PJS; Joekes, I; Rodrigues, JAR; Tonella, E; Althoff, K. (2001). Continuous fermentation of sugar cane syrup using immobilized yeast cells. *J Biosci Bioeng*. 91: 48-52.
- Wendhausen, R; Frigato, M; Fernandes, P; Carvalho, CCCR; Cruz, A; Pinheiro, HM; Cabral, JMS. (2005). Chrysotile as a support for the immobilisation of *Mycobacterium* sp. NRRL B-3805 cells for the bioconversion of β -sitosterol in an organic-aqueous two-liquid phase system. *Journal of Molecular Catalysis B: Enzymatic*. 32: 61-65.
- Westlake, GE. (1974). Asbestos fibers in the colonic wall. *Environ Health Perspect*. 9: 227.
- Westlake, GE; Spjut, HJ; Smith, MN. (1965). Penetration of colonic mucosa by asbestos particles. An electron microscopic study in rats fed asbestos dust. *Laboratory investigation; a journal of technical methods and pathology*. 14: 2029-2033.
- Whitaker, D. (1978). Asbestos bodies in sputum. *Acta Cytol*. 22: 443-444.
- White, KL, Jr.; Munson, AE. (1986). Suppression of the in vitro humoral immune response by chrysotile asbestos. *Toxicol Appl Pharmacol*. 82: 493-504.
- Whiteman, CD; Hoch, SW; Horel, JD; Charland, A. (2014). Relationship between particulate air pollution and meteorological variables in Utah's Salt Lake Valley. *Atmos Environ*. 94: 742-753.
- Whitfield, HJ; Freeman, AG. (1967). Mossbauer study of amphiboles. *Journal of Inorganic and Nuclear Chemistry*. 29: 903-914.
- Whitwell, F. (1978). Problems in the pathology of disease caused by asbestos. *J R Soc Med*. 71: 919-922.
- WHO. (1983). Indoor air pollutants: Exposure and health effects. WHO, DISTRIB & SALES SERV, 1211 GENEVA 27, SWITZERLAND 1983.
- WHO. (1984). Guidelines for Drinking-Water Quality: Vol. 2, Health Criteria and Other Supporting Information. World Health Organization, Geneva, Switzerland 1984 335 p.
- Wiedemann, HP; Lwebuga-Mukasa, JS; Gee, JBL. (1984). ASBESTOS FIBERS ENHANCE THE PRODUCTION OF A MESOTHELIAL CELL-DERIVED SOLUBLE FACTOR WHICH STIMULATES FIBROBLAST DNA SYNTHESIS. *Beck, E G And J Bignon*. 0: 377-382.
- Wikeley, NJ. (1993). Measurement of asbestos dust levels in British asbestos factories in the 1930s. *Am J Ind Med*. 24: 509-520.
- Wilharm, G; Lepka, D; Faber, F; Hofmann, J; Kerrinnes, T; Skiebe, E. (2010). A simple and rapid method of bacterial transformation. *J Microbiol Methods*. 80: 215-216.
- Wilhelm, F; Jaouen, N; Rogalev, A; Stirling, WG; Springell, R; Zochowski, SW; Beesley, AM; Brown, SD; Thomas, MF; Lander, GH; Langridge, S; Ward, RCC; Wells, MR. (2007). X-ray magnetic circular dichroism study of uranium/iron multilayers. *Physical Review B*. 76: 4425-4425.

Environmental Hazard Literature Search Results

Off Topic

- Wilke, H. (1974). Properties of filter sheets made of cellulose-asbestos mixtures and filter membranes. Combination of both filter media in practice. *Dev Biol Stand.* 23: 9-18.
- Wilkins, SB; Paixao, JA; Caciuffo, R; Javorsky, P; Wastin, F; Rebizant, J; Detlefs, C; Bernhoeft, N; Santini, P; Lander, GH. (2004). Resonant x-ray scattering study of magnetic-dipole and electric-quadrupole order in U(0.75)Np(0.25)O(2). *Physical Review B.* 7021: 4402-4402.
- Will, LA; Leininger, JR; Donham, KJ. (1979). Regurgitation and choke in rats. *Lab Anim Sci.* 29: 360-363.
- Willers, T; Hu, Z; Hollmann, N; Korner, PO; Gegner, J; Burnus, T; Fujiwara, H; Tanaka, A; Schmitz, D; Hsieh, HH; Lin, HJ; Chen, CT; Bauer, ED; Sarrao, JL; Goremychkin, E; Koza, M; Tjeng, LH; Severing, A. (2010). Crystal-field and Kondo-scale investigations of CeMIn(5) (M=Co, Ir, and Rh): A combined x-ray absorption and inelastic neutron scattering study. *Physical Review B.* 81: 5114-5114.
- Williams, GM. (1983). GENOTOXIC AND EPIGENETIC CARCINOGENS. *Homburger, F.* 0: 251-256.
- Williams, JC; Broussard, SD; Wang, GT. (1996). Efficacy of moxidectin pour-on against gastrointestinal nematodes and *Dictyocaulus viviparus* in cattle. *Veterinary Parasitology.* 64: 277-283.
- Williams, RL; Muhlbaier, JL. (1982). Asbestos brake emissions. *Environ Res.* 29: 70-82.
- Wilson, K. Asbestos: Is there a viable alternative? *Textile horizons.* June 1983. v. 3 (6): 36-37 ill.
- Wilson, MR; Gaumer, HR; Salvaggio, JE. (1977). Activation of the alternative complement pathway and generation of chemotactic factors by asbestos. *The Journal of allergy and clinical immunology.* 60: 218-222.
- Winkler, GC; R  tner, JOECB. (1982). Penetration of asbestos fibers in the visceral peritoneum of mice. A scanning electron microscopic study. *Exp Cell Biol.*
- Winkler, GC; Ruettnner, JR. (1983). Early fibrogenicity of asbestos fibers in visceral peritoneum. *Exp Cell Biol.* 51: 1-8.
- Winkler, MKH; Bassin, JP; Kleerebezem, R; de Bruin, LMM; van den Brand, TPH; van Loosdrecht, MCM. (2011). Selective sludge removal in a segregated aerobic granular biomass system as a strategy to control PAO's "GAO competition at high temperatures. *Water Res.* 45: 3291-3299.
- Winters, CA; Kuntz, SW; Weinert, C; Black, B. (2014). A Case Study Exploring Research Communication and Engagement in a Rural Community Experiencing an Environmental Disaster. *Applied environmental education and communication.* 13: 213-226.
- Wirth, DA. (2002). European Communities - Measures affecting asbestos and asbestos-containing products. *American Journal of International Law.* 96: 435-+.
- Withers, BF; Ducatman, AM; Yang, WN. (1989). Roentgenographic evidence for predominant left-sided location of unilateral pleural plaques. *Chest.* 95: 1262-1264.
- Woellert, B. (2006). The asbestos mess: Do states have a way out? *Business Week*45-45.
- Woellert, L. (2003). Commentary - Why an asbestos deal may go up in smoke. *Business Week*30-30.
- Woellert, L. (2003). Commentary - Will a chance for asbestos reform be missed? *Business Week*43-43.
- Woellert, L. (2005). The asbestos mess: There is a way out. *Business Week*40-40.
- Woitowitz, HJ. (1991). Aspects of asbestos exposure in place in the Federal Republic of Germany. *Ann N Y Acad Sci.* 643: 407-411.
- Wolff, AH; Oehme, FW. (1974). Carcinogenic chemicals in food as an environmental health issue. *Journal of the American Veterinary Medical Association.* 164: 623-629.
- Wolfson, AA. (1974). Some effects of increased temperature on the settlement and development of a marine community in the laboratory. *California Univ, Inst Mar Resour, IMR Reference.*
- Wolman, A. (1986). Is there a public health function? *Annu Rev Public Health.* 7: 1-12.
- Wolska, BM; Lewartowski, B. (1991). Calcium in the in situ mitochondria of rested and stimulated myocardium. *Journal of Molecular and Cellular Cardiology.* 23: 217-226.
- Wong, BS; Yoong, SL; Jagusiak, A; Panczyk, T; Ho, HK; Ang, WH; Pastorin, G. (2013). Carbon nanotubes for delivery of small molecule drugs. *Adv Drug Deliv Rev.* 65: 1964-2015.
- Wong, WSD; Batt, C; Kinsella, JE. (1990). Purification and characterization of rat liver transglutaminase. *International Journal of Biochemistry.* 22: 53-59.
- Woodson, RD. (2012). Chapter 3 - Identifying Asbestos. *Construction Hazardous Materials Compliance Guide Boston*25-29.
- Woodson, RD. (2012). Chapter 7 - Insulation-Containing Asbestos. *Construction Hazardous Materials Compliance Guide Boston*111-113.
- Woodson, RD. (2012). Chapter 9 - EPA Requirements and Recommendations. *Construction Hazardous Materials Compliance Guide Boston*145-234.
- Woodworth, CD; Mossman, BT; Craighead, JE. (1982). Comparative effects of fibrous and nonfibrous minerals on cells and liposomes. *Environ Res.* 27: 190-205.
- Woodworth, CD; Mossman, BT; Craighead, JE. (1982). Comparative Effects of Fibrous and Nonfibrous Minerals on Cells and Lipsomes. *Environ Res.* 27: 190-205.
- Woody, RD; Huget, EF; Cutright, DE. (1977). Characterization of airborne particles from irreversible hydrocolloids. *Journal of the American Dental Association* (1939). 94: 501-504.
- Wordeman, L; Wagenbach, M. (1999). Using antisense technology to study mitosis. *Methods in Cell Biology, Vol 61.* 61: 245-266.
- Wozniak, H; Wiecek, E; Bielichowska-Cybula, G. (1991). The fibrogenic activity and neurotoxicity of heat-treated chrysotile. *POLISH J OCCUP MED ENVIRON HEALTH.* 4: 21-31.
- Wright, A; Cowie, H; Gormley, IP; Davis, JM. (1986). The in vitro cytotoxicity of asbestos fibers: I. P388D1 cells. *Am J Ind Med.* 9: 371-384.
- Wright, A; Cowie, H; Gormley, IP; Davis, JMG. (1986). The in vitro cytotoxicity of asbestos fibers: I. P388D sub(1) cells. *Am J Ind Med.* 9: 371-384.

Environmental Hazard Literature Search Results

Off Topic

- Wright, A; Davis, JMG. (1981). The toxicity of asbestos to macrophages in various activation states. *Cell Biology International Reports*. 5, Supplement: 56.
- Wright, A; Donaldson, K; Davis, JM. (1983). Cytotoxic effect of asbestos on macrophages in different activation states. *Environ Health Perspect*. 51: 147-152.
- Wu, L; Ortiz, C; Xu, Y; Willenbring, J; Jerolmack, D. (2015). In Situ Liquid Cell Observations of Asbestos Fiber Diffusion in Water. *Environmental Science & Technology*. 49: 13340-13349.
- Wu, W; Giese, RF; van Oss, CJ. (1999). Stability versus flocculation of particle suspensions in water—correlation with the extended DLVO approach for aqueous systems, compared with classical DLVO theory. *Colloids Surf B Biointerfaces*. 14: 47-55.
- Wydler, M; Maier, P; Zbinden, G. (1985). STIMULATION OF LIPID PEROXIDATION BY ASBESTOS. 17th Annual Meeting Of The Union Of Swiss Societies Of Experimental Biology, Geneva, Switzerland, Mar. 41: 826.
- Wydler, M; Maier, P; Zbinden, G. (1988). Differential cytotoxic, growth-inhibiting and lipid-peroxidative activities of four different asbestos fibres in vitro. *Toxicol In Vitro*. 2: 297-302.
- Wylie, AG; Schweitzer, P. (1982). The effects of sample preparation and measuring techniques on the shape and shape characterization of mineral particles: The case of wollastonite. *Environ Res*. 27: 52-73.
- Wylie, AG; Virta, RL; Segreti, JM. (1987). Characterization of mineral population by index particle: Implication for the Stanton hypothesis. *Environ Res*. 43: 427-439.
- Xiao, H; Qiu, K; Gou, X; Ou, Q. (2013). A flameless catalytic combustion-based thermoelectric generator for powering electronic instruments on gas pipelines. *Appl Energ*. 112: 1161-1165.
- Xu, A; Smilenov, LB; He, P; Masumura, K; Nohmi, T; Yu, ZL; Hei, TK. (2007). New insight into intrachromosomal deletions induced by chrysotile in the gpt delta transgenic mutation assay. *Environ Health Perspect*. 115: 87-92.
- Xu, FF; Bando, Y. (2001). Valence evaluation of cerium ions in Ce-doped alpha-sialon by electron energy loss spectra. *Journal of Applied Physics*. 89: 5469-5472.
- Xu, X-j; Chen, C; Wang, A-j; Fang, N; Yuan, Y; Ren, N-q; Lee, D-J. (2012). Enhanced elementary sulfur recovery in integrated sulfate-reducing, sulfur-producing reactor under micro-aerobic condition. *Bioresour Technol*. 116: 517-521.
- Yamamoto, E; Karakaya, HC; Knap, HT. (2000). Molecular characterization of two soybean homologs of Arabidopsis thaliana CLAVATA1 from the wild type and fasciation mutant. *Biochimica Et Biophysica Acta-Gene Structure and Expression*. 1491: 333-340.
- Yamamoto, T; Kida, A; Noma, Y; Terazono, A; Sakai, S-i. (2014). Development of a testing method for asbestos fibers in treated materials of asbestos containing wastes by transmission electron microscopy. *Waste Manag*. 34: 536-541.
- Yamashita, K; Yoshioka, Y; Higashisaka, K; Morishita, Y; Yoshida, T; Fujimura, M; Kayamuro, H; Nabeshi, H; Yamashita, T; Nagano, K; Abe, Y; Kamada, H; Kawai, Y; Mayumi, T; Yoshikawa, T; Itoh, N; Tsunoda, S; Tsutsumi, Y. (2010). Carbon Nanotubes Elicit DNA Damage and Inflammatory Response Relative to Their Size and Shape. *Inflammation*. 33: 276-280.
- Yamato, A. (1981). Fallout ²³⁹Pu, ²⁴⁰Pu and ⁹⁰Sr in surface-air in Ibaraki-Prefecture, Japan. *Radioisotopes*. 30: 104-108.
- Yanagisawa, K; Kozawa, T; Onda, A; Kanazawa, M; Shinohara, J; Takanami, T; Shiraishi, M. (2009). A novel decomposition technique of friable asbestos by CHCl₃-decomposed acidic gas. *J Hazard Mater*. 163: 593-599.
- Yancey, PH; Blake, WR; Conley, J. (2002). Unusual organic osmolytes in deep-sea animals: adaptations to hydrostatic pressure and other perturbants. *Comparative Biochemistry and Physiology Part A: Molecular & Integrative Physiology*. 133: 667-676.
- Yang, C-M; Dwyer, TM; Mohan, PM; Ho, IK; Farley, JM. (1990). Down-regulation of muscarinic receptors in the striatum of organophosphate-treated swine. *Toxicol Appl Pharmacol*. 104: 375-385.
- Yang, J; Shen, J. (2007). Relayed ¹³C magnetization transfer: Detection of malate dehydrogenase reaction in vivo. *J Magn Reson*. 184: 344-349.
- Yano, K; Umehara, I; Sato, K; Yaresko, A. (2005). Revelation of Ni magnetic moment in GdNi single crystal by soft X-ray magnetic circular dichroism. *Solid State Communications*. 136: 67-70.
- Yap, AKL; Luscombe, DK. (1986). Rapid and inexpensive enzyme inhibition assay of methotrexate. *Journal of Pharmacological Methods*. 16: 139-150.
- Yegles, M. Induction of metaphase and anaphase/telophase abnormalities by asbestos fibers in rat pleural mesothelial cells in vitro. *Br J Ind Med*.
- Yernault, JC; De, VP; Dumortier, P. (1986). Correlation of bronchoalveolar lavage and clinical and functional findings in asbestosis. *The American review of respiratory disease*. 134: 1335-1336.
- Yersin, AG; Huff, WE; Kubena, LF; Elissalde, MH; Harvey, RB; Witzel, DA; Giroir, LE. Changes in hematological, blood gas, and serum biochemical variables in broilers during exposure to simulated high altitude. *Avian diseases*. Apr/June 1992. v. 36 (2): 189-196.
- Yewe-Dyer, M. (2008). Carcinogenic asbestos. *Br Dent J*. 204: 544.
- Yi, P; Chen, KL. (2013). Influence of Solution Chemistry on the Release of Multiwalled Carbon Nanotubes from Silica Surfaces. *Environmental Science & Technology*. 47: 12211-12218.
- Yli-Urpo, A; Oilo, G; Syverud, M. (1982). The effect of asbestos-alternatives on the accuracy of cast veneer crowns. *Swedish dental journal*. 6: 127-131.
- Yoganathan, T; Sells, BH. (1991). Identification of a polypeptide bound to the $\hat{\imath}^2$ region of the mouse r protein L32 promoter. *FEBS Lett*. 286: 163-166.
- Yoshida, N. (2007). Discovery and application of the Yoshida effect: nano-sized acicular materials enable penetration of bacterial cells by sliding friction force. *Recent Pat Biotechnol*. 1: 194-201.
- Yoshida, N; Fujiura, N. (2009). Earthquakes Promote Bacterial Genetic Exchange in Serpentinite Crevices. *Astrobiology*. 9: 289-295.

Environmental Hazard Literature Search Results

Off Topic

- Yoshida, N; Ide, K. (2008). Plasmid DNA is released from nanosized acicular material surface by low molecular weight oligonucleotides: exogenous plasmid acquisition mechanism for penetration intermediates based on the Yoshida effect. *Appl Microbiol Biotechnol.* 80: 813-821.
- Yoshida, N; Ikeda, T; Yoshida, T; Sengoku, T; Ogawa, K. (2001). Chrysotile asbestos fibers mediate transformation of *Escherichia coli* by exogenous plasmid DNA. *FEMS Microbiol Lett.* 195: 133-137.
- Yoshida, N; Kodama, K; Nakata, K; Yamashita, M; Miwa, T. (2002). *Escherichia coli* cells penetrated by chrysotile fibers are transformed to antibiotic resistance by incorporation of exogenous plasmid DNA. *Appl Microbiol Biotechnol.* 60: 461-468.
- Yoshida, N; Naka, T; Sengoku, T; Ogawa, K. (2001). Toxicity and mutagenesis of chrysotile asbestos to *Agrobacterium radiobacter*. *Curr Microbiol.* 42: 398-402.
- Yoshida, N; Saeki, Y. (2004). Chestnut bur-shaped aggregates of chrysotile particles enable inoculation of *Escherichia coli* cells with plasmid DNA. *Appl Microbiol Biotechnol.* 65: 566-575.
- Yoshida, N; Saeki, Y. (2004). Chrysotile fibers penetrate *Escherichia coli* cell membrane and cause cell bursting by sliding friction force on agar plates. *J Biosci Bioeng.* 97: 162-168.
- Yoshida, N; Sato, M. (2009). Plasmid uptake by bacteria: a comparison of methods and efficiencies. *Appl Microbiol Biotechnol.* 83: 791-798.
- Yoshida, N; Takebe, K. (2006). Quantitative detection of asbestos fiber in gravelly sand using elastic body-exposure method. *Journal of Industrial Microbiology & Biotechnology.* 33: 827-833.
- Yoshikawa, N; Kashimura, K; Hashiguchi, M; Sato, M; Horikoshi, S; Mitani, T; Shinohara, N. (2015). Detoxification mechanism of asbestos materials by microwave treatment. *J Hazard Mater.* 284: 201-206.
- You, Q; Kang, S; Pepin, N; Flörke, W-A; Sanchez-Lorenzo, A; Yan, Y; Zhang, Y. (2010). Climate warming and associated changes in atmospheric circulation in the eastern and central Tibetan Plateau from a homogenized dataset. *Global and Planetary Change.* 72: 11-24.
- You, Q; Kang, S; Pepin, N; Flörke, W-A; Yan, Y; Behrawan, H; Huang, J. (2010). Relationship between temperature trend magnitude, elevation and mean temperature in the Tibetan Plateau from homogenized surface stations and reanalysis data. *Global and Planetary Change.* 71: 124-133.
- Yu, CP; Asgharian, B; Abraham, JL. (1990). Mathematical modeling of alveolar clearance of chrysotile asbestos fibers from the rat lungs. *J Aerosol Sci.* 21: 587-594.
- Yu, H; Korn, D; Pantouvaki, M; Van Campenhout, J; Komorowska, K; Verheyen, P; Lepage, G; Absil, P; Hillerkuss, D; Alloatti, L; Leuthold, J; Baets, R; Bogaerts, W. (2012). Using carrier-depletion silicon modulators for optical power monitoring. *Optics Letters.* 37: 4681-4683.
- Yu, LF; Wei, WX; Tian, YJ; Wu, GL; Li, PZ; Zhao, D. (2012). Analysis of Characteristics of Dioxin Contamination in the Chlor-alkali Site that Uses Graphite Anode for Production. *Environmental Science.* 33: 2000-2005.
- Yu, MY; Li, ZY; Liu, SA; Fan, EK; Pannecouque, C; De Clercq, E; Liu, XY. (2011). Synthesis and Biological Evaluation of 6-Substituted 5-Alkyl-2-(phenylaminocarbonylmethylthio)pyrimidin-4(3H)-ones as Potent HIV-1 NNRTIs. *ChemMedChem.* 6: 826-833.
- Yu, PY; Wang, CC; Gentry, JW. (1987). Experimental measurement of the rate of unipolar charging of actinolite fibers. *J Aerosol Sci.* 18: 73-85.
- Yu, P-Y; Bohse, C; Gentry, JW. (1985). Experiment and interpretation for fiber size distribution from penetration measurements. *J Aerosol Sci.* 16: 3-17.
- Yu, S; Zhai, L; Wang, Y; Liu, X; Xu, L; Cheng, L. (2015). Synthesis of magnetic chrysotile nanotubes for adsorption of Pb(II), Cd(II) and Cr(III) ions from aqueous solution. *Journal of Environmental Chemical Engineering.* 3: 752-762.
- Yuan, J; Hirayama, T; Ikuhara, Y; Sakuma, T. (1999). Electron energy loss spectroscopy study of cerium stabilised zirconia: an application of valence determination in rare earth systems. *Micron.* 30: 141-145.
- Yuen, CT; Garforth, J; Besheya, T; Jaouhari, R; McKie, JH; Fairlamb, AH; Douglas, KT. (1999). Synthesis and enzymology of modified N-benzyloxycarbonyl-L-cysteinylglycyl-3,3-dimethylaminopropylamide disulphides as alternative substrates for trypanothione reductase from *Trypanosoma cruzi*: Part 3. *Amino Acids.* 17: 175-183.
- Zaidi, SH. (1974). Ingestion of asbestos. *Environ Health Perspect.* 9: 239-240.
- Zaidi, SH. (1977). Yant Memorial Lecture...1977. Some aspects of experimental infective pneumoconiosis. *Am Ind Hyg Assoc J.* 38: 239-245.
- Zaidi, SH; Bhattacharjee, JW; Dogra, RK; Saxena, RP. (1982). Effect of BCG on experimental asbestosis. *Ind Health.* 20: 129-137.
- Zaidi, SH; Gupta, GSD; Rahman, Q; Kaw, JL; Shanker, R. (1976). Early response of gastric mucosa to ingested asbestos dust and the dissolution of nickel. *Environ Res.* 12: 139-143.
- Zaidi, SH; Shanker, R; Dogra, RKS. (1973). Experimental infective pneumoconiosis: Effect of asbestos dust and *Candida albicans* infection on the lungs of rhesus monkeys. *Environ Res.* 6: 274-286.
- Zaitsev-Zotov, SV; Kumzerov, YA; Firsov, YA; Monceau, P. (2000). Luttinger-liquid-like transport in long InSb nanowires. *Journal of Physics-Condensed Matter.* 12: L303-L309.
- Zalma, R; Bonneau, L; Guignard, J; Pezerat, H. (1987). Formation of oxy radicals by oxygen reduction arising from the surface activity of asbestos. *CAN J CHEM/J CAN CHIM.* 65: 2338-2341.
- Zalma, R; Guignard, J; Copin, E; Pezerat, H. (1986). Studies on surface properties of asbestos: IV. Catalytic role of asbestos in fluorene oxidation. *Environ Res.* 41: 396-301.
- Zamir, MSI; Yasin, G; Javeed, HMR; Ahmad, AUH; Tanveer, A; Yaseen, M. (2013). Effect of Different Sowing Techniques and Mulches on the Growth and Yield Behavior of Spring Planted Maize (*Zea Mays L.*). *Cercetari agronomice in Moldova.* 46: 77-82.
- Zanko, LM; Niles, HB; Oreskovich, JA. (2008). Mineralogical and microscopic evaluation of coarse taconite tailings from Minnesota taconite operations. *Regul Toxicol Pharmacol.* 52: S51-S65.
- Zavalic, M; Macan, J. (2009). ME[ETH]UNARODNI I HRVATSKI PROPISI O ZASTITI I PRAVIMA RADNIKA PROFESIONALNO IZLOZENIH AZBESTU. *Arhiv za Higijenu Rada i Toksikologiju/Archives of Industrial Hygiene and Toxicology.* 60: 57.

Environmental Hazard Literature Search Results

Off Topic

- Zavatti, A; Lauriola, P. (1999). The contribution of environmental monitoring in the epidemiological assessment of exogenous risk. The experience of ARPA in the Emilia-Romagna Region of Italy. *Ann N Y Acad Sci*. 895: 173-187.
- Zazanski, R; Ashton, WH; Briggs, D; Chudkowski, M; Kelse, JW; Maceachern, L; McCarthy, EF; Nordhauser, MA; Roddy, MT; Teetsel, NM; Wells, AB; Gettings, SD. (1995). Talc: Occurrence, Characterization, and Consumer Applications. *Regul Toxicol Pharmacol*. 21: 218-229.
- Zemelman, MS. (1996). Environmental compliance for hospitals: a practical guide. *Journal of health and hospital law : a publication of the American Academy of Hospital Attorneys of the American Hospital Association*. 29: 7-13.
- Zhai, W; Wang, Y; Deng, Y; Gao, H; Lin, Z; Li, M. (2014). Recycling of asbestos tailings used as reinforcing fillers in polypropylene based composites. *J Hazard Mater*. 270: 137-143.
- Zhan, N; Liao, R-H; Shen, Y-J; Liu, C; Huang, Y-F. (2012). BAF-BAC Combination Process on River Water Purification. *Huanjing Kexue yu Jishu / Environmental Science & Technology*. 35: 77-81, 146.
- Zhang, H; Li, J; Ying, Q; Yu, JZ; Wu, D; Cheng, Y; He, K; Jiang, J. (2012). Source apportionment of PM_{2.5} nitrate and sulfate in China using a source-oriented chemical transport model. *Atmos Environ*. 62: 228-242.
- Zhang, L; Konovalov, I; Wett, D; Schulze, D; Szargan, R; Nagel, M; Chasse, T. (2005). Local partial densities of states in CuInS₂ upper valence band determined by soft-x-ray emission spectroscopy: Evidence for In 5p contribution. *Journal of Applied Physics*. 98: 13704-13704.
- Zhang, S; Tao, F; Zhang, Z. (2014). Rice reproductive growth duration increased despite of negative impacts of climate warming across China during 1981-2009. *European Journal of Agronomy*. 54: 70-83.
- Zhang, SN; Bates, BT; Dufek, JS. (2000). Contributions of lower extremity joints to energy dissipation during landings. *Medicine and Science in Sports and Exercise*. 32: 812-819.
- Zhang, ST; Yang, B; Webb, JF; Chen, YF; Liu, ZG; Wang, DS; Wang, Y; Ming, NB. (2002). Structural and electrical properties of homologous Sr(m-3)Bi(4)Ti(m)O(3m+3) (m=3,4,5, and 6) thin films. *Journal of Applied Physics*. 92: 4599-4604.
- Zhang, YL; Kim, YC; Hong, WH. (2016). Visualizing distribution of naturally discharged asbestos fibers in Korea through analysis of thickness changes in asbestos cement slates. *J Clean Prod*. 112: 607-619.
- Zhao, G; Buseck, PR; Rougee, A; Treacy, MMJ. (2009). Medium-range order in molecular materials: Fluctuation electron microscopy for detecting fullerenes in disordered carbons. *Ultramicroscopy*. 109: 177-188.
- Zhou, GS; Ma, BL; Li, J; Feng, CN; Lu, JF; Qin, P. (2010). Determining Salinity Threshold Level for Castor Bean Emergence and Stand Establishment. *Crop Sci*. 50: 2030-2036.
- Zhu, WP; von dem Bussche, A; Yi, X; Qiu, Y; Wang, ZY; Weston, P; Hurt, RH; Kane, AB; Gao, HJ. (2016). Nanomechanical mechanism for lipid bilayer damage induced by carbon nanotubes confined in intracellular vesicles. *Proceedings of the National Academy of Sciences of the United States of America*. 113: 12374-12379.
- Zhukov, EA; Masumoto, Y; Muljarov, EA; Romanov, SG. (1999). Pump-probe studies of photoluminescence of InP quantum wires embedded in dielectric matrix. *Solid State Communications*. 112: 575-580.
- Zoeteman, BC. (1981). Water supply and health, balancing between questions and answers. *The Science of the total environment*. 18: 369-374.
- Zoller, T; Zeller, WJ. (2000). Production of reactive oxygen species by phagocytic cells after exposure to glass wool and stone wool fibres - effect of fibre preincubation in aqueous solution. *Toxicol Lett*. 114: 1-9.
- Zoltewicz, JA; Baugh, TD. (1985). A multistep mechanism of nucleophilic substitution of vitamin B1 in methanol. *Bioorganic Chemistry*. 13: 209-218.
- Zong, Z; Wang, X; Tian, C; Chen, Y; Han, G; Li, J; Zhang, G. (2016). Source and formation characteristics of water-soluble organic carbon in the anthropogenic-influenced Yellow River Delta, North China. *Atmos Environ*. 144: 124-132.
- Zoppi de Roa, E; Montiel, E; Betancourt, GA. (1998). Estimation of copepod production in a flooded savanna of Venezuela. *Journal of Marine Systems*. 15: 171-176.
- Zunkler, BJ; Kuhne, S; Rustenbeck, I; Ott, T; Hildebrandt, AG. (2000). Disopyramide block of K(ATP) channels is mediated by the pore-forming subunit. *Life Sci*. 66: PL245-PL252.

Human Health Hazard Literature Search Results

On Topic

- Aalto, M; Heppleston, AG. (1984). Fibrogenesis by mineral fibres: an in-vitro study of the roles of the macrophage and fibre length. *Br J Exp Pathol* 65: 91-99.
- Abakay, A; Abakay, O; Tanrikulu, AC; Sezgi, C; Sen, H; Kaya, H; Kucukoner, M; Kaplan, MA; Celik, Y; Senyigit, A. (2013). Effects of treatment regimens on survival in patients with malignant pleural mesothelioma. *Eur Rev Med Pharmacol Sci* 17: 19-24.
- Abakay, A; Tanrikulu, AC; Ayhan, M; Imamoglu, MS; Taylan, M; Kaplan, MA; Abakay, O. (2015). High-risk mesothelioma relation to meteorological and geological condition and distance from naturally occurring asbestos. *Environ Health Prev Med* 21: 82-90. <http://dx.doi.org/10.1007/s12199-015-0501-3>.
- Abakay, A; Tanrikulu, AC; Imamoglu, MS; Ayhan, M; Taylan, M; Kaplan, MA; Abakay, O. (2016). Erratum to: High-risk mesothelioma relation to meteorological and geological condition and distance from naturally occurring asbestos [Erratum]. *Environ Health Prev Med* 21: 91. <http://dx.doi.org/10.1007/s12199-016-0508-4>.
- Abakay, O; Tanrikulu, AC; Palanci, Y; Abakay, A. (2014). The value of inflammatory parameters in the prognosis of malignant mesothelioma. *J Int Med Res* 42: 554-565. <http://dx.doi.org/10.1177/0300060513504163>.

Human Health Hazard Literature Search Results

On Topic

- Abban, C; Viglione, M. (2009). Peritoneal mesothelioma presenting as a skin nodule. *J Cutan Pathol* 36: 675-679.
<http://dx.doi.org/10.1111/j.1600-0560.2008.01094.x>.
- Abejie, BA; Chung, EH; Nesto, RW; Kales, SN. (2008). Grand rounds: asbestos-related pericarditis in a boiler operator. *Environ Health Perspect* 116: 86-89. <http://dx.doi.org/10.1289/ehp.10354>.
- Abejie, BA; Wang, X; Kales, SN; Christiani, DC. (2010). Patterns of pulmonary dysfunction in asbestos workers: a cross-sectional study. *J Occup Med Toxicol* 5: 12. <http://dx.doi.org/10.1186/1745-6673-5-12>.
- Aberle, DR. (1991). High-resolution computed tomography of asbestos-related diseases [Review]. *Semin Roentgenol* 26: 118-131.
- Aberle, DR; Gamsu, G; Ray, CS. (1988). High-resolution CT of benign asbestos-related diseases: clinical and radiographic correlation. *AJR Am J Roentgenol* 151: 883-891. <http://dx.doi.org/10.2214/ajr.151.5.883>.
- Aberle, DR; Gamsu, G; Feuerstein, IM. (1988). Asbestos-related pleural and parenchymal fibrosis: Detection with high-resolution CT. *Radiology* 166: 729-734. <http://dx.doi.org/10.1148/radiology.166.3.3340770>.
- Abidi, P; Afaq, F; Arif, JM; Lohani, M; Rahman, Q. (1999). Chrysotile-mediated imbalance in the glutathione redox system in the development of pulmonary injury. *Toxicol Lett SHANNON*: 31-39.
- Aboagye-Sarfo, P; Reid, A; de Klerk, N; Oslen, N; Samuels, L; Franklin, P; Musk, M. (2011). Determinants Of Latency Periods Of Lung Cancer (LC) And Malignant Mesothelioma (MM) In Former Workers And Residents Exposed To Crocidolite At Wittenoom, Western Australia. *Am J Respir Crit Care Med* 183.
- Aboagye-Scarfo, P; Musk, AW; Franklin, P; Samuels, L; Mina, R; Olsen, N; De Klerk, N; Berry, G; Reid, A. (2013). LUNG CANCER IN FORMER WORKERS AND RESIDENTS EXPOSED TO CROCIDOLITE AT WITTENOOM: OVER 50 YEARS OF FOLLOW-UP. *Respirology* 18: 34-34.
- Abraham, JL. (1984). PATHOLOGISTS UNDER DIAGNOSIS OF PULMONARY ASBESTOSIS 1978-1983 (pp. 20-23). (HEEP/85/00850). Abraham, JL.
- Abraham, JL. (1990). NON-COMMERCIAL AMPHIBOLE ASBESTOS FIBERS AND CLEAVAGE FRAGMENTS IN LUNG TISSUES OF NEW YORK STATE USA TALC MINERS WITH ASBESTOSIS AND TALCOSIS (pp. 20-24). (BIOSIS/90/18836). Abraham, JL.
- Abraham, JL. (1994). Asbestos inhalation, not asbestosis, causes lung cancer. *Am J Ind Med* 26: 839-842.
- Abraham, JL; Burnett, B; Rodriguez-Roisin, R. (1982). CORRELATED ENVIRONMENTAL RADIOLOGIC PHYSIOLOGIC PATHOLOGIC AND MINERALOGIC ANALYSIS IN ASBESTOS WORKERS (pp. 15-18). (ISSN 0003-0805 HEEP/84/01893). Abraham, JL; Burnett, B; Rodriguez-Roisin, R.
- Abraham, JL; Burnett, BR; Hunt, A. (1991). Development and use of a pneumoconiosis database of human pulmonary inorganic particulate burden in over 400 lungs [Review]. *Scanning Microsc* 5: 95-108.
- Abraham, JL; Burnett, BR; Hunt, A. (1992). TALCOSIS AND ASBESTOSIS IN NEW YORK TALC MINERS DOSE-RESPONSE ANALYSIS OF OCCUPATIONAL EXPOSURE LUNG PATHOLOGY AND LUNG PARTICULATE BURDEN (pp. 17-20). (BIOSIS/92/20011). Abraham, JL; Burnett, BR; Hunt, A.
- Abraham, JL; Hertzberg, MA. (1981). Inorganic particulates associated with desquamative interstitial pneumonia. *Chest* 80: 675-705.
- Abraham, JL; Smith, CM; Burnett, BR. (1984). CHANGES IN LUNG CHRYSOTILE ASBESTOS BURDEN DURING AND FOLLOWING 6 WEEKS OF EXPOSURE IN RATS. *Lab Invest* 50: A1-A1.
- Abratt, RP; Vorobiof, DA; White, N. (2004). Asbestos and mesothelioma in South Africa [Review]. *Lung Cancer* 45 Suppl 1: S3-S6.
<http://dx.doi.org/10.1016/j.lungcan.2004.04.007>.
- Abratt, RP; White, NW; Vorobiof, DA. (2005). Epidemiology of mesothelioma--a South African perspective. *Lung Cancer* 49 Suppl 1: S13-S15.
<http://dx.doi.org/10.1016/j.lungcan.2005.03.004>.
- Abratt, RP; Willcox, PA; Casserley, RD; Uys, CJ. (1985). Mesothelioma--short latent period after industrial asbestos exposure and prolonged survival. *Eur J Surg Oncol* 11: 279-282.
- Abrons, HL; Petersen, MR; Sanderson, WT; Engelberg, AL; Harber, P. (1997). Chest Radiography in Portland Cement Workers. *J Occup Environ Med* 39: 1047-1054.
- Abundo, ML; Almaguer, D; Driscoll, R. (1994). Health Hazard Evaluation Report HETA 93-1133-2425, Electrode Corporation, Chardon, Ohio (pp. 34). (NTIS/02994339_a). Abundo, ML; Almaguer, D; Driscoll, R.
- Acencio, MM; Soares, B; Marchi, E; Silva, CS; Teixeira, LR; Broadus, VC. (2015). Inflammatory Cytokines Contribute to Asbestos-Induced Injury of Mesothelial Cells. *Lung* 193: 831-837. <http://dx.doi.org/10.1007/s00408-015-9744-4>.
- Acencio, MM; Vargas, FS; Carnevale, GG; Silva, CS; Teixeira, LR; Antonangelo, L; Marchi, E. (2006). Pleural PDGF expression in mice exposed to asbestos fibers. *Chest* 130: 276S-276S.
- ACGIH. (1330). Asbestos, all forms. 45240.
- Achard, S; Perderiset, M; Jaurand, MC. (1987). Sister chromatid exchanges in rat pleural mesothelial cells treated with crocidolite, attapulgite, or benzo 3-4 pyrene. *Br J Ind Med* 44: 281-283.
- Acheson, ED; Bennett, C; Gardner, MJ; Winter, PD. (1981). Mesothelioma in a factory using amosite and chrysotile asbestos. *Lancet* 2: 1403-1406.
- Acheson, ED; Gardner, MJ. (1979). Mesothelioma and exposure to mixtures of chrysotile and amphibole asbestos. *Arch Environ Health* 34: 240-242.
- Acheson, ED; Gardner, MJ. (1980). Asbestos: scientific basis for environmental control of fibres. IARC Sci Publ737-754.
- Acheson, ED; Gardner, MJ. (1983). Asbestos: The control limit for asbestos. (CIS/85/00944). Health and Safety Commission.
- Acheson, ED; Gardner, MJ; Pippard, EC; Grime, LP. (1982). Mortality of 2 groups of women who manufactured gas masks from chrysotile and crocidolite asbestos: A 40-year follow-up. *Br J Ind Med* 39: 344-348.
- Acheson, ED; Gardner, MJ; Pippard, EC; Grime, LP. (1982). Mortality of two groups of women who manufactured gas masks from chrysotile and crocidolite asbestos: a 40-year follow-up. *Occup Environ Med* 39: 344-348.

Human Health Hazard Literature Search Results

On Topic

- Acheson, ED; Gardner, MJ; Winter, PD; Bennett, C. (1984). Cancer in a factory using amosite asbestos. *Int J Epidemiol* 13: 3-10.
- Adachi, S; Kawamura, K; Kimura, K; Takemoto, K. (1992). Tumor incidence was not related to the thickness of visceral pleural in female Syrian hamsters intratracheally administered amphibole asbestos or manmade fibers. *Environ Res* 58: 55-65.
- Adachi, S; Kawamura, K; Takemoto, K. (2001). A trial on the quantitative risk assessment of man-made mineral fibers by the rat intraperitoneal administration assay using the JFM standard fibrous samples. *Ind Health* 39: 168-174. <http://dx.doi.org/10.2486/indhealth.39.168>.
- Adachi, S; Kawamura, K; Yoshida, S; Takemoto, K. (1992). OXIDATIVE DAMAGE ON DNA INDUCED BY ASBESTOS AND MAN-MADE FIBERS INVITRO. *Int Arch Occup Environ Health* 63: 553-557.
- Adachi, S; Takemoto, K. (1987). [Occupational lung cancer. A comparison between humans and experimental animals] [Review]. *Sangyo Igaku* 29: 345-357.
- Adachi, S; Yoshida, S; Kawamura, K; Takahashi, M; Uchida, H; Odagiri, Y; Takemoto, K. (1994). Inductions of oxidative DNA damage and mesothelioma by crocidolite, with special reference to the presence of iron inside and outside of asbestos fiber. *Carcinogenesis* 15: 753-758.
- Adam, C; Rugina, V; Vasilov, M; Srainger, M; Ichim, I; Hura, C; Neculce, A; Diaconu, R; Bradatan, M; Et, AL. (1989). Environmental factors that can be associated to gastric and pulmonary cancer on the territory of Moldavia (USSR) (pp. 19-28). (BIOSIS/90/29453). Adam, C; Rugina, V; Vasilov, M; Srainger, M; Ichim, I; Hura, C; Neculce, A; Diaconu, R; Bradatan, M; Et, AL.
- Adami, HO; Berry, SC; Breckenridge, CB; Smith, LL; Swenberg, JA; Trichopoulos, D; Weiss, NS; Pastoor, TP. (2011). Toxicology and epidemiology: improving the science with a framework for combining toxicological and epidemiological evidence to establish causal inference. *Toxicol Sci* 122: 223-234. <http://dx.doi.org/10.1093/toxsci/kfr113>.
- Adamis, Z; Kerényi, T; Honma, K; Jäckel, M; Tátrai, E; Ungváry, G. (2001). Study of inflammatory responses to crocidolite and basalt wool in the rat lung. *J Toxicol Environ Health A* 62: 409-415. <http://dx.doi.org/10.1080/152873901300018174>.
- Adamson I, YR; Bowden, DH. (1990). PULMONARY RESPONSE TO LONG AND SHORT ASBESTOS FIBERS IS INDEPENDENT OF FIBROBLAST GROWTH FACTOR SECRETION BY ALVEOLAR MACROPHAGES (pp. 1-5). (BIOSIS/90/15671). Adamson I, YR; Bowden, DH.
- Adamson I, YR; Bowden, DH. (1991). COMPARISON OF ALVEOLAR AND INTERSTITIAL MACROPHAGES IN FIBROBLAST STIMULATION AFTER SILICA AND LONG OR SHORT ASBESTOS (pp. 21-25). (BIOSIS/91/23125). Adamson I, YR; Bowden, DH.
- Adamson I, YR; Bowden, DH. (1992). MESOTHELIAL CELL PROLIFERATION AFTER INSTILLING LONG AND SHORT ASBESTOS FIBERS TO RAT LUNGS (pp. 17-20). (BIOSIS/92/20027). Adamson I, YR; Bowden, DH.
- Adamson, IY; Bakowska, J. (2001). KGF and HGF are growth factors for mesothelial cells in pleural lavage fluid after intratracheal asbestos. *Exp Lung Res* 27: 605-616.
- Adamson, IY; Bakowska, J; Prieditis, H. (2000). Proliferation of rat pleural mesothelial cells in response to hepatocyte and keratinocyte growth factors. *Am J Respir Cell Mol Biol* 23: 345-349. <http://dx.doi.org/10.1165/ajrcmb.23.3.4090>.
- Adamson, IY; Bowden, DH. (1986). Crocidolite-induced pulmonary fibrosis in mice. Cytokinetic and biochemical studies. *Am J Pathol* 122: 261-267.
- Adamson, IY; Bowden, DH. (1987). Response of mouse lung to crocidolite asbestos. 1. Minimal fibrotic reaction to short fibres. *J Pathol* 152: 99-107. <http://dx.doi.org/10.1002/path.1711520206>.
- Adamson, IY; Bowden, DH. (1987). Response of mouse lung to crocidolite asbestos. 2. Pulmonary fibrosis after long fibres. *J Pathol* 152: 109-117. <http://dx.doi.org/10.1002/path.1711520207>.
- Adamson, IY; Bowden, DH. (1990). Pulmonary reaction to long and short asbestos fibers is independent of fibroblast growth factor production by alveolar macrophages. *Am J Pathol* 137: 523-529.
- Adamson, IY; Letourneau, HL; Bowden, DH. (1991). Comparison of alveolar and interstitial macrophages in fibroblast stimulation after silica and long or short asbestos. *Lab Invest* 64: 339-344.
- Adamson, IYR. (1997). Early mesothelial cell proliferation after asbestos exposure: In vivo and in vitro studies. *Environ Health Perspect* 105: 1205-1208. <http://dx.doi.org/10.2307/3433533>.
- Adamson, IYR; Bakowska, J; Bowden, DH. (1993). MESOTHELIAL CELL-PROLIFERATION AFTER INSTILLATION OF LONG OR SHORT ASBESTOS FIBERS INTO MOUSE LUNG. *Am J Pathol* 142: 1209-1216.
- Adamson, IYR; Bakowska, J; Bowden, DH. (1994). MESOTHELIAL CELL-PROLIFERATION - A NONSPECIFIC RESPONSE TO LUNG INJURY ASSOCIATED WITH FIBROSIS. *Am J Respir Cell Mol Biol* 10: 253-258. <http://dx.doi.org/10.1165/ajrcmb.10.3.7509611>.
- Adamson, IYR; Prieditis, H; Young, L. (1997). Lung mesothelial cell and fibroblast responses to pleural and alveolar macrophage supernatants and to lavage fluids from crocidolite-exposed rats. *Am J Respir Cell Mol Biol* 16: 650-656.
- Addison, J; Mcconnell, E. (2008). A review of carcinogenicity studies of asbestos and non-asbestos tremolite and other amphiboles [Review]. *Regul Toxicol Pharmacol* 52: S187-S199. <http://dx.doi.org/10.1016/j.yrtph.2007.10.001>.
- Adebamowo, E. (2009). Indoor environment and cancer: materials specifications in building construction and cancer risk. *Afr J Med Med Sci* 38 Suppl 2: 71-74.
- Adelman, H; Berkson, P; Sackler, JP. (1972). Partial intestinal obstruction due to peritoneal mesothelioma in chronic asbestos exposure. *N Y State J Med* 72: 2332-2334.
- Adelman, M; Albelda, SM; Gottlieb, J; Haponik, EF. (1984). Diagnostic utility of pleural fluid eosinophilia. *Am J Med* 77: 915-920.
- Adesi, BF; Ferrante, D; Mirabelli, D; Terracini, B; Magnani, C. (2010). ROLE OF ASBESTOS CLEARANCE IN EXPLAINING DIFFERENT MORTALITY TIME TRENDS FROM PLEURAL AND PERITONEAL CANCER. A PARADIGM SHIFT IN THE EPIDEMIOLOGY OF MESOTHELIOMA? *Epidemiol Prev* 34: 73-73.

Human Health Hazard Literature Search Results

On Topic

- Adesi, FB; Ferrante, D; Bertolotti, M; Todesco, A; Mirabelli, D; Terracini, B; Magnani, C. (2007). [Mortality from pleural and peritoneal cancer in a cohort of asbestos workers, many years after start of the exposure: possible role of fibers clearance]. *G Ital Med Lav Ergon* 29: 346-348.
- Adib, G; Labrèche, F; De Guire, L; Dion, C; Dufresne, A. (2013). Short, fine and WHO asbestos fibers in the lungs of quebec workers with an asbestos-related disease. *Am J Ind Med* 56: 1001-1014. <http://dx.doi.org/10.1002/ajim.22180>.
- Ado, VA; Selisskii, GD; Shaparenko, MV; Goryachkina, LA. (1977). OCCUPATIONAL DERMATOSES IN WORKERS OF THE CONSTRUCTION INDUSTRY. *Gig Sanit* 9: 101-102.
- Ado, VA; Selisskii, GD; Shaparenko, MV; Goryachkina, LA. (1977). Occupational Dermatoses In Construction Industry Workers (pp. 101-102). (NIOSH/00137810). Ado, VA; Selisskii, GD; Shaparenko, MV; Goryachkina, LA.
- Afaghi, A; Oryan, S; Rahzani, K; Abdollahi, M. (2015). STUDY ON GENOTOXICITY, OXIDATIVE STRESS BIOMARKERS AND CLINICAL SYMPTOMS IN WORKERS OF AN ASBESTOS-CEMENT FACTORY. *EXCLI Journal* 14: 1067-1077. <http://dx.doi.org/10.17179/excli2015-469>.
- Afaghi, A; Oryan, S; Rahzani, K; Abdollahi, M; Malekirad, A. (2015). An investigation on the clinical and biochemical toxicity biomarkers in the workers of an asbestos-cement factory. *Toxicol Lett* 238: S362-S362. <http://dx.doi.org/10.1016/j.toxlet.2015.08.1034>.
- Afanas'eva, IS; Spitsyn, VA; Tsurikova, GV. (1993). [The association of genetic and functional variability of alpha 1-antitrypsin in asbestosis]. *Genetika* 29: 1727-1732.
- Afanas'eva, IS; Spitsyn, VA; Tsurikova, GV. (1993). [Genetic polymorphism of haptoglobin and quantitative changes in its levels during exposure to asbestos]. *Genetika* 29: 1895-1900.
- Afaq, F; Abidi, P; Matin, R; Rahman, Q. (1998). Activation of alveolar macrophages and peripheral red blood cells in rats exposed to fibers/particles. *Toxicol Lett* 99: 175-182. [http://dx.doi.org/10.1016/S0378-4274\(98\)00151-9](http://dx.doi.org/10.1016/S0378-4274(98)00151-9).
- Afaq, F; Abidi, P; Rahman, Q. (2000). N-acetyl L-cysteine attenuates oxidant-mediated toxicity induced by chrysotile fibers. *Toxicol Lett* 117: 53-60.
- Agaimy, A; Wünsch, PH. (2006). Epithelioid and sarcomatoid malignant pleural mesothelioma in endoscopic gastric biopsies: a diagnostic pitfall. *Pathol Res Pract* 202: 617-622. <http://dx.doi.org/10.1016/j.prp.2006.05.002>.
- Agency For Toxic, S; Disease, R. (1600). Toxicological profile for asbestos (Update). 29.
- Agency, UEP. (1986). ASBESTOS FACT BOOK (pp. U). (HMTC/86/0004532). Us Environ Protection Agency.
- Agostoni, P; Smith, D; Schoene, RB; Robertson, HT; Butler, J. (1989). Evaluation of Breathlessness by Exercise Testing in Cigarette-Smoking and Nonsmoking Asbestos Workers (pp. 10-14). (NIOSH/00225178). Agostoni, P; Smith, D; Schoene, RB; Robertson, HT; Butler, J.
- Agostoni, P; Smith, DD; Schoene, RB; Robertson, HT; Butler, J. (1987). Evaluation of breathlessness in asbestos workers. Results of exercise testing. *Am Rev Respir Dis* 135: 812-816.
- Agudo, A; González, CA; Bleda, MJ; Ramírez, J; Hernández, S; López, F; Calleja, A; Panadès, R; Turuguet, D; Escolar, A; Beltrán, M; González-Moya, JE. (2000). Occupation and risk of malignant pleural mesothelioma: A case-control study in Spain. *Am J Ind Med* 37: 159-168.
- Aguilar Madrid, G. (2001). [Reconstruction of the exposure to asbestos in cases of pleural mesothelioma in Mexico] [Letter]. *Salud Publica Mex* 43: 263-265.
- Aguilar-Madrid, G; Robles-Perez, E; Arturo Juarez-Perez, C; Alvarado-Cabrero, I; Gerardo Rico-Mendez, F; Javier, KG. (2010). Case-Control Study of Pleural Mesothelioma in Workers With Social Security in Mexico. *Am J Ind Med* 53: 241-251. <http://dx.doi.org/10.1002/ajim.20780>.
- Agusti, AG; Roca, J; Rodriguez-Roisin, R; Xaubet, A; Agusti-Vidal, A. (1988). DIFFERENT PATTERNS OF GAS EXCHANGE RESPONSE TO EXERCISE IN ASBESTOSIS AND IDIOPATHIC PULMONARY FIBROSIS. *Eur Respir J* 1: 510-516.
- Ahearn, A; Lemen, R. (2011). Asbestos Trends Worldwide, with Richard Lemen. *Environ Health Perspect* 119.
- Ahlendorf, W. (1985). Asbestosis in glass blowers. 31: 166-167.
- Ahlman, K; Partanen, TJ; Rintala, E; Wiikeri, M. (1974). ANTHOPHYLLITE MINING AND MILLING AS A CAUSE OF ASBESTOSIS (pp. LYON). (HEEP/75/04226). Ahlman, K; Partanen, TJ; Rintala, E; Wiikeri, M.
- Ahlmark, A. (1976). [Health examination of those exposed to asbestos]. *Lakartidningen* 73: 1707-1708.
- Ahmad, I; Krishnamurthi, K; Arif, JM; Ashquin, M; Mahmood, N; Athar, M; Rahman, Q. (1995). Augmentation of chrysotile-induced oxidative stress by BHA in mice lungs. *Food Chem Toxicol* 33: 209-215.
- Ahmad, SM; Sataloff, RT. (2009). Asbestos exposure and laryngeal cancer: is there an association? [Editorial]. 88: 1140-1142.
- Ahmed, AK; Macleod, DF; Carmody, J. (1972). Control for Asbestos. *Environment* 14: 16-29.
- Ahmed, I; Ahmed Tipu, S; Ishtiaq, S. (2013). Malignant mesothelioma [Review]. *Pakistan Journal of Medical Sciences online* 29: 1433-1438.
- Ahmed, I; Koulaouzidis, A; Iqbal, J; Tan, WC. (2008). Malignant peritoneal mesothelioma as a rare cause of ascites: a case report. *J Med Case Rep* 2: 121. <http://dx.doi.org/10.1186/1752-1947-2-121>.
- Ahn, CS; Kim, SJ; Oh, SJ; Park, KJ; Kim, HJ; Ahn, CM; Kim, HK; Shin, DH; Cho, SH; Yang, KM. (1997). Pulmonary asbestosis: radiologic-pathologic brief report. *Yonsei Med J* 38: 323-326.
- Ahn, YS; Jeong, KS. (2014). Epidemiologic characteristics of compensated occupational lung cancers among Korean workers. *J Korean Med Sci* 29: 1473-1481. <http://dx.doi.org/10.3346/jkms.2014.29.11.1473>.
- Ahn, YS; Kang, SK. (2009). Asbestos-related occupational cancers compensated under the Industrial Accident Compensation Insurance in Korea. *Ind Health* 47: 113-122.
- Ahn, YS; Kim, HR. (2009). Asbestosis epidemics caused by non-occupational neighborhood exposure. *J Korean Am Med Assoc* 52: 472-481.
- Aho, S; Lahesmaa, R; Nuutila, P; Lehtinen, P; Pulkki, K; Kulonen, E. (1982). The in vitro effect of asbestos on the silicon dioxide-induced macrophage fibrogenic factor and alkaline RNA. *Exp Pathol (Jena)* 21: 181-186.
- Aho, S; Lahesmaa, R; Nuutila, P; Lehtinen, P; Pulkki, K; Kulonen, E. (1982). The in vivo effect of asbestos on the SiO₂-induced macrophage fibrogenic factor and alkaline ribonuclease. *Exp Pathol* 21: 181-186.

Human Health Hazard Literature Search Results

On Topic

- Ahrens, W; Jöckel, KH; Brochard, P; Bolm-Audorff, U; Grossgarten, K; Iwatsubo, Y; Orłowski, E; Pohlabeln, H; Berrino, F. (1993). Retrospective assessment of asbestos exposure--I. Case-control analysis in a study of lung cancer: efficiency of job-specific questionnaires and job exposure matrices. *Int J Epidemiol* 22 Suppl 2: S83-S95.
- Ahrens, W; Jockel, KH; Patzak, W; Elsner, G. (1991). ALCOHOL, SMOKING, AND OCCUPATIONAL FACTORS IN CANCER OF THE LARYNX - A CASE-CONTROL STUDY. *Am J Ind Med* 20: 477-493.
- Ahrens, W; K-H, J; Pohlabeln, H; Bolm-Audorff, U; Iwatsubo, Y; Brochard, P; Berrino, F; Orłowski, E. (1996). Assessment of Exposure to Asbestos in a Case-Control Study of Lung Cancer: Comparison of Supplementary Questionnaires and an Exposure Check-List. *Occup Hyg* 3: 1-3.
- Aiani, MR; Settimi, L; Festa, R; De Stefani, M; Mensi, C. (2006). [Cluster of malignant mesothelioma cases in a thermostat manufacturing industry]. *Med Lav* 97: 774-778.
- Aierken, D; Okazaki, Y; Chew, SH; Sakai, A; Wang, Y; Nagai, H; Misawa, N; Kohyama, N; Toyokuni, S. (2014). Rat model demonstrates a high risk of tremolite but a low risk of anthophyllite for mesothelial carcinogenesis. *Nagoya J Med Sci* 76: 149-160.
- Aigner, K; Schindl, R. (1989). LUNG FIBROSIS FOLLOWING INHALATION OF FIBROUS GLASS DUST. *Z Erkr Atmungsorgane* 173: 247-249.
- Aikat, BK; Radhakrishnan, VV; Malik, AK. (1974). Mesothelioma of the pleura: A study of five autopsy cases with review of literature. *Indian J Cancer* 11: 95-102.
- Aikoh, T; Tomokuni, A; Matsukii, T; Hyodoh, F; Ueki, H; Otsuki, T; Ueki, A. (1998). Activation-induced cell death in human peripheral blood lymphocytes after stimulation with silicate in vitro. *Int J Oncol* 12: 1355-1359.
- Airapetian, MA; Frangulian, RA. (1976). [Occupational diseases of the skin and mucous membrane of the upper respiratory tract in workers of the Ararat cement-slate combine]. *Zh Eksp Klin Med* 16: 78-81.
- Aisner, J; Wiernik, PH. (1978). Malignant mesothelioma. Current status and future prospects [Review]. *Chest* 74: 438-444.
- Aisner, J; Wiernik, PH. (1981). Asbestos-related neoplasms. Introduction. *Semin Oncol* 8: 241-242.
- Aizawa, Y; Kudo, Y. (2010). Magnetometric evaluation of toxicities of chemicals to the lungs and cells. *Environ Health Prev Med* 15: 197-202. <http://dx.doi.org/10.1007/s12199-009-0127-4>.
- A-J, V; Bignon, J; Hughes, JM; Hesterberg, TW; Schneider, T; Burdett, GJ; Brochard, P; Hemon, D. (1992). LOW DOSE EXPOSURE TO NATURAL AND MAN MADE FIBRES AND THE RISK OF CANCER TOWARDS A COLLABORATIVE EUROPEAN EPIDEMIOLOGY REPORT OF A WORKSHOP HELD IN PARIS FRANCE JUNE 10-12 1991. *Br J Ind Med* 49: 606-614.
- Ak, G; Metintas, M; Metintas, S; Erginel, S; Alatas, F; Yildirim, H; Kurt, E. (2008). Characteristics of lung cancer patients with asbestos-related radiological findings. *Tuberk Toraks* 56: 257-265.
- Ak, G; Metintas, M; Tomaszek, S; Jett, JR; Metintas, S; Yildirim, H; Dundar, E; Aubry, MC; Arslan, S; Dong, J, ie; Wigle, DA; Thomas, CF. (2011). DIFFERENTIATION OF MALIGNANT PLEURAL MESOTHELIOMA FROM BENIGN ASBESTOS-RELATED PLEURAL DISEASE WITH MICRORNA AND GENE EXPRESSION PROFILING. *J Thorac Oncol* 6: S1358-S1359.
- Ak, G; Tomaszek, SC; Kosari, F; Metintas, M; Jett, JR; Metintas, S; Yildirim, H; Dundar, E; Dong, J; Aubry, MC; Wigle, DA; Thomas, CF. (2015). MicroRNA and mRNA features of malignant pleural mesothelioma and benign asbestos-related pleural effusion. *BioMed Res Int* 2015: 635748. <http://dx.doi.org/10.1155/2015/635748>.
- Akinfolarin, J; Black, A; Al-Abadi, M. (2008). Pulmonary mesothelioma in bronchioalveolar lavage: a case report. *Diagn Cytopathol* 36: 190-192. <http://dx.doi.org/10.1002/dc.20787>.
- Akira, M; Yamamoto, S; Yokoyama, K; Kita, N; Morinaga, K; Higashihara, T; Kozuka, T. (1990). Asbestosis: High-resolution CT-pathologic correlation. *Radiology* 176: 389-394. <http://dx.doi.org/10.1148/radiology.176.2.2367652>.
- Akira, M; Yokoyama, K; Yamamoto, S; Higashihara, T; Morinaga, K; Kita, N; Morimoto, S; Ikezoe, J; Kozuka, T. (1991). Early asbestosis: Evaluation with high-resolution CT. *Radiology* 178: 409-416. <http://dx.doi.org/10.1148/radiology.178.2.1987601>.
- Akkurt, I; Onal, B; Demir, AU; Tüzün, D; Sabir, H; Ulusoy, L; Karadağ, KO; Ersoy, N; Cöplü, L. (2006). Respiratory health in Turkish asbestos cement workers: the role of environmental exposure. *Am J Ind Med* 49: 609-616. <http://dx.doi.org/10.1002/ajim.20326>.
- Akl, Y; Kaddah, S; Abdelhafeez, A; Salah, R; Lotayef, M. (2010). Epidemiology of mesothelioma in Egypt. A ten-year (1998-2007) multicentre study. *Archives of Medical Science* 6: 926-931. <http://dx.doi.org/10.5114/aoms.2010.19303>.
- Akley, N; Mackay, A; Craighead, J. (1986). IN-VITRO GROWTH CHARACTERISTICS OF ASBESTOS-INDUCED DIFFUSED MALIGNANT MESOTHELIOMAS (pp. 13-18). (BIOSIS/86/25900). Akley, N; Mackay, A; Craighead, J.
- Aksoy, M. (1988). THE ROLE OF SOME CHEMICALS IN THE DEVELOPMENT OF MALIGNANCIES INCLUDING LEUKEMIA (pp. 190-197). (BIOSIS/89/22593). Aksoy, M.
- Al Jarad, N. (1999). Asbestos-related disease. *J R Coll Physicians Lond* 33: 532-536.
- Al JARAD, N; Davies, S; Sinclair, RL; Rudd, RM. (1990). LUNG CRACKLE CHARACTERISTICS DETERMINED BY COMPUTED LUNG SOUND ANALYSIS (pp. 11-13). (BIOSIS/91/07656). Al JARAD, N; Davies, S; Sinclair, RL; Rudd, RM.
- Al Jarad, N; Davies, SW; Logan-Sinclair, R; Rudd, RM. (1994). Lung crackle characteristics in patients with asbestosis, asbestos-related pleural disease and left ventricular failure using a time-expanded waveform analysis--a comparative study. *Respir Med* 88: 37-46.
- Al JARAD, N; Gellert, AR; Rudd, RM. (1990). BRONCHOALVEOLAR LAVAGE PROFILE AND TECHNETIUM-99M DTPA CLEARANCE AS PROGNOSTIC FACTORS IN ASBESTOS EXPOSED SUBJECTS WITH AND WITHOUT ASBESTOSIS (pp. 20-24). (BIOSIS/90/18825). Al JARAD, N; Gellert, AR; Rudd, RM.
- Al Jarad, N; Gellert, AR; Rudd, RM. (1993). Bronchoalveolar lavage and 99mTc-DTPA clearance as prognostic factors in asbestos workers with and without asbestosis. *Respir Med* 87: 365-374. [http://dx.doi.org/10.1016/0954-6111\(93\)90050-A](http://dx.doi.org/10.1016/0954-6111(93)90050-A).
- Al JARAD, N; Macey, M; Uthayakumar, S; Newland, AC; Rudd, RM. (1992). LYMPHOCYTE SUBSETS IN ASBESTOS-EXPOSED SUBJECTS CHANGES IN THE CIRCULATING NATURAL KILLER CELLS (pp. 17-20). (BIOSIS/92/20037). Al JARAD, N; Macey, M; Uthayakumar, S; Newland, AC; Rudd, RM.

Human Health Hazard Literature Search Results

On Topic

- Al Jarad, N; Macey, M; Uthayakumar, S; Newland, AC; Rudd, RM. (1992). Lymphocyte subsets in subjects exposed to asbestos: changes in circulating natural killer cells. *Br J Ind Med* 49: 811-814.
- Al Jarad, N; Poulakis, N; Pearson, MC; Rubens, MB; Rudd, RM. (1991). Assessment of asbestos-induced pleural disease by computed tomography--correlation with chest radiograph and lung function. *Respir Med* 85: 203-208.
- Al Jarad, N; Strickland, B; Bothamley, G; Lock, S; Logan-Sinclair, R; Rudd, RM. (1993). Diagnosis of asbestosis by a time expanded wave form analysis, auscultation and high resolution computed tomography: a comparative study. *Thorax* 48: 347-353.
- Al JARAD, N; Strickland, B; Pearson, MC; Rudd, RM. (1991). THE EXTENT OF ASBESTOS-RELATED DISEASE BY HIGH RESOLUTION CT SCAN A CT SCORING SYSTEM BASED ON THE ILO METHOD (pp. 12-15). (BIOSIS/91/21172). Al JARAD, N; Strickland, B; Pearson, MC; Rudd, RM.
- Al JARAD, N; Uthayakumar, S; Buckland, EJ; Green, TH; Ord, J; Wilkinson, P; Newland, AC; Rudd, RM. (1991). THE HISTOCOMPATIBILITY ANTIGEN HLA IN ASBESTOS-RELATED LUNG DISEASE (pp. 12-15). (BIOSIS/91/23332). Al JARAD, N; Uthayakumar, S; Buckland, EJ; Green, TH; Ord, J; Wilkinson, P; Newland, AC; Rudd, RM.
- Al Jarad, N; Uthayakumar, S; Buckland, EJ; Green, TS; Ord, J; Newland, AC; Rudd, RM. (1992). The histocompatibility antigen in asbestos related disease. *Br J Ind Med* 49: 826-831.
- Alavanja, M; Brownson, R; Boice, J. (1990). RISK FACTORS FOR LUNG CANCER AMONG NONSMOKING WOMEN (pp. 12-15). (BIOSIS/91/05068). Alavanja, M; Brownson, R; Boice, J.
- Albanese, D; Pala, G; Canto, A; Candura, SM. (2007). Analysis of a hospital case series of occupational cancer. *Eur J Oncol* 12: 175-181.
- Albelda, SM; Epstein, DM; Geftter, WB; Miller, WT. (1982). Pleural thickening: its significance and relationship to asbestos dust exposure. *Am Rev Respir Dis* 126: 621-624. <http://dx.doi.org/10.1164/arrd.1982.126.4.621>.
- Albelda, SM; Pietrofesa, RA; Menges, CW; Testa, JR; Christofidou-Solomidou, M. (2015). Flaxseed and its lignan component protect from asbestos-induced inflammation in mice. *Cancer Res* 75. <http://dx.doi.org/10.1158/1538-7445.AM2015-5542>.
- Alberg, AJ; Brock, MV; Samet, JM. (2005). Epidemiology of lung cancer: looking to the future [Review]. *J Clin Oncol* 23: 3175-3185. <http://dx.doi.org/10.1200/JCO.2005.10.462>.
- Alberg, AJ; Ford, JG; Samet, JM. (2007). Epidemiology of lung cancer - ACCP evidence-based clinical practice guidelines (2nd edition) [Review]. *Chest* 132: 29S-55S. <http://dx.doi.org/10.1378/chest.07-1347>.
- Albers, AT. (1984). Health Hazard Evaluation Report No. HETA-84-074-1476, Grundy Industries, Inc., Denver, Colorado (pp. 84-074). (NIOSH/00140857). Albers, AT.
- Albert, A. (1987). *Xenobiosis: Foods, drugs, and poisons in the human body*. London, UK: Chapman and Hall.
- Albertini, S; Friederich, U; Holderegger, C; Würgler, FE. (1988). The in vitro porcine brain tubulin assembly assay: effects of a genotoxic carcinogen (aflatoxin B1), eight tumor promoters and nine miscellaneous substances. *Mutat Res* 201: 283-292.
- Albin, M; Attewell, R; Jakobsson, K; Johansson, L; Wellinder, H. (1990). Dose-Response Relationships for Cause-Specific Mortality and Cancer Morbidity among Asbestos-Cement Workers (pp. 23-26). (NIOSH/00198663). Albin, M; Attewell, R; Jakobsson, K; Johansson, L; Wellinder, H.
- Albin, M; Engholm, G; Hallin, N; Hagmar, L. (1998). Impact of exposure to insulation wool on lung function and cough in Swedish construction workers. *Occup Environ Med* 55: 661-667.
- Albin, M; Horstmann, V; Jakobsson, K; Welinder, H. (1996). Survival in cohorts of asbestos cement workers and controls. *Occup Environ Med* 53: 87-93.
- Albin, M; Jakobsson, K; Attewell, R; Johansson, L; Welinder, H. (1990). Mortality and cancer morbidity in cohorts of asbestos cement workers and referents. *Br J Ind Med* 47: 602-610.
- Albin, M; Johansson, L; Pooley, FD; Jakobsson, K; Attewell, R; Mitha, R. (1990). Mineral fibres, fibrosis, and asbestos bodies in lung tissue from deceased asbestos cement workers. *Br J Ind Med* 47: 767-774.
- Albin, M; Johansson, L; Pooley, FD; Jakobsson, K; Attewell, R; Welinder, H. (1988). Mineral fibres, fibrosis, and asbestos bodies in lung tissue from deceased asbestos-cement workers. *Arh Hig Rada Toksikol* 39: 447-453.
- Albin, M; Magnani, C; Krstev, S; Rapiti, E; Shefer, I. (1999). Asbestos and cancer: An overview of current trends in Europe [Review]. *Environ Health Perspect* 107 Suppl 2: 289-298.
- Albin, M; Shefer, I; Magnani, C; Krstev, S. (1995). Asbestos and cancer. *Med Lav* 86: 259-262.
- Albracht, G; Schwerdtfeger, OA. (1991). Asbestos requirements. (CIS/92/00944). Albracht, G; Schwerdtfeger, OA.
- Albrecht, C; Borm, PJA; Unfried, K. (2004). Signal transduction pathways relevant for neoplastic effects of fibrous and non-fibrous particles [Review]. *Mutat Res* 553: 23-35. <http://dx.doi.org/10.1016/j.mrfmmm.2004.06.015>.
- Albrecht, WN. (1982). Health Hazard Evaluation Report, No. HETA-82-131-1098, U.S. Department of Justice, Washington, D.C. (NIOSH/00127201). Albrecht, WN.
- Alderisio, M; Cenci, M; Mudu, P; Vecchione, A; Giovagnoli, MR. (2006). Cytological value of sputum in workers daily exposed to air pollution. *Anticancer Res* 26: 395-403.
- Aldieri, E; Ghigo, D; Tomatis, M; Prandi, L; Fenoglio, I; Costamagna, C; Pescarmona, G; Bosia, A; Fubini, B. (2001). Iron inhibits the nitric oxide synthesis elicited by asbestos in murine macrophages. *Free Radic Biol Med* 31: 412-417.
- Aldieri, E; Orecchia, S; Ghigo, D; Bergandi, L; Riganti, C; Fubini, B; Betta, PG; Bosia, A. (2004). Simian virus 40 infection down-regulates the expression of nitric oxide synthase in human mesothelial cells. *Cancer Res* 64: 4082-4084. <http://dx.doi.org/10.1158/0008-5472.CAN-04-0486>.
- Aldieri, E; Riganti, C; Silvagno, F; Orecchia, S; Betta, PG; Doublier, S; Gazzano, E; Polimeni, M; Bosia, A; Ghigo, D. (2011). Antioxidants prevent the RhoA inhibition evoked by crocidolite asbestos in human mesothelial and mesothelioma cells. *Am J Respir Cell Mol Biol* 45: 625-631. <http://dx.doi.org/10.1165/rcmb.2010-0089OC>.

Human Health Hazard Literature Search Results

On Topic

- Aldrich, TE; Garcia, N; Berger, S; Zeichner, S; Sanchez, W. (1981). A DEFENSE OF CANCER CASE CLUSTER STUDIES (pp. 17-19). (HEEP/82/12322). Aldrich, TE; Garcia, N; Berger, S; Zeichner, S; Sanchez, W.
- Alexander, B; Johnson, J; Raleigh, K; Mandel, J; Messing, R; Ramachandran, G; Adgate, J; Williams, A. (2009). Pleural Abnormalities and Community Exposure to Asbestos Contaminated Vermiculite. *Epidemiology* 20: S88-S89.
- Alexander, BH; Raleigh, KK; Johnson, J; Mandel, JH; Adgate, JL; Ramachandran, G; Messing, RB; Eshenaur, T; Williams, A. (2012). Radiographic evidence of nonoccupational asbestos exposure from processing Libby vermiculite in Minneapolis, Minnesota. *Environ Health Perspect* 120: 44-49. <http://dx.doi.org/10.1289/ehp.1103529>.
- Alexander, LL; Kabnick, E; Sarreck, R; Abbona, JL; Lewis, N. (1980). ASBESTOSIS ROENTGENOLOGIC AND EPIDEMIOLOGIC ASPECTS (pp. 779-781). (HEEP/82/02141). Alexander, LL; Kabnick, E; Sarreck, R; Abbona, JL; Lewis, N.
- Alexopoulos, EC; Bours, D; Dimadi, M; Serbescu, A; Bakoyannis, G; Kokkinis, FP. (2011). Comparative analysis of induced sputum and bronchoalveolar lavage fluid (BALF) profile in asbestos exposed workers. *J Occup Med Toxicol* 6: 23. <http://dx.doi.org/10.1186/1745-6673-6-23>.
- Alfaro Moreno, E; Flores Rojas, G; Hartasanchez Frenk, F; Orozco de la Huerta, A; Quintana Belmares, R; Osornio Vargas, AR. (1997). In vitro induction of abnormal anaphases by contaminating atmospheric dust from the City of Mexicali, Baja California, Mexico. *Arch Med Res* 28: 549-553.
- Alfonso, H; Franklin, P; Ching, S; Croft, K; Burcham, P; Olsen, N; Reid, A; Joyce, D; de Klerk, N; Musk, AB. (2015). Effect of N-acetylcysteine supplementation on oxidative stress status and alveolar inflammation in people exposed to asbestos: a double-blind, randomized clinical trial. *Respirology* 20: 1102-1107. <http://dx.doi.org/10.1111/resp.12592>.
- Alfonso, H; Fritschi, L; de Klerk, N; Ambrosini, G; Beilby, J; Olsen, N; Musk, A. (2005). Plasma retinol, carotene and vitamin E concentrations and lung function in a crocidolite-exposed cohort from Wittenoom, Western Australia: A cohort study. *Nutr J* 4: 16. <http://dx.doi.org/10.1186/1475-2891-4-16>.
- Alfonso, HS; Fritschi, L; de Klerk, NH; Ambrosini, G; Beilby, J; Olsen, N; Musk, AW. (2005). Plasma concentrations of retinol, carotene, and vitamin E and mortality in subjects with asbestosis in a cohort exposed to crocidolite in Wittenoom, Western Australia. *J Occup Environ Med* 47: 573-579. <http://dx.doi.org/10.1097/07.jom.0000165750.54747.27>.
- Alfonso, HS; Fritschi, L; de Klerk, NH; Ambrosini, G; Beilby, J; Olsen, N; Musk, WA. (2005). Plasma concentrations of retinol, carotene, and vitamin E and mortality in subjects with asbestosis in a cohort exposed to crocidolite in Wittenoom, Western Australia (vol 47, pg 573, 2005). *J Occup Environ Med* 47: 972-972.
- Alfonso, HS; Fritschi, L; de Klerk, NH; Ambrosini, GL; Beilby, J; Olsen, N; Musk, AW. (2006). Plasma vitamin concentrations and incidence of mesothelioma and lung cancer in individuals exposed to crocidolite at Wittenoom, Western Australia. *Eur J Cancer Prev* 15: 290-294.
- Alfonso, HS; Fritschi, L; de Klerk, NH; Olsen, N; Sleith, J; Musk, AW. (2004). Effects of asbestos and smoking on the levels and rates of change of lung function in a crocidolite exposed cohort in Western Australia. *Thorax* 59: 1052-1056. <http://dx.doi.org/10.1136/thx.2004.022806>.
- Alfonso, HS; Fritschi, L; de Klerk, NH; Olsen, N; Sleith, J; Musk, AW. (2005). Effects of asbestos and smoking on gas diffusion in people exposed to crocidolite. *Med J Aust* 183: 184-187.
- Al-Ghimlas, F; Hoffstein, V. (2007). Pleuroparenchymal lung disease secondary to nonoccupational exposure to vermiculite. *Can Respir J* 14: 164-166.
- Algranti, E. (1998). Asbestos: current issues related to cancer and to uses in developing countries. *Cad Saude Publica* 14 Suppl 3: 173-176.
- Algranti, E; Freitas, JBP; Mendonça, EMC; Decapitani, EM; Silva, HC; Bussacos, MA. (2000). Asbestos-related pleural thickening is independently associated with lower levels of lung function and with shortness of breath. *Inhal Toxicol* 12: 251-260. <http://dx.doi.org/10.1080/08958370050165111>.
- Algranti, E; Lima, CQ; Vieira, AV. (1989). [Asbestos and bronchogenic carcinoma: a search for fibers in the pulmonary tissue of 3 patients with bronchogenic carcinoma]. 107: 133-138.
- Algranti, E; Mendonça, EM; Decapitani, EM; Freitas, JB; Silva, HC; Bussacos, MA. (2001). Non-malignant asbestos-related diseases in Brazilian asbestos-cement workers. *Am J Ind Med* 40: 240-254.
- Algranti, E; Mendonça, EM; Hnizdo, E; De Capitani, EM; Freitas, JB; Raile, V; Bussacos, MA. (2013). Longitudinal decline in lung function in former asbestos exposed workers. *Occup Environ Med* 70: 15-21. <http://dx.doi.org/10.1136/oemed-2012-100715>.
- Algranti, E; Saito, CA; Carneiro, B; Moreira, B; Mendonça, EM; Bussacos, MA. (2015). The next mesothelioma wave: mortality trends and forecast to 2030 in Brazil. *Cancer Epidemiology* 39: 687-692. <http://dx.doi.org/10.1016/j.canep.2015.08.007>.
- Alho, J; Kauppinen, T; Sundquist, E. (1988). USE OF EXPOSURE REGISTRATION IN THE PREVENTION OF OCCUPATIONAL CANCER IN FINLAND. *Am J Ind Med* 13: 581-592.
- Alies-Patin, AM; Valleron, AJ. (1985). Mortality of workers in a French asbestos cement factory 1940-82. *Br J Ind Med* 42: 219-225.
- Alilović, M; Peros-Golubčić, T; Bekić, A; Tekavec-Trkanjec, J; Ivčević, A. (2002). Epidemiology of malignant pleural mesotheliomas in Croatia in the period from 1989 to 1998. *Coll Antropol* 26: 551-556.
- Aliyu, OA; Cullen, MR; Barnett, MJ; Balmes, JR; Cartmel, B; Redlich, CA; Brodtkin, CA; Barnhart, S; Rosenstock, L; Israel, L; Goodman, GE; Thornquist, MD; Omenn, GS. (2005). Evidence for excess colorectal cancer incidence among asbestos-exposed men in the Beta-Carotene and Retinol Efficacy Trial. *Am J Epidemiol* 162: 868-878. <http://dx.doi.org/10.1093/aje/kwi285>.
- Aljandali, A; Pollack, H; Yeldandi, A; Li, YY; Weitzman, SA; Kamp, DW. (2001). Asbestos causes apoptosis in alveolar epithelial cells: Role of iron-induced free radicals. *J Lab Clin Med* 137: 330-339. <http://dx.doi.org/10.1067/mlc.2001.114826>.
- Al-Jarad, N; Strickland, B; Pearson, MC; Rubens, MB; Rudd, RM. (1992). High resolution computed tomographic assessment of asbestosis and cryptogenic fibrosing alveolitis: A comparative study. *Thorax* 47: 645-650.

Human Health Hazard Literature Search Results

On Topic

- Alkhuja, S; Miller, A; Mastellone, AJ; Markowitz, S. (2000). Malignant pleural mesothelioma presenting as spontaneous pneumothorax: a case series and review. *Am J Ind Med* 38: 219-223.
- Allard, C; Cantin, A; Begin, R. (1987). PLASMINOGEN ACTIVATOR IN ASBESTOS-EXPOSED SHEEP (pp. 10-13). (BIOSIS/87/23796). Allard, C; Cantin, A; Begin, R.
- Allegri, M; Bianchi, MG; Chiu, M; Varet, J; Costa, AL; Orтели, S; Blosi, M; Bussolati, O; Poland, CA; Bergamaschi, E. (2016). Shape-Related Toxicity of Titanium Dioxide Nanofibres. *PLoS ONE* 11: e0151365. <http://dx.doi.org/10.1371/journal.pone.0151365>.
- Allen, TC; Moran, C. (2006). Synchronous pulmonary carcinoma and pleural diffuse malignant mesothelioma. *Arch Pathol Lab Med* 130: 721-724. [http://dx.doi.org/10.1043/1543-2165\(2006\)130\[721:SPCAPD\]2.0.CO;2](http://dx.doi.org/10.1043/1543-2165(2006)130[721:SPCAPD]2.0.CO;2).
- Allison, AC. (1970). Effects of silica and asbestos on cells in culture [Review]. *Inhaled Particles* 1: 437-445.
- Allison, AC. (1971). LYSOSOMES AND THE TOXICITY OF PARTICULATE POLLUTANTS [Review]. *Arch Intern Med* 128: 131-139.
- Allison, AC. (1974). EXPERIMENTAL METHODS CELL AND TISSUE CULTURE EFFECTS OF ASBESTOS PARTICLES ON MACROPHAGES MESOTHELIAL CELLS AND FIBROBLASTS (pp. LYON). (HEEP/75/04215). Allison, AC.
- Allison, AC. (1974). Pathogenic effects of inhaled particles and antigens. *Ann N Y Acad Sci* 221: 299-308.
- Allison, AC. (1976). EFFECTS OF SILICA ASBESTOS AND OTHER POLLUTANTS ON MACROPHAGES (pp. NEW YORK). (HEEP/77/01031). Allison, AC.
- Allison, AC. (1978). INTERACTIONS OF SILICA AND ASBESTOS WITH MACROPHAGES (pp. NEW YORK). (HEEP/80/00944). Allison, AC.
- Allison, AC; Ferluga, J. (1977). Cell membranes in cytotoxicity [Review]. *Adv Exp Med Biol* 84: 231-246.
- Allison, AC; Morgan, DML. (1979). Effects of silica, asbestos, and other particles on macrophage and neutrophil lysosomes. In JT Dingle; PJ Jacques; IH Shaw (Eds.), *Frontiers of Biology* (pp. 149-159). New York, NY: North-Holland Publishing Company.
- Almaguer, D. (1983). Health Hazard Evaluation Report No. HETA-83-275-1394, Kautt And Bux Manufacturing, Mundelein, Illinois (pp. 83-275). (NIOSH/00137709). Almaguer, D.
- Almaguer, D. (1986). Health Hazard Evaluation Report No. HETA-86-223-1743, Grundy Industries, Inc., Joliet, Illinois (pp. 86-223). (NIOSH/00166568). Almaguer, D.
- Almaguer, D; Burt, S; Stephenson, R. (1992). Health Hazard Evaluation Report No. HETA-89-252-293-2178, Chempower, Incorporated, Combustion Engineering, Incorporated, Albright Power Station, Albright, West Virginia (pp. 89-252). (NIOSH/00218689). Almaguer, D; Burt, S; Stephenson, R.
- Almaguer, D; Moss, CE; Jr, HJ. (1994). Health Hazard Evaluation Report No. HETA-92-0319-2459, Howard University, Washington, D.C (pp. 92-0319). (NIOSH/00228259). Almaguer, D; Moss, CE; Hurrell JJ Jr.
- Alonso, M; Trujillo, F; Duque, A; Osorio, M; Rubio, JM. (1978). PERITONEAL MESOTHELIOMA. *Oncologia BARC*: 67-70.
- Alonso-Peces, ME; Juretschke, MA; De Miguel, J; Prats, E; Abad, N; Serrano, JA. (1997). CORRELATION BETWEEN RADIOLOGICAL AND FUNCTIONAL FINDINGS IN WORKERS EXPOSED TO ASBESTOS ROLE FOR HIGH RESOLUTION COMPUTED TOMOGRAPHY HRCT IN THE EARLY DIAGNOSIS OF ASBESTOSIS (pp. 20-24). (BIOSIS/98/15102). Alonso-Peces, ME; Juretschke, MA; De Miguel, J; Prats, E; Abad, N; Serrano, JA.
- Al-Shraim, M; Mahboub, B; Neligan, PC; Chamberlain, D; Ghazarian, D. (2005). Primary pleural epithelioid haemangioendothelioma with metastases to the skin. A case report and literature review [Review]. *J Clin Pathol* 58: 107-109. <http://dx.doi.org/10.1136/jcp.2004.018937>.
- Althouse, RB; Castellan, RM; Wagner, GR. (1992). Pneumoconioses in the United States: Highlights of Surveillance Data from NIOSH and Other Federal Sources. *Occup Med (Lond)* 7: State of the Art Reviews.
- Althouse, RB; Richards, TB; Game, SR; Castellan, RM. (1994). Surveillance of Asbestosis Deaths in the United States Using Multiple Cause of Death Data, 1968-1988 (pp. 94-112). (NIOSH/00232511). Althouse, RB; Richards, TB; Game, SR; Castellan, RM.
- Altmann, H; Tuschl, H. (1992). Inducible processes in human cells by low doses of genotoxic physical and chemical factors. *Environ Technol* 13: 383-390.
- Altomare, DA; Menges, CW; Xu, J; Pei, J; Zhang, L; Tadevosyan, A; Neumann-Domer, E; Liu, Z; Carbone, M; Chudoba, I; Klein-Szanto, AJ; Testa, JR. (2011). Losses of both products of the Cdkn2a/Arf locus contribute to asbestos-induced mesothelioma development and cooperate to accelerate tumorigenesis. *PLoS ONE* 6: e18828. <http://dx.doi.org/10.1371/journal.pone.0018828>.
- Altomare, DA; Vaslet, CA; Skele, KL; De Rienzo, A; Devarajan, K; Jhanwar, SC; Mcclatchey, Al; Kane, AB; Testa, J. R. (2005). A mouse model recapitulating molecular features of human mesothelioma. *Cancer Res* 65: 8090-8095. <http://dx.doi.org/10.1158/0008-5472.CAN-05-2312>.
- Amacher, DE; Alarif, A; Epstein, SS. (1974). Effects of ingested chrysotile on DNA synthesis in the gastrointestinal tract and liver of the rat. *Environ Health Perspect* 9: 319-324.
- Amacher, DE; Alarif, A; Epstein, SS. (1975). The dose-dependent effects of ingested chrysotile on DNA synthesis in the gastrointestinal tract, liver, and pancreas of the rat. *Environ Res* 10: 208-216.
- Amaducci, S. (1982). Asbestos: Directory of research and documentation centres. (CIS/82/00940). Amaducci, S.
- Amaducci, S. (1982). Asbestos: Directory of unpublished studies. (CIS/82/00941). Amaducci, S.
- Amaducci, S. (1983). Asbestos: Directory of unpublished studies. Special edition: new studies recorded between August 1, 1981 and July 31, 1982. (CIS/83/01247). Amaducci, S.
- Amanbekova, AU; Sakiev, KZ; Ibraeva, LK; Otarbaeva, MB. (2014). [Main results of research concerning asbestos-related diseases in Kazakhstan Republic]. *Med Tr Prom Ekol* 13-18.
- Amandus, H. (1986). The Morbidity And Mortality Of Vermiculite Miners And Millers Exposed To Tremolite-Actinolite (pp. 19861986). (NIOSH/00159216). Amandus, H.
- Amandus, HE. (1987). PREVALENCE OF RADIOGRAPHIC SMALL OPACITIES IN VERMICULITE MINERS. *Am J Ind Med* 12: 227-228.

Human Health Hazard Literature Search Results

On Topic

- Amandus, HE; Althouse, R; Morgan, WKC; Sargent, EN; Jones, R. (1987). The morbidity and mortality of vermiculite miners and millers exposed to tremolite-actinolite: Part III. Radiographic findings. *Am J Ind Med* 11: 27-37.
- Amandus, HE; Wheeler, R. (1987). The morbidity and mortality of vermiculite miners and millers exposed to tremolite-actinolite: Part II. Mortality. *Am J Ind Med* 11: 15-26.
- Amandus, HE; Wheeler, R; Janković, J; Tucker, J. (1987). The morbidity and mortality of vermiculite miners and millers exposed to tremolite-actinolite: Part I. Exposure estimates. *Am J Ind Med* 11: 1-14.
- Amati, M; Tomasetti, M; Mariotti, L; Tarquini, LM; Valentino, M; Santarelli, L. (2008). Assessment of biomarkers in asbestos-exposed workers as indicators of cancer risk. *Mutat Res* 655: 52-58. <http://dx.doi.org/10.1016/j.mrgentox.2008.06.011>.
- Amati, M; Tomasetti, M; Scartozzi, M; Mariotti, L; Alleva, R; Pignotti, E; Borghi, B; Valentino, M; Governa, M; Neuzil, J; Santarelli, L. (2008). Profiling tumor-associated markers for early detection of malignant mesothelioma: an epidemiologic study. *Cancer Epidemiol Biomarkers Prev* 17: 163-170. <http://dx.doi.org/10.1158/1055-9965.EPI-07-0607>.
- Amati, M; Visonà, I; Valentino, M; Scancarello, G; Governa, M. (1997). [Reactive oxygen species produced by the addition of sepiolite and vermiculite (expanded or not) to suspensions of human polymorphonuclear phagocytes and bovine alveolar macrophages]. *G Ital Med Lav Ergon* 19: 59-61.
- Ambrosini, GL; de Klerk, NH; Fritschi, L; Mackerras, D; Musk, B. (2008). Fruit, vegetable, vitamin A intakes, and prostate cancer risk. *Prostate Cancer and Prostatic Diseases* 11: 61-66. <http://dx.doi.org/10.1038/sj.pcan.4500979>.
- Ameen, M; Musthapa, MS; Abidi, P; Ahmad, I; Rahman, Q. (2003). Garlic attenuates chrysotile-mediated pulmonary toxicity in rats by altering the phase I and phase II drug metabolizing enzyme system. *J Biochem Mol Toxicol* 17: 366-371. <http://dx.doi.org/10.1002/jbt.10100>.
- Ameille, J. (1998). [Risk and clinical surveillance of workers exposed to asbestos] [Review]. *Rev Prat* 48: 1299-1302.
- Ameille, J. (2004). [Occupational lung cancers] [Review]. *Rev Pneumol Clin* 60: 357-10.
- Ameille, J. (2012). [The different pleuro-pulmonary pathologies related to asbestos: definitions, epidemiology and evolution]. *Rev Mal Respir* 29: 1035-1046. <http://dx.doi.org/10.1016/j.rmr.2012.02.012>.
- Ameille, J; Bernard, N; Nores, JM; Capron, F; Rémy, JM. (1993). [Pleural mesothelioma and renal adenocarcinoma simultaneously discovered in a subject exposed to asbestos] [Review]. *Rev Mal Respir* 10: 42-43.
- Ameille, J; Brochard, P. (1998). Use and misuse of the I.L.O. International Classification of Radiographs of Pneumoconiosis in occupational health. *Archives des Maladies Professionnelles et de Médecine du Travail* 59: 562-568.
- Ameille, J; Brochard, P; Brechot, JM; Pascano, T; Cherin, A; Raix, A; Fredy, M; Bignon, J. (1993). Pleural thickening: a comparison of oblique chest radiographs and high-resolution computed tomography in subjects exposed to low levels of asbestos pollution. *Int Arch Occup Environ Health* 64: 545-548.
- Ameille, J; Brochard, P; Letourneux, M; Paris, C; Pairon, JC. (2009). [Asbestos-related cancer risk in the presence of asbestosis or pleural plaques]. *Rev Mal Respir* 26: 413-421; quiz 480, 483. <http://dx.doi.org/10.1019/20094065>.
- Ameille, J; Brochard, P; Letourneux, M; Paris, C; Pairon, JC. (2011). Asbestos-related cancer risk in patients with asbestosis or pleural plaques. *Rev Mal Respir* 28: e11-e17. <http://dx.doi.org/10.1016/j.rmr.2011.04.008>.
- Ameille, J; Clin-Godard, B; Descatha, A; Letourneux, M. (2007). [Benign respiratory diseases caused by the inhalation of asbestos]. *Encyclopedie Medico-Chirurgicale Toxicologie - Pathologie Professionnelle die m*.
- Ameille, J; Letourneux, M. (1998). [Non-malignant asbestos-related diseases] [Review]. *Rev Mal Respir* 15: 479-487.
- Ameille, J; Letourneux, M. (1999). [Nonmalignant asbestos-related diseases]. *Rev Mal Respir* 16 Suppl 2: S25-S33.
- Ameille, J; Letourneux, M; Paris, C; Brochard, P; Stoufflet, A; Schorle, E; Gislard, A; Laurent, F; Conso, F; Pairon, JC. (2010). Does asbestos exposure cause airway obstruction, in the absence of confirmed asbestosis? *Am J Respir Crit Care Med* 182: 526-530. <http://dx.doi.org/10.1164/rccm.200812-1815OC>.
- Ameille, J; Mattei, N; Laurent, F; Letourneux, M; Paris, C; Clément, A; Chamming, S; Conso, F; Pairon, JC. (2007). Computed tomography findings in urban transportation workers with low cumulative asbestos exposure. *Int J Tuberc Lung Dis* 11: 1352-1357.
- Ameille, J; Rosenberg, N; Matrat, M; Descatha, A; Mompoin, D; Hamzi, L; Atassi, C; Vasile, M; Garnier, R; Pairon, JC. (2012). Asbestos-related diseases in automobile mechanics. *Ann Occup Hyg* 56: 55-60. <http://dx.doi.org/10.1093/annhyg/mer066>.
- Ameille, J; Ruffié, P; Bergeret, A. (2004). [Asbestos-related occupational cancers]. *Rev Prat* 54: 1649-1659.
- Aminian, O; Abedi, A; Chavoshi, F; Ghasemi, M; Rahmati-Najarkolaei, F. (2012). Evaluation of Occupational Risk Factors in Non-Hodgkin Lymphoma and Hodgkin's Disease in Iranian Men. 5: 189-193.
- Amo, L-AD. (1980). Diseases associated with asbestos in Spain. IARC Sci Publ IARC Scientific Publication No: 201-206.
- Amosun, SL; Oduah, JC. (1992). A survey of the health problems in five industrial settings in Nigeria. *Physiother Theory Pract* 8: 109-116.
- Ampian, SG. (1976). Asbestos Minerals And Their Nonasbestos Analogs (pp. 23-25). (NIOSH/00151229). Ampian, SG.
- Ampleford, EJ; Ohar, J. (2007). Mesothelioma: you do not have to work for it. *Diagn Cytopathol* 35: 774-777. <http://dx.doi.org/10.1002/dc.20766>.
- Amsalhem, P; Kuhnle, M; Bellamy, J; Coblenche, JF; Leroy-Terquem, E. (2005). [Lung cancer and peritoneal mesothelioma: two complications of asbestos exposure in the same patient]. *Rev Pneumol Clin* 61: 47-49.
- Andersen, A; Barlow, L; Engeland, A; Kjaerheim, K; Lynge, E; Pukkala, E. (1999). Work-related cancer in the Nordic countries [Review]. *Scand J Work Environ Health* 25: 1-116.
- Andersen, A; Glattre, E; Johansen, BV. (1993). INCIDENCE OF CANCER AMONG LIGHTHOUSE KEEPERS EXPOSED TO ASBESTOS IN DRINKING-WATER. *Am J Epidemiol* 138: 682-687.
- Andersen, ME. (1991). QUANTITATIVE RISK ASSESSMENT AND CHEMICAL CARCINOGENS IN OCCUPATIONAL ENVIRONMENTS (pp. A REFERENCE GUIDE). (BIOSIS/91/23095). Andersen, ME.

Human Health Hazard Literature Search Results

On Topic

- Anderson, HA; Hanrahan, LP; Higgins, DN; Sarow, PG. (1992). A radiographic survey of public school building maintenance and custodial employees. *Environ Res* 59: 159-166.
- Anderson, HA; Hanrahan, LP; Schirmer, J; Higgins, D; Sarow, P. (1991). Mesothelioma among employees with likely contact with in-place asbestos-containing building materials. *Ann N Y Acad Sci* 643: 550-572.
- Anderson, HA; Lilis, R; Daum, S; Fischbein, A; Selikoff, IJ. (1979). Household exposure to asbestos and risk of subsequent disease. In JM R. D. Lemen (Ed.), (pp. 145-156). Park Forest South, IL: Pathotox Publishers.
- Anderson, HA; Lilis, R; Daum, SM; Fischbein, AS; Selikoff, IJ. (1976). Household-contact asbestos neoplastic risk. *Ann N Y Acad Sci* 271: 311-323. <http://dx.doi.org/10.1111/j.1749-6632.1976.tb23127.x>.
- Anderson, HA; Lilis, R; Daum, SM; Selikoff, IJ. (1978). Asbestosis among Household Contacts of Asbestos Factory Workers (pp. 19). (NIOSH/00193047). Anderson, HA; Lilis, R; Daum, SM; Selikoff, IJ.
- Anderson, HA; Lilis, R; Daum, SM; Selikoff, IJ. (1979). Asbestosis among household contacts of asbestos factory workers. *Ann N Y Acad Sci* 330: 387-399. <http://dx.doi.org/10.1111/j.1749-6632.1979.tb18741.x>.
- Anderson, HA; Lilis, R; Fischbein, A; Daum, S; Selikoff, IJ. (1974). ASBESTOS DISEASE RESULTING FROM HOUSEHOLD EXPOSURE TO OCCUPATIONAL DUSTS. *Chest* 66: 318.
- Anderson, HA; Selikoff, IJ. (1964). Asbestos-Associated Radiographic Changes Among Household Contacts Of Amosite Asbestos Workers (pp. Drug). (NIOSH/00157640). Anderson, HA; Selikoff, IJ.
- Anderson, HA; Selikoff, IJ. (1978). Pleural reactions to environmental agents [Review]. *Fed Proc* 37: 2496-2500.
- Anderson, K; Adamson, MR; Thomson, J; Moran, F. (1987). THE ASBESTOS DERMATOSIS (pp. 10-13). (BIOSIS/87/24509). Anderson, K; Adamson, MR; Thomson, J; Moran, F.
- Anderson, K; Luk, A; Mcleod, J; Moran, F. (1987). BREATH SOUND ANALYSIS IN ASBESTOSIS (pp. 10-13). (BIOSIS/87/24510). Anderson, K; Luk, A; Mcleod, J; Moran, F.
- Anderson, M. (1983). Occupational Lung Diseases. An Introduction (pp. 19831983). (NIOSH/00166553). Anderson, M.
- Anderson, M; Barrett, C. (1991). International conference on critical target genes in chemical carcinogenesis. *Environ Health Perspect* 93: 3-277.
- Anderson, TM; W-Y, S; Benedict, WF; Holmes, EC; Saxton, RE. (1986). ESTABLISHMENT OF A HUMAN MESOTHELIOMA CELL LINE (pp. 7-10). (BIOSIS/86/25200). Anderson, TM; Shin W-Y; Benedict, WF; Holmes, EC; Saxton, RE.
- Andersson, E; Hagberg, S; Nilsson, T; Persson, B; Wingren, G; Torén, K. (2001). A case-referent study of cancer mortality among sulfate mill workers in Sweden. *Occup Environ Med* 58: 321-324.
- Andersson, E; Torén, K. (1995). Pleural mesotheliomas are underreported as occupational cancer in Sweden. *Am J Ind Med* 27: 577-580.
- Andersson, E; Westberg, H; Bryngelsson, IL; Magnuson, A; Persson, B. (2012). Cancer incidence among Swedish pulp and paper mill workers: a cohort study of sulphate and sulphite mills. *Int Arch Occup Environ Health* 86: 529-540. <http://dx.doi.org/10.1007/s00420-012-0785-1>.
- Andersson, M; Olsen, JH. (1985). Trend and distribution of mesothelioma in Denmark. *Br J Cancer* 51: 699-705.
- Andersson, M; Selin, F; Järholm, B. (2016). Asbestos exposure and the risk of sinonasal cancer. *Occup Med (Lond)* 66: 326-331. <http://dx.doi.org/10.1093/ocmed/kqw018>.
- Andolfi, L; Trevisan, E; Zwyer, M; Prato, S; Troian, B; Vita, F; Borelli, V; Soranzo, MR; Melato, M; Zabucchi, G. (2013). The crocidolite fibres interaction with human mesothelial cells as investigated by combining electron microscopy, atomic force and scanning near-field optical microscopy. *J Microsc* 249: 173-183. <http://dx.doi.org/10.1111/jmi.12006>.
- Andreev, LP. (1997). PREVENTION OF BRONCHITIS IN WORKERS OF THE INTEGRATED ASBESTOS MINING-ENRICHING WORKS (pp. 62). (BIOSIS/97/18835). Andreev, LP.
- Andreoni, D. (1983). Roofing (pp. 1960-1962). (NIOSH/00149478). Andreoni, D.
- Andrews, PW; Libbus, B; Vasquez, M; Tice, RR. (1996). FIBER INDUCED DNA DAMAGE AS AN INDICATOR OF CARCINOGENICITY (pp. 23-28). (BIOSIS/96/18094). Andrews, PW; Libbus, B; Vasquez, M; Tice, RR.
- Andrews, W; Paul, S; Narula, N; Altorki, NK. (2013). Localized mesothelioma tumour arising synchronously with a primary contralateral lung cancer. *Interact Cardiovasc Thorac Surg* 17: 1061-1062. <http://dx.doi.org/10.1093/icvts/ivt365>.
- Andrion, A; Bellis, D; Bertoldo, E; Mollo, F. (1984). Coated and uncoated lung mineral fibres in subjects with and without pleural plaques at autopsy. *Pathol Res Pract* 178: 611-616. [http://dx.doi.org/10.1016/S0344-0338\(84\)80095-3](http://dx.doi.org/10.1016/S0344-0338(84)80095-3).
- Andrion, A; Bellis, D; Bertoldo, E; Mollo, F. (1985). THE CONTRIBUTION OF AUTOPSY IN IDENTIFYING POSSIBLY ASBESTOS-RELATED PULMONARY CANCERS (pp. 1-7). (ISSN 0344-0338 BIOSIS/86/09371). Andrion, A; Bellis, D; Bertoldo, E; Mollo, F.
- Andrion, A; Bosia, S; Paoletti, L; Feyles, E; Lanfranco, C; Bellis, D; Mollo, F. (1994). Malignant peritoneal mesothelioma in a 17-year-old boy with evidence of previous exposure to chrysotile and tremolite asbestos. *Hum Pathol* 25: 617-622. [http://dx.doi.org/10.1016/0046-8177\(94\)90230-5](http://dx.doi.org/10.1016/0046-8177(94)90230-5).
- Andrion, A; Delsedime, L; Bellis, D; Ardisson, F; Bernardi, P; Bertoldo, E; Mollo, F. (1988). Lung cancer cell type and asbestos body lung content. Preliminary results of a surgical series-based study. *Med Lav* 79: 19-23.
- Andrion, A; Mazzucco, G; Bernardi, P; Mollo, F. (1989). Sarcomatous tumor of the chest wall with osteochondroid differentiation. Evidence of mesothelial origin. *Am J Surg Pathol* 13: 707-712.
- Andrion, A; Pira, E; Fadda, T; Mollo, F. (1982). Lung asbestos bodies and pulmonary cancer in subjects without occupational exposure. *Tumori* 68: 359-364.
- Andrion, A; Pira, E; Mollo, F. (1984). Pleural plaques at autopsy, smoking habits, and asbestos exposure. *Eur J Respir Dis* 65: 125-130.
- Andujar, P; Lacourt, A; Brochard, P; Pairon, JC; Jaurand, MC; Jean, D. (2016). Five years update on relationships between malignant pleural mesothelioma and exposure to asbestos and other elongated mineral particles. *J Toxicol Environ Health B Crit Rev* 19: 151-172. <http://dx.doi.org/10.1080/10937404.2016.1193361>.

Human Health Hazard Literature Search Results

On Topic

- Andujar, P; Lecomte, C; Renier, A; Fleury-Feith, J; Kheuang, L; Daubriac, J; Janin, A; Jaurand, MC. (2007). Clinico-pathological features and somatic gene alterations in refractory ceramic fibre-induced murine mesothelioma reveal mineral fibre-induced mesothelioma identities. *Carcinogenesis* 28: 1599-1605. <http://dx.doi.org/10.1093/carcin/bgm023>.
- Andujar, P; Pairon, JC; Renier, A; Descatha, A; Hysi, I; Abd-alsamad, I; Billon-Galland, MA; Blons, H; Clin, B; Danel, C; Debrosse, D; Galateau-Sallé, F; Housset, B; Laurent-Puig, P; Le Pimpec-Barthes, F; Letourneux, M; Monnet, I; Régnard, JF; Validire, P; Zucman-Rossi, J; Jaurand, MC; Jean, D. (2013). Differential mutation profiles and similar intronic TP53 polymorphisms in asbestos-related lung cancer and pleural mesothelioma. *Mutagenesis* 28: 323-331. <http://dx.doi.org/10.1093/mutage/get008>.
- Andujar, P; Wang, J; Descatha, A; Galateau-Sallé, F; Abd-alsamad, I; Billon-Galland, MA; Blons, H; Clin, B; Danel, C; Housset, B; Laurent-Puig, P; Le Pimpec-Barthes, F; Letourneux, M; Monnet, I; Régnard, JF; Renier, A; Zucman-Rossi, J; Pairon, JC; Jaurand, MC. (2010). p16INK4A inactivation mechanisms in non-small-cell lung cancer patients occupationally exposed to asbestos. *Lung Cancer* 67: 23-30. <http://dx.doi.org/10.1016/j.lungcan.2009.03.018>.
- Angle, CR. (1988). Indoor air pollutants [Review]. *Adv Pediatr* 35: 239-280.
- Anon. (1968). Getting to grips with asbestos. *Food Cosmet Toxicol* 6: 657-659.
- Anon. (1969). Asbestos dust--a community hazard. *JAMA* 209: 1216-1217.
- Anon. (1970). Keen surveillance of asbestos still necessary [Review]. *Food Cosmet Toxicol* 8: 207-210.
- Anon. (1970). Occupational cancer of the lung and smoking. *Br Med J* 2: 313.
- Anon. (1970). [Pleural tumors]. 11: 537-538.
- Anon. (1971). Asbestos and health, 1971. 91: 55-56.
- Anon. (1971). Asbestos: questions still unanswered [Review]. *Food Cosmet Toxicol* 9: 281-284.
- Anon. (1972). Asbestos and health. 92: 55-56.
- Anon. (1972). Evaluation of asbestos exposure in the working environment. Recommendation of subcommittee on asbestosis of the permanent commission and international association on occupational health. *J Occup Med* 14: 560-562.
- Anon. (1972). [Evaluation of the exposure to asbestos in the working spaces. Recommendations of the Sub-committee on Asbestosis of the Permanent Commission and International Association of Industrial Medicine]. *Med Lav* 63: 1-6.
- Anon. (1972). Inhalation of low concentrations of asbestos. *Med J Aust* 1: 839-840.
- Anon. (1972). Mainly good news about asbestos [Review]. *Food Cosmet Toxicol* 10: 574-578.
- Anon. (1973). Biological effects of asbestos. Report of the Advisory Committee on Asbestos Cancers to the director of the international agency for research on cancer. *Ann Occup Hyg* 16: 9-17.
- Anon. (1973). Excerpts from the criteria document. I. Recommendations for an asbestos standard. *J Occup Med* 15: 375-379.
- Anon. (1974). [Scandinavian seminar: environmental pollution and heart and lung diseases]. *Nord Med* 89: 313-328.
- Anon. (1975). [All mesothelioma cases in cancer registries are going to be studied]. *Lakartidningen* 72: 4818.
- Anon. (1976). Hazards of asbestos in dentistry. Council on Dental Therapeutics. Council on Dental Materials and Devices. *J Am Dent Assoc* 92: 777-778.
- Anon. (1977). IARC monographs on the evaluation of the carcinogenic risk of chemicals to man: asbestos. 14: 1-106.
- Anon. (1978). NIH research findings: Recent studies show workers exposed to asbestos years ago are at a greater risk for some diseases. *JAMA* 239: 2431-2432.
- Anon. (1979). Asbestos hazards in schools subject of state, federal study. *Tex Med* 75: 10.
- Anon. (1979). Asbestos-related lung disease. *West J Med* 131: 225-230.
- Anon. (1980). Findings of joint NIOSH/OSHA Work Group concerning health effects of asbestos. 28: 48-49.
- Anon. (1981). Asbestos-related neoplasms. *Semin Oncol* 8: 241-346.
- Anon. (1981). A review of four major reports on the health hazards of asbestos. (CIS/83/01536). Canadian Centre for Occupational Health and Safety.
- ANON. (1981). UNKNOWN. *Environment* cum: 48-74.
- Anon. (1982). Case records of the Massachusetts General Hospital. Weekly clinicopathological exercises. Case 27-1982. Pleural thickening in a man with rheumatoid arthritis and exposure to asbestos. *N Engl J Med* 307: 104-112. <http://dx.doi.org/10.1056/NEJM198207083070208>.
- Anon. (1982). Criteria for the diagnosis of asbestosis and considerations in the attribution of lung cancer and mesothelioma to asbestos exposure. Prepared by the Medical Advisory Panel to the Asbestos International Association. *Int Arch Occup Environ Health* 49: 357-361.
- ANON. (1982). Effects of inhaled particles on human health: influence of particle size and shape (pp. 1-174). (CIS/85/00950). ANON.
- ANON. (1982). Epidemiological, immunological and genetical aspects of asbestosis. *Arch Immunol Ther Exp* 30: 135-331.
- Anon. (1982). [Health hazards of asbestos]. *Zentralbl Arbeitsmed Arbeitsschutz Prophyl Ergonomie* 32: 142-144.
- ANON. (1982). Report on the health hazards of asbestos. (CIS/83/00067). ANON.
- Anon. (1983). CALIDRIA ASBESTOS-RESIN GRADE RG 244 TRACHEAL INSUFFLATION OF RAT LUNGS WITH INTERPRETATION OF PATHOLOGY AFTER 30, 60, 90 AND 180 DAYS WITH COVER LETTER. (TSCATS/017070). MELLON INST.
- Anon. (1983). Environmental health perspectives: Proceedings of the second international workshop on in vitro effects of mineral dusts. 51.
- ANON. (1983). Report from the Committee on Asbestos - A study of the health experience in two U.K. asbestos factories. 27: 1-55.
- Anon. (1983). Report of the Asbestos Working Group, 1982/3. (CIS/84/00331). Health and Safety Executive.
- ANON. (1984). HEALTH TRENDS. *N Z Med J* 97: 855-856.
- Anon. (1985). Asbestos. *Occup Health Saf* 54: 23-72.

Human Health Hazard Literature Search Results

On Topic

- ANON. (1985). Asbestos and health in the workplace. (CIS/85/01633). ANON.
- ANON. (1986). Asbestos and other natural mineral fibres. (CIS/87/01018). ANON.
- Anon. (1986). Guidance for Preventing Asbestos Disease Among Auto Mechanics. 15.
- Anon. (1986). A PROPORTIONATE MORTALITY RATIO ANALYSIS OF GASOLINE STATION ATTENDANTS AND AUTOMOBILE MECHANICS IN NEW HAMPSHIRE WITH LETTER DATED 112886. (TSCATS/207364).
- ANON. (1987). ASA 1985. Data on employees occupationally exposed to carcinogens in Finland 1985. (CIS/89/01179). Arbetsmiljöinstitutet.
- ANON. (1987). Asbestos abatement: risks and responsibilities - A BNA special report. (CIS/89/00206). ANON.
- Anon. (1987). Asbestos toxicity. Papers from the Asbestos Toxicity Symposium. April 24, 1985, Miami, Florida. Drug Chem Toxicol 10: 1-180.
- Anon. (1987). The control of asbestos at work - the Control of Asbestos at Work Regulations 1987 and eth;United Kingdom! - Approved Code of Practice. (CIS/89/01630). Health and Safety Commission.
- Anon. (1987). Coping with asbestos. 33: 33-35.
- ANON. (1987). Decree No.87-232 of 27 March 1987 concerning special health measures for facilities where workers are exposed to asbestos dust and eth;France. epublique fran and eth: 3718-3719.
- ANON. (1987). Information on health and safety hazards in hotels, restaurants, and catering establishments. (CIS/89/01158). ANON.
- Anon. (1987). Report on cancer risks associated with the ingestion of asbestos. DHHS Committee to Coordinate Environmental and Related Programs [Review]. Environ Health Perspect 72: 253-265.
- ANON. (1987). Working asbestos safely. (CIS/89/00454). ANON.
- Anon. (1988). Asbestos. (CIS/89/01317). Health and Safety Executive.
- Anon. (1988). Asbestos fibres in air - Light microscope methods for use with the Control of Asbestos at Work Regulations. (CIS/89/01628). Health and Safety Executive: Occupational Medicine and Hygiene Laboratory.
- ANON. (1988). Asbestos in the community. (CIS/89/00114). ANON.
- ANON. (1988). Asbestos, potential human carcinogen (pp. 45226-41988). (CIS/90/00405). ANON.
- Anon. (1988). Asbestos: Exposure limits and measurement of airborne dust concentrations. (CIS/89/00951). Health and Safety Executive.
- ANON. (1988). Bladder cancer and asbestos in Spain. 36: 10-14.
- ANON. (1988). EPA Study of asbestos-containing materials in public buildings - A report to Congress. (CIS/89/01314). ANON.
- Anon. (1988). Health effects of asbestos and of some other minerals and fibres as reflected in the worlds' literature: a compendium of references and abstracts 1906-1986. Volume II. J Environ Pathol Toxicol Oncol 8: 825-1658.
- Anon. (1988). Health effects of asbestos and of some other minerals and fibres as reflected in the worlds' literature: a compendium of references and abstracts 1906-1986. Volume I. J Environ Pathol Toxicol Oncol 8: 1-823.
- Anon. (1988). Health effects of asbestos and of some other minerals and fibres as reflected in the worlds' literature: a compendium of references and abstracts 1906-1986. Volume III. J Environ Pathol Toxicol Oncol 8: 1659-2413.
- Anon. (1988). Inorganic dust diseases: issues and controversies. J Thorac Imaging 3: 1-85.
- ANON. (1988). Proceedings of the VIth International Pneumoconioses Conference - Part I. (CIS/91/00944). ANON.
- ANON. (1988). Sampling and evaluating airborne asbestos dust (NIOSH 582). (CIS/90/00777). ANON.
- Anon. (1988). Training operatives and supervisors for work with asbestos insulation and coatings. (CIS/88/01492). Health and Safety Executive.
- ANON. (1989). Asbestos (pp. 60611-63991). (CIS/90/00031). ANON.
- ANON. (1989). Asbestos: general aspects. (CIS/91/01285). ANON.
- Anon. (1989). A CASE-CONTROL STUDY OF KIDNEY CANCER AMONG PETROLEUM REFINERY WORKERS (FINAL REPORT) WITH ATTACHMENTS AND COVER LETTER DATED 092989. (TSCATS/404717). EPIDEMIOLOGY RESOURCES INC.
- Anon. (1989). Evaluation of the cancer risk as a result of occupational exposure to asbestos. (CIS/90/01307). Werkgroep van Deskundigen ter vaststelling van MAC-waarden (Dutch Expert Committee for Occupational Standards).
- Anon. (1989). From the Centers for Disease Control. Chronic disease reports: deaths from lung cancer--United States, 1986. JAMA 262: 1170, 1172.
- ANON. (1989). Occupational exposure limit for asbestos. (CIS/92/02005). ANON.
- Anon. (1989). SUPPLEMENTARY REPORT OF EPIDEMIOLOGIC STUDY WITH COVER LETTER DATED 051089. (TSCATS/311718). ERGOTOPOLOGY INC.
- Anon. (1989). Work with asbestos cement. (CIS/91/00247). Health and Safety Executive.
- Anon. (1989). Work with asbestos insulating board. (CIS/91/00248). Health and Safety Executive.
- ANON. (1990). Asbestos. Erga Ediciones y Publicaciones.
- ANON. (1990). Asbestos containing thermal system insulation: facts and figures. (CIS/91/01241). ANON.
- ANON. (1990). Asbestos fibres in air - Light microscope method for use with the Control of Asbestos at Work Regulations. (CIS/91/00231). ANON.
- Anon. (1990). Asbestos: exposure limits and measurement of airborne dust concentrations. (CIS/91/00232). Health and Safety Executive.
- Anon. (1990). ASBESTOSIS OR PLEURAL DISEASES CAUSED BY AIRBORNE ASBESTOS. Arbeitsmedizin, Sozialmedizin, Praeventivmedizin 25: 505-&.
- ANON. (1990). Controlled use of asbestos - Utopia or reality? White paper from the Asbestos Permanent Committee. (CIS/91/01269). ANON.
- Anon. (1990). Delayed effects of occupational exposure to a highly toxic form of asbestos. Oncology (Williston Park) 4: 126.
- Anon. (1990). Environmental Controls and Lung Disease. Am Rev Respir Dis 142: 915-939. <http://dx.doi.org/10.1164/ajrccm/142.4.915>.
- ANON. (1990). Environmental hazards in your school: A resource handbook. (CIS/92/01307). ANON.
- Anon. (1990). Health effects of tremolite. This official statement of the American Thoracic Society was adopted by the ATS Board of Directors, June 1990 [Review]. Am Rev Respir Dis 142: 1453-1458. http://dx.doi.org/10.1164/ajrccm/142.6_Pt_1.1453.

Human Health Hazard Literature Search Results

On Topic

- Anon. (1990). REFINERY RETROSPECTIVE COHORT MORTALITY STUDY WITH COVER LETTER DATED 060690. (TSCATS/408068).
- ANON. (1990). Safe handling of asbestos - A manual of standard practices. (CIS/92/01665). ANON.
- ANON. (1990). Testimony of the National Institute for Occupational Safety and Health on the Occupational Safety and Health Administration's Notice of Proposed Rulemaking on occupational exposure to asbestos, tremolite, anthophyllite and actinolite. (CIS/90/01295). ANON.
- ANON. (1991). 1991-1992 Threshold Limit Values for chemical substances and physical agents and biological exposure indices. (CIS/92/00956). British Occupational Hygiene Society (BOHS).
- ANON. (1991). Asbestos in buildings: A workshop. (CIS/91/01636). ANON.
- Anon. (1991). Environmental and Energy Study Conference Briefing Book. August 1991. 76.
- Anon. (1991). High-risk substances basic data. (CIS/97/01091).
- Anon. (1991). LETTER TO USEPA REGARDING INFORMATION ON THE FINDINGS OF THREE ON-GOING CHRONIC ANIMAL STUDIES ON MAN-MADE REFRACTORY CERAMIC FIBERS and A COPY OF THE PATHOLOGY REPORT W-ATTACHMENTS (pp. #89-910000152). (TSCATS/413857).
- Anon. (1991). Occupational exposure limits 1991. (CIS/91/01289). Health and Safety Executive.
- ANON. (1991). Report of the Asbestos Advisory Committee to the Minister of Labour. (CIS/91/01947). ANON.
- ANON. (1991). Safety in the use of mineral and synthetic fibres. (CIS/92/00253). ANON.
- ANON. (1992). Ban asbestos. (CIS/92/01505). ANON.
- Anon. (1992). A CASE CONTROL STUDY OF RESPIRATORY CANCERS AT THE DOW CORNING MIDLAND SILICONES PRODUCTION PLANT (FINAL REPORT) WITH ATTACHMENTS AND COVER LETTER DATED 022092 (SANITIZED). (TSCATS/422629).
- Anon. (1992). Occupational hygiene: Dust. (CIS/09/00259).
- Anon. (1992). Public Health Assessment for Sussex County Landfill No. 5, Laurel, Sussex County, Delaware, Region 3. CERCLIS No. DED980494637. 28.
- Anon. (1993). [Mortality from pleural mesothelioma in the province of Barcelona]. Med Clin (Barc) 101: 565-569.
- ANON. (1993). National Asbestos Registers - Annual report 1992-93. (CIS/94/00326). ANON.
- Anon. (1994). Asbestos. Audiovisual. This cassette is 3/4 inch, color with.
- Anon. (1994). Gasoline, asbestos, and dioxin. Environ Health Perspect 102: 146-147.
- Anon. (1994). Health risks associated with chrysotile asbestos - Papers from a workshop held in Jersey, Channel Islands, 14-17 November 1993. Ann Occup Hyg 38: 397-646.
- Anon. (1994). Public Health Assessment for Treasure Island Naval Station, Hunters Point Annex, San Francisco, San Francisco County, California, Region 9. CERCLIS No. CA1170090087 (pp. 217). (NTIS/02995741_a).
- ANON. (1994). Selected papers from the Biopersistence of Respirable Synthetic Fibers and Minerals conference, Sept. 7-9, 1992, Lyon, France. Environ Health Perspect 102: 221-275.
- Anon. (1994). Superfund Record of Decision (EPA Region 5): Agate Lake Scrap Yard Site, MN., December 1993 (pp. 78). (NTIS/02994509_a).
- Anon. (1995). Asbestos fibres in air. (CIS/96/00298). Health and Safety Executive, Health and Safety Laboratory.
- ANON. (1995). The asbestos hazards handbook - A guide to safety at work, in the community and at home. (CIS/96/00889). ANON.
- Anon. (1995). Indian Mountain Long Range Radar Station, Alaska, Management Action Plan. United States Air Force 611 Air Support Group, 611 Civil Engineer Squadron, Elmendorf AFB, Alaska (pp. 170). (NTIS/03008267_a).
- ANON. (1995). Occupational health problems caused by asbestos. Travail & Sécurité securit and acirc: 289.
- ANON. (1995). Report to Congress on Workers' Home Contamination Study Conducted Under The Workers' Family Protection Act (29 U.S.C. 671a). (CIS/97/01289). Agency for Toxic Substances and Diseases Registry (ATSDR).
- ANON. (1995). Updating the epidemiology of asbestos disease. Med Lav 86: 383-500.
- ANON. (1996). Asbestos - Overview and handling recommendations. (CIS/97/00208). ANON.
- Anon. (1996). Asbestos and you. (CIS/96/01615). Health and Safety Executive.
- ANON. (1996). A for asbestos. e S and acirc: 2-16.
- ANON. (1996). Historic decision to ban asbestos. Travail & Sécurité securit and acirc.
- Anon. (1996). Managing asbestos in workplace buildings. (CIS/96/01435). Health and Safety Executive.
- Anon. (1996). Occupational exposure limits 1996. (CIS/96/00306). Health and Safety Executive.
- ANON. (1996). PROF. LEO N. PYLEV THE 60TH ANNIVERSARY. (BIOSIS/97/02324). ANON.
- Anon. (1996). Superfund Record of Decision (EPA Region 1): Raymark Industries, Inc., Operable Unit 1, Stratford, CT, July 3, 1995 (pp. 324). (NTIS/02985001_3).
- ANON. (1996). Symposium on the health effects of fibrous materials (excluding asbestos) used in industry. J Occup Health Saf Aust New Zeal 12: 243-384.
- Anon. (1997). Asbestos, asbestosis, and cancer: the Helsinki criteria for diagnosis and attribution [Review]. Scand J Work Environ Health 23: 311-316.
- Anon. (1998). 4th Workshop of the Inter-University Institute of Occupational Medicine of Paris Ile-de-France (1997) - Present knowledge on some carcinogenic agents and processes. Archives des Maladies Professionnelles et de Médecine du Travail 59: 157-189.
- Anon. (1999). The 10 costly sins of asbestos mismanagement. 13: 1-5.
- Anon. (1999). Public Health Assessment for Petitioned Public Health Assessment, West Pullman Iron and Metal (a/k/a West Pullman/Victory Heights) Chicago, Cook County, Illinois, Region 5. CERCLIS No. ILD005428651. 102.
- Anon. (1999). [Reporting and compensation of mesothelioma caused by occupational exposure to asbestos in Romagna (1986-1994). Work Group for Surveillance of Mesothelioma in Romagna]. Med Lav 90: 460-472.
- Anon. (1999). Threshold limit values for occupational exposure to chemicals in France. Cahiers de notes documentaires Hygi and egrave: 59-77.

Human Health Hazard Literature Search Results

On Topic

- Anon. (2001). [1901/2001 - 100 years ago La Medicina del Lavoro issued its first number]. Med Lav 92: 367-515.
- Anon. (2001). [Asbestos and fibrous materials] [Review]. Med Lav 92 Suppl: S20-S36.
- Anon. (2001). Statement on malignant mesothelioma in the United Kingdom [Review]. Thorax 56: 250-265.
- Anon. (2001). Toxicological Profile for Asbestos (Update, September 2001). 440.
- Anon. (2002). Dangerous dust: WTC residue & long-term health problems. Emerg Med Serv 31: 56.
- Anon. (2002). [OSHA Fact Sheet - Asbestos]. (CIS/08/01408).
- Anon. (2004). Asbestos. Rep Carcinog 11: III21-III24.
- Anon. (2005). [Asbestos-related occupational diseases].
- Anon. (2005). Health Consultation: Analysis of Cancer Incidence Near the Zonolite/W.R. Grace Site, Hamilton Township, Mercer County, New Jersey. EPA Facility ID: NJD067387472. 20.
- Anon. (2005). Health Consultation: Former O.C. Scott and Sons Company, 14111 Scottslawn Road, Marysville, Union County, Ohio. EPA Facility ID: OHD990834483. 42.
- Anon. (2005). Health Consultation: Zonolite/W. R. Grace Site, Hamilton Township, Mercer County, New Jersey. EPA Facility ID: NJD067387472. 48.
- Anon. (2006). [Asbestos-related occupational diseases in Europe - Recognition, figures, specific systems]. (CIS/07/00888).
- Anon. (2006). Health Consultation: Former Zonolite Facility, Wemelco Way, Easthampton, Hampshire County, Massachusetts. EPA Facility ID: MAD019335561. 83.
- Anon. (2007). [Proceedings of the National Conference on Malignant Mesotheliomas in the Lower Iseo Lake Area, 22 May 2006, Iseo, Italy]. Epidemiol Prev 31: 1-84.
- Anon. (2008). Asbestosis-Related Years of Potential Life Lost Before Age 65 Years - United States, 1986-2005. Morbidity and Mortality Weekly Report, Vol. 57, No. 49, December 12, 2008. 26.
- Anon. (2008). [Chrysotile, a form of asbestos, biased studies, certainty of hazards]. 30-35.
- Anon. (2009). [Symposium on Asbestos and Asbestos-related Diseases. Split, 6 December 2008]. Arh Hig Rada Toksikol 60 Suppl: 1-77.
- Anon. (2011). [Clinical and epidemiologic aspects of tuberculosis in asbestosis patients in connection with dust load]. Med Tr Prom Ekol31-36.
- Anon. (2011). [Comparative analysis of mortality among population of industrial mono-cities in Sverdlovsky region]. Med Tr Prom Ekol16-21.
- Anon. (2011). [Evaluating death risk in cohort of workers with long length of service, engaged into extraction and concentration of chrysotile asbesto]. Med Tr Prom Ekol22-31.
- Anon. (2011). [Improving system of prevention and rehabilitation for asbestos-related broncho-pulmonary diseases in workers]. Med Tr Prom Ekol37-41.
- Anon. (2015). tanding the Underlying Mechanism of Asbestos Carcinogenesis.
- Anonymous. (1900). Industrial Dust Interaction with Respiratory Mucosa. (NIOSH/00181315). Anonymous.
- Anonymous. (1964). Asbestosis. Dis Chest 45: 107-111.
- Anonymous. (1967). Research on Health Effects of Asbestos. (NIOSH/00193073). Anonymous.
- Anonymous. (1968). MED-ARP 2. Asbestosis Research Project Annual Report 1967/68. (Niosh/00134954). Anonymous.
- Anonymous. (1969). Aetiological Aspects of Malignant Pleural Tumours (pp. 161-164). (NIOSH/00015242). Anonymous.
- Anonymous. (1969). Etiological Factors in Malignant Pleural Tumors. 16: 161-164.
- Anonymous. (1969). Hazards In The Industrial Environment. (NIOSH/00137440). Anonymous.
- Anonymous. (1971). Asbestos -Bibliography (pp. 19711971). (NIOSH/00020513). Anonymous.
- Anonymous. (1971). Pulmonary complications of asbestos exposure. Chest 59: 77-81.
- Anonymous. (1971). Work with Asbestos (pp. 19711971). (NIOSH/00038260). Anonymous.
- Anonymous. (1972). Criteria for a Recommended Standard Occupational Exposure to Asbestos (pp. 19721972). (NIOSH/00013397). Anonymous.
- Anonymous. (1973). Asbestos (pp. 17-47). (ISSN 0250-9550 RISKLINE/1985040020). Anonymous.
- Anonymous. (1973). Background Information on Development of National Emission Standards for Hazardous Air Pollutants: Asbestos, Beryllium, and Mercury. (NIOSH/00029014). Anonymous.
- Anonymous. (1973). Caution: Asbestos Dust... Is Hazardous to Your Health (pp. 19731973). (NIOSH/00178073). Anonymous.
- Anonymous. (1973). The Dust Inhalation Diseases: Pneumoconioses (pp. 74-488). (NIOSH/00135486). Anonymous.
- Anonymous. (1973). Institute of Occupational Medicine Report 1969-72. (NIOSH/00029585). Anonymous.
- Anonymous. (1973). International Conference on the Biological Effects of Asbestos. (NIOSH/00035794). Anonymous.
- Anonymous. (1973). Review of the Hygiene Standard for Chrysotile Asbestos Dust. (NIOSH/00024751). Anonymous.
- Anonymous. (1974). Investigation of Cocarcinogenicity of Asbestos, Cobalt Oxide, Nickel Oxide, Diethylnitrosamine and Cigarette Smoke (pp. 43-68). (NIOSH/00071981). Anonymous.
- Anonymous. (1976). Asbestos: Health Precautions In Industry (pp. 19761976). (NIOSH/00145804). Anonymous.
- Anonymous. (1976). Asbestos-Related Diseases Epidemiological, Bioclinical and Metrological Data. Rev Fr Mal Respir 4: 223.
- Anonymous. (1976). Occupation and Disease A Guide for Decision-Making (pp. 210-275). (NIOSH/00068882). Anonymous.
- Anonymous. (1977). IARC Monographs On The Evaluation Of Carcinogenic Risk Of Chemicals To Man. Asbestos (pp. 298). (NIOSH/00137286). Anonymous.
- Anonymous. (1978). Asbestos: An Information Resource. Br Med Bull 36: 53-56.
- Anonymous. (1978). NIOSH current intelligence bulletin reprints bulletins 1 thru 18 (pp. 78-127). (NIOSH/00119715). Anonymous.
- Anonymous. (1979). Asbestos. Volume 2: Final Report Of The Advisory Committee Papers Commissioned By The Committee (pp. 19791979). (NIOSH/00137469). Anonymous.

Human Health Hazard Literature Search Results

On Topic

- Anonymous. (1979). Health Hazards Of Asbestos. (NIOSH/00149057). Anonymous.
- Anonymous. (1979). The Proceedings Of A Conference For Workers On Job-Related Cancer (pp. 19791979). (NIOSH/00139015). Anonymous.
- Anonymous. (1979). Recovery of Asbestos Fibers in Lymph Fluid After Introducing a Pellet in the Stomach of Rats. 19791979: 19791979.
- Anonymous. (1980). Health Status Of Workers 7-15 Years After First Employment In An Asbestos Insulation Factory, With Measured Exposure; Results Of A Survey In 1979 (pp. 19801980). (NIOSH/00151064). Anonymous.
- Anonymous. (1980). An Interim Report To Congress On Occupational Diseases (pp. 19801980). (NIOSH/00145453). Anonymous.
- Anonymous. (1980). Support Document For Proposed Rule On Friable Asbestos-Containing Materials In School Buildings. Health Effects And Magnitude Of Exposure (pp. 19801980). (NIOSH/00139454). Anonymous.
- Anonymous. (1980). Workplace Exposure to Asbestos. Review and Recommendations (pp. 81-103). (NIOSH/00186632). Anonymous.
- Anonymous. (1981). A Review Of Four Major Reports On The Health Hazards Of Asbestos (pp. 19811981). (NIOSH/00136161). Anonymous.
- Anonymous. (1983). Lifetime Carcinogenesis Studies of Amosite Asbestos (CAS No. 121-72-73-5) in Syrian Golden Hamsters (Feed Studies) (pp. 84-2505). (NIOSH/00193045). Anonymous.
- Anonymous. (1984). Sixth International Conference On Pneumoconiosis, Bochum, 1983. *Ann Occup Hyg* 28: 267-273.
- Anonymous. (1985). Evaluation of Fifteen Epidemiologic Studies Examining the Lung Cancer Mortality of Underground Miners. (NIOSH/00197334). Anonymous.
- Anonymous. (1985). NIOSH Current Intelligence Bulletins: Summaries. July 1985 (pp. 335-515). (NIOSH/00241563). Anonymous.
- Anonymous. (1985). Toxicology and carcinogenesis studies of chrysotile asbestos (cas no. 12001-29-5) in f344n rats (feed studies). 295: 12001-12029.
- Anonymous. (1986). Asbestos Ingestion And Cancer In Humans (pp. 19861986). (NIOSH/00159077). Anonymous.
- Anonymous. (1989). Integrated criteria document asbestos. (RISKLINE/1989110095). Anonymous.
- Anonymous. (1989). Integrated criteria document asbestos. Effects. (RISKLINE/1989110096). Anonymous.
- Anonymous. (1990). Lifetime carcinogenesis studies of chrysotile asbestos (cas no. 12001-29-5) in syrian golden hamsters (feed studies). 1-192.
- Anonymous. (1990). Toxicology and carcinogenesis studies of tremolite (cas no. 14567-73-8) in f344/n rats (feed studies). 277: 183 PP.
- Anonymous. (1992). Asbestos Publications (pp. 210). (NIOSH/00211060). Anonymous.
- Anonymous. (1995). Toxicological Profile for Asbestos (Update). (NIOSH/00232801). Agency for Toxic Substances and Diseases Registry (ATSDR).
- Anonymous. (1996). Work-Related Lung Disease Surveillance Report, 1996 (pp. 96-134). (NIOSH/00233666). Anonymous.
- Anonymous. (1997). Asbestos. (RISKLINE/2007040015). Anonymous.
- Anonymous. (1997). Wollastonite. (RISKLINE/1997100011). Anonymous.
- Anonymous. (1999). Chrysotile Asbestos. (RISKLINE/1999030016). Anonymous.
- Anonymous. (2001). Toxicological profile for Asbestos (update). (RISKLINE/2002010032). Anonymous.
- Ansari, FA; Bihari, V; Rastogi, SK; Ashquin, M; Ahmad, I. (2007). Environmental health survey in asbestos cement sheets manufacturing industry. *Indian J Occup Environ Med* 11: 15-20. <http://dx.doi.org/10.4103/0019-5278.32459>.
- Anspach, M. (1974). [Extrathoracic asbestos carcinomas]. 15: 253-257.
- Antao, VC; Larson, TC; Horton, DK. (2012). Libby vermiculite exposure and risk of developing asbestos-related lung and pleural diseases [Review]. *Curr Opin Pulm Med* 18: 161-167. <http://dx.doi.org/10.1097/MCP.0b013e32834e897d>.
- Antao, VC; Pinheiro, GA; Wassell, JT. (2009). Asbestosis mortality in the USA: facts and predictions. *Occup Environ Med* 66: 335-338. <http://dx.doi.org/10.1136/oem.2008.039172>.
- Anteby, SO; Mor Yosef, S; Schenker, JG. (1983). Ovarian cancer. Geographical, host and environmental factors. An overview [Review]. 234: 137-148.
- Antman, K; Hassan, R; Eisner, M; Ries, LA; Edwards, BK. (2005). Update on malignant mesothelioma. *Oncology (Williston Park)* 19: 1301-1309; discussion 1309-1310, 1313-1306.
- Antman, KH. (1900). Asbestos-Related Malignancy (pp. 289-309). (NIOSH/00193074). Antman, KH.
- Antman, KH. (1981). Clinical presentation and natural history of benign and malignant mesothelioma. *Semin Oncol* 8: 313-320.
- Antman, KH. (1993). Natural history and epidemiology of malignant mesothelioma [Review]. *Chest* 103: 373S-376S.
- Antman, KH; Blum, RH; Greenberger, JS; Flowerdew, G; Skarin, AT; Canellos, GP. (1980). Multimodality therapy for malignant mesothelioma based on a study of natural history. *Am J Med* 68: 356-362.
- Antman, KH; Corson, JM. (1985). Benign and malignant pleural mesothelioma [Review]. *Clin Chest Med* 6: 127-140.
- Antman, KH; Corson, JM. (1986). BENIGN AND MALIGNANT MESOTHELIOMAS (pp. BALTIMORE). (BIOSIS/87/14369). Antman, KH; Corson, JM.
- Antman, KH; Pomfret, EA; Aisner, J; Macintyre, J; Osteen, RT; Greenberger, JS. (1983). Peritoneal mesothelioma: natural history and response to chemotherapy. *J Clin Oncol* 1: 386-391.
- Anton, HC. (1967). Multiple Pleural Plaques: Part II. *Br J Radiol* 41: 341-348.
- Anton-Culver, H; Culver, BD; Kurosaki, T. (1989). An Epidemiologic Study of Asbestos-Related Chest X-Ray Changes to Identify Work Areas of High Risk in a Shipyard Population. *Appl Ind Hyg* 4: 110-118.
- Anton-Culver, H; Culver, BD; Kurosaki, T; Osann, KE. (1989). Pulmonary function and pleural plaques in asbestos-exposed shipyard workers [Abstract]. *Am J Epidemiol* 130: 841.
- Anton-Culver, H; Lynch, H; Kurosaki, T. (1993). PLEURAL AND PERITONEAL MESOTHELIOMA A COMPARATIVE STUDY (pp. 16-18). (BIOSIS/94/08066). Anton-Culver, H; Lynch, H; Kurosaki, T.
- Antonescu-Turcu, AL; Schapira, RM. (2010). Parenchymal and airway diseases caused by asbestos [Review]. *Curr Opin Pulm Med* 16: 155-161. <http://dx.doi.org/10.1097/MCP.0b013e328335de61>.

Human Health Hazard Literature Search Results

On Topic

- Antony, VB; Hadley, KJ. (1988). MECHANISM OF PLEURAL INJURY BY ASBESTOS CHARACTERIZATION OF PLEURAL MESOTHELIAL CELL DERIVED CHEMOTACTIC FACTOR FOR NEUTROPHILS (pp. 8-11). (BIOSIS/88/21285). Antony, VB; Hadley, KJ.
- Antony, VB; Hadley, KJ. (1989). Pleural mesothelial cells stimulated by asbestos release platelet derived growth factor. 37: 473A.
- Antony, VB; Hadley, KJ; Garcia, PL; Garcia J, GN. (1989). PLEURAL MESOTHELIAL CELLS RELEASE OXIDANTS WHEN STIMULATED WITH ASBESTOS (pp. 14-17). (BIOSIS/89/21188). Antony, VB; Hadley, KJ; Garcia, PL; Garcia J, GN.
- Antony, VB; Hadley, KJ; Shahed, AR. (1987). MECHANISM OF PLEURAL FIBROSIS RABBIT PLEURAL MESOTHELIAL CELLS STIMULATED BY ASBESTOS RELEASE A FACTOR WHICH STIMULATES FIBROBLAST PROLIFERATION AND IS CHEMOTACTIC FOR FIBROBLASTS (pp. 1-4). (BIOSIS/87/21578). Antony, VB; Hadley, KJ; Shahed, AR.
- Antony, VB; Owen, CL; Hadley, KJ. (1989). PLEURAL MESOTHELIAL CELLS STIMULATED BY ASBESTOS RELEASE CHEMOTACTIC ACTIVITY FOR NEUTROPHILS IN-VITRO. *Am Rev Respir Dis* 139: 199-206. <http://dx.doi.org/10.1164/ajrccm/139.1.199>.
- Antony, VB; Sahn, SA; Mossman, B; Gail, DB; Kalica, A. (1992). PLEURAL CELL BIOLOGY IN HEALTH AND DISEASE DIVISION OF LUNG DISEASES NATIONAL HEART LUNG AND BLOOD INSTITUTE NATIONAL INSTITUTES OF HEALTH BETHESDA MARYLAND USA OCTOBER 1-2 1990. *Am Rev Respir Dis* 145: 1236-1239.
- Anttila, S; Hietanen, E; Nikkila, L; Vainio, H. (1989). IMMUNOHISTOCHEMICAL DETECTION OF AN ISOZYME OF CYTOCHROME P-450 IN LUNG TISSUE OF LUNG CANCER PATIENTS (pp. 3-9). (BIOSIS/90/02161). Anttila, S; Hietanen, E; Nikkila, L; Vainio, H.
- Anttila, S; Hirvonen, A; Karjalainen, A; Vainio, H; Hayes, JD; Ketterer, B. (1995). PULMONARY EXPRESSION OF GLUTATHIONE S-TRANSFERASE M3 ASSOCIATION WITH GSTM1 POLYMORPHISM AND ASBESTOS EXPOSURE (pp. 18-22). (BIOSIS/95/12458). Anttila, S; Hirvonen, A; Karjalainen, A; Vainio, H; Hayes, JD; Ketterer, B.
- Anttila, S; Karjalainen, A; Taikina-Aho, O; Kyyrönen, P; Vainio, H. (1993). Lung cancer in the lower lobe is associated with pulmonary asbestos fiber count and fiber size. *Environ Health Perspect* 101: 166-170.
- Anttila, S; Karjalainen, A; Tossavainen, A. (1995). Pulmonary Asbestos Fiber Concentration and Its Relation to Clinical Diagnosis (pp. 8-10). (NIOSH/00229724). Anttila, S; Karjalainen, A; Tossavainen, A.
- Anttila, S; Luostarinen, L; Hirvonen, A; Elovaara, E; Karjalainen, A; Nurminen, T; Hayes, JD; Vainio, H; Ketterer, B. (1995). Pulmonary expression of glutathione S-transferase M3 in lung cancer patients: association with GSTM1 polymorphism, smoking, and asbestos exposure. *Cancer Res* 55: 3305-3309.
- Anttila, S; Piipari, R; Mantyla, T; Monkkonen, M; Nurminen, M; Tukiainen, P; Vanhala, E; Karjalainen, A. (1996). ASBESTOS BODIES IN BRONCHOALVEOLAR LAVAGE IN RELATION TO ASBESTOS BODIES AND ASBESTOS FIBERS IN LUNG PARENCHYMA (pp. 20-25). (BIOSIS/97/13233). Anttila, S; Piipari, R; Mantyla, T; Monkkonen, M; Nurminen, M; Tukiainen, P; Vanhala, E; Karjalainen, A.
- Anttila, S; Raunio, H; Hakkola, J. (2011). Cytochrome P450-mediated pulmonary metabolism of carcinogens: regulation and cross-talk in lung carcinogenesis [Review]. *Am J Respir Cell Mol Biol* 44: 583-590. <http://dx.doi.org/10.1165/rcmb.2010-0189RT>.
- Anttila, S; Sutinen, S; Pääkkö, P; Alapieti, T; Peura, R; Sivonen, SJ. (1984). Quantitative x ray microanalysis of pulmonary mineral particles in a patient with pneumoconiosis and two primary lung tumours. *Br J Ind Med* 41: 468-473.
- Antweiler, H; Pott, F. (1971). [Results of animal experiments on the effect of air contamination with particles and gases] [Review]. *Zentralbl Bakteriol, Parasitenkd, Infektionskrankh Hyg, Abt 1: Orig, Reihe B* 155: 263-271.
- Antwi, SO; Eckert, EC; Sabaque, CV; Leof, ER; Hawthorne, KM; Bamlet, WR; Chaffee, KG; Oberg, AL; Petersen, GM. (2015). Exposure to environmental chemicals and heavy metals, and risk of pancreatic cancer. *Cancer Causes Control* 26: 1583-1591. <http://dx.doi.org/10.1007/s10552-015-0652-y>.
- Apol, A; Frederick, L; Wilcox, T. (1983). Health Hazard Evaluation Report No. HETA-79-040-1381, Pennwalt Corporation, Portland, Oregon (pp. 79-040). (NIOSH/00149673). Apol, A; Frederick, L; Wilcox, T.
- Aponte, GE. (1973). Some current concepts of the pneumoconioses. *Ann Clin Lab Sci* 3: 219-223.
- Apostolou, S; Klein, JO; Mitsuchi, Y; Shetler, JN; Poulikakos, PI; Jhanwar, SC; Kruger, WD; Testa, JR. (2004). Growth inhibition and induction of apoptosis in mesothelioma cells by selenium and dependence on selenoprotein SEP15 genotype. *Oncogene* 23: 5032-5040. <http://dx.doi.org/10.1038/sj.onc.1207683>.
- Appel, JD; Fasy, TM; Kohtz, DS; Kohtz, JD; Johnson, EM. (1988). Asbestos fibers mediate transformation of monkey cells by exogenous plasmid DNA. *Proc Natl Acad Sci USA* 85: 7670-7674.
- Apps M, CP; Britton, MG; Maxwell, DL; Hughes D, TD; Hanson, A. (1983). BREATHLESSNESS AND HYPOXIA ON EXERCISE IN PATIENTS WITH ASBESTOS RELATED DISEASE (pp. 8-11). (HEEP/84/09081). Apps M, CP; Britton, MG; Maxwell, DL; Hughes D, TD; Hanson, A.
- Arakawa, H; Kishimoto, T; Ashizawa, K; Kato, K; Okamoto, K; Honma, K; Hayashi, S; Akira, M. (2015). Asbestosis and other pulmonary fibrosis in asbestos-exposed workers: high-resolution CT features with pathological correlations. *Eur Radiol* 26: 1485-1492. <http://dx.doi.org/10.1007/s00330-015-3973-z>.
- Araujo, AT; Monteiro, JT; Mendes, AC; Ferreira J, MR; Arnoux, B; Costa, MF. (1988). CONTRIBUTION OF BRONCHOALVEOLAR LAVAGE FOR THE UNDERSTANDING OF PATHOGENIC PATHWAYS IN ASBESTOSIS (pp. 5-9). (BIOSIS/89/06012). Araujo, AT; Monteiro, JT; Mendes, AC; Ferreira J, MR; Arnoux, B; Costa, MF.
- Aravindan, KP; Rajeevan, K; Jose, L. (1994). Malignant mesothelioma of the pleura in a young shipyard worker. *Indian J Pathol Microbiol* 37: 113-115.
- Arblaster, L; Hatton, P; Howel, D; Renvoize, E; Schweiger, M; Swinburne, LM. (1995). Occupational and environmental links to mesothelioma deaths occurring in Leeds during 1971-1987. *J Publ Health Med* 17: 297-304.
- Arcangeli, G; Silvestri, S; Bertoncini, S; Giusti, S. (1997). THE ASBESTOS SUBSTITUTION IN THE GLASS INDUSTRY TECHNICAL AND MEDICAL PROBLEMS (pp. 20-24). (BIOSIS/98/15104). Arcangeli, G; Silvestri, S; Bertoncini, S; Giusti, S.
- Archer, VE; Dixon, WC. (1979). Carcinogenicity of fibers and films: a theory. *Med Hypotheses* 5: 1257-1262.

Human Health Hazard Literature Search Results

On Topic

- Archimandriti, DT; Dalavanga, YA; Cianti, R; Bianchi, L; Manda-Stachouli, C; Armini, A; Koukkou, AI; Rottoli, P; Constantopoulos, SH; Bini, L. (2009). Proteome analysis of bronchoalveolar lavage in individuals from Metsovo, nonoccupationally exposed to asbestos. *J Proteome Res* 8: 860-869. <http://dx.doi.org/10.1021/pr800370n>.
- Arcos, JC. (1987). STRUCTURE-ACTIVITY RELATIONSHIPS CRITERIA FOR PREDICTING THE CARCINOGENIC ACTIVITY OF CHEMICAL COMPOUNDS. *Environ Sci Technol* 21: 743-745.
- Arden, MG; Adamson I, YR. (1992). Collagen synthesis and degradation during the development of asbestos-induced pulmonary fibrosis. *Exp Lung Res* 18: 9-20.
- Arenas Huertero, FJ. (1990). [The identification of ferruginous bodies in human lungs. A retrospective study of 1975, 1982 and 1988]. *Salud Publica Mex* 32: 644-652.
- Arenas-Huertero, FJ; Ramírez-Hernández, A; Osornio-Vargas, AR; Pasquel-García, P; Montoya-Jiménez, BA; Salazar-Flores, M. (1992). [Presence of ferruginous bodies in cancerous pulmonary tissue]. *Salud Publica Mex* 34: 449-454.
- Arenas-Huertero, FJ; Salazar-Flores, M; Osornio-Vargas, AR. (1994). Ferruginous Bodies as Markers of Environmental Exposure to Inorganic Particles: Experience with 270 Autopsy Cases in Mexico. *Environ Res* 64: 10-17.
- Aresini, G; Rivolta, G; Moroni, P; Scotti, PG. (1979). [Risk of asbestosis in a factory producing sealing and adhesive agents (author's transl)]. *Med Lav* 70: 345-351.
- Aresini, GA; Beretta, E; Guerreri, MC; Chiappino, G. (1982). CROSS SECTIONAL STUDY IN MINERS AND MILLERS EXPOSED TO CHRYSOTILE (pp. 24-26). (HEEP/84/05473). Aresini, GA; Beretta, E; Guerreri, MC; Chiappino, G.
- Arghir, OC; Halichidis, S; Cambrea, SC; Ruta, MV; Ciobotaru, C; Man, MA. (2014). ENVIRONMENTAL RISK FACTORS FOR LUNG CANCER IN NEVER-SMOKERS. *J Environ Prot Ecol* 15: 348-352.
- Argouarch, LP; Borel, B; Justum, AM; Davy, A; Verwaerde, JC; Valla, A. (1981). [Primary mesothelioma of the peritoneum and exposure to asbestos. Apropos of 6 cases]. 10: 583-586.
- Argouarch, LP; Borel, B; Justum, AM; Davy, A; Verwaerde, JC; Valla, A. (1982). Six cases of primary peritoneal mesothelioma following exposure to asbestos. 10: 583-586.
- Arhelger, R; Roedelsperger, K; Brueckel, B; H-J, W. (1985). DANGER FROM DUST DURING THE REMOVAL OF ASBESTOS SPRAY INSULATION. (BIOSIS/85/09685). Arhelger, R; Roedelsperger, K; Brueckel, B; Weitowitz H-J.
- Arif, JM; Ahmad, I; Rahman, Q. (1996). Chrysotile inhibits glutathione-dependent protection against the onset of lipid peroxidation in rat lung microsomes. *Pharmacol Toxicol* 79: 205-210.
- Arif, JM; Khan, SG; Aslam, M; Mahmood, N; Rahman, Q. (1992). DIMINUTION IN KEROSENE-MEDIATED INDUCTION OF DRUG-METABOLIZING-ENZYMES BY ASBESTOS IN RAT LUNGS. *Pharmacol Toxicol* 71: 37-40.
- Armas, RR; Goldsmith, SJ. (1985). Gallium scanning in peritoneal mesothelioma. *AJR Am J Roentgenol* 144: 563-565. <http://dx.doi.org/10.2214/ajr.144.3.563>.
- Armstrong, B; Driscoll, T. (2016). Mesothelioma in Australia: cresting the third wave. 26. <http://dx.doi.org/10.17061/phrp2621614>.
- Armstrong, BG; Oakes, D. (1982). Effects of approximation in exposure assessments on estimates of exposure- response relationships. *Scand J Work Environ Health* 8 Suppl 1: 20-23.
- Armstrong, BK; de Klerk, NH; Musk, AW; Hobbs, MS. (1988). Mortality in miners and millers of crocidolite in Western Australia. *Br J Ind Med* 45: 5-13.
- Armstrong, BK; Musk, AW; Baker, JE; Hunt, JM; Newall, CC; Henzell, HR; Blunsdon, BS; Clarke-Hundley, MD; Woodward, SD; Hobbs, MS. (1984). Epidemiology of malignant mesothelioma in Western Australia. *Med J Aust* 141: 86-88.
- Armstrong, BK; Musk, AW; De Klerk, NH; Hobbs, ST. (1987). MORTALITY FROM CANCER IN RELATION TO INTENSITY AND DURATION OF OCCUPATIONAL EXPOSURE TO CROCIDOLITE AT WITTENOOM GORGE IN WESTERN AUSTRALIA (pp. 24-26). (BIOSIS/88/06015). Armstrong, BK; Musk, AW; De Klerk, NH; Hobbs, ST.
- Arnaud, A; Lebreuil, G; Raphael, B; Payan, H; Mongin, M; Charpin, J. (1969). Pleuro-pulmonary asbestosis and malignant pleuro-peritoneal mesothelioma (pp. 85-94). (HEEP/72/09289). Arnaud, A; Lebreuil, G; Raphael, B; Payan, H; Mongin, M; Charpin, J.
- Aronchick, JM. (1990). LUNG CANCER EPIDEMIOLOGY AND RISK FACTORS. *Semin Roentgenol* 25: 5-11.
- Arora, VK; Aggarwal, S; Mathur, S; Rath, GK; Julka, PK. (2009). Pleural mesothelioma: an unusual case diagnosed on pleural fluid cytology and immunocytochemistry. *Diagn Cytopathol* 37: 509-512. <http://dx.doi.org/10.1002/dc.21063>.
- Arranz, JE; Baron, MG; Deparedes, MLG. (1994). MALIGNANT MESOTHELIOMA. *Med Clin (Barc)* 102: 550-555.
- Arrington, AS; Lednicka, JA; Butel, JS. (2000). Molecular characterization of SV40 DNA in multiple samples from a human mesothelioma. *Anticancer Res* 20: 879-884.
- Arslan, S; Akkurt, I; Koksall, B; Karadayi, S; Ozdemir, O. (2010). Predictive significance of KRAS point mutation in patients with non-small cell lung carcinoma relation to smoking and asbestos exposure in middle Anatolia population. *HealthMED* 4: 715-719.
- Artali, R; Del Pra, A; Foresti, E; Lesci, IG; Roveri, N; Sabatino, P. (2008). Adsorption of human serum albumin on the chrysotile surface: a molecular dynamics and spectroscopic investigation. *J R Soc Interface* 5: 273-283. <http://dx.doi.org/10.1098/rsif.2007.1137>.
- Artieda, L; Beloqui, A; Lezaun, M. (2005). [Cohort of asbestos exposed workers. Navarre (Spain) 1999-2004]. *An Sist Sanit Navar* 28: 335-344.
- Artinian, V; Kvale, PA. (2004). Cancer and interstitial lung disease. *Curr Opin Pulm Med* 10: 425-434. <http://dx.doi.org/10.1097/00063198-200409000-00017>.
- Artvinli, M; Baris, YI. (1985). Erionite-related diseases in Turkey.
- Arul, KJ; Holt, PF. (1977). Mesothelioma possibly due to environmental exposure to asbestos in childhood. *Int Arch Occup Environ Health* 40: 141-143. <http://dx.doi.org/10.1007/BF00575158>.
- Arul, KJ; Holt, PF. (1980). Clearance of asbestos bodies from the lung: a personal view. *Br J Ind Med* 37: 273-277.

Human Health Hazard Literature Search Results

On Topic

- Arzt, GH; Pirtkien, R; Rosenthal, H. (1980). Review of lung function data in 195 patients with asbestosis of the lung. *Int Arch Occup Environ Health* 45: 63-80.
- Arzt, L; Quehenberger, F; Halbwedl, I; Mairinger, T; Popper, HH. (2014). BAP1 protein is a progression factor in malignant pleural mesothelioma. *Pathol Oncol Res* 20: 145-151. <http://dx.doi.org/10.1007/s12253-013-9677-2>.
- Asakura, M; Sasaki, T; Sugiyama, T; Takaya, M; Koda, S; Nagano, K; Arito, H; Fukushima, S. (2010). Genotoxicity and cytotoxicity of multi-wall carbon nanotubes in cultured Chinese hamster lung cells in comparison with chrysotile A fibers. *J Occup Health* 52: 155-166.
- Ascherio, A; Chen, H; Weisskopf, MG; O'Reilly, E; McCullough, ML; Calle, EE; Schwarzschild, MA; Thun, MJ. (2006). Pesticide exposure and risk for Parkinson's disease. *Ann Neurol* 60: 197-203.
- Ascoli, V; Aalto, Y; Carnovale-Scalzo, C; Nardi, F; Falzetti, D; Mecucci, C; Knuutila, S. (2001). DNA copy number changes in familial malignant mesothelioma. *Cancer Genet Cytogenet* 127: 80-82.
- Ascoli, V; Belli, S; Carnovale-Scalzo, C; Corzani, F; Facciolo, F; Lopergolo, M; Nardi, F; Pasetto, R; Comba, P. (2003). Malignant mesothelioma in Rome and Latium Region, 1993-2001. *Tumori* 89: 377-381.
- Ascoli, V; Calisti, R; Carnovale-Scalzo, C; Nardi, F. (2001). Malignant pleural mesothelioma in bakers and pastry cooks. *Am J Ind Med* 40: 371-373.
- Ascoli, V; Carnovale-Scalzo, C; Nardi, F; Efrati, C; Menegozzo, M. (2003). A one-generation cluster of malignant mesothelioma within a family reveals exposure to asbestos-contaminated jute bags in Naples, Italy. *Eur J Epidemiol* 18: 171-174. <http://dx.doi.org/10.1023/A:1023032214444>.
- Ascoli, V; Cavone, D; Merler, E; Barbieri, PG; Romeo, L; Nardi, F; Musti, M. (2007). Mesothelioma in blood related subjects: report of 11 clusters among 1954 Italy cases and review of the literature. *Am J Ind Med* 50: 357-369. <http://dx.doi.org/10.1002/ajim.20451>.
- Ascoli, V; Cozzi, I; Vatrano, S; Izzo, S; Giorcelli, J; Romeo, E; Carnovale-Scalzo, C; Grillo, LR; Facciolo, F; Visca, P; Papotti, M; Righi, L. (2016). Mesothelioma families without inheritance of a BAP1 predisposing mutation. *209*: 381-387. <http://dx.doi.org/10.1016/j.cancer.2016.07.002>.
- Ascoli, V; Facciolo, F; Rahimi, S; Scalzo, CC; Nardi, F. (1996). Concomitant malignant mesothelioma of the pleura, peritoneum, and tunica vaginalis testis. *Diagn Cytopathol* 14: 243-248. [http://dx.doi.org/10.1002/\(SICI\)1097-0339\(199604\)14:3<243::AID-DC9>3.0.CO;2-I](http://dx.doi.org/10.1002/(SICI)1097-0339(199604)14:3<243::AID-DC9>3.0.CO;2-I).
- Ascoli, V; Fantini, F; Carnovale-Scalzo, C; Blasetti, F; Bruno, C; Di Domenicantonio, R; Lo Presti, E; Pasetto, R; Nardi, F; Comba, P. (2000). [Malignant mesothelioma in the industrial area of Colleferro]. *Med Lav* 91: 547-564.
- Ascoli, V; Romeo, E; Carnovale Scalzo, C; Cozzi, I; Ancona, L; Cavariani, F; Balestri, A; Gasperini, L; Forastiere, F. (2014). Familial malignant mesothelioma: a population-based study in central Italy (1980-2012). *Cancer Epidemiology* 38: 273-278. <http://dx.doi.org/10.1016/j.canep.2014.02.014>.
- Ascoli, V; Scalzo, CC; Andreoni, M; Manente, L; Pistilli, A; Lo Coco, F. (1999). Kaposi's sarcoma following malignant mesothelioma. *Virchows Arch* 435: 612-615.
- Ascoli, V; Scalzo, CC; Bruno, C; Facciolo, F; Lopergolo, M; Granone, P; Nardi, F. (1998). Familial pleural malignant mesothelioma: clustering in three sisters and one cousin. *Cancer Lett* 130: 203-207.
- Ascoli, V; Scalzo, CC; Facciolo, F; Martelli, M; Manente, L; Comba, P; Bruno, C; Nardi, F. (1996). Malignant mesothelioma in Rome, Italy 1980-1995. A retrospective study of 79 patients. *Tumori* 82: 526-532.
- Asgharian, B; Anjilvel, S. (1998). A multiple-path model of fiber deposition in the rat lung. *Toxicol Sci* 44: 80-86. <http://dx.doi.org/10.1006/toxs.1998.2476>.
- Ashcroft, T. (1973). Epidemiological and quantitative relationships between mesothelioma and asbestos on Tyneside. *J Clin Pathol* 26: 832-840.
- Ashcroft, T; Heppleston, AG. (1972). ASBESTOS FIBER CONCENTRATION IN RELATION TO THE PULMONARY REACTION. *J Pathol* 107.
- Ashcroft, T; Heppleston, AG. (1973). The optical and electron microscopic determination of pulmonary asbestos fibre concentration and its relation to the human pathological reaction. *J Clin Pathol* 26: 224-234.
- Ashcroft, T; Heppleston, AG. (1974). ASBESTOS FIBER CONCENTRATION IN RELATION TO PULMONARY REACTION (pp. LYON). (HEEP/75/04238). Ashcroft, T; Heppleston, AG.
- Ashcroft, T; Timbrell, V. (1987). SURFACE AREA AND CHEMICAL COMPOSITION AS CONTRIBUTORS TO FIBROGENICITY OF ASBESTOS FIBERS AND QUARTZ GRAINS (pp. 22-26). (BIOSIS/88/08193). Ashcroft, T; Timbrell, V.
- Askergren, A; Szamosi, A. (1978). Relation between radiological pleuropulmonary changes, clinical history and weight index of construction workers. *Scand J Work Environ Health* 4: 179-183.
- Assis, LV; Isoldi, MC. (2014). Overview of the biochemical and genetic processes in malignant mesothelioma [Review]. *J Bras Pneumol* 40: 429-442. <http://dx.doi.org/10.1590/S1806-37132014000400012>.
- Association, BTaT. (1972). SURVEY OF PLEURAL THICKENING - ITS RELATION TO ASBESTOS EXPOSURE AND PREVIOUS PLEURAL DISEASE. *Environ Res* 5: 142-&.
- Astoul, P. (2006). [Clinical types of thoracic cancer. Pleural mesothelioma] [Review]. *Rev Mal Respir* 23: 165177-116S187. <http://dx.doi.org/10.1019/20064149>.
- Ates, G; Yildiz, T; Akyildiz, L; Topcu, F; Erturk, B. (2010). Environmental asbestos-related pleural plaque in southeast of Turkey. *Arch Environ Occup Health* 65: 34-37. <http://dx.doi.org/10.1080/19338240903390321>.
- Athanasiou, K; Constantopoulos, SH; Rivedal, E; Fitzgerald, DJ; Yamasaki, H. (1992). Metsovo-tremolite asbestos fibres: In vitro effects on mutation, chromosome aberration, cell transformation and intercellular communication. *Mutagenesis* 7: 343-347. <http://dx.doi.org/10.1093/mutage/7.5.343>.
- Atherley, G; Whiting, R. (1981). Basic Concepts Of Occupational Cancer (pp. 19811981). (NIOSH/00134528). Atherley, G; Whiting, R.
- Atkinson, WD; Law, DV; Bromley, KJ; Inskip, HM. (2004). Mortality of employees of the United Kingdom Atomic Energy Authority, 1946-97. *Occup Environ Med* 61: 577-585. <http://dx.doi.org/10.1136/oem.2003.012443>.

Human Health Hazard Literature Search Results

On Topic

- ATS. (2004). Diagnosis and initial management of nonmalignant diseases related to asbestos. *Am J Respir Crit Care Med* 170: 691-715. <http://dx.doi.org/10.1164/rccm.200310-1436ST>.
- ATSDR. (1990). Toxicological profile for asbestos (pp. 164). (CIS/91/01259). Agency for Toxic Substances and Diseases Registry (ATSDR).
- ATSDR (Agency for Toxic Substances and Disease Registry). (1994). Public Health Assessment for Spokane Junkyard, Spokane, Spokane County, Washington, Region 10. CERCLIS No. WAD981767296. (NTIS/02988457_2). Atlanta, GA. <https://www.atsdr.cdc.gov/HAC/pha/PHA.asp?docid=1330&pg=0>.
- ATSDR. (1999). Public Health Assessment for Public Health Assessment Addendum, Stauffer Chemical Company (Tarpon Springs), Florida, Region 4. CERCLIS No. FLD010596013 (pp. 30). (NTIS/03013024_a).
- ATSDR. (2008). Exposure to Asbestos-Containing Vermiculite from Libby, Montana, at 28 Processing Sites in the United States, Summary Report. 100.
- ATSDR; DHHS, US. (2005). Health Consultation: W.R. Grace Newark Plant, Newark, California. EPA Facility ID: CAD981389653. 74.
- Attanoos, RL. (2010). Asbestos-Related Lung Disease [Review]. 3: 109-127. <http://dx.doi.org/10.1016/j.path.2010.04.003>.
- Attanoos, RL; Alchami, FS; Pooley, FD; Gibbs, AR. (2016). Usual interstitial pneumonia in asbestos-exposed cohorts - concurrent idiopathic pulmonary fibrosis or atypical asbestosis? *Histopathology* 69: 492-498. <http://dx.doi.org/10.1111/his.12951>.
- Attanoos, RL; Galateau-Salle, F; Gibbs, AR; Muller, S; Ghandour, F; Dojcinov, SD. (2002). Primary thymic epithelial tumours of the pleura mimicking malignant mesothelioma. *Histopathology* 41: 42-49.
- Attanoos, RL; Gibbs, AR. (2000). Primary malignant gonadal mesotheliomas and asbestos. *Histopathology* 37: 150-159.
- Attanoos, RL; Gibbs, AR. (2009). An approach to industrial post mortems [Review]. *Histopathology* 54: 134-142. <http://dx.doi.org/10.1111/j.1365-2559.2008.03174.x>.
- Attanoos, RL; Gibbs, AR; Corrin, B. (2006). The dilemma of "asbestosis" or lung fibrosis - A case-referent necropsy study of 188 asbestos exposed naval dockyard workers and 175 UK non-exposed "control" subjects. *Lab Invest* 86: 302A-302A.
- Attanoos, RL; Suvarna, SK; Rhead, E; Stephens, M; Locke, TJ; Sheppard, MN; Pooley, FD; Gibbs, AR. (2000). Malignant vascular tumours of the pleura in "asbestos" workers and endothelial differentiation in malignant mesothelioma. *Thorax* 55: 860-863. <http://dx.doi.org/10.1136/thorax.55.10.860>.
- Attanoos, RL; Thomas, DH; Gibbs, AR. (2003). Synchronous diffuse malignant mesothelioma and carcinomas in asbestos-exposed individuals. *Histopathology* 43: 387-392.
- Attia, OM; El-Sewefy, AZ; Wassef, SA. (1975). Sputum picture in workers at an Egyptian asbestos-cement pipe factory. *J Egypt Med Assoc* 58: 227-233.
- Au, A; Hackl, T; Yeager, TR; Cohen, SB; Pass, HI; Harris, CC; Reddel, RR. (2011). Telomerase activity in pleural malignant mesotheliomas. *Lung Cancer* 73: 283-288. <http://dx.doi.org/10.1016/j.lungcan.2010.12.023>.
- Au, VW; Thomas, M. (2003). Radiological manifestations of malignant pleural mesothelioma [Review]. *Australasian Radiology* 47: 111-116.
- Aubas, P; Cruzel, M. (1986). [Epidemiology of primary bronchial cancer and bronchial carcinogenesis]. 4-6.
- Aubier, M. (2015). [Asbestos: An up-to-date general review]. *Bull Acad Natl Med* 199: 383-389.
- Aubrun, JC; Binet, S; Bozec, C; Brochard, P; Dimerman, S; Fontaine, B; Guenel, P; Luce, D; Martinet, Y; Moulin, JJ; Mur, JM; Pietruszynski, M; Vallayer, C. (1999). Occupational cancer in France: Epidemiology, toxicology, prevention, and compensation. *Environ Health Perspect* 107: 245-252.
- Auerbach, O; Conston, AS; Garfinkel, L; Parks, VR; Kaslow, HD; Hammond, EC. (1980). Presence of asbestos bodies in organs other than the lung. *Chest* 77: 133-137.
- Auerbach, O; Garfinkel, L; Parks, VR; Conston, AS; Galdi, VA; Joubert, L. (1984). Histologic type of lung cancer and asbestos exposure. *Cancer* 54: 3017-3021.
- Aufderheide, M; Knebel, JW; Schulte, P. (1996). Differences in the sensitivity of hamster and rat lung cells exposed in vitro to natural and man-made fibres. *Exp Toxicol Pathol* 48: 505-507. [http://dx.doi.org/10.1016/S0940-2993\(96\)80067-4](http://dx.doi.org/10.1016/S0940-2993(96)80067-4).
- Aufderheide, M; Riebe-Imre, M; Straub, M; Peraud, A. (1994). DIFFERENCES IN THE BIOLOGICAL EFFECTS OF CROCIDOLITE ASBESTOS AND TWO GLASS FIBRES ON EPITHELIAL LUNG CELLS. *Exp Toxicol Pathol* 45: 467-472. [http://dx.doi.org/10.1016/S0940-2993\(11\)80505-1](http://dx.doi.org/10.1016/S0940-2993(11)80505-1).
- Ault, JG; Cole, RW; Jensen, CG; Jensen, LC; Bachert, LA; Rieder, CL. (1994). Behavior of asbestos fibers during mitosis. 5: 413A.
- Ault, JG; Cole, RW; Jensen, CG; Jensen, LCW; Bachert, LA; Rieder, CL. (1995). BEHAVIOR OF CROCIDOLITE ASBESTOS DURING MITOSIS IN LIVING VERTEBRATE LUNG EPITHELIAL-CELLS. *Cancer Res* 55: 792-798.
- Aung, W; Hasegawa, S; Furukawa, T; Saga, T. (2007). Potential role of ferritin heavy chain in oxidative stress and apoptosis in human mesothelial and mesothelioma cells: implications for asbestos-induced oncogenesis. *Carcinogenesis* 28: 2047-2052. <http://dx.doi.org/10.1093/carcin/bgm090>.
- Aust, AE; Cook, PM; Dodson, RF. (2011). Morphological and chemical mechanisms of elongated mineral particle toxicities [Review]. *J Toxicol Environ Health B Crit Rev* 14: 40-75. <http://dx.doi.org/10.1080/10937404.2011.556046>.
- Aust, AE; Lund, LG. (1990). THE ROLE OF IRON IN ASBESTOS-CATALYZED DAMAGE TO LIPIDS AND DNA (pp. SAN DIEGO). (BIOSIS/91/17639). Aust, AE; Lund, LG.
- Aust, EA; Lund, LG; Chao, CC; Park, SH; Fang, R. (2000). Role of Iron in the Cellular Effects of Asbestos. *Inhal Toxicol* 12 Suppl 3: 75-80. <http://dx.doi.org/10.1080/08958378.2000.11463232>.
- Australia, W. (1996). Asbestos-related diseases. Setting the national research agenda 1996 to 2006. (CIS/97/01992). Worksafe Australia.
- Avolio, G; Bucca, C; Rolla, G; Oliaro, A; Cacciabue, M; Caria, E; Arrighoni, P; Barbalonga, A. (1987). Respiratory Functional Decline after 5 Years in Patients Suffering from Silicosis and Asbestosis. *Minerva Med* 78: 1845-1848.
- Avril, J; Champeix, J. (1970). Results of Asbestos Exposure in France (pp. 187-189). (NIOSH/00177265). Avril, J; Champeix, J.

Human Health Hazard Literature Search Results

On Topic

- Aw, TC; Boyland, E. (1981). Injected ground crocidolite causing hair de pigmentation. 9: 302.
- Awad, A., AH. (2011). Airborne asbestos fibres and mesothelioma in the last 20 years in Egypt: a review. *Atmos Pollut Res* 2: 445-451. <http://dx.doi.org/10.5094/APR.2011.051>.
- Awad, L; Lazar, P; Di Menza, L; Bignon, J; Bonnaud, G. (1980). An Attempt To Determine A Medium-Term, Low-Dose Asbestos Exposure Indicator On The Basis Of Clinical And Radiological Lung Changes (pp. 755-761). (ISSN 0300-5038 NIOSH/00156015). Awad, L; Lazar, P; Di Menza, L; Bignon, J; Bonnaud, G.
- Ayer, H; Burg, J. (1975). Cumulative Asbestos Exposure and Forced Vital Capacity. (NIOSH/00192320). Ayer, H; Burg, J.
- Ayer, HE. (1975). Epidemiologic studies of occupational diseases. In LV Cralley; PR Atkins (Eds.), (2nd ed., pp. 1-66). New York, NY: Academic Press.
- Ayer, HE; Oster, CV; Ligo, RN; Weidner, RB; Raymond, HW; Knight, RM. (1970). PUBLIC HEALTH SERVICE STUDY OF ASBESTOS PROCESSING WORKERS - PROGRESS REPORT. *Am Ind Hyg Assoc J* 31: 26-&.
- Azari, MR; Nasermoaddeli, A; Movahadi, M; Mehrabi, Y; Hatami, H; Soori, H; Moshfegh, E; Ramazni, B. (2010). Risk assessment of lung cancer and asbestosis in workers exposed to asbestos fibers in brake shoe factory in Iran. *Ind Health* 48: 38-42.
- Azim, HA; Gaafar, R; Abdel Salam, I; El-Guindy, S; Elattar, I; Ashmawy, A; Khorshid, O. (2008). Soluble mesothelin-related protein in malignant pleural mesothelioma. *J Egypt Natl Canc Inst* 20: 224-229.
- Aziz, T; Jilaihawi, A; Prakash, D. (2002). The management of malignant pleural mesothelioma; single centre experience in 10 years. *Eur J Cardiothorac Surg* 22: 298-305.
- Azzouqa, AG; Stevenson, JP. (2016). The evolution of the diminishing role of extrapleural pneumonectomy in the surgical management of malignant pleural mesothelioma [Review]. *OncoTargets and Therapy* 9: 7247-7252. <http://dx.doi.org/10.2147/OTT.S100214>.
- B, R. (2014). *ing Immunological Restraints: Understanding the Immunology Behind Combination Chemoimmunotherapy to Improve the Treatment of Malignant Mesothelioma*.
- B, SJ; JR. (1989). IMMUNOLOGICAL ALTERATIONS AND CHEMICAL EXPOSURE. *J Toxicol Clin Toxicol* 27: 311-344.
- Baadh, AS; Xiong, X; Singh, S; Kapoor, R; Zhou, J; Katz, DS. (2013). Radiology-pathology conference: primary peritoneal mesothelioma. *Clin Imaging* 37: 1142-1145. <http://dx.doi.org/10.1016/j.clinimag.2013.07.009>.
- Baas, P; Schouwink, H; Zoetmulder, FAN. (1998). Malignant pleural mesothelioma. *Ann Oncol* 9: 139-149.
- Baas, P; Sleeswijk, P; Strankinga, WF; van Hezik, EJ; Burgers, JA; Tan, KY; Schouwink, JH. (2005). [Problematic cases of mesothelioma reported to the Dutch Institute for Asbestos Victims: evaluation by the Mesothelioma Working Group of the Netherlands Association of Pulmonologists and Specialists in Tuberculosis]. *Ned Tijdschr Geneesk* 149: 759-763.
- Baas, P; van Hezik, E; Burgers, S; Netherlands, MG. (2006). Occupational asbestos exposure, possible mesothelioma ano reimbursement. *Lung Cancer* 54: S34-S34.
- Baas, P; Van 't Hullenaar, N; Wagenaar, J; Kaajan, JP; Koolen, M; Schrijver, M; Schlösser, N; Burgers, JA. (2006). Occupational asbestos exposure: how to deal with suspected mesothelioma cases--the Dutch approach. *Ann Oncol* 17: 848-852. <http://dx.doi.org/10.1093/annonc/mdl021>.
- Baas, P; van't Hullenaar, N; Wagenaar, J; Sleeswijk, P; Kaajan, H; Koolen, M; Schrijver, R; Schlosser, N; Burgers, S; van Meerbeeck, J. (2005). Occupational malignant mesothelioma cases; Review by Dutch pulmonologists of undefined cases in the framework of a reimbursement program of the Netherlands Institute of Asbestos Victims. *Lung Cancer* 49: S387-S387.
- Baba, K. (1983). Indications of an increase of occupational pleural mesothelioma in Japan. *J UOEH* 5: 3-15.
- Baba, Y; Iwao, S; Kodama, Y. (1983). A follow-up study on pulmonary functions of workers exposed to various forms of dust - Observation on workers with pneumoconiosis in Kitakyushu. 5.
- Babacan, NA; Yucel, B; Kilickap, S; Seker, MM; Kacan, T; Olcas, IK; Eren, AA; Odabas, H. (2014). Lung cancer in women: a single institution experience with 50 patients. *Asian Pac J Cancer Prev* 15: 151-154. <http://dx.doi.org/10.7314/APJCP.2014.15.1.151>.
- Babu, KA; Lakkad, BC; Nigam, SK; Bhatt, DK; Karnik, AB; Thakore, KN; Kashyap, SK; Chatterjee, SK. (1980). In vitro cytological and cytogenetic effects of an Indian variety of chrysotile asbestos. *Environ Res* 21: 416-422.
- Babu, KA; Nigam, SK; Lakkad, BC; Bhatt, DK; Karnik, AB; Thakore, KN; Kashyap, SK; Chatterjee, SK. (1981). EFFECT OF CHRYSOTILE ASBESTOS (AP-I) ON SISTER CHROMATID EXCHANGES IN CHINESE-HAMSTER OVARY CELLS. *Environ Res* 24: 325-329.
- Bach, PB; Kattan, MW; Thornquist, MD; Kris, MG; Tate, RC; Barnett, MJ; Hsieh, LJ; Begg, CB. (2003). Variations in lung cancer risk among smokers. *J Natl Cancer Inst* 95: 470-478.
- Bader, ME; Bader, RA; Selikoff, IJ. (1961). Pulmonary Function in Asbestosis of the Lung. An Alveolar-Capillary Block Syndrome. *Am J Med* pages 235: 235-242.
- Bader, ME; Bader, RA; Teirstein, AS; Miller, A; Selikoff, IJ. (1970). Pulmonary function and radiographic changes in 598 workers with varying duration of exposure to asbestos. *Mt Sinai J Med* 37: 492-500.
- Bader, ME; Bader, RA; Tierstein, AS; Selikoff, IJ. (1965). Pulmonary Function in Asbestosis: Serial Tests in a Long-Term Prospective Study. *Ann N Y Acad Sci* 132: 391-405.
- Badorrey, MI; Monsó, E; Teixidó, A; Pifarré, R; Rosell, A; Llatjós, M. (2001). [Frequency and risk of bronchopulmonary neoplasia related to asbestos]. *Med Clin (Barc)* 117: 1-6.
- Badr, FM; El-Sewefy, AZ. (1971). The association between asbestosis and A B O blood groups. *Ann Occup Hyg* 14: 35-40.
- Bagatin, E; Neder, JA; Nery, LE; Terra-Filho, M; Kavakama, J; Castelo, A; Capelozzi, V; Sette, A; Kitamura, S; Favero, M; Moreira-Filho, DC; Tavares, R; Peres, C; Becklake, MR. (2005). Non-malignant consequences of decreasing asbestos exposure in the Brazil chrysotile mines and mills. *Occup Environ Med* 62: 381-389. <http://dx.doi.org/10.1136/oem.2004.016188>.

Human Health Hazard Literature Search Results

On Topic

- Bagulho, MC; Cordeiro, JM. (1985). CONTEMPORARY ASPECTS OF PLEUROPULMONARY DISEASES CAUSED BY ASBESTOS (pp. 3-4). (BIOSIS/86/37461). Bagulho, MC; Cordeiro, JM.
- Bahnassy, AA; Zekri, AR; Abou-Bakr, AA; El-Deftar, MM; El-Bastawisy, A; Sakr, MA; El-Sherif, GM; Gaafar, RM. (2012). Aberrant expression of cell cycle regulatory genes predicts overall and disease free survival in malignant pleural mesothelioma patients. *Exp Mol Pathol* 93: 154-161. <http://dx.doi.org/10.1016/j.yexmp.2012.04.001>.
- Bailar, JD, III; Ballal, SG; Boback, M; Brophy, JT; Brown, L; Castleman, B; Chee, HL; Cherniak, M; Christiani, D; Cicoletta, A; de D'Pool, FJ; Egilman, D; Frank, AL; Garcia, MA; Giannasi, F; Greenberg, M; Harrison, RJ; Huff, J; Infante, P; de Souza, JE; Joshi, TK; Kamuzora, P; Kazan-Allen, L; Keith, M; Kern, DG; Kromhout, H; Kuswadji, S; Ladou, J; Lemen, RA; Levenstein, C; Luethje, B; Mancini, F; Meel, BL; Mekonnen, Y; Mendes, R; Murie, F; Myers, JE; O'Neill, R; Osaro, E; Paek, D; Richter, E; Robertson, H; Roskam, E; Samuels, S; Sentes, KE; Soskolne, CL; Stephens, C; Stuckey, R; Teitelbaum, DT; Terracini, B; Theaud-Mony, A; Vanhoorne, M; Wang, X; Watterson, A; Wedeen, R. (2007). FIOH-sponsored newsletter - Misrepresentation of asbestos hazards in Zimbabwe - Reply. *Int J Occup Environ Health* 13: 139-140.
- Bailey, WJ. (2001). RE: Mesothelioma and lung tumors attributable to asbestos among petroleum workers. *Am. J. Ind. Med.* 2000. 37:275-282 [Letter]. *Am J Ind Med* 39: 513-514, 522-513; author reply 517-521.
- Bajerska, A; Wyszynska, K; Szymczak, W. (1988). Evaluation of SCEs in bone marrow cells of mice after in vivo exposure to asbestos. *Pol J Occup Med* 1: 72-76.
- Baker, EL; Dagg, T; Greene, RE. (1985). RESPIRATORY ILLNESS IN THE CONSTRUCTION TRADES .1. THE SIGNIFICANCE OF ASBESTOS-ASSOCIATED PLEURAL DISEASE AMONG SHEET-METAL WORKERS. *J Occup Environ Med* 27: 483-489.
- Baker, EL; Dagg, T; Greene, RE. (1985). Respiratory illness in the construction trades. I. The significance of asbestos-associated pleural disease among sheet metal workers. *J Occup Med* 27: 483-489.
- Baker, EL; Greene, R. (1982). Incremental value of oblique chest radiographs in the diagnosis of asbestos-induced pleural disease. *Am J Ind Med* 3: 17-22.
- Baker, JE; Reutens, DC; Graham, DF; Sterrett, GF; Musk, AW; Hobbs, MS; Armstrong, BK; de Klerk, NH. (1986). Morphology of bronchogenic carcinoma in workers formerly exposed to crocidolite at Wittenoom Gorge in Western Australia. *Int J Cancer* 37: 547-550.
- Bakhireva, ID; Bunimovich, GI; Ganiushkina, SM; Vagina, ER. (1978). [Clinical aspects and the functional pathology of anthophyllite asbestosis]. *Gig Tr Prof Zabol* 1-4.
- Bakhshandeh, A; Bruns, I; Eberhardt, K; Wiedemann, GJ. (2000). Chemotherapy combined with whole body hyperthermia in malignant mesothelioma of the pleural space [Review]. *Dtsch Med Wochenschr* 125: 317-319. <http://dx.doi.org/10.1055/s-2007-1024148>.
- Bakke, PS; Baste, V; Hanao, R; Gulsvik, A. (1991). Prevalence of Obstructive Lung Disease in a General Population: Relation to Occupational Title and Exposure to Some Airborne Agents. *Thorax* 46: 863-870. <http://dx.doi.org/10.1136/thx.46.12.863>.
- Bakke, PS; Hanao, R; Gulsvik, A. (2001). Relation of occupational exposure to respiratory symptoms and asthma in a general population sample: self-reported versus interview-based exposure data. *Am J Epidemiol* 154: 477-483.
- Bakke, SJ; Kolbenstvedt, A. (1985). ROUNDED ATELECTASIS AN ATELECTATIC PSEUDOTUMOR. *Tidsskr Nor Laegeforen* 105: 209-212.
- Bakshi, GC; Moritz, ED; Rossi, GA; Gadek, JE; Crystal, RG. (1982). UPTAKE OF GALLIUM-67 BY ALVEOLAR MACROPHAGES ACTIVATED BY EXPOSURE TO INORGANIC COMPOUNDS (pp. 15-18). (HEEP/83/13494). Bakshi, GC; Moritz, ED; Rossi, GA; Gadek, JE; Crystal, RG.
- Balaam, LN; McCullagh, SF. (1975). Vital capacity and one-second forced expiratory volume in Australian male asbestos cement workers. *Ann Occup Hyg* 18: 133-141.
- Balashazy, I; Martonen, TB; Hofmann, W. (1990). FIBER DEPOSITION IN AIRWAY BIFURCATIONS. *J Aerosol Med* 3: 243-260.
- Balashov, VA; Kogan, FM; Gusel'nikova, NA; Rozenberg, IA; Serov, AN. (1983). [Occupational hygiene and health status of workers of an asbestos cement plant]. *Gig Tr Prof Zabol* 8-12.
- Balatti, V; Maniero, S; Ferracin, M; Veronese, A; Negrini, M; Ferrocci, G; Martini, F; Tognon, MG. (2011). MicroRNAs dysregulation in human malignant pleural mesothelioma. *J Thorac Oncol* 6: 844-851. <http://dx.doi.org/10.1097/JTO.0b013e31820db125>.
- Balchum, OJ; Profio, AE; Doiron, DR; Huth, GC. (1984). Imaging Fluorescence Bronchoscopy For Localizing Early Bronchial Cancer And Carcinoma In Situ. *Prog Clin Biol Res* 170: 847-861.
- Baldi, A; Groeger, AM; Esposito, V; Cassandro, R; Tonini, G; Battista, T; Di Marino, MP; Vincenzi, B; Santini, M; Angelini, A; Rossiello, R; Baldi, F; Paggi, MG. (2002). Expression of p21 in SV40 large T antigen positive human pleural mesothelioma: relationship with survival. *Thorax* 57: 353-356.
- Baldys, A. (2003). Effect of asbestos fibers, coal fly ash and dust particles on EGF receptor phosphorylation in human lung epithelial cells. *FASEB J* 17: A1016-A1016.
- Baldys, A; Aust, AE. (2005). Role of iron in inactivation of epidermal growth factor receptor after asbestos treatment of human lung and pleural target cells. *Am J Respir Cell Mol Biol* 32: 436-442. <http://dx.doi.org/10.1165/rcmb.2004-0133OC>.
- Baldys, A; Pande, P; Moseleh, T; Park, SH; Aust, AE. (2007). Apoptosis induced by crocidolite asbestos in human lung epithelial cells involves inactivation of Akt and MAPK pathways. *Apoptosis* 12: 433-447. <http://dx.doi.org/10.1007/s10495-006-0577-8>.
- Ball, H; Moore, S; Leary, A. (2016). A systematic literature review comparing the psychological care needs of patients with mesothelioma and advanced lung cancer [Review]. 25: 62-67. <http://dx.doi.org/10.1016/j.ejon.2016.09.007>.
- Ball, JD. (1973). CALCIFIED PLEURAL PLAQUES DUE TO ASBESTOSIS OR NOT (pp. 34-35). (HEEP/74/07910). Ball, JD.
- Ballambattu, S; Powell, S; Peters, D. (1987). EXTENSIVE CALCIFIED PLEURAL PLAQUES. *N Y State J Med* 87: 236-237.
- Ballan, G; Del Brocco, A; Loizzo, S; Fabbri, A; Maroccia, Z; Fiorentini, C; Travaglione, S. (2014). Mode of action of fibrous amphiboles: the case of Biancavilla (Sicily, Italy) [Review]. *Ann Ist Super Sanita* 50: 133-138. http://dx.doi.org/DOI: 10.4415/ANN_14_02_05.
- Balletta, A; Bonifaci, G; Citro, A; Continisio, R; Di Palma, P; D'Angelo, R; Iacoviello, P. (2012). [Asbestos: fifty years of work exposure in Campania and other Italian regions through INAIL experience]. *G Ital Med Lav Ergon* 34: 545-551.

Human Health Hazard Literature Search Results

On Topic

- Balmes, JR. (1990). Medical Surveillance for Pulmonary Endpoints. *Occup Med (Lond)* 5: State of the Art Reviews.
- Balmes, JR; Cullen, MR; Henriksen, E. (1982). Thoracic CT scanning in asbestos workers with lung cancer. *Conn Med* 46: 515-517.
- Balmes, JR; Daponte, A; Cone, JE. (1991). Asbestos-related disease in custodial and building maintenance workers from a large municipal school district. *Ann N Y Acad Sci* 643: 540-549.
- Balmes, JR; Warshaw, R; Chong, S; Kilburn, KH. (1984). EFFECTS OF OCCUPATIONAL EXPOSURE TO ASBESTOS CONTAINING MATERIALS IN PUBLIC SCHOOLS (pp. 20-23). (HEEP/85/00783). Balmes, JR; Warshaw, R; Chong, S; Kilburn, KH.
- Balu, A; Green, F. (1989). CELL CYCLE ANALYSIS OF MESOTHELIAL CELLS EXPOSED TO MINERAL DUSTS (pp. 5-10). (BIOSIS/89/15199). Balu, A; Green, F.
- Balzer, JL. (1968). Industrial Hygiene for Insulation Workers. *J Occup Med* 10: 25-31.
- Banaei, A; Auvert, B; Goldberg, M. (2000). Computer modeling of population exposure to a carcinogen: the example of asbestos and mesothelioma mortality in France. *Comput Biomed Res* 33: 97-109.
- Band, PR; Le, ND; Fang, R; Astrakianakis, G; Bert, J; Keefe, A; Krewski, D. (2001). Cohort cancer incidence among pulp and paper mill workers in British Columbia. *Scand J Work Environ Health* 27: 113-119.
- Bandli, BR; Gunter, ME. (2006). A review of scientific literature examining the mining history, geology, mineralogy, and amphibole asbestos health effects of the Rainy Creek igneous complex, Libby, Montana, USA [Review]. *Inhal Toxicol* 18: 949-962. <http://dx.doi.org/10.1080/08958370600834982>.
- Bandoh, S; Fujita, J; Fukunaga, Y; Ohtsuka, S; Susaki, K; Yang, Y; Kobayashi, S; Takahara, J. (2001). Nodular thickening of interlobar fissures: an early manifestation of malignant mesothelioma: a case report. *Jpn J Clin Oncol* 31: 82-85.
- Banerjee, BD; Chakraborti, A; Suke, SG; Ahmed, RS; Tripathi, AK. (2008). Xenobiotic-induced immune alterations: Implications in health and disease. *Indian J Biochem Biophys* 45: 7-15.
- Bani-Hani, KE; Gharaibeh, KA. (2005). Malignant peritoneal mesothelioma. *J Surg Oncol* 91: 17-25. <http://dx.doi.org/10.1002/jso.20266>.
- Banks, DE. (2014). Clinical aspects of asbestos-related diseases--what are the unresolved topics? [Review]. *J Occup Environ Med* 56 Suppl 10: S8-S12. <http://dx.doi.org/10.1097/JOM.000000000000242>.
- Barabe, J; Sirois, P; St-Pierre, S. (1984). Evidence For The Activation Of The Kallikrein-Kinin System In Experimental Asbestosis. *Res Comm Chem Pathol Pharmacol* 44: 93-98.
- Baram, D; Degene, A; Amin, O; Bilfinger, T; Smaldone, G. (2004). A case of hypercapnic respiratory failure. *Chest* 126: 1994-1999.
- Barber, CM; Wiggans, RE; Fishwick, D. (2014). RELATIONSHIP BETWEEN HISTORIC UK ASBESTOS IMPORTS AND ANNUAL MORTALITY DUE TO MESOTHELIOMA, ASBESTOSIS AND IDIOPATHIC PULMONARY FIBROSIS. *Thorax* 69: A5-A5. <http://dx.doi.org/10.1136/thoraxjnl-2014-206260.10>.
- Barber, CM; Wiggans, RE; Young, C; Fishwick, D. (2015). UK asbestos imports and mortality due to idiopathic pulmonary fibrosis. *Occup Med (Lond)* 66: 106-111. <http://dx.doi.org/10.1093/occmed/kqv142>.
- Barbers, RG; Abraham, JL. (1989). Asbestosis occurring after brief inhalational exposure: usefulness of bronchoalveolar lavage in diagnosis. *Br J Ind Med* 46: 106-110.
- Barbers, RG; Oishi, J. (1987). Effects of in vitro asbestos exposure on natural killer and antibody-dependent cellular cytotoxicity. *Environ Res* 43: 217-226.
- Barbers, RG; Oishi, JS. (1985). IN-VITRO EFFECTS OF ASBESTOS FIBERS ON NATURAL KILLER ACTIVITY AND ANTIBODY-DEPENDENT CELLULAR CYTOTOXICITY (pp. 12-15). (BIOSIS/85/16408). Barbers, RG; Oishi, JS.
- Barbers, RG; Shih, WW; Saxon, A. (1982). In vitro depression of human lymphocyte mitogen response (phytohaemagglutinin) by asbestos fibres. *Clin Exp Immunol* 48: 602-610.
- Barbieri, PG; Lombardi, S; Candela, A; Pezzotti, C; Binda, I. (2001). [Incidence of malignant mesothelioma (1980-1999) and asbestos exposure in 190 cases diagnosed in the population of Brescia province]. *L'Internista* 92: 249-262.
- Barbieri, PG; Lombardi, S; Candela, A; Pezzotti, C; Binda, I. (2001). Incidenza del mesotelioma maligno (1980-1999) ed esposizione ad amianto in 190 casi diagnosticati in residenti nella provincia di Brescia. *Med Lav* 92: 249-262.
- Barbieri, PG; Merler, E; Mirabelli, D; Cavone, D; Somigliana, A. (2010). ASBESTOS FIBER BURDEN OF THE LUNGS IN PATIENTS WITH MESOTHELIOMAS WHO LIVED NEAR CEMENT-ASBESTOS FACTORIES. *Epidemiol Prev* 34: 139-139.
- Barbieri, PG; Migliori, M; Merler, E. (1999). [The incidence of malignant mesothelioma (1977-1996) and asbestos exposure in the population of an area neighboring Lake Iseo, northern Italy]. *Med Lav* 90: 762-775.
- Barbieri, PG; Mirabelli, D; Somigliana, A; Cavone, D; Merler, E. (2012). Asbestos fibre burden in the lungs of patients with mesothelioma who lived near asbestos-cement factories. *Ann Occup Hyg* 56: 660-670. <http://dx.doi.org/10.1093/annhyg/mer126>.
- Barbieri, PG; Somigliana, A; Caironi, M; Migliori, M. (2007). [The epidemiologic surveillance of malignant mesothelioma in the Lower Iseo Lake area]. *Epidemiol Prev* 31: 16-22.
- Barbieri, PG; Somigliana, A; Festa, R; Bercich, L. (2010). [Pulmonary concentration of asbestos fibers in steel workers with pleural mesothelioma]. *G Ital Med Lav Ergon* 32: 149-153.
- Barbieri, PG; Somigliana, A; Girelli, R; Lombardi, S; Festa, R; Silvestri, S. (2008). [Malignant mesothelioma in garment sewing-machine workers]. *Med Lav* 99: 187-193.
- Barbieri, PG; Somigliana, A; Girelli, R; Lombardi, S; Sarnico, M; Silvestri, S. (2016). [Pleural mesothelioma in a school teacher: asbestos exposure due to DAS paste]. *Med Lav* 107: 141-147.
- Barbieri, PG; Somigliana, A; Lombardi, S; Girelli, R; Benvenuti, A. (2009). [Asbestos fibre lung burden and exposure indices in asbestos-cement workers]. *Med Lav* 100: 21-28.

Human Health Hazard Literature Search Results

On Topic

- Barbieri, PG; Somigliana, A; Lombardi, S; Girelli, R; Rocco, A; Pezzotti, C; Silvestri, S. (2008). [Recycle of jute bags; asbestos in agriculture, exposure and pathology]. *G Ital Med Lav Ergon* 30: 329-333.
- Barbieri, PG; Somigliana, A; Tironi, A. (2010). [Lung asbestos fibre burden in textile workers with malignant mesothelioma]. *Med Lav* 101: 199-206.
- Barbieri, PG; Somigliana, AB. (2016). Asbestos-related diseases and biological index of cumulative dose in shipyard workers (1996-2015) (vol 107, pg 315, 2016). *Med Lav* 107: 436-436.
- Barbieri, PG; Somigliana, AB. (2016). [Not Available]. *Med Lav* 107: 315-326.
- Barbiero, F; Giangreco, M; Pisa, FE; Negro, C; Bovenzi, M; Rosolen, V; Barbone, F. (2016). [Not Available]. *Med Lav* 107: 307-314.
- Barbone, D; Porta, C; Bianchi, AS; Mutti, L; Gasparri, F; Gaudino, G. (2006). NF- κ B provides a survival signal to human mesothelial and mesothelioma cells exposed to asbestos fibers. *Lung Cancer* 54: S22-S22.
- Barcala, JG; Portal, JA; Carmona, MJ; González, CM. (2010). [Exposure to environmental contaminants and respiratory disease. Spotlight on the year 2009]. *Arch Bronconeumol* 46 Suppl 1: 17-20. [http://dx.doi.org/10.1016/S0300-2896\(10\)70005-3](http://dx.doi.org/10.1016/S0300-2896(10)70005-3).
- Barchowsky, A; Lannon, BM; Elmore, LC; Treadwell, MD. (1997). Increased focal adhesion kinase- and urokinase-like plasminogen activator receptor-associated cell signaling in endothelial cells exposed to asbestos. *FASEB J* 11: 1320-1320.
- Barchowsky, A; Lannon, BM; Elmore, LC; Treadwell, MD. (1997). Increased Focal Adhesion Kinase and Urokinase-Type Plasminogen Activator Receptor-Associated Cell Signaling in Endothelial Cells Exposed to Asbestos. *Environ Health Perspect* 105: 1131-1137.
- Barchowsky, A; Roussel, RR; Krieser, RJ; Mossman, BT; Treadwell, MD. (1998). Expression and activity of urokinase and its receptor in endothelial and pulmonary epithelial cells exposed to asbestos. *Toxicol Appl Pharmacol* 152: 388-396. <http://dx.doi.org/10.1006/taap.1998.8462>.
- Barclay, WR; Craighead, JE; Cugell, DW; Dolan, WD; Jones, RJ; Kagan, E; Shimkin, MB; Tomashefski, JF; Wheeler, RH. (1984). A physician's guide to asbestos-related diseases. Council on Scientific Affairs. *JAMA* 252: 2593-2597.
- Bariffi, F; Marangio, E; Pesci, A; Bertorelli, G; Gabrielli, M. (1985). BRONCHOALVEOLAR LAVAGE IN THE DIAGNOSIS OF INORGANIC DUST INDUCED PULMONARY DISEASES (pp. 337-345). (BIOSIS/86/07703). Bariffi, F; Marangio, E; Pesci, A; Bertorelli, G; Gabrielli, M.
- Barış, B; Demir, AU; Shehu, V; Karakoca, Y; Kisacik, G; Barış, YI. (1996). Environmental fibrous zeolite (erionite) exposure and malignant tumors other than mesothelioma. *J Environ Pathol Toxicol Oncol* 15: 183-189.
- Baris, I; Artvinli, M; Sahin, A; T, S; Erkan, ML. (1979). Occurrence of pleural mesothelioma. Chronic fibrosing pleurisy and calcified pleural plaques in Turkey in relation with environmental pollution by mineral fibers. *Rev Fr Mal Respir* 7: 687-694.
- Baris, I; Selcuk, L; Coplu, L; Emri, S; Kalyoncu, F; Sahin, A. (1992). COMPARISON OF ERIONITE AND ASBESTOS ASSOCIATED MALIGNANT PLEURAL MESOTHELIOMA ANALYSIS OF 135 CASES (pp. 20-23). (BIOSIS/92/25547). Baris, I; Selcuk, L; Coplu, L; Emri, S; Kalyoncu, F; Sahin, A.
- Baris, I; Simonato, L; Artvinli, M; Pooley, F; Saracci, R; Skidmore, J; Wagner, C. (1987). Epidemiological and environmental evidence of the health effects of exposure to erionite fibres: A four-year study in the Cappadocian region of Turkey. *Int J Cancer* 39: 10-17. <http://dx.doi.org/10.1002/ijc.2910390104>.
- Baris, Y. (1980). The clinical and radiological aspects of 185 cases of malignant pleural mesothelioma. IARC Sci Publ IARC Scientific Publication No: 937-947.
- Baris, YI. (1980). [Claude Bernard-Horner's syndrome due to malignant pleural mesothelioma (author's transl)]. *Rev Fr Mal Respir* 8: 349-350.
- Baris, YI; Artvinli, M; Sahin, AA. (1979). Environmental mesothelioma in Turkey. *Ann N Y Acad Sci* 330: 423-432. <http://dx.doi.org/10.1111/j.1749-6632.1979.tb18744.x>.
- Baris, YI; Bilir, N; Artvinli, M; Sahin, AA; Kalyoncu, F; Sebastien, P. (1988). An epidemiological study in an Anatolian village environmentally exposed to tremolite asbestos. *Br J Ind Med* 45: 838-840.
- Baris, YI; Sahin, AA; Ozesmi, M; Kerse, I; Ozen, E; Kolacan, B; Altinors, M; Goktepe, A. (1978). An outbreak of pleural mesothelioma and chronic fibrosing pleurisy in the village of Karain/Urgup in Anatolia. *Thorax* 33: 181-192.
- Barlow, C; Shukla, A; Mossman, B; Lounsbury, K. (2005). Asbestos-mediated CREB phosphorylation is regulated by PKA independently of oxidants in lung epithelial cells. *Free Radic Biol Med* 39: S75-S75.
- Barlow, CA; Barrett, TF; Shukla, A; Mossman, BT; Lounsbury, KM. (2007). Asbestos-mediated CREB phosphorylation is regulated by protein kinase A and extracellular signal-regulated kinases 1/2. *Am J Physiol Lung Cell Mol Physiol* 292: L1361-L1369. <http://dx.doi.org/10.1152/ajplung.00279.2006>.
- Barlow, CA; Lievens, L; Gross, S; Ronk, CJ; Paustenbach, DJ. (2013). The role of genotoxicity in asbestos-induced mesothelioma: an explanation for the differences in carcinogenic potential among fiber types [Review]. *Inhal Toxicol* 25: 553-567. <http://dx.doi.org/10.3109/08958378.2013.807321>.
- Barnes, R. (1972). Asbestos and malignant disease. *Med J Aust* 2: 1107-1112.
- Barnes, R. (1983). Compensable asbestos-related disease in New South Wales. *Med J Aust* 2: 221-224.
- Barnes, R. (1986). Progression of radiographic changes in asbestos workers and ex-workers. *J Soc Occup Med* 36: 9-12.
- Barnes, R; Rogers, AJ. (1984). Unexpected occupational exposure to asbestos. *Med J Aust* 140: 488-490.
- Barnhart, S; Hudson, LD; Mason, SE; Pierson, DJ; Rosenstock, L. (1988). Total lung capacity. An insensitive measure of impairment in patients with asbestosis and chronic obstructive pulmonary disease? *Chest* 93: 299-302.
- Barnhart, S; Keogh, J; Cullen, MR; Brodtkin, C; Liu, D; Goodman, G; Valanis, B; Glass, A; Thornquist, M; Rosenstock, L; Omenn, G; Balmes, J. (1997). The CARET asbestos-exposed cohort: baseline characteristics and comparison to other asbestos-exposed cohorts. *Am J Ind Med* 32: 573-581. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199712\)32:6<573::AID-AJIM1>3.0.CO;2-R](http://dx.doi.org/10.1002/(SICI)1097-0274(199712)32:6<573::AID-AJIM1>3.0.CO;2-R).
- Barnhart, S; Rosenstock, L; Mason, S; Pierson, DJ; Heyer, NJ; Hudson, LD. (1986). THE ATTRIBUTION OF IMPAIRMENT IN MIXED OBSTRUCTIVE AND RESTRICTIVE LUNG DISEASE DUE TO ASBESTOS AND SMOKING (pp. 11-14). (ISSN 0003-0805 BIOSIS/86/27906). Barnhart, S; Rosenstock, L; Mason, S; Pierson, DJ; Heyer, NJ; Hudson, LD.

Human Health Hazard Literature Search Results

On Topic

- Barnhart, S; Thornquist, M; Omenn, GS; Goodman, G; Feigl, P; Rosenstock, L. (1990). The degree of roentgenographic parenchymal opacities attributable to smoking among asbestos-exposed subjects. *Am Rev Respir Dis* 141: 1102-1106. http://dx.doi.org/10.1164/ajrccm/141.5_Pt_1.1102.
- Baron, PA. (2001). Measurement of airborne fibers: a review [Review]. *Ind Health* 39: 39-50.
- Barone, E; Corrado, A; Gemignani, F; Landi, S. (2016). Environmental risk factors for pancreatic cancer: an update [Review]. *Arch Toxicol* 90: 2617-2642. <http://dx.doi.org/10.1007/s00204-016-1821-9>.
- Barone-Adesi, F; Ferrante, D; Bertolotti, M; Todesco, A; Mirabelli, D; Terracini, B; Magnani, C. (2008). Long-term mortality from pleural and peritoneal cancer after exposure to asbestos: Possible role of asbestos clearance. *Int J Cancer* 123: 912-916. <http://dx.doi.org/10.1002/ijc.23609>.
- Barone-Adesi, F; Mirabelli, D; Magnani, C. (2016). [Risk of lung cancer in individuals with previous exposure to asbestos]. *Epidemiol Prev* 40: 20-25. <http://dx.doi.org/10.19191/EP16.1S1.P020.026>.
- Barone-Adesi, F; Richiardi, L; Merletti, F. (2005). Population attributable risk for occupational cancer in Italy [Review]. *Int J Occup Environ Health* 11: 23-31.
- Barregard, L; Sallsten, G; Jarvholm, B. (1990). Mortality and Cancer Incidence in Chloralkali Workers Exposed to Inorganic Mercury. *Br J Ind Med* 47: 99-104.
- Barreiro, E; Bustamante, V; Curull, V; Gea, J; López-Campos, JL; Muñoz, X. (2016). Relationships between chronic obstructive pulmonary disease and lung cancer: biological insights [Review]. *J Thorac Dis* 8: E1122-E1135. <http://dx.doi.org/10.21037/jtd.2016.09.54>.
- Barreiro, TJ; Katzman, PJ. (2006). Malignant mesothelioma: a case presentation and review. *J Am Osteopath Assoc* 106: 699-704.
- Barrett, JC. (1991). Role of Chromosomal Mutations in Asbestos-Induced Cell Transformation (pp. 27-39). (NIOSH/00228023). Barrett, JC.
- Barrett, JC. (1994). Cellular and molecular mechanisms of asbestos carcinogenicity: implications for biopersistence [Review]. *Environ Health Perspect* 102 Suppl 5: 19-23.
- Barrett, JC; Hesterberg, TW; Oshimura, M; Tsutsui, T. (1985). Role of chemically induced mutagenic events in neoplastic transformation of Syrian hamster embryo cells. In JC Barrett; RW Tennant (Eds.), (Carcinogenesis - a comprehensive survey: v. 9 ed., pp. A COMPREHENSIVE SURVEY). New York, NY: Raven Press.
- Barrett, JC; Lamb, PW; Wiseman, RW. (1989). Multiple mechanisms for the carcinogenic effects of asbestos and other mineral fibers [Review]. *Environ Health Perspect* 81: 81-89.
- Barrett, JC; Thomassen, DG; Hesterberg, TW. (1983). Role of gene and chromosomal mutations in cell transformation [Review]. *Ann N Y Acad Sci* 407: 291-300.
- Barroetavena, MC; Teschke, K; Bates, DV. (1996). Unrecognized asbestos-induced disease. *Am J Ind Med* 29: 183-185. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199602\)29:2<183::AID-AJIM8>3.0.CO;2-T](http://dx.doi.org/10.1002/(SICI)1097-0274(199602)29:2<183::AID-AJIM8>3.0.CO;2-T).
- Barry, BE; Crapo, JD. (1981). MACROPHAGES ARE THE MAJOR CELL TO INCREASE IN THE PULMONARY INTERSTITIUM AFTER 3 MONTHS EXPOSURE TO CHRYSOTILE ASBESTOS (pp. 12-17). (HEEP/82/00978). Barry, BE; Crapo, JD.
- Barry, BE; Wong, KC; Brody, AR; Crapo, JD. (1983). Reaction of rat lungs to inhaled chrysotile asbestos following acute and subchronic exposures. *Exp Lung Res* 5: 1-21.
- Bar-Shai, A; Greif, J; Topilsky, M; Schwarz, Y; Tiran, B. (2010). Follow up of asbestos related lung disease in a cohort of former power plant workers in Israel [Abstract]. *Am J Respir Crit Care Med* 181: A1738. http://dx.doi.org/10.1164/ajrccm-conference.2010.181.1_MeetingAbstracts.A1738.
- Bar-Shai, A; Tiran, B; Topilsky, M; Greif, J; Fomin, I; Schwarz, Y. (2012). Continued progression of asbestos-related respiratory disease after more than 15 years of non-exposure [Abstract]. *Isr Med Assoc J* 14: 560-565.
- Barth, J; Uebelhoer, M. (1994). [Mechanisms of asbestos-induced diseases of the lungs and pleura] [Review]. *Dtsch Med Wochenschr* 119: 886-891. <http://dx.doi.org/10.1055/s-2008-1058776>.
- Barth, Z; Thiele, H; Frenzel, H; Kohler, B. (2001). [A rare cause of malignant ascites--peritoneal mesothelioma]. *Dtsch Med Wochenschr* 126: 779-782. <http://dx.doi.org/10.1055/s-2001-15558>.
- Bartrip, PW. (2004). History of asbestos related disease. *Postgrad Med J* 80: 72-76. <http://dx.doi.org/10.1136/pmj.2003.012526>.
- Bartsch, H; Tomatis, L. (1983). Comparison Between Carcinogenicity And Mutagenicity Based On Chemicals Evaluated In The IARC Monographs. *Environ Health Perspect* 47: 305-317.
- Baser, ME; De Rienzo, A; Altomare, D; Balsara, BR; Hedrick, NM; Gutmann, DH; Pitts, LH; Jackler, RK; Testa, JR. (2002). Neurofibromatosis 2 and malignant mesothelioma. *Neurology* 59: 290-291.
- Baser, ME; Rai, H; Wallace, AJ; Evans, DG. (2005). Neurofibromatosis 2 (NF2) and malignant mesothelioma in a man with a constitutional NF2 missense mutation. *Fam Cancer* 4: 321-322. <http://dx.doi.org/10.1007/s10689-005-0659-8>.
- Baser, S; Duzce, O; Evyapan, F; Akdag, B; Ozkurt, S; Kiter, G. (2013). Occupational exposure and thoracic malignancies, is there a relationship? *J Occup Health* 55: 301-306.
- Bateman, ED; Benatar, SR. (1987). Asbestos-induced diseases: clinical perspectives [Review]. *Q J Med* 62: 183-194.
- Bateman, ED; Emerson, RJ; Cole, PJ. (1982). A study of macrophage-mediated initiation of fibrosis by asbestos and silica using a diffusion chamber technique. *Br J Exp Pathol* 63: 414-425.
- Bateson, T; Koplev, L; Sullivan, P; Cooper, G; Vinukoor, L; De Voney, D. (2009). Evaluation of Alternative Exposure Metrics for Assessing Mortality Risk from Lung Cancer and Mesothelioma among an Occupational Cohort Exposed to Amphibole Asbestos from Vermiculite Mining Operations in Libby, Montana. *Epidemiology* 20: S78-S79.

Human Health Hazard Literature Search Results

On Topic

- Bateson, TF; Kopylev, L. (2014). Influence of exposure assessment and parameterization on exposure response. Aspects of epidemiologic cohort analysis using the Libby Amphibole asbestos worker cohort. *J Expo Sci Environ Epidemiol* e-pub: 12-17. <http://dx.doi.org/doi:10.1038/jes.2014.3>.
- Batirel, HF; Metintas, M; Caglar, HB; Yildizeli, B; Lacin, T; Bostanci, K; Akgul, AG; Evman, S; Yuksel, M. (2008). Trimodality treatment of malignant pleural mesothelioma. *J Thorac Oncol* 3: 499-504. <http://dx.doi.org/10.1097/JTO.0b013e31816fca1b>.
- Batra, H; Antony, VB. (2015). Pleural mesothelial cells in pleural and lung diseases [Review]. *J Thorac Dis* 7: 964-980. <http://dx.doi.org/10.3978/j.issn.2072-1439.2015.02.19>.
- Batra, P; Brown, K. (1991). Radiology in prevention and surveillance of occupational lung disease [Review]. *Occup Med: State of the Art Rev* 6: 81-100.
- Battaile, JT; Polineni, D; Tuteur, PG. (2009). Airflow Obstruction in Patients with Workplace Asbestos Exposure Is Not Influenced by the Presence of Restrictive Lung Disease. *Am J Respir Crit Care Med* 179.
- Battigelli, A; Ménard-Moyon, C; Da Ros, T; Prato, M; Bianco, A. (2013). Endowing carbon nanotubes with biological and biomedical properties by chemical modifications [Review]. *Adv Drug Deliv Rev* 65: 1899-1920. <http://dx.doi.org/10.1016/j.addr.2013.07.006>.
- Battista, G; Belli, S; Comba, P; Fiumalbi, C; Grignoli, M; Loi, F; Orsi, D; Paredes, I. (1999). Mortality due to asbestos-related causes among railway carriage construction and repair workers. *Occup Med (Lond)* 49: 536-539.
- Battista, G; Costantini, AS; Gorini, G; Orsi, D; Paredes, I; Miceli, GB; De Vuono, G; Peccetti, V. (2007). [Mortality in a cohort of sugar refinery workers in Arezzo Province, Italy]. *Med Lav* 98: 289-295.
- Baud, M; Strano, S; Dechartres, A; Jouni, R; Triponez, F; Chouaid, C; Forgez, P; Damotte, D; Roche, N; Régnard, JF; Alifano, M. (2013). Outcome and prognostic factors of pleural mesothelioma after surgical diagnosis and/or pleurodesis. *J Thorac Cardiovasc Surg* 145: 1305-1311. <http://dx.doi.org/10.1016/j.jtcvs.2012.09.023>.
- Bauman, MD; Jetten, AM; Bonner, JC; Kumar, RK; Bennett, RA; Brody, AR. (1990). Secretion of a platelet-derived growth factor homologue by rat alveolar macrophages exposed to particulates in vitro. *Eur J Cell Biol* 51: 327-334.
- Bauman, MD; Jetten, AM; Brody, AR. (1986). MACROPHAGE DERIVED GROWTH FACTOR FOR PULMONARY FIBROBLASTS IS STIMULATED BY PARTICULATES IN-VITRO (pp. 11-14). (BIOSIS/86/27987). Bauman, MD; Jetten, AM; Brody, AR.
- Baumann, F; Ambrosi, JP; Carbone, M. (2013). Asbestos is not just asbestos: an unrecognised health hazard. *Lancet Oncol* 14: 576-578. [http://dx.doi.org/10.1016/S1470-2045\(13\)70257-2](http://dx.doi.org/10.1016/S1470-2045(13)70257-2).
- Baumann, F; Buck, BJ; Metcalf, RV; Mclaurin, BT; Merkler, D; Carbone, M. (2015). Increased Proportion of Female and Young Mesothelioma Cases Are Indicators of Environmental Exposure to Carcinogenic Mineral Fibers in Nevada. *J Thorac Oncol* 10: S218-S219.
- Baumann, F; Buck, BJ; Metcalf, RV; Mclaurin, BT; Merkler, D; Carbone, M. (2015). Reply to "No Increased Risk for Mesothelioma in Relation to Natural-Occurring Asbestos in Southern Nevada" [Letter]. *J Thorac Oncol* 10: e64-e65. <http://dx.doi.org/10.1097/JTO.0000000000000565>.
- Baumann, F; Buck, BJ; Metcalf, RV; Mclaurin, BT; Merkler, DJ; Carbone, M. (2015). The Presence of Asbestos in the Natural Environment is Likely Related to Mesothelioma in Young Individuals and Women from Southern Nevada. *J Thorac Oncol* 10: 731-737. <http://dx.doi.org/10.1097/JTO.0000000000000506>.
- Baumann, F; Carbone, M. (2016). Environmental risk of mesothelioma in the United States: An emerging concern-epidemiological issues. *J Toxicol Environ Health B Crit Rev* 19: 231-249. <http://dx.doi.org/10.1080/10937404.2016.1195322>.
- Baumann, F; Flores, E; Napolitano, A; Kanodia, S; Taioli, E; Pass, H; Yang, H; Carbone, M. (2015). Mesothelioma patients with germline BAP1 mutations have 7-fold improved long-term survival. *Carcinogenesis* 36: 76-81. <http://dx.doi.org/10.1093/carcin/bgu227>.
- Baumann, F; Maurizot, P; Mangeas, M; Ambrosi, JP; Douwes, J; Robineau, B. (2011). Pleural mesothelioma in New Caledonia: associations with environmental risk factors. *Environ Health Perspect* 119: 695-700. <http://dx.doi.org/10.1289/ehp.1002862>.
- Baumann, F; Rougier, Y; Ambrosi, JP; Robineau, BP. (2007). Pleural mesothelioma in New Caledonia: An acute environmental concern. *Cancer Detect Prev* 31: 70-76. <http://dx.doi.org/10.1016/j.cdp.2006.10.009>.
- Baur, X. (2015). [Asbestos: Social Legal and Scientific Controversies and Unsound Science in the Context with the Worldwide Asbestos Tragedy - Lessons to be Learned]. *Pneumologie* 69: 654-661. <http://dx.doi.org/10.1055/s-0034-1393038>.
- Baur, X. (2016). Asbestos: Socio-legal and Scientific Controversies and Unsound Science in the Context of the Worldwide Asbestos Tragedy - Lessons to be Learned. *Pneumologie* 70: 405-412. <http://dx.doi.org/10.1055/s-0042-103580>.
- Baur, X; Clasen, M; Fisseler-Eckhoff, A; Heger, M; Hering, KG; Hofmann-Preiss, K; Köhler, D; Kranig, A; Kraus, T; Letzel, S; Neumann, V; Tannapfel, A; Schneider, J; Sitter, H; Teschler, H; Voshaar, T; Weber, A. (2011). [Diagnostics and expert opinion of asbestos-induced occupational diseases]. *Pneumologie* 65: e1-47. <http://dx.doi.org/10.1055/s-0030-1255992>.
- Baur, X; Latza, U. (2005). Non-malignant occupational respiratory diseases in Germany in comparison with those of other countries. *Int Arch Occup Environ Health* 78: 593-602. <http://dx.doi.org/10.1007/s00420-005-0613-y>.
- Baur, X; Manuwald, U; Wilken, D. (2010). [Does long-term asbestos exposure cause an obstructive ventilation pattern?] [Review]. *Pneumologie* 64: 736-744. <http://dx.doi.org/10.1055/s-0030-1255555>.
- Baur, X; Schneider, J; Woitowitz, HJ; Velasco Garrido, M. (2012). [Do adverse health effects of chrysotile and amphibole asbestos differ?]. *Pneumologie* 66: 497-506. <http://dx.doi.org/10.1055/s-0032-1309980>.
- Baur, X; Soskolne, CL; Lemen, RA; Schneider, J; Woitowitz, HJ; Budnik, LT. (2015). How conflicted authors undermine the World Health Organization (WHO) campaign to stop all use of asbestos: spotlight on studies showing that chrysotile is carcinogenic and facilitates other non-cancer asbestos-related diseases. *Int J Occup Environ Health* 21: 176-179. <http://dx.doi.org/10.1179/2049396714Y.0000000105>.
- Baur, X; Woitowitz, HJ. (2016). [Lung Cancer as an Occupational Disease]. *Pneumologie* 70: 510-513. <http://dx.doi.org/10.1055/s-0042-105271>.

Human Health Hazard Literature Search Results

On Topic

- Bayanati, H; Sitartchouk, I; Patsios, D; Pereira, A; Dong, G; Kale, A; Paul, N; Johnston, M; Uy, K; de Perrot, M; Roberts, H. (2006). Low-dose computed tomography in prior asbestos-exposed workers: Assessment of pleural plaques and screening for lung cancer and malignant mesothelioma. *Lung Cancer* 54: S38-S38.
- Bayeux, MC; Letourneux, M; Brochard, P; Raffaelli, C; Pairon, JC; Iwatsubo, Y; Ameille, J. (1998). [Rolled atelectasis and asbestosis. Apropos of 26 patients]. *Rev Mal Respir* 15: 281-286.
- Bayram, M; Akkoyunlu, M; Dongel, I; Akbas, A; Benli, I; Kart, L. (2014). Serum Fibulin-3 Levels In Patients With Mesothelioma And Pleural Plaques And Healthy Subjects Exposed To Naturally Occurring Asbestos. *Am J Respir Crit Care Med* 189.
- Bayram, M; Bakan, ND. (2014). Environmental exposure to asbestos: from geology to mesothelioma [Review]. *Curr Opin Pulm Med* 20: 301-307. <http://dx.doi.org/10.1097/MCP.0000000000000053>.
- Bayram, M; Dongel, I; Akbaş, A; Benli, I; Akkoyunlu, ME; Bakan, ND. (2014). Serum biomarkers in patients with mesothelioma and pleural plaques and healthy subjects exposed to naturally occurring asbestos. *Lung* 192: 197-203. <http://dx.doi.org/10.1007/s00408-013-9526-9>.
- Bayram, M; Dongel, I; Bakan, ND; Yalçın, H; Cevit, R; Dumortier, P; Nemery, B. (2013). High risk of malignant mesothelioma and pleural plaques in subjects born close to ophiolites. *Chest* 143: 164-171. <http://dx.doi.org/10.1378/chest.11-2727>.
- Beal, DD. (1990). Use of mouse liver tumor data in risk assessments performed by the USA EPA [Abstract]. *Prog Clin Biol Res* 331: 5-18.
- Beall, C; Corn, M; Cheng, H; Matthews, R; Delzell, E. (2007). Mortality and cancer incidence among tire manufacturing workers hired in or after 1962. *J Occup Environ Med* 49: 680-690. <http://dx.doi.org/10.1097/JOM.0b013e318074bb30>.
- Beck, B; Irmscher, G. (1976). [Health hazards: asbestos--a review (author's transl)] [Review]. *Z Erkr Atmungsorgane* 144: 107-128.
- Beck, B; Irmscher, G. (1979). [Extrathoracic mesothelioma by inhalation of asbestos dust (author's transl)]. *Z Erkr Atmungsorgane* 152: 282-293.
- Beck, B; Konetzke, G; Ludwig, V; Roethig, W; Sturm, W. (1982). 3 cases of malignant pericardial mesotheliomas and asbestos exposure. *Am J Ind Med* 3: 149-160.
- Beck, B; Konetzke, G; Ludwig, V; Röthig, W; Sturm, W. (1982). Malignant pericardial mesotheliomas and asbestos exposure: a case report. *Am J Ind Med* 3: 149-159.
- Beck, B; Konetzke, GW; Sturm, W. (1982). ASBESTOS AND MESOTHELIOMA IN EAST GERMANY (pp. 24-26). (HEEP/84/05402). Beck, B; Konetzke, GW; Sturm, W.
- Beck, B; Konetzke, GW; Sturm, W. (1982). ASBESTOS AND MESOTHELIOMA IN THE GDR. *Arch Immunol Ther Exp* 30: 229-233.
- Beck, B; Konetzke, GW; W-H, M; Schramm, T. (1991). OCCUPATIONAL AND ONCOLOGICAL ASPECTS OF MESOTHELIOMAS. *Arch Geschwulstforsch* 61: 29-37.
- Beck, B; Schneider, WD; Rotte, KH; Diwok, K; Schmidt, G; Maintz, G; Rhein, A; Tittelbach, U. (1987). [Value of modern study methods in the early diagnosis and assessment of asbestosis]. *Z Erkr Atmungsorgane* 168: 50-58.
- Beck, E. (1900). Biological Action of Fibrous Dusts (pp. 178-183). (NIOSH/00101733). Beck, E.
- Beck, EG. (1975). [Biological effect of fibrous dusts]. 584-587.
- Beck, EG. (1976). [The interaction between cells and fibrous dusts (author's transl)]. *Zentralbl Bakteriell, Parasitenkd, Infektionskrankh Hyg, Abt 1: Orig, Reihe B* 162: 85-92.
- Beck, EG. (1976). Interaction between fibrous dust and cells in vitro [Review]. 21: 227-236.
- Beck, EG. (1981). Environmental health problems as a result of inhalation of mineral fibers. *Offentl Gesundheitswes* 43: 18-21.
- Beck, EG; Bodeker, RH; Schmidt, P. (1990). Epidemiological Investigations of the Fibre Cement Industry in the Federal Republic of Germany (1981-1986) (pp. 23-26). (NIOSH/00198664). Beck, EG; Bodeker, RH; Schmidt, P.
- Beck, EG; Bruch, J; Friedrichs, KH; Hilscher, W; Pott, F. (1970). [Fibrous silicates in animal experiments and cell-culture-morphological cell and tissue reactions according to different physical chemical influences]. *Inhaled Particles* 1: 477-487.
- Beck, EG; egrave; Odeker, RH; Schmidt, P. (1988). Epidemiological investigation of the fibre cement industry. No: 12-17.
- Beck, EG; Holt, PF; Manojlovic, N. (1972). Comparison of effects on macrophage cultures of glass fibre, glass powder, and chrysotile asbestos. *Occup Environ Med* 29: 280-286.
- Beck, EG; Holt, PF; Nasrallah, ET. (1971). Effects of chrysotile and acid-treated chrysotile on macrophage cultures. *Br J Ind Med* 28: 179-185.
- Beck, EG; Schmidt, P. (1985). Epidemiological investigations of decreased employees of the asbestos cement industry in the Federal Republic of Germany. *Zentralbl Bakteriell Mikrobiol Hyg* 181: 207-215.
- Beck, EG; Tilkes, F. (1980). IN VITRO EFFECTS OF DEFINED MINERAL FIBERS (pp. 339-343). (EMICBACK/64081). Beck, EG; Tilkes, F.
- Becker, CE; Coye, MJ. (1984). Recent advances in occupational cancer. *J Toxicol Clin Toxicol* 22: 195-208.
- Becker, HM; Bertschinger, MM; Rogler, G. (2012). Microparticles and Their Impact on Intestinal Immunity [Review]. *Dig Dis* 30: 47-54. <http://dx.doi.org/10.1159/000342602>.
- Becker, N; Berger, J; Bolm-Audorff, U. (2001). Asbestos exposure and malignant lymphomas--a review of the epidemiological literature [Review]. *Int Arch Occup Environ Health* 74: 459-469.
- Beckett, WS. (2007). Shipyard workers and asbestos: a persistent and international problem [Editorial]. *Occup Environ Med* 64: 639-641. <http://dx.doi.org/10.1136/oem.2006.032284>.
- Becklake, MR. (1976). Asbestos-related diseases of the lung and other organs: their epidemiology and implications for clinical practice [Review]. *Am Rev Respir Dis* 114: 187-227. <http://dx.doi.org/10.1164/arrd.1976.114.1.187>.
- Becklake, MR. (1982). Asbestos-related diseases of the lungs and pleura: Current clinical issues [Review]. *Am Rev Respir Dis* 126: 187-194. <http://dx.doi.org/10.1164/arrd.1982.126.2.187>.
- Becklake, MR. (1983). Asbestos Miners and Millers: Morbidity Studies (pp. 263-275). (NIOSH/00213856). Becklake, MR.

Human Health Hazard Literature Search Results

On Topic

- Becklake, MR. (1983). Occupational lung disease--past record and future trend using the asbestos case as an example. *Clin Invest Med* 6: 305-317.
- Becklake, MR. (1991). Asbestos and other fiber-related diseases of the lungs and pleura. Distribution and determinants in exposed populations. *Chest* 100: 248-254.
- Becklake, MR. (1992). The mineral dust diseases (pp. 13-20). (BIOSIS/92/30535). Becklake, MR.
- Becklake, MR. (1992). Occupational exposures and chronic airways disease. In WN Rom (Ed.), (pp. 453-463). Boston, MA: Little, Brown and Company.
- Becklake, MR. (1994). Symptoms and pulmonary functions as measures of morbidity. *Ann Occup Hyg* 38: 569-580, 418.
- Becklake, MR; Arhirii, MI; Gibbs, GW; Hurwitz, S. (1980). Exposure to asbestos and respiratory abnormality: the influence of fibre type and nature of exposure. IARC Sci Publ IARC Scientific Publication No: 763-768.
- Becklake, MR; Bagatin, E; Neder, JA. (2007). Asbestos-related diseases of the lungs and pleura: uses, trends and management over the last century [Review]. *Int J Tuberc Lung Dis* 11: 356-369.
- Becklake, MR; Bagatin, E; Neder, JA. (2008). Asbestos-related diseases of the lungs and pleura (vol 11, pg 356, 2007). *Int J Tuberc Lung Dis* 12: 824-824.
- Becklake, MR; Case, BW. (1994). Fiber burden and asbestos-related lung disease: determinants of dose-response relationships [Review]. *Am J Respir Crit Care Med* 150: 1488-1492. <http://dx.doi.org/10.1164/ajrccm.150.6.7952604>.
- Becklake, MR; Ernst, P. (1984). Asbestos Exposure And Airway Responses (pp. 25-49). (NIOSH/00147343). Becklake, MR; Ernst, P.
- Becklake, MR; Fournier-Massey, G; Mcdonald, JC; Siemiatycki, J; Rossiter, CE. (1970). Lung Function in Relation to Chest Radiographic Changes in Quebec Asbestos Workers (pp. 637-659). (NIOSH/00129942). Becklake, MR; Fournier-Massey, G; Mcdonald, JC; Siemiatycki, J; Rossiter, CE.
- Becklake, MR; Fournier-Massey, G; Mcdonald, JC; Siemiatycki, J; Rossiter, CE. (1970). Lung function in relation to chest radiographic changes in Quebec asbestos workers. I. Methods, results and conclusions. *Bulletin Physiopathol Respir* 6: 637-659.
- Becklake, MR; Fournier-Massey, G; Rossiter, CE; Mcdonald, JC. (1972). Lung function in chrysotile asbestos mine and mill workers of Quebec. *Arch Environ Health* 24: 401-409.
- Becklake, MR; Fournier-Massey, GG; Mcdonald, JC; Siemiatycki, J; Rossiter, CE. (1970). Lung Function in Relation to Radiographic Changes in Quebec Asbestos Workers (pp. 233-236). (NIOSH/00177274). Becklake, MR; Fournier-Massey, GG; Mcdonald, JC; Siemiatycki, J; Rossiter, CE.
- Becklake, MR; Gibbs, GW; Arhirii, M; Hurwitz, S. (1980). RESPIRATORY CHANGES IN RELATION TO ASBESTOS EXPOSURE IN MANUFACTURING PROCESSES (pp. 18-21). (HEEP/81/07921). Becklake, MR; Gibbs, GW; Arhirii, M; Hurwitz, S.
- Becklake, MR; Liddell, FD; Manfreda, J; Mcdonald, JC. (1979). Radiological changes after withdrawal from asbestos exposure. *Br J Ind Med* 36: 23-28.
- Becklake, MR; Thomas, D; Liddell, F; Mcdonald, JC. (1982). Follow-up respiratory measurements in Quebec chrysotile asbestos miners and millers. *Scand J Work Environ Health* 8: 105-110.
- Becklake, MR; Toyota, B; Stewart, M; Hanson, R; Hanley, J. (1983). Lung structure as a risk factor in adverse pulmonary responses to asbestos exposure. A case-referent study in Quebec chrysotile miners and millers. *Am Rev Respir Dis* 128: 385-388.
- Beddows, NA. (1984). Asbestos And Respirators Working For A Solution (pp. 40-44). (NIOSH/00153818). Beddows, NA.
- Bedrossian, CW. (1992). Asbestos-related diseases: a historical and mineralogic perspective. *Semin Diagn Pathol* 9: 91-96.
- Bedu, M; Cheminat, JC; Maillet, J; Molina, C; Pedrizet, S. (1983). RADIOLOGIC ASPECTS AND FUNCTIONAL RESPIRATORY PARAMETERS AFTER A 5 YEAR INTERVAL IN ASBESTOS SPINNING PLANT WORKERS (pp. 9-11). (HEEP/84/09075). Bedu, M; Cheminat, JC; Maillet, J; Molina, C; Pedrizet, S.
- Bedu, M; Cheminat, JC; Maillet, J; Perdrizet, S; Molina, C. (1985). [Long-term radiology and respiratory function study following exposure to asbestos]. *Rev Mal Respir* 2: 139-144.
- Bedu, M; Cooreman, J; Maillet, J; Cheminat, JC; Molina, C. (1984). MEDICAL MONITORING OF A POPULATION OF WORKERS EXPOSED TO ASBESTOS DIFFICULTY INVOLVED IN LONGITUDINAL STUDY (pp. 263). (BIOSIS/85/02049). Bedu, M; Cooreman, J; Maillet, J; Cheminat, JC; Molina, C.
- Bedu, M; Molina, C; Tourreau, A; Maillet, J; Cheminat, JC. (1979). [Correlations between chest X-rays, clinical data, and lung function tests (flow-volume curve) in asbestos workers (author's transl)]. *Rev Fr Mal Respir* 7: 723-732.
- Beebe-Dimmer, JL; Fryzek, JP; Yee, CL; Dalvi, TB; Garabrant, DH; Schwartz, AG; Gadgeel, S. (2016). Mesothelioma in the United States: a Surveillance, Epidemiology, and End Results (SEER)-Medicare investigation of treatment patterns and overall survival. *Clinical Epidemiology* 8: 743-750. <http://dx.doi.org/10.2147/CLEP.S105396>.
- Beeckmans, JM. (1970). The deposition of asbestos particles in the human respiratory tract. *Int J Environ Stud* 1: 31-34. <http://dx.doi.org/10.1080/00207237008709392>.
- Beg, MU; Rahman, Q; Viswanathan, PN; Zaidi, SH. (1973). The Effect of Asbestos Dust on Mitochondrial Enzymes of Rat Lung. *Environ Physiol Biochem* 3: 185-191.
- Begin, R. (1998). [Asbestos exposure and pleuropulmonary cancer] [Review]. *Rev Mal Respir* 15: 723-730.
- Bégin, R. (1999). [Asbestos exposure and pleuropulmonary cancer]. *Rev Mal Respir* 16 Suppl 2: S34-S41.
- Begin, R; Bisson, G; Lambert, R; Cote, Y; Fabi, D; Martel, M; Lamoureux, G; Rola-Pleszczynski, M; Boctor, M; Et, AL. (1986). Gallium-67 uptake in the lung of asbestos exposed sheep: Early association with enhanced macrophage-derived fibronectin accumulation. *J Nucl Med* 27: 538-544.

Human Health Hazard Literature Search Results

On Topic

- Begin, R; Bisson, G; Lambert, R; Lamoureux, G; Cote, Y; Fabi, D; Martel, M; Desmarais, Y; Rola-Pleszczynski, M; Masse, S. (1985). GALLIUM-67 LUNG UPTAKE IN SHEEP CHRONICALLY EXPOSED TO LOW DOSE ASBESTOS (pp. 12-15). (BIOSIS/85/16512). Begin, R; Bisson, G; Lambert, R; Lamoureux, G; Cote, Y; Fabi, D; Martel, M; Desmarais, Y; Rola-Pleszczynski, M; Masse, S.
- Begin, R; Boctor, M; Bergeron, D; Cantin, A; Berthiaume, Y; Peloquin, S; Bisson, G; Lamoureux, G. (1984). Radiographic assessment of pleuropulmonary disease in asbestos workers: Posteroanterior, 4 view films, and computed tomograms of the thorax. *Br J Ind Med* 41: 373-383.
- Begin, R; Boileau, R; Peloquin, S. (1987). ASBESTOS EXPOSURE CIGARETTE SMOKING AND AIRFLOW LIMITATION IN LONG-TERM CANADIAN CHRYSOTILE WORKERS (pp. 15-18). (ISSN 0012-3692 EISSN 1931-3543 BIOSIS/87/21470). Begin, R; Boileau, R; Peloquin, S.
- Bégin, R; Boileau, R; Pélouquin, S. (1987). Asbestos exposure, cigarette smoking, and airflow limitation in long-term Canadian chrysotile miners and millers. *Am J Ind Med* 11: 55-66.
- Begin, R; Cantin, A; Berthiaume, Y; Boctor, M; Bisson, G; Lamoureux, G; Peloquin, S; Dalle, D. (1984). RALES IN ASBESTOS WORKERS AN AUSCULTATION BASED PROFUSION ANALYSIS IN RELATION TO EARLY DETECTION AND ASSESSMENT OF SEVERITY OF ASBESTOSIS (pp. 20-23). (HEEP/85/02132). Begin, R; Cantin, A; Berthiaume, Y; Boctor, M; Bisson, G; Lamoureux, G; Peloquin, S; Dalle, D.
- Bégin, R; Cantin, A; Berthiaume, Y; Boileau, R; Bisson, G; Lamoureux, G; Rola-Pleszczynski, M; Drapeau, G; Massé, S; Boctor, M. (1985). Clinical features to stage alveolitis in asbestos workers. *Am J Ind Med* 8: 521-536.
- Begin, R; Cantin, A; Berthiaume, Y; Boileau, R; Bisson, G; Lamoureux, G; Rola-Pleszczynski, M; Drapeau, G; Masse, S; Et, AL. (1985). CLINICAL FEATURES TO STAGE THE ALVEOLITIS IN ASBESTOS WORKERS (pp. 12-15). (BIOSIS/85/16462). Begin, R; Cantin, A; Berthiaume, Y; Boileau, R; Bisson, G; Lamoureux, G; Rola-Pleszczynski, M; Drapeau, G; Masse, S; Et, AL.
- Begin, R; Cantin, A; Berthiaume, Y; Boileau, R; Peloquin, S; Masse, S. (1983). THE SMALL AIRWAYS IN LIFETIME NONSMOKING OLDER ASBESTOS WORKERS (pp. 8-11). (ISSN 0003-0805 HEEP/84/08873). Begin, R; Cantin, A; Berthiaume, Y; Boileau, R; Peloquin, S; Masse, S.
- Bégin, R; Cantin, A; Berthiaume, Y; Boileau, R; Pélouquin, S; Massé, S. (1983). Airway function in lifetime-nonsmoking older asbestos workers. *Am J Med* 75: 631-638.
- Begin, R; Cantin, A; Boileau, R. (1982). Air flow limitation in lifetime nonsmoking older asbestos workers. 5: 46B.
- Bégin, R; Cantin, A; Drapeau, G; Lamoureux, G; Boctor, M; Massé, S; Rola-Pleszczynski, M. (1983). Pulmonary uptake of gallium-67 in asbestos-exposed humans and sheep. *Am Rev Respir Dis* 127: 623-630. <http://dx.doi.org/10.1164/arrd.1983.127.5.623>.
- Begin, R; Cantin, A; Masse, S. (1988). FIBRONECTIN PRODUCTION FIBROBLAST GROWTH ACTIVITY AND LUNG FIBROSIS IN ASBESTOS EXPOSED SHEEP (pp. 8-11). (BIOSIS/88/23577). Begin, R; Cantin, A; Masse, S.
- Begin, R; Cantin, A; Masse, S. (1989). RECENT ADVANCES IN THE PATHOGENESIS AND CLINICAL ASSESSMENT OF MINERAL DUST PNEUMOCONIOSES ASBESTOSIS SILICOSIS AND COAL PNEUMOCONIOSIS. *Eur Respir J* 2: 988-1001.
- Bégin, R; Cantin, A; Massé, S. (1991). Influence of continued asbestos exposure on the outcome of asbestosis in sheep. *Exp Lung Res* 17: 971-984.
- Begin, R; Cantin, A; Masse, S; Cote, Y; Fabi, D. (1988). EFFECTS OF CYCLOPHOSPHAMIDE TREATMENT IN EXPERIMENTAL ASBESTOSIS. *Exp Lung Res* 14: 823-836.
- Bégin, R; Cantin, A; Massé, S; Sébastien, P. (1991). Contributions of experimental asbestosis in sheep to the understanding of asbestosis [Review]. *Ann N Y Acad Sci* 643: 228-238.
- Bégin, R; Cantin, A; Sébastien, P. (1990). Chrysotile asbestos exposures can produce an alveolitis with limited fibrosing activity in a subset of high fibre retainer sheep. *Eur Respir J* 3: 81-90.
- Bégin, R; Christman, JW. (2001). Detailed occupational history: the cornerstone in diagnosis of asbestos-related lung disease [Editorial]. *Am J Respir Crit Care Med* 163: 598-599. <http://dx.doi.org/10.1164/ajrccm.163.3.ed09-01b>.
- Begin, R; Desmarais, Y; Martel, M; Boileau, R; Vezina, Y; Masse, S. (1986). ELEVATED HISTAMINE CONTENT OF LUNG LAVAGE IN HUMAN ASBESTOSIS. *Lung* 164: 199-206.
- Bégin, R; Drapeau, G; Boileau, R; Vézina, Y; Cantin, A; Desmarais, Y; Martel, M. (1986). Enzyme activities of lung lavage in asbestosis. *Clin Biochem* 19: 240-243.
- Begin, R; Dufresne, A; Cantin, A; Masse, MD; Sebastien, P; Durand, P; Perrault, G. (1990). Carborundum Pneumoconiosis (pp. 17-20). (NIOSH/00198766). Begin, R; Dufresne, A; Cantin, A; Masse, MD; Sebastien, P; Durand, P; Perrault, G.
- Bégin, R; Dufresne, A; Cantin, A; Massé, S; Sébastien, P; Perrault, G. (1989). Carborundum pneumoconiosis. Fibers in the mineral activate macrophages to produce fibroblast growth factors and sustain the chronic inflammatory disease. *Chest* 95: 842-849.
- Bégin, R; Fillion, R; Ostiguy, G. (1995). Emphysema in silica- and asbestos-exposed workers seeking compensation: A CT scan study. *Chest* 108: 647-655. <http://dx.doi.org/10.1378/chest.108.3.647>.
- Bégin, R; Gauthier, JJ; Desmeules, M; Ostiguy, G. (1992). Work-related mesothelioma in Québec, 1967-1990. *Am J Ind Med* 22: 531-542.
- Bégin, R; Martel, M; Desmarais, Y; Drapeau, G; Boileau, R; Rola-Pleszczynski, M; Massé, S. (1986). Fibronectin and procollagen 3 levels in bronchoalveolar lavage of asbestos-exposed human subjects and sheep. *Chest* 89: 237-243.
- Begin, R; Masse, S. (1984). CUMULATIVE ASBESTOS EXPOSURE DOSE LUNG TISSUE REACTION RELATIONSHIP IN HUMANS AND IN THE SHEEP MODEL (pp. 20-23). (HEEP/85/01070). Begin, R; Masse, S.
- Begin, R; Masse, S; Boctor, M; Sirois, P; Lemaire, I; Rola-Pleszczynski, M; Bureau, MA. (1981). SEQUENTIAL CHANGES IN LUNG FUNCTION FOLLOWING ASBESTOS EXPOSURE IN THE SHEEP (pp. 9-13). (HEEP/82/05769). Begin, R; Masse, S; Boctor, M; Sirois, P; Lemaire, I; Rola-Pleszczynski, M; Bureau, MA.
- Begin, R; Masse, S; Bureau, MA. (1982). EXPERIMENTAL ASBESTOSIS IN THE SHEEP MODEL MORPHOLOGY AND FUNCTION OF THE AIRWAYS DURING THE INITIAL ALVEOLITIS (pp. 15-18). (HEEP/84/01889). Begin, R; Masse, S; Bureau, MA.

Human Health Hazard Literature Search Results

On Topic

- Bégin, R; Massé, S; Bureau, MA. (1982). Morphologic features and function of the airways in early asbestosis in the sheep model. *Am Rev Respir Dis* 126: 870-876. <http://dx.doi.org/10.1164/arrd.1982.126.5.870>.
- Begin, R; Masse, S; Cantin, A; Bisson, G; Bergeron, D. (1988). Imaging the Pneumoconioses: A Multidisciplinary Approach. *J Thorac Imaging* 3: 37-50.
- Begin, R; Masse, S; Drapeau, G. (1984). LUNG FLUIDS IN SHEEP ASBESTOSIS (pp. 8-12). (HEEP/85/04203). Begin, R; Masse, S; Drapeau, G.
- Begin, R; Masse, S; Drapeau, G; Rola-Pleszczynski, M. (1984). ASBESTOS EXPOSURE DOSE BRONCHOALVEOLAR MILIEU RESPONSE RELATIONSHIP IN THE SHEEP MODEL (pp. 8-12). (ISSN 0012-3692 EISSN 1931-3543 HEEP/85/04201). Begin, R; Masse, S; Drapeau, G; Rola-Pleszczynski, M.
- Begin, R; Masse, S; Peloquin, S; Cote, Y; Fabi, D. (1985). AIRFLOW LIMITATION IN ASBESTOS EXPOSED HUMAN AND SHEEP (pp. 12-15). (BIOSIS/85/16522). Begin, R; Masse, S; Peloquin, S; Cote, Y; Fabi, D.
- Bégin, R; Massé, S; Rola-Pleszczynski, M; Boctor, M; Drapeau, G. (1987). Asbestos exposure dose-bronchoalveolar milieu response in asbestos workers and the sheep model: evidences of a threshold for chrysotile-induced fibrosis. *Drug Chem Toxicol* 10: 87-107. <http://dx.doi.org/10.3109/01480548709042584>.
- Begin, R; Masse, S; Rola-Pleszczynski, M; Drapeau, G. (1985). BRONCHOALVEOLAR AND LUNG TISSUE ANALYSES IN ASBESTOS-EXPOSED HUMANS AND SHEEP (pp. NEW YORK). (BIOSIS/86/22559). Begin, R; Masse, S; Rola-Pleszczynski, M; Drapeau, G.
- Begin, R; Masse, S; Rola-Pleszczynski, M; Drapeau, G; Dalle, D. (1985). Selective exposure and analysis of the sheep tracheal lobe as a model for toxicological studies of respirable particles. *Environ Res* 36: 389-404.
- Begin, R; Masse, S; Rola-Pleszczynski, M; Drapeau, G; Peloquin, S; Geoffroy, M; Labbe, J; Gouin, S; Desmarais, Y; Martel, M. (1985). ANALYSIS OF BRONCHOALVEOLAR LAVAGE AND PULMONARY TISSUE IN THE HUMAN AND SHEEP EXPOSED TO ASBESTOS (pp. 44-45). (BIOSIS/85/14201). Begin, R; Masse, S; Rola-Pleszczynski, M; Drapeau, G; Peloquin, S; Geoffroy, M; Labbe, J; Gouin, S; Desmarais, Y; Martel, M.
- Begin, R; Masse, S; Rola-Pleszczynski, M; Geoffroy, M; Martel, M; Desmarais, Y; Sebastien, P. (1987). The lung biological activity of American attapulgite. *Environ Res* 42: 328-339.
- Begin, R; Masse, S; Rola-Pleszczynski, M; Nadeau, D; Drapeau, G. (1983). PROGRESSION OF THE ALVEOLITIS AFTER CESSATION OF ASBESTOS EXPOSURE IN THE SHEEP MODEL (pp. 8-11). (HEEP/84/08869). Begin, R; Masse, S; Rola-Pleszczynski, M; Nadeau, D; Drapeau, G.
- Begin, R; Masse, S; Sebastien, P. (1986). Determinants of Biological Effects of Chrysotile in the Lung. Exposure Dose, Fiber Size, or Chemistry and Individual Susceptibility. *Accomplishments in Oncology* 1: 74-110.
- Begin, R; Masse, S; Sebastien, P. (1989). Alveolar Dust Clearance Capacity as Determinant of Individual Susceptibility to Asbestosis: New Experimental Observations. *Ann Occup Hyg* 33: 279-282.
- Begin, R; Masse, S; Sebastien, P; Bosse, J; Rola-Pleszczynski, M; Boctor, M; Cote, Y; Fabi, D; Dalle, D. (1986). Asbestos exposure and retention as determinants of airway disease and asbestos alveolitis. *Am Rev Respir Dis* 134: 1176-1181. <http://dx.doi.org/10.1164/arrd.1986.134.5.1176>.
- Begin, R; Masse, S; Sebastien, P; Bosse, J; Rola-Pleszczynski, M; Boctor, M; Cote, Y; Fabi, D; Dalle, D. (1986). ASBESTOS EXPOSURE AND RETENTION AS DETERMINANTS OF AIRWAY DISEASE AND THE ASBESTOS ALVEOLITIS (pp. 11-14). (BIOSIS/86/27912). Begin, R; Masse, S; Sebastien, P; Bosse, J; Rola-Pleszczynski, M; Boctor, M; Cote, Y; Fabi, D; Dalle, D.
- Bégin, R; Ménard, H; Décarie, F; St-Sauveur, A. (1987). Immunogenetic factors as determinants of asbestosis. *Lung* 165: 159-163.
- Bégin, R; Ostiguy, G; Filion, R; Colman, N; Bertrand, P. (1993). Computed tomography in the early detection of asbestosis. *Br J Ind Med* 50: 689-698.
- Bégin, R; Ostiguy, G; Filion, R; Groleau, S. (1992). Recent advances in the early diagnosis of asbestosis [Review]. *Semin Roentgenol* 27: 121-139.
- Bégin, R; Rola-Pleszczynski, M; Massé, S; Berthiaume, Y; Drapeau, G. (1983). Rapid in vivo assessment of toxicity of respirable particles: a concise report. *Res Comm Chem Pathol Pharmacol* 40: 267-278.
- Begin, R; Rola-Pleszczynski, M; Masse, S; Lemaire, I; Sirois, P; Boctor, M; Nadeau, D; Drapeau, G; Bureau, MA. (1983). Asbestos-induced lung injury in the sheep model: the initial alveolitis. *Environ Res* 30: 195-210. [http://dx.doi.org/10.1016/0013-9351\(83\)90180-9](http://dx.doi.org/10.1016/0013-9351(83)90180-9).
- Begin, R; Rola-Pleszczynski, M; Masse, S; Lemaire, I; Sirois, P; Boctor, M; Nadeau, D; Drapeau, G; Bureau, MA. (1984). ASBESTOS INDUCED LUNG INJURY IN THE SHEEP MODEL CHARACTERIZATION OF THE ALVEOLITIS (pp. NEW YORK). (HEEP/85/00836). Begin, R; Rola-Pleszczynski, M; Masse, S; Lemaire, I; Sirois, P; Boctor, M; Nadeau, D; Drapeau, G; Bureau, MA.
- Begin, R; Rola-Pleszczynski, M; Masse, S; Nadeau, D; Drapeau, G. (1983). Assessment of progression of asbestosis in the sheep model by bronchoalveolar lavage and pulmonary function tests. *Thorax* 38: 449-457.
- Begin, R; Rola-Pleszczynski, M; Sirois, P; Lemaire, I; Nadeau, D; Bureau, MA; Masse, S. (1981). Early lung events following low-dose asbestos exposure. *Environ Res* 26: 392-401.
- Begin, R; Samet, JM; Shaikh, RA. (1996). Asbestos Part I. Asbestos-Related Diseases, and Part II. Asbestosin Buildings (pp. 293-329). (NIOSH/00229324). Begin, R; Samet, JM; Shaikh, RA.
- Begin, R; Sebastien, P. (1989). CHRYSOTILE FIBER RETENTION AS DETERMINANT OF INDIVIDUAL SUSCEPTIBILITY TO DEVELOP ASBESTOSIS (pp. 14-17). (BIOSIS/89/20563). Begin, R; Sebastien, P.
- Bégin, R; Sébastien, P. (1989). Excessive accumulation of asbestos fibre in the bronchoalveolar space may be a marker of individual susceptibility to developing asbestosis: experimental evidence. *Br J Ind Med* 46: 853-855.
- Begin, R; Sirois, P; Masse, S; Lemaire, I; Nadeau, D; Boctor, M; Rola-Pleszczynski, M. (1981). ANALYSIS OF THE BRONCHO ALVEOLAR MILIEU IN EARLY ASBESTOSIS OF THE SHEEP (pp. 9-13). (HEEP/82/05768). Begin, R; Sirois, P; Masse, S; Lemaire, I; Nadeau, D; Boctor, M; Rola-Pleszczynski, M.

Human Health Hazard Literature Search Results

On Topic

- Beh, EJ; Smith, DR. (2011). Real world occupational epidemiology, part 2: a visual interpretation of statistical significance. *Arch Environ Occup Health* 66: 245-248. <http://dx.doi.org/10.1080/19338244.2011.564235>.
- Beland, FA; Poirier, MC. (1991). BIOMARKERS OF HUMAN EXPOSURE TO CARCINOGENS AN OVERVIEW. *Biomed Environ Sci* 4: 1-2.
- Belanger, SE; Schurr, K. (1982). The effect of asbestos on larval coho salmon oncorhynchus-kisutch. 82: 4.
- Belitskaya-Levy, I; Hajjou, M; Su, WC; Yie, TA; Tchou-Wong, KM; Tang, MS; Goldberg, JD; Rom, WN. (2007). Gene profiling of normal human bronchial epithelial cells in response to asbestos and benzo(a)pyrene diol epoxide (BPDE). *J Environ Pathol Toxicol Oncol* 26: 281-294.
- Bell, A. (1973). Industrial hygiene and occupational health studies in Australian (New South Wales) shipyards. (NIOSH/00040999). Bell A.
- Bell, A. (1976). Industrial hygiene and occupational health studies in Australian (New South Wales) shipyards. *Environ Res* 11: 198-212.
- Bell, DY; Spock, A; Johnson, SM; Piantadosi, CA; Roggli, VL. (1983). LOW OR ABSENT IMMUNO GLOBULINS AT THE BRONCHO ALVEOLAR SURFACE IN PATIENTS WITH ASBESTOSIS (pp. 8-11). (HEEP/84/08872). Bell, DY; Spock, A; Johnson, SM; Piantadosi, CA; Roggli, VL.
- Bellassai, D; Spinazzola, A; Silvestri, S. (2015). [Estimation of the indoor diffusion of asbestos fibers with the diffusion model for the external environment of Pasquill and Gifford]. *G Ital Med Lav Ergon* 37: 26-31.
- Belli, C; Fennell, D; Giovannini, M; Gaudino, G; Mutti, L. (2009). Malignant pleural mesothelioma: current treatments and emerging drugs [Review]. *Expert Opin Emerg Drugs* 14: 423-437. <http://dx.doi.org/10.1517/14728210903074563>.
- Belli, S; Bruno, C; Comba, P; Grignoli, M. (1998). [Cause-specific mortality of asbestos-cement workers compensated for asbestosis in the city of Bari]. *Epidemiol Prev* 22: 8-11.
- Bellis, D; Andrion, A; Delsedime, L; Mollo, F. (1989). Minimal pathologic changes of the lung and asbestos exposure. *Hum Pathol* 20: 102-106.
- Bellis, D; Belluso, E; Capella, S; Coverlizza, S; Ferraris, G. (2003). [Mineral fibers and bladder cancer. Morphological and mineralogical investigations in a subject without professional exposure]. *Pathologica* 95: 157-161.
- Bellis, D; Leonardo, E; Delsedime, L; Bernardi, P; Andrion, A. (1987). ASBESTOS EXPOSURE AND PLASMA LEVELS OF FIBRONECTIN ELASTASE AND ANGIOTENSIN-CONVERTING ENZYME IN SUBJECTS WITH LUNG CANCER. *Riv Anat Patol Oncol* 46: 9-18.
- Bellmann, B; Konig, H; Muhle, H; Pott, F. (1986). Chemical Durability of Asbestos and of Man-Made Mineral Fibres In Vivo. *J Aerosol Sci* 17: 341-345.
- Bellmann, B; Muhle, H. (1994). Investigation of the Biodurability of Wollastonite and Xonotlite. *Environ Health Perspect* 102: 191-195.
- Bellmann, B; Muhle, H; Pott, F; Koenig, H; Kloepfel, H; Spurny, K. (1987). Persistence of man-made mineral fibres (MMMMF) and asbestos in rat lungs. *Ann Occup Hyg* 31: 693-709.
- Belobragina, GV; Belyakov YU, M; Orlov, GP; Pochashev, EN; Medvedev, LA. (1974). Study of the content of free radicals in animal lungs in experimental pneumoconioses by electron paramagnetic resonance. *Gig Sanit* 38: 37-40.
- Belobragina, GV; El'Nichnykh, LN. (1972). Localization of lipids in the lungs in experimental asbestosis. *Gig Tr Prof Zabol* 16: 55-57.
- Below, JE; Cox, NJ; Fukagawa, NK; Hirvonen, A; Testa, JR. (2011). Factors that impact susceptibility to fiber-induced health effects. *J Toxicol Environ Health B Crit Rev* 14: 246-266. <http://dx.doi.org/10.1080/10937404.2011.556052>.
- Belpoggi, F; Soffritti, M; Manservigi, M; Lauriola, M. (2007). Mesothelioma following asbestos exposure in workers of sugar refinery plants: the Ramazzini Foundation case series. *Eur J Oncol* 12: 101-107.
- Belpoggi, F; Virzi, S; Iusco, D; Balbi, T; Pierini, G; Tibaldi, E, va; Bua, L. (2010). Peritoneal mesothelioma in an insulation worker exposed to asbestos. *Eur J Oncol* 15: 43-49.
- Belt, TH; Friedmann, I; King, EJ. (1947). The effect of asbestos on tissue cultures; a comparative study with quartz and coal dust. *J Pathol Bacteriol* 59: 159-164.
- Belvedere, O; Grossi, F; Meduri, S; Barbone, F; Zanin, T; Pignata, G; De Pangher, V; Pilati, G; Follador, A; Fasola, G. (2004). Lung cancer and mesothelioma screening with low-dose spiral computed tomography (LDCT) in 1,000 asbestos-exposed workers: An Alpe-Adria Thoracic Oncology Multidisciplinary group study (ATOM 002). *J Clin Oncol* 22: 628S-628S.
- Belvedere, O; Grossi, F; Rossetto, C; Meduri, S; Barbone, F; Scogna, A; Follador, A; Zanin, T; De Pangher, V; Fasola, G. (2005). Final results of lung cancer and mesothelioma baseline screening with low-dose spiral computed tomography (LDCT) in 1000 asbestos-exposed workers: An Alpe-Adria Thoracic Oncology Multidisciplinary group study (ATOM 002). *Lung Cancer* 49: S81-S81.
- Belyanskaya, LL; Marti, TM; Hopkins-Donaldson, S; Kurtz, S; Felley-Bosco, E; Stahel, RA. (2007). Human agonistic TRAIL receptor antibodies Mapatumumab and Lexamumab induce apoptosis in malignant mesothelioma and act synergistically with cisplatin. *Mol Cancer* 6: 66. <http://dx.doi.org/10.1186/1476-4598-6-66>.
- Ben Mansour, H; Kolsi, M; Fehri, S; Nouaigui, H; Ben Laïba, M. (2004). [Occupational cancers]. (CIS/05/00294). Berufsgenossenschaftliches Institut für Arbeitssicherheit.
- Benarde, MA. (1990). Adverse health effects of asbestos. In MA Benarde (Ed.), (pp. 45-71). Boca Raton, FL: CRC Press.
- Ben-Dror, G; Suprun, H; Shkolnik, T. (1985). PERITONEAL MESOTHELIOMAS AND EXPOSURE TO ASBESTOS. *Harefuah* 108: 435-437.
- Benedetti, S; Nuvoli, B; Catalani, S; Galati, R. (2015). Reactive oxygen species a double-edged sword for mesothelioma [Review]. *Onct* 6: 16848-16865. <http://dx.doi.org/10.18632/oncotarget.4253>.
- Bengtsson, NO; Hardell, L; Eriksson, M. (1982). Asbestos exposure and malignant lymphoma [Letter]. *Lancet* 2: 1463.
- Benko, S; Philpott, DJ; Girardin, SE. (2008). The microbial and danger signals that activate Nod-like receptors [Review]. *Cytokine* 43: 368-373. <http://dx.doi.org/10.1016/j.cyto.2008.07.013>.
- Bennett, IP; Pigott, GH; Isaacs, K. (1988). A protocol to evaluate the fibrogenic potential of inhaled materials. *J Appl Toxicol* 8: 423-429.
- Benning, T; Roggli, V. (1989). ASBESTOS BODIES IN PULMONARY HILAR LYMPH NODES (pp. 5-10). (ISSN 0023-6837 EISSN 1530-0307 BIOSIS/89/15201). Benning, T; Roggli, V.

Human Health Hazard Literature Search Results

On Topic

- Beno, M; Hurbankova, M; Dusinska, M; Cerna, S; Volkovova, K; Staruchova, M; Barancokova, M; Kazimirova, A; Kovacikova, Z; Mikulecky, M; Kyrtopoulos, SA. (2005). Multinucleate cells (MNC) as sensitive semiquantitative biomarkers of the toxic effect after experimental fibrous dust and cigarette smoke inhalation by rats. *Exp Toxicol Pathol* 57: 77-87.
- Beno, M; Hurbánková, M; Dusinská, M; Volkovová, K; Staruchová, M; Cerná, S; Barancoková, M; Kazimirová, A; Kováčiková, Z; Bobek, P; Horecký, M; Mikulecký, M; Kyrtopoulos, SA. (2004). Some lung cellular parameters reflecting inflammation after combined inhalation of amosite dust with cigarette smoke by rats. *Cent Eur J Public Health* 12 Suppl: S11-S13.
- Ben-Shlomo, R; Shanas, U. (2011). Genetic ecotoxicology of asbestos pollution in the house mouse *Mus musculus domesticus*. *Environ Sci Pollut Res Int* 18: 1264-1269. <http://dx.doi.org/10.1007/s11356-011-0481-9>.
- Benson, R; Berry, D; Lockey, J; Brattin, W; Hilbert, T; Lemasters, G. (2015). Exposure-response modeling of non-cancer effects in humans exposed to Libby Amphibole Asbestos; update. *Regul Toxicol Pharmacol* 73: 780-789. <http://dx.doi.org/10.1016/j.yrtph.2015.10.019>.
- Benson, R; Berry, D; Lockey, J; Brattin, W; Hilbert, T; Lemasters, G. (2016). Response to comment on "Exposure-response modeling of non-cancer effects in humans exposed to Libby Amphibole Asbestos; update" by Benson et al. (2015) submitted by Goodman et al. (2016) [Letter]. *Regul Toxicol Pharmacol* 80: 270-271. <http://dx.doi.org/10.1016/j.yrtph.2016.05.015>.
- Benvenuto, M; Mattera, R; Taffera, G; Giganti, MG; Lido, P; Masuelli, L; Modesti, A; Bei, R. (2016). The Potential Protective Effects of Polyphenols in Asbestos-Mediated Inflammation and Carcinogenesis of Mesothelium [Review]. *Nutrients* 8. <http://dx.doi.org/10.3390/nu8050275>.
- Berardi, M; Begin, R; Rola-Pleszczynski, M. (1985). STIMULATION OF NEUTROPHIL CHEMILUMINESCENCE BY ALVEOLAR MACROPHAGES FROM PATIENTS EXPOSED TO ASBESTOS (pp. NEW YORK). (BIOSIS/86/22528). Berardi, M; Begin, R; Rola-Pleszczynski, M.
- Berardi, R; Fiordoliva, I; De Lisa, M; Ballatore, Z; Caramanti, M; Morgese, F; Savini, A; Rinaldi, S; Torniai, M; Tiberi, M; Ferrini, C; Onofri, A; Cascinu, S. (2016). Clinical and pathologic predictors of clinical outcome of malignant pleural mesothelioma. *Tumori* 102: 0. <http://dx.doi.org/10.5301/tj.5000418>.
- Bergamini, C; Fato, R; Biagini, G; Pugnalonì, A; Giantomassi, F; Foresti, E; Lesci, GI; Roveri, N; Lenaz, G. (2004). Mitochondrial changes induced by natural and synthetic asbestos fibers: studies on isolated mitochondria. *Cell Mol Biol (Noisy-le-grand)* 50 Online Pub: OL691-OL700. <http://dx.doi.org/10.1170/83>.
- Bergamini, C; Fato, R; Biagini, G; Pugnalonì, A; Giantomassi, F; Foresti, E; Lesci, GI; Roveri, N; Lenaz, G. (2006). Mitochondrial changes induced by natural and synthetic asbestos fibers: studies on isolated mitochondria. *Cell Mol Biol (Noisy-le-grand)* 52 Suppl: OL905-OL913.
- Bergdahl, IA; Torén, K; Eriksson, K; Hedlund, U; Nilsson, T; Flodin, R; Järvholm, B. (2004). Increased mortality in COPD among construction workers exposed to inorganic dust. *Eur Respir J* 23: 402-406.
- Beri, R; Liu, G; Mueller, A; Trejo, HE; Kamp, DW. (2010). ASBESTOS INDUCES AN ENDOPLASMIC RETICULUM STRESS RESPONSE IN ALVEOLAR EPITHELIAL CELLS. *J Investig Med* 58: 658-659.
- Beri, R; Mueller, A; Liu, G; Lam, AP; Trejo, H; Chandel, NS; Kamp, DW. (2011). Mitochondria-Targeted Bcl-xl Attenuates Asbestos-Induced AEC ER Stress Response And Apoptosis. *Am J Respir Crit Care Med* 183.
- Beritić, T; Dimov, D; Bunarević, A; Sondić, M; Sirec, A. (1971). Asbestos and ferruginous bodies. *Arh Hig Rada Toksikol* 22: 317-322.
- Beritić-Stahuljak, D; Valić, F; Zuskin, E. (1991). Relationship between cumulative occupational exposure to asbestos fibres and respiratory symptoms. *Acta Med Croatica* 45: 283-295.
- Berk, S; Yalcin, H; Dogan, OT; Epozurk, K; Akkurt, I; Seyfikli, Z. (2014). The assessment of the malignant mesothelioma cases and environmental asbestos exposure in Sivas province, Turkey. *Environ Geochem Health* 36: 55-64. <http://dx.doi.org/10.1007/s10653-013-9518-y>.
- Berken, A; Abel, J; Unfried, K. (2003). beta1-integrin mediates asbestos-induced phosphorylation of AKT and ERK1/2 in a rat pleural mesothelial cell line. *Oncogene* 22: 8524-8528. <http://dx.doi.org/10.1038/sj.onc.1207195>.
- Berken, A; Bierhals, K; Sydlík, U; Abel, J; Unfried, K. (2003). Relevance of integrin-mediated signal transduction pathways for mesothelioma carcinogenesis induced by asbestos fibres. *Naunyn Schmiedebergs Arch Pharmacol* 367: R152-R152.
- Berkley, CJ; Selikoff, IJ; Smith, WE. (1965). The Detection and Localization of Mineral Fibers in Tissue. *Ann N Y Acad Sci* 132: 48-63.
- Berman, DW; Crump, KS. (1989). RELATIVE POTENCY OF ASBESTOS FIBERS OF DIFFERENT LENGTHS (pp. FROM MOLECULAR MECHANISMS TO MOLECULAR EPIDEMIOLOGY). (BIOSIS/90/15785). Berman, DW; Crump, KS.
- Berman, DW; Crump, KS. (2008). A meta-analysis of asbestos-related cancer risk that addresses fiber size and mineral type. *Crit Rev Toxicol* 38: 49-73. <http://dx.doi.org/10.1080/10408440802273156>.
- Berman, DW; Crump, KS. (2008). Update of potency factors for asbestos-related lung cancer and mesothelioma. *Crit Rev Toxicol* 38: 1-47. <http://dx.doi.org/10.1080/10408440802276167>.
- Berman, DW; Crump, KS; Chatfield, EJ; Davis, JM; Jones, AD. (1995). The sizes, shapes, and mineralogy of asbestos structures that induce lung tumors or mesothelioma in AF/HAN rats following inhalation. *Risk Anal* 15: 181-195.
- Bernard, A; Lauwerys, R. (1989). The mutagenic and carcinogenic risks of industrial chemicals. *Arch Mal Prof* 50: 779-790.
- Bernardet, C; Bonnetterre, V; Bicout, D; Larabi, L; De Gaudemaris, R. (2007). Analysis of trends pathology- nuisance pairing in the french national occupational disease surveillance and prevention network (RNV3P). *Arch Mal Prof Environ* 68: 438-444.
- Bernardini, P; Schettino, B; Sperduto, B; Giannandrea, F; Burragato, F; Castellino, N. (2003). Three cases of pleural mesothelioma and environmental pollution with tremolite outcrops in Lucania. *G Ital Med Lav Ergon* 25: 408-411.
- Bernareggi, A; Ren, E; Borelli, V; Vita, F; Constanti, A; Zabucchi, G. (2015). *Xenopus laevis* Oocytes as a Model System for Studying the Interaction Between Asbestos Fibres and Cell Membranes. *Toxicol Sci* 145: 263-272. <http://dx.doi.org/10.1093/toxsci/kfv050>.
- Berndt, ME; Brice, WC. (2008). The origins of public concern with taconite and human health: Reserve Mining and the asbestos case. *Regul Toxicol Pharmacol* 52: S31-S39. <http://dx.doi.org/10.1016/j.yrtph.2007.09.019>.

Human Health Hazard Literature Search Results

On Topic

- Bernstein, D; Castranova, V; Donaldson, K; Fubini, B; Hadley, J; Hesterberg, T; Kane, A; Lai, D; McConnell, EE; Muhle, H; Oberdorster, G; Olin, S; Warheit, DB; Group., IRSIW. (2005). Testing of fibrous particles: short-term assays and strategies. *Inhal Toxicol* 17: 497-537. <http://dx.doi.org/10.1080/08958370591001121>.
- Bernstein, D; Chevalier, J; Smith, P. (2004). Comparison Of Calidria Chrysotile Asbestos To Pure Tremolite: Inhalation Biopersistence And Histopathology Following Short Term Exposure. *Toxicologist* 78: 436.
- Bernstein, D; Dunnigan, J; Hesterberg, T; Brown, R; Velasco, JA; Barrera, R; Hoskins, J; Gibbs, A. (2013). Health risk of chrysotile revisited [Review]. *Crit Rev Toxicol* 43: 154-183. <http://dx.doi.org/10.3109/10408444.2012.756454>.
- Bernstein, D; Rogers, R; Smith, P. (2005). The biopersistence of Canadian chrysotile asbestos following inhalation: final results through 1 year after cessation of exposure. *Inhal Toxicol* 17: 1-14. <http://dx.doi.org/10.1080/08958370590885663>.
- Bernstein, D; Rogers, R; Smith, P; Chevalier, J. (2006). The toxicological response of Brazilian chrysotile asbestos: a multidose subchronic 90-day inhalation toxicology study with 92-day recovery to assess cellular and pathological response. *Inhal Toxicol* 18: 313-332. <http://dx.doi.org/10.1080/08958370500515871>.
- Bernstein, DM. (2014). The health risk of chrysotile asbestos [Review]. *Curr Opin Pulm Med* 20: 366-370. <http://dx.doi.org/10.1097/MCP.0000000000000064>.
- Bernstein, DM; Chevalier, J; Smith, P. (2003). Comparison of Calidria chrysotile asbestos to pure tremolite: Inhalation biopersistence and histopathology following short-term exposure. *Inhal Toxicol* 15: 1387-1419. <http://dx.doi.org/10.1080/08958370390248888>.
- Bernstein, DM; Chevalier, J; Smith, P. (2005). Comparison of Calidria chrysotile asbestos to pure tremolite: final results of the inhalation biopersistence and histopathology examination following short-term exposure. *Inhal Toxicol* 17: 427-449. <http://dx.doi.org/10.1080/08958370591002012>.
- Bernstein, DM; Donaldson, K; Decker, U; Gaering, S; Kunzendorf, P; Chevalier, J; Holm, SE. (2008). A biopersistence study following exposure to chrysotile asbestos alone or in combination with fine particles. *Inhal Toxicol* 20: 1009-1028. <http://dx.doi.org/10.1080/08958370802259053>.
- Bernstein, DM; Hoskins, JA. (2006). The health effects of chrysotile: current perspective based upon recent data [Review]. *Regul Toxicol Pharmacol* 45: 252-264. <http://dx.doi.org/10.1016/j.yrtph.2006.04.008>.
- Bernstein, DM; Rogers, R; Sepulveda, R; Kunzendorf, P; Bellmann, B; Ernst, H; Phillips, JI. (2014). Evaluation of the deposition, translocation and pathological response of brake dust with and without added chrysotile in comparison to crocidolite asbestos following short-term inhalation: interim results. *Toxicol Appl Pharmacol* 276: 28-46. <http://dx.doi.org/10.1016/j.taap.2014.01.016>.
- Bernstein, DM; Rogers, R; Smith, P. (2003). The biopersistence of Canadian chrysotile asbestos following inhalation. *Inhal Toxicol* 15: 1247-1274. <http://dx.doi.org/10.1080/08958370390241713>.
- Bernstein, DM; Rogers, R; Smith, P. (2004). The biopersistence of Brazilian chrysotile asbestos following inhalation. *Inhal Toxicol* 16: 745-761. <http://dx.doi.org/10.1080/08958370490490176>.
- Bernstein, DM; Rogers, R; Smith, P. (2004). The biopersistence of Canadian chrysotile asbestos following inhalation (vol 15, pg 1247, 2003). *Inhal Toxicol* 16: 67-67.
- Bernstein, DM; Rogers, RA; Sepulveda, R; Donaldson, K; Schuler, D; Gaering, S; Kunzendorf, P; Chevalier, J; Holm, SE. (2010). The pathological response and fate in the lung and pleura of chrysotile in combination with fine particles compared to amosite asbestos following short-term inhalation exposure: interim results. *Inhal Toxicol* 22: 937-962. <http://dx.doi.org/10.3109/08958378.2010.497818>.
- Bernstein, DM; Rogers, RA; Sepulveda, R; Donaldson, K; Schuler, D; Gaering, S; Kunzendorf, P; Chevalier, J; Holm, SE. (2011). Quantification of the pathological response and fate in the lung and pleura of chrysotile in combination with fine particles compared to amosite-asbestos following short-term inhalation exposure. *Inhal Toxicol* 23: 372-391. <http://dx.doi.org/10.3109/08958378.2011.575413>.
- Bernstein, DM; Rogers, RA; Sepulveda, R; Kunzendorf, P; Bellmann, B; Ernst, H; Creutzenberg, O; Phillips, JI. (2015). Evaluation of the fate and pathological response in the lung and pleura of brake dust alone and in combination with added chrysotile compared to crocidolite asbestos following short-term inhalation exposure. *Toxicol Appl Pharmacol* 283: 20-34. <http://dx.doi.org/10.1016/j.taap.2014.12.012>.
- Berra, A; Sulotto, F; Scansetti, G; Rubino, GF. (1976). [Behavior of closing capacity in 2 groups of asbestosis patients respectively with parenchymal fibrosis and pleural participation and a group of persons exposed to asbestos without radiological signs]. *Minerva Med* 67: 2217-2225.
- Berral, A; Pira, E; Romano, C. (2014). [Overdiagnosis and defensive medicine in occupational medicine] [Review]. *G Ital Med Lav Ergon* 36: 321-331.
- Berrino, F; Richiardi, L; Boffetta, P; Estève, J; Belletti, I; Raymond, L; Troschel, L; Pisani, P; Zubiri, L; Ascunce, N; Gubéran, E; Tuyns, A; Terracini, B; Merletti, F; Group, MJW. (2003). Occupation and larynx and hypopharynx cancer: A job-exposure matrix approach in an international case-control study in France, Italy, Spain and Switzerland. *Cancer Causes Control* 14: 213-223. <http://dx.doi.org/10.1023/a:1023661206177>.
- Berry, G. (1981). Mortality of workers certified by pneumoconiosis medical panels as having asbestosis. *Br J Ind Med* 38: 130-137.
- Berry, G. (1986). Chrysotile and Mesothelioma. *Accomplishments in Oncology* 1: 123-132.
- Berry, G. (1994). Mortality and cancer incidence of workers exposed to chrysotile asbestos in the friction-products industry. *Ann Occup Hyg* 38: 539-546, 413.
- Berry, G. (1999). Models for mesothelioma incidence following exposure to fibers in terms of timing and duration of exposure and the biopersistence of the fibers. *Inhal Toxicol* 11: 111-130. <http://dx.doi.org/10.1080/089583799197203>.
- Berry, G. (2002). Asbestos lung fibre analysis in the United Kingdom, 1976-96. *Ann Occup Hyg* 46: 523-526. <http://dx.doi.org/10.1093/annhyg/mef066>.

Human Health Hazard Literature Search Results

On Topic

- Berry, G; de Klerk, N; Reid, A; Ambrosini, G; Fritschi, L; Olsen, N; Merler, E; Musk, A. (2004). Malignant pleural and peritoneal mesotheliomas in former miners and millers of crocidolite at Wittenoom, Western Australia. *Occup Environ Med* 61: e14. <http://dx.doi.org/10.1136/oem.2003.008128>.
- Berry, G; Gibbs, GW. (2008). An overview of the risk of lung cancer in relation to exposure to asbestos and of taconite miners [Review]. *Regul Toxicol Pharmacol* 52: S218-S222. <http://dx.doi.org/10.1016/j.yrtph.2007.09.012>.
- Berry, G; Gilson, JC; Holmes, S; Lewinsohn, HC; Roach, SA. (1979). Asbestosis: A study of dose-response relationships in an asbestos textile factory. *Occup Environ Med* 36: 98-112. <http://dx.doi.org/10.1136/oem.36.2.98>.
- Berry, G; Lewinsohn, HC. (1979). DOSE RESPONSE RELATIONSHIPS FOR ASBESTOS RELATED DISEASE IMPLICATIONS FOR HYGIENE STANDARDS 1. MORBIDITY (pp. NEW YORK). (HEEP/81/07840). Berry, G; Lewinsohn, HC.
- Berry, G; Lewinsohn, HC. (1979). Dose-response relationships for asbestos-related disease; implications for hygiene standards. Part I. Morbidity. *Ann N Y Acad Sci* 330: 185-194.
- Berry, G; Liddell, FD. (2004). The interaction of asbestos and smoking in lung cancer: a modified measure of effect. *Ann Occup Hyg* 48: 459-462. <http://dx.doi.org/10.1093/annhyg/meh023>.
- Berry, G; Musk, AW; de Klerk, NH; Johnson, A; Yates, DH. (2003). Predictions of mortality from mesothelioma. *Occup Environ Med* 60: 458-458.
- Berry, G; Newhouse, ML. (1983). Mortality of workers manufacturing friction materials using asbestos. *Occup Environ Med* 40: 1-7.
- Berry, G; Newhouse, ML; Antonis, P. (1985). Combined effect of asbestos and smoking on mortality from lung cancer and mesothelioma in factory workers. *Br J Ind Med* 42: 12-18.
- Berry, G; Newhouse, ML; Turok, M. (1972). Combined effect of asbestos exposure and smoking on mortality from lung cancer in factory workers. *Lancet* 7775: 476-479.
- Berry, G; Newhouse, ML; Wagner, JC. (2000). Mortality from all cancers of asbestos factory workers in east London 1933-80. *Occup Environ Med* 57: 782-785.
- Berry, G; Pooley, F; Gibbs, A; Harris, J; McDonald, J. (2009). Lung fiber burden in the Nottingham gas mask cohort. *Inhal Toxicol* 21: 168-172. <http://dx.doi.org/10.1080/08958370802291304>.
- Berry, G; Reid, A; Aboagye-Sarfo, P; de Klerk, NH; Olsen, NJ; Merler, E; Franklin, P; Musk, AW. (2012). Malignant mesotheliomas in former miners and millers of crocidolite at Wittenoom (Western Australia) after more than 50 years follow-up. *Br J Cancer* 106: 1016-1020. <http://dx.doi.org/10.1038/bjc.2012.23>.
- Berry, G; Rogers, AJ; Pooley, FD. (1989). Mesotheliomas--asbestos exposure and lung burden. *IARC Sci Publ occupational Exposure to Mineral Fibres*: 486-496.
- Berry, G; Wagner, JC. (1969). The application of a mathematical model describing the times of occurrence of mesotheliomas in rats following inoculation with asbestos. *Br J Cancer* 23: 582-586.
- Berry, G; Wagner, JC. (1976). Effect of age at inoculation of asbestos on occurrence of mesotheliomas in rats. *Int J Cancer* 17: 477-483.
- Berry, M. (1997). Mesothelioma incidence and community asbestos exposure. *Environ Res* 75: 34-40.
- Berry, MA. (1991). Indoor air quality: assessing health impacts and risks. *Toxicol Ind Health* 7: 179-186.
- Bertazzi, PA. (1981). [Tumors and the occupational environmental]. *Med Lav* 72: 171-176.
- Bertazzi, PA. (2005). Descriptive epidemiology of malignant mesothelioma [Review]. *Med Lav* 96: 287-303.
- Bertazzi, PA; Zocchetti, C; Terzaghi, GF; Riboldi, L; Guercilena, S; Beretta, F. (1981). Carcinogenic risk in paint production - A mortality study. 72: 465-472.
- Bertino, P; Carbone, M; Pass, H. (2009). Chemotherapy of malignant pleural mesothelioma [Review]. *Expert Opin Pharmacother* 10: 99-107. <http://dx.doi.org/10.1517/14656560802631285>.
- Bertolotti, M; Ferrante, D; Mirabelli, D; Botta, M; Nonnato, M; Todesco, A; Terracini, B; Magnani, C. (2008). [Mortality in the cohort of the asbestos cement workers in the Eternit plant in Casale Monferrato (Italy)]. *Epidemiol Prev* 32: 218-228.
- Bertram, TA; Eling, TE; Brody, AR. (1988). Stimulation of arachidonic acid metabolism in pulmonary intravascular and alveolar macrophages comparison of products induced by particulate and soluble agents. 137: 88.
- Bertram, TA; Overby, LH; Brody, AR; Eling, TE. (1989). Comparison of arachidonic acid metabolism by pulmonary intravascular and alveolar macrophages exposed to particulate and soluble stimuli. *Lab Invest* 61: 457-466.
- Berube, KA; Quinlan, TR; Fung, H; Magae, J; Vacek, P; Taatjes, DJ; Mossman, BT. (1996). Apoptosis Is Observed in Mesothelial Cells after Exposure to Crocidolite Asbestos. *Am J Respir Cell Mol Biol* 15: 141-147. <http://dx.doi.org/10.1165/ajrcmb.15.1.8679218>.
- Bérubé, KA; Quinlan, TR; Moulton, G; Hemenway, D; O'Shaughnessy, P; Vacek, P; Mossman, BT. (1996). Comparative proliferative and histopathologic changes in rat lungs after inhalation of chrysotile or crocidolite asbestos. *Toxicol Appl Pharmacol* 137: 67-74. <http://dx.doi.org/10.1006/taap.1996.0058>.
- Betti, M; Biava, A; Bertolotti, M; Ferrante, D; Mirabelli, D; Magnani, C; Dianzani, I. (2006). Analysis of NAT2 genotypes as risk factors for asbestos related malignant mesothelioma (MM) in a general population study. *Lung Cancer* 54: S38-S38.
- Betti, M; Casalone, E; Ferrante, D; Romanelli, A; Grosso, F; Guarrera, S; Righi, L; Vatrano, S; Pelosi, G; Libener, R; Mirabelli, D; Boldorini, R; Casadio, C; Papotti, M; Matullo, G; Magnani, C; Dianzani, I. (2015). Inference on germline BAP1 mutations and asbestos exposure from the analysis of familial and sporadic mesothelioma in a high-risk area. *Genes Chromosomes Cancer* 54: 51-62. <http://dx.doi.org/10.1002/gcc.22218>.
- Betti, M; Ferrante, D; Padoan, M; Guarrera, S; Giordano, M; Aspesi, A; Mirabelli, D; Casadio, C; Ardisson, F; Ruffini, E; Betta, PG; Libener, R; Guaschino, R; Matullo, G; Piccolini, E; Magnani, C; Dianzani, I. (2011). XRCC1 and ERCC1 variants modify malignant mesothelioma risk: a case-control study. *Mutat Res* 708: 11-20. <http://dx.doi.org/10.1016/j.mrfmmm.2011.01.001>.

Human Health Hazard Literature Search Results

On Topic

- Betti, M; Neri, M; Ferrante, D; Landi, S; Biava, A; Gemignani, F; Bertolotti, M; Mirabelli, D; Padoan, M; Ugolini, D; Botta, M; Bonassi, S; Magnani, C; Dianzani, I. (2009). Pooled analysis of NAT2 genotypes as risk factors for asbestos-related malignant mesothelioma. *Int J Hyg Environ Health* 212: 322-329. <http://dx.doi.org/10.1016/j.ijheh.2008.08.001>.
- Bevan, DR; Sadler, VM; Gaj, CL. (1992). NUCLEOSIDE AND DNA DAMAGE PRODUCED BY ASBESTOS (pp. 20-23). (BIOSIS/92/23078). Bevan, DR; Sadler, VM; Gaj, CL.
- Bevan, R; Young, C; Holmes, P; Fortunato, L, ea; Slack, R; Rushton, L; Burden, BOC. (2012). Occupational cancer in Britain Gastrointestinal cancers: liver, oesophagus, pancreas and stomach [Review]. *Br J Cancer* 107: S33-S40. <http://dx.doi.org/10.1038/bjc.2012.116>.
- Bey, E; Harington, JS. (1971). Cytotoxic effects of some mineral dusts on Syrian hamster peritoneal macrophages. *J Exp Med* 133: 1149-1169.
- Bezrukavnikova, LM; Kuz'mina, LP; Gladkova, EV. (1992). [The lipid peroxidation processes and the mono-oxygenase system in workers exposed to asbestos dust]. *Gig Tr Prof Zabol* 18-20.
- Bezrukavnikova, LM; Kuz'Mina, LP; Gladkova, EV. (1992). STATE OF LIPID PEROXIDATION PROCESSES AND MONOOXIDASE SYSTEM IN WORKERS EXPOSED TO ASBESTOS DUST. *Gig Tr Prof Zabol* 0: 18-20.
- Bezzub, SL; Popova, TB; Alekseeva, OG. (1988). [Experience using immunocorrecting agents in workers engaged in the manufacture of graphite and asbestos products]. *Gig Tr Prof Zabol* 27-29.
- Bhaduri, AS; Balar, DB. (1988). MESOTHELIOMAS OF THE PLEURA A TWELVE YEAR EXPERIENCE WITH FIFTEEN CASES. *Indian J Cancer* 25: 7-15.
- Bhagia, LJ; Parikh, DJ; Dave, SK. (1996). ASBESTOS THE FIBRES WITH KILLING POTENTIAL. *Indian J Indust Med* 42: 206-208.
- Bharel, S; Colovos, C; Ngai, DA; Adusumilli, PS. (2010). Slumdog's silent killer. *Natl Med J India* 23: 305-306.
- Bhatt, RC; Flanagan, PM; Wells, IP. (1984). MESOTHELIOMA IN THE AZYGOS FISSURE. *Br J Radiol* 57: 336-338.
- Bhatt, TS; Lang, S; Sheppard, MN. (1991). Tumours of Mesothelial Origin in Rats following Inoculation with Biogenic Silica Fibres. *Carcinogenesis* 12: 1927-1931.
- Bhattacharjee, P; Paul, S; Bhattacharjee, P. (2016). Risk of occupational exposure to asbestos, silicon and arsenic on pulmonary disorders: Understanding the genetic-epigenetic interplay and future prospects [Review]. *Environ Res* 147: 425-434. <http://dx.doi.org/10.1016/j.envres.2016.02.038>.
- Bhattacharya, K; Dopp, E; Kakkar, P; Jaffery, FN; Schiffmann, D; Jaurand, MC; Rahman, I; Rahman, Q. (2005). Biomarkers in risk assessment of asbestos exposure [Review]. *Mutat Res-Fundam Mol Mech Mutagen* 579: 6-21. <http://dx.doi.org/10.1016/j.mrfmmm.2005.02.022>.
- Bhattacharya, K; Yadava, S; Papp, T; Schiffmann, D; Rahman, Q. (2004). Reduction of chrysotile asbestos-induced genotoxicity in human peripheral blood lymphocytes by garlic extract. *Toxicol Lett* 153: 327-332. <http://dx.doi.org/10.1016/j.toxlet.2004.06.005>.
- Bhattacharya, S; John, PJ; Ledwani, L. (2016). Fungal weathering of asbestos in semi arid regions of India. *Ecotoxicol Environ Saf* 124: 186-192. <http://dx.doi.org/10.1016/j.ecoenv.2015.10.022>.
- Bhawna, S; Ojha, UC; Kumar, S; Gupta, R; Gothi, D; Pal, RS. (2013). Spectrum of high resolution computed tomography findings in occupational lung disease: experience in a tertiary care institute. 3: 64. <http://dx.doi.org/10.4103/2156-7514.124097>.
- Biagini, RE; Ward, EM; Vogt, R; Henningsen, GM. (1994). TARGETED EPIDEMIOLOGY AND CLINICAL ASSESSMENT STUDIES OF THE IMMUNE SYSTEM IN HUMANS (pp. IMMUNOTOXICOLOGY AND IMMUNOPHARMACOLOGY). (BIOSIS/95/02447). Biagini, RE; Ward, EM; Vogt, R; Henningsen, GM.
- Bianchi, C. (1994). [Malignant mesothelioma: various key aspects]. *Ann Ist Super Sanita* 30: 253-256.
- Bianchi, C; Bianchi, T. (2004). Geography of mesothelioma and asbestos. *Lung Cancer* 45: S68-S69.
- Bianchi, C; Bianchi, T. (2007). Geography of mesothelioma and asbestos exposure. *Virchows Arch* 451: 428-428.
- Bianchi, C; Bianchi, T. (2007). Latency periods and pathogenesis in asbestos-related mesothelioma of the pleura. *Virchows Arch* 451: 167-167.
- Bianchi, C; Bianchi, T. (2007). Malignant mesothelioma of the peritoneum and heavy exposure to asbestos. *Eur J Oncol* 12: 255-258.
- Bianchi, C; Bianchi, T. (2007). Malignant mesothelioma: global incidence and relationship with asbestos [Review]. *Ind Health* 45: 379-387.
- Bianchi, C; Bianchi, T. (2008). Susceptibility and resistance in the genesis of asbestos-related mesothelioma. *Indian J Occup Environ Med* 12: 57-60. <http://dx.doi.org/10.4103/0019-5278.43261>.
- Bianchi, C; Bianchi, T. (2009). [Malignant mesothelioma of the pleura among Finance Police personnel] [Letter]. *Med Lav* 100: 313.
- Bianchi, C; Bianchi, T. (2009). Malignant pleural mesothelioma in Italy. *Indian J Occup Environ Med* 13: 80-83. <http://dx.doi.org/10.4103/0019-5278.55124>.
- Bianchi, C; Bianchi, T. (2010). Rising mesothelioma incidence on eastern Adriatic coast. *Eur J Oncol* 15: 105-109.
- Bianchi, C; Bianchi, T. (2012). Mesothelioma among shipyard workers in Monfalcone, Italy. *Indian J Occup Environ Med* 16: 119-123. <http://dx.doi.org/10.4103/0019-5278.111753>.
- Bianchi, C; Bianchi, T. (2012). Shipbuilding and mesothelioma in Monfalcone, Italy. *Indian J Occup Environ Med* 16: 14-17. <http://dx.doi.org/10.4103/0019-5278.99682>.
- Bianchi, C; Bianchi, T. (2013). Pleural mesothelioma in a couple of brothers. *Indian J Occup Environ Med* 17: 122-123. <http://dx.doi.org/10.4103/0019-5278.130865>.
- Bianchi, C; Bianchi, T. (2014). Asbestos risk in archaeology [Letter]. *Med Lav* 105: 158.
- Bianchi, C; Bianchi, T. (2015). [Asbestos at the time of the First World War]. *Med Lav* 106: 424-430.
- Bianchi, C; Bianchi, T; Bucconi, S. (2010). Non-Hodgkin lymphoma of the testis and malignant mesothelioma of the pleura in the same patient. *Eur J Oncol* 15: 167-171.
- Bianchi, C; Bianchi, T; Bucconi, S. (2011). Malignant mesothelioma of the pleura in nonagenarian patients. *Tumori* 97: 156-159. <http://dx.doi.org/10.1700/667.7776>.
- Bianchi, C; Bianchi, T; Grandi, G. (2005). Malignant mesothelioma of the pleura among seafarers. *Med Lav* 96: 490-495.

Human Health Hazard Literature Search Results

On Topic

- Bianchi, C; Bianchi, T; Nicotra, M; Grandi, G. (2005). [Asbestos-related pleural mesothelioma among workers of the port of Trieste, Italy]. *Eur J Oncol* 10: 287-290.
- Bianchi, C; Bianchi, T; Ramani, L. (2004). [Malignant mesothelioma of the pleura among women]. *Med Lav* 95: 376-380.
- Bianchi, C; Bianchi, T; Ramani, L. (2007). Malignant mesothelioma of the pleura and other malignancies in the same patient. *Tumori* 93: 19-22.
- Bianchi, C; Bianchi, T; Tommasi, M. (2007). Long latency periods in asbestos-related mesothelioma of the pleura. *Eur J Oncol* 12: 189-195.
- Bianchi, C; Bianchi, T; Tommasi, M. (2007). [Mesothelioma of the pleura in the Province of Trieste]. *Med Lav* 98: 374-380.
- Bianchi, C; Bittesini, L; Brollo, A. (1986). Asbestos exposure and Alzheimer disease. *Ital J Neurol Sci* 7: 145-151.
- Bianchi, C; Brollo, A; Bittesini, L. (1983). Asbestos-related diseases among sailors. *medicale*: 5-13.
- Bianchi, C; Brollo, A; Bittesini, L; Ramani, L. (1987). [Hyaline plaques of the pleura and domestic exposure to asbestos]. *Med Lav* 78: 44-49.
- Bianchi, C; Brollo, A; Miniussi, C; Bittesini, L. (1981). Asbestos exposure in the Monfalcone area. A social and pathological study of 100 autopsy cases. *Tumori* 67: 279-282.
- Bianchi, C; Brollo, A; Ramani, L. (1990). Hyaline Pleural Plaques and Asbestos Exposure (pp. 23-26). (NIOSH/00198680). Bianchi, C; Brollo, A; Ramani, L.
- Bianchi, C; Brollo, A; Ramani, L. (1990). Malignant Pleural Mesothelioma in Monfalcone, Italy (pp. 16-22). (NIOSH/00198706). Bianchi, C; Brollo, A; Ramani, L.
- Bianchi, C; Brollo, A; Ramani, L. (2000). Asbestos exposure in a shipyard area, northeastern Italy. *Ind Health* 38: 301-308.
- Bianchi, C; Brollo, A; Ramani, L; Berté, R. (1991). Exposure to asbestos in Monfalcone, Italy. A necropsy-based study. *IARC Sci Publ E*: 127-140.
- Bianchi, C; Brollo, A; Ramani, L; Bianchi, T. (2000). Malignant mesothelioma in central and Eastern Europe. *Acta Med Croatica* 54: 161-164.
- Bianchi, C; Brollo, A; Ramani, L; Bianchi, T; Giarelli, L. (2001). Asbestos exposure in malignant mesothelioma of the pleura: a survey of 557 cases. *Ind Health* 39: 161-167.
- Bianchi, C; Brollo, A; Ramani, L; Bianchi, T; Giarelli, L. (2004). Familial mesothelioma of the pleura--a report of 40 cases [Review]. *Ind Health* 42: 235-239.
- Bianchi, C; Brollo, A; Ramani, L; R, B. (1990). ASBESTOS-RELATED MESOTHELIOMA OF THE PLEURA IN THE MONFALCONE AREA ITALY (pp. 16-22). (BIOSIS/91/11123). Bianchi, C; Brollo, A; Ramani, L; BERTE' R.
- Bianchi, C; Brollo, A; Ramani, L; Zuch, C. (1993). Asbestos-related mesothelioma in Monfalcone, Italy. *Am J Ind Med* 24: 149-160.
- Bianchi, C; Brollo, A; Ramani, L; Zuch, C. (1997). Pleural plaques as risk indicators for malignant pleural mesothelioma: A necropsy-based study. *Am J Ind Med* 32: 445-449. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199711\)32:5<445::AID-AJIM3>3.0.CO;2-R](http://dx.doi.org/10.1002/(SICI)1097-0274(199711)32:5<445::AID-AJIM3>3.0.CO;2-R).
- Bianchi, C; Brollo, A; Ramani, L; Zuch, C. (1999). Asbestos exposure in lung carcinoma: a necropsy-based study of 414 cases. *Am J Ind Med* 36: 360-364.
- Bianchi, C; Brollo, A; Zuch, C. (1993). Asbestos-related familial mesothelioma. *Eur J Cancer Prev* 2: 247-250.
- Bianchi, C; Di Bonito, L; Castelli, M; Brollo, A. (1978). [Exposure to asbestos in cancer of the larynx]. *Pathologica* 70: 403-408.
- Bianchi, C; Di Bonito, L; Grandi, G; Furlan, L. (1973). Occupational exposure to asbestos in 20 cases of diffuse mesothelioma of the pleura. *Minerva Med* 64: 1724-1727.
- Bianchi, C; Giarelli, L; Grandi, G; Brollo, A; Ramani, L; Zuch, C. (1997). Latency periods in asbestos-related mesothelioma of the pleura. *Eur J Cancer Prev* 6: 162-166.
- Bianchi, C; Grandi, G; Di Bonito, L. (1976). [Diffuse mesothelioma of the peritoneum and exposure to asbestos. (Reflections on 2 cases)]. *Pathologica* 68: 9-16.
- Bianchi, C; Grandi, G; Di Bonito, L. (1978). Diffuse pleural mesothelioma in Trieste: A survey based on autopsy cases. *Tumori* 64: 565-570.
- Bianchi, C; Nemo, A; Bianchi, T. (2008). Familial mesothelioma: a puzzling issue. *Eur J Oncol* 13: 181-186.
- Bianchi, C; Ramani, L; Bianchi, T. (2002). Asbestos exposure in familial mesothelioma of the pleura. *Int J Cancer* 184-185.
- Bianchi, C; Ramani, L; Bianchi, T. (2002). Association between asbestos-related mesothelioma of the pleura and hepatocellular carcinoma. *Int J Cancer* 184-184.
- Bianchi, C; Ramani, L; Bianchi, T. (2002). Concurrent malignant mesothelioma of the pleura and hepatocellular carcinoma in the same patient: a report of five cases [Review]. *Ind Health* 40: 383-387.
- Biancosino, C; Redwan, B; Krüger, M; Eberlein, M; Bölükbas, S. (2016). [Malignant Pleural Mesotheliomas]. *141 Suppl 1*: S61-S73. <http://dx.doi.org/10.1055/s-0042-110248>.
- Biava, PM; Fiorito, A; Canciani, L; Bovenzi, M. (1983). [Epidemiology of pleural mesothelioma in the Province of Trieste: the role of occupational exposure to asbestos]. *Med Lav* 74: 260-265.
- Bicer, U; Kurtas, O; Ercin, C; Gundogmus, UN; Colak, B; Paksoy, N. (2006). Pain-driven suicide due to pleural plaques associated with asbestos exposure. *Saudi Med J* 27: 894-896.
- Bielefeldtohmans, H; Fitzpatrick, DR; Marzo, AL; Jarnicki, AG; Himbeck, RP; Davis, MR; Manning, LS; Robinson, BWS. (1994). PATHOBIOLOGY AND IMMUNOBIOLOGY OF MALIGNANT MESOTHELIOMA - CHARACTERIZATION OF TUMOR-INFILTRATING LEUKOCYTES AND CYTOKINE PRODUCTION IN A MURINE MODEL. *Cancer Immunol Immunother* 39: 347-359.
- Bielefeldtohmans, H; Jarnicki, AG; Fitzpatrick, DR. (1996). Molecular pathobiology and immunology of malignant mesothelioma. *J Pathol* 178: 369-378.
- Biermann, CW; Moch, H; Gasser, TC; de Riese, W; Rutishauser, G. (1994). [Primary detection of malignant mesothelioma of the tunica vaginalis testis using the BMA-120 monoclonal antibody] [Review]. *60*: 1127-1129.
- Bignon, J. (1985). TOXICITY TESTING OF MINERAL DUSTS PAST PRESENT FUTURE (pp. NEW YORK). (BIOSIS/86/22519). Bignon, J.
- Bignon, J; Bader, JP. (1978). CANCER AND INGESTION OF ASBESTOS. *Gastroenterol Clin Biol* 2: 453-457.
- Bignon, J; Bader, JP. (1978). Ingested asbestos and cancer. *Gastroenterol Clin Biol* 2: 453-458.

Human Health Hazard Literature Search Results

On Topic

- Bignon, J; Brochard, P. (1983). [Pulmonary fibrosis and inorganic particles] [Review]. *Rev Fr Mal Respir* 11: 371-382.
- Bignon, J; Brochard, P; Brown, R; Davis, JMG; Vu, V; Gibbs, G; Greim, M; Oberdorster, G; Sebastien, P. (1995). Assessment of the Toxicity of Man-Made Fibres. A Final Report of a Workshop Held in Paris, France, 3-4 February 1994 [Review]. *Ann Occup Hyg* 39: 89-106.
- Bignon, J; Brochard, P; Sebastien, P. (1982). [Asbestos pathology: clinical aspects epidemiological data and prevention]. *Schweizerische Medizinische Wochenschrift* 112: 177-185.
- Bignon, J; Brochard, P; Sebastien, P. (1982). PATHOLOGY OF ASBESTOS CLINICAL ASPECTS EPIDEMIOLOGIC DATA AND PREVENTION (pp. 177-184). (HEEP/82/13834). Bignon, J; Brochard, P; Sebastien, P.
- Bignon, J; Depierre, A; Bonnaud, G; Goni, J; Brouet, G. (1973). DEMONSTRATION OF FERRUGINOUS BODIES BY MICROFILTRATION OF SPUTUM AND CORRELATION WITH ASBESTOS OCCUPATIONAL HAZARDS. *La Nouvelle presse médicale* 2: 1697-1700.
- Bignon, J; Jaurand, MC. (1980). Interaction between mineral fibers and pulmonary cells. *C R Seances Soc Biol Fil* 174: 479-487.
- Bignon, J; Jaurand, MC. (1983). BIOLOGICAL INVITRO AND INVIVO RESPONSES OF CHRYSOTILE VERSUS AMPHIBOLES [Review]. *Environ Health Perspect* 51: 73-80. <http://dx.doi.org/10.2307/3429731>.
- Bignon, J; Le Maho, S; Lambre, C; Jaurand, MC; Masse, R. (1982). Cellular And Biochemical Acute Alveolar Responses To Asbestos And Quartz Dusts In Rats (pp. 176-177). (NIOSH/00158603). Bignon, J; Le Maho, S; Lambre, C; Jaurand, MC; Masse, R.
- Bignon, J; Le Maho, S; Lambre, C; Jaurand, MC; Masse, R. (1984). CELLULAR AND BIOCHEMICAL ACUTE ALVEOLAR RESPONSES TO ASBESTOS AND QUARTZ DUSTS IN RATS (pp. NEW YORK). (HEEP/85/00830). Bignon, J; Le Maho, S; Lambre, C; Jaurand, MC; Masse, R.
- Bignon, J; M-C, J. (1984). Asbestos Fiber Toxicity And Lung Disease (pp. 51-73). (NIOSH/00147348). Bignon, J; Jaurand M-C.
- Bignon, J; Monchaux, G; Chameaud, J; Jaurand, MC; Lafuma, J; Masse, R. (1983). Incidence of various types of thoracic malignancy induced in rats by intrapleural injection of 2 mg of various mineral dusts after inhalation of 222Ra. *Carcinogenesis* 4: 621-628. <http://dx.doi.org/10.1093/carcin/4.5.621>.
- Bignon, J; Monchaux, G; Sebastien, P; Hirsch, A; Lafuma, J. (1979). Human and experimental data on translocation of asbestos fibers through the respiratory system. *Ann N Y Acad Sci* 330: 745-750.
- Bignon, J; Sebastien, P; Di Menza, L; Payan, H. (1979). French mesothelioma register. *Ann N Y Acad Sci* 330: 455-466.
- Bilancia, M; Cavone, D; Pollice, A; Musti, M. (2003). [Assessment of risk of mesothelioma: the case of an asbestos-cement production plant in the city of Bari]. *Epidemiol Prev* 27: 277-284.
- Bilello, KS; Murin, S; Matthay, RA. (2002). Epidemiology, etiology, and prevention of lung cancer [Review]. *Clin Chest Med* 23: 1-+. [http://dx.doi.org/10.1016/S0272-5231\(03\)00057-1](http://dx.doi.org/10.1016/S0272-5231(03)00057-1).
- Binazzi, A; Scarselli, A; Corfiati, M; Di Marzio, D; Branchi, C; Verardo, M; Mirabelli, D; Gennaro, V; Mensi, C; Schallenberg, G; Merler, E; De Zotti, R; Romanelli, A; Chellini, E; Pascucci, C; D'Alò, D; Forastiere, F; Trafficante, L; Menegozzo, S; Musti, M; Cauzillo, G; Leotta, A; Tumino, R; Melis, M; Marinaccio, A; ReNaM, Gdl. (2013). [Epidemiologic surveillance of mesothelioma for the prevention of asbestos exposure also in non-traditional settings]. *Epidemiol Prev* 37: 35-42.
- Binazzi, A; Zona, A; Marinaccio, A; Bruno, C; Corfiati, M; Fazzo, L; Menegozzo, S; Nicita, C; Pasetto, R; Pirastu, R; De Santisi, M; Comba, P; SENTIERI-ReNaM, G. (2016). [SENTIERI-ReNaM: Results]. *Epidemiol Prev* 40: 19-98.
- Binns, CH. (1972). Aspects of occupational health in the petro-chemical industry. *Trans Soc Occup Med* 22: 116-121.
- Birmingham, DJ. (1983). Skin Diseases, Occupational (pp. 2056-2061). (NIOSH/00149841). Birmingham, DJ.
- Birrer, MJ; Alani, R; Cuttitta, F; Preis, LH; Sabich, AL; Sanders, DA; Siegfried, JM; Szabo, E; Brown, PH. (1992). Early events in the neoplastic transformation of respiratory epithelium. *J Natl Cancer Inst Monogr STEAMBOAT SPRINGS*: 31-37.
- Bisceglia, L; Musti, M; Giua, R; Assennato, G. (2007). [The asbestos crisis in an urban area: the Bari experience]. *Epidemiol Prev* 31: 54-58.
- Bisceglia, M; Ben Dor, D; Carosi, I; Vairo, M; Pasquinelli, G. (2010). Paratesticular Mesothelioma. Report of a Case With Comprehensive Review of Literature [Review]. *Adv Anat Pathol* 17: 53-70.
- Bisesi, MS; Rubin, AM. (1994). Chemical Air Pollutants and Otorhinolaryngeal Toxicity. *J Environ Health* 56: 24-29.
- Bisson, G; Drapeau, G; Lamoureux, G; Cantin, A; Begin, R. (1983). QUANTITATIVE ANALYSIS OF GALLIUM-67 UPTAKE IN NORMAL AND DISEASED LUNGS (pp. 8-11). (HEEP/84/12497). Bisson, G; Drapeau, G; Lamoureux, G; Cantin, A; Begin, R.
- Bisson, G; Lamoureux, G; Begin, R. (1987). QUANTITATIVE GALLIUM-67 LUNG SCAN TO ASSESS THE INFLAMMATORY ACTIVITY IN THE PNEUMOCOINOSSES. *Semin Nucl Med* 17: 72-80.
- Bissonnette, E; Carre, B; Dubois, C; Rola-Pleszczynski, M. (1989). MODULATION OF MACROPHAGE-MEDIATED CYTOTOXICITY BY TOXIC PARTICLES (pp. SECAUCUS). (BIOSIS/90/02046). Bissonnette, E; Carre, B; Dubois, C; Rola-Pleszczynski, M.
- Bissonnette, E; Carré, B; Dubois, C; Rola-Pleszczynski, M. (1990). Inhibition of alveolar macrophage cytotoxicity by asbestos: possible role of prostaglandins. *J Leukoc Biol* 47: 129-134.
- Bissonnette, E; Dubois, C; Rola-Pleszczynski, M. (1989). Changes in Lymphocyte Function and Lung Histology during the Development of Asbestosis and Silicosis in the Mouse. *Res Comm Chem Pathol Pharmacol* 65: 211-227.
- Bissonnette, E; Rola-Pleszczynski, M. (1989). PULMONARY INFLAMMATION AND FIBROSIS IN A MURINE MODEL OF ASBESTOSIS AND SILICOSIS POSSIBLE ROLE OF TUMOR NECROSIS FACTOR. *Inflammation* 13: 329-340.
- Bitchatchi, E; Kayser, K; Perelman, M; Richter, ED. (2010). Mesothelioma and asbestosis in a young woman following occupational asbestos exposure: Short latency and long survival: Case Report. *Diagnostic Pathology* 5: 81. <http://dx.doi.org/10.1186/1746-1596-5-81>.
- Bitterman, P; Rennard, S; Schoenberger, C; Crystal, R. (1981). Asbestos stimulates alveolar macrophages to release a factor causing human lung fibroblasts to replicate. *Chest* 80: 385-395.
- Bittersohl, G. (1971). Epidemiologic Studies on Cancer Cases in the Chemical Industry. *Arch Geschwulstforsch* 38: 3-4.
- Bittersohl, G. (1974). Epidemiological Studies on the Incidence and Latency Periods of Asbestos-Induced Hyalinosis, Fibrinos and Mesotheliomas (pp. 616-006). (NIOSH/00101194). Bittersohl, G.

Human Health Hazard Literature Search Results

On Topic

- Bittersohl, G. (1975). [Epidemiological studies on the incidence and latent time of asbestos-induced hyalinosi, fibrosis and mesothelioma]. *Z Gesamte Hyg Grenzgeb* 21: 369-371.
- Bittersohl, G. (1977). [The problem of the asbestos induced laryngeal carcinoma]. *Z Gesamte Hyg Grenzgeb* 23: 27-30.
- Bittersohl, G; Ose, H. (1971). [Epidemiology of pleural mesothelioma]. *Z Gesamte Hyg Grenzgeb* 17: 861-864.
- Bjelke, E. (1980). EPIDEMIOLOGY OF COLORECTAL CANCER WITH EMPHASIS ON DIET (pp. EXCERPTA MEDICA). (EPIDEM/003163). Bjelke, E. Bjure, J; Soederholm, B; Widimsky, J. (1964). CARDIOPULMONARY FUNCTION STUDIES IN WORKERS DEALING WITH ASBESTOS AND GLASSWOOL. *Thorax* 19: 22-27.
- Black, B; Szeinuk, J; Whitehouse, AC; Levin, SM; Henschke, CI; Yankelevitz, DF; Flores, RM. (2014). Rapid progression of pleural disease due to exposure to Libby amphibole: "Not your grandfather's asbestos related disease". *Am J Ind Med* 57: 1197-1206. <http://dx.doi.org/10.1002/ajim.22330>.
- Black, P; Perona, R; Brorby, G. (2012). Asbestos Workshop: Sampling, Analysis, and Risk Assessment. 129.
- Blackham, AU; Levine, EA. (2012). Cytoreductive Surgery with Hyperthermic Intraperitoneal Chemotherapy for Malignant Peritoneal Mesothelioma. 4: 25-32.
- Blair, A; Linos, A; Stewart, PA; Burmeister, LF; Gibson, R; Everett, G; Schuman, L; Cantor, KP. (1993). Evaluation of risks for non-Hodgkin's lymphoma by occupation and industry exposures from a case-control study. *Am J Ind Med* 23: 301-312. <http://dx.doi.org/10.1002/ajim.4700230207>.
- Blair, A; Zahm, SH; Silverman, DT. (1999). Occupational cancer among women: Research status and methodologic consideration [Review]. *Am J Ind Med* 36: 6-17. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199907\)36:1<6::AID-AJIM2>3.0.CO;2-F](http://dx.doi.org/10.1002/(SICI)1097-0274(199907)36:1<6::AID-AJIM2>3.0.CO;2-F).
- Blake, D; Bolin, C; Cox, D; Cardozo-Pelaez, F; Pfau, J. (2007). Internalization of Libby amphibole asbestos and induction of oxidative stress in murine macrophages. *Toxicol Sci* 99: 277-288. <http://dx.doi.org/10.1093/toxsci/kfm166>.
- Blake, D; Wetzel, S; Pfau, J. (2008). Autoantibodies from mice exposed to Libby amphibole asbestos bind SSA/Ro52-enriched apoptotic blebs of murine macrophages. *Toxicology* 246: 172-179. <http://dx.doi.org/10.1016/j.tox.2008.01.008>.
- Blakeslee, JR; Elliot, AM; Carter, LJ. (1983). Antioncogenic Activity of Diverse Chemical Carcinogens on Retrovirus-Induced Transformation of Human Skin Fibroblasts. *Ann N Y Acad Sci* 407: 412-415.
- Blalock, LE; Goodell, A; Brody, AR. (1992). UPREGULATION OF PDGF-A AND PDGF-B MRNA EXPRESSION BY IN-SITU HYBRIDIZATION IN RAT ALVEOLAR MACROPHAGES EXPOSED TO CHRYSOTILE ASBESTOS (pp. 17-20). (BIOSIS/92/22138). Blalock, LE; Goodell, A; Brody, AR.
- Bledsoe, JR; Christiani, DC; Kradin, RL. (2015). Smoking-associated fibrosis and pulmonary asbestosis. *The International Journal of Chronic Obstructive Pulmonary Disease (Online)* 10: 31-37. <http://dx.doi.org/10.2147/COPD.S74643>.
- Blokker, PC. (1973). RECENT AIR POLLUTION PROBLEMS (pp. STUTTGART). (HEEP/74/07546). Blokker, PC.
- Blomqvist, A; Palmèr, M. (1996). [Adverse effects of ergot alkaloids. An important differential diagnosis from asbestos-induced pleuritis]. *Lakartidningen* 93: 2163-2164.
- Bloomfield, BD. (1968). Engineering (pp. 84-117). (NIOSH/00177201). Bloomfield, BD.
- Blot, WJ; Davies, JE; Brown, LM; Nordwall, CW; Buiatti, E; Ng, A; Fraumeni, JF. (1982). Occupation and the high risk of lung cancer in Northeast Florida. *Cancer* 50: 364-371.
- Blot, WJ; Fraumeni J F, J. R. (1981). CANCER AMONG SHIPYARD WORKERS (pp. COLD SPRING HARBOR). (HEEP/83/00958). Blot, WJ; Fraumeni J F, , JR.
- Blot, WJ; Fraumeni, JF. (1979). Lung cancer mortality in the United States: shipyard correlations. *Ann N Y Acad Sci* 330: 313-315.
- Blot, WJ; Fraumeni JF, J. R. (1979). STUDIES OF RESPIRATORY CANCER IN HIGH RISK COMMUNITIES (pp. 276-278). (EPIDEM/002327). Blot, WJ; Fraumeni JF, , JR.
- Blot, WJ; Harrington, JM; Toledo, A; Hoover, R; Heath, CW, Jr; Fraumeni, JF, Jr. (1978). Lung cancer after employment in shipyards during World War II. *N Engl J Med* 299: 620-624. <http://dx.doi.org/10.1056/NEJM197809212991202>.
- Blot, WJ; Morris, LE; Stroube, R; Tagnon, I; Fraumeni, JF. (1980). Lung and laryngeal cancers in relation to shipyard employment in coastal Virginia. *J Natl Cancer Inst* 65: 571-575.
- Blot, WJ; Stone, BJ; Fraumeni, JF, Jr; Morris, LE. (1979). Cancer mortality in US counties with shipyard industries during World War II. *Environ Res* 18: 281-290.
- Blum, S; Jr, AW; Smith, AH; Tyroler, HA. (1979). Stomach Cancer Among Rubber Workers: An Epidemiologic Investigation (pp. 12-16). (NIOSH/00096328). Blum, S; Arp WW Jr; Smith, AH; Tyroler, HA.
- Blum, W; Pecze, L; Felley-Bosco, E; Worthmüller-Rodríguez, J; Wu, L; Vrugt, B; de Perrot, M; Schwaller, B. (2015). Establishment of immortalized murine mesothelial cells and a novel mesothelioma cell line. *In Vitro Cellular and Developmental Biology* 51: 714-721. <http://dx.doi.org/10.1007/s11626-015-9885-z>.
- Bocchetta, M; Di Resta, I; Powers, A; Fresco, R; Tosolini, A; Testa, J; Pass, H; Rizzo, P; Carbone, M. (2000). Human mesothelial cells are unusually susceptible to simian virus 40-mediated transformation and asbestos cocarcinogenicity. *Proc Natl Acad Sci USA* 97: 10214-10219. <http://dx.doi.org/10.1073/pnas.170207097>.
- Boehme, DS; Maples, KR; Henderson, RF. (1992). Glutathione release by pulmonary alveolar macrophages in response to particles in vitro. *Toxicol Lett* 60: 53-60.
- Boeing (Boeing Company). (1988). Auburn reproductive health survey with cover letter dated 020888 [TSCA Submission]. (88-88000029). Seattle, WA. <https://ntrl.ntis.gov/NTRL/dashboard/searchResults.xhtml?searchQuery=OTS0515097>.
- Boffetta; Kogevinas. (1999). Occupational cancer in europe. *Environ Health Perspect* 107 Suppl 2: 227.
- Boffetta, P. (1998). Health effects of asbestos exposure in humans: a quantitative assessment [Review]. *Med Lav* 89: 471-480.

Human Health Hazard Literature Search Results

On Topic

- Boffetta, P. (2004). Epidemiology of environmental and occupational cancer [Review]. *Oncogene* 23: 6392-6403. <http://dx.doi.org/10.1038/sj.onc.1207715>.
- Boffetta, P. (2006). Human cancer from environmental pollutants: The epidemiological evidence [Review]. *Mutat Res* 608: 157-162. <http://dx.doi.org/10.1016/j.mrgentox.2006.02.015>.
- Boffetta, P. (2007). Epidemiology of peritoneal mesothelioma: a review [Review]. *Ann Oncol* 18: 985-990. <http://dx.doi.org/10.1093/annonc/mdl345>.
- Boffetta, P. (2013). [Environment and cancer risk] [Review]. *Rev Prat* 63: 1122-1125.
- Boffetta, P. (2016). Re: Terracini et al. Comments on the causation of malignant mesothelioma: Rebutting the false concept that recent exposures to asbestos do not contribute to causation of mesothelioma. *Am J Ind Med* 2016;59:506-507. *Am J Ind Med* 59: 1177-1179. <http://dx.doi.org/10.1002/ajim.22672>.
- Boffetta, P; Autier, P; Boniol, M; Boyle, P; Hill, C; Aurengo, A; Masse, R; Thé, G; Valleron, AJ; Monier, R; Tubiana, M. (2010). An estimate of cancers attributable to occupational exposures in France. *J Occup Environ Med* 52: 399-406. <http://dx.doi.org/10.1097/JOM.0b013e3181d5e355>.
- Boffetta, P; Burdorf, A; Goldberg, M; Merler, E; Siemiatycki, J. (1998). Towards the coordination of European research on the carcinogenic effects of asbestos. *Scand J Work Environ Health* 24: 312-317.
- Boffetta, P; Kogevinas, M; Pearce, N; Matos, E. (1994). CANCER (pp. LYON). (BIOSIS/95/24806). Boffetta, P; Kogevinas, M; Pearce, N; Matos, E.
- Boffetta, P; McLaughlin, JK; la Vecchia, C; Autier, P; Boyle, P. (2007). 'Environment' in cancer causation and etiological fraction: limitations and ambiguities [Review]. *Carcinogenesis* 28: 913-915. <http://dx.doi.org/10.1093/carcin/bgm034>.
- Boffetta, P; Nyberg, F. (2003). Contribution of environmental factors to cancer risk [Review]. *Br Med Bull* 68: 71-94. <http://dx.doi.org/10.1093/bmb/ldg023>.
- Boffetta, P; Pearce, N. (1994). Occupational Cancer in Developing Countries (pp. 16-19). (NIOSH/00224509). Boffetta, P; Pearce, N.
- Boffetta, P; Saracci, R. (1993). OCCUPATIONAL FACTORS OF LUNG CANCER (pp. NEW YORK). (BIOSIS/94/36448). National Occupational Health and Safety Commission (Worksafe Australia).
- Bogdan, TT. (1973). Objective evaluation of the risk of lung cancer. *Vopr Onkol LENINGR*: 32-35.
- Boglioli, LR; Taff, ML; Spitz, WU; Gordon, RE. (1991). Sudden death of an elderly man with multiple malignant neoplasms. *Am J Forensic Med Pathol* 12: 265-271.
- Bohlig, H. (1970). [Health hazards of asbestos cement]. *Zentralbl Arbeitsmed Arbeitsschutz* 20: 201-211.
- Bohlig, H. (1970). The Problem of Asbestosis in Relation to the International Classification of Radiographs in Pneumoconiosis (pp. 248-252). (NIOSH/00177276). Bohlig, H.
- Bohlig, H. (1993). ASBESTOS AND CANCER, 1934-1965. *Am J Ind Med* 23: 519-519.
- Bohlig, H; Calavrezos, A. (1987). Development, radiological zone patterns, and importance of diffuse pleural thickening in relation to occupational exposure to asbestos. *Br J Ind Med* 44: 673-681.
- Bohlig, H; Dalquen, P; Hain, E. (1972). [Epidemiology of asbestos-induced diseases]. *Internist (Berl)* 13: 318-325.
- Bohlig, H; Hain, E. (1973). Cancer in relation to environmental exposure. In P Bogovski; JD Gilson; V Timbrell; JC Wagner (Eds.), *IARC Sci Publ* (pp. 217-221). Lyon, France: International Agency on the Research of Cancer.
- Bohlig, H; Hain, E. (1973). Cancers in Relation to Type of Fibre, Dose, Occupation and Duration of Exposure. (b) Manufacturing III. *Environmental* (pp. 2-5). (NIOSH/00032932). Bohlig, H; Hain, E.
- Bohlig, H; Hain, E. (1974). CANCER IN RELATION TO ENVIRONMENTAL EXPOSURE (pp. LYON). (HEEP/75/04235). Bohlig, H; Hain, E.
- Bohlig, H; Hain, E. (1980). Clinical and radiological observations on asbestos-related pathology. *IARC Sci Publ IARC Scientific Publication No*: 497-506.
- Bohlig, H; Jacob, G. (1956). [New viewpoints regarding cancer of the lungs in asbestos workers]. *Dtsch Med Wochenschr* 81: 231-233. <http://dx.doi.org/10.1055/s-0028-1115668>.
- Bohlig, H; Jacob, G. (1958). [Incidence of lung cancer in German asbestos workers]. *Dtsch Gesundheitswesen* 13: 1101-1103.
- Bohlig, H; Otto, H. (1975). Asbestos and Mesothelioma Facts, Questions, Problems of the Environment (pp. 446). (NIOSH/00068308). Bohlig, H; Otto, H.
- Bohlig, H; Weitowitz, HJ. (1980). PROBLEMS IN MEDICAL CHECK UP OF ASBESTOS WORKERS ACCORDING TO G-1 - NEW REGULATIONS SINCE 1971 (EFFECTS OF FINE ASBESTOS DUST). *Arbeitsmedizin, Sozialmedizin, Praeventivmedizin* 15: 127-130.
- Bohner, BK; Betts, LS; Sack, DM; Craft, N. (2004). Navy Asbestos Medical Surveillance Program (1991-1999): linear regression analysis for the effect of asbestos exposure on pulmonary function testing. *Mil Med* 169: 620-626.
- Bohner, BK; Betts, LS; Sack, DM; Craft, NA. (2004). Navy Asbestos Medical Surveillance Program (1984-1990): linear regression analysis for effect of asbestos exposure on pulmonary function testing. *Mil Med* 169: 613-619.
- Boillat, MA; Lob, M. (1973). [Risk of asbestosis in workers employed in replacing automobile brake linings]. *Schweizerische Medizinische Wochenschrift* 103: 1354-1359.
- Boiteau, HL; Robin, M; Gelot, S. (1972). [Polycyclic hydrocarbons in various asbestos products]. *Arch Mal Prof Med Trav Secur Soc* 33: 261-270.
- Boitsov, VV. (1979). Experimental study of the role of various minerals in the development of talc pneumoconiosis. *Gig Tr Prof Zabol* 0: 36-40.
- Bol, P. (2002). [Asbestos and mesothelioma] [Review]. *Ned Tijdschr Tandheelkd* 109: 497-498.
- Boldú, J; Eguía, VM. (2005). [Benign pleural diseases induced by asbestos]. *An Sist Sanit Navar* 28 Suppl 1: 21-27.
- Bolen, JW. (1987). Tumors of serosal tissue origin. *Clin Lab Med* 7: 31-50.
- Bolognesi, C; Filiberti, R; Neri, M; Perrone, E; Landini, E; Canessa, PA; Simonassi, C; Cerrano, PG; Mutti, L; Puntoni, R. (2002). High frequency of micronuclei in peripheral blood lymphocytes as index of susceptibility to pleural malignant mesothelioma. *Cancer Res* 62: 5418-5419.

Human Health Hazard Literature Search Results

On Topic

- Bolognesi, C; Martini, F; Tognon, M; Filiberti, R; Neri, M; Perrone, E; Landini, E; Canessa, PA; Ivaldi, GP; Betta, P; Mutti, L; Puntoni, R. (2005). A molecular epidemiology case control study on pleural malignant mesothelioma. *Cancer Epidemiol Biomarkers Prev* 14: 1741-1746. <http://dx.doi.org/10.1158/1055-9965.EPI-04-0903>.
- Bolt, HM. (1991). [Carcinogens relevant to the bronchopulmonary system]. *Pneumologie* 45: 407-409.
- Bolt, HM; Golka, K. (2007). [Occupational cancer--burdens of the past or actual threat?]. *Dtsch Med Wochenschr* 132: 133-134. <http://dx.doi.org/10.1055/s-2007-959308>.
- Bolton, C; Richards, A; Ebdon, P. (2002). Asbestos-related disease [Review]. 63: 148-151.
- Bolton, RE; Davis, JM. (1976). The short-term effects of chronic asbestos ingestion in rats. *Ann Occup Hyg* 19: 121-128.
- Bolton, RE; Davis, JM; Donaldson, K; Wright, A. (1982). Variations in the carcinogenicity of mineral fibres. *Ann Occup Hyg* 26: 569-582.
- Bolton, RE; Davis, JM; Lamb, D. (1982). THE PATHOLOGICAL EFFECTS OF PROLONGED ASBESTOS INGESTION IN RATS. *Environ Res* 29: 134-150.
- Bolton, RE; Vincent, JH; Jones, AD; Addison, J; Beckett, ST. (1983). AN OVERLOAD HYPOTHESIS FOR PULMONARY CLEARANCE OF UICC AMOSITE FIBERS INHALED BY RATS. *Br J Ind Med* 40: 264-272.
- Bolton, RE; Vincent, JH; Jones, AD; Addison, J; Beckett, ST. (1983). An overload hypothesis for pulmonary clearance of UICC amosite fibres inhaled by rats. *Occup Environ Med* 40: 264-272.
- Boman, G; Schubert, V; Svane, B; Westerholm, P; Bolinder, E; Rohl, AN; Fischbein, A. (1982). Malignant mesothelioma in Turkish immigrants residing in Sweden. *Scand J Work Environ Health* 8: 108-112.
- Bombá, JA; Xaubet, A; Letang, E; Ribalta, T; Picado, C; Agustí Vidal, A; Sánchez-Lloret, J; Cardesa, A. (1988). [Clinicopathological study of 23 pleural malignant mesotheliomas]. *Rev Clin Esp* 182: 464-470.
- Bonassi, S; Cellai, F; Munni, A; Ugolini, D; Cristaudo, A; Neri, M; Milić, M; Bonotti, A; Giese, RW; Peluso, ME. (2017). 3-(2-deoxy-β-d-erythro-pentafuranosyl)pyrimido[1,2-α]purin-10(3H)-one deoxyguanosine adducts of workers exposed to asbestos fibers. *Toxicol Lett* 270: 1-7. <http://dx.doi.org/10.1016/j.toxlet.2017.02.008>.
- Bonassi, S; Milić, M; Neri, M. (2016). Frequency of micronuclei and other biomarkers of DNA damage in populations exposed to dusts, asbestos and other fibers. A systematic review [Review]. *Mutat Res* 770: 106-118. <http://dx.doi.org/10.1016/j.mrrev.2016.05.004>.
- Bonazzina, R; Azara, M; Gianera, A; Cannatelli, P; Zocchetti, C. (1997). [Ordinary epidemiology: pleural mesothelioma and asbestos]. *Epidemiol Prev* 21: 279-282.
- Bond, GG; Shellenberger, RJ; Flores, GH; Cook, RR; Fishbeck, WA. (1985). A case-control study of renal cancer mortality at a Texas chemical plant. *Am J Ind Med* 7: 123-139.
- Bonde, JP. (2013). No indication that mineral wool causes mesothelioma [Letter]. *Am J Respir Crit Care Med* 188: 873. <http://dx.doi.org/10.1164/rccm.201304-0655LE>.
- Bonneau, L; Malard, C; Pezerat, H. (1986). Studies on Surface Properties of Asbestos. II. Role of Dimensional Characteristics and Surface Properties of Mineral Fibers in the Induction of Pleural Tumors. *Environ Res* 41: 268-275.
- Bonner, JC. (2007). Lung fibrotic responses to particle exposure. *Toxicol Pathol* 35: 148-153. <http://dx.doi.org/10.1080/01926230601060009>.
- Bonner, JC; Brody, AR. (1991). ASBESTOS-INDUCED ALVEOLAR INJURY EVIDENCE FOR MACROPHAGE-DERIVED PDGF AS A MEDIATOR OF THE FIBROGENIC RESPONSE (pp. 6-9). (ISSN 0012-3692 EISSN 1931-3543 BIOSIS/91/17686). Bonner, JC; Brody, AR.
- Bonner, JC; Goodell, AL; Coin, PG; Brody, AR. (1993). Chrysotile asbestos upregulates gene expression and production of alpha-receptors for platelet-derived growth factor (PDGF-AA) on rat lung fibroblasts. *J Clin Invest* 92: 425-430. <http://dx.doi.org/10.1172/JCI116584>.
- Bonner, JC; Goodell, AL; Osornio-Vargas, AR; Badgett, A; Brody, AR. (1992). CHRYSOTILE ASBESTOS UP-REGULATES THE PRODUCTION OF PLATELET-DERIVED GROWTH FACTOR PDGF-ALPHA RECEPTORS ON RAT LUNG FIBROBLASTS (pp. 17-20). (BIOSIS/92/22137). Bonner, JC; Goodell, AL; Osornio-Vargas, AR; Badgett, A; Brody, AR.
- Bonner, JC; Osornio-Vargas, AR; Badgett, A; Brody, AR. (1991). Differential proliferation of rat lung fibroblasts induced by the platelet-derived growth factor-AA, -AB, and -BB isoforms secreted by rat alveolar macrophages. *Am J Respir Cell Mol Biol* 5: 539-547. <http://dx.doi.org/10.1165/ajrcmb/5.6.539>.
- Bonnetterre, V; Faisandier, L; Bicout, D; Bernardet, C; Piollat, J; Ameille, J; de Claviere, C; Aptel, M; Lasfargues, G; de Gaudemaris, R; RNV3P. (2010). Programmed health surveillance and detection of emerging diseases in occupational health: contribution of the French national occupational disease surveillance and prevention network (RNV3P). *Occup Environ Med* 67: 178-186. <http://dx.doi.org/10.1136/oem.2008.044610>.
- Bonnetterre, V; Mathern, G; Pelen, O; Balthazard, AL; Delafosse, P; Mitton, N; Colonna, M. (2012). Cancer incidence in a chlorochemical plant in Isère, France: an occupational cohort study, 1979-2002. *Am J Ind Med* 55: 756-767. <http://dx.doi.org/10.1002/ajim.22069>.
- Bonomo, L; Feragalli, B; Sacco, R; Merlino, B; Storto, ML. (2000). Malignant pleural disease [Review]. *Eur J Radiol* 34: 98-118.
- Bononi, I; Comar, M; Puozzo, A; Stendardo, M; Boschetto, P; Orecchia, S; Libener, R; Guaschino, R; Pietrobon, S; Ferracin, M; Negrini, M; Martini, F; Bovenzi, M; Tognon, M. (2016). Circulating microRNAs found dysregulated in ex-exposed asbestos workers and pleural mesothelioma patients as potential new biomarkers. *Onco* 7: 82700-82711. <http://dx.doi.org/10.18632/oncotarget.12408>.
- Bonser, GM; Faulds, JS; Stewart, MJ. (1955). Occupational cancer of the urinary bladder in dyestuffs operatives and of the lung in asbestos textile workers and iron-ore miners. *Am J Clin Pathol* 25: 126-134.
- Boor, P; Casper, S; Celec, P; Hurbánková, M; Beno, M; Heidland, A; Amann, K; Sebeková, K. (2009). Renal, vascular and cardiac fibrosis in rats exposed to passive smoking and industrial dust fibre amosite. *J Cell Mol Med* 13: 4484-4491. <http://dx.doi.org/10.1111/j.1582-4934.2008.00518.x>.
- Boorman, GA; Dean, JH; Luster, MI; Adkins, B; Brody, A; Hong, HL. (1984). Bone marrow alterations induced in mice with inhalation of chrysotile asbestos. *Toxicol Appl Pharmacol* 72: 148-158.
- Borak, J; Russi, M. (1995). New approach set to protect workers from asbestos exposures below PELs. *Occup Health Saf* 64: 39-40.

Human Health Hazard Literature Search Results

On Topic

- Borelli, V; Moura, RR; Trevisan, E; Crovella, S. (2015). NLRP1 and NLRP3 polymorphisms in mesothelioma patients and asbestos exposed individuals a population-based autopsy study from North East Italy. *Infect Agent Cancer* 10: 26. <http://dx.doi.org/10.1186/s13027-015-0022-0>.
- Borelli, V; Trevisan, E; Vita, F; Bottin, C; Melato, M; Rizzardi, C; Zabucchi, G. (2012). Peroxidase-like activity of ferruginous bodies isolated by exploiting their magnetic property. *J Toxicol Environ Health A* 75: 603-623. <http://dx.doi.org/10.1080/15287394.2012.688478>.
- Borm, PJ; Schins, PF. (1993). Lymphocyte subsets in subjects exposed to asbestos: changes in circulating natural killer cells [Letter]. *Br J Ind Med* 50: 575.
- Borm, PJ; Schins, R; Janssen, YM; Lenaerts, L. (1992). Molecular basis for differences in susceptibility to coal workers' pneumoconiosis. *Toxicol Lett* 64-65 Spec No: 767-772.
- Borm, PJA. (1994). BIOLOGICAL MARKERS AND OCCUPATIONAL LUNG-DISEASE - MINERAL DUST-INDUCED RESPIRATORY DISORDERS. *Exp Lung Res* 20: 457-470.
- Borow, M; Conston, A; Livornese, L; Schalet, N. (1973). Mesothelioma following exposure to asbestos: a review of 72 cases. *Chest* 64: 641-646.
- Borron, SW; Forman, SA; Lockey, JE; Lemasters, GK; Yee, LM. (1997). An early study of pulmonary asbestosis among manufacturing workers: original data and reconstruction of the 1932 cohort. *Am J Ind Med* 31: 324-334.
- Borton, EK; Lemasters, GK; Hilbert, TJ; Lockey, JE; Dunning, KK; Rice, CH. (2012). Exposure estimates for workers in a facility expanding Libby vermiculite: updated values and comparison with original 1980 values. *J Occup Environ Med* 54: 1350-1358. <http://dx.doi.org/10.1097/JOM.0b013e31824fe174>.
- Bossard, E; Stolkin, I; Spycher, MA; Ruttner, JR. (1980). Quantification and particle size distribution of inhaled fibres in the lung. *IARC Sci Publ* 35-41.
- Both, K; Henderson, DW; Turner, DR. (1994). Asbestos and erionite fibres can induce mutations in human lymphocytes that result in loss of heterozygosity. *Int J Cancer* 59: 538-542.
- Both, K; Turner, DR; Henderson, DW. (1995). LOSS OF HETEROZYGOSITY IN ASBESTOS-INDUCED MUTATIONS IN A HUMAN MESOTHELIOMA CELL-LINE. *Environ Mol Mutagen* 26: 67-71.
- Botha, JL; Irwig, LM; Strebel, PM. (1986). Excess mortality from stomach cancer, lung cancer, and asbestosis and/or mesothelioma in crocidolite mining districts in South Africa. *Am J Epidemiol* 123: 30-40.
- Botham, SK; Holt, PF. (1971). Development of asbestos bodies on amosite, chrysotile and crocidolite fibres in guinea-pig lungs. *J Pathol* 105: 159-167. <http://dx.doi.org/10.1002/path.1711050303>.
- Botham, SK; Holt, PF. (1972). The effects of inhaled crocidolites from Transvaal and North-west Cape mines on the lungs of rats and guinea-pigs. *Br J Exp Pathol* 53: 612-620.
- Botham, SK; Holt, PF. (1973). The effects of inhaled crocidolites from Transvaal and North-west Cape mines on the lungs of rats and guinea-pigs. *Br J Exp Pathol* 53: 612-620.
- Bothamley, G; Jarad, N; Rudd, R. (1990). ANTIBODY LEVELS TO A 65-KILODALTON HEAT SHOCK PROTEIN IN ASBESTOS-RELATED LUNG DISEASE (pp. 20-24). (BIOSIS/90/18826). Bothamley, G; Jarad, N; Rudd, R.
- Botta, A. (1975). Amianthus (pp. 303-339). (NIOSH/00101181). Botta, A.
- Botta, M; Magnani, C; Terracini, B; Bertolone, GP; Castagneto, B; Cocito, V; Degiovanni, D; Paglieri, P. (1991). Mortality from respiratory and digestive cancers among asbestos cement workers in Italy. *Cancer Detect Prev* 15: 445-447.
- Bouchardy, C; Schuler, G; Minder, C; Hotz, P; Bousquet, A; Levi, F; Fisch, T; Torhorst, J; Raymond, L. (2002). Cancer risk by occupation and socioeconomic group among men--A study by the Association of Swiss Cancer Registries. *Scand J Work Environ Health* 28: 1-88.
- Bouchardy, C; Wikman, H; Benhamou, S; Hirvonen, A; Dayer, P; Husgafvel-Pursiainen, K. (1997). CYP1A1 genetic polymorphisms, tobacco smoking and lung cancer risk in a French Caucasian population. *Biomarkers* 2: 131-134. <http://dx.doi.org/10.1080/135475097231869>.
- Boucot, KR; Weiss, W; Seidman, H; Carnahan, WJ; Cooper, DA. (1972). The Philadelphia pulmonary neoplasm research project: basic risk factors of lung cancer in older men. *Am J Epidemiol* 95: 4-16.
- Boulanger, M; Morlais, F; Bouvier, V; Galateau-Salle, F; Guittet, L; Marquignon, MF; Paris, C; Raffaelli, C; Launoy, G; Clin, B. (2015). Digestive cancers and occupational asbestos exposure: incidence study in a cohort of asbestos plant workers. *Occup Environ Med* 72: 792-797. <http://dx.doi.org/10.1136/oemed-2015-102871>.
- Boulard, JC; Hanslik, T; Doleris, LM; Prinseau, J; Baglin, A. (1995). Asbestos and idiopathic retroperitoneal fibrosis [Letter]. *Lancet* 345: 1379.
- Boulier, A; Fabre, J; Lemenager, J; Caillard, JF; Vergnaud, MC. (1979). RELATIONS OBSERVED BETWEEN LUNG-FUNCTION AND X-RAYS OPACITIES IN 106 ASBESTOS WORKERS. *Rev Fr Mal Respir* 7: 487-488.
- Boulier, A; Fabre, J; Leménager, J; Caillard, JF; Vergnaud, MC; Petiot, JF. (1980). [Comparison of data of respiratory function tests and pulmonary radiology images. Apropos of 106 subjects exposed to asbestos]. *Rev Fr Mal Respir* 8: 211-218.
- Bounds, EB. (1989). A study of asbestos-related disease and disability in federal workers' compensation claims. *Toxicol Ind Health* 5: 1111-1115.
- Bounin, A; Charbotel, B; Fervers, B; Bergeret, A. (2014). [Professional risk factors associated with the cancer of the ovary. Literature review] [Review]. *Bulletin du Cancer (Online)* 101: 1089-1108. <http://dx.doi.org/10.1684/bdc.2014.1978>.
- Bourbeau, J; Ernst, P; Chrome, J; Armstrong, B; Becklake, MR. (1990). The relationship between respiratory impairment and asbestos-related pleural abnormality in an active work force. *Am Rev Respir Dis* 142: 837-842. <http://dx.doi.org/10.1164/ajrccm/142.4.837>.
- Bourbeau, J; Ernst, P; Chrome, J; Nunes, F; Armstrong, B; Blanchet, Y; Becklake, MR. (1988). RELATIONSHIP BETWEEN RESPIRATORY IMPAIRMENT AND ASBESTOS RELATED PLEURAL DISEASE IN AN ACTIVE WORKFORCE (pp. 8-11). (BIOSIS/88/21266). Bourbeau, J; Ernst, P; Chrome, J; Nunes, F; Armstrong, B; Blanchet, Y; Becklake, MR.
- Bourdès, V; Boffetta, P; Pisani, P. (2000). Environmental exposure to asbestos and risk of pleural mesothelioma: review and meta-analysis [Review]. *Eur J Epidemiol* 16: 411-417. <http://dx.doi.org/10.1023/A:1007691003600>.

Human Health Hazard Literature Search Results

On Topic

- Bourgault, MH; Gagné, M; Valcke, M. (2014). Lung cancer and mesothelioma risk assessment for a population environmentally exposed to asbestos. *Int J Hyg Environ Health* 217: 340-346. <http://dx.doi.org/10.1016/j.ijheh.2013.07.008>.
- Bourgouin, PP; Blais, N; Tehfe, M; Florescu, M. (2012). Impact of asbestos exposure on survival and treatment of patients with malignant mesothelioma. *J Clin Oncol* 30.
- Boutin, C. (1977). HAZARDS OF ASBESTOS. *Rev Prat* 27: 867-869.
- Boutin, C; Dumortier, P; Rey, F; Viallat, J. R.; De Vuyst, P. (1994). ONCOGENIC ASBESTOS FIBERS IN THE PARIETAL PLEURA. (BIOSIS/94/30944). Boutin, C; Dumortier, P; Rey, F; Viallat, , JR; De Vuyst, P.
- Boutin, C; Dumortier, P; Rey, F; Viallat, JR; De Vuyst, P. (1996). Black spots concentrate oncogenic asbestos fibers in the parietal pleura. Thoracoscopic and mineralogic study. *Am J Respir Crit Care Med* 153: 444-449. <http://dx.doi.org/10.1164/ajrccm.153.1.8542156>.
- Boutin, C; Monnet, I; Ruffie, P; Astoul, P. (1999). Malignant mesothelioma: clinical and therapeutic study. *Rev Mal Respir* 16: 1317-1326.
- Boutin, C; Rey, F; Gouvernet, J. (1992). PLEURAL MALIGNANT MESOTHELIOMA - PRONOSTIC FACTORS IN A SERIES OF 125 CONSECUTIVE PATIENTS FROM 1973 TO 1987. *Bull Acad Natl Med* 176: 105-117.
- Boutin, C; Schlessler, M; Frenay, C; Astoul, P. (1998). Malignant pleural mesothelioma [Review]. *Eur Respir J* 12: 972-981.
- Boutin, C; Sebastien, P; Janson, X; Viallat, JR. (1984). THORACOSCOPIC ASSESSMENT OF LUNG ASBESTOS CONTENTS (pp. NEW YORK). (HEEP/85/00842). Boutin, C; Sebastien, P; Janson, X; Viallat, JR.
- Boutin, C; Viallat, J. R.; Sebastien, P; Prud'Homme, A. (1983). Mesotheliomas and benign pleuritis due to asbestosis of nonoccupational origin [Abstract]. *Rev Fr Mal Respir* 11: 471.
- Boutin, C; Viallat, J. R.; Steinbauer, J; Charpin, D; Massey, D. (1983). BILATERAL CALCIFIED PLEURAL PLAQUES IN CORSICA - A NON-OCCUPATIONAL ASBESTOS EXPOSURE MARKER. *Eur J Respir Dis* 64: 583-583.
- Boutin, C; Viallat, JR; Bellenfant, M. (1980). Radiological features in chrysotile asbestos mine and mill workers in Corsica. IARC Sci Publ IARC Scientific Publication No: 507-511.
- Boutin, C; Viallat, JR; Rey, F; Astoul, P; Seitz, B. (1990). [Diagnosis and prognosis of malignant mesothelioma]. *Rev Prat* 40: 1846-1850.
- Boutin, C; Viallat, JR; Sebastien, P; Fariße, P; Cargnino, P. (1980). THORACOSCOPY IN MESOTHELIOMA AND ASBESTOS RELATED PLEURAL DISEASES (pp. 26-30). (ISSN 0012-3692 EISSN 1931-3543 HEEP/81/09160). Boutin, C; Viallat, JR; Sebastien, P; Fariße, P; Cargnino, P.
- Boutin, C; Viallat, JR; Steinbauer, J; Massey, DG; Charpin, D; Mouries, JC. (1986). Bilateral pleural plaques in Corsica: a non-occupational asbestos exposure marker. *Eur J Respir Dis* 69: 4-9.
- Boutin, G; Viallat, JR; Steinbauer, J; Dufour, G; Gaudichet, A. (1989). Bilateral pleural plaques in Corsica: a marker of non-occupational asbestos exposure. *IARC Sci Publ* 406-410.
- Bovenzi, M; Stanta, G; Antiga, G; Peruzzo, P; Cavallieri, F. (1992). [Lung cancer and occupation: attributable risk in the province of Trieste]. *Epidemiol Prev* 14: 59-62.
- Bovenzi, M; Stanta, G; Antiga, G; Peruzzo, P; Cavallieri, F. (1993). Occupational exposure and lung cancer risk in a coastal area of northeastern Italy. *Int Arch Occup Environ Health* 65: 35-41.
- Bovenzi, M; Stanta, G; Antiga, GL; Peruzzo, P; Cavallieri, F. (1992). [Occupation and lung cancer risk in the province of Trieste: a case-control study]. *Med Lav* 83: 338-348.
- Bovenzi, M; Stanza, G; Antiga, L; Alberti, A; Cavalieri, F; Delendi, M; Cocchi, A; Peruzzo, P. (1992). OCCUPATION AND LUNG CANCER IN TRIESTE ITALY (pp. 10-12). (BIOSIS/92/28782). Bovenzi, M; Stanza, G; Antiga, L; Alberti, A; Cavalieri, F; Delendi, M; Cocchi, A; Peruzzo, P.
- Bowden, BH; Adamson I, YR. (1987). THE INFLUENCE OF FIBER LENGTH ON THE DISTRIBUTION AND SEVERITY OF ASBESTOS-INDUCED PULMONARY FIBROSIS IN MICE (pp. 8-10). (ISSN 0022-3417 EISSN 1096-9896 BIOSIS/88/02220). Bowden, BH; Adamson I, YR.
- Bowden, DH. (1971). The alveolar macrophage [Review]. 55: 1-36.
- Bowden, DH; Adamson I, YR. (1986). CROCIDOLITE-INDUCED PULMONARY FIBROSIS IN MICE (pp. 13-18). (BIOSIS/86/25832). Bowden, DH; Adamson I, YR.
- Bowden, DH; Adamson I, YR. (1987). DIFFERENTIAL RESPONSES OF THE LUNG TO LONG AND SHORT ASBESTOS FIBERS (pp. 10-13). (BIOSIS/87/23709). Bowden, DH; Adamson I, YR.
- Bowden, DH; Adamson, IY. (1985). Bronchiolar and alveolar lesions in the pathogenesis of crocidolite-induced pulmonary fibrosis in mice. *J Pathol* 147: 257-267. <http://dx.doi.org/10.1002/path.1711470404>.
- Bowton, DL; O'Neil, WW; Marx, VR; Gallup, KR. (1978). BRONCHO FIBERSCOPIC LAVAGE IN THE DIAGNOSIS OF ASBESTOSIS (pp. 18-20). (HEEP/81/05507). Bowton, DL; O'Neil, WW; Marx, VR; Gallup, KR.
- Boylan, AM; Hoeffel, JM; Ruegg, C; Kim, KJ; Hebert, CA; Pytela, R; Sheppard, D; Broaddus, VC. (1992). MESOTHELIAL CELL-DERIVED INTERLEUKIN-8 IS A LIKELY MEDIATOR OF ASBESTOS-INDUCED PLEURISY IN RABBITS (pp. 17-20). (BIOSIS/92/19450). Boylan, AM; Hoeffel, JM; Ruegg, C; Kim, KJ; Hebert, CA; Pytela, R; Sheppard, D; Broaddus, VC.
- Boylan, AM; Rüegg, C; Kim, KJ; Hébert, CA; Hoeffel, JM; Pytela, R; Sheppard, D; Goldstein, IM; Broaddus, VC. (1992). Evidence of a role for mesothelial cell-derived interleukin 8 in the pathogenesis of asbestos-induced pleurisy in rabbits. *J Clin Invest* 89: 1257-1267. <http://dx.doi.org/10.1172/JCI115710>.
- Boylan, AM; Sanan, DA; Sheppard, D; Broaddus, VC. (1995). VITRONECTIN ENHANCES INTERNALIZATION OF CROCIDOLITE ASBESTOS BY RABBIT PLEURAL MESOTHELIAL CELLS VIA THE INTEGRIN ALPHA-V-BETA-5. *J Clin Invest* 96: 1987-2001. <http://dx.doi.org/10.1172/JCI118246>.
- Boyle, JE; Lindroos, PM; Rice, AB; Zhang, LM; Zeldin, DC; Bonner, JC. (1999). Prostaglandin-E-2 counteracts interleukin-1 beta-stimulated upregulation of platelet-derived growth factor alpha-receptor on rat pulmonary myofibroblasts. *Am J Respir Cell Mol Biol* 20: 433-440.
- Boylen, CT; Kilburn, KH; Warshaw, R; Johnson, S. (1983). ASBESTOSIS IN WOMEN WHO WORKED IN SHIPYARDS (pp. 8-11). (HEEP/84/08977). Boylen, CT; Kilburn, KH; Warshaw, R; Johnson, S.

Human Health Hazard Literature Search Results

On Topic

- Bozelka, BE; Gaumer, HR; Nordberg, J; Salvaggio, JE. (1983). Asbestos-induced alterations of human lymphoid cell mitogenic responses. *Environ Res* 30: 281-290.
- Bozelka, BE; Lehrer, SB; Salvaggio, JE; Hammad, Y; Mccants, ML. (1992). Chronological assessment of asbestos exposure on cell composition in murine lung. *Am J Med Sci* 303: 379-386.
- Bozelka, BE; Salvaggio, JE. (1985). IMMUNOMODULATION BY ENVIRONMENTAL CONTAMINANTS ASBESTOS CADMIUM AND HALOGENATE BIPHENYLS A REVIEW. *J Environ Sci Health, Part C: Environ Carcinog Rev* 3: 1-62.
- Bozelka, BE; Sestini, P; Gaumer, HR; Hammad, Y; Heather, CJ; Salvaggio, JE. (1983). A murine model of asbestosis. *Am J Pathol* 112: 326-337.
- Bozelka, BE; Sestini, P; Hammad, Y; Salvaggio, JE. (1986). Effects of asbestos fibers on alveolar macrophage-mediated lymphocyte cytostasis. *Environ Res* 40: 172-180.
- Bozelka, BE; Sestini, P; Salvaggio, JE. (1983). Alteration of murine alveolar macrophage cytostatic activity by in-vitro exposure to asbestos. 42: ABSTRACT 2852.
- Braaker, J; Pfisterer, R; Brändli, O. (1983). [Pleural calcinosis in family members of asbestos workers]. *Schweiz Rundsch Med Prax* 72: 1359-1360.
- Bracci, PM; Sison, J; Hansen, H; Walsh, KM; Quesenberry, CP; Raz, DJ; Wrensch, M; Wiencke, JK. (2012). Cigarette smoking associated with lung adenocarcinoma in situ in a large case-control study (SFBALCS). *J Thorac Oncol* 7: 1352-1360. <http://dx.doi.org/10.1097/JTO.0b013e31825aba47>.
- Bradley, BJ; Bellomo, SC; Craighead, JE. (1979). Interaction of chrysotile asbestos with human erythrocytes. *Fed Proc* 38.
- Bradley, TP; Golden, AL. (2006). Tobacco and carcinogens in the workplace [Review]. *Clin Occup Environ Med* 5: 117-137, x. <http://dx.doi.org/10.1016/j.coem.2005.10.011>.
- Brady, J. (1986). OSHA's new asbestos standards tighten exposure levels, controls. *Occup Health Saf* 55: 53-58.
- Brady, LW. (1981). Mesothelioma The Role for Radiation Therapy. *Semin Oncol* 8: 329-334.
- Brahmendra, A; Prashar, A; Terebiznik, M; Khan, IS. (2013). The uptake and maturation of asbestos fibres by macrophages. *Mol Biol Cell* 24.
- Braja, M; Trompeo, G; Turletti, G. (1969). [Public health problems posed by the possible presence of asbestos in the urban atmosphere]. *Ig Mod* 62: 139-151.
- Brakert, L; Reuter, M; Tetzlaff, K; Olma, K; Heller, M; Bettinghausen, E; Szadkowski, D. (1996). ASBESTOS-RELATED FIBROSIS AMONG CREW MEMBERS OF THE GERMAN NAVY FLEET EVALUATION WITH HIGH RESOLUTION COMPUTED TOMOGRAPHY (pp. 7-11). (BIOSIS/97/05373). Brakert, L; Reuter, M; Tetzlaff, K; Olma, K; Heller, M; Bettinghausen, E; Szadkowski, D.
- Branchaud, RM; Garant, LJ; Kane, AB. (1993). Pathogenesis of mesothelial reactions to asbestos fibers. Monocyte recruitment and macrophage activation. *Pathobiology* 61: 154-163.
- Branchaud, RM; Macdonald, JL; Kane, AB. (1989). Induction of angiogenesis by intraperitoneal injection of asbestos fibers. *FASEB J* 3: 1747-1752.
- Brand, G. (1978). [Carcinogenic mode of action of tissue-embedded foreign particles]. 166: 159-168.
- Brand, G; Brand, I. (1980). Investigation And Review Of Literature Relating To Carcinogenesis. I. Communication: Cancer From Asbestos, Schistosomiasis And Cicatrization (pp. 1-17). (NIOSH/00138027). Brand, G; Brand, I.
- Brand, G; Brand, I. (1980). [Investigations and review of literature relating to carcinogenesis. I. Communication: Cancer from asbestos, schistosomiasis, and cicatrization (author's transl)] [Review]. *Zentralbl Bakteriell Mikrobiol Hyg* 171: 1-17.
- Brand, G; Brand, I. (1980). [Investigations and review of literature relating to carcinogenesis III. Communication: the results of experimental foreign body-carcinogenesis in relation to asbestos, schistosomiasis and scar cancer in man (author's transl)] [Review]. *Zentralbl Bakteriell Mikrobiol Hyg* 171: 544-573.
- Brand, KG. (1979). SCHISTOSOMIASIS CANCER ETIOLOGICAL CONSIDERATIONS A REVIEW. *Acta Trop* 36: 203-214.
- Brand, KG. (1982). CANCER ASSOCIATED WITH ASBESTOSIS SCHISTOSOMIASIS FOREIGN BODIES AND SCARS (pp. A COMPREHENSIVE TREATISE). (HEEP/83/05133). Brand, KG.
- Brandi, G; Di Girolamo, S; Belpoggi, F; Grazi, G; Ercolani, G; Biasco, G. (2008). Asbestos exposure in patients affected by bile duct tumours. *Eur J Oncol* 13: 171-179.
- Brandi, G; Di Girolamo, S; Farioli, A; de Rosa, F; Curti, S; Pinna, AD; Ercolani, G; Violante, FS; Biasco, G; Mattioli, S. (2013). Asbestos: a hidden player behind the cholangiocarcinoma increase? Findings from a case-control analysis. *Cancer Causes Control* 24: 911-918. <http://dx.doi.org/10.1007/s10552-013-0167-3>.
- Brandi, G; Farioli, A; Di Girolamo, S; Curti, S; De Rosa, F; Violante, FS; Biasco, G; Mattioli, S. (2011). ASSOCIATION BETWEEN OCCUPATIONAL EXPOSURE TO ASBESTOS AND CHOLANGIOCARCINOMA: RESULTS OF A CASE- CONTROLLED ANALYSIS. *Epidemiol Prev* 35: 55-56.
- Brandi, G; Nobili, E; Di Girolamo, S; Grazi, G; Fiorentino, M; Golfieri, R; Biasco, G. (2009). Nanotechnology-Related Environment, Health, and Safety Research. *Environ Health Perspect* 117: A433-A434. <http://dx.doi.org/10.1289/ehp.0901029>.
- Brandt-Rauf, PW; Niman, HL; Smith, SJ. (1990). Correlation between serum oncogene protein expression and the development of neoplastic disease in a worker exposed to carcinogens. *J R Soc Med* 83: 594-595.
- Brandt-Rauf, PW; Smith, S; Hemminki, K; Koskinen, H; Vainio, H; Niman, H; Ford, J. (1992). Serum oncoproteins and growth factors in asbestosis and silicosis patients. *Int J Cancer* 50: 881-885.
- Branson, HK. (1988). Asbestos can be safe. *Occup Health Saf* 57: 42, 44.
- Brass, DM; Hoyle, G; Liu, JY; Brody, AR. (1996). ASBESTOS INDUCED LUNG FIBROSIS AND CELL PROLIFERATION IN TWO STRAINS OF MICE (pp. 2-6). (ISSN 0892-6638 EISSN 1530-6860 BIOSIS/96/22770). Brass, DM; Hoyle, G; Liu, JY; Brody, AR.
- Brass, DM; Hoyle, G; Liu, JY; Brody, AR. (1997). Asbestos-induced lung fibrosis and expression of TNF-alpha in two strains of mice. *FASEB J* 11: 1319-1319.

Human Health Hazard Literature Search Results

On Topic

- Brass, DM; Hoyle, GW; Poovey, HG; Liu, JY; Brody, AR. (1999). Reduced tumor necrosis factor-alpha and transforming growth factor-beta1 expression in the lungs of inbred mice that fail to develop fibroproliferative lesions consequent to asbestos exposure. *Am J Pathol* 154: 853-862.
- Brass, DM; Tsai, SY; Brody, AR. (2001). Primary lung fibroblasts from the 129 mouse strain exhibit reduced growth factor responsiveness in vitro. *Exp Lung Res* 27: 639-653.
- Braude, AC; Chamberlain, DW; Rebeck, AS. (1982). ASBESTOS FIBERS IN BRONCHOALVEOLAR LAVAGE FLUID IN PATIENTS WITH DIFFUSE INTERSTITIAL LUNG-DISEASE. *Am Rev Respir Dis* 125: 106-106.
- Braun, DC; Truan, TD. (1958). An epidemiological study of lung cancer in asbestos miners. *AMA Arch Ind Health* 17: 634-653.
- Braver, ER; Infante, PF; Cohn, M; Rowe, J; Teitelbaum, H. (1984). REPORT OF THE HEALTH HAZARD COMMITTEE OF THE FEDERAL ASBESTOS TASKFORCE. (EPIDEM/008017). Braver, ER; Infante, PF; Cohn, M; Rowe, J; Teitelbaum, H.
- Bravo, MP; Del Rey-Calero, J; Conde, M. (1988). Bladder cancer and asbestos in Spain. *Rev Epidemiol Sante Publique* 36: 10-14.
- Brenner, J; Sordillo, PP; Magill, GB. (1981). Malignant mesothelioma in children: 7 cases and review of the literature. *Med Pediatr Oncol* 9: 367-374.
- Brenner, J; Sordillo, PP; Magill, GB; Golbey, RB. (1982). Malignant mesothelioma of the pleura: review of 123 patients. *Cancer* 49: 2431-2435.
- Bresnick, E. (1983). The price of progress or Pandora's purse [Review]. *Biochem Pharmacol* 32: 1331-1336.
- Bresnitz, EA; Gilman, MJ; Gracely, EJ. (1992). ASBESTOS-RELATED PULMONARY AND PLEURAL ABNORMALITIES IN ELEVATOR CONSTRUCTION WORKERS (pp. 17-20). (BIOSIS/92/20040). Bresnitz, EA; Gilman, MJ; Gracely, EJ.
- Bresnitz, EA; Gilman, MJ; Gracely, EJ; Airoidi, J; Vogel, E; Gefter, W. (1993). Asbestos-related radiographic abnormalities in elevator construction workers. *Am Rev Respir Dis* 147: 1341-1344. http://dx.doi.org/10.1164/ajrccm/147.6_Pt_1.1341.
- Breyse, PA. (1991). ACGIH TLVs: a critical analysis of the documentation [Letter]. *Am J Ind Med* 20: 423-430.
- Brhel, P. (2003). Occupational respiratory diseases in the Czech Republic. *Ind Health* 41: 121-123.
- Bridbord, K; Decoufle, P; Fraumeni JF, J. R.; Hoel, DG; Hoover, RN; Rall, DP; Saffiotti, U; Schneiderman, MA; Upton, AC. (1978). ESTIMATES OF THE FRACTION OF CANCER IN THE UNITED STATES RELATED TO OCCUPATIONAL FACTORS. (EPIDEM/002815). Bridbord, K; Decoufle, P; Fraumeni JF, JR; Hoel, DG; Hoover, RN; Rall, DP; Saffiotti, U; Schneiderman, MA; Upton, AC.
- Bridbord, K; Wagoner, JK; Blejer, HP. (1977). Chemical Carcinogens (pp. 77-181). (NIOSH/00166932). Bridbord, K; Wagoner, JK; Blejer, HP.
- Bridgman, SA. (2000). Acute health effects of a fire associated with asbestos-containing fallout. *J Publ Health Med* 22: 400-405.
- Bridgman, SA; Delaney, JC. (1997). RESPIRATORY CONSEQUENCES OF A FIRE ASSOCIATED WITH ASBESTOS CONTAINING FALL-OUT (pp. 20-24). (BIOSIS/98/15089). Bridgman, SA; Delaney, JC.
- Briggs, JH; Singleton, WG; Burke, MM; Hart, LA; Parker, RJ. (2009). Amyloidosis presenting as bilateral transudative pleural effusions with normal cardiac investigations: a case report. *Cases Journal* 2: 6963. <http://dx.doi.org/10.4076/1757-1626-2-6963>.
- Bright-Thomas, RJ; Ahmed, RY; Pearson, SB; Muers, MF; Luksza, AR; Turkington, PM. (2010). Pleural mesothelioma presenting as recurrent pneumothoraces. *Br J Hosp Med (Lond)* 71: 590-591. <http://dx.doi.org/10.12968/hmed.2010.71.10.78951>.
- Brimms, F; Murray, C; De Klerk, N; Alfonso, H; Reid, A; Wong, P; Teh, J; Olsen, N; Mina, R; Musk, AW; Grp, ORE. (2014). 12 Months Of Low Dose CT Scan Screening An Asbestos Exposed Population: Results From The Western Australia Asbestos Review Program. *Am J Respir Crit Care Med* 189.
- Brimms, F; Musk, B; Reid, A; Pang, S; Franklin, P; Peters, S; De Klerk, N. (2016). PRESENCE OF PLEURAL PLAQUES AND/ OR ASBESTOSIS AND THE RISK OF LUNG CANCER IN A CROCIDOLITE ASBESTOS EXPOSED POPULATION FROM WESTERN AUSTRALIA. *Respirology* 21: 99-99.
- Brimms, F; Musk, B; Reid, A; Pang, SC; Franklin, P; Peters, S; De Klerk, N. (2015). Presence of Pleural Plaques and/or Asbestosis and the Risk of Lung Cancer in a Crocidolite Asbestos Exposed Population from Western Australia. *J Thorac Oncol* 10: S613-S613.
- Brimms, FJ. (2009). Asbestos--a legacy and a persistent problem [Review]. *J R Nav Med Serv* 95: 4-11.
- Brimms, FJ; Murray, CP; de Klerk, N; Alfonso, H; Reid, A; Manners, D; Wong, PM; Teh, J; Olsen, N; Mina, R; Musk, AW. (2015). Ultra-low-dose chest computer tomography screening of an asbestos-exposed population in Western Australia [Letter]. *Am J Respir Crit Care Med* 191: 113-116. <http://dx.doi.org/10.1164/rccm.201409-1687LE>.
- Britton, DC. (1976). Letter: Exposure to asbestos dust. *Br Med J* 2: 175.
- Britton, M. (1988). ASBESTOS-RELATED DISEASES (pp. 13-16). (BIOSIS/88/11765). Britton, M.
- Britton, M. (1989). Compensation for asbestos-related diseases--the U.K. model. *Respir Med* 83: 95-102.
- Britton, M. (2002). The epidemiology of mesothelioma [Review]. *Semin Oncol* 29: 18-25. <http://dx.doi.org/10.1053/sonc.2002.30237>.
- Britton, MG. (1982). Asbestos pleural disease. *Br J Dis Chest* 76: 1-10. [http://dx.doi.org/10.1016/0007-0971\(82\)90001-8](http://dx.doi.org/10.1016/0007-0971(82)90001-8).
- Britton, MG; Apps, MC; Maxwell, DL; Hughes, DT; Hanson, A. (1989). The value of ear lobe oximetry in the assessment of disability in asbestos-related disease. *Respir Med* 83: 43-49.
- Britton, MG; Hughes, D, TD; Wever, A, MJ. (1977). Serial pulmonary function tests in patients with asbestosis. *Thorax* 32: 45-52.
- Britton, MG; Hughes, DT; Phillips, TJ. (1981). A guide to compensation for asbestos-related diseases. *Br Med J (Clin Res Ed)* 282: 2107-2111.
- Broadus, VC. (1997). Asbestos, the mesothelial cell and malignancy: a matter of life or death [Editorial]. *Am J Respir Cell Mol Biol* 17: 657-659. <http://dx.doi.org/10.1165/ajrcmb.17.6.f141>.
- Broadus, VC; Everitt, JI; Black, B; Kane, AB. (2011). Non-neoplastic and neoplastic pleural endpoints following fiber exposure [Review]. *J Toxicol Environ Health B Crit Rev* 14: 153-178. <http://dx.doi.org/10.1080/10937404.2011.556049>.
- Broadus, VC; Yang, L; Scavo, LM; Ernst, JD; Boylan, AM. (1996). Asbestos induces apoptosis of human and rabbit pleural mesothelial cells via reactive oxygen species. *J Clin Invest* 98: 2050-2059. <http://dx.doi.org/10.1172/JCI119010>.
- Broadus, VC; Yang, L; Scavo, LM; Ernst, JD; Boylan, AM. (1996). ASBESTOS INDUCES APOPTOSIS OF PLEURAL MESOTHELIAL CELLS VIA REACTIVE OXYGEN SPECIES (pp. 7-11). (ISSN 1059-1524 BIOSIS/97/07678). Broadus, VC; Yang, L; Scavo, LM; Ernst, JD; Boylan, AM.

Human Health Hazard Literature Search Results

On Topic

- Broaddus, VC; Yang, L; Scavo, LM; Ernst, JD; Boylan, AM. (1997). Crocidolite asbestos induces apoptosis of pleural mesothelial cells: Role of reactive oxygen species and poly(ADP-ribosyl) polymerase. *Environ Health Perspect* 105: 1147-1152. <http://dx.doi.org/10.2307/3433524>.
- Broaddus, VC; Yung, R; Sanan, D; Sheppard, D; Boylan, AM. (1993). ATTACHMENT OF CROCIDOLITE ASBESTOS FIBERS TO PLEURAL MESOTHELIAL CELLS VIA INTEGRIN ALPHA5BETA1 (pp. 11-15). (BIOSIS/94/08374). Broaddus, VC; Yung, R; Sanan, D; Sheppard, D; Boylan, AM.
- Brochard, P. (1997). [Epidemiological approach to mesothelioma]. *Rev Prat* 47: 1326-1332.
- Brochard, P; Ameille, J. (1981). [Pathology relating to the inhalation of asbestos]. *Soins* 26: 31-36.
- Brochard, P; Ameille, J. (1981). [Respiratory cancers of professional origin]. *Soins* 26: 41-43.
- Brochard, P; Bignon, J. (1983). Respiratory Cancer, Occupational (pp. 1916-1919). (NIOSH/00149601). Brochard, P; Bignon, J.
- Brochard, P; Martinon, L; Iwatsubo, Y; Janson, X; Billon-Galland, MA; Bignon, J; Pairon, JC. (1996). LUNG RETENTION OF ASBESTOS FIBRES IN PLEURAL MESOTHELIOMA (pp. 7-11). (BIOSIS/97/05370). Brochard, P; Martinon, L; Iwatsubo, Y; Janson, X; Billon-Galland, MA; Bignon, J; Pairon, JC.
- Brochard, P; Pairon, JC; Bignon, J. (1990). ASBESTOS RELATED OCCUPATIONAL RESPIRATORY CANCERS EXPERIENCE AND PERSPECTIVES IN FRANCE (pp. 16-22). (BIOSIS/91/14078). Brochard, P; Pairon, JC; Bignon, J.
- Brockmann, M; Fischer, M; K-M, M. (1990). MODIFICATION OF HISTOLOGICAL PHENOTYPES IN DIFFUSE MALIGNANT MESOTHELIOMA (pp. 16-22). (BIOSIS/91/11108). Brockmann, M; Fischer, M; Mueller K-M.
- Brockmann, M; Rasche, K. (1987). ASBESTOSIS AND RHEUMATIC LUNG ASSESSMENT OF COMBINED PULMONARY DISEASE. *Dtsch Med Wochenschr* 112: 1661-1665.
- Broderick, A; Fuortes, LJ; Merchant, JA; Galvin, JR; Schwartz, DA. (1992). Pleural determinants of restrictive lung function and respiratory symptoms in an asbestos-exposed population. *Chest* 101: 684-691.
- Brodeur, P. (1980). Asbestos And Cigarettes: A Deadly Combination (pp. 44-45). (NIOSH/00153915). Brodeur, P.
- Brodeur, P. (1980). Asbestos Disease (pp. 8-11). (NIOSH/00153965). Brodeur, P.
- Brodeur, P. (1980). A History Of Asbestos Disease (pp. 12-16). (NIOSH/00153934). Brodeur, P.
- Brodkin, CA; Barnhart, S; Anderson, G; Checkoway, H; Omenn, G; Rosenstock, L. (1992). CORRELATION BETWEEN RESPIRATORY SYMPTOMS AND PULMONARY FUNCTION IN ASBESTOS-EXPOSED WORKERS A CROSS-SECTIONAL AND LONGITUDINAL ANALYSIS (pp. 17-20). (BIOSIS/92/19441). Brodtkin, CA; Barnhart, S; Anderson, G; Checkoway, H; Omenn, G; Rosenstock, L.
- Brodtkin, CA; Barnhart, S; Anderson, G; Checkoway, H; Omenn, GS; Rosenstock, L. (1993). CORRELATION BETWEEN RESPIRATORY SYMPTOMS AND PULMONARY-FUNCTION IN ASBESTOS-EXPOSED WORKERS. *Am Rev Respir Dis* 148: 32-37. <http://dx.doi.org/10.1164/ajrccm/148.1.32>.
- Brodtkin, CA; Barnhart, S; Checkoway, H; Balmes, J; Omenn, GS; Rosenstock, L. (1996). Longitudinal pattern of reported respiratory symptoms and accelerated ventilatory loss in asbestos-exposed workers. *Chest* 109: 120-126.
- Brodtkin, CA; McCullough, J; Stover, B; Balmes, J; Hammar, S; Omenn, GS; Checkoway, H; Barnhart, S. (1997). Lobe of origin and histologic type of lung cancer associated with asbestos exposure in the Carotene and Retinol Efficacy Trial (CARET). *Am J Ind Med* 32: 582-591.
- Brody, AR. (1980). DIFFERENTIAL UPTAKE OF TALC AND ASBESTOS INHALED SIMULTANEOUSLY BY RATS DURING EXPERIMENTAL EXPOSURE (pp. 18-21). (HEEP/81/07925). Brody, AR.
- Brody, AR. (1984). The early pathogenesis of asbestos-induced lung disease. *Scan Electron Microsc* 1: 167-171.
- Brody, AR. (1984). Inhaled Particles In Human Disease And Animal Models: Use Of Electron Beam Instrumentation [Review]. *Environ Health Perspect* 56: 149-162.
- Brody, AR. (1986). Pulmonary cell interactions with asbestos fibers in vivo and in vitro. *Chest* 89: 155S-159S.
- Brody, AR. (1987). Initial Fiber Interactions with Bronchiolar-Alveolar Epithelium, Macrophages and Fibroblasts (pp. 81-92). (NIOSH/00179705). Brody, AR.
- Brody, AR. (1991). Production of Cytokines by Particle-Exposed Lung Macrophages (pp. 83-102). (NIOSH/00228025). Brody, AR.
- Brody, AR. (1992). ASBESTOS EXPOSURE AS A MODEL OF INFLAMMATION INDUCING INTERSTITIAL PULMONARY FIBROSIS (pp. BASIC PRINCIPLES AND CLINICAL CORRELATES). (BIOSIS/93/05090). Brody, AR.
- Brody, AR. (1993). Asbestos-induced lung disease [Review]. *Environ Health Perspect* 100: 21-30.
- Brody, AR. (1994). Asbestos-Induced Lung Injury and Fibrosis: A Month in the Life of an Inhaled Asbestos Fiber (pp. Asbestos and Cancers). (NIOSH/00224021). Brody, AR.
- Brody, AR. (1998). Asbestos-induced lung injury and fibrosis: A month in the life of an inhaled asbestos fiber. *J Clean Technol, Environ Toxicol, Occup Med* 7: 397-412.
- Brody, AR. (2000). Inhalation of Asbestos Fibers and Consequent Expression of Peptide Growth Factors. *Inhal Toxicol* 12 Suppl 3: 245-250. <http://dx.doi.org/10.1080/08958378.2000.11463219>.
- Brody, AR. (2010). Asbestos and lung disease [Review]. *Am J Respir Cell Mol Biol* 42: 131-132. <http://dx.doi.org/10.1165/rcmb.2010-2002ED>.
- Brody, AR; Bonner, JC. (1991). MACROPHAGE-DERIVED GROWTH FACTORS AT THE ALVEOLAR LEVEL OF THE LUNG (pp. 20-24). (BIOSIS/91/26331). Brody, AR; Bonner, JC.
- Brody, AR; Bonner, JC; Badgett, A. (1993). RECOMBINANT INTERFERON-GAMMA REDUCES PDGF-INDUCED LUNG FIBROBLAST GROWTH BUT STIMULATES PDGF PRODUCTION BY ALVEOLAR MACROPHAGES IN-VITRO (pp. 3-6). (BIOSIS/93/14468). Brody, AR; Bonner, JC; Badgett, A.
- Brody, AR; Bonner, JC; Goodell, AG; Blalock, L; Lasky, JA. (1994). EXPOSURE TO CHRYSOTILE ASBESTOS INDUCES RELEASE OF PEPTIDE GROWTH FACTORS BY LUNG MACROPHAGES AND FIBROBLASTS (pp. 9-11). (BIOSIS/94/15043). Brody, AR; Bonner, JC; Goodell, AG; Blalock, L; Lasky, JA.

Human Health Hazard Literature Search Results

On Topic

- Brody, AR; Crapo, JD. (1979). TRANSLOCATION AND ELEMENTAL CONTENT OF INHALED CHRYSOTILE ASBESTOS IN THE LUNGS OF RATS. *Environ Health Perspect* 33: 337-337.
- Brody, AR; George, G; Hill, LH. (1983). Interactions of chrysotile and crocidolite asbestos with red blood cell membranes: Chrysotile binds to sialic acid. *Lab Invest* 49: 468-475.
- Brody, AR; Hill, L. (1985). The Target Cells for Inhaled Mineral Dusts (pp. 53-58). (NIOSH/00165736). Brody, AR; Hill, L.
- Brody, AR; Hill, LH. (1981). Deposition pattern and clearance pathways of inhaled chrysotile asbestos. *Chest* 80: 64S-67S.
- Brody, AR; Hill, LH. (1982). Interstitial accumulation of inhaled chrysotile asbestos fibers and consequent formation of microcalcifications. *Am J Pathol* 109: 107-114.
- Brody, AR; Hill, LH. (1983). Initial Epithelial and Interstitial Events following Asbestos Inhalation (pp. 161-172). (NIOSH/00213852). Brody, AR; Hill, LH.
- Brody, AR; Hill, LH. (1983). Interactions of chrysotile asbestos with erythrocyte membranes. *Environ Health Perspect* 51: 85-89.
- Brody, AR; Hill, LH. (1983). INTERSTITIAL ACCUMULATION OF INHALED CHRYSOTILE ASBESTOS FIBERS AND CONSEQUENT FORMATION OF MICROCALCIFICATIONS. *Environ Health Perspect* 52: 287-288.
- Brody, AR; Hill, LH; Adkins, B; Oconnor, RW. (1983). CHRYSOTILE ASBESTOS INHALATION IN RATS - DEPOSITION PATTERN AND REACTION OF ALVEOLAR EPITHELIUM AND PULMONARY MACROPHAGES. *Environ Health Perspect* 52: 287-287.
- Brody, AR; Hill, LH; Adkins, B, Jr; O'Connor, RW. (1981). Chrysotile asbestos inhalation in rats: deposition pattern and reaction of alveolar epithelium and pulmonary macrophages. *Am Rev Respir Dis* 123: 670-679. <http://dx.doi.org/10.1164/arrd.1981.123.6.670>.
- Brody, AR; Hill, LH; Warheit, DB. (1985). Induction of early alveolar injury by inhaled asbestos and silica. *Fed Proc* 44: 2596-2601.
- Brody, AR; Kumar, RK; Bennett, RA; Rosenthal, GJ; Luster, MI. (1988). MACROPHAGES SECRETE CYTOKINES IN RESPONSE TO ASBESTOS EXPOSURE IN-VITRO AND IN-VIVO (pp. 8-11). (BIOSIS/88/23610). Brody, AR; Kumar, RK; Bennett, RA; Rosenthal, GJ; Luster, MI.
- Brody, AR; Liu, JY; Brass, D; Corti, M. (1997). Analyzing the genes and peptide growth factors expressed in lung cells in vivo consequent to asbestos exposure and in vitro [Review]. *Environ Health Perspect* 105 Suppl 5: 1165-1171.
- Brody, AR; Mcgavran, PD. (1989). Incorporation of Tritiated Thymidine by Vascular, Epithelial, and Interstitial Cells in Asbestos-Exposed Animals (pp. 10-14). (NIOSH/00225186). Brody, AR; Mcgavran, PD.
- Brody, AR; Mcgavran, PD; Overby, LH. (1989). Brief inhalation of chrysotile asbestos induces rapid proliferation of bronchiolar-alveolar epithelial and interstitial cells. *IARC Sci Publ occupational Exposure to Mineral Fibres*: 93-99.
- Brody, AR; Overby, LH. (1989). INCORPORATION OF TRITIATED-THYMIDINE BY EPITHELIAL AND INTERSTITIAL-CELLS IN BRONCHIOLAR-ALVEOLAR REGIONS OF ASBESTOS-EXPOSED RATS. *Am J Pathol* 134: 133-140.
- Brody, AR; Overby, LH; Warheit, DB. (1987). INHALED ASBESTOS ATTRACTS MACROPHAGES AND INDUCES RAPID PROLIFERATION OF BRONCHIOLAR-ALVEOLAR CELLS (pp. 15-18). (ISSN 0012-3692 EISSN 1931-3543 BIOSIS/87/21415). Brody, AR; Overby, LH; Warheit, DB.
- Brody, AR; Roe, MW. (1983). Deposition pattern of inorganic particles at the alveolar level in the lungs of rats and mice. *Am Rev Respir Dis* 128: 724-729. <http://dx.doi.org/10.1164/arrd.1983.128.4.724>.
- Brody, AR; Warheit, DB; Chang, LY; Roe, MW; George, G; Hill, LH. (1984). Initial deposition pattern of inhaled minerals and consequent pathogenic events at the alveolar level [Review]. *Ann N Y Acad Sci* 428: 108-120.
- Brody, AR; Warshamana, GS; Liu, JY; Tsai, SY; Pociask, DA; Brass, DM; Schwartz, D. (2002). Identifying fibrosis susceptibility genes in two strains of inbred mice. *Chest* 121: 31S.
- Brogan, PA. (1992). Exposure to airborne asbestos associated with simulated cable installation above a suspended ceiling [Letter]. *Am Ind Hyg Assoc J* 53: A192.
- Brollo, A; Nicastro, E; Ramani, L; Zuch, C; Bianchi, C. (1991). CYTOLOGICAL FINDINGS IN MALIGNANT MESOTHELIOMA OF THE PLEURA (pp. 1-6). (BIOSIS/92/04919). Brollo, A; Nicastro, E; Ramani, L; Zuch, C; Bianchi, C.
- Brondeau, MT; Clavel, T; Falcy, M; Jargot, D; Reynier, M; Schneider, O. (1997). Asbestos. (CIS/01/01603). Brondeau, MT; Clavel, T; Falcy, M; Jargot, D; Reynier, M; Schneider, O.
- Brooks, SM. (1995). Man-Made Mineral Fibers. *Environmental Medicine* 5: 455-461.
- Brophy, J; Parent, M. (1999). Documenting the asbestos story in Sarnia. *New Solutions: A Journal of Environmental and Occupational Health Policy* 9: 297-316. <http://dx.doi.org/10.2190/4QWT-08TY-RX5J-D5LH>.
- Broser, M; Zhang, Y; Aston, C; Harkin, T; Rom, WN. (1996). Elevated Interleukin-8 in the Alveolitis of Individuals with Asbestos Exposure. *Int Arch Occup Environ Health* 68: 109-114.
- Brouet, G; Bignon, J; Bonnaud, G; Goni, J. (1971). Effect on public health of air pollution with asbestos and other fibrous dust particles (pp. 461-478). (HEEP/72/09598). Brouet, G; Bignon, J; Bonnaud, G; Goni, J.
- Brousse, D; Sonnevill, A. (1994). LOCALIZED FIBROUS PLEURAL MESOTHELIOMA A CASE IN A PATIENT EXPOSED TO TUNGSTEN CARBIDE AND TO ASBESTOS DUST [Review]. *Rev Pneumol Clin* 50: 333-337.
- Brousseau, KP; Fox, TB; Lawrence, EC. (1986). Comparative effects of asbestos and silica on in-vitro immunoglobulin secretion. 34: 219A.
- Brown, A. (1974). Lymphohematogenous spread of asbestos. *Environ Health Perspect* 9: 203-204.
- Brown, AL. (1986). Prediction in the face of uncertainty: the United States versus Reserve Mining Company. *Regul Toxicol Pharmacol* 6: 75-79.
- Brown, DG; Wagner, JC; Wagner, MM. (1980). Failure to demonstrate tumour-associated transplantation antigens on asbestos-induced mesotheliomas in rats. *Br J Cancer* 42: 797-801.
- Brown, DM; Beswick, PH; Bell, KS; Donaldson, K. (2000). Depletion of glutathione and ascorbate in lung lining fluid by respirable fibres. *Ann Occup Hyg* 44: 101-108.
- Brown, DM; Beswick, PH; Donaldson, K. (1999). Induction of nuclear translocation of NF-kappaB in epithelial cells by respirable mineral fibres. *J Pathol* 189: 258-264. [http://dx.doi.org/10.1002/\(SICI\)1096-9896\(199910\)189:2<258::AID-PATH410>3.0.CO;2-E](http://dx.doi.org/10.1002/(SICI)1096-9896(199910)189:2<258::AID-PATH410>3.0.CO;2-E).

Human Health Hazard Literature Search Results

On Topic

- Brown, DM; Fisher, C; Donaldson, K. (1998). Free radical activity of synthetic vitreous fibers: iron chelation inhibits hydroxyl radical generation by refractory ceramic fiber. *J Toxicol Environ Health A* 53: 545-561.
- Brown, DP; Dement, JM; Okun, A. (1994). Mortality patterns among female and male chrysotile asbestos textile workers. *J Occup Med* 36: 882-888.
- Brown, F; Cartwright, B; Newman, JF. (1965). INHIBITION OF VIRUS GROWTH BY A TOXIC FACTOR FROM ASBESTOS PAD AND CELLULOSE ACETATE MEMBRANE FILTERS. *Nature* 205: 310-311.
- Brown, GM; Cowie, H; Davis, JMG; Donaldson, K. (1986). In Vitro Assays for Detecting Carcinogenic Mineral Fibres: A Comparison of Two Assays and the Role of Fibre Size. *Carcinogenesis* 7: 1971-1974.
- Brown, GM; Donaldson, K; Slight, J. (1989). DEGRADATION OF AN EXTRACELLULAR MATRIX COMPONENT BY BRONCHOALVEOLAR LEUKOCYTES IN-VITRO MODULATION BY MINERAL DUST (pp. SECAUCUS). (BIOSIS/90/02037). Brown, GM; Donaldson, K; Slight, J.
- Brown, LM; Mason, TJ; Pickle, LW; Stewart, PA; Buffler, PA; Burau, K; Ziegler, RG; Jr, FJ. (1988). Occupational Risk Factors for Laryngeal Cancer on the Texas Gulf Coast. *Cancer Res* 48: 1960-1964.
- Brown, ML. (1975). The quality of the work environment. *Am J Nurs* 75: 1755-1760, 1793-1754.
- Brown, RC. (1991). FIBER-INDUCED PULMONARY CARCINOGENESIS (pp. 20-21). (BIOSIS/91/23663). Brown, RC.
- Brown, RC; Carthew, P; Hoskins, JA; Sara, E; Simpson, CF. (1990). Surface modification can affect the carcinogenicity of asbestos. *Carcinogenesis* 11: 1883-1885.
- Brown, RC; Chamberlain, M. (1980). The Activity Of Two Types Of Asbestos In Tissue Culture (pp. 401-407). (ISSN 0300-5038 NIOSH/00149584). Brown, RC; Chamberlain, M.
- Brown, RC; Chamberlain, M; Davies, R; Gaffen, J; Skidmore, JW. (1979). In vitro biological effects of glass fibers. *J Environ Pathol Toxicol Oncol* 2: 1369-1383.
- Brown, RC; Chamberlain, M; Davies, R; Sutton, GT. (1980). THE IN-VITRO ACTIVITIES OF PATHOGENIC MINERAL DUSTS (pp. 4-5). (HEEP/81/09259). HASKELL LABORATORY.
- Brown, RC; Chamberlain, M; Griffiths, DM; Timbrell, V. (1978). The effect of fibre size on the in vitro biological activity of three types of amphibole asbestos. *Int J Cancer* 22: 721-727.
- Brown, RC; Davis, JMG; Douglas, D; Gruber, UF; Hoskins, JA; Ilgren, EB; Johnson, NF; Rossiter, CE; Wagner, JC. (1991). Carcinogenicity of the insulation wools: Reassessment of the IARC evaluation [Review]. *Regul Toxicol Pharmacol* 14: 12-23. [http://dx.doi.org/10.1016/0273-2300\(91\)90048-Z](http://dx.doi.org/10.1016/0273-2300(91)90048-Z).
- Brown, RC; Fleming, GT; Knight, AI. (1983). Asbestos affects the in vitro uptake and detoxification of aromatic compounds. *Environ Health Perspect* 51: 315-318.
- Brown, RC; Hoskins, JA; Cole, KJ; Evans, CE; Sara, EA. (1989). EFFECTS OF ASBESTOS FIBERS ON SOME ASPECTS OF THE CELL SECOND MESSENGER SYSTEM (pp. SECAUCUS). (BIOSIS/90/02047). Brown, RC; Hoskins, JA; Cole, KJ; Evans, CE; Sara, EA.
- Brown, RC; Hoskins, JA; Miller, K; Mossman, BT. (1990). Pathogenetic mechanisms of asbestos and other mineral fibres [Review]. *Mol Aspects Med* 11: 325-349.
- Brown, RC; Hoskins, JA; Sara, EA; Cole, K; Evans, CE. (1991). IN-VITRO METHODS TO DETERMINE THE BIOLOGICAL ACTIVITIES OF PARTICULATE MINERAL POLLUTANTS (pp. 1-6). (ISSN 0887-2333 EISSN 1879-3177 BIOSIS/92/10521). Brown, RC; Hoskins, JA; Sara, EA; Cole, K; Evans, CE.
- Brown, RC; Poole, A. (1984). Arachidonic acid release and prostaglandin synthesis in a macrophage-like cell line exposed to asbestos. *Agents and Actions* 15: 336-340.
- Brown, RC; Poole, A; Fleming, G, TA. (1984). The metabolism of benzo(a)pyrene by the lungs of asbestos exposed rats. *Exp Pathol JENA*: 101-105.
- Brown, RC; Poole, A; Johnson, NF. (1985). THE RELEASE OF INFLAMMATORY MEDIATORS FROM CELLS TREATED WITH LEACHED ASBESTOS (pp. NEW YORK). (BIOSIS/86/22554). Brown, RC; Poole, A; Johnson, NF.
- Brown, RC; Poole, A; Turver, CJ. (1986). In vitro correlates of mineral dust toxicity. *Food Chem Toxicol* 24: 535-538.
- Brown, RC; Poole, A; Turver, CJ; Vann, C. (1987). Role of iron-mediated free-radical generation in asbestos-induced cytotoxicity. *Toxicol In Vitro* 1: 67-70. [http://dx.doi.org/10.1016/0887-2333\(87\)90002-6](http://dx.doi.org/10.1016/0887-2333(87)90002-6).
- Brown, RC; Sara, EA; Hoskins, JA; Evans, CE. (1991). Factors Affecting the Interaction of Asbestos Fibres with Mammalian Cells: A Study Using Cells in Suspension. *Ann Occup Hyg* 35: 25-34.
- Brown, SC; Schonbeck, MF; McClure, D; Barón, AE; Navidi, WC; Byers, T; Rutenber, AJ. (2004). Lung cancer and internal lung doses among plutonium workers at the Rocky Flats Plant: a case-control study. *Am J Epidemiol* 160: 163-172. <http://dx.doi.org/10.1093/aje/kwh192>.
- Brown, SL. (1985). QUANTITATIVE RISK ASSESSMENT OF ENVIRONMENTAL HAZARDS (pp. PALO ALTO). (ISSN 0163-7525 EISSN 1545-2093 BIOSIS/86/08948). Brown, SL. <http://dx.doi.org/10.1146/annurev.pu.06.050185.001335>.
- Brown, T; Darnton, A; Fortunato, L, ea; Rushton, L; Burden, BOC. (2012). Occupational cancer in Britain Respiratory cancer sites: larynx, lung and mesothelioma. *Br J Cancer* 107: S56-S70. <http://dx.doi.org/10.1038/bjc.2012.119>.
- Brown, TA; Holian, A; Pinkerton, KE; Lee, JW; Cho, YH. (2016). Early life exposure to environmental tobacco smoke alters immune response to asbestos via a shift in inflammatory phenotype resulting in increased disease development. *Inhal Toxicol* 28: 349-356. <http://dx.doi.org/10.1080/08958378.2016.1175526>.
- Browne, K. (1982). ASBESTOS IN DRINKING-WATER AND CANCER INCIDENCE IN THE SAN-FRANCISCO BAY AREA. *Am J Epidemiol* 115: 142-143.
- Browne, K. (1982). "Asbestos in drinking water and cancer incidence in the San Francisco Bay area" [Letter]. *Am J Epidemiol* 115: 142-144.
- Browne, K. (1983). Asbestos-related mesothelioma: epidemiological evidence for asbestos as a promoter. *Arch Environ Health* 38: 261-266.

Human Health Hazard Literature Search Results

On Topic

- Browne, K. (1983). The epidemiology of mesothelioma. *J Soc Occup Med* 33: 190-194.
- Browne, K. (1986). Is asbestos or asbestosis the cause of the increased risk of lung cancer in asbestos workers? [Review]. *Br J Ind Med* 43: 145-149.
- Browne, K. (1986). A threshold for asbestos related lung cancer. *Br J Ind Med* 43: 556-558.
- Browne, K. (1987). THE ABSENCE OF INCREASED LUNG CANCER RISK AT LOW LEVELS OF ASBESTOS EXPOSURE (pp. 15-18). (ISSN 0012-3692 EISSN 1931-3543 BIOSIS/87/21408). Browne, K.
- Browne, K. (2001). The quantitative risks of mesothelioma and lung cancer in relation to asbestos exposure [Letter]. *Ann Occup Hyg* 45: 327-329; author reply 336-328.
- Browne, K; Gee, JB. (2000). Asbestos exposure and laryngeal cancer [Review]. *Ann Occup Hyg* 44: 239-250.
- Browne, K; Jones, RN; Weill, H; Parkes, WR. (1994). Asbestos-Related Disorders (pp. 411-504). (NIOSH/00228542). Browne, K; Jones, RN; Weill, H; Parkes, WR.
- Browne, K; Murray, R. (1990). Asbestos and the Romans [Letter]. *Lancet* 336: 445.
- Browne, K; Smither, WJ. (1983). Asbestos-related mesothelioma: factors discriminating between pleural and peritoneal sites. *Br J Ind Med* 40: 145-152.
- Browne, ML; Varadarajulu, D; Lewis-Michl, EL; Fitzgerald, EF. (2005). Cancer incidence and asbestos in drinking water, Town of Woodstock, New York, 1980-1998. *Environ Res* 98: 224-232. <http://dx.doi.org/10.1016/j.envres.2004.07.017>.
- Browne, RC. (1971). Health in power stations. *Proc R Soc Med* 64: 1075-1077.
- Brownson, RC; Alavanja, MC; Chang, JC. (1993). Occupational risk factors for lung cancer among nonsmoking women: A case-control study in Missouri (United States). *Cancer Causes Control* 4: 449-454. <http://dx.doi.org/10.1007/bf00050864>.
- Brownson, RD. (1998). Current and historical American asbestos regulations. *Monaldi Arch Chest Dis* 53: 181-185.
- Bruch, J. (1974). BEHAVIOUR OF ALVEOLAR MACROPHAGES AND OTHER ALVEOLAR CELLS AFTER INHALATION OF ASBESTOS DUST. *Rev Fr Mal Respir* 2: 143-147.
- Bruch, J. (1974). Response of cell cultures to asbestos fibers. *Environ Health Perspect* 9: 253-254.
- Bruch, J; Rehn, B; Duval-Arnould, G; Efskind, J; Röderer, G; Sébastien, P. (2014). Toxicological investigations on the respirable fraction of silicon carbide grain products by the in vitro vector model. *Inhal Toxicol* 26: 278-288. <http://dx.doi.org/10.3109/08958378.2014.885099>.
- Bruckman, L; Rubino, RA; Christine, B. (1977). Asbestos and mesothelioma incidence in Connecticut. *J Air Pollut Control Assoc* 27: 121-126.
- Bruevich, T, s; Sadkovskaia, NI. (1964). [OCCUPATIONAL DERMATOSES IN WORKERS OF ASBESTOS-SLATE, FERROCONCRETE AND CERAMIC PLANTS]. *Vestnik Dermatologii i Venerologii* 38: 9-14.
- Brugsch, HG; Bavley, H. (1961). Asbestosis in a Worker Engaged in Automobile Undercoating (pp. 379-381). (NIOSH/00191938). Brugsch, HG; Bavley, H.
- Brune, D. (1981). [Working conditions in dental laboratories]. 85: 282-284.
- Brunetti, G; Delmastro, M; Fonte, R; Moscato, G; Bossi, A; Baiardi, P; Massola, A; Meloni, F. (2003). Immunocytological and mineralogical study of bronchoalveolar lavage in a group of subjects exposed to asbestos. *G Ital Med Lav Ergon* 25: 152-160.
- Brunner, TJ; Wick, P; Manser, P; Spohn, P; Grass, RN; Limbach, LK; Bruinink, A; Stark, WJ. (2006). In vitro cytotoxicity of oxide nanoparticles: comparison to asbestos, silica, and the effect of particle solubility. *Environ Sci Technol* 40: 4374-4381. <http://dx.doi.org/10.1021/es052069i>.
- Bruno, C; Belli, S; Cernigliaro, A; Cossari, P; Pennisi, P; Scondotto, S; Tumino, R; Nicita, C; Zona, A; Comba, P. (2007). An estimate of pleural mesothelioma incidence in Biancavilla, Sicily, Italy, 1998-2004. *Eur J Oncol* 12: 183-187.
- Bruno, C; De Santis, M; Comba, P; Bagnato, R. (1990). [Mortality in malignant tumors of the peritoneum in Italy: search for correlations with exposure to asbestos]. *Epidemiol Prev* 12: 39-47.
- Bruno, C; Tumino, R; Fazzo, L; Cascone, G; Cernigliaro, A; De Santis, M; Giurdanella, MC; Nicita, C; Rollo, PC; Scondotto, S; Spata, E; Zona, A; Comba, P. (2014). Incidence of pleural mesothelioma in a community exposed to fibres with fluoro-edenitic composition in Biancavilla (Sicily, Italy). *Ann Ist Super Sanita* 50: 111-118. http://dx.doi.org/DOI: 10.4415/ANN_14_02_02.
- Bruno, R; Ali, G; Giannini, R; Proietti, A; Lucchi, M; Chella, A; Melfi, F; Mussi, A; Fontanini, G. (2017). Malignant pleural mesothelioma and mesothelial hyperplasia: A new molecular tool for the differential diagnosis. *Onct* 8: 2758-2770. <http://dx.doi.org/10.18632/oncotarget.13174>.
- Brusis, T; Michel, O; Schmidt, W; Metternich, FU. (2007). Chance or causality: Problems recognizing laryngeal carcinoma as a result of occupational exposition to noxious substances of blue collar worker employed in the rubber industry [Review]. *Laryngorhinotologie* 86: 714-722. <http://dx.doi.org/10.1055/s-2007-966235>.
- Brüske-Hohlfeld, I. (1999). Occupational cancer in Germany [Review]. *Environ Health Perspect* 107 Suppl 2: 253-258.
- Brüske-Hohlfeld, I; Möhner, M; Pohlabeln, H; Ahrens, W; Bolm-Audorff, U; Kreienbrock, L; Kreuzer, M; Jahn, I; Wichmann, HE; Jöckel, KH. (2000). Occupational lung cancer risk for men in Germany: results from a pooled case-control study. *Am J Epidemiol* 151: 384-395.
- Bryce-Smith, D. (1978). Community nursing: dangers in the air. 146: 44-46.
- Bryks, S; Bertalanffy, FD. (1971). Cytodynamic reactivity of the mesothelium. Pleural reaction to chrysotile asbestos. *Arch Environ Health* 23: 469-472.
- B-S, W. (1989). Application of the polarized microscopy and analytic electron microscopy in pneumoconiotic pathologic examination (pp. 103-104). (BIOSIS/90/06168). Wang B-S.
- Bua, L; Lauriola, M; Virzi, S; Iusco, D; Balbi, T; Chiozzotto, D; Belpoggi, F. (2011). Peritoneal mesothelioma in petrochemical plant worker exposed to asbestos. *Eur J Oncol* 16: 241-246.

Human Health Hazard Literature Search Results

On Topic

- Buchan, RM; Richardson, DC; Beaulieu, HJ; Keefe, TJ. (1984). DEVELOPMENT OF A MATHEMATICAL-MODEL FOR PREDICTING CONCENTRATIONS OF SMALL ASBESTOS FIBERS. *Environ Res* 33: 296-299.
- Buchanan, WD. (1979). ASBESTOS RELATED DISEASES 1. INTRODUCTION (pp. NEW YORK). (HEEP/80/09279). Buchanan, WD.
- Büchte, SF; Morfeld, P; Wellmann, J; Bolm-Audorff, U; Mccunney, RJ; Piekarski, C; Association, ICB. (2006). Lung cancer mortality and carbon black exposure: a nested case-control study at a German carbon black production plant. *J Occup Environ Med* 48: 1242-1252. <http://dx.doi.org/10.1097/01.jom.0000215710.17519.cd>.
- Buchwald, H. (1965). THE ASSOCIATION OF EXPOSURE TO ASBESTOS DUST AND CANCER. *Ann Occup Hyg* 8: 267-276.
- Buder-Hoffmann, S; Palmer, C; Vacek, P; Taatjes, D; Mossman, B. (2001). Different accumulation of activated extracellular signal-regulated kinases (ERK 1/2) and role in cell-cycle alterations by epidermal growth factor, hydrogen peroxide, or asbestos in pulmonary epithelial cells. *Am J Respir Cell Mol Biol* 24: 405-413. <http://dx.doi.org/10.1165/ajrcmb.24.4.4290>.
- Buder-Hoffmann, SA; Shukla, A; Barrett, TF; Macpherson, MB; Lounsbury, KM; Mossman, BT. (2009). A Protein Kinase C delta-Dependent Protein Kinase D Pathway Modulates ERK1/2 and JNK1/2 Phosphorylation and Bim-Associated Apoptosis by Asbestos. *Am J Pathol* 174: 449-459. <http://dx.doi.org/10.2353/ajpath.2009.080180>.
- Budgen, A. (2004). Asbestos: a clear and present danger--a UK perspective. *Lung Cancer* 45 Suppl 1: S77-S79. <http://dx.doi.org/10.1016/j.lungcan.2004.04.017>.
- Budroni, M; Cossu, A; Paliogiannis, P; Palmieri, G; Attene, F; Cesaraccio, R; Tanda, F. (2014). Epidemiology of malignant pleural mesothelioma in the province of Sassari (Sardinia, Italy). A population-based report. *Ann Ital Chir* 85: 244-248.
- Budroni, M; Sechi, O; Cesaraccio, R; Pirino, D; Fadda, A; Grottin, S; Flore, MV; Sale, P; Satta, G; Cossu, A; Tanda, F; Cocco, PL. (2010). [Cancer incidence among petrochemical workers in the Porto Torres industrial area, 1990-2006]. *Med Lav* 101: 189-198.
- Buelow, L; Aust, AE. (2006). Crocidolite Exposure Increases NF-kappaB DNA Binding On The iNOS Promoter In A549 Cells. *Toxicol Sci* 90: 277.
- Buesing-Fedorow, JE. (2002). Malignant mesothelioma [Review]. *Can Oncol Nurs J* 12: 237-239.
- Buesser, E; Dorschner, F; Buehlmann, AA. (1972). EARLY DIAGNOSIS OF ASBESTOSIS (pp. 2-3). (HEEP/72/12263). Buesser, E; Dorschner, F; Buehlmann, AA.
- Bulbulyan, MA; Ilychova, SA; Zahm, SH; Astashevsky, SV; Zaridze, DG. (1999). Cancer mortality among women in the Russian printing industry. *Am J Ind Med* 36: 166-171.
- Bunderson-Schelvan, M; Pfau, JC; Crouch, R; Holian, A. (2011). Nonpulmonary outcomes of asbestos exposure [Review]. *J Toxicol Environ Health B Crit Rev* 14: 122-152. <http://dx.doi.org/10.1080/10937404.2011.556048>.
- Bunn, WB; Bender, JR; Hesterberg, TW; Chase, GR; Konzen, JL. (1993). Recent studies of man-made vitreous fibers. Chronic animal inhalation studies [Review]. *J Occup Med* 35: 101-113.
- Burch, JD; Howe, GR; Miller, AB; Semenciw, R. (1981). Tobacco, alcohol, asbestos, and nickel in the etiology of cancer of the larynx: A case-control study. *J Natl Cancer Inst* 67: 1219-1224.
- Burdorf, A; Barendregt, JJ; Swuste, PH; Heederik, DJ. (1997). [Future increase of the incidence of mesothelioma due to occupational exposure to asbestos in the past]. *Ned Tijdschr Geneesk* 141: 1093-1098.
- Burdorf, A; Dahhan, M; Swuste, PH. (2004). Pleural mesothelioma in women is associated with environmental exposure to asbestos. *Ned Tijdschr Geneesk* 148: 1727-1731.
- Burdorf, A; Järholm, B; Siesling, S. (2007). Asbestos exposure and differences in occurrence of peritoneal mesothelioma between men and women across countries. *Occup Environ Med* 64: 839-842. <http://dx.doi.org/10.1136/oem.2006.031724>.
- Burdorf, A; Swuste, P. (1999). An expert system for the evaluation of historical asbestos exposure as diagnostic criterion in asbestos-related diseases. *Ann Occup Hyg* 43: 57-66.
- Burdorf, L; Swuste, PH; Heederik, D. (1991). A history of awareness of asbestos disease and the control of occupational asbestos exposures in The Netherlands. *Am J Ind Med* 20: 547-555.
- Burger, BF; Engelbrecht, FM. (1970). The biological effects of long and short fibers of crocidolite and chrysotile a after intrapleural injection into rats. *S Afr Med J* 44: 1268-1270.
- Burger, BF; Engelbrecht, FM. (1970). The biological effects of the international standard reference asbestos samples on the lungs of rats. *S Afr Med J* 44: 1271-1274.
- Burilkov, T. (1982). EPIDEMIOLOGICAL SURVEY OF ASBESTOS CEMENT WORKERS (pp. 24-26). (ISSN 0004-069X EISSN 1661-4917 HEEP/84/05400). Burilkov, T.
- Burilkov, T; Michailova, L. (1972). Sepiolite content of the soil in regions with endemic pleural calcifications. *Int Arch Arbeitsmed* 29: 95-101.
- Burilkov, T; Michailova, L; Babadjov, L. (1972). Amphibolic asbestos minerals in the soil and their significance for the endemic incidence of pleural plaques. *Z Gesamte Hyg Grenzgeb* 18: 802-805.
- Burilkov, T; Mikhailova, L; Lukanova, R; Dobрева, M; Tocheva, V. (1980). [Occupational risk of asbestos injuries among workers in the asbestos cement industry]. *Probl Khig* 5: 125-132.
- Burkart, W. (2001). Combined effect of radiation and other agents: is there a synergism trap? *J Environ Pathol Toxicol Oncol* 20: 53-58.
- Burkart, W; Finch, GL; Jung, T. (1997). Quantifying health effects from the combined action of low-level radiation and other environmental agents: Can new approaches solve the enigma? [Review]. *Sci Total Environ* 205: 51-70.
- Burkhart, G; Schulte, PA; Robinson, C; Sieber, WK; Vossen, P; Ringen, K. (1993). Job tasks, potential exposures, and health risks of laborers employed in the construction industry [Review]. *Am J Ind Med* 24: 413-425.
- Burkin, DJ; Fontelonga, TM. (2015). Mesothelioma cells breaking bad: loss of integrin $\alpha 7$ promotes cell motility and poor clinical outcomes in patients [Comment]. *J Pathol* 237: 282-284. <http://dx.doi.org/10.1002/path.4587>.

Human Health Hazard Literature Search Results

On Topic

- Burmeister, B; Schwerdtle, T; Poser, I; Hoffmann, E; Hartwig, A; Müller, WU; Rettenmeier, AW; Seemayer, NH; Dopp, E. (2004). Effects of asbestos on initiation of DNA damage, induction of DNA-strand breaks, P53-expression and apoptosis in primary, SV40-transformed and malignant human mesothelial cells. *Mutat Res* 558: 81-92. <http://dx.doi.org/10.1016/j.mrgentox.2003.11.003>.
- Burns, C; Harrison, K; Jammer, B; Zuccarini, D; Lafrance, B. (2005). A cancer incidence and mortality study of Dow Chemical Canada Inc. manufacturing sites. *Occup Med (Lond)* 55: 618-624. <http://dx.doi.org/10.1093/occmed/kqj145>.
- Burr, GA; Jewel, GA; Klein, M; Deitchman, S. (1992). Health Hazard Evaluation Report No. HETA-92-216-2239, Kenton County Department for Social Insurance, Covington, Kentucky (pp. 92-216). (NIOSH/00210218). Burr, GA; Jewel, GA; Klein, M; Deitchman, S.
- Burrigato, F; Comba, P; Baiocchi, V; Palladino, D; Simei, S; Gianfagna, A; Paoletti, L; Pasetto, R. (2005). Geo-volcanological, mineralogical and environmental aspects of quarry materials related to pleural neoplasm in the area of Biancavilla, Mount Etna (Eastern Sicily, Italy). *Environ Geol* 47: 855-868. <http://dx.doi.org/10.1007/s00254-004-1217-7>.
- Burrell, R; Leroy, N. (1992). IMMUNOLOGY OF MINERAL PNEUMOCONIOSES. *Immunol Allergy Clin North Am* 12: 379-399.
- Burru, O. (1996). [A known nuisance, recognized again ... asbestos]. *Rev Infirm* 58-65.
- Bursova, J; Pesek, M. (1981). Malignant pleural mesothelioma (pp. 127-130). (HEEP/82/00091). Bursova, J; Pesek, M.
- Burton, NC; Buchta, TM. (1993). Health Hazard Evaluation Report No. HETA-91-215-2293, Internal Revenue Service Appeals Office, Omaha, Nebraska (pp. 91-215). (NIOSH/00218663). Burton, NC; Buchta, TM.
- Burton, NC; Shults, RA. (1995). Health Hazard Evaluation Report HETA 91-0040-2510, Kraft General Foods, Inc., Maxwell House Coffee, Co., Houston, Texas. 30.
- Büsser, E; Dorschner, F; Bühlmann, AA. (1971). [Early diagnosis of asbestosis]. *Schweizerische Medizinische Wochenschrift* 101: 1687-1692.
- Bustanza Mantrana, JL; Quintana San Jos, Mj Insti- Instituto Nacional De Seguridad E Higiene En El Trabajo, E. (1996). Chemical agents: Measurement and analysis. *Erga Ediciones y Publicaciones*.
- Butkin, NG; Shelkovkina, AV. (1963). [ON THE COURSE OF TUBERCULOSIS OF THE LUNGS IN WORKERS EMPLOYED IN DUSTY AREAS IN THE ASBESTOS INDUSTRY]. 41: 48-51.
- Butković, M; Dodić, S; Sustran, B; Milacić, S. (1983). [The importance of asbestos as a modern pathogenic factor in occupational exposure and for the general population]. *Srp Arh Celok Lek* 111: 1535-1543.
- Butler, C; Mcclery, RE; Kiefer, M; Harper, M; Lee, EG. (2014). Health Hazard Evaluation Report: HETA-2012-0077-3223, October 2014. Evaluation of Employee Exposures to Libby Amphibole Asbestos During Forest Management Activities in the Kootenai National Forest. 42.
- Butler, EB; Berry, AV. (1972). Diffuse Mesotheliomas. Diagnostic Criteria Using Exfoliative Cytology (pp. 2-5). (NIOSH/00191928). Butler, EB; Berry, AV.
- Butnor, KJ; Brownlee, NA; Mahar, A; Pavlisko, EN; Sporn, TA; Roggli, VL. (2016). Diffuse malignant mesothelioma and synchronous lung cancer: A clinicopathological study of 18 cases. *Lung Cancer* 95: 1-7. <http://dx.doi.org/10.1016/j.lungcan.2016.02.007>.
- Butnor, KJ; Sporn, TA; Hammar, SP; Roggli, VL. (2001). Well-differentiated papillary mesothelioma. *Am J Surg Pathol* 25: 1304-1309.
- Butnor, KJ; Sporn, TA; Roggli, VL. (2003). Exposure to brake dust and malignant mesothelioma: A study of 10 cases with mineral fiber analyses. *Ann Occup Hyg* 47: 325-330. <http://dx.doi.org/10.1093/annhyg/meg048>.
- Butterworth, BE. (1989). NONGENOTOXIC CARCINOGENS IN THE REGULATORY ENVIRONMENT [Review]. *Regul Toxicol Pharmacol* 9: 244-256.
- Buyukdogan, M; Boruban, MC, em; Artac, M; Demirel, S. (2009). Frequency of Cytochrome 450 (CYP2C9 and CYP2C19) Genetic Polimorphisms in Patients with Colorectal Carcinoma. *U H O D* 19: 134-+.
- Byczkowski, JZ; Kulkarni, AP. (1994). OXIDATIVE STRESS AND ASBESTOS (pp. NEW YORK). (BIOSIS/94/27126). Byczkowski, JZ; Kulkarni, AP.
- Bye, T; Romundstad, PR; Rønneberg, A; Hilt, B. (1998). Health survey of former workers in a Norwegian coke plant: Part 2. Cancer incidence and cause specific mortality. *Occup Environ Med* 55: 622-626. <http://dx.doi.org/10.1136/oem.55.9.622>.
- Caballero, AC; Uralita, SA. (1900). Job-Related Illnesses in the Fibrocement Industry. *Preventive Measures. Med Segur Trab* pages 55: 55-65.
- Cacciotti, P; Barbone, D; Porta, C; Altomare, DA; Testa, JR; Mutti, L; Gaudino, G. (2005). SV40-dependent AKT activity drives mesothelial cell transformation after asbestos exposure. *Cancer Res* 65: 5256-5262. <http://dx.doi.org/10.1158/0008-5472.CAN-05-0127>.
- Caccuri, S. (1971). A specific chronic bronchopneumopathies: Factors of an etiopathogenetic nature in relation to work (pp. 128-142). (HEEP/72/10250). Caccuri, S.
- Cadieux, A; Massé, S; Sirois, P. (1983). Effect of asbestos on the metabolism of vasoactive substances in isolated perfused guinea pig lungs. *Environ Health Perspect* 51: 287-291.
- Cagle, PT; Wessels, R; Greenberg, SD. (1993). Concurrent mesothelioma and adenocarcinoma of the lung in a patient with asbestosis [Review]. *Mod Pathol* 6: 438-441.
- Cai, SX; Zhang, CH; Zhang, X; Morinaga, K. (2001). Epidemiology of occupational asbestos-related diseases in China [Review]. *Ind Health* 39: 75-83.
- Calavrezos, A. (1986). THERAPY OF MESOTHELIOMA FROM ASBESTOS EXPOSURE (pp. 4-8). (BIOSIS/86/31723). Calavrezos, A.
- Calavrezos, A. (1991). PLEURAL LYMPHOMA AS SINGLE MANIFESTATION OF NON-HODGKIN'S LYMPHOMA AFTER ASBESTOS EXPOSURE (pp. 10-13). (BIOSIS/92/08366). Calavrezos, A.
- Calavrezos, A; Hausmann, K; Solbach, M; H-P, W; Hillerdal, G. (1992). PLASMA CELL AND LYMPHOID MALIGNANCIES ASSOCIATION WITH ASBESTOS EXPOSURE (pp. 4-7). (BIOSIS/93/03171). Calavrezos, A; Hausmann, K; Solbach, M; Weitowitz H-P; Hillerdal, G.
- Califano, JA. (1978). Statement of Secretary Joseph A. Califano, Jr. Department of Health, Education, and Welfare [Letter]. *J Environ Pathol Toxicol* 1: 727-729.
- Calisti, R; Sgarzi, A; Ardisson, S; Bernardi, P; Di Federico, E; De Ruggiero, N. (1991). Asbestosis in a truck-driver: A case report and analysis of exposure. *Med Lav* 82: 30-37.

Human Health Hazard Literature Search Results

On Topic

- Callahan, KS; Griffith, DE; Garcia J, GN. (1988). ASBESTOS EXPOSURE RESULTS IN INCREASED PROCOAGULANT ACTIVITY BOTH IN-VIVO AND IN-VITRO (pp. 8-11). (BIOSIS/88/23608). Callahan, KS; Griffith, DE; Garcia J, GN.
- Callahan, KS; Griffith, DE; Garcia, JG. (1990). Asbestos exposure results in increased lung procoagulant activity in vivo and in vitro. *Chest* 98: 112-119.
- Calvert, GM; Moore, M; Hessel, SM. (1991). Ventilatory function after exposure to various respirable hazards in a population of former coal miners. *Br J Ind Med* 48: 38-40.
- Camargo, MC; Stayner, LT; Straif, K; Reina, M; Al-Alem, U; Demers, PA; Landrigan, PJ. (2011). Occupational exposure to asbestos and ovarian cancer: a meta-analysis. *Environ Health Perspect* 119: 1211-1217. <http://dx.doi.org/10.1289/ehp.1003283>.
- Cambelova, M; Juck, A. (1994). FIBROGENIC EFFECT OF WOLLASTONITE COMPARED WITH ASBESTOS DUST AND DUSTS CONTAINING QUARTZ. *Occup Environ Med* 51: 343-346.
- Camelo, A; Dunmore, R; Sleeman, MA; Clarke, DL. (2014). The epithelium in idiopathic pulmonary fibrosis: breaking the barrier [Review]. 4: 173. <http://dx.doi.org/10.3389/fphar.2013.00173>.
- Cameron, G; Woodworth, CD; Edmondson, S; Mossman, BT. (1989). Mechanisms of asbestos-induced squamous metaplasia in tracheobronchial epithelial cells. *Environ Health Perspect* 80: 101-108.
- Cameron, JD. (1977). MAN MADE MINERAL FIBERS IN THE LUNGS. *Br J Dis Chest* 71: 67-68.
- Camiade, E; Gramond, C; Jutand, MA; Audignon, S; Rinaldo, M; Imbernon, E; Luce, D; Galateau-Sallé, F; Astoul, P; Pairon, JC; Brochard, P; Lacourt, A. (2013). Characterization of a French series of female cases of mesothelioma. *Am J Ind Med* 56: 1307-1316. <http://dx.doi.org/10.1002/ajim.22229>.
- Cammarano, G; Crosignani, P; Berrino, F; Berra, G. (1984). CANCER MORTALITY AMONG WORKERS IN A THERMOELECTRIC POWER PLANT. *Scand J Work Environ Health* 10: 259-262.
- Cammarano, G; Crosignani, P; Berrino, F; Berra, G. (1986). Additional Follow-Up of Cancer Mortality Among Workers in a Thermoelectric Power Plant (pp. 631-632). (NIOSH/00166412). Cammarano, G; Crosignani, P; Berrino, F; Berra, G.
- Camp, PG; Dimich-Ward, H; Kennedy, SM. (2004). Women and occupational lung disease: sex differences and gender influences on research and disease outcomes [Review]. *Clin Chest Med* 25: 269-+. <http://dx.doi.org/10.1016/j.ccm.2004.01.004>.
- Campbell, MJ; Langlands, JH. (1982). Analysis of a follow-up study: an example from asbestos-exposed insulation workers. *Scand J Work Environ Health* 8 Suppl 1: 43-47.
- Campbell, MJ; Wagner, MM; Scott, MP; Brown, DG. (1980). Sequential immunological studies in an asbestos-exposed population. II. Factors affecting lymphocyte function. *Clin Exp Immunol* 39: 176-182.
- Campbell, NP; Kindler, HL. (2011). Update on malignant pleural mesothelioma [Review]. *Semin Respir Crit Care Med* 32: 102-110. <http://dx.doi.org/10.1055/s-0031-1272874>.
- Camus, M; Siemiatycki, J; Meek, B. (1998). Nonoccupational exposure to chrysotile asbestos and the risk of lung cancer. *N Engl J Med* 338: 1565-1571. <http://dx.doi.org/10.1056/NEJM199805283382201>.
- Camus, P. (2003). [Asbestos--gemcitabine. Combined risk for pulmonary toxicity?] [Review]. *Rev Mal Respir* 20: 187-189.
- Candura, SM; Binarelli, A; Ragno, G; Scafa, F. (2008). Two cases of asbestosis and one case of rounded atelectasis due to non-occupational asbestos exposure. *Monaldi Arch Chest Dis* 69: 35-38. <http://dx.doi.org/10.4081/monaldi.2008.410>.
- Candura, SM; Boeri, R; Teragni, C; Chen, Y; Scafa, F. (2016). Renal cell carcinoma and malignant peritoneal mesothelioma after occupational asbestos exposure: case report. *Med Lav* 107: 172-177.
- Candura, SM; Canto, A; Amatu, A; Gerardini, M; Stella, G; Mensi, M; Poggi, G. (2008). Malignant mesothelioma of the tunica vaginalis testis in a petrochemical worker exposed to asbestos. *Anticancer Res* 28: 1365-1368.
- Cann, CI; Fried, MP. (1984). Determinants and prognosis of laryngeal cancer. *Otolaryngol Clin North Am* 17: 139-150.
- Canti, Z. (2005). [The national convention "asbestos-related pathology and health surveillance of those formerly exposed" --Pisa, 21-2 April, 2005]. *Med Lav* 96: 270-271.
- Canti, Z; Scillia, R; Cantoni, S; Mensi, C. (2007). [Malignant mesothelioma of the pleura in a truck driver]. *Med Lav* 98: 216-220.
- Cantin, A; Allard, C; Bégin, R. (1989). Increased alveolar plasminogen activator in early asbestosis. *Am Rev Respir Dis* 139: 604-609. <http://dx.doi.org/10.1164/ajrccm/139.3.604>.
- Cantin, A; Bégin, R. (1987). INORGANIC DUST EXPOSURE ENHANCES PMA-STIMULATED ALVEOLAR MACROPHAGE SUPEROXIDE RELEASE (pp. 10-13). (BIOSIS/87/23871). Cantin, A; Bégin, R.
- Cantin, A; Dubois, F; Bégin, R. (1988). Lung exposure to mineral dusts enhances the capacity of lung inflammatory cells to release superoxide. *J Leukoc Biol* 43: 299-303.
- Cantin, AM; Larivée, P; Martel, M; Bégin, R. (1992). Hyaluronan (hyaluronic acid) in lung lavage of asbestos-exposed humans and sheep. *Lung* 170: 211-220.
- Cantor, KP. (1997). Drinking water and cancer [Review]. *Cancer Causes Control* 8: 292-308. <http://dx.doi.org/10.1023/A:1018444902486>.
- Cantor, KP; Sontag, JM; Heid, MF. (1900). Patterns of Mortality among Plumbers and Pipefitters. (NIOSH/00193075). Cantor, KP; Sontag, JM; Heid, MF.
- Cantor, KP; Sontag, JM; Heid, MF. (1986). Patterns of mortality among plumbers and pipefitters. *Am J Ind Med* 10: 73-89.
- Cao, S; Jin, S; Cao, J; Shen, J; Hu, J; Che, D; Pan, B; Zhang, J; He, X; Ding, D; Gu, F; Yu, Y. (2015). Advances in malignant peritoneal mesothelioma [Review]. *Int J Colorectal Dis* 30: 1-10. <http://dx.doi.org/10.1007/s00384-014-2029-1>.
- Capel, LH. (1979). ASBESTOS RELATED DISEASES 3. ASBESTOS ASSOCIATED THORACIC DISORDER CLINICAL FEATURES (pp. NEW YORK). (HEEP/80/09280). Capel, LH.

Human Health Hazard Literature Search Results

On Topic

- Capellaro, E; Chiesa, A; Villari, S; Bontempi, S; Sulotto, F; Scansetti, G. (1997). Asbestos bodies in bronchoalveolar lavage fluid and sputum. *Med Lav* 88: 99-107.
- Capelozzi, VL; Saldiva, PH. (2006). [Histopathological diagnosis of pneumoconiosis]. *32 Suppl 2*: S99-112.
- Caporaso, N; Hayes, RB; Dosemeci, M; Hoover, R; Ayles, R; Hetzel, M; Idle, J. (1989). Lung cancer risk, occupational exposure, and the debris-quinone metabolic phenotype. *Cancer Res* 49: 3675-3679.
- Capozzella, A; Fiaschetti, M; Sancini, A; Caciari, T; Andreozzi, G; Schifano, MP; Ponticello, BG; De Sio, S; Rosati, MV; Fioravanti, M; Cetica, C; Palermo, P; Tomei, G; Tomei, F; Ciarrocca, M. (2012). [Asbestos risk: risk assessment and prevention] [Review]. *Clin Ter* 163: 141-148.
- Caprioglio, A. (1960). [Air pollution by cement: pulmonary changes in cement-asbestos workers and in the population]. *29*: 375-379.
- Caprotti, M; Grossi, P; Tomarchio, O; Bertoli, G. (1983). Contribution of xeroradiography to the diagnosis of asbestosis. *G Ital Med Lav* 5: 65-74.
- Caprotti, M; Grossi, P; Tomarchio, O; Bertoli, G. (1983). [Radiographic and xeroradiographic case finding in asbestosis]. *G Ital Med Lav* 5: 65-73.
- Car, aelig; Akciev, D; Kr; Asteva, S; Kolev, K; Buriikov, T. (1983). Acid-base status and serum calcium in pleural asbestosis. *26*: 468-471.
- Carbone, M. (1999). Simian virus 40 and human tumors: It is time to study mechanisms [Review]. *J Cell Biochem* 76: 189-193.
- Carbone, M; Bedrossian, CW. (2006). The pathogenesis of mesothelioma [Review]. *Semin Diagn Pathol* 23: 56-60. <http://dx.doi.org/10.1053/j.semdp.2006.08.002>.
- Carbone, M; Fisher, S; Powers, A; Pass, HI; Rizzo, P. (1999). New molecular and epidemiological issues in mesothelioma: role of SV40 [Review]. *J Cell Physiol* 180: 167-172. [http://dx.doi.org/10.1002/\(SICI\)1097-4652\(199908\)180:2<167::AID-JCP4>3.0.CO;2-Q](http://dx.doi.org/10.1002/(SICI)1097-4652(199908)180:2<167::AID-JCP4>3.0.CO;2-Q).
- Carbone, M; Kratzke, RA; Testa, JR. (2002). The pathogenesis of mesothelioma [Review]. *Semin Oncol* 29: 2-17.
- Carbone, M; Ly, BH; Dodson, RF; Pagano, I; Morris, PT; Dogan, UA; Gazdar, AF; Pass, HI; Yang, H. (2012). Malignant mesothelioma: facts, myths, and hypotheses [Review]. *J Cell Physiol* 227: 44-58. <http://dx.doi.org/10.1002/jcp.22724>.
- Carbone, M; Pass, HI; Rizzo, P; Marinetti, M; Di Muzio, M; Mew, D, JY; Levine, AS; Procopio, A. (1994). Simian virus 40-like DNA sequences in human pleural mesothelioma. *Oncogene* 9: 1781-1790.
- Carbone, M; Rdzanek, MA. (2004). Pathogenesis of malignant mesothelioma [Review]. *Clin Lung Cancer* 5 Suppl 2: S46-S50.
- Carbone, M; Rizzo, P; Grimley, PM; Procopio, A; Mew, DJ; Shridhar, V; de Bartolomeis, A; Esposito, V; Giuliano, MT; Steinberg, SM; Levine, AS; Giordano, A; Pass, HI. (1997). Simian virus-40 large-T antigen binds p53 in human mesotheliomas. *Nat Med* 3: 908-912.
- Carbone, M; Rizzo, P; Pass, HI. (1997). Simian virus 40, poliovaccines and human tumors: a review of recent developments. *Oncogene* 15: 1877-1888. <http://dx.doi.org/10.1038/sj.onc.1201375>.
- Carbone, M; Yang, H. (2012). Molecular pathways: targeting mechanisms of asbestos and erionite carcinogenesis in mesothelioma. *Clin Cancer Res* 18: 598-604. <http://dx.doi.org/10.1158/1078-0432.CCR-11-2259>.
- Cardile, V; Lombardo, L; Belluso, E; Panico, A; Capella, S. (2006). Behaviour of fibrous antigorite on mesothelial Met-5A cell line. *Toxicol Lett* 164: S206-S206. <http://dx.doi.org/10.1016/j.toxlet.2006.07.086>.
- Cardile, V; Lombardo, L; Belluso, E; Panico, A; Capella, S; Balazy, M. (2007). Toxicity and carcinogenicity mechanisms of fibrous antigorite. *Int J Environ Res Public Health* 4: 1-9.
- Cardile, V; Renis, M; Scifo, C; Lombardo, L; Gulino, R; Mancari, B; Panico, A. (2004). Behaviour of the new asbestos amphibole fluor-edenite in different lung cell systems. *Int J Biochem Cell Biol* 36: 849-860. <http://dx.doi.org/10.1016/j.biocel.2003.09.007>.
- Cardinali, G; Kovacs, D; Maresca, V; Flori, E; Dell'Anna, ML; Campopiano, A; Casciardi, S; Spagnoli, G; Torrisi, MR; Picardo, M. (2006). Differential in vitro cellular response induced by exposure to synthetic vitreous fibers (SVFs) and asbestos crocidolite fibers. *Exp Mol Pathol* 81: 31-41. <http://dx.doi.org/10.1016/j.yexmp.2005.10.001>.
- Carel, R; Boffetta, P; Kauppinen, T; Teschke, K; Andersen, A; Jäppinen, P; Pearce, N; Rix, BA; Bergeret, A; Coggon, D; Persson, B; Szadkowska-Stanczyk, I; Kielkowski, D; Henneberger, P; Kishi, R; Facchini, LA; Sala, M; Colin, D; Kogevinas, M. (2002). Exposure to asbestos and lung and pleural cancer mortality among pulp and paper industry workers. *J Occup Environ Med* 44: 579-584.
- Carel, R; Olsson, AC; Zaridze, D; Szeszenia-Dabrowska, N; Rudnai, P; Lissowska, J; Fabianova, E; Cassidy, A; Mates, D; Bencko, V; Foretova, L; Janout, V; Fevotte, J; Fletcher, T; T Mannelje, A; Brennan, P; Boffetta, P. (2007). Occupational exposure to asbestos and man-made vitreous fibres and risk of lung cancer: a multicentre case-control study in Europe. *Occup Environ Med* 64: 502-508. <http://dx.doi.org/10.1136/oem.2006.027748>.
- Carette, MF. (2012). [Follow-up of subjects occupationally exposed to asbestos: MRI and PET scans] [Review]. *Rev Mal Respir* 29: 529-536. <http://dx.doi.org/10.1016/j.rmr.2011.09.052>.
- Carkanat, AI; Abdurrahman, A; Abakay, O; Cengizhan, S; Selimoglu, SH; Senyigit, A. (2011). The incidence of mesothelioma has not decreased for the last twenty years in Southeast region of Anatolia. *Afr Health Sci* 11: 346-352.
- Carnevale, F. (1992). [The history of the effects of asbestos on man] [Letter]. *Med Lav* 83: 296-298.
- Carnevale, F; Chellini, E. (1995). [The diffusion of information on the carcinogenicity of asbestos in the Italian scientific community before 1965]. *Med Lav* 86: 295-302.
- Carney, CN. (1980). Occupational Cancer. Cytology in Industrial Applications (pp. 80-139). (NIOSH/00168961). Carney, CN.
- Carosi, G; Maccabruni, A; Michelone, G; Viale, P; Cavanna, C. (1985). Primary hepatic aspergillosis: report of a case. *64*: 324-325.
- Caroyer, JM; Strauss, P. (1996). [Occupational cancer in Belgium]. *Archives des Maladies Professionnelles et de Médecine du Travail* 57: 188-192.
- Carpenter, RL; Wilson, CL. (1999). Inhalation Toxicity of Glass Fibers -A Review of the Scientific Literature. *36*.
- Carretier, J; Charbotel, B; Baan, R; Talla, L; Grosse, V; Philip, T; Straif, K; Fervers, B. (2013). [Reassessment of human carcinogens (volumes 100C and 100F of IARC monographs) and recognition as occupational diseases]. *E R S* 12: 41-53. <http://dx.doi.org/10.1684/ers.2013.0593>.
- Carrillo, MC; Alturkistany, S; Roberts, H; Nguyen, E; Chung, TB; Paul, N; Herman, S; Weisbrod, G; Patsios, D. (2013). Low-dose computed tomography (LDCT) in workers previously exposed to asbestos: detection of parenchymal lung disease. *J Comput Assist Tomogr* 37: 626-630. <http://dx.doi.org/10.1097/RCT.0b013e31828e1b8e>.

Human Health Hazard Literature Search Results

On Topic

- Carroll, MP; Britton, MG; Green, M. (1981). Diaphragmatic function in patients with diaphragmatic plaques due to asbestos exposure. 75: 1982).
- Carroll, MP; Laroche, CM; Jawad, N; Rudd, R; Poulakis, N; Moxham, J; Green, M. (1989). RESPIRATORY MUSCLE FUNCTION IN ASBESTOS RELATED PLEURAL DISEASE (pp. 14-17). (BIOSIS/89/21187). Carroll, MP; Laroche, CM; Jawad, N; Rudd, R; Poulakis, N; Moxham, J; Green, M.
- Carter, AB; Tephly, LA; Venkataraman, S; Oberley, LW; Zhang, Y; Buettner, GR; Spitz, DR; Hunninghake, GW. (2004). High levels of catalase and glutathione peroxidase activity dampen H₂O₂ signaling in human alveolar macrophages. *Am J Respir Cell Mol Biol* 31: 43-53. <http://dx.doi.org/10.1165/rcmb.2003-03770C>.
- Carter, RE; Taylor, WF. (1980). Identification of a particular amphibole asbestos fiber in tissues of persons exposed to a high oral intake of the mineral. *Environ Res* 21: 85-93.
- Carter, RL; Roe, FJ. (1975). Chemical carcinogens in industry [Review]. *J Soc Occup Med* 25: 86-94.
- Carthew, P; Edwards, RE; Dorman, BM; Brown, RC; Hoskins, JA; Simpson, CF. (1993). A REAPPRAISAL OF THE CARCINOGENICITY OF SURFACE-MODIFIED ASBESTOS FIBERS. *Carcinogenesis* 14: 2413-2414.
- Carthew, P; Hill, RJ; Edwards, RE; Lee, PN. (1992). Intrapleural administration of fibres induces mesothelioma in rats in the same relative order of hazard as occurs in man after exposure. *Hum Exp Toxicol* 11: 530-534.
- Cartier, P; Gross, P. (1962). Nonoccupational diffuse pulmonary fibrosis. A report of a case in an asbestos worker. *Arch Environ Health* 4: 73-80.
- Cartmel, B; Dziura, J; Cullen, MR; Vegso, S; Omenn, GS; Goodman, GE; Redlich, CA. (2005). Changes in cholesterol and triglyceride concentrations in the Vanguard population of the Carotene and Retinol Efficacy Trial (CARET). *Eur J Clin Nutr* 59: 1173-1180. <http://dx.doi.org/10.1038/sj.ejcn.1602229>.
- Carvalho, FM. (1987). Synergy and interaction in epidemiological research. 39: 29-33.
- Casali, M; Carugno, M; Cattaneo, A; Consonni, D; Mensi, C; Genovese, U; Cavallo, DM; Somigliana, A; Pesatori, AC. (2015). Asbestos Lung Burden in Necroscopic Samples from the General Population of Milan, Italy. *Ann Occup Hyg* 59: 909-921. <http://dx.doi.org/10.1093/annhyg/mev028>.
- Case, BW. (1991). Health effects of tremolite. Now and in the future [Review]. *Ann N Y Acad Sci* 643: 491-504.
- Case, BW. (1994). Biological indicators of chrysotile exposure. *Ann Occup Hyg* 38: 503-518, 410-501.
- Case, BW. (1998). Nonoccupational exposure to chrysotile asbestos and the risk of lung cancer [Letter]. *N Engl J Med* 339: 1001; author reply 1002.
- Case, BW; Dufresne, A. (1997). Asbestos, asbestosis, and lung cancer: observations in Quebec chrysotile workers. *Environ Health Perspect* 105 Suppl 5: 1113-1119.
- Case, BW; Dufresne, A; McDonald, AD; McDonald, JC; Sebastien, P. (2000). Asbestos fiber type and length in lungs of chrysotile textile and production workers: Fibers longer than 18 µm. *Inhal Toxicol* 12: 411-418. <http://dx.doi.org/10.1080/08958370050165319>.
- Case, BW; Dufresne, A; Richardson, L; Siemiatycki, J; Takahashi, K. (1995). Lung-Retained Dose following Occupational Exposure to Silica. *Appl Occup Environ Hyg* 10: 1031-1036.
- Case, BW; Ip, MP; Padilla, M; Kleinerman, J. (1986). Asbestos effects on superoxide production. An in vitro study of hamster alveolar macrophages. *Environ Res* 39: 299-306.
- Case, BW; Ip, MPC; Padilla, M; Kleinerman, J. (1982). INVITRO AND INVIVO EFFECTS OF ASBESTOS ON SUPEROXIDE ANION (O₂⁻) PRODUCTION BY HAMSTER ALVEOLAR MACROPHAGES (AM) AND POLYMORPHONUCLEAR LEUKOCYTES (PMN). *Am Rev Respir Dis* 125: 57-57.
- Case, BW; Kleinerman, J. (1983). Effects of asbestos fiber in parietal pleura. 127: 169.
- Case, BW; Mccaughey W, TE; Harrigan, M; Sebastien, P. (1990). EXPOSURE MISCLASSIFICATION FOR MESOTHELIOMA IN A CHRYSOTILE MINING DISTRICT (pp. 20-24). (BIOSIS/90/18828). Case, BW; Mccaughey W, TE; Harrigan, M; Sebastien, P.
- Case, BW; Monaghan, LA; Giguere, M. (1991). SPUTUM ASBESTOS BODIES IN FEMALE RESIDENTS OF TWO CHRYSOTILE MINING TOWNS (pp. 12-15). (BIOSIS/91/21166). Case, BW; Monaghan, LA; Giguere, M.
- Case, BW; Volkens, K; Wang, NS. (1987). ASBESTOS BODIES IN PARAFFIN SECTIONS VS. OTHER EXPOSURE INDICES (pp. 10-13). (BIOSIS/87/24512). Case, BW; Volkens, K; Wang, NS.
- Casey, G. (1983). Sister-chromatid exchange and cell kinetics in CHO-K1 cells, human fibroblasts and lymphoblastoid cells exposed in vitro to asbestos and glass fibre. *Mutat Res Genet Toxicol* 116: 369-377.
- Casey, KR; Rom, WN; Moatamed, F. (1981). Asbestos-related diseases [Review]. *Clin Chest Med* 2: 179-202.
- Cassan, G; LESTERLI.P; Brun, J. (1973). ASBESTOS DUST IN INDUSTRY OF AUTOMOBILE ENGINE JOINTS AND MEDICAL DETECTION OF ASBESTOSIS. *Arch Mal Prof Med Trav Secur Soc* 34: 560-563.
- Castleman, B. (1999). Global corporate policies and international "double standards" in occupational and environmental health [Editorial]. *Int J Occup Environ Health* 5: 61-64. <http://dx.doi.org/10.1179/oeh.1999.5.1.61>.
- Castleman, B; Camarota, LA; Fritsch, AJ; Mazzocchi, S; Crawley, RG. (1975). HAZARDS OF ASBESTOS FOR BRAKE MECHANICS. *Public Health Rep* 90: 254-256.
- Castleman, Bl. (1981). More on the international asbestos business. *Int J Health Serv* 11: 339-340.
- Castleman, Bl. (1984). Asbestos: medical and legal aspects. (CIS/85/01558). Castleman, Bl.
- Castleman, Bl. (2001). Re: Doll's 1955 study on cancer from asbestos. *Am J Ind Med* 39: 237-240.
- Castleman, Bl; Fritsch, AJ. (1974). Asbestos and You. (NIOSH/00192685). Castleman, Bl; Fritsch, AJ.
- Caston, JC; Finklea, JF; Sandifer, SH. (1972). Cancer of the larynx and lung in three urban counties in South Carolina. *South Med J* 65: 753-756.
- Castranova, V. (2004). Role of nitric oxide in the progression of pneumoconiosis [Review]. *Biochemistry (Mosc)* 69: 32-37.
- Castranova, V; Pailles, WH. (1900). Role of Alveolar Cell Interactions in the Pathogenesis and Evolution of Silicosis. Final Report. (NIOSH/00177549). Castranova, V; Pailles, WH.

Human Health Hazard Literature Search Results

On Topic

- Catelan, D; Buzzoni, C; Coviello, E; Crocetti, E; Pasetto, R; Pirastu, R; Biggeri, A. (2014). [Risk profiling in cancer surveillance in contaminated sites: an example from the ISS-AIRTUM collaborative study]. *Epidemiol Prev* 38: 162-170.
- Catilina, P; Champeix, J. (1971). [Pulmonary asbestos bodies: contribution of Castaing's electronic microprobe to knowledge of the gangue and to the identification of the asbestos nature of the central fiber]. *C R Seances Soc Biol Fil* 165: 1899-1902.
- Cauna, D; Totten, RS; Gross, P. (1965). ASBESTOS BODIES IN HUMAN LUNGS AT AUTOPSY. *JAMA* 192: 371-373.
- Cavalleri, A; Gobba, F; Bacchella, L; Ferrari, D. (1991). Evaluation of serum amino-terminal propeptide of type III procollagen as an early marker of the active fibrotic process in asbestos-exposed workers. *Scand J Work Environ Health* 17: 139-144.
- Cavalleri, A; Gobba, F; Bacchella, L; Luberto, F; Ziccardi, A. (1988). Serum type III procollagen peptide in asbestos workers: an early indicator of pulmonary fibrosis. *Br J Ind Med* 45: 818-823.
- Cavalleri, A; Gobba, FM; Bacchella, L; Ferrari, D. (1990). An Early Indicator for Pulmonary Fibrosis in Asbestos Exposure: The Serum Level of Type III Procollagen Peptide (pp. 23-26). (NIOSH/00198285). Cavalleri, A; Gobba, FM; Bacchella, L; Ferrari, D.
- Cavallo, D; Campopiano, A; Cardinali, G; Casciardi, S; De Simone, P; Kovacs, D; Perniconi, B; Spagnoli, G; Ursini, CL; Fanizza, C. (2004). Cytotoxic and oxidative effects induced by man-made vitreous fibers (MMVFs) in a human mesothelial cell line. *Toxicology* 201: 219-229. <http://dx.doi.org/10.1016/j.tox.2004.04.017>.
- Cavazza, A; Nigrisoli, E; De Marco, L; Paci, M; Annessi, V; Agostini, L; Gardini, G. (2001). [Bronchiolitis obliterans-organizing pneumonia (BOOP) containing asbestos bodies: clinico-pathological study of a case]. *Pathologica* 93: 681-684.
- Cavazza, A; Rossi, G; Agostini, L; Facciolongo, N; De Marco, L; Putrino, I; Gardini, G. (2002). [Small-cell mesothelioma of the pleura: description of a case]. *Pathologica* 94: 247-252. <http://dx.doi.org/10.1007/s102420200040>.
- Cavazza, A; Travis, LB; Travis, WD; Wolfe, JT; Foo, ML; Gillespie, DJ; Weidner, N; Colby, TV. (1996). Post-irradiation malignant mesothelioma. *Cancer* 77: 1379-1385. [http://dx.doi.org/10.1002/\(SICI\)1097-0142\(19960401\)77:7<1379::AID-CNCR24>3.3.CO;2-5](http://dx.doi.org/10.1002/(SICI)1097-0142(19960401)77:7<1379::AID-CNCR24>3.3.CO;2-5).
- Cazabat, A; Pastisson, C. (1978). STUDY WITH ELECTRON-MICROSCOPE ON EARLY INVIVO EFFECTS OF ASBESTOS ON LUNG OF RABBIT. 32: A2-A2.
- Cazzadori, A; Malesani, F; Romeo, L. (1992). Malignant pleural mesothelioma caused by non-occupational childhood exposure to asbestos. *Br J Ind Med* 49: 599. <http://dx.doi.org/10.1136/oem.49.8.599>.
- CDC. (2009). Malignant mesothelioma mortality--United States, 1999-2005. *MMWR Morb Mortal Wkly Rep* 58: 393-396.
- Cecchetti, G; Marconi, A; Rossi, L. (1978). [Asbestos fiber sampling, quantitative determination and identification in relation to recently recommended workroom limits]. *Ann Ist Super Sanita* 14: 641-649.
- Cellier, C; Charbotel, B; Carretier, J; Rebattu, P; Fayette, J; Pérol, M; Claude, L; Philip, T; Fervers, B. (2013). [Identification of occupational exposures among patients with lung cancer]. *Bulletin du Cancer (Online)* 100: 661-670. <http://dx.doi.org/10.1684/bdc.2013.1783>.
- Cely-García, MF; Torres-Duque, CA; Durán, M; Parada, P; Sarmiento, OL; Breyse, PN; Ramos-Bonilla, JP. (2015). Personal exposure to asbestos and respiratory health of heavy vehicle brake mechanics. *J Expo Sci Environ Epidemiol* 25: 26-36. <http://dx.doi.org/10.1038/jes.2014.8>.
- Cemerikic, DA. (1977). ASBESTOS IN DRINKING WATER THE POSSIBLE NEPHRO TOXICITY AND HYPERTENSIVE EFFECTS. (HEEP/78/05345). Cemerikic, DA.
- Center, MT. (1990). LETTER FROM MANVILLE TECHNICAL CENTER TO USEPA SUBMITTING ENCLOSED PRELIMINARY INFORMATION ON RESULTS OF INHALED REFRACTORY CERAMIC FIBERS IN RATS AND HAMSTERS WITH ATTACHMENTS. (TSCATS/412451).
- CERFA. (1994). Community Environmental Response Facilitation Act (CERFA) Report, Pueblo Depot Activity, Colorado (pp. 146). (NTIS/02992669_a).
- Cerná, S; Beno, M; Hurbánková, M; Kováčiková, Z; Bobek, P; Kyrtopoulos, SA. (2004). Evaluation of bronchoalveolar lavage fluid cytotoxic parameters after inhalation exposure to amosite and wollastonite fibrous dusts combined with cigarette smoke. *Cent Eur J Public Health* 12 Suppl: S20-S23.
- Cernigliaro, A; Fano, V; Addario, SP; Caruso, S; Pennisi, P; Forastiere, F; Perucci, CA; Comba, P; Sccondotto, S. (2006). Mortality and hospital discharges in the population of Biancavilla (Sicily) contaminated by natural fibres. *Epidemiol Prev* 30: 227-231.
- Cha, YK; Kim, JS; Kim, Y; Kim, YK. (2016). Radiologic Diagnosis of Asbestosis in Korea [Review]. *Korean J Radiol* 17: 674-683. <http://dx.doi.org/10.3348/kjr.2016.17.5.674>.
- Chachati, A; Hoyoux, P; Smoliar, V. (1984). Peritoneal mesothelioma: case report and review of the literature. *Acta Clin Belg* 39: 141-147.
- Chahinian, AP; Pajak, TF; Holland, JF; Norton, L; Ambinder, RM; Mandel, EM. (1982). Diffuse malignant mesothelioma. Prospective evaluation of 69 patients. *Ann Intern Med* 96: 746-755.
- Chailleux, E. (1999). [Follow-up of pleural benign pathologies]. *Rev Mal Respir* 16 Suppl 3: S167-S168.
- Chailleux, E; Dabouis, G; Pioche, D; de Lajartre, M; de Lajartre, AY; Rembeaux, A; Germaud, P. (1988). Prognostic factors in diffuse malignant pleural mesothelioma. A study of 167 patients. *Chest* 93: 159-162.
- Chailleux, E; Eveillard, MF; Ordronneau, J; Ginet, JD; Moigneteau, C. (1982). Asbestos exposure and pleural calcifications: functional effects in 34 patients. 38: 95-99.
- Chailleux, E; Pioche, D; Chopra, S; Dabouis, G; Germaud, P; De Lajartre, AY; De Lajartre, M. (1995). [Epidemiology of malignant pleural mesothelioma in the Nantes-Saint Nazaire region. Course in 1956-1992]. *Rev Mal Respir* 12: 353-357.
- Chailleux, E; Rembeaux, A; de Lajartre, AY; Delumeau, J. (1988). [Benign pleural pathology of asbestos] [Review]. *Rev Pneumol Clin* 44: 166-180.
- Chalabreysse, L; Guillaud, C; Tabib, A; Loire, R; Thivolet-Béjui, F. (2001). [Malignant mesothelioma with osteoblastic heterologous elements]. *Ann Pathol* 21: 428-430.
- Chambaz, A; Choudat, D; Huber, C; Pairon, JC; van der Laan, MJ. (2014). Analysis of the effect of occupational exposure to asbestos based on threshold regression modeling of case-control data. *Biostatistics* 15: 327-340. <http://dx.doi.org/10.1093/biostatistics/kxt042>.

Human Health Hazard Literature Search Results

On Topic

- Chamberlain, M. (1982). The influence of mineral dusts on metabolic cooperation between mammalian cells in tissue culture. *Carcinogenesis* LOND: 337-340.
- Chamberlain, M. (1983). Effect of mineral dusts on metabolic cooperation between Chinese hamster V79 cells in vitro. *Environ Health Perspect* 51: 5-9.
- Chamberlain, M; Brown, RC. (1978). The cytotoxic effects of asbestos and other mineral dust in tissue culture cell lines. *Int J Exp Pathol* 59: 183-189.
- Chamberlain, M; Tarmy, EM. (1977). Asbestos and glass fibres in bacterial mutation tests. *Mutat Res-Fundam Mol Mech Mutagen* 43: 159-164. [http://dx.doi.org/10.1016/0027-5107\(77\)90001-X](http://dx.doi.org/10.1016/0027-5107(77)90001-X).
- Chamming's, S; Clin, B; Brochard, P; Astoul, P; Ducamp, S; Galateau-Salle, F; Ilg, AG; Goldberg, M; Gramond, C; Imbernon, E; Rolland, P; Pairon, JC. (2013). Compensation of pleural mesothelioma in France: data from the French National Mesothelioma Surveillance Programme. *Am J Ind Med* 56: 146-154. <http://dx.doi.org/10.1002/ajim.22106>.
- Chamoux, A. (2015). [Review and perspective of a long-term follow-up of two cohorts of workers heavily exposed to asbestos]. *Bull Acad Natl Med* 199: 321-339; discussion 339-340.
- Champeix, J; Bouteville, J. (1950). [Electron microscopy study of asbestosis particles and asbestos fibers]. *Arch Mal Prof Med Trav Secur Soc* 11: 607-612.
- Champeix, J; de Laguillaumie, J; Jacquemet, L; Mory, F; Geille, A. (1962). [Bronchial cancer and exposure to fibrous asbestos dusts]. *Arch Mal Prof Med Trav Secur Soc* 23: 267-271.
- Champion, P. (1971). 2CASES OF MALIGNANT MESOTHELIOMA AFTER EXPOSURE TO ASBESTOS. *Am Rev Respir Dis* 103: 821-&.
- Champion, P. (1971). Two cases of malignant mesothelioma after exposure to asbestos. *Am Rev Respir Dis* 103: 821-826. <http://dx.doi.org/10.1164/arrd.1971.103.6.821>.
- Chan, CK; Gee J, BL. (1987). ASBESTOS EXPOSURE AND LARYNGEAL CANCER ARE THEY CAUSALLY RELATED (pp. 26-30). (BIOSIS/88/05949). Chan, CK; Gee J, BL.
- Chan, CK; Gee J, BL. (1988). Asbestos exposure and laryngeal cancer: An analysis of the epidemiologic evidence [Review]. *J Occup Med* 30: 23-27.
- Chan, K; Tan, KL; Lee, HS; Eng, P. (2003). Malignant mesothelioma: experience at the Singapore General Hospital. *Ann Acad Med Singapore* 32: 388-391.
- Chan, PS; Balfour, TW; Bourke, JB; Smith, PG. (1975). Peritoneal mesothelioma. *Br J Surg* 62: 576-580.
- Chandler, KW. (1986). Asbestos-related pleuropulmonary disorders. *Compr Ther* 12: 45-54.
- Chang, KC; Leung, CC; Tam, CM; Yu, WC; Hui, DS; Lam, WK. (2006). Malignant mesothelioma in Hong Kong. *Respir Med* 100: 75-82. <http://dx.doi.org/10.1016/j.rmed.2005.04.017>.
- Chang, LY; Hill, LH; Brody, AR; Crapo, JD. (1983). EARLY MORPHOLOGIC ALTERATIONS INDUCED IN THE LUNG BY ACUTE EXPOSURE TO ASBESTOS. *Am Rev Respir Dis* 127: 168-168.
- Chang, LY; Overby, LH; Brody, AR; Crapo, JD. (1988). Progressive lung cell reactions and extracellular matrix production after a brief exposure to asbestos. *Am J Pathol* 131: 156-170.
- Chang, MJ; Joseph, LB; Stephens, RE; Hart, RW. (1990). Modulation of biological processes by mineral fiber adsorption of macromolecules in vitro. *J Environ Pathol Toxicol Oncol* 10: 89-93.
- Chang, MJW; Hart, RW. (1983). The Effect of Asbestos on the Uptake and Metabolism of Benzo(a)pyrene by Normal Human Fibroblast. *Formation: 1983*1983.
- Chang, MJW; Singh, NP; Hart, RW. (1983). EFFECTS OF CHRYSOTILE CO-EXPOSURE ON BAP BINDING IN NORMAL HUMAN-FIBROBLASTS. *Environ Health Perspect* 51: 241-244.
- Chang, MJW; Singh, NP; Turturro, A; Hart, RW. (1983). Characterization Of Cytotoxic Effect Of Asbestos On Normal Human Fibroblasts. *Environ Health Perspect* 51: 237-239.
- Chang, SC; Blancato, J. (1976). EFFECTS ON RESPIRATORY TRACT AFTER INHALATION OF ASBESTOS IN EXPERIMENTAL ANIMALS. *Acta Cytol* 20: 586-587.
- Chan-Yeung, M. (1990). OCCUPATIONAL ASTHMA (pp. 148S-161S). (BIOSIS/91/05535). Chan-Yeung, M.
- Chao, C; Shea, R; Lund, L; Aust, A. (1993). THE ROLE OF IRON IN THE CYTOTOXICITY OF CROCIDOLITE (pp. 12-17). (ISSN 0891-5849 EISSN 1873-4596 BIOSIS/94/08158). Chao, C; Shea, R; Lund, L; Aust, A.
- Chao, CC; Aust, AE. (1994). EFFECT OF LONG-TERM REMOVAL OF IRON FROM ASBESTOS BY DESFERRIOXAMINE-B ON SUBSEQUENT MOBILIZATION BY OTHER CHELATORS AND INDUCTION OF DNA SINGLE-STRAND BREAKS. *Arch Biochem Biophys* 308: 64-69. <http://dx.doi.org/10.1006/abbi.1994.1009>.
- Chao, CC; Lund, LG; Zinn, KR; Aust, AE. (1994). Iron mobilization from crocidolite asbestos by human lung carcinoma cells. *Arch Biochem Biophys* 314: 384-391. <http://dx.doi.org/10.1006/abbi.1994.1457>.
- Chao, CC; Park, SH; Aust, AE. (1996). Participation of nitric oxide and iron in the oxidation of DNA in asbestos-treated human lung epithelial cells. *Arch Biochem Biophys* 326: 152-157. <http://dx.doi.org/10.1006/abbi.1996.0059>.
- Chapman, A; Mulrennan, S; Ladd, B; Muers, MF. (2008). Population based epidemiology and prognosis of mesothelioma in Leeds, UK. *Thorax* 63: 435-439. <http://dx.doi.org/10.1136/thx.2007.081430>.
- Chapman, SJ; Cookson, WO; Musk, AW; Lee, YC. (2003). Benign asbestos pleural diseases [Review]. *Curr Opin Pulm Med* 9: 266-271.
- Charbotel, B; Fervers, B; Droz, JP. (2014). Occupational exposures in rare cancers: A critical review of the literature [Review]. *Crit Rev Oncol Hematol* 90: 99-134. <http://dx.doi.org/10.1016/j.critrevonc.2013.12.004>.
- Charpin, D; Vervloet, D; Poirier, R; Charpin, J; Laval, P. (1981). Thoracic manifestations of asbestos and genetics: 2 Pairs of uniovular twins. *Rev Fr Mal Respir* 9: 55-60.

Human Health Hazard Literature Search Results

On Topic

- Charpin, D; Vervloet, D; Poirier, R; Charpin, J; Laval, P. (1982). Asbestos pathology and genetics. Two pairs of monozygotic twins. 104: 5521-5529.
- Charpin, J. (1973). Atmospheric pollution and bronchopulmonary pathology. 6: 65-69.
- Chatel, A; Mignon, F; Sebastien, P; Hirsch, A; Bignon, J; Bader, JP; Chretien, J. (1978). Gastric and esophageal investigation with detection of asbestos fibers in patients exposed to asbestos. *Gastroenterol Clin Biol* 2: 459-464.
- Chatfield, EJ; Elmes, PC; Muhle, H; Pott, F; Pooley, FD. (1983). Short and thin mineral fibres. Identification, exposure and health effects. Arbete och Hälsa Publikationsservice.
- Chatzis, C; Danaka, G; Linos, A; Kales, SN; Christiani, DC. (1999). Lung cancer and occupational risk factors in Greece. *J Occup Environ Med* 41: 29-35. <http://dx.doi.org/10.1097/00043764-199901000-00006>.
- Chechani, V. (1994). ASBESTOS-RELATED PLEURAL PLAQUES AND LUNG-CANCER. *Chest* 106: 648-649.
- Checkoway, H; Pearce, N; Hickey, JL; Dement, JM. (1990). Latency analysis in occupational epidemiology. *Arch Environ Health* 45: 95-100. <http://dx.doi.org/10.1080/00039896.1990.9935932>.
- Chellini, E; Fornaciai, G; Merler, E; Paci, E; Constantini, AS; Silvestri, S; Zappa, M; Buiatti, E. (1992). Pleural malignant mesothelioma in Tuscany, Italy (1970-1988): II. Identification of occupational exposure to asbestos. *Am J Ind Med* 21: 577-585.
- Chellini, E; Martini, A; Cacciarini, V; Badiali, AM; toscane, RdAsl. (2013). [Considerations about the epidemiologic surveillance system on mesothelioma in Tuscany (Italy) after 25 years of activity]. *Epidemiol Prev* 37: 43-50.
- Chellini, E; Martino, G; Grillo, A; Fedi, A; Martini, A; Indiani, L; Mauro, L. (2015). Malignant Mesotheliomas in Textile Rag Sorters. *Ann Occup Hyg* 59: 547-553. <http://dx.doi.org/10.1093/annhyg/meu114>.
- Chem, D. (1992). INITIAL SUBMISSION: LONG TERM INHALATION STUDY IN RATS, GUINEA PIGS, AND HAMSTERS WITH POTASSIUM OCTITANATE; AND PIGMENTARY POTASSIUM TITANATE WITH COVER LETTER DATED 100192. (TSCATS/450921).
- Cheminat, JC; Bedu, M; Maillat, J; Perdrizet, S; Molina, C. (1984). LONG-TERM RADIOLOGICAL STUDY AND RADIOLOGICAL AND FUNCTIONAL CORRELATIONS FOLLOWING EXTENSIVE EXPOSURE TO ASBESTOS (pp. 263). (BIOSIS/85/02048). Cheminat, JC; Bedu, M; Maillat, J; Perdrizet, S; Molina, C.
- Chen, CH; Newman, L. (1990). Rounded atelectasis complicated by obstructive pneumonia and pulmonary arterial thrombosis. *Chest* 98: 1283-1285.
- Chen, CR; Chang, HY; Suo, J; Wang, JD. (1992). Occupational exposure and respiratory morbidity among asbestos workers in Taiwan. *J Formos Med Assoc* 91: 1138-1142.
- Chen, M; Tse, LA; Au, RK; Yu, IT; Wang, XR; Lao, XQ; Au, JS. (2012). Mesothelioma and lung cancer mortality: a historical cohort study among asbestosis workers in Hong Kong. *Lung Cancer* 76: 165-170. <http://dx.doi.org/10.1016/j.lungcan.2011.11.003>.
- Chen, Q; Marsh, J; Ames, B; Mossman, B. (1996). Detection of 8-oxo-2'-deoxyguanosine, a marker of oxidative DNA damage, in culture medium from human mesothelial cells exposed to crocidolite asbestos. *Carcinogenesis* 17: 2525-2527.
- Chen, R; Froom, P. (2003). The CUSCORE test and the q-interval in cluster analyses of colon cancer and of lymphoma among asbestos workers. *Stat Med* 22: 3101-3109. <http://dx.doi.org/10.1002/sim.1534>.
- Chen, R; Seaton, A. (1998). A meta-analysis of painting exposure and cancer mortality. *Cancer Detect Prev* 22: 533-539.
- Chen, YM; Perng, RP; Huang, MH. (1994). Pleural and pericardial mesothelioma in a general teaching hospital during the last fourteen years. *Chin Med J* 54: 100-104.
- Chéné, AL; D'Almeida, S; Blondy, T; Tabiasco, J; Deshayes, S; Fonteneau, JF; Cellerin, L; Delneste, Y; Grégoire, M; Blanquart, C. (2016). Pleural Effusions from Patients with Mesothelioma Induce Recruitment of Monocytes and Their Differentiation into M2 Macrophages. *J Thorac Oncol* 11: 1765-1773. <http://dx.doi.org/10.1016/j.jtho.2016.06.022>.
- Cheng, N; Shi, X; Ye, J; Castranova, V; Chen, F; Leonard, SS; Vallyathan, V; Rojanasakul, Y. (1999). Role of transcription factor NF-kappaB in asbestos-induced TNFalpha response from macrophages. *Exp Mol Pathol* 66: 201-210. <http://dx.doi.org/10.1006/exmp.1999.2268>.
- Cheng, WN; Kong, J. (1992). A retrospective mortality cohort study of chrysotile asbestos products workers in Tianjin 1972-1987. *Environ Res* 59: 271-278.
- Cheng, Y-S. (1986). Bivariate Lognormal Distribution for Characterizing Asbestos Fiber Aerosols. *Aerosol Sci Technol* 5: 359-368.
- Cheng, YY; Wright, CM; Kirschner, MB; Williams, M; Sarun, KH; Sytnyk, V; Leshchynska, I; Edelman, JJ; Valley, MP; Mccaughan, BC; Klebe, S; van Zandwijk, N; Lin, RC; Reid, G. (2016). KCa1.1, a calcium-activated potassium channel subunit alpha 1, is targeted by miR-17-5p and modulates cell migration in malignant pleural mesothelioma. *Mol Cancer* 15: 44. <http://dx.doi.org/10.1186/s12943-016-0529-z>.
- Cheresh, P; Kim, SJ; Jablonski, RP; Yeldandi, A; Nebreda, LM; Cheng, Y; Chi, M; Piseaux, R; Ridge, KM; Hart, C; Chandel, NS; Budinger, G; Kamp, D. (2016). Mitochondrial Catalase Enforced Expression (mcat-Ee) Transgenic Mice Are Protected Against Asbestos- And Bleomycin- Induced Lung Fibrosis In Part Via Beneficial Effects On Aecs. *Am J Respir Crit Care Med* 193.
- Cheresh, P; Morales-Nebreda, L; Kim, SJ; Yeldandi, A; Williams, DB; Cheng, Y; Mutlu, GM; Budinger, GR; Ridge, K; Schumacker, PT; Bohr, VA; Kamp, DW. (2015). Asbestos-induced pulmonary fibrosis is augmented in 8-oxoguanine DNA glycosylase knockout mice. *Am J Respir Cell Mol Biol* 52: 25-36. <http://dx.doi.org/10.1165/rcmb.2014-0038OC>.
- Cheresh, P; Morales-Nebreda, L; Kim, SJ; Yeldandi, A; Williams, DB; Mutlu, GM; Budinger, GS; Schumacker, PT; Bohr, V; Kamp, D; RCMB. (2014). Asbestos-Induced Pulmonary Fibrosis Is Augmented In 8-Oxoguanosine Dna Glycosylase (ogg1) Knockout Mice. *Am J Respir Crit Care Med* 189.
- Cheresh, P; Morales-Nebreda, L; Yeldandi, A; Kim, SJ; Tulasiram, S; Mutlu, GM; Budinger, GS; Schumacker, P; Kamp, D. (2013). Asbestos-Induced Pulmonary Fibrosis Is Augmented In 8-Oxyguanosine Dna Glycosylase (ogg1) Knockout Mice. *Am J Respir Crit Care Med* 187.
- Cherin, A; Brochard, P; Brechot, JM; Pascano, P; Ameille, J. (1991). Radiographic diagnosis of asbestos-related pleural plaques - Techniques of visualisation, diagnostic strategy. 52: 25-32.

Human Health Hazard Literature Search Results

On Topic

- Chernova, T; Sun, XM; Powley, IR; Galavotti, S; Grosso, S; Murphy, FA; Miles, GJ; Cresswell, L; Antonov, AV; Bennett, J; Nakas, A; Dinsdale, D; Cain, K; Bushell, M; Willis, AE; Macfarlane, M. (2016). Molecular profiling reveals primary mesothelioma cell lines recapitulate human disease. *Cell Death Differ* 23: 1152-1164. <http://dx.doi.org/10.1038/cdd.2015.165>.
- Cherrie, JW; Tindall, M; Cowie, H. (2005). Exposure and risks from wearing asbestos mitts. *Part Fibre Toxicol* 2: 5. <http://dx.doi.org/10.1186/1743-8977-2-5>.
- Chesson, J. (1991). Confusion regarding asbestos data and censoring [Letter]. *Am Ind Hyg Assoc J* 52: A612.
- Cheung, M; Kadariya, Y; Pei, J; Talarchek, J; Facciolo, F; Visca, P; Righi, L; Cozzi, I; Testa, JR; Ascoli, V. (2015). An asbestos-exposed family with multiple cases of pleural malignant mesothelioma without inheritance of a predisposing BAP1 mutation. 208: 502-507. <http://dx.doi.org/10.1016/j.cancergen.2015.07.004>.
- Cheung, M; Kadariya, Y; Talarchek, J; Pei, J; Ohar, JA; Kayaleh, OR; Testa, JR. (2015). Germline BAP1 mutation in a family with high incidence of multiple primary cancers and a potential gene-environment interaction. *Cancer Lett* 369: 261-265. <http://dx.doi.org/10.1016/j.canlet.2015.09.011>.
- Cheung, M; Talarchek, J; Howard, SE; Howard, T; Peng, H; Hesdorffer, M; Rauscher, FJ; Ohar, JA; Testa, J. (2015). Prevalence of BAP1 germline mutations in asbestos-exposed malignant mesothelioma cases and controls. *Cancer Res* 75. <http://dx.doi.org/10.1158/1538-7445.AM2015-2752>.
- Chew, PK; Chia, M; Chew, SF; Supramaniam, JM; Chan, W; Chew, CH; Ng, YK; Gandevia, B. (1973). Asbestos workers in Singapore. A clinical, functional, and radiological survey. *Arch Environ Health* 26: 290-293.
- Chew, SH; Okazaki, Y; Nagai, H; Misawa, N; Akatsuka, S; Yamashita, K; Jiang, L; Yamashita, Y; Noguchi, M; Hosoda, K; Sekido, Y; Takahashi, T; Toyokuni, S. (2014). Cancer-promoting role of adipocytes in asbestos-induced mesothelial carcinogenesis through dysregulated adipocytokine production. *Carcinogenesis* 35: 164-172. <http://dx.doi.org/10.1093/carcin/bgt267>.
- Chew, SH; Toyokuni, S. (2015). Malignant mesothelioma as an oxidative stress-induced cancer: An update [Review]. *Free Radic Biol Med* 86: 166-178. <http://dx.doi.org/10.1016/j.freeradbiomed.2015.05.002>.
- Chia, SE; Lee, HS. (1990). Malignant mesothelioma in a clerk working in an asbestos factory. *Ann Acad Med Singapore* 19: 380-381.
- Chiapello, M; Daghino, S; Martino, E; Perotto, S. (2010). Cellular response of *Fusarium oxysporum* to crocidolite asbestos as revealed by a combined proteomic approach. *J Proteome Res* 9: 3923-3931. <http://dx.doi.org/10.1021/pr100133d>.
- Chiappino, G. (1985). [Effects of low-level exposure to asbestos in man] [Review]. *Med Lav* 76: 179-191.
- Chiappino, G. (2005). [Mesothelioma: the aetiological role of ultrathin fibres and repercussions on prevention and medical legal evaluation] [Review]. *Med Lav* 96: 3-23.
- Chiappino, G; Bertazzi, PA. (1980). The value of nonradiological indicators in the early diagnosis of asbestosis. IARC Sci Publ IARC Scientific Publication No: 513-516.
- Chiappino, G; Briatico-Vangosa, G. (1972). [Pulmonary lesions due to asbestos in the initial phase. Possibility of pre-radiological diagnosis of asbestosis]. *Med Lav* 63: 85-93.
- Chiappino, G; Pierucci, G. (1992). [Benign pleuropathies due to asbestos: their clinical prognostic significance and the medicolegal aspects]. *Med Lav* 83: 244-248.
- Chiappino, G; Riboldi, L; Todaro, A; Schulz, L. (1985). Study on mesothelioma in Lombardy from 1978 to 1982. *Med Lav* 76: 454-465.
- Chiazze L, J. R.; Watkins, DK; Fryar, C; Kozono, J. (1993). A case-control study of malignant and non-malignant respiratory disease among employees of a fibreglass manufacturing facility: II. Exposure assessment. *Br J Ind Med* 50: 717-725.
- Chiazze, L, Jr; Watkins, DK; Fryar, C. (1997). Historical cohort mortality study of a continuous filament fibreglass manufacturing plant. I. White men. *J Occup Environ Med* 39: 432-441. <http://dx.doi.org/10.1097/00043764-199705000-00009>.
- Chiazze, L; Watkins, DK; Fryar, C; Kozono, J. (1993). A CASE-CONTROL STUDY OF MALIGNANT AND NONMALIGNANT RESPIRATORY-DISEASE AMONG EMPLOYEES OF A FIBERGLASS MANUFACTURING FACILITY .2. EXPOSURE ASSESSMENT. *Br J Ind Med* 50: 717-725.
- Chien, JW; Au, DH; Barnett, MJ; Goodman, GE. (2007). Spirometry, rapid FEV1 decline, and lung cancer among asbestos exposed heavy smokers. *COPD* 4: 339-346. <http://dx.doi.org/10.1080/15412550701601340>.
- Chintapatla, R; Battini, R; Wiernik, PH. (2012). Chronic lymphocytic leukemia with essential thrombocythemia: asbestos exposure association? *Clin Adv Hematol Oncol* 10: 752-755.
- Chinushi, M; Koyama, S; Takahashi, M; Shibata, A; Emura, I. (1990). The occurrence of leukemia in a patient with pulmonary asbestosis. *Jpn J Med* 29: 607-610.
- Chirac, P; Maillet, D; Leprêtre, F; Isaac, S; Glehen, O; Figeac, M; Villeneuve, L; Péron, J; Gibson, F; Galateau-Sallé, F; Gilly, FN; Brevet, M. (2016). Genomic copy number alterations in 33 malignant peritoneal mesothelioma analyzed by comparative genomic hybridization array. *Hum Pathol* 55: 72-82. <http://dx.doi.org/10.1016/j.humpath.2016.04.015>.
- Chiriatic, CF; Gavrilă, L. (2002). [When confronted with a new lung cancer case, are we often thinking of and searching for an occupational etiology?]. *Pneumologia* 51: 272-276.
- Chirieac, LR; Barletta, JA; Yeap, BY; Richards, WG; Tilleman, T; Bueno, R; Baldini, EH; Godleski, J; Sugarbaker, DJ. (2013). Clinicopathologic characteristics of malignant mesotheliomas arising in patients with a history of radiation for Hodgkin and non-Hodgkin lymphoma. *J Clin Oncol* 31: 4544-4549. <http://dx.doi.org/10.1200/JCO.2013.49.9616>.
- Chmielewski, J; Renke, W; Graczyk, M; Hać, E. (1979). [Respiratory tract in subjects occupationally exposed to asbestos dust]. *Med Pr* 30: 375-380.
- Choe, N; Tanaka, S; Kagan, E. (1998). Asbestos fibers and interleukin-1 upregulate the formation of reactive nitrogen species in rat pleural mesothelial cells. *Am J Respir Cell Mol Biol* 19: 226-236. <http://dx.doi.org/10.1165/ajrcmb.19.2.3111>.

Human Health Hazard Literature Search Results

On Topic

- Choe, N; Tanaka, S; Xia, W; Hemenway, DR; Roggli, VL; Kagan, E. (1997). Pleural macrophage recruitment and activation in asbestos-induced pleural injury. *Environ Health Perspect* 105 Suppl 5: 1257-1260.
- Choe, N; Zhang, J; Iwagaki, A; Tanaka, S; Hemenway, DR; Kagan, E. (1999). Asbestos exposure upregulates the adhesion of pleural leukocytes to pleural mesothelial cells via VCAM-1. *Am J Physiol* 277: L292-L300.
- Choi, JY; Neuhauser, ML; Barnett, M; Hudson, M; Kristal, AR; Thornquist, M; King, IB; Goodman, GE; Ambrosone, CB. (2007). Polymorphisms in oxidative stress-related genes are not associated with prostate cancer risk in heavy smokers. *Cancer Epidemiol Biomarkers Prev* 16: 1115-1120. <http://dx.doi.org/10.1158/1055-9965.EPI-07-0040>.
- Choudat, D. (1994). Occupational lung diseases among dental technicians [Review]. *Tuber Lung Dis* 75: 99-104.
- Chouroulinkov, I. (1989). Experimental studies on ingested fibres [Review]. *IARC Sci Publ occupational Exposure to Mineral Fibres*: 112-126.
- Chovil, AC. (1979). Occupational lung cancer and smoking: a review in the light of current theories of carcinogenesis [Review]. *Can Med Assoc J* 121: 548-550, 553-545.
- Chow, MT; Tschopp, J; Möller, A; Smyth, MJ. (2012). NLRP3 promotes inflammation-induced skin cancer but is dispensable for asbestos-induced mesothelioma. *Immunol Cell Biol* 90: 983-986. <http://dx.doi.org/10.1038/icb.2012.46>.
- Chow, S; Campbell, C; Sandrini, A; Thomas, PS; Johnson, AR; Yates, DH. (2009). Exhaled breath condensate biomarkers in asbestos-related lung disorders. *Respir Med* 103: 1091-1097. <http://dx.doi.org/10.1016/j.rmed.2009.04.009>.
- Chow, WH; Malker, HSR; Hsing, AW; McLaughlin, JK; Weiner, JA; Stone, BJ; Ericsson, JLE; Blot, WJ. (1994). OCCUPATIONAL RISKS FOR COLON-CANCER IN SWEDEN. *J Occup Environ Med* 36: 647-651.
- Chretien, J; Chahinian, P; Hirsch, A; Nebut, M. (1976). Asbestos-Induced Non-Tumoral Pleurisy 10 Cases. *Rev Fr Mal Respir* 4: 87-92.
- Christen, B; Wegmann, W; Vogt, P. (1997). Clinical pathology and histology of pleural plaques. *Indoor Built Environ* 6: 79-85.
- Christensen, BC; Godleski, JJ; Marsit, CJ; Houseman, EA; Lopez-Fagundo, CY; Longacker, JL; Bueno, R; Sugarbaker, DJ; Nelson, HH; Kelsey, KT. (2008). Asbestos exposure predicts cell cycle control gene promoter methylation in pleural mesothelioma. *Carcinogenesis* 29: 1555-1559. <http://dx.doi.org/10.1093/carcin/bgn059>.
- Christensen, BC; Godleski, JJ; Roelofs, CR; Longacker, JL; Bueno, R; Sugarbaker, DJ; Marsit, CJ; Nelson, HH; Kelsey, KT. (2008). Asbestos burden predicts survival in pleural mesothelioma. *Environ Health Perspect* 116: 723-726. <http://dx.doi.org/10.1289/ehp.11151>.
- Christensen, BC; Houseman, EA; Godleski, JJ; Marsit, CJ; Longacker, JL; Roelofs, CR; Karagas, MR; Wrensch, MR; Yeh, RF; Nelson, HH; Wiemels, JL; Zheng, S; Wiencke, JK; Bueno, R; Sugarbaker, DJ; Kelsey, KT. (2009). Epigenetic profiles distinguish pleural mesothelioma from normal pleura and predict lung asbestos burden and clinical outcome. *Cancer Res* 69: 227-234. <http://dx.doi.org/10.1158/0008-5472.CAN-08-2586>.
- Christensen, CJ. (1988). ETHYLENE OXIDE AND ASBESTOS SURVEILLANCE A MEDICAL CENTER PROGRAM (pp. 23-29). (BIOSIS/88/20704). Christensen, CJ.
- Christensen, JB; Rehfeld, E. (1980). [Mesothelioma in a gardener briefly exposed to asbestos]. *Ugeskr Laeger* 142: 2510.
- Christensen, JB; Rehfeld, E. (1980). Mesothelioma in a gardener with brief exposure to asbestos (pp. 2510-2511). (HEEP/81/12965). Christensen, JB; Rehfeld, E.
- Christensen, KY; Bateson, TF; Kopylev, L. (2013). Low levels exposure to Libby amphibole asbestos and localized pleural thickening [Review]. *J Occup Environ Med* 55: 1350-1355. <http://dx.doi.org/10.1097/JOM.0b013e3182a3bb25>.
- Christensen, KY; Kopylev, L. (2012). Localized pleural thickening: smoking and exposure to Libby vermiculite. *J Expo Sci Environ Epidemiol* 22: 320-323. <http://dx.doi.org/10.1038/jes.2012.18>.
- Christiani, DC. (2000). Smoking and the molecular epidemiology of lung cancer [Review]. *Clin Chest Med* 21: 87-93, viii.
- Chrostowski, PC; Foster, SA; Anderson, EL. (1991). Human health risks associated with asbestos abatement. *Risk Anal* 11: 465-481.
- Chu, H; Cole, SR; Wei, Y; Ibrahim, JG. (2009). Estimation and inference for case-control studies with multiple non-gold standard exposure assessments: with an occupational health application. *Biostatistics* 10: 591-602. <http://dx.doi.org/10.1093/biostatistics/kxp015>.
- Chua, TC; Yan, TD; Morris, DL. (2009). Surgical biology for the clinician: peritoneal mesothelioma: current understanding and management [Review]. 52: 59-64.
- Chuaychoo, B; Luangdansakun, N; Chierakul, N; Ruangchira-Urai, R; Amornpichetkul, K; Thongcharoen, P; Muangman, N. (2015). Pathological confirmed diagnosis of asbestosis: the first case report in Thailand. *J Med Assoc Thai* 98: 314-319.
- Chubineh, S; Katona, K. (2008). A rare case of peritoneal sarcoidosis in a 36-year-old construction worker. *Case Reports in Gastroenterology* 2: 369-372. <http://dx.doi.org/10.1159/000158544>.
- Chudley, P. (1983). Asbestos dust 'scandal'. 1.
- Chung, CK; Stryker, JA; Zaino, R; Sears, HE. (1982). Liposarcoma after asbestos exposure. *Pa Med* 85: 47-48.
- Chung, CT; Santos, G; Hwang, DM; Ludkovski, O; Pintilie, M; Squire, JA; Tsao, MS. (2010). FISH assay development for the detection of p16/CDKN2A deletion in malignant pleural mesothelioma. *J Clin Pathol* 63: 630-634. <http://dx.doi.org/10.1136/jcp.2010.076794>.
- Churg, A. (1981). PULMONARY ASBESTOS BURDEN IN PATIENTS WITH PLEURAL PLAQUES (pp. 9-13). (HEEP/82/05771). Churg, A.
- Churg, A. (1982). Asbestos fibers and pleural plaques in a general autopsy population. *Am J Pathol* 109: 88-96.
- Churg, A. (1982). Fiber counting and analysis in the diagnosis of asbestos-related disease. *Hum Pathol* 13: 381-392. [http://dx.doi.org/10.1016/S0046-8177\(82\)80227-X](http://dx.doi.org/10.1016/S0046-8177(82)80227-X).
- Churg, A. (1983). ASBESTOS FIBER CONTENT OF THE LUNG IN CHRYSOTILE WORKERS WITH AND WITHOUT ASBESTOS AIRWAYS DISEASE. *Am Rev Respir Dis* 127: 171-171.
- Churg, A. (1983). Asbestos fiber content of the lungs in patients with and without asbestos airways disease. *Am Rev Respir Dis* 127: 470-473. <http://dx.doi.org/10.1164/arrd.1983.127.4.470>.
- Churg, A. (1985). Lung cancer cell type and asbestos exposure. *JAMA* 253: 2984-2985.

Human Health Hazard Literature Search Results

On Topic

- Churg, A. (1985). Malignant mesothelioma in British Columbia in 1982. *Cancer* 55: 672-674.
- Churg, A. (1985). MALIGNANT MESOTHELIOMA IN BRITISH-COLUMBIA CANADA IN 1982 (pp. 12-15). (ISSN 0008-543X EISSN 1097-0142 BIOSIS/85/16444). Churg, A.
- Churg, A. (1986). ANALYSIS OF ASBESTOS FIBERS FROM LUNG TISSUE RESEARCH AND DIAGNOSTIC USES (pp. 281-288). (BIOSIS/86/13148). Churg, A.
- Churg, A. (1986). Lung asbestos content in long-term residents of a chrysotile mining town. *Am Rev Respir Dis* 134: 125-127. <http://dx.doi.org/10.1164/arrd.1986.134.1.125>.
- Churg, A. (1986). Nonneoplastic asbestos-induced disease [Review]. *Mt Sinai J Med* 53: 409-415.
- Churg, A. (1986). Pathologic Reactions to Chrysotile and Their Mineralogic Correlates. *Accomplishments in Oncology* 1: 54-58.
- Churg, A. (1988). Chrysotile, tremolite, and malignant mesothelioma in man [Review]. *Chest* 93: 621-628. <http://dx.doi.org/10.1378/chest.93.3.621>.
- Churg, A. (1990). THE DISTRIBUTION OF AMOSITE ASBESTOS FIBERS IN THE PERIPHERY OF THE MORPHOLOGICALLY NORMAL LUNG (pp. 20-24). (BIOSIS/90/20808). Churg, A.
- Churg, A. (1990). The distribution of amosite asbestos in the periphery of the normal human lung. *Br J Ind Med* 47: 677-681.
- Churg, A. (1992). SMALL AIRWAYS DISEASE ASSOCIATED WITH MINERAL DUST EXPOSURE (pp. 140-148). (BIOSIS/92/13506). Churg, A.
- Churg, A. (1993). Asbestos-related disease in the workplace and the environment: Controversial issues [Review]. *Monogr Pathol* 54-77.
- Churg, A. (1993). Fiber Toxicology in Man: Findings from Analysis of the Asbestos Fiber Content of Human Lung (pp. 425-448). (NIOSH/00227940). Churg, A.
- Churg, A. (1994). Deposition and clearance of chrysotile asbestos. *Ann Occup Hyg* 38: 625-633. <http://dx.doi.org/10.1093/annhyg/38.4.625>.
- Churg, A. (1994). Lung Cancer Cell Type and Occupational Exposure (pp. 413-436). (NIOSH/00225424). Churg, A.
- Churg, A. (1997). The pathogenesis of pleural plaques. *Indoor Built Environ* 6: 73-78.
- Churg, A. (2003). Interactions of exogenous or evoked agents and particles: the role of reactive oxygen species [Review]. *Free Radic Biol Med* 34: 1230-1235. [http://dx.doi.org/10.1016/S0891-5849\(03\)00175-8](http://dx.doi.org/10.1016/S0891-5849(03)00175-8).
- Churg, A; Brauer, M; Keeling, B. (1996). Ozone enhances the uptake of mineral particles by tracheobronchial epithelial cells in organ culture. *Am J Respir Crit Care Med* 153: 1230-1233. <http://dx.doi.org/10.1164/ajrccm.153.4.8616546>.
- Churg, A; Depaoli, L. (1988). Clearance of chrysotile asbestos from human lung. *Exp Lung Res* 14: 567-574.
- Churg, A; Depaoli, L. (1988). ENDEMIC PLEURAL PLAQUES IN RESIDENTS OF A QUEBEC CANADA CHRYSOTILE MINING TOWN (pp. 8-11). (BIOSIS/88/21265). Churg, A; Depaoli, L.
- Churg, A; Depaoli, L. (1988). Environmental pleural plaques in residents of a Quebec chrysotile mining town. *Chest* 94: 58-60.
- Churg, A; Harley, RA. (1984). LONG FIBER ASBESTOS IN A CHRYSOTILE TEXTILE WORKER. *Lancet* 1: 845-845.
- Churg, A; Harley, RA. (1984). Long fibre asbestos in a chrysotile textile worker [Letter]. *Lancet* 1: 845.
- Churg, A; Hobson, J; Berean, K; Wright, J. (1989). Scavengers of active oxygen species prevent cigarette smoke-induced asbestos fiber penetration in rat tracheal explants. *Am J Pathol* 135: 599-603.
- Churg, A; Hobson, J; Wright, J. (1990). Effects of cigarette smoke dose and time after smoke exposure on uptake of asbestos fibers by rat tracheal epithelial cells. *Am J Respir Cell Mol Biol* 3: 265-269. <http://dx.doi.org/10.1165/ajrcmb/3.3.265>.
- Churg, A; Hobson, J; Wright, J. (1990). EFFECTS OF CIGARETTE SMOKE DOSE AND TIME AFTER SMOKE EXPOSURE ON UPTAKE OF ASBESTOS FIBERS BY RAT TRACHEAL EPITHELIAL CELLS IN-VITRO (pp. 20-24). (BIOSIS/90/20746). Churg, A; Hobson, J; Wright, J.
- Churg, A; Holden, J. (1985). ASBESTOS BODIES AND THE DIAGNOSIS OF ASBESTOSIS IN CHRYSOTILE WORKERS (pp. 12-15). (BIOSIS/85/16445). Churg, A; Holden, J.
- Churg, A; Magee, F; Wright, J; Chan, N; Lawson, L. (1986). MALIGNANT MESOTHELIOMA CAUSED BY CHILDHOOD EXPOSURE TO LONG FIBER LOW ASPECT RATIO TREMOLITE EVIDENCE AGAINST THE REQUIREMENT FOR STANTON-SIZED FIBERS (pp. 11-14). (ISSN 0003-0805 BIOSIS/86/27910). Churg, A; Magee, F; Wright, J; Chan, N; Lawson, L.
- Churg, A; Mcfadden, D; Wright, J; Wiggs, B. (1986). SMOKING INHIBITS ASBESTOS CLEARANCE (pp. 11-14). (BIOSIS/86/28431). Churg, A; Mcfadden, D; Wright, J; Wiggs, B.
- Churg, A; Stevens, B. (1993). Absence of amosite asbestos in airway mucosa of non-smoking long term workers with occupational exposure to asbestos. *Br J Ind Med* 50: 355-359.
- Churg, A; Stevens, B. (1995). Enhanced retention of asbestos fibers in the airways of human smokers. *Am J Respir Crit Care Med* 151: 1409-1413. <http://dx.doi.org/10.1164/ajrccm.151.5.7735593>.
- Churg, A; Sun, JP; Zay, K. (1998). Cigarette smoke increases amosite asbestos fiber binding to the surface of tracheal epithelial cells. *Am J Physiol Lung Cell Mol Physiol* 275: L502-L508.
- Churg, A; Tron, V; Wiggs, B; Wright, J. (1987). EFFECTS OF FIBER SIZE ON SHORT-TERM CLEARANCE OF ASBESTOS FROM THE LUNGS OF SMOKING AND NONSMOKING GUINEA-PIGS (pp. 10-13). (BIOSIS/87/23711). Churg, A; Tron, V; Wiggs, B; Wright, J.
- Churg, A; Tron, V; Wright, JL. (1987). Effects of cigarette smoke exposure on retention of asbestos fibers in various morphologic compartments of the guinea pig lung. *Am J Pathol* 129: 385-393.
- Churg, A; Vedal, S. (1994). Fiber burden and patterns of asbestos-related disease in workers with heavy mixed amosite and chrysotile exposure. *Am J Respir Crit Care Med* 150: 663-669. <http://dx.doi.org/10.1164/ajrccm.150.3.8087335>.
- Churg, A; Warnock, ML. (1977). Analysis of the cores of ferruginous (asbestos) bodies from the general population. I. Patients with and without lung cancer. *Lab Invest* 37: 280-286.
- Churg, A; Warnock, ML. (1977). Correlation of quantitative asbestos body counts and occupation in urban patients. *Arch Pathol Lab Med* 101: 629-634.

Human Health Hazard Literature Search Results

On Topic

- Churg, A; Warnock, ML. (1978). ASBESTOS BODIES, OCCUPATION, AND LUNG-CANCER IN GENERAL POPULATION. *Lab Invest* 38: 338-339.
- Churg, A; Warnock, ML. (1979). Analysis of the cores of asbestos bodies from members of the general population: patients with probable low-degree exposure to asbestos. *Am Rev Respir Dis* 120: 781-786. <http://dx.doi.org/10.1164/arrd.1979.120.4.781>.
- Churg, A; Warnock, ML. (1979). ANALYSIS OF THE CORES OF ASBESTOS BODIES FROM THE GENERAL-POPULATION - CORRELATION OF AMPHIBOLE SUBTYPES AND SEX. *Lab Invest* 40: 246-247.
- Churg, A; Warnock, ML. (1980). Asbestos fibers in the general population. *Am Rev Respir Dis* 122: 669-678. <http://dx.doi.org/10.1164/arrd.1980.122.5.669>.
- Churg, A; Warnock, ML; Bensch, KG. (1978). Malignant mesothelioma arising after direct application of asbestos and fiber glass to the pericardium. *Am Rev Respir Dis* 118: 419-424. <http://dx.doi.org/10.1164/arrd.1978.118.2.419>.
- Churg, A; Wiggs, B. (1984). Fiber size and number in amphibole asbestos-induced mesothelioma. *Am J Pathol* 115: 437-442.
- Churg, A; Wiggs, B. (1986). Fiber size and number in workers exposed to processed chrysotile asbestos, chrysotile miners, and the general population. *Am J Ind Med* 9: 143-152.
- Churg, A; Wiggs, B. (1987). ACCUMULATION OF LONG AMOSITE FIBERS IN THE PERIPHERAL UPPER LOBE IN CASES OF MESOTHELIOMA IN MAN (pp. 15-18). (ISSN 0012-3692 EISSN 1931-3543 BIOSIS/87/21405). Churg, A; Wiggs, B.
- Churg, A; Wiggs, B. (1987). Accumulation of long asbestos fibers in the peripheral upper lobe in cases of malignant mesothelioma. *Am J Ind Med* 11: 563-569.
- Churg, A; Wiggs, B. (1987). OBSERVATIONS ON THE CLEARANCE OF ASBESTOS FIBERS FROM HUMAN LUNGS (pp. 10-13). (BIOSIS/87/23712). Churg, A; Wiggs, B.
- Churg, A; Wiggs, B. (1988). DIFFERENCES IN THE INTRAPULMONARY DISTRIBUTION OF ASBESTOS FIBERS IN PATIENTS WITH MESOTHELIOMA OR CARCINOMA (pp. 8-11). (BIOSIS/88/23649). Churg, A; Wiggs, B.
- Churg, A; Wiggs, B. (1989). The distribution of amosite asbestos fibers in the lungs of workers with mesothelioma or carcinoma. *Exp Lung Res* 15: 771-783.
- Churg, A; Wiggs, B; Depaoli, L; Kampe, B; Stevens, B. (1984). Lung asbestos content in chrysotile workers with mesothelioma. *Am Rev Respir Dis* 130: 1042-1045. <http://dx.doi.org/10.1164/arrd.1984.130.6.1042>.
- Churg, A; Wood, P. (1983). Observations on the distribution of asbestos fibers in human lungs. *Environ Res* 31: 374-380.
- Churg, A; Wright, J; Gilks, B; Dai, J. (2000). Pathogenesis of Fibrosis Produced by Asbestos and Man-Made Mineral Fibers: What Makes a Fiber Fibrogenic? *Inhal Toxicol* 12 Suppl 3: 15-26. <http://dx.doi.org/10.1080/08958378.2000.11463227>.
- Churg, A; Wright, J; Gilks, B; Depaoli, L. (1989). Rapid short-term clearance of chrysotile compared with amosite asbestos in the guinea pig. *Am Rev Respir Dis* 139: 885-890. <http://dx.doi.org/10.1164/ajrccm/139.4.885>.
- Churg, A; Wright, J; Hobson, J; Stevens, B. (1992). EFFECTS OF CIGARETTE SMOKE ON THE CLEARANCE OF SHORT ASBESTOS FIBERS FROM THE LUNG AND A COMPARISON TO THE CLEARANCE OF LONG ASBESTOS FIBERS (pp. 17-20). (BIOSIS/92/20026). Churg, A; Wright, J; Hobson, J; Stevens, B.
- Churg, A; Wright, J; Wiggs, B. (1990). MINERALOGIC PARAMETERS RELATED TO AMOSITE ASBESTOS INDUCED FIBROSIS IN MAN (pp. 20-24). (BIOSIS/90/18839). Churg, A; Wright, J; Wiggs, B.
- Churg, A; Wright, J; Wiggs, B; Depaoli, L. (1990). Mineralogic parameters related to amosite asbestos-induced fibrosis in humans. *Am Rev Respir Dis* 142: 1331-1336. http://dx.doi.org/10.1164/ajrccm/142.6_Pt_1.1331.
- Churg, A; Wright, JL. (1982). AIRWAY CHANGES WITH ASBESTOS EXPOSURE DO SPECIFIC LESIONS EXIST? (pp. 15-18). (HEEP/84/03138). Churg, A; Wright, JL.
- Churg, A; Wright, JL. (1983). SMALL AIRWAY DISEASE INDUCED BY INORGANIC DUSTS. (HEEP/84/01081). Churg, A; Wright, JL.
- Churg, A; Wright, JL. (1983). Small airways disease and mineral dust exposure. *18 Pt 2*: 233-251.
- Churg, A; Wright, JL. (1989). EFFECTS OF CIGARETTE SMOKE ON UPTAKE OF ASBESTOS AND IRON OXIDE BY RAT TRACHEAL EXPLANTS (pp. SECAUCUS). (BIOSIS/90/02001). Churg, A; Wright, JL.
- Churg, A; Wright, JL. (1989). Fibre content of lung in amphibole- and chrysotile-induced mesothelioma: implications for environmental exposure. *IARC Sci Publ occupational Exposure to Mineral Fibres*: 314-318.
- Churg, A; Wright, JL. (1994). Persistence of natural mineral fibers in human lungs: an overview [Review]. *Environ Health Perspect* 102 Suppl 5: 229-233.
- Churg, A; Wright, JL. (2002). Airway wall remodeling induced by occupational mineral dusts and air pollutant particles. *Chest* 122: 306S-309S.
- Churg, A; Wright, JL; Depaoli, L; Wiggs, B. (1989). Mineralogic correlates of fibrosis in chrysotile miners and millers. *Am Rev Respir Dis* 139: 891-896. <http://dx.doi.org/10.1164/ajrccm/139.4.891>.
- Churg, A; Wright, JL; Gilks, B; Depaoli, L. (1989). RAPID SHORT TERM CLEARANCE OF CHRYSOTILE COMPARED TO AMOSITE ASBESTOS IN THE GUINEA-PIG (pp. 14-17). (BIOSIS/89/20564). Churg, A; Wright, JL; Gilks, B; Depaoli, L.
- Churg, A; Wright, JL; Hobson, J; Stevens, B. (1992). Effects of cigarette smoke on the clearance of short asbestos fibres from the lung and a comparison with the clearance of long asbestos fibres. *Int J Exp Pathol* 73: 287-297.
- Churg, A; Wright, JL; Vedal, S. (1993). Fiber burden and patterns of asbestos-related disease in chrysotile miners and millers. *Am Rev Respir Dis* 148: 25-31. <http://dx.doi.org/10.1164/ajrccm/148.1.25>.
- Churg, AM; Warnock, ML. (1979). Analysis of the cores of ferruginous (asbestos) bodies from the general population. III. Patients with environmental exposure. *Lab Invest* 40: 622-626.
- Churg, AM; Warnock, ML. (1979). Numbers of asbestos bodies in urban patients with lung cancer and gastrointestinal cancer and in matched controls. *Chest* 76: 143-149.

Human Health Hazard Literature Search Results

On Topic

- Churg, AM; Warnock, ML. (1981). Asbestos and other ferruginous bodies: their formation and clinical significance [Review]. *Am J Pathol* 102: 447-456.
- Churg, J. (1974). Peritoneal mesothelioma. *Environ Health Perspect* 9: 317-318.
- Churg, J; Rosen, SH; Moolten, S. (1965). Histological characteristics of mesothelioma associated with asbestos. *Ann N Y Acad Sci* 132: 614-622.
- Chuwers, P; Barnhart, S; Blanc, P; Brodtkin, CA; Cullen, M; Kelly, T; Keogh, J; Omenn, G; Williams, J; Balmes, JR. (1997). The protective effect of beta-carotene and retinol on ventilatory function in an asbestos-exposed cohort. *Am J Respir Crit Care Med* 155: 1066-1071. <http://dx.doi.org/10.1164/ajrccm.155.3.9116988>.
- Chvapil, M. (1974). Pharmacology of fibrosis and tissue injury. *Environ Health Perspect* 9: 283-294.
- Ciapini, C; Genovese, P; Luporini, A; Selmi, M; Innocenti, A. (2003). [Health intervention in ex-asbestos exposed workers according to the Toscana region operative guidelines]. *G Ital Med Lav Ergon* 25 Suppl: 131-132.
- Cicioni, C; London, SJ; Garabrant, DH; Bernstein, L; Phillips, K; Peters, JM. (1991). Occupational asbestos exposure and mesothelioma risk in Los Angeles County: application of an occupational hazard survey job-exposure matrix. *Am J Ind Med* 20: 371-379.
- Cioffredi, LA; Jaenne, PA; Jackman, DM. (2009). Treatment of Peritoneal Mesothelioma in Pediatric Patients. *Pediatr Blood Cancer* 52: 127-129. <http://dx.doi.org/10.1002/pbc.21718>.
- Cistulli, CA; Sorger, T; Marsella, JM; Vaslet, CA; Kane, AB. (1996). Spontaneous p53 mutation in murine mesothelial cells: increased sensitivity to DNA damage induced by asbestos and ionizing radiation. *Toxicol Appl Pharmacol* 141: 264-271. <http://dx.doi.org/10.1006/taap.1996.0283>.
- Clark, KA; Flynn, J, III; Goodman, JE; Zu, K, e; Karmaus, WJJ; Mohr, LC. (2015). Pleural plaques and their effect on lung function: Libby amphibole: Pleural fibrosis and its consequences response [Letter]. *Chest* 147: E128-E129. <http://dx.doi.org/10.1378/chest.14-2635>.
- Clark, KA; Flynn, JJ; Goodman, JE; Zu, K; Karmaus, WJ; Mohr, LC. (2014). Pleural plaques and their effect on lung function in Libby vermiculite miners. *Chest* 146: 786-794. <http://dx.doi.org/10.1378/chest.14-0043>.
- Clark, SG; Holt, PF. (1961). Studies on the Chemical Properties of Chrysotile in Relation to Asbestosis. *Ann Occup Hyg* 3: 22-29.
- Clark, TC; Harrington, VA; Asta, J; Morgan, WK; Sargent, EN. (1980). Respiratory effects of exposure to dust in taconite mining and processing. *Am Rev Respir Dis* 121: 959-966. <http://dx.doi.org/10.1164/arrd.1980.121.6.959>.
- Clarke, GD; Newman, RH; O'Neill, CH; Parry, DW. (1983). Exposure to asbestos versus organic fibrous dusts [Letter]. *Lancet* 2: 1423-1424.
- Clausen, J; Netterstrøm, B; Wolff, C. (1993). Lung function in insulation workers. *Br J Ind Med* 50: 252-256.
- Cleaver, AL; Bhamidipaty, K; Wylie, B; Connor, T; Robinson, C; Robinson, BW; Mutsaers, SE; Lake, RA. (2014). Long-term exposure of mesothelial cells to SV40 and asbestos leads to malignant transformation and chemotherapy resistance. *Carcinogenesis* 35: 407-414. <http://dx.doi.org/10.1093/carcin/bgt322>.
- Clemente, M; Reig-Botella, A; Prados, JC. (2015). Alterations in psychosocial health of people affected by asbestos poisoning. *Rev Saude Publica* 49: 24. <http://dx.doi.org/10.1590/S0034-8910.2015049005445>.
- Clements, M; Berry, G; Shi, J; Ware, S; Yates, D; Johnson, A. (2007). Projected mesothelioma incidence in men in New South Wales. *Occup Environ Med* 64: 747-752. <http://dx.doi.org/10.1136/oem.2006.031823>.
- Clemmesen, J. (1987). [Hereditary cancer of the penis and asbestos] [Letter]. *Ugeskr Laeger* 149: 1778.
- Clemmesen, J; Hjalgrim-Jensen, S. (1981). Cancer incidence among 5686 asbestos-cement workers followed from 1943 through 1976. *Ecotoxicol Environ Saf* 5: 15-23.
- Clerens, J. (1964). [PULMONARY ASBESTO-SILICOSIS: RADIOLOGIC AND ANATOMOPATHOLOGICAL DOCUMENTATION]. 55: 83-87.
- Cleveland, MG. (1984). Mutagenesis of *Escherichia coli* (CSH50) by asbestos. *Proc Soc Exp Biol Med* 177: 343-346.
- Clift, MJ; Foster, EJ; Vanhecke, D; Studer, D; Wick, P; Gehr, P; Rothen-Rutishauser, B; Weder, C. (2011). Investigating the interaction of cellulose nanofibers derived from cotton with a sophisticated 3D human lung cell coculture. *Biomacromolecules* 12: 3666-3673. <http://dx.doi.org/10.1021/bm200865j>.
- Clin, B; Andujar, P; Abd Al Samad, I; Azpitarte, C; Le Pimpec-Barthes, F; Billon-Galland, MA; Danel, C; Galateau-Salle, F; Housset, B; Legrand-Cattan, K; Matrat, M; Monnet, I; Riquet, M; Pairon, JC. (2012). Pulmonary carcinoid tumors and asbestos exposure. *Ann Occup Hyg* 56: 789-795. <http://dx.doi.org/10.1093/annhyg/mes017>.
- Clin, B; Luc, A; Morlais, F; Paris, C; Ameille, J; Brochard, P; De Girolamo, J; Gislard, A; Laurent, F; Letourneux, M; Schorle, E; Launoy, G; Pairon, JC; Survey, NNoAP-E. (2011). Pulmonary nodules detected by thoracic computed tomography scan after exposure to asbestos: diagnostic significance. *Int J Tuberc Lung Dis* 15: 1707-1714. <http://dx.doi.org/10.5588/ijtld.11.0008>.
- Clin, B; Morlais, F; Dubois, B; Guizard, A; Desoubieux, N; Marquignon, M; Raffaelli, C; Paris, C; Galateau-Salle, F; Launoy, G; Letourneux, M. (2009). INCIDENCE OF DIGESTIVE CANCERS WITHIN A COHORT OF ASBESTOS-EXPOSED WORKERS. *Ann Oncol* 20: 95-95.
- Clin, B; Morlais, F; Dubois, B; Guizard, AV; Desoubieux, N; Marquignon, MF; Raffaelli, C; Paris, C; Galateau-Salle, F; Launoy, G; Letourneux, M. (2009). Occupational asbestos exposure and digestive cancers - a cohort study. 30: 364-374. <http://dx.doi.org/10.1111/j.1365-2036.2009.04050.x>.
- Clin, B; Morlais, F; Guittet, L; Gislard, A; Marquignon, MF; Paris, C; Caillard, JF; Launoy, G; Letourneux, M. (2009). Performance of chest radiograph and CT scan for lung cancer screening in asbestos-exposed workers. *Occup Environ Med* 66: 529-534. <http://dx.doi.org/10.1136/oem.2008.041525>.
- Clin, B; Morlais, F; Launoy, G; Guizard, AV; Dubois, B; Bouvier, V; Desoubieux, N; Marquignon, MF; Raffaelli, C; Paris, C; Galateau-Salle, F; Guittet, L; Letourneux, M. (2011). Cancer incidence within a cohort occupationally exposed to asbestos: a study of dose-response relationships. *Occup Environ Med* 68: 832-836. <http://dx.doi.org/10.1136/oem.2010.059790>.

Human Health Hazard Literature Search Results

On Topic

- Clin, B; Paris, C; Ameille, J; Brochard, P; Conso, F; Gislard, A; Laurent, F; Letourneux, M; Luc, A; Schorle, E; Pairon, JC. (2011). Do asbestos-related pleural plaques on HRCT scans cause restrictive impairment in the absence of pulmonary fibrosis. *Thorax* 66: 985-991. <http://dx.doi.org/10.1136/thoraxjnl-2011-200172>.
- Clin, B; Paris, C; Ameille, J; Brochard, P; Conso, F; Gislard, A; Laurent, F; Letourneux, M; Luc, A; Schorle, E; Pairon, JC. (2013). Benign Asbestos-Related Diseases On Hrct And Lung Function. *Am J Respir Crit Care Med* 187.
- Closas, MG; Christiani, DC. (1994). Asbestos Related Diseases in Construction Carpenters (pp. 23-25). (NIOSH/00223818). Closas, MG; Christiani, DC.
- Closas, MG; Hauser, R; Kelsey, KT; Christiani, DC. (1993). NASAL INFLAMMATORY PATTERN DETECTED WITH A NASAL LAVAGE IN ASBESTOS-EXPOSED SUBJECTS. *Am Rev Respir Dis* 147: A909-A909.
- Clouter, A; Houghton, CE; Bowskill, CA; Hibbs, LR; Brown, RC; Hoskins, JA. (1997). Effect of Inhaled Fibers on the Glutathione Concentration and gamma-Glutamyl Transpeptidase Activity in Lung Type II Epithelial Cells, Macrophages, and Bronchoalveolar Lavage Fluid. *Inhal Toxicol* 9: 351-367.
- Clouter, A; Houghton, CE; Bowskill, CA; Hoskins, JA; Brown, RC. (1996). An in vitro/in vivo study into the short term effects of exposure to mineral fibres. *Exp Toxicol Pathol* 48: 484-486. [http://dx.doi.org/10.1016/S0940-2993\(96\)80061-3](http://dx.doi.org/10.1016/S0940-2993(96)80061-3).
- Clouter, A; Houghton, CE; Hibbs, LR; Hoskins, JA. (1998). Effect of Inhalation of Low Doses of Crocidolite and Fibrous Gypsum on the Glutathione Concentration and gamma-Glutamyl Transpeptidase Activity in Macrophages and Bronchoalveolar Lavage Fluid. *Inhal Toxicol* 10: 3-14.
- Co, DC. (1982). EFFECTS FROM CHRONIC INHALATION OF ASBESTOS PIPE-COVERING DUST IN RATS AND HAMSTERS (pp. Order this). (TSCATS/017459). DOW CHEM TOXICOL RES LAB.
- Co, DC. (1982). STATISTICAL EVALUATION OF RESPIRATORY SYSTEM INDICATORS AMONG INSULATORS. (TSCATS/017460).
- Co, DC. (1982). A STATISTICAL EVALUATION OF RESPIRATORY SYSTEM INDICATORS AMONG PIPE COVERERS. (TSCATS/017461). DOW CHEM CO.
- Co, DC. (1991). OCCUPATIONAL HEALTH SUMMARY REPORT ON CHLORINATED ETHANE PRODUCTS WITH COVER LETTER DATED 120991 (SANITIZED). (TSCATS/421326). NEW ORLEANS UNIV.
- Co, DC. (1992). INITIAL SUBMISSION: NESTED CASE-CONTROL STUDY OF LUNG CANCER AMONG WORKERS WITH ASBESTOS AND OTHER CHEMICALS WITH COVER LETTER DATED 072492 AND ATTACHMENT. (TSCATS/430668).
- Co, VC. (1990). LETTER FROM VISTA CHEM CO TO US EPA CONTAINING ADDITIONAL INFORMATION ON ASBESTOS and SILICON CARBIDE FIBERS and ALUMINA WHISKER SAMPLES. (TSCATS/414599).
- CO, WRG. (1983). RESPONSE TO EPA REQUEST FOR RESULTS OF TESTS ON VERMICULITE and TREMOLITE WITH ATTACHMENT. (TSCATS/032988).
- Cocco, P; Dosemeci, M. (1999). Peritoneal cancer and occupational exposure to asbestos: results from the application of a job-exposure matrix. *Am J Ind Med* 35: 9-14.
- Cocco, P; Palli, D; Buiatti, E; Cipriani, F; Decarli, A; Manca, P; Ward, MH; Blot, WJ; Fraumeni, JF. (1994). OCCUPATIONAL EXPOSURES AS RISK-FACTORS FOR GASTRIC-CANCER IN ITALY. *Cancer Causes Control* 5: 241-248.
- Cocco, P; Ward, MH. (1994). OCCUPATIONAL EXPOSURES AND GASTRIC-CANCER ETIOLOGY. *Eur J Gastroenterol Hepatol* 6: 1089-1096.
- Cocco, P; Ward, MH; Buiatti, E. (1996). Occupational risk factors for gastric cancer: an overview [Review]. *Epidemiol Rev* 18: 218-234.
- Cocco, P; Ward, MH; Dosemeci, M. (1998). Occupational risk factors for cancer of the gastric cardia: Analysis of death certificates from 24 US states. *J Occup Environ Med* 40: 855-861.
- Cocco, P; Ward, MH; Dosemeci, M. (1999). Risk of stomach cancer associated with 12 workplace hazards: Analysis of death certificates from 24 states of the United States with the aid of job exposure matrices. *Occup Environ Med* 56: 781-787.
- Cochrane, JC; Webster, I. (1978). Mesothelioma in relation to asbestos fibre exposure. A review of 70 serial cases. *S Afr Med J* 54: 279-281.
- Coffin, DL; Cook, PM; Creason, JP. (1992). Relative mesothelioma induction in rats by mineral fibers: Comparison with residual pulmonary mineral fiber number and epidemiology. *Inhal Toxicol* 4: 273-300. <http://dx.doi.org/10.3109/08958379209145671>.
- Coffin, DL; Palekar, LD; Cook, PM. (1982). Tumorigenesis by a ferroactinolite mineral. *Toxicol Lett* 13: 143-149.
- Coffin, DL; Palekar, LD; Cook, PM. (1983). Correlation of in vitro and in vivo methods by means of mass dose and fiber distribution for amosite and fibrous ferroactinolite. *Environ Health Perspect* 51: 49-53.
- Coffin, DL; Palekar, LD; Cook, PM; Creason, JP. (1989). Comparison of Mesothelioma Induction in Rats by Asbestos and Nonasbestos Mineral Fibers: Possible Correlation with Human and Exposure Data (pp. 10-14). (NIOSH/00225191). Coffin, DL; Palekar, LD; Cook, PM; Creason, JP.
- Coggiola, M; Bosio, D; Pira, E; Piolatto, PG; La Vecchia, C; Negri, E; Michelazzi, M; Bacaloni, A. (2003). An update of a mortality study of talc miners and millers in Italy. *Am J Ind Med* 44: 63-69. <http://dx.doi.org/10.1002/ajim.10240>.
- Coggon, D. (1999). Occupational cancer in the United Kingdom [Review]. *Environ Health Perspect* 107: 239-244.
- Coggon, D; Harris, EC; Brown, T; Rice, S; Palmer, KT. (2010). Work-related mortality in England and Wales, 1979-2000. *Occup Environ Med* 67: 816-822. <http://dx.doi.org/10.1136/oem.2009.052670>.
- Coggon, D; Inskip, H; Winter, P; Pannett, B. (1995). Differences in occupational mortality from pleural cancer, peritoneal cancer, and asbestosis. *Occup Environ Med* 52: 775-777.
- Coggon, D; Pannett, B; Acheson, ED. (1984). Screening For New Occupational Hazards Of Cancer In Young Persons. *Ann Occup Hyg* 28: 145-150.
- Coggon, D; Pannett, B; Acheson, ED. (1984). Use of job-exposure matrix in an occupational analysis of lung and bladder cancers on the basis of death certificates. *J Natl Cancer Inst* 72: 61-65. <http://dx.doi.org/10.1093/jnci/72.1.61>.
- Coggon, D; Pannett, B; Osmond, C; Acheson, ED. (1986). A Survey of Cancer and Occupation in Young and Middle Aged Men. I. Cancers of the Respiratory Tract. *Br J Ind Med* 43: 332-338.
- Cohen, BM; Adaszik, A; Cohen, EM. (1984). Small airways changes in workers exposed to asbestos. *Respiration* 45: 296-302.
- Cohen, M; Sahn, SA. (2001). Resolution of pleural effusions. *Chest* 119: 1547-1562. <http://dx.doi.org/10.1378/chest.119.5.1547>.

Human Health Hazard Literature Search Results

On Topic

- Coin, PG; Brody, AR; Roggli, V. (1990). PERIPHERAL LOCALIZATION OF CHRYSOTILE ASBESTOS AFTER INHALATION EXPOSURE IN THE RAT (pp. 20-24). (BIOSIS/90/20812). Coin, PG; Brody, AR; Roggli, V.
- Coin, PG; Moore, LB; Roggli, V; Brody, AR. (1991). PLEURAL INCORPORATION OF TRITIATED TDR AFTER INHALATION OF CHRYSOTILE ASBESTOS IN THE MOUSE (pp. 12-15). (BIOSIS/91/23361). Coin, PG; Moore, LB; Roggli, V; Brody, AR.
- Coin, PG; Osornio-Vargas, AR; Roggli, VL; Brody, AR. (1996). Pulmonary fibrogenesis after three consecutive inhalation exposures to chrysotile asbestos. *Am J Respir Crit Care Med* 154: 1511-1519. <http://dx.doi.org/10.1164/ajrccm.154.5.8912773>.
- Coin, PG; Roggli, V; Brody, AR. (1992). PULMONARY FIBROGENESIS AND BRDU INCORPORATION AFTER THREE CONSECUTIVE INHALATION EXPOSURES TO CHRYSOTILE ASBESTOS (pp. 17-20). (BIOSIS/92/20023). Coin, PG; Roggli, V; Brody, AR.
- Coin, PG; Roggli, V; Brody, AR. (1993). LONG-TERM PULMONARY CLEARANCE AND FIBROGENESIS AFTER 3 CONSECUTIVE INHALATION EXPOSURES TO CHRYSOTILE ASBESTOS. *Am Rev Respir Dis* 147: A909-A909.
- Coin, PG; Roggli, VL; Brody, AR. (1992). Deposition, clearance, and translocation of chrysotile asbestos from peripheral and central regions of the rat lung. *Environ Res* 58: 97-116. [http://dx.doi.org/10.1016/S0013-9351\(05\)80207-5](http://dx.doi.org/10.1016/S0013-9351(05)80207-5).
- Coin, PG; Roggli, VL; Brody, AR. (1994). Persistence of long, thin chrysotile asbestos fibers in the lungs of rats [Review]. *Environ Health Perspect* 102: 197-199.
- Coin, PG; Stevens, JB; Mcjilton, C. (1990). ROLE OF FIBER LENGTH IN THE PULMONARY CLEARANCE OF AMOSITE ASBESTOS (pp. 20-24). (BIOSIS/90/20811). Coin, PG; Stevens, JB; Mcjilton, C.
- Cole, DA; Stevens, RH; Will, LA. (1982). Identification of carcinogens by measurement of cell-mediated immunity. III. Immunity to asbestos-induced rat peritoneal mesothelioma. *Environ Res* 28: 77-83.
- Cole, GA; Polak, JM; Johnson, NF; Marangos, P; Pearse, AGE. (1982). NEURON SPECIFIC ENOLASE AS A USEFUL HISTOLOGICAL MARKER FOR THE DEMONSTRATION OF ASBESTOS-INDUCED ENDOCRINE CELL HYPERPLASIA OF THE RAT LUNG. *J Pathol* 137: 92-93.
- Cole, P; Merletti, F. (1980). CHEMICAL AGENTS AND OCCUPATIONAL CANCER (pp. 399-418). (ISSN 0146-4779 HEEP/81/03089). Cole, P; Merletti, F.
- Cole, RW; Ault, JG; Hayden, JH; Rieder, CL. (1991). CROCIDOLITE ASBESTOS FIBERS UNDERGO SIZE-DEPENDENT MICROTUBULE-MEDIATED TRANSPORT AFTER ENDOCYTOSIS IN VERTEBRATE LUNG EPITHELIAL-CELLS. *Cancer Res* 51: 4942-4947.
- Cole, SR, SR; Richardson, DB. (2009). STRUCTURAL MODELS FOR THE EFFECT OF OCCUPATIONAL ASBESTOS EXPOSURE ON LUNG-RELATED MORTALITY. *Am J Epidemiol* 169: S41-S41.
- Cole, SR; Richardson, DB; Chu, H; Naimi, AI. (2013). Analysis of occupational asbestos exposure and lung cancer mortality using the g formula. *Am J Epidemiol* 177: 989-996. <http://dx.doi.org/10.1093/aje/kws343>.
- Coleman, JR. (1976). Letter: Duluth water revised. *Minn Med* 59: 95-97.
- Collegium Ramazzini. (2010). Asbestos is still with us: repeat call for a universal ban. *Int J Occup Med Environ Health* 23: 201-207. <http://dx.doi.org/10.2478/v10001-010-0017-4>.
- Collegium Ramazzini. (2016). The 18th Collegium Ramazzini statement: The global health dimensions of asbestos and asbestos-related diseases. *Scand J Work Environ Health* 42: 86-90. <http://dx.doi.org/10.5271/sjweh.3541>.
- Collegium Ramazzini. (2016). Collegium Ramazzini response to 'Asbestos, asbestosis, and cancer, the Helsinki criteria for diagnosis and attribution 2014: recommendations' [Letter]. *Scand J Work Environ Health* 42: 91-94. <http://dx.doi.org/10.5271/sjweh.3535>.
- Collegium Ramazzini. (2016). The global health dimensions of asbestos and asbestos-related diseases. *Med Lav* 107: 75-79.
- Collins, JD; Batra, P; Brown, RK; Winter, J; King, W. (1987). Computerized chest tomography in asbestos workers suspected of having pleural disease. *J Natl Med Assoc* 79: 273-277.
- Collins, TF. (1968). Pleural reaction associated with asbestos exposure. *Br J Radiol* 41: 655-661. <http://dx.doi.org/10.1259/0007-1285-41-489-655>.
- Collis, EL. (1931). Recent Views on Pneumoconioses. *Proc R Soc Med* 24: 531-542.
- Colonna, A; Gualco, G; Bacchi, CE; Leite, MA; Rocco, M; Demaglio, G; Pizzolitto, S; Falconieri, G. (2010). Plasma cell myeloma presenting with diffuse pleural involvement: a hitherto unreported pattern of a new mesothelioma mimicker. *Ann Diagn Pathol* 14: 30-35. <http://dx.doi.org/10.1016/j.anndiagpath.2009.10.005>.
- Colt, HG. (1997). Mesothelioma: Epidemiology, presentation, and diagnosis. *Semin Respir Crit Care Med* 18: 353-361.
- Comar, M; Rizzardi, C; de Zotti, R; Melato, M; Bovenzi, M; Butel, JS; Campello, C. (2007). SV40 multiple tissue infection and asbestos exposure in a hyperendemic area for malignant mesothelioma. *Cancer Res* 67: 8456-8459. <http://dx.doi.org/10.1158/0008-5472.CAN-07-2232>.
- Comar, M; Zanutta, N; Bonotti, A; Tognon, M; Negro, C; Cristaudo, A; Bovenzi, M. (2014). Increased levels of C-C chemokine RANTES in asbestos exposed workers and in malignant mesothelioma patients from an hyperendemic area. *PLoS ONE* 9: e104848. <http://dx.doi.org/10.1371/journal.pone.0104848>.
- Comar, M; Zanutta, N; Pesel, G; Visconti, P; Maestri, I; Rinaldi, R; Crovella, S; Cortale, M; De Zotti, R; Bovenzi, M. (2012). Asbestos and SV40 in malignant pleural mesothelioma from a hyperendemic area of north-eastern Italy. *Tumori* 98: 210-214. <http://dx.doi.org/10.1700/1088.11931>.
- Comar, M; Zanutta, N; Zanconati, F; Cortale, M; Bonotti, A; Cristaudo, A; Bovenzi, M. (2016). Chemokines involved in the early inflammatory response and in pro-tumoral activity in asbestos-exposed workers from an Italian coastal area with territorial clusters of pleural malignant mesothelioma. *Lung Cancer* 94: 61-67. <http://dx.doi.org/10.1016/j.lungcan.2016.01.020>.
- Comba, P; Bruno, C; Pasetto, R. (2003). [Indications of public health in areas naturally polluted with asbestiform fibers]. *G Ital Med Lav Ergon* 25: 405-407.
- Comba, P; Consonni, D; Marinaccio, A; Mirabelli, D. (2010). Occupational epidemiology in Italy: a contribution to the European framework. *Epidemiol Prev* 34: 25-30.

Human Health Hazard Literature Search Results

On Topic

- Comba, P; Di Paola, M; Martuzzi, M; Pirastu, R. (1997). Asbestos-related mortality in Italy: A geographical approach [Review]. *Med Lav* 88: 293-301.
- Comba, P; Fazzo, L; Zona, A. (2011). Respiratory illness in asbestos contaminated sites: the role of environmental exposure [Editorial]. *Eur Respir J* 38: 248-250. <http://dx.doi.org/10.1183/09031936.00084611>.
- Comba, P; Gianfagna, A; Paoletti, L. (2003). Pleural mesothelioma cases in Biancavilla are related to a new fluoro-edenite fibrous amphibole. *Arch Environ Health* 58: 229-232. <http://dx.doi.org/10.3200/AEOH.58.4.229-232>.
- Comba, P; Merler, E; Pasetto, R. (2005). Asbestos-related diseases in Italy: epidemiologic evidences and public health issues [Review]. *Int J Occup Environ Health* 11: 36-44. <http://dx.doi.org/10.1179/oeht.2005.11.1.36>.
- Comba, P; Scondotto, S; Musmeci, L. (2014). The fibres with fluoro-edenitic composition in Biancavilla (Sicily, Italy): health impact and clues for environmental remediation. *Ann Ist Super Sanita* 50: 108-110. http://dx.doi.org/DOI:10.4415/ANN_14_02_01.
- Comba, P; Zona, A; Pirastu, R; Bruno, C; Fazzo, L; Pasetto, R; Binazzi, A; Corfiati, M; Marinaccio, A. (2016). [SENTIERI-ReNaM: Rationale and objectives]. *Epidemiol Prev* 40: 13-15.
- Comin, CE; Caldarella, A; Biancalani, M; Parrini, L; Dini, S. (1993). ASBESTOS IN PLEURAL-PULMONARY NEOPLASMS AN ANALYTICAL ELECTRON MICROSCOPIC STUDY OF FIBER TYPE AND CONCENTRATION (pp. 5-10). (BIOSIS/94/36879). Comin, CE; Caldarella, A; Biancalani, M; Parrini, L; Dini, S.
- Commins, BT; Gibbs, GW. (1969). Contaminating organic material in asbestos. *Br J Cancer* 23: 358-362.
- Company, C. (1990). LETTER FROM THE CARBORUNDUM COMPANY TO USEPA SUBMITTING ENCLOSED INFORMATION ON THREE ON-GOING CHRONIC ANIMAL STUDIES ON MAN-MADE REFRACTORY CERAMIC FIBERS WITH ATTACHMENTS. (TSCATS/412652).
- COMPANY, UC. (1992). PNEUMOCONIOSIS AND WORK-RELATED RISK FACTORS AMONG ACTIVE AND RELATED UCAR CARBON EMPLOYEES AT FOUR LOCATIONS: A RADIOGRAPHIC and CLINICAL REVIEW WITH COVER LETTERS. (TSCATS/431134).
- Company, WRG. (1988). HEALTH OF VERMICULITE MINERS EXPOSED TO TRACE AMOUNTS OF FIBROUS TREMOLITE WITH COVER LETTER DATED 022988. (TSCATS/305260).
- Condie, LW. (1983). Review of published studies of orally administered asbestos [Review]. *Environ Health Perspect* 53: 3-9.
- Conforti, PM. (1983). Additional comments on the study of the effect of population density on the results of the California Bay area study. *Environ Health Perspect* 53: 191-192.
- Conforti, PM. (1983). Effect of population density on the results of the study of water supplies in five California counties. *Environ Health Perspect* 53: 69-78.
- Conforti, PM; Kanarek, MS; Jackson, LA; Cooper, RC; Murchio, JC. (1981). Asbestos in drinking water and cancer in the San Francisco Bay area: 1969-1974 incidence. *J Clin Epidemiol* 34: 211-224. [http://dx.doi.org/10.1016/0021-9681\(81\)90065-5](http://dx.doi.org/10.1016/0021-9681(81)90065-5).
- Conley, K; Russell, AM. (1981). In-vitro studies on the cyto toxic actions of cigarette smoke and asbestos on macrophages. 26: 1982).
- Connelly, RR; Spirtas, R; Myers, MH; Percy, CL; Fraumeni J F, J. R. (1987). DEMOGRAPHIC PATTERNS FOR MESOTHELIOMA IN THE USA (pp. 1053-1060). (BIOSIS/87/28443). Connelly, RR; Spirtas, R; Myers, MH; Percy, CL; Fraumeni J F, , JR.
- Conning, DM; Hayes, MJ; Styles, JA; Nicholas, JA. (1970). Comparison between in vitro toxicity of dusts of certain polymers and minerals and their fibrogenicity. *Inhaled Particles* 1: 499-506.
- Consonni, D; Barone-Adesi, F; Mensi, C. (2014). Comment on 'The latency period of mesothelioma among a cohort of British asbestos workers (1978-2005)': methodological problems with case-only survival analysis [Letter]. *Br J Cancer* 111: 1674. <http://dx.doi.org/10.1038/bjc.2013.823>.
- Consonni, D; De Matteis, S; Pesatori, AC; Bertazzi, PA; Olsson, AC; Kromhout, H; Peters, S; Vermeulen, RC; Pesch, B; Brüning, T; Kendzia, B; Behrens, T; Stücker, I; Guida, F; Wichmann, HE; Brüske, I; Landi, MT; Caporaso, NE; Gustavsson, P; Plato, N; Tse, LA; Yu, IT; Jöckel, KH; Ahrens, W; Pohlabeln, H; Merletti, F; Richiardi, L; Simonato, L; Forastiere, F; Siemiatycki, J; Parent, MÉ; Tardón, A; Boffetta, P; Zaridze, D; Chen, Y; Field, JK; T Mannetje, A; Pearce, N; Mclaughlin, J; Demers, P; Lissowska, J; Szeszenia-Dabrowska, N; Bencko, V; Foretova, L; Janout, V; Rudnai, P; Fabiánová, E; Stanescu Dumitru, R; Bueno-De-Mesquita, HB; Schüz, J; Straif, K. (2015). Lung cancer risk among bricklayers in a pooled analysis of case-control studies. *Int J Cancer* 136: 360-371. <http://dx.doi.org/10.1002/ijc.28986>.
- Constantinidis, K. (1977). Asbestos exposure--its related disorders [Review]. *Br J Clin Pract* 31: 89-101.
- Constantopoulos, SH. (2008). Environmental mesothelioma associated with tremolite asbestos: Lessons from the experiences of Turkey, Greece, Corsica, New Caledonia and Cyprus. *Regul Toxicol Pharmacol* 52: S110-S115. <http://dx.doi.org/10.1016/j.yrtph.2007.11.001>.
- Constantopoulos, SH; Dalavanga, YA; Sakellariou, K; Goudevenos, J; Kotoulas, OB. (1992). Lymphocytic alveolitis and pleural calcifications in nonoccupational asbestos exposure. Protection against neoplasia? *Am Rev Respir Dis* 146: 1565-1570. <http://dx.doi.org/10.1164/ajrccm/146.6.1565>.
- Constantopoulos, SH; Goudevenos, JA; Saratzis, N; Langer, AM; Selikoff, IJ; Moutsopoulos, HM. (1985). Metsovo lung: Pleural calcification and restrictive lung function in northwestern Greece: Environmental exposure to mineral fiber as etiology. *Environ Res* 38: 319-331. [http://dx.doi.org/10.1016/0013-9351\(85\)90096-9](http://dx.doi.org/10.1016/0013-9351(85)90096-9).
- Constantopoulos, SH; Langer, AM; Saratzis, N; Goudevenos, JA; Selikoff, IJ. (1987). METSOVO LUNG PLEURAL CALCIFICATIONS AND MALIGNANT PLEURAL MESOTHELIOMA IN NORTHWESTERN GREECE TREMOLITE ASBESTOS USED FOR WHITEWASHING AS ETIOLOGY (pp. 15-18). (ISSN 0012-3692 EISSN 1931-3543 BIOSIS/87/21406). Constantopoulos, SH; Langer, AM; Saratzis, N; Goudevenos, JA; Selikoff, IJ.
- Constantopoulos, SH; Malamou-Mitsi, VD; Goudevenos, JA; Papanthasiou, MP; Pavlidis, NA; Papadimitriou, CS. (1987). High incidence of malignant pleural mesothelioma in neighbouring villages of Northwestern Greece. *Respiration* 51: 266-271. <http://dx.doi.org/10.1159/000195212>.
- Constantopoulos, SH; Saratzis, NA; Kontogiannis, D; Karantanis, A; Goudevenos, JA; Katsiotis, P. (1987). Tremolite whitewashing and pleural calcifications. *Chest* 92: 709-712. <http://dx.doi.org/10.1378/chest.92.4.709>.

Human Health Hazard Literature Search Results

On Topic

- Constantopoulos, SH; Theodoracopoulos, P; Dascalopoulos, G; Saratzis, N; Sideris, K. (1991). Metsovo lung outside Metsovo. Endemic pleural calcifications in the ophiolite belts of Greece. *Chest* 99: 1158-1161. <http://dx.doi.org/10.1378/chest.99.5.1158>.
- Conti, S; Minelli, G; Ascoli, V; Marinaccio, A; Bonafede, M; Manno, V; Crialesi, R; Straif, K. (2015). Peritoneal mesothelioma in Italy: Trends and geography of mortality and incidence. *Am J Ind Med* 58: 1050-1058. <http://dx.doi.org/10.1002/ajim.22491>.
- Conti, S; Minelli, G; Manno, V; Iavarone, I; Comba, P; Scondotto, S; Cernigliaro, A. (2014). Health impact of the exposure to fibres with fluoro-edenitic composition on the residents in Biancavilla (Sicily, Italy): mortality and hospitalization from current data. *Ann Ist Super Sanita* 50: 127-132. http://dx.doi.org/DOI: 10.4415/ANN_14_02_04.
- Convertini, L; Cavone, D; Cauzillo, G; Montagano, G; Panarace, L; Serio, G; Musti, M. (2003). [Health surveillance (health intervention) in workers formerly exposed to asbestos (formerly employed at Materit-Ferrandina)]. *G Ital Med Lav Ergon* 25 Suppl: 245-246.
- Cook, AG; Weinstein, P; Centeno, JA. (2005). Health effects of natural dust: role of trace elements and compounds [Review]. *Biol Trace Elem Res* 103: 1-15. <http://dx.doi.org/10.1385/BTER:103:1:001>.
- Cook, PM. (1979). Preparation of extrapulmonary tissues and body fluids for quantitative transmission electron microscope analysis of asbestos and other mineral particle concentrations. *Ann N Y Acad Sci* 330: 717-724.
- Cook, PM. (1983). REVIEW OF PUBLISHED STUDIES ON GUT PENETRATION BY INGESTED ASBESTOS FIBERS. *Environ Health Perspect* 53: 121-130.
- Cook, PM; Palekar, LD; Coffin, DL. (1982). Interpretation of the carcinogenicity of amosite asbestos and ferroactinolite on the basis of retained fiber dose and characteristics in vivo. *Toxicol Lett* 13: 151-158.
- Cook, PM; Swintek, J; Dawson, TD; Chapman, D; Etersson, MA; Hoff, D. (2016). Quantitative structure-mesothelioma potency model optimization for complex mixtures of elongated particles in rat pleura: A retrospective study. *J Toxicol Environ Health B Crit Rev* 19: 266-288. <http://dx.doi.org/10.1080/10937404.2016.1195326>.
- Cooke, WE. (1924). FIBROSIS OF THE LUNGS DUE TO THE INHALATION OF ASBESTOS DUST. *Br Med J* 2: 147-140.142.
- Cooke, WE. (1927). Pulmonary Asbestosis. *Br Med J* 2: 1024-1025.
- Cooke, WE. (1929). ASBESTOS DUST AND THE CURIOUS BODIES FOUND IN PULMONARY ASBESTOSIS. *Br Med J* 2: 578-580.
- Cookson, W; De Klerk, N; Musk, AW; Glancy, JJ; Armstrong, B; Hobbs, M. (1986). The natural history of asbestosis in former crocidolite workers of Wittenoom Gorge. *Am Rev Respir Dis* 133: 994-998. <http://dx.doi.org/10.1164/arrd.1986.133.6.994>.
- Cookson, W; Deklerk, NH; Musk, AW; Glancy, JJ. (1987). COURSE AND DETERMINANTS OF DIFFUSE PLEURAL THICKENING AFTER CROCIDOLITE ASBESTOS EXPOSURE. *Thorax* 42: 727-727.
- Cookson, WO; De Klerk, NH; Musk, AW; Armstrong, BK; Glancy, JJ; Hobbs, MS. (1986). Prevalence of radiographic asbestosis in crocidolite miners and millers at Wittenoom, Western Australia. *Br J Ind Med* 43: 450-457.
- Cookson, WO; De Klerk, NH; Musk, AW; Glancy, JJ; Armstrong, BK; Hobbs, MS. (1985). Benign and malignant pleural effusions in former Wittenoom crocidolite millers and miners. *Aust N Z J Med* 15: 731-737.
- Cookson, WOC, M; Glancy, JJ; Frost, FA. (1985). Asymmetric rapidly progressive lung fibrosis: a cause of pseudotumour in asbestosis. *42*: 350-353.
- Cookson, WOC; Musk, AW; Glancy, JJ; Deklerk, NH; Armstrong, BK; Hobbs, MST. (1984). PLEURAL EFFUSION AND PLEURAL MALIGNANCY IN FORMER WITTENOOM CROCIDOLITE MILLERS AND MINERS. *Thorax* 39: 691-691.
- Cooper, M; Johnson, K; Delany, DJ. (1996). Case report: asbestos related pericardial disease. *Clin Radiol* 51: 656-657.
- Cooper, RC. (1983). Comments on the California studies. *Environ Health Perspect* 53: 109-110.
- Cooper, RC; Cooper, WC. (1978). PUBLIC-HEALTH ASPECTS OF ASBESTOS FIBERS IN DRINKING-WATER. *J Am Water Works Assoc* 70: 338-340.
- Cooper, WC. (1978). Epidemiologic Evidence Of The Effect Of Type Of Asbestos And Fiber Dimensions On The Production Of Disease In Man (pp. Definitions and Measurement Methods). (NIOSH/00145895). Cooper, WC.
- Cooper, WC; Miedema, J. (1973). Asbestosis in the manufacture of insulating materials.
- Cooper, WC; Miedema, J. (1974). ASBESTOSIS IN THE MANUFACTURE OF INSULATING MATERIALS (pp. LYON). (HEEP/75/04228). Cooper, WC; Miedema, J.
- Cope, Z. (1964). ASBESTOS AND MALIGNANCY. *Br Med J* 2: 202.
- Copes, R; Thomas, D; Becklake, MR. (1985). Temporal patterns of exposure and nonmalignant pulmonary abnormality in Quebec chrysotile workers. *Arch Environ Health* 40: 80-87.
- Copin, MC. (2013). [2014 classification of lung carcinomas: latest entities and clinical implications. Case 3. Sarcomatoid carcinoma, pleiomorphic type]. *Ann Pathol* 33: 314-317. <http://dx.doi.org/10.1016/j.annpat.2013.09.008>.
- Copley, SJ; Lee, YCG; Hansell, DM; Sivakumaran, P; Rubens, MB; Newman Taylor, AJ; Rudd, RM; Musk, AW; Wells, AU. (2007). Asbestos-induced and smoking-related disease: Apportioning pulmonary function deficit by using thin-section CT. *Radiology* 242: 258-266. <http://dx.doi.org/10.1148/radiol.2421051167>.
- Cöplü, L; Dumortier, P; Demir, AU; Selçuk, ZT; Kalyoncu, F; Kisacik, G; Devuyt, P; Sahin, AA; Bariş, YI. (1996). An epidemiological study in an Anatolian village in Turkey environmentally exposed to tremolite asbestos. *J Environ Pathol Toxicol Oncol* 15: 177-182.
- Cora, E; Kane, A. (1991). EXPRESSION OF THE TUMOR SUPPRESSOR GENE P53 DURING THE DEVELOPMENT OF MURINE MALIGNANT MESOTHELIOMAS INDUCED BY ASBESTOS FIBERS (pp. 21-25). (ISSN 0892-6638 EISSN 1530-6860 BIOSIS/91/23126). Cora, E; Kane, A.
- Corbin, M; Mclean, D; Mannelte, A; Dryson, E; Walls, C; Mckenzie, F; Maule, M; Cheng, S; Cunningham, C; Kromhout, H; Blair, A; Pearce, N. (2011). Lung cancer and occupation: A New Zealand cancer registry-based case-control study. *Am J Ind Med* 54: 89-101. <http://dx.doi.org/10.1002/ajim.20906>.
- Corbin, M; Richiardi, L; Vermeulen, R; Kromhout, H; Merletti, F; Peters, S; Simonato, L; Steenland, K; Pearce, N; Maule, M. (2012). Hierarchical regression for multiple comparisons in a case-control study of occupational risks for lung cancer. *PLoS ONE* 7: e38944. <http://dx.doi.org/10.1371/journal.pone.0038944>.

Human Health Hazard Literature Search Results

On Topic

- Corbridge, SJ; Kamp, DW. (2004). Asbestos-related pulmonary diseases. *AAOHN J* 52: 49-51.
- Cordasco, EM; Ahmad, M. (1987). PNEUMOCONIOSES AND ENVIRONMENTAL LUNG DISEASE (pp. PHILADELPHIA). (BIOSIS/87/26582). Cordasco, EM; Ahmad, M.
- Cordier, S; Lazar, P; Brochard, P; Bignon, J; Ameille, J; Proteau, J. (1987). Epidemiologic investigation of respiratory effects related to environmental exposure to asbestos inside insulated buildings. *Arch Environ Health* 42: 303-309. <http://dx.doi.org/10.1080/00039896.1987.9935825>.
- Cordier, S; Theriault, G; Provencher, S. (1984). Radiographic changes in a group of chrysotile miners and millers exposed to low asbestos dust concentrations. *Br J Ind Med* 41: 384-388.
- Corfiati, M; Scarselli, A; Binazzi, A; Di Marzio, D; Verardo, M; Mirabelli, D; Gennaro, V; Mensi, C; Schallemborg, G; Merler, E; Negro, C; Romanelli, A; Chellini, E; Silvestri, S; Cocchioni, M; Pascucci, C; Stracci, F; Romeo, E; Trafficante, L; Angelillo, I; Menegozzo, S; Musti, M; Cavone, D; Cauzillo, G; Tallarigo, F; Tumino, R; Melis, M; Iavicoli, S; Marinaccio, A; Grp, RW. (2015). Epidemiological patterns of asbestos exposure and spatial clusters of incident cases of malignant mesothelioma from the Italian national registry. *BMC Cancer* 15: 286. <http://dx.doi.org/10.1186/s12885-015-1301-2>.
- Corp, AC. (1983). A RETROSPECTIVE COHORT STUDY OF MORTALITY IN THE BENDIX AUTOMOTIVE OF CANADA, LTD., PLANT IN WINDSOR, ONTARIO, CANADA. (TSCATS/020930). SRI INTL.
- Corp, I. (1992). INITIAL SUBMISSION: REPORTS OF ASBESTOSIS AND LIP CANCER RELATED TO EMPLOYEE EXPOSURES TO VERMICULITE AND HEXAVALENT CHROMIUM WITH COVER DATED 08/27/92. (TSCATS/440909).
- Corp, MS. (1983). ASBESTOS DISEASE AMONG WIVES OF CAREER INSULATORS. (TSCATS/018276).
- Corp, MS. (1983). ASBESTOS STUDY AT MOTORHALSAN IN GOTEBORG. (TSCATS/018262).
- Corp, MS. (1983). AN ASSOCIATION BETWEEN RESPIRATORY SYSTEM CANCERS AND SUGARCANE-RELATED OCCUPATION IN LOUISIANA PREPARED BY DEPT OF MEDICINE and PREVENTIVE MEDICINE LOUISIANA STATE UNIV. (TSCATS/018259).
- Corp, MS. (1983). EPIDEMIOLOGY OF PLEURAL CALCIFICATION PREPARED BY DEPT OF EPIDEMIOLOGY and HEALTH MCGILL UNIV. (TSCATS/018139).
- Corp, MS. (1983). Health risks in asbestos production prepared by dept of epidemiology & health mcgill univ. <http://dx.doi.org/10.1080/00039896.1983.9935825>.
- Corp, O-CF. (1990). LETTER FROM OWENS-CORNING FIBERGLASS CORP TO US EPA SUBMITTING STUDIES ON GLASS FIBERS WITH ATTACHMENTS. (TSCATS/414471).
- CORP, RC. (1996). SUPPORT: PATHOLOGY REPORT OF AN ONGOING CHRONIC INHALATION STUDY OF AMOSITE (INSULATION GLASS FIBER) IN HAMSTERS WITH COVER LETTER DATED 09/20/96. (TSCATS/452918). RESEARCH and CONSULTING CORP.
- Corp, UC. (1987). MORTALITY STUDY OF A RESEARCH, ENGINEERING AND METAL FABRICATION FACILITY IN WESTERN NEW YORK STATE WITH COVER LETTER DATED 013087. (TSCATS/302928).
- Corp, UC. (1987). POPULATION-BASED MORTALITY SURVEILLANCE IN CARBON PRODUCTS MANUFACTURING FACILITIES WITH COVER LETTER DATED 013087. (TSCATS/302926).
- CORP, UC. (1993). MORTALITY AMONG WORKERS AT A PLASTICS MANUFACTURING AND RESEARCH AND DEVELOPMENT FACILITY: 1946-1988 WITH COVER LETTER DATED 092093. (TSCATS/423852). UNION CARBIDE CORP.
- Corpet, DE; Pirot, V; Goubet, I. (1993). Asbestos induces aberrant crypt foci in the colon of rats. *Cancer Lett* 74: 183-187.
- CORPORATION, OC. (1992). INITIAL SUBMISSION: MORTALITY PATTERNS OF WORKERS IN THE NIAGARA PLANT (FINAL REPORT ON MIXTURES OF CHEMICAL SUBSTANCES) WITH ATTACHMENTS AND COVER LETTER DATED 022192. (TSCATS/423001). UNIV PITTSBURGH.
- Corporation, SHEIC. (1994). SUPPORT: THE ASBESTOS EXPOSURE OF WORKERS IN THE MANVILLE DIATOMACEOUS EARTH PLANT ALSO INVOLVED IN COHORT MORTALITY STUDY OF DIATOMITE INDUSTRY WITH COVER LETTER DATED 121694. (TSCATS/441384). SFTY HLTH ENV INTL CNSLTS CORP.
- Corradi, M; Gergelova, P; Mutti, A. (2010). Use of exhaled breath condensate to investigate occupational lung diseases [Review]. *Curr Opin Allergy Clin Immunol* 10: 93-98. <http://dx.doi.org/10.1097/ACI.0b013e3283357fb7>.
- Corradi, M; Goldoni, M; Alinovi, R; Tiseo, M; Ampollini, L; Bonini, S; Carbognani, P; Casalini, A; Mutti, A. (2013). YKL-40 and mesothelin in the blood of patients with malignant mesothelioma, lung cancer and asbestosis. *Anticancer Res* 33: 5517-5524.
- Corrin, B; Price, AB. (1972). Electron microscopic studies in desquamative interstitial pneumonia associated with asbestos. *Thorax* 27: 324-331.
- Corsini, E; Luster, MI; Mahler, J; Craig, WA; Blazka, ME; Rosenthal, GJ. (1994). A protective role for T lymphocytes in asbestos-induced pulmonary inflammation and collagen deposition. *Am J Respir Cell Mol Biol* 11: 531-539. <http://dx.doi.org/10.1165/ajrcmb.11.5.7946383>.
- Cortez, B; Quassollo, G; Caceres, A; Machado-Santelli, GM. (2011). The fate of chrysotile-induced multipolar mitosis and aneuploid population in cultured lung cancer cells. *PLoS ONE* 6: e18600. <http://dx.doi.org/10.1371/journal.pone.0018600>.
- Cortez, BA; Machado Santelli, GM. (2006). Chrysotile Small Fibers Interfere with Cell Mitosis: A 3-D Reconstruction Study. *Mol Biol Cell* 17.
- Cortez, BA; Machado-Santelli, GM. (2008). Chrysotile effects on human lung cell carcinoma in culture: 3-D reconstruction and DNA quantification by image analysis. *BMC Cancer* 8: 181. <http://dx.doi.org/10.1186/1471-2407-8-181>.
- Cortez, BA; Teixeira, PR; Redick, S; Doxsey, S; Machado-Santelli, GM. (2016). Multipolar mitosis and aneuploidy after chrysotile treatment: a consequence of abscission failure and cytokinesis regression. *Onct* 7: 8979-8992. <http://dx.doi.org/10.18632/oncotarget.6924>.
- Costa, DL; Lehmann, JR; Osheroff, MO; Drew, RT. (1986). LUNG FUNCTION AND STRUCTURE IN SEVERAL RODENT SPECIES AFTER INSTILLATION OF ASBESTOS (pp. 11-14). (ISSN 0003-0805 BIOSIS/86/27936). Costa, DL; Lehmann, JR; Osheroff, MO; Drew, RT.
- Costabel, U; Bross, KJ; Guzman, J; Wuertemberger, G; Ruehle, KH; Matthys, H. (1986). ENHANCED EXPRESSION OF INTERLEUKIN-2 RECEPTORS ON LUNG LYMPHOCYTES AFTER ASBESTOS EXPOSURE (pp. 11-14). (ISSN 0003-0805 BIOSIS/86/27976). Costabel, U; Bross, KJ; Guzman, J; Wuertemberger, G; Ruehle, KH; Matthys, H.

Human Health Hazard Literature Search Results

On Topic

- Costabel, U; Teschler, H. (1990). Inflammation and immune reactions in interstitial lung disease (ILD) associated with inorganic dust exposure. *Eur Respir J* 3: 363-364.
- Costantino, C; Amodio, E; Costagliola, E; Curcurù, L; Icardo, S; Trapani, E; Calamusa, G. (2011). [Asbestos-related diseases observed in Palermo (Italy) among workers exposed to asbestos]. *Ig Sanita Pubbl* 67: 455-466.
- Costellati, L; Guglielmin, AM; Calisti, R; Sgarzi, A; Ghelli, C. (1991). [Dispersion of asbestos fibers and artificial mineral fibers (MMMMF) inside truck cabs: a possible exposure of truck drivers]. *Med Lav* 82: 510-514.
- Costrini, AM; Stevens, CA; Gee, JBL. (1978). EFFECT OF ASBESTOS ON SECRETION OF ELASTASE BY MOUSE PERITONEAL MACROPHAGES. *Chest* 74: 334-334.
- Cotes, JE; Chinn, DJ. (1991). Is Respiratory Function Diminished? *Ann N Y Acad Sci* 643: 149-156.
- Cotes, JE; Feinmann, EL; Male, VJ; Rennie, FS; Wickham C, AC. (1989). RESPIRATORY SYMPTOMS AND IMPAIRMENT IN SHIPYARD WELDERS AND CAULKER-BURNERS. *Br J Ind Med* 46: 292-301.
- Cotes, JE; King, B. (1988). Relationship of lung function to radiographic reading (ILO) in patients with asbestos related lung disease. *Thorax* 43: 777-783. <http://dx.doi.org/10.1136/thx.43.10.777>.
- Cotes, JE; Reed, JW. (2008). DISPROPORTIONATE SHALLOW BREATHING A FEATURE OF ASBESTOS PLEURAL DISEASE, NOT UNCOMPLICATED ASBESTOSIS. *Thorax* 63: A6-A7.
- Cottin, V; Brillet, PY; Combarrous, F; Duperron, F; Nunes, H; Cordier, JF. (2008). Syndrome of pleural and retrosternal "bridging" fibrosis and retroperitoneal fibrosis in patients with asbestos exposure. *Thorax* 63: 177-179. <http://dx.doi.org/10.1136/thx.200X.081646>.
- Cottin, V; Brillet, PY; Combarrous, F; Duperron, F; Nunes, H; Cordier, JF. (2009). Syndrome of pleural and retrosternal "bridging" fibrosis and retroperitoneal fibrosis in patients with asbestos exposure. *B M J Case Reports* 2009. <http://dx.doi.org/10.1136/bcr.09.2008.0917>.
- Coultas, DB; Samet, JM. (1992). Occupational Lung Cancer [Review]. *Clin Chest Med* 13: 341-354.
- Council, E. (2013). The role of the research epidemiologist in responding to an environmental alert. Lessons from operational experience dealing with a former asbestos-grinding factory (Cmmp, Aulnay-sous-Bois, France). *E R S* 12: 330-337. <http://dx.doi.org/10.1684/ers.2013.0631>.
- Courtice, MN; Demers, PA; Takaro, TK; Vedal, S; Ahmad, SK; Davies, HW; Siddique, Z. (2011). Asbestos-related disease in Bangladeshi ship breakers: a pilot study. *Int J Occup Environ Health* 17: 144-153. <http://dx.doi.org/10.1179/oeh.2011.17.2.144>.
- Courtice, MN; Lin, S; Wang, X. (2012). An updated review on asbestos and related diseases in China [Review]. *Int J Occup Environ Health* 18: 247-253. <http://dx.doi.org/10.1179/1077352512Z.00000000021>.
- Courtice, MN; Wang, X; Lin, S; Yu, IT; Berman, DW; Yano, E. (2016). Exposure-response estimate for lung cancer and asbestosis in a predominantly chrysotile-exposed Chinese factory cohort. *Am J Ind Med* 59: 369-378. <http://dx.doi.org/10.1002/ajim.22579>.
- Coutanceau, C. (2007). [Critical approach to the prevention of occupational cancers]. 47-50.
- Coutts, II; Gilson, JC; Kerr, IH; Parkes, WR; Turner-Warwick, M. (1987). Mortality in cases of asbestosis diagnosed by a pneumoconiosis medical panel. *Thorax* 42: 111-116.
- Coutts, II; Turner-Warwick, M. (1984). FACTORS PREDICTING OUTCOME IN INTRA PULMONARY FIBROSIS ASSOCIATED WITH ASBESTOS EXPOSURE ASBESTOSIS (pp. NEW YORK). (HEEP/85/00835). Coutts, II; Turner-Warwick, M.
- Coviello, V; Carbonara, M; Bisceglia, L; Di Pierri, C; Ferri, GM; Lo Izzo, A; Porro, A; Sivo, D; Assennato, G. (2002). [Mortality in a cohort of asbestos cement workers in Bari]. *Epidemiol Prev* 26: 65-70.
- Cowie, HA; Wild, P; Beck, J; Auburtin, G; Piekarski, C; Massin, N; Cherrie, JW; Hurley, JF; Miller, BG; Groat, S; Soutar, CA. (2001). An epidemiological study of the respiratory health of workers in the European refractory ceramic fibre industry. *Occup Environ Med* 58: 800-810.
- Cowie, HA; Wild, P; Beck, J; Auburtin, G; Piekarski, C; Massin, N; Cherrie, JW; Hurley, JF; Miller, BG; Groat, S; Soutar, CA. (2003). [An epidemiological study of the respiratory health of workers in the European refractory ceramic fibre industry]. *Cahiers de notes documentaires Hygi and egrave*: 23-35.
- Craighead, J; Akley, N; Gould, L; Mackay, A. (1987). BIOLOGIC CHARACTERISTICS OF ASBESTOS-INDUCED MALIGNANT MESOTHELIOMA IN RATS (pp. 11-14). (ISSN 0012-3692 EISSN 1931-3543 BIOSIS/87/27369). Craighead, J; Akley, N; Gould, L; Mackay, A.
- Craighead, JE. (1989). The epidemiology and pathogenesis of malignant mesothelioma [Review]. *Chest* 96: 92S-93S.
- Craighead, JE. (1992). Do silica and asbestos cause lung cancer [Review]. *Arch Pathol Lab Med* 116: 16-20.
- Craighead, JE. (2011). Epidemiology of mesothelioma and historical background [Review]. *Recent Results Cancer Res* 189: 13-25. http://dx.doi.org/10.1007/978-3-642-10862-4_2.
- Craighead, JE; Abraham, JL; Churg, A; Green, FHY; Kleinerman, J; Pratt, PC; Seemayer, TA; Vallyathan, V; Weill, H. (1982). The pathology of asbestos-associated diseases of the lungs and pleural cavities: diagnostic criteria and proposed grading schema Report of the Pneumoconiosis Committee of the College of American Pathologists and the National Institute for Occupational Safety and Health. *Arch Pathol Lab Med* 106: 544-596.
- Craighead, JE; Akley, NJ; Gould, LB; Libbus, BL. (1987). Characteristics of tumors and tumor cells cultured from experimental asbestos-induced mesotheliomas in rats. *Am J Pathol* 129: 448-462.
- Craighead, JE; Mossman, BT. (1982). THE PATHOGENESIS OF ASBESTOS-ASSOCIATED DISEASES [Review]. *N Engl J Med* 306: 1446-1455. <http://dx.doi.org/10.1056/NEJM198206173062403>.
- Craighead, JE; Mossman, BT; Bradley, BJ. (1980). Comparative studies on the cytotoxicity of amphibole and serpentine asbestos [Review]. *Environ Health Perspect* 34: 37-46.

Human Health Hazard Literature Search Results

On Topic

- Cralley, LJ. (1968). Epidemiologic Studies of Occupational Diseases (pp. 7-30). (NIOSH/00175635). Cralley, LJ.
- Cralley, LJ. (1971). Electromotive phenomenon in metal and mineral particulate exposures: relevance to exposure to asbestos and occurrence of cancer. *Am Ind Hyg Assoc J* 32: 653-661. <http://dx.doi.org/10.1080/0002889718506520>.
- Cralley, LJ. (1972). Epidemiologic Studies of Occupational Diseases (pp. 1-69). (NIOSH/00192399). Federation of Industrial Mutual Accident Insurance Associations.
- Cralley, LJ; Cooper, WC; Lainhart, WS; Brown, MC. (1968). Research on health effects of asbestos. *J Occup Med* 10: 38-41.
- Cralley, LJ; Keenan, RG; Lynch, JR; Lainhart, WS. (1968). Source and Identification of Respirable Fibers. *Am Ind Hyg Assoc J* 29: 129-135.
- Cralley, LJ; Lainhart, WS. (1973). Are trace metals associated with asbestos fibers responsible for the biologic effects attributed to asbestos? *J Occup Med* 15: 262-266.
- Crane, MM; Keating, MJ; Trujillo, JM; Labarthe, DR; Frankowski, RF. (1989). Environmental Exposures in Cytogenetically Defined Subsets of Acute Nonlymphocytic Leukemia. *J Am Med Assoc* 262: 634-639.
- Crapo, JD; Barry, BE; Brody, AR; O'Neil, JJ. (1980). Morphological, morphometric and x-ray microanalytical studies on lung tissue of rats exposed to chrysotile asbestos in inhalation chambers. *IARC Sci Publ* 1: 273-283.
- Creaney, J; Dick, IM; Musk, AW; Olsen, NJ; Robinson, BW. (2016). Immune response profiling of malignant pleural mesothelioma for diagnostic and prognostic biomarkers. *Biomarkers* 21: 551-561. <http://dx.doi.org/10.3109/1354750X.2016.1160429>.
- Creaney, J; Dick, IM; Robinson, BW. (2015). Discovery of new biomarkers for malignant mesothelioma [Review]. *Curr Pulmonol Rep* 4: 15-21. <http://dx.doi.org/10.1007/s13665-015-0106-8>.
- Creaney, J; Ma, S; Sneddon, SA; Tourigny, MR; Dick, IM; Leon, JS; Khong, A; Fisher, SA; Lake, RA; Lesterhuis, WJ; Nowak, AK; Leary, S; Watson, MW; Robinson, BW. (2015). Strong spontaneous tumor neoantigen responses induced by a natural human carcinogen. 4: e1011492. <http://dx.doi.org/10.1080/2162402X.2015.1011492>.
- Creaney, J; McLaren, BM; Stevenson, S; Musk, AW; de Klerk, N; Robinson, BW; Lake, RA. (2001). p53 autoantibodies in patients with malignant mesothelioma: stability through disease progression. *Br J Cancer* 84: 52-56. <http://dx.doi.org/10.1054/bjoc.2000.1529>.
- Creaney, J; Musk, AW; Robinson, BW. (2010). Sensitivity of urinary mesothelin in patients with malignant mesothelioma. *J Thorac Oncol* 5: 1461-1466.
- Creaney, J; Olsen, NJ; Brims, F; Dick, I; Musk, AW; de Klerk, NH; Skates, SJ; Robinson, BWS. (2010). Serum Mesothelin for Early Detection of Asbestos-Induced Cancer Malignant Mesothelioma. *Cancer Epidemiol Biomarkers Prev* 19: 2238-2246. <http://dx.doi.org/10.1158/1055-9965.EPI-10-0346>.
- Creaney, J; Robinson, BW. (2016). Malignant mesothelioma biomarkers - from discovery to use in clinical practise for diagnosis, monitoring, screening and treatment [Review]. *Chest*. <http://dx.doi.org/10.1016/j.chest.2016.12.004>.
- Creaney, J; Robinson, BWS. (2005). Detection of malignant mesothelioma in asbestos-exposed individuals: The potential role of soluble mesothelin-related protein [Review]. *Hematol Oncol Clin North Am* 19: 1025-+. <http://dx.doi.org/10.1016/j.hoc.2005.09.007>.
- Creaney, J; Robinson, BWS; Segal, A; Musk, AW; de Klerk, N; Pass, HI; Skates, SJ. (2008). Serum mesothelin for early detection of the asbestos-induced cancer malignant mesothelioma. *Cancer Biomark* 4: 169-170.
- Creaney, J; Segal, A; Sterrett, G; Platten, MA; Baker, E; Murch, AR; Nowak, AK; Robinson, BW; Millward, MJ. (2008). Overexpression and altered glycosylation of MUC1 in malignant mesothelioma. *Br J Cancer* 98: 1562-1569. <http://dx.doi.org/10.1038/sj.bjc.6604340>.
- Cree, MW; Lalji, M; Jiang, B; Carriere, KC. (2009). Under-reporting of compensable mesothelioma in Alberta. *Am J Ind Med* 52: 526-533. <http://dx.doi.org/10.1002/ajim.20705>.
- Crinquette, J; Mulliez, P; Furon, D. (1981). Pleural pathology and asbestos inhalation: concerning a voluminous localised malignant pleural mesothelioma and a benign pleurisy of asbestotic origin. 42: 1-11.
- Crispi, S; Cardillo, I; Spugnini, EP; Citro, G; Menegozzo, S; Baldi, A. (2010). Biological Agents Involved in Malignant Mesothelioma: Relevance as Biomarkers or Therapeutic Targets [Review]. *Curr Cancer Drug Targets* 10: 19-26.
- Cristaudo, A; Foddìs, R; Bigdeli, L; Vivaldi, A; Buselli, R; Guglielmi, G; Guidi, M; Ottenga, F. (2002). [SV40: a possible co-carcinogen of asbestos in the pathogenesis of mesothelioma?] [Review]. *Med Lav* 93: 499-506.
- Cristaudo, A; Foddìs, R; Bonotti, A; Simonini, S; Vivaldi, A; Guglielmi, G; Bruno, R; Gemignani, F; Landi, S. (2011). Two novel polymorphisms in 5' flanking region of the mesothelin gene are associated with soluble mesothelin-related peptide (SMRP) levels. *Int J Biol Markers* 26: 117-123. <http://dx.doi.org/10.5301/IJBM.2011.8332>.
- Cristaudo, A; Foddìs, R; Bonotti, A; Simonini, S; Vivaldi, A; Guglielmi, G; Bruno, R; Landi, D; Gemignani, F; Landi, S. (2010). Polymorphisms in the putative micro-RNA-binding sites of mesothelin gene are associated with serum levels of mesothelin-related protein. *Occup Environ Med* 67: 233-236. <http://dx.doi.org/10.1136/oem.2009.049205>.
- Cristaudo, A; Foddìs, R; Buselli, R; Gattini, V; Di Palma, N; Guglielmi, G. (2006). Medical surveillance of workers previously exposed to asbestos [Review]. *Med Lav* 97: 475-481.
- Cristaudo, A; Foddìs, R; Guglielmi, G. (2010). [Methodology and results of an experience of medical surveillance of people previously exposed to asbestos in Tuscany]. *G Ital Med Lav Ergon* 32: 385-388.
- Cristaudo, A; Foddìs, R; Vivaldi, A; Buselli, R; Gattini, V; Guglielmi, G; Cosentino, F; Ottenga, F; Ciancia, E; Libener, R; Filiberti, R; Neri, M; Betta, P; Tognon, M; Mutti, L; Puntoni, R. (2005). SV40 enhances the risk of malignant mesothelioma among people exposed to asbestos: A molecular epidemiologic case-control study. *Cancer Res* 65: 3049-3052. <http://dx.doi.org/10.1158/0008-5472.CAN-04-2219>.
- Cristaudo, A; Foddìs, R; Vivaldi, A; Guglielmi, G; Gattini, V; Buselli, R; Dipalma, N; Filiberti, R; Mutti, L; Puntoni, R. (2006). Predictive and/or diagnostic significance of serum soluble mesothelin related proteins (SMR) in asbestos-related pleural malignant mesothelioma: Follow-up of a large population of workers previously exposed to asbestos. *Lung Cancer* 54: S37-S37.

Human Health Hazard Literature Search Results

On Topic

- Croce, A; Musa, M; Allegrina, M; Trivero, P; Rinaudo, C. (2013). Environmental scanning electron microscopy technique to identify asbestos phases inside ferruginous bodies. *Microsc Microanal* 19: 420-424. <http://dx.doi.org/10.1017/S1431927612014390>.
- Crompton, GK. (2010). Hyperventilation in men claiming compensation for benign asbestos-related diseases. 40: 297-300. <http://dx.doi.org/10.4997/JRCPE.2010.402>.
- Crosignani, P; Forastiere, F; Petrelli, G; Merler, E; Chellini, E; Pupp, N; Donelli, S; Magarotto, G; Rotondo, E; Perucci, C. (1995). Malignant mesothelioma in thermoelectric power plant workers in Italy. *Am J Ind Med* 27: 573-576.
- Crovella, S; Bianco, AM; Vuch, J; Zupin, L; Rodrigues Moura, R; Trevisan, E; Schneider, M; Brollo, A; Nicastro, EM; Cosenzi, A; Zabucchi, G; Borelli, V. (2016). Iron signature in asbestos-induced malignant pleural mesothelioma: A population-based autopsy study. *J Toxicol Environ Health A* 79: 1-13. <http://dx.doi.org/10.1080/15287394.2015.1123452>.
- Crump, KS. (1990). Assessing risk from asbestos in indoor air. 116: 981.
- Cugell, DW. (1990). RADIOLOGIC FINDINGS LUNG FUNCTION AND RESPIRATORY SYMPTOMS IN 656 PLUMBERS (pp. 20-24). (BIOSIS/90/18827). Cugell, DW.
- Cugell, DW; Kamp, DW. (2004). Asbestos and the pleura: a review [Review]. *Chest* 125: 1103-1117.
- Cullen, MR. (1987). Controversies in asbestos-related lung cancer. *Occup Med: State of the Art Rev* 2: 259-272.
- Cullen, MR. (2005). Serum osteopontin levels--is it time to screen asbestos-exposed workers for pleural mesothelioma? [Editorial]. *N Engl J Med* 353: 1617-1618. <http://dx.doi.org/10.1056/NEJMe058176>.
- Cullen, MR; Baloyi, RS. (1991). Chrysotile asbestos and health in Zimbabwe: I. Analysis of miners and millers compensated for asbestos-related diseases since independence (1980). *Am J Ind Med* 19: 161-169.
- Cullen, MR; Barnett, MJ; Balmes, JR; Cartmel, B; Redlich, CA; Brodtkin, CA; Barnhart, S; Rosenstock, L; Goodman, GE; Hammar, SP; Thornquist, MD; Omenn, GS. (2005). Predictors of lung cancer among asbestos-exposed men in the beta-carotene and retinol efficacy trial. *Am J Epidemiol* 161: 260-270. <http://dx.doi.org/10.1093/aje/kwi034>.
- Cullen, MR; Lopez-Carrillo, L; Alli, B; Pace, PE; Shalat, SL; Baloyi, RS. (1991). Chrysotile asbestos and health in Zimbabwe: II. Health status survey of active miners and millers. *Am J Ind Med* 19: 171-182. <http://dx.doi.org/10.1002/ajim.4700190205>.
- Cullen, MR; Merrill, WW. (1992). Association between neutrophil concentration in bronchoalveolar lavage fluid and recent losses in diffusing capacity in men formerly exposed to asbestos. *Chest* 102: 682-687.
- Cullen, MR; Merrill, WW; Marenberg, ME. (1994). A Model for Staging Asbestos-Related Lung Effects after Cessation of Exposure Based on Clinical Demographic and Bronchoscopic Data (pp. Asbestos and Cancers). (NIOSH/00224023). Cullen, MR; Merrill, WW; Marenberg, ME.
- Cullen, RT; Miller, BG; Clark, S; Davis, JM. (2002). Tumorigenicity of cellulose fibers injected into the rat peritoneal cavity. *Inhal Toxicol* 14: 685-703. <http://dx.doi.org/10.1080/08958370290084584>.
- Cullen, RT; Searl, A; Buchanan, D; Davis, JM; Miller, BG; Jones, AD. (2000). Pathogenicity of a special-purpose glass microfiber (E glass) relative to another glass microfiber and amosite asbestos. *Inhal Toxicol* 12: 959-977. <http://dx.doi.org/10.1080/08958370050138012>.
- Cullen, RT; Searl, A; Miller, BG; Davis, JMG; Jones, AD. (2000). Pulmonary and intraperitoneal inflammation induced by cellulose fibres. *J Appl Toxicol* 20: 49-60.
- Cullinan, P; Muñoz, X; Suojalehto, H; Agius, R; Jindal, S; Sigsgaard, T; Blomberg, A; Charpin, D; Annesi-Maesano, I; Gulati, M; Kim, Y; Frank, AL; Akgün, M; Fishwick, D; de la Hoz, RE; Moitra, S. (2017). Occupational lung diseases: from old and novel exposures to effective preventive strategies [Review]. *Lancet Respir Med*. [http://dx.doi.org/10.1016/S2213-2600\(16\)30424-6](http://dx.doi.org/10.1016/S2213-2600(16)30424-6).
- Cummins, AB; Palmer, C; Mossman, BT; Taatjes, DJ. (2003). Persistent localization of activated extracellular signal-regulated kinases (ERK1/2) is epithelial cell-specific in an inhalation model of asbestosis. *Am J Pathol* 162: 713-720. [http://dx.doi.org/10.1016/S0002-9440\(10\)63867-9](http://dx.doi.org/10.1016/S0002-9440(10)63867-9).
- Cunningham, HM; Moodie, CA; Lawrence, GA; Pontefract, RD. (1977). Chronic Effects Of Ingested Asbestos In Rats. *Arch Environ Contam Toxicol* 6: 507-513.
- Cunningham, HM; Pontefract, RD. (1973). Asbestos fibers in beverages, drinking water, and tissues: their passage through the intestinal wall and movement through the body. *J Assoc Offic Anal Chem* 56: 976-986.
- Cunningham, HM; Pontefract, RD. (1974). Placental transfer of asbestos. *Nature* 249: 177-178. <http://dx.doi.org/10.1038/249177a0>.
- Cunningham, HM; Pontefract, RD; O'Brien, RC. (1976). Quantitative Relationship Of Fecal Asbestos To Asbestos Exposure. *J Toxicol Environ Health* 1: 377-379. <http://dx.doi.org/10.1080/15287397609529337>.
- Curin, K; Sarić, M. (1995). Cancer of the lung, pleura, larynx and pharynx in an area with an asbestos-cement plant. *Arh Hig Rada Toksikol* 46: 289-300.
- Curin, K; Sarić, M; Strnad, M. (2002). Incidence of malignant pleural mesothelioma in coastal and continental Croatia: epidemiological study. *Croat Med J* 43: 498-502.
- Currie, GP; Watt, SJ; Maskell, NA. (2009). An overview of how asbestos exposure affects the lung [Review]. *B M J (Online)* 339: b3209. <http://dx.doi.org/10.1136/bmj.b3209>.
- Cuthbert, J. (1967). [The dangers of asbestos for public health]. 8: 557-561.
- Cvetanov, V; Karadzinska, J; Vasevski, J; Ezova, N; Stikova, E; Vrencovski, A. (1990). The Relationship between Asbestos Bodies, Serum Immunoglobulin Levels and X-Ray Changes in Asbestos Workers (pp. 19-23). (NIOSH/00198714). Cvetanov, V; Karadzinska, J; Vasevski, J; Ezova, N; Stikova, E; Vrencovski, A.
- Cvetanov, V; Karadzinska-Bislimovska, J; Vasevski, J; Ezova, N; Stikova, E. (1988). The relationship between asbestos bodies, serum immunoglobulin levels and X-ray changes in asbestos workers. *Arh Hig Rada Toksikol* 39: 455-460.

Human Health Hazard Literature Search Results

On Topic

- Cvitanović, S; Ivancević, Z; Capkun, V; Tenzera-Taslak, G. (2009). [Incidence of malignant pleural mesothelioma in Split-Dalmatia County]. *Arh Hig Rada Toksikol* 60 Suppl: 31-39.
- Cvitanović, S; Znaor, L; Konsa, T; Ivancević, Z; Perić, I; Erceg, M; Vujović, M; Vuković, J; Beg-Zec, Z. (2003). Malignant and non-malignant asbestos-related pleural and lung disease: 10-year follow-up study. *Croat Med J* 44: 618-625.
- Cyphert, JM; Carlin, DJ; Nyska, A; Schladweiler, MC; Ledbetter, AD; Shannahan, JH; Kodavanti, UP; Gavett, SH. (2015). Comparative long-term toxicity of Libby amphibole and amosite asbestos in rats after single or multiple intratracheal exposures. *J Toxicol Environ Health A* 78: 151-165. <http://dx.doi.org/10.1080/15287394.2014.947455>.
- Cyphert, JM; Mcgee, MA; Nyska, A; Schladweiler, MC; Kodavanti, UP; Gavett, SH. (2016). Long-term toxicity of naturally occurring asbestos in male Fischer 344 rats. *J Toxicol Environ Health A* 79: 49-60. <http://dx.doi.org/10.1080/15287394.2015.1099123>.
- Cyphert, JM; Nyska, A; Mahoney, RK; Schladweiler, MC; Kodavanti, UP; Gavett, SH. (2012). Sumas Mountain chrysotile induces greater lung fibrosis in Fischer344 rats than Libby amphibole, El Dorado tremolite, and Ontario ferroactinolite. *Toxicol Sci* 130: 405-415. <http://dx.doi.org/10.1093/toxsci/kfs249>.
- Cyphert, JM; Padilla-Carlin, DJ; Schladweiler, MC; Shannahan, JH; Nyska, A; Kodavanti, UP; Gavett, SH. (2012). Long-term response of rats to single intratracheal exposure of libby amphibole or amosite. *J Toxicol Environ Health A* 75: 183-200. <http://dx.doi.org/10.1080/15287394.2012.641203>.
- Dagg, TG; Jr, BE. (1982). Asbestos-Associated Disease Among Boston Area Sheet Metal Workers (pp. 82-0841). (NIOSH/00131997). Dagg, TG; Baker EL Jr.
- D'Agostin, F; De Michieli, P; De Zotti, R; Bovenzi, M. (2010). HEALTH CHECKS AND NEW COMPLAINTS OF ILLNESS BETWEEN FORMER PROFESSIONAL SUBJECT EXPOSED TO ASBESTOS IN TRIESTE. *Epidemiol Prev* 34: 226-227.
- Dahlgren, J; Peckham, T. (2012). Mesothelioma associated with use of drywall joint compound: a case series and review of literature [Review]. *Int J Occup Environ Health* 18: 337-343. <http://dx.doi.org/10.1179/2049396712Y.0000000009>.
- Dahlgren, J; Talbott, P. (2015). Case report: peritoneal mesothelioma from asbestos in hairdryers [Review]. *Int J Occup Environ Health* 21: 1-4. <http://dx.doi.org/10.1179/2049396714Y.0000000092>.
- Dahlgren, JG; Talbott, PJ. (2016). Lung cancer from asbestos textured ceilings: a case study. *Int J Occup Environ Health* 22: 175-178. <http://dx.doi.org/10.1080/10773525.2016.1162952>.
- Dahlqvist, M; Alexandersson, R; Hedenstierna, G. (1992). LUNG-FUNCTION AND EXPOSURE TO ASBESTOS AMONG VEHICLE MECHANICS. *Am J Ind Med* 22: 59-68. <http://dx.doi.org/10.1002/ajim.4700220106>.
- Dai, J; Churg, A. (2001). Relationship of fiber surface iron and active oxygen species to expression of procollagen, PDGF-A, and TGF-beta(1) in tracheal explants exposed to amosite asbestos. *Am J Respir Cell Mol Biol* 24: 427-435. <http://dx.doi.org/10.1165/ajrcmb.24.4.4225>.
- Dai, J; Gilks, B; Price, K; Churg, A. (1998). Mineral dusts directly induce epithelial and interstitial fibrogenic mediators and matrix components in the airway wall. *Am J Respir Crit Care Med* 158: 1907-1913. <http://dx.doi.org/10.1164/ajrccm.158.6.9805010>.
- Dale, MT; Mckeough, ZJ; Munoz, PA; Corte, P; Bye, PT; Alison, JA. (2015). Physical activity in people with asbestos related pleural disease and dust-related interstitial lung disease: An observational study. *Chron Respir Dis* 12: 291-298. <http://dx.doi.org/10.1177/1479972315587518>.
- Dalphin, JC. (2011). [Follow-up of subjects occupationally exposed to asbestos, what are the objectives, the benefits, and the possible risks?] [Review]. *Rev Mal Respir* 28: 1230-1240. <http://dx.doi.org/10.1016/j.rmr.2011.06.015>.
- Dalquen, P; Dabbert, AF; Hinz, I. (1969). [Epidemiology of pleural mesotheliomas. Preliminary report on 119 clinical cases from the Hamburg area]. *Prax Pneumol* 23: 547-558.
- Dalquen, P; Hein, H. (1971). Health Hazards from Asbestos Dust (pp. 239-244). (NIOSH/00086088). Dalquen, P; Hein, H.
- Dalquen, P; Hinz, I; Dabbert, AF. (1970). PLEURAL PLAQUES, ASBESTOSIS AND EXPOSURE TO ASBESTOS AN EPIDEMIOLOGICAL STUDY FROM HAMBURG AREA. 143: 23-&.
- Damber, LA; Larsson, LG. (1987). Occupation and male lung cancer: a case-control study in northern Sweden. *Occup Environ Med* 44: 446-453.
- Damiran, N; Davaajav, K; Erdenebayar, E; Gomboloi, B; Frank, AL. (2015). Mesothelioma in Mongolia: case report. *Int J Occup Environ Health* 21: 166-168. <http://dx.doi.org/10.1179/2049396714Y.0000000101>.
- Danan, M; Massari, V; Diamant-Berger, O; Badin, R; Dally, S; Fournier, PE; Valleron, AJ. (1985). Effects on respiratory function of exposure to asbestos dust. *Cahiers de notes documentaires S and acirc*: 205-212.
- Daniel, FB. (1983). In Vitro Assessment Of Asbestos Genotoxicity [Review]. *Environ Health Perspect* 53: 163-167.
- Daniel, H; Wastiaux, A; Sebastien, P; Begin, R. (1993). EFFECTS OF PHOSPHORYLATION OF CHRYSOTILE ON PLEUROPULMONARY FIBROGENICITY AND CARCINOGENICITY. *Br J Ind Med* 50: 167-171.
- Danielsen, TE; Langård, S; Andersen, A. (2000). Incidence of cancer among welders and other shipyard workers with information on previous work history. *J Occup Environ Med* 42: 101-109.
- Danielsen, TE; Langard, S; Andersen, A; Knudsen, O. (1993). INCIDENCE OF CANCER AMONG WELDERS OF MILD-STEEL AND OTHER SHIPYARD WORKERS. *Br J Ind Med* 50: 1097-1103.
- D'Anna, M; Galli, L; Antoniazzi, E; Fazioli, R; Lattarini, M; Firmi, AM; Valcarengi, M; Bottazzi, R; Marconi, S; Livella, M; Rondina, MT; Patrini, G; Gioia, R; Locati, M; Rossi, C. (2012). [Trend of the asbestos related diseases mortality in workers of a company in the province Cremona which manufactured asbestos products]. *G Ital Med Lav Ergon* 34: 561-564.
- D'Antonio, A; Mastella, F; Colucci, A; Silvestre, G. (2016). Malignant Mesothelioma of Spermatic Cord in an Elderly Man With a History of Asbestos Exposure. *Urology* 87: e1-e3. <http://dx.doi.org/10.1016/j.urology.2015.09.020>.
- Dark, DS; Pingleton, SK. (1983). Asbestosis and asbestos-related disease. 84: 392-396, 413.

Human Health Hazard Literature Search Results

On Topic

- Darne, C; Terzetti, F; Coulais, C; Fournier, J; Guichard, Y; Gaté, L; Binet, S. (2010). In vitro cytotoxicity and transforming potential of industrial carbon dust (fibers and particles) in syrian hamster embryo (SHE) cells. *Ann Occup Hyg* 54: 532-544. <http://dx.doi.org/10.1093/annhyg/meq012>.
- Darnton, A; Hodgson, J; Benson, P; Coggon, D. (2012). Mortality from asbestosis and mesothelioma in Britain by birth cohort. *Occup Med (Lond)* 62: 549-552. <http://dx.doi.org/10.1093/occmed/kqs119>.
- Darnton, AJ; McIvenny, DM; Hodgson, JT. (2006). Estimating the number of asbestos-related lung cancer deaths in Great Britain from 1980 to 2000. *Ann Occup Hyg* 50: 29-38. <http://dx.doi.org/10.1093/annhyg/mei038>.
- Das, B; Misra, V; Rahman, Q. (1981). SIGNIFICANCE OF SPECIFIC CHANGES IN MITOCHONDRIAL FUNCTIONING IN THE DEVELOPMENT OF PULMONARY ASBESTOSIS (pp. 14-18). (HEEP/82/09216). Das, B; Misra, V; Rahman, Q.
- Das, B; Misra, V; Viswanathan, PN; Rahman, Q. (1983). Lung Mitochondria In Experimental Asbestosis. *Environ Res* 31: 390-398.
- Daughaday, C; Bohrer, A; Spilberg, I. (1983). LEUKOTRIENE B-4 RELEASE BY ALVEOLAR MACROPHAGES INDUCED BY CHRYSOTILE ASBESTOS (pp. 10-15). (HEEP/84/05607). Daughaday, C; Bohrer, A; Spilberg, I.
- Daughaday, CC; Bohrer, AN; Spilberg, I. (1980). ROLE OF ALVEOLAR MACROPHAGES IN ASBESTOS INDUCED INFLAMMATION IN THE LUNG (pp. 6-8). (HEEP/81/09155). Daughaday, CC; Bohrer, AN; Spilberg, I.
- Daughaday, CC; Bohrer, AN; Spilberg, I. (1981). ALVEOLAR MACROPHAGES IN ASBESTOS ASSOCIATION OF IN-VITRO RELEASE OF CHEMOTACTIC FACTORS WITH CYTO TOXICITY (pp. 25-27). (HEEP/82/00910). Daughaday, CC; Bohrer, AN; Spilberg, I.
- Davalle, MJ; Faber, LP; Kittle, CF; Jensik, RJ. (1994). EXTRAPLEURAL PNEUMONECTOMY FOR DIFFUSE, MALIGNANT MESOTHELIOMA. *Ann Thorac Surg* 58: 1782-1783.
- Dave, SK; Beckett, WS. (2005). Occupational asbestos exposure and predictable asbestos-related diseases in India. *Am J Ind Med* 48: 137-143. <http://dx.doi.org/10.1002/ajim.20198>.
- Dave, SK; Bhagia, LJ; Mazumdar, PK; Patel, GC; Kulkarni, PK; Kashyap, SK. (1996). The correlation of chest radiograph and pulmonary function tests in asbestos miners and millers. *Indian J Chest Dis Allied Sci* 38: 81-89.
- Dave, SK; Edling, C; Jacobsson, P; Axelson, O. (1988). Occupation, Smoking, and Lung Cancer. *Br J Ind Med* 45: 790-792.
- Dave, SK; Ghodasara, NB; Mohanrao, N; Patel, GC; Patel, BD. (1997). The relation of exposure to asbestos and smoking habit with pulmonary function tests and chest radiograph. *Indian J Public Health* 41: 16-24.
- Dave, SK; Ghodasara, NB; Patel, GC; Patel, BD. (1995). CORRELATION OF ASBESTOS EXPOSURE AND CIGARETTE SMOKING WITH PULMONARY FUNCTION TESTS AND CHEST RADIOGRAPHY. *Indian J Indust Med* 41: 106-115.
- David, A. (1971). (Hemolysis by fibrinogenic dust as a model of cell damage.) (pp. 250-253). (HEEP/72/11887). David, A.
- David, A. (1990). Present Use and Trends in the Development of the ILO International Classification of Radiographs of Pneumoconioses (pp. 89-270). (NIOSH/00198446). David, A.
- David, AM; Ogawa, H; Takahashi, K. (2012). A baseline profile of asbestos in the US-affiliated Pacific Islands. *Int J Occup Environ Health* 18: 22-28. <http://dx.doi.org/10.1179/1077352512Z.0000000003>.
- Davidson, B. (2007). Expression of cancer-associated molecules in malignant mesothelioma. *Biomarker Insights* 2: 173-184.
- Davies, CN. (1957). Pneumoconiosis, Silicosis, and the Physics and Chemistry of Dust. *Annu Rev Med* 8: 323-348.
- Davies, CN. (1986). Diseases associated with the inhalation of asbestos dust [Review]. *Arh Hig Rada Toksikol* 37: 253-274.
- Davies, D. (1990). ALTERATIONS IN LARYNGEAL MUCOSA AFTER EXPOSURE TO ASBESTOS [Letter]. *Br J Ind Med* 47: 844-844.
- Davies, D; Andrews, MI; Jones, JS. (1991). Asbestos induced pericardial effusion and constrictive pericarditis. *Thorax* 46: 429-432.
- Davies J, CA; Landau, SP; Goldsmith, C; Langton, ME. (1987). MESOTHELIOMA RISK AMONG GOLD MINERS IN SOUTH AFRICA. *S Afr J Sci* 83: 184-185.
- Davies, JC. (2004). Early South African insights into the risks of exposure to asbestos dust: Drs Simson, Strachan and Slade. 30: 17-23.
- Davies, JC; Kielkowsky, D; Phillips, JI; Govuzela, M; Solomon, A; Makofane, MR; Sekgobela, ML; Garton, E. (2004). Asbestos in the sputum, crackles in the lungs, and radiologic changes in women exposed to asbestos. *Int J Occup Environ Health* 10: 220-225. <http://dx.doi.org/10.1179/oeh.2004.10.2.220>.
- Davies, JC; Landau, SP; Goldsmith, C. (1988). Lung cancer cell type and mining exposure. *S Afr Med J* 74: 607-610.
- Davies, P; Allison, AC. (1972). The Significance Of The Lysosome In Toxicology. *CRC Crit Rev Toxicol* 1: 283-323.
- Davies, P; Allison, AC; Ackerman, J; Butterfield, A; Williams, S. (1974). Asbestos induces selective release of lysosomal enzymes from mononuclear phagocytes. *Nature* 251: 423-425.
- Davies, R. (1980). The effect of mineral fibres on macrophages.
- Davies, R; Erdogdu, E; Hill, RJ; Edwards, JH; Glamorgan, S. (1985). SECRETION OF FIBRONECTIN BY DUST-INDUCED ALVEOLAR MACROPHAGES (pp. NEW YORK). (BIOSIS/86/22558). HASKELL LAB.
- Davies, R; Erdogdu, G. (1989). Secretion of fibronectin by mineral dust-derived alveolar macrophages and activated peritoneal macrophages. *Exp Lung Res* 15: 285-297.
- Davies, R; Griffiths, DM; Preece, AW. (1983). Factors involved in the cytotoxicity of UICC amosite towards macrophages. *Environ Health Perspect* 51: 245-248.
- Davis, BJ; Maronpot, RR. (1996). CHEMICALLY ASSOCIATED TOXICITY AND CARCINOGENICITY OF THE OVARY (pp. ENVIRONMENTAL INFLUENCES). (BIOSIS/96/22178). Davis, BJ; Maronpot, RR.
- Davis, DL; Bridbord, K; Schneiderman, M. (1981). ESTIMATING CANCER CAUSES: PROBLEMS IN METHODOLOGY, PRODUCTION, AND TRENDS (pp. 285-316). (EPIDEM/004956). Davis, DL; Bridbord, K; Schneiderman, M.
- Davis, DL; Magee, BH. (1979). CANCER AND INDUSTRIAL CHEMICAL PRODUCTION. *Science WASH D C*.

Human Health Hazard Literature Search Results

On Topic

- Davis, DL; Mandula, B. (1985). Airborne asbestos and public health. *Annu Rev Public Health* 6: 195-221.
<http://dx.doi.org/10.1146/annurev.pu.06.050185.001211>.
- Davis, DR. (1986). The nature and hazards of asbestos. 14: 28-34.
- Davis, GS. (1994). BRONCHOALVEOLAR LAVAGE IN INTERSTITIAL LUNG-DISEASE. *Semin Respir Crit Care Med* 15: 37-60.
- Davis, HV; Reeves, AL. (1971). Collagen biosynthesis in rat lungs during exposure to asbestos. *Am Ind Hyg Assoc J* 32: 599-602.
<http://dx.doi.org/10.1080/0002889718506512>.
- Davis J, MG. (1970). Further observations on the ultrastructure and chemistry of the formation of asbestos bodies. *Exp Mol Pathol* 13: 346-358.
- Davis J, MG. (1974). An electron microscope study of the response of mesothelial cells to the intrapleural injection of asbestos dust. *Br J Exp Pathol* 55: 64-70.
- Davis J, MG. (1974). Ultrastructure of human mesotheliomas. *J Natl Cancer Inst* 52: 1715-1725.
- Davis J, MG. (1976). THE USE OF ANIMAL EXPERIMENTS IN THE STUDY OF ASBESTOS BIO EFFECTS (pp. BERLIN). (HEEP/77/12068). Davis J, MG.
- Davis J, MG. (1979). THE USE OF ANIMAL MODELS FOR STUDIES ON ASBESTOS BIO EFFECTS (pp. NEW YORK). (HEEP/81/09194). Davis J, MG.
- Davis J, MG; Bolton, RE; Brown, DM; Brown, GM; Donaldson, K; Jones, AD; Robertson, MD; Slight, J. (1989). IN-VITRO STUDIES OF LEUKOCYTES LAVAGED FROM THE LUNGS OF RATS FOLLOWING THE INHALATION OF MINERAL DUSTS (pp. SECAUCUS). (Biosis/90/02043). Health and Safety Executive.
- Davis J, MG; Bolton, RE; Garrett, J. (1974). PENETRATION OF CELLS BY ASBESTOS FIBERS. *Environ Health Perspect* 9: 255-260.
- Davis J, MG; Gross, P. (1974). ARE FERRUGINOUS BODIES AN INDICATION OF ATMOSPHERIC POLLUTION BY ASBESTOS (pp. LYON). (HEEP/75/04239). Davis J, MG; Gross, P.
- Davis, JM. (1963). AN ELECTRON MICROSCOPY STUDY OF THE EFFECT OF ASBESTOS DUST ON THE LUNG. *Br J Exp Pathol* 44: 454-464.
- Davis, JM. (1967). The effects of chrysotile asbestos dust on lung macrophages maintained in organ culture. An electron-microscope study. *Br J Exp Pathol* 48: 379-385.
- Davis, JM. (1970). The long term fibrogenic effects of chrysotile and crocidolite asbestos dust injected into the pleural cavity of experimental animals. *Br J Exp Pathol* 51: 617-627.
- Davis, JM. (1971). The calcification of fibrous pleural lesions produced in guinea-pigs by the injection of chrysotile asbestos dust. *Br J Exp Pathol* 52: 238-243.
- Davis, JM. (1971). Epithelial outgrowths from lung tissue following intrapleural injection of asbestos dust in experimental animals. *Int J Cancer* 7: 238-248.
- Davis, JM. (1974). Histogenesis and fine structure of peritoneal tumors produced in animals by injections of asbestos. *J Natl Cancer Inst* 52: 1823-1837.
- Davis, JM. (1975). The use of animal experiments in the study of asbestos bioeffects. 564-574.
- Davis, JM. (1976). Structural variations between pleural and peritoneal mesotheliomas produced in rats by the injection of crocidolite asbestos. 21: 199-210.
- Davis, JM. (1979). The histopathology and ultrastructure of pleural mesotheliomas produced in the rat by injections of crocidolite asbestos. *Br J Exp Pathol* 60: 642-652.
- Davis, JM. (1979). The use of animal models for studies on asbestos bioeffects. *Ann N Y Acad Sci* 330: 795-798.
- Davis, JM. (1981). The biological effects of mineral fibres [Review]. *Ann Occup Hyg* 24: 227-234.
- Davis, JM. (1984). The pathology of asbestos related disease [Review]. *Thorax* 39: 801-808.
- Davis, JM. (1989). Non-occupational exposure to mineral fibres Mineral fibre carcinogenesis: Experimental data relating to the importance of fibre type, size, deposition, dissolution and migration [Review]. In IARC Scientific Publication. Lyon, France: International Agency for Research on Cancer. <http://apps.who.int/bookorders/anglais/detart1.jsp?sesslan=1&codlan=1&codcol=73&codcch=90>.
- Davis, JM. (1994). Other diseases in animals. *Ann Occup Hyg* 38: 581-587, 420.
- Davis, JM. (1994). The role of clearance and dissolution in determining the durability or biopersistence of mineral fibers. *Environ Health Perspect* 102: 113-117.
- Davis, JM; Addison, J; Bolton, RE; Donaldson, K; Jones, AD; Smith, T. (1986). The pathogenicity of long versus short fibre samples of amosite asbestos administered to rats by inhalation and intraperitoneal injection. *Br J Exp Pathol* 67: 415-430.
- Davis, JM; Beckett, ST; Bolton, RE; Donaldson, K. (1980). A comparison of the pathological effects in rats of the UICC reference samples of amosite and chrysotile with those of amosite and chrysotile collected from the factory environment. *IARC Sci Publ* 1: 285-292.
- Davis, JM; Beckett, ST; Bolton, RE; Donaldson, K. (1980). The effects of intermittent high asbestos exposure (peak dose levels) on the lungs of rats. *Br J Exp Pathol* 61: 272-280.
- Davis, JM; Bolton, RE; Brown, D; Tully, HE. (1986). Experimental lesions in rats corresponding to advanced human asbestosis. *Exp Mol Pathol* 44: 207-221.
- Davis, JM; Bolton, RE; Douglas, AN; Jones, AD; Smith, T. (1988). Effects of electrostatic charge on the pathogenicity of chrysotile asbestos. *Br J Ind Med* 45: 292-299.
- Davis, JM; Bolton, RE; Garrett, J. (1974). Penetration of cells by asbestos fibers. *Environ Health Perspect* 9: 255-260.
- Davis, JM; Coniam, SW. (1973). Experimental studies on the effects of heated chrysotile asbestos and automobile brake lining dust injected into the body cavities of mice. *Exp Mol Pathol* 19: 339-353.
- Davis, JM; Jones, AD; Miller, BG. (1991). Experimental studies in rats on the effects of asbestos inhalation coupled with the inhalation of titanium dioxide or quartz. *Int J Exp Pathol* 72: 501-525.
- Davis, JM; McDonald, JC. (1988). Low level exposure to asbestos: is there a cancer risk? [Review]. *Br J Ind Med* 45: 505-508.
- Davis, JMG. (1965). Electron-Microscope Studies of Asbestosis in Man and Animals. *Ann N Y Acad Sci* 132: 98-111.

Human Health Hazard Literature Search Results

On Topic

- Davis, JMG. (1970). Asbestos Dust as a Nucleation Center in the Calcification of Old Fibrous Tissue Lesions, and the Possible Association of This Process to the Formation of Asbestos Bodies. *Exp Mol Pathol* 12: 133-147.
- Davis, JMG. (1974). ELECTRON-MICROSCOPE STUDY OF RESPONSE OF MESOTHELIAL CELLS TO INTRAPLEURAL INJECTION OF ASBESTOS DUST. *Br J Exp Pathol* 55: 64-8.
- Davis, JMG. (1974). STUDY UNDER ELECTRON MICROSCOPE OF EFFECTS OF ASBESTOS DUST ON ALVEOLAR MACROPHAGES. *Rev Fr Mal Respir* 2: 66-71.
- Davis, JMG. (1979). Current Concepts In Asbestos Fiber Pathogenicity (pp. 45-49). (NIOSH/00129971). Davis, JMG.
- Davis, JMG. (1986). A Review of Experimental Evidence for the Carcinogenicity of Man-Made Vitreous Fibers (pp. 12-17). (NIOSH/00164190). Davis, JMG.
- Davis, JMG. (1989). Factors Affecting the Carcinogenicity of Mineral Fibers and Their Relationship to the Synergistic Effects of Tobacco Smoke (pp. 10-14). (NIOSH/00225174). Davis, JMG.
- Davis, JMG. (1993). THE NEED FOR STANDARDIZED TESTING PROCEDURES FOR ALL PRODUCTS CAPABLE OF LIBERATING RESPIRABLE FIBERS - THE EXAMPLE OF MATERIALS BASED ON CELLULOSE. *Br J Ind Med* 50: 187-190.
- Davis, JMG; Addison, J; Bolton, RE; Donaldson, K; Jones, AD. (1986). Inhalation and injection studies in rats using dust samples from chrysotile asbestos prepared by a wet dispersion process. *Br J Exp Pathol* 67: 113-129.
- Davis, JMG; Addison, J; Bolton, RE; Donaldson, K; Jones, AD; Miller, BG. (1985). Inhalation studies on the effects of tremolite and brucite dust in rats. *Carcinogenesis* 6: 667-674. <http://dx.doi.org/10.1093/carcin/6.5.667>.
- Davis, JMG; Addison, J; Mcintosh, C; Miller, BG; Niven, K. (1991). Variations in the carcinogenicity of tremolite dust samples of differing morphology. *Ann N Y Acad Sci* 643: 473-490. <http://dx.doi.org/10.1111/j.1749-6632.1991.tb24497.x>.
- Davis, JMG; Beckett, ST; Bolton, RE; Collings, P. (1985). The Pathological Effects Of Asbestos Clouds Of Different Fibre Dimensions On The Lungs Of Rats (pp. 571-583). (NIOSH/00158294). Davis, JMG; Beckett, ST; Bolton, RE; Collings, P.
- Davis, JMG; Beckett, ST; Bolton, RE; Collings, P; Middleton, AP. (1978). Mass and number of fibres in the pathogenesis of asbestos-related lung disease in rats. *Br J Cancer* 37: 673-688.
- Davis, JMG; Bolton, RE; Cowie, H; Donaldson, K; Gormley, IP; Jones, AD; Wright, A. (1985). Comparisons of the Biological Effects of Mineral Fibre Samples Using In Vitro and In Vivo Assay Systems (pp. 405-411). (NIOSH/00165774). Davis, JMG; Bolton, RE; Cowie, H; Donaldson, K; Gormley, IP; Jones, AD; Wright, A.
- Davis, JMG; Bolton, RE; Miller, BG; Niven, K. (1991). MESOTHELIOMA DOSE-RESPONSE FOLLOWING INTRAPERITONEAL INJECTION OF MINERAL FIBERS. *Int J Exp Pathol* 72: 263-274.
- Davis, JMG; Brown, DM; Cullen, RT; Donaldson, K; Jones, AD; Miller, BG; Mcintosh, C; Searl, A. (1996). A comparison of methods of determining and predicting the pathogenicity of mineral fibers. *Inhal Toxicol* 8: 747-770.
- Davis, JMG; Cowie, HA. (1990). The Relationship between Fibrosis and Cancer in Experimental Animals Exposed to Asbestos and Other Fibers [Review]. *Environ Health Perspect* 88: 305-309.
- Davis, JMG; Donaldson, K. (1993). Respirable Industrial Fibres: Pathology in Animal Models. *Ann Occup Hyg* 37: 227-236.
- Davis, JMG; Jones, AD. (1988). Comparisons of the pathogenicity of long and short fibres of chrysotile asbestos in rats. *Int J Exp Pathol* 69: 717-737.
- Davis, JMG; Jones, AD; Parker, I. (1990). Experimental Studies in Rats on the Effects of Asbestos Inhalation Coupled with the Inhalation of Titanium Dioxide. *Int Arch Occup Environ Health* 61: 1-6.
- Davis, JMG; Jones, AD; Smith, T. (1987). Comparisons of the Pathogenicity of Long and Short Fibres of Chrysotile Asbestos in Rats. (NIOSH/00175445). Davis, JMG; Jones, AD; Smith, T.
- Davis, ML; Dodson, RF. (1985). A scanning electron microscopic study of the early response of lung tissue to amosite asbestos exposure. *Cytobios* 44: 169-182.
- Davis, MR; Manning, LS; Whitaker, D; Garlepp, MJ; Robinson, BW. (1992). Establishment of a murine model of malignant mesothelioma. *Int J Cancer* 52: 881-886.
- Davre, JC; Tabershow, IR. (1970). Thiocyanate in saliva and sputum; relationship to smoking and industrial exposures (pp. 47-49). (HAPAB/70/01300). Davre, JC; Tabershow, IR.
- Dawson, A; Gibbs, A; Browne, K; Pooley, F; Griffiths, M. (1992). Familial mesothelioma. Details of 17 cases with histopathologic findings and mineral analysis [Review]. *Cancer* 70: 1183-1187.
- Dawson, A; Gibbs, AR; Pooley, FD; Griffiths, DM; Hoy, J. (1993). Malignant mesothelioma in women. *Thorax* 48: 269-274.
- Day, R; Lemaire, I; Lemaire, S. (1983). ASBESTOS INDUCED INCREASE IN IMMUNO REACTIVE VASOACTIVE INTESTINAL PEPTIDE LEVELS IN RAT LUNG (pp. 10-15). (HEEP/83/12395). Day, R; Lemaire, I; Lemaire, S.
- Day, R; Lemaire, I; Lemaire, S. (1985). Autacoids and Peptides in Normal and Asbestos-Exposed Rat Lungs: Tissue and Isolated Cell Contents (pp. 337-343). (NIOSH/00165766). Day, R; Lemaire, I; Lemaire, S.
- Day, R; Lemaire, I; Lemaire, S. (1985). LUNG SEROTONIN AND PEPTIDE LEVELS IN EXPERIMENTAL ASBESTOSIS (pp. 21-26). (BIOSIS/85/07207). Day, R; Lemaire, I; Lemaire, S.
- Day, R; Lemaire, I; Masse, S; Lemaire, S. (1985). PULMONARY BOMBESIN IN EXPERIMENTALLY INDUCED ASBESTOSIS IN RATS. *Exp Lung Res* 8: 1-14.
- Day, R; Lemaire, I; Mercier, P; Beaudoin, H; Lemaire, S. (1983). Asbestos-related increase in pulmonary levels of vasoactive intestinal peptide (VIP). *Life Sci* 33: 1869-1876.
- Day, R; Lemaire, S; Nadeau, D; Keith, I; Lemaire, I. (1987). Changes in autacoid and neuropeptide contents of lung cells in asbestos-induced pulmonary fibrosis. *Am Rev Respir Dis* 136: 908-915. <http://dx.doi.org/10.1164/ajrccm/136.4.908>.

Human Health Hazard Literature Search Results

On Topic

- Daya, D; McCaughey W, TE. (1990). Well-differentiated papillary mesothelioma of the peritoneum: A clinicopathologic study of 22 cases. *Cancer PHILA*: 292-296.
- de Assis, LV; Isoldi, MC. (2014). The function, mechanisms, and role of the genes PTEN and TP53 and the effects of asbestos in the development of malignant mesothelioma: a review focused on the genes' molecular mechanisms [Review]. *Tumor Biology* 35: 889-901. <http://dx.doi.org/10.1007/s13277-013-1210-4>.
- de Capitani, EM; Metze, K; Frazato Júnior, C; Altemani, AM; Zambom, L; Toro, IF; Bagatin, E. (1997). [Malignant mesothelioma of the pleura with etiological association to asbestos: report of 3 clinical cases]. *Rev Assoc Med Bras* 43: 265-272.
- De Carvalho, S. (1973). PRODROMAL DYS IMMUNITY IN CANCER. (HEEP/74/02669). De Carvalho, S.
- De Flora, S; Bagnasco, M; Vainio, H. (1999). Modulation of genotoxic and related effects by carotenoids and vitamin A in experimental models: Mechanistic issues [Review]. *Mutagenesis* 14: 153-172. <http://dx.doi.org/10.1093/mutage/14.2.153>.
- de Gennaro, G; Dragonieri, S; Longobardi, F; Musti, M; Stallone, G; Trizio, L; Tutino, M. (2010). Chemical characterization of exhaled breath to differentiate between patients with malignant pleural mesothelioma from subjects with similar professional asbestos exposure. *Anal Bioanal Chem* 398: 3043-3050. <http://dx.doi.org/10.1007/s00216-010-4238-y>.
- De Guire, L; ed. (2003). [The epidemiology of asbestos-related diseases in Quebec] (pp. 2004)). (CIS/04/00341). De Guire, L; ed.
- de Klerk, N; Alfonso, H; Olsen, N; Reid, A; Sleith, J; Hansen, J; Palmer, L; Berry, G; Musk, B. (2011). FAMILIAL ASSOCIATIONS FOR MALIGNANT MESOTHELIOMA AFTER EXPOSURE TO BLUE ASBESTOS. *J Thorac Oncol* 6: S14-S14.
- de Klerk, N; Alfonso, H; Olsen, N; Reid, A; Sleith, J, an; Palmer, L; Berry, G; Musk, AW. (2013). Familial aggregation of malignant mesothelioma in former workers and residents of Wittenoom, Western Australia. *Int J Cancer* 132: 1423-1428. <http://dx.doi.org/10.1002/ijc.27758>.
- de Klerk, N; Alfonso, H; Reid, A; Ambrosini, G; Olsen, N; Berry, G; Musk, B; Palmer, L. (2006). Familial clustering of mesothelioma in subjects exposed to crocidolite at Wittenoom. *Lung Cancer* 54: S1-S1.
- De Klerk, N; Musk, AW; Cookson W, OC; Armstrong, BK; Hobbs M, ST. (1987). ONSET AND PROGRESSION OF DIFFUSE PLEURAL THICKENING AFTER EXPOSURE TO CROCIDOLITE ASBESTOS (pp. 24-26). (BIOSIS/88/06018). De Klerk, N; Musk, AW; Cookson W, OC; Armstrong, BK; Hobbs M, ST.
- De Klerk, NH; Armstrong, BK. (1992). The Epidemiology of Asbestos and Mesothelioma. *D*: 223-250.
- de Klerk, NH; Armstrong, BK; Musk, AW; Hobbs, MS. (1989). Predictions of future cases of asbestos-related disease among former miners and millers of crocidolite in Western Australia. *Med J Aust* 151: 616-620.
- de Klerk, NH; Armstrong, BK; Musk, AW; Hobbs, MST. (1989). Cancer mortality in relation to measures of occupational exposure to crocidolite at Wittenoom Gorge in Western Australia. *Br J Ind Med* 46: 529-536. <http://dx.doi.org/10.1136/oem.46.8.529>.
- de Klerk, NH; Cookson, WO; Musk, AW; Armstrong, BK; Glancy, JJ. (1989). Natural history of pleural thickening after exposure to crocidolite. *Br J Ind Med* 46: 461-467.
- de Klerk, NH; Musk, AW; Armstrong, BK; Hobbs, MS. (1991). Smoking, exposure to crocidolite, and the incidence of lung cancer and asbestosis. *Br J Ind Med* 48: 412-417.
- de Klerk, NH; Musk, AW; Cookson, WO; Glancy, JJ; Hobbs, MS. (1993). Radiographic abnormalities and mortality in subjects with exposure to crocidolite. *Br J Ind Med* 50: 902-906.
- De Klerk, NH; Musk, AW; Eccles, JL; Glancy, JJ; Pang, SC; Hobbs, MST. (1994). Non-malignant Pleuro-pulmonary Disease and the Development of Malignant Mesothelioma in Western Australian Crocidolite Workers (pp. 23-25). (NIOSH/00223980). De Klerk, NH; Musk, AW; Eccles, JL; Glancy, JJ; Pang, SC; Hobbs, MST.
- de Klerk, NH; Musk, AW; Eccles, JL; Hansen, J; Hobbs, MS. (1996). Exposure to crocidolite and the incidence of different histological types of lung cancer. *Occup Environ Med* 53: 157-159.
- De Klerk, NH; Musk, AW; Eccles, JL; Hobbs, MST. (1993). Contributions of Asbestos, Alcohol and Smoking to Deaths in Subjects Occupationally Exposed to Crocidolite at Wittenoom Gorge (pp. 14-17). (NIOSH/00222001). De Klerk, NH; Musk, AW; Eccles, JL; Hobbs, MST.
- De Kraay, WH. (1985). Malignant mesothelioma. *WMJ* 84: 32-34.
- de La Provôté, S; Desoubreux, N; Paris, C; Letourneux, M; Raffaelli, C; Galateau-Salle, F; Gignoux, M; Launoy, G. (2002). Incidence of digestive cancers and occupational exposure to asbestos. *Eur J Cancer Prev* 11: 523-528.
- De La Provoté, S; Desoubreux, N; Paris, C; Raffaelli, C; Galateau-Salle, F; Letourneux, M; Launoy, G. (2000). [Screening for colorectal cancer in persons with occupational exposure to asbestos]. *Gastroenterol Clin Biol* 24: 637.
- de Lajartre, M; de Lajartre, AY. (1979). Mesothelioma on the coast of Brittany, France. *Ann N Y Acad Sci* 330: 323-332.
- De Lange, LK. (1984). Occupational Lung Hazards (pp. 35-36). (NIOSH/00145678). De Lange, LK.
- De Matteis, S; Consonni, D; Lubin, J; Tucker, M; Peters, S; Vermeulen, RCH; Kromhout, H; Bertazzi, PA; Caporaso, NE; Pesatori, AC; Wacholder, S; Landi, MT. (2012). Impact of occupational carcinogens on lung cancer risk in a general population. *Int J Epidemiol* 41: 711-721. <http://dx.doi.org/10.1093/ije/dys042>.
- De Pangher MANZINI, V. (1993). Benign asbestos pleural effusion: 3 cases reported (pp. 67-72). (BIOSIS/94/35984). De Pangher MANZINI, V.
- de Pangher Manzini, V. (2005). Malignant peritoneal mesothelioma. *Tumori* 91: 1-5.
- De Pangher Manzini, V; Brollo, A; Franceschi, S; De Mattheis, M; Talamini, R; Bianchi, C. (1993). Prognostic factors of malignant mesothelioma of the pleura. *Cancer* 72: 410-417.
- De Pangher MANZINI, V; Calucci, F; Turisani, M; Loru, F. (1992). Asbestos-related malignant peritoneal mesothelioma: A case report (pp. 25-29). (BIOSIS/93/06327). De Pangher MANZINI, V; Calucci, F; Turisani, M; Loru, F.
- de Ridder, GG; Kraynie, A; Pavlisko, EN; Oury, TD; Roggli, VL. (2016). Asbestos content of lung tissue in patients with malignant peritoneal mesothelioma: A study of 42 cases. *Ultrastruct Pathol* 40: 134-141. <http://dx.doi.org/10.3109/01913123.2016.1170085>.

Human Health Hazard Literature Search Results

On Topic

- de Sá, PM; Castro, HA; Lopes, AJ; Melo, PL. (2016). Early Diagnosis of Respiratory Abnormalities in Asbestos-Exposed Workers by the Forced Oscillation Technique. *PLoS ONE* 11: e0161981. <http://dx.doi.org/10.1371/journal.pone.0161981>.
- De Stefani, E; Boffetta, P; Brennan, P; Deneo-Pellegrini, H; Ronco, A; Gutiérrez, LP. (2005). Occupational exposures and risk of adenocarcinoma of the lung in Uruguay. *Cancer Causes Control* 16: 851-856. <http://dx.doi.org/10.1007/s10552-005-2819-4>.
- De Stefani, E; Boffetta, P; Oreggia, F; Ronco, A; Kogevinas, M; Mendilaharsu, M. (1998). Occupation and the risk of laryngeal cancer in Uruguay. *Am J Ind Med* 33: 537-542. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199806\)33:6<537::AID-AJIM3>3.0.CO;2-N](http://dx.doi.org/10.1002/(SICI)1097-0274(199806)33:6<537::AID-AJIM3>3.0.CO;2-N).
- De Stefani, E; Kogevinas, M; Boffetta, P; Ronco, A; Mendilaharsu, M. (1996). Occupation and the risk of lung cancer in Uruguay. *Scand J Work Environ Health* 22: 346-352.
- De Vos Irvine, H; Lamont, DW; Hole, DJ; Gillis, CR. (1993). Asbestos and lung cancer in Glasgow and the west of Scotland. *BMJ* 306: 1503-1506.
- De Vuyst, P; Dumortier, P; Gevenois, PA. (1997). Analysis of asbestos bodies in BAL from subjects with particular exposures. *Am J Ind Med* 31: 699-704.
- De Vuyst, P; Dumortier, P; Jacobovitz, D; Emri, S; Cöplü, L; Baris, YI. (1994). Environmental asbestosis complicated by lung cancer. *Chest* 105: 1593-1595.
- de Vuyst, P; Dumortier, P; Léophonte, P; Weyer, RV; Yernault, JC. (1987). Mineralogical analysis of bronchoalveolar lavage in talc pneumoconiosis. *Eur J Respir Dis* 70: 150-156.
- De Vuyst, P; Dumortier, P; Moulin, E; Yourassowsky, N; Roomans, P; de Francquen, P; Yernault, JC. (1988). Asbestos bodies in bronchoalveolar lavage reflect lung asbestos body concentration. *Eur Respir J* 1: 362-367.
- De Vuyst, P; Dumortier, P; Moulin, E; Yourassowsky, N; Yernault, JC. (1987). Diagnostic value of asbestos bodies in bronchoalveolar lavage fluid. *Am Rev Respir Dis* 136: 1219-1224. <http://dx.doi.org/10.1164/ajrccm/136.5.1219>.
- De Vuyst, P; Dumortier, P; Thimpont, J; Gevenois, PA. (2001). Respiratory diseases due to asbestos. *Encyclopedie Medico-Chirurgicale Toxicologie - Pathologie Professionnelle die m and eacute*.
- de Vuyst, P; Dumortier, P; Vande Weyer, R; Walravens, C; Rocmans, P; Ketelbant, P; Yernault, JC. (1985). [The diagnostic value of asbestos bodies in mesotheliomas]. *Rev Mal Respir* 2: 295-299.
- De Vuyst, P; Dumortier, P; Vande Weyer, R; Yernault, JC. (1992). Clinical utility of asbestos bodies in BAL fluid [Letter]. *Am Rev Respir Dis* 145: 1513-1514. <http://dx.doi.org/10.1164/ajrccm/145.6.1513>.
- De Vuyst, P; Dumortier, P; Weyer, RV; Yernault, JC. (1987). ASBESTOS BODIES IN BRONCHOALVEOLAR LAVAGE FLUID (pp. 15-18). (BIOSIS/87/21452). De Vuyst, P; Dumortier, P; Weyer, RV; Yernault, JC.
- De Vuyst, P; Gevenois, PA; Van Muylem, A; Yernault, JC. (2004). Changing patterns in asbestos-induced lung disease [Letter]. *Chest* 126: 999. <http://dx.doi.org/10.1378/chest.126.3.999>.
- De Vuyst, P; Jedwab, J; Dumortier, P; Vandermoten, G; Vande Weyer, R; Yernault, JC. (1982). Asbestos bodies in bronchoalveolar lavage. *Am Rev Respir Dis* 126: 972-976. <http://dx.doi.org/10.1164/arrd.1982.126.6.972>.
- De Vuyst, P; Jedwab, J; J-C, Y. (1984). MINERALOGICAL ANALYSIS OF BRONCHO ALVEOLAR LAVAGE FLUID AS AN AID TO THE DIAGNOSIS OF OCCUPATIONAL LUNG DISEASE (pp. NEW YORK). (HEEP/85/00843). De Vuyst, P; Jedwab, J; Yernault J-C.
- de Vuyst, P; Jedwab, J; Robience, Y; Yernault, JC. (1982). "Oxalate bodies", another reaction of the human lung to asbestos inhalation? *Eur J Respir Dis* 63: 543-549.
- De Vuyst, P; Jedwab, J; Schandevyl, W; Robience, Y; Vandermoten, G; Vande WEYER, R; De Coster, A; Yernault, JC. (1981). BRONCHO ALVEOLAR LAVAGE AS AN AID IN THE DIAGNOSIS OF ASBESTOS RELATED DISEASES (pp. 2-5). (HEEP/83/04250). De Vuyst, P; Jedwab, J; Schandevyl, W; Robience, Y; Vandermoten, G; Vande WEYER, R; De Coster, A; Yernault, JC.
- De Vuyst, P; Jedwab, J; Yernault, JC. (1982). MINERALOGICAL ANALYSIS OF BRONCHO ALVEOLAR LAVAGE FLUID IN INTERSTITIAL LUNG DISEASE (pp. 9-10). (HEEP/83/05566). De Vuyst, P; Jedwab, J; Yernault, JC.
- De Vuyst, P; Mairesse, M; Gaudichet, A; Dumortier, P; Jedwab, J; Yernault, JC. (1983). Mineralogical analysis of bronchoalveolar lavage fluid as an aid to diagnosis of "imported" pleural asbestosis. *Thorax* 38: 628-629.
- De Vuyst, P; Missouni, A; Van Muylem, A; Rocmans, P; Dumortier, P. (1997). SYSTEMATIC ASBESTOS BODIES COUNTING IN LUNG SPECIMENS RESECTED FOR LUNG CANCER (pp. 20-24). (BIOSIS/98/15003). De Vuyst, P; Missouni, A; Van Muylem, A; Rocmans, P; Dumortier, P.
- De Vuyst, P; Pfitzenmeyer, P; Camus, P. (1997). Asbestos, ergot drugs and the pleura [Review]. *Eur Respir J* 10: 2695-2698.
- De Vuyst, P; Rummelink, M; Mekinda, Z; Thimpont, J; Dumortier, P; Gevenois, PA. (2012). [Asbestosis still exists...]. *Rev Mal Respir* 29: 1127-1131. <http://dx.doi.org/10.1016/j.rmr.2012.04.008>.
- De Vuyst, P; Vande WEYER, R; Walravens, C; Dumortier, P; Yernault, JC. (1984). MESOTHELIOMA AND ASBESTOS EXPOSURE INTEREST OF MINERALOGICAL ANALYSES (pp. 16-22). (HEEP/85/07581). De Vuyst, P; Vande WEYER, R; Walravens, C; Dumortier, P; Yernault, JC.
- De Waele, JK; Adams, FC; Vermeire, PA; Neuberger, M. (1986). LASER MICROPROBE MASS ANALYSIS FOR THE IDENTIFICATION OF ASBESTOS FIBERS IN LUNG TISSUE AND BRONCHO-ALVEOLAR WASHING FLUID. *Mikrochim Acta* 3: 3-4.
- De Zotti, R; Barbati, G; Negro, C. (2013). [Autopsy findings and pleural plaques in the Malignant Mesothelioma (MM) Regional Register of Friuli-Venezia-Giulia]. *Med Lav* 104: 55-66.
- De Zotti, R; Fiorito, A. (2007). A case of malignant mesothelioma in a rice-starch factory. *Int Arch Occup Environ Health* 80: 743-745. <http://dx.doi.org/10.1007/s00420-007-0184-1>.
- Dean, JH; Boorman, GA; Luster, MI; Adkins B, J. R.; Lauer, LD; Adams, DO. (1984). EFFECT OF AGENTS OF ENVIRONMENTAL CONCERN ON MACROPHAGE FUNCTIONS (pp. NEW YORK). (BIOSIS/85/09915). Dean, JH; Boorman, GA; Luster, MI; Adkins B, , JR; Lauer, LD; Adams, DO.
- Dean, RT; Hylton, W; Allison, AC. (1979). Lysosomal enzyme secretion by macrophages during intracellular storage of particles. *Biochim Biophys Acta* 584: 57-65.

Human Health Hazard Literature Search Results

On Topic

- Dearwent, SM; Mumtaz, M; Godfrey, G; Sinks, T; Falk, H. (2006). Health Effects of Hazardous Waste. *Ann N Y Acad Sci* 1076: 439-448. <http://dx.doi.org/10.1196/annals.1371.043>.
- Decker H-J, H; Li, FP; Bixenman, HA; Sandberg, AA. (1990). CHROMOSOME 3 AND 12P REARRANGED IN A WELL-DIFFERENTIATED PERITONEAL MESOTHELIOMA. *Cancer Genet Cytogenet* 46: 135-138.
- Deitmer, T. (1989). [Tumors of the inner nose and paranasal sinuses due to asbestos exposure?]. *Strahlenther Onkol* 165: 444-446.
- Deitmer, T. (1990). ASBESTOS AND LARYNGEAL CARCINOMA (pp. 589-594). (BIOSIS/91/07371). Deitmer, T.
- Deitmer, T. (1990). [Laryngeal carcinoma and asbestos exposure. A critical review of the literature] [Review]. *Laryngorhinootologie* 69: 589-594. <http://dx.doi.org/10.1055/s-2007-998259>.
- Deitmer, T. (1992). [Legal cases on the correlation between exposure to asbestos fiber dust and laryngeal cancer]. *Laryngorhinootologie* 71: 491-494. <http://dx.doi.org/10.1055/s-2007-997340>.
- Deitmer, T; Borsch-Galetke, E. (1993). [Nose and paranasal sinus malignancies with reference to occupational medicine aspects. A case study]. *HNO* 41: 352-355.
- Deitmer, T; Wiener, C. (1996). Is There an Occupational Etiology of Inverted Papilloma of the Nose and Sinuses? (pp. 762-765). (NIOSH/00233363). Deitmer, T; Wiener, C.
- DEKLERK. (1990). CANCER MORTALITY AND EXPOSURE TO CROCIDOLITE - REPLY. *Br J Ind Med* 47: 286-286.
- Deklerk, NH; Armstrong, BK; Musk, WA; Hobbs, MST. (1988). CROCIDOLITE EXPOSURE AT WITTENOOM AND SUBSEQUENT DEVELOPMENT OF MALIGNANT MESOTHELIOMA. *Community Health Stud* 12: 472-472.
- Del Vecchio, M; Fusco, M; Pennarola, R; Barbieri, F; Cecio, A. (1974). First finding of asbestos particles in the cerebrospinal fluid. Study conducted with various optical microscopy techniques in a case of pulmonary asbestosis with central nervous system lesions. *Boll Soc Ital Biol Sper* 48: 1068-1070.
- Delahunty, TJ; Hollander, D. (1987). Toxic effect on the rat small intestine of chronic administration of asbestos in drinking water. *Toxicol Lett* 39: 205-209.
- Delclos, GL; Buffler, PA; Greenberg, SD; Key, MM; Perrotta, DM; Alexander, C; Wilson, RK. (1989). Asbestos-associated disease: a review [Review]. *Tex Med* 85: 50-59.
- Delclos, GL; Flitcraft, DG; Brousseau, KA; Rodriguez, TM; Wilson, RK; Lawrence, EC. (1987). BRONCHOALVEOLAR LAVAGE ANALYSIS AND QUANTITATIVE GALLIUM LUNG SCANNING IN ASBESTOSIS (pp. 10-13). (BIOSIS/87/23719). Delclos, GL; Flitcraft, DG; Brousseau, KA; Rodriguez, TM; Wilson, RK; Lawrence, EC.
- Delclos, GL; Flitcraft, DG; Brousseau, KP; Windsor, NT; Nelson, DL; Wilson, RK; Lawrence, EC. (1989). Bronchoalveolar lavage analysis, gallium-67 lung scanning and soluble interleukin-2 receptor levels in asbestos exposure. *Environ Res* 48: 164-178.
- Delclos, GL; Wilson, RK. (1988). PLEURAL PLAQUES AND RESPIRATORY FUNCTION IN REFERRED ASBESTOS WORKERS (pp. 8-11). (BIOSIS/88/21270). Delclos, GL; Wilson, RK.
- Delclos, GL; Wilson, RK; Bradley, BL. (1988). THE INFLUENCE OF SMOKING ON RADIOGRAPHIC PROFUSION IN ASBESTOS-EXPOSED SUBJECTS (pp. 3-7). (BIOSIS/89/02653). Delclos, GL; Wilson, RK; Bradley, BL.
- Delclos, GL; Wilson, RK; Bradley, BL. (1990). Influence of smoking on radiographic profusion and pleural changes in asbestos-exposed subjects. *J Occup Med* 32: 577-581.
- Delfino, R; Ernst, P; Bourbeau, J. (1989). Relationship of lung geometry to the development of pleural abnormalities in insulation workers exposed to asbestos. *Am J Ind Med* 15: 417-425.
- Delfino, RJ; Anton-Culver, H; Saltzstein, SL. (1995). Gender-related differences in the distribution of thoracic versus abdominal malignant mesothelioma. *Cancer Detect Prev* 19: 301-307.
- Dell, DM; Bohnker, BK; Muller, JG; Philippi, AF; Litow, FK; Rudolph, WG; Hernandez, JE; Hiland, DA. (2006). Navy Asbestos Medical Surveillance Program 1990-1999: demographic features and trends in abnormal radiographic findings. *Mil Med* 171: 717-722.
- Dell, L; Teta, MJ. (1995). Mortality among workers at a plastics manufacturing and research and development facility: 1946-1988. *Am J Ind Med* 28: 373-384. <http://dx.doi.org/10.1002/ajim.4700280307>.
- Dell, LD; Teta, MJ. (1993). MORTALITY AMONG WORKERS AT A PLASTICS MANUFACTURING AND RESEARCH AND DEVELOPMENT FACILITY 1946-1988 (pp. 16-18). (BIOSIS/94/08034). Dell, LD; Teta, MJ.
- Delpierre, S; Delvolgo-Gori, MJ; Faucher, M; Jammes, Y. (2002). High prevalence of reversible airway obstruction in asbestos-exposed workers. *Arch Environ Health* 57: 441-445. <http://dx.doi.org/10.1080/00039890209601435>.
- Deluca, SA; Rhea, JT. (1986). Pleural mesothelioma. *Am Fam Physician* 33: 103-104.
- Delva, F; Andujar, P; Lacourt, A; Brochard, P; Pairon, JC. (2015). [Occupational risk factors for lung cancer] [Review]. *Rev Mal Respir* 33: 444-459. <http://dx.doi.org/10.1016/j.rmr.2015.10.003>.
- Dement, J. (1900). Asbestos Dust and Preliminary Industrial Survey at World-Bestos the Firestone Tire and Rubber Company in New Castle, Indiana. (NIOSH/00106261). Dement, J.
- Dement, J. (1973). Industrial Hygiene Survey of HITCO, Atlanta, Georgia. (NIOSH/00051165). Dement, J.
- Dement, J; Shuler, P. (1972). Special Asbestos Dust and Preliminary Industrial Hygiene Survey at Abex Corporation American Brakeblok Division, Winchester, Virginia. (NIOSH/00105099). Dement, J; Shuler, P.
- Dement, J; Welch, L; Haile, E; Myers, D. (2009). Mortality among sheet metal workers participating in a medical screening program. *Am J Ind Med* 52: 603-613. <http://dx.doi.org/10.1002/ajim.20725>.
- Dement, JM. (1971). Asbestos Dust and Preliminary Industrial Hygiene Survey Raybestos-Manhattan, Manheim, Pennsylvania. (NIOSH/00105085). Dement, JM.

Human Health Hazard Literature Search Results

On Topic

- Dement, JM. (1972). Air Sampling and Industrial Hygiene Survey at Genuine Parts Company, Rayloc Division, in Atlanta, Georgia. (NIOSH/00106156). Dement, JM.
- Dement, JM. (1972). Results of U.S.P.H.S. Survey at World-Bestos, Firestone Friction Plant, New Castle, Indiana. (NIOSH/00105345). Dement, JM.
- Dement, JM. (1972). U.S.P.H.S. Survey, Cincinnati Municipal Garage, Automobile Brake Servicing Operation, Cincinnati, Ohio, Report No. IHS-32-11 (pp. 32-11). (NIOSH/00142991). Dement, JM.
- Dement, JM. (1978). Asbestiform Minerals In Industrial Talcs: Commercial Definitions Versus Industrial Hygiene Reality (pp. Definitions and Measurement Methods). (NIOSH/00145907). Dement, JM.
- Dement, JM. (1981). Epidemiology of Asbestos Related Diseases. (NIOSH/00192306). Dement, JM.
- Dement, JM. (1983). Talc and Asbestos Mortality Studies (pp. 183-210). (NIOSH/00213853). Dement, JM.
- Dement, JM. (1991). CARCINOGENICITY OF CHRYSOTILE ASBESTOS EVIDENCE FOR COHORT STUDIES (pp. EXPOSURE TO ASBESTOS IN PLACE: PUBLIC HEALTH CONTROL; CONFERENCE). (BIOSIS/93/34917). Dement, JM.
- Dement, JM. (1991). Carcinogenicity of chrysotile asbestos: a case control study of textile workers. *Cell Biol Toxicol* 7: 59-65.
- Dement, JM. (1991). Carcinogenicity of chrysotile asbestos: evidence from cohort studies [Review]. *Ann N Y Acad Sci* 643: 15-23.
- Dement, JM. (1994). Chrysotile asbestos exposure: cancer and lung disease risks. *New Solutions: A Journal of Environmental and Occupational Health Policy* 4: 5-8. <http://dx.doi.org/10.2190/NS4.4.b>.
- Dement, JM; Brown, DP. (1994). Cohort Mortality and Case-Control Studies of White Male Chrysotile Asbestos Textile Workers (pp. Asbestos and Cancers). (NIOSH/00224027). Dement, JM; Brown, DP.
- Dement, JM; Brown, DP. (1994). Lung cancer mortality among asbestos textile workers: a review and update. *Ann Occup Hyg* 38: 525-532, 412.
- Dement, JM; Brown, DP. (1998). Cohort mortality and case-control studies of white male chrysotile asbestos textile workers. *J Clean Technol, Environ Toxicol, Occup Med* 7: 413-419.
- Dement, JM; Brown, DP; Okun, A. (1994). Follow-up study of chrysotile asbestos textile workers: cohort mortality and case-control analyses. *Am J Ind Med* 26: 431-447.
- Dement, JM; Harris, RL, Jr; Symons, MJ; Shy, C. (1982). Estimates of dose-response for respiratory cancer among chrysotile asbestos textile workers. *Ann Occup Hyg* 26: 869-887.
- Dement, JM; Harris, RL, Jr; Symons, MJ; Shy, CM. (1983). Exposures and mortality among chrysotile asbestos workers Part II: mortality. *Am J Ind Med* 4: 421-433.
- Dement, JM; Jr, HR. (1979). Estimates of Pulmonary and Gastrointestinal Deposition for Occupational Fiber Exposures (pp. 79-135). (NIOSH/00091510). Dement, JM; Harris RL Jr.
- Dement, JM; Merchant, JA; Green, FHY. (1986). Asbestosis. *Environ Res* 43: 97-103.
- Dement, JM; Ringen, K; Welch, LS; Bingham, E; Quinn, P. (2009). Mortality of older construction and craft workers employed at Department of Energy (DOE) nuclear sites. *Am J Ind Med* 52: 671-682. <http://dx.doi.org/10.1002/ajim.20729>.
- Dement, JM; Welch, L; Bingham, E; Cameron, B; Rice, C; Quinn, P; Ringen, K. (2003). Surveillance of respiratory diseases among construction and trade workers at Department of Energy nuclear sites. *Am J Ind Med* 43: 559-573. <http://dx.doi.org/10.1002/ajim.10226>.
- Dement, JM; Welch, L; Ringen, K; Bingham, E; Quinn, P. (2010). Airways obstruction among older construction and trade workers at Department of Energy nuclear sites. *Am J Ind Med* 53: 224-240. <http://dx.doi.org/10.1002/ajim.20792>.
- Dement, JM; Zumwalde, RD. (1977). Industrial Hygiene Study of the Gouverneur Talc Company, Number One Mine and Mill in Balmat, New York (pp. 45). (NIOSH/00106054). Dement, JM; Zumwalde, RD.
- Demers, PA; Stellman, SD; Colin, D; Boffetta, P. (1998). Nonmalignant respiratory disease mortality among woodworkers participating in the American Cancer Society Cancer Prevention Study-II (CPS-II). *Am J Ind Med* 34: 238-243.
- Demers, R. (1991). Overview of radon, lead and asbestos exposure [Review]. *Am Fam Physician* 5: 515-615.
- Demers, RY; Burns, PB; Swanson, GM. (1994). Construction occupations, asbestos exposure, and cancer of the colon and rectum. *J Occup Med* 36: 1027-1031.
- Demers, RY; Neale, AV; Robins, T; Herman, SC. (1990). Asbestos-related pulmonary disease in boilermakers. *Am J Ind Med* 17: 327-339. <http://dx.doi.org/10.1002/ajim.4700170305>.
- Demir, M; Kaya, H; Taylan, M; Ekinci, A; Yilmaz, S; Teke, F; Sezgi, C; Tanrikulu, AC; Meteroglu, F; Senyigit, A. (2016). Evaluation of New Biomarkers in the Prediction of Malignant Mesothelioma in Subjects with Environmental Asbestos Exposure. *Lung* 194: 409-417. <http://dx.doi.org/10.1007/s00408-016-9868-1>.
- Demirag, F; Unsal, E; Tastepe, I. (2007). Biphasic malignant mesothelioma cases with osseous differentiation and long survival: a review of the literature [Review]. *Lung Cancer* 57: 233-236. <http://dx.doi.org/10.1016/j.lungcan.2007.01.033>.
- Demiroglu, H. (1998). Nonoccupational exposure to chrysotile asbestos and the risk of lung cancer [Letter]. *N Engl J Med* 339: 999-1000.
- Demopoulos, HB. (1983). UNACCOUNTED VARIABLES IN HYPOTHESIZED ASBESTOS CARCINOGENESIS. *Scand J Work Environ Health* 9: 59-59.
- Demy, NG; Adler, H. (1967). Asbestosis and Malignancy. *AJR Am J Roentgenol* 100: 27-30.
- Deng, JF; Sinks, T; Elliot, L; Smith, D; Singal, M; Fine, L. (1991). Characterisation of respiratory health and exposures at a sintered permanent magnet manufacturer. *Br J Ind Med* 48: 609-615.
- Deng, JJ; Dong, FQ; Wang, LM; Gan, SY; Liu, J; Zeng, YL. (2011). [Comparative study of the cytotoxicity induced by chrysotile asbestos, rock wool and substitute fibers in vitro]. *Zhonghua Lao Dong Wei Sheng Zhi Ye Bing Za Zhi* 29: 535-537.
- Deng, Q; Wang, X; Wang, M; Lan, Y. (2012). Exposure-response relationship between chrysotile exposure and mortality from lung cancer and asbestosis. *Occup Environ Med* 69: 81-86. <http://dx.doi.org/10.1136/oem.2011.064899>.
- Denizeau, F; Marion, M; Chevalier, G; Cote, MG. (1985). Genotoxicity of dimethylnitrosamine in the presence of chrysotile asbestos UICC B and xonotlite. *Carcinogenesis* 6: 1815-1817.

Human Health Hazard Literature Search Results

On Topic

- Denizeau, F; Marion, M; Chevalier, G; Cote, MG. (1985). ULTRASTRUCTURAL STUDY OF MINERAL FIBER UPTAKE BY HEPATOCYTES IN-VITRO. *Toxicol Lett AMST*: 2-3.
- Denizeau, F; Marion, M; Chevalier, G; Côté, MG. (1985). Inability of chrysotile asbestos fibers to modulate the 2-acetylaminofluorene-induced UDS in primary cultures of rat hepatocytes. *Mutat Res* 155: 83-90.
- Denizeau, F; Marion, M; Fleury, J; Chevalier, G; Cote, MG. (1984). 2-ACETYLAMINOFLUORENE-INDUCED UDS IN THE PRESENCE OF CHRYSOTILE ASBESTOS FIBERS. *Environ Mutagen* 6: 427-428.
- Denizeau, F; Marion, M; Fleury, J; Chevalier, G; Cote, MG. (1985). Genotoxic Effects of Natural and Man-Made Mineral Fibers. Third International Workshop: 1985/1985.
- Depasse, J. (1982). INFLUENCE OF THE SIALIC-ACID CONTENT OF THE MEMBRANE ON ITS SUSCEPTIBILITY TO CHRYSOTILE. *Environ Res* 27: 384-388.
- Dernevik, L. (1985). Exogenous particles in lymph nodes in patients with shrinking pleuritis with atelectasis. *Thorax* 40: 948-951.
- Dernevik, L. (1987). [Atelectatic pleural shrinking--a benign round mass in the lung in patients exposed to asbestos]. *Lakartidningen* 84: 2116-2118.
- Dernevik, L. (1989). Shrinking pleuritis with atelectasis [Editorial]. *Am J Ind Med* 16: 451-454.
- Dernevik, L; Gatzinsky, P. (1987). Pathogenesis of shrinking pleuritis with atelectasis--"rounded atelectasis". *Eur J Respir Dis* 71: 244-249.
- Derosa, R; Eliseo, V. (1964). [KONOMETRIC DETERMINATIONS IN AN AMIANTHUS MANUFACTURING PLANT]. *Folia Med(Napoli)* 47: 198-205.
- Derosa, R; Eliseo, V; Lordi, B. (1964). [ON MORBIDITY OF WORKERS IN A FACTORY FOR THE MANUFACTURE OF PRODUCTS MADE OF ASBESTOS-CEMENT]. *Folia Med(Napoli)* 47: 463-481.
- Derosa, R; Eliseo, V; Mole, R; Sessa, G. (1964). [RESPIRATORY APPARATUS IN PERSONS EMPLOYED IN ASBESTOS WORK]. *Folia Med(Napoli)* 47: 637-655.
- Desai, DC; Swaroop, VS; Mohandas, KM; Dhir, V; Nagral, A; Krishnamurthy, S. (1990). Primary peritoneal mesothelioma. *Indian J Gastroenterol* 9: 241.
- Desai, R; Hext, P; Richards, R. (1975). The prevention of asbestos-induced hemolysis. *Life Sci* 16: 1931-1938.
- Desai, R; Richards, RJ. (1983). Effects of chrysotile on a lysosomal enzyme preparation and on the hydrolytic enzyme activity of cultured alveolar macrophages. *Environ Health Perspect* 51: 125-130.
- Deschamps, F; Barouh, M; Deslee, G; Prevost, A; Munck, JN. (2006). Estimates of work-related cancers in workers exposed to carcinogens. *Occup Med (Lond)* 56: 204-209. <http://dx.doi.org/10.1093/occmed/kqj038>.
- Deshazo, RD. (1982). Current concepts about the pathogenesis of silicosis and asbestosis [Review]. *J Allergy Clin Immunol* 70: 41-49.
- Deshazo, RD; Daul, CB; Morgan, JE; Diem, JE; Hendrick, DJ; Bozelka, BE; Stankus, RP; Jones, R; Salvaggio, JE; Weill, H. (1986). Immunologic investigations in asbestos-exposed workers. *Chest* 89: 1625-1655.
- Deshazo, RD; Daul, CB; Morgan, JE; Diem, JE; Hendrick, DJ; Bozelka, BE; Stankus, RP; Jones, R; Salvaggio, JE; Weill, H. (1986). IMMUNOLOGICAL INVESTIGATIONS IN ASBESTOS-EXPOSED WORKERS. *Chest* 89: S162-S165.
- Deshazo, RD; Diem, JE; Banks, D; Chapman, Y; Bozelka, B; Dodson, R. (1986). Asbestos inhibits natural killer cell response to interferon. 34: 220A.
- Deshazo, RD; Diem, JE; Jones, RN; Kiratikanont, P; Banks, DE; Chapman, Y; Weill, H. (1986). NATURAL KILLER CELL ACTIVITY IN ASBESTOS EXPOSED POPULATIONS (pp. 11-14). (ISSN 0003-0805 BIOSIS/86/27899). Deshazo, RD; Diem, JE; Jones, RN; Kiratikanont, P; Banks, DE; Chapman, Y; Weill, H.
- Deshazo, RD; Hendrick, DJ; Diem, JE; Nordberg, JA; Baser, Y; Bevier, D; Jones, RN; Barkman, HW; Salvaggio, JE; Weill, H. (1983). Immunologic aberrations in asbestos cement workers: Dissociation from asbestosis. *J Allergy Clin Immunol* 72: 454-461. [http://dx.doi.org/10.1016/0091-6749\(83\)90581-X](http://dx.doi.org/10.1016/0091-6749(83)90581-X).
- Deshazo, RD; Hendrick, DJ; Diem, JE; Nordberg, JN; Baser, Y; Bevier, D; Jones, RN; Barkman, W; Salvaggio, JE; Weill, H. (1983). DISSOCIATION BETWEEN IMMUNOLOGICAL ABNORMALITIES AND CHEST DISEASE IN ASBESTOS WORKERS. *J Allergy Clin Immunol* 71: 136-136.
- Deshazo, RD; Morgan, J; Bozelka, B; Chapman, Y. (1988). Natural killer cell activity in asbestos workers. Interactive effects of smoking and asbestos exposure. *Chest* 94: 482-485.
- Deshazo, RD; Nordberg, J; Baser, Y; Bozelka, B; Weill, H; Salvaggio, J. (1983). Analysis of depressed cell-mediated immunity in asbestos workers. *J Allergy Clin Immunol* 71: 418-424.
- Deshazo, RD; Nordberg, J; Baser, Y; Salvaggio, JE; Weill, H. (1982). ANALYSIS OF DEPRESSED CELL MEDIATED IMMUNITY IN ASBESTOS WORKERS BY MONO CLONAL ANTIBODIES REPRODUCTION OF IN-VIVO ABNORMALITIES IN-VITRO (pp. 7-10). (HEEP/84/04208). Deshazo, RD; Nordberg, J; Baser, Y; Salvaggio, JE; Weill, H.
- Desoubeaux, N; Bouvier, V; Gervais, R; Galateau-Salle, F; Thibon, P; Leplumey, T; Herbert, C; Lecherbonnier, Y; Daviet, JP; Letourneux, M. (2001). [Malignant mesothelioma in Basse-Normandie, a French population study. Descriptive analysis, prognostic factors and survival]. *Rev Epidemiol Sante Publique* 49: 523-529.
- Deweese, DN. (1987). Asbestos Risk Assessment: The Ontario Royal Commission View (pp. 216-227). (NIOSH/00170709). Deweese, DN.
- Dhawan, N; Liu, G; Soberanes, S; Ulrich, D; Chiarella, SE; Chandel, N; Mutlu, GM; Budinger, G; Kamp, DW. (2008). P53-dependent transcription of noxa mediates asbestos-induced alveolar epithelial cell apoptosis. *J Investig Med* 56: 627-628.
- DHHS, US; ATSDR; DHAC. (2005). Health Consultation: Former Vermiculite of Hawaii Site, 842-A Mapunapuna Street, Honolulu, Hawaii. EPA Facility ID: HIN000905638. 44.
- DHHS, US; ATSDR; DHAC. (2005). Health Consultation: W.R. Grace and Company (a/k/a Zonolite Co. Wilders), Wilder, Campbell County, Kentucky, EPA Facility ID: KYN000407413, September 22, 2005. 50.

Human Health Hazard Literature Search Results

On Topic

- DHS. (2006). Health Consultation: National Gypsum Facility, 1850 Pier B Street, Long Beach, Los Angeles County, California. EPA Facility ID: CAD981456957. 57.
- Di Bonito, L; Giarelli, L; Stanta, G; Cavallieri, F; Zanconati, F; Peruzzo, P. (1997). [Lung cancer in the province of Trieste]. *G Ital Med Lav Ergon* 19: 42-43.
- Di Ciaula, A; Gennaro, V. (2016). [Possible health risks from asbestos in drinking water]. *Epidemiol Prev* 40: 472-475. <http://dx.doi.org/10.19191/EP16.6.P472.129>.
- Di Girolamo, S; de Rosa, F; Nobili, E; Agostini, V; Corbelli, J; Blasco, G; Brandi, G. (2010). High prevalence of asbestos exposure in bile duct cancer patients. *J Clin Oncol* 28.
- Di Giulio, P; Ottone, M; Portaluri, M; Tognoni, G. (2013). [Risk and causality in environmental disasters]. 32: 92-111. <http://dx.doi.org/10.1702/1304.14419>.
- Di Lorenzo, L; Mele, M; Pegorari, MM; Fratello, A; Zocchetti, C; Capozzi, D. (1996). Lung cinescintigraphy in the dynamic assessment of ventilation and mucociliary clearance of asbestos cement workers. *Occup Environ Med* 53: 628-635. <http://dx.doi.org/10.1136/oem.53.9.628>.
- Di Lorenzo, L; Molinini, R; Bruno, F; De Niccolo, M; Assennato, G; Lerro, A; Ambrosi, L. (1990). [Total and partial O₂ and CO₂ ductances in workers exposed to inhalation of cement-asbestos]. *Med Lav* 81: 32-38.
- Di Lorenzo, L; Molinini, R; Bruno, F; Niccol, D; aacute; O, M; Assennato, G; Lerro, A; Ambrosi, L. (1990). Measurement of total and partial O₂ and CO₂ ductances in workers exposed to inhalation of asbestos-cement dust. 81: 32-38.
- Di Maria, GU; Comba, P. (2004). Malignant pleural mesothelioma - The puzzling role of gene-environment interaction. *Chest* 125: 1604-1607.
- di Menza, L; Hirsch, A; Bignon, J. (1978). [Is asbestos a risk factor in thermic power plants?]. *La Nouvelle presse médicale* 7: 4157-4159.
- Di Menza, L; Ruff, F; Bignon, J; Bonnaud, G; Brouet, G. (1976). SMALL AIRWAYS OBSTRUCTION IN ASSOCIATION WITH PROFESSIONAL EXPOSURE TO ASBESTOS (pp. 261-268). (HEEP/77/10848). Di Menza, L; Ruff, F; Bignon, J; Bonnaud, G; Brouet, G.
- di Orio, F; Zazzara, F. (2013). [Asbestos and harmful health effects: from denial theories to epidemiological evidence]. *Ig Sanita Pubbl* 69: 229-238.
- Diandini, R; Takahashi, K; Park, EK; Jiang, Y; Movahed, M; Le, GV; Lee, LJ; Delgermaa, V; Kim, R. (2013). Potential years of life lost (PYLL) caused by asbestos-related diseases in the world. *Am J Ind Med* 56: 993-1000. <http://dx.doi.org/10.1002/ajim.22206>.
- Dianzani, I; Gibello, L; Biava, A; Giordano, M; Bertolotti, M; Betti, M; Ferrante, D; Guarrera, S; Betta, GP; Mirabelli, D; Matullo, G; Magnani, C. (2006). Polymorphisms in DNA repair genes as risk factors for asbestos-related malignant mesothelioma in a general population study. *Mutat Res-Fundam Mol Mech Mutagen* 599: 124-134. <http://dx.doi.org/10.1016/j.mrfmmm.2006.02.005>.
- Dianzani, I; Gibello, L; Biava, A; Tamiazzo, S; Bertolotti, M; Mirabelli, D; Magnani, C. (2003). [Analysis of potential genetic risk factors for the development of malignant mesothelioma caused by asbestos exposure]. *Pathologica* 95: 298-299.
- Dicke, TE; Naylor, B. (1969). Prevalence of "asbestos" bodies in human lungs at necropsy. *Dis Chest* 56: 122-125.
- Dickie, HA. (1982). Asbestos and silica: their multiple effects on the lung. *Dis Mon* 28: 1-79.
- Dickie, HA; Chosy, LW. (1972). Some Important Occupational Lung Diseases (pp. 1-35). (ISSN 0011-5029 NIOSH/00132479). Dickie, HA; Chosy, LW.
- Diego, C; Velasco-García, MI; Cruz, MJ; Untoria, MD; Morell, F; Ferrer, J. (2013). [Asbestos pulmonary content in workers of Ferrol shipyards, Spain]. *Med Clin (Barc)* 140: 152-156. <http://dx.doi.org/10.1016/j.medcli.2012.01.023>.
- Diem, JE; Jones, RN; Gilson, JC; Glindmeyer, H; Weill, H. (1985). The Influence Of Asbestos Exposure On Radiographic Progression And Functional Decline. A Preliminary Report (pp. 625-637). (NIOSH/00158296). Diem, JE; Jones, RN; Gilson, JC; Glindmeyer, H; Weill, H.
- Dietz, A; Barmé, B; Gewelke, U; Sennewald, E; Heller, WD; Maier, H. (1993). [The epidemiology of parotid tumors. A case control study]. *HNO* 41: 83-90.
- Dietz, A; Ramroth, H; Urban, T; Ahrens, W; Becher, H. (2004). Exposure to cement dust, related occupational groups and laryngeal cancer risk: Results of a population based case-control study. *Int J Cancer* 108: 907-911. <http://dx.doi.org/10.1002/ijc.11658>.
- Digregorio, GJ; Kotyuk, BL. (1985). Toxicology of asbestos. *Am Fam Physician* 32: 201-204.
- Dikman, SH. (1991). Asbestosis, endobronchial Aspergillus infection, and bronchocentric granulomatosis presenting with hemoptysis. *Lung* 169: 25-30.
- Diller, WF. (1978). [Hazards caused by mineral dust and asbestos--G 1]. *Zentralbl Arbeitsmed Arbeitsschutz Prophyl* 28: 218-219.
- Dimov, D; Beritic-Stahuljak, D; Beritic, T; Bunarevic, A. (1975). [Asbestos bodies in the autopsy findings of the inhabitants of Zagreb and their relationship to malignant tumors]. 27: 211-217.
- Ding, M; Dong, Z; Chen, F; Pack, D; Ma, W; Ye, J; Shi, X; Castranova, V; Vallyathan, V. (1999). Asbestos induces activator protein-1 transactivation in transgenic mice. *Cancer Res* 59: 1884-1889.
- Ding, M; Shi, X; Castranova, V; Vallyathan, V. (2000). Predisposing factors in occupational lung cancer: inorganic minerals and chromium [Review]. *J Environ Pathol Toxicol Oncol* 19: 129-138.
- Ding, N; Zhou, N; Zhou, M; Ren, GM. (2015). Respiratory cancers and pollution. *Eur Rev Med Pharmacol Sci* 19: 31-37.
- Dionne, GP; Beland, JE; Wang, NS. (1976). PRIMARY LEIOMYOSARCOMA OF DIAPHRAGM OF AN ASBESTOS WORKER. *Arch Pathol Lab Med* 100: 398-398.
- Dipaolo, JA; Demarinis, AJ; Doniger, J. (1983). Asbestos and benzo(a)pyrene synergism in the transformation of Syrian hamster embryo cells. *Pharmacology* 27: 65-73. <http://dx.doi.org/10.1159/000137837>.
- Dipaolo, JA; Doniger, J; Evans, CE; Popescu, NC. (1980). THE REGULATION OF CELL TRANSFORMATION INDUCED BY CHEMICAL AND PHYSICAL CARCINOGENS IN SYRIAN HAMSTER CELLS (pp. 26-31). (HEEP/81/07778). Dipaolo, JA; Doniger, J; Evans, CE; Popescu, NC.

Human Health Hazard Literature Search Results

On Topic

- Dipaolo, JA; Evans, CH; Milo, GE. (1982). THE SUSCEPTIBILITY OF NORMAL HAMSTER AND HUMAN CELLS TO TRANSFORMATION BY ENVIRONMENTAL AGENTS (pp. LYON). (HEEP/84/03232). Dipaolo, JA; Evans, CH; Milo, GE.
- Divine, BJ; Barron, V. (1987). TEXACO MORTALITY STUDY III. A COHORT STUDY OF PRODUCING AND PIPELINE WORKERS. *Am J Ind Med* 11: 189-202.
- Divine, BJ; Hartman, C; Wendt, JK. (2000). Update of the Texaco mortality study 1947-93: part II - Reply. *Occup Environ Med* 57: 143-144.
- Divine, BJ; Hartman, CM; Wendt, JK. (1999). Update of the Texaco mortality study 1947-93: part II. Analyses of specific causes of death for white men employed in refining, research, and petrochemicals. *Occup Environ Med* 56: 174-180.
- Dixon, D; Bowser, AD; Badgett, A; Haseman, JK; Brody, AR. (1995). Incorporation of bromodeoxyuridine (BrdU) in the bronchiolar-alveolar regions of the lungs following two inhalation exposures to chrysotile asbestos in strain A mice. *J Environ Pathol Toxicol Oncol* 14: 3-4.
- Dixon, D; Bowser, AD; Badgett, A; Haseman, JK; Brody, AR. (1995). Incorporation of bromodeoxyuridine (BrdU) in the bronchiolar-alveolar regions of the lungs following two inhalation exposures to chrysotile asbestos in strain A/J mice. *J Environ Pathol Toxicol Oncol* 14: 205-213.
- Djerassi, L; Kaufmann, G; Bar-Nets, M. (1979). MALIGNANT DISEASE AND ENVIRONMENTAL CONTROL IN AN ASBESTOS CEMENT PLANT (pp. NEW YORK). (ISSN 0077-8923 EISSN 1749-6632 HEEP/81/07844). Djerassi, L; Kaufmann, G; Bar-Nets, M.
- Do, MT; Marrett, LD; Demers, PA; Payne, J; Chaudhry, R; Pichora, E. (2005). Asbestos and pleural cancer in Canada. *Am J Epidemiol* 161: S22-S22.
- DO'B, H; Lessof, L; Richardson, PC. (1966). Hyaline and Calcified Pleural Plaques as an Index of Exposure to Asbestos. A Study of Radiological and Pathological Features of 100 Cases with a Consideration of Epidemiology. *Br Med J* 1: 1069-1074.
- Dobashi, K; Shimizu, Y; Matsuzaki, S; Kusakabe, T; Nagamine, T; Oikawa, M; Satoh, T; Haga, J; Ishii, Y; Ohkubo, T; Kamiya, T; Arakawa, K; Sano, T; Tanaka, S; Shimizu, K; Utsugi, M; Ishizuka, T; Mori, M. (2009). Spacial Distribution and Content of Asbestos and Metals in Asbestos Lung by In-Air Micro-Particle Induced X-Ray Emission Analysis. *Am J Respir Crit Care Med* 179.
- Dobbertin, S. (1981). [Health hazards of fine dust fibers]. *Zentralbl Arbeitsmed Arbeitsschutz Prophyl Ergonomie* 31: 22-25.
- Dobek, J. (1987). [Pulmonary asbestosis. I. Pathomechanism and pathomorphology of the disease] [Review]. 51: 321-325.
- Dobiás, J. (1982). Pathology of pulmonary asbestosis in asbestos-exposed industrial workers in the Czech Socialist Republic. *Acta Univ Carol [Med] (Praha)* 28: 169-236.
- Dodge, DG; Beck, BD. (2016). Historical state of knowledge of the health risks of asbestos posed to seamen on merchant ships. *Inhal Toxicol* 28: 637-657. <http://dx.doi.org/10.1080/08958378.2016.1244228>.
- Dodic Fikfak, M. (2003). The amphibole hypothesis--a nested case-control study of lung cancer and exposure to chrysotile and amphiboles. *Arh Hig Rada Toksikol* 54: 169-176.
- Dodic Fikfak, M; Kriebel, D; Quinn, MM; Eisen, EA; Wegman, DH. (2007). A case control study of lung cancer and exposure to chrysotile and amphibole at a slovenian asbestos-cement plant. *Ann Occup Hyg* 51: 261-268. <http://dx.doi.org/10.1093/annhyg/mem003>.
- Dodoli, D; Del Nevo, M; Fiumalbi, C; Iaia, TE; Cristaudo, A; Comba, P; Viti, C; Battista, G. (1992). Environmental household exposures to asbestos and occurrence of pleural mesothelioma. *Am J Ind Med* 21: 681-687. <http://dx.doi.org/10.1002/ajim.4700210508>.
- Dodson, R; O'Sullivan, M; Brooks, D; Bruce, J. (2001). Asbestos content of omentum and mesentery in nonoccupationally exposed individuals. *Toxicol Ind Health* 17: 138-143. <http://dx.doi.org/10.1191/0748233701th1010a>.
- Dodson, R; O'Sullivan, M; Brooks, D; Hammar, S. (2003). Quantitative analysis of asbestos burden in women with mesothelioma. *Am J Ind Med* 43: 188-195. <http://dx.doi.org/10.1002/ajim.10164>.
- Dodson, R; Williams, M; Corn, C; Brollo, A; Bianchi, C. (1990). Asbestos content of lung tissue, lymph nodes, and pleural plaques from former shipyard workers. *Am Rev Respir Dis* 142: 843-847. <http://dx.doi.org/10.1164/ajrccm/142.4.843>.
- Dodson, R; Williams, M; Corn, C; Idell, S; Mclarty, J. (1988). ASBESTOS FIBERS IN SPUTUM AN INDICATOR OF PAST OCCUPATIONAL EXPOSURE. (BIOSIS/88/14511). Dodson, R; Williams, M; Corn, C; Idell, S; Mclarty, J.
- Dodson, RF; Akematsu, T; Jr, WM; Ford, JO; Hurst, GA. (1984). The Influence of Amosite Asbestos Exposure on Lung Permeability. *Environ Res* 35: 497-506.
- Dodson, RF; Atkinson, MAL; Levin, JL. (2003). Asbestos fiber length as related to potential pathogenicity: A critical review [Review]. *Am J Ind Med* 44: 291-297. <http://dx.doi.org/10.1002/ajim.10263>.
- Dodson, RF; Brooks, DR; O'Sullivan, M; Hammar, SP. (2004). Quantitative analysis of asbestos burden in a series of individuals with lung cancer and a history of exposure to asbestos. *Inhal Toxicol* 16: 637-647. <http://dx.doi.org/10.1080/08958370490464652>.
- Dodson, RF; Ford, JO. (1985). Early response of the visceral pleura following asbestos exposure: an ultrastructural study. *J Toxicol Environ Health* 15: 673-686. <http://dx.doi.org/10.1080/15287398509530695>.
- Dodson, RF; Ford, JO. (1991). Tissue reaction following a second exposure to amosite asbestos. *Cytobios* 68: 53-62.
- Dodson, RF; Garcia, JG; O'Sullivan, M; Corn, C; Levin, JL; Griffith, DE; Kronenberg, RS. (1991). The usefulness of bronchoalveolar lavage in identifying past occupational exposure to asbestos: a light and electron microscopy study. *Am J Ind Med* 19: 619-628.
- Dodson, RF; Graef, R; Shepherd, S; O'Sullivan, M; Levin, J. (2005). Asbestos burden in cases of mesothelioma from individuals from various regions of the United States. *Ultrastruct Pathol* 29: 415-433. <http://dx.doi.org/10.1080/019131290945682>.
- Dodson, RF; Greenberg, SD; Williams M G, J. R.; Corn, C; Hurst, GA. (1983). FERRUGINOUS BODY CONTENT FROM LUNG TISSUE OF OCCUPATIONALLY AND NONOCCUPATIONALLY EXPOSED GROUPS. (HEEP/84/01104). Dodson, RF; Greenberg, SD; Williams M G, , JR; Corn, C; Hurst, GA.
- Dodson, RF; Greenberg, SD; Williams, MG; Corn, CJ; O'Sullivan, MF; Hurst, GA. (1984). Asbestos content in lungs of occupationally and nonoccupationally exposed individuals. *JAMA* 252: 68-71. <http://dx.doi.org/10.1001/jama.1984.03350010034019>.

Human Health Hazard Literature Search Results

On Topic

- Dodson, RF; Hammar, SP. (2006). Pleural mesothelioma in a woman whose documented past exposure to asbestos was from smoking asbestos-containing filtered cigarettes: the comparative value of analytical transmission electron microscopic analysis of lung and lymph-node tissue. *Inhal Toxicol* 18: 679-684. <http://dx.doi.org/10.1080/08958370600743068>.
- Dodson, RF; Hammar, SP. (2015). Analysis of asbestos concentration in 20 cases of pseudomesotheliomatous lung cancer. *Ultrastruct Pathol* 39: 13-22. <http://dx.doi.org/10.3109/01913123.2014.906525>.
- Dodson, RF; Hammar, SP; Poye, LW. (2011). Mesothelioma in an individual following exposure to crocidolite-containing gaskets as a teenager. *Int J Occup Environ Health* 17: 190-194. <http://dx.doi.org/10.1179/oeh.2011.17.3.190>.
- Dodson, RF; Hurst, GA; Williams M G, J. R. (1980). SHORT-TERM RESPONSE OF LUNG PARENCHYMA FOLLOWING AMOSITE ASBESTOS EXPOSURE (pp. 18-21). (HEEP/81/07932). Dodson, RF; Hurst, GA; Williams M G, , JR.
- Dodson, RF; Levin, JL. (2001). An unusual case of mixed-dust exposure involving a "noncommercial" asbestos. *Environ Health Perspect* 109: 199-203. <http://dx.doi.org/10.2307/3434777>.
- Dodson, RF; Mark, EJ; Poye, LW. (2014). Biodurability/retention of Libby amphiboles in a case of mesothelioma. *Ultrastruct Pathol* 38: 45-51. <http://dx.doi.org/10.3109/01913123.2013.821194>.
- Dodson, RF; O'Sullivan, M; Corn, CJ. (1996). Relationships between ferruginous bodies and uncoated asbestos fibers in lung tissue. *Arch Environ Health* 51: 462-466. <http://dx.doi.org/10.1080/00039896.1996.9936047>.
- Dodson, RF; O'Sullivan, M; Corn, CJ; Mclarty, JW; Hammar, SP. (1997). Analysis of asbestos fiber burden in lung tissue from mesothelioma patients. *Ultrastruct Pathol* 21: 321-336.
- Dodson, RF; O'Sullivan, MF; Huang, J; Holiday, DB; Hammar, SP. (2000). Asbestos in extrapulmonary sites: omentum and mesentery. *Chest* 117: 486-493.
- Dodson, RF; O'Sullivan, MF; Williams, MG; Hurst, GA. (1982). Analysis of cores of ferruginous bodies from former asbestos workers. *Environ Res* 28: 171-178.
- Dodson, RF; Shepherd, S; Levin, J; Hammar, SP. (2007). Characteristics of asbestos concentration in lung as compared to asbestos concentration in various levels of lymph nodes that collect drainage from the lung. *Ultrastruct Pathol* 31: 95-133. <http://dx.doi.org/10.1080/01913120701423907>.
- Dodson, RF; Williams M G, J. R.; Hurst, GA. (1980). Early response of free airway cells to amosite: A correlated study using electron microscopy and energy dispersive X-ray analysis. *Lung* 157: 143-154.
- Dodson, RF; Williams M G, J. R.; Mclarty, JW; Hurst, GA. (1980). PARTICULATE MATTER IN THE SPUTUM FROM FORMER ASBESTOS WORKERS AN ULTRASTRUCTURAL STUDY (pp. 15-17). (HEEP/82/02100). Dodson, RF; Williams M G, , JR; Mclarty, JW; Hurst, GA.
- Dodson, RF; Williams M G, J. R.; O'Sullivan, M; Hurst, GA. (1984). CORE COMPOSITION OF FERRUGINOUS BODIES FROM FORMER ASBESTOS WORKERS (pp. NEW YORK). (HEEP/85/00832). Dodson, RF; Williams M G, , JR; O'Sullivan, M; Hurst, GA.
- Dodson, RF; Williams, MG; Corn, CJ; Brollo, A; Bianchi, C. (1991). A comparison of asbestos burden in lung parenchyma, lymph nodes, and plaques. *Ann N Y Acad Sci* 643: 53-60.
- Dodson, RF; Williams, MG; Corn, CJ; Idell, S; Mclarty, JW. (1989). Usefulness of combined light and electron microscopy: evaluation of sputum samples for asbestos to determine past occupational exposure. *Mod Pathol* 2: 320-322.
- Dodson, RF; Williams, MG; Corn, CJ; Rankin, TL. (1988). A comparison of asbestos burden in non-urban patients with and without lung cancer. *Cytobios* 56: 7-15.
- Dodson, RF; Williams, MG; Hurst, GA. (1983). Acute lung response to amosite asbestos: a morphological study. *Environ Res* 32: 80-90.
- Dodson, RF; Williams, MG; Mclarty, JW; Hurst, GA. (1983). Asbestos bodies and particulate matter in sputum from former asbestos workers. An ultrastructural study. *Acta Cytol* 27: 635-640.
- Dodson, RF; Williams, MG; O'Sullivan, M; Corn, CJ; Hurst, GA; Greenberg, SD. (1984). QUANTITATION OF UNCOATED ASBESTOS FIBERS AND FERRUGINOUS BODIES IN LUNGS OF ASBESTOS WORKERS. *Lab Invest* 50: A17-A17.
- Dodson, RF; Williams, MG; O'Sullivan, MF; Corn, CJ; Greenberg, SD; Hurst, GA. (1985). A comparison of the ferruginous body and uncoated fiber content in the lungs of former asbestos workers. *Am Rev Respir Dis* 132: 143-147. <http://dx.doi.org/10.1164/arrd.1985.132.1.143>.
- Dodson, RF; Williams, MG; Satterley, JD. (2002). Asbestos burden in two cases of mesothelioma where the work history included manufacturing of cigarette filters. *J Toxicol Environ Health A* 65: 1109-1120. <http://dx.doi.org/10.1080/152873902760125354>.
- Doelman C, JA; Leurs, R; Oosterom, WC; Bast, A. (1990). MINERAL DUST EXPOSURE AND FREE RADICAL-MEDIATED LUNG DAMAGE. *Exp Lung Res* 16: 41-56.
- Dogra, S; Donaldson, K. (1995). Effect of long and short fibre amosite asbestos on in vitro TNF production by rat alveolar macrophages: The modifying effect of lipopolysaccharide. *Ind Health* 33: 131-141.
- Dohner, VA; Beegle, RG; Miller, WT. (1975). Asbestos exposure and multiple primary tumors. *Am Rev Respir Dis* 112: 181-199. <http://dx.doi.org/10.1164/arrd.1975.112.2.181>.
- Doig, AT; Mclaughlin, AIG. (1936). X ray appearances of the lungs of electric arc welders. *Lancet* 1: 771-774.
- Doll, NJ; Allen, RC; Salvaggio, JE. (1981). IN-VITRO EFFECTS OF ASBESTOS FIBERS ON POLYMORPHONUCLEAR LEUKOCYTE PHAGOCYTOSIS AND CHEMI LUMINESCENCE (pp. 12-17). (HEEP/81/13707). Doll, NJ; Allen, RC; Salvaggio, JE.
- Doll, NJ; Bozelka, BE; Goldbach, S; Añorve-López, E; Salvaggio, JE. (1982). Asbestos-induced alteration of human peripheral blood monocyte activity. *International Arch Allergy Appl Immunol* 69: 302-305.
- Doll, NJ; Diem, JE; Jones, RN; Rodriguez, M; Bozelka, BE; Stankus, RP; Weill, H; Salvaggio, JE. (1983). Humoral immunologic abnormalities in workers exposed to asbestos cement dust. *J Allergy Clin Immunol* 72: 509-512.
- Doll, NJ; Goldbach, S; Salvaggio, JE. (1982). ASBESTOS INDUCED ALTERATION OF HUMAN PERIPHERAL BLOOD MONOCYTES (pp. 7-10). (HEEP/84/04209). Doll, NJ; Goldbach, S; Salvaggio, JE.

Human Health Hazard Literature Search Results

On Topic

- Doll, NJ; Stankus, RP; Allen, RC; Salvaggio, JE. (1981). ASBESTOS INDUCED ALTERATIONS OF HUMAN POLYMORPHONUCLEAR LEUKOCYTE ACTIVITY (pp. 25-27). (HEEP/82/02266). Doll, NJ; Stankus, RP; Allen, RC; Salvaggio, JE.
- Doll, NJ; Stankus, RP; Goldbach, S; Salvaggio, JE. (1982). In vitro effect of asbestos fibers on polymorphonuclear leukocyte function. *International Arch Allergy Appl Immunol* 68: 17-21.
- Doll, R. (1955). Etiology of Lung Cancer. *Adv Cancer Res* 3: 1-50.
- Doll, R. (1955). Mortality from lung cancer in asbestos workers. *Occup Environ Med* 12: 81-86.
- Doll, R. (1968). Carcinogens in the Environment: Human Evidence (pp. 1187-1194). (NIOSH/00128530). Doll, R.
- Doll, R. (1970). Practical steps towards the prevention of bronchial carcinoma. *Scott Med J* 15: 433-447.
<http://dx.doi.org/10.1177/003693307001501202>.
- Doll, R. (1978). Atmospheric pollution and lung cancer. *Environ Health Perspect* 22: 23-31.
- Doll, R. (1978). An epidemiological perspective of the biology of cancer. *Cancer Res* 38: 3573-3583.
- Doll, R. (1984). Epidemiological Discovery of Occupational Cancers (pp. 331-339). (NIOSH/00193588). Doll, R.
- Doll, R. (1985). OCCUPATIONAL CANCER: A HAZARD FOR EPIDEMIOLOGISTS (pp. 22-31). (EPIDEM/008691). Doll, R.
- Doll, R. (1993). Mortality from lung cancer in asbestos workers 1955. *Br J Ind Med* 50: 485-490.
- Doll, R. (1993). MORTALITY FROM LUNG-CANCER IN ASBESTOS WORKERS (REPRINTED FROM BRIT J INDUSTR MED, VOL 12, PG 81, 1955). *Br J Ind Med* 50: 484-490.
- Doll, R; Peto, J. (1985). Effects on health of exposure to asbestos. (CIS/91/01617). Health and Safety Commission.
- Doll, R; Peto, J. (1987). Other Asbestos-Related Neoplasms (pp. 81-96). (NIOSH/00178739). Doll, R; Peto, J.
- Domanski, L; Dubielzig, R; Glickman, L. (1982). CANINE MESOTHELIOMA AND ASBESTOS - A CASE-CONTROL STUDY. *Am J Epidemiol* 116: 586-586.
- Dominin, SG; Kashanskiĭ, SV; Plotko, EG; Likhacheva, EI; Seliankina, KP; Kogan, FM. (2000). [Asbestos: contemporary problems of industrial medicine and ecology]. *Med Tr Prom Ekol* 1-4.
- Domnin, SG. (1998). PRESENT DAY AND FUTURE OF EKATERINBOURG MEDICAL RESEARCH CENTER OF PROPHYLAXIS AND HEALTH CARE FOR INDUSTRIAL WORKERS. *Med Tr Prom Ekol* 0: 6-10.
- Domnin, SG; Kogan, FM; Kashanskiĭ, SV; Shcherbakov, SV. (1999). [Occupational problems of serpentine asbestos in industry (history and trends)]. *Med Tr Prom Ekol* 0: 1-4.
- Donaldson, K. (1996). Short-term animal studies for detecting inflammation, fibrosis and pre-neoplastic changes induced by fibres [Review]. *IARC Sci Publ* 97-106.
- Donaldson, K; Beswick, PH; Gilmour, PS. (1996). Free radical activity associated with the surface of particles: A unifying factor in determining biological activity? *Toxicol Lett* 88: 293-298.
- Donaldson, K; Bolton, RE; Brown, D; Douglas, A. (1984). An improved macrophage spreading assay--a simple and effective measure of activation. *Toxicol Lett* 13: 229-244.
- Donaldson, K; Bolton, RE; Jones, A; Brown, GM; Robertson, MD; Slight, J; Cowie, H; Davis, JMG. (1988). Kinetics of the bronchoalveolar leucocyte response in rats during exposure to equal airborne mass concentrations of quartz, chrysotile asbestos, or titanium dioxide. *Thorax* 43: 525-533. <http://dx.doi.org/10.1136/thx.43.7.525>.
- Donaldson, K; Brown, DM; Miller, BG; Brody, AR. (1995). Bromo-deoxyuridine (BRDU) uptake in the lungs of rats inhaling amosite asbestos or vitreous fibres at equal airborne fibre concentrations. *Exp Toxicol Pathol* 47: 2-3. [http://dx.doi.org/10.1016/S0940-2993\(11\)80316-7](http://dx.doi.org/10.1016/S0940-2993(11)80316-7).
- Donaldson, K; Brown, GM. (1988). Assessment of mineral dust cytotoxicity toward rat alveolar macrophages using a ⁵¹Cr release assay. *Fundam Appl Toxicol* 10: 365-366.
- Donaldson, K; Brown, GM. (1993). Bronchoalveolar Lavage in the Assessment of the Cellular Response to Fiber Exposure (pp. 117-138). (NIOSH/00227931). Donaldson, K; Brown, GM.
- Donaldson, K; Brown, GM; Bolton, RE; Davis, JM. (1988). Fibrinolysis by rat mesothelial cells in vitro: the effect of mineral dusts at non-toxic doses. *Br J Exp Pathol* 69: 487-494.
- Donaldson, K; Brown, GM; Brown, DM; Bolton, RE; Davis, JMG. (1989). Inflammation Generating Potential of Long and Short Fibre Amosite Asbestos Samples. *Br J Ind Med* 46: 271-276.
- Donaldson, K; Brown, GM; Brown, DM; Slight, J; Robertson, MD; Davis, JM. (1990). Impaired chemotactic responses of bronchoalveolar leukocytes in experimental pneumoconiosis. *J Pathol* 160: 63-69. <http://dx.doi.org/10.1002/path.1711600113>.
- Donaldson, K; Brown, RC; Brown, GM. (1993). NEW PERSPECTIVES ON BASIC MECHANISMS IN LUNG-DISEASE .5. RESPIRABLE INDUSTRIAL FIBERS - MECHANISMS OF PATHOGENICITY [Review]. *Thorax* 48: 390-395. <http://dx.doi.org/10.1136/thx.48.4.390>.
- Donaldson, K; Cullen, RT. (1984). Chemiluminescence of asbestos-activated macrophages. *Br J Exp Pathol* 65: 81-90.
- Donaldson, K; Davis, J, MG; James, K. (1982). Characteristics of peritoneal macrophages induced by asbestos injection. *Environ Res* 29: 414-424.
- Donaldson, K; Davis, JM; Ewing, A; James, K. (1983). Interactions of asbestos-activated macrophages with an experimental fibrosarcoma. *Environ Health Perspect* 51: 97-101.
- Donaldson, K; Davis, JM; James, K. (1984). Asbestos-activated peritoneal macrophages release a factor(s) which inhibits lymphocyte mitogenesis. *Environ Res* 35: 104-114.
- Donaldson, K; Gilmour, PS; Beswick, PH. (1995). Supercoiled plasmid DNA as a model target for assessing the generation of free radicals at the surface of fibres. *Exp Toxicol Pathol* 47: 235-237. [http://dx.doi.org/10.1016/S0940-2993\(11\)80255-1](http://dx.doi.org/10.1016/S0940-2993(11)80255-1).
- Donaldson, K; Golyasny, N. (1995). Cytogenetic and pathogenic effects of long and short amosite asbestos. *J Pathol* 177: 303-307. <http://dx.doi.org/10.1002/path.1711770313>.

Human Health Hazard Literature Search Results

On Topic

- Donaldson, K; Hill, IM; Beswick, PH. (1995). Superoxide anion release by alveolar macrophages exposed to respirable industrial fibres: modifying effect of fibre opsonisation. *Exp Toxicol Pathol* 47: 229-231. [http://dx.doi.org/10.1016/S0940-2993\(11\)80253-8](http://dx.doi.org/10.1016/S0940-2993(11)80253-8).
- Donaldson, K; Li, XY; Brown, GM. (1992). LONG FIBERS OF AMOSITE ASBESTOS STIMULATE RAT ALVEOLAR MACROPHAGE SECRETION OF TUMOR-NECROSIS-FACTOR AND THE EFFECT IS ENHANCED BY OPSONIZATION WITH IMMUNOGLOBULIN-G. *Thorax* 47: P214-P214.
- Donaldson, K; Li, XY; Dogra, S; Miller, BG; Brown, GM. (1992). Asbestos-stimulated tumour necrosis factor release from alveolar macrophages depends on fibre length and opsonization. *J Pathol* 168: 243-248. <http://dx.doi.org/10.1002/path.1711680214>.
- Donaldson, K; Miller, BG; Brown, GM; Slight, J; Addison, J; Davis, JMG. (1993). Inflammation in the Mouse Peritoneal Cavity in the Investigation of Factors Determining the Biological Activity of Respirable Industrial Fibres (pp. 14-17). (NIOSH/00222009). Donaldson, K; Miller, BG; Brown, GM; Slight, J; Addison, J; Davis, JMG.
- Donaldson, K; Miller, BG; Sara, E; Slight, J; Brown, RC. (1993). Asbestos fibre length-dependent detachment injury to alveolar epithelial cells in vitro: role of a fibronectin-binding receptor. *Int J Exp Pathol* 74: 243-250.
- Donaldson, K; Murphy, FA; Duffin, R; Poland, CA. (2010). Asbestos, carbon nanotubes and the pleural mesothelium: A review and the hypothesis regarding the role of long fibre retention in the parietal pleura, inflammation and mesothelioma [Review]. *Part Fibre Toxicol* 7: 42. <http://dx.doi.org/10.1186/1743-8977-7-5>.
- Donaldson, K; Poland, CA; Murphy, FA; Macfarlane, M; Chernova, T; Schinwald, A. (2013). Pulmonary toxicity of carbon nanotubes and asbestos - similarities and differences [Review]. *Adv Drug Deliv Rev* 65: 2078-2086. <http://dx.doi.org/10.1016/j.addr.2013.07.014>.
- Donaldson, K; Slight, J; Bolton, RE. (1985). Release of Superoxide Anion and Hydrogen Peroxide by Macrophages in Response to Asbestos (pp. 75-81). (NIOSH/00165739). Donaldson, K; Slight, J; Bolton, RE.
- Donaldson, K; Slight, J; Bolton, RE. (1987). IN-VITRO FIBRINOLYTIC ACTIVITY AND VIABILITY OF RAT ALVEOLAR MACROPHAGES TREATED WITH INFLAMMATION GENERATING MINERAL DUSTS. *Agents and Actions* 20: 1-2.
- Donaldson, K; Slight, J; Bolton, RE. (1988). Oxidant production by control and inflammatory bronchoalveolar leukocyte populations treated with mineral dusts in vitro. *Inflammation* 12: 231-243.
- Donaldson, K; Slight, J; Brown, GM. (1989). INJURIOUS EFFECTS OF MINERAL DUST-ELICITED BRONCHOALVEOLAR LEUKOCYTES ON EPITHELIAL CELLS IN-VITRO THE ROLE OF EXTRACELLULAR MATRIX COMPONENTS (pp. SECAUCUS). (BIOSIS/90/02003). Donaldson, K; Slight, J; Brown, GM.
- Donaldson, K; Slight, J; Brown, GM; Bolton, RE. (1988). The ability of inflammatory bronchoalveolar leucocyte populations elicited with microbes or mineral dust to injure alveolar epithelial cells and degrade extracellular matrix in vitro. *Br J Exp Pathol* 69: 327-338.
- Donaldson, K; Slight, J; Brown, GM; Bolton, RE; Davis, JMG. (1986). The Role of Macrophages as a Source of Reactive Oxygen Intermediates in Pulmonary Inflammation Associated with Pathogenic Dusts. (NIOSH/00172181). HASKELL LAB.
- Donaldson, K; Slight, J; Hannant, D; Bolton, RE. (1985). INCREASED RELEASE OF HYDROGEN PEROXIDE AND SUPEROXIDE ANION FROM ASBESTOS-PRIMED MACROPHAGES EFFECT OF HYDROGEN PEROXIDE ON THE FUNCTIONAL ACTIVITY OF ALPHA-1 PROTEASE INHIBITOR. *Inflammation* 9: 139-148.
- Donaldson, K; Slight, J; Johnston, PP; Bolton, RE; Seaton, A. (1987). PRODUCTION OF ALVEOLAR MACROPHAGE CHEMOTAXINS BY THE ACTION OF PATHOGENIC MINERAL DUST ON SERUM FROM CONTROL RATS AND RATS WITH INFLAMMATION (pp. 1-3). (BIOSIS/88/02468). HASKELL LAB.
- Donaldson, K; Tran, CL. (2002). Inflammation caused by particles and fibers [Review]. *Inhal Toxicol* 14: 5-27. <http://dx.doi.org/10.1080/089583701753338613>.
- Dong, FQ; Luo, SQ. (2004). [Spectra study on the varied features of crocidolite fibers in rat]. *Sichuan Da Xue Xue Bao Yi Xue Ban* 35: 83-86.
- Dong, H; Buard, A; Renier, A; Lévy, F; Saint-Etienne, L; Jaurand, MC. (1994). Role of oxygen derivatives in the cytotoxicity and DNA damage produced by asbestos on rat pleural mesothelial cells in vitro. *Carcinogenesis* 15: 1251-1255.
- Dong, H; Saint-Etienne, L; Renier, A; Billon Galland, MA; Brochard, P; Jaurand, MC. (1994). Air samples from a building with asbestos-containing material: asbestos content and in vitro toxicity on rat pleural mesothelial cells. *Fundam Appl Toxicol* 22: 178-185.
- Dong, HY; Buard, A; Lévy, F; Renier, A; Laval, F; Jaurand, MC. (1995). Synthesis of poly(ADP-ribose) in asbestos treated rat pleural mesothelial cells in culture. *Mutat Res* 331: 197-204.
- Dong, W; Sullivan, KR; Rossiter, CE. (1992). A Mortality Pattern Study on the Workers in the Construction Industry in the UK A Pilot Study. *J Occup Med* 4: 31-41.
- Dongay, G; Levade, M; Fourio, M; Lauque, D; Carles, P; Bollinelli, R. (1983). TOMO DENSITOMETRY OF PLEURAL PATHOLOGY DUE TO ASBESTOS (pp. 9-11). (HEEP/84/08845). Dongay, G; Levade, M; Fourio, M; Lauque, D; Carles, P; Bollinelli, R.
- Donham, KJ; Berg, JW; Will, LA; Leininger, JR. (1980). The effects of long-term ingestion of asbestos on the colon of F344 rats. *Cancer* 45: 1073-1084.
- Donham, KJ; Will, LA; Denman, D; Leininger, JR. (1984). The combined effects of asbestos ingestion and localized X-irradiation of the colon in rats. *J Environ Pathol Toxicol Oncol* 5: 299-308.
- Doniach, I; Swettenham, KV; Hathorn, MK. (1975). Prevalence of asbestos bodies in a necropsy series in East London: association with disease, occupation, and domiciliary address. *Br J Ind Med* 32: 16-30.
- Dönmez, H; Ozkul, Y; Uçak, R. (1996). Sister chromatid exchange frequency in inhabitants exposed to asbestos in Turkey. *Mutat Res* 361: 129-132.
- Dönmez-Altuntas, H; Baran, M; Oymak, FS; Hamurcu, Z; Imamoğlu, N; Ozesmi, M; Demirtas, H. (2007). Investigation of micronucleus frequencies in lymphocytes of inhabitants environmentally exposed to chrysotile asbestos. *Int J Environ Health Res* 17: 45-51. <http://dx.doi.org/10.1080/09603120601124231>.

Human Health Hazard Literature Search Results

On Topic

- Donna, A. (1970). Tumori sperimentali da amianto di crisotile, crocidolite e amosite in ratto Sprague-Dawley [Experimental tumours from asbestos (chrysotile, crocidolite and amosite) in the Sprague-Dawley rat]. *Med Lav* 61: 1-32.
- Donna, A. (1972). Study of morphogenesis of asbestosis bodies using an unusual technique: Study in larvae of *Tenebrio molitor*. *Med Lav* 63: 1-2.
- Donna, A. (1986). Consideration of an Old Problem. The Effects of Chrysotile Dust. *Accomplishments in Oncology* 1: 69-73.
- Donna, A; Cappa, AP. (1967). [Experimental contribution to the study of asbestos pneumoconiosis. Pneumoconiotic activity of chrysotile asbestos in rats]. *Med Lav* 58: 1-21.
- Donnelley, M; Morgan, KS; Fouras, A; Skinner, W; Uesugi, K; Yagi, N; Siu, KK; Parsons, DW. (2009). Real-time non-invasive detection of inhalable particulates delivered into live mouse airways. *J Synchrotron Radiat* 16: 553-561. <http://dx.doi.org/10.1107/S0909049509012618>.
- Donnelley, M; Siu, KKW; Morgan, KS; Skinner, W; Suzuki, Y; Takeuchi, A; Uesugi, K; Yagi, N; Parsons, DW. (2010). A new technique to examine individual pollutant particle and fibre deposition and transit behaviour in live mouse trachea. *J Synchrotron Radiat* 17: 719-729. <http://dx.doi.org/10.1107/S0909049510028451>.
- Donner, CF; Fracchia, C; Ioli, F; Meriggi, A; Patessio, A; Spada, EL; Vecchio, C. (1984). REHABILITATION OF THE WORKER WITH RESPIRATORY DISEASE (pp. 5-6). (HEEP/85/05747). Donner, CF; Fracchia, C; Ioli, F; Meriggi, A; Patessio, A; Spada, EL; Vecchio, C.
- Donohue, MT; Ruhe, RL. (1983). Health Hazard Evaluation Report No. HETA-82-275-1285, C and P Telephone Company, Charleston, West Virginia (pp. 82-275). (NIOSH/00178923). Donohue, MT; Ruhe, RL.
- Donoso, H; Oyanguren, H; Sandoval, H; Bradimiller, PA; Sanchez, J. (1973). Thoracic radiology associated with spirometry in the detection of asbestosis (pp. 34-41). (HEEP/74/11278). Donoso, H; Oyanguren, H; Sandoval, H; Bradimiller, PA; Sanchez, J.
- Donovan, BA. (1994). Health Hazard Evaluation Report No. HETA-93-1000-2406, Ithaca City School District, Transportation Department, Ithaca, New York (pp. 93-1000). (NIOSH/00219662). Donovan, BA.
- Donovan, EP; Donovan, BL; Mckinley, MA; Cowan, DM; Paustenbach, DJ. (2012). Evaluation of take home (para-occupational) exposure to asbestos and disease: a review of the literature [Review]. *Crit Rev Toxicol* 42: 703-731. <http://dx.doi.org/10.3109/10408444.2012.709821>.
- Dopp, E; Eastmond, DA; Schiffmann, D; Weiss, DG. (1997). Induction of micronuclei, aneuploidy and chromosomal breakage affecting the centric/pericentric regions of chromosome 1 in human amniotic fluid cells after treatment with asbestos and ceramic fibers. *Eur J Cell Biol* 72: 238-238.
- Dopp, E; Jonas, L; Nebe, B; Budde, A; Knippel, E. (2000). Dielectric changes in membrane properties and cell interiors of human mesothelial cells in vitro after crocidolite asbestos exposure. *Environ Health Perspect* 108: 153-158.
- Dopp, E; Nebe, B; Hahnel, C; Papp, T; Alonso, B; Simkó, M; Schiffmann, D. (1995). Mineral fibers induce apoptosis in Syrian hamster embryo fibroblasts. *Pathobiology* 63: 213-221.
- Dopp, E; Nebe, B; Hahnel, C; Papp, T; Saedler, J; Schiffmann, D; Weiss, DG. (1996). ASBESTOS AND CERAMIC FIBERS INDUCE APOPTOSIS IN SYRIAN HAMSTER EMBRYO FIBROBLASTS (pp. 24-28). (BIOSIS/96/29311). Dopp, E; Nebe, B; Hahnel, C; Papp, T; Saedler, J; Schiffmann, D; Weiss, DG.
- Dopp, E; Nebe, B; Knippel, E; Gniech, B; Jonas, L. (1999). Changes in surface properties of human mesothelial cells induced by crocidolite asbestos assessed by electrorotation, electron microscopy, and flow cytometry. 78: 76.
- Dopp, E; Poser, I; Papp, T. (2002). Interphase fish analysis of cell cycle genes in asbestos-treated human mesothelial cells (HMC), SV40-transformed HMC (MeT-5A) and mesothelioma cells (COLO). *Cell Mol Biol (Noisy-le-grand)* 48 Online Pub: OL271-OL277.
- Dopp, E; Saedler, J; Schiffmann, D; Weiss, DG. (1994). Characterization of mitotic disturbances caused by asbestos fibers in syrian hamster embryo she fibroblasts. 63: 57.
- Dopp, E; Saedler, J; Stopper, H; Weiss, DG; Schiffmann, D. (1995). Mitotic disturbances and micronucleus induction in Syrian hamster embryo fibroblast cells caused by asbestos fibers. *Environ Health Perspect* 103: 268-271.
- Dopp, E; Schiffmann, D. (1996). Asbestos fibers induce mitotic disturbances and micronucleus formation in syrian hamster embryo fibroblasts. 27: 19.
- Dopp, E; Schiffmann, D. (1998). Analysis of chromosomal alterations induced by asbestos and ceramic fibers. *Toxicol Lett* 96-97: 155-162.
- Dopp, E; Schuler, M; Schiffmann, D; Eastmond, DA. (1997). Induction of Micronuclei, Hyperdiploidy and Chromosomal Breakage Affecting the Centricentric Regions of Chromosomes 1 and 9 in Human Amniotic Fluid Cells after Treatment with Asbestos and Ceramic Fibers. *Mutat Res* 377: 77-87.
- Dopp, E; Yadav, S; Ansari, FA; Bhattacharya, K; von Recklinghausen, U; Rauen, U; Rödelsperger, K; Shokouhi, B; Geh, S; Rahman, Q. (2005). ROS-mediated genotoxicity of asbestos-cement in mammalian lung cells in vitro. *Part Fibre Toxicol* 2: 9. <http://dx.doi.org/10.1186/1743-8977-2-9>.
- Dörger, M; Allmeling, AM; Kiefmann, R; Münzing, S; Messmer, K; Krombach, F. (2002). Early inflammatory response to asbestos exposure in rat and hamster lungs: role of inducible nitric oxide synthase. *Toxicol Appl Pharmacol* 181: 93-105. <http://dx.doi.org/10.1006/taap.2002.9388>.
- Dörger, M; Allmeling, AM; Kiefmann, R; Schropp, A; Krombach, F. (2002). Dual role of inducible nitric oxide synthase in acute asbestos-induced lung injury. *Free Radic Biol Med* 33: 491-501.
- Dorward, AJ; Stack, BH. (1981). Diffuse malignant pleural mesothelioma in Glasgow. *Br J Dis Chest* 75: 397-402.
- Dos Santos, G; Vermeylen, DA; Baker, MA; Cheresh, P; Kamp, D; Ridge, KM. (2013). Vimentin Is Required For Asbestos-Induced Lung Injury. *Am J Respir Crit Care Med* 187.
- Døssing, M; Groth, S; Vestbo, J; Lyngenbo, O. (1990). Small-airways dysfunction in never smoking asbestos exposed Danish plumbers. *Int Arch Occup Environ Health* 62: 209-212.
- Døssing, M; Langer, SW. (1994). Asbestos-induced lung injury among Danish jewelry workers [Review]. *Am J Ind Med* 26: 755-758.

Human Health Hazard Literature Search Results

On Topic

- Dostert, C; Pétrilli, V. (2008). [Asbestos triggers inflammation by activating the Nalp3 inflammasome]. *Med Sci (Paris)* 24: 916-918. <http://dx.doi.org/10.1051/medsci/20082411916>.
- Dostert, C; Pétrilli, V; Van Bruggen, R; Steele, C; Mossman, BT; Tschopp, J. (2008). Innate immune activation through Nalp3 inflammasome sensing of asbestos and silica. *Science* 320: 674-677. <http://dx.doi.org/10.1126/science.1156995>.
- Dotto, L. (1981). Proceedings of the Royal Commission on Asbestos, Second Public Meeting, Friday, December 12, 1980. (NIOSH/00192914). Dotto, L.
- Dou, J; Yu, S; Bian, C. (1998). [Clinical analysis of 19 patients with pleural mesothelioma]. *Zhonghua Zhongliu Zazhi* 20: 387-388.
- Douglas, DB; Owen, R. (1976). Occupational cancer. In F Homburger (Ed.), (pp. BASEL). New York, NY: S. Karger.
- Dow Chemical Co (Dow Chemical Company). (1991). MEDICAL SURVEILLANCE REPORT, DOW CHEMICAL COMPANY TEXAS OPERATIONS, EPOXY/HAA UNIT SVCS (9/4 - 11/21/90), WITH COVER LETTER DATED 4/24/1991 (SANITIZED). (TSCATS/445479).
- Draghi, TG; Daughaday, CC. (1986). EFFECTS OF INHIBITORS OF ARACHIDONIC-ACID METABOLISM ON EARLY ALVEOLITIS INDUCED BY ASBESTOS AND BLYEOMYCIN. *Am Rev Respir Dis* 133: A198-A198.
- Dragon, J; Thompson, J; Macpherson, M; Shukla, A. (2015). Differential Susceptibility of Human Pleural and Peritoneal Mesothelial Cells to Asbestos Exposure. *J Cell Biochem* 116: 1540-1552. <http://dx.doi.org/10.1002/jcb.25095>.
- Dragonieri, S; Massaro, T; Trerotoli, P; Baldassarre, A; Carratu, P; Resta, O; Musti, M. (2013). Environmental asbestos exposure as a risk factor for small airways obstruction. *Eur Respir J* 42.
- Drain, AJ; Saeb-Parsy, K; Shah, AK; Rassl, D; Ritchie, AJ. (2006). Mesothelioma with non-pleural malignancy: a red herring or just an uncommon pairing? *J Cardiothorac Surg* 1: 39. <http://dx.doi.org/10.1186/1749-8090-1-39>.
- Drapeau, G; Begin, R; Boileau, R; Vezina, Y; Cantin, A; Desmarais, Y; Martel, M. (1986). ENZYME PROFILES OF LUNG LAVAGE IN ASBESTOSIS (pp. 13-18). (BIOSIS/86/28847). Drapeau, G; Begin, R; Boileau, R; Vezina, Y; Cantin, A; Desmarais, Y; Martel, M.
- Dreessen, WC. (1933). Effects of certain silicate dusts on the lungs. *Arch Environ Occup Health* 15: 66-78.
- Drew, RT; Kuschner, M; Bernstein, DM. (1987). The chronic effects of exposure of rats to sized glass fibres. *Ann Occup Hyg* 31: 711-729.
- Dreyer, L; Andersen, A; Pukkala, E. (1997). Avoidable cancers in the Nordic countries: Occupation. *APMIS* 105: 68-79.
- Driece, HAL; Siesling, S; Swuste, PHJ, J; Burdorf, A. (2010). Assessment of cancer risks due to environmental exposure to asbestos. *J Expo Sci Environ Epidemiol* 20: 478-485. <http://dx.doi.org/10.1038/jes.2009.56>.
- Drill, VA. (1981). INTERSPECIES RESPONSE TO CARCINOGENS AND ESTROGENS. *Food Cosmet Toxicol* 19: 607-610.
- Drinker, P. (1936). The Causation of Pneumoconiosis. *J Ind Hyg Toxicol* 18: 524-536.
- Driscoll, KE. (2000). TNF "alpha" and MIP-2: Role in particle induced inflammation and regulation by oxidative stress [Review]. *Toxicol Lett* 112-113: 177-183.
- Driscoll, KE; Carter, JM; Borm, PJA. (2002). Antioxidant defense mechanisms and the toxicity of fibrous and nonfibrous particles [Review]. *Inhal Toxicol* 14: 101-118. <http://dx.doi.org/10.1080/089583701753338668>.
- Driscoll, KE; Carter, JM; Hassenbein, DG; Howard, B. (1997). Cytokines and particle-induced inflammatory cell recruitment [Review].
- Driscoll, KE; Carter, JM; Howard, BW; Hassenbein, D; Janssen, YMW; Mossman, BT. (1998). Crocidolite activates NF-kappa B and MIP-2 gene expression in rat alveolar epithelial cells. Role of mitochondrial-derived oxidants. *Environ Health Perspect* 106: 1171-1174.
- Driscoll, KE; Hassenbein, DG; Carter, JM; Kunkel, SL; Quinlan, TR; Mossman, BT. (1995). TNFalpha and Increased Chemokine Expression in Rat Lung after Particle Exposure. *Toxicol Lett* 82/83: 483-489.
- Driscoll, KE; Higgins, J; Romberger, D; Rennard, SL; Crosby, L. (1990). ALVEOLAR MACROPHAGE AM TUMOR NECROSIS FACTOR TNF AND FIBRONECTIN FN RELEASE IN ASBESTOS OR CADMIUM CHLORIDE-INDUCED PULMONARY INJURY AND FIBROSIS (pp. 20-24). (BIOSIS/90/20753). Driscoll, KE; Higgins, J; Romberger, D; Rennard, SL; Crosby, L.
- Driscoll, KE; Higgins, JM; Leytart, MJ; Crosby, LL. (1990). Differential effects of mineral dusts on the in vitro activation of alveolar macrophage eicosanoid and cytokine release. *Toxicol In Vitro* 4: 284-288.
- Driscoll, KE; Higgins, JM; Leytart, MJ; Crosby, LL. (1990). DIFFERENTIAL EFFECTS OF MINERAL DUSTS ON THE IN-VITRO ACTIVATION OF ALVEOLAR MACROPHAGE EICOSANOID AND CYTOKINE RELEASE (pp. 23-27). (BIOSIS/91/05079). HASKELL LABORATORY.
- Driscoll, KE; Higgins, JM; Leytart, MJ; Crosby, LL. (1990). DIFFERENTIAL EFFECTS OF MINERAL DUSTS ON THE IN-VITRO ACTIVATION OF ALVEOLAR MACROPHAGE EICOSANOID AND CYTOKINE RELEASE (pp. 23-27). (ISSN 0887-2333 EISSN 1879-3177 BIOSIS/91/05079). Driscoll, KE; Higgins, JM; Leytart, MJ; Crosby, LL.
- Driscoll, KE; Howard, BW; Carter, JM; Asquith, T; Johnston, C; Deltilleux, P; Kunkel, SL; Isfort, RJ. (1996). Alpha-quartz-induced chemokine expression by rat lung epithelial cells: effects of in vivo and in vitro particle exposure. *Am J Pathol* 149: 1627-1637.
- Driscoll, KE; Maurer, JK; Higgins, J; Poynter, J. (1995). Alveolar macrophage cytokine and growth factor production in a rat model of crocidolite-induced pulmonary inflammation and fibrosis. *J Toxicol Environ Health* 46: 155-169. <http://dx.doi.org/10.1080/15287399509532026>.
- Driscoll, RJ. (1991). Health Hazard Evaluation Report No. HETA-87-392-2099, Loral Systems Group, Akron, Ohio (pp. 87-392). (NIOSH/00199124). Driscoll, RJ.
- Driscoll, RJ; Elliott, LJ. (1990). Health Hazard Evaluation Report No. HETA-87-126-2019, Chrysler Chemical Division, Trenton, Michigan (pp. 87-126). (NIOSH/00194423). Driscoll, RJ; Elliott, LJ.
- Driscoll, RJ; Mulligan, WJ; Schultz, D; Gandelaria, A. (1988). MALIGNANT MESOTHELIOMA A CLUSTER IN A NATIVE AMERICAN PUEBLO. *N Engl J Med* 318: 1437-1438. <http://dx.doi.org/10.1056/NEJM198806023182205>.
- Driscoll, T; Nelson, DI; Steenland, K; Leigh, J; Concha-Barrientos, M; Fingerhut, M; Pr; uuml; ss-Ust; uuml; N, A. (2005). The global burden of disease due to occupational carcinogens. *Am J Ind Med* 48: 419-431. <http://dx.doi.org/10.1002/ajim.20209>.

Human Health Hazard Literature Search Results

On Topic

- Driscoll, T; Nelson, DI; Steenland, K; Leigh, J; Concha-Barrientos, M; Fingerhut, M; Pr; uuml; ss-Ust; uuml; N, A. (2005). The global burden of non-malignant respiratory disease due to occupational airborne exposures. *Am J Ind Med* 48: 432-445. <http://dx.doi.org/10.1002/ajim.20210>.
- Driscoll, TR; Baker, GJ; Daniels, S; Lee, J; Thompson, R; Ferguson, DA; Leigh, J. (1993). Clinical aspects of malignant mesothelioma in Australia. *Aust N Z J Med* 23: 19-25.
- Dror, K. (1974). ASBESTOS AND CANCER. *Harefuah* 86: 425-425.
- Droste J, HJ; Weyler, JJ; Van Meerbeeck, JP; Vermeire, PA; Van Sprundel, MP. (1999). Occupational risk factors of lung cancer: A hospital based case-control study. *Occup Environ Med* 56: 322-327.
- Drumm, K; Buhl, R; Kienast, K. (1999). Additional NO₂ exposure induces a decrease in cytokine specific mRNA expression and cytokine release of particle and fibre exposed human alveolar macrophages. *Eur J Med Res* 4: 59-66.
- Drumm, K; Messner, C; Kienast, K. (1999). Reactive oxygen intermediate-release of fibre-exposed monocytes increases inflammatory cytokine-mRNA level, protein tyrosine kinase and NF-kappaB activity in co-cultured bronchial epithelial cells (BEAS-2B). *Eur J Med Res* 4: 257-263.
- Drumm, K; Oettinger, R; Smolarski, R; Bay, M; Kienast, K. (1998). In vitro study of human alveolar macrophages inflammatory mediator transcriptions and releases induced by soot FR 101, Printex 90, titandioxide and Chrysotile B. *Eur J Med Res* 3: 432-438.
- Drumm, K; Schindler, H; Buhl, R; Kustner, E; Smolarski, R; Kienast, K. (1999). Indoor air pollutants stimulate interleukin-8-specific mRNA expression and protein secretion of alveolar macrophages. *Lung* 177: 9-19.
- Du, J; Zhang, L. (2017). Pathway deviation-based biomarker and multi-effect target identification in asbestos-related squamous cell carcinoma of the lung. *Int J Mol Med* 39: 579-586. <http://dx.doi.org/10.3892/ijmm.2017.2878>.
- Du, L; Wang, X; Wang, M; Lan, Y. (2012). Analysis of Mortality in Chrysotile Asbestos Miners in China. *J Huazhong Univ Sci Technolog Med Sci* 32: 135-140. <http://dx.doi.org/10.1007/s11596-012-0024-8>.
- Dubes, GR. (1993). ASBESTOS MEDIATES VIRAL DNA TRANSFORMATION OF MOUSE CELLS TO PRODUCE MULTILAYERED FOCI (pp. 19-22). (BIOSIS/93/24416). Dubes, GR.
- Dubes, GR; Mack, LR. (1988). Asbestos-mediated transfection of mammalian cell cultures. *In Vitro Cellular and Developmental Biology* 24: 175-182. <http://dx.doi.org/10.1007/BF02623543>.
- Dubinett, SM; Miller, S; Burdeshaw, A; Sprince, NL; Kradin, RL. (1987). PHENOTYPE OF IL-2 RESPONSIVE LYMPHOCYTES IN BAL AND BLOOD OF SUBJECTS EXPOSED TO ASBESTOS AND NORMALS (pp. 10-13). (BIOSIS/87/23771). Dubinett, SM; Miller, S; Burdeshaw, A; Sprince, NL; Kradin, RL.
- Dubois, C; Beaudoin, H; Lemaire, I. (1983). INCREASED PRODUCTION OF FIBROBLAST GROWTH FACTOR BY RAT ALVEOLAR MACROPHAGES AFTER 3 MONTHS EXPOSURE TO ASBESTOS (pp. 10-15). (HEEP/84/03141). Dubois, C; Beaudoin, H; Lemaire, I.
- Dubois, C; Beaudoin, H; Lemaire, I. (1984). MODULATION OF ALVEOLAR MACROPHAGE FIBROBLAST GROWTH FACTOR PRODUCTION BY SPLEEN CELLS IN EXPERIMENTAL ASBESTOSIS (pp. 14-17). (HEEP/85/05695). Dubois, C; Beaudoin, H; Lemaire, I.
- Dubois, C; Bissonnette, E; Rola-Pleszczynski, M. (1987). EFFECT OF ASBESTOS FIBERS ON IL 1 AND IL 2 PRODUCTION BY MOUSE SPLEEN CELLS. (BIOSIS/87/21316). Dubois, C; Bissonnette, E; Rola-Pleszczynski, M.
- Dubois, CM; Bissonnette, E; Rola-Pleszczynski, M. (1989). Asbestos fibers and silica particles stimulate rat alveolar macrophages to release tumor necrosis factor: autoregulatory role of leukotriene B₄. *Am J Respir Crit Care Med* 139: 1257-1264. <http://dx.doi.org/10.1164/ajrccm/139.5.1257>.
- Dubois, M. (1983). Diagnosis of pneumoconiosis in the presence of multiple occupational hazards. (CIS/84/00063). Dubois, M.
- Dubrow, R; Wegman, DH. (1983). Setting priorities for occupational cancer research and control: synthesis of the results of occupational disease surveillance studies. *J Natl Cancer Inst* 71: 1123-1142.
- Dubrow, R; Wegman, DH. (1984). Cancer And Occupation In Massachusetts: A Death Certificate Study. *Am J Ind Med* 6: 207-230.
- Dubrow, R; Wegman, DH. (1984). Occupational Characteristics Of White Cancer Victims In Massachusetts 1971-1973 (pp. 84-109). (NIOSH/00141840). Dubrow, R; Wegman, DH.
- Ducatman, AM; Withers, BF; Yang, WN. (1990). Smoking and roentgenographic opacities in US Navy asbestos workers. *Chest* 97: 810-813.
- Dudgeon, DJ; Kristjanson, L; Sloan, JA; Lertzman, M; Clement, K. (2001). Dyspnea in cancer patients: prevalence and associated factors. *J Pain Symptom Manage* 21: 95-102.
- Dueva, LA; Elovskaya, LT; Kovalevskii, EV. (1997). Hygienic evaluation and possible utilization of asbestos-containing waste in concentration enterprises. *Med Tr Prom Ekol* 0: 9-13.
- Duffus, JH. (1995). HHSC HANDBOOK NO. 17. CANCER AND WORKPLACE CHEMICALS (pp. LEEDS). (BIOSIS/95/24674). Duffus, JH.
- Dufresne, A; Bégin, R; Churg, A; Massé, S. (1996). Mineral fiber content of lungs in patients with mesothelioma seeking compensation in Québec. *Am J Respir Crit Care Med* 153: 711-718. <http://dx.doi.org/10.1164/ajrccm.153.2.8564122>.
- Dufresne, A; Bégin, R; Dion, C; Jagirdar, J; Rom, WN; Loosereewanich, P; Muir D, CF; Ritchie, AC; Perrault, G. (1998). Angular and fibrous particles in lung in relation to silica-induced diseases. *Int Arch Occup Environ Health* 71: 263-269.
- Dufresne, A; Bégin, R; Dion, C; Jagirdar, J; Rom, WN; Loosereewanich, P; Muir, DCF; Ritchie, AC; Perrault, G. (1997). Angular and Fibrous Particles in Lung are Markers of Job Categories. *Sci Total Environ* 206: 127-136.
- Dufresne, A; Bégin, R; Massé, S; Dufresne, CM; Loosereewanich, P; Perrault, G. (1996). Retention of asbestos fibres in lungs of workers with asbestosis, asbestosis and lung cancer, and mesothelioma in Asbestos township. *Occup Environ Med* 53: 801-807.
- Dufresne, A; Harrigan, M; Massé, S; Bégin, R. (1995). Fibers in lung tissues of mesothelioma cases among miners and millers of the township of Asbestos, Quebec. *Am J Ind Med* 27: 581-592.

Human Health Hazard Literature Search Results

On Topic

- Dufresne, A; Loosereewanich, P; Armstrong, B; Thériault, G; Bégin, R. (1996). Inorganic particles in the lungs of five aluminum smelter workers with pleuro-pulmonary cancer. *Am Ind Hyg Assoc J* 57: 370-375. <http://dx.doi.org/10.1080/15428119691014918>.
- Dufresne, A; Loosereewanich, P; Harrigan, M; Sébastien, P; Perrault, G; Bégin, R. (1993). Pulmonary dust retention in a silicon carbide worker [Review]. *Am Ind Hyg Assoc J* 54: 327-330. <http://dx.doi.org/10.1080/15298669391354748>.
- Dufresne, A; Perrault, G; Yamato, H; Massé, S; Bégin, R. (1999). Clearance of man made mineral fibres from the lungs of sheep. *Occup Environ Med* 56: 684-690.
- Dufresne, A; Sebastien, P; Perrault, G; Masse, S; Begin, R. (1992). PULMONARY CLEARANCE OF FIBROUS AND ANGULAR SIC PARTICULATES IN THE SHEEP MODEL OF PNEUMOCONIOSIS. *Ann Occup Hyg* 36: 519-530.
- Dujić, Z; Eterović, D; Tocilj, J. (1993). Association between asbestos-related pleural plaques and resting hyperventilation. *Scand J Work Environ Health* 19: 346-351. <http://dx.doi.org/10.5271/sjweh.1464>.
- Dujić, Z; Tocilj, J; Boschi, S; Sarić, M; Eterović, D. (1992). Biphasic lung diffusing capacity: Detection of early asbestos induced changes in lung function. *Br J Ind Med* 49: 260-267. <http://dx.doi.org/10.1136/oem.49.4.260>.
- Dujić, Z; Tocilj, J; Saric, M. (1991). Early detection of interstitial lung disease in asbestos exposed non-smoking workers by mid-expiratory flow rate and high resolution computed tomography. *Br J Ind Med* 48: 663-664.
- Duma, RJ. (1973). Particulate matter of particular interest. *Ann Intern Med* 78: 146-147.
- Dumas, L; Pagé, M. (1986). Growth changes of 3T3 cells in the presence of mineral fibers. *Environ Res* 39: 199-204.
- Dumitru-Stanescu, R; Constantinescu, V. (1989). RELATIONSHIP BETWEEN SOME PHYSICO-CHEMICAL FEATURES OF ASBESTOS AND ITS BIOLOGICAL EFFECTS (pp. 497-505). (BIOSIS/90/29881). Dumitru-Stanescu, R; Constantinescu, V.
- Dumortier, P. (2008). [Mineral analysis and thoracic cancer]. *Rev Mal Respir* 25: 252-253.
- Dumortier, P; Coplu, L; De Maertelaer, V; Emri, S; Baris, I; De Vuyst, P. (1998). Assessment of environmental asbestos exposure in Turkey by bronchoalveolar lavage. *Am J Respir Crit Care Med* 158: 1815-1824. <http://dx.doi.org/10.1164/ajrccm.158.6.9712119>.
- Dumortier, P; Coplu, L; Selcuk, ZT; Emri, S; Sahin, AA; De Vuyst, P; Baris, YI. (1994). FIBER BURDEN IN BRONCHOALVEOLAR LAVAGE BAL OF SUBJECTS WITH ENVIRONMENTAL EXPOSURES (pp. 425S). (BIOSIS/95/09218). Dumortier, P; Coplu, L; Selcuk, ZT; Emri, S; Sahin, AA; De Vuyst, P; Baris, YI.
- Dumortier, P; De Vuyst, P. (2012). Asbestos exposure during uncontrolled removal of sprayed-on asbestos. *Ann Occup Hyg* 56: 49-54. <http://dx.doi.org/10.1093/annhyg/mer096>.
- Dumortier, P; De Vuyst, P; Yernault, JC. (1987). POSSIBLE ORIGINS FOR TREMOLITE ASBESTOS RECOVERED FROM BAL FLUIDS (pp. 15-18). (BIOSIS/87/21450). Dumortier, P; De Vuyst, P; Yernault, JC.
- Dumortier, P; Göcmen, A; Laurent, K; Manço, A; De Vuyst, P. (2001). The role of environmental and occupational exposures in Turkish immigrants with fibre-related disease. *Eur Respir J* 17: 922-927.
- Dumortier, P; Rey, F; Viallat, JR; Broucke, I; Boutin, C; De Vuyst, P. (2002). Chrysotile and tremolite asbestos fibres in the lungs and parietal pleura of Corsican goats. *Occup Environ Med* 59: 643-646.
- Dumortier, P; Thimpont, J; de Maertelaer, V; De Vuyst, P. (2003). Trends in asbestos body counts in bronchoalveolar lavage fluid over two decades. *Eur Respir J* 22: 519-524. <http://dx.doi.org/10.1183/09031936.03.00001903>.
- Dumortier, P; Zegers DE BEYL, V; Gevenosis, PA; De Vuyst, P. (1997). INDOOR EXPOSURE TO ASBESTOS IN BUILDINGS AND MINERALOGICAL ANALYSIS OF BAL (pp. 20-24). (BIOSIS/98/15004). Dumortier, P; Zegers DE BEYL, V; Gevenosis, PA; De Vuyst, P.
- Duncan, K; Ghio, A; Dailey, L; Bern, A; Gibbs-Flournoy, E; Padilla-Carlin, D; Roggli, V; Devlin, R. (2010). Effect of size fractionation on the toxicity of amosite and Libby amphibole asbestos. *Toxicol Sci* 118: 420-434. <http://dx.doi.org/10.1093/toxsci/kfq281>.
- Duncan, KE; Cook, PM; Gavett, SH; Dailey, LA; Mahoney, RK; Ghio, AJ; Roggli, VL; Devlin, RB. (2014). In vitro determinants of asbestos fiber toxicity: effect on the relative toxicity of Libby amphibole in primary human airway epithelial cells. *Part Fibre Toxicol* 11: 2. <http://dx.doi.org/10.1186/1743-8977-11-2>.
- Duncan, KE; Dailey, LA; Ghio, AJ; Bern, AM; Lowers, HA; Meeker, GP; Padilla-Carlin, DJ; Devlin, RB. (2010). Inflammatory and oxidative stress response associated with in vitro exposure of cultured human bronchial epithelial cells to different size fractions of Libby-type Amphibole and amosite asbestos [Abstract]. *Am J Respir Crit Care Med* 181: A1148. http://dx.doi.org/10.1164/ajrccm-conference.2010.181.1_MeetingAbstracts.A1148.
- Dunn, MM. (1989). Asbestos and the lung [Review]. *Chest* 95: 1304-1308.
- Dunnnett, SJ. (1989). AN INVESTIGATION INTO THE EFFECTS OF BREATHING UPON THE ASPIRATION EFFICIENCY OF THE HUMAN HEAD. *Ann Occup Hyg* 33: 209-218.
- Dunnick, JK; Huff, J. (1992). RESPIRATORY CARCINOGENICITY IN HUMANS AND IN ANIMALS FROM INHALATION EXPOSURE TO CHEMICALS (pp. 20-23). (BIOSIS/92/23083). Dunnick, JK; Huff, J.
- Dunnigan, J. (1984). Biological Effects of Fibers: Stanton's Hypothesis Revisited. *Environ Health Perspect* 57: 333-337.
- Dunnigan, J. (1986). THRESHOLD EXPOSURE LEVEL FOR CHRYSOTILE. *Can J Public Health* 77: 41-42.
- Dunnigan, J. (1987). Biological Effects of Fibrous Materials: Review of Recent Data on Asbestos Substitutes (pp. 198-215). (NIOSH/00170708). Dunnigan, J.
- Dunnigan, J. (1988). Linking chrysotile asbestos with mesothelioma. *Am J Ind Med* 14: 205-209.
- Dunnigan, J. (1989). Comparing biological effects of mineral fibers. *Br J Ind Med* 46: 681-682.
- Dunning, KK; Adjei, S; Levin, L; Rohs, AM; Hilbert, T; Borton, E; Kapil, V; Rice, C; Lemasters, GK; Lockey, JE. (2012). Mesothelioma associated with commercial use of vermiculite containing Libby amphibole. *J Occup Environ Med* 54: 1359-1363. <http://dx.doi.org/10.1097/JOM.0b013e318250b5f5>.

Human Health Hazard Literature Search Results

On Topic

- Durgam, S; Aristeguieta, C; Achutan, C. (2009). Health Hazard Evaluation Report, HETA 2007-0201-3086, Sanmina-SCI (Trade Name) Corporation, Huntsville, Alabama, August 2009. Evaluation of Health Concerns at a Printed Circuit Board Manufacturing Plant. 52.
- Durnev, AD; Dauge-Dauge, NO; Korkina, LG; Seredenin, SB. (1993). Peculiarities of the Clastogenic Properties of Chrysotile-Asbestos Fibers and Zeolite Particles. *Mutat Res* 319: 303-308.
- Durnev, AD; Dauge-Dauge, NO; Korkina, LG; Seredenin, SB; Velichkovskii, BT. (1993). [Remote effects in the mutagenic action of chrysotile asbestos and zeolite dusts in vivo]. *Biull Eksp Biol Med* 115: 484-486.
- Durnev, AD; Suslova, TB; Cheremisina, ZP; Dubovskaia, OI, u; Nigarova, EA; Korkina, LG; Seredenin, SB; Velichkovskii, BT. (1990). [The mutagenic action of the dust of natural zeolites and chrysotile asbestos]. *Eksp Onkol* 12: 21-24.
- Dusinska, M; Collins, A; Kazimirova, A; Barancokova, M; Harrington, V; Volkovova, K; Staruchova, M; Horska, A; Wsolova, L; Kocan, A; Petrik, J; Machata, M; Ratcliffe, B; Kyrtopoulos, S. (2004). Genotoxic effects of asbestos in humans. *Mutat Res* 553: 91-102. <http://dx.doi.org/10.1016/j.mrfmmm.2004.06.027>.
- Dusinská, M; Džupinková, Z; Wsóllová, L; Harrington, V; Collins, AR. (2006). Possible involvement of XPA in repair of oxidative DNA damage deduced from analysis of damage, repair and genotype in a human population study. *Mutagenesis* 21: 205-211. <http://dx.doi.org/10.1093/mutage/gel016>.
- Dusinska, M; Staruchova, M; Horska, A; Smolkova, B; Collins, A; Bonassi, S; Volkovova, K. (2012). Are glutathione S transferases involved in DNA damage signalling? Interactions with DNA damage and repair revealed from molecular epidemiology studies. *Mutat Res* 736: 130-137. <http://dx.doi.org/10.1016/j.mrfmmm.2012.03.003>.
- Dutoit, RSJ. (1991). AN ESTIMATE OF THE RATE AT WHICH CROCIDOLITE ASBESTOS FIBERS ARE CLEARED FROM THE LUNG. *Ann Occup Hyg* 35: 433-438.
- Dutoit, RSJ. (1992). FACTORS WHICH PREVENT THE DETERMINATION OF POSSIBLE SAFE LEVELS OF ASBESTOS FIBERS. 82: 424-427.
- Dyshinevich, NE. (1971). Hygienic Evaluation of Indene Coumarone Floor Tiles (pp. 366-370). (NIOSH/00101610). Dyshinevich, NE.
- Dzugaj, A; Szyba, K; Lange, A. (1985). Adsorption of 3-Methylcholanthrene onto Chrysotile Fibres Enhances Aryl Hydrocarbon Hydroxylase Inducement in Mice (pp. 467-474). (NIOSH/00165781). Dzugaj, A; Szyba, K; Lange, A.
- Eagan, TM; Gulsvik, A; Eide, GE; Bakke, PS. (2002). Occupational airborne exposure and the incidence of respiratory symptoms and asthma. *Am J Respir Crit Care Med* 166: 933-938. <http://dx.doi.org/10.1164/rccm.200203-238OC>.
- Eastes, W; Hadley, JG. (1995). DISSOLUTION OF FIBERS INHALED BY RATS. *Inhal Toxicol* 7: 179-196.
- Eastman, A; Mossman, BT; Bresnick, E. (1982). THE INFLUENCE OF ASBESTOS ON THE FORMATION AND REMOVAL OF BENZO(A)PYRENE-DNA ADDUCTS IN A HAMSTER TRACHEAL EPITHELIAL-CELL LINE. *Proc Am Assoc Cancer Res* 23: 61-61.
- Ebert, R; Barrett, JC; Wiseman, RW; Pechan, R; Reiss, E; Rollich, G; Schiffmann, D. (1990). Activation of Cellular Oncogenes by Chemical Carcinogens in Syrian Hamster Embryo Fibroblasts. *Environ Health Perspect* 88: 175-178.
- Ebihara, I. (1986). [A case of malignant peritoneal mesothelioma following asbestos exposure]. *Nippon Naika Gakkai Zasshi* 75: 400-405.
- Ebihara, I. (1988). Lung carcinoma among workers exposed to dust - I. Welders. 64: 565-578.
- Eckardt, RE. (1973). Recent developments in industrial carcinogens [Review]. *J Occup Med* 15: 904-907.
- Eckhardt, S; Munk, K; Murphy, GP; Wrba H, ED. (1976). THRESHOLD DOSES IN CHEMICAL CARCINOGENESIS (pp. 49-100). (EPIDEM/000749). Eckhardt, S; Munk, K; Murphy, GP; Wrba H, ED.
- Edelman, DA. (1988). Asbestos exposure, pleural plaques and the risk of lung cancer [Review]. *Int Arch Occup Environ Health* 60: 389-393.
- Edelman, DA. (1988). Exposure to asbestos and the risk of gastrointestinal cancer: a reassessment. *Br J Ind Med* 45: 75-82.
- Edelman, DA. (1989). LARYNGEAL CANCER AND OCCUPATIONAL EXPOSURE TO ASBESTOS [Review]. *Int Arch Occup Environ Health* 61: 223-228.
- Edelman, DA. (1990). Does asbestosis increase the risk of lung cancer? [Review]. *Int Arch Occup Environ Health* 62: 345-349.
- Edelman, DA. (1992). DOES ASBESTOS EXPOSURE INCREASE THE RISK OF UROGENITAL CANCER [Review]. *Int Arch Occup Environ Health* 63: 469-475.
- Edelstein, MR. (1988). Contaminated communities the social and psychological impacts of residential toxic exposure. M: THE SOCIAL AND PSYCHOLOGICAL IMPACTS OF RESIDENTIAL TOXIC EXPOSURE.
- Edge, JR. (1973). The Natural History and Immunology of Pleural Plaques in a Shipbuilding Community (pp. 13-15). (NIOSH/00041005). Edge, JR.
- Edge, JR. (1976). Asbestos related disease in Barrow-in-Furness. *Environ Res* 11: 244-247.
- Edge, JR. (1977). ASBESTOS RELATED LUNG DISEASE IN A BRITISH SHIPBUILDING POPULATION WITH PARTICULAR REGARD TO THE INCIDENCE OF BRONCHIAL CARCINOMA IN MEN WITH PLEURAL PLAQUES A MORTALITY STUDY. *Am Rev Respir Dis* 115.
- Edge, JR. (1979). Incidence of bronchial carcinoma in shipyard workers with pleural plaques. *Ann N Y Acad Sci* 330: 289-294.
- Edge, JR. (1983). Mesothelioma. *Br J Hosp Med* 29: 521-530, 535-526.
- Edge, JR; Choudhury, SL. (1978). Malignant mesothelioma of the pleura in Barrow-in-Furness. *Thorax* 33: 26-30.
- Edstrom, HW; Rice, DM. (1982). "Labrador lung": An unusual mixed dust pneumoconiosis. *Can Med Assoc J* 126: 27-30.
- Edstrom, LE; Dawson, PJ; Kohler, J; Demeester, TR. (1980). Malignant mesothelioma: a metastasis to the face. *J Surg Oncol* 14: 251-254.
- Edward, AT; Whitaker, D; Browne, K; Pooley, FD; Gibbs, AR. (1996). Mesothelioma in a community in the north of England. *Occup Environ Med* 53: 547-552.
- Edwards, JK; Cole, SR; Chu, H; Olshan, AF; Richardson, DB. (2014). Accounting for outcome misclassification in estimates of the effect of occupational asbestos exposure on lung cancer death. *Am J Epidemiol* 179: 641-647. <http://dx.doi.org/10.1093/aje/kwt309>.
- Edwards, RE; Wagner, MM; Moncrieff, CB. (1984). Cell population and histochemistry of asbestos related lesions of rat pleural cavity after injection of various inorganic dusts. *Br J Ind Med* 41: 506-513.
- Efremidis, AP; Waxman, JS; Chahinian, AP. (1985). Association of lymphocytic neoplasia and mesothelioma. *Cancer* 55: 1056-1059.

Human Health Hazard Literature Search Results

On Topic

- E-G, P. (1987). THE POSSIBLE INFLUENCE OF THE COMPONENTS OF THE SOIL AND THE LITHOSPHERE ON THE DEVELOPMENT AND GROWTH OF NEOPLASMS. *Experientia BASEL*: 74-81.
- Eger, W; Canaliss, DA. (1964). [ON ORGAN-, ESPECIALLY LIVER CHANGES AFTER A SINGLE QUARTZ-, ASBESTOS- OR TALC INJECTION INTO THE PORTAL CIRCULATION OF RATS]. 81: 11-42.
- Egilman, D. (2009). Fiber types, asbestos potency, and environmental causation: a peer review of published work and legal and regulatory scientific testimony. *Int J Occup Environ Health* 15: 202-228. <http://dx.doi.org/10.1179/oeh.2009.15.2.202>.
- Egilman, D. (2009). Fiber Types, Asbestos Potency, and Environmental Causation: A Peer Review of Published Work and Legal and Regulatory Scientific Testimony (vol 15, pg 202, 2009). *Int J Occup Environ Health* 15: 248-248.
- Egilman, D; Longo, WE. (2012). Egilman's assessment regarding exposures of auto mechanics to amphiboles is correct. *Inhal Toxicol* 24: 614-618. <http://dx.doi.org/10.3109/08958378.2012.697212>.
- Egilman, D; Menéndez, LM. (2011). A case of occupational peritoneal mesothelioma from exposure to tremolite-free chrysotile in Quebec, Canada: A black swan case. *Am J Ind Med* 54: 153-156. <http://dx.doi.org/10.1002/ajim.20882>.
- Egilman, D; Monárrez, R. (2017). Corporate corruption of science-Another asbestos example [Review]. *Am J Ind Med* 60: 152-162. <http://dx.doi.org/10.1002/ajim.22686>.
- Egilman, D; Reinert, A. (1996). Lung cancer and asbestos exposure: asbestosis is not necessary [Review]. *Am J Ind Med* 30: 398-406. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199610\)30:4<398::AID-AJIM4>3.0.CO;2-S](http://dx.doi.org/10.1002/(SICI)1097-0274(199610)30:4<398::AID-AJIM4>3.0.CO;2-S).
- Egilman, D; Roberts, M. (2004). Re: Controlled use of asbestos [Letter]. *Int J Occup Environ Health* 10: 99-103. <http://dx.doi.org/10.1179/oeh.2004.10.1.99>.
- Egilman, DS. (1992). PUBLIC-HEALTH AND EPISTEMOLOGY. *Am J Ind Med* 22: 457-459.
- Egilman, DS. (2011). Continued Controversy on Chrysotile Biopersistence Reply. *Int J Occup Environ Health* 17: 99-102.
- Egilman, DS; Hardy, HL. (1993). MANIPULATION OF EARLY ANIMAL RESEARCH ON ASBESTOS CANCER. *Am J Ind Med* 24: 787-791.
- egrave; Arvholm, B; Arvidsson, H; Bake, B; Hillerdal, G; Westrin, CG. (1985). Pleural plaque - Asbestos - Disease. (CIS/88/00567). *J and egrave; Arvholm, B; Arvidsson, H; Bake, B; Hillerdal, G; Westrin, CG.*
- egrave; Arvholm, B; Bake, B; Larsson, S. (1987). Functional respiratory impairment due to asbestos. (CIS/88/01631). *J and egrave; Arvholm, B; Bake, B; Larsson, S.*
- egrave; Ockel, KH; Ahrens, W; Jahn, I; Pohlabeln, H; Bolm-Audorff, U. (1995). Studies of lung cancer and hazards at the workplace (Final report). (CIS/96/01324). *Bundesanstalt f and egrave;ur Arbeitsmedizin.*
- egrave; Odelsperger, K. (1996). Inorganic fibres in human lung tissue. (CIS/98/00843). *Bundesanstalt f and egrave;ur Arbeitsmedizin.*
- egrave; Orster, H; Feck, G. (1985). In-vitro research into artificial mineral fibres. 35: 130-135.
- EHRENREI.T; Mackler, AD; Langer, AN; Selikoff, IJ. (1973). ASBESTOS FIBERS IN HUMAN LUNGS - FORENSIC SIGNIFICANCE IN ENVIRONMENTAL DISEASE. *Arch Mal Prof Med Trav Secur Soc* 34: 189-204.
- Ehrenreich, T; Mackler, AD; Langer, AM; Selikoff, IJ. (1973). Indentification and characterization of pulmonary dust burden in pneumoconiosis [Review]. 3: 118-131.
- Ehrenreich, T; Selikoff, IJ. (1981). Asbestos fibers in human lung: forensic significance [Review]. *Am J Forensic Med Pathol* 2: 67-74.
- Ehrlich, A; Gordon, RE; Dikman, SH. (1991). CARCINOMA OF THE COLON IN ASBESTOS-EXPOSED WORKERS - ANALYSIS OF ASBESTOS CONTENT IN COLON TISSUE. *Am J Ind Med* 19: 629-636.
- Ehrlich, A; Rohl, A; Holstein, E. (1985). ASBESTOS BODIES IN THE CARCINOMA OF THE COLON IN AN INSULATION WORKER WITH ASBESTOS EXPOSURE. *Am J Clin Pathol* 83: 392-392.
- Ehrlich, A; Rohl, AN; Holstein, EC. (1985). Asbestos bodies in carcinoma of colon in an insulation worker with asbestosis. *JAMA* 254: 2932-2933.
- Ehrlich, R; Lilis, R; Chan, E; Nicholson, WJ; Selikoff, IJ. (1992). Long term radiological effects of short term exposure to amosite asbestos among factory workers. *Br J Ind Med* 49: 268-275.
- Eid, AH; El-Sewefy, AZ; Kamal, M. (1969). Electron microscope studies of asbestos in Egypt with a case report of asbestosis. *J Egypt Med Assoc* 52: 298-305.
- Einbrodt, HJ; Maass, W; Josten, HG; Stecher, W. (1971). [Studies of pulmonary changes in electric welding workers]. *Offentl Gesundheitswes* 33: 286-299.
- Eisen, EA; Oliver, LC; Christiani, DC; Robins, JM; Wegman, DH. (1985). Effects of spirometry standards in two occupational cohorts. *Am Rev Respir Dis* 132: 120-124. <http://dx.doi.org/10.1164/arrd.1985.132.1.120>.
- Eisen, EA; Tolbert, PE; Hallock, MF; Monson, RR; Smith, TJ; Woskie, SR. (1994). Mortality studies of machining fluid exposure in the automobile industry III: A case-control study of larynx cancer. *Am J Ind Med* 26: 185-202.
- Eisenhawer, C; Felten, MK; Tamm, M; Das, M; Kraus, T. (2014). Radiological surveillance of formerly asbestos-exposed power industry workers: rates and risk factors of benign changes on chest X-ray and MDCT. *J Occup Med Toxicol* 9: 18. <http://dx.doi.org/10.1186/1745-6673-9-18>.
- Eisenstadt, HB. (1964). ASBESTOS PLEURISY. *Dis Chest* 46: 78-81.
- Eisenstadt, HB. (1965). BENIGN ASBESTOS PLEURISY. *JAMA* 192: 419-421.
- Eitner, F; Otto, H. (1984). THE PATHOLOGICAL RELEVANCE OF ASBESTOS PARTICLE COUNTS IN LUNG-TISSUE. *Arbeitsmedizin, Sozialmedizin, Praeventivmedizin* 19: 1-5.
- Ekstrom, AM; Eriksson, M; Hansson, LE; Lindgren, A; Signorello, LB; Nyren, O; Hardell, L. (1999). Occupational exposures and risk of gastric cancer in a population-based case-control study. *Cancer Res* 59: 5932-5937.
- El Desouky, M; Al Shallal, M; Bassan, RZ. (1982). A Follow Up Study Of Workers Exposed To Asbestos Fibres (1974-1980) (pp. 5-10). (NIOSH/00148256). El Desouky, M; Al Shallal, M; Bassan, RZ.

Human Health Hazard Literature Search Results

On Topic

- El Zoghbi, M; Salameh, P; Stücker, I; Brochard, P; Delva, F; Lacourt, A. (2017). Absence of multiplicative interactions between occupational lung carcinogens and tobacco smoking: a systematic review involving asbestos, crystalline silica and diesel engine exhaust emissions. *BMC Public Health* 17: 156. <http://dx.doi.org/10.1186/s12889-017-4025-1>.
- Elahi, A; Gerdes, H; Chen, Q; Saad, A; Jhanwar, SC. (1992). ABNORMALITIES OF CHROMOSOME 17 AND THE P53 LOCUS IN MALIGNANT MESOTHELIOMA (pp. 20-23). (BIOSIS/92/26135). Elahi, A; Gerdes, H; Chen, Q; Saad, A; Jhanwar, SC.
- Elci, OC; Akpınar-Elci, M; Blair, A; Dosemeci, M. (2002). Occupational dust exposure and the risk of laryngeal cancer in Turkey. *Scand J Work Environ Health* 28: 278-284.
- Elder, D; Abramson, M; Fish, D; Johnson, A; McKenzie, D; Sim, M. (2004). Surveillance of Australian workplace Based Respiratory Events (SABRE): notifications for the first 3.5 years and validation of occupational asthma cases. *Occup Med (Lond)* 54: 395-399. <http://dx.doi.org/10.1093/ocmed/kqh050>.
- Elferink, JG. (1989). Chrysotile asbestos-induced cytotoxicity and calcium-dependent exocytosis in polymorphonuclear leukocytes. *Res Comm Chem Pathol Pharmacol* 65: 361-372.
- Elferink, JG; Deierkauf, M; Kramps, JA; Koerten, HK. (1989). An activating and cytotoxic effect of asbestos on polymorphonuclear leukocytes. *Agents and Actions* 26: 213-215.
- Elferink, JG; Ebbenhout, JL. (1988). Asbestos-induced activation of the respiratory burst in rabbit neutrophils. *Res Comm Chem Pathol Pharmacol* 61: 201-211.
- Elferink, JG; Kelters, I. (1991). Chrysotile asbestos-induced membrane damage in human erythrocytes. *Res Comm Chem Pathol Pharmacol* 73: 355-365.
- Elferink, JGR; Deierkauf, M; Kramps, JA; Koerten, HK. (1989). THE INVOLVEMENT OF IONIC INTERACTIONS DURING ASBESTOS-INDUCED ENZYME-RELEASE FROM POLYMORPHONUCLEAR LEUKOCYTES. *Chem Biol Interact* 72: 215-227. [http://dx.doi.org/10.1016/0009-2797\(89\)90029-X](http://dx.doi.org/10.1016/0009-2797(89)90029-X).
- Eliasson, O; Baser, M. (1990). ASBESTOS EXPOSURE PLEURAL PLAQUES AND PULMONARY FUNCTION (pp. 20-24). (BIOSIS/90/18837). Eliasson, O; Baser, M.
- Elkiran, ET; Kaplan, MA; Sevinc, A; Aksoy, S; Demirci, U; Seker, M; Harputluoglu, H; Ozdemir, NY; Isik, F; Ulas, A; Inanc, M; Arslan, UY; Dogu, GG; Isikdogan, A; Buyukberber, S; Group, ASOMO. (2012). Multicentric study on malignant pleural mesothelioma in Turkey: clinicopathologic and survival characteristics of 282 patients. *Med Oncol* 29: 3147-3154. <http://dx.doi.org/10.1007/s12032-012-0276-y>.
- Elliehausen, HJ; Paur, R; Rodelsperger, K; Weitowitz, HJ. (1985). THE RISK OF SEQUELAE OF ASBESTOS INHALATION IN MOTOR MECHANICS WORKING IN BRAKES SERVICES. *Arbeitsmedizin, Sozialmedizin, Praeventivmedizin* 20: 256-261.
- Ellingsen, DG; Andersen, A; Nordhagen, HP; Efskind, J; Kjuus, H. (1993). Incidence of cancer and mortality among workers exposed to mercury vapour in the Norwegian chloralkali industry. *Br J Ind Med* 50: 875-880.
- Elliott, L; Loomis, D; Dement, J; Hein, MJ; Richardson, D; Stayner, L. (2012). Lung cancer mortality in North Carolina and South Carolina chrysotile asbestos textile workers. *Occup Environ Med* 69: 385-390. <http://dx.doi.org/10.1136/oemed-2011-100229>.
- Ellis, WP; Lieff, M. (1985). Asbestos in buildings. 13: 44-47.
- Elouk, SA; Jaurand, MC. (1994). Review of animal/in vitro data on biological effects of man-made fibers [Review]. *Environ Health Perspect* 102 Suppl 2: 47-61.
- El-Mahdy, N; Nicholls, PJ; Brown, RC; Poole, A. (1985). Cotton Dust and Bracts as Releasers of Arachidonate Metabolites from Alveolar Macrophages. *Proceedings of the First FDA Office of Science Summer Symposium: 1985* 1985.
- Elmes, P. (1994). Mesotheliomas and chrysotile. *Ann Occup Hyg* 38: 547-553, 415.
- Elmes, PC. (1976). Current information on the health risk of asbestos. 96: 248-252.
- Elmes, PC. (1978). Health Parameters Other than Mesothelioma (pp. 3-7). (NIOSH/00172123). Elmes, PC.
- Elmes, PC. (1980). Mesotheliomas, minerals, and man-made mineral fibres. *Thorax* 35: 561-563.
- Elmes, PC; McCaughey, WT; Wade, OL. (1965). DIFFUSE MESOTHELIOMA OF THE PLEURA AND ASBESTOS. *Br Med J* 1: 350-353.
- Elmes, PC; Simpson M, JC. (1976). The clinical aspects of mesothelioma. *Q J Med* 45: 427-449.
- Elmes, PC; Simpson, MJC. (1977). INSULATION WORKERS IN BELFAST - FURTHER STUDY OF MORTALITY DUE TO ASBESTOS EXPOSURE (1940-75). *Br J Ind Med* 34: 174-180.
- Elmes, PC; Simpson, MJC. (1977). Insulation workers in Belfast A further study of mortality due to asbestos exposure (1940-75). *Occup Environ Med* 34: 174-180.
- Elmes, PC; Wagner, J. (1981). Criteria document for Swedish occupational standards: Man-made mineral fibres. (CIS/81/01245). Elmes, PC; Wagner, J.
- Elmes, PC; Wagner, JC. (1981). Criteria Document for Swedish Occupational Standards: Man Made Mineral Fibers. *Arbete och Hälsa* No.
- Elovskaja, LT; Burmistrova, TB; Kovalevskii, EV. (2000). [Clinico-roentgenological and occupational correlations as a method of revealing the dose-effect dependence in the development of chrysotile-asbestos fibrosis]. *Med Tr Prom Eko* 19-23.
- El-Sewefy, AZ; Hassan, F. (1971). Immunoelectrophoretic pattern changes in asbestosis. *Ann Occup Hyg* 14: 25-28.
- El-Sewefy, AZ; Hegazi, SM. (1971). Serum proteins and amino acids in asbestosis. *Ann Occup Hyg* 14: 29-33.
- El-Sewefy, AZ; Shaheen, H; Shams El-Deen, A. (1975). Bone Marrow Changes In Asbestosis (pp. 1589-1597). (NIOSH/00156341). El-Sewefy, AZ; Shaheen, H; Shams El-Deen, A.
- Elstner, EF; Schütz, W; Vogl, G. (1986). Enhancement of enzyme-catalyzed production of reactive oxygen species by suspensions of "crocidolite"; asbestos fibres. *Free Radic Res Commun* 1: 355-359.

Human Health Hazard Literature Search Results

On Topic

- Elstner, EF; Schütz, W; Vogl, G. (1988). Cooperative stimulation by sulfite and crocidolite asbestos fibres of enzyme catalyzed production of reactive oxygen species. *Arch Toxicol* 62: 424-427.
- Elvira Espinosa, M; Garcia Regidor, C; Fernandez Rodriguez, J; Vegas Prieto, L; Ibanez Martin, JC; Aguado Cuenca, E; Velayos Pablo, T; Sanchez Gonzalez, ML; Susinos Arroyo, B. (2009). THE HEALTH MONITORING BY PREVENTION SERVICES IN ACTIVE WORKERS EXPOSED AND POST-EXPOSED WITHING THE ACTION PLAN IN PEOPLE WITH OCCUPATIONAL EXPOSURE TO ASBESTOS Y CASTILLA AND LEON. *Gac Sanit* 23: 6-6.
- Elwood, PC; Cochrane, AL; Benjamin, IT; Seys-Prosser, D. (1964). A FOLLOW-UP STUDY OF WORKERS FROM AN ASBESTOS FACTORY. *Br J Ind Med* 21: 304-307.
- Emara, AM. (1970). A Review of Occupational Cancer. *J Egypt Med Assoc* 53: 496-510.
- Emerit, I. (1994). Reactive oxygen species, chromosome mutation, and cancer: possible role of clastogenic factors in carcinogenesis [Review]. *Free Radic Biol Med* 16: 99-109.
- Emerit, I; Jaurand, MC; Saint-Etienne, L; Levy, A. (1991). Formation of a clastogenic factor by asbestos-treated rat pleural mesothelial cells. *Agents and Actions* 34: 410-415.
- Emerson, RJ; Cole, PJ. (1983). Failure Of Macrophage Activation To Induce Pulmonary Fibrosis In Asbestos-Exposed Guinea-Pigs. *Br J Exp Pathol* 64: 66-74.
- Emerson, RJ; Corrin, B; Cole, PJ. (1982). EFFECT OF SYSTEMIC MONONUCLEAR CELL ACTIVATION ON ASBESTOS INDUCED PULMONARY-LESIONS IN GUINEA-PIGS. *Am Rev Respir Dis* 125: 165-165.
- Emonot, A; Marquet, M; Baril, A; Berardj, A; Braillon, A. (1979). [Epidemiology of asbestos-induced mesotheliomas in inhabitants of the Saint-Etienne area. Apropos of 35 cases]. *Ann Med Interne* 130: 71-74.
- Emri, S; Akbulut, H; Zorlu, F; Dinçol, D; Akay, H; Güngen, Y; Içli, F. (2001). Prognostic significance of flow cytometric DNA analysis in patients with malignant pleural mesothelioma. *Lung Cancer* 33: 109-114.
- Emri, S; Demir, A; Dogan, M; Akay, H; Bozkurt, B; Carbone, M; Baris, I. (2002). Lung diseases due to environmental exposures to erionite and asbestos in Turkey. *Toxicol Lett* 127: 251-257.
- Emri, S; Demir, AU. (2004). Malignant pleural mesothelioma in Turkey, 2000-2002 [Review]. *Lung Cancer* 45 Suppl 1: S17-S20. <http://dx.doi.org/10.1016/j.lungcan.2004.04.009>.
- Emri, S; Kocagoz, T; Olut, A; Güngen, Y; Mutti, L; Baris, YI. (2000). Simian virus 40 is not a cofactor in the pathogenesis of environmentally induced malignant pleural mesothelioma in Turkey. *Anticancer Res* 20: 891-894.
- Enarson, DA; Embree, V; Maclean, L; Grzybowski, S. (1988). Respiratory health in chrysotile asbestos miners in British Columbia: A longitudinal study. *Br J Ind Med* 45: 459-463. <http://dx.doi.org/10.1136/oem.45.7.459>.
- Enarson, DA; Kennedy, S; Lam, S. (1988). PREVALENCE OF ASBESTOS-RELATED ABNORMALITIES ON BOARD SHIPS (pp. 23-26). (BIOSIS/88/33217). Enarson, DA; Kennedy, S; Lam, S.
- Endo-Capron, S; Renier, A; Janson, X; Kheuang, L; Jaurand, MC. (1993). In vitro response of rat pleural mesothelial cells to talc samples in genotoxicity assays (sister chromatid exchanges and DNA repair). *Toxicol In Vitro* 7: 7-14.
- Engelbrigtsen, JK. (1951). [Dermatoses due to solar oil in asbestos workers]. *Nord Hyg Tidskr* 9: 250-255.
- Engelberg, AL; Hodous, TK; Boehlecke, BA; Petersen, MR; Merchant, JA. (1980). National Institute For Occupational Safety And Health, Technical Assistance To OSHA, Johns-Manville Corporation, Waukegan, Illinois, Technical Assistance Report No. TA-78-101-104 (pp. 78-101). (NIOSH/00143036). Engelberg, AL; Hodous, TK; Boehlecke, BA; Petersen, MR; Merchant, JA.
- Engelbrecht, FM. (1964). EXPERIMENTAL STUDIES ON ASBESTOS. 10: 45-48.
- Engelbrecht, FM; Burger, BF. (1973). BIOLOGICAL EFFECT OF ASBESTOS DUST ON PERITONEAL VISCERA OF RATS. 47: 1746-1750.
- Engelbrecht, FM; Burger, BF. (1973). Biological effect of asbestos dust on the peritoneal viscera of rats. *S Afr Med J* 47: 1746-1750.
- Engelbrecht, FM; Burger, BF. (1975). Mesothelial reaction of asbestos and other irritants after intraperitoneal injection. *S Afr Med J* 49: 87-90.
- Engelbrecht, FM; Thiart, BF. (1972). The effect of small amounts of aluminium, carbon and carborundum on the development of silicosis and asbestosis. *S Afr Med J* 46: 462-464.
- Engholm, G; Englund, A. (2005). Asbestos hazard in the Swedish construction industry--recent trends in mesothelioma incidence. *Scand J Work Environ Health* 31 Suppl 2: 27-30.
- Engholm, G; Englund, A; Fletcher, A. (1987). RESPIRATORY CANCER AMONG SWEDISH CONSTRUCTION WORKERS IN RELATION TO EXPOSURE TO ASBESTOS AND MAN-MADE MINERAL FIBERS. *Scand J Work Environ Health* 13: 162-162.
- Engholm, G; Englund, A; Fletcher, AC; Hallin, N. (1987). Respiratory cancer incidence in Swedish construction workers exposed to man-made mineral fibres and asbestos. *Ann Occup Hyg* 31: 663-675.
- Engholm, G; von Schmalensee, G. (1982). Bronchitis and exposure to man-made mineral fibres in non-smoking construction workers. *Eur J Respir Dis Suppl* 118: 73-78.
- Engholm, G; Von Schmalensee, G. (1982). Working Environment And Bronchitis. Bronchitis And Exposure To Man-Made Mineral Fibres In Non-Smoking Construction Workers. *Eur J Respir Dis* 63: 73-78.
- Englert, JM; Hanford, LE; Kaminski, N; Tobolewski, JM; Tan, RJ; Fattman, CL; Ramsgaard, L; Richards, TJ; Loutaev, I; Nawroth, PP; Kasper, M; Bierhaus, A; Oury, TD. (2008). A role for the receptor for advanced glycation end products in idiopathic pulmonary fibrosis. *Am J Pathol* 172: 583-591. <http://dx.doi.org/10.2353/ajpath.2008.070569>.
- Englert, JM; Kliment, CR; Ramsgaard, L; Milutinovic, PS; Crum, L; Tobolewski, JM; Oury, TD. (2011). Paradoxical function for the receptor for advanced glycation end products in mouse models of pulmonary fibrosis. *Int J Clin Exp Pathol* 4: 241-254.
- Englund, A. (1995). Recent data on cancer due to asbestos in Sweden. *Med Lav* 86: 435-439.
- Englund, A. (2012). Cancer risks among construction workers. *Eur J Oncol* 17: 5-9.

Human Health Hazard Literature Search Results

On Topic

- Englund, A; Engholm, G. (1982). ASBESTOS RELATED CANCER IN SWEDISH CONSTRUCTION WORKERS (pp. 24-26). (ISSN 0004-069X EISSN 1661-4917 HEEP/84/05401). Englund, A; Engholm, G.
- Enomoto, M; Tierney, WJ; Nozaki, K. (2008). Risk of human health by particulate matter as a source of air pollution--comparison with tobacco smoking [Review]. *J Toxicol Sci* 33: 251-267.
- Enterline, P; de Coufle, P; Henderson, V. (1973). Respiratory cancer in relation to occupational exposures among retired asbestos workers. *Br J Ind Med* 30: 162-166.
- Enterline, P; Decoufle, P; Henderson, V. (1972). Mortality in relation to occupational exposure in the asbestos industry. *J Occup Med* 14: 897-903.
- Enterline, PE. (1965). Mortality among asbestos products workers in the United States. *Ann N Y Acad Sci* 132: 156-165.
- Enterline, PE. (1978). ASBESTOS AND CANCER - INTERNATIONAL LAG. *Am Rev Respir Dis* 118: 975-979.
- Enterline, PE. (1978). Epidemiological Methods for the Establishment of Dose-Response Relationships in Asbestos-Dust-Related Diseases (pp. 3-7). (NIOSH/00172125). Enterline, PE.
- Enterline, PE. (1980). Asbestos and lung cancer. Attributability in the face of uncertainty. *Chest* 78: 377-379.
- Enterline, PE. (1981). PROPORTION OF CANCER DUE TO EXPOSURE TO ASBESTOS (pp. COLD SPRING HARBOR). (HEEP/83/00957). Enterline, PE.
- Enterline, PE. (1983). Cancer produced by nonoccupational asbestos exposure in the United States. *J Air Pollut Control Assoc* 33: 318-322.
- Enterline, PE. (1983). Epidemiologic basis for the asbestos standard. *Environ Health Perspect* 52: 93-97.
- Enterline, PE. (1985). Asbestos and Cancer (pp. 14-16). (NIOSH/00173355). Enterline, PE.
- Enterline, PE. (1990). Role of manmade mineral fibres in the causation of cancer. *Br J Ind Med* 47: 145-146.
- Enterline, PE. (1993). Early animal research on asbestos cancer [Letter]. *Am J Ind Med* 24: 783-785; author reply 787-791.
- Enterline, PE; Hartley, J; Henderson, V. (1987). Asbestos and cancer: a cohort followed up to death. *Occup Environ Med* 44: 396-401.
- Enterline, PE; Henderson, V. (1973). Type of asbestos and respiratory cancer in the asbestos industry. *Arch Environ Occup Health* 27: 312-317.
- Enterline, PE; Henderson, VL. (1987). Geographic Patterns for Pleural Mesothelioma Deaths in the United States, 1968-81. *J Natl Cancer Inst* 79: 31-37.
- Enterline, PE; Kendrick, MA. (1967). Asbestos-dust exposures at various levels and mortality. *Arch Environ Health* 15: 181-186.
- Enterline, PE; Weill, H. (1974). ASBESTOSIS IN ASBESTOS CEMENT WORKERS (pp. LYON). (HEEP/75/04229). Enterline, PE; Weill, H.
- èO, E. (1982). The first larger chimney-sweeper survey shows: Chimney sweepers die earlier. 13: 14-19.
- EPA (Environmental Protection Agency). (1991). Indoor Air Assessment: A Review of Indoor Air Quality Risk Characterization Studies (pp. 1-118).
- Epler, GR; Carrington, CB; Gaensler, EA. (1978). Crackles (rales) in the interstitial pulmonary diseases. *Chest* 73: 333-339.
- Epler, GR; Fitz Gerald, MX; Gaensler, EA; Carrington, CB. (1980). Asbestos-related disease from household exposure. *Respiration* 39: 229-240. <http://dx.doi.org/10.1159/000194221>.
- Epler, GR; Mcloud, TC; Gaensler, EA. (1982). Prevalence and incidence of benign asbestos pleural effusion in a working population. *JAMA* 247: 617-622. <http://dx.doi.org/10.1001/jama.1982.03320300021016>.
- Epstein, DM. (1984). PLEURAL PLAQUES A MARKER FOR RESPIRATORY TRACT MALIGNANCY. *Chest* 86: 660-661.
- Epstein, PE. (1992). Asbestos inhalation and nonmalignant abnormalities of the chest [Review]. *Semin Roentgenol* 27: 85-93.
- Epstein, SS; Varnes, M. (1976). The short-term effects of ingested chrysotile asbestos on DNA synthesis in the pancreas and other organs of a primate. *Experientia* 32: 602-604.
- Erao, T. (1988). INTERNATIONAL COLLABORATION IN STUDYING IMMUNOTOXICITY OF CHEMICALS (pp. 1-10). (BIOSIS/89/14098). Erao, T.
- Erdinc, M; Erdinc, E; Cok, G; Polatli, M. (2003). Respiratory impairment due to asbestos exposure in brake-lining workers. *Environ Res* 91: 151-156. [http://dx.doi.org/10.1016/S0013-9351\(02\)00063-4](http://dx.doi.org/10.1016/S0013-9351(02)00063-4).
- Erdinc, W; Erdinc, E; Cok, G; Polatli, M. (2003). Respiratory impairment due to asbestos exposure in brake-lining workers (vol 91, pg 151, 2003). *Environ Res* 92: 282-282. [http://dx.doi.org/10.1016/S0013-9351\(03\)00072-0](http://dx.doi.org/10.1016/S0013-9351(03)00072-0).
- Erdogdu, G; Hasirci, V. (1998). An overview of the role of mineral solubility in silicosis and asbestosis [Review]. *Environ Res* 78: 38-42. <http://dx.doi.org/10.1006/enrs.1998.3842>.
- Erdogdu, G; Hasirci, VN. (1994). The Use of Liposomes in the Investigation of Mechanisms of Asbestos Damage. *Experientia* 50: 785-787.
- Erdreich, LS. (1983). Comparing epidemiologic studies of ingested asbestos for use in risk assessment. *Environ Health Perspect* 53: 99-104.
- Erika, V; Zoltán, S; Miklós, Z; Judit, A; Akos, L; Kálmán, K. (1996). [Malignant mesothelioma of the pleura]. *Orv Hetil* 137: 233-238.
- Eriksson, L; Jonson, B; Wollmer, P; Albin, M; Jacobsson, K; Skerfving, S; Albrechtsson, U; Tylene, U; Welinder, H. (1981). LUNG FUNCTION AND WORKING CAPACITY IN WORKERS EXPOSED TO ASBESTOS CEMENT (pp. 2-5). (HEEP/83/04258). Eriksson, L; Jonson, B; Wollmer, P; Albin, M; Jacobsson, K; Skerfving, S; Albrechtsson, U; Tylene, U; Welinder, H.
- Eriksson, L; Wollmer, P; Jonson, B; Albin, M; Jacobsson, K; Skerfving, S; Albrechtsson, U; Welinder, H. (1983). LUNG-FUNCTION AND WORKING CAPACITY IN WORKERS EXPOSED TO ASBESTOS-CEMENT. *Eur J Respir Dis* 64: 583-583.
- Eriksson, M; Karlsson, M. (1992). Occupational and other environmental factors and multiple myeloma: a population based case-control study. *Br J Ind Med* 49: 95-103.
- Erkan, F. (1992). Environmental health risks in Turkey (pp. 448-451). (BIOSIS/93/04695). Erkan, F.
- Ernst, CS; Atkinson, BF. (1980). Muci carmine positivity in malignant mesothelioma. 42: 113-114.
- Ernst, P. (1991). THE RELATIONSHIP BETWEEN RESPIRATORY IMPAIRMENT AND ASBESTOS-RELATED PLEURAL ABNORMALITY IN AN ACTIVE WORK FORCE - REPLY. *Am Rev Respir Dis* 143: 1197-1197.
- Ernst, P. (2004). A conversation with Margaret Becklake. *Epidemiology* 15: 245-249. <http://dx.doi.org/10.1097/01.ede.0000112785.81971.07>.
- Ernst, P; Bourbeau, J; Becklake, MR. (1991). Pleural abnormality as a cause of impairment and disability [Review]. *Ann N Y Acad Sci* 643: 157-161.

Human Health Hazard Literature Search Results

On Topic

- Ernst, P; Dales, R; Nunes, F; Becklake, MR. (1987). HEALTH SELECTION MAY BE DETERMINED BY AIRWAY REACTIVITY IN A DUSTY WORK ENVIRONMENT (pp. 15-18). (BIOSIS/87/21434). Ernst, P; Dales, R; Nunes, F; Becklake, MR.
- Ernst, P; Dales, RE; Nunes, F; Becklake, MR. (1989). Relation of airway responsiveness to duration of work in a dusty environment. *Thorax* 44: 116-120.
- Ernst, P; Shapiro, S; Becklake, MR. (1985). DETERMINANTS OF RESPIRATORY SYMPTOMS IN INSULATORS EXPOSED TO ASBESTOS AND SYNTHETIC MINERAL FIBERS (pp. 12-15). (BIOSIS/85/16422). Ernst, P; Shapiro, S; Becklake, MR.
- Ernst, P; Shapiro, S; Dales, RE; Becklake, MR. (1987). Determinants of respiratory symptoms in insulation workers exposed to asbestos and synthetic mineral fibres. *Br J Ind Med* 44: 90-95.
- Erren, TC; Jacobsen, M; Piekarski, C. (1999). Synergy between asbestos and smoking on lung cancer risks. *Epidemiology* 10: 405-411.
- Erren, TC; Piekarski, C. (1999). A meta-analysis of synergy between asbestos and smoking on lung cancer. *Epidemiology* 10: S62-S62.
- Erzen, C; Eryilmaz, M; Kalyoncu, F; Bilir, N; Sahin, A; Baris, YI. (1991). CT findings in malignant pleural mesothelioma related to nonoccupational exposure to asbestos and fibrous zeolite (erionite). *J Comput Assist Tomogr* 15: 256-260.
- Esandi, MC; Vansomerem, GD; Vincent, A; Vanbekkum, DW; Valerio, D; Bout, A; Noteboom, JL. (1997). Gene therapy of experimental malignant mesothelioma using adenovirus vectors encoding the HSVtk gene. *Gene Ther* 4: 280-287. <http://dx.doi.org/10.1038/sj.gt.3300385>.
- Escanez, J. (1976). A FRENCH TRADE UNIONISTS VIEW OF OCCUPATIONAL CANCER (pp. GENEVA). (HEEP/79/00873). Escanez, J.
- Esmen, NA; Erdal, S. (1991). The size of fibrous aerosols. *Appl Occup Environ Hyg* 6: 764-772.
- Espirito, JD; Matuschak, GM; Sterling, D; Hobart, N; Hyers, T; Ohar, JM. (1999). Diffuse pleural thickening and effusion predict mesothelioma in asbestos-exposed individuals. *Am J Respir Crit Care Med* 159: A212-A212.
- Eterovic, D; Dujic, Z; Tocilj, J; Capkun, V. (1993). High resolution pulmonary computed tomography scans quantified by analysis of density distribution: Application to asbestosis. *Br J Ind Med* 50: 514-519.
- Etzel, CJ; Kachroo, S; Liu, M, ei; D'Amelio, A; Dong, Q; Cote, ML; Wenzlaff, AS; Hong, WK, i; Greisinger, AJ; Schwartz, A; Spitz, MR. (2008). Development and Validation of a Lung Cancer Risk Prediction Model for African-Americans. *Cancer Prev Res (Phila Pa)* 1: 255-265. <http://dx.doi.org/10.1158/1940-6207.CAPR-08-0082>.
- Evanoff, BA; Gustavsson, P; Hogstedt, C. (1993). Mortality and incidence of cancer in a cohort of Swedish chimney sweeps: an extended follow up study. *Occup Environ Med* 50: 450-459.
- Evans, CC; Lewinsöhn, HC; Evans, JM. (1977). Frequency of HLA antigen in asbestos workers with and without pulmonary fibrosis. *Br Med J* 1: 603-605.
- Evans, JC; Evans, RJ; Holmes, A; Hounam, RF; Jones, DM; Morgan, A; Walsh, M. (1973). Studies on the deposition of inhaled fibrous material in the respiratory tract of the rat and its subsequent clearance using radioactive tracer techniques: 1 UICC crocidolite asbestos. *Environ Res* 6: 180-201.
- Evans, P; Yano, E. (1985). PHAGOCYTE-DERIVED REACTIVE OXYGEN METABOLITES STIMULATION BY PATHOGENIC MINERAL DUSTS (pp. 20-22). (BIOSIS/86/16573). HASKELL LABORATORY.
- Evans, PH; Brown, RC; Poole, A. (1983). Modification of the in vitro activities of amosite asbestos by surface derivatization. *J Toxicol Environ Health* 11: 535-543. <http://dx.doi.org/10.1080/15287398309530365>.
- Evans, PH; Morgan, LG; Yano, E; Campbell, AK. (1987). Chemiluminescent Detection of Free Radical Oxidant Production by PMN Phagocytosis of Nickeliferous Dusts (pp. Clinical and Experimental Research). (NIOSH/00203530). Evans, PH; Morgan, LG; Yano, E; Campbell, AK.
- Evans, PH; Yano, E; Campbell, AK. (1986). CARCINOGENICITY OF MINERAL DUSTS I. STIMULATION OF POLYMORPHONUCLEAR LEUKOCYTE PHAGOCYTIC FREE RADICAL OXIDANT PRODUCTION BY ERIONITE AND ASBESTIFORM TUMORIGENIC PARTICLES (pp. 21-25). (BIOSIS/86/33818). HASKELL LABORATORY.
- Evelo, CTA; Bos, RP; Borm, PJA. (1993). DECREASED GLUTATHIONE CONTENT AND GLUTATHIONE-S-TRANSFERASE ACTIVITY IN RED-BLOOD-CELLS OF COAL-MINERS WITH EARLY STAGES OF PNEUMOCONIOSIS. *Br J Ind Med* 50: 633-636.
- Everatt, RP; Smolianskiene, G; Tossavainen, A; Cienas, S; Jankauskas, R. (2007). Occupational asbestos exposure among respiratory cancer patients in Lithuania. *Am J Ind Med* 50: 455-463. <http://dx.doi.org/10.1002/ajim.20467>.
- Everitt, J; Walker, C; Ferriola, PC; Stewart, W; Mangum, J; Bermudez, E. (1994). AUTOCRINE TRANSFORMATION BY TGF-ALPHA IN ASBESTOS-TRANSFORMED MESOTHELIAL CELLS. *FASEB J* 8: A805-A805.
- Everitt, JI. (1994). Mechanisms of fiber-induced diseases: implications for the safety evaluation of synthetic vitreous fibers [Review]. *Regul Toxicol Pharmacol* 20: S68-S75.
- Evison, M; Barber, P. (2013). A novel hypothesis in benign pleural thickening in asbestos exposed patients. *Eur Respir J* 42.
- Evison, M; Barber, P. (2015). Diffuse pleural thickening following heart failure-related pleural effusions in an asbestos exposed patient. *Int J Occup Environ Health* 21: 169-171. <http://dx.doi.org/10.1179/2049396714Y.0000000104>.
- Ewing, WM; Hays, SM; Hatfield, R; Longo, WE; Millette, JR. (2010). Zonolite attic insulation exposure studies. *Int J Occup Environ Health* 16: 279-290. <http://dx.doi.org/10.1179/oeh.2010.16.3.279>.
- Exarchos, GD; Attanoos, RL. (2015). Pseudomesotheliomatous small-cell neuroendocrine carcinoma of the lung with calretinin expression [Letter]. *Histopathology* 66: 895-896. <http://dx.doi.org/10.1111/his.12484>.
- Eyden, BP; Banik, S; Harris, M. (1996). Malignant epithelial mesothelioma of the peritoneum: observations on a problem case. *Ultrastruct Pathol* 20: 337-344.
- Eyssen, GM. (1980). Development of radiographic abnormality in chrysotile miners and millers. *Chest* 78: 411-414.
- F, FJ; JR. (1979). EPIDEMIOLOGICAL STUDIES OF CANCER (pp. IDENTIFICATION AND MECHANISMS OF ACTION). (HEEP/79/12246). Fraumeni J F; JR.
- F, M, rT; Michels, F; L, G, r; Ferrand, JF; Moulin, P; Gu?Vel, E. (2009). [Cardiovascular diseases and work]. *DMT77-88*.

Human Health Hazard Literature Search Results

On Topic

- Fabiánová, E; Szeszenia-Dabrowska, N; Kjaerheim, K; Boffetta, P. (1999). Occupational cancer in central European countries [Review]. *Environ Health Perspect* 107: 279-282.
- Facchini, U; Branzaglia, P; Marazzan, MG; Camnasio, M; Riboldi, L; Bertazzi, PA. (1989). [Mortality caused by pleural mesothelioma in the 1979-1983 lustre in Italy regarding provinces and single local health districts]. *Med Lav* 80: 148-154.
- Fahy, A. (1972). Enemies in the dust: Occupational respiratory diseases (pp. 14-16). (HEEP/73/02092). Fahy, A.
- Fahy, A. (1972). Enemies in the dust; asbestos. 58: 12-14.
- Faig, J; Howard, S; Levine, EA; Casselman, G; Hesdorffer, M; Ohar, JA. (2015). Changing pattern in malignant mesothelioma survival. *Translational Oncology* 8: 35-39. <http://dx.doi.org/10.1016/j.tranon.2014.12.002>.
- Fairweather, V. (1986). THE ASBESTOS IMPASSE (pp. 43-45; 1986). (HMTC/86/0003859). Fairweather, V.
- Fajen, JM; Hills, B; Calvert, GM. (1990). Health Hazard Evaluation Report No. HETA-89-126-2057, Hagaman Finishing, Hagaman, New York (pp. 89-126). (NIOSH/00196017). Fajen, JM; Hills, B; Calvert, GM.
- Falascchi, F; Boraschi, P; Antonelli, A; Neri, S; Bartolozzi, C. (1993). [Diagnosis with high resolution computerized tomography of early asbestos-induced diseases]. *Radiol Med* 86: 220-226.
- Falchi, M; Donelli, G; Paoletti, L. (1994). INFLUENCE OF PARTICLE-SIZE AND CHEMICAL-COMPOSITION ON EFFICIENCY OF CLEARANCE MECHANISMS - ELECTRON-MICROSCOPY STUDIES ON HUMANS. *Environ Health Perspect* 102: 241-243.
- Falconieri, G; Grandi, G; Dibonito, L; Bonifacio-Gori, D; Giarelli, L. (1991). Intracranial metastases from malignant pleural mesothelioma. Report of three autopsy cases and review of the literature [Review]. *Arch Pathol Lab Med* 115: 591-595.
- Falk, RT; Pickle, LW; Fonham, ET; Correa, P; Morse, A; Chen, V; Fraumeni, JJJ. (1990). Occupation and pancreatic cancer risk in Louisiana (USA). *Am J Ind Med* 18: 565-576.
- Falkson, G; Alberts, AS; Falkson, HC. (1988). MALIGNANT PLEURAL MESOTHELIOMA TREATMENT THE CURRENT STATE OF THE ART. *Cancer Treat Rev* 15: 231-242.
- Fallahi, P; Ragusa, F. (2016). Mesothelioma and interferon- γ -dependent chemokine IP-10. *Clin Ter* 167: e192-e197.
- Falzone, L; Marconi, A; Loreto, C; Franco, S; Spandidos, DA; Libra, M. (2016). Occupational exposure to carcinogens: Benzene, pesticides and fibers (Review). *Mol Med Rep* 14: 4467-4474. <http://dx.doi.org/10.3892/mmr.2016.5791>.
- Fan, A; Howd, R; Alexeeff, G; Sullivan, M; Parker, T; Avalos, J; Painter, P; Ting, D; Butler, N; Vidair, C. (2004). Risk assessment for drinking water contaminants: Asbestos, barium, beryllium, chlorobenzene, 1, 1-dichloroethane, diethylhexyladipate, ethylene dibromide, hexachlorobenzene, silvex, 1, 1, 2, 2-tetrachloroethane and toxaphene [Abstract]. *Toxicologist* 78: 152.
- Fan, J; Wang, Q; Liu, S. (1998). [Comparison of changes in oncogene of human embryo lung cells before and after chemical modification for chrysotile]. *Zhonghua Yufang Yixue Zazhi* 32: 330-332.
- Fan, J; Wang, Q; Liu, S. (2000). [Studies on chrysotile-induced cell transformation and its intervention effect]. *Zhonghua Yufang Yixue Zazhi* 34: 31-33.
- Fan, JG; Wang, QE; Liu, SJ. (2000). Chrysotile-induced cell transformation and transcriptional changes of c-myc oncogene in human embryo lung cells. *Biomed Environ Sci* 13: 163-169.
- Fan, JG; Wang, QE; Liu, SJ. (2001). Ameliorated chrysotile-induced DNA damage in human embryo lung cells by surface modification of chrysotile with rare earth compounds. *Biomed Environ Sci* 14: 220-228.
- Fan, JG; Wang, QE; Liu, SJ; Wu, WD; Jia, G; Zhou, LL. (1998). Pretreatment of chrysotile with rare earth compounds lowered its cytotoxicity by lessening surface charges. *Biomed Environ Sci* 11: 125-132.
- Fan, JIN, GGUANG; Wang, QIE, N; Wu, WEI, DONG; Et, AL. (1997). A study on the inhibitory effects of several chemicals on the production of nitrogen oxide in alveolar macrophage induced by asbestos. *Zhonghua Yufang Yixue Zazhi* 31: 31-33.
- Fang, D. (1990). [A study on the tumorigenic process of mesothelioma induced by intrapleural injection of crocidolite in rats]. *Chung Hua Hsueh Tsa Chih* 70: 88-90, 88.
- Fang, R; Aust, AE. (1997). INDUCTION OF FERRITIN SYNTHESIS AS A INDICATOR OF INTRACELLULAR IRON MOBILIZATION FROM PARTICULATES (pp. 24-29). (BIOSIS/97/28613). Fang, R; Aust, AE.
- Fang, R; Aust, AE. (1997). Induction of ferritin synthesis in human lung epithelial cells treated with crocidolite asbestos. *Arch Biochem Biophys* 340: 369-375. <http://dx.doi.org/10.1006/abbi.1997.9892>.
- Fang, R; Le, N; Band, P. (2011). Identification of occupational cancer risks in British Columbia, Canada: a population-based case-control study of 1,155 cases of colon cancer. *Int J Environ Res Public Health* 8: 3821-3843. <http://dx.doi.org/10.3390/ijerph8103821>.
- Fang, RH; Aust, AE. (1995). INDUCTION OF FERRITIN IN HUMAN LUNG EPITHELIAL-CELLS (A549) TREATED WITH CROCIDOLITE ASBESTOS. *FASEB J* 9: A1424-A1424.
- Fannick, N. (1983). Health Hazard Evaluation Report, No. HETA-83-073-1293, Russell-Zuhl, Incorporated, New York City, New York (pp. 83-073). (NIOSH/00135036). Fannick, N.
- Fano, V; Michelozzi, P; Ancona, C; Capon, A; Forastiere, F; Perucci, CA. (2004). Occupational and environmental exposures and lung cancer in an industrialised area in Italy. *Occup Environ Med* 61: 757-763. <http://dx.doi.org/10.1136/oem.2003.010728>.
- Fantauzzi, M; Pacella, A; Atzei, D; Gianfagna, A; Andreozzi, GB; Rossi, A. (2010). Combined use of X-ray photoelectron and Mössbauer spectroscopic techniques in the analytical characterization of iron oxidation state in amphibole asbestos. *Anal Bioanal Chem* 396: 2889-2898. <http://dx.doi.org/10.1007/s00216-010-3576-0>.
- Fantauzzi, M; Pacella, A; Fournier, J; Gianfagna, A; Andreozzi, GB; Rossi, A. (2012). Surface chemistry and surface reactivity of fibrous amphiboles that are not regulated as asbestos. *Anal Bioanal Chem* 404: 821-833. <http://dx.doi.org/10.1007/s00216-012-6190-5>.
- Farber, E. (1973). CHEMICAL CARCINOGENESIS (pp. NEW YORK). (HEEP/73/11037). Farber, E.
- Farber, E. (1981). CHEMICAL CARCINOGENESIS. *N Engl J Med* 305: 1379-1389.

Human Health Hazard Literature Search Results

On Topic

- Farley, ML; Greenberg, SD; Shuford E H, J. R.; Hurst, GA; Spivey, CG; Christianson, CS. (1976). FERRUGINOUS BODIES IN SPUTA OF FORMER ASBESTOS WORKERS. *Acta Cytol* 20: 585.
- Farley, ML; Greenberg, SD; Shuford, EH; Hurst, GA; Spivey, CG; Christianson, CS. (1977). Ferruginous bodies in sputa of former asbestos workers. *Acta Cytol* 21: 693-700.
- Farmer, CK; Goldsmith, DJ. (2001). Nephrotic syndrome and mesenteric infarction secondary to metastatic mesothelioma. *Postgrad Med J* 77: 333-334.
- Farrell, DJ; Cooper, PN; Malcolm, AJ. (1995). CARCINOSARCOMA OF LUNG ASSOCIATED WITH ASBESTOSIS. *Histopathology OXFORD*: 484-486.
- Farris, G. (1953). [Warts caused by asbestos and other cutaneous manifestations in workers handling insulation]. 22: 1-17.
- Farulla, A; Naro, G; Alimena, G; Delfini, AM; Ogis, M; Pugliese, D; Zingarelli, S. (1978). [In vitro effect of asbestos fibers on short-term cultures of human lymphocytes]. *Ann Ist Super Sanita* 14: 655-658.
- Fasola, G; Belvedere, O; Aita, M; Zanin, T; Follador, A; Cassetti, P; Meduri, S; De Pangher, V; Pignata, G; Rosolen, V; Barbone, F; Grossi, F. (2007). Low-dose computed tomography screening for lung cancer and pleural mesothelioma in an asbestos-exposed population: baseline results of a prospective, nonrandomized feasibility trial--an Alpe-adria Thoracic Oncology Multidisciplinary Group Study (ATOM 002). *Oncologist* 12: 1215-1224. <http://dx.doi.org/10.1634/theoncologist.12-10-1215>.
- Fasske, E. (1986). Pathogenesis of pulmonary fibrosis induced by chrysotile asbestos. Longitudinal light and electron microscopic studies on the rat model. 408: 329-346.
- Fasske, E. (1988). Experimental lung tumors following specific intrabronchial application of chrysotile asbestos. Longitudinal light and electron microscopic investigations in rats. *Respiration* 53: 111-127.
- Fasy, TM; Andrews, PW; Jonhnsn, EM. (1986). ASBESTOS FIBERS MEDIATE THE UPTAKE OF DNA INTO PRIMATE CELLS IN CULTURE (pp. 8-12). (BIOSIS/86/28460). Fasy, TM; Andrews, PW; Jonhnsn, EM.
- Fasy, TM; Davis, JMG; Myint, T; Jaurand, MC; Esmen, N; Schwartz, A; Rom, WN; Kane, A; Mark, E. (1991). ASBESTOS FIBERS ARE MUTAGENIC AFTER ALL - NEW SIGNS OF ORTHODOXY FOR A PARADOXICAL GROUP OF CARCINOGENS [Review]. *Ann N Y Acad Sci* 643: 271-282.
- Fatjó Huriros, F; García Criado, MÁ; Lomeña, F; Miquel, R. (2014). [A 76-year-old man with ascites and constitutional syndrome]. *Med Clin (Barc)* 142: 156-162. <http://dx.doi.org/10.1016/j.medcli.2013.07.004>.
- Fatma, N; Jain, AK; Rahman, Q. (1991). Frequency of sister chromatid exchange and chromosomal aberrations in asbestos cement workers. *Br J Ind Med* 48: 103-105.
- Fatma, N; Khan, SG; Aslam, M; Rahman, Q. (1992). Induction of chromosomal aberrations in bone marrow cells of asbestotic rats. *Environ Res* 57: 175-180.
- Fattman, C; Tan, R; Oury, T. (2004). Asbestos-induced lung injury in ECSOD KO mice. *Free Radic Biol Med* 37: S141-S141.
- Fattman, CL; Argoti, PS; Torres, GM; Oury, T, imD; Ortiz, LA. (2007). Release of ECSOD from alveolar macrophages in response to asbestos fibers correlates with decreased TNF alpha production and induction of apoptosis. *FASEB J* 21: A821-A821.
- Fattman, CL; Jun, S; Benson, A; Dory, L. (2007). Extracellular superoxide dismutase allele-specific effects influence the severity of asbestos-induced fibroproliferative lung disease in mice. *Free Radic Biol Med* 43: S119-S119.
- Fattman, CL; Tan, RJ; Oury, TD. (2005). Asbestos-induced lung injury in mice lacking ECSOD. *FASEB J* 19: A1535-A1535.
- Fattman, CL; Tan, RJ; Tobolewski, JM; Oury, TD. (2006). Increased sensitivity to asbestos-induced lung injury in mice lacking extracellular superoxide dismutase. *Free Radic Biol Med* 40: 601-607. <http://dx.doi.org/10.1016/j.freeradbiomed.2005.09.030>.
- Faux, SP; Houghton, CE. (2000). Cell Signaling in Mesothelial Cells by Asbestos: Evidence for the Involvement of Oxidative Stress in the Regulation of the Epidermal Growth Factor Receptor. *Inhal Toxicol* 12 Suppl 3: 327-336. <http://dx.doi.org/10.1080/08958378.2000.11463242>.
- Faux, SP; Houghton, CE; Hubbard, A; Patrick, G. (2000). Increased expression of epidermal growth factor receptor in rat pleural mesothelial cells correlates with carcinogenicity of mineral fibres. *Carcinogenesis* 21: 2275-2280.
- Faux, SP; Howden, PJ. (1997). Possible role of lipid peroxidation in the induction of NF-kappa B and AP-1 in RFL-6 cells by crocidolite asbestos: evidence following protection by vitamin E. *Environ Health Perspect* 105 Suppl 5: 1127-1130.
- Faux, SP; Howden, PJ; Levy, LS. (1994). IRON-DEPENDENT FORMATION OF 8-HYDROXYDEOXYGUANOSINE IN ISOLATED DNA AND MUTAGENICITY IN SALMONELLA-TYPHIMURIUM TA102 INDUCED BY CROCIDOLITE. *Carcinogenesis* 15: 1749-1751.
- Faux, SP; Michelangeli, F; Levy, LS. (1994). Calcium chelator Quin-2 prevents crocidolite-induced DNA strand breakage in human white blood cells. *Mutat Res* 311: 209-215.
- Faye-Lund, P; Holck, P; Rutlin, E. (1989). [Asbestos in the work environment. The occurrence of pulmonary changes among workers exposed to asbestos at an electrotechnical factory]. *Tidsskr Nor Laegeforen* 109: 1783-1786.
- Fayemendy, L; Tulliez, M; Uzzan, E; Abelanet, R; Chaussade, S; Couturier, D. (1996). [Peritoneal mesothelioma revealed by episodes of recurrent spontaneous peritonitis]. *Gastroenterol Clin Biol* 20: 99-102.
- Fazzo, L; Carere, M; Tisano, F; Bruno, C; Cernigliaro, A; Cicero, MR; Comba, P; Contrino, ML; De Santis, M; Falleni, F; Ingallinella, V; Madeddu, A; Marcello, I; Regalbutto, C; Sciacca, G; Soggiu, ME; Zona, A. (2016). Cancer incidence in Priolo, Sicily: a spatial approach for estimation of industrial air pollution impact. *Geospat Health* 11: 320. <http://dx.doi.org/10.4081/gh.2016.320>.
- Fazzo, L; De Santis, M; Minelli, G; Bruno, C; Zona, A; Conti, S; Comb, P. (2011). Mesothelioma Mortality and Asbestos Exposure Mapping in Italy. *Epidemiology* 22: S107-S107.
- Fazzo, L; De Santis, M; Minelli, G; Bruno, C; Zona, A; Marinaccio, A; Conti, S; Comba, P. (2012). Pleural mesothelioma mortality and asbestos exposure mapping in Italy. *Am J Ind Med* 55: 11-24. <http://dx.doi.org/10.1002/ajim.21015>.

Human Health Hazard Literature Search Results

On Topic

- Fazzo, L; Menegozzo, S; Soggiu, ME; De Santis, M; Santoro, M; Cozza, V; Brangi, A; Menegozzo, M; Comba, P. (2014). Mesothelioma incidence in the neighbourhood of an asbestos-cement plant located in a national priority contaminated site. *Ann Ist Super Sanita* 50: 322-327. http://dx.doi.org/DOI: 10.4415/ANN_14_04_05.
- Fazzo, L; Minelli, G; De Santis, M; Bruno, C; Zona, A; Marinaccio, A; Conti, S; Pirastu, R; Comba, P. (2012). Mesothelioma mortality surveillance and asbestos exposure tracking in Italy. *Ann Ist Super Sanita* 48: 300-310. http://dx.doi.org/DOI: 10.4415/ANN_12_03_11.
- Fazzo, L; Nicita, C; Cernigliaro, A; Zona, A; Bruno, C; Fiumanò, G; Villari, C; Puglisi, G; Marinaccio, A; Comba, P; Tumino, R. (2010). [Mortality from asbestos-related causes and incidence of pleural mesothelioma among former asbestos cement workers in San Filippo del Mela (Sicily)]. *Epidemiol Prev* 34: 87-92.
- Fear, NT; Roman, E; Carpenter, LM; Newton, R; Bull, D. (1996). Cancer in electrical workers: an analysis of cancer registrations in England, 1981-87. *Br J Cancer* 73: 935-939.
- Fears, TR. (1976). Cancer mortality and asbestos deposits. *Am J Epidemiol* 104: 523-526.
- Fedi, A; Blagini, B; Melosi, A; Marzuoli, E; Ancillotti, M; Gorini, G; Costantini, AS; Silvestri, S; Innocenti, A. (2005). [Assessment of asbestos exposure, mortality study, and health intervention in workers formerly exposed to asbestos in a small factory making drying machines for textile finishing and the paper mill industry in Pistoia, Italy]. *Med Lav* 96: 243-249.
- Fei, LY, u; Qi, ZG, uo; Chen, W, eiSi; Hui, S; Xin, YY, u; Jie, Y, inWen; Gang, ZX, iu. (2013). Clinical analysis of localized malignant peritoneal mesothelioma. *J Gastroenterol Hepatol* 28: 442-442.
- Feigelson, HS; Ross, RK; Yu, MC; Coetzee, GA; Reichardt, JK; Henderson, BE. (1996). Genetic susceptibility to cancer from exogenous and endogenous exposures [Review]. *J Cell Biochem Suppl* 25: 15-22.
- Feigin, DS. (1986). Talc: understanding its manifestations in the chest. *AJR Am J Roentgenol* 146: 295-301. <http://dx.doi.org/10.2214/ajr.146.2.295>.
- Feist, JH; Hodgson, MJ; Fuhrman, CR; Owens, G; Gur, D. (1990). Reliability of Early Diagnosis of Pleuropulmonary Lesions in Workers Exposed to Asbestos: The Effect of Position, Radiographic Quality and Storage Phosphor Imaging on Diagnostic Accuracy (pp. 89-270). (NIOSH/00198445). Feist, JH; Hodgson, MJ; Fuhrman, CR; Owens, G; Gur, D.
- Feldman, AL; Johansson, ALV; Nise, G, un; Gatz, M; Pedersen, NL; Wirdefeldt, K. (2011). Occupational exposure in Parkinsonian disorders: A 43-year prospective cohort study in men. *Parkinsonism Relat Disord* 17: 677-682. <http://dx.doi.org/10.1016/j.parkreldis.2011.06.009>.
- Felice, J. R.; Muller, A; Alfonzo, JV; Osorio MURGA, M; Canizales GUEDEZ, E; Torres PARRAM, E. (1961). [The problem of asbestosis in a plant for the separation and classification of asbestos fibers]. 26: 523-529.
- Felix, MA; J-P, L; Ehrlich, RI. (1994). Three Minerals, Three Epidemics Asbestos Mining and Disease in South Africa (pp. Asbestos and Cancers). (NIOSH/00224022). Felix, MA; Leger J-P; Ehrlich, RI.
- Felten, MK; Khatab, K; Knoll, L; Schettgen, T; Müller-Berndorff, H; Kraus, T. (2014). Changes of mesothelin and osteopontin levels over time in formerly asbestos-exposed power industry workers. *Int Arch Occup Environ Health* 87: 195-204. <http://dx.doi.org/10.1007/s00420-013-0853-1>.
- Felten, MK; Knoll, L; Schikowsky, C; Das, M; Feldhaus, C; Hering, KG; Böcking, A; Kraus, T. (2014). Is it useful to combine sputum cytology and low-dose spiral computed tomography for early detection of lung cancer in formerly asbestos-exposed power industry workers? *J Occup Med Toxicol* 9: 14. <http://dx.doi.org/10.1186/1745-6673-9-14>.
- Felton, JS. (1979). Radiographic search for asbestos-related disease in a naval shipyard. *Ann N Y Acad Sci* 330: 341-352.
- Felton, JS. (1982). CONTEMPORARY PROBLEMS AND NEEDED RESEARCH RELATED TO INDUSTRIALLY INDUCED MALIGNANT DISEASE (pp. NEW YORK). (HEEP/83/03140). Felton, JS.
- Felton, JS; Sargent, EN; Gordonson, JS. (1980). Radiographic changes following asbestos exposure: experience with 7,500 workers. *J Occup Med* 22: 15-20.
- Ferguson, D. (1989). Malignant mesothelioma--the rising epidemic. *Med J Aust* 150: 233-235.
- Ferguson, D; Ng, T. (1980). AUSTRALIAN MESOTHELIOMA REGISTER. *Med J Aust* 67: 67-61.
- Ferguson, DA; Berry, G; Jelichovsky, T; Andreas, SB; Rogers, AJ; Fung, SC; Grimwood, A; Thompson, R. (1987). The Australian Mesothelioma Surveillance Program 1979-1985. *Med J Aust* 147: 166-172.
- Ferguson, EB. (1995). RESPIRATORY HEALTH IN THE AEROSPACE INDUSTRY (pp. NEW YORK). (BIOSIS/96/35375). Ferguson, EB.
- Ferguson, RP; Knutti, EB. (1991). Health Hazard Evaluation Report HETA 88-108-2146, ASARCO New Market/Young Mines, Mascot, Tennessee (pp. 1-57). (NIOSH/00204370). Ferguson, RP; Knutti, EB.
- Ferguson, RP; Knutti, EB. (1991). Health Hazard Evaluation Report HETA 88-390-2148, American Salt Company, Lyons, Kansas (pp. 1-36). (NIOSH/00204376). Ferguson, RP; Knutti, EB.
- Ferguson, RP; Knutti, EB. (1991). Health Hazard Evaluation Report No. HETA-88-388-2155, Morton Salt Company, Grande Saline, Texas. (HHE Report No. HETA-88-388-2155). Cincinnati, OH: National Institute for Occupational Safety and Health (NIOSH).
- Ferguson, RP; Knutti, EB. (1991). Health Hazard Evaluation Report No. HETA-88-389-2147, International Salt Company, Avery Island, Louisiana (pp. 88-389). (NIOSH/00204377). Ferguson, RP; Knutti, EB.
- Ferguson, RP; Knutti, EB. (1993). Health Hazard Evaluation Report HETA 88-391-2156, Morton Salt Company, Weeks Island, Louisiana. (Revised April 1993) (pp. 1-36). (NIOSH/00215684). Ferguson, RP; Knutti, EB.
- Ferguson, RP; Knutti, EB. (1993). Health Hazard Evaluation Report No. HETA-88-388-2155, Morton Salt Company, Grande Saline, Texas. (Revised). (HHE Report No. HETA-88-388-2155). Cincinnati, OH: National Institute for Occupational Safety and Health (NIOSH).
- Ferin, J. (1974). Air Pollutants and Lung Clearance of Particles. (NIOSH/00036558). Ferin, J.
- Ferin, J. (1989). How Smoking and Asbestos Exposure Interact to Increase the Risk of Pulmonary Carcinoma: A Mechanistic Hypothesis (pp. 10-14). (NIOSH/00225173). Ferin, J.

Human Health Hazard Literature Search Results

On Topic

- Ferin, J; Leach, LJ. (1976). The Effect of Amosite and Chrysotile Asbestos on the Clearance of TiO₂ Particles from the Lung. *Environ Res* 12: 250-254.
- Ferlinz, R; Endres, P. (1978). [Asbestos and mesothelioma]. *Dtsch Med Wochenschr* 103: 1055-1056. <http://dx.doi.org/10.1055/s-0028-1104813>.
- Fern; acirc; Andez Granda, A; Gonz; acirc; Dom, a; acirc; Inguez, A; acirc; Erez Garrido, S. (1985). Asbestos and tobacco. 32.
- Fernandez RODRIGUEZ, C; Fernandez SEARA, J; Milicua SALAMERO, JM; San GONZALEZ DE SUSO, I. (1985). PERITONEAL MESOTHELIOMA REPORT OF A CASE AND REVIEW OF THE LITERATURE (pp. 455-458). (BIOSIS/86/26143). Fernandez RODRIGUEZ, C; Fernandez SEARA, J; Milicua SALAMERO, JM; San GONZALEZ DE SUSO, I.
- Fernandez SECO, I. (1951). [Pulmonary asbestosis; (contribution to the study of this pneumoconiosis)]. 51: 424-448; cont'd.
- Feron, VJ; Scherrenberg, PM; Immel, HR; Spit, BJ. (1985). Pulmonary response of hamsters to fibrous glass: chronic effects of repeated intratracheal instillation with or without benzo[a]pyrene. *Carcinogenesis* 6: 1495-1499. <http://dx.doi.org/10.1093/carcin/6.10.1495>.
- Ferrante, D; Bertolotti, M; Todesco, A; Mirabelli, D; Terracini, B; Magnani, C. (2007). Cancer mortality and incidence of mesothelioma in a cohort of wives of asbestos workers in Casale Monferrato, Italy. *Environ Health Perspect* 115: 1401-1405. <http://dx.doi.org/10.1289/ehp.10195>.
- Ferrante, D; Mirabelli, D; Tunesi, S; Terracini, B; Magnani, C. (2015). Pleural mesothelioma and occupational and non-occupational asbestos exposure: a case-control study with quantitative risk assessment. *Occup Environ Med* 73: 147-153. <http://dx.doi.org/10.1136/oemed-2015-102803>.
- Ferrante, D; Mirabelli, D; Tunesi, S; Terracini, B; Magnani, C. (2016). Authors's response: Pleural mesothelioma and occupational and non-occupational asbestos exposure: a case-control study with quantitative risk assessment [Letter]. *Occup Environ Med* 73: 713-714. <http://dx.doi.org/10.1136/oemed-2016-103851>.
- Ferrante, D; Tunesi, S; Mirabelli, D; Terracini, B; Magnani, C. (2010). INCIDENCE OF MALIGNANT PLEURAL MESOTHELIOMA AFTER OCCUPATIONAL AND HOUSEHOLD EXPOSURE TO ASBESTOS IN THE PERIOD 1990-2008. *Epidemiol Prev* 34: 71-71.
- Ferrante, M; Sciacca, S; Fallico, R. (2000). [Asbestos: perspectives]. *Ann Ig* 12: 161-173.
- Ferrante, P; Binazzi, A; Branchi, C; Marinaccio, A. (2016). [National epidemiological surveillance systems of mesothelioma cases]. *Epidemiol Prev* 40: 336-343. <http://dx.doi.org/10.19191/EP16.5.P336.108>.
- Ferreccio, C; Yuan, Y; Calle, J; Benítez, H; Parra, RL; Acevedo, J; Smith, AH; Liaw, J; Steinmaus, C. (2013). Arsenic, tobacco smoke, and occupation: Associations of multiple agents with lung and bladder cancer. *Epidemiology* 24: 898-905. <http://dx.doi.org/10.1097/EDE.0b013e31829e3e03>.
- Ferreira, IM; Gilson, JC; Ikeda, M; Kodat, V; Langer, AM; Mansour, F; Meek, ME; Sonich-Mullin, C; Oleru, UG; Et, AL. (1986). ASBESTOS AND OTHER NATURAL MINERAL FIBERS (pp. 1-194). (BIOSIS/87/29798). Ferreira, IM; Gilson, JC; Ikeda, M; Kodat, V; Langer, AM; Mansour, F; Meek, ME; Sonich-Mullin, C; Oleru, UG; Et, AL.
- Ferrer, J; Balcells, E; Orriols, R; Villarino, MA; Drobnic, Z; Morell, F. (1996). [Benign asbestos pleural effusion. Report of a first series in Spain]. *Med Clin (Barc)* 107: 535-538.
- Ferrer, JS; Muñoz, XG; Orriols, RM; Light, RW; Morell, FB. (1996). Evolution of idiopathic pleural effusion: a prospective, long-term follow-up study. *Chest* 109: 1508-1513.
- Ferriola, PC. (1994). IN-VITRO EXPRESSION AND LOCALIZATION OF FIBRONECTIN IN RAT PLEURAL MESOTHELIAL CELLS AND ASBESTOS-INDUCED MESOTHELIOMA CELLS (pp. 24-28). (ISSN 0892-6638 EISSN 1530-6860 BIOSIS/94/17844). Ferriola, PC.
- Ferriola, PC; Stewart, W. (1996). Fibronectin expression and organization in mesothelial and mesothelioma cells. *Am J Physiol* 271: L804-L812.
- Ferriola, PC; Stewart, WM. (1994). ORGANIZATION OF FIBRONECTIN AND THROMBOSPONDIN BY PLEURAL MESOTHELIAL CELLS AND ASBESTOS-INDUCED MESOTHELIOMA CELLS (pp. 10-14). (BIOSIS/95/05661). Ferriola, PC; Stewart, WM.
- Ferris B G, J. R.; Ranadive, MV; Peters, JM; Murphy R, LH; Burgess, WA; Pendergrass, HP. (1971). Prevalence of chronic respiratory disease. Asbestosis in ship repair workers. *Arch Environ Health* 23: 220-225.
- Ferro, A; Zebedeo, CN; Davis, C; Ng, KW; Pfau, JC. (2014). Amphibole, but not chrysotile, asbestos induces anti-nuclear autoantibodies and IL-17 in C57BL/6 mice. *J Immunotoxicol* 11: 283-290. <http://dx.doi.org/10.3109/1547691X.2013.847510>.
- Ferster, AP; Schubart, J; Kim, Y; Goldenberg, D. (2016). Association Between Laryngeal Cancer and Asbestos Exposure: A Systematic Review. <http://dx.doi.org/10.1001/jamaoto.2016.3421>.
- Fialova, J; Letovska, M; Hola, J; Karaskova, J. (1992). Radiological pulmonary changes in workers employed in plants producing asbestos products (pp. 179-183). (BIOSIS/93/01510). Fialova, J; Letovska, M; Hola, J; Karaskova, J.
- Ficarra, BJ. (1996). OCCUPATIONAL DISEASES A MINI REVIEW. *J Med WESTBURY*: 1-2.
- Field, RW; Withers, BL. (2012). Occupational and Environmental Causes of Lung Cancer [Review]. *Clin Chest Med* 33: 681-+. <http://dx.doi.org/10.1016/j.ccm.2012.07.001>.
- Filiberti, R; Marroni, P; Mencoboni, M; Mortara, V; Caruso, P; Cioè, A; Michelazzi, L; Merlo, DF; Bruzzone, A; Bobbio, B; Del Corso, L; Galli, R; Taveggia, P; Dini, G; Spigno, F. (2013). Individual predictors of increased serum mesothelin in asbestos-exposed workers. *Med Oncol* 30: 422. <http://dx.doi.org/10.1007/s12032-012-0422-6>.
- Filiberti, R; Marroni, P; Neri, M; Ardizzoni, A; Betta, PG; Cafferata, MA; Canessa, PA; Puntoni, R; Ivaldi, GP; Paganuzzi, M. (2005). Serum PDGF-AB in pleural mesothelioma. *Tumor Biology* 26: 221-226. <http://dx.doi.org/10.1159/000087376>.
- Filiberti, R; Marroni, P; Spigno, F; Merlo, DF; Mortara, V; Caruso, P; Cioè, A; Michelazzi, L; Bruzzone, A; Bobbio, B; Simonassi, C; Del Corso, L; Galli, R; Racchi, O; Dini, G; Linares, R; Mencoboni, M. (2014). Is soluble mesothelin-related protein an upfront predictive marker of pleural mesothelioma? A prospective study on Italian workers exposed to asbestos. *Oncology: Int J Canc Res Treat* 86: 33-43. <http://dx.doi.org/10.1159/000355687>.

Human Health Hazard Literature Search Results

On Topic

- Filiberti, R; Montanaro, F. (2004). Epidemiology of pleural mesothelioma in Italy [Review]. *Lung Cancer* 45 Suppl 1: S25-S27. <http://dx.doi.org/10.1016/j.lungcan.2004.04.011>.
- Filipenko, D; Wright, JL; Churg, A. (1985). Pathologic changes in the small airways of the guinea pig after amosite asbestos exposure. *Am J Pathol* 119: 273-278.
- Filippelli, C; Martines, V; Palitti, T; Tomei, F; Mascia, E; Ferrante, E; Tomei, G; Ciarrocca, M; Tomei, F; Fioravanti, M. (2008). [Meta-analysis of respiratory function of workers exposed to asbestos]. *G Ital Med Lav Ergon* 30: 142-154.
- Filon, FL; Negro, C; De Michieli, P; Bovenzi, M. (2013). [Asbestos related cancers in seamen]. *G Ital Med Lav Ergon* 35: 206-210.
- Finendale, MJ. (1993). Beyond notification: a case study from Cloquet, Minnesota. *Am J Ind Med* 23: 153-159.
- Finkel'Berg, El; Genina, OD; Savvaitova, NI. (1973). Clinical picture of dust-induced pulmonary disease after exposure to some types of silicate dust. *Gig Tr Prof Zabol* 16: 8-11.
- Finkelstein, M. (1986). Pulmonary function in asbestos cement workers: a dose-response study. *Br J Ind Med* 43: 406-413.
- Finkelstein, M. (1996). MESOTHELIOMA IN OIL REFINERY WORKERS. *Scand J Work Environ Health* 22: 67.
- Finkelstein, MM. (1982). Asbestosis in long-term employees of an Ontario asbestos-cement factory. *Am Rev Respir Dis* 125: 496-501. <http://dx.doi.org/10.1164/arrd.1982.125.5.496>.
- Finkelstein, MM. (1983). MORTALITY AMONG ASBESTOS-CEMENT FACTORY-WORKERS. *Scand J Work Environ Health* 9: 69-69.
- Finkelstein, MM. (1983). Mortality among long-term employees of an Ontario (Canada) asbestos-cement factory. *Br J Ind Med* 40: 138-144.
- Finkelstein, MM. (1984). EXPOSURES AND MORTALITY AMONG CHRYSOTILE ASBESTOS WORKERS. *Am J Ind Med* 5: 407-408.
- Finkelstein, MM. (1984). Mortality among employees of an Ontario asbestos-cement factory. *Am Rev Respir Dis* 129: 754-761. <http://dx.doi.org/10.1164/arrd.1984.129.5.754>.
- Finkelstein, MM. (1984). MORTALITY AMONG LONG-TERM EMPLOYEES OF AN ONTARIO CANADA ASBESTOS CEMENT FACTORY (pp. NEW YORK). (HEEP/85/00716). Finkelstein, MM.
- Finkelstein, MM. (1985). A study of dose-response relationships for asbestos associated disease. *Br J Ind Med* 42: 319-325.
- Finkelstein, MM. (1989). Analysis of mortality patterns and workers' compensation awards among asbestos insulation workers in Ontario. *Am J Ind Med* 16: 523-528.
- Finkelstein, MM. (1989). Mortality among employees of an Ontario factory manufacturing insulation materials from amosite asbestos. *Am J Ind Med* 15: 477-481.
- Finkelstein, MM. (1989). Mortality among employees of an Ontario factory that manufactured construction materials using chrysotile asbestos and coal tar pitch. *Am J Ind Med* 16: 281-287.
- Finkelstein, MM. (1989). Mortality rates among employees potentially exposed to chrysotile asbestos at two automotive parts factories. *CMAJ* 141: 125-130.
- Finkelstein, MM. (1989). MORTALITY-RATES AMONG EMPLOYEES POTENTIALLY EXPOSED TO CHRYSOTILE ASBESTOS AT 2 AUTOMOTIVE PARTS FACTORIES. *Can Med Assoc J* 141: 125-130.
- Finkelstein, MM. (1990). The exposure-response relationship for mesothelioma among asbestos-cement factory workers. *Toxicol Ind Health* 6: 623-627.
- Finkelstein, MM. (1990). The Relationship between Pulmonary Function and Mortality in Men Seeking Compensation for Asbestosis (pp. 23-26). (NIOSH/00198280). Finkelstein, MM.
- Finkelstein, MM. (1991). Analysis of the exposure-response relationship for mesothelioma among asbestos-cement factory workers. *Ann N Y Acad Sci* 643: 85-89.
- Finkelstein, MM. (1994). Lung cancer among steelworkers in Ontario. *Am J Ind Med* 26: 549-557.
- Finkelstein, MM. (1995). Potential pitfall in using cumulative exposure in exposure-response relationships: demonstration and discussion. *Am J Ind Med* 28: 41-47.
- Finkelstein, MM. (1996). Asbestos-associated cancers in the Ontario refinery and petrochemical sector. *Am J Ind Med* 30: 610-615. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199611\)30:5<610::AID-AJIM9>3.0.CO;2-W](http://dx.doi.org/10.1002/(SICI)1097-0274(199611)30:5<610::AID-AJIM9>3.0.CO;2-W).
- Finkelstein, MM. (1997). Radiographic asbestosis is not a prerequisite for asbestos-associated lung cancer in Ontario asbestos-cement workers. *Am J Ind Med* 32: 341-348.
- Finkelstein, MM. (1999). Maintenance work and asbestos-related cancers in the refinery and petrochemical sectors. *Am J Ind Med* 35: 201-205.
- Finkelstein, MM. (2010). Absence of radiographic asbestosis and the risk of lung cancer among asbestos-cement workers: Extended follow-up of a cohort. *Am J Ind Med* 53: 1065-1069. <http://dx.doi.org/10.1002/ajim.20881>.
- Finkelstein, MM. (2011). Mesothelioma in a Connecticut Friction Plant: The Need for Transparency and Exposure Information in Attribution of Risk Reply. *Ann Occup Hyg* 55: 820-822. <http://dx.doi.org/10.1093/annhyg/mer052>.
- Finkelstein, MM. (2013). Pneumoconiosis and malignant mesothelioma in a family operated metal casting business that used industrial talc from New York state. *Am J Ind Med* 56: 550-555. <http://dx.doi.org/10.1002/ajim.22159>.
- Finkelstein, MM; Dufresne, A. (1999). Inferences on the kinetics of asbestos deposition and clearance among chrysotile miners and millers. *Am J Ind Med* 35: 401-412. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199904\)35:4<401::AID-AJIM12>3.0.CO;2-4](http://dx.doi.org/10.1002/(SICI)1097-0274(199904)35:4<401::AID-AJIM12>3.0.CO;2-4).
- Finkelstein, MM; Meisenkothen, C. (2010). Malignant mesothelioma among employees of a Connecticut factory that manufactured friction materials using chrysotile asbestos. *Ann Occup Hyg* 54: 692-696. <http://dx.doi.org/10.1093/annhyg/meq046>.
- Finkelstein, MM; Verma, DK. (2004). A cohort study of mortality among Ontario pipe trades workers. *Occup Environ Med* 61: 736-742. <http://dx.doi.org/10.1136/oem.2003.011916>.
- Finkelstein, MM; Vingilis, JJ. (1984). Radiographic abnormalities among asbestos-cement workers. An exposure-response study. *Am Rev Respir Dis* 129: 17-22. <http://dx.doi.org/10.1164/arrd.1984.129.1.17>.

Human Health Hazard Literature Search Results

On Topic

- Finley, B; Mowat, F; Richter, R; Brorby, G; Craven, V; Sheehan, P. (2005). Evaluation Of Proposed Threshold Doses For Chrysotile Exposure And Respiratory Disease. *Toxicol Sci* 84: 83.
- Finley, BL; Pierce, JS; Paustenbach, DJ; Scott, LL; Lievense, L; Scott, PK; Galbraith, DA. (2012). Malignant pleural mesothelioma in US automotive mechanics: reported vs expected number of cases from 1975 to 2007 [Review]. *Regul Toxicol Pharmacol* 64: 104-116. <http://dx.doi.org/10.1016/j.yrtph.2012.05.015>.
- Finley, BL; Pierce, JS; Phelka, AD; Adams, RE; Paustenbach, DJ; Thuett, KA; Barlow, CA. (2012). Evaluation of tremolite asbestos exposures associated with the use of commercial products [Review]. *Crit Rev Toxicol* 42: 119-146. <http://dx.doi.org/10.3109/10408444.2011.636028>.
- Finn, MB; Hallenbeck, WH. (1984). Detection of chrysotile asbestos in workers' urine. *Am Ind Hyg Assoc J* 45: 752-759. <http://dx.doi.org/10.1080/15298668491400566>.
- Finn, MB; Hallenbeck, WH. (1985). Detection of chrysotile asbestos in workers' urine. *Am Ind Hyg Assoc J* 46: 162-169. <http://dx.doi.org/10.1080/15298668591394581>.
- Fiorenzuolo, G; Moroni, V; Cerrone, T; Bartolucci, E; Rossetti, S; Tarsi, R. (2013). [Evaluation of the quality of drinking water in Senigallia (Italy), including the presence of asbestos fibres, and of morbidity and mortality due to gastrointestinal tumours]. *Ig Sanita Pubbl* 69: 325-339.
- Fireman, E; Lerman, Y. (2000). Possible future of induced sputum in interstitial lung disease. *Eur Respir J* 15: 240-242.
- Firth, HM; Elwood, JM; Cox, B; Herbison, GP. (1999). Historical cohort study of a New Zealand foundry and heavy engineering plant. *Occup Environ Med* 56: 134-138.
- Fischbein, A. (1990). Cancer mortality in a northern Italian cohort of rubber workers [Letter]. *Br J Ind Med* 47: 71-72.
- Fischbein, A; Cohn, J; Ackerman, G. (1980). Asbestos, lead, and the family: household risks. *J Fam Pract* 10: 989-922.
- Fischbein, A; Grandjean, P; Damg; ecirc; Ard Nielsen, G; Philipson Brandorff, N; Schneider, T. (1981). Asbestos. (CIS/84/00045). Fischbein, A; Grandjean, P; Damg and ecirc; Ard Nielsen, G; Philipson Brandorff, N; Schneider, T.
- Fischbein, A; Langer, AM; Suzuki, Y; Selikoff, IJ. (1978). Carcinoma of the Lung in a Drywall Taping Worker: Report of a Case. *Toxicol Lett* 2: 231-236.
- Fischbein, A; Luo, JC; Lacher, M; Rosenfeld, S; Rosenbaum, A; Miller, A; Solomon, SJ. (1993). Respiratory findings among millwright and machinery erectors: identification of health hazards from asbestos in place at work. *Environ Res* 61: 25-35. <http://dx.doi.org/10.1006/enrs.1993.1046>.
- Fischbein, A; Luo, JC; Pinkston, GR. (1991). Asbestosis, laryngeal carcinoma, and malignant peritoneal mesothelioma in an insulation worker. *Br J Ind Med* 48: 338-341.
- Fischbein, A; Luo, JC; Rosenfeld, S; Lacher, M; Miller, A; Rosenbaum, A. (1991). Respiratory findings among ironworkers: Results from a clinical survey in the New York metropolitan area and identification of health hazards from asbestos in place at work. *Br J Ind Med* 48: 404-411. <http://dx.doi.org/10.1136/oem.48.6.404>.
- Fischbein, A; Rohl, AN. (1984). Pleural mesothelioma and neighborhood asbestos exposure. Findings from microchemical analysis of lung tissue. *JAMA* 252: 86-87.
- Fischbein, A; Rohl, AN; Langer, AM; Selikoff, IJ. (1979). Drywall construction and asbestos exposure. *Am Ind Hyg Assoc J* 40: 402-407. <http://dx.doi.org/10.1080/15298667991429750>.
- Fischbein, A; Rohl, AN; Langer, AM; Selikoff, IJ. (1981). Past asbestos exposure among cable splicers. *Am J Public Health* 71: 1277-1278.
- Fischbein, A; Sharma, OK; Solomon, S; Buschman, F; Apell, G; Kohn, M; Selikoff, IJ; Bekesi, JG; Borek, E. (1984). Transfer RNA breakdown products in the urine of asbestos workers. *Cancer Detect Prev* 7: 247-252.
- Fischbein, A; Suzuki, Y; Selikoff, IJ; Bekesi, JG. (1978). Unexpected longevity of a patient with malignant pleural mesothelioma: report of a case. *Cancer* 42: 1999-2004.
- Fischbein, L; Namade, M; Sachs, RN; Robineau, M; Lanfranchi, J. (1988). Chronic constrictive pericarditis associated with asbestosis. *Chest* 94: 646-647.
- Fischer, AB. (1988). Sister chromatid exchange induction by fibrous dust in combination with other mutagens studied in Chinese hamster cells in vitro. *Int J Hyg Environ Health* 185: 475.
- Fischer, AB. (1989). INDUCTION OF SISTER CHROMATID EXCHANGES BY FIBROUS DUSTS ALONE AND IN COMMON WITH OTHER XENOBIOTICS IN CHINESE HAMSTER CELLS (pp. SECAUCUS). (BIOSIS/90/02020). Fischer, AB.
- Fischer, AB; Kaw, JL. (1988). INDUCTION OF SISTER CHROMATID EXCHANGES BY ASBESTOS FIBERS IN COMBINATION WITH OTHER MUTAGENS STUDIED IN CHINESE HAMSTER CELLS IN-VITRO (pp. BERLIN). (BIOSIS/89/08156). Fischer, AB; Kaw, JL.
- Fischer, AB; Kaw, JL; Diemer, K; Eikmann, T. (1998). Low dose effects of fibrous and non-fibrous mineral dusts on the proliferation of mammalian cells in vitro. *Toxicol Lett* 96-97: 97-103.
- Fischer, M; Brockmann, M; K-M, M. (1995). MESOTHELIOMA PLEURAL PLAQUES AND ASBESTOSIS (pp. 404-405). (BIOSIS/96/07761). Fischer, M; Brockmann, M; Mueller K-M.
- Fischer, M; Günther, S; Müller, KM. (2002). Fibre-years, pulmonary asbestos burden and asbestosis. *Int J Hyg Environ Health* 205: 245-248. <http://dx.doi.org/10.1078/1438-4639-00149>.
- Fisher, CE; Brown, DM; Shaw, J; Beswick, PH; Donaldson, K. (1998). Respirable fibres: surfactant coated fibres release more Fe³⁺ than native fibres at both pH 4.5 and 7.2. *Ann Occup Hyg* 42: 337-345.
- Fisher, CE; Rossi, AG; Shaw, J; Beswick, PH; Donaldson, K. (2000). Release of TNF α in response to SiC fibres: differential effects in rodent and human primary macrophages, and in macrophage-like cell lines. *Toxicol In Vitro* 14: 25-31.
- Fisher, GL. (1987). SPECIAL ISSUE ON ASBESTOS TOXICITY - PREFACE. *Drug Chem Toxicol* 10: R11-R12.
- Fisher, GL; Gallo, MA. (1988). Asbestos toxicity. (CIS/89/00938). Fisher, GL; Gallo, MA.

Human Health Hazard Literature Search Results

On Topic

- Fisher, GL; Mcneill, KL; Mossman, BT; Marsh, J; Mcfarland, AR; Hart, RW. (1985). INVESTIGATIONS INTO THE MECHANISMS OF ASBESTOS TOXICITY (pp. NEW YORK). (BIOSIS/86/22522). Fisher, GL; Mcneill, KL; Mossman, BT; Marsh, J; Mcfarland, AR; Hart, RW.
- Fisher, GL; Mossman, BT; Mcfarland, AR; Hart, RW. (1987). A possible mechanism of chrysotile asbestos toxicity. *Drug Chem Toxicol* 10: 109-131. <http://dx.doi.org/10.3109/01480548709042585>.
- Fisher, GL; Placke, ME. (1987). IN-VITRO MODELS OF LUNG TOXICITY (pp. 1-2). (ISSN 0300-483X EISSN 1879-3185 BIOSIS/88/08972). HASKELL LAB.
- Fisher, L. (1975). Scientists can prove asbestos health hazards. *American Lung Association Bulletin* 61: 2-6.
- Fisseler-Eckhoff, A; Laberke, HG; Fischer, M; Müller, KM. (1998). [Carcinoid tumors of the lung and asbestos. Clinical aspects for insurance medicine]. *Pathologie* 19: 425-429. <http://dx.doi.org/10.1007/s002920050307>.
- Fitzgerald, EF; Stark, AD; Vianna, N; Hwang, SA. (1991). Exposure to asbestiform minerals and radiographic chest abnormalities in a talc mining region of upstate New York. *Arch Environ Occup Health* 46: 151-154. <http://dx.doi.org/10.1080/00039896.1991.9937442>.
- Fitzpatrick, DR; Peroni, DJ; Bielefeldt-Ohmann, H. (1995). The role of growth factors and cytokines in the tumorigenesis and immunobiology of malignant mesothelioma [Review]. *Am J Respir Cell Mol Biol* 12: 455-460. <http://dx.doi.org/10.1165/ajrcmb.12.5.7742009>.
- Flaherty, DM; Monick, MM; Carter, AB; Peterson, MW; Hunninghake, GW. (2002). Oxidant-mediated increases in redox factor-1 nuclear protein and activator protein-1 DNA binding in asbestos-treated macrophages. *J Immunol* 168: 5675-5681.
- Flechsig, R. (1991). Peritoneal Mesothelioma How a Good Occupational Case History Can Best Be Used [Letter]. *Ind Health* 29: 73-76.
- Fletcher, AC; Engholm, G; Englund, A. (1993). The risk of lung cancer from asbestos among Swedish construction workers: self-reported exposure and a job exposure matrix compared. *Int J Epidemiol* 22 Suppl 2: S29-S35.
- Fletcher, DE. (1972). A mortality study of shipyard workers with pleural plaques. *Br J Ind Med* 29: 142-145.
- Fletcher, DE; Edge, JR. (1970). The Early Radiological Changes in Pulmonary and Pleural Asbestosis. *Clin Radiol* 21: 355-365.
- Fletcher, SV; Clark, RJ. (2007). The Portsmouth thoracoscopy experience, an evaluation of service by retrospective case note analysis. *Respir Med* 101: 1021-1025. <http://dx.doi.org/10.1016/j.rmed.2006.08.026>.
- Fleury Feith, J; Jaurand, MC. (2013). [Pleural lymphatics and pleural diseases related to fibres] [Review]. *Rev Pneumol Clin* 69: 358-362. <http://dx.doi.org/10.1016/j.pneumo.2013.09.007>.
- Fleury, J; Côté, MG; Marion, M; Chevalier, G; Denizeau, F. (1983). Interactions of asbestos fibers with hepatocytes in vitro: an ultrastructural study. *Toxicol Lett* 19: 15-22.
- Fleury-Feith, J; Lecomte, C; Renier, A; Matrat, M; Kheuang, L; Abramowski, V; Levy, F; Janin, A; Giovannini, M; Jaurand, MC. (2003). Hemizygoty of Nf2 is associated with increased susceptibility to asbestos-induced peritoneal tumours. *Oncogene* 22: 3799-3805. <http://dx.doi.org/10.1038/sj.onc.1206593>.
- Fleury-Feith, J; Nebut, M; Saint-Etienne, L; Laurent, P; Pinchon, MC; Kheuang, L; Renier, A; Jaurand, MC. (1989). Occurrence and morphology of tumors induced in nude mice transplanted with chrysotile-transformed rat pleural mesothelial cells. *Biol Cell* 65: 45-50.
- Fligiel, Z; Kaneko, M. (1976). Malignant mesothelioma of the tunica vaginalis propria testis in a patient with asbestos exposure. A case report. *Cancer* 37: 1478-1484.
- Flood, TA; Sekhon, HS; Seely, JM; Shamji, FM; Gomes, MM. (2009). Spontaneous pneumothorax and lung carcinoma: should one consider synchronous malignant pleural mesothelioma? *J Thorac Oncol* 4: 770-772. <http://dx.doi.org/10.1097/JTO.0b013e3181a52c3f>.
- Flores, RM; Zakowski, M; Venkatraman, E; Krug, L; Rosenzweig, K; Dycoco, J; Lee, C; Yeoh, C; Bains, M; Rusch, V. (2007). Prognostic factors in the treatment of malignant pleural mesothelioma at a large tertiary referral center. *J Thorac Oncol* 2: 957-965. <http://dx.doi.org/10.1097/JTO.0b013e31815608d9>.
- Flowers, ES. (1974). Relationship between exposure to asbestos, collagen formation, ferruginous bodies, and carcinoma. *Am Ind Hyg Assoc J* 35: 724-729. <http://dx.doi.org/10.1080/0002889748507093>.
- Foddis, R; De Rienzo, A; Broccoli, D; Bocchetta, M; Stekala, E; Rizzo, P; Tosolini, A; Grobelny, JV; Jhanwar, SC; Pass, HI; Testa, JR; Carbone, M. (2002). SV40 infection induces telomerase activity in human mesothelial cells. *Oncogene* 21: 1434-1442. <http://dx.doi.org/10.1038/sj.onc.1205203>.
- Fokkens, W. (1974). [Cancer as an occupational disease]. 27: 871-881.
- Folkesson, HG; Leanderson, P; Weström, BR; Tagesson, C. (1993). Increased lung to blood passage of polyethylene glycols after intratracheal instillation of ferritin and asbestos fibres in the rat. *Eur Respir J* 6: 96-101.
- Fomina, VS; Kuz'mina, LP. (2010). [Evaluation of matrix metalloproteinases (pro-MMP-1, MMP-2,8) and their inhibitor (TIMP-1) contents in patients with occupational lung diseases]. *Med Tr Prom Ekol* 29-33.
- Fondimare, A; Desbordes, J. (1974). Asbestos bodies and fibers in lung tissues. *Environ Health Perspect* 9: 147-148.
- Fondimare, A; Desbordes, J; Ernoult, JL; Perrotey, J; Tayot, J. (1973). Asbestosis 73 (pp. 843-854). (NIOSH/00047311). Fondimare, A; Desbordes, J; Ernoult, JL; Perrotey, J; Tayot, J.
- Fondimare, A; Desbordes, J; Perrotey, J; Tayot, J; Ernoult, JL. (1974). [Semi-quantitative study of asbestos dust in 14 cases of pleural mesothelioma]. 22: 55-60.
- Fondimare, A; Desbordes, J; Tayot, J; Toty, L. (1975). Concerning an unusual case of talcum-asbestosis. 20: 277-282.
- Fondimare, A; Sebastien, P; Monchaux, G; Bignon, J; Desbordes, J; Bonnaud, G. (1976). [Topographical variations of pulmonary and pleural asbestos fiber concentrations in variously exposed subjects]. 21: 277-283.
- Fonte, R; Gambettino, S; Melazzini, M; Scelsi, M; Zanon, C; Candura, SM. (2004). Asbestos-induced peritoneal mesothelioma in a construction worker. *Environ Health Perspect* 112: 616-619.
- Fontecave, M; Jaouen, M; Mansuy, D; Costa, D; Zalma, R; Pezerat, H. (1990). MICROSOMAL LIPID-PEROXIDATION AND OXYRADICALS FORMATION ARE INDUCED BY INSOLUBLE IRON-CONTAINING MINERALS. *Biochem Biophys Res Commun* 173: 912-918.

Human Health Hazard Literature Search Results

On Topic

- Fontecave, M; Mansuy, D; Jaouen, M; Pezerat, H. (1987). THE STIMULATORY EFFECTS OF ASBESTOS ON NADPH-DEPENDENT LIPID PEROXIDATION IN RAT LIVER MICROSOMES. *Biochem J* 241: 561-566.
- Forastiere, F; Pupp, N; Magliola, E; Valesini, S; Tidei, F; Perucci, CA. (1989). Respiratory cancer mortality among workers employed in thermoelectric power plants. *Scand J Work Environ Health* 15: 383-386.
- Foresti, V; Villa, A; Scolari, N; Parisio, E. (1989). [Is malignant mesothelioma of the pleura only an occupational disease?]. *Minerva Med* 80: 145-148.
- Forget, G; Brault, C; Cadieux, A; Begin, R; Sirois, P. (1983). Lack of correlation between serum angiotensin-converting enzyme levels and asbestosis in man, sheep and guinea-pig. *Lung* 161: 157-164.
- Forget, G; Lacroix, MJ; Brown, RC; Evans, PH; Sirois, P. (1986). RESPONSE OF PERIFUSED ALVEOLAR MACROPHAGES TO GLASS FIBERS EFFECT OF EXPOSURE DURATION AND FIBER LENGTH. *Environ Res* 39: 124-135.
- Forget, G; Lacroix, MJ; Cadieux, A; Calvert, R; Grose, JH; Sirois, P. (1983). An adherent cell perfusion technique to study the overall and sequential response of rat alveolar macrophages to toxic substances. *Environ Health Perspect* 51: 131-140.
- Forget, G; Lacroix, MJ; Calvert, R; Sirois, P. (1984). Measurement of beta-glucuronidase in effluent of perfused alveolar macrophages challenged with chemically modified chrysotile asbestos. *Inflammation* 8: 123-141.
- Formeister, JF; Trisch, GL; Mittleman, A. (1978). Adenosine deaminase levels in construction workers with asbestos contact dermatitis. *J Med* 9: 285-290.
- Fornace, AJ; Lechner, JF; Grafstrom, RC; Harris, CC. (1982). DNA repair in human bronchial epithelial cells. *Carcinogenesis* 3: 1373-1377. <http://dx.doi.org/10.1093/carcin/3.12.1373>.
- Forni, A; Rivolta, G; Chiappino, G. (1989). Mossman, B. T. And R. O. Begin (Ed.). *Nato Asi (Advanced Science Institute) Series Series H Cell Biology, Vol. 30. Effects of Mineral Dusts on Cells; Fourth International Workshop, Orford, Quebec, Canada, September 20-23, 1988. xii+470p.* Springer-Verlag New York, Inc.: Secaucus, New Jersey, USA; Berlin, West Germany. Illus. Isbn 0-387-50422-2; Isbn 3-540-50422-2.; 0 (0). 1989. 57-64 Bronchoalveolar lavage cells in occupational exposure to mineral fibers.
- Forsell, K; Hageberg, S; Nilsson, R. (2007). Lung cancer and mesothelioma among engine room crew--case reports with risk assessment of previous and ongoing exposure to carcinogens. *Int Marit Health* 58: 5-13.
- Fortman, JD; Manaligod, J. R.; Bennett, BT. (1993). MALIGNANT MESOTHELIOMA IN AN OLIVE BABOON (PAPIO-ANUBIS). *Lab Anim Sci* 43: 503-505.
- Fortunato, L; Rushton, L. (2015). Stomach cancer and occupational exposure to asbestos: a meta-analysis of occupational cohort studies. *Br J Cancer* 112: 1805-1815. <http://dx.doi.org/10.1038/bjc.2014.599>.
- Fournier, E; Zivy, P; Gerber, L; Diamantberger, O; Avril, MM; BADIN; DOUTRELLOT; LOISON; PON; Streichenberger, MF; Nguyen, M. (1980). PLEUROPULMONARY RADIOLOGY OF ASBESTOS WORKERS - REPORT OF 4013 CASES CONCERNING WORKERS OF THE ASBESTOS INDUSTRY - RADIOLOGICAL CLASSIFICATION OF PLEURAL AND PULMONARY ALTERATIONS. 23: 211-226.
- Fournier, J; Fubini, B; Bolis, V; Pezerat, H. (1989). THERMODYNAMIC ASPECTS IN THE ADSORPTION OF POLYNUCLEAR AROMATIC HYDROCARBONS ON CHRYSOTILE AND SILICA-POSSIBLE RELATION TO SYNERGISTIC EFFECTS IN LUNG TOXICITY. *Can J Chem* 67: 289-296.
- Fournier, J; Nwa Nangwa J, BN; Guignard, J; Pezerat, H. (1985). In vitro effects of mineral dusts : third international workshop Adsorption properties for pah of asbestos and iron oxides, in relation with their activity in biological medium. In *NATO ASI Series G: Ecological Sciences*. New York, NY: Springer-Verlag. http://dx.doi.org/10.1007/978-3-642-70630-1_61.
- Fournier, J; Pezerat, H. (1982). STUDY OF THE ADSORPTION MECHANISM OF POLYNUCLEAR AROMATIC-HYDROCARBONS ON ASBESTOS - CASE OF PHENANTHRENE. *J Chim Phys Phys Chim Biol* 79: 589-596.
- Fournier, J; Pezerat, H. (1986). STUDIES ON SURFACE PROPERTIES OF ASBESTOS III. INTERACTIONS BETWEEN ASBESTOS AND POLYNUCLEAR AROMATIC HYDROCARBONS. *Environ Res* 41: 276-295.
- Fournier, PE. (1997). APPLICATION OF THE PRINCIPLES OF TOXICOLOGY TO LOW LEVELS OF ASBESTOS (pp. 422-423). (BIOSIS/97/15989). Fournier, PE.
- FOURNIER.GG; Becklake, MR; Rossiter, CE; Mcdonald, JC; Gibbs, G. (1972). RESPIRATORY FUNCTION IN ASBESTOS WORKERS FROM QUEBEC. *Union Med Can* 101: 736-&.
- Fournier-Massey, G; Becklake, MR. (1975). Pulmonary function profiles in Quebec asbestos workers. *Bulletin Physiopathol Respir* 11: 429-445.
- Fournier-Massey, G; Becklake, MR; Collins, M; Rosansky, J; Steele, A. (1970). PART 2 APPENDIX TESTS OF RESPIRATORY FUNCTION (pp. 661-667). (HEEP/72/07891). Fournier-Massey, G; Becklake, MR; Collins, M; Rosansky, J; Steele, A.
- Fournier-Massey, G; Wong, G; Hall, TC. (1984). Retired and former asbestos workers in Hawaii. *Am J Ind Med* 6: 139-153.
- Fowler, P; Homan, A; Atkins, D; Whitwell, J; Lloyd, M; Bradford, R. (2016). The utility of the in vitro micronucleus test for evaluating the genotoxicity of natural and manmade nano-scale fibres. *Mutat Res* 809: 33-42. <http://dx.doi.org/10.1016/j.mrgentox.2016.09.002>.
- Fowler, PB; Sloper, JC; Warner, EC. (1964). EXPOSURE TO ASBESTOS AND MESOTHELIOMA OF THE PLEURA. *Br Med J* 2: 211-213.
- Fox, AJ; Lindars, DC; Owen, R. (1974). A survey of occupational cancer in the rubber and cablemaking industries: results of five-year analysis, 1967-71. *Br J Ind Med* 31: 140-151.
- Fox, S; Dharmarajan, A. (2006). WNT signaling in malignant mesothelioma. *Front Biosci* 11: 2106-2112.
- Fraire, AE; Dodson, RF; Williams, G; Dickson, E; Corn, C. (1996). DO ASBESTOS FERRUGINOUS BODIES FORM IN EXTRAPULMONARY SITES? AN EXPERIMENTAL STUDY IN A GUINEA PIG MODEL (pp. 20-25). (BIOSIS/97/13234). Fraire, AE; Dodson, RF; Williams, G; Dickson, E; Corn, C.

Human Health Hazard Literature Search Results

On Topic

- Fraire, AE; Greenberg, SD; Roggli, GL; Cartwright, J; Dodson, R; Williams, G; El-Naggar, A. (1990). LIGHT MICROSCOPIC ULTRASTRUCTURAL AND FLOW CYTOMETRIC FINDINGS IN RAT PLEURAL MESOTHELIAL CELLS FOLLOWING CROCIDOLITE ASBESTOS INOCULATION (pp. 22-26). (BIOSIS/91/33894). Fraire, AE; Greenberg, SD; Roggli, GL; Cartwright, J; Dodson, R; Williams, G; El-Naggar, A.
- Francis, D; Jussuf, A; Mortensen, T; Sikjaer, B; Viskum, K. (1977). Hyaline pleural plaques and asbestos bodies in 198 randomized autopsies. *Scand J Respir Dis* 58: 193-196.
- Frank, A; Rohl, A; Wade, M; Lipkin, L. (1979). Biological activity in vitro of chrysotile compared to its quarried parent rock (platy serpentine). *J Environ Pathol Toxicol* 2: 1041-1046.
- Frank, AL. (1979). Public health significance of smoking-asbestos interaction. *Ann N Y Acad Sci* 330: 791-794.
- Frank, AL. (1980). Asbestos-Induced Changes In Hamster Trachea Organ Culture (pp. 235-240). (NIOSH/00158357). Frank, AL.
- Frank, AL. (1980). Clinical observations following asbestos exposure. *Environ Health Perspect* 34: 27-30.
- Frank, AL. (1982). The epidemiology and etiology of lung cancer [Review]. *Clin Chest Med* 3: 219-228.
- Frank, AL. (1986). Asbestos as an air pollutant and synergism with smoking. *Cancer Detect Prev* 9: 337-341.
- Frank, AL. (1987). Occupational Cancers of the Respiratory System. *Seminars in Occupational Medicine* 2: 257-266.
- Frank, AL. (1987). OCCUPATIONAL CANCERS OF THE RESPIRATORY TRACT (pp. 71-84). (BIOSIS/87/14882). Frank, AL.
- Frank, AL. (1993). GLOBAL PROBLEMS FROM EXPOSURE TO ASBESTOS [Review]. *Environ Health Perspect* 101: 165-167.
- Frank, AL. (1995). Asbestos mineralogic analysis as indicator of carcinogenic risk. *Med Lav* 86: 490-495.
- Frank, AL. (1995). The use of asbestos in Japan and China and malignancy related findings. *Med Lav* 86: 457-460.
- Frank, AL; Dodson, RF; Williams, MG. (1998). Carcinogenic implications of the lack of tremolite in UICC reference chrysotile. *Am J Ind Med* 34: 314-317.
- Frank, AL; Sporn, MB; Kaufman, DG. (1975). HYPERPLASIA OF HAMSTER TRACHEAL EPITHELIUM CAUSED BY AMOSITE ASBESTOS IN ORGAN-CULTURE. *Proc Am Assoc Cancer Res* 16: 113-113.
- Frank, AL; Wade, MJ; Lipkin, LE. (1978). QUANTITATION OF MACROPHAGE CYTOTOXICITY AFTER EXPOSURE TO ASBESTOS FROM QUARRIED SERPENTINE ROCK. *Am Rev Respir Dis* 117: 232-232.
- Frank, EA; Carreira, VS; Birch, ME; Yadav, JS. (2016). Carbon Nanotube and Asbestos Exposures Induce Overlapping but Distinct Profiles of Lung Pathology in Non-Swiss Albino CF-1 Mice. *Toxicol Pathol* 44: 211-225. <http://dx.doi.org/10.1177/0192623315620587>.
- Frank, S; von Specht, BU; Farthmann, EH; Hirsch, T. (1998). Identification of genes involved in human mesothelial cancer progression using a modified differential display technique. *Cancer Lett* 123: 7-14.
- Frank, W; Loddenkemper, R. (1995). FIBER-ASSOCIATED PLEURAL DISEASE. *Semin Respir Crit Care Med* 16: 315-323.
- Frank, K; Paustenbach, D. (2011). Government and Navy knowledge regarding health hazards of asbestos: a state of the science evaluation (1900 to 1970) [Review]. *Inhal Toxicol* 23 Suppl 3: 1-20. <http://dx.doi.org/10.3109/08958378.2011.643417>.
- Franklin, P; Aboagye-Sarfo, P; Reid, A; Mina, R; Olsen, N; De Klerk, N; Musk, B. (2013). LUNG FUNCTION DECLINE IN ASBESTOS-EXPOSED INDIVIDUALS WITH RADIOLOGICAL ABNORMALITIES. *Respirology* 18: 68-68.
- Franklin, P; Alfonso, H; Hammond, N; Samuel, L; Musk, AW. (2013). EFFECT OF N-ACETYLCYSTEINE (NAC) SUPPLEMENTATION ON OXIDATION STATUS IN PEOPLE EXPOSED TO ASBESTOS. *Respirology* 18: 21-21.
- Franklin, P; Alfonso, H; Reid, A; Olsen, N; Shilkin, KB; Brims, F; de Klerk, N; Musk, AW. (2016). Asbestos exposure and histological subtype of malignant mesothelioma. *Occup Environ Med* 73: 749-752. <http://dx.doi.org/10.1136/oemed-2016-103721>.
- Franklin, P; Reid, A; Olsen, N; Peters, S; de Klerk, N; Brims, F; Threlfall, T; Murray, R; Musk, AB. (2016). Incidence of malignant mesothelioma in Aboriginal people in Western Australia. *Aust N Z J Public Health* 40: 383-387. <http://dx.doi.org/10.1111/1753-6405.12542>.
- Franklin, P; Reid, A; Samuel, L; Olsen, N; Aboagye-Sarfo, P; De Klerk, N; Musk, B. (2012). CANCER INCIDENCE IN INDIVIDUALS EXPOSED TO ASBESTOS IN CHILDHOOD. *Respirology* 17: 37-37.
- Franklin, P; Robinson, M; Aboagye-Sarfo, P; Samuel, L; Olsen, N; Mina, R; Musk, AW; Reid, A. (2015). The mental health of asbestos-exposed subjects with pleural abnormalities. *Int Arch Occup Environ Health* 88: 343-350. <http://dx.doi.org/10.1007/s00420-014-0960-7>.
- Franko, A; Dodic-Fikfak, M; Arnerić, N; Dolzan, V. (2007). Glutathione S-transferases GSTM1 and GSTT1 polymorphisms and asbestosis. *J Occup Environ Med* 49: 667-671. <http://dx.doi.org/10.1097/JOM.0b013e318065b855>.
- Franko, A; Dodič-Fikfak, M; Arnerić, N; Dolžan, V. (2011). Inducible nitric oxide synthase genetic polymorphism and risk of asbestosis. *J Biomed Biotechnol* 2011: 685870. <http://dx.doi.org/10.1155/2011/685870>.
- Franko, A; Dolzan, V; Arnerić, N; Dodic-Fikfak, M. (2008). Asbestosis and catalase genetic polymorphism. *Arh Hig Rada Toksikol* 59: 233-240. <http://dx.doi.org/10.2478/10004-1254-59-2008-1907>.
- Franko, A; Dolzan, V; Arnerić, N; Dodic-Fikfak, M. (2008). The influence of genetic polymorphisms of GSTP1 on the development of asbestosis. *J Occup Environ Med* 50: 7-12. <http://dx.doi.org/10.1097/JOM.0b013e31815cbab5>.
- Franques, L; Badia, X; Benavides, FG; Rajmil, L; Segura, A. (1995). THE INCIDENCE OF PROFESSIONAL DISEASES - A STUDY OF MEDICAL EVALUATIONS FOR LABORAL INCAPACITY IN BARCELONA (SPAIN) (1987-1991). *Med Clin (Barc)* 104: 361-364.
- Franzblau, A. (1989). Asbestos-associated rounded atelectasis: a case report and review of the literature [Review]. *Mt Sinai J Med* 56: 321-325.
- Franzblau, A; Lilis, R. (1987). The diagnosis of nonmalignant diseases related to asbestos [Letter]. *Am Rev Respir Dis* 136: 790-791. <http://dx.doi.org/10.1164/ajrccm/136.3.790>.
- Franzblau, A; Selikoff, IJ. (1990). Asbestos-Associated Rounded Atelectasis in a Cohort of Insulation Workers. (NIOSH/00198717). Franzblau, A; Selikoff, IJ.
- Fraser, RG. (1986). DIAGNOSIS OF ASBESTOSIS AND ASBESTOS-RELATED PLEURAL DISEASE BY IMAGING METHODS (pp. 25-30). (ISSN 0012-3692 EISSN 1931-3543 BIOSIS/86/30812). Fraser, RG.

Human Health Hazard Literature Search Results

On Topic

- Frash, VN; Gusel'Nikova, NA; Vanchugova, NN; Sibiryakov, AG; Varzina, NV; Vagina, ER; Grebennikova, SA; Karaulov, AV. (1988). Immunohematologic variations as an indicator of the biologic exposure to asbestos-containing dusts. *Gig Tr Prof Zabol O*: 27-30.
- Frash, VN; Pavlov, VA; Ubakov, SA. (1999). [Separate and combined mutagenic effect of radiation and asbestos on the micronucleus test in experiments]. *Radiats Biol Radioecol* 39: 406-408.
- Fraumeni, JF. (1975). Respiratory carcinogenesis: an epidemiologic appraisal [Review]. *J Natl Cancer Inst* 55: 1039-1046.
- Frederiksson, M; N-O, B; Hardell, L; Axelson, O. (1989). COLON CANCER PHYSICAL ACTIVITY AND OCCUPATIONAL EXPOSURES A CASE-CONTROL STUDY. *Cancer PHILA*: 1838-1842.
- Fredy, M. (1983). Asbestos and the environment. *Sem Hop* 59: 2100-2102.
- Freed, JA; Miller, A; Gordon, RE; Fischbein, A; Kleinerman, J; Langer, AM. (1991). Desquamative interstitial pneumonia associated with chrysotile asbestos fibres. *Br J Ind Med* 48: 332-337.
- Freedman, AP; Robinson, SE; O'Leary, K; Goodman, L; Stelman, JM. (1981). Non-invasive magnetopneumographic determination of lung dust loads in steel arc welders. *Br J Ind Med* 38: 384-388.
- Freeman, MD; Kohles, SS. (2012). Assessing specific causation of mesothelioma following exposure to chrysotile asbestos-containing brake dust [Review]. *Int J Occup Environ Health* 18: 329-336. <http://dx.doi.org/10.1179/2049396712Y.0000000002>.
- Freifeld, S. (1977). Asbestos exposure and laryngeal carcinoma. *JAMA* 238: 1280.
- French, CT; Ross, CD; Keysar, SB; Joshi, DD; Lim, CU; Fox, MH. (2006). Comparison of the mutagenic potential of 17 physical and chemical agents analyzed by the flow cytometry mutation assay. *Mutat Res-Fundam Mol Mech Mutagen* 602: 14-25. <http://dx.doi.org/10.1016/j.mrfmmm.2006.07.009>.
- Frentzel-Beyme, R. (1995). ENVIRONMENT AND ONCOLOGY. *Arch Gynecol Obstet* 257: 1-4.
- Frentzel-Beyme, R; Chang-Claude, J; Kunze, E. (1989). Occupational factors for bladder cancer: A case-control study (pp. 249-255). (BIOSIS/90/09063). Frentzel-Beyme, R; Chang-Claude, J; Kunze, E.
- Fridriksson, HV; Hedenström, H; Hillerdal, G; Malmberg, P. (1981). Increased lung stiffness of persons with pleural plaques. *Eur J Respir Dis* 62: 412-424.
- Friedman, AC; Fiel, SB; Fisher, MS; Radecki, PD; Lev-Toaff, AS; Caroline, DF. (1988). Asbestos-related pleural disease and asbestosis: a comparison of CT and chest radiography. *AJR Am J Roentgenol* 150: 269-275. <http://dx.doi.org/10.2214/ajr.150.2.269>.
- Friedman, AC; Fiel, SB; Radecki, PD; Lev-Toaff, AS. (1990). Computed tomography of benign pleural and pulmonary parenchymal abnormalities related to asbestos exposure [Review]. *Semin Ultrasound CT MR* 11: 393-408.
- Friedman, S; Remington, F; Bockus, D; Bolen, J; Hammar, S. (1986). MESOTHELIOMAS GROSS HISTOLOGIC IMMUNOHISTOLOGIC AND ULTRASTRUCTURAL FEATURES OF 180 CASES (pp. 10-14). (BIOSIS/86/19685). Friedman, S; Remington, F; Bockus, D; Bolen, J; Hammar, S.
- Friedrichs, KH; Brockmann, M; Fischer, M; Wick, G. (1992). Electron microscopy analysis of mineral fibers in human lung tissue. *Am J Ind Med* 22: 49-58.
- Friedrichs, KH; Chiappino, G; Forni, A; Rivolta, A. (1988). Evaluation of alveolar burden of mineral fibers in cases of occupational and nonoccupational exposure to asbestos. In NH Seemayer; W Hadnagy (Eds.), (pp. 139-143). New York, NY: Springer-Verlag.
- Friedrichs, KH; Hilscher, W; Sethi, S. (1971). [Dust and tissue studies in rats following intraperitoneal injection of asbestos]. *Int Arch Arbeitsmed* 28: 341-354.
- Friemann, J. (1992). [Asbestos, fibrosis, cancer. Animal experiments and occupational diseases] [Review]. *Veroff Pathol* 137: 1-165.
- Friemann, J; Brinkmann, O; Pott, F; Müller, KM. (1988). [Disturbances in peritoneal differentiation as a reaction to asbestos and asbestos substitutes. Experimental animal studies]. *Verh Dtsch Ges Pathol* 72: 312-316.
- Friemann, J; Friedrichs, KH; Dunemann, L; Pesch, B; Pott, F; H-W, S. (1994). Asbestos-related cancer risk: Possibilities and limitations of preventive medicine (pp. S89-S97). (ISSN 0341-3055 BIOSIS/94/29230). Friemann, J; Friedrichs, KH; Dunemann, L; Pesch, B; Pott, F; Schlipkoeter H-W.
- Friemann, J; Mueller, KM; Pott, F. (1990). Mesothelial proliferation due to asbestos and man-made fibres: experimental studies on rat omentum. *Pathol Res Pract* 186: 117-123. [http://dx.doi.org/10.1016/S0344-0338\(11\)81019-8](http://dx.doi.org/10.1016/S0344-0338(11)81019-8).
- Friemann, J; Unfried, K; Schoepenthou, J; Hoehr, D; Pott, F. (1997). Proliferative activity of submesothelial mesenchyme cells after intraperitoneal injection of crocidolite and soluble glass fibres. 10: 365S.
- Friemann, J; Varnai, M; Sutter, C; Hohl, B; Behrens, A; Althoff, GH; Schilpkoter, HW. (1996). Differential diagnosis of malignant tumours in the abdominal cavity of rats after intraperitoneal injection of crocidolite or benzo[a]pyrene. *Exp Toxicol Pathol* 48: 13-17. [http://dx.doi.org/10.1016/S0940-2993\(96\)80085-6](http://dx.doi.org/10.1016/S0940-2993(96)80085-6).
- Friemann, J; Voss, B; Weller, W; K-M, M. (1987). Asbestos Induced Fibrosis in the Omentum of Rats. Immunofluorescence Microscopical Demonstration of Collagens Types I and III; Laminin and Fibronectin (pp. 403-408). (NIOSH/00174428). Friemann, J; Voss, B; Weller, W; Muller K-M.
- Friemann, J; Voss, B; Weller, W; Muller, KM. (1987). ASBESTOS INDUCED FIBROSIS IN THE OMENTUM OF RATS - IMMUNOFLUORESCENCE MICROSCOPIC DEMONSTRATION OF COLLAGENS TYPE-I AND TYPE-III LAMININ AND FIBRONECTIN. 411: 403-408.
- Frimat, P; Paris, C; Letourneux, M; Catilina, P; Sobaszek, A. (1999). [Screening of diseases associated with asbestos. On-going activities, synthesis]. *Rev Mal Respir* 16: 1350-1355.
- Fritsch, W; Schneider, M; Ackermann, R. (1989). Transportation work suitable for pregnant women. 36: 231-243.
- Froom, P; Lahat, N; Kristal-Boneh, E; Cohen, C; Lerman, Y; Ribak, J. (2000). Circulating natural killer cells in retired asbestos cement workers. *J Occup Environ Med* 42: 19-24.

Human Health Hazard Literature Search Results

On Topic

- Frost, G. (2013). The latency period of mesothelioma among a cohort of British asbestos workers (1978-2005). *Br J Cancer* 109: 1965-1973. <http://dx.doi.org/10.1038/bjc.2013.514>.
- Frost, G; Darnton, A; Harding, AH. (2011). The effect of smoking on the risk of lung cancer mortality for asbestos workers in Great Britain (1971-2005). *Ann Occup Hyg* 55: 239-247. <http://dx.doi.org/10.1093/annhyg/meq089>.
- Frost, G; Harding, AH; Darnton, A; Mcelvenny, D; Morgan, D. (2008). Occupational exposure to asbestos and mortality among asbestos removal workers: a Poisson regression analysis. *Br J Cancer* 99: 822-829. <http://dx.doi.org/10.1038/sj.bjc.6604564>.
- Frumkin, H; Berlin, J. (1988). Asbestos exposure and gastrointestinal malignancy review and meta-analysis [Review]. *Am J Ind Med* 14: 79-95.
- Fry, JS; Woolley, AJ; Mcdonald, JC; Mcdonald, AD. (1983). RESPIRATORY CANCER IN CHRYSOTILE PRODUCTION AND TEXTILE MANUFACTURE. *Scand J Work Environ Health* 9: 69-70.
- Fryer, J; Catherine, D; Peter, L; Michael, H. (2003). Effects of asbestos and smoking on the levels and rates of change of lung function in a crocidolite-exposed cohort from Wittenoom, Western Australia. *Epidemiology* 14: S118-S118.
- Fu, D; Liu, B; Miao, Q; Wang, H. (1997). [PCR-SSCP and sequencing analysis on mutations of anti-oncogene p53 in asbestos-related lung cancer]. *Wei Sheng Yan Jiu* 26: 289-292.
- Fubini, B. (1997). Surface reactivity in the pathogenic response to particulates [Review]. <http://dx.doi.org/10.2307/3433502>.
- Fubini, B; Mollo, L. (1995). Role of iron in the reactivity of mineral fibers. *Toxicol Lett* 82-3: 951-960.
- Fubini, B; Mollo, L; Giamello, E. (1995). FREE-RADICAL GENERATION AT THE SOLID/LIQUID INTERFACE IN IRON-CONTAINING MINERALS. *Free Radic Res* 23: 593-614.
- Fuhrer, G; Lazarus, AA. (2011). Mesothelioma [Review]. 57: 40-54. <http://dx.doi.org/10.1016/j.disamonth.2010.12.004>.
- Fujii, M; Fujimoto, N; Hiraki, A; Gemba, K; Aoe, K; Umemura, S; Katayama, H; Takigawa, N; Kiura, K; Tanimoto, M; Kishimoto, T. (2012). Aberrant DNA methylation profile in pleural fluid for differential diagnosis of malignant pleural mesothelioma. *Cancer Sci* 103: 510-514. <http://dx.doi.org/10.1111/j.1349-7006.2011.02180.x>.
- Fujimoto, N; Aoe, K; Gemba, K; Kato, K; Yamazaki, K; Kishimoto, T. (2010). Clinical investigation of malignant mesothelioma in Japan. *J Cancer Res Clin Oncol* 136: 1755-1759. <http://dx.doi.org/10.1007/s00432-010-0834-7>.
- Fujimoto, N; Gemba, K; Aoe, K; Kato, K; Yokoyama, T; Usami, I; Onishi, K; Mizuhashi, K; Yusa, T; Kishimoto, T. (2015). Clinical Investigation of Benign Asbestos Pleural Effusion. *Pulm Med* 2015: 416179. <http://dx.doi.org/10.1155/2015/416179>.
- Fujimoto, N; Kato, K; Usami, I; Sakai, F; Tokuyama, T; Hayashi, S; Miyamoto, K; Kishimoto, T. (2013). Clinical Investigation Of Asbestos-Related Diffuse Pleural Thickening In Japan. *Am J Respir Crit Care Med* 187.
- Fujimoto, N; Kato, K; Usami, I; Sakai, F; Tokuyama, T; Hayashi, S; Miyamoto, K; Kishimoto, T. (2014). Asbestos-related diffuse pleural thickening. *Respiration* 88: 277-284. <http://dx.doi.org/10.1159/000364948>.
- Fujimura, N. (1992). [Occupational allergy and immunological toxicology--special reference to respiratory diseases]. *Sangyo Igaku* 34: 668-669.
- Fujino, Hori; Higashi; Morimoto; Tanaka, I; Kaji, I. (1995). In-vitro Biological Study to Evaluate the Toxic Potentials of Fibrous Materials. *Int J Occup Environ Health* 1: 21-28. <http://dx.doi.org/10.1179/oe.1995.1.1.21>.
- Fujitani, T; Hojo, M; Inomata, A; Ogata, A; Hirose, A; Nishimura, T; Nakae, D, ai. (2014). Teratogenicity of asbestos in mice. *J Toxicol Sci* 39: 363-370.
- Fujiwara, H; Kamimori, T; Morinaga, K; Takeda, Y; Kohyama, N; Miki, Y; Inai, K; Yamamoto, S. (2005). An autopsy case of primary pericardial mesothelioma in arc cutter exposed to asbestos through talc pencils. *Ind Health* 43: 346-350.
- Fukagawa, NK; Huber, S; Taatjes, DJ; Timblin, CR; Barrett, TF; Jamie, LS; Mossman, BT. (2005). Inhalation of chrysotile asbestos (ASB) exacerbates atherosclerosis. *FASEB J* 19: A1507-A1508.
- Fukagawa, NK; Li, M; Sabo-Attwood, T; Timblin, CR; Butnor, KJ; Gagne, J; Steele, C; Taatjes, DJ; Huber, S; Mossman, BT. (2008). Inhaled Asbestos Exacerbates Atherosclerosis in Apolipoprotein E--Deficient Mice via CD4⁺ T Cells. *Environ Health Perspect* 116: 1218-1225. <http://dx.doi.org/10.1289/ehp.11172>.
- Fukuoka, J; Franks, TJ; Colby, TV; Flaherty, KR; Galvin, JFV, R; Hayden, D; Gochuico, BR; Kazerooni, EA; Martinez, F; Travis, WD. (2005). Peribronchiolar metaplasia: A common histologic lesion in diffuse lung disease and a rare cause of interstitial lung disease - Clinicopathologic features of 15 cases [Review]. *Am J Surg Pathol* 29: 948-954. <http://dx.doi.org/10.1097/01.pas.0000168177.71405.ac>.
- Fukuoka, JMD, P; Franks, TJM, D; Colby, TVM, D; Flaherty, KRM, D; Galvin, JRM, D; Hayden, DDO; Gochuico, BRM, D; Kazerooni, EAM, D; Martinez, FMD; Travis, WDM, D. (2005). Peribronchiolar Metaplasia: A Common Histologic Lesion in Diffuse Lung Disease and a Rare Cause of Interstitial Lung Disease: Clinicopathologic Features of 15 Cases. *Am J Surg Pathol* 29: 948-954.
- Fukuoka, K; Kuribayashi, K; Yamada, S; Tamura, K; Tabata, C; Nakano, T. (2013). Combined serum mesothelin and carcinoembryonic antigen measurement in the diagnosis of malignant mesothelioma. 1: 942-948. <http://dx.doi.org/10.3892/mco.2013.175>.
- Fulton, RS; Madden, RM; Cheff, SO. (1989). Ultrastructural pulmonary changes in mice exposed to aerosolized Periodontal Pack Powder. *Dent Mater* 5: 194-200.
- Fulton, WB; Dooley, A; Matthews, JL; Houtz, RL. (1935). Asbestosis. Part II. The Nature and Amount of Dust Encountered in Asbestos Fabricating Plants. Part III. The Effects of Exposure to Dust Encountered in Asbestos Fabricating Plants on the Health of a Group of Workers (pp. 125). (NIOSH/00191801). Fulton, WB; Dooley, A; Matthews, JL; Houtz, RL.
- Funahashi, S; Okazaki, Y; Ito, D; Asakawa, A; Nagai, H; Tajima, M; Toyokuni, S. (2015). Asbestos and multi-walled carbon nanotubes generate distinct oxidative responses in inflammatory cells. *J Clin Biochem Nutr* 56: 111-117. <http://dx.doi.org/10.3164/jc.14-92>.
- Fung, H; Kow, YW; Van Houten, B; Mossman, BT. (1997). Patterns of 8-Hydroxydeoxyguanosine Formation in DNA and Indications of Oxidative Stress in Rat and Human Pleural Mesothelial Cells after Exposure to Crocidolite Asbestos. *Carcinogenesis* 18: 825-832.

Human Health Hazard Literature Search Results

On Topic

- Fung, H; Kow, YW; Van Houten, B; Taatjes, DJ; Hatahet, Z; Janssen, YM; Vacek, P; Faux, SP; Mossman, BT. (1998). Asbestos increases mammalian AP-endonuclease gene expression, protein levels, and enzyme activity in mesothelial cells. *Cancer Res* 58: 189-194.
- Fung, H; Quinlan, TR; Janssen, YMW; Timblin, C; Marsh, JP; Heintz, N; Taatjes, D; Jaken, S; Mossman, BT. (1995). INHIBITION OF PROTEIN-KINASE C-ALPHA (PKC-ALPHA) REDUCES ASBESTOS-INDUCED C-FOS AND C-JUN EXPRESSION IN RAT PLEURAL MESOTHELIAL (RPM). *FASEB J* 9: A1066-A1066.
- Fung, H; Quinlan, TR; Janssen, YMW; Timblin, CR; Marsh, JP; Heintz, NH; Taatjes, DJ; Vacek, P; Jaken, S; Mossman, BT. (1997). Inhibition of Protein Kinase C Prevents Asbestos-Induced c-fos and c-jun Proto-Oncogene Expression in Mesothelial Cells. *Cancer Res* 57: 3101-3105.
- Fuortes, LJ; Merchant, JA; Galvin, JR; Schwartz, DA. (1991). THE PLEURAL DETERMINANTS OF RESTRICTIVE LUNG FUNCTION AND RESPIRATORY SYMPTOMS IN AN ASBESTOS-EXPOSED POPULATION (pp. 12-15). (BIOSIS/91/21155). Fuortes, LJ; Merchant, JA; Galvin, JR; Schwartz, DA.
- Furalev, VA; Kravchenko, IV; Vasil'eva, LA; Pylev, LN. (2002). Cytotoxic effects of macrophages and asbestos on transformed rat mesothelial cells. *Bull Exp Biol Med* 133: 71-73.
- Furst, A; Cassetta, DM; Sasmore, DP. (1974). RAPID INDUCTION OF PLEURAL MESOTHELIOMAS IN THE RAT. *Proc West Pharmacol Soc* 16: 150-153.
- Furst, A; Haro, RT. (1969). A survey of metal carcinogenesis [Review]. *Prog Exp Tumor Res* 12: 102-133.
- Furukawa, M; Tao, H; Tanaka, T; Onoda, H; Murakami, T; Okabe, K. (2016). Chondrosarcoma of the Rib Mimicking Malignant Pleural Mesothelioma. *Case Reports in Oncology* 9: 11-14. <http://dx.doi.org/10.1159/000443327>.
- Furukawa, M; Toyooka, S; Hayashi, T; Yamamoto, H; Fujimoto, N; Soh, J; Hashida, S; Shien, K; Asano, H; Aoe, K; Okabe, K; Pass, HI; Tsukuda, K; Kishimoto, T; Miyoshi, S. (2015). DNA copy number gains in malignant pleural mesothelioma. 10: 3274-3278. <http://dx.doi.org/10.3892/ol.2015.3652>.
- Fusco, V; Ardizzoni, A; Merlo, F; Cinquegrana, A; Faravelli, B; De Palma, M; Chessa, L; Nicolò, G; Serra, M; Capaccio, A. (1993). Malignant pleural mesothelioma. Multivariate analysis of prognostic factors on 113 patients. *Anticancer Res* 13: 683-689.
- Gaafar, RM; Eldin, NH. (2005). Epidemic of mesothelioma in Egypt. *Lung Cancer* 49 Suppl 1: S17-S20. <http://dx.doi.org/10.1016/j.lungcan.2005.03.025>.
- Gabbanelli, F; Mattioli-Belmonte, M; Giantomassi, F; Rimondini, L; Viticchi, C; Biagini, G; Torricelli, P; Gualtieri, AF; Lesci, IG; Giardino, R. (2003). Exploring the damage limitation possibilities of mineral fibres for future integrated solutions: an in vitro study. *Int J Artif Organs* 26: 73-79.
- Gabbato, R; Ferri, R. (1973). Epidemiologic Research on the Incidence of Pleural Mesothelioma in the Trieste District (pp. 164-171). (NIOSH/00101834). Gabbato, R; Ferri, R.
- Gabor, EP. (1990). Case 28-1989: pulmonary infiltrates and an axillary mass [Letter]. *N Engl J Med* 322: 131.
- Gabor, S; Anca, Z. (1975). Effect of asbestos on lipid peroxidation in the red cells. *Br J Ind Med* 32: 39-41.
- Gabor, S; Frits, T; Anca, Z. (1975). Effect of quartz and asbestos on erythrocyte surface charge. *Int Arch Occup Environ Health* 36: 47-55.
- Gabriel, D. (2001). [Asbestos]. (CIS/02/01386). Gabriel, D.
- Gabrielson, E. (2006). Worldwide trends in lung cancer pathology. *Respirology* 11: 533-538. <http://dx.doi.org/10.1111/j.1400-1843.2006.00909.x>.
- Gabrielson, EW; Rosen, GM; Grafstrom, RC; Strauss, KE; Harris, CC. (1986). Studies on the role of oxygen radicals in asbestos-induced cytopathology of cultured human lung mesothelial cells. *Carcinogenesis* 7: 1161-1164.
- Gabrielson, EW; Van der Meeren, A; Reddel, RR; Reddel, H; Gerwin, BI; Harris, CC. (1992). Human mesothelioma cells and asbestos-exposed mesothelial cells are selectively resistant to amosite toxicity: a possible mechanism for tumor promotion by asbestos. *Carcinogenesis* 13: 1359-1363.
- Gaensler, EA. (1992). Asbestos exposure in buildings [Review]. *Clin Chest Med* 13: 231-242.
- Gaensler, EA; Addington, WW. (1969). Current Concepts. Asbestos or Ferruginous Bodies [Review]. *N Engl J Med* 280: 488-492. <http://dx.doi.org/10.1056/NEJM196902272800907>.
- Gaensler, EA; Goff, AM. (1990). Asbestos-Related Disease in Crocidolite and Chrysotile Filter Paper Plants (pp. 23-26). (NIOSH/00198281). Gaensler, EA; Goff, AM.
- Gaensler, EA; Jederlinic, PJ; Churg, A. (1991). Idiopathic pulmonary fibrosis in asbestos-exposed workers. *Am Rev Respir Dis* 144: 689-696. http://dx.doi.org/10.1164/ajrccm/144.3_Pt_1.689.
- Gaensler, EA; Jederlinic, PJ; Mcloud, TC. (1987). PROGRESSION OF ASBESTOSIS (pp. 15-18). (BIOSIS/87/21428). Gaensler, EA; Jederlinic, PJ; Mcloud, TC.
- Gaensler, EA; Jederlinic, PJ; Mcloud, TC. (1988). PROGRESSION OF ASBESTOSIS (pp. 8-11). (BIOSIS/88/21264). Gaensler, EA; Jederlinic, PJ; Mcloud, TC.
- Gaensler, EA; Jederlinic, PJ; Mcloud, TC. (1990). Proceedings of the Seventh International Pneumonconioses Conference. Part I Lung function with asbestos-related circumscribed plaques. In DHHS (NIOSH) Publication No 90-108 Part 1. Atlanta, GA: U.S. Department of Health and Human Services, Public Health Service, Center for Disease Control.
- Gaensler, EA; Jederlinic, PJ; Mcloud, TC. (1990). Radiographic Progression of Asbestosis with and without Continued Exposure (pp. 23-26). (NIOSH/00198279). Gaensler, EA; Jederlinic, PJ; Mcloud, TC.
- Gaensler, EA; Kaplan, AI. (1971). Asbestos pleural effusion. *Ann Intern Med* 74: 178-191.
- Gaensler, EA; Mcloud, TC; Carrington, CB. (1985). Thoracic surgical problems in asbestos-related disorders. *Ann Thorac Surg* 40: 82-96.

Human Health Hazard Literature Search Results

On Topic

- Gaffney, SH; Grespin, M; Garnick, L; Drechsel, DA; Hazan, R; Paustenbach, DJ; Simmons, BD. (2017). Anthophyllite asbestos: state of the science review [Review]. *J Appl Toxicol* 37: 38-49. <http://dx.doi.org/10.1002/jat.3356>.
- Gaffuri, E. (2009). The lung burden of amphibole asbestos fibers in workers exposed and dead. *Med Lav* 100: 315-315.
- Gaffuri, E. (2009). [The pulmonary burden of amphibole asbestos fibers in exposed, deceased workers] [Letter]. *Med Lav* 100: 315.
- Gaffuri, E; Maranelli, G. (1991). [The prospects for the appearance of pleural mesothelioma in Italy]. *Med Lav* 82: 155-159.
- Gaffuri, E; Maranelli, G. (1991). Trends in the occurrence of pleural mesothelioma in Italy. *82: 155-159*.
- Gagnon, F; Deshaies, P; Lepage-Saucier, M. (2005). [Work, environment and cancer]. *Le Medecin du Quebec* 40: 81-89.
- Gaissert, HA; Piyavisetpat, N; Mark, EJ. (2009). A Man with Chest Pain, Dysphagia, and Pleural and Mediastinal Calcifications Diffuse malignant mesothelioma, with extensive osseous differentiation, involving the pleura, chest wall, lung, mediastinum, esophagus, and pericardium. Acute myocardial infarction. *N Engl J Med* 360: 1886-1895.
- Galani, V; Constantopoulos, S; Manda-Stachouli, C; Frangou-Lazaridis, M; Mavridis, A; Vassiliou, M; Dalavanga, Y. (2002). Additional proteins in BAL fluid of Metsovoites environmentally exposed to asbestos: more evidence of "protection" against neoplasia? *Chest* 121: 273-278. <http://dx.doi.org/10.1378/chest.121.1.273>.
- Galani, V; Dalavanga, Y; Frangou-Lazaridou, M; Manda-Stachouli, C; Kotoulas, O; Constantopoulos, SH. (1997). INHABITANTS OF METSOVO GREECE ENVIRONMENTALLY EXPOSED TO ASBESTOS REVEAL ADDITIONAL PROTEINS IN BAL FLUID ONLY WHEN PLEURAL CALCIFICATIONS ARE PRESENT ANOTHER EVIDENCE OF PROTECTION AGAINST NEOPLASIA? (pp. 20-24). (BIOSIS/98/15005). Galani, V; Dalavanga, Y; Frangou-Lazaridou, M; Manda-Stachouli, C; Kotoulas, O; Constantopoulos, SH.
- Galateau-Salle, F; Bidet, P; Iwatsubo, Y; Gennetay, E; Renier, A; Letourneux, M; Pairon, JC; Moritz, S; Brochard, P; Jaurand, MC; Freymuth, F. (1998). SV40-like DNA sequences in pleural mesothelioma, bronchopulmonary carcinoma, and non-malignant pulmonary diseases. *J Pathol* 184: 252-257. [http://dx.doi.org/10.1002/\(SICI\)1096-9896\(199803\)184:3<252::AID-PATH15>3.0.CO;2-R](http://dx.doi.org/10.1002/(SICI)1096-9896(199803)184:3<252::AID-PATH15>3.0.CO;2-R).
- Galateau-Sallé, F; Gilg Soit Ilg, A; Le Stang, N; Brochard, P; Pairon, JC; Astoul, P; Frenay, C; Blaizot, G; Chamming's, S; Ducamp, S; Rousvoal, T; de Quillacq, A; Abbonet, V; Abdalsamad, I; Begueret, H; Brambilla, E; Capron, F; Copin, MC; Danel, C; de Lajartre, AY; Foulet-Roge, A; Garbe, L; Groussard, O; Giusiano, S; Hofman, V; Lantuejoul, S; Piquenot, JM; Rouquette, I; Sagan, C; Thivolet-Bejui, F; Vignaud, JM; Scherpereel, A; Jaurand, MC; Jean, D; Hainaut, P; Chérié-Challine, L; Goldberg, M; Luce, D; Imbernon, E. (2014). [The French mesothelioma network from 1998 to 2013]. *Ann Pathol* 34: 51-63. <http://dx.doi.org/10.1016/j.annpat.2014.01.009>.
- Galateau-Sallé, F; Vignaud, JM; Burke, L; Gibbs, A; Brambilla, E; Attanoos, R; Goldberg, M; Launoy, G; group, M. (2004). Well-differentiated papillary mesothelioma of the pleura: a series of 24 cases. *Am J Surg Pathol* 28: 534-540.
- Galgoczy, G; Mandi, A; Galambos, E; Nemeth, L. (1988). LUNG FUNCTION IN RELATION TO RADIOGRAPHIC CHANGES IN ASBESTOS EXPOSED WORKERS (pp. 5-9). (BIOSIS/89/06040). Galgoczy, G; Mandi, A; Galambos, E; Nemeth, L.
- Gallagher, JE; George, G; Brody, AR. (1987). SIALIC ACID MEDIATES THE INITIAL BINDING OF POSITIVELY CHARGED INORGANIC PARTICLES TO ALVEOLAR MACROPHAGE MEMBRANES. *Am Rev Respir Dis* 135: 1345-1352.
- Gallagher, LG; Park, RM; Checkoway, H. (2015). Extended follow-up of lung cancer and non-malignant respiratory disease mortality among California diatomaceous earth workers. *Occup Environ Med* 72: 360-365. <http://dx.doi.org/10.1136/oemed-2014-102412>.
- Gallagher, RP; Bajdik, CD; Fincham, S; Hill, GB; Keefe, AR; Coldman, A; Mclean, DI. (1996). Chemical Exposures, Medical History, and Risk of Squamous and Basal Cell Carcinoma of the Skin. *Cancer Epidemiology* 5: 419-424.
- Gallitz, I; Berken, A; Bierhals, K; Sydlik, U; Abel, J; Unfried, K. (2006). The influence of beta 1-integrin on asbestos induced MAP-kinase signalling in rat pleural mesothelial cells. *Naunyn Schmiedebergs Arch Pharmacol* 372: 120-120.
- Gamble, J. (2008). Risk of gastrointestinal cancers from inhalation and ingestion of asbestos [Review]. *Regul Toxicol Pharmacol* 52: S124-S153. <http://dx.doi.org/10.1016/j.yrtph.2007.10.009>.
- Gamble, J; Greife, A; Hancock, J. (1982). An epidemiological-industrial hygiene study of talc workers. *Ann Occup Hyg* 26: 841-859.
- Gamble, JF. (1994). Asbestos and colon cancer: a weight-of-the-evidence review. *Environ Health Perspect* 102: 1038-1050.
- Gamble, JF. (2008). Rapporteur's Report Session 4: grunerite asbestos (amosite) and tremolite-ferroactinolite asbestos: risk of environmental mesothelioma. *Regul Toxicol Pharmacol* 52: S121-S123. <http://dx.doi.org/10.1016/j.yrtph.2007.10.015>.
- Gamble, JF; Fellner, W; Dimeo, MJ. (1979). An epidemiologic study of a group of talc workers. *Am Rev Respir Dis* 119: 741-753. <http://dx.doi.org/10.1164/arrd.1979.119.5.741>.
- Gamble, JF; Gibbs, GW. (2008). An evaluation of the risks of lung cancer and mesothelioma from exposure to amphibole cleavage fragments [Review]. *Regul Toxicol Pharmacol* 52: S154-S186. <http://dx.doi.org/10.1016/j.yrtph.2007.09.020>.
- Gan, L; Savransky, EF; Fasy, TM; Johnson, EM. (1993). Transfection of human mesothelial cells mediated by different asbestos fiber types. *Environ Res* 62: 28-42.
- Gandevia, B. (1967). Pulmonary Function in Asbestos Workers. A Three-Year Follow-Up Study. *Am Rev Respir Dis* 96: 420-427.
- Gandolfi, NB; Gualtieri, AF; Pollastri, S; Tibaldi, E; Belpoggi, F. (2015). Assessment of asbestos body formation by high resolution FEG-SEM after exposure of Sprague-Dawley rats to chrysotile, crocidolite, or erionite. *J Hazard Mater* 306: 95-104. <http://dx.doi.org/10.1016/j.jhazmat.2015.11.050>.
- Gangemi, S; Rapisarda, V; Minciullo, PL; Di Pasquale, G; Lombardo, G; Valentino, M; Fenga, C. (2005). Circulating levels of interleukin-18 in asbestos-exposed workers. *Toxicol Ind Health* 21: 125-129. <http://dx.doi.org/10.1191/0748233705th221oa>.
- Gao, F; Koenitzer, JR; Tobolewski, JM; Jiang, D; Liang, J; Noble, PW; Oury, TD. (2008). Extracellular superoxide dismutase inhibits inflammation by preventing oxidative fragmentation of hyaluronan. *J Biol Chem* 283: 6058-6066. <http://dx.doi.org/10.1074/jbc.M709273200>.
- Gao, F, ei; Koenitzer, JR; Tobolewski, JM; Oury, T, imD. (2006). Oxidative degradation of hyaluronan in asbestos-induced lung injury. *Free Radic Biol Med* 41: S70-S70.

Human Health Hazard Literature Search Results

On Topic

- Gao, Z; Hiroshima, K; Wu, X; Zhang, J; Shao, D; Shao, H; Yang, H; Yusa, T; Kiyokawa, T; Kobayashi, M; Shinohara, Y; Røe, OD; Zhang, X; Morinaga, K. (2015). Asbestos textile production linked to malignant peritoneal and pleural mesothelioma in women: Analysis of 28 cases in Southeast China. *Am J Ind Med* 58: 1040-1049. <http://dx.doi.org/10.1002/ajim.22494>.
- Garabrant, DH; Peters, RK; Homa, DM. (1992). Asbestos and colon cancer: Lack of association in a large case-control study. *Am J Epidemiol* 135: 843-853.
- Garcia Gomez, M; Castaneda Lopez, R. (2009). EVALUATION OF THE HEALTH SURVEILLANCE OF WORKERS WHO HAVE BEEN EXPOSED TO ASBESTOS IN SPAIN 2004-2007. *Gac Sanit* 23: 5-5.
- García Gómez, M; Menéndez-Navarro, A; Castañeda López, R. (2012). [Incidence of asbestosis and other benign lung diseases: Spain, 1962-2010]. *Rev Esp Salud Publica* 86: 613-625. <http://dx.doi.org/10.4321/S1135-57272012000600007>.
- Garcia J, GN; Callahan, KS; Gray, LD; Azghani, A; Johnson, AR; Dodson, RF. (1987). AMOSITE ASBESTOS IS TOXIC TO VASCULAR ENDOTHELIUM AND INDUCES ALTERATIONS IN ENDOTHELIAL CELL FUNCTION (pp. 10-13). (BIOSIS/87/23805). Garcia J, GN; Callahan, KS; Gray, LD; Azghani, A; Johnson, AR; Dodson, RF.
- Garcia J, GN; Griffith, DE; Garcia, PL; Iriana, S; Dodson, RF; Callahan, KS. (1988). ALVEOLAR MACROPHAGES FROM ASBESTOS-EXPOSED WORKERS ARE PRIMED TO RELEASE LTB-1 (pp. 8-11). (BIOSIS/88/23578). Garcia J, GN; Griffith, DE; Garcia, PL; Iriana, S; Dodson, RF; Callahan, KS.
- Garcia J, GN; Griffith, DE; Williams, J; Kronenberg, RS. (1988). EXERCISE TESTING IN ASBESTOS AND SILICA WORKERS WITH REDUCED DIFFUSION AS AN ISOLATED FINDING (pp. 8-11). (BIOSIS/88/21269). Garcia J, GN; Griffith, DE; Williams, J; Kronenberg, RS.
- Garcia J, GN; Griffith, DE; Williams, JS; Blevins, WJ; Kronenberg, RS. (1990). Reduced diffusing capacity as an isolated finding in asbestos- and silica-exposed workers. *Chest* 98: 105-111.
- Garcia, JG; Callahan, KS. (1987). AMOSITE ASBESTOS INJURES ENDOTHELIAL CELL MONOLAYERS VIA HYDROGEN PEROXIDE DEPENDENT MECHANISMS (pp. 1-4). (BIOSIS/87/21579). Garcia, JG; Callahan, KS.
- Garcia, JG; Dodson, RF; Callahan, KS. (1989). Effect of environmental particulates on cultured human and bovine endothelium. Cellular injury via an oxidant-dependent pathway. *Lab Invest* 61: 53-61.
- Garcia, JG; Gray, LD; Dodson, RF; Callahan, KS. (1988). Asbestos-induced endothelial cell activation and injury. Demonstration of fiber phagocytosis and oxidant-dependent toxicity. *Am Rev Respir Dis* 138: 958-964. <http://dx.doi.org/10.1164/ajrccm/138.4.958>.
- Garcia, JGN; Callahan, K; Davis, L; Johnson, AR; Corn, C; Dodson, R. (1987). ACTIVATION OF HUMAN UMBILICAL VEIN ENDOTHELIUM FOLLOWING PHAGOCYTOSIS OF ASBESTOS AND FIBERGLASS PARTICLES. *Chest* 91: 305-305.
- Garcia Lopez, V; Beloqui, A; Parra, A; Hoyo, A; Alsua, C; Palomino, M; Cipriain, C; Artieda, L. (2009). EVALUATION OF THE HEALTH SURVEILLANCE OF WORKERS EXPOSED TO ASBESTOS IN NAVARRA. YEAR 2007. *Gac Sanit* 23: 6-6.
- García-Closas, M; Christiani, DC. (1995). Asbestos-related diseases in construction carpenters. *Am J Ind Med* 27: 115-125. <http://dx.doi.org/10.1002/ajim.4700270111>.
- García-López, MP; Barrera-Rodríguez, R. (2000). [Malignant mesothelioma: clinical and radiological description of 45 cases with and without asbestos exposure] [Review]. *Salud Publica Mex* 42: 511-519.
- Gardi, C; Calzoni, P; Ferrali, M; Comporti, M. (1997). Iron Mobilization from Crocidolite as Enhancer of Collagen Content in Rat Lung Fibroblasts. *Biochem Pharmacol* 53: 1659-1665.
- Gardner, LU. (1938). Reaction of the Living Body to Different Types of Mineral Dusts With and Without Complicating Infection. 929: 1-15.
- Gardner, MJ. (1983). Effect of a second factor on a linear dose-response relationship. *J UOEH* 5 Suppl: 183-188.
- Gardner, MJ. (1991). CONTRIBUTION OF OCCUPATIONAL EXPOSURE TO CANCER RECENT DEVELOPMENTS. *Br J Ind Med* 48: 217-220.
- Gardner, MJ; Acheson, ED; Winter, PD. (1982). Mortality from mesothelioma of the pleura during 1968-78 in England and Wales. *Br J Cancer* 46: 81-88.
- Gardner, MJ; Jones, RD; Pippard, EC; Saitoh, N. (1985). Mesothelioma of the peritoneum during 1967-82 in England and Wales. *Br J Cancer* 51: 121-126.
- Gardner, MJ; Powell, CA. (1986). Mortality of asbestos cement workers using almost exclusively chrysotile fibre. *J Soc Occup Med* 36: 124-126.
- Gardner, MJ; Powell, CA. (1987). MORTALITY OF ASBESTOS-CEMENT WORKERS USING ALMOST EXCLUSIVELY CHRYSOTILE FIBER. *Scand J Work Environ Health* 13: 170-170.
- Gardner, MJ; Powell, CA; Gardner, AW; Winter, PD; Fletcher, AC. (1988). Continuing high lung cancer mortality among ex-amosite asbestos factory workers and a pilot study of individual anti-smoking advice. *J Soc Occup Med* 38: 69-72.
- Gardner, MJ; Saracci, R. (1989). Effects on Health of Non-occupational Exposure to Airborne Mineral Fibers (pp. 375-397). (NIOSH/00191374). Gardner, MJ; Saracci, R.
- Gardner, MJ; Saracci, R. (1989). Non-occupational exposure to mineral fibres Effects on health of non-occupational exposure to airborne mineral fibres [Review]. In IARC Scientific Publication. Lyon, France: International Agency on the Research of Cancer.
- Gardner, MJ; Winter, PD; Pannett, B; Powell, CA. (1986). Follow up study of workers manufacturing chrysotile asbestos cement products. *Br J Ind Med* 43: 726-732.
- Gardner, SY; Brody, AR; Mangum, JB; Everitt, JI. (1997). Chrysotile asbestos and H₂O₂ increase permeability of alveolar epithelium. *Exp Lung Res* 23: 1-16. <http://dx.doi.org/10.3109/01902149709046044>.
- Garfinkel, L. (1984). Asbestos: historical perspective. *CA Cancer J Clin* 34: 44-47.
- Garlepp, MJ; Leong, CC. (1995). Biological and immunological aspects of malignant mesothelioma [Review]. *Eur Respir J* 8: 643-650.
- Garrido, VV; Encuentra, AL; Echave-Sustaeta, J; Martinez, CA; Terron, LR; Sotelo, MT; Ballestin, C. (2004). Pleural mesothelioma: Experience with 62 cases in 9 years. *Arch Bronconeumol* 40: 203-208.
- Garshick, E; Schenker, MB; Dosman, JA. (1996). Occupationally Induced Airways Obstruction. *Med Clin North Am* 80: 851-878.

Human Health Hazard Literature Search Results

On Topic

- Garshick, E; Schenker, MB; Munoz, A; Segal, M; Smith, TJ; Woskie, SR; Hammond, SK; Speizer, FE. (1987). A case-control study of lung cancer and diesel exhaust exposure in railroad workers. *Am Rev Respir Dis* 135: 1242-1248.
- Garshick, E; Schenker, MB; Munoz, A; Segal, M; Smith, TJ; Woskie, SR; Hammond, SK; Speizer, FE. (1988). A retrospective cohort study of lung cancer and diesel exhaust exposure in railroad workers. *Am Rev Respir Dis* 137: 820-825. <http://dx.doi.org/10.1164/ajrccm/137.4.820>.
- Gartenschlager, M. (1992). ASBESTOSIS ASSOCIATED WITH PERITONEAL MESOTHELIOMA. *Radiologe* 32: 83-86.
- Garvey, J. (1994). Developing an Integrated Approach to SBS. 46: 50.
- Garza, KM; Soto, KF; Murr, LE. (2008). Cytotoxicity and reactive oxygen species generation from aggregated carbon and carbonaceous nanoparticulate materials. *Int J Nanomedicine* 3: 83-94.
- Gasson, EE. (1974). Asbestos in industry - 2. *Occup Health (Lond)* 26: 352-362.
- Gasson, EE. (1974). Asbestos in industry. 1. *Occup Health (Lond)* 26: 298-306.
- Gaucher, P; Lajartre, MD. (1977). MESOTHELIOMA AND ASBESTOS. *Arch Mal Prof Med Trav Secur Soc* 38: 274-276.
- Gaudichet, A; Sebastien, P; Bientz, M; Jaurand, MC; Atassi, R; Bonnaud, G; Bignon, J. (1978). STUDY OF ASBESTOS FIBERS IN HUMAN LUNG WASHING FLUIDS. *Rev Fr Mal Respir* 6: 345-351.
- Gaumer, HR; Bozelka, BE; Nordberg, J; Salvaggio, JE. (1981). ALTERATION OF MOUSE LYMPHOCYTE MITOGENIC RESPONSES BY ASBESTOS FIBERS (pp. 12-17). (HEEP/81/13710). Gaumer, HR; Bozelka, BE; Nordberg, J; Salvaggio, JE.
- Gaumer, HR; Bozelka, BE; Salvaggio, JE. (1980). B cell activation in mice following inhalation of asbestos. 39: ABSTRACT 4555.
- Gaumer, HR; Doll, NJ; Kaimal, J; Schuyler, M; Salvaggio, JE. (1981). Diminished suppressor cell function in patients with asbestosis. *Clin Exp Immunol* 44: 108-116.
- Gaumer, HR; Nordberg, J; Bozelka, B; Salvaggio, J. (1980). ASBESTOS INDUCED ALTERATIONS OF HUMAN LYMPHOID CELL MITOGENIC RESPONSES (pp. 15-17). (HEEP/81/13578). Gaumer, HR; Nordberg, J; Bozelka, B; Salvaggio, J.
- Gaumer, HR; Wilson M R, J. R.; Salvaggio, JE. (1977). ACTIVATION OF THE ALTERNATIVE COMPLEMENT PATHWAY BY ASBESTOS FIBER. *Am Rev Respir Dis* 115: 56.
- Gavett, SH. (2006). Physical characteristics and health effects of aerosols from collapsed buildings [Review]. *J Aerosol Med* 19: 84-91. <http://dx.doi.org/10.1089/jam.2006.19.84>.
- Gavett, SH; Parkinson, CU; Willson, GA; Wood, CE; Jarabek, AM; Roberts, KC; Kodavanti, UP; Dodd, DE. (2016). Persistent effects of Libby amphibole and amosite asbestos following subchronic inhalation in rats. *Part Fibre Toxicol* 13: 17. <http://dx.doi.org/10.1186/s12989-016-0130-z>.
- Gaynor, JJ; Symons, MJ; Dement, JM. (1985). PARAMETRIC MODELING OF THE EFFECT OF CUMULATIVE EXPOSURE TO CHRYSOTILE ASBESTOS ON THE HAZARD OF DEATH FROM LUNG-CANCER. *Biometrics* 41: 331-331.
- Gazzano, E; Foresti, E; Lesci, IG; Tomatis, M; Riganti, C; Fubini, B; Roveri, N; Ghigo, D. (2005). Different cellular responses evoked by natural and stoichiometric synthetic chrysotile asbestos. *Toxicol Appl Pharmacol* 206: 356-364. <http://dx.doi.org/10.1016/j.taap.2004.11.021>.
- Gazzano, E; Riganti, C; Tomatis, M; Turci, F; Bosia, A; Fubini, B; Ghigo, D. (2005). Potential toxicity of nonregulated asbestiform minerals: balangeroite from the western Alps. Part 3: Depletion of antioxidant defenses. *J Toxicol Environ Health A* 68: 41-49. <http://dx.doi.org/10.1080/15287390590523957>.
- Gazzano, E; Turci, F; Foresti, E; Putzu, MG; Aldieri, E; Silvagno, F; Lesci, IG; Tomatis, M; Riganti, C; Romano, C; Fubini, B; Roveri, N; Ghigo, D. (2007). Iron-loaded synthetic chrysotile: A new model solid for studying the role of iron in asbestos toxicity. *Chem Res Toxicol* 20: 380-387. <http://dx.doi.org/10.1021/tx600354f>.
- Gee J, BL. (1980). CELLULAR MECHANISMS IN OCCUPATIONAL LUNG DISEASE (pp. 384-387). (HEEP/82/03315). Gee J, BL.
- Gee J, BL; Cullen, MR. (1980). CELLULAR FUNCTION IN OCCUPATIONAL LUNG DISEASE NEW DIRECTIONS (pp. 393-394). (HEEP/82/03316). Gee J, BL; Cullen, MR.
- Gee, JBL. (1984). Occupational lung disease (pp. 1-3). (CIS/85/01356). Instituto Nacional de Investigaciones sobre Recursos Biocósmicos; Centro Panamericano de Ecología Humana y Salud (PAHO, WHO).
- Gee, JBL. (2001). The recognition of health effects of low-level exposure to chrysotile: Clinical considerations. *Can Mineral* 26: 261-264.
- Gehring, PJ. (1985). On chemicals and risks. *Chemtech* 15: 522-525.
- Geissert, JO; Singal, M. (1979). Health Hazard Evaluation Determination, Report No. HHE-77-80-620, GAF Corporation, Whitehall, Pennsylvania. NIOSH: 19791979.
- Geist, LJ; Hopkins H, AJ; Monick, MM; He, B; Hunninghake, GW. (1996). LPS AND ASBESTOS DIFFERENTIALLY REGULATE TRANSCRIPTION FACTORS IMPORTANT IN IL-6 PRODUCTION (pp. BIOMEDICINE '96). (BIOSIS/96/22574). Geist, LJ; Hopkins H, AJ; Monick, MM; He, B; Hunninghake, GW.
- Geist, LJ; Powers, LS; Monick, MM; Hunninghake, GW. (2000). Asbestos stimulation triggers differential cytokine release from human monocytes and alveolar macrophages. *Exp Lung Res* 26: 41-56.
- Gelfand, M; Morton, SA. (1970). Asbestosis in Rhodesia (pp. 204-208). (NIOSH/00177269). Gelfand, M; Morton, SA.
- Gellert, AR; Langford, JA; Winter, RJD; Rudd, RM. (1984). CLEARANCE OF TC-99M LABELED DTPA IN ASBESTOS EXPOSED SUBJECTS. *Thorax* 39: 709-709.
- Gellert, AR; Lewis, CA; Langford, JA; Tolfree, S; Rudd, RM. (1985). REGIONAL DISTRIBUTION OF PULMONARY EPITHELIAL PERMEABILITY IN NORMAL SUBJECTS AND PATIENTS WITH ASBESTOSIS. *Thorax* 40: 734-740.
- Gellert, AR; Lewis, CA; Langford, JA; Tolfree S, EJ; Rudd, RM. (1985). REGIONAL DISTRIBUTION OF LUNG EPITHELIAL PERMEABILITY IN NON-SMOKING AND SMOKING NORMAL SUBJECTS AND PATIENTS WITH ASBESTOSIS (pp. 12-15). (BIOSIS/85/16471). Gellert, AR; Lewis, CA; Langford, JA; Tolfree S, EJ; Rudd, RM.

Human Health Hazard Literature Search Results

On Topic

- Gellert, AR; Perry, D; Langford, JA; Riches, PG; Rudd, RM. (1985). ASBESTOSIS BRONCHOALVEOLAR LAVAGE FLUID PROTEINS AND THEIR RELATIONSHIP TO PULMONARY EPITHELIAL PERMEABILITY. *Chest* 88: 730-735.
- Gellert, AR; Rudd, RM. (1984). MESOTHELIOMA DUE TO DOMESTIC EXPOSURE TO ASBESTOS. *Br Med J* 289: 323-323.
- Gelzleichter, TR; Bermudez, E; Mangum, JB; Wong, BA; Moss, OR; Everitt, JI. (1996). Pulmonary and pleural responses in Fischer 344 rats following short-term inhalation of a synthetic vitreous fiber. II. Pathobiologic responses. *Fundam Appl Toxicol* 30: 39-46.
- Gemba, K; Fujimoto, N; Kato, K; Aoe, K; Takeshima, Y; Inai, K; Kishimoto, T. (2012). National survey of malignant mesothelioma and asbestos exposure in Japan. *Cancer Sci* 103: 483-490. <http://dx.doi.org/10.1111/j.1349-7006.2011.02165.x>.
- Gemba, K; Fujimoto, N; Kato, K; Ashizawa, K; Arakawa, H; Kishimoto, T. (2013). FIBROTIC CHANGES ON LOW-DOSE CHEST CT AS A RISK FACTOR OF LUNG CANCER DEVELOPMENT IN SUBJECTS WITH ASBESTOS EXPOSURE. *J Thorac Oncol* 8: S1263-S1263.
- Gemignani, F; Neri, M; Bottari, F; Barale, R; Canessa, PA; Canzian, F; Ceppi, M; Spitaleri, I; Cipollini, M; Ivaldi, GP; Mencoboni, M; Scaruffi, P; Tonini, GP; Ugolini, D; Mutti, L; Bonassi, S; Landi, S. (2009). Risk of malignant pleural mesothelioma and polymorphisms in genes involved in the genome stability and xenobiotics metabolism. *Mutat Res* 671: 76-83. <http://dx.doi.org/10.1016/j.mrfmmm.2009.09.003>.
- Gendek, E; Bartosz, G; Leyko, W. (1984). A spin label study of the effect of chrysotile asbestos on erythrocyte membranes. *Br J Ind Med* 41: 46-50.
- Gendek, EG; Brody, AR. (1990). Changes in lipid ordering of model phospholipid membranes treated with chrysotile and crocidolite asbestos. *Environ Res* 53: 152-167.
- Gendek, EG; Chignell, CF; Butterick, C; Brody, AR. (1988). INTERACTION OF CHRYSOTILE AND CROCIDOLITE ASBESTOS WITH SMALL UNILAMELLAR VESICLES OF DIPALMITOYLPHOSPHATIDYLCHOLINE (pp. 8-11). (BIOSIS/88/23609). Gendek, EG; Chignell, CF; Butterick, C; Brody, AR.
- General Electric Company. (1987). Letter from ge to usepa regarding a proposed case control mortality study of male GE workers using six different chemicals. (TSCATS/305130). *Epidemiology Sec Dupont*.
- Gennaro, V; Ceppi, M; Boffetta, P; Fontana, V; Perrotta, A. (1994). Pleural mesothelioma and asbestos exposure among Italian oil refinery workers. *Scand J Work Environ Health* 20: 213-215.
- Gennaro, V; Ceppi, M; Fontana, V; Beggi, A; Funtoni, R; Montemanni, M; Manti, A. (1991). IS THE OIL REFINERY PLANT A DANGEROUS WORKPLACE FOR PLEURA CANCER? SOME EPIDEMIOLOGICAL EVIDENCE (pp. 3-6). (BIOSIS/92/04880). Gennaro, V; Ceppi, M; Fontana, V; Beggi, A; Funtoni, R; Montemanni, M; Manti, A.
- Gennaro, V; Ceppi, M; Fontana, V; Perrotta, A; Silvano, S; Boffetta, P. (1995). PLEURAL MESOTHELIOMA IN OIL REFINERY WORKERS - REPLY. *Scand J Work Environ Health* 21: 303-309.
- Gennaro, V; Finkelstein, MM; Ceppi, M; Fontana, V; Montanaro, F; Perrotta, A; Puntoni, R; Silvano, S. (1999). Lung tumors attributable to asbestos among oil refinery workers. *Epidemiology* 10: S76-S76.
- Gennaro, V; Finkelstein, MM; Ceppi, M; Fontana, V; Montanaro, F; Perrotta, A; Puntoni, R; Silvano, S. (2000). Mesothelioma and lung tumors attributable to asbestos among petroleum workers. *Am J Ind Med* 37: 275-282.
- Gennaro, V; Montanaro, F. (2006). [Pleural mesothelioma among asbestos-exposed workers in petroleum refineries: A work-related disease and a sentinel event]. *Eur J Oncol* 11: 185-191.
- Gennaro, V; Montanaro, F; Ceppi, M; Fontana, V; Perrotta, A; Puntoni, R. (2001). RE: Mesothelioma and lung tumors attributable to asbestos among petroleum workers. *Am. J. Ind. Med.* 2000. 37 : 275-282. I. Reply to Tsai et al.'s letter to the editor and new evidence. *Am J Ind Med* 39: 517-521.
- Gennaro, V; Montanaro, F; Ceppi, M; Fontana, V; Perrotta, A; Puntoni, R; Finkelstein, MM; Silvano, S. (2001). RE: Mesothelioma and lung tumors attributable to asbestos among petroleum workers. *Am. J. Ind. Med.* 2000. 37 : 275-282. II. Reply to William J. Bailey's letter to the editor. *Am J Ind Med* 39: 522-523.
- Gennaro, V; Ugolini, D; Viarengo, P; Benfatto, L; Bianchelli, M; Lazzarotto, A; Montanaro, F; Puntoni, R. (2005). Incidence of pleural mesothelioma in Liguria Region, Italy (1996-2002). *Eur J Cancer* 41: 2709-2714. <http://dx.doi.org/10.1016/j.ejca.2005.04.047>.
- Ger, LP; Hsu, WL; Chen, KT; Chen, CJ. (1993). Risk factors of lung cancer by histological category in Taiwan. *Anticancer Res* 13: 1491-1500.
- Ger, LP; Liou, SH; Shen, CY; Kao, SJ; Chen, KT. (1992). [Risk factors of lung cancer]. *J Formos Med Assoc* 91 Suppl 3: S222-S231.
- Gerber, MA. (1970). Asbestosis and Neoplastic Disorders of the Hematopoietic System. *Am J Clin Pathol* 53: 204-208.
- Gerde, P; Scholander, P. (1987). A hypothesis concerning asbestos carcinogenicity: the migration of lipophilic carcinogens in adsorbed lipid bilayers. *Ann Occup Hyg* 31: 395-400.
- Gerde, P; Scholander, P. (1989). A MODEL FOR THE INFLUENCE OF INHALED MINERAL FIBERS ON THE CELLULAR BURDEN OF POLYCYCLIC AROMATIC HYDROCARBONS IN THE LUNG (pp. SECAUCUS). (BIOSIS/90/02048). Gerde, P; Scholander, P.
- Gerde, P; Scholander, P. (1989). A Model for the Influence of Inhaled Mineral Fibers on the Pulmonary Uptake of Polycyclic Aromatic Hydrocarbons (PAH) from Cigarette Smoke (pp. 10-14). (NIOSH/00225176). Gerde, P; Scholander, P.
- Geremia, G; Mintzer, RA. (1984). An unusual case of rounded atelectasis. *Chest* 86: 485-486.
- Gerhardsson de Verdier, M; Plato, N; Steineck, G; Peters, JM. (1992). Occupational exposures and cancer of the colon and rectum. *Am J Ind Med* 22: 291-303.
- Gerlach, H. (1972). The problem of so-called asbestos bodies. 115: 543-546.
- Gerlach, H; Timmel, H. (1972). Hyaline pleural plaques in post mortem material (pp. 517-521). (HEEP/73/07722). Gerlach, H; Timmel, H.
- Germani, D; Belli, S; Bruno, C; Grignoli, M; Nesti, M; Pirastu, R; Comba, P. (1999). Cohort mortality study of women compensated for asbestosis in Italy. *Am J Ind Med* 36: 129-134.
- Germine, M. (1987). SEPIOLITE ASBESTOS FROM FRANKLIN NEW JERSEY USA A CASE STUDY IN MEDICAL GEOLOGY. *Environ Res* 42: 386-399.

Human Health Hazard Literature Search Results

On Topic

- Germine, M; Puffer, JH. (2015). Analytical Transmission Electron Microscopy of Amphibole Fibers From the Lungs of Quebec Miners. *Arch Environ Occup Health* 70: 323-331. <http://dx.doi.org/10.1080/19338244.2014.918928>.
- Gerrits, JF. (1996). Asbestos-related cancer. *CA Cancer J Clin* 46: 254-254.
- Gerwin, BI. (1994). Asbestos and the mesothelial cell: a molecular trail to mitogenic stimuli and suppressor gene suspects [Review]. *Am J Respir Cell Mol Biol* 11: 507-508. <http://dx.doi.org/10.1165/ajrcmb.11.5.7946379>.
- Gevenois, PA; de Maertelaer, V; Madani, A; Winant, C; Sergent, G; De Vuyst, P. (1998). Asbestosis, pleural plaques and diffuse pleural thickening: three distinct benign responses to asbestos exposure. *Eur Respir J* 11: 1021-1027.
- Ghanayem, BI; Boor, PJ; Ahmed, AE. (1985). Acrylonitrile-induced gastric mucosal necrosis: role of gastric glutathione. *J Pharmacol Exp Ther* 232: 570-577.
- Ghezzi, I; Aresini, G; Vigliani, EC. (1972). [Risk of asbestosis in a mine of chrysotile asbestos]. *Med Lav* 63: 189-212.
- Ghezzi, I; Maranzana, P; Zannini, D. (1971). Considerations On Asbestosis In The Piedmont, Liguria And Lombardy Regions (pp. 111-119). (NIOSH/00135051). Ghezzi, I; Maranzana, P; Zannini, D.
- Ghezzi, I; Maranzana, P; Zannini, D. (1971). On asbestosis in Piedmont, Liguria and Lombardy. *Med Lav* 62: 2-3.
- Ghio, AJ; Carter, JD; Samet, JM; Quay, J; Wortman, IA; Richards, JH; Kennedy, TP; Devlin, RB. (1997). Ferritin expression after in vitro exposures of human alveolar macrophages to silica is iron-dependent. *Am J Respir Cell Mol Biol* 17: 533-540.
- Ghio, AJ; Crumbliss, AL. (1991). Surface Complexation of Fe(3+) by Silica and Silicate Dusts Increases In vitro Oxidant Generation but Diminishes In vitro Cytotoxicity (pp. 1-24). (NIOSH/00203279). Ghio, AJ; Crumbliss, AL.
- Ghio, AJ; Funkhouser, W; Pugh, CB; Winters, S; Stonehuerner, JG; Mahar, AM; Roggli, VL. (2006). Pulmonary fibrosis and ferruginous bodies associated with exposure to synthetic fibers. *Toxicol Pathol* 34: 723-729. <http://dx.doi.org/10.1080/01926230600932448>.
- Ghio, AJ; Kadiiska, MB; Xiang, QH; Mason, RP. (1998). In vivo evidence of free radical formation after asbestos instillation: an ESR spin trapping investigation. *Free Radic Biol Med* 24: 11-17.
- Ghio, AJ; Kennedy, TP; Schapira, RM; Crumbliss, AL; Hoidal, JR. (1990). Hypothesis: is lung disease after silicate inhalation caused by oxidant generation [Review]. *Lancet* 336: 967-969.
- Ghio, AJ; Kennedy, TP; Stonehuerner, JG; Crumbliss, AL; Hoidal, JG. (1994). DNA Strand Breaks following In Vitro Exposure to Asbestos Increase with Surface-Complexed (Fe3+). *Arch Biochem Biophys* 311: 13-18. <http://dx.doi.org/10.1006/abbi.1994.1202>.
- Ghio, AJ; Kennedy, TP; Whorton, AR; Crumbliss, AL; Hatch, GE. (1991). Iron Complexation by Silica and Silicate Surfaces Is Associated with Oxidant Generation and Acute Inflammatory Lung Injury in the Rat (pp. 1-45). (NTIS/02982818). DU PONT CORP.
- Ghio, AJ; Kennedy, TP; Whorton, AR; Crumbliss, AL; Hatch, GE; Hoidal, JR. (1992). Role of surface complexed iron in oxidant generation and lung inflammation induced by silicates. *Am J Physiol* 263: L511-L518.
- Ghio, AJ; Lefurgey, A; Roggli, VL. (1997). In vivo accumulation of iron on crocidolite is associated with decrements in oxidant generation by the fiber. *J Toxicol Environ Health* 50: 125-142.
- Ghio, AJ; Soukup, JM; Dailey, LA; Richards, JH; Tong, H. (2016). The biological effect of asbestos exposure is dependent on changes in iron homeostasis. *Inhal Toxicol* 28: 698-705. <http://dx.doi.org/10.1080/08958378.2016.1257665>.
- Ghio, AJ; Stonehuerner, J. (1997). Complement activation after in vitro asbestos exposure corresponds to oxidant generation by the fiber. *Inhal Toxicol* 9: 31-41.
- Ghio, AJ; Stonehuerner, J; Richards, J; Devlin, RB. (2008). Iron homeostasis in the lung following asbestos exposure. *Antioxid Redox Signal* 10: 371-377. <http://dx.doi.org/10.1089/ars.2007.1909>.
- Ghio, AJ; Stonehuerner, J; Steele, MP; Crumbliss, AL. (1994). Phagocyte-generated superoxide reduces Fe3+ to displace it from the surface of asbestos. *Arch Biochem Biophys* 315: 219-225. <http://dx.doi.org/10.1006/abbi.1994.1493>.
- Ghio, AJ; Tan, RJ; Ghio, K; Fattman, CL; Oury, T. (2009). Iron Accumulation and Expression of Iron-Related Proteins Following Murine Exposure to Crocidolite. *J Environ Pathol Toxicol Oncol* 28: 153-162.
- Ghio, AJ; Taylor, DE; Stonehuerner, JG; Piantadosi, CA; Crumbliss, AL. (1998). The release of iron from different asbestos structures by hydrogen peroxide with concomitant O2 generation. *Biometals* 11: 41-47.
- Ghio, AJ; Zhang, J; Piantadosi, CA. (1992). Generation of hydroxyl radical by crocidolite asbestos is proportional to surface iron. *Arch Biochem Biophys* 298: 646-650.
- Giacco, G; McClarty, J; Buffler, P; Reeve, G; Guinee, V; Hurst, G. (1982). THE MORTALITY EXPERIENCE IN A COHORT OF WORKERS EXPOSED TO AMOSITE ASBESTOS. *Am J Epidemiol* 116: 569-569.
- Giacomini, S; Mensi, C; Sieno, C; Riboldi, L. (2009). Malignant pleural mesothelioma related to asbestos in young subjects. *Med Lav* 100: 396-396.
- Giantomassi, F; Gualtieri, AF; Santarelli, L; Tomasetti, M; Lusvardi, G; Lucarini, G; Governa, M; Pugnali, A. (2010). Biological effects and comparative cytotoxicity of thermal transformed asbestos-containing materials in a human alveolar epithelial cell line. *Toxicol In Vitro* 24: 1521-1531. <http://dx.doi.org/10.1016/j.tiv.2010.07.009>.
- Giarelli, L; Bianchi, C; Grandi, G. (1992). Malignant mesothelioma of the pleura in Trieste, Italy. *Am J Ind Med* 22: 521-530.
- Giarelli, L; Bianchi, C; Grandi, G. (1994). Asbestos-Related Mesothelioma of the Pleura in Trieste, Italy (pp. Asbestos and Cancers). (NIOSH/00224026). Giarelli, L; Bianchi, C; Grandi, G.
- Giarelli, L; Grandi, G; Bianchi, C. (1997). Malignant mesothelioma of the pleura in the Trieste-Monfalcone area, with particular regard to shipyard workers. *Med Lav* 88: 316-320.
- Giaroli, C; Belli, S; Bruno, C; Candela, S; Grignoli, M; Minisci, S; Poletti, R; Ricco, G; Vecchi, G; Et, AL. (1994). Mortality study of asbestos cement workers. *Int Arch Occup Environ Health* 66: 7-11.

Human Health Hazard Literature Search Results

On Topic

- Gibbons, W. (1998). The exploitation and environmental legacy of amphibole asbestos: A late 20th century overview. *Environ Geochem Health* 20: 213-230.
- Gibbs, A; Attanoos, RL; Churg, A; Weill, H. (2007). The "Helsinki criteria" for attribution of lung cancer to asbestos exposure: how robust are the criteria? [Review]. *Arch Pathol Lab Med* 131: 181-183. [http://dx.doi.org/10.1043/1543-2165\(2007\)131\[181:THCFAO\]2.0.CO;2](http://dx.doi.org/10.1043/1543-2165(2007)131[181:THCFAO]2.0.CO;2).
- Gibbs, AE; Pooley, FD; Griffiths, DM; Mitha, R; Craighead, JE; Ruttner, JR. (1992). Talc pneumoconiosis: a pathologic and mineralogic study. *Hum Pathol* 23: 1344-1354.
- Gibbs, AR. (1990). Role of asbestos and other fibres in the development of diffuse malignant mesothelioma [Review]. *Thorax* 45: 649-654.
- Gibbs, AR; Gardner, MJ; Pooley, FD; Griffiths, DM; Blight, B; Wagner, JC. (1994). Fiber levels and disease in workers from a factory predominantly using amosite. *Environ Health Perspect* 102 Suppl 5: 261-263.
- Gibbs, AR; Griffiths, DM; Pooley, FD; Jones, JS. (1990). Comparison of fibre types and size distributions in lung tissues of paraoccupational and occupational cases of malignant mesothelioma. *Br J Ind Med* 47: 621-626.
- Gibbs, AR; Griffiths, DM; Stephens, M; Pooley, FD. (1990). Asbestos Related Diffuse Pleural Fibrosis (pp. 23-26). (NIOSH/00198679). Gibbs, AR; Griffiths, DM; Stephens, M; Pooley, FD.
- Gibbs, AR; Jasani, B; Pepper, C; Navabi, H; Wynford-Thomas, D. (1998). SV40 DNA sequences in mesotheliomas. *Dev Biol Stand* 94: 41-45.
- Gibbs, AR; Jones, JS; Pooley, FD; Griffiths, DM; Wagner, JC. (1989). Non-occupational malignant mesotheliomas. *IARC Sci Publ occupational Exposure to Mineral Fibres*: 219-228.
- Gibbs, AR; Pooley, FD. (1996). Analysis and Interpretation of Inorganic Mineral Particles in "Lung" Tissues [Review]. *Thorax* 51: 327-334.
- Gibbs, AR; Stephens, M; Griffiths, DM; Blight, BJ; Pooley, FD. (1991). Fibre distribution in the lungs and pleura of subjects with asbestos related diffuse pleural fibrosis. *Br J Ind Med* 48: 762-770. <http://dx.doi.org/10.1136/oem.48.11.762>.
- Gibbs, AR; Whitaker, D; Edwards, A; Griffiths, DM; Pooley, FD. (1993). MESOTHELIOMA ASSOCIATED WITH A YORKSHIRE ASBESTOS MANUFACTURING FACILITY. *Am Rev Respir Dis* 147: A911-A911.
- Gibbs, GW. (1979). Etiology of pleural calcification: a study of Quebec chrysotile asbestos miners and millers. *Arch Environ Health* 34: 76-83.
- Gibbs, GW. (2008). Rapporteur's Report Session 3: exposure to grunerite (amosite) asbestos: historical perspectives of the health effects. *Regul Toxicol Pharmacol* 52: S91. <http://dx.doi.org/10.1016/j.yrtph.2008.02.004>.
- Gibbs, GW; Berry, G. (2008). Mesothelioma and asbestos [Review]. *Regul Toxicol Pharmacol* 52: S223-S231. <http://dx.doi.org/10.1016/j.yrtph.2007.10.003>.
- Gibbs, GW; Du Toit R, SJ. (1974). ENVIRONMENTAL DATA IN MINING (pp. LYON). (HEEP/75/04223). Gibbs, GW; Du Toit R, SJ.
- Gibbs, GW; du Toit, RS. (1979). Environmental considerations in surveillance of asbestos miners and millers. *Ann N Y Acad Sci* 330: 163-178.
- Gibbs, GW; Lachance, M. (1972). Dust exposure in the chrysotile asbestos mines and mills of Quebec. *Arch Environ Health* 24: 189-197.
- Gibbs, GW; Valic, F; Browne, K. (1994). HEALTH RISKS ASSOCIATED WITH CHRYSOTILE ASBESTOS - A REPORT ON A WORKSHOP HELD IN JERSEY, CHANNEL-ISLANDS - 14-17 NOVEMBER 1993. *Ann Occup Hyg* 38: 399-426.
- Gibbs, TL. (1970). Asbestosis research project annual report 1970. 5: 1-15.
- Gibel, W; Lohs, K; Horn, KH; Wildner, CP; Hoffman, F. (1976). Experimental Study On Carcinogenic Activity Of Asbestos Filters. 46: 437-442.
- Gibel, W; Lohs, K; Horn, KH; Wildner, GP; Hoffmann, F. (1976). [Experimental study on cancerogenic activity of asbestos filters (author's transl)]. *Arch Geschwulstforsch* 46: 437-442.
- Gibson, D; Aardema, M; Kerckaert, G; Carr, G; Brauninger, R; LeBoeuf, R. (1995). Detection of aneuploidy-inducing carcinogens in the Syrian hamster embryo (SHE) cell transformation assay. *Mutat Res* 343: 7-24. [http://dx.doi.org/10.1016/0165-1218\(95\)90058-6](http://dx.doi.org/10.1016/0165-1218(95)90058-6).
- Giesen, T. (2008). [Specific legal status of occupational diseases - Part IV: Occupational diseases with reservations concerning prevention (discontinuation of the hazardous activity) (5); occupational diseases considered as priority/causing death (6); statistics of occupational diseases since 1925 (7)]. *Zentralblatt Arbeitsmedizin Arbeitsschutz Ergon* 58: 330-336.
- Gil, K. (2006). [Cytoimmunological changes in the bronchoalveolar lavage in asbestos exposure patients]. *Folia Med Cracov* 47: 21-36.
- Gilham, C; Rake, C; Burdett, G; Nicholson, AG; Davison, L; Franchini, A; Carpenter, J; Hodgson, J; Darnton, A; Peto, J. (2015). Pleural mesothelioma and lung cancer risks in relation to occupational history and asbestos lung burden. *Occup Environ Med* 73: 290-299. <http://dx.doi.org/10.1136/oemed-2015-103074>.
- Gill, RR. (2011). Imaging of mesothelioma [Review]. *Recent Results Cancer Res* 189: 27-43. http://dx.doi.org/10.1007/978-3-642-10862-4_3.
- Gillam, JD; Dement, JM; Lemen, RA; Wagoner, JK; Archer, VE; Blejer, HP. (1976). Mortality patterns among hard rock gold miners exposed to an asbestiform mineral. *Ann N Y Acad Sci* 271: 336-344. <http://dx.doi.org/10.1111/j.1749-6632.1976.tb23129.x>.
- Gilles, D. (1976). Health Hazard Evaluation Determination, Report No. HHE-76-66, R. D. Werner Company, Incorporated, Greenville, Pennsylvania. NIOSH: 19761976.
- Gilles, D. (1977). Health Hazard Evaluation Determination, Report No. HHE-77-91-451, Chemetron Corporation, Monticello, Indiana (pp. 77-91). (NIOSH/00076130). Gilles, D.
- Gillessen, A; Rasche, B; Ulmer, WT. (1988). THE BALANCE OF PROTEASE AND ANTIPROTEASE-ACTIVITIES IN PATIENTS WITH SILICOSIS AND ASBESTOSIS (pp. 5-9). (BIOSIS/89/06046). Gillessen, A; Rasche, B; Ulmer, WT.
- Gillis, CR; Hole, DJ; Lamont, DW. (1990). Incidence of mesothelioma in Glasgow 1981-1984. *J Soc Occup Med* 40: 5-10.
- Gillissen, A; Gessner, C; Hammerschmidt, S; Hoheisel, G; Wirtz, H. (2006). [Health significance of inhaled particles] [Review]. *Dtsch Med Wochenschr* 131: 639-644. <http://dx.doi.org/10.1055/s-2006-933709>.
- Gillissen, A; Montalvan-Dobmayr, S; Wickenburg, D; Schaerling, B; Shultze-Werninghaus, G. (1996). APOPTOTIC DNA-STRAND BREAKS IN BRONCHO-EPITHELIAL CELLS DUE TO PRO-OXIDATIVE FUNCTION OF CROCIDOLITE (pp. 7-11). (BIOSIS/97/05304). Gillissen, A; Montalvan-Dobmayr, S; Wickenburg, D; Schaerling, B; Shultze-Werninghaus, G.

Human Health Hazard Literature Search Results

On Topic

- Gillisssn, A; Loeseke, S; Montalvan-Dobmayr, S; Mazerant, P; Rasche, K; Schulze-Werninghaus, G. (1998). Apoptosis in bronchoepithelial cells after dust exposure: The predominant role of oxidants (pp. 19-23). (BIOSIS/99/08289). Gillisssn, A; Loeseke, S; Montalvan-Dobmayr, S; Mazerant, P; Rasche, K; Schulze-Werninghaus, G.
- Gilmer, J; Harding, T; Woods, L; Black, B; Flores, R; Pfau, J. (2017). Mesothelial cell autoantibodies upregulate transcription factors associated with fibrosis. *Inhal Toxicol* 29: 10-17. <http://dx.doi.org/10.1080/08958378.2016.1271841>.
- Gilmer, J; Serve, K; Davis, C; Anthony, M; Hanson, R; Harding, T; Pfau, JC. (2016). Libby amphibole-induced mesothelial cell autoantibodies promote collagen deposition in mice. *Am J Physiol Lung Cell Mol Physiol* 310: L1071-L1077. <http://dx.doi.org/10.1152/ajplung.00462.2015>.
- Gilmer, TM; Annab, LA; Barrett, JC. (1988). Characterization of activated proto-oncogenes in chemically transformed Syrian hamster embryo cells. *Mol Carcinog* 1: 180-188.
- Gilmour, PS; Beswick, PH; Brown, DM; Donaldson, K. (1995). Detection of surface free radical activity of respirable industrial fibres using supercoiled phi X174 RF1 plasmid DNA. *Carcinogenesis* 16: 2973-2979.
- Gilmour, PS; Brown, DM; Beswick, PH; Macnee, W; Rahman, I; Donaldson, K. (1997). Free radical activity of industrial fibers: role of iron in oxidative stress and activation of transcription factors. *Environ Health Perspect* 105 Suppl 5: 1313-1317.
- Gilson, JC. (1966). Health hazards of asbestos. Recent studies on its biological effects [Review]. *Trans Soc Occup Med* 16: 62-74.
- Gilson, JC. (1969). The First Wade Lecture. The Changing Pattern of Pneumoconiosis (pp. 11-28). (NIOSH/00132480). Gilson, JC.
- Gilson, JC. (1972). Health Hazards of Asbestos (pp. 57-59). (NIOSH/00127347). Gilson, JC.
- Gilson, JC. (1973). Asbestos cancer: past and future hazards. *Proc R Soc Med* 66: 395-403.
- Gilson, JC. (1973). REPORT OF ADVISORY COMMITTEE ON ASBESTOS CANCERS TO DIRECTOR OF INTERNATIONAL AGENCY FOR RESEARCH ON CANCER. *Br J Ind Med* 30: 180-186.
- Gilson, JC. (1973). Report of the Advisory Committee on Asbestos Cancers to the Director of the International Agency for Research on Cancer. *Br J Ind Med* 30: 180-186.
- Gilson, JC. (1976). Asbestos cancers as an example of the problem of comparative risks. *IARC Sci Publ* 107-116.
- Gilson, JC. (1983). Asbestos (pp. 185-187). (NIOSH/00148307). Gilson, JC.
- Gilson, JC. (1983). Asbestosis (pp. 187-191). (NIOSH/00149236). Gilson, JC.
- Ginns, LC; Ryu, JH; Rogol, PR; Sprince, NL; Oliver, LC; Larsson, CJ. (1985). Natural killer cell activity in cigarette smokers and asbestos workers. *Am Rev Respir Dis* 131: 831-834. <http://dx.doi.org/10.1164/arrd.1985.131.6.831>.
- Ginsberg, GM; Tulchinsky, TH. (1992). Regional differences in cancer incidence and mortality in Israel: possible leads to occupational causes. *Isr J Med Sci* 28: 534-543.
- Ginsburg, M; Friedman, R; Bates, GE; Borczuk, A; Taub, RN; Sonett, JR, JR. (2016). The Mutational Burden Of Pleural Mesothelioma With A History Of Smoking And Asbestos Exposure. *Am J Respir Crit Care Med* 193.
- Ginzburg, EA; Shilova, MV; Korneeva, MY; Levtonova, EV; Sergeev, AM; Romanov, VI; Filonenko, MS; Ivanova, ES; Altynova, MP; Zubrilina, GA; Sergeeva, UA. (1970). Nonoccupational asbestosis of the pleura (pp. 55-60). (HEEP/72/09311). Ginzburg, EA; Shilova, MV; Korneeva, MY; Levtonova, EV; Sergeev, AM; Romanov, VI; Filonenko, MS; Ivanova, ES; Altynova, MP; Zubrilina, GA; Sergeeva, UA.
- Ginzburg, EA; Silova, MV; Kornejeva, MJ; Levtonova, EV; Sergejev, AM; Romanov, VM; Filonenko, MS; Ivanova, ES; Altynova, MP; Tolgskaja, MS. (1973). X-ray picture of non-occupationally induced asbestosis of the pleura (pp. 307-312). (HEEP/74/06058). Ginzburg, EA; Silova, MV; Kornejeva, MJ; Levtonova, EV; Sergejev, AM; Romanov, VM; Filonenko, MS; Ivanova, ES; Altynova, MP; Tolgskaja, MS.
- Girardelli, M; Maestri, I; Rinaldi, RR; Tognon, M; Boldorini, R; Bovenzi, M; Crovella, S; Comar, M. (2012). NLRP1 polymorphisms in patients with asbestos-associated mesothelioma. *Infect Agent Cancer* 7: 25. <http://dx.doi.org/10.1186/1750-9378-7-25>.
- Gislard, A; Schorle, E; Letourneux, M; Ameille, J; Brochard, P; Clin, B; Conso, F; Laurent, F; Luc, A; Paris, C; Pairon, JC. (2013). [Compensation for occupational diseases after tomodesitometry screening for benign pleuro-pulmonary disease in a multiregional post-occupational medical surveillance program of asbestos-exposed retired workers]. *Rev Epidemiol Sante Publique* 61: 11-20. <http://dx.doi.org/10.1016/j.respe.2012.06.402>.
- Gispert, P; Andreu, J; Ferrer, M; Ferrer, J. (2005). [Lung rounded atelectasis. A benign lesion due to asbestos]. *Med Clin (Barc)* 124: 256-258.
- Gkogkou, C; Samitas, K; Foteinou, M. (2011). Primary pleural epithelioid mesothelioma of clear cell type: a case report and review of current literature [Review]. *Ultrastruct Pathol* 35: 267-270. <http://dx.doi.org/10.3109/01913123.2011.606965>.
- Gladfelter, T. (1982). Malignant mesothelioma: an occupation disease. *J Fam Pract* 14: 827, 830-822, 837, passim.
- Gladkova, EV. (1989). [Basic principles of mass screening of patients with asbestosis]. *Gig Tr Prof Zabol* 0: 4-7.
- Gladkova, EV; Gurvich, EB; Kuzina, LE; Tuzhikov, EI; Stepanov, VG; Medvedeva, VF. (1988). EVALUATION OF ONCOLOGICAL RISK IN PATIENTS WITH ASBESTOSIS ON THE BASIS OF EPIDEMIOLOGICAL STUDIES. *Gig Tr Prof Zabol* 0: 32-34.
- Gladkova, EV; Popova, TB. (1990). [Chronic background and pretumorous diseases of the respiratory organs in manufacturing contingents in contact with industrial carcinogens]. *Ter Arkh* 62: 53-57.
- Glassroth, J; Center, DM; Bernardo, J; Carrington, CB; Snider, GL. (1981). Chronic inflammatory response of hamsters to intra tracheal asbestos. 123: 51.
- Glassroth, JL; Bernardo, J; Lucey, EC; Center, DM; Jung-Legg, YJ; Snider, GL. (1984). Interstitial pulmonary fibrosis induced in hamsters by intratracheally administered chrysotile asbestos. Histology, lung mechanics, and inflammatory events. *Am Rev Respir Dis* 130: 242-248. <http://dx.doi.org/10.1164/arrd.1984.130.2.242>.
- Glazer, CS; Newman, LS. (2004). Occupational interstitial lung disease [Review]. *Clin Chest Med* 25: 467-+. <http://dx.doi.org/10.1016/j.ccm.2004.04.004>.

Human Health Hazard Literature Search Results

On Topic

- Glazer, E; Chiang, M; Brand, R; Sestito, J; Austin, D. (1983). RESPIRATORY CANCER AND EMPLOYMENT HISTORY (pp. 15-17). (HEEP/84/06724).
Glazer, E; Chiang, M; Brand, R; Sestito, J; Austin, D.
- Glazer, ER; Chiang, ML. (1984). A Case-Control Study of Respiratory Cancer and Employment (pp. 1984-1984). (NIOSH/00170019). Glazer, ER; Chiang, ML.
- Glencross, PM; Weinberg, JM; Ibrahim, JG; Christiani, DC. (1997). Loss of lung function among sheet metal workers: ten-year study. *Am J Ind Med* 32: 460-466.
- Glenn, R; Amandus, H; Hankinson, J; Petersen, M; Pickett-Harner, M. (1986). ORD-NIOSH Prevention Strategy and Selected Research. *Am Ind Hyg Assoc J* 47: 674-680.
- Glickman, L. (1989). Asbestos and mesothelioma insecticides and bladder cancer in dogs. 194: 1787.
- Glickman, LT; Domanski, LM; Maguire, TG; Dubielzig, RR; Churg, A. (1983). Mesothelioma in pet dogs associated with exposure of their owners to asbestos. *Environ Res* 32: 305-313. [http://dx.doi.org/10.1016/0013-9351\(83\)90114-7](http://dx.doi.org/10.1016/0013-9351(83)90114-7).
- Glover, J; Barnes, JM; Turner, D; Roach, SA; Hickish, DE; Gilson, JC; Addingley, CG; Berry, G; Holmes, S; Hunt, R; Lewinsohn, HC; Luxon, SG; Smither, WJ; Roach, SA. (1973). Hygiene standards for airborne amosite asbestos dust. British Occupational Hygiene Society Committee on Hygiene Standards. *Ann Occup Hyg* 16: 1-5.
- Gloyne, SR. (1933). The Morbid Anatomy and Histology of Asbestosis. *Tubercle* 14: 445-451.
- Gloyne, SR. (1938). Pathology (pp. 198-256). (NIOSH/00075989). Gloyne, SR.
- Gluckman, J. (1983). THE ASBESTOS HAZARD. 63: 348-348.
- Gluckman, J; Hurwitz, M. (1970). Primary Diffuse Malignant Mesothelioma. Problems in Its Diagnosis and in Its Relation to Asbestos (pp. 142-146). (NIOSH/00177499). Gluckman, J; Hurwitz, M.
- Go; acirc; Scicki, J; Wo; acirc; Zniak, H; Wiecek, E; Lao, I. (1982). Biological effects of industrial dusts. y monograficzne 1982: 7-123.
- Gobbato, F; Ferri, R. (1973). [Epidemiologic study on pleural mesothelioma in the Trieste area]. 25: 161-171.
- Gochfeld, M. (1995). Asbestos Exposure in Buildings. *Environmental Medicine* 5: 438-454.
- Godbole, M; Tomaszefski J F, J. R.; Kleinerman, J. (1993). PLEURAL PLAQUES IN AN URBAN AUTOPSY POPULATION CLEVELAND OHIO 1989-1990 LACK OF CORRELATION WITH NEOPLASMS AND INTERSTITIAL FIBROSIS (pp. 333-334). (BIOSIS/93/20727). Godbole, M; Tomaszefski J F, , JR; Kleinerman, J.
- Godelaine, D; Beaufay, H. (1988). EFFECT OF ASBESTOS ON THE SECRETION OF PLASMINOGEN-ACTIVATOR BY MURINE PERITONEAL-MACROPHAGES IN CULTURE. *Arch Int Physiol Biochim* 96: B37-B37.
- Godelaine, D; Beaufay, H. (1989). Comparative study of the effect of chrysotile, quartz and rutile on the release of lymphocyte-activating factor (interleukin 1) by murine peritoneal macrophages in vitro. *IARC Sci Publ* 149-155.
- Godelaine, D; Courtoy, PJ; Beaufay, H. (1988). EFFECT OF ASBESTOS UPTAKE ON THE ENDOCYTIC FUNCTION OF MACROPHAGES. *Arch Int Physiol Biochim* 96: B94-B94.
- Godleski, JJ. (2004). Role of asbestos in etiology of malignant pleural mesothelioma [Review]. *Thorac Surg Clin* 14: 479-487. [http://dx.doi.org/10.1016/S1547-4127\(04\)00111-2](http://dx.doi.org/10.1016/S1547-4127(04)00111-2).
- Godley, PA; Escobar, MA. (1998). Renal cell carcinoma [Review]. *Curr Opin Oncol* 10: 261-265.
- Godoi, RH; Gonçalves, SJ; Sayama, C; Polezer, G; Reis Neto, JM; Alföldy, B; Van Grieken, R; Riedi, CA; Yamamoto, CI; Godoi, AF; Bencs, L. (2016). Health implications of atmospheric aerosols from asbestos-bearing road pavements traditionally used in Southern Brazil. *Environ Sci Pollut Res Int* 23: 25180-25190. <http://dx.doi.org/10.1007/s11356-016-7586-0>.
- Godwin, MC; Jagatic, G. (1968). Asbestos and mesothelioma. *JAMA* 204: 1009.
- Godwin, MC; Jagatic, J. (1970). Asbestos and Mesotheliomas. *Environ Res* 3: 391-416.
- Goetz, SP; Robinson, RA; Landas, SK. (1992). Extraskeletal myxoid chondrosarcoma of the pleura. Report of a case clinically simulating mesothelioma. *Am J Clin Pathol* 97: 498-502.
- Goff, AM; Gaensler, EA. (1972). Asbestosis following brief exposure in cigarette filter manufacture. *Respiration* 29: 83-93.
- Gogali, A; Manda-Stachouli, C; Ntzani, EE; Matthaiou, M; Konstantinidis, AK; Zampira, I; Koubaniou, C; Dalavanga, Y; Stefanou, D; Constantopoulos, SH; Daskalopoulos, G. (2012). Malignant mesothelioma in Metsovo, Greece, from domestic use of asbestos: 30 years later [Letter]. *Eur Respir J* 39: 217-219. <http://dx.doi.org/10.1183/09031936.00017011>.
- Gold, B; Kathren, RL. (1998). Causes of death in a cohort of 260 plutonium workers. *Health Phys* 75: 236-240.
- Gold, C. (1969). Asbestos levels in human lungs. *J Clin Pathol* 22: 507.
- Gold, C. (1971). Asbestos in tumours. *J Clin Pathol* 24: 481.
- Gold, J; Amandusson, H; Krozer, A; Kasemo, B; Ericsson, T; Zanetti, G; Fubini, B. (1997). Chemical characterization and reactivity of iron chelator-treated amphibole asbestos. *Environ Health Perspect* 105: 1021-1030. <http://dx.doi.org/10.2307/3433503>.
- Goldberg, JL; Zanella, CL; Janssen, YMW; Timblin, CR; Jimenez, LA; Vacek, P; Taatjes, DJ; Mossman, BT. (1997). Novel Cell Imaging Techniques Show Induction of Apoptosis and Proliferation in Mesothelial Cells by Asbestos. *Am J Respir Cell Mol Biol* 17: 265-271. <http://dx.doi.org/10.1165/ajrcmb.17.3.2991>.
- Goldberg, M. (1999). [Asbestos and risk of cancer: exposure-effect relationships for occupationally exposed populations]. *Rev Mal Respir* 16: 1278-1285.
- Goldberg, M. (2001). [Asbestos: is there still a future for epidemiology?] [Editorial]. *Rev Epidemiol Sante Publique* 49: 505-511.
- Goldberg, M; Goldberg, S; Luce, D. (1999). [Regional differences in the compensation of pleural mesothelioma as occupational disease in France (1986-1993)]. *Rev Epidemiol Sante Publique* 47: 421-431.

Human Health Hazard Literature Search Results

On Topic

- Goldberg, M; Imbernon, E; Rolland, P; Gilg Soit Ilg, A; Savès, M; de Quillacq, A; Frenay, C; Chamming's, S; Arveux, P; Boutin, C; Launoy, G; Pairon, JC; Astoul, P; Galateau-Sallé, F; Brochard, P. (2006). The French National Mesothelioma Surveillance Program. *Occup Environ Med* 63: 390-395. <http://dx.doi.org/10.1136/oem.2005.023200>.
- Goldberg, M; Luce, D. (2005). Can exposure to very low levels of asbestos induce pleural mesothelioma? [Review]. *Am J Respir Crit Care Med* 172: 939-940. <http://dx.doi.org/10.1164/rccm.2507003>.
- Goldberg, M; Luce, D. (2009). The health impact of nonoccupational exposure to asbestos: What do we know [Review]. *Eur J Cancer Prev* 18: 489-503. <http://dx.doi.org/10.1097/CEJ.0b013e32832f9bee>.
- Goldberg, M; Luce, D; Buisson, C; Pilonget, C; Imbernon, E; Julliard, S. (2006). A cluster of five cases of malignant pleural mesothelioma among the faculty of a university asbestos insulated campus. *Lung Cancer* 54: S34-S34.
- Goldberg, M; Parent, M; Siemiatycki, J; Désy, M; Nadon, L; Richardson, L; Lakhani, R; Latreille, B; Valois, M. (2001). A case-control study of the relationship between the risk of colon cancer in men and exposures to occupational agents. *Am J Ind Med* 39: 531-546.
- Goldberg, P; Goldberg, M; M-J, M; Hirsch, A; Tredaniel, J. (1991). Incidence of Pleural Mesothelioma in New Caledonia: A 10-Year Survey (1978-1987). *Arch Environ Health* 46: 306-309.
- Goldberg, P; Luce, D; Billon-Galland, MA; Quénel, P; Salomon-Nekiriai, C; Nicolau, J; Brochard, P; Goldberg, M. (1995). Potential role of environmental and domestic exposure to tremolite in pleural cancer in New Caledonia. *Rev Epidemiol Sante Publique* 43: 444-450.
- Goldberg, S; Rey, G; Luce, D; Gilg Soit Ilg, A; Rolland, P; Brochard, P; Imbernon, E; Goldberg, M. (2010). Possible effect of environmental exposure to asbestos on geographical variation in mesothelioma rates. *Occup Environ Med* 67: 417-421. <http://dx.doi.org/10.1136/oem.2009.050336>.
- Goldblatt, MW; Goldblatt, J. (1956). *Industrial Carcinogenesis and Toxicology* (pp. 185-366). (NIOSH/00132327). Goldblatt, MW; Goldblatt, J.
- Golden, EB; Warnock, ML; Hulett L D, J. R.; Churg, AM. (1982). Fly ash lung: A new pneumoconiosis? *Am Rev Respir Dis* 125: 108-112. <http://dx.doi.org/10.1164/arrd.1982.125.1.108>.
- Golden, JA; Martin, DW; Smith, LH. (1979). Asbestos-Related Lung Disease. *West J Med* 131: 225-230.
- Goldman, RH; Mark, EJ. (1986). Case records of the Massachusetts General Hospital. Weekly clinicopathological exercises. Case 32-1986. A 74-year-old man with increasing dyspnea. *N Engl J Med* 315: 437-449. <http://dx.doi.org/10.1056/NEJM198608143150707>.
- Goldoni, M; Bonini, S; Urban, ML; Palmisano, A; De Palma, G; Galletti, E; Coggiola, M; Buzio, C; Mutti, A; Vaglio, A. (2014). Asbestos and Smoking as Risk Factors for Idiopathic Retroperitoneal Fibrosis. *Ann Intern Med* 161: 181-U130. <http://dx.doi.org/10.7326/M13-2648>.
- Goldsmith, DF; Dellarco, M; Greer, MA. (2007). Risks and precautionary policies related to naturally occurring asbestos. *Epidemiology* 18: S154-S155.
- Goldsmith, JR. (1982). Asbestos as a systemic carcinogen: the evidence from eleven cohorts. *Am J Ind Med* 3: 341-348.
- Goldsmith, JR. (1984). Health hazards of asbestos: charting a path for Israel. *Isr J Med Sci* 20: 98-100.
- Goldsmith, JR. (1986). Comparative epidemiology of men exposed to asbestos and man-made mineral fibers. *Am J Ind Med* 10: 543-552.
- Goldsmith, JR. (1986). Comparative Epidemiology of Men Exposed to Silica, Asbestos, and Man-Made Mineral Fibers (pp. Controversy in Occupational Medicine). (NIOSH/00171371). Goldsmith, JR.
- Goldsmith, JR. (1988). Comparative epidemiology of men exposed to asbestos and man-made mineral fibres. *Cahiers de notes documentaires S and acirc:* 473-480.
- Goldstein, B; Coetsee F, SJ. (1990). EXPERIMENTAL MALIGNANT MESOTHELIOMA IN BABOONS. *S Afr J Sci* 86: 89-93.
- Goldstein, B; Rendall, REG. (1970). Ferruginous Bodies (pp. 92-98). (NIOSH/00177492). Goldstein, B; Rendall, REG.
- Goldstein, B; Rendall, REG; Webster, I. (1983). A comparison of the effects of exposure of baboons to crocidolite and fibrous-glass dusts. *Environ Res* 32: 344-359.
- Goldstein, B; Webster, I. (1970). Mixed dust fibrosis in mineworkers. *Inhaled Particles* 2: 705-712.
- Goldstein, B; Webster, I; Harrison, WO; Talent, J. (1975). Epidemiological studies on asbestos-exposed workers in South Africa. 538-542.
- Goldstein, B; Webster, I; Harrison, WO; Talent, J. (1976). EPIDEMIOLOGICAL STUDIES ON ASBESTOS EXPOSED WORKERS IN SOUTH AFRICA (pp. BERLIN). (HEEP/77/12061). Goldstein, B; Webster, I; Harrison, WO; Talent, J.
- Goldstein, B; Webster, I; Rendall, REG; Skikne, MI. (1978). EFFECTS OF ASBESTOS - CEMENT DUST INHALATION ON BABOONS. *Environ Res* 16: 216-225.
- Goldstein, RH; Miller, K; Glassroth, J; Linscott, R; Snider, GL; Franzblau, C; Polgar, P. (1982). Influence of asbestos fibers on collagen and prostaglandin production in fibroblast and macrophage co-cultures. *J Lab Clin Med* 100: 778-785.
- Goldstein, RH; Miller, K; Glassroth, J; Snider, GL; Polgar, P. (1982). EFFECT OF ASBESTOS FIBERS ON COLLAGEN AND PROSTAGLANDIN PRODUCTION IN FIBROBLAST AND MACROPHAGE CO-CULTURES. *Am Rev Respir Dis* 125: 165-165.
- Goldwater, LJ. (1960). Occupational Exposures as Etiologic Factors in Heart Disease (pp. 509-513). (NIOSH/00130361). Goldwater, LJ.
- Goldyn, SR; Condos, R; Rom, WN. (2008). The Burden of Exposure-Related Diffuse Lung Disease. *Semin Respir Crit Care Med* 29: 591-602. <http://dx.doi.org/10.1055/s-0028-1101269>.
- Golladay, SA; Park, SH; Aust, AE. (1997). Efflux of reduced glutathione after exposure of human lung epithelial cells to crocidolite asbestos. *Environ Health Perspect* 105 Suppl 5: 1273-1277.
- Golod, MS; Kogan, FM; Ivashkevich, GA; Potapov, LV; Sycheva, IA. (1985). [Various dermatoses in workers in the chrysotile-asbestos industry]. *Vestnik Dermatologii i Venerologii* 64-66.
- Golod, MS; Kogan, FM; Ivashkevich, GA; Potapov, LV; Sycheva, IA; Oparin, VA. (1985). ON SOME DERMATOSES IN WORKERS ENGAGED IN CHRYSOTILE ASBESTOS MANUFACTURE (pp. 64-66). (BIOSIS/86/12581). Golod, MS; Kogan, FM; Ivashkevich, GA; Potapov, LV; Sycheva, IA; Oparin, VA.

Human Health Hazard Literature Search Results

On Topic

- Golod, MS; Kogan, FM; Ivashkevich, GA; Potapov, LV; Sycheva, IA; Oparin, VA. (1985). SOME DERMATOSES IN WORKERS ENGAGED IN CHRYSOTILE ASBESTOS MANUFACTURE. *Vestnik Dermatologii i Venerologii* 64-66.
- Gomba Ezquerro, G. (1981). Asbestosis hazard and lung function. 29: 163-168.
- Gómez, MG; Castañeda, R; López, VG; Vidal, MM; Villanueva, V; Espinosa, ME; Health, WGoOHotCCoP. (2012). Evaluation of the national health surveillance program of workers previously exposed to asbestos in Spain (2008). *Gac Sanit* 26: 45-50. <http://dx.doi.org/10.1016/j.gaceta.2011.06.012>.
- Gontier, F. (1972). [Asbestos dust, pleural calcifications and ship-building]. *Arch Mal Prof Med Trav Secur Soc* 23: 124-126.
- Gonzalez Gomez, MF; Alvarez Castillo, MC; Martinez Vidal, M; Zimmermann Verdejo, M; Saguees Cifuentes, MJ. (2009). RECONSTRUCTION OF DYNAMIC COHORT OF WORKERS EXPOSED TO ASBESTOS IN THE COMMUNITY OF MADRID. PROBLEMS ENCOUNTERED. *Gac Sanit* 23: 5-5.
- Gonzalez, JM; Godoy, R; Stevens, PM. (1987). TOTAL LUNG CAPACITY BY PLANIMETRY IN ASBESTOS EXPOSED WORKERS (pp. 26-30). (BIOSIS/88/05947). Gonzalez, JM; Godoy, R; Stevens, PM.
- Gonzalez, M; Vignaud, JM; Clement-Duchene, C; Luc, A; Wild, P; Bertrand, O; Thiberville, L; Martinet, Y; Benichou, J; Paris, C. (2012). Smoking, occupational risk factors, and bronchial tumor location: a possible impact for lung cancer computed tomography scan screening. *J Thorac Oncol* 7: 128-136. <http://dx.doi.org/10.1097/JTO.0b013e318233d7a6>.
- Gonzalez, S; Friemann, J; Müller, KM; Pott, F. (1991). Ultrastructure of mesothelial regeneration after intraperitoneal injection of asbestos fibres on rat omentum. *Pathol Res Pract* 187: 931-935. [http://dx.doi.org/10.1016/S0344-0338\(11\)81062-9](http://dx.doi.org/10.1016/S0344-0338(11)81062-9).
- Goodell, AL; Bonner, JC; Brody, AR. (1992). TRANSFORMING GROWTH FACTOR-BETA TGF-BETA-1 BUT NOT PLATELET DERIVED GROWTH FACTOR PDGF AND ASBESTOS INCREASES EXPRESSION OF FIBRONECTIN AND TYPE 1 COLLAGEN MRNA EXPRESSION IN RAT LUNG FIBROBLASTS (pp. 17-20). (BIOSIS/92/22157). Goodell, AL; Bonner, JC; Brody, AR.
- Goodfellow, PB; Brown, SR; Hosie, KB; Feeley, K. (1999). Squamous cell carcinoma of the colon in an asbestos worker [Review]. *Eur J Surg Oncol* 25: 632-633. <http://dx.doi.org/10.1053/ejso.1999.0720>.
- Goodglick, LA; Kane, AB. (1986). Role of reactive oxygen metabolites in crocidolite asbestos toxicity to mouse macrophages. *Cancer Res* 46: 5558-5566.
- Goodglick, LA; Kane, AB. (1987). PREVENTION OF ASBESTOS-INDUCED CYTOTOXICITY IN-VIVO (pp. 10-13). (BIOSIS/87/23792). Goodglick, LA; Kane, AB.
- Goodglick, LA; Kane, AB. (1990). Cytotoxicity of long and short crocidolite asbestos fibers in vitro and in vivo. *Cancer Res* 50: 5153-5163.
- Goodglick, LA; Kanes, AB. (1990). The Role of Fiber Length in Crocidolite Asbestos Toxicity In Vitro and In Vivo (pp. 660-667). (ISSN 0007-4861 EISSN 1432-0800 NIOSH/00198424). DU PONT CORP.
- Goodglick, LA; Pietras, LA; Kane, AB. (1988). DISSOCIATION OF LIPID PEROXIDATION FROM ASBESTOS TOXICITY (pp. 8-11). (BIOSIS/88/23607). Goodglick, LA; Pietras, LA; Kane, AB.
- Goodglick, LA; Pietras, LA; Kane, AB. (1989). Evaluation of the causal relationship between crocidolite asbestos-induced lipid peroxidation and toxicity to macrophages. *Am Rev Respir Dis* 139: 1265-1273. <http://dx.doi.org/10.1164/ajrccm/139.5.1265>.
- Goodglick, LA; Vaslet, CA; Messier, NJ; Kane, AB. (1997). Growth factor responses and protooncogene expression of murine mesothelial cell lines derived from asbestos-induced mesotheliomas. *Toxicol Pathol* 25: 565-573.
- Goodman, G; Wilson, R. (1991). PREDICTING THE CARCINOGENICITY OF CHEMICALS IN HUMANS FROM RODENT BIOASSAY DATA. *Environ Health Perspect* 94: 195-218. <http://dx.doi.org/10.2307/3431313>.
- Goodman, GE; Omenn, GS. (1992). Carotene and retinol efficacy trial: lung cancer chemoprevention trial in heavy cigarette smokers and asbestos-exposed workers. CARET Coinvestigators and Staff. *Adv Exp Med Biol* 320: 137-140.
- Goodman, JE; Peterson, MK; Bailey, LA; Kerper, LE; Dodge, DG. (2014). Electricians' chrysotile asbestos exposure from electrical products and risks of mesothelioma and lung cancer [Review]. *Regul Toxicol Pharmacol* 68: 8-15. <http://dx.doi.org/10.1016/j.yrtph.2013.10.008>.
- Goodman, M; Morgan, RW; Ray, R; Malloy, CD; Zhao, K. (1999). Cancer in asbestos-exposed occupational cohorts: a meta-analysis. *Cancer Causes Control* 10: 453-465.
- Goodman, M; Teta, MJ; Hessel, PA; Garabrant, DH; Craven, VA; Scrafford, CG; Kelsh, MA. (2004). Mesothelioma and lung cancer among motor vehicle mechanics: a meta-analysis [Review]. *Ann Occup Hyg* 48: 309-326. <http://dx.doi.org/10.1093/annhyg/meh022>.
- Goparaju, C; Donington, JS; Hsu, T; Harrington, R; Hirsch, N; Pass, HI. (2013). Overexpression of EPH receptor B2 in malignant mesothelioma correlates with oncogenic behavior. *J Thorac Oncol* 8: 1203-1211. <http://dx.doi.org/10.1097/JTO.0b013e31829ceb6a>.
- Gopar-Nieto, R; Cabello-López, A; Juárez-Pérez, CA; Haro-García, LC; Jiménez-Ramírez, C; Aguilar-Madrid, G. (2016). [Update on epidemiology, pathophysiology, diagnosis and treatment of malignant pleural mesothelioma]. *Rev Med Inst Mex Seguro Soc* 54: 770-776.
- Goral, V; Degertekin, H; Canoruc, F. (1997). ASBESTOSIS AND GASTROINTESTINAL CANCER IN SOUTHEAST TURKEY (pp. 11-14). (BIOSIS/97/19027). Goral, V; Degertekin, H; Canoruc, F.
- Gordon, GJ. (2005). Transcriptional profiling of mesothelioma using microarrays [Review]. *Lung Cancer* 49: S99-S103. <http://dx.doi.org/10.1016/j.lungcan.2005.03.018>.
- Gordon, GJ; Rockwell, GN; Jensen, RV; Rheinwald, JG; Glickman, JN; Aronson, JP; Pottorf, BJ; Nitz, MD; Richards, WG; Sugarbaker, DJ; Bueno, R. (2005). Identification of novel candidate oncogenes and tumor suppressors in malignant pleural mesothelioma using large-scale transcriptional profiling. *Am J Pathol* 166: 1827-1840. [http://dx.doi.org/10.1016/S0002-9440\(10\)62492-3](http://dx.doi.org/10.1016/S0002-9440(10)62492-3).
- Gordon, R; Fitzgerald, S; Millette, J. (2015). Asbestos in commercial cosmetic talcum powder as a cause of mesothelioma in women [Erratum]. *Int J Occup Environ Health* 21: 347-348. <http://dx.doi.org/10.1080/10773525.2015.1122368>.
- Gordon, RE. (2011). Update For Asbestos Fiber Burdens In Patients From The New York Metropolitan Region With No History Of Asbestos Exposure. *Am J Respir Crit Care Med* 183.

Human Health Hazard Literature Search Results

On Topic

- Gordon, RE. (2014). Asbestos Contaminated Talc As A Cause Of Mesotheliomas In Women. *Am J Respir Crit Care Med* 189.
- Gordon, RE. (2015). Response to RE: Gordon R, Fitzgerald S, and Millette J. Asbestos in commercial cosmetic talcum powder as a cause of mesothelioma in women. *Int J Occup Environ Health*. 2014;20(4):318-332 [Letter]. *Int J Occup Environ Health* 21: 342-346. <http://dx.doi.org/10.1080/10773525.2015.1122367>.
- Gordon, RE; Dikman, S. (2009). Asbestos Fiber Burden Analysis of Lung and Lymph Nodes in 100 Cases of Mesothelioma. *Am J Respir Crit Care Med* 179.
- Gordon, RE; Fitzgerald, S; Millette, J. (2014). Asbestos in commercial cosmetic talcum powder as a cause of mesothelioma in women. *Int J Occup Environ Health* 20: 318-332. <http://dx.doi.org/10.1179/2049396714Y.0000000081>.
- Gorini, G. (2003). [Malignant mesothelioma in Tuscany]. *Epidemiol Prev* 27: 59.
- Gorini, G; De Gregorio, G; Silvestri, S; Chellini, E; Cupelli, V; Seniori Costantini, A. (2005). Survival of malignant pleural mesothelioma cases in the Tuscan Mesothelioma Register, 1988-2000: a population-based study. *Eur J Cancer Prev* 14: 195-199.
- Gorini, G; Pinelli, M; Sforza, V; Simi, U; Rinnovati, A; Zocchi, G. (2005). Mesothelioma of the tunica vaginalis testis: report of 2 cases with asbestos occupational exposure. *Int J Surg Pathol* 13: 211-214.
- Gorini, G; Silvestri, S; Merler, E; Chellini, E; Cacciarini, V; Seniori Costantini, AS. (2002). [Tuscany mesothelioma registry (1988-2000): evaluation of asbestos exposure]. *Med Lav* 93: 507-518.
- Gormley, IP; Bolton, RE; Brown, G; Davis, JM; Donaldson, K. (1980). Morphological patterns of asbestos induced mesotheliomas in vivo and in vitro. *Carcinogenesis* 1: 219-232.
- Gormley, IP; Bolton, RE; Brown, GM; Davis, JMG; Wright, A. (1983). Some Observations On The In Vitro Cytotoxicity Of Chrysotile Prepared By The Wet Dispersion Process. *Environ Health Perspect* 51: 35-39.
- Gormley, IP; Kowolik, MJ; Cullen, RT. (1985). The chemiluminescent response of human phagocytic cells to mineral dusts. *Br J Exp Pathol* 66: 409-416.
- Gormley, IP; Wright, A; Collings, P; Davis, JMG. (1980). The cytotoxicity of UICC and modified asbestos fibres in vitro.
- Gormley, IP; Wright, MO. (1980). Electrophysiological changes induced by asbestos in macrophage-like cells during long-term culture. *IARC Sci Publ* 1: 435-439.
- Goscicki, JW; Indulski, JA. (1982). THE POLISH STUDIES ON OCCUPATIONAL EXPOSURE TO ASBESTOS AND ITS BIOLOGICAL EFFECTS (pp. 24-26). (HEEP/84/05464). Goscicki, JW; Indulski, JA.
- Goswami, E; Craven, V; Dahlstrom, DL; Alexander, D; Mowat, F. (2013). Domestic asbestos exposure: a review of epidemiologic and exposure data [Review]. *Int J Environ Res Public Health* 10: 5629-5670. <http://dx.doi.org/10.3390/ijerph10115629>.
- Gothi, D; Gahlot, T; Sah, RB; Saxena, M; Ojha, UC; Verma, AK; Spalgais, S. (2016). Asbestos-induced lung disease in small-scale clutch manufacturing workers. *Indian J Occup Environ Med* 20: 95-102. <http://dx.doi.org/10.4103/0019-5278.197533>.
- Gottesfeld, P. (2010). Libby trial ends but asbestos hazards remain in buildings. *Int J Occup Environ Health* 16: 87-88. <http://dx.doi.org/10.1179/107735210800546083>.
- Gottschall, EB; Franklin, W; Shroyer, K; Ikke, D; Jones, A; Miller, Y; Byers, T; Newman, LS; Rose, C. (1999). Asbestos-exposed workers have a high rate of sputum atypia. *Am J Respir Crit Care Med* 159: A59-A59.
- Gottschall, EB; Wolfe, P; Haegele, AD; Zhu, Z; Rose, CS; Sells, T; Thompson, HJ. (2004). Increased urinary 8-isoprostaglandin F(2)alpha is associated with lower plasma selenium levels and lower vegetable and fruit intake in an asbestos-exposed cohort at risk for lung cancer. *Chest* 125: 83S.
- Gövercin, M; Tomatır, AG; Eyyapan, F; Acikbas, İ; Coşkun, G; Akdag, B. (2014). Elevated micronucleus frequencies in patients with pleural plaque secondary to environmental exposure to asbestos. *Genet Mol Res* 13: 598-604. <http://dx.doi.org/10.4238/2014.January.28.5>.
- Governa, M; Amati, M; Bellis, D; Bichisecchi, E; Santarelli, L. (2006). Diagnosis of asbestos-related pleuropulmonary diseases [Review]. *Med Lav* 97: 463-474.
- Governa, M; Amati, M; Valentino, M; Visonà, I; Fubini, B; Botta, GC; Volpe, AR; Carmignani, M. (2000). In vitro cleavage by asbestos fibers of the fifth component of human complement through free-radical generation and kallikrein activation. *J Toxicol Environ Health A* 59: 539-552.
- Governa, M; Pernis, B. (1972). [Biological effects of asbestos]. *Med Lav* 63: 161-178.
- Governa, M; Rosanda, C. (1972). A histochemical study of the asbestos body coating. *Br J Ind Med* 29: 154-159.
- Governa, M; Rosanda, C. (1972). [Mechanism of formation of asbestos bodies]. *Med Lav* 63: 179-188.
- Governa, M; Vadala, CR. (1973). HISTOCHEMICAL STUDY OF ASBESTOS FIBER COATING IN EXPERIMENTAL CARRAGEENIN GRANULOMAS. *Br J Ind Med* 30: 248-252.
- Governa, M; Vadalà, CR. (1972). Histochemical demonstration of hematoïdin in the innermost layers of human asbestos body coating. *Int Arch Arbeitsmed* 30: 273-282.
- Governa, M; Valentino, M; I, V; Marchiseppe, I; Lo Martire, N. (1988). Activation of the Alternative Complement Pathway and Generation of Stimulating Factors for Granulocytes by Glass Fibers. *Cell Biol Toxicol* 4: 187-197.
- Governa, M; Valentino, M; Lo Martire, N. (1987). Biological reactivity of continuous glass fibres: In vitro and in vivo studies. *Med Lav* 78: 190-198.
- GRA&I. (1982). Hemolysis of Washed Rats Erythrocytes in vitro by Dust Particles with Cover Letter. 116.
- GRA&I. (1983). Calidria Asbestos-Resin Grade Rg 244 Tracheal Insufflation of Rat Lungs with Interpretation of Pathology after 30, 60, 90, and 120 days with Cover Letter. 26.
- GRA&I. (1990). Comprehensive Monitoring Program. Air Quality Data Assessment for 1989. Version 2.1. Volume 2 (pp. 424). (NTIS/02990115_2).

Human Health Hazard Literature Search Results

On Topic

- GRA&I. (1990). Proceedings of the International Pneumoconioses Conference (7th). Part 2. Held in Pittsburgh, Pennsylvania on August 23-26, 1988. 768.
- Graceffa, P; Weitzman, SA. (1987). Asbestos catalyzes the formation of the 6-oxobenzo[a]pyrene radical from 6-hydroxybenzo[a]pyrene. Arch Biochem Biophys 257: 481-484.
- Graham, DR; Morgan W, KC. (1998). OCCUPATIONAL PULMONARY NEOPLASMS (pp. PHILADELPHIA). (BIOSIS/98/08347). Graham, DR; Morgan W, KC.
- Graham, S; Blanchet, M; Rohrer, T. (1977). Cancer in asbestos-mining and other areas of Quebec. J Natl Cancer Inst 59: 1139-1145.
- Grandjean, P; Andersen, O. (1991). Lung Cancer in Filling Station Attendants. Am J Ind Med 20: 763-768.
- Grandjean, P; Sandoe, SH; Kimbrough, RD. (1991). Non-specificity of clinical signs and symptoms caused by environmental chemicals. Hum Exp Toxicol 10: 167-173. <http://dx.doi.org/10.1177/096032719101000303>.
- Granieri, A. (2015). Community exposure to asbestos in Casale Monferrato: from research on psychological impact to a community needs-centered healthcare organization. Ann Ist Super Sanita 51: 336-341. http://dx.doi.org/10.4415/ANN_15_04_14.
- Grant, DC; Seltzer, SE; Antman, KH; Finberg, HJ; Koster, K. (1983). Computed tomography of malignant pleural mesothelioma. J Comput Assist Tomogr 7: 626-632.
- Grant McMillan, GH; Sheers, G; Pethybridge, R. (1978). A radiological follow-up study of the effect of asbestos in dockyard workers at Devonport. J R Nav Med Serv 64: 88-104.
- Gray, MR; Shapiro, S. (1980). Asbestos: Expedience, Exposure, and Human Experience (pp. 232-278). (NIOSH/00192398). Gray, MR; Shapiro, S.
- Greaves, IA. (1979). Rheumatoid "pneumoconiosis" (Caplan's syndrome) in an asbestos worker: a 17 years' follow-up. Thorax 34: 404-405.
- Green, FHY; Balu, A. (1990). DNA Flow Cytometric Analysis of Mesothelial Cells Exposed In Vivo to Asbestos (pp. 23-26). (NIOSH/00198795). Green, FHY; Balu, A.
- Green, FHY; Harley, R; Vallyathan, V; Althouse, R; Dement, J; Pooley, F. (1987). CUMULATIVE LIFETIME EXPOSURE TO ASBESTOS, ASBESTOSIS AND LUNG FIBERS IN ASBESTOS TEXTILE WORKERS. J Pathol 152: A239-A239.
- Green, FHY; Harley, R; Vallyathan, V; Althouse, R; Fick, G; Dement, J; Mitha, R; Pooley, F. (1997). Exposure and mineralogical correlates of pulmonary fibrosis in chrysotile asbestos workers. Occup Environ Med 54: 549-559.
- Green, FHY; Harley, R; Vallyathan, V; Dement, J; Pooley, F; Althouse, R. (1986). Pulmonary Fibrosis and Asbestos Exposure in Chrysotile Asbestos Textile Workers. Preliminary Results. Accomplishments in Oncology 1: 59-68.
- Green, FHY; Lee, M; Schurch, S. (1990). CHANGES IN SURFACE-PROPERTIES OF MESOTHELIAL CELLS EXPOSED TO ASBESTOS. J Pathol 161: A348-A348.
- Green, FHY; Vallyathan, V. (1986). Pathology of Occupational Lung Cancer (pp. 387-404). (NIOSH/00170168). Green, FHY; Vallyathan, V.
- Green, LC. (2006). Setting the record straight [Letter]. Int J Occup Environ Health 12: 182; author reply 182-186.
- Green, RA; Dimcheff, DG. (1974). Massive bilateral upper lobe fibrosis secondary to asbestos exposure. Chest 65: 52-55.
- Greenberg, M. (1973). The Value Of A Cancer Register In The Study Of Asbestos Tumours (pp. 273-276). (NIOSH/00150022). Greenberg, M.
- Greenberg, M. (1978). ASBESTOS EXPOSURE AND MESOTHELIOMA. Am Rev Respir Dis 117: 187-187.
- Greenberg, M. (1982). THE MONTAGUE MURRAY CASE. Am J Ind Med 3: 351-356.
- Greenberg, M. (1991). Cancer mortality in merchant seamen. Ann N Y Acad Sci 643: 321-332.
- Greenberg, M. (1993). THE HAZARDS OF ASBESTOS - ACCESS TO VITAL DATA DENIED. Br Med J 307: 259-259.
- Greenberg, M. (1994). DUST EXPOSURE AND MORTALITY IN CHRYSOTILE MINING, 1910-76 [Letter]. Occup Environ Med 51: 431-431.
- Greenberg, M. (1994). Knowledge of the health hazard of asbestos prior to the Merewether and Price report of 1930. Soc Hist Med 7: 493-516.
- Greenberg, M. (1999). A study of lung cancer mortality in asbestos workers: Doll, 1955. Am J Ind Med 36: 331-347.
- Greenberg, M. (2003). Cape Asbestos, Barking, health and environment: 1928-1946. Am J Ind Med 43: 109-119. <http://dx.doi.org/10.1002/ajim.10147>.
- Greenberg, M. (2004). The doctors and the dockers. Am J Ind Med 45: 573-581. <http://dx.doi.org/10.1002/ajim.20011>.
- Greenberg, M. (2004). Loyalty of the asbestos worker: a brief historical note. Am J Ind Med 45: 475-477. <http://dx.doi.org/10.1002/ajim.10366>.
- Greenberg, M. (2005). The art of perpetuating a public health hazard [Review]. J Occup Environ Med 47: 137-144. <http://dx.doi.org/10.1097/01.jom.0000152921.94835.f3>.
- Greenberg, M. (2005). A report on the health of asbestos, Quebec miners 1940. Am J Ind Med 48: 230-237. <http://dx.doi.org/10.1002/ajim.20206>.
- Greenberg, M. (2007). The "Helsinki criteria" for attribution of lung cancer to asbestos exposure: How robust are the criteria? Arch Pathol Lab Med 131: 1630-1630.
- Greenberg, M. (2008). The defence of chrysotile, 1912-2007. Int J Occup Environ Health 14: 57-66. <http://dx.doi.org/10.1179/oeh.2008.14.1.57>.
- Greenberg, M; Davies, TA. (1974). Mesothelioma register 1967-68. Br J Ind Med 31: 91-104.
- Greenberg, M; Trott, PA. (2007). The incidence of intrathoracic tumours in Manchester, 1868-1926. Eur J Oncol 12: 5-8.
- Greenberg, SD. (1982). Asbestos Lung Disease (pp. 130-137). (NIOSH/00191935). Greenberg, SD.
- Greenberg, SD. (1985). Cytopathology of asbestos-associated pulmonary disease. Diagn Cytopathol 1: 177-182.
- Greenberg, SD; Hurst, GA; Christianson, SC; Matlage, WJ; Hurst, IG; Mabry, LC. (1976). Pulmonary cytopathology of former asbestos workers. Report of the first year. Am J Clin Pathol 66: 815-822.
- Greenberg, SD; Hurst, GA; Christianson, SC; Matlage, WJ; Hurst, IJ; Mabry, L. (1975). PULMONARY CYTOPATHOLOGY OF FORMER ASBESTOS WORKERS. Acta Cytol 19: 586-586.

Human Health Hazard Literature Search Results

On Topic

- Greenberg, SD; Hurst, GA; Matlage, WT; Christianson, CS; Hurst, IJ; Mabry, LC. (1976). PULMONARY CYTOPATHOLOGY OF FORMER ASBESTOS WORKERS. *Am J Clin Pathol* 65: 257-257.
- Greenberg, SD; Hurst, GA; Matlage, WT; Miller, JM; Hurst, IJ; Mabry, LC. (1976). Occupational carcinogenesis. High-risk industrial groups: identification, education, and surveillance. Tyler Asbestos Workers Program. *Ann N Y Acad Sci* 271: 353-364.
- Greenberg, SD; Mclarty, JL; Hieger, LR; Hurst, GA; Spivey, CG; Nelson, KG; Farley, ML; Mabry, LC; Seitzman, LH. (1980). PULMONARY CYTOPATHOLOGY OF THE TYLER ASBESTOS WORKERS PROGRAM - THE 1ST 5 YEARS. *Chest* 78: 518-518.
- Greenberg, SD; Smith, S; Swank, PR; Winkler, DG; Spjut, HJ; Estrada, R; Hunter, N; Taylor, GR. (1982). Visual cell profiles for quantitation of premalignant cells in sputum: a preliminary report. *Acta Cytol* 26: 809-813.
- Greenberger, MJ; Sbalchiero, JS; Weitzman, SA; Kamp, DW. (1991). CIGARETTE SMOKE EXTRACTS PROMOTE ASBESTOS-INDUCED INJURY TO CULTURED PULMONARY EPITHELIAL CELLS (pp. 6-8). (BIOSIS/92/37123). Greenberger, MJ; Sbalchiero, JS; Weitzman, SA; Kamp, DW.
- Greenburg, L. (1947). The Dust Hazard In Tremolite Talc Mining. *Yale J Biol Med* 19: 481-501.
- Greene, R; Boggis, C; Jantsch, H. (1984). Asbestos-related pleural thickening: effect of threshold criteria on interpretation. *Radiology* 152: 569-573. <http://dx.doi.org/10.1148/radiology.152.3.6463238>.
- Greene, R; Schaefer, CM; Oliver, LC. (1991). Improved detection of asbestos-related pleural plaques with digital radiography. *Ann N Y Acad Sci* 643: 90-96.
- Greenland, S; Salvan, A; Wegman, DH; Hallock, MF; Smith, TJ. (1994). A case-control study of cancer mortality at a transformer-assembly facility. *Int Arch Occup Environ Health* 66: 49-54. <http://dx.doi.org/10.1007/BF00386579>.
- Gregor, A; Parkes, RW; du Bois, R; Turner-Warwick, M. (1979). Radiographic progression of asbestosis: preliminary report. *Ann N Y Acad Sci* 330: 147-156.
- Gregor, A; Singh, S; Turner-Warwick, M; Lawler, S; Parkes, WR. (1979). The role of histocompatibility (HLA) antigens in asbestosis. *Br J Dis Chest* 73: 245-252.
- Gregory, AD; Kliment, CR; Metz, HE; Kim, KH; Kargl, J; Agostini, BA; Crum, LT; Oczypok, EA; Oury, TA; Houghton, AM. (2015). Neutrophil elastase promotes myofibroblast differentiation in lung fibrosis. *J Leukoc Biol* 98: 143-152. <http://dx.doi.org/10.1189/jlb.3HI1014-493R>.
- Greillier, L; Astoul, P. (2008). Mesothelioma and asbestos-related pleural diseases [Review]. *Respiration* 76: 1-15. <http://dx.doi.org/10.1159/000127577>.
- Greillier, L; Baas, P; Welch, JJ; Hasan, B; Passiukov, A. (2008). Biomarkers for malignant pleural mesothelioma: current status [Review]. *Mol Diagn Ther* 12: 375-390.
- Greiser, EM; Greiser, KH; Ahrens, W; Hagen, R; Lazszig, R; Maier, H; Schick, B; Zenner, HP. (2012). Risk factors for nasal malignancies in German men: the South-German Nasal cancer study. *BMC Cancer* 12: 506. <http://dx.doi.org/10.1186/1471-2407-12-506>.
- Gribbin, HR; Cotes, JE; Clifford K, MA; Royall, R; Jones, AP. (1997). QUANTIFICATION OF RIGHT AND LEFT LUNG AND PLEURAL TISSUE VOLUME BY CT SCANNING IN ASBESTOS-RELATED PLEURAL DISEASE ARPD (pp. 20-24). (BIOSIS/98/15218). Gribbin, HR; Cotes, JE; Clifford K, MA; Royall, R; Jones, AP.
- Grier, DD. (2004). Kenneth Lynch and asbestos. *J S C Med Assoc* 100: 210-213.
- Griffis, LC; Mcallen, SA; Pickrell, JA; Carpenter, RL; Yerkes, KL. (1981). Deposition Of UICC Crocidolite Asbestos And Glass Microfibers Inhaled By Dogs (pp. 530-533). (NIOSH/00154934). Griffis, LC; Mcallen, SA; Pickrell, JA; Carpenter, RL; Yerkes, KL.
- Griffis, LC; Pickrell, JA; Carpenter, RL; Wolff, RK; Mcallen, SJ; Yerkes, KL. (1983). Deposition of crocidolite asbestos and glass microfibers inhaled by the beagle dog. *Am Ind Hyg Assoc J* 44: 216-222. <http://dx.doi.org/10.1080/15298668391404671>.
- Griffith, DE; Dodson, RF; Garcia J, GN; Levin, J; Kronenberg, RS. (1989). AIRFLOW OBSTRUCTION IN ASBESTOS AND SILICA EXPOSED WORKERS (pp. 14-17). (BIOSIS/89/21259). Griffith, DE; Dodson, RF; Garcia J, GN; Levin, J; Kronenberg, RS.
- Griffith, DE; Garcia, JG; Dodson, RF; Levin, JL; Kronenberg, RS. (1993). Airflow obstruction in nonsmoking, asbestos- and mixed dust-exposed workers. *Lung* 171: 213-224.
- Griffith, DE; Miller, EJ; Gray, LD; Idell, S; Johnson, AR. (1994). Interleukin-1-mediated release of interleukin-8 by asbestos-stimulated human pleural mesothelial cells. *Am J Respir Cell Mol Biol* 10: 245-252. <http://dx.doi.org/10.1165/ajrcmb.10.3.8117443>.
- Griffiths, H; Molony, NC; Malony, NC. (2003). Does asbestos cause laryngeal cancer? [Review]. *Clin Otolaryngol Allied Sci* 28: 177-182.
- Griffiths, MH; Riddell, RJ; Xipell, JM. (1980). Malignant mesothelioma: a review of 35 cases with diagnosis and prognosis. *Pathology* 12: 591-603.
- Grigoriu, BD; Scherpereel, A; Devos, P; Chahine, B; Letourneux, M; Lebailly, P; Grégoire, M; Porte, H; Copin, MC; Lassalle, P. (2007). Utility of osteopontin and serum mesothelin in malignant pleural mesothelioma diagnosis and prognosis assessment. *Clin Cancer Res* 13: 2928-2935. <http://dx.doi.org/10.1158/1078-0432.CCR-06-2144>.
- Grigoryan, AT. (1974). Temporary disability of workers of the Ararat asbestos-cement plant due to suppurative diseases of the skin. *Zh Eksp Klin Med* 14: 101-104.
- Grimaud, JA; Chevallier, M. (1978). [Micro analysis by non dispersive spectroscopy in electron microscopy: preparation of samples for cytological applications (author's transl)]. *Arch Anat Cytol Pathol* 26: 205-209.
- Grimm, HG. (1983). Occupational exposure to man-made mineral fibres and their effects on health. 33: 156-162.
- Grimson, RC. (1987). Apportionment of risk among environmental exposures: application to asbestos exposure and cigarette smoking. *J Occup Med* 29: 253-255.
- Grimsrud, TK; Berge, SR; Haldorsen, T; Andersen, A. (2005). Can lung cancer risk among nickel refinery workers be explained by occupational exposures other than nickel? *Epidemiology* 16: 146-154. <http://dx.doi.org/10.1097/01.ede.0000152902.48916.d7>.
- Grimsrud, TK; Langseth, H; Engeland, A; Andersen, A. (1998). Lung and bladder cancer in a Norwegian municipality with iron and steel producing industry: population based case-control studies. *Occup Environ Med* 55: 387-392.

Human Health Hazard Literature Search Results

On Topic

- Griniatsos, J; Sougioultzis, S; Dimitriou, N; Vamvakopoulou, V; Alexandrou, P; Kyriakou, V; Tzioufas, A; Papalambros, E; Tzivras, M. (2009). Diffuse Malignant Peritoneal Mesothelioma Presenting as Intestinal Obstruction. *South Med J* 102: 1061-1064.
- grönsvorden, Kfrh. (1982). Scientific basis for Swedish Occupational Standards. III. Consensus report for asbestos. (RISKLINE/1988030036). Kriteriegrupper för hygieniska grönsvorden.
- Groeger, AM; Mueller, MR; Odocha, O; Dekan, G; Salat, A; Rothy, W; Esposito, V; Caputi, M; Wolner, E; Kaiser, HE. (1997). Ethnic variations in lung cancer. *Anticancer Res* 17: 2849-2857.
- Groitskaya, NA. (1993). COMPARATIVE STUDY OF THE CYTOTOXICITY OF DUST FROM CARBON FIBER AND OTHER FIBER MATERIALS. *Gig Sanit O:* 28-30.
- Grondin, SC; Sugarbaker, DJ. (1999). Malignant mesothelioma of the pleural space [Review]. *Oncology (Williston Park)* 13: 919-926; discussion 926, 931-912.
- Groneberg, D; Quarcoo, D. (2010). [Effects of asbestos fiber dust exposure on lung function - a systematic review] [Letter]. *Pneumologie* 64: 432; author reply 436-432; author reply 441. <http://dx.doi.org/10.1055/s-0029-1244185>.
- Gronhagen-Riska, C. (1979). Angiotensin-converting enzyme: I. Activity and correlation with serum lysozyme in sarcoidosis, other chest or lymph node diseases and healthy persons. *Scand J Respir Dis* 60: 83-93.
- Gronhagen-Riska, C; Kurppa, K; Fyhrquist, F; Selroos, O. (1978). Angiotensin-converting enzyme and lysozyme in silicosis and asbestosis. *Scand J Respir Dis* 59: 228-231.
- Grosso, C; Tomatis, M; Turci, F; Gazzano, E; Ghigo, D; Compagnoni, R; Fubini, B. (2005). Potential toxicity of nonregulated asbestiform minerals: Balangeroite from the western Alps. Part 1: Identification and characterization. *J Toxicol Environ Health A* 68: 1-19. <http://dx.doi.org/10.1080/15287390590523867>.
- Gross, P. (1963). Pathology Of Asbestosis (Part Three) (pp. 48-53). (NIOSH/00138279). Gross, P.
- Gross, P. (1972). Dose-Effect Relationship of Asbestos Dust (pp. 12). (NIOSH/00190687). Gross, P.
- Gross, P. (1973). Tumors of the pleura induced with asbestos and fibrous glass. *J Natl Cancer Inst* 51: 315-317.
- Gross, P. (1974). Is short-fibered asbestos dust a biological hazard? *Arch Environ Health* 29: 115-117.
- Gross, P. (1977). The biologic response to inhaled mineral fibers: facts and fancies [Review]. *Rev Environ Health* 2: 167-175.
- Gross, P; Braun, DC. (1984). Toxic and biomedical effects of fibers. (CIS/84/01841). Gross, P; Braun, DC.
- Gross, P; Davis, JM; Harley, RA; Cralley, LJ; Detreville, RT. (1972). Asbestos: identification of fibrous particles in lungs. *J Occup Med* 14: 757-759.
- Gross, P; De Treville, RT. (1967). Experimental asbestosis. Studies on the progressiveness of the pulmonary fibrosis caused by chrysotile dust. *Arch Environ Health* 15: 638-649.
- Gross, P; De Treville, RTP; Cralley, LJ. (1970). Studies on the Carcinogenic Effects of Asbestos Dust (pp. 220-224). (NIOSH/00177272). Gross, P; De Treville, RTP; Cralley, LJ.
- Gross, P; De Treville, RTP; Haller, M. (1970). Pulmonary Ferruginous Bodies. Studies on Their Origin (pp. 86-91). (NIOSH/00177491). Gross, P; De Treville, RTP; Haller, M.
- Gross, P; Detreville, RT; Cralley, LJ; Granquist, WT; Pundsack, FL. (1970). The pulmonary response to fibrous dusts of diverse compositions. *Am Ind Hyg Assoc J* 31: 125-132. <http://dx.doi.org/10.1080/0002889708506221>.
- Gross, P; Detreville, RTP; Tolker, EB; Kaschak, M; Babyak, MA. (1967). Experimental asbestosis: the development of lung cancer in rats with pulmonary deposits of chrysotile asbestos dust. *Arch Environ Occup Health* 15: 343-355.
- Gross, P; Harley R A, J. R. (1973). Asbestos-induced intrathoracic tissue reactions. *Arch Pathol* 96: 245-250.
- Gross, P; Harley, RA. (1973). LOCUS OF PATHOGENICITY OF ASBESTOS DUST - THEORY. *Arch Environ Health* 27: 240-242.
- Gross, P; Harley, RA; Swinburne, LM; Davis, JMG; Greene, WB. (1974). Ingested mineral fibers: do they penetrate tissue or cause cancer? *Arch Environ Occup Health* 29: 341-347.
- Gross, P; Jr, HR. (1900). Asbestos-Induced Intrathoracic Tissue Reactions. (NIOSH/00181307). Gross, P; Harley RA Jr.
- Gross, P; Jr, HR. (1972). Asbestos Dust: A Study on the Pathogenetic Mechanism (pp. 11). (NIOSH/00190682). Gross, P; Harley RA Jr.
- Gross, P; Kociba, RJ; Sparschu, GL; Norris, JM. (1977). The biologic response to titanium phosphate: a new synthetic mineral fiber. *Arch Pathol Lab Med* 101: 550-554.
- Gross, P; Tuma, J; Detreville, TP. (1970). Fibrous dust particles and ferruginous bodies. Methods for quantitating them and some results from the lungs of city dwellers. *Arch Environ Health* 21: 38-46.
- Gross, T; Cobb, S; Peterson, M. (1992). ASBESTOS INCREASES HUMAN BRONCHIAL EPITHELIAL CELL FIBRINOLYTIC ACTIVITY (pp. 4-6). (BIOSIS/93/05900). Gross, T; Cobb, S; Peterson, M.
- Gross, TJ; Cobb, SM; Gruenert, DC; Peterson, MW. (1993). Asbestos exposure increases human bronchial epithelial cell fibrinolytic activity. *Am J Physiol* 264: L276-L283.
- Gross, TJ; Cobb, SM; Peterson, MW. (1994). Asbestos exposure increases paracellular transport of fibrin degradation products across human airway epithelium. *Am J Physiol* 266: L287-L295.
- Grossgarten, K; H-J, W. (1991). Fatal peritoneal mesothelioma in women resulting from the effects of asbestos in the workplace (pp. 261-264). (BIOSIS/92/13086). Grossgarten, K; Woitowitz H-J.
- Grossgarten, K; Woitowitz, HJ. (1991). [Fatal peritoneal mesothelioma disease in women caused by asbestos exposure at the work place] [Review]. *Gynäkologe* 24: 261-264.
- Grossi, F; Belvedere, O; Meduri, S; Barbone, F; Zanin, T; Follador, A; Rossetto, C; De Pangher, V; Spazzapan, D; Fasola, G. (2004). Final results of lung cancer and mesothelioma baseline screening with low-dose spiral computed tomography (LDCT) in 1,000 asbestos-exposed workers: an Alpe-Adria Thoracic Oncology Multidisciplinary group study (ATOM 002). *Ann Oncol* 15: 147-147.

Human Health Hazard Literature Search Results

On Topic

- Grossi, F; Fasola, G; Meduri, S; Barbone, F; Rossetto, C; Follador, A; Zanin, T; Cassetti, R; Pignata, G; Belvedere, O. (2004). Screening for mesothelioma and lung cancer with low-dose spiral computed tomography (LDCT) in asbestos-exposed subjects: an Alpe-Adria Thoracic Oncology Multidisciplinary Group Study (ATOM 002). *Lung Cancer* 45: S69-S69.
- Grosso, F; Bianchi, V; Bertolotti, M; Libener, R; Roveta, A; Guaschino, R; Mazzucco, L; Botta, M; Bonelli, F; Magnani, C. (2013). 25-OH-vitamin D (vD) serum levels and malignant pleural mesothelioma (MPM) in a highly asbestos-polluted area in Piedmont, Italy: A case-control study. *Eur J Cancer* 49: S820-S820.
- Grosso, F; Croce, A; Trincheri, NF; Mariani, N; Libener, R; Degiovanni, D; Rinaudo, C. (2017). Asbestos fibres detected by scanning electron microscopy in the gallbladder of patients with malignant pleural mesothelioma (MPM). *J Microsc.*
<http://dx.doi.org/10.1111/jmi.12517>.
- Grosso, F; Randi, L; Croce, A; Mirabelli, D; Libener, R; Magnani, C; Bellis, D; Allegrina, M; Bertolotti, M; Degiovanni, D; Rinaudo, C. (2015). Asbestos fibers in the gallbladder of patients affected by benign biliary tract diseases. *Eur J Gastroenterol Hepatol* 27: 860-864.
<http://dx.doi.org/10.1097/MEG.0000000000000357>.
- Group, AMIW. (1989). Protective clothing, changing and washing facilities for asbestos. (CIS/91/01963). Health and Safety Executive.
- group, Ew. (1980). Ambient water quality criteria for asbestos (pp. 5-80). (RISKLINE/1988030034). Epa working group.
- group, Ew. (1984). Health effects assessment for asbestos. (RISKLINE/1989100052). Epa working group.
- Group, IW. (1977). Asbestos. (RISKLINE/1984100088). Iarc Working Group.
- Group, NE; Petersen, R; Sabroe, S. (1981). 25. Mineralull. (RISKLINE/1985030051). Nordic Expert Group; Petersen, R; Sabroe, S.
- Group, NE; Sj?Gren, B; Ulfvarson, U. (1990). 90. Svetsgaser och svets?k. (RISKLINE/1991020004). Nordic Expert Group; Sj?Gren, B; Ulfvarson, U.
- Group, NW. (1983). Lifetime carcinogenesis studies of amosite asbestos in syrian golden hamsters (feed studies). (RISKLINE/1986050026). Ntp Working Group.
- group, Nw. (1990). Lifetime carcinogenesis studies of chrysotile asbestos in Syrian Golden hamsters (feed studies). (RISKLINE/1991030020). Ntp working group.
- group, Nw. (1990). Toxicology and carcinogenesis studies of Amosite asbestos in F344/N rats (feed studies). (RISKLINE/1991040025). Ntp working group.
- group, Nw. (1990). Toxicology and carcinogenesis studies of tremolite in F344/N rats (feed studies). (RISKLINE/1990060045). Ntp working group.
- Gruber, UF. (1986). What every surgeon should know regarding asbestos-related disease. *Eur Surg Res* 18: 207-212.
- Gruber, UF. (1990). Asbestos-related benign disease and cancer: symptoms and treatment [Review]. *Anticancer Drugs* 1: 187-197.
- Gruber, UF. (2005). Mesothelioma, perspective from the industry. *Lung Cancer* 49 Suppl 1: S21-S23.
<http://dx.doi.org/10.1016/j.lungcan.2005.03.005>.
- Grundmann, E; Tulinius, H. (1973). Results in Cancer Research, Vol. 39. Current problems in the epidemiology of cancer and lymphomas. Symposium. *Recent Results Cancer Res* 1972.
- Gualtieri, AF. (2017). Sharing different perspectives to understand asbestos-induced carcinogenesis: A comment to Jiang et al. (2016) [Letter]. *Cancer Sci* 108: 156-157. <http://dx.doi.org/10.1111/cas.13107>.
- Gualtieri, AF; Giacobbe, C; Rinaudo, C; Croce, A; Allegrina, M; Gaudino, G; Yang, H; Carbone, M. (2013). Preliminary results of the spectroscopic and structural characterization of mesothelioma inducing crocidolite fibers injected in mice. *Periodico di Mineralogia* 82: 299-312.
<http://dx.doi.org/10.2451/2013PM0018>.
- Gube, M; Taeger, D; Weber, DG; Pesch, B; Brand, P; Johnen, G; Müller-Lux, A; Gross, IM; Wiethage, T; Weber, A; Raithele, HJ; Kraus, T; Brüning, T. (2011). Performance of biomarkers SMRP, CA125, and CYFRA 21-1 as potential tumor markers for malignant mesothelioma and lung cancer in a cohort of workers formerly exposed to asbestos. *Arch Toxicol* 85: 185-192. <http://dx.doi.org/10.1007/s00204-010-0580-2>.
- Guberan, E; Usel, M. (1987). RISK OF CANCER IN BUILDINGS CONTAINING SPRAYED ASBESTOS INSULATING MATERIAL - MYTH OR REALITY. *Soz Praventivmed* 32: 246-248.
- Gubéran, E; Usel, M. (1987). Unusual mortality pattern among short term workers in the perfumery industry in Geneva. *Br J Ind Med* 44: 595-601.
- Guberan, E; Usel, M; Raymond, L; Tissot, R; Sweetnam, PM. (1989). Disability, Mortality, and Incidence of Cancer among Geneva Painters and Electricians: A Historical Prospective Study. *Br J Ind Med* 46: 16-23.
- Gudur, LD; Munavvar, M; Walsham, A; Edwards, JM. (2005). Simultaneous non-Hodgkin's lymphoma and mesothelioma presenting as a collision tumour [Letter]. *Histopathology* 47: 546-548. <http://dx.doi.org/10.1111/j.1365-2559.2005.02150.x>.
- Gudur, S; Hoyle, J. (2013). Co-morbid diagnoses of a current population of asbestos workers with diffuse pleural thickening (DPT). *Eur Respir J* 42.
- Gudur, S; Hoyle, J. (2013). TAKE UP OF INDUSTRIAL INJURIES DISABLEMENT BENEFITS AND SPIROMETRIC PATTERN ON SUBJECTS WITH ASBESTOS RELATED DIFFUSE PLEURAL THICKENING (DPT). *Thorax* 68: A170-A170. <http://dx.doi.org/10.1136/thoraxjnl-2013-204457.360>.
- Guenther, J; Xu, B; Wang, Y; Sullivan, D; Shan, B; Morris, G. (2011). CHARACTERIZATION OF THE INFLAMMATORY RESPONSE IN THE LUNGS OF MICE EXPOSED TO CIGARETTE SMOKE AND/OR ASBESTOS. *J Investig Med* 59: 529-529.
- Guenther, JF; Sullivan, D; Shan, B; Morris, GF. (2010). Characterization Of The Inflammatory Response In The Lungs Of Mice Exposed To Cigarette Smoke And/or Asbestos. *Am J Respir Crit Care Med* 181.
- Guerini, A; Gardiman, M; Galassi, A; Feoli, F; De Vuyst, M; Stringa, N; Venza, E. (1991). PSEUDOMESOTHELIOMATOUS ADENOCARCINOMA OF THE LUNG A VARIANT OF PERIPHERAL LUNG CANCER (pp. 1-6). (BIOSIS/92/04924). Guerini, A; Gardiman, M; Galassi, A; Feoli, F; De Vuyst, M; Stringa, N; Venza, E.

Human Health Hazard Literature Search Results

On Topic

- Guerrero, A; Giovenali, P; La Starza, R; Mecucci, C; Montesi, G; Pasquino, S; Pierini, T; Ragni, T; Sidoni, A. (2015). Metachronous cardiac and cerebral sarcomas: case report with focus on molecular findings and review of the literature [Review]. *Hum Pathol* 46: 482-487. <http://dx.doi.org/10.1016/j.humpath.2014.10.028>.
- Gueugnon, F; Leclercq, S; Blanquart, C; Sagan, C; Cellerin, L; Padiou, M; Perigaud, C; Scherpereel, A; Gregoire, M. (2011). Identification of Novel Markers for the Diagnosis of Malignant Pleural Mesothelioma. *Am J Pathol* 178: 1033-1042. <http://dx.doi.org/10.1016/j.ajpath.2010.12.014>.
- Guglielmi, G; Ciberti, A; Foddìs, R; Ambrosino, N; Chella, A; Gattini, V; Buselli, R; Ottenga, F; Cristaudo, A. (2007). [Medical surveillance of previously asbestos-exposed workers: report of a case of lung cancer with high level of serum mesothelin]. *G Ital Med Lav Ergon* 29: 345-346.
- Guglielmi, G; Pantani, E; Pistelli, A; Bonotti, A; Foddìs, R; Cristaudo, A. (2012). [Report of medical surveillance of workers exposed to asbestos at the Operative Unit of Occupational Medicine in Pisa]. *G Ital Med Lav Ergon* 34: 574-576.
- Guha, K; Jones, D; Hull, JH; Ho, TB. (2008). Recurrent hydropneumothorax as a presenting feature of malignant mesothelioma. *Eur J Intern Med* 19: 63-64. <http://dx.doi.org/10.1016/j.ejim.2007.03.010>.
- Guhlke, I; Schmidt, J. (1971). [A comparative study on various antiphlogistics]. *Acta Biol Med Ger* 26: 355-360.
- Guichard, Y; Gaté, L; Darne, C; Bottin, MC; Langlais, C; Micillino, JC; Goutet, M; Julien, S; Stéphane, B. (2010). In Vitro Study of Mutagenesis Induced by Crocidolite-Exposed Alveolar Macrophages NR8383 in Cocultured Big Blue Rat2 Embryonic Fibroblasts. *Journal of Toxicology* 2010: 323828. <http://dx.doi.org/10.1155/2010/323828>.
- Guida, F; Paget-Bailly, S; Lamkarkach, F; Gaye, O; Ducamp, S; Menvielle, G; Papadopoulos, A; Matrat, M; Févotte, J; Cénéé, S; Cyr, D; Schmaus, A; Carton, M; Radoï, L; Lapôtre-Ledoux, B; Molinié, F; Luce, D; Stücker, I. (2013). Risk of lung cancer associated with occupational exposure to mineral wools: updating knowledge from a french population-based case-control study, the ICARE study. *J Occup Environ Med* 55: 786-795. <http://dx.doi.org/10.1097/JOM.0b013e318289ee8b>.
- Guidotti, TL. (1988). QUANTITATIVE RISK ASSESSMENT OF EXPOSURE TO AIRBORNE ASBESTOS IN AN OFFICE BUILDING. *Can J Public Health* 79: 249-254.
- Guidotti, TL. (2001). The debate on banning asbestos [Letter]. *CMAJ* 165: 1189-1190; author reply 1191-1183.
- Guidotti, TL. (2016). Conflict of interest in EOH research. *Arch Environ Occup Health* 71: 127-128. <http://dx.doi.org/10.1080/19338244.2016.1171090>.
- Guidotti, TL; Abraham, JL; Denee, PB. (1975). ASBESTOS EXPOSURE AND CANCER OF LARYNX. *West J Med* 122: 75-75.
- Guidotti, TL; Brodtkin, CA; Christiani, D; Harbut, MR; Hillerdal, G; Balmes, J. R.; Harber, P; Green, FHY; Rom, WN; Wagner, GR; Miller, A; Criteria, AHCUA. (2005). Diagnosis and initial management of nonmalignant diseases related to asbestos. *Am J Respir Crit Care Med* 171: 528-530.
- Guidotti, TL; Goldsmith, DF. (1986). Occupational cancer. *Am Fam Physician* 34: 146-152.
- Guilianelli, C; Baeza-Squiban, A; Boisvieux-Ulrich, E; Houcine, O; Zalma, R; Guennou, C; Pezerat, H; Marano, F. (1993). Effect of mineral particles containing iron on primary cultures of rabbit tracheal epithelial cells: possible implication of oxidative stress. *Environ Health Perspect* 101: 436-442.
- Guilianelli, C; Baeza-Squiban, A; Lapart, E; Marano, F. (1996). Cultured airway epithelium responses to mineral particles: role of the oxidative stress. *Toxicol Lett* 88: 88:39-44.
- Guillemin, B; Zhang, Y; Lee, TC; Rom, WN. (1991). Role of peptide growth factors in asbestos-related human lung cancer [Review]. *Ann N Y Acad Sci* 643: 245-257.
- Guillemin, M. (1977). [Problems caused by asbestos]. *Soz Praventivmed* 22: 193-194.
- Guillemin, M; Litzistorf, G; Madelaine, P; Iselin, F; Buffat, P. (1987). THE INDOOR ASBESTOS PROBLEM FACTS AND QUESTIONS (pp. BASEL). (ISSN 0071-335X BIOSIS/88/08001). Guillemin, M; Litzistorf, G; Madelaine, P; Iselin, F; Buffat, P.
- Guillemin, MP; Litzistorf, G; Buffat, PA. (1989). URINARY FIBERS IN OCCUPATIONAL EXPOSURE TO ASBESTOS. *Ann Occup Hyg* 33: 219-234.
- Guillemin, MP; Litzistorf, G; Buffat, PA. (1989). Urinary fibres in occupational exposure to asbestos. *Ann Occup Hyg* 33: 219-233.
- Guillon, F; Fouret, P; Vacherot, B; Mign; acirc; Ee, C; Conso, F; Tulliez, M. (1984). Association of myeloproliferative syndrome and pleural mesothelioma after exposure to asbestos. *Arch Mal Prof* 45: 119-121.
- Guinee, DG; Travis, WD; Trivers, GE; De Benedetti, VM; Cawley, H; Welsh, JA; Bennett, WP; Jett, J; Colby, TV; Tazelaar, H. (1995). Gender comparisons in human lung cancer: analysis of p53 mutations, anti-p53 serum antibodies and C-erbB-2 expression. *Carcinogenesis* 16: 993-1002.
- Guirgis, HA; Culver, BD; Kurosaki, T. (1982). Shipyard Asbestos Exposure And Personal Factors As Determinants Of Chest Radiographic Changes (pp. 5-10). (NIOSH/00148282). Guirgis, HA; Culver, BD; Kurosaki, T.
- Gulati, M; Redlich, CA. (2015). Asbestosis and environmental causes of usual interstitial pneumonia [Review]. *Curr Opin Pulm Med* 21: 193-200. <http://dx.doi.org/10.1097/MCP.000000000000144>.
- Guled, M; Lahti, L, eo; Lindholm, PM; Salmenkivi, K; Bagwan, I; Nicholson, AG; Knuutila, S. (2009). CDKN2A, NF2, and JUN Are Dysregulated Among Other Genes by miRNAs in Malignant Mesothelioma-A miRNA Microarray Analysis. *Genes Chromosomes Cancer* 48: 615-623. <http://dx.doi.org/10.1002/gcc.20669>.
- Gulino, GR; Polimeni, M; Prato, M; Gazzano, E; Kopecka, J; Colombatto, S; Ghigo, D; Aldieri, E. (2015). Effect of Chrysotile Exposure in Human Bronchial Epithelial Cells: Insights on the Pathogenic Mechanisms of Asbestos-Related Diseases. *Environ Health Perspect* 124: 776-784. <http://dx.doi.org/10.1289/ehp.1409627>.
- Gulmez, I; Kart, L; Buyukoglan, H; Er, O; Balkanlı, S; Ozesmi, M. (2004). Evaluation of malignant mesothelioma in central Anatolia: a study of 67 cases. *Can Respir J* 11: 287-290.

Human Health Hazard Literature Search Results

On Topic

- Gulumian, M. (1999). The ability of mineral dusts and fibres to initiate lipid peroxidation. Part I: parameters which determine this ability [Review]. *Redox Rep* 4: 141-163. <http://dx.doi.org/10.1179/135100099101534855>.
- Gulumian, M. (2005). An update on the detoxification processes for silica particles and asbestos fibers: success and limitations [Review]. *J Toxicol Environ Health B Crit Rev* 8: 453-483. <http://dx.doi.org/10.1080/10937400590952547>.
- Gulumian, M; Kilroe-Smith, TA. (1987). Crocidolite-induced lipid peroxidation in rat lung microsomes. I. Role of different ions. *Environ Res* 43: 267-273.
- Gulumian, M; Kilroe-Smith, TA. (1987). Crocidolite-induced lipid peroxidation. II. Role of antioxidants. *Environ Res* 44: 254-259.
- Gulumian, M; Sardanios, F; Kilroe-Smith, T; Ockerse, G. (1983). Lipid peroxidation in microsomes induced by crocidolite fibres. *Chem Biol Interact* 44: 111-118.
- Gun, R; Pratt, NL; Roder, DM; Ryan, P. (2006). Asbestos-related cancers in refinery workers in the Australian petroleum industry. *Arch Environ Occup Health* 61: 11-16. <http://dx.doi.org/10.3200/AEOH.61.1.11-16>.
- Gun, RT. (1995). Mesotelioma: Is asbestos exposure the only cause? [Letter]. *Med J Aust* 162: 429-431.
- Gun, RT; Kortjen, AE; Jorm, AF; Henderson, AS; Broe, GA; Creasey, H; Mccusker, E; Mylvaganam, A. (1997). Occupational risk factors for Alzheimer disease: A case-control study. *Alzheimer Dis Assoc Disord* 11: 21-27. <http://dx.doi.org/10.1097/00002093-199703000-00005>.
- Gun, RT; Parsons, J; Crouch, P; Ryan, P; Hiller, JE. (2008). Mortality and cancer incidence of Australian participants in the British nuclear tests in Australia. *Occup Environ Med* 65: 843-848. <http://dx.doi.org/10.1136/oem.2007.034652>.
- Gun, RT; Pratt, N; Ryan, P; Roder, D. (2006). Update of mortality and cancer incidence in the Australian petroleum industry cohort. *Occup Environ Med* 63: 476-481. <http://dx.doi.org/10.1136/oem.2005.023796>.
- Gun, RT; Pratt, NL; Griffith, EC; Adams, GG; Bisby, JA; Robinson, KL. (2004). Update of a prospective study of mortality and cancer incidence in the Australian petroleum industry. *Occup Environ Med* 61: 150-156. <http://dx.doi.org/10.1136/oem.2002.005199>.
- Gunak, F; Gencer, M; Dilmec, F; Yalcin, F; Sak, ZHA, I; Kose, E. (2013). INVESTIGATION OF SUPEROXIDE DISMUTASE 2, MITOCHONDRIAL (SOD2) AND SUPEROXIDE DISMUTASE 3, EXTRACELLULAR (SOD3) GENE POLYMORPHISMS IN PATIENTS EXPOSED TO ENVIRONMENTAL ASBESTOS. 29: 285-290.
- Guney, N; Basaran, M; Karayigit, E; Muesluemanoglu, A; Guney, S; Kilicaslan, I; Gulbarut, S. (2007). Malignant mesothelioma of the tunica vaginalis testis: a case report and review of the literature. *Med Oncol* 24: 449-452. <http://dx.doi.org/10.1007/s12032-007-0010-3>.
- Gunnarsdottir, HK; Rafnsson, V; eds. (1999). Women's health: Occupation, cancer and reproduction. *Am J Ind Med* 36: 1-222.
- Guo, C; Liu, S; Yin, H. (1995). [Comparison of toxic effects of brucite and aluminium-treated chrysotile on macrophage]. *Zhonghua Yufang Yixue Zazhi* 29: 219-221.
- Guo, G; Chmielecki, J; Goparaju, C; Heguy, A; Dolgalev, I; Carbone, M; Seepo, S; Meyerson, M; Pass, HI. (2015). Whole-exome sequencing reveals frequent genetic alterations in BAP1, NF2, CDKN2A, and CUL1 in malignant pleural mesothelioma. *Cancer Res* 75: 264-269. <http://dx.doi.org/10.1158/0008-5472.CAN-14-1008>.
- Gürbüz, B; Metintaş, S; Metintaş, M; Uçgun, I; Alataş, F; Erginel, S; Bektaş, Y; Celik, H; Harmanci, E. (2004). Çevresel Asbest Teması Olan Bronş Kanseri Olguların Epidemiyolojik Özellikleri#. *Tuberk Toraks* 52: 5-13.
- Gurvic, VB; Kogan, FM; Belobragina, GV. (1982). Experimental study of the fibrogenic activity of the dust from serpentinite rock mixed with chrysotile asbestos. *nye zabolvanija July* 1982: 28-31.
- Gurvich, EB; Gladkova, EV; Gutnikova, OV; Kostjukovskaia, AV; Kuzina, LE; Saprykova, VV. (1993). [Epidemiology of chronic, precancerous and oncologic diseases in workers of asbestos and cement industry]. *Med Tr Prom Ekol* 0: 4-6.
- Gurvich, EB; Kuzina, LE. (1992). [The epidemiological assessment of the "dose-response" relationship in the hygienic regulation of asbestos-containing dusts]. *Gig Tr Prof Zabol* 0: 27-30.
- Gurvich, EV; Gladkova, EV. (1992). Results of and prospects for clinical and epidemiologic studies of carcinogenic danger in industry. *Gig Tr Prof Zabol* 0: 17-20.
- Gurvich, VB; Kogan, FM; Belobragina, GV. (1982). Experimental study of fibrogenic activity of serpentinite dust containing chrysotile asbestos. *Gig Tr Prof Zabol* 0: 28-31.
- Gurvich, VB; Kogan, FM; Belobragina, GV. (1982). [Fibrogenic activity of serpentinite dust containing chrysotile asbestos in an experimental study]. *Gig Tr Prof Zabol* 28-31.
- Gusev, VA; Lomonosova, OS; Velichkovskii, BT. (1997). [Effect of chrysotile-asbestos and zeolites dust on generations of reactive oxygen species by alveolar macrophages and granulocytes]. *Vopr Med Khim* 43: 148-152.
- Gustavsson, P; Ahlbom, A; Andersson, T; Schéele, P. (2003). Calculation of fractions of lung cancer incidence attributable to occupational exposure to asbestos and combustion products in Stockholm, Sweden. *Eur J Epidemiol* 18: 937-940.
- Gustavsson, P; Albin, M. (2006). Low-dose occupational exposure to asbestos and lung cancer risk. *Med Lav* 97: 357.
- Gustavsson, P; Jakobsson, R; Johansson, H; Lewin, F; Norell, S; Rutkvist, LE. (1998). Occupational exposures and squamous cell carcinoma of the oral cavity, pharynx, larynx, and oesophagus: A case-control study in Sweden. *Occup Environ Med* 55: 393-400.
- Gustavsson, P; Jakobsson, R; Nyberg, F; Pershagen, G; Järup, L; Schéele, P. (2000). Occupational exposure and lung cancer risk: a population-based case-referent study in Sweden. *Am J Epidemiol* 152: 32-40.
- Gustavsson, P; Nyberg, F; Pershagen, G; Scheele, P; Jakobsson, R; Plato, N. (2002). Low-dose exposure to asbestos and lung cancer: Dose-response relations and interaction with smoking in a population-based case-referent study in Stockholm, Sweden. *Am J Epidemiol* 155: 1016-1022. <http://dx.doi.org/10.1093/aje/155.11.1016>.
- Gustavsson, P; Plato, N; Lidstrom, EB; Hogstedt, C. (1990). Lung cancer and exposure to diesel exhaust among bus garage workers. *Scand J Work Environ Health* 16: 348-354.

Human Health Hazard Literature Search Results

On Topic

- Guth, JH. (1981). The mechanism of asbestos induced carcinogenesis calcium and plasma membrane integrity. 32: 135.
- Gutierrez, D; Castillo, MC; Ceja, J; Madrigal, E. (1995). Cytological and chemical determinations in cultures of HeLa cells treated with crocidolite. 26: 24-27.
- Gutzeit, A; Reischauer, C; Hergan, K; Kos, S; Roos, JE. (2013). Secondary malignant peritoneal mesothelioma of the greater omentum after therapy for primary pleural mesothelioma. *Case Reports in Oncology* 6: 236-241. <http://dx.doi.org/10.1159/000351124>.
- Guy, JP; Raza, S; Bondi, E; Rosen, Y; Kim, DS; Berger, BJ. (2012). Cryptococcus pneumonia presenting in an immunocompetent host with pulmonary asbestosis: a case report. *J Med Case Rep* 6: 170. <http://dx.doi.org/10.1186/1752-1947-6-170>.
- Gwaltney-Brant, SM; Murphy, LA; Wismer, TA; Albreetsen, JC. (2003). General toxicologic hazards and risks for search-and-rescue dogs responding to urban disasters. *J Am Vet Med Assoc* 222: 292-295.
- Gwinn, MR. (2011). Multiple modes of action of asbestos and related mineral fibers. *J Toxicol Environ Health B Crit Rev* 14: 1-2. <http://dx.doi.org/10.1080/10937404.2011.556044>.
- Gwinn, MR; Devoney, D; Jarabek, A; Sonawane, B; Wheeler, J; Weissman, DN; Masten, SA; Thompson, C. (2011). Mode(s) of Action of Asbestos and Related Mineral Fibers: A meeting summary report. *Environ Health Perspect* 119: 1806-1810. <http://dx.doi.org/10.1289/ehp.1003240>.
- Gwinn, MR; Guyton, KZ; Sonawane, B, ob; Devoney, D. (2007). Potential mechanisms in asbestos-induced carcinogenicity: The role of reactive oxygen species in adverse health effects. *Free Radic Biol Med* 43: S120-S120.
- Gylseth, B; Baunan, R. (1981). Topographic and size distribution of asbestos bodies in exposed human lungs. *Scand J Work Environ Health* 7: 190-195.
- Gylseth, B; Mowé, G; Skaug, V; Wannag, A. (1981). Inorganic fibers in lung tissue from patients with pleural plaques or malignant mesothelioma. *Scand J Work Environ Health* 7: 109-113.
- Gylseth, B; Mowe, G; Wannag, A. (1983). FIBER TYPE AND CONCENTRATION IN THE LUNGS OF WORKERS IN AN ASBESTOS CEMENT FACTORY. *Br J Ind Med* 40: 375-379.
- Gylseth, B; Mowé, G; Wannag, A. (1983). Fibre type and concentration in the lungs of workers in an asbestos cement factory. *Br J Ind Med* 40: 375-379.
- Gylseth, B; Norseth, T; Skaug, V. (1981). Amphibole fibers in a taconite mine and in the lungs of the miners. *Am J Ind Med* 2: 175-184.
- Gylseth, B; Skaug, V. (1986). Relation between pathological grading and lung fibre concentration in a patient with asbestosis. *Br J Ind Med* 43: 754-759.
- Gylseth, B; Stettler, L; Mowe, G; Skaug, V; Lexow, P. (1984). A striking deposition of mineral particles in the lungs of farmers: a case report. *Am J Ind Med* 6: 231-240.
- Haase, A; Luch, A. (2016). Genotoxicity of nanomaterials in vitro: treasure or trash? [Editorial]. *Arch Toxicol* 90: 2827-2830. <http://dx.doi.org/10.1007/s00204-016-1825-5>.
- Haber, SE; Haber, JM. (2011). Malignant mesothelioma: a clinical study of 238 cases. *Ind Health* 49: 166-172.
- Haberkorn, U. (2004). Positron emission tomography in the diagnosis of mesothelioma [Review]. *Lung Cancer* 45 Suppl 1: S73-S76. <http://dx.doi.org/10.1016/j.lungcan.2004.04.016>.
- Hacker, M; Quinlan, T; Kimberly, P; Mossman, B. (1995). INHALATION OF ASBESTOS FIBERS INDUCES NITRIC OXIDE RELEASE BY ALVEOLAR MACROPHAGES (pp. 18-22). (BIOSIS/95/12563). Hacker, M; Quinlan, T; Kimberly, P; Mossman, B.
- Haeblerlin, HL; Brassow, HL. (1984). Asbestos as an environmental problem. *Offentl Gesundheitswes* 46: 352-356.
- Haegens, A; Barrett, TF; Gell, J; Shukla, A; Macpherson, M; Vacek, P; Poynter, ME; Butnor, KJ; Janssen-Heininger, YM; Steele, C; Mossman, BT. (2007). Airway epithelial NF-kappaB activation modulates asbestos-induced inflammation and mucin production in vivo. *J Immunol* 178: 1800-1808.
- Haegens, A; van der Vliet, A; Butnor, KJ; Heintz, N; Taatjes, D; Hemenway, D; Vacek, P; Freeman, BA; Hazen, SL; Brennan, ML; Mossman, BT. (2005). Asbestos-induced lung inflammation and epithelial cell proliferation are altered in myeloperoxidase-null mice. *Cancer Res* 65: 9670-9677. <http://dx.doi.org/10.1158/0008-5472.CAN-05-1751>.
- Hafting, M. (1996). Colon cancer from asbestos exposure confirmed as an occupational disease. 116: 1607.
- Hagemeyer, A; Versnel, MA; Van Drunen, E; Moret, M; Bouts, MJ; van der Kwast, TH; Hoogsteden, HC. (1990). Cytogenetic analysis of malignant mesothelioma. *Cancer Genet Cytogenet* 47: 1-28.
- Hagemeyer, O; Otten, H; Kraus, T. (2006). Asbestos consumption, asbestos exposure and asbestos-related occupational diseases in Germany [Review]. *Int Arch Occup Environ Health* 79: 613-620. <http://dx.doi.org/10.1007/s00420-006-0091-x>.
- Hagerstrand, I; Seifert, B. (1973). Asbestos bodies and pleural plaques in human lungs at necropsy. *APMIS* 81: 457-460.
- Hagmar, L; Akesson, B; Nielsen, J; Andersson, C; Linden, K; Attewell, R; Moller, T. (1990). Mortality and cancer morbidity in workers exposed to low levels of vinyl chloride monomer at a polyvinyl chloride processing plant. *Am J Ind Med* 17: 553-565. <http://dx.doi.org/10.1002/ajim.4700170502>.
- Hahon, N; Booth, JA. (1986). Coinhibition of viral interferon induction by benzo[a]pyrene and chrysotile asbestos. *Environ Res* 40: 103-109.
- Hahon, N; Booth, JA; Eckert, HL. (1977). Antagonistic activity of poly (4-vinylpyridine-N-oxide) to the inhibition of viral interferon induction by asbestos fibres. *Br J Ind Med* 34: 119-125.
- Hahon, N; Booth, JA; Flowers, L. (1990). Coinhibition of viral interferon induction by benzo(a)pyrene in association with occupation-related particles. *Environ Res* 52: 83-98.
- Hahon, N; Eckert, HL. (1976). Depression of viral interferon induction in cell monolayers by asbestos fibers. *Environ Res* 11: 52-65.
- Hahon, N; Vallyathan, V; Booth, JA; Sepulveda, MJ. (1986). In vitro biologic responses to native and surface-modified asbestos. *Environ Res* 39: 345-355.

Human Health Hazard Literature Search Results

On Topic

- Haidak, DJ; Kagan, E; Jacobson, RJ; Yeung, KY; Nachnani, GH. (1979). IMMUNO-PROLIFERATIVE AND LYMPHO-PROLIFERATIVE NEOPLASMS ASSOCIATED WITH EXPOSURE TO ASBESTOS (ETA). *Proc Am Assoc Cancer Res* 20: 417-417.
- Haider, M; Neuberger, M. (1980). Comparison of lung cancer risks for dust workers, asbestos-cement workers and control groups. *IARC Sci Publ IARC Scientific Publication No: 973-977*.
- Haider, M; Neuberger, M; Raber, A. (1975). [Mesothelioma cases and asbestos exposure in Austria]. 547-549.
- Haider, M; Neuberger, M; Raber, A. (1976). Probst, J., E. Jonasch and E. Baur (Ed.). *Hefte Zur Unfallheilkunde*. Heft 126. 2. Deutsch Oesterreichisch Schweizerische Unfalltagung in Berlin, 20-22, November 1975. (Series on Accident Medicine, Vol. 126. 2nd German-Austrian-Swiss Accident Conference. Berlin, West Germany, Nov. 20-22, 1975.) (in Ger.) Xxviii+696p. Illus. Springer-Verlag: Berlin, West Germany; New York, N.Y.: USA. Isbn 3-540-07892-4; Isbn 0-387-07892-4.; 1976 (Recd 1977) 612-614 The asbestosis problem in austria.
- Haider, M; Neuberger, M; Raber, A. (1976). Probst, J., E. Jonasch and E. Baur (Ed.). *Hefte Zur Unfallheilkunde*. Heft 126. 2. Deutsch Oesterreichisch Schweizerische Unfalltagung in Berlin, 20-22, November 1975. (Series on Accident Medicine, Vol. 126. 2nd German-Austrian-Swiss Accident Conference. Berlin, West Germany, Nov. 20-22, 1975.) (in Ger.) Xxviii+696p. Illus. Springer-Verlag: Berlin, West Germany; New York, N.Y.: USA. Isbn 3-540-07892-4; Isbn 0-387-07892-4.; 1976 (Recd 1977) 547-549 Cases of mesothelioma and asbestos exposure in austria.
- Hain, E. (1975). [Current results of epidemiological studies on the asbestos problem in Northern Germany]. 536-538.
- Hain, E. (1976). Probst, J., E. Jonasch and E. Baur (Ed.). *Hefte Zur Unfallheilkunde*. Heft 126. 2. Deutsch Oesterreichisch Schweizerische Unfalltagung in Berlin, 20-22, November 1975. (Series on Accident Medicine, Vol. 126. 2nd German-Austrian-Swiss Accident Conference. Berlin, West Germany, Nov. 20-22, 1975.) (in Ger.) Xxviii+696p. Illus. Springer-Verlag: Berlin, West Germany; New York, N.Y.: USA. Isbn 3-540-07892-4; Isbn 0-387-07892-4.; 1976 (Recd 1977) 536-538 New results of epidemiological studies on the asbestos problem in north germany.
- Hain, E; Bohlig, H; Klosterkotter, W; Schutz, A; Woitowitz, HJ. (1973). Asbestos: Health Hazards, Limiting Values, Prevention (pp. 51-57). (ISSN 0039-0771 NIOSH/00191999). Hain, E; Bohlig, H; Klosterkotter, W; Schutz, A; Woitowitz, HJ.
- Hain, E; Calavrezos, A; Koschel, G. (1984). ASBESTOSIS AND ASBESTOS-INDUCED CARCINOMA. *Atemwegs- und Lungenkrankheiten* 10: 145-150.
- Hain, E; Dalquen, P; Bohlig, H; Dabbert, A; Hinz, I. (1974). Catamnestic Investigations On The Genesis Of Mesothelioma. *Int Arch Arbeitsmed* 33: 15-37.
- Hain, E; Hinz, I; Dalquen, P. (1975). [Retrospective study in 236 asbestos textile workers at hamburg (author's transl)]. *Int Arch Occup Environ Health* 36: 119-136.
- Haley, TJ. (1975). Review article. Asbestosis: a reassessment of the overall problem. *J Pharm Sci* 64: 1435-1449.
- Hall, EJ; Hei, TK. (1985). Oncogenic transformation with radiation and chemicals [Review]. *Int J Radiat Biol Relat Stud Phys Chem Med* 48: 1-18.
- Hall, EJ; Hei, TK. (1990). Modulating factors in the expression of radiation-induced oncogenic transformation [Review]. *Environ Health Perspect* 88: 149-155.
- Hall, NEL; Rosenmann, KD. (1991). Cancer by Industry: Analysis of a Population-Based Cancer Registry with an Emphasis on Blue-Collar Workers. *Am J Ind Med* 19: 145-159.
- Hall, SK. (1989). PULMONARY HEALTH RISK - ABNORMALITIES FOUND IN WORKERS HANDLING ASBESTOS PRODUCTS. *J Environ Health* 52: 165-167.
- Hall, SK; Cissik, JH. (1982). Effects of cigarette smoking on pulmonary function in asymptomatic asbestos workers with normal chest radiograms. *Am Ind Hyg Assoc J* 43: 381-386. <http://dx.doi.org/10.1080/15298668291409901>.
- Hall, SK; Paquin, P; Cissik, JH. (1982). ASBESTOS EXPOSURE CIGARETTE SMOKING AND PULMONARY FUNCTIONS (pp. CHAS-59). (HEEP/84/05412). Hall, SK; Paquin, P; Cissik, JH.
- Hallenbeck, WH; Hesse, CS. (1900). A Review Of The Health Effects Of Ingested Asbestos. *Rev Environ Health Freund Publishing House*.
- Hallenbeck, WH; Hesse, CS. (1977). A review of the health effects of ingested asbestos [Review]. *Rev Environ Health* 2: 157-166.
- Hallenbeck, WH; Markey, DR; Dolan, DG. (1981). ANALYSES OF TISSUE, BLOOD, AND URINE SAMPLES FROM A BABOON RAVAGED WITH CHRYSOTILE AND CROCIDOLITE ASBESTOS. *Environ Res* 25: 349-360.
- Hallenbeck, WH; Patel-Mandlik, K. (1978). Fate Of Ingested Chrysotile Asbestos Fiber In The Newborn Baboon. 600: 1-78.
- Hallenbeck, WH; Patelmndlik, KJ. (1979). PRESENCE OF FIBERS IN THE URINE OF A BABOON GAVAGED WITH CHRYSOTILE ASBESTOS. *Environ Res* 20: 335-340.
- Hama, R; Watanabe, Y; Shinada, K; Yamada, Y; Ogata, Y; Yoshida, Y; Tamura, T; Hiraishi, T; Oikawa, R; Sakurai, J, o; Maehata, T; Koizumi, H; Itoh, F. (2012). Characterization of DNA hypermethylation in two cases of peritoneal mesothelioma. *Tumor Biology* 33: 2031-2040. <http://dx.doi.org/10.1007/s13277-012-0462-8>.
- Hamada, K; Tokuyama, T; Okamoto, Y; Morikawa, S; Konoike, Y; Kasuga, H; Katada, H; Nishikawa, K; Tamura, M; Miyazaki, R; Narita, N. (1999). A clinicopathological study of lung cancer patients with occupational exposure to chrysotile asbestos fibers. *Intern Med* 38: 780-784.
- Hamilton, J; Vassalli, JD; Reich, E. (1976). Macrophage plasminogen activator: induction by asbestos is blocked by anti-inflammatory steroids. *J Exp Med* 144: 1689-1694.
- Hamilton, JA. (1980). Macrophage stimulation and the inflammatory response to asbestos. *Environ Health Perspect* 34: 69-74.
- Hamilton, JA. (1983). Asbestos fibers, plasma and inflammation. *Environ Health Perspect* 51: 281-285.
- Hamilton, JA. (1983). Suppression of the neutral protease activity of macrophages treated with asbestos in vitro. *Environ Health Perspect* 51: 103-108.
- Hamilton, JA; Chan, JY; Movat, HZ. (1981). COAGULATION OF HUMAN-PLASMA BY ASBESTOS FIBERS. *Environ Res* 26: 119-124.

Human Health Hazard Literature Search Results

On Topic

- Hamilton, JA; Vadas, P; Hay, JB. (1981). MEASUREMENT OF BLOOD-FLOW AND VASCULAR-PERMEABILITY CHANGES IN RESPONSE TO 12-ORTHO-TETRADECANOYL-PHORBOL-13-ACETATE AND TO ASBESTOS FIBERS. *J Toxicol Environ Health* 8: 205-214. <http://dx.doi.org/10.1080/15287398109530064>.
- Hamilton, R; Holian, A; Morandi, M. (2004). A comparison of asbestos and urban particulate matter in the in vitro modification of human alveolar macrophage antigen-presenting cell function. *Exp Lung Res* 30: 147-162. <http://dx.doi.org/10.1080/01902140490266439>.
- Hamilton, RF; Iyer, LL; Holian, A. (1996). Asbestos induces apoptosis in human alveolar macrophages. *Am J Physiol* 271: L813-L819.
- Hammar, SP. (1992). Controversies and uncertainties concerning the pathologic features and pathologic diagnosis of asbestosis. *Semin Diagn Pathol* 9: 102-109.
- Hammar, SP; Bockus, D; Remington, F; Freidman, S; Lazerte, G. (1989). Familial mesothelioma: a report of two families. *Hum Pathol* 20: 107-112.
- Hammar, SP; Hallman, KA; Dodson, RF. (1990). LOCALIZED AND/OR ACUTE PULMONARY DISEASES CAUSED BY ASBESTOS (pp. 4-9). (ISSN 0023-6837 EISSN 1530-0307 BIOSIS/90/10839). Hammar, SP; Hallman, KA; Dodson, RF.
- Hammond, EC; Garfinkel, L; Selikoff, IJ; Nicholson, WJ. (1979). Mortality experience of residents in the neighborhood of an asbestos factory. *Ann N Y Acad Sci* 330: 417-422.
- Hammond, EC; Selikoff, IJ. (1973). Relation Of Cigarette Smoking To Risk Of Death Of Asbestos-Associated Disease Among Insulation Workers In The United States (pp. 312-317). (NIOSH/00149797). Hammond, EC; Selikoff, IJ.
- Hammond, EC; Selikoff, IJ. (1974). RELATION OF CIGARETTE SMOKING TO RISK OF DEATH OF ASBESTOS ASSOCIATED DISEASE AMONG INSULATION WORKERS IN THE USA (pp. LYON). (HEEP/75/04248). Hammond, EC; Selikoff, IJ.
- Hammond, EC; Selikoff, IJ; Churg, J. (1965). Neoplasia among Insulation Workers in the United States with Special Reference to Intra-abdominal Neoplasia. *Ann N Y Acad Sci* 132: 519-525.
- Hammond, EC; Selikoff, IJ; Seidman, H. (1979). Asbestos exposure, cigarette smoking and death rates. *Ann N Y Acad Sci* 330: 473-490.
- Hamra, GB; Loomis, D; Dement, J. (2014). Examining the association of lung cancer and highly correlated fibre size-specific asbestos exposures with a hierarchical Bayesian model. *Occup Environ Med* 71: 353-357. <http://dx.doi.org/10.1136/oemed-2013-101965>.
- Hamra, GB; Richardson, DB; Dement, J; Loomis, D. (2016). Lung cancer risk associated with regulated and unregulated chrysotile asbestos fibers. *Epidemiology* 28: 275-280. <http://dx.doi.org/10.1097/EDE.0000000000000597>.
- Han, JH; Park, JD; Sakai, K; Hisanaga, N; Chang, HK; Lee, YH; Kwon, IH; Choi, BS; Chung, YH; Kim, HY; Yang, JS; Cho, MH; Yu, IJ. (2009). Comparison of lung asbestos fiber content in cancer subjects with healthy individuals with no known history of occupational asbestos exposure in Korea. *J Toxicol Environ Health A* 72: 1292-1295. <http://dx.doi.org/10.1080/15287390903212345>.
- Han, S; Ritzenthaler, JD; Rivera, HN; Roman, J. (2005). Peroxisome proliferator-activated receptor-gamma ligands suppress fibronectin gene expression in human lung carcinoma cells: involvement of both CRE and Sp1. *Am J Physiol Lung Cell Mol Physiol* 289: L419-L428. <http://dx.doi.org/10.1152/ajplung.00002.2005>.
- Hanagiri, T; Shinohara, S; Takenaka, M; Shigematsu, Y; Yasuda, M; Shimokawa, H; Nagata, Y; Nakagawa, M; Uramoto, H; So, T; Tanaka, F. (2012). Effects of hyaluronic acid and CD44 interaction on the proliferation and invasiveness of malignant pleural mesothelioma. *Tumor Biology* 33: 2135-2141. <http://dx.doi.org/10.1007/s13277-012-0473-5>.
- Hanagiri, T; Yasuda, M; Kuroda, K; Shigematsu, Y; Baba, T; So, T; Ono, K; Uramoto, H; So, T; Takenoyama, M; Yasumoto, K. (2009). The identification of tumor antigens associated with asbestos-related lung cancer. *J Thorac Oncol* 4: S907-S907.
- Hanaoka, T; Tsugane, S; Yamano, Y; Takahashi, T; Kasai, H; Natori, Y; Watanabe, S. (1993). Quantitative analysis of 8-hydroxyguanine in peripheral blood cells: an application for asbestosis patients. *Int Arch Occup Environ Health* 65: S215-S217.
- Hancock, KL; Clinton, CM; Dinkelspiel, HE; Saab, J; Schneider, B; Caputo, TA. (2016). A case of mesothelioma masquerading pre-operatively as ovarian cancer and brief review of the literature. *17: 26-28*. <http://dx.doi.org/10.1016/j.gore.2016.04.003>.
- Hanibuchi, M; Sone, S. (2002). [Causative agents for lung carcinogenesis] [Review]. *Nippon Rinsho* 60 Suppl 5: 63-66.
- Hannaford-Turner, K; Elder, D; Sim, MR; Abramson, MJ; Johnson, AR; Yates, DH. (2010). Surveillance of Australian workplace Based Respiratory Events (SABRE) in New South Wales. *Occup Med (Lond)* 60: 376-382. <http://dx.doi.org/10.1093/occmed/kqq011>.
- Hannant, D; Donaldson, K; Bolton, RE. (1985). Immunomodulatory effects of mineral dust. I. Effects of intraperitoneal dust inoculation on splenic lymphocyte function and humoral immune responses in vivo. *J Clin Lab Immunol* 16: 81-85.
- Hannu, T; Jaakkola, MS; Kivisaari, L; Huuskonen, MS; Vehmas, T. (2007). Season of birth and lung fibrosis among workers exposed to asbestos. *Chronobiol Int* 24: 539-551. <http://dx.doi.org/10.1080/07420520701420725>.
- Hano, O; Utsunomiya, T; Oku, Y; Aoi, W; Hashiba, K; Saitou, A; Tomonaga, A; Kanda, T. (1987). [A case of benign asbestos pleurisy as pleural bloody effusion]. *Nippon Naika Gakkai Zasshi* 76: 825-831.
- Hansell, A; Ghosh, RE; Poole, S; Zock, JP; Weatherall, M; Vermeulen, R; Kromhout, H; Travers, J; Beasley, R. (2014). Occupational risk factors for chronic respiratory disease in a New Zealand population using lifetime occupational history. *J Occup Environ Med* 56: 270-280. <http://dx.doi.org/10.1097/O1.jom.0000438382.33221.dc>.
- Hansen, ES. (1997). A Cohort Mortality Study of Foundry Workers. *Am J Ind Med* 32: 223-233.
- Hansen, J. (1993). The industrial use of selected chemicals and risk of cancer 1970-1984. (CIS/94/01007). Arbejdsmiljøinstituttet.
- Hansen, J; de Klerk, NH; Eccles, JL; Musk, AW; Hobbs, MS. (1993). Malignant mesothelioma after environmental exposure to blue asbestos. *Int J Cancer* 54: 578-581. <http://dx.doi.org/10.1002/ijc.2910540410>.
- Hansen, J; de Klerk, NH; Musk, AW; Hobbs, MST. (1998). Environmental exposure to crocidolite and mesothelioma: Exposure-response relationships. *Am J Respir Crit Care Med* 157: 69-75. <http://dx.doi.org/10.1164/ajrccm.157.1.96-11086>.
- Hansen, J; Olsen, JH; Larsen, AI. (1994). Cancer morbidity among employees in a Danish pharmaceutical plant. *Int J Epidemiol* 23: 891-898. <http://dx.doi.org/10.1093/ije/23.5.891>.

Human Health Hazard Literature Search Results

On Topic

- Hansen, J; Schneider, T; Olsen, JH; Laursen, B. (1993). AVAILABILITY OF DATA ON HUMANS POTENTIALLY EXPOSED TO SUSPECTED CARCINOGENS IN THE DANISH WORKING ENVIRONMENT (pp. PREVENTION OF CANCER). (BIOSIS/93/21370). National Occupational Health and Safety Commission (Worksafe Australia).
- Hansen, K; Cameron, G; Ehrlich, Y; Mossman, BT. (1985). ASBESTOS EXPOSURE ALTERS ENDOGENOUS PROTEIN-PHOSPHORYLATION IN A-431 CELLS. *Proc Am Assoc Cancer Res* 26: 80-80.
- Hansen, K; Mossman, BT. (1987). Generation of superoxide (O₂⁻) from alveolar macrophages exposed to asbestiform and nonfibrous particles. *Cancer Res* 47: 1681-1686.
- Hansen, KS; Skytthe, A. (1993). A Cross-Sectional Study of Respiratory Symptoms in a Cohort of Welders, Grinders and Other Metal Workers (pp. 14-17). (NIOSH/00221572). Hansen, KS; Skytthe, A.
- Hanson, R; Evilia, C; Gilmer, J; Woods, L; Black, B; Flores, R; Pfau, JC. (2016). Libby amphibole-induced mesothelial cell autoantibodies bind to surface plasminogen and alter collagen matrix remodeling. 4. <http://dx.doi.org/10.14814/phy2.12881>.
- Hansteen, IL; Hilt, B; Lien, JT; Skaug, V; Haugen, A. (1993). Karyotypic changes in the preclinical and subsequent stages of malignant mesothelioma: a case report. *Cancer Genet Cytogenet* 70: 94-98.
- Hany, A. (1974). [Asbestosis] [Review]. 36: 19-95.
- Hany, A; Schlegel, H. (1975). [Asbestos problems in Switzerland]. 542-545.
- Hany, A; Schlegel, H. (1976). ASBESTOS PROBLEMS IN SWITZERLAND (pp. BERLIN). (HEEP/77/12062). Hany, A; Schlegel, H.
- Haque, A; Kanz, M; Mancuso, M; Williams, G; Dodson, R. (1991). Asbestos in the lungs of children. *Ann N Y Acad Sci* 643: 419-429.
- Haque, AK; Kanz, M. (1987). ASBESTOS BODIES SUDDEN INFANT DEATH SYNDROME AND BRONCHOPULMONARY DYSPLASIA IS THERE A RELATIONSHIP (pp. 8-13). (ISSN 0023-6837 EISSN 1530-0307 BIOSIS/87/12335). Haque, AK; Kanz, M.
- Haque, AK; Kanz, ME. (1988). Asbestos bodies in children's lungs: An association with sudden infant death syndrome and bronchopulmonary dysplasia. *Arch Pathol Lab Med* 112: 514-518.
- Haque, AK; Mancuso, MG; Williams, MG; Dodson, RF. (1992). Asbestos in organs and placenta of five stillborn infants suggests transplacental transfer. *Environ Res* 58: 163-175.
- Haque, AK; Vrazel, D; Burau, K. (1996). Environmental asbestos exposure and adverse outcomes of pregnancy. *Mod Pathol* 9: 150A.
- Haque, AK; Vrazel, DM. (1998). Transplacental transfer of asbestos in pregnant mice. *Bull Environ Contam Toxicol* 60: 620-625. <http://dx.doi.org/10.1007/s001289900671>.
- Haque, AK; Vrazel, DM; Burau, KD; Cooper, SP; Downs, T. (1996). Is there transplacental transfer of asbestos? A study of 40 stillborn infants. *Pediatr Pathol Lab Med* 16: 877-892.
- Haque, AK; Vrazel, DM; Uchida, T. (1998). Assessment of asbestos burden in the placenta and tissue digests of stillborn infants in South Texas. *Arch Environ Contam Toxicol* 35: 532-538. <http://dx.doi.org/10.1007/s002449900413>.
- Hara, A; Kinoshita, Y; Hosoi, K; Okumura, Y; Song, M; Min, K. (2015). Pleural vasculitides of microscopic polyangiitis with asbestos-related plaques. 3: 148-150. <http://dx.doi.org/10.1002/rcr2.133>.
- Hara, N; Fujimoto, N; Miyamoto, Y; Yamagishi, T; Asano, M; Fuchimoto, Y; Wada, S; Ozaki, S; Kishimoto, T. (2015). Lymphoproliferative disorder in pleural effusion in a subject with past asbestos exposure. 16: 169-171. <http://dx.doi.org/10.1016/j.rmcr.2015.11.002>.
- Harb, A; King, E; Lloyd, H; Harb, Z; Payne, JG. (2010). Primary omental mesothelioma: a rare but important differential diagnosis in previous asbestos exposure. *J Gastrointest Surg* 14: 423-425. <http://dx.doi.org/10.1007/s11605-009-0910-y>.
- Harber, P; Mohsenifar, Z; Oren, A; Lew, M. (1987). Pleural plaques and asbestos-associated malignancy. *J Occup Med* 29: 641-644.
- Harber, P; Oren, A; Mohsenifar, Z; Lew, M. (1985). OBSTRUCTIVE AIRWAY DISEASE AS A RISK FACTOR FOR ASBESTOS ASSOCIATED MALIGNANCIES (pp. 12-15). (BIOSIS/85/16525). Harber, P; Oren, A; Mohsenifar, Z; Lew, M.
- Harber, P; Oren, A; Mohsenifar, Z; Lew, M. (1986). Obstructive airway disease as a risk factor for asbestos-associated malignancy. *J Occup Med* 28: 82-86.
- Harber, P; Smitherman, J. (1991). Asbestosis: Diagnostic Dilution [Review]. *J Occup Environ Med* 33: 786-793. <http://dx.doi.org/10.1097/00043764-199107000-00011>.
- Harber, P; Soohoo, K; Tashkin, DP. (1985). Is the MVV:FEV1 Ratio Useful for Assessing Spirometry Validity? *Chest* 88: 52-57.
- Harber, P; Tashkin, DP; Lew, M; Simmons, M. (1987). Physiologic categorization of asbestos-exposed workers. *Chest* 92: 494-499.
- Harber, P; Tashkin, DP; Simmons, M; Soohoo, K. (1983). AIRWAY FUNCTIONAL ABNORMALITIES IN ASBESTOS WORKERS (pp. 8-11). (ISSN 0003-0805 HEEP/84/08974). Harber, P; Tashkin, DP; Simmons, M; Soohoo, K.
- Hardell, L. (1981). Relation of soft-tissue sarcoma, malignant lymphoma and colon cancer to phenoxy acids, chlorophenols and other agents. 7: 119-130.
- Hardell, L; Eriksson, M; Degerman, A. (1994). Exposure to phenoxyacetic acids, chlorophenols, or organic solvents in relation to histopathology, stage, and anatomical localization of non-Hodgkin's lymphoma. *Cancer Res* 54: 2386-2389.
- Harding, AH; Darnton, A; Osman, J. (2012). Cardiovascular disease mortality among British asbestos workers (1971-2005). *Occup Environ Med* 69: 417-421. <http://dx.doi.org/10.1136/oemed-2011-100313>.
- Harding, AH; Darnton, A; Wegerdt, J; McElvenny, D. (2009). Mortality among British asbestos workers undergoing regular medical examinations (1971-2005). *Occup Environ Med* 66: 487-495. <http://dx.doi.org/10.1136/oem.2008.043414>.
- Harding, AH; Darnton, AJ. (2010). Asbestosis and mesothelioma among British asbestos workers (1971-2005). *Am J Ind Med* 53: 1070-1080. <http://dx.doi.org/10.1002/ajim.20844>.
- Hardy, JA; Aust, AE. (1994). Iron binding increases the ability of crocidolite to induce dna single-strand breaks in vitro. 35: 154.
- Hardy, JA; Aust, AE. (1995). The effect of iron binding on the ability of crocidolite asbestos to catalyze DNA single-strand breaks. *Carcinogenesis* 16: 319-325.

Human Health Hazard Literature Search Results

On Topic

- Harf, A; Bertrand, C; Hirsch, A; Di Menza, L; Bignon, J. (1980). Functional Tests In Thirty-Nine Asbestos Spray Workers (pp. 517-522). (ISSN 0300-5038 NIOSH/00155951). Harf, A; Bertrand, C; Hirsch, A; Di Menza, L; Bignon, J.
- Harf, R; Laval, I; Davezies, P; Prost, G. (1993). [Unrecognized occupational risk of pleural mesothelioma. The example of the Rhône-Alps region]. *Rev Mal Respir* 10: 453-458.
- Harrington, JS. (1969). The Second International Conference On The Biological Effects Of Asbestos (pp. 60-70). (NIOSH/00151241). Harrington, JS.
- Harrington, JS. (1972). Investigative techniques in the laboratory study of coal workers' pneumoconiosis: recent advances at the cellular level [Review]. *Ann N Y Acad Sci* 200: 816-834.
- Harrington, JS. (1973). CHEMICAL FACTORS (INCLUDING TRACE ELEMENTS) AS ETIOLOGICAL MECHANISMS (pp. 304-311). (EPIDEM/003716). Harrington, JS.
- Harrington, JS. (1974). CHEMICAL FACTORS INCLUDING TRACE ELEMENTS AS ETIOLOGICAL MECHANISMS (pp. LYON). (HEEP/75/04247). Harrington, JS.
- Harrington, JS. (1974). Fibrogenesis [Review]. *Environ Health Perspect* 9: 271-279.
- Harrington, JS. (1976). THE BIOLOGICAL EFFECTS OF MINERAL FIBERS ESPECIALLY ASBESTOS AS SEEN FROM IN-VITRO AND IN-VIVO STUDIES (pp. 155-198). (HEEP/77/10842). Harrington, JS.
- Harrington, JS. (1976). The biological effects of mineral fibres, especially asbestos, as seen from in vitro and in vivo studies [Review]. 21: 155-198.
- Harrington, JS. (1991). The carcinogenicity of chrysotile asbestos [Review]. *Ann N Y Acad Sci* 643: 465-472.
- Harrington, JS. (1992). MESOTHELIOMA AMONG WORKERS IN THE QUEBEC CHRYSOTILE MINING AND MILLING INDUSTRY [Letter]. *Am J Ind Med* 22: 925-926.
- Harrington, JS; Allison, AC; Badami, DV. (1975). Mineral fibers: chemical, physicochemical, and biological properties [Review]. 12: 291-402.
- Harrington, JS; Macnab, GM; Miller, K; King, PC. (1971). Enhancement of haemolytic activity of asbestos by heat-labile factors in fresh serum. *Med Lav* 62: 171-176.
- Harrington, JS; Miller, K; Macnab, G. (1971). Hemolysis by asbestos. *Environ Res* 4: 95-117.
- Harrington, JS; Smith, M. (1964). Studies of Hydrocarbons on Mineral Dusts. *Arch Environ Health* 8: 453-458.
- Harkin, TJ; Mcguinness, G; Goldring, R; Cohen, H; Parker, JE; Crane, M; Naidich, DP; Rom, WN. (1996). Differentiation of the ILO boundary chest roentgenograph (0/1 to 1/0) in asbestosis by high-resolution computed tomography scan, alveolitis, and respiratory impairment. *J Occup Environ Med* 38: 46-52.
- Harless, KW; Watanabe, S; Renzetti, AD. (1978). The acute effects of chrysotile asbestos exposure on lung function. *Environ Res* 16: 360-372.
- Harley, RA. (1982). UNUSUAL PATHOLOGIC MANIFESTATIONS OF ASBESTOS RELATED DISEASE (pp. 1-5). (HEEP/82/13426). Harley, RA.
- Harley, RA; Greene, WB. (1974). TRANSMIGRATION OF ASBESTOS ACROSS GUT WALL. *Lab Invest* 30: 375-376.
- Harries, PG. (1970). Protection of dockyard workers against asbestosis. *Proc R Soc Med* 63: 1015.
- Harries, PG. (1973). Clinical Signs (pp. 19-24). (NIOSH/00136421). Harries, PG.
- Harries, PG. (1974). CLINICAL SIGNS (pp. LYON). (HEEP/75/04208). Harries, PG.
- Harries, PG. (1976). Experience with asbestos disease and its control in Great Britain's naval dockyards. *Environ Res* 11: 261-267.
- Harries, PG; Mackenzie, FA; Sheers, G; Kemp, JH; Oliver, TP; Wright, DS. (1972). Radiological survey of men exposed to asbestos in naval dockyards. *Br J Ind Med* 29: 274-279.
- Harrington, JM; Craun, GF; Meigs, JW; Landrigan, PJ; Flannery, JT; Woodhull, RS. (1978). An investigation of the use of asbestos cement pipe for public water supply and the incidence of gastrointestinal cancer in Connecticut, 1935-1973. *Am J Epidemiol* 107: 96-103.
- Harrington, JM; Saracci, R. (1994). CLINICAL AND EPIDEMIOLOGICAL ASPECTS (pp. LONDON). (BIOSIS/94/33362). Health and Safety Executive.
- Harrington, JM; Whitby, H; Gray, CN; Reid, FJ; Aw, TC; Waterhouse, JA. (1989). Renal disease and occupational exposure to organic solvents: A case referent approach. *Br J Ind Med* 46: 643-650. <http://dx.doi.org/10.1136/oem.46.9.643>.
- Harrington, JS. (1971). Asbestos and mesothelioma in man. *Nature* 232: 54-55.
- Harris, CC. (1973). The epidemiology of different histologic types of bronchogenic carcinoma. *Cancer Chemother Rep* 3 4: 59-61.
- Harris, CC; Grafstrom, R; Willey, JC; Gabrielson, E; Lechner, J; Somers, A; Miyashita, M; Trump, BF. (1988). PATHOBIOLOGICAL EFFECTS OF TOBACCO SMOKE TUMOR PROMOTERS AND ASBESTOS IN HUMAN LUNG CELLS IN-VITRO (pp. 24-30). (BIOSIS/88/30790). Harris, CC; Grafstrom, R; Willey, JC; Gabrielson, E; Lechner, J; Somers, A; Miyashita, M; Trump, BF.
- Harris, CC; Lechner, JF; Yoakum, GH; Amstad, P; Korba, BE; Gabrielson, E; Grafstrom, R; Shamsuddin, A; Trump, BF. (1985). In vitro studies of human lung carcinogenesis. *Carcinog Compr Surv* 9: 257-269.
- Harris, CC; Stoner, GD; Trump, BF; Mcdowell, EM; Hess, F; Jackson, F. (1979). INTERACTION OF ASBESTOS WITH CULTURED HUMAN BRONCHUS. *Lab Invest* 40: 259-259.
- Harris, EC; Palmer, KT; Cox, V; Darnton, A; Osman, J; Coggon, D. (2016). Trends in mortality from occupational hazards among men in England and Wales during 1979-2010. *Occup Environ Med* 73: 385-393. <http://dx.doi.org/10.1136/oemed-2015-103336>.
- Harris, JM; Johnston, ID; Rudd, R; Taylor, AJ; Cullinan, P. (2010). Cryptogenic fibrosing alveolitis and lung cancer: the BTS study. *Thorax* 65: 70-76. <http://dx.doi.org/10.1136/thx.2009.121962>.
- Harris, RL, Jr; Timbrell, V. (1975). The influence of fibre shape in lung deposition-mathematical estimates. *Inhaled Particles* 4: 75-89.
- Harrison, G; Lapp, NL. (1972). Electron microscopic findings in the lungs of miners. *Ann N Y Acad Sci* 200: 73-93.
- Harrison, PT; Heath, JC. (1986). Apparent synergy in lung carcinogenesis: interactions between N-nitrosoheptamethyleneimine, particulate cadmium and crocidolite asbestos fibres in rats. *Carcinogenesis* 7: 1903-1908.
- Harrison, PT; Heath, JC. (1988). Apparent synergy between chrysotile asbestos and N-nitrosoheptamethyleneimine in the induction of pulmonary tumours in rats. *Carcinogenesis* 9: 2165-2171.

Human Health Hazard Literature Search Results

On Topic

- Harrison, PT; Hoskins, JA; Brown, RC; Pigott, GH; Hext, PM; Muggleston, MA. (2000). Hyperplastic and Neoplastic Changes in the Lungs of Rats Treated Concurrently with Chrysotile Asbestos and N-Nitrosoheptamethyleneimine. *Inhal Toxicol* 12 Suppl 3: 167-172. <http://dx.doi.org/10.1080/08958378.2000.11463210>.
- Harrison, PT; Levy, LS; Patrick, G; Pigott, GH; Smith, LL. (1999). Comparative hazards of chrysotile asbestos and its substitutes: A European perspective. *Environ Health Perspect* 107: 607-611.
- Harrison, RN. (1984). Sarcomatous Pleural Mesothelioma And Cerebral Metastases: Case Report And A Review Of Eight Cases. *Eur J Respir Dis* 65: 185-188.
- Harrison, RN; Hibberd, SC; Dadds, JH. (1983). Malignant pleural mesothelioma at St Mary's Hospital, Portsmouth--a review of 29 fatal cases. *Postgrad Med J* 59: 712-716.
- Hart, GA; Hesterberg, TW. (1998). In vitro toxicity of respirable-size particles of diatomaceous earth and crystalline silica compared with asbestos and titanium dioxide. *J Occup Environ Med* 40: 29-42.
- Hart, GA; Kathman, LM; Hesterberg, TW. (1994). In vitro cytotoxicity of asbestos and man-made vitreous fibers: roles of fiber length, diameter and composition. *Carcinogenesis* 15: 971-977.
- Hart, GA; Newman, MM; Bunn, WB; Hesterberg, TW. (1992). Cytotoxicity of refractory ceramic fibres to Chinese hamster ovary cells in culture. *Toxicol In Vitro* 6: 317-326.
- Hart, HP. (1987). EXCESS MORTALITY FROM STOMACH-CANCER, LUNG-CANCER, AND ASBESTOSIS AND OR MESOTHELIOMA IN CROCIDOLITE MINING DISTRICTS IN SOUTH-AFRICA. *Am J Epidemiol* 125: 542-542.
- Hart, HP. (1987). Re: "Excess mortality from stomach cancer, lung cancer, and asbestosis and/or mesothelioma in crocidolite mining districts in South Africa" [Letter]. *Am J Epidemiol* 125: 542-543.
- Hart, RW; Fertel, R; Newman, HA; Daniel, FR; Blakeslee, JR. (1979). Effects of selected asbestos fibers on cellular and molecular parameters (pp. 1-79). (NIOSH/00192333). Hart, RW; Fertel, R; Newman, HA; Daniel, FR; Blakeslee, JR.
- Hart, RW; Kendig, O; Blakeslee, J; Mizuhira, V. (1980). Effect Of Cellular Ingestion On The Elemental Ratio Of Asbestos. *Brown: 19801980*.
- Hartle, R. (1984). Health Hazard Evaluation Report No. HETA-82-102-1464, University Of Cincinnati, Cincinnati, Ohio (pp. 82-102). (NIOSH/00139369). Hartle, R.
- Hartle, R; T-C, A. (1984). Health Hazard Evaluation Report No. HETA-82-280-1407, Hoover Company, North Canton, Ohio (pp. 82-280). (NIOSH/00149672). Hartle, R; Aw T-C.
- Hartmann, CA; Schütze, H. (1994). Mesothelioma-like tumors of the pleura: a review of 72 autopsy cases. *J Cancer Res Clin Oncol* 120: 331-347.
- Hartmann, DP. (1985). Immunological consequences of asbestos exposure. 4: 65-68.
- Hartmann, DP; Georgian, MM; Kagan, E. (1984). Enhanced alveolar macrophage Ia antigen expression after asbestos inhalation. *J Immunol* 132: 2693-2695.
- Hartmann, DP; Georgian, MM; Oghiso, Y; Kagan, E. (1984). Enhanced interleukin activity following asbestos inhalation. *Clin Exp Immunol* 55: 643-650.
- Hartmann, DP; Kagan, E; Georgian, MM. (1984). Enhanced Ia antigen expression on rat alveolar macrophages following asbestos inhalation. 43: ABSTRACT 3513.
- Hartmann, DP; Rao, NA; Kagan, E. (1982). Asbestos related in-vivo fibrogenesis induced by lymphokines. 163: 283.
- Hartmann, W. (1990). [Expert assessment of asbestos-induced lung damage] [Review]. *Versicherungsmedizin* 42: 49-52.
- Hartung, M; Valentin, H. (1988). MALIGNANT DISEASES OF THE RESPIRATORY TRACT AND THEIR OCCUPATIONAL CAUSES (pp. 156-159). (BIOSIS/88/17817). Hartung, M; Valentin, H.
- Harvey, G; Pagé, M; Dumas, L. (1984). Binding of environmental carcinogens to asbestos and mineral fibres. *Br J Ind Med* 41: 396-400.
- Harvey, G; Page, M; Paquin, R; Dumas, L. (1983). BINDING OF ENVIRONMENTAL CARCINOGENS TO ASBESTOS AND MINERAL FIBERS. *Environ Health Perspect* 51: 375-375.
- Hasan, FM; Nash, G; Kazemi, H. (1977). The significance of asbestos exposure in the diagnosis of mesothelioma: a 28-year experience from a major urban hospital. *Am Rev Respir Dis* 115: 761-768. <http://dx.doi.org/10.1164/arrd.1977.115.5.761>.
- Hasan, FM; Nash, G; Kazemi, H. (1978). Asbestos exposure and related neoplasia. The 28 year experience of a major urban hospital. *Am J Med* 65: 649-654.
- Hasanoglu, HC; Bayram, E; Hasanoglu, A; Demirag, F. (2008). Orally ingested chrysotile asbestos affects rat lungs and pleura. *Arch Environ Occup Health* 63: 71-75. <http://dx.doi.org/10.3200/AEOH.63.2.71-75>.
- Hasanoglu, HC; Gokirmak, M; Baysal, T; Yildirim, Z; Koksall, N; Onal, Y. (2003). Environmental exposure to asbestos in eastern Turkey. *Arch Environ Health* 58: 144-150. <http://dx.doi.org/10.3200/AEOH.58.3.144-150>.
- Hasanoglu, HC; Yildirim, Z; Ermis, H; Kilic, T; Koksall, N. (2006). Lung cancer and mesothelioma in towns with environmental exposure to asbestos in Eastern Anatolia. *Int Arch Occup Environ Health* 79: 89-91. <http://dx.doi.org/10.1007/s00420-005-0010-6>.
- Hasegawa, H; Kikuchi, F; Goto, T; Ueda, A; Matsushita, K; Oyagi, S. (1980). A case of malignant pleural mesothelioma with calcified diaphragmatic pleural plaques following asbestos exposure (pp. 417-421). (HEEP/81/03939). Hasegawa, H; Kikuchi, F; Goto, T; Ueda, A; Matsushita, K; Oyagi, S.
- Hasegawa, Y; Nagayasu, F; Moriyama, A; Uejima, H; Yoon, HE. (2009). [Twenty-one patients of malignant pleural mesothelioma in the Senshu district]. *Nihon Kokyuki Gakkai Zasshi* 47: 347-354.
- Hashim, D; Boffetta, P. (2014). Occupational and Environmental Exposures and Cancers in Developing Countries [Review]. 80: 393-411. <http://dx.doi.org/10.1016/j.aogh.2014.10.002>.
- Hashim, D; Gaughan, D; Boffetta, P; Lucchini, RG. (2015). Baseline serum β -carotene concentration and mortality among long-term asbestos-exposed insulators. *Cancer Epidemiol Biomarkers Prev* 24: 555-560. <http://dx.doi.org/10.1158/1055-9965.EPI-14-0952>.

Human Health Hazard Literature Search Results

On Topic

- Hashim, D; Gaughan, D; Lucchini, R; Boffetta, P; Med, DP. (2014). Higher Non-Supplemented Serum Beta-Carotene Levels Predict Survival Benefit In Asbestos-Exposed Workers. *Am J Respir Crit Care Med* 189.
- Hashimoto, K; Okuma, Y; Hosomi, Y; Hishima, T. (2016). Malignant mesothelioma of the pleura with desmoplastic histology: a case series and literature review. *BMC Cancer* 16: 718. <http://dx.doi.org/10.1186/s12885-016-2745-8>.
- Haslam, P; Turner-Warwick, M; Lukoszek, A. (1975). Antinuclear antibody and lymphocyte responses to nuclear antigens in patients with lung disease. *Clin Exp Immunol* 20: 379-396.
- Haslam, PL; Lukoszek, A; Merchant, JA; Turner-Warwick, M. (1978). Lymphocyte responses to phytohaemagglutinin in patients with asbestosis and pleural mesothelioma. *Clin Exp Immunol* 31: 178-188.
- Haslam, PL; Turton C, WG; Heard, B; Lukoszek, A; Collins, JV; Salsbury, AJ; Turner-Warwick, M. (1980). Bronchoalveolar lavage in pulmonary fibrosis: Comparison of cells obtained with lung biopsy and clinical features. *Thorax* 35: 9-18.
- Hasleton, PS. (1997). The diagnosis of pleural disease. *Br J Hosp Med* 58: 85-89.
- Hasselbacher, P. (1979). Binding of immunoglobulin and activation of complement by asbestos fibers. *J Allergy Clin Immunol* 64: 294-298.
- Hassman, P; Hassmanova, V; Heger, L. (1990). Evaluating pulmonary findings in persons working with asbestos by repeated examination with computer tomography in the interval of three years (pp. 208-210). (BIOSIS/91/07074). Hassman, P; Hassmanova, V; Heger, L.
- Hassmanová, V. (2004). [Diseases caused by asbestos dust and the trend of their development in exposed workers in 1951-2003]. *Acta Medica (Hradec Kralove) Suppl* 47: 107-120.
- Hassmanova, V; Hassman, P. (1995). Diseases caused by Asbestos Dust - Experience during 40 Years of Observation in a Plant Processing Asbestos in eastern Bohemia. *Czech J Occup Med* 47: 208-214.
- Hatch, GE; Boykin, E; Graham, JA; Lewtas, J; Pott, F; Loud, K; Mumford, JL. (1985). Inhalable particles and pulmonary host defense: in vivo and in vitro effects of ambient air and combustion particles. *Environ Res* 36: 67-80.
- Hatch, GE; Gardner, DE; Menzel, DB. (1978). OXIDANT PRODUCTION IN ALVEOLAR MACROPHAGES CAUSED BY ASBESTOS, METAL-COATED FLY-ASH, AND LATEX-PARTICLES. *Pharmacologist* 20: 276-276.
- Hatch, GE; Gardner, DE; Menzel, DB. (1980). Stimulation of oxidant production in alveolar macrophages by pollutant and latex particles. *Environ Res* 23: 121-136.
- Hatch, GE; Spock, A; Gardner, DE; Menzel, DB. (1980). Differences between particulate and peptide stimuli on activation of oxidant production in alveolar macrophages. *Chest* 77: 267-269.
- Hatzinger, M; Häcker, A; Langbein, S; Grobholz, R; Alken, P. (2006). [Malignant mesothelioma of the testes]. *Aktuelle Urol* 37: 281-283. <http://dx.doi.org/10.1055/s-2005-915617>.
- Haugen, A; Harris, C. (1982). Asbestos carcinogenesis: asbestos interactions and epithelial lesions in cultured human tracheobronchial tissues and cells. *Recent Results Cancer Res* 82: 32-42.
- Haugen, A; McClelland, I; Mcdowell, EM; Trump, BF; Harris, CC. (1981). ASBESTOS-INDUCED LESIONS IN CULTURED HUMAN RESPIRATORY EPITHELIAL-CELLS. *Proc Am Assoc Cancer Res* 22: 77-77.
- Haugen, A; Schafer, PW; Lechner, JF; Stoner, GD; Trump, BF; Harris, CC. (1982). Cellular ingestion, toxic effects, and lesions observed in human bronchial epithelial tissue and cells cultured with asbestos and glass fibers. *Int J Cancer* 30: 265-272.
- Haupt, R. (1971). Pulmonary carcinoma during chronic pulmonary fibrosis. 114: 295-302.
- Hauptmann, M; Pohlabein, H; Lubin, JH; Jöckel, KH; Ahrens, W; Brüske-Hohlfeld, I; Wichmann, HE. (2002). The exposure-time-response relationship between occupational asbestos exposure and lung cancer in two German case-control studies. *Am J Ind Med* 41: 89-97.
- Hauptmann, M; Pohlabein, H; Lubin, JH; Joeckel, KH; Ahrens, W; Brueske-Hohlfeld, I; Wichmann, HE. (2001). On the exposure-time-response-relationship between occupational asbestos exposure and lung cancer in two german case-control studies. *Epidemiology* 12: S62-S62.
- Haute Autorité de Santé. (2010). [Post-professional follow-up after asbestos exposure]. *Rev Mal Respir* 27: e17-e33. <http://dx.doi.org/10.1016/j.rmr.2010.06.001>.
- Havel, V; Havlova, L; Musil, M; Slezackova, L; Treskonova, G. (1985). GENERAL HEALTH AND WORK LOAD OF PERSONS IN A PLANT FOR ASBESTOS PROCESSING (pp. 281-286). (BIOSIS/86/18423). Havel, V; Havlova, L; Musil, M; Slezackova, L; Treskonova, G.
- Havel, V; Musil, M. (1992). [Fibroplastic dust and cardio-respiratory functions]. *Sb Ved Pr Fak Karlovy Univ Hradci Kralovea* 35: 41-77.
- Hayashi, H. (1971). Interaction between Minerals and the Living Body -with Reference to Pneumoconiosis (pp. 547-562). (NIOSH/00086141). Hayashi, H.
- Hayashi, H. (1974). Cytotoxicity of heated chrysotile. *Environ Health Perspect* 9: 267-270.
- Hayashi, I; Konishi, N; Matsuda, H; Tsuzuki, T; Tao, M; Kitahori, Y; Tokuyama, T; Yoneda, T; Narita, N; Hiasa, Y. (1996). Comparative analysis of p16/CDKN2, p53 and ras gene alterations in human non-small cell lung cancers, with and without associated pulmonary asbestosis. *Int J Oncol* 8: 85-90.
- Hayashi, K; Takamura, M; Sato, Y; Takahashi, K; Sato, H; Youkou, K; Yokoyama, H; Nomoto, M; Inoue, C; Hasegawa, G, o; Aoyagi, Y. (2012). Primary Malignant Mesothelioma of the Appendix. *Intern Med* 51: 1027-1030. <http://dx.doi.org/10.2169/internalmedicine.51.6990>.
- Hayes, AA; Mullan, B; Lovegrove, FT; Rose, AH; Musk, AW; Robinson, BW. (1989). Gallium lung scanning and bronchoalveolar lavage in crocidolite-exposed workers. *Chest* 96: 22-26.
- Hayes, AA; Rose, AH; Musk, AW; Robinson, BW. (1988). Neutrophil chemotactic factor release and neutrophil alveolitis in asbestos-exposed individuals. *Chest* 94: 521-525.
- Hayes, AA; Thickbroom, GW; Guelfi, GR; Musk, AW; van der Schaaf, AA. (1990). Computer quantitation of gallium 67 lung uptake in crocidolite (blue asbestos) workers of Western Australia. 16: 855-858.
- Hayes, AA; Venaille, TJ; Rose, AH; Musk, AW; Robinson, BW. (1990). Asbestos-induced release of a human alveolar macrophage-derived neutrophil chemotactic factor. *Exp Lung Res* 16: 121-130.

Human Health Hazard Literature Search Results

On Topic

- Haynes, RC. (2011). Where there is asbestos, there is mesothelioma: filling in the data blanks [Comment]. *Environ Health Perspect* 119: A177. <http://dx.doi.org/10.1289/ehp.119-a177b>.
- He, C; Larson-Casey, JL; Gu, L; Ryan, AJ; Murthy, S; Carter, AB. (2016). Cu,Zn-Superoxide Dismutase-Mediated Redox Regulation of Jumonji Domain Containing 3 Modulates Macrophage Polarization and Pulmonary Fibrosis. *Am J Respir Cell Mol Biol* 55: 58-71. <http://dx.doi.org/10.1165/rcmb.2015-0183OC>.
- He, C; Murthy, S; McCormick, ML; Spitz, DR; Ryan, AJ; Carter, AB. (2011). Mitochondrial Cu,Zn-superoxide dismutase mediates pulmonary fibrosis by augmenting H₂O₂ generation. *J Biol Chem* 286: 15597-15607. <http://dx.doi.org/10.1074/jbc.M110.187377>.
- He, C; Ryan, AJ; Murthy, S; Carter, A. (2013). Leflunomide Treatment Protects Mice From Developing Asbestos-Induced Pulmonary Fibrosis. *Am J Respir Crit Care Med* 187.
- Head, K. (2001). Protecting your patients after asbestos exposure [Editorial]. *Altern Med Rev* 6: 448-449.
- Health, ADo. (2012). Health Consultation: Review of Vermiculite Findings and Community Investigation, Former W. R. Grace Facility (a/k/a North Little Rock Auto Salvage), 600 Dixie Lane, North Little Rock, Pulaski County, AR 72114. EPA Facility ID: ARN000607042. 40.
- Health and Safety Agency for Northern Ireland, BG. (1992). Asbestos: Worker protection and further prohibitions - Proposals for Regulations and guidance (pp. 5-9). (CIS/93/00256). Health and Safety Commission.
- Health, MDoC. (2005). Health Consultation: Response to Public Comments, W.R. Grace Dearborn Plant (a/k/a Zonolite Company/WR Grace), City of Dearborn, Wayne County, Michigan. 52.
- Health, PDo. (1996). Public Health Assessment for East Tenth Street (FMC Corporation-Marcus Hook Plant), Marcus Hook, Delaware County, Pennsylvania, Region 3. CERCLIS No. PAD987323458 (pp. 86). (NTIS/02985346_3).
- Health, TMDo. (2012). Health Consultation: Residual Soil and Indoor Asbestos Assessment, Western Mineral Products Site, Minneapolis, Hennepin County, Minnesota. EPA Facility ID: MNN000508056, January 18, 2012. 24.
- Hedenborg, M; Klockars, M. (1987). Production of reactive oxygen metabolites induced by asbestos fibres in human polymorphonuclear leucocytes. *J Clin Pathol* 40: 1189-1193.
- Hedenborg, M; Sorsa, T; Lauhio, A; Klockars, M. (1990). Asbestos fibers induce release of collagenase by human polymorphonuclear leukocytes. *Immunol Lett* 26: 25-29.
- Hedenstierna, G; Alexandersson, R; Kolmodin-Hedman, B; Szamosi, A; Tollqvist, J. (1981). Pleural plaques and lung function in construction workers exposed to asbestos. *Eur J Respir Dis* 62: 111-122.
- Heederik, D; Lenters, V; Vermeulen, R. (2013). Reply: Response to the letter by Drs Berman and Case [Letter]. *Ann Occup Hyg* 57: 675-677. <http://dx.doi.org/10.1093/annhyg/met017>.
- Heederik, D; Pouwels, H; Kromhout, H; Kromhout, D. (1989). Chronic non-specific lung disease and occupational exposures estimated by means of a job exposure matrix: the Zutphen Study. *Int J Epidemiol* 18: 382-389.
- Heese, B. (1979). [Chemically induced occupational cancers]. *Fortschr Med* 97: 837-838, 855.
- Hefner, RE; Gehring, PJ. (1975). A comparison of the relative rates of hemolysis induced by various fibrogenic and non-fibrogenic particles with washed rat erythrocytes in vitro. *Am Ind Hyg Assoc J* 36: 734-740. <http://dx.doi.org/10.1080/0002889758507332>.
- Hei, TK. (1989). ONCOGENIC TRANSFORMATION BY ASBESTOS FIBERS AND RADON SIMULATED ALPHA PARTICLES (pp. SECAUCUS). (BIOSIS/90/02049). Hei, TK.
- Hei, TK. (2006). Mechanisms Of Fiber Carcinogenesis: From Mitochondrial Damage To Silencing Of The Bigh3 Gene. *Toxicol Sci* 90: 71-72.
- Hei, TK; Geard, CR; Osmak, RS; Travisano, M. (1985). Correlation of in vitro genotoxicity and oncogenicity induced by radiation and asbestos fibres. *Br J Cancer* 52: 591-597.
- Hei, TK; Hall, EJ. (1986). Effects of asbestos fibers on radiation induced in-vitro oncogenic transformation. 49: 530.
- Hei, TK; Hall, EJ; Osmak, RS. (1984). Asbestos, Radiation And Oncogenic Transformation. *Br J Cancer* 50: 717-720.
- Hei, TK; He, ZY. (1993). Antioxidant enzymes and fiber mutagenesis. 34: 119.
- Hei, TK; He, ZY; Suzuki, K. (1995). EFFECTS OF ANTIOXIDANTS ON FIBER MUTAGENESIS. *Carcinogenesis* 16: 1573-1578.
- Hei, TK; Okayasu, R; Suzuki, K. (1995). MUTAGENIC POTENTIAL OF TREMOLITE AND ERIONITE FIBERS CELLULAR AND MOLECULAR ANALYSIS (pp. 18-22). (BIOSIS/95/12555). Hei, TK; Okayasu, R; Suzuki, K.
- Hei, TK; Piao, CQ. (1996). NEOPLASTIC TRANSFORMATION OF HUMAN BRONCHOEPITHELIAL CELLS BY ASBESTOS FIBERS (pp. 20-24). (BIOSIS/96/18847). Hei, TK; Piao, CQ.
- Hei, TK; Piao, CQ; He, ZY. (1991). Radiation and Asbestos Fibers: Interaction and Mechanisms. 2: 169-182.
- Hei, TK; Piao, CQ; He, ZY; Vannais, D; Waldren, CA. (1992). Chrysotile fiber is a strong mutagen in mammalian cells. *Cancer Res* 52: 6305-6309.
- Hei, TK; Waldren, CA. (1990). Mutation induction by radiation and asbestos fibers. 31: 99.
- Hei, TK; Waldren, CA. (1991). Mutagenicity of asbestos fibers cellular and molecular characterization. 32: 103.
- Hei, TK; Wu, L; Piao, CQ. (1997). Malignant transformation of immortalized human bronchial epithelial cells by asbestos fibers. *Environ Health Perspect* 105 Suppl 5: 1085-1088.
- Hei, TK; Xu, A; Huang, SX; Zhao, Y. (2006). Mechanism of fiber carcinogenesis: From reactive radical species to silencing of the beta igH3 gene. *Inhal Toxicol* 18: 985-990. <http://dx.doi.org/10.1080/08958370600835310>.
- Hei, TK; Xu, A; Louie, D; Zhao, YL. (2000). Genotoxicity Versus Carcinogenicity: Implications from Fiber Toxicity Studies. *Inhal Toxicol* 12 Suppl 3: 141-147. <http://dx.doi.org/10.1080/08958378.2000.11463207>.
- Heikkila, P; Savela, A; Vuorela, R; Partanen, T. (1988). Employees Exposed to Carcinogens in Finland in 1986. (NIOSH/00193363). Heikkila, P; Savela, A; Vuorela, R; Partanen, T.
- Hein, MJ; Stayner, LT; Lehman, E; Dement, JM. (2007). Follow-up study of chrysotile textile workers: Cohort mortality and exposure-response. *Occup Environ Med* 64: 616-625. <http://dx.doi.org/10.1136/oem.2006.031005>.

Human Health Hazard Literature Search Results

On Topic

- Heine, F; Krickau, G. (1973). [Calcified pleural plaques]. *Prax Pneumol* 27: 11-22.
- Heineman, EF; Bernstein, L; Stark, AD; Spirtas, R. (1996). Mesothelioma, asbestos, and reported history of cancer in first-degree relatives. *Cancer* 77: 549-554. [http://dx.doi.org/10.1002/\(SICI\)1097-0142\(19960201\)77:3<549::AID-CNCR18>3.0.CO;2-4](http://dx.doi.org/10.1002/(SICI)1097-0142(19960201)77:3<549::AID-CNCR18>3.0.CO;2-4).
- Heineman, EF; Olsen, JH; Potters, LM; Gomez, M; Raffin, E; Blair, A. (1992). Occupational risk factors for multiple myeloma among Danish men. *Cancer Causes Control* 3: 555-568. <http://dx.doi.org/10.1007/BF00052753>.
- Heintz, NH; Janssen, YM; Mossman, BT. (1993). PERSISTENT INDUCTION OF C-FOS AND C-JUN EXPRESSION BY ASBESTOS. *Proc Natl Acad Sci USA* 90: 3299-3303. <http://dx.doi.org/10.1073/pnas.90.8.3299>.
- Heintz, NH; Janssen-Heininger, YM; Mossman, BT. (2010). Asbestos, lung cancers, and mesotheliomas: from molecular approaches to targeting tumor survival pathways [Review]. *Am J Respir Cell Mol Biol* 42: 133-139. <http://dx.doi.org/10.1165/rcmb.2009-0206TR>.
- Heldaas, SS; Langard, S; Andersen, A. (1989). Incidence of cancer in a cohort of magnesium production workers. *Occup Environ Med* 46: 617-623.
- Helland, Å; Solberg, S; Brustugun, OT. (2012). Incidence and survival of malignant pleural mesothelioma in Norway: a population-based study of 1686 cases. *J Thorac Oncol* 7: 1858-1861. <http://dx.doi.org/10.1097/JTO.0b013e318275b346>.
- Heller, D; Gordon, R; Clement, P; Turnnir, R; Katz, N. (1999). Presence of asbestos in peritoneal malignant mesotheliomas in women. *Int J Gynecol Cancer* 9: 452-455. <http://dx.doi.org/10.1046/j.1525-1438.1999.99060.x>.
- Heller, D; Gordon, R; Katz, N. (1999). Correlation of asbestos fiber burdens in fallopian tubes and ovarian tissue. *Am J Obstet Gynecol* 181: 346-347.
- Heller, D; Gordon, R; Westhoff, C; Gerber, S. (1996). Asbestos exposure and ovarian fiber burden. *Am J Ind Med* 29: 435-439. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199605\)29:5<435::AID-AJIM1>3.0.CO;2-L](http://dx.doi.org/10.1002/(SICI)1097-0274(199605)29:5<435::AID-AJIM1>3.0.CO;2-L).
- Heller, DS; Gordon, RE; Turnnir, R; Clement, PB. (1998). Presence of asbestos in peritoneal mesotheliomas. 78: 104A.
- Hellman, A. (1983). Health Effects of Occupational Exposure to Asbestos. (NIOSH/00192337). Hellman, A.
- Helmig, S; Aliahmadi, N; Schneider, J. (2010). Tumour necrosis factor-alpha gene polymorphisms in asbestos-induced diseases. *Biomarkers* 15: 400-409. <http://dx.doi.org/10.3109/1354750X.2010.481365>.
- Helmig, S; Belwe, A; Schneider, J. (2009). Association of transforming growth factor beta1 gene polymorphisms and asbestos-induced fibrosis and tumors. *J Investig Med* 57: 655-661. <http://dx.doi.org/10.231/JIM.0b013e3181a4f32a>.
- Helmig, S; Dopp, E; Wenzel, S; Walter, D; Schneider, J. (2014). Induction of altered mRNA expression profiles caused by fibrous and granular dust. *Mol Med Rep* 9: 217-228. <http://dx.doi.org/10.3892/mmr.2013.1765>.
- Hemminki, K; Li, X. (2003). Mesothelioma incidence seems to have leveled off in Sweden [Letter]. *Int J Cancer* 103: 145-146. <http://dx.doi.org/10.1002/ijc.10806>.
- Hemminki, K; Li, X. (2003). Time trends and occupational risk factors for pleural mesothelioma in Sweden. *J Occup Environ Med* 45: 456-461. <http://dx.doi.org/10.1097/01.jom.0000058341.05741.7e>.
- Hemminki, K; Li, XJ. (2003). Time, trends and occupational risk factors for peritoneal mesothelioma in Sweden. *J Occup Environ Med* 45: 451-455. <http://dx.doi.org/10.1097/01.jom.0000052960.59271.d4>.
- Hemminki, K; Partanen, R; Koskinen, H; Smith, S; Carney, W; Brandt-Rauf, PW. (1996). The Molecular Epidemiology of Oncoproteins. Serum p53 Protein in Patients with Asbestosis. *Chest* 109: ENVIRONMENTAL LUNG DISEASE IN EXPOSURES AND MECHANISMS.
- Hemminki, K; Pershagen, G. (1994). Cancer risk of air pollution: epidemiological evidence. *Environ Health Perspect* 102: 187-192. <http://dx.doi.org/10.2307/3431951>.
- Hemminki, K; Vainio, H. (1984). Human Exposure To Potentially Carcinogenic Compounds (pp. 12-15). (NIOSH/00159174). Hemminki, K; Vainio, H.
- Henderson, DW. (1982). Asbestos-related pleuropulmonary diseases: asbestosis, mesothelioma and lung cancer. *Pathology* 14: 239-243.
- Henderson, DW; Attwood, HD; Constance, TJ; Shilkin, KB; Steele, RH. (1988). Lymphohistiocytoid mesothelioma: a rare lymphomatoid variant of predominantly sarcomatoid mesothelioma [Review]. *Ultrastruct Pathol* 12: 367-384.
- Henderson, DW; Rödelsperger, K; Woitowitz, HJ; Leigh, J. (2004). After Helsinki: a multidisciplinary review of the relationship between asbestos exposure and lung cancer, with emphasis on studies published during 1997-2004 [Review]. *Pathology* 36: 517-550. <http://dx.doi.org/10.1080/00313020400010955>.
- Henderson, DW; Shilkin, KB; Langlois, SLP; Whitaker, D. (1992). Malignant mesothelioma. (CIS/93/00847). Henderson, DW; Shilkin, KB; Langlois, SLP; Whitaker, D.
- Henderson, VL; Enterline, PE. (1979). Asbestos exposure: Factors associated with excess cancer and respiratory disease mortality. *Ann N Y Acad Sci* 330: 117-126. <http://dx.doi.org/10.1111/j.1749-6632.1979.tb18712.x>.
- Henderson, WJ; Evans, DM; Davies, JD; Griffiths, K. (1975). Analysis of particles in stomach tumours from Japanese males. *Environ Res* 9: 240-249.
- Hendrick, DJ. (1996). OCCUPATION AND CHRONIC OBSTRUCTIVE PULMONARY DISEASE COPD. *Thorax* 51: 947-955.
- Henley, SJ; Larson, TC; Wu, M; Antao, VC; Lewis, M; Pinheiro, GA; Ehemann, C. (2013). Mesothelioma incidence in 50 states and the District of Columbia, United States, 2003-2008. *Int J Occup Environ Health* 19: 1-10. <http://dx.doi.org/10.1179/2049396712Y.0000000016>.
- Henneberger, PK; Stanbury, MJ. (1992). Patterns of asbestosis in New Jersey. *Am J Ind Med* 21: 689-697.
- Henzi, T; Blum, WV; Pfefferli, M; Kawecki, TJ; Salicio, V; Schwaller, B. (2009). SV40-induced expression of calretinin protects mesothelial cells from asbestos cytotoxicity and may be a key factor contributing to mesothelioma pathogenesis. *Am J Pathol* 174: 2324-2336. <http://dx.doi.org/10.2353/ajpath.2009.080352>.
- Heppleston, AG. (1974). Correlation between the tissue response and asbestos fiber content. *Environ Health Perspect* 9: 295-296.
- Heppleston, AG. (1979). Silica and asbestos: contrasts in tissue response [Review]. *Ann N Y Acad Sci* 330: 725-744.

Human Health Hazard Literature Search Results

On Topic

- Heppleston, AG. (1984). Pulmonary toxicology of silica, coal and asbestos [Review]. *Environ Health Perspect* 55: 111-127.
- Heppleston, AG. (1991). CURRENT STATUS REVIEW - THE ROLE OF SURFACTANT IN THE PULMONARY REACTION TO MINERAL PARTICLES. *Int J Exp Pathol* 72: 599-616.
- Heppleston, AG. (1991). MINERALS, FIBROSIS, AND THE LUNG. *Environ Health Perspect* 94: 149-168.
- Heppleston, AG. (1991). The Role of Surfactant in the Pulmonary Reaction to Mineral Particles. *Int J Exp Pathol* 72: 599-616.
- Heppleston, AG. (1994). Pathogenesis of Mineral Pneumoconioses (pp. 100-134). (NIOSH/00228536). Heppleston, AG.
- Herbert, A; Sterling, GM. (1980). LUNG EN CUIRASSE HISTO PATHOLOGY OF RESTRICTIVE PLEURISY WITH ASBESTOS EXPOSURE (pp. 3-4). (ISSN 0040-6376 EISSN 1468-3296 HEEP/81/09097). Herbert, A; Sterling, GM.
- Hercberg, S; Galan, P; Preziosi, P; Alvarez, MJ; Vazquez, C. (1998). The potential role of antioxidant vitamins in preventing cardiovascular diseases and cancers. *Nutrition* 14: 513-520. [http://dx.doi.org/10.1016/S0899-9007\(98\)00040-9](http://dx.doi.org/10.1016/S0899-9007(98)00040-9).
- Hering, KG; Raithehl, HJ; Wiebe, V. (1993). [Computed tomography of the pleura and the parenchyma in workers exposed to asbestos] [Review]. *Rontgenpraxis* 46: 1-6.
- Hering, KG; Wiebe, V. (1990). RADIOLOGICAL DIAGNOSIS OF PNEUMOCONIOSIS. *Radiologe* 30: 574-580.
- Hernández-Solís, A; Garcia-Hernández, C; Reding-Bernal, A; Cruz-Ortiz, H; Cicero-Sabido, R. (2013). [Malignant mesothelioma risk factors: experience in the General Hospital of Mexico]. *Cir Cir* 81: 312-316.
- Hernberg, S. (1988). Recent Epidemiologic Studies of Occupational Cancer in Finland (pp. 14-16). (ISSN 0355-3140 EISSN 1795-990X NIOSH/00181581). Hernberg, S.
- Herrick, RF; Elliott, LJ. (1986). THE USE OF INDUSTRIAL HYGIENE DATA IN OCCUPATIONAL EPIDEMIOLOGY (pp. CHELSEA). (BIOSIS/87/17994). Herrick, RF; Elliott, LJ.
- Hervin, RL; Rivera, R; Flesch, JP. (1973). Health Hazard Evaluation Report HHE-72-91-37, Mobil Oil Corporation, Augusta, Kansas (pp. 72-91). (NIOSH/00027254). Hervin, RL; Rivera, R; Flesch, JP.
- Herzog, E; Byrne, HJ; Casey, A; Davoren, M; Lenz, AG; Maier, KL; Duschl, A; Oostingh, GJ. (2009). SWCNT suppress inflammatory mediator responses in human lung epithelium in vitro. *Toxicol Appl Pharmacol* 234: 378-390. <http://dx.doi.org/10.1016/j.taap.2008.10.015>.
- Herzog, E; Byrne, HJ; Davoren, M; Casey, A; Duschl, A; Oostingh, GJ. (2009). Dispersion medium modulates oxidative stress response of human lung epithelial cells upon exposure to carbon nanomaterial samples. *Toxicol Appl Pharmacol* 236: 276-281. <http://dx.doi.org/10.1016/j.taap.2009.02.007>.
- Hessel, PA. (2009). Inaccuracies in article on mesothelioma in brake workers [Letter]. *Int J Occup Environ Health* 15: 232-234; author reply 234-238. <http://dx.doi.org/10.1179/oeht.2009.15.2.232>.
- Hessel, PA; Gamble, JF; McDonald, JC. (2005). Asbestos, asbestosis, and lung cancer: a critical assessment of the epidemiological evidence [Review]. *Thorax* 60: 433-436. <http://dx.doi.org/10.1136/thx.2004.037267>.
- Hessel, PA; Melenka, LS; Michaelchuk, D; Herbert, FA; Cowie, RL. (1998). Lung health among boilermakers in Edmonton, Alberta. *Am J Ind Med* 34: 381-386. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199810\)34:4<381::AID-AJIM12>3.0.CO;2-Z](http://dx.doi.org/10.1002/(SICI)1097-0274(199810)34:4<381::AID-AJIM12>3.0.CO;2-Z).
- Hessel, PA; Melenka, LS; Michaelchuk, D; Herbert, FA; Cowie, RL. (1998). Lung health among plumbers and pipefitters in Edmonton, Alberta. *Occup Environ Med* 55: 678-683. <http://dx.doi.org/10.1136/oem.55.10.678>.
- Hessel, PA; Sluis-Cremer, GK. (1989). X-ray findings, lung function, and respiratory symptoms in black South African vermiculite workers. *Am J Ind Med* 15: 21-30.
- Hessel, PA; Teta, MJ; Goodman, M; Lau, E. (2004). Mesothelioma among brake mechanics: an expanded analysis of a case-control study. *Risk Anal* 24: 547-552. <http://dx.doi.org/10.1111/j.0272-4332.2004.00458.x>.
- Hesterberg; Miiller; Musselman; Kamstrup; Hamilton; Thevenaz. (1996). Biopersistence of Man-Made Vitreous Fibers and Crocidolite Asbestos in the Rat Lung Following Inhalation. *Fundam Appl Toxicol* 29: 267-279.
- Hesterberg, T; Barrett, J. (1985). Induction by asbestos fibers of anaphase abnormalities: mechanism for aneuploidy induction and possibly carcinogenesis. *Carcinogenesis* 6: 473-475.
- Hesterberg, T; Hart, G; Chevalier, J; Miiller, W; Hamilton, R; Bauer, J; Thevenaz, P. (1998). The importance of fiber biopersistence and lung dose in determining the chronic inhalation effects of X607, RCF1, and chrysotile asbestos in rats. *Toxicol Appl Pharmacol* 153: 68-82. <http://dx.doi.org/10.1006/taap.1998.8522>.
- Hesterberg, TW; Anderson, R; Bernstein, DM; Bunn, WB; Chase, GA; Jankousky, AL; Marsh, GM; McClellan, RO. (2012). Product stewardship and science: Safe manufacture and use of fiber glass. *Regul Toxicol Pharmacol* 62: 257-277. <http://dx.doi.org/10.1016/j.yrtph.2012.01.002>.
- Hesterberg, TW; Axten, C; Mcconnell, EE; Hart, GA; Miiller, W; Chevalier, J; Everitt, J; Thevenaz, P; Oberdörster, G. (1999). Studies on the inhalation toxicology of two fiberglasses and amosite asbestos in the syrian golden hamster. Part I. Results of a subchronic study and dose selection for a chronic study. *Inhal Toxicol* 11: 747-784. <http://dx.doi.org/10.1080/089583799196745>.
- Hesterberg, TW; Axten, C; Mcconnell, EE; Oberdörster, G; Everitt, J; Miiller, WC; Chevalier, J; Chase, GR; Thevenaz, P. (1997). Chronic inhalation study of fiber glass and amosite asbestos in hamsters: twelve-month preliminary results. *Environ Health Perspect* 105 Suppl 5: 1223-1229.
- Hesterberg, TW; Barrett, JC. (1984). Dependence of asbestos- and mineral dust-induced transformation of mammalian cells in culture on fiber dimension. *Cancer Res* 44: 2170-2180.
- Hesterberg, TW; Butterick, CJ; Oshimura, M; Brody, AR; Barrett, JC. (1986). Role of phagocytosis in Syrian hamster cell transformation and cytogenetic effects induced by asbestos and short and long glass fibers. *Cancer Res* 46: 5795-5802.
- Hesterberg, TW; Chase, G; Axten, C; Miller, WC; Musselman, RP; Kamstrup, O; Hadley, J; Morscheidt, C; Bernstein, DM; Thevenaz, P. (1998). Biopersistence of synthetic vitreous fibers and amosite asbestos in the rat lung following inhalation. *Toxicol Appl Pharmacol* 151: 262-275. <http://dx.doi.org/10.1006/taap.1998.8472>.

Human Health Hazard Literature Search Results

On Topic

- Hesterberg, TW; Cummings, T; Brody, AR; Barrett, JC. (1982). ASBESTOS INDUCES MORPHOLOGICAL TRANSFORMATION IN SYRIAN-HAMSTER EMBRYO CELLS IN CULTURE. *J Cell Biol* 95: A449-A449.
- Hesterberg, TW; Evrenidis, B; Barrett, JC; Nettesheim, P. (1984). TRANSFORMATION OF RAT TRACHEAL EPITHELIAL-CELLS BY ASBESTOS AND OTHER MINERAL DUSTS. *Proc Am Assoc Cancer Res* 25: 137-137.
- Hesterberg, TW; Hart, GA. (2000). Lung Biopersistence and in Vitro Dissolution Rate Predict the Pathogenic Potential of Synthetic Vitreous Fibers. *Inhal Toxicol* 12 Suppl 3: 91-97. <http://dx.doi.org/10.1080/08958378.2000.11463234>.
- Hesterberg, TW; Hart, GA; Bunn, WB. (1993). In Vitro Toxicology of Fibers: Mechanistic Studies and Possible Use for Screening Assays (pp. 139-170). (Niosh/00227932). Hesterberg, TW; Hart, GA; Bunn, WB.
- Hesterberg, TW; Kodama, Y; Maness, SC; Boreiko, CJ. (1988). CYTOTOXIC AND CYTOGENETIC EFFECTS OF ASBESTOS TO HUMAN BRONCHIAL EPITHELIAL CELLS AND HUMAN MESOTHELIAL CELLS IN CULTURE (pp. 25-28). (ISSN 0569-2261 BIOSIS/88/23736). Hesterberg, TW; Kodama, Y; Maness, SC; Boreiko, CJ.
- Hesterberg, TW; Mcconnell, EE; Miller, WC; Hamilton, R; Bunn, WB. (1992). PULMONARY TOXICITY OF INHALED POLYPROPYLENE FIBERS IN RATS. *Fundam Appl Toxicol* 19: 358-366.
- Hesterberg, TW; Miiller, WC; Mast, R; Mcconnell, EE; Bernstein, DM; Anderson, R. (1994). Relationship between Lung Biopersistence and Biological Effects of Man-Made Vitreous Fibers after Chronic Inhalation in Rats. *Environ Health Perspect* 102: 133-137.
- Hesterberg, TW; Miiller, WC; Thevenaz, P; Anderson, R. (1995). Chronic inhalation studies of man-made vitreous fibres: characterization of fibres in the exposure aerosol and lungs. *Ann Occup Hyg* 39: 637-653.
- Hesterberg, TW; Miller, WC; Mcconnell, EE; Chevalier, J; Hadley, JG; Bernstein, DM; Thevenaz, P; Anderson, R. (1993). Chronic inhalation toxicity of size-separated glass fibers in Fischer 344 rats. *Fundam Appl Toxicol* 20: 464-476.
- Hesterberg, TW; Oshimura, M; Barrett, JC. (1985). Asbestos induces anaphase abnormalities in mammalian cells in culture at doses which induce cell transformation and aneuploidy. 7.
- Hesterberg, TW; Oshimura, M; Barrett, JC. (1985). ASBESTOS INDUCES ANAPHASE ABNORMALITIES IN MAMMALIAN-CELLS IN CULTURE AT DOSES WHICH INDUCE CELL-TRANSFORMATION AND HETEROPLIIDY. *Environ Mutagen* 7: 88-89.
- Hesterberg, TW; Oshimura, M; Barrett, JC. (1985). Transformation of mammalian cells in culture by asbestos and other mineral dusts: a mechanism involving chromosomal mutation, in: in vitro effects of mineral dusts. 3: 185-196.
- Hesterberg, TW; Oshimura, M; Brody, AR; Barrett, JC. (1986). Asbestos and Silica Induce Morphological Transformation of Mammalian Cells in Culture: A Possible Mechanism. 2: 177-190.
- Hesterberg, TW; Ririe, DG; Barrett, JC; Nettesheim, P. (1987). Mechanisms of cytotoxicity of asbestos fibres in rat tracheal epithelial cells in culture. *Toxicol In Vitro* 1: 59-65. [http://dx.doi.org/10.1016/0887-2333\(87\)90001-4](http://dx.doi.org/10.1016/0887-2333(87)90001-4).
- Hesterberg, TW; Tsutsui, T; Barrett, JC. (1983). NEOPLASTIC TRANSFORMATION OF SYRIAN-HAMSTER EMBRYO (SHE) CELLS BY ASBESTOS AND FIBERGLASS - THE IMPORTANCE OF FIBER DIMENSION. *Proc Am Assoc Cancer Res* 24: 96-96.
- Hevel, JM; Olson-Buelow, LC; Ganesan, B; Stevens, JR; Hardman, JP; Aust, AE. (2008). Novel functional view of the crocidolite asbestos-treated A549 human lung epithelial transcriptome reveals an intricate network of pathways with opposing functions. *BMC Genomics* 9: 376. <http://dx.doi.org/10.1186/1471-2164-9-376>.
- Hext, PM; Hunt, J; Dodgson, KS; Richards, RJ. (1977). The effects of long-term exposure of lung fibroblast strains to chrysotile asbestos. *Br J Exp Pathol* 58: 160-167.
- Hext, PM; Richards, RJ. (1976). Biochemical effects of asbestiform minerals on lung fibroblast cultures. *Br J Exp Pathol* 57: 281-285.
- Hey, A; Robinson B, WS; Rose, A; Musk, AW. (1986). NEUTROPHIL CHEMOTACTIC FACTOR IS SPONTANEOUSLY RELEASED BY ALVEOLAR MACROPHAGES IN PATIENTS WITH ASBESTOSIS (pp. 11-14). (BIOSIS/86/27988). Hey, A; Robinson B, WS; Rose, A; Musk, AW.
- Hey, A; Robinson, BWS; Rose, AH; Musk, AW. (1986). ASBESTOS-INDUCED RELEASE OF A HUMAN ALVEOLAR MACROPHAGE-DERIVED NEUTROPHIL CHEMOTACTIC FACTOR. *Aust N Z J Med* 16: 628-628.
- Heyer, CM; Theile, A; Weisser, H; Reichert, J; Horch, C; Mueller, KM; Bauer, TT. (2006). Subarachnoid-pleural fistula as a complication of malignant pleural mesothelioma. *Respirology* 11: 502-505. <http://dx.doi.org/10.1111/j.1440-1843.2006.00879.x>.
- Heyer, RA; Epstein, P; Metzger, LMF; Fogarty, CM; Murphy, DMF. (1978). ABNORMALITIES OF VOLUME OF ISOFLOW IN NONSMOKING ASBESTOS-TALC WORKERS. *Am Rev Respir Dis* 117: 241-241.
- HHS (U.S. Department of Health and Human Services). (1991). Work-related lung disease surveillance report. (DHHS (NIOSH) Publication No. 91-113). Atlanta, GA: National Institute for Occupational Safety and Health (NIOSH).
- Hicks, J. (2006). Biologic, cytogenetic, and molecular factors in mesothelial proliferations [Review]. *Ultrastruct Pathol* 30: 19-30. <http://dx.doi.org/10.1080/01913120500313168>.
- Hida, T; Hamasaki, M; Matsumoto, S; Abe, S; Takakura, K; Hiroshima, K; Nabeshima, K. (2015). Diffuse intrapulmonary malignant mesothelioma presenting with miliary pulmonary nodules: A case report. *Pathol Int* 65: 318-323. <http://dx.doi.org/10.1111/pin.12282>.
- Hiett, DM. (1978). Experimental asbestosis: an investigation of functional and pathological disturbances. I. Methods, control animals and exposure conditions. *Br J Ind Med* 35: 129-134.
- Hiett, DM. (1978). Experimental asbestosis: an investigation of functional and pathological disturbances. II. Results for chrysotile and amosite exposures. *Br J Ind Med* 35: 135-145.
- Higgins, I. (1989). Relative risk of mesothelioma among railroad machinists exposed to chrysotile [Letter]. *Am J Ind Med* 15: 483-486.
- Higgins, ITT. (1981). ASBESTOS IN DRINKING-WATER AND CANCER INCIDENCE IN THE SAN-FRANCISCO BAY AREA. *Am J Epidemiol* 114: 161-162.
- Higginson, J. (1969). PRESENT TRENDS IN CANCER EPIDEMIOLOGY (pp. 40-75). (EPIDEM/003530). Higginson, J.
- Higginson, J. (1980). Proportion of Cancers Due to Occupation. *Prev Med* 9: 180-188.
- Higginson, J. (1985). Enhancement and Promotion in Respiratory Cancer. *Carcinog Compr Surv* 1: 437-442.

Human Health Hazard Literature Search Results

On Topic

- Higginson, J; MacLennan, R; Muir, CS. (1974). AETIOLOGICAL FACTORS IN HUMAN CANCER.
- Highland, J. (1983). USE OF IN-VIVO CARCINOGENESIS BIOASSAY DATA IN THE DEVELOPMENT OF POLICIES AIMED AT PROTECTING PUBLIC HEALTH (pp. BASEL). (HEEP/84/04137). Highland, J.
- Hilbert, TJ; Franzblau, A; Dunning, KK; Borton, EK; Rohs, AM; Lockey, JE. (2013). Asbestos-related radiographic findings among household contacts of workers exposed to Libby vermiculite: impact of workers' personal hygiene practices. *J Occup Environ Med* 55: 1300-1304. <http://dx.doi.org/10.1097/JOM.0b013e31829fcf1a>.
- Hilding, AC; Hilding, DA; Larson, DM; Aufderheide, AC. (1981). Biological Effects of Ingested Amosite Asbestos, Taconite Tailings, Diatomaceous Earth and Lake Superior Water in Rats. *Arch Environ Health* 36: 298-303.
- Hill, GD; Mangum, JB; Moss, OR; Everitt, JI. (2003). Soluble ICAM-1, MCP-1, and MIP-2 protein secretion by rat pleural mesothelial cells following exposure to amosite asbestos. *Exp Lung Res* 29: 277-290. <http://dx.doi.org/10.1080/01902140390196654>.
- Hill, IM; Beswick, PH; Donaldson, K. (1995). Differential release of superoxide anions by macrophages treated with long and short fibre amosite asbestos is a consequence of differential affinity for opsonin. *Occup Environ Med* 52: 92-96.
- Hill, IM; Beswick, PH; Donaldson, K. (1996). Enhancement of the macrophage oxidative burst by immunoglobulin coating of respirable fibers: fiber-specific differences between asbestos and man-made fibers. *Exp Lung Res* 22: 133-148. <http://dx.doi.org/10.3109/01902149609050843>.
- Hill, JW. (1977). Health aspects of man-made mineral fibres A review [Review]. *Ann Occup Hyg* 20: 161-173.
- Hill, JW. (1979). Man-Made Mineral Fibres An Evaluation of Current Knowledge (pp. 86-100). (NIOSH/00178195). Hill, JW.
- Hill, RB. (1987). The pathology of environments. *Hum Pathol* 18: 882-885.
- Hillegass, JM; Miller, JM; Macpherson, MB; Westbom, CM; Sayan, M; Thompson, JK; Macura, SL; Perkins, TN; Beuschel, SL; Alexeeva, V; Pass, HI; Steele, C; Mossman, BT; Shukla, A. (2013). Asbestos and erionite prime and activate the NLRP3 inflammasome that stimulates autocrine cytokine release in human mesothelial cells. *Part Fibre Toxicol* 10: 39. <http://dx.doi.org/10.1186/1743-8977-10-39>.
- Hillegass, JM; Shukla, A; Lathrop, SA; Macpherson, MB; Beuschel, SL; Butnor, KJ; Testa, J. R.; Pass, HI; Carbone, M; Steele, C; Mossman, BT. (2010). Inflammation precedes the development of human malignant mesotheliomas in a SCID mouse xenograft model. *Ann N Y Acad Sci* 1203: 7-14. <http://dx.doi.org/10.1111/j.1749-6632.2010.05554.x>.
- Hillegass, JM; Shukla, A; Macpherson, MB; Bond, JP; Steele, C; Mossman, BT. (2010). Utilization of gene profiling and proteomics to determine mineral pathogenicity in a human mesothelial cell line (LP9/TERT-1). *J Toxicol Environ Health A* 73: 423-436. <http://dx.doi.org/10.1080/15287390903486568>.
- Hillegass, JM; Shukla, A; Macpherson, MB; Lathrop, SA; Alexeeva, V; Perkins, TN; van Der Vliet, A; Vacek, PM; Gunter, ME; Mossman, BT. (2010). Mechanisms of oxidative stress and alterations in gene expression by Libby six-mix in human mesothelial cells. *Part Fibre Toxicol* 7: 26. <http://dx.doi.org/10.1186/1743-8977-7-26>.
- Hiller, FC. (1986). OCCUPATIONAL LUNG DISEASE (pp. PHILADELPHIA). (BIOSIS/87/26576). Hiller, FC.
- Hiller, U; Lange, H; Ramsch, R; Hiller, M. (1983). MALIGNANT-TUMORS OF THE GASTROINTESTINAL-TRACT IN PATIENTS WITH ASBESTOS-INDUCED PLEURAL HYALINOSIS. *Dtsch Gesundheitswesen* 38: 1098-1102.
- Hillerdal, G. (1978). Pleural plaques in a health survey material. Frequency, development and exposure to asbestos. *Scand J Respir Dis* 59: 257-263.
- Hillerdal, G. (1980). Gastrointestinal carcinoma and occurrence of pleural plaques on pulmonary X-ray. *J Occup Med* 22: 806-809.
- Hillerdal, G. (1980). The pathogenesis of pleural plaques and pulmonary asbestosis: possibilities and impossibilities [Review]. *Eur J Respir Dis* 61: 129-138.
- Hillerdal, G. (1980). Pleural plaques and risk for cancer in the County of Uppsala. *Eur J Respir Dis Suppl* 107: 111-117.
- Hillerdal, G. (1980). SECULAR CHANGES IN LUNG CANCER ETIOLOGY OCCUPATION PLEURAL PLAQUES AND SMOKING 1964-1979 (pp. 26-31). (HEEP/81/07885). Hillerdal, G.
- Hillerdal, G. (1981). Lung cancer: is the etiology changing? *Cancer Detect Prev* 4: 319-325.
- Hillerdal, G. (1981). Non-malignant asbestos pleural disease. *Thorax* 36: 669-675.
- Hillerdal, G. (1982). Asbestos exposure and upper lobe involvement. *AJR Am J Roentgenol* 139: 1163-1166. <http://dx.doi.org/10.2214/ajr.139.6.1163>.
- Hillerdal, G. (1982). ASBESTOS RELATED CHEST X-RAY CHANGES AND DISEASES IN THE COUNTY OF UPPSALA SWEDEN (pp. 24-26). (ISSN 0004-069X EISSN 1661-4917 HEEP/84/05404). Hillerdal, G.
- Hillerdal, G. (1983). Malignant mesothelioma 1982: Review of 4710 published cases [Review]. *Br J Dis Chest* 77: 321-343. [http://dx.doi.org/10.1016/0007-0971\(83\)90068-2](http://dx.doi.org/10.1016/0007-0971(83)90068-2).
- Hillerdal, G. (1983). Pleural plaques in Sweden among immigrants from Finland - with an editorial note. *Eur J Respir Dis* 64: 386-390.
- Hillerdal, G. (1984). Asbestos related pleuropulmonary lesions and the erythrocyte sedimentation rate. *Thorax* 39: 752-758.
- Hillerdal, G. (1984). Pleural changes and exposure to fibrous minerals. *Scand J Work Environ Health* 10: 473-479.
- Hillerdal, G. (1985). Nonmalignant pleural disease related to asbestos exposure. *Clin Chest Med* 6: 141-152.
- Hillerdal, G. (1987). ASBESTOS-RELATED PLEURAL DISEASE (pp. 65-74). (BIOSIS/87/27310). Hillerdal, G.
- Hillerdal, G. (1987). ROUNDED ATELECTASIS CLINICAL EXPERIENCE FROM 74 PATIENTS (pp. 26-30). (BIOSIS/88/05950). Hillerdal, G.
- Hillerdal, G. (1988). PLEURAPLAQUES CANCER RISK OR NOT (pp. 119-121). (BIOSIS/88/18690). Hillerdal, G.
- Hillerdal, G. (1989). Rounded atelectasis. Clinical experience with 74 patients. *Chest* 95: 836-841.
- Hillerdal, G. (1990). Apical Pleuropulmonary Changes in Persons Exposed to Asbestos Experience from 40 Patients (pp. 23-26). (NIOSH/00198668). Hillerdal, G.

Human Health Hazard Literature Search Results

On Topic

- Hillerdal, G. (1990). Pleural and parenchymal fibrosis mainly affecting the upper lung lobes in persons exposed to asbestos. *Respir Med* 84: 129-134. [http://dx.doi.org/10.1016/S0954-6111\(08\)80015-7](http://dx.doi.org/10.1016/S0954-6111(08)80015-7).
- Hillerdal, G. (1991). PLEURAL PLAGUES IN THE GENERAL POPULATION (pp. EXPOSURE TO ASBESTOS IN PLACE: PUBLIC HEALTH CONTROL; CONFERENCE). (BIOSIS/93/34954). Hillerdal, G.
- Hillerdal, G. (1991). Pleural plaques in the general population. *Ann N Y Acad Sci* 643: 430-437. <http://dx.doi.org/10.1111/j.1749-6632.1991.tb24490.x>.
- Hillerdal, G. (1994). Asbestos: Identification of risk groups by radiology. In MA Mehlman; A Upton (Eds.), *Adv Mod Environ Toxicol* (pp. 305-319). Princeton, NJ: Princeton Scientific Publishing.
- Hillerdal, G. (1994). The human evidence: Parenchymal and pleural changes. *Ann Occup Hyg* 38: 561-567. <http://dx.doi.org/10.1093/annhyg/38.4.561>.
- Hillerdal, G. (1994). Pleural plaques and risk for bronchial carcinoma and mesothelioma. A prospective study. *Chest* 105: 144-150.
- Hillerdal, G. (1997). Pleural plaques: Incidence and epidemiology, exposed workers and the general population. *Indoor Built Environ* 6: 86-95.
- Hillerdal, G. (1999). Mesothelioma: Cases associated with non-occupational and low dose exposures [Review]. *Occup Environ Med* 56: 505-513.
- Hillerdal, G. (2000). Environmental dangers: asbestos and tuberculosis [Editorial]. *Respiration* 67: 134.
- Hillerdal, G; Baris, YI. (1983). Radiological study of pleural changes in relation to mesothelioma in Turkey. *Thorax* 38: 443-448.
- Hillerdal, G; Heckscher, T. (1982). Asbestos exposure and aspergillus infection. *Eur J Respir Dis* 63: 420-424.
- Hillerdal, G; Hemmingsson, A. (1980). Pulmonary pseudotumours and asbestos. *Thorax* 31: 615-620.
- Hillerdal, G; Henderson, DW. (1997). Asbestos, asbestosis, pleural plaques and lung cancer [Review]. *Scand J Work Environ Health* 23: 93-103.
- Hillerdal, G; Hillerdal, O. (1979). [Asbestos and pleural plaques]. *Lakartidningen* 76: 3635-3638.
- Hillerdal, G; Karlén, E; Aberg, T. (1983). Tobacco consumption and asbestos exposure in patients with lung cancer: a three year prospective study. *Br J Ind Med* 40: 380-383.
- Hillerdal, G; Lee, J; Blomkvist, A; Rask-Andersen, A; Uddenfeldt, M. (1996). PLEURAL FIBROSIS DUE TO SYNERGISTIC EFFECT OF BROMOCRIPTINE AND ASBESTOS (pp. 7-11). (BIOSIS/97/05343). Hillerdal, G; Lee, J; Blomkvist, A; Rask-Andersen, A; Uddenfeldt, M.
- Hillerdal, G; Lee, J; Blomkvist, A; Rask-Andersen, A; Uddenfeldt, M; Koyi, H; Rasmussen, E. (1997). Pleural disease during treatment with bromocriptine in patients previously exposed to asbestos. *Eur Respir J* 10: 2711-2715.
- Hillerdal, G; Lindgren, A. (1980). Pleural plaques: correlation of autopsy findings to radiographic findings and occupational history. *Eur J Respir Dis* 61: 315-319.
- Hillerdal, G; Lindholm, CE. (1980). Laryngeal cancer and asbestos. *ORL J Otorhinolaryngol Relat Spec* 42: 233-241.
- Hillerdal, G; Malmberg, P; Hemmingsson, A. (1990). Asbestos-related lesions of the pleura: parietal plaques compared to diffuse thickening studied with chest roentgenography, computed tomography, lung function, and gas exchange. *Am J Ind Med* 18: 627-639.
- Hillerdal, G; Musk, AW. (1990). Pleural lesions in crocidolite workers from Western Australia. *Br J Ind Med* 47: 782-783.
- Hillerdal, G; Nõu, E. (1979). Occupation and bronchial carcinoma. *Scand J Respir Dis* 60: 76-82.
- Hillerdal, G; Ozesmi, M. (1987). Benign asbestos pleural effusion: 73 exudates in 60 patients. *Eur J Respir Dis* 71: 113-121.
- Hillerdal, G; Rask-Andersen, A. (2005). Pleuropulmonary lesions, ergotamines and asbestos exposure. *Scand J Work Environ Health* 31: 459-464.
- Hillerdal, G; Zitting, A; van Assendelft, AH; Kuusela, T. (1984). Rarity of mineral fibre pleurisy among persons exposed to Finnish anthophyllite and with low risk of mesothelioma. *Thorax* 39: 608-611.
- Hilliard, AK; Lovett, JK; Mcgavin, CR. (2003). The rise and fall in incidence of malignant mesothelioma from a British Naval Dockyard, 1979-1999. *Occup Med (Lond)* 53: 209-212. <http://dx.doi.org/10.1093/occmed/kqg051>.
- Hilliquin, P; Goldberg, D; Menkes, CJ. (1992). ASBESTOSIS ASSOCIATED WITH PROGRESSIVE SYSTEMIC SCLEROSIS AND POLYMYOSITIS. *Ann Med Interne* 143: 486-488.
- Hills, B; Lushniak, B. (1989). Health Hazard Evaluation Report No. HETA-89-057-2003, Cincinnati Electronics Corp., Cincinnati, Ohio (pp. 89-057). (NIOSH/00194415). Hills, B; Lushniak, B.
- Hills, JP. (1976). Legal decisions and opinions in pollution cases. *Environ Sci Technol* 10: 234-238.
- Hilscher, W. (1973). Contribution to experimentally produced asbestosis in Wistar rat (pp. 3-4). (HEEP/74/01245). Hilscher, W.
- Hilscher, W; Sethi, S; Friedrichs, KH; Pott, F. (1970). [Relation between asbestosis and the length of fibers]. *Naturwissenschaften* 57: 356-357.
- Hilt, B. (1987). Non-malignant asbestos diseases in workers in an electrochemical plant. *Br J Ind Med* 44: 621-626.
- Hilt, B; Andersen, A; Rosenberg, J; Langård, S. (1991). Cancer incidence among asbestos-exposed chemical industry workers: an extended observation period. *Am J Ind Med* 20: 261-264.
- Hilt, B; Borgerson, A; Lien, JT; Langård, S. (1992). Chest radiographs in subjects with asbestos-related abnormalities: comparison between ILO categorizations and clinical reading. *Am J Ind Med* 21: 855-861.
- Hilt, B; Heldaas, SS; Langard, S. (1983). Can occupational exposure contribute to the development of malignant melanoma of the skin? *Scand J Work Environ Health* 9: 52-53. <http://dx.doi.org/10.5271/sjweh.2442>.
- Hilt, B; Hillerdal, G; Lund-Larsen, PG; Lien, JT; Langård, S. (1995). Asbestos-related radiographic changes by ILO classification of 10 x 10 cm chest X-rays in a screening of the general population. *J Occup Environ Med* 37: 189-193.
- Hilt, B; Langård, S; Andersen, A; Rosenberg, J. (1985). Asbestos exposure, smoking habits, and cancer incidence among production and maintenance workers in an electrochemical plant. *Am J Ind Med* 8: 565-577.
- Hilt, B; Langård, S; Lund-Larsen, PG; Lien, JT. (1985). [Asbestos exposure and asbestos-related lung findings. A cross-sectional study in Telemark]. *Tidsskr Nor Laegeforen* 105: 1318-1321.
- Hilt, B; Langård, S; Lund-Larsen, PG; Lien, JT. (1986). Previous asbestos exposure and smoking habits in the county of Telemark, Norway--a cross-sectional population study. *Scand J Work Environ Health* 12: 561-566. <http://dx.doi.org/10.5271/sjweh.2106>.

Human Health Hazard Literature Search Results

On Topic

- Hilt, B; Langård, S; Rosenberg, J. (1992). [Exposure to asbestos and asbestos-related pulmonary changes among employees at a magnesium plant]. *Tidsskr Nor Laegeforen* 112: 897-900.
- Hilt, B; Leira, HL; Hjelde, H; Sundstrom, S; Brynildsen, E. (1997). Incidence and doctors' notification of occupational lung cancer in Norway (pp. 203-207). (BIOSIS/97/09788). Hilt, B; Leira, HL; Hjelde, H; Sundstrom, S; Brynildsen, E.
- Hilt, B; Lien, JT; Lund-Larsen, PG. (1987). Lung function and respiratory symptoms in subjects with asbestos-related disorders: a cross-sectional study. *Am J Ind Med* 11: 517-528.
- Hilt, B; Lien, JT; Lund-Larsen, PG; Lund, K; Langård, S. (1986). Asbestos-related findings in chest radiographs of the male population of the county of Telemark, Norway--a cross-sectional study. *Scand J Work Environ Health* 12: 567-573. <http://dx.doi.org/10.5271/sjweh.2105>.
- Hilt, B; Lund, K. (1984). Lung changes in hospital patients caused by asbestos. *Tidsskr Nor Laegeforen* 104: 571-574.
- Hilt, B; Rosenberg, J; Lang; ecirc; Ard, S. (1981). Occurrence of cancer in a small cohort of asbestos-exposed workers. *Scand J Work Environ Health* 7: 185-189.
- Hiltunen, A; Kivisaari, L; Leino-Arjas, P; Vehmas, T. (2008). Visual scoring of atherosclerosis in chest computed tomography: findings among male construction workers. *Acta Radiol* 49: 328-336. <http://dx.doi.org/10.1080/02841850701870914>.
- Himmelstein, A. (1992). Malignant mesothelioma. *Del Med J* 64: 193-201.
- Hindley-Smith, JD. (1947). Some medical problems of the asbestos cement industry. 10: 50-53.
- Hinds, MW. (1978). Mesothelioma in Shipyard Workers. *West J Med* 128: 169-170.
- Hinds, MW. (1978). Mesothelioma in the United States. Incidence in the 1970's. *J Occup Med* 20: 469-471.
- Hinds, MW; Kolonel, LN; Lee, J. (1985). APPLICATION OF A JOB-EXPOSURE MATRIX TO A CASE-CONTROL STUDY OF LUNG CANCER. *J Natl Cancer Inst* 75: 193-198.
- Hinds, MW; Thomas, DB; O'Reilly, HP. (1979). Asbestos, dental X-rays, tobacco, and alcohol in the epidemiology of laryngeal cancer. *Cancer* 44: 1114-1120.
- Hinkle L E, J. R.; Murray, SH. (1981). IMPORTANCE OF THE QUALITY OF INDOOR AIR (pp. 28-29). (HEEP/82/13498). Hinkle L E, , JR; Murray, SH.
- Hino, O; Maeda, M. (2008). Diagnostic tumor marker of asbestos-related mesothelioma. *Environ Health Prev Med* 13: 71-74. <http://dx.doi.org/10.1007/s12199-007-0014-9>.
- Hino, O; Shiomo, K; Hagiwara, Y; Segawa, T; Maeda, M. (2006). Serum tumor marker of human asbestos-related mesothelioma: Translational research from a hereditary rat cancer model. *Lung Cancer* 54: S39-S39.
- Hinshaw, HC; Fallat, RJ. (1986). PULMONARY FUNCTION CHANGES WITH MODERATE ASBESTOS-RELATED PLEURAL DISEASE IN 56 NON-SMOKERS (pp. 11-14). (ISSN 0003-0805 BIOSIS/86/27903). Hinshaw, HC; Fallat, RJ.
- Hinson, KF. (1965). CANCER OF THE LUNGS AND OTHER DISEASES AFTER EXPOSURE TO ASBESTOS DUST. *Br J Dis Chest* 59: 121-129.
- Hippeli, S; Dornisch, K; Kaiser, S; Drager, U; Elstner, EF. (1997). Biological Durability and Oxidative Potential of a Stonewool Mineral Fibre Compared to Crocidolite Asbestos Fibres. *Arch Toxicol* 71: 532-535.
- Hippeli, S; Elstner, EF. (1995). Biological and biochemical effects of air pollutants: synergistic effects of sulphite [Review]. *Biochem Soc Trans* 61: 153-161.
- Hippeli, S; Elstner, EF. (1999). Transition metal ion-catalyzed oxygen activation during pathogenic processes [Review]. *FEBS Lett* 443: 1-7.
- Hirabayashi, I. (1987). PATHOLOGICAL STUDIES ON AUTOPSY CASES OF PULMONARY ASBESTOSIS (pp. 325-338). (BIOSIS/87/35610). Hirabayashi, I.
- Hiraki, A; Aoe, K; Ueoka, H. (2006). Asbestos exposure and serum osteopontin [Letter]. *N Engl J Med* 354: 304-305; author reply 304-305. <http://dx.doi.org/10.1056/NEJMc053112>.
- Hiraku, Y; Kawanishi, S; Ichinose, T; Murata, M. (2010). The role of iNOS-mediated DNA damage in infection- and asbestos-induced carcinogenesis [Review]. *Ann N Y Acad Sci* 1203: 15-22. <http://dx.doi.org/10.1111/j.1749-6632.2010.05602.x>.
- Hiraku, Y; Sakai, K; Shibata, E; Kamijima, M; Hisanaga, N; Ma, N; Kawanishi, S; Murata, M. (2012). Nitrate DNA damage in human lung tissues in association with asbestos exposure. *Nitric Oxide* 27: S40-S40. <http://dx.doi.org/10.1016/j.niox.2012.04.144>.
- Hiraku, Y; Sakai, K; Shibata, E; Kamijima, M; Hisanaga, N; Ma, N; Kawanishi, S; Murata, M. (2014). Formation of the Nitrate DNA Lesion 8-Nitroguanine is Associated with Asbestos Contents in Human Lung Tissues: A Pilot Study. *J Occup Health* 56: 186-196.
- Hirani, N; Forzley, B; Langridge, J; Bayliff, C. (2003). Pergolide-induced pleural disease in a patient with asbestos exposure. *Chest* 124: 276S-276S.
- Hirano, K; Satoh, H; Inoue, M; Saitoh, T; Yazawa, T; Ohtsuka, M; Hasegawa, S. (1996). [Diffuse malignant mesothelioma associated with asbestos pleurisy]. *Nihon Kyobu Shikkan Gakkai Zasshi* 34: 1390-1394.
- Hirano, S; Fujitani, Y; Furuyama, A; Kanno, S. (2010). Uptake and cytotoxic effects of multi-walled carbon nanotubes in human bronchial epithelial cells. *Toxicol Appl Pharmacol* 249: 8-15. <http://dx.doi.org/10.1016/j.taap.2010.08.019>.
- Hirano, S; Kanno, S; Furuyama, A. (2008). Multi-walled carbon nanotubes injure the plasma membrane of macrophages. *Toxicol Appl Pharmacol* 232: 244-251. <http://dx.doi.org/10.1016/j.taap.2008.06.016>.
- Hirano, S; Ono, M; Aimoto, A. (1988). Functional and biochemical effects on rat lung following instillation of crocidolite and chrysotile asbestos. *J Toxicol Environ Health* 24: 27-39. <http://dx.doi.org/10.1080/15287398809531139>.
- Hirao, T; Bueno, R; Chen, CJ; Gordon, GJ; Heilig, E; Kelsey, KT. (2002). Alterations of the p16(INK4) locus in human malignant mesothelial tumors. *Carcinogenesis* 23: 1127-1130. <http://dx.doi.org/10.1093/carcin/23.7.1127>.
- Hirao, T; Nelson, HH; Ashok, TD; Wain, JC; Mark, EJ; Christiani, DC; Wiencke, JK; Kelsey, KT. (2001). Tobacco smoke-induced DNA damage and an early age of smoking initiation induce chromosome loss at 3p21 in lung cancer. *Cancer Res* 61: 612-615.
- Hiraoka, K; Horie, A; Kido, M. (1990). Study of asbestos bodies in Japanese urban patients. *Am J Ind Med* 18: 547-554.
- Hiraoka, T; Ando, M; Shima, K; Kinuwaki, E; Kiyota, S; Futatsuka, M; Fujita, M. (1996). [Epidemiologic survey of pleural plaques among inhabitants of Matsubase exposed to asbestos]. *Nihon Kyobu Shikkan Gakkai Zasshi* 34: 385-391.

Human Health Hazard Literature Search Results

On Topic

- Hiraoka, T; Kiyota, S; Shima, K; Kinuwaki, E; Kimura, T; Fukuda, K; Shimazu, K; Teshima, Y; Izumi, K; Fukuda, Y. (1990). [Analysis of pleural plaque found at lung cancer screening examination]. *Nihon Kyobu Shikkan Gakkai Zasshi* 28: 1566-1573.
- Hiraoka, T; Ohkura, M; Morinaga, K; Kohyama, N; Shimazu, K; Ando, M. (1998). Anthophyllite exposure and endemic pleural plaques in Kumamoto, Japan. *Scand J Work Environ Health* 24: 392-397.
- Hiraoka, T; Watanabe, A; Usuma, Y; Mori, T; Kohyama, N; Takata, A. (2001). An operated case of lung cancer with pleural plaques: its asbestos bodies, fiber analysis and asbestos exposure. *Ind Health* 39: 194-197.
- Hirohashi, T; Igarashi, K; Abe, M; Maeda, M; Hino, O. (2014). Retrospective analysis of large-scale research screening of construction workers for the early diagnosis of mesothelioma. 2: 26-30. <http://dx.doi.org/10.3892/mco.2013.197>.
- Hirooka, A; Tamiya, A; Kanazu, M; Nonaka, J; Yonezawa, T; Asami, K; Atagi, S. (2016). Brain Metastasis of Pleural Mesothelioma after a Subarachnoid Hemorrhage. *Intern Med* 55: 779-781. <http://dx.doi.org/10.2169/internalmedicine.55.3765>.
- Hiroshima, K; Murai, Y; Suzuki, Y; Goldstein, B; Webster, I. (1993). Characterization of asbestos fibers in lungs and mesotheliomatous tissues of baboons following long-term inhalation. *Am J Ind Med* 23: 883-901.
- Hiroshima, K; Ohwada, H; Ishibashi, M; Yamamoto, N; Tamiya, N; Yamaguchi, Y. (1996). Nodular pulmonary amyloidosis associated with asbestos exposure. *Pathol Int* 46: 66-70.
- Hiroshima, K; Suzuki, Y. (1993). Characterization of asbestos bodies and uncoated fibers in lungs of hamsters. *J Electron Microsc (Tokyo)* 42: 41-47.
- Hirsch, A; Bignon, J; Sebastien, P; Gaudichet, A. (1979). Asbestos fibers in laryngeal tissues. Findings in two patients with asbestosis associated with laryngeal tumors. *Chest* 76: 697-699.
- Hirsch, A; Brochard, P; De Cremoux, H; Erkan, L; Sebastien, P; Di Menza, L; Bignon, J. (1982). Features of asbestos-exposed and unexposed mesothelioma. *Am J Ind Med* 3: 413-422.
- Hirsch, A; Di Menza, L. (1979). [Use of the ILO/UC International classification of radiographs of pneumoconiosis in 302 subjects exposed to asbestos (author's transl)]. *Rev Fr Mal Respir* 7: 695-706.
- Hirsch, A; Di Menza, L; Carre, A; Harf, A; Perdrizet, S; Cooreman, J; Bignon, J. (1979). ASBESTOS RISK AMONG FULL-TIME WORKERS IN AN ELECTRICITY GENERATING POWER STATION (pp. NEW YORK). (ISSN 0077-8923 EISSN 1749-6632 HEEP/81/07861). Hirsch, A; Di Menza, L; Carre, A; Harf, A; Perdrizet, S; Cooreman, J; Bignon, J.
- Hirsch, A; Di Menza, L; Dorbon, F; Carre, A; Bignon, J. (1980). Diaphragmatic straightness in 302 asbestos-exposed patients. *IARC Sci Publ* 523-526.
- Hirsch, A; Sadoun, D; Lange, J; Gaudichet, A; Hemon, D; Bignon, J. (1984). RADIOGRAPHY AND EXPOSURE TO ASBESTOS IN A SERIES OF PLEURAL PLAQUES CONFIRMED BY THORACOTOMY (pp. 69). (BIOSIS/85/01978). Hirsch, A; Sadoun, D; Lange, J; Gaudichet, A; Hemon, D; Bignon, J.
- Hirvonen, A. (1997). Combinations of susceptible genotypes and individual responses to toxicants. *Environ Health Perspect* 105: 755-758.
- Hirvonen, A; Mattson, K; Karjalainen, A; Ollikainen, T; Tammilehto, L; Hovi, T; Vainio, H; Pass, HI; Di Resta, I; Carbone, M; Linnainmaa, K. (1999). Simian virus 40 (SV40)-like DNA sequences not detectable in finnish mesothelioma patients not exposed to SV40-contaminated polio vaccines. *Mol Carcinog* 26: 93-99.
- Hirvonen, A; Pelin, K; Tammilehto, L; Karjalainen, A; Mattson, K; Linnainmaa, K. (1995). Inherited GSTM1 and NAT2 defects as concurrent risk modifiers in asbestos-related human malignant mesothelioma. *Cancer Res* 55: 2981-2983.
- Hirvonen, A; Saarikoski, S; Linnainmaa, K; Koskinen, K; Husgafvel-Pursiainen, K; Mattson, K; Vainio, H. (1996). Glutathione S-transferase and N-acetyltransferase genotypes and asbestos-associated pulmonary disorders. *J Natl Cancer Inst* 88: 1853-1856.
- Hirvonen, A; Saarikoski, ST; Linnainmaa, K; Koskinen, K; Husgafvel-Pursiainen, K; Vainio, H. (1996). EFFECT OF GST AND NAT GENOTYPES ON THE ASBESTOS-ASSOCIATED PULMONARY DISORDERS (pp. 20-24). (BIOSIS/96/18840). Hirvonen, A; Saarikoski, ST; Linnainmaa, K; Koskinen, K; Husgafvel-Pursiainen, K; Vainio, H.
- Hirvonen, A; Tuimala, J; Ollikainen, T; Linnainmaa, K; Kinnula, V. (2002). Manganese superoxide dismutase genotypes and asbestos-associated pulmonary disorders. *Cancer Lett* 178: 71-74. [http://dx.doi.org/10.1016/S0304-3835\(01\)00819-9](http://dx.doi.org/10.1016/S0304-3835(01)00819-9).
- Hisanaga, N; Hosokawa, M; Sakai, K; Shibata, E; Huang, J; Takeuchi, Y; Ono, Y. (1990). Asbestos Exposure among Construction Workers. *J Occup Med* 32: 1088-1090.
- Hispan, P; Pascual, JC; González, I; Bravo, D; Peiró, G. (2016). Cutaneous Metastases From Malignant Mesothelioma of the Tunica Vaginalis Testis. *Am J Dermatopathol* 38: 222-225. <http://dx.doi.org/10.1097/DAD.0000000000000369>.
- Hitchcock, HT. (1970). Mesothelioma of the pleura. *Ir J Med Sci* 3: 453-456.
- Hiyama, J; Marukawa, M; Shiota, Y; Ono, T; Imai, S; Motohiro, K; Aoki, J; Sasaki, N; Taniyama, K; Mashiba, H. (1998). Two familial mesothelioma cases with high concentrations of soluble cytokeratin 19 fragment in pleural fluid. *Intern Med* 37: 407-410.
- Hiyama, J; Marukawa, M; Shiota, Y; Ono, T; Yunoki, K; Imai, S; Motohiro, K; Aoki, J; Sasaki, N; Taniyama, K; Mashiba, H. (1998). Benign asbestos pleural effusion associated with pulmonary aspergilloma. *Intern Med* 37: 965-968.
- H-J, L; H-J, W; Ulm, J; Giessen, T; Weitowitz, RH; Roedelsperger, K; Pache, L. (1986). CONCERNING THE EPIDEMIOLOGY OF ASBESTOS FIBER DUST-INDUCED TUMORS (pp. 4-8). (BIOSIS/86/31722). Lange H-J; Weitowitz H-J; Ulm, J; Giessen, T; Weitowitz, RH; Roedelsperger, K; Pache, L.
- H-J, W. (1974). OCCUPATIONAL DISEASES OF THE LUNGS (pp. 131-136). (HEEP/75/05339). Weitowitz H-J.
- H-J, W. (1976). LUNG FUNCTION IN ASBESTOS EXPOSED WORKERS RESULTS OF EPIDEMIOLOGICAL STUDIES IN WEST GERMANY (pp. BERLIN). (HEEP/77/12074). Weitowitz H-J.
- H-J, W. (1986). ASBESTOS AT THE WORKPLACE AND DISEASES (pp. 4-8). (BIOSIS/86/31720). Weitowitz H-J.
- H-J, W; Rosler, JA. (1992). Asbestos-associated diseases (pp. 409-413). (BIOSIS/93/04762). Weitowitz H-J; Rosler, JA.

Human Health Hazard Literature Search Results

On Topic

- Hjelm, KK. (1986). Is non-genic inheritance involved in carcinogenesis? A cytotoxic model of transformation. *J Theor Biol* 119: 89-101.
- Hjerpe, A. (1986). LIQUID-CHROMATOGRAPHIC DETERMINATION OF HYALURONIC-ACID IN PLEURAL AND ASCITIC FLUIDS. *Clin Chem* 32: 952-956.
- Hjortsberg, U; Orbaek, P; Aborelius, M; Ranstam, J; Welinder, H. (1988). Railroad workers with pleural plaques: II. Small airway dysfunction among asbestos-exposed workers. *Am J Ind Med* 14: 643-647.
- Hjortsberg, U; Ørbaek, P; Aborelius, M, Jr; Ranstam, J; Welinder, H. (1988). Railroad workers with pleural plaques: I. Spirometric and nitrogen washout investigation on smoking and nonsmoking asbestos-exposed workers. *Am J Ind Med* 14: 635-641. <http://dx.doi.org/10.1002/ajim.4700140602>.
- Hmeljak, J; Erčulj, N; Dolžan, V; Kern, I; Cör, A. (2011). BIRC5 promoter SNPs do not affect nuclear survivin expression and survival of malignant pleural mesothelioma patients. *J Cancer Res Clin Oncol* 137: 1641-1651. <http://dx.doi.org/10.1007/s00432-011-1030-0>.
- Hnizdo, E; Sluis-Cremer, GK. (1988). Effect of tobacco smoking on the presence of asbestosis at postmortem and on the reading of irregular opacities on roentgenograms in asbestos-exposed workers. *Am Rev Respir Dis* 138: 1207-1212. <http://dx.doi.org/10.1164/ajrccm/138.5.1207>.
- Ho, SF. (1987). Report Singapore (pp. 18-22). (NIOSH/00177220). Ho, SF.
- Ho, SF; Lee, HP; Phoon, WH. (1987). Malignant mesothelioma in Singapore. *Br J Ind Med* 44: 788-789.
- Hobbesland, A; Kjuus, H; Thelle, DS. (1996). A study of mortality among 14730 male workers in 12 Norwegian ferroalloy plants: cohort characteristics and the main causes of death. *Occup Environ Med* 53: 540-546.
- Hobbs, MST; Woodward, SD; Murphy, B; Musk, AW; Elder, JE. (1980). The incidence of pneumoconiosis, mesothelioma and other respiratory cancer in men engaged in mining and milling crocidolite in western Australia. Lyon, France.
- Hobson, J; Gilks, B; Wright, J; Churg, A. (1988). Direct enhancement by cigarette smoke of asbestos fiber penetration and asbestos-induced epithelial proliferation in rat tracheal explants. *J Natl Cancer Inst* 80: 518-521.
- Hobson, J; Wright, JL; Churg, A. (1990). Active oxygen species mediate asbestos fiber uptake by tracheal epithelial cells. *FASEB J* 4: 3135-3139.
- Hoch-Ligeti, C; Sass, B; Sobel, HJ; Stewart, HL. (1983). Endocardial tumors in rats exposed to durable fibrous materials. *J Natl Cancer Inst* 71: 1067-1071.
- Hodgson, J; Darnton, A. (2001). Untitled. *Ann Occup Hyg* 45: 336-338.
- Hodgson, JT; Darnton, A. (2000). The quantitative risks of mesothelioma and lung cancer in relation to asbestos exposure. *Ann Occup Hyg* 44: 565-601.
- Hodgson, JT; Darnton, A. (2010). Mesothelioma risk from chrysotile [Letter]. *Occup Environ Med* 67: 432. <http://dx.doi.org/10.1136/oem.2009.052860>.
- Hodgson, JT; Jones, RD. (1986). Mortality of asbestos workers in England and Wales 1971-81. *Br J Ind Med* 43: 158-164.
- Hodgson, MJ; Parkinson, DK; Sabo, S; Owens, GR; Feist, JH. (1988). Asbestosis among electricians. *J Occup Med* 30: 638-640.
- Hoehr, D; Friedrichs, KH. (1982). Studies of the biological instability of chrysotile asbestos in vivo (pp. 354-367). (HEEP/84/00300). Hoehr, D; Friedrichs, KH.
- Hoffbrand, BI; Hetzel, MR; Goldstraw, P. (1985). Fibrosing pleuritis with extrathoracic extension. *J R Soc Med* 78: 953-954. <http://dx.doi.org/10.1177/014107688507801119>.
- Hoffmann, D; Wynder, EL. (1976). Environmental respiratory carcinogenesis. In CE Searle (Ed.), (ACS monograph 173 ed., pp. 324-365). Washington, DC: American Chemical Society.
- Hoffmann, D; Wynder, EL. (1976). Smoking and occupational cancers. *Prev Med* 5: 245-261. [http://dx.doi.org/10.1016/0091-7435\(76\)90043-8](http://dx.doi.org/10.1016/0091-7435(76)90043-8).
- Hogan, MD; Hoel, DG. (1981). Estimated cancer risk associated with occupational asbestos exposure. *Risk Anal* 1: 67-76.
- Hogstedt, C; Jansson, C; Hugosson, M; Tinnerberg, H; Gustavsson, P. (2013). Cancer incidence in a cohort of Swedish chimney sweeps, 1958-2006. *Am J Public Health* 103: 1708-1714. <http://dx.doi.org/10.2105/AJPH.2012.300860>.
- Höhr, D; Friedrichs, KH. (1982). [Changes in chrysotile in vivo]. *Zentralbl Bakteriell Mikrobiol Hyg* 176: 354-367.
- Holden, J; Churg, A. (1986). Asbestos bodies and the diagnosis of asbestosis in chrysotile workers. *Environ Res* 39: 232-236.
- Holian, A; Kalla, B. (1989). ROLE OF CALCIUM IN CHRYSOTILE ASBESTOS-STIMULATED SUPEROXIDE ANION PRODUCTION BY ALVEOLAR MACROPHAGES (pp. 14-17). (BIOSIS/89/20560). Holian, A; Kalla, B.
- Holian, A; Roney, PL. (1989). SUPEROXIDE ANION PRODUCTION INDUCED BY CHRYSOTILE ASBESTOS IN THE GUINEA-PIG ALVEOLAR MACROPHAGE (pp. SECAUCUS). (BIOSIS/90/02029). Holian, A; Roney, PL.
- Holian, A; Tewson, TJ; Francsechini, MP; Scheule, RK. (1991). BINDING OF RADIOLABELED ASBESTOS FIBERS TO GUINEA-PIG GP ALVEOLAR MACROPHAGES AM (pp. 12-15). (BIOSIS/91/23359). Holian, A; Tewson, TJ; Francsechini, MP; Scheule, RK.
- Holian, A; Trinh, C; Scheule, RK. (1989). REQUIREMENT OF GLYCOPROTEIN STRUCTURE IN CHRYSOTILE ASBESTOS STIMULATION OF SUPEROXIDE ANION PRODUCTION BY ALVEOLAR MACROPHAGES (pp. 14-17). (BIOSIS/89/20559). Holian, A; Trinh, C; Scheule, RK.
- Holian, A; Uthman, MO; Goltsova, T; Brown, SD; Hamilton, RF, Jr. (1997). Asbestos and silica-induced changes in human alveolar macrophage phenotype. *Environ Health Perspect* 105: 1139-1142.
- Holland, JP. (1992). Asbestos (pp. 1127-1138). (NIOSH/00212264). Holland, JP.
- Hollevoet, K; Sharon, E. (2013). Fibulin-3 as a biomarker for pleural mesothelioma [Letter]. *N Engl J Med* 368: 189. <http://dx.doi.org/10.1056/NEJMc1213514#SA1>.
- Hollevoet, K; Van Cleemput, J; Thimont, J; De Vuyst, P; Bosquée, L; Nackaerts, K; Germonpré, P; Vansteelandt, S; Kishi, Y; Delanghe, JR; van Meerbeeck, JP. (2011). Serial measurements of mesothelioma serum biomarkers in asbestos-exposed individuals: a prospective longitudinal cohort study. *J Thorac Oncol* 6: 889-895. <http://dx.doi.org/10.1097/JTO.0b013e31820db377>.

Human Health Hazard Literature Search Results

On Topic

- Hollevoet, K; Van Cleemput, J; Thimpont, J; De Vuyst, P; Bosquee, L; Nackaerts, KN; Kishi, Y; Legrand, C; Delanghe, JR, JR; van Meerbeeck, JP. (2010). FOLLOW-UP OF ASBESTOS-EXPOSED INDIVIDUALS USING MESOTHELIOMA SERUM BIOMARKERS. *J Thorac Oncol* 5: S106-S106.
- Holley, JA; Janssen, YM; Mossman, BT; Taatjes, DJ. (1992). Increased manganese superoxide dismutase protein in type II epithelial cells of rat lungs after inhalation of crocidolite asbestos or cristobalite silica. *Am J Pathol* 141: 475-485.
- Holly, EA; Aston, DA; Ahm, DK; Smith, AH. (1996). Intraocular Melanoma Linked to Occupations and Chemical Exposures. *Epidemiology* 7: 55-61. <http://dx.doi.org/10.1097/00001648-199601000-00010>.
- Holmen, A; Karlsson, A; Bratt, I; Raihle, G; Hogstedt, B. (1994). INCREASED FREQUENCY OF MICRONUCLEI IN LYMPHOCYTES OF SWEDISH CHIMNEY SWEEPS. *Int Arch Occup Environ Health* 66: 185-187.
- Holmes, A; Morgan, A. (1967). Leaching of constituents of chrysotile asbestos in vivo. *Nature* 215: 441-442.
- Holmes, A; Morgan, A. (1980). Clearance of anthophyllite fibers from the rat lung and the formation of asbestos bodies. *Environ Res* 22: 13-21.
- Holmes, A; Morgan, A; Davison, W. (1983). Formation of pseudo-asbestos bodies on sized glass fibres in the hamster lung. *Ann Occup Hyg* 27: 301-313.
- Holmes, S. (1973). Asbestos and cancer of head and neck. *Lancet* 1: 839.
- Holmes, S. (1973). Environmental Data In Industry (pp. 135-137). (NIOSH/00150447). Holmes, S.
- Holmes, S. (1974). ENVIRONMENTAL DATA IN INDUSTRY (pp. LYON). (HEEP/75/04222). Holmes, S.
- Holt, P. (1982). Translocation of asbestos dust through the bronchiolar wall. *Environ Res* 27: 255-260. [http://dx.doi.org/10.1016/0013-9351\(82\)90080-9](http://dx.doi.org/10.1016/0013-9351(82)90080-9).
- Holt, PF. (1974). Small animals in the study of pathological effects of asbestos. *Environ Health Perspect* 9: 205-211.
- Holt, PF. (1980). Dust elimination from pulmonary alveoli. *Environ Res* 23: 224-227.
- Holt, PF. (1980). Pneumoconiosis (pp. 102-169). (NIOSH/00177666). Holt, PF.
- Holt, PF. (1981). Transport of inhaled dust to extrapulmonary sites. *J Pathol* 133: 123-129. <http://dx.doi.org/10.1002/path.1711330204>.
- Holt, PF. (1983). Translocation of inhaled dust to the pleura. *Environ Res* 31: 212-220. [http://dx.doi.org/10.1016/0013-9351\(83\)90077-4](http://dx.doi.org/10.1016/0013-9351(83)90077-4).
- Holt, PF; Mills, J; Young, DK. (1964). The early effects of chrysotile asbestos dust on the rat lung. *J Med Microbiol* 87: 15-23.
- Holt, PF; Mills, J; Young, DK. (1965). Experimental Asbestosis with Four Types of Fibers: Importance of Small Particles. *Ann N Y Acad Sci* 132: 87-97.
- Holt, PF; Young, DK. (1967). The mechanism of production of asbestos bodies from anthophyllite fibres. *J Pathol Bacteriol* 93: 696-699. <http://dx.doi.org/10.1002/path.1700930235>.
- Holt, RM. (1990). DIFFUSE LUNG DISEASE (pp. 338-350). (BIOSIS/90/23758). Holt, RM.
- Holtz, G; Bresnick, E. (1988). ASCORBIC ACID INHIBITS THE SQUAMOUS METAPLASIA THAT RESULTS FROM TREATMENT OF TRACHEAL EXPLANTS WITH ASBESTOS OR BENZO-A-PYRENE-COATED ASBESTOS. *Cancer Lett* 42: 1-2.
- Homa, DM; Garabrant, DH; Gillespie, BW. (1994). A meta-analysis of colorectal cancer and asbestos exposure. *Am J Epidemiol* 139: 1210-1222.
- Honda, K; Matsushita, H; Hara, M. (1987). ASBESTOS POLLUTION IN TOKYO JAPAN A COMPARATIVE STUDY ON THE LUNGS OF AUTOPSY CASES IN 1969 AND 1985. *Jpn J Chest Dis* 46: 1003-1008.
- Hong, CF; He, LY. (1985). [Induction of sister chromatid exchanges in human peripheral blood lymphocytes treated with Chinese chrysotile asbestos]. *Zhonghua Yufang Yixue Zazhi* 19: 14-15.
- Hong, YC; Choi, SS. (1997). Cytotoxicity and multinucleate giant cell formation in Chinese hamster lung fibroblast caused by crocidolite and chrysotile. *J Korean Med Sci* 12: 99-104. <http://dx.doi.org/10.3346/jkms.1997.12.2.99>.
- Hoogsteden, HC; Langerak, AW; Vanderkwast, TH; Versnel, MA; Vangelder, T. (1997). Malignant pleural mesothelioma [Review]. *Crit Rev Oncol Hematol* 25: 97-126. [http://dx.doi.org/10.1016/S1040-8428\(96\)00231-4](http://dx.doi.org/10.1016/S1040-8428(96)00231-4).
- Hopkins, J. (1984). Epidemiological studies on ingested asbestos. *Food Chem Toxicol* 22: 179-178.
- Horai, Z; Kaneda, M; Michizawa, T; Kasahara, S; Sugimoto, T; Okuyama, T. (1970). A radioautographic study on the incorporation of sulfur-35 methionine and tritiated glycine in the experimental silicopneumoconiosis and asbestos pneumoconiosis. *Acta Histochem Cytochem* 3: 197-198.
- Horai, Z; Sugita, M; Kishimoto, A; Nabeshima, K; Horai, T. (1975). [Correlation between asbestos dust concentration and frequency of radiographic detection of pulmonary asbestosis]. *Nihon Kyobu Shikkan Gakkai Zasshi* 13: 33-39.
- Horii, H; Nagasaka, Y; Yamada, Y. (1992). Asbestos-related pleural thickenings in Japanese sake brewers. *Int Arch Occup Environ Health* 64: 315-319.
- Horiuchi, A; Konishi, I. (2004). [Prevention of ovarian cancer development] [Review]. *Nippon Rinsho* 62 Suppl 10: 597-600.
- Horská, A; Kazimírová, A; Barancoková, M; Wsóllová, L; Tulinská, J; Dusinská, M. (2006). Genetic predisposition and health effect of occupational exposure to asbestos. *Neuro Endocrinol Lett* 27 Suppl 2: 100-103.
- Horska, A; Mislanova, C; Bonassi, S; Ceppi, M; Volkovova, K; Dusinska, M. (2011). Vitamin C levels in blood are influenced by polymorphisms in glutathione S-transferases. *Eur J Nutr* 50: 437-446. <http://dx.doi.org/10.1007/s00394-010-0147-2>.
- Horton, DK; Bove, F; Kapil, V. (2008). Select mortality and cancer incidence among residents in various U.S. communities that received asbestos-contaminated vermiculite ore from Libby, Montana. *Inhal Toxicol* 20: 767-775. <http://dx.doi.org/10.1080/08958370801983240>.
- Horton, K; Kapil, V; Larson, T; Muravov, O; Melnikova, N; Anderson, B. (2006). A review of the federal government's health activities in response to asbestos-contaminated ore found in Libby, Montana. *Inhal Toxicol* 18: 925-940. <http://dx.doi.org/10.1080/08958370600835161>.
- Hoskins, JA. (2001). Mineral fibres and health. *Indoor Built Environ* 10: 244-251.
- Hosoda, Y; Hiraga, Y; Sasagawa, S. (2008). Railways and asbestos in Japan (1928-1987)--epidemiology of pleural plaques, malignancies and pneumoconioses [Review]. *J Occup Health* 50: 297-307.

Human Health Hazard Literature Search Results

On Topic

- Hosoda, Y; Saito, N; Hachiya, J; Chiba, Y; Chikauchi, Y. (1980). Differential diagnosis of asbestos-induced pleural thickening using computer tomography: a preliminary study. IARC Sci Publ IARC Scientific Publication No: 527-536.
- Hosoda, Y; Saito, N; Kono, T; Ohtake, H; Chiba, Y. (1985). Epidemiology Of Asbestos-Induced Pleural Thickening (pp. 465-447). (NIOSH/00158289). Hosoda, Y; Saito, N; Kono, T; Ohtake, H; Chiba, Y.
- Hosoda, Y; Saito, N; Nobutomo, N. (1982). ASBESTOS EXPOSURE AND LUNG CANCER EPIDEMIOLOGICAL SIGNIFICANCE OF ASBESTOS RELATED PLEURAL PLAQUES (pp. 21-22). (HEEP/83/07741). Hosoda, Y; Saito, N; Nobutomo, N.
- Hosoda, Y; Saitoh, N; Hiraga, Y; Harabuchi, I. (1990). Asbestos Related Pleural Plaques among Seamen (pp. 23-26). (NIOSH/00198282). Hosoda, Y; Saitoh, N; Hiraga, Y; Harabuchi, I.
- Hosoda, Y; Saitou, N; Nobutomo, K. (1983). Epidemiology of asbestos-related lung cancer in Japan. J UOEH 5 Suppl: 83-87.
- Hourihane, DO. (1964). THE PATHOLOGY OF MESOTHELIOMATA AND AN ANALYSIS OF THEIR ASSOCIATION WITH ASBESTOS EXPOSURE. Thorax 19: 268-278.
- Hourihane, DO. (1965). A biopsy series of mesotheliomata, and attempts to identify asbestos within some of the tumors. Ann N Y Acad Sci 132: 647-673.
- Hourihane, DO; Lessof, L; Richardson, PC. (1966). Hyaline and calcified pleural plaques as an index of exposure to asbestos. Br Med J 1: 1069-1074.
- House, W. (1964). TOXICITY OF CELL CULTURE MEDIUM DUE TO FILTRATION THROUGH ASBESTOS PADS. Nature 201: 1242.
- Howard, J; Mohsenifar, Z; Brown, HV; Koerner, SK. (1982). Role of exercise testing in assessing functional respiratory impairment due to asbestos exposure. J Occup Med 24: 685-689.
- Howard, JK. (1984). Relative cancer risks from exposure to different asbestos fibre types [Review]. N Z Med J 97: 646-649.
- Howden, PJ; Faux, SP. (1996). Fibre-induced lipid peroxidation leads to DNA adduct formation in Salmonella typhimurium TA104 and rat lung fibroblasts. Carcinogenesis 17: 413-419.
- Howden, PJ; Faux, SP. (1996). Glutathione modulates the formation of 8-hydroxydeoxyguanosine in isolated DNA and mutagenicity in Salmonella typhimurium TA100 induced by mineral fibres. Carcinogenesis 17: 2275-2277.
- Howden, PJ; Faux, SP. (1997). PERTURBATION OF AP-1 AND NF-KAPPAB TRANSCRIPTION FACTOR EXPRESSION BY CROCIDOLITE ASBESTOS AND ITS MODULATION BY ANTIOXIDANTS (pp. 15-17). (BIOSIS/97/16724). Howden, PJ; Faux, SP.
- Howe, GR; Fraser, D; Lindsay, J; Presnal, B; Yu, SZ. (1983). Cancer mortality (1965-77) in relation to diesel fume and coal exposure in a cohort of retired railway workers. J Natl Cancer Inst 70: 1015-1019.
- Howe, HL; Wolfgang, PE; Burnett, WS; Nasca, PC; Youngblood, L. (1987). CANCER INCIDENCE FOLLOWING EXPOSURE TO DRINKING WATER WITH ASBESTOS LEACHATE (pp. 17-19). (ISSN 0002-9262; EISSN 1476-6256; BIOSIS/88/02954). Howe, HL; Wolfgang, PE; Burnett, WS; Nasca, PC; Youngblood, L. <Go to ISI>://WOS:A1987K258000058.
- Howe, HL; Wolfgang, PE; Burnett, WS; Nasca, PC; Youngblood, L. (1989). Cancer incidence following exposure to drinking water with asbestos leachate. Public Health Rep 104: 251-256.
- Howel, D; Arblaster, L; Swinburne, L; Schweiger, M; Renvoize, E; Hatton, P. (1997). Routes of asbestos exposure and the development of mesothelioma in an English region. Occup Environ Med 54: 403-409.
- Howel, D; Gibbs, A; Arblaster, L; Swinburne, L; Schweiger, M; Renvoize, E; Hatton, P; Pooley, F. (1999). Mineral fibre analysis and routes of exposure to asbestos in the development of mesothelioma in an English region. Occup Environ Med 56: 51-58.
- Howell, F; Clancy, L; Kelly, P; Callinan, I; Healy, T. (1987). Mesothelioma in the Republic of Ireland: a review in the context of new E.E.C. legislation. Ir Med J 80: 89-91.
- Howie, R. (2005). Asbestos lung residue and asbestosis risk [Letter]. Ann Occup Hyg 49: 95-97. <http://dx.doi.org/10.1093/annhyg/meh076>.
- Howie, RM. (2000). An important source of error in asbestos-related lung cancer estimates [Letter]. Ann Occup Hyg 44: 484-487.
- Howie, RM. (2001). Asbestos and cancer risk [Letter]. Ann Occup Hyg 45: 335-336; author reply 336-338.
- Hoyle, JL; Gudur, S. (2013). ASBESTOS RELATED DIFFUSE PLEURAL THICKENING; LIKELIHOOD OF PROGRESSION IN THE SECONDARY CARE SETTING. Thorax 68: A169-A169. <http://dx.doi.org/10.1136/thoraxjnl-2013-204457.358>.
- Hoyle, JL; Walker, JK. (2009). Asbestos and the lung. Diffuse pleural thickening has new definition for claims [Letter]. B M J (Online) 339: b3953. <http://dx.doi.org/10.1136/bmj.b3953>.
- Hreniuc, R; Popa, D. (2002). [Considerations of basic and clinical research in respiratory disorders induced by asbestos] [Review]. Pneumologia 51: 46-50.
- HSE. (1998). [Early changes in rat lungs caused by lower-dose quartz dust]. Zhonghua Yufang Yixue Zazhi 32: 139-141.
- Hsiao, TM; Ho, CK; Su, WP; Hwang, JJ; Tsai, MS; Chau, TT; Lu, SN; Chang, WY. (1993). Asbestos related pleural plaques in retired boiler room workers. 9: 74-79.
- Hsu, MT; Dimaio, M; Reiss, OK; Ciurea, D; Gil, J. (1992). A novel system for the culture of human lung: lung development and the response to injury. Am J Physiol 263: L308-L316.
- Hu, Q; Akatsuka, S; Yamashita, Y; Ohara, H; Nagai, H; Okazaki, Y; Takahashi, T; Toyokuni, S. (2010). Homozygous deletion of CDKN2A/2B is a hallmark of iron-induced high-grade rat mesothelioma. Lab Invest 90: 360-373. <http://dx.doi.org/10.1038/labinvest.2009.140>.
- Hu, YB; Li, QL; Jia, YM; Wang, Y; Chen, DM; Hu, TX. (1993). Pneumoconiosis: the changes of peripheral airways. Biomed Environ Sci 6: 399-404.
- Huang, B; Liu, B; Xu, M; You, B. (2000). [K-ras gene mutations of asbestos and welding-fumes related human lung cancer]. Wei Sheng Yan Jiu 29: 7-9.
- Huang, J; Hisanaga, N; Sakai, K; Iwata, M; Ono, Y; Shibata, E; Takeuchi, Y. (1988). Asbestos fibers in human pulmonary and extrapulmonary tissues. Am J Ind Med 14: 331-339.

Human Health Hazard Literature Search Results

On Topic

- Huang, JQ. (1990). A study on the dose-response relationship between asbestos exposure level and asbestosis among workers in a Chinese chrysotile product factory. *Biomed Environ Sci* 3: 90-98.
- Huang, L; Armstrong, B; Macfarlane, E; Sim, MR; De Crespigny, F; Anderson, A; Van Zandwijk, N; Musk, AW; Dalton, V; Scott, C; Ratchford, A; Laws, P. (2013). MESOTHELIOMA IN AUSTRALIA 2012: DATA FROM THE NEW AUSTRALIAN MESOTHELIOMA REGISTRY. *J Thorac Oncol* 8: S700-S700.
- Huang, L; Dai, JM; Fu, H. (2013). [Comprehensive analysis of asbestos-induced occupational lung cancer and mesothelioma] [Review]. *Zhonghua Lao Dong Wei Sheng Zhi Ye Bing Za Zhi* 31: 19-23.
- Huang, SL. (1979). Amosite, chrysotile and crocidolite asbestos are mutagenic in Chinese hamster lung cells. *DNA Repair* 68: 265-274.
- Huang, SL; Saggiorno, D; Michelmann, H; Malling, HV. (1978). Genetic effects of crocidolite asbestos in Chinese hamster lung cells. *Mutat Res* 57: 225-232.
- Huang, SX; Jaurand, MC; Kamp, DW; Whysner, J; Hei, TK. (2011). Role of mutagenicity in asbestos fiber-induced carcinogenicity and other diseases [Review]. *J Toxicol Environ Health B Crit Rev* 14: 179-245. <http://dx.doi.org/10.1080/10937404.2011.556051>.
- Huang, SX; Partridge, MA; Ghandhi, SA; Davidson, MM; Amundson, SA; Hei, TK. (2012). Mitochondria-derived reactive intermediate species mediate asbestos-induced genotoxicity and oxidative stress-responsive signaling pathways. *Environ Health Perspect* 120: 840-847. <http://dx.doi.org/10.1289/ehp.1104287>.
- Huax, F; D'Ursel de Bousies, V; Parent, MA; Orsi, M; Uwambayinema, F; Devosse, R; Ibouaadaten, S; Yakoub, Y; Panin, N; Palmi-Pallag, M; van Der Bruggen, P; Bailly, C; Marega, R; Marbaix, E; Lison, D. (2016). Mesothelioma response to carbon nanotubes is associated with an early and selective accumulation of immunosuppressive monocytic cells. *Part Fibre Toxicol* 13: 46. <http://dx.doi.org/10.1186/s12989-016-0158-0>.
- Hubaux, R; Becker-Santos, DD; Enfield, KSS; Lam, S; Lam, WL; Martinez, VD. (2012). Arsenic, asbestos and radon: Emerging players in lung tumorigenesis [Review]. *Environ Health* 11: 89. <http://dx.doi.org/10.1186/1476-069X-11-89>.
- Hubbard, AK; Timblin, CR; Rincon, M; Mossman, BT. (2001). Use of transgenic luciferase reporter mice to determine activation of transcription factors and gene expression by fibrogenic particles. *Chest* 120: 245-255.
- Hueper, WC. (1951). Environmental lung cancer. *Ind Med Surg* 20: 49-62.
- Hueper, WC. (1954). Experimental studies in metal cancerigenesis. VI. Tissue reactions in rats and rabbits after parenteral introduction of suspensions of arsenic, beryllium, or asbestos in lanolin. *J Natl Cancer Inst* 15: 113-129.
- Hueper, WC. (1954). Recent Developments in Environmental Cancer (pp. 360-399). (NIOSH/00193210). Hueper, WC.
- Hueper, WC. (1955). Environmental Lung Cancer (pp. 186-236). (NIOSH/00135586). New York, NY: Academic PRes.
- Hueper, WC. (1957). Environmental Cancer Of The Lung. *Acta - Unio Internationalis Contra Cancrum* 13: 97-140.
- Hueper, WC. (1963). Environmental carcinogenesis in man and animals. *Ann N Y Acad Sci* 180: 963-1038. <http://dx.doi.org/10.1111/j.1749-6632.1963.tb13433.x>.
- Hueper, WC. (1963). Occupational Cancers of the Respiratory Organs (pp. 147-177). (NIOSH/00128073). Hueper, WC.
- Hueto, J; Almudévar, E. (2005). [Analysis and detection of fibres in the pulmonary tissue]. *An Sist Sanit Navar* 28 Suppl 1: 13-19.
- Huff, J. (1993). CHEMICALS AND CANCER IN HUMANS FIRST EVIDENCE IN EXPERIMENTAL ANIMALS. *Environ Health Perspect* 100: 201-210. <http://dx.doi.org/10.2307/3431526>.
- Huff, JE; Dinger, CY; Kline, BW; Whitfield, BL; Hammons, AS. (1974). A health view of asbestos: an annotated literature collection--1960-1974. *Environ Health Perspect* 9: 341-417.
- Huff, JE; Eustis, SL; Haseman, JK. (1989). Occurrence and relevance of chemically induced benign neoplasms in long-term carcinogenicity studies [Review]. *Cancer Metastasis Rev* 8: 1-21. <http://dx.doi.org/10.1007/BF00047055>.
- Huff, JE; Mcconnell, EE; Haseman, JK; Boorman, GA; Eustis, SL; Schwetz, BA; Rao, GN; Jameson, CW; Hart, LG; Rall, DP. (1988). Carcinogenesis studies: Results of 398 experiments on 104 chemicals from the U.S. National Toxicology Program. In C Maltoni; U Selikoff (Eds.), *Annals of the New York Academy of Sciences*, vol 534 (pp. OCCUPATIONAL AND ENVIRONMENTAL SIGNIFICANCE OF INDUSTRIAL CARCINOGENS; INTERNATIONAL CONFERENCE). New York, NY: New York Academy of Sciences. <http://dx.doi.org/10.1111/j.1749-6632.1988.tb30085.x>.
- Hughes, DT. (1974). Lung disease related to exposure to asbestos. *Med Sci Law* 14: 147-151. <http://dx.doi.org/10.1177/002580247401400302>.
- Hughes, J; Weill, H. (1980). Lung cancer risk associated with manufacture of asbestos-cement products.
- Hughes, JM. (1994). Human evidence: lung cancer mortality risk from chrysotile exposure. *Ann Occup Hyg* 38: 555-560, 415-556.
- Hughes, JM; Hammad, YY; Weill, H. (1986). MESOTHELIOMA RISK IN RELATION TO DURATION AND TYPE OF ASBESTOS FIBER EXPOSURE (pp. 11-14). (ISSN 0003-0805 BIOSIS/86/27909). Hughes, JM; Hammad, YY; Weill, H.
- Hughes, JM; Jones, RN; Glindmeyer, HW; Hammad, YY; Weill, H. (1987). ASSESSMENT OF LUNG FUNCTION CONSEQUENCES OF ASBESTOS-RELATED DISEASE (pp. 10-13). (BIOSIS/87/23718). Hughes, JM; Jones, RN; Glindmeyer, HW; Hammad, YY; Weill, H.
- Hughes, JM; Weill, H. (1986). Asbestos exposure--quantitative assessment of risk [Review]. *Am Rev Respir Dis* 133: 5-13. <http://dx.doi.org/10.1164/arrd.1986.133.1.5>.
- Hughes, JM; Weill, H. (1989). ASBESTOS RELATED CANCER IN RELATION TO X-RAY EVIDENCE OF PULMONARY FIBROSIS (pp. 14-17). (BIOSIS/89/20561). Hughes, JM; Weill, H.
- Hughes, JM; Weill, H. (1989). Development and use of asbestos risk estimates. *IARC Sci Publ* 471-475.
- Hughes, JM; Weill, H. (1990). Pulmonary Fibrosis as a Determinant of Asbestos-Induced Lung Cancer in a Population of Asbestos Cement Workers (pp. 23-26). (NIOSH/00198276). Hughes, JM; Weill, H.
- Hughes, JM; Weill, H. (1991). Asbestosis as a precursor of asbestos related lung cancer: Results of a prospective mortality study. *Br J Ind Med* 48: 229-233.

Human Health Hazard Literature Search Results

On Topic

- Hughes, JM; Weill, H. (1994). Asbestos and Man-Made Fibers (pp. 185-205). (NIOSH/00225443). Hughes, JM; Weill, H.
- Hughes, JM; Weill, H; Hammad, YY. (1987). MORTALITY OF WORKERS EMPLOYED IN 2 ASBESTOS CEMENT MANUFACTURING PLANTS. *Br J Ind Med* 44: 161-174.
- Hughes, JM; Weill, H; Hammad, YY. (1987). Mortality of workers employed in two asbestos cement manufacturing plants. *Occup Environ Med* 44: 161-174.
- Hughes, RS. (2005). Malignant pleural mesothelioma [Review]. *Am J Med Sci* 329: 29-44.
- Huguenindumittan, S. (1982). PLEURAL FIBROSIS DUE TO ASBESTOS. *Schweizerische Medizinische Wochenschrift* 112: 207-212.
- Hulks, G; Thomas, JS; Waclawski, E. (1989). Malignant pleural mesothelioma in western Glasgow 1980-6. *Thorax* 44: 496-500.
- Hull, CJ; Doyle, E; Peters, JM; Garabrant, DH; Bernstein, L; Preston-Martin, S. (1989). Case-control study of lung cancer in Los Angeles county welders. *Am J Ind Med* 16: 103-112.
- Humble, CG; Samet, JM; Pathak, DR. (1987). Marriage to a smoker and lung cancer risk. *Am J Public Health* 77: 598-602.
- Humerfelt, S; Eide, GE; Kvåle, G; Aarø, LE; Gulsvik, A. (1998). Effectiveness of postal smoking cessation advice: a randomized controlled trial in young men with reduced FEV1 and asbestos exposure. *Eur Respir J* 11: 284-290.
- Humphrey, EW; Ewing, SL; Wrigley, JV; Northrup W F, I; Kersten, TE; Mayer, JE; Varco, RL. (1981). The production of malignant tumors of the lung and pleura in dogs from intratracheal asbestos instillation and cigarette smoking. *Cancer PHILA*: 1994-1999.
- Huncharek, M. (1986). The biomedical and epidemiological characteristics of asbestos-related diseases: a review [Review]. *Yale J Biol Med* 59: 435-451.
- Huncharek, M. (1990). Brake mechanics, asbestos, and disease risk [Review]. *Am J Forensic Med Pathol* 11: 236-240.
- Huncharek, M. (1992). CHANGING RISK GROUPS FOR MALIGNANT MESOTHELIOMA. *Cancer* 69: 2704-2711.
- Huncharek, M. (1993). Exporting asbestos: disease and policy in the developing world. *J Public Health Policy* 14: 51-65.
- Huncharek, M. (1994). Asbestos and cancer: Epidemiological and public health controversies [Review]. *Cancer Invest* 12: 214-222. <http://dx.doi.org/10.3109/07357909409024876>.
- Huncharek, M. (1994). Pleural mesothelioma in a cigarette filter factory worker. *Scand J Work Environ Health* 20: 146-147.
- Huncharek, M. (1995). GENETIC-FACTORS IN THE ETIOLOGY OF MALIGNANT MESOTHELIOMA. *Eur J Cancer* 31A: 1741-1747.
- Huncharek, M; Capotorto, JV; Muscat, J. (1989). Domestic asbestos exposure, lung fibre burden, and pleural mesothelioma in a housewife. *Br J Ind Med* 46: 354-355.
- Huncharek, M; Kelsey, K; Mark, EJ; Muscat, J; Choi, N; Carey, R; Christiani, D. (1996). Treatment and survival in diffuse malignant pleural mesothelioma; a study of 83 cases from the Massachusetts General Hospital. *Anticancer Res* 16: 1265-1268.
- Huncharek, M; Kelsey, K; Muscat, J; Christiani, D. (1996). Parental cancer and genetic predisposition in malignant pleural mesothelioma: a case-control study. *Cancer Lett* 102: 205-208.
- Huncharek, M; Klassen, M; Christiani, D. (1995). Mesothelioma of the tunica vaginalis testis with possible occupational asbestos exposure. *Br J Urol* 75: 679-680.
- Huncharek, M; Muscat, J. (1990). Pleural mesothelioma in a non-shipyard electrician. *Br J Ind Med* 47: 68.
- Huncharek, M; Muscat, J. (1991). Metastatic laryngeal carcinoma mimicking pleural mesothelioma. *Respiration* 58: 204-206.
- Huncharek, M; Muscat, J; Capotorto, J. (1989). Pleural mesothelioma in a lift mechanic. *Br J Ind Med* 46: 500-501.
- Huncharek, M; Muscat, J; Capotorto, JV. (1989). Pleural mesothelioma in a brake mechanic. *Br J Ind Med* 46: 69-71.
- Huncharek, M; Smith, K; Milatou, R. (1988). Malignant pleural mesothelioma in a nuclear engineer. *Br J Ind Med* 45: 498-499.
- Hunt, J; Pooley, FD; Richards, RJ. (1981). Biological reactivity of calcium silicate composites--in vitro studies. *Environ Res* 26: 51-68.
- Hunt, R. (1965). Routine lung function studies on 830 employees in an asbestos processing factory. *Ann N Y Acad Sci* 132: 406-420.
- Hunter, B; Thomson, C. (1973). Evaluation of the tumorigenic potential of vermiculite by intrapleural injection in rats. *Occup Environ Med* 30: 167-173.
- Hunter, WJ; Recht, P. (1980). Scientific aspects of the work of the Commission of the European Communities on Asbestos. *IARC Sci Publ* 92: 775-782.
- Hunting, KL; Welch, LS. (1993). OCCUPATIONAL EXPOSURE TO DUST AND LUNG-DISEASE AMONG SHEET-METAL WORKERS. *Br J Ind Med* 50: 432-442.
- Hunze, R. (1994). [Asbestos-induced diseases of the lung and pleura] [Letter]. *Dtsch Med Wochenschr* 119: 1603.
- Huoi, C; Olsson, A; Lightfoot, T; Roman, E; Clavel, J; Lacour, B; Kaatsch, P; Kromhout, H; Vermeulen, R; Peters, S; Bailey, HD; Schüz, J. (2014). Parental occupational exposure and risk of childhood central nervous system tumors: a pooled analysis of case-control studies from Germany, France, and the UK. *Cancer Causes Control* 25: 1603-1613. <http://dx.doi.org/10.1007/s10552-014-0465-4>.
- Hurbankova, M. (1993). DYNAMIC STUDY OF THE PHAGOCYtic ACTIVITY OF RATS LEUKOCYTES AFTER EXPOSURE TO ASBESTOS AND BASALT FIBERS. *Zentralblatt fuer Hygiene und Umweltmedizin* 194: 292-300.
- Hurbankova, M. (1994). ONE-YEAR FOLLOW-UP OF THE PHAGOCYtic ACTIVITY OF LEUKOCYTES AFTER EXPOSURE OF RATS TO ASBESTOS AND BASALT FIBERS. *Environ Health Perspect* 102: 201-203.
- Hurbánková, M. (1993). [Dynamic studies of the leukocyte phagocytic activity after exposure of rats to asbestos and basalt fibers]. *Zentralblatt fuer Hygiene und Umweltmedizin* 194: 292-300.
- Hurbankova, M; Cerna, S; Beno, M; Barancokova, M; Valachovicova, M; Wimmerova, S; Kovacikova, Z; Tatrai, E. (2009). Evaluation of inflammatory, cytotoxic, genotoxic BAL parameters and histological findings after exposure to amosite, refractory ceramic fibres and cigarette smoke. *Toxicol Lett* 189: S261-S261. <http://dx.doi.org/10.1016/j.toxlet.2009.06.385>.

Human Health Hazard Literature Search Results

On Topic

- Hurbankova, M; Cerna, S; Wimmerova, S; Tatrai, E. (2008). Dose dependence of asbestos substitute mineral fibres-BAL parameters and histological findings of lung after intratracheal instillation in experiment. *Toxicol Lett* 180: S146-S146. <http://dx.doi.org/10.1016/j.toxlet.2008.06.358>.
- Hurbánková, M; Hraškov, D; Beňo, M; Černa, S; Wimmerova, S; Moricová, Š. (2014). Combined effect of selected mineral fibres and tobacco smoke on respiratory tract in rats. *Cent Eur J Public Health* 22: 159-163. <http://dx.doi.org/10.21101/cejph.a3894>.
- Hurbankova, M; Kaiglova, A. (1993). ALVEOLAR MACROPHAGES AS INDICATORS IN THE TESTING OF THE EFFECTS OF SOME FIBROUS AND NONFIBROUS DUSTS IN VITRO. *Czech J Occup Med* 45: 208-212.
- Hurbankova, M; Kaiglova, A. (1997). Effect of occupational and environmental exposure to industrial fibrous dusts on the respiratory tract. *Biologia (Bratisl)* 52: 431-439.
- Hurbankova, M; Kaiglova, A. (1997). Some bronchoalveolar lavage parameters and leukocyte cytokine release in response to intratracheal instillation of short and long asbestos and wollastonite fibres in rats. *Physiol Res* 46: 459-466.
- Hurbankova, M; Kaiglova, A. (1999). Compared effects of asbestos and wollastonite fibrous dusts on various biological parameters measured in bronchoalveolar lavage fluid. *J Trace Microprobe Tech* 17: 233-243.
- Hurbánková, M; Kaiglová, A. (1993). The changes of some immunological parameters in subjects exposed to asbestos in dependence on age, duration of exposure, radiological findings and smoking habits. *Zentralblatt fuer Hygiene und Umweltmedizin* 195: 55-65.
- Hurbankova, M; Kaiglova, A; Jakubovsky, J; Wsolova, L. (1996). Comparison of some bronchoalveolar lavage parameters and histological findings after exposure of rats to amosite and wollastonite fibres. *Biologia (Bratisl)* 51: 723-728.
- Hurbankova, M; Ulrich, L. (1992). SOME IMMUNOLOGICAL RESPONSES TO OCCUPATIONAL EXPOSURE TO ASBESTOS AND OTHER FIBROUS DUSTS. *Zentralblatt fuer Hygiene und Umweltmedizin* 193: 130-139.
- Hurst, GA; Spivey, CG; Matlage, WT; Miller, JM; Faulk, G; Hieger, LR; Mclarty, JW; Greenberg, SD. (1979). The Tyler Asbestos Workers Program. I. A medical surveillance model and method. *Arch Environ Health* 34: 432-439.
- Hurych, J; Lesage, M; David, A. (1993). Eighth international conference on occupational lung diseases - Proceedings. (CIS/93/01895). International Programme on Chemical Safety (IPCS).
- Husgafvel-Pursiainen, K; Hackman, P; Ridanpää, M; Anttila, S; Karjalainen, A; Partanen, T; Taikina-Aho, O; Heikkilä, L; Vainio, H. (1993). K-ras mutations in human adenocarcinoma of the lung: association with smoking and occupational exposure to asbestos. *Int J Cancer* 53: 250-256.
- Husgafvel-Pursiainen, K; Kannio, A; Oksa, P; Suitiala, T; Koskinen, H; Partanen, R; Hemminki, K; Smith, S; Rosenstock-Leibu, R; Brandt-Rauf, PW. (1997). Mutations, tissue accumulations, and serum levels of p53 in patients with occupational cancers from asbestos and silica exposure. *Environ Mol Mutagen* 30: 224-230.
- Husgafvel-Pursiainen, K; Karjalainen, A; Kannio, A; Anttila, S; Partanen, T; Ojajärvi, A; Vainio, H. (1999). Lung cancer and past occupational exposure to asbestos. Role of p53 and K-ras mutations. *Am J Respir Cell Mol Biol* 20: 667-674. <http://dx.doi.org/10.1165/ajrcmb.20.4.3404>.
- Husgafvel-Pursiainen, K; Karjalainen, A; Kannio, A; Anttila, S; Partanen, T; Vainio, H. (1996). P53 MUTATIONS IN LUNG CANCER FROM PATIENTS WITH OCCUPATIONAL EXPOSURE TO ASBESTOS (pp. 20-24). (BIOSIS/96/18979). Husgafvel-Pursiainen, K; Karjalainen, A; Kannio, A; Anttila, S; Partanen, T; Vainio, H.
- Husgafvel-Pursiainen, K; Ridanpää, M; Anttila, S; Vainio, H. (1995). p53 and ras gene mutations in lung cancer: implications for smoking and occupational exposures [Review]. *J Occup Environ Med* 37: 69-76.
- Huuskonen M, S; Group, NE; Tossavainen, A. (1982). 39. Asbest. (RISKLINE/1985030002). Huuskonen M, S; Nordic Expert Group; Tossavainen, A.
- Huuskonen, MS. (1978). Clinical features, mortality and survival of patients with asbestosis. *Scand J Work Environ Health* 4: 265-274.
- Huuskonen, MS. (1979). [Health hazards of asbestos]. *Duodecim* 95: 1116-1118.
- Huuskonen, MS. (1980). Asbestos and cancer in Finland. *J Toxicol Environ Health* 6: 1261-1265. <http://dx.doi.org/10.1080/15287398009529945>.
- Huuskonen, MS. (1982). Asbestos and cancer. *Eur J Respir Dis Suppl* 123: 145-152.
- Huuskonen, MS. (1990). [Diseases caused by asbestos today] [Review]. *Duodecim* 106: 787-789.
- Huuskonen, MS; Ahlman, K; Mattsson, T; Tossavainen, A. (1980). Asbestos disease in Finland. *J Occup Med* 22: 751-754.
- Huuskonen, MS; Jarvisalo, J; Koskinen, H; Kivisto, H. (1987). SERUM ANGIOTENSIN-CONVERTING ENZYME AND LYSOSOMAL ENZYMES IN ASBESTOSIS (pp. 15-18). (BIOSIS/87/21426). Huuskonen, MS; Jarvisalo, J; Koskinen, H; Kivisto, H.
- Huuskonen, MS; Jarvisalo, J; Koskinen, H; Nickels, J; Pawanen, J; Tossavainen, A. (1984). Health Hazards Of Mineral Fibers. *Duodecim* 100: 197-205.
- Huuskonen, MS; Jarvisalo, J; Koskinen, H; Kivisto, H. (1986). SERUM ANGIOTENSIN-CONVERTING ENZYME AND LYSOSOMAL ENZYMES IN ASBESTOSIS. *Lung* 164: 165-172.
- Huuskonen, MS; Karjalainen, A; Tossavainen, A; Rantanen, J. (1995). Asbestos and cancer in Finland. *Med Lav* 86: 426-434.
- Huuskonen, MS; Koskinen, K; Tossavainen, A; Karjalainen, A; Rinne, JP; Rantanen, J. (1995). Finnish Institute of Occupational Health Asbestos Program 1987-1992. *Am J Ind Med* 28: 123-142.
- Huuskonen, MS; Räsänen, JA; Härkönen, H; Asp, S. (1978). Asbestos exposure as a cause of immunological stimulation. *Scand J Respir Dis* 59: 326-332.
- Huuskonen, MS; Rasanen, JA; Juntunen, J; Partanen, T. (1984). Immunological Aspects of Asbestosis: Patients' Neurological Signs and Asbestosis Progression. *Am J Ind Med* 5: 461-469.
- Huuskonen, MS; Taskinen, E; Vaaranen, V. (1978). Sputum cytology of asbestosis patients. *Scand J Work Environ Health* 4: 284-294.
- Huuskonen, MS; Tiilikainen, A; Alanko, K. (1979). HLA-B18 antigens and protection from pulmonary fibrosis in asbestos workers. *Br J Dis Chest* 73: 253-259.

Human Health Hazard Literature Search Results

On Topic

- Huuskonen, MS; Tossavainen, A. (1982). Nordic Group of Experts for Documentation of Threshold Limit Values - 39. Asbestos. (CIS/83/00066). Huuskonen, MS; Tossavainen, A.
- Huuskonen, O; Kivisaari, L; Zitting, A; Kaleva, S; Vehmas, T. (2004). Emphysema findings associated with heavy asbestos-exposure in high resolution computed tomography of finnish construction workers. *J Occup Health* 46: 266-271.
- Huuskonen, O; Kivisaari, L; Zitting, A; Taskinen, K; Tossavainen, A; Vehmas, T. (2001). High-resolution computed tomography classification of lung fibrosis for patients with asbestos-related disease. *Scand J Work Environ Health* 27: 106-112.
- H-Y, W; Et, AL. (1992). Study on the incidence of coal mine pneumoconiosis and lung cancer in Beijing coal mining district (pp. 294-296). (BIOSIS/93/16057). Wang H-Y; Et, AL.
- Hyers, TM; Ohar, JM; Crim, C. (1992). Clinical controversies in asbestos-induced lung diseases. *Semin Diagn Pathol* 9: 97-101.
- Hyland, RA; Ware, S; Johnson, AR; Yates, DH. (2007). Incidence trends and gender differences in malignant mesothelioma in New South Wales, Australia. *Scand J Work Environ Health* 33: 286-292.
- Hylebos, M; Van Camp, G; van Meerbeeck, JP; Op de Beeck, K. (2016). The Genetic Landscape of Malignant Pleural Mesothelioma: Results from Massively Parallel Sequencing [Review]. *J Thorac Oncol* 11: 1615-1626. <http://dx.doi.org/10.1016/j.jtho.2016.05.020>.
- Hyodoh, F; Kinugawa, K; Ueki, A. (1991). Effects of asbestos on the cell cycle of PHA-stimulated human peripheral blood lymphocytes (pp. 1074-1081). (ISSN 0021-5082 EISSN 1882-6482 BIOSIS/91/25185). Hyodoh, F; Kinugawa, K; Ueki, A.
- Hyodoh, F; Matsuki, T; Aikoh, T; Tomokuni, A; Otsuki, T; Ueki, A. (1998). Release of IL-8 from human monocytes by asbestos. *Kawasaki Medical Journal* 24: 3-4.
- Hyodoh, F; Takata-Tomokuni, A; Miura, Y; Sakaguchi, H; Hatayama, T; Hatada, S; Katsuyama, H; Matsuo, Y; Otsuki, T. (2005). Inhibitory effects of anti-oxidants on apoptosis of a human polyclonal T-cell line, MT-2, induced by an asbestos, chrysotile-A. *Scand J Immunol* 61: 442-448. <http://dx.doi.org/10.1111/j.1365-3083.2005.01592.x>.
- Iablochkin, VD; Pilipiuk, ZI; Gorban', GM; Chukhno, EI; Gorshunova, AI. (1971). [Sanitary-chemical and toxicological study of some heat-insulating asbestos-filled materials based on lavsan]. *Gig Tr Prof Zabol* 15: 60-62.
- Iachetta, R; Pira, E; Maroni, M; Bosio, D; Di Prisco, ML. (2003). [Epidemiologic research on asbestos related disease in ENEL SpA electricity production plant maintenance]. *G Ital Med Lav Ergon* 25: 396-397.
- Iaglov, VV; Ostapkovich, EV; Dreval', AA; Loshchilov, I, uA. (1986). [Characteristics of morphological changes in nasal mucosa of workers exposed to chrysotile-asbestos dust]. *Vestn Otorinolaringol* 53-57.
- Iakhiaev, A; Idell, S. (2004). Asbestos induces tissue factor in Beas-2B cells via PI3 kinase-PKC-mediated signaling. *J Toxicol Environ Health A* 67: 1537-1547. <http://dx.doi.org/10.1080/15287390490486716>.
- Iakhiaev, A; Pendurthi, U; Idell, S. (2004). Asbestos induces tissue factor in Beas-2B human lung bronchial epithelial cells in vitro. *Lung* 182: 251-264. <http://dx.doi.org/10.1007/s00408-004-2507-2>.
- IARC. (2012). Arsenic, metals, fibres, and dusts. 100: 11-465.
- Iatsenko, AS; Kogan, FM. (1990). [Occupational morbidity and mortality in malignant neoplasms among persons professionally exposed to asbestos dust]. *Gig Tr Prof Zabol* 10-12.
- Iatsenko, AS; Kogan, FM. (1992). [Morbidity with temporary work incapacity in production of asbestos articles]. *Gig Sanit* 33-35.
- Iatsenko, AS; Kogan, FM; El' nichnykh, LN; Malysheva, LG; Remizova, IN. (1993). [Experimental evaluation of fibrogenic action of asbestos dust]. *Gig Sanit* 35-38.
- Iatsenko, AS; Kogan, FM; El' nichnykh, LN; Remizova, II. (1991). [Comparative evaluation of the dust's fibrinogen activity in asbestos-forming units production]. *Gig Sanit* 27-29.
- Iatsenko, AS; Kogan, FM; Tregubov, ES. (1992). [Comparative oncogenicity of dust in the production of asbestos parts]. *Gig Sanit* 40-42.
- Iatsenko, AS; Malysheva, LG; Kogan, FM. (1993). [Comparative evaluation of dust oncogenicity in asbestos-containing and non-asbestos details]. *Med Tr Prom Ekol* 10-12.
- Ibraev, SA; Koigel'dinova, S, hS; Kazimirova, OV; Eshmagambetova, Z, hA; Sydyrmanov, TB; Kasymova, AK. (2008). [Clinical and functional characteristics of broncho-pulmonary system under exposure to chrysotile-asbestos dust]. *Med Tr Prom Ekol* 30-33.
- Ibraev, SA; Otarov, EZ, h; Zharylkasyn, Z; Koigel'dinova, S, hS; Kulov, DB; Kalishev, MG. (2015). [Possibility to forecast lung pathology via parameters of allowable length of exposure to chrysotile]. *Med Tr Prom Ekol* 8-11.
- Ide, CW. (1994). Smoking and work-related health. 12: 16-19.
- Iebba, F; Di Sora, F; Leti, W; Montella, T; Montella, F. (2012). [Genetic and environmental contribution to rheumatoid arthritis: a family study]. *Recenti Prog Med* 103: 279-283. <http://dx.doi.org/10.1701/1127.12431>.
- Iguchi, H; Kojo, S. (1989). Possible generation of hydrogen peroxide and lipid peroxidation of erythrocyte membrane by asbestos: cytotoxic mechanism of asbestos. *Biochem Int* 18: 981-990.
- Iguchi, H; Kojo, S; Ikeda, M. (1993). Lipid peroxidation and disintegration of the cell membrane structure in cultures of rat lung fibroblasts treated with asbestos. *J Appl Toxicol* 13: 269-275.
- Iguchi, H; Kojo, S; Ikeda, M. (1996). Nitric oxide (NO) synthase activity in the lung and NO synthesis in alveolar macrophages of rats increased on exposure to asbestos. *J Appl Toxicol* 16: 309-315. [http://dx.doi.org/10.1002/\(SICI\)1099-1263\(199607\)16:4<309::AID-JAT345>3.0.CO;2-Z](http://dx.doi.org/10.1002/(SICI)1099-1263(199607)16:4<309::AID-JAT345>3.0.CO;2-Z).
- Ikegami, Y; Kawai, N; Tozawa, K; Hayashi, Y; Kohri, K. (2008). Malignant mesothelioma of the tunica vaginalis testis related to recent asbestos. *Int J Urol* 15: 560-561. <http://dx.doi.org/10.1111/j.1442-2042.2008.02036.x>.
- Ilavská, S; Jahnová, E; Tulinská, J; Horváthová, M; Dusinská, M; Wsolová, L; Kyrtopoulos, SA; Fuortes, L. (2005). Immunological monitoring in workers occupationally exposed to asbestos. *Toxicology* 206: 299-308. <http://dx.doi.org/10.1016/j.tox.2004.09.004>.

Human Health Hazard Literature Search Results

On Topic

- Ilg, AG; Bignon, J; Valleron, AJ. (1998). Estimation of the past and future burden of mortality from mesothelioma in France. *Occup Environ Med* 55: 760-765.
- Ilgren, E; Chatfield, E. (1997). Coalinga fibre - A short, amphibole-free chrysotile .1. Evidence for a lack of fibrogenic activity. *Indoor Built Environ* 6: 264-276.
- Ilgren, E; Chatfield, E. (1998). Coalinga fibre - A short, amphibole-free chrysotile - Part 2: Evidence for lack of tumourigenic activity. *Indoor Built Environ* 7: 18-31.
- Ilgren, E; Chatfield, E. (1998). Coalinga fibre: A short, amphibole-free chrysotile Part 3: Lack of biopersistence. *Indoor Built Environ* 7: 98-109.
- Ilgren, EB. (2002). Coalinga fibre: A short-fibre, amphibole-free chrysotile - Part 4: Further evidence for a lack of fibrogenic and tumorigenic activity. *Indoor Built Environ* 11: 171-177.
- Ilgren, EB. (2004). Coalinga chrysotile - The case of the missing "asbestos study": Corporate connivance or plaintiff ploy? *Indoor Built Environ* 13: 357-373. <http://dx.doi.org/10.1177/1420326X04047763>.
- Ilgren, EB. (2004). Coalinga chrysotile: A short-fibre, amphibole-free, chrysotile: Part VI - Additional evidence for lack of fibrogenicity. *Indoor Built Environ* 13: 375-382. <http://dx.doi.org/10.1177/1420326X04047764>.
- Ilgren, EB. (2010). The California Coalinga Chrysotile Miners and Millers - Further Evidence for a Lack of Attributable Disease. *Indoor Built Environ* 19: 562-585. <http://dx.doi.org/10.1177/1420326X09359969>.
- Ilgren, EB; Browne, K. (1991). ASBESTOS-RELATED MESOTHELIOMA - EVIDENCE FOR A THRESHOLD IN ANIMALS AND HUMANS [Review]. *Regul Toxicol Pharmacol* 13: 116-132.
- Ilgren, EB; Wagner, JC. (1991). BACKGROUND INCIDENCE OF MESOTHELIOMA - ANIMAL AND HUMAN EVIDENCE [Review]. *Regul Toxicol Pharmacol* 13: 133-149. [http://dx.doi.org/10.1016/0273-2300\(91\)90018-Q](http://dx.doi.org/10.1016/0273-2300(91)90018-Q).
- Ilic, M; Vlajinac, H; Marinkovic, J. (1996). Case-control study of risk factors for prostate cancer. *Br J Cancer* 74: 1682-1686.
- Il'icheva, SA; Zaridze, DG. (2004). [Etiological aspects of occupational cancer in printing industry]. *Vestn Ross Akad Med Nauk* 25-29.
- ILO. (1987). Safety in the use of asbestos. (CIS/88/00947). International Labour Office (ILO).
- ILO. (1990). Safety in the Use of Mineral and Synthetic Fibers: Working Document and Report of the Meeting of Experts on Safety in the Use of Mineral and Synthetic Fibres. Held in Geneva (Switzerland) on April 17-25, 1989. 96.
- ILO (International Labour Organization). (1991). Occupational lung diseases: Prevention and control. In *Occupational safety and health series* (pp. 94). (NTIS/02988383). Geneva, Switzerland.
- Im, JG; Webb, WR; Rosen, A; Gamsu, G. (1989). Costal pleura: appearances at high-resolution CT. *Radiology* 171: 125-131. <http://dx.doi.org/10.1148/radiology.171.1.2928515>.
- Im, S; Youn, KW; Shin, D; Lee, MJ; Choi, SJ. (2015). Review of carcinogenicity of asbestos and proposal of approval standards of an occupational cancer caused by asbestos in Korea. 27: 34. <http://dx.doi.org/10.1186/s40557-015-0080-1>.
- Imai, M; Hino, O. (2015). Environmental carcinogenesis - 100th anniversary of creating cancer [Review]. *Cancer Sci* 106: 1483-1485. <http://dx.doi.org/10.1111/cas.12798>.
- Imbernon, E. (2003). [Estimation of the number of cases of certain cancers attributable to occupational factors in France]. (CIS/06/00821). Imbernon, E.
- Imbernon, E. (2003). [Occupational cancers: First attempt at quantification] (pp. 72). (CIS/04/00562). German federal Ministry of Labour and Social Affairs (Bundesministerium für Arbeit und Sozialordnung).
- Imbernon, E; Goldberg, M; Bonenfant, S; Chevalier, A; Guénel, P; Vatré, R; Dehaye, J. (1995). Occupational respiratory cancer and exposure to asbestos: a case-control study in a cohort of workers in the electricity and gas industry. *Am J Ind Med* 28: 339-352.
- Imbernon, E; Marchand, JL; Garras, L; Goldberg, M. (2005). [Quantitative assessment of the risk of lung cancer and pleural mesothelioma among automobile mechanics]. *Rev Epidemiol Sante Publique* 53: 491-500.
- In, GDPLSDM. (2000). [Analysis of occupational exposure to asbestos in cases of mesothelioma registered in Romagna (1986-1998)]. *Med Lav* 91: 575-586.
- Inai, K. (2008). Pathology of mesothelioma. *Environ Health Prev Med* 13: 60-64. <http://dx.doi.org/10.1007/s12199-007-0017-6>.
- Inamoto, T; Georgian, MM; Kagan, E. (1987). ALTERED DISTRIBUTION OF ALVEOLAR MACROPHAGE SUBPOPULATIONS AFTER ASBESTOS INHALATION (pp. 10-13). (BIOSIS/87/23804). Inamoto, T; Georgian, MM; Kagan, E.
- Inamoto, T; Georgian, MM; Kagan, E; Ogimoto, K. (1992). The effects of asbestos inhalation on the distribution and enhancement of immunoassociated antigen expression of alveolar macrophage subpopulation. *J Vet Med Sci* 54: 829-836.
- Inamoto, T; Georgian, MM; Kagan, E; Ogimoto, K. (1993). Enhanced release of an alveolar macrophage-derived chemoattractant for fibroblasts in rats after asbestos inhalation. *J Vet Med Sci* 55: 195-201.
- Inamura, K; Ninomiya, H; Nomura, K; Tsuchiya, E; Satoh, Y; Okumura, S; Nakagawa, K; Takata, A; Kohyama, N; Ishikawa, Y. (2014). Combined effects of asbestos and cigarette smoke on the development of lung adenocarcinoma: different carcinogens may cause different genomic changes. *Oncol Rep* 32: 475-482. <http://dx.doi.org/10.3892/or.2014.3263>.
- Inase, N; Takayama, S; Nakayama, M; Miura, H; Kimura, Y. (1991). Pleural mesothelioma after neighborhood exposure to asbestos during childhood. *Jpn J Med* 30: 343-345. <http://dx.doi.org/10.2169/internalmedicine1962.30.343>.
- INC, EIDDC. (1983). LONG-TERM INHALATION STUDY IN RATS, GUINEA PIGS AND HAMSTERS WITH ASBESTOS AND FIBERGLASS WITH COVER LETTER DATED 020483. (TSCATS/019974).
- INC, EPL. (1997). SUPPORT: CHRONIC INHALATION TOXICITY REPORT OF THE RESPIRABLE FIBERS AMOSITE, MMVF 10A AND MMVF 33 IN HAMSTERS WITH COVER LETTER DATED 08/13/97. (TSCATS/452920). EXPERIMENTAL PATH LABS INC.
- INC, EPL. (1997). SUPPORT: CHRONIC INHALATION TOXICITY STUDY OF THE RESPIRABLE FIBERS AMOSITE, MMVF 10A AND MMVF 33 IN HAMSTERS, WITH COVER LETTER DATED 07/25/97. (TSCATS/452919). EXPERIMENTAL PATH LABS INC.

Human Health Hazard Literature Search Results

On Topic

- INC, EQM. (1994). FOLLOW-UP EVALUATION OF LUNG CANCER EXCESS IN EMPLOYEES EXPOSED TO ASBESTOS AT FACTORY A, WITH COVER LETTER DATED 06/01/94. (TSCATS/442852). ENVIR QUALITY MNGMT INC.
- INC., A-S. (2000). Mortality among employees of the bendix automotive corporation windsor, ontario with cover letter dated 101888 and 110788. 890000026: #86-890000026.
- Incharoen, P; Boonsarngsuk, V; Sanitthangkul, K; Laohavich, C; Sirikulchayanonta, V; Bovornkitti, S. (2014). Determination of asbestos bodies in bronchoalveolar lavage fluids in Thailand. *J Med Assoc Thai* 97: 554-559.
- Ineichen, F. (2006). [Asbestos and retroperitoneal fibrosis]. 90-94.
- Infante, PF; Braver, ER; Cohn, M; Rowe, J; Teitelbaum, H. (1984). REPORT OF THE HEALTH HAZARD COMMITTEE OF THE FEDERAL ASBESTOS TASKFORCE; AND REPORT OF THE ENVIRONMENTAL PROTECTION AGENCY, OFFICE OF TOXIC SUBSTANCES ASBESTOS REGULATORY PROGRAM. (EPIDEM/008530). Infante, PF; Braver, ER; Cohn, M; Rowe, J; Teitelbaum, H.
- Infante, PF; Schuman, LD; Dement, J; Huff, J. (1994). Fibrous glass and cancer [Review]. *Am J Ind Med* 26: 559-584.
- Ing, R; Falk, H; Lemen, RA; Carson, G; Kelter, A; Sarn, J; Gray, M. (1981). COMMUNITY ASBESTOS EXPOSURE IN GLOBE ARIZONA USA. *J Pediatr* 99: 409-411.
- Ingel, FI; Pylev, LN; Yurtseva, NA; Krivtsova, EK; Snirnova, OV; Golubeva, NM. (2014). [The effect of treatment of chrysotile with chloride iron (III) on the effect of genomic instability in cultured human lymphocytes]. *Gig Sanit* 87-92.
- Innocenzi, M; Saldutti, E; Bindi, L; Di Giacobbe, A; Mercadante, L; Innocenzi, L. (2013). [Asbestos exposure in the petrochemical industry and interaction with other occupational risk factors: analysis of the last ten years INAIL data]. *G Ital Med Lav Ergon* 35: 282-284.
- Inoue, A; Kubo, H; Nakamura, N; Okumura, T; Ochiai, Y; Kawasaki, M. (1981). A case of malignant diffuse mesothelioma, bronchiolo-alveolar carcinoma and asbestosis 30 years after exposure to asbestos (pp. 93-99). (HEEP/81/10939). Inoue, A; Kubo, H; Nakamura, N; Okumura, T; Ochiai, Y; Kawasaki, M.
- Inoue, M; Homma, Y; Kawakami, Y. (1985). [Inorganic inhalants as one of the etiologic agents in idiopathic interstitial pneumonia] [Review]. *Kokyu to Junkan* 33: 1423-1433.
- Institute, EaES. (1992). Environmental and Energy Study Conference Briefing Book, 1992. 190.
- Institute, M. (1983). The fibrogenic potential of asbestos products via intraperitoneal injection in guinea pigs rats, and rabbits and by the intratracheal route in the rat.
- International, S. (1983). UPDATE OF A RETROSPECTIVE COHORT MORTALITY STUDY OF WORKERS EXPOSED TO ASBESTOS WITH COVER LETTER. (TSCATS/020929). SRI INTL.
- IOM (Institute of Medicine). (2006). Asbestos: Selected cancers. In *The National Academies Collection: Reports funded by National Institutes of Health*. Washington, DC: National Academies Press. <http://dx.doi.org/10.17226/11665>.
- IOM (Institute of Medicine). (2009). A Review of the NIOSH Roadmap for Research on Asbestos Fibers and Other Elongate Mineral Particles. Washington (DC): National Academies Press (US). <http://dx.doi.org/10.17226/12697>.
- Irmscher, G; Beck, B; Schulz, P; Thürmer, H; Werner, I. (1979). [Assessment of health hazards posed by dust containing low concentrations of asbestos]. *Z Gesamte Hyg Grenzgeb* 25: 26-30.
- Irvine, HD; Lamont, DW; Hole, DJ; Gillis, CR. (1993). ASBESTOS AND LUNG-CANCER IN GLASGOW AND THE WEST OF SCOTLAND. *Br Med J* 306: 1503-1506.
- Irving, KF; Alexander, RG; Bavley, H. (1980). ASBESTOS EXPOSURES IN MASSACHUSETTS PUBLIC-SCHOOLS. *Am Ind Hyg Assoc J* 41: 270-276. <http://dx.doi.org/10.1080/15298668091424735>.
- Irwig, LM; du Toit, RS; Sluis-Cremer, GK; Thomas, RG. (1984). Risk of asbestosis in crocidolite and amosite mines in South Africa: an erratum. *Am J Ind Med* 5: 479-483.
- Irwig, LM; Dutoit, RSJ; Sluis-Cremer, GK; Solomon, A; Thomas, RG; Hamel, PPH; Webster, I; Hastie, T. (1979). Risk of asbestosis in crocidolite and amosite mines in South Africa. *Ann N Y Acad Sci* 330: 35-52.
- Iscovich, J; Fischbein, A; Witt-Kushner, J; Ginsberg, G; Richter, E; Tulchinsky, T. (1999). Malignant mesothelioma in Israel, 1961-1992. *Int J Occup Environ Health* 5: 157-163. <http://dx.doi.org/10.1179/oeh.1999.5.3.157>.
- Isele, H. (2006). [Asbestos and sequelae. Noli me tangere] [Letter]. *MMW Fortschr Med* 148: 8.
- Isfort, RJ; Kerckaert, G; Anderson, NL; Leboeuf, RA. (1992). 2-DIMENSIONAL GEL-ELECTROPHORESIS ANALYSIS OF SYRIAN-HAMSTER EMBRYO CELLS - MORPHOLOGICAL TRANSFORMATION IS NOT CELL TYPE SPECIFIC. *Electrophoresis* 13: 855-861.
- Ishida, M; Yamada, Y; Nakazaki, S; Kawami, M; Ebihara, I. (1995). [Progressive pulmonary fibrosis in a case of Sjögren's syndrome with asbestos exposure]. *Nihon Kyobu Shikkan Gakkai Zasshi* 33: 144-149.
- Ishihara, Y. (2001). In vitro studies on biological effects of fibrous minerals [Review]. *Ind Health* 39: 94-105.
- Ishihara, Y; Kagawa, J; Nagai, A. (1995). ASBESTOS AND SILICA PARTICLES STIMULATED HUMAN ALVEOLAR MACROPHAGES AND FIBROBLASTS TO RELEASE VARIOUS CYTOKINES (pp. 5-8). (BIOSIS/95/21764). Ishihara, Y; Kagawa, J; Nagai, A.
- Ishihara, Y; Kohyama, N; Kagawa, J. (1998). Contribution of human pulmonary macrophage-derived cytokines to asbestos-induced lung inflammation and fibrosis. *Inhal Toxicol* 10: 205-225.
- Ishihara, Y; Kohyama, N; Nagai, A; Kagawa, J. (1998). Cellular biological effects and a single transtracheal injection test in three types of whisker fibers. *Inhal Toxicol* 10: 275-291.
- Ishihara, Y; Kyono, H; Kohyama, N; Otaki, N; Serita, F; Toya, T; Kagawa, J. (1999). Acute biological effects of intratracheally instilled titanium dioxide whiskers compared with nonfibrous titanium dioxide and amosite in rats. *Inhal Toxicol* 11: 131-149. <http://dx.doi.org/10.1080/089583799197212>.
- Ishikawa, R; Kikuchi, E; Jin, M; Fujita, M; Itoh, T; Sawa, H; Nagashima, K; Kikuchi, H. (2003). Desmoplastic malignant mesothelioma of the pleura: autopsy reveals asbestos exposure. *Pathol Int* 53: 401-406.

Human Health Hazard Literature Search Results

On Topic

- Ishizaki, T; Yano, E; Evans, PH. (1997). Cellular mechanisms of reactive oxygen metabolite generation from human polymorphonuclear leukocytes induced by crocidolite asbestos. *Environ Res* 75: 135-140. <http://dx.doi.org/10.1006/enrs.1997.3772>.
- Ishizaki, T; Yano, E; Urano, N; Evans, PH. (1994). Crocidolite-induced reactive oxygen metabolites generation from human polymorphonuclear leukocytes. *Environ Res* 66: 208-216. <http://dx.doi.org/10.1006/enrs.1994.1056>.
- Isidro Montes, I; Abu Shams, K; Alday, E; Carretero Sastre, JL; Ferrer Sancho, J; Freixa Blanxart, A; Monsó Molas, E; Pascal Martínez, I; Rodríguez Becerra, E; Rodríguez Panadero, F; Group, E-SW. (2005). [Guidelines on asbestos-related pleuropulmonary disease]. *Arch Bronconeumol* 41: 153-168.
- Isik, R; Metintas, M; Gibbs, AR; Metintas, S; Jasani, B; Oner, U; Harmanci, E; Demircan, S; Işıksoy, S. (2001). p53, p21 and metallothionein immunoreactivities in patients with malignant pleural mesothelioma: correlations with the epidemiological features and prognosis of mesotheliomas with environmental asbestos exposure. *Respir Med* 95: 588-593. <http://dx.doi.org/10.1053/rmed.2001.1108>.
- Isoda, R; Yamane, H; Nezu, S; Monobe, Y; Ochi, N; Honda, Y; Nishimura, S; Akiyama, M; Horio, T; Takigawa, N. (2015). Successful palliation for an aged patient with primary pericardial mesothelioma. *World Journal of Surgical Oncology* 13: 273. <http://dx.doi.org/10.1186/s12957-015-0692-5>.
- Israbian, VA; Weitzman, SA; Kamp, DW. (1992). DIBUTYRYL CYCLIC AMP ATTENUATES ASBESTOS-INDUCED HUMAN PULMONARY EPITHELIAL CELL INJURY (pp. 141A). (BIOSIS/92/22269). Israbian, VA; Weitzman, SA; Kamp, DW.
- Israbian, VA; Weitzman, SA; Kamp, DW. (1993). MECHANISM OF DIBUTYRYL-CYCLIC-AMP ATTENUATES ASBESTOS-INDUCED INJURY TO HUMAN PULMONARY EPITHELIAL-LIKE CELLS. *Am Rev Respir Dis* 147: A907-A907.
- Israbian, VA; Weitzman, SA; Kamp, DW. (1994). Dibutyryl cAMP attenuates asbestos-induced pulmonary epithelial cell cytotoxicity and decline in ATP levels. *Am J Physiol* 267: L518-L525.
- Israels, LG; Friesen, E; Sinclair, C. (1958). Activation of factor VII by asbestos in beef plasma and serum. *Can J Biochem Physiol* 36: 953-958.
- Ivanova, AV; Ivanov, SV; Prudkin, L; Nonaka, D; Liu, Z; Tsao, A; Wistuba, I; Roth, J; Pass, HI. (2009). Mechanisms of FUS1/TUSC2 deficiency in mesothelioma and its tumorigenic transcriptional effects. *Mol Cancer* 8: 91. <http://dx.doi.org/10.1186/1476-4598-8-91>.
- Ivanovskaia, TM. (1970). [Status of the mucous membrane of the respiratory tract in asbestos industry workers]. *Gig Tr Prof Zabol* 14: 51-52.
- Ivanovskaya, TM; Krzhivitskaya, VP. (1969). (Bronchographic data in asbestosis.) (pp. 46-49). (HEEP/72/02542). Ivanovskaya, TM; Krzhivitskaya, VP.
- Ive, T. (1950). [A case of asbestosis]. *Ugeskr Laeger* 112: 472-474.
- Ivimey, B; Ahilas, T. (2012). OCCUPATIONAL LUNG DISEASE: ASBESTOS DISEASES. *J Thorac Oncol* 7: S172-S172.
- Iwagaki, A; Choe, N; Li, YY; Hemenway, DR; Kagan, E. (2003). Asbestos inhalation induces tyrosine nitration associated with extracellular signal-regulated kinase 1/2 activation in the rat lung. *Am J Respir Cell Mol Biol* 28: 51-60. <http://dx.doi.org/10.1165/rcmb.2002-0013OC>.
- Iwai, K; Yamada, H; Kawabata, Y; Shishido, S. (1990). ASBESTOS LUNG BURDEN CORRELATION WITH RESIDENTIAL AREA AND LUNG CANCER (pp. 20-24). (BIOSIS/90/18824). Iwai, K; Yamada, H; Kawabata, Y; Shishido, S.
- Iwao, S; Baba, Y; Kodama, Y. (1982). Pulmonary Function Of Dust Workers (pp. 5-10). (NIOSH/00148283). Iwao, S; Baba, Y; Kodama, Y.
- Iwata, T; Kohyama, N; Yano, E. (2002). Chemiluminescent detection of induced reactive oxygen metabolite production of human polymorphonuclear leucocytes by anthophyllite asbestos. *Environ Res* 88: 36-40. <http://dx.doi.org/10.1006/enrs.2001.4314>.
- Iwata, T; Yano, E. (2003). Reactive oxygen metabolite production induced by asbestos and glass fibers: effect of fiber milling. *Ind Health* 41: 32-38.
- Iwatsubo, Y; Pairon, JC; Billon-Galland, MA; Jahan, A; Gasseau, A; Lebas, F; Violette, E; Brochard, P. (1997). COMPARISON OF MEASURES OF EXPOSURE TO ASBESTOS IN FORMER WORKERS OF A BATTERY MAKING PLANT (pp. 20-24). (BIOSIS/98/15103). Iwatsubo, Y; Pairon, JC; Billon-Galland, MA; Jahan, A; Gasseau, A; Lebas, F; Violette, E; Brochard, P.
- Iwatsubo, Y; Pairon, JC; Boutin, C; Menard, O; Massin, N; Caillaud, D; Orłowski, E; Galateau-Salle, F; Bignon, J; Brochard, P. (2001). Dose-response relationship between low levels of asbestos and pleural mesothelioma - Population-based case-control study in France. *Cahiers de notes documentaires Hygi and egrave*: 7-16.
- Iwatsubo, Y; Pairon, JC; Boutin, C; Ménard, O; Massin, N; Caillaud, D; Orłowski, E; Galateau-Salle, F; Bignon, J; Brochard, P. (1998). Pleural mesothelioma: dose-response relation at low levels of asbestos exposure in a French population-based case-control study. *Am J Epidemiol* 148: 133-142.
- Iwatsubo, Y; Pairon, JC; Debeaune, CA; Chamming, S; Bignon, J; Brochard, P. (1994). PLEURAL MESOTHELIOMA - A DESCRIPTIVE ANALYSIS BASED ON A CASE-CONTROL STUDY AND MORTALITY DATA IN ILE-DE-FRANCE, 1987-1990. *Am J Ind Med* 26: 77-88.
- Izmerov, NF; Elovskaya, LT; Milishnikova, VV; Burmistrova, TB; Kovalevskii, EV. (1998). [Chrysotile asbestos in Russia: certain results and promising research directions]. *Med Tr Prom Ekol* 1-7.
- Izmerov, NF; Elovskaya, LT; Milishnikova, VV; Burmistrova, TB; Kovalevskii, EV. (1998). Chrysotile asbestos in Russia. Some results and prospective research trends. *Med Tr Prom Ekol* 0: 1-7.
- Izycki, J. (1990). HEALTH EFFECTS OF CHRONIC EXPOSURE TO ASBESTOS DIAGNOSTICS AND WORK CAPABILITY CERTIFICATION. *Med Pr* 41: 342-347.
- Izycki, J; Gielec, L. (1979). [Comparative evaluation of the functional state of the respiratory system in workers exposed to asbestos and cotton dust]. *Med Pr* 30: 151-156.
- Izycki, J; Malinowski, L. (1993). [Evolution of radiologic changes in lungs of workers occupationally exposed to asbestos dust]. *Med Pr* 44: 221-226.
- Izycki, T; Gielec, L; Malinowski, L; Wagrowska, E. (1986). EVALUATION OF THE CONDITION OF RESPIRATORY TRACT IN WORKERS IN EXPOSED TO ASBESTOS DUST IN RELATION TO THE DURATION OF OCCUPATION (pp. 34-37). (BIOSIS/87/09781). Izycki, T; Gielec, L; Malinowski, L; Wagrowska, E.

Human Health Hazard Literature Search Results

On Topic

- J, D; L, W; K, R; P, Q. (2015). Control Study of Airways Obstruction among Construction Workers.
- J, FA; JR. (1981). Detection of DNA single strand breaks produced during the repair of damage by DNA-protein cross-linking agents. *Cancer Res* 42: 145-149.
- Jabbour, AJ; Holian, A; Scheule, RK. (1991). Lung lining fluid modification of asbestos bioactivity for the alveolar macrophage. *Toxicol Appl Pharmacol* 110: 283-294.
- Jabbour, AJ; Holian, A; Scheule, RK. (1991). MODIFICATION OF CHRYSOTILE ASBESTOS BIOACTIVITY BY LUNG LINING FLUID LLF (pp. 12-15). (BIOSIS/91/21171). Jabbour, AJ; Holian, A; Scheule, RK.
- Jablonski, RP; Kim, SJ; Cheresch, P; Williams, DB; Morales-Nebreda, L; Cheng, Y; Yeldandi, A; Borhade, S; Pardo, A; Selman, M; Ridge, K; Gius, D; Budinger, GR; Kamp, DW. (2017). SIRT3 deficiency promotes lung fibrosis by augmenting alveolar epithelial cell mitochondrial DNA damage and apoptosis. *FASEB J*. <http://dx.doi.org/10.1096/fj.201601077R>.
- Jackaman, C; Cornwall, S; Lew, AM; Zhan, Y; Robinson, BW; Nelson, DJ. (2009). Local effector failure in mesothelioma is not mediated by CD4+ CD25+ T-regulator cells. *Eur Respir J* 34: 162-175. <http://dx.doi.org/10.1183/09031936.00101008>.
- Jackel, M; Kerenyi, T; Voss, B; Wiethage, T. (1996). PROLIFERATION OF BRONCHIAL EPITHELIUM INDUCED BY MINERAL FIBERS (pp. 20-25). (BIOSIS/97/13236). Jackel, M; Kerenyi, T; Voss, B; Wiethage, T.
- Jackson, DV; Marshall, RB; Albertson, DA; Slatkoff, ML. (1982). Malignant pleural mesothelioma: difficulties in diagnosis. *N C Med J* 43: 118-119.
- Jackson, J; Schraufstatter, I; Hyslop, P; Vosbeck, K; Sauerheber, R; Weitzman, S; Cochrane, C. (1987). Role of oxidants in DNA damage. Hydroxyl radical mediates the synergistic DNA damaging effects of asbestos and cigarette smoke. *J Clin Invest* 80: 1090-1095. <http://dx.doi.org/10.1172/JCI113165>.
- Jackson, JH; Schraufstatter, IU; Hyslop, PA; Vosbeck, K; Sauerheber, R; Weitzman, SA; Cochrane, CG. (1987). OXIDANTS AND DNA DAMAGE SYNERGISTIC EFFECTS OF CIGARETTE SMOKE AND ASBESTOS ARE MEDIATED BY HYDROXYL RADICAL (pp. 1390). (BIOSIS/87/24357). Jackson, JH; Schraufstatter, IU; Hyslop, PA; Vosbeck, K; Sauerheber, R; Weitzman, SA; Cochrane, CG.
- Jackson, JH; Schraufstatter, IU; Hyslop, PA; Vosbeck, K; Sauerheber, R; Weitzman, SA; Cochrane, CG. (1987). ROLE OF HYDROXYL RADICAL IN DNA DAMAGE (pp. 1-4). (ISSN 0066-9458 BIOSIS/87/27446). Jackson, JH; Schraufstatter, IU; Hyslop, PA; Vosbeck, K; Sauerheber, R; Weitzman, SA; Cochrane, CG.
- Jackson, M; Lea, I; Rashid, A; Peddada, S; Dunnick, J. (2006). Genetic Alterations In Cancer: Gene Mutations In Lung And Liver Tumors Of Mice And Humans Exposed To Environmental Agents. *Toxicol Sci* 90: 197.
- Jackson, MA; Lea, I; Rashid, A; Peddada, SD; Dunnick, JK. (2006). Genetic alterations in cancer knowledge system: analysis of gene mutations in mouse and human liver and lung tumors. *Toxicol Sci* 90: 400-418. <http://dx.doi.org/10.1093/toxsci/kfj101>.
- Jackson, MA; Stack, HF; Waters, MD. (1993). The genetic toxicology of putative nongenotoxic carcinogens [Review]. *Mutat Res* 296: 241-277. [http://dx.doi.org/10.1016/0165-1110\(93\)90014-E](http://dx.doi.org/10.1016/0165-1110(93)90014-E).
- Jacob, G. (1961). [On the bronchogram in mild forms of asbestos lung fibrosis]. 124: 290-293.
- Jacob, G. (1975). [Asbestos as an environmental carcinogen (author's transl)]. *Z Erkr Atmungsorgane* 142: 3-17.
- Jacobi, V; Keller, C; Bauer, B; K-M, M. (1994). Correlation of HRLT and lung function in asbestosis (pp. S45-S49). (ISSN 0341-3055 BIOSIS/94/29501). Jacobi, V; Keller, C; Bauer, B; Mueller K-M.
- Jacobs, N; Kisting, S; Braun, L. (2004). Collaborative research, participatory solutions: research on asbestos in Kuruman, South Africa [Review]. *Int J Occup Environ Health* 10: 226-232. <http://dx.doi.org/10.1179/oeh.2004.10.2.226>.
- Jacobs, R; Dodgson, KS; Richards, RJ. (1977). A preliminary study of biochemical changes in the rat small intestine following long-term ingestion of chrysotile asbestos. *Br J Exp Pathol* 58: 541-548.
- Jacobs, R; Humphrys, J; Dodgson, KS; Richards, RJ. (1978). Light and electron microscope studies of the rat digestive tract following prolonged and short-term ingestion of chrysotile asbestos. *Int J Exp Pathol* 59: 443-453.
- Jacobs, R; Richards, RJ. (1980). DISTRIBUTION OF 6-6(N)-3[H]SUCROSE AND ITS RADIOLABELED DEGRADATION PRODUCTS FROM ISOLATED, PERFUSED RAT SMALL-INTESTINE LOOPS FOLLOWING PROLONGED INGESTION OF CHRYSOTILE ASBESTOS. *Environ Res* 21: 423-431.
- Jacobs, R; Weinzeig, M; Dodgson, KS; Richards, RJ. (1978). Nucleic acid metabolism in the rat following short-term and prolonged ingestion of chrysotile asbestos or cigarette-smoke condensate. *Br J Exp Pathol* 59: 594-600.
- Jacobsen, M; Foda, A; Ronk, C; McKinley, M, eg. (2013). CHRYSOTILE ASBESTOS EXPOSURE AND OVARIAN CANCER: IS THERE AN ASSOCIATION? *Am J Epidemiol* 177: S123-S123.
- Jacobson, RJ; Memoli, D; Kagan, E. (1987). Non-hodgkin's lymphomas associated with asbestos exposure. 35: 524A.
- Jacobsson, K. (1993). Colorectal cancer and non-malignant respiratory disease in asbestos cement and cement workers. Studies on mortality, cancer morbidity, and radiographical changes in lung parenchyma and pleura. 55.
- Jagirdar, J; Lee, TC; Reibman, J; Gold, LI; Aston, C; Bégin, R; Rom, WN. (1997). Immunohistochemical localization of transforming growth factor beta isoforms in asbestos-related diseases. *Environ Health Perspect* 105 Suppl 5: 1197-1203.
- Jahn, I; Ahrens, W; Brüske-Hohlfeld, I; Kreuzer, M; Möhner, M; Pohlabein, H; Wichmann, HE; Jöckel, KH. (1999). Occupational risk factors for lung cancer in women: results of a case-control study in Germany. *Am J Ind Med* 36: 90-100.
- Jaiswal, AK. (1981). Biochemical studies in infective amosite pneumoconiosis. *Toxicology* 22: 59-68.
- Jajte, J; Lao, I; Wiśniewska-Knypl, JM. (1987). Enhanced lipid peroxidation and lysosomal enzyme activity in the lungs of rats with prolonged pulmonary deposition of crocidolite asbestos. *Br J Ind Med* 44: 180-186.
- Jakobsson, K; Albin, M; Hagmar, L. (1994). Asbestos, cement, and cancer in the right part of the colon. *Occup Environ Med* 51: 95-101.
- Jakobsson, K; Rannug, A; A-K, A; Warholm, M; Rylander, L; Hagmar, L. (1995). Radiographic Changes and Lung Function in Relation to Activity of the Glutathione Transferases Theta and Mu among Asbestos Cement Workers. *Toxicol Lett* 77: 1-3.

Human Health Hazard Literature Search Results

On Topic

- Jakobsson, K; Rannug, A; Alexandrie, AK; Rylander, L; Albin, M; Hagmar, L. (1994). Genetic polymorphism for glutathione-S-transferase mu in asbestos cement workers. *Occup Environ Med* 51: 812-816.
- Jakobsson, K; Rannug, A; Alexandrie, AK; Warholm, M; Rylander, L; Hagmar, L. (1995). RADIOGRAPHIC CHANGES AND LUNG-FUNCTION IN RELATION TO ACTIVITY OF THE GLUTATHIONE TRANSFERASE-THETA AND TRANSFERASE-MU AMONG ASBESTOS-CEMENT WORKERS. *Toxicol Lett* 77: 363-369.
- Jakobsson, K; Strömberg, U; Albin, M; Welinder, H; Hagmar, L. (1995). Radiological changes in asbestos cement workers. *Occup Environ Med* 52: 20-27.
- Jakubec, P; Pelclova, D; Smolkova, P; Kolek, V; Nakladalova, M. (2015). Significance of serum mesothelin in an asbestos-exposed population in the Czech Republic. *Biomed Pap Med Fac Univ Palacky Olomouc Czech Repub* 159: 472-479. <http://dx.doi.org/10.5507/bp.2014.015>.
- James, CO; Woods, AW; Arya, P; Abuelgasim, KA; Heath, LT; Sitapati, A. (2009). Mesothelioma in an HIV/AIDS patient without history of asbestos exposure: possible role for immunosuppression in mesothelioma: a case report. *Cases Journal* 2: 7498. <http://dx.doi.org/10.1186/1757-1626-2-7498>.
- James, SA. (1971). Asbestosis. *Radiography* 37: 81-85.
- Jamrozik, E; de Klerk, N; Musk, AW. (2011). Asbestos-related disease [Review]. *Internal Medicine Journal (Online)* 41: 372-380. <http://dx.doi.org/10.1111/j.1445-5994.2011.02451.x>.
- Jankovic, J; Reger, R. (1989). Health Hazard Evaluation Report No. HETA-87-017-1949, United Rubber Workers' International Union, Akron, Ohio (pp. 87-017). (NIOSH/00187465). Jankovic, J; Reger, R.
- Jankovichova, T; Jankovich, M; Ondrus, D; Kajo, K; Dubravicky, J; Breza, J. (2015). Extremely rare tumour--malignant mesothelioma of tunica vaginalis testis. *Bratisl Lek Listy* 116: 574-576. http://dx.doi.org/10.4149/BLL_2015_111.
- Jankowich, MD; Rounds, S. (2010). Combined pulmonary fibrosis and emphysema alters physiology but has similar mortality to pulmonary fibrosis without emphysema. *Lung* 188: 365-373. <http://dx.doi.org/10.1007/s00408-010-9251-6>.
- Janssen Y, MW; Borm P, JA; Marsh, JP; Mossman, BT. (1994). THE ROLE OF ACTIVE OXYGEN SPECIES IN LUNG TOXICITY INDUCED BY MINERAL FIBERS AND PARTICULATES (pp. NEW YORK). (BIOSIS/94/27125). Janssen Y, MW; Borm P, JA; Marsh, JP; Mossman, BT.
- Janssen Y, MW; Marsh, JP; Absher, MP; Gabrielson, E; Borm P, JA; Mossman, BT. (1992). GENE EXPRESSION OF HEME OXYGENASE AND ANTIOXIDANT ENZYMES IN HUMAN MESOTHELIAL CELLS AND HUMAN ADULT LUNG FIBROBLASTS AFTER EXPOSURE TO ASBESTOS OR ACTIVE OXYGEN SPECIES (pp. 17-20). (BIOSIS/92/22125). Janssen Y, MW; Marsh, JP; Absher, MP; Gabrielson, E; Borm P, JA; Mossman, BT.
- Janssen Y, MW; Marsh, JP; Shull, S; Borm P, JA; Mossman, BT. (1990). PROFILES OF ANTIOXIDANT ENZYME EXPRESSION IN RAT LUNGS AFTER INHALATION OF ASBESTOS OR SILICA (pp. 14-20). (BIOSIS/91/07867). Janssen Y, MW; Marsh, JP; Shull, S; Borm P, JA; Mossman, BT.
- Janssen, YM; Driscoll, KE; Howard, B; Quinlan, TR; Treadwell, M; Barchowsky, A; Mossman, BT. (1997). Asbestos causes translocation of p65 protein and increases NF-kappa B DNA binding activity in rat lung epithelial and pleural mesothelial cells. *Am J Pathol* 151: 389-401.
- Janssen, YM; Heintz, NH; Marsh, JP; Borm, PJ; Mossman, BT. (1994). Induction of c-fos and c-jun proto-oncogenes in target cells of the lung and pleura by carcinogenic fibers. *Am J Respir Cell Mol Biol* 11: 522-530. <http://dx.doi.org/10.1165/ajrcmb.11.5.7946382>.
- Janssen, YMW; Barchowsky, A; Treadwell, M; Driscoll, KE; Mossman, BT. (1995). Asbestos Induces Nuclear Factor kappaB (NF-kappaB) DNA-Binding Activity and NF-kappaB-Dependent Gene Expression in Tracheal Epithelial Cells (pp. 8458-8462). (ISSN 0027-8424 EISSN 1091-6490 NIOSH/00241559). Janssen, YMW; Barchowsky, A; Treadwell, M; Driscoll, KE; Mossman, BT.
- Janssen, YMW; Barchowsky, A; Treadwell, M; Driscoll, KE; Mossman, BT. (1995). Asbestos induces nuclear factor kB (NF-kB) DNA-binding activity and NF-kB-dependent gene expression in tracheal epithelial cells. *Proc Natl Acad Sci USA* 92: 8458-8462 TAX - CRICETULUS GRISEUS.
- Janssen, YMW; Driscoll, KE; Timblin, CR; Hassenbein, D; Mossman, BT. (1998). Modulation of mitochondrial gene expression in pulmonary epithelial cells exposed to oxidants. *Environ Health Perspect* 106: 1191-1195.
- Janssen, YMW; Heintz, NH; Mossman, BT. (1995). Induction of c-fos and c-jun Proto-oncogene Expression by Asbestos Is Ameliorated by N-Acetyl-L-cysteine in Mesothelial Cells. *Cancer Res* 55: 2085-2089.
- Janssen, YMW; Marsh, JP; Absher, M; Borm, PJA; Mossman, BT. (1990). Increases in endogenous antioxidant enzymes during asbestos inhalation in rats. *Free Radic Res* 11: 53-58.
- Janssen, YMW; Marsh, JP; Absher, MP; Gabrielson, E; Borm, PJA; Driscoll, K; Mossman, BT. (1994). Oxidant Stress Responses in Human Pleural Mesothelial Cells Exposed to Asbestos. *Am J Respir Crit Care Med* 149: 795-802. <http://dx.doi.org/10.1164/ajrcm.149.3.8118652>.
- Janssen, YMW; Marsh, JP; Absher, MP; Hemenway, D; Vacek, PM; Leslie, KO; Borm, PJA; Mossman, BT. (1992). Expression of Antioxidant Enzymes in Rat Lungs after Inhalation of Asbestos or Silica. *J Biol Chem* 267: 10625-10630.
- Janssen-Heijnen, ML; Damhuis, RA; Klinkhamer, PJ; Schipper, RM; Coebergh, JW. (1999). Increased but low incidence and poor survival of malignant mesothelioma in the southeastern part of The Netherlands since 1970: a population-based study. *Eur J Cancer Prev* 8: 311-314.
- Jansson, C; Johansson, AL; Bergdahl, IA; Dickman, PW; Plato, N; Adami, J; Boffetta, P; Lagergren, J. (2005). Occupational exposures and risk of esophageal and gastric cardia cancers among male Swedish construction workers. *Cancer Causes Control* 16: 755-764. <http://dx.doi.org/10.1007/s10552-005-1723-2>.
- Jantunen, K; Vanhala, E; Linnainmaa, K. (1989). Chromosomal changes induced by mineral fibers in mesothelial cells and cho cells. *Mutat Res* 216: 275-276.
- Japko, L; Horta, AA; Schreiber, K; Mitsudo, S; Karwa, GL; Singh, G; Koss, LG. (1982). Malignant Mesothelioma of the Tunica Vaginalis Testis: Report of First Case with Preoperative Diagnosis. *Cancer* 49: 119-127.
- Jarad, NA; Carroll, MP; Laroche, C; Poulakis, N; Moxham, J; Green, M; Rudd, RM. (1994). Respiratory muscle function in patients with asbestos-related pleural disease. *Respir Med* 88: 115-120.

Human Health Hazard Literature Search Results

On Topic

- Jarad, NA; Underwood, SR; Rudd, RM. (1993). Asbestos-related pericardial thickening detected by magnetic resonance imaging. *Respir Med* 87: 309-312.
- Järholm, B. (1993). Incidence of lung cancer by histological type among asbestos cement workers in Denmark [Letter]. *Br J Ind Med* 50: 767.
- Jarvholm, B. (2006). Carcinogens in the construction industry. *Ann N Y Acad Sci* 1076: 421-428. <http://dx.doi.org/10.1196/annals.1371.055>.
- Järholm, B. (1988). Asbestos-associated diseases in Sweden--a general view. *Arh Hig Rada Toksikol* 39: 429-432.
- Järholm, B. (1992). Pleural plaques and exposure to asbestos: a mathematical model. *Int J Epidemiol* 21: 1180-1184.
- Järholm, B; Arvidsson, H; Bake, B; Hillerdal, G; Westrin, CG. (1986). Pleural plaques--asbestos--ill-health [Review]. *Eur J Respir Dis Suppl* 145: 1-59.
- Järholm, B; Aström, E. (2014). The risk of lung cancer after cessation of asbestos exposure in construction workers using pleural malignant mesothelioma as a marker of exposure. *J Occup Environ Med* 56: 1297-1301. <http://dx.doi.org/10.1097/JOM.000000000000258>.
- Järholm, B; Brisman, J. (1988). Asbestos associated tumours in car mechanics. *Br J Ind Med* 45: 645-646.
- Järholm, B; Burdorf, A. (2015). Emerging evidence that the ban on asbestos use is reducing the occurrence of pleural mesothelioma in Sweden. *Scand J Public Health* 43: 875-881. <http://dx.doi.org/10.1177/1403494815596500>.
- Järholm, B; Englund, A. (2014). The impact of asbestos exposure in Swedish construction workers. *Am J Ind Med* 57: 49-55. <http://dx.doi.org/10.1002/ajim.22264>.
- Järholm, B; Englund, A; Albin, M. (1999). Pleural mesothelioma in Sweden: an analysis of the incidence according to the use of asbestos. *Occup Environ Med* 56: 110-113.
- Järholm, B; Larsson, S. (1988). Do pleural plaques produce symptoms? A brief report. *J Occup Med* 30: 345-347.
- Järholm, B; Larsson, S; Hagberg, S; Olling, S; Ryd, W; Torén, K. (1993). Quantitative importance of asbestos as a cause of lung cancer in a Swedish industrial city: a case-referent study. *Eur Respir J* 6: 1271-1275.
- Järholm, B; Malke, H; Malke, B; Ericsson, J; Sällsten, G. (1988). Pleural mesotheliomas and asbestos exposure in the pulp and paper industries: a new risk group identified by linkage of official registers. *Am J Ind Med* 13: 561-567.
- Järholm, B; Reuterwall, C; Bystedt, J. (2013). Mortality attributable to occupational exposure in Sweden. *Scand J Work Environ Health* 39: 106-111. <http://dx.doi.org/10.5271/sjweh.3284>.
- Järholm, B; Sandén, A. (1986). Pleural plaques and respiratory function. *Am J Ind Med* 10: 419-426. <http://dx.doi.org/10.1002/ajim.4700100409>.
- Järholm, B; Sandén, A. (1987). Estimating asbestos exposure: a comparison of methods. *J Occup Med* 29: 361-363.
- Järholm, B; Sandén, A. (1988). Asbestos-associated diseases in Swedish shipyard workers. *Arh Hig Rada Toksikol* 39: 437-440.
- Järholm, B; Sandén, A. (1998). Lung cancer and mesothelioma in the pleura and peritoneum among Swedish insulation workers. *Occup Environ Med* 55: 766-770.
- Jarvie, BH. (1984). NEIGHBORHOOD ASBESTOS-RELATED DISORDERS IN THE FAMILY OF AN ASBESTOS WORKER (pp. 7-9). (HEEP/85/06519). Jarvie, BH.
- Jarvisalo, J; Juntunen, J; Huuskonen, MS; Kivisto, H; Aitio, A. (1984). Tumor markers and neurological signs in asbestosis patients. *Am J Ind Med* 6: 159-166.
- Järvisalo, JO; Stenman, UH. (1984). Body fluid proteins and peptides as tumour markers in clinical cancer research and in monitoring exposure to carcinogens. *IARC Sci Publ* 403-411.
- Jaurand, M; Bastie-Sigeac, I; Magne, L; Hubert-Habart, M; Bignon, J. (1983). Studies on in vitro chrysotile-pleural mesothelial cell interaction: morphological aspects and metabolism of benzo-3,4-pyrene. *Environ Health Perspect* 51: 159-165.
- Jaurand, MC. (1985). Comparative Responses of Cultured Cells to Asbestos Fibres in Relation to Carcinogenicity (pp. 215-220). (NIOSH/00165752). Jaurand, MC.
- Jaurand, MC. (1989). Particulate-state carcinogenesis: a survey of recent studies on the mechanisms of action of fibres [Review]. *IARC Sci Publ occupational Exposure to Mineral Fibres*: 54-73.
- Jaurand, MC. (1990). ASBESTOS-CARCINOGENESIS ARE SCIENTIFIC DATA SUFFICIENT TO DEFINE A FIBER CARCINOGENESIS (pp. 16-22). (BIOSIS/91/14186). Jaurand, MC.
- Jaurand, MC. (1991). OBSERVATIONS ON THE CARCINOGENICITY OF ASBESTOS FIBERS. *Ann N Y Acad Sci* 643: 258-270. <http://dx.doi.org/10.1111/j.1749-6632.1991.tb24470.x>.
- Jaurand, MC. (1994). IN-VITRO ASSESSMENT OF BIOPERISTENCE USING MAMMALIAN-CELL SYSTEMS. *Environ Health Perspect* 102: 55-59.
- Jaurand, MC. (1997). Mechanisms of fiber-induced genotoxicity [Review]. *Environ Health Perspect* 105: 1073-1084.
- Jaurand, MC. (2000). Investigations of DNA Damage Produced by Asbestos Fibers in Rat Pleural Mesothelial Cells. *Inhal Toxicol* 12 Suppl 3: 183-187. <http://dx.doi.org/10.1080/08958378.2000.11463212>.
- Jaurand, MC. (2005). Mesothelioma pathogenesis, facts and expectations [Review]. *Pathol Biol* 53: 41-44. <http://dx.doi.org/10.1016/j.patbio.2003.10.005>.
- Jaurand, MC; Bastiesigeac, I; Bignon, J; Stoebner, P. (1983). EFFECT OF CHRYSOTILE AND CROCIDOLITE ON THE MORPHOLOGY AND GROWTH OF RAT PLEURAL MESOTHELIAL CELLS. *Environ Res* 30: 255-269. [http://dx.doi.org/10.1016/0013-9351\(83\)90212-8](http://dx.doi.org/10.1016/0013-9351(83)90212-8).
- Jaurand, MC; Bastie-Sigeac, I; Paterour, MJ; Renier, A; Bignon, J. (1983). Possibility of Using Rat Mesothelial Cells in Culture to Test Cytotoxicity, Clastogenicity, and Carcinogenicity of Asbestos Fibers. *Ann N Y Acad Sci* 407: 409-411.
- Jaurand, MC; Bastie-Sigeac, I; Renier, A; Bignon, J. (1983). Comparative toxicities of different forms of asbestos on rat pleural mesothelial cells. *Environ Health Perspect* 51: 153-158.
- Jaurand, MC; Bernaudin, JF; Bignon, J. (1990). [The mesothelial cells]. *Rev Prat* 40: 1823-1828.
- Jaurand, MC; Bignon, J. (1979). INTERACTION OF FIBERS WITH HUMAN AND ANIMAL CELLS (pp. 8-10). (HEEP/80/08078). Jaurand, MC; Bignon, J.

Human Health Hazard Literature Search Results

On Topic

- Jaurand, MC; Bignon, J; Gaudichet, A; Magne, L; Oblin, A. (1978). Biological effects of chrysotile after SO₂ sorption. II. Effects on alveolar macrophages and red blood cells. *Environ Res* 17: 216-227. [http://dx.doi.org/10.1016/0013-9351\(78\)90023-3](http://dx.doi.org/10.1016/0013-9351(78)90023-3).
- Jaurand, MC; Bignon, J; Magne, L; Renier, A; Lafuma, J. (1979). Interaction des fibres avec les globules rouges et les macrophages alveolaires in vitro. *Rev Fr Mal Respir* 7: 717-722.
- Jaurand, MC; Bignon, J; Renier, A; Brochard, P; Stoebner, P; Bourdin, A; Barioz, CM; Adnet, JJ. (1981). COMPARISON OF THE EFFECTS OF CHRYSOTILE AND CROCIDOLITE ASBESTOS FIBERS ON MESOTHELIAL CELLS IN-VITRO (pp. 9-13). (HEEP/82/05861). Jaurand, MC; Bignon, J; Renier, A; Brochard, P; Stoebner, P; Bourdin, A; Barioz, CM; Adnet, JJ.
- Jaurand, MC; Bignon, J; Sebastien, P; Goni, J. (1977). Leaching of chrysotile asbestos in human lungs. Correlation with in vitro studies using rabbit alveolar macrophages. *Environ Res* 14: 245-254.
- Jaurand, MC; Fleury, J; Monchaux, G; Nebut, M; Bignon, J. (1987). Pleural carcinogenic potency of mineral fibers (asbestos, attapulgite) and their cytotoxicity on cultured cells. *J Natl Cancer Inst* 79: 797-804.
- Jaurand, MC; Fleury-Feith, J. (2005). Pathogenesis of malignant pleural mesothelioma [Review]. *Respirology* 10: 2-8. <http://dx.doi.org/10.1111/j.1440-1843.2005.00694.x>.
- Jaurand, MC; Gaudichet, A; Atassi, K; Sébastien, P; Bignon, J. (1980). Relationship between the number of asbestos fibres and the cellular and enzymatic content of bronchoalveolar fluid in asbestos exposed subjects. *Bull Europ Physiol Resp* 16: 595-606.
- Jaurand, MC; Gaudichet, A; Halpern, S; Bignon, J. (1984). INVITRO BIODEGRADATION OF CHRYSOTILE FIBERS BY ALVEOLAR MACROPHAGES AND MESOTHELIAL CELLS IN CULTURE - COMPARISON WITH A PH EFFECT. *Br J Ind Med* 41: 389-395.
- Jaurand, MC; Kaplan, H; Thiollot, J; Pinchon, MC; Bernaudin, JF; Bignon, J. (1979). Phagocytosis of chrysotile fibers by pleural mesothelial cells in culture. *Am J Pathol* 94: 529-538.
- Jaurand, MC; Kheuang, L; Magne, L; Bignon, J. (1986). Chromosomal changes induced by chrysotile fibres or benzo-3,4-pyrene in rat pleural mesothelial cells. *Mutat Res* 169: 141-148.
- Jaurand, MC; Magne, L; Bignon, J. (1979). Inhibition by phospholipids of haemolytic action of asbestos. *Br J Ind Med* 36: 113-116.
- Jaurand, MC; Magne, L; Bignon, J. (1980). The Significance Of Lysosomal Enzyme Release Induced By Asbestos (pp. 83-87). (NIOSH/00158402). Jaurand, MC; Magne, L; Bignon, J.
- Jaurand, MC; Magne, L; Bignon, J. (1983). MECHANISM OF HEMOLYSIS BY CHRYSOTILE FIBERS. *Toxicol Lett* 15: 205-211. [http://dx.doi.org/10.1016/0378-4274\(83\)90217-5](http://dx.doi.org/10.1016/0378-4274(83)90217-5).
- Jaurand, MC; Magne, L; Bignon, J; Goni, J. (1980). Effects of well-defined fibres on red blood cells and alveolar macrophages. *IARC Sci Publ* 441-450.
- Jaurand, MC; Magne, L; Boulmier, JL; Bignon, J. (1981). In vitro reactivity of alveolar macrophages and red blood cells with asbestos fibres treated with oxalic acid, sulfur dioxide and benzo-3,4-pyrene. *Toxicology* 21: 323-342. [http://dx.doi.org/10.1016/0300-483X\(81\)90147-5](http://dx.doi.org/10.1016/0300-483X(81)90147-5).
- Jaurand, MC; Magne, L; Renier, A; Kheuang, L; Bignon, J. (1986). INVITRO RESPONSES OF TARGET PLEURAL MESOTHELIAL CELLS (PMC) TO CHRYSOTILE ASBESTOS FIBERS. *Eur J Cell Biol* 42: 35-35.
- Jaurand, MC; Renier, A; Daubriac, J. (2009). Mesothelioma: Do asbestos and carbon nanotubes pose the same health risk? *Part Fibre Toxicol* 6: 16. <http://dx.doi.org/10.1186/1743-8977-6-16>.
- Jaurand, MC; Renier, A; Gaudichet, A; Kheuang, L; Magne, L; Bignon, J. (1988). Short-term tests for the evaluation of potential cancer risk of modified asbestos fibers. *Ann N Y Acad Sci* 534: 741-753.
- Jaurand, MC; Renier, A; Van der Meeren, A; Magne, L; Pinchon, MC; Bignon, J. (1986). In vitro growth characteristics of rat mesothelioma cells in culture. *Biol Cell* 57: 249-256.
- Jaurand, MC; Thomassin, JH; Baillif, P; Magne, L; Touray, JC; Bignon, J. (1980). Chemical and photoelectron spectrometry analysis of the adsorption of phospholipid model membranes and red blood cell membranes on to chrysotile fibres. *Br J Ind Med* 37: 169-174.
- Jaurand, MC; Thomassin, JH; Magne, L; Baillif, P. (1979). [Adsorption of phospholipids by chrysotile fibers : comparison of data from chemical analysis and photoelectron spectrometry (PSX method)]. *C R Acad Sci Hebd Seances Acad Sci D* 288: 279-282.
- Jean, D; Thomas, E; Manié, E; Renier, A; De Reynies, A; Lecomte, C; Andujar, P; Fleury-Feith, J; Galateau-Sallé, F; Giovannini, M; Zucman-Rossi, J; Stern, MH; Jaurand, MC. (2011). Syntenic Relationships between Genomic Profiles of Fiber-Induced Murine and Human Malignant Mesothelioma. *Am J Pathol* 178: 881-894. <http://dx.doi.org/10.1016/j.ajpath.2010.10.039>.
- Jederlinic, P; Hanlein, G; Judge, J; Kerwin, D; Gaensler, E. (1991). PRIOR EXPOSURE AND ASBESTOS RELATED DISEASE IN RAIL CAR AND AUTOMOTIVE MAINTENANCE WORKERS OF A TRANSPORTATION AUTHORITY (pp. 12-15). (BIOSIS/91/21170). Jederlinic, P; Hanlein, G; Judge, J; Kerwin, D; Gaensler, E.
- Jederlinic, PJ; Churg, A; Gaensler, EA. (1987). IDIOPATHIC PULMONARY FIBROSIS IN ASBESTOS EXPOSED PERSONS (pp. 10-13). (BIOSIS/87/23873). Jederlinic, PJ; Churg, A; Gaensler, EA.
- Jeebun, V; Stenton, SC. (2012). The presentation and natural history of asbestos-induced diffuse pleural thickening. *Occup Med (Lond)* 62: 266-268. <http://dx.doi.org/10.1093/occmed/kqs028>.
- Jefferys, DB; Vale, JA. (1978). Malignant mesothelioma and gas-mask assemblers. *Br Med J* 2: 607.
- Jemal, A; Grauman, D; Devesa, S. (2000). Recent geographic patterns of lung cancer and mesothelioma mortality rates in 49 shipyard counties in the United States, 1970-94. *Am J Ind Med* 37: 512-521.
- Jennings, CJ; Walsh, PM; Deady, S; Harvey, BJ; Thomas, W. (2014). Malignant pleural mesothelioma incidence and survival in the Republic of Ireland 1994-2009. *Cancer Epidemiology* 38: 35-41. <http://dx.doi.org/10.1016/j.canep.2013.12.002>.
- Jensen, BN; Viskum, K. (1992). [Primary malignant pleural neoplasms. Diagnostic code 163.09]. *Ugeskr Laeger* 154: 3504-3506.

Human Health Hazard Literature Search Results

On Topic

- Jensen, CG; Jensen, LCW; Rieder, CL; Cole, RW; Ault, JG. (1996). Long crocidolite asbestos fibers cause polyploidy by sterically blocking cytokinesis. *Carcinogenesis* 17: 2013-2021.
- Jensen, CG; Watson, M. (1999). Inhibition of cytokinesis by asbestos and synthetic fibres. *Cell Biol Int* 23: 829-840. <http://dx.doi.org/10.1006/cbir.1999.0479>.
- Jessurun, GA; Crijns, HJ; van Wijngaarden, J. (1996). An unusual case of cardiac tamponade following electrical cardioversion. *Int J Cardiol* 53: 317-320.
- Jeyaratnam, J. (1994). *Transfer of Hazardous Industries* (pp. 23-29). (ISSN 0300-5038 NIOSH/00229410). Jeyaratnam, J.
- Jiang, L; Akatsuka, S; Nagai, H; Chew, SH; Ohara, H; Okazaki, Y; Yamashita, Y; Yoshikawa, Y; Yasui, H; Ikuta, K; Sasaki, K; Kohgo, Y; Hirano, S; Shinohara, Y; Kohyama, N; Takahashi, T; Toyokuni, S. (2012). Iron overload signature in chrysotile-induced malignant mesothelioma. *J Pathol* 228: 366-377. <http://dx.doi.org/10.1002/path.4075>.
- Jiang, L; Nagai, H; Ohara, H; Hara, S; Tachibana, M; Hirano, S; Shinohara, Y; Kohyama, N; Akatsuka, S; Toyokuni, S. (2008). Characteristics and modifying factors of asbestos-induced oxidative DNA damage. *Cancer Sci* 99: 2142-2151. <http://dx.doi.org/10.1111/j.1349-7006.2008.00934.x>.
- Jiang, L; Yamashita, Y; Chew, SH; Akatsuka, S; Ukai, S; Wang, S; Nagai, H; Okazaki, Y; Takahashi, T; Toyokuni, S. (2014). Connective tissue growth factor and β -catenin constitute an autocrine loop for activation in rat sarcomatoid mesothelioma. *J Pathol* 233: 402-414. <http://dx.doi.org/10.1002/path.4377>.
- Jim; acirc; Mej, e; acirc; las, ME. (1985). Asbestos and cancer. 32.
- Jiménez, LA; Zanella, C; Fung, H; Janssen, YM; Vacek, P; Charland, C; Goldberg, J; Mossman, BT. (1997). Role of extracellular signal-regulated protein kinases in apoptosis by asbestos and H₂O₂. *Am J Physiol* 273: L1029-L1035.
- Jimenez, LA; Zanella, C; Mossman, BT. (1995). ROLE OF REACTIVE OXYGEN AND NITROGEN SPECIES IN MAP KINASE ACTIVATION BY ASBESTOS (pp. 9-13). (BIOSIS/95/15472). Jimenez, LA; Zanella, C; Mossman, BT.
- Jin, S; Cao, S; Cao, J; Shen, J; Hu, J; Che, D; Zhang, J; Yu, Y. (2015). Predictive factors analysis for malignant peritoneal mesothelioma. 19: 319-326. <http://dx.doi.org/10.1007/s11605-014-2664-4>.
- J-M, L; Keane, MJ; Ong, T; Wallace, WE. (1991). COMPARATIVE IN-VITRO CYTOGENETIC EFFECTS OF PHOSPHOLIPID SURFACTANT-TREATED AND NATIVE CHRYSOTILE ASBESTOS (pp. 6-11). (BIOSIS/91/20821). Lu J-M; Keane, MJ; Ong, T; Wallace, WE.
- J-M, M; Fellmann, E; Wirz, O. (1982). Occupational respiratory diseases in Switzerland at the present time (pp. 174-176). (HEEP/82/12111). Maillard J-M; Fellmann, E; Wirz, O.
- Jöckel, KH; Ahrens, W; Bolm-Audorff, U. (1994). Lung cancer risk and welding--preliminary results from an ongoing case-control study. *Am J Ind Med* 25: 805-812.
- Jöckel, KH; Ahrens, W; Pohlmann, H; Bolm-Audorff, U; Müller, KM. (1998). Lung cancer risk and welding: results from a case-control study in Germany. *Am J Ind Med* 33: 313-320.
- Jodoin, G; Gibbs, GW; Macklem, PT; McDonald, JC; Becklake, MR. (1971). Early effects of asbestos exposure on lung function. *Am Rev Respir Dis* 104: 525-535. <http://dx.doi.org/10.1164/arrd.1971.104.4.525>.
- Johansen, C; Olsen, JH. (1998). Risk of cancer among Danish utility workers--a nationwide cohort study. *Am J Epidemiol* 147: 548-555.
- Johansson, L; Albin, M; Jakobsson, K; Mikoczy, Z. (1992). Histological type of lung carcinoma in asbestos cement workers and matched controls. *Br J Ind Med* 49: 626-630.
- Johansson, LG; Albin, MP; Jakobsson, KM; Welinder, HE; Ranstam, PJ; Attewell, RG. (1987). Ferruginous bodies and pulmonary fibrosis in dead low to moderately exposed asbestos cement workers: histological examination. *Br J Ind Med* 44: 550-558.
- Johnson, AR; Yates, DH. (2014). Asbestos exposure during home renovation in New South Wales [Letter]. *Med J Aust* 200: 315.
- Johnson, BL. (2000). A review of health-based comparative risk assessments in the United States [Review]. *Rev Environ Health* 15: 273-287.
- Johnson, NF. (1987). Asbestos-induced changes in rat lung parenchyma. *J Toxicol Environ Health* 21: 193-203. <http://dx.doi.org/10.1080/15287398709531012>.
- Johnson, NF. (1992). The utility of animal inhalation studies to assess the risk of mineral fiber-induced pulmonary cancer [Review].
- Johnson, NF. (1994). AN OVERVIEW OF ANIMAL-MODELS FOR ASSESSING SYNTHETIC VITREOUS FIBERS (SVFS) SAFETY. *Regul Toxicol Pharmacol* 20: S7-S21.
- Johnson, NF; Davies, R. (1981). An ultrastructural study of the effects of asbestos fibres on cultured peritoneal macrophages. *Br J Exp Pathol* 62: 559-570.
- Johnson, NF; Davies, R. (1983). Effect of asbestos on the P388D1 macrophagelike cell line: preliminary ultrastructural observations. *Environ Health Perspect* 51: 109-117.
- Johnson, NF; Hahn, FF. (1996). Induction of mesothelioma after intrapleural inoculation of F344 rats with silicon carbide whiskers or continuous ceramic filaments. *Occup Environ Med* 53: 813-816.
- Johnson, NF; Hoover, MD; Thomassen, DG; Cheng, YS; Dalley, A; Brooks, AL. (1992). In vitro activity of silicon carbide whiskers in comparison to other industrial fibers using four cell culture systems. *Am J Ind Med* 21: 807-823.
- Johnson, NF; Jaramillo, RJ. (1997). p53, Cip1, and Gadd153 expression following treatment of A549 cells with natural and man-made vitreous fibers. *Environ Health Perspect* 105 Suppl 5: 1143-1145.
- Johnson, NF; Lincoln, JL; Wills, HA. (1984). Analysis of fibres recovered from lung tissue. *Lung* 162: 37-47.
- Johnson, NF; Rowe, WG. (1985). Early Cellular Changes in Crocidolite-Induced Pulmonary Fibrosis (pp. 345-352). (NIOSH/00165767). Johnson, NF; Rowe, WG.
- Johnson, NF; Wagner, JC. (1980). A study by electron microscopy of the effects of chrysotile and man-made mineral fibres on rat lungs. *IARC Sci Publ* 1: 293-303.

Human Health Hazard Literature Search Results

On Topic

- Johnson, NF; Wagner, JC. (1989). Effect of erionite inhalation on the lungs of rats.
- Johnson, NF; Wagner, JC. (1989). PLEURAL AND PARENCHYMAL RESPONSES IN RATS TO SHORT-TERM INHALATION EXPOSURES TO ERIONITE CROCIDOLITE CHRYSOTILE SILICA AND TITANIUM DIOXIDE (pp. SECAUCUS). (BIOSIS/90/02021). HASKELL LABORATORY.
- Johnson, NF; Wagner, JC; Wills, HA. (1980). Endocrine cell proliferation in the rat lung following asbestos inhalation. *Lung* 158: 221-228.
- Johnson, NF; Wagner, JC; Wills, HA. (1980). NEURO ENDOCRINE CELL PROLIFERATION IN THE RAT LUNG FOLLOWING ASBESTOS INHALATION (pp. 3-5). (ISSN 0022-3417 EISSN 1096-9896 HEEP/81/10388). Johnson, NF; Wagner, JC; Wills, HA.
- Johnson, RC. (1985). CHRYSOTILE ASBESTOS INDUCTION OF DNA SYNTHESIS PERTURBATION AND 68-KILODALTON PROTEIN IN CULTURED HUMAN LUNG CELLS (pp. 6-13). (BIOSIS/85/10900). Johnson, RC.
- Johnson, RC. (1988). Early events in asbestos treated cells implications for bulky dna lesion model. 0: 341.
- Johnson, RC; Bishop, L; Massenberg, M; Vincent R A, J. R. (1983). EFFECTS OF CHRYSOTILE B ASBESTOS ON NORMAL AND REPAIR DEFICIENT HUMAN FIBROBLAST CELL LINES (pp. 10-15). (HEEP/84/11257). Johnson, RC; Bishop, L; Massenberg, M; Vincent R A, , JR.
- Johnson, WM; Lemen, RA; Hurst, GA; Spiegel, RM; Liu, FH. (1982). Respiratory morbidity among workers in an amosite asbestos insulation plant. *J Occup Med* 24: 994-999.
- Johnston, ID; Prescott, RJ; Chalmers, JC; Rudd, RM. (1997). British Thoracic Society study of cryptogenic fibrosing alveolitis: current presentation and initial management. *Fibrosing Alveolitis Subcommittee of the Research Committee of the British Thoracic Society. Thorax* 52: 38-44.
- Jonczyk, P; White, A; Lum, K; Barrett, JC; Tlsty, TD. (1993). AMPLIFICATION POTENTIAL IN PRENEOPLASTIC AND NEOPLASTIC SYRIAN-HAMSTER EMBRYO FIBROBLASTS TRANSFORMED BY VARIOUS CARCINOGENS. *Cancer Res* 53: 3098-3102.
- Jones, AD. (1993). RESPIRABLE INDUSTRIAL FIBERS - DEPOSITION, CLEARANCE AND DISSOLUTION IN ANIMAL-MODELS. *Ann Occup Hyg* 37: 211-226.
- Jones, AD; Mcmillan, CH; Johnston, AM; McIntosh, C; Cowie, H; Bolton, RE; Borzucki, G; Vincent, JH. (1988). Pulmonary clearance of UICC amosite fibres inhaled by rats during chronic exposure at low concentration. *Br J Ind Med* 45: 300-304.
- Jones, AD; Vincent, JH; McIntosh, C; Mcmillan, CH; Addison, J. (1989). The effect of fibre durability on the hazard potential of inhaled chrysotile asbestos fibres. *Exp Pathol* 37: 98-102.
- Jones, AW. (1900). Asbestos. Its Effects on the Respiratory Tract. (NIOSH/00191800). Jones, AW.
- Jones, BM; Edwards, JH; Wagner, JC. (1972). Absorption of serum proteins by inorganic dusts. *Br J Ind Med* 29: 287-292.
- Jones J, SP; Sheers, G. (1974). PLEURAL PLAQUES (pp. LYON). (HEEP/75/04240). Jones J, SP; Sheers, G.
- Jones, JS. (1974). Pathological and environmental aspects of asbestos-associated diseases. *Med Sci Law* 14: 152-158.
- Jones, JS; Pooley, FD; Clark, NJ; Owen, WG; Roberts, GH; Smith, PG; Wagner, JC; Berry, G; Pollock, DJ. (1980). The pathology and mineral content of lungs in cases of mesothelioma in the United Kingdom in 1976. *IARC Sci Publ* 1: 187-199.
- Jones, JS; Pooley, FD; Smith, PG. (1976). Factory populations exposed to crocidolite asbestos - a continuing survey. *IARC Sci Publ IARC Scientific Publication No: 117-120*.
- Jones, JSP; Smith, PG; Pooley, FD; Berry, G; Sawle, GW; Madeley, RJ; Wignell, BK; Aggarwal, A. (1980). The consequences of exposure to asbestos dust in a wartime gas-mask factory.
- Jones, MA; Young, RH; Scully, RE. (1995). MALIGNANT MESOTHELIOMA OF THE TUNICA VAGINALIS - A CLINICOPATHOLOGICAL ANALYSIS OF 11 CASES WITH REVIEW OF THE LITERATURE. *Am J Surg Pathol* 19.
- Jones R, HJ. (1975). PULMONARY GEOTRICHOSIS. *Pathology* 7: 58-59.
- Jones, RD; Smith, DM; Thomas, PG. (1988). Mesothelioma in Great Britain in 1968-1983. *Scand J Work Environ Health* 14: 145-152.
- Jones, RN. (1992). Asbestos exposures and thoracic neoplasms [Review]. *Semin Roentgenol* 27: 94-101.
- Jones, RN. (1997). Pleural plaques: Diagnostic problems and significance. *Indoor Built Environ* 6: 106-113.
- Jones, RN; Diem, JE; Glindmeyer, H; Weill, H; Gilson, JC. (1980). Biological effects of mineral fibres Effets biologiques des fibres minérales. Lyon, France: International Agency for Research on Cancer.
- Jones, RN; Diem, JE; Hughes, JM; Hammad, YY; Glindmeyer, HW; Weill, H. (1989). Progression of asbestos effects: a prospective longitudinal study of chest radiographs and lung function. *Br J Ind Med* 46: 97-105.
- Jones, RN; Diem, JE; Hughes, JM; Hammad, YY; Glindmeyer, HW; Weill, H. (1989). Progression of asbestos effects: a prospective longitudinal study of chest radiographs and lung function. 46: 97-105.
- Jones, RN; Diem, JE; Ziskand, MM; Rodriguez, M; Weill, H. (1984). Radiographic evidence of asbestos effects in American marine engineers. *J Occup Med* 26: 281-284.
- Jones, RN; Hughes, JM; Weill, H. (1996). Asbestos exposure, asbestosis, and asbestos-attributable lung cancer [Review]. *Thorax* 51 Suppl 2: S9-15.
- Jones, RN; Mcloud, T; Rockoff, SD. (1988). The radiographic pleural abnormalities in asbestos exposure: relationship to physiologic abnormalities [Review]. *J Thorac Imaging* 3: 57-66.
- Jones, RN; Weill, H. (1987). ASBESTOS EFFECTS IN REFERRED SHIPYARD WORKERS (pp. 10-13). (BIOSIS/87/24516). Jones, RN; Weill, H.
- Jones, RW; Roggli, VL. (1989). DENDRIFORM PULMONARY OSSIFICATION REPORT OF TWO CASES WITH UNIQUE FINDINGS. *Am J Clin Pathol* 91: 398-402.
- Jones, TD; Morris, MD; Basavaraju, SR. (1998). Atherosclerotic risks from chemicals: Part II. A RASH analysis of in vitro and in vivo bioassay data to evaluate 45 potentially hazardous compounds. *Arch Environ Contam Toxicol* 35: 165-177. <http://dx.doi.org/10.1007/s002449900364>.
- Joosting, PE. (1981). What is the significance of occupational hygiene standards in the light of smoking habits? 59: 762-771.

Human Health Hazard Literature Search Results

On Topic

- Jordan, CM; Whitman, RD; Harbut, M. (1997). Memory deficits and industrial toxicant exposure: a comparative study of hard metal, solvent and asbestos workers. *Int J Neurosci* 90: 113-128.
- Jordeczka, S; Basa, B. (1972). Asbestosis of the "pleural plaques" type. *Pol Tyg Lek* 27: 2070-2071.
- Jorna, T; Schins, RPF; Lenaerts, L; Derhaag, T; Wouters, EFM; Borm, PJA. (1994). AIR-FLOW OBSTRUCTION AND MONOCYTE TNF RELEASE IN COAL-WORKERS. *Exp Lung Res* 20: 421-431.
- Joseph, LB; Stephens, RE; Ottolenghi, AC; Lipetz, PD; Newman, HA. (1983). Morphological transformation in vitro of normal human fibroblasts by chrysotile. *Environ Health Perspect* 51: 17-22.
- Joseph, MR. (1994). Asbestos-related diseases [Letter]. *Med J Aust* 161: 228-229.
- Joseph, NM; Chen, YY; Nasr, A; Yeh, I; Talevich, E; Onodera, C; Bastian, BC; Rabban, JT; Garg, K; Zaloudek, C; Solomon, DA. (2017). Genomic profiling of malignant peritoneal mesothelioma reveals recurrent alterations in epigenetic regulatory genes BAP1, SETD2, and DDX3X. *Mod Pathol* 30: 246-254. <http://dx.doi.org/10.1038/modpathol.2016.188>.
- Joshi, TK; Gupta, RK. (2004). Asbestos in developing countries: magnitude of risk and its practical implications [Review]. *Int J Occup Med Environ Health* 17: 179-185.
- Joubert, L; Seidman, H; Selikoff, IJ. (1991). Mortality Experience of Family Contacts of Asbestos Factory Workers. *Ann N Y Acad Sci* 643: 416-418.
- Jr, DA. (1977). Influence of Environmental Factors on the Respiratory Tract Summary and Perspectives. *J Reticuloendothel Soc* 22: 273-290.
- Jr, DAR; Wilson, R. (1993). Asbestos: The Hazard, the Risk, and Public Policy (pp. 183-210). (NIOSH/00214771). D'Agostino R Jr; Wilson, R.
- Jr, FB; Heimann, H. (1976). Shipyard Health Problems. *Environ Res* 11: 140-150.
- Jr, FJ. (1975). Chemicals in the Induction of Respiratory Tract Tumors (pp. 327-335). (NIOSH/00132233). Fraumeni JF Jr.
- Jr, JC. (1969). What We Know About Occupational Health Hazards (pp. 9-10). (NIOSH/00153276). Johnson CC Jr.
- Jr, MS. (1981). Proportion Of Cancer Due To Occupation In Washington State (pp. 513-518). (NIOSH/00152707). Milham S Jr.
- Jr, MS. (1989). Can the Birth Certificate Yield Clues to Parental Occupational Exposures? *Am J Ind Med* 16: 235-237.
- Jr, NC; Ostrolenk, DG. (1968). Asbestosis and Nodular Lesions of the Lung: A Radiologic Study. *Dis Chest* 54: 226-229.
- Jr, SF. (1975). Electromotive Interactions of Metals in Asbestos Carcinogenicity (pp. 099-072). (NIOSH/00080944). Sunderman FW Jr.
- Jr, WK; Munson, AE. (1986). Suppression Of The In Vitro Humoral Immune Response By Chrysotile Asbestos. *Toxicol Appl Pharmacol* 82: 493-504.
- Jr, ZE; Salem, AG. (1992). Environmental and Occupational Causes of Diseases of the Kidneys and Urinary Tract (pp. 649-656). (NIOSH/00222289). Zawada ET Jr; Salem, AG.
- J-U, L; K-M, M. (1989). BRONCHOALVEOLAR LAVAGE PATHOLOGIC AND ANATOMIC DATA (pp. 583-587). (BIOSIS/90/07256). Lawerenz J-U; Muller K-M.
- Judson, MA; Sahn, SA. (1995). PULMONARY PHYSIOLOGICAL ABNORMALITIES CAUSED BY PLEURAL DISEASE. *Semin Respir Crit Care Med* 16: 346-353.
- Juhasz, J. (1973). Current status of the problem of environmental and occupational cancer: Results and prospectives. *Orv Hetil* 114: 1275-1281.
- Jun, S; Fattman, CL; Kim, BJ; Jones, H; Dory, L. (2011). Allele-specific effects of ecSOD on asbestos-induced fibroproliferative lung disease in mice. *Free Radic Biol Med* 50: 1288-1296. <http://dx.doi.org/10.1016/j.freeradbiomed.2011.02.023>.
- Jung, M; Davis, W; Taatjes, D; Churg, A; Mossman, B. (2000). Asbestos and cigarette smoke cause increased DNA strand breaks and necrosis in bronchiolar epithelial cells in vivo. *Free Radic Biol Med* 28: 1295-1299.
- Jung, SH; Kim, HR; Koh, SB; Yong, SJ; Chung, MJ; Lee, CH; Han, J; Eom, MS; Oh, SS. (2012). A decade of malignant mesothelioma surveillance in Korea. *Am J Ind Med* 55: 869-875. <http://dx.doi.org/10.1002/ajim.22065>.
- Juntunen, J; Oksa, P; Pukkala, E; Laippala, P. (1997). Neurological signs in relation to cancer in patients with asbestosis. *Occup Environ Med* 54: 746-749.
- Jurikevic, M; Delezal, L; Revensky, E. (1988). RISK OF LUNG MALIGNOMA BY ASBESTOS MINING IN ONE SMALL LOCALITY IN SLOVAKIA CZECHOSLOVAKIA (pp. 5-9). (BIOSIS/89/06013). Jurikevic, M; Delezal, L; Revensky, E.
- J-Y, L; W-H, L; Morris, GC; Brody, AR. (1996). PDGF A B-CHAINS AND TGF BETA MRNA AND PROTEINS ARE EXPRESSED AT SITES OF LUNG INJURY IN ASBESTOS-EXPOSED RATS (pp. 2-6). (BIOSIS/96/22769). Liu J-Y; Lei W-H; Morris, GC; Brody, AR.
- K, B; G, B; TP, C; W, F; W, G; HF, K; N, L; T, M. (1981). Progress on joint environmental and occupational cancer studies (pp. 9-11). (EPIDEM/000134). Bridbord K; Burton G; Cameron TP; Farland W; Galbraith W; Kraybill HF; Leidel N; Mason T.
- Kaarteenaho-Wiik, R; Lakari, E; Soini, Y; Pöllänen, R; Kinnula, VL; Pääkkö, P. (2000). Tenascin expression and distribution in pleural inflammatory and fibrotic diseases. *J Histochem Cytochem* 48: 1257-1268.
- Kabat, GC. (1993). RECENT DEVELOPMENTS IN THE EPIDEMIOLOGY OF LUNG CANCER (pp. 73-79). (ISSN 8756-0437 EISSN 1098-2388 BIOSIS/93/17956). Kabat, GC.
- Kaczinski, JH; Hallenbeck, WH. (1984). MIGRATION OF INGESTED ASBESTOS. *Environ Res* 35: 531-551.
- Kadariya, Y; Cheung, M; Xu, J; Pei, J; Sementino, E; Menges, CW; Cai, KQ; Rauscher, FJ; Klein-Szanto, AJ; Testa, JR. (2016). Bap1 Is a Bona Fide Tumor Suppressor: Genetic Evidence from Mouse Models Carrying Heterozygous Germline Bap1 Mutations. *Cancer Res* 76: 2836-2844. <http://dx.doi.org/10.1158/0008-5472.CAN-15-3371>.
- Kadariya, Y; Menges, CW; Talarchek, J; Cai, KQ; Klein-Szanto, AJ; Pietrofesa, RA; Christofidou-Solomidou, M; Cheung, M; Mossman, BT; Shukla, A; Testa, JR. (2016). Inflammation-Related IL1 beta/IL1R Signaling Promotes the Development of Asbestos-Induced Malignant Mesothelioma. *Cancer Prev Res (Phila Pa)* 9: 406-414. <http://dx.doi.org/10.1158/1940-6207.CAPR-15-0347>.
- Kadariya, Y; Menges, CW; Talarchek, J; Cai, Q, i; Klein-Szanto, AJ; Pietrofesa, RA; Christofidou-Solomidou, M; Mossman, BT; Shukla, A; Testa, JR. (2016). The NALP3 inflammasome and IL-1(a) over-cap signaling link asbestos-induced inflammation with the development of malignant mesothelioma. *Cancer Res* 76. <http://dx.doi.org/10.1158/1538-7445.AM2016-842>.

Human Health Hazard Literature Search Results

On Topic

- Kadiiska, MB; Ghio, AJ; Mason, RP. (2004). ESR investigation of the oxidative damage in lungs caused by asbestos and air pollution particles. *Spectrochim Acta A Mol Biomol Spectrosc* 60: 1371-1377. <http://dx.doi.org/10.1016/j.saa.2003.10.035>.
- Kagamimori, S; Hosoda, Y. (1990). [Active oxygen species and asbestos toxicity] [Review]. *Sangyo Igaku* 32: 439-447.
- Kagamimori, S; Ohyagi, S; Saito, Y; Hosoda, Y; Shishido, S; Iwai, K. (1982). Case-control study on the prevalence of pleural thickening in 3 groups of different grades of asbestos exposure (pp. 974-983). (HEEP/84/10447). Kagamimori, S; Ohyagi, S; Saito, Y; Hosoda, Y; Shishido, S; Iwai, K.
- Kagamimori, S; Scott, MP; Brown, DG; Edwards, RE; Wagner, MM. (1980). Effects of chrysotile asbestos on mononuclear cells in vitro. *Br J Exp Pathol* 61: 55-60.
- Kagamimori, S; Watanabe, M; Kubota, M; Okada, A; Yokoyama, K; Nobutomo, K. (1984). Serum interferon levels and natural killer cell activity in patients with asbestosis. *Thorax* 39: 65-66.
- Kagan, E. (1981). The alveolar macrophage: immune derangement and asbestos-related malignancy. *Semin Oncol* 8: 258-267.
- Kagan, E. (1985). CURRENT PERSPECTIVES IN ASBESTOSIS. *Ann Allergy* 54: 464-478.
- Kagan, E. (1988). Current issues regarding the pathobiology of asbestosis: a chronologic perspective [Review]. *J Thorac Imaging* 3: 1-9.
- Kagan, E. (2013). Asbestos-induced mesothelioma: is fiber biopersistence really a critical factor? [Comment]. *Am J Pathol* 183: 1378-1381. <http://dx.doi.org/10.1016/j.ajpath.2013.09.005>.
- Kagan, E; Adler, KB. (1987). AUGMENTED RELEASE OF ARACHIDONIC ACID METABOLITES AFTER ASBESTOS INHALATION (pp. 15-18). (ISSN 0012-3692 EISSN 1931-3543 BIOSIS/87/21418). Kagan, E; Adler, KB.
- Kagan, E; Ando, T. (1992). RAT PLEURAL MESOTHELIAL CELLS PRODUCE A GROWTH FACTOR FOR RAT LUNG FIBROBLASTS ENHANCED SECRETION AFTER CROCIDOLITE ASBESTOS OR CRISTOBALITE EXPOSURE (pp. 17-20). (BIOSIS/92/22145). Kagan, E; Ando, T.
- Kagan, E; Georgian, MM; Hartmann, DP. (1985). ENHANCED INTERLEUKIN PRODUCTION AND ALVEOLAR MACROPHAGE IA EXPRESSION AFTER ASBESTOS INHALATION (pp. NEW YORK). (BIOSIS/86/22534). Kagan, E; Georgian, MM; Hartmann, DP.
- Kagan, E; Georgian, MM; Inamoto, T; Hartmann, DP. (1986). ENHANCED RELEASE OF AN ALVEOLAR MACROPHAGE-DERIVED CHEMOATTRACTANT FOR FIBROBLASTS AFTER ASBESTOS INHALATION (pp. 11-14). (ISSN 0003-0805 BIOSIS/86/27985). Kagan, E; Georgian, MM; Inamoto, T; Hartmann, DP.
- Kagan, E; Hartmann, DP. (1984). Elimination of macrophages with silica and asbestos. *Methods Enzymol* 108: 325-335.
- Kagan, E; Inamoto, T; Georgian, MM. (1989). ALTERED FUNCTIONAL EXPRESSION OF ALVEOLAR MACROPHAGE SUBPOPULATIONS AFTER SERPENTINE AND AMPHIBOLE ASBESTOS EXPOSURE (pp. SECAUCUS). (BIOSIS/90/02039). Kagan, E; Inamoto, T; Georgian, MM.
- Kagan, E; Inamoto, T; Georgian, MM. (1989). The Effects of Amphibole and Serpentine Asbestos Inhalation on the Distribution and Functional State of Alveolar Macrophage Subpopulations (pp. 10-14). (NIOSH/00225187). Kagan, E; Inamoto, T; Georgian, MM.
- Kagan, E; Jacobson, RJ. (1983). Lymphoid and plasma cell malignancies: asbestos-related disorders of long latency. *Am J Clin Pathol* 80: 14-20.
- Kagan, E; Jacobson, RJ; Yeung, KY; Haidak, DJ; Nachnani, GH. (1979). Asbestos-associated neoplasms of B cell lineage. *Am J Med* 67: 325-330.
- Kagan, E; Miller, K. (1978). ALVEOLAR MACROPHAGE SPLENIC LYMPHOCYTE INTERACTIONS FOLLOWING CHRONIC ASBESTOS INHALATION IN THE RAT. (HEEP/79/12042). Kagan, E; Miller, K.
- Kagan, E; Miller, K. (1979). Alveolar macrophage--splenic lymphocyte interactions following chronic asbestos inhalation in the rat. *Adv Exp Med Biol* 121: 539-554.
- Kagan, E; Miller, K. (1981). Asbestos inhalation and the induction of splenic lymphocytic proliferation in the rat. *Chest* 80: 115-125.
- Kagan, E; Oghiso, Y; Hartmann, DP. (1983). The effects of chrysotile and crocidolite asbestos on the lower respiratory tract: analysis of bronchoalveolar lavage constituents. *Environ Res* 32: 382-397.
- Kagan, E; Oghiso, Y; Hartmann, DP. (1983). Enhanced release of a chemoattractant for alveolar macrophages after asbestos inhalation. *Am Rev Respir Dis* 128: 680-687. <http://dx.doi.org/10.1164/arrd.1983.128.4.680>.
- Kagan, E; Solomon, A; Cochrane, JC; Beissner, El; Gluckman, J; Rocks, PH; Webster, I. (1977). Immunological studies of patients with asbestosis. I. Studies of cell-mediated immunity. *Clin Exp Immunol* 28: 261-267.
- Kagan, E; Solomon, A; Cochrane, JC; Kuba, P; Rocks, PH; Webster, I. (1977). Immunological studies of patients with asbestosis: II. Studies of circulating lymphoid cell numbers and humoral immunity. *Clin Exp Immunol* 28: 268-275.
- Kahlos, K; Anttila, S; Asikainen, T; Kinnula, K; Raivio, KO; Mattson, K; Linnainmaa, K; Kinnula, VL. (1998). Manganese superoxide dismutase in healthy human pleural mesothelium and in malignant pleural mesothelioma. *Am J Respir Cell Mol Biol* 18: 570-580. <http://dx.doi.org/10.1165/ajrcmb.18.4.2943>.
- Kahn, El; Rohl, A; Barrett, EW; Suzuki, Y. (1980). PRIMARY PERICARDIAL MESOTHELIOMA FOLLOWING EXPOSURE TO ASBESTOS. *Environ Res* 23: 270-281.
- Kaiglova, A; Hurbankova, M. (1995). SOME BRONCHOALVEOLAR LAVAGE PARAMETERS AND LEUKOCYTE CYTOKINE RELEASE IN RESPONSE TO INTRATRACHEAL INSTILLATION OF ASBESTOS AND WOLLASTONITE INVESTIGATED 3 MONTHS AFTER ADMINISTRATION (pp. SAN FRANCISCO). (BIOSIS/95/29091). Kaiglova, A; Hurbankova, M.
- Kaiglová, A; Kováčiková, Z; Hurbánková, M. (1999). Impact of acute and subchronic asbestos exposure on some parameters of antioxidant defense system and lung tissue injury. *Ind Health* 37: 348-351.
- Kaiser, EA. (1993). Health Hazard Evaluation Report No. HETA-91-349-2311, Rhode Island Department of Education, Providence, Rhode Island (pp. 91-349). (NIOSH/00215690). Kaiser, EA.
- Kaiser, HE. (1988). THE SEVEN TYPES OF CAUSES OF NEOPLASTIC GROWTH AN ORGANISMIC VIEW (pp. DORDRECHT). (BIOSIS/89/26379). Kaiser, HE.
- Kaldor, JM; L'Abbe, KA. (1990). INTERACTION BETWEEN HUMAN CARCINOGENS (pp. LYON). (BIOSIS/91/17588). Kaldor, JM; L'Abbe, KA.

Human Health Hazard Literature Search Results

On Topic

- Kalla, B; Hamilton, RF; Scheule, RK; Holian, A. (1990). Role of extracellular calcium in chrysotile asbestos stimulation of alveolar macrophages. *Toxicol Appl Pharmacol* 104: 130-138.
- Kalmaev, KK; Kaptsov, VA. (2000). [Clinical and hygienic aspects of asbestos-induced lung diseases]. *Gig Sanit* 55-57.
- Kalogeraki, AM; Tamiolakis, DJ; Lagoudaki, ED; Papadakis, MN; Papadakis, GZ; Agelaki, SI; Stathopoulos, EN; Tzardi, MN. (2013). Familial mesothelioma in first degree relatives. *Diagn Cytopathol* 41: 654-657. <http://dx.doi.org/10.1002/dc.21859>.
- Kam, JK. (1989). Demolition Worker Hazard. The Effect of Short-Term, Low-Level Combined Exposures. *J Environ Health* 52: 162-163.
- Kamal, AA; Gomaa, A; El Khafif, M; Hammad, AS. (1989). Plasma lipid peroxides among workers exposed to silica or asbestos dusts. *Environ Res* 49: 173-180.
- Kamal, A-A; El Khafif, M; Koraah, S; Massoud, A; J-F, C. (1992). Blood Superoxide Dismutase and Plasma Malondialdehyde among Workers Exposed to Asbestos. *Am J Ind Med* 21: 353-361.
- Kambic, V; Gale, N; Rott, T; Zargi, M. (1992). INFLUENCE OF ASBESTOS FIBERS ON THE RESPIRATORY SYSTEM IN EXPERIMENTAL-ANIMALS. 61: 377-383.
- Kambic, V; Radsel, Z; Gale, N. (1989). Alterations in the laryngeal mucosa after exposure to asbestos. *Br J Ind Med* 46: 717-723.
- Kameda, T; Takahashi, K; Kim, R; Jiang, Y; Movahed, M; Park, EK; Rantanen, J. (2014). Asbestos: use, bans and disease burden in Europe. *Bull World Health Organ* 92: 790-797. <http://dx.doi.org/10.2471/BLT.13.132118>.
- Kamel H, MH; Mccusker G, JM; Wan, A; Press, M; Bharucha, H. (1990). CORRELATION BETWEEN HISTOLOGICAL CLASSIFICATION AND FIBER COUNTS IN ASBESTOS ASSOCIATED NEOPLASIA (pp. 3-5). (BIOSIS/90/15104). Kamel H, MH; Mccusker G, JM; Wan, A; Press, M; Bharucha, H.
- Kamp, DW. (2009). Asbestos-induced lung diseases: an update [Review]. *Transl Res* 153: 143-152. <http://dx.doi.org/10.1016/j.trsl.2009.01.004>.
- Kamp, DW; Dunn, MM; Sbalchiero, JS; Knap, AM; Weitzman, SA. (1994). Contrasting effects of alveolar macrophages and neutrophils on asbestos-induced pulmonary epithelial cell injury. *Am J Physiol* 266: L84-L91.
- Kamp, DW; Dunne, M; Anderson, JA; Weitzman, SA; Dunn, MM. (1989). SERUM PROMOTES ASBESTOS-INDUCED INJURY TO HUMAN ALVEOLAR EPITHELIAL CELLS. (BIOSIS/89/23631). Kamp, DW; Dunne, M; Anderson, JA; Weitzman, SA; Dunn, MM.
- Kamp, DW; Dunne, M; Anderson, JA; Weitzman, SA; Dunn, MM. (1990). Serum promotes asbestos-induced injury to human pulmonary epithelial cells. *J Lab Clin Med* 116: 289-297.
- Kamp, DW; Dunne, M; Dykewicz, M; Weitzman, SA; Dunn, MM. (1990). ASBESTOS-INDUCED INJURY TO HUMAN PULMONARY EPITHELIAL CELLS ROLE OF NEUTROPHIL ELASTASE (pp. 20-24). (BIOSIS/90/20751). Kamp, DW; Dunne, M; Dykewicz, M; Weitzman, SA; Dunn, MM.
- Kamp, DW; Dunne, M; Dykewicz, MS; Sbalchiero, JS; Weitzman, SA; Dunn, MM. (1993). Asbestos-induced injury to cultured human pulmonary epithelial-like cells: role of neutrophil elastase. *J Leukoc Biol* 54: 73-80.
- Kamp, DW; Dunne, M; Weitzman, SA; Dunn, MM. (1988). AMOSITE ASBESTOS INJURES ALVEOLAR EPITHELIAL CELLS VIA PMN OR SERUM DEPENDENT MECHANISM (pp. 8-11). (BIOSIS/88/23611). Kamp, DW; Dunne, M; Weitzman, SA; Dunn, MM.
- Kamp, DW; Dunne, M; Weitzman, SA; Dunn, MM. (1989). The interaction of asbestos and neutrophils injures cultured human pulmonary epithelial cells: role of hydrogen peroxide. *J Lab Clin Med* 114: 604-612.
- Kamp, DW; Escalera, E; Zhang, CX; Weitzman, SA. (1993). CIGARETTE SMOKE EXTRACTS SYNERGISTICALLY AUGMENT ASBESTOS-INDUCED DNA DAMAGE TO PULMONARY EPITHELIAL CELLS (pp. 3-5). (BIOSIS/94/37069). Kamp, DW; Escalera, E; Zhang, CX; Weitzman, SA.
- Kamp, DW; Graceffa, P; Pryor, WA; Weitzman, SA. (1992). The role of free radicals in asbestos-induced diseases [Review]. *Free Radic Biol Med* 12: 293-315. [http://dx.doi.org/10.1016/0891-5849\(92\)90117-Y](http://dx.doi.org/10.1016/0891-5849(92)90117-Y).
- Kamp, DW; Greenberger, MJ; Israbian, VA; Sbalchiero, JS; Preusen, SE; Weitzman, SA. (1992). CIGARETTE SMOKE EXTRACTS SYNERGISTICALLY PROMOTE ASBESTOS-INDUCED INJURY TO CULTURED PULMONARY EPITHELIAL CELLS (pp. 17-20). (BIOSIS/92/20044). Kamp, DW; Greenberger, MJ; Israbian, VA; Sbalchiero, JS; Preusen, SE; Weitzman, SA.
- Kamp, DW; Greenberger, MJ; Sbalchiero, JS; Preusen, SE; Weitzman, SA. (1998). Cigarette smoke augments asbestos-induced alveolar epithelial cell injury: role of free radicals. *Free Radic Biol Med* 25: 728-739.
- Kamp, DW; Israbian, VA; Preusen, SE; Zhang, CX; Weitzman, SA. (1995). Asbestos causes DNA strand breaks in cultured pulmonary epithelial cells: Role of iron-catalyzed free radicals. *Am J Physiol* 268: L471-L480.
- Kamp, DW; Israbian, VA; Yeldandi, AV; Panos, RJ; Graceffa, P; Weitzman, SA. (1995). Phytic acid, an iron chelator, attenuates pulmonary inflammation and fibrosis in rats after intratracheal instillation of asbestos. *Toxicol Pathol* 23: 689-695. <http://dx.doi.org/10.1177/019262339502300606>.
- Kamp, DW; Israbian, VA; Yeldandi, AV; Weitzman, SA. (1994). PHYTIC ACID AN IRON CHELATOR ATTENUATES PULMONARY INFLAMMATION AND FIBROSIS IN RATS AFTER INTRATRACHEAL INSTILLATION OF ASBESTOS. (BIOSIS/94/21118). Kamp, DW; Israbian, VA; Yeldandi, AV; Weitzman, SA.
- Kamp, DW; Liu, G; Cheresch, P; Kim, SJ; Mueller, A; Lam, AP; Trejo, H; Williams, D; Tulasiram, S; Baker, M; Ridge, K; Chandel, NS; Beri, R. (2013). Asbestos-induced alveolar epithelial cell apoptosis. The role of endoplasmic reticulum stress response. *Am J Respir Cell Mol Biol* 49: 892-901. <http://dx.doi.org/10.1165/rcmb.2013-00530C>.
- Kamp, DW; Panduri, V, a; Weitzman, SA; Chandel, N. (2002). Asbestos-induced alveolar epithelial cell apoptosis: role of mitochondrial dysfunction caused by iron-derived free radicals. *Mol Cell Biochem* 234-235: 153-160.
- Kamp, DW; Pollack, N; Yeldandi, A; Chu, R; Weizman, SA. (1996). CATALASE REDUCES ASBESTOS-INDUCED DNA DAMAGE IN PULMONARY EPITHELIAL CELLS (pp. 19-21). (ISSN 1081-5589 EISSN 1708-8267 BIOSIS/96/35403). Kamp, DW; Pollack, N; Yeldandi, A; Chu, R; Weizman, SA.
- Kamp, DW; Preusen, SE; Weitzman, SA. (1992). ASBESTOS CAUSES DNA STRAND BREAKS IN CULTURED HUMAN PULMONARY EPITHELIAL-LIKE CELLS. *Clin Res* 40: A721-A721.

Human Health Hazard Literature Search Results

On Topic

- Kamp, DW; Sbalchiero, J; Knapp, AM; Weitzman, SA. (1991). CONTRASTING EFFECTS OF ALVEOLAR MACROPHAGES AND NEUTROPHILS ON ASBESTOS-INDUCED PULMONARY EPITHELIAL CELL INJURY (pp. 12-15). (BIOSIS/91/23339). Kamp, DW; Sbalchiero, J; Knapp, AM; Weitzman, SA.
- Kamp, DW; Srinivasan, M; Weitzman, SA. (2001). Cigarette smoke and asbestos activate poly-ADP-ribose polymerase in alveolar epithelial cells. *J Investig Med* 49: 68-76. <http://dx.doi.org/10.2310/6650.2001.34092>.
- Kamp, DW; Weitzman, SA. (1997). Asbestosis: clinical spectrum and pathogenic mechanisms [Review]. *Proc Soc Exp Biol Med* 214: 12-26.
- Kamp, DW; Weitzman, SA. (1999). The molecular basis of asbestos induced lung injury [Review]. *Thorax* 54: 638-652. <http://dx.doi.org/10.1136/thx.54.7.638>.
- Kanarek, MS. (1983). THE SAN-FRANCISCO BAY EPIDEMIOLOGY STUDIES ON ASBESTOS IN DRINKING-WATER AND CANCER INCIDENCE - RELATIONSHIP TO STUDIES IN OTHER LOCATIONS AND POINTERS FOR FURTHER RESEARCH. *Environ Health Perspect* 53: 105-106.
- Kanarek, MS. (1989). Epidemiological studies on ingested mineral fibres: gastric and other cancers. *IARC Sci Publ* 428-437.
- Kanarek, MS. (2011). Mesothelioma from chrysotile asbestos: update [Review]. *Ann Epidemiol* 21: 688-697. <http://dx.doi.org/10.1016/j.annepidem.2011.05.010>.
- Kanarek, MS; Conforti, PM; Jackson, LA; Cooper, RC; Murchio, JC. (1980). Asbestos in drinking water and cancer incidence in the San Francisco Bay area. *Am J Epidemiol* 112: 54-72.
- Kanazawa, K; Birbeck, MS; Carter, RL; Roe, FJ. (1970). Migration of asbestos fibres from subcutaneous injection sites in mice. *Br J Cancer* 24: 96-106.
- Kanazawa, K; Roe, FJ; Yamamoto, T. (1979). Milky spots (Taches laiteuses) as structures which trap asbestos in mesothelial layers and their significance in the pathogenesis of mesothelial neoplasia. *Int J Cancer* 23: 858-865.
- Kanazawa, K; Yamamoto, T; Yuasa, Y. (1979). Enhancement by asbestos of oncogenesis by Moloney murine sarcoma virus in CBA mice. *Int J Cancer* 23: 866-874.
- Kanazawa, S; Nagae, T; Fujiwara, T; Fujiki, R; Mukai, N; Sugihara, Y; Yamaguchi, N; Ohtani, H; Higami, Y; Ikeda, T; Tsunoda, T. (1999). Malignant mesothelioma of the tunica vaginalis testis: report of a case [Review]. *Surgery Today* 29: 1106-1110.
- Kanceljak-Macan, B. (2009). [Immunological aspects of asbestos-related diseases]. *Arh Hig Rada Toksikol* 60 Suppl: 45-50.
- Kandaswami, C; Morin, G; Sirois, P. (1988). LIPID PEROXIDATION IN RAT ALVEOLAR MACROPHAGES EXPOSED TO CHRYSOTILE FIBERS. *Toxicol In Vitro* 2: 117-120.
- Kandaswami, C; O'Brien, PJ. (1980). Effects of asbestos on membrane transport and metabolism of benzo(a)pyrene. *Biochem Biophys Res Commun* 97: 794-801.
- Kandaswami, C; O'Brien, PJ. (1981). Pulmonary metabolism of benzo(a) pyrene : effect of asbestos. *Biochem Pharmacol* 30: 811-814.
- Kandaswami, C; Rahimtula, M; O'Brien, PJ. (1986). EFFECT OF ASBESTOS FIBERS ON ARYL HYDROCARBON HYDROXYLASE AND AMINOPYRINE-N-DEMETHYLASE ACTIVITIES OF RAT LIVER MICROSOMES. *Toxicology* 38: 119-132.
- Kane, A; Goodglick, L. (1988). ASBESTOS EXPOSURE INCREASES EXPRESSION AND ACTIVATION OF TRANSFORMING GROWTH FACTOR TYPE BETA TGF-BETA BY MOUSE PERITONEAL MACROPHAGES (pp. 1-5). (ISSN 0892-6638 EISSN 1530-6860 BIOSIS/88/23455). Kane, A; Goodglick, L.
- Kane, AB. (1992). Animal models of mesothelioma induced by mineral fibers: implications for human risk assessment [Review]. *Prog Clin Biol Res* 374: 37-50.
- Kane, AB. (2000). Oncogenes and Tumor Suppressor Genes in the Carcinogenicity of Fibers and Particles. *Inhal Toxicol* 12 Suppl 3: 133-140. <http://dx.doi.org/10.1080/08958378.2000.11463206>.
- Kane, AB. (2003). Asbestos bodies: clues to the mechanism of asbestos toxicity? [Editorial]. *Hum Pathol* 34: 735-736.
- Kane, AB. (2006). Animal models of malignant mesothelioma [Review]. *Inhal Toxicol* 18: 1001-1004. <http://dx.doi.org/10.1080/08958370600835393>.
- Kane, AB; Boffetta, P; Saracci, R; Wilbourn, JD; eds. (1996). Mechanisms of fibre carcinogenesis. (CIS/99/01994). Kane, AB; Boffetta, P; Saracci, R; Wilbourn, JD; eds.
- Kane, AB; Branchaud, RM; Macdonald, JL. (1987). INDUCTION OF ANGIOGENESIS BY INTRAPERITONEAL INJECTION OF ASBESTOS FIBERS (pp. 10-13). (BIOSIS/87/23836). Kane, AB; Branchaud, RM; Macdonald, JL.
- Kane, AB; Gleva, GF; Goodglick, LA. (1989). ALTERED CALCIUM HOMEOSTASIS AND MINERAL DUST TOXICITY (pp. SECAUCUS). (BIOSIS/90/02030). Kane, AB; Gleva, GF; Goodglick, LA.
- Kane, AB; Macdonald, JL. (1984). IDENTIFICATION OF ASBESTOS FIBERS WITHIN SINGLE CELLS (pp. 20-23). (HEEP/85/01071). Kane, AB; Macdonald, JL.
- Kane, AB; Macdonald, JL. (1993). Mechanisms of Mesothelial Cell Injury, Proliferation, and Neoplasia Induced by Asbestos Fibers (pp. 323-347). (NIOSH/00227937). Kane, AB; Macdonald, JL.
- Kane, AB; Macdonald, JL; Moalli, PA. (1986). ACUTE INJURY AND REGENERATION OF MESOTHELIAL CELLS PRODUCED BY CROCIDOLITE ASBESTOS FIBERS (pp. 11-14). (ISSN 0003-0805 BIOSIS/86/27986). HASKELL LABORATORY.
- Kane, AB; Merrick, GS. (1982). COLONY FORMATION BY MOUSE PERITONEAL CELLS EXPOSED TO ASBESTOS (pp. 15-23). (HEEP/82/13433). Kane, AB; Merrick, GS.
- Kane, AB; Moalli, PA; Ho, BT. (1985). ACTIVATED MACROPHAGES MEDIATE PERITONEAL REACTIONS TO ASBESTOS FIBERS (pp. 12-15). (BIOSIS/85/16449). Kane, AB; Moalli, PA; Ho, BT.
- Kane, AB; Pietras, LA; Goodglick, LA. (1989). DNA STRAND BREAKS AND DEPLETION OF NICOTINAMIDE ADENINE DINUCLEOTIDE NAD IN ASBESTOS TOXICITY (pp. 14-17). (BIOSIS/89/20557). Kane, AB; Pietras, LA; Goodglick, LA.

Human Health Hazard Literature Search Results

On Topic

- Kane, MJ; Chahinian, AP; Holland, JF. (1990). Malignant mesothelioma in young adults. *Cancer* 65: 1449-1455. [http://dx.doi.org/10.1002/1097-0142\(19900315\)65:6<1449::AID-CNCR2820650633>3.0.CO;2-0](http://dx.doi.org/10.1002/1097-0142(19900315)65:6<1449::AID-CNCR2820650633>3.0.CO;2-0).
- Kang, D; Myung, MS; Kim, YK; Kim, JE. (2013). Systematic Review of the Effects of Asbestos Exposure on the Risk of Cancer between Children and Adults. *25: 10*. <http://dx.doi.org/10.1186/2052-4374-25-10>.
- Kang, DM, ug; Gu, DC; Kim, K, unH. (2009). Asbestos-related Diseases among Asbestos Textile Factory Workers and Residents Around the Factory. *J Korean Am Med Assoc* 52: 482-488.
- Kang, K; Sera, Y; Okochi, T; Yamamura, Y. (1974). [Immunological anomaly in asbestosis]. *Nihon Kyobu Shikkan Gakkai Zasshi* 12: 515-521.
- Kang, K; Shima, S; Salvaggio, J. (1976). [Effects of asbestos and beryllium on the pulmonary macrophages]. *Nihon Kyobu Shikkan Gakkai Zasshi* 14: 578-584.
- Kang, KY; Bice, D; D'Amato, R; Ziskind, M; Salvaggio, J. (1979). Effects of asbestos and beryllium on release of alveolar macrophage enzymes. *Arch Environ Health* 34: 133-140.
- Kang, KY; Salvaggio, J. (1976). Effects of asbestos and beryllium compounds on the alveolar macrophages. *Med J Osaka Univ* 27: 47-58.
- Kang, SK; Burnett, CA; Freund, E; Walker, J; Lalich, N; Sestito, J. (1997). Gastrointestinal cancer mortality of workers in occupations with high asbestos exposures. *Am J Ind Med* 31: 713-718.
- Kangur, M; Krooni, P. (2003). Asbestos-related health risks in Estonia. *Int J Occup Saf Ergon* 9: 97-101. <http://dx.doi.org/10.1080/10803548.2003.11076556>.
- Kann, J; Mohrmann, W. (1973). [Health damage due to asbestos]. *Z Allgemeinmed* 49: 907-908.
- KANNERST.M; Churg, J. (1972). PATHOLOGY OF CARCINOMA OF LUNG ASSOCIATED WITH ASBESTOS EXPOSURE. *Cancer* 30: 14-&.
- Kannerstein, M; Churg, J. (1974). PERITONEAL MESOTHELIOMA. *Fed Proc* 33.
- Kannerstein, M; Churg, J. (1977). Peritoneal mesothelioma. *Hum Pathol* 8: 83-94.
- Kannerstein, M; Churg, J; McCaughey, E; Selikoff, JJ. (1977). Pathogenic effects of asbestos [Review]. *Arch Pathol Lab Med* 101: 623-628.
- Kannerstein, M; Churg, J; McCaughey W, TE. (1979). ASBESTOS AND MESOTHELIOMA A REVIEW (pp. NEW YORK). (HEEP/80/06867). Kannerstein, M; Churg, J; McCaughey W, TE.
- Kannerstein, M; Churg, J; McCaughey W, TE. (1979). FUNCTIONS OF MESOTHELIOMA PANELS (pp. NEW YORK). (HEEP/81/07867). Kannerstein, M; Churg, J; McCaughey W, TE.
- Kannerstein, M; Churg, J; McCaughey, WT. (1978). Asbestos and mesothelioma: a review [Review]. *13 Pt 1: 81-129*.
- Kannio, A; Ridanpää, M; Koskinen, H; Partanen, T; Anttila, S; Collan, Y; Hietanen, E; Vainio, H; Husgafvel-Pursiainen, K. (1996). A molecular and epidemiological study on bladder cancer: p53 mutations, tobacco smoking, and occupational exposure to asbestos. *Cancer Epidemiol Biomarkers Prev* 5: 33-39.
- Kanno, S; Hirano, S; Chiba, S; Takeshita, H; Nagai, T; Takada, M; Sakamoto, K; Mukai, T. (2015). The role of Rho-kinases in IL-1 β release through phagocytosis of fibrous particles in human monocytes. *Arch Toxicol* 89: 73-85. <http://dx.doi.org/10.1007/s00204-014-1238-2>.
- Kanteti, R; Riehm, JJ; Dhanasingh, I; Lennon, FE; Mirzapioazova, T; Mambetsariev, B; Kindler, HL; Salgia, R. (2016). PI3 Kinase Pathway and MET Inhibition is Efficacious in Malignant Pleural Mesothelioma. *Sci Rep* 6: 32992. <http://dx.doi.org/10.1038/srep32992>.
- Kao, SC; Reid, G; Lee, K; Vardy, J; Clarke, S; van Zandwijk, N. (2010). Malignant mesothelioma [Review]. *Internal Medicine Journal (Online)* 40: 742-750. <http://dx.doi.org/10.1111/j.1445-5994.2010.02223.x>.
- Kao, SC; Reid, G; van Zandwijk, N; Henderson, DW; Klebe, S. (2011). Molecular biomarkers in malignant mesothelioma: state of the art [Review]. *Pathology* 43: 201-212. <http://dx.doi.org/10.1097/PAT.0b013e3283445e67>.
- Kaplan, H; Jaurand, MC; Pinchon, MC; Bernaudin, JF; Bignon, J; Adnet, JJ. (1980). How pleural mesothelial cells react in vitro with chrysotile fibres. *IARC Sci Publ*451-457.
- Kaplan, H; Renier, A; Jaurand, MC; Bignon, J. (1980). Sister Chromatid Exchanges In Mesothelial Cells Cultured With Chrysotile Fibres (pp. 251-253). (NIOSH/00158542). Kaplan, H; Renier, A; Jaurand, MC; Bignon, J.
- Kaptsov, VA; Tikhova, TS; Suvorov, SV; Khvastunov, RM; Trofimova, EV; Zinina, SA; Kashanskiĭ, SV. (2000). [Health status of workers contacting chrysotile asbestos waste on railway objects]. *Med Tr Prom Ekol*23-26.
- Karacharova, VN; Ol'shvang, RA; Kogan, FM. (1969). [Changes in various organs following intraperitoneal administration of asbestos-containing dusts under experimental conditions]. *Biull Eksp Biol Med* 67: 117-120.
- Karaer, F. (1996). Environmental pollution and carcinogenic risk [Review]. *J Environ Pathol Toxicol Oncol* 15: 105-113.
- Karageorgi, S; Christensen, BC; Mcclean, MD; Roelofs, CR; Sugarbaker, DJ; Byler, S; Kelsey, KT; Nelson, HH. (2006). Asbestos exposure and genetic susceptibility to malignant pleural mesothelioma. *Lung Cancer* 54: S36-S37.
- Karakoca, Y; Emri, S; Bagci, T; Demir, A; Erdem, Y; Baris, E; Sahin, AA. (1998). Environmentally-induced malignant pleural mesothelioma and HLA distribution in Turkey. *Int J Tuberc Lung Dis* 2: 1017-1022.
- Karakoca, Y; Emri, S; Cangir, AK; Er, M; Findik, S; Baris, YI. (1997). Environmental Pleural Plaques Due to Asbestos and Fibrous Zeolite Exposure in Turkey. Berlin, Germany.
- Karami, S; Boffetta, P; Stewart, PS; Brennan, P; Zaridze, D; Matveev, V; Janout, V; Kollarova, H; Bencko, V; Navratilova, M; Szeszenia-Dabrowska, N; Mates, D; Gromiec, J; Slamova, A; Chow, WH; Rothman, N; Moore, LE. (2011). Occupational exposure to dusts and risk of renal cell carcinoma. *Br J Cancer* 104: 1797-1803. <http://dx.doi.org/10.1038/bjc.2011.148>.
- Karanfilski, B; Vaskova, O; Bogdanova, V; Cvetanov, V. (1989). EVALUATION OF PULMONARY EPITHELIAL PERMEABILITY IN PATIENTS WITH ASBESTOSIS. (BIOSIS/89/36051). Karanfilski, B; Vaskova, O; Bogdanova, V; Cvetanov, V.
- Karasaki, Y; Urano, H; Shirahata, A; Nambu, Z; Ohji, T; Miura, M; Gotoh, S. (1998). Increases in DNA and protein syntheses in human umbilical vein endothelial cells treated with asbestos. *J Occup Health* 40: 302-306.

Human Health Hazard Literature Search Results

On Topic

- Karjalainen, A. (1994). Occupational asbestos exposure, pulmonary fiber burden and lung cancer in the Finnish population. (CIS/95/00685). Karjalainen, A.
- Karjalainen, A; Anttila, S; Heikkilä, L; Karhunen, P; Vainio, H. (1993). Asbestos exposure among Finnish lung cancer patients: occupational history and fiber concentration in lung tissue. *Am J Ind Med* 23: 461-471.
- Karjalainen, A; Anttila, S; Heikkilä, L; Kyyrönen, P; Vainio, H. (1993). Lobe of origin of lung cancer among asbestos-exposed patients with or without diffuse interstitial fibrosis. *Scand J Work Environ Health* 19: 102-107.
- Karjalainen, A; Anttila, S; Huuskonen, MS; Koskinen, K; Tossavainen, A; Tuomi, T; Rantanen, J. (1995). Diagnostics of Asbestos-Related Cancers in Finland (pp. 20-23). (NIOSH/00229814). Karjalainen, A; Anttila, S; Huuskonen, MS; Koskinen, K; Tossavainen, A; Tuomi, T; Rantanen, J.
- Karjalainen, A; Anttila, S; Vanhala, E; Vainio, H. (1994). Asbestos exposure and the risk of lung cancer in a general urban population. *Scand J Work Environ Health* 20: 243-250.
- Karjalainen, A; Huuskonen, MS; Tossavainen, A; Tuomi, T; Rantanen, J. (1994). Surveillance of Asbestos Exposure and Disease Outcome in Finland (pp. Asbestos and Cancers). (NIOSH/00224025). Karjalainen, A; Huuskonen, MS; Tossavainen, A; Tuomi, T; Rantanen, J.
- Karjalainen, A; Karhunen, PJ; Lalu, K; Penttilä, A; Vanhala, E; Kyyrönen, P; Tossavainen, A. (1994). Pleural plaques and exposure to mineral fibres in a male urban necropsy population. *Occup Environ Med* 51: 456-460.
- Karjalainen, A; Meurman, LO; Pukkala, E. (1994). Four cases of mesothelioma among Finnish anthophyllite miners. *Occup Environ Med* 51: 212-215.
- Karjalainen, A; Nurminen, M; Vanhala, E; Vainio, H; Anttila, S. (1996). Pulmonary asbestos bodies and asbestos fibers as indicators of exposure. *Scand J Work Environ Health* 22: 34-38.
- Karjalainen, A; Piipari, R; Mäntylä, T; Mönkkönen, M; Nurminen, M; Tukiainen, P; Vanhala, E; Anttila, S. (1996). Asbestos bodies in bronchoalveolar lavage in relation to asbestos bodies and asbestos fibres in lung parenchyma. *Eur Respir J* 9: 1000-1005.
- Karjalainen, A; Piipari, R; Mantyla, T; Nykyri, E; Tukiainen, P; Anttila, S. (1996). ASBESTOS BODIES IN BAL ACCORDING TO JOB TRADE (pp. 7-11). (BIOSIS/97/05367). Karjalainen, A; Piipari, R; Mantyla, T; Nykyri, E; Tukiainen, P; Anttila, S.
- Karjalainen, A; Pukkala, E; Hirvonen, A; Kauppinen, T; Partanen, T. (1997). THE RISK OF LUNG CANCER AMONG FINNISH MEN WITH A REGISTERED ASBESTOS-RELATED OCCUPATIONAL DISEASE (pp. 20-24). (BIOSIS/98/15200). Karjalainen, A; Pukkala, E; Hirvonen, A; Kauppinen, T; Partanen, T.
- Karjalainen, A; Pukkala, E; Kauppinen, T; Partanen, T. (1999). Incidence of cancer among Finnish patients with asbestos-related pulmonary or pleural fibrosis. *Cancer Causes Control* 10: 51-57.
- Karjalainen, A; Pukkala, E; Mattson, K; Tammilehto, L; Vainio, H. (1997). Trends in mesothelioma incidence and occupational mesotheliomas in Finland in 1960-1995. *Scand J Work Environ Health* 23: 266-270.
- Karlinger, K; Gere, J; Németh, L; Galgóczy, G. (1987). Abdominal mesothelioma induced by occupational asbestos exposure. 35: 71-76.
- Karn, CM; Socinski, MA; Fletcher, JA; Corson, JM; Craighead, JE. (1994). Cardiac synovial sarcoma with translocation (X;18) associated with asbestos exposure. *Cancer* 73: 74-78.
- Karstadt, M. (1998). Availability of epidemiologic data for chemicals known to cause cancer in animals: An update. *Am J Ind Med* 34: 519-525. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199811\)34:5<519::AID-AJIM15>3.0.CO;2-4](http://dx.doi.org/10.1002/(SICI)1097-0274(199811)34:5<519::AID-AJIM15>3.0.CO;2-4).
- Karunaharan, T. (1986). Malignant mesothelioma of the tunica vaginalis in an asbestos worker. *Royal College of Surgeons of Edinburgh Journal* 31: 253-254.
- Kasai, H; Nishimura, S. (1984). DNA damage induced by asbestos in the presence of hydrogen peroxide. *Gann* 75: 841-844.
- Kashanskiĭ, SV. (2008). [Mesothelioma in Russia: systematic review of 3576 published cases from occupational medicine viewpoint] [Review]. *Med Tr Prom Ekol* 15-21.
- Kashanskiĭ, SV; Domnin, SG; Plotko, EG; Kuz'min, SV; Seliankina, SV; Likhacheva, EI. (2004). [Contemporary problems of asbestos and prospective research directions]. *Med Tr Prom Ekol* 16-19.
- Kashanskiĭ, SV; Kogan, FM. (1995). [The danger of developing lung cancer in the manufacture of asbestos panel]. *Med Tr Prom Ekol* 0: 19-22.
- Kashanskiĭ, SV; Kogan, FM; Malysheva, LG; Zykova, VA. (1994). [Comparative evaluation of fibrogenesis and toxicity of asbestos-containing heat-proof materials]. *Med Tr Prom Ekol* 17-21.
- Kashanskiĭ, SV; Kogan, FM; Shcherbakov, SV; Tregubov, ES; Slyshkina, TV; Sustavov, SG. (1998). [Comparative fibrogenicity and oncogenicity of asbestos-containing dust of heat-insulating materials]. *Gig Sanit* 59-61.
- Kashanskiĭ, SV; Slyshkina, TV; Bogdanov, GB; Shcherbakov, SV. (2002). [Determination of renal asbestos elimination]. *Gig Sanit* 79-80.
- Kashanskiy, SV; Andre, N. (2010). Paediatric mesothelioma: is there the such a disease? [Review]. *Bull Cancer* 97: 571-576. <http://dx.doi.org/10.1684/bdc.2010.1064>.
- Kasprzak, KS. (1995). Possible role of oxidative damage in metal-induced carcinogenesis. *Cancer Invest* 13: 411-430. <http://dx.doi.org/10.3109/07357909509031921>.
- Kassir, R; Forest, F; Kaczmarek, D. (2013). Pulmonary mucinous cystadenocarcinoma presenting as a pleural mesothelioma. 4: 942-944. <http://dx.doi.org/10.1016/j.ijscr.2013.08.002>.
- Kasuga, H; Narita, N; Tamura, M; Morikawa, S; Katada, H; Miyazaki, R; Hatakeyama, M; Otsuji, H; Yoshimura, H; Uchida, H. (1990). Subpleural Curvilinear Shadow in Interstitial Pulmonary Diseases (pp. 127-133). (NIOSH/00198703). Kasuga, H; Narita, N; Tamura, M; Morikawa, S; Katada, H; Miyazaki, R; Hatakeyama, M; Otsuji, H; Yoshimura, H; Uchida, H.
- Kasuga, H; Shirai, F; Takezawa, Y; Mikami, R; Mase, T; Yuki, M; Shiraiishi, T. (1983). [Lung function tests in asbestos workers--effect of asbestos exposure and smoking]. *Nihon Kyobu Shikkan Gakkai Zasshi* 21: 127-133.
- Katada, H; Higashiguchi, R; Maruyama, H; Emi, Y; Yokose, Y; Takahashi, S; Mikami, R; Konishi, Y. (1983). Effects of chrysotile asbestos on lung and pleural carcinogenesis of N-bis(2-hydroxypropyl)nitrosamine in rats. *Cancer Lett* 17: 313-320.

Human Health Hazard Literature Search Results

On Topic

- Kattan, J; Eid, R; Kourie, HR; Farhat, F; Ghosn, M; Ghorra, C; Tomb, R. (2016). Mesotheliomas in Lebanon: Witnessing a Change in Epidemiology. *Asian Pac J Cancer Prev* 17: 4169-4173.
- Katz, D; Kreel, L. (1979). Computed tomography in pulmonary asbestosis. *Clin Radiol* 30: 207-213.
- Katz, LA; Nolan, JP. (1982). *Gastrointestinal and Hepatic Concerns of the Occupational Physician* (pp. 381-399). (NIOSH/00179132). Katz, LA; Nolan, JP.
- Kauffer, E; Vigneron, JC; Hesbert, A; Lemonnier, M. (1987). A study of the length and diameter of fibres, in lung and in broncho-alveolar lavage fluid, following exposure of rats to chrysotile asbestos. *Ann Occup Hyg* 31: 233-240.
- Kauppinen, T; Nuutinen, J; Toikkanen, J; Vasama, M; Savela, A; Jolanki, R; Keskinen, H. (1994). New and Increasing Occupational Diseases in Finland with Special Emphasis on Infectious Diseases (pp. 16-19). (NIOSH/00224514). Kauppinen, T; Nuutinen, J; Toikkanen, J; Vasama, M; Savela, A; Jolanki, R; Keskinen, H.
- Kauppinen, T; Partanen, T; Degerth, R; Ojajarvi, A. (1995). Pancreatic cancer and occupational exposures. *Epidemiology* 6: 498-502.
- Kauppinen, T; Riala, R; Seitsamo, J; Hernberg, S. (1992). Primary liver cancer and occupational exposure. *Scand J Work Environ Health* 18: 18-25.
- Kauppinen, T; Uuskulainen, S; Saalo, A; Makinen, I. (2013). Trends of Occupational Exposure to Chemical Agents in Finland in 1950-2020. *Ann Occup Hyg* 57: 593-609. <http://dx.doi.org/10.1093/annhyg/mes090>.
- Kaw, JL. (1981). *HEALTH HAZARDS OF ASBESTOS EXPOSURE* (pp. 342-346). (ISSN 0022-4456; HEEP/82/06850). Kaw, JL.
- Kaw, JL; Tilkes, F; Beck, EG. (1982). Reaction of cells cultured in vitro to different asbestos dusts of equal surface area but different fibre length. *Br J Exp Pathol* 63: 109-115.
- Kaw, JL; Waseem, M. (1983). Surface area of asbestos dusts in relation to hemolysis of mammalian erythrocytes & macrophage adherence. *Indian J Exp Biol* 21: 379-382.
- Kaw, JL; Zaidi, SH. (1975). In vitro studies on the cytotoxic action of different varieties of asbestos dust on macrophages. *Acta Pharmacol Toxicol* 36: 225-235.
- Kaw, JL; Zaidi, SH. (1977). Effect Of Some Chelating Agents And Polymers On Asbestos Induced Hemolysis And Macrophage Cytotoxicity (pp. 429-431). (NIOSH/00157287). Kaw, JL; Zaidi, SH.
- Kawabata, Y; Shimizu, Y; Hoshi, E; Murai, K; Kanauchi, T; Kurashima, K; Sugita, Y. (2016). Asbestos exposure increases the incidence of histologically confirmed usual interstitial pneumonia. *Histopathology* 68: 339-346. <http://dx.doi.org/10.1111/his.12751>.
- Kawabata, Y; Watanabe, T; Yamamura, J; Ogata, H; Sugita, H; Shishido, S; Iwai, K; Kinoshita, T. (1985). [A case of asbestosis without typical asbestos bodies]. *Nihon Kyobu Shikkan Gakkai Zasshi* 23: 1177-1183.
- Kawabata, Y; Yamamoto, S; Kishimoto, T; Kobashi, Y. (2008). [Macroscopic subtypes of asbestosis in relation to the amount of asbestos in 63 Japanese autopsy cases]. *Nihon Koryuiki Gakkai Zasshi* 46: 77-84.
- Kawahara, K; Kawasumi, H; Nagano, T; Sasada, S; Okamoto, N. (2008). [Simple evaluation of numbers of asbestos bodies in bronchoalveolar lavage fluid under light microscopy: analysis of 35 pulmonary nodular lesions]. *Rinsho Byori* 56: 290-296.
- Kawai, A; Nagasaka, Y; Muraki, M; Fukuoka, M; Satou, T; Kimura, M; Hashimoto, S. (1997). Brain metastasis in malignant pleural mesothelioma [Review]. *Intern Med* 36: 591-594.
- Kawai, T. (1979). Histopathological studies on experimentally induced pulmonary, pleural and peritoneal neoplasms in mice by intraperitoneal injection of chrysotile asbestos and N-methyl-N-nitrosourethane. *Acta Pathol Jpn* 29: 421-433.
- Kawai, T; Hiroi, S; Nakanishi, K; Takagawa, K; Haba, R; Hayashi, K; Kawachi, K; Nozawa, A; Hebisawa, A; Nakatani, Y. (2010). Lymphohistiocytoid mesothelioma of the pleura. *Pathol Int* 60: 566-574. <http://dx.doi.org/10.1111/j.1440-1827.2010.02560.x>.
- Kay, K. (1976). A brief overview of the toxicological and epidemiological background to the detection and prevention of cancer in agricultural workers (pp. 107-128; 1976). (PESTAB/77/0313). Kay, K.
- Kaya, H; Sezgi, C; Tanrikulu, AC; Taylan, M; Abakay, O; Sen, HS; Abakay, A; Kucukoner, M; Kapan, M. (2014). Prognostic factors influencing survival in 35 patients with malignant peritoneal mesothelioma. *Neoplasma* 61: 433-438. http://dx.doi.org/10.4149/neo_2014_053.
- Kayatta, MO; Dineen, SP; Sica, G; Puskas, JD; Pickens, A. (2013). Primary pericardial mesothelioma in a 19-year-old presenting as pericarditis. *Ann Thorac Surg* 96: 680-681. <http://dx.doi.org/10.1016/j.athoracsur.2013.01.035>.
- Kayser, K; Altiner, M; Dienemann, H; Gabius, HJ. (1997). Changes during the last decade in clinical parameters of operated lung carcinoma patients of a center for thoracic surgery and the prognostic significance of TNM, morphometric, cytometric, and glycohistochemical properties. *Thorac Cardiovasc Surg* 45: 196-199. <http://dx.doi.org/10.1055/s-2007-1013722>.
- Kayser, K; Becker, C; Seeberg, N; Gabius, HJ. (1999). Quantitation of asbestos and asbestos-like fibers in human lung tissue by hot and wet ashing, and the significance of their presence for survival of lung carcinoma and mesothelioma patients. *Lung Cancer* 24: 89-98.
- Kayser, K; Donnwald, D; Zink, S; Kayser, G. (2001). Small pulmonary lesions--a challenge for thoracic surgery? *ScientificWorldJournal* 1: 906-913. <http://dx.doi.org/10.1100/tsw.2001.347>.
- Kayser, K; Seemann, C; André, S; Kugler, C; Becker, C; Dong, X; Kaltner, H; Gabius, HJ. (2000). Association of concentration of asbestos and asbestos-like fibers with the patient's survival and the binding capacity of lung parenchyma to galectin-1 and natural alpha-galactoside- and alpha-mannoside-binding immunoglobulin G subfractions from human serum. *Pathol Res Pract* 196: 81-87.
- Kayser, K; Trott, J; Böhm, G; Huber, M; Kaltner, H; André, S; Gabius, HJ. (2005). Localized fibrous tumors (LFTs) of the pleura: clinical data, asbestos burden, and syntactic structure analysis applied to newly defined angiogenic/growth-regulatory effectors. *Pathol Res Pract* 201: 791-801. <http://dx.doi.org/10.1016/j.prp.2005.09.002>.
- Kazan-Allen, L. (2005). Asbestos and mesothelioma: Worldwide trends [Review]. *Lung Cancer* 49: S3-S8. <http://dx.doi.org/10.1016/j.lungcan.2005.03.002>.
- Ke, F; Zhang, J; Jin, S. (1991). [The relationship of biochemical changes among bronchoalveolar lavage fluid serum and lung on dust-exposed rats]. *Hua Xi Yi Ke Da Xue Xue Bao* 22: 292-295.

Human Health Hazard Literature Search Results

On Topic

- Ke, Y; Reddel, RR; Gerwin, BI; Reddel, HK; Somers, AN; Mcmenamin, MG; Laveck, MA; Stahel, RA; Lechner, JF; Harris, CC. (1989). Establishment of a human in vitro mesothelial cell model system for investigating mechanisms of asbestos-induced mesothelioma. *Am J Pathol* 134: 979-991.
- Keal, EE. (1960). Asbestosis and Abdominal Neoplasms. *Lancet* pages 1211: 1211-1216.
- Keane, MJ; Stephens, JW; Zhong, BZ; Miller, WE; Ong, TM; Wallace, WE. (1999). A study of the effect of chrysotile fiber surface composition on genotoxicity in vitro. *J Toxicol Environ Health A* 57: 529-541.
- Kee, ST; Gamsu, G; Blanc, P. (1996). Causes of pulmonary impairment in asbestos-exposed individuals with diffuse pleural thickening. *Am J Respir Crit Care Med* 154: 789-793. <http://dx.doi.org/10.1164/ajrccm.154.3.8810620>.
- Keenan, RG; Keenan, RR. (1975). Evaluation Of Chemical Hazards In The Environment (pp. ndustrial). (NIOSH/00135257). Keenan, RG; Keenan, RR.
- Keenlyside, RA. (1984). Indoor Air Quality (pp. 59-71). (NIOSH/00172109). Keenlyside, RA.
- Keijer, J; Bunschoten, JE; Palou, A; NLWv, F-H. (2005). Beta-carotene and the application of transcriptomics in risk-benefit evaluation of natural dietary components [Review]. *Biochim Biophys Acta* 1740: 139-146. <http://dx.doi.org/10.1016/j.bbadis.2005.01.002>.
- Keira, T; Okada, M; Katagiri, H; Aizawa, Y; Okayasu, I; Kotani, M. (1998). Magnetometric evaluation for the effect of chrysotile on alveolar macrophages. *Tohoku J Exp Med* 186: 87-98.
- Keith, I; Day, R; Lemaire, S; Lemaire, I. (1987). Asbestos-induced fibrosis in rats: increase in lung mast cells and autacoid contents. *Exp Lung Res* 13: 311-327.
- Keith, IM; Day, R; Lemaire, S. (1986). PULMONARY SEROTONIN AND HISTAMINE IN EXPERIMENTAL ASBESTOSIS (pp. 13-18). (BIOSIS/86/21881). Keith, IM; Day, R; Lemaire, S.
- Keith, MM; Brophy, JT. (2004). Participatory mapping of occupational hazards and disease among asbestos-exposed workers from a foundry and insulation complex in Canada. *Int J Occup Environ Health* 10: 144-153. <http://dx.doi.org/10.1179/oeh.2004.10.2.144>.
- Kellard, B. (1991). Hazardous substances - Carcinogens guide. (CIS/92/01997). International Agency for Research on Cancer (IARC).
- Keller, C; Jacobi, V; Bauer, B; Mueller, KM. (1995). Indications of transbronchial lung biopsy in asbestosis, silicosis and occupational airway diseases of irritative origin. (BIOSIS/95/19463). Keller, C; Jacobi, V; Bauer, B; Mueller, KM.
- Keller, JE; Howe, HL. (1993). Risk Factors for Lung Cancer among Nonsmoking Illinois Residents. *Environ Res* 60: 1-11.
- Kelley, J. (1998). OCCUPATIONAL LUNG DISEASES CAUSED BY ASBESTOS SILICA AND OTHER SILICATES (pp. PHILADELPHIA). (BIOSIS/98/08344). Kelley, J.
- Kelly, J. (1992). Health Hazard Evaluation Report No. HETA-91-118-2213, Cocalico School District, Denver, Pennsylvania (pp. 91-118). (NIOSH/00208294). Kelly, J.
- Kelly, J; Pratt, G; Johnson, J; Messing, R. (2006). Community exposure to asbestos from a vermiculite exfoliation plant in NE Minneapolis. *Inhal Toxicol* 18: 941-947. <http://dx.doi.org/10.1080/08958370600834883>.
- Kelly, JE; Moss, CE; Tepper, A. (1992). Health Hazard Evaluation Report No. HETA-91-390-2270, Warner Amex, Cincinnati, Ohio (pp. 91-390). (NIOSH/00213718). Kelly, JE; Moss, CE; Tepper, A.
- Kelly, JE; Van Glider, TJ. (1994). Health hazard evaluation report HETA 93-0562-2464, Ohio University, Athens, Ohio. (HHE Report No. HETA-93-0562-2464). Cincinnati, OH: U.S. Department of Health and Human Services.
- Kelman, HR; Kavalier, F. (1990). Mortality patterns of American merchant seamen 1973-1978. *Am J Ind Med* 17: 423-434.
- Kelsey, KT; Nelson, HH; Wiencke, JK; Smith, CM; Levin, S. (1997). The glutathione S-transferase theta and mu deletion polymorphisms in asbestosis. *Am J Ind Med* 31: 274-279.
- Kelsey, KT; Smith, CM; Wiencke, JK; Leyden, K; Levin, S; Christiani, DC. (1994). INHERITED GLUTATHIONE-S-TRANSFERASE DEFICIENCY IS A RISK FACTOR FOR PULMONARY ASBESTOSIS (pp. 10-13). (BIOSIS/94/21097). Kelsey, KT; Smith, CM; Wiencke, JK; Leyden, K; Levin, S; Christiani, DC.
- Kelsey, KT; Yano, E; Liber, HL; Little, JB. (1986). The in vitro genetic effects of fibrous erionite and crocidolite asbestos. *Br J Cancer* 54: 107-114.
- Kelsh, MA; Craven, VA; Teta, MJ; Mowat, FS; Goodman, M. (2007). Mesothelioma in vehicle mechanics: is the risk different for Australians? [Review]. *Occup Med (Lond)* 57: 581-589. <http://dx.doi.org/10.1093/occmed/kqm114>.
- Kempf, E. (1982). Mesotheliomas following occupational asbestos exposure. (CIS/82/01369). Kempf, E.
- Kendall, RM. (1986). COURT BATTLES LOOM OVER OSHA'S ASBESTOS STANDARDS (pp. 49-51; 1986). (HMT/86/0004257). Kendall, RM.
- Kendall, TJ; Ritter, JH; Wick, MR. (1996). ASBESTOSIS RELATED INTERSTITIAL LUNG DISEASE FIBROELASTOSIS VS. FIBROSIS? (pp. 23-29). (BIOSIS/96/14919). Kendall, TJ; Ritter, JH; Wick, MR.
- Kennaway, EL; Kennaway, NM. (1947). A further study of the incidence of cancer of the lung and larynx. *Br J Cancer* 1: 260-298.
- Kenne, K; Ljungquist, S; Ringertz, NR. (1986). EFFECTS OF ASBESTOS FIBERS ON CELL-DIVISION, CELL-SURVIVAL, AND FORMATION OF THIOGUANINE-RESISTANT MUTANTS IN CHINESE-HAMSTER OVARY CELLS. *Environ Res* 39: 448-464.
- Kennedy, SM; Demers, PA. (1999). Occupational airways disease from chronic low level exposure to mineral dusts, organic dusts, and mixed exposures: Occupational chronic obstructive pulmonary disease. *Semin Respir Crit Care Med* 20: 541-549.
- Kennedy, SM; Vedal, S; Müller, N; Kassam, A; Chan-Yeung, M. (1991). Lung function and chest radiograph abnormalities among construction insulators. *Am J Ind Med* 20: 673-684. <http://dx.doi.org/10.1002/ajim.4700200510>.
- Kennedy, SM; Vedal, S; Muller, N; Lam, S; Chan-Yeung, M. (1989). AIRFLOW OBSTRUCTION AMONG ASBESTOS EXPOSED INSULATORS IS ASSOCIATED WITH PLEURAL THICKENING (pp. 14-17). (BIOSIS/89/20544). Kennedy, SM; Vedal, S; Muller, N; Lam, S; Chan-Yeung, M.
- Kennedy, TP; Dodson, R; Rao, NV; Ky, H; Hopkins, C; Baser, M; Tolley, E; Hoidal, JR. (1989). Dusts causing pneumoconiosis generate OH and produce hemolysis by acting as Fenton catalysts. *Arch Biochem Biophys* 269: 359-364.

Human Health Hazard Literature Search Results

On Topic

- Kennedy, TP; Ky, H; Rao, NV; Hopkins, C; Tolley, E; Dodson, R; Hoidal, JR. (1987). ASBESTOS AND KAOLIN CAUSE RED CELL HEMOLYSIS BY ACTING AS FENTON REAGENTS (pp. 10-13). (BIOSIS/87/23803). Kennedy, TP; Ky, H; Rao, NV; Hopkins, C; Tolley, E; Dodson, R; Hoidal, JR.
- Kentner, M. (2012). [Not Available] [Letter]. *Pneumologie* 66: 616-617; author reply 617-618. <http://dx.doi.org/10.1055/s-0032-1325744>.
- Kenyon, A; Roncari, R. (1995). REDUCTION OF ASBESTOS PATHOLOGY BY ALKALINE AGGREGATION OF CHRYSOTILE FIBERS (pp. 9-13). (BIOSIS/95/15572). Kenyon, A; Roncari, R.
- Kerenyi, T; Jaeckel, M; Voss, B; Grasbon, S; Mueller, KM. (1997). ASBESTOS-RELATED EXPERIMENTAL MESOTHEL LESIONS (pp. 20-24). (BIOSIS/98/15173). Kerenyi, T; Jaeckel, M; Voss, B; Grasbon, S; Mueller, KM.
- Kerenyi, T; Voss, B; Jackel, M; Mueller, KM. (1996). ASBESTOS AND MAN-MADE MINERAL FIBERS INDUCED BRONCHIAL REMODELLING (pp. 20-25). (BIOSIS/97/13237). Kerenyi, T; Voss, B; Jackel, M; Mueller, KM.
- Kerfoot, EJ; Steinmetz, DC; Ozimek, TJ. (1995). Industrial toxicology. In SS Grossel; DA Crowl (Eds.), *Environmental Science and Pollution Control Series* (pp. 21-59). New York, NY: Marcel Dekker.
- Kerger, BD; James, RC; Galbraith, DA. (2014). Tumors that mimic asbestos-related mesothelioma: time to consider a genetics-based tumor registry? *Front Genet* 5: 151. <http://dx.doi.org/10.3389/fgene.2014.00151>.
- Kerimova, TT. (1987). [Pathogenic effect of asbestos dust and problems of its prevention (review of the literature)] [Review]. *Gig Tr Prof Zabol O*: 54-57.
- Kern, DG; Frumkin, H. (1988). Asbestos-related disease in the jewelry industry: report of two cases. *Am J Ind Med* 13: 407-410.
- Kern, DG; Hanley, KT; Roggli, VL. (1992). Malignant mesothelioma in the jewelry industry. *Am J Ind Med* 21: 409-416.
- Kerper, LE; Lynch, HN; Zu, K; Tao, G; Utell, MJ; Goodman, JE. (2015). Systematic review of pleural plaques and lung function [Review]. *Inhal Toxicol* 27: 15-44. <http://dx.doi.org/10.3109/08958378.2014.981349>.
- Kerr, A; Poole, R. (1984). Prescription for survival - Health and safety in the health service. (CIS/85/01152). Kerr, A; Poole, R.
- Keshava, N; T-M, O. (1999). Occupational exposure to genotoxic agents. *Mutat Res* 437: 175-194. [http://dx.doi.org/10.1016/S1383-5742\(99\)00083-6](http://dx.doi.org/10.1016/S1383-5742(99)00083-6).
- Kettunen, E; Aavikko, M; Nymark, P; Ruosaari, S; Wikman, H; Vanhala, E; Salmenkivi, K; Pirinen, R; Karjalainen, A; Kuosma, E; Anttila, S. (2009). DNA copy number loss and allelic imbalance at 2p16 in lung cancer associated with asbestos exposure. *Br J Cancer* 100: 1336-1342. <http://dx.doi.org/10.1038/sj.bjc.6605012>.
- Kettunen, E; Salmenkivi, K; Vuopala, K; Toljamo, T; Knuutila, S; Kaleva, S; Huuskonen, M; Anttila, S. (2005). Copy number changes on CEP6, 5p15, 8q24 and 7p12 in sputum samples of asbestos exposed individuals. *Lung Cancer* 49: S181-S181.
- Kettunen, E; Stuoelyte, K; Hernandez-Vargas, H; Wolff, H; Anttila, SL; Herceg, Z; Jarmalaite, S; Husgafvel-Pursiainen, K. (2016). Asbestos exposure-related DNA methylation markers: a validation study in non-small cell lung tumors. *Cancer Res* 76. <http://dx.doi.org/10.1158/1538-7445.AM2016-2765>.
- Kettunen, EM; Hernandez-Vargas, H; Cros, MP; Durand, G; Le Calvez-Kelm, F; Wolff, H; Salmenkivi, K; Anttila, SL; Herceg, Z; Husgafvel-Pursiainen, K. (2015). Epigenome-wide DNA methylation profiling of lung tumors from asbestos-exposed patients. *Cancer Res* 75. <http://dx.doi.org/10.1158/1538-7445.AM2015-1060>.
- Kevin, B. (1986). IS ASBESTOS OR ASBESTOSIS THE CAUSE OF THE INCREASED RISK OF LUNG CANCER IN ASBESTOS WORKER? *Br J Ind Med* 43: 145-149.
- Keynes, HL; Ross, DJ; Mcdonald, JC. (1996). SWORD '95: Surveillance of Work-Related and Occupational Respiratory Disease in the UK. *Occup Med (Lond)* 46: 379-381.
- Keysar, SB; Fox, MH. (2009). Kinetics of CHO A L mutant expression after treatment with gamma radiation, EMS, and asbestos. *Cytometry A* 75: 412-419. <http://dx.doi.org/10.1002/cyto.a.20708>.
- K-H, J; Ahrens, W; Bolm-Audorff, U. (1994). Lung Cancer Risk and Welding Preliminary Results from an Ongoing Case-Control Study. *Am J Ind Med* 25: 805-812.
- K-H, J; Ahrens, W; Bolm-Audorff, U; Roemer, W; Arhelger, R; Pohlbeln, H; Moehner, M; Kreienbrock, L; H-E, W. (1997). ESTIMATION OF THE DOSE-RESPONSE RELATIONSHIP BETWEEN RISK OF LUNG CANCER AND CUMULATIVE DOSE OF ASBESTOS EXPOSURE IN FIBRE-YEAR (pp. 20-24). (BIOSIS/98/15199). Joeckel K-H; Ahrens, W; Bolm-Audorff, U; Roemer, W; Arhelger, R; Pohlbeln, H; Moehner, M; Kreienbrock, L; Wichmann H-E.
- K-H, J; Pohlbeln, H; Roemer, W. (1994). RISK FACTORS FOR DIFFUSE MALIGNANT MESOTHELIOMA EPIDEMIOLOGIC RESULTS (pp. 7-11). (BIOSIS/94/17765). Joeckel K-H; Pohlbeln, H; Roemer, W.
- Khan, G; Mahmood, N; Arif, JM; Rahman, Q. (1992). ASBESTOS AND LUNG-DISEASES - A MECHANISTIC APPROACH. *Journal of Sci Ind Res* 51: 507-514.
- Khan, KA; Kennedy, MP; Moore, E; Crush, L; Prendeville, S; Maher, MM; Burke, L; Henry, MT. (2015). Radiological characteristics, histological features and clinical outcomes of lung cancer patients with coexistent idiopathic pulmonary fibrosis. *Lung* 193: 71-77. <http://dx.doi.org/10.1007/s00408-014-9664-8>.
- Khan, SG; Ali, S; Rahman, Q. (1991). Diminution of Phase I and Phase II Drug Metabolizing Enzymes of Rat Lung by Asbestos: An In Vitro Study. *Bull Environ Contam Toxicol* 47: 660-667.
- Khan, SG; Ali, S; Rahman, Q. (1992). INTERACTION OF MINERAL FIBERS WITH LUNG CYTOCHROME-P-450 SYSTEM - IMPAIRMENT OF DRUG-METABOLIZING ENZYME-ACTIVITIES. *Chemosphere* 24: 959-968.
- Khan, SG; Rizvi, RY; Hadi, SM; Rahman, Q. (1988). STRAND BREAKAGE IN DNA BY SILICIC ACID. *Mutat Res* 208: 27-32.
- Khmel'Nitskii, OK; Retnev, VM; Dedkova, LE; Serov, AN. (1984). THE BIOLOGICAL ROLE OF SOME DUST ADMIXTURES FROM COMPOSITION MATERIALS BASED ON NATURAL SILICATES IN THE DEVELOPMENT OF PNEUMOCONIOSIS AN EXPERIMENTAL STUDY. *Vestn Akad Med Nauk SSSR* 0: 61-68.

Human Health Hazard Literature Search Results

On Topic

- Khomenko, EV. (1988). HYGIENIC SUBSTANTIATION OF ASBESTOS-CONTAINING DUST A REVIEW OF THE LITERATURE. *Vrach Delo* 0: 98-102.
- Kiakouama, L; Faucon, D. (2010). Refractory ceramic fibres: A human health hazard? A literature review. *Arch Mal Prof Environ* 71: 759-770. <http://dx.doi.org/10.1016/j.admp.2010.06.015>.
- Kido, M; Kajiki, A; Hiraoka, K; Horie, A. (1990). Sarcoid reaction observed in a worker with a history of asbestos exposure. *J UOEH* 12: 355-360.
- Kido, T; Morimoto, Y; Asonuma, E; Yatera, K; Ogami, A; Oyabu, T; Tanaka, I; Kido, M. (2008). Chrysotile Asbestos Causes AEC Apoptosis via the Caspase Activation In Vitro and In Vivo. *Inhal Toxicol* 20: 339-347. <http://dx.doi.org/10.1080/08958370701866362>.
- Kiec-Swierczynska, M. (1989). Comparison of Risk of Occupational Dermatoses and Allergy to Metals in Workers Employed in Plants Manufacturing Prefabricated Building Products Made of Ordinary Concrete, Cellular Concrete and Asbestos Cement. *Pol J Occup Med* 2: 200-208.
- Kieć-Swierczyńska, M. (1984). [Skin changes in persons exposed to asbestos]. *Przegląd Dermatologiczny* 71: 333-337.
- Kiefer, M; Driscoll, RJ. (2000). Health Hazard Evaluation Report: HETA 2000-0185-2808, Thyssen-Dover Elevator, Middleton, Tennessee. 40.
- Kielkowsk, D; Nelson, G; Bello, B; Kgalamono, S; Phillips, JI. (2011). Trends in mesothelioma mortality rates in South Africa: 1995-2007. *Occup Environ Med* 68: 547-549. <http://dx.doi.org/10.1136/oem.2010.062182>.
- Kielkowsk, D; Nelson, G; Rees, D. (2000). Risk of mesothelioma from exposure to crocidolite asbestos: a 1995 update of a South African mortality study. *Occup Environ Med* 57: 563-567.
- Kienast, K; Bay, M; Drumm, K; Smolarski, R; Ferlinz, R. (1996). Modulation of TNF-alpha secretions by alveolar macrophages and blood monocytes after soot-particle or asbestos fibre exposure. *Eur J Med Res* 1: 425-428.
- Kienast, K; Kaes, C; Drumm, K; Buhl, R; Micke, P; Oesch, F; Hengstler, JG. (2000). Asbestos-exposed blood monocytes--deoxyribonucleic acid strand lesions in co-cultured bronchial epithelial cells. *Scand J Work Environ Health* 26: 71-77.
- Kikuchi, H. (1979). Experimental studies on pulmonary asbestosis induced by infusion of chrysotile dust via pertracheal vinyl tube in rat. *J Nara Med Assoc* 30: 478-498.
- Kikuchi, K; Hiraga, Y. (1983). Clinical and epidemiologic investigation of asbestos exposed workers. 52: 599-612.
- Kilburn, KH. (2000). Prevalence and features of advanced asbestosis (ILO profusion scores above 2/2). International Labour Office. *Arch Environ Health* 55: 104-108. <http://dx.doi.org/10.1080/00039890009603395>.
- Kilburn, KH; Lilis, R; Anderson, HA; Boylen, CT; Einstein, HE; Johnson, SJS; Warshaw, R. (1985). Asbestos disease in family contacts of shipyard workers. *Am J Public Health* 75: 615-617.
- Kilburn, KH; Lilis, R; Anderson, HA; Miller, A; Warshaw, RH. (1986). Interaction of asbestos, age, and cigarette smoking in producing radiographic evidence of diffuse pulmonary fibrosis. *Am J Med* 80: 377-381.
- Kilburn, KH; Thornton, J; Balmes, JR; Warshaw, R. (1984). EFFECTS OF ASBESTOS AND CIGARETTE SMOKING ON PULMONARY FUNCTION IN SHIPYARD WORKERS COMPARED TO A REPRESENTATIVE POPULATION FROM THE STATE OF MICHIGAN USA (pp. 20-23). (HEEP/85/00784). Kilburn, KH; Thornton, J; Balmes, JR; Warshaw, R.
- Kilburn, KH; Warshaw, R. (1990). Airway Obstruction in Asbestosis Studied in Shipyard Workers (pp. 23-26). (NIOSH/00198284). Kilburn, KH; Warshaw, R.
- Kilburn, KH; Warshaw, R. (1990). Pulmonary functional impairment associated with pleural asbestos disease. Circumscribed and diffuse thickening. *Chest* 98: 965-972.
- Kilburn, KH; Warshaw, R; Miller, A; Lilis, R; Anderson, HA; Selikoff, IJ. (1985). DO ASBESTOS AND CIGARETTE SMOKE INTERACT MATERIALLY IN CAUSING PULMONARY FIBROSIS? (pp. 12-15). (BIOSIS/85/16419). Kilburn, KH; Warshaw, R; Miller, A; Lilis, R; Anderson, HA; Selikoff, IJ.
- Kilburn, KH; Warshaw, R; Thornton, JC. (1985). Asbestosis, pulmonary symptoms and functional impairment in shipyard workers. *Chest* 88: 254-259. <http://dx.doi.org/10.1378/chest.88.2.254>.
- Kilburn, KH; Warshaw, R; Thornton, JC. (1985). Signs of asbestosis and impaired pulmonary function in women who worked in shipyards. *Am J Ind Med* 8: 545-552. <http://dx.doi.org/10.1002/ajim.4700080606>.
- Kilburn, KH; Warshaw, R; Thornton, JC. (1986). Asbestos diseases and pulmonary symptoms and signs in shipyard workers and their families in Los Angeles. *Arch Intern Med* 146: 2213-2220.
- Kilburn, KH; Warshaw, RH. (1989). PULMONARY FUNCTIONAL IMPAIRMENT FROM YEARS OF ARC WELDING. *Am J Med* 87: 62-69.
- Kilburn, KH; Warshaw, RH. (1990). Abnormal pulmonary function associated with diaphragmatic pleural plaques due to exposure to asbestos. *Br J Ind Med* 47: 611-614. <http://dx.doi.org/10.1136/oem.47.9.611>.
- Kilburn, KH; Warshaw, RH. (1990). Airway obstruction in asbestos-exposed shipyard workers: With and without irregular opacities. *Respir Med* 84: 449-455. [http://dx.doi.org/10.1016/S0954-6111\(08\)80108-4](http://dx.doi.org/10.1016/S0954-6111(08)80108-4).
- Kilburn, KH; Warshaw, RH. (1991). Abnormal lung function associated with asbestos disease of the pleura, the lung, and both: A comparative analysis. *Thorax* 46: 33-38. <http://dx.doi.org/10.1136/thx.46.1.33>.
- Kilburn, KH; Warshaw, RH. (1991). Asbestos disease in construction, refinery, and shipyard workers. *Ann N Y Acad Sci* 643: 301-312.
- Kilburn, KH; Warshaw, RH. (1992). Irregular opacities in the lung, occupational asthma, and airways dysfunction in aluminum workers. *Am J Ind Med* 21: 845-853.
- Kilburn, KH; Warshaw, RH. (1992). Severity of pulmonary asbestosis as classified by International Labour Organisation profusion of irregular opacities in 8749 asbestos-exposed American workers. Those who never smoked compared with those who ever smoked. *Arch Intern Med* 152: 325-327.
- Kilburn, KH; Warshaw, RH. (1994). Airways obstruction from asbestos exposure: Effects of asbestosis and smoking. *Chest* 106: 1061-1070. <http://dx.doi.org/10.1378/chest.106.4.1061>.
- Kilburn, KH; Warshaw, RH; Einstein, K; Bernstein, J. (1985). Airway disease in non-smoking asbestos workers. *Arch Environ Health* 40: 293-295.

Human Health Hazard Literature Search Results

On Topic

- Kim, DH; Nelson, HH; Wiencke, JK; Christiani, DC; Wain, JC; Mark, EJ; Kelsey, KT. (2001). Promoter methylation of DAP-kinase: association with advanced stage in non-small cell lung cancer. *Oncogene* 20: 1765-1770. <http://dx.doi.org/10.1038/sj.onc.1204302>.
- Kim, HJ; Nam, HY; Hiroshi, Y; Shinohara, Y; Kohyama, N; Yun, HK; Lim, Y; Song, JS. (2005). Evaluation of cellular toxicity of TAFMAG, a natural substitute for asbestos from China. *Toxicol Lett* 155: 65-71. <http://dx.doi.org/10.1016/j.toxlet.2004.08.013>.
- Kim, HN; Morimoto, Y; Tsuda, T; Ootsuyama, Y; Hirohashi, M; Hirano, T; Tanaka, I; Lim, Y; Yun, IG; Kasai, H. (2001). Changes in DNA 8-hydroxyguanine levels, 8-hydroxyguanine repair activity, and hOGG1 and hMTH1 mRNA expression in human lung alveolar epithelial cells induced by crocidolite asbestos. *Carcinogenesis* 22: 265-269.
- Kim, HR. (2009). Overview of asbestos issues in Korea [Review]. *J Korean Med Sci* 24: 363-367. <http://dx.doi.org/10.3346/jkms.2009.24.3.363>.
- Kim, HR; Ahn, YS; Jung, SH, ee. (2009). Epidemiologic Characteristics of Malignant Mesothelioma in Korea. *J Korean Am Med Assoc* 52: 449-455.
- Kim, JS; Song, KS; Lee, JK; Choi, YC; Bang, IS; Kang, CS; Yu, IJ. (2012). Toxicogenomic comparison of multi-wall carbon nanotubes (MWCNTs) and asbestos. *Arch Toxicol* 86: 553-562. <http://dx.doi.org/10.1007/s00204-011-0770-6>.
- Kim, M; Bae, M; Na, H; Yang, M. (2012). Environmental toxicants--induced epigenetic alterations and their reversers [Review]. 30: 323-367. <http://dx.doi.org/10.1080/10590501.2012.731959>.
- Kim, SB; Varkey, B; Choi, H. (1987). Diagnosis of malignant pleural mesothelioma by axillary lymph node biopsy. *Chest* 91: 279-281.
- Kim, SJ; Cheresch, P; Jablonski, RP; Morales-Nebreda, L; Cheng, Y; Hogan, E; Yeldandi, A; Chi, M; Piseaux, R; Ridge, K; Michael Hart, C; Chandel, N; Scott Budinger, GR; Kamp, DW. (2016). Mitochondrial catalase overexpressed transgenic mice are protected against lung fibrosis in part via preventing alveolar epithelial cell mitochondrial DNA damage. *Free Radic Biol Med* 101: 482-490. <http://dx.doi.org/10.1016/j.freeradbiomed.2016.11.007>.
- Kim, SJ; Cheresch, P; Jablonski, RP; Williams, DB; Kamp, DW. (2015). The Role of Mitochondrial DNA in Mediating Alveolar Epithelial Cell Apoptosis and Pulmonary Fibrosis [Review]. *International Journal of Molecular Sciences* 16: 21486-21519. <http://dx.doi.org/10.3390/ijms160921486>.
- Kim, SJ; Cheresch, P; Williams, D; Cheng, Y; Ridge, K; Schumacker, PT; Weitzman, S; Bohr, VA; Kamp, DW. (2014). Mitochondria-targeted Ogg1 and aconitase-2 prevent oxidant-induced mitochondrial DNA damage in alveolar epithelial cells. *J Biol Chem* 289: 6165-6176. <http://dx.doi.org/10.1074/jbc.M113.515130>.
- Kim, SJ; Williams, D; Cheresch, P; Kamp, DW. (2013). Asbestos-Induced Gastrointestinal Cancer: An Update. 3. <http://dx.doi.org/10.4172/2161-069X.1000135>.
- Kim, Y; Myong, JP; Lee, JK; Kim, JS; Kim, YK; Jung, SH. (2015). CT Characteristics of Pleural Plaques Related to Occupational or Environmental Asbestos Exposure from South Korean Asbestos Mines. *Korean J Radiol* 16: 1142-1152. <http://dx.doi.org/10.3348/kjr.2015.16.5.1142>.
- Kimina, SN; Liflyand, LM. (1985). EVALUATION OF THE CARCINOGENIC ACTION OF CHEMICAL SUBSTANCES IN HUMANS. *Gig Sanit O*: 57-60.
- Kimizuka, G; Azuma, M; Ishibashi, M; Shinozaki, K; Hayashi, Y. (1993). CO-CARCINOGENIC EFFECT OF CHRYSOTILE AND AMOSITE ASBESTOS WITH BENZO(A)PYRENE IN THE LUNG OF HAMSTERS. *Acta Pathol Jpn* 43: 149-153.
- Kimizuka, G; Hayashi, Y. (1983). Extraction of ferruginous bodies from lung tissue obtained at surgery and autopsy. Special reference to carcinoma of lung. *Acta Pathol Jpn* 33: 715-724.
- Kimizuka, G; Hayashi, Y. (1986). ASBESTOS EXPOSURE AND LUNG NEOPLASMS (pp. 257-264). (BIOSIS/87/11673). Kimizuka, G; Hayashi, Y.
- Kimizuka, G; Shinozaki, K; Hayashi, Y. (1992). Comparison of the pulmonary responses to chrysotile and amosite asbestos administered intratracheally. I) Early phase of cellular reactions. *Acta Pathol Jpn* 42: 707-711.
- Kimizuka, G; Wang, NS; Hayashi, Y. (1985). THE PARAMETER AND COMPOSITIONAL CHANGES OF CHRYSOTILE AND AMOSITE ASBESTOS FIBERS IN THE HAMSTER LUNG (pp. 12-15). (BIOSIS/85/16431). Kimizuka, G; Wang, NS; Hayashi, Y.
- Kimizuka, G; Wang, NS; Hayashi, Y. (1987). Physical and microchemical alterations of chrysotile and amosite asbestos in the hamster lung. *J Toxicol Environ Health* 21: 251-264. <http://dx.doi.org/10.1080/15287398709531017>.
- Kimula, Y; Miura, H. (1984). TINY SILICATE CRYSTALS FOUND IN MACROPHAGES OF PLEURAL FLUID OF ASBESTOS-EXPOSED PATIENTS (pp. 2-7). (ISSN 0741-5400 HEPP/85/04442). Kimula, Y; Miura, H.
- Kindler, HL. (2013). Peritoneal mesothelioma: the site of origin matters [Review]. 182-188. http://dx.doi.org/10.1200/EdBook_AM.2013.33.182.
- King, C; Mayes, D; Dorsey, DA. (2011). Benign asbestos-related pleural disease [Review]. 57: 27-39. <http://dx.doi.org/10.1016/j.disamonth.2010.12.003>.
- King, EJ; Clegg, JW; Rae, VM. (1946). The effect of asbestos, and of asbestos and aluminium, on the lungs of rabbits. *Thorax* 1: 188-197.
- King, JAC; Tucker, JA; Wong, SW. (1997). Mesothelioma: A study of 22 cases. *South Med J* 90: 199-205.
- Kini, U; Shariff, S; Thomas, JA. (1992). Primary pleural mesotheliomas in south India: a 25-year study. *J Surg Oncol* 49: 196-201.
- Kinnula, K; Linnainmaa, K; Raivio, KO; Kinnula, VL. (1998). Endogenous antioxidant enzymes and glutathione S-transferase in protection of mesothelioma cells against hydrogen peroxide and epirubicin toxicity. *Br J Cancer* 77: 1097-1102.
- Kinnula, VL. (1999). Oxidant and antioxidant mechanisms of lung disease caused by asbestos fibres [Review]. *Eur Respir J* 14: 706-716. <http://dx.doi.org/10.1034/j.1399-3003.1999.14c35.x>.
- Kinnula, VL. (2008). Redox imbalance and lung fibrosis [Editorial]. *Antioxid Redox Signal* 10: 249-252. <http://dx.doi.org/10.1089/ars.2007.1912>.
- Kinnula, VL; Aalto, K; Raivio, KO; Walles, S; Linnainmaa, K. (1994). Cytotoxicity of oxidants and asbestos fibers in cultured human mesothelial cells. *Free Radic Biol Med* 16: 169-176.
- Kinnula, VL; Everitt, JI; Mangum, JB; Chang, LY; Crapo, JD. (1992). Antioxidant defense mechanisms in cultured pleural mesothelial cells. *Am J Respir Cell Mol Biol* 7: 95-103.
- Kinnula, VL; Linnala, A; Viitala, E; Linnainmaa, K; Virtanen, I. (1998). Tenascin and fibronectin expression in human mesothelial cells and pleural mesothelioma cell-line cells. *Am J Respir Cell Mol Biol* 19: 445-452. <http://dx.doi.org/10.1165/ajrcmb.19.3.2884>.

Human Health Hazard Literature Search Results

On Topic

- Kinnula, VL; Pietarinen-Runtti, P; Raivio, K; Kahlos, K; Pelin, K; Mattson, K; Linnainmaa, K. (1996). Manganese superoxide dismutase in human pleural mesothelioma cell lines. *Free Radic Biol Med* 21: 527-532.
- Kinnula, VL; Raivio, KO; Linnainmaa, K; Ekman, A; Klockars, M. (1995). Neutrophil and asbestos fiber-induced cytotoxicity in cultured human mesothelial and bronchial epithelial cells. *Free Radic Biol Med* 18: 391-399.
- Kinoshita, H; Matsui, K; Kubota, A; Kasuda, S; Nishiguchi, M; Ouchi, H; Minami, T; Yamamura, T; Motomura, H; Kubo, H; Hishida, S. (2007). [Pulmonary asbestosis: an autopsy case]. *Nihon Hoigaku Zasshi* 61: 129-133.
- Kinoulty, M. (2004). Monitor. Mesothelioma deaths in Great Britain. *Occup Med (Lond)* 54: 436. <http://dx.doi.org/10.1093/occmed/kqh129>.
- Kinsey, JS; Keen, RC; Mumford, CJ. (1977). A preliminary survey of the hazards to operators engaged in the disposal of asbestos waste. *Ann Occup Hyg* 20: 85-89.
- Kinugawa, K. (1990). Effect of asbestos (chrysotile) fiber on lymphocytes: (I) Effect of PHA stimulated lymphocytes. *Kawasaki Igakkai Shi* 16: 166-171.
- Kinugawa, K. (1990). Effect of asbestos (chrysotile) fiber on lymphocytes: (II) Activation of suppressor-inducer T lymphocytes by chrysotile fiber. *Kawasaki Igakkai Shi* 16: 172-179.
- Kinugawa, K; Hyodoh, F; Andoh, A; Ueki, A; Tanaka, H; Mochizuki, Y. (1990). Elevated binding activity of CD8+ cells with phytohaemagglutinin by asbestos fibre in vitro. *Clin Exp Immunol* 80: 89-93.
- Kinugawa, K; Ueki, A; Yamaguchi, M; Watanabe, Y; Kawakami, Y; Hyodoh, F; Tushima, H. (1992). Activation of human CD4+CD45RA+ T cells by chrysotile asbestos in vitro. *Cancer Lett* 66: 99-106.
- Kipen, HM. (1988). Asbestos-related disease [Review]. 85: 915-918.
- Kipen, HM; Lilis, R; Suzuki, Y; Valciukas, JA; Selikoff, IJ. (1987). Pulmonary fibrosis in asbestos insulation workers with lung cancer: a radiological and histopathological evaluation. *Br J Ind Med* 44: 96-100.
- Kiritani, EW. (1990). Asbestos and stomach cancer in Japan--a connection? *Med Hypotheses* 33: 159-160.
- Kishimoto, T. (1990). FIFTEEN CASES OF MALIGNANT PLEURAL MESOTHELIOMA RELATION TO THE EXPOSURE TO ASBESTOS (pp. 22-26). (BIOSIS/91/33884). Kishimoto, T.
- Kishimoto, T. (1990). [Respiratory malignancies induced by asbestos exposure and evaluation of cases with typical pleural malignant mesothelioma and lung cancer with asbestosis]. *Nihon Kyobu Shikkan Gakkai Zasshi* 28: 1078-1084.
- Kishimoto, T. (1991). [A case of benign localized mesothelioma with occupational history of asbestos exposure]. *Nihon Kyobu Shikkan Gakkai Zasshi* 29: 1603-1607.
- Kishimoto, T. (1991). DISTRIBUTION OF ONCOGENES IN THE TUMOR TISSUE OF MALIGNANT MESOTHELIOMA INDUCED BY ASBESTOS EXPOSURE (pp. 12-15). (BIOSIS/91/21173). Kishimoto, T.
- Kishimoto, T. (1992). Cancer due to asbestos exposure. *Chest* 101: 58-63.
- Kishimoto, T. (1992). Coexistence of a malignant fibrous histiocytoma and asbestos exposure. Brief report. *Pathobiology* 60: 332-334.
- Kishimoto, T. (1992). [Distribution of ferruginous bodies in the lung in cases of malignant pleural mesothelioma with definite occupational history of asbestos exposure]. *Nihon Kyobu Shikkan Gakkai Zasshi* 30: 821-826.
- Kishimoto, T. (1992). [Evaluation of the distribution of ferruginous bodies and the kind of asbestos fibers in the lungs in lung cancer cases with definite occupational history of asbestos exposure]. *Nihon Kyobu Shikkan Gakkai Zasshi* 30: 1796-1800.
- Kishimoto, T. (1992). Intensity of exposure to asbestos in metropolitan Kure City as estimated by autopsied cases. *Cancer* 69: 2598-2602.
- Kishimoto, T. (1994). [A case of asbestosis with long survival by artificial ventilation]. *Nihon Kyobu Shikkan Gakkai Zasshi* 32: 1006-1010.
- Kishimoto, T. (1994). [Relationship between asbestos exposure and malignant pleural mesothelioma: occurrence near the old Japanese naval shipyard]. *Nihon Kyobu Shikkan Gakkai Zasshi* 32 Suppl: 250-256.
- Kishimoto, T. (2003). [A case of triple malignancies (gastric cancer, lung cancer and malignant pleural mesothelioma) after asbestos exposure]. *Nihon Kogyaku Gakkai Zasshi* 41: 304-309.
- Kishimoto, T; Fujioka, H; Oke, M; Onoshi, T. (1996). Case of calcified pleural plaque induced by asbestos exposure complicated with gastric cancer, asbestos pleurisy and malignant pleural mesothelioma. 44: 464-468.
- Kishimoto, T; Gemba, K; Fujimoto, N; Aoe, K; Kato, K; Takeshima, Y; Inai, K. (2010). Clinical study on mesothelioma in Japan: Relevance to occupational asbestos exposure. *Am J Ind Med* 53: 1081-1087. <http://dx.doi.org/10.1002/ajim.20868>.
- Kishimoto, T; Gemba, K; Fujimoto, N; Nishi, H; Ozaki, S. (2008). [Evaluation of rounded atelectasis induced by exposure to asbestos]. *Nihon Kogyaku Gakkai Zasshi* 46: 707-711.
- Kishimoto, T; Gemba, K; Fujimoto, N; Onishi, K; Usami, I; Mizuhashi, K; Kimura, K. (2010). Clinical study of asbestos-related lung cancer in Japan with special reference to occupational history. *Cancer Sci* 101: 1194-1198. <http://dx.doi.org/10.1111/j.1349-7006.2010.01509.x>.
- Kishimoto, T; Hashimoto, H; Ono, T; Okada, K. (1992). Synchronous double malignancy: adenocarcinoma of lung and malignant astrocytoma induced by asbestos exposure. *Cancer Invest* 10: 129-133.
- Kishimoto, T; Hayashi, Y; Ono, T; Et, AL. (1991). An autopsied case of malignant mesothelioma demonstrating a large number of DRC in the lung tissues without occupational exposure to asbestos. *Jpn J Chest Dis* 50: 162-166.
- Kishimoto, T; Kato, K; Arakawa, H; Ashizawa, K; Inai, K; Takeshima, Y. (2011). Clinical, radiological, and pathological investigation of asbestosis. *Int J Environ Res Public Health* 8: 899-912. <http://dx.doi.org/10.3390/ijerph8030899>.
- Kishimoto, T; Kishimoto, T; Kishimoto, T. (2009). Occupational and clinical study for asbestos-related lung cancer in Japan. *Cancer Res* 69.
- Kishimoto, T; Morinaga, K; Kira, S. (2000). The prevalence of pleural plaques and/or pulmonary changes among construction workers in Okayama, Japan. *Am J Ind Med* 37: 291-295.
- Kishimoto, T; Ohnishi, K; Saito, Y. (2003). Clinical study of asbestos-related lung cancer. *Ind Health* 41: 94-100.

Human Health Hazard Literature Search Results

On Topic

- Kishimoto, T; Okada, K. (1987). A CASE OF DOUBLE CANCER LUNG AND STOMACH CANCER RELATING TO THE EXPOSURE TO ASBESTOS BODY. *Jpn J Chest Dis* 46: 775-777.
- Kishimoto, T; Okada, K. (1987). THE RELATIONSHIP BETWEEN ASBESTOS EXPOSURE AND LUNG CANCER (pp. 10-13). (BIOSIS/87/24524). Kishimoto, T; Okada, K.
- Kishimoto, T; Okada, K. (1987). Triple primary cancers involving the lung, the urinary bladder, the prostate in a 73-year-old man with asbestosis. *Jpn J Chest Dis* 46: 967-969.
- Kishimoto, T; Okada, K. (1988). CASES WITH SUSPECTED ASBESTOS EXPOSURE IN THE FAMILY (pp. 212-213). (BIOSIS/88/30255). Kishimoto, T; Okada, K.
- Kishimoto, T; Okada, K. (1988). The relationship between lung cancer and asbestos exposure. *Chest* 94: 486-490.
- Kishimoto, T; Okada, K; Fujiwara, K; Sato, T; Ono, T. (1988). CLINICAL EVALUATION OF CASES WITH PLEURAL PLAQUE ON CHEST X-RAY (pp. 1263-1266). (BIOSIS/89/34825). Kishimoto, T; Okada, K; Fujiwara, K; Sato, T; Ono, T.
- Kishimoto, T; Okada, K; Nagake, Y; Doi, K; Takusagawa, Y; Ono, T; Shimamoto, F. (1989). [A case of asbestosis complicated with double cancer of the stomach and colon]. *Gan No Rinsho* 35: 417-420.
- Kishimoto, T; Okada, K; Sato, T; Et, AL. (1988). DOUBLE LUNG CANCER INDUCED BY THE ASBESTOS EXPOSURE. *Jpn J Chest Dis* 47: 707-710.
- Kishimoto, T; Okada, K; Sato, T; Ono, T; Ito, H. (1987). [Evaluation of the relation between pleural malignant mesothelioma and asbestos exposure]. *Nihon Kyobu Shikkan Gakkai Zasshi* 25: 752-756.
- Kishimoto, T; Okada, K; Sato, T; Ono, T; Ito, H. (1989). Evaluation of the pleural malignant mesothelioma patients with the relation of asbestos exposure. *Environ Res* 48: 42-48.
- Kishimoto, T; Okada, K; Sato, T; Ono, T; Masuda, Y; Ito, H. (1987). [A case of malignant mesothelioma caused by exposure to asbestos]. *Nihon Kyobu Shikkan Gakkai Zasshi* 25: 125-129.
- Kishimoto, T; Okada, K; Sato, T; Takusagawa, Y; Ono, T; Shimamoto, F. (1988). [Evaluation of double cancers of the lung and stomach]. *Gan No Rinsho* 34: 1565-1567.
- Kishimoto, T; Ono, T; Okada, K. (1987). [Evaluation of 15 malignant mesothelioma patients from the aspect of clinical findings and pathology--relationship between asbestos and malignant mesothelioma]. *Nippon Naika Gakkai Zasshi* 76: 586-587.
- Kishimoto, T; Ono, T; Okada, K. (1988). Acute myelocytic leukemia after exposure to asbestos. *Cancer* 62: 787-790.
- Kishimoto, T; Ono, T; Okada, K. (1988). [Relationship between the concentration of asbestos bodies and the pleural plaques in the chest X-ray]. *Nippon Naika Gakkai Zasshi* 77: 1-4.
- Kishimoto, T; Ono, T; Okada, K. (1989). [Evaluation of primary multiple cancer manifesting exposure to asbestos]. *Gan No Rinsho* 35: 825-827.
- Kishimoto, T; Ono, T; Okada, K; Ito, H. (1987). [Clinical evaluation of primary lung cancer induced by exposure to asbestos]. *Gan No Rinsho* 33: 374-376.
- Kishimoto, T; Ono, T; Okada, K; Ito, H. (1989). Relationship between number of asbestos bodies in autopsy lung and pleural plaques on chest X-ray film. *Chest* 95: 549-552.
- Kishimoto, T; Ozaki, S; Fujioka, H; Okahara, M; Ohke, M; Kimura, K. (2002). [Clinical evaluation of rounded atelectasis induced by exposure to asbestos]. *Nihon Kokyuki Gakkai Zasshi* 40: 95-100.
- Kishimoto, T; Ozaki, S; Kato, K; Nishi, H; Genba, K. (2004). Malignant pleural mesothelioma in parts of Japan in relationship to asbestos exposure. *Ind Health* 42: 435-439.
- Kishimoto, T; Sato, T. (1991). [Evaluation of immunity based on bronchoalveolar lavage fluid in patients with pleural plaque in the chest X-ray]. *Nihon Kyobu Shikkan Gakkai Zasshi* 29: 1017-1021.
- Kishimoto, T; Sato, T. (1992). [Two cases of malignant mesothelioma controlled by pleurectomy]. *Nihon Kyobu Shikkan Gakkai Zasshi* 30: 1996-2001.
- Kishimoto, T; Sato, T; Ono, T. (1992). A CASE OF ASBESTOS PLEURISY. *Jpn J Chest Dis* 51: 84-87.
- Kishimoto, T; Sato, T; Ono, T; Okada, K. (1989). EVALUATION OF THE IMMUNITY OF THE CASES WITH PLEURAL PLAQUES WITH CALCIFICATION (pp. 14-17). (BIOSIS/89/21285). Kishimoto, T; Sato, T; Ono, T; Okada, K.
- Kishimoto, T; Sato, T; Ono, T; Okada, K; Masuda, Y; Ito, H. (1989). Malignant mesotheliomas in Kure City, Japan: the relationship of asbestos exposure. *Cancer Invest* 7: 407-410.
- Kishimoto, T; Shimamoto, F. (1990). [Evaluation of double cancers in relation to previous asbestos exposure]. *Gan No Rinsho* 36: 787-790.
- Kishimoto, T; Tsuda, K. (2001). A patient with asbestos-induced lung cancer complicated by silicosis. *Ind Health* 39: 189-193.
- Kishimoto, T; Yamaguchi, K. (1990). [A case of simultaneous double cancer (lung and stomach cancer) related to asbestos exposure]. *Nihon Kyobu Shikkan Gakkai Zasshi* 28: 1028-1032.
- Kishimoto, T; Yamaguchi, K; Umemori, Y; Et, AL. (1991). Infection in a welder with pneumoconiosis and asbestosis. *Jpn J Chest Dis* 50: 768-772.
- Kisin, ER; Murray, AR; Sargent, L; Lowry, D; Chirila, M; Siegrist, KJ; Schwegler-Berry, D; Leonard, S; Castranova, V; Fadeel, B; Kagan, VE; Shvedova, AA. (2011). Genotoxicity of carbon nanofibers: are they potentially more or less dangerous than carbon nanotubes or asbestos. *Toxicol Appl Pharmacol* 252: 1-10. <http://dx.doi.org/10.1016/j.taap.2011.02.001>.
- Kisting, S. (2005). South African environmental justice: Struggles by asbestos exposed communities. *Epidemiology* 16: S155-S156.
- Kitamura, F; Araki, S; Suzuki, Y; Yokoyama, K; Tanigawa, T; Iwasaki, R. (2002). Assessment of the mutations of p53 suppressor gene and Ha- and Ki-ras oncogenes in malignant mesothelioma in relation to asbestos exposure: a study of 12 American patients. *Ind Health* 40: 175-181.
- Kitamura, F; Araki, S; Tanigawa, T; Miura, H; Akabane, H; Iwasaki, R. (1998). Assessment of mutations of Ha- and Ki-ras oncogenes and the p53 suppressor gene in seven malignant mesothelioma patients exposed to asbestos--PCR-SSCP and sequencing analyses of paraffin-embedded primary tumors. *Ind Health* 36: 52-56.

Human Health Hazard Literature Search Results

On Topic

- Kitamura, F; Araki, S; Tanigawa, T; Miura, H; Akabane, H; Iwasaki, R. (1998). Assessment of Mutations of Haand Ki-ras Oncogenes and the p53 Suppressor Gene in Seven Malignant Mesothelioma Patients Exposed to Asbestos. PCR-SSP and Sequencing Analysis of Paraffin-Embedded Primary Tumors. *Ind Health* 36: 42-56.
- Kitrou, MP; Charalampidis, M; Georgopoulos, D; Dimou, T; Varela, K; Andrikakos, PA; Zavras, GM. (1990). INFLUENCE OF CROCIDOLITE AND CHRYSOTILE ON THE RESPIRATORY SYSTEM OF ASBESTOS WORKERS IN SOUTHWEST GREECE (pp. 20-24). (BIOSIS/90/18823). Kitrou, MP; Charalampidis, M; Georgopoulos, D; Dimou, T; Varela, K; Andrikakos, PA; Zavras, GM.
- Kiviluoto, R. (1965). Pleural plaques and asbestos: further observations on endemic and other nonoccupational asbestosis. *Ann N Y Acad Sci* 132: 235-239.
- Kiviluoto, R. (1966). Radiological Aspects of Pleural Hyalo-Serositis. *Br J Radiol* 39.
- Kiviluoto, R. (1970). Asbestosis: Aspects of Its Radiological Features (pp. 253-255). (NIOSH/00177277). Kiviluoto, R.
- Kiviluoto, R; Meurman, L. (1970). Results of Asbestos Exposure in Finland (pp. 190-191). (NIOSH/00129507). Kiviluoto, R; Meurman, L.
- Kiviluoto, R; Meurman, LO; Hakama, M. (1979). Pleural plaques and neoplasia in Finland. *Ann N Y Acad Sci* 330: 31-33.
- Kjaerheim, K. (1999). Occupational cancer research in the Nordic countries. *Environ Health Perspect* 107: 233-238. <http://dx.doi.org/10.2307/3434411>.
- Kjaerheim, K; Ulvestad, B; Martinsen, JI; Andersen, A. (2005). Cancer of the gastrointestinal tract and exposure to asbestos in drinking water among lighthouse keepers (Norway). *Cancer Causes Control* 16: 593-598. <http://dx.doi.org/10.1007/s10552-004-7844-1>.
- Kjellstrom, T. (1983). ASBESTOS AN INDUSTRIAL CARCINOGEN IN NEW-ZEALAND (pp. 1-11). (HEEP/83/11032). Kjellstrom, T.
- Kjellstrom, T; Smartt, P. (2000). Increased mesothelioma incidence in New Zealand: the asbestos-cancer epidemic has started. *N Z Med J* 113: 485-490.
- Kjellstrom, TE. (2004). The epidemic of asbestos-related diseases in New Zealand [Review]. *Int J Occup Environ Health* 10: 212-219. <http://dx.doi.org/10.1179/oeh.2004.10.2.212>.
- Kjuus, H; Andersen, A; Lang; ecirc; Ard, S. (1986). Incidence of cancer among workers producing calcium carbide. *Br J Ind Med* 43: 237-242.
- Kjuus, H; Lang; ecirc; Ard, S; Dyb, S. (1981). Mesothelioma: An occupational disease? 101: 1119-1122.
- Kjuus, H; Langgård, S; Skjaerven, R. (1986). A case-referent study of lung cancer, occupational exposures and smoking. III. Etiologic fraction of occupational exposures. *Scand J Work Environ Health* 12: 210-215.
- Kjuus, H; Lislerud, A; Lyngdal, PT; Omland, H; Stave, O; Langgård, S. (1982). Cancer and polluted work places: a case-control study. *Int Arch Occup Environ Health* 49: 281-292.
- Kjuus, H; Skjaerven, R; Langgård, S; Lien, JT; Aamodt, T. (1986). A case-referent study of lung cancer, occupational exposures and smoking. I. Comparison of title-based and exposure-based occupational information. *Scand J Work Environ Health* 12: 193-202.
- Kjuus, H; Skjaerven, R; Langgård, S; Lien, JT; Aamodt, T. (1986). A case-referent study of lung cancer, occupational exposures and smoking. II. Role of asbestos exposure. *Scand J Work Environ Health* 12: 203-209.
- Klaas, VE. (1993). A diagnostic approach to asbestosis, utilizing clinical criteria, high resolution computed tomography, and gallium scanning. *Am J Ind Med* 23: 801-809. <http://dx.doi.org/10.1002/ajim.4700230513>.
- Klauder, JV. (1962). Actual Causes Of Certain Occupational Dermatoses. *Arch Dermatol* 85: 441-454.
- Klebe, S; Brownlee, NA; Mahar, A; Burchette, JL; Sporn, TA; Vollmer, RT; Roggli, VL. (2010). Sarcomatoid mesothelioma: a clinical-pathologic correlation of 326 cases. *Mod Pathol* 23: 470-479. <http://dx.doi.org/10.1038/modpathol.2009.180>.
- Klebe, S; Griggs, K; Cheng, Y; Driml, J; Henderson, DW; Reid, G. (2015). Blockade of aquaporin 1 inhibits proliferation, motility, and metastatic potential of mesothelioma in vitro but not in an in vivo model. *Dis Markers* 2015: 286719. <http://dx.doi.org/10.1155/2015/286719>.
- Klebe, S; Henderson, DW. (2011). Early stages of mesothelioma, screening and biomarkers [Review]. *Recent Results Cancer Res* 189: 169-193. http://dx.doi.org/10.1007/978-3-642-10862-4_10.
- Klebe, S; Mahar, A; Henderson, DW; Roggli, VL. (2008). Malignant mesothelioma with heterologous elements: clinicopathological correlation of 27 cases and literature review. *Mod Pathol* 21: 1084-1094. <http://dx.doi.org/10.1038/modpathol.2008.125>.
- Kleimenova, E; Yuan, X; Labate, M; Walker, C. (1996). SITE-SPECIFIC METHYLATION OF THE WT-1 TUMOR SUPPRESSOR GENE IN ASBESTOS-INDUCED MESOTHELIOMAS (pp. 20-24). (BIOSIS/96/18999). Kleimenova, E; Yuan, X; Labate, M; Walker, C.
- Kleinfeld, M. (1973). Biologic response to kind and amount of asbestos [Review]. *J Occup Med* 15: 296-300.
- Kleinfeld, M. (1983). Talc (pp. 2141-2142). (NIOSH/00149452). Kleinfeld, M.
- Kleinfeld, M; Messite, J; Kooyman, O; Sarfaty, J. (1966). Effect of asbestos dust inhalation on lung function. *Arch Environ Health* 12: 741-746.
- Kleinfeld, M; Messite, J; Langer, AM. (1973). A study of workers exposed to asbestiform minerals in commercial talc manufacture. *Environ Res* 6: 132-143.
- Klein-Szanto, AJ; Marchok, AC; Terzaghi, M. (1985). In vivo studies on enhancement and promotion of respiratory tract carcinogenesis: studies with heterotopic tracheal transplants. *Carcinog Compr Surv* 8: 119-130.
- Kletz, TA. (1983). Now or Later? A Numerical Comparison of Short and Long-Term Hazard. (NIOSH/00175048). Kletz, TA.
- Kleymenova, EV; Bianchi, AA; Kley, N; Pylev, LN; Walker, CL. (1997). Characterization of the rat neurofibromatosis 2 gene and its involvement in asbestos-induced mesothelioma. *Mol Carcinog* 18: 54-60. [http://dx.doi.org/10.1002/\(SICI\)1098-2744\(199701\)18:1<54::AID-MC7>3.0.CO;2-R](http://dx.doi.org/10.1002/(SICI)1098-2744(199701)18:1<54::AID-MC7>3.0.CO;2-R).
- Kliem, V; Maschek, H; Bleck, J; Schmidt, FW. (1991). MALIGNANT PERITONEAL MESOTHELIOMA WITH UNUSUAL AND EXTENSIVE METASTASES. *Dtsch Med Wochenschr* 116: 1468-1472.
- Klikovits, T; Hoda, MA; Dong, Y; Arns, M; Baumgartner, B; Errhalt, P; Geltner, C; Machan, B; Pohl, W; Hutter, J; Eckmayr, J; Studnicka, M; Flicker, M; Cerkl, P; Kirchbacher, K; Klepetko, W. (2016). Management of malignant pleural mesothelioma - part 3 : Data from the Austrian Mesothelioma Interest Group (AMIG) database. *Wien Klin Wochenschr* 128: 627-634. <http://dx.doi.org/10.1007/s00508-016-1037-2>.

Human Health Hazard Literature Search Results

On Topic

- Kliment, CR; Englert, JM; Crum, LP; Oury, TD. (2011). A novel method for accurate collagen and biochemical assessment of pulmonary tissue utilizing one animal. *Int J Clin Exp Pathol* 4: 349-355.
- Kliment, CR; Englert, JM; Gochuico, BR; Yu, G; Kaminski, N; Rosas, I; Oury, TD. (2009). Oxidative stress alters syndecan-1 distribution in lungs with pulmonary fibrosis. *J Biol Chem* 284: 3537-3545. <http://dx.doi.org/10.1074/jbc.M807001200>.
- Kliment, CR; Tobolewski, JM; Manni, ML; Tan, RJ; Enghild, J; Oury, TD. (2008). Extracellular superoxide dismutase protects against matrix degradation of heparan sulfate in the lung. *Antioxid Redox Signal* 10: 261-268. <http://dx.doi.org/10.1089/ars.2007.1906>.
- Kline, JN; Schwartz, DA; Monick, MM; Floerchinger, CS; Hunninghake, GW. (1993). Relative release of interleukin-1 beta and interleukin-1 receptor antagonist by alveolar macrophages. A study in asbestos-induced lung disease, sarcoidosis, and idiopathic pulmonary fibrosis. *Chest* 104: 47-53.
- Klockars, M; Hedenborg, M; Koistinen, J; Isobe, T. (1989). IgG and IgA enhance the chrysotile-induced production of reactive oxygen metabolites by human polymorphonuclear leucocytes. *Clin Exp Immunol* 78: 372-377.
- Klockars, M; Hedenborg, M; Vanhala, E. (1990). Effect of two particle surface-modifying agents, polyvinylpyridine-N-oxide and carboxymethylcellulose, on the quartz and asbestos mineral fiber-induced production of reactive oxygen metabolites by human polymorphonuclear leukocytes. *Arch Environ Health* 45: 8-14. <http://dx.doi.org/10.1080/00039896.1990.9935917>.
- Klockars, M; Savolainen, H. (1992). Tumour necrosis factor enhances the asbestos-induced production of reactive oxygen metabolites by human polymorphonuclear leucocytes (PMN). *Clin Exp Immunol* 90: 68-71.
- Klosterkoetter, W; Robock, K. (1975). New aspects on dust and pneumoconiosis research. *Am Ind Hyg Assoc J* 36: 659-668.
- Klotz, F; Diane, C; Leonetti, P; Lorofi, R; Nguemby-Nbina, C. (1988). MALIGNANT PLEURAL MESOTHELIOMA THREE CASES OBSERVED IN LIBREVILLE GABON (pp. 467-469). (BIOSIS/89/10713). Klotz, F; Diane, C; Leonetti, P; Lorofi, R; Nguemby-Nbina, C.
- K-M, M; Grewe, P. (1992). The pathology of pneumoconioses (pp. 428-436). (BIOSIS/93/04711). HASKELL LAB.
- K-M, M; Krismann, M. (1994). Asbestos problems: Data and facts of the pathologist. (BIOSIS/94/29502). Mueller K-M; Krismann, M.
- K-M, M; Schmitz, I. (1995). PATHOGENESIS OF HYALINE PLEURAL PLAQUES ELECTRON MICROSCOPE FINDINGS (pp. 403-404). (BIOSIS/96/07799). Mueller K-M; Schmitz, I.
- K-M, M; Wiethage, T. (1998). Pleuro-pulmonary reactions to mineral fibers. (BIOSIS/98/20204). Mueller K-M; Wiethage, T.
- Knapp, MB; Archambault, GV; Aye, DD; Kertanis, JC. (1998). Cancer Incidence and Birthweight in Relation to Exposure to Raymark Waste, Stratford, Connecticut (pp. 108). (NTIS/03009937_a). Knapp, MB; Archambault, GV; Aye, DD; Kertanis, JC.
- Knappmann, J. (1972). [Observations made at post mortem examination in 251 cases of mesothelioma in Hamburg (1958-1968)]. 148: 60-65.
- Knipscheer, BJ; Kromontono, RC; de Bruin, PC; van Strijen, MJ; Herder, GJ. (2013). Two malignancies or an unusual presentation of a pleural malignancy? *Lung Cancer* 81: 306-307. <http://dx.doi.org/10.1016/j.lungcan.2013.04.002>.
- Knoll, L; Felten, MK; Ackermann, D; Kraus, T. (2011). Non-response bias in a surveillance program for asbestos-related lung cancer. *J Occup Health* 53: 16-22.
- Knoop, C; Mairesse, M; Lenclud, C; Gevenois, PA; De Vuyst, P. (1997). Pleural effusion during bromocriptine exposure in two patients with pre-existing asbestos pleural plaques: a relationship? *Eur Respir J* 10: 2898-2901.
- Knoop, H; Million, PM; Weber, A; Wolter, F; Behr, J. (2014). Asbestos-related disorders (s): Influence of pleural plaques and pulmonary fibrosis due to asbestos exposure on lung function decline (LFD). *Eur Respir J* 44.
- Knorst, MM; Kienast, K; Müller-Quernheim, J; Ferlinz, R. (1993). [Alveolar macrophages and mononuclear cells of the peripheral blood in sulfur dioxide and chrysotile B exposure: a realistic in vitro test of oxygen free radical liberation]. *Pneumologie* 47: 353-356.
- Knox, JF; Beattie, J. (1954). Distribution of mineral particles and fibers in the lung after exposure to asbestos dust. *AMA Arch Ind Hyg Occup Med* 10: 30-36.
- Knox, JF; Beattie, J. (1954). Mineral content of the lungs after exposure to asbestos dust. *AMA Arch Ind Hyg Occup Med* 10: 23-29.
- Knuuttila, A; Salomaa, ER; Saikkonen, S; Hurme, S; Salo, J. (2012). Pemetrexed in malignant pleural mesothelioma and the clinical outcome. *Clinical Respiratory Journal* 6: 96-103. <http://dx.doi.org/10.1111/j.1752-699X.2011.00252.x>.
- Kobayashi, H; Ming, ZW; Watanabe, H; Ohnishi, Y. (1987). A quantitative study on the distribution of asbestos bodies in extrapulmonary organs. *Acta Pathol Jpn* 37: 375-383.
- Kobayashi, H; Okamura, A; Ohnishi, Y; Kondo, A; Yamamoto, T; Ozawa, H; Morita, T. (1983). Generalized fibrosis associated with pulmonary asbestosis. *Acta Pathol Jpn* 33: 1223-1231.
- Kobayashi, H; Watanabe, H; Zhang, WM; Ohnishi, Y. (1986). A quantitative and histological study on pulmonary effects of asbestos exposure in general autopsied lungs. *Acta Pathol Jpn* 36: 1781-1791.
- Kobayashi, K. (2007). [Relief measure for health issues due to asbestos exposure]. *Nippon Naika Gakkai Zasshi* 96: 1777-1781.
- Kobusch, AB; Simard, A; Feldstein, M; Vauclair, R; Gibbs, GW; Bergeron, F; Morissette, N; Davis, R. (1984). Pulmonary cytology in chrysotile asbestos workers. *J Chronic Dis* 37: 599-607.
- Kociok, N; Unfried, K; Roller, M; Dehnen, W. (1999). DNA fingerprint analysis reveals differences in mutational patterns in experimentally induced rat peritoneal tumors, depending on the type of environmental mutagen. *Cancer Genet Cytogenet* 111: 71-76.
- Kodama, Y; Boreiko, CJ; Maness, SC; Hesterberg, TW. (1993). Cytotoxic and cytogenetic effects of asbestos on human bronchial epithelial cells in culture. *Carcinogenesis* 14: 691-697.
- Kodama, Y; Hesterberg, TW; Maness, SC; Iglehart, JD; Boreiko, CJ. (1987). ASBESTOS-INDUCED CYTOGENETIC EFFECTS IN CULTURED HUMAN BRONCHIAL EPITHELIAL CELLS (pp. 20-23). (ISSN 0569-2261 BIOSIS/87/26743). Kodama, Y; Hesterberg, TW; Maness, SC; Iglehart, JD; Boreiko, CJ.
- Kodavanti, UP; Andrews, D; Schladweiler, MC; Cyphert, JM; Dodd, DE; Gavett, SH. (2013). Biomarkers Of Asbestos-Induced Lung Injury: The Influence Of Fiber Characteristics And Exposure Methodology. *Am J Respir Crit Care Med* 187.

Human Health Hazard Literature Search Results

On Topic

- Kodavanti, UP; Andrews, D; Schladweiler, MC; Gavett, SH; Dodd, DE; Cyphert, JM. (2014). EARLY AND DELAYED EFFECTS OF NATURALLY OCCURRING ASBESTOS ON SERUM BIOMARKERS OF INFLAMMATION AND METABOLISM. *J Toxicol Environ Health A* 77: 1024-1039. <http://dx.doi.org/10.1080/15287394.2014.899171>.
- Koerten, HK; Brederoo, P; Ginsel, LA; Daems, WT. (1986). The endocytosis of asbestos by mouse peritoneal macrophages and its long-term effect on iron accumulation and labyrinth formation. *Eur J Cell Biol* 40: 25-36.
- Koerten, HK; De Bruijn, JD; Daems, T. (1990). The formation of asbestos bodies by mouse peritoneal macrophages: An in vitro study. *Am J Pathol* 137: 121-134.
- Koerten, HK; Hazekamp, J; Kroon, M; Daems, WT. (1990). Asbestos body formation and iron accumulation in mouse peritoneal granulomas after the introduction of crocidolite asbestos fibers. *Am J Pathol* 136: 141-157.
- Koga, Y; Satoh, T; Kaira, K; Koka, M; Hisada, T; Hirato, J; Altan, B; Yatomi, M; Ono, A; Kamide, Y; Shimizu, Y; Aoki-Saito, H; Tsurumaki, H; Shimizu, K; Mogi, A; Ishizuka, T; Yamada, M; Dobashi, K. (2016). Elemental and immunohistochemical analysis of the lungs and hilar lymph node in a patient with asbestos exposure, a pilot study. *Environ Health Prev Med* 21: 492-500. <http://dx.doi.org/10.1007/s12199-016-0576-5>.
- Kogan, FM. (1964). Asbestos Dust And Lung Cancer. *Hyg Sanit* 29: 96-102.
- Kogan, FM. (1964). [ASBESTOS DUST AND LUNG CANCER. (REVIEW OF THE LITERATURE)] [Review]. *Gig Sanit* 29: 82-87.
- Kogan, FM. (1972). The Connection of Physical and Chemical Features of Asbestos with Their Pathogenic Effect. *J Am Water Works Assoc* 66: 515-518.
- Kogan, FM. (1981). [Asbestosis and its prevention] [Review]. *Gig Tr Prof Zabol nye zabolevanija* Feb: 5-10.
- Kogan, FM; Balashov, VA; El'Nichnykh, LN. (1986). COMPARATIVE EVALUATION OF THE FIBROGENIC ACTIVITY OF ASBESTOS CEMENT AND HYDRATED CEMENT DUST. *Gig Tr Prof Zabol* 0: 45-48.
- Kogan, FM; Berzin, SA. (1986). [Incidence of pleural mesothelioma after exposure to chrysotile and asbestos dust]. *Gig Tr Prof Zabol* 0: 9-12.
- Kogan, FM; Gusel'nikova, NA; Gulevskaia, MR. (1972). [Cancer mortality among workers in the asbestos industry of the Urals]. *Gig Sanit* 37: 29-32.
- Kogan, FM; Gusel'Nikova, NA; Gulevskaia, MR. (1971). (Causes of death in asbestosis patients.). *Gig Tr Prof Zabol* 15: 43-46.
- Kogan, FM; Gusel'nikova, NA; Popova, TB; Gladkova, EV; Gurvich, EB. (1987). [Epidemiology of chronic background, pretumorous and oncologic diseases among workers exposed to low concentrations of asbestos-containing dust]. *Gig Tr Prof Zabol* 0: 37-40.
- Kogan, FM; Gusel'Nikova, NA; Popova, TV; Gladkova, EV; Gurvich, EV; Kuzina, LE. (1987). Epidemiologic study of chronic background, pretumour and oncologic diseases in workers exposed to low concentrations of asbestos-containing dust. *nye zabolevanija* Mar: 37-40.
- Kogan, FM; Kashanskiĭ, SV; Plotko, EG; Berzin, SA; Bogdanov, GB. (1993). Low concentrations of asbestos-containing dust and their action. *Med Tr Prom Ekol* 0: 5-6.
- Kogan, FM; Kashanskiĭ, SV; Plotko, EG; Berzin, SA; Bogdanov, GB. (1993). [Effect of low concentration of asbestos-containing dust]. *Med Tr Prom Ekol* 6-10.
- Kogan, FM; Kashanskiĭ, SV; Plotko, EG; Likhacheva, EI; Seliankina, KP; Domnin, SG. (2007). [The results of studies of the effect of asbestos on the health of working people and the population, conducted by the Yekaterinburg Medical Research Center]. *Gig Sanit* 41-44.
- Kogan, FM; Mokronosova, KA; Gusel'Nikova, NA; Gulevskaia, MP; Bunimovich, GI; Andreeva, TD. (1973). Dynamics of asbestosis and asbestotuberculosis and some factors determining them. *Gig Tr Prof Zabol* 16: 4-8.
- Kogan, FM; Morozova, KI; Pylev, LN. (1975). [Experimental carcinogenic action of chrysotile-asbestos dust]. *Gig Tr Prof Zabol* 31-35.
- Kogan, FM; Nikitina, OV. (1991). [Asbestosis (review of the literature)] [Review]. *Gig Tr Prof Zabol* 0: 20-23.
- Kogan, FM; Nikitina, OV. (1994). Solubility of chrysotile asbestos and basalt fibers in relation to their fibrogenic and carcinogenic action. *Environ Health Perspect* 102 Suppl 5: 205-206.
- Kogan, FM; Polzik, EV. (1990). Prophylaxis of asbestos-induced diseases: studies and perspectives [Review]. *Am J Ind Med* 18: 95-99.
- Kogan, FM; Vanchugova, NN; Frasch, VN. (1987). POSSIBILITY OF INDUCING GLANDULAR STOMACH CANCER IN RATS EXPOSED TO ASBESTOS. *Br J Ind Med* 44: 682-686.
- Kogan, PM; Yatsenko, AS; Tregubov, ES; Gurvich, EB; Kuzina, LE. (1993). Evaluation of carcinogenic risk in friction product workers. *Med Lav* 84: 290-296.
- Kohama, A; Masuyama, T; Hori, M; Tanouchi, J. (1996). Non-ischemic myocardial fibrosis after long-term asbestos exposure. *Intern Med* 35: 605-610.
- Kohama, A; Y-J, L; Nanto, S; Yokoyama, K; Kodama, K; Tanouchi, J; Kitabatake, A; Kamada, T. (1990). ASBESTOS FIBER IS ONE OF THE CAUSES THAT INDUCE MYOCARDIAL FIBROSIS. (BIOSIS/91/07993). Kohama, A; Lim Y-J; Nanto, S; Yokoyama, K; Kodama, K; Tanouchi, J; Kitabatake, A; Kamada, T.
- Köhler, D. (2000). [Surveillance and rehabilitation in asbestos exposure--an underrated problem?] [Review]. *Pneumologie* 54: 143-146. <http://dx.doi.org/10.1055/s-2000-9077>.
- Kohno, M; Maruyama, R; Kitagawa, D; Sugimachi, K; Kinjo, M; Higashi, H. (2014). Localized biphasic type malignant mesothelioma arising in the peritoneum: Report of a case. *5: 74-77*. <http://dx.doi.org/10.1111/1759-7714.12029>.
- Kohyama, N; Kyono, H; Yokoyama, K; Sera, Y. (1993). Evaluation of low-level asbestos exposure by transbronchial lung biopsy with analytical electron microscopy. *J Electron Microscop* (Tokyo) 42: 315-327.
- Kohyama, N; Suzuki, Y. (1991). Analysis of asbestos fibers in lung parenchyma, pleural plaques, and mesothelioma tissues of North American insulation workers. *Ann N Y Acad Sci* 643: 27-52. <http://dx.doi.org/10.1111/j.1749-6632.1991.tb24442.x>.
- Koigel'dinova, S, hS; Ibraev, SA; Kasymova, AK. (2015). [State of lipid peroxidation in workers engaged into chrysotile-asbestos production]. *Med Tr Prom Ekol* 5-8.

Human Health Hazard Literature Search Results

On Topic

- Koike, S. (1992). [Health effects of non-occupational exposure to asbestos] [Review]. *Sangyo Igaku* 34: 205-215.
- Koizumi, A; Tsukada, M; Hirano, S; Kamiyama, S; Masuda, H; KT, S. (1993). Energy restriction that inhibits cellular proliferation by torpor can decrease susceptibility to spontaneous and asbestos-induced lung tumors in A/J mice. *Am J Physiol Gastrointest Liver Physiol* 68: 728-739.
- Koizumi, T; Masduda, K; Mitsutani, T; Mukuta, T; Ishizu, H; Sakurai, M. (1973). A case of peritoneal mesothelioma associated with asbestosis (pp. 783-787). (HEEP/74/11442). Koizumi, T; Masduda, K; Mitsutani, T; Mukuta, T; Ishizu, H; Sakurai, M.
- Kokki, E; Penttinen, A. (2003). Poisson regression with change-point prior in the modelling of disease risk around a point source. *Biom J* 45: 689-703.
- Kokki, E; Ranta, J; Penttinen, A; Pukkala, E; Pekkanen, J. (2001). Small area estimation of incidence of cancer around a known source of exposure with fine resolution data. *Occup Environ Med* 58: 315-320.
- Kokkinis, FP; Bouros, D; Hadjstavrou, K; Ulmeanu, R; Serbescu, A; Alexopoulos, EC. (2011). Bronchoalveolar lavage fluid cellular profile in workers exposed to chrysotile asbestos. *Toxicol Ind Health* 27: 849-856. <http://dx.doi.org/10.1177/0748233711399315>.
- Kokturk, N; Firat, P; Akay, H; Kadilar, C; Ozturk, C; Zorlu, F; Gungen, Y; Emri, S. (2005). Prognostic significance of Bax and Fas ligand in erionite and asbestos induced Turkish malignant pleural mesothelioma. *Lung Cancer* 50: 189-198. <http://dx.doi.org/10.1016/j.lungcan.2005.05.025>.
- Kolek, V; Petrek, M; Fialova, J; Myslivecek, M; Herman, J; Duskova, M. (1996). The importance of determination of alveolar changes in workers with asbestos. *Czech J Occup Med* 48: 79-84.
- Kolev, K. (1976). Correlation between fibrogenic activity of asbestos fibers and their length. *Gig Tr Prof Zabol*.
- Kolev, K. (1976). [Dependence of the fibrogenic action of asbestos fibers on their length]. *Gig Tr Prof Zabol*49-50.
- Kolev, K. (1982). EXPERIMENTALLY INDUCED MESOTHELIOMA IN WHITE-RATS IN RESPONSE TO INTRAPERITONEAL ADMINISTRATION OF AMORPHOUS CROCIDOLITE ASBESTOS - PRELIMINARY-REPORT. *Environ Res* 29: 123-133.
- Kolev, K. (1983). [Hygienic significance of submicroscopic fractions of asbestos dust in occupational and domestic environments]. *Gig Sanit*50-51.
- Kolev, K. (1985). ASBESTOS AND NEOPLASMS OF THE ORGANS OF GASTROINTESTINAL TRACT (pp. 68-70). (BIOSIS/85/07586). Kolev, K.
- Kolev, K. (1987). Extrapulmonary localisation of asbestos-induced carcinomas. *Larynx carcinomas*. 30: 83-85.
- Kolev, K; Usunov, P; Pilev, L; Vlasov, V. (1985). HISTOMORPHOLOGIC AND CYTOLOGIC DIFFERENCES BETWEEN ANTHOPHYLLITE ASBESTOS-INDUCED PERITONEAL AND PLEURAL EXPERIMENTAL MESOTHELIOMAS (pp. 1-7). (BIOSIS/86/09383). Kolev, K; Usunov, P; Pilev, L; Vlasov, V.
- Kolev, K; Usunov, P; Wlasov, W. (1986). EXPERIMENTAL ASBESTOS-INDUCED MESOTHELIOMAS CHARACTER AND PECULIARITIES. *Z Gesamte Hyg Grenzgeb* 32: 89-90.
- Kolev, K; Uzunov, P; Pylev, L; Vlasov, V. (1986). AGAIN ON THE PROBLEM OF THE CHARACTER OF EXPERIMENTAL MESOTHELIOMAS DEVELOPED ON PLEURAE OF ALBINO RATS (pp. 25-28). (BIOSIS/87/03362). Kolev, K; Uzunov, P; Pylev, L; Vlasov, V.
- Koller, LD. (1980). Public health risks of environmental contaminants: heavy metals and industrial chemicals. *J Am Vet Med Assoc* 176: 525-529.
- Kolonel, LN; Hirohata, T; Chappell, BV; Viola, FV; Harris, DE. (1980). Cancer mortality in a cohort of naval shipyard workers in Hawaii: early findings. *J Natl Cancer Inst* 64: 739-743.
- Kolonel, LN; Yoshizawa, CN; Hirohata, T; Myers, BC. (1985). Cancer occurrence in shipyard workers exposed to asbestos in Hawaii. *Cancer Res* 45: 3924-3928.
- Kolstad, H; Lynge, E; Olsen, J; Sabroe, S. (1992). OCCUPATIONAL CAUSES OF SOME RARE CANCERS - A LITERATURE-REVIEW. *Scand J Soc Med*1-148.
- Kominsky, JR. (1979). Health Hazard Evaluation Determination, Report No. HHE-78-119-637, Texaco, Inc., Bayonne Terminal, Bayonne, New Jersey (pp. 78-119). (NIOSH/00092899). Kominsky, JR.
- Kominsky, JR; Love, JR; Anderson, K. (1982). Health Hazard Evaluation Report, No. HETA-81-117-1087, Tweddle Litho Company, St. Clair Shores, Michigan. (NIOSH/00127610). Kominsky, JR; Love, JR; Anderson, K.
- Kominsky, JR; Singal, M. (1977). Health Hazard Evaluation Determination, Report No. HHE-76-8-370, Fuel Economy Engineering Company, Spurlock Power Station, Maysville, Kentucky (pp. 76-78). (NIOSH/00069414). Kominsky, JR; Singal, M.
- Komiya, E; Ohnuma, K; Yamazaki, H; Hatano, R; Iwata, S; Okamoto, T; Dang, NH; Yamada, T; Morimoto, C. (2014). CD26-mediated regulation of periostin expression contributes to migration and invasion of malignant pleural mesothelioma cells. *Biochem Biophys Res Commun* 447: 609-615. <http://dx.doi.org/10.1016/j.bbrc.2014.04.037>.
- Komurcuoglu, B; Cirak, AK; Kirakli, SC; Polat, G; Yucler, O; Usluer, O; Erer, O; Balci, G; Gayaf, M; Guldaval, F; Aktogu, S; Guclu, S; Ozsoz, A; Halilcolar, H. (2014). Prognostic factors affecting survival in malignant pleural mesothelioma: analysis of 125 subjects. *Tumori* 100: 55-59. <http://dx.doi.org/10.1700/1430.15816>.
- Konetzke, GW; Beck, B. (1981). [Risk factor asbestos (author's transl)]. *Arch Geschwulstforsch* 51: 567-574.
- Konetzke, GW; Beck, B; Mehnert, WH. (1990). [Occupational and non-occupational effects of asbestos]. *Pneumologie* 44: 858-861.
- Konieczko, K; Palaszewska-Tkacz, A; Czerczak, S. (2013). [Chemical carcinogenic and mutagenic agents in the workplace, Poland, 2008-2010]. *Med Pr* 64: 181-192.
- Konietzko, N. (1988). ASBESTOS AND LUNG .1. *Med Klin* 83: 417-423.
- Konietzko, N. (1988). [Asbestos and the lung. II] [Review]. *Med Klin* 83: 449-455.
- Konietzko, N; Dittmann, A; Hain, E; Koehler, T; Seysen, U. (1988). [Workshop on "Asbestosis -assessment" in the Hospital for Accident Cases Hamburg-Lohbrügge on 13 June 1987]. 42: 438-441.
- Koop, WA. (2006). Environmental Assessment: Demolish 934 of Grand Forks Air Force Base. 102.

Human Health Hazard Literature Search Results

On Topic

- Kopnin, PB; Kravchenko, IV; Furalyov, VA; Pylev, LN; Kopnin, BP. (2004). Cell type-specific effects of asbestos on intracellular ROS levels, DNA oxidation and G1 cell cycle checkpoint. *Oncogene* 23: 8834-8840. <http://dx.doi.org/10.1038/sj.onc.1208108>.
- Koppers Company, I. (1982). 1979 CROSS-SECTIONAL HEALTH STUDY OF WORKERS AT NINE KOPPERS COAL TAR PLANTS COMBINED REPORT. (TSCATS/018646). TABERSHAW OCC MEDICINE ASSOC.
- Koppers Company, I. (1982). 1979 CROSS-SECTIONAL HEALTH STUDY OF WORKERS AT THE CHICAGO, ILLINOIS PLANT OF KOPPERS COMPANY, INC JANUARY, 1980 FINAL. (TSCATS/018663). TABERSHAW OCC MEDICINE ASSOC.
- Koppers Company, I. (1982). 1979 CROSS-SECTIONAL HEALTH STUDY OF WORKERS AT THE FONTANA, CALIFORNIA PLANT OF KOPPERS COMPANY, INC. FINAL. (TSCATS/018651). TABERSHAW OCC MEDICINE ASSOC.
- Koppers Company, I. (1982). 1979 CROSS-SECTIONAL HEALTH STUDY OF WORKERS AT THE GARWOOD, NEW JERSEY PLANT OF KOPPERS COMPANY, INC. FINAL. (TSCATS/018660). TABERSHAW OCC MEDICINE ASSOC.
- Koppers Company, I. (1982). 1979 CROSS-SECTIONAL HEALTH STUDY OF WORKERS AT THE HOUSTON, TEXAS PLANT OF KOPPERS COMPANY, INC. FINAL. (TSCATS/018645). TABERSHAW OCC MEDICINE ASSOC.
- Koppers Company, I. (1982). 1979 CROSS-SECTIONAL HEALTH STUDY OF WORKERS AT THE SWEDELAND, PENNSYLVANIA PLANT OF KOPPERS COMPANY, INC. FINAL. (TSCATS/018650). TABERSHAW OCC MEDICINE ASSOC.
- Koppers Company, I. (1982). 1979 CROSS-SECTIONAL HEALTH STUDY OF WORKERS AT WOODWARD, ALABAMA COAL TAR PLANT OF KOPPERS COMPANY, INC. (TSCATS/018652). TABERSHAW OCC MEDICINE ASSOC.
- Koppers Company, I. (1982). CROSS-SECTIONAL HEALTH STUDY OF WORKERS AT THE FOLLANSBEE, WEST VIRGINIA PLANT OF KOPPERS COMPANY, INC. (TSCATS/018655). TABERSHAW OCC MEDICINE ASSOC.
- Koppers Company, I. (1982). CROSS-SECTIONAL HEALTH STUDY OF WORKERS AT THE WICKLIFFE, OHIO PLANT OF KOPPERS COMPANY, INC. (TSCATS/018654). TABERSHAW OCC MEDICINE ASSOC.
- Koppers Company, I. (1982). CROSS-SECTIONAL HEALTH STUDY OF WORKERS AT THE YOUNGTOWN, OHIO PLANT OF KOPPERS COMPANY, INC. (TSCATS/018653). TABERSHAW OCC MEDICINE ASSOC.
- Koppers Company, I. (1982). OCCUPATIONAL HEALTH EVALUATION OF THE IRVING, TEXAS PLANT OF KOPPERS CO., INC. (TSCATS/018656). TABERSHAW OCC MEDICINE ASSOC.
- Koppikar, A. (2006). Asbestos Noncancer Effects - Integrated Risk Information System (IRIS) Update. *Toxicol Sci* 90: 71.
- Kopylev, L; Christensen, KY; Brown, JS; Cooper, GS. (2014). A systematic review of the association between pleural plaques and changes in lung function [Review]. *Occup Environ Med* 72: 606-614. <http://dx.doi.org/10.1136/oemed-2014-102468>.
- Korcok, M. (1986). US surgeon general ignites furor with findings on smoking in the workplace. *CMAJ* 134: 801-806.
- Korda, RJ; Clements, MS; Armstrong, BK; Trevenar, SM; Chalker, EB; Newman, LA; Kirk, MD. (2016). Mesothelioma trends in the ACT and comparisons with the rest of Australia. 26. <http://dx.doi.org/10.17061/phrp2641646>.
- Korhonen, O; Juntunen, J; Huuskonen, M. (1983). Lung function and nervous system involvement in asbestosis (pp. 207-212). (HEEP/83/12792). Korhonen, O; Juntunen, J; Huuskonen, M.
- Korkina, LG; Durnev, AD; Suslova, TB; Cheremisina, ZP; Daugel-Dauge, NO; Afanas'ev, IB. (1992). Oxygen radical-mediated mutagenic effect of asbestos on human lymphocytes: suppression by oxygen radical scavengers. *Mutat Res* 265: 245-253.
- Korkina, LG; Il'inskaia, OP; Velichkovskii, BT. (1985). [Bioluminescent determination of ATP in peritoneal macrophages phagocytosing dust particles]. *Gig Tr Prof Zabol* 0: 22-26.
- Korogiannos, C; Makrantonis, G; Kotsifas, K; Pappas, A; Tatsis, NG; Tatsis, GN. (2007). Asbestos exposure among workers in high-rise buildings. *Chest* 132: 599S-599S.
- Korraa, S; Kamal, AAM. (2002). Effect of tocopherol administration on the frequency of chromosomal aberrations among asbestos exposed workers and radiation exposed workers. *Free Radic Biol Med* 33: S193-S193.
- Koshi, K; Kohyama, N; Myojo, T; Fukuda, K. (1991). CELL TOXICITY, HEMOLYTIC ACTION AND CLASTOGENIC ACTIVITY OF ASBESTOS AND ITS SUBSTITUTES. *Ind Health* 29: 37-56.
- Koshi, K; Sakabe, H. (1973). Effects of asbestos or quartz particles on the mixed cultures of macrophage and 3T6 cell. *Ind Health* 10: 3-4.
- Koskinen, H; Jarvisalo, J; Huuskonen, MS; Koivula, T; Mutanen, P; Pitkanen, E. (1983). Serum lysosomal enzyme activities in silicosis and asbestosis. *Eur J Respir Dis* 64: 182-188.
- Koskinen, K; J-P, R; Kivekas, J; Zitting, A; Tossavainen, A; Roto, P; Reijula, K; Huuskonen, MS. (1995). A Screening Study on Asbestos-Induced Diseases in Finland (pp. 8-10). (NIOSH/00229723). Koskinen, K; Rinne J-P; Kivekas, J; Zitting, A; Tossavainen, A; Roto, P; Reijula, K; Huuskonen, MS.
- Koskinen, K; Pukkala, E; Martikainen, R; Reijula, K; Karjalainen, A. (2002). Different measures of asbestos exposure in estimating risk of lung cancer and mesothelioma among construction workers. *J Occup Environ Med* 44: 1190-1196. <http://dx.doi.org/10.1097/01.jom.0000044129.59147.6e>.
- Koskinen, K; Pukkala, E; Reijula, K; Karjalainen, A. (2003). Incidence of cancer among the participants of the Finnish Asbestos Screening Campaign. *Scand J Work Environ Health* 29: 64-70.
- Koskinen, K; Rinne, JP; Zitting, A; Tossavainen, A; Kivekas, J; Reijula, K; Roto, P; Huuskonen, MS. (1996). Screening for asbestos-induced diseases in Finland. *Am J Ind Med* 30: 241-251. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199609\)30:3<241::AID-AJIM1>3.0.CO;2-1](http://dx.doi.org/10.1002/(SICI)1097-0274(199609)30:3<241::AID-AJIM1>3.0.CO;2-1).
- Koskinen, K; Zitting, A; Tossavainen, A; Rinne, JP; Roto, P; Kivekas, J; Reijula, K; Huuskonen, MS. (1998). Radiographic abnormalities among Finnish construction, shipyard and asbestos industry workers. *Scand J Work Environ Health* 24: 109-117.
- Koslowsky, TC; Mönig, SP; Krüger, I; Zirbes, TK; Hölscher, AH. (2000). Rounded atelectasis in a patient with history of asbestos exposure. A case report. *J Cardiovasc Surg (Torino)* 41: 151-152.

Human Health Hazard Literature Search Results

On Topic

- Koss, M; Travis, W; Moran, C; Hochholzer, L. (1992). Pseudomesotheliomatous adenocarcinoma: a reappraisal [Review]. *Semin Diagn Pathol* 9: 117-123.
- Kostyuk, VA; Potapovich, AI. (1998). Antiradical and chelating effects in flavonoid protection against silica-induced cell injury. *Arch Biochem Biophys* 355: 43-48. <http://dx.doi.org/10.1006/abbi.1998.0708>.
- Kostyuk, VA; Potapovich, AI; Speransky, SD; Maslova, GT. (1996). Protective Effect of Natural Flavonoids on Rat Peritoneal Macrophages Injury Caused by Asbestos Fibers. *Free Radic Biol Med* 21: 487-493.
- Kostyuk, VA; Potapovich, AI; Vladykovskaya, EN; Hiramatsu, M. (2000). Protective effects of green tea catechins against asbestos-induced cell injury [Letter]. *Planta Med* 66: 762-764. <http://dx.doi.org/10.1055/s-2000-9567>.
- Kostyuk, VA; Potapovich, AI; Vladykovskaya, EN; Korkina, LG; Afanas'ev, IB. (2001). Influence of metal ions on flavonoid protection against asbestos-induced cell injury. *Arch Biochem Biophys* 385: 129-137. <http://dx.doi.org/10.1006/abbi.2000.2118>.
- Kotela, I; Bednarenko, M; Wilk-Frańczuk, M; Kotela, P; Wołowicz, B; Laskowicz, K. (2010). [The effects of environmental exposure to asbestos dust on health]. *Przegl Lek* 67: 107-109.
- Kotela, I; Blady-Kotela, A. (1994). [Incidence of mesothelioma among asbestos plant workers]. *Wiad Lek* 47: 161-163.
- Kotela, I; Laskowicz, K; Plezia, B. (1996). [Consequences of exposure to asbestos dust]. *Przegl Lek* 53: 631-633.
- Kothmaier, H; Quehenberger, F; Halbwedl, I; Morbini, P; Demirag, F; Zeren, H; Comin, CE; Murer, B; Cagle, PT; Attanoos, R; Gibbs, AR; Galateau-Salle, F; Popper, HH. (2008). EGFR and PDGFR differentially promote growth in malignant epithelioid mesothelioma of short and long term survivors. *Thorax* 63: 345-351. <http://dx.doi.org/10.1136/thx.2007.085241>.
- Kotin, P. (1985). Asbestosis. *Alabama Journal of Medical Sciences* 22: 388-391.
- Kotin, P. (1988). ASBESTOS-RELATED DISEASES (pp. 23-29). (BIOSIS/88/20720). Kotin, P.
- Koufman, JA; Burke, AJ. (1997). The etiology and pathogenesis of laryngeal carcinoma. *Otolaryngol Clin North Am* 30: 1-&.
- Kouris, SP; Parker, DL; Bender, AP; Williams, AN. (1991). Effects of asbestos-related pleural disease on pulmonary function. *Scand J Work Environ Health* 17: 179-183.
- Koutsouki, E. (2014). A new hope in asbestos-related cancer treatment. *Future Medicinal Chemistry* 6: 259-259.
- Kouzan, S; Brody, AR; Nettesheim, P; Eling, T. (1985). Production of arachidonic acid metabolites by macrophages exposed in vitro to asbestos, carbonyl iron particles, or calcium ionophore. *Am Rev Respir Dis* 131: 624-632. <http://dx.doi.org/10.1164/arrd.1985.131.4.624>.
- Kouzan, S; Eling, T; Brody, AR. (1984). PULMONARY MACROPHAGES PRODUCE ARACHIDONIC-ACID METABOLITES AFTER STIMULATION BY ASBESTOS FIBERS AND IRON BEADS (pp. 20-23). (HEEP/85/00852). Kouzan, S; Eling, T; Brody, AR.
- Kouzan, S; Nettesheim, P; Eling, T; Brody, AR. (1985). Production of Arachidonic Acid Metabolites by Alveolar Macrophages Treated with Asbestos (pp. 291-295). (NIOSH/00165761). Kouzan, S; Nettesheim, P; Eling, T; Brody, AR.
- Kovac, S; Car, Z; Petrak, A; Beritić, T. (1985). [Benign asbestos pleural effusion]. *Arh Hig Rada Toksikol* 36: 33-42.
- Kovac, V; Dodic-Fikfak, M; Arneric, N; Dolzan, V; Franko, A. (2015). Fibulin-3 as a biomarker of response to treatment in malignant mesothelioma. *Radiology and Oncology* 49: 279-285. <http://dx.doi.org/10.1515/raon-2015-0019>.
- Kovac, V; Zwitter, M; Zagar, T. (2012). Improved survival after introduction of chemotherapy for malignant pleural mesothelioma in Slovenia: Population-based survey of 444 patients. *Radiology and Oncology* 46: 136-144. <http://dx.doi.org/10.2478/v10019-012-0032-0>.
- Kovacic, P; Crawford, PW; Ryan, MD; Nelson, VC. (1986). CHARGE TRANSFER MECHANISM FOR CARCINOGENESIS BY ALKYLATING AND OTHER AGENTS (pp. 305-316). (BIOSIS/87/00316). Kovacic, P; Crawford, PW; Ryan, MD; Nelson, VC.
- Kovacikova, Z; Hurbankova, M; Cerna, S; Tatrai, E. (2007). Changes of antioxidant status in lung after exposure to asbestos and man-made mineral fibres. *Toxicol Lett* 172: S118-S118. <http://dx.doi.org/10.1016/j.toxlet.2007.05.314>.
- Kovacikova, Z; Hurbankova, M; Kaiglova, A; Ginter, E. (1997). Effect of intratracheal amosite exposure on the antioxidant status of rat lung. *Biologia (Bratisl) BRATISLAVA*: 463-468.
- Kováčiková, Z; Petrovská, H; Tátrai, E; Dusinská, M. (2004). The effect of fibrous dusts on lung cells. In vitro study. *Cent Eur J Public Health* 12 Suppl: S44-S48.
- Kovac-Stojkovski, S. (1979). [Exposure to asbestos and pleural mesothelioma]. *Arh Hig Rada Toksikol* 30: 267-291.
- Kovalevskii, EV. (2009). [Hygienic evaluation of asbestos-containing friction goods application]. *Med Tr Prom Ekol* 1-6.
- Kovalevskiy, EV; Schonfeld, SJ; Feletto, E; Moissonnier, M; Kashanskiy, SV; Bukhtiyarov, IV; Schüz, J. (2016). Comparison of mortality in Asbest city and the Sverdlovsk region in the Russian Federation: 1997-2010. *Environ Health* 15: 42. <http://dx.doi.org/10.1186/s12940-016-0125-0>.
- Kovarik, JL. (1976). Primary pleural mesothelioma. *Cancer* 38: 1816-1825.
- Koyuncu, E; Erkan, ML; Baris, YI; Evren, I. (1982). Familial pleural mesothelioma (pp. 130-134). (HEEP/83/04789). Koyuncu, E; Erkan, ML; Baris, YI; Evren, I.
- Kradin, R; Tsao, T; Xia, W; Oliver, C. (1992). ASBESTOS INHALATION DIMINISHES THE IMMUNE FUNCTION OF IA-POSITIVE PULMONARY DENDRITIC CELLS (pp. 17-20). (BIOSIS/92/20039). Kradin, R; Tsao, T; Xia, W; Oliver, C.
- Kradin, RL; Iafrate, J; Christiani, DC. (2017). Pulmonary adenocarcinoma with epidermal growth factor receptor-mutations in asbestos exposed non-smokers: A case series. *Am J Ind Med*. <http://dx.doi.org/10.1002/ajim.22691>.
- Kradin, RL; Mark, EJ; Shepard, JAO; Colvin, RB. (1997). A 74-year-old man with progressive cough, dyspnea, and pleural thickening - Papillary adenocarcinoma of the lung (asbestos-related), with marked pleural mesothelial hyperplasia. *N Engl J Med* 336: 1895-1903.
- Krajewska, B; Lutz, W; Piñacik, B. (1996). [Exposure to asbestos and levels of selected tumor biomarkers]. *Med Pr* 47: 89-96.
- Krajewska, B; Lutz, W; Piñacik, B. (1998). Determination of blood serum oncoprotein NEU and antioncoprotein p-53--molecular biomarkers in various types of occupational exposure. *Int J Occup Med Environ Health* 11: 343-348.
- Krajnow, A. (1996). The biological effect of refractory ceramic fibres: Literature review [Review]. *Med Pr* 47: 663-675.

Human Health Hazard Literature Search Results

On Topic

- Krajnow, A; Lao, I; Stetkiewicz, J. (1997). [Evaluation of the carcinogenic effect of ceramic fibers in experiments on rats and mice]. *Med Pr* 48: 663-674.
- Krajnow, A; Wojtczak, J. (1993). [Physical-chemical properties and biological effect of man-made mineral fibers--review of literature] [Review]. *Med Pr* 44: 595-607.
- Kramkowski, RS; Daniels, WJ. (1984). Health Hazard Evaluation Report No. HETA-83-450-1468, George Rogers Clark National Historical Park, Vincennes, Indiana (pp. 83-450). (NIOSH/00139372). Kramkowski, RS; Daniels, WJ.
- Krasinskas, AM; Bartlett, DL; Cieply, K; Dacic, S. (2010). CDKN2A and MTAP deletions in peritoneal mesotheliomas are correlated with loss of p16 protein expression and poor survival. *Mod Pathol* 23: 531-538. <http://dx.doi.org/10.1038/modpathol.2009.186>.
- Krasniuk, EP; Dobrovol'skii, LA. (1998). [Asbestos and health problems (based on the materials from the International Conference on the Safe Use of Chrysotile Asbestos, Ivano-Frankivs'k, 1-5 June 1998)]. *Lik Sprava* 165-167.
- Krasniuk, OP; Dobrovol's'kyi, LO. (1998). [Symposium on asbestos and asbestos-related diseases for the countries of central and eastern Europe]. *Lik Sprava* 166-168.
- Kraunz, KS; Nelson, HH; Lemos, M; Godleski, JJ; Wiencke, JK; Kelsey, KT. (2006). Homozygous deletion of p16INK4a and tobacco carcinogen exposure in nonsmall cell lung cancer. *Int J Cancer* 118: 1364-1369. <http://dx.doi.org/10.1002/ijc.21522>.
- Kraus, T; Borsch-Galetke, E; Elliehausen, HJ; Frank, K; Hering, KG; Hieckel, HG; Hofmann-Preiss, K; Jacques, W; Jeremie, U; Kotschy-Lang, N; Mannes, E; Otten, H; Raab, W; Raithel, HJ; Schneider, WD; Tuengerthal, S. (2010). [Examples for asbestos-related findings in HRCT - criteria for the assessment of causal relationships in surveillance programmes and medical expert opinion] [Review]. *Pneumologie* 64: 37-44. <http://dx.doi.org/10.1055/s-0029-1215338>.
- Kraus, T; Drexler, H; Weber, A; Raithel, HJ. (1995). The association of occupational asbestos dust exposure and laryngeal carcinoma [Review]. *Isr J Med Sci* 31: 540-548.
- Kraus, T; Heinritz, H; Raithel, HJ; Waldfahrer, F; Iro, H; Lehnert, G. (1995). [Asbestos dust-induced laryngeal carcinoma--a new occupational disease? Current scientific knowledge and social health regulations]. *Laryngorhinootologie* 74: 371-374. <http://dx.doi.org/10.1055/s-2007-997760>.
- Kravchenko, IV; Furalyov, VA; Pylev, LN. (2003). Factors secreted by peritoneal macrophages are cytotoxic for transformed rat pleural mesothelium and mesothelioma cells. *Teratog Carcinog Mutagen Suppl* 1: 207-214. <http://dx.doi.org/10.1002/tcm.10076>.
- Kravchenko, IV; Furalyov, VA; Vasyleva, LA; Pylev, LN. (1997). Changes of rat mesothelial cell properties in processes of spontaneous and asbestos-induced transformation in culture. *Exp Oncol* 19: 191-195.
- Kravchenko, IV; Furalyov, VA; Vasylieva, LA; Pylev, LN. (1998). Spontaneous and asbestos-induced transformation of mesothelial cells in vitro. *Teratog Carcinog Mutagen* 18: 141-151. [http://dx.doi.org/10.1002/\(SICI\)1520-6866\(1998\)18:3<141::AID-TCM5>3.3.CO;2-E](http://dx.doi.org/10.1002/(SICI)1520-6866(1998)18:3<141::AID-TCM5>3.3.CO;2-E).
- Kravchenko, IV; Furalyov, VA; Vasylieva, LA; Pylev, LN. (2001). Inhibition of asbestos-induced transformation of rat pleural mesothelial cells in co-culture with rat macrophages. *Teratog Carcinog Mutagen* 21: 315-323.
- Kreuzer, M; Pohlbeln, H; Ahrens, W; Kreienbrock, L; Brüske-Hohlfeld, I; Jöckel, KH; Wichmann, HE. (1999). Occupational risk factors for lung cancer among young men. *Scand J Work Environ Health* 25: 422-429.
- Kreyberg, L. (1979). [Occupational lung neoplasms. An evaluation]. *Tidsskr Nor Laegeforen* 99: 570-574.
- Kricka, O; Matanić Lender, D; Barković, I; Flego, V; Kupanovac, Z; Bulat Kardum, L. (2009). [Malignant pleural mesothelioma in patients hospitalised at the Clinical Hospital Centre Rijeka between 1989 and 2008]. *Arh Hig Rada Toksikol* 60 Suppl: 41-43.
- Krishna, J; Haqqani, MT. (1993). Liposarcomatous differentiation in diffuse pleural mesothelioma. *Thorax* 48: 409-410.
- Krisman, M; Müller, KM; Jaworska, M; Johnen, G. (2004). Pathological anatomy and molecular pathology [Review]. *Lung Cancer* 45 Suppl 1: S29-S33. <http://dx.doi.org/10.1016/j.lungcan.2004.04.005>.
- Krivokuca, I; Lammers, JW. (2010). [A man with consolidation of the right lung]. *Ned Tijdschr Geneesk* 154: A498.
- Kroczyńska, B; Carbone, M. (2006). Cross reactivity between many anti-human antibodies for their hamster homologs provide the tools to study the signal transduction pathway activated by asbestos and SV40 in the malignant mesothelioma model. *Mol Carcinog* 45: 537-542. <http://dx.doi.org/10.1002/mc.20200>.
- Kroczyńska, B; Cutrone, R; Bocchetta, M; Yang, H; Elmishad, AG; Vacek, P; Ramos-Nino, M; Mossman, BT; Pass, HI; Carbone, M. (2006). Crocidolite asbestos and SV40 are cocarcinogens in human mesothelial cells and in causing mesothelioma in hamsters. *Proc Natl Acad Sci USA* 103: 14128-14133. <http://dx.doi.org/10.1073/pnas.0604544103>.
- Kromhout, H; Heederik, D; Dalderup, LM; Kromhout, D. (1992). Performance of two general job-exposure matrices in a study of lung cancer morbidity in the Zutphen cohort. *Am J Epidemiol* 136: 698-711.
- Kronenberg, RS. (1989). Asbestos inhalation and cigarette smoking make a lethal combination. *Occup Health Saf* 58: 50-56, 68.
- Kronenberg, RS; Levin, JL; Dodson, RF; Garcia, JG; Griffith, DE. (1991). Asbestos-related disease in employees of a steel mill and a glass bottle-manufacturing plant. *Ann N Y Acad Sci* 643: 397-403. <http://dx.doi.org/10.1177/074823379100700104>.
- Kronoveter, K. (1983). Health Hazard Evaluation Report No. HETA-83-358-1362, George H. Fallon Federal Office Building, Baltimore, Maryland (pp. 83-358). (NIOSH/00132917). Kronoveter, K.
- Kronoveter, K; Boiano, J. (1984). Health Hazard Evaluation Report No. HETA-84-322-1502, Pennsylvania Institute Of Taxidermy, Inc., Ebensburg, Pennsylvania (pp. 84-322). (NIOSH/00144842). Kronoveter, K; Boiano, J.
- Kronoveter, KJ. (1974). Hazard Evaluation and Technical Assistance Report No. TA-74-35, U.S. Environmental Protection Agency, Taft Engineering Center, Cincinnati, Ohio (pp. 74-35). (NIOSH/00179006). Kronoveter, KJ.
- Kronoveter, KJ. (1978). Hazard Evaluation and Technical Assistance Report No. TA-77-68, McDaniel Art Studio, Cincinnati, Ohio (pp. 77-68). (NIOSH/00184436). Kronoveter, KJ.

Human Health Hazard Literature Search Results

On Topic

- Kronoveter, KJ; Boiano, JM. (1984). Health Hazard Evaluation Report No. HETA-83-276-1499, Charlie's Taxidermy And Gifts, Fleetwood, Pennsylvania (pp. 83-276). (NIOSH/00146780). Kronoveter, KJ; Boiano, JM.
- Kronoveter, KJ; Elesh, E. (1978). Health Hazard Evaluation Determination, Report No. HHE-77-72-545, NAB Construction Company, Morgan Station General Mail Facility, 341 Ninth Avenue, New York, New York, December, 1978 (pp. 77-72). (NIOSH/00101022). Kronoveter, KJ; Elesh, E.
- Krousel, T; Garcas, N; Rothschild, H. (1986). Familial clustering of mesothelioma: a report on three affected persons in one family. *Am J Prev Med* 2: 186-188.
- Krowke, R; Bluth, U; Merker, HJ; Neubert, D. (1985). PLACENTAL-TRANSFER AND POSSIBLE TERATOGENIC POTENTIAL OF ASBESTOS IN MICE. *Teratology* 32: A26-A27.
- Krowki, R; Bluth, U; H-J, M; Neubert, D. (1985). PLACENTAL TRANSFER AND POSSIBLE TERATOGENIC POTENTIAL OF ASBESTOS IN MICE (pp. 5-7). (BIOSIS/86/06118). Krowki, R; Bluth, U; Merker H-J; Neubert, D.
- Krstev, S; Dosemeci, M; Lissowska, J; Chow, WH; Zatonski, W; Ward, MH. (2005). Occupation and risk of stomach cancer in Poland. *Occup Environ Med* 62: 318-324. <http://dx.doi.org/10.1136/oem.2004.015883>.
- Krstev, S; Stewart, P; Rusiecki, J; Blair, A. (2007). Mortality among shipyard Coast Guard workers: a retrospective cohort study. *Occup Environ Med* 64: 651-658. <http://dx.doi.org/10.1136/oem.2006.029652>.
- Krupoves, A; Camus, M; De Guire, L. (2015). Incidence of malignant mesothelioma of the pleura in Québec and Canada from 1984 to 2007, and projections from 2008 to 2032. *Am J Ind Med* 58: 473-482. <http://dx.doi.org/10.1002/ajim.22442>.
- Krychniak-Soszka, A; Wesołowski, S; Kuś, J. (1997). [Lung and pleural changes caused by exposure to asbestos]. *Pneumonologia i Alergologia Polska* 65: 676-684.
- Krzymien, H; Wolska, E. (1961). [Contribution to the study of the mechanism of carcinogenic effect of asbestos]. 31: 663-666.
- Kubo, S; Takagi-Kimura, M; Kasahara, N. (2015). Combinatorial anti-angiogenic gene therapy in a human malignant mesothelioma model. *Oncol Rep* 34: 633-638. <http://dx.doi.org/10.3892/or.2015.4058>.
- Kubo, Y; Takenaka, H; Nagai, H; Toyokuni, S. (2012). Distinct affinity of nuclear proteins to the surface of chrysotile and crocidolite. *J Clin Biochem Nutr* 51: 221-226. <http://dx.doi.org/10.3164/jcbs.12-39>.
- Kubota, M. (1983). [Effect of asbestos on lymphoid cell functions. 1. The NK cell activity and its relation to interferon and asbestos]. *Nippon Eiseigaku Zasshi* 38: 623-631.
- Kubota, M. (1983). The influence of asbestos on lymphoid cell function - Part 1: NK cell activity and its relationship to interferon and asbestos. 38: 623-631.
- Kubota, M. (1983). The influence of asbestos on lymphoid cell function - Part 2: NK cell activity and its relationship to ADCC and interferon in asbestosis patients. 38: 632-641.
- Kubota, M; Kagamimori, S; Yokoyama, K; Okada, A. (1985). Reduced killer cell activity of lymphocytes from patients with asbestosis. *Br J Ind Med* 42: 276-280.
- Kubota, M; Nakatani, Y; Okada, A; Kagamimori, S. (1982). [Effects of milled asbestos and glass fibers of 2 different lengths on macrophages]. *Sangyo Igaku* 24: 182-183.
- Kubota, M; Okada, A; Kagamimori, S; Yokoyama, K. (1984). Reciprocal relation between natural killer cell activities and interferons on asbestosis (pp. 633-640). (HEEP/85/06253). Kubota, M; Okada, A; Kagamimori, S; Yokoyama, K.
- Kuhn C, I; T-T, K. (1973). Cytoplasmic hyalin in asbestosis: A reaction of injured alveolar epithelium. *Arch Pathol* 95: 190-194.
- Kühne, W. (1974). [Advances in the pathology of respiratory diseases caused by noxious agents (author's transl)]. *Z Erkr Atmungsorgane* 141: 18-23.
- Kühne, W; Schultz, M. (1988). [Asbestos-induced malignant tumors] [Review]. 134: 703-712.
- Kühne, W; Schultz, M. (1988). Problems of experimental tumorigenesis by fibrous dusts, especially by asbestos (with regard to stanton's hypothesis) [Review]. *Exp Pathol* 34: 191-196.
- Kukkonen, MK; Hamalainen, S; Kaleva, S; Vehmas, T; Huuskonen, MS; Oksa, P; Vainio, H; Piirila, P; Hirvonen, A. (2011). Genetic susceptibility to asbestos-related fibrotic pleuropulmonary changes. *Eur Respir J* 38: 672-678. <http://dx.doi.org/10.1183/09031936.00049810>.
- Kukkonen, MK; Tiili, E; Hamalainen, S; Vehmas, T; Oksa, P; Piirila, P; Hirvonen, A, ri. (2011). SERPINE2 haplotype as a risk factor for panlobular type of emphysema. *BMC Med Genet* 12. <http://dx.doi.org/10.1186/1471-2350-12-157>.
- Kukkonen, MK; Vehmas, T; Piirilä, P; Hirvonen, A. (2014). Genes involved in innate immunity associated with asbestos-related fibrotic changes. *Occup Environ Med* 71: 48-54. <http://dx.doi.org/10.1136/oemed-2013-101555>.
- Kullman, G. (1989). Health Hazard Evaluation Report No. MHETA-88-214-1952, Flying W Plastics Company, Glenville, West Virginia (pp. 88-214). (NIOSH/00188719). Kullman, G.
- Kumagai, N; Nishimura, Y; Maeda, M; Hayashi, H; Otsuki, T. (2010). [Immunological effects of silica/asbestos] [Review]. *Nippon Eiseigaku Zasshi* 65: 493-499.
- Kumagai, S. (2010). Increased Risk of Lung Cancer Mortality among Residents near an Asbestos Product Manufacturing Plant (July, pg 271, 2010). *Int J Occup Environ Health* 16: 387-387.
- Kumagai, S; Kurumatani, N. (2007). [Risk of developing mesothelioma due to neighborhood exposure to asbestos] [Review]. *Sangyo Eiseigaku Zasshi* 49: 77-88.
- Kumagai, S; Kurumatani, N. (2009). Asbestos fiber concentration in the area surrounding a former asbestos cement plant and excess mesothelioma deaths in residents. *Am J Ind Med* 52: 790-798. <http://dx.doi.org/10.1002/ajim.20743>.
- Kumagai, S; Kurumatani, N; Tsuda, T; Yorifuji, T; Suzuki, E. (2010). Increased risk of lung cancer mortality among residents near an asbestos product manufacturing plant. *Int J Occup Environ Health* 16: 268-278. <http://dx.doi.org/10.1179/oe.2010.16.3.268>.

Human Health Hazard Literature Search Results

On Topic

- Kumagai, S; Kurumatani, N; Tsuda, T; Yorifuji, T; Suzuki, E. (2011). Increased Risk of Lung Cancer Mortality Among Residents Who Had Lived Near an Asbestos Product Manufacturing Plant. *Epidemiology* 22: S75-S76.
- Kumagai-Takei, N; Maeda, M; Chen, Y; Matsuzaki, H; Lee, S; Nishimura, Y; Hiratsuka, J; Otsuki, T. (2011). Asbestos induces reduction of tumor immunity [Review]. *Clin Dev Immunol* 2011: 481439. <http://dx.doi.org/10.1155/2011/481439>.
- Kumagai-Takei, N; Nishimura, Y; Maeda, M; Hayashi, H; Matsuzaki, H; Lee, S; Hiratsuka, J; Otsuki, T. (2013). Effect of asbestos exposure on differentiation of cytotoxic T lymphocytes in mixed lymphocyte reaction of human peripheral blood mononuclear cells. *Am J Respir Cell Mol Biol* 49: 28-36. <http://dx.doi.org/10.1165/rcmb.2012-0134OC>.
- Kumagai-Takei, N; Nishimura, Y; Maeda, M; Hayashi, H; Matsuzaki, H; Lee, S; Kishimoto, T; Fukuoka, K; Nakano, T; Otsuki, T. (2014). Functional properties of CD8(+) lymphocytes in patients with pleural plaque and malignant mesothelioma. *Journal of Immunology Research* 2014: 670140. <http://dx.doi.org/10.1155/2014/670140>.
- Kumagai-Takei, N; Nishimura, Y; Matsuzaki, H; Lee, S; Yoshitome, K; Hayashi, H; Otsuki, T. (2016). The Suppressed Induction of Human Mature Cytotoxic T Lymphocytes Caused by Asbestos Is Not due to Interleukin-2 Insufficiency. *Journal of Immunology Research* 2016: 7484872. <http://dx.doi.org/10.1155/2016/7484872>.
- Kunski, H; Izycki, J. (1971). Chronic non-specific lung diseases in workers of the asbestos industry in Lodz (pp. 621-623). (HEEP/72/06168). Kunski, H; Izycki, J.
- Kunze, E; Chang-Claude, J; Frentzel-Beyme, R. (1992). Life style and occupational risk factors for bladder cancer in Germany: A case-control study. *Cancer PHILA*: 1776-1790.
- Kup, W. (1979). CASE OF LARYNGEAL-CANCER DUE TO OCCUPATIONAL EXPOSURE TO ASBESTOS. *Dtsch Gesundheitswesen* 34: 1698-1700.
- Kup, W. (1990). [Studies of occupational factors in ORL neoplasms based on the data of the ORL Clinic of the State Polyclinic in Berlin-Buch]. *Otolaryngol Pol* 44: 174-175.
- Kurimoto, R; Kishimoto, T; Nagai, Y; Takazawa, H; Sakaue, N; Shinohara, Y; Hiroshima, K. (2009). Malignant peritoneal mesothelioma: quantitative analysis of asbestos burden. *Pathol Int* 59: 823-827. <http://dx.doi.org/10.1111/j.1440-1827.2009.02452.x>.
- Kurkin, AV; Dauletkalieva, Z, hA; Rybalkina, DH. (2015). [Cytologic study of buccal epithelium in various lengths of service in chrysotile-asbestos production]. *Med Tr Prom Ekol*16-18.
- Kuroda, A; Nishimura, T; Ishida, T; Hirota, R; Nomura, K. (2008). Detection of chrysotile asbestos by using a chrysotile-binding protein. *Biotechnol Bioeng* 99: 285-289. <http://dx.doi.org/10.1002/bit.21588>.
- Kurova, EG; Gusel'Nikova, NA; Kogan, FM; Starkov, PS; Khalevina, SN; Bunimovich, GI; Yarina, AL. (1982). Effect of dust on the health of workers engaged in the manufacture of asbestos cement products. *Gig Tr Prof Zabol* 0: 17-20.
- Kurumatani, N. (2012). [A comprehensive review of literature to investigate development of global knowledge and consensus on asbestos carcinogenicity: up to the report and recommendations by UICC Working Group in 1964] [Review]. *Nippon Eiseigaku Zasshi* 67: 5-20.
- Kurumatani, N; Kumagai, S. (2008). Mapping the risk of mesothelioma due to neighborhood asbestos exposure. *Am J Respir Crit Care Med* 178: 624-629. <http://dx.doi.org/10.1164/rccm.200801-063OC>.
- Kurumatani, N; Natori, Y; Mizutani, R; Kumagai, S; Haruta, M; Miura, H; Yonemasu, K. (1999). A historical cohort mortality study of workers exposed to asbestos in a refitting shipyard. *Ind Health* 37: 9-17.
- Kuwahara, M; Bijwaard, KE; Kuwahara, M; Gersten, DM; Kagan, E. (1991). ASBESTOS EXPOSURE ENHANCES THE RELEASE OF A PLEURAL MESOTHELIAL CELL-DERIVED CHEMOTACTIC FACTOR FOR LUNG FIBROBLASTS (pp. 12-15). (BIOSIS/91/23363). Kuwahara, M; Bijwaard, KE; Kuwahara, M; Gersten, DM; Kagan, E.
- Kuwahara, M; Kagan, E. (1995). The mesothelial cell and its role in asbestos-induced pleural injury [Review]. *Int J Exp Pathol* 76: 163-170.
- Kuwahara, M; Kuwahara, M; Verma, K; Ando, T; Hemenway, DR; Kagan, E. (1994). Asbestos exposure stimulates pleural mesothelial cells to secrete the fibroblast chemoattractant, fibronectin. *Am J Respir Cell Mol Biol* 10: 167-176. <http://dx.doi.org/10.1165/ajrcmb.10.2.8110473>.
- Kuza, C; Matheos, T; Kathman, D; Heard, SO. (2016). Life after acute fibrinous and organizing pneumonia: a case report of a patient 30 months after diagnosis and review of the literature [Review]. *J Crit Care* 31: 255-261. <http://dx.doi.org/10.1016/j.jcrc.2015.10.002>.
- Kuz'min, SV; Budkar, IV; Obukhova, TI, u; Karpova, EA; Tereshina, LG; Luzina, NG. (2008). [Forecasting risks of occupational dust diseases in individuals contacting chrysotile-asbestos dust]. *Med Tr Prom Ekol*36-40.
- Kuz'mina, LP; Bezrukavnikova, LM. (1987). [Biochemical changes in workers manufacturing technical asbestos products]. *Gig Tr Prof Zabol*32-34.
- Kuz'Mina, LP; Bezrukavnikova, LM. (1987). Biochemical disturbances in workers engaged in the manufacture of technical asbestos products. *nye zabolevanija Oct*: 32-34.
- Kuz'Mina, LP; Bezrukavnikova, LM. (1987). BIOCHEMICAL VARIATIONS IN WORKERS INVOLVED IN THE MANUFACTURE OF TECHNICAL ASBESTOS PRODUCTS. *Gig Tr Prof Zabol* 0: 32-34.
- La Vecchia, C; Boffetta, P. (2012). Role of stopping exposure and recent exposure to asbestos in the risk of mesothelioma [Review]. *Eur J Cancer Prev* 21: 227-230. <http://dx.doi.org/10.1097/CEJ.0b013e32834dbc56>.
- Lab, MEH. (1983). SIX-MONTH STUDY OF TISSUE REACTIVITY OF FIBERS INJECTED IP INTO MALE SPRAGUE-DAWLEY RATS. (TSCATS/018530). MONSANTO ENVIR HEALTH LAB.
- Lacourt, A; Cardis, E; Pintos, J; Richardson, L; Kincl, L; Benke, G; Fleming, S; Hours, M; Krewski, D; Mclean, D; Parent, ME; Sadetzki, S; Schlaefer, K; Schlehofer, B; Lavoue, J; van Tongeren, M; Siemiatycki, J. (2013). INTEROCC case-control study: lack of association between glioma tumors and occupational exposure to selected combustion products, dusts and other chemical agents. *BMC Public Health* 13: 340. <http://dx.doi.org/10.1186/1471-2458-13-340>.

Human Health Hazard Literature Search Results

On Topic

- Lacourt, A; Gramond, C; Audignon, S; Ducamp, S; Févotte, J; Soit Ilg, AG; Goldberg, M; Imbernon, E; Brochard, P. (2013). Pleural mesothelioma and occupational coexposure to asbestos, mineral wool, and silica. *Am J Respir Crit Care Med* 187: 977-982. <http://dx.doi.org/10.1164/rccm.201210-1911OC>.
- Lacourt, A; Gramond, C; Rolland, P; Ducamp, S; Audignon, S; Astoul, P; Chamming's, S; Gilg Soit Ilg, A; Rinaldo, M; Raheison, C; Galateau-Salle, F; Imbernon, E; Pairon, JC; Goldberg, M; Brochard, P. (2014). Occupational and non-occupational attributable risk of asbestos exposure for malignant pleural mesothelioma. *Thorax* 69: 532-539. <http://dx.doi.org/10.1136/thoraxjnl-2013-203744>.
- Lacourt, A; Lefondré, K; Gramond, C; Ducamp, S; Rolland, P; Gilg Soit Ilg, A; Houot, M; Imbernon, E; Févotte, J; Goldberg, M; Brochard, P. (2012). Temporal patterns of occupational asbestos exposure and risk of pleural mesothelioma. *Eur Respir J* 39: 1304-1312. <http://dx.doi.org/10.1183/09031936.00005111>.
- Lacourt, A; Pintos, J; Lavoué, J; Richardson, L; Siemiatycki, J. (2015). Lung cancer risk among workers in the construction industry: results from two case-control studies in Montreal. *BMC Public Health* 15: 941. <http://dx.doi.org/10.1186/s12889-015-2237-9>.
- Lacourt, A; Rinaldo, M; Gramond, C; Ducamp, S; Gilg Soit Ilg, A; Goldberg, M; Pairon, JC; Brochard, P. (2014). Co-exposure to refractory ceramic fibres and asbestos and risk of pleural mesothelioma. *Eur Respir J* 44: 725-733. <http://dx.doi.org/10.1183/09031936.00079814>.
- Lacourt, A; Rolland, P; Gramond, C; Astoul, P; Chamming's, S; Ducamp, S; Frenay, C; Galateau-Sallé, F; Gilg Soit Ilg, A; Imbernon, E; Le Stang, N; Pairon, JC; Goldberg, M; Iwatsubo, Y; Salmi, LR; Brochard, P. (2010). Attributable risk in men in two French case-control studies on mesothelioma and asbestos. *Eur J Epidemiol* 25: 799-806. <http://dx.doi.org/10.1007/s10654-010-9502-0>.
- Lacquet, LM. (1990). Asbestos Bodies in Bronchoalveolar Lavage Fluid in View of Occupation, Pleural Changes, and Bronchogenic Carcinoma. *Toxicol Ind Health* 6: 225-246.
- Lacquet, LM; van der Linden, L; Lepoutre, J. (1980). Roentgenographic lung changes, asbestosis and mortality in a Belgian asbestos-cement factory. IARC Sci Publ IARC Scientific Publication No: 783-793.
- Lacquet, LM; Van der Linden, L; Lepoutre, J. (1985). Prevalence Of Lung Changes, And Mortality In A Belgian Asbestos-Cement Factory (pp. 525-553). (NIOSH/00158293). Lacquet, LM; Van der Linden, L; Lepoutre, J.
- Laden, F; Stampfer, MJ; Walker, AM. (2004). Lung cancer and mesothelioma among male automobile mechanics: a review [Review]. *Rev Environ Health* 19: 39-61.
- Ladou, J. (2004). The asbestos cancer epidemic. *Environ Health Perspect* 112: 285-290. <http://dx.doi.org/10.1289/ehp.6704>.
- Ladou, J; Castleman, B; Frank, A; Gochfeld, M; Greenberg, M; Huff, J; Joshi, TK; Landrigan, PJ; Lemen, R; Myers, J; Soffritti, M; Soskolne, CL; Takahashi, K; Teitelbaum, D; Terracini, B; Watterson, A. (2010). The case for a global ban on asbestos. *Environ Health Perspect* 118: 897-901. <http://dx.doi.org/10.1289/ehp.1002285>.
- Lafon, D; Blanchard, O; Nonat, A; Le Bacle, C; Brochard, P; Choudat, D. (1997). "Pneumoconiosis" seminar of the Commission for Scientific and Technical Research in the Mining Industry (CORSS) - 2nd part: From silica to asbestos. XXIV: 111-140.
- Lafuente, MJ; Casterad, X; Laso, N; Mas, S; Panades, R; Calleja, A; Hernandez, S; Turuguet, D; Ballesta, A; Ascaso, C; Lafuente, A. (2002). Pi*S and Pi*Z alpha 1 antitrypsin polymorphism and the risk for asbestosis in occupational exposure to asbestos. *Toxicol Lett* 136: 9-17.
- Lafuma, J; Morin, M; Poncy, JL; Masse, R; Hirsch, A; Bignon, J; Monchoux, G. (1980). Mesothelioma induced by intrapleural injection of different types of fibres in rats; synergistic effect of other carcinogens.
- Lahat, N; Froom, P; Kristal-Boneh, E; Cohen, C; Lerman, Y; Ribak, J. (1999). Increased serum concentrations of growth factor receptors and Neu in workers previously exposed to asbestos. *Occup Environ Med* 56: 114-117.
- Lahat, N; Sobel, E; Djerassi, L; Kaufman, G; Horenstein, L; Gruener, N. (1988). IMMUNOLOGICAL PROFILE OF CHEST X-RAY-NEGATIVE ASYMPTOMATIC ASBESTOS WORKERS. *Am J Ind Med* 13: 473-482.
- Lai, TC; Pociask, DA; Ferris, M; Nguyen, HT; Miller, CA; Brody, A; Sullivan, D. (2009). Small interfering RNAs (siRNAs) targeting TGF-beta1 mRNA suppress asbestos-induced expression of TGF-beta1 and CTGF in fibroblasts. 28: 109-119.
- Lajarte, AY; Mussini-Montpellier, J; Lenne, Y. (1976). [Anatomopathologic study of 54 cases of diffuse pleural mesothelioma found in the harbor regions of Nantes, Saint-Nazaire and Lorient]. 21: 247-260.
- Lakowicz, JR. (1979). Can human exposure to airborne and injected particulates increase our risk from exposure to environmental carcinogens? *J Environ Pathol Toxicol* 2: 1433-1437.
- Lakowicz, JR; Bevan, DR. (1980). Benzo[a]pyrene uptake into rat liver microsomes: effects of adsorption of benzo[a]pyrene to asbestos and non-fibrous mineral particulates. *Chem Biol Interact* 29: 129-138.
- Lakowicz, JR; Bevan, DR; Riemer, SC. (1980). Transport of a carcinogen, benzo[a]pyrene, from particulates to lipid bilayers: a model for the fate of particle-adsorbed polynuclear aromatic hydrocarbons which are retained in the lungs. *Biochim Biophys Acta* 629: 243-258.
- Lakowicz, JR; Hylden, JL; Bevan, DR. (1979). Asbestos-enhanced uptake of carcinogens [Letter]. *Nature* 279: 350.
- Lalowicz, I. (1999). [Extrapleural mesothelioma] [Review]. *Pol Merkur Lekarski* 6: 47-49.
- Lam, S; Hung, JY; Kennedy, SM; Leriche, JC; Vedal, S; Nelems, B; Macaulay, CE; Palcic, B. (1992). Detection of dysplasia and carcinoma in situ by ratio fluorometry. *Am Rev Respir Dis* 146: 1458-1461. <http://dx.doi.org/10.1164/ajrccm/146.6.1458>.
- Lam, WK; Kung, TM; Ma, PL; So, SY; Mok, CK. (1983). 1st report of asbestos-related diseases in Hong Kong. *Trop Geogr Med* 35: 225-230.
- Lam, WK; Kung, TM; Ma, PL; So, SY; Mok, CK. (1983). First report of asbestos-related diseases in Hong Kong. *Trop Geogr Med* 35: 225-229.
- Lambre, C. (1987). IMMUNOLOGY AND MINERAL DUSTS (pp. PARIS). (BIOSIS/88/23306). Lambre, C.
- Lambre, C; Etievant, M; Intrator, L; Bignon, J. (1988). COMPLEMENT PATTERN IN SERUM AND BRONCHOALVEOLAR LAVAGE FROM AN ASBESTOSIS PATIENT WITH HYPOCOMPLEMENTEMIA (pp. 8-11). (BIOSIS/88/23621). Lambre, C; Etievant, M; Intrator, L; Bignon, J.
- Lamm, SH; Levine, MS; Starr, JA; Tirey, SL. (1988). Analysis of Excess Lung Cancer Risk in Short-Term Employees. *Am J Epidemiol* 127: 1202-1209.
- Lammi, L; Ryhänen, L; Lakari, E; Risteli, J; Pääkkö, P; Ruotsalainen, EM; Lähde, S; Kinnula, VL. (1999). Carboxyterminal propeptide of type I procollagen in ELF: elevation in asbestosis, but not in pleural plaque disease. *Eur Respir J* 14: 560-564.

Human Health Hazard Literature Search Results

On Topic

- Lamy, A; Sesboüé, R; Bourguignon, J; Dautréaux, B; Métayer, J; Frébourg, T; Thiberville, L. (2002). Aberrant methylation of the CDKN2a/p16INK4a gene promoter region in preinvasive bronchial lesions: a prospective study in high-risk patients without invasive cancer. *Int J Cancer* 100: 189-193. <http://dx.doi.org/10.1002/ijc.10474>.
- Landa, L; Fianchini, A; Gesuelli, GC; Catalini, GB; Fonti, M. (1989). [Role of surgery in the treatment of pleural mesothelioma] [Review]. *Chir Ital* 41: 192-206.
- Landesman, JM; Mossman, BT. (1982). Induction of ornithine decarboxylase in hamster tracheal epithelial cells exposed to asbestos and 12-O-tetradecanoylphorbol-13-acetate. *Cancer Res* 42: 3669-3675.
- Landi, S; Gemignani, F; Neri, M; Barale, R; Bonassi, S; Bottari, F; Canessa, PA; Canzian, F; Ceppi, M; Filiberti, R; Ivaldi, GP; Mencoboni, M; Scaruffi, P; Tonini, GP; Mutti, L; Puntoni, R. (2007). Polymorphisms of glutathione-S-transferase M1 and manganese superoxide dismutase are associated with the risk of malignant pleural mesothelioma. *Int J Cancer* 120: 2739-2743. <http://dx.doi.org/10.1002/ijc.22590>.
- Landrigan, PJ. (2005). Children as a vulnerable population. *Hum Ecol Risk Assess* 11: 235-238. <http://dx.doi.org/10.1080/10807030590920051>.
- Landrigan, PJ; Baker, DB. (1991). THE RECOGNITION AND CONTROL OF OCCUPATIONAL DISEASE. *JAMA J AM MED ASSOC*: 676-680.
- Landrigan, PJ; Diliberti, JH; Graef, JW; Jackson, RI; Nathenson, G. (1987). American Academy of Pediatrics Committee on Environmental Hazards: Asbestos exposure in schools. *Pediatrics* 79: 301-305.
- Landrigan, PJ; Kazemi, H. (1991). Third wave of asbestos disease: Exposure to asbestos in place: Public health control. In PJ Landrigan; H Kazemi (Eds.), *Ann N Y Acad Sci* (pp. 1-625). New York, NY: New York Academy of Sciences. <http://onlinelibrary.wiley.com/doi/10.1111/nyas.1991.643.issue-1/issuetoc>.
- Landrigan, PJ; Nicholson, WJ; Suzuki, Y; Ladou, J. (1999). The hazards of chrysotile asbestos: a critical review [Review]. *Ind Health* 37: 271-280.
- Landrigan, PJ; Ostro, B; Verberk, MM; De Wolff, FA; Verplanke A, JW; Mayer, S; Read, C; Stott, R; Couriel, JM. (1992). ENVIRONMENTAL POLLUTION AND HEALTH. *Lancet N AM ED*: 1220-1222.
- Landrigan, PJ; Ramazzini, C. (2016). Comments on the 2014 Helsinki Consensus Report on Asbestos. 82: 217-220. <http://dx.doi.org/10.1016/j.aogh.2016.01.018>.
- Laney, AS; Weissman, DN. (2012). The classic pneumoconioses: new epidemiological and laboratory observations [Review]. *Clin Chest Med* 33: 745-758. <http://dx.doi.org/10.1016/j.ccm.2012.08.005>.
- Lang, DS; Schocker, H; Hockertz, S. (2001). Effects of crocidolite asbestos on human bronchoepithelial-dependent fibroblast stimulation in coculture: the role of IL-6 and GM-CSF. *Toxicology* 159: 81-98.
- Langard, S. (1994). PREVENTION OF LUNG-CANCER THROUGH THE USE OF KNOWLEDGE ON ASBESTOS AND OTHER WORK-RELATED CAUSES - NORWEGIAN EXPERIENCES [Review]. *Scand J Work Environ Health* 20: 100-107.
- Langård, S. (2005). Nordic experience: expected decline in the incidence of mesotheliomas resulting from ceased exposure? *Med Lav* 96: 304-311.
- Langård, S. (2011). [When is cancer work-connected?]. *Tidsskr Nor Laegeforen* 131: 965-967. <http://dx.doi.org/10.4045/tidsskr.10.1027>.
- Langard, S; Waage, H. (1990). Programme for Intervention against Asbestos Related Diseases in the County of Telemark, Norway (pp. 23-26). (NIOSH/00198654). Langard, S; Waage, H.
- Lange, A. (1980). An epidemiological survey of immunological abnormalities in asbestos workers. I. Nonorgan and organ-specific autoantibodies. *Environ Res* 22: 162-175.
- Lange, A. (1980). An epidemiological survey of immunological abnormalities in asbestos workers. II. Serum immunoglobulin levels. *Environ Res* 22: 176-183.
- Lange, A. (1982). ANERGY AND AUTO IMMUNITY IN ASBESTOS EXPOSED PEOPLE (pp. 24-26). (ISSN 0004-069X EISSN 1661-4917 HEEP/84/05470). Lange, A.
- Lange, A; Garncarek, D; Tomeczko, J; Ciechanowski, G; Bisikiewicz, R. (1986). Outcome of asbestos exposure (lung fibrosis and antinuclear antibodies) with respect to skin reactivity: an 8-year longitudinal study. *Environ Res* 41: 1-13.
- Lange, A; Laba, C; Garncarek-Lange, D; Tomeczko, J; Matej, H; Nowakowska, B. (1989). RISK FACTORS OF ASBESTOS RELATED CANCERS (pp. SECAUCUS). (BIOSIS/90/02056). Lange, A; Laba, C; Garncarek-Lange, D; Tomeczko, J; Matej, H; Nowakowska, B.
- Lange, A; Nineham, LJ; Garncarek, D; Smolik, R. (1983). Circulating immune complexes and antiglobulins (IgG and IgM) in asbestos-induced lung fibrosis. *Environ Res* 31: 287-295.
- Lange, A; Skibiński, G; Garncarek, D. (1980). The follow-up study of skin reactivity to recall antigens and E- and EAC-RFC profiles in blood in asbestos workers. *Immunobiology* 157: 1-11. [http://dx.doi.org/10.1016/S0171-2985\(80\)80056-8](http://dx.doi.org/10.1016/S0171-2985(80)80056-8).
- Lange, A; Smolik, R; Chmielarczyk, W; Garncarek, D; Gielgier, Z. (1978). Cellular immunity in asbestosis. *Arch Immunol Ther Exp* 26: 899-903.
- Lange, A; Smolik, R; Garncarek, D; Chmielarczyk, W; Ciechanowski, G. (1980). SKIN REACTIVITY TO STREPTOKINASE STREPTODORNASE PURIFIED PROTEIN DERIVATIVE AND PHYTOHEMAGGLUTININ IN ASBESTOS WORKERS (pp. 26-31). (HEEP/81/07797). Lange, A; Smolik, R; Garncarek, D; Chmielarczyk, W; Ciechanowski, G.
- Lange, A; Smolik, R; Zatoński, W; Szymańska, J. (1974). Autoantibodies and serum immunoglobulin levels in asbestos workers. *Int Arch Arbeitsmed* 32: 313-325.
- Lange, H; Becher, H. (1978). CALCIFIED PLEURAL HYALINOSIS AND MALIGNANT PLEURA-MESOTHELIOMA - SIGNIFICANCE AND CONSEQUENCES OF DETECTION OF PLEURAL LATE COMPLICATIONS AFTER EXPOSURE TO ASBESTOS DUST. *Dtsch Gesundheitswesen* 33: 1275-1279.
- Lange, JH. (2004). Re: "Mesothelioma trends in the United States: an update based on surveillance, epidemiology, and end results program data for 1973 through 2003" [Review]. *Am J Epidemiol* 160: 823. <http://dx.doi.org/10.1093/aje/kwh279>.
- Lange, JH; Cegolon, L. (2015). NON-ASBESTOS CAUSES OF MESOTHELIOMA AND TRANSLOCATION OF ASBESTOS FIBRES. *Singapore Med J* 56: 361-361.

Human Health Hazard Literature Search Results

On Topic

- Lange, JH; Mastrangelo, G; Cegolon, L. (2012). Infectious disease risk in asbestos abatement workers. *BMC Public Health* 12: 665. <http://dx.doi.org/10.1186/1471-2458-12-665>.
- Lange, P; Balk-Møller, S. (1990). LUNG DISEASE PRODUCED BY ASBESTOS (pp. 3520-3524). (BIOSIS/91/11501). Lange, P; Balk-Møller, S.
- Lange, P; Balk-Møller, S; Heckscher, T; Kok-Jensen, A; Viskum, K. (1990). [Observer variation of the radiographic assessment of pulmonary changes caused by asbestos]. *Ugeskr Laeger* 152: 3524-3527.
- Langer, AM. (1974). Inorganic particles in human tissues and their association with neoplastic disease. *Environ Health Perspect* 9: 229-233.
- Langer, AM. (1981). Host rocks and gangue minerals in relation to pneumoconiosis and cancer [Editorial]. *Am J Ind Med* 2: 89-90.
- Langer, AM. (1984). MINERAL DUST AND PULMONARY LESIONS ETIOLOGICAL LINK OF EPIPHENOMENON. *Am J Ind Med* 6: 169-172.
- Langer, AM. (2008). Rapporteur's Report Session 2: characterization of fibrous minerals. *Regul Toxicol Pharmacol* 52: S73-S74. <http://dx.doi.org/10.1016/j.yrtph.2008.06.003>.
- Langer, AM; Ashley, R; Baden, V; Berkley, C; Hammond, EC; Mackler, AD; Maggiore, CJ; Nicholson, WJ; Rohl, AN; Rubin, IB; Sastre, A; Selikoff, IJ. (1973). Identification of asbestos in human tissues [Review]. *J Occup Med* 15: 287-295.
- Langer, AM; Baden, V; Hammond, EC; Selikoff, IJ. (1970). Inorganic fibers, including chrysotile, in lungs at autopsy: preliminary report. *Inhaled Particles* 2: 683-694.
- Langer, AM; Mccaughey, WT. (1982). Mesothelioma in a brake repair worker [Letter]. *Lancet* 2: 1101-1103.
- Langer, AM; Nolan, RP. (1986). The Properties of Chrysotile Asbestos as Determinants of Biological Activity. Variations in Cohort Experience and Disease Spectra as Related to Mineral Properties. *Accomplishments in Oncology* 1: 30-51.
- Langer, AM; Nolan, RP. (1989). Fibre type and burden in parenchymal tissues of workers occupationally exposed to asbestos in the United States. *IARC Sci Publ occupational Exposure to Mineral Fibres*: 330-335.
- Langer, AM; Nolan, RP. (1994). CHRYSOTILE - ITS OCCURRENCE AND PROPERTIES AS VARIABLES CONTROLLING BIOLOGICAL EFFECTS. *Ann Occup Hyg* 38: 427-451.
- Langer, AM; Nolan, RP. (1994). Chrysotile biopersistence in the lungs of persons in the general population and exposed workers. *Environ Health Perspect* 102 Suppl 5: 235-239.
- Langer, AM; Nolan, RP. (1998). Asbestos in the lungs of persons exposed in the USA. *Monaldi Arch Chest Dis* 53: 168-180.
- Langer, AM; Nolan, RP; Constantopoulos, SH; Moutsopoulos, HM. (1987). Association of Metsovo lung and pleural mesothelioma with exposure to tremolite-containing whitewash. *Lancet* 329: 965-967. [http://dx.doi.org/10.1016/S0140-6736\(87\)90305-9](http://dx.doi.org/10.1016/S0140-6736(87)90305-9).
- Langer, AM; Pooley, FD. (1973). IDENTIFICATION OF SINGLE ASBESTOS FIBRES IN HUMAN TISSUES (pp. 119-125). (EPIDEM/003714). Langer, AM; Pooley, FD.
- Langer, AM; Pooley, FD. (1974). IDENTIFICATION OF SINGLE ASBESTOS FIBERS IN HUMAN TISSUES (pp. LYON). (HEEP/75/04220). Langer, AM; Pooley, FD.
- Langer, AM; Rohl, AN; Selikoff, IJ; Harlow, GE; Prinz, M. (1980). Asbestos as a cofactor in carcinogenesis among nickel-processing workers. *Science* 209: 420-422.
- Langer, AM; Rubin, IB; Selikoff, IJ; Pooley, FD. (1972). Chemical characterization of uncoated asbestos fibers from the lungs of asbestos workers by electron microprobe analysis. *J Histochem Cytochem* 20: 735-740.
- Langer, AM; Selikoff, IJ. (1971). CHRYSOTILE ASBESTOS IN LUNGS OF RESIDENTS OF NEW-YORK CITY (pp. 161-165). (HEEP/73/08773). Langer, AM; Selikoff, IJ.
- Langer, AM; Selikoff, IJ; Sastre, A. (1971). Chrysotile asbestos in the lungs of persons in New York City. *Arch Environ Health* 22: 348-361.
- Langer, AM; Wolff, MS. (1977). Asbestos carcinogenesis [Review]. *Adv Exp Med Biol* 91: 29-55.
- Langevin, SM; O'Sullivan, MH; Valerio, JL; Applebaum, KM; Eliot, M; Mcclean, MD; Kelsey, KT. (2013). Occupational asbestos exposure is associated with head and neck cancer. *Cancer Res* 73. <http://dx.doi.org/10.1158/1538-7445.AM2013-3627>.
- Langevin, SM; O'Sullivan, MH; Valerio, JL; Pawlita, M; Applebaum, KM; Eliot, M; Mcclean, MD; Kelsey, KT. (2013). Occupational asbestos exposure is associated with pharyngeal squamous cell carcinoma in men from the greater Boston area. *Occup Environ Med* 70: 858-863. <http://dx.doi.org/10.1136/oemed-2013-101528>.
- Langhoff, MD; Kragh-Thomsen, MB; Stanislaus, S; Weinreich, UM. (2014). Almost half of women with malignant mesothelioma were exposed to asbestos at home through their husbands or sons. 61: A4902.
- Langlands, J. (1978). RESPIRATORY-FUNCTION TESTS IN ASBESTOS INSULATION WORKERS WITH NORMAL CHEST X-RAYS. *Bull Europ Physiol Resp* 14: P54-P55.
- Langlands, JH; Wallace, WF; Simpson, MJ. (1971). Insulation workers in Belfast. 2. Morbidity in men still at work. *Br J Ind Med* 28: 217-225.
- Langlois S, LP; Glancy, JJ; Henderson, DW. (1978). The radiology of malignant pleural mesothelioma in Western Australia (pp. 305-314). (HEEP/80/05270). Langlois S, LP; Glancy, JJ; Henderson, DW.
- Langner, K; Schäfer, R; Müller, KM; Göller, T. (1998). [Synovial sarcoma of the pericardium]. *Pathologe* 19: 442-446.
- Langseth, H; Andersen, A. (1999). Cancer incidence among women in the Norwegian pulp and paper industry. *Am J Ind Med* 36: 108-113. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199907\)36:1<108::AID-AJIM15>3.0.CO;2-N](http://dx.doi.org/10.1002/(SICI)1097-0274(199907)36:1<108::AID-AJIM15>3.0.CO;2-N).
- Langseth, H; Andersen, A. (2000). Cancer incidence among male pulp and paper workers in Norway. *Scand J Work Environ Health* 26: 99-105.
- Langseth, H; Johansen, BV; Nesland, JM; Kjaerheim, K. (2007). Asbestos fibers in ovarian tissue from Norwegian pulp and paper workers. *Int J Gynecol Cancer* 17: 44-49. <http://dx.doi.org/10.1111/j.1525-1438.2006.00768.x>.
- Langseth, H; Kjaerheim, K. (2004). Ovarian cancer and occupational exposure among pulp and paper employees in Norway. *Scand J Work Environ Health* 30: 356-361.
- Lanphear, BP; Buncher, CR. (1992). Latent period for malignant mesothelioma of occupational origin [Review]. *J Occup Med* 34: 718-721.

Human Health Hazard Literature Search Results

On Topic

- Lapallo, FJ; Froehlich, PA; Lewis, RJ. (1972). Asbestos Study, Chemical Sealing Corporation, Kansas City, Missouri, Health Hazard Evaluation Report No. HHE-71-049 (pp. 71-049). (NIOSH/00134921). Lapallo, FJ; Froehlich, PA; Lewis, RJ.
- Laros, CD. (1980). [Asbestos: report of the symposium of the same name held in memory of Prof. J. Swieringa]. *Ned Tijdschr Geneeskd* 124: 2224-2228.
- Larrouy, C; Tandjaoui-Lambiotte, H; Mellat, M; Fabre, C; Defrejacques, C; Adotti, F; Piquet, J. (1990). [Environmental interstitial pneumonia caused by asbestos. Study of a Turkish family exposed to tremolite]. *Rev Pneumol Clin* 46: 78-82.
- Larsen, G. (1989). Experimental Data on In Vitro Fibre Solubility (pp. 134-139). (ISSN 0300-5038 NIOSH/00191517). Larsen, G.
- Larsen, LB. (1974). Health Hazard Evaluation Report No. HHE-73-135-138, Kaiser Permanente Cement Company, Lucerne Valley, California (pp. 73-135). (NIOSH/00027956). Larsen, LB.
- Larson, T; Ge, M; Antao, VC. (2013). Factors Associated With The Incidence Of Asbestos-Related Pleural Abnormalities During Nine Years Of Screening In Libby, Montana. *Am J Respir Crit Care Med* 187.
- Larson, T; Meyer, C; Kapil, V; Gurney, J; Tarver, R; Black, C; Lockey, J. (2010). Workers with Libby amphibole exposure: retrospective identification and progression of radiographic changes. *Radiology* 255: 924-933. <http://dx.doi.org/10.1148/radiol.10091447>.
- Larson, TC; Antao, VC; Bove, FJ. (2010). Vermiculite worker mortality: Estimated effects of occupational exposure to Libby amphibole. *J Occup Environ Med* 52: 555-560. <http://dx.doi.org/10.1097/JOM.0b013e3181dc6d45>.
- Larson, TC; Antao, VC; Bove, FJ; Cusack, C. (2012). Association between cumulative fiber exposure and respiratory outcomes among Libby vermiculite workers. *J Occup Environ Med* 54: 56-63. <http://dx.doi.org/10.1097/JOM.0b013e31823c141c>.
- Larson, TC; Lewin, M; Gottschall, EB; Antao, VC; Kapil, V; Rose, CS. (2012). Associations between radiographic findings and spirometry in a community exposed to Libby amphibole. *Occup Environ Med* 69: 361-366. <http://dx.doi.org/10.1136/oemed-2011-100316>.
- Lash, TL; Crouch, EA; Green, LC. (1997). A meta-analysis of the relation between cumulative exposure to asbestos and relative risk of lung cancer. *Occup Environ Med* 54: 254-263.
- Lashner, BA. (1992). Risk factors for small bowel cancer in Crohn's disease. *Dig Dis Sci* 37: 1179-1184.
- Lasky, JA; Badgett, A; Brody, AR; Bonner, JC. (1991). THE EFFECT OF CHRYSOTILE ASBESTOS ON THE SECRETION OF PLATELET-DERIVED GROWTH FACTOR BY RAT LUNG FIBROBLASTS IN-VITRO (pp. 12-15). (BIOSIS/91/23362). Lasky, JA; Badgett, A; Brody, AR; Bonner, JC.
- Lasky, JA; Bonner, JC; Brody, AR. (1991). The pathobiology of asbestos-induced lung disease: a proposed role for macrophage-derived growth factors [Review]. *Ann N Y Acad Sci* 643: 239-244.
- Lasky, JA; Bonner, JC; Tonthat, B; Brody, AR. (1996). Chrysotile asbestos induces PDGF-A chain-dependent proliferation in human and rat lung fibroblasts in vitro. *Chest* 109: 26S-28S.
- Lasky, JA; Brody, AR; Bonner, JC. (1992). RAT LUNG MYOFIBROBLASTS ARE STIMULATED TO SECRETE PLATELET-DERIVED GROWTH FACTOR AND TO PROLIFERATIVE IN-VITRO BY CHRYSOTILE ASBESTOS FIBERS (pp. 17-20). (BIOSIS/92/22141). Lasky, JA; Brody, AR; Bonner, JC.
- Lasky, JA; Coin, PG; Lindroos, PM; Ostrowski, LE; Brody, AR; Bonner, JC. (1995). Chrysotile asbestos stimulates platelet-derived growth factor-AA production by rat lung fibroblasts in vitro: evidence for an autocrine loop. *Am J Respir Cell Mol Biol* 12: 162-170. <http://dx.doi.org/10.1165/ajrcmb.12.2.7865215>.
- Lasky, JA; Tonthat, BH; Liu, JY; Friedman, M; Brody, AR. (1998). Upregulation of the PDGF-alpha receptor precedes asbestos-induced lung fibrosis in rats. *Am J Respir Crit Care Med* 157: 1652-1657.
- Laub, G. (1963). [ACCIDENT AND HEALTH PROTECTION OF ASBESTOS-PROCESSING WORKERS]. *Zentralbl Arbeitsmed Arbeitsschutz* 13: 181-186.
- Lauchlan, SC. (1994). The secondary müllerian system revisited [Review]. *Int J Gynecol Pathol* 13: 73-79.
- Laurent, F. (2011). [Imaging and postoccupational surveillance after exposure to asbestos: new recommendations] [Editorial]. *J Radiol* 92: 367-368. <http://dx.doi.org/10.1016/j.jradio.2011.05.003>.
- Lauriola, M; Bua, L; Chiozzotto, D; Manservigi, F; Panetta, A; Martorana, G; Belpoggi, F. (2012). Urinary apparatus tumours and asbestos: the Ramazzini Institute caseload. *Arch Ital Urol Androl* 84: 189-196.
- Lauritsen, JM; Hansen, KS. (1996). Lung cancer mortality in stainless steel and mild steel welders: a nested case-referent study. *Am J Ind Med* 30: 383-391. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199610\)30:4<383::AID-AJIM2>3.0.CO;2-X](http://dx.doi.org/10.1002/(SICI)1097-0274(199610)30:4<383::AID-AJIM2>3.0.CO;2-X).
- Lavappa, KS; Fu, MM; Epstein, SS. (1975). Cytogenetic studies on chrysotile asbestos. *Environ Res* 10: 165-173.
- Lavelle, SM; Maclomhair, M. (1991). ASBESTOS A FOREIGN-BODY SARCOMA-INDUCER? (pp. 3-6). (BIOSIS/92/04884). Lavelle, SM; Maclomhair, M.
- Lavelle, SM; Walton, PW; Iomhair, MM. (2004). Effect of irradiation, asbestos and chemical cocarcinogens on incidence of sarcoma on implants. *Technol Health Care* 12: 217-223.
- Law, MR; Smith, MJ; Millband, C; Haslam, PL; Hodson, ME. (1985). IMMUNE FUNCTION AND SURVIVAL IN PLEURAL MESOTHELIOMA. *Clin Exp Immunol* 61: 214-215.
- Law, MR; Ward, FG; Hodson, ME; Heard, BE. (1983). Evidence for longer survival of patients with pleural mesothelioma without asbestos exposure. *Thorax* 38: 744-746.
- Lawrence, EC; Fox, TB; Hall, BT; Putman, M; Greenberg, SD; Mace, ML; Dodson, RF; Martin, RR. (1983). EFFECTS OF AMOSITE ASBESTOS ON HUMAN PULMONARY ALVEOLAR MACROPHAGE FUNCTIONS. *Am Rev Respir Dis* 127: 61-61.
- Lawrence, EC; McClung, HW; Wilson, RK; Key, MM; Dodson, RM; Hurst, GA. (1982). Alteration of in vitro immunoglobulin secretion by amosite asbestos. *J Immunol* 129: 1931-1935.
- Lawther, PJ. (1971). Asbestos: some nonradiological aspects. *Proc R Soc Med* 64: 833-834.
- Lawther, PJ; Waller, RE. (1976). Coal fires, industrial emissions and motor vehicles as sources of environmental carcinogens [Review]. *IARC Sci Publ* 27-40.

Human Health Hazard Literature Search Results

On Topic

- Lazarus, A; Massoumi, A; Hostler, J; Hostler, DC. (2012). Asbestos-related pleuropulmonary diseases: benign and malignant [Review]. *Postgrad Med* 124: 116-130. <http://dx.doi.org/10.3810/pgm.2012.05.2555>.
- Lazarus, AA; Philip, A. (2011). Asbestosis [Review]. 57: 14-26. <http://dx.doi.org/10.1016/j.disamonth.2010.11.004>.
- Le Bouffant, L; Bruyère, S; Daniel, H; Tichoux, G. (1979). [Behaviour of asbestos fibres in the respiratory system as revealed by animal experiments (author's transl)]. *Rev Fr Mal Respir* 7: 707-716.
- Le Bouffant, L; Daniel, H; acirc; Enin, JP; Martin, JC. (1985). Carcinogenicity of chrysotile fibres shorter than 5 |m. *Cahiers de notes documentaires S and acirc*: 83-89.
- Le Bouffant, L; Martin, JC; Durif, S; Daniel, H. (1974). STRUCTURE AND COMPOSITION OF PLEURAL PLAQUES (pp. LYON). (HEEP/75/04241). Le Bouffant, L; Martin, JC; Durif, S; Daniel, H.
- Le Gales, C; Oudiz, A. (1984). [Methodologic contribution to determining maximum occupational exposure levels for asbestos. Exposure-risk relation and economic criteria]. *Rev Epidemiol Sante Publique* 32: 113-121.
- Le, GV; Takahashi, K; Park, EK; Delgermaa, V; Oak, C; Qureshi, AM; Aljunid, SM. (2011). Asbestos use and asbestos-related diseases in Asia: past, present and future. *Respirology* 16: 767-775. <http://dx.doi.org/10.1111/j.1440-1843.2011.01975.x>.
- Le Marc'hadour, F; Péoc'h, M; Pasquier, B; Leroux, D. (1994). Cardiac synovial sarcoma with translocation (X;18) associated with asbestos exposure [Letter]. *Cancer* 74: 986.
- Le Moual, N; Orłowski, E; Schenker, MB; Avignon, M; Brochard, P; Kauffmann, F. (1995). Occupational exposures estimated by means of job exposure matrices in relation to lung function in the PAARC survey. *Occup Environ Med* 52: 634-643. <http://dx.doi.org/10.1136/oem.52.10.634>.
- Le Neindre, B; Bouvier, V; Galateau-Sallé, F; de Quillacq, A; Launoy, G; Letourneux, M. (2007). [Compensation of malignant mesothelioma as an occupational disease in Lower Normandy, from 1995 to 2002]. *Rev Epidemiol Sante Publique* 55: 123-131. <http://dx.doi.org/10.1016/j.respe.2006.10.002>.
- Leanderson, P. (1992). HYDROGEN-PEROXIDE RELEASE AND HYDROXYL RADICAL FORMATION IN MIXTURES CONTAINING MINERAL FIBERS AND HUMAN NEUTROPHILS. *Br J Ind Med* 49: 745-749.
- Leanderson, P; Sahle, W. (1995). Formation of hydroxyl radicals and toxicity of tungsten oxide fibres. *Toxicol In Vitro* 9: 175-183. [http://dx.doi.org/10.1016/0887-2333\(94\)00197-3](http://dx.doi.org/10.1016/0887-2333(94)00197-3).
- Leanderson, P; Soderkvist, P; Tagesson, C; Axelson, O. (1988). Formation of 8-hydroxydeoxyguanosine by asbestos and man made mineral fibres. *Occup Environ Med* 45: 309-311.
- Leanderson, P; Tagesson, C. (1994). Cigarette tar promotes neutrophil-induced DNA damage in cultured lung cells. *Environ Res* 64: 103-111. <http://dx.doi.org/10.1006/enrs.1994.1009>.
- Leathart, GL. (1972). Clinical Aspects Of Respiratory Disease Due To Mining (pp. 83-98). (NIOSH/00156130). Leathart, GL.
- Lebedeva, EA. (1971). [The state of the genitals of workers in tire and asbestos factories]. 47: 74-75.
- Lebedova, J; Dlouha, B; Rychla, L; Neuwirth, J; Brabec, M; Pelclova, D; Fenclova, Z. (2003). Lung function impairment in relation to asbestos-induced pleural lesions with reference to the extent of the lesions and the initial parenchymal fibrosis. *Scand J Work Environ Health* 29: 388-395. <http://dx.doi.org/10.5271/sjweh.745>.
- Lebouffant, L; Bruyere, S; Daniel, H; Tichoux, G. (1979). BEHAVIOR OF ASBESTOS FIBERS IN THE RESPIRATORY SYSTEM AS REVEALED BY ANIMAL-EXPERIMENTS. *Rev Fr Mal Respir* 7: 707-716.
- Lebouffant, L; Bruyere, S; Daniel, H; Tichoux, G. (1979). BEHAVIOR OF ASBESTOS FIBERS IN THE RESPIRATORY SYSTEM AS SHOWN BY ANIMAL-EXPERIMENTS. *Thorax* 34: 693-694.
- Lebovits, AH; Byrne, M; Bernstein, J; Strain, JJ. (1988). CHRONIC OCCUPATIONAL EXPOSURE TO ASBESTOS - MORE THAN MEDICAL EFFECTS. *J Occup Environ Med* 30: 49-54.
- Lebovits, AH; Chahinian, AP; Gorzynski, JG; Holland, JC. (1981). Psychological aspects of asbestos-related mesothelioma and knowledge of high risk for cancer. *Cancer Detect Prev* 4: 181-184.
- Lebovits, AH; Chahinian, AP; Holland, JC. (1983). Exposure To Asbestos: Psychological Responses Of Mesothelioma Patients. *Am J Ind Med* 4: 459-466.
- Lebowitz, MD. (1976). OCCUPATIONAL EXPOSURES IN RELATION TO SYMPTOMATOLOGY AND LUNG FUNCTION IN A COMMUNITY POPULATION. *Am Rev Respir Dis* 113.
- Lebowitz, MD. (1977). Occupational exposures in relation to symptomatology and lung function in a community population. *Environ Res* 14: 59-67.
- Lebowitz, MD. (1983). Health effects of indoor pollutants. *Annu Rev Public Health* 4: 203-221. <http://dx.doi.org/10.1146/annurev.pu.04.050183.001223>.
- Lechner, JF; Gerwin, BI; Laveck, MA; Gabrielson, EW; Reddel, RR; Ke, Y; Harris, CC. (1987). NORMAL HUMAN MESOTHELIAL CELLS ARE RESPONSIVE TO UNUSUAL COMBINATIONS OF GROWTH FACTORS (pp. 20-23). (BIOSIS/87/26735). Lechner, JF; Gerwin, BI; Laveck, MA; Gabrielson, EW; Reddel, RR; Ke, Y; Harris, CC.
- Lechner, JF; Gerwin, BI; Laveck, MA; Reddel, RR; Somers, AN; Harris, CC. (1988). AUTOGENOUS GROWTH FACTORS THEIR POSSIBLE ROLE IN THE GENESIS OF MESOTHELIOMA. (BIOSIS/88/27112). Lechner, JF; Gerwin, BI; Laveck, MA; Reddel, RR; Somers, AN; Harris, CC.
- Lechner, JF; Tokiwa, T; Curren, RD; Yeager, H; Harris, CC. (1983). EFFECTS OF ASBESTOS ON CULTURED HUMAN-LUNG EPITHELIAL AND MESOTHELIAL CELLS. *Proc Am Assoc Cancer Res* 24: 58-58.
- Lechner, JF; Tokiwa, T; Laveck, M; Benedict, WF; Banks-Schlegel, S; Yeager, H; Banerjee, A; Harris, CC. (1985). Asbestos-associated chromosomal changes in human mesothelial cells. *Proc Natl Acad Sci USA* 82: 3884-3888.

Human Health Hazard Literature Search Results

On Topic

- Leclerc, A; Goldberg, M; Goldberg, P; Deloumeaux, J; Fuhrer, R. (1987). Geographical distribution of respiratory cancer in New Caledonia. *Arch Environ Health* 42: 315-320. <http://dx.doi.org/10.1080/00039896.1987.9935827>.
- Lecomte, C; Andujar, P; Renier, A; Kheuang, L; Abramowski, V; Mellottee, L; Fleury-Feith, J; Zucman-Rossi, J; Giovannini, M; Jaurand, MC. (2005). Similar tumor suppressor gene alteration profiles in asbestos-induced murine and human mesothelioma. *Cell Cycle* 4: 1862-1869. <http://dx.doi.org/10.4161/cc.4.12.2300>.
- Lederer, E. (1973). [Asbestos dust]. *Z Allgemeinmed* 49: 35-36.
- Lee, BW; Wain, JC; Kelsey, KT; Wiencke, JK; Christiani, DC. (1998). Association of cigarette smoking and asbestos exposure with location and histology of lung cancer. *Am J Respir Crit Care Med* 157: 748-755. <http://dx.doi.org/10.1164/ajrccm.157.3.9707025>.
- Lee, CS; Park, HM; Sohn, TJ. (1977). FINE STRUCTURAL STUDY ON CHANGES OF ALVEOLAR WALL INDUCED BY ASBESTOS FIBERS (pp. 145-152). (HEEP/79/07937). Lee, CS; Park, HM; Sohn, TJ.
- Lee D, HK. (1974). BIOLOGICAL EFFECTS OF INGESTED ASBESTOS REPORT AND COMMENTARY. *Environ Health Perspect* 9: 113-122.
- Lee, DH. (1974). Biological effects of ingested asbestos: report and commentary [Review]. *Environ Health Perspect* 9: 113-122.
- Lee, DH; Selikoff, IJ. (1979). Historical background to the asbestos problem. *Environ Res* 18: 300-314.
- Lee, EK; Kim, JS; Kim, Y; Park, JS. (2015). CT Findings in People Who Were Environmentally Exposed to Asbestos in Korea. *J Korean Med Sci* 30: 1896-1901. <http://dx.doi.org/10.3346/jkms.2015.30.12.1896>.
- Lee, HE; Kim, HR. (2010). Occupational respiratory cancer in Korea [Review]. *J Korean Med Sci* 25: S94-S98. <http://dx.doi.org/10.3346/jkms.2010.25.S.S94>.
- Lee, HS; Phoon, WH; Wang, SY; Tan, KP. (1996). Occupational respiratory diseases in Singapore. *Singapore Med J* 37: 160-164.
- Lee, IM; Hennekens, CH; Trichopoulos, D; Buring, JE. (1995). Man-made vitreous fibers and risk of respiratory system cancer: a review of the epidemiologic evidence [Review]. *J Occup Environ Med* 37: 725-738.
- Lee, KH; Yoon, HS; Choi, SJ; Kang, D. (2009). Asbestos exposure and malignant mesothelioma in Korea. *Asian Pac J Cancer Prev* 10: 707-710.
- Lee, KP. (1985). LUNG RESPONSE TO PARTICULATES WITH EMPHASIS ON ASBESTOS AND OTHER FIBROUS DUSTS [Review]. *CRC Crit Rev Toxicol* 14: 33-86. <http://dx.doi.org/10.3109/10408448509023764>.
- Lee, KP; Barras, CE; Griffith, FD; Waritz, RS; Lapin, CA. (1981). Comparative pulmonary responses to inhaled inorganic fibers with asbestos and fiberglass. *Environ Res* 24: 167-191.
- Lee, M; Schurch, S; Green, F. (1991). CHANGES IN ADHESION PATTERNS OF RAT MESOTHELIOMA CELLS INDUCED BY ASBESTOS (pp. 24-28). (BIOSIS/91/14318). Lee, M; Schurch, S; Green, F.
- Lee, MM; Green F, HY; Demetrick, DJ; Jiang-X, X; Schurch, S. (1993). A study of surface property changes in rat mesothelial cells induced by asbestos using aqueous two-phase polymer solutions. *Biochim Biophys Acta* 1181: 223-232.
- Lee, MM; Green, FH; Schoel, WM; Schürch, S. (1994). Cell-substrate adhesion and metastatic potential of cultured mesothelioma cells induced by asbestos. *Biochim Biophys Acta* 1226: 151-162.
- Lee, PN. (1981). Assessing the risks of cancer. *Cancer Detect Prev* 4: 15-23.
- Lee, PN. (2001). Relation between exposure to asbestos and smoking jointly and the risk of lung cancer [Review]. *Occup Environ Med* 58: 145-153.
- Lee, R; Van Orden, D. (2015). Asbestos in commercial cosmetic talcum powder as a cause of mesothelioma in women [Letter]. *Int J Occup Environ Health* 21: 337-341. <http://dx.doi.org/10.1080/10773525.2015.1122370>.
- Lee, RJ; Strohmeier, BR; Bunker, KL; Van Orden, DR. (2008). Naturally occurring asbestos - A recurring public policy challenge [Review]. *J Hazard Mater* 153: 1-21. <http://dx.doi.org/10.1016/j.jhazmat.2007.11.079>.
- Lee, S; Hayashi, H; Mastuzaki, H; Kumagai-Takei, N; Otsuki, T. (2017). Silicosis and autoimmunity. *Curr Opin Allergy Clin Immunol*. <http://dx.doi.org/10.1097/ACI.0000000000000350>.
- Lee, S; Matsuzaki, H; Maeda, M; Yamamoto, S; Kumagai-Takei, N; Hatayama, T; Ikeda, M; Yoshitome, K; Nishimura, Y; Otsuki, T. (2017). Accelerated cell cycle progression of human regulatory T cell-like cell line caused by continuous exposure to asbestos fibers. *Int J Oncol* 50: 66-74. <http://dx.doi.org/10.3892/ijo.2016.3776>.
- Lee, SD. (1991). RISK ASSESSMENT AND RISK MANAGEMENT OF NONCRITERIA POLLUTANTS (pp. PRINCETON). (BIOSIS/92/07520). Lee, SD.
- Lee, SH; Shin, M; Lee, KJ; Lee, SY; Lee, JT; Lee, YH. (1999). Frequency of sister chromatid exchange in chrysotile-exposed workers. *Toxicol Lett* 108: 315-319.
- Lee, TC; Gold, LI; Reibman, J; Aston, C; Begin, R; Rom, WN; Jagirdar, J. (1997). Immunohistochemical localization of transforming growth factor-beta and insulin-like growth factor-I in asbestosis in the sheep model. *Int Arch Occup Environ Health* 69: 157-164. <http://dx.doi.org/10.1007/s004200050132>.
- Lee, W-K; S-H, K; Cha, SH; K-H, L. (1997). MECHANISM OF OXYGEN RADICAL GENERATION IN ASBESTOS-STIMULATED ALVEOLAR MACROPHAGE (pp. SEOUL). (BIOSIS/98/14785). Lee W-K; Kim S-H; Cha, SH; Lee K-H.
- Lee, WS; Kim, SR; Moon, H; Choe, YH; Park, SJ; Lee, HB; Jin, GY; Chung, MJ; Lee, YC. (2009). Pulmonary crystal-storing histiocytoma in a patient without a lymphoproliferative disorder. *Am J Med Sci* 338: 421-424. <http://dx.doi.org/10.1097/MAJ.0b013e3181ad3feb>.
- Lee, YC; De Klerk, NH; Musk, AW. (1999). Asbestos-related pleural disease in Western Australian gold-miners. *Med J Aust* 170: 263-265.
- Lee, YI; Lee, SG; Kang, DM; Kim, JE; Kim, YK; Leem, JH; Kim, HC. (2014). Work-relatedness of lung cancer by smoking and histologic type in Korea. 26: 43. <http://dx.doi.org/10.1186/s40557-014-0043-y>.
- Leelahagul, P; Bovornkitti, S. (2015). Plasma adipokine levels in Thais. *Asian Pac J Allergy Immunol* 33: 59-64. <http://dx.doi.org/10.12932/AP0501.33.1.2015>.

Human Health Hazard Literature Search Results

On Topic

- Leem, JH; Kim, HC; Ryu, JS; Won, JU; Moon, JD; Kim, YC; Koh, SB; Yong, SJ; Kim, SG; Park, JY; Kim, I; Kim, JI; Kim, JW; Lee, EC; Kim, HR; Kim, DH; Kang, DM; Hong, YC. (2010). Occupational lung cancer surveillance in South Korea, 2006-2009. *Saf Health Work* 1: 134-139. <http://dx.doi.org/10.5491/SHAW.2010.1.2.134>.
- Leermakers, ME; Roumen, RM. (2011). [A man with pleural lesions]. *Ned Tijdschr Geneesk* 155: A1369.
- Lefevre, ME; Hammer, R; Joel, DD. (1979). Macrophages of the mammalian small intestine: a review [Review]. *J Reticuloendothel Soc* 26: 553-573.
- Lefevre, ME; Warren, JB; Joel, DD. (1985). Particles and macrophages in murine Peyer's patches. *Exp Cell Biol* 53: 121-129.
- Legaspi Velasco, JA. (1987). Diseases caused by asbestos. (CIS/88/00261). Legaspi Velasco, JA.
- Legha, SS; Muggia, FM. (1977). Pleural mesothelioma: clinical features and therapeutic implications. *Ann Intern Med* 87: 613-621.
- Lehnert, BE; Oberdorster, G. (1993). Fate of Fibers in the Lower Respiratory Tract and Fiber-Induced Lung Diseases (pp. 349-393). (NIOSH/00227938). Lehnert, BE; Oberdorster, G.
- Lehnert, BE; Valdez, YE; Bomalaski, SH. (1985). Lung and pleural "free-cell responses" to the intrapulmonary deposition of particles in the rat. *J Toxicol Environ Health* 16: 823-839. <http://dx.doi.org/10.1080/15287398509530791>.
- Lehnert, G; Raithel, HJ; Valentin, H. (1992). ASBESTOS EXPOSURE, ASBESTOSIS AND LUNG-CANCER. *Arbeitsmedizin, Sozialmedizin, Praeventivmedizin* 27: 96-101.
- Lehrer, SB; Bozelka, BE; Hammad, Y; Mccants, MJ. (1988). CHANGES IN LUNG LYMPHOID CELL COMPOSITION IN MICE FOLLOWING ASBESTOS EXPOSURE (pp. 8-11). (BIOSIS/88/23580). Lehrer, SB; Bozelka, BE; Hammad, Y; Mccants, MJ.
- Lehtimäki, L; Oksa, P; Järvenpää, R; Vierikko, T; Nieminen, R; Kankaanranta, H; Uitti, J; Moilanen, E. (2010). Pulmonary inflammation in asbestos-exposed subjects with borderline parenchymal changes on HRCT. *Respir Med* 104: 1042-1049. <http://dx.doi.org/10.1016/j.rmed.2010.01.019>.
- Lehtonen, H; Oksa, P; Lehtimäki, L; Sepponen, A; Nieminen, R; Kankaanranta, H; Saarelainen, S; Järvenpää, R; Uitti, J; Moilanen, E. (2007). Increased alveolar nitric oxide concentration and high levels of leukotriene B(4) and 8-isoprostane in exhaled breath condensate in patients with asbestosis. *Thorax* 62: 602-607. <http://dx.doi.org/10.1136/thx.2006.067868>.
- Leibowitz, MC; Goldstein, B. (1987). Some investigations into the nature and cause of massive fibrosis (MF) in the lungs of South African gold, coal, and asbestos mine workers. *Am J Ind Med* 12: 129-143.
- Leigh, J; Corvalán, CF; Grimwood, A; Berry, G; Ferguson, DA; Thompson, R. (1991). The incidence of malignant mesothelioma in Australia 1982-1988. *Am J Ind Med* 20: 643-655.
- Leigh, J; Davidson, P; Hendrie, L; Berry, D. (2002). Malignant mesothelioma in Australia, 1945-2000. *Am J Ind Med* 41: 188-201. <http://dx.doi.org/10.1002/ajim.10047>.
- Leigh, J; Driscoll, T. (2003). Malignant mesothelioma in Australia, 1945-2002. *Int J Occup Environ Health* 9: 206-217. <http://dx.doi.org/10.1179/oeh.2003.9.3.206>.
- Leigh, J; Henderson, D. (2006). The epidemiology of malignant mesothelioma. *J Occup Health Saf Aust New Zeal* 22: 441-447.
- Leigh, J; Henderson, D. (2006). Lung cancer related to asbestos exposure: Causation and compensation. *J Occup Health Saf Aust New Zeal* 22: 449-462.
- Leigh, J; Hendrie, L; Berry, D. (1998). The incidence of mesothelioma in Australia 1993 to 1995 - Australian Mesothelioma Register report, 1998. (CIS/99/01197). Leigh, J; Hendrie, L; Berry, D.
- Leigh, J; Rogers, AJ; Ferguson, DA; Mulder, HB; Ackad, M; Thompson, R. (1991). Lung asbestos fiber content and mesothelioma cell type, site, and survival. *Cancer* 68: 135-141.
- Leigh, JP. (1987). Estimates of the Probability of Job-Related Death in 347 Occupation. *J Occup Med* 29: 510-519.
- Leigh, JP; Miller, TR. (1998). Job-related diseases and occupations within a large workers' compensation data set. *Am J Ind Med* 33: 197-211.
- Leikauf, GD; Fink, SP; Miller, ML; Lockey, JE; Driscoll, KE. (1995). Refractory ceramic fibers activate alveolar macrophage eicosanoid and cytokine release. *J Appl Physiol* 78: 164-171.
- Leiman, G. (1991). Asbestos bodies in fine needle aspirates of lung masses. Markers of underlying pathology. *Acta Cytol* 35: 171-174.
- Leiman, G; Markowitz, S. (1986). Asbestos bodies in pulmonary fine needle aspirates: a more sinister finding than in other cytologic specimens? [Letter]. *Acta Cytol* 30: 555-556.
- Leineweber, JP. (1981). FIBER TOXICOLOGY. *J Occup Med* 23: 431-434.
- Leivo-Korpela, S; Lehtimäki, L; Nieminen, R; Oksa, P; Vierikko, T; Jarvenpaa, R; Uitti, J; Moilanen, E. (2012). Adipokine adiponin is associated with the degree of lung fibrosis in asbestos-exposed workers. *Respir Med* 106: 1435-1440. <http://dx.doi.org/10.1016/j.rmed.2012.07.003>.
- Lem; acirc; Enager, J; Fabre, J; Boulter, A; Caillard, JF; Brun, J. (1981). Review of the medical records of workers in an asbestos spinning plant. The relevance of radiography and lung function tests (70 cases). 10: 873-877.
- Lemahö, S; Bignon, J; Lambre, C; Jaurand, MC; Masse, R. (1984). EARLY CELLULAR AND BIOCHEMICAL ALVEOLAR RESPONSES FOLLOWING INTRA-TRACHEAL INOCULATION WITH LOW-DOSE OF ASBESTOS AND QUARTZ. *Arch Immunol Ther Exp* 32: 85-98.
- Lemaire, I. (1985). CHARACTERIZATION OF THE BRONCHOALVEOLAR CELLULAR-RESPONSE IN EXPERIMENTAL ASBESTOSIS - DIFFERENT REACTIONS DEPENDING ON THE FIBROGENIC POTENTIAL. *Am Rev Respir Dis* 131: 144-149.
- Lemaire, I. (1991). Selective differences in macrophage populations and monokine production in resolving pulmonary granuloma and fibrosis. *Am J Pathol* 138: 487-495.
- Lemaire, I; Beaudoin, H. (1984). ENHANCED INTERLEUKIN-1 PRODUCTION BY ALVEOLAR MACROPHAGES IN EXPERIMENTAL ASBESTOSIS (pp. 14-17). (HEEP/85/05694). Lemaire, I; Beaudoin, H.
- Lemaire, I; Beaudoin, H; Dubois, C. (1986). Cytokine regulation of lung fibroblast proliferation. Pulmonary and systemic changes in asbestos-induced pulmonary fibrosis. *Am Rev Respir Dis* 134: 653-658. <http://dx.doi.org/10.1164/arrd.1986.134.4.653>.

Human Health Hazard Literature Search Results

On Topic

- Lemaire, I; Beaudoin, H; Gingras, D; Dubois, C. (1983). EFFECT OF ASBESTOS ON THE ABILITY OF LYMPHOCYTES TO PRODUCE FIBROBLAST GROWTH INHIBITORY FACTOR (pp. 8-11). (ISSN 0003-0805 HEEP/84/08865). Lemaire, I; Beaudoin, H; Gingras, D; Dubois, C.
- Lemaire, I; Beaudoin, H; Masse, S; Grondin, C. (1986). Alveolar macrophage stimulation of lung fibroblast growth in asbestos-induced pulmonary fibrosis. *Am J Pathol* 122: 205-211.
- Lemaire, I; Dionne, PG; Nadeau, D; Dunnigan, J. (1989). Rat lung reactivity to natural and man-made fibrous silicates following short-term exposure. *Environ Res* 48: 193-210.
- Lemaire, I; Dubois, C. (1983). In vitro suppression of fibroblast growth inhibitory lymphokine production by asbestos. *Clin Exp Immunol* 53: 239-248.
- Lemaire, I; Dubois, C; Grondin, C; Gingras, D. (1986). Immunoregulation of lung fibroblast growth: alteration in asbestos-induced pulmonary fibrosis. *Clin Exp Immunol* 66: 201-208.
- Lemaire, I; Gingras, D; Dubois, C. (1982). SUPPRESSION OF GROWTH INHIBITORY LYMPHOKINE PRODUCTION BY ASBESTOS (pp. 380-380). (ISSN 0192-0561 EISSN 0192-0561 HEEP/83/13467). Lemaire, I; Gingras, D; Dubois, C.
- Lemaire, I; Gingras, D; Lemaire, S. (1982). THYMIDINE INCORPORATION BY LUNG FIBROBLASTS AS A SENSITIVE ASSAY FOR BIOLOGICALACTIVITY OF ASBESTOS (pp. 399-409). (ISSN 0013-9351; EISSN 1096-0953; EMICBACK/46565). Lemaire, I; Gingras, D; Lemaire, S.
- Lemaire, I; Gingras, D; Lemaire, S. (1986). EFFECTS OF CHRYSOTILE ASBESTOS ON DNA SYNTHESIS AND GROWTH OF HUMAN EMBRYONIC LUNG FIBROBLASTS (pp. 169-180). (ISSN 0731-8898 EMICBACK/66123). HASKELL LAB.
- Lemaire, I; Gingras, G; Lemaire, S. (1983). THYMIDINE INCORPORATION BY LUNG FIBROBLASTS AS A SENSITIVE ASSAY FOR BIOLOGICAL-ACTIVITY OF ASBESTOS. *Environ Health Perspect* 51: 373-373.
- Lemaire, I; Grondin, C; Bégin, R. (1984). Collagenolytic activity from circulating polymorphonuclear leucocytes of patients with asbestosis. *Experientia* 40: 736-737.
- Lemaire, I; Lemay, S. (1985). SEPARATION OF SUBPOPULATIONS OF ALVEOLAR MACROPHAGES FROM CONTROL AND ASBESTOS-EXPOSED RATS ON CONTINUOUS GRADIENTS OF PERCOLL (pp. 21-26). (BIOSIS/85/10627). Lemaire, I; Lemay, S.
- Lemaire, I; Nadeau, D; Bégin, R. (1981). Significant Increases of Cyclic AMP and Alkaline Phosphatase in Bronchoalveolar Lavage Fluids of Sheep Exposed to Asbestos. *Res Comm Chem Pathol Pharmacol* 33: 567-570.
- Lemaire, I; Nadeau, D; Dunnigan, J; Massé, S. (1985). An assessment of the fibrogenic potential of very short 4T30 chrysotile by intratracheal instillation in rats. *Environ Res* 36: 314-326.
- Lemaire, I; Ouellet, S. (1996). Distinctive profile of alveolar macrophage-derived cytokine release induced by fibrogenic and nonfibrogenic mineral dusts. *J Toxicol Environ Health* 47: 465-478. <http://dx.doi.org/10.1080/009841096161618>.
- Lemaire, I; Rola-Pleszczynski, M; Bégin, R. (1983). Asbestos exposure enhances the release of fibroblast growth factor by sheep alveolar macrophages. *J Reticuloendothel Soc* 33: 275-285.
- Lemaire, I; Sirois, P; Rola-Pleszczynski, M; Masse, S; Bégin, R. (1981). Early biochemical reactions in the lung of sheep exposed to asbestos: Evidence for cyclic AMP accumulation in bronchoalveolar lavage fluids. *Lung* 159: 323-332.
- Lemaire, S; Lemaire, I. (1981). Asbestos-elicited catecholamine secretion from isolated bovine adrenal chromaffin cells. *Life Sci* 29: 1117-1124.
- Lemasters, G; Lockey, J; Rice, C; Lu, J; Hansen, K; Simpson, S; Levin, L; Gartside, P; Wiesenhahn, D; Feldman, D. (1992). PLEURAL PLAQUES A MARKER OF EXPOSURE TO REFRACTORY CERAMIC FIBERS? (pp. 9-12). (BIOSIS/93/08639). Lemasters, G; Lockey, J; Rice, C; Lu, J; Hansen, K; Simpson, S; Levin, L; Gartside, P; Wiesenhahn, D; Feldman, D.
- Lemen, R. (1987). REPORT ON CANCER RISKS ASSOCIATED WITH THE INGESTION OF ASBESTOS. *Environ Health Perspect* 72: 253-265.
- Lemen, RA. (1986). Occupationally Induced Lung Cancer Epidemiology (pp. 1985-1986). (ISSN 0143-3334 EISSN 1460-2180 NIOSH/00170167). Lemen, RA.
- Lemen, RA. (1990). NIOSH Comments to DOL on the Occupational Safety and Health Administration's Notice of Proposed Rulemaking on Occupational Exposure to Asbestos, Tremolite, Anthophyllite, and Actinolite. 17.
- Lemen, RA. (1990). NIOSH Testimony on Asbestos Before the Subcommittee on Toxic Substances, Environmental Oversight, Research and Development Committee on Environment and Public Works by Richard A. Lemen, April 26, 1990. 8.
- Lemen, RA. (1990). NIOSH Testimony to DOL on the Occupational Safety and Health Administration's Notice of Proposed Rulemaking on Occupational Exposure to Asbestos, Tremolite, Anthophyllite, and Actinolite. 19.
- Lemen, RA. (1995). Asbestos related disease in the United States. *Med Lav* 86: 411-425.
- Lemen, RA. (1997). Introduction: history of the use of asbestos [Review]. *Med Lav* 88: 288-292.
- Lemen, RA. (2004). Asbestos in brakes: exposure and risk of disease [Review]. *Am J Ind Med* 45: 229-237. <http://dx.doi.org/10.1002/ajim.10334>.
- Lemen, RA. (2004). Chrysotile asbestos as a cause of mesothelioma: Application of the Hill Causation Model [Review]. *Int J Occup Environ Health* 10: 233-239. <http://dx.doi.org/10.1179/oeh.2004.10.2.233>.
- Lemen, RA. (2004). RE: Asbestos in brakes: Exposure and risk of disease. *Am J Ind Med* 46: 315-318. <http://dx.doi.org/10.1002/ajim.20061>.
- Lemen, RA. (2005). Asbestos-related diseases risks still exist. *Eur J Oncol* 10: 9-30.
- Lemen, RA. (2005). RE: Asbestos in brakes: Exposure and risk of disease - Reply. *Am J Ind Med* 47: 278-280. <http://dx.doi.org/10.1002/ajim.20130>.
- Lemen, RA. (2010). Chrysotile asbestos and mesothelioma [Letter]. *Environ Health Perspect* 118: A282. <http://dx.doi.org/10.1289/ehp.1002446>.
- Lemen, RA. (2016). Mesothelioma from asbestos exposures: Epidemiologic patterns and impact in the United States. *J Toxicol Environ Health B Crit Rev* 19: 250-265. <http://dx.doi.org/10.1080/10937404.2016.1195323>.
- Lemen, RA; Anderson, H; Bailar, JC; Bingham, E; Castleman, B; Frank, AL; Huff, J; Ladou, J; Melius, J; Monforton, C; Robbins, A; Teitelbaum, DT; Welch, LS. (2011). Exposure science will not increase protection of workers from asbestos-caused diseases: NIOSH fails to provide

Human Health Hazard Literature Search Results

On Topic

- needed public health action and leadership [Letter]. *J Expo Sci Environ Epidemiol* 21: 114-115; author reply 116. <http://dx.doi.org/10.1038/jes.2010.53>.
- Lemen, RA; Bingham, E. (1994). A Case Study in Avoiding a Deadly Legacy in Developing Countries (pp. Asbestos and Cancers). (ISSN 0748-2337 EISSN 1477-0393 NIOSH/00224029). Lemen, RA; Bingham, E.
- Lemen, RA; Dement, JM; Wagoner, JK. (1980). Epidemiology of asbestos-related diseases [Review]. *Environ Health Perspect* 34: 1-11.
- Lemen, RA; Frank, AL; Soskolne, CL; Weiss, SH; Castleman, B. (2013). Comment on 'estimating the asbestos-related lung cancer burden from mesothelioma mortality' - IARC and chrysotile risks [Letter]. *Br J Cancer* 109: 823-825. <http://dx.doi.org/10.1038/bjc.2013.301>.
- Lemen, RA; Selikoff, IJ; Hurst, GA; Wagoner, JK. (1900). "Asbestos Related Disease A Community Epidemic in the Making". (NIOSH/00192311). Lemen, RA; Selikoff, IJ; Hurst, GA; Wagoner, JK.
- Lemenager, J; Benard, Y; Lalaude, J. (1974). PLEURAL DISEASE DUE TO ASBESTOS. 15: 289-296.
- Lemenager, J; Boulier, A; Vergnaud, MC. (1982). RECENT NOTIONS ON THE PATHOLOGY OF ASBESTOS (ASBESTOSIS AND ITS PLEURAL MANIFESTATIONS). 101: 203-213.
- Leménager, J; Fabre, J; Boulier, A; Caillard, JF; Brun, J. (1981). [The relevance of chest X-rays and respiratory function tests to the assessment of occupational hazards in asbestos factory workers (author's transl)]. *La Nouvelle presse médicale* 10: 873-877.
- Lemenager, J; Raffaelli, C; Letourneux, M; Sesboue, B; Boulier, A. (1985). Pleural lesions and the effect on respiratory function of asbestosis in 380 exposed subjects. 14: 1462-1464.
- Lemenager, J; Raffaelli, C; Letournexu, M; Sesboue, B; Boulier, B. (1985). RADIOLOGICAL AND FUNCTIONAL ASPECTS OF PLEURAL ASBESTOSIS PLEURAL THICKENING AND SYMPHYISIS IN A GROUP OF 380 WORKERS EXPOSED TO ASBESTOS (pp. 109-110). (BIOSIS/86/02821). Lemenager, J; Raffaelli, C; Letournexu, M; Sesboue, B; Boulier, B.
- Lemesch, C; Katz, L; Steinitz, R. (1986). Mesothelioma in Israel (1973-1982). 106: 141-142.
- Lemesch, C; Steinitz, R; Wassermann, M. (1976). EPIDEMIOLOGY OF MESOTHELIOMA IN ISRAEL (pp. 255-261). (EPIDEM/000755). Lemesch, C; Steinitz, R; Wassermann, M.
- Lenters, V; Vermeulen, R; Dogger, S; Stayner, L; Portengen, L; Burdorf, A; Heederik, D. (2011). A meta-analysis of asbestos and lung cancer: is better quality exposure assessment associated with steeper slopes of the exposure-response relationships? [Review]. *Environ Health Perspect* 119: 1547-1555. <http://dx.doi.org/10.1289/ehp.1002879>.
- Lenz, SP; Green, FHY; Murphy, PG; Lee, M; Hart, DA. (1993). Expression of Plasminogen Activator and Plasminogen Activator Inhibitor by Rat Mesothelioma Induced by Asbestos. *Cancer Lett* 68: 2-3.
- Leonard, SS; Mowrey, K; Pack, D; Shi, X; Castranova, V; Kuppusamy, P; Vallyathan, V. (2002). In vivo bioassays of acute asbestosis and its correlation with ESR spectroscopy and imaging in redox status. *Mol Cell Biochem* 234-235: 369-377.
- Leong, BKJ; Kociba, RJ; Pernell, HC; Lisowe, RW; Rampy, LW. (1978). INDUCTION OF PULMONARY CARCINOMA IN RATS BY CHRONIC INHALATION OF DUST FROM PULVERIZED ASBESTOS PIPE COVERING. *J Toxicol Environ Health* 4: 645-659. <http://dx.doi.org/10.1080/15287397809529687>.
- Leong, CC; Marley, JV; Loh, S; Milech, N; Robinson, BW; Garlepp, MJ. (1997). Transfection of the gene for B7-1 but not B7-2 can induce immunity to murine malignant mesothelioma. *Int J Cancer* 71: 476-482.
- Leong, S; Zainudin, R; Kazan-Allen, L; Robinson, BW. (2015). Asbestos in Asia [Review]. *Respirology* 20: 548-555. <http://dx.doi.org/10.1111/resp.12517>.
- Lerchen, ML; Wiggins, CL; Samet, JM. (1987). Lung cancer and occupation in New Mexico. *J Natl Cancer Inst* 79: 639-645. <http://dx.doi.org/10.1093/jnci/79.4.639>.
- Lerman, Y. (1992). Asbestos and cancer 1934-1965: and what happened thereafter? *Am J Ind Med* 22: 455-456.
- Lerman, Y; Finkelstein, A; Levo, Y; Tupilsky, M; Baratz, M; Solomon, A; Sackstein, G. (1990). Asbestos related health hazards among power plant workers. *Br J Ind Med* 47: 281-282.
- Lerman, Y; Ribak, J; Selikoff, IJ. (1986). Hazards of lung biopsy in asbestos workers. *Br J Ind Med* 43: 165-169.
- Lerman, Y; Seidman, H; Gelb, S; Miller, A; Selikoff, IJ. (1988). Spirometric abnormalities among asbestos insulation workers. *J Occup Med* 30: 228-233.
- Lerman, Y; Selikoff, IJ; Lilis, R; Seidman, H; Gelb, SK. (1986). Clinical findings among asbestos workers in U.S.: influence of cigarette smoking. *Am J Ind Med* 10: 449-458.
- Leroy, EP; Cantave, I. (1974). ULTRASTRUCTURE OF THE PULMONARY CAPILLARIES IN ASBESTOSIS AND SILICOSIS. *Am Rev Respir Dis* 109: 713-714.
- Lescano, L; Gandini, NA; Marfil, SA; Maiza, PJ. (2015). Biological effects of argentine asbestos: mineralogical and morphological characterisation. *Environ Earth Sci* 73: 3433-3444. <http://dx.doi.org/10.1007/s12665-014-3638-2>.
- Lesur, O; Bernard, AM; Bégin, RO. (1996). Clara cell protein (CC-16) and surfactant-associated protein A (SP-A) in asbestos-exposed workers. *Chest* 109: 467-474.
- Letourneux, M. (1999). [Risk assessment of benign asbestosis (dose-effect relationship, time-effect relationship, co-factors)] [Review]. *Rev Mal Respir* 16: 1270-1277.
- Letourneux, M. (2001). [Evaluation of the risk of occurrence of benign asbestos-related diseases (dose-response relationship, time-response relationship and co-factors)]. *Med Secur Trab XLVIII*: 87-96.
- Levan, TD; Koh, WP; Lee, H; Koh, D; Yu, MC; London, SJ. (2006). Vapor, dust, and smoke exposure in relation to adult-onset asthma and chronic respiratory symptoms - The Singapore Chinese Health Study. *Am J Epidemiol* 163: 1118-1128. <http://dx.doi.org/10.1093/aje/kwj144>.
- Levin, JL; McLarty, JW; Hurst, GA; Smith, AN; Frank, AL. (1998). Tyler asbestos workers: mortality experience in a cohort exposed to amosite. *Occup Environ Med* 55: 155-160.

Human Health Hazard Literature Search Results

On Topic

- Levin, JL; O'Sullivan, M; Dodson, RF. (2003). Environmental sample correlation with clinical and historical data in a friction product exposure. *Inhal Toxicol* 15: 639-647. <http://dx.doi.org/10.1080/08958370390197281>.
- Levin, JL; O'Sullivan, MF; Corn, CJ; Dodson, RF. (1995). An individual with a majority of ferruginous bodies formed on chrysotile cores. *Arch Environ Health* 50: 462-465. <http://dx.doi.org/10.1080/00039896.1995.9935984>.
- Levin, JL; O'Sullivan, MF; Corn, CJ; Williams, MG; Dodson, RF. (1999). Asbestosis and small cell lung cancer in a clutch refabricator. *Occup Environ Med* 56: 602-605.
- Levin, JL; Rouk, A; Shepherd, S; Hurst, GA; Mclarty, JW. (2016). Tyler asbestos workers: A mortality update in a cohort exposed to amosite. *J Toxicol Environ Health B Crit Rev* 19: 190-200. <http://dx.doi.org/10.1080/10937404.2016.1195319>.
- Levin, L; Purdom, PW. (1983). A Review Of The Health Effects Of Energy Conserving Materials [Review]. *Am J Public Health* 73: 683-690.
- Levin, LI; Zheng, W; Blot, WJ; Y-T, G; Fraumeni J F, J. R. (1988). OCCUPATION AND LUNG CANCER IN SHANGHAI CHINA A CASE-CONTROL STUDY. *Br J Ind Med* 45: 450-458.
- Levin, SM. (1994). Abnormalities Consistent with Asbestos-Related Disease among Long-Term Demolition Workers. (NIOSH/00235374). Levin, SM.
- Levin, SM; Kann, PE; Lax, MB. (2000). Medical examination for asbestos-related disease [Review]. *Am J Ind Med* 37: 6-22.
- Levin, SM; Selikoff, IJ. (1991). Radiological abnormalities and asbestos exposure among custodians of the New York City Board of Education. *Ann N Y Acad Sci* 643: 530-539.
- Levine, DS. (1985). DOES ASBESTOS EXPOSURE CAUSE GASTROINTESTINAL CANCER? [Review]. *Dig Dis Sci* 30: 1189-1198.
- Levis, J; Loi, R; Butnor, KJ; Vacek, P; Steele, C; Mossman, BT; Weiss, DJ. (2008). Decreased asbestos-induced lung inflammation and fibrosis after radiation and bone marrow transplant. *Am J Respir Cell Mol Biol* 38: 16-25. <http://dx.doi.org/10.1165/rcmb.2007-0249OC>.
- Levesse, V; Moritz, S; Renier, A; Kheuang, L; Galateau-Salle, F; Mege, JP; Piedbois, P; Salmons, B; Guenzburg, W; Jaurand, MC. (1998). Effect of simian virus large T antigen expression on cell cycle control and apoptosis in rat pleural mesothelial cells exposed to DNA damaging agents. *Oncogene* 16: 1041-1053. <http://dx.doi.org/10.1038/sj.onc.1201627>.
- Levesse, V; Renier, A; Fleury-Feith, J; Levy, F; Moritz, S; Vivo, C; Pilatte, Y; Jaurand, MC. (1997). Analysis of cell cycle disruptions in cultures of rat pleural mesothelial cells exposed to asbestos fibers. *Am J Respir Cell Mol Biol* 17: 660-671. <http://dx.doi.org/10.1165/ajrcmb.17.6.2854>.
- Levesse, V; Renier, A; Lebrun, N; Pilatte, Y; Jaurand, MC. (1999). [Toxicity of asbestos substitution fibers in pleural mesothelial cells of the rat] [Abstract]. *Rev Mal Respir* 16: 112.
- Levesse, V; Renier, A; Levy, F; Broaddus, VC; Jaurand, M. (2000). DNA breakage in asbestos-treated normal and transformed (TSV40) rat pleural mesothelial cells. *Mutagenesis* 15: 239-244.
- Levy, B. (1991). Workplace Air Pollution and Health Effects (pp. 14-19). (NIOSH/00227645). Levy, B.
- Levy, BS; Sigurdson, E; Mandel, J; Laudon, E; Pearson, J. (1976). Investigating possible effects of asbestos in city water: surveillance of gastrointestinal cancer incidence in Duluth, Minnesota. *Am J Epidemiol* 103: 362-368.
- Levy, F; Renier, A; Van Der MEEREN, A; Katz, A; Jaurand, MC. (1988). EFFECTS OF MINERAL FIBERS ON THE CELL CYCLE OF RAT PLEURAL MESOTHELIAL CELLS (pp. PARIS). (BIOSIS/89/29662). Levy, F; Renier, A; Van Der MEEREN, A; Katz, A; Jaurand, MC.
- Levy, SA. (1988). An Overview of Occupational Pulmonary Disorders. *Occup Med (Lond) Principles and Practical Applications: Principles and Practical Applications*.
- Levy, SA. (1994). Asbestosis. *Occup Med (Lond) Third Edition*: 179-184.
- Lew, F; Tsang, P; Holland, JF; Warner, N; Selikoff, IJ; Bekesi, JG. (1986). High frequency of immune dysfunctions in asbestos workers and in patients with malignant mesothelioma. *J Clin Immunol* 6: 225-233.
- Lewczuk, E; Owczarek, H. (1992). [The role of oxygen free radicals in asbestos cytotoxicity] [Review]. *Med Pr* 43: 335-342.
- Lewczuk, E; Owczarek, H. (1994). [The role of pulmonary epithelial cells in lung cellular reaction to asbestos exposure]. *Med Pr* 45: 441-445.
- Lewczuk, E; Owczarek, H; Stanislawski, G. (1994). [The role of pulmonary macrophages in the development of pulmonary fibrosis caused by asbestos] [Review]. *Med Pr* 45: 351-357.
- Lewczuk, E; Owczarek, H; Staniszewska, G. (1994). [Contribution and role of polymorphonuclear leucocytes in inflammatory reactions of asbestosis] [Review]. *Med Pr* 45: 547-550.
- Lewinsohn, HC. (1972). The medical surveillance of asbestos workers. *J Roy Soc Promot Health* 92: 69-77.
- Lewinsohn, HC. (1974). Early malignant changes in pleural plaques due to asbestos exposure: a case report. *Br J Dis Chest* 68: 121-127.
- Lewinsohn, HC. (1977). Asbestosis -- a diagnostic enigma: a personal view. *J Occup Med* 19: 607-610.
- Lewinsohn, HC. (1979). Surveillance of high-risk groups exposed to asbestos in the United States. *Ann N Y Acad Sci* 330: 533-540.
- Lewinsohn, HC. (1982). The medical surveillance of persons exposed to asbestos. *Conn Med* 46: 510-514.
- Lewinsohn, HC; Meigs, JW; Teta, MJ; Flannery, JT. (1980). The influence of occupational and environmental asbestos exposure on the incidence of malignant mesothelioma in Connecticut. IARC Sci Publ IARC Scientific Publication No: 655-660.
- Lewis, FA. (1979). Hazard Evaluation and Technical Assistance Report No. TA-79-28, Smithsonian Institution, Washington, D.C (pp. 79-28). (NIOSH/00091536). Lewis, FA.
- Lewis, FA. (1979). Hazard Evaluation and Technical Assistance, Report No. TA-79-11, Smithsonian Institution, Washington, D.C., and Suitland, Maryland (pp. 79-11). (NIOSH/00092154). Lewis, FA.
- Lewis, FA. (1980). Health Hazard Evaluation Determination, Report No. HHE-79-141-711, Fischer and Porter Company, Warminster, Pennsylvania (pp. 79-141). (NIOSH/00102764). Lewis, FA.
- Lewis, FA. (1980). Health Hazard Evaluation Determination, Report No. HHE-79-144-672, Quozel, Inc., Hauppauge, New York (pp. 79-144). (NIOSH/00095238). Lewis, FA.

Human Health Hazard Literature Search Results

On Topic

- Lewis, FA. (1980). Technical Assistance Report No. TA-80-49, Defense Logistics Agency, Headquarters Personnel Support Center, Philadelphia, Pennsylvania. (NIOSH/00098091). Lewis, FA.
- Lewis, FA. (1983). Health Hazard Evaluation Report No. HETA-81-472-1380, Pennsylvania Power And Light, Martins Creek Steam Electric Station, Martins Creek, Pennsylvania (pp. 81-472). (NIOSH/00149669). Lewis, FA.
- Lewis, RJ; Sisler, GE; Mackenzie, JW. (1981). Diffuse, mixed malignant pleural mesothelioma. *Ann Thorac Surg* 31: 53-60.
- Leyko, W; Gendek, E. (1985). A spin label study of the effects of asbestos, quartz, and titanium dioxide dusts on the bovine erythrocyte membrane. *Br J Ind Med* 42: 281-284.
- Leyva, FJ; Roberts, K. (2010). Crocidolite Induces Prostaglandin I-2 Release Mediated by Vitronectin Receptor and Cyclooxygenase-2 in Lung Cells. *Lung* 188: 133-141. <http://dx.doi.org/10.1007/s00408-010-9229-4>.
- Lezongeyda, K; Jaime, CM; Godbold, JH; Savransky, EF; Hope, A; Kheiri, SA; Dzmura, ZM; Uehara, H; Johnson, EM; Fasy, TM. (1996). Chrysotile asbestos fibers mediate homologous recombination in Rat2 lambda fibroblasts: Implications for carcinogenesis. *Mutat Res Environ Mutagen Relat Subj* 361: 113-120.
- Li, AP. (1986). An in vitro lung epithelial cell system for evaluating the potential toxicity of inhalable materials. *Food Chem Toxicol* 24: 527-534. [http://dx.doi.org/10.1016/0278-6915\(86\)90108-0](http://dx.doi.org/10.1016/0278-6915(86)90108-0).
- Li, AP; Myers, CA. (1988). In vitro evaluation of the cytotoxic potential of a novel man-made fiber, calcium sodium metaphosphate fiber (Phosphate Fiber). *Fundam Appl Toxicol* 11: 21-28.
- Li, B; Tang, SP; Wang, KZ. (2016). Esophagus cancer and occupational exposure to asbestos: results from a meta-analysis of epidemiology studies. *Dis Esophagus* 29: 421-428. <http://dx.doi.org/10.1111/dote.12341>.
- Li, FP; Dreyfus, MG; Antman, KH. (1989). Asbestos-contaminated nappies and familial mesothelioma [Letter]. *Lancet* 333: 909-910. [http://dx.doi.org/10.1016/S0140-6736\(89\)92916-4](http://dx.doi.org/10.1016/S0140-6736(89)92916-4).
- Li, FP; Lokich, J; Lapey, J; Neptune, WB; Wilkins, EW. (1978). Familial mesothelioma after intense asbestos exposure at home. *JAMA* 240: 467. <http://dx.doi.org/10.1001/jama.1978.03290050057022>.
- Li, H; Zhen, Z; Zeng, X; Zeng, L; Ke, F; Yang, H. (1991). [Small-airway lesions induced by inhalation of asbestos dust in dogs--pathological and aetiological studies]. *Hua Xi Yi Ke Da Xue Xue Bao* 22: 46-50.
- Li, HZ; Wang, HY. (1992). [Study on the pathogenic factors of pneumoconiosis in Beijing coal district]. *Zhonghua Yufang Yixue Zazhi* 26: 219-221.
- Li, J; Huang, B; Shi, X; Castranova, V; Vallyathan, V; Huang, C. (2002). Involvement of hydrogen peroxide in asbestos-induced NFAT activation. *Mol Cell Biochem* 234-235: 161-168.
- Li, J; Poovey, HG; Rodriguez, JF; Brody, A; Hoyle, GW. (2004). Effect of platelet-derived growth factor on the development and persistence of asbestos-induced fibroproliferative lung disease. *J Environ Pathol Toxicol Oncol* 23: 253-266.
- Li, JY; Yong, TY; Kuss, BJ; Klebe, S; Kotasek, D; Barbara, JA. (2010). Malignant pleural mesothelioma with associated minimal change disease and acute renal failure. *Ren Fail* 32: 1012-1015. <http://dx.doi.org/10.3109/0886022X.2010.502275>.
- Li, L; Sun, TD; Zhang, X; Lai, RN; Li, XY; Fan, XJ; Morinaga, K. (2004). Cohort studies on cancer mortality among workers exposed only to chrysotile asbestos: a meta-analysis. *Biomed Environ Sci* 17: 459-468.
- Li, L; Sun, TD; Zhang, X; Li, XY; Fan, XJ; Kenji, M. (2004). [A meta-analysis of cohort studies on cancer mortality among workers exposure to chrysotile fiber alone]. *Zhonghua Yufang Yixue Zazhi* 38: 39-42.
- Li, M; Gunter, ME; Fukagawa, NK. (2012). Differential activation of the inflammasome in THP-1 cells exposed to chrysotile asbestos and Libby "six-mix" amphiboles and subsequent activation of BEAS-2B cells. *Cytokine* 60: 718-730. <http://dx.doi.org/10.1016/j.cyto.2012.08.025>.
- Li, M; Gunter, ME; Fukagawa, NK. (2017). Corrigendum for "Differential activation of the inflammasome in THP-1 cells exposed to chrysotile asbestos and Libby "Six-Mix" amphiboles and subsequent activation of BEAS-2B cells" [Cytokine 60 (3) (2012) 718-730] [Erratum]. *Cytokine*. <http://dx.doi.org/10.1016/j.cyto.2017.01.011>.
- Li, P; Deng, SS; Wang, JB; Iwata, A; Qiao, YL; Dai, XB; Boffetta, P. (2012). Occupational and environmental cancer incidence and mortality in China. *Occup Med (Lond)* 62: 281-287. <http://dx.doi.org/10.1093/occmed/kqs016>.
- Li, P; Liu, T; Kamp, DW; Lin, Z; Wang, Y; Li, D; Yang, L; He, H; Liu, G. (2015). The c-Jun N-terminal kinase signaling pathway mediates chrysotile asbestos-induced alveolar epithelial cell apoptosis. *Mol Med Rep* 11: 3626-3634. <http://dx.doi.org/10.3892/mmr.2014.3119>.
- Li, S. (1988). AN EPIDEMIOLOGICAL APPROACH FOR THE RISK ASSESSMENT OF CHEMICALS CAUSING HUMAN CANCER AND OTHER DISORDERS (pp. LONDON). (BIOSIS/89/17105). Li, S.
- Li, VC; Kim, YJ; Terry, PB; Cuthie, JC; Roter, D; Emmett, EA; Harvey, A; Permutt, S. (1983). Behavioral, attitudinal, and physiologic characteristics of smoking and nonsmoking asbestos-exposed shipyard workers. *J Occup Med* 25: 864-870.
- Li, XY; Brown, GM; Lamb, D; Donaldson, K. (1991). Increased production of plasminogen activator inhibitor in vitro by pleural leukocytes from rats intratracheally instilled with crocidolite asbestos. *Environ Res* 55: 135-144.
- Li, XY; Donaldson, K. (1990). INTRATRACHEAL INJECTION OF CROCIDOLITE ASBESTOS DECREASES THE PRODUCTION OF TNF AND IL-1 BY RAT PLEURAL LEUKOCYTES IN CULTURE (pp. 20-24). (BIOSIS/90/21896). Li, XY; Donaldson, K.
- Li, XY; Lamb, D; Donaldson, K. (1992). Intratracheal injection of crocidolite asbestos depresses the secretion of tumor necrosis factor by pleural leukocytes in vitro. *Exp Lung Res* 18: 359-372.
- Li, XY; Lamb, D; Donaldson, K. (1993). Production of interleukin 1 by rat pleural leucocytes in culture after intratracheal instillation of crocidolite asbestos. *Br J Ind Med* 50: 90-94.
- Li, XY; Lamb, D; Donaldson, K. (1993). THE PRODUCTION OF TNF-ALPHA AND IL-1-LIKE ACTIVITY BY BRONCHOALVEOLAR LEUKOCYTES AFTER INTRATRACHEAL INSTILLATION OF CROCIDOLITE ASBESTOS. *Int J Exp Pathol* 74: 403-410.
- Li, XY; Lamb, D; Donaldson, K. (1994). Mesothelial cell injury caused by pleural leukocytes from rats treated with intratracheal instillation of crocidolite asbestos or *Corynebacterium parvum*. *Environ Res* 64: 181-191. <http://dx.doi.org/10.1006/enrs.1994.1014>.

Human Health Hazard Literature Search Results

On Topic

- Li, Y; Chen, Y. (1992). GENE EXPRESSION OF TYPE I AND III COLLAGEN AND REGULATION DURING EXPERIMENTAL SILICOSIS AND ASBESTOSIS IN RATS (pp. 17-20). (BIOSIS/92/20004). Li, Y; Chen, Y.
- Li, Y; Karjalainen, A; Koskinen, H; Vainio, H; Pukkala, E; Hemminki, K; Brandt-Rauf, PW. (2009). Serum growth factors in asbestosis patients. *Biomarkers* 14: 61-66. <http://dx.doi.org/10.1080/13547500802676868>.
- Li, Y; Ke, F; Zhang, J. (1994). [Effects of jute, ramee, flax dusts on rabbit alveolar macrophages in vitro]. *Hua Xi Yi Ke Da Xue Xue Bao* 25: 70-73.
- Liang, Y; Sun, X; Zhang, H; Cheng, Y; Gao, Y; Guo, J. (2014). [A case report of malignant peritoneal mesothelioma caused by asbestos]. *Zhonghua Lao Dong Wei Sheng Zhi Ye Bing Za Zhi* 32: 695-696.
- Libbus, BL; Craighead, JE. (1988). CHROMOSOMAL TRANSLOCATIONS WITH SPECIFIC BREAKPOINTS IN ASBESTOS-INDUCED RAT MESOTHELIOMAS. *Cancer Res* 48: 6455-6461.
- Libbus, BL; Illenye, SA; Craighead, JE. (1989). Induction of DNA strand breaks in cultured rat embryo cells by crocidolite asbestos as assessed by nick translation. *Cancer Res* 49: 5713-5718.
- Libshitz, HI; Wershba, MS; Atkinson, GW; Southard, ME. (1974). Asbestos and carcinoma of the larynx: A possible association. *JAMA J AM MED ASSOC*: 1571-1572.
- Liddell, D. (1994). Cancer mortality in chrysotile mining and milling: exposure-response. *Ann Occup Hyg* 38: 519-523, 412.
- Liddell, D. (2001). Asbestos and cancer [Letter]. *Ann Occup Hyg* 45: 329-335; author reply 336-328.
- Liddell, D; Eysen, G; Thomas, D; Mcdonald, C. (1975). Radiological changes over 20 years in relation to chrysotile exposure in Quebec. *Inhaled Particles 4 Pt 2*: 799-813.
- Liddell, FD. (1980). Latent periods in lung cancer mortality in relation to asbestos dose and smoking. IARC Sci Publ IARC Scientific Publication No: 661-665.
- Liddell, FD. (1980). Validation of the UICC/Cincinnati classification of radiographs in terms of prediction of mortality of asbestos workers. IARC Sci Publ 667-671.
- Liddell, FD. (2001). The interaction of asbestos and smoking in lung cancer. *Ann Occup Hyg* 45: 341-356.
- Liddell, FD. (2002). Joint action of smoking and asbestos exposure on lung cancer [Letter]. *Occup Environ Med* 59: 494-495; author reply 495-496.
- Liddell, FD; Armstrong, BG. (2002). The combination of effects on lung cancer of cigarette smoking and exposure in quebec chrysotile miners and millers. *Ann Occup Hyg* 46: 5-13. <http://dx.doi.org/10.1093/annhyg/mef008>.
- Liddell, FD; Gibbs, GW; Mcdonald, JC. (1982). Radiological changes and fibre exposure in chrysotile workers aged 60-69 years at Thetford Mines. *Ann Occup Hyg* 26: 889-898.
- Liddell, FD; Mcdonald, AD; Mcdonald, JC. (1997). The 1891-1920 birth cohort of Quebec chrysotile miners and millers: development from 1904 and mortality to 1992. *Ann Occup Hyg* 41: 13-36. [http://dx.doi.org/10.1016/S0003-4878\(96\)00044-0](http://dx.doi.org/10.1016/S0003-4878(96)00044-0).
- Liddell, FD; Mcdonald, AD; Mcdonald, JC. (1998). Dust exposure and lung cancer in Quebec chrysotile miners and millers. *Ann Occup Hyg* 42: 7-20.
- Liddell, FD; Thomas, DC; Gibbs, GW; Mcdonald, JC. (1984). Fibre exposure and mortality from pneumoconiosis, respiratory and abdominal malignancies in chrysotile production in Quebec, 1926-75. *Ann Acad Med Singapore* 13: 340-344.
- Liddell, FDK. (1990). Laryngeal cancer and asbestos [Review]. *Occup Environ Med* 47: 289-291.
- Liddell, FDK; Hanley, JA. (1985). Relations between asbestos exposure and lung cancer SMRs in occupational cohort studies. *Occup Environ Med* 42: 389-396.
- Liddell, FDK; Mcdonald, AD; Mcdonald, JC. (1994). The 1891-1920 Birth Cohort of Quebec Chrysotile Miners and Millers: A Preliminary Report on Mortality to 1988 (pp. 23-25). (NIOSH/00223986). Liddell, FDK; Mcdonald, AD; Mcdonald, JC.
- Liddell, FDK; Mcdonald, JC. (1980). Radiological findings as predictors of mortality in Quebec asbestos workers. *Br Med J* 37: 257-267.
- Liddell, FDK; Thomas, DC; Gibbs, GW; Mcdonald, JC. (1984). FIBER EXPOSURE AND MORTALITY IN CHRYSOTILE PRODUCTION IN QUEBEC, 1910-1975. *Scand J Work Environ Health* 10: 127-128.
- Lieben, J; Pistawka, H. (1967). Mesothelioma and asbestos exposure. *Arch Environ Health* 14: 559-563.
- LIEBERMA, J. (1971). ENVIRONMENTAL AND OCCUPATIONAL HAZARDS OF SPRAY ASBESTOS FIBERS. *Am Ind Hyg Assoc J* 32: 53-&.
- Light, WG. (1979). Asbestos-enhanced uptake of carcinogens [Letter]. *Nature* 279: 349-350.
- Light, WG. (1981). Asbestos surface charge heterogeneity and biological effects [Letter]. *Science* 213: 1534.
- Light, WG; Wei, ET. (1977). Surface charge and asbestos toxicity. *Nature* 265: 537-539.
- Light, WG; Wei, ET. (1980). SURFACE CHARGE AND A MOLECULAR BASIS FOR ASBESTOS TOXICITY (pp. 139-145). (EMICBACK/42353). Light, WG; Wei, ET.
- Likhacheva, EI; Iarina, AL; Vagina, ER; Klimina, MS; Obukhova, TI, u; Dovgoliuk, TA; Kashanskiĭ, SV. (2000). [Clinical features of pulmonary diseases caused by chrysotile asbestos dust]. *Med Tr Prom Ekol* 30-33.
- Likhacheva, EI; Semennikova, TK; Vagina, ER; Iarina, AL; Klimina, MS. (1999). [Clinical course of asbestosis under the existing conditions in extraction and processing of serpentine asbestos]. *Med Tr Prom Ekol* 0: 4-8.
- Likhacheva, EI; Vagina, ER; Klimina, MS; Kashanskiĭ, SV. (2008). [Symptoms of asbestos-related diseases and correction of hemodynamic and ventilation changes in asbestosis patients]. *Med Tr Prom Ekol* 42-45.
- Lilienfeld, DE. (1991). Asbestos-associated pleural mesothelioma in school teachers: a discussion of four cases. *Ann N Y Acad Sci* 643: 454-458.
- Lilienfeld, DE. (1991). The silence: the asbestos industry and early occupational cancer research--a case study. *Am J Public Health* 81: 791-800.
- Lilienfeld, DE; Gunderson, PD. (1986). The "missing cases" of pleural malignant mesothelioma in Minnesota, 1979-81: preliminary report. *Public Health Rep* 101: 395-399.

Human Health Hazard Literature Search Results

On Topic

- Lilienfeld, DE; Mandel, JS; Coin, P; Schuman, LM. (1988). Projection of asbestos related diseases in the United States, 1985-2009. I. Cancer. Br J Ind Med 45: 283-291.
- Lilis, R. (1986). Mesothelioma (pp. 795-810). (NIOSH/00170170). Lilis, R.
- Lilis, R; Daum, S; Anderson, H; Andrews, G; Selikoff, IJ. (1980). Asbestosis Among Maintenance Workers In The Chemical Industry And In Oil Refinery Workers (pp. 795-810). (NIOSH/00156008). Lilis, R; Daum, S; Anderson, H; Andrews, G; Selikoff, IJ.
- Lilis, R; Daum, S; Anderson, H; Sirota, M; Andrews, G; Selikoff, IJ. (1979). Asbestos disease in maintenance workers of the chemical industry. Ann N Y Acad Sci 330: 127-136.
- Lilis, R; Lerman, Y; Selikoff, IJ. (1988). Symptomatic benign pleural effusions among asbestos insulation workers: Residual radiographic abnormalities. Br J Ind Med 45: 443-449. <http://dx.doi.org/10.1136/oem.45.7.443>.
- Lilis, R; Miller, A; Godbold, J; Benkert, S; Wu, X; Selikoff, IJ. (1992). Comparative quantitative evaluation of pleural fibrosis and its effects on pulmonary function in two large asbestos-exposed occupational groups--insulators and sheet metal workers. Environ Res 59: 49-66. [http://dx.doi.org/10.1016/S0013-9351\(05\)80225-7](http://dx.doi.org/10.1016/S0013-9351(05)80225-7).
- Lilis, R; Miller, A; Godbold, J; Benkert, S; Wu, X; Selikoff, IJ. (1993). COMPARATIVE QUANTITATIVE-EVALUATION OF PLEURAL FIBROSIS AND ITS EFFECTS ON PULMONARY-FUNCTION IN 2 LARGE ASBESTOS-EXPOSED OCCUPATIONAL GROUPS - INSULATORS AND SHEET-METAL WORKERS (VOL 59, PG 49, 1992). Environ Res 60: 332-332.
- Lilis, R; Miller, A; Godbold, J; Chan, E; Benkert, S; Selikoff, IJ. (1991). The effect of asbestos-induced pleural fibrosis on pulmonary function: Quantitative evaluation [Review]. Ann N Y Acad Sci 643: 162-168. <http://dx.doi.org/10.1111/j.1749-6632.1991.tb24458.x>.
- Lilis, R; Miller, A; Godbold, J; Chan, E; Klein, S; Selikoff, IJ. (1990). Radiographic Abnormalities in a Large Group of Insulators with Long Term Asbestos Exposure: Effects of Duration from Onset of Exposure and Smoking (pp. 23-26). (ISSN 0271-3586 EISSN 1097-0274 NIOSH/00198273). Lilis, R; Miller, A; Godbold, J; Chan, E; Klein, S; Selikoff, IJ.
- Lilis, R; Miller, A; Godbold, J; Chan, E; Selikoff, IJ. (1991). Radiographic abnormalities in asbestos insulators: Effects of duration from onset of exposure and smoking. Relationships of dyspnea with parenchymal and pleural fibrosis. Am J Ind Med 20: 1-15. <http://dx.doi.org/10.1002/ajim.4700200102>.
- Lilis, R; Ribak, J; Suzuki, Y; Penner, L; Bernstein, N; Selikoff, IJ. (1987). Non-malignant chest x ray changes in patients with mesothelioma in a large cohort of asbestos insulation workers. Br J Ind Med 44: 402-406.
- Lilis, R; Selikoff, IJ; Lerman, Y; Seidman, H; Gelb, SK. (1986). Asbestosis: interstitial pulmonary fibrosis and pleural fibrosis in a cohort of asbestos insulation workers: influence of cigarette smoking. Am J Ind Med 10: 459-470.
- Lilis, R; Selikoff, J. (1985). Asbestos Disease In Maintenance Workers Of The Chemical Industry (pp. 479-499). (NIOSH/00158290). Lilis, R; Selikoff, J.
- Lim, CK; Chen, YF. (2014). Asbestos-related pleural plaques. J Electron Microsc (Tokyo) 107: 403-404. <http://dx.doi.org/10.1093/qjmed/hct197>.
- Lim, HH; Rampal, KG; Joginder, S; Bakar, CM; Chan, KH; Vivek, TN. (2002). Respiratory conditions in Malaysian asbestos cement workers. Med J Malaysia 57: 340-347.
- Lim, Y; Kim, SH; Kim, KA; Oh, MW; Lee, KH. (1997). Involvement of protein kinase C, phospholipase C, and protein tyrosine kinase pathways in oxygen radical generation by asbestos-stimulated alveolar macrophage. Environ Health Perspect 105 Suppl 5: 1325-1327.
- Lin, CK; Chang, YY; Wang, JD; Lee, LJ. (2015). Increased Standardised Incidence Ratio of Malignant Pleural Mesothelioma in Taiwanese Asbestos Workers: A 29-Year Retrospective Cohort Study. BioMed Res Int 2015: 678598. <http://dx.doi.org/10.1155/2015/678598>.
- Lin, F; Liu, Y; Liu, Y; Keshava, N; Li, S. (2000). Crocidolite induces cell transformation and p53 gene mutation in BALB/c-3T3 cells. Teratog Carcinog Mutagen 20: 273-281. [http://dx.doi.org/10.1002/1520-6866\(2000\)20:5<273::AID-TCM3>3.0.CO;2-1](http://dx.doi.org/10.1002/1520-6866(2000)20:5<273::AID-TCM3>3.0.CO;2-1).
- Lin, F; Zhai, C; Liu, Y; Zhou, G; Sun, Z; Li, S. (1997). [p53 gene mutations in BALB/c 3T3 cells transformed by crocidolite]. Hua Xi Yi Ke Da Xue Xue Bao 28: 375-379.
- Lin, JT. (1990). SUBCUTANEOUS INJECTION OF CROCIDOLITE FIBERS INDUCED THE FORMATION OF LUNG MESOTHELIOMAS (pp. 20-24). (BIOSIS/90/20750). Lin, JT.
- Lin, Q; Jiang, CQ; Lam, T; Xu, L, in; Jin, Y; Cheng, K. (2014). Past Occupational Dust Exposure, Depressive Symptoms and Anxiety in Retired Chinese Factory Workers: The Guangzhou Biobank Cohort Study. J Occup Health 56: 444-452. <http://dx.doi.org/10.1539/joh.14-0100-OA>.
- Lin, RT; Takahashi, K; Karjalainen, A; Hoshuyama, T; Wilson, D; Kameda, T; Chan, CC; Wen, CP; Furuya, S; Higashi, T; Chien, LC; Ohtaki, M. (2007). Ecological association between asbestos-related diseases and historical asbestos consumption: an international analysis. Lancet 369: 844-849. [http://dx.doi.org/10.1016/S0140-6736\(07\)60412-7](http://dx.doi.org/10.1016/S0140-6736(07)60412-7).
- Lin, S; Wang, X; Yano, E; Yu, I; Lan, Y; Courtice, MN; Christiani, DC. (2014). Exposure to chrysotile mining dust and digestive cancer mortality in a Chinese miner/miller cohort. Occup Environ Med 71: 323-328. <http://dx.doi.org/10.1136/oemed-2013-101360>.
- Lin, S; Wang, X; Yu, I; Yano, E; Courtice, M; Qiu, H; Wang, M. (2012). Cause-specific mortality in relation to chrysotile-asbestos exposure in a Chinese cohort. J Thorac Oncol 7: 1109-1114. <http://dx.doi.org/10.1097/JTO.0b013e3182519a60>.
- Lin, Z; Liu, T; Kamp, DW; Wang, Y; He, H; Zhou, X; Li, D; Yang, L; Zhao, B; Liu, G. (2014). AKT/mTOR and c-Jun N-terminal kinase signaling pathways are required for chrysotile asbestos-induced autophagy. Free Radic Biol Med 72: 296-307. <http://dx.doi.org/10.1016/j.freeradbiomed.2014.04.004>.
- Lindahl, M; Ekström, T; Sörensen, J; Tagesson, C. (1996). Two dimensional protein patterns of bronchoalveolar lavage fluid from non-smokers, smokers, and subjects exposed to asbestos. Thorax 51: 1028-1035.
- Lindgren, B; Winström, L. (1974). [Unique "occupational disease"--asbestos among safe blowers]. Lakartidningen 71: 2711.

Human Health Hazard Literature Search Results

On Topic

- Lindroos, PM; Coin, PG; Badgett, A; Morgan, DL; Bonner, JC. (1997). Alveolar macrophages stimulated with titanium dioxide, chrysotile asbestos, and residual oil fly ash upregulate the PDGF receptor-alpha on lung fibroblasts through an IL-1 beta-dependent mechanism. *Am J Respir Cell Mol Biol* 16: 283-292. <http://dx.doi.org/10.1165/ajrcmb.16.3.9070613>.
- Lindsay, JP; Stavrakys, KM; Howe, GR. (1993). THE CANADIAN LABOR-FORCE 10-PERCENT SAMPLE STUDY - CANCER MORTALITY AMONG MEN, 1965-1979. *J Occup Environ Med* 35: 408-414.
- Linnet, MS; Harlow, SD; McLaughlin, JK. (1987). A case-control study of multiple myeloma in whites: chronic antigenic stimulation, occupation, and drug use. *Cancer Res* 47: 2978-2981.
- Lingeman, CH; Hyams, VJ; Heffner, DK. (1981). ETIOLOGIC FACTORS IN SINO NASAL ADENO CARCINOMA (pp. 27-30). (HEEP/82/04472).
Lingeman, CH; Hyams, VJ; Heffner, DK.
- Linnainmaa, K; Gerwin, B; Pelin, K; Jantunen, K; Lechner, JF; Harris, CC. (1986). Asbestos-Induced Mesothelioma and Chromosomal Abnormalities in Human Mesothelial Cells In Vitro (pp. 22-24). (NIOSH/00179423). Linnainmaa, K; Gerwin, B; Pelin, K; Jantunen, K; Lechner, JF; Harris, CC.
- Linnainmaa, K; Pelin, K. (1995). Carcinogenic Mode of Action of Asbestos and Man-Made Mineral Fibers in Human Mesothelial Cells (pp. 8-10). (NIOSH/00229721). Linnainmaa, K; Pelin, K.
- Linnainmaa, K; Pelin, K; Vanhala, E; Tuomi, T; Piccoli, C; Fitzgerald, DJ; Yamasaki, H. (1993). Gap junctional intercellular communication of primary and asbestos-associated malignant human mesothelial cells. *Carcinogenesis* 14: 1597-1602.
- Linnainmaa, KI; Palin-Enlund, K; Tammilehto, L; Mattson, K; Jantunen, K; Husgafvel-Pursiainen, K. (1989). ASBESTOS ASSOCIATED MALIGNANT MESOTHELIOMA: CONSISTENT CHROMOSOMAL CHANGES IN TUMOR CELL LINES FROM SIX PATIENTS (pp. 115). (EMICBACK/73688).
Linnainmaa, KI; Palin-Enlund, K; Tammilehto, L; Mattson, K; Jantunen, K; Husgafvel-Pursiainen, K.
- Linton, A; Vardy, J; Clarke, S; van Zandwijk, N. (2012). The ticking time-bomb of asbestos: Its insidious role in the development of malignant mesothelioma [Review]. *Crit Rev Oncol Hematol* 84: 200-212. <http://dx.doi.org/10.1016/j.critrevonc.2012.03.001>.
- Lipkin, LE. (1980). Cellular effects of asbestos and other fibers: correlations with in vivo induction of pleural sarcoma. *Environ Health Perspect* 34: 91-102.
- Lippmann, M. (1988). Asbestos exposure indices [Review]. *Environ Res* 46: 86-106.
- Lippmann, M. (1990). Effects of fiber characteristics on lung deposition, retention, and disease [Review]. *Environ Health Perspect* 88: 311-317. <http://dx.doi.org/10.1289/ehp.9088311>.
- Lippmann, M. (1992). Asbestos and Other Mineral Fibers (pp. 30-75). (NIOSH/00212493). Lippmann, M.
- Lippmann, M. (1993). Biophysical factors affecting fiber toxicity. In DB Warheit (Ed.), (pp. 259-303). San Diego, CA: Academic Press, Inc.
- Lippmann, M. (1994). Deposition and retention of inhaled fibres: effects on incidence of lung cancer and mesothelioma [Review]. *Occup Environ Med* 51: 793-798.
- Lippmann, M. (1994). Workshop on the health risks associated with chrysotile asbestos: a brief review [Letter]. *Ann Occup Hyg* 38: 639-642.
- Lippmann, M. (2014). Toxicological and epidemiological studies on effects of airborne fibers: coherence and public [corrected] health implications [Review]. *Crit Rev Toxicol* 44: 643-695. <http://dx.doi.org/10.3109/10408444.2014.928266>.
- Lippmann, M; Cohen, MD; Chen, LC. (2015). Health effects of World Trade Center (WTC) Dust: An unprecedented disaster's inadequate risk management [Review]. *Crit Rev Toxicol* 45: 492-530. <http://dx.doi.org/10.3109/10408444.2015.1044601>.
- Lippmann, M; Timbrell, V. (1990). PARTICLE LOADING IN THE HUMAN LUNG - HUMAN-EXPERIENCE AND IMPLICATIONS FOR EXPOSURE LIMITS. *J Aerosol Med* 3: S155-S168.
- Lippy, BE. (2002). Safety and health of heavy equipment operators at Ground Zero. *Am J Ind Med* 42: 539-542. <http://dx.doi.org/10.1002/ajim.10152>.
- Lipworth, L; Tarone, RE; Lund, L; McLaughlin, JK. (2009). Epidemiologic characteristics and risk factors for renal cell cancer. *Clinical Epidemiology* 1: 33-43.
- Lisiewicz, J; Jurczak, W. (1992). [Immunotoxic effect of asbestos] [Review]. *Przegl Lek* 49: 406-408.
- Lison, D; Knoop, B; Lauwerys, R. (1989). Effect of retinoic acid on asbestos induced plasminogen activator activity of peritoneal macrophages. *Br J Ind Med* 46: 496-497.
- Lison, D; Raguzzi, F; Lauwerys, R. (1991). Induction of macrophage plasminogen activator by asbestos is independent of PKC activation. *Arch Toxicol* 65: 386-389.
- Liss, GM; Kusiak, RA; Gailitis, MM. (1997). Hospital records: an underutilized source of information regarding occupational diseases and exposures. *Am J Ind Med* 31: 100-106.
- Lister, J. (1976). Hazards from asbestos - more problems for hospital staffs. *N Engl J Med* 295: 490-491. <http://dx.doi.org/10.1056/NEJM197608262950908>.
- Litterst, CL; Lichtenstein, EP. (1970). Toxicity of HeLa cell growth medium after passage through asbestos filters. *Lab Prac* 19: 1221 passim.
- Little, DN. (1995). Children and environmental toxins [Review]. *Primary Care* 22: 69-79.
- Litvinov, VI; Pospelov, LE; Malenko, AF. (1984). SYSTEM HLA AND LUNG DISEASES (pp. 69-75). (BIOSIS/85/09627). Litvinov, VI; Pospelov, LE; Malenko, AF.
- Liu, BC; Fu, DC; Miao, Q; Wang, HH; You, BR. (1998). p53 gene mutations in asbestos associated cancers. *Biomed Environ Sci* 11: 226-232.
- Liu, CY, u. (2012). Gene-asbestos interaction and lung cancer risk from a genome-wide association study. *Cancer Res* 72. <http://dx.doi.org/10.1158/1538-7445.AM2012-2648>.
- Liu, CY; Stücker, I; Chen, C; Goodman, G; Mchugh, MK; D'Amelio, AM; Etzel, CJ; Li, S; Lin, X; Christiani, DC. (2015). Genome-wide Gene-Asbestos Exposure Interaction Association Study Identifies a Common Susceptibility Variant on 22q13.31 Associated with Lung Cancer Risk. *Cancer Epidemiol Biomarkers Prev* 24: 1564-1573. <http://dx.doi.org/10.1158/1055-9965.EPI-15-0021>.

Human Health Hazard Literature Search Results

On Topic

- Liu, G; Beri, R; Mueller, A; Kamp, DW. (2010). Molecular mechanisms of asbestos-induced lung epithelial cell apoptosis [Review]. *Chem Biol Interact* 188: 309-318. <http://dx.doi.org/10.1016/j.cbi.2010.03.047>.
- Liu, G; Cheresch, P; Kamp, DW. (2013). Molecular basis of asbestos-induced lung disease [Review]. *Annu Rev Pathol* 8: 161-187. <http://dx.doi.org/10.1146/annurev-pathol-020712-163942>.
- Liu, G; Su, Y; Zhou, S; Shi, Z; Huang, S. (1983). 30 cases of pleural mesothelioma (pp. 89-91). (HEEP/84/09241). Liu, G; Su, Y; Zhou, S; Shi, Z; Huang, S.
- Liu, JY; Brass, DM; Hoyle, GW; Brody, AR. (1998). TNF-alpha receptor knockout mice are protected from the fibroproliferative effects of inhaled asbestos fibers. *Am J Pathol* 153: 1839-1847.
- Liu, JY; Brody, AR. (2001). Increased TGF-beta1 in the lungs of asbestos-exposed rats and mice: reduced expression in TNF-alpha receptor knockout mice. *J Environ Pathol Toxicol Oncol* 20: 97-108.
- Liu, JY; Morris, GF; Lei, WH; Corti, M; Brody, AR. (1996). Up-regulated expression of transforming growth factor-alpha in the bronchiolar-alveolar duct regions of asbestos-exposed rats. *Am J Pathol* 149: 205-217.
- Liu, JY; Morris, GF; Lei, WH; Hart, CE; Lasky, JA; Brody, AR. (1997). Rapid activation of PDGF-A and -B expression at sites of lung injury in asbestos-exposed rats. *Am J Respir Cell Mol Biol* 17: 129-140. <http://dx.doi.org/10.1165/ajrcmb.17.2.2956>.
- Liu, JY; Sime, PJ; Wu, T; Warshamana, GS; Pociask, D; Tsai, SY; Brody, AR. (2001). Transforming growth factor-beta(1) overexpression in tumor necrosis factor-alpha receptor knockout mice induces fibroproliferative lung disease. *Am J Respir Cell Mol Biol* 25: 3-7.
- Liu, L; Hu, Y; Pang, D; Peng, W; Liu, Y. (2003). [Effects of asbestos on P53 protein expression in V79 cells]. *Sichuan Da Xue Xue Bao Yi Xue Ban* 34: 516-518.
- Liu, WH; Ernst, JD; Broaddus, VC. (2000). Phagocytosis of crocidolite asbestos induces oxidative stress, DNA damage, and apoptosis in mesothelial cells. *Am J Respir Cell Mol Biol* 23: 371-378. <http://dx.doi.org/10.1165/ajrcmb.23.3.4094>.
- Liu, XZ; Luo, SQ; Wang, CJ. (1990). The carcinogenicity of several species of asbestos produced in China. *Biomed Environ Sci* 3: 373-377.
- Liu, XZ; Luo, SQ; Wang, ZM; Wang, MZ; Zhan, CL. (1988). An investigation of crocidolite contamination and mesothelioma in a rural area of China. *Zhonghua Lao Dong Wei Sheng Zhi Ye Bing Za Zhi* 3: 156-165.
- Liu, Y; Zhang, P; Yi, F. (2001). Asbestos fiber burdens in lung tissues of Hong Kong Chinese with and without lung cancer. *Lung Cancer* 32: 113-116. [http://dx.doi.org/10.1016/S0169-5002\(00\)00231-2](http://dx.doi.org/10.1016/S0169-5002(00)00231-2).
- Livingston, GK; Rom, WN; Morris, MV. (1980). Asbestos-induced sister chromatid exchanges in cultured Chinese hamster ovarian fibroblast cells. *J Environ Pathol Toxicol Oncol* 4: 373-382.
- Ljungman, AG; Lindahl, M; Tagesson, C. (1994). Asbestos fibres and man made mineral fibres: induction and release of tumour necrosis factor-alpha from rat alveolar macrophages. *Occup Environ Med* 51: 777-783.
- Lo, AI; Huang, Y; Lam, SY; Cheung, AH; Au, R; Leung, CC; Lam, WK; Ip, MS; Chan-Yeung, M; Lam, B. (2011). Early detection of central airway lung cancer in smokers with silicosis. *Int J Tuberc Lung Dis* 15: 523-527. <http://dx.doi.org/10.5588/ijtld.10.0461>.
- Lob, M. (1979). Asbestos-Related Diseases. *Praxis (Bern 1994)* 68: 1717-1723.
- Lock, SO; Chamberlain, M. (1983). Cytotoxic action of mineral dusts on CHV 79 cells in vitro: factors affecting toxicity. *Environ Health Perspect* 51: 189-193.
- Lock, SO; Rockley, J; Chamberlain, M; Friend, JV. (1987). Effects of fibrous and non-fibrous dusts on Chinese hamster V79 cells: Cytotoxicity or cytostasis? *Toxicol In Vitro* 1: 71-76. [http://dx.doi.org/10.1016/0887-2333\(87\)90003-8](http://dx.doi.org/10.1016/0887-2333(87)90003-8).
- Lockey, J; Lemasters, G; Rice, C; Hansen, K; Levin, L; Shipley, R; Spitz, H; Wiot, J. (1996). Refractory ceramic fiber exposure and pleural plaques. *Am J Respir Crit Care Med* 154: 1405-1410. <http://dx.doi.org/10.1164/ajrccm.154.5.8912756>.
- Lockey, JE; Brooks, SM; Jarabek, AM; Khoury, PR; Mckay, RT; Carson, A; Morrison, JA; Wiot, JF; Spitz, HB. (1984). Pulmonary changes after exposure to vermiculite contaminated with fibrous tremolite. *Am Rev Respir Dis* 129: 952-958. <http://dx.doi.org/10.1164/arrd.1984.129.6.952>.
- Lockey, JE; Dunning, K; Hilbert, TJ; Borton, E; Levin, L; Rice, CH; Mckay, RT; Shipley, R; Meyer, CA; Perme, C; Lemasters, GK. (2015). HRCT/CT and associated spirometric effects of low Libby amphibole asbestos exposure. *J Occup Environ Med* 57: 6-13. <http://dx.doi.org/10.1097/JOM.0000000000000373>.
- Lockey, JE; Dunning, K; Hilbert, TJ; Borton, E; Levin, L; Rice, CH; Mckay, RT; Shipley, R; Meyer, CA; Perme, C; Lemasters, GK. (2015). Response Comment on "HRCT/CT and associated apirometric effects of low libby amphibole asbestos exposure" by lockey et al (2015) [Comment]. *J Occup Environ Med* 57: e80-e82. <http://dx.doi.org/10.1097/JOM.0000000000000492>.
- Lockey, JE; Parry, WT. (1984). Health Implications Of Naturally Occurring Mineral Fibers (pp. 1-7). (NIOSH/00154727). Lockey, JE; Parry, WT.
- Lohani, M; Dopp, E; Becker, H; Seth, K; Schiffmann, D; Rahman, Q. (2002). Smoking enhances asbestos-induced genotoxicity, relative involvement of chromosome 1: a study using multicolor FISH with tandem labeling. *Toxicol Lett* 136: 55-63.
- Lohani, M; Dopp, E; Weiss, DG; Schiffmann, D; Rahman, Q. (2000). Kerosene soot genotoxicity: enhanced effect upon co-exposure with chrysotile asbestos in Syrian hamster embryo fibroblasts. *Toxicol Lett* 114: 111-116.
- Lohani, M; Yadav, S; Schiffmann, D; Rahman, Q. (2003). Dialylsulfide attenuates asbestos-induced genotoxicity. *Toxicol Lett* 143: 45-50. [http://dx.doi.org/10.1016/S0378-4274\(03\)00112-7](http://dx.doi.org/10.1016/S0378-4274(03)00112-7).
- Loi, AM; Paggiaro, PL; Serretti, N; Franco, F. (1982). Asbestos fibers released from thermic clothes: A true occupational hazard. *G Ital Med Lav* 4: 117-120.
- Loire, R; Tabib, A. (1994). MALIGNANT MESOTHELIOMA OF THE PERICARDIUM - A CLINICOPATHOLOGICAL STUDY OF 10 CASES. 87: 255-262.
- Loli, P; Topinka, J; Georgiadis, P; Dusinská, M; Hurbánková, M; Kováčiková, Z; Volkovová, K; Wolff, T; Oesterle, D; Kyrtopoulos, S. (2004). Benzo[a]pyrene-enhanced mutagenesis by asbestos in the lung of lambda-lacI transgenic rats. *Mutat Res* 553: 79-90. <http://dx.doi.org/10.1016/j.mrfmmm.2004.06.025>.

Human Health Hazard Literature Search Results

On Topic

- Lollar, RM. (1980). Are Carcinogens a Chronic Health Hazard in the Tannery Workplace? (pp. 510-525). (NIOSH/00193173). Lollar, RM.
- Lombardi, S; Girelli, R; Barbieri, PG. (2005). [Two cases of pleural mesothelioma following unusual and unrecognized exposure to asbestos. The role of Occupational Health and Safety Service in identifying past occupational exposure]. *Med Lav* 96: 426-431.
- London, SJ; Daly, AK; Cooper, J; Navidi, WC; Carpenter, CL; Idle, JR. (1995). Polymorphism of glutathione S-transferase M1 and lung cancer risk among African-Americans and Caucasians in Los Angeles County, California. *J Natl Cancer Inst* 87: 1246-1253.
- Longley, EO. (1978). Dust Diseases of the Lungs: Part 2. *Med J Aust* 2: 474-476.
- Longo, DL; Young, RC. (1979). Cosmetic talc and ovarian cancer. *Lancet* 8138: 349-351.
- Lonneux, M; Jamar, F; Leners, N; Pieters, T; Pauwels, S. (1998). Uptake of In-111 pentetretotide by pleural plaques. *Clin Nucl Med* 23: 298-301.
- Loomis, D; Dement, J; Richardson, D; Wolf, S. (2010). Asbestos fibre dimensions and lung cancer mortality among workers exposed to chrysotile. *Occup Environ Med* 67: 580-584. <http://dx.doi.org/10.1136/oem.2009.050120>.
- Loomis, D; Dement, JM; Elliott, L; Richardson, D; Kuempel, ED; Stayner, L. (2012). Increased lung cancer mortality among chrysotile asbestos textile workers is more strongly associated with exposure to long thin fibres. *Occup Environ Med* 69: 564-568. <http://dx.doi.org/10.1136/oemed-2012-100676>.
- Loomis, D; Dement, JM; Wolf, SH; Richardson, DB. (2009). Lung cancer mortality and fibre exposures among North Carolina asbestos textile workers. *Occup Environ Med* 66: 535-542. <http://dx.doi.org/10.1136/oem.2008.044362>.
- Loomis, D; Elliott, L; Dement, J; Richardson, D; Lu, M. (2011). Chrysotile and Lung Cancer: Time-Related Effects and Pooled Analysis. 13.
- Loomis, DP; Collman, GW; Rogan, WJ. (1989). Relationship of mortality, occupation, and pulmonary diffusing capacity to pleural thickening in the First National Health and Nutrition Examination Survey. *Am J Ind Med* 16: 477-484.
- Lopatin, S; Eylers, E; Tsay, JJ; Greenberg, AK; Pass, H; Rom, WN. (2014). Reduced Lung Function After Asbestos Exposure In A Lung Cancer Screening Cohort. *Am J Respir Crit Care Med* 189.
- Lopatin, S; Tsay, JC; Addrizzo-Harris, D; Munger, JS; Pass, H; Rom, WN. (2016). Erratum to "reduced lung function in smokers in a lung cancer screening cohort with asbestos exposure and pleural plaques" [Erratum]. *Am J Ind Med* 59: 424. <http://dx.doi.org/10.1002/ajim.22583>.
- López Encuentra, A; Martínez González del Río, J; Pérez Rodríguez, E. (1979). [Epidemiologic data on bronchogenic carcinoma (author's transl)]. *Med Clin (Barc)* 72: 361-368.
- López-Abente, G; García-Gómez, M; Menéndez-Navarro, A; Fernández-Navarro, P; Ramis, R; García-Pérez, J; Cervantes, M; Ferreras, E; Jiménez-Muñoz, M; Pastor-Barruso, R. (2013). Pleural cancer mortality in Spain: time-trends and updating of predictions up to 2020. *BMC Cancer* 13: 528. <http://dx.doi.org/10.1186/1471-2407-13-528>.
- López-Ríos, F; Illei, PB; Rusch, V; Ladanyi, M. (2004). Evidence against a role for SV40 infection in human mesotheliomas and high risk of false-positive PCR results owing to presence of SV40 sequences in common laboratory plasmids. *Lancet* 364: 1157-1166. [http://dx.doi.org/10.1016/S0140-6736\(04\)17102-X](http://dx.doi.org/10.1016/S0140-6736(04)17102-X).
- Loranskii, DN; Popova, EB. (1981). SOME ASPECTS OF RESEARCH INTO THE COMBINED EFFECTS OF OCCUPATIONAL FACTORS AND SMOKING. *Gig Sanit* 0: 61-64.
- Lorber, M; Gibb, H; Grant, L; Pinto, J; Pleil, J; Cleverly, D. (2007). Assessment of inhalation exposures and potential health risks to the general population that resulted from the collapse of the world trade center towers. *Risk Anal* 27: 1203-1221. <http://dx.doi.org/10.1111/j.1539-6924.2007.00956.x>.
- Lordi, GM; Reichman, LB. (1987). Asbestos-Related Diseases (pp. 99-107). (NIOSH/00174216). Lordi, GM; Reichman, LB.
- Lordi, GM; Reichman, LB. (1993). Pulmonary complications of asbestos exposure [Review]. *Am Fam Physician* 48: 1471-1477.
- Loreto, C; Carnazza, ML; Cardile, V; Libra, M; Lombardo, L; Malaponte, G; Martinez, G; Musumeci, G; Papa, V; Cocco, L. (2009). Mineral fiber-mediated activation of phosphoinositide-specific phospholipase c in human bronchoalveolar carcinoma-derived alveolar epithelial A549 cells. *Int J Oncol* 34: 371-376. http://dx.doi.org/10.3892/ijo_00000160.
- Losito, R; Dufresne, M; Masse, S; Caro, J. (1981). FIBRIN FORMATION RELATED TO ASBESTOS PARTICLES IN HUMAN PLASMA (pp. 12-17). (HEEP/81/13577). Losito, R; Dufresne, M; Masse, S; Caro, J.
- Losito, R; Dufresne, M; Massé, S; Caro, J; Bilodeau, G. (1984). Asbestos-related fibrin formation in human plasma. *Thromb Res Suppl* 34: 311-319.
- Lotti, M. (2010). [Asbestos-related lung cancer]. *G Ital Med Lav Ergon* 32: 381-384.
- Lotti, M; Bergamo, L; Murer, B. (2010). Occupational toxicology of asbestos-related malignancies [Review]. *Clin Toxicol* 48: 485-496. <http://dx.doi.org/10.3109/15563650.2010.506876>.
- Louisiana Department of Health and Hospitals, OoPHSoEEaT. (2007). Health Statistics Review for Louisiana Communities That Received Asbestos-Contaminated Vermiculite from Libby, Montana. 21.
- Lounsbury, KM; Stern, M; Taatjes, D; Jaken, S; Mossman, BT. (2002). Increased localization and substrate activation of protein kinase c delta in lung epithelial cells following exposure to asbestos. *Am J Pathol* 160: 1991-2000. [http://dx.doi.org/10.1016/S0002-9440\(10\)61149-2](http://dx.doi.org/10.1016/S0002-9440(10)61149-2).
- Lowe, AM. (2012). [Asbestos. Occupational exposure surveillance to asbestos and the illnesses it creates]. *Perspect Infirm* 9: 31-32.
- Lowell, Uo. (1990). A CASE-CONTROL STUDY OF CANCER MORTALITY AT THE GENERAL ELECTRIC PITTSFIELD FACILITY WITH COVER LETTER. (TSCATS/414466). UNIVERSITY OF LOWELL.
- Loyola, RC; Carneiro, AP; Silveira, AM; La Rocca, P; Nascimento, MS; Chaves, RH. (2010). Respiratory effects from industrial talc exposure among former mining workers. *Rev Saude Publica* 44: 541-547.
- Lozewicz, S; Reznick, RH; Herdman, M; Dacie, JE; Mclean, A; Davies, RJ. (1989). Role of computed tomography in evaluating asbestos related lung disease. *Br J Ind Med* 46: 777-781.

Human Health Hazard Literature Search Results

On Topic

- Lu, J; Keane, MJ; Ong, T; Wallace, WE. (1994). IN-VITRO GENOTOXICITY STUDIES OF CHRYSOTILE ASBESTOS FIBERS DISPERSED IN SIMULATED PULMONARY SURFACTANT. *Mutat Res* 320: 253-259.
- Lu, JM; Keane, MJ; Ong, T; Wallace, WE. (1991). Comparative in vitro cytogenetic effects of phospholipid surfactant-treated and native chrysotile asbestos. *Environ Mol Mutagen* 17: 45.
- Lu, YP; Lasne, C; Lowy, R; Chouroulinkov, I. (1988). Use of the orthogonal design method to study the synergistic effects of asbestos fibres and 12-O-tetradecanoylphorbol-13-acetate (TPA) in the BALB/3T3 cell transformation system. *Mutagenesis* 3: 355-362.
- Luberto, F; Amendola, P; Belli, S; Bruno, C; Candela, S; Grignoli, M; Comba, P. (2004). [Mortality study of asbestos cement workers in Emilia-Romagna]. *Epidemiol Prev* 28: 239-246.
- Lubyanova, IP; Novichenko, NL. (1995). On factors of carcinogenic risk in welders working with steel (pp. 1-2). (BIOSIS/96/00346). Lubyanova, IP; Novichenko, NL.
- Luce, D; Bugel, I; Goldberg, P; Goldberg, M; Salomon, C; Billon-Galland, MA; Nicolau, J; Quenel, P; Fevotte, J; Brochard, P. (2000). Environmental exposure to tremolite and respiratory cancer in New Caledonia: a case-control study. *Am J Epidemiol* 151: 259-265.
- Luce, D; Leclerc, A; Bégin, D; Demers, PA; Gérin, M; Orłowski, E; Kogevinas, M; Belli, S; Bugel, I; Bolm-Audorff, U; Brinton, LA; Comba, P; Hardell, L; Hayes, RB; Magnani, C; Merler, E; Preston-Martin, S; Vaughan, TL; Zheng, W; Boffetta, P. (2002). Sinonasal cancer and occupational exposures: a pooled analysis of 12 case-control studies. *Cancer Causes Control* 13: 147-157.
<http://dx.doi.org/10.1023/A:1014350004255>.
- Ludwig, ER; Madeksho, L; Egilman, D. (2001). RE: Mesothelioma and lung tumors attributable to asbestos among petroleum workers. *Am. J. Ind. Med.* 2000. 37:275-282 [Letter]. *Am J Ind Med* 39: 524-527.
- Luechtrath, H; Schmidt, KG. (1959). [On talcum and steatite, their relations to asbestos and their effect in intratracheal animal tests on rats]. *No* 61: 1-60.
- Luisi, V; Dario, R; Mera, E; Mininni, F; Molinini, R. (2006). [Health surveillance of subjects formerly exposed to asbestos in Puglia]. *G Ital Med Lav Ergon* 28: 166-168.
- Luisi, V; Marinaccio, A; Mera, ES; Dario, R; Licchelli, B; Molinini, R. (2007). [Pleural mesothelioma in barman with probable occupational exposure to asbestos]. *G Ital Med Lav Ergon* 29: 640-641.
- Lukens, HR. (1978). Production of antibody toward asbestos. *Res Comm Chem Pathol Pharmacol* 21: 517-522.
- Lumley, KP. (1976). A proportional study of cancer registrations of dockyard workers. *Br J Ind Med* 33: 108-114.
- Lumley, KPS. (1977). Physiological changes in asbestos pleural disease. In WH Walton; B McGovern (Eds.), (1st ed., pp. 781-788). New York, NY: Pergamon Press.
- Lund, L; Aust, AE. (1989). EFFECT OF IRON MOBILIZATION ON ASBESTOS-INDUCED GENERATION OF .OH AND DNA DAMAGE (pp. 200 (NO). (EMICBACK/75955). Lund, L; Aust, AE.
- Lund, LG; Aust, AE. (1990). EFFECT OF CHELATORS AND/OR ASCORBATE ON THE INDUCTION OF SINGLE STRAND BREAKS IN PHI-X-174 DNA BY CROCIDOLITE ASBESTOS (pp. 14-20). (BIOSIS/91/07823). Lund, LG; Aust, AE.
- Lund, LG; Aust, AE. (1990). MOBILIZATION OF IRON FROM CROCIDOLITE ASBESTOS BY CERTAIN CHELATORS RESULTS IN ENHANCED CROCIDOLITE-CATALYZED OXYGEN CONSUMPTION (pp. 14-20). (BIOSIS/91/07884). Lund, LG; Aust, AE.
- Lund, LG; Aust, AE. (1991). IRON MOBILIZATION GREATLY ENHANCES ASBESTOS-DEPENDENT OXYGEN CONSUMPTION HYDROXYL GENERATION AND INDUCTION OF SINGLE STRAND BREAKS IN PHI-X-174 RFI DNA (pp. 15-18). (BIOSIS/91/24265). Lund, LG; Aust, AE.
- Lund, LG; Aust, AE. (1991). Iron-catalyzed reactions may be responsible for the biochemical and biological effects of asbestos [Review]. *BioFactors* 3: 83-89.
- Lund, LG; Aust, AE. (1991). Mobilization of iron from crocidolite asbestos by certain chelators results in enhanced crocidolite-dependent oxygen consumption. *Arch Biochem Biophys* 287: 91-96.
- Lund, LG; Aust, AE. (1992). Iron mobilization from crocidolite asbestos greatly enhances crocidolite-dependent formation of DNA single-strand breaks in phi X174 RFI DNA. *Carcinogenesis* 13: 637-642.
- Lund, LG; Price, NJ; Aust, AE. (1992). IRON DEPLETION OF CROCIDOLITE ASBESTOS REDUCES INDUCTION OF DNA STRAND BREAKS IN VITRO AND TOXICITY TO CULTURED SYRIAN HAMSTER EMBRYO CELLS. (EMIC/87877). Lund, LG; Price, NJ; Aust, AE.
- Lund, LG; Williams, MG; Dodson, RF; Aust, AE. (1994). Iron associated with asbestos bodies is responsible for the formation of single strand breaks in phi X174 RFI DNA. *Occup Environ Med* 51: 200-204.
- Lund, VJ. (1991). Malignancy of the nose and sinuses: Epidemiological and etiological considerations. *Rhinology ROTT*: 57-68.
- Lundorf, E; Aagaard, MT; Andresen, J; Silberschmid, M; Sabro, S; Coutté, A; Bolvig, L. (1987). Radiological evaluation of early pleural and pulmonary changes in light asbestos exposure. *Eur J Respir Dis* 70: 145-149.
- Luo, JC; Zehab, R; Anttila, S; Ridanpaa, M; Husgafvel-Pursiainen, K; Vainio, H; Carney, W; De Vivo, I; Milling, C; Brandt-Rauf, PW. (1994). Detection of serum p53 protein in lung cancer patients. *J Occup Med* 36: 155-160.
- Luo, S; Liu, X; Mu, S; Tsai, SP; Wen, CP. (2003). Asbestos related diseases from environmental exposure to crocidolite in Da-yao, China. I. Review of exposure and epidemiological data [Review]. *Occup Environ Med* 60: 35-41; discussion 41-32.
<http://dx.doi.org/10.1136/oem.60.1.35>.
- Luo, S; Liu, X; Wang, C. (1995). [Co-carcinogenic effect of crocidolite plus benzo(a)pyrene on the lungs of rats]. *Hua Xi Yi Ke Da Xue Xue Bao* 26: 202-205.
- Luo, S; Liu, X; Wang, C; Zhu, R. (1999). [Mesothelioma in rats following-intrapleural-injection of crocidolite]. *Hua Xi Yi Ke Da Xue Xue Bao* 30: 286-288.
- Luo, S; Zhang, Y; Mu, S; Zhang, C; Ma, T; Liu, X. (1998). The risk of lung cancer and mesothelioma in farmers exposed to crocidolite in environment. *Hua Xi Yi Ke Da Xue Xue Bao* 29: 63-65.

Human Health Hazard Literature Search Results

On Topic

- Luo, SQ; Liu, XE; Wang, CJ. (1990). Gross classification of 175 cases of rat pleural mesothelioma induced by chrysotile. *Biomed Environ Sci* 3: 378-383.
- Luo, SQ; Liu, XZ; Wang, CJ. (1995). Inhibitory effect of green tea extract on the carcinogenesis induced by asbestos plus benzo(a)pyrene in rat. *Biomed Environ Sci* 8: 54-58.
- Luo, SQ; Mu, SH; Wang, JT; Zhang, Y; Wen, QB; Cai, SP. (2005). [A study on risk of malignant neoplasm and environmental exposure to crocidolite]. *Sichuan Da Xue Xue Bao Yi Xue Ban* 36: 105-107.
- Luo Sugiong, Q; Liu Xueze, Z; Wang Chaojun, J. (1992). An investigation of crocidolite contamination and experimental study in southwestern China. *J Hyg Epidemiol Microbiol Immunol* 36: 223-224.
- Luoto, K; Holopainen, M; Sarataho, M; Savolainen, K. (1997). Comparison of cytotoxicity of man-made vitreous fibres. *Ann Occup Hyg* 41: 37-50. [http://dx.doi.org/10.1016/S0003-4878\(96\)00031-2](http://dx.doi.org/10.1016/S0003-4878(96)00031-2).
- Luoto, K; Holopainen, M; Savolainen, K. (1994). SCANNING ELECTRON-MICROSCOPIC STUDY ON THE CHANGES IN THE CELL-SURFACE MORPHOLOGY OF RAT ALVEOLAR MACROPHAGES AFTER THEIR EXPOSURE TO MAN-MADE VITREOUS FIBERS. *Environ Res* 66: 198-207.
- Lureti, GF; Minoja, GM; Brusoni, B; Melloni, GF. (1980). Pleural mesothelioma (pp. 631-637). (HEEP/82/00060). Lureti, GF; Minoja, GM; Brusoni, B; Melloni, GF.
- Luster, MI; Blank, JA; Dean, JH. (1987). Molecular and cellular basis of chemically induced immunotoxicity [Review]. *Annu Rev Pharmacol Toxicol* 27: 23-49. <http://dx.doi.org/10.1146/annurev.pa.27.040187.000323>.
- Luster, MI; Germolec, DR; Rosenthal, GJ. (1990). Immunotoxicology: review of current status [Review]. *Ann Allergy Asthma Immunol* 64: 427-432.
- Luster, MI; Rosenthal, GJ. (1993). Chemical Agents and the Immune Response [Review]. *Environ Health Perspect* 100: 219-226.
- Luster, MI; Selgrade, MK; Germolec, DR; Burlison, FG; Kayama, F; Comment, CE; Wilmer, JL. (1994). EXPERIMENTAL STUDIES ON IMMUNOSUPPRESSION APPROACHES AND APPLICATION IN RISK ASSESSMENT (pp. IMMUNOTOXICOLOGY AND IMMUNOPHARMACOLOGY). (BIOSIS/95/02448). Luster, MI; Selgrade, MK; Germolec, DR; Burlison, FG; Kayama, F; Comment, CE; Wilmer, JL.
- Luster, MI; Simeonova, PP. (1998). Asbestos induces inflammatory cytokines in the lung through redox sensitive transcription factors. *Toxicol Lett* 102-103: 271-275.
- Luster, MI; Wierda, D; Rosenthal, GJ. (1990). Environmentally Related Disorders of the Hematologic and Immune Systems. *Med Clin North Am* 74: 425-440.
- Luther, R; Preisler, J; Bärsch, J. (1986). [Asbestos carcinogenesis from clinical and hypothetical viewpoints]. 41: 211-214.
- Luther, R; Wetzler, K; Kühne, W; Spormann, H; Böttger, W. (1988). Asbestos-induced pleural diseases--thorascopic aspects. *Endoscopy* 20: 104-106. <http://dx.doi.org/10.1055/s-2007-1018148>.
- Luton, P; Champeix, J; Faure, P. (1953). [Results of observations for ten years of the workers in the asbestos industry]. 7: 629-633.
- Lutz, W; Sulkowski, W; Krajewska, B. (1993). Oncoproteins as Biomarkers of a Preclinical Form of Cancer of the Respiratory Tract Induced by Environmental Carcinogens. *Pol J Occup Med Environ Health* 6: 347-355.
- Lutz, WK. (1980). HUMAN DIETARY CARCINOGENS (pp. 26-31). (HEEP/81/07752). Lutz, WK.
- Luus, K. (2007). Asbestos: mining exposure, health effects and policy implications. *McGill Journal of Medicine* 10: 121-126.
- Lynch, DA. (1992). IMAGING OF ASBESTOS-RELATED THORACIC DISEASE. 13: 332-344.
- Lynch, DA. (1998). Imaging of occupational lung diseases. *Semin Respir Crit Care Med* 19: 447-458.
- Lynch, DA; Gamsu, G; Ray, CS; Aberle, DR. (1988). Asbestos-related focal lung masses: manifestations on conventional and high-resolution CT scans. *Radiology* 169: 603-607. <http://dx.doi.org/10.1148/radiology.169.3.3186982>.
- Lynch, HT; Katz, D; Markvicka, SE. (1985). Familial mesothelioma: review and family study. *Cancer Genet Cytogenet* 15: 25-35.
- Lynch, JR. (1965). Asbestos Study Proceedings and Findings. (NIOSH/00006546). Lynch, JR.
- Lynch, JR; Johnson, DL. (1966). An Environmental Survey of Asbestos Mining and Milling in California. (NIOSH/00237812). Lynch, JR; Johnson, DL.
- Lynch, KM. (1954). Pathology Of Asbestosis. *Ind Health* pages 185: 185-188.
- Lynch, KM; Cannon, WM. (1948). Asbestosis: VI. Analysis of Forty Necropsied Cases. *Dis Chest* 14: 874-889.
- Lynch, KM; Mciver, FA; Cain, J. R. (1957). Pulmonary tumors in mice exposed to asbestos dust. *AMA Arch Ind Health* 15: 207-214.
- Lynch, KM; Smith, WA. (1931). Pulmonary Asbestosis II. Including the Report of a Pure Case (pp. 643-660). (NIOSH/00192960). Lynch, KM; Smith, WA.
- Lynch, KM; Smith, WA. (1939). Pulmonary Asbestosis. V. A Report of Bronchial Carcinoma and Epithelial Metaplasia. *American Journal of Cancer* 36: 567-573.
- Lynch, T. (1994). LESTER FROM DUST DISEASES BOARD OF NEW SOUTH WALES. *Pathology* 26.
- Lynge, E; Thygesen, L. (1988). Use of Surveillance Systems for Occupational Cancer: Data from the Danish National System. *Int J Epidemiol* 17: 493-500.
- Ma J, YC; Barger, MW; Ma J, KH; Castranova, V. (1997). ACUTE PULMONARY RESPONSES TO INTRATRACHEAL INSTILLATION OF ASBESTOS AMELIORATION BY TETRANDRINE (pp. 6-9). (BIOSIS/97/13019). Ma J, YC; Barger, MW; Ma J, KH; Castranova, V.
- Ma, Q; Cao, C; Hong, X. (2014). [Diagnosis and analysis of asbestos induced peritoneal mesothelioma]. *Zhonghua Lao Dong Wei Sheng Zhi Ye Bing Za Zhi* 32: 347.
- Ma, Z; Otsuki, T; Tomokuni, A; Aikoh, T; Matsuki, T; Sakaguchi, H; Isozaki, Y; Hyodoh, F; Uehira, K; Isoda, K; Ueki, A. (1999). Man-made mineral fibers induce apoptosis of human peripheral blood mononuclear cells similarly to chrysotile B. *Int J Mol Med* 4: 633-637.
- Maccorkle, RA; Slattey, SD; Nash, DR; Brinkley, BR. (2006). Intracellular protein binding to asbestos induces aneuploidy in human lung fibroblasts. *Cell Motil Cytoskeleton* 63: 646-657. <http://dx.doi.org/10.1002/cm.20151>.

Human Health Hazard Literature Search Results

On Topic

- Macdonald, B. (2004). Managing the asbestos risk. 58: 29-31.
- Macdonald, JL; Kane, AB. (1986). Identification of asbestos fibers within single cells. *Lab Invest* 55: 177-185.
- Macdonald, JL; Kane, AB. (1997). Mesothelial cell proliferation and biopersistence of wollastonite and crocidolite asbestos fibers. *Fundam Appl Toxicol* 38: 173-183. <http://dx.doi.org/10.1006/faat.1997.2344>.
- Mace M L, J. R.; Brinkley, BR; Martin, RR; Marshall, MV; Roggli, V; Greenberg, SD; Mclemore, TL. (1980). SCANNING ELECTRON MICROSCOPIC CHARACTERIZATION OF INTERACTIONS BETWEEN ASBESTOS FIBERS AND HUMAN PULMONARY MACROPHAGES. (HEEP/81/08071). Mace M L, , JR; Brinkley, BR; Martin, RR; Marshall, MV; Roggli, V; Greenberg, SD; Mclemore, TL.
- Mace ML, J. R.; Marshall, MV; Mclemore, T; Lawrence, C; Feuerbacher, DG; Greenberg, SD. (1981). HUMAN ALVEOLAR MACROPHAGE PHAGOCYTOSIS, CYTOTOXICITY AND MUTAGENICITY OF ORGANOSILANE-REACTED CHRYSOTILE ASBESTOS (pp. 228). (EMICBACK/61656). Mace ML, , JR; Marshall, MV; Mclemore, T; Lawrence, C; Feuerbacher, DG; Greenberg, SD.
- Mace, ML; Brinkley, BR; Mclemore, TL; Martin, RR; Marshall, MV; Roggli, V; Greenberg, SD. (1980). SCANNING ELECTRON-MICROSCOPIC CHARACTERIZATION OF INTERACTIONS BETWEEN ASBESTOS FIBERS AND HUMAN PULMONARY MACROPHAGES. *Eur J Cell Biol* 22: 568-568.
- Mace, ML; Mclemore, TL; Roggli, V; Brinkley, BR; Greenberg, SD. (1980). Scanning electron microscopic examination of human asbestos bodies. *Cancer Lett* 9: 95-104.
- Macfarlane, E; Benke, G; Sim, MR; Fritschi, L. (2012). OccIDEAS: An Innovative Tool to Assess Past Asbestos Exposure in the Australian Mesothelioma Registry. *Saf Health Work* 3: 71-76. <http://dx.doi.org/10.5491/SHAW.2012.3.1.71>.
- Macher, JM; Hayward, SB. (1991). Public inquiries about indoor air quality in California. *Environ Health Perspect* 92: 175-180.
- Mackay, A; Akley, N; Tracy, R; Craighead, J. (1986). ASBESTOS-INDUCED PERITONEAL TUMORS OF THE RAT RESEMBLE HUMAN DIFFUSE MALIGNANT MESOTHELIOMAS IN THEIR SYNTHESIS OF INTERMEDIATE FILAMENT PROTEINS (pp. 13-18). (BIOSIS/86/25899). Mackay, A; Akley, N; Tracy, R; Craighead, J.
- Mackay, AM; Tracy, RP; Craighead, JE. (1987). INTERMEDIATE FILAMENT PROTEINS IN ASBESTOS-INDUCED MESOTHELIOMAS OF THE RAT. *Cancer Res* 47: 5461-5468.
- Maclure, M. (1987). ASBESTOS AND RENAL ADENOCARCINOMA A CASE-CONTROL STUDY. *Environ Res* 42: 353-361.
- Maclure, M; Poole, C. (1990). ASBESTOS AND KIDNEY CANCER. *Am J Ind Med* 17: 647-648.
- Macneal, K; Schwartz, DA. (2012). The genetic and environmental causes of pulmonary fibrosis [Review]. *Proc Am Thorac Soc* 9: 120-125. <http://dx.doi.org/10.1513/pats.201112-055AW>.
- Macpherson, M; Westbom, C; Kogan, H; Shukla, A. (2016). Actin polymerization plays a significant role in asbestos-induced inflammasome activation in mesothelial cells in vitro. *Histochem Cell Biol*. <http://dx.doi.org/10.1007/s00418-016-1530-8>.
- Macrae, KD. (1988). Asbestos in drinking water and cancer [Review]. *J R Coll Physicians Lond* 22: 7-10.
- Madan, I. (1996). OCCUPATIONAL ASTHMA AND OTHER RESPIRATORY DISEASES. *Br Med J* 313: 291-294.
- Madkour, MT; El Bokhary, MS; Awad Allah, HI; Awad, AA; Mahmoud, HF. (2009). Environmental exposure to asbestos and the exposure-response relationship with mesothelioma. *East Mediterr Health J* 15: 25-38.
- Maeda, M; Chen, Y; Hayashi, H; Kumagai-Takei, N; Matsuzaki, H; Lee, S; Nishimura, Y; Otsuki, T. (2014). Chronic exposure to asbestos enhances TGF- β 1 production in the human adult T cell leukemia virus-immortalized T cell line MT-2. *Int J Oncol* 45: 2522-2532. <http://dx.doi.org/10.3892/ijo.2014.2682>.
- Maeda, M; Chen, Y; Kumagai-Takei, N; Hayashi, H; Matsuzaki, H; Lee, S; Hiratsuka, J; Nishimura, Y; Kimura, Y; Otsuki, T. (2013). Alteration of cytoskeletal molecules in a human T cell line caused by continuous exposure to chrysotile asbestos. *Immunobiology* 218: 1184-1191. <http://dx.doi.org/10.1016/j.imbio.2013.04.007>.
- Maeda, M; Hino, O. (2006). Blood tests for asbestos-related mesothelioma [Review]. *Oncology: Int J Canc Res Treat* 71: 26-31. <http://dx.doi.org/10.1159/000100446>.
- Maeda, M; Hino, O. (2006). Molecular tumor markers for asbestos-related mesothelioma: serum diagnostic markers [Review]. *Pathol Int* 56: 649-654. <http://dx.doi.org/10.1111/j.1440-1827.2006.02024.x>.
- Maeda, M; Miura, Y; Nishimura, Y; Murakami, S; Hayashi, H; Kumagai, N; Hatayama, T; Katoh, M; Miyahara, N; Yamamoto, S; Fukuoka, K; Kishimoto, T; Nakano, T; Otsuki, T. (2008). Immunological changes in mesothelioma patients and their experimental detection. *Clinical Medicine : Circulatory, Respiratory and Pulmonary Medicine* 2: 11-17.
- Maeda, M; Nishimura, Y; Hayashi, H; Kumagai, N; Chen, Y; Murakami, S; Miura, Y; Hiratsuka, J; Kishimoto, T; Otsuki, T. (2011). Decreased CXCR3 expression in CD4+ T cells exposed to asbestos or derived from asbestos-exposed patients. *Am J Respir Cell Mol Biol* 45: 795-803. <http://dx.doi.org/10.1165/rcmb.2010-0435OC>.
- Maeda, M; Nishimura, Y; Hayashi, H; Kumagai, N; Chen, Y; Murakami, S; Miura, Y; Hiratsuka, J; Kishimoto, T; Otsuki, T. (2011). Reduction of CXC chemokine receptor 3 in an in vitro model of continuous exposure to asbestos in a human T-cell line, MT-2. *Am J Respir Cell Mol Biol* 45: 470-479. <http://dx.doi.org/10.1165/rcmb.2010-0213OC>.
- Maeda, M; Nishimura, Y; Kumagai, N; Hayashi, H; Hatayama, T; Katoh, M; Miyahara, N; Yamamoto, S; Hirastuka, J; Otsuki, T. (2010). Dysregulation of the immune system caused by silica and asbestos [Review]. *J Immunotoxicol* 7: 268-278. <http://dx.doi.org/10.3109/1547691X.2010.512579>.
- Maeda, M; Yamamoto, S; Chen, Y; Kumagai-Takei, N; Hayashi, H; Matsuzaki, H; Lee, S; Hatayama, T; Miyahara, N; Katoh, M; Hiratsuka, J; Nishimura, Y; Otsuki, T. (2012). Resistance to asbestos-induced apoptosis with continuous exposure to crocidolite on a human T cell. *Sci Total Environ* 429: 174-182. <http://dx.doi.org/10.1016/j.scitotenv.2012.04.043>.
- Maehle, WM; Muir, D; Chan, JC; Roos, JO. (1990). The Canadian Pneumoconiosis Reading Panel Study (pp. 3-6). (NIOSH/00198430). Maehle, WM; Muir, D; Chan, JC; Roos, JO.

Human Health Hazard Literature Search Results

On Topic

- Magee, F; Wright, JL; Chan, N; Lawson, L; Churg, A. (1986). Malignant mesothelioma caused by childhood exposure to long-fiber low aspect ratio tremolite. *Am J Ind Med* 9: 529-533. <http://dx.doi.org/10.1002/ajim.4700090604>.
- Magee, PN. (1974). Carcinogens in the environment. *Proc R Soc Med* 67: 741-743.
- Magnani, C; Agudo, A; González, CA; Andron, A; Calleja, A; Chellini, E; Dalmaso, P; Escolar, A; Hernandez, S; Ivaldi, C; Mirabelli, D; Ramirez, J; Turuguet, D; Usel, M; Terracini, B. (2000). Multicentric study on malignant pleural mesothelioma and non-occupational exposure to asbestos. *Br J Cancer* 83: 104-111. <http://dx.doi.org/10.1054/bjoc.2000.1161>.
- Magnani, C; Ancona, L; Baldassarre, A; Bressan, V; Cena, T; Chellini, E; Cuccaro, F; Ferrante, D; Legittimo, P; Luberto, F; Marinaccio, A; Mattioli, S; Menegozzo, S; Merler, E; Miligi, L; Mirabelli, D; Musti, M; Oddone, E; Pavone, V; Perticaroli, P; Pettinari, A; Pirastu, R; Ranucci, A; Romeo, E; Sala, O; Scarnato, C; Silvestri, S; Amianto, GdlpC. (2016). [Time trend in mesothelioma and lung cancer risk in asbestos workers in Italy]. *Epidemiol Prev* 40: 64-67. <http://dx.doi.org/10.19191/EP16.1S1.P064.032>.
- Magnani, C; Bianchi, C; Chellini, E; Consonni, D; Fubini, B; Gennaro, V; Marinaccio, A; Menegozzo, M; Mirabelli, D; Merler, E; Merletti, F; Musti, M; Oddone, E; Romanelli, A; Terracini, B; Zona, A; Zocchetti, C; Alessi, M; Baldassarre, A; Dianzani, I; Maule, M; Mensi, C; Silvestri, S. (2015). III Italian Consensus Conference on Malignant Mesothelioma of the Pleura. *Epidemiology, Public Health and Occupational Medicine related issues. Med Lav* 106: 325-332.
- Magnani, C; Borgo, GP; Terracini, B. (1991). MESOTHELIOMA AND ENVIRONMENTAL ASBESTOS EXPOSURE IN CASALE MONFERRATO (pp. 3-6). (BIOSIS/92/04885). Magnani, C; Borgo, GP; Terracini, B.
- Magnani, C; Comba, P; Di Paola, M. (1994). [Pleural mesotheliomas in the Po River valley near Pavia; mortality, incidence and the correlations with an asbestos cement plant]. *Med Lav* 85: 157-160.
- Magnani, C; Dalmaso, P; Biggeri, A; Ivaldi, C; Mirabelli, D; Terracini, B. (2001). Increased risk of malignant mesothelioma of the pleura after residential or domestic exposure to asbestos: A case-control study in Casale Monferrato, Italy. *Environ Health Perspect* 109: 915-919. <http://dx.doi.org/10.1289/ehp.01109915>.
- Magnani, C; Ferrante, D; Amendola, P. (2007). Cancer frequency and asbestos exposure in the asbestos-cement industry. *Eur J Oncol* 12: 81-88.
- Magnani, C; Ferrante, D; Barone-Adesi, F; Bertolotti, M; Todesco, A; Mirabelli, D; Terracini, B. (2008). Cancer risk after cessation of asbestos exposure: A cohort study of Italian asbestos cement workers. *Occup Environ Med* 65: 164-170. <http://dx.doi.org/10.1136/oem.2007.032847>.
- Magnani, C; Ivaldi, C; Botta, M; Terracini, B. (1997). Pleural malignant mesothelioma and environmental asbestos exposure in Casale Monferrato, Piedmont: Preliminary analysis of a case-control study. *Med Lav* 88: 302-309.
- Magnani, C; Leporati, M. (1998). Mortality from lung cancer and population risk attributable to asbestos in an asbestos cement manufacturing town in Italy. *Occup Environ Med* 55: 111-114.
- Magnani, C; Mollo, F; Paoletti, L; Bellis, D; Bernardi, P; Betta, P; Botta, M; Falchi, M; Ivaldi, C; Pavesi, M. (1998). Asbestos lung burden and asbestosis after occupational and environmental exposure in an asbestos cement manufacturing area: a necropsy study. *Occup Environ Med* 55: 840-846.
- Magnani, C; Nardini, I; Governa, M; Serio, A. (1986). [A cohort study of the personnel assigned to a state railroad repair shop]. *Med Lav* 77: 154-161.
- Magnani, C; Pannett, B; Winter, PD; Coggon, D. (1988). Application of a Job-Exposure Matrix to National Mortality Statistics for Lung Cancer. *Br J Ind Med* 45: 70-72.
- Magnani, C; Terracini, B; Bertolone, GP; Castagneto, B; Cocito, V; De Giovanni, D; Paglieri, P; Botta, M. (1987). Mortality from cancer and other diseases of the respiratory apparatus among asbestos-cement workers in Casale Monferrato (Italy): Historical cohort study. 78: 441-453.
- Magnani, C; Terracini, B; Ivaldi, C; Botta, M; Budel, P; Mancini, A; Zanetti, R. (1993). A cohort study on mortality among wives of workers in the asbestos cement industry in Casale Monferrato, Italy. *Br J Ind Med* 50: 779-784.
- Magnani, C; Terracini, B; Ivaldi, C; Botta, M; Mancini, A; Andron, A. (1995). Pleural malignant mesothelioma and non-occupational exposure to asbestos in Casale Monferrato, Italy. *Occup Environ Med* 52: 362-367.
- Magnani, C; Terracini, B; Ivaldi, C; Mancini, A; Botta, M. (1996). [Tumor mortality and from other causes in asbestos cement workers at the Casale Montferrato plant]]. *Med Lav* 87: 133-146.
- Magnani, C; Zanetti, R; Schiavo, D; Leporati, M; Botta, M. (1995). [Lung cancer mortality in Casale Monferrato (Italy) and attributable risk to occupations in the asbestos-cement production]. *Epidemiol Prev* 19: 338-341.
- Magnavita, N. (2000). [Health surveillance of subjects exposed to asbestos in the past] [Letter]. *Med Lav* 91: 166-170.
- Magnavita, N; Sacco, A; Marmioli, L. (1990). [Vascular, pulmonary and neoplastic pathology in a construction worker. Problems of etiological diagnosis]. *Med Lav* 81: 130-137.
- Magner, D; McDonald, AD. (1972). Malignant mesothelial tumors - histologic type and asbestos exposure. *N Engl J Med* 287: 570-571.
- Magouliotis, DE; Tasiopoulou, VS; Molyvdas, PA; Gourgoulianis, KI; Hatzoglou, C; Zarogiannis, SG. (2014). Airways microbiota: Hidden Trojan horses in asbestos exposed individuals? *Med Hypotheses* 83: 537-540. <http://dx.doi.org/10.1016/j.mehy.2014.09.006>.
- Maguire, FW; Mills, RC; Parker, FP. (1981). Immunoblastic lymphadenopathy and asbestosis. *Cancer* 47: 791-797.
- Maguire, GP; Meggs, LG; Addonizio, J; Del Guercio, LR. (1991). Association of asbestos exposure, retroperitoneal fibrosis, and acute renal failure. *N Y State J Med* 91: 357-359.
- Mahmood, N; Khan, SG; Ali, S; Athar, M; Rahman, Q. (1993). Asbestos Induced Oxidative Injury to DNA. *Ann Occup Hyg* 37: 315-319.
- Mahmood, N; Khan, SG; Athar, M; Rahman, Q. (1994). Differential role of hydrogen peroxide and organic peroxides in augmenting asbestos-mediated DNA damage: implications for asbestos induced carcinogenesis. *Biochem Biophys Res Commun* 200: 687-694.
- Maier, H; De Vries, N; Snow, GB. (1991). Occupational Factors in the Aetiology of Head and Neck Cancer. *Clin Otolaryngol* 16: 406-412.

Human Health Hazard Literature Search Results

On Topic

- Maier, H; Dietz, A; Zielinski, D; K-H, J; W-D, H. (1990). Risk factors associated with squamous epitheliomas of the mouth, oropharynx, hypopharynx and larynx (pp. 843-850). (BIOSIS/90/25280). Maier, H; Dietz, A; Zielinski, D; Juenemann K-H; Heller W-D.
- Maier, H; Fischer, G; Sennewald, E; Heller, WD. (1994). OCCUPATIONAL RISKS FOR PHARYNGEAL CANCER - RESULTS OF THE HEIDELBERG CASE-CONTROL STUDY. HNO 42: 530-540.
- Maier, H; Sennewald, E. (1994). Risk factors for developing epithelioma in parts of the head or neck. (CIS/95/00588). Maier, H; Sennewald, E.
- Maier, H; Tisch, M. (1997). EPIDEMIOLOGY OF LARYNGEAL CANCER (pp. AMSTERDAM). (BIOSIS/97/32107). Maier, H; Tisch, M.
- Maier, H; Tisch, M. (1997). Epidemiology of laryngeal cancer: Results of the Heidelberg case-control study. Acta Otolaryngol160-164.
- Maier, H; Tisch, M; Dietz, A; Conradt, C. (1999). Construction workers as an extreme risk group for head and neck cancer. HNO 47: 730-736. <http://dx.doi.org/10.1007/s001060050453>.
- Maizlish, N; Beaumont, J; Singleton, J. (1988). MORTALITY AMONG CALIFORNIA USA HIGHWAY WORKERS. Am J Ind Med 13: 363-380.
- Makarawate, P; Chaosuwanakit, N; Chindaprasit, J; Ungarreevittaya, P; Chaiwiriyakul, S; Wirasorn, K; Kuptarnond, C; Sawanyawisuth, K. (2013). Malignant mesothelioma of the pericardium: a report of two different presentations. 2013: 356901. <http://dx.doi.org/10.1155/2013/356901>.
- Maki, Y; Nishimura, Y; Toyooka, S; Soh, J; Tsukuda, K; Shien, K; Furukawa, M; Muraoka, T; Ueno, T; Tanaka, N; Yamamoto, H; Asano, H; Maeda, M; Kumagai-Takei, N; Lee, S; Matsuzaki, H; Otsuki, T; Miyoshi, S. (2016). The proliferative effects of asbestos-exposed peripheral blood mononuclear cells on mesothelial cells. 11: 3308-3316. <http://dx.doi.org/10.3892/ol.2016.4412>.
- Makie, T; Adcock, D; Lackland, DT; Hoel, DG. (2005). Pulmonary abnormalities associated with occupational exposures at the Savannah River Site. Am J Ind Med 48: 365-372. <http://dx.doi.org/10.1002/ajim.20224>.
- Makihara, K; Hamada, T; Kasai, K; Tanaka, T; Sato, H. (2016). [A Forensic Autopsy Case Applied for Asbestos-Related Disease]. J UOEH 38: 65-69. <http://dx.doi.org/10.7888/juoeh.38.65>.
- Mäki-Nevala, S; Sarhadi, VK; Knuutila, A; Scheinin, I; Ellonen, P; Lagström, S; Rönty, M; Kettunen, E; Husgafvel-Pursiainen, K; Wolff, H; Knuutila, S. (2015). Driver Gene and Novel Mutations in Asbestos-Exposed Lung Adenocarcinoma and Malignant Mesothelioma Detected by Exome Sequencing. Lung 194: 125-135. <http://dx.doi.org/10.1007/s00408-015-9814-7>.
- Malcolm, S. (1980). Asbestos. A Lingering Danger. (NIOSH/00191535). Malcolm, S.
- Malker, H. (1988). Register-epidemiology in the identification of cancer risks. (CIS/90/01231). Malker, H.
- Malker H, S. R.; Mclaughlin, JK; Weiner, JA; Blot, WJ; Ericsson J, LE. (1987). PERITONEAL MESOTHELIOMA IN THE CONSTRUCTION INDUSTRY IN SWEDEN. J Occup Med 29: 979-980.
- Malker H, S. R.; Weiner, JA. (1990). REGISTER EPIDEMIOLOGY STUDIES OF RECENT CANCER TRENDS IN SELECTED WORKERS (pp. NEW YORK). (BIOSIS/91/17203). Malker H, , SR; Weiner, JA.
- Malker, HS; Mclaughlin, JK; Malker, BK; Stone, BJ; Weiner, JA; Erickson, JL; Blot, WJ. (1985). Occupational risks for pleural mesothelioma in Sweden, 1961-79. J Natl Cancer Inst 74: 61-66.
- Malker, HS; Mclaughlin, JK; Malker, BK; Stone, BJ; Weiner, JA; Ericsson, JL; Blot, WJ. (1986). Biliary tract cancer and occupation in Sweden. Br J Ind Med 43: 257-262.
- Malmberg, P; Hillerdal, G. (1990). Association between exposure to asbestos and pleural effusion. Results from a questionnaire study of 31,000 persons. Ups J Med Sci 95: 45-52.
- Malmberg, P; Krantz, S; Hedenstrom, H; Kolmodin-Hedman, B. (1981). DIFFERENCES BETWEEN ASBESTOS AND MAN-MADE MINERAL FIBERS WITH REGARDS TO TENDENCY TO POLLUTE THE AIR WITH SMALL FIBERS AND TO CAUSE LUNG FIBROSIS (pp. 2-5). (HEEP/83/04255). Malmberg, P; Krantz, S; Hedenstrom, H; Kolmodin-Hedman, B.
- Malorni, W; Iosi, F; Falchi, M; Donelli, G. (1990). On the mechanism of cell internalization of chrysotile fibers: An immunocytochemical and ultrastructural study. Environ Res 52: 164-177. [http://dx.doi.org/10.1016/S0013-9351\(05\)80251-8](http://dx.doi.org/10.1016/S0013-9351(05)80251-8).
- Maltoni, C. (1976). Predictive value of carcinogenesis bioassays. Ann N Y Acad Sci 271: 431-443.
- Maltoni, C. (1978). Predictive carcinogenicity bioassays in industrial oncogenesis. Prog Biochem Pharmacol 14: 47-56.
- Maltoni, C. (1997). The Long-Lasting Legacy of Industrial Carcinogens: The Lesson of Asbestos. Irving J. Selikoff Memorial Lecture, 1995. Ann N Y Acad Sci 837: 570-586.
- Maltoni, C. (1999). Call for an international ban on asbestos [Review]. Toxicol Ind Health 15: 529-531. <http://dx.doi.org/10.1177/074823379901500601>.
- Maltoni, C; Minardi, F. (1989). Recent results of carcinogenicity bioassays of fibres and other particulate materials.
- Maltoni, C; Minardi, F. (1993). PHYSICAL CARCINOGENS. Holland J: MALVERN.
- Maltoni, C; Minardi, F; Morisi, L. (1982). Pleural mesotheliomas in Sprague-Dawley rats by erionite: first experimental evidence. Environ Res 29: 238-244.
- Maltoni, C; Minardi, F; Soffritti, M; Lefemine, G. (1991). Long-term carcinogenicity bioassays on industrial chemicals and man-made mineral fibers, at the Bentivoglio (BT) laboratories of the Bologna Institute of Oncology: Premises, programs, and results. Toxicol Ind Health 7: 63-94.
- Maltoni, C; Pinto, C. (1997). Mesotheliomas in some selected Italian population groups. Med Lav 88: 321-332.
- Maltoni, C; Pinto, C; Carnuccio, R; Valenti, D; Amaducci, E. (1994). Mesotheliomas following Exposure to Asbestos Used in Railroads: 122 Italian Cases (pp. Hazards and Risks of Chemicals in the Oil Refining Industry). (NIOSH/00227293). Maltoni, C; Pinto, C; Carnuccio, R; Valenti, D; Amaducci, E.
- Maltoni, C; Pinto, C; Carnuccio, R; Valenti, D; Lodi, P; Amaducci, E. (1995). Mesotheliomas following exposure to asbestos used in railroads: 130 Italian cases. Med Lav 86: 461-477.
- Maltoni, C; Pinto, C; Dominici, R. (1989). [Mesotheliomas among mechanics of the railways in Italy: a current problem]. Med Lav 80: 103-110.

Human Health Hazard Literature Search Results

On Topic

- Maltoni, C; Pinto, C; Lodi, P; Fanti, S; Sinibaldi, C; Paoletti, L. (1990). Environmental, Occupational and Teratogenic Tumors. XXIV. Pleural Mesothelioma from Asbestos in the Daughter of a Worker of the Bologna Compartment of the Italian State Railroads who Died from Pleural Mesothelioma. *Acta Oncol* 11: 381-395.
- Maltoni, C; Pinto, C; Mobiglia, A. (1991). Mesotheliomas due to asbestos used in railroads in Italy [Review]. *Ann N Y Acad Sci* 643: 347-367.
- Maltoni, C; Pinto, C; Mobiglia, A. (1991). Mesotheliomas following exposure to asbestos used in railroads: the Italian cases. *Toxicol Ind Health* 7: 1-45.
- Maltoni, C; Pinto, C; Valenti, D; Carnuccio, R; Amaducci, E; Minardi, F. (1995). Mesotheliomas following exposure to asbestos used in sugar refineries: report of 12 Italian cases. *Med Lav* 86: 478-483.
- Maltoni, C; Pinto, C; Valenti, D; Carnuccio, R; Minardi, F. (1994). Mesotheliomas following Exposure to Asbestos Used in Sugar Refineries: Report of the 11 Italian Cases (pp. Hazards and Risks of Chemicals in the Oil Refining Industry). (NIOSH/00226996). Maltoni, C; Pinto, C; Valenti, D; Carnuccio, R; Minardi, F.
- Maltoni, C; Pinto, C; Valenti, D; Carnuccio, R; Minardi, F. (1994). Mesotheliomas following exposure to asbestos used in sugar refineries: Report of the eleven Italian cases. *Int J Occup Med Toxicol* 3: 233-238.
- Maltoni, C; Selikoff, IJ. (1988). ANNALS OF THE NEW YORK ACADEMY OF SCIENCES VOL. 534. LIVING IN A CHEMICAL WORLD OCCUPATIONAL AND ENVIRONMENTAL SIGNIFICANCE OF INDUSTRIAL CARCINOGENS INTERNATIONAL CONFERENCE BOLOGNA ITALY OCTOBER 6-10 1985 (pp. OCCUPATIONAL AND ENVIRONMENTAL SIGNIFICANCE OF INDUSTRIAL CARCINOGENS; INTERNATIONAL CONFERENCE). (BIOSIS/89/05025). Maltoni, C; Selikoff, IJ.
- Mal'Tseva, LM; Finkel'Berg, EI; Savvaitova, NI; Vinogradova, EL. (1979). ORGANIZATION OF SPECIALIZED HOSPITAL OBSERVATIONS FOR PATIENTS WITH PNEUMOCONIOSIS. *Gig Tr Prof Zabol* 0: 41-42.
- Man, SF; Noujaim, AA; Lee, TK; Gibney, RT; Logus, JW. (1980). Canine tracheal mucus transport of particulate pollutants: comparison of radiolabeled corn pollen, ragweed pollen, asbestos, silica, and talc to Dowex anion exchange particles. *Arch Environ Health* 35: 283-286.
- Manahan, SE. (1990). Hazardous waste chemistry toxicology and treatment (pp. CHELSEA). (BIOSIS/91/10912). Commission of the European Communities.
- Manavoğlu, O; Orhan, B; Evrensel, T; Özçelik, T; Yolcu, I; Kunt, E. (1996). Malignant peritoneal mesothelioma following asbestos exposure [Review]. *J Environ Pathol Toxicol Oncol* 15: 191-194.
- Mancuso, TF. (1960). The Relationship Of The Occupational Environment To Chronic Disease. *Ind Med Surg* 29: 169-172.
- Mancuso, TF. (1983). Mesothelioma among machinists in railroad and other industries. *Am J Ind Med* 4: 501-513.
- Mancuso, TF. (1988). RELATIVE RISK OF MESOTHELIOMA AMONG RAILROAD MACHINISTS EXPOSED TO CHRYSOTILE. *Am J Ind Med* 13: 639-658.
- Mancuso, TF. (1991). Mesotheliomas among railroad workers in the United States. *Ann N Y Acad Sci* 643: 333-346.
- Mancuso, TF; Coulter, EJ. (1963). Methodology in industrial health studies: the cohort approach, with special reference to an asbestos company. *Arch Environ Occup Health* 6: 210-226.
- Manda-Stachouli, C; Dalavanga, Y; Daskalopoulos, G; Leontaridi, C; Vassiliou, M; Constantopoulos, SH. (2004). Decreasing prevalence of pleural calcifications among Metsovitites with nonoccupational asbestos exposure. *Chest* 126: 617-621. <http://dx.doi.org/10.1378/chest.126.2.617>.
- Mandel, JS; Mclaughlin, JK; Schlehofer, B; Mellemgaard, A; Helmert, U; Lindblad, P; Mccredie, M; Adami, HO. (1995). International renal-cell cancer study. IV. Occupation. *Int J Cancer* 61: 601-605. <http://dx.doi.org/10.1002/ijc.2910610503>.
- Mándi, A; Posgay, M; Vadász, P; Major, K; Rödelberger, K; Tossavainen, A; Ungváry, G; Woitowitz, HJ; Galambos, E; Németh, L; Soltész, I; Egerváry, M; Böszörményi Nagy, G. (2000). Role of occupational asbestos exposure in Hungarian lung cancer patients. *Int Arch Occup Environ Health* 73: 555-560.
- Mandigers, C; Mol, SJM; Weerdenburg, JPG; Keuning, JJ. (1994). ROUNDED ATELECTASIS OF THE LUNG, JUST A BENIGN DISORDER. *Neth J Med* 45: 162-169.
- Mandula, B; Davis, DL. (1986). Is Silica the Next Asbestos? A Study in Contrasts (pp. 511-518). (NIOSH/00168474). Mandula, B; Davis, DL.
- Manfredo, I. (2015). Accidental discovery of asbestos-related occupational pleural disease in unemployed carpenter: a healthcare safety net that needs mending. *Arh Hig Rada Toksikol* 66: 213-215. <http://dx.doi.org/10.1515/aiht-2015-66-2682>.
- Mangone, L; Romanelli, A; Campari, C; Candela, S. (2002). [Malignant mesothelioma in Emilia-Romagna: incidence and asbestos exposure]. *Epidemiol Prev* 26: 124-129.
- Mangum, JB; Everitt, JI; Bonner, JC; Moore, LR; Brody, AR. (1990). COCULTURE OF PRIMARY PULMONARY CELLS TO MODEL ALVEOLAR INJURY AND TRANSLOCATION OF PROTEINS. *In Vitro* 26: 1135-1143.
- Mann, B; Sinha, CN. (1966). Jack Needle Lung Biopsy in Pneumoconiosis. *Dis Chest* 50: 504-508.
- Manni, ML; Epperly, MW; Han, W; Blackwell, TS; Duncan, SR; Piganelli, JD; Oury, TD. (2012). Leukocyte-derived extracellular superoxide dismutase does not contribute to airspace EC-SOD after interstitial pulmonary injury. *Am J Physiol Lung Cell Mol Physiol* 302: L160-L166. <http://dx.doi.org/10.1152/ajplung.00360.2010>.
- Manning, CB; Cummins, AB; Jung, MW; Berlinger, I; Timblin, CR; Palmer, C; Taatjes, DJ; Hemenway, D; Vacek, P; Mossman, BT. (2002). A mutant epidermal growth factor receptor targeted to lung epithelium inhibits asbestos-induced proliferation and proto-oncogene expression. *Cancer Res* 62: 4169-4175.
- Manning, CB; Mossman, BT; Taatjes, DJ. (2006). Analysis of asbestos-induced gene expression changes in bronchiolar epithelial cells using laser capture microdissection and quantitative reverse transcriptase-polymerase chain reaction. *Methods Mol Biol* 319: 231-236. http://dx.doi.org/10.1007/978-1-59259-993-6_11.

Human Health Hazard Literature Search Results

On Topic

- Manning, CB; Sabo-Attwood, T; Robledo, RF; Macpherson, MB; Rincón, M; Vacek, P; Hemenway, D; Taatjes, DJ; Lee, PJ; Mossman, BT. (2008). Targeting the MEK1 cascade in lung epithelium inhibits proliferation and fibrogenesis by asbestos. *Am J Respir Cell Mol Biol* 38: 618-626. <http://dx.doi.org/10.1165/rcmb.2007-0382OC>.
- Manning, CB; Vallyathan, V; Mossman, BT. (2002). Diseases caused by asbestos: mechanisms of injury and disease development [Review]. *Int Immunopharmacol* 2: 191-200. [http://dx.doi.org/10.1016/S1567-5769\(01\)00172-2](http://dx.doi.org/10.1016/S1567-5769(01)00172-2).
- Manning, LS; Bowman, R; Darby, S; Musk, AW; Robinson B, WS. (1988). LYMPHOKINE-ACTIVATED KILLER LAK CELLS GENERATED FROM PATIENTS WITH MALIGNANT MESOTHELIOMA MM ARE LESS EFFECTIVE AGAINST CULTURED MM CELLS THAN LAK CELLS FROM CONTROL INDIVIDUALS (pp. 8-13). (BIOSIS/89/02646). Manning, LS; Bowman, R; Darby, S; Musk, AW; Robinson B, WS.
- Manning, LS; Bowman, RV; Davis, MR; Musk, AW; Robinson, BW. (1989). Indomethacin augments lymphokine-activated killer cell generation by patients with malignant mesothelioma. *Clin Immunol Immunopathol* 53: 68-77.
- Manning, LS; Davis, MR; Robinson, BW. (1991). Asbestos fibres inhibit the in vitro activity of lymphokine-activated killer (LAK) cells from healthy individuals and patients with malignant mesothelioma. *Clin Exp Immunol* 83: 85-91.
- Manning, LS; Rose, AH; Bowman, RV; Christmas, TI; Garlepp, MJ; Robinson, BWS. (1992). Immune Function Related to Asbestos Exposure and Mesothelioma, and Immunotherapy of Mesothelioma (pp. 278-291). (NIOSH/00210725). Manning, LS; Rose, AH; Bowman, RV; Christmas, TI; Garlepp, MJ; Robinson, BWS.
- Mannino, D; Etzel, R; Cobb, N. (1992). DEATHS WITH ASBESTOSIS IN THE UNITED STATES 1968 THROUGH 1988 (pp. 17-20). (BIOSIS/92/20046). Mannino, D; Etzel, R; Cobb, N.
- Mannix, ET; Martin, WJ. (1994). Exercise impairment in asbestos-induced pleural fibrosis. Is it really just interstitial fibrosis? [Editorial]. *Chest* 105: 1312-1313.
- Manno, M. (1990). [Free radicals in industrial medicine: their mechanisms of toxicity and biological relevance] [Review]. *Med Lav* 81: 251-261.
- Manno, M. (1990). Free radicals in occupational medicine. *81*: 251-261.
- Mao, W; Zhang, X; Guo, Z; Gao, Z; Pass, HI; Yang, H; Carbone, M. (2016). Association of Asbestos Exposure With Malignant Mesothelioma Incidence in Eastern China. <http://dx.doi.org/10.1001/jamaoncol.2016.5487>.
- Marchand, JL; Luce, D; Leclerc, A; Goldberg, P; Orlowski, E; Bugel, I; Brugère, J. (2000). Laryngeal and hypopharyngeal cancer and occupational exposure to asbestos and man-made vitreous fibers: results of a case-control study. *Am J Ind Med* 37: 581-589.
- Marchand, LS; Pfau, J. (2011). AUTOIMMUNITY AND ASBESTOS RELATED DISEASE IN AMPHIBOLE EXPOSED INDIVIDUALS OF LIBBY, MONTANA. *J Investig Med* 59: 161-161.
- Marchand, LS; St-Hilaire, S; Putnam, EA; Serve, KM; Pfau, JC. (2012). Mesothelial cell and anti-nuclear autoantibodies associated with pleural abnormalities in an asbestos exposed population of Libby MT. *Toxicol Lett* 208: 168-173. <http://dx.doi.org/10.1016/j.toxlet.2011.10.024>.
- Marchand, PE. (1991). HISTORICAL PERSPECTIVES IN OCCUPATIONAL MEDICINE THE DISCOVERY OF MESOTHELIOMA IN THE NORTHWESTERN CAPE PROVINCE IN THE REPUBLIC OF SOUTH AFRICA. *Am J Ind Med* 19: 241-246.
- Marchevsky, AM; Harber, P; Crawford, L; Wick, MR. (2006). Mesothelioma in patients with nonoccupational asbestos exposure. An evidence-based approach to causation assessment [Review]. *Ann Diagn Pathol* 10: 241-250. <http://dx.doi.org/10.1016/j.anndiagpath.2006.06.012>.
- Marchevsky, AM; Wick, MR. (2003). Current controversies regarding the role of asbestos exposure in the causation of malignant mesothelioma: the need for an evidence-based approach to develop medicolegal guidelines [Review]. *Ann Diagn Pathol* 7: 321-332.
- Marchi, E; Liu, W; Broaddus, VC. (2000). Mesothelial cell apoptosis is confirmed in vivo by morphological change in cytokeratin distribution. *Am J Physiol Lung Cell Mol Physiol* 278: L528-L535.
- Marchiori, L; Marangi, G; Ballarin, N; Valentini, F; D'Anna, M; Barbina, P; Franchi, A; Mastrangelo, G. (2016). [Proposal of an Italian national protocol of health surveillance for former asbestos workers: an ongoing project]. *Epidemiol Prev* 40: 68-73. <http://dx.doi.org/10.19191/EP16.1S1.P068.033>.
- Marcus, K; Järnholm, BG; Larsson, S. (1987). Asbestos-associated lung effects in car mechanics. *Scand J Work Environ Health* 13: 252-254.
- Marczynski, B; Czuppon, AB; Marek, W; Reichel, G; Baur, X. (1993). INCREASED INCIDENCE OF DNA DOUBLE-STRAND BREAKS AND ANTI-DS DNA ANTIBODIES IN BLOOD OF WORKERS OCCUPATIONALLY EXPOSED TO ASBESTOS. *Am Rev Respir Dis* 147: A911-A911.
- Marczynski, B; Czuppon, AB; Marek, W; Reichel, G; Baur, X. (1994). Increased incidence of DNA double-strand breaks and anti-ds DNA antibodies in blood of workers occupationally exposed to asbestos. *Hum Exp Toxicol* 13: 3-9.
- Marczynski, B; Czuppon, AB; Reichel, G; Marek, W; Baur, X. (1992). DNA-DOUBLE STRAND BREAKS AND ANTI-DS-DNA AUTOANTIBODIES IN WORKERS EXPOSED TO ASBESTOS. (EMIC/87537). Marczynski, B; Czuppon, AB; Reichel, G; Marek, W; Baur, X.
- Marczynski, B; Kerenyi, T; Czuppon, AB; Marek, W; Baur, X. (1994). INCREASED INCIDENCE OF DNA DOUBLE-STRAND BREAKS IN LUNG AND LIVER OF RATS AFTER EXPOSURE TO CROCIDOLITE ASBESTOS FIBERS. *Inhal Toxicol* 6: 395-406.
- Marczynski, B; Kerenyi, T; Marek, W; K-M, M; Baur, X. (1993). DNA double-strand breaks in lung and liver of asbestos-exposed rats (pp. 388-391). (BIOSIS/94/00391). Marczynski, B; Kerenyi, T; Marek, W; Mueller K-M; Baur, X.
- Marczynski, B; Kraus, T; Rozynek, P; Raithel, HJ; Baur, X. (2000). Association between 8-hydroxy-2'-deoxyguanosine levels in DNA of workers highly exposed to asbestos and their clinical data, occupational and non-occupational confounding factors, and cancer. *Mutat Res* 468: 203-212.
- Marczynski, B; Kraus, T; Rozynek, P; Schlösser, S; Raithel, HJ; Baur, X. (2001). Changes in low molecular weight DNA fragmentation in white blood cells of workers highly exposed to asbestos. *Int Arch Occup Environ Health* 74: 315-324.
- Marczynski, B; Rozynek, P; Huber, H; Baur, X. (1999). [Genotoxicity of asbestos fibers--review of the literature] [Review]. *Pneumologie* 53: 454-458. <http://dx.doi.org/10.1055/s-1999-9035>.

Human Health Hazard Literature Search Results

On Topic

- Marczynski, B; Rozynek, P; Kraus, T; Schlösser, S; Raitel, HJ; Baur, X. (2000). Levels of 8-hydroxy-2'-deoxyguanosine in DNA of white blood cells from workers highly exposed to asbestos in Germany. *Mutat Res* 468: 195-202.
- Marek, K. (1985). Lung function in different types of pneumoconiosis. *Z Erkr Atmungsorgane* 164: 270-272.
- Marek, K. (2002). [Asbestos-related carcinogenic risk] [Review]. *Med Pr* 53: 447-449.
- Marek, K; Zejda, J. (1990). [Effect of asbestos on health]. *Pneumonol Pol* 58: 155-162.
- Margolin, S; Margolin, B; Margolin, D. (1982). REMOVAL OF INTERSTITIAL PULMONARY FIBROSIS ASBESTOS INDUCED BY ORAL CHEMO THERAPY WITH PIRFENIDONE (pp. 15-23). (HEEP/82/13810). Margolin, S; Margolin, B; Margolin, D.
- Marinaccio, A; Binazzi, A; Bonafede, M; Corfiati, M; Di Marzio, D; Scarselli, A; Verardo, M; Mirabelli, D; Gennaro, V; Mensi, C; Schalleberg, G; Merler, E; Negro, C; Romanelli, A; Chellini, E; Silvestri, S; Cocchioni, M; Pascucci, C; Stracci, F; Ascoli, V; Trafficante, L; Angelillo, I; Musti, M; Cavone, D; Cauzillo, G; Tallarigo, F; Tumino, R; Melis, M; Group, RW. (2015). Malignant mesothelioma due to non-occupational asbestos exposure from the Italian national surveillance system (ReNaM): epidemiology and public health issues. *Occup Environ Med* 72: 648-655. <http://dx.doi.org/10.1136/oemed-2014-102297>.
- Marinaccio, A; Binazzi, A; Cauzillo, G; Cavone, D; Zotti, RD; Ferrante, P; Gennaro, V; Gorini, G; Menegozzo, M; Mensi, C; Merler, E; Mirabelli, D; Montanaro, F; Musti, M; Pannelli, F; Romanelli, A; Scarselli, A; Tumino, R; Group, IMRW. (2007). Analysis of latency time and its determinants in asbestos related malignant mesothelioma cases of the Italian register. *Eur J Cancer* 43: 2722-2728. <http://dx.doi.org/10.1016/j.ejca.2007.09.018>.
- Marinaccio, A; Binazzi, A; Cauzillo, G; Chellini, E; De Zotti, R; Gennaro, V; Menegozzo, M; Mensi, C; Merler, E; Mirabelli, D; Musti, M; Pannelli, F; Romanelli, A; Scarselli, A; Tosi, S; Tumino, R; Nesti, M; ReNaM, Gdl. (2007). [Epidemiological surveillance of malignant mesothelioma cases in Italy: incidence and asbestos exposure figures by the Italian mesothelioma registry (ReNaM)]. *Epidemiol Prev* 31: 23-26.
- Marinaccio, A; Binazzi, A; Di Marzio, D; Scarselli, A; Verardo, M; Mirabelli, D; Gennaro, V; Mensi, C; Merler, E; De Zotti, R; Mangone, L; Chellini, E; Pascucci, C; Ascoli, V; Menegozzo, S; Cavone, D; Cauzillo, G; Nicita, C; Melis, M; Iavicoli, S. (2010). Incidence of extrapleural malignant mesothelioma and asbestos exposure, from the Italian national register. *Occup Environ Med* 67: 760-765. <http://dx.doi.org/10.1136/oem.2009.051466>.
- Marinaccio, A; Binazzi, A; Marzio, DD; Scarselli, A; Verardo, M; Mirabelli, D; Gennaro, V; Mensi, C; Riboldi, L; Merler, E; Zotti, RD; Romanelli, A; Chellini, E; Silvestri, S; Pascucci, C; Romeo, E; Menegozzo, S; Musti, M; Cavone, D; Cauzillo, G; Tumino, R; Nicita, C; Melis, M; Iavicoli, S; Group, RW. (2012). Pleural malignant mesothelioma epidemic: incidence, modalities of asbestos exposure and occupations involved from the Italian National Register. *Int J Cancer* 130: 2146-2154. <http://dx.doi.org/10.1002/ijc.26229>.
- Marinaccio, A; Branchi, C; Massari, S; Scarselli, A. (2006). National epidemiologic surveillance systems of asbestos-related disease and the exposed workers register. *Med Lav* 97: 482-487.
- Marinaccio, A; Scarselli, A; Binazzi, A; Mastrantonio, M; Ferrante, P; Iavicoli, S. (2008). Magnitude of asbestos-related lung cancer mortality in Italy. *Br J Cancer* 99: 173-175. <http://dx.doi.org/10.1038/sj.bjc.6604450>.
- Marinelli, G; Acone, MR; Reale, L. (1999). Professional respiratory diseases: Situation in Italy and in Abruzzo during the period 1992-1996 (pp. 33-50). (BIOSIS/99/25029). Marinelli, G; Acone, MR; Reale, L.
- Marini, V; Michelazzi, L; Cioé, A; Fucile, C; Spigno, F; Robbiano, L. (2011). Exposure to asbestos: correlation between blood levels of mesothelin and frequency of micronuclei in peripheral blood lymphocytes. *Mutat Res* 721: 114-117. <http://dx.doi.org/10.1016/j.mrgentox.2010.12.014>.
- Mark, EJ; Shin, DH. (1992). Asbestos and the histogenesis of lung carcinoma. *Semin Diagn Pathol* 9: 110-116.
- Mark, EJ; Yokoi, T. (1991). Absence of evidence for a significant background incidence of diffuse malignant mesothelioma apart from asbestos exposure [Review]. *Ann N Y Acad Sci* 643: 196-204.
- Mark, GJ; Monroe, CB; Kazemi, H. (1979). Mixed pneumoconiosis: silicosis, asbestosis, talcosis, and berylliosis. *Chest* 75: 726-728.
- Marko, D; Hannotiaux, MH; Scharfman, A; Hayem, A; Gressier, B; Lafitte, JJ; Mizon, J. (1987). FUNCTIONAL ACTIVITY OF ALPHA-1 ANTIPROTEASE IN BRONCHO-ALVEOLAR LAVAGE LIQUIDS FROM PATIENTS WITH PNEUMOCONIOSIS (pp. PARIS). (BIOSIS/88/23288). Marko, D; Hannotiaux, MH; Scharfman, A; Hayem, A; Gressier, B; Lafitte, JJ; Mizon, J.
- Markos, J; Musk, AW; Finucane, KE. (1988). FUNCTIONAL SIMILARITIES OF ASBESTOSIS AND CRYPTOGENIC FIBROSING ALVEOLITIS. *Thorax* 43: 708-714.
- Markowitz, S. (2015). Asbestos-related lung cancer and malignant mesothelioma of the pleura: selected current issues [Review]. *Semin Respir Crit Care Med* 36: 334-346. <http://dx.doi.org/10.1055/s-0035-1549449>.
- Markowitz, S. (2016). Erratum to: Asbestos-Related Lung Cancer and Malignant Mesothelioma of the Pleura: Selected Current Issues (*Semin Respir Crit Care Med* 2015;36(3):334-346) [Erratum]. *Semin Respir Crit Care Med* 37: 143-144. <http://dx.doi.org/10.1055/s-0035-1570120>.
- Markowitz, SB; Garibaldi, K; Lillis, R; Landrigan, PJ. (1991). Asbestos exposure and fire fighting. *Ann N Y Acad Sci* 643: 573-577.
- Markowitz, SB; Levin, SM; Miller, A; Morabia, A. (2013). Asbestos, asbestosis, smoking, and lung cancer. New findings from the North American insulator cohort. *Am J Respir Crit Care Med* 188: 90-96. <http://dx.doi.org/10.1164/rccm.201302-0257OC>.
- Markowitz, SB; Moline, JM. (2017). Malignant mesothelioma due to asbestos exposure in dental tape. *Am J Ind Med*. <http://dx.doi.org/10.1002/ajim.22696>.
- Markowitz, SB; Morabia, A; Lillis, R; Miller, A; Nicholson, WJ; Levin, S. (1997). Clinical predictors of mortality from asbestosis in the North American insulator cohort, 1981 to 1991. *Am J Respir Crit Care Med* 156: 101-108.
- Maroudas, NG; O'Neill, CH; Stanton, MF. (1973). Fibroblast anchorage in carcinogenesis by fibres. *Lancet* 7807: 807-809.
- Marsella, JM; Liu, BL; Vaslet, CA; Kane, AB. (1997). Susceptibility of p53-deficient mice to induction of mesothelioma by crocidolite asbestos fibers. *Environ Health Perspect* 105: 1069-1072.

Human Health Hazard Literature Search Results

On Topic

- Marsh, G; Youk, A; Stone, R; Buchanich, J; Gula, M; Smith, T; Quinn, M. (2001). Historical cohort study of US man-made vitreous fiber production workers: I. 1992 fiberglass cohort follow-up: Initial findings. *J Occup Environ Med* 43: 741-756.
- Marsh, GM. (1983). Additional thoughts on the review of epidemiologic studies related to ingested asbestos. *Environ Health Perspect* 53: 185-187.
- Marsh, GM. (1983). Critical review of epidemiologic studies related to ingested asbestos. *Environ Health Perspect* 53: 49-56.
- Marsh, GM; Gula, MJ; Roggli, VL; Churg, A. (2003). The role of smoking and exposure to asbestos and man-made vitreous fibers in a questionable case of mesothelioma. *Ind Health* 41: 332-334.
- Marsh, GM; Stone, RA; Esmen, NA; Gula, MJ; Gause, CK; Petersen, NJ; Meaney, FJ; Rodney, S; Prybylski, D. (1997). A case-control study of lung cancer mortality in six Gila Basin, Arizona smelter towns. *Environ Res* 75: 56-72. <http://dx.doi.org/10.1006/enrs.1997.3768>.
- Marsh, GM; Stone, RA; Henderson, VL. (1992). Lung cancer mortality among industrial workers exposed to formaldehyde: a Poisson regression analysis of the National Cancer Institute study. *AIHA J* 53: 681-691. <http://dx.doi.org/10.1080/15298669291360373>.
- Marsh, J; Hill, S; Mossman, BT. (1986). IMPLICATION OF CALCIUM AND PROTEIN-KINASE IN BIOLOGICAL RESPONSES INDUCED BY ASBESTOS IN HAMSTER TRACHEAL EPITHELIAL (HTE) CELLS. *In Vitro* 22: A59-A59.
- Marsh, JP; Gilbert, R; Hardwick, D; Sesko, A; Adler, KB; Hemenway, D; Mickey, R; Kagan, E; Mossman, BT. (1988). INHIBITION OF LUNG INJURY INFLAMMATION AND FIBROSIS BY POLYETHYLENE GLYCOL PEG-CONJUGATED CATALASE IN RATS EXPOSED TO ASBESTOS (pp. 24-30). (BIOSIS/88/30798). Marsh, JP; Gilbert, R; Hardwick, D; Sesko, A; Adler, KB; Hemenway, D; Mickey, R; Kagan, E; Mossman, BT.
- Marsh, JP; Jean, L; Mossman, BT. (1985). Asbestos and Fibrous Glass Induce Biosynthesis of Polyamines in Tracheobronchial Epithelial Cells *In Vitro* (pp. 305-311). (NIOSH/00165763). Marsh, JP; Jean, L; Mossman, BT.
- Marsh, JP; Mossman, BT. (1984). ORNITHINE DECARBOXYLASE (ODC) ACTIVITY AND MITOGENIC RESPONSE IN TRACHEAL EPITHELIAL-CELLS EXPOSED TO FIBROUS AND NONFIBROUS ANALOGS OF ASBESTOS AND GLASS - IMPORTANCE OF SERUM AND EPIDERMAL GROWTH-FACTOR (EGF). *Proc Am Assoc Cancer Res* 25: 143-143.
- Marsh, JP; Mossman, BT. (1988). Mechanisms of induction of ornithine decarboxylase activity in tracheal epithelial cells by asbestiform minerals. *Cancer Res* 48: 709-714.
- Marsh, JP; Mossman, BT. (1990). OXIDANT-MEDIATED ACTIVATION OF ORNITHINE DECARBOXYLASE ODC IN TRACHEAL EPITHELIAL CELLS (pp. 14-20). (BIOSIS/91/07885). Marsh, JP; Mossman, BT.
- Marsh, JP; Mossman, BT. (1991). Role of asbestos and active oxygen species in activation and expression of ornithine decarboxylase in hamster tracheal epithelial cells. *Cancer Res* 51: 167-173.
- Marsh, JP; Mossman, BT; Driscoll, KE; Schins, RF; Borm, PJ. (1994). Effects of Aramid, a high strength synthetic fiber, on respiratory cells in vitro. *Drug Chem Toxicol* 17: 75-92. <http://dx.doi.org/10.3109/01480549409014303>.
- Marsh, JP; Petruska, J; Mossman, BT. (1988). ELEVATION OF ANTIOXIDANT ENZYMES IN AN INHALATION MODEL OF ASBESTOSIS (pp. 8-11). (BIOSIS/88/23576). Marsh, JP; Petruska, J; Mossman, BT.
- Marsh, JP; Tritton, T; Mossman, BT. (1987). THE FIBROGENIC AGENTS ASBESTOS AND BLEOMYCIN CAUSE COMMON ALTERATIONS IN MEMBRANE FLUIDITY IN RAT LUNG FIBROBLASTS (pp. 15-18). (ISSN 0012-3692 EISSN 1931-3543 BIOSIS/87/21414). Marsh, JP; Tritton, T; Mossman, BT.
- Marshall, MV; Mclemore, TL; Feuerbacher, DL; Griffin, AC. (1981). SURFACE ALTERATIONS OF ASBESTOS AND RESULTING EFFECTS ON HUMAN PULMONARY ALVEOLAR MACROPHAGES (PAMS). *Proc Am Assoc Cancer Res* 22: 72-72.
- Marten, M; Dirksen, M; Püschel, K; Lieske, K. (1989). [Distribution of asbestos bodies in human organs]. *Pathologe* 10: 114-117.
- Martensson, G. (1990). Diagnosing malignant pleural mesothelioma [Editorial]. *Eur Respir J* 3: 985-986.
- Mårtensson, G; Hagberg, S; Pettersson, K; Thiringer, G. (1987). Asbestos pleural effusion: a clinical entity. *Thorax* 42: 646-651.
- Mårtensson, G; Larsson, S; Zettergren, L. (1984). Malignant mesothelioma in two pairs of siblings: Is there a hereditary predisposing factor. *Eur J Respir Dis* 65: 179-184.
- Martin, A; McMahan, J; Steinle, R; Gephardt, G; Pippenger, C. (1989). ATOMIC ABSORPTION ANALYSIS OF OCCUPATIONAL LUNG DISEASE (pp. 5-10). (BIOSIS/89/15211). Martin, A; McMahan, J; Steinle, R; Gephardt, G; Pippenger, C.
- Martin DEL MORAL, A; Perez RODRIGUEZ, L; Sanchez CANDEL, F; Lozano SERRANO, C. (1989). CLINICAL CASE 4. ASBESTOSIS WITH BRONCHIAL CARCINOMA. *Radiologia MADR*.
- Martin, M; Page, M; Habashi, F; Awadalla, FT. (1989). TOXICITY OF CHRYSOTILE ASBESTOS THROUGH SURFACE MODIFICATION WITH CHELATING AGENTS (pp. SECAUCUS). (BIOSIS/90/02004). Martin, M; Page, M; Habashi, F; Awadalla, FT.
- Martin, P. (1992). Asbestos: the miracle mineral [Review]. *N Z Med J* 105: 53-54.
- Martin, WJ. (1990). Pulmonary toxicity induced by chemical agents [Review]. *Eur Respir J* 3: 375-376.
- Martínez, C; Monsó, E; Quero, A. (2004). [Emerging pleuropulmonary diseases associated with asbestos inhalation] [Review]. *Arch Bronconeumol* 40: 166-177.
- Martinez, CM; Pimentel, MTY; Montero, MB; Aparicio, MB; Racaamonde, AV; Gonzalez, IO; Hernando, HV. (1998). Malignant diffuse mesothelioma: report of 23 cases. *Rev Clin Esp* 198: 665-668.
- Martínez González, C; Cruz Carmona, MJ. (2009). [Update in respiratory disease and environmental exposure: an invisible relationship]. *Arch Bronconeumol* 45 Suppl 1: 21-24. [http://dx.doi.org/10.1016/S0300-2896\(09\)70267-4](http://dx.doi.org/10.1016/S0300-2896(09)70267-4).
- Martiny, O. (1970). Pulmonary tuberculosis: II. Some epidemiological factors in tuberculosis (pp. 9-20). (HEEP/72/11273). Martiny, O.
- Martischinig, KM; Newell, DJ; Barnsley, WC; Cowan, WK; Feinmann, EL; Oliver, E. (1977). Unsuspected exposure to asbestos and bronchogenic carcinoma. *Br Med J* 1: 746-749.
- Martuzzi, M; Comba, P; De Santis, M; Iavarone, I; Di Paola, M; Mastrantonio, M; Pirastu, R. (1998). Asbestos-related lung cancer mortality in Piedmont, Italy. *Am J Ind Med* 33: 565-570.

Human Health Hazard Literature Search Results

On Topic

- Mas, S; Casterad, X; Laso, N; Lafuente, MJ; Panades, R; Calleja, A; Hernandez, S; Turuguet, D; Deulofeu, R; Ballesta, A; Ascaso, C; Lafuente, A. (2004). Concentration of hydroxyproline in blood: a biological marker in occupational exposure to asbestos and its relationship with Pi*Z and Pi*S polymorphism in the alpha-1 antitrypsin gene. *Am J Ind Med* 45: 186-193. <http://dx.doi.org/10.1002/ajim.10350>.
- Mascagni, P; Corsini, E; Pettazoni, M; Baj, A; Feltrin, G; Ferraioli, E; Toffoletto, F. (2003). [Determination of interleukin-8 in induced sputum of workers exposed to low concentrations of asbestos]. *G Ital Med Lav Ergon* 25 Suppl: 137.
- Mashala, YJ; Ntogwisangu, JH; Kaaya, GA. (1996). Pulmonary function results in asbestos factory workers. *Afr J Health Sci* 3: 16-18.
- Mason, T. (1977). Statistics point to high-cancer localities. *Occup Health Saf* 46: 44-48.
- Masse, R; Sebastien, P; Monchaux, G; Bignon, J. (1980). Experimental demonstration of the penetration of asbestos fibres into the gastrointestinal tract.
- Masse, S; Sirois, P; Cadieux, A; Rouland, JC; Souleau, C. (1980). INVITRO AND INVIVO TOXICITY OF PREVALENTLY LONG ASBESTOS FIBERS. *Union Med Can* 109: 1535-1535.
- Massey, DG. (1984). Developments in asbestos-related disease [Review]. *Hawaii Med J* 43: 182-184.
- Masson, TJ; Mckay, FW; Miller, RW. (1974). Asbestos-like fibers in Duluth water supply: relation to cancer mortality. *JAMA* 228: 1019-1020.
- Mast, RW; Hesterberg, TW; Glass, LR; Mcconnell, EE; Anderson, R; Bernstein, DM. (1994). Chronic inhalation and biopersistence of refractory ceramic fiber in rats and hamsters. *Environ Health Perspect* 102 Suppl 5: 207-209.
- Mast, RW; Mcconnell, EE; Anderson, R; Chevalier, J; Kotin, P; Bernstein, DM; Thevenaz, P; Glass, LR; Miiller, WC; Hesterberg, TW. (1995). STUDIES ON THE CHRONIC TOXICITY (INHALATION) OF 4 TYPES OF REFRACTORY CERAMIC FIBER IN MALE FISCHER-344 RATS. *Inhal Toxicol* 7: 425-467. <http://dx.doi.org/10.3109/08958379509015208>.
- Mastrangelo, G; Ballarin, MN; Bellini, E; Bicciato, F; Zannol, F; Gioffrè, F; Zedde, A; Tessadri, G; Fedeli, U; Valentini, F; Scozzato, L; Marangi, G; Lange, JH. (2009). Asbestos exposure and benign asbestos diseases in 772 formerly exposed workers: dose-response relationships. *Am J Ind Med* 52: 596-602. <http://dx.doi.org/10.1002/ajim.20713>.
- Mastrangelo, G; Ballarin, MN; Bellini, E; Bizzotto, R; Zannol, F; Gioffrè, F; Gobbi, M; Tessadri, G; Marchiori, L; Marangi, G; Bozzolan, S; Lange, JH; Valentini, F; Spolaore, P. (2008). Feasibility of a screening programme for lung cancer in former asbestos workers. *Occup Med (Lond)* 58: 175-180. <http://dx.doi.org/10.1093/occmed/kqn018>.
- Mastrangelo, G; Fadda, E; Comiati, V; Dell'Aquila, M; Zamprogno, E; Fedeli, U; Bellini, E. (2014). A rare occupation causing mesothelioma: mechanisms and differential etiology. *Med Lav* 105: 337-345.
- Mastrangelo, G; Marangi, G; Ballarin, MN; Fadda, E; Scozzato, L; Fedeli, U; Marchiori, L; Valentini, F. (2016). Lung cancer risk in past asbestos workers few decades after exposure cessation and prospects for screening. *Arch Environ Occup Health* 71: 0. <http://dx.doi.org/10.1080/19338244.2015.1134423>.
- Mastrangelo, G; Marangi, G; Ballarin, MN; Michilin, S; Fabricio, AS; Valentini, F; Lange, JH; Fedeli, U; Cegolon, L; Gion, M. (2011). Osteopontin, asbestos exposure and pleural plaques: a cross-sectional study. *BMC Public Health* 11: 220. <http://dx.doi.org/10.1186/1471-2458-11-220>.
- Matanoski, G. (1988). Mortality of Workers in the Painting Trades (pp. Progress on Joint Environmental and Occupational Cancer Studies). (NIOSH/00180854). Matanoski, G.
- Matej, H; Lange, A; Garncarek, D; Smolik, R; Roszak, E. (1978). HLA and antinuclear antibody incidence in asbestos workers. *Arch Immunol Ther Exp* 26: 201-205.
- Matej, H; Lange, A; Kunicka, J; Garncarek, D; Kalamarz, M; Smolik, R. (1982). HLA AND THE CONSEQUENCE OF LONG-LASTING ASBESTOS EXPOSURE (pp. 24-26). (HEEP/84/05469). Matej, H; Lange, A; Kunicka, J; Garncarek, D; Kalamarz, M; Smolik, R.
- Matej, H; Lange, A; Smolik, R. (1977). HLA antigens in asbestosis. *Arch Immunol Ther Exp* 25: 489-491.
- Matos, E; Boffetta, P. (1994). Other Diseases (pp. 129-139). (NIOSH/00229414). Matos, E; Boffetta, P.
- Matos, EL; Vilensky, M; Mirabelli, D; Boffetta, P. (2000). Occupational exposures and lung cancer in Buenos Aires, Argentina. *J Occup Environ Med* 42: 653-659.
- Matrat, M; Andujar, P; Pairon, JC. (2006). [Occupational respiratory diseases]. *DMT decin du travail* Dec: 495-505.
- Matrat, M; Andujar, P; Pairon, JC. (2007). [Occupational respiratory diseases]. *DMT decin du travail* 4th Quarter 2007: 519-529.
- Matrat, M; Pairon, JC; Paolillo, AG; Joly, N; Iwatsubo, Y; Orłowski, E; Letourneux, M; Ameille, J. (2004). Asbestos exposure and radiological abnormalities among maintenance and custodian workers in buildings with friable asbestos-containing materials. *Int Arch Occup Environ Health* 77: 307-312. <http://dx.doi.org/10.1007/s00420-004-0520-7>.
- Matsuda, E; Okabe, K; Kobayashi, S; Tao, H; Hirazawa, K; Murakami, T; Sugi, K. (2009). [Malignant pleural mesothelioma in which many asbestos bodies were counted in its specimen]. *Kyobu Geka* 62: 552-555.
- Matsuda, M. (1975). [Asbestos bodies. 1: Detection of asbestos bodies in the lung at autopsy]. *Nihon Kyobu Shikkan Gakkai Zasshi* 13: 40-44.
- Matsudo, H; Hodgkin, NM; Tanaka, A. (1974). Japanese gastric cancer: potentially carcinogenic silicates (talc) from rice. *Arch Pathol* 97: 366-368.
- Matsukuma, H; Tsuchiyama, H; Kawai, K; Nakano, M; Adachi, H; Sanefuji, H; Baba, K; Koide, O. (1982). An autopsy case of diffuse pleural mesothelioma associated with pulmonary asbestosis: Light microscopic and electron microscopic study. *J UOEH* 4: 65-80.
- Matsuo, T; Ito, H; Anami, M; Ikeda, T; Nishihata, S. (1993). Malignant peritoneal mesothelioma with squamous metaplasia. *Cytopathology* 4: 373-378.
- Matsuoka, A; Matsuda, Y; Kaniwa, MA. (2010). Needle fibers of an azo-dye mixture induce polyploidy in a Chinese hamster cell line CHL. *Kokuritsu Iyakuin Shokuhin Eisei Kenkyusho Hokoku*65-70.
- Matsuoka, M; Igisu, H; Morimoto, Y. (2003). Phosphorylation of p53 protein in A549 human pulmonary epithelial cells exposed to asbestos fibers. *Environ Health Perspect* 111: 509-512. <http://dx.doi.org/10.1289/ehp.5945>.

Human Health Hazard Literature Search Results

On Topic

- Matsuyama, A; Hisaoka, M; Iwasaki, M; Iwashita, M; Hisanaga, S; Hashimoto, H. (2010). TLE1 expression in malignant mesothelioma. *Virchows Arch* 457: 577-583. <http://dx.doi.org/10.1007/s00428-010-0975-8>.
- Matsuzaki, H; Lee, S; Maeda, M; Kumagai-Takei, N; Nishimura, Y; Otsuki, T. (2016). FoxO1 regulates apoptosis induced by asbestos in the MT-2 human T-cell line. *J Immunotoxicol* 13: 620-627. <http://dx.doi.org/10.3109/1547691X.2016.1143539>.
- Matsuzaki, H; Maeda, M; Lee, S; Nishimura, Y; Kumagai-Takei, N; Hayashi, H; Yamamoto, S; Hatayama, T; Kojima, Y; Tabata, R; Kishimoto, T; Hiratsuka, J; Otsuki, T. (2012). Asbestos-induced cellular and molecular alteration of immunocompetent cells and their relationship with chronic inflammation and carcinogenesis [Review]. *J Biomed Biotechnol* 2012: 492608. <http://dx.doi.org/10.1155/2012/492608>.
- Matsuzaki, S; Shimizu, Y; Dobashi, K; Nagamine, T; Satoh, T; Ohkubo, T; Yokoyama, A; Ishii, Y; Kamiya, T; Arakawa, K; Makino, S; Utsugi, M; Ishizuka, T; Tanaka, S; Shimizu, K; Mori, M. (2010). Analysis on the co-localization of asbestos bodies and Fas or CD163 expression in asbestos lung tissue by in-air micro-pixe. *Int J Immunopathol Pharmacol* 23: 1-11.
- Matsuzawa, K; Hamada, K; Tokuyama, T; Yoneda, T; Narita, N; Sawabata, A; Iioka, S; Imai, S; Sakaguchi, Y; Miyatake, K. (1995). [A case of desmoplastic malignant mesothelioma]. *Nihon Kyobu Shikkan Gakkai Zasshi* 33: 1288-1292.
- Matte, T; Almaguer, D. (1987). Health Hazard Evaluation Report No. HETA-86-524-1851, Four Wheel Drive Corporation, Clintonville, Wisconsin (pp. 86-524). (NIOSH/00178069). Matte, T; Almaguer, D.
- Matthews, JI; Grabowski, WS; Blatt, ES; Bush, BA; Aldarondo, S; Sullivan, C, JP. (1986). ROUNDED ATELECTASIS A NEW CRITERION FOR BENIGNANCY. *South Med J* 79: 767-770.
- Mattioli, S; Truffelli, D; Baldasseroni, A; Risi, A; Marchesini, B; Giacomini, C; Bacchini, P; Violante, FS; Buiatti, E. (2002). Occupational risk factors for renal cell cancer: A case-control study in northern Italy. *J Occup Environ Med* 44: 1028-1036. <http://dx.doi.org/10.1097/01.jom.0000038320.36316.cb>.
- Mattson, K; Holsti, LR; Tammilehto, L; Maasilta, P; Pyrhonen, S; Mantyla, M; Kajanti, M; Salminen, US; Rautonen, J; Kivisaari, L. (1992). MULTIMODALITY TREATMENT PROGRAMS FOR MALIGNANT PLEURAL MESOTHELIOMA USING HIGH-DOSE HEMITHORAX IRRADIATION. *Int J Radiat Oncol Biol Phys* 24: 643-650.
- Mattson, K; Tammilehto, L; Tiainen, M; Knuutila, S; Pelin, K; Linnainmaa, K; Maasilta, P. (1988). CHROMOSOMAL ABNORMALITIES AND CLINICAL CORRELATIONS IN MALIGNANT PLEURAL MESOTHELIOMA (pp. 3-7). (BIOSIS/89/02648). Mattson, K; Tammilehto, L; Tiainen, M; Knuutila, S; Pelin, K; Linnainmaa, K; Maasilta, P.
- Mattson, SB. (1975). Monosymptomatic exudative pleurisy in persons exposed to asbestos dust. *Scand J Respir Dis* 56: 263-272.
- Mattson, SB; Mattson, SB. (1975). [Pleural asbestoses]. *Lakartidningen* 72: 3802-3804.
- Mattson, SB; Ringqvist, T. (1970). Pleural plaques and exposure to asbestos. A clinical material from a Swedish lung clinic. *Scand J Respir Dis Suppl* 75: 1-41.
- Matullo, G; Guarrera, S; Betti, M; Fiorito, G; Ferrante, D; Voglino, F; Cadby, G; Di Gaetano, C; Rosa, F; Russo, A; Hirvonen, A; Casalone, E; Tunesi, S; Padoan, M; Giordano, M; Aspesi, A; Casadio, C; Ardissoni, F; Ruffini, E; Betta, PG; Libener, R; Guaschino, R; Piccolini, E; Neri, M; Musk, AW; de Klerk, NH; Hui, J; Beilby, J; James, AL; Creaney, J; Robinson, BW; Mukherjee, S; Palmer, LJ; Mirabelli, D; Ugolini, D; Bonassi, S; Magnani, C; Dianzani, I. (2013). Genetic variants associated with increased risk of malignant pleural mesothelioma: a genome-wide association study. *PLoS ONE* 8: e61253. <http://dx.doi.org/10.1371/journal.pone.0061253>.
- Matzel, W; Dann, J. (1975). [Etiology and clinical diagnosis of diffuse pleural mesothelioma (author's transl)]. *Z Erkr Atmungsorgane* 143: 97-109.
- Maule, M; Merletti, F; Mirabelli, D; La Vecchia, C. (2006). Spatial variation of mortality for common and rare cancers in Piedmont, Italy, from 1980 to 2000: a Bayesian approach. *Eur J Cancer Prev* 15: 108-116. <http://dx.doi.org/10.1097/01.cej.0000195706.89998.45>.
- Maule, MM; Biggeri, A; Dalmaso, P; Merletti, F; Magnani, C. (2006). Environmental exposure increases dramatically the risk of mesothelioma in an asbestos manufacturing area. *Eur J Epidemiol* 21: 47-47.
- Maule, MM; Magnani, C; Dalmaso, P; Mirabelli, D; Merletti, F; Biggeri, A. (2007). Modeling mesothelioma risk associated with environmental asbestos exposure. *Environ Health Perspect* 115: 1066-1071. <http://dx.doi.org/10.1289/ehp.9900>.
- Mauskopf, JA. (1987). Projections of cancer risks attributable to future exposure to asbestos. *Risk Anal* 7: 477-486.
- Maxim, LD; McConnell, EE. (2001). Interspecies comparisons of the toxicity of asbestos and synthetic vitreous fibers: a weight-of-the-evidence approach [Review]. *Regul Toxicol Pharmacol* 33: 319-342. <http://dx.doi.org/10.1006/rtp.2001.1467>.
- Maxim, LD; Niebo, R; Utell, MJ. (2015). Are pleural plaques an appropriate endpoint for risk analyses? [Review]. *Inhal Toxicol Online*: 1-14. <http://dx.doi.org/10.3109/08958378.2015.1051640>.
- Mayall, FG. (1993). The hazards of asbestos. Inaccurate diagnoses distort results [Letter]. *BMJ* 307: 258-259.
- Mayall, FG; Goddard, H; Gibbs, AR. (1993). The frequency of p53 immunostaining in asbestos-associated mesotheliomas and non-asbestos-associated mesotheliomas. *Histopathology* 22: 383-386.
- Mayall, FG; Jacobson, G; Wilkins, R. (1999). Mutations of p53 gene and SV40 sequences in asbestos associated and non-asbestos-associated mesotheliomas. *J Clin Pathol* 52: 291-293.
- Mayne, S; Redlich, C; Cullen, M. (1998). Dietary vitamin A and prevalence of bronchial metaplasia in asbestos-exposed workers. *Am J Clin Nutr* 68: 630-635.
- Mazzetti, L; Murer, B; Quintavalle, S; Zeni, E; Miotto, D; Mapp, CE; De Rosa, E; Boschetto, P. (2006). [Lung cancer in a female non-smoker with occupational exposure to asbestos: a case report]. *Med Lav* 97: 581-585.
- Mccaughy, WT. (1986). Neoplastic asbestos-induced disease [Review]. *Mt Sinai J Med* 53: 416-420.
- Mcclarty, J; Buffler, P; Reeve, G; Guinee, V; Hurst, G; Giacco, G. (1982). THE MORTALITY EXPERIENCE IN A COHORT OF WORKERS EXPOSED TO AMOSITE ASBESTOS (pp. 16-18). (HEEP/84/00869). Mcclarty, J; Buffler, P; Reeve, G; Guinee, V; Hurst, G; Giacco, G.
- Mcclung, HW; Theodore, BJ; Stevens, PM; Lawrence, EC. (1981). ALTERATION OF IN-VITRO IMMUNO GLOBULIN SECRETION BY AMOSITE ASBESTOS (pp. 25-27). (HEEP/82/01008). Mcclung, HW; Theodore, BJ; Stevens, PM; Lawrence, EC.

Human Health Hazard Literature Search Results

On Topic

- Mcclung, HW; Theodore, BT; Stevens, PM; Lawrence, EC. (1980). ALTERATION OF IN-VITRO IMMUNO GLOBULIN SECRETION BY AMOSITE ASBESTOS (pp. 15-17). (HEEP/82/02101). Mcclung, HW; Theodore, BT; Stevens, PM; Lawrence, EC.
- Mcconnell, EE. (1984). NTP TECHNICAL REPORT ON THE TOXICOLOGY AND CARCINOGENESIS STUDIES OF CHRYSOTILE ASBESTOS (CAS NO. 12001-29-5) IN F344 RATS (FEED STUDIES) (pp. 15-22). (EPIDEM/008534). Mcconnell, EE.
- Mcconnell, EE. (1990). Toxicology and Carcinogenesis Studies of Amosite Asbestos (CAS No. 12172-73-5) in F344/N Rats (Feed Studies). 346.
- Mcconnell, EE. (1994). Synthetic vitreous fibers--inhalation studies [Review]. *Regul Toxicol Pharmacol* 20: S22-S34.
- Mcconnell, EE. (1995). FIBROGENIC EFFECT OF WOLLASTONITE COMPARED WITH ASBESTOS DUST AND DUSTS CONTAINING QUARTZ [Letter]. *Occup Environ Med* 52: 621-621.
- Mcconnell, EE; Axten, C; Hesterberg, TW; Chevalier, J; Miiller, WC; Everitt, J; Oberdörster, G; Chase, GR; Thevenaz, P; Kotin, P. (1999). Studies on the inhalation toxicology of two fiberglasses and amosite asbestos in the Syrian golden hamster. Part II. Results of chronic exposure. *Inhal Toxicol* 11: 785-835. <http://dx.doi.org/10.1080/089583799196754>.
- Mcconnell, EE; Rutter, HA; Ulland, BM; Moore, JA. (1983). Chronic effects of dietary exposure to amosite asbestos and tremolite in F344 rats. *Environ Health Perspect* 53: 27-44.
- Mcconnell, EE; Shefner, AM; Rust, JH; Moore, JA. (1983). Chronic effects of dietary exposure to amosite and chrysotile asbestos in Syrian golden hamsters. *Environ Health Perspect* 53: 11-25.
- Mcconnochie, K; Simonato, L; Mavrides, P; Christofides, P; Mitha, R; Griffiths, DM; Wagner, JC. (1989). Mesothelioma in Cyprus. *IARC Sci Publ* 411-419.
- Mcconnochie, K; Simonato, L; Mavrides, P; Christofides, P; Pooley, FD; Wagner, JC. (1987). Mesothelioma in Cyprus: the role of tremolite. *Thorax* 42: 342-347.
- Mcconnochie, K; Simonato, L; Wagner, JC. (1986). MESOTHELIOMA IN CYPRUS THE ROLE OF TREMOLITE (pp. 11-12). (ISSN 0040-6376 EISSN 1468-3296 BIOSIS/86/31553). Mcconnochie, K; Simonato, L; Wagner, JC.
- Mccormack, V; Peto, J; Byrnes, G; Straif, K; Boffetta, P. (2012). Estimating the asbestos-related lung cancer burden from mesothelioma mortality. *Br J Cancer* 106: 575-584. <http://dx.doi.org/10.1038/bjc.2011.563>.
- Mccormack, V; Peto, J; Byrnes, G; Straif, K; Boffetta, P. (2014). Estimating the asbestos-related lung cancer burden from mesothelioma mortality (vol 106, pg 575, 2014). *Br J Cancer* 111: 2381-2381. <http://dx.doi.org/10.1038/bjc.2014.616>.
- Mccullagh, SF. (1974). The biological effects of asbestos [Review]. *Med J Aust* 2: 45-49.
- Mccullagh, SF. (1980). Amosite as a cause of lung cancer and mesothelioma in humans. *J Soc Occup Med* 30: 153-156.
- Mccullagh, SF. (1980). Is There A Risk To Health In Using Asbestos-Cement Pipes For The Carriage Of Drinking Water. *Ann Occup Hyg* 23: 189-193.
- Mcdermott, M; Bevan, MM; Elmes, PC; Allardice, JT; Bradley, AC. (1982). Lung function and radiographic change in chrysotile workers in Swaziland. *Br J Ind Med* 39: 338-343. <http://dx.doi.org/10.1136/oem.39.4.338>.
- Mcdermott, M; Wagner, JC; Tetley, T; Harwood, J; Richards, RJ. (1975). The effects of inhaled silica and chrysotile on the elastic properties of rat lungs; physiological, physical and biochemical studies of lung surfactant. *Inhaled Particles 4 Pt 2*: 415-427.
- Mcdonald, A; Fry, JS. (1982). MESOTHELIOMA AND FIBER TYPE IN 3 AMERICAN ASBESTOS FACTORIES PRELIMINARY REPORT (pp. 10-12). (ISSN 0355-3140; EISSN 1795-990X; HEEP/83/07739). Mcdonald, A; Fry, JS.
- Mcdonald, AD. (1979). MESOTHELIOMA REGISTRIES IN IDENTIFYING ASBESTOS HAZARDS (pp. NEW YORK). (ISSN 0077-8923 EISSN 1749-6632 HEEP/81/07868). Mcdonald, AD.
- Mcdonald, AD. (1980). Malignant mesothelioma in Quebec. *IARC Sci Publ IARC Scientific Publication No*: 673-680.
- Mcdonald, AD. (1980). Mineral fibre content of lung in mesothelial tumours: preliminary report. *IARC Sci Publ IARC Scientific Publication No*: 681-685.
- Mcdonald, AD; Case, BW; Churg, A; Dufresne, A; Gibbs, GW; Sébastien, P; Mcdonald, JC. (1997). Mesothelioma in Quebec chrysotile miners and millers: epidemiology and aetiology. *Ann Occup Hyg* 41: 707-719. [http://dx.doi.org/10.1016/S0003-4878\(97\)00020-3](http://dx.doi.org/10.1016/S0003-4878(97)00020-3).
- Mcdonald, AD; Fry, JS. (1982). Mesothelioma and the fiber type in three American asbestos factories - preliminary report. *Scand J Work Environ Health* 8 Suppl 1: 53-58.
- Mcdonald, AD; Fry, JS; Woolley, AJ; Mcdonald, JC. (1983). Dust exposure and mortality in an American chrysotile textile plant. *Occup Environ Med* 40: 361-367.
- Mcdonald, AD; Fry, JS; Woolley, AJ; Mcdonald, JC. (1983). Dust exposure and mortality in an American factory using chrysotile, amosite, and crocidolite in mainly textile manufacture. *Occup Environ Med* 40: 368-374.
- Mcdonald, AD; Fry, JS; Woolley, AJ; Mcdonald, JC. (1984). Dust exposure and mortality in an American chrysotile asbestos friction products plant. *Occup Environ Med* 41: 151-157.
- Mcdonald, AD; Harper, A; El Attar, OA; Mcdonald, JC. (1970). Epidemiology of Primary Malignant Mesothelial Tumours in Canada (pp. 197-200). (NIOSH/00177267). Mcdonald, AD; Harper, A; El Attar, OA; Mcdonald, JC.
- Mcdonald, AD; Harper, A; Mcdonald, JC; El-Attar, OA. (1970). Epidemiology of primary malignant mesothelial tumors in Canada. *Cancer* 26: 914-919.
- Mcdonald, AD; Liddell, FDK; Mcdonald, JC. (1994). Malignant Mesothelioma in Quebec Chrysotile Miners and Millers: A Preliminary Report (pp. 23-25). (NIOSH/00223987). Mcdonald, AD; Liddell, FDK; Mcdonald, JC.
- Mcdonald, AD; Magner, D; Eyssen, G. (1973). Primary malignant mesothelial tumors in Canada, 1960-1968. A pathologic review by the Mesothelioma Panel of the Canadian Tumor Reference Centre. *Cancer* 31: 869-876.
- Mcdonald, AD; Mcdonald, JC. (1973). Epidemiologic surveillance of mesothelioma in Canada. *Can Med Assoc J* 109: 359-362.
- Mcdonald, AD; Mcdonald, JC. (1976). Epidemiological Studies Of Diseases Due To Asbestos In Canada. *Rev Fr Mal Respir* 4: 25-38.

Human Health Hazard Literature Search Results

On Topic

- Mcdonald, AD; Mcdonald, JC. (1977). MESOTHELIOMA AND ASBESTOS FIBER TYPE. *Am Rev Respir Dis* 115.
- Mcdonald, AD; Mcdonald, JC. (1978). Mesothelioma after crocidolite exposure during gas mask manufacture. *Environ Res* 17: 340-346.
- Mcdonald, AD; Mcdonald, JC. (1980). Malignant mesothelioma in North America. *Cancer* 46: 1650-1656.
- Mcdonald, AD; Mcdonald, JC. (1987). Epidemiology of Malignant Mesothelioma (pp. 31-55). (NIOSH/00178737). Mcdonald, AD; Mcdonald, JC.
- Mcdonald, AD; Mcdonald, JC; Pooley, FD. (1982). MINERAL FIBER CONTENT OF LUNG IN MESOTHELIAL TUMORS IN NORTH AMERICA (pp. 8-12). (HEEP/84/00767). Mcdonald, AD; Mcdonald, JC; Pooley, FD.
- Mcdonald, AD; Mcdonald, JC; Pooley, FD. (1982). Mineral fibre content of lung in mesothelial tumours in North America. *Ann Occup Hyg* 26: 417-422.
- Mcdonald, C. (1997). Some observations on the epidemiology of benign pleural disease. *Indoor Built Environ* 6: 96-99.
- Mcdonald, C; Mcdonald, A. (1989). Mesothelioma in railroad workers [Letter]. *Am J Ind Med* 15: 487-490.
- Mcdonald, G; Mcdonald, A. (1979). Age and latency in mesothelioma [Letter]. *Lancet* 2: 1074.
- Mcdonald, JC. (1974). ASBESTOSIS IN CHRYSOTILE MINES AND MILLS (pp. LYON). (HEEP/75/04224). Mcdonald, JC.
- Mcdonald, JC. (1974). CANCER IN CHRYSOTILE MINES AND MILLS (pp. LYON). (HEEP/75/04230). Mcdonald, JC.
- Mcdonald, JC. (1978). Exposure Relationships and Malignant Mesothelioma (pp. 3-7). (NIOSH/00172127). Mcdonald, JC.
- Mcdonald, JC. (1980). Asbestos and lung cancer: has the case been proven? *Chest* 78: 374-376.
- Mcdonald, JC. (1980). Asbestos-related disease: an epidemiological review. IARC Sci Publ IARC Scientific Publications No: 587-601.
- Mcdonald, JC. (1984). Mineral fibres and cancer. *Ann Acad Med Singapore* 13: 345-352.
- Mcdonald, JC. (1985). Health implications of environmental exposure to asbestos. *Environ Health Perspect* 62: 319-328.
- Mcdonald, JC. (1988). Tremolite, other amphiboles, and mesothelioma [Letter]. *Am J Ind Med* 14: 247-249.
- Mcdonald, JC. (1990). Cancer risks due to asbestos and man-made fibres [Review]. *Recent Results Cancer Res* 120: 122-131.
- Mcdonald, JC. (1991). An epidemiological view of asbestos in buildings. *Toxicol Ind Health* 7: 187-193.
- Mcdonald, JC. (1993). EPIDEMIOLOGY OF PLEURAL CANCER (pp. NEW YORK). (BIOSIS/94/36449). Mcdonald, JC.
- Mcdonald, JC. (1998). Mineral fibre persistence and carcinogenicity. *Ind Health* 36: 372-375.
- Mcdonald, JC. (1998). Unfinished business: the asbestos textiles mystery [Review]. *Ann Occup Hyg* 42: 3-5.
- Mcdonald, JC. (2010). Epidemiology of malignant mesothelioma--an outline. *Ann Occup Hyg* 54: 851-857.
<http://dx.doi.org/10.1093/annhyg/meq076>.
- Mcdonald, JC; Armstrong, B; Case, B; Doell, D; Mccaughey, WT; Mcdonald, AD; Sébastien, P. (1989). Mesothelioma and asbestos fiber type. Evidence from lung tissue analyses. *Cancer* 63: 1544-1547.
- Mcdonald, JC; Armstrong, BG; Edwards, CW; Gibbs, AR; Lloyd, HM; Pooley, FD; Ross, DJ; Rudd, RM. (2001). Case-referent survey of young adults with mesothelioma: I. Lung fibre analyses. *Ann Occup Hyg* 45: 513-518.
- Mcdonald, JC; Becklake, MR. (1975). Asbestos-related disease in Canada. 521-535.
- Mcdonald, JC; Becklake, MR. (1976). ASBESTOS RELATED DISEASE IN CANADA (pp. BERLIN). (HEEP/77/12059). Mcdonald, JC; Becklake, MR.
- Mcdonald, JC; Becklake, MR; Fournier-Massey, G; Rossiter, CE. (1972). Respiratory symptoms in chrysotile asbestos mine and mill workers of Quebec. *Arch Environ Health* 24: 358-363.
- Mcdonald, JC; Becklake, MR; Gibbs, GW; Mcdonald, AD; Rossiter, CE. (1974). The health of chrysotile asbestos mine and mill workers of Quebec. *Arch Environ Health* 28: 61-68.
- Mcdonald, JC; Edwards, CW; Gibbs, AR; Lloyd, HM; Pooley, FD; Ross, DJ; Rudd, RM. (2001). Case-referent survey of young adults with mesothelioma: II. Occupational analyses. *Ann Occup Hyg* 45: 519-523. <http://dx.doi.org/10.1093/annhyg/45.7.519>.
- Mcdonald, JC; Gibbs, GW; Liddell, FD. (1980). Chrysotile fibre concentration and lung cancer mortality: a preliminary report. IARC Sci Publ IARC Scientific Publication No: 811-817.
- Mcdonald, JC; Gibbs, GW; Liddell, FD; Mcdonald, AD. (1978). Mortality after long exposure to cummingtonite-grunerite. *Am Rev Respir Dis* 118: 271-277. <http://dx.doi.org/10.1164/arrd.1978.118.2.271>.
- Mcdonald, JC; Harris, J; Armstrong, B. (2004). Mortality in a cohort of vermiculite miners exposed to fibrous amphibole in Libby, Montana. *Occup Environ Med* 61: 363-366. <http://dx.doi.org/10.1136/oem.2003.008649>.
- Mcdonald, JC; Harris, JM; Berry, G. (2006). Sixty years on: The price of assembling military gas masks in 1940. *Occup Environ Med* 63: 852-855. <http://dx.doi.org/10.1136/oem.2006.028258>.
- Mcdonald, JC; Liddell, FD; Dufresne, A; Mcdonald, AD. (1993). The 1891-1920 birth cohort of Quebec chrysotile miners and millers: mortality 1976-88. *Br J Ind Med* 50: 1073-1081.
- Mcdonald, JC; Liddell, FD; Gibbs, GW; Eyssen, GE; Mcdonald, AD. (1993). Dust exposure and mortality in chrysotile mining, 1910-75. 1980. *Br J Ind Med* 50: 1058-1072.
- Mcdonald, JC; Liddell, FDK. (1979). Mortality in Canadian miners and millers exposed to chrysotile. *Ann N Y Acad Sci* 330: 1-10.
- Mcdonald, JC; Liddell, FDK; Gibbs, GW; Eyssen, GE; Mcdonald, AD. (1980). Dust exposure and mortality in chrysotile mining, 1910-75. *Occup Environ Med* 37: 11-24.
- Mcdonald, JC; Mcdonald, A. (1993). WORK-RELATED MESOTHELIOMA IN QUEBEC, 1967-1990. *Am J Ind Med* 24: 245-246.
- Mcdonald, JC; Mcdonald, AD. (1977). Epidemiology of mesothelioma from estimated incidence [Review]. *Prev Med* 6: 426-442.
- Mcdonald, JC; Mcdonald, AD. (1987). Epidemiology of Asbestos-Related Lung Cancer (pp. 57-79). (NIOSH/00178738). Mcdonald, JC; Mcdonald, AD.
- Mcdonald, JC; Mcdonald, AD. (1995). Chrysotile, tremolite, and mesothelioma [Letter]. *Science* 267: 776-777.
- Mcdonald, JC; Mcdonald, AD. (1996). The epidemiology of mesothelioma in historical context [Review]. *Eur Respir J* 9: 1932-1942.

Human Health Hazard Literature Search Results

On Topic

- Mcdonald, JC; Mcdonald, AD. (1997). Chrysotile, tremolite and carcinogenicity. *Ann Occup Hyg* 41: 699-705. [http://dx.doi.org/10.1016/S0003-4878\(97\)89350-7](http://dx.doi.org/10.1016/S0003-4878(97)89350-7).
- Mcdonald, JC; Mcdonald, AD; Armstrong, B; Sebastien, P. (1986). Cohort study of mortality of vermiculite miners exposed to tremolite. *Occup Environ Med* 43: 436-444. <http://dx.doi.org/10.1136/oem.43.7.436>.
- Mcdonald, JC; Mcdonald, AD; Gibbs, GW; Siemiatycki, J; Rossiter, CE. (1971). Mortality in the chrysotile asbestos mines and mills of Quebec. *Arch Environ Occup Health* 22: 677-686.
- Mcdonald, JC; Mcdonald, AD; Hughes, JM. (1999). Chrysotile, tremolite and fibrogenicity. *Ann Occup Hyg* 43: 439-442.
- Mcdonald, JC; Mcdonald, AD; Sebastien, P; Moy, K. (1988). Health of vermiculite miners exposed to trace amounts of fibrous tremolite. *Occup Environ Med* 45: 630-634. <http://dx.doi.org/10.1136/oem.45.9.630>.
- Mcdonald, JC; Sebastien, P; Armstrong, B. (1986). Radiological survey of past and present vermiculite miners exposed to tremolite. *Br J Ind Med* 43: 445-449. <http://dx.doi.org/10.1136/oem.43.7.445>.
- Mcdonald, JC; Sebastien, P; Mcdonalds, AD; Case, B. (1989). Epidemiological observations on mesothelioma and their implications for non-occupational exposure. In J Bignon; J Pet; R Saracci (Eds.), *IARC Sci Publ* (pp. 420-427). Lyon, France: International Agency for Research on Cancer.
- Mcduffie, HH; Klaassen, DJ; Dosman, JA. (1989). Lung Cancer in Saskatchewan Males (pp. 262-264). (NIOSH/00223078). Mcduffie, HH; Klaassen, DJ; Dosman, JA.
- Mcelvenny, DM; Armstrong, BG; Jarup, L; Higgins, JPT. (2004). Meta-analysis in occupational epidemiology: a review of practice [Review]. *Occup Med (Lond)* 54: 336-344. <http://dx.doi.org/10.1093/occmed/kqh049>.
- Mcelvenny, DM; Darnton, AJ; Price, MJ; Hodgson, JT. (2005). Mesothelioma mortality in Great Britain from 1968 to 2001. *Occup Med (Lond)* 55: 79-87. <http://dx.doi.org/10.1093/occmed/kqi034>.
- Mcewen, J; Finlayson, A; Mair, A; Gibson, AA. (1970). Mesothelioma in Scotland. *Br Med J* 4: 575-578.
- Mcewen, J; Finlayson, A; Mair, A; Gibson, AA. (1971). Asbestos and mesothelioma in Scotland. An epidemiological study. *Int Arch Arbeitsmed* 28: 301-311.
- Mcfadden, D; Wright, J; Wiggs, B; Churg, A. (1986). Cigarette smoke increases the penetration of asbestos fibers into airway walls. *Am J Pathol* 123: 95-99.
- Mcfadden, D; Wright, JL; Wiggs, B; Churg, A. (1986). Smoking inhibits asbestos clearance. *Am Rev Respir Dis* 133: 372-374. <http://dx.doi.org/10.1164/arrd.1986.133.3.372>.
- McGavin, C; Hughes, P. (1998). Finger clubbing in malignant mesothelioma and benign asbestos pleural disease. *Respir Med* 92: 691-692.
- McGavin, CR; Sheers, G. (1984). DIFFUSE ASBESTOS-RELATED PLEURAL THICKENING - DISABILITY AND LUNG-FUNCTION ABNORMALITIES. *Thorax* 39: 216-217.
- McGavin, CR; Sheers, G. (1984). Diffuse pleural thickening in asbestos workers: disability and lung function abnormalities. *Thorax* 39: 604-607.
- McGavran, PD; Brody, AR. (1989). CHRYSOTILE ASBESTOS INHALATION INDUCES TRITIATED-THYMIDINE INCORPORATION BY EPITHELIAL-CELLS OF DISTAL BRONCHIOLES. *Am J Respir Cell Mol Biol* 1: 231-235. <http://dx.doi.org/10.1165/ajrcmb/1.3.231>.
- McGavran, PD; Butterick, CJ; Brody, AR. (1989). Tritiated thymidine incorporation and the development of an interstitial lesion in the bronchiolar-alveolar regions of the lungs of normal and complement deficient mice after inhalation of chrysotile asbestos. *J Environ Pathol Toxicol Oncol* 9: 377-391.
- McGavran, PD; Butterick, CJ; Overby, LH; Brody, AR. (1987). ASBESTOS-INDUCED INCORPORATION OF TRITIATED THYMIDINE IN BRONCHIOLAR-ALVEOLAR CELLS AND DEVELOPMENT OF AN INTERSTITIAL LESION (pp. 10-13). (BIOSIS/87/23798). McGavran, PD; Butterick, CJ; Overby, LH; Brody, AR.
- McGavran, PD; Moore, LB; Brody, AR. (1990). Inhalation of chrysotile asbestos induces rapid cellular proliferation in small pulmonary vessels of mice and rats. *Am J Pathol* 136: 695-705.
- McGavran, PD; Overby, LH; Brody, AR. (1988). ASBESTOS-INDUCED PROLIFERATION ON AIRWAY EPITHELIUM AND CELLS OF SMALL PARENCHYMAL VESSELS (pp. 8-11). (BIOSIS/88/23579). McGavran, PD; Overby, LH; Brody, AR.
- Mcgregor, D. (1998). INDUSTRIAL CHEMICALS AND HUMAN CANCER. *Biotherapy DORDRECHT*: 2-3.
- Mclachlan M, SF; Wagner, JC. (1974). Radiological diagnosis of crocidolite induced pleural mesotheliomata in the rat. *Br J Exp Pathol* 55: 164-168.
- Mclarty, JW. (1992). An intervention trial in high-risk asbestos-exposed persons. *Adv Exp Med Biol* 320: 141-149.
- Mclarty, JW; Fortson, NG; Hurst, GA; Spivey, CG. (1983). SPIROMETRY IN PERSONS OCCUPATIONALLY EXPOSED TO ASBESTOS (pp. 8-11). (ISSN 0003-0805 HEEP/84/08876). Mclarty, JW; Fortson, NG; Hurst, GA; Spivey, CG.
- Mclarty, JW; Greenberg, SD; Hurst, GA. (1981). FERRUGINOUS BODIES AND CELLULAR ATYPIA IN SPUTUM OF FORMER ASBESTOS WORKERS. *Acta Cytol* 25: 445-446.
- Mclemore, T; Corson, M; Mace, M; Arnott, M; Jenkins, T; Snodgrass, D; Martin, R; Wray, N; Brinkley, BR. (1979). Phagocytosis of asbestos fibers by human pulmonary alveolar macrophages. *Cancer Lett* 6: 183-192.
- Mclemore, TL; Corson, MA; Martin, RR; Arnott, M; Jenkins, WT; Brinkley, BR; Mace, ML; Snodgrass, DR; Wray, NP. (1978). INTERACTION BETWEEN ASBESTOS AND CULTURED HUMAN MACROPHAGES AND LYMPHOCYTES CYTO TOXICITY AND ENZYME INDUCTION (pp. 18-20). (ISSN 0009-9279 HEEP/81/07936). Mclemore, TL; Corson, MA; Martin, RR; Arnott, M; Jenkins, WT; Brinkley, BR; Mace, ML; Snodgrass, DR; Wray, NP.
- Mclemore, TL; Corson, MA; Martin, RR; Arnott, M; Jenkins, WT; Brinkley, BR; Mace, ML; Snodgrass, DR; Wray, NP. (1979). CYTO TOXICITY AND ARYL HYDRO CARBON HYDROXYLASE ENZYME INDUCTION IN HUMAN PULMONARY MACROPHAGES AND LYMPHOCYTES CULTURED

Human Health Hazard Literature Search Results

On Topic

- WITH ASBESTOS (pp. 13-16). (HEEP/80/06859). Mclemore, TL; Corson, MA; Martin, RR; Arnott, M; Jenkins, WT; Brinkley, BR; Mace, ML; Snodgrass, DR; Wray, NP.
- Mclemore, TL; Greenberg, SD; Wilson, RK; Buffler, PA; Roggli, VL; Mace, ML. (1981). Update on asbestos-associated pulmonary disease. *Tex Med* 77: 38-46.
- Mclemore, TL; Jenkins, WT; Arnott, MS; Wray, NP. (1979). Aryl hydrocarbon hydroxylase induction in mitogen-stimulated lymphocytes by benzoanthracene or cigarette tars adsorbed to asbestos fibers. *Cancer Lett* 7: 2-3.
- Mclemore, TL; Mace, ML; Roggli, V; Marshall, MV; Lawrence, EC; Wilson, RK; Martin, RR; Brinkley, BR; Greenberg, SD. (1980). Asbestos body phagocytosis by human free alveolar macrophages. *Cancer Lett* 9: 85-93.
- Mclemore, TL; Roggli, V; Marshall, MV; Lawrence, EC; Greenberg, SD; Stevens, PM. (1981). Comparison of phagocytosis of uncoated versus coated asbestos fibers by cultured human pulmonary alveolar macrophages. *Chest* 80: 395-425. http://dx.doi.org/10.1378/chest.80.1_Supplement.395.
- Mcleod, AG. (1965). Asbestos and Cancer. *Can Med Assoc J* 93: 278.
- Mcloud, TC; Woods, BO; Carrington, CB; Epler, GR; Gaensler, EA. (1985). Diffuse pleural thickening in an asbestos-exposed population: Prevalence and causes. *AJR Am J Roentgenol* 144: 9-18. <http://dx.doi.org/10.2214/ajr.144.1.9>.
- Mcmichael, AJ. (1990). DRINKING WATER AND HUMAN CANCER (pp. LYON). (BIOSIS/91/17612). Mcmichael, AJ.
- Mcmillan, GH. (1983). The health of welders in naval dockyards. The risk of asbestos-related diseases occurring in welders. *J Occup Med* 25: 727-730.
- Mcmillan, GH; Pethybridge, RJ. (1983). The health of welders in naval dockyards: proportional mortality study of welders and two control groups. *J Soc Occup Med* 33: 75-84.
- Mcmillan, GH; Pethybridge, RJ; Sheers, G. (1980). Effect of smoking on attack rates of pulmonary and pleural lesions related to exposure to asbestos dust. *Br J Ind Med* 37: 268-272. <http://dx.doi.org/10.1136/oem.37.3.268>.
- Mcmillan, GH; Rossiter, CE. (1982). Development of radiological and clinical evidence of parenchymal fibrosis in men with non-malignant asbestos-related pleural lesions. *Br J Ind Med* 39: 54-59.
- Mcmillan, GH; Sheers, G; Pethybridge, RJ. (1979). A radiological follow-up study of the effect of asbestos in dockyard workers in Portsmouth. *J R Nav Med Serv* 65: 63-74.
- McNulty, JC. (1962). Malignant pleural mesothelioma in an asbestos worker. *Med J Aust* 49(2): 953-954.
- Mcvittie, JC. (1965). Asbestosis in Great Britain. *Ann N Y Acad Sci* 132: 128-138.
- Med, HLTI. (1979). LONG TERM INHALATION STUDY IN RATS, GUINEA PIGS AND HAMSTERS WITH POTASSIUM OCTATITANATE (FYBEX), PIGMENTARY POTASSIUM TITANATE, ASBESTOS AND FIBERGLASS HASKELL LAB REPORT 506-79. (TSCATS/029213). HASKELL LAB TOX and INDUS MED.
- Medrano, L; Kheuang, L; Paterour, MJ; Bignon, J; Jaurand, MC. (1985). Chromosomal Changes in Cultured Rat Mesothelial Cells Treated with Benzo-3-4-pyrene and/or Chrysotile Asbestos (pp. 511-514). (NIOSH/00166205). Medrano, L; Kheuang, L; Paterour, MJ; Bignon, J; Jaurand, MC.
- Meek, ME. (1983). Transmigration of Ingested Asbestos. *Environ Health Perspect* 53: 149-152.
- Meek, ME; Grasso, P. (1983). An investigation of the penetration of ingested asbestos into the normal and abnormal intestinal mucosa of the rat. *Food Chem Toxicol* 21: 193-200. [http://dx.doi.org/10.1016/0278-6915\(83\)90236-3](http://dx.doi.org/10.1016/0278-6915(83)90236-3).
- Meeks, ME. (1982). Pathogenesis of asbestos-associated diseases [Letter]. *N Engl J Med* 307: 1526-1527.
- Meguelli-Hakkas, D; Cyr, D; Stücker, I; Févotte, J; Pilorget, C; Luce, D; Guénel, P. (2006). Lung cancer mortality and occupational exposure to asbestos among telephone linemen: a historical cohort study in France. *J Occup Environ Med* 48: 1166-1172. <http://dx.doi.org/10.1097/01.jom.0000243357.70143.47>.
- Mehlman, MA. (1994). Diseases in Workers Exposed to Asbestos in the Oil Refining and Petrochemical Industries (pp. Asbestos and Cancers). (NIOSH/00224020). Mehlman, MA.
- Meigs, JW. (1983). ASSESSMENT OF STUDIES ON CANCER RISKS FROM ASBESTOS IN CONNECTICUT DRINKING-WATER. *Environ Health Perspect* 53: 107-108.
- Meigs, JW; Walter, SD; Heston, JF; Millette, JR; Craun, GF; Woodhull, RS; Flannery, JT. (1980). Asbestos cement pipe and cancer in Connecticut 1955-1974. *J Environ Health* 42: 187-191.
- Meijers, JM. (1990). Comparing biological effects of mineral fibres [Letter]. *Br J Ind Med* 47: 286-287.
- Meijers, JM; Planteydt, HT; Slangen, JJ; Swaen, GM; van Vliet, C; Sturmans, F. (1990). Trends and geographical patterns of pleural mesotheliomas in the Netherlands 1970-87. *Br J Ind Med* 47: 775-781.
- Meirelles, GS; Kavakama, JI; Jasinowodolinski, D; Nery, LE; Terra-Filho, M; Rodrigues, RT; Neder, JA; Bagatin, E; D'ippolito, G. (2005). [Asbestos-related pleural plaques: a literature review] [Review]. *Rev Port Pneumol* 11: 487-497.
- Meisenkothen, C. (2013). Malignant mesothelioma, airborne asbestos, and the need for accuracy in chrysotile risk assessments. *New Solutions: A Journal of Environmental and Occupational Health Policy* 23: 389-405. <http://dx.doi.org/10.2190/NS.23.2.k>.
- Meisenkothen, C. (2017). Malignant Mesothelioma in a Motor Vehicle Mechanic. *New Solutions: A Journal of Environmental and Occupational Health Policy* 26: 524-542. <http://dx.doi.org/10.1177/1048291116655526>.
- Melbostad, E. (1978). [Asbestos exposure---asbestos damage. A brief review]. *Tidsskr Nor Laegeforen* 98: 1563-1564.
- Meldrum, M. (1996). Review of fibre toxicology. (CIS/96/02246). Health and Safety Executive.
- Melino, C. (1984). [Occupational risk due to asbestos]. *Clin Ter* 110: 75-80.
- Melino, C; De Luca d'Alessandro, E; Pasquarella, A. (1991). [Hygienic-medical evaluation of the environmental presence of asbestos]. *Clin Ter* 138: 3-11.

Human Health Hazard Literature Search Results

On Topic

- Melkild, A; Langgård, S; Andersen, A; Tønnessen, JN. (1989). Incidence of cancer among welders and other workers in a Norwegian shipyard. *Scand J Work Environ Health* 15: 387-394.
- Mellemgaard, A; Engholm, G; Mclaughlin, JK; Olsen, JH. (1994). Occupational risk factors for renal-cell carcinoma in Denmark. *Scand J Work Environ Health* 20: 160-165.
- Melnick, RL; Ward, JM; Huff, J. (2013). War on carcinogens: Industry disputes human relevance of chemicals causing cancer in laboratory animals based on unproven hypotheses, using kidney tumors as an example [Editorial]. *Int J Occup Environ Health* 19: 255-260. <http://dx.doi.org/10.1179/1077352513Z.00000000090>.
- Menck, HR; Henderson, BE. (1976). Occupational differences in rates of lung cancer. *J Occup Environ Med* 18: 797-801.
- Mencoboni, M; Cioe, A; Michelazzi, L; Bruzzzone, A; Delcorso, L; Simonassi, C; Mortara, V; Filiberti, R; Marroni, P; Spigno, F. (2013). SMRP in screening of mesothelioma in asbestos-exposed workers: A study of 1,704 subjects. *J Clin Oncol* 31.
- Mencoboni, M; Spigno, F; Mortara, V; Bruzzzone, A; Migliazzi, L; Marroni, P; Ferrarazzo, C; Cioe, A; Racchi, O; Filiberti, R. (2009). CT FINDINGS AND SERUM MESOTHELIN IN WORKERS EXPOSED TO ASBESTOS. *Ann Oncol* 20.
- Mendes, R. (2001). [Asbestos and disease: review of the scientific knowledge and a rationale for urgent change in the current Brazilian policy about this question] [Review]. *Cad Saude Publica* 17: 7-29.
- Mendez VARGAS, MM; Maldonado TORRES, L. (1982). Asbestos application by aspersion and highly crippling pneumoconiosis. *Rev Med Inst Mex Seguro Soc* 20: 73-77.
- Mendez VARGAS, MM; Maldonado TORRES, L; Gonzalez ZEPEDA, A. (1990). Pneumoconiosis due to asbestos (asbestosis) in a female worker at a jeweler's workshop. *Rev Med Inst Mex Seguro Soc* 28: 85-86.
- Mendez VARGAS, MM; Maldonado TORRES, L; Stanislawski, EC; Mendoza UGALDE, HA. (1982). MALIGNANT MESOTHELIOMA IN AN ASBESTOS WORKER. *Rev Med Inst Mex Seguro Soc* 20: 249-257.
- Méndez-Vargas, MM; López-Rojas, P; Campos-Pujal, GA; Marín-Cotoñieto, IA; Salinas-Tovar, S; Fernández-Muñoz, M. (2010). Pleural mesothelioma in paraoccupational, environmental and occupational patients exposed to asbestos. *Rev Med Inst Mex Seguro Soc* 48: 361-366.
- Menegozzo, M; Belli, S; Borriero, S; Bruno, C; Carboni, M; Grignoli, M; Menegozzo, S; Olivieri, N; Comba, P. (2002). [Mortality study of a cohort of insulation workers]. *Epidemiol Prev* 26: 71-75.
- Menegozzo, M; Belli, S; Bruno, C; Canfora, V; Costigliola, A; Di Cintio, P; Di Liello, L; Grignoli, M; Palumbo, F; Sapio, P. (1993). [Mortality due to causes correlatable to asbestos in a cohort of workers in railway car construction]. *Med Lav* 84: 193-200.
- Menegozzo, M; Bruno, C; Di Cintio, P; Orria, C; Di Liello, L. (1996). [Respiratory function in a group of railway car repair workers]. *Med Lav* 87: 35-43.
- Menegozzo, M; Izzo, F; Canfora, ML; Petronzio, MF; Menegozzo, S. (2007). [Activity of the Campania Register of Mesothelioma from July 2003 to October 2007]. *G Ital Med Lav Ergon* 29: 642-644.
- Menegozzo, M; Trinca, S; Cammino, F; Mastrantonio, M; Menegozzo, S; Sturchio, A; Comba, P. (2004). [Geographical distribution of mortality from malignant pleural neoplasms and of former asbestos-exposed workers in the Campania Region]. *Epidemiol Prev* 28: 150-155.
- Menegozzo, S; Comba, P; Ferrante, D; De Santis, M; Gorini, G; Izzo, F; Magnani, C; Pirastu, R; Simonetti, A; Tunesi, S; Menegozzo, M. (2011). Mortality study in an asbestos cement factory in Naples, Italy. *Ann Ist Super Sanita* 47: 296-304. http://dx.doi.org/DOL:10.4415/ANN_11_03_10.
- Menegozzo, S; Izzo, F; Canfora, ML; Petronzio, MF; Santoro, M; Menegozzo, M. (2007). [Case studies on the malignant mesothelioma in Pellezzano (SA)]. *G Ital Med Lav Ergon* 29: 644.
- Mengeot, MA; Musu, T; Vogel, L. (1210). [Occupational cancer - The Cinderella disease]. 5: 00.
- Menges, CW; Kadariya, Y; Altomare, D; Talarchek, J; Neumann-Domer, E; Wu, Y; Xiao, GH; Shapiro, IM; Kolev, VN; Pachter, JA; Klein-Szanto, AJ; Testa, JR. (2014). Tumor suppressor alterations cooperate to drive aggressive mesotheliomas with enriched cancer stem cells via a p53-miR-34a-c-Met axis. *Cancer Res* 74: 1261-1271. <http://dx.doi.org/10.1158/0008-5472.CAN-13-2062>.
- Mensi, C; Bonzini, M; Macchione, M; Sieno, C; Riboldi, L; Pesatori, AC. (2011). Differences among peritoneal and pleural mesothelioma: data from the Lombardy Region Mesothelioma Register (Italy). *Med Lav* 102: 409-416.
- Mensi, C; De Matteis, S; Catelan, D; Dallari, B; Riboldi, L; Pesatori, AC; Consonni, D. (2016). Geographical patterns of mesothelioma incidence and asbestos exposure in Lombardy, Italy. *Med Lav* 107: 340-355.
- Mensi, C; De Matteis, S; Dallari, B; Riboldi, L; Bertazzi, PA; Consonni, D. (2016). Incidence of mesothelioma in Lombardy, Italy: exposure to asbestos, time patterns and future projections. *Occup Environ Med* 73: 607-613. <http://dx.doi.org/10.1136/oemed-2016-103652>.
- Mensi, C; Garberi, A; Bordini, L; Sieno, C; Riboldi, L. (2010). Asbestos-related diseases in entertainment workers. *Med Lav* 101: 416-418.
- Mensi, C; Giacomini, S; Sieno, C; Consonni, D; Riboldi, L. (2011). Pericardial mesothelioma and asbestos exposure. *Int J Hyg Environ Health* 214: 276-279. <http://dx.doi.org/10.1016/j.ijheh.2010.11.005>.
- Mensi, C; Macchione, M; Termine, L; Canti, Z; Rivolta, G; Riboldi, L; Chiappino, G. (2007). [Asbestos exposure in the non-asbestos textile industry: the experience of the Lombardy Mesothelioma Registry]. *Epidemiol Prev* 31: 27-30.
- Mensi, C; Pellegatta, M; Sieno, C; Consonni, D; Riboldi, L; Bertazzi, PA. (2012). Mesothelioma of tunica vaginalis testis and asbestos exposure. *BJU Int* 110: 533-537. <http://dx.doi.org/10.1111/j.1464-410X.2012.10932.x>.
- Mensi, C; Poltronieri, A; Romano, A; Dallari, B; Riboldi, L; Bertazzi, PA; Consonni, D. (2016). [Malignant mesotheliomas with unknown exposure to asbestos: a re-examination]. *Med Lav* 107: 22-28.
- Mensi, C; Riboldi, L; De Matteis, S; Bertazzi, PA; Consonni, D. (2015). Impact of an asbestos cement factory on mesothelioma incidence: global assessment of effects of occupational, familial, and environmental exposure. *Environ Int* 74: 191-199. <http://dx.doi.org/10.1016/j.envint.2014.10.016>.

Human Health Hazard Literature Search Results

On Topic

- Mensi, C; Sieno, C; De Matteis, S; Consonni, D; Riboldi, L; Bertazzi, PA. (2011). [Incidence of malignant mesothelioma and asbestos exposure in the Lombardy region, Italy, 2000-2008]. *G Ital Med Lav Ergon* 33: 96-98.
- Mensi, C; Termine, L; Canti, Z; Rivolta, G; Riboldi, L; Pesatori, AC; Chiappino, G. (2007). [The Lombardy Mesothelioma Register, Regional Operating Centre (ROC) of National Mesothelioma Register: organizational aspects]. *Epidemiol Prev* 31: 283-289.
- Mensi, C; Termine, L; Garberi, A; Meroni, S; Levi, D; Balzarini, L; Riboldi, L. (2012). Spinal cord compression: an unusual presentation of malignant pleural mesothelioma. A case report and review of the literature [Review]. *Tumori* 98: e92-e97. <http://dx.doi.org/10.1700/1146.12651>.
- Menvielle, G; Boshuizen, H; Kunst, AE; Vineis, P; Dalton, SO; Bergmann, MM; Hermann, S; Veglia, F; Ferrari, P; Overvad, K; Raaschou-Nielsen, O; Tjønneland, A; Kaaks, R; Linseisen, J; Palli, D; Krogh, V; Tumino, R; Rodriguez, L; Agudo, A; Sánchez, MJ; Arozena, JM; Cirera, L; Ardanaz, E; Bingham, S; Khaw, KT; Boffetta, P; Duell, E; Slimani, N; Gallo, V; Riboli, E; Bueno-De-Mesquita, HB. (2010). Occupational exposures contribute to educational inequalities in lung cancer incidence among men: Evidence from the EPIC prospective cohort study. *Int J Cancer* 126: 1928-1935. <http://dx.doi.org/10.1002/ijc.24924>.
- Menvielle, G; Fayosse, A; Radoi, L; Guida, F; Sanchez, M; Carton, M; Cyr, D; Schmaus, A; Cenee, S; Fevotte, J; Delafosse, P; Stuecker, I; Luce, D; Grp, IS. (2016). The joint effect of asbestos exposure, tobacco smoking and alcohol drinking on laryngeal cancer risk: evidence from the French population-based case-control study, ICARE. *Occup Environ Med* 73: 28-33. <http://dx.doi.org/10.1136/oemed-2015-102954>.
- Menvielle, G; Franck, JE; Radoi, L; Sanchez, M; Févotte, J; Guizard, AV; Stücker, I; Luce, D; group, Is. (2016). Quantifying the mediating effects of smoking and occupational exposures in the relation between education and lung cancer: the ICARE study. *Eur J Epidemiol* 31: 1213-1221. <http://dx.doi.org/10.1007/s10654-016-0182-2>.
- Menvielle, G; Luce, D; Fevotte, J; Bugel, I; Salomon, C; Goldberg, P; Billon-Galland, MA; Goldberg, M. (2003). Occupational exposures and lung cancer in New Caledonia. *Occup Environ Med* 60: 584-589.
- Merchant, JA. (1989). OCCUPATIONAL PARENCHYMAL LUNG DISEASE (pp. PHILADELPHIA). (BIOSIS/90/07344). Merchant, JA.
- Merchant, JA. (1990). Human epidemiology: A review of fiber type and characteristics in the development of malignant and nonmalignant disease [Review]. *Environ Health Perspect* 88: 287-293.
- Merchant, JA; Klouda, PT; Soutar, CA; Parkes, WR; Lawler, SD; Turner-Warwick, M. (1975). The HL-A system in asbestos workers. *Br Med J* 1: 189-191.
- Mercurio, S; Poleri, C; Carassai, M; Abdala, O; Lombardi, D; Levy, R; Rojas, O; Morero, J; Rosenberg, M. (1998). Malignant pleural mesotheliomas. *Medicina (B Aires)* 58: 699-706.
- Meredith, SK; Taylor, VM; Mcdonald, JC. (1990). REGIONAL INCIDENCE OF WORK RELATED RESPIRATORY DISEASE IN THE UK 1989 (pp. 11-13). (BIOSIS/91/07659). Meredith, SK; Taylor, VM; Mcdonald, JC.
- Merewether, ERA. (1934). A Memorandum on Asbestosis. *Tubercle* 15: 69-81.
- Merler, E. (1998). A cross-sectional study on asbestos workers carried out in Italy in 1940: a forgotten study. *Am J Ind Med* 33: 90-93.
- Merler, E. (2007). [Mesothelioma incidence decreases parallel to asbestos exposure decrement or interruption: a confirmation of a dose-response relationship, with implications in public health] [Review]. *Epidemiol Prev* 31: 46-52.
- Merler, E; Balzi, D; Buiatti, E; Boffetta, P. (1996). Asbestos-related mortality among Italian migrants to Western Australia [Letter]. *Epidemiology* 7: 556-557.
- Merler, E; Barbieri, PG; Bressan, V; Somigliana, A. (2010). LUNG FIBER BURDEN AMONG ITALIAN SUBJECTS WITH MESOTHELIOMAS OCCUPATIONALLY OR OTHERWISE EXPOSED TO ASBESTOS. *Epidemiol Prev* 34: 160-161.
- Merler, E; Barbieri, PG; Mirabelli, D; Cavone, D; Somigliana, A. (2010). ASBESTOS FIBER BURDEN OF THE LUNGS IN PATIENTS WITH MESOTHELIOMAS WHO LIVED NEAR CEMENT-ASBESTOS FACTORIES. *Epidemiol Prev* 34: 210-211.
- Merler, E; Bizzotto, R; Calisti, R; Cavone, D; De Marzo, N; Gioffrè, F; Mabilia, T; Marcolina, D; Musti, M; Munafò, MG; Roberti, S; Zambon, P. (2003). Mesotheliomas among Italians, returned to the home country, who worked when migrant at a cement-asbestos factory in Switzerland. *Soz Präventivmed* 48: 65-69.
- Merler, E; Bressan, V; Somigliana, A; Maligni, GRVSM. (2009). [Mesothelioma in construction workers: risk estimate, lung content of asbestos fibres, claims for compensation for occupational disease in the Veneto Region mesothelioma register]. *Med Lav* 100: 120-132.
- Merler, E; Capocaccia, R. (1993). Asbestosis mortality in Italy. *Med Lav* 84: 286-289.
- Merler, E; Chellini, E. (1992). [Epidemiology of primary tumors of the pleura] [Review]. *Ann Ist Super Sanita* 28: 133-146.
- Merler, E; Ercolanelli, M; de Klerk, N. (2000). [Identification and mortality of Italian emigrants returning to Italy after having worked in the crocidolite mines at Wittenoon Gorge, Western Australia]. *Epidemiol Prev* 24: 255-261.
- Merler, E; Gioffrè, Egrave; Rozio, L; Bizzotto, R; Mion, M; Sarto, F. (2001). [Pleural mesothelioma among women in the Veneto region with past work as rag sorters for textile recycling and paper production]. *L'Internista* 92: 181-186.
- Merler, E; Girardi, P; Panato, C; Bressan, V. (2016). [Increased risk of mesothelioma and lung cancer among workers exposed to asbestos who could require an anticipated retirement]. *Epidemiol Prev* 40: 26-34. <http://dx.doi.org/10.19191/EP16.151.P026.027>.
- Merler, E; Piffer, S. (1998). [A thorough study of mesothelioma cases. The role of the National Health Service statistics] [Letter]. *Epidemiol Prev* 22: 65-66.
- Merler, E; Ricci, P; Silvestri, S; Terracini, B. (1992). A NATIONAL SURVEY ON MESOTHELIOMAS AMONG RAILROAD WORKERS AND RELATED INDUSTRIES (pp. 10-12). (BIOSIS/92/28794). Merler, E; Ricci, P; Silvestri, S; Terracini, B.
- Merler, E; Vineis, P; Alhaique, D; Miligi, L. (1999). Occupational cancer in Italy [Review]. *Environ Health Perspect* 107: 259-271.
- Merletti, F; Boffetta, P; Ferro, G; Pisani, P; Terracini, B. (1991). Occupation and cancer of the oral cavity or oropharynx in Turin, Italy. *Scand J Work Environ Health* 17: 248-254.
- Merliss, RR. (1971). Talc-treated rice and Japanese stomach cancer. *Science* 173: 1141-1142.

Human Health Hazard Literature Search Results

On Topic

- Merrill, W; Cullen, M; Care, SB. (1989). NEUTROPHILIC ALVEOLITIS AND FUNCTIONAL DETERIORATION AMONG ASBESTOS WORKERS. (BIOSIS/89/23633). Merrill, W; Cullen, M; Care, SB.
- Merrill, WW; Carter, D; Cullen, MR. (1991). The relationship between large airway inflammation and airway metaplasia. *Chest* 100: 131-135.
- Merrill, WW; Carter, D; Cullen, MR. (1992). The relationship between large airway and alveolar space inflammation and airway metaplasia. *Respiration* 59 Suppl 1: 38-40.
- Merrill, WW; Cullen, M; Carter, D; Marchandise, FX. (1989). HISTOLOGIC AND IMMUNOCHEMICAL FREQUENCY OF METAPLASIA M IN ASBESTOS WORKERS AW (pp. 14-17). (BIOSIS/89/20549). Merrill, WW; Cullen, M; Carter, D; Marchandise, FX.
- Merveille, H. (1974). A Case of Pleural Mesothelioma in an Asbestos Worker - Contribution to the Study of the Relation between Pleural Mesothelioma and Asbestosis. (NIOSH/00068309). Merveille, H.
- Mery, É; Hommell-Fontaine, J; Capovilla, M; Chevallier, A; Bibeau, F; Croce, S; Dartigues, P; Kaci, R; Lang-Averous, G; Laverriere, MH; Leroux-Broussier, A; Poizat, F; Robin, N; Valmary-Degano, S; Verrielle-Beurrier, V; Villeneuve, L; Isaac, S. (2014). [Peritoneal malignant mesothelioma: review and recent data] [Review]. *Ann Pathol* 34: 26-33. <http://dx.doi.org/10.1016/j.annpat.2014.01.004>.
- Mesaros, C; Worth, AJ; Snyder, NW; Christofidou-Solomidou, M; Vachani, A; Albelda, SM; Blair, IA. (2015). Bioanalytical techniques for detecting biomarkers of response to human asbestos exposure [Review]. *Bioanalysis* 7: 1157-1173. <http://dx.doi.org/10.4155/bio.15.53>.
- Mesic, J; Sever-Jurca, D; Stangl, B. (1981). [A rare type of biological response to inhalation of asbestos dust (multiple lung asbestomas)]. *Arh Hig Rada Toksikol* 32: 279-285.
- Mester, B; Nieters, A; Deeg, E; Elsner, G; Becker, N; Seidler, A. (2006). Occupation and malignant lymphoma: A population based case control study in Germany. *Occup Environ Med* 63: 17-26. <http://dx.doi.org/10.1136/oem.2005.020453>.
- Metadilokkul, O; Supanachart, P. (1990). Occupational Asbestosis and Asbestos Related Diseases among Workers Exposed to Asbestos, 1987, Thailand (pp. 23-26). (NIOSH/00198271). Metadilokkul, O; Supanachart, P.
- Metayer, C; Scelo, G; Kang, AY; Gunier, RB; Reinier, K; Lea, S; Chang, JS; Selvin, S; Kirsch, J; Crouse, V; Does, M; Quinlan, P; Hammond, SK. (2016). A task-based assessment of parental occupational exposure to organic solvents and other compounds and the risk of childhood leukemia in California. *Environ Res* 151: 174-183. <http://dx.doi.org/10.1016/j.envres.2016.06.047>.
- Metintas, M; Ak, G; Cadirci, O; Yildirim, H; Dundar, E; Metintas, S. (2012). Outcome of patients diagnosed with fibrinous pleuritis after medical thoracoscopy. *Respir Med* 106: 1177-1183. <http://dx.doi.org/10.1016/j.rmed.2012.04.009>.
- Metintas, M; Gibbs, AR; Harmanci, E; Ozdemir, N; Pasaoglu, O; Isiksoy, S; Arslan, R; Erginel, S; Adapinar, B. (1997). Malignant localized fibrous tumor of the pleura occurring in a person environmentally exposed to tremolite asbestos. *Respiration* 64: 236-239.
- Metintas, M; Metintas, S; Ak, G; Erginel, S; Alatas, F; Kurt, E; Ucgun, I; Yildirim, H. (2008). Epidemiology of pleural mesothelioma in a population with non-occupational asbestos exposure. *Respirology* 13: 117-121. <http://dx.doi.org/10.1111/j.1440-1843.2007.01187.x>.
- Metintas, M; Metintas, S; Hillerdal, G; Ucgun, I; Erginel, S; Alatas, F; Yildirim, H. (2005). Nonmalignant pleural lesions due to environmental exposure to asbestos: a field-based, cross-sectional study. *Eur Respir J* 26: 875-880. <http://dx.doi.org/10.1183/09031936.05.00136404>.
- Metintas, M; Metintas, S; Ucgun, I; Gibbs, AR; Harmanci, E; Alatas, F; Erginel, S; Tel, N; Pasaoglu, O. (2001). Prognostic factors in diffuse malignant pleural mesothelioma: effects of pretreatment clinical and laboratory characteristics. *Respir Med* 95: 829-835. <http://dx.doi.org/10.1053/rmed.2001.1178>.
- Metintas, M; Ozdemir, N; Hillerdal, G; Ucgun, I; Metintas, S; Baykul, C; Elbek, O; Mutlu, S; Kolsuz, M. (1999). Environmental asbestos exposure and malignant pleural mesothelioma. *Respir Med* 93: 349-355.
- Metintas, S; Metintas, M; Ak, G; Kalyoncu, C. (2012). Environmental asbestos exposure in rural Turkey and risk of lung cancer. *Int J Environ Health Res* 22: 468-479. <http://dx.doi.org/10.1080/09603123.2011.654330>.
- Metintas, S; Metintas, M; Ucgun, I; Oner, U. (2002). Malignant mesothelioma due to environmental exposure to asbestos: Follow-up of a Turkish cohort living in a rural area. *Chest* 122: 2224-2229.
- Meurman, LO; Kiviluoto, R; Hakama, M. (1973). Mortality And Morbidity Of Employees Of Anthophyllite Asbestos Mines In Finland (pp. 199-201). (NIOSH/00149724). Meurman, LO; Kiviluoto, R; Hakama, M.
- Meurman, LO; Kiviluoto, R; Hakama, M. (1974). Mortality and morbidity among the working population of anthophyllite asbestos miners in Finland. *Br J Ind Med* 31: 105-112.
- Meurman, LO; Kiviluoto, R; Hakama, M. (1974). MORTALITY AND MORBIDITY OF EMPLOYEES OF ANTHOPHYLLITE ASBESTOS MINES IN FINLAND (pp. LYON). (HEEP/75/04232). Meurman, LO; Kiviluoto, R; Hakama, M.
- Meurman, LO; Kiviluoto, R; Hakama, M. (1979). Combined effect of asbestos exposure and tobacco smoking on Finnish anthophyllite miners and millers. *Ann N Y Acad Sci* 330: 491-495.
- Meurman, LO; Pukkala, E; Hakama, M. (1994). Incidence of cancer among anthophyllite asbestos miners in Finland. *Occup Environ Med* 51: 421-425.
- Mezger, J; Pethran, A; Weitowitz, HJ. (1992). MESOTHELIOMA AFTER EXPOSURE TO ASBESTOS AS PRISONER OF WAR. *Arbeitsmedizin, Sozialmedizin, Praeventivmedizin* 27: 23-25.
- M-G, W; Et, AL. (1988). PATHOLOGICAL STUDIES OF AN ASBESTOSIS CASE COMPLICATED BY PLEURAL MALIGNANT MESOTHELIOMA FOUND IN AN AUTOPSY (pp. 143-145). (BIOSIS/89/03315). Wang M-G; Et, AL.
- Mi, J; Peng, W; Jia, X; Wei, B; Yang, L; Hu, L; Lu, R. (2015). [A case-control study on the relationship of crocidolite pollution in drinking water with the risk of gastrointestinal cancer in Dayao County]. *Wei Sheng Yan Jiu* 44: 28-32.
- Michaels, D; Zoloth, S. (1988). Asbestos disease in sheet metal workers: proportional mortality update. *Am J Ind Med* 13: 731-734.
- Michaels, D; Zoloth, S; Lacher, M; Holstein, E; Lilis, R; Drucker, E. (1987). Asbestos disease in sheet metal workers: II. Radiologic signs of asbestosis among active workers. *Am J Ind Med* 12: 595-603.

Human Health Hazard Literature Search Results

On Topic

- Michalczak, W. (1986). [Cumulative effects of smoking and exposure to asbestos on the development of various neoplasms] [Review]. *Wiad Lek* 39: 97-100.
- Michel, O; Brusis, T. (2007). Occupational head and neck cancer: Part 1: Registered occupational diseases. *Laryngorhinootologie* 86: 134-142. <http://dx.doi.org/10.1055/s-2006-945165>.
- Michiels, FM; Moens, G; Chouroulinkov, I. (1987). DETERMINATION OF THE BIOLOGICAL EFFECTS OF ASBESTOS FIBERS ON RAT LUNG USING 2 DIFFERENT INVITRO ASSAY SYSTEMS - ORGAN AND CELL-CULTURE. *Anticancer Res* 7: 885-885.
- Michiels, FM; Moëns, G; Montagne, JJ; Chouroulinkov, I. (1989). Biological effects of asbestos fibres on rat lung maintained in vitro. *IARC Sci Publ occupational Exposure to Mineral Fibres*: 156-160.
- Micolucci, L; Akhtar, MM; Olivieri, F; Rippo, MR; Procopio, AD. (2016). Diagnostic value of microRNAs in asbestos exposure and malignant mesothelioma: systematic review and qualitative meta-analysis [Review]. *Onct* 7: 58606-58637. <http://dx.doi.org/10.18632/oncotarget.9686>.
- Micolucci, L; Rippo, MR; Olivieri, F; Procopio, AD. (2017). Progress of research on microRNAs with diagnostic value in asbestos exposure: A call for method standardization. <http://dx.doi.org/10.5582/bst.2016.01249>.
- Middleton, AP; Beckett, ST; Davis J, MG. (1979). Further observations on the short-term retention and clearance of asbestos by rats, using International Union Against Cancer reference samples. *Ann Occup Hyg* 22: 141-152.
- Middleton, AP; Beckett, ST; Davis, JM. (1975). A study of the short-term retention and clearance of inhaled asbestos by rats, using U.I.C.C. standard reference samples. *Inhaled Particles 4 Pt 1*: 247-258.
- Mijailovich, SM; Hamada, K; Tsuda, A. (2007). IL-8 response of cyclically stretching alveolar epithelial cells exposed to non-fibrous particles. *Ann Biomed Eng* 35: 582-594. <http://dx.doi.org/10.1007/s10439-006-9233-2>.
- Mikalsen, SO; Modalsli, KR. (1994). A SIMPLE FLUORESCENCE METHOD FOR THE STUDY OF THE INTERNALIZATION OF PARTICLES IN CULTURED-CELLS - APPLICATION TO ASBESTOS AND GLASS-FIBERS. *Toxicol In Vitro* 8: 243-250.
- Mikalsen, SO; Rivedal, E; Sanner, T. (1987). COMPARISON OF THE ABILITY OF GLASS-FIBERS AND ASBESTOS TO INDUCE MORPHOLOGICAL TRANSFORMATION OF SYRIAN-HAMSTER EMBRYO CELLS. *Eur J Cancer Clin Oncol* 23: 1778-1779.
- Mikalsen, SO; Rivedal, E; Sanner, T. (1988). Morphological transformation of Syrian hamster embryo cells induced by mineral fibres and the alleged enhancement of benzo[a]pyrene. *Carcinogenesis* 9: 891-899. <http://dx.doi.org/10.1093/carcin/9.6.891>.
- Mikami, K; Tabata, C; Tabata, R; Nogi, Y; Terada, T; Honda, M; Kamiya, H; Nishizaki, T; Nakano, T. (2013). Clinical significance of serum angiopoietin-1 in malignant peritoneal mesothelioma. *Cancer Invest* 31: 511-515. <http://dx.doi.org/10.3109/07357907.2013.830734>.
- Mikheev, MI. (1980). Biological effects of asbestos in relation to control of occupational exposure. *IARC Sci Publ* 819-821.
- Mikhova, TS; Uzunov, P; Vlasov, V. (1987). [Experimental in vivo and in vitro research on different types of anthophyllite]. *Eksp Med Morfol* 26: 17-23.
- Milardović-Sunjara, B; Kanceljak-Macan, B; Dujmov, I. (1991). [The effect of the length of exposure and smoking on respiratory function in workers exposed to asbestos-cement dust]. 43: 44-50.
- Milejski, P; Orzechowskajuzwenko, K; Lange, A; Tomeczko, J. (1990). IMMUNOLOGICAL ABNORMALITIES AND ACETYLATION POLYMORPHISM IN ASBESTOS EXPOSED WORKERS. *Eur J Pharmacol* 183: 1538-1538.
- Miles, SE; Sandrini, A; Johnson, AR; Yates, DH. (2008). Clinical consequences of asbestos-related diffuse pleural thickening: A review. *J Occup Med Toxicol* 3: 20. <http://dx.doi.org/10.1186/1745-6673-3-20>.
- Milishnikova, VV; Gutnikova, OV; Lipenetskaia, TD. (1997). [Characteristics of respiratory and cardiovascular systems of workers with extended length of service at asbestos plants]. *Med Tr Prom Ekol* 0: 12-15.
- Milishnikova, VV; Loshchilov, IU; Gladkova, EV; Aksenova, AO; Turkina, LA. (1990). [Endoscopic and morphological characteristics of the bronchi and lungs in asbestosis and dust-induced bronchitis in asbestos-textile industry workers]. *Gig Tr Prof Zabol* 0: 19-22.
- Millar, B. (2000). Asbestos. 'A cruel and nasty disease'. *Nurs Times* 96: 32-33.
- Miller, A. (1985). Small airway changes in workers exposed to asbestos [Letter]. *Respiration* 48: 190-191.
- Miller, A. (1988). Epidemiologic investigation of respiratory effects related to environmental exposure to asbestos inside insulated buildings [Letter]. *Arch Environ Health* 43: 315-316.
- Miller, A. (1988). Pulmonary functional impairment by asbestos [Letter]. *J Occup Med* 30: 285, 288.
- Miller, A. (1990). Chronic pleuritic pain in four patients with asbestos induced pleural fibrosis. *Br J Ind Med* 47: 147-153.
- Miller, A. (1991). Application of pulmonary function tests to the evaluation of asbestosis. *Ann N Y Acad Sci* 643: 145-148.
- Miller, A. (1993). Pulmonary function in asbestosis and asbestos-related pleural disease [Review]. *Environ Res* 61: 1-18. <http://dx.doi.org/10.1006/enrs.1993.1044>.
- Miller, A. (2005). Mesothelioma in household members of asbestos-exposed workers: 32 United States cases since 1990. *Am J Ind Med* 47: 458-462. <http://dx.doi.org/10.1002/ajim.20167>.
- Miller, A. (2007). Radiographic readings for asbestosis: misuse of science--validation of the ILO classification [Review]. *Am J Ind Med* 50: 63-67. <http://dx.doi.org/10.1002/ajim.20401>.
- Miller, A; Bhuptani, A; Sloane, MF; Brown, LK; Teirstein, AS. (1993). Cardiorespiratory responses to incremental exercise in patients with asbestos-related pleural thickening and normal or slightly abnormal lung function. *Chest* 103: 1045-1050. <http://dx.doi.org/10.1378/chest.103.4.1045>.
- Miller, A; Elliott, JC; Thornton, JC; Warshaw, R; Geiger, M; Anderson, H. (1980). Comparison of spirometry performed on the same subjects by 2 teams using similar instruments: An investigation of variability in prevalence of impairment. *Environ Res* 21: 229-234.
- Miller, A; Hailoo, W; Brown, LK. (1990). Incremental Exercise Testing in Pleuropulmonary Disease due to Inhalation of Inorganic Dusts: Physiologic Dead Space as the Most Sensitive Indicator. *Toxicol Ind Health* 6: 425-440.

Human Health Hazard Literature Search Results

On Topic

- Miller, A; Langer, AM; Teirstein, AS; Selikoff, IJ. (1975). Nonspecific interstitial pulmonary fibrosis — Association with asbestos fibers detected by electron microscopy. *N Engl J Med* 292: 91-93. <http://dx.doi.org/10.1056/NEJM197501092920209>.
- Miller, A; Liliis, R; Godbold, J; Chan, E; Selikoff, IJ. (1990). Spirometric Abnormalities in 2573 Asbestos Insulators with Long Term Exposure: Effects of Smoking History and Radiographic Abnormalities (pp. 23-26). (ISSN 0271-3586 EISSN 1097-0274 NIOSH/00198855). Miller, A; Liliis, R; Godbold, J; Chan, E; Selikoff, IJ.
- Miller, A; Liliis, R; Godbold, J; Chan, E; Selikoff, IJ. (1992). Relationship of pulmonary function to radiographic interstitial fibrosis in 2,611 long-term asbestos insulators: An assessment of the International Labour Office profusion score. *Am Rev Respir Dis* 145: 263-270. http://dx.doi.org/10.1164/ajrccm/145.2_Pt_1.263.
- Miller, A; Liliis, R; Godbold, J; Chan, E; Wu, X; Selikoff, IJ. (1994). Spirometric impairments in long-term insulators. Relationships to duration of exposure, smoking, and radiographic abnormalities. *Chest* 105: 175-182.
- Miller, A; Liliis, R; Godbold, J; Wu, X. (1996). Relation of spirometric function to radiographic interstitial fibrosis in two large workforces exposed to asbestos: An evaluation of the ILO profusion score. *Occup Environ Med* 53: 808-812. <http://dx.doi.org/10.1136/oem.53.12.808>.
- Miller, A; Miller, JA. (1993). Diffuse thickening superimposed on circumscribed pleural thickening related to asbestos exposure. *Am J Ind Med* 23: 859-871.
- Miller, A; Rom, WN. (2010). Does asbestos exposure (asbestosis) cause (clinical) airway obstruction (small airway disease)? [Editorial]. *Am J Respir Crit Care Med* 182: 444-445. <http://dx.doi.org/10.1164/rccm.201005-0697ED>.
- Miller, A; Teirstein, AS; Selikoff, I. (1982). VENTILATORY INSUFFICIENCY DUE TO ASBESTOS INDUCED PLEURAL DISEASE (pp. 15-18). (ISSN 0003-0805 HEEP/83/10177). Miller, A; Teirstein, AS; Selikoff, I.
- Miller, A; Teirstein, AS; Selikoff, IJ. (1983). Ventilatory failure due to asbestos pleurisy. *Am J Med* 75: 911-919.
- Miller, A; Thornton, JC; Warshaw, R; Tierstein, AS; Selikoff, IJ. (1981). PULMONARY FUNCTION IN 2 ASBESTOS EXPOSED OCCUPATIONAL GROUPS COMPARISON WITH A REFERENCE POPULATION BY SMOKING HISTORY (pp. 2-5). (HEEP/83/04251). Miller, A; Thornton, JC; Warshaw, R; Tierstein, AS; Selikoff, IJ.
- Miller, A; Warshaw, R; Nezamis, J. (2013). Diffusing capacity and forced vital capacity in 5,003 asbestos-exposed workers: Relationships to interstitial fibrosis (ILO profusion score) and pleural thickening. *Am J Ind Med* 56: 1383-1393. <http://dx.doi.org/10.1002/ajim.22239>.
- Miller, A; Widman, SA; Miller, JA; Manowitz, A; Markowitz, SB. (2013). Comparison of x-ray films and low-dose computed tomographic scans: demonstration of asbestos-related changes in 2760 nuclear weapons workers screened for lung cancer. *J Occup Environ Med* 55: 741-745. <http://dx.doi.org/10.1097/JOM.0b013e3182954067>.
- Miller, AB. (1978). Asbestos fibre dust and gastro-intestinal malignancies. Review of literature with regard to a cause/effect relationship [Review]. *J Chronic Dis* 31: 23-33.
- Miller, AB. (1980). IDENTIFICATION OF ADULTS AT HIGH RISK OF LUNG CANCER [Review]. *Can Med Assoc J* 122: 985-987.
- Miller, AK. (2005). Libby, Montana: Overview of asbestos exposures and health effects. *Geochim Cosmo Acta* 69: A189-A189.
- Miller, BG; Jones, AD; Searl, A; Buchanan, D; Cullen, RT; Soutar, CA; Davis, JMG; Donaldson, K. (1999). Influence of characteristics of inhaled fibres on development of tumours in the rat lung. *Ann Occup Hyg* 43: 167-179. [http://dx.doi.org/10.1016/S0003-4878\(99\)00019-8](http://dx.doi.org/10.1016/S0003-4878(99)00019-8).
- Miller, BG; Searl, A; Davis, JM; Donaldson, K; Cullen, RT; Bolton, RE; Buchanan, D; Soutar, CA. (1999). Influence of fibre length, dissolution and biopersistence on the production of mesothelioma in the rat peritoneal cavity. *Ann Occup Hyg* 43: 155-166.
- Miller, JA; Zurlo, JV. (1996). Asbestos plaques in a typical Veteran's hospital population. *Am J Ind Med* 30: 726-729. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199612\)30:6<726::AID-AJIM9>3.0.CO;2-O](http://dx.doi.org/10.1002/(SICI)1097-0274(199612)30:6<726::AID-AJIM9>3.0.CO;2-O).
- Miller, JW; Sayers, RR. (1936). The Physiological Response Of Peritoneal Tissue To Certain Industrial And Pure Mineral Dusts. *Public Health Rep* 51: 1677-1688.
- Miller, JW; Sayers, RR. (1941). The Response Of Peritoneal Tissue To Industrial Dusts (pp. 264-272). (NIOSH/00134660). Miller, JW; Sayers, RR.
- Miller, K. (1977). MACROPHAGE LYMPHOCYTE INTERACTION AFTER IN-VIVO EXPOSURE TO CROCIDOLITE ASBESTOS (pp. 131-132). (HEEP/79/11344). Miller, K.
- Miller, K. (1978). The effects of asbestos on macrophages [Review]. *CRC Crit Rev Toxicol* 5: 319-354.
- Miller, K. (1979). Alterations in the Surface-Related Phenomena of Alveolar Macrophages Following Inhalation of Crocidolite Asbestos and Quartz Dusts: An Overview. *Environ Res* 20: 162-182.
- Miller, K. (1980). The in vivo effects of glass fibres on alveolar macrophage membrane characteristics. *IARC Sci Publ* 459-465.
- Miller, K. (1985). Immunotoxicology [Review]. *Clin Exp Immunol* 61: 219-223.
- Miller, K; Brown, RC. (1985). THE IMMUNE SYSTEM AND ASBESTOS-ASSOCIATED DISEASE (pp. IMMUNOTOXICOLOGY AND IMMUNOPHARMACOLOGY). (BIOSIS/86/10120). Miller, K; Brown, RC.
- Miller, K; Handfield, RI; Kagan, E. (1978). The effect of different mineral dusts on the mechanism of phagocytosis: a scanning electron microscope study. *Environ Res* 15: 139-154.
- Miller, K; Harington, JS. (1972). Some biochemical effects of asbestos on macrophages. *Br J Exp Pathol* 53: 397-405.
- Miller, K; HARRINGTON JS; Macnab, G. (1972). EFFECTS OF ASBESTOS ON MACROPHAGES IN CULTURE. 46: 819-&.
- Miller, K; Kagan, E. (1976). The in vivo effects of asbestos on macrophage membrane structure and population characteristics of macrophages: a scanning electron microscope study. *J Reticuloendothel Soc* 20: 159-170.
- Miller, K; Kagan, E. (1976). INVIVO EFFECTS OF ASBESTOS ON MACROPHAGE MEMBRANE STRUCTURE AND POPULATION CHARACTERISTICS OF MACROPHAGES - SCANNING ELECTRON-MICROSCOPE STUDY. *J Reticuloendothel Soc* 20: 159-171.
- Miller, K; Kagan, E. (1977). Immune adherence reactivity of rat alveolar macrophages following inhalation of crocidolite asbestos. *Clin Exp Immunol* 29: 152-158.

Human Health Hazard Literature Search Results

On Topic

- Miller, K; Kagan, E. (1977). PRESUMPTIVE EVIDENCE OF COMPLEMENT DEPOSITION ON CELL-MEMBRANES OF MACROPHAGES EXPOSED TO ASBESTOS INVIVO. 51: 944-945.
- Miller, K; Kagan, E. (1981). Manifestations of cellular immunity in the rat after prolonged asbestos inhalation. II. Alveolar macrophage-induced splenic lymphocyte proliferation. *Environ Res* 26: 182-194.
- Miller, K; Webster, I; Handfield, RI; Skikne, MI. (1978). Ultrastructure of the lung in the rat following exposure to crocidolite asbestos and quartz. *J Pathol* 124: 39-44. <http://dx.doi.org/10.1002/path.1711240109>.
- Miller, K; Webster, I; Handfield, RIM; Skikne, MI. (1978). ULTRASTRUCTURE OF LUNG IN RAT FOLLOWING EXPOSURE TO CROCIDOLITE ASBESTOS AND QUARTZ. *J Pathol* 124: 39-&.
- Miller, K; Weintraub, Z; Kagan, E. (1979). Manifestations of cellular immunity in the rat after prolonged asbestos inhalation: 1. Physical interactions between alveolar macrophages and splenic lymphocytes. *J Immunol* 123: 1029-1038.
- Miller, K; Weintraub, Z; Kagan, E. (1980). The Effect Of Prolonged Inhalation Of Crocidolite Asbestos On Macrophage-Lymphocyte Interaction (pp. 467-474). (NIOSH/00150485). Miller, K; Weintraub, Z; Kagan, E.
- Miller, K; Weintraub, Z; Kagan, E. (1980). The effect on prolonged inhalation of crocidolite asbestos on macrophage-lymphocyte interaction. *IARC Sci Publ* 467-474.
- Miller, LG; Sparrow, D; Ginns, LC. (1983). Asbestos exposure correlates with alterations in circulating T cell subsets. *Clin Exp Immunol* 51: 110-116.
- Miller, MR; Hankinson, J; Brusasco, V; Burgos, F; Casaburi, R; Coates, A; Crapo, R; Enright, P; van Der Grinten, CP; Gustafsson, P; Jensen, R; Johnson, DC; Macintyre, N; McKay, R; Navajas, D; Pedersen, OF; Pellegrino, R; Viegi, G; Wanger, J; Force, AET. (2005). Standardisation of spirometry. *Eur Respir J* 26: 319-338. <http://dx.doi.org/10.1183/09031936.05.00034805>.
- Miller, RW. (1976). Carcinogens in drinking water. Committee on environmental hazards. *Pediatrics* 57: 462-464.
- Miller, RW. (1979). Advances in understanding causes of childhood cancer. *Pediatr Ann* 8: 710-715.
- Miller, RW. (1981). Pollutants and children: Lessons from case histories. In AD Bloom (Ed.), (pp. 155-163). White Plains, NY: March of Dimes Birth Defects Foundation.
- Miller, RW; Connelly, RR. (1984). HAS CARCINOGENESIS OCCURRED AFTER CHILDHOOD EXPOSURE TO ASBESTOS SPRAYED SCHOOLROOM CEILINGS (pp. 1-4). (HEEP/85/01861). Miller, RW; Connelly, RR.
- Miller, WT; Gefter, WB; Miller, WT. (1992). Asbestos-related chest diseases: plain radiographic findings [Review]. *Semin Roentgenol* 27: 102-120.
- Milleron, B; Depierre, A; Paris, C. (1999). [Medical impact of screening of broncho-pulmonary cancer in subjects exposed to asbestos] [Review]. *Rev Mal Respir* 16: 1308-1316.
- Millette, J. R.; Boone, RL; Rosenthal, MT; McCabe, LJ. (1981). The need to control asbestos fibers in potable water supply systems. *Sci Total Environ* 18: 91-102.
- Millette, JR. (1978). Effects Of Selected Asbestos Fibers On Cellular And Molecular Parameters. (NIOSH/00145284). Millette, JR.
- Millette, JR; Clark, PJ; Boone, RL; Rosenthal, MT. (1987). Occurrence and biological activity testing of particulates in drinking water. *Bull Environ Contam Toxicol* 38: 1-8.
- Millette, JR; Craun, GF; Stober, JA; Kraemer, DF; Tousignant, HG; Hildago, E; Duboise, RL; Benedict, J. (1983). Epidemiology study of the use of asbestos-cement pipe for the distribution of drinking water in Escambia County, Florida. *Environ Health Perspect* 53: 91-98.
- Mills, RG. (1930). Pulmonary Asbestosis: Report of a Case. *Minn Med* 13: 495-499.
- Milne, J. (1969). Fifteen cases of pleural mesothelioma associated with occupational exposure to asbestos in Victoria. *Med J Aust* 2: 669-673.
- Milne, JE. (1976). Thirty-two cases of mesothelioma in Victoria, Australia: a retrospective survey related to occupational asbestos exposure. *Br J Ind Med* 33: 115-122.
- Milosević, M; Petrović, L. (1988). Environmental exposure to chrysotile asbestos and cancer epidemiology. *Arh Hig Rada Toksikol* 39: 489-498.
- Mimura, K. (1978). A study on the working conditions and health of the workers handling asbestos in a shipyard. *Okayama Igakkai Zasshi* 90: 7-8.
- Minardi, F; Maltoni, C. (1988). Results of recent experimental research on the carcinogenicity of natural and modified asbestos. *Ann N Y Acad Sci* 534: 754-761.
- Miner, ICOH. (1993). Biological indicators and their clinical significance in persons exposed to mineral fibres kitakyushu japan november 24-25 1991. *Br J Ind Med* 50: 412-417.
- Minniti, S; Valentini, M; Pozzi Mucelli, R. (2005). Low-dose helical chest CT in asbestos-exposed workers in the Veneto Region: preliminary results. *Radiol Med* 110: 317-324.
- Minoia, C; Sturchio, E; Porro, B; Ficociello, B; Zambelli, A; Imbriani, M. (2011). [microRNAs as biological indicators of environmental and occupational exposure to asbestos] [Review]. *G Ital Med Lav Ergon* 33: 420-434.
- Minowa, M; Hatano, S; Ashizawa, M; Oguro, H; Naruhashi, H; Suzuki, M; Mitoku, K; Miwa, M; Wakamatsu, C; Yasuda, Y. (1991). A case-control study of lung cancer with special reference to asbestos exposure. *Environ Health Perspect* 94: 39-42.
- Mintzer, RA; Cugell, DW. (1982). The association of asbestos-induced pleural disease and rounded atelectasis. *Chest* 81: 457-460.
- Mintzer, RA; Gore, RM; Vogelzang, RL; Holz, S. (1981). Rounded atelectasis and its association with asbestos-induced pleural disease. *Radiology* 139: 567-570. <http://dx.doi.org/10.1148/radiology.139.3.7232722>.
- Mirabela, F. (1975). Post mortem ascertained cases of lung and pleural tumors due to asbestos. *Med Lav* 66: 192-211.
- Mirabella, F. (1982). Epidemiology Of Pericardial Mesothelioma. A Contribution. *Pathologica* 74: 215-229.
- Mirabella, F. (1991). [Malignant mesothelioma of the tunica vaginalis of the testis. Here again asbestos?] [Review]. *Minerva Med* 82: 765-770.
- Mirabella, F. (1993). [Pericardial mesothelioma. Evolution and update in the last decade] [Review]. *Pathologica* 85: 377-386.
- Mirabelli, D; Cadum, E. (2002). [Mortality among patients with pleural and peritoneal tumors in Alta Valle di Susa]. *Epidemiol Prev* 26: 284-286.

Human Health Hazard Literature Search Results

On Topic

- Mirabelli, D; Calisti, R; Barone-Adesi, F; Fornero, E; Merletti, F; Magnani, C. (2008). Excess of mesotheliomas after exposure to chrysotile in Balangero, Italy. *Occup Environ Med* 65: 815-819. <http://dx.doi.org/10.1136/oem.2007.037689>.
- Mirabelli, D; Cavone, D; Merler, E; Gennaro, V; Romanelli, A; Mensi, C; Chellini, E; Nicita, C; Marinaccio, A; Magnani, C; Musti, M. (2010). Non-occupational exposure to asbestos and malignant mesothelioma in the Italian National Registry of Mesotheliomas. *Occup Environ Med* 67: 792-794. <http://dx.doi.org/10.1136/oem.2009.047019>.
- Mirabelli, D; Magnani, C. (2003). [Interaction between occupational and environmental exposure to asbestos. Epidemiologic survey]. *G Ital Med Lav Ergon* 25: 402-404.
- Miralles Martinez-Portillo, L. (2009). ACHIEVEMENTS OF COLLABORATION WITH SOCIAL SECURITY IN THE POST-OCCUPATIONAL SURVEILLANCE OF WORKERS EXPOSED TO ASBESTOS IN LA RIOJA. *Gac Sanit* 23: 6-7.
- Miscetti, G; Bodo, P; Lumare, A; Abbritti, EP; Garofani, P; Burani, V. (2016). [Asbestos exposure assessment in the first case of intrasplenic mesothelioma]. *Med Lav* 107: 29-36.
- Mise, K; Jurcev-Savicević, A; Bradarić, A; Perić, I; Barisić, I; Puntarić, D; Mise, J; Ilić, N. (2009). Increasing of malignant pleural mesothelioma: burning issue in Split-Dalmatian County, Croatia. *Coll Antropol* 33: 1245-1250.
- Miserocchi, G; Sancini, G; Mantegazza, F; Chiappino, G. (2008). Translocation pathways for inhaled asbestos fibers [Review]. *Environ Health* 7: 4. <http://dx.doi.org/10.1186/1476-069X-7-4>.
- Mishra, A; Liu, J; Brody, A; Morris, G. (1997). Inhaled asbestos fibers induce p53 expression in the rat lung. *Am J Respir Cell Mol Biol* 16: 479-485. <http://dx.doi.org/10.1165/ajrcmb.16.4.9115760>.
- Mishra, A; Xu, J; Brody, AR; Morris, GF. (1996). ASBESTOS-INDUCED REGULATION OF THE PROLIFERATING CELL NUCLEAR ANTIGEN GENE BY THE P53 TUMOR SUPPRESSOR PROTEIN (pp. 2-6). (ISSN 0892-6638 EISSN 1530-6860 BIOSIS/96/22768). Mishra, A; Xu, J; Brody, AR; Morris, GF.
- Misra, V; Rahman, Q; Viswanathan, PN. (1978). Biochemical changes in guinea pig lungs due to amosite asbestos. *Environ Res* 16: 1-3.
- Misra, V; Rahman, Q; Viswanathan, PN. (1983). Adsorption Of Nucleic Acids On Asbestos Fibers In Vitro. *Toxicol Lett* 15: 2-3.
- Mitchell, C; Charney, M; Schoenberg, J. (1974). A SURVEY OF PULMONARY DISEASE IN THE FRICTION MATERIALS INDUSTRY. *Am Rev Respir Dis* 109: 728-729.
- Mitchell, C; Emmerson, B; Aroney, C. (1981). Prevalence of respiratory morbidity in Brisbane waterside workers. A study of possible asbestos-related disease. *Med J Aust* 2: 139-141.
- Mitchell, CA. (1997). OCCUPATIONAL LUNG DISEASE. *Med J Aust* 167: 498-503.
- Mitchell, CA; Charney, M; Schoenberg, JB. (1978). Early lung disease in asbestos-product workers. *Lung* 154: 261-272.
- Mitchell, J. (1961). Health progress in an asbestos textile works. *Arch Environ Health* 3: 37-41.
- Mitchell, RS; Chase, GR; Kotin, P. (1985). Evaluation for compensation of asbestos-exposed individuals. I. Detection and quantification of asbestos-related nonmalignant impairment. *J Occup Med* 27: 95-109.
- Mitsui, A; Saji, H; Shimmyo, T; Mochizuki, A; Kurimoto, N; Nakamura, H. (2015). Malignant pleural mesothelioma presenting as a spontaneous pneumothorax. 3: 9-12. <http://dx.doi.org/10.1002/rcr2.84>.
- Mitteilungen, RE-I-IMDM; Nplr. (2005). [Current practice with respect to the recognition of occupational diseases caused by asbestos.].
- Miura, H; Takabe, K; Akabane, H; Kimura, Y. (1994). [Asbestos-related pleural effusion] [Review]. 742-745.
- Miura, Y; Nishimura, Y; Katsuyama, H; Maeda, M; Hayashi, H; Dong, M; Hyodoh, F; Tomita, M; Matsuo, Y; Uesaka, A; Kuribayashi, K; Nakano, T; Kishimoto, T; Otsuki, T. (2006). Involvement of IL-10 and Bcl-2 in resistance against an asbestos-induced apoptosis of T cells. *Apoptosis* 11: 1825-1835. <http://dx.doi.org/10.1007/s10495-006-9235-4>.
- Miura, Y; Nishimura, Y; Maeda, M; Murakami, S; Hayashi, H; Fukuoka, K; Kishimoto, T; Nakano, T; Otsuki, T. (2008). Immunological alterations found in mesothelioma patients and supporting experimental evidence. *Environ Health Prev Med* 13: 55-59. <http://dx.doi.org/10.1007/s12199-007-0012-y>.
- Miyaishi, O; Iida, K; Saga, S; Sato, T. (1994). An autopsy case of serous papillary carcinoma of peritoneum with distant metastases but no peritoneal dissemination. *Gynecol Oncol* 55: 448-452.
- Miyao, M; Kanao, T; Muraoka, T; Et, AL. (1981). A case of double cancer (lung and stomach) with asbestosis. *Jpn J Chest Dis* 40: 170-175.
- Miyasaki, T; Shigeno, H; Tomonaga, A; Kohno, S; Kanda, T; Asai, S; Hirota, M; Saito, A; Hara, K; Ayabe, H. (1984). [A case of asbestosis with recurrent bloody pleural effusion]. *Nihon Kyobu Shikkan Gakkai Zasshi* 22: 1021-1026.
- Miyazaki, K; Fukuzumi, M; Aizawa, T; Shibata, M; Sakai, T; Tojima, H. (2010). [Patient with MPO-ANCA-associated disease with interstitial pneumonia and lower cranial nerves palsy who was previously exposed to asbestos]. *Nihon Kokyuki Gakkai Zasshi* 48: 876-882.
- Mizell, KN; Morris, CG; Carter, JE. (2009). Antemortem diagnosis of asbestosis by screening chest radiograph correlated with postmortem histologic features of asbestosis: a study of 273 cases. *J Occup Med Toxicol* 4: 14. <http://dx.doi.org/10.1186/1745-6673-4-14>.
- Mizuno, S; Ota, S; Tanaka, T; Shiomi, K; Matsumura, T; Kishimoto, N. (2014). Primary tracheal malignant lymphoma detected during a regular checkup in an asbestos dust-exposed smoker. *Acta Med Okayama* 68: 177-181.
- Mizutani, E; Morita, R; Hanaoka, S; Okochi, Y; Tokuda, H; Kitamura, S. (2010). Pleuropulmonary paragonimiasis with intrathoracic mass. *Ann Thorac Cardiovasc Surg* 16: 436-438.
- M-J, S; Piacitelli, L. (1981). Health Hazard Evaluation Determination Report No. HHE-81-028-1059, Consolidated Railroad Corporation, Incorporated, Reading, Pennsylvania (pp. 81-028). (NIOSH/00134876). Sepulveda M-J; Piacitelli, L.
- Moalli, PA; Macdonald, JL; Goodglick, LA; Kane, AB. (1987). Acute injury and regeneration of the mesothelium in response to asbestos fibers. *Am J Pathol* 128: 426-445.

Human Health Hazard Literature Search Results

On Topic

- Modave, JL; Melange, M; Macq, J; Leblanc, A; Minette, A. (1975). Remarks Concerning 19 Cases of Asbestosis Which Were Fortuitously Discovered Among An Industrial Group of the Basse-Sambre (pp. 111-131). (NIOSH/00106613). Modave, JL; Melange, M; Macq, J; Leblanc, A; Minette, A.
- Mohamed, IY. (1990). Asbestos-cement pneumoconiosis: first surgically confirmed case in Kuwait. *Am J Ind Med* 17: 241-245.
- Mohammadian, Y; Shahtaheri, SJ; Yaraghi, A, liAS; Kakooei, H; Hajaghazadeh, M. (2013). Cytotoxicity of single-walled carbon nanotubes, multi-walled carbon nanotubes, and chrysotile to human lung epithelial cells. *Toxicol Environ Chem* 95: 1037-1047. <http://dx.doi.org/10.1080/02772248.2013.840371>.
- Mohr, S; Keith, G; Rihn, B. (2005). [Asbestos and malignant pleural mesothelioma: molecular, cellular and physiopathological aspects] [Review]. *Bulletin du Cancer (Online)* 92: 959-976.
- Mohr, U; Pott, F; Vonnahme, FJ. (1984). Morphological aspects of mesotheliomas after intratracheal instillations of fibrous dusts in Syrian golden hamsters. *Exp Toxicol Pathol* 26: 179-183.
- Mohr, W. (1972). EARLY REACTION OF PERITONEAL CORTICAL CELLS ON INTRAPERITONEALLY INJECTED ASBESTOS (pp. 444-445). (HEEP/73/09942). Mohr, W.
- Mohsenifar, Z; Jasper, AJ; Mahrer, T; Koerner, SK. (1986). Asbestos and airflow limitation. *J Occup Med* 28: 817-820. <http://dx.doi.org/10.1097/00043764-198609000-00012>.
- Mohsenifar, Z; Mahrer, T; Koerner, SK. (1985). SMALL AIRWAYS DYSFUNCTION IN ASBESTOS WORKERS (pp. 12-15). (BIOSIS/85/16463). Mohsenifar, Z; Mahrer, T; Koerner, SK.
- Moigneteau, C; Guillemet, JM; Gontier, F. (1974). RESPIRATORY-DISEASES DUE TO ASBESTOS. *Sem Hop* 50: 1905-1908.
- Moigneteau, C; Guillemet, JM; Touzeau, PY; Pioche, D; Orain, L. (1976). EFFECTS OF ASBESTOS ON LUNGS - REPORT OF 27 CASES OF ASBESTOSIS SEEN OVER A PERIOD OF 6 YEARS IN NANTES. *Sem Hop* 52: 467-474.
- Moises, JA; Xaubet, A; Agusti, C; Picado, A; Martin, A; Agusti-Vidal, A. (1989). MEANING OF THE PRESENCE OF MASTOCYTES IN THE BRONCHOALVEOLAR LAVAGE FOR THE DIAGNOSTIC EVALUATION OF DIFFUSE INTERSTITIAL LUNG DISEASES (pp. 454-456). (BIOSIS/89/28124). Moises, JA; Xaubet, A; Agusti, C; Picado, A; Martin, A; Agusti-Vidal, A.
- Moitra, S; Puri, R; Paul, D; Huang, YC. (2015). Global perspectives of emerging occupational and environmental lung diseases [Review]. *Curr Opin Pulm Med* 21: 114-120. <http://dx.doi.org/10.1097/MCP.0000000000000136>.
- Molina, C; Cheminat, JC; Tourreau, A; Brun, J; Maillet, J; Petit, R; Gourgand, AJ. (1978). STUDY OF 201 WORKERS IN AN ASBESTOS TEXTILE FACTORY. *Rev Fr Mal Respir* 6: 471-482.
- Molina, C; Perdrizet, S; Cheminat, JC; Maillet, J; Bedu, M; Caillaud, D. (1985). [Lessons from a long-term survey on the effects of massive occupational exposure to asbestos. The AMISOL affair 10 years later]. *Rev Pneumol Clin* 41: 225-232.
- Molinini, R; Paoletti, L; Albrizio, M; Pennella, A; Nardulli, F; Caruso, G. (1992). Occupational exposure to asbestos and urinary bladder cancer. *Environ Res* 58: 176-183.
- Moller, P; Danielsen, PH; Jantzen, K, im; Roursgaard, M; Loft, S. (2013). Oxidatively damaged DNA in animals exposed to particles [Review]. *Crit Rev Toxicol* 43: 96-118. <http://dx.doi.org/10.3109/10408444.2012.756456>.
- Mollo, F; Andrion, A; Bellis, D; Bertoldo, E; Colombo, A. (1987). Screening of autopsy populations for previous occupational exposure to asbestos. *Arch Environ Health* 42: 44-50. <http://dx.doi.org/10.1080/00039896.1987.9935794>.
- Mollo, F; Andrion, A; Bellis, D; Pira, E; Tallone, MV. (1983). Optical determination of coated and uncoated mineral fibers in lungs of subjects without professional exposure (pp. 276-282). (ISSN 0252-1172 HEEP/85/00635). Mollo, F; Andrion, A; Bellis, D; Pira, E; Tallone, MV.
- Mollo, F; Andrion, A; Bertasso, L; Colombo, A. (1980). [Hyaline pleural plaques and exposure to asbestos] [Review]. *Pathologica* 72: 55-65.
- Mollo, F; Andrion, A; Pira, E; Barocelli, MP. (1983). Indicators of asbestos exposure in autopsy routine. 2. Pleural plaques and occupation. *Med Lav* 74: 137-142.
- Mollo, F; Bellis, D; Andreozzi, A; Burlo, P; Bo, P; Cravello, M. (1997). [Lung cancers attributable to asbestos on a pathological basis]. *G Ital Med Lav Ergon* 19: 36-38.
- Mollo, F; Bellis, D; Magnani, C; Delsedime, L; Andrion, A. (1993). Hyaline splenic and hepatic plaques. Correlation with cirrhosis, pulmonary tuberculosis, and asbestos exposure. *Arch Pathol Lab Med* 117: 1017-1021.
- Mollo, F; Magnani, C. (1995). European multicentric case control study on risk for mesothelioma after non-occupational (domestic and environmental) exposure to asbestos. *Med Lav* 86: 496-500.
- Mollo, F; Magnani, C; Bo, P; Burlo, P; Cravello, M. (2002). The attribution of lung cancers to asbestos exposure: a pathologic study of 924 unselected cases. *Am J Clin Pathol* 117: 90-95. <http://dx.doi.org/10.1309/DEDU-V6UC-587A-9CGD>.
- Mollo, F; Piolatto, G; Bellis, D; Andrion, A; Delsedime, L; Bernardi, P; Pira, E; Ardissonne, F. (1990). Asbestos exposure and histologic cell types of lung cancer in surgical and autopsy series. *Int J Cancer* 46: 576-580.
- Mollo, F; Pira, E; Piolatto, G; Bellis, D; Burlo, P; Andreozzi, A; Bontempi, S; Negri, E. (1995). Lung adenocarcinoma and indicators of asbestos exposure. *Int J Cancer* 60: 289-293.
- Mollo, F; Tomatis, L. (2007). [Asbestos fibers and mesothelioma pathogenesis]. *Epidemiol Prev* 31: 43-45.
- Monchaux, G; Bignon, J; Hirsch, A; Sebastien, P. (1982). Translocation of mineral fibres through the respiratory system after injection into the pleural cavity of rats. *Ann Occup Hyg* 26: 309-318.
- Monchaux, G; Bignon, J; Jaurand, MC; Lafuma, J; Sebastien, P; Masse, R; Hirsch, A; Goni, J. (1981). Mesotheliomas in rats following inoculation with acid-leached chrysotile asbestos and other mineral fibres. *Carcinogenesis* 2: 229-236.
- Monchaux, G; Chameaud, J; Morlier, JP; Janson, X; Morin, M; Bignon, J. (1989). Translocation of subcutaneously injected chrysotile fibres: potential cocarcinogenic effect on lung cancer induced in rats by inhalation of radon and its daughters. *IARC Sci Publ occupational Exposure to Mineral Fibres*: 161-166.

Human Health Hazard Literature Search Results

On Topic

- Mondeshki, M; Buriklov, T; Babadzov, L. (1962). [Studies on asbestosis in an asbestos mine near the village of Avren in Krumovgrad district]. *Suvremenna Medicina* 13: 34-40.
- Money, A; Carder, M; Noone, P; Bourke, J; Hayes, J; Turner, S; Agius, R. (2015). Work-related ill-health: Republic of Ireland, Northern Ireland, Great Britain 2005-2012. *Occup Med (Lond)* 65: 15-21. <http://dx.doi.org/10.1093/occmed/kqu137>.
- Mongan, LC; Jones, T; Patrick, G. (2000). Cytokine and free radical responses of alveolar macrophages in vitro to asbestos fibres. *Cytokine* 12: 1243-1247. <http://dx.doi.org/10.1006/cyto.2000.0700>.
- Moniewska, A; Szyba, K; Jaźwiec, B; Lange, A. (1989). Chrysotile A affects YAC-1 cytolytic activity of spleen cells. *Arch Immunol Ther Exp* 37: 61-68.
- Monseur, J; Leguene, B; Lebouffant, L; Tichoux, G. (1986). ASBESTOSIS OF BLADDER NECK AND OF PROSTATE A REVIEW OF TWO CASES. *J Urol* 92: 17-21.
- Monseur, J; Leguéné, B; Lebouffant, L; Tichoux, G. (1986). [Asbestosis of the bladder neck and prostate. Reflections on 2 cases]. *Journal d'Urologie* 92: 17-21.
- Monsó, E; Teixidó, A; Lopez, D; Aguilar, X; Fiz, J; Ruiz, J; Rosell, A; Vaqueró, M; Morera, J. (1995). Asbestos bodies in normal lung of western Mediterranean populations with no occupational exposure to inorganic dust. *Arch Environ Health* 50: 305-311. <http://dx.doi.org/10.1080/00039896.1995.9935959>.
- Monso, E; Tura, JM; Marsal, M; Morell, F; Ruiz, J; Morera, J. (1990). LUNG SI-S RATIO IN ASBESTOSIS (pp. 20-24). (BIOSIS/90/18820). Monso, E; Tura, JM; Marsal, M; Morell, F; Ruiz, J; Morera, J.
- Monsó, E; Tura, JM; Pujadas, J; Morell, F; Ruiz, J; Morera, J. (1991). Lung dust content in idiopathic pulmonary fibrosis: a study with scanning electron microscopy and energy dispersive x ray analysis. *Br J Ind Med* 48: 327-331.
- Montanaro, F; Bray, F; Gennaro, V; Merler, E; Tyczynski, JE; Parkin, DM; Strnad, M; Jechov'a, M; Storm, HH; Aareleid, T; Hakulinen, T; Velten, M; Lef'evre, H; Danzon, A; Buemi, A; Daur'es, JP; Ménégos, F; Raverdy, N; Sauvage, M; Ziegler, H; Comber, H; Paci, E; Vercelli, M; De Lisi, V; Tumino, R; Zanetti, R; Berrino, F; Stanta, G; Langmark, F; Rachtan, J; Mezyk, R; Blaszczyk, J; Ivan, P; Primic-Zakelj, M; Martínez, AC; Izzarugaza, I; Borràs, J; García, CM; Garau, I; Sánchez, NC; Aicua, A; Barlow, L; Torhorst, J; Bouchardy, C; Levi, F; Fisch, T; Probst, N; Visser, O; Quinn, M; Gavin, A; Brewster, D; Mikov, M; Group, EW. (2003). Pleural mesothelioma incidence in Europe: evidence of some deceleration in the increasing trends. *Cancer Causes Control* 14: 791-803.
- Montanaro, F; Ceppi, M; Puntoni, R; Silvano, S; Gennaro, V. (2004). Asbestos exposure and cancer mortality among petroleum refinery workers: a Poisson regression analysis of updated data. *Arch Environ Health* 59: 188-193. <http://dx.doi.org/10.3200/AEOH.59.4.188-193>.
- Montes, U; Seijo, LM; Campo, A; Alcaide, AB; Bastarrrika, G; Zulueta, JJ. (2007). Factors determining early adherence to a lung cancer screening protocol. *Eur Respir J* 30: 532-537. <http://dx.doi.org/10.1183/09031936.00143206>.
- Montizaan, GK; Knaap, AG; Van der Heijden, CA. (1989). Asbestos: toxicology and risk assessment for the general population in The Netherlands [Review]. *Food Chem Toxicol* 27: 53-63.
- Montomoli, L; Romeo, R; Sisinni, AG; Serio, AC; Paolucci, V; Scancarello, G; Barabesi, L; Orsi, D; Sartorelli, P. (2012). [Dose and effect biomarkers in the diagnosis of asbestos-related diseases and health surveillance of exposed workers]. *G Ital Med Lav Ergon* 34: 577-580.
- Montomoli, L; Spisso, M; Romeo, R; Spina, D; Ghiribelli, C; Sartorelli, P. (2007). [Work related mesothelioma: analysis of cases discovered at the Section for Occupational Medicine and Toxicology of Siena University during the years 2000-2007]. *G Ital Med Lav Ergon* 29: 332-333.
- Montoya CABRERA, MA; Perez REYES, MA; Alonso DE RUIZ, P; Gutierrez-Pastrana, MD; Maldonado TORRES, L. (1988). SCREENING FOR FERRUGINOUS ANTIBODIES IN SPUTUM OF INDIVIDUALS EXPOSED TO ASBESTOS FIBER COMPARISON OF THREE TECHNIQUES. *Arch Invest Med* 19: 97-106.
- Moolgavkar, SH; Anderson, EL; Chang, ET; Lau, EC; Turnham, P; Hoel, DG. (2014). A review and critique of U.S. EPA's risk assessments for asbestos [Review]. *Crit Rev Toxicol* 44: 499-522. <http://dx.doi.org/10.3109/10408444.2014.902423>.
- Moolgavkar, SH; Brown, RC; Turim, J. (2001). Biopersistence, fiber length, and cancer risk assessment for inhaled fibers. *Inhal Toxicol* 13: 755-772. <http://dx.doi.org/10.1080/089583701316941294>.
- Moolgavkar, SH; Turim, J; Alexander, DD; Lau, EC; Cushing, CA. (2010). Potency factors for risk assessment at Libby, Montana. *Risk Anal* 30: 1240-1248. <http://dx.doi.org/10.1111/j.1539-6924.2010.01411.x>.
- Moon, EK; Son, M; Jin, YW; Park, S; Lee, WJ. (2013). Variations of lung cancer risk from asbestos exposure: impact on estimation of population attributable fraction [Review]. *Ind Health* 51: 128-133.
- Moore, AJ; Parker, RJ; Wiggins, J. (2008). Malignant mesothelioma [Review]. *Orphanet J Rare Dis* 3: 34. <http://dx.doi.org/10.1186/1750-1172-3-34>.
- Morabia, A; Markowitz, S; Garibaldi, K; Wynder, EL. (1992). Lung cancer and occupation: results of a multicentre case-control study. *Occup Environ Med* 49: 721-727.
- Morabia, A; Markowitz, S; Garibaldi, K; Wynder, EL. (1992). LUNG-CANCER AND OCCUPATION - RESULTS OF A MULTICENTER CASE-CONTROL STUDY. *Br J Ind Med* 49: 721-727.
- Morel, I; Gleva, G; Goodglick, L; Kane, A. (1990). INTRACELLULAR CALCIUM HOMEOSTASIS AND ASBESTOS TOXICITY (pp. 1-5). (BIOSIS/90/15123). Morel, I; Gleva, G; Goodglick, L; Kane, A.
- Morelle, I; Berghmans, T; Cstoth, I; Saltier, JP; Meert, AP. (2014). Contribution of identification of occupational exposure in thoracic oncology: A Belgian experience. *Rev Mal Respir* 31: 221-229. <http://dx.doi.org/10.1016/j.rmr.2013.07.005>.
- Morelli, F; Di Maggio, G; Nanni, L; Piano, A; Maiello, E. (2006). Malignant pleural and peritoneal mesothelioma following asbestos exposure: A clinical-pathologic study of 33 cases. *Ann Oncol* 17: XI84-XI85.
- Morelli, F; Dimicco, C; Tozzi, L; Valori, VM; Romano, MP; Maiello, E. (2006). Asbestos exposure in malignant mesothelioma: Survey of 35 case. *Ann Oncol* 17: 230-230.

Human Health Hazard Literature Search Results

On Topic

- Morgan, A. (1979). Fiber dimensions: their significance in the deposition and clearance of inhaled fibrous dusts.
- Morgan, A. (1980). Effect of length on the clearance of fibres from the lung and on body formation.
- Morgan, A. (1995). Deposition of inhaled asbestos and man-made mineral fibres in the respiratory tract [Review]. *Ann Occup Hyg* 39: 747-758.
- Morgan, A; Davies, P; Wagner, JC; Berry, G; Holmes, A. (1977). The biological effects of magnesium-leached chrysotile asbestos. *Br J Exp Pathol* 58: 465-473.
- Morgan, A; Evans, JC; Evans, RJ; Hounam, RF; Holmes, A; Doyle, SG. (1975). Studies on the deposition of inhaled fibrous material in the respiratory tract of the rat and its subsequent clearance using radioactive tracer techniques II Deposition of the UICC standard reference samples of asbestos. *Environ Res* 10: 196-207.
- Morgan, A; Evans, JC; Holmes, A. (1975). Deposition and clearance of inhaled fibrous minerals in the rat. Studies using radioactive tracer techniques. *Inhaled Particles 4 Pt 1*: 259-274.
- Morgan, A; Gold, C; Holmes, A. (1971). STUDIES OF SOLUBILITY OF CONSTITUENTS OF CHRYSOTILE ASBESTOS IN-VIVO USING RADIOACTIVE TRACER TECHNIQUES. *Environ Res* 4: 558-&.
- Morgan, A; Holmes, A. (1980). Concentrations and dimensions of coated and uncoated asbestos fibres in the human lung. *Occup Environ Med* 37: 25-32.
- Morgan, A; Holmes, A. (1982). Concentrations and characteristics of amphibole fibres in the lungs of workers exposed to crocidolite in the British gas-mask factories, and elsewhere, during the second world war. *Br J Ind Med* 39: 62-69.
- Morgan, A; Holmes, A. (1983). Distribution and characteristics of amphibole asbestos fibres, measured with the light microscope, in the left lung of an insulation worker. *Occup Environ Med* 40: 45-50.
- Morgan, A; Holmes, A. (1984). The distribution and characteristics of asbestos fibers in the lungs of Finnish anthophyllite mine-workers. *Environ Res* 33: 62-75.
- Morgan, A; Holmes, A. (1986). Solubility of asbestos and man-made mineral fibers in vitro and in vivo: its significance in lung disease. *Environ Res* 39: 475-484.
- Morgan, A; Holmes, A; Talbot, RJ. (1977). THE FATE OF INHALED ASBESTOS FIBERS DEPOSITED IN THE RAT LUNG A QUANTITATIVE APPROACH (pp. OAK RIDGE). (HEEP/79/06499). Morgan, A; Holmes, A; Talbot, RJ.
- Morgan, A; Holmes, A; Talbot, RJ. (1977). The haemolytic activity of some fibrous amphiboles and its relation to their specific surface areas. *Ann Occup Hyg* 20: 39-48.
- Morgan, A; Talbot, RJ. (1997). Acid Leaching Studies of Neutron-Irradiated Chrysotile Asbestos. *Ann Occup Hyg* 41: 269-279. [http://dx.doi.org/10.1016/S0003-4878\(97\)00002-1](http://dx.doi.org/10.1016/S0003-4878(97)00002-1).
- Morgan, A; Talbot, RJ; Holmes, A. (1978). Significance of fibre length in the clearance of asbestos fibres from the lung. *Br J Ind Med* 35: 146-153. <http://dx.doi.org/10.1136/oem.35.2.146>.
- Morgan, RA; Pickworth, FE; Dubbins, PA; MCGAVIN, CR. (1991). The ultrasound appearance of asbestos-related pleural plaques. *Clin Radiol* 44: 413-416.
- Morgan, RW; Foliart, DE; Wong, O. (1985). Asbestos and gastrointestinal cancer. A review of the literature. *West J Med* 143: 60-65.
- Morgan, RW; Shettigara, PT. (1976). Occupational asbestos exposure, smoking, and laryngeal carcinoma. *Ann N Y Acad Sci* 271: 308-310.
- Morgan W, KC; Seaton, A. (1975). Occupational lung diseases. (HEEP/75/12557). Morgan W, KC; Seaton, A.
- Morgan, WKC. (1964). Rheumatoid Pneumoconiosis in Association with Asbestosis. *Thorax* 19: 433-435.
- Morgan, WKC; Seaton, A. (1984). Occupational lung diseases. (CIS/85/01978). Morgan, WKC; Seaton, A.
- Morgenroth, K. (1973). Cellular reaction in the human lung caused by inhalation of asbestos dust over long periods. *Beitr Pathol* 148: 199-210.
- Morimoto, Y; Kido, M; Tanaka, I; Fujino, A; Higashi, T; Yokosaki, Y. (1993). Synergistic effects of mineral fibres and cigarette smoke on the production of tumour necrosis factor by alveolar macrophages of rats. *Br J Ind Med* 50: 955-960.
- Morimoto, Y; Ogami, A; Nagatomo, H; Hirohashi, M; Oyabu, T; Kuroda, K; Kawanami, Y; Murakami, M; Myojo, T; Higashi, T; Tanaka, I. (2007). Calcitonin gene-related peptide (CGRP) as hazard marker for lung injury induced by dusts. *Inhal Toxicol* 19: 283-289. <http://dx.doi.org/10.1080/08958370601069364>.
- Morimoto, Y; Tanaka, I. (2001). In vivo studies of man-made mineral fibers--fibrosis-related factors [Review]. *Ind Health* 39: 106-113.
- Morimoto, Y; Tsuda, T; Hirohashi, M; Yamato, H; Hori, H; Ohgami, A; Yatera, K; Kim, HN; Ding, L; Kido, M; Higashi, T; Tanaka, I. (1999). Effects of mineral fibers on the gene expression of proinflammatory cytokines and inducible nitric-oxide synthase in alveolar macrophages. *Ind Health* 37: 329-334.
- Morimoto, Y; Tsuda, T; Hori, H; Yamato, H; Ohgami, A; Higashi, T; Nagata, N; Kido, M; Tanaka, I. (1999). Combined effect of cigarette smoke and mineral fibers on the gene expression of cytokine mRNA. *Environ Health Perspect* 107: 495-500.
- Morimoto, Y; Tsuda, T; Nakamura, H; Hori, H; Yamato, H; Nagata, N; Higashi, T; Kido, M; Tanaka, I. (1997). Expression of Matrix Metalloproteinases, Tissue Inhibitors of Metalloproteinases, and Extracellular Matrix mRNA Following Exposure to Mineral Fibers and Cigarette Smoke In Vivo. *Environ Health Perspect* 105: 1247-1251.
- Morimoto, Y; Yokosaki, Y; Kido, M; Tanaka, I; Fujino, A; Higashi, T. (1991). SYNERGISTIC EFFECT OF MINERAL FIBERS AND CIGARETTE SMOKE ON THE PRODUCTION OF TUMOR NECROSIS FACTOR BY ALVEOLAR MACROPHAGES (pp. 12-15). (BIOSIS/91/23330). Morimoto, Y; Yokosaki, Y; Kido, M; Tanaka, I; Fujino, A; Higashi, T.
- Morinaga, K; Kishimoto, T; Sakatani, M; Akira, M; Yokoyama, K; Sera, Y. (2001). Asbestos-related lung cancer and mesothelioma in Japan [Review]. *Ind Health* 39: 65-74.
- Morinaga, K; Kohyama, N; Yokoyama, K; Yasui, Y; Hara, I; Sasaki, M; Suzuki, Y; Sera, Y. (1989). Asbestos fibre content of lungs with mesotheliomas in Osaka, Japan: a preliminary report. *IARC Sci Publ* 438-443.

Human Health Hazard Literature Search Results

On Topic

- Morokawa, N; Takayanagi, N; Ubukata, M; Kurashima, K; Yoned, K; Tsuchiy, N; Miyahara, Y; Yamaguchi, S; Tokunaga, D; Saito, H; Yanagisawa, T; Sugita, Y; Kawabata, Y. (2008). [Autopsy case of diffuse pleural thickening presenting respiratory impairment and benign asbestos pleurisy]. *Nihon Kogyoku Gakkai Zasshi* 46: 368-373.
- Morré, DJ; Hostetler, B; Taggart, DJ; Morré, DM; Musk, AW; Robinson, BW; Creaney, J. (2016). ENOX2-based early detection (ONCOblot) of asbestos-induced malignant mesothelioma 4-10 years in advance of clinical symptoms. *Clinical Proteomics* 13: 2. <http://dx.doi.org/10.1186/s12014-016-9103-3>.
- Morris, DL; Greenberg, SD; Lawrence, EC. (1985). Immune responses in asbestos-exposed individuals [Editorial]. *Chest* 87: 278-280.
- Morris, GF; Danchuk, S; Wang, Y; Xu, B; Rando, RJ; Brody, AR; Shan, B; Sullivan, DE. (2015). Cigarette smoke represses the innate immune response to asbestos. 3. <http://dx.doi.org/10.14814/phy2.12652>.
- Morris, GF; Lei, W; Lasky, J; Brody, AR. (1995). EXPOSURE OF CULTURED RAT FIBROBLASTS TO ASBESTOS ACTIVATES EXPRESSION OF A REPORTER GENE FUSED TO THE PDGF-A PROMOTER. *FASEB J* 9: A958-A958.
- Morris, GF; Liu, JY; Lei, WH; Brody, AR. (1996). Expression of genes coding for growth factors in experimental pneumoconiosis [Review]. *Chest* 109: S45-S49.
- Morris, GF; Notwick, AR; David, O; Fermin, C; Brody, AR; Friedman, M. (2004). Development of lung tumors in mutant p53-expressing mice after inhalation exposure to asbestos. *Chest* 125: 85S-86S.
- Morris, PD; Koepsell, TD; Daling, JR; Taylor, JW; Lyon, JL; Swanson, GM; Child, M; Weiss, NS. (1986). Toxic substance exposure and multiple myeloma: a case-control study. *J Natl Cancer Inst* 76: 987-994.
- Morris, RD. (1995). Drinking water and cancer [Review]. *Environ Health Perspect* 103 Suppl 8: 225-231. <http://dx.doi.org/10.2307/3432315>.
- Morrison, DG; Mclemore, TL; Lawrence, EC; Feuerbacher, DG; Mace, ML; Busbee, DL; Griffin, AC; Marshall, MV. (1986). In vitro cytotoxicity of chrysotile asbestos to human pulmonary alveolar macrophages is decreased by organosilane coating and surfactant. *Cell Biol Toxicol* 2: 293-309.
- Morrison, HI; Band, PR; Gallagher, R; Spinelli, J; Wigle, DT. (1984). Recent trends in incidence rates of pleural mesothelioma in British Columbia. *Can Med Assoc J* 131: 1069-1071.
- Morrow, JD. (1988). Asbestos and lung disease. *Tenn Med* 81: 449-450.
- Morrow, PE; Haseman, JK; Hobbs, CH; Driscoll, KE; Vu, V; Oberdorster, G. (1996). The maximum tolerated dose for inhalation bioassays: Toxicity vs overload. *Fundam Appl Toxicol* 29: 155-167. <http://dx.doi.org/10.1006/faat.1996.0017>.
- Mortelmans, KE. (1987). USE OF IN-VITRO SHORT-TERM MUTAGENESIS TESTS FOR THE TOXICOLOGICAL EVALUATION OF ENVIRONMENTAL CHEMICALS (pp. AMSTERDAM). (BIOSIS/88/02485). Mortelmans, KE.
- Mosavi-Jarrahi, A; Mohagheghi, M; Kalaghchi, B; Mousavi-Jarrahi, Y; Noori, MK. (2009). Estimating the incidence of lung cancer attributable to occupational exposure in Iran. *Population Health Metrics* 7: 7. <http://dx.doi.org/10.1186/1478-7954-7-7>.
- Mosekilde, L; Pallisgaard, G. (1977). Alveolitis fibrosa - An occupational disease? (PESTAB/78/0318). Mosekilde, L; Pallisgaard, G.
- Moseley, CL. (1980). Health Hazard Evaluation Determination Report No. HE-79-136-668, Shoreham Nuclear Power Plant, Shoreham, Long Island, New York (pp. 79-136). (NIOSH/00179190). Moseley, CL.
- Moshammer, H; Neuberger, M. (2009). Lung function predicts survival in a cohort of asbestos cement workers. *Int Arch Occup Environ Health* 82: 199-207. <http://dx.doi.org/10.1007/s00420-008-0322-4>.
- Moskowitz, RL. (1970). Talc Pneumoconiosis: A Treated Case. *Chest* 58: 37-41.
- Mossman, B. (2006). Cell signaling and transcription factor activation by asbestos. *Lung Cancer* 54: S4-S4.
- Mossman, B; Light, W; Wei, E. (1983). Asbestos: mechanisms of toxicity and carcinogenicity in the respiratory tract [Review]. *Annu Rev Pharmacol Toxicol* 23: 595-615. <http://dx.doi.org/10.1146/annurev.pa.23.040183.003115>.
- Mossman, BT. (1983). INVITRO APPROACHES FOR DETERMINING MECHANISMS OF TOXICITY AND CARCINOGENICITY BY ASBESTOS IN THE GASTROINTESTINAL AND RESPIRATORY TRACTS [Review]. *Environ Health Perspect* 53: 155-161. <http://dx.doi.org/10.2307/3429628>.
- Mossman, BT. (1988). CARCINOGENIC POTENTIAL OF ASBESTOS AND NONASBESTOS FIBERS. *J Environ Sci Health, Part C: Environ Carcinog Rev* 6: 151-196.
- Mossman, BT. (1990). ASBESTOS AN OVERVIEW ON MECHANISMS OF ACTION IN THE CAUSATION OF LUNG DISEASES (pp. 23-26). (BIOSIS/90/22053). Mossman, BT.
- Mossman, BT. (1990). In vitro studies on the biologic effects of fibers: correlation with in vivo bioassays [Review]. *Environ Health Perspect* 88: 319-322.
- Mossman, BT. (1994). Asbestos: facts and fiction [Review]. *Environ Health Perspect* 102: 424-425.
- Mossman, BT. (1994). Carcinogenesis and related cell and tissue responses to asbestos: a review [Review]. *Ann Occup Hyg* 38: 617-624, 423.
- Mossman, BT. (2000). Mechanisms of action of poorly soluble particulates in overload-related lung pathology [Review]. *Inhal Toxicol* 12: 141-148. <http://dx.doi.org/10.1080/08958370050164987>.
- Mossman, BT. (2008). Assessment of the pathogenic potential of asbestiform vs. nonasbestiform particulates (cleavage fragments) in in vitro (cell or organ culture) models and bioassays. *Regul Toxicol Pharmacol* 52: S200-S203. <http://dx.doi.org/10.1016/j.yrtph.2007.10.004>.
- Mossman, BT; Adler, KB. (1986). MECHANISMS OF ASBESTOS-INDUCED TOXICITY AND LUNG-DISEASE. *In Vitro* 22: A49-A49.
- Mossman, BT; Adler, KB; Craighead, JE. (1980). Cytotoxic And Proliferative Changes In Tracheal Organ And Cell Cultures After Exposure To Mineral Dusts (pp. 241-250). (NIOSH/00158081). Mossman, BT; Adler, KB; Craighead, JE.
- Mossman, BT; Adler, KB; Jean, L; Craighead, JE. (1982). MECHANISMS OF HYPER-SECRETION IN RODENT TRACHEAL EXPLANTS AFTER EXPOSURE TO CHRYSOTILE ASBESTOS - STUDIES USING LECTINS. *Chest* 81: S23-S24.
- Mossman, BT; Bignon, J; Corn, M; Seaton, A; Gee, JBL. (1990). Asbestos: Scientific developments and implications for public policy. *Science* 247: 294-301.

Human Health Hazard Literature Search Results

On Topic

- Mossman, BT; Bradley, BJ; Craighead, JE. (1979). COMPARATIVE CYTOTOXICITY OF CHRYSOTILE AND CROCIDOLITE ASBESTOS IN HAMSTER TRACHEAL EPITHELIAL-CELLS. *Fed Proc* 38: 1352-1352.
- Mossman, BT; Cameron, GS; Yotti, LP. (1985). Carcinogenesis - a comprehensive survey volume 8: cancer of the respiratory tract predisposing factors Cocarcinogenic and tumor promoting properties of asbestos and other minerals in tracheobronchial epithelium. New York, NY: Raven Press.
- Mossman, BT; Churg, A. (1998). Mechanisms in the pathogenesis of asbestosis and silicosis [Review]. *Am J Respir Crit Care Med* 157: 1666-1680. <http://dx.doi.org/10.1164/ajrccm.157.5.9707141>.
- Mossman, BT; Craighead, JE. (1976). INTERACTION OF CROCIDOLITE ASBESTOS WITH MUCOCILIARY EPITHELIUM OF RESPIRATORY-TRACT. *Proc Am Assoc Cancer Res* 17: 88-88.
- Mossman, BT; Craighead, JE. (1977). RESPONSE OF THE DIFFERENTIATED RESPIRATORY TRACT MUCOSA TO ENVIRONMENTAL DUSTS. *Am J Pathol* 86.
- Mossman, BT; Craighead, JE. (1979). Use of hamster tracheal organ cultures for assessing the cocarcinogenic effects of inorganic particulates on the respiratory epithelium. *Prog Exp Tumor Res* 24: 37-47.
- Mossman, BT; Craighead, JE. (1980). INDUCTION OF TUMORS IN HAMSTERS AFTER IMPLANTATION OF TRACHEAL ORGAN-CULTURES EXPOSED TO CROCIDOLITE ASBESTOS AND 3-METHYLCHOLANTHRENE. *Proc Am Assoc Cancer Res* 21: 76-76.
- Mossman, BT; Craighead, JE. (1981). Mechanisms of asbestos carcinogenesis [Review]. *Environ Res* 25: 269-280.
- Mossman, BT; Craighead, JE. (1982). Comparative cocarcinogenic effects of crocidolite asbestos, hematite, kaolin and carbon in implanted tracheal organ cultures. *Ann Occup Hyg* 26: 553-567.
- Mossman, BT; Craighead, JE. (1983). Mechanisms of Asbestos and Nonasbestiform Particles and Fibers in Bronchogenic Carcinoma (pp. 123-134). (NIOSH/00213851). Mossman, BT; Craighead, JE.
- Mossman, BT; Craighead, JE. (1987). Mechanisms of Asbestos Associated Bronchogenic Carcinoma (pp. 137-150). (NIOSH/00178741). Mossman, BT; Craighead, JE.
- Mossman, BT; Craighead, JE; Halleron, PA. (1979). STIMULATION OF SODIUM POTASSIUM ATPASE ACTIVITY IN TRACHEAL EPITHELIAL CELLS AFTER EXPOSURE TO CROCIDOLITE ASBESTOS (pp. 4-8). (HEEP/80/11430). Mossman, BT; Craighead, JE; Halleron, PA.
- Mossman, BT; Craighead, JE; Macpherson, BV. (1980). Asbestos-induced epithelial changes in organ cultures of hamster trachea: inhibition by retinyl methyl ether. *Science* 207: 311-313.
- Mossman, BT; Eastman, A; Bresnick, E. (1984). Asbestos and benzo[a]pyrene act synergistically to induce squamous metaplasia and incorporation of [3H]thymidine in hamster tracheal epithelium. *Carcinogenesis* 5: 1401-1404. <http://dx.doi.org/10.1093/carcin/5.11.1401>.
- Mossman, BT; Eastman, A; Landesman, JM; Bresnick, E. (1983). Effects of crocidolite and chrysotile asbestos on cellular uptake and metabolism of benzo(a)pyrene in hamster tracheal epithelial cells. *Environ Health Perspect* 51: 331-335.
- Mossman, BT; Faux, S; Janssen, Y; Jimenez, LA; Timblin, C; Zanella, C; Goldberg, J; Walsh, E; Barchowsky, A; Driscoll, K. (1997). Cell Signaling Pathways Elicited by Asbestos. *Environ Health Perspect* 105: 1121. <http://dx.doi.org/10.2307/3433519>.
- Mossman, BT; Gee J, BL. (1993). PULMONARY REACTIONS AND MECHANISMS OF TOXICITY OF INHALED FIBERS (pp. TOXICOLOGY OF THE LUNG). (BIOSIS/93/11820). Mossman, BT; Gee J, BL.
- Mossman, BT; Gee, JBL. (1989). Asbestos-related diseases [Review]. *N Engl J Med* 320: 1721-1730. <http://dx.doi.org/10.1056/NEJM198906293202604>.
- Mossman, BT; Gilbert, R; Doherty, J; Shatos, MA; Marsh, J; Cutroneo, K. (1986). Cellular and molecular mechanisms of asbestosis. *Chest* 89: 160S-161S.
- Mossman, BT; Gilbert, RL; Doherty, JM; Shatos, MA; Marsh, JP; Cutroneo, K. (1985). INCREASED SYNTHESIS OF PROCOLLAGEN IN RAT LUNG FIBROBLASTS EXPOSED TO ASBESTOS (pp. 18-22). (BIOSIS/86/09570). Mossman, BT; Gilbert, RL; Doherty, JM; Shatos, MA; Marsh, JP; Cutroneo, K.
- Mossman, BT; Gruenert, DC. (2002). SV40, growth factors, and mesothelioma - Another piece of the puzzle. *Am J Respir Cell Mol Biol* 26: 167-170.
- Mossman, BT; Hansen, K; Marsh, JP; Brew, ME; Hill, S; Bergeron, M; Petruska, J. (1989). Mechanisms of fibre-induced superoxide release from alveolar macrophages and induction of superoxide dismutase in the lungs of rats inhaling crocidolite. *IARC Sci Publ occupational Exposure to Mineral Fibres*: 81-92.
- Mossman, BT; Hubbard, A; Shukla, A; Timblin, CR. (2000). Role of mitogen-activated protein kinases, early response protooncogenes, and activator protein-1 in cell signaling by asbestos. *Inhal Toxicol* 12: 307-316. <http://dx.doi.org/10.1080/08958370050165184>.
- Mossman, BT; Janssen, YM; Marsh, JP; Sesko, A; Shatos, MA; Doherty, J; Adler, KB; Hemenway, D; Mickey, R; Et, AL. (1991). DEVELOPMENT AND CHARACTERIZATION OF A RAPID-ONSET RODENT INHALATION MODEL OF ASBESTOSIS FOR DISEASE PREVENTION (pp. TENTH INTERNATIONAL SYMPOSIUM OF THE SOCIETY OF TOXICOLOGIC PATHOLOGISTS). (ISSN 0192-6233 EISSN 1533-1601 BIOSIS/92/22264). Mossman, BT; Janssen, YM; Marsh, JP; Sesko, A; Shatos, MA; Doherty, J; Adler, KB; Hemenway, D; Mickey, R; Et, AL.
- Mossman, BT; Janssen, YMW; Marsh, JP; Manohar, M; Garrone, M; Shull, S; Hemenway, D. (1990). ANTIOXIDANT DEFENSE-MECHANISMS IN ASBESTOS-INDUCED LUNG-DISEASE. *J Aerosol Med* 3: S75-S82.
- Mossman, BT; Jean, L; Landesman, JM. (1983). Studies using lectins to determine mineral interactions with cellular membranes. *Environ Health Perspect* 51: 23-25.
- Mossman, BT; Jimenez, LA; Berube, K; Quinlan, T; Janssen, YMW. (1995). Possible mechanisms of crystalline silica-induced lung disease. *Appl Occup Environ Hyg* 10: 1115-1117.

Human Health Hazard Literature Search Results

On Topic

- Mossman, BT; Kamp, DW; Weitzman, SA. (1996). Mechanisms of carcinogenesis and clinical features of asbestos-associated cancers [Review]. *Cancer Invest* 14: 466-480.
- Mossman, BT; Kessler, JB; Ley, BW; Craighead, JE. (1977). Interaction of crocidolite asbestos with hamster respiratory mucosa in organ culture. *Lab Invest* 36: 131-139.
- Mossman, BT; Landesman, JM. (1983). Importance of oxygen free radicals in asbestos-induced injury to airway epithelial cells. *Chest* 83: 50S-51S.
- Mossman, BT; Landesman, JM; Craighead, JE. (1980). ASBESTOS STIMULATES ORNITHINE DECARBOXYLASE (ODC) ACTIVITY IN HAMSTER TRACHEAL EPITHELIAL-CELLS. *J Cell Biol* 87: A307-A307.
- Mossman, BT; Landesman, JM; Craighead, JE. (1981). ASBESTOS EXHIBITS PROPERTIES OF A CLASSICAL TUMOR PROMOTER ON HAMSTER TRACHEAL EPITHELIAL-CELLS. *Proc Am Assoc Cancer Res* 22: 129-129.
- Mossman, BT; Landesman, JM; Eastman, A; Bresnick, E; Craighead, JE. (1984). INTERACTIONS OF ASBESTOS AND POLY CYCLIC AROMATIC HYDRO CARBONS IN CARCINOGENESIS OF THE RESPIRATORY TRACT (pp. NEW YORK). (HEEP/85/00715). Mossman, BT; Landesman, JM; Eastman, A; Bresnick, E; Craighead, JE.
- Mossman, BT; Lippmann, M; Hesterberg, TW; Kelsey, KT; Barchowsky, A; Bonner, JC. (2011). Pulmonary endpoints (lung carcinomas and asbestosis) following inhalation exposure to asbestos [Review]. *J Toxicol Environ Health B Crit Rev* 14: 76-121. <http://dx.doi.org/10.1080/10937404.2011.556047>.
- Mossman, BT; Lounsbury, KM; Reddy, SP. (2006). Oxidants and signaling by mitogen-activated protein kinases in lung epithelium [Review]. *Am J Respir Cell Mol Biol* 34: 666-669. <http://dx.doi.org/10.1165/rcmb.2006-0047SF>.
- Mossman, BT; Marsh, JP. (1985). MECHANISMS OF TOXIC INJURY BY ASBESTOS FIBERS ROLE OF OXYGEN FREE RADICALS (pp. NEW YORK). (BIOSIS/86/22526). Mossman, BT; Marsh, JP.
- Mossman, BT; Marsh, JP. (1989). Evidence Supporting a Role for Active Oxygen Species in Asbestos-Induced Toxicity and Lung Disease [Review]. *Environ Health Perspect* 81: 91-94.
- Mossman, BT; Marsh, JP. (1991). Role of Active Oxygen Species in Asbestos-Induced Cytotoxicity, Cell Proliferation, and Carcinogenesis (pp. 159-168). (NIOSH/00228028). Mossman, BT; Marsh, JP.
- Mossman, BT; Marsh, JP; Gilbert, R; Hardwick, D; Sesko, A; Weller, A; Hill, S; Shatos, MA; Doherty, J; Et, AL. (1987). DOSAGE DEPENDENT INHIBITION OF LUNG INJURY INFLAMMATION AND FIBROSIS BY POLYETHYLENE GLYCOL PEG-CONJUGATED CATALASE IN RATS EXPOSED BY INHALATION TO ASBESTOS (pp. 10-13). (BIOSIS/87/23800). Mossman, BT; Marsh, JP; Gilbert, R; Hardwick, D; Sesko, A; Weller, A; Hill, S; Shatos, MA; Doherty, J; Et, AL.
- Mossman, BT; Marsh, JP; Hardwick, D; Gilbert, R; Hill, S; Sesko, A; Shatos, M; Doherty, J; Weller, A; Bergeron, M. (1986). Approaches to prevention of asbestos-induced lung disease using polyethylene glycol (PEG)-conjugated catalase. 2: 335-338.
- Mossman, BT; Marsh, JP; Hill, S; Gilbert, R; Shatos, M; Doherty, J; Hemenway, D. (1987). AMELIORATION OF ASBESTOSIS BY POLYETHYLENE GLYCOL PEG-CONJUGATED CATALASE IN RATS EXPOSED BY INHALATION TO CROCIDOLITE (pp. 15-18). (ISSN 0012-3692 EISSN 1931-3543 BIOSIS/87/21413). Mossman, BT; Marsh, JP; Hill, S; Gilbert, R; Shatos, M; Doherty, J; Hemenway, D.
- Mossman, BT; Marsh, JP; Sesko, A; Hill, S; Shatos, MA; Doherty, J; Petruska, J; Adler, KB; Hemenway, D; Mickey, R; Vacek, P; Kagan, E. (1990). Inhibition of lung injury, inflammation, and interstitial pulmonary fibrosis by polyethylene glycol-conjugated catalase in a rapid inhalation model of asbestosis. *Am J Respir Crit Care Med* 141: 1266-1271. http://dx.doi.org/10.1164/ajrccm/141.5_Pt_1.1266.
- Mossman, BT; Marsh, JP; Shatos, MA. (1986). Alteration of superoxide dismutase activity in tracheal epithelial cells by asbestos and inhibition of cytotoxicity by antioxidants. *Lab Invest* 54: 204-212.
- Mossman, BT; Marsh, JP; Shatos, MA; Doherty, J; Gilbert, R; Hill, S. (1987). IMPLICATION OF ACTIVE OXYGEN SPECIES AS 2ND MESSENGERS OF ASBESTOS TOXICITY. *Drug Chem Toxicol* 10: 157-180.
- Mossman, BT; Marsh, JP; Shatos, MA; Doherty, J; Gilbert, R; Hill, S. (1987). IMPLICATION OF ACTIVE OXYGEN SPECIES AS SECOND MESSENGERS OF ASBESTOS TOXICITY (pp. 1-2). (ISSN 0148-0545 EISSN 1525-6014 BIOSIS/88/03058). Mossman, BT; Marsh, JP; Shatos, MA; Doherty, J; Gilbert, R; Hill, S. <http://dx.doi.org/10.3109/01480548709042587>.
- Mossman, BT; Sesko, AM. (1990). In vitro assays to predict the pathogenicity of mineral fibers. *Toxicology* 60: 53-61.
- Mossman, BT; Shatos, MA; Marsh, JP; Doherty, JM; Ashikaga, T; Hacker, MP; Absher, M; Hemenway, D. (1985). CONTRASTING PATTERNS OF EARLY LUNG INJURY IN ASBESTOSIS AND SILICOSIS (pp. 12-15). (BIOSIS/85/16454). Mossman, BT; Shatos, MA; Marsh, JP; Doherty, JM; Ashikaga, T; Hacker, MP; Absher, M; Hemenway, D.
- Mossman, BT; Shatos, MA; Marsh, JP; Doherty, JM; Craighead, JE; Hemenway, D; Cassell, G. (1984). RAPID DEVELOPMENT OF ASBESTOSIS IN RATS AFTER INHALATION OF CROCIDOLITE (pp. 20-23). (HEEP/85/01073). Mossman, BT; Shatos, MA; Marsh, JP; Doherty, JM; Craighead, JE; Hemenway, D; Cassell, G.
- Mossman, BT; Shukla, A; Heintz, NH; Verschraegen, CF; Thomas, A; Hassan, R. (2013). New insights into understanding the mechanisms, pathogenesis, and management of malignant mesotheliomas [Review]. *Am J Pathol* 182: 1065-1077. <http://dx.doi.org/10.1016/j.ajpath.2012.12.028>.
- Mossman, BT; Surinrut, P; Brinton, BT; Marsh, JP; Heintz, NH; Lindau-Shepard, B; Shaffer, JB. (1996). Transfection of a manganese-containing superoxide dismutase gene into hamster tracheal epithelial cells ameliorates asbestos-mediated cytotoxicity. *Free Radic Biol Med* 21: 125-131.
- Motley, RL. (1980). Asbestos and lung cancer; evaluation of legal requirements of medical causation. *N Y State J Med* 80: 1143-1147.
- Mott, FE. (2012). Mesothelioma: a review. *The Ochsner Journal* 12: 70-79.
- Motyka, K; Kozlowski, S. (1981). The functional characteristics of cardio-respiratory system in the workers of an aluminum plant. *Folia Med Cracov* 23: 3-4.

Human Health Hazard Literature Search Results

On Topic

- Moulin, E; Yourassowsky, N; Dumortier, P; De Vuyst, P; Yernault, JC. (1988). Electron microscopic analysis of asbestos body cores from the Belgian urban population. *Eur Respir J* 1: 818-822.
- Moulin, JJ. (1997). A meta-analysis of epidemiologic studies of lung cancer in welders. *Scand J Work Environ Health* 23: 104-113.
- Moulin, JJ; Clavel, T; Roy, D; Dananché, B; Marquis, N; Févotte, J; Fontana, JM. (2000). Risk of lung cancer in workers producing stainless steel and metallic alloys. *Int Arch Occup Environ Health* 73: 171-180.
- Moulin, JJ; Diebold, F; Limasset, JC. (1991). Cancer risk among welders - A review of the epidemiological evidence. *Cahiers de notes documentaires Sâcuritâe et hygiâne du travail* 4th Quarter 1991: 679-691.
- Moulin, JJ; Lafontaine, M; Mantout, B; Belanger, A; Michel, M; Wild, P; Clavel, T; Fournier, M; Fontana, JM. (1995). [Mortality due to bronchopulmonary cancers in workers of 2 foundries]. *Rev Epidemiol Sante Publique* 43: 107-121.
- Moulin, JJ; Wild, P; Haguenoer, JM; Faucon, D; De Gaudemaris, R; Mur, JM; Mereau, M; Gary, Y; Toamain, JP; Birembaut, Y. (1993). A mortality study among mild steel and stainless steel welders. *Br J Ind Med* 50: 234-243.
- Mouchetrou Njoya, I; Paris, C; Dinet, J; Luc, A; Lighezzolo-Alnot, J; Pairon, JC; Thaon, I. (2016). Anxious and depressive symptoms in the French Asbestos-Related Diseases Cohort: risk factors and self-perception of risk. *Eur J Public Health*. <http://dx.doi.org/10.1093/eurpub/ckw106>.
- Mountain, JT; Dixon, J. R.; Lowe, DB; Moffitt, AE; Groth, DH. (1971). EFFECTS OF CHRYSOTILE ASBESTOS ON TRACE METALS, HYDROXYPROLINE, AND ARYL HYDROCARBON HYDROXYLASE IN HAMSTER LUNG. *Toxicol Appl Pharmacol* 19: 380-&.
- Mowe, G; Andersen, A; Osvoll, P. (1991). TRENDS IN MESOTHELIOMA INCIDENCE IN NORWAY (pp. EXPOSURE TO ASBESTOS IN PLACE: PUBLIC HEALTH CONTROL; CONFERENCE). (BIOSIS/93/34956). Mowe, G; Andersen, A; Osvoll, P.
- Mowe, G; Andersen, A; Osvoll, P. (1991). Trends in Mesothelioma Incidence in Norway 1960-1988. *Toxicol Ind Health* 7: 47-52.
- Mowé, G; Gylseth, B. (1986). Occupational exposure and regional variation of malignant mesothelioma in Norway, 1970-79. *Am J Ind Med* 9: 323-332.
- Mowé, G; Gylseth, B; Hartveit, F; Skaug, V. (1984). Occupational asbestos exposure, lung-fiber concentration and latency time in malignant mesothelioma. *Scand J Work Environ Health* 10: 293-298.
- Mowé, G; Gylseth, B; Hartveit, F; Skaug, V. (1985). Fiber concentration in lung tissue of patients with malignant mesothelioma. A case-control study. *Cancer* 56: 1089-1093.
- Mowe, G; Ophus, E; Gylseth, B. (1985). Asbestos Fibre Content In Lung Tissue In Relation To Asbestos Exposure And Causes Of Death (pp. 383-396). (NIOSH/00158331). Mowe, G; Ophus, E; Gylseth, B.
- Mowe, G; Tellnes, G; Andersen, A. (1995). Malignant pleural mesothelioma in Norway 1960-92 (pp. 706-709). (BIOSIS/95/14192). Mowe, G; Tellnes, G; Andersen, A.
- Moy, EV; Hu, H; Christiani, DC. (1999). A retired shipyard worker with rapidly progressive pulmonary interstitial fibrosis. *Environ Health Perspect* 107: 321-327.
- Moyer, VD; Cistulli, CA; Vaslet, CA; Kane, AB. (1994). OXYGEN RADICALS AND ASBESTOS CARCINOGENESIS [Review]. *Environ Health Perspect* 102: 131-136.
- Mrinakova, B; Kajo, K; Ondrusova, M; Simo, J; Ondrus, D. (2016). Malignant Mesothelioma of the Tunica Vaginalis Testis. A Clinicopathologic Analysis of Two Cases with a Review of the Literature. *Klin Onkol* 29: 369-374.
- Msiska, Z; Pacurari, M; Mishra, A; Leonard, SS; Castranova, V; Vallyathan, V. (2010). DNA double-strand breaks by asbestos, silica, and titanium dioxide: possible biomarker of carcinogenic potential? *Am J Respir Cell Mol Biol* 43: 210-219. <http://dx.doi.org/10.1165/rcmb.2009-0062OC>.
- Mudenda, V; Kamel H, MH; Carland, PL; Maxwell, P; Bharucha, H. (1991). NEUROENDOCRINE AND MAST CELLS IN ASBESTOS-RELATED DISEASE A QUANTITATIVE STUDY (pp. 3-5). (ISSN 0022-3417 EISSN 1096-9896 BIOSIS/92/37106). Mudenda, V; Kamel H, MH; Carland, PL; Maxwell, P; Bharucha, H.
- Mueller, B. (1995). EFFECTS OF ENVIRONMENTAL FACTORS ON THE LUNG SURFACTANT SYSTEM. *Semin Respir Crit Care Med* 16: 53-60.
- Mueller, B; Seifart, C; Barth, PJ. (1998). Effect of air pollutants on the pulmonary surfactant system [Review]. *Eur J Clin Invest* 28: 762-777. <http://dx.doi.org/10.1046/j.1365-2362.1998.00342.x>.
- Mueller, RK. (1993). DAMAGES OF ENVIRONMENT AND HUMAN HEALTH. *Versicherungsmedizin* 45: 54-58.
- Muglich, W; Schulz, P. (1970). Spray Insulation With Asbestos And Mineral Fibers And Problems In Occupational Hygiene (pp. 17-22). (NIOSH/00135067). Muglich, W; Schulz, P.
- Muhlbacher, W. (1958). [Late sequelae of amianthus (asbestos) dust inhalations]. *Die Medizinische* 3: 882-884.
- Muhle, H; Bellmann, B; Pott, F. (1994). Comparative investigations of the biodurability of mineral fibers in the rat lung. *Environ Health Perspect* 102 Suppl 5: 163-168.
- Muhle, H; Bellmann, B; Spurny, KR; Pott, F. (1989). Inhalation Experiments on Retention and Lung Clearance of Asbestos in Combination with Cigarette-Smoking (pp. 10-14). (NIOSH/00225180). Muhle, H; Bellmann, B; Spurny, KR; Pott, F.
- Muhle, H; Pott, F; Bellmann, B; Takenaka, S; Ziem, U. (1987). Inhalation and injection experiments in rats to test the carcinogenicity of MMMF. *Ann Occup Hyg* 31: 755-764.
- Muir, DC. (1973). Inhaled particles. 3: 65-74.
- Muir, DC. (1976). Health hazards of thermal insulation products. *Ann Occup Hyg* 19: 139-145.
- Muir, DC; Julian, J; Jadon, N; Roberts, R; Roos, J; Chan, J; Maehle, W; Morgan, WK. (1993). Prevalence of small opacities in chest radiographs of nickel sinter plant workers. *Br J Ind Med* 50: 428-431.
- Mukherjee, S; de Klerk, N; Palmer, LJ; Olsen, NJ; Pang, SC; William Musk, A. (2000). Chest pain in asbestos-exposed individuals with benign pleural and parenchymal disease. *Am J Respir Crit Care Med* 162: 1807-1811. <http://dx.doi.org/10.1164/ajrccm.162.5.9912012>.

Human Health Hazard Literature Search Results

On Topic

- Mukhtar, MS; Rao, GM. (1996). Respiratory effects of occupational exposure to asbestos. *Indian J Physiol Pharmacol* 40: 98-102.
- Mukonoweshuro, P; Attanoos, RL; Smith, ME. (2006). Nodular glomeruloid pleuroblastoma: a biphasic pleural-based malignant tumor with immature elements. *Virchows Arch* 449: 253-257. <http://dx.doi.org/10.1007/s00428-006-0226-1>.
- Muldoon, BC; Turner-Warwick, M. (1972). Lung function studies in asbestos workers. *Br J Dis Chest* 66: 121-132.
- Muley, T; Dienemann, H; Herth, FJF; Thomas, M; Meister, M; Schneider, J. (2013). Combination of Mesothelin and CEA Significantly Improves the Differentiation between Malignant Pleural Mesothelioma, Benign Asbestos Disease, and Lung Cancer. *J Thorac Oncol* 8: 947-951. <http://dx.doi.org/10.1097/JTO.0b013e31828f696b>.
- Müller, AM; Fischer, S; Neumann, V; Müller, KM; Fischer, M. (2001). [Association of asbestos fibers and colon cancer: an electron-microscopic study of mineral fiber concentrations in colon tissue of asbestos-exposed and non-exposed patients with and without colon cancer]. *Z Gastroenterol* 39: 993-1000. <http://dx.doi.org/10.1055/s-2001-19027>.
- Muller, JG; Bohnker, BK; Philippi, AF; Litow, FK; Rudolph, G; Hernandez, JE. (2005). Trends in pleural radiographic findings in the Navy Asbestos Medical Surveillance Program (1990-1999). *Mil Med* 170: 375-380.
- Müller, KM; Brinkmann, OA; Fischer, M. (1990). [The morphologic reaction pattern to fiber dust] [Review]. *Pneumologie* 44: 850-854.
- Müller, KM; Dernbach, AB; Neumann, V. (2003). [Mesotheliomas in academics. German mesothelioma register in Bochum]. *Pathologe* 24: 109-113. <http://dx.doi.org/10.1007/s00292-002-0561-1>.
- Müller, M; Stöckle, M; Pecqueux, JC; Härle, M; Sybrecht, GW; Stichnoth, F; Buchter, A. (2008). [Coincident manifestation of mesotheliomas of the tunica vaginalis and pleura. Case report and literature overview] [Review]. *Urologe A* 47: 200-204. <http://dx.doi.org/10.1007/s00120-007-1576-2>.
- Muller, R; Weller, P; Chemaissani, A. (1991). PLEURAL FIBROSIS AS A SIDE-EFFECT OF METHYSERGIDE TREATMENT OVER MANY YEARS. *Dtsch Med Wochenschr* 116: 1433-1436. <http://dx.doi.org/10.1055/s-2008-1063769>.
- Mullins, S. (2008). James Hardie asbestos victims compensation summary. *New Solutions: A Journal of Environmental and Occupational Health Policy* 18: 383-390. <http://dx.doi.org/10.2190/NS.18.3.m>.
- Munan, L; Thoue, JP; Kelly, A; Gagné, M; Labonté, D. (1981). Relative leucopenia in the peripheral blood of asbestos miners: a epidemiologic analysis. *Am J Ind Hyg Assoc* 26: 115-122.
- Munder, PG; Lebert, S. (1975). The activation of phospholipase A in macrophages after the phagocytosis of silica and other cytotoxic dusts. *Inhaled Particles 4 Pt 2*: 531-541.
- Mundt, DJ; van Wijngaarden, E; Mundt, KA. (2007). An assessment of the possible extent of confounding in epidemiological studies of lung cancer risk among roofers. *J Occup Environ Hyg* 4: 163-174. <http://dx.doi.org/10.1080/15459620701354382>.
- Munkholm-Larsen, S; Cao, CQ; Yan, TD. (2009). Malignant peritoneal mesothelioma. *Ann Surg Oncol* 16: 38-48. <http://dx.doi.org/10.4240/wjgs.v1.i1.38>.
- Muñoz, X; Roger, A; Pallisa, E; Martí, S; Ferrer, J. (2001). Ventilatory insufficiency due to asbestos-related diffuse pleural fibrosis successfully treated with noninvasive home mechanical ventilation. *Respiration* 68: 533-536. <http://dx.doi.org/10.1159/000050564>.
- Munson, M. (1997). Mesothelioma [Review]. *Am J Ind Hyg Assoc* 12: 651-653.
- Mur, JM. (1992). Epidemiology of respiratory hazards: recent advances [Review]. *Rev Epidemiol Sante Publique* 40 Suppl 1: S27-S41.
- Mur, JM. (1993). EPIDEMIOLOGY OF OCCUPATIONAL RESPIRATORY HAZARDS RECENT ADVANCES (pp. NEW YORK). (BIOSIS/94/36447). Mur, JM.
- Murai, Y. (1995). ASBESTOS BODY FORMATION IN THE HUMAN LUNG - DISTINCTIONS, BY TYPE AND SIZE (VOL, 50, PG 19, 1995). *Arch Environ Health* 50: 326-326.
- Murai, Y. (2001). Malignant mesothelioma in Japan: analysis of registered autopsy cases. *Arch Environ Health* 56: 84-88. <http://dx.doi.org/10.1080/00039890109604058>.
- Murai, Y; Hiroshima, K; Suzuki, Y; Goldenstein, B; Webster, J. (1991). CHARACTERIZATION OF INHALED ASBESTOS FIBERS IN THE LUNG OF BABOONS (pp. 21-25). (ISSN 0892-6638 EISSN 1530-6860 BIOSIS/91/20959). Murai, Y; Hiroshima, K; Suzuki, Y; Goldenstein, B; Webster, J.
- Murai, Y; Kitagawa, M. (1992). Asbestos fiber analysis in 27 malignant mesothelioma cases. *Am J Ind Hyg Assoc* 22: 193-207.
- Murai, Y; Kitagawa, M. (2000). Autopsy cases of asbestosis in Japan: a statistical analysis on registered cases. *Arch Environ Health* 55: 447-452. <http://dx.doi.org/10.1080/00039890009604044>.
- Murai, Y; Kitagawa, M; Hiraoka, T. (1995). Asbestos body formation in the human lung: distinctions, by type and size. *Arch Environ Health* 50: 19-25. <http://dx.doi.org/10.1080/00039896.1995.9955008>.
- Murai, Y; Kitagawa, M; Hiraoka, T. (1997). Fiber analysis in lungs of residents of a Japanese town with endemic pleural plaques. *Arch Environ Health* 52: 263-269. <http://dx.doi.org/10.1080/00039899709602196>.
- Murai, Y; Kitagawa, M; Matsui, K; Koizumi, F; Miwa, A. (1995). Asbestos fiber analysis in nine lung cancer cases with high asbestos exposure [Review]. *Arch Environ Health* 50: 320-325. <http://dx.doi.org/10.1080/00039896.1995.9935961>.
- Murai, Y; Kitagawa, M; Yasuda, M; Okada, E; Koizumi, F; Miwa, A. (1994). Asbestos fiber analysis in seven asbestosis cases. *Arch Environ Health* 49: 67-72. <http://dx.doi.org/10.1080/00039896.1994.9934418>.
- Murakami, A; Fujimori, Y; Yoshikawa, Y; Yamada, S; Tamura, K; Hirayama, N; Terada, T; Kuribayashi, K; Tabata, C; Fukuoka, K; Tamaoki, T; Nakano, T. (2012). Heme oxygenase-1 promoter polymorphism is associated with risk of malignant mesothelioma. *Lung* 190: 333-337. <http://dx.doi.org/10.1007/s00408-012-9371-2>.
- Murakami, A, ki; Tabata, C; Tabata, R, ie; Okuwa, H; Nakano, T. (2012). Clinical role of pleural effusion MMP-3 levels in malignant pleural mesothelioma. *Ann Surg Oncol* 19: 581-585. <http://dx.doi.org/10.3892/ol.2011.536>.
- Murakami, H; Mizuno, T; Taniguchi, T; Fujii, M; Ishiguro, F; Fukui, T; Akatsuka, S; Horio, Y; Hida, T; Kondo, Y; Toyokuni, S; Osada, H; Sekido, Y. (2011). LATS2 is a tumor suppressor gene of malignant mesothelioma. *Cancer Res* 71: 873-883. <http://dx.doi.org/10.1158/0008-5472.CAN-10-2164>.

Human Health Hazard Literature Search Results

On Topic

- Murakami, S; Nishimura, Y; Maeda, M; Kumagai, N; Hayashi, H; Chen, Y; Kusaka, M; Kishimoto, T; Otsuki, T. (2009). Cytokine alteration and speculated immunological pathophysiology in silicosis and asbestos-related diseases. *Environ Health Prev Med* 14: 216-222. <http://dx.doi.org/10.1007/s12199-008-0063-8>.
- Muraoka, T; Soh, J; Toyooka, S; Aoe, K; Fujimoto, N; Hashida, S; Maki, Y; Tanaka, N; Shien, K; Furukawa, M; Yamamoto, H; Asano, H; Tsukuda, K; Kishimoto, T; Otsuki, T; Miyoshi, S. (2013). The degree of microRNA-34b/c methylation in serum-circulating DNA is associated with malignant pleural mesothelioma. *Lung Cancer* 82: 485-490. <http://dx.doi.org/10.1016/j.lungcan.2013.09.017>.
- Murata-Kamiya, N; Tsutsui, T; Fujino, A; Kasai, H; Kaji, H. (1997). Determination of carcinogenic potential of mineral fibers by 8-hydroxydeoxyguanosine as a marker of oxidative DNA damage in mammalian cells. *Int Arch Occup Environ Health* 70: 321-326.
- Murlidhar, V; Kanhere, V. (2005). Asbestosis in an asbestos composite mill at Mumbai: A prevalence study. *Environ Health* 4: 24. <http://dx.doi.org/10.1186/1476-069X-4-24>.
- Murphy, DC; Reed, LD. (1982). Health Hazard Evaluation Report No. HETA-82-193-1222, Western Hills Post Office, Cincinnati, Ohio (pp. 82-193). (NIOSH/00178928). Murphy, DC; Reed, LD.
- Murphy, MF; Nicewicz, J; Feierstein, M; Ora, M. (1984). THE EFFECTS OF ASBESTOS EXPOSURE IN THE RAILWAY INDUSTRY (pp. 20-23). (HEEP/85/02133). Murphy, MF; Nicewicz, J; Feierstein, M; Ora, M.
- Murphy, R. (1980). Asbestos related disease: difficulties in diagnosing occupationally related illness. *Compr Ther* 6: 6-13.
- Murphy R, J. R.; Gaensler, E; Holford, S; Del Bono, E; Epler, G. (1984). CRACKLES RALES IN THE EARLY DETECTION OF PULMONARY ASBESTOSIS (pp. NEW YORK). (HEEP/85/00839). Murphy R, J; Gaensler, E; Holford, S; Del Bono, E; Epler, G.
- Murphy, R; Delbono, E; Gaensler, E. (1985). CHEST AUSCULTATION AND OBJECTIVE LUNG SOUND ANALYSIS IN PIPE COVERERS EXPOSED TO ASBESTOS - A 19 YEAR FOLLOW UP. *Chest* 88: S6-S6.
- Murphy, R; Gaensler, E; Ferris, B; Fitzgerald, M; Solliday, N; Morrissey, W. (1977). DIAGNOSIS OF ASBESTOSIS IN A LONGITUDINAL SURVEY OF PIPE COVERERS. *Am Rev Respir Dis* 115.
- Murphy R, LH; Gaensler, EA; Ferris, BG; Fitzgerald, M; Solliday, N; Morrissey, W. (1978). Diagnosis of "asbestosis": Observations from a longitudinal survey of shipyard pipe coverers. *Am J Med* 65: 488-498.
- Murphy, RL; Gaensler, EA; Holford, SK; Del Bono, EA; Epler, G. (1984). Crackles in the early detection of asbestosis. *Am Rev Respir Dis* 129: 375-379. <http://dx.doi.org/10.1164/arrd.1984.129.3.375>.
- Murphy, RL; Gaensler, EA; Redding, RA; Belleau, R; Keelan, PJ; Smith, AA; Goff, AM; Ferris, BG. (1972). Low exposure to asbestos. Gas exchange in ship pipe coverers and controls. *Arch Environ Health* 25: 253-264.
- Murphy, RL; Levine, BW; Al-Bazzaz, FJ; Lynch, JJ; Burgess, WA. (1971). Floor tile installation as a source of asbestos exposure. *Am Rev Respir Dis* 104: 576-580. <http://dx.doi.org/10.1164/arrd.1971.104.4.576>.
- Murphy, RLH; Ferris, BG, Jr; Burgess, WA; Worcester, J; Gaensler, EA. (1971). Effects of low concentrations of asbestos: clinical, environmental, radiologic and epidemiologic observations in shipyard pipe coverers and controls. *N Engl J Med* 285: 1271-1278. <http://dx.doi.org/10.1056/NEJM197112022852301>.
- Murphy, RLH; Jr, FB. (1966). Respiratory Disease in Workers Exposed to Low Concentrations of Asbestos Fibres (pp. 229-232). (NIOSH/00132434). Murphy, RLH; Ferris BG Jr.
- Murray, J; Nelson, G. (2008). Health effects of amosite mining and milling in South Africa. *Regul Toxicol Pharmacol* 52: S75-S81. <http://dx.doi.org/10.1016/j.yrtph.2007.09.011>.
- Murray, JF. (1977). Lung disease state of the art. 1975-1976. (HEEP/78/03458). Murray, JF.
- Murray, KA; Gamsu, G; Webb, WR; Salmon, CJ; Egger, MJ. (1995). High-resolution computed tomography sampling for detection of asbestos-related lung disease. *Acad Radiol* 2: 111-115.
- Murray, R. (1984). Asbestos in the Soviet Union. 2: 155-156.
- Murray, R. (1990). Asbestos: a chronology of its origins and health effects. *Br J Ind Med* 47: 361-365.
- Murthy, NK; Mccay, PB; Schneider J E, J. R.; Pye, Q; Floyd, RA; Maitd, ML; Kinasewitz, GT; Allen, DR; Maples, KR; Johnson, NF. (1994). 8-OHdG FORMATION AND DNA STRAND BREAKAGE CAUSED BY CROCIDOLITE ASBESTOS IN VITRO AND IN HUMAN MESOTHELIOMA CELLS IN CULTURE (pp. 10-13). (BIOSIS/94/20894). Murthy, NK; Mccay, PB; Schneider J E, J; Pye, Q; Floyd, RA; Maitd, ML; Kinasewitz, GT; Allen, DR; Maples, KR; Johnson, NF.
- Murthy, NK; Mccay, PB; Schneider, JE; Pye, Q; Floyd, RA; Maitd, ML; Kinasewitz, GT; Maples, KR; Johnson, NF. (1993). 8-OH-DG FORMATION AND DNA STRAND BREAKAGE CAUSED BY CROCIDOLITE ASBESTOS. (BIOSIS/93/23516). Murthy, NK; Mccay, PB; Schneider, JE; Pye, Q; Floyd, RA; Maitd, ML; Kinasewitz, GT; Maples, KR; Johnson, NF.
- Murthy, S; Adamcakova-Dodd, A; Perry, SS; Tephly, LA; Keller, RM; Metwali, N; Meyerholz, DK; Wang, Y; Glogauer, M; Thorne, PS; Carter, AB. (2009). Modulation of reactive oxygen species by Rac1 or catalase prevents asbestos-induced pulmonary fibrosis. *Am J Physiol Lung Cell Mol Physiol* 297: L846-L855. <http://dx.doi.org/10.1152/ajplung.90590.2008>.
- Murthy, S; Larson-Casey, JL; Ryan, AJ; He, C; Kobzik, L; Carter, AB. (2015). Alternative activation of macrophages and pulmonary fibrosis are modulated by scavenger receptor, macrophage receptor with collagenous structure. *FASEB J* 29: 3527-3536. <http://dx.doi.org/10.1096/fj.15-271304>.
- Murthy, S; Ryan, A; He, C; Mallampalli, RK; Carter, AB. (2010). Rac1-mediated mitochondrial H2O2 generation regulates MMP-9 gene expression in macrophages via inhibition of SP-1 and AP-1. *J Biol Chem* 285: 25062-25073. <http://dx.doi.org/10.1074/jbc.M109.099655>.
- Murthy, SS; Shen, T; De Rienzo, A; Lee, WC; Ferriola, PC; Jhanwar, SC; Mossman, BT; Filmus, J; Testa, JR. (2000). Expression of GPC3, an X-linked recessive overgrowth gene, is silenced in malignant mesothelioma. *Oncogene* 19: 410-416.
- Murthy, SS; Testa, JR. (1999). Asbestos, chromosomal deletions, and tumor suppressor gene alterations in human malignant mesothelioma [Review]. *J Cell Physiol* 180: 150-157. [http://dx.doi.org/10.1002/\(SICI\)1097-4652\(199908\)180:2<150::AID-JCP2>3.0.CO;2-H](http://dx.doi.org/10.1002/(SICI)1097-4652(199908)180:2<150::AID-JCP2>3.0.CO;2-H).

Human Health Hazard Literature Search Results

On Topic

- Muscat, JE; Stellman, SD; Richie, JP; Wynder, EL. (1998). Lung cancer risk and workplace exposures in black men and women. *Environ Res* 76: 78-84. <http://dx.doi.org/10.1006/enrs.1997.3787>.
- Muscat, JE; Stellman, SD; Wynder, EL. (1995). Insulation, asbestos, smoking habits, and lung cancer cell types. *Am J Ind Med* 27: 257-269.
- Muscat, JE; Wynder, EL. (1991). Cigarette smoking, asbestos exposure, and malignant mesothelioma. *Cancer Res* 51: 2263-2267.
- Muscat, JE; Wynder, EL. (1992). Tobacco, alcohol, asbestos, and occupational risk factors for laryngeal cancer. *Cancer PHILA*: 2244-2251.
- Musk, AW. (2015). Waves Of Malignant Mesothelioma And Changing Pattern Of Occupational Asbestos Exposure In Western Australia. *Am J Respir Crit Care Med* 191.
- Musk, AW; Baker, JE; Whitaker, D. (1983). Sputum asbestos bodies and radiographic changes in residents of Wittenoom, Western Australia. *Community Health Stud* 7: 19-23.
- Musk, AW; De Klerk, N; Hobbs M, ST; Armstrong, BK. (1986). MORTALITY IN CROCIDOLITE MINERS AND MILLERS FROM WITTENOOM WESTERN AUSTRALIA (pp. 11-14). (BIOSIS/86/27913). Musk, AW; De Klerk, N; Hobbs M, ST; Armstrong, BK.
- Musk, AW; de Klerk, NH. (2004). Epidemiology of malignant mesothelioma in Australia [Review]. *Lung Cancer* 45 Suppl 1: S21-S23. <http://dx.doi.org/10.1016/j.lungcan.2004.04.010>.
- Musk, AW; de Klerk, NH; Ambrosini, GL; Eccles, JL; Hansen, J; Olsen, NJ; Watts, VL; Lund, HG; Pang, SC; Beilby, J; Hobbs, MST. (1998). Vitamin A and cancer prevention I: Observations in workers previously exposed to asbestos at Wittenoom, Western Australia. *Int J Cancer* 75: 355-361. [http://dx.doi.org/10.1002/\(SICI\)1097-0215\(19980130\)75:3<355::AID-IJC5>3.0.CO;2-1](http://dx.doi.org/10.1002/(SICI)1097-0215(19980130)75:3<355::AID-IJC5>3.0.CO;2-1).
- Musk, AW; De Klerk, NH; Cookson W O, CM; Armstrong, BK; Glancy, JJ; Hobbs M, ST. (1992). INFLUENCE OF RADIOGRAPHIC ABNORMALITY ON SURVIVAL IN SUBJECTS WITH CROCIDOLITE EXPOSURE (pp. 17-20). (BIOSIS/92/20021). Musk, AW; De Klerk, NH; Cookson W O, CM; Armstrong, BK; Glancy, JJ; Hobbs M, ST.
- Musk, AW; de Klerk, NH; Eccles, JL; Hansen, J; Shilkin, KB. (1995). Malignant mesothelioma in Pilbara Aborigines [Review]. 19: 520-522.
- Musk, AW; de Klerk, NH; Reid, A; Ambrosini, GL; Fritschi, L; Olsen, NJ; Merler, E; Hobbs, MST; Berry, G. (2008). Mortality of former crocidolite (blue asbestos) miners and millers at Wittenoom. *Occup Environ Med* 65: 541-543. <http://dx.doi.org/10.1136/oem.2007.034280>.
- Musk, AW; Deklerk, NH; Eccles, JL; Hobbs, MST; Armstrong, BK; Layman, L; McNulty, JC. (1992). WITTENOOM, WESTERN-AUSTRALIA - A MODERN INDUSTRIAL DISASTER. *Am J Ind Med* 21: 735-747.
- Musk, AW; Dewar, J; Shilkin, KB; Whitaker, D. (1991). Miliary spread of malignant pleural mesothelioma without a clinically identifiable pleural tumour. *Aust N Z J Med* 21: 460-462.
- Musk, AW; Dolin, PJ; Armstrong, BK; Ford, JM; de Klerk, NH; Hobbs, MS. (1989). The incidence of malignant mesothelioma in Australia, 1947-1980. *Med J Aust* 150: 242-243, 246.
- Musk, AW; Hansen, J; Deklerk, NH; Eccles, JL; Hobbs, MST. (1993). ENVIRONMENTAL EXPOSURE TO AUSTRALIAN BLUE ASBESTOS AND MALIGNANT MESOTHELIOMA. *Am Rev Respir Dis* 147: A910-A910.
- Musk, AW; Henderson, DW. (1984). PULMONARY ASBESTOSIS AN EXAMPLE OF INDUSTRIAL DIFFUSE LUNG DISEASE (pp. 776-784). (BIOSIS/85/04044). Musk, AW; Henderson, DW.
- Musk, AW; Henderson, DW. (1984). Pulmonary asbestosis--an example of industrial diffuse lung disease. *Aust N Z J Med* 14: 776-784.
- Musk, AW; Olsen, N; Alfonso, H; Peters, S; Franklin, P. (2015). Pattern of malignant mesothelioma incidence and occupational exposure to asbestos in Western Australia. *Med J Aust* 203: 251-252e.251. <http://dx.doi.org/10.5694/mja15.00337>.
- Musk, AW; Olsen, N; Shilkin, K; Threlfall, T; Reid, A; Lee, E; Franklin, P; De Klerk, N. (2012). CHANGING PATTERN OF OCCUPATIONAL ASBESTOS EXPOSURE IN PEOPLE WITH MALIGNANT MESOTHELIOMA IN WEST AUSTRALIA. *Respirology* 17: 70-70.
- Musk, AW; Olsen, NJ; Reid, A; Threlfall, T; de Klerk, NH. (2006). Asbestos-related disease from recycled hessian superphosphate bags in rural Western Australia. *Aust N Z J Public Health* 30: 312-313.
- Musk, AW; Robertson, PW. (1976). Pulmonary elastic recoil and diffusing capacity in subjects with intermediate concentrations of alpha-1 antitrypsin. *Aust N Z J Med* 6: 284-287.
- Musk, AW; Rose, AH; James, A; Whitaker, D; Robinson, BWS. (1986). THE ALVEOLITIS OF PULMONARY ASBESTOSIS - BRONCHOALVEOLAR LAVAGE STUDIES IN CROCIDOLITE-EXPOSED AND CHRYSOTILE-EXPOSED INDIVIDUALS. *Am Rev Respir Dis* 133: A199-A199.
- Musk, AW; Woodward, SD. (1982). Conventional treatment and its effect on survival of malignant pleural mesothelioma in Western Australia. *Aust N Z J Med* 12: 229-232.
- Musk, B; Gordon, L; Alfonso, H; Reid, A; Olsen, N; Mina, R; Franklin, P; Peters, S; Brims, F; Hui, J; de Klerk, N. (2017). Risk factors for malignant mesothelioma in people with no known exposure to asbestos. *Am J Ind Med*. <http://dx.doi.org/10.1002/ajim.22695>.
- Musleh, T. (2003). Mechanism of intracellular glutathione regulation after asbestos exposure in human lung epithelial cells. *FASEB J* 17: A1017-A1017.
- Muss, W. (1984). ASBESTOS FIBERS (AMIANTHOID DEGENERATION) - MICROSTRUCTURAL STUDY OF THE HUMAN RIB CARTILAGE. *Anatomischer Anzeiger* 156: 157-157.
- Musselman, RP; Miiller, WC; Eastes, W; Hadley, JG; Kamstrup, O; Thevenaz, P; Hesterberg, TW. (1994). Biopersistences of man-made vitreous fibers and crocidolite fibers in rat lungs following short-term exposures. *Environ Health Perspect* 102 Suppl 5: 139-143.
- Musti, M; Cavone, D; Aalto, Y; Scattono, A; Serio, G; Knuutila, S. (2002). A cluster of familial malignant mesothelioma with del(9p) as the sole chromosomal anomaly. *Cancer Genet Cytogenet* 138: 73-76.
- Musti, M; Kettunen, E; Dragonieri, S; Lindholm, P; Cavone, D; Serio, G; Knuutila, S. (2006). Cytogenetic and molecular genetic changes in malignant mesothelioma [Review]. *Cancer Genet Cytogenet* 170: 9-15. <http://dx.doi.org/10.1016/j.jcancerencyto.2006.04.011>.
- Musti, M; Pollice, A; Cavone, D; Dragonieri, S; Bilancia, M. (2009). The relationship between malignant mesothelioma and an asbestos cement plant environmental risk: a spatial case-control study in the city of Bari (Italy). *Int Arch Occup Environ Health* 82: 489-497. <http://dx.doi.org/10.1007/s00420-008-0358-5>.

Human Health Hazard Literature Search Results

On Topic

- Mutsaers, S; Harrison, N; Mcanulty, R; Liao, J; Laurent, G; Musk, A. (1998). Fibroblast mitogens in bronchoalveolar lavage (BAL) fluid from asbestos-exposed subjects. *FASEB J* 12: A791-A791.
- Mutsaers, SE. (2004). The mesothelial cell [Review]. *Int J Biochem Cell Biol* 36: 9-16. [http://dx.doi.org/10.1016/S1357-2725\(03\)00242-5](http://dx.doi.org/10.1016/S1357-2725(03)00242-5).
- Mutsaers, SE; Harrison, NK; Mcanulty, RJ; Liao, JY; Laurent, GJ; Musk, AW. (1998). Fibroblast mitogens in bronchoalveolar lavage (BAL) fluid from asbestos-exposed subjects with and without clinical evidence of asbestosis: no evidence for the role of PDGF, TNF-alpha, IGF-1, or IL-1 beta. *J Pathol* 185: 199-203. [http://dx.doi.org/10.1002/\(SICI\)1096-9896\(199806\)185:2<199::AID-PATH75>3.0.CO;2-R](http://dx.doi.org/10.1002/(SICI)1096-9896(199806)185:2<199::AID-PATH75>3.0.CO;2-R).
- Mutsaers, SE; Prele, CM; Brody, AR; Idell, S. (2004). Pathogenesis of pleural fibrosis [Review]. *Respirology* 9: 428-440. <http://dx.doi.org/10.1111/j.1440-1843.2004.00633.x>.
- Mutti, L; De Luca, A; Claudio, PP; Convertino, G; Carbone, M; Giordano, A. (1998). Simian virus 40-like DNA sequences and large-T antigen-retinoblastoma family protein pRb2/p130 interaction in human mesothelioma. *Dev Biol Stand* 94: 47-53.
- Mutti, L; Occhionero, L. (1992). EVALUATION OF GAMMA-DELTA TCR IN PULMONARY ASBESTOSIS PA (pp. 17-22). (BIOSIS/92/29006). Mutti, L; Occhionero, L.
- Mutti, L; Pastormerlo, M; Guaschino, R; Budel, P; Occhionero, L. (1992). REPERTOIRE OF THE T CELL RECEPTOR TCR IN PULMONARY ASBESTOSIS PA (pp. 17-20). (BIOSIS/92/20028). Mutti, L; Pastormerlo, M; Guaschino, R; Budel, P; Occhionero, L.
- Myers, J. (1981). The social context of occupational disease: asbestos and South Africa. *Int J Health Serv* 11: 227-245.
- Myers, JE. (1983). THE ASBESTOS HAZARD. 63: 471-471.
- Myers, JE. (1984). Differential ethnic standards for lung functions, or one standard for all? [Review]. *S Afr Med J* 65: 768-772.
- Myers, JE. (1992). MERCHANT-MARINE IS NOT SUCH A STRANGE PLACE FOR ASBESTOS EXPOSURE [Letter]. *Am J Ind Med* 21: 457-457.
- Myers, JE; Aron, J; Macun, IA. (1987). Asbestos and Asbestos-Related Disease: The South African Case. *Int J Health Serv* 17: 651-666. <http://dx.doi.org/10.2190/GAFT-L33E-M250-ANQF>.
- Myers, JE; Garisch, D; Myers, HS; Cornell, JE; Rwxu, RD. (1985). A respiratory epidemiological study of stevedores intermittently exposed to asbestos in a South African port. *Am J Ind Med* 7: 273-283.
- Myers, R. (2012). Asbestos-related pleural disease [Review]. *Curr Opin Pulm Med* 18: 377-381. <http://dx.doi.org/10.1097/MCP.0b013e328354acfe>.
- Myint, RT. (1987). SMALL AIRWAY IMPAIRMENT FINDINGS AT THE SCREENING AMONG 200 SHEET-METAL WORKERS WITH EXPOSURE TO ASBESTOS. *J Am Coll Toxicol* 6: 563-563.
- Myint, RT; Myint, S. (1990). Small Airway Impairment Findings at the Screening of 639 Asbestos Workers with Exposure History of 20 Years (pp. 23-26). (NIOSH/00198277). Myint, RT; Myint, S.
- Myllärniemi, M; Lindholm, P; Rynnänen, MJ; Kliment, CR; Salmenkivi, K; Keski-Oja, J; Kinnula, VL; Oury, TD; Koli, K. (2008). Gremlin-mediated decrease in bone morphogenetic protein signaling promotes pulmonary fibrosis. *Am J Respir Crit Care Med* 177: 321-329. <http://dx.doi.org/10.1164/rccm.200706-945OC>.
- Myong, JP; Kim, HR; Kim, JS; Jung, SH. (2014). THE ASSOCIATION BETWEEN OCCUPATIONAL AND ENVIRONMENTAL ASBESTOS EXPOSURE AND ASBESTOSIS IN KOREA-ASBESTOS HEALTH DAMAGE RELIEF SYSTEM. *Respirology* 19: 140-140.
- Myrvik, QN. (1985). Effect of Asbestos Preparations on the Random Migration Pattern of Rabbit Alveolar Macrophages (pp. 121-127). (NIOSH/00165742). Myrvik, QN.
- Myrvik, QN; Knox, EA; Gordon, M; Shirley, PS. (1985). Effects of asbestos on the random migration of rabbit alveolar macrophages. *Environ Health Perspect* 60: 387-393.
- Myrvik, QN; Wood, P; Hayakawa, H. (1989). EFFECT OF CHRYSOTILE AMOSITE AND CROCIDOLITE ON THE OXIDATIVE BURST OF RABBIT ALVEOLAR MACROPHAGES (pp. SECAUCUS). (BIOSIS/90/02032). Myrvik, QN; Wood, P; Hayakawa, H.
- Mzileni, O; Sitas, F; Steyn, K; Carrara, H; Bekker, P. (1999). Lung cancer, tobacco, and environmental factors in the African population of the Northern Province, South Africa. *Tob Control* 8: 398-401.
- Nabeshima, K. (1981). Follow-up study on health of employees for 20 years in an asbestos plant. *J Nara Med Assoc* 32: 495-507.
- Nadeau, D; Begin, R. (1987). Enzymatic Profile of the Lung Lavage Fluid: Further Biochemical Evidences of a Toxicity Tolerance Threshold for Chrysotile Asbestos (pp. 236-247). (NIOSH/00169383). Nadeau, D; Begin, R.
- Nadeau, D; Fouquette-Couture, L; Paradis, D; Khorami, J; Lane, D; Dunnigan, J. (1987). Cytotoxicity of respirable dusts from industrial minerals: comparison of two naturally occurring and two man-made silicates. *Drug Chem Toxicol* 10: 49-86. <http://dx.doi.org/10.3109/01480548709042583>.
- Nadeau, D; Lane, D. (1986). EFFECTS OF INHIBITORS OF ADP-RIBOSYL TRANSFERASE (ADPRT) ON THE CYTOTOXICITY OF ASBESTOS. *In Vitro* 22: A47-A47.
- Nadeau, D; Lane, DA. (1988). The cytotoxicity of chrysotile asbestos fibers to pulmonary alveolar macrophages. I. Effects of inhibitors of ADP-ribosyl transferase. *Cell Biol Toxicol* 4: 13-30.
- Nadeau, D; Lane, DA. (1989). On the cytotoxicity of chrysotile asbestos fibers toward pulmonary alveolar macrophages. II. Effects of nicotinamide on the cell metabolism. *Toxicol Appl Pharmacol* 98: 144-158.
- Nadeau, D; Lane, DA; Paradis, D; Fouquette, L. (1989). EFFECTS OF NICOTINAMIDE ON THE CYTOTOXICITY OF MINERAL DUSTS TOWARDS PULMONARY ALVEOLAR MACROPHAGES (pp. SECAUCUS). (BIOSIS/90/02016). Nadeau, D; Lane, DA; Paradis, D; Fouquette, L.
- Nadeau, D; Paradis, D; Gaudreau, A; Geoffrion, L; Fouquettecuture, L. (1983). MODULATION OF THE INVITRO REACTIVITY OF PULMONARY MACROPHAGES TO CHRYSOTILE ASBESTOS AS A FUNCTION OF TIME IN CULTURE. *Environ Health Perspect* 51: 374-374.
- Naeye, RL. (1986). Heart Disease, Cor Pulmonale. *J Anal At Spectrom* 9: 861-865.
- Nagai, H; Ishihara, T; Lee, WH; Ohara, H; Okazaki, Y; Okawa, K; Toyokuni, S. (2011). Asbestos surface provides a niche for oxidative modification. *Cancer Sci* 102: 2118-2125. <http://dx.doi.org/10.1111/j.1349-7006.2011.02087.x>.

Human Health Hazard Literature Search Results

On Topic

- Nagai, H; Okazaki, Y; Chew, SH; Misawa, N; Yasui, H; Toyokuni, S. (2013). Deferasirox induces mesenchymal-epithelial transition in crocidolite-induced mesothelial carcinogenesis in rats. 6: 1222-1230. <http://dx.doi.org/10.1158/1940-6207.CAPR-13-0244>.
- Nagai, H; Okazaki, Y; Jiang, L; Akatsuka, S; Yamashita, Y; Toyokuni, S. (2012). Asbestos surface provides a niche for oxidative modification: A novel role of free radicals in carcinogenesis. *Free Radic Biol Med* 53: S51-S52. <http://dx.doi.org/10.1016/j.freeradbiomed.2012.08.529>.
- Nagai, H; Toyokuni, S. (2012). Differences and similarities between carbon nanotubes and asbestos fibers during mesothelial carcinogenesis: Shedding light on fiber entry mechanism [Review]. *Cancer Sci* 103: 1378-1390. <http://dx.doi.org/10.1111/j.1349-7006.2012.02326.x>.
- Nagata, K; Sawai, S; Kishida, K; Watanabe, Y; Suehiro, I. (1990). [A case of malignant peritoneal mesothelioma diagnosed by ascitic fluid aspiration with a 28-year history of asbestos exposure] [Review]. *Nippon Shokakibyō Gakkai Zasshi* 87: 884-889.
- Nagatomo, H; Morimoto, Y; Ogami, A; Hirohashi, M; Oyabu, T; Kuroda, K; Higashi, T; Tanaka, I. (2007). Change of heme oxygenase-1 expression in lung injury induced by chrysotile asbestos in vivo and in vitro. *Inhal Toxicol* 19: 317-323. <http://dx.doi.org/10.1080/08958370601144167>.
- Nagatomo, H; Morimoto, Y; Oyabu, T; Hirohashi, M; Ogami, A; Yamato, H; Kuroda, K; Higashi, T; Tanaka, I. (2005). Expression of heme oxygenase-1 in the lungs of rats exposed to crocidolite asbestos. *Inhal Toxicol* 17: 293-296. <http://dx.doi.org/10.1080/08958370590922580>.
- Nagelschmidt, G. (1965). Some Observations of the Dust Content and Composition in Lungs with Asbestosis, Made during Work on Coal Miners Pneumoconiosis. *Ann N Y Acad Sci* 132: 64-76.
- Nagornaia, AM; Varivonchik, DV; Kundiev, I, ul; Fedorenko, ZP; Gorokh, EL; Gulak, LO; Vitte, PN; Karakashian, AN; Lepeshkina, TR; Martynovskaia, TI, u. (2008). [Cancer morbidity risks among workers of asbestos-cement productions]. *Med Tr Prom Ekol* 27-33.
- Naik, SL; Lewin, M; Young, R; Dearwent, SM; Lee, R. (2016). Mortality from asbestos-associated disease in Libby, Montana 1979-2011. *J Expo Sci Environ Epidemiol*. <http://dx.doi.org/10.1038/jes.2016.18>.
- Naimi. (2015). Estimating the Effect of Cumulative Occupational Asbestos Exposure on Time to Lung Cancer Mortality: using structural nested failure-time models to account for healthy-worker survivor bias (vol 25, pg 246, 2014). *Epidemiology* 26: 778-778.
- Naimi, AI; Cole, SR; Hudgens, MG; Brookhart, MA; Richardson, DB. (2013). Assessing the component associations of the healthy worker survivor bias: occupational asbestos exposure and lung cancer mortality. *Ann Epidemiol* 23: 334-341. <http://dx.doi.org/10.1016/j.annepidem.2013.03.013>.
- Naimi, AI; Cole, SR; Hudgens, MG; Richardson, DB. (2014). Estimating the effect of cumulative occupational asbestos exposure on time to lung cancer mortality: using structural nested failure-time models to account for healthy-worker survivor bias. *Epidemiology* 25: 246-254. <http://dx.doi.org/10.1097/EDE.0000000000000045>.
- Naimi, AI; Cole, SR, SR; Richardson, DB. (2012). ESTIMATING THE ASSOCIATION BETWEEN ASBESTOS AND LUNG CANCER MORTALITY USING STRUCTURAL NESTED MODELS. *Am J Epidemiol* 175: S41-S41.
- Naimi, AI; Richardson, DB; Cole, SR. (2013). Causal Inference in Occupational Epidemiology: Accounting for the Healthy Worker Effect by Using Structural Nested Models [Comment]. *Am J Epidemiol* 178: 1681-1686. <http://dx.doi.org/10.1093/aje/kwt215>.
- Nair, P; Rupawate, RU; Prabhakaran, LC; Bijur, S; Kamat, SR. (1991). Evaluating computed tomography and broncho alveolar lavage in early diagnosis of pulmonary asbestosis. *Sarcoidosis* 8: 115-119.
- Najmi, K; Khosravi, A; Seifi, S; Emami, H; Chaibakhsh, S; Radmand, G; Khodadad, K. (2014). Clinicopathologic and survival characteristics of malignant pleural mesothelioma registered in hospital cancer registry. *Tanaffos* 13: 6-12.
- Naka, T; Hatanaka, Y; Marukawa, K; Okada, H; Hatanaka, KC; Sakakibara-Konishi, J; Oizumi, S; Hida, Y; Kaga, K; Mitsunashi, T; Matsuno, Y. (2016). Comparative genetic analysis of a rare synchronous collision tumor composed of malignant pleural mesothelioma and primary pulmonary adenocarcinoma. *Diagnostic Pathology* 11: 38. <http://dx.doi.org/10.1186/s13000-016-0488-0>.
- Nakadate, T. (1995). Decline in annual lung function in workers exposed to asbestos with and without pre-existing fibrotic changes on chest radiography. *Occup Environ Med* 52: 368-373.
- Nakadate, T; Sato, T; Kagawa, J. (1994). Longitudinal changes in time domain spirogram indices and their variability. *Eur Respir J* 7: 1062-1069.
- Nakadate, T; Sato, T; Kagawa, J; Yagami, T. (1994). Effect of lifetime cigarette consumption on time domain spirogram indices. *Ind Health* 32: 29-40.
- Nakagawa, Y; Shimazu, K; Ebihara, M; Amann, K. (1999). [Clinical study of 8 patients with round atelectasis associated with asbestos exposure]. *Nihon Kokyūki Gakkai Zasshi* 37: 20-24.
- Nakagawa, Y; Shimazu, K; Ebihara, M; Nakagawa, K. (1999). Aspergillus niger pneumonia with fatal pulmonary oxalosis. *J Infect Chemother* 5: 97-100. <http://dx.doi.org/10.1007/s101569900005>.
- Nakajima, T; Ito, M; Tchoua, U; Tojo, H; Hashimoto, M. (2000). Phospholipase A2-mediated superoxide production of murine peritoneal macrophages induced by chrysotile stimulation. 32: 779-787.
- Nakamura, I. (1967). Clinical and Pathological Studies of Pulmonary Asbestosis (pp. 455-465). (NIOSH/00127629). Nakamura, I.
- Nakamura, K; Nakayama, K; Nagaoka, R; Nishisako, K; Ishikawa, M; Katagiri, H; Ishibashi, T; Sato, E; Amano, C; Kyo, S. (2017). The diagnostic utility of PAX8 immunostaining of malignant peritoneal mesothelioma presenting as serous ovarian carcinoma: A single-center report of two cases. 13: 263-266. <http://dx.doi.org/10.3892/ol.2016.5444>.
- Nakanishi, N; Shiojiri, M; Inoue, K; Moritaka, T. (2015). [A CASE OF NON-TUBERCULOUS MYCOBACTERIOSIS WITH PLEURAL EFFUSION AND THICKENING IN A PATIENT WITH AN OCCUPATIONAL HISTORY OF ASBESTOS EXPOSURE]. *Kekkaku* 90: 503-506.
- Nakano, T; Endo, S; Tetsuka, K; Fukushima, N. (2016). Asymptomatic localized pleural amyloidosis mimicking malignant pleural mesothelioma: report of a case. *J Thorac Dis* 8: E157-E160. <http://dx.doi.org/10.3978/j.issn.2072-1439.2016.01.16>.
- Nakano, T; Fujii, J; Tamura, S; Hada, T; Higashino, K. (1986). THROMBOCYTOSIS IN PATIENTS WITH MALIGNANT PLEURAL MESOTHELIOMA. *Cancer PHILA*: 1699-1701.

Human Health Hazard Literature Search Results

On Topic

- Nakano, T; Otsuki, T. (2013). [Environmental air pollutants and the risk of cancer]. *Gan To Kagaku Ryoho* 40: 1441-1445.
- Nakasuka, T; Fujimoto, N; Hara, N; Miyamoto, Y; Yamagishi, T; Asano, M; Nishi, H; Kishimoto, T. (2015). Foreign body granuloma mimicking recurrence of malignant pleural mesothelioma. 16: 95-96. <http://dx.doi.org/10.1016/j.rmcr.2015.09.002>.
- Nakataki, E; Yano, S; Matsumori, Y; Goto, H; Kakiuchi, S; Muguruma, H; Bando, Y; Uehara, H; Hamada, H; Kito, K; Yokoyama, A; Sone, S. (2006). Novel orthotopic implantation model of human malignant pleural mesothelioma (EHMES-10 cells) highly expressing vascular endothelial growth factor and its receptor. *Cancer Sci* 97: 183-191. <http://dx.doi.org/10.1111/j.1349-7006.2006.00163.x>.
- Nakatani, Y. (1983). [Biological effects of mineral fibers on lymphocytes in vitro: comparative studies of asbestos and glass fibers]. *Sangyo Eiseigaku Zasshi* 25: 375-386.
- Nakayama, T; Yamagami, T; Kagamimori, S. (1998). [Studies on carcinogenicity of asbestos with special reference to interaction between viruses and cultured cells]. *Sangyo Eiseigaku Zasshi* 40: 195-203.
- Nam, JM; Rice, C; Gail, MH. (2005). Comparison of asbestos exposure assessments by next-of-kin respondents, by an occupational hygienist, and by a job-exposure matrix from the National Occupational Hazard Survey. *Am J Ind Med* 47: 443-450. <http://dx.doi.org/10.1002/ajim.20168>.
- Nanović, R; Mincevic, K; Puzderliski, I; Kostovski, B; Popovski, K; Jovcevic, V. (1976). [Unusual pleural calcifications among the population of Klinovo]. 32: 469-475.
- Napolitano, A; Antoine, DJ; Pellegrini, L; Baumann, F; Pagano, I, an; Pastorino, S; Goparaju, CM; Prokrym, K; Canino, C; Pass, HI; Carbone, M; Yang, H. (2016). HMGB1 and its isoform are sensitive and specific biomarkers to detect asbestos exposure and to identify mesothelioma patients. *Cancer Res* 76. <http://dx.doi.org/10.1158/1538-7445.AM2016-3112>.
- Napolitano, A; Antoine, DJ; Pellegrini, L; Baumann, F; Pagano, IS; Pastorino, S; Goparaju, CM; Prokrym, K; Canino, C; Pass, H; Carbone, M; Yang, H. (2016). HMGB1 and its hyper-acetylated isoform are sensitive and specific serum biomarkers to detect asbestos exposure and to identify mesothelioma patients. *Clin Cancer Res* 22: 3087-3096. <http://dx.doi.org/10.1158/1078-0432.CCR-15-1130>.
- Napolitano, A; Pellegrini, L; Dey, A; Larson, D; Tanji, M; Flores, EG; Kendrick, B; Lapid, D; Powers, A; Kanodia, S; Pastorino, S; Pass, HI; Dixit, V; Yang, H; Carbone, M. (2015). Minimal asbestos exposure in germline BAP1 heterozygous mice is associated with deregulated inflammatory response and increased risk of mesothelioma. *Oncogene* 35: 1996-2002. <http://dx.doi.org/10.1038/onc.2015.243>.
- Napolitano, A; Pellegrini, L; Dey, A; Larson, D; Tanji, M; Powers, A, my; Kanodia, S; Pastorino, S; Pass, HI; Dixit, V; Yang, H; Carbone, M. (2015). Minimal Asbestos Exposure in Germline BAP1 Heterozygous Mice Is Associated with Deregulated Inflammatory Response and Increased Risk of MM. *J Thorac Oncol* 10: S502-S502.
- Narang, S; Kaw, JL; Zaidi, SH. (1975). Inhibition of chrysotile hemolysis by polymers. *Ind Health* 13: 105-108.
- Narang, S; Kaw, JL; Zaidi, SH. (1978). Formation of asbestos bodies under the influence of parenteral iron overload. *Acta Pharmacol Toxicol* 42: 337-342.
- Narasimhan, SR; Yang, L; Gerwin, BI; Broaddus, VC. (1998). Resistance of pleural mesothelioma cell lines to apoptosis: relation to expression of Bcl-2 and Bax. *Am J Physiol* 275: L165-L171.
- Nardi, G; Donato, F; Bollani, A. (1988). THE EPIDEMIOLOGY OF LUNG CANCER PRESENT KNOWLEDGE. *Ig Mod* 90: 834-903.
- Nardini, S. (1993). Asbestos and malignant mesothelioma. *Monaldi Arch Chest Dis* 48: 676.
- Naseem, SM; Tishler, PV; Anderson, HA; Selikoff, IJ. (1978). Aryl hydrocarbon hydroxylase in asbestos workers. *Am Rev Respir Dis* 118: 693-700. <http://dx.doi.org/10.1164/arrd.1978.118.4.693>.
- Nash, DR; Fortson, NG; McLarty, JW; Hurst, GA. (1981). Serum protein concentrations and respiratory tract abnormalities following short-term exposure to amosite: A comparison between former asbestos workers and unexposed controls. *J Toxicol Environ Health* 7: 733-744. <http://dx.doi.org/10.1080/15287398109530015>.
- Nath, S. (1985). PREVALENCE OF ASBESTOSIS IN ASBESTOS FIBER PROCESSING UNIT (pp. 139-150). (BIOSIS/86/14066). Nath, S.
- Nations, JA; Lazarus, AA. (2011). Asbestos and Lung Diseases: Introduction and Epidemiology. *Dis Mon* 57: 7-13. <http://dx.doi.org/10.1016/j.disamonth.2010.11.003>.
- Natney, C. (2015). Mesothelioma Rates in South Africa: Trends 1995-2008. *J Thorac Oncol* 10: S788-S788.
- Navratil, M. (1956). [Results of respiratory and circulatory function tests in workers following prolonged exposure to asbestos dust]. *Czech J Occup Med* 8: 329-333.
- Navratil, M. (1964). [ASBESTOSIS, LUNG CANCER AND TUBERCULOSIS IN WORKERS IN AN ASBESTOS PROCESSING FACTORY]. *Czech J Occup Med* 16: 345-349.
- Navrátil, M. (1970). Pleural calcifications due to asbestos exposure compared with relevant findings in the non-exposed population. *Inhaled Particles* 2: 695-703.
- Navratil, M; Dobias, J. (1974). Develop of pleural hyalinosis in long term studies of persons exposed to asbestos dust. *Environ Res* 6: 455-472.
- Navrátil, M; Dobiás, J. (1973). Development of pleural hyalinosis in long term studies of persons exposed to asbestos dust. *Environ Res* 6: 455-472.
- Navratil, M; Hassman, P; Hassmanova, V. (1989). EARLY DIAGNOSIS OF ASBESTOSIS AND SIGNALLING OF THE OCCUPATIONAL DISEASE RISK (pp. 469-471). (BIOSIS/90/15391). Navratil, M; Hassman, P; Hassmanova, V.
- Navratil, M; Hassmanova, V; Nosal, M; Benicky, L; Svandova, E. (1982). INFLUENCE OF LONG-LASTING ASBESTOS EXPOSURE ON HEALTH STATUS AND MORTALITY OF WORKERS (pp. 24-26). (ISSN 0004-069X EISSN 1661-4917 HEEP/84/05463). Navratil, M; Hassmanova, V; Nosal, M; Benicky, L; Svandova, E.
- Navrátil, M; Jezková, Z. (1982). [Antibodies to lung tissue in individuals with long-term exposure to asbestos dust]. *Cas Lek Cesk* 121: 1608-1611.
- Navratil, M; Krecek, V; Cvachova, L. (1957). [Incidence of emphysema in workers of an asbestos factory]. *Czech J Occup Med* 9: 111-116.

Human Health Hazard Literature Search Results

On Topic

- Navratil, M; Moravkova, K; Gafronova, M; Hruska, F. (1987). TWENTY-YEAR COHORT STUDY OF THE EMPLOYEES IN AN ASBESTOS PROCESSING PLANT (pp. 102-108). (BIOSIS/87/25212). Navratil, M; Moravkova, K; Gafronova, M; Hruska, F.
- Navrátil, M; Morávková, K; Gafronová, M; Hruska, F. (1988). The fate of people with pleural hyalinosis (plaques): relationship to direct and indirect asbestos exposure. *Czech Med* 11: 146-156.
- Navrátil, M; Morávková, K; Trippé, F. (1975). [Follow-up on the development of pleural hyalinoses in the population in comparison with subjects exposed to asbestos dust]. *Cas Lek Cesk* 114: 1433-1438.
- Navrátil, M; Morávková, K; Trippé, F. (1978). Follow-up study of pleural hyalinosis in individuals not exposed to asbestos dust. *Environ Res* 15: 108-118.
- Navratil, M; Svandova, E; Hruska, F; Gafronova, M. (1989). RELATIONSHIP BETWEEN THE EXPOSURE TO ASBESTOS DUST CHRYSOTILE AND NEOPLASTIC DISEASES IN THE EMPLOYEES OF AN ASBESTOS PROCESSING PLANT (pp. 150-155). (BIOSIS/89/25533). Navratil, M; Svandova, E; Hruska, F; Gafronova, M.
- Navratil, M; Trippe, F. (1971). Epidemiological Study of Pleural Calcifications in Persons Living in the Area Close to an Asbestos Factory (pp. 277-279). (NIOSH/00192397). Navratil, M; Trippe, F.
- Navratil, M; Trippe, F. (1972). PREVALENCE OF PLEURAL CALCIFICATION IN PERSONS EXPOSED TO ASBESTOS DUST, AND IN GENERAL POPULATION IN SAME DISTRICT. *Environ Res* 5: 210-&.
- Nayebzadeh, A; Case, BW; Massé, J; Dufresne, A. (2006). Mineralogical and exposure determinants of pulmonary fibrosis among Québec chrysotile miners and millers. *Int Arch Occup Environ Health* 79: 227-236. <http://dx.doi.org/10.1007/s00420-005-0046-7>.
- Naylor, LM. (1989). ASBESTOS IN SLUDGE A SIGNIFICANT RISK. *Biocycle* 30: 51-53.
- Ndiaye, M; Kasse, AA; Kebe, B; Sow, ML. (2010). Malignant pleural mesothelioma in an employee of a ship repair company. *Arch Mal Prof Environ* 71: 157-160. <http://dx.doi.org/10.1016/j.admp.2010.02.010>.
- Neates, N; Musk, AW; Christiansen, F; Hayes, A; Robinson B, WS. (1988). IMMUNOLOGICAL PROFILES IN SUBJECTS WITH CROCIDOLITE-INDUCED ALVEOLITIS (pp. 8-13). (ISSN 0004-8291 BIOSIS/89/02645). Neates, N; Musk, AW; Christiansen, F; Hayes, A; Robinson B, WS.
- Nejjari, A; Fournier, J; Pezerat, H; Leanderson, P. (1993). Mineral fibres: Correlation between oxidising surface activity and DNA base hydroxylation. *Br J Ind Med* 50: 501-504.
- Nelson, A; Mendoza, T; Hoyle, G; Brody, A; Fermin, C; Morris, G. (2001). Enhancement of fibrogenesis by the p53 tumor suppressor protein in asbestos-exposed rodents. *Chest* 120: S33-S34. http://dx.doi.org/10.1378/chest.120.1_suppl.S33.
- Nelson, A; Mendoza, T; Hoyle, GW; Brody, AR; Morris, GF. (1999). Altered reporter gene expression in the lungs of mice after inhalation exposure to asbestos. *Am J Respir Crit Care Med* 159: A73-A73.
- Nelson, AR; Liverman, CT; Eide, EA; Abt, E. (2009). Review of the NIOSH Roadmap for Research and Asbestos Fibers and Other Elongate Mineral Particles. 134.
- Nelson, E. (1996). LABORATORY PROBING OF ONCOGENES FROM HUMAN LIQUID AND SOLID SPECIMENS AS MARKERS OF EXPOSURE TO TOXICANTS [Review]. *Crit Rev Toxicol* 26: 483-549. <http://dx.doi.org/10.3109/10408449609037476>.
- Nelson, HH; Christiani, DC; Wiencke, JK; Mark, EJ; Wain, JC; Kelsey, KT. (1999). k-ras mutation and occupational asbestos exposure in lung adenocarcinoma: asbestos-related cancer without asbestosis. *Cancer Res* 59: 4570-4573.
- Nelson, HH; Kelsey, KT. (2002). The molecular epidemiology of asbestos and tobacco in lung cancer [Review]. *Oncogene* 21: 7284-7288. <http://dx.doi.org/10.1038/sj.onc.1205804>.
- Nelson, HH; Wiencke, JK; Gunn, L; Wain, JC; Christiani, DC; Kelsey, KT. (1998). Chromosome 3p14 alterations in lung cancer: evidence that FHIT exon deletion is a target of tobacco carcinogens and asbestos. *Cancer Res* 58: 1804-1807.
- Nelson, N. (1981). CANCER PREVENTION ENVIRONMENTAL INDUSTRIAL AND OCCUPATIONAL FACTORS (pp. 17-19). (HEEP/82/01814). Nelson, N.
- Nelson, NL. (1972). Target Health Hazards Asbestos: Airborne Danger (pp. 2-7). (NIOSH/00153031). Nelson, NL.
- Nemery, B; Dinsdale, D; Verschoyle, RD. (1987). DETECTING AND EVALUATING CHEMICAL-INDUCED LUNG DAMAGE IN EXPERIMENTAL ANIMALS (pp. 501-528). (ISSN 0272-7587 EISSN 0272-7587 BIOSIS/88/17899). Nemery, B; Dinsdale, D; Verschoyle, RD.
- Nemeth, L; Galambos, E. (1982). OCCUPATIONAL ASBESTOS RELATED DISEASES EXPERIENCES IN HUNGARY (pp. 24-26). (HEEP/84/05466). Nemeth, L; Galambos, E.
- Nemeth, L; Szucs, L; Karlinger, K; Szendroi, M; Gere, J. (1986). TUMOR INDUCTION BY OCCUPATIONAL ASBESTOS EXPOSURE (pp. BASEL). (BIOSIS/87/08202). Nemeth, L; Szucs, L; Karlinger, K; Szendroi, M; Gere, J.
- Németh, L; Tolnai, K; Hoványi, E; Egerváry, M; Vincze, E; Györi, S. (1986). Frequency, sensitivity and specificity of roentgenographic features of slight and moderate asbestos-related respiratory diseases. *Rofo* 144: 9-16.
- Nemo, A; Silvestri, S. (2014). Mesothelioma in a wine cellar man: detailed description of working procedures and past asbestos exposure estimation. *Ann Occup Hyg* 58: 1168-1174. <http://dx.doi.org/10.1093/annhyg/meu062>.
- Neragi-Miandoab, S; Sugarbaker, DJ. (2009). Chromosomal deletion in patients with malignant pleural mesothelioma. *Interact Cardiovasc Thorac Surg* 9: 42-44. <http://dx.doi.org/10.1510/icvts.2008.201509>.
- Neri, M; Filiberti, R; Taioli, E; Garte, S; Paracchini, V; Bolognesi, C; Canessa, PA; Fontana, V; Ivaldi, GP; Verna, A; Bonassi, S; Puntoni, R. (2005). Pleural malignant mesothelioma, genetic susceptibility and asbestos exposure. *Mutat Res* 592: 36-44. <http://dx.doi.org/10.1016/j.mrfmmm.2005.06.003>.
- Neri, M; Taioli, E; Filiberti, R; Paolo Ivaldi, G; Aldo Canessa, P; Verna, A; Marroni, P; Puntoni, R; Hirvonen, A; Garte, S. (2006). Metabolic genotypes as modulators of asbestos-related pleural malignant mesothelioma risk: a comparison of Finnish and Italian populations. *Int J Hyg Environ Health* 209: 393-398. <http://dx.doi.org/10.1016/j.ijheh.2006.03.002>.

Human Health Hazard Literature Search Results

On Topic

- Neri, M; Ugolini, D; Dianzani, I; Gemignani, F; Landi, S; Cesario, A; Magnani, C; Mutti, L; Puntoni, R; Bonassi, S. (2008). Genetic susceptibility to malignant pleural mesothelioma and other asbestos-associated diseases [Review]. *Mutat Res* 659: 126-136. <http://dx.doi.org/10.1016/j.mrrev.2008.02.002>.
- Neri, S; Antonelli, A; Boraschi, P; Falaschi, F; Rizzini, D; Baschieri, L. (1994). [Asbestos-related lesions detected by high-resolution CT scanning in asymptomatic workers. Specificity, relation to the duration of exposure and cigarette smoking]. *Clin Ter* 145: 97-106.
- Neri, S; Antonelli, A; Falaschi, F; Boraschi, P; Baschieri, L. (1994). Findings from high resolution computed tomography of the lung and pleura of symptom free workers exposed to amosite who had normal chest radiographs and pulmonary function tests. *Occup Environ Med* 51: 239-243.
- Neri, S; Boraschi, P; Antonelli, A; Falaschi, F; Baschieri, L. (1996). Pulmonary function, smoking habits, and high resolution computed tomography (HRCT) early abnormalities of lung and pleural fibrosis in shipyard workers exposed to asbestos. *Am J Ind Med* 30: 588-595. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199611\)30:5<588::AID-AJIM6>3.0.CO;2-P](http://dx.doi.org/10.1002/(SICI)1097-0274(199611)30:5<588::AID-AJIM6>3.0.CO;2-P).
- Nersesyan, AK. (1990). [Mutagenicity of natural-origin agents carcinogenic to humans] [Review]. *Eksp Onkol* 12: 3-6.
- Nersesians, AK. (1992). ACTIVITY OF HUMAN CARCINOGENS IN THE SALMONELLA AND RODENT BONE MARROW CYTOGENETIC TESTS. *Mutat Res* 281: 239-243.
- Nersesyan, AK. (1991). Sensitivity of in vivo cytogenetic tests used for the study of chemical agents carcinogenic for man. *Eksp Onkol* 13: 7-11.
- Nersesyan, AK. (1992). CLASTOGENIC ACTION OF CARCINOGENS ON HUMAN AND RODENT SOMATIC CELLS. *Eksp Onkol* 14: 14-18.
- Ness, RB; Cottreau, C. (1999). Possible role of ovarian epithelial inflammation in ovarian cancer [Review]. *J Natl Cancer Inst* 91: 1459-1467.
- Nesti, M; Marinaccio, A; Chellini, E. (2003). [Surveillance of malignant mesothelioma cases and definition of asbestos exposure: 1997 ReNaM data]. *Epidemiol Prev* 27: 147-153.
- Nesti, M; Marinaccio, A; Silvestri, S; eds. (2001). [The National Mesothelioma Registry (ReNaM) - First Report]. (CIS/02/01835). Nesti, M; Marinaccio, A; Silvestri, S; eds.
- Netterstrom, B. (1987). X-RAY OF THE THORAX IN PERSONS EXPOSED TO ASBESTOS IS THIS WORTH WHILE? (pp. 1427-1428). (BIOSIS/88/00733). Netterstrom, B.
- Netterstrøm, B. (1987). [Radiographic examination of the chest in persons exposed to asbestos. Is this worth while?]. *Ugeskr Laeger* 149: 1427-1428.
- Netterstrom, B; Clausen, J. (1993). Lung Function among Insulation Workers. A Cross-Sectional and Longitudinal Study (pp. 14-17). (NIOSH/00222008). Netterstrom, B; Clausen, J.
- Nettesheim, P. (1980). Occupational Cancer. Lung Cancer A Lesson from Experiments Pathogenesis of Lung Cancer as Viewed by the Researcher (pp. 80-139). (NIOSH/00168960). Nettesheim, P.
- Nettesheim, P; Topping, DC; Jamasbi, R. (1981). Host and environmental factors enhancing carcinogenesis in the respiratory tract [Review]. *Annu Rev Pharmacol Toxicol* 21: 133-163. <http://dx.doi.org/10.1146/annurev.pa.21.040181.001025>.
- Neuberger, JS; Field, RW. (2003). Occupation and lung cancer in nonsmokers [Review]. *Rev Environ Health* 18: 251-267.
- Neuberger, JS; Mahnken, JD; Mayo, MS; Field, RW. (2006). Risk factors for lung cancer in Iowa women: implications for prevention. *Cancer Detect Prev* 30: 158-167. <http://dx.doi.org/10.1016/j.cdp.2006.03.001>.
- Neuberger, M. (1989). Cancer in Men from Fibrous and Non-fibrous Mineral Particles. *J Aerosol Sci* 20: 1349-1351.
- Neuberger, M. (1990). [Artificial mineral fibers and the risk of cancer] [Review]. *Pneumologie* 44: 855-857.
- Neuberger, M. (1994). Asbestos: Fibre type and cancer risk. (BIOSIS/94/29229). Neuberger, M.
- Neuberger, M; Ambrosch, P. (1985). [Pulmonary function tests in a population with endemic pleural plaques and environmental asbestos exposure]. *Wien Klin Wochenschr* 97: 289-293.
- Neuberger, M; Ambrosch, P; Kundi, M. (1985). [Prevention of occupational cancer in the asbestos cement industry (preliminary report)]. *Zentralbl Bakteriol Mikrobiol Hyg* 181: 81-86.
- Neuberger, M; Gründorfer, W; Haider, M; Königshofer, R; Müller, HW; Raber, A; Riedmüller, G; Schwaighofer, B. (1978). [Endemic pleural plaques and environmental factors (author's transl)]. 167: 391-404.
- Neuberger, M; Kundi, M. (1990). Individual asbestos exposure: smoking and mortality--a cohort study in the asbestos cement industry. *Br J Ind Med* 47: 615-620.
- Neuberger, M; Kundi, M. (1990). OCCUPATIONAL DUST EXPOSURE AND CANCER MORTALITY RESULTS OF A PROSPECTIVE COHORT STUDY (pp. LYON). (BIOSIS/91/07591). Neuberger, M; Kundi, M.
- Neuberger, M; Kundi, M; Friedl, HP. (1984). Environmental asbestos exposure and cancer mortality. *Arch Environ Health* 39: 261-265.
- Neuberger, M; Kundi, M; Friedl, HP; Haider, M. (1990). Asbestos Exposure, Smoking and Lung Cancer Results of a Cohort Study in the Asbestos Cement Industry (pp. 89-270). (NIOSH/00198275). Neuberger, M; Kundi, M; Friedl, HP; Haider, M.
- Neuberger, M; Vutuc, C. (2003). Three decades of pleural cancer and mesothelioma registration in Austria where asbestos cement was invented. *Int Arch Occup Environ Health* 76: 161-166. <http://dx.doi.org/10.1007/s00420-002-0397-2>.
- Neugut, Al; Eisenberg, D; Silverstein, M; Pulkrabek, P; Weinstein, IB. (1978). Effects of asbestos on epithelioid cell lines. *Environ Res* 17: 256-265.
- Neugut, Al; Murray, TI; Garbowski, GC; Treat, MR; Forde, KA; Waye, JD; Fenoglio-Preiser, C. (1991). Association of asbestos exposure with colorectal adenomatous polyps and cancer. *J Natl Cancer Inst* 83: 1827-1828.
- Neugut, Al; Wylie, P. (1987). OCCUPATIONAL CANCERS OF THE GASTROINTESTINAL TRACT I. COLON STOMACH AND ESOPHAGUS (pp. 109-136). (BIOSIS/87/14886). Neugut, Al; Wylie, P.
- Neugut, Al; Wylie, P; Brandt-Rauf, PW. (1987). OCCUPATIONAL CANCERS OF THE GASTROINTESTINAL TRACT II. PANCREAS LIVER AND BILIARY TRACT (pp. 137-154). (BIOSIS/87/14885). Neugut, Al; Wylie, P; Brandt-Rauf, PW.

Human Health Hazard Literature Search Results

On Topic

- Neumann, V; Günthe, S; Mülle, KM; Fischer, M. (2001). Malignant mesothelioma--German mesothelioma register 1987-1999. *Int Arch Occup Environ Health* 74: 383-395.
- Neumann, V; Löseke, S; Nowak, D; Herth, FJ; Tannapfel, A. (2013). Malignant pleural mesothelioma: incidence, etiology, diagnosis, treatment, and occupational health [Review]. *Deutsches Ärzteblatt International* 110: 319-326. <http://dx.doi.org/10.3238/arztebl.2013.0319>.
- Neumann, V; Löseke, S; Tannapfel, A. (2011). Mesothelioma and analysis of tissue fiber content [Review]. *Recent Results Cancer Res* 189: 79-95. http://dx.doi.org/10.1007/978-3-642-10862-4_6.
- Neumann, V; Müller, KM; Fischer, M. (1999). [Peritoneal mesothelioma--incidence and etiology]. *Pathologe* 20: 169-176. <http://dx.doi.org/10.1007/s002920050340>.
- Neumeister, W; Gillissen, A; Rasche, K; Müller, KM; Schultze-Werninghaus, G. (2001). [Pleural mesothelioma. I: History, epidemiology, clinical aspects (symptoms, diagnosis)] [Review]. *Med Klin* 96: 722-729. <http://dx.doi.org/10.1007/s00063-001-1110-z>.
- Newcombe, DS; Terry, PS. (1992). BRONCHOALVEOLAR LAVAGE AND BRONCHIAL REACTIVITY IN HUMANS ASSOCIATED WITH ENVIRONMENTAL AND CHEMICAL EXPOSURES (pp. NEW YORK). (BIOSIS/92/11116). Newcombe, DS; Terry, PS.
- Newhouse, M. (1966). Asbestos and mesothelioma of the pleura [abridged]. *Proc R Soc Med* 59: 60-61.
- Newhouse, M. (1979). ASBESTOS RELATED DISEASES 4. EPIDEMIOLOGY OF ASBESTOS RELATED DISEASE (pp. NEW YORK). (HEEP/80/09202). Newhouse, M.
- Newhouse, M. (1981). Epidemiology of asbestos-related tumors. *Semin Oncol* 8: 250-257.
- Newhouse, ML. (1970). The Mortality of Asbestos Factory Workers (pp. 158-164). (NIOSH/00177264). Newhouse, ML.
- Newhouse, ML. (1973). Asbestos in the work place and the community. *Ann Occup Hyg* 16: 97-102.
- Newhouse, ML. (1974). CANCER AMONG WORKERS IN THE ASBESTOS TEXTILE INDUSTRY (pp. LYON). (HEEP/75/04233). Newhouse, ML.
- Newhouse, ML. (1975). Asbestos, Smoking, and lung cancer. 545-547.
- Newhouse, ML. (1976). ASBESTOS SMOKING AND LUNG CANCER (pp. BERLIN). (HEEP/77/12063). Newhouse, ML.
- Newhouse, ML. (1977). ASBESTOS (pp. NEW YORK). (HEEP/79/05706). Newhouse, ML.
- Newhouse, ML. (1977). The geographical pathology of mesothelial tumors. *J Occup Med* 19: 480-482.
- Newhouse, ML. (1979). The asbestos industry and statutory control of its hazards. *IARC Sci Publ* 59-70.
- Newhouse, ML. (1983). Asbestos-related diseases. *Practitioner* 227: 1399-1411.
- Newhouse, ML. (1991). MESOTHELIOMA IN THE LONDON AREA. *Am J Ind Med* 20: 411-413.
- Newhouse, ML; Berry, G. (1973). Abestos and laryngeal carcinoma. *Lancet* 2: 615.
- Newhouse, ML; Berry, G. (1973). Asbestos and Laryngeal Carcinoma. *Lancet* page 615.
- Newhouse, ML; Berry, G. (1976). Predictions of mortality from mesothelial tumours in asbestos factory workers. *Br J Ind Med* 33: 147-151.
- Newhouse, ML; Berry, G. (1979). Patterns of mortality in asbestos workers in London. *Ann N Y Acad Sci* 330: 53-60.
- Newhouse, ML; Berry, G; Skidmore, JW. (1982). A mortality study of workers manufacturing friction materials with chrysotile asbestos. *Ann Occup Hyg* 26: 899-909.
- Newhouse, ML; Berry, G; Wagner, JC. (1985). Mortality of factory workers in east London 1933-80. *Br J Ind Med* 42: 4-11.
- Newhouse, ML; Berry, G; Wagner, JC; Turok, ME. (1972). A study of the mortality of female asbestos workers. *Br J Ind Med* 29: 134-141.
- Newhouse, ML; Gregory, MM; Shannon, H. (1980). Etiology of carcinoma of the larynx. *IARC Sci Publ* 687-695.
- Newhouse, ML; Matthews, G; Sheikh, K; Knight, KL; Oakes, D; Sullivan, KR. (1988). Mortality of workers at acetylene production plants. *Br J Ind Med* 45: 63-69.
- Newhouse, ML; Oakes, D; Woolley, AJ. (1985). Mortality of welders and other craftsmen at a shipyard in NE England. *Br J Ind Med* 42: 406-410.
- Newhouse, ML; Schilling R, SF. (1981). EPIDEMIOLOGY 2. ANALYTICAL AND EXPERIMENTAL METHODS (pp. WOBURN). (HEEP/82/02071). Newhouse, ML; Schilling R, SF.
- Newhouse, ML; Sullivan, KR. (1989). A mortality study of workers manufacturing friction materials: 1941-86. *Br J Ind Med* 46: 176-179.
- Newhouse, ML; Thompson, H. (1965). Epidemiology of Mesothelial Tumors in the London Area. *Ann N Y Acad Sci* 132: 579-588.
- Newhouse, ML; Thompson, H. (1993). Mesothelioma of pleura and peritoneum following exposure to asbestos in the London area. *Br J Ind Med* 50: 261-269.
- Newhouse, ML; Thompson, H. (1993). Mesothelioma of pleura and peritoneum following exposure to asbestos in the London area. 1965. *Br J Ind Med* 50: 769-778.
- Newhouse, ML; Wagner, JC. (1969). Validation of death certificates in asbestos workers. *Br J Ind Med* 26: 302-307.
- Newhouse, ML; Wagner, JC; Turok, ME; Berry, G. (1972). STUDY OF MORTALITY OF FEMALE ASBESTOS WORKERS. *Br J Ind Med* 29: 134-&.
- Newman, HAI; Saat, YA; Hart, RW. (1980). Putative inhibitory effects of chrysotile, crocidolite and amosite mineral fibers on the more complex surface membrane glycolipids and glycoproteins. *Environ Health Perspect* 34: 103-111.
- Newman TAYLOR, AJ; Burge, PS. (1981). OCCUPATIONAL LUNG DISEASE (pp. LONDON). (HEEP/84/01095). Newman TAYLOR, AJ; Burge, PS.
- Ney, P. (1981). Asbestos: Types, formation, importance, health hazards. *Naturwissenschaften* 68: 597-605.
- Ng, TK. (1984). Talc and mesothelioma. *Med J Aust* 140: 452-453.
- Ngamwong, Y; Tangamornsuksan, W; Lohitnavy, O; Chaiyakunapruk, N; Scholfield, CN; Reisfeld, B; Lohitnavy, M. (2015). Additive Synergism between Asbestos and Smoking in Lung Cancer Risk: A Systematic Review and Meta-Analysis [Review]. *PLoS ONE* 10: e0135798. <http://dx.doi.org/10.1371/journal.pone.0135798>.
- Nguyen, L; Tomashefski, J. (2014). Synchronous Intrapulmonary Solitary Fibrous Tumor and Malignant Epithelioid Mesothelioma: One or Two Asbestos-Related Tumors? *Am J Clin Pathol* 142.
- Ni, Z; Liu, Y; Keshava, N; Zhou, G; Whong, W; Ong, T. (2000). Analysis of K-ras and p53 mutations in mesotheliomas from humans and rats exposed to asbestos. *Mutat Res* 468: 87-92. [http://dx.doi.org/10.1016/S1383-5718\(00\)00043-7](http://dx.doi.org/10.1016/S1383-5718(00)00043-7).

Human Health Hazard Literature Search Results

On Topic

- Nicewicz, JT; Murphy D, MF; Zabbatino, SM; Naidech, H. (1988). THE IMPORTANCE OF COMPUTED TOMOGRAPHY OF THE CHEST IN THE EVALUATION OF PREVIOUSLY UNDETECTED MALIGNANT PULMONARY NODULES IN ASBESTOS RELATED PLEURAL DISORDERS (pp. 8-11). (BIOSIS/88/21267). Nicewicz, JT; Murphy D, MF; Zabbatino, SM; Naidech, H.
- Nichols, L; Sorahan, T. (2005). Mortality of UK electricity generation and transmission workers, 1973-2002. *Occup Med (Lond)* 55: 541-548. <http://dx.doi.org/10.1093/ocmed/kqi157>.
- Nichols, PW; Ross, R; Dworsky, R; Wright, W; Koss, M; Lukes, RJ. (1983). LARGE CELL LYMPHOMAS IN PATIENTS WITH OCCUPATIONAL ASBESTOS EXPOSURE. *Lab Invest* 48: A63-A63.
- Nicholson, WJ. (1977). Cancer following occupational exposure to asbestos and vinyl chloride [Review]. *Cancer* 39: 1792-1801.
- Nicholson, WJ. (1977). Occupational and Environmental Standards for Asbestos and Their Relation to Human Disease. *J Thorac Imaging* 2: 58-66.
- Nicholson, WJ. (1979). REGULATORY ACTIONS AND EXPERIENCES IN CONTROLLING EXPOSURE TO ASBESTOS IN THE USA (pp. NEW YORK). (HEEP/81/02132). Nicholson, WJ.
- Nicholson, WJ. (1981). Criteria document for Swedish occupational standards: Asbestos and inorganic fibers. Solna, Sweden: Arbetarskyddsverket.
- Nicholson, WJ. (1983). Human cancer risk from ingested asbestos: a problem of uncertainty. *Environ Health Perspect* 53: 111-113.
- Nicholson, WJ. (1988). IARC EVALUATIONS IN THE LIGHT OF LIMITATIONS OF HUMAN EPIDEMIOLOGIC DATA (pp. OCCUPATIONAL AND ENVIRONMENTAL SIGNIFICANCE OF INDUSTRIAL CARCINOGENS; INTERNATIONAL CONFERENCE). (BIOSIS/89/05029). Nicholson, WJ.
- Nicholson, WJ. (1991). Comparative dose-response relationships of asbestos fiber types: magnitudes and uncertainties [Review]. *Ann N Y Acad Sci* 643: 74-84.
- Nicholson, WJ. (1995). ASBESTOS PROBLEMS ENVIRONMENTAL AND OCCUPATIONAL ASPECTS (pp. NEW YORK). (BIOSIS/96/35364). Nicholson, WJ.
- Nicholson, WJ. (1996). Cancer risk in the work place, including asbestos [Review]. *Eur J Cancer Prev* 5: 393-396.
- Nicholson, WJ. (2001). The carcinogenicity of chrysotile asbestos--a review [Review]. *Ind Health* 39: 57-64.
- Nicholson, WJ; Langer, AM; Selikoff, IJ. (1978). Epidemiological Evidence On Asbestos (pp. Definitions and Measurement Methods). (NIOSH/00145900). Nicholson, WJ; Langer, AM; Selikoff, IJ.
- Nicholson, WJ; Lilis, R; Frank, AL; Selikoff, IJ. (1980). Lung cancer prevalence among shipyard workers. *Am J Ind Med* 1: 191-203.
- Nicholson, WJ; Perkel, G; Selikoff, IJ. (1982). Occupational exposure to asbestos: population at risk and projected mortality--1980-2030. *Am J Ind Med* 3: 259-311.
- Nicholson, WJ; Perkel, G; Selikoff, IJ; Seidman, H. (1981). CANCER FROM OCCUPATIONAL ASBESTOS EXPOSURE PROJECTIONS 1980-2000 (pp. COLD SPRING HARBOR). (HEEP/83/00955). Nicholson, WJ; Perkel, G; Selikoff, IJ; Seidman, H.
- Nicholson, WJ; Raffn, E. (1995). Recent data on cancer due to asbestos in the U.S.A. and Denmark. *Med Lav* 86: 393-410.
- Nicholson, WJ; Selikoff, IJ; Seidman, H; Lilis, R; Formby, P. (1979). Long-term mortality experience of chrysotile miners and millers in Thetford Mines, Quebec. *Ann N Y Acad Sci* 330: 11-21.
- Nicolini, A; Perazzo, A; Lanata, S. (2011). Desmoplastic malignant mesothelioma of the pericardium: Description of a case and review of the literature. 28: 219-221. <http://dx.doi.org/10.4103/0970-2113.83985>.
- Nicosia, SV; Johnson, JH. (1984). Effects of 2 International Union Against Cancer standard reference samples of asbestos on cultured rabbit ovarian surface epithelial cells (pp. 1329-1336). (HEEP/85/03863). Nicosia, SV; Johnson, JH.
- Nicosia, SV; Johnson, JH. (1984). Effects of two international union against cancer standard reference samples of asbestos on cultured rabbit ovarian surface epithelial cells. *Scan Electron Microsc* 1329-1336.
- Nielsen, LS; Baelum, J; Rasmussen, J; Dahl, S; Olsen, K; Albin, M; Hansen, NC; Sherson, D. (2014). Occupational Asbestos Exposure and Lung Cancer-A Systematic Review of the Literature [Review]. *Arch Environ Occup Health* 69: 191-206. <http://dx.doi.org/10.1080/19338244.2013.863752>.
- Niemeier, RW. (1990). Health Hazard Evaluation Report HETA 90-390-2065 and MHETA 86-012-2065, R. T. Vanderbilt Company, Gouverneur, New York and NIOSH Comments to OSHA on 'Variations in the Carcinogenicity of Tremolite Dust Samples of Differing Morphology' (pp. 1-20). Niemeier, RW.
- Niemeier, RW; Stettler, LE; Mulligan, LT; Rowland, J. (1982). Cocarcinogenicity of Foundry Particulates--Interim Report (pp. Progress on Joint Environmental and Occupational Cancer Studies). (NIOSH/00187788). Niemeier, RW; Stettler, LE; Mulligan, LT; Rowland, J.
- Nigam, SK. (1991). OCCUPATIONAL EXPOSURE TO HAZARDOUS CHEMICALS AND THEIR EFFECT ON THE IMMUNE SYSTEM (pp. 189-191). (BIOSIS/92/25636). Nigam, SK.
- Nigam, SK; Suthar, AM; Patel, MM; Karnik, AB; Dave, SK; Kashyap, SK; Venkaiah, K. (1993). Humoral immunological profile of workers exposed to asbestos in asbestos mines. *Indian J Med Res* 98: 274-277.
- Nikitina, OV; Kogan, FM; Vanchugova, NN; Frash, VN. (1989). [Comparative carcinogenic properties of basalt fiber and chrysotile-asbestos]. *Gig Tr Prof Zabol* 7-11.
- Nikitina, OV; Kogan, FM; Vanchugova, NN; Frash, VN. (1989). COMPARATIVE ONCOGENICITY OF BASALT FIBER AND CHRYSOTILE ASBESTOS. *Gig Tr Prof Zabol* 0: 7-11.
- Niklinski, J; Niklinska, W; Chyczewska, E; Laudanski, J; Naumnik, W; Chyczewski, L; Plyugers, E. (2004). The epidemiology of asbestos-related diseases [Review]. *Lung Cancer* 45 Suppl 1: S7-S15. <http://dx.doi.org/10.1016/j.lungcan.2004.04.008>.
- Nilsson, A; Rasmuson, T. (2009). Primary Pericardial Mesothelioma: Report of a Patient and Literature Review. *Case Reports in Oncology* 2: 125-132. <http://dx.doi.org/10.1159/000228894>.
- NIOSH. (1976). NIOSH Testimony on Occupational Causes of Cancer by J. K. Wagoner, May 28, 1976. (NIOSH/00189591). Commission of the European Communities.

Human Health Hazard Literature Search Results

On Topic

- NIOSH. (1979). NIOSH Testimony on Asbestos by A. Robbins, May 1, 1979. (NIOSH/00190672). NIOSH.
- NIOSH. (1979). NIOSH Testimony on Jewelry Industry by P. J. Landrigan, October 2, 1979. (NIOSH/00193999). NIOSH.
- NIOSH. (1979). NIOSH Testimony on Occupational Diseases by A. Robbins, April 2, 1979. (NIOSH/00191011). NIOSH.
- NIOSH. (1980). NIOSH Testimony on Asbestos by R. A. Lemen, February 12, 1980. (NIOSH/00194002). NIOSH.
- NIOSH. (1980). NIOSH Testimony on New Asbestos Standard by A. Robbins, April 17, 1980. (NIOSH/00193581). NIOSH.
- NIOSH. (1981). NIOSH Testimony on Cancer and Respiratory Diseases by R. F. Coene, April 9, 1981. (NIOSH/00193998). NIOSH.
- NIOSH. (1984). NIOSH Testimony on Asbestos by R. A. Lemen, June 21, 1984. (NIOSH/00170023). NIOSH.
- NIOSH. (1984). NIOSH Testimony on Asbestos by R. A. Lemen, March 21, 1984. (NIOSH/00193567). NIOSH.
- NIOSH. (1986). NIOSH Testimony on Occupational Exposure to Asbestos, Tremolite, Anthophyllite, and Actinolite by J. D. Millar, July 17, 1988. (NIOSH/00190674). NIOSH.
- NIOSH. (1987). NIOSH Testimony on the Occupational Safety and Health Administration's Final Rule on Occupational Exposure to Asbestos, Tremolite, Anthophyllite, and Actinolite by J. D. Millar, December 1, 1987. (NIOSH/00190678). NIOSH.
- NIOSH (National Institute for Occupational Safety and Health). (1990). NIOSH Comments to DOL on the Occupational Safety and Health Administration's Notice of Proposed Rulemaking on Occupational Exposure to Asbestos, Tremolite, Anthophyllite, and Actinolite by R. A. Lemen, April 9, 1990 (pp. 1-20).
- NIOSH. (1990). NIOSH Testimony on Asbestos by R. Lemen, April 26, 1990. (NIOSH/00195616). NIOSH.
- NIOSH. (1990). NIOSH Testimony on Occupational Exposure to Asbestos, Tremolite, Anthophyllite, and Actinolite by R. A. Lemen, April 9, 1990. (NIOSH/00196004). NIOSH.
- NIOSH. (1990). NIOSH Testimony on Occupational Exposure to Asbestos, Tremolite, Anthophyllite, and Actinolite by R. A. Lemen, May 9, 1990. (NIOSH/00195983). NIOSH.
- NIOSH. (1990). NIOSH Testimony on Occupational Exposure to Asbestos, Tremolite, Anthophyllite, and Actinolite by R. W. Niemeier, December 14, 1990. (NIOSH/00199140). NIOSH.
- NIOSH (National Institute for Occupational Safety and Health). (1990). NIOSH Testimony to DOL on the Occupational Safety and Health Administration's Notice of Proposed Rulemaking on Occupational Exposure to Asbestos, Tremolite, Anthophyllite, and Actinolite by R. A. Lemen, May 9, 1990 (pp. 1-19).
- NIOSH (National Institute for Occupational Safety and Health). (1990). Proceedings of the International Pneumoconioses Conference (7th) Part 1. Held in Pittsburgh, Pennsylvania on August 23-26, 1988 (pp. 1-852). Cincinnati, OH: U.S. National Institute for Occupational Safety and Health.
- NIOSH (National Institute for Occupational Safety and Health). (1991). Health Hazard Evaluation Report HETA 87-392-2099, Loral Systems Group, Akron, Ohio (pp. 1-20).
- NIOSH (National Institute for Occupational Safety and Health). (1991). NIOSH Comments to DOL on the Occupational Safety and Health Administration's Proposed Rule on Occupational Exposure to Asbestos, Tremolite, Anthophyllite, and Actinolite by J. D. Millar, April 26, 1991 (pp. 1-6).
- NIOSH (National Institute for Occupational Safety and Health). (1991). NIOSH Testimony to DOL on the Occupational Safety and Health Administration's Proposed Rule on Occupational Exposure to Asbestos, Tremolite, Anthophyllite, and Actinolite by J. D. Millar, January 24, 1991 (pp. 1-18).
- NIOSH (National Institute for Occupational Safety and Health). (1993). NIOSH Comments to the Coast Guard on the Coast Guard advance notice of proposed rulemaking on controlling the marine asbestos hazard by R.W. Niemeier, February 4, 1993. Atlanta, GA: National Institute for Occupational Safety and Health :: NIOSH.
- NIOSH. (1993). NIOSH Testimony on Controlling the Marine Asbestos Hazard by R. W. Niemeier, February 4, 1993. (NIOSH/00214133). NIOSH.
- NIOSH. (1993). NIOSH Testimony on Occupational Exposure to Asbestos, Tremolite, Anthophyllite, and Actinolite by R. W. Niemeier, January 4, 1993. (NIOSH/00214131). NIOSH.
- NIOSH (National Institute for Occupational Safety and Health). (1994). Health hazard evaluation report HETA 93-0696-2395, Hardy Road Landfill, Akron, Ohio (pp. 93-0696). (NIOSH/00219660). Cincinnati, OH: U.S. Department of Health and Human Services.
- NIOSH (National Institute for Occupational Safety and Health). (1995). Health hazard evaluation report HETA 91-0040-2510, Kraft General Foods, Inc., Maxwell House Coffee, Co., Houston, Texas (pp. 91-0040). (NIOSH/00228254). Cincinnati, OH: U.S. Department of Health and Human Services.
- NIOSH (National Institute for Occupational Safety and Health). (1995). Health hazard evaluation report HETA 93-0962-2490, MBL-USA, Ottawa, Illinois (pp. 93-0962). (NIOSH/00225889). Cincinnati, OH: U.S. Department of Health and Human Services.
- Nishiike, T; Nishimura, Y; Wada, Y; Iguchi, H. (2004). The increase of S-nitrosothiols in macrophages exposed to asbestos or man-made mineral fibers. *Nitric Oxide* 11: 113-113.
- Nishiike, T; Nishimura, Y; Wada, Y; Iguchi, H. (2005). Production of nitric oxide elevates nitrosothiol formation resulting in decreased glutathione in macrophages exposed to asbestos or asbestos substitutes. *Arch Toxicol* 79: 83-89. <http://dx.doi.org/10.1007/s00204-004-0608-6>.
- Nishijo, M; Momonoya, I; Teranishi, H; Kasuya, M; Kitagawa, M. (1985). [A case of mesothelioma in a part-time farmer exposed to asbestos]. *Sangyo Igaku* 27: 258-259.
- Nishikawa, K; Takahashi, K; Karjalainen, A; Wen, CP; Furuya, S; Hoshuyama, T; Todoroki, M; Kiyomoto, Y; Wilson, D; Higashi, T; Ohtaki, M; Pan, G; Wagner, G. (2008). Recent mortality from pleural mesothelioma, historical patterns of asbestos use, and adoption of bans: a global assessment. *Environ Health Perspect* 116: 1675-1680. <http://dx.doi.org/10.1289/ehp.11272>.

Human Health Hazard Literature Search Results

On Topic

- Nishikawa, S; Tanaka, A; Matsuda, A; Oida, K; Jang, H; Jung, K; Amagai, Y; Ahn, G; Okamoto, N; Ishizaka, S; Matsuda, H. (2014). A molecular targeting against nuclear factor- κ B, as a chemotherapeutic approach for human malignant mesothelioma. 3: 416-425. <http://dx.doi.org/10.1002/cam4.202>.
- Nishimura, SL; Broaddus, VC. (1998). Asbestos-induced pleural disease [Review]. *Clin Chest Med* 19: 311-329.
- Nishimura, Y; Kumagai, N; Maeda, M; Hayashi, H; Fukuoka, K; Nakano, T; Miura, Y; Hiratsuka, J; Otsuki, T. (2011). Suppressive effect of asbestos on cytotoxicity of human NK cells [Review]. *Int J Immunopathol Pharmacol* 24: 5S-10S.
- Nishimura, Y; Kumagai-Takei, N; Matsuzaki, H; Lee, S; Maeda, M; Kishimoto, T; Fukuoka, K; Nakano, T; Otsuki, T. (2015). Functional Alteration of Natural Killer Cells and Cytotoxic T Lymphocytes upon Asbestos Exposure and in Malignant Mesothelioma Patients [Review]. *BioMed Res Int* 2015: 238431. <http://dx.doi.org/10.1155/2015/238431>.
- Nishimura, Y; Maeda, M; Kumagai, N; Hayashi, H; Miura, Y; Otsuki, T. (2009). Decrease in phosphorylation of ERK following decreased expression of NK cell-activating receptors in human NK cell line exposed to asbestos. *Int J Immunopathol Pharmacol* 22: 879-888.
- Nishimura, Y; Maeda, M; Kumagai-Takei, N; Lee, S; Matsuzaki, H; Wada, Y; Nishiike-Wada, T; Iguchi, H; Otsuki, T. (2013). Altered functions of alveolar macrophages and NK cells involved in asbestos-related diseases [Review]. *Environ Health Prev Med* 18: 198-204. <http://dx.doi.org/10.1007/s12199-013-0333-y>.
- Nishimura, Y; Miura, Y; Maeda, M; Hayashi, H; Dong, M; Katsuyama, H; Tomita, M; Hyodoh, F; Kusaka, M; Uesaka, A; Kuribayashi, K; Fukuoka, K; Nakano, T; Kashimoto, T; Otsuki, T. (2006). Expression of the T cell receptor V β repertoire in a human T cell resistant to asbestos-induced apoptosis and peripheral blood T cells from patients with silica and asbestos-related diseases. *Int J Immunopathol Pharmacol* 19: 795-805.
- Nishimura, Y; Miura, Y; Maeda, M; Kumagai, N; Murakami, S; Hayashi, H; Fukuoka, K; Nakano, T; Otsuki, T. (2009). Impairment in cytotoxicity and expression of NK cell-activating receptors on human NK cells following exposure to asbestos fibers. *Int J Immunopathol Pharmacol* 22: 579-590.
- Nishimura, Y; Nishiike-Wada, T; Wada, Y; Miura, Y; Otsuki, T; Iguchi, H. (2007). Long-lasting production of TGF- β 1 by alveolar macrophages exposed to low doses of asbestos without apoptosis. *Int J Immunopathol Pharmacol* 20: 661-671.
- Nisse, C; Lorthois, C; Dorp, V; Eloy, E; Haguenoer, JM; Fenaux, P. (1995). Exposure to occupational and environmental factors in myelodysplastic syndromes. Preliminary results of a case-control study. *Leukemia BASINGSTOKE*: 693-699.
- Nizamova, RS. (1991). Occupational hazards and cancer of the bladder. *Urol Nefrol* 0: 35-38.
- Nizze, H. (1972). [Asbestos and its hazards to man] [Review]. *Dtsch Gesundheitswesen* 27: 913-918.
- Nizze, H. (1973). Exposure to asbestos and the genesis of pleural plaques and neoplasia. *Arch Pathol* 95: 213-214.
- Nizze, H. (1973). SO-CALLED ASBESTOS BODIES IN HUMAN LUNGS AT AUTOPSY (FREQUENCY AND SIGNIFICANCE). *Acta Morphol Acad Sci Hung* 127-127.
- Noble, PW; Henson, PM; Riches, DW. (1991). Insulin-like growth factor-1 (IGF-1) mRNA expression in bone marrow derived macrophages is stimulated by chrysotile asbestos and bleomycin. A potential marker for a reparative macrophage phenotype. *Chest* 99: 79S-80S.
- Noble, PW; Henson, PM; Riches, DWH. (1991). INSULIN-LIKE GROWTH FACTOR-I (IGF-1) MESSENGER-RNA EXPRESSION IN BONE-MARROW DERIVED MACROPHAGES IS STIMULATED BY CHRYSOTILE ASBESTOS AND BLEOMYCIN - A POTENTIAL MARKER FOR A REPARATIVE MACROPHAGE PHENOTYPE. *Chest* 99: S79-S80.
- NOHSC - Australia (National Occupational Health and Safety Commission - Australia). (1996). Guidelines for health surveillance (pp. 1995-1996). (CIS/96/01267). National Occupational Health and Safety Commission (Worksafe Australia).
- Nojima, D; Fujimoto, N; Kato, K; Fuchimoto, Y; Kiura, K; Kishimoto, T; Tanimoto, M. (2015). Pilot Analysis of Asbestos-induced Diffuse Pleural Thickening with Respiratory Compromise. *Acta Med Okayama* 69: 261-266.
- Nojima, D; Fujimoto, N; Kato, K; Kiura, K; Tanimoto, M; Kishimoto, T. (2013). Clinical Investigation of Asbestos-Induced Diffuse Pleural Thickening With Respiratory Compromise. *Chest* 144. <http://dx.doi.org/10.1378/chest.1701704>.
- Nokso-Koivisto, P; Pukkala, E. (1994). Past exposure to asbestos and combustion products and incidence of cancer among Finnish locomotive drivers. *Occup Environ Med* 51: 330-334.
- Nolan, RP; Langer, AM. (1996). Mineralogy (pp. 173-186). (NIOSH/00229490). Nolan, RP; Langer, AM.
- Nolan, RP; Langer, AM; Addison, J. (1994). Lung content analysis of cases occupationally exposed to chrysotile asbestos. *Environ Health Perspect* 102 Suppl 5: 245-250.
- Noonan, C; Pfau, J; Larson, T; Spence, M. (2006). Nested case-control study of autoimmune disease in an asbestos-exposed population. *Environ Health Perspect* 114: 1243-1247. <http://dx.doi.org/10.1289/ehp.9203>.
- Noonan, CW. (2006). Exposure matrix development for the Libby cohort. *Inhal Toxicol* 18: 963-967. <http://dx.doi.org/10.1080/08958370600835021>.
- Nordman, H; Keskinen, H; Alanko, K. (1988). [The changing spectrum of occupational diseases of the lung] [Review]. *Duodecim* 104: 473-479.
- Nordman, H; Starck, J; Tossavainen, A; Viikari-Juntura, E. (1995). Sixth US-Finnish Joint Symposium on Occupational Health and Safety (pp. 8-10). (NIOSH/00229599). Nordman, H; Starck, J; Tossavainen, A; Viikari-Juntura, E.
- Nordmann, M; Sonnenberg, H. (1960). [Asbestos - cement dust lung (Pneumoconiosis in mixed dust or combined dust?). 18: 205-219.
- Noro, L. (1948). [Not Available]. *Nord Med* 38: 757.
- Norseth, T. (1980). Asbestos and metals as carcinogens. *J Toxicol Environ Health* 6: 1021-1028. <http://dx.doi.org/10.1080/15287398009529924>.
- Norseth, T. (1988). Metal carcinogenesis [Review]. *Ann N Y Acad Sci* 534: 377-386. <http://dx.doi.org/10.1111/j.1749-6632.1988.tb30125.x>.
- Nouvot, G. (1999). Pollution and respiratory health: Relative importance of domestic pollution and atmospheric pollution for respiratory health (pp. 27-30). (BIOSIS/00/01122). Nouvet, G.

Human Health Hazard Literature Search Results

On Topic

- Novakov, CP; Feierman, D; Cederbaum, AI; Stoyanovsky, DA. (2001). An ESR and HPLC-EC assay for the detection of alkyl radicals. *Chem Res Toxicol* 14: 1239-1246.
- Nowinski, PA. (1987). Chronology of Asbestos Regulation in United States Workplaces (pp. 99-134). (NIOSH/00178740). Nowinski, PA. NRC (National Research Council). (1984). Asbestiform fibers: nonoccupational health risks. Washington (DC).
- NTIS. (1991). MEDICAL SURVEILLANCE REPORT - TEXAS OPERATIONS WITH COVER SHEETS AND LETTER DATED 032691 (SANITIZED) (pp. #86-910000761S). (TSCATS/415271).
- NTIS. (1995). Population-Based Case-Control Study of Lung Cancer Mortality in Four Arizona Smelter Towns. 160.
- NTP (National Toxicology Program). (1983). NTP lifetime carcinogenesis studies of amosite asbestos (CAS no. 12172-73-5) in Syrian golden hamsters (feed studies) (pp. 1-81). (ISSN 0888-8051 TR 249). Research Triangle Park, NC: U.S. Department of Health and Human Services, National Toxicology Program. http://ntp.niehs.nih.gov/ntp/htdocs/LT_rpts/tr249.pdf.
- NTP (National Toxicology Program). (1985). NTP toxicology and carcinogenesis studies of chrysotile asbestos (CAS no. 12001-29-5) in F344/N rats (feed studies) (pp. 1-390). (ISSN 0888-8051). Research Triangle Park, NC: U.S. Department of Health and Human Services, Public Health Service, National Institutes of Health. http://ntp.niehs.nih.gov/ntp/htdocs/LT_rpts/tr279.pdf#search=Toxicology%20and%20carcinogenesis%20studies%20of%20chrysotile%20asbestos.
- NTP. (1988). NTP Toxicology and Carcinogenesis Studies of Crocidolite Asbestos (CAS No. 12001-28-4) In F344/N Rats (Feed Studies). *Natl Toxicol Program Tech Rep Ser* 280: 1-178.
- NTP. (1990). Lifetime Carcinogenesis Studies of Chrysotile Asbestos (CAS No. 12001-29-5) in Syrian Golden Hamsters (Feed Studies). 196.
- NTP. (1990). NTP Toxicology and Carcinogenesis Studies of Amosite Asbestos (CAS No. 12172-73-5) in F344/N Rats (Feed Studies). *Natl Toxicol Program Tech Rep Ser* 279: 1-341.
- NTP. (1990). NTP Toxicology and Carcinogenesis Studies of Tremolite (CAS No. 14567-73-8) in F344/N Rats (Feed Studies). *Natl Toxicol Program Tech Rep Ser* 277: 1-183.
- NTP. (1990). NTP Toxicology and Carcinogenesis Studies of Vanadium Pentoxide (CAS No. 1314-62-1) in F344/N Rats and B6C3F1 Mice (Inhalation). 246: 1-192.
- NTP. (2002). Asbestos. *Rep Carcinog* 10: 19-22.
- NTP. (2011). Asbestos. 12: 53-56.
- Nuorva, K; Mäkitaro, R; Huhti, E; Kamel, D; Vähäkangas, K; Bloigu, R; Soini, Y; Pääkkö, P. (1994). p53 protein accumulation in lung carcinomas of patients exposed to asbestos and tobacco smoke. *Am J Respir Crit Care Med* 150: 528-533. <http://dx.doi.org/10.1164/ajrccm.150.2.8049841>.
- Nurminen, M. (1973). A study of the mortality of workers in an anthophyllite asbestos factor in Finland. *Work Environ*: 112-118.
- Nurminen, M. (1975). The epidemiologic relationship between pleural mesothelioma and asbestos exposure. *Scand J Work Environ Health* 1: 128-137.
- Nurminen, M; Karjalainen, A; Takahashi, K. (2003). Estimating the induction period of pleural mesothelioma from aggregate data on asbestos consumption. *J Occup Environ Med* 45: 1107-1115. <http://dx.doi.org/10.1097/01.jom.0000091682.95314.01>.
- Nurminen, M; Mutanen, P. (1980). Statistical modeling of epidemiologic data. *Scand J Work Environ Health* 6: 146-152.
- Nurminen, M; Tossavainen, A. (1994). Is there an association between pleural plaques and lung cancer without asbestosis? *Scand J Work Environ Health* 20: 62-64.
- Nuvoli, B; Galati, R. (2013). Cyclooxygenase-2, epidermal growth factor receptor, and aromatase signaling in inflammation and mesothelioma [Review]. *Mol Cancer Ther* 12: 844-852. <http://dx.doi.org/10.1158/1535-7163.MCT-12-1103>.
- Nyberg, P. (1991). Polyvinylpyridine-N-oxide and carboxymethyl cellulose inhibit mineral dust-induced production of reactive oxygen species by human macrophages. *Environ Res* 55: 157-164.
- Nyberg, P; Klockars, M. (1990). Effect of immunoglobulins on mineral dust-induced production of reactive oxygen metabolites by human macrophages. *Inflammation* 14: 621-629.
- Nyberg, P; Klockars, M. (1990). Measurement of reactive oxygen metabolites produced by human monocyte-derived macrophages exposed to mineral dusts. *Int J Exp Pathol* 71: 537-544.
- Nyberg, P; Klockars, M. (1991). Interferon-gamma and immunoglobulin enhance mineral dust-induced production of reactive oxygen metabolites by human macrophages. *Clin Immunol Immunopathol* 60: 128-136.
- Nyberg, P; Klockars, M. (1994). Bacillus Calmette-Guérin (BCG) and immunoglobulins synergistically enhance mineral dust-induced production of reactive oxygen metabolites by human monocytes. *Clin Exp Immunol* 97: 334-337.
- Nyberg, PW; Nordman, SA; Klockars, ML. (1994). Increased mineral dust-induced production of reactive oxygen species by blood monocytes from patients with malignant diseases. *APMIS* 102: 765-770.
- Nyberg, PW; Nordman, SA; Linko, L. (1994). A synergistic interaction between Bacillus Calmette-Guérin (BCG) and NADPH oxidase stimulants on the production of reactive oxygen metabolites by human mononuclear phagocytes. *APMIS* 102: 67-71.
- Nygren, J; Suhonen, S; Norppa, H; Linnainmaa, K. (2004). DNA damage in bronchial epithelial and mesothelial cells with and without associated crocidolite asbestos fibers. *Environ Mol Mutagen* 44: 477-482. <http://dx.doi.org/10.1002/em.20066>.
- Nyiredy, G. (1975). [Benign asbestos-induced pleurisy (author's transl)]. *Prax Pneumol* 29: 166-169.
- Nymark, P; Aavikko, M; Mäkilä, J; Ruosaari, S; Hienonen-Kempas, T; Wikman, H; Salmenkivi, K; Pirinen, R; Karjalainen, A; Vanhala, E; Kuosma, E; Anttila, S; Kettunen, E. (2013). Accumulation of genomic alterations in 2p16, 9q33.1 and 19p13 in lung tumours of asbestos-exposed patients. *Mol Oncol* 7: 29-40. <http://dx.doi.org/10.1016/j.molonc.2012.07.006>.

Human Health Hazard Literature Search Results

On Topic

- Nymark, P; Guled, M; Borze, I; Faisal, A; Lahti, L; Salmenkivi, K; Kettunen, E; Anttila, S; Knuutila, S. (2011). Integrative analysis of microRNA, mRNA and aCGH data reveals asbestos- and histology-related changes in lung cancer. *Genes Chromosomes Cancer* 50: 585-597. <http://dx.doi.org/10.1002/gcc.20880>.
- Nymark, P; Kettunen, E; Aavikko, M; Ruosaari, S; Kuosma, E; Vanhala, E; Salmenkivi, K; Pirinen, R; Karjalainen, A; Knuutila, S; Wikman, H; Anttila, S. (2009). Molecular alterations at 9q33.1 and polyploidy in asbestos-related lung cancer. *Clin Cancer Res* 15: 468-475. <http://dx.doi.org/10.1158/1078-0432.CCR-08-1852>.
- Nymark, P; Lindholm, PM; Korpela, MV; Lahti, L; Ruosaari, S; Kaski, S; Hollmén, J; Anttila, S; Kinnula, VL; Knuutila, S. (2007). Gene expression profiles in asbestos-exposed epithelial and mesothelial lung cell lines. *BMC Genomics* 8: 62. <http://dx.doi.org/10.1186/1471-2164-8-62>.
- Nymark, P; Wijshoff, P; Cavilli, R; van Herwijnen, M; Coonen, ML; Claessen, S; Catalán, J; Norppa, H; Kleinjans, JC; Briedé, JJ. (2015). Extensive temporal transcriptome and microRNA analyses identify molecular mechanisms underlying mitochondrial dysfunction induced by multi-walled carbon nanotubes in human lung cells. *Nanotoxicology* 9: 624-635. <http://dx.doi.org/10.3109/17435390.2015.1017022>.
- Nymark, P; Wikman, H; Hienonen-Kempas, T; Anttila, S. (2008). Molecular and genetic changes in asbestos-related lung cancer [Review]. *Cancer Lett* 265: 1-15. <http://dx.doi.org/10.1016/j.canlet.2008.02.043>.
- Nymark, P; Wikman, H; Ruosaari, S; Hollmen, J; Vanhala, E; Karjalainen, A; Anttila, S; Knuutila, S. (2006). Identification of specific gene copy number changes in asbestos-related lung cancer. *Cancer Res* 66: 5737-5743. <http://dx.doi.org/10.1158/0008-5472.can-06-0199>.
- O'B Hourihane, D. (1966). Asbestos and mesothelioma of the pleura [abridged]. *Proc R Soc Med* 59: 60.
- Oberdoerster, G. (1980). THE ROLE OF THE PULMONARY LYMPH SYSTEM IN THE REMOVAL OF AMOSITE FIBERS. *Toxicol Lett* 101-101.
- Oberdoerster, G; Ferin, J; Marcello, NL; Meinhold, SH. (1983). Effect of intrabronchially instilled amosite on lavagable lung and pleural cells. *Environ Health Perspect* 51: 41-47.
- Oberdorster, G. (1989). Combined Effects of Tobacco Smoke and Asbestos Fibers in the Lung: Synergism or Increased Dose to Target Sites? (pp. 10-14). (NIOSH/00225181). Oberdorster, G.
- Oberdorster, G. (1991). Lung dosimetry and extrapolation of results from animal inhalation studies to man. *J Aerosol Med Pulm Drug Deliv* 4: 335-347.
- Oberdorster, G. (1997). Pulmonary carcinogenicity of inhaled particles and the maximum tolerated dose [Review]. <http://dx.doi.org/10.2307/3433558>.
- Oberdorster, G. (2002). Toxicokinetics and effects of fibrous and nonfibrous particles [Review]. *Inhal Toxicol* 14: 29-56. <http://dx.doi.org/10.1080/089583701753338622>.
- Oberdörster, G. (1994). Macrophage-associated responses to chrysotile. *Ann Occup Hyg* 38: 601-615, 421-602.
- Oberdorster, G; Gavett, SH; Marcello, NL; Drago, SR. (1985). Effects of Amosite Fibers of Different Sizes on Lavagable Cells and Epithelial Permeability of the Lung (pp. 413-420). (NIOSH/00165775). Oberdorster, G; Gavett, SH; Marcello, NL; Drago, SR.
- O'Berg, MT. (1987). Occupational Cancer Epidemiology. *Occup Med (Lond)* 2: State of the Art Reviews.
- Oberson, D; Hornebeck, W; Pezerat, H; Sebastien, P; Lafuma, C. (1993). Environmental Mineral Dust Particles May Be Inhibitors of Human Leucocyte Elastase. Possible Involvement in Occupational Lung Diseases (pp. 14-17). (NIOSH/00221576). Oberson, D; Hornebeck, W; Pezerat, H; Sebastien, P; Lafuma, C.
- Oblin, A; Warnet, JM; Jaurand, MC; Bignon, J; Claude, JR. (1978). Biological effects of chrysotile after SO₂ sorption. iii. effects on the biochemical components of alveolar washing. *Br J Exp Pathol* 59: 32-37.
- O'Brien, CJ; Franks, AJ. (1987). Paraplegia due to massive asbestos-related pleural and mediastinal fibrosis. *Histopathology* 11: 541-548.
- O'Brien, PJ. (1988). Free-radical-mediated chemical carcinogenesis [Review]. *Ann N Y Acad Sci* 534: 552-564.
- Oc, M; Oc, B; Dogan, R. (2012). Unexpected malignant pericardial mesothelioma presenting as pericardial constriction. *Bratisl Lek Listy* 113: 620-621. http://dx.doi.org/10.4149/BLL_2012_140.
- Ochsmann, E; Carl, T; Brand, P; Raithel, HJ; Kraus, T. (2010). Inter-reader variability in chest radiography and HRCT for the early detection of asbestos-related lung and pleural abnormalities in a cohort of 636 asbestos-exposed subjects. *Int Arch Occup Environ Health* 83: 39-46. <http://dx.doi.org/10.1007/s00420-009-0443-4>.
- Oddone, E; Ferrante, D; Cena, T; Tunesi, S; Amendola, P; Magnani, C. (2014). [Asbestos cement factory in Broni (Pavia, Italy): a mortality study]. *Med Lav* 105: 15-29.
- Oddone, E; Imbriani, M. (2016). Pleural mesothelioma: Case-report of uncommon occupational asbestos exposure in a small furniture industry. *Int J Occup Med Environ Health* 29: 523-526. <http://dx.doi.org/10.13075/ijomeh.1896.00597>.
- Oddone, E; Modonesi, C; Gatta, G. (2014). Occupational exposures and colorectal cancers: a quantitative overview of epidemiological evidence [Review]. *World J Gastroenterol* 20: 12431-12444. <http://dx.doi.org/10.3748/wjg.v20.i35.12431>.
- O'Donnell, JK; Cordasco, EM; Feiglin D, HI; Go, RT; Gonzalez, L; Macintyre, WJ. (1987). GALLIUM-67 EMISSION TOMOGRAPHY IN ASBESTOSIS (pp. 2-5). (BIOSIS/87/27810). O'Donnell, JK; Cordasco, EM; Feiglin D, HI; Go, RT; Gonzalez, L; Macintyre, WJ.
- Oehlert, GW. (1991). A Reanalysis of the Stanton et al. Pleural Sarcoma Data. *Environ Res* 54: 194-205.
- Oels, HC; Harrison, EG; Carr, DT; Bernatz, PE. (1971). Diffuse malignant mesothelioma of the pleura: a review of 37 cases. *Chest* 60: 564-570.
- Oettel, H. (1954). Industrial Intoxications By Gases, Vapours And Dusts (pp. 42-60). (NIOSH/00145034). Oettel, H.
- Oettel, H. (1954). Maximum Allowable Concentration (MAC) Of Harmful Gases, Vapours And Dusts (pp. Betriebssicherheit). (NIOSH/00146429). Oettel, H.
- Oettinger, R; Drumm, K; Knorst, M; Krinyak, P; Smolarski, R; Kienast, K. (1999). Production of reactive oxygen intermediates by human macrophages exposed to soot particles and asbestos fibers and increase in NF-kappa B p50/p105 mRNA. *Lung* 177: 343-354.
- Oettle, AG. (1964). CANCER IN AFRICA, ESPECIALLY IN REGIONS SOUTH OF THE SAHARA (pp. 383-439). (EPIDEM/003582). Oettle, AG.

Human Health Hazard Literature Search Results

On Topic

- Offermans, NS; Vermeulen, R; Burdorf, A; Goldbohm, RA; Kauppinen, T; Kromhout, H; van den Brandt, PA. (2014). Occupational asbestos exposure and risk of pleural mesothelioma, lung cancer, and laryngeal cancer in the prospective Netherlands cohort study. *J Occup Environ Med* 56: 6-19. <http://dx.doi.org/10.1097/JOM.0000000000000060>.
- Offermans, NSM; Vermeulen, R; Burdorf, A; Goldbohm, RA; Keszei, AP; Peters, S; Kauppinen, T; Kromhout, H; van Den Brandt, PA. (2014). Occupational asbestos exposure and risk of esophageal, gastric and colorectal cancer in the prospective Netherlands Cohort Study. *Int J Cancer* 135: 1970-1977. <http://dx.doi.org/10.1002/ijc.28817>.
- Offermans, NSM; Vermeulen, R; Burdorf, A; Goldbohm, RA; Keszei, AP; Peters, S; Kauppinen, T; Kromhout, H; van Den Brandt, PA. (2014). Occupational asbestos exposure and risk of oral cavity and pharyngeal cancer in the prospective Netherlands Cohort Study. *Scand J Work Environ Health* 40: 420-427. <http://dx.doi.org/10.5271/sjweh.3434>.
- Ogami, A; Morimoto, Y; Myojo, T; Oyabu, T; Murakami, M; Nishi, K; Kadoya, C; Tanaka, I. (2007). Histopathological changes in rat lung following intratracheal instillation of silicon carbide whiskers and potassium octatitanate whiskers. *Inhal Toxicol* 19: 753-758. <http://dx.doi.org/10.1080/08958370701399869>.
- Ogami, A; Morimoto, Y; Yamato, H; Oyabu, T; Kajiwara, T; Tanaka, I. (2004). Patterns of histopathological change determined by the point counting method and its application for the hazard assessment of respirable dust. *Inhal Toxicol* 16: 793-800. <http://dx.doi.org/10.1080/08958370490476749>.
- Ogasawara, Y; Ishii, K. (2010). Exposure to chrysotile asbestos causes carbonylation of glucose 6-phosphate dehydrogenase through a reaction with lipid peroxidation products in human lung epithelial cells. *Toxicol Lett* 195: 1-8. <http://dx.doi.org/10.1016/j.toxlet.2010.03.001>.
- Ogata, H. (2011). A review of some epidemiological studies on cancer risk from low-dose radiation or other carcinogenic agents [Review]. *Radiat Prot Dosimetry* 146: 268-271. <http://dx.doi.org/10.1093/rpd/ncr167>.
- Oghiso, Y. (1986). DIFFERENT IMMUNOSTIMULATORY EFFECTS OF MINERAL DUST PARTICLES ON RAT ALVEOLAR MACROPHAGES AND T LYMPHOCYTES IN-VITRO (pp. 21-25). (BIOSIS/86/33867). HASKELL LABORATORY.
- Oghiso, Y. (1987). Heterogeneity in immunologic functions of rat alveolar macrophages--their accessory cell function and IL-1 production. *Microbiol Immunol* 31: 247-260.
- Oghiso, Y; Hartmann, DP; Kagan, E. (1982). EFFECTS OF INHALED ASBESTOS ON THE RELEASE OF CHEMO ATTRACTANTS (pp. 326-326). (ISSN 0192-0561 EISSN 0192-0561 HEEP/84/03388). Oghiso, Y; Hartmann, DP; Kagan, E.
- Oghiso, Y; Kagan, E; Brody, AR. (1984). Intrapulmonary distribution of inhaled chrysotile and crocidolite asbestos: ultrastructural features. *Br J Exp Pathol* 65: 467-484.
- Oghiso, Y; Kagan, E; Matsuoka, O. (1984). DEPOSITION PATTERNS OF ASBESTOS FIBERS AND THEIR MICROSCOPIC EFFECTS ON RAT LUNGS AFTER ASBESTOS INHALATION (pp. 2-3). (HEEP/85/06749). Oghiso, Y; Kagan, E; Matsuoka, O.
- Oghiso, Y; Kubota, Y. (1986). INTERLEUKIN 1-LIKE THYMOCYTE AND FIBROBLAST ACTIVATING FACTORS FROM RAT ALVEOLAR MACROPHAGES EXPOSED TO SILICA AND ASBESTOS PARTICLES (pp. 461-472). (ISSN 0021-5295 BIOSIS/86/30206). Oghiso, Y; Kubota, Y.
- Oghiso, Y; Kubota, Y. (1987). Interleukin 1 production and accessory cell function of rat alveolar macrophages exposed to mineral dust particles. *Microbiol Immunol* 31: 275-287.
- Oghiso, Y; Yamada, Y; H-J, X. (1993). Cytotoxicity of Fibrogenic Asbestos and Silica on Murine Pulmonary Alveolar Macrophage Colony-Forming Cells. *Inhal Toxicol* 5: 303-311.
- Oghiso, Y; Yamada, Y; Shibata, Y. (1992). Effects of instilled fibrogenic particles on the clonal growth of murine pulmonary alveolar macrophages. *Environ Health Perspect* 97: 159-161.
- Oguro, H; Naruhashi, H; Ueda, K; Suzuki, M; Mitoku, K; Miwa, M; Wakamatsu, C; Yasuda, Y; Shirai, K; Hatano, S; et al. (1988). A case-control study of lung cancer with special reference to asbestos exposure. *Cancer* 35: 461-468.
- O'Hanlon, LH. (2013). Researchers explore possible link between mesothelioma and dust emissions in southern Nevada. *J Natl Cancer Inst* 105: 312-314. <http://dx.doi.org/10.1093/jnci/djt033>.
- Ohar, J; Sterling, DA; Bleecker, E; Donohue, J. (2004). Changing patterns in asbestos-induced lung disease. *Chest* 125: 744-753. <http://dx.doi.org/10.1378/chest.125.2.744>.
- Ohar, JA; Ampleford, EJ; Howard, SE; Sterling, DA. (2007). Identification of a mesothelioma phenotype. *Respir Med* 101: 503-509. <http://dx.doi.org/10.1016/j.rmed.2006.06.028>.
- Ohar, JA; Cheung, M; Talarchek, J; Howard, SE; Howard, TD; Hesdorffer, M; Peng, H; Rauscher, FJ; Testa, JR. (2016). Germline BAP1 Mutational Landscape of Asbestos-Exposed Malignant Mesothelioma Patients with Family History of Cancer. *Cancer Res* 76: 206-215. <http://dx.doi.org/10.1158/0008-5472.CAN-15-0295>.
- Ohlson, CG; Bodin, L; Rydman, T; Hogstedt, C. (1985). Ventilatory decrements in former asbestos cement workers: a four year follow up. *Br J Ind Med* 42: 612-616.
- Ohlson, CG; Hogstedt, C. (1984). Mortality and cancer incidence among asbestos cement workers in Mid-Sweden - a cohort study. (CIS/86/01388). Ohlson, CG; Hogstedt, C.
- Ohlson, CG; Hogstedt, C. (1985). Lung cancer among asbestos cement workers. A Swedish cohort study and a review. *Br J Ind Med* 42: 397-402.
- Ohlson, CG; Klaesson, B; Hogstedt, C. (1984). Mortality among asbestos-exposed workers in a railroad workshop. *Scand J Work Environ Health* 10: 283-291.
- Ohlson, CG; Rydman, T; Sundell, L; Bodin, L; Hogstedt, C. (1984). Decreased lung function in long-term asbestos cement workers: a cross-sectional study. *Am J Ind Med* 5: 359-366.
- Ohnishi, Y; Sugitatsu, M; Watanabe, M; Fujii, T; Kakudo, K. (2014). Metastasis of mesothelioma to the maxillary gingiva. *Oral Oncol* 8: 1214-1216. <http://dx.doi.org/10.3892/ol.2014.2273>.

Human Health Hazard Literature Search Results

On Topic

- Ohshima, H; Bartsch, H. (1994). CHRONIC INFECTIONS AND INFLAMMATORY PROCESSES AS CANCER RISK-FACTORS - POSSIBLE ROLE OF NITRIC-OXIDE IN CARCINOGENESIS [Review]. *Mutat Res* 305: 253-264. [http://dx.doi.org/10.1016/0027-5107\(94\)90245-3](http://dx.doi.org/10.1016/0027-5107(94)90245-3).
- Ohta, Y. (1990). Accumulation and Composition of Inhaled Particulates in Human Lungs (pp. 23-26). (NIOSH/00198860). Ohta, Y.
- Ohyagi, S; Kagamimori, S; Hillerdal, G; Saitoh, N; Hosoda, Y; Shishido, S; Iwai, K. (1985). Study on prevalence of pleural plaques in miniature X-ray films in Japan and Sweden. *Ind Health* 23: 127-134.
- Ohyama, M; Nakajima, T; Hashimoto, M. (1991). ROLE OF ACTIVE OXYGEN SPECIES PRODUCED BY MACROPHAGES IN THE TOXICITY OF ASBESTOS (pp. 24-27). (BIOSIS/91/26573). Ohyama, M; Nakajima, T; Hashimoto, M.
- Ohyama, M; Otake, T; Morinaga, K. (2000). The chemiluminescent response from human monocyte-derived macrophages exposed to various mineral fibers of different sizes. *Ind Health* 38: 289-293. <http://dx.doi.org/10.2486/indhealth.38.289>.
- Ojajärvi, IA; Partanen, TJ; Ahlbom, A; Boffetta, P; Hakulinen, T; Jourenkova, N; Kauppinen, TP; Kogevinas, M; Porta, M; Vainio, HU; Weiderpass, E; Wesseling, CH. (2000). Occupational exposures and pancreatic cancer: A meta-analysis. *Occup Environ Med* 57: 316-324. <http://dx.doi.org/10.1136/oem.57.5.316>.
- Ojeda, HF; Mech, K; Hicken, WJ. (1998). Localized malignant mesothelioma: a case report. *Am Surg* 64: 881-885.
- Okabe, K; Matsuda, E; Tao, H; Kobayashi, S; Sugi, K; Aoe, K; Ueoka, H. (2009). Asbestos body quantification in the lung of male patients with primary lung cancer. *J Thorac Oncol* 4: S803-S804.
- Okabe, K; Murthy, GCK; Vallarino, JA; Skornik, WA; Hatch, VC; Katler, MR; Tsuda, A; Godleski, JJ. (1997). Deposition efficiency of inhaled fibers in the hamster lung. *Inhal Toxicol* 9: 85-98.
- Okada, F. (2014). Inflammation-related carcinogenesis: current findings in epidemiological trends, causes and mechanisms [Review]. *Yonago Acta Medica* 57: 65-72.
- Okawa, MT. (1972). Health Hazard Evaluation Report HHE-72-24-12, Filtering Materials Corporation, Richmond, California (pp. 72-24). (NIOSH/00027222). Okawa, MT.
- Okawa, MT. (1972). Health Hazard Evaluation Report HHE-72-27-21, Hoerner-Waldorf Corporation, Jefferson, Ohio (pp. 72-27). (NIOSH/00027224). Okawa, MT.
- Okawa, MT; Bodner, A. (1974). Health Hazard Evaluation Report No. HHE-73-187-151, Amax Aluminum Mill Products Company, Riverside, California (pp. 73-187). (NIOSH/00027963). Okawa, MT; Bodner, A.
- Okayasu, R; Takahashi, S; Ullrich, RL. (1998). THE EFFECTS OF ASBESTOS AS COMPARED TO RADIATION IN MAMMALIAN CELLS. (BIOSIS/98/15234). Okayasu, R; Takahashi, S; Ullrich, RL.
- Okayasu, R; Takahashi, S; Yamada, S; Hei, TK; Ullrich, RL. (1999). Asbestos and DNA double strand breaks. *Cancer Res* 59: 298-300.
- Okayasu, R; Wu, L; Hei, TK. (1999). Biological effects of naturally occurring and man-made fibres: in vitro cytotoxicity and mutagenesis in mammalian cells. *Br J Cancer* 79: 1319-1324. <http://dx.doi.org/10.1038/sj.bjc.6690213>.
- Okazaki, I; Maruyama, K; Kobayashi, Y; Lilis, R; Suzuki, Y. (1987). Serum type III procollagen peptide: indicator for pulmonary fibrosis: II. Application in 80 asbestos insulation workers. *Am J Ind Med* 11: 439-446.
- Okazaki, Y; Nagai, H; Chew, SH; Li, J; Funahashi, S; Tsujimura, T; Toyokuni, S. (2013). CD146 and insulin-like growth factor 2 mRNA-binding protein 3 predict prognosis of asbestos-induced rat mesothelioma. *Cancer Sci* 104: 989-995. <http://dx.doi.org/10.1111/cas.12185>.
- Okio, H; Kazu, S; Masahiro, M. (2007). Diagnostic biomarker of asbestos-related mesothelioma: example of translational research [Review]. *Cancer Sci* 98: 1147-1151. <http://dx.doi.org/10.1111/j.1349-7006.2007.00520.x>.
- Okonogi, N; Ebara, T; Ishikawa, H; Yoshida, D; Ueno, M; Maeno, T; Suga, T; Nakano, T. (2012). A seven-year disease-free survivor of malignant pleural mesothelioma treated with hyperthermia and chemotherapy: a case report. *J Med Case Rep* 6: 427. <http://dx.doi.org/10.1186/1752-1947-6-427>.
- Oksa, P; Huuskonen, MS; Järvisalo, J; Klockars, M; Zitting, A; Suoranta, H; Tossavainen, A; Vattulainen, K; Laippala, P. (1998). Follow-up of asbestosis patients and predictors for radiographic progression. *Int Arch Occup Environ Health* 71: 465-471.
- Oksa, P; Klockars, M; Karjalainen, A; Huuskonen, MS; Vattulainen, K; Pukkala, E; Nordman, H. (1998). Progression of asbestosis predicts lung cancer. *Chest* 113: 1517-1521.
- Oksa, P; Koskinen, H; Rinne, JP; Zitting, A; Roto, P; Huuskonen, MS. (1992). Parenchymal and pleural fibrosis in construction workers. *Am J Ind Med* 21: 561-567.
- Oksa, P; Pukkala, E; Karjalainen, A; Ojajärvi, A; Huuskonen, MS. (1997). Cancer incidence and mortality among Finnish asbestos sprayers and in asbestosis and silicosis patients. *Am J Ind Med* 31: 693-698.
- Oksa, P; Suoranta, H; Koskinen, H; Zitting, A; Nordman, H. (1994). High-resolution computed tomography in the early detection of asbestosis. *Int Arch Occup Environ Health* 65: 299-304. <http://dx.doi.org/10.1007/BF00405693>.
- Oksüzöğlü, B; Yalçın, S; Erman, M; Dağdelen, S. (2002). Leptomeningeal infiltration of malignant mesothelioma. *Med Oncol* 19: 167-169. <http://dx.doi.org/10.1385/MO:19:3:167>.
- Okten, F; Köksal, D; Onal, M; Ozcan, A; Simşek, C; Ertürk, H. (2006). Computed tomography findings in 66 patients with malignant pleural mesothelioma due to environmental exposure to asbestos. *Clin Imaging* 30: 177-180. <http://dx.doi.org/10.1016/j.clinimag.2005.12.027>.
- Okumura, T; Okada, M; Tsuji, M; Inoue, A; Ochiai, Y. (1980). Mesothelioma with lung cancer complicating asbestosis. *Acta Pathol Jpn* 30: 579-590.
- Okura, H; Suga, Y; Akiyama, O; Kudo, K; Tsutsumi, S; Abe, Y; Yasumoto, Y; Ito, M; Izumi, H; Shiomi, K. (2009). Pleural malignant mesothelioma causing cord infiltration through the nerve root. Case report. *Neurol Med Chir Tokyo* 49: 167-171.
- Okuyama, T; Imai, S; Tsubura, Y; Okumoto, T. (1981). Cytological findings of multiple primary lung tumours accompanied by asbestosis. *32: 25-29*.

Human Health Hazard Literature Search Results

On Topic

- Oldenburg, M; Degens, P; Baur, X. (2001). Asbest-bedingte Lungenfunktionseinschränkungen mit und ohne Pleuraplaques. *Atemwegs- und Lungenkrankheiten* 27: 422-423.
- Oldenburg, M; Degens, P; Baur, X. (2001). Asbestos-caused lung function limitations with and without pleural plaques (English Translation, 2014). *Atemwegs- und Lungenkrankheiten* 27: 422-423.
- Oldham, PD. (1972). A survey of pleural thickening: its relation to asbestos exposure and previous pleural disease. *Environ Res* 5: 142-151.
- Oldham, PD. (1974). ASBESTOS IN LUNG TISSUE (pp. LYON). (HEEP/75/04237). Oldham, PD.
- Oleru, UG. (1980). Pulmonary function of control and industrially exposed Nigerians in asbestos, textile, and toluene diisocyanate-foam factories. *Environ Res* 23: 137-148.
- Oliver, LC. (1994). Asbestos in Buildings: Management and Related Health Effects (pp. Asbestos and Cancers). (NIOSH/00224019). Oliver, LC.
- Oliver, LC. (1998). Asbestos in building: Management and related health effects. *J Clean Technol, Environ Toxicol, Occup Med* 7: 433-443.
- Oliver, LC; Eisen, EA; Greene, R; Sprince, NL. (1987). ASBESTOS-RELATED PLEURAL PLAQUES EXPOSURE AND LUNG FUNCTION (pp. 10-13). (BIOSIS/87/23713). Oliver, LC; Eisen, EA; Greene, R; Sprince, NL.
- Oliver, LC; Eisen, EA; Greene, R; Sprince, NL. (1988). Asbestos-related pleural plaques and lung function. *Am J Ind Med* 14: 649-656. <http://dx.doi.org/10.1002/ajim.4700140604>.
- Oliver, LC; Eisen, EA; Greene, RE; Sprince, NL. (1985). Asbestos-related disease in railroad workers: A cross-sectional study. *Am Rev Respir Dis* 131: 499-504. <http://dx.doi.org/10.1164/arrd.1985.131.4.499>.
- Oliver, LC; Eisen, EA; Greene, RE; Sprince, NL. (1987). ASBESTOS-RELATED PLEURAL PLAQUES AND LUNG-FUNCTION. *Scand J Work Environ Health* 13: 172-173.
- Oliver, LC; Eisen, EA; Sprince, NL. (1985). EFFECTS OF DEFINITION CRITERIA ON OUTCOME IN EPIDEMIOLOGIC STUDIES (pp. 12-15). (BIOSIS/85/16413). Oliver, LC; Eisen, EA; Sprince, NL.
- Oliver, LC; Eisen, EA; Sprince, NL; Greene, R. (1992). ASBESTOS-RELATED ABNORMALITIES IN SCHOOL CUSTODIANS AN ONGOING STUDY (pp. 17-20). (BIOSIS/92/20031). Oliver, LC; Eisen, EA; Sprince, NL; Greene, R.
- Oliver, LC; Sprince, NL; Greene, R. (1990). Asbestos-related radiographic abnormalities in public school custodians. *Toxicol Ind Health* 6: 629-636.
- Oliver, LC; Sprince, NL; Greene, R. (1991). Asbestos-related abnormalities in school maintenance personnel. *Ann N Y Acad Sci* 643: 521-529.
- Oliver, LC; Sprince, NL; Greene, R. (1991). Asbestos-related disease in public school custodians. *Am J Ind Med* 19: 303-316. <http://dx.doi.org/10.1002/ajim.4700190305>.
- Oliver, LC; Sprince, NL; Greene, R. (1992). ASBESTOS-RELATED RADIOGRAPHIC ABNORMALITIES IN PUBLIC-SCHOOL CUSTODIANS. 2: 93-99.
- Oliver, LC; Sprince, NL; Greene, RE. (1989). ASBESTOS-RELATED DISEASE IN PUBLIC SCHOOL CUSTODIANS (pp. 14-17). (BIOSIS/89/20551). Oliver, LC; Sprince, NL; Greene, RE.
- Oliver, LC; Sprince, NL; Park, CS; Renzi, PM; Ginns, LC. (1989). NATURAL KILLER CELL ACTIVITY IN ASBESTOS WORKERS RESPONSE TO BETA CAROTENE (pp. 14-17). (BIOSIS/89/20562). Oliver, LC; Sprince, NL; Park, CS; Renzi, PM; Ginns, LC.
- Oliver, RM; Neville, E. (1988). Progressive apical pleural fibrosis: a 'constrictive' ventilatory defect. *Br J Dis Chest* 82: 439-443.
- Oliver, TP. (1979). Asbestos in Use (pp. 72-85). (NIOSH/00178194). Oliver, TP.
- Ollier, M; Chamoux, A; Naughton, G; Pereira, B; Dutheil, F. (2014). Chest CT scan screening for lung cancer in asbestos occupational exposure: a systematic review and meta-analysis [Review]. *Chest* 145: 1339-1346. <http://dx.doi.org/10.1378/chest.13-2181>.
- Ollikainen, T. (2001). Oxidant and asbestos fiber induced toxicity in human lung cells. (CIS/02/00346). Ollikainen, T.
- Ollikainen, T; Linnainmaa, K; Kinnula, VL. (1999). Asbestos fibers induce DNA single strand breaks in human pleural mesothelial cells in vitro. *Neoplasma* 46: 11-12.
- Ollikainen, T; Linnainmaa, K; Kinnula, VL. (1999). DNA single strand breaks induced by asbestos fibers in human pleural mesothelial cells in vitro. *Environ Mol Mutagen* 33: 153-160.
- Ollikainen, T; Puhakka, A; Kahlos, K; Linnainmaa, K; Kinnula, VL. (2000). Modulation of cell and DNA damage by poly(ADP)ribose polymerase in lung cells exposed to H(2)O(2) or asbestos fibres. *Mutat Res* 470: 77-84.
- Olmedo, G; Poleri, C; Rojas, O; Abdala, O. (1994). ROUNDED ATELECTASIS - ANOTHER PULMONARY PSEUDOTUMOR. *Medicina (B Aires)* 54: 641-645.
- Olofsson, K; Mark, J. (1989). Specificity of asbestos-induced chromosomal aberrations in short-term cultured human mesothelial cells. *Cancer Genet Cytogenet* 41: 33-39.
- Olsen, J; Sabroe, S. (1984). Occupational causes of laryngeal cancer. *J Epidemiol Community Health* 38: 117-121.
- Olsen, J; Strunge, P; Schultz, K; Viskum, P. (1980). Conditions of health in a Danish industry employing asbestos: 2 (pp. 2506-2510). (HEEP/81/11799). Olsen, J; Strunge, P; Schultz, K; Viskum, P.
- Olsen, JH; Andersen, A; Dreyer, L; Pukkala, E; Tryggvadottir, L; Gerhardsson de Verdier, M; Winther, JF. (1997). Summary of avoidable cancers in the Nordic countries. *APMIS Suppl* 76: 141-146.
- Olsen, JH; Andersson, M. (1986). [Asbestos-induced cancer in Denmark]. *Ugeskr Laeger* 148: 3328-3333.
- Olsen, NJ; Franklin, PJ; Reid, A; de Klerk, NH; Threlfall, TJ; Shilkin, K; Musk, B. (2011). Increasing incidence of malignant mesothelioma after exposure to asbestos during home maintenance and renovation. *Med J Aust* 195: 271-274. <http://dx.doi.org/10.5694/mja11.10125>.
- Olson, JA. (1999). Carotenoids and human health [Review]. *Arch Latinoam Nutr* 49: 75-115.
- Olsson, A; Gustavsson, P, er; Zaridze, D; Mukeriya, A; Szeszenia-Dabrowska, N; Rudnai, P; Lissowska, J; Fabianova, E; Mates, D; Bencko, V; Foretova, L; Janout, V; Fevotte, J; T Manner, A; Fletcher, T; Brennan, P; Boffetta, P. (2011). Lung Cancer Risk Attributable to Occupational Exposures in a Multicenter Case-Control Study in Central and Eastern Europe. *J Occup Environ Med* 53: 1262-1267. <http://dx.doi.org/10.1097/JOM.0b013e318234e2d2>.

Human Health Hazard Literature Search Results

On Topic

- Olsson, A; Kromhout, H; Agostini, M; Hansen, J; Lassen, CF; Johansen, C; Kjaerheim, K; Langård, S; Stücker, I; Ahrens, W; Behrens, T; Lindbohm, ML; Heikkilä, P; Heederik, D; Portengen, L; Shaham, J; Ferro, G; de Vocht, F; Burstyn, I; Boffetta, P. (2010). A case-control study of lung cancer nested in a cohort of European asphalt workers. *Environ Health Perspect* 118: 1418-1424. <http://dx.doi.org/10.1289/ehp.0901800>.
- Olsson, AC; Vermeulen, R; Schüz, J; Kromhout, H; Pesch, B; Peters, S; Behrens, T; Portengen, L; Mirabelli, D; Gustavsson, P; Kendzia, B; Almansa, J; Luzon, V; Vlaanderen, J; Stücker, I; Guida, F; Consonni, D; Caporaso, N; Landi, MT; Field, J; Brüske, I; Wichmann, HE; Siemiatycki, J; Parent, ME; Richiardi, L; Merletti, F; Jöckel, KH; Ahrens, W; Pohlabein, H; Plato, N; Tardón, A; Zaridze, D; Mclaughlin, J; Demers, P; Szeszenia-Dabrowska, N; Lissowska, J; Rudnai, P; Fabianova, E; Stanescu Dumitru, R; Bencko, V; Foretova, L; Janout, V; Boffetta, P; Bueno-De-Mesquita, B; Forastiere, F; Brüning, T; Straif, K. (2017). Exposure-Response Analyses of Asbestos and Lung Cancer Subtypes in a Pooled Analysis of Case-Control Studies. *Epidemiology* 28: 288-299. <http://dx.doi.org/10.1097/EDE.0000000000000604>.
- Olut, A; Firat, P; Ertugrul, D; Gungen, Y; Emri, S. (2001). Ras oncoprotein expression in erionite- and asbestos-induced Turkish malignant pleural mesothelioma patients--a pilot study. *Respir Med* 95: 697-698. <http://dx.doi.org/10.1053/rmed.2001.1122>.
- Omenn, GS. (1987). CHEMOPREVENTION OF LUNG-CANCER WITH RETINOIDS IN WORKERS WITH EXTENSIVE HISTORY OR SIGNS OF ASBESTOS EXPOSURES. *J Occup Environ Med* 29: 367-367.
- Omenn, GS. (1988). A double-blind randomized trial with beta-carotene and retinol in persons at high risk of lung cancer due to occupational asbestos exposures and/or cigarette smoking. *Public Health Rev* 16: 99-125.
- Omenn, GS; Goodman, G; Grizzle, J; Thornquist, M; Rosenstock, L; Barnhart, S; Anderson, G; Balmes, J; Cherniack, M; Cone, J. (1991). CARET, the beta-carotene and retinol efficacy trial to prevent lung cancer in asbestos-exposed workers and in smokers. *Anticancer Drugs* 2: 79-86.
- Omenn, GS; Goodman, G; Grizzle, J; Thornquist, M; Rosenstock, L; Barnhart, S; Anderson, G; Balmes, J; Cone, J; Cherniack, M. (1992). Recruitment for the beta-carotene and retinol efficacy trial (CARET) to prevent lung cancer in smokers and asbestos-exposed workers. *West J Med* 156: 540-544.
- Omenn, GS; Goodman, G; Thornquist, M; Barnhart, S; Balmes, J; Cherniack, M; Cullen, M; Glass, A; Keogh, J; Liu, D; Meyskens, F; Perloff, M; Valanis, B; Williams, J. (1996). Chemoprevention of lung cancer: the beta-Carotene and Retinol Efficacy Trial (CARET) in high-risk smokers and asbestos-exposed workers. *IARC Sci Publ* 67-85.
- Omenn, GS; Goodman, G; Thornquist, M; Grizzle, J; Rosenstock, L; Barnhart, S; Balmes, J; Cherniack, MG; Cullen, MR; Glass, A. (1994). The beta-carotene and retinol efficacy trial (CARET) for chemoprevention of lung cancer in high risk populations: smokers and asbestos-exposed workers. *Cancer Res* 54: 2038s-2043s.
- Omenn, GS; Goodman, GE; Kleinman, GD; Rosenstock, L; Barnhart, S; Feigl, P; Thomas, DB; Kalman, D; Lund, B; Prentice, RL. (1988). The role of intervention studies in ascertaining the contribution of dietary factors in lung cancer. The Seattle chemoprevention trial of retinoids in asbestos-exposed workers. *Ann N Y Acad Sci* 534: 575-583.
- Omenn, GS; Goodman, GE; Thornquist, M; Rosenstock, L; Barnhart, S; Feigl, P. (1989). Chemoprevention of Lung Cancer with Beta-Carotene and Retinol in Persons at High Risk due to Asbestos Occupational Exposures and/or Cigarette Smoking, a Double Blind Randomized Trial (pp. 10-14). (NIOSH/00225177). Omenn, GS; Goodman, GE; Thornquist, M; Rosenstock, L; Barnhart, S; Feigl, P.
- Omenn, GS; Goodman, GE; Thornquist, MD; Balmes, J; Cullen, MR; Glass, A; Keogh, JP; Meyskens, FL; Valanis, B; Williams, JH; Barnhart, S; Cherniack, MG; Brodtkin, CA; Hammar, S. (1996). Risk factors for lung cancer and for intervention effects in CARET, the Beta-Carotene and Retinol Efficacy Trial. *J Natl Cancer Inst* 88: 1550-1559.
- Omenn, GS; Goodman, GE; Thornquist, MD; Balmes, J; Cullen, MR; Glass, A; Keogh, JP; Meyskens, FL; Valanis, B; Williams, JH; Barnhart, S; Hammar, S. (1996). Effects of a combination of beta carotene and vitamin A on lung cancer and cardiovascular disease. *N Engl J Med* 334: 1150-1155. <http://dx.doi.org/10.1056/NEJM199605023341802>.
- Omenn, GS; Goodman, GE; Thornquist, MD; Rosenstock, L; Barnhart, S; Gylys-Colwell, I; Metch, B; Lund, B. (1993). The Carotene and Retinol Efficacy Trial (CARET) to prevent lung cancer in high-risk populations: pilot study with asbestos-exposed workers. *Cancer Epidemiol Biomarkers Prev* 2: 381-387.
- Omenn, GS; Merchant, J; Boatman, E; Dement, JM; Kuschner, M; Nicholson, W; Peto, J; Rosenstock, L. (1986). Contribution of environmental fibers to respiratory cancer. *Environ Health Perspect* 70: 51-56.
- Omura, Y. (2006). Asbestos as a possible major cause of malignant lung tumors (including small cell carcinoma, adenocarcinoma & mesothelioma), brain tumors (i.e. astrocytoma & glioblastoma multiforme), many other malignant tumors, intractable pain including fibromyargia, & some cardio-vascular pathology: Safe & effective methods of reducing asbestos from normal & pathological areas. *Acupunct Electrother Res* 31: 274-340.
- Omura, Y. (2006). Asbestos as a possible major cause of malignant lung tumors (including small cell carcinoma, adenocarcinoma & mesothelioma), brain tumors (i.e. astrocytoma & glioblastoma multiforme), many other malignant tumors, intractable pain including fibromyalgia, & some cardio-vascular pathology: Safe & effective methods of reducing asbestos from normal & pathological areas. *Acupunct Electrother Res* 31: 61-125.
- Omura, Y. (2008). Very recently discovered role of asbestos in intractable medical problems including malignant tumors, cardiovascular diseases, Alzheimer's disease, autism, cataracts, intractable pain, and Morgellon's disease (which is considered to be a medical mystery) and how to remove asbestos from the human body safely and effectively. *Acupunct Electrother Res* 33: 51-53.
- Omura, Y; Henoch, A; Shimotsuura, Y; Duvvi, H; Kawashima, H; Ohki, M. (2009). Severe asthma with markedly increased asbestos of 2 types & TXB2, and markedly reduced acetylcholine, DHEA & drug uptake in parts of upper lungs, & similar abnormalities at respiratory & cardiac center of medulla oblongata: complete elimination of this asthma within 15 days using one optimal dose of astragalus & application of strong red light & EMF neutralizer on respiratory centers of abnormal medulla oblongata. *Acupunct Electrother Res* 34: 41-73.

Human Health Hazard Literature Search Results

On Topic

- Omura, Y; Jones, MK; Nihrane, A; Duvvi, H; Shimotsuura, Y; Ohki, M. (2013). More than 97% of human papilloma virus type 16 (HPV-16) was found with chrysotile asbestos & relatively smooth round tumor outline, and less than 3% was found with HPV-18 and tremolite asbestos & irregular sawtooth-like zigzag outline in breast cancer tissues in over 500 mammograms of female patients: their implications in diagnosis, treatment, and prevention of breast cancer. *Acupunct Electrother Res* 38: 211-230.
- Omura, Y; Lu, D; Jones, MK; Nihrane, A; Duvvi, H; Shimotsuura, Y; Ohki, M. (2015). Early Detection of Autism (ASD) by a Non-invasive Quick Measurement of Markedly Reduced Acetylcholine & DHEA and Increased beta-Amyloid (1-42), Asbestos (Chrysotile), Titanium Dioxide, Al, Hg & often Coexisting Virus Infections (CMV, HPV 16 and 18), Bacterial Infections etc. in the Brain and Corresponding Safe Individualized Effective Treatment. *Acupunct Electrother Res* 40: 157-187. <http://dx.doi.org/10.3727/036012915X14473562232941>.
- Omura, Y; O'Young, B; Jones, M; Nihrane, A; Duvvi, H; Paluch, K; Shimotsuura, Y; Ohki, M. (2012). Newly discovered quick, non-invasive screening method of bone marrow malignancies including various leukemias, Hodgkin's lymphoma, non-Hodgkin's lymphoma, & multiple myeloma by abnormality of small rectangular area within bone marrow organ representation areas of the face. *Acupunct Electrother Res* 37: 13-47.
- Omura, Y; Shimotsuura, Y; Duvvi, H; Ohata, N; Ohki, M. (2006). Reduced glucose uptake with markedly increased gastrin releasing peptide, osteopontine & asbestos found in dark black areas of PET Scan of chest wall in patient with mesothelioma. *Acupunct Electrother Res* 31: 247-257.
- O'Neil, JJ; Pinkerton, K; Crapo, JD. (1981). LUNG VOLUME CHANGES IN RATS EXPOSED TO CHRYSOTILE ASBESTOS (pp. 9-13). (HEEP/82/05784). O'Neil, JJ; Pinkerton, K; Crapo, JD.
- Ong, YY; Chan, KW; Thomas, A; Teh, LB. (1986). A CASE OF ABDOMINAL MESOTHELIOMA. *Singapore Med J* 27: 537-541.
- Onishi, Y; Nakahara, Y; Hirano, K; Sasaki, S; Kawamura, T; Mochiduki, Y. (2016). IgG4-related disease in asbestos-related pleural disease. 4: 22-24. <http://dx.doi.org/10.1002/rcr2.142>.
- Ophus, EM; Mowé, G; Osen, KK; Gylseth, B. (1980). Scanning electron microscopy and x-ray microanalysis of mineral deposits in lungs of a patient with pleural mesothelioma. *Br J Ind Med* 37: 375-381.
- Ordin, D; Seixas, N. (1985). Health Hazard Evaluation Report No. HETA-85-100-1585, Lennox China, Pomona, New Jersey (pp. 85-100). (NIOSH/00153678). Ordin, D; Seixas, N.
- Ordóñez, NG. (2000). Epithelial mesothelioma with deciduoid features: report of four cases. *Am J Surg Pathol* 24: 816-823.
- Ordóñez, NG. (2005). Mesothelioma with clear cell features: an ultrastructural and immunohistochemical study of 20 cases. *Hum Pathol* 36: 465-473. <http://dx.doi.org/10.1016/j.humpath.2005.02.014>.
- Ordóñez, NG. (2006). Mesothelioma with rhabdoid features: an ultrastructural and immunohistochemical study of 10 cases. *Mod Pathol* 19: 373-383. <http://dx.doi.org/10.1038/modpathol.3800543>.
- Ordóñez, NG. (2012). Deciduoid mesothelioma: report of 21 cases with review of the literature [Review]. *Mod Pathol* 25: 1481-1495. <http://dx.doi.org/10.1038/modpathol.2012.105>.
- Ordóñez, NG. (2012). Mesotheliomas with small cell features: report of eight cases. *Mod Pathol* 25: 689-698. <http://dx.doi.org/10.1038/modpathol.2011.202>.
- Ordóñez, NG. (2012). Pleomorphic mesothelioma: report of 10 cases. *Mod Pathol* 25: 1011-1022. <http://dx.doi.org/10.1038/modpathol.2012.39>.
- Ordóñez, NG; Smith, JL. (1983). Peritoneal malignant mesothelioma with multiple distant skin metastases. *Arch Dermatol* 119: 827-830.
- O'Reilly, D; Reid, J; Middleton, R; Gavin, AT. (1999). Asbestos related mortality in Northern Ireland: 1985-1994. *J Publ Health Med* 21: 95-101.
- O'Reilly, KMA; Mclaughlin, AM; Beckett, WS; Sime, PJ. (2007). Asbestos-related lung disease.[summary for patients in *Am Fam Physician*. 2007 Mar 1;75(5):690; PMID: 17375515] [Review]. *Am Fam Physician* 75: 683-688.
- Orenstein, MR; Schenker, MB. (2000). Environmental asbestos exposure and mesothelioma [Review]. *Curr Opin Pulm Med* 6: 371-377.
- Orfila, J; Lepinay, A; Vasseur, M; Le Bouffant, L; J-C, M; Daniel-Moussard, H. (1972). Influence of quartz, coal, titanium oxide and asbestos on experimentally induced Chlamydia psittaci disease (pp. 1434-1437). (HEEP/73/06670). Orfila, J; Lepinay, A; Vasseur, M; Le Bouffant, L; Martin J-C; Daniel-Moussard, H.
- Orfila, J; Lépinay, A; Vasseur, M; Le Bouffant, L; Martin, JC; Daniel-Moussard, H. (1972). [Influence of quartz, carbon, titanium oxide and asbestos dusts on the experimental disease in mice induced with Chlamydia psittaci]. *C R Acad Sci Hebd Seances Acad Sci D* 274: 1434-1437.
- Orlowski, E; Pairen, JC; Ameille, J; Janson, X; Iwatsubo, Y; Dufour, G; Bignon, J; Brochard, P. (1994). Pleural plaques, asbestos exposure, and asbestos bodies in bronchoalveolar lavage fluid. *Am J Ind Med* 26: 349-358.
- Orn, S; Odden, S; Osnes, M. (1991). [Familial clustering of asbestos-related diseases]. *Tidsskr Nor Laegeforen* 111: 1099-1101.
- Orom, H; Cline, RJ; Hernandez, T; Berry-Bobovski, L; Schwartz, AG; Ruckdeschel, JC. (2012). A Typology of Communication Dynamics in Families Living a Slow-Motion Technological Disaster. *Journal of Family Issues* 33: 1299-1323. <http://dx.doi.org/10.1177/0192513X11430821>.
- Orriols, R; Costa, R; Albanell, M; Alberti, C; Castejon, J; Monso, E; Panades, R; Rubira, N; Zock, JP; Group, MOR. (2006). Reported occupational respiratory diseases in Catalonia. *Occup Environ Med* 63: 255-260. <http://dx.doi.org/10.1136/oem.2005.022525>.
- Orsi, EV; Maines, SL; Nadeau, D; Maslany, S. (1985). TARGET-CELL SPECIES AND RESPONSE TO MODIFIED ASBESTOS FIBERS IN CELL-CULTURE SYSTEMS. *In Vitro* 21: A20-A20.
- Ortega Espinosa, CR; Saldarriaga Rivera, LM; Rangell, TE. (2014). [Malignant peritoneal mesothelioma in patients without occupational exposure. Case report]. *Acta Gastroenterol Latinoam* 44: 243-245.
- Ortega-Guerrero, MA; Carrasco-Núñez, G; Barragán-Campos, H; Ortega, MR. (2014). High incidence of lung cancer and malignant mesothelioma linked to erionite fibre exposure in a rural community in Central Mexico. *Occup Environ Med* 72: 216-218. <http://dx.doi.org/10.1136/oemed-2013-101957>.

Human Health Hazard Literature Search Results

On Topic

- Osborn, HL; Ryan, AJ; Racila, A; Murthy, S; Carter, B. (2011). RAC1 INTERACTION WITH CYTOCHROME C MEDIATES MITOCHONDRIAL H₂O₂ PRODUCTION IN ASBESTOS-EXPOSED MACROPHAGES. *J Investig Med* 59: 694-694.
- Osborn-Heaford, HL; Ryan, AJ; Murthy, S; Racila, AM; He, C; Sieren, JC; Spitz, DR; Carter, AB. (2012). Mitochondrial Rac1 GTPase import and electron transfer from cytochrome c are required for pulmonary fibrosis. *J Biol Chem* 287: 3301-3312. <http://dx.doi.org/10.1074/jbc.M111.308387>.
- Oscarson, DW; Van Scoyoc, GE; Ahlrichs, JL. (1981). Effect of poly-2-vinylpyridine-N-oxide and sucrose on silicate-induced hemolysis of erythrocytes. *J Pharm Sci* 70: 657-659.
- Ose, H; Bittersohl, G. (1972). On the epidemiology of asbestosis of the pleura. *Z Erkr Atmungsorgane* 136: 165-174.
- Osgood, C; Sterling, D. (1991). Chrysotile and amosite asbestos induce germ-line aneuploidy in *Drosophila*. *Mutat Res* 261: 9-13.
- Osgood, CJ. (1993). MINERAL FIBERS INDUCE CHROMOSOMAL ANEUPLOIDY IN *DROSOPHILA* (pp. 17-22). (BIOSIS/93/20547). Osgood, CJ.
- Oshimura, M; Hesterberg, TW; Barrett, JC. (1986). An early, nonrandom karyotypic change in immortal Syrian hamster cell lines transformed by asbestos: trisomy of chromosome 11. *Cancer Genet Cytogenet* 22: 225-237.
- Oshimura, M; Hesterberg, TW; Tsutsui, T; Barrett, JC. (1984). Correlation of asbestos-induced cytogenetic effects with cell transformation of Syrian hamster embryo cells in culture. *Cancer Res* 44: 5017-5022.
- Osim, EE; Esin, RA; Fossung, FE; Archibong, EI. (1992). Ventilatory function in Nigerian asbestos factory workers. *East Afr Med J* 69: 254-258.
- Osinubi, OY; Gochfeld, M; Kipen, HM. (2000). Health effects of asbestos and nonasbestos fibers [Review]. *Environ Health Perspect* 108 Suppl 4: 665-674.
- Osman, E; Hasan, B; Meral, U; Ercan, A; Mehmet, T; Nazan, B; Ayhan, O; Erhan, E; Oner, D. (2007). Recent discovery of an old disease: malignant pleural mesothelioma in a village in south-east Turkey. *Respirology* 12: 448-451. <http://dx.doi.org/10.1111/j.1440-1843.2006.01027.x>.
- Osornio-Vargas, A; Moore, L; Brody, AR. (1990). THREE CONSECUTIVE EXPOSURES TO ASBESTOS DELAYS MACROPHAGE CLEARANCE AND CAUSES AN INCREASE IN TRITIATED TDR INCORPORATION AND FIBROGENESIS OF ALVEOLAR DUCT WALLS (pp. 20-24). (BIOSIS/90/20748). Osornio-Vargas, A; Moore, L; Brody, AR.
- Osornio-Vargas, AR; Kalter, VG; Badgett, A; Hernández-Rodríguez, N; Aguilar-Delfín, I; Brody, AR. (1993). Early-passage rat lung fibroblasts do not migrate in vitro to transforming growth factor-beta. *Am J Respir Cell Mol Biol* 8: 468-471. <http://dx.doi.org/10.1165/ajrcmb/8.5.468>.
- Ossege, LM; Voss, B; Müller, KM. (1994). [Expression and secretion of alpha-2-macroglobulin by dust-stimulated alveolar macrophages]. *Pneumologie* 48: 236-239.
- Ostapkovich, EV. (1985). [Pathophysiological aspects of the development of diseases of the upper respiratory tract in workers in the asbestos-technological industry]. *Gig Tr Prof Zabol* 0: 22-25.
- Ostapkovich, EV. (1986). [Characteristics of the development of diseases of the upper respiratory tract in workers exposed to chrysotile and asbestos dust]. *Vestn Otorinolaringol* 0: 43-46.
- Ostapkovich, EV. (1987). [Epidemiologic methods of study in otorhinolaryngology]. *Vestn Otorinolaringol* 0: 59-62.
- Ostapkovich, EV; Radionova, GK. (1987). [The role of diseases of the upper respiratory tract in morbidity with temporary disability among persons exposed to asbestos-containing dust]. *Vestn Otorinolaringol* 0: 75-78.
- Ostiguy, G; Vaillancourt, C; Bégin, R. (1995). Respiratory health of workers exposed to metal dusts and foundry fumes in a copper refinery. *Occup Environ Med* 52: 204-210.
- OTS (Office of Toxic Substances). (1982). Occupational health evaluation of the Los Angeles, California plant of Koppers Company, INC. (TSCATS/018659). TABERSHAW OCC MEDICINE ASSOC.
- OTS (Office of Toxic Substances). (1996). SUPPORT: FINAL REPORT, RE-ANALYSIS OF LUNG CANCER AMONG DIATOMACEOUS EARTH INDUSTRY WORKERS WITH CONSIDERATION OF POTENTIAL ASBESTOS EXPOSURE, WITH COVER LETTER DATED 2/26/96. (TSCATS/444231). UNIV OF WASHINGTON.
- Otsuki, T; Maeda, M; Murakami, S; Hayashi, H; Miura, Y; Kusaka, M; Nakano, T; Fukuoka, K; Kishimoto, T; Hyodoh, F; Ueki, A; Nishimura, Y. (2007). Immunological effects of silica and asbestos [Review]. *Cell Mol Immunol* 4: 261-268.
- Otsuki, T; Matsuzaki, H; Lee, S; Kumagai-Takei, N; Yamamoto, S; Hatayama, T; Yoshitome, K; Nishimura, Y. (2016). Environmental factors and human health: fibrous and particulate substance-induced immunological disorders and construction of a health-promoting living environment [Review]. *Environ Health Prev Med* 21: 71-81. <http://dx.doi.org/10.1007/s12199-015-0499-6>.
- Otsuki, T; Miura, Y; Maeda, M; Hayashi, H; Murakami, S; Dong, M; Nishimura, Y. (2007). Keynote lecture in the 13th Japanese Society of Immunotoxicology (JSIT 2006) : -Pathophysiological Development and Immunotoxicology: what we have found from research related to silica and silicate such as asbestos. *Environ Health Prev Med* 12: 153-160. <http://dx.doi.org/10.1007/BF02897984>.
- Otsuki, T; Nakano, T; Hasegawa, S; Okada, M; Tsujimura, T; Sekido, Y; Toyokuni, S; Nishimoto, H; Fukuoka, K; Tanaka, F; Kumagai, N; Maeda, M; Nishimura, Y. (2011). [Archives of "comprehensive approach on asbestos-related diseases" supported by the "special coordination funds for promoting science and technology (H18-1-3-3-1)"-- overview of group research project, care and specimen registration, cellular characteristics of mesothelioma and immunological effects of asbestos] [Review]. *Nippon Eiseigaku Zasshi* 66: 543-552.
- Otte, KE; Sigsgaard, TI; Kjaerulf, J. (1990). FAMILIAL ACCUMULATION OF MALIGNANT MESOTHELIOMA FOLLOWING MASSIVE EXPOSURE TO ASBESTOS (pp. 3013-3014). (BIOSIS/91/02088). Otte, KE; Sigsgaard, TI; Kjaerulf, J.
- Otte, KE; Sigsgaard, TI; Kjaerulf, J. (1990). Malignant mesothelioma: clustering in a family producing asbestos cement in their home. *Br J Ind Med* 47: 10-13.
- Otte, KE; Sigsgaard, TI; Kjaerulf, J. (1990). [Massive exposure to asbestos and malignant mesothelioma, familial accumulation]. *Ugeskr Laeger* 152: 3013-3014.
- Otterson, EJ; Arra, MC. (1974). Potential hazards of asbestos in periodontal packs. *J Dent Res* 53: 435-438.

Human Health Hazard Literature Search Results

On Topic

- Otto, H. (1971). PATHOLOGICAL ANATOMY OF ASBESTOSIS AND CONSEQUENT CONDITIONS DUE TO ASBESTOS. *Fortschr Med* 89: 506-508.
- Otto, H. (1975). [Mesothelioma and asbestos exposure]. 555-559.
- Otto, H. (1976). MESOTHELIOMA AND ASBESTOS EXPOSURE (pp. BERLIN). (HEEP/77/12066). Otto, H.
- Otto, H. (1983). ON PATHOLOGIC ANATOMY OF ASBESTOSIS AND ASBESTOS CAUSED MALIGNOMAS. *Atemwegs- und Lungenkrankheiten* 9: 369-371.
- Otto, H. (1985). Pathology of pleural mesothelioma. *Thorac Cardiovasc Surg* 33: 332-334. <http://dx.doi.org/10.1055/s-2007-1014160>.
- Otto, H. (1985). THE RISKS OF ASBESTOSIS (pp. 229-232). (BIOSIS/85/09476). Otto, H.
- Otto, H; Bohlig, H. (1985). [Morphology and roentgenology of asbestosis]. *Radiologe* 25: 9-21.
- Otto, H; Von Fragstein, JG. (1969). The Frequency of Acicular Asbestos Particles in Human Lungs (pp. 193-201). (NIOSH/00014321). Otto, H; Von Fragstein, JG.
- Otto, H; von Fragstein, JG. (1969). [Occurrence of asbestos needles in human lungs]. *Int Arch Arbeitsmed* 25: 193-201.
- Ottolenghi, AC; Joseph, LB; Newman, HAI; Stephens, RE. (1983). INTERACTION OF ERYTHROCYTE-MEMBRANES WITH PARTICULATES. *Environ Health Perspect* 51: 253-256. <http://dx.doi.org/10.2307/3429760>.
- Ouderkerk, J; Roepke, WJ; Hohmann, FR; Hulst, SG. (1980). [2 patients with peritoneal mesothelioma]. *Ned Tijdschr Geneesk* 124: 783-786.
- Ouellet, S; Yang, H; Aubin, RA; Hawley, RG; Wenckebach, GF; Lemaire, I. (1993). Bidirectional modulation of TNF-alpha production by alveolar macrophages in asbestos-induced pulmonary fibrosis. *J Leukoc Biol* 53: 279-286.
- Overocker, J; Pfau, JC. (2012). Cytokine Production Modified by System X(c)- After PM10 and Asbestos Exposure. *Journal of Young Investigators* 23: 34-39.
- Oviedo, SP; Cagle, PT. (2012). Diffuse malignant mesothelioma [Review]. *Arch Pathol Lab Med* 136: 882-888. <http://dx.doi.org/10.5858/arpa.2012-0142-CR>.
- Owczarek, H; Lewczuk, E. (1991). Serum peptide III-procollagen and ACE in asbestos workers. *Pol J Occup Med Environ Health* 4: 127-133.
- Owen, WG. (1964). DIFFUSE MESOTHELIOMA AND EXPOSURE TO ASBESTOS DUST IN THE MERSEYSIDE AREA. *Br Med J* 2: 214-218.
- Owen, WG. (1965). Mesothelial tumors and exposure to asbestos dust. *Ann N Y Acad Sci* 132: 674-679.
- Owens, MW. (1991). EFFECTS OF MALONDIALDEHYDE ON PLEURAL MESOTHELIAL CELL PROLIFERATION AND COLLAGEN SYNTHESIS (pp. 12-15). (BIOSIS/91/23336). Owens, MW.
- Oxtoby, K. (2009). The lethal legacy of asbestos. *Nurs Times* 105: 34-36.
- Oyama, T; Osaki, T; Isse, T; Yashima, Y; Ozaki, S; Nakata, S; Uramoto, H; Sugaya, M; Yasuda, M; Yamashita, T; Inoue, M; Takenoyam, M; Hanagiri, T; Sugio, K; Hamada, T; Kawamoto, T; Yasumoto, K. (2003). Pleomorphic carcinoma: report of a case with massive pleural effusion and asbestos particles. *Ann Thorac Cardiovasc Surg* 9: 126-129.
- Oyuga, HWW; Kimani, K; Mubisi, AS; Aluoch, JA; MURUKA, FJ. (1984). RESPIRATORY SYMPTOMATOLOGY AND VENTILATORY FUNCTION IN INDUSTRIAL-WORKERS EXPOSED TO SILICA AND OR ASBESTOS. *East Afr Med J* 61: 937-937.
- Özbudak, İH; Özbudak, Ö; Arslan, G; Erdoğan, A; Özbılım, G. (2013). Metachronous malignant mesothelioma and pulmonary adenocarcinoma. *Türk Patoloji Dergisi* 29: 83-86. <http://dx.doi.org/10.5146/tjpath.2013.01156>.
- Ozdemir, N; Metintas, M; Ucgun, I; Metintas, S; Erginel, S; Harmanci, E; Alatas, F; Terzioglu, A; Isik, R. (1996). ENVIRONMENTAL ASBESTOS EXPOSURE AND MALIGNANT PLEURAL MESOTHELIOMA (pp. 7-11). (BIOSIS/97/05372). Ozdemir, N; Metintas, M; Ucgun, I; Metintas, S; Erginel, S; Harmanci, E; Alatas, F; Terzioglu, A; Isik, R.
- Ozdemir, N; Ozdemir, G. (1989). EEG CHANGES IN THE PATIENTS EXPOSED TO ASBESTOS (pp. 14-17). (BIOSIS/89/21280). Ozdemir, N; Ozdemir, G.
- Ozer, N; Shehu, V; Aytemir, K; Ovünc, K; Emre, S; Kes, S. (2000). Echocardiographic findings of pericardial involvement in patients with malignant pleural mesothelioma with a history of environmental exposure to asbestos and erionite. *Respirology* 5: 333-336.
- Ozesmi, M; Hillerdal, G; Karlsson-Parra, A; Forsum, U. (1988). Phenotypes of peripheral blood lymphoid cells in patients with asbestos-related pleural lesions. *Eur Respir J* 1: 938-942.
- Ozesmi, M; Karlsson-Parra, A; Hillerdal, G; Forsum, U. (1986). PHENOTYPIC CHARACTERIZATION OF PERIPHERAL BLOOD LYMPHOID CELLS IN PEOPLE EXPOSED TO FIBROUS ZEOLITE. *Br J Ind Med* 43: 830-833.
- P, P; acirc; Erez, R; Marco Artal, MA; Ib, F; acirc; auml; Nez, IA; Mart, S; acirc; I, V. (1987). Pleural mesothelioma and asbestos. 34: 27-30.
- Paakko, P; Ramet, M; Vahakangas, K; Korpela, N; Soini, Y; Turunen, S; Jaworska, M; Gillissen, A. (1997). CROCIDOLITE ASBESTOS CAUSES AN INDUCTION OF P53 AND APOPTOSIS IN CULTURED A-549 LUNG CARCINOMA CELLS (pp. 5-6). (BIOSIS/98/02650). Paakko, P; Ramet, M; Vahakangas, K; Korpela, N; Soini, Y; Turunen, S; Jaworska, M; Gillissen, A.
- Paakko, P; Ramet, M; Vahakangas, K; Korpela, N; Soini, Y; Turunen, S; Jaworska, M; Gillissen, A. (1998). Crocidolite asbestos causes an induction of p53 and apoptosis in cultured A-549 lung carcinoma cells. *Apoptosis* 3: 203-212. <http://dx.doi.org/10.1023/A:1009655007284>.
- Pacella, A; Andreozzi, GB; Fournier, J; Stievano, L; Giantomassi, F; Lucarini, G; Rippo, MR; Pugnali, A. (2012). Iron topochemistry and surface reactivity of amphibole asbestos: relations with in vitro toxicity. *Anal Bioanal Chem* 402: 871-881. <http://dx.doi.org/10.1007/s00216-011-5525-y>.
- Pache, JC; Janssen, YM; Walsh, ES; Quinlan, TR; Zanella, CL; Low, RB; Taatjes, DJ; Mossman, BT. (1998). Increased epidermal growth factor-receptor protein in a human mesothelial cell line in response to long asbestos fibers. *Am J Pathol* 152: 333-340.
- Paci, E. (2016). [When research and clinical recommendations are (temporarily) in contradiction: the evaluation of lung cancer screening for high-risk subjects in Europe and in the USA]. *Epidemiol Prev* 40: 35-41. <http://dx.doi.org/10.19191/EP16.1S1.P035.028>.
- Paci, E; Buiatti, E; Geddes, M. (1987). A case-referent study of lung tumors in non-asbestos textile workers. *Am J Ind Med* 11: 267-273.
- Paci, E; Buiatti, E; Zappa, M; Di Natale, M; Vannucchi, G; Dini, S; Biancalani, M. (1987). [Asbestos pollution in the Prato textile cycle: epidemiologic evidence]. *Med Lav* 78: 283-292.

Human Health Hazard Literature Search Results

On Topic

- Paci, E; Buiatti, E; Zappa, M; Di Natale, M; Vannucchi, G; Dini, S; Biancalani, M. (1987). Asbestos pollution in the Prato textile industry: Epidemiological evidence. 78: 283-292.
- Paci, E; Dini, S; Buiatti, E; Seniori COSTANTINI, A; Lenzi, S; Zappa, M. (1987). MALIGNANT MESOTHELIOMA IN NON-ASBESTOS TEXTILE WORKERS IN FLORENCE ITALY. *Am J Ind Med* 11: 249-254.
- Paci, E; Zappa, M; Paoletti, L; Buiatti, E; Chellini, E; Merler, E; Seniori Costantini, A. (1991). Further evidence of an excess of risk of pleural malignant mesothelioma in textile workers in Prato (Italy). *Br J Cancer* 64: 377-378.
- Pacurari, M; Schwegler-Berry, D; Friend, S; Leonard, S; Mercer, R; Vallyathan, V; Castranova, V. (2011). Raw single-walled carbon nanotube-induced cytotoxic effects in human bronchial epithelial cells: comparison to asbestos. *Toxicol Environ Chem* 93: 1045-1072. <http://dx.doi.org/10.1080/02772248.2011.571530>.
- Padilla-Carlin, DJ; Costa, DL. (2011). Comparison of functional, biochemical, and morphometric alterations in the lungs of 4 rat strains and hamsters following repeated intratracheal instillation of crocidolite asbestos. *Exp Lung Res* 37: 212-226. <http://dx.doi.org/10.3109/01902148.2010.538131>.
- Padilla-Carlin, DJ; Schladweiler, MCJ; Kodavanti, UP; Shannahan, JH; Bern, AM; Lowers, HA; Meeker, GP; Gavett, SH. (2010). Inflammation and growth factor mRNA expression in lung tissue of F344 rats exposed to Libby amphibole asbestos [Abstract]. *Am J Respir Crit Care Med* 181: A1756. http://dx.doi.org/10.1164/ajrccm-conference.2010.181.1_MeetingAbstracts.A1756.
- Padilla-Carlin, DJ; Schladweiler, MCJ; Shannahan, JH; Kodavanti, UP; Nyska, A; Burgoon, LD; Gavett, SH. (2011). Pulmonary inflammatory and fibrotic responses in Fischer 344 rats after intratracheal instillation exposure to Libby amphibole. *J Toxicol Environ Health A* 74: 1111-1132. <http://dx.doi.org/10.1080/15287394.2011.586940>.
- Padmore, T; Stark, C; Turkevich, LA; Champion, JA. (2017). Quantitative analysis of the role of fiber length on phagocytosis and inflammatory response by alveolar macrophages. *Biochim Biophys Acta* 1861: 58-67. <http://dx.doi.org/10.1016/j.bbagen.2016.09.031>.
- Paek, D. (2003). Asbestos problems yet to explode in Korea. *Int J Occup Environ Health* 9: 266-271. <http://dx.doi.org/10.1179/oeh.2003.9.3.266>.
- Page, M; Dumas, L. (1985). Increased Cellular Density in the Presence of Asbestos Fibers (pp. 533-538). (NIOSH/00166209). Page, M; Dumas, L. Page, M; Dumas, L. (1985). MULTIPARAMETRIC IN-VITRO EVALUATION OF THE TOXICITY AND MUTAGENICITY OF ASBESTOS AND OTHER MINERAL FIBERS (pp. 28-28). (ISSN 0192-2521; BIOSIS/85/04815). Page, M; Dumas, L.
- Page, M; Dumas, L; Lagueux, J; Fontaine, M. (1984). GROWTH CHANGES OF 3T3-CELLS IN THE PRESENCE OF ASBESTOS FIBERS. *Cell Tissue Kinet* 17: 276-276.
- Paget-Bailly, S; Cyr, D; Luce, D. (2012). Occupational exposures and cancer of the larynx-systematic review and meta-analysis [Review]. *J Occup Environ Med* 54: 71-84. <http://dx.doi.org/10.1097/JOM.0b013e31823c1343>.
- Paget-Bailly, S; Cyr, D; Luce, D. (2012). Occupational exposures to asbestos, polycyclic aromatic hydrocarbons and solvents, and cancers of the oral cavity and pharynx: a quantitative literature review [Review]. *Int Arch Occup Environ Health* 85: 341-351. <http://dx.doi.org/10.1007/s00420-011-0683-y>.
- Pailes, WH; Judy, DJ; Resnick, H; Castranova, V. (1983). Report On Project VKC-cDG-119, Cellular Toxicity Of Mineral Dusts (pp. 83-232). (NIOSH/00136867). Pailes, WH; Judy, DJ; Resnick, H; Castranova, V.
- Pailes, WH; Judy, DJ; Resnick, H; Castranova, V. (1984). Relative effects of asbestos and wollastonite on alveolar macrophages. *J Toxicol Environ Health* 14: 497-510. <http://dx.doi.org/10.1080/15287398409530601>.
- Pairon, JC; Andujar, P; Rinaldo, M; Ameille, J; Brochard, P; Chamming's, S; Clin, B; Ferretti, G; Gislard, A; Laurent, F; Luc, A; Wild, P; Paris, C. (2014). Asbestos Exposure, Pleural Plaques and the Risk of Death from Lung Cancer. *Am J Respir Crit Care Med* 190: 1413-1420. <http://dx.doi.org/10.1164/rccm.201406-1074OC>.
- Pairon, JC; Billon-Galland, MA; Iwatsubo, Y; Abd-Al-Samad, I; Brochard, P; Danel, C; Galateau-Salle, F; Housset, B; Letourneux, M; Lubin, R; Monnet, I; Regnard, JF; Riquet, M; Soussi, T. (1997). P53 EXPRESSION AND ASBESTOS EXPOSURE IN LUNG CANCER (pp. 20-24). (BIOSIS/98/15049). Pairon, JC; Billon-Galland, MA; Iwatsubo, Y; Abd-Al-Samad, I; Brochard, P; Danel, C; Galateau-Salle, F; Housset, B; Letourneux, M; Lubin, R; Monnet, I; Regnard, JF; Riquet, M; Soussi, T.
- Pairon, JC; Billon-Galland, MA; Iwatsubo, Y; Abd-Al-Samad, I; Galateau, F; Housset, B; Letourneux, M; Regnard, JF; Riquet, M; Brochard, P. (1996). LUNG RETENTION OF ASBESTOS IN LUNG CANCER (pp. 7-11). (BIOSIS/97/05369). Pairon, JC; Billon-Galland, MA; Iwatsubo, Y; Abd-Al-Samad, I; Galateau, F; Housset, B; Letourneux, M; Regnard, JF; Riquet, M; Brochard, P.
- Pairon, JC; Conso, F. (1998). An update on the features and risk of asbestos-related diseases. *Sem Hop* 74: 38-44.
- Pairon, JC; Housset, B. (1999). [Biological markers and exposure to asbestos] [Review]. *Rev Mal Respir* 16: 1236-1243.
- Pairon, JC; Laurent, F; Ameille, J; Brochard, P; Chamming's, S; Clin, B; Ferretti, G; Gislard, A; Letourneux, M; Luc, A; Schorle, E; Paris, C. (2013). Pleural plaques and the risk of lung cancer in a french cohort of asbestos-exposed subjects. *Eur Respir J* 42.
- Pairon, JC; Laurent, F; Rinaldo, M; Clin, B; Andujar, P; Ameille, J; Brochard, P; Chamming's, S; Ferretti, G; Galateau-Sallé, F; Gislard, A; Letourneux, M; Luc, A; Schorlé, E; Paris, C. (2013). Pleural plaques and the risk of pleural mesothelioma. *J Natl Cancer Inst* 105: 293-301. <http://dx.doi.org/10.1093/jnci/djs513>.
- Pairon, JC; Martinon, L; Iwatsubo, Y; Vallentin, F; Billon-Galland, MA; Bignon, J; Brochard, P. (1994). Retention of asbestos bodies in the lungs of welders. *Am J Ind Med* 25: 793-804.
- Pairon, JC; Orłowski, E; Iwatsubo, Y; Billon-Galland, MA; Dufour, G; Chamming's, S; Archambault, C; Bignon, J; Brochard, P. (1994). Pleural mesothelioma and exposure to asbestos: evaluation from work histories and analysis of asbestos bodies in bronchoalveolar lavage fluid or lung tissue in 131 patients. *Occup Environ Med* 51: 244-249.
- Pairon, JC; Roos, F; Sebastien, P; Chamak, B; Abd-Alsamad, I; Bernaudin, JF; Bignon, J; Brochard, P. (1995). Biopersistence of cerium in the human respiratory tract and ultrastructural findings. *Am J Ind Med* 27: 349-358.

Human Health Hazard Literature Search Results

On Topic

- Palange, S; Ascoli, V; Carnovale-Scalzo, C; Forastiere, F; D'Ippoliti, D; Presti, EL; Di Domenicantonio, R; Pasetto, R; Perucci, CA. (2004). [Estimates of pleural mesothelioma incidence in the Lazio region (Italy), 1997-2000]. *Med Lav* 95: 45-54.
- Palasko, G; Patrick, G; Hailu, A; West, N. (2008). Health Consultation: Evaluation of Health Statistics and Public Health Data Gaps Related to Exposure to Naturally Occurring Asbestos from Swift Creek. Swift Creek Sediment Asbestos Site Everson, Whatcom County, Washington. 28.
- Palekar, LD. (1988). EFFECTS OF MINERAL FIBERS ON THE LUNG AND SURROUNDING MESOTHELIUM (pp. TOXICOLOGY OF THE LUNG). (BIOSIS/88/36443). Palekar, LD.
- Palekar, LD; Brown, BG; Coffin, DL. (1985). Correlation between In Vivo Tumorigenesis and In Vitro Cytotoxicity in CHO and V79 Cells after Exposure to Mineral Fibers (pp. 14-16). (NIOSH/00173170). Palekar, LD; Brown, BG; Coffin, DL.
- Palekar, LD; Cook, PM; Coffin, DL. (1983). In vitro effects of mineral fibers. *Environ Health Perspect* 51: 11-16.
- Palekar, LD; Eyre, JF; Coffin, DL. (1989). Chromosomal Changes Associated with Tumorigenic Mineral Fibers (pp. 10-14). (NIOSH/00225030). Palekar, LD; Eyre, JF; Coffin, DL.
- Palekar, LD; Eyre, JF; Coffin, DL. (1989). Transplantation and chromosomal analysis of cell lines derived from mesotheliomas induced in rats with erionite and UICC chrysotile asbestos. *IARC Sci Publ occupational Exposure to Mineral Fibres*: 167-172.
- Palekar, LD; Eyre, JF; Most, BM; Coffin, DL. (1987). Metaphase and anaphase analysis of V79 cells exposed to erionite, UICC chrysotile and UICC crocidolite. *Carcinogenesis* 8: 553-560.
- Palekar, LD; Most, BM; Coffin, DL. (1988). Significance of mass and number of fibers in the correlation of V79 cytotoxicity with tumorigenic potential of mineral fibers. *Environ Res* 46: 142-152.
- Palekar, LD; Spooner, CM; Coffin, DL. (1979). Influence of crystallization habit of minerals on in vitro cytotoxicity. *Ann N Y Acad Sci* 330: 673-686.
- Paliogiannis, P; Putzu, C; Ginesu, GC; Cossu, ML; Feo, CF; Attene, F; Scognamiglio, F; Nonnis, R; Cossu, A; Palmieri, G; Pirina, P; Fois, A. (2016). Deciduoid mesothelioma of the thorax: A comprehensive review of the scientific literature [Review]. *Clinical Respiratory Journal*. <http://dx.doi.org/10.1111/crj.12599>.
- Palomäki, J; Sund, J; Vippola, M; Kinaret, P; Greco, D; Savolainen, K; Puustinen, A; Alenius, H. (2015). A secretomics analysis reveals major differences in the macrophage responses towards different types of carbon nanotubes. *Nanotoxicology* 9: 719-728. <http://dx.doi.org/10.3109/17435390.2014.969346>.
- Palomäki, J; Välimäki, E; Sund, J; Vippola, M; Clausen, PA; Jensen, KA; Savolainen, K; Matikainen, S; Alenius, H. (2011). Long, needle-like carbon nanotubes and asbestos activate the NLRP3 inflammasome through a similar mechanism. *ACS Nano* 5: 6861-6870. <http://dx.doi.org/10.1021/nn200595c>.
- Palozza, P. (2005). Can beta-carotene regulate cell growth by a redox mechanism? An answer from cultured cells [Review]. *Biochim Biophys Acta* 1740: 215-221. <http://dx.doi.org/10.1016/j.bbadis.2004.12.008>.
- Palozza, P; Serini, S; Di Nicuolo, F; Calviello, G. (2001). Mitogenic and apoptotic signaling by carotenoids: involvement of a redox mechanism [Review]. *IUBMB Life* 52: 77-81. <http://dx.doi.org/10.1080/15216540252774810>.
- Pampalon, R; Siemiatycki, J; Blanchet, M. (1982). Environmental Asbestos Pollution And Public Health In Quebec (pp. 475-478). (ISSN 0041-6959 NIOSH/00145482). Pampalon, R; Siemiatycki, J; Blanchet, M.
- Pan, SY; Ugnat, AM; Mao, Y; Group, CCRER. (2005). Occupational risk factors for brain cancer in Canada. *J Occup Environ Med* 47: 704-717.
- Pan, XL; Day, HW; Wang, W; Beckett, LA; Schenker, MB. (2005). Residential proximity to naturally occurring asbestos and mesothelioma risk in California. *Am J Respir Crit Care Med* 172: 1019-1025. <http://dx.doi.org/10.1164/rccm.200412-1731OC>.
- Pancoast, HK; Miller, TG; Landis, HRM. (1917). A Roentgenologic Study of the Effects of Dust Inhalation upon the Lungs (pp. 97-108). (NIOSH/00075932). Pancoast, HK; Miller, TG; Landis, HRM.
- Pande, P; Mosleh, TA; Aust, AE. (2006). Role of alpha(v)beta(5) integrin receptor in endocytosis of crocidolite and its effect on intracellular glutathione levels in human lung epithelial (A549) cells. *Toxicol Appl Pharmacol* 210: 70-77. <http://dx.doi.org/10.1016/j.taap.2005.07.017>.
- Panduri, V; Surapureddi, S; Soberanes, S; Weitzman, S; Chandel, N; Kamp, D. (2006). P53 mediates amosite asbestos-induced alveolar epithelial cell mitochondria-regulated apoptosis. *Am J Respir Cell Mol Biol* 34: 443-452. <http://dx.doi.org/10.1165/rcmb.2005-0352OC>.
- Panduri, V; Weitzman, SA; Chandel, N; Kamp, DW. (2003). The mitochondria-regulated death pathway mediates asbestos-induced alveolar epithelial cell apoptosis. *Am J Respir Cell Mol Biol* 28: 241-248. <http://dx.doi.org/10.1165/rcmb.4903>.
- Panduri, V; Weitzman, SA; Chandel, NS; Kamp, DW. (2004). Mitochondrial-derived free radicals mediate asbestos-induced alveolar epithelial cell apoptosis. *Am J Physiol Lung Cell Mol Physiol* 286: L1220-L1227. <http://dx.doi.org/10.1152/ajplung.00371.2003>.
- Panetta, A; Geminiani, ML. (2003). Mesothelioma following exposure to asbestos used in sugar refineries: report of two cases and review of the literature. *Tumori* 89: 573-574.
- Pang, Y; Zheng, Z; Xu, G. (1991). Experimental study of Syrian hamster embryo cell transformation induced by chrysotile fibers and coal dusts in vitro (pp. 399-402). (ISSN 0257-7712 BIOSIS/92/08899). Pang, Y; Zheng, Z; Xu, G.
- Pang, ZC; Zhang, Z; Wang, Y; Zhang, H. (1997). Mortality from a Chinese asbestos plant: overall cancer mortality. *Am J Ind Med* 32: 442-444.
- Pannelli, F; Montanaro, F; Pascucci, C; Mirabelli, D; Gennaro, V. (2006). [Mesothelioma incidence and time trend in the worlds]. *Med Lav* 97: 682-693.
- Paoletti, L; Batisti, D; Bruno, C; Di Paola, M; Gianfagna, A; Mastrantonio, M; Nesti, M; Comba, P. (2000). Unusually high incidence of malignant pleural mesothelioma in a town of eastern Sicily: an epidemiological and environmental study. *Arch Environ Health* 55: 392-398. <http://dx.doi.org/10.1080/00039890009604036>.
- Paoletti, L; Batisti, D; Caiazza, S; Petrelli, MG; Taggi, F; De Zorzi, L; Dina, MA; Donelli, G. (1987). MINERAL PARTICLES IN THE LUNGS OF SUBJECTS RESIDENT IN THE ROME AREA ITALY AND NOT OCCUPATIONALLY EXPOSED TO MINERAL DUST. *Environ Res* 44: 18-28.

Human Health Hazard Literature Search Results

On Topic

- Paoletti, L; Bruni, BM. (2009). [Size distribution of amphibole fibres from lung and pleural tissues sampled from mesothelioma cases due to environmental exposure]. *Med Lav* 100: 11-20.
- Paoletti, L; Falchi, M; Batisti, D; Zappa, M; Chellini, E; Biancalani, M. (1993). Characterization of asbestos fibers in pleural tissue from 21 cases of mesothelioma. *Med Lav* 84: 373-378.
- Papiris, SA; Maniati, MA; Sakellariou, K; Gosios, C; Kontogiannis, D; Constantopoulos, SH. (1993). Round atelectasis and Metsovo lung. *Chest* 103: 1759-1762.
- Papp, T; Pemsel, H; Rahman, Q; Dopp, E; Weiss, DG; Schiffmann, D; K-M, M. (1999). Mutational analysis of N-ras, CDK4, p53, p16INK4a and p19ARF in human mesotheliomas (pp. 14-18). (BIOSIS/00/03292). Papp, T; Pemsel, H; Rahman, Q; Dopp, E; Weiss, DG; Schiffmann, D; Mueller K-M.
- Pappas, GP; Brodtkin, CA; Sheppard, L; Balmes, J; Horike, M; Barnhart, S. (1998). The validity of radiographic estimation of total lung capacity in patients with respiratory disease. *Chest* 114: 513-520.
- Parducci, DA; Puccetti, M; Bianchi Martini, L; Roselli, MG; Vagheti, E; Settini, L; Orsi, D; Battista, G. (2005). [Mortality among workers in a cigarette factory in Lucca (Tuscany)]. *Epidemiol Prev* 29: 271-277.
- Parent, ME; Siemiatycki, J; Fritschi, L. (2000). Workplace exposures and oesophageal cancer. *Occup Environ Med* 57: 325-334.
- Parfett, CL; Pilon, R; Caldeira, AA. (1996). Asbestos promotes morphological transformation and elevates expression of a gene family invariably induced by tumor promoters in C3H/10T1/2 cells. *Carcinogenesis* 17: 2719-2726.
- Parfett, CL; Pilon, R; Barlow, JW; Caldeira, AA. (1996). Altered Abundance of Multiple, Oxidant-Inducible mRNA Species in C3H/10T1/2 Cells following Exposure to Asbestos or Reactive Oxygen Species. *In Vitro Toxicol* 9: 403-417.
- Paris, C; Benichou, J; Bota, S; Sagnier, S; Metayer, J; Eloy, S; Auliac, JB; Nouvet, G; Thiberville, L. (2003). Occupational and nonoccupational factors associated with high grade bronchial pre-invasive lesions. *Eur Respir J* 21: 332-341. <http://dx.doi.org/10.1183/09031936.03.00001503>.
- Paris, C; Benichou, J; Raffaelli, C; Genevois, A; Fournier, L; Menard, G; Broessel, N; Ameille, J; Brochard, P; Gillon, JC; Gislard, A; Letourneux, M. (2004). Factors associated with early-stage pulmonary fibrosis as determined by high-resolution computed tomography among persons occupationally exposed to asbestos. *Scand J Work Environ Health* 30: 206-214.
- Paris, C; Benichou, J; Saunier, F; Metayer, J; Brochard, P; Thiberville, L; Nouvet, G. (2003). Smoking status, occupational asbestos exposure and bronchial location of lung cancer. *Lung Cancer* 40: 17-24. [http://dx.doi.org/10.1016/S0169-5002\(02\)00538-X](http://dx.doi.org/10.1016/S0169-5002(02)00538-X).
- Paris, C; Galateau-Salle, F; Creveuil, C; Morello, R; Raffaelli, C; Gillon, JC; Billon-Galland, MA; Pairon, JC; Chevreau, L; Letourneux, M. (2002). Asbestos bodies in the sputum of asbestos workers: correlation with occupational exposure. *Eur Respir J* 20: 1167-1173. <http://dx.doi.org/10.1183/09031936.02.00262102>.
- Paris, C; Martin, A; Letourneux, M; Wild, P. (2008). Modelling prevalence and incidence of fibrosis and pleural plaques in asbestos-exposed populations for screening and follow-up: a cross-sectional study. *Environ Health* 7: 30. <http://dx.doi.org/10.1186/1476-069X-7-30>.
- Paris, C; Thaon, I; Hérin, F; Clin, B; Lacourt, A; Luc, A; Coureau, G; Brochard, P; Chamming's, S; Gislard, A; Galan, P; Hercberg, S; Wild, P; Pairon, JC; Andujar, P. (2016). Occupational Asbestos Exposure and Incidence of Colon and Rectal Cancers in French Men: The Asbestos-Related Diseases Cohort (ARDCo-Nut). *Environ Health Perspect*. <http://dx.doi.org/10.1289/EHP153>.
- Paris, C; Thierry, S; Brochard, P; Letourneux, M; Schorle, E; Stoufflet, A; Ameille, J; Conso, F; Pairon, JC. (2009). Pleural plaques and asbestosis: dose- and time-response relationships based on HRCT data. *Eur Respir J* 34: 72-79. <http://dx.doi.org/10.1183/09031936.00094008>.
- Parisio, E; Bianchi, C; Rovej, R; Sparacio, F; Ferrari, A; Scanni, A. (1999). Pulmonary asbestosis associated to pleural non-Hodgkin lymphoma. *Tumori* 85: 75-77.
- Park, E; Sandrini, A; Yates, DH; Creaney, J; Robinson, BW; Thomas, PS; Johnson, AR. (2008). Soluble mesothelin-related protein in an asbestos-exposed population - The dust diseases board cohort study. *Am J Respir Crit Care Med* 178: 832-837. <http://dx.doi.org/10.1164/rccm.200802-258OC>.
- Park, EK; Hannaford-Turner, KM; Hyland, RA; Johnson, AR; Yates, DH. (2008). Asbestos-related occupational lung diseases in NSW, Australia and potential exposure of the general population [Review]. *Ind Health* 46: 535-540.
- Park, EK; Johnson, AR; Yates, DH; Thomas, PS. (2011). Evaluation of ovarian cancer biomarkers in subjects with benign asbestos-related pleural diseases. *Clin Chem Lab Med* 49: 147-150. <http://dx.doi.org/10.1515/CCLM.2011.015>.
- Park, EK; Thomas, PS; Creaney, J; Johnson, AR; Robinson, BW; Yates, DH. (2010). Factors affecting soluble mesothelin related protein levels in an asbestos-exposed population. *Clin Chem Lab Med* 48: 869-874. <http://dx.doi.org/10.1515/CCLM.2010.165>.
- Park, EK; Thomas, PS; Johnson, AR; Yates, DH. (2009). Osteopontin levels in an asbestos-exposed population. *Clin Cancer Res* 15: 1362-1366. <http://dx.doi.org/10.1158/1078-0432.CCR-08-0360>.
- Park, EK; Thomas, PS; Wilson, D; Choi, HJ; Johnson, AR; Yates, DH. (2011). Chest pain in asbestos and silica-exposed workers. *Occup Med (Lond)* 61: 178-183. <http://dx.doi.org/10.1093/occmed/kqr011>.
- Park, EK; Yates, DH; Creaney, J; Thomas, PS; Robinson, BW; Johnson, AR. (2012). Association of biomarker levels with severity of asbestos-related diseases. *Saf Health Work* 3: 17-21. <http://dx.doi.org/10.5491/SHAW.2012.3.1.17>.
- Park, EK; Yates, DH; Wilson, D. (2014). Lung Function Profiles among Individuals with Nonmalignant Asbestos-related Disorders. *Saf Health Work* 5: 234-237. <http://dx.doi.org/10.1016/j.shaw.2014.07.007>.
- Park, S; Aust, A. (1998). Participation of iron and nitric oxide in the mutagenicity of asbestos in hgprr-, gpt+ Chinese hamster V79 cells. *Cancer Res* 58: 1144-1148.
- Park, S; Bae, J; Nam, BH; Yoo, KY. (2008). Aetiology of cancer in Asia [Review]. *Asian Pac J Cancer Prev* 9: 371-380.
- Park, SH; Aust, AE. (1995). MUTAGENICITY OF CROCIDOLITE ASBESTOS IN A TRANSGENIC GPT(+) V79 CELL-LINE (G12). *FASEB J* 9: A1442-A1442.

Human Health Hazard Literature Search Results

On Topic

- Park, SH; Aust, AE. (1998). Regulation of nitric oxide synthase induction by iron and glutathione in asbestos-treated human lung epithelial cells. *Arch Biochem Biophys* 360: 47-52. <http://dx.doi.org/10.1006/abbi.1998.0950>.
- Park, SH; Kang, DM; Koo, BH; Kim, YK; Kim, JE. (2015). Risk assessment of gastric cancer associated with asbestosis: a case report. 27: 9. <http://dx.doi.org/10.1186/s40557-015-0061-4>.
- Park, YJ; Kong, HJ; Jang, HC; Shin, HS; Oh, HK; Park, JS. (2011). Malignant mesothelioma of the spermatic cord. 52: 225-229. <http://dx.doi.org/10.4111/kju.2011.52.3.225>.
- Parkes, WR. (1973). Asbestos-related disorders [Review]. *Br J Dis Chest* 67: 261-300.
- Parks, CG; Cooper, GS. (2005). Occupational exposures and risk of systemic lupus erythematosus [Review]. *Autoimmunity* 38: 497-506. <http://dx.doi.org/10.1080/08916930500285493>.
- Parmar, JP. (1992). ESOPHAGEAL CARCINOMA WITH ASBESTOS BODIES [Letter]. *Am J Ind Med* 21: 605-608.
- Parnes, SM. (1990). Asbestos and cancer of the larynx: is there a relationship? [Review]. *Laryngoscope* 100: 254-261. <http://dx.doi.org/10.1288/00005537-199003000-00009>.
- Parnes, SM; Sherman, M. (1991). Head and neck surveillance program for factory personnel exposed to asbestos. *Ann Otol Rhinol Laryngol* 100: 731-736. <http://dx.doi.org/10.1177/000348949110000909>.
- Parolari, G; Merler, E; Ricci, P. (1988). [Mortality caused by tumors attributable to occupation exposure to asbestos-amosite in a community]. *Epidemiol Prev* 10: 32-37.
- Parry, WT. (1985). Calculated solubility of chrysotile asbestos in physiological systems [Review]. *Environ Res* 37: 410-418.
- Partanen, R; Hemminki, K; Brandt-Rauf, P; C-G, J; Koskinen, H. (1994). Serum levels of growth factor receptors, EGFR and Neu in asbestosis patients: A follow-up study. *Int J Oncol* 4: 1025-1028.
- Partanen, R; Hemminki, K; Koskinen, H; Luo, JC; Carney, WP; Brandt-Rauf, PW. (1994). The detection of increased amounts of the extracellular domain of the epidermal growth factor receptor in serum during carcinogenesis in asbestosis patients. *J Occup Med* 36: 1324-1328.
- Partanen, R; Koskinen, H; Hemminki, K. (1995). Tumour necrosis factor-alpha (TNF-alpha) in patients who have asbestosis and develop cancer. *Occup Environ Med* 52: 316-319.
- Partanen, R; Koskinen, H; Oksa, P; Hemminki, K; Carney, W; Smith, S; Brandt-Rauf, P. (1995). Serum Oncoproteins in Asbestosis Patients. *Clin Chem* 41: 1844-1847.
- Partanen, T; Nurminen, M; Zitting, A; Koskinen, H; Wiikeri, M; Ahlman, K. (1992). Localized pleural plaques and lung cancer. *Am J Ind Med* 22: 185-192.
- Partridge, MA; Huang, SXL; Kibriya, MG; Ahsan, H; Davidson, MM; Hei, TK. (2009). Environmental mutagens induced transversions but not transitions in regulatory region of mitochondrial DNA. *J Toxicol Environ Health A* 72: 301-304. <http://dx.doi.org/10.1080/15287390802526381>.
- Pascal, I; Marín Martínez, B. (2005). [Workers in contact with asbestos: follow-up patterns]. *An Sist Sanit Navar* 28 Suppl 1: 45-49.
- Pascolo, L; Borelli, V; Canzonieri, V; Gianoncelli, A; Birarda, G; Bedolla, DE; Salomé, M; Vaccari, L; Calligaro, C; Cotte, M; Hesse, B; Luisi, F; Zabucchi, G; Melato, M; Rizzardi, C. (2015). Differential protein folding and chemical changes in lung tissues exposed to asbestos or particulates. *Sci Rep* 5: 12129. <http://dx.doi.org/10.1038/srep12129>.
- Pascolo, L; Zabucchi, G; Gianoncelli, A; Kourousias, G; Trevisan, E; Pascotto, E; Casarsa, C; Ryan, C; Lucattelli, M; Lungarella, G; Cavarra, E; Bartalesi, B; Zweyer, M; Cammisuli, F; Melato, M; Borelli, V. (2016). Synchrotron X-ray microscopy reveals early calcium and iron interaction with crocidolite fibers in the lung of exposed mice. *Toxicol Lett* 241: 111-120. <http://dx.doi.org/10.1016/j.toxlet.2015.11.016>.
- Pasetto, R; Bruni, B; Bruno, C; Cauzillo, G; Cavone, D; Convertini, L; De Mei, B; Marconi, A; Montagano, G; Musti, M; Paoletti, L; Comba, P. (2004). [Pleural mesothelioma and environmental exposure to mineral fibres: the case of a rural area in the Basilicata region, Italy] [Review]. *Ann Ist Super Sanita* 40: 251-265.
- Pasetto, R; Comba, P; Marconi, A. (2005). Mesothelioma associated with environmental exposures [Review]. *Med Lav* 96: 330-337.
- Pasetto, R; Fazzo, L; Zona, A; Bruno, C; Pirastu, R; Binazzi, A; Corfiati, M; Silvestri, S; Comba, P; Marinaccio, A. (2016). [SENTIERI-ReNaM: Burden of disease from mesothelioma in national priority contaminated sites in Italy]. *Epidemiol Prev* 40: 99-104.
- Pasetto, R; Terracini, B; Marsili, D; Comba, P. (2014). Occupational burden of asbestos-related cancer in Argentina, Brazil, Colombia, and Mexico. 80: 263-268. <http://dx.doi.org/10.1016/j.aogh.2014.09.003>.
- Pasqualetti, P; Casale, R; Colantonio, D; Collacciani, A. (1991). OCCUPATIONAL RISK FOR HEMATOLOGICAL MALIGNANCIES. *Am J Hematol* 38: 147-149.
- Pasqualetti, P; Collacciani, A; Casale, R. (1996). Risk of monoclonal gammopathy of undetermined significance: A case-referent study. *Am J Hematol* 52: 217-220.
- Pass, HI. (1994). Contemporary approaches in the investigation and treatment of malignant pleural mesothelioma [Review]. 4: 497-515.
- Pass, HI; Donington, JS; Wu, P; Rizzo, P; Nishimura, M; Kennedy, R; Carbone, M. (1998). Human mesotheliomas contain the simian virus-40 regulatory region and large tumor antigen DNA sequences. *J Thorac Cardiovasc Surg* 116: 854-859. [http://dx.doi.org/10.1016/S0022-5223\(98\)00438-3](http://dx.doi.org/10.1016/S0022-5223(98)00438-3).
- Pass, HI; Kennedy, RC; Carbone, M. (1996). Evidence for and implications of SV40-like sequences in human mesotheliomas [Review]. 89-108.
- Pass, HI; Mehan, M; Ostroff, RM; Stewart, A; Levin, S; Black, B; Harbut, M; Williams, SA. (2011). Detection of mesothelioma in asbestos exposed individuals with aptamer proteomic technology. *Cancer Res* 71. <http://dx.doi.org/10.1158/1538-7445.AM2011-2812>.
- Pass, HI; Mew, DJ. (1996). In vitro and in vivo studies of mesothelioma [Review]. *J Cell Biochem Suppl* 24: 142-151.

Human Health Hazard Literature Search Results

On Topic

- Pass, HI; Wali, A; Tang, N; Ivanova, A; Ivanov, S; Harbut, M; Carbone, M; Allard, J. (2008). Soluble mesothelin-related peptide level elevation in mesothelioma serum and pleural effusions. *Ann Thorac Surg* 85: 265-272; discussion 272. <http://dx.doi.org/10.1016/j.athoracsur.2007.07.042>.
- Pastorino, U; Berrino, F; Gervasio, A; Pesenti, V; Riboli, E; Crosignani, P. (1984). Proportion of lung cancers due to occupational exposure. *Int J Cancer* 33: 231-237. <http://dx.doi.org/10.1002/ijc.2910330211>.
- Patel, AV; Bogner, PN; Klippenstein, D; Ramnath, N. (2008). Malignant pleural mesothelioma after household exposure to asbestos. *J Clin Oncol* 26: 5480-5483. <http://dx.doi.org/10.1200/JCO.2008.18.8268>.
- Patel, SN; Kettner, NW. (2005). Malignant pleural mesothelioma: a case report. *J Manipulative Physiol Ther* 28: 724-729. <http://dx.doi.org/10.1016/j.jmpt.2005.09.004>.
- Patel-Mandlik, K; Millette, J. (1983). Accumulation of ingested asbestos fibers in rat tissues over time. *Environ Health Perspect* 53: 197-200.
- Patel-Mandlik, KJ. (1981). Asbestos fibers in normal and cancerous human kidneys. *Arch Environ Contam Toxicol* 10: 47-54. <http://dx.doi.org/10.1007/BF01057574>.
- Patelmandlik, KJ; Hallenbeck, WH; Millette, J. R. (1979). ASBESTOS FIBERS .1. MODIFIED PREPARATION OF TISSUE SAMPLES FOR ANALYSIS BY ELECTRON-MICROSCOPY .2. PRESENCE OF FIBERS IN TISSUES OF BABOON FED CHRYSOTILE ASBESTOS. *J Environ Pathol Toxicol* 2: 1385-1395.
- Patel-Mandlik, KJ; Hallenbeck, WH; Millette, J. R. (1979). Asbestos fibers: 1. A modified preparation of tissue samples for analysis by electron microscopy: 2. Presence of fibers in tissues of baboons (*Papio anubis*) fed chrysotile asbestos. *J Environ Pathol Toxicol* 2: 1385-1396.
- Patel-Mandlik, KJ; Hallenbeck, WH; Millette, JR. (1979). Asbestos fibers: 1. A modified preparation of tissue samples for analysis by electron microscopy. 2. Presence of fibers in tissues of baboon fed chrysotile asbestos. *J Environ Pathol Toxicol* 2: 1385-1395.
- Patel-Mandlik, KJ; Millette, JR. (1980). Evidence of migration of ingested asbestos into various baboon organs. *Scan Electron Microsc* 1: 347-354.
- Patel-Mandlik, KJ; Millette, JR. (1983). Chrysotile asbestos in kidney cortex of chronically gavaged rats. *Arch Environ Contam Toxicol* 12: 247-255.
- Paterour, MJ; Bignon, J; Jaurand, MC. (1985). INVITRO TRANSFORMATION OF RAT PLEURAL MESOTHELIAL CELLS BY CHRYSOTILE FIBERS AND OR BENZO[A]PYRENE. *Carcinogenesis* 6: 523-529. <http://dx.doi.org/10.1093/carcin/6.4.523>.
- Paterour, MJ; Renier, A; Bignon, J; Jaurand, MC. (1985). Induction of Transformation in Cultured Rat Pleural Mesothelial Cells by Chrysotile Fibres (pp. 203-207). (NIOSH/00165750). Paterour, MJ; Renier, A; Bignon, J; Jaurand, MC.
- Patra, A; Kundu, S; Pal, A; Saha, S. (2015). Mesothelioma with superior vena cava obstruction in young female following short latency of asbestos exposure [Letter]. *J Cancer Res Ther* 11: 940-942. <http://dx.doi.org/10.4103/0973-1482.160924>.
- Patroni, M. (1983). [Dimensional limits of respirable asbestos fiber: discussion and proposals]. *Med Lav* 74: 482-491.
- Patroni, M; Trimarchi, R; Andreoletti, F; Foà, V; Chiappino, G. (1987). [Occupational risk in the asbestos cement industry]. *Med Lav* 78: 351-359.
- Pavlov, N; Perić, I; Mise, K; Armanda, V; Goić-Barisić, I; Pavlov, M; Tocilj, J. (2009). [Lung function in children residentially exposed to asbestos]. *Arh Hig Rada Toksikol* 60 Suppl: 51-56.
- Pavone, VL; Scarnato, C; Marinilli, P; Costellati, L; Tiranno, A; Alberghini, V; Pandolfi, P. (2012). [Mortality in a cohort of railway rolling stock construction and repair workers in Bologna]. *Med Lav* 103: 112-122.
- Pawelczyk, A; Bożek, F. (2015). Health risk associated with airborne asbestos. *Environ Monit Assess* 187: 428. <http://dx.doi.org/10.1007/s10661-015-4614-3>.
- Payerne, D; Pioche, D; Chailleux, E. (1999). [Apical pleural fibrosis related to inhalation of asbestos fibers]. *Rev Mal Respir* 16: 563-566.
- Peacock, PR; Biancifiori, C; Bucciarelli, E. (1969). Retrospective search for asbestos bodies in necropsies and biopsies on cases of primary malignant disease of the lung. *Eur J Cancer* 5: 147-153.
- Pearce, N. (1988). Multistage modelling of lung cancer mortality in asbestos textile workers. *Int J Epidemiol* 17: 747-752.
- Pearce, N. (1992). Methodological problems of time-related variables in occupational cohort studies. *Rev Epidemiol Sante Publique* 40 Suppl 1: S43-S54.
- Pearce, N; Checkoway, H; Dement, J. (1988). Exponential models for analyses of time-related factors, illustrated with asbestos textile worker mortality data. *J Occup Med* 30: 517-522.
- Pearce, N; Checkoway, H; Dement, J. (1989). Design and conduct of occupational epidemiology studies: IV. The analysis of case-control data [Review]. *Am J Ind Med* 15: 403-416.
- Pearce, N; Glass, B; Eades, E; Fishwick, D; Armstrong, R. (1997). RESPIRATORY SYMPTOMS AND ASBESTOS DUST EXPOSURE (pp. 20-24). (BIOSIS/98/15217). Pearce, N; Glass, B; Eades, E; Fishwick, D; Armstrong, R.
- Pearle, J. (1981). Exercise performance and functional impairment in asbestos-exposed workers. *Chest* 80: 701-705.
- Pearle, JL. (1981). EXERCISE PERFORMANCE IN ASBESTOS EXPOSED WORKERS (pp. 4-6). (HEEP/82/01003). Pearle, JL.
- Pearle, JL. (1982). Smoking and duration of asbestos exposure in the production of functional and roentgenographic abnormalities in shipyard workers. *J Occup Med* 24: 37-40.
- Pearson, MG. (1991). Asbestos exposure and airways obstruction [Letter]. *Respir Med* 85: 344-346.
- Pedata, P; Feola, D; Laieta, MT; Garzillo, EM. (2011). Peritoneal mesothelioma: description of a case and review of literature [Review]. *Int J Immunopathol Pharmacol* 24: 85S-88S.
- Pedra, F; Tambellini, AT; Pereira, B; da Costa, AC; de Castro, HA. (2008). Mesothelioma mortality in Brazil, 1980-2003. *Int J Occup Environ Health* 14: 170-175. <http://dx.doi.org/10.1179/oeh.2008.14.3.170>.
- Peipins, LA; Lewin, M; Campolucci, S; Lybarger, JA; Miller, A; Middleton, D; Weis, C; Spence, M; Black, B; Kapil, V. (2003). Radiographic abnormalities and exposure to asbestos-contaminated vermiculite in the community of Libby, Montana, USA. *Environ Health Perspect* 111: 1753-1759. <http://dx.doi.org/10.1289/ehp.6346>.

Human Health Hazard Literature Search Results

On Topic

- Pekdemir, H; Camsari, A; Akkus, MN; Cicek, D; Tuncer, C; Yildirim, Z. (2003). Impaired cardiac autonomic functions in patients with environmental asbestos exposure: a study of time domain heart rate variability. *J Electrocardiol* 36: 195-203. [http://dx.doi.org/10.1016/S0022-0736\(03\)00048-7](http://dx.doi.org/10.1016/S0022-0736(03)00048-7).
- Pelclová, D; Bartůnková, J; Fenclová, Z; Lebedová, J; Hladíková, M; Benáková, H. (2003). Asbestos exposure and antineutrophil cytoplasmic Antibody (ANCA) positivity. *Arch Environ Health* 58: 662-668. <http://dx.doi.org/10.3200/AEOH.58.10.662-668>.
- Pelclová, D; Fenclová, Z; Kacer, P; Kuzma, M; Navrátil, T; Lebedová, J. (2008). Increased 8-isoprostane, a marker of oxidative stress in exhaled breath condensate in subjects with asbestos exposure. *Ind Health* 46: 484-489.
- Pelcova, D; Fenclova, Z; Urban, P. (2011). Occupational cancer in the Czech Republic - a tip of the iceberg? *Eur J Oncol* 16: 149-161.
- Pelclová, D; Fenclová, Z; Urban, P. (2007). Asbestos exposure, legislation and diseases in the Czech Republic. *Cent Eur J Public Health* 15: 99-102.
- Pelclová, D; Fenclová, Z; Vlcková, S; Lebedová, J; Syslová, K; Pecha, O; Beláček, J; Navrátil, T; Kuzma, M; Kacer, P. (2012). Leukotrienes B4, C4, D4 and E4 in the exhaled breath condensate (EBC), blood and urine in patients with pneumoconiosis. *Ind Health* 50: 299-306.
- Pele, JP; Calvert, R. (1983). A COMPARATIVE-STUDY ON THE HEMOLYTIC ACTION OF SHORT ASBESTOS FIBERS ON HUMAN, RAT, AND SHEEP ERYTHROCYTES. *Environ Res* 31: 164-175.
- Pele, JP; Calvert, R. (1983). HEMOLYSIS BY CHRYSOTILE ASBESTOS FIBERS .1. INFLUENCE OF THE SIALIC-ACID CONTENT IN HUMAN, RAT, AND SHEEP RED-BLOOD-CELL MEMBRANES. *J Toxicol Environ Health* 12: 827-840.
- Pelé, JP; Calvert, R. (1983). Hemolysis by chrysotile asbestos fibers. I. Influence of the sialic acid content in human, rat, and sheep red blood cell membranes. *J Toxicol Environ Health* 12: 827-840. <http://dx.doi.org/10.1080/15287398309530473>.
- Pele, JP; Dunnigan, J; Calvert, R. (1983). THE HEMOLYTIC-ACTIVITY OF CHRYSOTILE ASBESTOS FIBERS - A FREEZE-FRACTURE STUDY. *Environ Res* 31: 152-163.
- Pelfrène, A; Shubik, P. (1975). [Is talc a carcinogen? Review of current data] [Review]. *La Nouvelle presse médicale* 4: 801-803.
- Pelfrene, AF. (1977). Early vascular modifications induced by asbestos fibers in the hamster cheek pouch. *Microvasc Res* 13: 261-266.
- Pelfrene, AF. (1977). Magnesium and cytotoxic effects of asbestos fibers. *Med Lav* 68: 349-354.
- Pelfrene, AF; Malick, LE. (1976). [Morphological changes of the cell surface during phagocytosis of asbestos fibers]. 21: 215-226.
- Pelfrene, AF; Malick, LE. (1976). MORPHOLOGICAL MODIFICATIONS OF CELL-SURFACE OCCURRING DURING PHAGOCYTOSIS OF ASBESTOS FIBERS. 21: 215-226.
- Pelin, K; Hirvonen, A; Taavitsainen, M; Linnainmaa, K. (1995). Cytogenetic response to asbestos fibers in cultured human primary mesothelial cells from 10 different donors. *Mutat Res* 334: 225-233.
- Pelin, K; Husgafvel-Pursiainen, K; Vallas, M; Vanhala, E; Linnainmaa, K. (1992). Cytotoxicity and anaphase aberrations induced by mineral fibres in cultured human mesothelial cells. *Toxicol In Vitro* 6: 445-450.
- Pelin, K; Kivipensas, P; Linnainmaa, K. (1995). Effects of asbestos and man-made vitreous fibers on cell division in cultured human mesothelial cells in comparison to rodent cells. *Environ Mol Mutagen* 25: 118-125.
- Pelin-Enlund, K; Husgafvel-Pursiainen, K; Tammilehto, L; Klockars, M; Jantunen, K; Gerwin, BI; Harris, CC; Tuomi, T; Vanhala, E; Mattson, K. (1990). Asbestos-related malignant mesothelioma: growth, cytology, tumorigenicity and consistent chromosome findings in cell lines from five patients. *Carcinogenesis* 11: 673-681.
- Pelnar, PV. (1970). Recent Developments in Asbestosis. (NIOSH/00013195). Pelnar, PV.
- Pelnar, PV. (1983). Asbestos (Mesothelioma And Lung Cancer) (pp. 191-197). (NIOSH/00149315). Pelnar, PV.
- Pelosi, G; Coltro, N; Iannucci, A. (1990). The Use of Cellulose Membrane Filters for Detecting Asbestos in Sputum Specimens. *Acta Cytol* 34: 588-590.
- Pendergrass, HP; Snell, JD; Carroll, FE. (1987). Diseases related to asbestos exposure: historical perspective. *South Med J* 80: 1546-1552.
- Peng, L; Wang, X. (1993). Lymphocyte B and T cell subsets in peripheral blood from patients with asbestosis. *Br J Ind Med* 50: 183-184.
- Peng, WJ; Jia, XJ; Wei, BG; Yang, LS; Yu, Y; Zhang, L. (2015). Stomach cancer mortality among workers exposed to asbestos: a meta-analysis [Review]. *J Cancer Res Clin Oncol* 141: 1141-1149. <http://dx.doi.org/10.1007/s00432-014-1791-3>.
- Peng, WJ; Mi, J; Jiang, YH. (2015). Asbestos exposure and laryngeal cancer mortality. *Laryngoscope* 126: 1169-1174. <http://dx.doi.org/10.1002/lary.25693>.
- Penman, HG; Thomson, KJ. (1970). PULMONARY ASBESTOS IN DUNEDIN, NEW-ZEALAND, ASSESSED BY 2 METHODS. *Pathology* 2: 175-&.
- Penn, I. (1995). Sarcomas in organ allograft recipients. *Transplantation* 60: 1485-1491.
- Pentimone, F; Moruzzo, D; Siuti, E; del Corso, L. (1995). [Malignant peritoneal mesothelioma: its relation to asbestos] [Review]. *Minerva Med* 86: 439-443.
- Peralta Soler, A; Knudsen, KA; Jaurand, MC; Johnson, KR; Wheelock, MJ; Klein-Szanto, AJ; Salazar, H. (1995). The differential expression of N-cadherin and E-cadherin distinguishes pleural mesotheliomas from lung adenocarcinomas. *Hum Pathol* 26: 1363-1369.
- Perderiset, M; Marsh, JP; Mossman, BT. (1989). EFFECTS OF ASBESTOS ON SPECIFIC BINDING OF PHORBOL ESTER TUMOR PROMOTER AND PROTEIN KINASE C ACTIVITY IN HAMSTER TRACHEAL EPITHELIAL HTE CELLS (pp. SECAUCUS). (BIOSIS/90/02054). Perderiset, M; Marsh, JP; Mossman, BT.
- Perderiset, M; Marsh, JP; Mossman, BT. (1991). Activation of protein kinase C by crocidolite asbestos in hamster tracheal epithelial cells. *Carcinogenesis* 12: 1499-1502.
- Perdrizet, S; Bignon, J; Di Menza, L; Nebut, M. (1980). French mesothelioma register: critical appraisal of the registered data. *IARC Sci Publ* 697-701.
- Perdue, TD; Brody, AR. (1992). DISTRIBUTION OF TGF-BETA-1 FIBRONECTIN AND SMOOTH MUSCLE ACTIN IN ASBESTOS-EXPOSED RAT LUNG (pp. 17-20). (BIOSIS/92/22136). Perdue, TD; Brody, AR.

Human Health Hazard Literature Search Results

On Topic

- Perdue, TD; Brody, AR. (1994). Distribution of transforming growth factor-beta 1, fibronectin, and smooth muscle actin in asbestos-induced pulmonary fibrosis in rats. *J Histochem Cytochem* 42: 1061-1070.
- Peretz, A; Van Hee, VC; Kramer, MR; Pitlik, S; Keifer, MC. (2008). Pleural plaques related to "take-home" exposure to asbestos: An international case series. *International Journal of General Medicine* 1: 15-20.
- Pérez Lorenz, JB; López Gracia, S; Pons, J; Marigil, M. (2001). [Peritoneal mesothelioma in a man who transported asbestos]. *An Med Interna* 18: 225.
- Perić, I; Novak, K; Barisić, I; Mise, K; Vucković, M; Janković, S; Tocilj, J. (2009). Interobserver variations in diagnosing asbestosis according to the ILO classification. *Arh Hig Rada Toksikol* 60: 191-195. <http://dx.doi.org/10.2478/10004-1254-60-2009-1904>.
- Perić, I; Tocilj, J; Batina, S; Barisić, I; Goić-Barisić, I. (2007). [Asbestosis--physical examination and symptoms]. *Acta Med Croatica* 61: 421-424.
- Perkins, R; Shetty, S; Koenig, K; Idell, S. (1999). Regulation of uPA and uPAR expression by MeT5A mesothelial cells by asbestos in vitro. *Am J Respir Crit Care Med* 159: A386-A386.
- Perkins, RC; Broaddus, VC; Shetty, S; Hamilton, S; Idell, S. (1999). Asbestos upregulates expression of the urokinase-type plasminogen activator receptor on mesothelial cells. *Am J Respir Cell Mol Biol* 21: 637-646. <http://dx.doi.org/10.1165/ajrcmb.21.5.3225>.
- Perkins, RC; Givens, MS; Mclarty, JW. (1993). PERIPHERAL-BLOOD MONOCYTE CYTOKINE RELEASE IN ASBESTOS WORKERS. *Am Rev Respir Dis* 147: A911-A911.
- Perkins, RC; Scheule, RK; Hamilton, R; Gomes, G; Freidman, G; Holian, A. (1993). Human alveolar macrophage cytokine release in response to in vitro and in vivo asbestos exposure. *Exp Lung Res* 19: 55-65.
- Perkins, RC; Scheule, RK; Holian, A. (1990). IGG ENHANCEMENT OF ASBESTOS STIMULATION OF SUPEROXIDE ANION PRODUCTION BY HUMAN ALVEOLAR MACROPHAGES (pp. 20-24). (BIOSIS/90/18804). Perkins, RC; Scheule, RK; Holian, A.
- Perkins, RC; Scheule, RK; Holian, A. (1991). INVITRO BIOACTIVITY OF ASBESTOS FOR THE HUMAN ALVEOLAR MACROPHAGE AND ITS MODIFICATION BY IGG. *Am J Respir Cell Mol Biol* 4: 532-537. <http://dx.doi.org/10.1165/ajrcmb/4.6.532>.
- Perkins, TN; Peeters, PM; Shukla, A; Arijs, I; Dragon, J; Wouters, EF; Reynaert, NL; Mossman, BT. (2015). Indications for distinct pathogenic mechanisms of asbestos and silica through gene expression profiling of the response of lung epithelial cells. *Hum Mol Genet* 24: 1374-1389. <http://dx.doi.org/10.1093/hmg/ddu551>.
- Pernis, B; Castano, P. (1971). Effect of asbestos on cells in-vitro. *Med Lav* 62: 2-3.
- Perry, KMA. (1947). Diseases of the Lung Resulting from Occupational Dusts Other Than Silica. *Thorax* 2: 91-120.
- Perry, MC; Solinger, A; Farhangi, M; Luger, A. (1978). Plasmacytomas and mesothelioma. *Med Pediatr Oncol* 5: 205-212.
- Pershagen, G. (1987). [Significance of the joint action of occupational factors and smoking in the occurrence of lung cancer]. *Gig Tr Prof Zabol* 0: 5-7.
- Pershhouse, M; Schwanke, C; Wallis, K; Putnam, EA. (2003). Towards establishing a toxic signature for various asbestos forms-microarray analysis of 900 toxic response genes. *Toxicol Sci* 72: 63-63.
- Pershhouse, MA; Smartt, AM; Schwanke, C; Putnam, EA. (2009). Differences in gene expression profiles from asbestos-treated SPARC-null and wild-type mouse lungs. *Genomics* 94: 101-109. <http://dx.doi.org/10.1016/j.ygeno.2009.04.009>.
- Perticaroli, P; Mengucci, R; Carletti, M; Magnini, P; Marcellini, M; Pettinari, A; Durastanti, M. (2013). [Asbestos-related diseases in former asbestos-cement workers in Senigallia]. *Med Lav* 104: 277-288.
- Perunicic, B; Butkovic, M. (1987). THE PREVALENCE OF ASBESTOSIS AMONG ASBESTOS TEXTILE WORKERS (pp. 331-338). (BIOSIS/88/35070). Perunicic, B; Butkovic, M.
- Pesaresi, C; Fati, S. (1970). Clinical case of pulmonary asbestosis (pp. 328-334). (HEEP/74/06985). Pesaresi, C; Fati, S.
- Pesatori, AC; Mensi, C. (2005). Peculiar features of mesothelioma occurrence as related to exposure patterns and circumstances in the Lombard Region, Italy. *Med Lav* 96: 354-359.
- Pesch, B; Haerting, J; Ranft, U; Klimpel, A; Oelschlägel, B; Schill, W. (2000). Occupational risk factors for renal cell carcinoma: Agent-specific results from a case-control study in Germany. *Int J Epidemiol* 29: 1014-1024. <http://dx.doi.org/10.1093/ije/29.6.1014>.
- Pesch, B; Taeger, D; Johnen, G; Gross, IM; Weber, DG; Gube, M; Müller-Lux, A; Heinze, E; Wiethage, T; Neumann, V; Tannapfel, A; Raithel, HJ; Brüning, T; Kraus, T. (2010). Cancer mortality in a surveillance cohort of German males formerly exposed to asbestos. *Int J Hyg Environ Health* 213: 44-51. <http://dx.doi.org/10.1016/j.ijheh.2009.09.001>.
- Petazzi, A; Gaudiello, F; Cinti, Z; Mensi, C. (2005). [Cluster cases of malignant pleural mesothelioma in an oil factory]. *Med Lav* 96: 440-444.
- Peters, BJ. (1983). Systematic Safety Analysis of Asbestos Disease and Its Prevention. *Professional Safety* pages 21: 21-27.
- Peters, GS; Peters, BJ. (1989). Asbestos disease update. (CIS/93/01228). Peters, GS; Peters, BJ.
- Peters, JM; Murphy, RLH; Ferris, BG; Burgess, WA; Ranadive, MV; Perdergrass, HP. (1973). Pulmonary function in shipyard welders: an epidemiologic study. *Arch Environ Occup Health* 26: 28-31.
- Petersen, R. (1987). OCCUPATIONALLY-CONDITIONED CANCER IN THE RESPIRATORY TRACT (pp. 3489-3492). (BIOSIS/88/18687). Petersen, R.
- Petersen, R; Pedersen, CF; Munch, EP. (2010). [Benign pleural effusion in a carpenter exposed to asbestos]. *Ugeskr Laeger* 172: 2965-2966.
- Petersen, R; Petersen, JA; Mikkelsen, S. (2015). [Non-occupational pleural mesothelioma]. *Ugeskr Laeger* 177: V09140480.
- Peterson, K. (1996). 'Natural' cancer prevention trial halted. *Science* 271: 441.
- Peterson, MW. (1991). Analysis of the Asbestos Permissible Exposure Level Threshold Standard. 62.
- Peterson, MW; Kirschbaum, J. (1998). Asbestos-induced lung epithelial permeability: Potential role of nonoxidant pathways. *Am J Physiol* 275: L262-268.
- Peterson, MW; Walter, ME. (1992). ASBESTOS DIRECTLY INCREASES PULMONARY EPITHELIAL PERMEABILITY (pp. 4-6). (BIOSIS/93/05903). Peterson, MW; Walter, ME.
- Peterson, MW; Walter, ME; Gross, TJ. (1993). Asbestos directly increases lung epithelial permeability. *Am J Physiol* 265: L308-L317.

Human Health Hazard Literature Search Results

On Topic

- Peto, J. (1978). The hygiene standard for chrysotile asbestos. *Lancet* 1: 484-489.
- Peto, J. (1979). DOSE RESPONSE RELATIONSHIPS FOR ASBESTOS RELATED DISEASE IMPLICATIONS FOR HYGIENE STANDARDS 2. MORTALITY (pp. NEW YORK). (HEEP/81/07841). Peto, J.
- Peto, J. (1979). Dose-response relationships for asbestos-related disease: Implications for hygiene standards: Part II. Mortality. *Ann N Y Acad Sci* 330: 195-203. <http://dx.doi.org/10.1111/j.1749-6632.1979.tb18720.x>.
- Peto, J. (1980). The incidence of pleural mesothelioma in chrysotile asbestos textile workers. IARC Sci Publ IARC Scientific Publication No: 703-711.
- Peto, J. (1980). Lung cancer mortality in relation to measured dust levels in an asbestos textile factory.
- Peto, J. (1984). Early- and late-stage carcinogenesis in mouse skin and in man. IARC Sci Publ 359-371.
- Peto, J. (1989). Fibre Carcinogenesis and Environmental Hazards [Review] (pp. 457-470). (ISSN 0300-5038 NIOSH/00191377). Peto, J.
- Peto, J; Decarli, A; La Vecchia, C; Levi, F; Negri, E. (1999). The European mesothelioma epidemic. *Br J Cancer* 79: 666-672. <http://dx.doi.org/10.1038/sj.bjc.6690105>.
- Peto, J; Doll, R; Hermon, C; Binns, W; Clayton, R; Goffe, T. (1985). Relationship of mortality to measures of environmental asbestos pollution in an asbestos textile factory. *Ann Occup Hyg* 29: 305-355.
- Peto, J; Doll, R; Howard, SV; Kinlen, LJ; Lewinsohn, HC. (1977). A mortality study among workers in an English asbestos factory. *Br J Ind Med* 34: 169-173.
- Peto, J; Henderson, BE; Pike, MC. (1981). TRENDS IN MESOTHELIOMA INCIDENCE IN THE USA AND THE FORECAST EPIDEMIC DUE TO ASBESTOS EXPOSURE DURING WORLD WAR II (pp. COLD SPRING HARBOR). (HEEP/83/00993). Peto, J; Henderson, BE; Pike, MC.
- Peto, J; Hodgson, JT; Matthews, FE; Jones, JR. (1995). Continuing increase in mesothelioma mortality in Britain. *Lancet* 345: 535-539.
- Peto, J; Seidman, H; Selikoff, IJ. (1982). Mesothelioma mortality in asbestos workers: implications for models of carcinogenesis and risk assessment. *Br J Cancer* 45: 124-135. <http://dx.doi.org/10.1038/bjc.1982.15>.
- Petrakis, NL. (1979). Historic milestones in cancer epidemiology [Review]. *Semin Oncol* 6: 433-444.
- Petrek, M; Hermans, C; Kolek, V; Fialová, J; Bernard, A. (2002). Clara cell protein (CC16) in serum and bronchoalveolar lavage fluid of subjects exposed to asbestos. *Biomarkers* 7: 58-67. <http://dx.doi.org/10.1080/13547500110086892>.
- Petricević, I; Huskić, R; Hadžić, R. (1984). [Pleuropulmonary manifestations in persons indirectly exposed to asbestos dust]. 36: 51-53.
- Petricević, I; Huskić, R; Stenger, Z. (1984). [Pleural calcification as an epidemiologic parameter in asbestos exposure]. 36: 48-50.
- Petrini, MF. (1998). Cigarette smoking, asbestos exposure, lung cancer, and sample size [Letter]. *Am J Respir Crit Care Med* 158: 1688. <http://dx.doi.org/10.1164/ajrccm.158.5.15844>.
- Petrovic, P; Ostojić, L; Perić, I; Mise, K; Ostojić, Z; Bradarić, A; Bota, B; Janković, S; Tocilj, J. (2004). Lung function changes in pleural asbestosis. *Coll Antropol* 28: 711-715.
- Petruska, J; Marsh, JP; Kagan, E; Mossman, BT. (1988). RELEASE OF SUPEROXIDE BY CELLS OBTAINED FROM BRONCHOALVEOLAR LAVAGE BAL AFTER EXPOSURE OF RATS TO EITHER CROCIDOLITE OR CHRYSOTILE ASBESTOS (pp. 8-11). (BIOSIS/88/23613). Petruska, J; Marsh, JP; Kagan, E; Mossman, BT.
- Petruska, J; Mossman, BT. (1989). DETECTION OF MALONDIALDEHYDE MDA IN BRONCHOALVEOLAR LAVAGE BAL OF RATS EXPOSED TO CROCIDOLITE ASBESTOS (pp. 14-17). (BIOSIS/89/20554). Petruska, J; Mossman, BT.
- Petruska, JM; Leslie, KO; Mossman, BT. (1991). Enhanced lipid peroxidation in lung lavage of rats after inhalation of asbestos. *Free Radic Biol Med* 11: 425-432. [http://dx.doi.org/10.1016/0891-5849\(91\)90160-5](http://dx.doi.org/10.1016/0891-5849(91)90160-5).
- Petruska, JM; Marsh, J; Bergeron, M; Mossman, BT. (1990). Brief inhalation of asbestos compromises superoxide production in cells from bronchoalveolar lavage. *Am J Respir Cell Mol Biol* 2: 129-136. <http://dx.doi.org/10.1165/ajrcmb/2.2.129>.
- Petsonk, EL; Storey, E; Becker, PE; Davidson, CA; Kennedy, K; Vallyathan, V. (1988). Pneumoconiosis in Carbon Electrode Workers. *J Occup Med* 30: 887-891.
- Pettinari, A; Mengucci, R; Belli, S; Comba, P. (1994). [Mortality of workers employed at an asbestos cement manufacturing plant in Senigallia]. *Med Lav* 85: 223-230.
- Pezerat, H; Zalma, R; Guignard, J; Jaurand, MC. (1989). Production of oxygen radicals by the reduction of oxygen arising from the surface activity of mineral fibres. IARC Sci Publ 100-111.
- Pfau, JC; Hurley, K; Peterson, C; Coker, L; Fowers, C; Marcum, R. (2014). Activation and trafficking of peritoneal B1a B-cells in response to amphibole asbestos. *J Immunotoxicol* 11: 90-98. <http://dx.doi.org/10.3109/1547691X.2013.796024>.
- Pfau, JC; Li, S; Holland, S; Sentissi, JJ. (2011). Alteration of fibroblast phenotype by asbestos-induced autoantibodies. *J Immunotoxicol* 8: 159-169. <http://dx.doi.org/10.3109/1547691X.2011.562257>.
- Pfau, JC; Sentissi, J; Thompson, R; Mackenzie, C. (2005). Asbestos-Induced Autoimmunity In C57BL/6 Mice. *Toxicol Sci* 84: 186.
- Pfau, JC; Sentissi, JJ; Li, S; Calderon-Garciduenas, L; Brown, JM; Blake, DJ. (2008). Asbestos-induced autoimmunity in C57Bl/6 mice. *J Immunotoxicol* 5: 129-137. <http://dx.doi.org/10.1080/15476910802085756>.
- Pfau, JC; Sentissi, JJ; Weller, G; Putnam, EA. (2005). Assessment of autoimmune responses associated with asbestos exposure in Libby, Montana, USA. *Environ Health Perspect* 113: 25-30. <http://dx.doi.org/10.1289/ehp.7431>.
- Pfau, JC; Serve, KM; Noonan, CW. (2014). Autoimmunity and asbestos exposure [Review]. 2014: 782045. <http://dx.doi.org/10.1155/2014/782045>.
- Pfeiffer, CJ. (1976). [The epidemiology of gastric cancer (author's transl)] [Review]. 6: 59-71.
- Pfeiffer, CJ. (1985). Gastrointestinal Tract (pp. 230-247). (NIOSH/00170890). Pfeiffer, CJ.
- Pfizer, EA. (1968). Toxicology (pp. 244-270). (NIOSH/00177206). Pfizer, EA.
- Pfizer, EA. (1975). Toxicology (pp. industrial). (NIOSH/00177655). Pfizer, EA.

Human Health Hazard Literature Search Results

On Topic

- Pham, VH; Lan Tran, TN; Le, GV; Movahed, M; Jiang, Y; Pham, NH; Ogawa, H; Takahashi, K. (2013). Asbestos and Asbestos-related Diseases in Vietnam: In reference to the International Labor Organization/World Health Organization National Asbestos Profile. *Saf Health Work* 4: 117-121. <http://dx.doi.org/10.1016/j.shaw.2013.04.002>.
- Phanpravit, W; Sujirarat, D; Chaikittiporn, C. (2009). Health risk among asbestos cement sheet manufacturing workers in Thailand. *J Med Assoc Thai* 92 Suppl 7: S115-S120.
- Phelka, AD; Finley, BL. (2012). Potential health hazards associated with exposures to asbestos-containing drywall accessory products: A state-of-the-science assessment [Review]. *Crit Rev Toxicol* 42: 1-27. <http://dx.doi.org/10.3109/10408444.2011.613067>.
- Phelps, DS; Ginns, LC; Sprince, NL; Oliver, LC. (1990). CHANGES IN SURFACTANT-ASSOCIATED PROTEIN A RESULTING FROM ASBESTOS EXPOSURE (pp. 20-24). (BIOSIS/90/18833). Phelps, DS; Ginns, LC; Sprince, NL; Oliver, LC.
- Philippou, S; Mandelartz, H. (1993). [Detection of asbestos in thoracic lymph nodes in patients with asbestosis]. *Pneumologie* 47: 409-413.
- Phillips, JI; Murray, J. (2010). Malignant mesothelioma in a patient with anthophyllite asbestos fibres in the lungs. *Ann Occup Hyg* 54: 412-416. <http://dx.doi.org/10.1093/annhyg/meq034>.
- Piao, CQ; Zhao, YL; Hei, TK. (2001). Analysis of p16 and p21(Cip1) expression in tumorigenic human bronchial epithelial cells induced by asbestos. *Oncogene* 20: 7301-7306. <http://dx.doi.org/10.1038/sj.onc.1204908>.
- Picado, C; Laporta, D; Grassino, A; Cosio, M; Thibodeau, M; Becklake, MR. (1987). Mechanisms affecting exercise performance in subjects with asbestos-related pleural fibrosis. *Lung* 165: 45-57.
- Picado, C; Rodriguez-Roisin, R; Agustí-Vidal, A. (1983). Severe alcoholism and asbestos exposure: report of two cases. *Eur J Respir Dis* 64: 234-236.
- Picklesimer, AH; Zanagnolo, V; Niemann, TH; Eaton, LA; Copeland, LJ. (2005). Case report: Malignant peritoneal mesothelioma in two siblings. *Gynecol Oncol* 99: 512-516. <http://dx.doi.org/10.1016/j.ygyno.2005.06.033>.
- Pickrell, JA; Hill, JO; Carpenter, RL; Hahn, FF; Rebar, AH. (1983). In vitro and in vivo response after exposure to man-made mineral and asbestos insulation fibers. *Am Ind Hyg Assoc J* 44: 557-561. <http://dx.doi.org/10.1080/15298668391405319>.
- Picozzi, G; Falaschi, F; Lopes Pegna, A. (2016). [HRCT and LDCT in workers exposed to asbestos: a review of the literature in view of the Helsinki Criteria]. *Epidemiol Prev* 40: 51-55. <http://dx.doi.org/10.19191/EP16.1S1.P051.030>.
- Pierce, JS; Mckinley, M; Paustenbach, DJ; Finley, BL. (2008). An evaluation of reported no-effect chrysotile asbestos exposures for lung cancer and mesothelioma [Review]. *Crit Rev Toxicol* 38: 191-214. <http://dx.doi.org/10.1080/10408440701845609>.
- Pierce, JS; Ruestow, PS; Finley, BL. (2016). An updated evaluation of reported no-observed adverse effect levels for chrysotile asbestos for lung cancer and mesothelioma. *Crit Rev Toxicol* 46: 561-586. <http://dx.doi.org/10.3109/10408444.2016.1150960>.
- Pierre, N; Iwatsubo, Y; Ameille, J; Cordier, S; Mandereau, L; Raix, A; Freddy, M; Delage, A; Bignon, J; Brochard, P. (1995). [Longitudinal study of radiologic anomalies in subjects working in asbestos-insulated buildings]. *Rev Epidemiol Sante Publique* 43: 432-443.
- Pietarinen-Runtti, P; Raivio, KO; Linnainmaa, K; Ekman, A; Saksela, M; Kinnula, VL. (1996). Differential Effects of Tumor Necrosis Factor and Asbestos Fibers on Manganese Superoxide Dismutase Induction and Oxidant-Induced Cytotoxicity in Human Mesothelial Cells. *Cell Biol Toxicol* 12: 167-175.
- Pietri, F; Clavel, F. (1991). Occupational Exposure and Cancer of the Pancreas: A Review. *Br J Ind Med* 48: 583-587.
- Pietrofesa, RA; Velalopoulou, A; Albelda, SM; Christofidou-Solomidou, M. (2016). Asbestos Induces Oxidative Stress and Activation of Nrf2 Signaling in Murine Macrophages: Chemopreventive Role of the Synthetic Lignan Secoisolaricresinol Diglucoside (LGM2605). *International Journal of Molecular Sciences* 17: 322. <http://dx.doi.org/10.3390/ijms17030322>.
- Pietrofesa, RA; Velalopoulou, A; Arguiri, E; Menges, CW; Testa, JR; Hwang, WT; Albelda, SM; Christofidou-Solomidou, M. (2015). Flaxseed lignans enriched in secoisolaricresinol diglucoside prevent acute asbestos-induced peritoneal inflammation in mice. *Carcinogenesis* 37: 177-187. <http://dx.doi.org/10.1093/carcin/bgv174>.
- Pietruska, JR; Johnston, T; Zhitkovich, A; Kane, AB. (2010). XRCC1 deficiency sensitizes human lung epithelial cells to genotoxicity by crocidolite asbestos and Libby amphibole. *Environ Health Perspect* 118: 1707-1713. <http://dx.doi.org/10.1289/ehp.1002312>.
- Pietruska, JR; Kane, AB. (2007). SV40 oncoproteins enhance asbestos-induced DNA double-strand breaks and abrogate senescence in murine mesothelial cells. *Cancer Res* 67: 3637-3645. <http://dx.doi.org/10.1158/0008-5472.CAN-05-3727>.
- Pietrzyca, B; Moniewska, A; Lange, A. (1989). EFFECTS OF 3 METHYLCHOLANTHRENE COATED ASBESTOS ON HEMATOLOGICAL STATUS OF F1 NZB C57BL-6 MICE (pp. SECAUCUS). (BIOSIS/90/02051). Pietrzyca, B; Moniewska, A; Lange, A.
- Piette, M. (1979). [Asbestos pollution. A real danger for our population?]. *Arch Belg Med Soc Hyg Med Trav Med Leg* 37: 626-633.
- Pigott, GH; Gaskell, BA; Ishmael, J. (1981). Effects of long term inhalation of alumina fibres in rats. *Int J Exp Pathol* 62: 323-331.
- Pigott, GH; Ishmael, J. (1979). Toxicological assessment of potential hazards from new inorganic fibres. *J Soc Occup Med* 29: 20-21.
- Pigott, GH; Ishmael, J. (1981). An assessment of the fibrogenic potential of two refractory fibres by intraperitoneal injection in rats. *Toxicol Lett* 8: 153-163.
- Pigott, GH; Ishmael, J. (1982). A Strategy For The Design And Evaluation Of A 'Safe' Inorganic Fibr. *Ann Occup Hyg* 26: 1-4.
- Pigott, GH; Ishmael, J. (1992). The effects of intrapleural injections of alumina and aluminosilicate (ceramic) fibres. *Int J Exp Pathol* 73: 137-146.
- Pigott, GH; Judge, PJ. (1980). The Effects Of Mineral Dusts 'In Vitro': A Comparison Of The Response Of Rat Peritoneal Macrophages And The P388D1 Cell Line (pp. he). (Niosh/00158190). DU PONT CORP.
- Pigott, GH; Pinto, PJ. (1983). Effects of nonfibrous minerals in the V79-4 cytotoxicity test. *Environ Health Perspect* 51: 173-179.
- Piirilä, PLM; Huuskonen, O; Kaleva, S; Koskikallio, H; Vehmas, T; L, KK; Sovijärvi, R; Ara - S - Scandinavian Journal Of Work, E; Health Feb, V. (2005). Impairment of lung function in asbestos-exposed workers in relation to high-resolution computed tomography. *Scand J Work Environ Health*.

Human Health Hazard Literature Search Results

On Topic

- Piirilä, P; Kivisaari, L; Huuskonen, O; Kaleva, S; Sovijärvi, A; Vehmas, T. (2009). Association of findings in flow-volume spirometry with high-resolution computed tomography signs in asbestos-exposed male workers. *Clin Physiol Funct Imaging* 29: 1-9. <http://dx.doi.org/10.1111/j.1475-097X.2008.00827.x>.
- Piirilä, P; Lindqvist, M; Huuskonen, O; Kaleva, S; Koskinen, H; Lehtola, H; Vehmas, T; Kivisaari, L; Sovijärvi, AR. (2005). Impairment of lung function in asbestos-exposed workers in relation to high-resolution computed tomography. *Scand J Work Environ Health* 31: 44-51.
- Pilat, L; Mulca, N; Lilis, R; Georgescu, AM; Craciun, O. (1962). Clinical Aspects and Prevention of Asbestosis in a Manufacturing Plant. *Medicina Interna* 14: 167-174.
- Pilger, A; Rüdiger, HW. (2006). 8-Hydroxy-2'-deoxyguanosine as a marker of oxidative DNA damage related to occupational and environmental exposures [Review]. *Int Arch Occup Environ Health* 80: 1-15. <http://dx.doi.org/10.1007/s00420-006-0106-7>.
- Pillgram-Larsen, J; Urdal, L; Smith-Meyer, R; Birkeland, S. (1984). Malignant pleural mesothelioma. A clinical review of 19 patients. 18: 69-73.
- Pinheiro, GA; Henley, S; Larson, T; Antao, VC. (2014). Association Between Asbestos Consumption And Pleural Mesothelioma Incidence In The Usa. *Am J Respir Crit Care Med* 189.
- Pinheiro, PS; Jin, H. (2015). No Increased Risk for Mesothelioma in Relation to Natural-Occurring Asbestos in Southern Nevada [Letter]. *J Thorac Oncol* 10: e62-e63. <http://dx.doi.org/10.1097/JTO.0000000000000564>.
- Pinkerton, K; Pratt, P; Brody, AR; Crapo, JD. (1981). LUNG INJURY PATTERNS IN RATS AS A RESULT OF EXPOSURE TO DIFFERENT CHRYSOTILE ASBESTOS FIBERS (pp. 9-13). (HEEP/82/05859). Pinkerton, K; Pratt, P; Brody, AR; Crapo, JD.
- Pinkerton, KE; Anjilvel, S; Raabe, O; Mercer, RR. (1992). MICRODOSIMETRY OF ASBESTOS IN THE VENTILATORY UNIT OF THE RAT (pp. 17-20). (BIOSIS/92/20035). Pinkerton, KE; Anjilvel, S; Raabe, O; Mercer, RR.
- Pinkerton, KE; Brody, AR; Miller, FJ; Crapo, JD. (1988). EXPOSURE TO A SIMULATED AMBIENT PATTERNS OF OZONE RESULTS IN SIGNIFICANT PULMONARY RETENTION OF ASBESTOS FIBERS (pp. 8-11). (BIOSIS/88/21317). Pinkerton, KE; Brody, AR; Miller, FJ; Crapo, JD.
- Pinkerton, KE; Brody, AR; Miller, FJ; Crapo, JD. (1989). Exposure to low levels of ozone results in enhanced pulmonary retention of inhaled asbestos fibers. *Am J Respir Crit Care Med* 140: 1075-1081. <http://dx.doi.org/10.1164/ajrccm/140.4.1075>.
- Pinkerton, KE; Chang, LY; Barry, BE. (1993). Morphometric Assessment of Lung Injury Patterns following Inhalation of Mineral Fibers (pp. 99-116). (NIOSH/00227930). Pinkerton, KE; Chang, LY; Barry, BE.
- Pinkerton, KE; C-P, Y. (1989). Intrapulmonary Airway Branching and Parenchymal Deposition of Chrysotile Asbestos Fibers (pp. 10-14). (NIOSH/00225182). Pinkerton, KE; Yu C-P.
- Pinkerton, KE; Crapo, JD. (1985). INTERSTITIAL LUNG CELLS AND ASBESTOS-INDUCED PULMONARY FIBROSIS (pp. 12-15). (BIOSIS/85/16476). Pinkerton, KE; Crapo, JD.
- Pinkerton, KE; Grimes, SH; Schenker, MB. (1996). Interaction of Tobacco Smoking with Occupational and Environmental Factors (pp. 827-834). (NIOSH/00229393). Pinkerton, KE; Grimes, SH; Schenker, MB.
- Pinkerton, KE; Mercer, RR; Chechowitz, MA; Crapo, JD. (1990). BIOLOGICAL SEQUELAE OF EXPOSURE TO LOW LEVELS OF OZONE AND CHRYSOTILE ASBESTOS (pp. 20-24). (BIOSIS/90/20761). Pinkerton, KE; Mercer, RR; Chechowitz, MA; Crapo, JD.
- Pinkerton, KE; Plopper, CG; Mercer, RR; Roggli, VL; Patra, AL; Brody, AR; Crapo, JD. (1986). Airway branching patterns influence asbestos fiber location and the extent of tissue injury in the pulmonary parenchyma. *Lab Invest* 55: 688-695.
- Pinkerton, KE; Pratt, PC; Brody, AR; Crapo, JD. (1984). Fiber localization and its relationship to lung reaction in rats after chronic inhalation to chrysotile asbestos. *Am J Pathol* 117: 484-498.
- Pinkerton, KE; Pratt, PC; Crapo, JD. (1982). ULTRASTRUCTURAL CHANGES IN THE ALVEOLAR TYPE II CELL ASSOCIATED WITH ASBESTOS INHALATION (pp. 15-23). (HEEP/82/13515). Pinkerton, KE; Pratt, PC; Crapo, JD.
- Pinkerton, KE; Roggli, VL; Brody, AR; George, M; Crapo, JD. (1986). LONG-TERM RETENTION OF CHRYSOTILE ASBESTOS FOLLOWING ACUTE INHALATION (pp. 11-14). (ISSN 0003-0805 BIOSIS/86/27908). Pinkerton, KE; Roggli, VL; Brody, AR; George, M; Crapo, JD.
- Pinkerton, KE; Young, SL; Fram, EK; Crapo, JD. (1983). COMPUTER BASED 3 DIMENSIONAL RECONSTRUCTION OF RAT ALVEOLAR TYPE II CELL ULTRASTRUCTURE FOLLOWING ASBESTOS INHALATION (pp. 8-11). (ISSN 0003-0805 HEEP/84/09090). Pinkerton, KE; Young, SL; Fram, EK; Crapo, JD.
- Pinkerton, KE; Young, SL; Fram, EK; Crapo, JD. (1990). Alveolar type II cell responses to chronic inhalation of chrysotile asbestos in rats. *Am J Respir Cell Mol Biol* 3: 543-552. <http://dx.doi.org/10.1165/ajrcmb/3.6.543>.
- Pinto, C; Soffritti, M; Maltoni, C. (1995). Ignored occupational risks of asbestos mesotheliomas. *Med Lav* 86: 484-489.
- Pintos, J; Parent, ME; Case, BW; Rousseau, MC; Siemiatycki, J. (2009). Risk of mesothelioma and occupational exposure to asbestos and man-made vitreous fibers: evidence from two case-control studies in Montreal, Canada. *J Occup Environ Med* 51: 1177-1184. <http://dx.doi.org/10.1097/JOM.0b013e3181b68cef>.
- Pintos, J; Parent, ME; Rousseau, MC; Case, BW; Siemiatycki, J. (2008). Occupational exposure to asbestos and man-made vitreous fibers, and risk of lung cancer: evidence from two case-control studies in Montreal, Canada. *J Occup Environ Med* 50: 1273-1281. <http://dx.doi.org/10.1097/JOM.0b013e31818345bb>.
- Piolatto, G; Negri, E; La Vecchia, C; Pira, E; Decarli, A; Peto, J. (1990). An update of cancer mortality among chrysotile asbestos miners in Balangero, northern Italy. *Br J Ind Med* 47: 810-814.
- Pira, E; Coggiola, M; Bosio, D. (2010). [Early lung cancer detection in an occupational asbestos exposed population: clinical impact of low-dose computed tomography screening]. *G Ital Med Lav Ergon* 32: 389-393.
- Pira, E; Pelucchi, C; Buffoni, L; Palmas, A; Turbiglio, M; Negri, E; Piolatto, P; La Vecchia, C. (2005). Cancer mortality in a cohort of asbestos textile workers. *Br J Cancer* 92: 580-586. <http://dx.doi.org/10.1038/sj.bjc.6602240>.
- Pira, E; Pelucchi, C; Piolatto, PG; Negri, E; Bilei, T; La Vecchia, C. (2009). Mortality from cancer and other causes in the Balangero cohort of chrysotile asbestos miners. *Occup Environ Med* 66: 805-809. <http://dx.doi.org/10.1136/oem.2008.044693>.

Human Health Hazard Literature Search Results

On Topic

- Pira, E; Pelucchi, C; Piolatto, PG; Negri, E; Discalzi, G; La Vecchia, C. (2007). First and subsequent asbestos exposures in relation to mesothelioma and lung cancer mortality. *Br J Cancer* 97: 1300-1304. <http://dx.doi.org/10.1038/sj.bjc.6603998>.
- Pira, E; Romano, C; Violante, FS; Farioli, A; Spatari, G; La Vecchia, C; Boffetta, P. (2016). Updated mortality study of a cohort of asbestos textile workers. 5: 2623-2628. <http://dx.doi.org/10.1002/cam4.824>.
- Pira, E; Turbiglio, M; Maroni, M; Carrer, P; La Vecchia, C; Negri, E; Iachetta, R. (1999). Mortality among workers in the geothermal power plants at Larderello, Italy. *Am J Ind Med* 35: 536-539.
- Pirastu, R; Ricci, P; Comba, P; Bianchi, F; Biggeri, A; Conti, S; Fazzo, L; Forastiere, F; Iavarone, I; Martuzzi, M; Musmeci, L; Pasetto, R; Zona, A; Crocetti, E. (2014). [SENTIERI Project: discussion and conclusions]. *Epidemiol Prev* 38: 125-133.
- Pirastu, R; Zona, A; Ancona, C; Bruno, C; Fano, V; Fazzo, L; Iavarone, I; Minichilli, F; Mitis, F; Pasetto, R; Comba, P. (2011). [Mortality results in SENTIERI Project]. *Epidemiol Prev* 35: 29-152.
- Pitarque, S; Fabrega, O; de Lara, N; Company, A; de Peray, JL; Delclos, J; Benavides, FG. (2009). RECONSTRUCTION AND FIRST RESULTS OF THE COHORT OF WORKERS EXPOSED TO ASBESTOS IN CATALONIA. *Gac Sanit* 23: 7-7.
- Pitot, HC. (1980). RELATIONSHIPS OF BIOASSAY DATA ON CHEMICALS TO THEIR TOXIC AND CARCINOGENIC RISK FOR HUMANS (pp. 431-450). (ISSN 0146-4779 HEEP/81/03090). Pitot, HC.
- Pittroff, R. (1972). Preventive Medical Examination for Asbestos-Exposed Worker (pp. 183-186). (NIOSH/00019172). Pittroff, R.
- Pittsburgh, Uo. (1986). MORTALITY AMONG COPPER AND ZINC SMELTER WORKERS IN THE UNITED STATES WITH COVER LETTER DATED 042586. (TSCATS/204670). UNIV OF PITTSBURGH.
- Pizzo, AM; Legittimo, P; Silvestri, S; Chellini, E; Gorini, G; Miligi, L; Costantini, SA. (2010). ASBESTOS EXPOSURE AND RISK OF LUNG CANCER AND MESOTHELIOMA IN A COHORT OF ABOUT 13,000 MALE SUBJECTS IN TUSCANY. *Epidemiol Prev* 34: 160-160.
- Pizzolitto, S; Barillari, B; De Cesare, M. (1986). [Diffuse malignant mesothelioma of the peritoneum and exposure to asbestos]. *Pathologica* 78: 57-70.
- Plaake, M; Fisher, GL. (1988). Application of Macrophage and Peripheral Lung Cultures. *J Appl Toxicol* 8: 399-402.
- Placidi, D; Porru, S; Alessio, L. (1999). [A report of 3 cases of pleural mesothelioma with unusual asbestos exposure] [Review]. *Med Lav* 90: 671-680.
- Placke, ME; Chang, MJW; Fisher, GL. (1986). Age-sensitive morphologic changes in tracheal organ culture following carcinogen exposure. *Toxicol Appl Pharmacol* 86: 253-261.
- Placke, ME; Fisher, GL. (1987). Asbestos in peripheral lung culture a species comparison of pulmonary tissue response. *Drug Chem Toxicol* 10: 133-156. <http://dx.doi.org/10.3109/01480548709042586>.
- Plamenac, P; Nikulin, A; Pikula, B; Marković, Z. (1978). Cytology of the respiratory tract in asbestos miners. 32: 297-309.
- Plamenac, P; Pikula, B; Kahvic, M; Markovic, Z; Selak, I; Zeger-Vidović, Z. (1971). Incidence of "asbestos" bodies in basal lung smear. (A post-mortem study in residents of Sarajevo). 25: 325-332.
- Plamenac, P; Tomić, I; Pikula, B; Kahvić, M; Marković, Z; Selak, I; Zeger-Vidović, Z. (1974). Pleural plaques and splenic capsular sclerosis in urban and rural series of autopsy cases. 28: 201-217.
- Planteydt, HT. (1975). Disease possibility caused by asbestos. 607-609.
- Planteydt, HT. (1975). Mesothelioma and asbestos in the Netherlands. 549-555.
- Planteydt, HT. (1976). MESOTHELIOMA AND ASBESTOS IN THE NETHERLANDS (pp. BERLIN). (HEEP/77/12065). Planteydt, HT.
- Planteydt, HT. (1979). Netherlands mesothelioma register. *Ann N Y Acad Sci* 330: 467-471.
- Planteydt, HT; Stumphius, J; Spuyman, J. (1964). "ASBESTOS BODIES" IN SHIPYARD WORKERS. *Ned Tijdschr Geneesk* 108: 2378-2379.
- Platek, SF; Groth, DH. (1980). Chronic Animal Inhalation Study of Short (5 micrometers) Asbestos Fibers (pp. 099-071). (ISSN 0271-3586 EISSN 1097-0274 NIOSH/00123088). Platek, SF; Groth, DH.
- Platek, SF; Groth, DH; Ulrich, CE; Stettler, LE; Finnell, MS; Stoll, M. (1985). Chronic inhalation of short asbestos fibers. *Fundam Appl Toxicol* 5: 327-340.
- Plato, N; Martinsen, JI; Sparén, P; Hillerdal, G; Weiderpass, E. (2016). Occupation and mesothelioma in Sweden: updated incidence in men and women in the 27 years after the asbestos ban. 38: e2016039. <http://dx.doi.org/10.4178/epih.e2016039>.
- Plato, N; Tornling, G; Hogstedt, C; Krantz, S. (1995). An index of past asbestos exposure as applied to car and bus mechanics. *Ann Occup Hyg* 39: 441-454.
- Plautz, MW; Bailey, K; Wesselius, LJ. (2000). Influence of cigarette smoking on crocidolite-induced ferritin release by human alveolar macrophages. *J Lab Clin Med* 136: 449-456. <http://dx.doi.org/10.1067/mlc.2000.110905>.
- Pliukhin, AE. (2005). [Bronchial and pulmonary diseases among workers of contemporary asbestos technical production]. *Med Tr Prom Ekol* 27-32.
- Pliukhin, AE. (2005). [Occupational bronchitis caused by aerosol fibers of chrysotile asbestos]. *Med Tr Prom Ekol* 16-22.
- Pluygers, E; Baldewyns, P; Minette, P; Beauduin, M; Gourdin, P; Robinet, P. (1992). Biomarker assessments in asbestos-exposed workers as indicators for selective prevention of mesothelioma or bronchogenic carcinoma: rationale and practical implementations. *Eur J Cancer Prev* 1: 129-138.
- Pociask, DA; Sime, PJ; Brody, AR. (2004). Asbestos-derived reactive oxygen species activate TGF-beta1. *Lab Invest* 84: 1013-1023. <http://dx.doi.org/10.1038/labinvest.3700109>.
- Podol'skaia, EV. (1989). [Precancerous conditions of the larynx in workers exposed to dust and their prevention]. *Vestn Otorinolaringol* 0: 67-69.
- Poggi, A; Longo, F; Mansueto, G; Scirocchi, R; De Petris, L; Gemma, D; Borgomastro, A; Marchei, P. (2000). A case of mesothelioma of the tunica vaginalis testis, with involvement of the pleura and peritoneum. *Tumori* 86: 256-257.

Human Health Hazard Literature Search Results

On Topic

- Pohlbeln, H; Wild, P; Schill, W; Ahrens, W; Jahn, I; Bolm-Audorff, U; Jockel, KH. (2002). Asbestos fibre years and lung cancer: a two phase case-control study with expert exposure assessment. *Occup Environ Med* 59: 410-414.
- Pohle, T; Kerenyi, T; Voss, B; Muller, KM. (1992). COMPARATIVE IN-SITU HYBRIDIZATION OF ELASTASE IN IN-VIVO ACTIVATED ALVEOLAR MACROPHAGES (pp. 17-22). (BIOSIS/92/29007). Pohle, T; Kerenyi, T; Voss, B; Muller, KM.
- Pooley, JA; Brauning, RM. (1991). TRANSFORMATION OF SYRIAN HAMSTER EMBRYO SHE CELLS BY CHRYSOTILE ASBESTOS USING A 24 HR AND 7 DAY EXPOSURE AT PH 6.7 AND 7.4 (pp. 15-18). (BIOSIS/91/24141). Pooley, JA; Brauning, RM.
- Polakoff, PL. (1980). Bay Area Asbestos Surveillance Project (BAASP) (pp. 210-278). (NIOSH/00163534). Polakoff, PL.
- Polakoff, PL. (1982). Occupational cancer: avoidable risk. *Occup Health Saf* 51: 23, 25-26.
- Polakoff, PL. (1984). Have we really stopped exposing workers to asbestos? [Editorial]. *Occup Health Saf* 53: 61-62.
- Polakoff, PL; Horn, BR; Scherer, OR. (1979). Prevalence of radiographic abnormalities among Northern California shipyard workers. *Ann N Y Acad Sci* 330: 333-339.
- Polednak, AP. (1974). Latency periods in neoplastic diseases. *Am J Epidemiol* 100: 354-356.
- Polissar, L; Severson, RK; Boatman, ES. (1983). ADDITIONAL NOTES ON THE CASE-CONTROL STUDY IN WESTERN WASHINGTON ON THE CANCER RISK FROM ASBESTOS IN DRINKING-WATER. *Environ Health Perspect* 53: 189-190.
- Polissar, L; Severson, RK; Boatman, ES. (1983). Cancer risk from asbestos in drinking water: summary of a case-control study in western Washington. *Environ Health Perspect* 53: 57-60.
- Polissar, L; Severson, RK; Boatman, ES. (1984). A case-control study of asbestos in drinking water and cancer risk. *Am J Epidemiol* 119: 456-471.
- Polissar, L; Severson, RK; Boatman, ES; Thomas, DB. (1982). Cancer incidence in relation to asbestos in drinking water in the Puget Sound region. *Am J Epidemiol* 116: 314-328.
- Poljšak, B; Fink, R. (2014). The protective role of antioxidants in the defence against ROS/RNS-mediated environmental pollution [Review]. *Oxid Med Cell Longev* 2014: 671539. <http://dx.doi.org/10.1155/2014/671539>.
- Pollastri, S; Gualtieri, AF; Gualtieri, ML; Hanuskova, M; Cavallo, A; Gaudino, G. (2014). The zeta potential of mineral fibres. *J Hazard Mater* 276: 469-479. <http://dx.doi.org/10.1016/j.jhazmat.2014.05.060>.
- Pollastri, S; Gualtieri, AF; Vigliaturo, R; Ignatyev, K; Straffella, E; Pugnali, A; Croce, A. (2016). Stability of mineral fibres in contact with human cell cultures. An in situ μ XANES, μ XRD and XRF iron mapping study. *Chemosphere* 164: 547-557. <http://dx.doi.org/10.1016/j.chemosphere.2016.08.139>.
- Pollice, L; Ferri, GM; Paoletti, L; Gentile, A; Iacobellis, U; Batisti, D; Di Tonno, P; Caruso, G; Molinini, R. (1995). [Concentration of asbestos fibers in urothelial tumors and in the neoplasm-free bladder wall]. *G Ital Med Lav* 17: 11-15.
- Pollice, L; Molinini, R; Paoletti, L; Batisti, D; Caruso, G; Di Nunno, C; Gentile, A. (1997). [Asbestos fiber count in extra-pulmonary tissues]. *G Ital Med Lav Ergon* 19: 39-41.
- Polverosi, R; Vigo, M; Citton, O. (2000). [Pleural and parenchymal lung diseases from asbestos exposure. CT diagnosis]. *Radiol Med* 100: 326-331.
- Polzik, EV; Kogan, FM; Gusel'nikova, NA. (1988). [Prognosis of asbestosis morbidity in female workers manufacturing asbestos]. *Gig Sanit* 0: 27-29.
- Pon, PR. (1972). Value and limitations of respiratory function tests in the detection of asbestosis. *Arch Mal Prof Med Trav Secur Soc* 33: 126-128.
- Pontefract, RD. (1974). PENETRATION OF ASBESTOS THROUGH THE DIGESTIVE WALL IN RATS. *Environ Health Perspect* 9: 213-214.
- Pontefract, RD; Cunningham, HM. (1973). Letter: Penetration of asbestos through the digestive tract of rats. *Nature* 243: 352-353.
- Poole, A; Brown, RC. (1986). COMPARISON OF THE IN-VITRO GENOTOXIC ACTIVITIES OF THREE CARCINOGENIC MINERAL DUSTS (pp. 14-16). (BIOSIS/87/08926). Poole, A; Brown, RC.
- Poole, A; Brown, RC; Fleming, GTA. (1983). Study Of The Cell-Transforming Ability Of Amosite And Crocidolite Asbestos And The Ability To Induce Changes In The Metabolism And Macromolecular Binding Of Benzo(a)pyrene In C3H10T1/2 Cells. *Environ Health Perspect* 51: 319-324.
- Poole, A; Brown, RC; Rood, AP. (1986). The in vitro activities of a highly carcinogenic mineral fibre--potassium octatitanate. *Br J Exp Pathol* 67: 289-296.
- Poole, FT. (1974). A strict interpretation. *Occup Health (Lond)* 26: 405.
- Pooley, FD. (1972). Asbestos bodies, their formation, composition and character. *Environ Res* 5: 363-379.
- Pooley, FD. (1972). Electron microscope characteristics of inhaled chrysotile asbestos fibre. *Br J Ind Med* 29: 146-153.
- Pooley, FD. (1973). ASBESTOS FIBER IN LUNG AND MESOTHELIOMA - RE-EXAMINATION OF MALMO MATERIAL. *Acta Pathol Microbiol Scand A* 81: 390-400.
- Pooley, FD. (1973). Asbestos fibre in the lung and mesothelioma. A re-examination of the Malmö material. *Acta Pathol Microbiol Scand A* 81: 390-400.
- Pooley, FD. (1974). MESOTHELIOMA IN RELATION TO EXPOSURE (pp. LYON). (HEEP/75/04236). Pooley, FD.
- Pooley, FD. (1976). An examination of the fibrous mineral content of asbestos lung tissue from the Canadian chrysotile mining industry. *Environ Res* 12: 281-298.
- Pooley, FD; Clark, N. (1979). Fiber dimensions and aspect ratio of crocidolite, chrysotile and amosite particles detected in lung tissue specimens. *Ann N Y Acad Sci* 330: 711-716.
- Pooley, FD; Clark, NJ. (1980). A comparison of fibre dimensions in chrysotile, crocidolite and amosite particles from samples of airborne dust and from post-mortem lung tissue specimens. *IARC Sci Publ* 79-86.
- Pooley, FD; Mitha, R. (1986). Fiber Types, Concentrations and Characteristics Found in Lung Tissues of Chrysotile-Exposed Cases and Controls. *Accomplishments in Oncology* 1: 1-11.
- Pooley, FD; Mitha, R. (1990). Mineral Fibre in the Lungs of Workers from a British Asbestos Textile Plant (pp. 1189-1193). (ISSN 0021-9746 EISSN 1472-4146 NIOSH/00198425). Pooley, FD; Mitha, R.

Human Health Hazard Literature Search Results

On Topic

- Poore, SH. (1987). Asbestos captures notice abroad; leaders disagree on dangers. *Occup Health Saf* 56: 55-59, 71.
- Pope, AR; Baumgarten, S. (1991). MESOTHELIOMA IN COMMUNITY HOSPITAL PATIENTS RELATIONSHIP OF ASBESTOS EXPOSURE AND OUTCOME (pp. 12-15). (BIOSIS/91/23367). Pope, AR; Baumgarten, S.
- Popescu, CB. (1983). Cigarettes and asbestos: a tale of two industries. *Hosp Pract (Off Ed)* 18: 250, 252, 254 passim.
- Popescu, NC; Chahinian, AP; Dipaolo, JA. (1988). NONRANDOM CHROMOSOME ALTERATIONS IN HUMAN MALIGNANT MESOTHELIOMA. *Cancer Res* 48: 142-147.
- Popp, W. (1996). [New data on syncarcinogenesis in tumors of exogenous origin] [Review]. *Zentralblatt fuer Hygiene und Umweltmedizin* 198: 407-428.
- Porin, J; Fabre, J; Hauttemment, JL; Pon, P; Borel, J. (1972). Study of alveolo-capillary diffusion in asbestosis (pp. 271-278). (HEEP/73/05333). Porin, J; Fabre, J; Hauttemment, JL; Pon, P; Borel, J.
- Porta, M; Ayude, D; Alguacil, J; Jariod, M. (2003). Exploring environmental causes of altered ras effects: Fragmentation plus integration? [Review]. *Mol Carcinog* 36: 45-52. <http://dx.doi.org/10.1002/mc.10093>.
- Portaluri, M; Morelli, F. (1998). [Case series of mesotheliomas from hospital archives as contribution to preventive intervention]. *Ann Ist Super Sanita* 34: 513-518.
- Poser, I; Rahman, Q; Lohani, M; Yadav, S; Becker, HH; Weiss, DG; Schiffmann, D; Dopp, E. (2004). Modulation of genotoxic effects in asbestos-exposed primary human mesothelial cells by radical scavengers, metal chelators and a glutathione precursor. *Mutat Res* 559: 19-27. <http://dx.doi.org/10.1016/j.mrgentox.2003.12.006>.
- Posner, E. (1976). [The history of pneumoconiosis]. *Gesnerus* 33: 48-64.
- Postman, BF. (1962). Dust control in the asbestos textile industry. *Am Ind Hyg Assoc J* 23: 67-74. <http://dx.doi.org/10.1080/00028896209343204>.
- Potanovich, LM. (1993). Lung cancer: prevention and detection update [Review]. *Semin Oncol Nurs* 9: 174-179.
- Poti, S; Bellomo, RK; Di Pierri, C; L'Abbate, N. (2006). [Poliomyelitis vaccine contaminated with SV40 and prior exposure to asbestos: cognitive study in a group of car repair workers]. *G Ital Med Lav Ergon* 28: 168-169.
- Pott, EF; Guth, F; Friedrichs, KH. (1972). Rat Tumors After Intraperitoneal Injection of Ground Chrysotile Asbestos and Benzo(a)pyrene (pp. 5-6). (NIOSH/00002282). Pott, EF; Guth, F; Friedrichs, KH.
- Pott, F. (1975). [Significance and size of inhalable fibers and their carcinogenic effect]. 593-594.
- Pott, F. (1980). Animal experiments on biological effects of mineral fibres.
- Pott, F. (1983). Investigations Of The Etiology Of Asbestos Induced Tumors (pp. 372-375). (NIOSH/00144096). Pott, F.
- Pott, F. (1983). INVESTIGATIONS ON THE ETIOLOGY OF ASBESTOS INDUCED-TUMORS. *Atemwegs- und Lungenkrankheiten* 9: 372-375.
- Pott, F. (1987). [Fiber as a carcinogenic agent] [Review]. *Zentralbl Bakteriol, Mikrobiol Hyg, Ser B* 184: 1-23.
- Pott, F. (1991). Neoplastic findings in experimental asbestos studies and conclusions for fiber carcinogenesis in humans [Review]. *Ann N Y Acad Sci* 643: 205-218.
- Pott, F. (1993). Testing the Carcinogenicity of Fibers in Laboratory Animals: Results and Conclusions (pp. 395-424). (NIOSH/00227939). Pott, F.
- Pott, F. (1994). Asbestos use and carcinogenicity in Germany and a comparison with animal studies. *Ann Occup Hyg* 38: 589-600, 420.
- Pott, F; Dolgner, R; Friedrichs, KH; Huth, F. (1976). [The oncogenic effect of fibrous dust. Animal experiments and their relationship with human carcinogenesis]. 21: 237-246.
- Pott, F; Dolgner, R; K-H, F; Huth, F. (1976). ANIMAL EXPERIMENTS CONCERNING THE CARCINOGENIC EFFECT OF FIBROUS DUSTS INTERPRETATION OF RESULTS CONSIDERING THE CARCINOGENESIS IN HUMANS (pp. 237-246). (HEEP/77/10847). Pott, F; Dolgner, R; Friedrichs K-H; Huth, F.
- Pott, F; FRIEDRIC.KH; Huth, F. (1972). TUMORS OF RATS AFTER IP INJECTION OF POWDERED CHRYSOTILE AND BENZO(A)PYRENE. *Zentralbl Bakteriol, Parasitenkd, Infektionskrankh Hyg, Abt 1: Orig, Reihe B* 155: 463-&.
- Pott, F; Friedrichs, KH. (1972). TUMORS OF THE RAT AFTER INTRA PERITONEAL INJECTION OF FIBROUS DUST. *Naturwissenschaften* 59.
- Pott, F; Friedrichs, KH; Huth, F. (1976). [Results of animal experiments concerning the carcinogenic effect of fibrous dusts and their interpretation with regard to the carcinogenesis in humans (author's transl)]. 162: 467-505.
- Pott, F; Huth, F; Friedrichs, KH. (1974). Tumorigenic effect of fibrous dusts in experimental animals. *Environ Health Perspect* 9: 313-315.
- Pott, F; Huth, F; Spurny, K. (1980). Tumour induction after intraperitoneal injection of fibrous dusts.
- Pott, F; H-W, S. (1986). CANCER RISK BY INHALATION OF TOXIC SUBSTANCES (pp. 4-8). (BIOSIS/86/31703). Pott, F; Schlipkoeter H-W.
- Pott, F; Roller, M; Ziem, U; Reiffer, FJ; Bellmann, B; Rosenbruch, M; Huth, F. (1989). Carcinogenicity studies on natural and man-made fibres with the intraperitoneal test in rats.
- Pott, F; Stober, W; Spurny, K. (1983). Properties Of Asbestos And Other Fibrous Dusts With Regard To Their Carcinogenicity (pp. 585-592). (NIOSH/00150298). Pott, F; Stober, W; Spurny, K.
- Pott, F; Ziem, U; Reiffer, FJ; Huth, F; Ernst, H; Mohr, U. (1987). Carcinogenicity studies on fibres, metal compounds, and some other dusts in rats. *Exp Toxicol Pathol* 32: 129-152.
- Potts, F; Friedrichs, KH. (1972). Tumors in Rats After Intraperitoneal Injection of Fibrous Dusts. *Naturwissenschaften* 59.
- Powley, I, an; Galavotti, S; Sun, XM; Chernova, T; Nakas, A; Le Quesne, J; Pringle, H; Fennell, D; Macfarlane, M. (2014). Predicting sensitivity to PI3K/mTOR inhibition in asbestos-induced malignant mesothelioma models. *Toxicol Lett* 229: S153-S153. <http://dx.doi.org/10.1016/j.toxlet.2014.06.534>.
- Pratt, PC. (1992). Was the literature "corrupted"? [Letter]. *Am J Ind Med* 22: 609-613.
- Prazakova, S; Johnson, A; Thomas, P; Yates, D. (2014). INCIDENCE OF OCCUPATIONAL AND NON-OCCUPATIONAL ASBESTOS EXPOSURE IN THOSE WITH LUNG CANCER. *Respirology* 19: 123-123.

Human Health Hazard Literature Search Results

On Topic

- Prazakova, S; Thomas, P; Johnson, A; Yap, C; Marks, G; Yates, D. (2015). ASBESTOS BODY LUNG BURDENS IN THOSE WITH LUNG CANCER. *Respirology* 20: 82-82.
- Prazakova, S; Thomas, PS; Sandrini, A; Miles, S; Yates, DH. (2013). RESPIRATORY SYMPTOMS AND QUALITY OF LIFE IN ASBESTOS-RELATED DIFFUSE PLEURAL THICKENING AND PLEURAL PLAQUES. *Respirology* 18: 69-69.
- Prazakova, S; Thomas, PS; Sandrini, A; Yates, DH. (2014). Asbestos and the lung in the 21st century: an update [Review]. *Clinical Respiratory Journal* 8: 1-10. <http://dx.doi.org/10.1111/crj.12028>.
- Preisser, AM; Wilken, D; Baur, X. (2009). Changes in Lung Function Due to Asbestosis and Asbestos-Related Pleural Plaques. *Am J Respir Crit Care Med* 179.
- Prentice, J. (1985). RATE OF DECLINE OF ASBESTOS FIBER CONCENTRATIONS IN ROOM AIR [Letter]. *Ann Occup Hyg* 29: 439-440.
- Prescott, S; Taylor, RE; Sclare, G; Busuttill, A. (1988). MALIGNANT MESOTHELIOMA OF THE TUNICA VAGINALIS TESTIS A CASE REPORT. *J Urol* 140: 623-624.
- Press, M; Kamel, HMH; Bharucha, H. (1988). A CORRELATION OF ASBESTOS FIBER CONTENT TO LUNG PATHOLOGY IN 90 CASES OF OCCUPATIONAL ASBESTOS EXPOSURE. *J Pathol* 155: A353-A353.
- Preston-Martin, S; Peters, JM. (1988). PRIOR EMPLOYMENT AS A WELDER ASSOCIATED WITH THE DEVELOPMENT OF CHRONIC MYELOID LEUKEMIA. *Br J Cancer* 58: 105-108.
- Prewitt, T; Chaudhri, G; Pogrebiniak, H; Pass, H. (1993). DIFFERENTIAL EXPRESSION OF CYTOKINES BY ASBESTOS-EXPOSED HUMAN MONOCYTES (pp. 19-22). (BIOSIS/93/24408). Prewitt, T; Chaudhri, G; Pogrebiniak, H; Pass, H.
- Prianichnikova, NI; Mazhaeva, TV; Dubenko, SÉ; Obukhova, TI, u; Chirkova, IA. (2014). [Risk factors and development of metabolic disorders in workers of "Uralasbest" enterprise]. *Med Tr Prom Ekol* 22-25.
- Price, B. (1997). Analysis of current trends in United States mesothelioma incidence. *Am J Epidemiol* 145: 211-218.
- Price, B. (2004). Radiographic abnormalities and asbestos exposure: Libby, Montana [Letter]. *Environ Health Perspect* 112: A82-A83. <http://dx.doi.org/10.1289/ehp.112-a82>.
- Price, B. (2008). Exposure to airborne amphibole structures and health risks: Libby, Montana. *Regul Toxicol Pharmacol* 52: S97-S109. <http://dx.doi.org/10.1016/j.yrtph.2007.09.015>.
- Price, B. (2008). Rapporteur's Report Session 5: assessment of health risk associated with exposure to non-asbestiform amphiboles including ingestion studies. *Regul Toxicol Pharmacol* 52: S204-S206. <http://dx.doi.org/10.1016/j.yrtph.2007.11.011>.
- Price, B; Ware, A. (2007). Mesothelioma: Risk apportionment among asbestos exposure sources (vol 25, pg 937, 2005). *Risk Anal* 27: 787-787. <http://dx.doi.org/10.1111/j.1539-6924.2007.00923>.
- Price-Jones, MJ; Gubbings, G; Chamberlain, M. (1980). THE GENETIC EFFECT OF CROCIDOLITE ASBESTOS; COMPARISON OF CHROMOSOME ABNORMALITIES AND SISTER-CHROMATID EXCHANGES. (ANEUPL/80/001152). Price-Jones, MJ; Gubbings, G; Chamberlain, M.
- Price-Jones, MJ; Gubbings, G; Chamberlain, M. (1980). The genetic effects of crocidolite asbestos: Comparison of chromosome abnormalities and sister-chromatid exchanges. *Mutat Res* 79: 331-336. [http://dx.doi.org/10.1016/0165-1218\(80\)90157-3](http://dx.doi.org/10.1016/0165-1218(80)90157-3).
- Prieditis, H; Adamson, IY. (1996). Alveolar macrophage kinetics and multinucleated giant cell formation after lung injury. *J Leukoc Biol* 59: 534-538.
- Prieto, MA; Suess, A; March, JC; Danet, A; Corral, OP; Martín, A. (2011). [Opinions and expectations of patients with health problems associated to asbestos exposure]. *An Sist Sanit Navar* 34: 33-42.
- Prodi, V; Mularoni, A. (1985). ELECTROSTATIC LUNG DEPOSITION EXPERIMENTS WITH HUMANS AND ANIMALS (pp. 229-240). (ISSN 0003-4878 EISSN 1475-3162 BIOSIS/86/09423). Prodi, V; Mularoni, A.
- Program, ODoHSSHIE. (2005). Health Consultation: Supreme Perlite, Portland, Multnomah County, Oregon. EPA Facility ID: ORO5102390. 50.
- Proietti, L; Spicuzza, L; Di Maria, A; Polosa, R; Sebastian Torres, E; Asero, V; Di Maria, GU. (2006). Non-occupational malignant pleural mesothelioma due to asbestos and non-asbestos fibres [Review]. *Monaldi Arch Chest Dis* 65: 210-216. <http://dx.doi.org/10.4081/monaldi.2006.551>.
- Pryadilova, NV. (1980). USE OF CELL CULTURES IN THE STUDY OF THE PATHOGENIC ACTIVITY OF INDUSTRIAL DUSTS. *Gig Tr Prof Zabol* 0: 29-34.
- Pugnaloni, A; Giantomassi, F; Lucarini, G; Capella, S; Belmonte, MM; Orciani, M; Belluso, E. (2010). Effects of asbestiform antigorite on human alveolar epithelial A549 cells: a morphological and immunohistochemical study. *Acta Histochem* 112: 133-146. <http://dx.doi.org/10.1016/j.acthis.2008.10.002>.
- Pugnaloni, A; Giantomassi, F; Lucarini, G; Capella, S; Bloise, A; Di Primio, R; Belluso, E. (2013). Cytotoxicity induced by exposure to natural and synthetic tremolite asbestos: an in vitro pilot study. *Acta Histochem* 115: 100-112. <http://dx.doi.org/10.1016/j.acthis.2012.04.004>.
- Pugnaloni, A; Lucarini, G; Rubini, C; Smorlesi, A; Tomasetti, M; Strafella, E; Armeni, T; Gualtieri, AF. (2015). Raw and thermally treated cement asbestos exerts different cytotoxicity effects on A549 cells in vitro. *Acta Histochem* 117: 29-39. <http://dx.doi.org/10.1016/j.acthis.2014.10.007>.
- Puhakka, A; Ollikainen, T; Soini, Y; Kahlos, K; Säily, M; Koistinen, P; Pääkkö, P; Linnainmaa, K; Kinnula, VL. (2002). Modulation of DNA single-strand breaks by intracellular glutathione in human lung cells exposed to asbestos fibers. *Mutat Res* 514: 7-17.
- Pukkala, E; Martinsen, JI; Weiderpass, E; Kjaerheim, K; Lyng, E; Tryggvadottir, L; Sparén, P; Demers, PA. (2014). Cancer incidence among firefighters: 45 years of follow-up in five Nordic countries. *Occup Environ Med* 71: 398-404. <http://dx.doi.org/10.1136/oemed-2013-101803>.
- Pukkala, E; Saarni, H. (1996). Cancer incidence among Finnish seafarers, 1967-92. *Cancer Causes Control* 7: 231-239.
- Pullan, BR; Chapman, JA; Williams, AR; Taylor, CJ; Hukins, DW; Sharma, H. (1983). Medical biophysics in Manchester. 12: 155-156.
- Puntoni, R; Merlo, F; Borsa, L; Reggiardo, G; Garrone, E; Ceppi, M. (2001). A historical cohort mortality study among shipyard workers in Genoa, Italy. *Am J Ind Med* 40: 363-370.

Human Health Hazard Literature Search Results

On Topic

- Puntoni, R; Russo, L; Zannini, D; Vercelli, M; Gambaro, RP; Valerio, F; Santi, L. (1977). Mortality among dock-yard workers in Genoa, Italy. *Tumori* 63: 91-96.
- Puntoni, R; Valerio, F; Santi, L. (1976). Pleural mesothelioma among dock-yard workers in Genoa. *Tumori* 62: 205-210.
- Puntoni, R; Vercelli, M; Merlo, F; Valerio, F; Santi, L. (1979). Mortality among shipyard workers in Genoa, Italy. *Ann N Y Acad Sci* 330: 353-377.
- Purdue, MP; Järholm, B; Bergdahl, IA; Hayes, RB; Baris, D. (2006). Occupational exposures and head and neck cancers among Swedish construction workers. *Scand J Work Environ Health* 32: 270-275.
- Putnam, EA; Brezinski, M; Groves, A; Smartt, A; Pershouse, M. (2006). Histological and gene expression changes in mice after exposure to the libby amphibole [Abstract]. *Toxicol Sci* 90: 223.
- Putnam, EA; Groves, A; Wallis, K; Caruso, J; Pershouse, MA. (2003). Genetic susceptibility to asbestos-related diseases. *Toxicol Sci* 72: 99-99.
- Putnam, EA; Smartt, A; Groves, A; Schwanke, C; Brezinski, M; Pershouse, MA. (2008). Gene expression changes after exposure to six-mix in a mouse model. *J Immunotoxicol* 5: 139-144. <http://dx.doi.org/10.1080/15476910802085772>.
- Pylev, DN; Smirnova, OV; Vasil'eva, LA; Khrustalev, SA; Vezentsev, AI; Gudkova, EA; Naumova, LN. (2010). [Experimental rationale for carcinogenic risk of asbestos cement industry and its products]. *Gig Sanit*61-65.
- Pylev, LN. (1972). [Morphologic changes in the lungs of rats induced by intratracheal administration of chrysotyl-asbestos, alone and mixed with benz(alpha)pyrene]. *Vopr Onkol* 18: 40-45.
- Pylev, LN. (1974). [Carcinogenic activity of chrysotile asbestos administered intrapleurally to rats]. *Vopr Onkol* 20: 47-53.
- Pylev, LN. (1974). Carcinogenic activity of commercial chrysotile asbestos. *Vopr Onkol* 20: 87-88.
- Pylev, LN. (1976). [A histochemical study of mesotheliomas of the pleura, induced by asbestos in rats]. *Vopr Onkol* 22: 53-57.
- Pylev, LN. (1980). Pretumorous lesions and lung and pleural tumours induced by asbestos in rats, Syrian golden hamsters and *Macaca mulatta* (rhesus) monkeys. *IARC Sci Publ* 1: 343-355.
- Pylev, LN. (1987). THE ROLE OF MODIFYING FACTORS IN THE CARCINOGENIC ACTION OF ASBESTOS AND ASBESTOS-CONTAINING DUSTS [Review]. *Eksp Onkol* 9: 14-17.
- Pylev, LN; Iankova, GD. (1975). [Carcinogenic activity of magnesite arfvedsonite (group of amphibole asbestos minerals) administered intrapleurally to nonbred rats]. *Vopr Onkol* 21: 71-76.
- Pylev, LN; Kogan, FM; Kulagina, TF. (1988). CARCINOGENIC ACTIVITY OF ASBESTOS-CEMENT DUST. *Gig Tr Prof Zabol* 0: 55-57.
- Pylev, LN; Kulagina, TF. (1976). The mechanism of asbestos induction of pleural mesotheliomas in rats. *Vopr Onkol LENINGR*: 63-68.
- Pylev, LN; Kulagina, TF. (1976). [Mechanism of the induction of asbestos mesotheliomas in the pleura of rats]. *Vopr Onkol* 22: 63-68.
- Pylev, LN; Kulagina, TF. (1976). [Transplantable strain of pleural mesothelioma (MSh-71) induced by asbestos in rats]. *Vopr Onkol* 22: 92-95.
- Pylev, LN; Kulagina, TF; Vasil'eva, LA; Piatina, GP; Uzunov, P. (1986). [Evaluation of the carcinogenicity of the respirable dust of Bulgarian anthophyllite asbestos]. *Gig Tr Prof Zabol* 0: 54-56.
- Pylev, LN; Kulagina, TF. (1981). Blastomogenic activity of natural and synthetic asbestos after administration into hamster lungs. *Eksp Onkol* 3: 63-67.
- Pylev, LN; Kurliandskiĭ, BA; Nevzorova, NI; Kulagina, TF. (1990). [Possibilities of the use of the dose-response relationship in the prognostication of MPEL of carcinogenic aerosols (for instance, asbestos)]. *Gig Tr Prof Zabol*35-39.
- Pylev, LN; Kurlyandskiĭ, BA; Nevzorova, NI; Kulagina, TF. (1990). Prospects for using the dose-time-effect relationship in predicting the maximum permissible concentration of a carcinogenic aerosol (using asbestos as an example). *Gig Tr Prof Zabol* 0: 35-39.
- Pylev, LN; Martynova, EA. (1984). THE CYTOTOXIC EFFECT OF VARIOUS TYPES OF SYNTHETIC ASBESTOS ON THE CULTURE OF MURINE PERITONEAL MACROPHAGES. *Gig Tr Prof Zabol* 0: 50-52.
- Pylev, LN; Shabad, LM. (1973). Biological Effects of Asbestos Some results of experimental studies in asbestos carcinogenesis. Lyon, France: International Agency on the Research of Cancer. <http://apps.who.int/bookorders/anglais/detart1.jsp?sesslan=1&codlan=1&codcol=73&codcch=8>.
- Pylev, LN; Shabad, LM. (1974). SOME RESULTS OF EXPERIMENTAL STUDIES IN ASBESTOS CARCINOGENESIS (pp. LYON). (HEEP/75/04217). Pylev, LN; Shabad, LM.
- Pylev, LN; Sharashidze, LK; Turkiya, NG; Krasnyanskaya, PN; Kulagina, TF. (1982). Pleural Mesothelioma In *Macaca Mulatta* (Rhesus) Monkeys Induced By Intratracheal Injections Of Chrysotile Asbestos (pp. 36-38). (NIOSH/00145478). Pylev, LN; Sharashidze, LK; Turkiya, NG; Krasnyanskaya, PN; Kulagina, TF.
- Pylev, LN; Smirnova, OV. (2006). [Cancer risk in the production and residential use of asbestos-cement products]. *Gig Sanit*32-36.
- Pylev, LN; Smirnova, OV; Vasil'eva, LA. (2009). [Effect of peptone blocking asbestos-induced carcinogenesis in rats]. *Gig Sanit*65-67.
- Pylev, LN; Smirnova, OV; Vasileva, LA; Ingel, FI. (2014). [Chrysotile-asbestos induces cytogenetic effects in the rat's mesothelium in vitro and in vivo]. *Gig Sanit*97-100.
- Pylev, LN; Smirnova, OV; Vasil'eva, LA; Vezentsev, AI; Gudkova, EA; Naumova, LN; Neĭman, SM. (2007). [Impact of modification of the fiber surface of chrysotile on its biological activity]. *Gig Sanit*77-80.
- Pylev, LN; Stadnikova, NM; Kleĭmenova, EV. (1993). [Intermittent effect of asbestos dust and pleural carcinogenesis in rats]. *Med Tr Prom Ekol*15-17.
- Pylev, LN; Stadnikova, NM; Kleĭmenova, EV; Nevzorova, NI. (1994). [Intermittent effect of asbestos dust and pleural cancerogenesis in rats]. *Gig Sanit*30-32.
- Pylev, LN; Vasil'eva, LA; Krinari, GA. (2004). [Insignificant carcinogenicity of chrysotile asbestos of the Ak-Dovurak deposits in Russia and its possible links]. *Gig Sanit*72-73.
- Pylev, LN; Vasil'eva, LA; Krinari, GA; Bakhtin, AI; Vezentsev, AI; Zubakova, LE. (2002). [The electric properties of fiber surface and the toxicity of asbestos]. *Gig Sanit*61-64.

Human Health Hazard Literature Search Results

On Topic

- Pylev, LN; Vasileva, LA; Kulagina, TF. (1982). EXPERIMENTAL ASPECTS OF ASBESTOS CARCINOGENESIS. *Eksp Onkol* 4: 3-9.
- Pylev, LN; Vasil'eva, LA; Smirnova, OV; Agafonova, MV; Vezentsev, AI; Gudkova, EA. (2008). [On decreasing carcinogenic activity of calcified chrysotile fibers] [Review]. *Med Tr Prom Ekol* 21-25.
- Pylev, LN; Vasil'eva, LA; Smirnova, OV; Vezentsev, AI; Gudkova, EA; Ingel', FI. (2013). [Carcinogenic and mutagenic activity of chrysotile, processed with iron chloride (III)]. *Gig Sanit* 76-80.
- Pylev, LN; Vasil'eva, LA; Stadnikova, NM; Kleimenova, EV; Vezentsev, AI; Zubakova, LE; Bakhtin, AI; Krinari, GA; Samotoin, ND. (1995). [Biological activity of modified chrysotile asbestos]. *Gig Sanit* 0: 32-35.
- Pylev, LN; Vasil'eva, LA; Stadnikova, NM; Smirnova, OV. (2004). [The role of macrophages in asbestos-induced carcinogenesis]. *Vopr Onkol* 50: 678-682.
- Pylev, LN; Vasil'eva, LA; Stadnikova, NM; Smirnova, OV; Zubakova, LE; Vezentsev, AI; Gudkova, EA; Bakhtin, AI. (2006). [Characterization of the biological properties of acid-treated chrysotile-asbestos fibers]. *Gig Sanit* 70-73.
- Pylev, LN; Vasil'eva, LA; Stadnikova, NM; Zubakova, LE; Vezentsev, AI; Krinari, GA; Bakhtin, AI; Nurieva, EM; Sergeenko, SA. (1998). [Effects of the surface of asbestos fiber on its biological aggressiveness]. *Gig Sanit* 3: 28-31.
- Pylev, LN; Vasil'Eva, LA; Stadnikova, NM; Zubakova, LE; Vezentsev, AI; Krinari, GA; Bakhtin, AI; Nurieva, EM; Sergeenko, SA. (1998). INFLUENCE OF THE FIBER SURFACE OF ASBESTOS ON ITS BIOLOGICAL AGGRESSION (pp. 28-31). (BIOSIS/98/27302). Pylev, LN; Vasil'Eva, LA; Stadnikova, NM; Zubakova, LE; Vezentsev, AI; Krinari, GA; Bakhtin, AI; Nurieva, EM; Sergeenko, SA.
- Pylev, LN; Vasiljeva, LA; Stadnikova, NM; Klyemenova, EV; Vezentsev, AE; Zubakova, LE; Bakhtin, AI; Krinary, GA; Samotoin, ND. (1996). The possibility to decrease biological activity of chrysotile-asbestos. *Exp Oncol* 18: 225-228.
- Pylkanen, L; Wolff, H; Stjernvall, T; Tuominen, P; Sioris, T; Karjalainen, A; Anttila, S; Husgafvel-Pursiainen, K. (2002). Reduced Fhit protein expression and loss of heterozygosity at FHIT gene in tumours from smoking and asbestos-exposed lung cancer patients. *Int J Oncol* 20: 285-290.
- Pyssa, J; Rokita, GM. (2007). The asbestos - occurrence, using and the way of dealing with asbestic waste material. *Gospodarka Surowcami Mineralnymi* 23: 49-61.
- Q-E, W; C-H, H; W-D, W; H-B, W; S-J, L; Kohyama, N. (1999). Biological effects of man-made mineral fibers. (I.) Reactive oxygen species production and calcium homeostasis in alveolar macrophages. *Ind Health* 37: 62-67.
- Qi, F; Okimoto, G; Jube, S; Napolitano, A; Pass, HI; Laczko, R; Demay, RM; Khan, G; Tiirikainen, M; Rinaudo, C; Croce, A; Yang, H; Gaudino, G; Carbone, M. (2013). Continuous exposure to chrysotile asbestos can cause transformation of human mesothelial cells via HMGB1 and TNF- α signaling. *Am J Pathol* 183: 1654-1666. <http://dx.doi.org/10.1016/j.ajpath.2013.07.029>.
- Qi, F; Okimoto, G; Jube, S; Pass, HI; Laczko, R; Demay, RM; Khan, G; Tiirikainen, M; Yang, H; Gaudino, G; Carbone, M. (2013). Common and different effects induced in primary human mesothelial cells and mice exposed to chrysotile or crocidolite asbestos. *Cancer Res* 73. <http://dx.doi.org/10.1158/1538-7445.AM2013-3588>.
- Quinlan, T; Spivack, S; Mossman, BT. (1994). Regulation of antioxidant enzymes in lung after oxidant injury [Review]. *Environ Health Perspect* 2: 79-87.
- Quinlan, TR; Berube, KA; Hacker, MP; Taatjes, DJ; Timblin, CR; Goldberg, J; Kimberley, P; O'Shaughnessy, P; Hemenway, D; Torino, J; Jimenez, LA; Mossman, BT. (1998). Mechanisms of asbestos-induced nitric oxide production by rat alveolar macrophages in inhalation and in vitro models. *Free Radic Biol Med* 24: 778-788.
- Quinlan, TR; Berube, KA; Marsh, JP; Janssen Y, MW; Taishi, P; Leslie, KO; Hemenway, D; O'Shaughnessy, PT; Vacek, P; Mossman, BT. (1995). Patterns of inflammation, cell proliferation, and related gene expression in lung after inhalation of chrysotile asbestos. *Am J Pathol* 147: 728-739.
- Quinlan, TR; Marsh, JP; Janssen, YM; Borm, PA; Mossman, BT. (1994). Oxygen radicals and asbestos-mediated disease [Review]. *Environ Health Perspect* 102 Suppl 10: 107-110.
- Quinlan, TR; Marsh, JP; Janssen, YM; Leslie, KO; Hemenway, D; Vacek, P; Mossman, BT. (1994). Dose-responsive increases in pulmonary fibrosis after inhalation of asbestos. *Am J Respir Crit Care Med* 150: 200-206. <http://dx.doi.org/10.1164/ajrccm.150.1.8025751>.
- Qureshi, Z; Ramsey, D; Kramer, JR; Whitehead, L; El-Serag, HB. (2013). Occupational exposure and the risk of Barrett's esophagus: a case-control study. *Dig Dis Sci* 58: 1967-1975. <http://dx.doi.org/10.1007/s10620-013-2572-6>.
- R Egger, M. (2007). [Malignant tumours caused by asbestos: Recognition as occupational diseases]. 64-70.
- Radi, S; Dalphin, JC; Manzoni, P; Pernet, D; Leboube, MP; Viel, JF. (2002). Respiratory morbidity in a population of French dental technicians. *Occup Environ Med* 59: 398-404. <http://dx.doi.org/10.1136/oem.59.6.398>.
- Radionova, GK; Ostapkovich, EV. (1988). [The role of asbestos dust in the development of acute diseases of the respiratory tract]. *Gig Tr Prof Zabol* 0: 16-18.
- Radziszewski, AS; Skrok, L; Weryński, W; Grochowski, Z; Radziszewski, AB. (2002). [Mesothelioma as delayed consequence of asbestos pollution]. *Przegl Lek* 59: 1048-1051.
- Raffaelli, I; Festa, G; Costantini, AS; Leva, G; Gorini, G. (2007). [Mortality in a cohort of asbestos cement workers in Carrara, Italy]. *Med Lav* 98: 156-163.
- Rafferty, MA; Fenton, JE; Jones, AS. (2001). The history, aetiology and epidemiology of laryngeal carcinoma [Review]. *Clin Otolaryngol Allied Sci* 26: 442-446.
- Raffn, E; Korsgaard, B. (1987). Asbestos exposure and carcinoma of penis [Letter]. *Lancet* 2: 1394.
- Raffn, E; Lyng, E; Juel, K; Korsgaard, B. (1989). Incidence of cancer and mortality among employees in the asbestos cement industry in Denmark. *Occup Environ Med* 46: 90-96.

Human Health Hazard Literature Search Results

On Topic

- Raffn, E; Lyng, E; Korsgaard, B. (1993). Incidence of Laryngeal Cancer, Lung Cancer and Mesothelioma among a Small Cohort of Asbestos Cement Workers Almost Exclusively Exposed to Chrysotile (pp. 14-17). (NIOSH/00222000). Raffn, E; Lyng, E; Korsgaard, B.
- Raffn, E; Lyng, E; Korsgaard, B. (1993). Incidence of lung cancer by histological type among asbestos cement workers in Denmark. *Br J Ind Med* 50: 85-89.
- Raffn, E; Villadsen, E; Engholm, G; Lyng, E. (1996). Lung cancer in asbestos cement workers in Denmark. *Occup Environ Med* 53: 399-402.
- Raffn, E; Villadsen, E; Engholm, G; Lyng, E. (1998). [Lung cancer among asbestos-cement workers in Denmark]. *Ugeskr Laeger* 160: 1029-1033.
- Raffn, E; Villadsen, E; Lyng, E. (1996). Colorectal cancer in asbestos cement workers in Denmark. *Am J Ind Med* 30: 267-272. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199609\)30:3<267::AID-AJIM3>3.0.CO;2-W](http://dx.doi.org/10.1002/(SICI)1097-0274(199609)30:3<267::AID-AJIM3>3.0.CO;2-W).
- Rafnsson, V; Benediktssdottir, KR. (1998). [Incidence of malignant mesothelioma in Iceland 1965-1995.]. *Laeknabladid* 84: 474-482.
- Rafnsson, V; Jóhannesdóttir, SG; Oddsson, H; Benediktsson, H; Tulinius, H; Magnússon, G. (1988). Mortality and cancer incidence among marine engineers and machinists in Iceland. *Scand J Work Environ Health* 14: 197-200.
- Rafnsson, V; Sulem, P. (2003). Cancer incidence among marine engineers, a population-based study (Iceland). *Cancer Causes Control* 14: 29-35.
- Rahman, O; Khan, SG; Aslam, M; Agarwal, PK; Ali, S. (1990). Toxicological Evaluation of Asbestos Substitute (pp. 23-26). (NIOSH/00198676). Rahman, O; Khan, SG; Aslam, M; Agarwal, PK; Ali, S.
- Rahman, Q. (1982). PULMONARY BIOCHEMICAL ASPECTS OF ASBESTOSIS (pp. 15-18). (HEEP/83/13442). Rahman, Q.
- Rahman, Q; Casciano, DA. (1985). Involvement of Superoxide Radical in the Toxicity of Mineral Fibers (pp. 483-488). (NIOSH/00165783). Rahman, Q; Casciano, DA.
- Rahman, Q; Das, B; Viswanathan, PN. (1983). Biochemical Mechanisms In Asbestos Toxicity. *Environ Health Perspect* 51: 299-303.
- Rahman, Q; Dopp, E; Lohani, M; Schiffmann, D. (2000). Occupational and Environmental Factors Enhancing the Genotoxicity of Asbestos. *Inhal Toxicol* 12 Suppl 3: 157-165. <http://dx.doi.org/10.1080/08958378.2000.11463209>.
- Rahman, Q; Joseph, G; Heflich, R; Casciano, DA. (1984). MUTAGENIC EFFECTS OF ASBESTOS IN CHINESE HAMSTER OVARY CELLS (pp. 317). (EMICBACK/57320). Rahman, Q; Joseph, G; Heflich, R; Casciano, DA.
- Rahman, Q; Khan, SG; Ali, S. (1990). Alterations in Pulmonary Xenobiotic Metabolizing Enzyme Systems in Asbestos Animals (pp. 14-18). (NIOSH/00198796). Rahman, Q; Khan, SG; Ali, S.
- Rahman, Q; Khan, SG; Ali, S. (1990). Effect of chrysotile asbestos on cytochrome P-450-dependent monooxygenase and glutathione-S-transferase activities in rat lung. *Chem Biol Interact* 75: 305-313.
- Rahman, Q; Mahmood, N; Khan, SG; Arif, JM; Athar, M. (1997). Mechanism of Asbestos-Mediated DNA Damage: Role of Heme and Heme Proteins. *Environ Health Perspect* 105: 1109-1112.
- Rahman, Q; Nahid, F; Jain, AK; Ayarwal, SS. (1990). Sister Chromatid Exchange Frequency and Chromosomal Aberrations in Asbestos Factory Workers (pp. 89-270). (NIOSH/00198460). Rahman, Q; Nahid, F; Jain, AK; Ayarwal, SS.
- Rahman, Q; Narang, S; Kaw, JL; Zaidi, SH. (1974). Asbestos induced haemolysis in relation to its silica solubility. *Environ Physiol Biochem* 4: 284-288.
- Rahman, Q; Norwood, J; Hatch, G. (1997). Evidence that exposure of particulate air pollutants to human and rat alveolar macrophages leads to differential oxidative response. *Biochem Biophys Res Commun* 240: 669-672. <http://dx.doi.org/10.1006/bbrc.1997.7373>.
- Rahman, Q; Viswanathan, PN; Tandon, SK. (1974). In vitro dissolution of three varieties of asbestos in physiological fluids. *Work Environ Health* 11: 39-42.
- Rahman, Q; Viswanathan, PN; Zaidi, SH. (1975). Biochemical changes caused by asbestos dust in the lungs of rats. *Scand J Work Environ Health* 1: 50-53.
- Rahman, Q; Viswanathan, PN; Zaidi, SH. (1977). Some new perspectives on the biological effects of asbestos [Review]. *Environ Res* 14: 487-498.
- Raithel, HJ; Fuchs, T; Drexler, J; Alexander, J. (1988). REMARKS ON THE EVALUATION OF COMPUTERIZED TOMOGRAMS IN FIBROTIC LUNG DISEASES WITH THE AID OF HISTOGRAMS A PILOT STUDY (pp. 87-96). (BIOSIS/89/06899). Raithel, HJ; Fuchs, T; Drexler, J; Alexander, J.
- Raithel, HJ; Guennewig, B; Valentin, H. (1985). A COMPARISON OF NEW IMAGING PROCEDURES IN THE DIAGNOSIS OF ASBESTOSIS AND PNEUMOCONIOSIS CAUSED BY THE INHALATION OF SILICA DUST (pp. 22-28). (BIOSIS/85/01070). Raithel, HJ; Guennewig, B; Valentin, H.
- Raithel, HJ; Lehnert, G. (1990). Information supplied by modern computed tomography in diagnosing occupational pulmonary fibrosis. 25: 144-150.
- Raithel, HJ; Weltle, D; Bohlig, H; Valentin, H. (1989). Health hazards from fine asbestos dusts. An analysis of 70,656 occupational preventive medical investigations from 1973 to the end of 1986. *Int Arch Occup Environ Health* 61: 527-541.
- Raizon, A; Schwartz, A; Hix, W; Rockoff, SD. (1996). Calcification as a sign of sarcomatous degeneration of malignant pleural mesotheliomas: a new CT finding. *J Comput Assist Tomogr* 20: 42-44.
- Rajan, KT; Wagner, JC; Evans, PH. (1972). The response of human pleura in organ culture to asbestos. *Nature* 238: 346-347.
- Rajhans, GS. (1970). Fibrous Dust Its Measurement and Control (pp. 900-910). (NIOSH/00192339). Rajhans, GS.
- Rall, DP. (1988). LABORATORY ANIMAL TOXICITY AND CARCINOGENESIS TESTING UNDERLYING CONCEPTS ADVANTAGES AND CONSTRAINTS (pp. OCCUPATIONAL AND ENVIRONMENTAL SIGNIFICANCE OF INDUSTRIAL CARCINOGENS; INTERNATIONAL CONFERENCE). (BIOSIS/89/05032). Rall, DP.
- Rall, DP. (1990). Carcinogens in our environment. In H Vainio; M Sorsa; AJ McMichael (Eds.), IARC Scientific Publications, No 104 (pp. 233-239). Lyon, France: International Agency for Research on Cancer. <http://apps.who.int/bookorders/anglais/detart1.jsp?sesslan=1&codlan=1&codcol=73&codcch=104>.
- Ramachandran, K. (1984). PROTECTION OF ASBESTOS WORKERS. *Lancet* 1: 1356-1356.
- Ramael, M; Vanmeerbeeck, J; Vanmarck, E. (1994). MESOTHELIOMA, CURRENT INSIGHTS. *Cancer J* 7: 174-180.

Human Health Hazard Literature Search Results

On Topic

- Ramanathan, AL; Subramanian, V. (2001). Present status of asbestos mining and related health problems in India--a survey. *Ind Health* 39: 309-315.
- Ramirez Sevilla, C; Admella Salvador, C; Feliu Canaleta, J; Llopis Manzanera, J; Barranco Sanz, MA; Romero Martin, JA; Bernal Salguero, S. (2017). Two Case Reports of Benign Testicular Mesothelioma and Review of the Literature. 2017: 5419635. <http://dx.doi.org/10.1155/2017/5419635>.
- Ramos, H. (1974). Health Hazard Evaluation Report No. HHE-73-133-136, Armstrong Cork Company, Jackson, Mississippi (pp. 73-133). (NIOSH/00027955). Ramos, H.
- Ramos, H. (1974). Health Hazard Evaluation Report No. HHE-74-45-150, Trimtex Division of William E. Wright Company, Williamsport, Pennsylvania (pp. 75-45). (NIOSH/00027967). Ramos, H.
- Ramos-Nino, ME; Haegens, A; Shukla, A; Mossman, BT. (2002). Role of mitogen-activated protein kinases (MAPK) in cell injury and proliferation by environmental particulates. *Mol Cell Biochem* 234-235: 111-118. <http://dx.doi.org/10.1023/A:1015924413043>.
- Ramos-Nino, ME; Heintz, N; Scappoli, L; Martinelli, M; Land, S; Nowak, N; Haegens, A; Manning, B; Manning, N; Macpherson, M; Stern, M; Mossman, B. (2003). Gene profiling and kinase screening in asbestos-exposed epithelial cells and lungs. *Am J Respir Cell Mol Biol* 29: S51-S58.
- Ramos-Nino, ME; Scapoli, L; Martinelli, M; Land, S; Mossman, BT. (2003). Microarray analysis and RNA silencing link fra-1 to cd44 and c-met expression in mesothelioma. *Cancer Res* 63: 3539-3545.
- Ramos-Nino, ME; Testa, JR; Altomare, DA; Pass, HI; Carbone, M; Bocchetta, M; Mossman, BT. (2006). Cellular and molecular parameters of mesothelioma [Review]. *J Cell Biochem* 98: 723-734. <http://dx.doi.org/10.1002/jcb.20828>.
- Ramos-Nino, ME; Timblin, CR; Mossman, BT. (2002). Mesothelial cell transformation requires increased AP-1 binding activity and ERK-dependent Fra-1 expression. *Cancer Res* 62: 6065-6069.
- Rampal, KG; Feitshans, IL. (1990). Legal Requirements for Medical Surveillance of Asbestos Workers in Malaysia, the USA and Under International Law (pp. 53-57). (NIOSH/00198865). Rampal, KG; Feitshans, IL.
- Ramroth, H; Ahrens, W; Dietz, A; Becher, H. (2011). Occupational Asbestos Exposure as a Risk Factor for Laryngeal Carcinoma in a Population-Based Case-Control Study from Germany. *Am J Ind Med* 54: 510-514. <http://dx.doi.org/10.1002/ajim.20963>.
- Ramsey, MJ; Moore, DH; Briner, JF; Lee, DA; Olsen, L, a; Senft, JR; Tucker, JD. (1995). The effects of age and lifestyle factors on the accumulation of cytogenetic damage as measured by chromosome painting. *Mutat Res* 338: 95-106. [http://dx.doi.org/10.1016/0921-8734\(95\)00015-X](http://dx.doi.org/10.1016/0921-8734(95)00015-X).
- Rana, F; Ricco, R; Gentile, A; Nuzzaco, A. (1986). [Occupational exposure to asbestos and liposarcoma: description of a case]. *Med Lav* 77: 519-522.
- Ranki, T; Joensuu, T; Jaeger, E; Karbach, J; Wahle, C; Kairemo, K; Alanko, T; Partanen, K; Turkki, R; Linder, N; Lundin, J; Ristimaki, A, ri; Kankainen, M; Hemminki, A; Backman, C; Dienel, K; von Euler, M; Haavisto, E; Hakonen, T; Juhila, J; Jaderberg, M; Priha, P; Vassilev, L; Vuolanto, A; Pesonen, S. (2014). Local treatment of a pleural mesothelioma tumor with ONCOS-102 induces a systemic antitumor CD8(+) T-cell response, prominent infiltration of CD8(+) lymphocytes and Th1 type polarization. 3: e958937. <http://dx.doi.org/10.4161/21624011.2014.958937>.
- Rantanen, J; Lehtinen, S; Hernberg, S; Lindstrom, K; Sorsa, M; Starck, J; Viikari-Juntura, E. (1995). From Research to Prevention. Managing Occupational and Environmental Health Hazards (pp. 20-23). (NIOSH/00229651). Rantanen, J; Lehtinen, S; Hernberg, S; Lindstrom, K; Sorsa, M; Starck, J; Viikari-Juntura, E.
- Rao, B; Bowden, J; Henderson, D. (2014). DEGREE OF ASBESTOS EXPOSURE IN AGE SEX MATCHED COHORT OF PERITONEAL MESOTHELIOMA AND PLEURAL MESOTHELIOMA PATIENTS. *Respirology* 19: 123-123.
- Rao MOHAN, N; Kulkarni, PK. (1995). PULMONARY FUNCTION EVALUATION IN SUBJECTS OCCUPATIONALLY EXPOSED TO TOXIC DUST AND POLLUTANTS. *Indian J Indust Med* 41: 162-166.
- Rao, V. (1996). ASBESTOS AN UNDERSTOOD TO-DAY. *Indian J Indust Med* 42: 60-62.
- Rapisarda, V; Salemi, R; Marconi, A; Loreto, C; Graziano, AC; Cardile, V; Basile, MS; Candido, S; Falzone, L; Spandidos, DA; Fenga, C; Libra, M. (2016). Fluoro-edenite induces fibulin-3 overexpression in non-malignant human mesothelial cells. 12: 3363-3367. <http://dx.doi.org/10.3892/ol.2016.5051>.
- Räsänen, T. (1967). Different hormonal responses of mast cells in gastric mucosa and dermis in the rat. *Scand J Gastroenterol* 2: 118-123. <http://dx.doi.org/10.3109/00365526709180056>.
- Rasche, B. (1985). Angiotensin-converting enzyme and lysozyme in cases of silicosis, asbestosis and chronic airway obstruction (pp. 21-22). (HEEP/85/08476). Rasche, B.
- Rascu, A; Arghir, O; Ciuca, C; Deaconu, D; Muraru, S. (2014). Asbestos exposure, a still present issue for occupational physicians. *Eur Respir J* 44.
- Raşcu, A; Naghi, E; Oțelea, MR; Nițu, FM; Arghir, OC. (2016). Distinction between mesothelioma and lung adenocarcinoma based on immunohistochemistry in a patient with asbestos bodies in bronchoalveolar fluid - case report. *Rom J Morphol Embryol* 57: 1171-1174.
- Rask-Andersen, A; Harber, P; Tashkin, DP. (1989). LUNG COMPLIANCE IN ASBESTOS EXPOSED WORKERS (pp. 14-17). (BIOSIS/89/20545). Rask-Andersen, A; Harber, P; Tashkin, DP.
- Rasmussen, DL; Pfau, JC. (2012). Asbestos activates CH12.LX B-lymphocytes via macrophage signaling. *J Immunotoxicol* 9: 129-140. <http://dx.doi.org/10.3109/1547691X.2011.631953>.
- Rasmussen, RE. (1983). Studies in a rat lung tumor model: cellular biochemistry and cytogenetics. *TECH REP*: 26 PP.
- Raunio, V. (1966). Occurrence of unusual pleural calcification in Finland. Studies on atmospheric pollution caused by asbestos. 55: Suppl 47:41-61.

Human Health Hazard Literature Search Results

On Topic

- Rauscher, RJ. (1973). Eventual control and prevention of leukemia and related neoplasms. *Bibl Haematol* 39: 1236-1238.
- Ray, CS; Gamsu, G; Aberle, DR; Blanc, P. (1988). THE FUNCTIONAL SIGNIFICANCE OF HIGH RESOLUTION COMPUTED TOMOGRAPHY OF THE LUNG IN ASBESTOSIS (pp. 3-7). (BIOSIS/89/02654). Ray, CS; Gamsu, G; Aberle, DR; Blanc, P.
- Ray, CS; Sue, DY; Hansen, JE. (1982). SPIROMETRIC DETECTION OF AIRWAY OBSTRUCTION IN SMOKING AND NONSMOKING ASBESTOS WORKERS (pp. 15-18). (ISSN 0003-0805 HEEP/83/13441). Ray, CS; Sue, DY; Hansen, JE.
- Ray, PK; Prasad, AK. (1987). ENVIRONMENTAL CARCINOGENS AND IMMUNE FUNCTIONS OF THE HOST (pp. 162-167). (BIOSIS/87/35251). Ray, PK; Prasad, AK.
- Reber, E. (1973). Air quality in work areas. *Chimia* 27: 284-290.
- Rebuck, AS; Braude, AC. (1983). Bronchoalveolar lavage in asbestosis [Review]. *Arch Intern Med* 143: 950-952.
- Reddy, BS. (1976). DIETARY FACTORS AND CANCER OF THE LARGE BOWEL (pp. 351-359). (EPIDEM/000659). Reddy, BS.
- Reddy, SP; Mossman, BT. (2002). Role and regulation of activator protein-1 in toxicant-induced responses of the lung [Review]. *Am J Physiol Lung Cell Mol Physiol* 283: L1161-L1178. <http://dx.doi.org/10.1152/ajplung.00140.2002>.
- Reed, LD. (1982). Health Hazard Evaluation Report, No. HETA-82-179-1154, Wilmington High School, Wilmington, Ohio. (NIOSH/00128114). Reed, LD.
- Reed, LD. (1983). Health Hazard Evaluation Report, No. HETA-82-067-1253, Anchor Hocking Glass Company, Roofing Site, Lancaster, Ohio. (NIOSH/00127217). Reed, LD.
- Reed, LD. (1985). Health Hazard Evaluation Report No. HETA-84-321-1590, Asbestos Shingle Tear-Off, Rockford, Illinois (pp. 84-321). (NIOSH/00153689). Reed, LD.
- Rees, D; Du Toit R, SJ; Rendall R, EG; Van Sittert G, CH; Rama D, BK. (1992). Tremolite in southern African chrysotile. *S Afr J Sci* 88: 9-10.
- Rees, D; Goodman, K; Fourie, E; Chapman, R; Blignaut, C; Bachmann, MO; Myers, J. (1999). Asbestos exposure and mesothelioma in South Africa (pp. 627-634). (ISSN 0256-9574 EISSN 2078-5135 BIOSIS/99/26495). Rees, D; Goodman, K; Fourie, E; Chapman, R; Blignaut, C; Bachmann, MO; Myers, J.
- Rees, D; Myers, JE; Goodman, K; Fourie, E; Blignaut, C; Chapman, R; Bachmann, MO. (1999). Case-control study of mesothelioma in South Africa. *Am J Ind Med* 35: 213-222.
- Rees, D; Phillips, JI; Garton, E; Pooley, FD. (2001). Asbestos lung fibre concentrations in South African chrysotile mine workers. *Ann Occup Hyg* 45: 473-477.
- Reeve, P. (2014). Tackling asbestos- the hidden killer. 68: 27-29.
- Reeves, AL. (1976). The carcinogenic effect of inhaled asbestos fibers. *Ann Clin Lab Sci* 6: 459-466.
- Reeves, AL; Puro, HE; Smith, RG. (1974). Inhalation carcinogenesis from various forms of asbestos. *Environ Res* 8: 178-202.
- Reeves, AL; Puro, HE; Smith, RG; Vorwald, AJ. (1971). Experimental asbestos carcinogenesis. *Environ Res* 4: 496-511.
- Reeves, AL; Puro, HE; Vorwald, AJ; Smith, RG. (1972). FIBROGENICITY AND CARCINOGENICITY OF AMOSITE, CROCIDOLITE, AND CHRYSOTILE IN ANIMAL EXPERIMENT. *Am Ind Hyg Assoc J* 33: 79-8.
- Regan, GM; Tagg, B; Thomson, ML. (1967). Subjective Assessment and Objective Measurement of Finger Clubbing. *Lancet* pages 530: 530-532.
- Regan, GM; Tagg, B; Walford, J; Thomson, ML. (1971). The relative importance of clinical, radiological and pulmonary function variables in evaluating asbestosis and chronic obstructive airway disease in asbestos workers. *Clin Sci (Lond)* 41: 569-582.
- Reger, RB; Cole, WS; Sargent, EN; Wheeler, PS. (1990). ALLEGED ASBESTOS RELATED DISEASE A RADIOLOGIC RE-EVALUATION (pp. 20-24). (BIOSIS/90/18835). Reger, RB; Cole, WS; Sargent, EN; Wheeler, PS.
- Reger, RB; Cole, WS; Sargent, EN; Wheeler, PS. (1990). Cases of alleged asbestos-related disease: a radiologic re-evaluation. *J Occup Med* 32: 1088-1090.
- Reger, RB; Morgan, WK. (1993). Respiratory cancers in mining [Review]. *Occup Med: State of the Art Rev* 8: 185-204.
- Reh, CM; Fleeger, AK; Collins, JW. (1989). Health Hazard Evaluation Report No. HETA-88-069-1964, and HETA-88-070-1964, U.S. Department of Transportation, Maritime Administration, Benicia, California and Fort Eustis, Virginia (pp. 88-069). (NIOSH/00190660). Reh, CM; Fleeger, AK; Collins, JW.
- Reichel, G. (1989). [Asbestos-induced bronchopulmonary diseases] [Review]. *Fortschr Med* 107: 205-209.
- Reichel, J. (1988). CLINICAL PATHOLOGICAL CONFERENCE A FORMER ROOFER WITH CHEST PAIN (pp. 86-90). (BIOSIS/88/26206). Reichel, J.
- Reid, A; Alfonso, H; Ti, JS; Wong, E; de Klerk, N; Musk, AW. (2012). Sense of control and wellbeing decades after exposure to blue asbestos at Wittenoom, Western Australia. *Int J Occup Environ Health* 18: 116-123. <http://dx.doi.org/10.1179/1077352512Z.0000000006>.
- Reid, A; Ambrosini, G; de Klerk, N; Fritschi, L; Musk, B. (2004). Aerodigestive and gastrointestinal tract cancers and exposure to crocidolite (blue asbestos): incidence and mortality among former crocidolite workers. *Int J Cancer* 111: 757-761. <http://dx.doi.org/10.1002/ijc.20313>.
- Reid, A; Berry, G; de Klerk, N; Hansen, J; Heyworth, J; Ambrosini, G; Fritschi, L; Olsen, N; Merler, E; Musk, A. (2007). Age and sex differences in malignant mesothelioma after residential exposure to blue asbestos (crocidolite). *Chest* 131: 376-382. <http://dx.doi.org/10.1378/chest.06-1690>.
- Reid, A; Berry, G; de Klerk, N; Heyworth, J; Musk, AW. (2006). Age and sex differences in malignant mesothelioma after residential exposure to blue asbestos (crocidolite). *Lung Cancer* 54: S10-S11.
- Reid, A; Berry, G; Heyworth, J; de Klerk, NH; Musk, AW. (2009). Predicted mortality from malignant mesothelioma among women exposed to blue asbestos at Wittenoom, Western Australia. *Occup Environ Med* 66: 169-174. <http://dx.doi.org/10.1136/oem.2007.038315>.
- Reid, A; de Klerk, N; Ambrosini, G; Olsen, N; Pang, SC; Musk, AW. (2005). The additional risk of malignant mesothelioma in former workers and residents of Wittenoom with benign pleural disease or asbestosis. *Occup Environ Med* 62: 665-669. <http://dx.doi.org/10.1136/oem.2004.018531>.

Human Health Hazard Literature Search Results

On Topic

- Reid, A; de Klerk, N; Ambrosini, GL; Olsen, N; Pang, SC; Berry, G; Musk, AW. (2005). The effect of asbestosis on lung cancer risk beyond the dose related effect of asbestos alone. *Occup Environ Med* 62: 885-889. <http://dx.doi.org/10.1136/oem.2005.020834>.
- Reid, A; de Klerk, N; Musk, AW. (2011). Does Exposure to Asbestos Cause Ovarian Cancer? A Systematic Literature Review and Meta-analysis [Review]. *Cancer Epidemiol Biomarkers Prev* 20: 1287-1295. <http://dx.doi.org/10.1158/1055-9965.EPI-10-1302>.
- Reid, A; de Klerk, NH; Ambrosini, GL; Berry, G; Musk, AW. (2006). The risk of lung cancer with increasing time since ceasing exposure to asbestos and quitting smoking. *Occup Environ Med* 63: 509-512. <http://dx.doi.org/10.1136/oem.2005.025379>.
- Reid, A; de Klerk, NH; Magnani, C; Ferrante, D; Berry, G; Musk, AW; Merler, E. (2014). Mesothelioma risk after 40 years since first exposure to asbestos: a pooled analysis. *Thorax* 69: 843-850. <http://dx.doi.org/10.1136/thoraxjnl-2013-204161>.
- Reid, A; Franklin, P; Olsen, N; Sleith, J; Samuel, L; Aboagye-Sarfo, P; de Klerk, N; Musk, AW. (2013). All-cause mortality and cancer incidence among adults exposed to blue asbestos during childhood. *Am J Ind Med* 56: 133-145. <http://dx.doi.org/10.1002/ajim.22103>.
- Reid, A; Heyworth, J; de Klerk, N; Musk, A. (2008). The mortality of women exposed environmentally and domestically to blue asbestos at Wittenoom, Western Australia. *Occup Environ Med* 65: 743-749. <http://dx.doi.org/10.1136/oem.2007.035782>.
- Reid, A; Heyworth, J; de Klerk, N; Musk, AW. (2009). Asbestos exposure and gestational trophoblastic disease: a hypothesis. *Cancer Epidemiol Biomarkers Prev* 18: 2895-2898. <http://dx.doi.org/10.1158/1055-9965.EPI-09-0731>.
- Reid, A; Heyworth, J; de Klerk, NH; Musk, B. (2008). Cancer incidence among women and girls environmentally and occupationally exposed to blue asbestos at Wittenoom, Western Australia. *Int J Cancer* 122: 2337-2344. <http://dx.doi.org/10.1002/ijc.23331>.
- Reid, A; Segal, A; Heyworth, JS; de Klerk, NH; Musk, AW. (2009). Gynecologic and breast cancers in women after exposure to blue asbestos at Wittenoom. *Cancer Epidemiol Biomarkers Prev* 18: 140-147. <http://dx.doi.org/10.1158/1055-9965.EPI-08-0746>.
- Reid, AS; Causton, BE; Jones, JS; Ellis, IO. (1991). Malignant mesothelioma after exposure to asbestos in dental practice [Letter]. *Lancet* 338: 696.
- Reid, G; Kielkowski, D; Steyn, SD; Botha, K. (1990). Mortality of an asbestos-exposed birth cohort: A pilot study. *S Afr Med J* 78: 584-586.
- Reif, AE. (1984). Synergism in carcinogenesis. *J Natl Cancer Inst* 73: 25-39.
- Reif, AE; Heeren, T. (1999). Consensus on synergism between cigarette smoke and other environmental carcinogens in the causation of lung cancer [Review]. *Adv Cancer Res* 76: 161-186.
- Reifsnnyder, AC; Smith, HJ; Mullhollan, TJ; Lee, EL. (1990). Malignant fibrous histiocytoma of the lung in a patient with a history of asbestos exposure. *AJR Am J Roentgenol* 154: 65-66. <http://dx.doi.org/10.2214/ajr.154.1.2153000>.
- Reihe, B. (1976). Results from Animal Experiments on the Carcinogenic Activity of Fibrous Dusts and Their Interpretation in Regard to Tumorigenesis in Humans (pp. 164-171). (NIOSH/00102023). Reihe, B.
- Reinhardt, J. (1973). CLINICALLY DIFFICULT DIAGNOSIS OF ASBESTOS LUNG CANCER (pp. 330-331). (HEEP/73/09951). Reinhardt, J.
- Reinstein, L. (2007). Examination of the health effects of asbestos and methods of mitigating such impacts: testimony at a U.S. Senate hearing. *New Solutions: A Journal of Environmental and Occupational Health Policy* 17: 377-379. <http://dx.doi.org/10.2190/NS.17.4.k>.
- Reiss, B; Solomon, S; Tong, C; Levenstein, M; Rosenberg, SH; Williams, GM. (1982). ABSENCE OF MUTAGENIC ACTIVITY OF 3 FORMS OF ASBESTOS IN LIVER EPITHELIAL-CELLS. *Environ Res* 27: 389-397.
- Reiss, B; Solomon, S; Weisburger, JH; Williams, GM. (1980). Comparative toxicities of different forms of asbestos in a cell culture assay. *Environ Res* 22: 109-129.
- Reiss, B; Tong, C; Telang, S; Williams, GM. (1983). Enhancement of benzo[a]pyrene mutagenicity by chrysotile asbestos in rat liver epithelial cells. *Environ Res* 31: 100-104. [http://dx.doi.org/10.1016/0013-9351\(83\)90065-8](http://dx.doi.org/10.1016/0013-9351(83)90065-8).
- Reiss, B; Weisburger, JH; Williams, GM. (1979). Asbestos and Gastro-intestinal Cancer: Cell Culture Studies (pp. 1-79). (NIOSH/00191533). Reiss, B; Weisburger, JH; Williams, GM.
- Rejskova, M. (1956). Results of the Clinical Examination of Asbestos-Plant Workers. *Czech J Occup Med* 8: 324-329.
- Ren, H; Lee, DR; Hruban, RH; Kuhlman, JE; Fishman, EK; Wheeler, PS; Hutchins, GM. (1990). HIGH RESOLUTION COMPUTED TOMOGRAPHY AND PATHOLOGY STUDY OF PLEURAL PLAQUES AS A PREDICTOR OF ASBESTOSIS (pp. 4-9). (BIOSIS/90/10835). Ren, H; Lee, DR; Hruban, RH; Kuhlman, JE; Fishman, EK; Wheeler, PS; Hutchins, GM.
- Ren, H; Lee, DR; Hruban, RH; Kuhlman, JE; Fishman, EK; Wheeler, PS; Hutchins, GM. (1991). Pleural plaques do not predict asbestosis: high-resolution computed tomography and pathology study. *Mod Pathol* 4: 201-209.
- Ren, XH; Zhou, DL; Du, LL; Wang, MZ; Lan, YJ. (2013). [The dose-response relationship of chrysotile asbestos exposure and lung cancer in cohort study]. *Zhonghua Lao Dong Wei Sheng Zhi Ye Bing Za Zhi* 31: 189-194.
- Renga, G. (1979). [Bronchopulmonary tumors. Epidemiology]. *Minerva Med* 70: 173-194.
- Renganathan, A; Kresoja-Rakic, J; Echeverry, N; Ziltener, G; Vrugt, B; Opitz, I; Stahel, RA; Felley-Bosco, E. (2014). GAS5 long non-coding RNA in malignant pleural mesothelioma. *Mol Cancer* 13: 119. <http://dx.doi.org/10.1186/1476-4598-13-119>.
- Renier, A; Lévy, F; Pilière, F; Jaurand, MC. (1990). Unscheduled DNA synthesis in rat pleural mesothelial cells treated with mineral fibres. *Mutat Res* 241: 361-367.
- Renier, A; Yegles, M; Buard, A; Dong, H; Kheuang, L; Saint-Etienne, L; Laurent, P; Jaurand, MC. (1992). Use of mesothelial cell cultures to assess the carcinogenic potency of mineral or man made fibers [Review]. *Cell Biol Toxicol* 8: 133-139.
- Renke, W. (1988). Evaluation of the pathological changes progress in people of long-term exposure to asbestos dust during 5-year observation. *Bull Inst Marit Trop Med Gdynia* 39: 155-163.
- Renke, W. (1990). Evaluation of pathological changes in respiratory system of workers exposed to asbestos dust. Part I: Prevalence and dynamics of chronic nonspecific pulmonary diseases. *Bull Inst Marit Trop Med Gdynia* 41: 5-15.
- Renke, W; Chmielewski, J; Felczak-Korzybska, I; Winnicka, A. (1979). Estimation of the noxious effects of asbestos dust of the workers of sea shipyards. *Bull Inst Marit Trop Med Gdynia* 30: 153-159.

Human Health Hazard Literature Search Results

On Topic

- Renke, W; Graczyk, M. (1978). Spirometric and radiologic estimation of changes in the respiratory system of shipyard workers exposed to the effect of asbestos dust during 4 years of observation. *Bull Inst Marit Trop Med Gdynia* 29: 43-48.
- Renke, W; Rosik, E. (1993). Distant health effects of using asbestos in shipyards and in co-operating plants. *Bull Inst Marit Trop Med Gdynia* 44-45: 5-11.
- Renke, W; Winnicka, A; Graczyk, M. (1982). EVALUATION OF ASBESTOS EXPOSURE IN SHIPYARD WORKERS (pp. 24-26). (ISSN 0004-069X EISSN 1661-4917 HEEP/84/05465). Renke, W; Winnicka, A; Graczyk, M.
- Renner, R. (2005). Asbestos and autoimmunity - More bad news from Libby? *Environ Health Perspect* 113: A51-A51.
- Renner, R. (2007). U.S. EPA to revisit asbestos toxicity. *Environ Sci Technol* 41: 1808-1809.
- Renshaw, AA; Dean, BR; Antman, KH; Sugarbaker, DJ; Cibas, ES. (1997). The role of cytologic evaluation of pleural fluid in the diagnosis of malignant mesothelioma. *Chest* 111: 106-109.
- Renzi, PM; Mantha, J; Matar, N; Renzi, GD. (1990). [Pathogenicity of artificial mineral fibers: are they as dangerous as asbestos?] [Review]. *Union Med Can* 119: 54-60.
- Repnitskaia, ZD. (1964). [EFFECTIVENESS OF ANTIBACTERIAL THERAPY OF PATIENTS WITH PULMONARY TUBERCULOSIS AND ASBESTOSIS EMPLOYED IN THE ASBESTOS INDUSTRY]. 42: 10-14.
- Repnitskaia, ZD; Filonenko, IA; Chernysheva, GI; Andrianova, MP. (1974). [Prevention of tuberculosis in workers exposed to asbestos dust]. *Gig Tr Prof Zabol* 18: 3-7.
- Repnitskaya, ZD; Filonenko, IA; Chernysheva, GI; Andrianova, MP. (1974). Prophylaxis of tuberculosis in workers under the effect of asbestos dust. *Gig Tr Prof Zabol* 3-7.
- Repp, K; Lorbeer, R; Ittermann, T; Gläser, S; John, U; Hoffmann, W; Völzke, H. (2015). Occupational exposure to asbestos is associated with increased mortality in men recruited for a population-based study in Germany. *Int J Occup Med Environ Health* 28: 849-862. <http://dx.doi.org/10.13075/ijom.1896.00549>.
- RES, IA; CANCER. (1977). IARC (International Agency for Research on Cancer) Monographs on the Evaluation of Carcinogenic Risk of Chemicals to Man, Vol. 14. Asbestos. Meeting. Lyon, France, Dec. 14-17, 1976 (pp. 106). (HEEP/78/07778). Int AGENCY RES; CANCER.
- Res, IA; Cancer. (1979). WHO INTERNATIONAL AGENCY FOR RESEARCH ON CANCER MONOGRAPHS ON THE EVALUATION OF THE CARCINOGENIC RISK OF CHEMICALS TO HUMANS VOL. 1-20 SUPPLEMENT 1. CHEMICALS AND INDUSTRIAL PROCESSES ASSOCIATED WITH CANCER IN HUMANS LYON FRANCE JAN. 15-17 1979 (pp. GENEVA). (HEEP/80/11455). Res, IA; Cancer.
- Resnick, D; Freedman, NJ; Xu, S; Krieger, M. (1993). Secreted extracellular domains of macrophage scavenger receptors form elongated trimers which specifically bind crocidolite asbestos. *J Biol Chem* 268: 3538-3545.
- Respondek, M; Kerenyi, T; Voss, B; K-M, M. (1993). MAST CELL ACTIVATION IN ASBESTOS-INDUCED LUNG DISEASE (pp. 398-399). (BIOSIS/94/02163). Respondek, M; Kerenyi, T; Voss, B; Mueller K-M.
- Respondek, M; Voss, B; Wiethage, T; Kerenyi, T; Mueller, KM. (1994). THE BIOLOGICAL EFFECTS OF CROCIDOLITE ASBESTOS AND ROCKWOOL FIBERS MAN-MADE FIBROUS SILICAT WITH SPECIAL RESPECT TO FIBER SURFACE (pp. 7-11). (BIOSIS/94/17763). Respondek, M; Voss, B; Wiethage, T; Kerenyi, T; Mueller, KM.
- Retnev, VM; Serov, AN; Rozenberg, IA; Khmel'nitskii, OK; Dedkova, LE. (1980). [Working conditions in colored slate manufacture and the effect of its dust on the body of animals]. *Gig Tr Prof Zabol* 44-46.
- Reuter, K; Raptopoulos, V; Reale, F; Krolikowski, FJ; D'Orsi, CJ; Graham, S; Smith, EH. (1983). Diagnosis of peritoneal mesothelioma: computed tomography, sonography, and fine-needle aspiration biopsy. *AJR Am J Roentgenol* 140: 1189-1194. <http://dx.doi.org/10.2214/ajr.140.6.1189>.
- Revich, BA; Bykov, AA. (1998). ASSESSMENT AND COMPARATIVE ANALYSIS OF HEALTH RISKS CAUSED BY AIR POLLUTION IN CITIES OF RUSSIA (pp. ENVIRONMENTAL). (BIOSIS/98/24169). Revich, BA; Bykov, AA.
- Reviere, R; Schneider, S; Woolbright, K. (1995). Associations between disease and occupation: Hypotheses generated from the national mortality followback survey. *Am J Ind Med* 27: 195-205.
- Rey, D; Ianello, JA; De Salvo, MC; Fioranelli, JA. (1986). PLEURAL CALCIFICATIONS DUE TO OCCUPATIONAL EXPOSURE TO ASBESTOS (pp. 89-95). (BIOSIS/87/13071). Rey, D; Ianello, JA; De Salvo, MC; Fioranelli, JA.
- Rey, DR; Parpagione, CA; De Salvo, MC. (1996). RELATIONSHIP BETWEEN THE WORK ENVIRONMENT AND OCCUPATIONAL ASTHMA SECOND PART. *Reviews Argent Torax* 57: 1-4.
- Rey, F; Boutin, C; Steinbauer, J; Viallat, JR; Alessandroni, P; Jutisz, P; Di Giambattista, D; Billon-Galland, MA; Hereng, P; Dumortier, P. (1993). Environmental pleural plaques in an asbestos exposed population of northeast Corsica. *Eur Respir J* 6: 978-982.
- Rey, F; Boutin, C; Viallat, JR; Steinbauer, J; Alessandroni, P; Jutisz, P; Di Giambattista, D; Billon-Galland, MA; Hereng, P; Dumortier, P; De Vuyst, P. (1994). Environmental asbestotic pleural plaques in northeast Corsica: Correlations with airborne and pleural mineralogic analysis. *Environ Health Perspect* 102: 251-252.
- Rey, F; Viallat, JR; Boutin, C; Fariße, P; Billon-Galland, MA; Hereng, P; Dumortier, P; De Vuyst, P. (1993). [Environmental mesotheliomas in northeast Corsica]. *Rev Mal Respir* 10: 339-345.
- Reynolds, C; Barber, C; Cullinan, P. (2014). IDIOPATHIC PULMONARY FIBROSIS, MESOTHELIOMA, AND ASBESTOSIS MORTALITY TRENDS FOR ENGLAND AND WALES: IS ASBESTOS EXPOSURE ASSOCIATED WITH IPF? *Thorax* 69: A4-A5. <http://dx.doi.org/10.1136/thoraxjnl-2014-206260.9>.
- Reynolds, T. (1992). Asbestos-linked cancer rates up less than predicted. *J Natl Cancer Inst* 84: 560-562.
- Riani Costa, JL; Ferreira, YM; Mendes, R. (1983). [Asbestos and disease: introduction to the problem in Brazil]. 29: 18-21.
- Ribak, J; Herman, A; Selikoff, IJ. (1986). Electrolyte changes in mesothelioma. *Br J Dis Chest* 80: 280-282.

Human Health Hazard Literature Search Results

On Topic

- Ribak, J; Lilis, R; Suzuki, Y; Penner, L; Selikoff, IJ. (1988). Malignant mesothelioma in a cohort of asbestos insulation workers: clinical presentation, diagnosis, and causes of death. *Br J Ind Med* 45: 182-187.
- Ribak, J; Lilis, R; Suzuki, Y; Penner, L; Selikoff, IJ. (1991). Death certificate categorization of malignant pleural and peritoneal mesothelioma in a cohort of asbestos insulation workers. *J Soc Occup Med* 41: 137-139. <http://dx.doi.org/10.1093/occmed/41.3.137>.
- Ribak, J; Ribak, G. (2008). Human health effects associated with the commercial use of grunerite asbestos (amosite): Paterson, NJ; Tyler, TX; Uxbridge, UK [Review]. *Regul Toxicol Pharmacol* 52: S82-S90. <http://dx.doi.org/10.1016/j.yrtph.2007.10.002>.
- Ribak, J; Seidman, H; Selikoff, IJ. (1989). Amosite mesothelioma in a cohort of asbestos workers. *Scand J Work Environ Health* 15: 106-110.
- Ribak, J; Selikoff, IJ. (1992). Survival of asbestos insulation workers with mesothelioma. *Br J Ind Med* 49: 732-735.
- Riboldi, L; Mensi, C; Giordano, S; Canti, Z; Chiappino, G. (2004). [Malignant mesothelioma of the pleura in a worker with brief atypical exposure to chrysotile asbestos]. *Med Lav* 95: 320-324.
- Ricardi, LR; Rezende-Teixeira, P; de Souza, MM; Machado-Santelli, GM. (2014). Morphological and molecular study of cell-chrysotile interaction in two different cell lines. *Cancer Res* 74. <http://dx.doi.org/10.1158/1538-7445.AM2014-3189>.
- Ricci, P. (2007). Conclusion. *Epidemiol Prev* 31: 81-84.
- Riccò, M. (2015). Lung fibrosis and exposure to wood dusts: Two case reports and review of the literature. *Med Pr* 66: 739-747. <http://dx.doi.org/10.13075/mp.5893.00140>.
- Richards, RJ; Curtis, CG. (1984). Biochemical And Cellular Mechanisms Of Dust-Induced Lung Fibrosis. *Environ Health Perspect* 55: 393-416.
- Richards, RJ; Hext, PM; Blundell, G; Henderson, WJ; Volcani, BE. (1974). Ultrastructural changes in lung fibroblast cultures exposed to chrysotile asbestos. *Br J Exp Pathol* 55: 275-281.
- Richards, RJ; Hext, PM; Desai, R; Tetley, T; Hunt, J; Presley, R; Dodgson, KS. (1975). Chrysotile asbestos: biological reaction potential. *Inhaled Particles 4 Pt 2*: 477-493.
- Richards, RJ; Hunt, J. (1983). Reaction of mineral dusts with primary lung fibroblast cultures. *Environ Health Perspect* 51: 61-65.
- Richards, RJ; Jacoby, F. (1976). Light microscope studies on the effects of chrysotile asbestos and fiber glass on the morphology and reticulin formation of cultured lung fibroblasts. *Environ Res* 11: 112-121.
- Richards, RJ; Morris, TG. (1973). COLLAGEN AND MUCOPOLYSACCHARIDE PRODUCTION IN GROWING LUNG FIBROBLASTS EXPOSED TO CHRYSOTILE ASBESTOS. 12: 441-451.
- Richards, RJ; Wusteman, FS; Dodgson, KS. (1971). The direct effects of dusts on lung fibroblasts grown in vitro. 10: 1149-1159.
- Richards, W. (1990). Effects of air pollution on asthma. *Ann Allergy Asthma Immunol* 65: 345-347.
- Richardson, DB. (2009). Lung cancer in chrysotile asbestos workers: analyses based on the two-stage clonal expansion model. *Cancer Causes Control* 20: 917-923. <http://dx.doi.org/10.1007/s10552-009-9297-z>.
- Richardson, DB; Cardis, E; Daniels, RD; Gillies, M; O'Hagan, JA; Hamra, GB; Haylock, R; Laurier, D; Leuraud, K; Moissonnier, M; Schubauer-Berigan, MK; Thierry-Chef, I; Kesminiene, A. (2015). Risk of cancer from occupational exposure to ionising radiation: retrospective cohort study of workers in France, the United Kingdom, and the United States (INWORKS). *B M J (Online)* 351: h5359. <http://dx.doi.org/10.1136/bmj.h5359>.
- Richardson, DB; Wing, S; Keil, A; Wolf, S. (2013). Mortality among workers at Oak Ridge National Laboratory. *Am J Ind Med* 56: 725-732. <http://dx.doi.org/10.1002/ajim.22164>.
- Richardson, DB; Wing, S; Wolf, S. (2007). Mortality among workers at the Savannah River Site. *Am J Ind Med* 50: 881-891. <http://dx.doi.org/10.1002/ajim.20511>.
- Richter, E. (1993). MULTIPLE CHEMICAL SENSITIVITY RESPECT THE OBSERVATIONS SUSPECT THE INTERPRETATIONS? *Arch Environ Health* 48: 366-367.
- Richter, ED; Berdugo, M; Laster, R; Westin, JB; Fischbein, A. (1995). Chrysotile and crocidolite asbestos in Israel: uses, exposures and risks. *Med Lav* 86: 449-456.
- Richter, ED; Tuch, H; Sarel, O; Shabbat, Z; Weiler, D. (1986). Smoking, morbidity, and pulmonary function in a group of ex-asbestos workers: a pilot study. *Am J Ind Med* 10: 515-523.
- Rieder, CL; Sluder, G; Brinkley, BR. (1991). Some Possible Routes for Asbestos-Induced Aneuploidy during Mitosis in Vertebrate Cells (pp. 1-26). (NIOSH/00228022). Rieder, CL; Sluder, G; Brinkley, BR.
- Riganti, C; Aldieri, E; Bergandi, L; Fenoglio, I; Costamagna, C; Fubini, B; Bosia, A; Ghigo, D. (2002). Crocidolite asbestos inhibits pentose phosphate oxidative pathway and glucose 6-phosphate dehydrogenase activity in human lung epithelial cells. *Free Radic Biol Med* 32: 938-949.
- Riganti, C; Aldieri, E; Bergandi, L; Tomatis, M; Fenoglio, I; Costamagna, C; Fubini, B; Bosia, A; Ghigo, D. (2003). Long and short fiber amosite asbestos alters at a different extent the redox metabolism in human lung epithelial cells. *Toxicol Appl Pharmacol* 193: 106-115. [http://dx.doi.org/10.1016/S0041-008X\(03\)00339-9](http://dx.doi.org/10.1016/S0041-008X(03)00339-9).
- Riganti, C; Doublier, S; Aldieri, E; Orecchia, S; Betta, PG; Gazzano, E; Ghigo, D; Bosia, A. (2008). Asbestos induces doxorubicin resistance in MM98 mesothelioma cells via HIF-1 α . *Eur Respir J* 32: 443-451. <http://dx.doi.org/10.1183/09031936.00090407>.
- Riganti, C; Orecchia, S; Silvagno, F; Pescarmona, G; Betta, PG; Gazzano, E; Aldieri, E; Ghigo, D; Bosia, A. (2007). Asbestos induces nitric oxide synthesis in mesothelioma cells via Rho signaling inhibition. *Am J Respir Cell Mol Biol* 36: 746-756. <http://dx.doi.org/10.1165/rcmb.2006-0011OC>.
- Rigdon, RH. (1975). Tissue reaction to foreign materials. *CRC Crit Rev Toxicol* 3: 435-476.
- Riggle, E; Panduri, V; Kamp, DW. (2005). A mitochondria-targeted DNA repair enzyme, Hogg-1, prevents asbestos-induced A549 cell apoptosis. *J Investig Med* 53: S362-S363.

Human Health Hazard Literature Search Results

On Topic

- Rihn, B; Coulais, C; Kauffer, E; Bottin, MC; Martin, P; Yvon, F; Vigneron, JC; Binet, S; Monhoven, N; Steiblen, G; Keith, G. (2000). Inhaled crocidolite mutagenicity in lung DNA. *Environ Health Perspect* 108: 341-346.
- Rihn, B; Kauffer, E; Martin, P; Coulais, C; Villa, M; Bottin, MC; Vigneron, JC; Edorh, A; Martinet, N. (1996). Short-term crocidolite inhalation studies in mice: validation of an inhalation chamber. *Toxicology* 109: 147-156.
- Rihova, Z; Maixnerova, D; Jancova, E; Pelclova, D; Bartunkova, J; Fenclova, Z; Vankova, Z; Reiterova, J; Merta, M; Rysava, R; Tesar, V. (2005). Silica and asbestos exposure in ANCA-associated vasculitis with pulmonary involvement. *Ren Fail* 27: 605-608. <http://dx.doi.org/10.1080/08860220500200395>.
- Riley, DJ. (1984). Pulmonary Connective Tissue In Occupational Lung Disease (pp. 1-23). (NIOSH/00147314). Riley, DJ.
- Rim, KT. (2013). Occupational Cancers with Chemical Exposure and their Prevention in Korea: A Literature Review. *Asian Pac J Cancer Prev* 14: 3379-3391. <http://dx.doi.org/10.7314/APJCP.2013.14.6.3379>.
- Ring, S; Suchanek, RJ. (1982). Fiber Identification And Blank Contamination Problems In The EPA Provisional Method For Asbestos Analysis (pp. Materials and Analytical Methods). (NIOSH/00145883). Ring, S; Suchanek, RJ.
- Ringen, K. (1982). Health Hazards Among Painters. *Adv Mod Environ Toxicol* 2: 111-138.
- Ringen, K; Safford, EJ. (1996). Intervention Research in Occupational Safety and Health: Examples from Construction. *Am J Ind Med* 29: 314-320.
- Rinsky, RA; Melius, JM; Hornung, RW; Zumwalde, RD; Waxweiler, RJ; Landrigan, PJ; Bierbaum, PJ; Jr, MW. (1986). Case Control Study of Lung Cancer in Civilian Employees at the Portsmouth Naval Shipyard, Kittery, Maine. (NIOSH/00171110). Rinsky, RA; Melius, JM; Hornung, RW; Zumwalde, RD; Waxweiler, RJ; Landrigan, PJ; Bierbaum, PJ; Murray WE Jr.
- Rinsky, RA; Melius, JM; Hornung, RW; Zumwalde, RD; Waxweiler, RJ; Landrigan, PJ; Bierbaum, PJ; Murray, WE. (1988). Case-control study of lung cancer in civilian employees at the Portsmouth Naval Shipyard, Kittery, Maine. *Am J Epidemiol* 127: 55-64.
- Ririe, DG; Hesterberg, TW; Barrett, JC; Nettesheim, P. (1985). Toxicity of asbestos and glass fibers for rat tracheal epithelial cells in culture.
- Risberg, B; Nickels, J; Wagermark, J. (1980). FAMILIAL CLUSTERING OF MALIGNANT MESOTHELIOMA. *Cancer PHILA*: 2422-2427.
- Rissanen, S; Smolander, J; Louhevaara, V. (1991). Work load and physiological responses during asbestos removal with protective clothing. *Int Arch Occup Environ Health* 63: 241-246.
- Rita, P; Reddy, PP. (1986). EFFECT OF CHRYSOTILE ASBESTOS FIBERS ON GERM-CELLS OF MICE. *Environ Res* 41: 139-143.
- Rittinghausen, S; Ernst, H; Muhle, H; Mohr, U. (1992). Atypical malignant mesotheliomas with osseous and cartilaginous differentiation after intraperitoneal injection of various types of mineral fibres in rats. *Exp Toxicol Pathol* 44: 55-58. [http://dx.doi.org/10.1016/S0940-2993\(11\)80138-7](http://dx.doi.org/10.1016/S0940-2993(11)80138-7).
- Rittinghausen, S; Mohr, U; Dungworth, DL. (1997). Pulmonary cystic keratinizing squamous cell lesions of rats after inhalation/instillation of different particles. *Exp Toxicol Pathol* 49: 433-446. [http://dx.doi.org/10.1016/S0940-2993\(97\)80131-5](http://dx.doi.org/10.1016/S0940-2993(97)80131-5).
- Rittmeyer, L; Yang, P; Schwartz, AG; Adedoyin, A; Romkes, M; Landreneau, R; Mauro, K; Branch, R. (1995). GENETIC AND ENVIRONMENTAL FACTORS IN LUNG CANCER SUSCEPTIBILITY (pp. 24-28). (BIOSIS/95/35659). Rittmeyer, L; Yang, P; Schwartz, AG; Adedoyin, A; Romkes, M; Landreneau, R; Mauro, K; Branch, R.
- Riva, MA; Carnevale, F; Sironi, VA; De Vito, G; Cesana, G. (2010). Mesothelioma and asbestos, fifty years of evidence: Chris Wagner and the contribution of the Italian occupational medicine community. *Med Lav* 101: 409-415.
- Rivolta, G; Nicoli, E; Forni, A; Calori, A; Tomasini, M; Chiappino, G. (1993). Asbestos Pleural Fibrosis: Observations on a Large Group of Cases (pp. 14-17). (NIOSH/00221638). Rivolta, G; Nicoli, E; Forni, A; Calori, A; Tomasini, M; Chiappino, G.
- Rivolta, G; Prandi, E; Sogliani, M; Picchi, O. (2001). [Importance of broncho-alveolar lavage in demonstrating previous exposure to asbestos]. *L'Internista* 92: 166-172.
- Rivolta, G; Todaro, A; Chiappino, G. (1982). [Carcinogenesis of mineral fibers: state of the art] [Review]. *Med Lav* 73: 383-393.
- Rivolta, G; Todaro, A; Chiappino, G. (1982). Mineral Fiber Carcinogenesis: State Of The Art (pp. 383-393). (NIOSH/00144981). Rivolta, G; Todaro, A; Chiappino, G.
- Rizzardi, C; Barresi, E; Brollo, A; Cassetti, P; Schneider, M; Melato, M. (2010). Primary pericardial mesothelioma in an asbestos-exposed patient with previous heart surgery. *Anticancer Res* 30: 1323-1325.
- Rizzo, P; Betta, PG; Alciato, P; Balbi, B; Galimberti, M; Convertino, G; Gareri, G; Mutti, L; Carbone, M; Donner, CF. (1997). SIMIAN VIRUS 40 SV40-LIKE SEQUENCES IN HUMAN MALIGNANT MESOTHELIOMA MM (pp. 20-24). (BIOSIS/98/15201). Rizzo, P; Betta, PG; Alciato, P; Balbi, B; Galimberti, M; Convertino, G; Gareri, G; Mutti, L; Carbone, M; Donner, CF.
- Roach, HD; Davies, GJ; Attanoos, R; Crane, M; Adams, H; Phillips, S. (2002). Asbestos: when the dust settles an imaging review of asbestos-related disease [Review]. *Radiographics* 22 Spec No: S167-S184. http://dx.doi.org/10.1148/radiographics.22.suppl_1.g02oc10s167.
- Roach, SA; Holmes, S; Beverley W, HA; Bonsall, JL; Capel, LH; Hunt, RD; Jacobsen, M; Morris, JG; Smither, WH; Et, AL. (1983). British Occupational Hygiene Society report from the Committee on Asbestos: A study of the health experience in 2 UK asbestos factories. *Ann Occup Hyg* 27: 1-56.
- Robb, JA; Hammar, SP; Yokoo, H. (1993). PSEUDOMESOTHELIOMATOUS LUNG CARCINOMA A RARE ASBESTOS-RELATED MALIGNANCY READILY SEPARABLE FROM EPITHELIAL PLEURAL MESOTHELIOMA (pp. 13-19). (BIOSIS/93/12342). Robb, JA; Hammar, SP; Yokoo, H.
- Roberts, GH. (1970). Diffuse pleural mesothelioma. A clinical and pathological study. *Br J Dis Chest* 64: 201-211.
- Roberts, GH. (1971). The pathology of parietal pleural plaques. *J Clin Pathol* 24: 348-353.
- Roberts, GH; Irvine, RW. (1970). Peritoneal mesothelioma. A report of 4 cases. *Br J Surg* 57: 645-650.
- Roberts, H. (2006). Low-dose computed tomography in prior asbestos workers. *Lung Cancer* 54: S3-S3.
- Roberts, HC; Patsios, DA; Paul, NS; Deperrot, M; Teel, W; Bayanati, H; Shepherd, F; Johnston, MR. (2009). Screening for malignant pleural mesothelioma and lung cancer in individuals with a history of asbestos exposure. *J Thorac Oncol* 4: 620-628. <http://dx.doi.org/10.1097/JTO.0b013e31819f2e0e>.

Human Health Hazard Literature Search Results

On Topic

- Robin, H; Eloy, E; Edme, JL; Brillet, JM; Frimat, P; Furon, D. (1990). Clinical, Radiological and Functional Abnormalities among Workers of an Asbestos-Cement Factory (pp. 23-26). (ISSN 0271-3586 EISSN 1097-0274 NIOSH/00198283). Robin, H; Eloy, E; Edme, JL; Brillet, JM; Frimat, P; Furon, D.
- Robins, TG; Green, MA. (1988). Respiratory morbidity in workers exposed to asbestos in the primary manufacture of building materials. *Am J Ind Med* 14: 433-448. <http://dx.doi.org/10.1002/ajim.4700140407>.
- Robins, TG; Weinstein, RJ; Demers, RY. (1991). LYMPHOCYTOPENIA, T-LYMPHOCYTE SUBSETS, AND COLORECTAL POLYPS IN AUTOMOTIVE PATTERN AND MODEL MAKERS. *J Occup Environ Med* 33: 510-515.
- Robinson, B; Crystal, R. (1984). CHRYSOTILE ASBESTOS DIRECTLY SUPPRESSES THE ACTIVITY OF NATURAL KILLER CELLS (pp. 20-23). (HEEP/85/00957). Robinson, B; Crystal, R.
- Robinson, BM. (2012). Malignant pleural mesothelioma: an epidemiological perspective. 1: 491-496. <http://dx.doi.org/10.3978/j.issn.2225-319X.2012.11.04>.
- Robinson, BW. (1989). Asbestos and cancer: human natural killer cell activity is suppressed by asbestos fibers but can be restored by recombinant interleukin-2. *Am Rev Respir Dis* 139: 897-901. <http://dx.doi.org/10.1164/ajrccm/139.4.897>.
- Robinson, BW; Creaney, J; Lake, R; Nowak, A; Musk, AW; de Klerk, N; Winzell, P; Hellstrom, KE; Hellstrom, I. (2003). Mesothelin-family proteins and diagnosis of mesothelioma. *Lancet* 362: 1612-1616. [http://dx.doi.org/10.1016/S0140-6736\(03\)14794-0](http://dx.doi.org/10.1016/S0140-6736(03)14794-0).
- Robinson, BW; Lake, RA. (2005). Advances in malignant mesothelioma [Review]. *N Engl J Med* 353: 1591-1603. <http://dx.doi.org/10.1056/NEJMra050152>.
- Robinson, BW; Musk, AW. (1981). Benign asbestos pleural effusion: diagnosis and course. *Thorax* 36: 896-900.
- Robinson, BW; Musk, AW; Lake, RA. (2005). Malignant mesothelioma [Review]. *Lancet* 366: 397-408. [http://dx.doi.org/10.1016/S0140-6736\(05\)67025-0](http://dx.doi.org/10.1016/S0140-6736(05)67025-0).
- Robinson, BW; Rose, AH; Hayes, A; Musk, AW. (1988). Increased pulmonary gamma interferon production in asbestosis. *Am Rev Respir Dis* 138: 278-283. <http://dx.doi.org/10.1164/ajrccm/138.2.278>.
- Robinson, BW; Rose, AH; James, A; Whitaker, D; Musk, AW. (1986). Alveolitis of pulmonary asbestosis. Bronchoalveolar lavage studies in crocidolite- and chrysotile-exposed individuals. *Chest* 90: 396-402.
- Robinson, BWS; Rose, AH; James, A; Whitaker, D; Musk, AW. (1986). EVALUATION OF PULMONARY INFLAMMATION IN ASBESTOSIS - BRONCHOALVEOLAR LAVAGE STUDIES IN CROCIDOLITE-EXPOSED AND CHRYSOTILE-EXPOSED INDIVIDUALS. *Aust N Z J Med* 16: 633-633.
- Robinson, C; Alfonso, H; Woo, S; Olsen, N; Bill Musk, AW; Robinson, BW; Nowak, AK; Lake, RA. (2014). Effect of NSAIDs and COX-2 inhibitors on the incidence and severity of asbestos-induced malignant mesothelioma: evidence from an animal model and a human cohort. *Lung Cancer* 86: 29-34. <http://dx.doi.org/10.1016/j.lungcan.2014.08.005>.
- Robinson, C; Alfonso, H; Woo, S; Walsh, A; Olsen, N; Musk, AW; Robinson, BW; Nowak, AK; Lake, RA. (2014). Statins do not alter the incidence of mesothelioma in asbestos exposed mice or humans. *PLoS ONE* 9: e103025. <http://dx.doi.org/10.1371/journal.pone.0103025>.
- Robinson, C; Dick, I; Wise, MJ; Holloway, A; Diyagama, D; Robinson, BWS; Creaney, J; Lake, RA. (2015). Consistent gene expression profiles in MexTAG transgenic mouse and wild type mouse asbestos-induced mesothelioma. *BMC Cancer* 15: 983. <http://dx.doi.org/10.1186/s12885-015-1953-y>.
- Robinson, C; Lemen, R; Wagoner, JK. (1979). Mortality patterns, 1940-1975 among workers employed in an asbestos textile friction and packing products manufacturing facility. Forest Park, IL: Pathotox Publishers.
- Robinson, C; Stern, F; Halperin, W; Venable, H; Petersen, M; Frazier, T; Burnett, C; Lalich, N; Salg, J; Sestito, J. (1995). Assessment of mortality in the construction industry in the United States, 1984-1986. *Am J Ind Med* 28: 49-70.
- Robinson, C; van Bruggen, I; Segal, A; Dunham, M; Sherwood, A; Koentgen, F; Robinson, BWS; Lake, RA. (2006). A novel SV40 TAG transgenic model of asbestos-induced mesothelioma: Malignant transformation is dose dependent. *Cancer Res* 66: 10786-10794. <http://dx.doi.org/10.1158/0008-5472.CAN-05-4668>.
- Robinson, C; Venable, H; Stern, F; Burnett, C; Sieber, K; Sestito, J; Frazier, T; Fingerhut, M. (1991). OCCUPATIONAL EXPOSURE AND THE MORTALITY PATTERNS OF US CONSTRUCTION TRADES WORKERS 1984-1986 FILLING IN THE GAPS (pp. 11-14). (BIOSIS/92/05036). Robinson, C; Venable, H; Stern, F; Burnett, C; Sieber, K; Sestito, J; Frazier, T; Fingerhut, M.
- Robinson, C; Venable, H; Stern, F; Burnett, C; Sieber, K; Sestito, J; Frazier, T; Fingerhut, M. (1992). OCCUPATIONAL EXPOSURES AND THE MORTALITY PATTERNS OF US CONSTRUCTION TRADES WORKERS 1984-1986 FILLING IN THE GAPS (pp. 10-12). (BIOSIS/92/28822). Robinson, C; Venable, H; Stern, F; Burnett, C; Sieber, K; Sestito, J; Frazier, T; Fingerhut, M.
- Robinson, C; Walsh, A; Larma, I; O'Halloran, S; Nowak, AK; Lake, RA. (2011). MexTAG mice exposed to asbestos develop cancer that faithfully replicates key features of the pathogenesis of human mesothelioma. *Eur J Cancer* 47: 151-161. <http://dx.doi.org/10.1016/j.ejca.2010.08.015>.
- Robinson, CF; Petersen, M; Palu, S. (1999). Mortality patterns among electrical workers employed in the U.S. construction industry, 1982-1987. *Am J Ind Med* 36: 630-637.
- Robinson, CF; Petersen, M; Palu, S; Sestito, JP. (1997). MORTALITY PATTERNS AMONG THE INTERNATIONAL BROTHERHOOD OF ELECTRICAL WORKERS 1982-87 (pp. 12-14). (BIOSIS/97/22432). Robinson, CF; Petersen, M; Palu, S; Sestito, JP.
- Robinson, CF; Petersen, M; Sieber, WK; Palu, S; Halperin, WE. (1996). Mortality of Carpenters' Union members employed in the U.S. construction or wood products industries, 1987-1990. *Am J Ind Med* 30: 674-694. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199612\)30:6<674::AID-AJIM4>3.0.CO;2-R](http://dx.doi.org/10.1002/(SICI)1097-0274(199612)30:6<674::AID-AJIM4>3.0.CO;2-R).
- Robinson, JJ. (1972). Pleural Plaques and Splenic Capsular Sclerosis in Adult Male Autopsies. *Arch Pathol* 93: 118-119.

Human Health Hazard Literature Search Results

On Topic

- Robledo, R; Mossman, B. (1999). Cellular and molecular mechanisms of asbestos-induced fibrosis [Review]. *J Cell Physiol* 180: 158-166. [http://dx.doi.org/10.1002/\(SICI\)1097-4652\(199908\)180:2<158::AID-JCP3>3.0.CO;2-R](http://dx.doi.org/10.1002/(SICI)1097-4652(199908)180:2<158::AID-JCP3>3.0.CO;2-R).
- Robledo, RF; Buder-Hoffmann, SA; Cummins, AB; Walsh, ES; Taatjes, DJ; Mossman, BT. (2000). Increased phosphorylated extracellular signal-regulated kinase immunoreactivity associated with proliferative and morphologic lung alterations after chrysotile asbestos inhalation in mice. *Am J Pathol* 156: 1307-1316. [http://dx.doi.org/10.1016/S0002-9440\(10\)65001-8](http://dx.doi.org/10.1016/S0002-9440(10)65001-8).
- Robock, K. (1974). [Effect of mechanic, thermal and chemical treatment of silicium dioxide and asbestos dust on the cytotoxicity and electron structure]. *Beitr Silikoseforsch Pneumokoniose* 26: 111-262.
- Robock, K. (1975). [Experimental studies on various asbestos modifications]. 589-593.
- Robock, K. (1979). Based on available data, can we project an acceptable standard for industrial use of asbestos? Absolutely. *Ann N Y Acad Sci* 330: 205-210.
- Robock, K; KLOSTERK.W. (1974). INFLUENCE OF SILICA AND ASBESTOS DUST ON REDUCING ACTIVITY OF ALVEOLAR AND PERITONEAL MACROPHAGES WITH REGARD TO TRIPHENYLTETRAZOLIUM CHLORIDE AND ON OXYGEN CONSUMPTION OF THESE CELLS. *Rev Fr Mal Respir* 2: 77-83.
- Robock, K; Klosterkötter, W. (1970). Biological action of different asbestos dusts with special respect to fibre length and semiconductor properties. *Inhaled Particles* 1: 465-475.
- Robock, K; Klosterkötter, W. (1975). The biological effect of asbestos and asbestos cement products. *Inhaled Particles* 4 Pt 2: 447-453.
- Robotti, M; Fasciolo, PG; Bonsignore, AD. (1982). A case of pleuropulmonary asbestosis in a distillery worker. *G Ital Med Lav* 4: 4-5.
- Rockley, PF; Trieff, N; Wagner R F, J. R.; Tyring, SK. (1994). NONSUNLIGHT RISK FACTORS FOR MALIGNANT MELANOMA PART I CHEMICAL AGENTS PHYSICAL CONDITIONS AND OCCUPATION. *Int J Dermatol* 33: 398-406.
- Rockoff, SD. (1987). CT demonstration of interlobar fissure calcification due to asbestos exposure. *J Comput Assist Tomogr* 11: 1066-1068.
- Rockoff, SD; Kagan, E; Schwartz, A; Kriebel, D; Hix, W; Rohatgi, P. (1987). Visceral pleural thickening in asbestos exposure: the occurrence and implications of thickened interlobar fissures. *J Thorac Imaging* 2: 58-66.
- Rockoff, SD; Kagan, E; Schwartz, A; Rohatgi, P; Hix, W. (1985). VISCERAL PLEURAL THICKENING AS A SIGN OF PULMONARY ASBESTOSIS (pp. 23-28). (BIOSIS/85/17417). Rockoff, SD; Kagan, E; Schwartz, A; Rohatgi, P; Hix, W.
- Rockoff, SD; Schwartz, A. (1988). Roentgenographic underestimation of early asbestosis by International Labor Organization classification. Analysis of data and probabilities. *Chest* 93: 1088-1091.
- Rockoff, SD; Schwartz, A; Hix, W; Rohatgi, P; Kagan, E; Kriebel, D. (1990). Visceral Pleural Thickening in Asbestos Exposure: The Occurrence and Implications of Thickened Interlobar Fissures (pp. 23-26). (ISSN 0355-3140 EISSN 1795-990X NIOSH/00198768). Rockoff, SD; Schwartz, A; Hix, W; Rohatgi, P; Kagan, E; Kriebel, D.
- Rocskay, AZ; Harbut, MR; Green, MA; Osher, DL; Zellers, ET. (1996). Respiratory health in asbestos-exposed ironworkers. *Am J Ind Med* 29: 459-466. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199605\)29:5<459::AID-AJIM4>3.0.CO;2-H](http://dx.doi.org/10.1002/(SICI)1097-0274(199605)29:5<459::AID-AJIM4>3.0.CO;2-H).
- Rodella, S; Ciccone, G; Rege-Cambrin, G; Vineis, P; Work GROUP EPIDEMIOLOGICAL HEMATOLOGICAL MALIGNANCIES, I.T.L. (1993). Cytogenetics and occupational exposures in acute nonlymphocytic leukemia and myelodysplastic syndrome. *Scand J Work Environ Health* 19: 369-374.
- Rödelsperger, K. (2004). Extrapolation of the carcinogenic potency of fibers from rats to humans [Review]. *Inhal Toxicol* 16: 801-807. <http://dx.doi.org/10.1080/08958370490505016>.
- Rödelsperger, K; Jöckel, KH; Pohlabein, H; Römer, W; Woitowitz, HJ. (2001). Asbestos and man-made vitreous fibers as risk factors for diffuse malignant mesothelioma: results from a German hospital-based case-control study. *Am J Ind Med* 39: 262-275.
- Rödelsperger, K; Mándi, A; Tossavainen, A; Brückel, B; Barbisan, P; Woitowitz, HJ. (2001). Inorganic fibres in the lung tissue of Hungarian and German lung cancer patients. *Int Arch Occup Environ Health* 74: 133-138.
- Rödelsperger, K; Woitowitz, HJ. (1993). LENGTH DISTRIBUTION OF ASBESTOS FIBERS AND MMVFS AT WORKPLACE AND IN INHALATION EXPERIMENTS WITH RATS. *Staub, Reinhaltung der Luft* 53: 115-123.
- Rödelsperger, K; Woitowitz, HJ. (1995). Airborne fibre concentrations and lung burden compared to the tumour response in rats and humans exposed to asbestos [Review]. *Ann Occup Hyg* 39: 715-725.
- Rödelsperger, K; Woitowitz, HJ; Brückel, B; Arhelger, R; Pohlabein, H; Jöckel, KH. (1999). Dose-response relationship between amphibole fiber lung burden and mesothelioma. *Cancer Detect Prev* 23: 183-193.
- Rödelsperger, K; Woitowitz, HJ; Manke, J; Bruckel, B; Giesen, T. (1985). PROBLEMS OF ASBESTOS FIBER ANALYSIS IN LUNG DUST. *Atemwegs- und Lungenkrankheiten* 11: 236-238.
- Rodricks, JV; Brett, SM; Wrenn, GC. (1987). Significant risk decisions in federal regulatory agencies. *Regul Toxicol Pharmacol* 7: 307-320.
- Rodriguez LASTRA, J; Granda IBARRA, A; Perez HERNANDEZ, C; Ibarra FERNANDEZ DE LA VEGA, E. (1987). RESPIRATORY DISORDERS IN WORKERS EXPOSED TO ASBESTOS FIBERS. *Rev Cubana Hig Epidemiol* 25: 333-340.
- Rodríguez Portal, JA; Rodríguez Becerra, E; Rodríguez Rodríguez, D; Alfageme Michavila, I; Quero Martínez, A; Diego Roza, C; León Jiménez, A; Isidro Montes, I; Cebollero Rivas, P. (2009). Serum levels of soluble mesothelin-related peptides in malignant and nonmalignant asbestos-related pleural disease: relation with past asbestos exposure. *Cancer Epidemiol Biomarkers Prev* 18: 646-650. <http://dx.doi.org/10.1158/1055-9965.EPI-08-0422>.
- Rodriguez ROISIN, R; Roca, J; Xaubet, A; Agusti-Vidal, A. (1986). BENIGN ASBESTOS PLEURISY (pp. 809-811). (BIOSIS/87/17595). Rodriguez ROISIN, R; Roca, J; Xaubet, A; Agusti-Vidal, A.
- Rodriguez-Roisin, R; Agusti, AG; Roca, J; Xaubet, A; Agusti-Vidal, A. (1987). ASBESTOSIS DOES NOT ELICIT ARTERIAL HYPOXEMIA DURING EXERCISE (pp. 22-26). (BIOSIS/88/08211). Rodriguez-Roisin, R; Agusti, AG; Roca, J; Xaubet, A; Agusti-Vidal, A.

Human Health Hazard Literature Search Results

On Topic

- Rodriguez-Roisin, R; Merchant, JE; Cochrane, GM; Hickey, BP; Turner-Warwick, M; Clark, TJ. (1980). Maximal expiratory flow volume curves in workers exposed to asbestos. *Respiration* 39: 158-165.
- Rodriguezroisin, R; Picado, C; Ananos, F; Burgos, F; Agustividal, A. (1978). LUNG-FUNCTION IN WORKERS HEAVILY EXPOSED TO ASBESTOS AND COTTON - COMPARATIVE STUDIES. *Bull Europ Physiol Resp* 14: P55-P57.
- Rodriguez-Roisin, R; Picado, C; Ananos, F; Burgos, F; Gistau, C; Agusti-Vidal, A. (1981). AIR FLOW OBSTRUCTION IN CHRYSOTILE ASBESTOS WORKERS (pp. 9-13). (HEEP/82/05788). Rodriguez-Roisin, R; Picado, C; Ananos, F; Burgos, F; Gistau, C; Agusti-Vidal, A.
- Rodriguez-Roisin, R; Picado, C; Roca, J; Arrigo, S; Agusti-Vidal, A. (1986). Early lung function changes after short heavy exposure to chrysotile asbestos in non-smoking women. *Bull Europ Physiol Resp* 22: 225-229.
- Roe, FJ. (1968). Asbestos as a carcinogenic hazard. *Food Cosmet Toxicol* 6: 565-566.
- Roe, FJ. (1968). Experimental asbestos carcinogenesis. *Food Cosmet Toxicol* 6: 566-568.
- Roe, FJC. (1985). Occupational Cancer. Where Now And Where Next? (pp. 181-187). (ISSN 0355-3140 EISSN 1795-990X NIOSH/00152495). Roe, FJC.
- Roe, FJC. (1993). How Much Cancer Is Occupationally Derived? *Indoor Environ* 2: 38-42.
- Røe, OD; Anderssen, E; Sandeck, H; Christensen, T; Larsson, E; Lundgren, S. (2010). Malignant pleural mesothelioma: genome-wide expression patterns reflecting general resistance mechanisms and a proposal of novel targets. *Lung Cancer* 67: 57-68. <http://dx.doi.org/10.1016/j.lungcan.2009.03.016>.
- Roe, OD; Creaney, J; Lundgren, S; Larsson, E; Sandeck, H; Boffetta, P; Nilsen, TI; Robinson, B; Kjaerheim, K. (2008). Mesothelin-related predictive and prognostic factors in malignant mesothelioma: a nested case-control study. *Lung Cancer* 61: 235-243. <http://dx.doi.org/10.1016/j.lungcan.2007.12.025>.
- Røe, OD; Stella, GM. (2015). Malignant pleural mesothelioma: history, controversy and future of a manmade epidemic [Review]. 24: 115-131. <http://dx.doi.org/10.1183/09059180.00007014>.
- Roedelsperger, K; Brueckel, B. (2006). The Carcinogenicity of WHO fibers of silicon carbide: SiC whiskers compared to cleavage fragments of granular SiC. *Inhal Toxicol* 18: 623-631. <http://dx.doi.org/10.1080/08958370600742987>.
- Roelandts, I. (1989). ENVIRONMENTAL REFERENCE MATERIALS (pp. 925-934). (BIOSIS/90/02403). Roelandts, I.
- Roelofs, CR; Kernan, GJ; Davis, LK; Clapp, RW; Hunt, PR. (2013). Mesothelioma and employment in massachusetts: analysis of cancer registry data 1988-2003. *Am J Ind Med* 56: 985-992. <http://dx.doi.org/10.1002/ajim.22218>.
- Roesler, JA; Roemer, W; H-J, W. (1996). MORTALITY IN A COHORT OF WORKERS EXPOSED TO CHRYSOTILE ASBESTOS (pp. 7-11). (BIOSIS/97/05371). Roesler, JA; Roemer, W; Woitowitz H-J.
- Rogan, WJ. (1980). The sources and routes of childhood chemical exposures. (PESTAB/81/0455). Rogan, WJ.
- Rogan, WJ. (1995). Environmental poisoning of children--lessons from the past [Review]. *Environ Health Perspect* 103 Suppl 6: 19-23.
- Rogan, WJ; Gladen, BC; Ragan, NB; Anderson, HA. (1987). US prevalence of occupational pleural thickening: A look at chest X-rays from the first National Health and Nutrition Examination Survey. *Am J Epidemiol* 126: 893-900.
- Rogan, WJ; Ragan, NB; Dinse, GE. (2000). X-ray evidence of increased asbestos exposure in the US population from NHANES I and NHANES II, 1973-1978. *Cancer Causes Control* 11: 441-449. <http://dx.doi.org/10.1023/A:1008952426060>.
- Rogers, A. (1990). CANCER MORTALITY AND EXPOSURE TO CROCIDOLITE [Letter]. *Br J Ind Med* 47: 286-286.
- Rogers, A. (2005). Asbestos lung residue and asbestosis risk [Letter]. *Ann Occup Hyg* 49: 363-364; author reply 364-365. <http://dx.doi.org/10.1093/annhyg/mei005>.
- Rogers, A; Major, G. (2002). The quantitative risks of mesothelioma and lung cancer in relation to asbestos exposure: the Wittenoom data [Letter]. *Ann Occup Hyg* 46: 127-128; author reply 128-129. <http://dx.doi.org/10.1093/annhyg/mef002>.
- Rogers, A; Nevill, M. (1995). Occupational and environmental mesotheliomas due to crocidolite mining activities in Wittenoom, Western Australia. *Scand J Work Environ Health* 21: 259-264.
- Rogers, AJ. (1984). Determination of mineral fibre in human lung tissue by light microscopy and transmission electron microscopy. *Ann Occup Hyg* 28: 1-12.
- Rogers, AJ. (1993). Toxicity of Particulate Matter (pp. 251-265). (NIOSH/00224061). Rogers, AJ.
- Rogers, AJ; Leigh, J; Berry, G; Ferguson, DA; Mulder, HB; Ackad, M. (1991). Relationship between lung asbestos fiber type and concentration and relative risk of mesothelioma. A case-control study. *Cancer* 67: 1912-1920.
- Rogers, R; Bernstein, D; Smith, P. (2004). The Biopersistence Of Canadian Chrysotile Asbestos Following Inhalation. *Toxicologist* 78: 436.
- Rogers, RA; Antonini, JM; Brismar, H; Lai, J; Hesterberg, TW; Oldmixon, EH; Thevenaz, P; Brain, JD. (1999). In situ microscopic analysis of asbestos and synthetic vitreous fibers retained in hamster lungs following inhalation. *Environ Health Perspect* 107: 367-375.
- Roggeri, A; Tomasi, C; Cavazza, A; Serra, L; Zucchi, L. (2003). Haemorrhagic pericardial effusion in an asbestos worker. *Med Lav* 94: 391-394.
- Roggli, VL. (1990). Human disease consequences of fiber exposures: a review of human lung pathology and fiber burden data [Review]. *Environ Health Perspect* 88: 295-303.
- Roggli, VL. (1991). Scanning electron microscopic analysis of mineral fiber content of lung tissue in the evaluation of diffuse pulmonary fibrosis. *Scanning Microsc* 5: 71-80; discussion 80-73.
- Roggli, VL. (1992). Fiber Analysis (pp. 255-267). (NIOSH/00222078). Roggli, VL.
- Roggli, VL. (1992). Mineral Fiber Content of Lung Tissue in Patients with Malignant Mesothelioma (pp. 201-222). (NIOSH/00210723). Roggli, VL.
- Roggli, VL. (1992). Quantitative and analytical studies in the diagnosis of mesothelioma. *Semin Diagn Pathol* 9: 162-168.
- Roggli, VL. (1995). Malignant mesothelioma and duration of asbestos exposure: correlation with tissue mineral fibre content. *Ann Occup Hyg* 39: 363-374.

Human Health Hazard Literature Search Results

On Topic

- Roggli, VL. (2006). The role of analytical SEM in the determination of causation in malignant mesothelioma. *Ultrastruct Pathol* 30: 31-35. <http://dx.doi.org/10.1080/01913120500313192>.
- Roggli, VL. (2015). The So-called Short-Fiber Controversy: Literature Review and Critical Analysis [Review]. *Arch Pathol Lab Med* 139: 1052-1057. <http://dx.doi.org/10.5858/arpa.2014-0466-RA>.
- Roggli, VL; Benning, TL. (1990). Asbestos bodies in pulmonary hilar lymph nodes. *Mod Pathol* 3: 513-517.
- Roggli, VL; Brody, AR. (1984). Changes in numbers and dimensions of chrysotile asbestos fibers in lungs of rats following short-term exposure. *Exp Lung Res* 7: 133-147.
- Roggli, VL; Brody, AR. (1987). CLEARANCE AND DIMENSIONAL CHANGES OF ASBESTOS FIBERS ISOLATED FROM LUNGS OF RATS FOLLOWING SHORT-TERM EXPOSURE (pp. 15-18). (ISSN 0012-3692 EISSN 1931-3543 BIOSIS/87/21417). Roggli, VL; Brody, AR.
- Roggli, VL; Brody, AR. (1990). THE ROLE OF ELECTRON MICROSCOPY IN EXPERIMENTAL MODELS OF PNEUMOCONIOSIS (pp. NEW YORK). (BIOSIS/91/26794). Roggli, VL; Brody, AR.
- Roggli, VL; Coin, PG; Macintyre, NR; Bell, DY. (1994). Asbestos content of bronchoalveolar lavage fluid. A comparison of light and scanning electron microscopic analysis. *Acta Cytol* 38: 502-510.
- Roggli, VL; George, MH; Brody, AR. (1987). Clearance and dimensional changes of crocidolite asbestos fibers isolated from lungs of rats following short-term exposure. *Environ Res* 42: 94-105.
- Roggli, VL; Greenberg, SD; Mclarty, JL; Hurst, GA; Spivey, CG; Heiger, LR. (1980). Asbestos body content of the larynx in asbestos workers. A study of five cases. 106: 533-535.
- Roggli, VL; Greenberg, SD; Mclarty, JW; Hurst, GA; Hieger, LR; Farley, ML; Mabry, LC. (1980). Comparison of sputum and lung asbestos body counts in former asbestos workers. *Am Rev Respir Dis* 122: 941-945. <http://dx.doi.org/10.1164/arrd.1980.122.6.941>.
- Roggli, VL; Greenberg, SD; Seitzman, LH; Mcgavran, MH; Hurst, GA; Spivey, CG; Nelson, KG; Hieger, LR. (1980). Pulmonary fibrosis, carcinoma, and ferruginous body counts in amosite asbestos workers. A study of six cases. *Am J Clin Pathol* 73: 496-503.
- Roggli, VL; Greenberg, SD; Seitzman, LH; Mcgravran, MH; Hurst, GA; Spivey, CG; Nelson, KG; Hieger, LR. (1980). PULMONARY FIBROSIS, CARCINOMA AND FERRUGINOUS BODY COUNTS IN AMOSITE ASBESTOS WORKERS - STUDY OF 6 CASES. *Am J Clin Pathol* 73: 306-306.
- Roggli, VL; Hammar, SP; Pratt, PC; Maddox, JC; Legier, J; Mark, EJ; Brody, AR. (1994). Does asbestos or asbestosis cause carcinoma of the lung? *Am J Ind Med* 26: 835-838.
- Roggli, VL; Kolbeck, J; Sanfilippo, F; Shelburne, JD. (1987). Pathology of human mesothelioma. Etiologic and diagnostic considerations [Review]. 22 Pt 2: 91-131.
- Roggli, VL; Longo, WE. (1991). Mineral fiber content of lung tissue in patients with environmental exposures: household contacts vs. building occupants. *Ann N Y Acad Sci* 643: 511-518.
- Roggli, VL; Mcgavran, MH; Subach, J; Sybers, HD; Greenberg, SD. (1982). Pulmonary asbestos body counts and electron probe analysis of asbestos body cores in patients with mesothelioma: a study of 25 cases. *Cancer* 50: 2423-2432.
- Roggli, VL; Oury, TD; Moffatt, EJ. (1997). Malignant mesothelioma in women. *Anat Pathol* 2: 147-163.
- Roggli, VL; Piantadosi, CA; Bell, DY. (1986). Asbestos bodies in bronchoalveolar lavage fluid. A study of 20 asbestos-exposed individuals and comparison to patients with other chronic interstitial lung diseases. *Acta Cytol* 30: 470-476.
- Roggli, VL; Pratt, PC. (1983). Numbers of asbestos bodies on iron-stained tissue sections in relation to asbestos body counts in lung tissue digests. *Hum Pathol* 14: 355-361.
- Roggli, VL; Pratt, PC; Brody, AR. (1986). Asbestos content of lung tissue in asbestos associated diseases: a study of 110 cases. *Br J Ind Med* 43: 18-28.
- Roggli, VL; Pratt, PC; Brody, AR. (1993). Asbestos fiber type in malignant mesothelioma: an analytical scanning electron microscopic study of 94 cases. *Am J Ind Med* 23: 605-614.
- Roggli, VL; Sanders, LL. (2000). Asbestos content of lung tissue and carcinoma of the lung: a clinicopathologic correlation and mineral fiber analysis of 234 cases. *Ann Occup Hyg* 44: 109-117.
- Roggli, VL; Sharma, A; Butnor, KJ; Sporn, T; Vollmer, RT. (2002). Malignant mesothelioma and occupational exposure to asbestos: a clinicopathological correlation of 1445 cases. *Ultrastruct Pathol* 26: 55-65. <http://dx.doi.org/10.1080/01913120252959227>.
- Roggli, VL; Sporn, TA. (2016). Carcinoma of the lung in the absence of asbestosis: The value of lung fiber burden analysis. *Ultrastruct Pathol* 40: 151-154. <http://dx.doi.org/10.3109/01913123.2016.1154915>.
- Roggli, VL; Vollmer, RT. (2008). Twenty-five years of fiber analysis: What have we learned? *Hum Pathol* 39: 307-315. <http://dx.doi.org/10.1016/j.humpath.2007.07.005>.
- Roggli, VL; Vollmer, RT; Butnor, KJ; Sporn, TA. (2002). Tremolite and mesothelioma. *Ann Occup Hyg* 46: 447-453. <http://dx.doi.org/10.1093/annhyg/mef056>.
- Rogol, PR; Ryu, JH; Ginns, LC. (1983). REDUCED NATURAL KILLER CELL ACTIVITY IN ASBESTOS WORKERS (pp. 8-11). (ISSN 0003-0805 HEEP/84/08942). Rogol, PR; Ryu, JH; Ginns, LC.
- Roguin, A; Ben-Shahar, M; Ben-Dror, G; Cohen, I; Hazani, E. (1994). Malignant mesothelioma in families of asbestos workers. *Harefuah* 126: 702-704, 764.
- Roh, S; Park, S; Tae, G; Song, J. (2016). A case of laryngeal cancer induced by exposure to asbestos in a construction site supervisor. 28: 34. <http://dx.doi.org/10.1186/s40557-016-0114-3>.
- Rohl, AN; Langer, AM; Moncure, G; Selikoff, IJ; Fischbein, A. (1982). Endemic pleural disease associated with exposure to mixed fibrous dust in Turkey. *Science* 216: 518-520.
- Rohl, AN; Langer, AM; Selikoff, IJ. (1977). Chrysotile Asbestos: Effects of Human Exposure. *Science* 198: 1202. <http://dx.doi.org/10.1126/science.198.4323.1202>.

Human Health Hazard Literature Search Results

On Topic

- Rohs, A; Lockey, J; Dunning, K; Shukla, R; Fan, H; Hilbert, T; Borton, E; Wiot, J; Meyer, C; Shipley, R; Lemasters, G; Kapil, V. (2008). Low-level fiber-induced radiographic changes caused by Libby vermiculite: a 25-year follow-up study. *Am J Respir Crit Care Med* 177: 630-637. <http://dx.doi.org/10.1164/rccm.200706-841OC>.
- Rohs, AM; Dunning, K; Lockey, JE; Franzblau, A; Hilbert, T; Borton, E. (2009). Asbestos-Related Disease in Household Contacts of Ohio Workers Exposed to Amphibole Contaminated Vermiculite Ore. *Am J Respir Crit Care Med* 179.
- Rojano-Broz, B; Rodriguez-Portal, JA; Rodriguez-Becerra, E; Rodriguez, D; Alfageme, I; Quero Martinez, A; Diego, C; Leon-Jimenez, A; Isidro Montes, I; Cebollero, P. (2009). Serum Levels of Soluble Mesothelin-Related Peptides in Malignant and Non-Malignant Asbestos-Related Pleural Disease: Relation with past Asbestos Exposure. *Am J Respir Crit Care Med* 179.
- Rojas, JL; Alfageme, I; De la Cruz, I; Reyes, N; Munoz, J. (2001). Radicular involvement and medullary invasion from a malignant mesothelioma. *Respiration* 68: 106-108. <http://dx.doi.org/10.1159/000050474>.
- Rola-Pleszczynski, M; Begin, R; Sirois, P; Masse, S; Lemaire, L. (1981). ENHANCEMENT OR INHIBITION OF PULMONARY AND PERIPHERAL BLOOD LYMPHOCYTE PROLIFERATION FOLLOWING IN-VIVO EXPOSURE TO ASBESTOS DOSE RESPONSE EFFECT (pp. 9-13). (HEEP/82/06732). Rola-Pleszczynski, M; Begin, R; Sirois, P; Masse, S; Lemaire, L.
- Rola-Pleszczynski, M; Gouin, S; Begin, R. (1984). Asbestos-Induced Lung Inflammation. Role of Local Macrophage-Derived Chemotactic Factors in Accumulation of Neutrophils in the Lungs. *Inflammation* 8: 53-62.
- Rola-Pleszczynski, M; Gouin, S; Bégin, R. (1984). Pulmonary and systemic immunoregulatory changes during the development of experimental asbestosis. *Clin Exp Immunol* 58: 325-334.
- Rola-Pleszczynski, M; Lemaire, I; Sirois, P; Massé, S; Bégin, R. (1982). Asbestos related changes in pulmonary and systemic immune responses--early enhancement followed by inhibition. *Clin Exp Immunol* 49: 426-432.
- Rola-Pleszczynski, M; Massé, S; Sirois, P; Lemaire, I; Bégin, R. (1981). Early effects of low-doses exposure to asbestos on local cellular immune responses in the lung. *J Immunol* 127: 2535-2538.
- Rola-Pleszczynski, M; Rivest, D; Berardi, M. (1982). CHEMI LUMINESCENCE OF HUMAN POLYMORPHONUCLEAR LEUKOCYTES IN RESPONSE TO ASBESTOS FIBERS (pp. 12-14). (HEEP/83/12361). Rola-Pleszczynski, M; Rivest, D; Berardi, M.
- Rola-Pleszczynski, M; Rivest, D; Bérardi, M. (1984). Asbestos-induced chemiluminescence response of human polymorphonuclear leukocytes. *Environ Res* 33: 1-6.
- Rolland, P; Gramond, C; Lacourt, A; Astoul, P; Chamming's, S; Ducamp, S; Frenay, C; Galateau-Salle, F; Ilg, AG; Imbernon, E; Le Stang, N; Pairon, JC; Goldberg, M; Brochard, P; Group, PS. (2010). Occupations and industries in France at high risk for pleural mesothelioma: A population-based case-control study (1998-2002). *Am J Ind Med* 53: 1207-1219. <http://dx.doi.org/10.1002/ajim.20895>.
- Rolland, Y; Cantagrel, A; Laroche, M; Mazieres, B. (1998). Pneumocystis carinii pneumonia in rheumatoid arthritis treated with methotrexate in a patient suffering from pulmonary asbestosis. *Rev Med Interne* 19: 581-583.
- Roller, M. (2011). In vitro genotoxicity data of nanomaterials compared to carcinogenic potency of inorganic substances after inhalational exposure [Review]. *Mutat Res* 727: 72-85. <http://dx.doi.org/10.1016/j.mrrev.2011.03.002>.
- Roller, M; Pott, F; Kamino, K; Althoff, GH; Bellmann, B. (1996). Results of current intraperitoneal carcinogenicity studies with mineral and vitreous fibres. *Exp Toxicol Pathol* 48: 3-12.
- Roller, M; Pott, F; Kamino, K; Althoff, GH; Bellmann, B. (1997). Dose-response relationship of fibrous dusts in intraperitoneal studies. *Environ Health Perspect* 105: 1253-1256.
- Rom, W; Anderson, HA. (1977). Case report: malignant mesothelioma. 16: 15-16.
- Rom, W; Bitterman, P; Rennard, S; Crystal, R. (1984). ALVEOLAR MACROPHAGE MEDIATED FIBROBLAST PROLIFERATION IN THE PNEUMOCONIOSES (pp. 20-23). (HEEP/85/01063). Rom, W; Bitterman, P; Rennard, S; Crystal, R.
- Rom, W; Cantin, A; Crystal, R. (1986). INFLAMMATORY CELLS FROM THE LUNGS OF NONSMOKING INDIVIDUALS WITH INORGANIC DUST DISORDERS SPONTANEOUSLY RELEASE EXAGGERATED AMOUNTS OF SUPEROXIDE ANION AND HYDROGEN PEROXIDE (pp. 11-14). (BIOSIS/86/27992). Rom, W; Cantin, A; Crystal, R.
- Rom, W; Livingston, G; Casey, K; Wood, S; Egger, M; Jerominski, L. (1981). SISTER CHROMATID EXCHANGE RATE IN ASBESTOS INSULATORS (pp. 9-13). (HEEP/82/05634). Rom, W; Livingston, G; Casey, K; Wood, S; Egger, M; Jerominski, L.
- Rom, W; Miller, A; Anderson, H; Selikoff, JJ. (1976). CHANGES IN PULMONARY FUNCTION IN HOUSEHOLD CONTACTS OF ASBESTOS WORKERS. *Am Rev Respir Dis* 113.
- Rom, W; Thornton, J; Miller, A; Lilis, R; Selikoff, JJ. (1977). ABNORMAL SPIROMETRY IN SHIPYARD WORKERS WITH PLEURAL DISEASE. *Am Rev Respir Dis* 115.
- Rom, WM; Travis, WD; Brody, AR. (1991). Cellular and molecular basis of the asbestos-related diseases [Review]. *Am J Respir Crit Care Med* 143: 408-422. <http://dx.doi.org/10.1164/ajrccm/143.2.408>.
- Rom, WN. (1980). Occupational Lung Disease: An Overview 1980 (pp. 81-2293). (NIOSH/00146076). Rom, WN.
- Rom, WN. (1983). Asbestos And Related Fibers (pp. 157-182). (NIOSH/00150643). Rom, WN.
- Rom, WN. (1984). Commentary: research on the mechanisms of the occupational lung diseases [Review]. *Arch Environ Health* 39: 186-189. <http://dx.doi.org/10.1080/00039896.1984.9939522>.
- Rom, WN. (1991). Activated Alveolar Macrophages from Individuals with Asbestosis Release Peptide Growth Factors (pp. 103-114). (NIOSH/00228026). Rom, WN.
- Rom, WN. (1991). Human mononuclear phagocytes express the insulin-like growth factor-II/mannose-6-phosphate receptor. *Am J Respir Cell Mol Biol* 4: 555-559. <http://dx.doi.org/10.1165/ajrcmb/4.6.555>.
- Rom, WN. (1991). Relationship of inflammatory cell cytokines to disease severity in individuals with occupational inorganic dust exposure [Review]. *Am J Ind Med* 19: 15-27.

Human Health Hazard Literature Search Results

On Topic

- Rom, WN. (1992). Accelerated loss of lung function and alveolitis in a longitudinal study of non-smoking individuals with occupational exposure to asbestos. *Am J Ind Med* 21: 835-844. <http://dx.doi.org/10.1002/ajim.4700210606>.
- Rom, WN. (1992). Asbestos-Related Diseases (pp. 269-291). (NIOSH/00222079). Rom, WN.
- Rom, WN. (1992). Benign Pneumoconioses (pp. 479-488). (NIOSH/00222093). HASKELL LAB.
- Rom, WN. (2011). Role of oxidants in interstitial lung diseases: pneumoconioses, constrictive bronchiolitis, and chronic tropical pulmonary eosinophilia [Review]. *Mediators Inflamm* 2011: 407657. <http://dx.doi.org/10.1155/2011/407657>.
- Rom, WN; Bitterman, PB; Rennard, SI; Cantin, A; Crystal, RG. (1987). Characterization of the lower respiratory tract inflammation of nonsmoking individuals with interstitial lung disease associated with chronic inhalation of inorganic dusts. *Am J Respir Crit Care Med* 136: 1429-1434. <http://dx.doi.org/10.1164/ajrccm/136.6.1429>.
- Rom, WN; Churg, A; Leapman, R; Fiori, C; Swyt, C. (1990). EVALUATION OF ALVEOLAR MACROPHAGE PARTICLE BURDEN IN INDIVIDUALS OCCUPATIONALLY EXPOSED TO INORGANIC DUSTS. *J Aerosol Med* 3: S43-S56.
- Rom, WN; Crystal, RG. (1991). CONSEQUENCES OF CHRONIC INORGANIC DUST EXPOSURE (pp. SCIENTIFIC FOUNDATIONS). (BIOSIS/91/11692). Rom, WN; Crystal, RG.
- Rom, WN; Hammar, SP; Rusch, V; Dodson, R; Hoffman, S. (2001). Malignant mesothelioma from neighborhood exposure to anthophyllite asbestos. *Am J Ind Med* 40: 211-214. <http://dx.doi.org/10.1002/ajim.1089>.
- Rom, WN; Harkin, T. (1991). Dehydroepiandrosterone inhibits the spontaneous release of superoxide radical by alveolar macrophages in vitro in asbestosis. *Environ Res* 55: 145-156.
- Rom, WN; Livingston, GK; Casey, KR; Wood, SD; Egger, MJ; Chiu, GL; Jerominski, L. (1983). Sister chromatid exchange frequency in asbestos workers. *J Natl Cancer Inst* 70: 45-48.
- Rom, WN; Lockey, JE. (1982). Diffuse malignant mesothelioma: a review [Review]. *West J Med* 137: 548-554.
- Rom, WN; Lockey, JE; Casey, KR. (1982). Environmental/occupational lung disease. (CIS/83/00520). Rom, WN; Lockey, JE; Casey, KR.
- Rom, WN; Lopatin, S; Tsay, JJ; Addrizzo-Harris, D; Munger, JS; Pass, H. (2016). Reduced lung function in smokers in a lung cancer screening cohort with asbestos exposure and pleural plaques. *Am J Ind Med* 59: 178-185. <http://dx.doi.org/10.1002/ajim.22571>.
- Rom, WN; Pääkkö, P. (1991). Activated alveolar macrophages express the insulin-like growth factor-I receptor. *Am J Respir Cell Mol Biol* 4: 432-439. <http://dx.doi.org/10.1165/ajrcmb/4.5.432>.
- Rom, WN; Palmer, PE. (1974). The spectrum of asbestos-related diseases [Review]. *West J Med* 121: 10-21.
- Rom, WN; Robinson, B; Mclemore, TL; Rose, CS; Crystal, RG. (1985). LUNG MONONUCLEAR CELLS FROM INDIVIDUALS WITH CHRONIC INORGANIC DUST EXPOSURE SPONTANEOUSLY RELEASE IMMUNE INTERFERON (pp. 12-15). (BIOSIS/85/16460). Rom, WN; Robinson, B; Mclemore, TL; Rose, CS; Crystal, RG.
- Rom, WN; Travis, WD. (1992). Lymphocyte-macrophage alveolitis in nonsmoking individuals occupationally exposed to asbestos. *Chest* 101: 779-786.
- Rom, WN; Weiden, M; Garcia, R; Yie, TA; Vathesatogkit, P; Tse, DB; McGuinness, G; Roggli, V; Prezant, D. (2002). Acute eosinophilic pneumonia in a New York City firefighter exposed to World Trade Center dust. *Am J Respir Crit Care Med* 166: 797-800. <http://dx.doi.org/10.1164/rccm.200206-576OC>.
- Roman-Franco, AA. (1982). Non-enzymatic extramicrosomal bioactivation of chemical carcinogens by phagocytes: a proposed new pathway. *J Theor Biol* 97: 543-555.
- Roman-Franco, AA; Carrasco-Canales, JA; Garcia-Castineira, S; Valldejuli-Roman, DB. (1981). BIOACTIVATION OF PRE CARCINOGENS DURING PHAGOCYTOSIS (pp. 1-6). (HEEP/81/11272). Roman-Franco, AA; Carrasco-Canales, JA; Garcia-Castineira, S; Valldejuli-Roman, DB.
- Romano, C; Santoro, PE; Bettolo, PM; Zaccaria, E. (2007). [Evaluation of the psychological well-being and coping strategies in a population of ex asbestos exposed on its work place]. *G Ital Med Lav Ergon* 29: 681-683.
- Rombola, G. (1955). [Asbestos and pulmonary carcinoma in an asbestos worker; problems of carcinogenic action of asbestos]. *Med Lav* 46: 242-250.
- Rombolà, G. (2001). [Asbestosis and pulmonary carcinoma in a female asbestos fibre spinner (remarks on the cancer problem of asbestos). 1955]. *Med Lav* 92: 436-444.
- Romeo, E; Ancona, L; Ascoli, V; Balestri, A; Scalzo, CC; Cavariani, F; Compagnucci, P; Gasperini, L; Mataloni, F; Forastiere, F. (2011). OCCUPATIONAL AND ENVIRONMENTAL EXPOSURE TO ASBESTOS AND INCIDENCE OF MALIGNANT MESOTHELIOMA IN ROME AND IN LAZIO, 2001-2009. *Epidemiol Prev* 35: 101-102.
- Romeo, E; Ascoli, V; Ancona, L; Balestri, A; Scalzo, CC; Cavariani, F; Compagnucci, P; Gasperini, L; Mataloni, F; Forastiere, F. (2013). [Occupational exposure to asbestos and incidence of malignant mesothelioma in the Lazio region, years 2001-2009: results of the activities of the regional register]. *Med Lav* 104: 115-125.
- Ron, IG; Ron, H; Lerman, Y. (1999). Extrapulmonary neoplasms among asbestos-exposed power plant workers. *Int J Occup Environ Health* 5: 304-306. <http://dx.doi.org/10.1179/oeh.1999.5.4.304>.
- Rona, RJ; Taub, NA; Rasmussen, S. (1993). Case-control studies in cancer patients as a surveillance system of occupational exposure in the European Community. *J Epidemiol Community Health* 47: 320-325.
- Ronco, G; Ciccone, G; Mirabelli, D; Troia, B; Vineis, P. (1988). Occupation and Lung Cancer in Two Industrialized Areas of Northern Italy. *Int J Cancer* 41: 354-358.
- Roney, PL; Holian, A. (1988). SUPEROXIDE ANION PRODUCTION INDUCED BY CHRYSOTILE ASBESTOS IN THE GUINEA-PIG ALVEOLAR MACROPHAGE (pp. 8-11). (BIOSIS/88/23614). Roney, PL; Holian, A.
- Roney, PL; Holian, A. (1989). Possible mechanism of chrysotile asbestos-stimulated superoxide anion production in guinea pig alveolar macrophages. *Toxicol Appl Pharmacol* 100: 132-144.

Human Health Hazard Literature Search Results

On Topic

- Rong, Y; Luo, X; Zhang, Z; Cui, X; Liu, Y; Chen, W. (2015). Occupational exposure to asbestos and cardiovascular related diseases: A meta-analysis [Review]. 2: 920-926. <http://dx.doi.org/10.1016/j.pmedr.2015.10.005>.
- Ronneberg, A. (1995). Mortality and cancer morbidity in workers from an aluminium smelter with prebaked carbon anodes--part III: mortality from circulatory and respiratory diseases. *Occup Environ Med* 52: 255-261.
- Ronneberg, A; Andersen, A. (1995). Mortality and cancer morbidity in workers from an aluminium smelter with prebaked carbon anodes--part II: cancer morbidity. *Occup Environ Med* 52: 250-254.
- Ronneberg, A; Haldorsen, T; Romundstad, P; Andersen, A. (1999). Occupational exposure and cancer incidence among workers from an aluminum smelter in western Norway. *Scand J Work Environ Health* 25: 207-214.
- Ronneberg, A; Skyberg, K. (1988). Mortality and Incidence of Cancer among Oil Exposed Workers in a Norwegian Cable Manufacturing Company. Part I Exposure Conditions 1920-1970. *Br J Ind Med* 45: 589-594.
- Rønneberg, A; Skyberg, K. (1988). Mortality and incidence of cancer among oil exposed workers in a Norwegian cable manufacturing company. Part I. Exposure conditions 1920-79. *Br J Ind Med* 45: 589-594.
- Rosamilia, K; Wong, O; Raabe, GK. (1999). A case-control study of lung cancer among refinery workers. *J Occup Environ Med* 41: 1091-1103.
- Rösch, W. (1978). [High risk groups for gastrointestinal carcinoma] [Review]. *Fortschr Med* 96: 102-107.
- Rose, AH; Bowman, R; Musk, AW; Neates, N; Hayes, A; Robinson B, WS. (1989). EVIDENCE OF ALVEOLITIS WITH GAMMA INTERFERON IFN-GAMMA AND TUMOR NECROSIS FACTOR ALPHA TNFALPHA PRODUCTION IN ASBESTOS-EXPOSED INDIVIDUALS WHO HAVE NORMAL CHEST X-RAYS (pp. 14-17). (BIOSIS/89/21296). Rose, AH; Bowman, R; Musk, AW; Neates, N; Hayes, A; Robinson B, WS.
- Rose, AH; Musk, AW; Neates, N; Hayes, A; Robinson B, WS. (1989). EVALUATION OF FIBROTIC INFLAMMATORY AND IMMUNOLOGICAL PROCESSES IN ASBESTOS EXPOSED INDIVIDUALS (pp. 14-17). (BIOSIS/89/20542). Rose, AH; Musk, AW; Neates, N; Hayes, A; Robinson B, WS.
- Rose, AH; Musk, AW; Neates, N; Naglan, F; Hayes, A; Robinson B, WS. (1988). ASBESTOS EXPOSURE EVALUATION OF FIBROTIC INFLAMMATORY AND IMMUNOLOGICAL PROCESSES IN DISEASED V NON-DISEASED INDIVIDUALS (pp. 8-13). (ISSN 0004-8291 BIOSIS/89/02644). Rose, AH; Musk, AW; Neates, N; Naglan, F; Hayes, A; Robinson B, WS.
- Rose, AH; Whitaker, D; Musk, AW; Hayes, A; Robinson B, WS. (1987). EVALUATION OF LUNG ALVEOLAR ASBESTOS BODY AB LOAD USING BRONCHOALVEOLAR LAVAGE BAL (pp. 24-26). (BIOSIS/88/06021). Rose, AH; Whitaker, D; Musk, AW; Hayes, A; Robinson B, WS.
- Rosell-Murphy, M; Abós-Herràndiz, R; Tarrés, J; Martínez-Artés, X; García-Allas, I; Krier, I; Cantarell, G; Gallego, M; Orriols, R; Albertí, C. (2010). Prospective study of asbestos-related diseases incidence cases in primary health care in an area of Barcelona province. *BMC Public Health* 10: 203. <http://dx.doi.org/10.1186/1471-2458-10-203>.
- Rosell-Murphy, M; Abós-Herràndiz, R; Olivella, J; Alberti-Casas, C; Allas, I; Artés, X; Günther, I; Malet, I; Martínez, R; Canela-Soler, J. (2013). Risk factors associated with asbestos-related diseases: a community-based case-control study. *BMC Public Health* 13: 723. <http://dx.doi.org/10.1186/1471-2458-13-723>.
- Rosen, P; Savino, A; Melamed, M. (1974). Ferruginous (abestos) bodies and primary carcinoma of the colon. *Am J Clin Pathol* 61: 135-138.
- Rosen, PP. (1978). ASBESTOS FIBERS IN ANIMAL TISSUE. *Mayo Clin Proc* 53: 131-131.
- Rosenblatt, KA; Szklo, M; Rosenshein, NB. (1992). Mineral fiber exposure and the development of ovarian cancer. *Gynecol Oncol* 45: 20-25.
- Rosenfeld, C; Davis, W. (1976). Environmental Pollution and Carcinogenic Risks. (NIOSH/00076049). Rosenfeld, C; Davis, W.
- Rosenman, KD. (1988). Use of hospital discharge data in the surveillance of occupational disease. *Am J Ind Med* 13: 281-290.
- Rosenman, KD. (1991). Asbestos-related X-ray changes in refinery workers. *Ann N Y Acad Sci* 643: 390-396.
- Rosenman, KD; Reilly, MJ; Rice, C; Hertzberg, V; Tseng, CY; Anderson, HA. (1996). Silicosis among foundry workers. Implication for the need to revise the OSHA standard. *Am J Epidemiol* 144: 890-900.
- Rosenman, KD; Trimbath, L; Stanbury, M. (1990). Surveillance of occupational lung disease: Comparison of hospital discharge data to physician reporting. *Am J Public Health* 80: 1257-1258.
- Rosenman, KD; Zhu, Z. (1995). Pneumoconiosis and associated medical conditions. *Am J Ind Med* 27: 107-113.
- Rosensteel, RE; Lucas, JB. (1974). Health Hazard Evaluation Determination Report No. HHE-73-40-116, Delco Morain Division, GMC Corporation, Dayton, Ohio (pp. 73-40). (NIOSH/00027276). Rosensteel, RE; Lucas, JB.
- Rosenstock, L. (1984). Occupational cancer: clinical interpretation and application of scientific evidence. *J Toxicol Clin Toxicol* 22: 261-282.
- Rosenstock, L. (1991). Roentgenographic manifestations and pulmonary function effects of asbestos-induced pleural thickening [Review]. *Toxicol Ind Health* 7: 81-87. <http://dx.doi.org/10.1177/074823379100700105>.
- Rosenstock, L. (1992). ROENTGENOGRAPHIC MANIFESTATIONS AND PULMONARY-FUNCTION EFFECTS OF ASBESTOS-INDUCED PLEURAL THICKENING. 2: 215-221.
- Rosenstock, L. (1993). ASBESTOS-RELATED LUNG-DISEASE. 14: 365-374.
- Rosenstock, L; Barnhart, S; Heyer, NJ; Pierson, DJ; Hudson, LD. (1986). ILO profusion categories not usually considered to represent fibrosis are associated with reductions in FVC in an asbestos-exposed cohort [Abstract]. *Am Rev Respir Dis* 133: A32.
- Rosenstock, L; Barnhart, S; Heyer, NJ; Pierson, DJ; Hudson, LD. (1988). The relation among pulmonary function, chest roentgenographic abnormalities, and smoking status in an asbestos-exposed cohort. *Am Rev Respir Dis* 138: 272-277. <http://dx.doi.org/10.1164/ajrccm/138.2.272>.
- Rosenstock, L; Barnhart, S; Hudson, LD; Pierson, DJ. (1984). SURVEILLANCE FOR ASBESTOS RELATED DISEASE AMONG A COHORT OF PLUMBERS AND PIPE FITTERS (pp. 20-23). (HEEP/85/00781). Rosenstock, L; Barnhart, S; Hudson, LD; Pierson, DJ.
- Rosenstock, L; Cullen, MR. (1986). Mineral Dusts (pp. 241-249). (NIOSH/00168451). Rosenstock, L; Cullen, MR.
- Rosenstock, L; Daniell, W; Barnhart, S; Stover, B; Castorina, J; Mason, SE; Heyer, NJ; Hubbard, R; Kaufman, JD; Brodtkin, CA. (1992). The 10-year experience of an academically affiliated occupational and environmental medicine clinic. *West J Med* 157: 425-429.

Human Health Hazard Literature Search Results

On Topic

- Rosenstock, L; Hudson, LD. (1986). NONMALIGNANT ASBESTOS-INDUCED PLEURAL DISEASE (pp. 197-202). (BIOSIS/86/13150). Rosenstock, L; Hudson, LD.
- Rosenstock, L; Hudson, LD. (1987). The pleural manifestations of asbestos exposure. *Occup Med: State of the Art Rev* 2: 383-407.
- Rosenstock, L; Hudson, LD. (1991). The increasing importance of asbestos-related pleural disease. *Ann N Y Acad Sci* 643: 296-300.
- Rosenstock, L; Landrigan, PJ. (1986). Occupational health: the intersection between clinical medicine and public health [Review]. *Annu Rev Public Health* 7: 337-356. <http://dx.doi.org/10.1146/annurev.pu.07.050186.002005>.
- Rosenthal, FS. (1993). EXPOSURE ASSESSMENT FOR AIRBORNE MAN-MADE MINERAL FIBERS - THE ROLE OF FIBER DIMENSIONS. *Ann Occup Hyg* 37: 395-417.
- Rosenthal, GJ; Corsini, E; Simeonova, P. (1998). Selected new developments in asbestos immunotoxicity [Review]. *Environ Health Perspect* 106 Suppl 1: 159-169.
- Rosenthal, GJ; Germolec, DR; Blazka, ME; Corsini, E; Simeonova, P; Pollock, P; Kong, LY; Kwon, J; Luster, MI. (1994). Asbestos stimulates IL-8 production from human lung epithelial cells. *J Immunol* 153: 3237-3244.
- Rosenthal, GJ; Luster, MI. (1987). ASBESTOS INDUCED REVERSAL OF THE NORMAL DOWN REGULATORY FUNCTION OF ALVEOLAR MACROPHAGES. (BIOSIS/87/20689). Rosenthal, GJ; Luster, MI.
- Rosenthal, GJ; Simeonova, P; Corsini, E. (1999). Asbestos toxicity: an immunologic perspective [Review]. *Rev Environ Health* 14: 11-20.
- Rosenthal, R; Langer, I; Dalquen, P; Marti, WR; Oertli, D. (2003). Peritoneal mesothelioma after environmental asbestos exposure. 9: 311-314.
- Rosler, J; Weitowitz, HJ. (1992). RISK OF LUNG-CANCER AND MESOTHELIOMA AFTER CESSATION OF ASBESTOS EXPOSURE. *Eur Respir J* 5: 1161-1161.
- Rosler, JA; Weitowitz, HJ. (1993). LUNG-CANCER MORTALITY AFTER ASBESTOS EXPOSURE IN VARIOUS INDUSTRIAL BRANCHES. *Am Rev Respir Dis* 147: A908-A908.
- Rösler, JA; Weitowitz, HJ. (1995). Recent data on cancer due to asbestos in Germany. *Med Lav* 86: 440-448.
- Rösler, JA; Weitowitz, HJ; Lange, HJ; Weitowitz, RH; Ulm, K; Rödelberger, K. (1994). Mortality rates in a female cohort following asbestos exposure in Germany. *J Occup Med* 36: 889-893.
- Ross, D; McDonald, JC. (1995). Occupational and geographical factors in the epidemiology of malignant mesothelioma [Review]. *Monaldi Arch Chest Dis* 50: 459-463.
- Ross, DJ; Sallie, BA; McDonald, JC. (1995). SWORD '94: surveillance of work-related and occupational respiratory disease in the UK. *Occup Med (Lond)* 45: 175-178.
- Ross, JA; Rosen, GD. (2002). The molecular biology of lung cancer [Review]. *Curr Opin Pulm Med* 8: 265-269.
- Ross, M. (1984). A Survey of Asbestos-Related Disease in Trades and Mining Occupations and in Factory and Mining Communities as a Means of Predicting Health Risks of Nonoccupational Exposure to Fibrous Minerals (pp. 51-104). (NIOSH/00173438). Ross, M.
- Ross, MH; Murray, J. (2004). Occupational respiratory disease in mining [Review]. *Occup Med (Lond)* 54: 304-310. <http://dx.doi.org/10.1093/ocmed/kqh073>.
- Ross, R; Nichols, P; Wright, W; Lukes, R; Dworsky, R; Paganini-Hill, A; Koss, M; Henderson, B. (1982). Asbestos Exposure and Lymphomas of the Gastrointestinal Tract and Oral Cavity. *Lancet* pages 118: 118-120.
- Ross, RM. (2003). The clinical diagnosis of asbestosis in this century requires more than a chest radiograph [Review]. *Chest* 124: 1120-1128.
- Ross, RM. (2016). Software for Apportionment of Asbestos-Related Mesotheliomas [Review]. *Can Respir J* 2016: 5340676. <http://dx.doi.org/10.1155/2016/5340676>.
- Rossi, A; Toffanin, R; Sarto, F; Saetta, M; Camposampiero, A. (1981). RADIOLOGICAL AND LUNG FUNCTION FINDINGS IN A GROUP OF WORKERS EXPOSED TO ASBESTOS CEMENT AND ASBESTOS DUST (pp. 2-5). (HEEP/83/04254). Rossi, A; Toffanin, R; Sarto, F; Saetta, M; Camposampiero, A.
- Rossi, O; Turini, L; Chellini, E; Buonocore, C; Loi, AM. (2004). [Survey on health status of workers exposed in the past to carcinogens in a glass factory in Leghorn, Italy]. *Med Lav* 95: 465-474.
- Rossiter, CE. (1972). Evidence of dose-response relation in pneumoconiosis. *Trans Soc Occup Med* 22: 83-87.
- Rossiter, CE; Berry, G. (1978). The interaction of asbestos exposure and smoking on respiratory health. *Bull Europ Physiol Resp* 14: 197-204.
- Rossiter, CE; Bristol, LJ; Cartier, PH; Gilson, JG; Grainger, TR; Sluis-Cremer, GK; McDonald, JC. (1972). Radiographic changes in chrysotile asbestos mine and mill workers of Quebec. *Arch Environ Health* 24: 388-400.
- Rossiter, CE; Chase, J. R. (1995). STATISTICAL-ANALYSIS OF RESULTS OF CARCINOGENICITY STUDIES OF SYNTHETIC VITREOUS FIBERS AT RESEARCH AND CONSULTING COMPANY, GENEVA. *Ann Occup Hyg* 39: 759-769.
- Rossiter, CE; Coles, RM. (1980). HM Dockyard, Devonport: 1947 mortality study.
- Rossiter, CE; Grimm, HG. (1998). Cancer mortality among man-made vitreous fiber production workers [Letter]. *Epidemiology* 9: 218-219; author reply 219-220.
- Rossiter, CE; Harries, PG. (1979). UK Naval Dockyards asbestosis study: survey of the sample population aged 50-59 years. *Br J Ind Med* 36: 281-291.
- Rossiter, CE; Heath, JR; Harries, PG. (1980). Royal Naval dockyards asbestosis research project: nine-year follow-up study of men exposed to asbestos in Devonport Dockyard. *J R Soc Med* 73: 337-344.
- Rossiter, CE; Weill, H. (1974). Ethnic differences in lung function: evidence for proportional differences. *Int J Epidemiol* 3: 55-61.
- Roskamp, E. (1985). [The environment and cancer]. *Schriftenr Ver Wasser Boden Lufthyg* 65: 499-507.
- Rosol, M. (1986). Stage Fright. (NIOSH/00169452). Rosol, M.

Human Health Hazard Literature Search Results

On Topic

- Rostila, A; Puustinen, A; Toljamo, T; Vuopala, K; Lindström, I; Nyman, TA; Oksa, P; Vehmas, T; Anttila, SL. (2012). Peroxiredoxins and tropomyosins as plasma biomarkers for lung cancer and asbestos exposure. *Lung Cancer* 77: 450-459. <http://dx.doi.org/10.1016/j.lungcan.2012.03.024>.
- Rostila, A; Vuopala, K; Toljamo, T; Nyman, T; Lindstrom, I; Puustinen, A; Anttila, S. (2011). Peroxiredoxins and tropomyosins as plasma biomarkers for lung cancer and asbestos exposure. *Virchows Arch* 459: S134-S134.
- Rothman, KJ; Cann, CI; Flanders, D; Fried, MP. (1980). EPIDEMIOLOGY OF LARYNGEAL CANCER (pp. 195-209). (EPIDEM/004895). Rothman, KJ; Cann, CI; Flanders, D; Fried, MP.
- Rouhier, D; Andre, C; Allard, C; Gillon, J; Brette, R. (1982). Malignant alpha chain disease and exposure to asbestos. *Environ Res* 27: 222-225.
- Roujeau, J; Lougnon, J. (1977). RESPIRATORY LESIONS DUE TO ASBESTOS. *Arch Anat Cytol Pathol* 25: 431-439.
- Rous, V; Studený, J. (1970). Aetiology of pleural plaques. *Thorax* 25: 270-284.
- Rousseau, MC; Camus, M; Case, B; Siemiatycki, J. (2005). Incidence of pleural mesothelioma among women in Quebec, 1970-1989: A comparison between asbestos mining and non-mining areas. *Am J Epidemiol* 161: S104-S104.
- Roviaro, GC; Sartori, F; Calabro, F; Varoli, F. (1982). THE ASSOCIATION OF PLEURAL MESOTHELIOMA AND TUBERCULOSIS. *Am Rev Respir Dis* 126: 569-571.
- Rowe, JN; Springer, JA. (1986). Asbestos lung cancer risks: comparison of animal and human extrapolations. *Risk Anal* 6: 171-180.
- Rowlands, N; Gibbs, GW; Mcdonald, AD. (1982). ASBESTOS FIBERS IN THE LUNGS OF CHRYSOTILE MINERS AND MILLERS - A PRELIMINARY-REPORT. *Ann Occup Hyg* 26: 411-415.
- Rowlands, N; Gibbs, GW; Mcdonald, AD. (1982). Asbestos Fibres In The Lungs Of Chrysotile Miners And Millers A Preliminary Report. *Ann Occup Hyg* 26: 1-4.
- Royall, HJ. (1968). The health of the public and asbestos usage. *Roy Inst Publ Health Hyg J* 31: 126-146.
- Rubin, H. (1991). Mechanisms of action of heavy metals and asbestos on cultured animal cells: Adaptation, transformation and progression. Final progress report, August 1, 1979--January 31, 1987 (pp. 131). (NTIS/02983389). Rubin, H.
- Rubino, GF; Piolatto, G; Newhouse, ML; Scansetti, G; Aresini, GA; Murray, R. (1979). Mortality of chrysotile asbestos workers at the Balangero Mine, northern Italy. *Occup Environ Med* 36: 187-194.
- Rubino, GF; Scansetti, G; Donna, A; Palestro, G. (1972). Epidemiology of pleural mesothelioma in North-western Italy (Piedmont). *Br J Ind Med* 29: 436-442.
- Rubino, GF; Scansetti, G; Pira, E; Piolatto, G; Mollo, F; Andron, A; Colombo, A; Bertasso, L. (1980). Pleural plaques and lung asbestos bodies in the general population: an autoptical and clinical-radiological survey. IARC Sci Publ IARC Scientific Publication No: 545-551.
- Rudd, R. (1989). Malignant mesothelioma [Review]. *J R Soc Med* 82: 126-129. <http://dx.doi.org/10.1177/014107688908200302>.
- Rudd, RM. (1987). PULMONARY FIBROSIS IN ASBESTOS INSULATION WORKERS WITH LUNG-CANCER. *Br J Ind Med* 44: 428-429.
- Rudd, RM. (1988). EXPOSURE TO ASBESTOS AND THE RISK OF GASTROINTESTINAL CANCER. *Br J Ind Med* 45: 573-574.
- Rudd, RM. (1989). Correlation between fibre content of lung and disease in east London asbestos factory workers [Letter]. *Br J Ind Med* 46: 358-359.
- Rudd, RM. (1990). Relation between asbestosis and bronchial cancer in amphibole asbestos miners [Letter]. *Br J Ind Med* 47: 215-216.
- Rudd, RM. (1996). New developments in asbestos-related pleural disease [Review]. *Thorax* 51: 210-216.
- Rudd, RM. (2010). Malignant mesothelioma [Review]. *Br Med Bull* 93: 105-123. <http://dx.doi.org/10.1093/bmb/ldp047>.
- Ruediger, HW. (1994). Exposure and disposition in the development of lung cancer. (BIOSIS/94/29225). Ruediger, HW.
- Ruettner, JR; Spycher, MA; Stolkin, I. (1985). IDENTIFICATION OF MINERAL FIBERS IN THE LUNG (pp. 233-235). (BIOSIS/85/09475). Ruettner, JR; Spycher, MA; Stolkin, I.
- Ruffie, P. (1992). Pleural mesothelioma [Review]. *Curr Opin Oncol* 4: 334-341.
- Ruffie, P; Feld, R; Minkin, S; Cormier, Y; Boutan-Laroze, A; Ginsberg, R; Ayoub, J; Shepherd, FA; Evans, WK; Figueredo, A. (1989). Diffuse malignant mesothelioma of the pleura in Ontario and Quebec: a retrospective study of 332 patients. *J Clin Oncol* 7: 1157-1168.
- Ruffie, P; Feld, R; Minkin, S; Figueredo, A; Ginsberg, R; Pringle, JF; Ritchie, AC. (1986). MALIGNANT PLEURAL MESOTHELIOMA IN ONTARIO CANADA A RETROSPECTIVE STUDY IN 81 PATIENTS (pp. 4-6). (BIOSIS/86/31817). Ruffie, P; Feld, R; Minkin, S; Figueredo, A; Ginsberg, R; Pringle, JF; Ritchie, AC.
- Ruffie, P; Hirsch, A; Marteau, D; Bignon, J; Chrétien, J. (1981). [Etiological and histological study of 448 cases of lung cancer (author's transl)]. *Ann Med Interne* 132: 12-15.
- Ruffie, P; Margery, J. (2007). Cancer and the environment: the case of asbestos. *Oncologie* 9: 335-339. <http://dx.doi.org/10.1007/10269-007-0641-1>.
- Ruffie, PA. (1991). Pleural mesothelioma [Review]. *Curr Opin Oncol* 3: 328-334.
- Ruhe, RL; Lipscomb, J. (1985). Health Hazard Evaluation Report No. HETA-84-151-1544, Nuturn Corporation, New Castle, Indiana (pp. 84-151). (NIOSH/00153395). Ruhe, RL; Lipscomb, J.
- Rui, F; De Zotti, R; Negro, C; Bovenzi, M. (2004). [A follow-up study of lung function among ex-asbestos workers with and without pleural plaques]. *Med Lav* 95: 171-179.
- Rui, F; De Zotti, R; Negro, C; Bovenzi, M. (2004). Studio longitudinale della funzione ventilatoria in ex-esposti ad asbesto con e senza placche pleuriche. *Med Lav* 95: 171-179.
- Ruosaari, S; Hienonen-Kempas, T; Puustinen, A; Sarhadi, VK; Hollmén, J; Knuutila, S; Saharinen, J; Wikman, H; Anttila, S. (2008). Pathways affected by asbestos exposure in normal and tumour tissue of lung cancer patients. *BMC Medical Genomics* 1: 55. <http://dx.doi.org/10.1186/1755-8794-1-55>.

Human Health Hazard Literature Search Results

On Topic

- Ruosaari, ST; Nymark, PE; Aavikko, MM; Kettunen, E; Knuutila, S; Hollmén, J; Norppa, H; Anttila, SL. (2008). Aberrations of chromosome 19 in asbestos-associated lung cancer and in asbestos-induced micronuclei of bronchial epithelial cells in vitro. *Carcinogenesis* 29: 913-917. <http://dx.doi.org/10.1093/carcin/bgn068>.
- Ruotsalainen, M; Hirvonen, MR; Luoto, K; Savolainen, KM. (1999). Production of reactive oxygen species by man-made vitreous fibres in human polymorphonuclear leukocytes. *Hum Exp Toxicol* 18: 354-362.
- Ruotsalainen, M; Naarala, J; Savolainen, KM. (1995). Mineral fiber-induced leukocyte activation: the role of intra- and extracellular calcium. *Toxicol Lett* 78: 195-205.
- Ruotsalainen, M; Savolainen, KM. (1995). Effects of a protein kinase C inhibitor, Ro 31-7549, on the activation of human leukocytes by particulate stimuli. *Hum Exp Toxicol* 14: 266-272.
- Ruotsalainen, M; Savolainen, KM. (1995). The role of G-proteins in the activation of human leukocytes by particulate stimuli to produce reactive oxygen metabolites. *Toxicology* 99: 67-76.
- Rupp, SB; Jolles, H. (1989). Calcified plaque in the superior portion of the major fissure. An unusual manifestation of asbestos exposure. *Chest* 96: 1436-1437.
- Ruppe, K; Beck, B; Duwe, K. (1986). [Health risks caused by asbestos--review of references] [Review]. *Z Gesamte Hyg Grenzgeb* 32: 514-520.
- Rusch, VW. (1990). Diagnosis and treatment of pleural mesothelioma [Review]. *Semin Surg Oncol* 6: 279-285.
- Rushton, L; Bagga, S; Bevan, R; Brown, TP; Cherrie, JW; Holmes, P; Fortunato, L; Slack, R; Van Tongeren, M; Young, C; Hutchings, SJ. (2010). Occupation and cancer in Britain. *Br J Cancer* 102: 1428-1437. <http://dx.doi.org/10.1038/sj.bjc.6605637>.
- Rushton, L; Hutchings, S; Brown, T. (2008). The burden of cancer at work: estimation as the first step to prevention. *Occup Environ Med* 65: 789-800. <http://dx.doi.org/10.1136/oem.2007.037002>.
- Rushton, L; Hutchings, S; Brown, T; Health, Safety, E. (1999). The burden of occupational cancer in Great Britain: Results for bladder cancer, leukaemia, cancer of the lung, mesothelioma, non-melanoma skin cancer and sinonasal cancer. 250.
- Rushton, L; Hutchings, SJ; Fortunato, L; Young, C; Evans, GS; Brown, T; Bevan, R; Slack, R; Holmes, P; Bagga, S; Cherrie, JW; Van Tongeren, M. (2012). Occupational cancer burden in Great Britain. *Br J Cancer* 107: S3-S7. <http://dx.doi.org/10.1038/bjc.2012.112>.
- Rusiecki, J; Stewart, P; Lee, D; Alexander, M; Krstev, S; Silverman, D; Blair, A. (2017). Mortality among Coast Guard Shipyard workers: a retrospective cohort study of specific exposures. *Arch Environ Occup Health* 0. <http://dx.doi.org/10.1080/19338244.2017.1289891>.
- Russo, DA; Kagan, E; Langer, AM; Yeager H, J. R. (1981). HUMAN AVEOLAR MACROPHAGES CYTO TOXICITY OF NATURALLY OCCURRING SHORT FIBER ASBESTOS (pp. 12-17). (HEEP/81/13571). Russo, DA; Kagan, E; Langer, AM; Yeager H, JR.
- Rutten, A; Bermudez, E; Mangum, JB; Wong, BA; Moss, OR; Everitt, JI. (1994). MESOTHELIAL CELL-PROLIFERATION INDUCED BY INTRAPLEURAL INSTILLATION OF MAN-MADE FIBERS IN RATS AND HAMSTERS. *Fundam Appl Toxicol* 23: 107-116.
- Rüttner, J. R.; Schuler, G; Walchli, P. (1983). CAUSES OF DEATH IN THE ENVIRONS OF AN ASBESTOS INDUSTRY IN SWITZERLAND. *Soz Praventivmed* 28: 262-263.
- Rüttner, JR. (1983). [Malignant mesothelioma and asbestos]. *Schweizerische Medizinische Wochenschrift* 113: 346-351.
- Rüttner, JR. (1991). Mesothelioma in Swiss railroad workers. *Ann N Y Acad Sci* 643: 404-406.
- Rüttner, JR; Eidenbenz, H; Wust, W. (1974). Pleural Mesothelioma in Zurich. *Schweizerische Medizinische Wochenschrift* 104: 340-345.
- Rüttner, JR; Lang, AB; Gut, DR; Wydler, MU. (1987). Morphological aspects of interactions between asbestos fibers and human mesothelial cell cytoskeleton. *Exp Cell Biol* 55: 285-294.
- Rüttner, JR; Wälchli, P; Vogt, P; Christen, B. (1990). [Asbestos types, lung dust analysis, exposure and latency time of malignant mesotheliomas in German Switzerland]. *Pathologie* 11: 25-30.
- Ryan, AJ; Carter, AB. (2011). Cytokine gene expression and ERK activation is modulated by PP2A in THP1 cells exposed to asbestos. *FASEB J* 25.
- Ryan, AJ; Carter, BA. (2013). Asbestos increases mitochondrial Ca²⁺ and H₂O₂ generation in THP1 cells. *FASEB J* 27.
- Ryan, AJ; Larson-Casey, JL; He, C; Murthy, S; Carter, AB. (2014). Asbestos-induced disruption of calcium homeostasis induces endoplasmic reticulum stress in macrophages. *J Biol Chem* 289: 33391-33403. <http://dx.doi.org/10.1074/jbc.M114.579870>.
- Ryan, PH; Lemasters, GK; Burkley, J; Lockett, JE; Black, B; Rice, C. (2013). Childhood exposure to Libby amphibole during outdoor activities. *J Expo Sci Environ Epidemiol* 25: 4-11. <http://dx.doi.org/10.1038/jes.2013.26>.
- Rydman, EM; Ilves, M; Vanhala, E; Vippola, M; Lehto, M; Kinaret, PA; Pylkkänen, L; Happonen, M; Hirvonen, MR; Greco, D; Savolainen, K; Wolff, H; Alenius, H. (2015). A Single Aspiration of Rod-like Carbon Nanotubes Induces Asbestos-like Pulmonary Inflammation Mediated in Part by the IL-1 Receptor. *Toxicol Sci* 147: 140-155. <http://dx.doi.org/10.1093/toxsci/kfv112>.
- Ryu, AR; Lee, M, iY. (2013). Proteomic profiling of differentially expressed proteins after exposure to asbestos. *BioChip Journal* 7: 218-226. <http://dx.doi.org/10.1007/s13206-013-7304-7>.
- Ryu, JH; Rogol, PR; Sprince, NL; Oliver, LG; Ginns, LC. (1984). NATURAL KILLER CELL ACTIVITY IN SMOKING AND NONSMOKING ASBESTOS WORKERS (pp. 20-23). (HEEP/85/00958). Ryu, JH; Rogol, PR; Sprince, NL; Oliver, LG; Ginns, LC.
- Saarikoski, ST; Reinikainen, M; Anttila, S; Karjalainen, A; Vainio, H; Husgafvel-Pursiainen, K; Hirvonen, A. (2000). Role of NAT2 deficiency in susceptibility to lung cancer among asbestos-exposed individuals. *Pharmacogenetics* 10: 183-185.
- Saat, YA; Newman H, AI; Allison, DK; Hart, RW. (1978). EFFECTS OF CHRYSOTILE ASBESTOS FIBERS ON SYRIAN HAMSTER EMBRYONIC CELL MEMBRANE GLYCO LIPIDS. *Fed Proc* 37.
- Saat, YA; Newman H, AI; Allison, DK; Hart, RW. (1978). PUTATIVE INHIBITORY EFFECT OF CHRYSOTILE ASBESTOS ON GLYCO PROTEINS AND COMPLEX GLYCO LIPIDS BIOSYNTHESIS IN CELL CULTURE. *Clin Chem* 24.
- Saat, YA; Newman H, AI; Gibson, RE; Hart, RW. (1977). SHORT-TERM EFFECTS OF ASBESTOS ON SURFACE GLYCO LIPIDS AND GLYCO PROTEINS OF SYRIAN HAMSTER EMBRYONIC CELLS. *Physiologist* 20.

Human Health Hazard Literature Search Results

On Topic

- Saat, YA; Newman, HAI; Hart, RW; Allison, DK. (1980). THE EFFECTS OF ASBESTOS ON PLASMA-MEMBRANE - SURFACE GLYCOLIPIDS AND GLYCOPROTEINS OF SYRIAN-HAMSTER EMBRYO CELLS. *J Environ Pathol Toxicol* 4: 435-441.
- Saba, R; Aronu, GN; Bhatti, RP; Mirrakhimov, AE; Anusim, N; Barbaryan, A; Kwatra, SG; Iroegbu, N. (2013). Malignant mesothelioma after household exposure to asbestos. 2013: 570487. <http://dx.doi.org/10.1155/2013/570487>.
- Sabo-Attwood, T; Ramos-Nino, M; Bond, J; Butnor, KJ; Heintz, N; Gruber, AD; Steele, C; Taatjes, DJ; Vacek, P; Mossman, BT. (2005). Gene expression profiles reveal increased mClca3 (Gob5) expression and mucin production in a murine model of asbestos-induced fibrogenesis. *Am J Pathol* 167: 1243-1256. [http://dx.doi.org/10.1016/S0002-9440\(10\)61212-6](http://dx.doi.org/10.1016/S0002-9440(10)61212-6).
- Sabo-Attwood, T; Ramos-Nino, M; Heintz, N; Bond, J; Vacek, P; Mossman, BT. (2005). Gene expression profiles reveal increased mClca3 expression and mucus metaplasia in a murine model of asbestos-induced fibrogenesis. *FASEB J* 19: A480-A480.
- Sabo-Attwood, T; Ramos-Nino, ME; Eugenia-Ariza, M; Macpherson, MB; Butnor, KJ; Vacek, PC; Mcgee, SP; Clark, JC; Steele, C; Mossman, BT. (2011). Osteopontin Modulates Inflammation, Mucin Production, and Gene Expression Signatures After Inhalation of Asbestos in a Murine Model of Fibrosis. *Am J Pathol* 178: 1975-1985. <http://dx.doi.org/10.1016/j.ajpath.2011.01.048>.
- Sacco, A; Magnavita, N. (2001). [Health surveillance of workers formerly exposed to asbestos] [Letter]. *Med Lav* 92: 356-357.
- Sacco, A; Magnavita, N. (2007). [Adenocarcinoma of the colon, professional exposure to asbestos and family history of pleural mesothelioma] [Review]. *Med Lav* 98: 252-254.
- Sadler, TD; Rom, WN; Lyon, JL; Mason, JO. (1984). The use of asbestos-cement pipe for public water supply and the incidence of cancer in selected communities in Utah. *J Community Health* 9: 285-293.
- Saffiotti, U. (1998). Respiratory tract carcinogenesis by mineral fibres and dusts: models and mechanisms [Review]. *Monaldi Arch Chest Dis* 53: 160-167.
- Sahin, AA; Cöplü, L; Selçuk, ZT; Eryılmaz, M; Emri, S; Akhan, O; Barış, YI. (1993). Malignant pleural mesothelioma caused by environmental exposure to asbestos or erionite in rural Turkey: CT findings in 84 patients. *AJR Am J Roentgenol* 161: 533-537. <http://dx.doi.org/10.2214/ajr.161.3.8394641>.
- Sahin, U; Ozturk, O; Songur, N; Bircan, A; Akkaya, A. (2009). Observations on environmental asbestos exposure in a high risk area. *Respirology* 14: 579-582. <http://dx.doi.org/10.1111/j.1440-1843.2009.01493.x>.
- Sahmel, J; Devlin, K; Paustenbach, D; Hollins, D; Gaffney, S. (2010). The role of exposure reconstruction in occupational human health risk assessment: Current methods and a recommended framework [Review]. *Crit Rev Toxicol* 40: 799-843. <http://dx.doi.org/10.3109/10408444.2010.501052>.
- Sahn, SA; Antony, VB. (1984). Pathogenesis Of Pleural Plaques. Relationship Of Early Cellular Response And Pathology. *Am Rev Respir Dis* 130: 884-887.
- Sahn, SA; Good J T, J. R.; Antony, VB. (1981). THE EARLY PLEURAL RESPONSE TO ASBESTOS (pp. 4-6). (HEEP/82/02122). Sahn, SA; Good J T, , JR; Antony, VB.
- Sahu, AP. (1989). Effect of choline and mineral fibres (chrysotile asbestos) on guinea-pigs. *IARC Sci Publ occupational Exposure to Mineral Fibres*: 185-189.
- Sahu, AP. (1991). Prevention of Occupational and Environmental Lung Disorders. *Toxicol Ind Health* 7: 521-529.
- Sahu, AP; Dogra, RK; Shanker, R; Zaidi, SH. (1975). Fibrogenic response in murine lungs to asbestos. *Exp Pathol (Jena)* 11: 21-24.
- Sahu, AP; Shanker, R; Zaidi, SH. (1978). Early changes in lymph nodes of mice after intraperitoneal injection of asbestos. *Indian J Exp Biol* 16: 976-979.
- Saint-Remy, JM; Cole, P. (1980). Interactions of chrysotile asbestos fibres with the complement system. *Immunology* 41: 431-437.
- Saito, R; Kasajima, A; Taniuchi, S; Fujishima, F; Ishida, K; Nakamura, Y; Yamanda, S; Takahashi, T; Hitomi, H; Murakami, K; Watanabe, M; Sasano, H. (2012). Case reports of primary pulmonary adenocarcinoma with pleural spread: so-called pseudomesotheliomatous adenocarcinoma. *Pathol Int* 62: 709-715. <http://dx.doi.org/10.1111/j.1440-1827.2012.02860.x>.
- Saito, R; Temmyo, Y; Hirano, T; Natori, Y; Yasumoto, M. (1990). A Study on Asbestos-Associated Lung Diseases among Former U.S. Naval Shipyard Workers (pp. 23-26). (NIOSH/00198274). Saito, R; Temmyo, Y; Hirano, T; Natori, Y; Yasumoto, M.
- Saitoh, K; Muto, H; Hachiya, N; Takizawa, Y. (1993). Asbestos body and fiber concentrations in pathological autopsy tissues of patients with malignant peritoneal mesothelioma. *Bull Environ Contam Toxicol* 50: 325-332.
- Saiyed, HN; Tiwari, RR. (2004). Occupational health research in India [Review]. *Ind Health* 42: 141-148.
- Sakai, K; Hisanaga, N; Huang, J; Shibata, E; Ono, Y; Aoki, T; Takagi, H; Ando, T; Yokoi, T; Takeuchi, Y. (1994). ASBESTOS AND NONASBESTOS FIBER CONTENT IN LUNG-TISSUE OF JAPANESE PATIENTS WITH MALIGNANT MESOTHELIOMA. *Cancer* 73: 1825-1835. [http://dx.doi.org/10.1002/1097-0142\(19940401\)73:7<1825::AID-CNCR2820730709>3.0.CO;2-M](http://dx.doi.org/10.1002/1097-0142(19940401)73:7<1825::AID-CNCR2820730709>3.0.CO;2-M).
- Sakai, K; Hisanaga, N; Shibata, E; Kamijima, M; Ichihara, G; Takeuchi, Y; Nakajima, T. (2014). Trends in asbestos and non-asbestos fibre concentrations in the lung tissues of Japanese patients with mesothelioma. *Ann Occup Hyg* 58: 103-120. <http://dx.doi.org/10.1093/annhyg/met055>.
- Sakai, K; Yamane, Y. (1990). Cancer and metals. *J Health Sci* 36: 181-200.
- Sakai, Y; Ohbayashi, C; Itami, H; Kajimoto, K; Sakuma, T; Uchino, K; Yoshimura, M; Matsumoto, S; Idei, Y; Oka, T. (2010). Simple quantitative analysis of asbestos body using the sediment of formalin injected into surgically resected lung cancers. *Pathol Int* 60: 78-86. <http://dx.doi.org/10.1111/j.1440-1827.2009.02488.x>.
- Sakamoto, K; Xu, H; Shamsuddin, AM. (1994). SUSCEPTIBILITY FACTORS OF GASTROINTESTINAL TRACT CARCINOGENESIS (pp. CARCINOGENESIS). (BIOSIS/94/07998). Sakamoto, K; Xu, H; Shamsuddin, AM.

Human Health Hazard Literature Search Results

On Topic

- Sakamoto, Y; Nakae, D; Fukumori, N; Tayama, K; Maekawa, A; Imai, K; Hirose, A; Nishimura, T; Ohashi, N; Ogata, A. (2009). Induction of mesothelioma by a single intrascrotal administration of multi-wall carbon nanotube in intact male Fischer 344 rats. *J Toxicol Sci* 34: 65-76.
- Sakatani, M; Yokoyama, K; Morinaga, K. (1990). ANALYSIS OF LYMPHOCYTE SUBPOPULATION NK ACTIVITY AND SIL-2R TITER IN BLOOD AND BALF OF ASBESTOSIS PATIENTS (pp. 16-22). (BIOSIS/91/11196). Sakatani, M; Yokoyama, K; Morinaga, K.
- Sakellariou, K; Malamou-Mitsi, V; Haritou, A; Koumpaniou, C; Stachouli, C; Dimoliatis, ID; Constantopoulos, SH. (1996). Malignant pleural mesothelioma from nonoccupational asbestos exposure in Metsovo (north-west Greece): Slow end of an epidemic? *Eur Respir J* 9: 1206-1210. <http://dx.doi.org/10.1183/09031936.96.09061206>.
- Sakuma, N; Kamei, T; Unoki, T; Okamura, H; Ishihara, T. (1997). An autopsy case of diffuse malignant mesothelioma of the pericardium. *Pathol Int* 47: 64-67. <http://dx.doi.org/10.1111/j.1440-1827.1997.tb04436.x>.
- Salamatipour, A; Mohanty, SK; Pietrofesa, RA; Vann, DR; Christofidou-Solomidou, M; Willenbring, JK. (2016). Asbestos Fiber Preparation Methods Affect Fiber Toxicity. 3: 270-274. <http://dx.doi.org/10.1021/acs.estlett.6b00174>.
- Salazar, KD; Copeland, CB; Luebke, RW. (2012). Effects of Libby amphibole asbestos exposure on two models of arthritis in the Lewis rat. *J Toxicol Environ Health A* 75: 351-365. <http://dx.doi.org/10.1080/15287394.2012.668164>.
- Salazar, KD; Copeland, CB; Wood, CE; Schmid, JE; Luebke, RW. (2013). Evaluation of anti-nuclear antibodies and kidney pathology in Lewis rats following exposure to Libby amphibole asbestos. *J Immunotoxicol* 10: 329-333. <http://dx.doi.org/10.3109/1547691X.2012.747230>.
- Salberini, I; Rivolta, G; Todaro, A; Forni, A; Annoni, G; Chiappino, G. (1991). Markers of fibrogenesis in bronchoalveolar lavage and in the serum of workers exposed to asbestos. 82: 238-247.
- Salg, J; Alterman, T. (2005). A proportionate mortality study of bricklayers and allied craftworkers. *Am J Ind Med* 47: 10-19. <http://dx.doi.org/10.1002/ajim.20115>.
- Sali, D; Boffetta, P. (2000). Kidney cancer and occupational exposure to asbestos: a meta-analysis of occupational cohort studies. *Cancer Causes Control* 11: 37-47.
- Salisbury, S. (1982). Health Hazard Evaluation Report, No. HETA-81-359-1058, National Marine Fisheries Service, Southeast Fisheries Center, Charleston Laboratory, Charleston, South Carolina. (NIOSH/00129616). Salisbury, S.
- Sallie, BA; Ross, DJ; Meredith, SK; McDonald, JC. (1994). SWORD '93. Surveillance of work-related and occupational respiratory disease in the UK. *Occup Med (Lond)* 44: 177-182.
- Sama, SR; Martin, TR; Davis, LK; Kriebel, D. (1990). Cancer incidence among Massachusetts (USA) firefighters, 1982-1986. *Am J Ind Med* 8: 47-54.
- Samet, JM. (1993). The epidemiology of lung cancer [Review]. *Chest* 103: 20S-29S.
- Samet, JM. (1994). LUNG BIOLOGY IN HEALTH AND DISEASE VOL. 74. EPIDEMIOLOGY OF LUNG CANCER (pp. NEW YORK). (BIOSIS/94/20484). Samet, JM.
- Samet, JM; Epler, GR; Gaensler, EA; Rosner, B. (1979). Absence of synergism between exposure to asbestos and cigarette smoking in asbestosis. *Am Rev Respir Dis* 120: 75-82. <http://dx.doi.org/10.1164/arrd.1979.120.1.75>.
- Samet, JM; Geyh, AS; Utell, MJ. (2007). The legacy of World Trade Center dust. *N Engl J Med* 356: 2233-2236. <http://dx.doi.org/10.1056/NEJMp068287>.
- Samet, JM; Lerchen, ML. (1984). Proportion of Lung Cancer Caused by Occupation: A Critical Review (pp. 55-67). (NIOSH/00169241). Samet, JM; Lerchen, ML.
- Samet, JM; Spengler, JD. (1992). Indoor Air Pollution (pp. 1243-1254). (NIOSH/00223343). Samet, JM; Spengler, JD.
- Samet, JM; Utell, MJ. (1991). The environment and the lung: changing perspectives [Review]. *JAMA* 266: 670-675.
- Sampson, C; Hansell, DM. (1992). The prevalence of enlarged mediastinal lymph nodes in asbestos-exposed individuals: a CT study. *Clin Radiol* 45: 340-342.
- Samuels, S. (1979). BASED ON AVAILABLE DATA CAN WE PROJECT AN ACCEPTABLE STANDARD FOR INDUSTRIAL USE OF ASBESTOS PERHAPS (pp. NEW YORK). (ISSN 0077-8923 EISSN 1749-6632 HEEP/81/07865). Samuels, S.
- Samuels, SW. (1990). In reply: asbestos, carcinogenicity, and public policy. *Science* 248: 795-796. <http://dx.doi.org/10.1126/science.248.4957.795-b>.
- Sánchez Galán, L. (2016). Asbestos. Laryngeal cancer [Letter]. *Acta Otorrinolaringol Esp*. <http://dx.doi.org/10.1016/j.otorri.2016.09.002>.
- Sanchez, VC; Pietruska, JR; Miselis, NR; Hurt, RH; Kane, AB. (2009). Biopersistence and potential adverse health impacts of fibrous nanomaterials: what have we learned from asbestos? [Review]. *Wiley Interdisciplinary Reviews Nanomedicine and Nanobiotechnology* 1: 511-529. <http://dx.doi.org/10.1002/wnan.41>.
- Sanchis CLOSA, A; Caballeria ROVIRA, E; Arago LOPEZ, JV; Manito LORITE, N. (1980). Peritoneal mesothelioma and asbestosis: With reference to 1 case (pp. 307-310). (HEEP/81/07445). Sanchis CLOSA, A; Caballeria ROVIRA, E; Arago LOPEZ, JV; Manito LORITE, N.
- Sandberg, AA; Bridge, JA. (2001). Updates on the cytogenetics and molecular genetics of bone and soft tissue tumors. Mesothelioma [Review]. *Cancer Genet Cytogenet* 127: 93-110. [http://dx.doi.org/10.1016/S0165-4608\(01\)00432-0](http://dx.doi.org/10.1016/S0165-4608(01)00432-0).
- Sandén, A; Järnholm, B. (1987). Cancer morbidity in Swedish shipyard workers 1978-1983. *Int Arch Occup Environ Health* 59: 455-462.
- Sandén, A; Järnholm, B. (1991). A study of possible predictors of mesothelioma in shipyard workers exposed to asbestos. *J Occup Med* 33: 770-773.
- Sanden, A; Jarvholm, B; Larsson, S. (1993). THE IMPORTANCE OF LUNG-FUNCTION, NONMALIGNANT DISEASES ASSOCIATED WITH ASBESTOS, AND SYMPTOMS AS PREDICTORS OF ISCHEMIC-HEART-DISEASE IN SHIPYARD WORKERS EXPOSED TO ASBESTOS. *Br J Ind Med* 50: 785-790.
- Sandén, A; Järnholm, B; Larsson, S. (1993). The importance of lung function, non-malignant diseases associated with asbestos, and symptoms as predictors of ischaemic heart disease in shipyard workers exposed to asbestos. *Br J Ind Med* 50: 785-790.

Human Health Hazard Literature Search Results

On Topic

- Sanden, A; Jarvholm, B; Larsson, S; Thiringer, G. (1992). RISK OF LUNG-CANCER AND MESOTHELIOMA AFTER CESSATION OF ASBESTOS EXPOSURE. *Eur Respir J* 5: 1161-1162.
- Sandén, A; Järholm, B; Larsson, S; Thiringer, G. (1992). The risk of lung cancer and mesothelioma after cessation of asbestos exposure: a prospective cohort study of shipyard workers. *Eur Respir J* 5: 281-285.
- Sanden, A; Jarvholm, B; P-E, N. (1984). MORTALITY AND MORBIDITY OF SWEDISH INSULATION WORKERS [Letter]. *Scand J Work Environ Health* 10: 207.
- Sandén, A; Näslund, PE; Järholm, B. (1985). Mortality in lung and gastrointestinal cancer among shipyard workers. *Int Arch Occup Environ Health* 55: 277-283.
- Sanders, CL. (1972). PRODUCTION OF ABDOMINAL MESOTHELIOMAS IN RATS WITH PUO2-239 AND CHRYSOTILE ASBESTOS. *Health Phys* 23: 418-+.
- Sanders, CL. (1975). Dose distribution and neoplasia in the lung following intratracheal instillation of 239PuO2 and asbestos. *Health Phys* 28: 383-386.
- Sandhu, H; Dehnen, W; Roller, M; Abel, J; Unfried, K. (2000). mRNA expression patterns in different stages of asbestos-induced carcinogenesis in rats. *Carcinogenesis* 21: 1023-1029. <http://dx.doi.org/10.1093/carcin/21.5.1023>.
- Sandhu, H; Olbrück, H; Abel, J; Unfried, K. (2000). Differential Display Analysis of Fiber-Induced Carcinogenesis in Rat: Clue for Involvement of Integrin-Mediated Signal Transduction. *Inhal Toxicol* 12 Suppl 3: 337-343. <http://dx.doi.org/10.1080/08958378.2000.11463243>.
- Sandri, A; Guerrera, F; Roffinella, M; Olivetti, S; Costardi, L; Oliaro, A; Filosso, PL; Lausi, PO; Ruffini, E. (2016). Validation of EORTC and CALGB prognostic models in surgical patients submitted to diagnostic, palliative or curative surgery for malignant pleural mesothelioma. *J Thorac Dis* 8: 2121-2127. <http://dx.doi.org/10.21037/jtd.2016.07.55>.
- Sandrini, A; Johnson, AR; Thomas, PS; Yates, DH. (2006). Fractional exhaled nitric oxide concentration is increased in asbestosis and pleural plaques. *Respirology* 11: 325-329. <http://dx.doi.org/10.1111/j.1440-1843.2006.00852.x>.
- Sandron, D; Gourlay, FX; Pioche, D. (1993). [Ultrasonographic aspect of asbestos infracostal pleural plates]. *Rev Pneumol Clin* 49: 174-179.
- Sankpal, UT; Pius, H; Khan, M; Shukoor, MI; Maliakal, P; Lee, CM; Abdelrahim, M; Connelly, SF; Basha, R. (2012). Environmental factors in causing human cancers: emphasis on tumorigenesis [Review]. *Tumor Biology* 33: 1265-1274. <http://dx.doi.org/10.1007/s13277-012-0413-4>.
- Sanotskiĭ, IV; Elovskaja, LT. (2003). [International problems of adverse effects of asbestos and alternative fibrous materials]. *Gig Sanit* 48-50.
- Santarelli, L; Staffolani, S; Strafella, E; Nocchi, L; Manzella, N; Grossi, P; Bracci, M; Pignotti, E; Alleva, R; Borghi, B; Pompili, C; Sabbatini, A; Rubini, C; Zuccatosta, L; Bichisecchi, E; Valentino, M; Horwood, K; Comar, M; Bovenzi, M; Dong, LF; Neuzil, J; Amati, M; Tomasetti, M. (2015). Combined circulating epigenetic markers to improve mesothelin performance in the diagnosis of malignant mesothelioma. *Lung Cancer* 90: 457-464. <http://dx.doi.org/10.1016/j.lungcan.2015.09.021>.
- Santi, I; Kroll, LE; Dietz, A; Becher, H; Ramroth, H. (2013). Occupation and educational inequalities in laryngeal cancer: the use of a job index. *BMC Public Health* 13: 1080. <http://dx.doi.org/10.1186/1471-2458-13-1080>.
- Santi, L; Cottalasso, D; Siccardi, M. (1971). IMPORTANCE OF PHYSICAL STRUCTURE AND MOLECULAR MODIFICATIONS ON ASBESTOS FIBERS IN PROCESS OF CARCINOGENESIS. *Tumori* 57: 220-+.
- Santibañez, M; Alguacil, J; de La Hera, MG; Navarrete-Muñoz, EM; Llorca, J; Aragonés, N; Kauppinen, T; Vioque, J; Group, PS. (2012). Occupational exposures and risk of stomach cancer by histological type. *Occup Environ Med* 69: 268-275. <http://dx.doi.org/10.1136/oemed-2011-100071>.
- Santiveri, C; Felipo, F. (1997). Chronic pleural effusion in a 39-year-old male. *Med Clin (Barc)* 109: 388-395.
- Sapino, A; Cavallo, A; Donna, A; Bussolati, G. (1996). Pleural epidermoid carcinoma from displaced skin following extrapleural pneumothorax in a patient exposed to asbestos [Review]. *Virchows Arch* 429: 173-176.
- Sara, EA; Brown, RC; Evans, CE; Hoskins, JA; Simpson, CF. (1990). Interaction of amosite and surface-modified amosite with a V79-4 (Chinese hamster lung) cell line. *Environ Health Perspect* 85: 101-105.
- Saracci, R. (1977). Asbestos and lung cancer: an analysis of the epidemiological evidence on the asbestos-smoking interaction. *Int J Cancer* 20: 323-331.
- Saracci, R. (1979). Asbestos and Lung Cancer: An Analysis of the Epidemiological Evidence on the Asbestos-Smoking Interaction. *Cancer Lett* 6: 183-192.
- Saracci, R. (1987). The interactions of tobacco smoking and other agents in cancer etiology [Review]. *Epidemiol Rev* 9: 175-193.
- Saracci, R; Boffetta, P. (1994). Interactions of tobacco smoking with other causes of lung cancer. *Lung Biol Health Dis* 74: 465-493.
- Saragoussi, D; Ier, A; De Chazal, T, aT; Hazard, B; Lahon, G. (2002). [Asbestos-related diseases compensated by Electricit,-de-France et Gaz-de-France: A retrospective 23-year study]. *Archives des Maladies Professionnelles et de Médecine du Travail* 63: 609-621.
- Sarić, M. (1993). [Criteria for recognizing asbestosis as an occupational disease]. *Arh Hig Rada Toksikol* 44: 355-359.
- Sarić, M. (2009). [Expectations after ban on asbestos]. *Arh Hig Rada Toksikol* 60 Suppl: 15-21.
- Saric, M; Curin, K. (1996). Malignant tumours of the gastrointestinal tract in an area with an asbestos-cement plant. *Cancer Lett* 103: 191-199.
- Sarić, M; Curin, K. (1996). Malignant tumours of the gastrointestinal tract in an area with an asbestos-cement plant. *Cancer Lett* 103: 191-199.
- Sarić, M; Curin, K; Varnai, VM. (2008). The role of polio-vaccine in pleural mesothelioma--an epidemiological observation. *Coll Antropol* 32: 479-483.
- Sarić, M; Vujović, M. (1994). Malignant tumors in an area with an asbestos processing plant. *Public Health Rev* 22: 293-303.
- Sarrazin, W. (1974). [Health hazards due to inhalation of asbestos fibres (author's transl)] [Review]. *Prax Pneumol* 28: 370-388.
- Sarto, F; Rossi, A; Toffanin, R; Mafessanti, M; Camposanpiero, A. (1982). [Clinical and radiological survey of 119 asbestos workers: importance of detecting fibrous pleural plaques (author's transl)]. *Med Lav* 73: 45-57.

Human Health Hazard Literature Search Results

On Topic

- Sartor, SG; Eluf-Neto, J; Travier, N; Wünsch Filho, V; Arcuri, AS; Kowalski, LP; Boffetta, P. (2007). [Occupational risks for laryngeal cancer: a case-control study]. *Cad Saude Publica* 23: 1473-1481.
- Sartore-Bianchi, A; Gasparri, F; Galvani, A; Nici, L; Darnowski, JW; Barbone, D; Fennell, DA; Gaudino, G; Porta, C; Mutti, L. (2007). Bortezomib inhibits nuclear factor-kappaB dependent survival and has potent in vivo activity in mesothelioma. *Clin Cancer Res* 13: 5942-5951. <http://dx.doi.org/10.1158/1078-0432.CCR-07-0536>.
- Sartorelli, P; Romeo, R; Sisinni, AG; Paolucci, V; Peccetti, V; Sallese, D; Scancarello, G. (2007). [Estimate of the previous exposure to asbestos through mineralogical examination of the bronchoalveolar lavage (BAL) fluid in a population working in a sugar industry]. *G Ital Med Lav Ergon* 29: 644-646.
- Sasser, WF; Bari, WA. (1981). Surgical and pathologic aspects of asbestosis. *South Med J* 74: 1178-1179, 1185.
- Satin, KP; Bailey, WJ; Newton, KL; Ross, AY; Wong, O. (2002). Updated epidemiological study of workers at two California petroleum refineries, 1950-95. *Occup Environ Med* 59: 248-256.
- Sato, Y; Takata, K; Ichimura, K; Tanaka, T; Morito, T; Tamura, M; Yoshino, T. (2008). IgG4-producing marginal zone B-cell lymphoma. *Int J Hematol* 88: 428-433. <http://dx.doi.org/10.1007/s12185-008-0170-8>.
- Sauni, R; Oksa, P; Järvenpää, R; Parker, JE; Roto, P. (1998). Asbestos exposure: a potential cause of retroperitoneal fibrosis. *Am J Ind Med* 33: 418-421.
- Savastano, L; Bonacci, S; Saracino, V; Longo, M. (2004). [The association of lung cancer with asbestos and tobacco smoking] [Review]. *Clin Ter* 155: 69-74.
- Savici, D; Anitescu, M; Hunninghake, G. (1995). ASBESTOS INDUCES CYTOKINE PRODUCTION IN MONOCYTES BY ACTIVATING BOTH PROTEIN KINASE C AND TYROSINE KINASES (pp. 5-8). (BIOSIS/95/21765). Savici, D; Anitescu, M; Hunninghake, G.
- Savolainen, H; Cosca-Sliney, R; Guillemin, M. (1996). Detection of Occupational Exposure to Inorganic Fibres by Urinary Fibre Analysis. *Occup Hyg* 3: 351-357.
- Sawazaki, H; Yoshikawa, T; Takahashi, T; Taki, Y; Takeuchi, H; Sakai, Y. (2007). [Renal cell carcinoma with malignant pleural mesothelioma after asbestos exposure: a case report] [Review]. *Hinyokika Kyo* 53: 805-808.
- Saxena, KC; Ali, S. (1980). INTERACTION OF CHRYSOTILE DUST WITH BIOLOGICAL MACROMOLECULES. *Indian J Biochem Biophys* 17: S107-S107.
- Saxena, KC; Srivastava, L; Ali, S; Dogra, RK. (1982). Pleural plaques in asbestosis: effect of *Candida albicans*. *Toxicol Lett* 13: 175-178.
- Saxena, KC; Srivastava, L; Dogra, RK. (1982). Biochemical and histopathological response to chrysotile ingestion in guinea pigs. *Ind Health* 20: 19-25.
- Sayan, M; Mossman, BT. (2016). The NLRP3 inflammasome in pathogenic particle and fibre-associated lung inflammation and diseases [Review]. *Part Fibre Toxicol* 13: 51. <http://dx.doi.org/10.1186/s12989-016-0162-4>.
- Sayers, RR; 19WC. (1939). Asbestosis. *Am J Public Health* 29: 205-214.
- S-B, M. (1971). Caplan's syndrome in association with asbestosis: Report of a case. *Scand J Respir Dis* 52: 153-161.
- Scancarello, G; Romeo, R; Sartorelli, E. (1996). Respiratory disease as a result of talc inhalation. *J Occup Environ Med* 38: 610-614.
- Scansetti, G; Chiesa, A; Capellaro, E; Villari, S; Sulotto, F. (1996). Asbestos bodies in sputum of asbestos exposed workers. *Med Lav* 87: 283-288.
- Scansetti, G; Coscia, GC; Pisani, W; Rubino, GF. (1975). Cement, asbestos, and cement-asbestos pneumoconioses. *Arch Environ Health* 30: 272-275.
- Scansetti, G; Mollo, F; Tiberi, G; Andrion, A; Piolatto, G. (1984). Pleural mesothelioma after a short interval from first exposure in the wine filter industry. *Am J Ind Med* 5: 335-339.
- Scapoli, L; Ramos-Nino, ME; Martinelli, M; Mossman, BT. (2004). Src-dependent ERK5 and Src/EGFR-dependent ERK1/2 activation is required for cell proliferation by asbestos. *Oncogene* 23: 805-813. <http://dx.doi.org/10.1038/sj.onc.1207163>.
- Scarselli, A; Binazzi, A; Altavista, P; Mastrantonio, M; Uccelli, R; Marinaccio, A. (2007). [Malignant pleural cancers mortality and compensated cases for asbestos related diseases in Lazio municipalities (1980-2001)]. *Med Lav* 98: 30-38.
- Scarselli, A; Scano, P; Marinaccio, A; Iavicoli, S. (2009). Occupational Cancer in Italy: Evaluating the Extent of Compensated Cases in the Period 1994-2006. *Am J Ind Med* 52: 859-867. <http://dx.doi.org/10.1002/ajim.20758>.
- Scatarige, JC; Stitik, FP. (1988). Induction of thoracic malignancy in inorganic dust pneumoconiosis [Review]. *J Thorac Imaging* 3: 67-79.
- Sch; egrave; Utz, R. (1984). Diseases caused by asbestos. (CIS/85/00947). Sch and egrave; Utz, R.
- Schaal, M; Severac, F; Labani, A; Jeung, MY; Roy, C; Ohana, M. (2016). Diagnostic Performance of Ultra-Low-Dose Computed Tomography for Detecting Asbestos-Related Pleuropulmonary Diseases: Prospective Study in a Screening Setting. *PLoS ONE* 11: e0168979. <http://dx.doi.org/10.1371/journal.pone.0168979>.
- Schabath, MB; Spitz, MR; Delclos, GL; Gunn, GB; Whitehead, LW; Wu, X. (2002). Association between asbestos exposure, cigarette smoking, myeloperoxidase (MPO) genotypes, and lung cancer risk. *Am J Ind Med* 42: 29-37. <http://dx.doi.org/10.1002/ajim.10084>.
- Schabel, SI; Stanley, JH; Rittenberg, GM. (1979). Bilateral Superior Sulcus Tumors of the Lung in Asbestosis (pp. 930-932). (NIOSH/00191649). Schabel, SI; Stanley, JH; Rittenberg, GM.
- Schaefer, CM; Greene, R; Oliver, LC; Lanza, RC; Hall, D; Lindemann, S. R.; Llewellyn, HJ; Mccarthy, KA; Pile-Spellman, E; Rubens, J. R. (1990). Screening for asbestos-related pleural disease with digital storage phosphor radiography. *Invest Radiol* 25: 645-650.
- Schaeffner, ES; Miller, DP; Wain, JC; Christiani, DC. (2001). Use of an asbestos exposure score and the presence of pleural and parenchymal abnormalities in a lung cancer case series. *Int J Occup Environ Health* 7: 14-18. <http://dx.doi.org/10.1179/107735201800339678>.
- Schapira, RM; Ghio, AJ; Effros, RM; Morrissey, J; Dawson, CA; Hacker, AD. (1994). Hydroxy radicals are formed in the rat lung after asbestos instillation in vivo. *Am J Respir Cell Mol Biol* 10: 573-579. <http://dx.doi.org/10.1165/ajrcmb.10.5.8179922>.
- Schapira, RM; Morrissey, JF; Effros, RM; Dawson, C; Hacker, A. (1993). ASBESTOS-INDUCED LUNG INJURY AND SALICYLATE HYDROXYLATION. *Am Rev Respir Dis* 147: A922-A922.

Human Health Hazard Literature Search Results

On Topic

- Schapira, RM; Osornio-Vargas, AR; Brody, AR. (1991). Inorganic particles induce secretion of a macrophage homologue of platelet-derived growth factor in a density-and time-dependent manner in vitro. *Exp Lung Res* 17: 1011-1024.
- Scharfman, A; Hayem, A; Davril, M; Marko, D; Hanothiaux, MH; Lafitte, JJ. (1989). SPECIAL NEUTROPHIL ELASTASE INHIBITORY ACTIVITY IN BAL FLUID FROM PATIENTS WITH SILICOSIS AND ASBESTOSIS. *Eur Respir J* 2: 751-757.
- Schechter, D. (1982). Untangling the asbestos mess. *Occup Health Saf* 51: 30-34.
- Scheer, E. (2010). [Effects of asbestos fiber dust exposure on lung function - a systematic review] [Letter]. *Pneumologie* 64: 432-433; author reply 436-441. <http://dx.doi.org/10.1055/s-0029-1244186>.
- Scheidemandel, V; Eisenstadt, HB; Gaensler, EA. (1971). Asbestos and mesothelioma. *Ann Intern Med* 74: 1014-1015.
- Schenker, M; Day, H; Beckett, L; Pan, XL. (2006). Residential proximity to naturally occurring asbestos: Health risk or ecologic fallacy? *Am J Respir Crit Care Med* 173: 573-574.
- Schenker, MB. (1991). INDOOR AIR POLLUTION AND LUNG CANCER RISK THE CASE OF ASBESTOS. (BIOSIS/91/26961). Schenker, MB.
- Schenker, MB. (1999). Environmental asbestos and mesothelioma in california. *Epidemiology* 10: S61-S61.
- Schenker, MB; Beckett, LA; Day, HW; Pan, X, uelei. (2006). Residential proximity to naturally occurring asbestos and mesothelioma risks: Further consideration of exposure misclassification and occupational confounding. *Am J Respir Crit Care Med* 174: 1400-1401.
- Schenker, MB; Garshick, E; Muñoz, A; Woskie, SR; Speizer, FE. (1986). A population-based case-control study of mesothelioma deaths among U.S. railroad workers. *Am Rev Respir Dis* 134: 461-465. <http://dx.doi.org/10.1164/arrd.1986.134.3.461>.
- Schenker, MB; Garshick, E; Speizer, FE. (1984). A CASE CONTROL STUDY OF INCIDENT MESOTHELIOMA DEATHS AMONG RAILROAD WORKERS (pp. 20-23). (HEEP/85/01047). Schenker, MB; Garshick, E; Speizer, FE.
- Schenker, MB; Garshick, EM; Speizer, FE. (1987). ASBESTOS-RELATED MESOTHELIOMA RISK AMONG RAILROAD WORKERS. *Am Rev Respir Dis* 135: 984-984.
- Schepers, GW. (1995). Chronology of asbestos cancer discoveries: experimental studies of the Saranac Laboratory. *Am J Ind Med* 27: 593-606.
- Scherpereel, A. (2016). [Asbestos and respiratory diseases]. *Presse Med* 45: 117-132. <http://dx.doi.org/10.1016/j.lpm.2015.12.011>.
- Scheuer, E; Huth, F; Pott, F. (1973). [Studies of morphology of rat tumors induced by intraperitoneal injection of asbestos dusts]. *Arch Geschwulstforsch* 41: 120-136.
- Scheuermann, K; Delank, KW. (2007). [Ackerman's tumor of the larynx and occupational exposure to asbestos]. *Laryngorhinootologie* 86: 588-591. <http://dx.doi.org/10.1055/s-2006-945072>.
- Scheule, RK; Holian, A. (1989). CHARACTERIZATION OF IGG ADSORPTION ONTO ASBESTOS AND ITS ROLE IN MACROPHAGE STIMULATION. *J Leukoc Biol* 46: 303-303.
- Scheule, RK; Holian, A. (1989). IgG specifically enhances chrysotile asbestos-stimulated superoxide anion production by the alveolar macrophage. *Am J Respir Cell Mol Biol* 1: 313-318. <http://dx.doi.org/10.1165/ajrcmb/1.4.313>.
- Scheule, RK; Holian, A. (1990). Modification of asbestos bioactivity for the alveolar macrophage by selective protein adsorption. *Am J Respir Cell Mol Biol* 2: 441-448. <http://dx.doi.org/10.1165/ajrcmb/2.5.441>.
- Scheule, RK; Holian, A. (1991). Immunologic aspects of pneumoconiosis [Review]. *Exp Lung Res* 17: 661-685.
- Schiffman, M; Pickle, L; Fonham, E; Zahm, S; Falk, R; Mele, J; Correa, P; Fraumeni, J. (1988). Case-control study of diet and mesothelioma in Louisiana. *Cancer Res* 48: 2911-2915.
- Schiffmann, D; Dopp, E. (1997). ASBESTOS AND CERAMIC FIBERS CAUSE APOPTOSIS IN SYRIAN HAMSTER EMBRYO FIBROBLASTS (pp. 19-23). (BIOSIS/97/16877). Schiffmann, D; Dopp, E.
- Schildge, J; Costabel, U; Ortlieb, H. (1988). BRONCHIAL-CANCER AND ASBESTOS-EXPOSURE - ANAMNESIS AND BRONCHOALVEOLAR-LAVAGE-DETECTED ASBESTOS - 28 PATIENTS PROSPECTIVELY-SELECTED AND SURGICALLY-TREATED FOR PRIMARY BRONCHIAL-CANCER. *Atemwegs- und Lungenkrankheiten* 14: 377-378.
- Schildge, J; Pompe, K; Ortlieb, H; Costabel, U. (1990). [Bronchial cancer and asbestos: comparison of anamnestic exposure to asbestos, detection of asbestos bodies in bronchoalveolar lavage and in lung tissue]. *Pneumologie* 44 Suppl 1: 333-334.
- Schill, W; Wild, P. (2006). Minmax designs for planning the second phase in a two-phase case-control study. *Stat Med* 25: 1646-1659. <http://dx.doi.org/10.1002/sim.2307>.
- Schiller, JE; Payne, SL; Khalafalla, SE. (1980). Surface Charge Heterogeneity In Amphibole Cleavage Fragments And Asbestos Fibers. *Science* 209: 1530-1532. <http://dx.doi.org/10.1126/science.209.4464.1530>.
- Schimmelpfeng, J; Drosselmeyer, E; Hofheinz, V; Seidel, A. (1992). Influence of surfactant components and exposure geometry on the effects of quartz and asbestos on alveolar macrophages. *Environ Health Perspect* 97: 225-231.
- Schimmelpfeng, J; Seidel, A. (1991). Cytotoxic effects of quartz and chrysotile asbestos: in vitro interspecies comparison with alveolar macrophages. *J Toxicol Environ Health* 33: 131-140. <http://dx.doi.org/10.1080/15287399109531513>.
- Schimmelpfeng, J; Seidel, A; Kreyling, WG; Krombach, F; Wuertemberger, G. (1989). CHRYSOTILE ASBESTOS AND DQ12 QUARTZ-INDUCED DAMAGE IN ALVEOLAR MACROPHAGES INTERSPECIES COMPARISON INCLUDING MAN (pp. 14-15). (BIOSIS/89/30312). Schimmelpfeng, J; Seidel, A; Kreyling, WG; Krombach, F; Wuertemberger, G.
- Schimmelpfeng, J; Seidel, A; Kreyling, WG; Krombach, F; Wuertemberger, G. (1989). CHRYSOTILE ASBESTOS AND DQ-12 QUARTZ INDUCED CELL DAMAGE IN SHORT-TIME IN-VITRO STUDIES INTERSPECIES COMPARISON INCLUDING MAN (pp. 13-17). (BIOSIS/89/24101). Schimmelpfeng, J; Seidel, A; Kreyling, WG; Krombach, F; Wuertemberger, G.
- Schins, RPF. (2002). Mechanisms of genotoxicity of particles and fibers [Review]. *Inhal Toxicol* 14: 57-78. <http://dx.doi.org/10.1080/08958370175338631>.
- Schins, RPF; Donaldson, K. (2000). Nuclear factor Kappa-B activation by particles and fibers. *Inhal Toxicol* 12: 317-326. <http://dx.doi.org/10.1080/08958370050165193>.

Human Health Hazard Literature Search Results

On Topic

- Schinwald, A; Murphy, F; Prina-Mello, A; Poland, C; Byrne, F; Glass, J; Dickerson, J; Schultz, D; Movia, D; Jeffree, C; Macnee, W; Donaldson, K. (2012). The threshold length for fibre-induced acute pleural inflammation: Shedding light on the early events in asbestos-induced mesothelioma. *Toxicol Sci* 128: 461-470. <http://dx.doi.org/10.1093/toxsci/kfs171>.
- Schirripa, JT. (1980). Evaluating the cancer risk of asbestos. *Occup Health Saf* 49: 45-47.
- Schlegel, H. (1982). [Danger to health from asbestos]. *Schweiz Rundsch Med Prax* 71: 1763-1765.
- Schlegel, H; Kempf, E. (1982). [Mesothelioma following occupational contact with asbestos]. *Soz Praventivmed* 27: 220-222.
- Schleizinger, Z. (1986). USE OF ASBESTOS IN THE ISRAELI DEFENSE FORCES. *Am J Ind Med* 10: 539-541.
- Schlueter, DP. (1994). Silicosis and Coal Worker's Pneumoconiosis. *Occup Med (Lond) Third Edition*: 171-178.
- Schmahl, D. (1958). [Cancerogenic effects of asbestos implantation in rats]. *Z Krebsforsch* 62: 561-567.
- Schmähl, D. (1970). [Experimental studies on the etiology of bronchial carcinoma]. *Internist (Berl)* 11: 300-302.
- Schmolz, G. (1989). [The carcinogenic effect of asbestos] [Review]. *Offentl Gesundheitswes* 51: 614-620.
- Schnatter, AR; Nicolich, MJ; Lewis, RJ; Thompson, FL; Dineen, HK; Drummond, I; Dahlman, D; Katz, AM; Thériault, G. (2012). Lung cancer incidence in Canadian petroleum workers. *Occup Environ Med* 69: 877-882. <http://dx.doi.org/10.1136/oemed-2011-100641>.
- Schneider, F; Sporn, T; Roggli, V. (2006). Crocidolite and mesothelioma. *Mod Pathol* 19: 174-175.
- Schneider, F; Sporn, T; Roggli, V. (2008). Asbestos fiber content of lungs with diffuse interstitial fibrosis. *Histopathology* 53: 359-360.
- Schneider, F; Sporn, TA; Roggli, VL. (2008). Crocidolite and mesothelioma. *Ultrastruct Pathol* 32: 171-177. <http://dx.doi.org/10.1080/01913120802343848>.
- Schneider, F; Sporn, TA; Roggli, VL. (2010). Asbestos fiber content of lungs with diffuse interstitial fibrosis: An analytical scanning electron microscopic analysis of 249 cases. *Arch Pathol Lab Med* 134: 457-461. <http://dx.doi.org/10.1043/1543-2165-134.3.457>.
- Schneider, J; Arhelger, R; Funk, M. (2014). Spiroergometric parameters at maximal exercise testing assessed functional respiratory impairment in asbestos-induced fibrosis. *Clinical Respiratory Journal* 8: 175-184. <http://dx.doi.org/10.1111/crj.12055>.
- Schneider, J; Arhelger, R; Raab, W; Hering, KG. (2012). The validity of static lung compliance in asbestos-induced diseases. *Lung* 190: 441-449. <http://dx.doi.org/10.1007/s00408-012-9388-6>.
- Schneider, J; Bernges, U. (2009). CYP1A1 and CYP1B1 polymorphisms as modifying factors in patients with pneumoconiosis and occupationally related tumours: A pilot study. *Mol Med Rep* 2: 1023-1028. http://dx.doi.org/10.3892/mmr_00000209.
- Schneider, J; Brückel, B; Fink, L; Woitowitz, HJ. (2014). Pulmonary fibrosis following household exposure to asbestos dust? *J Occup Med Toxicol* 9: 39. <http://dx.doi.org/10.1186/s12995-014-0039-0>.
- Schneider, J; Popp, W; H-J, W. (1997). Occupational lung cancer - epidemiological and molecular evidence for syncarcinogenesis of work-related and environmental factors (pp. 708-716). (BIOSIS/98/09531). Schneider, J; Popp, W; Woitowitz H-J.
- Schneider, J; Presek, P; Braun, A; Bauer, P; Konietzko, N; Wiesner, B; Woitowitz, HJ. (1999). p53 protein, EGF receptor, and anti-p53 antibodies in serum from patients with occupationally derived lung cancer. *Br J Cancer* 80: 1987-1994. <http://dx.doi.org/10.1038/sj.bjc.6690632>.
- Schneider, J; Rödelsperger, K; Brückel, B; Kayser, K; Woitowitz, HJ. (1998). Environmental exposure to tremolite asbestos: Pleural mesothelioma in two Turkish workers in Germany. *Rev Environ Health* 13: 213-220. <http://dx.doi.org/10.1515/REVEH.1998.13.4.213>.
- Schneider, J; Rödelsperger, K; Brückel, B; Kleineberg, J; Woitowitz, HJ. (2001). Pleural mesothelioma associated with indoor pollution of asbestos. *J Cancer Res Clin Oncol* 127: 123-127.
- Schneider, J; Rödelsperger, K; Pohlabeln, H; Woitowitz, HJ. (1996). Umwelt-und Innenraum-Gefährdung durch Asbestfaserstaub als Risiko-und Einflussfaktor des diffusen malignen Pleuramesothelioms (DMM). *Zentralblatt fuer Hygiene und Umweltmedizin* 199: 1-23.
- Schneider, J; Straif, K; Woitowitz, HJ. (1996). Pleural mesothelioma and household asbestos exposure [Review]. *Rev Environ Health* 11: 65-70. <http://dx.doi.org/10.1515/REVEH.1996.11.1-2.65>.
- Schneider, J; Woitowitz, HJ. (1995). [Asbestos-related mesotheliomas in housewives from indoor air pollution] [Review]. *Zentralblatt fuer Hygiene und Umweltmedizin* 196: 495-503.
- Schneider, J; Woitowitz, HJ. (2001). [Asbestos-induced malignant mesothelioma of the tunica vaginalis testis]. *Zentralbl Chir* 126: 229-232. <http://dx.doi.org/10.1055/s-2001-12499>.
- Schneider, V; Maurer, RR. (1977). Asbestos and embryonic development. *Teratology* 15: 273-279. <http://dx.doi.org/10.1002/tera.1420150309>.
- Schneiderman, MA. (1974). Digestive system cancer among persons subjected to occupational inhalation of asbestos particles: a literature review with emphasis on dose response. *Environ Health Perspect* 9: 307-311.
- Schnitzer, RJ; Bunescu, G; Baden, V. (1971). Interaction of Mineral Fiber Surfaces with Cells In Vitro. *Ann N Y Acad Sci* 172: 757-772.
- Schnitzer, RJ; Bunescu, G; Baden, V. (1971). Interactions of mineral fiber surfaces with cells in vitro. *Ann N Y Acad Sci* 172: 759-772.
- Schnitzer, RJ; Bunescu, G; Baden, V. (1972). INTERACTION OF MINERAL FIBER SURFACES WITH CELLS IN-VITRO. *Ann N Y Acad Sci* 172: 759-772.
- Schnitzer, RJ; Bunescu, G; Baden, V. (1972). Interactions of mineral fiber surfaces with cells in vitro. *Ann N Y Acad Sci* 172: 759-771.
- Schnitzer, RJ; Pundsack, FL. (1970). Asbestos hemolysis. *Environ Res* 3: 1-13.
- Schoenberg, JB; Stemhagen, A; Mason, TJ. (1989). CASE-CONTROL STUDIES OF OCCUPATION AND LUNG CANCER IN NEW JERSEY USA (pp. 1-8). (BIOSIS/89/31650). Schoenberg, JB; Stemhagen, A; Mason, TJ.
- Schoenberg, JB; Stemhagen, A; Mason, TJ; Patterson, J; Bill, J; Altman, R. (1987). Occupation and lung cancer risk among New Jersey white males. *J Natl Cancer Inst* 79: 13-21.
- Schoenberger, C; Hunninghake, G; Gadek, J; Crystal, R. (1980). ROLE OF ALVEOLAR MACROPHAGES IN ASBESTOSIS MODULATION OF NEUTROPHIL MIGRATION TO THE LUNG FOLLOWING ASBESTOS EXPOSURE (pp. 18-21). (HEEP/81/05582). Schoenberger, C; Hunninghake, G; Gadek, J; Crystal, R.
- Schoenberger, C; Hunninghake, G; Gadek, J; Crystal, R. (1981). Inflammation and asbestosis: characterization and maintenance of alveolitis following acute asbestos exposure. *Chest* 80: 70S-71S.

Human Health Hazard Literature Search Results

On Topic

- Schoenberger, CI; Hunninghake, GW; Kawanami, O; Ferrans, VJ; Crystal, RG. (1982). Role of alveolar macrophages in asbestosis: Modulation of neutrophil migration to the lung after acute asbestos exposure. *Thorax* 37: 803-809.
- Schonfeld, SJ; McCormack, V; Rutherford, MJ; Schuez, J. (2014). Regional variations in German mesothelioma mortality rates: 2000-2010. *Cancer Causes Control* 25: 615-624. <http://dx.doi.org/10.1007/s10552-014-0368-4>.
- Schorlemmer, HU; Davies, P; Hylton, W; Gugig, M; Allison, AC. (1977). The selective release of lysosomal acid hydrolases from mouse peritoneal macrophages by stimuli of chronic inflammation. *Int J Exp Pathol* 58: 315-326.
- Schraufstatter, IU; Cochrane, CG. (1991). OXIDANTS TYPES SOURCES AND MECHANISMS OF INJURY (pp. SCIENTIFIC FOUNDATIONS). (BIOSIS/91/11689). Schraufstatter, IU; Cochrane, CG.
- Schuez, J; Schonfeld, SJ; Kromhout, H; Straif, K; Kashanskiy, SV; Kovalevskiy, EV; Bukhtiyarov, IV; McCormack, V. (2013). A retrospective cohort study of cancer mortality in employees of a Russian chrysotile asbestos mine and mills: Study rationale and key features. *Cancer Epidemiology* 37: 440-445. <http://dx.doi.org/10.1016/j.canep.2013.03.001>.
- Schultz, M. (1996). Comparative pathology of dust-induced pulmonary lesions: Significance of animal studies to humans. *Inhal Toxicol* 8: 433-456.
- Schultz, M; Kühne, W; Kühne, S; Krause, J. (1992). [Asbestos and tumors] [Review]. 86: 635-642.
- Schultz, M; Quednow, C; Menze, B. (1992). INVESTIGATIONS OF THE CORRELATION BETWEEN PLEURAL PLAQUES AND MALIGNANT-TUMORS IN AUTOPSIES. *Die Medizinische Welt* 43: 633-637.
- Schulz, CO. (1993). SILICON AND SILICATES INCLUDING ASBESTOS (pp. TOXICOLOGY). (BIOSIS/94/11116). Schulz, CO.
- Schumacher, MC; Delzell, E. (1988). A DEATH-CERTIFICATE CASE-CONTROL STUDY OF NON-HODGKIN'S LYMPHOMA AND OCCUPATION IN MEN IN NORTH CAROLINA USA. *Am J Ind Med* 13: 317-330.
- Schürkes, C; Brock, W; Abel, J; Unfried, K. (2004). Induction of 8-hydroxydeoxyguanosine by man made vitreous fibres and crocidolite asbestos administered intraperitoneally in rats. *Mutat Res* 553: 59-65. <http://dx.doi.org/10.1016/j.mrfmmm.2004.06.021>.
- Schuster, NH. (1931). Pulmonary Asbestosis in a Dog. *J Pathol Bacteriol* 34: 751-757.
- Schwartz, DA. (1991). The clinical relevance of asbestos-induced pleural fibrosis. *Ann N Y Acad Sci* 643: 169-177.
- Schwartz, DA. (1991). New developments in asbestos-induced pleural disease [Review]. *Chest* 99: 191-198.
- Schwartz, DA. (1992). ASBESTOS-INDUCED LUNG-DISEASE - A MODEL APPROACH TO PNEUMOCONIOSES. *Immunol Allergy Clin North Am* 12: 847-859.
- Schwartz, DA. (1993). PLEURAL DETERMINANTS OF RESTRICTIVE LUNG-FUNCTION AND RESPIRATORY SYMPTOMS IN AN ASBESTOS-EXPOSED POPULATION. *Chest* 104: 1314-1315.
- Schwartz, DA; Baker, EL. (1988). Respiratory Illness in the Construction Industry. Airflow Obstruction among Painters. *Chest* 93: 134-137.
- Schwartz, DA; Davis, CS; Merchant, JA; Bunn, WB; Galvin, J. R.; Vanfossen, DS; Dayton, CS; Hunninghake, GW. (1993). LONGITUDINAL CHANGES IN LUNG-FUNCTION AMONG ASBESTOS-EXPOSED WORKERS. *Clin Res* 41: A695-A695.
- Schwartz, DA; Davis, CS; Merchant, JA; Bunn, WB; Galvin, JR; Van Fossen, DS; Dayton, CS; Hunninghake, GW. (1994). Longitudinal changes in lung function among asbestos-exposed workers. *Am J Respir Crit Care Med* 150: 1243-1249. <http://dx.doi.org/10.1164/ajrccm.150.5.7952547>.
- Schwartz, DA; Fuortes, L; Schmidt, LE; Leistikow, BN; Lamarte, FP; Merchant, JA. (1989). ASBESTOS-INDUCED PLEURAL FIBROSIS IS NOT BENIGN. (BIOSIS/89/23636). Schwartz, DA; Fuortes, L; Schmidt, LE; Leistikow, BN; Lamarte, FP; Merchant, JA.
- Schwartz, DA; Fuortes, LJ; Galvin, J. R.; Burmeister, LF; Schmidt, LE; Leistikow, BN; Lamarte, FP; Merchant, JA. (1990). Asbestos-induced pleural fibrosis and impaired lung function. *Am Rev Respir Dis* 141: 321-326. <http://dx.doi.org/10.1164/ajrccm/141.2.321>.
- Schwartz, DA; Galvin, JR; Burmeister, LF; Merchant, RK; Dayton, CS; Merchant, JA; Hunninghake, GW. (1991). The clinical utility and reliability of asbestos bodies in bronchoalveolar fluid. *Am Rev Respir Dis* 144: 684-688. http://dx.doi.org/10.1164/ajrccm/144.3_Pt_1.684.
- Schwartz, DA; Galvin, JR; Dayton, CS; Stanford, W; Merchant, JA; Hunninghake, GW. (1990). Determinants of restrictive lung function in asbestos-induced pleural fibrosis. *J Appl Physiol* 68: 1932-1937.
- Schwartz, DA; Galvin, JR; Frees, KL; Dayton, CS; Burmeister, LF; Merchant, JA; Hunninghake, GW. (1993). Clinical relevance of cellular mediators of inflammation in workers exposed to asbestos. *Am Rev Respir Dis* 148: 68-74. <http://dx.doi.org/10.1164/ajrccm/148.1.68>.
- Schwartz, DA; Galvin, JR; Yagla, SJ; Hunninghake, GW. (1992). RESTRICTIVE LUNG FUNCTION AND ASBESTOS-INDUCED PLEURAL FIBROSIS A QUANTITATIVE APPROACH (pp. 17-20). (BIOSIS/92/20045). Schwartz, DA; Galvin, JR; Yagla, SJ; Hunninghake, GW.
- Schwartz, DA; Galvin, JR; Yagla, SJ; Speakman, SB; Merchant, JA; Hunninghake, GW. (1993). Restrictive lung function and asbestos-induced pleural fibrosis: A quantitative approach. *J Clin Invest* 91: 2685-2692. <http://dx.doi.org/10.1172/JCI116507>.
- Schwartz, DA; Redlich, CA. (1993). BIOMARKERS IN OCCUPATIONAL LUNG-DISEASE. 14: 167-180.
- Schwartz, DA; Rosenstock, L; Clark, JG. (1989). Monocyte-derived growth factors in asbestos-induced interstitial fibrosis. *Environ Res* 49: 283-294.
- Schwartz, DA; Vaughan, TL; Heyer, NJ; Koepsell, TD; Lyon, JL; Swanson, GM; Weiss, NS. (1988). B cell neoplasms and occupational asbestos exposure. *Am J Ind Med* 14: 661-671.
- Schwartz, E. (1987). PROPORTIONATE MORTALITY RATIO ANALYSIS OF AUTOMOBILE MECHANICS AND GASOLINE SERVICE STATION WORKERS IN NEW HAMPSHIRE USA. *Am J Ind Med* 12: 91-100.
- Schweisfurth, H; Prinsen, J; Voshaar, T. (1988). INCIDENCE OF ASBESTOS BODIES IN BRONCHOALVEOLAR LAVAGE FLUID (pp. 5-9). (BIOSIS/89/06011). Schweisfurth, H; Prinsen, J; Voshaar, T.
- Schweisfurth, H; Voshaar, T; Prinsen, J; Schottes, C. (1990). ASBESTOS BODIES AND LUNG-CANCER IN PATIENTS LIVING IN RURAL OR URBAN AREAS. *Atemwegs- und Lungenkrankheiten* 16: 426-427.
- Sciammas, FD; Shetty, S; Navani, S. (1971). Multiple Pleural Nodules. *Chest* 59: 673-674.

Human Health Hazard Literature Search Results

On Topic

- Scimeca, M; Pietroiusti, A; Milano, F; Anemona, L; Orlandi, A; Marsella, LT; Bonanno, E. (2016). Elemental analysis of histological specimens: a method to unmask nano asbestos fibers. *Eur J Histochem* 60: 65-69. <http://dx.doi.org/10.4081/ejh.2016.2573>.
- Scott, DF; Grayson, RL; Metz, EA. (2004). Disease and illness in U.S. mining, 1983-2001. *J Occup Environ Med* 46: 1272-1277.
- Scott, J; Johnston, I; Britton, J. (1990). What Causes Cryptogenic Fibrosing Alveolitis? A Case-Control Study of Environmental Exposure to Dust. *Br Med J* 301: 1015-1017.
- Scott, JK; Hunt, R. (1975). The diagnosis of asbestosis. *Br J Dis Chest* 69: 51-56.
- Scotti, P; Aresini, G; Beretta, E. (1978). [Respiratory function in asbestos workers]. *Med Lav* 69 Suppl 3: 471-478.
- Scripcariu, V; Dajbog, E; Lefter, L; Ferariu, D; Pricop, A; Grigoraş, M; Dragomir, C. (2006). [Malignant peritoneal mesothelioma]. *Chirurgia (Bucur)* 101: 641-646.
- Scripcariu, V; Dajbog, E; Radu, I; Ferariu, D; Pricop, A; Grigoraş, M; Dragomir, C. (2007). [Malignant peritoneal mesothelioma tumours. Evolution, treatment, prognosis]. *Rev Med Chir Soc Med Nat Iasi* 111: 673-677.
- Scully, RE; Mark, EJ; Mcneely, BU. (1982). Pleural thickening in a man with rheumatoid arthritis and exposure to asbestos. 307: 104-112.
- Seaman, DM; Meyer, CA; Kanne, JP. (2015). Occupational and environmental lung disease [Review]. *Clin Chest Med* 36: 249-268, viii-ix. <http://dx.doi.org/10.1016/j.ccm.2015.02.008>.
- Searl, A. (1994). A review of the durability of inhaled fibres and options for the design of safer fibres. *Ann Occup Hyg* 38: 839-855.
- Searl, A. (1997). A comparative study of the clearance of respirable para-aramid, chrysotile and glass fibres from rat lungs. *Ann Occup Hyg* 41: 217-233. [http://dx.doi.org/10.1016/S0003-4878\(96\)00036-1](http://dx.doi.org/10.1016/S0003-4878(96)00036-1).
- Searl, A; Buchanan, D; Cullen, RT; Jones, AD; Miller, BG; Soutar, CA. (1999). Biopersistence and durability of nine mineral fibre types in rat lungs over 12 months. *Ann Occup Hyg* 43: 143-153.
- Seaton, A. (1975). Asbestosis (pp. 124-148). (NIOSH/00129198). Seaton, A.
- Seaton, A. (1975). Silicate Pneumoconioses (pp. 112-123). (NIOSH/00129816). Seaton, A.
- Seaton, A. (1984). Asbestos-Related Diseases (pp. 323-376). (NIOSH/00166037). Seaton, A.
- Seaton, A. (1984). Occupational Pulmonary Neoplasms (pp. 657-675). (NIOSH/00166043). Seaton, A.
- Seaton, A. (1984). Silicates and Disease (pp. 295-322). (NIOSH/00166036). Seaton, A.
- Seaton, A. (1986). Respiratory Disease in Miners. *Annals of the American Conference of Governmental Industrial Hygienists* 14: 21-25.
- Seaton, D. (1977). Regional lung function in asbestos workers. *Thorax* 32: 40-44.
- Sebastiani, A. (1983). The Causes Of Cancer Avoidable Risks Today. *Recenti Prog Med* 74: 131-138.
- Sebastien, P; Armstrong, B; Monchaux, G; Bignon, J. (1987). ASBESTOS BODIES IN BRONCHOALVEOLAR LAVAGE FLUID AND IN LUNG PARENCHYMA (pp. 10-13). (BIOSIS/87/23707). Sebastien, P; Armstrong, B; Monchaux, G; Bignon, J.
- Sebastien, P; Armstrong, B; Monchaux, G; Bignon, J. (1988). Asbestos bodies in bronchoalveolar lavage fluid and in lung parenchyma. *Am Rev Respir Dis* 137: 75-78. <http://dx.doi.org/10.1164/ajrccm/137.1.75>.
- Sebastien, P; Begin, R. (1984). ALVEOLAR CLEARANCE OF CHRYSOTILE IN THE SHEEP MODEL PRELIMINARY OBSERVATIONS (pp. 20-23). (HEEP/85/01072). Sebastien, P; Begin, R.
- Sebastien, P; Begin, R. (1988). ALVEOLAR CLEARANCES OF CHRYSOTILE AND AMPHIBOLE ASBESTOS (pp. 8-11). (BIOSIS/88/23564). Sebastien, P; Begin, R.
- Sebastien, P; Begin, R; Case, BW; Mcdonald, JC. (1986). Inhalation of Chrysotile Dust. *Accomplishments in Oncology* 1: 19-29.
- Sebastien, P; Begin, R; Masse, S. (1989). MASS NUMBER AND SIZE OF FIBERS IN THE PATHOGENESIS OF ASBESTOSIS IN SHEEP (pp. 14-17). (BIOSIS/89/20555). Sebastien, P; Begin, R; Masse, S.
- Sébastien, P; Bégin, R; Masse, S. (1990). Mass, number and size of lung fibres in the pathogenesis of asbestosis in sheep. *J Exp Pathol* 71: 1-10.
- Sebastien, P; Bignon, J; Barris, YI; Awad, L; Petit, G. (1984). Ferruginous Bodies In Sputum As An Indication Of Exposure To Airborne Mineral Fibers In The Mesothelioma Villages Of Cappadocia. *Arch Environ Health* 39: 18-23.
- Sebastien, P; Fondimare, A; Bignon, J; Monchaux, G; Desbordes, J; Bonnaud, G. (1975). Topographic distribution of asbestos fibres in human lung in relation to occupational and non-occupational exposure. *Inhaled Particles 4 Pt 2*: 435-446.
- Sebastien, P; Gaudichet, A; Bignon, J; Baris, YI. (1981). Zeolite bodies in human lungs from Turkey. *Lab Invest* 44: 420-425.
- Sebastien, P; Janson, X; Gaudichet, A; Hirsch, A; Bignon, J. (1980). Asbestos retention in human respiratory tissues: Comparative measurements in lung parenchyma and in parietal pleura. In JC Wagner; W Davis (Eds.), IARC Scientific Publications No 30 (pp. 237-246). Lyon, France: International Agency for Research on Cancer.
- Sebastien, P; Masse, R; Bignon, J. (1980). Recovery of ingested asbestos fibers from the gastrointestinal lymph in rats. *Environ Res* 22: 201-216.
- Sebastien, P; Mcdonald, JC; Mcdonald, AD; Case, B; Harley, R. (1989). Respiratory cancer in chrysotile textile and mining industries: exposure inferences from lung analysis. *Br J Ind Med* 46: 180-187.
- Secchi, GC; Rezzonico, A. (1968). Hemolytic activity of asbestos dusts. *Med Lav* 59: 1-5.
- Secker-Walker, RH; Ho, JE. (1981). PROPORTIONING PULMONARY DYS FUNCTION BETWEEN ASBESTOSIS AND CIGARETTE SMOKING IN ASBESTOS WORKERS (pp. 5-7). (HEEP/82/09213). Secker-Walker, RH; Ho, JE.
- Secker-Walker, RH; Ho, JE. (1982). Regional lung function in asbestos workers: observations and speculations. *Respiration* 43: 8-22. <http://dx.doi.org/10.1159/000194457>.
- Secker-Walker, RH; Ho, JE. (1984). ON PROPORTIONING PULMONARY DYS FUNCTION BETWEEN ASBESTOS AND THE EFFECTS OF CIGARETTE SMOKING IN ASBESTOS WORKERS (pp. NEW YORK). (HEEP/85/00840). Secker-Walker, RH; Ho, JE.
- Seel, EA; Zaebs, DD; Hein, MJ; Liu, J; Nowlin, SJ; Chen, P. (2007). Inter-rater agreement for a retrospective exposure assessment of asbestos, chromium, nickel and welding fumes in a study of lung cancer and ionizing radiation. *Ann Occup Hyg* 51: 601-610. <http://dx.doi.org/10.1093/annhyg/mem037>.

Human Health Hazard Literature Search Results

On Topic

- Segarra, F. (1979). The Problem of Asbestosis in Spain. *J Occup Med* 21: 279-280.
- Segarra, F; Monte, MB; Ibañez, PL; Gonzalez, AG; Nicolas, JP. (1980). Asbestosis in the industries of the Barcelona area. *Am J Ind Med* 1: 149-158. <http://dx.doi.org/10.1002/ajim.4700010205>.
- Segarra, F; Monte, MB; Ibanez, PL; Nicolas, JP. (1980). Asbestosis in a Barcelona, Spain, fibrocement factory. *Environ Res* 23: 292-300.
- Segarra Obiol, F. (1979). [Risks of asbestos inhalation. Its clinical importance]. *Med Clin (Barc)* 72: 29-33.
- Segarra-Obiol, F; Lopez-Ibañez, P; Perez Nicolas, J. (1983). Asbestosis and tuberculosis. *Am J Ind Med* 4: 755-757.
- Seidler, A; Becker, N; Nieters, A; Arhelger, R; Mester, B; Rossnagel, K; Deeg, E; Elsner, G; Melis, M; Sesler, S; Avataneo, G; Meloni, M; Cocco, P. (2010). Asbestos exposure and malignant lymphoma: a multicenter case-control study in Germany and Italy. *Int Arch Occup Environ Health* 83: 563-570. <http://dx.doi.org/10.1007/s00420-009-0502-x>.
- Seidman, H. (1985). Age at exposure versus years of exposure. *Natl Canc Inst Monogr* 67: 205-209.
- Seidman, H; Selikoff, IJ. (1990). Decline in death rates among asbestos insulation workers 1967-1986 associated with diminution of work exposure to asbestos. *Ann N Y Acad Sci* 609: 300-317; discussion 317-308.
- Seidman, H; Selikoff, IJ; Gelb, SK. (1986). Mortality experience of amosite asbestos factory workers: Dose-response relationships 5 to 40 years after onset of short-term work exposure. *Am J Ind Med* 10: 479-514.
- Seidman, H; Selikoff, IJ; Hammond, EC. (1979). Short-term asbestos work exposure and long-term observation. *Ann N Y Acad Sci* 330: 61-89.
- Seidman, H; Selikoff, IJ; Hammond, EC. (1982). Mortality of brain tumors among asbestos insulation workers in the United States and Canada. *Ann N Y Acad Sci* 381: 160-171.
- Seiler, HE. (1928). A CASE OF PNEUMOCONIOSIS: RESULT OF THE INHALATION OF ASBESTOS DUST. *Br Med J* 2: 982-980.981.
- Sekhavatjou, MS; Zangeneh, A. (2011). Asbestos Concentrations and Lung Restrictive Patterns. *International Journal of Environmental Research* 5: 555-560.
- Seki, H; Matsumoto, K; Ohmura, K; Fukushi, Y; Fujita, T; Kiriya, H; Takada, H; Kamii, K; Terada, H; Mori, Y. (1994). Malignant pleural mesothelioma presenting as achalasia. *Intern Med* 33: 624-627.
- Seki, N; Yamaguchi, T; Eguchi, K; Kaneko, M. (2011). JAPANESE GENERAL SCREENING STUDY FOR ASBESTOS-RELATED DISEASES (JG SARD): RESULTS OF BASELINE SCREENING. *J Thorac Oncol* 6: S1392-S1393.
- Sekido, Y. (2008). Molecular biology of malignant mesothelioma. *Environ Health Prev Med* 13: 65-70. <http://dx.doi.org/10.1007/s12199-007-0015-8>.
- Selçuk, ZT; Cöplü, L; Emri, S; Kalyoncu, AF; Sahin, AA; Barış, YI. (1992). Malignant pleural mesothelioma due to environmental mineral fiber exposure in Turkey. Analysis of 135 cases. *Chest* 102: 790-796.
- Seldén, AI; Berg, NP; Lundgren, EA; Hillerdal, G; Wik, NG; Ohlson, CG; Bodin, LS. (2001). Exposure to tremolite asbestos and respiratory health in Swedish dolomite workers. *Occup Environ Med* 58: 670-677. <http://dx.doi.org/10.1136/oem.58.10.670>.
- Selikoff, I; Hammond, EC; Churg, J. (1999). [Exposure to asbestos, smoking, and neoplasms. 1967]. *Salud Publica Mex* 41 Suppl 2: S143-S154.
- Selikoff, IJ. (1969). Asbestos. *Environment* 11: 3-7.
- Selikoff, IJ. (1973). CANCER RISK TO ALLERGY PATIENTS FROM SYRINGES WITH ASBESTOS-WOUND PLUNGER. *JAMA* 225: 423-423.
- Selikoff, IJ. (1974). Asbestos Exposure and Cancer in the General Population. (NIOSH/00036300). Selikoff, IJ.
- Selikoff, IJ. (1974). Epidemiology of gastrointestinal cancer. *Environ Health Perspect* 9: 299-305.
- Selikoff, IJ. (1975). Epidemiologic investigations of asbestos-exposed workers in the United States. 512-520.
- Selikoff, IJ. (1975). Recent Perspectives in Occupational Cancer. *Ambio* 4: 14-17.
- Selikoff, IJ. (1976). EPIDEMIOLOGIC INVESTIGATIONS OF ASBESTOS EXPOSED WORKERS IN THE USA (pp. BERLIN). (HEEP/77/12058). Selikoff, IJ.
- Selikoff, IJ. (1976). Lung cancer and mesothelioma during prospective surveillance of 1249 asbestos insulation workers, 1963-1974. *Ann N Y Acad Sci* 271: 448-456.
- Selikoff, IJ. (1977). Cancer Risk Of Asbestos Exposure (pp. 1765-1784). (NIOSH/00158186). Selikoff, IJ.
- Selikoff, IJ. (1977). Clinical Survey of Chrysotile Asbestos Miners and Millers in Baie Verte, Newfoundland 1976. (NIOSH/00192014). Selikoff, IJ.
- Selikoff, IJ. (1980). OCCUPATIONAL RESPIRATORY DISEASES ASBESTOS ASSOCIATED DISEASE (pp. NEW YORK). (HEEP/81/11257). Selikoff, IJ.
- Selikoff, IJ. (1981). Household risks with inorganic fibers. *Bull NY Acad Med* 57: 947-961.
- Selikoff, IJ. (1982). The investigation of brain tumor occurrence in other occupational groups: introduction. *Ann N Y Acad Sci* 381: 116-118.
- Selikoff, IJ. (1984). Lessons for living in a chemical world. *Bull Environ Contam Toxicol* 33: 682-695. <http://dx.doi.org/10.1007/BF01625600>.
- Selikoff, IJ. (1991). Asbestos disease-1990-2020: the risks of asbestos risk assessment [Review]. *Toxicol Ind Health* 7: 117-127.
- Selikoff, IJ. (1992). Use of Death Certificates in Epidemiological Studies, Including Occupational Hazards: Discordance with Clinical and Autopsy Findings. *Am J Ind Med* 22: 469-480.
- Selikoff, IJ; Bader, RA; Bader, ME; Churg, J; Hammond, EC. (1967). Asbestosis and Neoplasia. *Am J Med* 42: 487-496.
- Selikoff, IJ; Churg, J; Hammond, EC. (1964). ASBESTOS EXPOSURE AND NEOPLASIA. *JAMA* 188: 22-26.
- Selikoff, IJ; Churg, J; Hammond, EC. (1964). Mesothelioma in Relation to Asbestos in the United States. *J Occup Med* 10: 38-41.
- Selikoff, IJ; Churg, J; Hammond, EC. (1965). RELATION BETWEEN EXPOSURE TO ASBESTOS AND MESOTHELIOMA. *N Engl J Med* 272: 560-565. <http://dx.doi.org/10.1056/NEJM196503182721104>.
- Selikoff, IJ; Churg, J; Hammond, EC. (1972). EPIDEMIOLOGIC STUDY OF ASBESTOS INSULATION WORKERS. *Am Ind Hyg Assoc J* 33: 43-&.
- Selikoff, IJ; Churg, J; Hammond, EC. (1984). Classics in Oncology: Asbestos exposure and neoplasia. *CA Cancer J Clin* 34: 48-56.
- Selikoff, IJ; Churg, J; Hammond, EC. (1984). Landmark article April 6, 1964: Asbestos exposure and neoplasia. By Irving J. Selikoff, Jacob Churg, and E. Cuyler Hammond. *JAMA* 252: 91-95.
- Selikoff, IJ; Greenberg, M. (1991). A landmark case in asbestosis. *JAMA* 265: 898-901.
- Selikoff, IJ; Hammond, EC. (1972). Proceedings: Environmental cancer in the year 2000 [Review]. 7: 687-696.

Human Health Hazard Literature Search Results

On Topic

- Selikoff, IJ; Hammond, EC. (1978). Asbestos-associated disease in United States shipyards. *CA Cancer J Clin* 28: 87-99.
- Selikoff, IJ; Hammond, EC. (1979). Health hazards of asbestos exposure. *Ann N Y Acad Sci* 330: 1-814.
- Selikoff, IJ; Hammond, EC; Churg, J. (1968). Asbestos exposure, smoking, and neoplasia. *JAMA* 204: 104-110.
- Selikoff, IJ; Hammond, EC; Churg, J. (1970). Mortality Experiences of Asbestos Insulation Workers (pp. 180-186). (NIOSH/00045720). Selikoff, IJ; Hammond, EC; Churg, J.
- Selikoff, IJ; Hammond, EC; Churg, J. (1971). Mortality Experience of Amosite Asbestos Factory Workers. (NIOSH/00000233). Selikoff, IJ; Hammond, EC; Churg, J.
- Selikoff, IJ; Hammond, EC; Churg, J. (1972). Carcinogenicity of amosite asbestos. *Arch Environ Health* 25: 183-186.
- Selikoff, IJ; Hammond, EC; Churg, J. (1999). Asbestos exposure, smoking and neoplasia. *Salud Publica Mex* 41: S143-S154.
- Selikoff, IJ; Hammond, EC; Heimann, H. (1971). CRITICAL EVALUATION OF DISEASE HAZARDS ASSOCIATED WITH COMMUNITY ASBESTOS AIR POLLUTION (pp. 165-171). (HEEP/73/08774). Selikoff, IJ; Hammond, EC; Heimann, H.
- Selikoff, IJ; Hammond, EC; Seidman, H. (1973). Cancer Risk of Insulation Workers in the United States (pp. 209-216). (NIOSH/00131275). Selikoff, IJ; Hammond, EC; Seidman, H.
- Selikoff, IJ; Hammond, EC; Seidman, H. (1974). CANCER RISK OF INSULATION WORKERS IN THE USA (pp. LYON). (HEEP/75/04234). Selikoff, IJ; Hammond, EC; Seidman, H.
- Selikoff, IJ; Hammond, EC; Seidman, H. (1979). Mortality experience of insulation workers in the United States and Canada, 1943-1976. *Ann N Y Acad Sci* 330: 91-116.
- Selikoff, IJ; Lilis, R. (1991). Radiological abnormalities among sheet-metal workers in the construction industry in the United States and Canada: Relationship to asbestos exposure. *Arch Environ Health* 46: 30-36. <http://dx.doi.org/10.1080/00039896.1991.9937426>.
- Selikoff, IJ; Lilis, R; Levin, G. (1990). Asbestotic radiological abnormalities among United States merchant marine seamen. *Br J Ind Med* 47: 292-297.
- Selikoff, IJ; Lilis, R; Nicholson, WJ. (1979). Asbestos disease in United States shipyards. *Ann N Y Acad Sci* 330: 295-311.
- Selikoff, IJ; Nicholson, WJ; Lilis, R. (1980). Radiological evidence of asbestos disease among ship repair workers. *Am J Ind Med* 1: 9-22.
- Selikoff, IJ; Seidman, H. (1980). Cancer of the Pancreas among Asbestos Insulation Workers. (NIOSH/00192116). Selikoff, IJ; Seidman, H.
- Selikoff, IJ; Seidman, H. (1981). Cancer of the pancreas among asbestos insulation workers. *Cancer* 47: 1469-1473.
- Selikoff, IJ; Seidman, H. (1981). Health Effects of Amosite Asbestos Exposure. *J Environ Biol* 2: 63-78.
- Selikoff, IJ; Seidman, H. (1991). Asbestos-associated deaths among insulation workers in the United States and Canada, 1967-1987 [Review]. *Ann N Y Acad Sci* 643: 1-14.
- Sen, D. (2015). Working with asbestos and the possible health risks. *Occup Med (Lond)* 65: 6-14. <http://dx.doi.org/10.1093/occmed/kqu175>.
- Seniori Costantini, A; Chellini, E. (1997). The experience of the Mesothelioma Registry of Tuscany in assessing health hazard associated with asbestos exposure. *Med Lav* 88: 310-315.
- Seniori Costantini, A; Innocenti, A; Ciapini, C; Silvestri, S; Merler, E. (2000). [Mortality in employees of a railway rolling stock factory]. *Med Lav* 91: 32-45.
- Senkottaiyan, N; Seacord, LM; Fulling, KH; Bircham, JA; Fraley, MA; Alpert, MA. (2006). Sarcomatous pleural mesothelioma metastatic to left ventricular endocardium [Review]. *Angiology* 57: 517-521. <http://dx.doi.org/10.1177/0003319706290737>.
- Sennello, JA; Misharin, AV; Flozak, AS; Berdnikovs, S; Cheresh, P; Varga, J; Kamp, DW; Budinger, GR; Gottardi, CJ; Lam, AP. (2017). Lrp5/ β -Catenin Signaling Controls Lung Macrophage Differentiation and Inhibits Resolution of Fibrosis. *Am J Respir Cell Mol Biol* 56: 191-201. <http://dx.doi.org/10.1165/rcmb.2016-0147OC>.
- Senyiğit, A; Babayiğit, C; Gökirmak, M; Topçu, F; Asan, E; Coşkunsel, M; Işık, R; Ertem, M. (2000). Incidence of malignant pleural mesothelioma due to environmental asbestos fiber exposure in the southeast of Turkey. *Respiration* 67: 610-614. <http://dx.doi.org/10.1159/000056289>.
- Senyiğit, A; Bayram, H; Babayiğit, C; Topçu, F; Nazaroğlu, H; Bilici, A; Leblebici, IH. (2000). Malignant pleural mesothelioma caused by environmental exposure to asbestos in the Southeast of Turkey: CT findings in 117 patients. *Respiration* 67: 615-622. <http://dx.doi.org/56290>.
- Senyigit, A; Dalgic, A; Kavak, O; Tanrikulu, AC. (2004). Determination of environmental exposure to asbestos (tremolite) and mesothelioma risks in the southeastern region of Turkey. *Arch Environ Health* 59: 658-662. <http://dx.doi.org/10.1080/00039890409602950>.
- Seo, DK; Lee, JI, m; Kim, JR, an. (2011). Foreign Body Reaction and Expression of Matrix Metalloproteinases/Tissue Inhibitor of Metalloproteinase by Injection of Mineral Fibers in Rats. 45: 604-611. <http://dx.doi.org/10.4132/KoreanJPathol.2011.45.6.604>.
- Seo, K; Kim, Y; Jou, S; Jang, E; Kim, Y; Lee, Y; Park, C. (2010). HRCT FINDINGS IN INDIVIDUALS WITH ENVIRONMENTAL EXPOSURE TO ASBESTOS IN KOREA. *Respirology* 15: 109-109.
- Seo, KH; Lee, HS; Kim, YH; Park, CH; Chul, JE; Lee, J. (2011). The Difference Of Asbestos Exposure According To Pleural Plaque In Patients With Pulmonary Fibrosis On Chest HRCT Who Had Environmental Exposure To Asbestos In Korea. *Am J Respir Crit Care Med* 183.
- Seo, Y, ooNa; Lee, YJ, in; Lee, M, iY. (2012). Differential gene expression by chrysotile in human bronchial epithelial cells. *Animal Cells and Systems* 16: 95-103. <http://dx.doi.org/10.1080/19768354.2011.628696>.
- Sepulveda, MJ; Merchant, JA. (1983). Roentgenographic evidence of asbestos exposure in a select population of railroad workers. *Am J Ind Med* 4: 631-639.
- Sera, Y; Kang, KY. (1981). Asbestos and cancer in the Sennan District of Osaka. *Tohoku J Exp Med* 133: 313-320.
- Serio, G; Ceppi, M; Fonte, A; Martinazzi, M. (1992). MALIGNANT MESOTHELIOMA OF THE TESTICULAR TUNICA VAGINALIS. *Eur Urol* 21: 174-176.

Human Health Hazard Literature Search Results

On Topic

- Serio, G; Pagliarulo, V; Marzullo, A; Punzi, A; Pezzuto, F; Gentile, M; Pennella, A; Nazzaro, P; Buonadonna, AL; Covelli, C; Lettini, T; Scattone, A. (2016). Molecular changes of malignant mesothelioma in the testis and their impact on prognosis: analyses of two cases. *Int J Clin Exp Pathol* 9: 7658-7667.
- Serio, G; Scattone, A; Pennella, A; Giardina, C; Musti, M; Valente, T; Pollice, L. (2002). Malignant deciduoid mesothelioma of the pleura: report of two cases with long survival. *Histopathology* 40: 348-352.
- Sernau, R; Cortina, T; Zito, M; Mccarroll, NE; Farrow, MG. (1984). Genotoxicity of asbestos and fiberglass in the chinese hamster ovary (cho) hgprt forward mutation and sister chromatid exchange assays. *Environ Mutagen* 6: 422-423.
- Serve, KM; Black, B; Szeinuk, J; Pfau, JC. (2013). Asbestos-associated mesothelial cell autoantibodies promote collagen deposition in vitro. *Inhal Toxicol* 25: 774-784. <http://dx.doi.org/10.3109/08958378.2013.848249>.
- Services, ADoH. (2005). Health Consultation: W.R. Grace and Company (a/k/a Zonolite Co. Wilders), 112 North Street, Wilder, Campbell County, Kentucky. EPA Facility ID: KYN000407413. 45.
- Services, CDoH. (2007). Health Consultation: Germain's Seed Company, 4820 E. 50th Street, Vernon, Los Angeles County, California. EPA Facility ID: CAD008289548. 43.
- Services, NDoHaS. (2007). Health Consultation: Celotex Corporation, Edgewater, Bergen County, New Jersey. 51.
- Sesko, A; Cabot, M; Mossman, B. (1990). Hydrolysis of inositol phospholipids precedes cellular proliferation in asbestos-stimulated tracheobronchial epithelial cells. *Proc Natl Acad Sci USA* 87: 7385-7389.
- Sesko, A; Cabot, MC; Mossman, BT. (1988). ACCUMULATION OF DIACYLGLYCEROL PRECEDES ASBESTOS-INDUCED CELLULAR PROLIFERATION (pp. RECEPTOR AND PHOSPHOLIPASE CONTROL OF INOSITOL PHOSPHATE). (BIOSIS/88/32968). Sesko, A; Cabot, MC; Mossman, BT.
- Sesko, A; Marsh, JP; Hill, S; Hardwick, D; Mossman, BT. (1987). INVOLVEMENT OF PROTEIN KINASES AND CALCIUM IN ASBESTOS-INDUCED PROLIFERATION AND TOXICITY IN TRACHEAL EPITHELIAL CELLS (pp. 20-23). (ISSN 0569-2261 BIOSIS/87/26978). Sesko, A; Marsh, JP; Hill, S; Hardwick, D; Mossman, BT.
- Sesko, A; Mossman, B. (1989). MODULATION OF EPITHELIAL CELL SENSITIVITY TO ASBESTOS FIBERS BY TRANSFORMING GROWTH FACTOR BETA (pp. 21-28). (BIOSIS/89/17308). Sesko, A; Mossman, B.
- Sesko, AM; Mossman, BT. (1989). Sensitivity of hamster tracheal epithelial cells to asbestiform minerals modulated by serum and by transforming growth factor beta 1. *Cancer Res* 49: 2743-2749.
- Sestini, P; Bezelka, BE; Salvaggic, JE. (1982). LOSS OF CYTOSTATIC ACTIVITY OF MOUSE RESIDENT ALVEOLAR MACROPHAGES AFTER ASBESTOS EXPOSURE INVITRO. *Eur J Respir Dis* 63: 109-110.
- Sestini, P; Tagliabue, A; Bartalini, M; Boraschi, D. (1986). ASBESTOS-INDUCED MODULATION OF RELEASE OF REGULATORY MOLECULES FROM ALVEOLAR AND PERITONEAL MACROPHAGES (pp. S161-S162). (ISSN 0012-3692 EISSN 1931-3543 BIOSIS/86/28268). Sestini, P; Tagliabue, A; Bartalini, M; Boraschi, D.
- Sethi, S; Beck, EG; Manojlovic, N. (1974). Giant cell formation after intraperitoneal application of crocidolite asbestos fibres in rats: Cover slip method. *Ann Occup Hyg* 17: 53-56.
- Sethi, S; Hilscher, W; Bruch, J. (1972). TISSUE REACTIONS AFTER INTRA PERITONEAL ADMINISTRATION OF CROCIDOLITE ASBESTOS IN RATS. (HEEP/74/04938). Sethi, S; Hilscher, W; Bruch, J.
- Sethi, S; Hilscher, W; Flasbeck, R. (1973). Tissue response to a single intraperitoneal injection of various substances in rats (pp. 2-3). (HEEP/74/03549). Sethi, S; Hilscher, W; Flasbeck, R.
- Sette, A; Neder, JA; Nery, LE; Kavakama, J; Rodrigues, RT; Terra-Filho, M; Guimarães, S; Bagatin, E; Müller, N. (2004). Thin-section CT abnormalities and pulmonary gas exchange impairment in workers exposed to asbestos. *Radiology* 232: 66-74. <http://dx.doi.org/10.1148/radiol.2321030392>.
- Setton, E; Hystad, P; Poplawski, K; Cheasley, R; Cervantes-Larios, A; Keller, CP; Demers, PA. (2013). Risk-based indicators of Canadians' exposures to environmental carcinogens. *Environ Health* 12: 15. <http://dx.doi.org/10.1186/1476-069X-12-15>.
- Sezgi, C; Taylan, M; Sen, HS; Evliyaoğlu, O; Kaya, H; Abakay, O; Abakay, A; Tanrıku, AC; Senyigit, A. (2014). Oxidative status and acute phase reactants in patients with environmental asbestos exposure and mesothelioma. *ScientificWorldJournal* 2014: 902748. <http://dx.doi.org/10.1155/2014/902748>.
- S-H, C; Kang, D; K-S, K; H-J, K; D-H, K; Ha, M; S-H, H; Ju, YS. (1997). Estimates of occupational cancer in Korea. *J Occup Health* 39: 192-196.
- Shabad, LM; Pylev, LN; Krivosheeva, LV; Kulagina, TF; Nemenko, BA. (1974). Experimental studies on asbestos carcinogenicity. *J Natl Cancer Inst* 52: 1175-1187.
- Shaeffner, E; Miller, DP; Wain, JC; Kelsey, KT; Wiencke, JK; Christiani, DC. (1999). Use of an asbestos exposure score and the presence of pleural and parenchymal abnormalities in lung cancer cases. *Am J Respir Crit Care Med* 159: A622-A622.
- Shalshin, A. (2008). Pleural disease manifests years after asbestos exposure. *JAAPA* 21: 50, 52.
- Shandarenko, SH; Kishko, TO; Chumachenko, IM; Dmytrenko, MP. (2011). [Asbestos-stimulated changes in nitric oxide and iron metabolism in rats]. *Ukr Biokhim Zh* 83: 93-100.
- Shangina, O; Brennan, P; Szeszenia-Dabrowska, N; Mates, D; Fabiánová, E; Fletcher, T; T'Mannetje, A; Boffetta, P; Zaridze, D. (2006). Occupational exposure and laryngeal and hypopharyngeal cancer risk in central and eastern Europe. *Am J Epidemiol* 164: 367-375. <http://dx.doi.org/10.1093/aje/kwj208>.
- Shanks, JH; Harris, M; Banerjee, SS; Eyden, BP; Joglekar, VM; Nicol, A; Hasleton, PS; Nicholson, AG. (2000). Mesotheliomas with deciduoid morphology: a morphologic spectrum and a variant not confined to young females. *Am J Surg Pathol* 24: 285-294.
- Shannahan, J; Schladoweiler, M; Padilla-Carlin, D; Nyska, A; Richards, J; Ghio, A; Gavett, S; Kodavanti, U. (2011). The role of cardiovascular disease-associated iron overload in Libby amphibole-induced acute pulmonary injury and inflammation. *Inhal Toxicol* 23: 129-141. <http://dx.doi.org/10.3109/08958378.2011.551850>.

Human Health Hazard Literature Search Results

On Topic

- Shannahan, JH; Alzate, O; Winnik, WM; Andrews, D; Schladweiler, MC; Ghio, AJ; Gavett, SH; Kodavanti, UP. (2012). Acute phase response, inflammation and metabolic syndrome biomarkers of Libby asbestos exposure. *Toxicol Appl Pharmacol* 260: 105-114. <http://dx.doi.org/10.1016/j.taap.2012.02.006>.
- Shannahan, JH; Ghio, AJ; Schladweiler, MC; Mcgee, JK; Richards, JH; Gavett, SH; Kodavanti, UP. (2011). The role of iron in Libby amphibole-induced acute lung injury and inflammation. *Inhal Toxicol* 23: 313-323. <http://dx.doi.org/10.3109/08958378.2011.569587>.
- Shannahan, JH; Ghio, AJ; Schladweiler, MC; Richards, JH; Andrews, D; Gavett, SH; Kodavanti, UP. (2012). Transcriptional activation of inflammasome components by Libby amphibole and the role of iron. *Inhal Toxicol* 24: 60-69. <http://dx.doi.org/10.3109/08958378.2011.633942>.
- Shannahan, JH; Nyska, A; Cesta, M; Schladweiler, MC; Vallant, BD; Ward, WO; Ghio, AJ; Gavett, SH; Kodavanti, UP. (2012). Subchronic pulmonary pathology, iron overload, and transcriptional activity after libby amphibole exposure in rat models of cardiovascular disease. *Environ Health Perspect* 120: 85-91. <http://dx.doi.org/10.1289/ehp.1103990>.
- Shannahan, JH; Schladweiler, MC; Thomas, RF; Ward, WO; Ghio, AJ; Gavett, SH; Kodavanti, UP. (2012). Vascular and thrombogenic effects of pulmonary exposure to Libby amphibole. *J Toxicol Environ Health A* 75: 213-231. <http://dx.doi.org/10.1080/15287394.2012.652055>.
- Shannahan, JH; Schladweiler, MC; Padilla-Carlin, DJ; Richards, JH; Gavett, SH; Kodavanti, UP. (2010). Pulmonary toxicity and modifications in iron homeostasis following Libby amphibole asbestos exposure in rat models of cardiovascular disease [Abstract]. *Am J Respir Crit Care Med* 181: A1748. http://dx.doi.org/10.1164/ajrccm-conference.2010.181.1_MeetingAbstracts.A1748.
- Sharkey, AJ; Vaja, R; Nakas, A; Waller, D. (2014). DOES THE DEGREE OF OCCUPATIONAL ASBESTOS EXPOSURE AFFECT THE OUTCOME OF RADICAL SURGERY FOR MALIGNANT PLEURAL MESOTHELIOMA? *Thorax* 69: A155-A155. <http://dx.doi.org/10.1136/thoraxjnl-2014-206260.310>.
- Sharma, H; Bell, I; Schofield, J; Bird, G. (2011). Primary peritoneal mesothelioma: Case series and literature review [Review]. *Clinics and Research in Hepatology and Gastroenterology* 35: 55-59. <http://dx.doi.org/10.1016/j.gcb.2010.07.016>.
- Sharma, RP; Reddy, RV. (1987). TOXIC EFFECTS OF CHEMICALS ON THE IMMUNE SYSTEM (pp. NEW YORK). (BIOSIS/87/24341). Sharma, RP; Reddy, RV.
- Sharshenova, A; Dueva, LA; Kupina, LM. (1989). THE ROLE OF IMMUNOLOGICAL STUDIES IN THE EVALUATING THE ACTION OF THE DUST FACTOR USING ARTIFICIAL MINERAL FIBER SUBSTANCES SILICON CARBIDE AS AN EXAMPLE. *Gig Tr Prof Zabol* 0: 49-51.
- Shatos, M; Mossman, B. (1983). MACROPHAGE MEDIATED TRANSFER OF ASBESTOS TO TRACHEAL EPITHELIUM IN-VITRO (pp. 8-11). (ISSN 0003-0805 HEEP/84/08739). Shatos, M; Mossman, B.
- Shatos, M; Orfeo, T; Doherty, J; Mossman, B. (1986). MANGANESE (MN) FORM OF SUPEROXIDE-DISMUTASE (SOD) IS INCREASED IN RAT LUNG FIBROBLASTS EXPOSED TO ASBESTOS. *In Vitro* 22: A48-A48.
- Shatos, MA; Adler, KB; Doherty, JM; Orfeo, T; Mossman, BT. (1985). LOCALIZATION OF INTRACELLULAR AND EXTRACELLULAR SUPEROXIDE DISMUTASE IN THE LUNG INCREASED ENZYME ACTIVITY AFTER EXPOSURE TO ASBESTOS (pp. 12-15). (BIOSIS/85/16453). Shatos, MA; Adler, KB; Doherty, JM; Orfeo, T; Mossman, BT.
- Shatos, MA; Doherty, JM; Marsh, JP; Mossman, BT. (1987). PREVENTION OF ASBESTOS-INDUCED CELL DEATH IN RAT LUNG FIBROBLASTS AND ALVEOLAR MACROPHAGES BY SCAVENGERS OF ACTIVE OXYGEN SPECIES. *Environ Res* 44: 103-116.
- Shatos, MA; Marsh, JP; Woodcock-Mitchell, J; Orfeo, T; Burkhardt, A; Mossman, BT. (1984). SUPER OXIDE DIS MUTASE IN CELLS OF THE LUNG AFTER EXPOSURE TO ASBESTOS (pp. 20-23). (HEEP/85/01069). Shatos, MA; Marsh, JP; Woodcock-Mitchell, J; Orfeo, T; Burkhardt, A; Mossman, BT.
- Shearin, JC; Jackson, D. (1976). Malignant pleural mesothelioma. Report of 19 cases. *J Thorac Cardiovasc Surg* 71: 621-627.
- Sheers, G. (1979). ASBESTOS ASSOCIATED DISEASE IN EMPLOYEES OF DEVONPORT ENGLAND UK DOCKYARD (pp. NEW YORK). (HEEP/81/07847). Sheers, G.
- Sheers, G; Coles, RM. (1980). Mesothelioma risks in a naval dockyard. *Arch Environ Health* 35: 276-282.
- Sheers, G; Rossiter, CE; Gilson, JC; Mackenzie, FA. (1978). UK Naval Dockyards Asbestosis Study: radiological methods in the surveillance of workers exposed to asbestos. *Br J Ind Med* 35: 195-203.
- Shelby, MD. (1988). The genetic toxicity of human carcinogens and its implications. *DNA Repair* 204: 3-15. [http://dx.doi.org/10.1016/0165-1218\(88\)90113-9](http://dx.doi.org/10.1016/0165-1218(88)90113-9).
- Shelby, MD; Zeiger, E. (1990). CURRENT ISSUES IN MUTAGENESIS AND CARCINOGENESIS NUMBER 20 ACTIVITY OF HUMAN CARCINOGENS IN THE SALMONELLA AND RODENT BONE-MARROW CYTOGENETICS TESTS. *Mutat Res* 234: 3-4.
- Sheldon, CD; Herbert, A; Gallagher, PJ. (1981). Reactive mesothelial proliferation: a necropsy study. *Thorax* 36: 901-905.
- Sheldon, CS; Herbert, A; Gallagher, PJ. (1980). REACTIVE MESOTHELIAL PROLIFERATION (pp. 9-11). (HEEP/82/00960). Sheldon, CS; Herbert, A; Gallagher, PJ.
- Shen, G; Chen, X; Wang, Y; Zeng, X. (1994). The Relationship between Pneumoconioses and Cancers (pp. 23-25). (NIOSH/00223821). Shen, G; Chen, X; Wang, Y; Zeng, X.
- Shen, Z; Bosbach, D; Hochella, MF; Bish, DL; Williams, MG; Dodson, RF; Aust, AE. (2000). Using in vitro iron deposition on asbestos to model asbestos bodies formed in human lung. *Chem Res Toxicol* 13: 913-921.
- Shepherd, J. R.; Hillerdal, G; Mclarty, J. (1997). Progression of pleural and parenchymal disease on chest radiographs of workers exposed to amosite asbestos. *Occup Environ Med* 54: 410-415.
- Shepherd, KE; Oliver, LC; Kazemi, H. (1989). Diffuse malignant pleural mesothelioma in an urban hospital: clinical spectrum and trend in incidence over time. *Am J Ind Med* 16: 373-383.
- Sheppard, D; Hughson, WG; Shellito, J. (1990). Occupational Lung Diseases. *Occup Med (Lond) J*: 221-236.

Human Health Hazard Literature Search Results

On Topic

- Sheppard, MN; Harrison, NK. (1992). LUNG INJURY INFLAMMATORY MEDIATORS AND FIBROBLAST ACTIVATION IN FIBROSING ALVEOLITIS. *Thorax* 47: 1064-1074.
- Sheppard, MN; Johnson, NF; Cole, GA; Bloom, SR; Marangos, PJ; Polak, JM. (1982). Neuron Specific Enolase (NSE) Immunostaining A Useful Tool For The Light Microscopical Detection Of Endocrine Cell Hyperplasia In Adult Rats Exposed To Asbestos. *Histochemistry* 74: 505-513.
- Sheppard, MN; Johnson, NF; Cole, GA; Marangos, PJ; Bloom, S. R.; Polak, JM. (1983). DETECTION OF PULMONARY CELL HYPERPLASIA INDUCED BY ASBESTOS, USING ANTIBODIES TO NEURON SPECIFIC ENOLASE (NSE) AND ELECTRON-MICROSCOPY. *Ir J Med Sci* 152: 257-258.
- Sheridan, J; Delaney, DJ; Blaquiére, RM. (1990). MESOTHELIOMA WHAT RELEVANCE THE CONTRALATERAL PLEURA (pp. 18-21). (BIOSIS/91/08452). Sheridan, J; Delaney, DJ; Blaquiére, RM.
- Sherman, CB. (1987). Cardiopulmonary exercise testing to assess respiratory impairment in occupational lung disease. *Occup Med: State of the Art Rev* 2: 243-257.
- Sherman, CB; Barnhart, S; Rosenstock, L. (1988). Use of oblique chest roentgenograms in detecting pleural disease in asbestos-exposed workers. *J Occup Med* 30: 681-683.
- Sherman, J. (1980). PHYSICIAN REPORT RE CANCER FOUND IN RUBBER MILL WORKER. (TSCATS/028997). JANETTE SHERMAN MD.
- Sherman, J. (1980). PHYSICIAN REPORT RE CANCER FOUND IN RUBBER MILL WORKERS. (TSCATS/028995). JANETTE SHERMAN MD.
- Shettigara, PT; Morgan, RW. (1975). Asbestos, smoking, and laryngeal carcinoma. *Arch Environ Health* 30: 517-519. <http://dx.doi.org/10.1080/00039896.1975.10666767>.
- Shevas, AT; Kastanioudakis, IG; Constantopoulos, SH; Assimakopoulos, DA. (1995). Acquired nasopharyngeal obstruction and "Metsovo lung" *Rhinology* 33: 240-243.
- Shi, YJ; Zhang, DP; Zhang, DP. (2008). [CT manifestation of environmental asbestos pollution induced pleural plaques]. *Zhonghua Lao Dong Wei Sheng Zhi Ye Bing Za Zhi* 26: 298-300.
- Shia, J; Erlandson, RA; Klimstra, DS. (2002). Deciduoid mesothelioma: a report of 5 cases and literature review [Review]. *Ultrastruct Pathol* 26: 355-363. <http://dx.doi.org/10.1080/0913120290104647>.
- Shia, J; Qin, J; Erlandson, RA; King, R; Illei, P; Nobrega, J; Yao, D; Klimstra, DS. (2005). Malignant mesothelioma with a pronounced myxoid stroma: a clinical and pathological evaluation of 19 cases. *Virchows Arch* 447: 828-834. <http://dx.doi.org/10.1007/s00428-005-0035-y>.
- Shibata, K; Kudo, Y; Tsunoda, M; Hosokawa, M; Sakai, Y; Kotani, M; Aizawa, Y. (2007). Magnetometric evaluation of the effects of man-made mineral fibers on the function of macrophages using the macrophage cell line RAW 264.7. *Ind Health* 45: 426-436.
- Shibusawa, K. (1980). [Synergistic action of various types of asbestos in carcinogenesis]. 32: 91.
- Shields, J. (1990). ENVIRONMENTAL HEALTH NEW DIRECTIONS (pp. NEW DIRECTIONS). (BIOSIS/92/07533). Shields, J.
- Shields, PG; Harris, CC. (1990). ENVIRONMENTAL CAUSES OF CANCER. *Med Clin North Am* 74: 263-278.
- Shiels, DO. (1976). HAZARDS OF ASBESTOS. *Med J Aust* 2: 768-768.
- Shier, WT. (1985). THE FINAL STEPS TO TOXIC CELL DEATH (pp. 191-249). (BIOSIS/86/18935). Shier, WT.
- Shih, JF; Hunninghake, GW; Goeken, NE; Galvin, JR; Merchant, JA; Schwartz, DA. (1993). The relationship between HLA-A, B, DQ, and DR antigens and asbestos-induced lung disease. *Chest* 104: 26-31.
- Shih, JF; Wilson, JS; Broderick, A; Watt, JL; Galvin, JR; Merchant, JA; Schwartz, DA. (1994). Asbestos-induced pleural fibrosis and impaired exercise physiology. *Chest* 105: 1370-1376. <http://dx.doi.org/10.1378/chest.105.5.1370>.
- Shijubo, N; Honda, Y; Fujishima, T; Takahashi, H; Kodama, T; Kuroki, Y; Akino, T; Abe, S. (1995). Lung surfactant protein-A and carcinoembryonic antigen in pleural effusions due to lung adenocarcinoma and malignant mesothelioma. *Eur Respir J* 8: 403-406.
- Shillingford, JP. (1969). An interdisciplinary approach to measurement. *Proc R Soc Med* 62: 491-492.
- Shimizu, Y; Dobashi, K; Kusakbe, T; Nagamine, T; Oikawa, M; Satoh, T; Haga, J; Ishii, Y; Ohkubo, T; Kamiya, T; Arakawa, K; Sano, T; Tanaka, S; Shimizu, K; Matsuzaki, S; Utsugi, M; Mori, M. (2008). IN-AIR MICRO-PARTICLE INDUCED X-RAY EMISSION ANALYSIS OF ASBESTOS AND METALS IN LUNG TISSUE. *Int J Immunopathol Pharmacol* 21: 567-576.
- Shimoni, Z; Flatau, E; Shefer, J. (1987). Malignant mesothelioma: A difficult diagnosis. *Harefuah* 113: 5-6.
- Shin, ML; Firminger, HI. (1973). Acute and Chronic Effects of Intraperitoneal Injection of Two Types of Asbestos in Rats with a Study of the Histopathogenesis and Ultrastructure of Resulting Mesotheliomas. *Am J Pathol* 70: 291-313.
- Shinozaki-Ushiku, A; Ushiku, T; Morita, S; Anraku, M; Nakajima, J; Fukayama, M. (2016). Diagnostic utility of BAP1 and EZH2 expression in malignant mesothelioma. *Histopathology*. <http://dx.doi.org/10.1111/his.13123>.
- Shiomi, K; Hagiwara, Y; Sonoue, K; Segawa, T; Miyashita, K; Maeda, M; Izumi, H; Masuda, K; Hirabayashi, M; Moroboshi, T; Yoshiyama, T; Ishida, A; Natori, Y; Inoue, A; Kobayashi, M; Sakao, Y; Miyamoto, H; Takahashi, K; Hino, O. (2008). Sensitive and specific new enzyme-linked immunosorbent assay for N-ERC/mesothelin increases its potential as a useful serum tumor marker for mesothelioma. *Clin Cancer Res* 14: 1431-1437. <http://dx.doi.org/10.1158/1078-0432.CCR-07-1613>.
- Shiota, H; Yasukawa, T; Hirai, A; Chiyo, M; Yusa, T; Hiroshima, K. (2013). Extraskelatal osteosarcoma of the pleura:report of a case. *Ann Thorac Cardiovasc Surg* 19: 297-301. <http://dx.doi.org/10.5761/atcs.cr.12.01964>.
- Shirai, F. (1981). Auscultation and analysis of lung sounds in asbestos workers. 32: 451-460.
- Shirai, F; Kudoh, S; Shibuya, A; Sada, K; Mikami, R. (1981). Crackles in asbestos workers: auscultation and lung sound analysis. *Br J Dis Chest* 75: 386-396.
- Shirai, F; Takezawa, Y; Shioya, N; Kasuga, T; Mikami, R; Kudoh, S; Shibuya, A. (1982). [Acoustical studies of lung crackles in asbestos workers]. *Nihon Kyobu Shikkan Gakkai Zasshi* 20: 1156-1162.
- Shishido, S. (1978). Asbestos pollution of the lung in the general population (pp. 11-18). (HEEP/81/12208). Shishido, S.
- Shishido, S; Iwai, K; Sanada, H; Tsukagoshi, K; Yamada, H; Mori, J; Kawabata, Y; Sato, M. (1986). [A case of malignant pleural mesothelioma showing a lower lung field mass shadow in a construction worker using asbestos]. *Nihon Kyobu Shikkan Gakkai Zasshi* 24: 810-816.

Human Health Hazard Literature Search Results

On Topic

- Shivapurkar, N; Virmani, AK; Wistuba, II; Milchgrub, S; Mackay, B; Minna, JD; Gazdar, AF. (1999). Deletions of chromosome 4 at multiple sites are frequent in malignant mesothelioma and small cell lung carcinoma. *Clin Cancer Res* 5: 17-23.
- Shivapurkar, N; Wiethage, T; Wistuba, II; Salomon, E; Milchgrub, S; Muller, KM; Churg, A; Pass, H; Gazdar, AF. (1999). Presence of simian virus 40 sequences in malignant mesotheliomas and mesothelial cell proliferations. *J Cell Biochem* 76: 181-188.
- Shock, A; Laurent, GJ. (1990). LEUKOCYTES AND PULMONARY DISORDERS MOBILIZATION ACTIVATION AND ROLE IN PATHOLOGY. *Mol Aspects Med* 11: 425-526.
- Shoham, Z. (1994). Epidemiology, etiology, and fertility drugs in ovarian epithelial carcinoma: Where are we today? *Fertil Steril* 62: 433-448.
- Shore, BL; Daughaday, CC; Spilberg, I. (1983). Benign asbestos pleurisy in the rabbit. A model for the study of pathogenesis. *Am Rev Respir Dis* 128: 481-485.
- Short, SR; Petsonk, EL. (1993). Respiratory health risks among nonmetal miners [Review]. *Occup Med: State of the Art Rev* 8: 57-70.
- Shtol', AV; Plotko, EG; Seliankina, KP. (2000). [Children's health and environmental air pollution with dust containing asbestos]. *Med Tr Prom Ekol* 11: 10-13.
- Shubik, P. (1995). Chemical carcinogens and human cancer. *Cancer Lett* 93: 3-7.
- Shubik, P; Clayson, DB. (1976). APPLICATION OF THE RESULTS OF CARCINOGEN BIOASSAYS TO MAN (pp. GENEVA). (HEEP/79/00859). Shubik, P; Clayson, DB.
- Shubin, H. (1985). Asbestosis: inhalation disease of the lungs. *Pa Med* 88: 54, 56, 58.
- Shubin, H. (1986). Asbestosis: An Industrial Problem Psychosomatic and Medical Aspects. *Annals of the American Conference of Governmental Industrial Hygienists* 14: 435-440.
- Shugar, S. (1979). Effects of asbestos in the Canadian environment (pp. 1-185). (RISKLINE/1988110005). Shugar, S.
- Shukla, A; Barrett, TF; Macpherson, MB; Hilleagass, JM; Fukagawa, NK; Swain, WA; O'Byrne, KJ; Testa, J. R.; Pass, HI; Faux, SP; Mossman, BT. (2011). An extracellular signal-regulated kinase 2 survival pathway mediates resistance of human mesothelioma cells to asbestos-induced injury. *Am J Respir Cell Mol Biol* 45: 906-914. <http://dx.doi.org/10.1165/rcmb.2010-0282OC>.
- Shukla, A; Barrett, TF; Nakayama, KI; Nakayama, K; Mossman, BT; Lounsbury, KM. (2006). Transcriptional up-regulation of MMP12 and MMP13 by asbestos occurs via a PKCdelta-dependent pathway in murine lung. *FASEB J* 20: 997-999. <http://dx.doi.org/10.1096/fj.05-4554fje>.
- Shukla, A; Bosenberg, MW; Macpherson, MB; Butnor, KJ; Heintz, NH; Pass, HI; Carbone, M; Testa, J. R.; Mossman, BT. (2009). Activated cAMP response element binding protein is overexpressed in human mesotheliomas and inhibits apoptosis. *Am J Pathol* 175: 2197-2206. <http://dx.doi.org/10.2353/ajpath.2009.090400>.
- Shukla, A; Flanders, T; Lounsbury, K; Mossman, B. (2003). Asbestos exposure upregulates matrix metalloproteinases in epithelial cells and fibroblasts. *Free Radic Biol Med* 35: S74-S75.
- Shukla, A; Flanders, T; Lounsbury, KM; Mossman, BT. (2004). The gamma-glutamylcysteine synthetase and glutathione regulate asbestos-induced expression of activator protein-1 family members and activity. *Cancer Res* 64: 7780-7786. <http://dx.doi.org/10.1158/0008-5472.CAN-04-1365>.
- Shukla, A; Gulumian, M; Hei, TK; Kamp, D; Rahman, Q; Mossman, BT. (2003). Multiple roles of oxidants in the pathogenesis of asbestos-induced diseases [Review]. *Free Radic Biol Med* 34: 1117-1129. [http://dx.doi.org/10.1016/S0891-5849\(03\)00060-1](http://dx.doi.org/10.1016/S0891-5849(03)00060-1).
- Shukla, A; Jung, M; Stern, M; Fukagawa, NK; Taatjes, DJ; Sawyer, D; Van Houten, B; Mossman, BT. (2003). Asbestos induces mitochondrial DNA damage and dysfunction linked to the development of apoptosis. *Am J Physiol Lung Cell Mol Physiol* 285: L1018-L1025. <http://dx.doi.org/10.1152/ajplung.00038.2003>.
- Shukla, A; Lounsbury, KM; Barrett, TF; Gell, J; Rincon, M; Butnor, KJ; Taatjes, DJ; Davis, GS; Vacek, P; Nakayama, KI; Nakayama, K; Steele, C; Mossman, BT. (2007). Asbestos-induced peribronchiolar cell proliferation and cytokine production are attenuated in lungs of protein kinase C-delta knockout mice. *Am J Pathol* 170: 140-151. <http://dx.doi.org/10.2353/ajpath.2007.060381>.
- Shukla, A; Macpherson, MB; Hilleagass, J; Ramos-Nino, ME; Alexeeva, V; Vacek, PM; Bond, JP; Pass, HI; Steele, C; Mossman, BT. (2009). Alterations in gene expression in human mesothelial cells correlate with mineral pathogenicity. *Am J Respir Cell Mol Biol* 41: 114-123. <http://dx.doi.org/10.1165/rcmb.2008-0146OC>.
- Shukla, A; Miller, JM; Cason, C; Sayan, M; Macpherson, MB; Beuschel, SL; Hilleagass, J; Vacek, PM; Pass, HI; Mossman, BT. (2013). Extracellular signal-regulated kinase 5: a potential therapeutic target for malignant mesotheliomas. *Clin Cancer Res* 19: 2071-2083. <http://dx.doi.org/10.1158/1078-0432.CCR-12-3202>.
- Shukla, A; Munson, P; Thompson, JK; Dragon, J; Macpherson, MB; Peinado, H. (2016). Unique pleural vs peritoneal mesothelioma exosomal signature: does mesothelial cell susceptibility to asbestos matter. *Cancer Res* 76. <http://dx.doi.org/10.1158/1538-7445.AM2016-3892>.
- Shukla, A; Ramos-Nino, M; Mossman, B. (2003). Cell signaling and transcription factor activation by asbestos in lung injury and disease [Review]. *Int J Biochem Cell Biol* 35: 1198-1209.
- Shukla, A; Stern, M; Lounsbury, K; Flanders, T; Mossman, B. (2002). Asbestos-induced apoptosis in mouse lung epithelial cells is PKC delta-dependent. *Free Radic Biol Med* 33: S357-S358.
- Shukla, A; Stern, M; Lounsbury, KM; Flanders, T; Mossman, BT. (2003). Asbestos-induced apoptosis is protein kinase C delta-dependent. *Am J Respir Cell Mol Biol* 29: 198-205. <http://dx.doi.org/10.1165/rcmb.2002-0248OC>.
- Shukla, A; Vacek, P; Mossman, BT. (2004). Dose-Response Relationships in Expression of Biomarkers of Cell Proliferation in in vitro Assays and Inhalation Experiments. *Nonlinearity in Biology, Toxicology and Medicine* 2: 117-128. <http://dx.doi.org/10.1080/15401420490464420>.
- Shull, S; Burne, SL; Breen, E; Cutroneo, KR. (1993). MOLECULAR SIMILARITIES OF BLEOMYCIN AND ASBESTOS-INDUCED PULMONARY FIBROSIS. *Am Rev Respir Dis* 147: A945-A945.
- Shull, S; Manohar, M; Marsh, J; Mossman, B. (1990). ROLE OF IRON AND REACTIVE OXYGEN SPECIES IN ASBESTOS-INDUCED LUNG INJURY (pp. 22-27). (BIOSIS/90/18565). Shull, S; Manohar, M; Marsh, J; Mossman, B.

Human Health Hazard Literature Search Results

On Topic

- Shusterman, DJ; Dager, SR. (1991). Prevention of Psychological Disability after Occupational Respiratory Exposures. *Occup Med (Lond)* 6: State of the Art Reviews.
- Shvedova, AA; Yanamala, N; Kisin, ER; Tkach, AV; Murray, AR; Hubbs, A; Chirila, MM; Keohavong, P; Sycheva, LP; Kagan, VE; Castranova, V. (2014). Long-term effects of carbon containing engineered nanomaterials and asbestos in the lung: one year postexposure comparisons. *Am J Physiol Lung Cell Mol Physiol* 306: L170-L182. <http://dx.doi.org/10.1152/ajplung.00167.2013>.
- Si, S; Peters, S; Reid, A. (2017). Variations in mesothelioma mortality rates among migrants to Australia and Australian-born. 1-8. <http://dx.doi.org/10.1080/13557858.2017.1280138>.
- Sibille, M; Bosly, A; Deviller, B; Morel, P; Loire, R; Brune, J; Galy, P. (1974). MALIGNANT MESOTHELIOMAS OF THE PLEURA. *Lyon Med* 231.
- Sichen, W; Guoqi, Z. (2013). Retrospective analysis of the patients with peritoneal malignant mesothelioma in Cangzhou area. *J Gastroenterol Hepatol* 28: 876-876.
- Sichletidis, L; Chloros, D; Chatzidimitriou, N; Tsiotsios, I; Spyrtatos, D; Patakas, D. (2006). Diachronic study of pleural plaques in rural population with environmental exposure to asbestos. *Am J Ind Med* 49: 634-641. <http://dx.doi.org/10.1002/ajim.20334>.
- Sichletidis, L; Chloros, D; Spyrtatos, D; Haidich, AB; Fourkiotou, I; Kakoura, M; Patakas, D. (2009). Mortality from occupational exposure to relatively pure chrysotile: a 39-year study. *Respiration* 78: 63-68. <http://dx.doi.org/10.1159/000163443>.
- Sichletidis, L; Daskalopoulou, E; Chloros, D; Vlachogiannis, E; Vamvalis, C. (1992). Pleural plaques in a rural population in central Macedonia, Greece. *Med Lav* 83: 259-265.
- Sichletidis, L; Daskalopoulou, E; Tsarou, V; Pnevmatikos, I; Chloros, D; Vamvalis, C. (1992). Five cases of pleural mesothelioma with endemic pleural calcifications in a rural area in Greece. *Med Lav* 83: 326-329.
- Sichletidis, L; Spyrtatos, D; Chloros, D; Michailidis, K; Fourkiotou, I. (2009). Pleural plaques in dentists from occupational asbestos exposure: a report of three cases. *Am J Ind Med* 52: 926-930. <http://dx.doi.org/10.1002/ajim.20757>.
- Sider, L; Holland, EA; Davis, TM, Jr; Cugell, DW. (1987). Changes on radiographs of wives of workers exposed to asbestos. *Radiology* 164: 723-726. <http://dx.doi.org/10.1148/radiology.164.3.3615868>.
- Siefkin, AD; Parsons, GH; Hansen, MM; Hollinger, MA. (1980). ANGIOTENSIN CONVERTING ENZYME IN ACUTE LUNG INJURY (pp. 18-21). (HEEP/81/05508). Siefkin, AD; Parsons, GH; Hansen, MM; Hollinger, MA.
- Siemiatycki, J; Boffetta, P. (1998). Invited commentary: Is it possible to investigate the quantitative relation between asbestos and mesothelioma in a community-based study? [Comment]. *Am J Epidemiol* 148: 143-147.
- Siesling, S; Damste, HS; Burdorf, A. (2006). Environmental exposure to asbestos increases the risk of mesothelioma in women in the region Goor. *Eur J Epidemiol* 21: 73-73.
- Sigurdson, EE. (1982). Description And Comparison Of Two Population-Based Studies Of Duluth, Minnesota, As A Follow-Up Of Asbestos Exposure And Recommendations For Facilitating Similar Studies In The Future (pp. 463-471). (NIOSH/00146585). Sigurdson, EE.
- Sigurdson, EE. (1983). Observations of cancer incidence surveillance in Duluth, Minnesota. *Environ Health Perspect* 53: 61-67.
- Sigurdson, EE; Levy, BS; Mandel, J; Mchugh, R; Michienzi, LJ; Jagger, H; Pearson, J. (1981). Cancer morbidity investigations: lessons from the Duluth study of possible effects of asbestos in drinking water. *Environ Res* 25: 50-61.
- Silant'Ev, VV; Saripova, EP; Brodilo, LI. (1992). WORKING CONDITIONS AND MORBIDITY OF ASBESTOS INDUSTRY WORKERS. *Gig Sanit O*: 18-21.
- Silberschmid, M; Jeune, B; Andersen, MF. (1977). [Pleural plaques and exposure to asbestos. A 10-year series of 85 persons in a lung clinic]. *Ugeskr Laeger* 139: 2773-2776.
- Silberschmid, M; Sabroe, S; Lundorf, E. (1990). Chest Radiographs in Railroad Employees with Asbestos Exposure A 5 Year Follow-Up Using ILO 1980 Classification (pp. 23-26). (NIOSH/00198278). Silberschmid, M; Sabroe, S; Lundorf, E.
- Silson, JE. (1951). Dust Inhalation in Relation to Pulmonary Disease (pp. 24-28). (NIOSH/00042883). Silson, JE.
- Silver, SR; Daniels, RD; Taulbee, TD; Zaebst, DD; Kinnes, GM; Couch, JR; Kubale, TL; Yiin, JH; Schubauer-Berigan, MK; Chen, PH. (2004). Differences in mortality by radiation monitoring status in an expanded cohort of Portsmouth Naval Shipyard workers. *J Occup Environ Med* 46: 677-690. <http://dx.doi.org/10.1097/01.jom.0000128154.79025.2a>.
- Silverstein, MA; Welch, LS; Lemen, R. (2009). Developments in asbestos cancer risk assessment. *Am J Ind Med* 52: 850-858. <http://dx.doi.org/10.1002/ajim.20756>.
- Silvestri, S. (2009). Carcinogens exposure risk control: balance and strategies of action within the most emblematic industrial divisions. *Epidemiol Prev* 33: 37-42.
- Silvestri, S; Benvenuti, A. (2007). [Asbestos exposure circumstances and malignant mesothelioma casuistry of the Tuscan Registry: preliminary indications on the efficacy of dust control measures introduced during the Seventies]. *Epidemiol Prev* 31: 75-80.
- Silvestri, S; Seniori Costantini, A. (2003). [Asbestos risk: past and present exposure]. *G Ital Med Lav Ergon* 25: 398-401.
- Sim, JK; Oh, JY; Min, KH; Hur, GY; Shim, JJ; Kang, KH; Lee, SY. (2015). Malignant mesothelioma with fungating masses and multiple sites involvement. *Clinical Respiratory Journal*. <http://dx.doi.org/10.1111/crj.12383>.
- Simard, A; Vaclair, R; Feldstein, M; Bergeron, F; Morissette, N; Band, P. (1982). Sputum cytology and asbestos exposure: a preliminary report. *Recent Results Cancer Res* 82: 147-152.
- Simeonova, P; Flood, L; Luster, M. (1997). MOLECULAR REGULATION OF IL-6 BY ASBESTOS (pp. 4-7). (BIOSIS/98/08392). Simeonova, P; Flood, L; Luster, M.
- Simeonova, PP; Luster, MI. (1995). IRON AND REACTIVE OXYGEN SPECIES IN THE ASBESTOS-INDUCED TUMOR-NECROSIS-FACTOR-ALPHA RESPONSE FROM ALVEOLAR MACROPHAGES. *Am J Respir Cell Mol Biol* 12: 676-683. <http://dx.doi.org/10.1165/ajrcmb.12.6.7539275>.
- Simeonova, PP; Luster, MI. (1995). MECHANISMS OF ASBESTOS-INDUCED IL-8 RESPONSE (pp. 9-13). (ISSN 0892-6638 EISSN 1530-6860 BIOSIS/95/15491). Simeonova, PP; Luster, MI.

Human Health Hazard Literature Search Results

On Topic

- Simeonova, PP; Luster, MI. (1996). ASBESTOS INDUCTION OF INTERLEUKIN-6 IL-6 IN LUNG EPITHELIAL CELLS (pp. 2-6). (ISSN 0892-6638 EISSN 1530-6860 BIOSIS/96/22767). Simeonova, PP; Luster, MI.
- Simeonova, PP; Luster, MI. (1996). Asbestos induction of nuclear transcription factors and interleukin 8 gene regulation. *Am J Respir Cell Mol Biol* 15: 787-795. <http://dx.doi.org/10.1165/ajrcmb.15.6.8969274>.
- Simeonova, PP; Toriumi, W; Kommineni, C; Erkan, M; Munson, AE; Rom, WN; Luster, MI. (1997). Molecular regulation of IL-6 activation by asbestos in lung epithelial cells: role of reactive oxygen species. *J Immunol* 159: 3921-3928.
- Simkó, M; Dopp, E; Kriehuber, R. (1999). Absence of synergistic effects on micronucleus formation after exposure to electromagnetic fields and asbestos fibers in vitro. *Toxicol Lett* 108: 47-53.
- Simonato, L. (1982). Corrective Measures and Occupational Carcinogens. *Cancer Detect Prev* 5: 381-384.
- Simonato, L; Fletcher, AC; Andersen, A; Anderson, K; Becker, N; Chang-Claude, J; Ferro, G; Gérin, M; Gray, CN; Hansen, KS. (1991). A historical prospective study of European stainless steel, mild steel, and shipyard welders. *Br J Ind Med* 48: 145-154.
- Simonato, L; Saracci, R. (1986). A Review of the Available Epidemiologic Evidence on the Relationship between Exposure to Chrysotile Fibers and Cancers Other than Lung and Mesothelioma. *Accomplishments in Oncology* 1: 133-141.
- Simonsen, J. (1986). Pseudomesotheliomatous carcinoma of the lung with asbestos exposure. *Am J Forensic Med Pathol* 7: 49-51.
- Simpson, J; Roman, E; Law, G; Pannett, B. (1999). Women's occupation and cancer: preliminary analysis of cancer registrations in England and Wales, 1971-1990. *Am J Ind Med* 36: 172-185.
- Sincock, A; Seabright, M. (1975). INDUCTION OF CHROMOSOME CHANGES IN CHINESE HAMSTER CELLS BY EXPOSURE TO ASBESTOS FIBERS. *Nature LONDON*: 56-58.
- Sincock, A; Seabright, M. (1975). Induction of chromosome changes in Chinese hamster cells by exposure to asbestos fibres. *Nature* 257: 56-58.
- Sincock, AM. (1976). In vitro chromosomal effects of asbestos and other materials. 39.
- Sincock, AM. (1977). Preliminary studies of the in vitro cellular effects of asbestos and fine glass dusts.
- Sincock, AM; Delhanty, JDA; Casey, G. (1982). A comparison of the cytogenetic response to asbestos and glass fibre in Chinese hamster and human cell lines: demonstration of growth inhibition in primary human fibroblasts. *Mutat Res* 101: 257-268.
- Singal, M. (1987). Health Hazard Evaluation Report No. HETA-84-449-1778, Agrico Chemical Company, Pierce, Florida (pp. 84-449). (NIOSH/00169495). Singal, M.
- Singh, B; Eastwood, PR; Finucane, KE; Panizza, JA; Musk, AW. (1999). Effect of asbestos-related pleural fibrosis on excursion of the lower chest wall and diaphragm. *Am J Respir Crit Care Med* 160: 1507-1515. <http://dx.doi.org/10.1164/ajrccm.160.5.9806135>.
- Singh, B; J-P, T. (1984). Ambient air concentration of asbestos fibers, dust content and mortality: The case of asbestos, Quebec (Canada) (pp. 343-352). (HEEP/85/08023). Singh, B; Thouez J-P.
- Singh, J. (1988). Managing Carcinogens in the Work Environment. *Appl Ind Hyg* 3: 58-65.
- Singh, J; Beg, MU; Kaw, JL; Viswanathan, PN; Zaidi, SH. (1976). Biochemical changes and pulmonary response of guinea pigs to asbestos dust. *Acta Pharmacol Toxicol* 39: 77-86.
- Singh, J; Beg, MU; Viswanathan, PN; Zaidi, SH. (1975). Enzymatic changes in lung tissue of asbestotic guinea pigs. *Environ Physiol Biochem* 5: 267-272.
- Singh, J; Pandey, SD; Viswanathan, PN; Zaidi, SH. (1978). Pulmonary response of guineapigs to asbestos dust: changes in free & bound amino acids. *Indian J Exp Biol* 16: 208-211.
- Singh, R; Fazzaro, RD; Ayvazian, LH. (1979). REMOTE CHILDHOOD ODD JOB EXPOSURES ASSOCIATED WITH ADULT PULMONARY DISEASE (pp. 13-16). (HEEP/80/06860). Singh, R; Fazzaro, RD; Ayvazian, LH.
- Singh, SV; Rahman, Q. (1987). Interrelationship between hemolysis and lipid peroxidation of human erythrocytes induced by silicic acid and silicate dusts. *J Appl Toxicol* 7: 91-96.
- Singh, SV; Viswanathan, PN; Rahman, Q. (1983). Interaction Between Erythrocyte Plasma Membrane And Silicate Dusts. *Environ Health Perspect* 51: 55-60.
- Singhal, B; Kohli, S; Singhal, A; Kumar, V. (2014). Malignant pleural and peritoneal mesothelioma consequential to brief indirect asbestos exposure. 4: 35. <http://dx.doi.org/10.4103/2156-7514.135662>.
- Sinks, T; Goodman, MT; Kolonel, LN; Anderson, B. (1994). A case-control study of mesothelioma and employment in the Hawaii sugarcane industry. *Epidemiology* 5: 466-468.
- Sinninghe Damsté, HE; Siesling, S; Burdorf, A. (2007). Environmental exposure to asbestos in the area around Goor has been established as the cause of pleural mesothelioma in women. *Ned Tijdschr Geneesk* 151: 2453-2459.
- Sioris, T; Husgafvel-Pursiainen, K; Karjalainen, A; Anttila, S; Kannio, A; Salo, JA; Perhoniemi, V; Heikkilä, L; Vainio, H. (2000). Survival in operable non-small-cell lung cancer: role of p53 mutations, tobacco smoking and asbestos exposure. *Int J Cancer* 86: 590-594.
- Siracusa, A; Cicioni, C; Volpi, R; Canalicchi, P; Brugnami, G; Comodi, AR; Abbritti, G. (1984). Lung function among asbestos cement factory workers: cross-sectional and longitudinal study. *Am J Ind Med* 5: 315-325.
- Siracusa, A; Fiore, M; Scielzo, R; Canalicchi, P; Rossi, L; Frenquellucci, A; Calcagni, AM; Cicioni, C. (1983). Small airways disease after short term occupational asbestos exposure. *Med Lav* 74: 13-22.
- Siracusa, A; Forcina, A; Volpi, R. (1987). AN 11-YEAR FOLLOW-UP OF LUNG-FUNCTION AMONG POLYVINYL-CHLORIDE, CEMENT AND ASBESTOS-CEMENT FACTORY-WORKERS. *Scand J Work Environ Health* 13: 172-172.
- Siracusa, A; Forcina, A; Volpi, R; Mollicella, E; Cicioni, C; Fiordi, T. (1988). An 11-year longitudinal study of the occupational dust exposure and lung function of polyvinyl chloride, cement and asbestos cement factory workers. *Scand J Work Environ Health* 14: 181-188.
- Sirois, P. (1985). CELL-DERIVED MEDIATORS IN RELATION TO ASBESTOS-RELATED TISSUE INJURY AND FIBROGENESIS (pp. NEW YORK). (BIOSIS/86/22550). Sirois, P.

Human Health Hazard Literature Search Results

On Topic

- Sirois, P; Cadieux, A; Rola-Pleszczynski, M; Bégin, R. (1982). Perifused alveolar macrophages. A technique to study the effects of toxicants on prostaglandin release. *Experientia* 38: 1125-1127.
- Sirois, P; Drapeau, G; Bégin, R. (1983). Biochemical components of bronchoalveolar lavage in early experimental asbestosis of the sheep: phospholipase A2 activity, prostaglandin E2 and proteins. *Environ Health Perspect* 51: 293-298.
- Sirois, P; Lacroix, MJ; Forget, G. (1982). SEQUENTIAL MONITORING OF PROSTAGLANDINS-E RELEASED BY ADHERENT ALVEOLAR MACROPHAGES AFTER ASBESTOS CHALLENGE. *Immunobiology* 163: 420-420.
- Sirois, P; Rola-Pleszczynski, M; Bégin, R. (1980). Phospholipase A activity and prostaglandin release from alveolar macrophages exposed to asbestos. 5: 31-37.
- Sirois, P; Saura, C; Cloutier, S; Rola-Pleszczynski, M. (1986). Role of icosanoids in alveolar macrophage phagocytosis and aggregation. *Prostag Leukotr Med* 23: 185-190.
- Sison, RF; Hruban, RH; Moore, GW; Kuhlman, JE; Wheeler, PS; Hutchins, GM. (1989). Pulmonary disease associated with pleural "asbestos" plaques. *Chest* 95: 831-835.
- Sison, RF; Hruban, RH; Moore, GW; Wheeler, PS; Hutchins, GM. (1988). PULMONARY DISEASE ASSOCIATED WITH PLEURAL ASBESTOS PLAQUES (pp. A86-A86). (ISSN 0893-3952 EISSN 1530-0285 BIOSIS/88/14519). Sison, RF; Hruban, RH; Moore, GW; Wheeler, PS; Hutchins, GM.
- Sjödahl, K; Jansson, C; Bergdahl, IA; Adami, J; Boffetta, P; Lagergren, J. (2007). Airborne exposures and risk of gastric cancer: a prospective cohort study. *Int J Cancer* 120: 2013-2018. <http://dx.doi.org/10.1002/ijc.22566>.
- Sjögren, B. (1997). Occupational exposure to dust: Inflammation and ischemic heart disease [Review]. *Occup Environ Med* 54: 466-469. <http://dx.doi.org/10.1136/oem.54.7.466>.
- Sjögren, B; Hansen, KS; Kjuus, H; Persson, PG. (1994). Exposure to stainless steel welding fumes and lung cancer: a meta-analysis. *Occup Environ Med* 51: 335-336.
- Sjogren, B; Hogstedt, C; Malker, H. (1982). CHROMIUM AND ASBESTOS AS 2 PROBABLE RISK-FACTORS IN LUNG-CANCER AMONG WELDERS. *J Occup Environ Med* 24: 874-875.
- Sjostrand, M; Rylander, R. (1984). LYSOSOMAL ENZYMES IN LUNG LAVAGE FLUID AFTER SILICA AND ASBESTOS INHALATION (pp. 20-23). (HEEP/85/02199). Sjostrand, M; Rylander, R.
- Sjostrand, M; Rylander, R. (1985). LYSOSOMAL ENZYME AND FIBROBLAST STIMULATION ACTIVITY OF LUNG LAVAGE FLUID FROM GUINEA-PIGS EXPOSED TO ASBESTOS OR SILICA DUST (pp. 12-15). (BIOSIS/85/17195). Sjostrand, M; Rylander, R.
- Sjöstrand, M; Rylander, R; Bergström, R. (1989). Lung cell reactions in guinea pigs after inhalation of asbestos (amosite). *Toxicology* 57: 1-14.
- Skammeritz, E; Omland, LH; Johansen, JP; Omland, O. (2011). Asbestos exposure and survival in malignant mesothelioma: a description of 122 consecutive cases at an occupational clinic. *Int J Occup Environ Med* 2: 224-236.
- Skaug, V; Haugen, A. (1989). CYTOTOXICITY OF ASBESTOS AND CALCIUM SILICATES TO VARIOUS LUNG EPITHELIAL CELL TYPES IN-VITRO (pp. SECAUCUS). (BIOSIS/90/02002). Skaug, V; Haugen, A.
- Skaug, V; Mowé, G; Skogstad, A. (1989). [Health damage caused by asbestos and other mineral fibers]. *Tidsskr Nor Laegeforen* 109: 1786-1789.
- Skervfving, S; Korsgaard, R; Stiksa, G; Simonsson, BG. (1980). AHH INDUCIBILITY IN SWEDISH WORKERS EXPOSED TO ASBESTOS. 8: 532-533.
- Skervfving, S; Korsgaard, R; Stiksa, G; Simonsson, BG. (1980). ARLY HYDRO CARBON HYDROXYLASE INDUCIBILITY IN SWEDISH WORKERS EXPOSED TO ASBESTOS (pp. 532-533). (HEEP/81/05566). Skervfving, S; Korsgaard, R; Stiksa, G; Simonsson, BG.
- Skomarokhin, AF; Kogan, FM; Katsnel'son, BA; Saitov, VA. (1986). [Current status of the problem of the potential health hazard of artificial mineral fiber dust]. *Gig Tr Prof Zabol* 1-7.
- Skov, T; Mikkelsen, S; Svane, O; Lyng, E. (1990). Reporting of occupational cancer in Denmark. *Scand J Work Environ Health* 16: 401-405.
- Skvaril, F; Polakova, K; Polak, H. (1957). [Adsorption of leukocytes on asbestos-cellulose layers]. *Cesk Pediatr* 12: 296-299.
- Slåstad, S; Leira, HL; Aas, O; Amundsen, T; Sørhaug, S; Sundstrøm, S; Grønberg, BH; Hilt, B. (2014). [Occupational lung cancer in Sør-Trøndelag county]. *Tidsskr Nor Laegeforen* 134: 1943-1947. <http://dx.doi.org/10.4045/tidsskr.13.0900>.
- Sleggs, CA. (1970). Mesothelioma, Including Peripheral Lung Malignancy and Tuberculosis in the North West Cape (pp. 225-232). (NIOSH/00177273). Sleggs, CA.
- Sluis-Cremer, GK. (1993). ATTITUDES AND OPINIONS REGARDING ASBESTOS AND CANCER, 1934-1965. *Am J Ind Med* 23: 511-511.
- Sluis-Cremer, GK. (1965). Asbestosis in South Africa-Certain Geographical and Environmental Considerations (pp. 215-234). (NIOSH/00127504). Sluis-Cremer, GK.
- Sluis-Cremer, GK. (1970). Asbestosis in South African asbestos miners. *Environ Res* 3: 310-319.
- Sluis-Cremer, GK. (1972). Pneumoconiosis in South Africa. *S Afr Med J* 46: 322-324.
- Sluis-Cremer, GK. (1978). A Review of the Literature on Dose-Response Relationships for Non-Malignant Asbestos-Related Diseases (pp. 3-7). (NIOSH/00172126). Sluis-Cremer, GK.
- Sluis-Cremer, GK. (1979). Periodic examination of asbestos and coal miners. *Ann N Y Acad Sci* 330: 541-543.
- Sluis-Cremer, GK. (1980). The Relationship Between Asbestosis And Bronchial Cancer. *Chest* 78: 380-381.
- Sluis-Cremer, GK. (1991). Asbestos disease at low exposure after long residence time in amphibole miners. *Toxicol Ind Health* 7: 89-95.
- Sluis-Cremer, GK; Bezuidenhout, BN. (1989). Relation between asbestosis and bronchial cancer in amphibole asbestos miners. *Br J Ind Med* 46: 537-540.
- Sluis-Cremer, GK; Du Toit R, SJ. (1974). AMOSITE AND CROCIDOLITE MINING AND MILLING AS CAUSES OF ASBESTOSIS (pp. LYON). (HEEP/75/04225). Sluis-Cremer, GK; Du Toit R, SJ.
- Sluis-Cremer, GK; Hessel, PA; Hnizdo, E. (1989). Factors influencing the reading of small irregular opacities in a radiological survey of asbestos miners in South Africa. *Arch Environ Health* 44: 237-243. <http://dx.doi.org/10.1080/00039896.1989.9935889>.

Human Health Hazard Literature Search Results

On Topic

- Sluis-Cremer, GK; Hnizdo, E; du Toit, RS. (1990). Evidence for an amphibole asbestos threshold exposure for asbestosis assessed by autopsy in South African asbestos miners. *Ann Occup Hyg* 34: 443-451.
- Sluis-Cremer, GK; Liddell, FD; Logan, WP; Bezuidenhout, BN. (1992). The mortality of amphibole miners in South Africa, 1946-80. *Br J Ind Med* 49: 566-575.
- Sluis-Cremer, GK; Thomas, RG; Wright, VM. (1984). 131I macro-aggregated albumin perfusion scanning and chest radiography in asbestos exposure. *S Afr Med J* 66: 334-336.
- Sluis-Cremer, GK; Webster, I. (1972). Acute pleurisy in asbestos exposed persons. *Environ Res* 5: 380-392.
- Smailyte, G; Kurtinaitis, J; Andersen, A. (2004). Cancer mortality and morbidity among Lithuanian asbestos-cement producing workers. *Scand J Work Environ Health* 30: 64-70.
- Smailyte, G; Kurtinaitis, J; Andersen, A. (2004). Mortality and cancer incidence among Lithuanian cement producing workers. *Occup Environ Med* 61: 529-534.
- Smargiassi, A; Pasciuto, G; Pedicelli, I; Lo Greco, E; Calvello, M; Inchingolo, R; Schifino, G; Capoluongo, P; Patriciello, P; Manno, M; Cirillo, A; Corbo, GM; Soldati, G; Iavicoli, I. (2017). Chest ultrasonography in health surveillance of asbestos-related lung diseases. *Toxicol Ind Health* 748233716686916. <http://dx.doi.org/10.1177/0748233716686916>.
- Smart, J. (1972). Some stepping stones in the history of chest medicine. *Br J Dis Chest* 66: 207-221.
- Smartt, AM; Brezinski, M; Trapkus, M; Gardner, D; Putnam, EA. (2010). Collagen accumulation over time in the murine lung after exposure to crocidolite asbestos or Libby amphibole. *Environ Toxicol* 25: 68-76. <http://dx.doi.org/10.1002/tox.20472>.
- Smith, AH. (1990). ASBESTOS AND KIDNEY CANCER. *Am J Ind Med* 17: 649-650.
- Smith, AH; Handley, MA; Wood, R. (1990). EPIDEMIOLOGIC EVIDENCE INDICATES ASBESTOS CAUSES LARYNGEAL-CANCER. *J Occup Environ Med* 32: 499-507.
- Smith, AH; Handley, MA; Wood, R. (1990). Epidemiological evidence indicates asbestos causes laryngeal cancer. *J Occup Med* 32: 499-507.
- Smith, AH; Shearn, VI; Wood, R. (1989). Asbestos and kidney cancer: the evidence supports a causal association [Review]. *Am J Ind Med* 16: 159-166.
- Smith, AH; Wright, CC. (1996). Chrysotile asbestos is the main cause of pleural mesothelioma [Review]. *Am J Ind Med* 30: 252-266. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199609\)30:3<252::AID-AJIM2>3.0.CO;2-0](http://dx.doi.org/10.1002/(SICI)1097-0274(199609)30:3<252::AID-AJIM2>3.0.CO;2-0).
- Smith, BA; Davis, JM. (1971). The association of phagocytosed asbestos dust with lysosome enzymes. *J Pathol* 105: 153-157. <http://dx.doi.org/10.1002/path.1711050302>.
- Smith, C; Kelsey, K; Wiencke, J; Leyden, K; Levin, S; Christiani, D. (1994). Inherited glutathione-S-transferase deficiency is a risk factor for pulmonary asbestosis. *Cancer Epidemiol Biomarkers Prev* 3: 471-477.
- Smith, CM; Abraham, J. (1986). RAT LUNG RESPONSE TO INCREMENTAL INCREASES IN DURATION OF CHRYSOTILE ASBESTOS INHALATIONAL EXPOSURE (pp. 22-26). (ISSN 0012-3692 EISSN 1931-3543 BIOSIS/87/02052). Smith, CM; Abraham, J.
- Smith, CM; Abraham, J. (1987). RAT LUNG RESPONSE AND FIBER BURDEN WITH INCREMENTAL INCREASES IN CHRYSOTILE ASBESTOS EXPOSURE BY INHALATION (pp. 15-18). (ISSN 0012-3692 EISSN 1931-3543 BIOSIS/87/21419). Smith, CM; Abraham, J.
- Smith, CM; Abraham, JL. (1987). ACUTE AND CHRONIC CHRYSOTILE ASBESTOS FIBER CONCENTRATION AND DIMENSIONS IN FISCHER-344 RATS AFTER INCREMENTAL INCREASES IN INHALATION EXPOSURE DURATION (pp. 10-13). (BIOSIS/87/23844). Smith, CM; Abraham, JL.
- Smith, CM; Abraham, JL; Burnett, BR. (1984). PATHOLOGY AND MINERALOGY IN EARLY ASBESTOS EXPOSURE IN RATS (pp. 20-23). (HEEP/85/01076). Smith, CM; Abraham, JL; Burnett, BR.
- Smith, CM; Abraham, JL; Phalen, R; Catanzaro, A; Moser, K. (1983). INFLAMMATORY CELL RESPONSE AND HISTOPATHOLOGY OF RAT LUNGS EARLY IN ASBESTOS EXPOSURE. *Chest* 84: 324-324.
- Smith, CM; Batcher, S; Catanzaro, A; Abraham, JL; Phalen, R. (1987). Sequence of bronchoalveolar lavage and histopathologic findings in rat lungs early in inhalation asbestos exposure. *J Toxicol Environ Health* 20: 147-161. <http://dx.doi.org/10.1080/15287398709530968>.
- Smith, CM; Bowen-Pidgeon, D; Abraham, J. (1988). ACUTE INFLAMMATORY CHANGES AFTER SEQUENTIAL INCREASES IN ASBESTOS INHALATION DOES NOT CORRELATE WITH THE DEVELOPMENT OF ASBESTOSIS (pp. 8-11). (BIOSIS/88/23581). Smith, CM; Bowen-Pidgeon, D; Abraham, J.
- Smith, CM; Christiani, DC; Kelsey, KT. (1994). A Possible Role for Glutathione Transferase Mu in Susceptibility to Asbestos Related Pulmonary Disease (pp. 23-25). (NIOSH/00223822). Smith, CM; Christiani, DC; Kelsey, KT.
- Smith, D; Agostoni, PF; Butler, J. (1986). GAS TRANSPORT ABNORMALITIES IN ASBESTOS WORKERS (pp. 11-14). (ISSN 0003-0805 BIOSIS/86/28424). Smith, D; Agostoni, PF; Butler, J.
- Smith, D; Agostoni, PG; Butler, J. (1987). THE DISCRIMINATORY VALUE OF GAS-TRANSPORT ABNORMALITIES FOR ASBESTOSIS IN ASBESTOS WORKERS. *Chest* 91: 305-305.
- Smith, DD. (1990). WHAT IS ASBESTOSIS? *Chest* 98: 963-964.
- Smith, DD; Agostoni, PG. (1989). The discriminatory value of the P(A-a)O₂ during exercise in the detection of asbestosis in asbestos exposed workers. *Chest* 95: 52-55.
- Smith, DD; Mohamed, MK. (1986). THE ESTIMATED VERSUS THE MEASURED OXYGEN-CONSUMPTION BY TREADMILL TESTING IN A GROUP OF IMPAIRED ASBESTOS WORKERS. *Am Rev Respir Dis* 133: A360-A360.
- Smith, DM; Ortiz, LW; Archuleta, RF; Johnson, NF. (1987). Long-term health effects in hamsters and rats exposed chronically to man-made vitreous fibres. *Ann Occup Hyg* 31: 731-754.
- Smith, DR; Leggat, PA. (2006). 24 years of pneumoconiosis mortality surveillance in Australia. *J Occup Health* 48: 309-313.

Human Health Hazard Literature Search Results

On Topic

- Smith, J; Hoffman, P; Kramer, A; Shah, A; Kirkpatrick, MB. (1990). SMOKING STATUS CARBOXYHEMOGLOBIN LEVELS AND REPRODUCIBILITY OF FLOW-VOLUME LOOPS IN ASBESTOS LITIGANTS (pp. 17-19). (BIOSIS/90/10826). Smith, J; Hoffman, P; Kramer, A; Shah, A; Kirkpatrick, MB.
- Smith, JP; Stone, RW. (1982). Occupational Pulmonary Disorders (pp. 401-428). (NIOSH/00179133). German federal Ministry of Labour and Social Affairs (Bundesministerium für Arbeit und Sozialordnung).
- Smith, JT; Schneider, AD; Katchko, KM; Yun, C; Hsu, EL. (2017). Environmental Factors Impacting Bone-Relevant Chemokines. *Front Endocrinol (Lausanne)* 8: 22. <http://dx.doi.org/10.3389/fendo.2017.00022>.
- Smith, KA; Sykes, LJ; McGavin, CR. (2003). Diffuse pleural fibrosis--an unreliable indicator of heavy asbestos exposure? *Scand J Work Environ Health* 29: 60-63.
- Smith, KR; Aust, AE. (1997). Mobilization of iron from urban particulates leads to generation of reactive oxygen species in vitro and induction of ferritin synthesis in human lung epithelial cells. *Chem Res Toxicol* 10: 828-834. <http://dx.doi.org/10.1021/tx960164m>.
- Smith, KW. (1955). Pulmonary disability in asbestos workers. *AMA Arch Ind Health* 12: 198-203.
- Smith, KW. (1965). Trends in the health of the asbestos worker. *Ann N Y Acad Sci* 132: 685-690.
- Smith, MM. (1971). CLINICAL, RADIOLOGICAL AND PHYSIOLOGICAL ASSESSMENT OF ASBESTOS AND TALC WORKERS. *Med J Aust* 2: 1146-&.
- Smith, RW. (1973). Minerals Research Progress Report No. 2. (NIOSH/00180431). Smith, RW.
- Smith, RW; Choi, I. (1900). The Behaviour in Aqueous Solutions of Transition Metals Associated with Asbestos Minerals and Its Implication in Tumour Initiation in the Lung (pp. 27-36). (NIOSH/00191480). Smith, RW; Choi, I.
- Smith, RW; Choi, I. (1984). The behavior in aqueous solutions of transition metals associated with asbestos minerals and its implication in tumor initiation in the lung (pp. 27-36). (HEEP/85/00405). Smith, RW; Choi, I.
- Smith, WE. (1900). Mesothelioma In Relation To Asbestos, Terminal Progress Report (pp. 00226-00204). (NIOSH/00134964). Smith, WE.
- Smith, WE. (1973). Asbestos, talc and nitrites in relation to gastric cancer. *Am Ind Hyg Assoc J* 34: 227-228. <http://dx.doi.org/10.1080/0002889738506838>.
- Smith, WE; Cutler, EL; Melcher, L. (1982). GROWTH OF PULMONARY TISSUE EXPOSED TO DIFFERENT PREPARATIONS OF ASBESTOS (pp. 15-23). (HEEP/83/00854). Smith, WE; Cutler, EL; Melcher, L.
- Smith, WE; Holiat, SM; Cutler, EL; Hubert, DD; Davis, S; Sobel, HJ. (1981). RESPONSE OF ASBESTOS-INDUCED CARCINOMAS TO PCNU IN BALB-C MICE. *Proc Am Assoc Cancer Res* 22: 222-222.
- Smith, WE; Holiat, SM; Hubert, DD; Sobel, HJ; Davis, S. (1980). CHEMOTHERAPEUTIC TRIALS WITH AN ASBESTOS-INDUCED MESOTHELIOMA IN HAMSTERS. *Proc Am Assoc Cancer Res* 21: 258-258.
- Smith, WE; Hubert, DD; Holiat, SM; Sobel, HJ; Davis, S. (1981). An experimental model for treatment of mesothelioma. *Cancer* 47: 658-663.
- Smith, WE; Hubert, DD; Sobel, HJ. (1980). Dimensions of fibres in relation to biological activity. In JC Wagner; W Davis (Eds.), *IARC Sci Publ* (pp. 357-360). Lyon, France: World Health Organization.
- Smith, WE; Hubert, DD; Sobel, HJ; Marquet, E. (1979). Biologic Test of Tremolite in Hamsters. *Cancer Lett* 6: 183-192.
- Smith, WE; Hubert, DD; Sobel, HJ; Peters, ET; Doerfler, TE. (1980). Health of experimental animals drinking water with and without amosite asbestos and other mineral particles. *J Environ Pathol Toxicol* 3: 277-300.
- Smith, WE; Hubert, DD; Yazdi, E; Holiat, SM; Bissell, EC; Watts, LM; Baylouny, RA; Sobel, HJ. (2005). Complete remissions in chemotherapy of lung cancer models induced in mice by asbestos. *Mt Sinai J Med* 72: 23-32.
- Smith, WE; Miller, L; Churg, J; Selikoff, IJ. (1965). MESOTHELIOMAS IN HAMSTERS FOLLOWING INTRAPLEURAL INJECTION OF ASBESTOS. *J Mt Sinai Hosp NY* 32: 1-8.
- Smith, WHR; Davies, D. (1980). NON-MALIGNANT PLEURAL DISEASE AND ASBESTOS. *Br J Dis Chest* 74: 418-418.
- Smither, WJ. (1965). Secular changes in asbestosis in an asbestos factory. *Ann N Y Acad Sci* 132: 166-181.
- Smither, WJ. (1970). Asbestos and asbestosis. *Ann Occup Hyg* 13: 3-5.
- Smither, WJ. (1970). Some Observations on Asbestosis in a Factory Population (pp. 155-157). (NIOSH/00177501). Smither, WJ.
- Smither, WJ. (1974). Asbestos in the workplace and the community. *Environ Health Perspect* 9: 327-329.
- Smither, WJ. (1979). SURVEILLANCE OF HIGH RISK GROUPS A SURVEY OF ASBESTOS WORKERS THE PRESENT POSITION IN THE UK (pp. NEW YORK). (HEEP/81/07872). Smither, WJ.
- Smither, WJ. (1979). Surveillance of high-risk groups--a survey of asbestos workers: the present position in the United Kingdom. *Ann N Y Acad Sci* 330: 525-532.
- Smither, WJ; Lewinsohn, HC. (1973). Asbestosis in textile manufacturing.
- Smither, WJ; Lewinsohn, HC. (1974). ASBESTOSIS IN TEXTILE MANUFACTURING (pp. LYON). (HEEP/75/04227). Smither, WJ; Lewinsohn, HC.
- Smolková, P; Nakládlová, M; Zapletalová, J; Jakubec, P; Vildová, H; Kolek, V; Petřek, M; Nakládál, Z. (2016). Validity of mesothelin in occupational medicine practice. *Int J Occup Med Environ Health* 29: 395-404. <http://dx.doi.org/10.13075/ijomeh.1896.00637>.
- Smyth, NPD; Goodman, NG; Basu, AP; Keshishian, JM. (1971). Pulmonary Asbestosis. *Chest* 60: 270-273.
- Snashall, DC. (1984). The Construction Industry (pp. 29-43). (NIOSH/00172107). Snashall, DC.
- Sneddon, S; Leon, JS; Dick, IM; Cadby, G; Olsen, N; Brims, F; Allcock, RJ; Moses, EK; Melton, PE; de Klerk, N; Musk, AW; Robinson, BW; Creaney, J. (2015). Absence of germline mutations in BAP1 in sporadic cases of malignant mesothelioma. *Gene* 563: 103-105. <http://dx.doi.org/10.1016/j.gene.2015.03.031>.
- Snider, GL. (1986). INTERSTITIAL PULMONARY FIBROSIS. (BIOSIS/86/28264). Snider, GL.
- Snodgrass, DR; Mclemore, TL; Teague, RB; Wray, NP; Busbee, DL. (1981). Aryl hydrocarbon hydroxylase activity in pulmonary macrophages and blood lymphocytes: Asbestos-exposed cigarette smokers with and without lung cancer. *Chest* 80: 425-445.

Human Health Hazard Literature Search Results

On Topic

- Snyder-Talkington, BN; Dong, C; Porter, DW; Ducatman, B; Wolfarth, MG; Andrew, M; Battelli, L; Raese, R; Castranova, V; Guo, NL; Qian, Y. (2016). Multiwalled carbon nanotube-induced pulmonary inflammatory and fibrotic responses and genomic changes following aspiration exposure in mice: A 1-year postexposure study. *J Toxicol Environ Health A* 79: 352-366. <http://dx.doi.org/10.1080/15287394.2016.1159635>.
- S-O, M; Rivedal, E; Sanner, T. (1986). MORPHOLOGICAL TRANSFORMATION OF SYRIAN HAMSTER EMBRYO CELLS INDUCED BY ASBESTOS AND GLASS FIBERS (pp. BASEL). (BIOSIS/87/05189). Mikalsen S-O; Rivedal, E; Sanner, T.
- S-O, M; Rivedal, E; Sanner, T. (1987). COMPARISON OF THE ABILITY OF GLASS FIBERS AND ASBESTOS TO INDUCE MORPHOLOGICAL TRANSFORMATION OF SYRIAN HAMSTER EMBRYO CELLS (pp. 1778-1779). (BIOSIS/88/14932). Mikalsen S-O; Rivedal, E; Sanner, T.
- Sobh, MA. (1996). Environmental pollution is increasing the incidence of chronic renal failure. *Journal of Toxicology - Toxin Reviews* 15: 199-205.
- Sobocińska, M; Sobociński, B; Jarzemska, A; Serafin, Z. (2014). Rounded atelectasis of the lung: A pictorial review [Review]. *Polish Journal of Radiology* 79: 203-209. <http://dx.doi.org/10.12659/PJR.889983>.
- Soda, K; Nakahama, C; Soejima, R; Manabe, T; Matsushima, T. (1981). A possible case of necrotizing sarcoid-like granulomatosis (pp. 581-585). (HEEP/82/12993). Soda, K; Nakahama, C; Soejima, R; Manabe, T; Matsushima, T.
- Soeberg, MJ; Leigh, J; Driscoll, T; Armstrong, B; Young, JM; van Zandwijk, N. (2016). Incidence and survival trends for malignant pleural and peritoneal mesothelioma, Australia, 1982-2009. *Occup Environ Med* 73: 187-194. <http://dx.doi.org/10.1136/oemed-2015-103309>.
- Soeberg, MJ; Leigh, J; van Zandwijk, N. (2016). Malignant mesothelioma in Australia 2015: Current incidence and asbestos exposure trends. *J Toxicol Environ Health B Crit Rev* 19: 173-189. <http://dx.doi.org/10.1080/10937404.2016.1194254>.
- Soeberg, MJ; Luong, MA; Tran, VT; Tran, AT; Nguyen, TT; Bui, D; Nguyen, TH; Takahashi, K; van Zandwijk, N. (2016). Estimating the incidence of malignant mesothelioma in Vietnam: a pilot descriptive cancer registration study. *Int J Occup Environ Health* 22: 167-172. <http://dx.doi.org/10.1080/10773525.2016.1151604>.
- Soffritti, M; Patelli, M; Degli Esposti, D; Lambertini, L; Fornelli, A; Belpoggi, F. (2007). Pleural mesothelioma in a goldsmith exposed to asbestos. *Eur J Oncol* 12: 41-46.
- Sogomonian, GR. (1985). [Clinico-functional characteristics of the bronchopulmonary system in workers exposed to low levels (MPEL) of asbestos-containing dust]. *Gig Tr Prof Zabol* 0: 20-22.
- Sohn, EJ; Won, G; Lee, J; Yoon, SW; Lee, I; Kim, HJ; Kim, SH. (2016). Blockage of epithelial to mesenchymal transition and upregulation of let 7b are critically involved in ursolic acid induced apoptosis in malignant mesothelioma cell. *Int J Biol Sci* 12: 1279-1288. <http://dx.doi.org/10.7150/ijbs.13453>.
- Sokas, RK. (1998). Nonoccupational exposure to chrysotile asbestos and the risk of lung cancer [Letter]. *N Engl J Med* 339: 1000.
- Sokolov, VA; Repnitskaya, ZD. (1971). Three cases of Hamman-Rich syndrome. *Vestn Rentgenol Radiol* 46: 95-96.
- Soldan, K; Pooley, FD; Hansen, J; Andersen, A; Chang-Claude, J; Ferro, G; Ohgaki, H; Skov, BG; Cherrie, JW; Saracci, R; Boffetta, P. (2006). Lung fibre burden in lung cancer cases employed in the rock and slag wool industry. *Ann Occup Hyg* 50: 241-248. <http://dx.doi.org/10.1093/annhyg/mei064>.
- Soldatova, NG; Pylev, LN; Vasil'eva, LA; Bodiakshina, EV. (1985). [Changes in rat pleural mesothelium as affected by intrapleural administration of asbestos]. *Eksp Onkol* 7: 32-35.
- Solet, D; Zoloth, SR; Sullivan, C; Jewett, J; Michaels, DM. (1989). Patterns of mortality in pulp and paper workers. *J Occup Med* 31: 627-630.
- Solheim, O; Finnanger, AM; Stenwig, AE; Børmer, OP. (1988). [Treatment of diffuse malignant mesothelioma of the pleura]. *Tidsskr Nor Laegeforen* 108: 3091-3093.
- Solheim, OP; Mathisen, O. (1971). [Mesothelioma and asbestos]. *Nord Hyg Tidsskr* 52: 53-59.
- Solliday, N; Smith, A; Gaensler, E. (1973). OBJECTIVE ASSESSMENT OF FINGER CLUBBING IN ASBESTOSIS. *Clin Res* 21.
- Solomon, A. (1970). Radiological features of diffuse mesothelioma. *Environ Res* 3: 330-338.
- Solomon, A. (1970). Radiology of asbestosis. *Environ Res* 3: 320-329.
- Solomon, A. (1981). The radiology of asbestos-related diseases with special reference to diffuse mesothelioma. *Semin Oncol* 8: 290-301.
- Solomon, A. (1987). The Radiology of Asbestosis and Related Neoplasms (pp. 239-263). (NIOSH/00178744). Solomon, A.
- Solomon, A. (1989). COMPUTERIZED TOMOGRAPHIC IDENTIFICATION OF VISCERAL PLEURAL CHANGES OTHER THAN IN INTERLOBAR LUNG FISSURES. *Am J Ind Med* 15: 557-564.
- Solomon, A. (1991). Radiological features of asbestos-related visceral pleural changes [Review]. *Am J Ind Med* 19: 339-355.
- Solomon, A; Goldstein, B; Webster, I; Sluis-Cremer, GK. (1971). Massive Fibrosis in Asbestosis. *Environ Res* 4: 430-439.
- Solomon, A; Irwig, LM; Sluis-Cremer, GK; Thomas, RG; Du Toit, RS. (1979). Thickening of pulmonary interlobar fissures: exposure-response relationship in crocidolite and amosite miners. *Br J Ind Med* 36: 195-198.
- Solomon, A; Rubin, AH; Bar-Ziv, J; Carel, R. (1991). Inflammation of the visceral pleura, a nonspecific asbestos-related pleural reaction: chest radiograph and computed tomograph correlation. *Am J Ind Med* 20: 49-55.
- Solomon, A; Sluis-Cremer, GK; Goldstein, B. (1979). Visceral pleural plaque formation in asbestosis. *Environ Res* 19: 258-264.
- Solomon, A; Sluis-Cremer, GK; Thomas, RG; Wright, VM. (1984). Calcified plaques on mediastinal pleural reflections associated with asbestos dust exposure: four case reports. *Am J Ind Med* 6: 53-57.
- Solomon, A; Webster, I. (1976). The visceral pleura in asbestosis. *Environ Res* 11: 128-134.
- Solomon, SJ; Fischbein, A; Sharma, OK; Borek, E. (1985). Modified nucleosides in asbestos workers at high risk of malignant disease: results of a preliminary study applying discriminant analysis. *Br J Ind Med* 42: 560-562.
- Solomons, K. (1984). Malignant mesothelioma--clinical and epidemiological features. A report of 80 cases. *S Afr Med J* 66: 407-412.
- Somenzi, V; Lattarini, M. (2007). [Exposure to asbestos dust in agricultural environment. Some significant exposure forms documented by the Hospital Unit of Occupational Medicine of Hospital Institute of Cremona]. *G Ital Med Lav Ergon* 29: 349-350.

Human Health Hazard Literature Search Results

On Topic

- Sommers, SC; Rosen, PP. (1978). Pathology Annual, Vol. 13. Part 1, 1978. (HEEP/79/05814). Sommers, SC; Rosen, PP.
- Somov, BA; Ivanova, LA; Yatsyna, IV. (1994). [Clinical, immunologic and cytochemical parameters in workers of asbestos-concrete industry]. Gig Sanit10-11.
- Somov, BA; Ivanova, LA; Yatsyna, IV. (1994). CLINICAL IMMUNOLOGICAL AND CYTOLOGICAL INDICES IN WORKERS OF ASBESTOS CEMENT PRODUCTION (pp. 10-11). (ISSN 0016-9900 BIOSIS/95/04755). Somov, BA; Ivanova, LA; Yatsyna, IV.
- Song, J; Park, JK; Lee, JJ; Choi, YS; Ryu, KS; Kim, JH; Kim, E; Lee, KJ; Jeon, YH; Kim, EE. (2009). Structure and interaction of ubiquitin-associated domain of human Fas-associated factor 1. *Genes Dev* 18: 2265-2276. <http://dx.doi.org/10.1002/pro.237>.
- Song, PP; Wang, Y; Sun, JL; Gao, Y; Liu, J; Chen, YX. (2016). [The incidence of asbestos-related diseases about on asbestos enterprises in Qingdao from 1988 to 2014]. *Zhonghua Lao Dong Wei Sheng Zhi Ye Bing Za Zhi* 34: 203-205.
- Sood, A; Gee, JBL. (1997). Asbestos-related pleural plaques and diffuse pleural thickening: Functional consequences. *Indoor Built Environ* 6: 114-118. <http://dx.doi.org/10.1177/1420326X9700600210>.
- Soodaeva, SK; Korkina, LG; Velichkovskii, BT; Klegeris, AM. (1991). The formation of reactive oxygen by rat peritoneal macrophages subjected to cytotoxic dusts (pp. 252-254). (BIOSIS/92/09201). Soodaeva, SK; Korkina, LG; Velichkovskii, BT; Klegeris, AM.
- Soodaeva, SK; Korkina, LG; Velichovskii, BT; Klegeris, AM. (1991). [Formation of active forms of oxygen by rat peritoneal macrophages under the effect of cytotoxic dust]. *Biull Eksp Biol Med* 112: 252-254.
- Soodaeva, SK; Ostrakhovich, EA; Kozlov, AV; Velichkovskii, BT. (1994). [Change in the blood serum antioxidant system and lipid peroxidation upon the effect of asbestos]. *Biull Eksp Biol Med* 118: 145-147.
- Soskolne, CL; Jhangri, GS; Pagano, G; Botte, G; Di Cintio, P; Grp, PCAS. (2007). Using established occupational respiratory cancer risk factors for assessing the internal validity in an unmatched case-control study in the Campania Region of Italy, 1988-1990. *Eur J Oncol* 12: 23-29.
- Soskolne, CL; Zeighami, EA; Hanis, NM; Kupper, LL; Herrmann, N; Amsel, J; Mausner, JS; Stellman, JM. (1984). Laryngeal Cancer And Occupational Exposure To Sulfuric Acid. *Am J Epidemiol* 120: 358-369.
- Soto, K; Garza, KM; Murr, LE. (2007). Cytotoxic effects of aggregated nanomaterials. *Acta Biomater* 3: 351-358. <http://dx.doi.org/10.1016/j.actbio.2006.11.004>.
- Soto, KF; Carrasco, A; Powell, TG; Garza, KM; Murr, LE. (2005). Comparative in vitro cytotoxicity assessment of some manufactured nanoparticulate materials characterized by transmission electron microscopy. *J Nanopart Res* 7: 145-169. <http://dx.doi.org/10.1007/s11051-005-3473-1>.
- Soto, KF; Murr, LE; Garza, KM. (2008). Cytotoxic responses and potential respiratory health effects of carbon and carbonaceous nanoparticulates in the Paso del Norte airshed environment. *Int J Environ Res Public Health* 5: 12-25.
- Soujanen, J. (1986). OCCUPATIONAL LUNG DISEASE (pp. 47-56). (BIOSIS/86/31391). Soujanen, J.
- Soulat, JM; Lauque, D; Esquirol, Y; Déprés, M; Giron, J; Claudel, R; Carles, P. (1999). High-resolution computed tomography abnormalities in ex-insulators annually exposed to asbestos dust. *Am J Ind Med* 36: 593-601. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199912\)36:6<593::AID-AJIM1>3.0.CO;2-Z](http://dx.doi.org/10.1002/(SICI)1097-0274(199912)36:6<593::AID-AJIM1>3.0.CO;2-Z).
- Soutar, CA; Simon, G; Turner-Warwick, M. (1974). The radiology of asbestos-induced disease of the lungs. *Br J Dis Chest* 68: 235-252.
- Spacilova, M; Hykes, P. (1986). PLEURAL CHANGES IN EMPLOYEES IN THE ASBESTOS HAZARD (pp. 240-245). (BIOSIS/86/36085). Spacilova, M; Hykes, P.
- Spanedda, R; La Corte, R; Minisci, S; Ferraresi, P; Burini, D; Romanini, D. (1983). [Exposure to asbestos and lymphoid neoplasms]. *Med Lav* 74: 295-301.
- Sparks, JV. (1931). Pulmonary Asbestosis. *Radiology* 17: 1249-1257.
- Spees, JL; Pociask, DA; Sullivan, DE; Whitney, MJ; Lasky, JA; Prockop, DJ; Brody, AR. (2007). Engraftment of bone marrow progenitor cells in a rat model of asbestos-induced pulmonary fibrosis. *Am J Respir Crit Care Med* 176: 385-394. <http://dx.doi.org/10.1164/rccm.200607-1004OC>.
- Spengler, JD. (1988). CHEMICAL EXPOSURES INDOOR AIR POLLUTION (pp. 14-18). (BIOSIS/88/17588). SITTINGBOURNE RESEARCH CENTRE.
- Sperber, M; Mohan, KK. (1984). Computed tomography--a reliable diagnostic modality in pulmonary asbestosis. *Comput Radiol* 8: 125-132. [http://dx.doi.org/10.1016/0730-4862\(84\)90049-0](http://dx.doi.org/10.1016/0730-4862(84)90049-0).
- Spinaci, S; Arossa, W; Forconi, G; Arizio, A; Concina, E. (1981). Prevalence of airways obstruction and identification of exposure groups in an industrial working population. *72: 214-221*.
- Spinaci, S; Arossa, W; Forconi, G; Arizio, A; Concina, E. (1981). [Prevalence of functional bronchial obstruction and identification of groups at risk in a population of industrial workers]. *Med Lav* 72: 214-221.
- Spiertas, R. (1988). Time Trends and Risk Factors for Mesothelioma (pp. Progress on Joint Environmental and Occupational Cancer Studies). (NIOSH/00180862). Spiertas, R.
- Spiertas, R; Connelly, RR; Tucker, MA. (1988). Survival patterns for malignant mesothelioma: the SEER experience. *Int J Cancer* 41: 525-530.
- Spiertas, R; Heineman, EF; Bernstein, L; Beebe, GW; Keehn, RJ; Stark, A; Harlow, BL; Benichou, J. (1994). Malignant mesothelioma: attributable risk of asbestos exposure. *Occup Environ Med* 51: 804-811.
- Spiertas, R; Keehn, R; Wright, W; Stark, A; Beebe, G; Dickson, E. (1985). MESOTHELIOMA RISK RELATED TO OCCUPATIONAL OR OTHER ASBESTOS EXPOSURE - PRELIMINARY-RESULTS FROM A CASE-CONTROL STUDY. *Am J Epidemiol* 122: 518-518.
- Spitsyn, VA; Afanas'Eva, IS; Alekseeva, NV. (1993). Ecogenetic aspects of the study of phenotypes and levels in beta-aminoisobutyric acid excretion. *Genetika* 29: 1871-1877.
- Spitsyn, VA; Tsurikova, GV; Afanas'eva, IS. (1992). [Gene manifestations in negative man-made environment: a selective genetically determined sensitivity to asbestos]. *Vestn Ross Akad Med Nauk* 46-52.
- Spitz, MR. (1994). EPIDEMIOLOGY AND RISK FACTORS FOR HEAD AND NECK CANCER. *Semin Oncol* 21: 281-288.

Human Health Hazard Literature Search Results

On Topic

- Spivey C, J. R.; Christianson, C; Greenberg, SD; Hurst, GA. (1976). TYLER ASBESTOS WORKERS PROGRAM A PROSPECTIVE STUDY IN ENVIRONMENTAL LUNG DISEASE. *Am Rev Respir Dis* 113.
- Spivey C G, J. R.; Hurst, GA; Greenberg, SD; McLarty, J. (1977). TYLER ASBESTOS WORKERS PROGRAM PHYSIOLOGIC AND RADIOGRAPHIC ABNORMALITIES IN 560 WORKERS. *Am Rev Respir Dis* 115.
- Spooner, CM. (1979). ASBESTOS IN SCHOOLS A PUBLIC HEALTH PROBLEM. *N Engl J Med* 301: 782-784.
<http://dx.doi.org/10.1056/NEJM197910043011411>.
- Sprince, NL; Oliver, LC; Ginns, LC. (1992). CIGARETTE SMOKING EFFECTS ON BRONCHOALVEOLAR LAVAGE CELLS AND T-LYMPHOCYTE SUBSETS AMONG ASBESTOS-EXPOSED SUBJECTS (pp. 17-20). (BIOSIS/92/20029). Sprince, NL; Oliver, LC; Ginns, LC.
- Sprince, NL; Oliver, LC; Mcloud, TC. (1985). Asbestos-related disease in plumbers and pipefitters employed in building construction. *J Occup Med* 27: 771-775.
- Sprince, NL; Oliver, LC; Mcloud, TC; Eisen, EA; Christiani, DC; Ginns, LC. (1991). Asbestos exposure and asbestos-related pleural and parenchymal disease. Associations with immune imbalance. *Am Rev Respir Dis* 143: 822-828. http://dx.doi.org/10.1164/ajrccm/143.4_Pt_1.822.
- Sprince, NL; Oliver, LC; Mcloud, TC; Eisen, EA; Ginns, LC. (1989). ASBESTOS EXPOSURE AND ASBESTOS-RELATED PLEURAL AND PARENCHYMAL FIBROSIS ASSOCIATIONS WITH IMMUNE STIMULATION (pp. 14-17). (BIOSIS/89/20552). Sprince, NL; Oliver, LC; Mcloud, TC; Eisen, EA; Ginns, LC.
- Sprince, NL; Oliver, LC; Mcloud, TC; Ginns, LC. (1990). T-LYMPHOCYTE INTENSITY IN LUNG LAVAGE OF ASBESTOS-EXPOSED SUBJECTS (pp. 20-24). (BIOSIS/90/18834). Sprince, NL; Oliver, LC; Mcloud, TC; Ginns, LC.
- Sprince, NL; Oliver, LC; Mcloud, TC; Ginns, LC. (1991). T-LYMPHOCYTE SUBSETS IN BRONCHOALVEOLAR LAVAGE OF ASBESTOS-EXPOSED SUBJECTS CHANGES OVER A TWO-YEAR TIME INTERVAL (pp. 12-15). (BIOSIS/91/21164). Sprince, NL; Oliver, LC; Mcloud, TC; Ginns, LC.
- Sprince, NL; Oliver, LC; Mcloud, TC; Ginns, LC. (1992). T-cell alveolitis in lung lavage of asbestos-exposed subjects. *Am J Ind Med* 21: 311-319.
- Sprince, NL; Oliver, LC; Mcloud, TC; Morris, TA; Tilles, DS; Eisen, EA; Ginns, LC. (1987). LYMPHOCYTE-T SUBSETS IN BRONCHOALVEOLAR LAVAGE AND PERIPHERAL-BLOOD IN ASBESTOS WORKERS - CORRELATIONS WITH EXPOSURE AND PLEURAL PLAQUES. *Chest* 91: 309-309.
- Sprince, NL; Oliver, LC; Mcloud, TC; Morris, TA; Tilles, DS; Eisen, EA; Ginns, LC. (1987). T-LYMPHOCYTE SUBSETS IN BRONCHOALVEOLAR LAVAGE AND PERIPHERAL BLOOD IN ASBESTOS WORKERS CORRELATIONS WITH EXPOSURE AND PLEURAL PLAQUES (pp. 15-18). (BIOSIS/87/21445). Sprince, NL; Oliver, LC; Mcloud, TC; Morris, TA; Tilles, DS; Eisen, EA; Ginns, LC.
- Sproat, CP; Brown, AE; Lindley, RP. (1993). Oral metastasis in malignant pleural mesothelioma. *Br J Oral Maxillofac Surg* 31: 316-317.
- Spurny, KR. (1983). Natural fibrous zeolites and their carcinogenicity-a review. *Sci Total Environ* 30: 147-166.
- Spurzem, JR; Saltini, C; Rom, W; Winchester, RJ; Crystal, RG. (1987). Mechanisms of macrophage accumulation in the lungs of asbestos-exposed subjects. *Am Rev Respir Dis* 136: 276-280. <http://dx.doi.org/10.1164/ajrccm/136.2.276>.
- Spurzem, JR; Saltini, C; Rom, WN; Winchester, RJ; Crystal, RG. (1985). ENHANCED EXPRESSION OF MONOCYTE LINEAGE CELL SURFACE ANTIGENS ON ALVEOLAR MACROPHAGES OF INDIVIDUALS WITH CHRONIC ASBESTOS EXPOSURE (pp. 12-15). (BIOSIS/85/16459). Spurzem, JR; Saltini, C; Rom, WN; Winchester, RJ; Crystal, RG.
- Spyratos, D; Chloros, D; Haidich, B; Dagdilelis, L; Markou, S; Sichletidis, L. (2012). Chest imaging and lung function impairment after long-term occupational exposure to low concentrations of chrysotile. *Arch Environ Occup Health* 67: 84-90.
<http://dx.doi.org/10.1080/19338244.2011.578681>.
- Spyratos, D; Zarogoulidis, P; Porpodis, K; Tsakiridis, K; Machairiotis, N; Katsikogiannis, N; Kougioumtzi, I; Dryllis, G; Kallianos, A; Rapti, A; Li, C; Zarogoulidis, K. (2013). Occupational exposure and lung cancer [Review]. *J Thorac Dis* 5: S440-S445.
<http://dx.doi.org/10.3978/j.issn.2072-1439.2013.07.09>.
- Srb, V. (1992). On the relationship between theoretical presumptions asbestos genotoxicity and the practical monitoring of exposed workers. *Sb Ved Pr Fak Karlovy Univ Hradci Kralovea* 35: 5-40.
- Srb, V; Kubzova, E; Musil, M; Havel, V; Kubikova, K; Hartmann, M. (1985). TESTING A GENOTOXIC ACTIVITY IN THE SHOPS WITH AN ASBESTOS RISK II. CYTOGENETIC EXAMINATION OF LYMPHOCYTES OF HUMAN PERIPHERAL BLOOD 1982-1983 (pp. 76-80). (BIOSIS/87/09439). Srb, V; Kubzova, E; Musil, M; Havel, V; Kubikova, K; Hartmann, M.
- Srebro, SH; Roggli, VL. (1994). Asbestos-related disease associated with exposure to asbestiform tremolite. *Am J Ind Med* 26: 809-819.
<http://dx.doi.org/10.1002/ajim.4700260610>.
- Srebro, SH; Roggli, VL; Samsa, GP. (1995). Malignant mesothelioma associated with low pulmonary tissue asbestos burdens: a light and scanning electron microscopic analysis of 18 cases. *Mod Pathol* 8: 614-621.
- Sri-Umpai, S; Bovornkitti, S; Pacharee, P. (1985). Asbestos bodies in randomised autopsy lungs in Thailand. *J Med Assoc Thai* 68: 174-182.
- Srivastava, MG. (1986). POLLUTANTS AND CHEMICAL HAZARDS EN-ROUTE 21ST CENTURY. *Pesticides BOMBAY*: 9-16.
- Srivastava, RK; Lohani, M; Pant, AB; Rahman, Q. (2010). Cyto-genotoxicity of amphibole asbestos fibers in cultured human lung epithelial cell line: role of surface iron. *Toxicol Ind Health* 26: 575-582. <http://dx.doi.org/10.1177/0748233710374464>.
- Sroka, KH. (1952). [Occupational diseases caused by asbestos]. 7: 167-171.
- Stadnikova, NM; Kleřmenova, EV; Grankina, EP; Pylev, LN. (1991). [The sodium selenite inhibition of asbestos-induced carcinogenesis in Wistar rats]. *Vopr Onkol* 37: 1077-1081.
- Stadnikova, NM; Vasil'eva, LA; Shelepov, VP; Pylev, LN. (1996). [The modifying effect of long-term administration of ascorbic acid with drinking water on asbestos-induced pleural carcinogenesis in Wistar rats]. *Vopr Onkol* 42: 85-88.
- Staniszewska, MD; Sobala, W; Szeszenia-Dabrowska, N. (2007). [Epidemiological risk assessment of asbestos-related benign pleural and parenchymal changes in workers after past exposure to chrysotile asbestos]. *Med Pr* 58: 279-286.
- Stankiewicz, A. (1984). [Erythrocyte protoporphyrin IX in occupational exposure to asbestos]. *Med Pr* 35: 351-354.

Human Health Hazard Literature Search Results

On Topic

- Stankiewicz, A; Bartkowiak, A. (1993). [Activity of erythrocyte glucose-6-phosphate dehydrogenase in men occupationally exposed to asbestos]. 48: 411-413.
- Stankova, J; Gouin, S; Begin, R; Rola-Pleszczynski, M. (1985). Immunoregulation During Experimental Asbestosis (pp. 139-147). (NIOSH/00165744). Stankova, J; Gouin, S; Begin, R; Rola-Pleszczynski, M.
- Stankowski LF, J. R.; Sorg, RM; McLaren, KF; Messina, DM; Polinsky, TA. (1991). ASBESTOS-INDUCED CYTOTOXICITY, MUTAGENICITY AND CLASTOGENICITY IN AS52 CELLS (pp. 70). (EMICBACK/79399). Stankowski LF, , JR; Sorg, RM; McLaren, KF; Messina, DM; Polinsky, TA.
- Stankowski LF, J. R.; Sorg, RM; McLaren, KF; Messina, DM; Polinsky, TA; Johnson, EM; Fasy, TM. (1991). CHRYSOTILE, CROCIDOLITE AND AMOSITE ASBESTOS FIBERS ARE MUTAGENIC IN AS52 CELLS (pp. 25-28). (EMIC/88250). Stankowski LF, , JR; Sorg, RM; McLaren, KF; Messina, DM; Polinsky, TA; Johnson, EM; Fasy, TM.
- Stankowski LF, J. R.; Sorg, RM; Messina, DM; Polinsky, TA; McLaren, KF; Coyle, JP; Kheiri, S; Johnson, EM; Fasy, TM. (1992). CHARACTERIZATION OF ASBESTOS-INDUCED MUTANTS IN THE AS52/XPRT ASSAY. *Environ Mol Mutagen* 19.
- Stankus, RP; Doll, NJ; Wilson, MR. (1981). IN-VITRO CYTO TOXICITY OF ASBESTOS FIBERS FOR HUMAN POLYMORPHONUCLEAR LEUKOCYTES (pp. 12-17). (HEEP/81/13708). Stankus, RP; Doll, NJ; Wilson, MR.
- Stanley, HD. (1978). The Detection And Identification Of Asbestos And Absestiform Minerals In Talc (pp. Definitions and Measurement Methods). (NIOSH/00146051). Stanley, HD.
- Stanley, NN. (1976). EFFECT OF PROLONGED ASBESTOS EXPOSURE ON REGIONAL LUNG-FUNCTION. *Thorax* 31: 239-239.
- Stansfield, D; Edge, JR. (1974). Circulating rheumatoid factor and antinuclear antibodies in shipyard asbestos workers with pleural plaques. *Br J Dis Chest* 68: 166-170.
- Stanton, MF. (1973). Some etiological considerations of fibre carcinogenesis.
- Stanton, MF; Blackwell, R; Miller, E. (1969). Experimental pulmonary carcinogenesis with asbestos. *Am Ind Hyg Assoc J* 30: 236-244. <http://dx.doi.org/10.1080/00028896909343117>.
- Stanton, MF; Layard, M; Tegeris, A; Miller, E; May, M; Kent, E. (1977). Carcinogenicity of fibrous glass: pleural response in the rat in relation to fiber dimension. *J Natl Cancer Inst* 58: 587-603.
- Stanton, MF; Layard, M; Tegeris, A; Miller, E; May, M; Morgan, E; Smith, A. (1981). Relation of particle dimension to carcinogenicity in amphibole asbestoses and other fibrous minerals. *J Natl Cancer Inst* 67: 965-975.
- Stanton, MF; Layard, MW. (1979). Carcinogenicity of Natural and Man-Made Fibers. *Carcinogenesis* 1: 181-187.
- Stanton, MF; Wrench, C. (1972). Mechanisms of mesothelioma induction with asbestos and fibrous glass. *J Natl Cancer Inst* 48: 797-821.
- Staples, CA; Gamsu, G; Ray, CS; Webb, WR. (1989). High resolution computed tomography and lung function in asbestos-exposed workers with normal chest radiographs. *Am Rev Respir Dis* 139: 1502-1508. <http://dx.doi.org/10.1164/ajrccm/139.6.1502>.
- Stauder, B; Breuer, G; Greven, U; Woitowitz, RH; Rodelsperger, K; Woitowitz, HJ. (1982). X-RAY RESULTS IN ROOFERS AFTER EXPOSURE TO DUST FROM WORKING WITH ASBESTOS CEMENT FOR MANY YEARS. *Arbeitsmedizin, Sozialmedizin, Praeventivmedizin* 17: 275-278.
- Stayner, L; Kuempel, E; Gilbert, S; Hein, M; Dement, J. (2008). An epidemiological study of the role of chrysotile asbestos fibre dimensions in determining respiratory disease risk in exposed workers. *Occup Environ Med* 65: 613-619. <http://dx.doi.org/10.1136/oem.2007.035584>.
- Stayner, L; Smith, R; Bailer, J; Gilbert, S; Steenland, K; Dement, J; Brown, D; Lemen, R. (1997). Exposure-response analysis of risk of respiratory disease associated with occupational exposure to chrysotile asbestos. *Occup Environ Med* 54: 646-652.
- Stayner, L; Welch, LS; Lemen, R. (2013). The worldwide pandemic of asbestos-related diseases [Review]. *Annu Rev Public Health* 34: 205-216. <http://dx.doi.org/10.1146/annurev-publhealth-031811-124704>.
- Stayner, LT; Dankovic, DA; Lemen, RA. (1996). Occupational exposure to chrysotile asbestos and cancer risk: a review of the amphibole hypothesis [Review]. *Am J Public Health* 86: 179-186.
- Steel, SJ; Boyd, J. (1965). PLEURAL CALCIFICATION AND MESOTHELIOMA FOLLOWING EXPOSURE TO ASBESTOS. *Br J Dis Chest* 59: 130-132.
- Steenland, K; Loomis, D; Shy, C; Simonsen, N. (1996). Occupational Causes of Lung Cancer (pp. ccupational). (NIOSH/00229873). Steenland, K; Loomis, D; Shy, C; Simonsen, N.
- Steenland, K; Loomis, D; Shy, C; Simonsen, N. (1996). Review of occupational lung carcinogens [Review]. *Am J Ind Med* 29: 474-490. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199605\)29:5<474::AID-AJIM6>3.0.CO;2-M](http://dx.doi.org/10.1002/(SICI)1097-0274(199605)29:5<474::AID-AJIM6>3.0.CO;2-M).
- Steenland, K; Stayner, L. (1997). Silica, asbestos, man-made mineral fibers, and cancer [Review]. *Cancer Causes Control* 8: 491-503.
- Steenland, K; Thun, M. (1986). Interaction between tobacco smoking and occupational exposures in the causation of lung cancer [Review]. *J Occup Med* 28: 110-118.
- Steenland, K; Tucker, J; Salvan, A. (1993). Problems in assessing the relative predictive value of internal markers versus external exposure in chronic disease epidemiology [Review]. *Cancer Epidemiol Biomarkers Prev* 2: 487-491.
- Stein, EC; Marshall, E. (1990). Respiratory Morbidity in Plumbers and Pipefitters: The Relationship between Asbestos and Smoking (pp. 23-26). (NIOSH/00198272). Stein, EC; Marshall, E.
- Stein, RC; Kitajewska, JY; Kirkham, JB; Tait, N; Sinha, G; Rudd, RM. (1989). Pleural mesothelioma resulting from exposure to amosite asbestos in a building. *Respir Med* 83: 237-239.
- Steinbauer, J; Boutin, C; Viallat, JR; Dufour, G; Gaudichet, A; Massey, DG; Charpin, D; Mouries, JC. (1987). [Pleural plaques and an asbestos environment in Northern Corsica]. *Rev Mal Respir* 4: 23-27.
- Steineck, G; Carstensen, J; Wiklund, K; Eklund, G. (1983). Mesothelioma among sugar refinery workers [Letter]. *Lancet* 2: 1503.
- Steineck, G; Plato, N; Norell, SE; Hogstedt, C. (1990). Urothelial cancer and some industry-related chemicals: an evaluation of the epidemiologic literature [Review]. *Am J Ind Med* 17: 371-391.

Human Health Hazard Literature Search Results

On Topic

- Steinmaus, C; Balmes, JR. (2000). Government laboratory worker with lung cancer: comparing risks from beryllium, asbestos, and tobacco smoke. *Environ Health Perspect* 108: 1003-1006.
- Stell, PM; Mcgill, T. (1973). Asbestos and cancer of head and neck. *Lancet* 1: 678.
- Stell, PM; Mcgill, T. (1973). Asbestos and laryngeal carcinoma. *Lancet* 2: 416-417.
- Stell, PM; Mcgill, T. (1975). Exposure to asbestos and laryngeal carcinoma. *J Laryngol Otol* 89: 513-517.
- Stellman, JM; Stellman, SD. (1983). Occupational Lung Disease and Cancer Risk in Women (pp. 40-46). (NIOSH/00193597). Stellman, JM; Stellman, SD.
- Stellman, SD; Garfinkel, L. (1984). Cancer mortality among woodworkers. *Am J Ind Med* 5: 343-357.
- Stemmermann, GN; Kolonel, LN. (1978). Talc-coated rice as a risk factor for stomach cancer. *Am J Clin Nutr* 31: 2017-2019.
- Stenman, G; Olofsson, K; Mansson, T; Hagmar, B; Mark, J. (1986). Chromosomes and Chromosomal Evolution in Human Mesotheliomas as Reflected in Sequential Analyses of Two Cases. *Hereditas* 105: 233-239.
- Stenner, RD; Baechler, MC. (1990). Health effects associated with energy conservation measures in commercial buildings. Volume 1, Summary. 77.
- Stepanek, J; Greene, MH. (1997). Case in point. Metastatic bronchogenic carcinoma. 32: 10.
- Stephens, M; Gibbs, AR; Pooley, FD; Wagner, JC. (1987). Asbestos induced diffuse pleural fibrosis: pathology and mineralogy. *Thorax* 42: 583-588.
- Stephens, RE; Joseph, LB; Daniel, FB; Schenck, KM; Newman, HA; Lipetz, PD; Millette, JR. (1983). Interactions of chrysotile and benzopyrene in a human cell culture systems. *Environ Health Perspect* 51: 257-265.
- Stephens, RE; Joseph, LB; Daniel, FB; Schenck, KM; Newman, HA; Lipetz, PD; Millette, JR. (1983). Interactions Of Chrysotile And Benzopyrene In A Human Cell Culture Systems. *Environ Health Perspect* 51: 257-265.
- Stephenson, RL. (1989). Health Hazard Evaluation Report No. HETA-89-262-1994, Chapman Corporation, Albright Power Station, Albright, West Virginia (pp. 89-262). (NIOSH/00193976). Stephenson, RL.
- Steppert, C; Thiele, H; Mueller, J; Habich, G. (1997). MALIGNANT PLEURA MESOTHELIUM IN A TURKISH 43-YEAR OLD WOMAN CAUSED BY ASBESTOS POLLUTION (pp. 408-409). (BIOSIS/98/02321). Steppert, C; Thiele, H; Mueller, J; Habich, G.
- Sterling, GM; Herbert, A. (1980). LUNG EN CUIRASSE RESTRICTIVE PLEURISY ASSOCIATED WITH ASBESTOS EXPOSURE (pp. 3-4). (ISSN 0040-6376 EISSN 1468-3296 HEEP/81/09096). Sterling, GM; Herbert, A.
- Stern, F; Lehman, E; Ruder, A. (2001). Mortality among unionized construction plasterers and cement masons. *Am J Ind Med* 39: 373-388.
- Stern, F; Schulte, P; Sweeney, MH; Fingerhut, M; Vossen, P; Burkhardt, G; Kornak, MF. (1995). Proportionate mortality among construction laborers. *Am J Ind Med* 27: 485-509.
- Stern, FB; Sweeney, MH; Ward, E. (1997). Proportionate mortality among unionized construction ironworkers. *Am J Ind Med* 31: 176-187.
- Stettler, LE; Sharpnack, DD; Krieg, EF. (2008). Chronic inhalation of short asbestos: lung fiber burdens and histopathology for monkeys maintained for 11.5 years after exposure. *Inhal Toxicol* 20: 63-73. <http://dx.doi.org/10.1080/08958370701665566>.
- Stevens, JB; Mcjilton, CE; Zoitai, TZ; Weiblen, PW. (1984). ASBESTOS METABOLISM IN-VIVO (pp. 20-23). (HEEP/85/02201). Stevens, JB; Mcjilton, CE; Zoitai, TZ; Weiblen, PW.
- Stevens, RH; Cole, DA; Cheng, HF; Hodge, JA; Will, LA. (1983). Cell-mediated cytotoxicity expressed by lymphoid cells from rats with asbestos-induced peritoneal mesothelioma towards rat fetal cell. *Environ Health Perspect* 51: 91-96.
- Stevens, RH; Will, LA; Cole, DA; Meek, ES; Frank, CW; Donham, KJ. (1979). CYCLIC NUCLEOTIDE CONCENTRATIONS IN ASBESTOS-INDUCED RAT PERITONEAL MESOTHELIOMA. *Environ Res* 19: 442-448.
- Stevens, RH; Will, LA; Osborne, JW; Cole, DA; Donham, KJ. (1978). CYCLIC NUCLEOTIDE CONCENTRATIONS IN ASBESTOS-INDUCED PERITONEAL MESOTHELIOMAS IN RATS. *Cell Tissue Kinet* 11: 689-689.
- Stewart, DJ; Edwards, JG; Smythe, WR; Waller, DA; O'Byrne, KJ. (2004). Malignant pleural mesothelioma--an update [Review]. *Int J Occup Environ Health* 10: 26-39. <http://dx.doi.org/10.1179/oeht.2004.10.1.26>.
- Stewart, W; Matanoski, G. (1984). THE RELATIONSHIP BETWEEN ASBESTOS EXPOSURE AND LUNG-CANCER CELL TYPE. *Am J Epidemiol* 120: 459-459.
- Stockem, P; Tilkes, F; Beck, EG. (1985). Effect of Fibrous Mineral Dusts on the Aryl Hydrocarbon Hydroxylase Activity of Rat Alveolar Macrophages In Vitro (pp. 229-235). (NIOSH/00165754). Stockem, P; Tilkes, F; Beck, EG.
- Stockwell, HG; Matanoski, GM. (1985). A Case-Control Study Of Lung Cancer In Painters. *J Occup Med* 27: 125-126.
- Stoebner, P; Bourdin, A; Barioz, CM; Jaurand, MC; Bignon, J; Adnet, JJ. (1981). PHAGOCYTOSIS OF CHRYSOTILE BY RAT MESOTHELIAL CELLS-INVITRO. *Biol Cell* 41: A28-A28.
- Stogner, SW; Campbell, GD. (1992). PLEURAL EFFUSION - WHAT YOU CAN LEARN FROM THE RESULTS OF A TAP. *Postgrad Med* 91: 439-&.
- STOKINGER.HE. (1973). CANCER RISK FROM SYRINGES WITH ASBESTOS-WOUND PLUNGER. *JAMA* 225: 423-423.
- Stokinger, HE. (1956). Toxicologic Aspects of Occupational Hazards. *Annu Rev Med* 7: 177-194.
- Stokinger, HE. (1969). The Spectre of Today's Environmental Pollution-USA Brand: New Perspectives from an Old Scout. *Am Ind Hyg Assoc J* 30: 195-217.
- Stolnicu, S; Quiñonez, E; Boros, M; Molnar, C; Dulcey, I; Nogales, FF. (2013). Case report: Papillary mesothelioma of the peritoneum with foamy cell lining. *Diagnostic Pathology* 8: 162. <http://dx.doi.org/10.1186/1746-1596-8-162>.
- Stone, T. (1986). THE HAZARDS OF ASBESTOS (pp. 68-75; 1986). (HMTC/86/0003357). Stone, T.
- Storchi, C; Romanelli, A. (2010). MALIGNANT MESOTHELIOMA IN EMILIA-ROMAGNA AND IN ITALY: INCIDENCE AND EXPOSURE TO ASBESTOS IN COMPARISON. *Epidemiol Prev* 34: 227-227.
- Storeygard, AR; Brown, AL, Jr. (1977). Penetration of the small intestine mucosa by asbestos fibers. *Mayo Clin Proc* 52: 809-812.

Human Health Hazard Literature Search Results

On Topic

- Stössel, HG; Dalquen, P; Carstens, U. (1972). [Pleural mesotheliomas in dockers]. 116: 41-45.
- Stovin, PG; Partridge, P. (1982). Pulmonary asbestos and dust content in East Anglia. *Thorax* 37: 185-192.
- Straif, K; Benbrahim-Tallaa, L; Baan, R; Grosse, Y; Secretan, B; El Ghissassi, F; Bouvard, V; Guha, N; Freeman, C; Galichet, L; Coglianò, V. (2009). A review of human carcinogens: Part C: Metals, arsenic, dusts, and fibres. *Lancet Oncol* 10: 453-454. [http://dx.doi.org/10.1016/S1470-2045\(09\)70134-2](http://dx.doi.org/10.1016/S1470-2045(09)70134-2).
- Straif, K; Chambless, L; Weiland, SK; Wienke, A; Bungers, M; Taeger, D; Keil, U. (1999). Occupational risk factors for mortality from stomach and lung cancer among rubber workers: an analysis using internal controls and refined exposure assessment. *Int J Epidemiol* 28: 1037-1043.
- Straif, K; Keil, U; Taeger, D; Holthenrich, D; Sun, Y; Bungers, M; Weiland, SK. (2000). Exposure to nitrosamines, carbon black, asbestos, and talc and mortality from stomach, lung, and laryngeal cancer in a cohort of rubber workers. *Am J Epidemiol* 152: 297-306. <http://dx.doi.org/10.1093/aje/152.4.297>.
- Strand, LA; Martinsen, J; Koefoed, VF; Sommerfelt-Pettersen, J; Grimsrud, TK. (2010). Asbestos-related cancers among 28,300 military servicemen in the Royal Norwegian Navy. *Am J Ind Med* 53: 64-71. <http://dx.doi.org/10.1002/ajim.20778>.
- Straub, WE. (1976). Health Hazard Evaluation Determination, Report No. HHE-75-121-281, Penn Central Transportation Company Philadelphia, Pennsylvania (pp. 75-121). (NIOSH/00075012). Straub, WE.
- Straub, WE. (1976). Health Hazard Evaluation Report No. HHE-76-4-310, ACF Industries Amcar Division, Milton, Pennsylvania (pp. 76-74). (NIOSH/00054445). Straub, WE.
- Straub, WE. (1977). Hazard Evaluation and Technical Assistance Branch Report No. TA-77-20, St. Elizabeth's Hospital, Washington, D.C. (NIOSH/00115999). Straub, WE.
- Strauchen, JA. (2011). Rarity of malignant mesothelioma prior to the widespread commercial introduction of asbestos: the Mount Sinai autopsy experience 1883-1910. *Am J Ind Med* 54: 467-469. <http://dx.doi.org/10.1002/ajim.20951>.
- Strauss, GM. (1998). BRONCHOGENIC CARCINOMA (pp. PHILADELPHIA). (BIOSIS/98/08349). Strauss, GM.
- Streeter, AJ. (1993). TOXICOKINETICS OF CHEMICAL CARCINOGENS (pp. WELLING). (BIOSIS/96/22250). Committee for Compounds Toxic to Reproduction.
- Striz, I; Wang, YM; Teschler, H; Svarcova, I; Trnka, L; Costabel, U. (1993). Alveolar Macrophage Phenotype in Asbestos Exposure (pp. 14-17). (NIOSH/00221639). Striz, I; Wang, YM; Teschler, H; Svarcova, I; Trnka, L; Costabel, U.
- Stroink, G; Lim, D; Dunlap, RA. (1987). A MOESSBAUER-EFFECT STUDY OF AUTOPSIED LUNG TISSUE OF ASBESTOS WORKERS. *Phys Med Biol* 32: 203-220.
- Stroszejn-Mrowca, G; Wiecek, E. (1982). EVALUATION OF EXPOSURE OF WORKERS TO ASBESTOS DUST IN ASBESTOS PROCESSING PLANTS (pp. 24-26). (ISSN 0004-069X EISSN 1661-4917 HEEP/84/05472). Stroszejn-Mrowca, G; Wiecek, E.
- Strubel, K. (1971). (The occurrence of pleural hyalinoses and asbestoses in Halle (Saxony).) (pp. 7-9). (HEEP/72/08528). Strubel, K.
- Strunge, P; Olsen, J; Schultz, K; Viskum, P. (1980). Conditions of health in a Danish industry employing asbestos: 1 (pp. 2503-2505). (HEEP/81/11891). Strunge, P; Olsen, J; Schultz, K; Viskum, P.
- Stücker, I; Boffetta, P; Antilla, S; Benhamou, S; Hirvonen, A; London, S; Taioli, E. (2001). Lack of interaction between asbestos exposure and glutathione S-transferase M1 and T1 genotypes in lung carcinogenesis. *Cancer Epidemiol Biomarkers Prev* 10: 1253-1258.
- Stucker, I; Bonaiti-Pellie, C; Hemon, D. (1993). EPIDEMIOLOGY OF LUNG CANCER INTERACTION BETWEEN GENETIC SUSCEPTIBILITY AND ENVIRONMENTAL RISK FACTORS (pp. NEW YORK). (BIOSIS/94/36454). Stucker, I; Bonaiti-Pellie, C; Hemon, D.
- Stumphius, J. (1971). Epidemiology of mesothelioma on Walcheren Island. *Br J Ind Med* 28: 59-66.
- Stumphius, J. (1979). MESOTHELIOMA INCIDENCE IN A DUTCH SHIPYARD (pp. NEW YORK). (ISSN 0077-8923 EISSN 1749-6632 HEEP/81/07849). Stumphius, J.
- Stupfel, M; Mordelet-Dambrine, M. (1976). Penetration of carcinogens through respiratory airways [Review]. *IARC Sci Publ* 61-72.
- Sturchio, E; Amadori, A; Businaro, J; Ficociello, B; Ferrazza, P; Colosio, C; Minoia, C. (2012). [Possible use of microRNAs as biomarkers for monitoring of workers exposed to asbestos]. *G Ital Med Lav Ergon* 34: 571-573.
- Sturm, W. (1974). [Pleural mesotheliomas and asbestos exposure (author's transl)]. *Z Erkr Atmungsorgane* 141: 24-30.
- Sturm, W. (1982). [Contribution to importance of asbestos in the epidemiology of bronchial cancer]. *Z Erkr Atmungsorgane* 159: 16-23.
- Sturm, W. (1982). Importance of asbestos in the epidemiology of bronchial carcinoma. 159: 16-23.
- Sturm, W. (1983). [Malignant diseases of the respiratory organs caused by asbestos exposure in municipal environment]. *Z Erkr Atmungsorgane* 161: 240-247.
- Sturm, W; Menze, B; Krause, J; Thriene, B. (1994). Use of asbestos, health risks and induced occupational diseases in the former East Germany [Review]. *Toxicol Lett* 72: 317-324.
- Sturm, W; Menze, B; Krause, J; Thriene, B. (1995). Asbestos-related diseases and asbestos types used in the former GDR. *Exp Toxicol Pathol* 47: 173-178. [http://dx.doi.org/10.1016/S0940-2993\(11\)80310-6](http://dx.doi.org/10.1016/S0940-2993(11)80310-6).
- Styles, JA; Wilson, J. (1976). Comparison between in vitro toxicity of two novel fibrous mineral dusts and their tissue reactions in vivo. *Ann Occup Hyg* 19: 63-68.
- Su, SS; Zheng, GQ; Liu, YG; Chen, YF; Song, ZW; Yu, SJ; Sun, NN; Yang, YX. (2016). Malignant Peritoneum Mesothelioma with Hepatic Involvement: A Single Institution Experience in 5 Patients and Review of the Literature. *Gastroenterology Research and Practice* 2016: 6242149. <http://dx.doi.org/10.1155/2016/6242149>.
- Su, W, eiC; Cheng, YS. (2006). Deposition of fiber in a human airway replica. *J Aerosol Sci* 37: 1429-1441. <http://dx.doi.org/10.1016/j.jaerosci.2006.01.015>.

Human Health Hazard Literature Search Results

On Topic

- Suadican, P; Hein, HO; Gyntelberg, F. (2005). Airborne occupational exposure, ABO phenotype, and risk of obesity. *Int J Obes (Lond)* 29: 689-696. <http://dx.doi.org/10.1038/sj.ijo.0802956>.
- SU-BO, Y; Yang, Q; CHAO-YANG, Z; ZHI-MING, W; CHUN-XIAN, Z. (1998). Gene p53 point mutation and protein expression in human malignant mesothelioma (pp. 295-299). (BIOSIS/99/03754). Yuan SU-BO; Yang, Q; Zhai CHAO-YANG; Wang ZHI-MING; Zhu CHUN-XIAN.
- Subramanian, J; Govindan, R. (2007). Lung cancer in never smokers: a review [Review]. *J Clin Oncol* 25: 561-570. <http://dx.doi.org/10.1200/JCO.2006.06.8015>.
- Subramanian, V; Madhavan, N. (2005). Asbestos problem in India. *Lung Cancer* 49: S9-S12. <http://dx.doi.org/10.1016/j.lungcan.2005.03.003>.
- Sue, DY; Oren, A; Hansen, JE; Wasserman, K. (1985). Lung function and exercise performance in smoking and nonsmoking asbestos-exposed workers. *Am Rev Respir Dis* 132: 612-618. <http://dx.doi.org/10.1164/arrd.1985.132.3.612>.
- Sueiro BENDITO, A; Carrill ARIAS, F; Calvo, L; Sanz, I; Lopez MANGLANO, C; Garcia RULL, S; Vieso FONTELA, A; Pacheco GALVAN, A; Golpe GOMEZ, A; Perez RODRIGUEZ, E. (1988). BRONCHOALVEOLAR LAVAGE AND TRANSBRONCHIAL BIOPSY IN ASBESTOS INHALATORY RISK POPULATION (pp. 5-9). (BIOSIS/89/06010). Sueiro BENDITO, A; Carrill ARIAS, F; Calvo, L; Sanz, I; Lopez MANGLANO, C; Garcia RULL, S; Vieso FONTELA, A; Pacheco GALVAN, A; Golpe GOMEZ, A; Perez RODRIGUEZ, E.
- Sueiro BENITO, A; Fogue, L; Lopez MANGLANO, CL; Rull, SG; Carrillo, F. (1989). INITIAL CHANGES OF ASBESTOSIS IN CHRONICALLY HIGH EXPOSED PEOPLE (pp. 14-17). (BIOSIS/89/21295). Sueiro BENITO, A; Fogue, L; Lopez MANGLANO, CL; Rull, SG; Carrillo, F.
- Suganuma, N; Kusaka, Y; Hiraga, Y; Hosoda, Y; Shida, H; Morikubo, H; Matsumoto, T. (2001). Asbestos-related pleural abnormalities detected by chest X-ray: Fair agreement with detection by computed tomography. *J Occup Health* 43: 365-370.
- Sugarbaker, D; Watzka, D; Varela, G; Opitz, I. (2013). Serum concentration of integrin-linked kinase in malignant pleural mesothelioma and after asbestos exposure. *Eur J Cardiothorac Surg* 43: 944-945.
- Sułkowski, W; Kowalska, S; Szycki, J; Gielec, L. (1980). [Changes in upper airways in workers of a cement factory (author's transl)]. *Otolaryngol Pol* 34: 357-363.
- Sułkowski, W; Szeszenia-Dabrowska, N; Kowalska, S. (1986). [Epidemiology of occupational cancer of the upper respiratory tract in Poland 1971-1985]. *Med Pr* 37: 353-361.
- Sułkowski, W; Szeszenia-Dabrowska, N; Kowalska, S. (1988). [Analysis of cases of cancer of the upper respiratory tract classified as occupational disease in Poland 1971-1986]. 43: 839-842.
- Sullivan, DE; Ferris, M; Pociask, D; Brody, AR. (2008). The latent form of TGFbeta(1) is induced by TNFalpha through an ERK specific pathway and is activated by asbestos-derived reactive oxygen species in vitro and in vivo. *J Immunotoxicol* 5: 145-149. <http://dx.doi.org/10.1080/15476910802085822>.
- Sullivan, KA; Salvaggio, JE. (1995). IMMUNOTOXICOLOGY OF CHEMICAL CARCINOGENS (pp. MODULATION AND COMBINATION EFFECTS: AN INVENTORY OF THE MANY FACTORS WHICH INFLUENCE CARCINOGENESIS). (BIOSIS/96/25166). Sullivan, KA; Salvaggio, JE.
- Sullivan, PA. (2007). Vermiculite, respiratory disease, and asbestos exposure in Libby, Montana: update of a cohort mortality study. *Environ Health Perspect* 115: 579-585. <http://dx.doi.org/10.1289/ehp.9481>.
- Sullivan, PA; Bang, KM; Hearl, FJ; Wagner, GR. (1995). Respiratory disease risks in the construction industry [Review]. *Occup Med (Lond)* 10: 313-334.
- Sullivan, T; Shainblum, E. (2001). Trading in health: the World Trade Organization (WTO) and the international regulation of health and safety. *Health Law Can* 22: 29-47.
- Sulotto, F; Piolatto, G; Guazzotti, T; Romano, C; Berra, A. (1981). [Behavior of the pulmonary instantaneous time constant in relation to cigarette smoke and to exposure to asbestos]. *Med Lav* 72: 222-227.
- Sulotto, F; Romano, C; Berra, A; Arossa, W; Spinaci, S. (1980). Radiographic and functional changes following exposure to different types of asbestos. IARC Sci Publ IARC Scientific Publications No: 565-569.
- Summerhays, J. (1991). Evaluation of risks from urban air pollutants in the southeast Chicago (Chicago, Illinois, USA) area (pp. 844-850). (BIOSIS/91/25011). Summerhays, J.
- Sun, J; Shibata, E; Hisanaga, N; Kamijima, M; Ichihara, G; Huang, J; Toida, M; Takeuchi, Y. (1997). A cohort mortality study of construction workers. *Am J Ind Med* 32: 35-41.
- Sun, T; Li, L; Shi, N; Zhang, X. (2003). [A 40-year cohort study on cancer mortality among female workers with manual spinning of chrysotile asbestos]. *Wei Sheng Yan Jiu* 32: 511-513.
- Sun, TD; Chen, JE; Zhang, XJ; Li, XY. (2008). [Cohort studies on cancer mortality of digestive system among workers exposed to asbestos: a meta-analysis]. *Zhonghua Lao Dong Wei Sheng Zhi Ye Bing Za Zhi* 26: 605-608.
- Sundin, DS. (1972). Results of U.S.P.H.S. Survey at Raybestos Manhattan Asbestos Textile Plant, Charleston, South Carolina. (NIOSH/00105342). Sundin, DS.
- Sundin, DS; Froehlich, PA; Seta, JA. (1973). Industrial Hygiene Survey Report, Unit Parts Company, Oklahoma City, Oklahoma, Report No. IWS-73-9 (pp. 73-79). (NIOSH/00134875). Sundin, DS; Froehlich, PA; Seta, JA.
- Suoranta, H; Huuskonen, MS; Zitting, A; Juntunen, J. (1982). Radiographic progression of asbestosis. *Am J Ind Med* 3: 67-74.
- Surinrut, P; Shaffer, J; Marsh, J; Heintz, NH; Mossman, BT. (1993). TRANSFECTION OF A HUMAN CATALASE GENE AMELIORATES ASBESTOS-INDUCED CYTOTOXICITY IN HAMSTER TRACHEAL EPITHELIAL-CELLS. *Am Rev Respir Dis* 147: A205-A205.
- Suskind, RR. (1983). Percutaneous absorption and chemical carcinogenesis. *J Dermatol* 10: 97-107.
- Suslova, TB; Cheremisina, ZP; Korkina, LG. (1994). CHRYSOTILE ASBESTOS GENERATES FREE-RADICALS DURING INTERACTION WITH BIOLOGICAL COMPOUNDS AND AIR-POLLUTANTS. *Free Radic Biol Med* 16: 12-12.
- Suslova, TB; Cheremisina, ZP; Korkina, LG. (1994). FREE-RADICAL GENERATION DURING INTERACTION OF CHRYSOTILE ASBESTOS WITH NATURAL COMPOUNDS. *Environ Res* 66: 222-234. <http://dx.doi.org/10.1006/enrs.1994.1058>.

Human Health Hazard Literature Search Results

On Topic

- Sussell, A; Shults, R. (1993). Health Hazard Evaluation Report No. HETA-91-053-2320, Union Tank Car, Cleveland, Texas. (Health hazard evaluation report: HETA-91-053-2320). Cincinnati, OH: National Institute for Occupational Safety and Health (NIOSH).
- Sussman, RG; Cohen, BS; Lippmann, M. (1991). Asbestos fiber deposition in a human tracheobronchial cast. I. Experimental. *Inhal Toxicol* 3: 145-160. <http://dx.doi.org/10.3109/08958379109145281>.
- Sussman, RG; Cohen, BS; Lippmann, M. (1991). Asbestos fiber deposition in a human tracheobronchial cast. II. Empirical model. *Inhal Toxicol* 3: 161-179. <http://dx.doi.org/10.3109/08958379109145282>.
- Sutokskaya, IV; Fedotov, NA. (1993). ANALYSIS OF PRINCIPAL TRENDS OF STUDIES ON ECOLOGICAL AND HEALTH-RELATED ASPECTS OF ENVIRONMENTAL PROTECTION ON THE FORMER USSR AND ABROAD IN 1990-1991 (pp. 50-54). (BIOSIS/94/07676). Sutokskaya, IV; Fedotov, NA.
- Suvarna, SK; Layton, C. (2006). What is a significant lung asbestos fibre result? [Letter]. *Histopathology* 48: 203-204. <http://dx.doi.org/10.1111/j.1365-2559.2005.02203.x>.
- Suvatne, J; Browning, RF. (2011). Asbestos and lung cancer. *Dis Mon* 57: 55-68. <http://dx.doi.org/10.1016/j.disamonth.2010.12.005>.
- Suzuki, H; Asami, K; Hirashima, T; Okamoto, N; Yamadori, T; Tamiya, M; Morishita, N; Shiroyama, T; Takeoka, S; Osa, A; Azuma, Y; Okishio, K; Kawaguchi, T; Atagi, S; Kawase, I. (2014). Stratification of malignant pleural mesothelioma prognosis using recursive partitioning analysis. *Lung* 192: 191-195. <http://dx.doi.org/10.1007/s00408-013-9516-y>.
- Suzuki, K; Hei, TK. (1996). Induction of heme oxygenase in mammalian cells by mineral fibers: Distinctive effect of reactive oxygen species. *Carcinogenesis* 17: 661-667. <http://dx.doi.org/10.1093/carcin/17.4.661>.
- Suzuki, M; Piao, CQ; Zhao, YL; Hei, TK. (2001). Karyotype analysis of tumorigenic human bronchial epithelial cells transformed by chrysolite asbestos using chemically induced premature chromosome condensation technique. *Int J Mol Med* 8: 43-47.
- Suzuki, S; Toyoshima, M; Nishihashi, F; Tsukui, H; Baba, S; Sugimura, H; Suda, T. (2014). An autopsy case of malignant pleural mesothelioma associated with nephrotic syndrome [Review]. *Intern Med* 53: 243-246. <http://dx.doi.org/10.2169/internalmedicine.53.1313>.
- Suzuki, Y. (1969). Fenestration of Alveolar Capillary Endothelium in Experimental Pulmonary Fibrosis. *Lab Invest* 21: 304-308.
- Suzuki, Y. (1974). Interaction of asbestos with alveolar cells. *Environ Health Perspect* 9: 241-252.
- Suzuki, Y. (1980). Pathology of Human Malignant Mesothelioma. *Semin Oncol* 8: 268-282.
- Suzuki, Y. (1980). Pathology of Human Malignant Mesotheliomas. (NIOSH/00192909). Suzuki, Y.
- Suzuki, Y. (1982). Carcinogenic and fibrogenic effects of zeolites: preliminary observations. *Environ Res* 27: 433-445.
- Suzuki, Y. (1983). MALIGNANT MESOTHELIOMA INDUCED BY ASBESTOS AND ZEOLITE IN THE MOUSE PERITONEUM. *Proc Am Assoc Cancer Res* 24: 61-61.
- Suzuki, Y. (1991). Comparability of mesothelioma in humans and in experimental animal studies [Review]. *Ann N Y Acad Sci* 643: 219-222.
- Suzuki, Y. (1993). TRANSLOCATION OF ASBESTOS FIBERS FROM LUNG TO MESOTHELIAL TISSUE (pp. 19-22). (BIOSIS/93/26776). Suzuki, Y.
- Suzuki, Y; Chahinian, AP; Ohnuma, T. (1987). Comparative studies of human malignant mesothelioma in vivo, in xenografts in nude mice, and in vitro. *Cell origin of malignant mesothelioma. Cancer* 60: 334-344.
- Suzuki, Y; Churg, J; Ono, T. (1972). Phagocytic Activity of the Alveolar Epithelial Cells in Pulmonary Asbestosis. *Am J Pathol* 69: 373-380.
- Suzuki, Y; Kannerstein, M; Churg, J. (1973). ULTRASTRUCTURE OF HUMAN MESOTHELIOMA. *Am J Pathol* 70.
- Suzuki, Y; Kohyama, N. (1984). Malignant mesothelioma induced by asbestos and zeolite in the mouse peritoneal cavity. *Environ Res* 35: 277-292.
- Suzuki, Y; Kohyama, N. (1991). Translocation of inhaled asbestos fibers from the lung to other tissues. *Am J Ind Med* 19: 701-704. <http://dx.doi.org/10.1002/ajim.4700190603>.
- Suzuki, Y; Murakami, H; Kawaguchi, K; Tanigushi, T; Fujii, M; Shinjo, K; Kondo, Y; Osada, H; Shimokata, K; Horio, Y; Hasegawa, Y; Hida, T; Sekido, Y. (2009). Activation of the PI3K-AKT pathway in human malignant mesothelioma cells. *Mol Med Rep* 2: 181-188. http://dx.doi.org/10.3892/mmr_00000081.
- Suzuki, Y; Selikoff, IJ. (1986). PATHOLOGY OF LUNG-CANCER AMONG ASBESTOS INSULATION WORKERS. *Fed Proc* 45: 744-744.
- Suzuki, Y; Selikoff, IJ. (1988). PATHOLOGY AND EPIDEMIOLOGY OF LUNG-CANCER AMONG ASBESTOS INSULATION WORKERS. *Proc Am Assoc Cancer Res* 29: 256-256.
- Suzuki, Y; Selikoff, IJ. (1990). Pathology of Malignant Mesothelioma among Asbestos Insulation Workers (pp. 25-28). (NIOSH/00198428). Suzuki, Y; Selikoff, IJ.
- Suzuki, Y; Yuen, S. (2002). Asbestos fibers contributing to the induction of human malignant mesothelioma. *Ann N Y Acad Sci* 982: 160-176.
- Suzuki, Y; Yuen, SR. (2001). Asbestos tissue burden study on human malignant mesothelioma. *Ind Health* 39: 150-160. <http://dx.doi.org/10.2486/indhealth.39.150>.
- Suzuki, Y; Yuen, SR; Ashley, R. (2005). Short, thin asbestos fibers contribute to the development of human malignant mesothelioma: pathological evidence [Review]. *Int J Hyg Environ Health* 208: 201-210. <http://dx.doi.org/10.1016/j.ijheh.2005.01.015>.
- Svane, O; Hansen, L. (1988). HEALTH EXAMINATION OF THOSE EXPOSED TO ASBESTOS (pp. 454-455). (BIOSIS/88/20950). Svane, O; Hansen, L.
- Svensen, K; Hilt, B. (1997). Exposure to mineral oil mist and respiratory symptoms in marine engineers. *Am J Ind Med* 32: 84-89.
- Svensson, I; Artursson, E; Leanderson, P; Berglund, R; Lindgren, F. (1997). Toxicity In Vitro of Some Silicon Carbides and Silicon Nitrides: Whiskers and Powders. *Am J Ind Med* 31: 335-343.
- Svirskii, EL; Kogan, FM. (1973). Dust factor in the production of asbestos board. *Gig Tr Prof Zabol* 17: 39-40.
- Svorcan, P; Djordjevic, J; Colic, N; Jovic, N; Vukcevic, V; Bojovic, S; Dapcevic, B. (2003). Primary malignant mesothelioma of the peritoneum. *Romanian Journal of Gastroenterology* 12: 135-137.
- Swain, WA; O'Byrne, KJ; Faux, SP. (2004). Activation of p38 MAP kinase by asbestos in rat mesothelial cells is mediated by oxidative stress. *Am J Physiol Lung Cell Mol Physiol* 286: L859-L865. <http://dx.doi.org/10.1152/ajplung.00162.2003>.

Human Health Hazard Literature Search Results

On Topic

- Swartz, G. (1990). Brake Repair Protecting the Worker and Environment. *Professional Safety* 35: 17-22.
- Swartz, RD. (2015). Retroperitoneal fibrosis and asbestosis--a plausible association? [Editorial]. *Am J Kidney Dis* 65: 378-380. <http://dx.doi.org/10.1053/j.ajkd.2014.09.009>.
- Swayn, G. (2008). "Make history but don't forget the past". *New Solutions: A Journal of Environmental and Occupational Health Policy* 18: 379-382. <http://dx.doi.org/10.2190/NS.18.3.I>.
- Sweeney, RE; Castleman, B. (1979). Asbestos disease and compensation. *Ann N Y Acad Sci* 330: 273-280.
- Swensen, SJ; Silverstein, MD; Ilstrup, DM; Schleck, CD; Edell, ES. (1997). The probability of malignancy in solitary pulmonary nodules. Application to small radiologically indeterminate nodules. *Arch Intern Med* 157: 849-855.
- Swenson, A; Szamosi, A. (1976). [Pleural plaques and asbestos]. *Lakartidningen* 73: 302-304.
- Swerdlow, AJ. (1990). EFFECTIVENESS OF PRIMARY PREVENTION OF OCCUPATIONAL EXPOSURES ON CANCER RISK (pp. LYON). (BIOSIS/91/11700). Swerdlow, AJ.
- Swiatkowska, B. (2013). [Legal aspects of workers' health protection against asbestos in Poland in the light of the EU legal framework] [Review]. *Med Pr* 64: 689-697.
- Świątkowska, B; Sobala, W; Szubert, Z. (2012). Progression of small, irregular opacities in chest radiographs of former asbestos workers. *Int J Occup Med Environ Health* 25: 481-491. <http://dx.doi.org/10.2478/S13382-012-0062-2>.
- Świątkowska, B; Szeszenia-Dąbrowska, N. (2017). Long-term epidemiological observation of asbestos-related diseases in Poland, 1970-2015. *Occup Med (Lond)*. <http://dx.doi.org/10.1093/occmed/kqx011>.
- Świątkowska, B; Szubert, Z; Sobala, W; Szeszenia-Dąbrowska, N. (2015). Predictors of lung cancer among former asbestos-exposed workers. *Lung Cancer* 89: 243-248. <http://dx.doi.org/10.1016/j.lungcan.2015.06.013>.
- Świątkowska, B; Wojciech, S; Szubert, Z; Szeszenia-Dąbrowska, N. (2014). Continued spirometry changes after cessation of exposure in asbestos-cement workers. *J Occup Environ Med* 56: 403-408. <http://dx.doi.org/10.1097/JOM.0000000000000117>.
- Swift, DL. (1900). Fiber Deposition in Human Upper Airway Model. (NIOSH/00182723). Swift, DL.
- Swift, DL. (1983). Aerosol Sampling Requirements To Assess The Health Risk Of Special Particulates (pp. 219-231). (NIOSH/00149817). Swift, DL.
- Sykes, SE; Morgan, A; Holmes, A. (1980). The Haemolytic Activity Of Chrysotile Asbestos (pp. 113-119). (NIOSH/00158567). Sykes, SE; Morgan, A; Holmes, A.
- Sykes, SE; Morgan, A; Moores, SR; Davison, W; Beck, J; Holmes, A. (1983). The advantages and limitations of an in vivo test system for investigating the cytotoxicity and fibrogenicity of fibrous dusts. *Environ Health Perspect* 51: 267-273.
- Sylwester, DL; Babbott, FL; Gilson, JC; Rossiter, CE; Ashe, H; Green, G. (1976). A COMPARATIVE SURVEY OF RADIOGRAPHIC ABNORMALITIES OF WORKERS IN CHRYSOTILE ASBESTOS TALC AND NONMINERAL INDUSTRIES (pp. 1-2). (HEEP/78/09718). Sylwester, DL; Babbott, FL; Gilson, JC; Rossiter, CE; Ashe, H; Green, G.
- Sylwester, DL; Babbott, FL; Gilson, JC; Rossiter, CE; Ashe, H; Green, G. (1976). [A comparative survey of radiologic abnormalities of workers in chrysotile asbestos, talc and non-mineral products industries]. *Bulletin of the International Union against Tuberculosis* 51: 621-627.
- Symanski, E; Kupper, LL; Rappaport, SM. (1998). Comprehensive evaluation of long term trends in occupational exposure: Part 1. Description of the database. *Occup Environ Med* 55: 300-309.
- Symanski, H. (1972). Change in occupational disease due to new working materials (pp. 658-664). (HEEP/74/00048). Symanski, H.
- Syslová, K; Kacer, P; Kuzma, M; Najmanová, V; Fenclová, Z; Vlcková, S; Lebedová, J; Pelclová, D. (2009). Rapid and easy method for monitoring oxidative stress markers in body fluids of patients with asbestos or silica-induced lung diseases. *J Chromatogr B Analyt Technol Biomed Life Sci* 877: 2477-2486. <http://dx.doi.org/10.1016/j.jchromb.2009.06.008>.
- Szeinuk, J; Noonan, CW; Henschke, CI; Pfau, J; Black, B; Miller, A; Yankelevitz, DF; Liang, M; Liu, Y; Yip, R; Linker, L; Mcnew, T; Flores, RM. (2017). Pulmonary abnormalities as a result of exposure to Libby amphibole during childhood and adolescence-The Pre-Adult Latency Study (PALS). *Am J Ind Med* 60: 20-34. <http://dx.doi.org/10.1002/ajim.22674>.
- Szeinuk, J; Padilla, M; de la Hoz, RE. (2008). Potential for diffuse parenchymal lung disease after exposures at World Trade Center Disaster site [Review]. *Mt Sinai J Med* 75: 101-107. <http://dx.doi.org/10.1002/msj.20025>.
- Szendrői, M; Németh, L; Vajta, G. (1981). [Detection of asbestos particles in the cancerous bile duct of a patient with respiratory asbestosis]. *Orv Hetil* 122: 1913-1915.
- Szendrői, M; Németh, L; Vajta, G. (1983). Asbestos bodies in a bile duct cancer after occupational exposure. *Environ Res* 30: 270-280.
- Szeszenia, D, aN; Wilczy@N1ska, U; Szymczak, W; Strzelecka, A. (2002). Mortality study of workers compensated for asbestosis in Poland, 1970-1997. *Int J Occup Med Environ Health* 15: 267-278.
- Szeszenia-Dabrowska, N. (1985). [Smoking and cancer risk in persons occupationally exposed to asbestos dust] [Review]. *Med Pr* 36: 251-256.
- Szeszenia-Dabrowska, N. (1986). EPIDEMIOLOGICAL EVALUATION OF THE RISK OF CANCER IN WORKERS EXPOSED TO ASBESTOS DUST. *Med Pr* 37: 59-63.
- Szeszenia-Dabrowska, N. (1989). [Epidemiological problems of non-occupational exposure to asbestos dust]. *Przegl Epidemiol* 43: 289-294.
- Szeszenia-Dabrowska, N. (1990). [Health hazards of occupational exposure to asbestos dust]. 45: 309-312.
- Szeszenia-Dabrowska, N. (2008). [Asbestos as a risk factor for pulmonary diseases] [Review]. *Przegl Lek* 65 Suppl 2: 26-34.
- Szeszenia-Dabrowska, N. (2011). ASBESTOS ABATEMENT WORKERS VERSUS ASBESTOS WORKERS: EXPOSURE AND HEALTH-EFFECTS DIFFER Reply. *Int J Occup Med Environ Health* 24: 420-421. <http://dx.doi.org/10.2478/s13382-011-0045-8>.
- Szeszenia-Dabrowska, N; Starzyński, Z. (1982). [Evaluation of the size of the population occupationally exposed to asbestos dust and the incidence of asbestosis in Poland 1970-1980]. *Med Pr* 33: 301-308.
- Szeszenia-Dabrowska, N; Strzelecka, A; Wilczyńska, U; Szymczak, W. (1997). [Occupational neoplasms in Poland in the years 1971-1994]. *Med Pr* 48: 1-14.

Human Health Hazard Literature Search Results

On Topic

- Szeszenia-Dąbrowska, N; Świątkowska, B. (2015). An unjustified prognosis of the number of asbestos-related lung cancer cases caused by an increase in airborne asbestos concentrations as a result of removing of asbestos-cement products [Letter]. *ScientificWorldJournal* 2015: 264568. <http://dx.doi.org/10.1155/2015/264568>.
- Szeszenia-Dąbrowska, N; Świątkowska, B; Sobala, W; Szubert, Z; Wilczyńska, U. (2015). Asbestos related diseases among workers of asbestos processing plants in relation to type of production and asbestos use. *Med Pr* 66: 1-9.
- Szeszenia-Dąbrowska, N; Szymczak, W; Wilczyńska, U. (1995). [Assessment of lung cancer risk due to environmental asbestos dust exposure in the general population]. *Przegl Epidemiol* 49: 407-416.
- Szeszenia-Dąbrowska, N; Szymczak, W; Wilczyńska, U. (1996). [Prevalence of pleural malignant mesothelioma in Poland in 1980-1993]. *Przegl Epidemiol* 50: 447-455.
- Szeszenia-Dąbrowska, N; Wilczyńska, U. (2013). Occupational diseases in Poland--an overview of current trends. *Int J Occup Med Environ Health* 26: 457-470. <http://dx.doi.org/10.2478/s13382-013-0119-x>.
- Szeszenia-Dąbrowska, N; Wilczyńska, U; Kaczmarek, T; Szymczak, W. (1991). The risk of cancer in man occupationally exposed to asbestos dust: A cohort study. *Med Pr* 42: 419-430.
- Szeszenia-Dąbrowska, N; Wilczyńska, U; Kaczmarek, T; Szymczak, W. (1991). [Evaluation of the cancer risk among men exposed to occupational asbestos dust based on cohort studies]. *Med Pr* 42: 419-419.
- Szeszenia-Dąbrowska, N; Wilczyńska, U; Sobala, W. (2014). OCCUPATIONAL DISEASES IN POLAND IN 2013 AND THEIR CAUSATIVE AGENTS. *Med Pr* 65: 463-472.
- Szeszenia-Dąbrowska, N; Wilczyńska, U; Szymczak, W. (1988). A Mortality Study among Male Workers Occupationally Exposed to Asbestos Dust in Poland. *Pol J Occup Med* 1: 77-87.
- Szeszenia-Dąbrowska, N; Wilczyńska, U; Szymczak, W. (1986). [Neoplasm risk in men occupationally exposed to asbestos dust]. *Med Pr* 37: 129-138.
- Szeszenia-Dąbrowska, N; Wilczyńska, U; Szymczak, W. (1986). [Risk of cancer in women occupationally exposed to asbestos dust]. *Med Pr* 37: 243-249.
- Szeszenia-Dąbrowska, N; Wilczyńska, U; Szymczak, W. (1986). [The risk of death from malignant tumors is dependent on the amount of exposure to asbestos dust]. *Med Pr* 37: 297-304.
- Szeszenia-Dąbrowska, N; Wilczyńska, U; Szymczak, W. (1988). Mortality among female workers in an asbestos factory in Poland. *Pol J Occup Med* 1: 203-212.
- Szeszenia-Dąbrowska, N; Wilczyńska, U; Szymczak, W. (1997). [Cancer risk in asbestos-cement industry workers in Poland]. *Med Pr* 48: 473-483.
- Szeszenia-Dąbrowska, N; Wilczyńska, U; Szymczak, W. (2000). Mortality of workers at two asbestos-cement plants in Poland. *Int J Occup Med Environ Health* 13: 121-130.
- Szeszenia-Dąbrowska, N; Wilczyńska, U; Szymczak, W; Laskowicz, K. (1998). Environmental exposure to asbestos in asbestos cement workers: a case of additional exposure from indiscriminate use of industrial wastes. *Int J Occup Med Environ Health* 11: 171-177.
- Szlosarek, PW; Luong, P; Phillips, MM; Baccharini, M; Stephen, E; Szyszko, T; Sheaff, MT; Avril, N. (2013). Metabolic response to pegylated arginine deiminase in mesothelioma with promoter methylation of argininosuccinate synthetase. *J Clin Oncol* 31: e111-e113. <http://dx.doi.org/10.1200/JCO.2012.42.1784>.
- Szubert, Z; Stankiewicz-Choroszucha, B; Wrońska-Sobolewska, M; Cwynar, E; Dobrowolska, J; Wróbel, R; Ratka, M; Jakubowski, J; Skórka-Ciszewska, I; Turbańska, R; Gazda, U; Sova, M; Pawłowska-Kozieł, H; Latala-Łoś, E; Komorowska, E; Sobala, W; Świątkowska, B; Szeszenia-Dąbrowska, N. (2011). [Implementation of the Amiantus project involving prophylactic medical examinations of the former employees of asbestos processing plants]. *Med Pr* 62: 465-472.
- Szyba, K; Lange, A. (1982). A CARRIER FUNCTION OF ASBESTOS FIBERS IN BENZO A PYRENE MUTAGENICITY (pp. 24-26). (HEEP/84/05542). Szyba, K; Lange, A.
- Szyba, K; Lange, A. (1982). EFFECTS OF ASBESTOS ON BENZO A PYRENE MUTAGENICITY (pp. 6-11). (HEEP/83/07462). Szyba, K; Lange, A.
- Szyba, K; Lange, A. (1983). PRESENTATION OF BENZO(A)PYRENE TO MICROSOMAL ENZYMES BY ASBESTOS FIBERS IN THE SALMONELLA/MAMMALIAN MICROSOME MUTAGENICITY TEST (pp. 337-341). (ISSN 0091-6765; EISSN 1552-9924; EMICBACK/55863). Szyba, K; Lange, A.
- Szymaniec, S; Brown, DM; Chludzynska, M; Jankowska, E; Polikowska, H; Donaldson, K. (1989). Antibody producing cells in the spleens of mice treated with pathogenic mineral dust. *Br J Ind Med* 46: 724-728.
- Szymczak, W. (2000). [Quantitative evaluation for risk assessment of neoplasms caused by exposure to chemical substances] [Review]. *Med Pr* 51: 625-636.
- Szymczykiwicz, K. (1970). Some aspects of pathogenesis of asbestosis (pp. 115-119). (HEEP/72/06344). Szymczykiwicz, K.
- T.W., H; G., C; C., A; W.C., M; R.P., M; O., K; J., H; C., M; D.M., B; P., T. (1999). Volume 151, number 2 (1998), in article no. TO988472, "Biopersistence of synthetic vitreous fibers and amosite asbestos in the rat lung following Inhalation," by T. W. Hesterberg, G. Chase, C. Axten, W. C. Miller, R. P. Musselman, O. Kamstrup, J. Hadley, C. Morscheidt, D. M. Bernstein, and P. Thevenaz, pages 262-275. *Toxicol Appl Pharmacol* 155: 292.
- Taatjes, DJ; Palmer, CJ; Pantano, C; Hoffmann, SB; Cummins, A; Mossman, BT. (2001). Laser-based microscopic approaches: application to cell signaling in environmental lung disease [Review]. *Biotechniques* 31: 880-882, 884, 886-888, 890, 892-884.
- Tabata, C; Kanemura, S; Tabata, R; Masachika, E; Shibata, E; Otsuki, T; Nishizaki, T; Nakano, T. (2013). Serum HMGB1 as a diagnostic marker for malignant peritoneal mesothelioma. *J Clin Gastroenterol* 47: 684-688. <http://dx.doi.org/10.1097/MCG.0b013e318297fa65>.
- Tabata, C; Shibata, E; Tabata, R; Kanemura, S; Mikami, K; Nogi, Y; Masachika, E; Nishizaki, T; Nakano, T. (2013). Serum HMGB1 as a prognostic marker for malignant pleural mesothelioma. *BMC Cancer* 13: 205. <http://dx.doi.org/10.1186/1471-2407-13-205>.

Human Health Hazard Literature Search Results

On Topic

- Tabata, C; Tabata, R; Hirayama, N; Yasumitsu, A; Yamada, S; Murakami, A; Iida, S; Tamura, K; Terada, T; Kuribayashi, K; Fukuoka, K; Nakano, T. (2009). All-trans-retinoic acid inhibits tumour growth of malignant pleural mesothelioma in mice. *Eur Respir J* 34: 1159-1167. <http://dx.doi.org/10.1183/09031936.00195708>.
- Tabata, C; Terada, T; Tabata, R; Yamada, S; Eguchi, R; Fujimori, Y; Nakano, T. (2013). Serum thioredoxin-1 as a diagnostic marker for malignant peritoneal mesothelioma. *J Clin Gastroenterol* 47: e7-11. <http://dx.doi.org/10.1097/MCG.0b013e31824e901b>.
- Tabershaw Associates, I. (1983). Historical prospective mortality study of past and present employees of the celanese chemical and plastics plant located in bishop texas. [Order this.](#)
- Tabershaw Occupational Medicine Associates, P.A., . (1982). 1978 cross-sectional health study of workers at the Bridgeville plant of Koppers Company, Inc [TSCA Submission]. (878210481). Pittsburgh, PA: Koppers Company Inc. <https://ntrl.ntis.gov/NTRL/dashboard/searchResults.xhtml?searchQuery=OTS0206278>.
- Tabershaw Occupational Medicine Associates, P.A., . (1982). Occupational health evaluation of the Bridgeville, Pennsylvania plant of Koppers Company, Inc. Organic Materials Group: Final report [TSCA Submission]. (878210482). Pittsburgh, PA: Koppers Company Inc. <https://ntrl.ntis.gov/NTRL/dashboard/searchResults.xhtml?searchQuery=OTS0206278>.
- Tabet, L; Bussy, C; Amara, N; Setyan, A, ri; Grodet, A; Rossi, MJ; Pairon, JC; Boczkowski, J; Lanone, S. (2009). Adverse Effects of Industrial Multiwalled Carbon Nanotubes on Human Pulmonary Cells. *J Toxicol Environ Health A* 72: 60-73. <http://dx.doi.org/10.1080/15287390802476991>.
- Tachikawa, R, yo; Tomii, K; Imai, Y. (2011). Occult Adenocarcinoma of the Lung Mimicking Rapid Progression of Asbestosis. *Intern Med* 50: 1055-1058. <http://dx.doi.org/10.2169/internalmedicine.50.5005>.
- Tada, Y; Shimada, H; Hiroshima, K; Tagawa, M. (2013). A potential therapeutic strategy for malignant mesothelioma with gene medicine [Review]. *BioMed Res Int* 2013: 572609. <http://dx.doi.org/10.1155/2013/572609>.
- Taeger, D; Gawrych, K; Brüning, T. (2016). Validity of mesothelin in occupational medicine practice [Letter]. *Int J Occup Med Environ Health* 29: 879-880. <http://dx.doi.org/10.13075/ijomeh.1896.01062>.
- Taft, RM; Haring, MK. (1979). Health hazard evaluation determination, report no. HHE-78-35-568, American Broadcasting Companies, Inc., New York, New York (pp. 78-35). (NIOSH/00101045). Cincinnati, OH: National Inst. for Occupational Safety and Health.
- Tafuro, F; Corradi, M. (2016). An approach to interpreting restrictive spirometric pattern results in occupational settings. *Med Lav* 107: 419-436.
- Tagesson, C; Chabiuk, D; Axelson, O; Barański, B; Palus, J; Wyszyńska, K. (1993). Increased urinary excretion of the oxidative DNA adduct, 8-hydroxydeoxyguanosine, as a possible early indicator of occupational cancer hazards in the asbestos, rubber, and azo-dye industries. *Pol J Occup Med Environ Health* 6: 357-368.
- Taghavi, SM; Momenpour, M; Azarian, M; Ahmadian, M; Soury, F; Taghavi, SA; Sadeghain, M; Karchani, M. (2013). Effects of Nanoparticles on the Environment and Outdoor Workplaces [Review]. *5: 706-712*. <http://dx.doi.org/10.14661/2013.706-712>.
- Tagnon, I; Blot, WJ; Stroube, RB; Day, NE; Morris, LE; Peace, BB; Fraumeni, JF. (1980). Mesothelioma associated with the shipbuilding industry in coastal Virginia. *Cancer Res* 40: 3875-3879.
- Tahri, H; Lahlou, K; Gueddari, FZ; Elmohameddine, H; Wakkas, A; Taghy, M; Chad, B; Yacoubi, A; Zizi, A; Belmahi, A. (1996). Malignant peritoneal mesothelioma. Report of a case. *Sem Hop* 72: 475-478.
- Taillandier, J; Faux, N; Manigand, G; Lemaigre, G; Zilhardt, P; Jagueux, M. (1984). [Diffuse bone metastases revealing pleural mesothelioma. Case report]. *Rev Mal Respir* 1: 37-41.
- Takabe, K; Tsukada, Y; Shimizu, T; Takagiwa, J; Hirayama, M; Nakayama, M; Miura, H; Akabane, H; Takayama, S; Aida, S; Kimura, Y. (1997). Malignant lymphoma involving the penis following malignant pleural mesothelioma. *Intern Med* 36: 712-715.
- Takagi, A; Kitajima, S; Kanno, J; Hirose, A; Nishimura, T; Fukumori, N; Ogata, A; Ohashi, N. (2008). Induction of mesothelioma in p53+/- mouse by intraperitoneal application of multi-wall carbon nanotube. *J Toxicol Sci* 33: 105-116.
- Takagi, M. (1991). Histopathological changes in the lung with low-dose asbestos exposure (pp. 11-20). (BIOSIS/92/36069). Takagi, M.
- Takahashi, K; Eves, ND; Piper, A; Song, Y; Maher, TM. (2012). Year in review 2011: Acute lung injury, interstitial lung diseases, physiology, sleep and lung cancer [Review]. *Respirology* 17: 554-562. <http://dx.doi.org/10.1111/j.1440-1843.2012.02127.x>.
- Takahashi, K; Huuskonen, MS; Tossavainen, A; Higashi, T; Okubo, T; Rantanen, J. (1999). Ecological relationship between mesothelioma incidence/mortality and asbestos consumption in ten Western countries and Japan. *J Occup Health* 41: 8-11.
- Takahashi, K; Initiative, AA. (2008). Asbestos-related diseases: time for technology sharing [Editorial]. *Occup Med (Lond)* 58: 384-385. <http://dx.doi.org/10.1093/occmed/kqn086>.
- Takahashi, K; Landrigan, PJ. (2016). The global health dimensions of asbestos and asbestos-related diseases. *Ind Health* 54: 87-91. <http://dx.doi.org/10.2486/indhealth.cr01>.
- Takahashi, K; Sera, Y; Okubo, T. (1993). A descriptive epidemiological study on pleural plaque cases identified from the worker's periodical health examinations in Kitakyushu, Japan. *Sangyo Igaku* 35: 302-313.
- Takala, J. (1996). Chemical Safety Information for developing countries. *Sci Total Environ* 188: S112-S129. [http://dx.doi.org/10.1016/0048-9697\(96\)05283-7](http://dx.doi.org/10.1016/0048-9697(96)05283-7).
- Takaro, T; Firestone, J. (2009). Medical Surveillance for Former Workers. Final Technical Report for the Period October 1, 1996-September 30, 2006. 6.
- Takata, A; Yamauchi, H; Toya, T; Aminaka, M; Shinohara, Y; Kohyama, N; Yoshida, K. (2009). Forsterite exposure causes less oxidative DNA damage and lung injury than chrysotile exposure in rats. *Inhal Toxicol* 21: 739-746. <http://dx.doi.org/10.1080/08958370802492399>.
- Takata, A; Yamauchi, H; Toya, T; Miyamoto-Kohno, S; Iwatatsu, Y; Teranaka, I; Aminaka, M; Yamashita, K; Kohyama, N. (2011). Effectiveness of serum megakaryocyte potentiating factor in evaluating the effects of chrysotile and its heated products on respiratory organs. *Toxicol Appl Pharmacol* 252: 123-129. <http://dx.doi.org/10.1016/j.taap.2010.09.026>.

Human Health Hazard Literature Search Results

On Topic

- Takemura, T; Rom, WN; Ferrans, VJ; Crystal, RG. (1985). MORPHOLOGICAL ANALYSIS OF ALVEOLAR MACROPHAGES RECOVERED FROM INDIVIDUALS WITH CHRONIC INORGANIC DUST EXPOSURE (pp. 12-15). (BIOSIS/85/16485). Takemura, T; Rom, WN; Ferrans, VJ; Crystal, RG.
- Takeshima, Y; Nishisaka, T; Kawano, R; Kishizuchi, K; Fujii, S; Kitaguchi, S; Inai, K. (1996). p16/CDKN2 gene and p53 gene alterations in Japanese non-smoking female lung adenocarcinoma. *Jpn J Cancer Res* 87: 134-140.
- Takeuchi, T; Morimoto, K. (1994). Crocidolite asbestos increased 8-hydroxydeoxyguanosine levels in cellular DNA of a human promyelocytic leukemia cell line, HL60. *Carcinogenesis* 15: 635-639.
- Takeuchi, T; Nakajima, M; Morimoto, K. (1999). A human cell system for detecting asbestos cytogenotoxicity in vitro. *Mutat Res* 438: 63-70.
- Takkouche, B; Gestalotero, JJ. (1996). The epidemiology of lung cancer: Review of risk factors and Spanish data [Review]. *Eur J Epidemiol* 12: 341-349. <http://dx.doi.org/10.1007/BF00145296>.
- Takuyama, T; Yoneda, T; Tsukaguchi, K; Yoshikawa, M; Tomoda, K; Hamada, K; Kasuga, H; Tamura, M; Miyazaki, T; Narita, N. (1992). ABNORMAL SECRETION OF CYTOKINES BY ALVEOLAR MACROPHAGE IN ASBESTOSIS (pp. 17-20). (BIOSIS/92/22097). Takuyama, T; Yoneda, T; Tsukaguchi, K; Yoshikawa, M; Tomoda, K; Hamada, K; Kasuga, H; Tamura, M; Miyazaki, T; Narita, N.
- Talaska, G; Roh, J; Zhou, Q. (1996). Molecular biomarkers of occupational lung cancer. *Yonsei Med J* 37: 1-18.
- Talcott, J; Thurber, W; Gaensler, E; Antman, K; Li, FP. (1987). Mesothelioma in manufacturers of asbestos-containing cigarette filters [Letter]. *Lancet* 1: 392.
- Talcott, JA; Antman, KH. (1988). Asbestos-related malignancy [Review]. *Curr Probl Cancer* 12: 135-178.
- Talcott, JA; Thurber, WA; Kantor, AF; Gaensler, EA; Danahy, JF; Antman, KH; Li, FP. (1989). Asbestos-associated diseases in a cohort of cigarette-filter workers. *N Engl J Med* 321: 1220-1223. <http://dx.doi.org/10.1056/NEJM198911023211803>.
- Talent, JM; Harrison, WO; Solomon, A; Webster, I. (1980). A survey of black mineworkers of the Cape crocidolite mines. *IARC Sci Publ* 723-729.
- Tamaoki, J; Ando, M; Tanino, S; Yamawaki, I; Kawakami, M; Konno, K; Takizawa, T. (1986). [A case of pulmonary asbestosis induced by actinolite with bilateral pleural effusion]. *Nihon Kyobu Shikkan Gakkai Zasshi* 24: 309-315.
- Tamburro, CH; Streips, UN; Wong, JL. (1982). Approaches to Occupational Cancer (pp. 255-295). (NIOSH/00179130). Tamburro, CH; Streips, UN; Wong, JL.
- Tamir, G; Sandbank, J; Rubin, M; Antebi, E. (1993). [Malignant peritoneal mesothelioma]. *Harefuah* 124: 613-616, 667.
- Tammilehto, L; Tiainen, M; Tuomi, T; Knuutila, S; Mattson, I. (1989). POSITIVE CORRELATION BETWEEN CHROMOSOMAL ABNORMALITIES AND HIGH ASBESTOS FIBER CONCENTRATION OF LUNG TISSUE IN HUMAN MESOTHELIOMA (pp. 24-27). (BIOSIS/89/27472). Tammilehto, L; Tiainen, M; Tuomi, T; Knuutila, S; Mattson, I.
- Tammilehto, L; Tuomi, T; Tiainen, M; Rautonen, J; Knuutila, S; Pyrhönen, S; Mattson, K. (1992). Malignant mesothelioma: clinical characteristics, asbestos mineralogy and chromosomal abnormalities of 41 patients. *Eur J Cancer* 28A: 1373-1379.
- Tamminen, JA; Myllärniemi, M; Hyytiäinen, M; Keski-Oja, J; Koli, K. (2012). Asbestos exposure induces alveolar epithelial cell plasticity through MAPK/Erk signaling. *J Cell Biochem* 113: 2234-2247. <http://dx.doi.org/10.1002/jcb.24094>.
- Tamura, M; Kasuga, H; Katada, H; Narita, N; Miyazaki, R; Mikami, R. (1990). [Clinical study on asbestos pleurisy and review of literature] [Review]. *Nihon Kyobu Shikkan Gakkai Zasshi* 28: 1182-1194.
- Tamura, M; Kasuga, H; Nishikawa, K; Narita, N; Sada, K; Miyazaki, R; Saito, N; Mikami, R. (1992). [Development and factors related to the appearance of diaphragmatic pleural calcifications--follow up study of employees in an asbestos plant]. *Nihon Kyobu Shikkan Gakkai Zasshi* 30: 230-237.
- Tamura, M; Liang, D; Tokuyama, T; Yoneda, T; Kasuga, H; Narita, N; Sada, K; Miyazaki, R; Okada, S. (1993). [Study on the relationship between appearance of autoantibodies and chest X-ray findings of asbestos plant employees]. *Sangyo Igaku* 35: 406-412.
- Tamura, M; Narita, N. (1994). [Asbestos pleurisy] [Review]. *Ryoikibetsu Shokogun Shirizu* 746-748.
- Tamura, M; Tokuyama, T; Kasuga, H; Yoneda, T; Miyazaki, R; Narita, N. (1996). [Study on correlation between chest X-P course findings and change in antinuclear antibody in asbestos plant employees]. *Sangyo Eiseigaku Zasshi* 38: 138-141.
- Tan, C; Treasure, T. (2005). Mesothelioma: time to take stock [Review]. *J R Soc Med* 98: 455-458. <http://dx.doi.org/10.1258/jrsm.98.10.455>.
- Tan, RJ; Fattman, CL; Niehouse, LM; Tobolewski, JM; Hanford, LE; Li, Q; Monzon, FA; Parks, WC; Oury, T. (2006). Matrix metalloproteinases promote inflammation and fibrosis in asbestos-induced lung injury in mice. *Am J Respir Cell Mol Biol* 35: 289-297. <http://dx.doi.org/10.1165/rcmb.2005-0471OC>.
- Tan, RJ; Fattman, CL; Watkins, SC; Oury, TD. (2004). Redistribution of pulmonary EC-SOD after exposure to asbestos. *J Appl Physiol* 97: 2006-2013. <http://dx.doi.org/10.1152/jappphysiol.00480.2004>.
- Tan, RJ; Lee, JS; Manni, ML; Fattman, CL; Tobolewski, JM; Zheng, M; Kolls, JK; Martin, TR; Oury, TD. (2006). Inflammatory cells as a source of airspace extracellular superoxide dismutase after pulmonary injury. *Am J Respir Cell Mol Biol* 34: 226-232. <http://dx.doi.org/10.1165/rcmb.2005-0212OC>.
- Tan, XM. (1991). [Pathologic study of pleural and peritoneal mesotheliomas of rats induced by asbestos]. *Zhonghua Bing Li Xue Za Zhi* 20: 187-189.
- Tanabe, T; Yamaguchi, N; Okuda, M; Ishimaru, Y; Takahashi, H. (2015). [Immune System Reaction against Environmental Pollutants] [Review]. *Nippon Eiseigaku Zasshi* 70: 115-119. <http://dx.doi.org/10.1265/jjh.70.115>.
- Tanaka, S; Choe, N; Hemenway, DR; Zhu, S; Matalon, S; Kagan, E. (1998). Asbestos inhalation induces reactive nitrogen species and nitrotyrosine formation in the lungs and pleura of the rat. *J Clin Invest* 102: 445-454. <http://dx.doi.org/10.1172/JCI3169>.
- Tanaka, S; Choe, N; Iwagaki, A; Hemenway, DR; Kagan, E. (2000). Asbestos exposure induces MCP-1 secretion by pleural mesothelial cells. *Exp Lung Res* 26: 241-255.

Human Health Hazard Literature Search Results

On Topic

- Tandjaoui-Lambiotte, H; Mellat, M; Larrouy, C; Fabre, C; Desfrejacques, C; Adotti, F; Piquet, J. (1990). INTERSTITIAL LUNG DISEASE DUE TO ENVIRONMENTAL EXPOSURE TO TREMOLITE (pp. 22-26). (BIOSIS/91/33891). Tandjaoui-Lambiotte, H; Mellat, M; Larrouy, C; Fabre, C; Desfrejacques, C; Adotti, F; Piquet, J.
- Taniewski, M; Renke, W; Graczyk, M. (1979). Effect of asbestos dust on the upper respiratory tract. *Bull Inst Marit Trop Med Gdynia* 30: 161-168.
- Tannapfel, A; Bruecher, B; Schlag, PM. (2009). Peritoneal mesothelioma - rare abdominal tumors. *Der Onkologe* 15: 250-+. <http://dx.doi.org/10.1007/s00761-009-1576-5>.
- Tanrikulu, AC; Senyigit, A; Dagli, CE; Babayigit, C; Abakay, A. (2006). Environmental malignant pleural mesothelioma in Southeast Turkey. *Saudi Med J* 27: 1605-1607.
- Tanvetyanon, T; Elmishad, AG; Carbone, M. (2005). Development of malignant mesothelioma during treatment for polymphocytic leukemia: is asbestos or simian virus 40 a link? *Anticancer Res* 25: 429-433.
- Tanzi, S; Tiseo, M; Internullo, E; Cacciani, G; Capra, R; Carbognani, P; Rusca, M; Rindi, G; Ardizzoni, A. (2009). Localized malignant pleural mesothelioma: report of two cases. *J Thorac Oncol* 4: 1038-1040. <http://dx.doi.org/10.1097/JTO.0b013e3181a8c874>.
- Tarchi, M; Orsi, D; Comba, P; De Santis, M; Pirastu, R; Battista, G; Valiani, M. (1994). Cohort mortality study of rock salt workers in Italy. *Am J Ind Med* 25: 251-256.
- Tarkowski, M; Górski, P. (1991). Macrophage activity in asbestos related diseases [Review]. *Pol J Occup Med Environ Health* 4: 115-125.
- Tarrés, J; Abós-Herràndiz, R; Albertí, C; Martínez-Artés, X; Rosell-Murphy, M; García-Allas, I; Krier, I; Castro, E; Cantarell, G; Gallego, M; Orriols, R. (2009). [Asbestos-related diseases in a population near a fibrous cement factory]. *Arch Bronconeumol* 45: 429-434. <http://dx.doi.org/10.1016/j.arbres.2009.04.007>.
- Tarrés, J; Albertí, C; Martínez-Artés, X; Abós-Herràndiz, R; Rosell-Murphy, M; García-Allas, I; Krier, I; Cantarell, G; Gallego, M; Canela-Soler, J; Orriols, R. (2013). Pleural mesothelioma in relation to meteorological conditions and residential distance from an industrial source of asbestos. *Occup Environ Med* 70: 588-590. <http://dx.doi.org/10.1136/oemed-2012-101198>.
- Tarter, ME. (1983). ANSWERS TO SOME QUESTIONS RAISED BY THE PRESENTATION ON THE GRAPHICAL ANALYSIS OF THE INTERRELATIONSHIPS BETWEEN WATERBORNE ASBESTOS, DIGESTIVE-SYSTEM CANCER AND POPULATION-DENSITY. *Environ Health Perspect* 53: 193-194.
- Tarter, ME; Cooper, RC; Freeman, WR. (1983). A graphical analysis of the interrelationships among waterborne asbestos, digestive system cancer and population density. *Environ Health Perspect* 53: 79-89.
- Taryle, DA; Lakshminarayan, S; Sahn, SA. (1976). Pleural mesotheliomas--an analysis of 18 cases and review of the literature [Review]. *Medicine (Baltimore)* 55: 153-162.
- Tat, M; Dumitru-Stănescu, R; Bunescu, C; Niță, P. (1989). Evaluation of the risk to health in the exposure to asbestos, by means of scanning electron microscopy. 32: 71-77.
- Tat, M; Simionescu, C. (1972). FUNCTIONAL RESPIRATORY CHANGES BY INFLUENCE OF CONCENTRATIONS OF CEMENT, MICA, MARBLE, ASBESTOS AND COAL DUST. *Archives des Maladies Professionnelles et de Médecine du Travail* 33: 553-+.
- Tat, M; Simionescu, C. (1972). Respiratory functional changes caused by the effects of various dust concentrations. *Arch Mal Prof Med Trav Secur Soc* 33: 10-11.
- Tátrai, E; Brozik, M; Drahos, A; Kováčiková, Z; Six, E; Csík, M; Dám, A. (2006). The effect of stone-wool on rat lungs and on the primary culture of rat alveolar macrophages and type II pneumocytes. *J Appl Toxicol* 26: 16-24. <http://dx.doi.org/10.1002/jat.1099>.
- Tátrai, E; Brózik, M; Kováčiková, Z. (2006). Redox status and expression of chemokines in the rat lungs on exposure to asbestos and asbestos substituents. *Neuro Endocrinol Lett* 27 Suppl 2: 40-43.
- Tátrai, E; Brózik, M; Kováčiková, Z; Horváth, M. (2005). The effect of asbestos and stone-wool fibres on some chemokines and redox system of pulmonary alveolar macrophages and pneumocytes type II. *Biomed Pap Med Fac Univ Palacky Olomouc Czech Repub* 149: 357-361.
- Tátrai, E; Kováčiková, Z; Brózik, M; Six, E. (2004). Pulmonary toxicity of wollastonite in vivo and in vitro. *J Appl Toxicol* 24: 147-154. <http://dx.doi.org/10.1002/jat.965>.
- Tavani, A; La Vecchia, C. (1997). Epidemiology of renal-cell carcinoma. *J Nephrol* 10: 93-106.
- Tavani, A; Negri, E; Franceschi, S; Barbone, F; Lavecchia, C. (1994). ATTRIBUTABLE RISK FOR LARYNGEAL-CANCER IN NORTHERN ITALY. *Cancer Epidemiol Biomarkers Prev* 3: 121-125.
- Taylor A, JN. (1981). PNEUMOCONIOSIS (pp. WOBURN). (HEEP/82/10402). Taylor A, JN.
- Taylor, AE. (1996). Cardiovascular effects of environmental chemicals [Review]. *Otolaryngol Head Neck Surg* 114: 209-211.
- Taylor, AJN; Pickering, CAC; Coutts, II. (1982). Occupational Lung Disease (pp. 201-235). (NIOSH/00150442). Taylor, AJN; Pickering, CAC; Coutts, II.
- Taylor, ES; Wylie, AG; Mossman, BT; Lower, SK. (2013). Repetitive dissociation from crocidolite asbestos acts as persistent signal for epidermal growth factor receptor. *Langmuir* 29: 6323-6330. <http://dx.doi.org/10.1021/la400561t>.
- Taylor, JA; Mcdonald, JW; Anna, CH; Pakenham, JP; Langard, S; Majak, MB. (1996). P53 MUTATIONS IN PRIMARY LUNG TUMORS FROM WORKERS WITH HIGH ASBESTOS EXPOSURE (pp. 20-24). (BIOSIS/96/18981). Taylor, JA; Mcdonald, JW; Anna, CH; Pakenham, JP; Langard, S; Majak, MB.
- Taylor, PM. (1988). Dynamic contrast enhancement of asbestos-related pulmonary pseudotumours. *Br J Radiol* 61: 1070-1072. <http://dx.doi.org/10.1259/0007-1285-61-731-1070>.
- Taylor, PP. (1988). Malignant mesothelioma [Letter]. *Med J Aust* 148: 542.
- Taylor, RA; Johnson, LP. (1981). Mesothelioma: current perspectives. *West J Med* 134: 379-383.
- Tayot, J; Henin-Landes, D; Fondimare, A; Desbordes, J; Maitrot, B. (1976). ASBESTOSIS WITH SARCOID-LIKE PULMONARY LESIONS 1 CLINICO PATHOLOGICAL CASE (pp. 269-276). (HEEP/77/10849). Tayot, J; Henin-Landes, D; Fondimare, A; Desbordes, J; Maitrot, B.

Human Health Hazard Literature Search Results

On Topic

- Tayot, J; Henin-Landes, D; Fondimare, A; Desbordes, J; Maitrot, B. (1976). [Asbestosis with sarcoid-like pulmonary lesions. A propos of one anatomoclinical case report]. 21: 269-276.
- Teculescu, DB. (1986). Airflow limitation, asbestos exposure and lung size [Letter]. *Bull Europ Physiol Resp* 22: 513-514.
- Teeguarden, JG; Webb-Robertson, BJ; Waters, KM; Murray, AR; Kisin, ER; Varnum, SM; Jacobs, JM; Pounds, JG; Zanger, RC; Shvedova, AA. (2011). Comparative proteomics and pulmonary toxicity of instilled single-walled carbon nanotubes, crocidolite asbestos, and ultrafine carbon black in mice. *Toxicol Sci* 120: 123-135. <http://dx.doi.org/10.1093/toxsci/kfq363>.
- Teirstein, AS; Chahinian, P; Goldsmith, SJ; Sorek, M. (1986). Gallium scanning in differentiating malignant from benign asbestos-related pleural disease. *Am J Ind Med* 9: 487-494.
- Teixeira, MR; Giercksky, KE; Ikononou, IM; Heim, S. (1998). Translocation (3;3)(p14;q29) as the primary chromosome abnormality in a peritoneal mesothelioma [Review]. *Cancer Genet Cytogenet* 103: 73-75.
- Tejwani, GA; Fertel, R; Hart, RW; Allison, DK. (1980). Effects of asbestos and chemical carcinogens on the cyclic nucleotide system of human fibroblasts. *J Environ Pathol Toxicol* 4: 67-70.
- Tejwani, GA; Fertel, R; Hart, RW; Eneanya, D; Allison, D. (1978). ASBESTOS INDUCED CHANGES IN THE CONCENTRATION OF CYCLIC NUCLEOTIDES IN NORMAL HUMAN FIBROBLASTS. *Fed Proc* 37.
- Tekolf, E; Konietzko, N. (1993). INDEMNIFICATION IN TRAUMA TUMOR AND TUBERCULOSIS (pp. 75-80). (BIOSIS/93/14269). Tekolf, E; Konietzko, N.
- Telisch, M; Rubenstone, AI. (1961). Pulmonary Asbestosis. *Arch Pathol* 72: 234-243.
- Telle-Lamberton, M; Bergot, D; Gagneau, M; Samson, E; Giraud, JM; Neron, MO; Hubert, P. (2004). Cancer mortality among French Atomic Energy Commission workers. *Am J Ind Med* 45: 34-44. <http://dx.doi.org/10.1002/ajim.10306>.
- Tellesson, WG. (1961). Rheumatoid pneumoconiosis (Caplan's syndrome) in an asbestos worker. *Thorax* 16: 372-377.
- Tephly, LA; Carter, AB. (2007). Differential expression and oxidation of MKP-1 modulates TNF-alpha gene expression. *Am J Respir Cell Mol Biol* 37: 366-374. <http://dx.doi.org/10.1165/rcmb.2006-0268OC>.
- Tephly, LA; Carter, AB. (2008). Asbestos-induced MKP-3 expression augments TNF-alpha gene expression in human monocytes. *Am J Respir Cell Mol Biol* 39: 113-123. <http://dx.doi.org/10.1165/rcmb.2007-0356OC>.
- Tephly, LA; Dodd, A; Thorne, PS; Glogauer, M; Carter, A. (2007). Asbestos-induced inflammation and fibrosis are regulated by Rac1. *J Investig Med* 55: S359-S359.
- Teplyakova, GV; Alieva, NB; Airapetova S, KH; Shopen, TG. (1985). STUDYING CARCINOGENICITY OF ASBESTOS CEMENT DUST (pp. 17-23). (BIOSIS/85/16910). Teplyakova, GV; Alieva, NB; Airapetova S, KH; Shopen, TG.
- Teppo, L; Kojonen, E. (1986). Mortality and cancer risk among workers exposed to man-made mineral fibers in Finland. *Scand J Work Environ Health* 1: 61-64.
- Teresa Sanchez-Cabo, M, a. (2009). Normative Spanish and technical guide of Royal Decree 396/2006. *Dyna* 84: 347-352.
- Terra Filho, M; de Freitas, JB; Nery, LE. (2006). [Asbestos-related diseases] [Review]. 32 Suppl 2: S48-S53.
- Terracini, B. (2006). The scientific basis of a total asbestos ban. *Med Lav* 97: 383-392.
- Terracini, B. (2007). Venetian Regional Register of Mesothelioma Cases. Second Report. Role of the working and environmental exhibition on asbestos. *Epidemiol Prev* 31: 168-168.
- Terracini, B; Pedra, F; Otero, U. (2015). Asbestos-related cancers in Brazil. *Cadernos de Saúde Pública / Reports in Public Health* 31: 903-905. <http://dx.doi.org/10.1590/0102-311XPE010515>.
- Terstegge; Swaen; Slangen; C, VV. (1995). Mortality Patterns among Commercial Painters in The Netherlands. *Int J Occup Environ Health* 1: 303-310. <http://dx.doi.org/10.1179/oeh.1995.1.4.303>.
- Tertemiz, KC; Ozgen Alpaydin, A; Gurel, D; Savas, R; Gulcu, A; Akkoclu, A. (2014). Multiple distant metastases in a case of malignant pleural mesothelioma. 13: 16-18. <http://dx.doi.org/10.1016/j.rmcr.2014.07.003>.
- Teschke, K; Barroetavena, MC. (1992). Occupational cancer in Canada: What do we know? *Can Med Assoc J* 147: 1501-1507.
- Teschler, H; Costabel, U; Schraps, T; Konietzko, N. (1989). UNIFORMITY OF BAL ASBESTOS BODY COUNTS BETWEEN DIFFERENT SITES IN ASBESTOSIS (pp. 14-17). (BIOSIS/89/20550). Teschler, H; Costabel, U; Schraps, T; Konietzko, N.
- Teschler, H; Friedrichs, KH; Hoheisel, GB; Wick, G; Soltner, U; Thompson, AB; Konietzko, N; Costabel, U. (1994). Asbestos fibers in bronchoalveolar lavage and lung tissue of former asbestos workers. *Am J Respir Crit Care Med* 149: 641-645. <http://dx.doi.org/10.1164/ajrccm.149.3.8118631>.
- Teschler, H; Friedrichs, KH; Ramin, C; Konietzko, N; Costabel, U. (1990). BAL ASBESTOS BURDEN TOPOGRAPHIC CHANGES FROM UPPER TO LOWER LOBE? (pp. 20-24). (BIOSIS/90/18821). Teschler, H; Friedrichs, KH; Ramin, C; Konietzko, N; Costabel, U.
- Teschler, H; Friedrichs, KH; Soltner, U; Fiegen, R; Konietzko, N; Costabel, U. (1992). COMPARISON OF COATED AND UNCOATED ASBESTOS FIBER CONTENT IN BRONCHOALVEOLAR LAVAGE AND LUNG TISSUE (pp. 17-20). (BIOSIS/92/20034). Teschler, H; Friedrichs, KH; Soltner, U; Fiegen, R; Konietzko, N; Costabel, U.
- Teschler, H; Friedrichs, KH; Wick, G; Hoheisel, GB; Fiegen, R; Konietzko, N; Costabel, U. (1993). ASBESTOS CONTENT OF BAL DETERMINED BY ELECTRON-MICROSCOPY IN OCCUPATIONALLY EXPOSED PATIENTS WITH AND WITHOUT ASBESTOSIS. *Am Rev Respir Dis* 147: A905-A905.
- Teschler, H; Hoheisel, G; Fischer, M; Müller, KM; Konietzko, N; Costabel, U. (1993). [The content of asbestos bodies in the bronchoalveolar fluid as a parameter of an increased pulmonary asbestos load]. *Dtsch Med Wochenschr* 118: 1749-1754. <http://dx.doi.org/10.1055/s-2008-1059511>.
- Teschler, H; Konietzko, N; Schoenfeld, B; Ramin, C; Schraps, T; Costabel, U. (1993). Distribution of asbestos bodies in the human lung as determined by bronchoalveolar lavage. *Am Rev Respir Dis* 147: 1211-1215. <http://dx.doi.org/10.1164/ajrccm/147.5.1211>.

Human Health Hazard Literature Search Results

On Topic

- Teschler, H; Thompson, AB; Dollenkamp, R; Konietzko, N; Costabel, U. (1996). Relevance of asbestos bodies in sputum. *Eur Respir J* 9: 680-686.
- Tessari, R; Canova, C; Simonato, L. (2004). [Epidemiological investigation on the health status of employees in two factories manufacturing and repairing railway rolling stock: a historical perspective study of mortality]. *Med Lav* 95: 381-391.
- Tesseruax, I; Lommel, A; Ollroge, I; Kappos, AD; Koss, G. (1990). Human risk assessments of carcinogens from an administrative perspective. *Regul Toxicol Pharmacol* 11: 63-67.
- Testa, JR; Carbone, M; Hirvonen, A; Khalili, K; Krynska, B; Linnainmaa, K; Pooley, FD; Rizzo, P; Rusch, V; Xiao, GH. (1998). A multi-institutional study confirms the presence and expression of simian virus 40 in human malignant mesotheliomas. *Cancer Res* 58: 4505-4509.
- Testa, JR; Cheung, M; Pei, J; Below, JE; Tan, Y; Sementino, E; Cox, NJ; Dogan, AU; Pass, HI; Trusa, S; Hesdorffer, M; Nasu, M; Powers, A; Rivera, Z; Comertpay, S; Tanji, M; Gaudino, G; Yang, H; Carbone, M. (2011). Germline BAP1 mutations predispose to malignant mesothelioma. *Nat Genet* 43: 1022-1025. <http://dx.doi.org/10.1038/ng.912>.
- Teta, MJ. (2004). RE: Asbestos in brakes: exposure and risk of disease [Letter]. *Am J Ind Med* 46: 312-314; author reply 315-318. <http://dx.doi.org/10.1002/ajim.20060>.
- Teta, MJ; Lewinsohn, HC; Meigs, JW; Vidone, RA. (1984). OCCUPATIONAL ASBESTOS EXPOSURE AND MESOTHELIOMA IN CONNECTICUT USA (pp. NEW YORK). (HEEP/85/00954). Teta, MJ; Lewinsohn, HC; Meigs, JW; Vidone, RA.
- Teta, MJ; Lewinsohn, HC; Meigs, JW; Vidone, RA; Mowad, LZ; Flannery, JT. (1983). Mesothelioma in Connecticut, 1955-1977: occupational and geographic associations. *J Occup Environ Med* 25: 749-756.
- Teta, MJ; Mink, PJ; Lau, E; Scurman, BK; Foster, ED. (2008). US mesothelioma patterns 1973-2002: indicators of change and insights into background rates. *Eur J Cancer Prev* 17: 525-534. <http://dx.doi.org/10.1097/CEJ.0b013e3282f0c0a2>.
- Teta, MJ; Ott, MG. (1988). A Mortality Study of a Research, Engineering, and Metal Fabrication Facility in Western New York State. *Am J Epidemiol* 127: 540-551.
- Tetley, TD; Hext, PM; Richards, RJ; Mcdermott, M. (1976). Chrysotile-induced asbestosis: changes in the free cell population, pulmonary surfactant and whole lung tissue of rats. *Br J Exp Pathol* 57: 505-514.
- Tetley, TD; Richards, RJ. (1981). CHANGES IN PULMONARY SURFACTANT METABOLISM AND LUNG FREE CELL POPULATIONS FROM RATS EXPOSED TO ASBESTOS AND GLASS DUSTS (pp. BASEL). (HEEP/82/05796). Tetley, TD; Richards, RJ.
- Tetley, TD; Richards, RJ; Harwood, JL. (1977). Changes in pulmonary surfactant and phosphatidylcholine metabolism in rats exposed to chrysotile asbestos dust. *Biochem J* 166: 323-329.
- Thaon, I; Mouchetrou-Njoya, I; Luc, A; Pairon, JC; Paris, C. (2014). Anxiety in asbestos exposed subjects involved chest CT-scan screening program. *Eur Respir J* 44.
- Thaon, I; Mouchetrou-Njoya, I; Luc, A; Penven, E; Paris, C. (2013). Asbestos Exposure Is Associated With High Level Of Anxiety And Depression Scores In Subjects At Baseline Of A CT Scan Screening Program Of Asbestos-Related Diseases. *Am J Respir Crit Care Med* 187.
- Tharr, DG. (1979). Health Hazard Evaluation Determination Report HHE-79-68-599, United States Testing Company, Inc., Hoboken, New Jersey (pp. 79-68). (NIOSH/00091553). Tharr, DG.
- Thayaparan, T; Spicer, JF; Maher, J. (2016). The role of the HGF/Met axis in mesothelioma [Review]. *Biochem Soc Trans* 44: 363-370. <http://dx.doi.org/10.1042/BST20150252>.
- Thebaud-Mony, A; Badouraly, P; Ben Abdessalam, H; Boujasson, L; Chi, D; Lepetit, C; Levy, M; Grassulo, V; Vincenti, M; Deseve, G; Delmas, G; Breaux, JL; Casassus, P; Onc, VA; Le Toumelin, P; Martin, A; Couilliot, MF; Boiron, C; Mathieu, M; Virally, J; Herman, D; Savatovsky, I; Choudat, L; Mbunga, JCL; Brunel, P; Piquet, J; Collon, T; Chait, Y; Adotti, F; Hery, M; Sterdyniak, JM; Bobbio, A; Bodart, JC; Bernard, F; Cousaut, P; Creau, Y; Hasni-Pichard, H; Laureillard, J; Pezerat, H; Selliez, S; 93, RS. (2005). Occupational cancer in a Paris suburb: First results of a proactive research study in Seine Saint-Denis. *Int J Occup Environ Health* 11: 263-275.
- Theodorakopoulos, P; Constantopoulos, SH. (1988). ENDEMIC PLEURAL CALCIFICATIONS IN GREECE ASSOCIATION WITH THE PINDOS SERPENTINE ZONE AND HOUSEHOLD USE OF ASBESTOS (pp. 5-9). (BIOSIS/89/06016). Theodorakopoulos, P; Constantopoulos, SH.
- Thériault, GP; Grand-Bois, L. (1978). Mesothelioma and asbestos in the Province of Quebec, 1969-1972. *Arch Environ Health* 33: 15-19.
- Thiberville, L. (1999). [Role of endobronchial endoscopic techniques in the detection of bronchial cancer] [Review]. *Rev Mal Respir* 16: 1263-1269.
- Thiringer, G; Blomqvist, N; Brolin, I; Mattson, SB. (1980). Pleural plaques in chest x-rays of lung cancer patients and matched controls (preliminary results). *Eur J Respir Dis Suppl* 107: 119-122.
- Thomas, D. (1982). TEMPORAL ASPECTS OF INTERACTING FACTORS (pp. 16-18). (HEEP/84/01877). Thomas, D.
- Thomas, DC. (1983). Statistical methods for analyzing effects of temporal patterns of exposure on cancer risks. *Scand J Work Environ Health* 9: 353-366.
- Thomas, DC. (1988). Models for Exposure-Time-Response Relationships with Applications to Cancer Epidemiology. *Annu Rev Public Health* 9: 451-482.
- Thomas, DD; Espey, MG; Pociask, DA; Ridnour, LA; Donzelli, S; Wink, DA. (2006). Asbestos redirects nitric oxide signaling through rapid catalytic conversion to nitrite. *Cancer Res* 66: 11600-11604. <http://dx.doi.org/10.1158/0008-5472.CAN-06-1140>.
- Thomas, G; Ando, T; Verma, K; Kagan, E. (1994). Asbestos fibers and interferon-gamma up-regulate nitric oxide production in rat alveolar macrophages. *Am J Respir Cell Mol Biol* 11: 707-715. <http://dx.doi.org/10.1165/ajrcmb.11.6.7524571>.
- Thomas, G; Ando, T; Verma, K; Kagan, E. (1994). Asbestos-induced nitric oxide production: synergistic effect with interferon-gamma. *Ann N Y Acad Sci* 725: 207-212.
- Thomas, G; Ando, T; Verma, K; Ramwell, PW; Kagan, E. (1993). ASBESTOS EXPOSURE INDUCES NITRIC-OXIDE PRODUCTION BY RAT ALVEOLAR MACROPHAGES - SYNERGISTIC EFFECT WITH INTERFERON-GAMMA. *Am Rev Respir Dis* 147: A905-A905.

Human Health Hazard Literature Search Results

On Topic

- Thomas, HF; Benjamin, IT; Elwood, PC; Sweetnam, PM. (1982). Further follow-up study of workers from an asbestos cement factory. *Occup Environ Med* 39: 273-276.
- Thomas, RG; Sluis-Cremer, GK. (1977). 200 kV xeroradiography in occupational exposure to silica and asbestos. *Br J Ind Med* 34: 281-290.
- Thomas, RG; Sluis-Cremer, GK; Solomon, A. (1987). The posterior pleural junction line in pneumoconiosis. A report of 3 cases with thickening. *S Afr Med J* 71: 792-795.
- Thomason, R; Schlegel, W; Lucca, M; Cummings, S; Lee, S. (1994). PRIMARY MALIGNANT MESOTHELIOMA OF THE PERICARDIUM - CASE-REPORT AND LITERATURE-REVIEW. *Tex Heart Inst J* 21: 170-174.
- Thompson, A; Wills, M; House, R. (2004). Rounded atelectasis in an asbestos exposed worker. *Occup Med (Lond)* 54: 494-496. <http://dx.doi.org/10.1093/occmed/kqh099>.
- Thompson, JK; Macpherson, MB; Beuschel, SL; Shukla, A. (2017). Asbestos-Induced Mesothelial to Fibroblastic Transition Is Modulated by the Inflammasome. *Am J Pathol*. <http://dx.doi.org/10.1016/j.ajpath.2016.11.008>.
- Thompson, JK; Westbom, CM; Macpherson, MB; Mossman, BT; Heintz, NH; Spiess, P; Shukla, A. (2014). Asbestos modulates thioredoxin-thioredoxin interacting protein interaction to regulate inflammasome activation. *Part Fibre Toxicol* 11: 24. <http://dx.doi.org/10.1186/1743-8977-11-24>.
- Thompson, JK; Westbom, CM; Shukla, A. (2014). Malignant mesothelioma: development to therapy. *J Cell Biochem* 115: 1-7. <http://dx.doi.org/10.1002/jcb.24642>.
- Thomsen, HS; Bonnevie, A; Thomsen, G. (1977). [Pleural calcifications--exposure to asbestos?]. *Ugeskr Laeger* 139: 2777-2780.
- Thomson, JG. (1963). Exposure to asbestos dust and diffuse pleural mesotheliomas. *Br Med J* 1: 123.
- Thomson, JG. (1970). The Pathogenesis of Pleural Plaques (pp. 138-141). (NIOSH/00177498). Thomson, JG.
- Thomson, JG. (1970). The Pathological Diagnosis of Malignant Mesothelioma of Pleura and Peritoneum (pp. 150-154). (NIOSH/00177500). Thomson, JG.
- Thomson, JG; Kaschula, RO; Macdonald, RR. (1963). Asbestos as a modern urban hazard. *S Afr Med J* 37: 77-81.
- Thomson, ML; A-M, P; Smither, WJ. (1965). The Discriminant Value of Pulmonary Function Tests in Asbestosis. *Ann N Y Acad Sci* 132: 421-436.
- Thomson, W. (1971). Occupation and lung cancer. *Nurs Times* 67: 1340-1341.
- Thorén, K; Järholm, B; Hagberg, S. (1988). Comment on the interpretation of Jäppinen et al concerning increased incidence among board mill workers [Letter]. *Scand J Work Environ Health* 14: 52.
- Thoren, K; Sallsten, G; Jarvholm, B. (1989). MORTALITY FROM ASTHMA CHRONIC OBSTRUCTIVE PULMONARY DISEASE AND RESPIRATORY CANCER AMONG PAPER MILL WORKERS (pp. 14-17). (BIOSIS/89/21276). Thoren, K; Sallsten, G; Jarvholm, B.
- Thorn, L. (1986). [Peritoneal mesothelioma in asbestosis]. 131: 547-552.
- Thurauf, JR. (1996). Notification of adverse health effects due to chemicals: Two different ways in Germany. *Int Arch Occup Environ Health* 68: 436-441. <http://dx.doi.org/10.1007/BF00377866>.
- Thurneysen, C; Opitz, I; Kurtz, S; Weder, W; Stahel, RA; Felley-Bosco, E. (2009). Functional inactivation of NF2/merlin in human mesothelioma. *Lung Cancer* 64: 140-147. <http://dx.doi.org/10.1016/j.lungcan.2008.08.014>.
- Tiainen, M; Rautonen, J; Pyrhonen, S; Tammilehto, L; Mattson, K; Knuutila, S. (1992). CHROMOSOME-NUMBER CORRELATES WITH SURVIVAL IN PATIENTS WITH MALIGNANT PLEURAL MESOTHELIOMA. *Cancer Genet Cytogenet* 62: 21-24.
- Tiainen, M; Tammilehto, L; Rautonen, J; Mattson, K; Knuutila, S. (1991). Cytogenetics of Human Mesothelioma (pp. 41-53). (NIOSH/00228024). Tiainen, M; Tammilehto, L; Rautonen, J; Mattson, K; Knuutila, S.
- Tiainen, M; Tammilehto, L; Rautonen, J; Tuomi, T; Mattson, K; Knuutila, S. (1989). Chromosomal abnormalities and their correlations with asbestos exposure and survival in patients with mesothelioma. *Br J Cancer* 60: 618-626.
- Tian, L, in; Ahmadi, G. (2016). Transport and deposition of nano-fibers in human upper tracheobronchial airways. *J Aerosol Sci* 91: 22-32. <http://dx.doi.org/10.1016/j.jaerosci.2015.09.002>.
- Tiitola, M; Kivisaari, L; Huuskonen, MS; Mattson, K; Koskinen, H; Lehtola, H; Zitting, A; Vehmas, T. (2002). Computed tomography screening for lung cancer in asbestos-exposed workers. *Lung Cancer* 35: 17-22.
- Tilkes, F. (1985). INVESTIGATION OF CYTOTOXICITY OF RESPIRABLE FIBERS FROM ASBESTOS-CEMENT PRODUCTS (pp. 16-17). (ISSN 0174-3015; BIOSIS/86/24697). Tilkes, F.
- Tilkes, F. (1985). IN-VITRO CYTOTOXICITY SYSTEMS FOR MINERAL DUSTS STATE-OF-THE-ART (pp. NEW YORK). (BIOSIS/86/22562). Tilkes, F.
- Tilkes, F; Beck, EG. (1980). Comparison of length-dependent cytotoxicity of inhalable asbestos and man-made mineral fibres.
- Tilkes, F; Beck, EG. (1983). Influence of well-defined mineral fibers on proliferating cells. *Environ Health Perspect* 51: 275-279.
- Tilkes, F; Beck, EG. (1983). Macrophage functions after exposure to mineral fibers. *Environ Health Perspect* 51: 67-72.
- Tilkes, F; Beck, EG. (1988). INVESTIGATIONS OF THE CYTOTOXICITY AND CARCINOGENICITY OF INHALABLE FIBERS FROM ASBESTOS CEMENT PRODUCTS (pp. 7-10). (ISSN 0174-3015; BIOSIS/89/08875). Tilkes, F; Beck, EG.
- Tilkes, F; Beck, EG. (1989). Cytotoxicity and carcinogenicity of chrysotile fibres from asbestos-cement products. *IARC Sci Publ occupational Exposure to Mineral Fibres*: 190-196.
- Tilles, DS; Sprince, NL; Oliver, LC; Mcloud, TC; Ginns, LC. (1985). T CELL SUBSETS IN BRONCHOALVEOLAR LAVAGE AND PERIPHERAL BLOOD IN ASBESTOS EXPOSED WORKERS (pp. 12-15). (BIOSIS/85/16456). Tilles, DS; Sprince, NL; Oliver, LC; Mcloud, TC; Ginns, LC.
- Tillet, S; Ringen, K; Schulte, P; Mcdougall, V; Samuels, S. (1986). Interventions in High-Risk Occupational Cohorts: A Cross-Sectional Demonstration Project. *J Occup Med* 28: 719-727.
- Timblin, C; Jung, M; Fung, H; Sarney, S; Taatjes, D; Fukagawa, N; Van Houten, B; Driscoll, K; Mossman, B. (1999). Mitochondrial generation of oxidants and injury are early events in crocidolite asbestos-exposed mesothelial cells. *Am J Respir Crit Care Med* 159: A288-A288.

Human Health Hazard Literature Search Results

On Topic

- Timblin, C; Shukla, A; Bravman, J; Cummins, A; Mossman, B. (1999). Patterns of activator protein-1 (AP-1) and nuclear factor-kappa B (NF-kappa B) transcription factor activation by silica and asbestos in a murine alveolar type II epithelial cell line (C10). *Am J Respir Crit Care Med* 159: A176-A176.
- Timblin, CR. (1997). Stress genes as biomarkers of mineral dust exposure. (NIOSH/00241067). Washington DC: National Institute for Occupational Safety and Health.
- Timblin, CR; Guthrie, GD; Janssen, YW; Walsh, ES; Vacek, P; Mossman, BT. (1998). Patterns of c-fos and c-jun proto-oncogene expression, apoptosis, and proliferation in rat pleural mesothelial cells exposed to erionite or asbestos fibers. *Toxicol Appl Pharmacol* 151: 88-97. <http://dx.doi.org/10.1006/taap.1998.8450>.
- Timblin, CR; Janssen, YM; Goldberg, JL; Mossman, BT. (1998). GRP78, HSP72/73, and cJun stress protein levels in lung epithelial cells exposed to asbestos, cadmium, or H2O2. *Free Radic Biol Med* 24: 632-642.
- Timblin, CR; Janssen, YMW; Mossman, BT. (1997). Free-Radical-Mediated Alterations of Gene Expression by Xenobiotics (pp. 325-348). (NIOSH/00241819). Timblin, CR; Janssen, YMW; Mossman, BT.
- Timblin, CR; Janssen, YW; Mossman, BT. (1995). Transcriptional activation of the proto-oncogene c-jun by asbestos and H2O2 is directly related to increased proliferation and transformation of tracheal epithelial cells. *Cancer Res* 55: 2723-2726.
- Timbrell, V. (1965). Human exposure to asbestos: Dust controls and standards. The inhalation of fibrous dusts. *Ann N Y Acad Sci* 132: 255-273. <http://dx.doi.org/10.1111/j.1749-6632.1965.tb41107.x>.
- Timbrell, V. (1970). The Inhalation of Fibres (pp. 3-9). (NIOSH/00177480). Timbrell, V.
- Timbrell, V. (1973). BIOLOGICAL EFFECTS OF ASBESTOS. DISCUSSION SUMMARY (pp. 131-132). (EPIDEM/003712). Timbrell, V.
- Timbrell, V. (1973). Physical Factors As Etiological Mechanisms (pp. 295-303). (NIOSH/00149794). Timbrell, V.
- Timbrell, V. (1974). PHYSICAL FACTORS AS ETIOLOGICAL MECHANISMS (pp. LYON). (HEEP/75/04246). Timbrell, V.
- Timbrell, V. (1974). THE PHYSICISTS APPROACH TO ASBESTOS CANCERS. *Clin Sci Mol Med* 47: P12-P12.
- Timbrell, V. (1980). Uses of the UICC samples. *IARC Sci Publ* 127-142.
- Timbrell, V. (1982). Deposition and retention of fibres in the human lung. *Ann Occup Hyg* 26: 347-369.
- Timbrell, V; Ashcroft, T. (1987). RELATIONSHIPS BETWEEN FIBROSIS, RETAINED ASBESTOS FIBERS AND QUARTZ GRAINS IN HUMAN-LUNG TISSUE SPECIMENS. *Chest* 91: 306-306.
- Timbrell, V; Grittiths, DM; Pooley, FD. (1971). Possible Biological Importance of Fibre Diameters of South African Amphiboles. *Nature* 232: 55-56.
- Timbrell, V; Paakko, P; Ashcroft, T; Meurman, LO; Shilkin, KB. (1990). Similarities in the Fibrogenicity of Asbestos Fibres and Other Mineral Particles Retained in Human Lungs. (NIOSH/00198427). Timbrell, V; Paakko, P; Ashcroft, T; Meurman, LO; Shilkin, KB.
- Timbrell, V; Skidmore, JW. (1970). The effect of shape on particle penetration and retention in animal lungs. *Inhaled Particles* 1: 49-57.
- Tisch, M; Munch, P; Maier, H. (1995). IS THERE AN ENHANCED RISK OF LARYNGEAL-CANCER FOR BLUE-COLLAR WORKERS EMPLOYED IN THE RUBBER INDUSTRY. *HNO* 43: 649-653.
- Tishler, PV; Naseem, SM; Anderson, HA; Selikoff, IJ. (1977). ARYL HYDRO CARBON HYDROXYLASE IN ASBESTOS WORKERS WITH HIGH RISK FOR LUNG CANCER. *Clin Res* 25.
- Tishler, PV; Selikoff, IJ. (1983). CANCER MORTALITY AND THE INDUCIBILITY OF LYMPHO BLAST ARYL HYDRO CARBON HYDROXYLASE A FOLLOW-UP OF ASBESTOS WORKERS. (HEEP/84/08736). Tishler, PV; Selikoff, IJ.
- Tobaly, J; Salle, M; Paterour, M; Jaurand, MC; Bignon, J. (1985). PRELIMINARY RESULTS ON ONCOGENES IN RAT PLEURAL MESOTHELIAL CELLS TRANSFORMED IN-VITRO BY BENZO-A-PYRENE AND-OR CHRYSOTILE (pp. NEW YORK). (BIOSIS/86/22541). Tobaly, J; Salle, M; Paterour, M; Jaurand, MC; Bignon, J.
- Tocij, J; Dujic, Z; Boschi, S; Sarić, M. (1990). Correlation between radiological and functional findings in workers exposed to chrysotile asbestos. *Med Lav* 81: 373-381.
- Tockman, MS. (1994). OTHER HOST FACTORS AND LUNG CANCER SUSCEPTIBILITY (pp. NEW YORK). (BIOSIS/94/20498). Tockman, MS.
- Todaro, A; Bordini, L; Rubagotti, M; Mensi, C; Riboldi, L. (2007). [Health surveillance in workers with a previous exposure to asbestos: a method of retrospective evaluation of exposition]. *G Ital Med Lav Ergon* 29: 641-642.
- Todoric, J; Antonucci, L; Karin, M. (2016). Targeting Inflammation in Cancer Prevention and Therapy [Review]. 9: 895-905. <http://dx.doi.org/10.1158/1940-6207.CAPR-16-0209>.
- Toft, P; Meek, ME. (1983). ASBESTOS IN DRINKING-WATER - A CANADIAN VIEW. *Environ Health Perspect* 53: 177-180.
- Toft, P; Wigle, DT; Meranger, JC; Mao, Y. (1981). Asbestos and drinking water in Canada. *Sci Total Environ* 18: 77-89.
- Tokuhata, GK. (1984). EPIDEMIOLOGIC METHODS FOR INVESTIGATING POTENTIAL HEALTH EFFECTS OF TOXIC WASTE SITES A CASE OF ASBESTOS (pp. TECHNOLOGY). (HEEP/85/06480). Tokuhata, GK.
- Tokuoka, S; Inai, K. (1988). [Lung cancer and related environmental factors] [Review]. *Yakugaku Zasshi* 108: 1013-1022.
- Tokuyama, T; Yoneda, T; Tsukaguchi, K; Yoshikawa, M; Fu, A; Tomoda, K; Nakaya, M; Narita, N; Tamura, M; Miyazaki, R. (1994). [Tumor necrosis factor alpha in bronchoalveolar lavage fluid and its production by alveolar macrophages with asbestos exposure]. *Nihon Kyobu Shikkan Gakkai Zasshi* 32: 205-210.
- Tola, S; Kalliomäki, PL; Pukkala, E; Asp, S; Korkala, ML. (1988). Incidence of cancer among welders, platers, machinists, and pipe fitters in shipyards and machine shops. *Br J Ind Med* 45: 209-218.
- Tollefson, L. (1984). INGESTED ASBESTOS REVIEW. (EPIDEM/008533). Tollefson, L.
- Tomasetti, M; Amati, M; Nocchi, L; Saccucci, F; Straffella, E; Staffolani, S; Tarquini, LM; Carbonari, D; Alleva, R; Borghi, B; Neuzil, J; Bracci, M; Santarelli, L. (2011). Asbestos exposure affects poly(ADP-ribose) polymerase-1 activity: role in asbestos-induced carcinogenesis. *Mutagenesis* 26: 585-591. <http://dx.doi.org/10.1093/mutage/ger020>.

Human Health Hazard Literature Search Results

On Topic

- Tomasetti, M; Amati, M; Santarelli, L; Alleva, R; Neuzil, J. (2009). Malignant mesothelioma: biology, diagnosis and therapeutic approaches [Review]. *Current Molecular Pharmacology* 2: 190-206.
- Tomasini, M; Forni, A; Rivolta, G; Mantegazza, D; Chiappino, G. (1988). [Talcosis-asbestosis: an unusual risk in a food industry]. *G Ital Med Lav* 10: 111-113.
- Tomasini, M; Lo Cicero, G. (1984). [Early effects of lung lesions due to asbestos on the hemodynamics of pulmonary circulation. Observations in 15 cases]. *Med Lav* 75: 306-312.
- Tomasini, M; Rivolta, G; Calori, A; Nicoli, E; Ferretti, G; Chiappino, G. (1992). Pleural fibrosis in asbestosis and ventilatory function - Study of 50 cases. *83: 178-185.*
- Tomasini, M; Sartorelli, E. (1971). Frequency of electrocardiographic signs of chronic cor pulmonale in asbestosis. *Med Lav* 62: 549-553.
- Tomasson, K; Gudmundsson, G; Briem, H; Rafnsson, V. (2016). Malignant mesothelioma incidence by nation-wide cancer registry: a population-based study. *11: 37.* <http://dx.doi.org/10.1186/s12995-016-0127-4>.
- Tomatis, L. (1990). IARC INTERNATIONAL AGENCY FOR RESEARCH ON CANCER SCIENTIFIC PUBLICATIONS NO. 100. CANCER CAUSES OCCURRENCE AND CONTROL (pp. CAUSES). (BIOSIS/91/11772). Committee for Compounds Toxic to Reproduction.
- Tomatis, L. (1990). NEW AND OLD CARCINOGENS (pp. 16-22). (BIOSIS/91/13985). Tomatis, L.
- Tomatis, L. (1995). How much of the human disease burden is attributable to environmental chemicals? *Toxicol Lett SHANNON*: 1-3.
- Tomatis, L; Agthe, C; Bartsch, H; Huff, J; Montesano, R; Saracci, R; Walker, E; Wilbourn, J. (1978). Evaluation of the carcinogenicity of chemicals: A review of the monograph program of the International Agency for Research on Cancer (1971 to 1977). *Cancer Res* 38: 877-885.
- Tomatis, L; Aitio, A; Wilbourn, J; Shuker, L. (1989). Human carcinogens so far identified [Review]. *Cancer Sci* 80: 795-807.
- Tomatis, L; Cantoni, S; Carnevale, F; Merler, E; Mollo, F; Ricci, P; Silvestri, S; Vineis, P; Terracini, B. (2006). [The role of asbestos fibre dimensions in the pathogenesis and prevention of mesothelioma] [Review]. *Epidemiol Prev* 30: 289-294.
- Tomatis, L; Cantoni, S; Carnevale, F; Merler, E; Mollo, F; Ricci, P; Silvestri, S; Vineis, P; Terracini, B. (2007). The role of asbestos fiber dimensions in the prevention of mesothelioma [Review]. *Int J Occup Environ Health* 13: 64-69. <http://dx.doi.org/10.1179/oeh.2007.13.1.64>.
- Tomatis, L; Huff, J; Hertzpicciotto, I; Sandler, DP; Bucher, J; Boffetta, P; Axelson, O; Blair, A; Taylor, J; Stayner, L; Barrett, JC. (1997). Avoided and avoidable risks of cancer. *Carcinogenesis* 18: 97-105. <http://dx.doi.org/10.1093/carcin/18.1.97>.
- Tomatis, M; Turci, F; Ceschino, R; Riganti, C; Gazzano, E; Martra, G; Ghigo, D; Fubini, B. (2010). High aspect ratio materials: role of surface chemistry vs. length in the historical "long and short amosite asbestos fibers". *Inhal Toxicol* 22: 984-998. <http://dx.doi.org/10.3109/08958378.2010.504243>.
- Tomioka, K; Natori, Y; Kumagai, S; Kurumatani, N. (2011). An updated historical cohort mortality study of workers exposed to asbestos in a refitting shipyard, 1947-2007. *Int Arch Occup Environ Health* 84: 959-967. <http://dx.doi.org/10.1007/s00420-011-0655-2>.
- Tompa, A; Sapi, E. (1989). INCIDENCE OF SOMATIC MUTATIONS IN THE LYMPHOCYTES OF PERSONS EXPOSED TO THE RISK OF CANCER IN THEIR WORKING PLACES. *Orv Hetil* 130: 1603-1607.
- Tondini, M; Rocco, G; Travaglini, M; Rossi, G; Buscemi, A; de Fazio, L. (1994). Pleural mesothelioma associated with non-Hodgkin's lymphoma [Review]. *Thorax* 49: 1269-1270.
- Tonori, Y; Niitsuya, M; Sato, T; Sugiura, Y; Miyake, H; Aizawa, Y. (2005). Relationship between chest X-ray findings and pulmonary function tests in dust workers. *Ind Health* 43: 256-266.
- Topinka, J; Loli, P; Georgiadis, P; Dusinska, M; Hurbankova, M; Kovacicova, Z; Volkovova, K; Kazimirova, A; Barancokova, M; Tatrai, E; Oesterle, D; Wolff, I; Kyrtopoulos, SA. (2004). Mutagenesis by asbestos in the lung of lambda-lacI transgenic rats. *Mutat Res* 553: 67-78. <http://dx.doi.org/10.1016/j.mrfmmm.2004.06.023>.
- Topov, I, a; Kolev, K. (1985). [Ultrastructure of asbestos-induced mesotheliomas]. *Vopr Onkol* 31: 75-78.
- Topov, J; Kolev, K. (1987). Cytology of experimental mesotheliomas induced with crocidolite asbestos. *Acta Cytol* 31: 369-373.
- Topping, DC; Nettesheim, P; Martin, DH. (1980). Toxic and tumorigenic effects of asbestos on tracheal mucosa. *J Environ Pathol Toxicol* 3: 261-275.
- Toraason, M. (1999). 8 Hydroxydeoxyguanosine as a biomarker of workplace exposures. *Biomarkers* 4: 3-26. <http://dx.doi.org/10.1080/135475099230967>.
- Tornling, G. (1990). OCCUPATIONAL RISK FOR LUNG CANCER ANALYSIS OF THE SWEDISH CANCER ENVIRONMENT REGISTER (pp. 22-26). (BIOSIS/91/33889). Tornling, G.
- Torres LANZAS, J; Rivas DE ANDRES, JJ; De Miguel PRIETO, J. (1985). ROUNDED ATELECTASIS AS FALSE LUNG TUMOR. *Rev Clin Esp* 177: 147-148.
- Tossavainen, A. (1997). ASBESTOS ASBESTOSIS AND CANCER THE HELSINKI CRITERIA FOR DIAGNOSIS AND ATTRIBUTION HELSINKI FINLAND JANUARY 20-22 1997. *Scand J Work Environ Health* 23: 311-316.
- Tossavainen, A. (2004). Global use of asbestos and the incidence of mesothelioma. *Int J Occup Environ Health* 10: 22-25. <http://dx.doi.org/10.1179/oeh.2004.10.1.22>.
- Tossavainen, A; Huuskonen, M; Tuomi, T; Vanhala, E; Virtamo, M. (1990). Asbestos Exposure among Finnish Mesothelioma Patients (pp. 28-31). (ISSN 1047-322X EISSN 1521-0898 NIOSH/00198720). Tossavainen, A; Huuskonen, M; Tuomi, T; Vanhala, E; Virtamo, M.
- Tossavainen, A; Jaakkola, J. (1994). Occupational Exposure to Chemical Agents in Finland. *Appl Occup Environ Hyg* 9: 28-31.
- Tossavainen, A; Karjalainen, A; Karhunen, PJ. (1994). Retention of asbestos fibers in the human body. *Environ Health Perspect* 102: 253-255.
- Tossavainen, A; Kotilainen, M; Takahashi, K; Pan, G; Vanhala, E. (2001). Amphibole fibres in Chinese chrysotile asbestos. *Ann Occup Hyg* 45: 145-152.
- Tossavainen, A; Riala, R; Zitting, A; Parker, J; Jones, W; Groce, D; Izmerov, N; Elovskaya, L; Kovalevsky, E; Burmistrova, T; Domnin, S; Scherbakov, S; Kachansky, S. (1999). Health and exposure surveillance of Siberian asbestos miners: A joint Finnish-American-Russian project. *Am J Ind Med Suppl* 1: 142-144.

Human Health Hazard Literature Search Results

On Topic

- Toumpanakis, D; Theocharis, SE. (2011). DNA repair systems in malignant mesothelioma [Review]. *Cancer Lett* 312: 143-149. <http://dx.doi.org/10.1016/j.canlet.2011.08.021>.
- Toyokuni, S. (1996). Iron-induced carcinogenesis: The role of redox regulation. *Free Radic Biol Med* 20: 553-566. [http://dx.doi.org/10.1016/0891-5849\(95\)02111-6](http://dx.doi.org/10.1016/0891-5849(95)02111-6).
- Toyokuni, S. (2009). Mechanisms of asbestos-induced carcinogenesis [Review]. *Nagoya J Med Sci* 71: 1-10.
- Toyokuni, S. (2014). Iron overload as a major targetable pathogenesis of asbestos-induced mesothelial carcinogenesis [Review]. *Redox Rep* 19: 1-7. <http://dx.doi.org/10.1179/1351000213Y.0000000075>.
- Toyokuni, S. (2016). The origin and future of oxidative stress pathology: From the recognition of carcinogenesis as an iron addiction with ferroptosis-resistance to non-thermal plasma therapy [Review]. *Pathol Int* 66: 245-259. <http://dx.doi.org/10.1111/pin.12396>.
- Toyokuni, S; Jiang, L, i; Nagai, H; Ohara, H; Okazaki, Y; Akatsuka, S; Yamashita, Y. (2010). Asbestos-induced Carcinogenesis is Oxidative Stress-dependent. *Free Radic Biol Med* 49: S72-S72. <http://dx.doi.org/10.1016/j.freeradbiomed.2010.10.179>.
- Toyoshima, M; Chida, K; Kono, M; Kaida, Y; Nakamura, Y; Suda, T; Sugimura, H. (2010). IgG4-related lung disease in a worker occupationally exposed to asbestos. *Intern Med* 49: 1175-1178. <http://dx.doi.org/10.2169/internalmedicine.49.3314>.
- Toyoshima, M; Chida, K; Suda, T; Sato, M. (2011). Possible relationship between asbestos exposure and bronchial asthma: a need for clarification [Letter]. *Am J Respir Crit Care Med* 183: 1571-1572; author reply 1572. <http://dx.doi.org/10.1164/ajrccm.183.11.1571a>.
- Trabelsi, N; Greffard, A; Paireon, JC; Kheuang, L; Bignon, J; Jaurand, MC; Pilatte, Y. (1998). Shedding of CD44 from PMA-differentiated U-937 cells is enhanced by treatment with mineral particles. *Biochem Biophys Res Commun* 245: 240-245. <http://dx.doi.org/10.1006/bbrc.1998.8405>.
- Trabert, B; Pinto, L; Hartge, P; Kemp, T; Black, A; Sherman, ME; Brinton, LA; Pfeiffer, RM; Shiels, MS; Chaturvedi, AK; Hildesheim, A; Wentzensen, N. (2014). Pre-diagnostic serum levels of inflammation markers and risk of ovarian cancer in the prostate, lung, colorectal and ovarian cancer (PLCO) screening trial. *Gynecol Oncol* 135: 297-304. <http://dx.doi.org/10.1016/j.ygyno.2014.08.025>.
- Travaglione, S; Bruni, B; Falzano, L; Paoletti, L; Fiorentini, C. (2003). Effects of the new-identified amphibole fluoro-edenite in lung epithelial cells. *Toxicol In Vitro* 17: 547-552. [http://dx.doi.org/10.1016/S0887-2333\(03\)00118-8](http://dx.doi.org/10.1016/S0887-2333(03)00118-8).
- Travaglione, S; Bruni, BM; Falzano, L; Filippini, P; Fabbri, A; Paoletti, L; Fiorentini, C. (2006). Multinucleation and pro-inflammatory cytokine release promoted by fibrous fluoro-edenite in lung epithelial A549 cells. *Toxicol In Vitro* 20: 841-850. <http://dx.doi.org/10.1016/j.tiv.2005.12.010>.
- Treadwell, MD. (1995) Activation of vascular endothelial cells in response to mineral fibers. (Doctoral Dissertation). Dartmouth College, Hanover, NH.
- Treadwell, MD. (1997). Asbestos induced alteration in endothelial cell function. (NIOSH/00238184). Cincinnati, OH: National Institute for Occupational Safety and Health.
- Treadwell, MD; Barchowsky, A. (1993). ACTIVATION OF ENDOTHELIAL-CELL TRANSACTING FACTORS FOLLOWING EXPOSURE TO H2O2 OR ASBESTOS. *Free Radic Biol Med* 15: 547-547.
- Treadwell, MD; Fava, RA; Hunt, JA; Krieser, RJ; Barchowsky, A. (1996). Expression and Activity of Urokinase and Its Receptor in Endothelial Cells Exposed to Asbestos. (NIOSH/00238185). Treadwell, MD; Fava, RA; Hunt, JA; Krieser, RJ; Barchowsky, A.
- Treadwell, MD; Mossman, BT; Barchowsky, A. (1995). ASBESTOS-INDUCED ALTERATION OF UROKINASE LIKE PLASMINOGEN ACTIVATOR MESSAGE AND ACTIVITY IN ENDOTHELIAL CELLS (pp. 9-13). (ISSN 0892-6638 EISSN 1530-6860 BIOSIS/95/15663). Treadwell, MD; Mossman, BT; Barchowsky, A.
- Treadwell, MD; Mossman, BT; Barchowsky, A. (1996). Increased neutrophil adherence to endothelial cells exposed to asbestos. *Toxicol Appl Pharmacol* 139: 62-70. <http://dx.doi.org/10.1006/taap.1996.0143>.
- Treasure, T; Waller, D; Swift, S; Peto, J. (2004). Radical surgery for mesothelioma [Editorial]. *B M J (Online)* 328: 237-238. <http://dx.doi.org/10.1136/bmj.328.7434.237>.
- Treggiari, MM; Weiss, NS. (2004). Occupational asbestos exposure and the incidence of non-Hodgkin lymphoma of the gastrointestinal tract: an ecologic study. *Ann Epidemiol* 14: 168-171. [http://dx.doi.org/10.1016/S1047-2797\(03\)00241-2](http://dx.doi.org/10.1016/S1047-2797(03)00241-2).
- Tregubov, ES. (1986). PULMONARY TUBERCULOSIS IN PATIENTS WITH ASBESTOSIS (pp. 61-63). (BIOSIS/87/32419). Tregubov, ES.
- Tregubov, ES. (1987). [Morphological changes in the lungs in asbestosis]. *Ark Patol* 49: 57-62.
- Trent, T. (2004). Asbestos problems in Montana and California [Letter]. *Environ Sci Technol* 38: 46A.
- Tresserra, F; Castella, M; Fabra, G; Angeles Martinez, M; Dominguez, M; Fernandez-Cid, C; Amalrich, MD; Ramos, C. (2013). Lymphohistiocytoid mesothelioma of the pleura: a case report with cytological findings. *Diagn Cytopathol* 41: 546-549. <http://dx.doi.org/10.1002/dc.21824>.
- Trevisan, E; Zabucchi, G; Pascolo, L; Pascotto, E; Casarsa, C; Lucattelli, M; Lungarella, G; Cavarra, E; Bartalesi, B; Zweyer, M; Borelli, V. (2016). Histopathological data of iron and calcium in the mouse lung after asbestos exposure. *6*: 769-775. <http://dx.doi.org/10.1016/j.dib.2016.01.026>.
- Triebig, G. (1996). RETROSPECTIVE ANALYSIS OF OCCUPATIONAL DISEASES IN CHEMICAL WORKERS IN GERMANY WEST. *Int Arch Occup Environ Health* 68: 429-435.
- Trieff, NM. (1980). Environment and health Contemporary occupational health problems. Ann Arbor, MI: Ann Arbor Science.
- Trieff, NM. (1980). INTRODUCTION ENVIRONMENT AND HEALTH (pp. ANN ARBOR). (HEEP/81/05619). Trieff, NM.
- Triol, J; Conston, AS; Chandler S, VD. (1982). MALIGNANT MESOTHELIOMA CYTO PATHOLOGY OF 75 CASES SEEN IN A NEW-JERSEY USA COMMUNITY HOSPITAL (pp. 8-13). (HEEP/83/10864). Triol, J; Conston, AS; Chandler S, VD.

Human Health Hazard Literature Search Results

On Topic

- Triozzi, PL; Aldrich, W; Allen, KO; Lima, J; Shaw, DR; Strong, TV. (2005). Antitumor activity of the intratumoral injection of fowlpox vectors expressing a triad of costimulatory molecules and granulocyte/macrophage colony stimulating factor in mesothelioma. *Int J Cancer* 113: 406-414. <http://dx.doi.org/10.1002/ijc.20574>.
- Tripathi, RK; Llewellyn, GC; Armstrong, CW; Fordham, OM; Milici, RC. (1987). AN INVESTIGATION OF THE POSSIBLE HEALTH-HAZARDS ASSOCIATED WITH ASBESTOS CONTAMINATION OF CHILDRENS PLAY SAND IN VIRGINIA. *J Am Coll Toxicol* 6: 562-562.
- Trogrlic, S; Gevenoio, PA; Schroeven, M; De Vuyst, P. (1997). Pericardial effusion associated with asbestos exposure. *Thorax* 52: 1097-1098.
- Troitskaia, NA. (1993). [A comparative study of cytotoxicity of dust of carbon fibers and other fibrous materials]. *Gig Sanit* 28-30.
- Troitskaia, NA; Vanchugova, NN; Kogan, FM; Shcherbakov, SV; Kashanskiĭ, SV; Dobroliubova, LP; Zykova, VA. (2000). [Biological effects of chrysotile asbestos dust obtained by dry and moist enriching methods (experimental study)]. *Med Tr Prom Ekol* 34-36.
- Troitskaia, NA; Velichkovskii, BT; Kogan, FM; El'nichnykh, LN. (1984). [Comparative fibrogenicity of carbon fibers and asbestos]. *Gig Sanit* 0: 18-20.
- Troitskaia, NA; Velichkovskii, BT; Vanchugova, NN. (2000). [The influence of "rigidity" and structure of fibrous dust on their biological activity]. *Med Tr Prom Ekol* 9-13.
- Tron, V; Wright, JL; Churg, A. (1987). SMOKING MAKES ASBESTOS INDUCED AIRWAY AND EARLY PARENCHYMAL LESIONS WORSE. *Chest* 91: 314-314.
- Tron, V; Wright, JL; Harrison, N; Wiggs, B; Churg, A. (1987). Cigarette smoke makes airway and early parenchymal asbestos-induced lung disease worse in the guinea pig. *Am Rev Respir Dis* 136: 271-275. <http://dx.doi.org/10.1164/ajrccm/136.2.271>.
- Trosic, I. (1994). Report of work performed by Dr. Ivancica Trosic in response to procurement request No. 4478H University of California, Los Alamos National Laboratory, Los Alamos, New Mexico. 33.
- Trosic, I. (2006). Asbestos and asbestosis in Croatia: Past, present and future. *Toxicol Lett* 164: S53-S54. <http://dx.doi.org/10.1016/j.toxlet.2006.06.113>.
- Trosić, I; Brumen, V; Horvat, D. (1997). In vitro assessment of asbestos fibers genotoxicity. *Zentralblatt fuer Hygiene und Umweltmedizin* 199: 558-567.
- Trosic, I; Horvat, D. (1989). Incorporation of tritiated uridine and carbon-14 phenylalanine into V-79 cells treated with asbestos. *Period Biol* 91: 397-400.
- Trosic, I; Horvat, D; Racic, J. (1986). THE EFFECT OF ASBESTOS ON CELLS IN CULTURE. *Period Biol* 88: 269-276.
- Trosic, I; Horvat, D; Stilinovic, L; Pisl, Z. (1989). CYTOTOXIC HEMOLYTIC AND MUTAGENIC ISSUE CAUSED BY CHRYSOTILE-ASBESTOS IN-VITRO (pp. SECAUCUS). (BIOSIS/90/02053). Trosic, I; Horvat, D; Stilinovic, L; Pisl, Z.
- Trosić, I; Matausić-Pisl, M; Hors, N. (2000). Pathways and quantification of insoluble particles in the lung compartments of the rat. *Int J Hyg Environ Health* 203: 39-43. [http://dx.doi.org/10.1078/S1438-4639\(04\)70006-1](http://dx.doi.org/10.1078/S1438-4639(04)70006-1).
- Trosic, I; Matausic-Pisl, M; Vucinic, D. (1995). Macrophage phagocytic activity and cell phagocytic capacity following intratracheal instillation of a comixture of asbestos fibers. *Exp Toxicol Pathol* 47: 238-240. [http://dx.doi.org/10.1016/S0940-2993\(11\)80256-3](http://dx.doi.org/10.1016/S0940-2993(11)80256-3).
- Trosić, I; Milković-Kraus, S. (2004). Asbestosis in the Republic of Croatia [Review]. *Int J Occup Environ Health* 10: 198-201. <http://dx.doi.org/10.1179/oeh.2004.10.2.198>.
- Trosić, I; Pisl, Z. (1995). Consequences of long-lasting asbestos-exposure: peripheral blood parameters in shipyard workers with and without asbestosis. *Exp Toxicol Pathol* 47: 212-216. [http://dx.doi.org/10.1016/S0940-2993\(11\)80317-9](http://dx.doi.org/10.1016/S0940-2993(11)80317-9).
- Trosini-Désert, V; Chambellan, A; Germaud, P; Chailleux, E. (2003). [Constrictive pericarditis due to asbestos exposure]. *Rev Mal Respir* 20: 622-627.
- Truhaut, R; Chouroulinkov, I. (1989). Effect of long-term ingestion of asbestos fibres in rats. In *IARC Sci Publ* (pp. 127-133). (ISSN 0300-5038). Lyon, France: International Agency for Research on Cancer.
- Truini, A; Coco, S; Alama, A; Genova, C; Sini, C; Dal Bello, MG; Barletta, G; Rijavec, E; Burrafato, G; Boccardo, F; Grossi, F. (2014). Role of microRNAs in malignant mesothelioma [Review]. *Cell Mol Life Sci* 71: 2865-2878. <http://dx.doi.org/10.1007/s00018-014-1584-5>.
- Tsai, SP; Waddell, LC; Gilstrap, EL; Ransdell, JD; Ross, CE. (1996). Mortality among maintenance employees potentially exposed to asbestos in a refinery and petrochemical plant. *Am J Ind Med* 29: 89-98. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199601\)29:1<89::AID-AJIM11>3.0.CO;2-W](http://dx.doi.org/10.1002/(SICI)1097-0274(199601)29:1<89::AID-AJIM11>3.0.CO;2-W).
- Tsai, SP; Waddell, LC; Ransdell, JC. (2001). RE: Mesothelioma and lung tumors attributable to asbestos among petroleum workers. *Am. J. Ind. Med.* 2000. 37:275-282 [Letter]. *Am J Ind Med* 39: 515-521; author reply 517-521.
- Tsai, W; Morgan, WK. (1996). The pneumoconioses [Review]. *Curr Opin Pulm Med* 2: 116-120.
- Tsang, P; Lew, F; Selikoff, IJ; Bekesi, JG. (1985). PHENOTYPICAL AND NK FUNCTIONAL ABNORMALITIES IN ASBESTOS WORKERS IN PATIENTS WITH MESOTHELIOMA. *International Journal of Immunopharmacology* 7: 625-625.
- Tsang, PH; Chu, FN; Fischbein, A; Bekesi, JG. (1988). Impairments in functional subsets of T-suppressor (CD8) lymphocytes, monocytes, and natural killer cells among asbestos-exposed workers. *Clin Immunol Immunopathol* 47: 323-332.
- Tse. (2010). Are Current or Future Mesothelioma Epidemics in Hong Kong the Tragic Legacy of Uncontrolled Use of Asbestos in the Past? (vol 118, pg 382, 2010). *Environ Health Perspect* 118: A240-A240.
- Tse, LA; Chen, MH; Au, RKF; Wang, F; Wang, XR; Yu, ITS. (2012). Pulmonary tuberculosis and lung cancer mortality in a historical cohort of workers with asbestosis. *Public Health* 126: 1013-1016. <http://dx.doi.org/10.1016/j.puhe.2012.09.012>.
- Tse, LA; Yu, IT; Goggins, W; Clements, M; Wang, XR; Au, JS; Yu, KS. (2010). Are current or future mesothelioma epidemics in Hong Kong the tragic legacy of uncontrolled use of asbestos in the past? *Environ Health Perspect* 118: 382-386. <http://dx.doi.org/10.1289/ehp.0900868>.

Human Health Hazard Literature Search Results

On Topic

- Tsim, S; Kelly, C; Alexander, L; McCormick, C; Thomson, F; Woodward, R; Foster, JE; Stobo, DB; Paul, J; Maskell, NA; Chalmers, A; Blyth, KG. (2016). Diagnostic and Prognostic Biomarkers in the Rational Assessment of Mesothelioma (DIAPHRAGM) study: protocol of a prospective, multicentre, observational study. *BMJ Open* 6: e013324. <http://dx.doi.org/10.1136/bmjopen-2016-013324>.
- Tsou, MT; Luo, JC. (2009). Porcelain factory worker with asbestos-related mesothelioma. *J Formos Med Assoc* 108: 819-825. [http://dx.doi.org/10.1016/S0929-6646\(09\)60411-3](http://dx.doi.org/10.1016/S0929-6646(09)60411-3).
- Tsuchiya, K. (1988). OCCUPATIONAL HEALTH AND EPIDEMIOLOGY (pp. 491-500). (BIOSIS/89/04900). Tsuchiya, K.
- Tsuda, A; Stringer, BK; Hamada, K; Rogers, RA. (1999). Integrin-mediated adhesion of fibronectin-coated asbestos fibers to cyclically stretched, in-vitro cultured alveolar epithelial cells. *Am J Respir Crit Care Med* 159: A182-A182.
- Tsuda, A; Stringer, BK; Mijailovich, SM; Rogers, RA; Hamada, K; Gray, ML. (1999). Alveolar cell stretching in the presence of fibrous particles induces interleukin-8 responses. *Am J Respir Cell Mol Biol* 21: 455-462. <http://dx.doi.org/10.1165/ajrcmb.21.4.3351>.
- Tsuda, K; Ueda, Y; K-I, S; Narita, N; Yoneda, S; Miyazaki, R; Mukubo, K; Matsumo, C. (1975). Lung cancer complicated with asbestos-tuberculosis of the lung. *J Nara Med Assoc* 26: 125-136.
- Tsuda, T; Morimoto, Y; Yamato, H; Nakamura, H; Hori, H; Nagata, N; Kido, M; Higashi, T; Tanaka, I. (1997). Effects of mineral fibers on the expression of genes whose product may play a role in fiber pathogenesis. *Environ Health Perspect* 105: 1173-1178.
- Tsugo, K; Kashimura, A; Une, Y. (2015). Asbestosis in a Japanese Macaque (*Macaca fuscata*). *Toxicol Pathol* 43: 1035-1039. <http://dx.doi.org/10.1177/0192623315587594>.
- Tsukamoto, T; Suzuki, S. (2008). Biphasic type malignant mesothelioma related to inhalation of asbestos, an autopsy case. *Histopathology* 53: 11-11.
- Tsukamoto, Y; Hao, H; Kajimoto, N; Katayama, A; Suzuki, C; Terada, T; Nakano, T; Hanaoka, K; Hirota, S. (2015). Sarcomatoid pleural mesothelioma with osteosarcomatous, chondrosarcomatous and rhabdomyoblastic elements: an extremely rare autopsy case [Letter]. *Pathol Int* 65: 51-53. <http://dx.doi.org/10.1111/pin.12226>.
- Tsukamoto, Y; Otsuki, T; Hao, H; Kuribayashi, K; Nakano, T; Kida, A; Nakanishi, T; Funatsu, E; Noguchi, C; Yoshihara, S; Kaku, K; Hirota, S. (2015). Epithelioid pleural mesothelioma concurrently associated with miliary pulmonary metastases and minimal change nephrotic syndrome - A hitherto undescribed case. *Pathol Res Pract* 211: 1014-1019. <http://dx.doi.org/10.1016/j.prp.2015.07.013>.
- Tsurikova, GV; Spitsyn, VA; Gladkova V, YE. (1993). DEMOGRAPHIC INDICES AS INDICATORS OF GENETIC ADAPTATION TO ASBESTOS (pp. 28-30). (BIOSIS/94/05079). Tsurikova, GV; Spitsyn, VA; Gladkova V, YE.
- Tsurikova, GV; Spitsyn, VA; Gladkova, EV; Minaeva, OP. (1992). [Biodemographic parameters as indicators of genetic adaptation to harmful occupational factors (e.g. asbestos)]. *Gig Tr Prof Zabol* 0: 28-30.
- Tsushima, H; Kawakami, Y; Hyodoh, F; Ueki, A. (1992). [Effect of crocidolite fibers on the cathepsin B-like enzyme activity in HL-60 cells]. *Nippon Eiseigaku Zasshi* 46: 1104-1109.
- Tsuzuki, T; Ninomiya, H; Natori, Y; Ishikawa, Y. (2008). Coalescent pleural malignant mesothelioma and adenocarcinoma of the lung, involving only minor asbestos exposure. *Pathol Int* 58: 451-455. <http://dx.doi.org/10.1111/j.1440-1827.2008.02253.x>.
- Tuch, H; Tulchinsky, TH; Casper, M; Knaane, H. (1986). Medical screening of former asbestos cement workers in Israel: a pilot program. *Am J Ind Med* 10: 471-478.
- Tug, E; Tug, T; Elyas, H; Coskunsel, M; Emri, S. (2006). Tumor suppressor gene alterations in patients with malignant mesothelioma due to environmental asbestos exposure in Turkey. *Journal of Carcinogenesis* 5: 23. <http://dx.doi.org/10.1186/1477-3163-5-23>.
- Tukiainen, P; Taskinen, E; Korhola, O; Valle, M. (1978). TruCutR needle biopsy in asbestosis and silicosis: correlation of histological changes with radiographic changes and pulmonary function in 41 patients. *Br J Ind Med* 35: 292-304.
- Tulchinsky, TH; Ginsberg, GM; Iscovich, J; Shihab, S; Fischbein, A; Richter, ED. (1999). Cancer in ex-asbestos cement workers in Israel, 1953-1992. *Am J Ind Med* 35: 1-8.
- Tulchinsky, TH; Ginsberg, GM; Shihab, S; Goldberg, E; Laster, R. (1992). Mesothelioma Mortality among Former Asbestos-Cement Workers in Israel, 1953-90. *Isr J Med Sci* 28: 543-547.
- Tulinska, J; Dusinska, M; Jahnova, E; Liskova, A; Kuricova, MF; Ilavska, S; Horvathova, M; Wsolova, L; Kyrtopoulos, S. (2003). Immunomodulatory effects of glass fibres in occupationally exposed workers-comparison with asbestos. *Epidemiology* 14: S98-S99.
- Tulinska, J; Jahnova, E; Dusinska, M; Kuricova, M; Liskova, A; Ilavska, S; Horvathova, M; Wsolova, L; Kyrtopoulos, SA; Collins, A; Harrington, V; Fuortes, L. (2004). Immunomodulatory effects of mineral fibres in occupationally exposed workers. *Mutat Res* 553: 111-124. <http://dx.doi.org/10.1016/j.mrfmmm.2004.06.030>.
- Tulinska, J; Kuricova, M; Liskova, A; Beno, M; Wimmerova, S; Kyrtopoulos, SA; Dusinska, M. (2004). The effects of amosite and wollastonite mineral fibres and exposure to tobacco smoke on the immune response of rats exposed via inhalation. *Toxicol Appl Pharmacol* 197: 283-283.
- Tulinska, J; Liskova, A; Kubova, J. (1998). IMMUNOTOXIC EFFECTS OF XENOBIOTICS OF PLANT AND ANIMAL ORIGIN ON THE IMMUNE SYSTEM IN HUMANS I. IMMUNOSUPPRESSION. *Czech J Occup Med* 50: 13-27.
- Tunesi, S; Ferrante, D; Mirabelli, D; Andorno, S; Betti, M; Fiorito, G; Guarrera, S; Casalone, E; Neri, M; Ugolini, D; Bonassi, S; Matullo, G; Dianzani, I; Magnani, C. (2015). Gene-asbestos interaction in malignant pleural mesothelioma susceptibility. *Carcinogenesis* 36: 1129-1135. <http://dx.doi.org/10.1093/carcin/bgv097>.
- Tunesi, S; Ferrante, D; Mirabelli, D; Gregori, D; Magnani, C. (2010). CUMULATIVE MORTALITY AFTER ASBESTOS EXPOSURE: AN ANALYSIS OF ETERNIT ASBESTOS CEMENT WORKERS COHORT. *Epidemiol Prev* 34: 161-161.
- Tunsupon, P; Yampikulsakul, P. (2016). Severe case of asbestos-related lung diseases. *B M J Case Reports* 2016. <http://dx.doi.org/10.1136/bcr-2015-214189>.

Human Health Hazard Literature Search Results

On Topic

- Tuomala, M; Hirvonen, MR; Savolainen, KM. (1993). Changes in free intracellular calcium and production of reactive oxygen metabolites in human leukocytes by soluble and particulate stimuli. *Toxicology* 80: 71-82.
- Tuomi, T; Huuskonen, MS; Tammilehto, L; Vanhala, E; Virtamo, M. (1991). Occupational exposure to asbestos as evaluated from work histories and analysis of lung tissues from patients with mesothelioma. *Br J Ind Med* 48: 48-52.
- Tuomi, T; Huuskonen, MS; Virtamo, M; Tossavainen, A; Tammilehto, L; Mattson, K; Lahdensuo, A; Mattila, J; Karhunen, P; Liippo, K. (1991). Relative risk of mesothelioma associated with different levels of exposure to asbestos. *Scand J Work Environ Health* 17: 404-408.
- Tuomi, T; Segerberg-Konttinen, M; Tammilehto, L; Tossavainen, A; Vanhala, E. (1989). Mineral fiber concentration in lung tissue of mesothelioma patients in Finland. *Am J Ind Med* 16: 247-254.
- Tural Onur, S; Sokucu, SN; Dalar, L; Iliaz, S; Kara, K; Buyukkale, S; Altin, S. (2016). Are neutrophil/lymphocyte ratio and platelet/lymphocyte ratio reliable parameters as prognostic indicators in malignant mesothelioma? *Ther Clin Risk Manag* 12: 651-656. <http://dx.doi.org/10.2147/TCRM.S104077>.
- Turci, F; Colonna, M; Tomatis, M; Mantegna, S; Cravotto, G; Gulino, G; Aldieri, E; Ghigo, D; Fubini, B. (2012). Surface reactivity and cell responses to chrysotile asbestos nanofibers. *Chem Res Toxicol* 25: 884-894. <http://dx.doi.org/10.1021/tx2005019>.
- Turci, F; Tomatis, M; Gazzano, E; Riganti, C; Martra, G; Bosia, A; Ghigo, D; Fubini, B. (2005). Potential toxicity of nonregulated asbestiform minerals: balangeroite from the western Alps. Part 2: Oxidant activity of the fibers. *J Toxicol Environ Health A* 68: 21-39. <http://dx.doi.org/10.1080/15287390590523911>.
- Turci, F; Tomatis, M; Lesci, IG; Roveri, N; Fubini, B. (2011). The Iron-Related Molecular Toxicity Mechanism of Synthetic Asbestos Nanofibers: A Model Study for High-Aspect-Ratio Nanoparticles. *Chemistry* 17: 350-358. <http://dx.doi.org/10.1002/chem.201001893>.
- Turgeon, F; Devries, J; Thompson, AG. (1965). ASBESTOS AND CANCER; THE REPORT AND RECOMMENDATIONS OF A WORKING GROUP CONVENED UNDER THE AUSPICES OF THE GEOGRAPHICAL PATHOLOGY COMMITTEE OF THE INTERNATIONAL UNION AGAINST CANCER. *Can Med Assoc J* 92: 1020-1025.
- Turnerwarwick, M. (1977). HLA AND ASBESTOS-RELATED LUNG-DISEASE. *Br J Dis Chest* 71: 219-220.
- Turner-Warwick, M. (1973). Immunology and asbestos. *Proc R Soc Med* 66: 927-930.
- Turner-Warwick, M. (1979). HLA phenotypes in asbestos workers. *Br J Dis Chest* 73: 243-244.
- Turner-Warwick, M; Parkes, WR. (1970). Circulating rheumatoid and antinuclear factors in asbestos workers. *Br Med J* 3: 492-495.
- Turusov, V; Montesano, R. (1983). Modulators of experimental carcinogenesis. (CIS/85/01310). World Health Organization.
- Turver, CJ; Brown, RC. (1987). THE ROLE OF CATALYTIC IRON IN ASBESTOS INDUCED LIPID PEROXIDATION AND DNA-STRAND BREAKAGE IN C3H10T-1-2 CELLS. *Br J Cancer* 56: 133-136.
- Turver, CJ; Poole, A; Brown, RC. (1985). Lipid Peroxidation and the Generation of Malondialdehyde in Crocidolite-Treated Cell Cultures (pp. 267-273). (NIOSH/00165759). Turver, CJ; Poole, A; Brown, RC.
- Tutar, E; Kiyici, H. (2008). Role of fragile histidine triad protein expression in pathogenesis of malignant pleural mesothelioma. *Pathology* 40: 42-45. <http://dx.doi.org/10.1080/00313020701716383>.
- Tweedale, G. (2000). Science or public relations? The inside story of the Asbestosis Research Council, 1957-1990. *Am J Ind Med* 38: 723-734.
- Tweedale, G. (2002). Asbestos and its lethal legacy [Review]. *Nat Rev Cancer* 2: 311-315. <http://dx.doi.org/10.1038/nrc774>.
- Tweedale, G; Mcculloch, J. (2004). Chrysophiles versus chrysophobes: the white asbestos controversy, 1950s-2004. *Isis* 95: 239-259.
- Tyagi, G; Munn, CS; Kiser, LC; Wetzner, SM; Tarabulcy, E. (1989). Malignant mesothelioma of tunica vaginalis testis. *Urology* 34: 102-104.
- Tyberghein, A; Deroost, K; Schwarzer, E; Arese, P; Van Den Steen, PE. (2014). Immunopathological effects of malaria pigment or hemozoin and other crystals [Review]. *BioFactors* 40: 59-78. <http://dx.doi.org/10.1002/biof.1119>.
- Tylén, U; Nilsson, U. (1982). Computed tomography in pulmonary pseudotumors and their relation to asbestos exposure. *J Comput Assist Tomogr* 6: 229-237.
- Tyson, PR. (1984). OCCUPATIONAL EXPOSURE TO ASBESTOS (pp. 14116-14145). (EPIDEM/007993). Tyson, PR.
- U.S. DHHS. (1990). LETTER FROM US DEPT HEALTH and HUMAN SERV TO US EPA REGARDING SUBMISSION OF DATA FOR OCCUPATIONAL EXPOSURE TO SYNTHETIC and NATURAL MINERAL FIBERS and CUTTING FLUIDS WITH ATTACHMENTS. (TSCATS/411051).
- U.S. EPA. (1990). Superfund Record of Decision (EPA Region 5): Fisher-Calo Chem, Kingsbury, IN. (First Remedial Action), August 1990 (pp. 80). (NTIS/02977556_a).
- U.S. EPA. (1991). Health Assessment Document for Vermiculite. 34.
- U.S. EPA. (1999). Superfund Record of Decision (EPA Region 6): Texas Tin Corporation Site, Operable Unit 1, Texas City, TX., May 17, 1999 (pp. 176). (NTIS/02922606_a).
- U.S. EPA. (2013). Toxicological Review of Libby Amphibole Asbestos (August 2011). 65.
- Ubakov, SA; Vanchugova, NN; Grebennikov, SA; Frash, VN. (1994). [Mutagenic effects of asbestos modified by association with ethanol, coffee and tobacco tar]. *Med Tr Prom Ekol* 8-10.
- Ueki, A. (2000). [Fas-Fas ligand system in silicosis patients] [Review]. *Nippon Eiseigaku Zasshi* 55: 474-480.
- Ueki, A. (2001). Biological effects of asbestos fibers on human cells in vitro--especially on lymphocytes and neutrophils [Review]. *Ind Health* 39: 84-93.
- Ueki, A; Hyodoh, F; Kinugawa, K; Mochizuki, Y. (1990). [Suppressive effect of crocidolite fibers on the differentiation of HL-60 cells induced with DMSO]. *Nippon Eiseigaku Zasshi* 44: 1107-1111.
- Ueki, A; Mochizuki, Y. (1988). PROLIFERATION STIMULATING EFFECTS OF ASBESTOS ON B LYMPHOCYTES (pp. KOBE). (BIOSIS/89/32768). Ueki, A; Mochizuki, Y.
- Ueki, A; Oka, T; Mochizuki, Y. (1984). Proliferation stimulating effects of chrysotile and crocidolite asbestos fibres on B lymphocyte cell lines. *Clin Exp Immunol* 56: 425-430.

Human Health Hazard Literature Search Results

On Topic

- Ueki, A; Tsushima, H; Hyodoh, F; Kinugawa, K. (1991). [The effects of asbestos fibers on the protein kinase C activity in HL-60 cells. The role of free radicals]. *Sangyo Igaku* 33: 485-490.
- Ueki, A; Tsushima, H; Hyodoh, F; Kinugawa, K. (1991). The effects of asbestos fibers on the protein kinase C activity in HL-60 cells: The role of free radicals (pp. 485-490). (BIOSIS/92/06705). Ueki, A; Tsushima, H; Hyodoh, F; Kinugawa, K.
- Ueki, A; Tsushima, H; Hyodoh, F; Kinugawa, K; Tomita, M; Kazahaya, J; Shirato, R. (1992). Crocidolite asbestos suppresses the differentiation of HL-60 cells induced by DMSO. *Cancer Lett* 62: 225-232.
- Ueki, A; Yamaguchi, M; Ueki, H; Watanabe, Y; Ohsawa, G; Kinugawa, K; Kawakami, Y; Hyodoh, F. (1994). Polyclonal human T-cell activation by silicate in vitro. *Immunology* 82: 332-335.
- Ugnat, AM; Luo, W; Semenci, R; Mao, Y; Group, CCRER. (2004). Occupational exposure to chemical and petrochemical industries and bladder cancer risk in four western Canadian provinces. *Chronic Dis Can* 25: 7-15.
- Ugolini, D; Neri, M; Ceppi, M; Cesario, A; Dianzani, I; Filiberti, R; Gemignani, F; Landi, S; Magnani, C; Mutti, L; Puntoni, R; Bonassi, S. (2008). Genetic susceptibility to malignant mesothelioma and exposure to asbestos: the influence of the familial factor [Review]. *Mutat Res* 658: 162-171. <http://dx.doi.org/10.1016/j.mrrev.2007.08.001>.
- Uibu, T; Jäntti, M; Järvenpää, R; Oksa, P; Tossavainen, A; Vanhala, E; Roto, P. (2009). Retroperitoneal and pleural fibrosis in an insulator working in power plants. *B M J Case Reports* 2009. <http://dx.doi.org/10.1136/bcr.08.2008.0644>.
- Uibu, T; Järvenpää, R; Hakomäki, J; Auvinen, A; Honkanen, E; Metsärinne, K; Roto, P; Saha, H; Uitti, J; Oksa, P. (2008). Asbestos-related pleural and lung fibrosis in patients with retroperitoneal fibrosis. *Orphanet J Rare Dis* 3: 29. <http://dx.doi.org/10.1186/1750-1172-3-29>.
- Uibu, T; Oksa, P; Auvinen, A; Honkanen, E; Metsärinne, K; Saha, H; Uitti, J; Roto, P. (2004). Asbestos exposure as a risk factor for retroperitoneal fibrosis. *Lancet* 363: 1422-1426. [http://dx.doi.org/10.1016/S0140-6736\(04\)16100-X](http://dx.doi.org/10.1016/S0140-6736(04)16100-X).
- Uibu, T; Vanhala, E; Sajantila, A; Lunetta, P; Mäkelä-Bengs, P; Goebeler, S; Jäntti, M; Tossavainen, A. (2009). Asbestos fibers in para-aortic and mesenteric lymph nodes. *Am J Ind Med* 52: 464-470. <http://dx.doi.org/10.1002/ajim.20694>.
- Ullrich, IH. (1980). Asbestos-related diseases of the lung. *W V Med J* 76: 163-168.
- Ulmer, WT. (1976). CLINICAL ASPECTS OF CHRONIC COR PULMONALE IN PNEUMOCONIOSES. (HEEP/77/09830). Ulmer, WT.
- Ulmer, WT. (1988). LUNG LAVAGE FOR TREATMENT OF ASBESTOS-INDUCED CHRONIC-BRONCHITIS. *Dtsch Med Wochenschr* 113: 1255-1255.
- Ulmer, WT. (1990). PNEUMOCONIOSES CURRENT STATE OF KNOWLEDGE (pp. 268-271). (BIOSIS/90/27469). Ulmer, WT.
- Ulrich, L. (1991). Pneumoconioses Related to Workplace Exposures in Czechoslovakia (pp. 14-19). (NIOSH/00227646). Ulrich, L.
- Ulvestad, B; Kjaerheim, K; Martinsen, JI; Damberg, G; Wannag, A; Mowe, G; Andersen, A. (2002). Cancer incidence among workers in the asbestos-cement producing industry in Norway. *Scand J Work Environ Health* 28: 411-417.
- Ulvestad, B; Kjaerheim, K; Martinsen, JI; Mowe, G; Andersen, A. (2004). Cancer incidence among members of the Norwegian trade union of insulation workers. *J Occup Environ Med* 46: 84-89. <http://dx.doi.org/10.1097/01.jom.0000105981.46987.42>.
- Ulvestad, B; Kjaerheim, K; Møller, B; Andersen, A. (2003). Incidence trends of mesothelioma in Norway, 1965-1999. *Int J Cancer* 107: 94-98. <http://dx.doi.org/10.1002/ijc.11357>.
- Um, CH. (1971). STUDY OF SECULAR TREND IN ASBESTOS BODIES IN LUNGS IN LONDON 1936-66. *Br Med J* 2: 248-&.
- Umeki, S; Kawai, S; Hino, J; Adachi, M; Yagi, S; Soejima, R. (1989). [Prognostic factors in cases of diffuse malignant pleural mesothelioma]. *Nihon Kyobu Shikkan Gakkai Zasshi* 27: 768-776.
- UNEP; IRPTC; GKNT; UNEP, UCF. (1982). Asbestos. (CIS/89/00060). United Nations Environment Programme (UNEP).
- Uneyama, C. (2006). [Toxicity of orally ingested asbestos] [Review]. *Shokohin Eiseigaku Zasshi* 47: J7-J9.
- Unfried, K; Kociok, N; Roller, M; Friemann, J; Pott, F; Dehnen, W. (1997). P53 mutations in tumours induced by intraperitoneal injection of crocidolite asbestos and benzo[a]pyrene in rats. *Exp Toxicol Pathol* 49: 181-187.
- Unfried, K; Roller, M; Pott, F; Friemann, J; Dehnen, W. (1997). Fiber-specific molecular features of tumors induced in rat peritoneum. *Environ Health Perspect* 105: 1103-1108. <http://dx.doi.org/10.2307/3433516>.
- Unfried, K; Sandhu, H; Schürkes, C; Albrecht, C; Abel, J. (2000). Effects of Crocidolite Fibers on the Peritoneal Mesothelium of Rats. *Inhal Toxicol* 12 Suppl 3: 149-155. <http://dx.doi.org/10.1080/08958378.2000.11463208>.
- Unfried, K; Schürkes, C; Abel, J. (2002). Distinct spectrum of mutations induced by crocidolite asbestos: clue for 8-hydroxydeoxyguanosine-dependent mutagenesis in vivo. *Cancer Res* 62: 99-104.
- UNION CARBIDE CHEMICALS AND PLASTICS COMPANY, I. (1991). LETTER FROM UNION CARBIDE CHEM and PLAST CO TO US EPA CONTAINING NOTIFICATION OF INTENT TO CONDUCT A STUDY ON ASBESTOS WITH ATTACHMENT. (TSCATS/416239).
- University, FD. (1992). INITIAL SUBMISSION: FINAL REPORT ON BIOLOGIC TESTS OF SAMPLES 22260P5 AND 22263P2 (FINAL REPORT) ON TREMOLITE AND A TREMOLITE/VERMICULITE MIXTURE WITH ATTACHMENTS AND COVER LETTER. (TSCATS/425021). FAIRLEIGH DICKINSON UNIV.
- University, M. (1986). COHORT STUDY OF MORTALITY OF VERMICULITE MINERS EXPOSED TO TREMOLITE WITH COVER LETTER DATED 030486. (TSCATS/204370). MCGILL UNIV.
- Upadhyay, D; Kamp, DW. (2003). Asbestos-induced pulmonary toxicity: role of DNA damage and apoptosis [Review]. *Exp Biol Med* 228: 650-659.
- Upadhyay, D; Panduri, V; Kamp, DW. (2005). Fibroblast growth factor-10 prevents asbestos-induced alveolar epithelial cell apoptosis by a mitogen-activated protein kinase-dependent mechanism. *Am J Respir Cell Mol Biol* 32: 232-238. <http://dx.doi.org/10.1165/rcmb.2004-0242OC>.
- Upton, AC. (1985). *Epidemiology and Risk Assessment* (pp. 14-16). (NIOSH/00173350). Upton, AC.
- Upton, AC. (1990). ENVIRONMENTAL MEDICINE INTRODUCTION AND OVERVIEW. *Med Clin North Am* 74: 235-244.

Human Health Hazard Literature Search Results

On Topic

- Upton, AC; Clayton, DB; Jansen, JD; Rosenkranz, HS; William, GM. (1985). REPORT OF THE INTERNATIONAL COMMISSION FOR PROTECTION AGAINST ENVIRONMENTAL MUTAGENS AND CARCINOGENS TASK GROUP ON THE DIFFERENTIATION BETWEEN GENOTOXIC AND NON-GENOTOXIC CARCINOGENS (pp. 417-454). (BIOSIS/86/08120). Upton, AC; Clayton, DB; Jansen, JD; Rosenkranz, HS; William, GM.
- Uragoda, CG; Sheriffdeen, AH; Amerasinghe, A. (1984). A CASE OF ASBESTOS ASSOCIATED DISEASE IN SRI-LANKA. *Ceylon Med J* 28: 247-249.
- Urano, H; Gotoh, S; Shirahata, A; Higashi, K; Karasaki, Y. (1997). Increases of Thrombomodulin Activity and Antigen Level on Human Umbilical Vein Endothelial Cells Treated with Asbestos and Man-Made Mineral Fibers. *Ind Health* 35: 359-366.
- Urano, N; Yano, E; Evans, PH. (1991). Reactive oxygen metabolites produced by the carcinogenic fibrous mineral erionite. *Environ Res* 54: 74-81.
- Urban, T; Hureauux, J; Leguen, Y. (2008). [Lung tumours, primary and secondary] [Review]. *Rev Prat* 58: 435-443.
- Ushio, R; Yamamoto, M; Shibata, Y; Ishii, H; Watanabe, K; Takahashi, R; Sato, T; Kudo, M; Miyake, A; Kaneko, T; Ishigatsubo, Y. (2015). An Autopsy Case Report of Malignant Pleural Mesothelioma with Deciduoid Features. *Intern Med* 54: 2915-2917. <http://dx.doi.org/10.2169/internalmedicine.54.4940>.
- Ustun, H; Astarci, HM; Sungu, N; Ozdemir, A; Ekinci, C. (2011). Primary malignant deciduoid peritoneal mesothelioma: a report of the cytohistological and immunohistochemical appearances. *Diagn Cytopathol* 39: 402-408. <http://dx.doi.org/10.1002/dc.21400>.
- Utkan, G; Urun, Y; Cangir, AK; Kilic, D; Ozdemir, NY; Oztuna, DG; Bulut, E; Arslan, UY; Kocer, M; Kavukcu, S; Icli, F. (2013). Clinicopathological Features of Patients with Malignant Mesothelioma in a Multicenter, Case-Control Study: No Role for ABO-Rh Blood Groups. *Asian Pac J Cancer Prev* 14: 249-253. <http://dx.doi.org/10.7314/APJCP.2013.14.1.249>.
- Uzhachenko, R; Issaeva, N; Boyd, K; Ivanov, SV; Carbone, DP; Ivanova, AV. (2012). Tumour suppressor Fus1 provides a molecular link between inflammatory response and mitochondrial homeostasis. *J Pathol* 227: 456-469. <http://dx.doi.org/10.1002/path.4039>.
- Uzunov, P; Kolev, K; Vlasov, V. (1986). FIBROPLASTIC EFFECT OF ANTHOPHYLLITIC ASBESTOS APPLIED INTRAPLEURALLY (pp. 117-121). (BIOSIS/87/22652). Uzunov, P; Kolev, K; Vlasov, V.
- Uzunov, P; Vlasov, V; Mikhova, T, s; Pilev, LN; Vasil'eva, LA. (1986). [In vitro research on the action of different types of anthophyllite]. *Eksp Med Morfol* 25: 54-57.
- Vaaranen, V. (1977). Occupational Diseases Listed in the Occupational Disease Register of Finland in 1964-1974 an Academic Dissertation. (NIOSH/00077012). Vaaranen, V.
- Vacek, PM. (1998). Effects of the intensity and timing of asbestos exposure on lung cancer risk at two mining areas in Quebec. *J Occup Environ Med* 40: 821-828.
- Vaida, T; Gabor, S; Vaida, A; Olteanu, L. (1985). [Changes in the cytology of the sputum of workers exposed to carcinogenic hazards]. *Rev Ig Med Muncii Med Soc Bacteriol Virusol Parazitol Epidemiol Pneumoftiziol Pneumoftiziol* 34: 249-254.
- Vaille, C; Souchard, M. (1978). Hemolytic action of asbestos. *Ann Pharm Fr Pharm*: 1-2.
- Vainio, H. (1987). OCCUPATIONAL CANCER PREVENTION. *J Cancer Res Clin Oncol* 113: 403-412.
- Vainio, H. (1994). Occupational Cancer: A Hidden Epidemic? (pp. 16-19). (NIOSH/00224510). Vainio, H.
- Vainio, H; Boffetta, P. (1994). Mechanisms of the combined effect of asbestos and smoking in the etiology of lung cancer [Review]. *Scand J Work Environ Health* 20: 235-242.
- Vainio, H; Husgafvel-Pursiainen, K; Anttila, S; Karjalainen, A; Hackman, P; Partanen, T. (1993). Interaction between smoking and asbestos in human lung adenocarcinoma: role of K-ras mutations. *Environ Health Perspect* 101 Suppl 3: 189-192.
- Vainio, H; Wilbourn, J. (1993). Cancer etiology: Agents causally associated with human cancer [Review]. *Pharmacol Toxicol* 72: 4-11. <http://dx.doi.org/10.1111/j.1600-0773.1993.tb01663.x>.
- Vainio, H; Wilbourn, JD; Sasco, AJ; Partensky, C; Gaudin, N; Heseltine, E; Eragne, I. (1995). Identification of human carcinogenic risk in IARC Monographs. *Bull Cancer PARIS*: 339-348.
- Vairo, C. (1977). Asbestos and Its Potential Danger to Society. (NIOSH/00191534). Vairo, C.
- Valagov, AG; Troitskii, SI, u. (1973). [Effect of asbestos-containing dusts on the motor function of the ciliate epithelium]. *Gig Tr Prof Zabol* 17: 55-56.
- Valavanidis, A; Balomenou, H; Macropoulou, I; Zarodimos, I. (1996). A study of the synergistic interaction of asbestos fibers with cigarette tar extracts for the generation of hydroxyl radicals in aqueous buffer solution. *Free Radic Biol Med* 20: 853-858.
- Valavanidis, A; Vlachogianni, T; Fiotakis, K; Loidas, S. (2013). Pulmonary Oxidative Stress, Inflammation and Cancer: Respirable Particulate Matter, Fibrous Dusts and Ozone as Major Causes of Lung Carcinogenesis through Reactive Oxygen Species Mechanisms [Review]. *Int J Environ Res Public Health* 10: 3886-3907. <http://dx.doi.org/10.3390/ijerph10093886>.
- Valcin, M; Henneberger, PK; Kullman, GJ; Umbach, DM; London, SJ; Alavanja, MCR; Sandler, DP; Hoppin, JA. (2007). Chronic bronchitis among nonsmoking farm women in the agricultural health study. *J Occup Environ Med* 49: 574-583. <http://dx.doi.org/10.1097/JOM.0b013e3180577768>.
- Valentin, H. (1981). Research report - Chronic bronchitis and occupational dust exposure. (CIS/82/00072). German Research Centre (Deutsche Forschungsgemeinschaft).
- Valenzuela, M; Giraldo, M; Gallo-Murcia, S; Pineda, J; Santos, L; Ramos-Bonilla, JP. (2016). Recent Scientific Evidence Regarding Asbestos Use and Health Consequences of Asbestos Exposure [Review]. *Curr Envir Health Rpt* 3: 335-347. <http://dx.doi.org/10.1007/s40572-016-0109-9>.
- Valerio, F; Balducci, D; Lazzarotto, A. (1987). ADSORPTION OF PROTEINS BY CHRYSOTILE AND CROCIDOLITE - ROLE OF MOLECULAR-WEIGHT AND CHARGE-DENSITY. *Environ Res* 44: 312-320.
- Valerio, F; Balducci, D; Scarabelli, L. (1986). SELECTIVE ADSORPTION OF SERUM PROTEINS BY CHRYSOTILE AND CROCIDOLITE. *Environ Res* 41: 432-439.

Human Health Hazard Literature Search Results

On Topic

- Valerio, F; De Ferrari, M; Ottaggio, L; Repetto, E; Santi, L. (1980). Cytogenetic effects of Rhodesian chrysotile on human lymphocytes in vitro. *IARC Sci Publ* 485-489.
- Valerio, F; De Ferrari, M; Ottaggio, L; Repetto, E; Santi, L. (1980). Cytogenetic effects of rhodesian chrysotile on human lymphocytes in vitro, in: *biological effects of mineral fibers, volume 1.* 30: 485-489.
- Valerio, F; de Ferrari, M; Ottaggio, L; Repetto, E; Santi, L. (1983). Chromosomal aberrations induced by chrysotile and crocidolite in human lymphocytes in vitro. *Mutat Res* 122: 397-402.
- Valeyre, D; Letourneux, W. (1999). Asbestosis [Review]. *Rev Mal Respir* 16: 1294-1307.
- Valic, F. (1983). Early Detection of Health Hazards due to Asbestos Exposure (pp. 02-009). (NIOSH/00133284). Valic, F.
- Valić, F. (2002). The asbestos dilemma: I. Assessment of risk. *Arh Hig Rada Toksikol* 53: 153-167.
- Valić, F; Beritic-Stahuljak, D. (1993). Is chrysotile asbestos exposure a significant health risk to the general population? *Cent Eur J Public Health* 1: 26-30.
- Valic, F; Beritic-Stahuljak, D; Cigula, M. (1992). Is there a difference in respiratory response to asbestos between women and men? *Acta Med Croatica* 46: 151-154.
- Valić, F; Beritić-Stahuljak, D; Cigula, M. (1990). Ventilatory lung function changes in family members of asbestos workers. 44: 205-209.
- Valkila, E; Nieminen, MM; Karvonen, J; Kuusisto, P; Lahdensuo, A; Moilanen, A. (1992). ASBESTOS-INDUCED VISCERAL PLEURAL FIBROSIS AND PULMONARY FUNCTIONS IN CONSTRUCTION WORKERS (pp. 17-20). (BIOSIS/92/20038). Valkila, E; Nieminen, MM; Karvonen, J; Kuusisto, P; Lahdensuo, A; Moilanen, A.
- Valkila, EH; Nieminen, MM; Moilanen, AK; Kuusisto, PA; Lahdensuo, AH; Karvonen, JI. (1995). Asbestos-induced visceral pleural fibrosis reduces pulmonary compliance. *Am J Ind Med* 28: 363-372. <http://dx.doi.org/10.1002/ajim.4700280306>.
- Valladares, Y. (1977). The etiopathogenesis of cancer. *Rev Esp Oncol* 24: 223-264.
- Vallance, D; Lamontagne, A. (2008). Asbestos selected cancers committee on asbestos: Selected health effects. *Aust N Z J Public Health* 32: 186-186. <http://dx.doi.org/10.1111/j.1753-6405.2008.00202.x>.
- Valleron, AJ; Bignon, J; Hughes, JM; Hesterberg, TW; Schneider, T; Burdett, GJ; Brochard, P; Hemon, D. (1992). LOW-DOSE EXPOSURE TO NATURAL AND MAN-MADE FIBERS AND THE RISK OF CANCER - TOWARDS A COLLABORATIVE EUROPEAN EPIDEMIOLOGY - REPORT OF A WORKSHOP HELD IN PARIS, 10-12 JUNE, 1991. *Br J Ind Med* 49: 606-614.
- Vallyathan, NV; Green, FH; Craighead, JE. (1980). Recent advances in the study of mineral pneumoconiosis [Review]. 15: 77-104.
- Vallyathan, V. (1994). Oxygen Radical Generation by Asbestos and Its Correlation to Cytotoxicity (pp. 9-21). (NIOSH/00237677). Vallyathan, V.
- Vallyathan, V; Althouse, R; Green F, HY; Boyd, C; Rodman, N. (1984). RELATION BETWEEN COAL WORKERS PNEUMOCONIOSIS AND LUNG CANCER (pp. 20-23). (HEEP/85/00960). Vallyathan, V; Althouse, R; Green F, HY; Boyd, C; Rodman, N.
- Vallyathan, V; Ding, M; Shi, X; Castranova, V. (2000). Molecular Activation of Activator Protein-1 In Silica and Asbestos-Induced Carcinogenesis. *Inhal Toxicol* 12 Suppl 3: 353-357. <http://dx.doi.org/10.1080/08958378.2000.11463245>.
- Vallyathan, V; Green, FHY. (1985). The role of analytical techniques in the diagnosis of asbestos-associated disease [Review]. *Crit Rev Clin Lab Sci* 22: 1-42.
- Vallyathan, V; Hahon, N; Booth, J; Schwegler, D; Sepulveda, M. (1985). Cytotoxicity of Native and Surface-Modified Asbestos (pp. 159-165). (NIOSH/00165746). Vallyathan, V; Hahon, N; Booth, J; Schwegler, D; Sepulveda, M.
- Vallyathan, V; Mega, JF; Shi, X; Dalal, NS. (1992). Enhanced generation of free radicals from phagocytes induced by mineral dusts. *Am J Respir Cell Mol Biol* 6: 404-413. <http://dx.doi.org/10.1165/ajrcmb/6.4.404>.
- Vallyathan, V; Msiska, Z; Pacurari, M; Castranova, V. (2009). Induction of DNA Double-Strand Breaks by Asbestos, Silica and Titanium Dioxide: Do They Provide an Early Predictive Marker of Carcinogenic Potential? *Am J Respir Crit Care Med* 179.
- Vallyathan, V; Shi, X. (1997). The role of oxygen free radicals in occupational and environmental lung diseases [Review]. *Environ Health Perspect* 105: 165-177.
- Vallyathan, V; Shi, X; Castranova, V. (1998). Reactive oxygen species: their relation to pneumoconiosis and carcinogenesis [Review]. *Environ Health Perspect* 106: 1151-1155.
- van Balen, E; Font, R; Cavallé, N; Font, L; Garcia-Villanueva, M; Benavente, Y; Brennan, P; de Sanjose, S. (2006). Exposure to non-arsenic pesticides is associated with lymphoma among farmers in Spain. *Occup Environ Med* 63: 663-668. <http://dx.doi.org/10.1136/oem.2005.024026>.
- van Bommel, EF; Jansen, I; Hendriks, TR; Aarnoudse, AL. (2009). Idiopathic retroperitoneal fibrosis: prospective evaluation of incidence and clinicoradiologic presentation. *Medicine (Baltimore)* 88: 193-201. <http://dx.doi.org/10.1097/MD.0b013e3181afc420>.
- van Cleemput, J; de Raeve, H; Verschakelen, JA; Rombouts, J; Lacquet, LM; Nemery, B. (2001). Surface of localized pleural plaques quantitated by computed tomography scanning: No relation with cumulative asbestos exposure and no effect on lung function. *Am J Respir Crit Care Med* 163: 705-710. <http://dx.doi.org/10.1164/ajrccm.163.3.2006017>.
- Van Cleemput, J; Verschakelen, J; Rombouts, J; Masschelein, R; Nemery, B; Lacquet, LM. (1996). SURFACE OF PLEURAL PLAQUES QUANTITATED BY CT-SCANNING RELATION WITH CUMULATIVE ASBESTOS EXPOSURE AND EFFECTS ON LUNG FUNCTION (pp. 7-11). (BIOSIS/97/05374). Van Cleemput, J; Verschakelen, J; Rombouts, J; Masschelein, R; Nemery, B; Lacquet, LM.
- Van de Voorde, H; Meulepas, E; Gyselen, A; Koppen, O. (1967). [Mortality in the population living close to, and in employees working in, an asbestos industry in the North of Brabant]. 58: 924-942.
- Van den Borre, L; Deboosere, P. (2014). Asbestos in Belgium: an underestimated health risk. The evolution of mesothelioma mortality rates (1969-2009). *Int J Occup Environ Health* 20: 134-140. <http://dx.doi.org/10.1179/2049396714Y.0000000058>.
- Van Den Borre, L; Deboosere, P. (2015). Enduring health effects of asbestos use in Belgian industries: a record-linked cohort study of cause-specific mortality (2001-2009). *BMJ Open* 5: e007384. <http://dx.doi.org/10.1136/bmjopen-2014-007384>.

Human Health Hazard Literature Search Results

On Topic

- Van den Hooff, A. (1986). The enigmatic role of asbestos in malignancies of the lung. *Anticancer Res* 6: 199-201.
- van der Bij, S; Koffijberg, H; Burgers, JA; Baas, P; van de Vijver, MJ; de Mol, BA; Moons, KG. (2012). Prognosis and prognostic factors of patients with mesothelioma: a population-based study. *Br J Cancer* 107: 161-164. <http://dx.doi.org/10.1038/bjc.2012.245>.
- Van Der Bij, S; Koffijberg, H; Lenters, V; Portengen, L; Moons, KGM; Heederik, D; Vermeulen, RCH. (2011). LUNG CANCER RISK AT LOW ASBESTOS EXPOSURE: META-REGRESSION OF THE EXPOSURE-RESPONSE RELATIONSHIP. *J Thorac Oncol* 6: S631-S631.
- van Der Bij, S; Koffijberg, H; Lenters, V; Portengen, L; Moons, KGM; Heederik, D; Vermeulen, RCH. (2013). Lung cancer risk at low cumulative asbestos exposure: meta-regression of the exposure-response relationship [Review]. *Cancer Causes Control* 24: 1-12. <http://dx.doi.org/10.1007/s10552-012-0107-7>.
- Van der Bij, S; Vermeulen, RC; Portengen, L; Moons, KG; Koffijberg, H. (2016). Expected number of asbestos-related lung cancers in the Netherlands in the next two decades: a comparison of methods. *Occup Environ Med* 73: 342-349. <http://dx.doi.org/10.1136/oemed-2014-102614>.
- van der Heijden, HF; Heijdra, YF. (2005). Extrapulmonary small cell carcinoma [Review]. *South Med J* 98: 345-349. <http://dx.doi.org/10.1097/01.SMJ.0000145724.40477.50>.
- van der Heijden, HF; Heijdra, YF; Bulten, J; Festen, J. (2002). Pleural small cell carcinoma in pre-existent asbestos related pleural disease. *Lung Cancer* 35: 91-94.
- Van der Meeren, A; Fleury, J; Nebut, M; Monchaux, G; Janson, X; Jaurand, MC. (1992). Mesothelioma in rats following intrapleural injection of chrysotile and phosphorylated chrysotile (chrysophosphate). *Int J Cancer* 50: 937-942.
- Van Der MEEREN, A; Levy, F; Bignon, J; M-C, J. (1988). GROWTH OF NORMAL AND NEOPLASTIC RAT PLEURAL MESOTHELIAL CELLS IN THE PRESENCE OF CONDITIONED MEDIUM FROM NEOPLASTIC MESOTHELIAL CELLS. *Biol Cell* 62: 293-296.
- Van der Meeren, A; Levy, F; Katz, A; Renier, A; Jaurand, MC. (1989). [Effects of conditioned media of rat pleural mesothelial cells, transformed in vivo or in vitro by asbestos, on the proliferation of normal mesothelial cells. Comparison with epidermal growth factor, EGF]. 309: 617-622.
- Van Duuren, BL; Witz, G; Sivak, A. (1974). CHEMICAL CARCINOGENESIS (pp. BASEL). (HEEP/75/09432). Van Duuren, BL; Witz, G; Sivak, A.
- Van Gasse, JJ; Miller, RF. (1957). Pneumoconiosis (pp. 481-483). (NIOSH/00130727). Van Gasse, JJ; Miller, RF.
- van Gelder, T; Hoogsteden, HC; Versnel, MA; de Beer, PH; Vandenbroucke, JP; Planteydt, HT. (1989). Malignant peritoneal mesothelioma: a series of 19 cases. *Digestion* 43: 222-227.
- Van Gelder, T; Hoogsteden, HC; Versnel, MA; Van Hezik, EJ; Vandenbroucke, JP; Planteydt, HT. (1989). Malignant pleural mesothelioma in the southwestern part of the Netherlands. *Eur Respir J* 2: 981-984.
- Van Gosen, BS; Lowers, HA; Hyde, JD; Meeker, GP; Bern, AM; Sutley, SJ; Witten, ML; Ziegler, TL. (2004). Toxicological And Mineralogical Analysis Of Richterite-Winchite Asbestos. *Toxicologist* 78: 436.
- van Kampen, V; Merget, R; Butz, M; Taeger, D; Brüning, T. (2008). Trends in suspected and recognized occupational respiratory diseases in Germany between 1970 and 2005. *Am J Ind Med* 51: 492-502. <http://dx.doi.org/10.1002/ajim.20593>.
- Van Kesteren, P; Bulten, J; Schijf, C; Boonstra, H; Massuger, L. (2004). Malignant peritoneal mesothelioma in a 76-year-old woman with a history of asbestos fiber ingestion. *Int J Gynecol Cancer* 14: 162-165.
- van Loon, AJ; Goldbohm, RA; Kant, IJ; Swaen, GM; Kremer, AM; van den Brandt, PA. (1997). Socioeconomic status and lung cancer incidence in men in The Netherlands: is there a role for occupational exposure? *J Epidemiol Community Health* 51: 24-29.
- van Loon, AJ; Kant, IJ; Swaen, GM; Goldbohm, RA; Kremer, AM; van den Brandt, PA. (1997). Occupational exposure to carcinogens and risk of lung cancer: results from The Netherlands cohort study. *Occup Environ Med* 54: 817-824.
- van Wijngaarden, E; Savitz, DA; Kleckner, RC; Kavet, R; Loomis, D. (2001). Mortality patterns by occupation in a cohort of electric utility workers. *Am J Ind Med* 40: 667-673. <http://dx.doi.org/10.1002/ajim.10015>.
- van Zandwijk, N. (2010). DO WE NEED TO SCREEN PERSONS EXPOSED TO ASBESTOS? *J Thorac Oncol* 5: S32-S32.
- van Zandwijk, N. (2011). SCREENING OF ASBESTOS EXPOSED INDIVIDUALS. *J Thorac Oncol* 6: S12-S12.
- Vanchugova, NN; Frash, VN; Kogan, FM. (1985). [Use of the micronucleus test as a rapid method of detecting the potential carcinogenicity of asbestos-containing and other mineral fibers]. *Gig Tr Prof Zabol45-48*.
- Vanchugova, NN; Kashanskiï, SV; Tregubov, ES; Skriabin, LA. (2008). [Experimental basis for possible tumors induction in descendants after placental transmission of chrysotile asbestos fibers]. *Med Tr Prom Ekol33-37*.
- Vanchugova, NN; Privalova, LI; Komissarova, OV; Grebennikov, SA. (1985). [Effect of carcinogenic substances on bone marrow cells in CBA mice]. *Eksp Onkol* 7: 65-66.
- Vande Weyer, R. (1981). [Asbestos lung pathology in Belgium (author's transl)]. *Rev Med Brux* 2: 69-81.
- Vande Weyer, R. (1981). Pulmonary pathology of asbestos in Belgium. 2: 69-81.
- Vande WEYER, R; Boudewyns, F; Groetenbriel, C; Yernault, JC. (1984). EVOLUTION OF DEATHS BY BRONCHIAL CARCINOMA AND PLEURAL MESOTHELIOMA IN BELGIAN COAL AND ASBESTOS WORKERS (pp. NEW YORK). (HEEP/85/00803). Vande WEYER, R; Boudewyns, F; Groetenbriel, C; Yernault, JC.
- Vande WEYER, R; De Vuyst, P; Roosels, D; Yernault, JC. (1984). CORRELATIONS BETWEEN ASBESTOS MESOTHELIOMAS AND ASBESTOS-RELATED DISEASES (pp. 16-22). (HEEP/85/07591). Vande WEYER, R; De Vuyst, P; Roosels, D; Yernault, JC.
- Vande WEYER, R; Garcia-Herreros, P; Lauwers, D; De Coster, A; Yernault, JC. (1981). CORRELATION BETWEEN RADIOLOGICAL ABNORMALITIES AND LUNG FUNCTION IN 196 BELGIAN WORKERS WITH ASBESTOSIS (pp. 2-5). (HEEP/83/04249). Vande WEYER, R; Garcia-Herreros, P; Lauwers, D; De Coster, A; Yernault, JC.
- Vandemoortele, T; Laroumagne, S; Roca, E; Bylicki, O; Dales, JP; Dutau, H; Astoul, P. (2014). Positive FDG-PET/CT of the pleura twenty years after talc pleurodesis: three cases of benign talcoma. *Respiration* 87: 243-248. <http://dx.doi.org/10.1159/000356752>.

Human Health Hazard Literature Search Results

On Topic

- Vandendorren, S; Gorla, S; Lauzeille, D; Leng, S; Chanel, PD, eC; Ducamp, S; Gilg, A; Rolland, P; Brochard, P; Goldberg, M; Ledrans, M. (2006). Risk for mesothelioma among people living near asbestos-related factories: a France based case control study. *Epidemiology* 17: S319-S319.
- Vandendorren, S; Salmi, LR; Mathoulin-Pélissier, S; Baldi, I; Brochard, P; Group, BI. (2006). Imputation of individual cancer cases to occupational causes. *Scand J Work Environ Health* 32: 32-40.
- Vangelova, K; Dimitrova, I. (2016). Asbestos exposure and mesothelioma incidence and mortality in Bulgaria. *Rev Environ Health* 31: 203-209. <http://dx.doi.org/10.1515/reveh-2016-0007>.
- Vangosen, BS; Lowers, HA; Bush, AL; Meeker, GP; Plumlee, GS. (2002). Reconnaissance Study of the Geology of U.S. Vermiculite Deposits Are Asbestos Minerals Common Constituents. 12.
- Vanhee, D; Gosset, P; Wallaert, B; Tonnel, AB. (1994). Role of Macrophage-Derived Cytokines in Coal Workers' Pneumoconiosis. *Ann N Y Acad Sci* 725: 183-192.
- Vansliedregt, A; Knook, M; Hesseling, SC; Koerten, HK; Degroot, K; Vanblitterswijk, CA. (1992). CELLULAR REACTION ON THE INTRAPERITONEAL INJECTION OF 4 TYPES OF POLYLACTIDE PARTICULATES. *Biomaterials* 13: 819-824.
- Varani, K; Maniero, S; Vincenzi, F; Targa, M; Stefanelli, A; Maniscalco, P; Martini, F; Tognon, M; Borea, PA. (2011). A₃ receptors are overexpressed in pleura from patients with mesothelioma and reduce cell growth via Akt/nuclear factor-κB pathway. *Am J Respir Crit Care Med* 183: 522-530. <http://dx.doi.org/10.1164/rccm.201006-0980OC>.
- Varga, C; Gyongyi, Z; Kiss, I; Ember, I. (2002). New facts and hypotheses in asbestos carcinogenicity. The 'ecological cycle', potential human exposures to, and cocarcinogenic potential of asbestos fibres. *Int J Cancer* 148: 148-148.
- Varga, C; Horvath, G; Pocsai, Z; Timbrell, V. (1995). URINARY AND SERUM MUTAGENICITY STUDIES WITH RATS ORALLY EXPOSED TO AMPHIBOLE ASBESTOS (pp. 17-22). (BIOSIS/96/05559). Varga, C; Horvath, G; Pocsai, Z; Timbrell, V.
- Varga, C; Horvath, G; Pocsai, Z; Timbrell, V. (1998). On the mechanism of cogenotoxic action between ingested amphibole asbestos fibres and benzo[a]pyrene: I. Urinary and serum mutagenicity studies with rats. *Cancer Lett* 128: 165-169. [http://dx.doi.org/10.1016/S0304-3835\(98\)00063-9](http://dx.doi.org/10.1016/S0304-3835(98)00063-9).
- Varga, C; Horvath, G; Timbrell, V. (1996). In vivo studies on genotoxicity and cogenotoxicity of ingested UICC anthophyllite asbestos. *Cancer Lett* 105: 181-185. [http://dx.doi.org/10.1016/0304-3835\(96\)04278-4](http://dx.doi.org/10.1016/0304-3835(96)04278-4).
- Varga, C; Horvath, G; Timbrell, V. (1999). On the mechanism of cogenotoxic action between ingested amphibole asbestos fibres and benzo[a]pyrene: II. Tissue specificity studies using comet assay. *Cancer Lett* 139: 173-176. [http://dx.doi.org/10.1016/S0304-3835\(99\)00032-4](http://dx.doi.org/10.1016/S0304-3835(99)00032-4).
- Varga, C; Pocsai, Z; Horvath, G; Timbrell, V. (1996). Studies on genotoxicity of orally administered crocidolite asbestos in rats: Implications for ingested asbestos induced carcinogenesis. *Anticancer Res* 16: 811-814.
- Varga, C; Szendi, K. (2006). [In vivo mutagenicity of the carcinogenic 1-nitropyrene. A model of a potential asbestos exposure]. *Magy Onkol* 50: 337-340. <http://dx.doi.org/HUON.2006.50.4.0337>.
- Varga, C; Szendi, K. (2008). Mesothelioma and environmental exposure. *Ann N Y Acad Sci* 1138: 73-76. <http://dx.doi.org/10.1196/annals.1414.012>.
- Varga, C; Szendi, K; Ember, I. (2006). An in vivo model for testing genotoxicity of environmental fibre-associated nitroarenes. *In Vivo* 20: 539-541.
- Varouchakis, G; Velonakis, EG; Amfilochiou, S; Trichopoulos, D. (1991). ASBESTOS IN STRANGE PLACES TWO CASE REPORTS OF MESOTHELIOMA AMONG MERCHANT SEAMEN. *Am J Ind Med* 19: 673-676.
- Vartio, T; Virtanen, I; Lehto, VP. (1986). Aggregation of fibronectin by asbestos fibers in the pericellular matrix of cultured human fibroblasts. *Acta Pathol Microbiol Scand A* 94: 169-175.
- Vasilenklo, II, a; Moskalev, I, ul; Strel'tsova, VN. (1986). [Carcinogenic effect of ionizing radiation in combination with chemical and other physical agents] [Review]. *Vopr Onkol* 32: 3-14.
- Vasil'eva, LA; Pylev, LN; Kiianenko, VV; Nikolaishvili, AA. (1989). [Carcinogenic properties of silicon carbide whiskers]. *Eksp Onkol* 11: 13-15.
- Vasil'eva, LA; Pylev, LN; Rovenskii, I, uA. (1986). [Study of precancerous changes in the rat pleural mesothelium following exposure to asbestos using scanning electron microscopy]. *Eksp Onkol* 8: 34-37.
- Vasil'Eva, LA; Pylev, LN; Rovenskii YU, A. (1983). Scanning electron microscopic study of early lesions of rat mesothelium after intrapleural injection of asbestos. *Eksp Onkol* 5: 53-56.
- Vasil'Eva, LA; Pylev, LN; Rovenskii YU, A. (1984). EARLY MESOTHELIAL CHANGES AFTER INTRAPLEURAL INOCULATION WITH ASBESTOS A SCANNING ELECTRON MICROSCOPIC STUDY (pp. 212-215). (BIOSIS/86/16232). Vasil'Eva, LA; Pylev, LN; Rovenskii YU, A.
- Vasil'eva, LA; Pylev, LN; Vezentsev, AI; Smolikov, AA. (1989). [Carcinogenic activity of synthetic chrysotile asbestos with various fiber sizes and chemical composition]. *Eksp Onkol* 11: 26-29.
- Vasilewa, LA; Pylev, LN; Wozniak, H; Wiecek, E. (1991). Biological Activity of Synthetic Amphibole Asbestos. *Pol J Occup Med Environ Health* 4: 33-41.
- Vasilieva, LA; Pylev, LN; Pyvovarova, LN; Makarova, TA; Wiecek, E; Wozniak, H; Stetkevich, J; Lao, I; Shchepanyak, M. (1991). CARCINOGENIC AND FIBROGENIC ACTIVITY OF SYNTHETIC AMPHIBOLE ASBESTOS WITH DIFFERENT CHEMICAL-COMPOSITION. *Eksp Onkol* 13: 12-15.
- Vasilieva, LA; Pylev, LN; Rovensky, YA. (1983). SCANNING ELECTRON-MICROSCOPIC STUDY OF EARLY LESIONS OF RAT MESOTHELIUM AFTER THE INTRAPLEURAL INJECTION OF ASBESTOS. *Eksp Onkol* 5: 53-56.
- Vasilieva, LA; Pylev, LN; Rovensky, YA. (1986). SCANNING ELECTRON-MICROSCOPIC STUDY OF PRETUMORAL LESIONS OF RAT PLEURAL MESOTHELIUM AFTER ASBESTOS INOCULATION. *Eksp Onkol* 8: 34-37.
- Vasilieva, LA; Pylev, LN; Rovensky, YA. (1998). Pathogenesis of experimentally induced asbestos mesothelioma in rats. *Cancer Lett* 134: 209-216.

Human Health Hazard Literature Search Results

On Topic

- Vaslet, CA; Messier, NJ; Kane, AB. (2002). Accelerated progression of asbestos-induced mesotheliomas in heterozygous p53⁺/⁻ mice. *Toxicol Sci* 68: 331-338. <http://dx.doi.org/10.1093/toxsci/68.2.331>.
- Vaughan, GL; Trently, SA; Wilson, RB. (1993). Pulmonary response, in vivo, to silicon carbide whiskers. *Environ Res* 63: 191-201. <http://dx.doi.org/10.1006/enrs.1993.1140>.
- Vaughan, TL. (1996). Occupational and environmental respiratory disease Agents causing other respiratory cancers. St. Louis, MO: Mosby-Year Book, Inc.
- Vauhkonen, H; Heino, S; Myllykangas, S; Lindholm, PM; Savola, S; Knuutila, S. (2007). Etiology of specific molecular alterations in human malignancies [Review]. *Cytogenet Genome Res* 118: 277-283. <http://dx.doi.org/10.1159/000108311>.
- Vazquez, MV; Selvendran, S; Cheluvappa, R; McKay, MJ. (2016). Peritoneal mesothelioma metastasis to the tongue - Comparison with 8 pleural mesothelioma reports with tongue metastases. 5: 101-105. <http://dx.doi.org/10.1016/j.amsu.2015.12.059>.
- Veglia, F; Vineis, P; Overvad, K; Boeing, H; Bergmann, M; Trichopoulou, A; Trichopoulos, D; Palli, D; Krogh, V; Tumino, R; Linseisen, J; Steindorf, K; Raaschou-Nielsen, O; Tjonneland, A; Gonzalez, CA; Martinez, C; Dorransoro, M; Barricarte, A; Cirera, L; Quiros, JR; Day, NE; Saracci, R; Riboli, E. (2007). Occupational exposures, environmental tobacco smoke, and lung cancer. *Epidemiology* 18: 769-775. <http://dx.doi.org/10.1097/EDE.0b013e318142c8a1>.
- Vehmas, T; Hiltunen, A; Leino-Arjas, P; Piirila, P. (2009). Relation Between Atherosclerotic Calcifications Detected in Chest Computed Tomography and Lung Function. *Arch Bronconeumol* 45: 376-382. <http://dx.doi.org/10.1016/j.arbres.2008.12.006>.
- Vehmas, T; Kivisaari, L; Huuskonen, MS; Jaakkola, MS. (2003). Effects of tobacco smoking on findings in chest computed tomography among asbestos-exposed workers. *Eur Respir J* 21: 866-871. <http://dx.doi.org/10.1183/09031936.03.00029002>.
- Vehmas, T; Kivisaari, L; Huuskonen, MS; Jaakkola, MS. (2005). Scoring CT/HRCT findings among asbestos-exposed workers: effects of patient's age, body mass index and common laboratory test results. *Eur Radiol* 15: 213-219. <http://dx.doi.org/10.1007/s00330-004-2552-5>.
- Vehmas, T; Oksa, P; Kivisaari, L. (2012). Lung and pleural CT signs predict deaths: 10-year follow-up after lung cancer screening of asbestos-exposed workers. *Int Arch Occup Environ Health* 85: 207-213. <http://dx.doi.org/10.1007/s00420-011-0654-3>.
- Vehmas, T; Pallasaho, P; Oksa, P. (2012). Lung and pleural fibrosis in asbestos-exposed workers: a risk factor for pneumonia mortality. *Epidemiol Infect* 140: 1987-1992. <http://dx.doi.org/10.1017/S0950268811002810>.
- Vehmas, T; Pallasaho, P; Piirilä, P. (2013). Lung function predicts mortality: 10-year follow-up after lung cancer screening among asbestos-exposed workers. *Int Arch Occup Environ Health* 86: 667-672. <http://dx.doi.org/10.1007/s00420-012-0803-3>.
- Vejlsted, H; Hansen, BF. (1980). Pleural mesothelioma. 14: 119-122.
- Velema, JP. (1987). CONTAMINATED DRINKING WATER AS A POTENTIAL CAUSE OF CANCER IN HUMANS. *J Environ Sci Health, Part C: Environ Carcinog Rev* 5: 1-28.
- Velichkovskii, BT. (1992). PROBLEM OF OCCUPATIONAL AND ECOLOGICALLY PREDETERMINED RESPIRATORY DISEASES. *Gig Sanit* 0: 46-49.
- Velichkovskii, BT. (1994). ON THE MECHANISM OF FIBROSIS-INDUCING DUST EFFECTS ON THE BODY. *Gig Sanit* 0: 4-10.
- Velichkovskii, BT. (1994). Pathogenesis of occupational pulmonary diseases caused by dust. *Med Tr Prom Ekol* 0: 5-6.
- Velichkovskii, BT; Cheremisina, ZP; Suslova, TB; Korkina, LG; Olenev, VI. (1986). [Molecular mechanism of the biological activity of asbestos]. *Gig Tr Prof Zabol* 0: 5-9.
- Velichkovskii, BT; Korkina, LG; Suslova, TB; Cheremisina, ZP; Deeva, IB; Kruglikov, GG. (1988). PRINCIPAL MOLECULAR MECHANISMS OF THE CYTOTOXICITY OF FIBROGENIC DUSTS. *Vestn Akad Med Nauk SSSR* 0: 7-14.
- Velichkovskii, BT. (1998). [The main pathogenetic mechanisms in occupational diseases of lungs of dust-related etiology. Part I. From an experiment to a concept] [Review]. *Med Tr Prom Ekol* 0: 28-38.
- Velonakis, EG; Tzorva, A; Tzonou, A; Trichopoulos, D. (1989). Asbestos-related chest X-ray changes among Greek merchant marine seamen. *Am J Ind Med* 15: 511-516.
- Vena, JE; Byers, TE; Cookfair, D; Swanson, M. (1985). Occupation and lung cancer risk. An analysis by histologic subtypes. *Cancer* 56: 910-917.
- Venter, E; Nyantumbu, B; Solomon, A; Rees, D. (2004). Radiologic abnormalities in South African mica millers: a survey of a mica milling plant in the Limpopo Province. *Int J Occup Environ Health* 10: 278-283. <http://dx.doi.org/10.1179/oeh.2004.10.3.278>.
- Venuti, V; De Pasquale, D; Abbate, A; Brecciaroli, R; Giorgianni, C. (2007). [Malignant pleuric mesothelioma in Sicily. Epidemiologic observations during the time 1998-2005]. *G Ital Med Lav Ergon* 29: 639-640.
- Veraldi, A; Seniore, CA; Bolejack, V; Miligi, L; Vineis, P; van Loveren, H. (2006). Immunotoxic effects of chemicals: A matrix for occupational and environmental epidemiological studies. *Am J Ind Med* 49: 1046-1055. <http://dx.doi.org/10.1002/ajim.20364>.
- Verma, DK; Clark, NE. (2012). Asbestos fiber burden in lung tissues of occupationally exposed workers. *J Occup Environ Hyg* 9: D177-D182. <http://dx.doi.org/10.1080/15459624.2012.711606>.
- Verma, SK; Srivastava, R; Kant, S; Prasad, R; Garg, R; Ahmad, I; Husain, N. (2010). A study to evaluate asbestos fiber burden in lung and pleural malignancies. *Indian J Med Sci* 64: 315-319. <http://dx.doi.org/10.4103/0019-5359.99865>.
- Vermynen, DA; Dos Santos, G; Baker, MA; Cheresch, P; Kamp, D; Ridge, KM. (2013). Asbestos Activates The Inflammasome In Human Macrophages. *Am J Respir Crit Care Med* 187.
- Verschaeve, L; Palmer, P; In't Veld, P. (1985). On the uptake and genotoxicity of UICC Rhodesian chrysotile A in human primary lung fibroblasts. *Naturwissenschaften* 72: 326-327.
- Vetrani, A; Palombini, L; Marino, M; Boschi, R; Fulciniti, F; Marino, G; Zabatta, A; Bianco, P. (1987). MALIGNANCY-ASSOCIATED CELLULAR MARKERS MAC IN ORAL AND BRONCHIAL EPITHELIAL CELLS IN SPUTUM SPECIMENS POSSIBLE MORPHOLOGIC MARKER FOR HIGH-RISK GROUPS ASBESTOS-EXPOSED WORKERS (pp. NEW YORK). (BIOSIS/88/05210). Vetrani, A; Palombini, L; Marino, M; Boschi, R; Fulciniti, F; Marino, G; Zabatta, A; Bianco, P.

Human Health Hazard Literature Search Results

On Topic

- Vetrugno, T; Comba, P; Savelli, D; Belli, S; Magnani, C. (1991). [Epidemiologic surveillance of pleural mesothelioma in Italy]. *Ann Ist Super Sanita* 27: 319-324.
- Veys, CA. (1996). ABC of work related disorders: Occupational cancers [Review]. *Br Med J* 313: 615-619. <http://dx.doi.org/10.1136/bmj.313.7057.615>.
- Veys, CA. (1996). OCCUPATIONAL CANCERS. *Br Med J* 313: 615-619.
- Viallat, J. R.; Fariße, P; Rey, F; Boutin, C; Henin, Y; Jausseran, M; D'Istria, JC. (1986). [Asbestos and cancer of the larynx]. *Ann Otolaryngol Chir Cervicofac* 103: 63-66.
- Viallat, JR; Boutin, C. (1980). Radiographic changes in chrysotile mine and mill ex-workers in Corsica. A survey 14 years after cessation of exposure. *Lung* 157: 155-163.
- Viallat, JR; Boutin, C; Pietri, JF; Fondarai, J. (1983). Late progression of radiographic changes in Canari chrysotile mine and mill exworkers. *Arch Environ Health* 38: 54-58.
- Viallat, JR; Boutin, C; Steinbauer, J; Gaudichet, A; Dufour, G. (1991). Pleural effects of environmental asbestos pollution in Corsica. *Ann N Y Acad Sci* 643: 438-443.
- Viallat, JR; Raybuad, F; Passarel, M; Boutin, C. (1986). Pleural migration of chrysotile fibers after intratracheal injection in rats. *Arch Environ Health* 41: 282-286. <http://dx.doi.org/10.1080/00039896.1986.9936697>.
- Vianna, NJ; Maslowsky, J; Roberts, S; Spellman, G; Patton, RB. (1981). Malignant mesothelioma; epidemiologic patterns in New York State. *N Y State J Med* 81: 735-738.
- Vianna, NJ; Polan, AK. (1978). Non-occupational exposure to asbestos and malignant mesothelioma in females. *Lancet* 311: 1061-1063. [http://dx.doi.org/10.1016/S0140-6736\(78\)90911-X](http://dx.doi.org/10.1016/S0140-6736(78)90911-X).
- Victor, LD; Talamonti, WJ. (1986). Asbestos lung disease [Review]. *Hosp Pract (Off Ed)* 21: 257-268.
- Viegi, G; Prediletto, R; Paoletti, P; Carrozzi, L; Di Pede, F; Vellutini, M; Di Pede, C; Giuntini, C; Lebowitz, MD. (1991). Respiratory effects of occupational exposure in a general population sample in North Italy. *Am Rev Respir Dis* 143: 510-515.
- Vierikko, T; Järvenpää, R; Autti, T; Oksa, P; Huuskonen, M; Kaleva, S; Laurikka, J; Kajander, S; Paakkola, K; Saarelainen, S; Salomaa, ER; Tossavainen, A; Tukiainen, P; Uitti, J; Vehmas, T. (2007). Chest CT screening of asbestos-exposed workers: lung lesions and incidental findings. *Eur Respir J* 29: 78-84. <http://dx.doi.org/10.1183/09031936.00073606>.
- Vierikko, T; Jarvenpaa, R; Toivio, P; Uitti, J; Oksa, P; Lindholm, T; Vehmas, T. (2010). Clinical and HRCT screening of heavily asbestos-exposed workers. *Int Arch Occup Environ Health* 83: 47-54. <http://dx.doi.org/10.1007/s00420-009-0462-1>.
- Vigliani, EC. (1968). The fibrogenic response to asbestos. *Med Lav* 59: 401-410.
- Vigliani, EC. (1969). Asbestos exposure and its results in Italy. *Med Lav* 60: 325-330.
- Vigliani, EC. (1970). Asbestos Exposure and Its Results in Italy (pp. 192-196). (NIOSH/00177266). Vigliani, EC.
- Viikeri, M. (1970). Ultra-sound examination of pleural plaques: Experimental, pathologic and clinical studies (pp. 7-62). (HEEP/73/01409). Viikeri, M.
- Vilim, V; Wilhelm, J; Brzak, P; Hurych, J. (1987). Stimulation of alveolar macrophages by mineral dusts in Vitro: Luminol-dependent chemiluminescence study. *Environ Res* 42: 246-256. [http://dx.doi.org/10.1016/S0013-9351\(87\)80026-9](http://dx.doi.org/10.1016/S0013-9351(87)80026-9).
- Vilkman, S; Lahdensuo, A; Mattila, J; Tossavainen, A; Tuomi, T. (1993). Asbestos exposure according to different exposure indices among Finnish lung cancer patients. *Int Arch Occup Environ Health* 65: 269-274.
- Villa, G; Zoccola, R; Mutti, L. (1991). TECHNETIUM-99M DTPA ALVEOLAR-CAPILLARY PERMEABILITY TLCO AND BAL IN ASBESTOSIS (pp. 1-5). (BIOSIS/92/02080). Villa, G; Zoccola, R; Mutti, L.
- Villeneuve, PJ; Parent, MÉ; Harris, SA; Johnson, KC; Group, CCRER. (2012). Occupational exposure to asbestos and lung cancer in men: evidence from a population-based case-control study in eight Canadian provinces. *BMC Cancer* 12: 595. <http://dx.doi.org/10.1186/1471-2407-12-595>.
- Vincent, JH. (1990). The fate of inhaled aerosols: a review of observed trends and some generalizations [Review]. *Ann Occup Hyg* 34: 623-637.
- Vincent, JH; Johnston, AM; Jones, AD; Bolton, RE; Addison, J. (1985). Kinetics of deposition and clearance of inhaled mineral dusts during chronic exposure. *Occup Environ Med* 42: 707-715.
- Vincent, JH; Johnston, WB; Jones, AD; Johnston, AM. (1981). Static electrification of airborne asbestos: a study of its causes, assessment and effects on deposition in the lungs of rats. *Am Ind Hyg Assoc J* 42: 711-721. <http://dx.doi.org/10.1080/15298668191420585>.
- Vincent, M; Catinon, M; Chemarin, C. (2014). [Contribution of mineralogical analysis in thoracic oncology: The example of asbestos] [Letter]. *Rev Mal Respir* 31: 874-875. <http://dx.doi.org/10.1016/j.rmr.2014.08.006>.
- Vincent, M; Perrin, G; Vuillermoz-Blas, S; Laennec, E; Blanchet, AS; Frecon, G; Thivolet, F; Roux, E; Chemarin, C. (2011). [Analysis of asbestos bodies and nude fibres in the lung parenchyma of operated lung cancers. A retrospective monocentric study of 73 cases]. *Rev Pneumol Clin* 67: 298-303. <http://dx.doi.org/10.1016/j.pneumo.2010.11.002>.
- Vincent, RA; Harley, RA; Johnson, RC; Massenber, M; Bishop, L; Bronner, A. (1983). A PROTECTIVE FACTOR AGAINST ASBESTOS FROM FETAL FIBROBLASTS. *Lab Invest* 48: A89-A89.
- Vineis, P. (1991). OCCUPATIONAL CANCER (pp. 3-6). (BIOSIS/92/04871). Vineis, P.
- Vineis, P; Blair, A. (1992). Problems and perspectives in the identification of new occupational carcinogens. *Scand J Work Environ Health* 18: 273-277.
- Vineis, P; Ciccone, G; Magnino, A. (1993). Asbestos exposure, physical activity and colon cancer: A case-control study. *Tumori* 79: 301-303.
- Vineis, P; Simonato, L. (1991). Proportion of lung and bladder cancers in males resulting from occupation: A systematic approach [Review]. *Arch Environ Health* 46: 6-15. <http://dx.doi.org/10.1080/00039896.1991.9937423>.

Human Health Hazard Literature Search Results

On Topic

- Vineis, P; Thomas, T; Hayes, RB; Blot, WJ; Mason, TJ; Williams Pickle, L; Correa, P; Fontham, ETH; Schoenberg, J. (1988). Proportion of lung cancers in males, due to occupation, in different areas of the USA. *Int J Cancer* 42: 851-856.
- Vinikoor, LC; Larson, TC; Bateson, TF; Birnbaum, L. (2010). Exposure to asbestos-containing vermiculite ore and respiratory symptoms among individuals who were children while the mine was active in Libby, Montana. *Environ Health Perspect* 118: 1033-1038. <http://dx.doi.org/10.1289/ehp.0901680>.
- Viswanathan, PN; Dogra, RK; Shanker, R; Zaidi, SH. (1973). Pulmonary fibrogenic response of guinea pigs to amosite dust. *Int Arch Arbeitsmed* 31: 51-59.
- Viswanathan, PN; Rahman, Q; Beg, MU; Zaidi, SH. (1973). Pulmonary lysosomal enzymes in experimental asbestosis in guinea pigs. *Environ Physiol Biochem* 3: 120-126.
- Vlasov, V; Uzunov, P. (1985). THE EFFECT OF BULGARIAN AND SOVIET ASBESTOS ON PULMONARY ORGAN CULTURES (pp. 110-118). (BIOSIS/86/32009). Vlasov, V; Uzunov, P.
- Vlasov, V; Uzunov, P; Kolev, K. (1988). COMPARATIVE MORPHOLOGIC INVESTIGATIONS OF THE ACTION OF THE ANTOPHYLLITIC ASBESTOS UPON THE LUNGS AND PLEURA (pp. 79-83). (BIOSIS/89/13770). Vlasov, V; Uzunov, P; Kolev, K.
- Vogelzang, NJ; Schultz, SM; Iannucci, AM; Kennedy, BJ. (1984). Malignant mesothelioma. The University of Minnesota experience. *Cancer* 53: 377-383.
- Voisin, C; Fisekci, F; Voisin-Saltiel, S; Ameille, J; Brochard, P; Pairon, JC. (1995). Asbestos-related rounded atelectasis. Radiologic and mineralogic data in 23 cases. *Chest* 107: 477-481.
- Voisin, C; Marin, I; Brochard, P; Pairon, J. (1994). Environmental airborne tremolite asbestos pollution and pleural plaques in Afghanistan [Review]. *Chest* 106: 974-976. <http://dx.doi.org/10.1378/chest.106.3.974>.
- von Borstel, RC; Mehta, RD. (1982). Nonmutagenic carcinogens. *Prog Clin Biol Res* 109: 47-57.
- Von Sengbusch, G; Hannibal-Friedrich, O. (1979). Possible Health Damage Due To Asbestos In The Area Of Non-Occupational Exposure (pp. 452-456). (NIOSH/00134233). Von Sengbusch, G; Hannibal-Friedrich, O.
- Vorwald, AJ; Durkan, TM; Pratt, PC. (1951). Experimental Studies of Asbestosis (pp. 1-43). (NIOSH/00129947). Vorwald, AJ; Durkan, TM; Pratt, PC.
- Voshaar, T; Schottes, C; Hempel, A; Schweisfurth, H; Thiel, H. (1988). SILICOSIS WITH COPD, EXTRINSIC ALLERGIC ALVEOLITIS, TYPE-I ALLERGY AND DETECTED ASBESTOS-FIBERS - A CASE-REPORT. *Atemwegs- und Lungenkrankheiten* 14: 361-363.
- Voss, B; Kerenyi, T; Müller, KM; Wilhelm, M. (2000). Scanning electron microscopical investigations of broncho-alveolar casts after intratracheal asbestos fibre instillation. *Int J Hyg Environ Health* 203: 127-134. [http://dx.doi.org/10.1078/S1438-4639\(04\)70017-6](http://dx.doi.org/10.1078/S1438-4639(04)70017-6).
- Voytek, P; Anver, M; Thorslund, T; Conley, J; Anderson, E. (1990). MECHANISMS OF ASBESTOS CARCINOGENICITY. *J Am Coll Toxicol* 9: 541-550.
- Vu, VT; Dearfield, KL. (1993). Biological Effects of Fibrous Materials in Experimental Studies and Related Regulatory Aspects (pp. 449-492). (NIOSH/00227941). Vu, VT; Dearfield, KL.
- Vu, VT; Lai, DY. (1997). Approaches to characterizing human health risks of exposure to fibers [Review]. *Environ Health Perspect* 105 Suppl 5: 1329-1336.
- Vudrag, M; Rihtar, TK; Vegnuti, M. (2010). Mesothelioma risk associated with asbestos production in Slovenia. *Arh Hig Rada Toksikol* 61: 45-52. <http://dx.doi.org/10.2478/10004-1254-61-2010-1939>.
- Vuorinen, K; Gao, F; Oury, TD; Kinnula, VL; Myllärniemi, M. (2007). Imatinib mesylate inhibits fibrogenesis in asbestos-induced interstitial pneumonia. *Exp Lung Res* 33: 357-373. <http://dx.doi.org/10.1080/01902140701634827>.
- Vuylsteek, K. (1971). Occupational Respiratory Disease. (NIOSH/00013020). Vuylsteek, K.
- W, HO. (1972). IARC (International Agency for Research on Cancer) Monographs on the Evaluation of Carcinogenic Risk of Chemicals to Man, Vol. 2. Some inorganic and organometallic compounds. (HEEP/74/06405*). W, HO.
- Waage, HP; Johnson, ES; Hilt, B; Langard, S. (1994). Asbestosis and pleural changes as risk factors for asbestos-induced lung cancer. *Int J Occup Med Toxicol* 3: 319-327.
- Waage, HP; Langard, S; Andersen, A. (1993). The incidence of asbestos-related cancer in a population cross-section: Eight years of follow-up. *J Occup Med Toxicol* 2: 15-30.
- Wada, O. (1987). OCCUPATIONAL CANCER (pp. 451-457). (BIOSIS/88/10943). Wada, O.
- Wade, MJ; Lipkin, LE; Frank, AL. (1979). Studies of in vitro asbestos-cell interaction. *J Environ Pathol Toxicol* 2: 1029-1039.
- Wade, MJ; Tucker, RW; Lipkin, LE; Frank, AL. (1976). ASBESTOS CYTO TOXICITY IN A LONG-TERM MACROPHAGE-LIKE CELL CULTURE. *Nature LOND*: 444-446.
- Wagener, DK. (1990). NUMBER OF DEATHS DUE TO LUNG DISEASES HOW LARGE IS THE PROBLEM. *Environ Res* 52: 1-6.
- Wagner, GR. (1994). Mineral Dusts (pp. 825-837). (NIOSH/00232610). Wagner, GR.
- Wagner, GR. (1996). Screening and surveillance of workers exposed to mineral dusts. (CIS/97/01991). Wagner, GR.
- Wagner, GR; Attfield, MD; Parker, JE. (1993). CHEST RADIOGRAPHY IN DUST-EXPOSED MINERS PROMISE AND PROBLEMS POTENTIAL AND IMPERFECTIONS (pp. 127-141). (BIOSIS/93/27328). Wagner, GR; Attfield, MD; Parker, JE.
- Wagner, J; Chamberlain, M; Brown, R; Berry, G; Pooley, F; Davies, R; Griffiths, D. (1982). Biological effects of tremolite. *Br J Cancer* 45: 352-360.
- Wagner, JC. (1965). The Sequelae Of Exposure Of Asbestos Dust (pp. 691-695). (NIOSH/00158464). Wagner, JC.
- Wagner, JC. (1971). Asbestos cancers. *J Natl Cancer Inst* 46: V-IX.
- Wagner, JC. (1971). Epidemiology of Asbestos Cancer [Review]. *Br Med Bull* 27: 71-76.
- Wagner, JC. (1972). The significance of asbestos in tissue. *Recent Results Cancer Res* 39: 37-46.
- Wagner, JC. (1973). THE SIGNIFICANCE OF ASBESTOS IN TISSUE (pp. NEW YORK). (HEEP/73/10963). Wagner, JC.
- Wagner, JC. (1976). ASBESTOS CARCINOGENESIS (pp. WASHINGTON). (HEEP/77/09750). Wagner, JC.

Human Health Hazard Literature Search Results

On Topic

- Wagner, JC. (1976). TUMORS IN EXPERIMENTAL-ANIMALS FOLLOWING EXPOSURE TO ASBESTOS DUST. 21: 211-214.
- Wagner, JC. (1976). Tumours in experimental animals following exposure to asbestos dust. 21: 211-214.
- Wagner, JC. (1978). Susceptibility to the Asbestos-Related Diseases (pp. 3-7). (NIOSH/00172129). Wagner, JC.
- Wagner, JC. (1979). ANIMAL EXPERIMENTAL DATA ON FIBERS (pp. 8-10). (HEEP/80/08077). Wagner, JC.
- Wagner, JC. (1979). CITATION CLASSIC - DIFFUSE PLEURAL MESOTHELIOMA AND ASBESTOS EXPOSURE IN THE NORTH-WESTERN-CAPE-PROVINCE. C14-C14.
- Wagner, JC. (1979). Diseases associated with exposure to asbestos dusts. Practitioner 223: 28-33.
- Wagner, JC. (1982). EXPERIMENTAL STUDIES AND THE PATHOLOGY OF ASBESTOS INDUCED LUNG DISEASES (pp. 24-26). (ISSN 0004-069X EISSN 1661-4917 HEEP/84/05471). Wagner, JC.
- Wagner, JC. (1986). ASBESTOS AND AFTER (pp. 2-4). (BIOSIS/87/02283). Wagner, JC.
- Wagner, JC. (1986). Mesothelioma and mineral fibers. Cancer 57: 1905-1911.
- Wagner, JC. (1990). Biological Effects of Short Fibers (pp. 23-26). (NIOSH/00198666). Wagner, JC.
- Wagner, JC. (1990). EXPERIMENTAL ASBESTOSIS (pp. MICROSCOPY AND STRUCTURAL METHODS). (BIOSIS/91/26783). Wagner, JC.
- Wagner, JC. (1990). Progress in Etiopathogenesis of Respiratory Disorders due to Occupational Exposures to Mineral and Organic Dusts (pp. 23-26). (NIOSH/00198401). Wagner, JC.
- Wagner, JC. (1991). The discovery of the association between blue asbestos and mesotheliomas and the aftermath. Br J Ind Med 48: 399-403.
- Wagner, JC; Berry, G. (1969). Mesotheliomas in rats following inoculation with asbestos. Br J Cancer 23: 567-581.
- Wagner, JC; Berry, G. (1973). Information Obtained From Animal Experiments (pp. 285-288). (NIOSH/00149748). Wagner, JC; Berry, G.
- Wagner, JC; Berry, G. (1973). Investigations Using Animals (pp. 85-88). (NIOSH/00150478). Wagner, JC; Berry, G.
- Wagner, JC; Berry, G. (1974). INFORMATION OBTAINED FROM ANIMAL EXPERIMENTS (pp. LYON). (HEEP/75/04244). Wagner, JC; Berry, G.
- Wagner, JC; Berry, G; Cooke, TJ; Hill, RJ; Pooley, FD; Skidmore, JW. (1975). Animal experiments with talc. Inhaled Particles 4 Pt 2: 647-654.
- Wagner, JC; Berry, G; Pooley, FD. (1980). Carcinogenesis and mineral fibres [Review]. Br Med Bull 36: 53-56.
- Wagner, JC; Berry, G; Pooley, FD. (1982). Mesotheliomas and asbestos type in asbestos textile workers: A study of lung contents. Br Med J (Clin Res Ed) 285: 603-606. <http://dx.doi.org/10.1136/bmj.285.6342.603>.
- Wagner, JC; Berry, G; Skidmore, JW; Pooley, FD. (1980). The comparative effects of three chrysotiles by injection and inhalation in rats. IARC Sci Publ 1: 363-372.
- Wagner, JC; Berry, G; Skidmore, JW; Timbrell, V. (1974). The effects of the inhalation of asbestos in rats. Br J Cancer 29: 252-269.
- Wagner, JC; Berry, G; Timbrell, V. (1970). Mesotheliomas in Rats Following the Intra-Pleural Inoculation of Asbestos (pp. 216-219). (NIOSH/00177271). Wagner, JC; Berry, G; Timbrell, V.
- Wagner, JC; Berry, G; Timbrell, V. (1973). Mesotheliomata in rats after inoculation with asbestos and other materials. Br J Cancer 28: 173-185.
- Wagner, JC; Griffiths, DM; Hill, RJ. (1984). The effect of fibre size on the in vivo activity of UICC crocidolite. Br J Cancer 49: 453-458.
- Wagner, JC; Griffiths, DM; Munday, DE. (1986). Recent Investigations in Animals and Humans. Accomplishments in Oncology 1: 111-120.
- Wagner, JC; Hill, RJ; Berry, G; Wagner, MMF. (1980). Treatments Affecting the Rate of Asbestos-Induced Mesotheliomas. Br J Cancer 41: 918-922.
- Wagner, JC; Moncrieff, CB; Coles, R; Griffiths, DM; Munday, DE. (1986). Correlation between fibre content of the lungs and disease in naval dockyard workers. Br J Ind Med 43: 391-395.
- Wagner, JC; Newhouse, ML; Corrin, B; Rossiter, CE; Griffiths, DM. (1988). Correlation between fibre content of the lung and disease in east London asbestos factory workers. Br J Ind Med 45: 305-308.
- Wagner, JC; Newhouse, ML; Corrin, B; Rossiter, CE; Griffiths, DM. (1989). Correlation between lung fibre content and disease in East London asbestos factory workers. IARC Sci Publ occupational Exposure to Mineral Fibres: 444-448.
- Wagner, JC; Pooley, FD; Berry, G; Seal, RM; Munday, DE; Morgan, J; Clark, NJ. (1982). A pathological and mineralogical study of asbestos-related deaths in the United Kingdom in 1977. Ann Occup Hyg 26: 423-431.
- Wagner, JC; Skidmore, JW. (1965). Asbestos Dust Deposition and Retention in Rats. Ann N Y Acad Sci 132: 77-86.
- Wagner, JC; Skidmore, JW; Hill, RJ; Griffiths, DM. (1985). Erionite exposure and mesotheliomas in rats. Br J Cancer 51: 727-730.
- Wagner, JC; Sleggs, CA; Marchand, P. (1960). Diffuse pleural mesothelioma and asbestos exposure in the north western Cape Province. Occup Environ Med 17: 260-271. <http://dx.doi.org/10.1136/oem.17.4.260>.
- Wagner, MF; Brown, DG; Campbell, MJ; Coles, RM; Edwards, RE; Scott, MP. (1982). IMMUNOLOGICAL MONITORING OF AN ASBESTOS EXPOSED POPULATION (pp. 24-26). (HEEP/84/05468). Wagner, MF; Brown, DG; Campbell, MJ; Coles, RM; Edwards, RE; Scott, MP.
- Wagner, MM. (1979). Thymectomy and asbestos-induced mesotheliomas in rats. Br J Cancer 39: 337-341.
- Wagner, MM. (1980). Immunology and asbestos. IARC Sci Publ IARC Scientific Publication No: 247-251.
- Wagner, MM; Campbell, MJ; Edwards, RE. (1979). Sequential immunological studies on an asbestos-exposed population. I. Factors affecting peripheral blood leucocytes and T lymphocytes. Clin Exp Immunol 38: 323-331.
- Wagner, MM; Darke, C; Coles, RM; Evans, CC. (1983). HLA-A and B antigen frequencies and mesothelioma in relation to asbestos exposure. Br J Cancer 48: 727-730.
- Wagner, MM; Edwards, RE; Moncrieff, CB; Wagner, JC. (1984). Mast cells and inhalation of asbestos in rats. Thorax 39: 539-544.
- Wagner, R. (1969). Occupational Pneumoconioses with Particular Reference to Those Caused by Quartz Dust in the Federal Republic of Germany (pp. 192-195). (NIOSH/00019869). Wagner, R.
- Wagoner, JK; Bayliss, DL; Ayer, HE; Johnson, WH. (1972). MORTALITY PATTERNS AMONG ASBESTOS TEXTILE WORKERS. Am Ind Hyg Assoc J 33: 63-&.

Human Health Hazard Literature Search Results

On Topic

- Wain, SL; Roggli, VL; Foster, WL. (1984). PARIETAL PLEURAL PLAQUES, ASBESTOS BODIES, AND NEOPLASIA - A CLINICAL, PATHOLOGIC, AND RADIOLOGIC CORRELATION OF 25 CONSECUTIVE CASES. *Lab Invest* 50: A63-A64.
- Wain, SL; Roggli, VL; Foster, WL. (1984). Parietal pleural plaques, asbestos bodies, and neoplasia. A clinical, pathologic, and roentgenographic correlation of 25 consecutive cases. *Chest* 86: 707-713.
- Waldron, HA; Harrington, JM. (1981). The Effects of Work Exposures on Organ Systems II Blood, Lungs and Nervous System (pp. 115-143). (NIOSH/00228175). Waldron, HA; Harrington, JM.
- Walker, A. (1986). THE EPIDEMIOLOGY OF MESOTHELIOMA (pp. 25-30). (BIOSIS/86/30814). Walker, A.
- Walker, AM; Stanta, G; Delendi, M. (1985). Asbestos and tuberculosis in Trieste, Italy. *J Occup Med* 27: 831-834.
- Walker, B, Jr. (1982). Occupational cancer. *J Environ Health* 44: 176-179.
- Walker, C; Bermudez, E; Stewart, W; Bonner, J; Molloy, CJ; Everitt, J. (1992). Characterization of platelet-derived growth factor and platelet-derived growth factor receptor expression in asbestos-induced rat mesothelioma. *Cancer Res* 52: 301-306.
- Walker, C; Bermudez, E; Stewart, W; Everitt, J. (1990). GROWTH FACTOR AND RECEPTOR EXPRESSION IN TRANSFORMED RAT MESOTHELIOMA CELLS (pp. 23-26). (BIOSIS/90/21371). Walker, C; Bermudez, E; Stewart, W; Everitt, J.
- Walker, C; Everitt, J; Barrett, JC. (1992). Possible cellular and molecular mechanisms for asbestos carcinogenicity [Review]. *Am J Ind Med* 21: 253-273. <http://dx.doi.org/10.1002/ajim.4700210214>.
- Walker, C; Everitt, J; Ferriola, PC; Stewart, W; Mangum, J; Bermudez, E. (1995). Autocrine growth stimulation by transforming growth factor alpha in asbestos-transformed rat mesothelial cells. *Cancer Res* 55: 530-536.
- Walker, C; Rutten, F; Yuan, X; Pass, H; Mew, DM; Everitt, J. (1994). Wilms' tumor suppressor gene expression in rat and human mesothelioma. *Cancer Res* 54: 3101-3106.
- Wallace, JM; Oishi, JS; Barbers, RG. (1988). CELLULAR AND LYMPHOCYTE PHENOTYPE PROFILES IN BRONCHOALVEOLAR LAVAGE FLUID BALF AND PERIPHERAL BLOOD PB FROM ASYMPTOMATIC ASBESTOS EXPOSED SHIPYARD WORKERS (pp. 8-11). (BIOSIS/88/21271). Wallace, JM; Oishi, JS; Barbers, RG.
- Wallace, JM; Oishi, JS; Barbers, RG; Batra, P; Aberle, DR. (1989). Bronchoalveolar lavage cell and lymphocyte phenotype profiles in healthy asbestos-exposed shipyard workers. *Am Rev Respir Dis* 139: 33-38. <http://dx.doi.org/10.1164/ajrccm/139.1.33>.
- Wallace, LA. (1991). Comparison of risks from outdoor and indoor exposure to toxic chemicals. *Environ Health Perspect* 95: 7-13.
- Wallace, WF; Langlands, JH. (1971). Insulation workers in Belfast. 1. Comparison of a random sample with a control population. *Br J Ind Med* 28: 211-216.
- Wallot, H. (1979). LUNG-CANCER AND ASBESTOS-II. 8: 269-273.
- Walls, C; Wilsher, M; Glass, B. (2003). An uncommon clinical presentation of asbestos-related disease. *N Z Med J* 116: U385.
- Walters, G; Agarwal, S; Singh, K; Burge, PS; Mcgrath, EE. (2013). Bronchoalveolar neutrophilia inversely correlates with DLCO at diagnosis in asbestosis but not lung function decline at 1 year. *J Thorac Dis* 5: 314-316. <http://dx.doi.org/10.3978/j.issn.2072-1439.2013.04.18>.
- Walters, JL; Martinez, AJ. (1975). Malignant fibrous mesothelioma. Metastatic to brain and liver. *Acta Neuropathol* 33: 173-177.
- Walton, WH. (1982). The nature, hazards and assessment of occupational exposure to airborne asbestos dust: a review [Review]. *Ann Occup Hyg* 25: 117-247.
- Walz, R; Koch, HK. (1990). Malignant pleural mesothelioma: some aspects of epidemiology, differential diagnosis and prognosis. Histological and immunohistochemical evaluation and follow-up of mesotheliomas diagnosed from 1964 to January 1985. *Pathol Res Pract* 186: 124-134. [http://dx.doi.org/10.1016/S0344-0338\(11\)81020-4](http://dx.doi.org/10.1016/S0344-0338(11)81020-4).
- Wang, BS. (1986). [Histopathological analysis of 9 autopsy cases of asbestosis]. *Zhonghua Bing Li Xue Za Zhi* 15: 274-276.
- Wang, C; Luo, S; Liu, X. (1992). [Observation of the morphological genesis of pleural mesothelioma induced by asbestos in rats]. *Hua Xi Yi Ke Da Xue Xue Bao* 23: 181-184.
- Wang, C; Luo, S; Liu, X. (1993). [Pathologic observation of 298 rat mesotheliomas induced by asbestos]. *Hua Xi Yi Ke Da Xue Xue Bao* 24: 182-186.
- Wang, H; Gillis, A; Zhao, C; Lee, E; Wu, J; Zhang, F; Ye, F; Zhang, DY. (2011). Crocidolite asbestos-induced signal pathway dysregulation in mesothelial cells. *Mutat Res* 723: 171-176. <http://dx.doi.org/10.1016/j.mrgentox.2011.04.008>.
- Wang, J; Luo, S; Zhang, Y; Wen, Q; Cai, S; Wu, D; Sun, D. (2002). Risk factors for malignant pleural mesothelioma in crocidolite contaminated area. *Zhonghua Lao Dong Wei Sheng Zhi Ye Bing Za Zhi* 20: 87-89.
- Wang, L; Stueckle, TA; Mishra, A; Derk, R; Meighan, T; Castranova, V; Rojanasakul, Y. (2014). Neoplastic-like transformation effect of single-walled and multi-walled carbon nanotubes compared to asbestos on human lung small airway epithelial cells. *Nanotoxicology* 8: 485-507. <http://dx.doi.org/10.3109/17435390.2013.801089>.
- Wang, Li; Neuberg, D; Christiani, DC. (2004). Asbestos exposure, Manganese Superoxide Dismutase (MnSOD) genotype, and lung cancer risk. *J Occup Environ Med* 46: 556-564. <http://dx.doi.org/10.1097/01.jom.0000128155.86648.a4>.
- Wang, M; Wang, Z; Luo, J; Wang, X; Zhan, X; Zhu, R. (1996). [A 5-year before-and-after comparison of lung function in asbestos workers]. *Hua Xi Yi Ke Da Xue Xue Bao* 27: 94-96.
- Wang, M; Zhao, J; Zhang, L; Liu, J. (1990). Pathological Studies of Asbestotic Pleural Plaques Preliminary Explorations of Histogenesis (pp. 143-145). (NIOSH/00198426). Wang, M; Zhao, J; Zhang, L; Liu, J.
- Wang, ML; Lu, PL. (1985). Lung function studies of asbestos workers. *Scand J Work Environ Health* 11: 34-42.
- Wang, NS; Jaurand, MC; Magne, L; Bignon, J. (1986). A SCANNING AND TRANSMISSION ELECTRON-MICROSCOPIC STUDY OF METAPHASE CHROMOSOMES IN CHRYSOTILE AND CROCIDOLITE-TREATED RAT PLEURAL MESOTHELIAL CELLS IN CULTURE. *In Vitro* 22: A46-A46.
- Wang, NS; Jaurand, MC; Magne, L; Kheuang, L; Bignon, J. (1987). INTERACTIONS BETWEEN ASBESTOS FIBERS AND METAPHASE CHROMOSOMES OF RAT PLEURAL MESOTHELIAL CELLS IN CULTURE. *Chest* 91: 299-300.

Human Health Hazard Literature Search Results

On Topic

- Wang, NS; Jaurand, MC; Magne, L; Kheuang, L; Pinchon, MC; Bignon, J. (1987). The interactions between asbestos fibers and metaphase chromosomes of rat pleural mesothelial cells in culture. A scanning and transmission electron microscopic study. *Am J Pathol* 126: 343-349.
- Wang, Q; Fan, J; Liu, S. (1999). [Effects of cigarette smoke solution and chrysotile on proliferation activity of human embryo lung cells]. *Zhonghua Yufang Yixue Zazhi* 33: 231-233.
- Wang, Q; Fan, J; Wang, H; Liu, S. (2000). DNA damage and activation of c-ras in human embryo lung cells exposed to chrysotile and cigarette smoking solution. *J Environ Pathol Toxicol Oncol* 19: 13-19.
- Wang, Q; Fan, J; Zhao, X. (1998). [Damage effects of asbestos and cigarette smoke solution on human embryo lung cell DNA]. *Zhonghua Yufang Yixue Zazhi* 32: 31-33.
- Wang, Q; Han, CH; Wu, W. (1998). [Studies on cytotoxicity of man-made mineral fiber to alveolar macrophage]. *Zhonghua Yufang Yixue Zazhi* 32: 327-329.
- Wang, Q; Qu, L; Han, C; Gu, Z; Liu, S. (2000). [Effect of chrysotile and cigarette smoking solution on DNA damage and repair in human alveolar epithelial cells]. *Zhonghua Yufang Yixue Zazhi* 34: 25-27.
- Wang, Q; Yang, X; Yan, L; Zhao, J; Liu, S; Shen, H. (2002). [Effects of chrysotile asbestos on the activities of cytochrome P4501A1 and glutathione S-transferase in A549 cell line]. *Zhonghua Yufang Yixue Zazhi* 36: 406-409.
- Wang, QE; Han, CH; Yang, YP; Wang, HB; Wu, WD; Liu, SJ; Kohyama, N. (1999). Biological effects of man-made mineral fibers (II)--their genetic damages examined by in vitro assay. *Ind Health* 37: 342-347.
- Wang, RY; Xiao, GB; Ma, ZH; Qiu, HS; Xiang, ZH. (1998). Effects of chrysotile fibres lipid peroxides reaction in exposed female workers and in rat lung macrophages. *Chin Med J* 111: 179-179.
- Wang, X; Christiani, DC; Wiencke, JK; Fischbein, M; Xu, X; Cheng, TJ; Mark, E; Wain, JC; Kelsey, KT. (1995). Mutations in the p53 gene in lung cancer are associated with cigarette smoking and asbestos exposure. *Cancer Epidemiol Biomarkers Prev* 4: 543-548.
- Wang, X; Christiani, DC; Wiencke, JK; Fischbein, M; Xu, X; Cheng, TJ; Mark, E; Wain, JC; Kelsey, KT. (1995). MUTATIONS IN THE P53 GENE IN NON-SMALL CELL LUNG CANCER ARE ASSOCIATED WITH CIGARETTE SMOKING AND ASBESTOS EXPOSURE (pp. 18-22). (BIOSIS/95/15215). Wang, X; Christiani, DC; Wiencke, JK; Fischbein, M; Xu, X; Cheng, TJ; Mark, E; Wain, JC; Kelsey, KT.
- Wang, X; Courtice, MN; Lin, S. (2013). Mortality in chrysotile asbestos workers in China [Review]. *Curr Opin Pulm Med* 19: 169-173. <http://dx.doi.org/10.1097/MCP.0b013e32835d6f56>.
- Wang, X; Courtice, MN; Lin, S. (2014). Cumulative Incidence Of Asbestosis And Exposure Levels In A Chinese Asbestos Worker Cohort. *Am J Respir Crit Care Med* 189.
- Wang, X; Lin, S; Yano, E; Qiu, H; Yu, IT; Tse, L; Lan, Y; Wang, M. (2012). Mortality in a Chinese chrysotile miner cohort. *Int Arch Occup Environ Health* 85: 405-412. <http://dx.doi.org/10.1007/s00420-011-0685-9>.
- Wang, X; Lin, S; Yano, E; Yu, IT; Courtice, M; Lan, Y; Christiani, DC. (2014). Exposure-specific lung cancer risks in Chinese chrysotile textile workers and mining workers. *Lung Cancer* 85: 119-124. <http://dx.doi.org/10.1016/j.lungcan.2014.04.011>.
- Wang, X; Lin, S; Yu, I; Qiu, H; Lan, Y; Yano, E. (2013). Cause-specific mortality in a Chinese chrysotile textile worker cohort. *Cancer Sci* 104: 245-249. <http://dx.doi.org/10.1111/cas.12060>.
- Wang, X; Qiu, H; Yu, IT; Tse, L; Yano, E. (2011). A 37-Year Follow-Up Of Mortality In Chinese Chrysotile Asbestos Workers. *Am J Respir Crit Care Med* 183.
- Wang, X; Samet, JM; Ghio, AJ. (2006). Asbestos-induced activation of cell signaling pathways in human bronchial epithelial cells. *Exp Lung Res* 32: 229-243. <http://dx.doi.org/10.1080/01902140600817507>.
- Wang, X; Wang, M; Qiu, H; Yu, I; Yano, E. (2010). Longitudinal changes in pulmonary function of asbestos workers. *J Occup Health* 52: 272-277.
- Wang, X; Wang, M; Qiu, H; Yu, IT. (2010). Exposure To Asbestos And Longitudinal Changes In Pulmonary Function. *Am J Respir Crit Care Med* 181.
- Wang, X; Wu, Y; Li, Z; Samet, JM; Ghio, AJ. (2004). [Activation of ERK1/2 and Elk1 in A549 cells induced by crocidolite]. *Wei Sheng Yan Jiu* 33: 398-399.
- Wang, X; Wu, Y; Stonehuerner, JG; Dailey, LA; Richards, JD; Jaspers, I; Piantadosi, CA; Ghio, AJ. (2006). Oxidant generation promotes iron sequestration in BEAS-2B cells exposed to asbestos. *Am J Respir Cell Mol Biol* 34: 286-292. <http://dx.doi.org/10.1165/rcmb.2004-0275OC>.
- Wang, X; Yano, E; Lin, S; Courtice, M; Yu, I. (2013). Lung Cancer Mortality In Chinese Chrysotile Textile Workers And Mining Workers. *Am J Respir Crit Care Med* 187.
- Wang, X; Yano, E; Lin, S; Yu, IT; Lan, Y; Tse, LA; Qiu, H; Christiani, DC. (2013). Cancer mortality in Chinese chrysotile asbestos miners: exposure-response relationships. *PLoS ONE* 8: e71899. <http://dx.doi.org/10.1371/journal.pone.0071899>.
- Wang, X; Yano, E; Qiu, H; Wang, M. (2010). Lung Cancer Mortality And Chrysotile Asbestos Exposure And Smoking. *Am J Respir Crit Care Med* 181.
- Wang, X; Yano, E; Qiu, H; Yu, I; Courtice, MN; Tse, LA; Lin, S; Wang, M. (2012). A 37-year observation of mortality in Chinese chrysotile asbestos workers. *Thorax* 67: 106-110. <http://dx.doi.org/10.1136/thoraxjnl-2011-200169>.
- Wang, XC; Wu, YM; Samet, JM; Ghio, AJ. (2006). [Expression of phosphorylated ERK1/2 induced by crocidolite fibers in BEAS-2B cells]. *Zhonghua Lao Dong Wei Sheng Zhi Ye Bing Za Zhi* 24: 597-600.
- Wang, XC; Xu, YB; Wu, YM; Li, ZW; Samet, JM; Ghio, AJ. (2005). [Study of IL-8 overexpression in A549 cells induced by crocidolite fibers]. *Wei Sheng Yan Jiu* 34: 141-143.
- Wang, XR; Christiani, DC. (2000). Respiratory symptoms and functional status in workers exposed to silica, asbestos, and coal mine dusts. *J Occup Environ Med* 42: 1076-1084.

Human Health Hazard Literature Search Results

On Topic

- Wang, XR; Yano, E; Nonaka, K; Wang, M; Wang, Z. (1998). Pulmonary function of nonsmoking female asbestos workers without radiographic signs of asbestosis. *Arch Environ Health* 53: 292-298. <http://dx.doi.org/10.1080/00039899809605711>.
- Wang, XR; Yano, E; Nonaka, K; Wang, MZ; Wang, ZM. (1997). Respiratory impairments due to dust exposure: A comparative study among workers exposed to silica, asbestos, and coalmine dust. *Am J Ind Med* 31: 495-502.
- Wang, XR; Yano, E; Wang, M; Wang, Z; Christiani, DC. (2001). Pulmonary function in long-term asbestos workers in China. *J Occup Environ Med* 43: 623-629.
- Wang, XR; Yano, EJ; Wang, ZM; Wang, MZ; Christiani, DC. (2006). Adverse effects of asbestos exposure and smoking on lung function. *Am J Ind Med* 49: 337-342. <http://dx.doi.org/10.1002/ajim.20293>.
- Wang, XR; Yu, ITS; Qiu, H; Wang, MZ; Lan, YJ; Tse, LY; Yano, E; Christiani, DC. (2012). Cancer mortality among Chinese chrysotile asbestos textile workers. *Lung Cancer* 75: 151-155. <http://dx.doi.org/10.1016/j.lungcan.2011.06.013>.
- Wang, Y; Faux, SP; Hallden, G; Kirn, DH; Houghton, CE; Lemoine, NR; Patrick, G. (2004). Interleukin-1beta and tumour necrosis factor-alpha promote the transformation of human immortalised mesothelial cells by erionite. *Int J Oncol* 25: 173-178.
- Wang, ZM; Cao, YF; Wang, MZ; Duanmu, BR; Yang, HR; Zhang, KQ; Wang, JH. (1986). [An investigation of lung cancer among asbestos workers]. *Hua Xi Yi Ke Da Xue Xue Bao* 17: 37-40.
- Ward, EM; Burnett, CA; Ruder, A; Davis-King, K. (1997). Industries and cancer [Review]. *Cancer Causes Control* 8: 356-370. <http://dx.doi.org/10.1023/A:1018405321141>.
- Ward, T; Spear, T; Hart, J; Noonan, C; Holian, A; Getman, M; Webber, J. (2006). Trees as reservoirs for amphibole fibers in Libby, Montana. *Sci Total Environ* 367: 460-465. <http://dx.doi.org/10.1016/j.scitotenv.2006.03.041>.
- Ward, TJ; Spear, TM; Hart, JF; Webber, JS; Elashheb, MI. (2012). Amphibole Asbestos in Tree Bark-A Review of Findings for This Inhalational Exposure Source in Libby, Montana [Review]. *J Occup Environ Hyg* 9: 387-397. <http://dx.doi.org/10.1080/15459624.2012.682217>.
- Wardenbach, P; Rödelsperger, K; Roller, M; Muhle, H. (2005). Classification of man-made vitreous fibers: Comments on the reevaluation by an IARC working group. *Regul Toxicol Pharmacol* 43: 181-193. <http://dx.doi.org/10.1016/j.yrtph.2005.06.011>.
- Warheit, DB. (1993). Assessments of Pulmonary Toxicity following Short-Term Exposures to Inhaled Fibrous Materials (pp. 207-228). (NIOSH/00227934). Warheit, DB.
- Warheit, DB. (1994). A review of some biophysical factors and their potential roles in the development of fiber toxicity [Review]. *Regul Toxicol Pharmacol* 20: S113-S120.
- Warheit, DB; Chang, LY; Hill, LH; Brody, AR. (1983). PULMONARY MACROPHAGES EXHIBIT MORPHOLOGICAL, FUNCTIONAL AND BIOCHEMICAL-CHANGES AFTER ONE HOUR OF EXPOSURE TO CHRYSOTILE ASBESTOS INVIVO. *Environ Health Perspect* 52: 289-289.
- Warheit, DB; Chang, LY; Hill, LH; Brody, AR; Crapo, JD. (1983). PULMONARY MACROPHAGE ACCUMULATION AT SITES OF ASBESTOS DEPOSITION AND THE EARLIEST ANATOMIC LESION OF ASBESTOSIS (pp. 10-15). (HEEP/84/02166). Warheit, DB; Chang, LY; Hill, LH; Brody, AR; Crapo, JD.
- Warheit, DB; Chang, LY; Hill, LH; Hook, GER; Crapo, JD; Brody, AR. (1984). Pulmonary macrophage accumulation and asbestos-induced lesions at sites of fiber deposition. *Am Rev Respir Dis* 129: 301-310.
- Warheit, DB; Driscoll, KE; Oberdoerster, G; Walker, C; Kuschner, M; Hesterberg, TW. (1995). Contemporary issues in fiber toxicology. *Fundam Appl Toxicol* 25: 171-183.
- Warheit, DB; George, G; Hill, LH; Brody, AR. (1983). INHALED ASBESTOS FIBERS ACTIVATE COMPLEMENT-DERIVED CHEMOTACTIC FACTORS FOR MACROPHAGES ON ALVEOLAR SURFACES. *Am Rev Respir Dis* 127: 167-167.
- Warheit, DB; George, G; Hill, LH; Brody, AR. (1985). TIME COURSE OF ASBESTOS-INDUCED CHEMOTACTIC FACTOR GENERATION AND MACROPHAGE MIGRATION IN-VIVO (pp. 12-15). (BIOSIS/85/16481). Warheit, DB; George, G; Hill, LH; Brody, AR.
- Warheit, DB; George, G; Hill, LH; Snyderman, R; Brod, AR. (1985). Inhaled Asbestos Fibers Produce Complement-Derived Chemotactic Factor(s) on Alveolar Surfaces (pp. 129-138). (NIOSH/00165743). Warheit, DB; George, G; Hill, LH; Snyderman, R; Brod, AR.
- Warheit, DB; George, G; Hill, LH; Snyderman, R; Brody, AR. (1985). Inhaled asbestos activates a complement-dependent chemoattractant for macrophages. *Lab Invest* 52: 505-514.
- Warheit, DB; Hart, GA; Hesterberg, TW; Collins, JJ; Dyer, WM; Swaen, GMH; Castranova, V; Soiefer, AI; Kennedy, GL, Jr. (2001). Potential pulmonary effects of man-made organic fiber (MMOF) dusts [Review]. *Crit Rev Toxicol* 31: 697-736. <http://dx.doi.org/10.1080/20014091111965>.
- Warheit, DB; Hartsky, MA. (1987). INTERSPECIES COMPARISONS OF DEPOSITION PATTERNS AND EARLY CELLULAR RESPONSES TO INHALED PARTICULATES (pp. 10-13). (BIOSIS/87/23837). Warheit, DB; Hartsky, MA.
- Warheit, DB; Hartsky, MA. (1988). Assessments of pulmonary macrophage clearance responses to inhaled particulates. *Scanning Microsc* 2: 1069-1078.
- Warheit, DB; Hartsky, MA; Brody, AR. (1989). Lung Clearance of Inhaled Particulates: Mechanism of Macrophage Recruitment and Phagocytosis at Sites of Particleiber Deposition (pp. 10-14). (NIOSH/00225185). Warheit, DB; Hartsky, MA; Brody, AR.
- Warheit, DB; Hartsky, MA; Frame, SR. (1996). Pulmonary effects in rats inhaling size-separated chrysotile asbestos fibres or p-aramid fibrils: differences in cellular proliferative responses. *Toxicol Lett* 88: 287-292.
- Warheit, DB; Hartsky, MA; Mchugh, TA; Kellar, KA. (1994). BIOPERSISTENCE OF INHALED ORGANIC AND INORGANIC FIBERS IN THE LUNGS OF RATS. *Environ Health Perspect* 102: 151-157.
- Warheit, DB; Hesterberg, TW. (1994). Asbestos and other fibers in the lung. In JH Dean; MI Luster; AE Munson; I Kimber (Eds.), (Target organ toxicology series ed., pp. IMMUNOTOXICOLOGY AND IMMUNOPHARMACOLOGY). New York, NY: Raven Press.
- Warheit, DB; Hill, LH; Brody, AR. (1982). PULMONARY MACROPHAGES EXHIBIT MORPHOLOGICAL FUNCTIONAL AND BIOCHEMICAL CHANGES AFTER 1 HOUR OF EXPOSURE TO CHRYSOTILE ASBESTOS IN-VIVO (pp. 15-18). (HEEP/84/02154). Warheit, DB; Hill, LH; Brody, AR.

Human Health Hazard Literature Search Results

On Topic

- Warheit, DB; Hill, LH; Brody, AR. (1982). PULMONARY MACROPHAGES EXHIBIT MORPHOLOGICAL, FUNCTIONAL AND BIOCHEMICAL-CHANGES AFTER ONE HOUR OF EXPOSURE TO CHRYSOTILE ASBESTOS INVIVO. *Am Rev Respir Dis* 125: 58-58.
- Warheit, DB; Hill, LH; Brody, AR. (1984). EFFECTS OF INHALED ASBESTOS ON PULMONARY MACROPHAGES A MORPHOLOGICAL FUNCTIONAL AND BIOCHEMICAL STUDY (pp. NEW YORK). (HEEP/85/00829). Warheit, DB; Hill, LH; Brody, AR.
- Warheit, DB; Hill, LH; Brody, AR. (1984). Scanning Electron Microscopy/1984/II In vitro effects of crocidolite asbestos and wollastonite on pulmonary macrophages and serum complement. O'Hare, IL: Scanning Electron Microscopy, Inc.
- Warheit, DB; Hill, LH; Brody, AR. (1984). Surface morphology and correlated phagocytic capacity of pulmonary macrophages lavaged from the lungs of rats. *Exp Lung Res* 6: 71-82.
- Warheit, DB; Hill, LH; Brody, AR. (1985). THE ROLE OF COMPLEMENT IN THE EARLY PATHOGENESIS OF ASBESTOSIS (pp. 21-25). (BIOSIS/86/02830). Warheit, DB; Hill, LH; Brody, AR.
- Warheit, DB; Hill, LH; Brody, AR. (1987). COMPLEMENT-MEDIATED MECHANISMS PLAY A ROLE IN THE EARLY PATHOGENESIS OF ASBESTOS-INDUCED LUNG INJURY (pp. 15-18). (ISSN 0012-3692 EISSN 1931-3543 BIOSIS/87/21416). Warheit, DB; Hill, LH; Brody, AR.
- Warheit, DB; Hill, LH; George, G; Brody, AR. (1986). Time course of chemotactic factor generation and the corresponding macrophage response to asbestos inhalation. *Am Rev Respir Dis* 134: 128-133. <http://dx.doi.org/10.1164/arrd.1986.134.1.128>.
- Warheit, DB; Johnson, NF. (1990). Symposium on health effects of inhaled fibrous materials [Review]. *Fundam Appl Toxicol* 15: 633-640.
- Warheit, DB; Overby, LH; George, G; Brody, AR. (1988). Pulmonary macrophages are attracted to inhaled particles through complement activation. *Exp Lung Res* 14: 51-66. <http://dx.doi.org/10.3109/01902148809062850>.
- Warheit, DB; Reed, KL; Webb, TR. (2001). Man-made respirable-sized organic fibers: what do we know about their toxicological profiles? [Review]. *Ind Health* 39: 119-125.
- Warheit, DB; Snajdr, SI; Hartsky, MA; Frame, SR. (1997). Lung proliferative and clearance responses to inhaled para-aramid RFP in exposed hamsters and rats: comparisons with chrysotile asbestos fibers. *Environ Health Perspect Suppl* 105: 1219-1222.
- Warnock, ML. (1989). Lung asbestos burden in shipyard and construction workers with mesothelioma: comparison with burdens in subjects with asbestosis or lung cancer. *Environ Res* 50: 68-85.
- Warnock, ML; Churg, AM. (1975). Association of asbestos and bronchogenic carcinoma in a population with low asbestos exposure. *Cancer* 35: 1236-1242.
- Warnock, ML; Churg, AM. (1980). Asbestos bodies [Editorial]. *Chest* 77: 129-130.
- Warnock, ML; Isenberg, W. (1986). Asbestos burden and the pathology of lung cancer. *Chest* 89: 20-26.
- Warnock, ML; Isenberg, WM. (1985). ASBESTOS BURDEN AND THE PATHOLOGY OF LUNG CANCER (pp. 11-15). (ISSN 0023-6837 EISSN 1530-0307 BIOSIS/85/01973). Warnock, ML; Isenberg, WM.
- Warnock, ML; Kuwahara, TJ; Wolery, G. (1983). ASBESTOS BURDEN AND THE DEVELOPMENT OF EARLY ASBESTOSIS (pp. 10-15). (HEEP/84/02167). Warnock, ML; Kuwahara, TJ; Wolery, G.
- Warnock, ML; Kuwahara, TJ; Wolery, G. (1983). The relation of asbestos burden to asbestosis and lung cancer. 18 Pt 2: 109-145.
- Warnock, ML; Kuwahara, TJ; Wolery, G. (1984). ASBESTOS FIBERS IN LUNGS OF SUBJECTS WITH MESOTHELIOMA. *Lab Invest* 50: A66-A66.
- Warnock, ML; Prescott, BT; Kuwahara, TJ. (1982). Correlation of asbestos bodies and fibers in lungs of subjects with and without asbestosis. *Scan Electron Microsc* 1982: 845-857.
- Warnock, ML; Prescott, BT; Kuwahara, TJ. (1982). Numbers and types of asbestos fibers in subjects with pleural plaques. *Am J Pathol* 109: 37-46.
- Warnock, ML; Prescott, BT; Kuwahara, TJ. (1984). ASBESTOS FIBERS IN 20 SUBJECTS WITH PLEURAL PLAQUES (pp. NEW YORK). (HEEP/85/00841). Warnock, ML; Prescott, BT; Kuwahara, TJ.
- Warnock, ML; Wolery, G. (1987). Asbestos bodies or fibers and the diagnosis of asbestosis. *Environ Res* 44: 29-44.
- Warren, P. (1979). THE LITERATURE RELATING TO ASBESTOS (pp. NEW YORK). (HEEP/80/09278). Warren, P.
- Warren, S; Brown, CE; Chute, RN. (1980). MESOTHELIOMA RELATIVE TO ASBESTOS RADIATION AND 3 METHYL CHOLANTHRENE (pp. 13-18). (HEEP/80/12294). Warren, S; Brown, CE; Chute, RN.
- Warren, S; Brown, CE; Chute, RN; Federman, M. (1981). Mesothelioma relative to asbestos, radiation, and methylcholanthrene. *Arch Pathol Lab Med* 105: 305-312.
- Warshamana, GS; Pociask, DA; Sime, P; Schwartz, DA; Brody, AR. (2002). Susceptibility to asbestos-induced and transforming growth factor-beta1-induced fibroproliferative lung disease in two strains of mice. *Am J Respir Cell Mol Biol* 27: 705-713. <http://dx.doi.org/10.1165/rcmb.2002-0096OC>.
- Warshaw, R; Fischbein, A; Thornton, J; Miller, A; Selikoff, IJ. (1979). Decrease in vital capacity in PCB-exposed workers in a capacitor manufacturing facility. *Ann N Y Acad Sci* 320: 277-283. <http://dx.doi.org/10.1111/j.1749-6632.1979.tb56610.x>.
- Warwick, MT. (1974). IMMUNOLOGY AND ASBESTOSIS (pp. LYON). (HEEP/75/04242). Warwick, MT.
- Warwick, MT; Parkes, R; Hanson, A; Smither, W; Harries, P. (1973). Immunology And Asbestosis (pp. 258-263). (NIOSH/00149390). Warwick, MT; Parkes, R; Hanson, A; Smither, W; Harries, P.
- Wassermann, M; Wassermann, D; Steinitz, R; Katz, L; Lemesch, C. (1980). Mesothelioma in children. In *IARC Sci Publ* (pp. 253-257). (ISSN 0300-5038 NIOSH/00156376). Lyon, France: International Agency for Research on Cancer.
- Watanabe, M; Kimura, N; Kato, M; Iwami, D; Takahashi, M; Nagura, H. (1994). An autopsy case of malignant mesothelioma associated with asbestosis. *Pathol Int* 44: 785-792.
- Watanabe, Y. (1994). Polyclonal activation of human lymphocytes by asbestos is dependent on MHC class II. *Kawasaki Igakkai Shi* 20: 77-84.
- Watanabe, Y; Yamaguchi, M; Kawakami, Y; Hyodoh, F; Tsushima, H; Ohsawa, G; Ueki, A. (1993). Human cd4+ cd45ra+ lymphocytes-T can be stimulated by crocidolite, anthophyllite and amosite asbestos invitro. *Int J Oncol* 2: 209-212.
- Waterhouse, JAH. (1978). OCCUPATIONAL CARCINOGENS AND THEIR INTERACTION WITH OTHER AETIOLOGICAL FACTORS.

Human Health Hazard Literature Search Results

On Topic

- Waters, MD; Garrett, NE; Covone-De SERRES, CM; Howard, BE; Stack, HF. (1983). CHEM MUTAGENS GENETIC TOXICOLOGY OF SOME KNOWN OR SUSPECTED HUMAN CARCINOGENS.
- Waters, MD; Garrett, NE; Covone-De SERRES, CM; Howard, BE; Stack, HF. (1984). GENETIC TOXICOLOGY OF 14 AGENTS CASUALLY ASSOCIATED WITH CANCER IN HUMANS, IN: MUTATION, CANCER, AND MALFORMATION (pp. 625-687). (ISSN 0090-0427 EMICBACK/61835).
Waters, MD; Garrett, NE; Covone-De SERRES, CM; Howard, BE; Stack, HF.
- Waters, MD; Stack, HF; Jackson, MA. (1999). Genetic toxicology data in the evaluation of potential human environmental carcinogens [Review]. *Mutat Res* 437: 21-49. [http://dx.doi.org/10.1016/S1383-5742\(99\)00037-X](http://dx.doi.org/10.1016/S1383-5742(99)00037-X).
- Waterworth, C; Hughes, G; Srinivasan, B; Marshall, BG. (2013). REPORTING OF ASBESTOS RELATED LUNG DISEASE TO HM CORONER: A RETROSPECTIVE ANALYSIS. *Thorax* 68: A169-A170. <http://dx.doi.org/10.1136/thoraxjnl-2013-204457.359>.
- Watteeuw, G; D'Hondt, A; Tannouri, F; Recloux, P; Hubert, C. (1995). Malignant peritoneal mesothelioma. Case report and review of the literature [Review]. *Acta Clin Belg* 50: 222-226.
- Watzka, SB; Posch, F; Pass, HI; Flores, RM; Hannigan, GE; Bernhard, D; Weber, M; Mueller, MR. (2013). Serum concentration of integrin-linked kinase in malignant pleural mesothelioma and after asbestos exposure. *Eur J Cardiothorac Surg* 43: 940-944. <http://dx.doi.org/10.1093/ejcts/ezs521>.
- Webb, WR; Cooper, C; Gamsu, G. (1983). Interlobar pleural plaque mimicking a lung nodule in a patient with asbestos exposure. *J Comput Assist Tomogr* 7: 135-136.
- Webber, JS; Blake, DJ; Ward, TJ; Pfau, JC. (2008). Separation and characterization of respirable amphibole fibers from Libby, Montana. *Inhal Toxicol* 20: 733-740. <http://dx.doi.org/10.1080/08958370801932544>.
- Weber, DG; Johnen, G; Taeger, D; Weber, A; Gross, IM; Pesch, B; Kraus, T; Brüning, T; Gube, M. (2010). Assessment of Confounding Factors Affecting the Tumor Markers SMRP, CA125, and CYFRA21-1 in Serum. *Biomarker Insights* 5: 1-8.
- Webster, I. (1970). Asbestos Exposure in South Africa (pp. 209-212). (NIOSH/00177270). Webster, I.
- Webster, I. (1970). The Pathogenesis of Asbestosis (pp. 117-119). (NIOSH/00177494). Webster, I.
- Webster, I. (1972). The Pathology Of Asbestosis (pp. 39-55). (NIOSH/00156071). Webster, I.
- Webster, I. (1973). Asbestos and malignancy. *S Afr Med J* 47: 165-171.
- Webster, I. (1974). The ingestion of asbestos fibers. *Environ Health Perspect* 9: 199-202.
- Webster, I. (1974). MALIGNANCY IN RELATION TO CROCIDOLITE AND AMOSITE (pp. LYON). (HEEP/75/04231). Webster, I.
- Webster, I; Goldstein, B; Coetzee, FS; van Sittert, GC. (1993). Malignant mesothelioma induced in baboons by inhalation of amosite asbestos. *Am J Ind Med* 24: 659-666.
- Weeks, JL. (1995). Controlling occupational health hazards in construction. *Occup Med (Lond)* 10: 407-420.
- Wegman, DH. (1984). Approaches To Surveillance Of Occupational Cancer. *Journal of Toxicology* 22: 239-259.
- Wegman, DH; Theriault, GP; Peters, JM. (1972). WORKER-SPONSORED SURVEY FOR ASBESTOS DISEASE. *Am Ind Hyg Assoc J* 33: 43-&.
- Wegman, DH; Theriault, GP; Peters, JM. (1973). Worker-sponsored survey for asbestosis: Detection of occupational lung disease without a control group. *Arch Environ Health* 27: 105-109.
- Wehner, AP. (1900). Effects of Inhaled Asbestos, Asbestos plus Cigarette Smoke, Asbestos Cement and Talc Baby Powder in Hamsters. (NIOSH/00192341). Wehner, AP.
- Wehner, AP. (1980). Effects of inhaled asbestos, asbestos plus cigarette smoke, asbestos-cement and talc baby powder in hamsters. *IARC Sci Publ* 1: 373-376.
- Wehner, AP. (1986). Biological Effects and Fate of Inhaled Man-Made and Natural Aerosols in Animal Models. *J Aerosol Sci* 17: 305-315.
- Wehner, AP; Busch, RH; Olson, RJ; Craig, DK. (1975). Chronic Inhalation of Asbestos and Cigarette Smoke by Hamsters. *Environ Res* 10: 368-383.
- Wehner, AP; Dagle, GE; Cannon, WC. (1978). Development of an animal model, techniques, and an exposure system to study the effects of asbestos cement dust inhalation. *Environ Res* 16: 393-407.
- Wehner, AP; Dagle, GE; Cannon, WC; Buschbom, RL. (1978). Asbestos cement dust inhalation by hamsters. *Environ Res* 17: 367-389.
- Wehner, AP; Dagle, GE; Cannon, WC; Buschbom, RL. (1979). Biological Effects of Inhaled Asbestos Cement Dust in the Syrian Golden Hamster. *Cancer Lett* 6: 183-192.
- Wehner, AP; Stuart, BO; Sanders, CL. (1979). Inhalation studies with Syrian golden hamsters. *Prog Exp Tumor Res* 24: 177-198.
- Wei, B; Jia, X; Ye, B; Yu, J; Zhang, B; Zhang, X; Lu, R; Dong, T; Yang, L. (2012). Impacts of land use on spatial distribution of mortality rates of cancers caused by naturally occurring asbestos. *J Expo Sci Environ Epidemiol* 22: 516-521. <http://dx.doi.org/10.1038/jes.2012.63>.
- Wei, S; Wang, L, ie; Mchugh, MK; Han, Y; Amos, CI; Spitz, MR; Xiong, M; Wei, Q. (2011). The genome wide gene-environment interaction analysis for asbestos exposure on lung cancer susceptibility. *Cancer Res* 71. <http://dx.doi.org/10.1158/1538-7445.AM2011-LB-441>.
- Wei, S; Wang, LE; Mchugh, MK; Han, Y; Xiong, M; Amos, CI; Spitz, MR; Wei, QW. (2012). Genome-wide gene-environment interaction analysis for asbestos exposure in lung cancer susceptibility. *Carcinogenesis* 33: 1531-1537. <http://dx.doi.org/10.1093/carcin/bgs188>.
- Weicksel, P. (1977). [Pleural and peritoneal mesothelioma]. *Med Klin* 72: 2005-2011.
- Weicksel, P. (1978). [Asbestos fibre dust, an actual hazard (author's transl)]. *Med Klin* 73: 351-356.
- Weiderpass, E; Labrèche, F. (2012). Malignant tumors of the female reproductive system. *Saf Health Work* 3: 166-180. <http://dx.doi.org/10.5491/SHAW.2012.3.3.166>.
- Weiderpass, E; Pukkala, E; Kauppinen, T; Mutanen, P; Paakkulainen, H; Vasama-Neuvonen, K; Boffetta, P; Partanen, T. (1999). Breast cancer and occupational exposures in women in Finland. *Am J Ind Med* 36: 48-53. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199907\)36:1<48::AID-AJIM7>3.0.CO;2-2](http://dx.doi.org/10.1002/(SICI)1097-0274(199907)36:1<48::AID-AJIM7>3.0.CO;2-2).
- Weidner, N. (1991). MALIGNANT MESOTHELIOMA OF PERITONEUM. *Ultrastruct Pathol* 15: 515-520.

Human Health Hazard Literature Search Results

On Topic

- Weigt-Weber, B; K-M, M; Marmulla, W. (1993). PLEURAL MESOTHELIOMA IN VARIOUS MINING PROFESSIONAL GROUPS (pp. 400-401). (BIOSIS/94/02037). Weigt-Weber, B; Mueller K-M; Marmulla, W.
- Weill, D; Dhillon, G; Freyder, L; Lefante, J; Glindmeyer, H. (2011). Lung function, radiological changes and exposure: Analysis of ATSDR data from Libby, MT, USA. *Eur Respir J* 38: 376-383. <http://dx.doi.org/10.1183/09031936.00050210>.
- Weill, H. (1980). Asbestos A Summing Up (pp. 867-873). (NIOSH/00157663). Weill, H.
- Weill, H. (1981). Cardiorespiratory effects of inhalant occupational exposures [Review]. *Circulation* 63: 250A-252A.
- Weill, H. (1981). Occupational Lung Diseases. *Hosp Pract (Off Ed)* 16: 65-68.
- Weill, H. (1983). Asbestos-associated diseases. Science, public policy, and litigation. *Chest* 84: 601-608.
- Weill, H. (1994). Biological effects: asbestos-cement manufacturing. *Ann Occup Hyg* 38: 533-538, 413.
- Weill, H. (1996). The Integration of Epidemiology and Fundamental Biology in Occupational Lung Disease. *Chest* 109.
- Weill, H; Abraham, JL; Balmes, JR; Case, B; Churg, AM; Hughes, J; Schenker, M; Sebastien, P. (1990). Health effects of tremolite. *Am J Respir Crit Care Med* 142: 1453-1458.
- Weill, H; Diem, JE; Jones, RN; Gilson, JC; Glindmeyer, H. (1979). RELATIONSHIPS BETWEEN RADIOGRAPHIC PROGRESSION, LUNG-FUNCTION DECLINE, AND ASBESTOS EXPOSURE LEVEL. *Thorax* 34: 422-422.
- Weill, H; Hughes, J; Waggenspack, C. (1979). Influence of dose and fiber type on respiratory malignancy risk in asbestos cement manufacturing. *Am Rev Respir Dis* 120: 345-354. <http://dx.doi.org/10.1164/arrd.1979.120.2.345>.
- Weill, H; Hughes, JM. (1986). Asbestos as a public health risk: disease and policy [Review]. *Annu Rev Public Health* 7: 171-192. <http://dx.doi.org/10.1146/annurev.pu.07.050186.001131>.
- Weill, H; Hughes, JM. (1988). Asbestos health effects: resolving the scientific uncertainties [Review]. *Postgrad Med J* 64 Suppl 4: 48-55.
- Weill, H; Rossiter, CE; Gilson, JC; Bohlig, H; Felson, B; Jones, R; Ziskind, M. (1976). RADIOGRAPHIC CLASSIFICATION IN A POPULATION ENGAGED IN ASBESTOS CEMENT PRODUCTS MANUFACTURE. *Am Rev Respir Dis* 113.
- Weill, H; Rossiter, CE; Waggenspack, C; Jones, RN; Ziskind, MM. (1975). Differences in lung effects resulting from chrysotile and crocidolite exposure. *Inhaled Particles 4 Pt 2*: 789-798.
- Weill, H; Waggenspack, C; Bailey, W; Ziskind, M; Rossiter, C. (1973). Radiographic and physiologic patterns among workers engaged in manufacture of asbestos cement products: a preliminary report. *J Occup Med* 15: 248-252.
- Weill, H; Ziskind, M; Waggenspack, C; Rossiter, C. (1974). LUNG FUNCTION CONSEQUENCES OF DUST EXPOSURE IN ASBESTOS CEMENT PRODUCTS MANUFACTURING PLANTS. *Am Rev Respir Dis* 109: 713-713.
- Weill, H; Ziskind, MM; Waggenspack, C; Rossiter, CE. (1975). Lung function consequences of dust exposure in asbestos cement manufacturing plants. *Arch Environ Health* 30: 88-97. <http://dx.doi.org/10.1080/00039896.1975.10666650>.
- Weiner, GC; Mackay N, AA; Craighead, J. (1986). KARYOLOGY AND DNA CONTENT OF ASBESTOS-INDUCED MESOTHELIOMAS CELLS IN-SITU AND AFTER CULTURE IN-VITRO (pp. 13-18). (BIOSIS/86/25901). Weiner, GC; Mackay N, AA; Craighead, J.
- Weiner, R; Rees, D; Lunga, FJ; Felix, MA. (1994). Third wave of asbestos-related disease from secondary use of asbestos. A case report from industry. *S Afr Med J* 84: 158-160.
- Weiner, R; Rees, D; Lunga, FJP; Felix, MA. (1994). 3RD WAVE OF ASBESTOS-RELATED DISEASE FROM SECONDARY USE OF ASBESTOS - A CASE-REPORT FROM INDUSTRY. *84*: 158-160.
- Weiner, SJ; Neragi-Miandoab, S. (2009). Pathogenesis of malignant pleural mesothelioma and the role of environmental and genetic factors [Review]. *J Cancer Res Clin Oncol* 135: 15-27. <http://dx.doi.org/10.1007/s00432-008-0444-9>.
- Weinert, C; Hill, WG; Winters, CA; Kuntz, SW; Rowse, K; Hernandez, T; Black, B; Cudney, S. (2011). Psychosocial health status of persons seeking treatment for exposure to libby amphibole asbestos. 2011: 735936. <http://dx.doi.org/10.5402/2011/735936>.
- Weinzweig, M; Richards, RJ. (1983). Quantitative assessment of chrysotile fibrils in the bloodstream of rats which have ingested the mineral under different dietary conditions. *Environ Res* 31: 245-255.
- Weir, NA; Gerstenhaber, B. (2001). A case of pleural mesothelioma with effusive-constrictive pericarditis. *Yale J Biol Med* 74: 159-163.
- Weirather, K; Mossman, B; Stern, M; Heintz, NH. (2004). Expression of proliferation markers cyclin D1 and Ki67 in mouse lung after exposure to asbestos and nitrogen dioxide. *Free Radic Biol Med* 37: S129-S129.
- Weisburger, EK. (1994). GENERAL PRINCIPLES OF CHEMICAL CARCINOGENESIS (pp. CARCINOGENESIS). (BIOSIS/94/07996). Weisburger, EK.
- Weisburger, JH. (1991). PREVENTION OF HETEROCYCLIC AMINE FORMATION IN RELATION TO CARCINOGENESIS (pp. DETECTION AND PREVENTION). (BIOSIS/91/20639). Weisburger, JH.
- Weisburger, JH; Williams, GM. (1989). TYPES AND AMOUNTS OF CARCINOGENS AS POTENTIAL HUMAN CANCER HAZARDS. *Cell Biol Toxicol* 5: 377-392.
- Weisenburger, DD; Chiu, BC. (2002). Does asbestos exposure cause non-Hodgkin's lymphoma or related hematolymphoid cancers? A review of the epidemiologic literature [Review]. *Clin Lymphoma* 3: 36-40.
- Weiss. (1999). Asbestosis: A marker for the increased risk of lung cancer among workers exposed to asbestos (vol 115, pg 536, 1999). *Chest* 115: 1485-1485.
- Weiss, J; Huber, C; Rauterberg, A. (1995). MELANOMA INDUCTION BY CHEMICAL-SUBSTANCES - A REVIEW. *Dermatosen in Beruf und Umwelt* 43: 5-15.
- Weiss, NS; Suarez, L; Honchar, PA; Martin, J. (1988). Review of Mesothelioma Incidence and Mortality in Texas. *Tex Med* 84: 44-48.
- Weiss, W. (1971). Cigarette smoking, asbestos and pulmonary fibrosis. *Am Rev Respir Dis* 104: 223-227. <http://dx.doi.org/10.1164/arrd.1971.104.2.223>.
- Weiss, W. (1977). COHORT MORTALITY IN MEN MANUFACTURING CHRYSOTILE ASBESTOS PAPER. *Am Rev Respir Dis* 115.
- Weiss, W. (1977). Mortality of a cohort exposed to chrysotile asbestos. *J Occup Environ Med* 19: 737-740.

Human Health Hazard Literature Search Results

On Topic

- Weiss, W. (1981). Lung Cancer and Occupational Lung Disease [Review]. *Clin Chest Med* 2: 289-300.
- Weiss, W. (1984). Cigarette smoke, asbestos, and small irregular opacities [Review]. *Am Rev Respir Dis* 130: 293-301. <http://dx.doi.org/10.1164/arrd.1984.130.2.293>.
- Weiss, W. (1988). Lobe of origin in the attribution of lung cancer to asbestos. *Br J Ind Med* 45: 544-547.
- Weiss, W. (1989). Pulmonary fibrosis in asbestos insulation workers with lung cancer [Letter]. *Br J Ind Med* 46: 430.
- Weiss, W. (1990). Asbestos and colorectal cancer [Review]. *Gastroenterology* 99: 876-884.
- Weiss, W. (1993). Asbestos-related pleural plaques and lung cancer [Review]. *Chest* 103: 1854-1859.
- Weiss, W. (1993). The attribution of lung cancer to asbestos [Letter]. *Chest* 103: 654-655.
- Weiss, W. (1995). Asbestos: a risk too far? [Letter]. *Lancet* 346: 305; author reply 306.
- Weiss, W. (1995). The lack of causality between asbestos and colorectal cancer. *J Occup Environ Med* 37: 1364-1373.
- Weiss, W. (1996). The lack of causality between asbestos and colorectal cancer (vol 37, pg 1364, 1995). *J Occup Environ Med* 38: 154-154.
- Weiss, W. (1999). Asbestosis: a marker for the increased risk of lung cancer among workers exposed to asbestos [Review]. *Chest* 115: 536-549.
- Weiss, W; Levin, R. (1980). SMOKING AND PLEURAL PLAQUES IN ASBESTOS WORKERS (pp. 18-21). (HEEP/81/05584). Weiss, W; Levin, R.
- Weiss, W; Levin, R; Goodman, L. (1981). Pleural plaques and cigarette smoking in asbestos workers. *J Occup Med* 23: 427-430.
- Weiss, W; Theodos, PA. (1977). PULMONARY AND PLEURAL DISEASE AMONG ASBESTOS WORKERS IN RELATION TO SMOKING AND TYPE OF EXPOSURE. *Am Rev Respir Dis* 115.
- Weiss, W; Theodos, PA. (1978). Pleuropulmonary disease among asbestos workers in relation to smoking and type of exposure. *J Occup Med* 20: 341-345.
- Weissberg, D; Ben-Zeev, I. (1993). Talc pleurodesis. Experience with 360 patients. *J Thorac Cardiovasc Surg* 106: 689-695.
- Weissman, DN. (2015). Role of chest computed tomography in prevention of occupational respiratory disease: review of recent literature [Review]. *Semin Respir Crit Care Med* 36: 433-448. <http://dx.doi.org/10.1055/s-0035-1547348>.
- Weitzman, SA; Graceffa, P. (1984). Asbestos catalyzes hydroxyl and superoxide radical generation from hydrogen peroxide. *Arch Biochem Biophys* 228: 373-376.
- Weitzman, SA; Weitberg, AB. (1985). Asbestos-catalysed lipid peroxidation and its inhibition by desferrioxamine. *Biochem J* 225: 259-262.
- Welch, K; Higgins, I; Oh, M; Burchfiel, C. (1982). Arsenic exposure, smoking, and respiratory cancer in copper smelter workers. *Arch Environ Health* 37: 325-335. <http://dx.doi.org/10.1080/00039896.1982.10667586>.
- Welch, L; Dement, J; West, G. (2015). Mortality among sheet metal workers participating in a respiratory screening program. *Am J Ind Med* 58: 378-391. <http://dx.doi.org/10.1002/ajim.22421>.
- Welch, LS. (2007). Asbestos exposure causes mesothelioma, but not this asbestos exposure: an amicus brief to the Michigan Supreme Court. *Int J Occup Environ Health* 13: 318-327. <http://dx.doi.org/10.1179/oeh.2007.13.3.318>.
- Welch, LS; Acherman, YIZ; Haile, E; Sokas, RK; Sugarbaker, PH. (2005). Asbestos and peritoneal mesothelioma among college-educated men. *Int J Occup Environ Health* 11: 254-258. <http://dx.doi.org/10.1179/107735205800245975>.
- Welch, LS; Anderson, HA; Balmes, J; Braun, L; Brody, A; Castleman, B; Davis, D; Dement, JM; Frank, A; Gochfeld, M; Goldstein, BD; Rodriguez Guzman, J; Henderson, DW; Huff, J; Infante, PF; Ladou, J; Landrigan, PJ; Leigh, J; Levin, SM; Mulloy, KB; Michaels, D; Oliver, LC; Pepper, L; Rosenman, KD; Schwartz, BS; Silverstein, M; Sokas, RK; Takahashi, K, en; Takaro, T, imK; Teitelbaum, DT; Vojakovic, R; Watterson, A. (2009). Research on Mesothelioma from Brake Exposure: Corporate Influence Remains Relevant Concern. *Int J Occup Environ Health* 15: 234-238.
- Welch, LS; Haile, E. (2009). Asbestos-related disease among sheet metal workers 1986-2004: radiographic changes over time. *Am J Ind Med* 52: 519-525. <http://dx.doi.org/10.1002/ajim.20712>.
- Welch, LS; Haile, E; Dement, J; Michaels, D. (2007). Change in prevalence of asbestos-related disease among sheet metal workers 1986 to 2004. *Chest* 131: 863-869. <http://dx.doi.org/10.1378/chest.06-1155>.
- Welch, LS; Michaels, D; Zoloth, S. R.; Alexander, V; Balmes, J; Barnhart, S; Bresnitz, E; Bonham, D; Casten, P; Christiani, D; Cook, R; Cooper, K; Cullen, M; Dehart, D; Demers, R; Fagan, K; Frumkin, H; Frank, A; Friedman, G; Garman, R; Gibson, M; Hake, J; Herbert, R; Hessel, S; Hincamp, D; Hodgson, M; Holstein, E; Johns, RE; Kalamoto, M; Kern, D; Kay, K; Lang, E; Langworthy, J. R.; Lockey, J; Merchant, J; Miller, K; Morse, L; Mulloy, K; Oliver, C; Rosenstock, L; Roundtree, P; Schenker, M; Sharpe, I; Schwartz, D; Simmons, J; Sliwinski, J; Stein, C; Tencza, A; Wallerstein, N; Wagner, G. (1994). THE NATIONAL SHEET-METAL WORKER ASBESTOS DISEASE SCREENING-PROGRAM - RADIOLOGIC FINDINGS. *Am J Ind Med* 25: 635-648. <http://dx.doi.org/10.1002/ajim.4700250504>.
- Welch, LS; Michaels, D; Zoloth, S. (1991). Asbestos-related disease among sheet-metal workers. Preliminary results of the National Sheet Metal Worker Asbestos Disease Screening Program. *Ann N Y Acad Sci* 643: 287-295.
- Weller, W. (1979). [Effects of asbestos and asbestos-quartz-mixtures in intraperitoneal test on rats (author's transl)]. *Int Arch Occup Environ Health* 42: 169-183.
- Weller, W. (1985). Biological Effects Of Asbestos-Quartz Dust-Mixtures (pp. 511-524). (NIOSH/00158292). Weller, W.
- Wells, C; Mannino, DM. (1996). Pulmonary fibrosis and lung cancer in the United States: Analysis of the multiple cause of death mortality data, 1979 through 1991. *South Med J* 89: 505-510.
- Wen, CP; Luo, S. (2006). Asbestos-related diseases from environmental exposure to crocidolite in Da-yao, China. II. An update study on mesothelioma and lung cancer mortality from a residentially exposed cohort and from local surveys and statistics. *Lung Cancer* 54: S11-S11.
- Werkö, L. (1975). [Tobacco or asbestos--which is the greater risk for neoplasms]. *Lakartidningen* 72: 4006-4007.
- West, RR; Stafford, DA; Farrow, A; Jacobs, A. (1995). Occupational and environmental exposures and myelodysplasia: A case-control study. *Leuk Res* 19: 127-139. [http://dx.doi.org/10.1016/0145-2126\(94\)00141-V](http://dx.doi.org/10.1016/0145-2126(94)00141-V).

Human Health Hazard Literature Search Results

On Topic

- Westerfield, BT. (1992). Asbestos-related lung disease [Review]. *South Med J* 85: 616-620.
- Westlake, GE. (1974). Asbestos fibers in the colonic wall. *Environ Health Perspect* 9: 227.
- Weston, A; Harris, CC. (1993). CHEMICAL CARCINOGENESIS. *Holland J: MALVERN*.
- Weston, A; Plummer, SM; Grafstrom, RC; Trump, BF; Harris, CC. (1986). Genotoxicity of chemical and physical agents in cultured human tissues and cells. *Food Chem Toxicol* 24: 675-679.
- Wewer, B. (1970). [On the effect of glass fibers in the lung]. *Lebensversicher Med* 22: 125-127.
- Wheeler, YY; Burroughs, F; Li, QK. (2009). Fine-needle aspiration of a well-differentiated papillary mesothelioma in the inguinal hernia sac: A case report and review of literature [Review]. *Diagn Cytopathol* 37: 748-754. <http://dx.doi.org/10.1002/dc.21084>.
- Whitaker, D; Shilkin, KB. (1978). The cytology of malignant mesothelioma in Western Australia. *Acta Cytol* 22: 67-70.
- Whitaker, D; Shilkin, KB; Walters, MNI. (1984). Cytologic And Tissue Culture Characteristics Of Asbestos-Induced Mesothelioma In Rats. *Acta Cytol* 28: 185-189.
- White, FM; Swift, J; Becklake, MR. (1974). Rheumatic complaints and pulmonary response to chrysotile dust inhalation in the mines and mills of Quebec. *Can Med Assoc J* 111: 533-535.
- White, KL; Munson, AE. (1986). Suppression of the in vitro humoral immune response by chrysotile asbestos. *Toxicol Appl Pharmacol* 82: 493-504.
- White, LR; Marthinsen, AB; Jakobsen, K; Eik-Nes, KB. (1983). Response of bovine alveolar macrophages in vitro to welding fume particles. *Environ Health Perspect* 51: 211-215.
- White, N; Nelson, G; Murray, J. (2008). South African experience with asbestos related environmental mesothelioma: is asbestos fiber type important? *Regul Toxicol Pharmacol* 52: S92-S96. <http://dx.doi.org/10.1016/j.yrtph.2007.09.013>.
- Whitehouse, A. (2004). Asbestos-related pleural disease due to tremolite associated with progressive loss of lung function: Serial observations in 123 miners, family members, and residents of Libby, Montana. *Am J Ind Med* 46: 219-225. <http://dx.doi.org/10.1002/ajim.20053>.
- Whitehouse, A; Black, C; Heppe, M; Ruckdeschel, J; Levin, S. (2008). Environmental exposure to Libby asbestos and mesotheliomas. *Am J Ind Med* 51: 877-880. <http://dx.doi.org/10.1002/ajim.20620>.
- Whitesell, PL; Drage, CW. (1993). OCCUPATIONAL LUNG CANCER [Review]. *Mayo Clin Proc* 68: 183-188.
- Whittemore, AS; Mclarty, JW; Fortson, N; Anderson, K. (1982). Regression analysis of cytopathological data. *Biometrics* 38: 899-905.
- Whitwell, F. (1976). ASBESTOS CONTENT OF PLEURAL MESOTHELIOMA LUNGS AND OF LUNGS OF MERSEYSIDE RESIDENTS. *Thorax* 31: 490-491.
- Whitwell, F; Newhouse, ML; Bennett, DR. (1974). A study of the histological cell types of lung cancer in workers suffering from asbestosis in the United Kingdom. *Br J Ind Med* 31: 298-303.
- Whitwell, F; Rawcliffe, RM. (1971). Diffuse malignant pleural mesothelioma and asbestos exposure. *Thorax* 26: 6-22.
- Whitwell, F; Scott, J; Grimshaw, M. (1977). Relationship between occupations and asbestos-fibre content of the lungs in patients with pleural mesothelioma, lung cancer, and other diseases. *Thorax* 32: 377-386.
- WHO. (1987). WHO WORLD HEALTH ORGANIZATION REGIONAL PUBLICATIONS EUROPEAN SERIES NO. 23. AIR QUALITY GUIDELINES FOR EUROPE (pp. COPENHAGEN). (BIOSIS/88/20425). WHO.
- Whorton, MD; Schulman, J; Larson, SR; Stubbs, HA; Austin, D. (1983). Feasibility of identifying high-risk occupations through tumor registries. *J Occup Med* 25: 657-660.
- Wibowo, AAE. (1990). DEC and SCG basis for an occupational health standard. Talc dusts. (RISKLINE/1992100031). Wibowo, AAE.
- Wick, MR; Kendall, TJ; Ritter, JH. (2009). Asbestosis: demonstration of distinctive interstitial fibroelastosis: a pilot study. *Ann Diagn Pathol* 13: 297-302. <http://dx.doi.org/10.1016/j.anndiagpath.2009.05.003>.
- Wick, P; Manser, P; Limbach, LK; Dettlaff-Weglikowska, U; Krumeich, F; Roth, S; Stark, WJ; Bruinink, A. (2007). The degree and kind of agglomeration affect carbon nanotube cytotoxicity. *Toxicol Lett* 168: 121-131. <http://dx.doi.org/10.1016/j.toxlet.2006.08.019>.
- Wideroff, L; Hryhorczuk, DO; Krantz, A; Holden, J. (1990). Death Certificate-Based Surveillance of Silicosis and Asbestosis in Illinois (pp. 485-488). (NIOSH/00198699). Wideroff, L; Hryhorczuk, DO; Krantz, A; Holden, J.
- Wiedemann, HP; Lwebuga-Mukasa, JS; Gee, JBL. (1985). Asbestos Fibers Enhance the Production of a Mesothelial Cell-Derived Soluble Factor which Stimulates Fibroblast DNA Synthesis (pp. 377-382). (NIOSH/00165771). Wiedemann, HP; Lwebuga-Mukasa, JS; Gee, JBL.
- Wieslaw, R. (1988). EVALUATION OF THE PATHOLOGICAL CHANGES PROGRESS IN PEOPLE OF LONG TERM EXPOSURE TO ASBESTOS DUST DURING 5-YEAR OBSERVATION. *Bull Inst Marit Trop Med Gdynia* 39: 3-4.
- Wiethge, T. (1992). [Expression of TNF-alpha in alveolar macrophages after stimulation with quartz dust, welding fume dust and asbestos fibers]. *Pneumologie* 46: 621-625.
- Wiethge, T; Kerenyi, T; Voss, B; Mueller, KM. (1992). P53 TUMOR SUPPRESSOR PRODUCT IN RAT LUNG ALVEOLAR MACROPHAGES AFTER ASBESTOS EXPOSURE IN-VIVO (pp. 2-5). (BIOSIS/93/05157). Wiethge, T; Kerenyi, T; Voss, B; Mueller, KM.
- Wiggins, J. (2007). BTS statement on malignant mesothelioma in the UK, 2007. *Thorax* 62 Suppl 2: ii1-ii19. <http://dx.doi.org/10.1136/thx.2007.087619>.
- Wight, R; Paleri, V; Arullendran, P. (2003). Current theories for the development of nonsmoking and nondrinking laryngeal carcinoma [Review]. *Curr Opin Otolaryngol Head Neck Surg* 11: 73-77.
- Wigle, DT. (1977). Cancer mortality in relation to asbestos in municipal water supplies. *Arch Environ Occup Health* 32: 185-190.
- Wignall, BK; Fox, AJ. (1982). Mortality of female gas mask assemblers. *Occup Environ Med* 39: 34-38.
- Wikeley, NJ. (1992). Asbestos and cancer: an early warning to the British TUC. *Am J Ind Med* 22: 449-454.
- Wikman, H; Ruosaari, S; Nymark, P; Sarhadi, VK; Saharinen, J; Vanhala, E; Karjalainen, A; Hollmén, J; Knuutila, S; Anttila, S. (2007). Gene expression and copy number profiling suggests the importance of allelic imbalance in 19p in asbestos-associated lung cancer. *Oncogene* 26: 4730-4737. <http://dx.doi.org/10.1038/sj.onc.1210270>.

Human Health Hazard Literature Search Results

On Topic

- Wilbourn, J; Kauppinen, T. (1990). CARCINOGENS EVALUATED IN IARC MONOGRAPHS 1 TO 42 THAT COULD POSSIBLY OCCUR IN THE MARINE ENVIRONMENT (pp. IMPACT ON HUMAN HEALTH AND THE ENVIRONMENT; WORKSHOP). (BIOSIS/91/17192). Committee for Compounds Toxic to Reproduction.
- Wilcox, K; Marcussen, W; Furst, A. (1974). INTRA TRACHEAL INSTILLATION OF ASBESTOS IN MICE. *Proc West Pharmacol Soc* 17: 247-250.
- Wilczyńska, U; Szeszenia-Dabrowska, N. (2002). [The incidence of asbestosis in Poland]. *Med Pr* 53: 375-379.
- Wilczyńska, U; Szeszenia-Dabrowska, N. (2005). [Occupational cancers in Poland, 1995-2003]. *Med Pr* 56: 113-120.
- Wilczyńska, U; Szeszenia-Dabrowska, N; Szymczak, W. (1996). [Mortality from malignant neoplasms in men occupationally exposed to asbestos dust]. *Med Pr* 47: 437-443.
- Wilczyńska, U; Szymczak, W; Szeszenia-Dabrowska, N. (2005). Mortality from malignant neoplasms among workers of an asbestos processing plant in Poland: results of prolonged observation. *Int J Occup Med Environ Health* 18: 313-326.
- Wild, P. (2006). Lung cancer risk and talc not containing asbestiform fibres: a review of the epidemiological evidence [Review]. *Occup Environ Med* 63: 4-9. <http://dx.doi.org/10.1136/oem.2005.020750>.
- Wild, P; Gonzalez, M; Bourgkard, E; Courouble, N; Clément-Duchêne, C; Martinet, Y; Févotte, J; Paris, C. (2012). Occupational risk factors have to be considered in the definition of high-risk lung cancer populations. *Br J Cancer* 106: 1346-1352. <http://dx.doi.org/10.1038/bjc.2012.75>.
- Wild, P; Schill, W; Bourgkard, E; Drescher, K; Gonzalez, M; Paris, C. (2016). The 2-phase case-control design: an efficient way to use expert-time. *Scand J Work Environ Health* 42: 162-169. <http://dx.doi.org/10.5271/sjweh.3547>.
- Wilhelmsson, J; I-L, B; Ohlson, CG. (1989). Respiratory Symptoms among Swedish Swine Producers. *Am J Ind Med* 15: 311-318.
- Wilken, D; Velasco Garrido, M; Manuwald, U; Baur, X. (2011). Lung function in asbestos-exposed workers, a systematic review and meta-analysis. *J Occup Med Toxicol* 6: 21. <http://dx.doi.org/10.1186/1745-6673-6-21>.
- Wilkins, A; Popat, S; Hughes, S; O'Brien, M. (2007). Malignant pleural mesothelioma: two cases in first degree relatives. *Lung Cancer* 57: 407-409. <http://dx.doi.org/10.1016/j.lungcan.2007.02.005>.
- Wilkinson, P; Hansell, DM; Janssens, J; Rubens, M; Rudd, RM; Taylor, AN; McDonald, C. (1995). Is lung cancer associated with asbestos exposure when there are no small opacities on the chest radiograph? *Lancet* 345: 1074-1078.
- Will, LA; Donham, KJ; Cole, DA; Stevens, RH. (1978). CYCLIC NUCLEOTIDE CONCENTRATION IN COLON TISSUE FROM WOOD FIBER AND ASBESTOS FED RATS. *Cell Tissue Kinet* 11: 691-691.
- Will, LA; Leininger, JR; Donham, KJ. (1979). Regurgitation and choke in rats. *Lab Anim Sci* 29: 360-363.
- Will, LA; Singh, DW; Stevens, RH; Cole, DA; Monirifar, A. (1981). CYCLIC AMP DEPENDENT AND INDEPENDENT PROTEIN KINASE ACTIVITIES IN ASBESTOS INDUCED RAT MESOTHELIOMA. (HEEP/82/08858). Will, LA; Singh, DW; Stevens, RH; Cole, DA; Monirifar, A.
- Williams, C; Dell, L; Adams, R; Rose, T; Van Orden, D. (2013). State-of-the-science assessment of non-asbestos amphibole exposure: Is there a cancer risk? [Review]. *Environ Geochem Health* 35: 357-377. <http://dx.doi.org/10.1007/s10653-012-9500-0>.
- Williams, MG; Dodson, RF; Dickson, EW; Fraire, AE. (2001). An assessment of asbestos body formation in extrapulmonary sites: liver and spleen. *Toxicol Ind Health* 17: 1-6. <http://dx.doi.org/10.1191/0748233701th090oa>.
- Williams, R; Hugh-Jones, P. (1960). The Radiological Diagnosis of Asbestosis. *Thorax* 15: 103-108.
- Williams, TM; Hickey, JLS; Stopford, W; Gilgor, DR. (1983). Health Hazard Evaluation Report, No. HETA-82-208-1260, Babcock-Wilcox Plant, Brunswick, Georgia. (NIOSH/00127808). Williams, TM; Hickey, JLS; Stopford, W; Gilgor, DR.
- Williams, V; de Klerk, NH; Whitaker, D; Musk, AW; Shilkin, KB. (1995). Asbestos bodies in lung tissue following exposure to crocidolite. *Am J Ind Med* 28: 489-495.
- Williams, VM; Shilkin, KB; Filion, PR; De Klerk, NH; Musk, AW; Whitaker, D. (1996). Assay of pulmonary asbestos body and asbestos fibre burden in subjects with malignant mesothelioma and other conditions related to exposure to asbestos in Western Australia. *Australian Journal of Medical Science* 17: 75-78.
- Wilson, GE; Hasleton, PS; Chatterjee, AK. (1992). Desmoplastic malignant mesothelioma: a review of 17 cases. *J Clin Pathol* 45: 295-298.
- Wilson, MR; Gaumer, HR; Salvaggio, JE. (1977). Activation of the alternative complement pathway and generation of chemotactic factors by asbestos. *J Allergy Clin Immunol* 60: 218-222.
- Wilson N, JE; Gosney, J. R.; Mayall, F. (1992). ENDOCRINE CELLS IN PULMONARY FIBROSIS (pp. 9-11). (BIOSIS/93/05867). Wilson N, JE; Gosney, J. R.; Mayall, F.
- Winborn, DM; Russell, AM. (1981). THE EFFECT OF ASBESTOS ON THE ENZYMIC ACTIVITY OF ALVEOLAR MACROPHAGES. (HEEP/82/13569). Winborn, DM; Russell, AM.
- Wingren, G; Fredrikson, M; Brage, HN; Nordenskjold, B; Axelson, O. (1990). Soft tissue sarcoma and occupational exposures. *Cancer PHILA*: 806-811.
- Winkler, GC; Ruettnner, JR. (1982). Penetration of asbestos fibers in the visceral peritoneum of mice: A scanning electron microscopic study. *Exp Cell Biol* 50: 187-194.
- Winkler, GC; Rüttner, JR. (1983). Early fibrogenicity of asbestos fibers in visceral peritoneum. *Exp Cell Biol* 51: 1-8.
- Winter, M; Pfeifer, A; Waldfahrer, F; Kraus, T; Raithel, HJ; Iro, H. (2002). [Findings in a high-risk group following asbestos exposure. Benefit of ENT examinations in patients with long-term exposure to asbestos]. *HNO* 50: 989-996. <http://dx.doi.org/10.1007/s00106-002-0687-8>.
- Winters, CA; Hill, W; Kuntz, SW; Weinert, C; Rowse, K; Hernandez, T; Black, B. (2011). Determining satisfaction with access and financial aspects of care for persons exposed to Libby amphibole asbestos: rural and national environmental policy implications. *J Environ Public Health* 2011: 789514. <http://dx.doi.org/10.1155/2011/789514>.
- Winters, CA; Hill, WG; Rowse, K; Black, B; Kuntz, SW; Weinert, C. (2012). Descriptive analysis of the respiratory health status of persons exposed to Libby amphibole asbestos. *Br Med J* 2. <http://dx.doi.org/10.1136/bmjopen-2012-001552>.

Human Health Hazard Literature Search Results

On Topic

- Winters, CA; Moore, CF; Kuntz, SW; Weinert, C; Hernandez, T; Black, B. (2016). Principal components analysis to identify influences on research communication and engagement during an environmental disaster. *BMJ Open* 6: e012106. <http://dx.doi.org/10.1136/bmjopen-2016-012106>.
- Wirth, T. (1975). The Effect of Asbestos Cement, UICC Asbestos Samples and Quartz on the Peritoneum of the Mouse. *Pathol Microbiol* 42: 15-28.
- Withers, BF; Ducatman, AM; Yang, WN. (1989). Roentgenographic evidence for predominant left-sided location of unilateral pleural plaques. *Chest* 95: 1262-1264.
- Woitowitz, HJ. (1970). [Occupational asbestos dust exposure and chronic obstructive lung disease]. *Int Arch Arbeitsmed* 27: 244-256.
- Woitowitz, HJ. (1972). [Importance of asbestos for industrial medicine and ecology] [Review]. *Dtsch Med Wochenschr* 97: 346-351. <http://dx.doi.org/10.1055/s-0028-1107355>.
- Woitowitz, HJ. (1975). [Pulmonary function in asbestos-exposed workers. Results of an epidemiological study in the Federal Republic of Germany]. 598-603.
- Woitowitz, HJ. (1991). Aspects of asbestos exposure in place in the Federal Republic of Germany. *Ann N Y Acad Sci* 643: 407-411.
- Woitowitz, HJ. (2010). [Effects of asbestos fiber dust exposure on lung function - a systematic review] [Letter]. *Pneumologie* 64: 433-436; author reply 436-441. <http://dx.doi.org/10.1055/s-0029-1244209>.
- Woitowitz, HJ; Beierl, L; Rathgeb, M; Schmidt, K; Rödelsperger, K; Greven, U; Woitowitz, RH; Lange, HJ; Ulm, K. (1981). Asbestos-related diseases in the Federal Republic of Germany. *Am J Ind Med* 2: 71-78.
- Woitowitz, HJ; Beierl, L; Rathgeb, M; Schmidt, K; Roedelsperger, K; Greven, U; Woitowitz, RH; H-J, L; Ulm, K. (1982). ASBESTOS RELATED DISEASES IN WEST GERMANY (pp. 24-26). (HEEP/84/05399). Woitowitz, HJ; Beierl, L; Rathgeb, M; Schmidt, K; Roedelsperger, K; Greven, U; Woitowitz, RH; Lange H-J; Ulm, K.
- Woitowitz, HJ; Grossgarten, K. (1991). [Pleural mesothelioma: etiology and practical consequences] [Review]. *Pneumologie* 45: 153-158.
- Woitowitz, HJ; Hausmann, K. (1995). [Non-Hodgkin's lymphoma of the tonsils following asbestos dust exposure]. *Dtsch Med Wochenschr* 120: 626.
- Woitowitz, HJ; Krieger, HG; Woitowitz, RH. (1978). OCCUPATIONAL EXPOSURE TO ASBESTOS DUST AND OBSTRUCTIVE BRONCHOPULMONARY DISEASE. *Arbeitsmedizin, Sozialmedizin, Praeventivmedizin* 13: 210-215.
- Woitowitz, HJ; Lange, HJ; Beierl, L; Rathgeb, M; Schmidt, K; Ulm, K; Giesen, T; Woitowitz, RH; Pache, L; Rödelsperger, K. (1986). Mortality rates in the Federal Republic of Germany following previous occupational exposure to asbestos dust. *Int Arch Occup Environ Health* 57: 161-171.
- Woitowitz, HJ; Lange, HJ; Rödelsperger, K; Ulm, K; Giesen, T; Woitowitz, RH; Pache, L. (1986). [Occupational cancer study of asbestos: possibilities and limits of epidemiologic studies on the causes of death in West Germany]. *Dtsch Med Wochenschr* 111: 490-499. <http://dx.doi.org/10.1055/s-2008-1068478>.
- Woitowitz, HJ; Lange, HJ; Roedelsperger, K. (1986). Occupational Cancer Study on Asbestos: Possibilities and Limits of Epidemiological Research into Causes of Death in West Germany. *Arbeitsmedizin, Sozialmedizin, Praeventivmedizin* 21: 331-332.
- Woitowitz, HJ; Lange, HJ; Ulm, K; Rodelsperger, K; Woitowitz, RH; Pache, L. (1988). ASBESTOS RELATED TUMORS AMONG WORKERS IN THE FEDERAL-REPUBLIC-OF-GERMANY. *Staub, Reinhaltung der Luft* 48: 307-315.
- Woitowitz, HJ; Manke, J; Breit, S; Brückel, B; Rödelsperger, K. (1986). [Asbestos and other mineral fibers in the human lung]. *Pathologe* 7: 248-257.
- Woitowitz, HJ; Paur, R; Breuer, G; Rödelsperger, K. (1984). [Mesothelioma as an index tumor of the occupational hazard of asbestos dust]. *Dtsch Med Wochenschr* 109: 363-368. <http://dx.doi.org/10.1055/s-2008-1069196>.
- Woitowitz, HJ; Rodelsperger, K. (1980). ASBESTOS DUST AS CAUSE OF MALIGN TUMORS. *Staub, Reinhaltung der Luft* 40: 178-181.
- Woitowitz, HJ; Rödelsperger, K. (1991). Chrysotile asbestos and mesothelioma [Letter]. *Am J Ind Med* 19: 551-553.
- Woitowitz, HJ; Rödelsperger, K. (1994). Mesothelioma among car mechanics? *Ann Occup Hyg* 38: 635-638.
- Woitowitz, HJ; Schaecke, G; Woitowitz, RH. (1971). (Effects of pleural calcification in chrysotile-asbestos workers on pulmonary function.) (pp. 931-935). (HEEP/72/05568). Woitowitz, HJ; Schaecke, G; Woitowitz, RH.
- Woitowitz, HJ; Valentin, H. (1977). [Asbestosis and asbestos related tumours; assessment of disablement (author's transl)]. *Prax Pneumol* 31: 153-159.
- Wojtczak, J; Kieć-Swierczyńska, M; Maciejewska, A. (1997). [Exposure to ceramic fibers in the work environment. III. occupational exposure to ceramic fibers in plants which produce and apply insulation materials made of ceramic fibers]. *Med Pr* 48: 51-60.
- Wojtukiewicz, MZ; Zacharski, LR; Memoli, VA; Kisiel, W; Kudryk, BJ; Rousseau, SM; Stump, DC. (1989). Absence of components of coagulation and fibrinolysis pathways in situ in mesothelioma. *Thromb Res Suppl* 55: 279-284.
- Wolf, AS; Richards, WG; Tilleman, TR; Chirieac, L; Hurwitz, S; Bueno, R; Sugarbaker, DJ. (2010). Characteristics of malignant pleural mesothelioma in women. *Ann Thorac Surg* 90: 949-956; discussion 956. <http://dx.doi.org/10.1016/j.athoracsur.2010.04.110>.
- Wolf, CR. (1990). METABOLIC FACTORS IN CANCER SUSCEPTIBILITY (pp. 437-474). (BIOSIS/91/26183). Wolf, CR.
- Wolf, KM; Piotrowski, ZH; Bekeris, L; Engel, JD; Palacios, E; Fisher, KA. (1985). MALIGNANT MESOTHELIOMA IN A MIDWESTERN USA COMMUNITY HOSPITAL (pp. 6-8). (BIOSIS/86/09052). Wolf, KM; Piotrowski, ZH; Bekeris, L; Engel, JD; Palacios, E; Fisher, KA.
- Wolf, KM; Piotrowski, ZH; Engel, JD; Bekeris, LG; Palacios, E; Fisher, KA. (1987). Malignant mesothelioma with occupational and environmental asbestos exposure in an Illinois community hospital. *Arch Intern Med* 147: 2145-2149.
- Wolfe, DF; Carson, RL; Hudson, RS; Boosinger, TR; Mysinger, PW; Powe, TA; Claxton, MS; Angel, KL. (1991). MESOTHELIOMA IN CATTLE - 8 CASES (1970-1988). *J Am Vet Med Assoc* 199: 486-491.

Human Health Hazard Literature Search Results

On Topic

- Wolff-Bar, M; Dujovny, T; Vlodavsky, E; Postovsky, S; Morgenstern, S; Braslavsky, D; Nissan, A; Steinberg, R; Feinmesser, M. (2015). An 8-Year-Old Child with Malignant Deciduoid Mesothelioma of the Abdomen: Report of a Case and Review of the Literature [Review]. *Pediatric and Developmental Pathology* 18: 327-330. <http://dx.doi.org/10.2350/14-06-1511-CR.1>.
- Wollmer, P; Eriksson, L; Jonson, B; Jakobsson, K; Albin, M; Skerfving, S; Welinder, H. (1987). Relation between lung function, exercise capacity, and exposure to asbestos cement. *Br J Ind Med* 44: 542-549.
- Wollmer, P; Jakobsson, K; Albin, M; Albrechtsson, U; Brauer, K; Eriksson, L; Jonson, B; Skerfving, S; Tylén, U. (1987). Measurement of lung density by x-ray computed tomography. Relation to lung mechanics in workers exposed to asbestos cement. *Chest* 91: 865-869.
- Wong, J; Magun, BE; Wood, LJ. (2016). Lung inflammation caused by inhaled toxicants: a review [Review]. *The International Journal of Chronic Obstructive Pulmonary Disease (Online)* 11: 1391-1401. <http://dx.doi.org/10.2147/COPD.S106009>.
- Wong, O. (1992). CHRYSOTILE ASBESTOS, MESOTHELIOMA, AND GARAGE MECHANICS [Letter]. *Am J Ind Med* 21: 449-451.
- Wong, O. (1993). Considerations of specificity in assessing the relationship between asbestos and cancer [Review]. *Am J Ind Med* 23: 521-523.
- Wong, O. (1995). Pleural mesothelioma in oil refinery workers [Letter]. *Scand J Work Environ Health* 21: 301-309.
- Wong, O. (2001). Malignant mesothelioma and asbestos exposure among auto mechanics: Appraisal of scientific evidence [Review]. *Regul Toxicol Pharmacol* 34: 170-177. <http://dx.doi.org/10.1006/rtph.2001.1491>.
- Wong, O; Foliart, DE. (1993). Epidemiological factors of cancer in Louisiana [Review]. *J Environ Pathol Toxicol Oncol* 12: 171-183.
- Wong, O; Harris, F; Smith, TJ. (1993). Health effects of gasoline exposure II Mortality patterns of distribution workers in the United States.
- Woodard, PK; Mcadams, HP; Putman, CE. (1995). Asbestos exposure and asbestosis: clarifying terminology and avoiding confusion [Review]. *J R Soc Med* 88: 669-671.
- Woodhead, AD; Setlow, RB; Pond, V. (1983). THE EFFECTS OF CHRONIC EXPOSURE TO ASBESTOS FIBERS IN THE AMAZON MOLLY POECILIA-FORMOSA. *Environ Int* 9: 173-176.
- Woodhead, AD; Setlow, RB; Pond, V. (1984). The Amazon molly, *Poecilia formosa*, as a test animal in carcinogenicity studies: chronic exposures to physical agents. *Natl Canc Inst Monogr* 65: 45-52.
- Woodworth, CD; Mossman, BT; Craighead, JE. (1982). Comparative effects of fibrous and nonfibrous minerals on cells and liposomes. *Environ Res* 27: 190-205.
- Woodworth, CD; Mossman, BT; Craighead, JE. (1983). Induction of squamous metaplasia in organ cultures of hamster trachea by naturally occurring and synthetic fibers. *Cancer Res* 43: 4906-4912.
- Woodworth, CD; Mossman, BT; Craighead, JE. (1983). Interaction of asbestos with metaplastic squamous epithelium developing in organ cultures of hamster trachea. *Environ Health Perspect* 51: 27-33.
- Woodworth, CD; Mossman, BT; Craighead, JE. (1983). Squamous metaplasia of the respiratory tract. Possible pathogenic role in asbestos-associated bronchogenic carcinoma. *Lab Invest* 48: 578-584.
- Workum, P; Delbono, EA; Holford, SK; Murphy, RL. (1986). Observer agreement, chest auscultation, and crackles in asbestos-exposed workers. *Chest* 89: 27-29.
- Worth, G; Worth, H. (1979). ASBESTOS-RELATED DISEASES OF THE LUNG. 33: 701-725.
- Worth, G; Worth, H. (1979). [Diseases due to the inhalation of asbestos dust] [Review]. 33: 701-725.
- Worth, H; Worth, G. (1982). A FOLLOW-UP OF LUNG-FUNCTION DATA AND X-RAY CHANGES IN PATIENTS WITH ASBESTOS-RELATED DISEASE. *Arch Immunol Ther Exp* 30: 321-327.
- Wortley, P; Vaughan, TL; Davis, S; Morgan, MS; Thomas, DB. (1992). A case-control study of occupational risk factors for laryngeal cancer. *Br J Ind Med* 49: 837-844. <http://dx.doi.org/10.1136/oem.49.12.837>.
- Woźniak, H. (1984). [Polish asbestos and its fibrogenic effect. I. Fibrous minerals in nickel ore deposits]. *Med Pr* 35: 417-426.
- Wozniak, H; Maciejewska, A; Bielichowska-Cybula, G. (1989). SENSITIVITY OF EXPERIMENTAL RATS OF BOTH SEXES TO SOME DUSTS OF FIBROGENIC EFFECT (pp. 2-4). (BIOSIS/89/33246). Wozniak, H; Maciejewska, A; Bielichowska-Cybula, G.
- Wozniak, H; Wiecek, E. (1996). Asbestos and Asbestos-Related Diseases. *Ann Agric Environ Med* 3: 1-8.
- Woźniak, H; Wiecek, E. (1984). The effect of asbestos-cement, cement and asbestos dusts on the lungs of rats. *Med Pr* 35: 269-272.
- Woźniak, H; Wiecek, E. (1985). [Biological effect of fibrous mineral dust. I. Fibrogenic properties of the products of the thermal degradation of chrysotile]. *Med Pr* 36: 345-353.
- Woźniak, H; Wiecek, E. (1985). [Polish asbestos and its fibrogenic effect. II. Identification and fibrogenic effect of fibrous minerals occurring in road stone deposits]. *Med Pr* 36: 96-104.
- Woźniak, H; Wiecek, E. (2000). [Chrysotile asbestos: biological effects, the work environment highest allowable concentration and neoplasm risk]. *Med Pr* 51: 285-297.
- Woźniak, H; Wiecek, E. (2002). [Non-occupational dust exposure of the population living in the vicinity of amphibolite mining and processing plant]. *Med Pr* 53: 103-107.
- Woźniak, H; Wiecek, E; Bielichowska-Cybula, G. (1991). The fibrogenic activity and neurotoxicity of heat-treated chrysotile. *Pol J Occup Med Environ Health* 4: 21-31.
- Woźniak, H; Wiecek, E; Bielichowska-Cybula, G. (1996). [Exposure to dust mixtures containing free crystalline silica and mineral fibers]. *Med Pr* 47: 151-157.
- Woźniak, H; Wiecek, E; Bielichowska-Cybula, G; Opalska, B. (2001). [Dust exposure and cancer risk associated with amphibolite mining and processing]. *Med Pr* 52: 437-443.
- Woźniak, H; Wiecek, E; Owecka, A. (1986). [Biological effect of fibrous mineral dust. II. The neurotoxic effect of products of the thermal degradation of chrysotile]. *Med Pr* 37: 139-150.

Human Health Hazard Literature Search Results

On Topic

- Wozniak, H; Wiecek, E; Stetkiewicz, J. (1988). Fibrogenic and Carcinogenic Effects of Antigorite (pp. 192-202). (NIOSH/00189900). Wozniak, H; Wiecek, E; Stetkiewicz, J.
- Woźniak, H; Wiecek, E; Stetkiewicz, J. (1988). Fibrogenic and carcinogenic effects of antigorite. *Pol J Occup Med* 1: 192-202.
- Woźniak, H; Wiecek, E; Stetkiewicz, J; Lao, I; Krajnow, A; Roszkowicz, A. (1992). [Asbestos substitutes and their biological effects. 3. Carcinogenic effects of synthetic amphiboles in animal experiments]. *Med Pr* 43: 257-266.
- Wozniak, H; Wiecek, E; Stetkiewicz, J; Wyszynska, K. (1993). Experimental carcinogenicity and mutagenicity of non-asbestos natural fibres-- preliminary report. *Pol J Occup Med Environ Health* 6: 55-60.
- Woźniak, H; Wiecek, E; Stetkiewicz, J; Wyszynska, K. (1993). Experimental carcinogenicity and mutagenicity of non-asbestos natural fibres-- preliminary report. *Pol J Occup Med Environ Health* 6: 55-60.
- Woźniak, H; Wiecek, E; Tossavainen, A; Lao, I; Kofakowski, J. (1986). Comparative studies of fibrogenic properties of wollastonite, chrysotile and crocidolite. *Med Pr* 37: 288-296.
- Wraith, D; Mengersen, K. (2007). Assessing the combined effect of asbestos exposure and smoking on lung cancer: a Bayesian approach. *Stat Med* 26: 1150-1169. <http://dx.doi.org/10.1002/sim.2602>.
- Wraith, D; Mengersen, K. (2008). A Bayesian approach to assess interaction between known risk factors: the risk of lung cancer from exposure to asbestos and smoking. *Stat Methods Med Res* 17: 171-189. <http://dx.doi.org/10.1177/0962280206075525>.
- Wright, A; Cowie, H; Gormley, IP; Davis, JM. (1986). The in vitro cytotoxicity of asbestos fibers: I. P388D1 cells. *Am J Ind Med* 9: 371-384.
- Wright, A; Donaldson, K; Davis, JM. (1983). Cytotoxic effect of asbestos on macrophages in different activation states. *Environ Health Perspect* 51: 147-152.
- Wright, C; Larsen, J; Savarimuthu-Francis, S; Tan, M; Martins, M; Duhig, E; Clarke, B; Yang, I, an; Bowman, R; Fong, K. (2009). Integration of copy number variation and gene expression data identifies candidate genes with concordant changes in gene expression and dosage in asbestos-related lung adenocarcinomas (ARAd). *Cancer Res* 69.
- Wright, CM; Bowman, RV; Tan, ME; Martins, MU; Mclachlan, RE; Passmore, LH; Windsor, MN; Clarke, BE; Duhig, EE; Mahar, AM; Fong, K. (2008). Lung asbestos content in lungs resected for primary lung cancer. *J Thorac Oncol* 3: 569-576. <http://dx.doi.org/10.1097/JTO.0b013e318174e046>.
- Wright, CM; Larsen, JE; Hayward, NK; Martins, MU; Tan, ME; Davidson, MR; Savarimuthu, SM; Mclachlan, RE; Passmore, LH; Windsor, MN; Clarke, BE; Duhig, EE; Yang, IA; Bowman, RV; Fong, KM. (2010). ADAM28: a potential oncogene involved in asbestos-related lung adenocarcinomas. *Genes Chromosomes Cancer* 49: 688-698. <http://dx.doi.org/10.1002/gcc.20779>.
- Wright, CM; Savarimuthu, SMF; Tan, M; Martins, M; Hayward, NK; Yang, I, anA; Bowman, R; Fong, KM. (2011). GENE EXPRESSION PROFILING OF ASBESTOS-RELATED SQUAMOUS CELL CARCINOMAS. *J Thorac Oncol* 6: S683-S684.
- Wright, GW. (1969). Asbestos and Health in 1969 [Review]. *Am Rev Respir Dis* 100: 467-479. <http://dx.doi.org/10.1164/arrd.1969.100.4.467>.
- Wright, GW. (1978). Some Comments on Dose-Response Relationships for Other Malignant Asbestos-Related Diseases (pp. 3-7). (NIOSH/00172128). Wright, GW.
- Wright, GW. (1979). WHAT TO DO ABOUT THE ASBESTOS CURRENTLY IN SHIPS AND INDUSTRY (pp. NEW YORK). (ISSN 0077-8923 EISSN 1749-6632 HEPP/81/07854). Wright, GW.
- Wright, GW. (1991). THE PULMONARY EFFECTS OF INHALED INORGANIC DUST (pp. NEW YORK). (BIOSIS/92/07480). Wright, GW.
- Wright, GW; Kuschner, M. (1975). The influence of varying lengths of glass and asbestos fibres on tissue response in guinea pigs. *Inhaled Particles 4 Pt 2*: 455-474.
- Wright, J; Mcfadden, D; Wiggs, B; Churg, A. (1986). Cigarette smoke increases the penetration of asbestos fibers into airway walls. *Am Rev Respir Dis* 133: A34.
- Wright, J; Wiggs, B; Churg, A. (1991). Pulmonary hypertension induced by amosite asbestos: a physiological and morphologic study in the guinea pig. *Lung* 169: 31-42.
- Wright, JL. (1993). INHALATIONAL LUNG INJURY CAUSING BRONCHIOLITIS. *Clin Chest Med* 14: 635-644.
- Wright, JL; Churg, A. (1984). Morphology of small-airway lesions in patients with asbestos exposure. *Hum Pathol* 15: 68-74.
- Wright, JL; Churg, A. (1985). Severe diffuse small airways abnormalities in long term chrysotile asbestos miners. *Br J Ind Med* 42: 556-559.
- Wright, JL; Filipenko, D; Dahlby, R; Churg, A. (1985). PATHO-PHYSIOLOGICAL RELATIONSHIPS OF ASBESTOS DUST INDUCED AIRFLOW OBSTRUCTION IN THE GUINEA-PIG (pp. 12-15). (BIOSIS/85/16443). Wright, JL; Filipenko, D; Dahlby, R; Churg, A.
- Wright, JL; Tron, V; Filipenko, D; Dahlby, R; Churg, A. (1986). PATHOPHYSIOLOGIC CORRELATIONS IN ASBESTOS-INDUCED AIRWAY DISEASE IN THE GUINEA-PIG. *Exp Lung Res* 11: 307-318.
- Wright, JL; Tron, V; Wiggs, B; Churg, A. (1987). CIGARETTE SMOKE POTENTIATES ASBESTOS-INDUCED AIRFLOW ABNORMALITIES IN THE GUINEA-PIG (pp. 10-13). (BIOSIS/87/24526). Wright, JL; Tron, V; Wiggs, B; Churg, A.
- Wright, JL; Tron, V; Wiggs, B; Churg, A. (1988). Cigarette smoke potentiates asbestos-induced airflow abnormalities. *Exp Lung Res* 14: 537-548.
- Wright, JL; Wiggs, B; Churg, A. (1991). PULMONARY HYPERTENSION IN THE GUINEA-PIG INDUCED BY AMOSITE ASBESTOS (pp. 12-15). (BIOSIS/91/21163). Wright, JL; Wiggs, B; Churg, A.
- Wright, PH. (1993). OCCUPATIONAL LUNG-DISEASES OTHER THAN ASTHMA. *Postgrad Med J* 69: 129-135.
- Wright, PH; Hanson, A; Kreel, L; Capel, LH. (1980). Respiratory function changes after asbestos pleurisy. *Thorax* 35: 31-36.
- Wright, RS; Abraham, JL; Harber, P; Burnett, BR; Morris, P; West, P. (2002). Fatal asbestosis 50 years after brief high intensity exposure in a vermiculite expansion plant. *Am J Respir Crit Care Med* 165: 1145-1149. <http://dx.doi.org/10.1164/rccm.2110034>.
- Wright, WE; Sherwin, RP. (1984). Histological types of malignant mesothelioma and asbestos exposure. *Br J Ind Med* 41: 514-517.
- Wright, WE; Sherwin, RP; Dickson, EA; Bernstein, L; Fromm, JB; Henderson, BE. (1984). Malignant mesothelioma: incidence, asbestos exposure, and reclassification of histopathology. *Br J Ind Med* 41: 39-45.

Human Health Hazard Literature Search Results

On Topic

- Wrzaszczyk, B; Owczarek, H. (1996). [Relationship between the physicochemical properties of asbestos and pulmonary fibrosis] [Review]. *Med Pr* 47: 401-409.
- Wu, D; Hiroshima, K; Sakai, F; Kishimoto, T; Yusa, T; Onishi, K; Usami, I; Morikawa, T. (2011). Pathological and Radiographic Evaluation of Asbestos Exposure. *Lab Invest* 91: 428A-428A.
- Wu, FY; Nakamura, K; Aizawa, M; Hasegawa, T. (1988). [On the analysis of actual state of contamination with asbestos in the autopsy cases in Hokkaido]. *Hokkaido Igaku Zasshi* 63: 562-566.
- Wu, J; Liu, W; Koenig, K; Idell, S; Broaddus, VC. (2000). Vitronectin adsorption to chrysotile asbestos increases fiber phagocytosis and toxicity for mesothelial cells. *Am J Physiol Lung Cell Mol Physiol* 279: L916-L923.
- Wu, M; Gordon, RE; Herbert, R; Padilla, M; Moline, J; Mendelson, D; Little, V; Travis, WD; Gil, J. (2010). Case report: Lung disease in World Trade Center responders exposed to dust and smoke: carbon nanotubes found in the lungs of World Trade Center patients and dust samples. *Environ Health Perspect* 118: 499-504. <http://dx.doi.org/10.1289/ehp.0901159>.
- Wu, ML; Layne, MD; Yet, SF. (2012). Heme oxygenase-1 in environmental toxin-induced lung disease [Review]. *Toxicol Mech Meth* 22: 323-329. <http://dx.doi.org/10.3109/15376516.2012.666685>.
- Wu, P; Hyodoh, F; Hatayama, T; Sakaguchi, H; Hatada, S; Miura, Y; Takata-Tomokuni, A; Katsuyama, H; Otsuki, T. (2005). Induction of CD69 antigen expression in peripheral blood mononuclear cells on exposure to silica, but not by asbestos/chrysotile-A. *Immunol Lett* 98: 145-152. <http://dx.doi.org/10.1016/j.imlet.2004.11.005>.
- Wu, W. (1988). Occupational cancer epidemiology in the People's Republic of China. *J Occup Med* 30: 968-974. <http://dx.doi.org/10.1097/00043764-198812000-00017>.
- Wu, WD; Liu, SJ; Yin, H. (1994). [Effects of chrysotile on the conformation of membrane protein and the antagonistic action of aluminum citrate]. *Zhonghua Yufang Yixue Zazhi* 28: 347-349.
- Wu, WD; Liu, SJ; Yin, H. (1994). [Studies on generation and inhibition of active oxygen in alveolar macrophage by chrysotile and aluminum citrate]. *Zhonghua Yufang Yixue Zazhi* 28: 272-274.
- Wu, WT; Lin, YJ; Li, CY; Tsai, PJ; Yang, CY; Liou, SH; Wu, TN. (2015). Cancer Attributable to Asbestos Exposure in Shipbreaking Workers: A Matched-Cohort Study. *PLoS ONE* 10: e0133128. <http://dx.doi.org/10.1371/journal.pone.0133128>.
- Wu, WT; Lin, YJ; Shiue, HS; Li, CY; Tsai, PJ; Yang, CY; Liou, SH; Wu, TN. (2014). Cancer incidence of Taiwanese shipbreaking workers who have been potentially exposed to asbestos. *Environ Res* 132: 370-378. <http://dx.doi.org/10.1016/j.envres.2014.04.026>.
- Wu, WT; Lu, YH; Lin, YJ; Yang, YH; Shiue, HS; Hsu, JH; Li, CY; Yang, CY; Liou, SH; Wu, TN. (2013). Mortality among shipbreaking workers in Taiwan—a retrospective cohort study from 1985 to 2008. *Am J Ind Med* 56: 701-708. <http://dx.doi.org/10.1002/ajim.22135>.
- Wünsch-Filho, V; Moncau, JE; Mirabelli, D; Boffetta, P. (1998). Occupational risk factors of lung cancer in São Paulo, Brazil. *Scand J Work Environ Health* 24: 118-124.
- Wydler, M; Maier, P; Zbinden, G. (1985). STIMULATION OF LIPID PEROXIDATION BY ASBESTOS (pp. 28-29). (BIOSIS/86/02105). Wydler, M; Maier, P; Zbinden, G.
- Wydler, M; Maier, P; Zbinden, G. (1988). Differential cytotoxic, growth-inhibiting and lipid-peroxidative activities of four different asbestos fibres in vitro. *Toxicol In Vitro* 2: 297-302.
- Wylie, AG. (1988). Relationship between the Growth Habit of Asbestos and the Dimensions of Asbestos Fibers (pp. 1036-1040). (NIOSH/00184173). Wylie, AG.
- Wylie, AG; Bailey, KF; Kelse, JW; Lee, RJ. (1993). The importance of width in asbestos fiber carcinogenicity and its implications for public policy [Review]. *Am Ind Hyg Assoc J* 54: 239-252. <http://dx.doi.org/10.1080/15298669391354621>.
- Wylie, AG; Skinner, HCW; Marsh, J; Snyder, H; Garziona, C; Hodgkinson, D; Winters, R; Mossman, BT. (1997). Mineralogical features associated with cytotoxic and proliferative effects of fibrous talc and asbestos on rodent tracheal epithelial and pleural mesothelial cells. *Toxicol Appl Pharmacol* 147: 143-150. <http://dx.doi.org/10.1006/taap.1997.8276>.
- Wylie, P; Neugut, AI; Huebner, W; Brandt-Rauf, PW. (1987). Occupational Cancers of the Digestive System. *Seminars in Occupational Medicine* 2: 291-309.
- Wyss, V. (1953). [Presence of asbestos crystals in urine of workers exposed to asbestos]. 22: 55-56.
- Xaubet, A; Rodriguez-Roisin, R; Bombi, JA; Marín, A; Roca, J; Agustí-Vidal, A. (1986). Correlation of bronchoalveolar lavage and clinical and functional findings in asbestosis. *Am Rev Respir Dis* 133: 848-854.
- Xia, Z; Ke, F. (1993). In vitro effect of alveolar macrophages of dust-exposed rabbit on lung fibroblasts (V79) (pp. 87-91). (BIOSIS/93/17104). Xia, Z; Ke, F.
- Xie, C; Reusse, A; Dai, J; Zay, K; Harnett, J; Churg, A. (2000). TNF-alpha increases tracheal epithelial asbestos and fiberglass binding via a NF-kappa B-dependent mechanism. *Am J Physiol Lung Cell Mol Physiol* 279: L608-L614.
- Xipell, JM; Bhathal, PS. (1969). Asbestos bodies in lungs: an Australian report. *Pathology* 1: 327-330.
- Xu, A; Huang, X; Lien, YC; Bao, L; Yu, Z; Hei, TK. (2007). Genotoxic mechanisms of asbestos fibers: role of extranuclear targets. *Chem Res Toxicol* 20: 724-733. <http://dx.doi.org/10.1021/tx600364d>.
- Xu, A; Smilenov, LB; He, P; Masumura, K; Nohmi, T; Yu, Z; Hei, TK. (2007). New insight into intrachromosomal deletions induced by chrysotile in the gpt delta transgenic mutation assay. *Environ Health Perspect* 115: 87-92. <http://dx.doi.org/10.1289/ehp.9425>.
- Xu, A; Wu, LJ; Santella, RM; Hei, TK. (1999). Role of oxyradicals in mutagenicity and DNA damage induced by crocidolite asbestos in mammalian cells. *Cancer Res* 59: 5922-5926.
- Xu, A; Wu, LJ; Tk, H; Yu, ZL. (2004). [CD59 mutation and DNA oxidative damage in A(L) cells induced by crocidolite fibers]. *Zhonghua Lao Dong Wei Sheng Zhi Ye Bing Za Zhi* 22: 43-46.

Human Health Hazard Literature Search Results

On Topic

- Xu, A; Yu, ZL; Hei, TK. (2003). Role of ROS/RNS in the mutagenicity of crocidolite asbestos in human-hamster hybrid (AL) cells. *Toxicology* 191: 21-21.
- Xu, A; Zhou, H; Yu, DZ; Hei, TK. (2002). Mechanisms of the genotoxicity of crocidolite asbestos in mammalian cells: implication from mutation patterns induced by reactive oxygen species. *Environ Health Perspect* 110: 1003-1008.
- Xu, B; Ferris, M; Guenther, J; Wang, Y; Shan, B; Morris, G; Sullivan, D. (2011). PROLIFERATION OF BRONCHIOALVEOLAR STEM CELLS (BASCS) DURING LUNG EPITHELIUM REPAIR AFTER INHALED ASBESTOS. *J Investig Med* 59: 528-529.
- Xu, H; Lu, H; Yang, Y. (2015). [Asbestos exposure workers alveolar protein deposition disease]. *Zhonghua Lao Dong Wei Sheng Zhi Ye Bing Za Zhi* 33: 222-223.
- Xu, J; Alexander, DB; Iigo, M; Hamano, H; Takahashi, S; Yokoyama, T; Kato, M; Usami, I; Tokuyama, T; Tsutsumi, M; Tamura, M; Oguri, T; Niimi, A; Hayashi, Y; Yokoyama, Y; Tonegawa, K; Fukamachi, K; Futakuchi, M; Sakai, Y; Suzui, M; Kamijima, M; Hisanaga, N; Omori, T; Nakae, D; Hirose, A; Kanno, J; Tsuda, H. (2015). Chemokine (C-C motif) ligand 3 detection in the serum of persons exposed to asbestos: A patient-based study. *Cancer Sci* 106: 825-832. <http://dx.doi.org/10.1111/cas.12687>.
- Xu, J; Futakuchi, M; Shimizu, H; Alexander, DB; Yanagihara, K; Fukamachi, K; Suzui, M; Kanno, J; Hirose, A; Ogata, A; Sakamoto, Y; Nakae, D; Omori, T; Tsuda, H. (2012). Multi-walled carbon nanotubes translocate into the pleural cavity and induce visceral mesothelial proliferation in rats. *Cancer Sci* 103: 2045-2050. <http://dx.doi.org/10.1111/cas.12005>.
- Xu, J; Kadariya, Y; Cheung, M; Pei, J; Talarckek, J; Sementino, E; Tan, Y; Menges, CW; Cai, KQ; Litwin, S; Peng, H; Karar, J; Rauscher, FJ; Testa, JR. (2014). Germline mutation of Bap1 accelerates development of asbestos-induced malignant mesothelioma. *Cancer Res* 74: 4388-4397. <http://dx.doi.org/10.1158/0008-5472.CAN-14-1328>.
- Xu, L; Flynn, BJ; Ungar, S; Pass, HI; Linnainmaa, K; Mattson, K; Gerwin, BI. (1999). Asbestos induction of extended lifespan in normal human mesothelial cells: interindividual susceptibility and SV40 T antigen. *Carcinogenesis* 20: 773-783.
- Xu, M; Liu, BC; Zhang, XM; Shi, XL; He, P; You, BR; Kang, N. (2004). [Role of telomerase in chrysotile induced malignant transformation of normal human embryonic lung fibroblasts]. *Zhonghua Yufang Yixue Zazhi* 38: 167-171.
- Xu, X; Kelsey, KT; Wiencke, JK; Wain, JC; Christiani, DC. (1996). Cytochrome P450 CYP1A1 MspI polymorphism and lung cancer susceptibility. *Cancer Epidemiol Biomarkers Prev* 5: 687-692.
- Xu, Z; Armstrong, BK; Blundson, BJ; Rogers, JM; Musk, AW; Shilkin, KB. (1985). Trends in mortality from malignant mesothelioma of the pleura, and production and use of asbestos in Australia. *Med J Aust* 143: 185-187.
- Xu, Z; Brown, LM; Pan, GW; Liu, TF; Gao, GS; Stone, BJ; Cao, RM; Guan, DX; Sheng, JH; Yan, ZS; Dosemeci, M; Fraumeni, JF; Blot, WJ. (1996). Cancer risks among iron and steel workers in Anshan, China, Part II: Case-control studies of lung and stomach cancer. *Am J Ind Med* 30: 7-15. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199607\)30:1<7::AID-AJIM2>3.0.CO;2-#](http://dx.doi.org/10.1002/(SICI)1097-0274(199607)30:1<7::AID-AJIM2>3.0.CO;2-#).
- Xu, Z; Pan, GW; Liu, LM; Brown, LM; Guan, DX; Xiu, Q; Sheng, JH; Stone, BJ; Dosemeci, M; Fraumeni, JF; Blot, WJ. (1996). Cancer risks among iron and steel workers in Anshan, China, Part I: Proportional mortality ratio analysis. *Am J Ind Med* 30: 1-6. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199607\)30:1<1::AID-AJIM1>3.0.CO;2-5](http://dx.doi.org/10.1002/(SICI)1097-0274(199607)30:1<1::AID-AJIM1>3.0.CO;2-5).
- Yabuki, Y; Imamura, M; Hiraga, Y. (1985). HISTOPATHOLOGICAL AND ELECTRON MICROSCOPIC ANALYSIS OF TRANSBRONCHIAL BIOPSED LUNG TISSUES OF 33 WORKERS WITH A LOW LEVEL ASBESTOS EXPOSURE OVER A LONG TIME (pp. 485-502). (BIOSIS/86/03448). Yabuki, Y; Imamura, M; Hiraga, Y.
- Yada, K; Kohyama, N. (2009). Microstructures and biological influence of environmental exposure of asbestos [Review]. *Biomed Mater Eng* 19: 231-239. <http://dx.doi.org/10.3233/BME-2009-0585>.
- Yadav, S; Rahman, Q; Geh, S; Pant, AB. (2006). Modulatory effects of fresh garlic extract on chrysotile asbestos induced genotoxicity: an in vitro study. *Bull Environ Contam Toxicol* 77: 477-483. <http://dx.doi.org/10.1007/s00128-006-1089-5>.
- Yaglov, VV; Ostapovich, EV; AA, D; Loshchilov YU, A. (1986). MORPHOLOGICAL CHARACTERISTICS OF NASAL MUCOSA IN WORKERS EXPOSED TO CHRYSOTILE ASBESTOS DUST. *Vestn Otorinolaringol* 0: 53-57.
- Yaguchi, D; Ichikawa, M; Inoue, N; Kobayashi, D; Matsuura, A; Shizu, M; Imai, N; Watanabe, K. (2015). An Autopsied Case of Malignant Sarcomatoid Pleural Mesothelioma in Which Chest Pain Developed Several Months Earlier without Abnormality on Imaging. *Case Reports in Oncology* 8: 439-446. <http://dx.doi.org/10.1159/000441468>.
- Yajima, M. (1984). [A pathological study on the pulmonary fibrosing process in experimental asbestosis]. *Nippon Ika Daigaku Zasshi* 51: 707-718.
- Yajima, M; Kajita, A; Kim, T; Suzuki, K; Hirohata, Y; Kobayashi, E; Oguro, T. (1976). AN ULTRASTRUCTURAL STUDY OF THE ALVEOLAR CELL WALL INDUCED BY EXPERIMENTAL ASBESTOSIS (pp. 439-440). (HEEP/79/03088). Yajima, M; Kajita, A; Kim, T; Suzuki, K; Hirohata, Y; Kobayashi, E; Oguro, T.
- Yamada, H; Hashimoto, H; Akiyama, M; Kawabata, Y; Iwai, K. (1997). Talc and amosite/crocidolite preferentially deposited in the lungs of nonoccupational female lung cancer cases in urban areas of Japan. *Environ Health Perspect* 105: 504-508.
- Yamada, S. (1986). *Current Topics for Occupational and Environmental Medicine and Physiology in the U.S.A. With Special Reference to Occupational Lung Diseases* (pp. 239-249). (ISSN 0387-821X NIOSH/00175466). Yamada, S.
- Yamada, Y; Ishizaki, M; Kido, T; Honda, T; Tsuruya, I; Nogawa, K. (1989). PLEURAL FATTENING OBSERVED AMONG WORKERS HANDLING ASBESTOS. (BIOSIS/90/05039). Yamada, Y; Ishizaki, M; Kido, T; Honda, T; Tsuruya, I; Nogawa, K.
- Yamada, Y; Kido, T; Ishizaki, M; Kobayashi, K. (1990). Pleural thickening presumably caused by asbestos exposure on the chest X-ray film of sake brewers - Part II. The relationship between the duration of work for breweries and prevalence of pleural thickening. *17: 43-47*.
- Yamagishi, T; Fujimoto, N; Nishi, H; Miyamoto, Y; Hara, N; Asano, M; Fuchimoto, Y; Wada, S; Kitamura, K; Ozaki, S; Kishimoto, T. (2015). Prognostic significance of the lymphocyte-to-monocyte ratio in patients with malignant pleural mesothelioma. *Lung Cancer* 90: 111-117. <http://dx.doi.org/10.1016/j.lungcan.2015.07.014>.

Human Health Hazard Literature Search Results

On Topic

- Yamaguchi, A; Fujitani, T; Ohyama, K; Nakae, D; Hirose, A; Nishimura, T; Ogata, A. (2012). Effects of sustained stimulation with multi-wall carbon nanotubes on immune and inflammatory responses in mice. *J Toxicol Sci* 37: 177-189.
- Yamaguchi, M. (1996). Activation of human lymphocytes by a silica compound with superantigen-like action. *Kawasaki Igakkai Shi* 22: 73-79.
- Yamaguchi, N; Kido, M; Hoshuyama, T; Manabe, H; Kikuchi, Y; Nishio, T; Ohshima, LH; Watanabe, S. (1992). A case-control study on occupational lung cancer risks in an industrialized city of Japan. *Jpn J Cancer Res* 83: 134-140.
- Yamaguchi, R; Hirano, T; Ootsuyama, Y; Asami, S; Tsurudome, Y; Fukada, S; Yamato, H; Tsuda, T; Tanaka, I; Kasai, H. (1997). INCREASED 8-HYDROXYGUANINE IN DNA AND ITS REPAIR ACTIVITY IN HAMSTER AND RAT LUNGS AFTER INTRATRACHEAL INSTILLATION OF CROCIDOLITE ASBESTOS AND GLASS FIBER A NEW APPROACH TO THE ASSESSMENT OF MAN-MADE-MINERAL FIBER CARCINOGENICITY (pp. 12-16). (BIOSIS/97/16359). Yamaguchi, R; Hirano, T; Ootsuyama, Y; Asami, S; Tsurudome, Y; Fukada, S; Yamato, H; Tsuda, T; Tanaka, I; Kasai, H.
- Yamaguchi, R; Hirano, T; Ootsuyama, Y; Asami, S; Tsurudome, Y; Fukada, S; Yamato, H; Tsuda, T; Tanaka, I; Kasai, H. (1999). Increased 8-hydroxyguanine in DNA and its repair activity in hamster and rat lung after intratracheal instillation of crocidolite asbestos. *Jpn J Cancer Res* 90: 505-509.
- Yamamoto, H; Kishimoto, T; Aoyama, H. (2000). [A case of asbestos induced lung cancer in a thermal power plant]. *Sangyo Eiseigaku Zasshi* 42: 102-103.
- Yamamoto, S. (1997). Histopathological features of pulmonary asbestosis with particular emphasis on the comparison with those of usual interstitial pneumonia. *Osaka City Med J* 43: 225-242.
- Yamamoto, S; Yokoyama, K; Kusaka, Y. (1989). [An autopsy case of pulmonary asbestosis with synchronous multiprimary lung cancers, early gastric cancer and atypical mycobacteriosis]. *Nihon Kyobu Shikkan Gakkai Zasshi* 27: 724-729.
- Yamasaki, H. (1988). MULTISTAGE CARCINOGENESIS IMPLICATIONS FOR RISK ESTIMATION. *Cancer Metastasis Rev* 7: 5-18.
- Yamasaki, H; Wilbourn, JD; Haroun, L. (1982). USE OF DATA FROM SHORT-TERM TESTS IN THE EVALUATION OF THE CARCINOGENICITY OF ENVIRONMENTAL CHEMICALS TO HUMANS (pp. NEW YORK). (HEEP/84/06441). Yamasaki, H; Wilbourn, JD; Haroun, L.
- Yamashita, K; Nagai, H; Toyokuni, S. (2015). Receptor role of the annexin A2 in the mesothelial endocytosis of crocidolite fibers. *Lab Invest* 95: 749-764. <http://dx.doi.org/10.1038/labinvest.2015.28>.
- Yan, L; Wang, Q; Yin, Y; Zhao, X; Liu, G; Yu, F; Wang, Y; Liu, S. (2002). [The relationship between glutathione S-transferase M1 genotypes and lipid peroxidation in asbestos workers]. *Zhonghua Lao Dong Wei Sheng Zhi Ye Bing Za Zhi* 20: 97-99.
- Yan, TD; Boyer, M; Tin, MM; Wong, D; Kennedy, C; Mclean, J; Bannon, PG; Mccaughan, BC. (2009). Extrapleural pneumonectomy for malignant pleural mesothelioma: outcomes of treatment and prognostic factors. *J Thorac Cardiovasc Surg* 138: 619-624. <http://dx.doi.org/10.1016/j.jtcvs.2008.12.045>.
- Yanagihara, RH; Mclarty, JW. (1986). SERUM BETA-CAROTENE LEVELS AND SPUTUM ATYPIA AMONG ASBESTOS WORKERS AT RISK FOR LUNG-CANCER. *Chest* 89: S538-S538.
- Yang, G; Tan, Y; Liu, X; Luo, S. (1988). ULTRASTRUCTURAL AND IMMUNOHISTOCHEMICAL STUDY OF MESOTHELIOMA INDUCED BY ASBESTOS IN THE RAT (pp. 337-341). (BIOSIS/89/09399). Yang, G; Tan, Y; Liu, X; Luo, S.
- Yang, GH; Tan, YS; Liu, XZ; Luo, SQ. (1988). [Ultrastructural and immunohistochemical study of mesothelioma induced by asbestos in rat]. *Hua Xi Yi Ke Da Xue Xue Bao* 19: 337-341.
- Yang, H; Bocchetta, M; Kroczyńska, B; Elmishad, AG; Chen, Y; Liu, Z; Bubici, C; Mossman, BT; Pass, HI; Testa, JR; Franzoso, G; Carbone, M. (2006). TNF-alpha inhibits asbestos-induced cytotoxicity via a NF-kappaB-dependent pathway, a possible mechanism for asbestos-induced oncogenesis. *Proc Natl Acad Sci USA* 103: 10397-10402. <http://dx.doi.org/10.1073/pnas.0604008103>.
- Yang, H; Nasu, M; Bocchetta, M; Pass, H; Franzoso, G; Lotze, MT; Carbone, M. (2008). Asbestos-induced human mesothelial cell death causes the release of HMGB1 and resultant inflammation. *J Leukoc Biol* 84: A30-A30.
- Yang, H; Nasu, M; Strianese, O; Rivera, Z; Luecke, L; Carbone, M. (2009). The legacy of "miracle mineral": asbestos and cancer. *Hawaii Med J* 68: 18-20.
- Yang, H; Rivera, Z; Jube, S; Nasu, M; Bertino, P; Goparaju, C; Franzoso, G; Lotze, MT; Krausz, T; Pass, HI; Bianchi, ME; Carbone, M. (2010). Programmed necrosis induced by asbestos in human mesothelial cells causes high-mobility group box 1 protein release and resultant inflammation. *Proc Natl Acad Sci USA* 107: 12611-12616. <http://dx.doi.org/10.1073/pnas.1006542107>.
- Yang, HN; Testa, JR; Carbone, M. (2008). Mesothelioma Epidemiology, Carcinogenesis, and Pathogenesis [Review]. *Curr Treat Options Oncol* 9: 147-157. <http://dx.doi.org/10.1007/s11864-008-0067-z>.
- Yang, HY; Shie, RH; Chen, PC. (2013). Carving of non-asbestiform tremolite and the risk of lung cancer: a follow-up mortality study in a historical nephrite processing cohort. *Occup Environ Med* 70: 852-857. <http://dx.doi.org/10.1136/oemed-2013-101404>.
- Yang, HY; Shie, RH; Chen, PC. (2013). Pulmonary fibrosis in workers exposed to non-asbestiform tremolite asbestos minerals. *Epidemiology* 24: 143-149. <http://dx.doi.org/10.1097/EDE.0b013e31826b822d>.
- Yang, HY; Wang, JD; Chen, PC; Lee, JJ. (2010). Pleural plaque related to asbestos mining in Taiwan. *J Formos Med Assoc* 109: 928-933. [http://dx.doi.org/10.1016/S0929-6646\(10\)60142-8](http://dx.doi.org/10.1016/S0929-6646(10)60142-8).
- Yang, J; Luo, S; Liu, X. (1994). [Relationship between effect of sodium selenite on blocking mesothelioma induced by crocidolite and level of serum lipid peroxidation in rats]. *Hua Xi Yi Ke Da Xue Xue Bao* 25: 66-69.
- Yang, LL; Kouri, RE; Curren, RD. (1984). Xeroderma pigmentosum fibroblasts are more sensitive to asbestos fibers than are normal human fibroblasts. *Carcinogenesis* 5: 291-294.
- Yang, M. (2011). A current global view of environmental and occupational cancers. *J Environ Sci Health C Environ Carcinog Ecotoxicol Rev* 29: 223-249. <http://dx.doi.org/10.1080/10590501.2011.601848>.

Human Health Hazard Literature Search Results

On Topic

- Yang, M; Zhao, J; Ku, G; Zhao, X; Fu, B; Zhang, J. (1990). Study of Effect of Different Kind of Short Asbestos on Lung of Rats (pp. 23-26). (NIOSH/00198677). Yang, M; Zhao, J; Ku, G; Zhao, X; Fu, B; Zhang, J.
- Yang, Q; Luo, S; Liu, X; Zhan, C. (1996). [Changes of superoxide dismutase and lipid peroxide in lung tissue of rats after intratracheal injection of crocidolite and benzo(a) pyrene]. *Hua Xi Yi Ke Da Xue Xue Bao* 27: 266-269.
- Yano, E. (1988). Mineral fiber-induced malondialdehyde formation and effects of oxidant scavengers in phagocytic cells. *Int Arch Occup Environ Health* 61: 19-23.
- Yano, E; Shimizu, M; Urano, N; Evans, PH. (1989). MUTAGENICITY OF ASBESTOS AND ERIONITE IN A SALMONELLA TESTER STRAIN OF TA102 (pp. SECAUCUS). (BIOSIS/90/02019). Yano, E; Shimizu, M; Urano, N; Evans, PH.
- Yano, E; Tanaka, K; Funaki, M; Maeda, K; Matsunaga, C; Yamaoka, K. (1993). Effect of smoking on pleural thickening in asbestos workers. *Br J Ind Med* 50: 898-901. <http://dx.doi.org/10.1136/oem.50.10.898>.
- Yano, E; Wang, X; Wang, M; Qiu, H; Wang, Z. (2010). Lung cancer mortality from exposure to chrysotile asbestos and smoking: a case-control study within a cohort in China. *Occup Environ Med* 67: 867-871. <http://dx.doi.org/10.1136/oem.2009.051615>.
- Yano, E; Wang, X; Wang, ZM; Wang, MZ; Lan, YJ. (2011). CANCER MORTALITY AMONG CHRYSOTILE WORKERS. *J Epidemiol Community Health* 65: A315-A315. <http://dx.doi.org/10.1136/jech.2011.142976k.67>.
- Yano, E; Wang, ZM; Wang, XR; Wang, MZ; Lan, YJ. (2001). Cancer mortality among workers exposed to amphibole-free chrysotile asbestos. *Am J Epidemiol* 154: 538-543.
- Yano, E; Wang, ZM; Wang, XR; Wang, MZ; Takata, A; Kohyama, N; Suzuki, Y. (2009). Mesothelioma in a worker who spun chrysotile asbestos at home during childhood. *Am J Ind Med* 52: 282-287. <http://dx.doi.org/10.1002/ajim.20675>.
- Yao, DX; Shia, J; Erlandson, RA; Klimstra, DS. (2004). Lymphohistiocytoid mesothelioma: a clinical, immunohistochemical and ultrastructural study of four cases and literature review. *Ultrastruct Pathol* 28: 213-228. <http://dx.doi.org/10.1080/019131290505176>.
- Yao, S; Dellaventura, G; Petibois, C. (2010). Analytical characterization of cell-asbestos fiber interactions in lung pathogenesis [Review]. *Anal Bioanal Chem* 397: 2079-2089. <http://dx.doi.org/10.1007/s00216-010-3773-x>.
- Yao, S; Seydou, Y; Chen, HH; Harte, E; Ventura, GD; Petibois, C. (2013). The role of asbestos morphology on their cellular toxicity: an in vitro 3D Raman/Rayleigh imaging study. *Anal Bioanal Chem* 405: 8701-8707. <http://dx.doi.org/10.1007/s00216-013-7143-3>.
- Yao, W; Yang, H; Huang, G; Yan, Y; Wang, H; Sun, D. (2015). Massive localized malignant pleural mesothelioma (LMPM): manifestations on computed tomography in 6 cases. *International Journal of Clinical and Experimental Medicine* 8: 18367-18374.
- Yarborough, CM. (2006). Chrysotile as a cause of mesothelioma: An assessment based on epidemiology [Review]. *Crit Rev Toxicol* 36: 165-187. <http://dx.doi.org/10.1080/10408440500534248>.
- Yarborough, CM. (2007). The risk of mesothelioma from exposure to chrysotile asbestos [Review]. *Curr Opin Pulm Med* 13: 334-338. <http://dx.doi.org/10.1097/MCP.0b013e328121446c>.
- Yasuda, M; Hanagiri, T; Shigematsu, Y; Onitsuka, T; Kuroda, K; Baba, T; Mizukami, M; Ichiki, Y; Uramoto, H; Takenoyama, M; Yasumoto, K. (2010). Identification of a tumour associated antigen in lung cancer patients with asbestos exposure. *Anticancer Res* 30: 2631-2639.
- Yasumitsu, A; Tabata, C; Tabata, R; Hirayama, N; Murakami, A; Yamada, S; Terada, T; Iida, S; Tamura, K; Fukuoka, K; Kuribayashi, K; Nakano, T. (2010). Clinical significance of serum vascular endothelial growth factor in malignant pleural mesothelioma. *J Thorac Oncol* 5: 479-483. <http://dx.doi.org/10.1097/JTO.0b013e3181d2f008>.
- Yatera, K; Yoshii, C; Morimoto, Y; Hayashi, T; Imanaga, T; Yamato, H; Kido, M. (2000). [A case of pulmonary fibrosis with many asbestos bodies in bronchoalveolar lavage fluid after exposure to asbestos and man-made mineral fibers] [Review]. *Nihon Kogyaku Gakkai Zasshi* 38: 801-806.
- Yates, DH; Browne, K; Stidolph, PN; Neville, E. (1996). Asbestos-related bilateral diffuse pleural thickening: Natural history of radiographic and lung function abnormalities. *Am J Respir Crit Care Med* 153: 301-306. <http://dx.doi.org/10.1164/ajrccm.153.1.8542134>.
- Yates, DH; Corrin, B; Stidolph, PN; Browne, K. (1997). Malignant mesothelioma in south east England: clinicopathological experience of 272 cases. *Thorax* 52: 507-512.
- Yatsenko, AS; Kogan, FM. (1990). Occupational morbidity and mortality due to malignant neoplasms caused exposure to asbestos molding products. *Gig Tr Prof Zabol* 0: 10-12.
- Yatsenko, AS; Kogan, FM. (1992). MORBIDITY AND TEMPORARY DISABILITY IN ASBESTOS MOLD MANUFACTURE. *Gig Sanit* 0: 7-8.
- Yatsenko, AS; Kogan, FM; Bogdanov, GB; Rauza, ND; Alyamovskii, SI; Miroshnikova, LD; Perelyaeva, LA. (1989). DUST FACTOR IN THE MANUFACTURE OF MOLDED ASBESTOS COMPONENTS. *Gig Tr Prof Zabol* 0: 51-52.
- Yatsenko, AS; Kogan, FM; El'Nichnykh, LN; Malysheva, LG; Remizova, IN. (1993). EXPERIMENTAL EVALUATION OF THE FIBROGENIC EFFECT OF ASBESTOS-CONTAINING DUSTS. *Gig Sanit* 0: 35-38.
- Yatsenko, AS; Kogan, FM; El'Nichnykh, LN; Remizova, II. (1991). COMPARATIVE ASSESSMENT OF THE FIBROGENIC ACTIVITY OF DUST FORMED IN THE PRODUCTION OF MOLD ASBESTOS PARTS. *Gig Sanit* 0: 27-29.
- Yatsenko, AS; Kogan, FM; Tregubov, ES. (1992). COMPARATIVE ONCOGENICITY OF DUSTS IN ASBESTOS PRODUCTION. *Gig Sanit* 0: 11-12.
- Yatsenko, AS; Malysheva, LG; Kogan, FM. (1993). Comparative evaluation of carcinogenic dusts appearing in production of asbestos-containing details. *Med Tr Prom Ekol* 0: 5-6.
- Yazicioglu, S. (1976). Pleural calcification associated with exposure to chrysotile asbestos in southeast Turkey. *Chest* 70: 43-47. <http://dx.doi.org/10.1378/chest.70.1.43>.
- Yazicioglu, S; Ilcayto, R; Balci, K; Ozdemir, N; Yorulmaz, B; Celik, T; Ozeran, Y. (1980). Pleural calcification, pleural mesothelioma and bronchial cancer related to asbestosis (pp. 354-361). (HEEP/81/11718). Yazicioglu, S; Ilcayto, R; Balci, K; Ozdemir, N; Yorulmaz, B; Celik, T; Ozeran, Y.

Human Health Hazard Literature Search Results

On Topic

- Yazicioglu, S; Ilçayto, R; Balci, K; Sayli, BS; Yorulmaz, B. (1980). Pleural calcification, pleural mesotheliomas, and bronchial cancers caused by tremolite dust. *Thorax* 35: 564-569. <http://dx.doi.org/10.1136/thx.35.8.564>.
- Yazicioglu, S; Oktem, K; Ilçayto, R; Balci, K; Sayli, B. (1978). Association between malignant tumors of the lungs and pleurae and asbestosis. A retrospective study. *Chest* 73: 52-56. <http://dx.doi.org/10.1378/chest.73.1.52>.
- Ye, Q; Yang, XL; Yan, YJ. (2016). [Nonmalignant diseases related to asbestos: a clinical update]. *Zhonghua Lao Dong Wei Sheng Zhi Ye Bing Za Zhi* 34: 707-710.
- Yeadon, M. (1995). FREE RADICALS IN LUNG INFLAMMATION AND ENVIRONMENTAL EXPOSURE TO POLLUTANTS (pp. IMMUNOPHARMACOLOGY OF FREE RADICAL SPECIES). (BIOSIS/95/35014). Yeadon, M.
- Yeager, H; Russo, DA; Yañez, M; Gerardi, D; Nolan, RP; Kagan, E; Langer, AM. (1983). Cytotoxicity of a short-fiber chrysotile asbestos for human alveolar macrophages: preliminary observations. *Environ Res* 30: 224-232.
- Yee, HT; Yie, TA; Goldberg, JD; Wong, KMT; Rom, WN. (2008). Immunohistochemical study of fibrosis and adenocarcinoma in dominant-negative p53 transgenic mice exposed to chrysotile asbestos and benzo(a)pyrene. *J Environ Pathol Toxicol Oncol* 27: 267-276. <http://dx.doi.org/10.1615/JEnvironPatholToxicolOncol.v27.i4.30>.
- Yegles, M; Janson, X; Dong, HY; Renier, A; Jaurand, MC. (1995). Role of fibre characteristics on cytotoxicity and induction of anaphase/telophase aberrations in rat pleural mesothelial cells in vitro: correlations with in vivo animal findings. *Carcinogenesis* 16: 2751-2758.
- Yegles, M; Janson, X; Renier, A; Jaurand, MC. (1994). ROLE OF FIBRE PROPERTIES IN THE INDUCTION OF ANAPHASE ABERRATIONS IN RAT PLEURAL MESOTHELIAL CELLS IN VITRO (pp. 16-20). (BIOSIS/94/27359). Yegles, M; Janson, X; Renier, A; Jaurand, MC.
- Yegles, M; Saint-Etienne, L; Renier, A; Janson, X; Jaurand, MC. (1993). Induction of metaphase and anaphase/telophase abnormalities by asbestos fibers in rat pleural mesothelial cells in vitro. *Am J Respir Cell Mol Biol* 9: 186-191. <http://dx.doi.org/10.1165/ajrcmb/9.2.186>.
- Yen, CH; Lee, CT; Su, CJ; Lo, HC. (2012). Malignant mesothelioma of the tunica vaginalis testis: a malignancy associated with recurrent epididymitis? *World Journal of Surgical Oncology* 10: 238. <http://dx.doi.org/10.1186/1477-7819-10-238>.
- Yeo, TP; Hruban, RH; Brody, J; Brune, K; Fitzgerald, S; Yeo, CJ. (2009). Assessment of "gene-environment" interaction in cases of familial and sporadic pancreatic cancer. *13: 1487-1494*. <http://dx.doi.org/10.1007/s11605-009-0923-6>.
- Yesner, R. (1993). PATHOGENESIS AND PATHOLOGY [Review]. *Clin Chest Med* 14: 17-30.
- Yeung, P; Rogers, A. (2001). An occupation-industry matrix analysis of mesothelioma cases in Australia 1980-1985. *Appl Occup Environ Hyg* 16: 40-44. <http://dx.doi.org/10.1080/104732201456113>.
- Yeung, P; Rogers, A; Johnson, A. (1999). Distribution of mesothelioma cases in different occupational groups and industries in Australia, 1979-1995. *Appl Occup Environ Hyg* 14: 759-767. <http://dx.doi.org/10.1080/104732299302189>.
- Yildirim, H; Metintas, M; Entok, E; Ak, G; Ak, I; Dundar, E; Erginel, S. (2009). Clinical value of fluorodeoxyglucose-positron emission tomography/computed tomography in differentiation of malignant mesothelioma from asbestos-related benign pleural disease: an observational pilot study. *J Thorac Oncol* 4: 1480-1484. <http://dx.doi.org/10.1097/JTO.0b013e3181c0a7ff>.
- Yildiz, H; Andreea, SI; Hoton, D; Cyr Yombi, J. (2016). Minimal change disease associated with malignant pleural mesothelioma: case report and review of the literature. *B M J Case Reports* 2016. <http://dx.doi.org/10.1136/bcr-2016-217958>.
- Yilmaz, UM; Utkaner, G; Yalniz, E; Kumcuoglu, Z. (1998). Computed tomographic findings of environmental asbestos-related malignant pleural mesothelioma. *Respirology* 3: 33-38.
- Yin, Q; Brody, AR; Sullivan, DE. (2007). Laser capture microdissection reveals dose-response of gene expression in situ consequent to asbestos exposure. *Int J Exp Pathol* 88: 415-425. <http://dx.doi.org/10.1111/j.1365-2613.2007.00545.x>.
- Yin, Y; Wang, Q; Yan, L; Zhao, X; Bao, G; Zhang, Y; Zhao, H; Chen, Y; Liu, S. (2002). [Effects of exposure to asbestos on plasma activity of glutathione S-transferases]. *Zhonghua Yufang Yixue Zazhi* 36: 320-322.
- Ying, C; Maeda, M; Nishimura, Y; Kumagai-Takei, N; Hayashi, H; Matsuzaki, H; Lee, S; Yoshitome, K; Yamamoto, S; Hatayama, T; Otsuki, T. (2015). Enhancement of regulatory T cell-like suppressive function in MT-2 by long-term and low-dose exposure to asbestos. *Toxicology* 338: 86-94. <http://dx.doi.org/10.1016/j.tox.2015.10.005>.
- Ying, SB; Tong, Y; Jiang, ZQ. (2017). [Molecular mechanisms of HMGB1 extracellular secretion in asbestos-induced malignant mesothelioma]. *Zhonghua Lao Dong Wei Sheng Zhi Ye Bing Za Zhi* 35: 76-78.
- Yokohira, M; Hashimoto, N; Yamakawa, K; Suzuki, S; Saoo, K; Kuno, T; Imaida, K. (2010). Potassium octatitanate fibers (TISMO) induce pleural mesothelial cell reactions with iron accumulation in female A/J mice. *1: 589-594*. http://dx.doi.org/10.3892/ol_00000104.
- Yokosaki, Y; Morimoti, Y; Yamato, H; Kido, M; Tanaka, L; Akiyama, T. (1990). TUMOR NECROSIS FACTOR PRODUCTION BY ALVEOLAR MACROPHAGES STIMULATED BY ASBESTOS AND CERAMIC FIBERS (pp. 20-24). (BIOSIS/90/20762). Yokosaki, Y; Morimoti, Y; Yamato, H; Kido, M; Tanaka, L; Akiyama, T.
- Yokoyama, E. (1992). [Assessment of air pollution health effects on respiratory organs]. *Nippon Eiseigaku Zasshi* 47: 890-900.
- Yoneda, T; Kitamura, H; Narita, N; Mikami, R; Yokoyama, K. (1986). NK cell activity in asbestosis. *Eur J Respir Dis* 68: 64-67.
- Yorifuji, T; Suzuki, E; Tsuda, T; Natori, Y; Matsui, E. (2011). Environmental Exposure to Asbestos and Pleural Plaques Among Retirees in a Factory Without Asbestos Use in H City, Japan. *Epidemiology* 22: S76-S76.
- Yoshida, N; Ikeda, T; Yoshida, T; Sengoku, T; Ogawa, K. (2001). Chrysotile asbestos fibers mediate transformation of *Escherichia coli* by exogenous plasmid DNA. *FEMS Microbiol Lett* 195: 133-137.
- Yoshida, N; Kodama, K; Nakata, K; Yamashita, M; Miwa, T. (2002). *Escherichia coli* cells penetrated by chrysotile fibers are transformed to antibiotic resistance by incorporation of exogenous plasmid DNA. *Appl Microbiol Biotechnol* 60: 461-468. <http://dx.doi.org/10.1007/s00253-002-1148-8>.
- Yoshida, N; Naka, T; Sengoku, T; Ogawa, K. (2001). Toxicity and mutagenesis of chrysotile asbestos to *Agrobacterium radiobacter*. *Curr Microbiol* 42: 398-402. <http://dx.doi.org/10.1007/s002840010236>.

Human Health Hazard Literature Search Results

On Topic

- Yoshida, N; Nakajima-Kambe, T; Matsuki, K; Shigeno, T. (2007). Novel plasmid transformation method mediated by chrysotile, sliding friction, and elastic body exposure. *Analytical Chemistry Insights* 2: 9-15.
- Yoshida, N; Saeki, Y. (2004). Chestnut bur-shaped aggregates of chrysotile particles enable inoculation of *Escherichia coli* cells with plasmid DNA. *Appl Microbiol Biotechnol* 65: 566-575. <http://dx.doi.org/10.1007/s00253-004-1649-8>.
- Yoshida, N; Saeki, Y. (2004). Chrysotile fibers penetrate *Escherichia coli* cell membrane and cause cell bursting by sliding friction force on agar plates. *J Biosci Bioeng* 97: 162-168. [http://dx.doi.org/10.1016/S1389-1723\(04\)70186-3](http://dx.doi.org/10.1016/S1389-1723(04)70186-3).
- Yoshida, R; Ogawa, Y; Shioji, I; Yu, X; Shibata, E; Mori, I; Kubota, H; Kishida, A; Hisanaga, N. (2001). Urinary 8-oxo-7, 8-dihydro-2'-deoxyguanosine and biopyrrins levels among construction workers with asbestos exposure history. *Ind Health* 39: 186-188.
- Yoshida, S. (1997). Involvement of reactive oxygen species in the carcinogenic process after asbestos exposure (pp. 187-200). (BIOSIS/98/13709). Yoshida, S.
- Yoshikawa, Y; Sato, A; Tsujimura, T; Otsuki, T; Fukuoka, K; Hasegawa, S; Nakano, T; Hashimoto-Tamaoki, T. (2015). Biallelic germline and somatic mutations in malignant mesothelioma: Multiple mutations in transcription regulators including mSWI/SNF genes. *Int J Cancer* 136: 560-571. <http://dx.doi.org/10.1002/ijc.29015>.
- Yoshimura, H; Hatakeyama, M; Otsuji, H; Maeda, M; Ohishi, H; Uchida, H; Kasuga, H; Katada, H; Narita, N; Et, AL. (1986). PULMONARY ASBESTOSIS COMPUTED TOMOGRAPHY STUDY OF SUBPLEURAL CURVILINEAR SHADOW WORK IN PROGRESS. *Radiology* 158: 653-658.
- Yoshimura, H; Hatakeyama, M; Otsuji, H; Maeda, M; Ohishi, H; Uchida, H; Kasuga, H; Katada, H; Narita, N; Mikami, R; Konishi, Y. (1986). Pulmonary asbestosis: CT study of subpleural curvilinear shadow. *Work in progress. Radiology* 158: 653-658. <http://dx.doi.org/10.1148/radiology.158.3.3945733>.
- Yoshimura, H; Takemoto, K. (1991). [Effect of cigarette smoking and/or N-bis(2-hydroxypropyl)nitrosamine (DHPN) on the development of lung and pleural tumors in rats induced by administration of asbestos]. *Sangyo Igaku* 33: 81-93.
- Young, B; Frye, C. (1994). Community Environmental Response Facilitation Act (CERFA) Report, Alabama Army Ammunition Plant, Talladega County, Alabama (pp. 120). (NTIS/O2992655_a). Young, B; Frye, C.
- Young, I; West, S; Jackson, J; Cantrell, P. (1981). Prevalence of asbestos related lung disease among employees in non-asbestos industries. *Med J Aust* 1: 464-467.
- Young, JR; Reddy, ER. (1980). Peritoneal mesothelioma. *Clin Radiol* 31: 243-247.
- Younger, WBJ; Mark, EJ. (1987). Case records of the Massachusetts General Hospital. Weekly clinicopathological exercises. Case 4-1987. A 50-year-old man with recurrent pleuro-pulmonary abnormalities. *N Engl J Med* 316: 198-208. <http://dx.doi.org/10.1056/NEJM198701223160407>.
- Younis, WG; Dernaika, TA; Jones, KR; Kinasewitz, GT; Keddissi, JI. (2006). Rounded atelectasis with atypical computed tomography findings. *Respir Care* 51: 761-763.
- Yousem, SA; Hochholzer, L. (1987). Malignant mesotheliomas with osseous and cartilaginous differentiation. *Arch Pathol Lab Med* 111: 62-66.
- Yu, CP; Asgharian, B. (1990). A KINETIC-MODEL OF ALVEOLAR CLEARANCE OF AMOSITE ASBESTOS FIBERS FROM THE RAT LUNG AT HIGH LUNG BURDENS. *J Aerosol Sci* 21: 21-27. [http://dx.doi.org/10.1016/0021-8502\(90\)90019-T](http://dx.doi.org/10.1016/0021-8502(90)90019-T).
- Yu, CP; Asgharian, B. (1993). Mathematical models of fiber deposition in the lung. In DB Warheit (Ed.), (pp. 73-98). San Diego, CA: Academic Press, Inc.
- Yu, CP; Asgharian, B; Abraham, JL. (1990). MATHEMATICAL-MODELING OF ALVEOLAR CLEARANCE OF CHRYSOTILE ASBESTOS FIBERS FROM THE RAT LUNGS. *J Aerosol Sci* 21: 587-594. [http://dx.doi.org/10.1016/0021-8502\(90\)90134-J](http://dx.doi.org/10.1016/0021-8502(90)90134-J).
- Yu, CP; Asgharian, B; Pinkerton, KE. (1991). INTRAPULMONARY DEPOSITION AND RETENTION MODELING OF CHRYSOTILE ASBESTOS FIBERS IN RATS. *J Aerosol Sci* 22: 757-763. [http://dx.doi.org/10.1016/0021-8502\(91\)90068-S](http://dx.doi.org/10.1016/0021-8502(91)90068-S).
- Yu, M; Chen, J; Zhang, X. (2016). [Current investigations on the utilization of soluble mesothelin-related protein in asbestos-exposed population's health surveillance]. *Zhonghua Lao Dong Wei Sheng Zhi Ye Bing Za Zhi* 34: 75-78.
- Yu, M; Lou, J; Xia, H; Zhang, M; Zhang, Y; Chen, J; Zhang, X; Ying, S; Zhu, L; Liu, L; Jia, G. (2017). Global DNA hypomethylation has no impact on lung function or serum inflammatory and fibrosis cytokines in asbestos-exposed population. *Int Arch Occup Environ Health*. <http://dx.doi.org/10.1007/s00420-017-1195-1>.
- Yu, M; Zhang, Y; Jiang, Z; Chen, J; Liu, L; Lou, J; Zhang, X. (2015). Mesothelin (MSLN) methylation and soluble mesothelin-related protein levels in a Chinese asbestos-exposed population. *Environ Health Prev Med* 20: 369-378. <http://dx.doi.org/10.1007/s12199-015-0477-z>.
- Yu, P. (2015). SYSTOLIC BLOOD PRESSURE AMONGST ELECTRICITY DISTRIBUTION WORKERS UNDERTAKING ASBESTOS-RISK WORK, PARTICIPATING IN THE LUNG BUS PROGRAMME SINCE 2011. *Intern Med J* 45: 24-24.
- Yu, XP; Zhang, HB. (1984). [Thoracic radiological study of asbestos workers]. *Zhonghua Yufang Yixue Zazhi* 18: 42-44.
- Yuan, BZ; Chapman, JA; Reynolds, SH. (2008). Proteasome Inhibitor MG132 Induces Apoptosis and Inhibits Invasion of Human Malignant Pleural Mesothelioma Cells. *Translational Oncology* 1: 129-140. <http://dx.doi.org/10.1593/tlo.08133>.
- Yuan, Z; Taatjes, DJ; Mossman, BT; Heintz, NH. (2004). The duration of nuclear extracellular signal-regulated kinase 1 and 2 signaling during cell cycle reentry distinguishes proliferation from apoptosis in response to asbestos. *Cancer Res* 64: 6530-6536. <http://dx.doi.org/10.1158/0008-5472.CAN-04-0946>.
- Yuan, ZQ; Heintz, NH. (2002). Redox dependant cell cycle arrest by asbestos and reactive nitrogen species. *Free Radic Biol Med* 33: S407-S407.
- Yung, RC; Sheppard, D; Boylan, AM; Broaddus, VC. (1992). DETECTION OF MESSAGE FOR INTERLEUKIN-8 IN ASBESTOS STIMULATED RABBIT PLEURAL MESOTHELIAL CELLS BY IN-SITU HYBRIDIZATION (pp. 17-20). (BIOSIS/92/19449). Yung, RC; Sheppard, D; Boylan, AM; Broaddus, VC.

Human Health Hazard Literature Search Results

On Topic

- YUN-GANG, L; YU-QING, L; Chou, GU; WEN-ZHEN, P; SHOU-QI, L; QI-NAN, D; CHENG-LIE, Z. (1996). Malignant transformation induced by crocidolite in BALB/c-3T3 cells (pp. 298-301). (BIOSIS/97/03127). Liu YUN-GANG; Liu YU-QING; Chou, GU; Peng WEN-ZHEN; Li SHOU-QI; Dong QI-NAN; Zhan CHENG-LIE.
- YUN-GANG, L; YU-QING, L; Zhou, GU; WEN-ZHEN, P; Wang, Y; SHOU-QI, L; QI-NAN, D; CHENG-LIE, Z. (1997). Induction of micronuclei and multinuclei in vitro by crocidolite (pp. 63-66). (BIOSIS/97/11741). Liu YUN-GANG; Liu YU-QING; Zhou, GU; Peng WEN-ZHEN; Wang, Y; Li SHOU-QI; Dong QI-NAN; Zhan CHENG-LIE.
- Yusa, T; Hiroshima, K; Sakai, F; Kishimoto, T; Ohnishi, K; Usami, I; Morikawa, T; Wu, D; Itoi, K; Okamoto, K; Shinohara, Y; Kohyama, N; Morinaga, K. (2015). Significant relationship between the extent of pleural plaques and pulmonary asbestos body concentration in lung cancer patients with occupational asbestos exposure. *Am J Ind Med* 58: 444-455. <http://dx.doi.org/10.1002/ajim.22430>.
- Zabbatino, SM; Nicewicz, JT; Murphy D, MF. (1988). THE EFFECT OF BRONCHITIS ON PULMONARY FUNCTION IN ASBESTOS-EXPOSED RAILROAD WORKERS (pp. 8-11). (BIOSIS/88/23647). Zabbatino, SM; Nicewicz, JT; Murphy D, MF.
- Zaebst, DD; Seel, EA; Yiin, JH; Nowlin, SJ; Chen, P. (2009). Summary of retrospective asbestos and welding fume exposure estimates for a nuclear naval shipyard and their correlation with radiation exposure estimates. *J Occup Environ Hyg* 6: 404-414. <http://dx.doi.org/10.1080/15459620902922573>.
- Zagraniski, RT; Kelsey, JL; Walter, SD. (1986). Occupational Risk Factors for Laryngeal Carcinoma: Connecticut, 1975-1980. *Am J Epidemiol* 124 No: 67-76.
- Zahm, SH; Devesa, SS. (1995). CHILDHOOD CANCER OVERVIEW OF INCIDENCE TRENDS AND ENVIRONMENTAL CARCINOGENS. *Environ Health Perspect* 103: 177-184.
- Zahorski, W. (1973). Effect of work environment on the condition of the respiratory system. *Pol Arch Med Wewn* 50: 903-908.
- Zaidi, SH. (1974). Ingestion of asbestos. *Environ Health Perspect* 9: 239-240.
- Zaidi, SH; Gupta, GS; Rahman, Q; Kaw, JL; Shanker, R. (1976). Early response of gastric mucosa to ingested asbestos dust and the dissolution of nickel. *Environ Res* 12: 139-143.
- Zaidi, SH; Shanker, R; Dogra R, KS. (1973). Experimental infective pneumoconiosis: Effect of asbestos dust and *Candida albicans* infection on the lungs of Rhesus monkeys. *Environ Res* 6: 274-286.
- Zaina, S; Mastrangelo, G; Ballarin, MN; Scozzato, L; Carradori, G; Fedeli, U; Capella, S; Belluso, E. (2014). Urinary asbestos fibers and inorganic particles in past asbestos workers. *Arch Environ Occup Health* 71: 1-7. <http://dx.doi.org/10.1080/19338244.2014.988675>.
- Zalay, Z; Nemeth, L; Sugar, J. (1992). Screening and pathological diagnosis of asbestosis and mesothelioma: a review [Review]. *J Environ Pathol Toxicol Oncol* 11: 317-321.
- Zalma, R; Bonneau, L; Guignard, J; Pezerat, H; M-C, J. (1987). FORMATION OF OXY RADICALS BY OXYGEN REDUCTION ARISING FROM THE SURFACE ACTIVITY OF ASBESTOS. *Can J Chem* 65: 2338-2341.
- Zalma, R; Guignard, J; Copin, E; Pezerat, H. (1986). STUDIES ON SURFACE PROPERTIES OF ASBESTOS IV. CATALYTIC ROLE OF ASBESTOS IN FLUORENE OXIDATION. *Environ Res* 41: 296-301.
- Zalma, R; Guignard, J; Pezerat, H; Jaurand, MC. (1989). PRODUCTION OF RADICALS ARISING FROM SURFACE ACTIVITY OF FIBROUS MINERALS (pp. SECAUCUS). (BIOSIS/90/02033). Zalma, R; Guignard, J; Pezerat, H; Jaurand, MC.
- Zaloga, G. (1981). Asbestos related diseases: a review. *Mil Med* 146: 413-415, 419.
- Zanardi, F; Salvarani, R; Cooke, RM; Pirastu, R; Baccini, M; Christiani, D; Curti, S; Risi, A; Barbieri, A; Barbieri, G; Mattioli, S; Violante, FS. (2013). Carcinoma of the pharynx and tonsils in an occupational cohort of asphalt workers. *Epidemiology* 24: 100-103. <http://dx.doi.org/10.1097/EDE.0b013e318276cc95>.
- Zanardi, S; Fontana, L. (1971). Possible Relations Between Asbestos and Pleural-Pulmonary Malignancy in Liguria (pp. 6-7). (NIOSH/00012175). Zanardi, S; Fontana, L.
- Zanella, C; Posada, J; Tritton, T; Mossman, B. (1996). Asbestos causes stimulation of the extracellular signal-regulated kinase 1 mitogen-activated protein kinase cascade after phosphorylation of the epidermal growth factor receptor. *Cancer Res* 56: 5334-5338.
- Zanella, C; Timblin, C; Cummins, A; Jung, M; Goldberg, J; Raabe, R; Tritton, T; Mossman, B. (1999). Asbestos-induced phosphorylation of epidermal growth factor receptor is linked to c-fos and apoptosis. *Am J Physiol* 277: L684-L693.
- Zanella, CL; Tritton, TR; Posada, J; Mossman, BT. (1995). INVOLVEMENT OF MITOGEN-ACTIVATED PROTEIN KINASES MAPK IN PROLIFERATIVE RESPONSES TO ASBESTOS (pp. 18-22). (BIOSIS/95/12423). Zanella, CL; Tritton, TR; Posada, J; Mossman, BT.
- Zanker, F; Zellner, M; Busche, J; Wozniowski, J. (2015). Paratesticular mesothelioma. *Urologe A* 54: 394-396. <http://dx.doi.org/10.1007/s00120-014-3586-1>.
- Zapp, JA, JR. (1977). An acceptable level of exposure. *Am Ind Hyg Assoc J* 38: 425-431.
- Zappa, M; Paci, E; Costantini, AS. (1992). LUNG CANCER AND TEXTILE EXPOSURE IN PRATO AREA ITALY A CASE-REFERENCE STUDY (pp. 10-12). (BIOSIS/92/28795). Zappa, M; Paci, E; Costantini, AS.
- Zappa, M; Paci, E; Seniori Costantini, A; Kriebel, D. (1993). Lung cancer among textile workers in the Prato area of Italy. *Scand J Work Environ Health* 19: 16-20.
- Zarogoulidis, P; Mavroudi, M; Porpodis, K; Domvri, K; Sakkas, A; Machairiotis, N; Stylianaki, A; Tsiotsios, A; Courcotsakis, N; Zarogoulidis, K. (2012). Pegylated liposomal doxorubicin in malignant pleural mesothelioma: a possible guardian for long-term survival. *OncoTargets and Therapy* 5: 231-236. <http://dx.doi.org/10.2147/OTT.S36915>.
- Zarogoulidis, P; Orfanidis, M; Constadinidis, TC; Eleutheriadou, E; Kontakiotis, T; Kerenidi, T; Sakkas, L; Courcotsakis, N; Zarogoulidis, K. (2011). A 26-year-old male with mesothelioma due to asbestos exposure. *Case Reports in Medicine* 2011: 951732. <http://dx.doi.org/10.1155/2011/951732>.
- Zavalić, M; Bogadi-Sare, A. (1993). Lung functions and chest radiographs in shipyard workers exposed to asbestos. *Arh Hig Rada Toksikol* 44: 1-8.

Human Health Hazard Literature Search Results

On Topic

- Zedda, S; Aresini, G; Ghezzi, I; Sartorelli, E. (1973). Lung function in relation to radiographic changes in asbestos workers. *Respiration* 30: 132-140. <http://dx.doi.org/10.1159/000193029>.
- Zeedyk, HB. (1973). [Electron microscopic studies of asbestos bodies and asbestos fibers in the lung of a patient with mesothelioma]. *Mikrochim Acta* 977-984.
- Zeedyk, HB. (1974). Investigation of asbestos bodies and asbestos fibers found in the lungs of a mesothelioma patient by electron microscopy. *Mikrochim Acta* 977-984.
- Zeidler, PC; Castranova, V. (2004). Role of nitric oxide in pathological responses of the lung to exposure to environmental/occupational agents [Review]. *Redox Rep* 9: 7-18. <http://dx.doi.org/10.1179/135100004225003879>.
- Zeida, J. (1989). [Nonmalignant pleural disease in asbestos exposed workers] [Review]. 44: 970-972.
- Zeida, J; Ernst, P. (1991). Fissural thickening and exposure to asbestos: occurrence, determinants, and functional impact. *Am J Ind Med* 20: 785-793.
- Zeida, J; Marek, K; Szymczykiwicz, K; Kujawska, A; Romaniec, B. (1989). Validation of clinical criteria for diagnosing asbestosis in asbestos-cement workers. *Pol J Occup Med* 2: 62-75.
- Zeida, JE. (1996). Occupational exposure to dusts containing asbestos and chronic airways disease [Review]. *Int J Occup Med Environ Health* 9: 117-125.
- Zeka, A; Gore, R; Kriebel, D. (2011). The two-stage clonal expansion model in occupational cancer epidemiology: results from three cohort studies. *Occup Environ Med* 68: 618-624. <http://dx.doi.org/10.1136/oem.2009.053983>.
- Zekri, AR; Bahnassy, AA; Mohamed, WS; Hassan, N; Abdel-Rahman, AR; El-Kassem, FA; Gaafar, R. (2007). Evaluation of simian virus-40 as a biological prognostic factor in Egyptian patients with malignant pleural mesothelioma. *Pathol Int* 57: 493-501. <http://dx.doi.org/10.1111/j.1440-1827.2007.02130.x>.
- Zeller, WJ; Schmähl, D. (1985). Etiology of small cell lung carcinoma [Review]. *Recent Results Cancer Res* 97: 1-10.
- Zellos, L; Christiani, DC. (2004). Epidemiology, biologic behavior, and natural history of mesothelioma [Review]. *Thorac Surg Clin* 14: 469-477, viii. <http://dx.doi.org/10.1016/j.thorsurg.2004.06.011>.
- Zeluff, GW; Jenkins, DE; Greenberg, SD. (1976). Asbestos--useful and dangerous. *Heart Lung* 5: 482-484.
- Zeng, L; Zheng, ZR; Li, HY; Tan, JS. (1989). [Pathological study of bronchio-alveolitis induced by xinkang short-fiber chrysotile asbestos in rats]. *Hua Xi Yi Ke Da Xue Xue Bao* 20: 290-294.
- Zerbino, DD; Dmitruk, IM. (1984). [Etiology, pathogenesis and clinico-morphological characteristics of mesotheliomas (a review of the literature)] [Review]. *Vrach Delo* 4-8.
- Zeren, EH; Gümürdülü, D; Roggli, VL; Zorludemir, S; Erkisi, M; Tuncer, I. (2000). Environmental malignant mesothelioma in southern Anatolia: A study of fifty cases. *Environ Health Perspect* 108: 1047-1050.
- Zerva, LV; Constantopoulos, SH; Moutsopoulos, HM. (1989). Humoral immunity alterations after environmental asbestos exposure. *Respiration* 55: 237-241. <http://dx.doi.org/10.1159/000195740>.
- Zhabina, SA. (2009). [Informative value of cardio-pulmonary exertion test in dyspnea diagnosis among asbestos-cement goods production workers]. *Med Tr Prom Ekol* 9-13.
- Zhan, X; Wang, Z; Yang, Q; Wang, M; Liu, Z. (2000). [Effect of chrysotile on nitric oxide production and anti-oxidasic activity in rabbit alveolar macrophages]. *Hua Xi Yi Ke Da Xue Xue Bao* 31: 58-61.
- Zhan, X; Yang, Q; Wang, Z; Wang, M. (2001). [Role of protein kinase in the proliferation of human embryonic pulmonary fibroblasts stimulated by the supernatants of crocidolite-exposed alveolar macrophages]. *Wei Sheng Yan Jiu* 30: 10-13.
- Zhang, H; Yu, WS; Li, GH. (2013). [One case report on malignant pleural mesothelioma by crocidolite]. *Zhonghua Lao Dong Wei Sheng Zhi Ye Bing Za Zhi* 31: 56-57.
- Zhang, J; Sun, C; Yao, Q; Lian, X; Ke, F. (1994). [A study of DNA damage induced by asbestos fibers in vitro]. *Hua Xi Yi Ke Da Xue Xue Bao* 25: 333-336.
- Zhang, M; Zhang, X. (2009). [Progress in research on pathogenesis of asbestos and man-made mineral fiber induced cell apoptosis] [Review]. *Zhonghua Lao Dong Wei Sheng Zhi Ye Bing Za Zhi* 27: 61-63.
- Zhang, M; Zhu, LJ; Jia, ZY; Xiao, Y; Ju, L; Zhang, X. (2009). [Chrysotile fibers induced apoptosis of human bronchial epithelial cells and effect of oxidation]. *Zhonghua Lao Dong Wei Sheng Zhi Ye Bing Za Zhi* 27: 11-15.
- Zhang, P. (1988). [Pathological investigation of asbestosis complicated by mesothelioma: report of 4 cases]. *Zhonghua Bing Li Xue Za Zhi* 17: 182-184.
- Zhang, T; Lv, L; Huang, Y; Ren, X; Shi, Q. (2016). Chromosome nondisjunction during bipolar mitoses of binucleated intermediates promote aneuploidy formation along with multipolar mitoses rather than chromosome loss in micronuclei induced by asbestos. *Onct*. <http://dx.doi.org/10.18632/oncotarget.14212>.
- Zhang, Y; Afify, A; Gandour-Edwards, RF; Bishop, JW; Huang, EC. (2016). Small cell mesothelioma: A rare entity and diagnostic pitfall mimicking small cell lung carcinoma on fine-needle aspiration. *Diagn Cytopathol* 44: 526-529. <http://dx.doi.org/10.1002/dc.23460>.
- Zhang, Y; Lee, TC; Guillemin, B; M-C, Y; Rom, WN. (1992). ENHANCED EXPRESSION OF INTERLEUKIN-1-BETA AND TUMOR NECROSIS FACTOR-ALPHA GENES IN MACROPHAGES FROM IDIOPATHIC PULMONARY FIBROSIS OR FOLLOWING ASBESTOS-EXPOSURE AND ACCUMULATION OF EXTRACELLULAR MATRIX (pp. 17-20). (BIOSIS/92/22158). Zhang, Y; Lee, TC; Guillemin, B; Yu M-C; Rom, WN.
- Zhang, Y; Lee, TC; Guillemin, B; Yu, MC; Rom, WN. (1993). Enhanced IL-1"beta" and tumor necrosis factor-"alpha" release and messenger RNA expression in macrophages from idiopathic pulmonary fibrosis or after asbestos exposure. *J Immunol* 150: 4188-4196.
- Zhang, Y; Lu, Y; Yuan, BZ; Castranova, V; Shi, X; Stauffer, JL; Demers, LM; Chen, F. (2005). The Human mineral dust-induced gene, mdig, is a cell growth regulating gene associated with lung cancer. *Oncogene* 24: 4873-4882. <http://dx.doi.org/10.1038/sj.onc.1208668>.

Human Health Hazard Literature Search Results

On Topic

- Zhang, ZF; Vena, JE; Graham, S; Marshall, J; Zielezny, M; Freudenheim, J; Swanson, M; Pollack, D; Begg, C. (1994). OCCUPATIONAL EXPOSURES AND BLADDER CANCER IN WESTERN NEW YORK (pp. 15-18). (BIOSIS/94/27530). Zhang, ZF; Vena, JE; Graham, S; Marshall, J; Zielezny, M; Freudenheim, J; Swanson, M; Pollack, D; Begg, C.
- Zhao, XH; Jia, G; Liu, YQ; Liu, SW; Yan, L; Jin, Y; Liu, N. (2006). Association between polymorphisms of DNA repair gene XRCC1 and DNA damage in asbestos-exposed workers. *Biomed Environ Sci* 19: 232-238.
- Zhao, Y; Tian, N. (1985). Cohort studies of mortality in asbestos workers. 11: 347-349.
- Zhao, YL; Piao, CQ; Hei, TK. (2002). Downregulation of Betaig-h3 gene is causally linked to tumorigenic phenotype in asbestos treated immortalized human bronchial epithelial cells. *Oncogene* 21: 7471-7477. <http://dx.doi.org/10.1038/sj.onc.1205891>.
- Zhao, YL; Piao, CQ; Wu, LJ; Suzuki, M; Hei, TK. (2000). Differentially expressed genes in asbestos-induced tumorigenic human bronchial epithelial cells: implication for mechanism. *Carcinogenesis* 21: 2005-2010.
- Zheng, W; Blot, WJ; Shu, XO; Diamond, EL; Gao, YT; Ji, BT; Fraumeni, JF. (1992). RISK-FACTORS FOR ORAL AND PHARYNGEAL CANCER IN SHANGHAI, WITH EMPHASIS ON DIET. *Cancer Epidemiol Biomarkers Prev* 1: 441-448.
- Zheng, W; Blot, WJ; X-O, S; B-T, J; Y-T, G. (1991). RISK FACTORS FOR LARYNGEAL CANCER AMONG MALES IN SHANGHAI CHINA (pp. 11-14). (BIOSIS/92/05028). Zheng, W; Blot, WJ; Shu X-O; Ji B-T; Gao Y-T.
- Zheng, W; Blot, WJ; X-O, S; Y-T, G; B-T, J; Ziegler, RG; Fraumeni J F, J. R. (1992). Diet and other risk factors for laryngeal cancer in Shanghai, China. *Am J Epidemiol* 136: 178-191.
- Zhetpisbaev, BA; Kashanskiĭ, SV; Il'derbaev, OZ. (2007). [Influence of asbestos dust combination with radiation on activity of enzymes involved into purine nucleotides metabolism in various tissues and organs]. *Med Tr Prom Ekol* 42-45.
- Zhivin, S; Laurier, D; Caër-Lorho, S; Acker, A; Guseva Canu, I. (2013). Impact of chemical exposure on cancer mortality in a French cohort of uranium processing workers. *Am J Ind Med* 56: 1262-1271. <http://dx.doi.org/10.1002/ajim.22231>.
- Zhong, F; Yano, E; Wang, ZM; Wang, MZ; Lan, YJ. (2008). Cancer mortality and asbestosis among workers in an asbestos plant in Chongqing, China. *Biomed Environ Sci* 21: 205-211. [http://dx.doi.org/10.1016/S0895-3988\(08\)60030-6](http://dx.doi.org/10.1016/S0895-3988(08)60030-6).
- Zhou, DL; Lan, YJ; Wang, ZM; Wang, MZ. (2007). [Nested case-control study of chrysotile and lung cancer]. *Zhonghua Lao Dong Wei Sheng Zhi Ye Bing Za Zhi* 25: 323-325.
- Zhou, J; Zhou, L; Yang, J. (1998). [Studies on effects of cytokine released from alveolar macrophage induced by mineral dust on lung fibroblast]. *Zhonghua Yufang Yixue Zazhi* 32: 336-339.
- Zhou, JS. (2008). [A case of asbestos induced malignant mesothelioma]. *Zhonghua Lao Dong Wei Sheng Zhi Ye Bing Za Zhi* 26: 63.
- Zhou, L; Zhou, J; Yang, J. (1999). Effects of cytokines induced by mineral dust on lung fibroblasts in vitro. *J Occup Health* 41: 144-148. <http://dx.doi.org/http://dx.doi.org/10.1539/joh.41.144>.
- Zhu, H. (1990). Dose-Response Relationship between Asbestos Exposure and Incidence of Asbestosis. *Am Rev Respir Dis* 142: 1331-1336.
- Zhu, H; Wang, Z. (1993). Study of occupational lung cancer in asbestos factories in China. *Br J Ind Med* 50: 1039-1042.
- Zhu, H; Yang, G; Wang, F; Pang, D; Zhu, G; Ye, Q; Liu, Q; Wang, L. (1991). Dose-Response Relationship between Asbestos Exposure and Incidence of Asbestosis for Workers (pp. 145-148). (NIOSH/00220756). Zhu, H; Yang, G; Wang, F; Pang, D; Zhu, G; Ye, Q; Liu, Q; Wang, L.
- Zhumabekova, GS; Amanbekova, AU; Ibraeva, LK; Azhimetova, GN. (2014). [Evaluation of induced mutagenesis in workers engaged into chrysotile asbestos production]. *Med Tr Prom Ekol* 18-22.
- Ziegenfus, RC. (1987). Air quality and health. In MR Greenberg (Ed.), (pp. 139-172). New York: The Guilford Press.
- Ziegler, TL; Hyde, JD; Meeker, GP; Sutley, SJ; Lamothe, PJ; Brownfield, IK; Hoefen, TM; Plumlee, GS; Witten, ML. (2004). The Chemical, Physical, And Toxicological Properties Of Amphibole From Libby, MT. *Toxicologist* 78: 214.
- Zielhuis, BL. (1977). Public Health Risks Of Exposure To Asbestos. (NIOSH/00137643). Zielhuis, BL.
- Zielhuis, RL; Versteeg, JP; Planteijdt, HT. (1975). Pleura mesothelioma and exposure to asbestos. A retrospective case-control study in the Netherlands. *Int Arch Occup Environ Health* 36: 1-18.
- Zielhuisen, RL; Versteeg, JP. (1974). [Information on the etiology of occupational diseases]. *Ned Tijdschr Geneesk* 118: 825-828.
- Zitting, A. (2004). Radiographic small lung opacities and pleural abnormalities in relation to occupational asbestos exposure, smoking history and living environment in Finland (pp. EUR 18). (CIS/04/00340). Zitting, A.
- Zitting, AJ; Karjalainen, A; Impivaara, O; Kuusela, T; Mäki, J; Tossavainen, A; Järvisalo, J. (1996). Radiographic small lung opacities and pleural abnormalities in relation to smoking, urbanization status, and occupational asbestos exposure in Finland. *J Occup Environ Med* 38: 602-609.
- Zitting, AJ; Karjalainen, A; Impivaara, O; Tossavainen, A; Kuusela, T; Maki, J; Huuskonen, MS. (1995). Radiographic small lung opacities and pleural abnormalities as a consequence of asbestos exposure in an adult population. *Scand J Work Environ Health* 21: 470-477.
- Zivy, P. (1982). Pulmonary and Pleural Radiology of 6,063 Workers Exposed to Asbestos in an Industrial Environment. (NIOSH/00193233). Zivy, P.
- Zober, A. (1995). Occupational cancer in Europe as it relates to the chemical industry in the 1990's. *Med Lav* 86: 256-259.
- Zocchetti, C. (2015). [In Process Citation]. *Med Lav* 106: 431-446.
- Zöchbauer, S; Krajnik, G; Huber, H. (1994). [Bronchial cancer--development, diagnosis, therapy, prognosis] [Review]. *Wien Klin Wochenschr* 106: 431-447.
- Zoloth, S; Michaels, D. (1985). Asbestos disease in sheet metal workers: the results of a proportional mortality analysis. *Am J Ind Med* 7: 315-321.
- Zona, A; Bruno, C; Agabiti, N; Pizzutelli, G; Forastiere, F. (1998). [Pulmonary CO diffusion and radiological findings in subjects formerly exposed to asbestos cement]. *Med Lav* 89: 47-57.
- Zona, A; Fazzo, L; Binazzi, A; Bruno, C; Corfiati, M; Comba, P; Conti, S; Menegozzo, S; Nicita, C; Pasetto, R; Pirastu, R; Marinaccio, A; SENTIERI-ReNaM, G. (2016). [SENTIERI-ReNaM: Discussion and concluding remarks]. *Epidemiol Prev* 40: 105-108.

Human Health Hazard Literature Search Results

On Topic

- Zona, A; Fazzo, L; Binazzi, A; Bruno, C; Corfiati, M; Marinaccio, A. (2016). [SENTIERI - Epidemiological study of residents in national priority contaminated sites: incidence of mesothelioma]. *Epidemiol Prev* 40: 1-116. <http://dx.doi.org/10.19191/EP16.5S1.P001.097>.
- Zona, A; Fazzo, L; De Santis, M; Bellino, M; Bruno, C; Comba, P. (2010). ASBESTOS-RELATED MORTALITY IN ITALIAN POLLUTED SITES. *Epidemiol Prev* 34: 139-140.
- Zonca, S; Pinton, G; Wang, Z; Soluri, MF; Tavian, D; Griffin, M; Sblattero, D; Moro, L. (2017). Tissue transglutaminase (TG2) enables survival of human malignant pleural mesothelioma cells in hypoxia. *Cell Death & Disease* 8: e2592. <http://dx.doi.org/10.1038/cddis.2017.30>.
- Zone, JJ; Rom, WN. (1985). Circulating immune complexes in asbestos workers. *Environ Res* 37: 383-389.
- Zou, H; Luo, SQ; Yang, CY; Zhang, MB. (2007). Burden of major cancers on years of life lost with premature death in crocidolite-contaminated area in Dayao. *Zhonghua Lao Dong Wei Sheng Zhi Ye Bing Za Zhi* 25: 326-330.
- Zou, S; Wu, Y; Ma, F; Ma, H; Sueng, W; Jiang, Z. (1990). Retrospective Mortality Study of Asbestos Workers in Laiyuan (pp. 23-26). (NIOSH/00198777). Zou, S; Wu, Y; Ma, F; Ma, H; Sueng, W; Jiang, Z.
- Zu, K; Tao, G; Goodman, JE. (2016). Pleural plaques and lung function in the Marysville worker cohort: a re-analysis. *Inhal Toxicol* 28: 514-519. <http://dx.doi.org/10.1080/08958378.2016.1210704>.
- Zurbriggen, R; Capone, L. (2013). [Pulmonary disease due to asbestos in steel industry workers]. *Medicina (B Aires)* 73: 224-230.
- Zwi, AB; Reid, G; Landau, SP; Kielkowski, D; Sitas, F; Becklake, MR. (1989). MESOTHELIOMA IN SOUTH AFRICA 1976-1984 ESTIMATES OF INCIDENCE AND CASE CHARACTERISTICS (pp. 14-17). (BIOSIS/89/20459). Zwi, AB; Reid, G; Landau, SP; Kielkowski, D; Sitas, F; Becklake, MR.
- Zwi, AB; Reid, G; Landau, SP; Kielkowski, D; Sitas, P; Becklake, MR. (1989). Mesothelioma in South Africa, 1976-84: incidence and case characteristics. *Int J Epidemiol* 18: 320-329.

Human Health Hazard Literature Search Results

Off Topic

- Aalto, M; Turakainen, H; Kulonen, E. (1979). Effect of SiO₂-liberated macrophage factor on protein synthesis in connective tissue in vitro. *Scand J Clin Lab Invest* 39: 205-213. <http://dx.doi.org/10.1080/00365517909106095>.
- Aardema, MJ; Albertini, S; Arni, P; Henderson, LM; Kirsch-Volders, M; Mackay, JM; Sarrif, AM; Stringer, DA; Taalman, RDF. (1998). Aneuploidy: A report of an ECETOC task force [Review]. *Mutat Res Rev Mutat Res* 410: 3-79. [http://dx.doi.org/10.1016/S1383-5742\(97\)00029-X](http://dx.doi.org/10.1016/S1383-5742(97)00029-X).
- Abakay, A; Tanrikulu, AC; Kaplan, MA; Kucukoner, M; Abakay, O; Sen, H; Isikdogan, A; Senyigit, A. (2011). Clinical characteristics and treatment outcomes in 132 patients with malignant mesothelioma. *28*: 267-271. <http://dx.doi.org/10.4103/0970-2113.85688>.
- Abdelrahman, M; Dowling, C; O'Connor, K; Mayer, N; Kiely, E. (2012). Malignant mesothelioma of the tunica vaginalis. *2012*: 2. <http://dx.doi.org/10.1093/jscr/2012.5.2>.
- Abe, S; Sasaki, M. (1982). SCE as an index of mutagenesis and/or carcinogenesis. In AA Sandberg (Ed.), *Progress and topics in cytogenetics*, volume 2 (pp. 461-514). New York, NY: Alan R. Liss, Inc.
- Abecassis, JC. (1995). Exposure to asbestos and man-made mineral fibres. Nationwide investigation in the construction and civil engineering sectors. *DMT Documents pour le m and acirc*: 107-112.
- Abell, M. (1989). X-Ray Powder Diffraction (pp. 214-218). (NIOSH/00205582). Abell, M.
- Abell, MT. (1988). Quality Audit Samples and the Asbestos Analyst Registry. *Appl Ind Hyg* 3.
- Abell, MT; Doemeny, LJ. (1991). MONITORING THE PERFORMANCE OF OCCUPATIONAL-HEALTH LABORATORIES. *Am Ind Hyg Assoc J* 52: 336-339.
- Abelson, PH. (1990). The asbestos removal fiasco [Editorial]. *Science* 247: 1017.
- Aberle, DR. (1988). CT Fills Vital Role in Study of Asbestos-Related Disease (pp. 106-111). (NIOSH/00183032). Aberle, DR.
- Aberle, DR. (1989). CURRENT IMAGING OF ASBESTOSIS (pp. 9-15). (BIOSIS/90/21747). Aberle, DR.
- Aberle, DR; Balmes, JR. (1991). Computed tomography of asbestos-related pulmonary parenchymal and pleural diseases [Review]. *Clin Chest Med* 12: 115-131.
- Abraham, JL. (1989). Asbestos in lung cancer [Letter]. *Chest* 96: 701-702.
- Abraham, JL. (2004). When science crosses politics, I: The case of naturally occurring asbestos [Letter]. *J Environ Health* 67: 40-41.
- Abraham, JL; Cohen, KS; Powell, B; Merritt, C. (1988). ANALYSES OF BULK AND AEROSOLIZED ASBESTOS FIBERS FROM CHILDREN'S PLAY SAND REVEAL A POTENTIAL HEALTH HAZARD (pp. 8-11). (BIOSIS/88/21272). Abraham, JL; Cohen, KS; Powell, B; Merritt, C.
- Abrams, HK. (1979). Case Studies in Occupational Health Programs: US-Mexico Border Industrialization Program (pp. 78-95). (NIOSH/00091695). Abrams, HK.
- Accinelli Tanaka, RA; López Oropeza, LM. (2015). Status of the ban on asbestos use in Spain and Latin America [Letter]. *Arch Bronconeumol* 51: 152. <http://dx.doi.org/10.1016/j.arbres.2013.11.005>.
- Aceto, N; Bertino, P; Barbone, D; Tassi, G; Manzo, L; Porta, C; Mutti, L; Gaudino, G. (2009). Taurolidine and oxidative stress: a rationale for local treatment of mesothelioma. *Eur Respir J* 34: 1399-1407. <http://dx.doi.org/10.1183/09031936.00102308>.
- Acheson, ED; Gardner, MJ. (1980). Possible synergism between chrysotile and amphibole asbestos [Letter]. *Lancet* 1: 706.
- acirc; Ery, M; Possoz, C; Kauffer, E. (1997). Occupational exposure of asbestos removal workers. *Cahiers de notes documentaires Hygi and aacute*: 217-224.
- Acton, V. (2014). Preventing pleural mesothelioma in patients with recognizable asbestos-related pleural plaques [Letter]. *J Thorac Cardiovasc Surg* 148: 1763. <http://dx.doi.org/10.1016/j.jtcvs.2014.03.030>.

Human Health Hazard Literature Search Results

Off Topic

- Adachi, S; Takemoto, K; Kimura, K. (1991). Tumorigenicity of fine man-made fibers after intratracheal administrations to hamsters. *Environ Res* 54: 52-73.
- Adamcakova-Dodd, A; Stebounova, LV; O'Shaughnessy, PT; Kim, JS; Grassian, VH; Thorne, PS. (2012). Murine pulmonary responses after sub-chronic exposure to aluminum oxide-based nanowhiskers. *Part Fibre Toxicol* 9: 22. <http://dx.doi.org/10.1186/1743-8977-9-22>.
- Adamiano, A; Lesci, IG; Fabbri, D; Roveri, N. (2015). Adsorption of bovine serum albumin onto synthetic Fe-doped geomimetic chrysotile. *J R Soc Interface* 12. <http://dx.doi.org/10.1098/rsif.2015.0186>.
- Adamis, Z; Krass, BK. (1991). Studies on the Cytotoxicity of Ceramic Respirable Dusts Using In Vitro and In Vivo Test Systems. *Ann Occup Hyg* 35: 469-483.
- Adamis, Z; Tatrai, E; Honma, K; Six, E; Ungvary, G. (2000). In vitro and in vivo tests for determination of the pathogenicity of quartz, diatomaceous earth, mordenite and clinoptilolite. *Ann Occup Hyg* 44: 67-74. [http://dx.doi.org/10.1016/S0003-4878\(99\)00054-X](http://dx.doi.org/10.1016/S0003-4878(99)00054-X).
- Adams, DO. (1985). Immunotoxicology: environmental agents and macrophages [Research]. RePORTER Database National Institutes of Health.
- Adams, DO. (1986). Immunotoxicology: environmental agents and macrophages [Research]. RePORTER Database National Institutes of Health.
- Adams, DO. (1987). Immunotoxicology: environmental agents and macrophages [Research]. RePORTER Database National Institutes of Health.
- Adams, DO. (1988). Immunotoxicology: environmental agents and macrophages [Research]. RePORTER Database National Institutes of Health.
- Adams, DO. (1989). Immunotoxicology: environmental agents and macrophages [Research]. RePORTER Database National Institutes of Health.
- Adams, DT; Langer, WH; Hoefen, TM; Vangosen, BS; Meeker, GP. (2010). Examination of Libby, Montana, Fill Material for Background Levels of Amphibole from the Rainy Creek Complex Using Scanning Electron Microscopy and X-Ray Microanalysis. 13.
- Adams, JD; Owenstucciarone, P; Hoffmann, D. (1984). TOBACCO CARCINOGENESIS AND ASBESTOS FIBERS - A MODEL STUDY. *Proc Am Assoc Cancer Res* 25: 102-102.
- Adamson, I; Prieditis, H. (1995). Response of mouse lung to carbon deposition during injury and repair. *Environ Health Perspect* 103: 72-76.
- Adamson, IY; Prieditis, H; Bowden, DH. (1994). Enhanced clearance of silica from mouse lung after instillation of a leukocyte chemotactic factor. *Exp Lung Res* 20: 223-233.
- Adamson, IY; Prieditis, H; Hedgecock, C. (1995). Pulmonary response of mice to fiberglass: cytokinetic and biochemical studies. *J Toxicol Environ Health* 46: 411-424. <http://dx.doi.org/10.1080/15287399509532046>.
- Adamson, IYR; Prieditis, H. (1998). Silica deposition in the lung during epithelial injury potentiates fibrosis and increases particle translocation to lymph nodes. *Exp Lung Res* 24: 293-306.
- Adamson, IYR; Prieditis, H; Bowden, DH. (1992). INSTILLATION OF CHEMOTACTIC FACTOR TO SILICA-INJECTED LUNGS LOWERS INTERSTITIAL PARTICLE CONTENT AND REDUCES PULMONARY FIBROSIS. *Am J Pathol* 141: 319-326.
- Adamus, J; Sniegowski, A. (1990). Fibres in Lower Silesia Hard Coal Mines Respirable Dusts. *Ann Occup Hyg* 34: 91-95.
- Adaska, JM; Carbone, LG. (1994). SPONTANEOUS MESOTHELIOMA IN A SYRIAN-HAMSTER. *Lab Anim Sci* 44: 383-385.
- Addison, J. (1995). Vermiculite: a review of the mineralogy and health effects of vermiculite exploitation [Review]. *Regul Toxicol Pharmacol* 21: 397-405. <http://dx.doi.org/10.1006/rtph.1995.1054>.
- Addison, J. (1999). Minimising health hazards associated with derogated products containing chrysotile asbestos. *Ann Occup Hyg* 43: 496-498.
- Addison, J; Browne, K; Davis, JM; Gruber, UF. (1993). Asbestos fibers in parenteral medication [Review]. *Regul Toxicol Pharmacol* 18: 371-380. <http://dx.doi.org/10.1006/rtph.1993.1063>.
- Addison, J; Davies, LST. (1990). ANALYSIS OF AMPHIBOLE ASBESTOS IN CHRYSOTILE AND OTHER MINERALS. *Ann Occup Hyg* 34: 159-&.
- Addison, J; Davies, LST; Robertson, A; Willey, RJ. (1988). The Release of Dispersed Asbestos Fibres from Soils. (NIOSH/00190884). Addison, J; Davies, LST; Robertson, A; Willey, RJ.
- Additives, JFWCoF. (1971). Evaluation of food additives. Specifications for the identity and purity of food additives and their toxicological evaluation: some extraction solvents and certain other substances; and a review of the technological efficacy of some antimicrobial agents. Fourteenth report of the joint FAO/WHO Expert Committee on Food Additives. Geneva, 24 June-2 July 1970. 1-36.
- Additives, JFWCoF. (1971). Evaluation of food additives. Specifications for the identity and purity of food additives and their toxicological evaluation: some extraction solvents and certain other substances; and a review of the technological efficacy of some antimicrobial agents. Fourteenth report of the joint FAO-WHO Expert Committee on Food Additives. Geneva, 24 June-2 July 1970. 462: 1-36.
- Addley, K; Mckeagney, P. (2012). The RMS Titanic. *Occup Med (Lond)* 62: 165-166. <http://dx.doi.org/10.1093/occmed/kqs015>.
- Adee, RR; Laidler, JJ. (1973). Subcellular identification of exogenous particles by high-voltage electron microscopy. *Am Ind Hyg Assoc J* 34: 507-511.
- Adel, AM; Hafeez, ZMA; El Sheikh, ET; El Sharawy, IA; Gobran, NS. (2011). Malignant pleural mesothelioma: A retrospective analysis of clinicopathological and survival data. 2: 16-23. <http://dx.doi.org/10.1111/j.1759-7714.2010.00033.x>.
- Adeniyi, IF; Olabanji, IO. (2005). The physico-chemical and bacteriological quality of rainwater collected over different roofing materials in Ile-Ife, Southwestern Nigeria. *Chem Ecol* 21: 149-166. <http://dx.doi.org/10.1080/02757540500117318>.
- Adgate, JL; Cho, SJ; Alexander, BH; Ramachandran, G; Raleigh, KK; Johnson, J; Messing, RB; Williams, AL; Kelly, J; Pratt, GC. (2011). Modeling community asbestos exposure near a vermiculite processing facility: Impact of human activities on cumulative exposure. *J Expo Sci Environ Epidemiol* 21: 529-535. <http://dx.doi.org/10.1038/jes.2011.8>.
- Adishesaiah, P; Lindner, DJ; Kalvakolanu, DV; Reddy, SP. (2007). FRA-1 proto-oncogene induces lung epithelial cell invasion and anchorage-independent growth in vitro, but is insufficient to promote tumor growth in vivo. *Cancer Res* 67: 6204-6211. <http://dx.doi.org/10.1158/0008-5472.CAN-06-4687>.
- Adishesaiah, P; Papaiahgari, SR; Vuong, H; Kalvakolanu, DV; Reddy, SP. (2003). Multiple cis-elements mediate the transcriptional activation of human fra-1 by 12-O-tetradecanoylphorbol-13-acetate in bronchial epithelial cells. *J Biol Chem* 278: 47423-47433. <http://dx.doi.org/10.1074/M303505200>.

Human Health Hazard Literature Search Results

Off Topic

- Adler, KB; Brody, AR. (1987). ASSOCIATION OF CHRYSOTILE ASBESTOS FIBERS WITH ACTIN-FILAMENTS IN PULMONARY EPITHELIAL-CELLS. *Chest* 91: 303-303.
- Afaq, F; Abidi, P; Matin, R; Rahman, Q. (1998). Cytotoxicity, pro-oxidant effects and antioxidant depletion in rat lung alveolar macrophages exposed to ultrafine titanium dioxide. *J Appl Toxicol* 18: 307-312.
- Åfjærevik, J; Refsnes, M; Schwarze, P; Lög, M. (2008). The ability of oxidative stress to mimic quartz-induced chemokine responses is lung cell line-dependent. *Toxicol Lett* 181: 75-80. <http://dx.doi.org/10.1016/j.toxlet.2008.07.001>.
- Affairs, MoS; Employment. (1985). [Limit values for concentrations of dangerous substances in workplace air]. *Cahiers de notes documentaires* 121: 473-508.
- A-G, L; Meyer, B; Costabel, U; Maier, K. (1993). Bronchoalveolar lavage fluid proteins in human lung disease: Analysis by two-dimensional electrophoresis. *Electrophoresis* 14: 242-244.
- Agarwal, R; Paul, AS; Aggarwal, AN; Gupta, D; Jindal, SK. (2011). A randomized controlled trial of the efficacy of cosmetic talc compared with iodopovidone for chemical pleurodesis. *Respirology* 16: 1064-1069. <http://dx.doi.org/10.1111/j.1440-1843.2011.01999.x>.
- Agency, AFBC. (1995). Record of Decision (ROD) on Castle Air Force Base (AFB), California. Disposal and Reuse (pp. 46). (NTIS/03005403_a).
- Agency, EP. (1985). ASBESTOS WASTE MANAGEMENT GUIDANCE-GENERATION, TRANSPORT, DISPOSAL (pp. U). (HMTC/85/0004116). Environmental Protection Agency.
- AGENCY, EP; DRINKING, OO; WATER. (1984). MAJOR ISSUES ASSOCIATED WITH HEALTH EFFECTS OF ASBESTOS IN DRINKING WATER (CARCINOGENESIS OF INGESTED ASBESTOS FIBER). (EPIDEM/008529). Environmental PROTECTION AGENCY; OFFICE OF DRINKING; WATER.
- Agency, USATaHM. (1990). Report of Sampling and Analysis Results, Manhattan Beach Army Housing Units, Brooklyn, New York (pp. 57). (NTIS/02972330_a).
- Agnew, R. (2009). Re: Asbestos--a legacy and a persistent problem [Letter]. *J R Nav Med Serv* 95: 102.
- Aguilar Madrid, G; Beaudry, M; Bell, W; Bowes, D; Brophy, J; Burdorf, A; Carlsten, C; Castleman, B; Chaturvedi, S; Conti, ME; Corra, L; Corrêa Filho, HR; Cranor, CF; Cullen, E; Dalvie, A; Dickson, RC; Digon, A; Egilman, D; Eisner Falvo, C; Fischer, E; Frank, AL; Frank, E; Gee, D; Giannasi, F; Goldstein, BD; Greenberg, M; Guidotti, TL; Harris, WA; Hindry, M; Houlson, A; Hu, H; Huff, J; Infante, PF; Thambyappa, J; Juarez Perez, CA; Jeebhay, MF; Joshi, TK; Keith, M; Keyserlingk, J. R.; Khatler, K; King, D; Kodeih, N; Kristensen, J; Kulsomboon, V; Landrigan, PJ; Lee, CW; Leigh, J; Lemen, RA; Lippman, A; London, L; Matzopoulos, R; Mcculloch, J; Mcdiarmid, MA; Mehrdad, R; Mirabelli, D; Moshammer, H; Notebaert, É; Nycz, Z; Oberta, AF; O'Connor, J; O'Neill, R; Orris, P; Ozonoff, D; Paek, D; Rickard, C; Rodriguez, EJ; Sass, J; Sentes, KE; Simpson, IM; Soffritti, M; Soskolne, CL; Sparling, SP; Spiegel, J; Takahashi, K; Takaro, TK; Terracini, B; Thébaud-Mony, A; Trosic, I; Turcotte, F; Vakil, C; Van Der Walt, A; Waterman, YR; Watterson, A; Wegman, DH; Welch, LS; Weiss, SH; Winston, R; Yassi, A. (2013). Statement in response to asbestos industry efforts to prevent a ban on asbestos in Pakistan: chrysotile asbestos use is not safe and must be banned [Letter]. *Arch Environ Occup Health* 68: 243-249. <http://dx.doi.org/10.1080/19338244.2013.780807>.
- Aguilar-Madrid, G; Juárez-Pérez, CA; Markowitz, S; Hernández-Avila, M; Sanchez Roman, FR; Vázquez Grameix, JH. (2003). Globalization and the transfer of hazardous industry: asbestos in Mexico, 1979-2000. *Int J Occup Environ Health* 9: 272-279. <http://dx.doi.org/10.1179/oeh.2003.9.3.272>.
- Ahern, LJ. (1974). Letter: Occupational disease information. *J Occup Med* 16: 146-147.
- Ahlmark, A. (1967). The Pneumoconiosis Register. (NIOSH/00130152). Ahlmark, A.
- Ahlmark, A. (1975). [Dampen the asbestos panic!]. *Lakartidningen* 72: 3797-3798.
- Ahmad, D; Morgan, WK. (2001). The debate on banning asbestos [Letter]. *CMAJ* 165: 1190; author reply 1191-1193.
- Ahmad, H; Pawade, J; Falk, S; Morgan, JA; Balacumaraswami, L. (2003). Primary pleural lymphomas. *Thorax* 58: 908-909.
- Ahmed Khan, A; Ahmed Nafees, A; Fatmi, Z. (2013). Asbestos risk assessment in Pakistan: current scenario and way forward [Letter]. *Int J Occup Environ Med* 4: 50-51.
- Ahn, S; Choi, IH; Han, J; Kim, J; Ahn, MJ. (2014). Pleural mesothelioma: an institutional experience of 66 cases. 48: 91-99. <http://dx.doi.org/10.4132/KoreanJPathol.2014.48.2.91>.
- Ahrendt, SA; Decker, PA; Alawi, EA; Zhu Yr, YR; Sanchez-Cespedes, M; Yang, SC; Haasler, GB; Kajdacsy-Balla, A; Demeure, MJ; Sidransky, D. (2001). Cigarette smoking is strongly associated with mutation of the K-ras gene in patients with primary adenocarcinoma of the lung. *Cancer* 92: 1525-1530.
- Ahrenholz, SH. (1986). Health Hazard Evaluation Report No. HETA-84-483-1669, National Aluminum Rolling Division, Salisbury, North Carolina (pp. 84-483). (NIOSH/00163101). Ahrenholz, SH.
- Ahrenholz, SH. (1988). Health Hazard Evaluation Report No. HETA-86-422-1891, City of Ames Municipal Power Plant, Ames, Iowa (pp. 86-422). (NIOSH/00181807). Ahrenholz, SH.
- Ahrenholz, SH; Bochnak, PM; Goldoft, M. (1989). Health Hazard Evaluation Report No. HETA-86-231-1954, Reade Manufacturing Company, Lakehurst, New Jersey (pp. 86-231). (NIOSH/00188717). Ahrenholz, SH; Bochnak, PM; Goldoft, M.
- Ahrenholz, SH; Lipscomb, J. (1983). Health Hazard Evaluation Report, No. HETA-82-96-1259, Kaiser Aluminum and Chemical Corporation, Ravenswood, West Virginia (pp. 19831983). (NIOSH/00127796). Ahrenholz, SH; Lipscomb, J.
- Ai, J; Stevenson, JP. (2014). Current issues in malignant pleural mesothelioma evaluation and management. *Oncologist* 19: 975-984. <http://dx.doi.org/10.1634/theoncologist.2014-0122>.
- Aigner, C; Hoda, MA; Lang, G; Taghavi, S; Marta, G; Klepetko, W. (2008). Outcome after extrapleural pneumonectomy for malignant pleural mesothelioma. *Eur J Cardiothorac Surg* 34: 204-207. <http://dx.doi.org/10.1016/j.ejcts.2008.03.003>.

Human Health Hazard Literature Search Results

Off Topic

- AIHA-ACGIH. (1975). RECOMMENDED PROCEDURES FOR SAMPLING AND COUNTING ASBESTOS FIBERS (pp. 83-90; 1975). (HMTC/75/0003199). AIHA-ACGIH.
- Ainslie, VH; Hays, SM. (1989). DESIGN AND CONSTRUCTION OF AN ASBESTOS MICROSCOPY LABORATORY FACILITY. *Microscope* 37: 77-88.
- Aisner, J. (1989). Therapeutic approach to malignant mesothelioma [Review]. *Chest* 96: 95S-97S.
- Aisner, J. (1995). Current approach to malignant mesothelioma of the pleura [Review]. *Chest* 107: 332S-344S.
- Aisner, J; Wiernik, PH. (1981). Chemotherapy in the Treatment of Malignant Mesothelioma. *Semin Oncol* 8: 335-343.
- Aiso, S; Yamazaki, K; Umeda, Y; Asakura, M; Kasai, T; Takaya, M; Toya, T; Koda, S; Nagano, K; Arito, H; Fukushima, S. (2010). Pulmonary Toxicity of Intratracheally Instilled Multiwall Carbon Nanotubes in Male Fischer 344 Rats. *Ind Health* 48: 783-795.
- Aitio, A. (2008). Research needs for environmental health risk assessment. *J Toxicol Environ Health A* 71: 1254-1258. <http://dx.doi.org/10.1080/15287390802211786>.
- Ak, G; Metintas, S; Akarsu, M; Metintas, M. (2015). The effectiveness and safety of platinum-based pemetrexed and platinum-based gemcitabine treatment in patients with malignant pleural mesothelioma. *BMC Cancer* 15: 510. <http://dx.doi.org/10.1186/s12885-015-1519-z>.
- Akehurst, RL. (1973). The 1969 Asbestos Regulations Their Economic Appraisal (pp. 2-5). (NIOSH/00032897). Akehurst, RL.
- Akimoto, S; Ishikawa, O; Iijima, C; Miyachi, Y. (1999). Expression of basic fibroblast growth factor and its receptor by fibroblasts, macrophages and mast cells in hypertrophic scar. *Eur J Dermatol* 9: 357-362.
- Akin, Y; Bassorgun, I; Basara, I; Yucler, S. (2015). Malignant mesothelioma of tunica vaginalis: an extremely rare case presenting without risk factors. *Singapore Med J* 56: E53-E55. <http://dx.doi.org/10.11622/smedj.2015053>.
- Akira, M. (2008). Imaging of occupational and environmental lung diseases [Review]. *Clin Chest Med* 29: 117-+. <http://dx.doi.org/10.1016/j.ccm.2007.11.001>.
- Akiyama, I; Ogami, A; Oyabu, T; Yamato, H; Morimoto, Y; Tanaka, I. (2007). Pulmonary effects and biopersistence of deposited silicon carbide whisker after 1-year inhalation in rats. *Inhal Toxicol* 19: 141-147. <http://dx.doi.org/10.1080/08958370601051784>.
- Akkersdijk, H; Bremmer, CF; Schliszka, C; Spee, T. (1989). Effect of respiratory protective equipment on exposure to asbestos fibres during removal of asbestos insulation. *Ann Occup Hyg* 33: 113-116.
- A-L, S. (1987). CONTROL OF THE PRODUCTION AND USE OF CHEMICAL SUBSTANCES IN FINLAND. *Gig Tr Prof Zabol* 0: 17-19.
- al., KKe. (1981). First Symposium on Epidemiology in Occupational Health. (CIS/82/01112). Permanent Commission and International Association on Occupational Health, Scientific Committee on Epidemiology in Occupational Health.
- Al-Amri, SM; Rahmatulla, RH; Al-Bozom, IA. (2000). Malignant peritoneal mesothelioma. *Saudi Med J* 21: 291-293.
- Alarcon-Chaidez, FJ; Sun, J; Wikel, SK. (2007). Transcriptome analysis of the salivary glands of *Dermacentor andersoni* Stiles (Acari : Ixodidae). *Insect Biochem Mol Biol* 37: 48-71. <http://dx.doi.org/10.1016/j.ibmb.2006.10.002>.
- Alaribe, FN; Maniero, S; Pancaldi, C. (2010). Malignant Pleural Mesothelioma Prognostic Marker: A Review of Osteopontin and Soluble Mesothelin Peptides. *Tropical Journal of Pharmaceutical Research* 9: 605-613.
- Albedi, FM; Paoletti, L; Falchi, M; Carrieri, MP; Cassano, AM; Donelli, G. (1990). Mineral Fibers and Dusts in the Lungs of Subjects Living in an Urban Environment. *Toxicology* 60: 1-2.
- Albelda, SM. (2013). Immuno/Immuno-Gene Therapies for Thoracic Malignancies.
- Albelda, SM. (2014). Immuno/Immuno-Gene Therapies for Thoracic Malignancies.
- Albelda, SM. (2015). Immuno/Immuno-Gene Therapies for Thoracic Malignancies.
- Albelda, SM; Epstein, DM. (1983). PLEURAL THICKENING - ITS SIGNIFICANCE AND RELATIONSHIP TO ASBESTOS DUST EXPOSURE - REPLY. *Am Rev Respir Dis* 127: 657-657.
- Alberdi, MP; Dalby, MJ; Rodriguez-Andres, J; Fazakerley, JK; Kohl, A; Bell-Sakyi, L. (2012). Detection and identification of putative bacterial endosymbionts and endogenous viruses in tick cell lines. *3*: 137-146. <http://dx.doi.org/10.1016/j.ttbdis.2012.05.002>.
- Alberdi, MP; Nijhof, AM; Jongejan, F; Bell-Sakyi, L. (2012). Tick cell culture isolation and growth of *Rickettsia raoultii* from Dutch *Dermacentor reticulatus* ticks. *3*: 349-354. <http://dx.doi.org/10.1016/j.ttbdis.2012.10.020>.
- Alberg, AJ; Brock, MV; Ford, JG; Samet, JM; Spivack, SD. (2013). Epidemiology of Lung Cancer Diagnosis and Management of Lung Cancer, 3rd ed: American College of Chest Physicians Evidence-Based Clinical Practice Guidelines [Review]. *Chest* 143: E1-E29. <http://dx.doi.org/10.1378/chest.12-2345>.
- Alberg, AJ; Samet, JM. (2003). Epidemiology of lung cancer [Review]. *Chest* 123: 21S-49S. http://dx.doi.org/10.1378/chest.123.1_suppl.21S.
- Albers, A. (1982). Mining Surveillance Investigation. Natural Zeolites. Final Report (pp. 1982-1982). (NIOSH/00183523). Albers, A.
- Albin, M. (2004). [Authorities' risk assessment was influenced by the asbestos industry. The chemicals legislation proposed by the European Union makes the question of independent expertise a current issue]. *Lakartidningen* 101: 1306-1309.
- Albin, M; Engholm, G; Frostrom, K; Kheddache, S; Larsson, S; Swantesson, L. (1992). CHEST-X-RAY FILMS FROM CONSTRUCTION WORKERS - INTERNATIONAL-LABOR-OFFICE (ILO 1980) CLASSIFICATION COMPARED WITH ROUTINE READINGS. *Br J Ind Med* 49: 862-868.
- Albin, M; Pooley, FD; Strömberg, U; Attewell, R; Mitha, R; Johansson, L; Welinder, H. (1994). Retention patterns of asbestos fibres in lung tissue among asbestos cement workers. *Occup Environ Med* 51: 205-211.
- Albin, M; Skerfving, S. (2007). [Pollutant levels at home and in food—low but dangerous]. *Lakartidningen* 104: 3659-3663.
- Albini, A; Pagani, A; Pulze, L; Bruno, A; Principi, E; Congiu, T; Gini, E; Grimaldi, A; Bassani, B; De Flora, S; de Eguileor, M; Noonan, DM. (2015). Environmental impact of multi-wall carbon nanotubes in a novel model of exposure: systemic distribution, macrophage accumulation, and amyloid deposition. *Int J Nanomedicine* 10: 6133-6145. <http://dx.doi.org/10.2147/IJN.S85275>.
- Albrecht, C; Borm, PJ; Adolf, B; Timblin, CR; Mossman, BT. (2002). In vitro and in vivo activation of extracellular signal-regulated kinases by coal dusts and quartz silica. *Toxicol Appl Pharmacol* 184: 37-45. <http://dx.doi.org/10.1006/taap.2002.9500>.

Human Health Hazard Literature Search Results

Off Topic

- Albrecht, K. (1987). ASBESTOS PARTICLES AS EVIDENCE OF AN OCCUPATIONAL HAZARD RESULTING FROM EXPOSURE TO CHRYSOTILE. *Arbeitsmedizin, Sozialmedizin, Praeventivmedizin* 22: 87-87.
- Albrecht, WN; Bryant, CJ. (1987). Polymer-Fume Fever Associated with Smoking and Use of a Mold-Release Spray Containing Polytetrafluoroethylene. *J Occup Med* 29: 817-819.
- Al-Delaimy, WK. (2013). The JPC-SE position statement on asbestos: a long-overdue appeal by epidemiologists to ban asbestos worldwide and end related global environmental injustice [Editorial]. *Environ Health Perspect* 121: a144-a145. <http://dx.doi.org/10.1289/ehp.1306892>.
- Alderisio, M; Giovagnoli, MR; Cenci, M; Vecchione, A. (1996). Asbestos bodies in the sputum of workers exposed to environmental pollution. *Anticancer Res* 16: 2965-2968.
- Aldieri, E; Fenoglio, I; Cesano, F; Gazzano, E; Gulino, G; Scarano, D; Attanasio, A; Mazzucco, G; Ghigo, D; Fubini, B. (2013). The role of iron impurities in the toxic effects exerted by short multiwalled carbon nanotubes (MWCNT) in murine alveolar macrophages. *J Toxicol Environ Health A* 76: 1056-1071. <http://dx.doi.org/10.1080/15287394.2013.834855>.
- Al-Dissi, AN; Philibert, H. (2011). A case of biphasic mesothelioma with osseous and chondromatous differentiation in a cat. *Can Vet J* 52: 534-536.
- Alexander, E; Clark, RA; Colley, DP; Mitchell, SE. (1981). CT of malignant pleural mesothelioma. *AJR Am J Roentgenol* 137: 287-291. <http://dx.doi.org/10.2214/ajr.137.2.287>.
- Alexander, IC; Brown, RC; Jubb, GA; Pickering, P; Hoskins, JA. (1994). DURABILITY OF CERAMIC AND NOVEL MAN-MADE MINERAL FIBERS. *Environ Health Perspect* 102: 67-71.
- Alexandrov, M; Ichida, E; Nishimura, T; Aoki, K; Ishida, T; Hirota, R; Ikeda, T; Kawasaki, T; Kuroda, A. (2015). Development of an automated asbestos counting software based on fluorescence microscopy. *Environ Monit Assess* 187: 4166. <http://dx.doi.org/10.1007/s10661-014-4166-y>.
- Alfageme, I; Cotera, J; Caballero, F; Florencio, C; Naranjo, C; Rojas, J; Macias, D; Durante, M. (2013). Analysis Of The Effects Of Asbestos Exposure On A Cohort Of Retired Workers Of A Fibrocement Factory And On Their Cohabiting Relatives. *Am J Respir Crit Care Med* 187.
- Alfonso, H; de Klerk, N; Reid, A; Ambrosini, G; Olsen, N; Beilby, J; Musk, B. (2006). Vitamin A and cancer prevention in workers previously exposed to asbestos in Wittenoom. *Lung Cancer* 54: S2-S2.
- Alfonso, HS; Reid, A; de Klerk, NH; Olsen, N; Mina, R; Ambrosini, GL; Beilby, J; Berry, G; Musk, BAW. (2010). Retinol supplementation and mesothelioma incidence in workers earlier exposed to blue asbestos (Crocidolite) at Wittenoom, Western Australia. *Eur J Cancer Prev* 19: 355-359. <http://dx.doi.org/10.1097/CEJ.0b013e32833c1bcb>.
- Algin, MC; Yaylak, F; Bayhan, Z; Aslan, F; Bayhan, NA. (2014). Malignant peritoneal mesothelioma: clinicopathological characteristics of two cases. 2014: 748469. <http://dx.doi.org/10.1155/2014/748469>.
- Alguacil, J; Porta, M; Kauppinen, T; Malats, N; Kogevinas, M; Carrato, A; Grp, PIS. (2003). Occupational exposure to dyes, metals, polycyclic aromatic hydrocarbons and other agents and K-ras activation in human exocrine pancreatic cancer. *Int J Cancer* 107: 635-641. <http://dx.doi.org/10.1002/ijc.11431>.
- Al-Hadithi B, AK; Mitchell, J. (1987). THE OTIC GANGLION AND ITS NEURAL CONNECTIONS IN THE RAT. *J Anat* 154: 113-120.
- Ali, A; Suhail, M; Mathew, S; Shah, M; Harakeh, SM; Ahmad, S; Kazmi, Z; Alhamdan, MAR; Chaudhary, A; Damanhour, GA; Qadri, I. (2016). Nanomaterial Induced Immune Responses and Cytotoxicity [Review]. *J Nanosci Nanotechnol* 16: 40-57. <http://dx.doi.org/10.1166/jnn.2016.10885>.
- Ali, G; Borrelli, N; Riccardo, G; Proietti, A; Pelliccioni, S; Niccoli, C; Boldrini, L; Lucchi, M; Mussi, A; Fontanini, G. (2013). Differential expression of extracellular matrix constituents and cell adhesion molecules between malignant pleural mesothelioma and mesothelial hyperplasia. *J Thorac Oncol* 8: 1389-1395. <http://dx.doi.org/10.1097/JTO.0b013e3182a59f45>.
- Ali, IU; Xiao, Z; Malone, W; Smith, M; Conrads, TP; Veenstra, TD; Greenwald, P; Luke, BT; McLarty, JW. (2006). Plasma proteomic profiling: search for lung cancer diagnostic and early detection markers. *Oncol Rep* 15: 1367-1372.
- Ali-Boucetta, H; Nunes, A; Sainz, R; Herrero, MA; Tian, B; Prato, M; Bianco, A; Kostarelos, K. (2013). Asbestos-like pathogenicity of long carbon nanotubes alleviated by chemical functionalization. *Angew Chem Int Ed Engl* 52: 2274-2278. <http://dx.doi.org/10.1002/anie.201207664>.
- Aljandali, A; Pollack, N; Yeldandi, A; Weitzman, SA; Kamp, DW. (1999). Caspase inhibitors reduce asbestos-induced alveolar epithelial cell apoptosis. *Am J Respir Crit Care Med* 159: A173-A173.
- Aljandali, A; Sporn, PHS; Fries, FP; Anderson, JA; Raslan, MY; Kamp, D. (2000). MK886, a leukotriene synthesis inhibitor, augments asbestos- and H2O2-induced alveolar epithelial cell apoptosis. *J Investig Med* 48: 182A-182A.
- Aljandall, A; Scorn, PHS; Fries, FP; Anderson, JA; Raslan, MY; Kamo, D. (2000). MK886, a leukotriene synthesis inhibitor, augments asbestos- and H2O2-induced alveolar epithelial cell apoptosis. *FASEB J* 14: A582-A582.
- Aljarad, N. (1993). LYMPHOCYTE SUBSETS IN SUBJECTS EXPOSED TO ASBESTOS - CHANGES IN CIRCULATING NATURAL-KILLER-CELLS - REPLY. *Br J Ind Med* 50: 575-575.
- Aljarad, N; Rudd, RM. (1993). AIR-TRAPPING CORRELATES WITH EMPHYSEMA BUT NOT WITH FIBROSIS IN PATIENTS WITH ASBESTOS-RELATED DISEASE. *Am Rev Respir Dis* 147: A906-A906.
- Al-Kassimi, FA. (1992). PLEURAL EFFUSION IN SILICOSIS OF THE LUNG. *Br J Ind Med* 49: 448-450.
- Allen, EM; Alexander, BH; Maclehorse, RF; Nelson, HH; Ramachandran, G; Mandel, JH. (2015). Cancer incidence among Minnesota taconite mining industry workers. *Ann Epidemiol* 25: 811-815. <http://dx.doi.org/10.1016/j.annepidem.2015.08.003>.
- Allen, EM; Alexander, BH; Maclehorse, RF; Nelson, HH; Ryan, AD; Ramachandran, G; Mandel, JH. (2015). Occupational exposures and lung cancer risk among Minnesota taconite mining workers. *Occup Environ Med* 72: 633-639. <http://dx.doi.org/10.1136/oemed-2015-102825>.

Human Health Hazard Literature Search Results

Off Topic

- Allen, LK. (2001). WTO upholds French ban on chrysotile [Editorial]. *Int J Occup Environ Health* 7: 246-253. <http://dx.doi.org/10.1179/107735201800339317>.
- Allen, RK; Cramond, T; Lennon, D; Waterhouse, M. (2011). A retrospective study of chest pain in benign asbestos pleural disease. *Pain Med* 12: 1303-1308. <http://dx.doi.org/10.1111/j.1526-4637.2011.01209.x>.
- Allen, TC; Cagle, PT; Garza, L; Pacienca, M; Rouleau, V; Morlais, F; Launoy, G; Galateau-Salle, F. (2008). Osteopontin, p-GSK-3 beta, beta-catenin, NF-kB, and HIF-1 expression in 60 diffuse malignant mesothelioma (DMM) cases: Correlation with asbestos exposure and patient demographics. *Lab Invest* 88: 335A-335A.
- Allison, A. (1970). Effects of particles on lysosomes. 27: 137-140.
- Allred, M; Campolucci, S; Falk, H; Ganguly, NK; Saiyed, HN; Shah, B. (2003). Bilateral environmental and occupational health program with India. *Int J Hyg Environ Health* 206: 323-332. <http://dx.doi.org/10.1078/1438-4639-00228>.
- Almaguer, D; Moss, CE; Hurrell, JJ. (1994). Health Hazard Evaluation Report HETA 92-0319-2459, Howard University, Washington, DC. 30.
- Almeida, PA; De Campos, CAP. (1975). Personal Protective Equipment Gloves. 18: 3.
- Al-Naggar, RA; Kadir, SY. (2013). Lung cancer knowledge among secondary school male teachers in Kudat, Sabah, Malaysia. *Asian Pac J Cancer Prev* 14: 103-109. <http://dx.doi.org/10.7314/APJCP.2013.14.1.103>.
- Al-Otaibi, ST; Al-Khouzaie, TH. (2011). An elderly man with fibrotic lung disease. *Saudi Med J* 32: 422-424.
- Altomare, DA; Menges, CW; Xu, J; Pei, J; Zhang, L; Tadevosyan, A, ra; Neumann-Domer, E; Liu, Z; Carbone, M; Chudoba, I; Klein-Szanto, AJ; Testa, JR. (2011). Loss of Ink4a and Arf each contributes to increased susceptibility to asbestos-induced malignant mesothelioma development. *Cancer Res* 71. <http://dx.doi.org/10.1158/1538-7445.AM2011-4312>.
- Altomare, DA; Skele, KL; Vaslet, CA; Messier, N; Henderson, I; Kane, AB; Testa, JR, JR. (2006). Loss of functional Arf predisposes mice to asbestos-induced mesothelioma. *Lung Cancer* 54: S5-S5.
- Altomare, DA; You, H; Xiao, GH; Ramos-Nino, ME; Skele, KL; De Rienzo, A; Jhanwar, SC; Mossman, BT; Kane, AB; Testa, JR. (2005). Human and mouse mesotheliomas exhibit elevated AKT/PKB activity, which can be targeted pharmacologically to inhibit tumor cell growth. *Oncogene* 24: 6080-6089. <http://dx.doi.org/10.1038/sj.onc.1208744>.
- Altomare, E; Fallarini, S; Biaggi, G; Gattoni, E; Botta, M; Lombardi, G. (2012). Increased frequency of circulating invariant natural killer T cells in malignant pleural mesothelioma patients. *Cancer Biol Ther* 13: 702-711. <http://dx.doi.org/10.4161/cbt.20553>.
- Altopiedi, R. (2014). [Eternit trial: reflections and doubts on a controversial verdict] [Editorial]. *Epidemiol Prev* 38: 345-348.
- Altree-Williams, S; Preston, JS. (1985). Asbestos and other fibre levels in buildings. *Ann Occup Hyg* 29: 357-363.
- Amandus, HE; Shy, C; Castellan, RM; Blair, A; Heineman, EF. (1995). Silicosis and Lung Cancer among Workers in North Carolina Dusty Trades (pp. 81-83). (ISSN 0355-3140 EISSN 1795-990X NIOSH/00230581). Amandus, HE; Shy, C; Castellan, RM; Blair, A; Heineman, EF.
- Amandus, HE; Shy, C; Wing, S; Blair, A; Heineman, EF. (1991). SILICOSIS AND LUNG-CANCER IN NORTH-CAROLINA DUSTY TRADES WORKERS. *Am J Ind Med* 20: 57-70.
- Amar, RK; Jick, SS; Rosenberg, D; Maher, TM; Meier, CR. (2012). Incidence of the pneumoconioses in the United Kingdom general population between 1997 and 2008. *Respiration* 84: 200-206. <http://dx.doi.org/10.1159/000338116>.
- Amatori, S; Papalini, F; Lazzarini, R; Donati, B; Bagaloni, I; Rippo, MR; Procopio, A; Pelicci, PG; Catalano, A; Fanelli, M. (2009). Decitabine, differently from DNMT1 silencing, exerts its antiproliferative activity through p21 upregulation in malignant pleural mesothelioma (MPM) cells. *Lung Cancer* 66: 184-190. <http://dx.doi.org/10.1016/j.lungcan.2009.01.015>.
- Ambrogi, V; Mineo, TC; Univ, MTV. (2012). Clinical and biologic prognostic factors in malignant pleural mesothelioma. 3: 289-302. <http://dx.doi.org/10.1111/j.1759-7714.2012.00127.x>.
- Ambroise, D; Wild, P; Moulin, JJ. (2006). Update of a meta-analysis on lung cancer and welding. *Scand J Work Environ Health* 32: 22-31.
- Ambrosini, GL; Alfonso, H; Reid, A; Mackerras, D; Bremner, AP; Beilby, J; Olsen, NJ; Musk, AW; de Klerk, NH. (2014). Plasma retinol and total carotenes and fracture risk after long-term supplementation with high doses of retinol. 30: 551-556. <http://dx.doi.org/10.1016/j.nut.2013.10.007>.
- Ambrosini, GL; Bremner, AP; Reid, A; Mackerras, D; Alfonso, H; Olsen, NJ; Musk, AW; de Klerk, NH. (2013). No dose-dependent increase in fracture risk after long-term exposure to high doses of retinol or beta-carotene. *Osteoporos Int* 24: 1285-1293. <http://dx.doi.org/10.1007/s00198-012-2131-6>.
- Ambrosini, GL; de Klerk, NH; Musk, AW; Mackerras, D. (2001). Agreement between a brief food frequency questionnaire and diet records using two statistical methods. *Public Health Nutr* 4: 255-264. <http://dx.doi.org/10.1079/PHN200062>.
- Ambrosini, GL; Mackerras, D; de Klerk, NH; Musk, AW. (2003). Comparison of an Australian food-frequency questionnaire with diet records: implications for nutrition surveillance. *Public Health Nutr* 6: 415-422. <http://dx.doi.org/10.1079/PHN2002434>.
- Ameen, M; Ahmad, Q; Musthapa, MS; Rahman, Q. (2004). Cytotoxic effect and role of exogenous antioxidants in carpet dust mediated toxicity in rat hepatocytes in vitro. *Toxicol In Vitro* 18: 419-425. <http://dx.doi.org/10.1016/j.tiv.2003.12.003>.
- Ameille, J; Brochard, P; Cordier, S; Bignon, J; Rochemaure, J; Raix, A; Proteau, J. (1987). CROSS SECTIONAL SURVEY OF A POPULATION EXPOSED TO INDOOR POLLUTION BY ASBESTOS INSIDE INSULATED BUILDINGS (pp. 15-18). (BIOSIS/87/21451). Ameille, J; Brochard, P; Cordier, S; Bignon, J; Rochemaure, J; Raix, A; Proteau, J.
- Ameille, J; Matrat, M; Paris, C; Joly, N; Raffaelli, C; Brochard, P; Iwatsubo, Y; Pairon, JC; Letourneux, M. (2004). Asbestos-related pleural diseases: Dimensional criteria are not appropriate to differentiate diffuse pleural thickening from pleural plaques. *Am J Ind Med* 45: 289-296. <http://dx.doi.org/10.1002/ajim.10341>.
- Ameille, J; Norès, JM; Bernard, N; Rémy, JM. (1993). Renal adenocarcinoma and exposure to asbestos [Letter]. 2: 317-318.
- Ames, BN; Gold, LS. (1990). Chemical carcinogenesis: Too many rodent carcinogens. *Proc Natl Acad Sci USA* 87: 7772-7776.
- Ames, BN; Gold, LS. (1997). The causes and prevention of cancer: gaining perspective [Review]. *Environ Health Perspect* 105 Suppl 4: 865-873.

Human Health Hazard Literature Search Results

Off Topic

- Amorim, E. (2015). Solitary fibrous tumor of the pleura: 3 case reports. *Rev Assoc Med Bras* 61: 207-208. <http://dx.doi.org/10.1590/1806-9282.61.03.207>.
- Amos, Cl. (2010). Epidemiologic Architedure of Lung Cancer and Smoking.
- Amos, Cl. (2011). Epidemiologic Architedure of Lung Cancer and Smoking.
- Amos, Cl. (2012). Epidemiologic Architedure of Lung Cancer and Smoking.
- Amos, Cl. (2013). Epidemiologic Architedure of Lung Cancer and Smoking.
- Amre, DK; Infante-Rivard, C; Dufresne, A; Durgawale, PM; Ernst, P. (1999). Case-control study of lung cancer among sugar cane farmers in India. *Occup Environ Med* 56: 548-552.
- Amrhein, TA. (1994). Negative Pressure Glove Bags for Operations and Maintenance and Large Scale Abatement Projects. *Appl Occup Environ Hyg* 9: 891-894.
- Anan'Ev, NM; Demin, NA. (1973). Sanitary-hygienic evaluation of the water quality of the Nura water conduit of the Tselinograd district. *Gig Sanit* 37: 92-94.
- Anania, T. (1976). Hazard Evaluation and Technical Assistance Report No. TA-76-103, Law Building, Charlotte, North Carolina. NIOSH: 19761976.
- Anania, T; Price, J. (1977). Hazard Evaluation and Technical Assistance, Report No. TA-77-41, Vimasco Corporation, Nitro, West Virginia. NIOSH: 19771977.
- Anania, TL. (1976). Hazard Evaluation and Technical Assistance Report No. TA-76-40, National Science Foundation Building, Washington, DC (pp. 76-40). (NIOSH/00179002). Anania, TL.
- Anania, TL; Johnson, W. (1971). Asbestos Survey of Pittsburgh-Corning Corporation in Tyler, Texas (pp. 19711971). (NIOSH/00106266). Anania, TL; Johnson, W.
- Anania, TL; Price, JH; Evans, WA. (1978). Health Hazard Evaluation Determination Report No. HHE-77-34-471, Midwest Steel Division, National Steel Corporation, Portage, Indiana (pp. 77-34). (NIOSH/00080314). Anania, TL; Price, JH; Evans, WA.
- Anastasiadou, K; Axiotis, D; Gidarakos, E. (2010). Hydrothermal conversion of chrysotile asbestos using near supercritical conditions. *J Hazard Mater* 179: 926-932. <http://dx.doi.org/10.1016/j.jhazmat.2010.03.094>.
- Anastasiadou, K; Gidarakos, E. (2007). Toxicity evaluation for the broad area of the asbestos mine of northern Greece. *J Hazard Mater* 139: 9-18. <http://dx.doi.org/10.1016/j.jhazmat.2006.06.031>.
- And, AD; Mcdonald, JC. (1985). MESOTHELIOMA AND ASBESTOS FIBER TYPE. *Br J Ind Med* 42: 567-568.
- AND, NIFOS; HEALTH. (1972). Occupational exposure to asbestos: Criteria for a recommended standard (pp. 72-10267). (HEEP/73/10105). *Natl INST FOR OCCUP SAF AND; HEALTH*.
- Andersen, MK; Krarup-Hansen, A; Mårtensson, G; Winther-Nielsen, H; Thylen, A; Damgaard, K; Olling, S; Wallin, J. (1999). Ifosfamide in malignant mesothelioma: a phase II study. *Lung Cancer* 24: 39-43.
- Anderson, BA; Dearwent, SM; Durant, JT; Dyken, JJ; Freed, JA; Moore, SM; Wheeler, JS. (2005). Exposure pathway evaluations for sites that processed asbestos-contaminated vermiculite. *Int J Hyg Environ Health* 208: 55-65. <http://dx.doi.org/10.1016/j.ijheh.2005.01.008>.
- Anderson, EL; Sheehan, PJ; Kalmes, RM; Griffin, JR. (2016). Assessment of Health Risk from Historical Use of Cosmetic Talcum Powder. *Risk Anal*. <http://dx.doi.org/10.1111/risa.12664>.
- Anderson, H; Chuang, M; Lilis, R; Nicholson, WJ; Daum, SM; Fischbein, A; Lorimer, WV; Selikoff, IJ. (1976). Abnormal spirometry among asbestos miners and millers with normal chest x-ray films [Abstract]. *Chest* 70: 418-419.
- Anderson, JL; Daniels, RD; Fleming, DA; Tseng, CY. (2012). Exposure assessment for a cohort of workers at a former uranium processing facility. *J Expo Sci Environ Epidemiol* 22: 324-330. <http://dx.doi.org/10.1038/jes.2012.20>.
- Anderson, K. (1982). Health Hazard Evaluation Report, No. HETA-81-230-1093, Michigan State University, East Lansing, Michigan (pp. 19821982). (NIOSH/00127569). Anderson, K.
- Anderson, K; Moran, F. (1986). Tobacco and asbestos litigation [Letter]. *Lancet* 2: 1038.
- Andersson, L; Bryngelsson, I; Ngo, Y, en; Ohlson, CG; Westberg, H. (2012). Exposure Assessment and Modeling of Quartz in Swedish Iron Foundries for a Nested Case-Control Study on Lung Cancer. *J Occup Environ Hyg* 9: 110-119. <http://dx.doi.org/10.1080/15459624.2011.645397>.
- Andersson, M; Wallin, H; Jonsson, M; Nielsen, LL; Visfeldt, J; Vyberg, M; Bennett, WP; Debenedetti, VMG; Travis, LB; Storm, HH. (1995). LUNG-CARCINOMA AND MALIGNANT MESOTHELIOMA IN PATIENTS EXPOSED TO THOROTRAST - INCIDENCE, HISTOLOGY AND P53 STATUS. *Int J Cancer* 63: 330-336. <http://dx.doi.org/10.1002/ijc.2910630304>.
- Andersson, N. (1991). TECHNOLOGICAL DISASTERS TOWARDS A PREVENTIVE STRATEGY A REVIEW [Review]. *Trop Doct* 21: 70-81.
- Andre-Biollat, M; Guillemin, MP; Savolainen, H. (1997). The Present State and Practice of Occupational Health in Switzerland. *Int Arch Occup Environ Health* 70: 361-364.
- Andreozzi, GB; Ballirano, P; Gianfagna, A; Mazziotti-Tagliani, S; Pacella, A. (2009). Structural and spectroscopic characterization of a suite of fibrous amphiboles with high environmental and health relevance from Biancavilla (Sicily, Italy). *Am Mineral* 94: 1333-1340. <http://dx.doi.org/10.2138/am.2009.3214>.
- Andrion, A; Colombo, A; Dacorsi, M; Mollo, F. (1982). Pleural plaques at autopsy in Turin (Italy): A study of 1019 adult subjects. *Eur J Respir Dis* 63: 107-112.
- Andrion, A; Colombo, A; Mollo, F. (1982). Lung asbestos bodies and pleural plaques at autopsy. *12*: 461-468.
- Andrion, A; Pira, E; Barocelli, MP; Mollo, F. (1983). Indicators of asbestos exposure in autopsy routine. 1. Lung asbestos bodies and occupation. *Med Lav* 74: 35-41.
- Andrion, A; Pira, E; Mollo, F. (1983). Peritoneal plaques and asbestos exposure [Letter]. *Arch Pathol Lab Med* 107: 609-610.

Human Health Hazard Literature Search Results

Off Topic

- Ang, P; Tan, EH; Leong, SS; Koh, L; Eng, P; Agasthian, T; Cheah, FK. (2001). Primary intrathoracic malignant effusion: a descriptive study. *Chest* 120: 50-54.
- Angrisano, EF; Iervoglini, A; Rubino, A. (1977). [Hazards involved in the working stages of a plant for the manufacture of cement-asbestos]. *Ann Ist Super Sanita* 13: 211-221.
- Anirudhan, TN; Chakravarthy, R; Jothishankar, P. (2012). A unique case of well differentiated papillary mesothelioma involving an inguinal hernia. 55: 546-548. <http://dx.doi.org/10.4103/0377-4929.107810>.
- Anjilvel, L; Thurlbeck, WM. (1966). The incidence of asbestos bodies in the lungs at random necropsies in Montreal. *Can Med Assoc J* 95: 1179-1182.
- Anon. [Exposure limits at the workplace 2005 [Switzerland]].
- Anon. [Exposure limits at the workplace 2007 [Switzerland]].
- Anon. [For the banning of asbestos in the Andean sub-region]. 502.
- Anon. (1010). [Regulation No. 373/2002 on labour protection requirements in work with asbestos [Latvia]]. 37.
- Anon. (1070). [Asbestos inventory and management programme]. 1.
- Anon. (1211). [Elimination of asbestos-related diseases]. 27.
- ANON. (1972). International cancer research. *Br Med J* 3: 542-543.
- ANON. (1972). Pneumoconiosis redefined. *Br Med J* 2.
- Anon. (1973). Asbestos as an industrial health hazard. *Med J Aust* 1: 92.
- Anon. (1973). Asbestos leads to lung cancer leads to mesothelioma. *Lancet* 1: 815-816.
- Anon. (1973). ASBESTOS LUNG-CANCER MESOTHELIOMA. *Lancet* 1: 815-816.
- Anon. (1973). The dangers of asbestos. *S Afr Med J* 47: 161-162.
- ANON. (1973). Editorial: Asbestos hazard. *Br Med J* 4: 312-313.
- Anon. (1973). Official health standards. *J Occup Med* 15: 381.
- Anon. (1974). Editorial: Biological effects of asbestos. *Lancet* 2: 706.
- Anon. (1974). INDUSTRIAL MEDICAL AND EPIDEMIOLOGIC STUDIES OF IMMEDIATE HEALTH HAZARDS OF ASBESTOS - GERMAN - WOITOWITZ,HJ. *Int J Epidemiol* 3: 189-189.
- Anon. (1975). Background documentation of evaluation of occupational exposure to airborne asbestos [Review]. *Am Ind Hyg Assoc J* 36: 91-103. <http://dx.doi.org/10.1080/0002889758507216>.
- Anon. (1976). ASBESTOS HAZARDS IN BUILDINGS. *Lancet* 1: 1251-1252.
- Anon. (1976). Editorial: Asbestos in the air. *Lancet* 1: 944-945.
- Anon. (1976). Editorial: Exposure to asbestos dust. *Br Med J* 1: 1361-1362.
- Anon. (1976). The hazard of asbestos [Editorial]. *Med J Aust* 2: 588-590.
- Anon. (1977). Asbestos [Editorial]. *Lancet* 2: 1211-1212.
- Anon. (1977). PUBLIC HAZARD OF ASBESTOS. *Lancet* 1: 1115-1115.
- Anon. (1978). Cancer-causing combinations. *Compr Ther* 4: 5-6.
- Anon. (1978). Proposals on asbestos [Editorial]. *Lancet* 1: 1243.
- Anon. (1978). Risks of environmental exposure to asbestos [Editorial]. *Br Med J* 1: 1164-1165.
- Anon. (1979). Asbestos and health [Editorial]. *Lancet* 2: 887.
- Anon. (1979). Fever, hepatic lesions and ascites. *Am J Med* 67: 105-112.
- Anon. (1979). Greater public awareness of health hazards of asbestos exposure. *Public Health Rep* 94: 388-389.
- Anon. (1979). [How dangerous is asbestos dust?]. *MMW Munch Med Wochenschr* 121: 1236-1237.
- Anon. (1980). Asbestos hazard at Monson Developmental Center. 49: 19-20.
- Anon. (1980). Workshop on the biological effects of mineral fibers and particulates. Sponsored by the Subcommittee to Coordinate Asbestos-"Asbestiform" Research within the Public Health Service of the DHEW Committee of Coordinate Toxicology and Related Programs. Bethesda, Maryland, June 7-8, 1979. *Environ Health Perspect* 34: 1-111.
- ANON. (1981). ASA in 1979. Information about employees registered in Finland in 1979 who were occupationally exposed to potentially carcinogenic substances and processes. (CIS/82/01988). Federation of Industrial Mutual Accident Insurance Associations (Hauptverband der gewerblichen Berufsgenossenschaften).
- ANON. (1981). Asbestos control - Sprayed on applications. (CIS/83/00939). ANON.
- Anon. (1981). Asbestos in water [Editorial]. *Lancet* 2: 132.
- Anon. (1981). Asbestos Ordinance and commentaries, 17 December 1981. (CIS/82/01552). National Swedish Board of Occupational Safety and Health (Arbetskyddsstyrelsen).
- Anon. (1981). Asbestos pollution and pleural plaques [Editorial]. *Med J Aust* 1: 444.
- ANON. (1981). Basic scientific knowledge for protection against harmful chemical substances at the workplace. (CIS/81/01033). ANON.
- Anon. (1981). Electro-microscopy mineral fibre particle counting and size distribution analysis in asbestos-exposed and unexposed lungs. 1981: 118-122.
- ANON. (1981). Progress in asbestosis research in Japan. (CIS/82/00939). ANON.
- Anon. (1981). PROTECTION OF WORKERS FROM THE RISKS DUE TO EXPOSURE TO CHEMICAL, PHYSICAL AND BIOLOGICAL AGENTS AT WORK - ASBESTOS. *J Soc Occup Med* 31: 126-127.
- Anon. (1981). Resolution on technical and personal protective measures for the prevention of exposure of workers to asbestos dust. (CIS/82/00357). Council of Europe, Committee of Ministers.

Human Health Hazard Literature Search Results

Off Topic

- ANON. (1981). Risks and acute; a la carte: Safety representatives guide to catering hazards. (CIS/82/01768). ANON.
- Anon. (1981). Smoking, coal, asbestos, and the lungs [Editorial]. *Br Med J (Clin Res Ed)* 283: 457-458.
- ANON. (1981). State Decree of 30 May 1981 prescribing Safety Regulations No.6, laying down provisions, applicable to all undertakings, for the prevention and control of pneumoconiosis and other diseases resulting from the respiration of dust particles. No.
- Anon. (1981). Technical rules under the Ordinance concerning hazardous substances in industry. Aug: 95.
- ANON. (1981). Threshold limit values for toxic substances in air. *Cahiers de notes documentaires S and acirc*: 91-124.
- ANON. (1982). ASA 1980 - Data from the Registry of employees occupationally exposed to substances possibly causing cancer risk in Finland in 1980. (CIS/82/01989). Health and Safety Executive.
- ANON. (1982). Asbestos - Hazard alert. (CIS/83/01235). ANON.
- ANON. (1982). Chimneysweeps die young. p: 18-20.
- Anon. (1982). MANAGEMENT REPORT SUMMARIZATION, EVALUATION and RECOMMENDATION FOR ASBESTOS USE. (TSCATS/017736). SAN JOSE MEDICAL CLINIC.
- Anon. (1982). Medical management of chemical exposures in the petroleum industry. (CIS/85/00109). Clayton Environmental Consultants Inc.
- Anon. (1982). Monitoring for occupational cancer. *Health and Safety Bulletin*, Oct: 12p.
- Anon. (1982). Mysterious pleural effusions [Editorial]. *Lancet* 1: 1226.
- Anon. (1982). Ordinance on dangerous industrial substances. 1982: 82-92.
- ANON. (1982). Prevention of occupational cancer - International symposium. (CIS/82/01072). Criteria Group for Occupational Standards (Sweden).
- Anon. (1982). Protective measures in the use of industrial carcinogens (pp. 18-32). (CIS/83/01011). Federation of Industrial Mutual Accident Insurance Associations (Hauptverband der gewerblichen Berufsgenossenschaften).
- Anon. (1982). Recommended guidelines for the selection and use of respiratory protective equipment (R.P.E.) when working with asbestos. 24.
- Anon. (1982). Threshold limit values for toxic substances in the workplace air. *Cahiers de notes documentaires Sâcuritâe et hygiâne du travail* 1st quarter 1982: 97-130.
- Anon. (1983). ASBESTOS AND LUNG FIBROSIS A COMPARISON OF THE CONTENT OF ASBESTOS BODIES AND FIBRES IN THE LUNGS AND LUNG FIBROSIS IN A FINNISH SERIES OF ADULT AUTOPSIES PREPARED BY DEPT OF. (TSCATS/018140).
- Anon. (1983). ASBESTOS FIBER IN AIR SAMPLING RESULTS, CELL RENEWAL ROOM OPERATIONS, WITH COVER LETTER. (TSCATS/018816).
- Anon. (1983). The asbestos hazard [Letter]. *S Afr Med J* 63: 348-349.
- Anon. (1983). ASBESTOS INVESTIGATION OF WORKER EXPOSURE. (TSCATS/016875).
- ANON. (1983). Council Directive of 19 September 1983 on the protection of workers from the risks related to exposure to asbestos at work. 26.
- ANON. (1983). Fighting asbestos at work and at home. (CIS/84/01236). ANON.
- Anon. (1983). HUMAN LUNG RESEARCH PROGRAM PROTOCOL FEASIBILITY STUDY PREPARED BY INST OF OCC and ENVIR HEALTH. (TSCATS/018138).
- Anon. (1983). MAN-MADE MINERAL FIBERS - A SAFE ALTERNATIVE TO ASBESTOS. *Lancet* 2: 1125-1125.
- Anon. (1983). Man-made mineral fibres--a safe alternative to asbestos? [Editorial]. *Lancet* 2: 1125.
- Anon. (1983). Ordinance on asbestos with commentaries. (CIS/83/01553). National Board of Occupational Safety and Health (Arbetskyddsstyrelsen).
- Anon. (1983). [Proposal of maximum permissible exposure levels (1983)]. *Sangyo Igaku* 25: 288-302.
- Anon. (1983). RELATIONSHIP BETWEEN ASBESTOS AND TISSUES PREPARED BY INST OF OCC HEALTH UNIV OF GENOVA. (TSCATS/018141).
- ANON. (1983). Safety in laboratories. (CIS/85/01151). ANON.
- Anon. (1983). Technical rules for dangerous industrial substances. 1983: 61-63.
- Anon. (1983). Threshold limit values for harmful substances in workplace air. *Cahiers de notes documentaires Sâcuritâe et hygiâne du travail* 1st quarter 1983: 53-84.
- ANON. (1983). Vith International Pneumoconiosis Conference 1983. (CIS/85/01252). ANON.
- ANON. (1983). Workbook for designated substance assessments. (CIS/85/01331). ANON.
- Anon. (1984). Asbestos and the pathologist [Editorial]. *Lancet* 1: 262.
- ANON. (1984). Evaluating the degree of protection afforded by a mask-cartridge system during work with asbestos. 29: 42-43.
- ANON. (1984). A guide to the asbestos regulations, 1983. (CIS/85/00049). ANON.
- ANON. (1984). Maximum allowable workplace concentrations and biological limit values 1984. (CIS/84/01640). ANON.
- ANON. (1984). Permissible concentrations of dangerous substances in the air of the workplace. *Cahiers de notes documentaires Sâcuritâe et hygiâne du travail* 4th quarter 1984: 495-528.
- Anon. (1984). Protection against harmful mineral dusts (VBG 119) (pp. 18-32). (CIS/85/00053). Federation of Industrial Mutual Accident Insurance Associations.
- Anon. (1984). Sound asbestos management 'essential'. *Hospitals* 58: 73, 75.
- ANON. (1984). Tolerable threshold limits at the workplace: toxic substances (MAC values), physical agents. (CIS/84/01627). ANON.
- ANON. (1984). Working with asbestos in building construction and the manufacturing industry. (CIS/85/00329). ANON.
- ANON. (1985). Asbestos removal. (CIS/90/00776). ANON.
- ANON. (1985). Employment and conditions of work in health and medical services. (CIS/86/00255). ANON.
- Anon. (1985). [Industrial hygiene: dusts and fibers as hazards in the industrial milieu]. *Soz Praventivmed* 30: 44-53.
- ANON. (1985). Maximum allowable workplace concentrations and biological limit values 1985. (CIS/86/00134). ANON.
- Anon. (1985). National list of MACs, 1985. (CIS/85/01610). Labour Inspectorate.

Human Health Hazard Literature Search Results

Off Topic

- ANON. (1985). Regulation on work with asbestos. 53-62.
- Anon. (1985). Regulations on asbestos. (CIS/86/01828). Directorate of Labour Inspection.
- Anon. (1985). Report on asbestos. (CIS/85/01258). Working Group of Experts of the National MAC Committee.
- Anon. (1985). Safety in the use of asbestos. Code of practice (pp. 8-10). (CIS/01/01493). International Labour Office (ILO).
- ANON. (1985). Techniques for asbestos control in buildings. (CIS/86/00354). ANON.
- Anon. (1985). Working with asbestos: a guide for supervisors and safety representatives. (CIS/89/01161). Health and Safety Executive.
- Anon. (1986). Alternatives to asbestos products: A review. (CIS/87/00257). Health and Safety Executive.
- ANON. (1986). ASA 1984. Data on employees occupationally exposed to carcinogens in Finland 1984. (CIS/86/01923). German federal Ministry of Labour and Social Affairs (Bundesministerium für Arbeit und Sozialordnung).
- Anon. (1986). Asbestos. Occup Health Saf 55: 45-73.
- Anon. (1986). Asbestos. 444.
- Anon. (1986). Asbestos and eth;Sweden. (CIS/87/00031). Arbetskyddsstyrelsen.
- ANON. (1986). Asbestos control: sprayed-on applications. (CIS/87/01401). ANON.
- ANON. (1986). Asbestos guide 1986. (CIS/87/00269). ANON.
- Anon. (1986). ASBESTOS HAZARD ASSESSMENT AND HAZARD ABATEMENT - CRITERIA EMPLOYED BY POLICY MAKERS. Am Ind Hyg Assoc J 47: A378-&.
- Anon. (1986). Asbestos regulations and eth;Norway. (CIS/87/00032). Direktoratet for arbeidstilsynet.
- Anon. (1986). Asbestos related disease. Chest 89: 366S-368S.
- ANON. (1986). The big clean-up: A film about removing asbestos (pp. 20min). (CIS/89/00455). ANON.
- ANON. (1986). Convention 162 and Recommendation 172 concerning safety in the use of asbestos and eth;ILO. (CIS/88/00714). ANON.
- Anon. (1986). Croner's substances hazardous to health. 173.
- ANON. (1986). Guideline for medical monitoring of workers exposed to asbestos. (CIS/87/01409). ANON.
- ANON. (1986). Limit values for concentrations of dangerous substances in workplace air. Cahiers de notes documentaires Sécurité et hygiène du travail 4th Quarter 1986: 549-585.
- ANON. (1986). Maximum allowable workplace concentrations and biological limit values, 1986. (CIS/86/01573). ANON.
- Anon. (1986). OCCUPATION CANCER STUDY ON ASBESTOS - POSSIBILITIES AND LIMITS OF EPIDEMIOLOGIC RESEARCH INTO CAUSES OF DEATH IN THE FEDERAL-REPUBLIC-OF-GERMANY. Arbeitsmedizin, Sozialmedizin, Präventivmedizin 21: 331-332.
- Anon. (1986). Ordinance concerning dangerous substances of Federal Republic of Germany! - Supplement II: Special measures relating to the use of carcinogenic, embryotoxic and genotoxic substances. 1986.
- Anon. (1986). Predicting the risks from asbestos [Editorial]. Lancet 1: 954.
- Anon. (1986). Protection against harmful mineral dust and eth;Federal Republic of Germany (pp. 18-32). (CIS/87/00034). Hauptverband der gewerblichen Berufsgenossenschaften.
- Anon. (1986). Technical rules for the application of the Ordinance on dangerous industrial substances. 1986: 52-81.
- Anon. (1987). Dust monitoring strategy for individual exposure assessment. 68.
- ANON. (1987). Facts about mineral wool. (CIS/91/01826). ANON.
- ANON. (1987). Limit values for concentrations of dangerous substances in workplace air. Cahiers de notes documentaires Sécurité et hygiène du travail 4th Quarter 1987: 581-634.
- ANON. (1987). Revised text of 40 CFR Part 763: Asbestos Abatement Projects; Worker protection and eth;USA. 1987: 5618-5650.
- Anon. (1988). ASBESTOSIS, OR ASBESTOS-FIBERS IN THE ETIOLOGY OF PLEURAL-DISEASE. Arbeitsmedizin, Sozialmedizin, Präventivmedizin 23: 195-196.
- Anon. (1988). Endemic pleural calcification and mesothelioma [Letter]. JAMA 259: 520.
- Anon. (1988). Exposure to asbestos and the risk of gastrointestinal cancer [Letter]. Br J Ind Med 45: 573-576.
- Anon. (1988). LUNG-CANCER AND ASBESTOS, OR ASBESTOS-FIBERS IN THE ETIOLOGY OF PLEURAL-DISEASE. Arbeitsmedizin, Sozialmedizin, Präventivmedizin 23: 197-197.
- Anon. (1989). Asbestos project management. 3: 10-12.
- ANON. (1989). REGULATIONS FORCE UTILITIES TO REVAMP SYSTEMS (pp. 82-83). (BIOSIS/90/04773). ANON.
- Anon. (1990). Asbestos-related diseases [Letter]. N Engl J Med 322: 129-131. <http://dx.doi.org/10.1056/NEJM19900113220212>.
- Anon. (1990). Environmental Impact Analysis Process. Environmental Impact Statement for Realignment of Beale Air Force Base. 173.
- Anon. (1990). [Hazards of asbestos: information and prevention] [Letter]. Epidemiol Prev 12: 1-6.
- Anon. (1990). LUNG-CANCER ASSOCIATED WITH ASBESTOSIS OR WITH PLEURISY CAUSED BY ASBESTOS-DUST. Arbeitsmedizin, Sozialmedizin, Präventivmedizin 25: 512-512.
- ANON. (1990). Managing asbestos in place: A building owner's guide to operations and maintenance programs for asbestos-containing materials. (CIS/91/01657). ANON.
- ANON. (1990). Man-made mineral fibres: A workshop. (CIS/91/01942). ANON.
- Anon. (1990). Operations, maintenance, and replacement 10-year plan, 1990-1999: Environmental strategy. Final report. 67.
- Anon. (1990). OSHA proposes revised asbestos regulations. 4: 1-4.
- Anon. (1990). Re: Asbestos and kidney cancer [Letter]. Am J Ind Med 17: 645-650.
- Anon. (1990). Realignment of Beale Air Force Base. 205.
- Anon. (1991). AIHA position statement on the removal of asbestos-containing materials (ACM) from buildings. Am Ind Hyg Assoc J 52: A324-A328.

Human Health Hazard Literature Search Results

Off Topic

- Anon. (1991). Approaches for acquiring energy savings in commercial sector buildings. Environmental assessment (pp. 12). (NTIS/02981713).
- ANON. (1991). Asbestos removal, health hazards and the EPA. 266: 696-697.
- Anon. (1991). Asbestos: the turbulent interface between science and policy [Letter]. CMAJ 145: 291-293.
- Anon. (1991). Common sense in the environment [Editorial]. Nature 353: 779-780. <http://dx.doi.org/10.1038/353779a0>.
- Anon. (1991). Environmental Audit, Western Area Power Administration, Phoenix Area. Phoenix Area Operation and Maintenance Complex, Amargosa Substation, Basic Substation, Mead Substation, Coolidge Substation, Liberty Substation, Phoenix Substation (pp. 196). (NTIS/02974017_a).
- Anon. (1991). Health-based recommended occupational exposure limit for talc dusts. (CIS/92/00560). Dutch Expert Committee for Occupational Standards (Werkgroep van Deskundigen ter Vaststelling van MAC-waarden).
- Anon. (1991). ON THE REMOVAL OF ASBESTOS-CONTAINING MATERIALS (ACM) FROM BUILDINGS. Am Ind Hyg Assoc J 52: A324-&.
- Anon. (1991). REPEATED INSULT PATCH TEST (FINAL REPORT) ON GLYOXAL WITH COVER LETTER DATED 112191. (TSCATS/420211). FOOD and DRUG RES LABS.
- Anon. (1991). Respiratory cancer among mineral wool workers [Letter]. J Occup Med 33: 585-588.
- Anon. (1991). Tick information sheet. The Rocky Mountain wood tick. Dermacentor andersoni. Vet Clin North Am Small Anim Pract 21: 49-50.
- Anon. (1992). Accumulated waste characterization work plan (pp. 128). (NTIS/02985241).
- Anon. (1992). Asbestos-related diseases: diagnostic challenges and medicolegal implications. Semin Diagn Pathol 9: 91-180.
- Anon. (1992). Course 6. Model Curriculum for Training Asbestos Abatement Project Designers. Drawings. 4.
- Anon. (1992). Course 6. Model Curriculum for Training Asbestos Abatement Project Designers. Overhead Transparencies. 46 trans.
- Anon. (1992). Course 6. Model Curriculum for Training Asbestos Abatement Project Designers. Slides. Also available as.
- Anon. (1992). Guide to EC directives: Part 3. Occup Health (Lond) 44: 16-18.
- Anon. (1992). Harmful substances - Clean air in the workplace - Proceedings of the European Community Conference on 2 July 1992 in Dresden (pp. 113-115). (CIS/93/01972). Bundesanstalt für Arbeitsschutz.
- Anon. (1992). Health Assessment for Industrial Waste Processing, Pinedale, Fresno County, California, Region 9. CERCLIS No. CAD980736284. 50.
- Anon. (1992). INITIAL SUBMISSION: SKIN-TEST PATCH RESULTS REPORT (FINAL REPORT) ON TEN COMPOSITE PREPREGNATED PRODUCTS WITH ATTACHMENTS AND COVER LETTER DATED 022692 (SANITIZED). (TSCATS/422779). HASKELL LABORATORY.
- Anon. (1992). Recommendation on permissible levels and eth;Japan. 34: 363-384.
- Anon. (1992). Report on Occupational Safety and Health for Fiscal Year 1990 (Under Public Law 91-596). 77.
- Anon. (1992). Safety in the use of asbestos. Code of practice (pp. 7-1032). (CIS/94/00336). International Labour Organization (ILO).
- Anon. (1992). Safety in the use of mineral and synthetic fibres (pp. 7-1032). (CIS/94/00337). International Labour Organization (ILO).
- Anon. (1993). Asbestos Surveillance Program. 5.
- ANON. (1993). Better protection against asbestos in the workplace (pp. INTERNET <http://www>). (CIS/96/02050). ANON.
- Anon. (1993). The control of asbestos at work (second edition) - the Control of Asbestos at Work Regulations 1987. Approved Code of Practice. (CIS/93/01307). Health and Safety Commission.
- Anon. (1993). Course 6. Model Curriculum for Training Asbestos Abatement Project Designers. Instructor's Manual. 408.
- Anon. (1993). HTP values 1993. oministeri and egrave.
- Anon. (1993). National Institute for Occupational Safety and Health Occupational Fiber Exposures and Lung Disease Research Strategy. Version 7.4. 26.
- Anon. (1993). Occupational exposure limits 1993. (CIS/93/00627). Health and Safety Executive.
- Anon. (1993). Recommendation on permissible levels (1993) and eth;Japan. 35: 323-345.
- ANON. (1993). Sampling methods for chemical contaminants in air. (CIS/96/01837). Health and Safety Executive.
- Anon. (1993). Treatment and removal of asbestos - A practical guide. 204.
- Anon. (1994). Asbestos Screening Process. Audiovisual. This VHS video is 1/2 inch, color with.
- Anon. (1994). Biopersistence of respirable synthetic fibers and minerals. September 7-9, 1992, Lyon, France. Proceedings. Environ Health Perspect 102 Suppl 5: 1-283.
- Anon. (1994). COMPENSATION FOR JOB-RELATED CANCER OF THE LARYNX DUE TO ASBESTOS EXPOSURE. Staub, Reinhaltung der Luft 54: 282-282.
- Anon. (1994). Guide to asbestos removal. 3.
- Anon. (1994). Health risks associated with chrysotile asbestos. Papers from a workshop. Jersey, Channel Islands, 14-17 November 1993. Ann Occup Hyg 38: 397-638.
- Anon. (1994). New asbestos regulations require immediate action. 7: 1-3, 5-6.
- Anon. (1994). Occupational exposure limits 1994. (CIS/94/01352). Health and Safety Executive.
- Anon. (1994). Public Health Assessment for Spickler Landfill, Spencer,. Marathon County, Wisconsin, Region 5. CERCLIS No. WID980902969. Final Report. 53.
- Anon. (1995). Air Quality Criteria for Particulate Matter. Volume 2 of 3. Review Draft. 959.
- ANON. (1995). Asbestos - Recommendation No.347 of the National Health Insurance Fund concerning work on or repair of sprayed asbestos or on building components containing asbestos. es de Pr and acirc: 36-39.
- Anon. (1995). ASBESTOS-RELATED DISEASES - A DEADLY LEGACY. The Naval ArchitectE411-E411.
- Anon. (1995). Hazardous substances - New version of the Directive TRGS 519, changes of the Directives TRGS 514 and TRGS 515 and addenda and eth;Germany. 1995: 52-67.
- Anon. (1995). Landmark Supreme Court judgement on asbestosis. 25: 9-25.

Human Health Hazard Literature Search Results

Off Topic

- Anon. (1995). Occupational exposure limits 1995. (CIS/95/00282). Health and Safety Executive.
- Anon. (1995). Public Health Assessment for Blackburn and Union Privileges, Walpole, Norfolk County, Massachusetts, Region 1. CERCLIS No. MAD982191363. 78.
- Anon. (1997). Battling over asbestos in the third world. *Environ Health Perspect* 105: 1178-1180.
- ANON. (1997). Bilateral collaboration program for pneumoconiosis prevention - Support for Quebec government action to promote the International Labour Organization's Convention 162 on asbestos. (CIS/98/00139). ANON.
- ANON. (1997). Chemical safety. 4.
- Anon. (1998). Occupational exposure limits 1998. (CIS/98/00246). Health and Safety Executive.
- Anon. (1998). Safe work with fibre-based materials. (CIS/02/00332).
- Anon. (1999). [The 1st National Conference on Asbestos (1-5 March 1999). The final report. The National Asbestos Commission]. *Epidemiol Prev* 23: 111-117.
- Anon. (1999). [Clinical medical surveillance strategy of persons exposed to asbestos. French Occupational Health Society, Society of French-speaking Pneumologists, Society of Thoracic Imaging] [Review]. *J Radiol* 80: 1692-1697.
- Anon. (1999). Consensus conference on elaborating a clinical medical surveillance strategy for persons exposed to asbestos. *Archives des Maladies Professionnelles et de Médecine du Travail* 60: 3-4.
- Anon. (1999). [Elaboration of a clinical surveillance strategy for persons exposed to asbestos. Consensus conference. Paris La Villette, France, 15 January 1999] [Review]. *Rev Pneumol Clin* 55: 237-244.
- Anon. (1999). Government-approved organizations for the measurement and control of chemical risk. *Cahiers de notes documentaires Hygi and egrave*: 93-105.
- Anon. (1999). Managing asbestos in workplace buildings. 10.
- Anon. (1999). Photoessay. Workers' exposures to asbestos in Brazil. *Int J Occup Environ Health* 5: 244-246. <http://dx.doi.org/10.1179/oeh.1999.5.3.244>.
- Anon. (1999). Talc (not in the form of asbestos). No de Seg 61.
- Anon. (2000). Call for an international ban on asbestos. *Environ Res* 83: 79-81.
- Anon. (2000). Occupational lung diseases (pp. 05-01). (CIS/02/01157).
- Anon. (2000). Plan for the removal of asbestos-containing friable materials - Analysis by the occupational physician. *DMT Documents pour le m and eacute*: 115-123.
- Anon. (2000). South Africa asbestos ruling may bring flood of claims to London [Letter]. *Int J Occup Environ Health* 6: 350-351. <http://dx.doi.org/10.1179/oeh.2000.6.4.350>.
- Anon. (2001). Asbestos Awareness. 40.
- Anon. (2001). A ban on asbestos: is now the time? [Editorial]. *CMAJ* 164: 453, 455.
- Anon. (2001). ENT cancers (nose, facial sinus, larynx) - Detection, reporting, compensation. (CIS/02/00206).
- Anon. (2001). Lung cancer - Pleural cancer (mesothelioma) - Detection, reporting and compensation. (CIS/02/00205). Berufsgenossenschaftliches Institut für Arbeitssicherheit.
- Anon. (2001). Refresher Asbestos Awareness: Self-Study. 24.
- Anon. (2001). Work and Safety 1-2-2001 (Rad i Sigurnost 1-2-2001) Chemical Abstracts, Enviroline, Health and Safety Science Abstracts and Pollution Abstracts. 154.
- Anon. (2003). Patients with asbestos-related cancer report better quality of life with pemetrexed plus cisplatin. *Oncology (Williston Park)* 17: 1094.
- Anon. (2004). Asbestos-related issues in Bellevue County [Letter]. *J Environ Health* 67: 41-42.
- Anon. (2005). [Exposures to carcinogens]. (CIS/06/00362).
- Anon. (2005). [Threshold limit values for occupational exposure to chemicals in France]. 30.
- Anon. (2005). [Treatment of non-friable asbestos-containing materials - Occupational safety and health guide].
- Anon. (2006). [Four short video sequences on the prevention of occupational cancers] (pp. C-Windows). (CIS/08/00772).
- Anon. (2006). [The French language Society of Pneumology guidelines on the pleural mesothelioma]. *Rev Mal Respir* 23: 6S80-86S92.
- Anon. (2006). [Occupational exposure limits for chemicals in France]. 30.
- Anon. (2007). [Containment or removal of asbestos or asbestos-containing materials - A guide to prevention] (pp. EUR 12). (CIS/08/00664).
- Anon. (2007). StatBite: Mesothelioma incidence among U.S. men. *J Natl Cancer Inst* 99: 1751. <http://dx.doi.org/10.1093/jnci/djm253>.
- Anon. (2008). Are the comparisons between the risk of electromagnetic fields and those of smoking or asbestos valid? *E R S* 7: 319-320.
- Anon. (2008). Asbestos-related disease--a preventable burden [Editorial]. *Lancet* 372: 1927. [http://dx.doi.org/10.1016/S0140-6736\(08\)61821-8](http://dx.doi.org/10.1016/S0140-6736(08)61821-8).
- Anon. (2008). Phase 1 Environmental Baseline Survey for the Acquisition of a Utility Easement by Clark County from Nellis Air Force Base, Clark County, Nevada (pp. 509). (NTIS/12810029_a).
- Anon. (2009). Asbestos related disease investigated [Comment]. *Br Dent J* 206: 512. <http://dx.doi.org/10.1038/sj.bdj.2009.444>.
- Anon. (2010). Asbestos scandal [Editorial]. *Nature* 468: 868. <http://dx.doi.org/10.1038/468868a>.
- Anon. (2010). Renewing the call for a ban on asbestos. *Med Lav* 101: 316-317.
- Anon. (2011). [Conclusion of participants of Coordination Conference "Specifying national programs on liquidating diseases connected with exposure to asbestos-containing dust"]; *Med Tr Prom Ekol* 2-4.
- Anon. (2011). [Ecologic and hygienic evaluation of chrysotile asbestos fibers elimination in cargo handling and transportation on railways]. *Med Tr Prom Ekol* 41-44.

Human Health Hazard Literature Search Results

Off Topic

- Anon. (2011). [Program on liquidating diseases connected with exposure to asbestos-containing dust, over 2011-2025 and for further period (Project)]. Med Tr Prom Ekol4-16.
- Anon. (2011). [Regulation and methodic background for safe controlled usage of chrysotile asbestos in Russia]. Med Tr Prom Ekol44-48.
- Anon. (2015). New reports from the NIOSH health hazard evaluation program. *Int J Occup Environ Health* 21: 180-181.
<http://dx.doi.org/10.1179/1077352515Z.000000000169>.
- Anon. (2015). Timo J. Partanen (MSc, MPH, PhD) March 13, 1938-May 1, 2015 [Letter]. *Scand J Work Environ Health* 41: 419.
- Anonymous. (1900). The Target Health Hazards. (NIOSH/00026762). Anonymous.
- Anonymous. (1949). Panel on Epidemiology, Including Environmental and Occupational Cancer (pp. 244-258). (NIOSH/00131169). Anonymous.
- Anonymous. (1958). Industrial Cancer. *Indian Journal of Occupational Health* 1: 1-2.
- Anonymous. (1961). Instructions for Safe Working on Roofs. (NIOSH/00191440). Anonymous.
- Anonymous. (1964). Hygiene And Safety For Personnel. Safety In Use Of Equipment (pp. 606-618). (NIOSH/00137287). Anonymous.
- Anonymous. (1965). Results of Air Samples at Johns-Manville, Textile Plant, Manville, New Jersey. (NIOSH/00105344). Anonymous.
- Anonymous. (1968). Preliminary Report Result of Air Samples at H. K. Porter Company, Middletown, Connecticut. (NIOSH/00105993). Anonymous.
- Anonymous. (1969). Annual Report of Her Majesty's Chief Inspector of Factories 1968 (pp. 19691969). (NIOSH/00014369). Anonymous.
- Anonymous. (1969). Asbestos-Cement Roofs (pp. 14). (NIOSH/00016824). Anonymous.
- Anonymous. (1969). Coating Process Developed to Control Product Dusts (pp. 4). (NIOSH/00015108). Anonymous.
- Anonymous. (1969). Environmental Asbestos: Threat or Phantom. *J Am Med Assoc* 208.
- Anonymous. (1969). A Look at the Bureau of Occupational Safety and Health. (NIOSH/00182232). Anonymous.
- Anonymous. (1969). Provisional Notes for Guidance for Stripping and Fitting of Asbestos Containing Thermal Insulation Materials. (NIOSH/00000213). Anonymous.
- Anonymous. (1970). Exposure to Asbestos During Brake and Clutch Maintenance. *Ann Occup Hyg* 13: 1-41.
- Anonymous. (1971). Airborne Asbestos (pp. 1150-1155). (NIOSH/00000191). Anonymous.
- Anonymous. (1971). Asbestos The Need for and Feasibility of Air Pollution Controls (pp. 19711971). (NIOSH/00000263). Anonymous.
- Anonymous. (1971). Determination of Magnitude of Exposure to Asbestos Fibers Associated with a Woman's Coat Containing 8 Percent Asbestos (pp. 1150-1155). (NIOSH/00000223). Anonymous.
- Anonymous. (1971). Fifth Seminar of Mediterranean Occupational Medical Societies (pp. 2-3). (NIOSH/00001383). Anonymous.
- Anonymous. (1971). First Union IHRP Meeting on Health and Safety (pp. 1-8). (NIOSH/00013319). Anonymous.
- Anonymous. (1971). Maximum Workplace Concentrations (pp. 3-26). (NIOSH/00051218). Anonymous.
- Anonymous. (1971). Minerals Research. (NIOSH/00181258). Anonymous.
- Anonymous. (1971). Principles of Periodic Medical Examinations Health Hazards of Mineral Dusts (pp. 94-95). (NIOSH/00011131). Anonymous.
- Anonymous. (1971). Result of U.S.P.H.S. Survey at Johns-Manville, Manville, New Jersey. (NIOSH/00105347). Anonymous.
- Anonymous. (1971). Results of U.S.P.H.S. Survey at Raybestos-Manhattan Marshville, North Carolina. 19711971: 19711971.
- Anonymous. (1972). Evaluation Of Exposure To Asbestosis In The Work Environment (pp. 1-6). (NIOSH/00136281). Anonymous.
- Anonymous. (1972). Occupational Exposure to Asbestos Criteria for a Recommended Standard (pp. 76). (NIOSH/00012192). Anonymous.
- Anonymous. (1972). Safety and Health in Shiploading and Ship Repairing (pp. 161-164). (NIOSH/00090546). Anonymous.
- Anonymous. (1972). U.S.P.H.S. Survey at Abex Corporation, American Brakeblok Division, Winchester, Virginia. 3: 19721972.
- Anonymous. (1973). Control Techniques for Asbestos Air Pollutants (pp. 57). (NIOSH/00020609). Anonymous.
- Anonymous. (1973). Current Awareness in Environmental Hygiene II. *Ann Occup Hyg* 16: 345-416.
- Anonymous. (1973). IARC Monographs On The Evaluation Of The Carcinogenic Risk Of Chemicals To Man: Some Inorganic And Organometallic Compounds, Volume 2 (pp. 19731973). (NIOSH/00137383). Anonymous.
- Anonymous. (1973). Industrial Hygiene Survey at Johns-Manville Industrial Products Division-Textiles, Manville, New Jersey. 4: 19731973.
- Anonymous. (1973). International Shipyard Health Conference (pp. 099-074). (NIOSH/00047920). Anonymous.
- Anonymous. (1973). Probable Asbestos Dust Concentrations at Construction Processes. (NIOSH/00179935). Anonymous.
- Anonymous. (1973). Shipyards Tour Shows Hazards to Workers (pp. 1-4). (NIOSH/00019174). Anonymous.
- Anonymous. (1973). Tracking Asbestos. *Chem Week* 34: 19731973.
- Anonymous. (1974). Occupational Medicine Consultation Visit No. 32-033-75, Badger Army Ammunition Plant, Baraboo, Wisconsin, 2-4 December 1974 (pp. 32-033). (NIOSH/00131328). Anonymous.
- Anonymous. (1974). What Happens When the OSHA Health Inspectors Come? *Int J Occup Health Saf* 43: 30.
- Anonymous. (1974). Workshop on the Chest X-Ray as an Epidemiological Tool (pp. 19741974). (NIOSH/00036292). Anonymous.
- Anonymous. (1975). Current Intelligence Bulletin 5 Asbestos. Asbestos Exposure during Servicing of Motor Vehicle Brake and Clutch Assemblies (with reference package). 5: 6.
- Anonymous. (1975). Examination Of Talcs From Gouverneur District New York. (NIOSH/00145774). Anonymous.
- Anonymous. (1975). Information Indicating a Potential Health Hazard for Persons Exposed to Asbestos during the Servicing of Motor Vehicle Brake and Clutch Assemblies. (NIOSH/00052026). Anonymous.
- Anonymous. (1975). Nickel (pp. 19751975). (NIOSH/00071990). Anonymous.
- Anonymous. (1975). Occupational Safety and Health Research and Demonstration Grants. F.Y. 1975 (pp. 76-101). (NIOSH/00184113). Anonymous.
- Anonymous. (1975). Particulate Filter Research Recommendations (pp. 78466-78404). (NIOSH/00079978). Anonymous.
- Anonymous. (1976). Proceedings of a Roundtable Discussion on Thermal Analysis Techniques (pp. 76-173). (NIOSH/00197241). Anonymous.

Human Health Hazard Literature Search Results

Off Topic

- Anonymous. (1976). Sampling And Evaluating Airborne Asbestos Dust (582) (pp. 19761976). (NIOSH/00148459). Anonymous.
- Anonymous. (1977). Health and Safety-Industry and Services 1975. 92: 19771977.
- Anonymous. (1977). Industrial Hygiene Survey Report at Asbestos Roofing Company, 8060 Armour St., San Diego, California (pp. 19771977). (NIOSH/00106171). Anonymous.
- Anonymous. (1977). Occupational Safety and Health Implications of Increased Coal Utilization (pp. 19771977). (NIOSH/00185299). Anonymous.
- Anonymous. (1977). A Report On The Fiber Content Of Eighty Industrial Talc Samples Obtained From, And Using The Procedures Of, The Occupational Safety And Health Administration. 49: 19771977.
- Anonymous. (1977). Roofing Industry IN: "Information Profiles on Potential Occupational Hazards", NIOSH Contract No. 210-77-0120, October 1977, p. 316-320 (pp. 210-277). (NIOSH/00075438). Anonymous.
- Anonymous. (1977). Talc IN: "Information Profiles on Potential Occupational Hazards", NIOSH Contract No. 210-77-0120, October 1977, p. 51-53 (pp. 210-277). (NIOSH/00075413). Anonymous.
- Anonymous. (1978). Hazards from asbestos [Editorial]. J R Soc Health 98: 147.
- Anonymous. (1978). Health and Safety Guide for Oil and Gas Well Drilling and Servicing (pp. 78-190). (NIOSH/00184351). Anonymous.
- Anonymous. (1978). Manufacturing And Service Industries 1977. (NIOSH/00146317). Anonymous.
- Anonymous. (1979). Asbestos Identification And Measurement. Proceedings Of A Topical Symposium, April 9, 1979, Des Plaines, Illinois (pp. 19791979). (NIOSH/00152066). Anonymous.
- Anonymous. (1979). Asbestos-Containing Materials In School Buildings: A Guidance Document (pp. 19791979). (NIOSH/00145464). Anonymous.
- Anonymous. (1979). Preliminary Study on the Possible Release of Asbestos Fibres during the Operation of Hand-Held Hair Dryers. 7: 1979.
- Anonymous. (1979). The President's Report On Occupational Safety And Health, 1975 (pp. 19791979). (NIOSH/00150848). Anonymous.
- Anonymous. (1979). Reference Method for the Determination of Airborne Asbestos Fibre Concentrations at Workplaces by Light Microscopy (Membrane Filter Method). 1: 1979.
- Anonymous. (1979). Workshop On Criteria For Selection, Preparation, And Characterization Of Mineral Samples For Biological Testing, December 6-7, 1979 (pp. 19791979). (NIOSH/00146602). Anonymous.
- Anonymous. (1980). Approved Occupational Health Guide: Asbestos (pp. 19801980). (NIOSH/00137167). Anonymous.
- Anonymous. (1980). Approved Occupational Health Guide: Fibrous Glass (pp. 19801980). (NIOSH/00137169). Anonymous.
- Anonymous. (1980). Asbestos Abatement Guidancecontrol Manual. 21: 19801980.
- Anonymous. (1980). Off-Shore Construction. 12: 83.
- Anonymous. (1980). Toxic Chemicals And Public Protection. (NIOSH/00146911). Anonymous.
- Anonymous. (1981). The Bay Area Asbestos Surveillance Project. Case Study Of A Community Health Screening Project January 1981 (pp. 81-2327). (NIOSH/00145550). Anonymous.
- Anonymous. (1981). Code Of Practice Asbestos And Demolition (pp. 19811981). (NIOSH/00137251). Anonymous.
- Anonymous. (1981). Code Of Practice Handling, Processing And Repair Of Asbestos-Based Friction Materials (pp. 19811981). (NIOSH/00137876). Anonymous.
- Anonymous. (1981). Health Effects Of Combined Exposures In The Work Environment. 662: 272.
- Anonymous. (1981). Missouri Workshops On Asbestos Treatment In Schools. Department of Health and Human Services: 19811981.
- Anonymous. (1982). Asbestos-Associated Diseases. Arch Pathol Lab Med 106: 541-597.
- Anonymous. (1982). Clean Your Room A Compendium On Indoor Pollution. 644: 19821982.
- Anonymous. (1982). Dust In The London Underground. A Report By London Transport. 17: 19821982.
- Anonymous. (1982). Evaluation of a Commercial Vacuum System for Asbestos Removal. A Safety and Cost Evaluation (pp. 01071-01001). (NIOSH/00133887). Anonymous.
- Anonymous. (1982). The Safe Asbestos Treatment Program. U: 19821982.
- Anonymous. (1982). Scientific Basis for Swedish Occupational Standards II. Arbete och Hälsa No: 160.
- Anonymous. (1983). EARLY HEALTH WARNINGS OVER EXPOSURE TO ZEOLITES (pp. 34; 1983). (ISSN 0009-272X HMTc/83/0001064). Anonymous.
- Anonymous. (1983). Guidance For Controlling Friable Asbestos-Containing Materials In Buildings. 560: 5-83.
- Anonymous. (1983). Rubber Industry, Natural (pp. 1967-1971). (NIOSH/00149397). Anonymous.
- Anonymous. (1984). Asbestos Task Order for Construction Alternatives (pp. 4-0024). (NIOSH/00191931). Anonymous.
- Anonymous. (1984). COUNCIL POSITION ON PROPOSED ASBESTOS STANDARD (pp. 46; 1984). (HMTc/84/0002172). Anonymous.
- Anonymous. (1984). NIOSH Report on Occupational Safety and Health for Fiscal Year 1983 Under Public Law 91-596 (pp. 19841984). (NIOSH/00180437). Anonymous.
- Anonymous. (1985). 1985 Supplement to NIOSH Manual of Analytical Methods, 3rd Edition (pp. 85-117). (NIOSH/00184338). Anonymous.
- Anonymous. (1985). Epidemiology and Health Risk Assessment. Proceedings of a Symposium Held May 14 16, 1985, Columbia, Maryland. 591: 19851985.
- Anonymous. (1985). Fourth Annual Report on Carcinogens. Summary 1985 (pp. 85-002). (NIOSH/00171634). Anonymous.
- Anonymous. (1985). NIOSH Research and Demonstration Grants. Fiscal Year 1984 (pp. 86-108). (NIOSH/00184361). Anonymous.
- Anonymous. (1986). The Changing Nature of Work and Workforce (pp. 22-24). (NIOSH/00167890). Anonymous.
- Anonymous. (1986). Current Intelligence Bulletins: Summaries (pp. 86-124). (NIOSH/00165814). German Federal Ministry of Labour and Social Affairs.
- Anonymous. (1986). NIOSH Certified Equipment List as of October 1, 1986 (pp. 87-102). (NIOSH/00166991). Anonymous.
- Anonymous. (1986). NIOSH Grants, Research and Demonstration Projects, Annual Report, Fiscal Year 1985 (pp. 86-123). (NIOSH/00184114). Anonymous.

Human Health Hazard Literature Search Results

Off Topic

- Anonymous. (1986). Pneumoconioses Caused by Sclerogenous Mineral Dusts (pp. 9-25). (NIOSH/00171732). Anonymous.
- Anonymous. (1986). Proposed National Strategies for the Prevention of Leading Work-Related Diseases and Injuries. Occupational Lung Diseases (pp. 89-128). (NIOSH/00197150). Anonymous.
- Anonymous. (1986). The Respiratory System (pp. 207-213). (NIOSH/00171760). Anonymous.
- Anonymous. (1987). Asbestos. Draft Code of Practice and Guidance Notes (pp. 19871987). (NIOSH/00175460). Anonymous.
- Anonymous. (1987). Current Intelligence Bulletins: Summaries (pp. 87-118). (NIOSH/00177506). Anonymous.
- Anonymous. (1987). NIOSH Guide to Industrial Respiratory Protection (pp. 87-116). (NIOSH/00177545). Anonymous.
- Anonymous. (1987). Silica:Crystalline silica (Group 2A); Amorphous silica (Group 3) (pp. Suppl). (ISSN 0250-9550 RISKLINE/1993110033). Anonymous.
- Anonymous. (1987). Talc not containing asbestiform fibres (Group 3) and talc containing asbestiform fibres (Group 1) (pp. Suppl). (RISKLINE/1993110039). Anonymous.
- Anonymous. (1987). Tobacco smoke (Group 1) (pp. Suppl). (RISKLINE/1993110044). Anonymous.
- Anonymous. (1988). Benign asbestos pleural effusions [Editorial]. Lancet 1: 1145-1146.
- Anonymous. (1988). Current Intelligence Bulletins: Summaries (pp. 88-120). (NIOSH/00183529). Anonymous.
- Anonymous. (1988). FACE Report: Asbestos Worker Electrocuted in Ohio, July 6, 1988. NIOSH: 19881988.
- Anonymous. (1988). National Occupational Health Survey of Mining, Asbestos Report (pp. 1988). (NIOSH/00192797). Anonymous.
- Anonymous. (1988). NIOSH Videotape Listing. 13: 19881988.
- Anonymous. (1988). Occupational Safety and Health Guidelines for Chemical Hazards (pp. 89-104). (NIOSH/00187463). Anonymous.
- Anonymous. (1989). FACE Report: Roofer Electrocuted When Ladder Contacts 7200-Volt Power Line, October 20, 1988 (pp. 89-16). (NIOSH/00198513). Anonymous.
- Anonymous. (1989). FACE Report: Roofer/arpenter Dies after 26-Foot Fall from Roof, January 3, 1989 (pp. 89-22). (NIOSH/00199110). Anonymous.
- Anonymous. (1989). NIOSH Manual of Analytical Methods, (3rd Edition 3rd Supplement). NIOSH: 89-127.
- Anonymous. (1990). Proceedings of the VIIth International Pneumoconioses Conference, Parts I and II. (NIOSH/00197974). Anonymous.
- Anonymous. (1991). Asbestos. (RISKLINE/1993020033). Anonymous.
- Anonymous. (1991). Building Air Quality. A Guide for Building Owners and Facility Managers (pp. 91-114). (NIOSH/00204381). Anonymous.
- Anonymous. (1991). Talc. (RISKLINE/1994080017). Anonymous.
- Anonymous. (1992). Report on Occupational Safety and Health for Fiscal Year 1990. (NIOSH/00214127). Anonymous.
- Anonymous. (1993). Environments for People (pp. 19-21). (NIOSH/00220362). Anonymous.
- Anonymous. (1993). National Institute for Occupational Safety and Health Occupational Fiber Exposures and Lung Disease Research Strategy. (NIOSH/00219218). Anonymous.
- Anonymous. (1995). Man-Made Mineral Fibers. Assessment of Carcinogenicity (pp. Committee on the Evaluation of the Carcinogenicity of Chemical Substances). (NIOSH/00235278). Anonymous.
- Anonymous. (1995). NIOSH Update: NIOSH Warns: Employment May be Hazardous for Adolescent Workers (pp. 95-115). (NIOSH/00232584). Anonymous.
- Anonymous. (1997). Protect Your Family. Reduce Contamination at Home (pp. 97-125). (NIOSH/00238176). Anonymous.
- Anonymous. (2001). Aluminum Oxide. 7.
- Anonymous. (2001). Asbestos, all forms. Amosite, Antophyllite, Chrysotile, Crocidolite, Trolite. (RISKLINE/2002040034). Anonymous.
- Anonymous. (2001). Barium Sulfate. (RISKLINE/2002040089). Anonymous.
- Anonymous. (2001). Calcium Carbonate. (RISKLINE/2002050027). Anonymous.
- Anonymous. (2001). Calcium Silicate, synthetic nonfibrous. (RISKLINE/2002050023). Anonymous.
- Anonymous. (2001). Calcium Sulfate. (RISKLINE/2002050022). Anonymous.
- Anonymous. (2001). Emery. (RISKLINE/2002100001). Anonymous.
- Anonymous. (2001). Iron Oxide. (RISKLINE/2002110064). Anonymous.
- Anonymous. (2001). Kaolin. (RISKLINE/2002110080). Anonymous.
- Anonymous. (2001). Magnesite. (RISKLINE/2002120007). Anonymous.
- Anonymous. (2001). Particulates (insoluble) not otherwise specified (PNOS). (RISKLINE/2003030014). Anonymous.
- Anonymous. (2001). Perlite. (RISKLINE/2003030025). Anonymous.
- Anonymous. (2001). Portland Cement. (RISKLINE/2003040029). Anonymous.
- Anonymous. (2001). Rouge. (RISKLINE/2003050023). Anonymous.
- Anonymous. (2001). Silica, Amorphous-Diatomaceous Earth. (RISKLINE/2003050018). Anonymous.
- Anonymous. (2001). Silica, Amorphous-Precipitated Silica and Silica Gel. (RISKLINE/2003050017). Anonymous.
- Anonymous. (2001). Silicon Carbide. (RISKLINE/2003050009). Anonymous.
- Anonymous. (2001). Soapstone. (RISKLINE/2003050006). Anonymous.
- Anonymous. (2001). Talc - containing no asbestos fibers; containing asbestos fibers. (RISKLINE/2003060029). Anonymous.
- Ansari, FA; Ahmad, I; Ashquin, M; Yunus, M; Rahman, Q. (2007). Monitoring and identification of airborne asbestos in unorganized sectors, India. Chemosphere 68: 716-723. <http://dx.doi.org/10.1016/j.chemosphere.2007.01.040>.
- Ansari, NA; Derias, NW. (2000). Diagnosis of malignant mesothelioma by fine needle aspiration of a cervical lymph node. A case report. Acta Cytol 44: 70-74.
- Anthonsen, NR. (2004). Trouble in Anatolia [Comment]. Can Respir J 11: 273-274.

Human Health Hazard Literature Search Results

Off Topic

- Antman, K; Cohen, S; Dimitrov, NV; Green, M; Muggia, F. (1984). Malignant mesothelioma of the tunica vaginalis testis. *J Clin Oncol* 2: 447-451.
- Antman, KH. (1980). Current concepts: malignant mesothelioma [Review]. *N Engl J Med* 303: 200-202.
<http://dx.doi.org/10.1056/NEJM198007243030407>.
- Antman, KH. (1986). Asbestos-related malignancy [Review]. *Crit Rev Oncol Hematol* 6: 287-309.
- Antman, KH; Corson, JM; Li, FP; Greenberger, J; Sytkowski, A; Henson, DE; Weinstein, L. (1983). Malignant mesothelioma following radiation exposure. *J Clin Oncol* 1: 695-700.
- Antman, KH; Ruxer, RL; Aisner, J; Vawter, G. (1984). Mesothelioma following Wilms' tumor in childhood. *Cancer* 54: 367-369.
- Anton-Culver, H; Culver, BD; Kurosaki, T. (1988). IMMUNE RESPONSE IN SHIPYARD WORKERS WITH X-RAY ABNORMALITIES CONSISTENT WITH ASBESTOS EXPOSURE. *Br J Ind Med* 45: 464-468.
- Anton'Ev, AA; Lok, SM. (1985). OCCUPATIONAL DERMATOSES IN WORKERS ENGAGED IN THE MANUFACTURE OF ASBESTOS CEMENT PRODUCTS (pp. 33-34). (ISSN 0042-4609 BIOSIS/86/05904). Anton'Ev, AA; Lok, SM.
- Antonini, JM; Reasor, MJ. (1994). Effect of short-term exogenous pulmonary surfactant treatment on acute lung damage associated with the intratracheal instillation of silica. *J Toxicol Environ Health* 43: 85-101.
- Anttila, A; Sallmen, M; Hemminki, K. (1993). CARCINOGENIC CHEMICALS IN THE OCCUPATIONAL ENVIRONMENT (pp. PREVENTION OF CANCER). (BIOSIS/93/21369). Anttila, A; Sallmen, M; Hemminki, K.
- Anttila, P; Heikkilä, P; Mäkelä, M; Schlünssen, V; Priha, E. (2009). Retrospective exposure assessment for carcinogenic agents in bitumen waterproofing industry in Finland and Denmark. *Ann Occup Hyg* 53: 139-151. <http://dx.doi.org/10.1093/annhyg/men082>.
- Anttila, S; Hietanen, E; Vainio, H; A-M, C; Gelbon, HV; Park, SS; Heikkilä, L; Karjalainen, A; Bartsch, H. (1991). Smoking and peripheral type of cancer are related to high levels of pulmonary cytochrome P450IA in lung cancer patients. *Int J Cancer* 47: 681-685.
- Anttila, S; Kokkonen, P; Paakko, P; Kerola, T; Rainio, P; P-L, K; Sutinen, S. (1987). HIGH CONCENTRATIONS OF CHROMIUM IN LUNG TISSUE FROM LUNG CANCER PATIENTS (pp. COPENHAGEN). (BIOSIS/88/17992). Anttila, S; Kokkonen, P; Paakko, P; Kerola, T; Rainio, P; Kalliomaki P-L; Sutinen, S.
- Antweiler, H. (1974). CHEMICAL PHYSICAL NOXIOUS SUBSTANCES FROM ATMOSPHERIC POLLUTION (pp. 38-46). (HEEP/75/08443). Antweiler, H.
- Anwar, WA. (1993). CHEMICAL INTERACTION - ENHANCEMENT AND INHIBITION OF CLASTOGENICITY. *Environ Health Perspect* 101: 203-206.
- Aoe, K; Hiraki, A; Maeda, T; Onoda, T; Makihata, K; Takao, K; Fujii, M; Murakami, K; Moriyama, M; Eda, R; Takeyama, H. (2003). Malignant fibrous histiocytoma of the lung. *Anticancer Res* 23: 3469-3474.
- Apol, AG. (1973). Health Hazard Evaluation Report HHE-72-43-57, Fortune Industries, Chelsea, Michigan (pp. 72-43). (NIOSH/00027235). Apol, AG.
- Arai, H. (1979). Acid glycosaminoglycans in pleural diseases (pp. 3-4). (HEEP/80/13379). Arai, H.
- Arai, H; K-Y, K; Sato, H; Satoh, K; Nagai, H; Motomiya, M; Konno, K. (1979). Significance of the quantification and demonstration of hyaluronic acid in tissue specimens for the diagnosis of pleural mesothelioma. *Am Rev Respir Dis* 120: 529-532.
- Arauzo, MJR; Samsó, CT; Delosrios, C; Ordonez, MSD; Diazrubio, M; Gasenjo, JAL. (1995). REFRACTORY ASCITES IN PERITONEAL MESOTHELIOMA - DIAGNOSTIC AND THERAPEUTIC MANAGEMENT. *Rev Esp Enferm Dig* 87: 263-266.
- Arblaster, L; Hatton, P; Schweiger, MS; Renvoize, ER; Howel, D. (1990). Asbestos diseases and compensation [Comment]. *BMJ* 301: 1101.
- Arbman, G; Axelsson, O; Fredriksson, M; Nilsson, E; Sjødahl, R. (1993). DO OCCUPATIONAL FACTORS INFLUENCE THE RISK OF COLON AND RECTAL-CANCER IN DIFFERENT WAYS. *Cancer* 72: 2543-2549.
- Arcangeli, G; Romeo, R; Scancarello, G; Boccalon, P; Calabro, S. (1996). MINERAL ANALYSIS OF BRONCHOALVEOLAR LAVAGE FLUIDS IN SUBJECTS NOT OCCUPATIONALLY EXPOSED TO ASBESTOS (pp. 7-11). (BIOSIS/97/05368). Arcangeli, G; Romeo, R; Scancarello, G; Boccalon, P; Calabro, S.
- Archer, VE. (1996). Radon, silicosis, and lung cancer. *Health Phys* 70: 268-268.
- Archer, VE; Rom, WN. (1983). Trends in mortality of diffuse malignant mesothelioma of pleura [Letter]. *Lancet* 2: 112-113.
- Arcos, JC. (1978). Criteria for selecting chemical compounds for carcinogenicity testing: an essay. *J Environ Pathol Toxicol* 1: 433-458.
- Arcot, DK. (2010). Asbestos Exposure Assessment Database. 22.
- Ardizzone, M; Vizio, C; Bozzetta, E; Pezzolato, M; Mastro, S; Dondo, A; Giorgi, I; Seghesio, A; Mirabelli, D; Capella, S; Vigliaturo, R; Belluso, E. (2014). The wild rat as sentinel animal in the environmental risk assessment of asbestos pollution: a pilot study. *Sci Total Environ* 479-480: 31-38. <http://dx.doi.org/10.1016/j.scitotenv.2014.01.108>.
- Ardizzone, A; Rosso, R; Soresi, E; Borghini, U; Depalma, M; Gulisano, M; Botta, M; Scagliotti, G; Brunetti, I; Et, AL. (1988). CISPLATIN CDDP AND ADRIAMYCIN ADM IN THE TREATMENT OF MALIGNANT PLEURAL MESOTHELIOMA A PHASE II TRIAL OF FONICAP (pp. 5-9). (BIOSIS/89/06038). Ardizzone, A; Rosso, R; Soresi, E; Borghini, U; Depalma, M; Gulisano, M; Botta, M; Scagliotti, G; Brunetti, I; Et, AL.
- Arends, J; Voegel, JC; Jongebloed, W; Pieters, J. (1982). Determination and calibration of crystal lattice images of biological apatites. 10: 125-133.
- Ares, J. (1990). EXPOSURE TO NON-ASBESTOS REFRACTORY MATERIALS CORRECTIONS OF FIBER COUNTS FOR COMPARABLE RISK ASSESSMENT. *Bull Environ Contam Toxicol* 45: 783-788.
- Ares, J. (1990). Exposure to Non-asbestos Refractory Materials: Morphological Changes of Airborne Particulate following Attrition and Recrystallization. *Bull Environ Contam Toxicol* 45: 789-795.
- Aresini, G. (1996). [European Community activity in the area of worker health protection and safety]. *Med Lav* 87: 441-444.
- Aretinskii, BV; Kogan, FM. (1969). (The role of immunological processes in the pathogenesis of silicosis and asbestosis.) (pp. 63-70). (HEEP/72/01413). Aretinskii, BV; Kogan, FM.
- Arhelger, R; Rödelsperger, K; Giesen, T; Sieben, J; Woitowitz, HJ. (1983). [Suitability of published measurements of asbestos dust in the work area for the evaluation of industrial medicine risk]. 33: 274-281.

Human Health Hazard Literature Search Results

Off Topic

- Ariad, S; Barchana, M; Yukelson, A; Geffen, DB. (2000). A worrying increase in the incidence of mesothelioma in Israel. *Isr Med Assoc J* 2: 828-832.
- Arif, JM; Khan, SG; Ahmad, I; Joshi, LD; Rahman, Q. (1997). Effect of kerosene and its soot on the chrysotile-mediated toxicity to the rat alveolar macrophages. *Environ Res* 72: 151-161. <http://dx.doi.org/10.1006/enrs.1996.3722>.
- Arif, JM; Khan, SG; Mahmood, N; Aslam, M; Rahman, Q. (1994). Effect of coexposure to asbestos and kerosene soot on pulmonary drug-metabolizing enzyme system. *Environ Health Perspect* 102 Suppl 5: 181-183.
- Armstrong, BG; Sloan, M. (1989). Ordinal regression models for epidemiologic data. *Am J Epidemiol* 129: 191-204.
- Army, Do; Engineers, USACo. (2001). Pre-Design Lead/Asbestos Survey Standard Scope of Work. 43.
- Army Safety Center Fort Rucker, A. (1985). Conducting Brake Repair Operations. 14.
- Army, USDot. (2002). Environmental Quality: Environmental Protection and Enhancement. 168.
- Arndt, V; Bochmans, F; Hohmann, S; Naumann, C; Ponto, K; Seibt, A. (2002). Carcinogenicity of occupational cadmium and arsenic exposure - First results from the Saxonia-study. *Gefahrst Reinhalt Luft* 62: 159-163.
- Arndt, V; Rothenbacher, D; Daniel, U; Zschenderlein, B; Schubert, S; Brenner, H. (2004). All-cause and cause specific mortality in a cohort of 20000 construction workers; results from a 10 year follow up. *Occup Environ Med* 61: 419-425. <http://dx.doi.org/10.1136/oem.2003.008680>.
- Arnold, FS; Augustyniak, CM; Martin, WE. (1990). Estimating welfare effects of asbestos regulation. *J Environ Manage* 31: 279-288.
- Arnoldussen, YJ; Skogstad, A; Skaug, V; Kasem, M; Haugen, A; Benker, N; Weinbruch, S; Apte, RN; Zienolddiny, S. (2015). Involvement of IL-1 genes in the cellular responses to carbon nanotube exposure. *Cytokine* 73: 128-137. <http://dx.doi.org/10.1016/j.cyto.2015.01.032>.
- Aroesty, J; Wolf, K. (1986). Risk from exposure to asbestos [Letter]. *Science* 234: 923.
- Aronova, GV; Velichkovskii, BT; Genkin, AM; El'Nichnykh, LN; Morozova, KI. (1980). Antifibrotic effect of glutamic acid in experimental silicosis and asbestosis. *Gig Tr Prof Zabol O*: 12-15.
- Arrandale, VH; Koehoorn, M; Macnab, Y; Kennedy, SM. (2009). Longitudinal analysis of respiratory symptoms in population studies with a focus on dyspnea in marine transportation workers. *Int Arch Occup Environ Health* 82: 1097-1105. <http://dx.doi.org/10.1007/s00420-009-0412-y>.
- Arrieta, O; Lopez-Macias, D; Mendoza-Garcia, VO; Bacon-Fonseca, L; Munoz-Montano, W; Macedo-Perez, EO; Muniz-Hernandez, S, ae; Blake-Cerda, M; Corona-Cruz, JF. (2014). A phase II trial of prolonged, continuous infusion of low-dose gemcitabine plus cisplatin in patients with advanced malignant pleural mesothelioma. *Cancer Chemother Pharmacol* 73: 975-982. <http://dx.doi.org/10.1007/s00280-014-2429-5>.
- Arrieta, O; Ramirez-Tirado, LA; Baez-Saldana, R; Pena-Curiel, O; Soca-Chafre, G; Macedo-Perez, EO. (2015). Different mutation profiles and clinical characteristics among Hispanic patients with non-small cell lung cancer could explain the "Hispanic paradox". *Lung Cancer* 90: 161-166. <http://dx.doi.org/10.1016/j.lungcan.2015.08.010>.
- Arroyo, MC; Rojo, JM. (1998). National versus international asbestos fibre counting schemes: comparison between the Spanish Interlaboratory Quality Control Programme (PICC-FA) and the Asbestos Fibre Regular Informal Counting Arrangement (AFRICA). *Ann Occup Hyg* 42: 97-104.
- Arroyo, MC; Rojo, JM. (2001). A proposal for harmonising laboratory performance assessment criteria in national asbestos fibre counting schemes. *Ann Occup Hyg* 45: 447-455.
- Artvinli, M; Baris, YI. (1979). Malignant mesotheliomas in a small village in the Anatolian region of Turkey: an epidemiologic study. *J Natl Cancer Inst* 63: 17-22.
- Artvinli, M; Baris, YI. (1982). Environmental fiber-induced pleuro-pulmonary diseases in an Anatolian (Turkey) village: An epidemiologic study. *Arch Environ Health* 37: 177-181.
- Arvidsson, H. (1976). [Plaques and asbestos--a reply]. *Lakartidningen* 73: 1064.
- Asahi, T; Kobayashi, S; Nakayama, K; Konya, T; Fujinawa, G; Nakamura, T. (2011). Preparation and evaluation of a chrysotile asbestos-containing standard material for validating x-ray diffractometric quantitation. *Anal Sci* 27: 1217-1221.
- Asahi, T; Matsudaira, T; Kobayashi, S; Nakayama, K; Nakamura, T. (2010). Estimation of Purity of Chrysotile Asbestos by X-ray Diffractometry/Rietveld Refinement. *Anal Sci* 26: 1295-1300. <http://dx.doi.org/10.2116/analsci.26.1295>.
- Asch, K. (1979). Asbestos law: victims' rights and industry's reaction. *Ann N Y Acad Sci* 330: 255-272.
- Aschberger, K; Johnston, HJ; Stone, V; Aitken, RJ; Hankin, SM; Peters, SA; Tran, CL; Christensen, FM. (2010). Review of carbon nanotubes toxicity and exposure—Appraisal of human health risk assessment based on open literature [Review]. *Crit Rev Toxicol* 40: 759-790. <http://dx.doi.org/10.3109/10408444.2010.506638>.
- Aschengrau, AA. (2009). Research Project 1: Neurotoxic Effects of PCE Exposure During Gestation and.
- Aschengrau, ANN. (2008). Research Project 1: Neurotoxic Effects of PCE Exposure During Gestation and.
- Ascoli, V; Comba, P; Pasetto, R. (2004). Urban mesothelioma: is there an emerging risk of asbestos in place [Letter]. *Int J Cancer* 111: 975-976. <http://dx.doi.org/10.1002/ijc.20346>.
- Asensio, JA; Goldblatt, P; Thomford, NR. (1990). Primary malignant peritoneal mesothelioma: A report of seven cases and a review of the literature. *Arch Surg* 125: 1477-1481.
- Ashbaugh, N. (1979). Letter Explaining Chem Hazards in Starter Plant GM. (TSCATS/029211). Washington, DC. Office of Toxic Substances.
: Office of Toxic Substances.
- Ashcroft, T; HEPPEST.AG. (1972). ASBESTOS-FIBER CONCENTRATION IN RELATION TO PULMONARY REACTION. *J Pathol* 107: R13-&.
- Ashcroft, T; Simpson, JM; Timbrell, V. (1988). SIMPLE METHOD OF ESTIMATING SEVERITY OF PULMONARY FIBROSIS ON A NUMERICAL SCALE. *J Clin Pathol LOND*: 467-470.

Human Health Hazard Literature Search Results

Off Topic

- Ashdown, SP; Watkins, SM. (1992). Movement Analysis as the Basis for the Development and Evaluation of a Protective Coverall Design for Asbestos Abatement (pp. Fourth Volume). (NIOSH/00238276). Ashdown, SP; Watkins, SM.
- Ashford, NA; Castleman, B; Frank, AL; Giannasi, F; Goldman, LR; Greenberg, M; Huff, J; Joshi, KT; Ladou, J; Lemen, RA; Maltoni, C; O'Neil, R; Richter, E; Silbergeld, EK; Teitelbaum, DT; Thebaud-Mony, A; Tomatis, L; Watterson, A. (2002). The International Commission on Occupational Health (ICOH) and its influence on international organizations. *Int J Occup Environ Health* 8: 156-162. <http://dx.doi.org/10.1179/107735202800338984>.
- Ashford, RF; Maher, J; Drury, A; Pickering, D. (1981). Radiation pneumonitis in a patient exposed to asbestos. *Br J Radiol* 54: 74-77. <http://dx.doi.org/10.1259/0007-1285-54-637-74>.
- Aslam, M; Arif, MJ; Rahman, O. (1995). Red blood cell damage by wollastonite: in vitro study. *J Appl Toxicol* 15: 27-31.
- Aslam, M; Ashquin, M; Rahman, Q. (1992). In Vitro Cytotoxic Effects of Wollastonites on Rat Hepatocytes: II. Lipid Peroxidation and Glutathione Depletion. *Bull Environ Contam Toxicol* 49: 547-554.
- Aslam, M; Fatima, N; Rahman, Q. (1993). Cytotoxic and genotoxic effects of calcium silicates on human lymphocytes in vitro. *Mutat Res* 300: 45-48.
- Assennato, G; Bisceglia, L; De Nichilo, G; Grassi, ME; Lo Izzo, A. (2005). Late industrial development and occupational health in southern Italy. *Int J Occup Environ Health* 11: 82-87. <http://dx.doi.org/10.1179/oe.2005.11.1.82>.
- Astoul, P. (2000). Experimental models of pleural neoplasia: progress in our understanding of human disease? *Rev Mal Respir* 17: 411-416.
- Atkinson, MA; O'sullivan, M; Zuber, S; Dodson, RF. (2004). Evaluation of the size and type of free particulates collected from unused asbestos-containing brake components as related to potential for respirability. *Am J Ind Med* 46: 545-553. <http://dx.doi.org/10.1002/ajim.20097>.
- Atkinson, MAL; Dodson, RF. (2006). Re: Evaluation of the size and type of free particulates collected from unused asbestos-containing brake components as related to potential for respirability - Response. *Am J Ind Med* 49: 62-64. <http://dx.doi.org/10.1002/ajim.20237>.
- ATS. (1986). The diagnosis of nonmalignant diseases related to asbestos. *Am Rev Respir Dis* 134: 363-368. <http://dx.doi.org/10.1164/arrd.1986.134.2.363>.
- ATS. (1995). Standardization of spirometry, 1994 update. American Thoracic Society. *Am J Respir Crit Care Med* 152: 1107-1136. <http://dx.doi.org/10.1164/ajrccm.152.3.7663792>.
- ATS. (2000). What constitutes an adverse health effect of air pollution? *Am J Respir Crit Care Med* 161: 665-673. <http://dx.doi.org/10.1164/ajrccm.161.2.ats4-00>.
- ATSDR. (1992). Health Assessment for Nebraska Army Ordnance Plant (Former), Mead, Saunders County, Nebraska, Region 7. CERCLIS No. NE6211890011. 36.
- ATSDR. (1992). Public Health Assessment for Arctic Surplus Fairbanks, Fairbanks North Star County, Alaska, Region 10. CERCLIS No. AKD980988158 (pp. 40). (NTIS/02987470).
- ATSDR. (1995). Public Health Assessment for Petitioned Phelps Dodge Corp Douglas Reduction Works, Douglas, Cochise County, Arizona, Region 9. CERCLIS No. AZD008397143. 96.
- ATSDR. (2000). Public Health Assessment for Petitioned Public Health Assessment, Morse Cutting Tools, New Bedford, Bristol County, Massachusetts, Region 1. CERCLIS No. MAD051505683 (pp. 96). (NTIS/02923539_a).
- ATSDR. (2004). Health Assessment Final Release: Marine Corps Combat Development Command (MCCDC) Quantico, Prince William County, Virginia, May 6, 2004. EPA Facility ID: VA1170024722.
- ATSDR. (2004). Health Consultation: Western Minerals Products, Omaha, Douglas County, Nebraska. EPA Facility ID: NEN000703777. 35.
- ATSDR. (2005). Health Consultation: Former Zonolite/W.R. Grace and Company Site, 4729 River Road, New Orleans, Jefferson Parish, Louisiana. 46.
- ATSDR. (2005). Health Consultation: Gila Crossing Presbyterian Church, District 6, Gila River Indian Community, Maricopa County, Arizona. EPA Facility ID: AZD981621881. 30.
- ATSDR. (2005). Health Consultation: North Ridge Estates (a/k/a Former Marine Recuperational Barracks), Klamath Falls, Klamath County, Oregon. EPA Facility ID: ORN001002476. 42.
- ATSDR. (2005). Health Consultation: Results of Air Exposure Investigation, Prima Asphalt Concrete, Inc., (PAVCO), Holbrook, Suffolk County, New York. EPA Facility ID: NYD041869645. 18.
- ATSDR. (2006). Health Consultation: Asbestos Exposures at Oak Ridge High School, 1120 Harvard Way, El Dorado Hills, California. EPA Facility ID: CAN000906055. 80.
- ATSDR. (2006). Health Consultation: Community Concerns, North Ridge Estates, Klamath Falls, Klamath County, Oregon. EPA Facility ID: ORN001002476. 40.
- ATSDR. (2006). Health Consultation: Review of Activity-Based Sampling on the Hancock/Ripley Trail, Former Quincy Smelter Site, Town of Ripley, Houghton County, Michigan (Included in the Torch Lake Superfund Site, EPA Facility ID: MID980901946). 34.
- ATSDR. (2007). Health Consultation: A-1 Lube Division of Far Best Corporation Facility, 920 and 940 Allen Avenue, Glendale, Los Angeles County, California. EPA Facility ID: CAD982339400. 40.
- ATSDR. (2007). Health Consultation: Evaluation of Soils at Selected School/Daycare Properties Located Near Raymark Industries Waste Disposal Areas, Raymark Industries, Incorporated, Stratford, Fairfield County, Connecticut. EPA Facility ID: CTD001186618 (pp. 8). (NTIS/02880222_a).
- ATSDR. (2007). Health Consultation: Former California Zonolite/W.R. Grace and Company, 5440 West San Fernando Road, Glendale, Los Angeles County, California. USEPA Facility ID: CAN000905898 and CAN000905894. 71.

Human Health Hazard Literature Search Results

Off Topic

- ATSDR. (2007). Health Consultation: Lead Sampling at North Ridge Estates (a/k/a Former Marine Recuperational Barracks), T38S, Section 15, R9EWM, Northridge Drive, Hunters Ridge Road, Old Fort Road, Klamath Falls, Klamath County, Oregon. EPA Facility ID: ORN001002476. 30.
- ATSDR. (2008). Letter Health Consultation: Trica-Immanuel Church, Boise, Idaho. 14.
- ATSDR. (2009). Health Consultation: A & L Salvage C&DD Landfill (Private Wells), Lisbon, Columbiana County, Ohio. EPA Facility ID: OHN000510257, January 22, 2009. 18.
- ATSDR. (2011). Letter Health Consultation: Powhatan Mining Company, Woodlawn, Baltimore County, Maryland, November 14, 2011. 9.
- ATSDR. (2012). Evaluation of Activity-Based Sampling Results from Camp Moshava at Minefields Asbestos Site Street, Maryland. 8.
- ATSDR. (2012). Health Consultation: Gary Development Landfill, Gary, Lake County, Indiana, August 8, 2012. 45.
- ATSDR. (2012). Letter Health Consultation: 1st Offsite Residence Indoor Air Sampling, Powhatan Mining Company, Woodlawn, Baltimore County, Maryland, February 23, 2012. 5.
- ATSDR. (2012). Letter Health Consultation: 2nd Offsite Residence Indoor Air Sampling, Powhatan Mining Company, Woodlawn, Baltimore County, Maryland, February 23, 2012. 5.
- ATSDR. (2012). Letter Health Consultation: 3rd Offsite Residence Indoor Air Sampling, Powhatan Mining Company, Woodlawn, Baltimore County, Maryland, March 20, 2012. 5.
- ATSDR. (2012). Letter Health Consultation: 4th Offsite Residence Indoor Air Sampling, Powhatan Mining Company, Woodlawn, Baltimore County, Maryland, March 20, 2012. 5.
- ATSDR. (2012). Letter Health Consultation: 5th Offsite Residence Indoor Air Sampling, Powhatan Mining Company, Woodlawn, Baltimore County, Maryland, March 20, 2012. 5.
- ATSDR. (2012). Letter Health Consultation: Bald Friar Quarry NOA Site, Conowingo, Maryland, December 14, 2012. 8.
- ATSDR. (2012). Letter Health Consultation: Onsite Residence Indoor Air Sampling, Powhatan Mining Company, Woodlawn, Baltimore County, Maryland, February 23, 2012. 6.
- ATSDR. (2013). Health Consultation: Groundwater Monitoring Data Review, Response to Public Comments, BoRit Asbestos Site, Ambler, Montgomery County, Pennsylvania, July 19, 2013. 59.
- ATSDR. (2013). Health Consultation: Potential Exposure to Asbestos in Clams, Port Heiden, Alaska. EPA Facility ID: AK8570028698. Cost Recovery: A0JC, February 26, 2013. 23.
- ATSDR. (2013). Health Consultation: Redwood Early Childhood Center Asbestos Removal, Redwood Early Childhood Center, 401 Redwood Street, North Little Rock, Pulaski County, AR, 72114. EPA Contract Number: EP-W-06-077, March 5, 2013. 31.
- ATSDR. (2014). Health Consultation: Review of Activity Based Sampling, Former W. R. Grace Facility (a/k/a North Little Rock Auto Salvage), 600 Dixie Lane, North Little Rock, Pulaski County, AR 72114. EPA Identification Number: ARN000607042. AFIN Number: 60-02502, January 23, 2014. 21.
- ATSDR. (2014). Letter Health Consultation: Hunting Point on the Potomac Residential Asbestos Site, Alexandria, Virginia, December 4, 2014. 11.
- ATSDR. (2014). Public Health Assessment Final Release: Horton Iron and Metal NPL Site, Wilmington, New Hanover County, North Carolina. EPA Facility ID: NCN000407480, March 4, 2014 (pp. 95). (NTIS/10420110_a).
- ATSDR. (2015). Health Consultation: Evaluation of Volatile Organic Compounds (VOCs), Bennett Landfill Fire, Chester, South Carolina, June 22, 2015.
- Attanoos, RL; Gibbs, AR. (1997). Pathology of malignant mesothelioma [Review]. *Histopathology* 30: 403-418.
- Attanoos, RL; Gibbs, AR. (2003). 'Pseudomesotheliomatous' carcinomas of the pleura: a 10-year analysis of cases from the Environmental Lung Disease Research Group, Cardiff. *Histopathology* 43: 444-452.
- Attanoos, RL; Gibbs, AR. (2004). The pathology associated with therapeutic procedures in malignant mesothelioma. *Histopathology* 45: 393-397. <http://dx.doi.org/10.1111/j.1365-2559.2004.01928.x>.
- Attanoos, RL; Griffiths, DM; Gibbs, AR. (2003). Unusual contaminant fibres on mineral analysis [Letter]. *Histopathology* 43: 405-406.
- Attaran, A; Boyd, DR; Stanbrook, MB. (2008). Asbestos mortality: a Canadian export [Editorial]. 179: 871-874. <http://dx.doi.org/10.1503/cmaj.081500>.
- Attfeld, MD; Beckett, ST. (1983). VOID-COUNTING IN ASSESSING MEMBRANE-FILTER SAMPLES OF ASBESTOS FIBER. *Ann Occup Hyg* 27: 273-282.
- Attias, D; Mansencal, N; Gendry, T; Lacombe, P; Dubourg, O. (2009). Pseudotumoural chest X-ray pattern in a patient presenting with heart failure. *Arch Cardiovasc Dis* 102: 341-342. <http://dx.doi.org/10.1016/j.acvd.2008.12.005>.
- Auerbach, O; Hammond, EC; Selikoff, IJ; Parks, VR; Kaslow, HD; Garfinkel, L. (1977). Asbestos bodies in lung parenchyma in relation to ingestion and inhalation of mineral fibers. *Environ Res* 14: 286-304.
- Auliac, JB; Bota, S; Paris, C; Lacolomberie, F; Helot, MF; Sauget, F; Metayer, J; Nouvet, G; Thiberville, L. (1999). Serum levels of vitamins A, E, beta carotene, and selenium in a population at high risk for developing lung cancer (pp. 27-30). (BIOSIS/00/01217). Auliac, JB; Bota, S; Paris, C; Lacolomberie, F; Helot, MF; Sauget, F; Metayer, J; Nouvet, G; Thiberville, L.
- Aumann, K; Guenter, J; Freudenberg, N. (2010). Pseudo-mesotheliomatous adenocarcinoma of the lung. *Pathologie* 31: 283-289. <http://dx.doi.org/10.1007/s00292-009-1235-z>.
- Aust, AE. (1991). Role of iron in asbestos-induced dna damage [Research]. RePORTER Database National Institutes of Health.
- Aust, AE. (1992). Role of O2 radicals and iron in asbestos-induced cancer [Research]. RePORTER Database National Institutes of Health.
- Aust, AE. (1992). Role of iron in asbestos-induced dna damage [Research]. RePORTER Database National Institutes of Health.
- Aust, AE. (1993). Role of O2 radicals and iron in asbestos-induced cancer [Research]. RePORTER Database National Institutes of Health.
- Aust, AE. (1993). Role of iron in asbestos-induced dna damage [Research]. RePORTER Database National Institutes of Health.
- Aust, AE. (1994). Oxygen radicals and iron- and asbestos-induced cancer [Research]. RePORTER Database National Institutes of Health.

Human Health Hazard Literature Search Results

Off Topic

- Aust, AE. (1995). Iron and asbestos-induced dna damage [Research]. RePORTER Database National Institutes of Health.
- Aust, AE. (1997). Role of O2 radicals and iron in asbesto-induced cancer [Research]. RePORTER Database National Institutes of Health.
- Aust, AE. (1997). Role of iron in asbestos-induced dna damage [Research]. RePORTER Database National Institutes of Health.
- Aust, AE. (1998). Role of O2 radicals and iron in asbesto-induced cancer [Research]. RePORTER Database National Institutes of Health.
- Aust, AE. (2000). Role of O2 radicals and iron in asbestos-induced cancer.
- Aust, AE. (2001). Role of O2 radicals and iron in asbestos-induced cancer.
- Aust, AE. (2002). Role of O2 radicals and iron in asbestos-induced cancer.
- Aust, AE. (2003). Role of O2 radicals and iron in asbestos-induced cancer.
- Averbuch, AJ; Long, JJ; Kumar, A. (2002). Hazardous Asbestos and Lead Optimal Management System (HALO). Implementation Guide and User's Manual. 78.
- Averroes, A; Sekiguchi, H; Sakamoto, K. (2011). Treatment of airborne asbestos and asbestos-like microfiber particles using atmospheric microwave air plasma. *J Hazard Mater* 195: 405-413. <http://dx.doi.org/10.1016/j.jhazmat.2011.08.062>.
- Avila, KJ; Hahn, FF; Kubatko, JE; Nikula, KJ. (2002). A double-label immunohistochemical method for assessment of epithelial cell replication in paraffin sections of toxicant-damaged lungs. *Journal of Histotechnology* 25: 15-20.
- Avril, J; Champeix, J. (1970). [Results of exposure to asbestos in France]. *Arch Mal Prof Med Trav Secur Soc* 31: 197-200.
- Awadalla, FT; Habashi, F; Page, M. (1990). Reaction of chrysotile asbestos with phosphate ion in relation to toxicity (pp. 183-196). (BIOSIS/91/31946). Awadalla, FT; Habashi, F; Page, M.
- Axten, CW; Foster, D. (2008). Analysis of airborne and waterborne particles around a taconite ore processing facility. *Regul Toxicol Pharmacol* 52: S66-S72. <http://dx.doi.org/10.1016/j.yrtph.2007.11.010>.
- Ayer, HE. (1964). Results of Air samples at H.K. Porter Company, Charlotte, North Carolina. (NIOSH/00105820). Ayer, HE.
- Ayer, HE. (1964). Results of Air Samples H.K. Porter Company, Davidson, North Carolina. (NIOSH/00105821). Ayer, HE.
- Ayer, HE. (1964). Results of Sampling at American Asbestos Textile, Meredith, New Hampshire. (NIOSH/00105815). Ayer, HE.
- Ayer, HE; Lynch, JR. (1966). Motes and Fibers in the Air of Asbestos Processing Plants and Hygienic Criteria for Airborne Asbestos. *J Occup Med* 10: 21-24.
- Ayer, HE; Zumwalde, RD. (1979). Physical and Chemical Characteristics of Airborne Fibers. (NIOSH/00171109). Ayer, HE; Zumwalde, RD.
- Ayşegül, B; Veysi, GH; Muzaffer, M; Irfan, D; Azra, A; Hulyam, K. (2011). Is a single nucleotide polymorphism a risk factor for lung cancer in the matrix metalloproteinase-2 promoter? *Mol Biol Rep* 38: 1469-1474. <http://dx.doi.org/10.1007/s11033-010-0253-5>.
- Azari, MR; Yazdian, A; Zendejdel, R; Soury, H; Khodakarim, S; Peirovi, H; Panahi, D; Kazempour, M. (2014). Improved Method for Analysis of Airborne Asbestos Fibers Using Phase Contrast Microscopy and FTIR Spectrometry. *Tanaffos* 13: 38-45.
- Azoulay, E; Paugam, B; Heymann, MF; Kambouchner, M; Haloun, A; Valeyre, D; Battesti, JP; Tazi, A. (1999). Familial extensive idiopathic bilateral pleural fibrosis. *Eur Respir J* 14: 971-973.
- Azuma, K; Uchiyama, I; Chiba, Y; Okumura, J. (2009). Mesothelioma risk and environmental exposure to asbestos: past and future trends in Japan. *Int J Occup Environ Health* 15: 166-172. <http://dx.doi.org/10.1179/oeh.2009.15.2.166>.
- Baan, RA. (2007). Carcinogenic hazards from inhaled carbon black, titanium dioxide, and talc not containing asbestos or asbestiform fibers: Recent evaluations by an IARC Monographs Working Group [Review]. *Inhal Toxicol* 19: 213-228. <http://dx.doi.org/10.1080/08958370701497903>.
- Baas, P; Burgers, JA. (2014). [Is one single exposure to asbestos life-threatening?] [Comment]. *Ned Tijdschr Geneesk* 158: A7653.
- Baas, P; Burgers, S. (2015). ASIA: asbestos stop in Asia [Editorial]. *Respirology* 20: 521. <http://dx.doi.org/10.1111/resp.12533>.
- Babich, H. (1985). Reproductive and carcinogenic health risks to hospital personnel from chemical exposure--a literature review. *J Environ Health* 48: 52-56.
- Backer, LC; Grindem, CB; Corbett, WT; Cullins, L; Hunter, JL. (2001). Pet dogs as sentinels for environmental contamination. *Sci Total Environ* 274: 161-169.
- Badgett, A; Bonner, JC; Brody, AR. (1996). Interferon-gamma modulates lung macrophage production of PDGF-BB and fibroblast growth. 13: 89-97.
- Baeten, J; Helsen, J; Deruyttere, A. (1980). Nature, structure, and properties of asbestos cement dust. *Br J Ind Med* 37: 33-41.
- Bagchi, N. (1992). What Makes Silica Toxic? *Br J Ind Med* 49: 163-166.
- Bagheri, R; Haghi, SZ; Rahim, MB; Attaran, D; Toosi, MS. (2011). Malignant pleural mesothelioma: clinicopathologic and survival characteristic in a consecutive series of 40 patients. *Ann Thorac Cardiovasc Surg* 17: 130-136.
- Bagioni, RP. (1975). SEPARATION OF CHRYSOTILE ASBESTOS FROM MINERALS THAT INTERFERE WITH ITS INFRARED ANALYSIS. *Environ Sci Technol* 9: 262-263.
- Bagwe, AN; Kay, PH; Spagnolo, DV. (1997). Evidence that DNA methylation imbalance is not involved in the development of malignant mesothelioma. *Anticancer Res* 17: 3341-3343.
- Bahk, J; Choi, Y; Lim, S; Paek, D. (2013). Authors' reply. Why countries ban asbestos: the roots of political will [Comment]. *Int J Occup Environ Health* 19: 137-138. <http://dx.doi.org/10.1179/1077352513Z.00000000061>.
- Bahk, J; Choi, Y; Lim, S; Paek, D. (2013). Why some, but not all, countries have banned asbestos. *Int J Occup Environ Health* 19: 127-135. <http://dx.doi.org/10.1179/2049396712Y.0000000011>.
- Bahramian, AR; Kokabi, M. (2009). Ablation mechanism of polymer layered silicate nanocomposite heat shield. *J Hazard Mater* 166: 445-454. <http://dx.doi.org/10.1016/j.jhazmat.2008.11.061>.
- Bahramian, AR; Kokabi, M; Famili, MH; Beheshty, MH. (2008). High temperature ablation of kaolinite layered silicate/phenolic resin/asbestos cloth nanocomposite. *J Hazard Mater* 150: 136-145. <http://dx.doi.org/10.1016/j.jhazmat.2007.04.104>.

Human Health Hazard Literature Search Results

Off Topic

- Bai, P; Sharratt, P; Yeo, TY; Bu, J. (2014). A facile route to preparation of high purity nanoporous silica from acid-leached residue of serpentine. *J Nanosci Nanotechnol* 14: 6915-6922.
- Bai, W; Raghavendra, A; Podila, R; Brown, JM. (2016). Defect density in multiwalled carbon nanotubes influences ovalbumin adsorption and promotes macrophage activation and CD4(+) T-cell proliferation. *International Journal of Nanomedicine (Online)* 11: 4357-4371. <http://dx.doi.org/10.2147/IJN.S111029>.
- Baier, EJ. (1975). Occupational health's future. *J Occup Med* 17: 171-172.
- Baierl, T; Drosselmeyer, E; Seidel, A; Hippeli, S. (1996). Comparison of immunological effects of Fullerene C-60 and raw soot from Fullerene production on alveolar macrophages and macrophage like cells in vitro. *Exp Toxicol Pathol* 48: 508-511.
- Bailar, JC; Ballal, SG; Boback, M; Castleman, B; Chee, HL; Cherniack, M; Christiani, D; Cicoletta, A; Fernández de D'Pool, J; Egilman, D; Frank, AL; Garcia, MA; Giannasi, F; Greenberg, M; Harrison, RJ; Huff, J; Infante, P; de Souza, EJ; Joshi, TK; Kamuzora, P; Kazan-Allen, L; Kern, DG; Kromhout, H; Kuswadji, S; Ladou, J; Lemen, RA; Levenstein, C; Luethje, B; Mancini, F; Meel, BL; Mekonnen, Y; Mendes, R; Murie, F; Myers, J; O'Neill, R; Osaro, E; Paek, D; Richter, E; Robertson, E; Samuels, SW; Soskolne, CL; Stuckey, R; Teitelbaum, DT; Terracini, B; Thébaud-Mony, A; Vanhoorne, M; Wang, X; Watterson, A; Wedeen, R. (2006). FIOH-sponsored newsletter misrepresents asbestos hazards in Zimbabwe. *Int J Occup Environ Health* 12: 254-258. <http://dx.doi.org/10.1179/oeh.2006.12.3.254>.
- Bailey, S; Conchie, A; Hiett, DM; Thomas, C. (1988). Personal exposure to asbestos dust during clearance certification. *Ann Occup Hyg* 32: 423-426.
- Bailey, WE. (1983). ASBESTOS VICTIM COMPENSATION: A SOCIAL PROBLEM THAT SHOULD NOT BE SOLVED IN LITIGATION (pp. Trends and Analysis; March 1983:1989-1912). (HMTC/83/0000951). Bailey, WE.
- Baillif, P; M-C, J; J-H, T; Kimmerle, F; Bignon, J; J-C, T. (1982). Study of the interaction of chrysotile asbestos fibers with synthetic membranes: Role of the fiber size (pp. 583-586). (HEEP/83/08107). Baillif, P; Jaurand M-C; Thomassin J-H; Kimmerle, F; Bignon, J; Touray J-C.
- Baillif, P; Touray, JC. (1988). [Comparative study, with photoelectron spectroscopy of the adsorption of phospholipids by 3 fibrous silicate minerals (chrysotile, crocidolite, attapulgite)]. 307: 83-87.
- Bakdash, MB; Frydman, A. (1976). Asbestos in periodontal dressings: a possible health hazard. 7: 61-65.
- Baker, D. (1988). Epidemiology and biostatistics core [Research]. RePORTER Database National Institutes of Health.
- Baker, D. (1989). Epidemiology and biostatistics core [Research]. RePORTER Database National Institutes of Health.
- Baker, D. (1990). Epidemiology and biostatistics core [Research]. RePORTER Database National Institutes of Health.
- Baker, D. (1991). Epidemiology and biostatistics core [Research]. RePORTER Database National Institutes of Health.
- Baker, DB. (1991). Limitations in drawing etiologic inferences based on measurement of asbestos fibers from lung tissue [Review]. *Ann N Y Acad Sci* 643: 61-70.
- Baker, DB; Landrigan, PJ. (1990). OCCUPATIONALLY RELATED DISORDERS. *Med Clin North Am* 74: 441-460.
- Baker, TR; Piver, MS. (1994). Etiology, biology, and epidemiology of ovarian cancer [Review]. *Semin Surg Oncol* 10: 242-248.
- Bakhshayesh Karam, M; Karimi, S; Mosadegh, L; Chaibakhsh, S. (2016). Malignant Mesothelioma Versus Metastatic Carcinoma of the Pleura: A CT Challenge. *Iranian Journal of Radiology* 13: e10949. <http://dx.doi.org/10.5812/iranradiol.10949>.
- Bakke, P; Baste, V; Hanao, R; Gulsvik, A. (1992). Occupational Airborne Exposure of the General Population of a Norwegian County (pp. 44-51). (ISSN 0355-3140; EISSN 1795-990X; NIOSH/00206720). Bakke, P; Baste, V; Hanao, R; Gulsvik, A.
- Bakke, P; Eide, GE; Hanao, R; Gulsvik, A. (1991). Occupational dust or gas exposure and prevalences of respiratory symptoms and asthma in a general population. *Eur Respir J* 4: 273-278.
- Bakke, P; Gulsvik, A; Eide, GE; Hanao, R. (1990). Smoking habits and lifetime occupational exposure to gases or dusts, including asbestos and quartz, in a Norwegian community. *Scand J Work Environ Health* 16: 195-202.
- Baktiar, H; Laurent, G; Athanasios, P; Jessica, M; Rabab, G; Richard, S; Dean, FA; Paul, B; Veerle, S; Jan, V; Mary, OER. (2014). Progression free survival rate at 9 and 18 weeks predict overall survival in patients with malignant pleural mesothelioma: An individual patient pooled analysis of 10 European Organisation for Research and Treatment of Cancer Lung Cancer Group studies and an independent study validation. *Eur J Cancer* 50: 2771-2782. <http://dx.doi.org/10.1016/j.ejca.2014.07.020>.
- Balachandran, S; Testa, JR. (2015). RIP1/3 Kinases as New Targets in Malignant Mesothelioma.
- Balarajan, R; Mcdowall, ME. (1988). PROFESSIONAL DRIVERS IN LONDON ENGLAND UK A MORTALITY STUDY. *Br J Ind Med* 45: 483-486.
- Baldi, A; Santini, D; Vasaturo, F; Santini, M; Vicidomini, G; Di Marino, MP; Esposito, V; Groeger, AM; Liuzzi, G; Vincenzi, B; Tonini, G; Piccoli, M; Baldi, F; Scarpa, S. (2004). Prognostic significance of cyclooxygenase-2 (COX-2) and expression of cell cycle inhibitors p21 and p27 in human pleural malignant mesothelioma. *Thorax* 59: 428-433. <http://dx.doi.org/10.1136/thx.2003.008912>.
- Baldrige, GD; Burkhardt, NY; Simser, JA; Kurtti, TJ; Munderloh, UG. (2004). Sequence and expression analysis of the ompA gene of *Rickettsia peacockii*, an endosymbiont of the Rocky Mountain wood tick, *Dermacentor andersoni*. *Appl Environ Microbiol* 70: 6628-6636. <http://dx.doi.org/10.1128/AEM.70.11.6628-6636.2004>.
- Baldrige, GD; Scoles, GA; Burkhardt, NY; Schloeder, B; Kurtti, TJ; Munderloh, UG. (2009). Transovarial Transmission of Francisella-Like Endosymbionts and *Anaplasma phagocytophilum* Variants in *Dermacentor albipictus* (Acari: Ixodidae). *J Med Entomol* 46: 625-632.
- Baldrighi, M; Trusel, M; Tonini, R; Giordani, S. (2016). Carbon Nanomaterials Interfacing with Neurons: An In vivo Perspective [Review]. *Frontiers in Neuroscience* 10: 250. <http://dx.doi.org/10.3389/fnins.2016.00250>.
- Baldwin, BG. (2005). Origin of the serpentine-endemic herb *Layia discoidea* from the widespread *L. glandulosa* (Compositae). *Evolution* 59: 2473-2479.
- Baldwin, CA; Beaulieu, HJ; Buchan, RM; Johnson, HH. (1982). Asbestos in Colorado schools. *Public Health Rep* 97: 325-331.
- Bale, A. (1989). Hope in another direction compensation work-related illness among women 1900-1960 part II. *Women Health* 15: 99-115. http://dx.doi.org/10.1300/J013v15n02_08.

Human Health Hazard Literature Search Results

Off Topic

- Bales, RC; Morgan, JJ. (1985). SURFACE-CHARGE AND ADSORPTION PROPERTIES OF CHRYSOTILE ASBESTOS IN NATURAL-WATERS. *Environ Sci Technol* 19: 1213-1219.
- Baletic, N; Jakovljevic, B; Marmut, Z; Petrovic, Z; Paunovic, K. (2005). Chronic laryngitis in glassblowers. *Ind Health* 43: 302-307.
- Ball, BR; Smith, KR; Veranth, JM; Aust, AE. (2000). Bioavailability of iron from coal fly ash: mechanisms of mobilization and of biological effects. <http://dx.doi.org/10.1080/089583700750019576>.
- Ballirano, P; Pacella, A. (2016). Erionite-Na upon heating: dehydration dynamics and exchangeable cations mobility. *Sci Rep* 6: 22786. <http://dx.doi.org/10.1038/srep22786>.
- Balmes, J; Rempel, D; Alexander, M; Reiter, R; Harrison, R; Bernard, B; Benner, D; Cone, J. (1992). Hospital records as a data source for occupational disease surveillance: a feasibility study. *Am J Ind Med* 21: 341-351.
- Balmes, JR. (1991). Chemoprevention trial beta carotene and retinol [Research]. RePORTER Database National Institutes of Health.
- Balmes, JR. (1992). Chemoprevention trial beta carotene and retinol [Research]. RePORTER Database National Institutes of Health.
- Balmes, JR. (1993). Chemoprevention trial beta carotene and retinol [Research]. RePORTER Database National Institutes of Health.
- Balmes, JR. (1994). Caret--the carotene and retinol efficacy trial [Research]. RePORTER Database National Institutes of Health.
- Balmes, JR. (1995). Caret--the carotene and retinol efficacy trial [Research]. RePORTER Database National Institutes of Health.
- Balmes, JR. (2013). Asbestos and lung cancer: what we know [Editorial]. *Am J Respir Crit Care Med* 188: 8-9. <http://dx.doi.org/10.1164/rccm.201305-0885ED>.
- Balzer, JL. (1971). Fibrous Aerosols and Size-Selective Sampling. *Br J Ind Med* 45: 505-508.
- Balzer, JL; Cooper, WC. (1968). The Work Environment of Insulating Workers. *Am Ind Hyg Assoc J* 29: 222-227.
- Bamber, HA; Butterworth, R. (1970). Asbestos hazard from protective clothing. *Ann Occup Hyg* 13: 77-79.
- Bamblin, WP. (1959). Dust Control in the Asbestos Textile Industry. *Ann Occup Hyg* 2: 54-74.
- Bamler, KJ; Maassen, W. (1974). [The percentage of benign and malign pleura-tumors among the patients of a clinic of lung surgery with special consideration of the malign pleuramesothelioma and its radical treatment, including results of a diaphragma substitution of preserved dura mater (author's transl)]. 22: 386-391. <http://dx.doi.org/10.1055/s-0028-1102794>.
- Ban, CJ; Shi, HZ; Zhang, YH. (2017). Improvement of Malignant Pleural Mesothelioma Prognosis: Early Diagnosis and Multimodality Treatment [Editorial]. *Chin Med J* 130: 1-3. <http://dx.doi.org/10.4103/0366-6999.196585>.
- Banaei, A; Auvert, B; Goldberg, M; Gueguen, A; Luce, D; Goldberg, S. (2000). Future trends in mortality of French men from mesothelioma. *Occup Environ Med* 57: 488-494.
- Band, PR; Le, ND; Fang, R; Threlfall, WJ; Astrakianakis, G; Anderson, JT; Keefe, A; Krewski, D. (1997). Cohort mortality study of pulp and paper mill workers in British Columbia, Canada. *Am J Epidemiol* 146: 186-194.
- Bandli, BR; Gunter, ME. (2014). Scanning electron microscopy and transmitted electron backscatter diffraction examination of asbestos standard reference materials, amphibole particles of differing morphology, and particle phase discrimination from talc ores. 20: 1805-1816. <http://dx.doi.org/10.1017/S1431927614013415>.
- Bang, KM. (1996). Applications of occupational epidemiology. *Occup Med: State of the Art Rev* 11: 381-391.
- Bang, KM. (1996). EPIDEMIOLOGY OF OCCUPATIONAL CANCER. *Occup Med (Lond) PHILADELPHIA*: 467-485.
- Bang, KM; Mazurek, JM; Wood, JM; Hendricks, SA. (2014). Diseases attributable to asbestos exposure: years of potential life lost, United States, 1999-2010. *Am J Ind Med* 57: 38-48. <http://dx.doi.org/10.1002/ajim.22261>.
- Bang, KM; Pinheiro, GA; Wood, JM; Syamlal, G. (2006). Malignant mesothelioma mortality in the United States, 1999-2001. *Int J Occup Environ Health* 12: 9-15. <http://dx.doi.org/10.1179/oeh.2006.12.1.9>.
- Banham, SW; Urquhart, RB; Macleod, JE; Moran, F. (1981). Low frequency breath sounds in respiratory disease. 36: 718.
- Banham, SW; Urquhart, RB; Macleod, JE; Moran, F. (1984). Alteration in the low frequency lung sounds in respiratory disorders associated with crackles. *Eur J Respir Dis* 65: 58-63.
- Banik, E. (1957). [Effective asbestosis protection in an asbestos mill and processing factory]. *Zentralbl Arbeitsmed Arbeitsschutz* 7: 209-211.
- Banks, AJ. (1991). Asbestos Removal in the Construction Industry. 76.
- Banks, DE; Shi, R; McLarty, J; Cowl, CT; Smith, D; Tarlo, SM; Daroowalla, F; Balmes, J; Baumann, M. (2009). American College of Chest Physicians consensus statement on the respiratory health effects of asbestos. Results of a Delphi study. *Chest* 135: 1619-1627. <http://dx.doi.org/10.1378/chest.08-1345>.
- Banks, DE; Wang, ML; Parker, JE. (1999). Asbestos exposure, asbestosis, and lung cancer [Editorial]. *Chest* 115: 320-322.
- Banner, MP; Gohel, VK. (1978). Peritoneal mesothelioma. *Radiology* 129: 637-640. <http://dx.doi.org/10.1148/129.3.637>.
- Barbeau, C; Dupuis, M; J-C, R. (1985). METALLIC ELEMENTS IN CRUDE AND MILLED CHRYSOTILE ASBESTOS FROM QUEBEC CANADA. *Environ Res* 38: 275-282.
- Barber, CM; Wiggans, RE; Fishwick, D. (2016). Estimating Lifetime Asbestos Exposure in Patients With Idiopathic Pulmonary Fibrosis [Letter]. *Ann Occup Hyg* 60: 649-650. <http://dx.doi.org/10.1093/annhyg/mew017>.
- Barberis, S; Galietti, F; Giorgis, GE; Oliaro, A; Pagliero, P; Scappaticci, E. (1987). ACE MONITORING IN PNEUMOCONIOSIS PRESENTATION OF A CASE SERIES AND REVIEW OF THE LITERATURE. *Panminerva Med* 29: 151-156.
- Barbone, F; Delzell, E; Austin, H; Cole, P. (1992). A case-control study of lung cancer at a dye and resin manufacturing plant. *Am J Ind Med* 22: 835-849.
- Barcat, JA; Croxatto, JO. (1977). [Malignant pleural mesotheliomas. Anatomical study and clinical description of 5 cases]. *Medicina (B Aires)* 37 Suppl 2: 59-69.
- Barclay, WR. (1984). Landmark perspective: Asbestos. An industrial asset with a health cost. *JAMA* 252: 96.

Human Health Hazard Literature Search Results

Off Topic

- Bard, D; Burdett, G. (2007). Exposure of UK industrial plumbers to asbestos, Part II: Awareness and responses of plumbers to working with asbestos during a survey in parallel with personal sampling. *Ann Occup Hyg* 51: 113-119. <http://dx.doi.org/10.1093/annhyg/mel077>.
- Bard, M; Debrosse, D; Caliendo, R; Girard, P; Grunenwald, D; Ruffie, P. (2001). A plea for standardized thoracoscopy for malignant mesothelioma of the pleura. *Rev Mal Respir* 18: 585-589.
- Bard, M; Ruffié, P. (2002). [Malignant pleural mesothelioma. From diagnosis to prognosis] [Review]. *Presse Med* 31: 406-411.
- Barg, FK. (2012). Resources for Education and Action for Community Health in Ambler (REACH Ambler).
- Barg, FK. (2013). Resources for Education and Action for Community Health in Ambler (REACH Ambler).
- Barg, FK. (2014). Environmental Science Project 3 - Social Determinants of Risk and Attitudes About.
- Barg, FK. (2014). Resources for Education and Action for Community Health in Ambler (REACH Ambler).
- Barg, FK. (2015). Environmental Science Project 3 - Social Determinants of Risk and Attitudes About.
- Barg, FK. (2015). Resources for Education and Action for Community Health in Ambler (REACH Ambler).
- Baris, I. (1979). Environmental mesothelioma in cappadocia turkey. 34: 693.
- Baris, YI; Artvinli, M. (1982). NATURAL MINERAL FIBER INDUCED CHEST DISEASES IN TURKEY (pp. 24-26). (HEEP/84/05601). Baris, YI; Artvinli, M.
- Barış, YI; Artvinli, M; Sahin, AA; Bilir, N; Kalyoncu, F; Sebastien, P. (1988). Non-occupational asbestos related chest diseases in a small Anatolian village. *Br J Ind Med* 45: 841-842.
- Baris, YI; Sahin, AA; Erkan, ML. (1980). Clinical and radiological study in sepiolite workers. *Arch Environ Occup Health* 35: 343-346.
- Baris, YI; Saracci, R; Simonato, L; Skidmore, JW; Artvinli, M. (1981). Malignant mesothelioma and radiological chest abnormalities in two villages in central Turkey: an epidemiological and environmental investigation. *Lancet* 8227: 984-987.
- Barlési, F; Doddoli, C; Gimenez, C; Greillier, L; Lima, G; Kleisbauer, JP. (2003). [Acute pulmonary toxicity due to gemcitabine: a role for asbestos exposure?]. *Rev Mal Respir* 20: 201-206.
- Barlow, PG; Donaldson, K; Maccallum, J; Clouter, A; Stone, V. (2005). Serum exposed to nanoparticle carbon black displays increased potential to induce macrophage migration. *Toxicol Lett* 155: 397-401. <http://dx.doi.org/10.1016/j.toxlet.2004.11.006>.
- Barnes, R. (1976). Asbestos spraying, an occupational and environmental hazard. *Med J Aust* 2: 599-602.
- Barnes, R. (1988). Notification of malignant mesotheliomas [Letter]. *Med J Aust* 148: 106-107.
- Barnhart, S; Distefano, S; Rosenstock, L. (1992). BEHAVIORAL DETERMINANTS OF SMOKING AMONG ASBESTOS-EXPOSED WORKERS (pp. 17-20). (BIOSIS/92/20024). Barnhart, S; Distefano, S; Rosenstock, L.
- Barnhart, S; Rosenstock, L; Feigl, P; Thornquist, M; Goodman, G; Omenn, G. (1987). SMOKING BEHAVIOR AMONG AN ASBESTOS-EXPOSED COHORT DOES NOT PREDICT PREVALENCE OF FIBROSIS BUT NODES ENHANCE ITS EXTENT (pp. 10-13). (BIOSIS/87/24514). Barnhart, S; Rosenstock, L; Feigl, P; Thornquist, M; Goodman, G; Omenn, G.
- Baron, L; Gombault, A; Fanny, M; Villeret, B; Savigny, F; Guillou, N; Panek, C; Le Bert, M; Lagente, V; Rassendren, F; Riteau, N; Couillin, I. (2015). The NLRP3 inflammasome is activated by nanoparticles through ATP, ADP and adenosine. *Cell Death & Disease* 6: e1629. <http://dx.doi.org/10.1038/cddis.2014.576>.
- Baron, PA. (1979). Recent developments in fibrous aerosol measurements. *J Environ Pathol Toxicol* 2: 335-343.
- Baron, PA. (1987). OVERLOADING AND ELECTROSTATIC EFFECTS IN ASBESTOS FIBER SAMPLING. *Am Ind Hyg Assoc J* 48: A709-A710.
- Baron, PA. (1988). Modern Real-Time Aerosol Samplers. *Appl Ind Hyg* 3: 97-103.
- Baron, PA. (1989). Asbestos Measurement and Quality Control (pp. 28-30). (NIOSH/00232494). Baron, PA.
- Baron, PA. (1996). Application of the thoracic sampling definition to fiber measurement. *Am Ind Hyg Assoc J* 57: 820-824.
- Baron, PA; C-C, C; Hemenway, DR; O'Shaughnessy, P. (1994). Nonuniform Air Flow in Inlets: The Effect on Filter Deposits in the Fiber Sampling Cassette. *Am Ind Hyg Assoc J* 55: 722-732.
- Baron, PA; Deye, GJ. (1990). ELECTROSTATIC EFFECTS IN ASBESTOS SAMPLING .2. COMPARISON OF THEORY AND EXPERIMENT. *Am Ind Hyg Assoc J* 51: 63-69.
- Baron, PA; Deye, GJ. (1990). Electrostatic effects in asbestos sampling. I: Experimental measurements [Review]. *Am Ind Hyg Assoc J* 51: 51-62.
- Baron, PA; Platek, SF. (1990). CORRECTION OF BARRM 40034684. NIOSH METHOD 7402 ASBESTOS FIBERS REVISION NO. 1 LOW TEMPERATURE ASHING OF FILTER SAMPLES. CORRECTION OF ISSUE NUMBER FROM 71. *Am Ind Hyg Assoc J* 51.
- Baron, PA; Platek, SF. (1990). NIOSH METHOD 7402 ASBESTOS FIBERS REVISION NO. 1 LOW-TEMPERATURE ASHING OF FILTER SAMPLES. *Am Ind Hyg Assoc J* 51.
- Baron, PA; Shulman, SA. (1987). Evaluation of the Magiscan image analyzer for asbestos fiber counting. *Am Ind Hyg Assoc J* 48: 39-46.
- Barracrough, N. (1989). ASBESTOS AT WORK MEETING ORGANIZED BY THE BOHS LONDON SOUTH AND SOUTH-EAST REGION AND HELD AT THE CEGB CONFERENCE CENTER LONDON ENGLAND UK ON 6 OCTOBER 1988 MEETING REPORT. *Ann Occup Hyg* 33: 149-152.
- Barrai, I; Barale, R; Scapoli, C; Ambrosino, P; Beretta, M; Sbrana, C; Micheletti, R; Loprieno, N. (1992). THE ANALYSIS OF THE JOINT EFFECT OF SUBSTANCES ON REVERSION SYSTEMS AND THE ASSESSMENT OF ANTIMUTAGENICITY (pp. 5-10). (ISSN 0027-5107 EISSN 1873-135X BIOSIS/92/28839). Barrai, I; Barale, R; Scapoli, C; Ambrosino, P; Beretta, M; Sbrana, C; Micheletti, R; Loprieno, N.
- Barresi, V; Vitarelli, E; Barresi, G. (2008). Acne inversa complicated by squamous cell carcinoma in association with diffuse malignant peritoneal mesothelioma arising in the absence of predisposing factors: a case report. *J Cutan Pathol* 35: 70-73. <http://dx.doi.org/10.1111/j.1600-0560.2007.00766.x>.
- Barrett, EG; Johnston, C; Oberdörster, G; Finkelstein, JN. (1999). Silica binds serum proteins resulting in a shift of the dose-response for silica-induced chemokine expression in an alveolar type II cell line. *Toxicol Appl Pharmacol* 161: 111-122. <http://dx.doi.org/10.1006/taap.1999.8793>.
- Barrett, JC. (1985). CELL TRANSFORMATION STATE-OF-THE-ART (pp. NEW YORK). (BIOSIS/86/22536). Barrett, JC.
- Barrett, JC. (1985). Role of mutagenesis in carcinogenesis [Research]. *REPORTER Database National Institutes of Health*.

Human Health Hazard Literature Search Results

Off Topic

- Barrett, JC. (1986). Role of mutagenesis in carcinogenesis [Research]. RePORTER Database National Institutes of Health.
- Barrett, JC. (1987). Role of mutagenesis in carcinogenesis [Research]. RePORTER Database National Institutes of Health.
- Barrett, JC. (1988). Role of mutagenesis in carcinogenesis [Research]. RePORTER Database National Institutes of Health.
- Barrett, JC. (1990). Role of mutagenesis in carcinogenesis [Research]. RePORTER Database National Institutes of Health.
- Barrett, JC. (1991). Role of mutagenesis in carcinogenesis [Research]. RePORTER Database National Institutes of Health.
- Barrett, JC. (1992). Role of mutagenesis in carcinogenesis [Research]. RePORTER Database National Institutes of Health.
- Barrett, JC. (1993). Mechanisms of multistep carcinogenesis and carcinogen risk assessment. *Environ Health Perspect* 100: 9-20. <http://dx.doi.org/10.2307/3431516>.
- Barrett, JC. (1993). Role of mutagenesis in carcinogenesis [Research]. RePORTER Database National Institutes of Health.
- Barrett, JC. (1994). Role of mutagenesis in carcinogenesis [Research]. RePORTER Database National Institutes of Health.
- Barrett, JC. (1995). Role of mutagenesis in carcinogenesis [Research]. RePORTER Database National Institutes of Health.
- Barrett, JC. (1997). Role of mutagenesis in carcinogenesis [Research]. RePORTER Database National Institutes of Health.
- Barrett, JC. (1998). Role of mutagenesis in carcinogenesis [Research]. RePORTER Database National Institutes of Health.
- Barrett, JC; Oshimura, M; Tanaka, N; Tsutsui, T. (1985). ROLE OF ANEUPLOIDY IN EARLY AND LATE STAGES OF NEOPLASTIC PROGRESSION OF SYRIAN HAMSTER EMBRYO CELLS IN CULTURE (pp. ETIOLOGY AND MECHANISMS; SYMPOSIUM). (*BIOSIS/87/15186*). Barrett, JC; Oshimura, M; Tanaka, N; Tsutsui, T.
- Barrett, JC; Oshimura, M; Tsutsui, T; Tanaka, N. (1988). Mutation and Neoplastic Transformation. Correlations and Dissociations. *Ann N Y Acad Sci* 534: 95-98.
- Barrett, JC; Shelby, MD. (1986). Mechanisms of multistep carcinogenesis: keys to developing in vitro approaches for assessing the carcinogenicity of chemicals. *Food Chem Toxicol* 24: 657-661.
- Barrett, JC; Shelby, MD. (1992). Mechanisms of human carcinogens [Review]. *Prog Clin Biol Res* 374: 415-434.
- Barrett, PJ. (1990). Asbestos related abnormalities among United States merchant marine seamen [Letter]. *Br J Ind Med* 47: 844-845.
- Barthel, E. (1981). Increased risk of lung cancer in pesticide-exposed male agricultural workers. *J Toxicol Environ Health* 8: 1027-1040. <http://dx.doi.org/10.1080/15287398109530135>.
- Bartosiewicz, L. (1973). Improved techniques of identification and determination of airborne asbestos. *Am Ind Hyg Assoc J* 34: 252-259.
- Bartosova, M; Glovinova, E; Povolny, D. (1997). Use of flesh-flies (Diptera, Sarcophagidae) for ecotoxicological bioindication. *Ekologia* 16: 319-322.
- Bartsch, H; Hietanen, E; Malaveille, C. (1989). Carcinogenic nitrosamines free radical aspects of their action. 7: 637-644.
- Bartsch, H; Rojas, M; Alexandrov, K; Camus, AM; Castegnaro, M; Malaveille, C; Anttila, S; Hirvonen, K; Husgafvel-Pursiainen, K; Hietanen, E; et al. (1995). Metabolic polymorphism affecting DNA binding and excretion of carcinogens in humans. *Pharmacogenetics* 5.
- Bartsch, H; Tomatis, L; Malaveille, C. (1982). Mutagenicity: New Horizons in Genetic Toxicology Qualitative and quantitative comparisons between mutagenic and carcinogenic activities of chemicals. New York, NY: Academic Press.
- Bartsch, P; Salmon, J; Mahieu, P. (1980). Asbestosis and systemic lupus erythematosus (pp. 28-31). (*HEEP/80/05932*). Bartsch, P; Salmon, J; Mahieu, P.
- Barzanti, R; Colzi, I; Arnetoli, M; Gallo, A; Pignattelli, S; Gabbriellini, R; Gonnelli, C. (2011). Cadmium phytoextraction potential of different *Alyssum* species. *J Hazard Mater* 196: 66-72. <http://dx.doi.org/10.1016/j.jhazmat.2011.08.075>.
- Basarab, LL; Penny, M; Cairns, J. (1986). Asbestos - (1) Removal or encapsulation? (2) The role of the independent analyst in asbestos removal (3) Respiratory protection in asbestos laden environments. 4: 18-23.
- Basavaraju, SR; Jones, TD. (1998). Atherosclerotic risks from chemicals: Part I. Toxicological observations and mechanisms of atherosclerosis [Review]. *Arch Environ Contam Toxicol* 35: 152-164.
- Bascom, R; Bromberg, PA; Costa, DA; Devlin, R; Dockery, DW; Frampton, MW; Lambert, W; Samet, JM; Speizer, FE; Utell, M. (1996). Health effects of outdoor air pollution [Review]. *Am J Respir Crit Care Med* 153: 3-50. <http://dx.doi.org/10.1164/ajrccm.153.1.8542133>.
- Baser, ME; Kennedy, TP; Rawlings W, J. R.; Tockman, MS. (1985). IS LUNG GEOMETRY ASSOCIATED WITH DUST DEPOSITION DISEASES (pp. 12-15). (*BIOSIS/85/16517*). Baser, ME; Kennedy, TP; Rawlings W, , JR; Tockman, MS.
- Bastienier, H; Hublet, P; Pinto-Quezada, C. (1967). [Origin. Pollution of the general atmosphere in working places]. 58: 459-478.
- Bastie-Sigeac, I; Paterour, MJ; Jaurand, MC; Bignon, J. (1984). Biological effects of New Caledonia nickel ore samples on red blood cells, alveolar macrophages and pleural mesothelial cells. *IARC Sci Publ F*: 301-310.
- Basu, DK; Saxena, J; Stoss, FW; Santodonato, J; Neal, MW; Kopfler, FC. (1987). Comparison of drinking water mutagenicity with leaching of polycyclic aromatic hydrocarbons from water distribution pipes. *Chemosphere* 16: 2595-2612.
- Basu, S; Fletcher, A; Shale, D; Adishes, A. (2015). Death and work: recognition of occupational association and coroner's investigation. *Occup Med (Lond)* 65: 197-201. <http://dx.doi.org/10.1093/occmed/kqv001>.
- Batahar, SA; Ouradi, O; Eldrissi, S; Amro, L. (2016). Pleural Mesothelioma with No Asbestos Exposure: A Case Report. 10: OD07-OD08. <http://dx.doi.org/10.7860/JCDR/2016/21066.8849>.
- Bateman, ED; Emerson, RJ; Cole, P. (1981). Mechanisms Of Fibrogenesis (pp. 237-290). (*NIOSH/00131417*). Bateman, ED; Emerson, RJ; Cole, P.
- Bates, DV. (1987). Asbestos: promotion or prohibition? *CMAJ* 136: 107-109.
- Bates, DV. (1988). Asbestos: promotion or prohibition? [Letter]. *CMAJ* 138: 400-401.
- Bates, DV. (1991). Asbestos: the turbulent interface between science and policy [Editorial]. *CMAJ* 144: 554-556.
- Bates, DV. (1994). Bates, D. V. Environmental Health Risks and Public Policy: Decision Making in Free Societies. Xii+117p. University of Washington Press: Seattle, Washington, USA; London, England, UK. Isbn 0-295-97337-4(Paper); Isbn 0-295-97336-6(Cloth).; 0 (0). 1994. Xii+117p Environmental health risks and public policy decision making in free societies.

Human Health Hazard Literature Search Results

Off Topic

- Bates, DV. (2001). The debate on banning asbestos [Letter]. *CMAJ* 165: 1191; author reply 1191-1193.
- Bates, RR. (1979). PREVENTING OCCUPATIONAL CANCER (pp. 7-9). (HEEP/80/06900). Bates, RR.
- Bateson, C. (1992). RESULTS OF A SURVEY DESIGNED TO DETERMINE THE SCIENTIFIC AND ECONOMIC-BENEFITS OF ASBESTOS ABATEMENT. *Am Ind Hyg Assoc J* 53: 381-386.
- Batra, S; Bronkema, LA; Wang, MJ; Bishu, RR. (1994). Glove Attributes: Can They Predict Performance? *International Journal of Industrial Ergonomics* 14: 201-209.
- Batt, SC; Peterson, PJ. (1988). RISK ASSESSMENT TECHNIQUES FOR CARCINOGENIC CHEMICALS (pp. LONDON). (BIOSIS/89/17102). Batt, SC; Peterson, PJ.
- Battelle. (2010). Environmental Technology Verification Program Advanced Monitoring Systems Center: Test/QA Plan for Verification of Releasable Asbestos Field Sampler. 68.
- Battelle. (2012). Environmental Technology Verification Report: Releasable Asbestos Field Sampler. 86.
- Baucom, CD. (1986). History of Silicosis and the North Carolina Dusty Trades File (pp. 57-65). (NIOSH/00168463). Baucom, CD.
- Baum, GL. (1986). PUBLIC AWARENESS OF THE PROBLEM OF ASBESTOS USE IN ISRAEL (pp. 5-6). (ISSN 0271-3586; EISSN 1097-0274; BIOSIS/87/09236). Baum, GL.
- Baum, GL; Gitter, S; Goldsmith, JR; Cugell, D; Lilis, R; Richter, ED; Trainin, N. (1986). Advances in asbestos disease research. Common practical problems: panel discussion. *Am J Ind Med* 10: 563-572.
- Baur, X; Frank, AL; Budnik, LT; Woitowitz, HJ; Oliver, LC; Welch, LS; Landrigan, P; Lemen, R; Ramazzini, C. (2016). Collegium Ramazzini: Comments on the 2014 Helsinki consensus report on asbestos. *Am J Ind Med* 59: 591-594. <http://dx.doi.org/10.1002/ajim.22595>.
- Baur, X; Schneider, J; Woitowitz, HJ. (2011). [Diagnosing and expertizing asbestos-induced occupational diseases]. *Dtsch Med Wochenschr* 136: 2319-2324. <http://dx.doi.org/10.1055/s-0031-1292047>.
- Baurer, T. (1986). The asbestos problem. 4: 103-106.
- Baxter, PJ; Waldron, HA. (1989). The Introduction and Monitoring of Occupational Diseases (pp. 41-72). (NIOSH/00209007). Baxter, PJ; Waldron, HA.
- Bayer, SG. (1979). A Brief History Of The Membrane-Filter Method (pp. 3-5). (NIOSH/00152073). Bayer, SG.
- Bayer, SG; Zumwalde, RD; Brown, TA. (1969). Equipment and Procedures for Mounting Millipore Filters and Counting Asbestos Fibers by Phase Contrast Microscopy. (NIOSH/00197964). Bayer, SG; Zumwalde, RD; Brown, TA.
- Baylis, MS; Henderson, WJ; Pierrepont, CG; Griffiths, K. (1986). THE ETIOLOGY OF OVARIAN CANCER (pp. NEW YORK). (BIOSIS/86/22585). Baylis, MS; Henderson, WJ; Pierrepont, CG; Griffiths, K.
- Bazas, T. (1987). Pleural effects of tremolite in north-west Greece [Letter]. *Lancet* 1: 1490-1491.
- Beach, J. (1996). Naval gunners were, apparently, issued with asbestos lined masks to protect them from any blow back. Is mesothelioma a recognised occupational hazard of naval gunnery? *Br Med J* 313: 1132-1132.
- Beamer, CA. (2012). Fate and effects of nanomaterials in the gastrointestinal tract.
- Beard, ME. (1982). Quality Assurance For Airborne Asbestos Measurements (pp. Materials and Analytical Methods). (NIOSH/00145885). Beard, ME.
- Beardsley, T. (1983). Asbestos. Conflicts ahead on UK rules. *Nature* 304: 479.
- Beaucham, C; Harper, M; King, B; Dozier, A. (2015). Hazard Evaluation Report: HHE-2013-0061-3244, November 2015. Evaluation of Erionite and Silica Exposure During Forestry Activities.
- Beaulieu, HJ. (1991). Asbestos Contamination of Abatement Equipment Surfaces. *Appl Occup Environ Hyg* 6: 583-587.
- Beaumont, JJ; Weiss, NS. (1982). CHROMIUM AND ASBESTOS AS 2 PROBABLE RISK-FACTORS IN LUNG-CANCER AMONG WELDERS - REPLY. *J Occup Environ Med* 24: 875-875.
- Bechtel, JJ; Petty, TL. (2003). Strategies in lung cancer detection. Achieving early identification in patients at high risk [Review]. *Postgrad Med* 114: 20-26.
- Beck, EG. (1980). Experimental Pathology In Vitro Studies Related To Asbestos And Other Mineral Fibres (pp. 385-400). (ISSN 0300-5038 NIOSH/00152486). Beck, EG.
- Becker, CD; Gil, J; Padilla, ML. (2008). Idiopathic pleuroparenchymal fibroelastosis: an unrecognized or misdiagnosed entity? *Mod Pathol* 21: 784-787. <http://dx.doi.org/10.1038/modpathol.2008.56>.
- Becker, CE. (1982). Key Elements Of The Occupational History For The General Physician. *West J Med* 137: 581-582.
- Becker, H; Herzberg, F; Schulte, A; Kolossa-Gehring, M. (2011). The carcinogenic potential of nanomaterials, their release from products and options for regulating them [Review]. *Int J Hyg Environ Health* 214: 231-238. <http://dx.doi.org/10.1016/j.ijheh.2010.11.004>.
- Becker, N. (1999). Cancer mortality among arc welders exposed to fumes containing chromium and nickel. Results of a third follow-up: 1989-1995. *J Occup Environ Med* 41: 294-303.
- Becker, N; Changclaude, J; Frentzelbeyme, R. (1991). RISK OF CANCER FOR ARC WELDERS IN THE FEDERAL-REPUBLIC-OF-GERMANY - RESULTS OF A 2ND FOLLOW-UP (1983-8). *Br J Ind Med* 48: 675-683.
- Beckett, RR. (1973). Asbestos Control at Puget Sound Naval Shipyard (pp. 13-15). (NIOSH/00036293). Beckett, RR.
- Beckett, RR. (1976). ASBESTOS EXPOSURE CONTROL AT PUGET SOUND NAVAL SHIPYARD. *Environ Res* 11: 248-260.
- Beckett, ST. (1973). The Evaluation of Airborne Asbestos Fibres Using a Scanning Electron Microscope. *Ann Occup Hyg* 16: 405-408.
- Beckett, ST. (1975). The generation and evaluation of UICC asbestos clouds in animal exposure chambers. *Ann Occup Hyg* 18: 187-198.
- Beckett, ST. (1979). MONITORING AND IDENTIFICATION OF AIRBORNE ASBESTOS (pp. NEW YORK). (HEEP/80/09277). Beckett, ST.
- Beckett, ST; Jarvis, JL. (1979). A study of the size distributions of airborne amosite fibres in the manufacture of asbestos insulation boards. *Ann Occup Hyg* 22: 273-284.

Human Health Hazard Literature Search Results

Off Topic

- Beckett, ST; Middleton, AP; Dodgson, J. (1975). The use of infrared spectrophotometry for the estimation of small quantities of single varieties of U.I.C.C. asbestos. *Ann Occup Hyg* 18: 313-320.
- Beckett, ST; Paris, I; Attfield, MD. (1980). THE EFFECT OF NON-ASBESTOS FIBERS AND SAMPLE FIBER DENSITY ON THE AGREEMENT BETWEEN LABORATORIES EVALUATING MEMBRANE-FILTER SAMPLES OF AIRBORNE ASBESTOS DUST. *Atmos Environ* 14: 565-569.
- Beckett, WS. (1996). Welding. In P Harber; MB Schenker; JR Balmes (Eds.), (pp. 704-717). St. Louis, MO: Mosby.
- Beckett, WS. (1997). Diagnosis of asbestosis. *Primum non nocere. Chest* 111: 1427-1428.
- Beckett, WS. (2000). Occupational respiratory diseases. *N Engl J Med* 342: 406-413. <http://dx.doi.org/10.1056/NEJM200002103420607>.
- Becklake, M; Toyoto, B; Stewart, M; Hansen, R; Hanley, J. (1983). LUNG GEOMETRY AS A RISK FACTOR IN THE RESPONSE TO ASBESTOS EXPOSURE - A CASE-REFERENT STUDY ON QUEBEC CHRYSOTILE WORKERS. *Scand J Work Environ Health* 9: 70-70.
- Becklake, MR. (1973). Assessment of Methods Used in the Studies of the Biological Effects of Asbestos C. *Lung Function* (pp. 2-5). (NIOSH/00032903). Becklake, MR.
- Becklake, MR. (1973). *Lung Function* (pp. 31-39). (NIOSH/00149824). Becklake, MR.
- Becklake, MR. (1974). *LUNG FUNCTION* (pp. LYON). (HEEP/75/04210). Becklake, MR.
- Becklake, MR. (1979). Clinical measurement in Quebec chrysotile miners: use for future protection of workers. *Ann N Y Acad Sci* 330: 23-29.
- Becklake, MR. (1979). Environmental exposure to asbestos: A factor in the rising rate of cancer in the industrialized world? [Editorial]. *Chest* 76: 245-247.
- Becklake, MR. (1980). Asbestos and lung cancer: the clinicians' questions. *Chest* 78: 372-373.
- Becklake, MR. (1981). OCCUPATIONAL RESPIRATORY DISEASE IN TECHNICALLY ADVANCED COUNTRIES (pp. 1-2). (HEEP/82/12400). Becklake, MR.
- Becklake, MR. (1982). Exposure to asbestos and human disease [Editorial]. *N Engl J Med* 306: 1480-1482. <http://dx.doi.org/10.1056/NEJM198206173062409>.
- Becklake, MR. (1984). EPIDEMIOLOGY IN THE WORKPLACE CAN IT ANSWER THE CLINICIANS QUESTIONS? (pp. NEW YORK). (HEEP/85/00798). Becklake, MR.
- Becklake, MR. (1987). Control of asbestos-related disease in the RSA. *S Afr Med J* 71: 208-210.
- Becklake, MR. (1988). On Dr. Dunnigan's commentary linking chrysotile asbestos with mesothelioma [Letter]. *Am J Ind Med* 14: 239-240.
- Becklake, MR. (1991). EPIDEMIOLOGICAL EVIDENCE OF VARYING SUSCEPTIBILITY TO INHALED SUBSTANCES. *Pharmacogenetics* 1: 98-101.
- Becklake, MR; Fourniermassey, G; Black, R. (1976). LUNG-FUNCTION PROFILES IN CHRYSOTILE ASBESTOS MINES AND MILLS OF QUEBEC. *Chest* 69: 303-303.
- Becklake, MR; Fournier-Massey, G; Black, R. (1976). Lung function profiles in the chrysotile asbestos mines and mills of Quebec. *Chest* 69: 303.
- Beddows, NA. (1990). Concerns about indoor air quality warrant review of HVAC systems. *Occup Health Saf* 59: 77-81, 87.
- Bedrica, L; Capak, D; Harapin, I; Babic, T; Radisic, B; Hahn, V; Potocnjak, D; Gracner, D; Cergolj, M; Tomaskovic, A; Dobranic, T; Curic, S; Vucevac, V; Stojkovic, R; Pavicic, Z; Mayer, I. (2003). The use of the natural zeolite clinoptilolith for the treatment of burns of a bitch and two puppies. *Tieraerztliche Umschau* 58: 78-+.
- Bedrikow, B. (1989). [Asbestosis and occupational tumors]. 107: 131-132.
- Bedrossian, CW; Bonsib, S; Moran, C. (1992). Differential diagnosis between mesothelioma and adenocarcinoma: a multimodal approach based on ultrastructure and immunocytochemistry. *Semin Diagn Pathol* 9: 124-140.
- Bedu, M; Molina, C; Tourreau, A; Maillet, J; Cheminat, JC. (1979). CORRELATIONS BETWEEN CHEST RADIOGRAPHY, CLINICAL-DATA, AND LUNG-FUNCTION TESTS (FLOW-VOLUME CURVE) IN ASBESTOS WORKERS. *Thorax* 34: 695-695.
- Beech, JA. (1991). Polycyclic aromatic hydrocarbons initiate carcinogenesis by forming permanent membrane lesions of increased permeability: Other non-viral carcinogens may also form similar lesions. *Med Hypotheses* 36: 1-3.
- Beekmans, JM. (1970). The deposition of asbestos particles in the human respiratory tract. *Int J Environ Stud* 1: 31-34.
- Beer, TW. (1998). Cancer among spouses: review of 195 couples [Letter]. *Cancer* 83: 591-592.
- Beg, MU; Rahman, Q; Viswanathan, PN. (1975). X-ray diffraction characteristics of some silicates. *Am Ind Hyg Assoc J* 36: 855-856.
- Begander, P; Mattenklott, M. (2015). Amendments to and updates of TRGS 517-harmonisation with the risk-related concept of the Committee on Hazardous Substances. *Gefahrst Reinhalt Luft* 75: 211-215.
- Begin, R; Bergeron, D; Cantin, A; Drapeau, G; Boctor, M; Lamoureux, G. (1982). EARLY DIAGNOSIS OF ASBESTOSIS BY COMPUTED TOMOGRAPHY GALLIUM-67 SCAN AND PULMONARY FUNCTION TESTS (pp. 10-15). (HEEP/83/06677). Begin, R; Bergeron, D; Cantin, A; Drapeau, G; Boctor, M; Lamoureux, G.
- Begin, R; Bisson, G; Boileau, R; Masse, S. (1986). ASSESSMENT OF DISEASE ACTIVITY BY GALLIUM-67 SCAN AND LUNG LAVAGE IN THE PNEUMOCONIOSES (pp. 271-280). (BIOSIS/86/13152). Begin, R; Bisson, G; Boileau, R; Masse, S.
- Begin, R; Boctor, M; Bergeron, D; Peloquin, S; Berthiaume, Y; Cantin, A. (1983). ASSESSMENT OF PLEURO-PULMONARY DISEASE IN ASBESTOS WORKERS - A COMPARISON OF STANDARD PA CHEST FILM WITH 4-VIEW FILMS AND CT SCAN. *Chest* 84: 324-324.
- Begin, R; Cadieux, A; Nadeau, D; R-Pleszczynski, M; Sirois, P. (1980). DETERMINATION OF PROSTAGLANDINS AND LYSOSOMAL ENZYMES FROM PERFUSED PULMONARY ALVEOLAR MACROPHAGES AS AN INDEX OF THE INFLAMMATORY REACTION OF THE LUNG TO TOXIC AGENTS (pp. 4-5). (HEEP/82/05841). Begin, R; Cadieux, A; Nadeau, D; R-Pleszczynski, M; Sirois, P.
- Begin, R; Cantin, A; Berthiaume, Y; Bisson, G; Lamoureux, G; Boileau, R; Boctor, M. (1983). RALES IN ASBESTOS WORKERS - CORRELATIONS WITH OTHER PARAMETERS OF ASBESTOS-INDUCED LUNG DAMAGE. *Am Rev Respir Dis* 127: 170-170.
- Begin, R; Cantin, A; Martel, M; Fabi, D. (1990). PULMONARY ACCUMULATION OF HYALURONATE IN ASBESTOSIS (pp. 20-24). (BIOSIS/90/18822). Begin, R; Cantin, A; Martel, M; Fabi, D.

Human Health Hazard Literature Search Results

Off Topic

- Begin, R; Desmarais, Y; Martel, M; Boileau, R; Jodoin, G; Vezina, Y. (1985). EVIDENCE OF MAST CELL ACTIVATION IN HUMAN ASBESTOSIS (pp. 12-15). (BIOSIS/85/16461). Begin, R; Desmarais, Y; Martel, M; Boileau, R; Jodoin, G; Vezina, Y.
- Begin, R; Drapeau, G; Boileau, R; Cantin, A; Berthiaume, Y. (1984). PRO COLLAGEN III PEPTIDE LEVELS OF BRONCHO ALVEOLAR LAVAGE IN THE PNEUMOCONIOSES (pp. 20-23). (HEEP/85/01913). Begin, R; Drapeau, G; Boileau, R; Cantin, A; Berthiaume, Y.
- Begin, R; Drapeau, G; Boileau, R; Vezina, Y; Desmarais, Y; Martel, M. (1985). ENZYME PROFILES OF BRONCHOALVEOLAR LAVAGE IN ASBESTOS WORKERS. *Chest* 88: S7-S7.
- Begin, R; Gauthier, JJ; Desmeules, M; Ostiguy, G. (1993). FURTHERANCE OF INFORMATION ON ASBESTOS AND MESOTHELIOMA. *Am J Ind Med* 24: 247-248.
- Begin, R; Lamoureux, G; Cantin, A; Bisson, G; Masse, S. (1983). DETECTION OF ALVEOLITIS IN ASBESTOS WORKERS (pp. 8-11). (HEEP/84/09079). Begin, R; Lamoureux, G; Cantin, A; Bisson, G; Masse, S.
- Begin, R; Masse, S; Cantin, A; Bisson, G; Bergeron, D. (1988). NEW METHODS OF EARLY DETECTION OF PULMONARY FIBROSIS IN ASBESTOSIS AND SILICOSIS. *Rev Mal Respir* 5: 417-428.
- Begin, R; Masse, S; Peloquin, S; Cote, Y. (1982). SENSITIVITY OF SMALL AIRWAY FUNCTION TESTS FOR THE DETECTION OF AIR FLOW LIMITATION IN EARLY ASBESTOSIS (pp. 12-14). (HEEP/84/02139). Begin, R; Masse, S; Peloquin, S; Cote, Y.
- Begin, R; Masse, S; Rola-Pleszczynski, M; Cantin, A; Boileau, R; Bisson, G; Lamoureux, G. (1983). CELLULARITY OF LUNG BIOPSY AND BRONCHO ALVEOLAR LAVAGE IN HUMAN AND SHEEP EARLY ASBESTOSIS (pp. 8-11). (HEEP/84/08868). Begin, R; Masse, S; Rola-Pleszczynski, M; Cantin, A; Boileau, R; Bisson, G; Lamoureux, G.
- Begin, R; Ostiguy, G; Fillion, R; Colman, N. (1991). COMPUTED-TOMOGRAPHY SCAN IN THE EARLY DETECTION OF SILICOSIS. *Am Rev Respir Dis* 144: 697-705.
- Begin, R; Rola-Pleszczynski, M; Drapeau, G; Lamoureux, G; Masse, S. (1982). PULMONARY ACCUMULATION OF GALLIUM-67 IN ASBESTOSIS WHAT DOES IT MEAN? (pp. 10-15). (HEEP/83/06440). Begin, R; Rola-Pleszczynski, M; Drapeau, G; Lamoureux, G; Masse, S.
- Begin, R; Sirois, P; Rolapleszczynski, M; Nadeau, D; Lemaire, I; Bureau, MA; Masse, S. (1980). EARLY PULMONARY REACTIONS TO SMALL AMOUNTS OF ASBESTOS. *Union Med Can* 109: 1534-1534.
- Behling, C; Wolf, P; Haghghi, P. (1993). AIDS and malignant mesothelioma--is there a connection. *Chest* 103: 1268-1269.
- Behrens, MA; Schaecher, C. (2010). RAND Institute for Civil Justice report on the abuse of medical diagnostic practices in mass tort litigation: lessons learned from the 'phantom' silica epidemic that may deter litigation screening abuse. 73: 521-539.
- Beierl, L. (1980). CENTRAL RECORDING OF EMPLOYEES ENDANGERED BY ASBESTOS DUST EXPOSURE - DUTIES, RESULTS, ANALYSES. *Staub, Reinhaltung der Luft* 40: 187-190.
- Beigelman-Aubry, C; Ferretti, G; Mompoin, D; Ameille, J; Letourneux, M; Laurent, F. (2007). [Computed tomographic atlas of benign asbestos related pathology]. *Rev Mal Respir* 24: 759-781. <http://dx.doi.org/10.1019/200720063>.
- Beigelman-Aubry, C; Ferretti, G; Mompoin, D; Ameille, J; Letourneux, M; Laurent, F. (2008). Computed tomographic atlas of benign asbestos related pathology. *Arch Mal Prof Environ* 69: 5-23. <http://dx.doi.org/10.1016/j.admp.2008.03.020>.
- Beilby, J; Ambrosini, GL; Rossi, E; de Klerk, NH; Musk, AW. (2010). Serum levels of folate, lycopene, β -carotene, retinol and vitamin E and prostate cancer risk. *Eur J Clin Nutr* 64: 1235-1238. <http://dx.doi.org/10.1038/ejcn.2010.124>.
- Bekesi, GJ. (1985). Clinical studies--immunotoxicology [Research]. RePORTER Database National Institutes of Health.
- Bekesi, GJ. (1986). Clinical studies--immunotoxicology [Research]. RePORTER Database National Institutes of Health.
- Bekesi, GJ. (1987). Clinical studies--immunotoxicology [Research]. RePORTER Database National Institutes of Health.
- Bekkelund, SI; Aasebo, U; Pierre-Jerome, C; Holmboe, J. (1998). Magnetic resonance imaging of the thorax in the evaluation of asbestosis. *Eur Respir J* 11: 194-197. <http://dx.doi.org/10.1183/09031936.98.11010194>.
- Bekkelund, SI; Aasebo, U; Pierre-Jerome, P; Holmboe, J. (1994). MAGNETIC RESONANCE IMAGING OF THORAX IN EVALUATION OF ASBESTOSIS (pp. 132S). (BIOSIS/95/09165). Bekkelund, SI; Aasebo, U; Pierre-Jerome, P; Holmboe, J.
- Belange, G; Gompel, H; Chaouat, Y; Chaouat, D. (1998). [Malignant peritoneal mesothelioma occurring in periodic disease: apropos of a case]. *Rev Med Interne* 19: 427-430. [http://dx.doi.org/10.1016/S0248-8663\(98\)80867-9](http://dx.doi.org/10.1016/S0248-8663(98)80867-9).
- Belanger, PL. (1982). Health Hazard Evaluation Report, No. HETA-81-348-1225, Public Utilities Commission, San Francisco, California. 15: 19821982.
- Belanger, PL. (1982). Health Hazards Evaluation Report, No. HETA-81-365-1083, Studio 311, Novato, California. 7: 19821982.
- Belanger, PL. (1984). Health Hazard Evaluation Report No. HETA-84-408-1522, U.S. Forest Service, Redding, California (pp. 84-408). (NIOSH/00144843). Belanger, PL.
- Belanger, PL; Coye, MJ. (1982). Health Hazard Evaluation Report, No. HETA-80-197-1215, Pacific, Gas and Electric-Geyers Facility, San Francisco, California (pp. 19821982). (NIOSH/00127560). International Programme on Chemical Safety (IPCS).
- Belanger, PL; Coye, MJ. (1983). Health Hazard Evaluation Report No. HETA-79-129-1350, San Francisco Newspaper Agency, San Francisco, California (pp. 79-129). (NIOSH/00133420). Belanger, PL; Coye, MJ.
- Belanger, PL; Coye, MJ. (1985). Health Hazard Evaluation Report No. HETA-84-368-1624, FMC Corporation, San Jose, California (pp. 84-368). (NIOSH/00146595). Belanger, PL; Coye, MJ.
- Belanger, PL; Elesh, E. (1979). Hazard Evaluation and Technical Assistance Report No. HE-78-73-612, Kentile Floors, Inc., Chicago, Illinois (pp. 78-73). (NIOSH/00179183). Belanger, PL; Elesh, E.
- Belanger, PL; Elesh, E. (1979). Hazard Evaluation and Technical Assistance, Report No. HHE-78-71-663, Kentile Floors, Inc., Brooklyn, New York. NIOSH: 19791979.
- Belanger, PL; Lockey, JE. (1984). Health Hazard Evaluation Report No. HETA-81-227-1408, Manville Corporation, Corona, California (pp. 81-227). (NIOSH/00149678). Belanger, PL; Lockey, JE.

Human Health Hazard Literature Search Results

Off Topic

- Belanger, SE; Cherry, DS; Cairns, J. (1990). FUNCTIONAL AND PATHOLOGICAL IMPAIRMENT OF JAPANESE MEDAKA (ORYZIAS-LATIPES) BY LONG-TERM ASBESTOS EXPOSURE. *Aquat Toxicol* 17: 133-154.
- Belanger, SE; Cherry, DS; Cairns J, J. R. (1986). SEASONAL BEHAVIORAL AND GROWTH CHANGES OF JUVENILE CORBICULA-FLUMINEA EXPOSED TO CHRYSOTILE ASBESTOS. *Water Res* 20: 1243-1250.
- Belanger, SE; Cherry, DS; Cairns J, J. R. (1986). UPTAKE OF CHRYSOTILE ASBESTOS FIBERS ALTERS GROWTH AND REPRODUCTION OF ASIATIC CLAMS. *Can J Fish Aquat Sci* 43: 43-52.
- Belanger, SE; Cherry, DS; Cairns, J; McGuire, MJ. (1987). USING ASIATIC CLAMS AS A BIOMONITOR FOR CHRYSOTILE ASBESTOS IN PUBLIC WATER-SUPPLIES. *J Am Water Works Assoc* 79: 69-74.
- Belanger, SE; Schurr, K; Allen, DJ; Gohara, AF. (1986). Effects of chrysotile asbestos on coho salmon and green sunfish: evidence of behavioral and pathological stress. *Environ Res* 39: 74-85.
- Belitskii, GA; Khudolei, VV. (1986). [Short-term tests in the system of detecting chemical compounds carcinogenic for humans]. *Vopr Onkol* 32: 3-11.
- Belkin, F; Bishop, RW. (1982). The U.S. Army's Industrial Hygiene Sampling Guide (pp. Sampling and Analysis). (NIOSH/00173141). Belkin, F; Bishop, RW.
- Belletti, I; Troschel, L; Pisani, P; Berrino, F. (1993). Retrospective assessment of exposure by experts: The example of formaldehyde, solvents and mineral oils among textile and metal workers. *Int J Epidemiol* 22: S127-S133.
- Bellin, JS. (1981). Don't take your 'work' home with you. *Occup Health Saf* 50: 39-42.
- Bellmann, B; Muhle, H; Creutzenberg, O; Ernst, H; Brown, RC; Sébastien, P. (2001). Effects of nonfibrous particles on ceramic fiber (RCF1) toxicity in rats. *Inhal Toxicol* 13: 877-901. <http://dx.doi.org/10.1080/089583701752378151>.
- Bellmann, B; Muhle, H; Creutzenberg, O; Ernst, H; Muller, M; Bernstein, DM; Sintes, JMR. (2003). Calibration study on subchronic inhalation toxicity of man-made vitreous fibers in rats. *Inhal Toxicol* 15: 1147-1177. <http://dx.doi.org/10.1080/08958370390229843>.
- Bellmann, B; Muhle, H; Kamstrup, O; Draeger, UF. (1994). Investigation on the durability of man-made vitreous fibers in rat lungs. *Environ Health Perspect* 102 Suppl 5: 185-189.
- Bellmann, B; Muhle, H; Kamstrup, O; Draeger, UF. (1995). INVESTIGATION ON THE BIODURABILITY OF CHEMICALLY DIFFERENT STONE WOOL FIBERS. *Exp Toxicol Pathol* 47: 195-201.
- Bellmann, B; Muhle, H; Pott, F; Konig, H; Kloppel, H; Spurny, K. (1987). PERSISTENCE OF MAN-MADE MINERAL FIBERS (MMM) AND ASBESTOS IN RAT LUNGS. *Ann Occup Hyg* 31: 693-&.
- Bellmann, B; Schaeffer, HA; Muhle, H. (2010). Impact of variations in the chemical composition of vitreous mineral fibers on biopersistence in rat lungs and consequences for regulation. *Inhal Toxicol* 22: 817-827. <http://dx.doi.org/10.3109/08958378.2010.483771>.
- Bello, D; Wardle, BL; Zhang, J; Yamamoto, N; Santeufemio, C; Hallock, M; Virji, MA. (2010). Characterization of exposures to nanoscale particles and fibers during solid core drilling of hybrid carbon nanotube advanced composites. *Int J Occup Environ Health* 16: 434-450. <http://dx.doi.org/10.1179/oeh.2010.16.4.434>.
- Bellows, JG. (1978). Environmental health hazards. *Compr Ther* 4: 3-4.
- Bell-Sakyi, L; Attoui, H. (2013). Endogenous tick viruses and modulation of tick-borne pathogen growth [Review]. 3: 25. <http://dx.doi.org/10.3389/fcimb.2013.00025>.
- Bell-Sakyi, L; Kohl, A; Bente, DA; Fazakerley, JK. (2012). Tick cell lines for study of Crimean-Congo hemorrhagic fever virus and other arboviruses [Review]. *Vector Borne and Zoonotic Diseases* 12: 769-781. <http://dx.doi.org/10.1089/vbz.2011.0766>.
- Belobragina, GV. (1980). Effect of collagenase on sclerosis in various types of pneumoconiosis. *Gig Tr Prof Zabol* 0: 30-33.
- Belpoggi, F; Tibaldi, E, va; Lauriola, M; Bua, L; Falcioni, L; Chiozzotto, D; Manservigi, F; Manservigi, M; Soffritti, M. (2011). The efficacy of long-term bioassays in predicting human risks: mesotheliomas induced by fluoro-edenitic fibres present in lava stone from the Etna volcano in Biancavilla, Italy. *Eur J Oncol* 16: 185-195.
- Benarde, MA. (1991). Assessment of low level asbestos exposure in the urban environment [Review]. *Perspect Public Health* 111: 54-56. <http://dx.doi.org/10.1177/146642409111100204>.
- Benarie, M; Bodin, D. (1979). PRESUMPTIVE IDENTIFICATION OF ASBESTOS IN URBAN AIR. *Sci Total Environ* 12: 199-203.
- BENATAR; BATEMAN. (1983). THE ASBESTOS HAZARD - REPLY. 63: 348-349.
- Benatar, S. R.; Bateman, ED. (1982). THE ASBESTOS HAZARD. 62: 881-882.
- Bendayan, D; Kramer, MR. (2006). Malignant mesothelioma: A disease that continues to mystify [Editorial]. *Isr Med Assoc J* 8: 501-502.
- Bender, AP; Williams, AN; Parker, DL. (1993). Experiences of a state-sponsored notification and screening program for asbestos workers. *Am J Ind Med* 23: 161-169.
- Bendz, G; Lindqvist, I. (1978). Nobel Symposium, No. 40. Biochemistry of silicon and related problems. (HEEP/79/09178). Bendz, G; Lindqvist, I.
- Benichou, J. (1999). [Epidemiology of precancerous lesions: from endoscopic detection to screening]. *Rev Mal Respir* 16 Suppl 3: S46-S47.
- Benner, SE; Lippman, SM; Hong, WK. (1995). Chemoprevention of lung cancer [Review]. *Chest* 107: 316S-321S.
- Bennett, DE; Chrostek, W. (1986). Health Hazard Evaluation Report No. HETA-85-062-1652, Veterans Administration Center and Regional Office, Philadelphia, Pennsylvania (pp. 85-062). (NIOSH/00163148). Bennett, DE; Chrostek, W.
- Bennett, GF. (1989). Impact of Toxic Chemicals on Local Wastewater Treatment Plant and the Environment. *Environ Geol Water Sci* 13: 201-212.
- Bennett, MJ. (1987). ASBESTOS REMOVAL (pp. 44-55; 1987). (HMTC/87/0004653). Bennett, MJ.
- Bennett, RL. (1973). Status of research and development in measurement technology of hazardous substances in emissions from stationary sources. *Environ Health Perspect* 96-97.
- Benoit, RJ. (1987). What's wrong with the environment? [Review]. *Ann N Y Acad Sci* 502: 1-20.

Human Health Hazard Literature Search Results

Off Topic

- Benowitz, NL. (1986). Smoking and Occupational Lung Cancer (pp. Strategies in the Workplace). (NIOSH/00170820). German Federal Ministry of Labour and Social Affairs.
- Benowitz, NL. (1990). Smoking and Occupational Health. *Occup Med (Lond) J*: 443-452.
- Beone, G; Coronidi, M. (1991). Problematica dell'amianto e dei rifiuti contenenti amianto. (Topics in asbestos and asbestos containing wastes (ACW)). 50.
- Berardi, M; Begin, R; Rolapleszczynski, M. (1984). STIMULATION OF NEUTROPHIL CHEMI-LUMINESCENCE BY ALVEOLAR MACROPHAGES FROM PATIENTS EXPOSED TO ASBESTOS. *J Leukoc Biol* 36: 432-432.
- Bercero, EA; Perez, GMG, RY; Bragado, FG; Jimenez, C. (1997). Prognostic value of high serum levels of CA-125 in malignant secretory peritoneal mesotheliomas affecting young women. A case report with differential diagnosis and review of the literature. *Histopathology* 31: 267-273.
- Bercovich, C; Bernasconi, DE; Matusевич, M; Elias, AFQ; Semeniuk, GB. (1981). STUDY OF THE RESPIRATORY-FUNCTION OF ASBESTOS WORKERS. *Medicina (B Aires)* 41: 789-789.
- Beretta, E; Maddalon, G; Occella, E; Trimarchi, R. (1987). A simple procedure for the sampling of airborne dust: Aspiration by a facial mask. 78: 209-218.
- Beretta, E; Scotti, PG; Zecchi, L; Leurini, D. (1983). Diagnostic significance of the study of steady-state pulmonary carbon-monoxide diffusion capacity in asbestos workers. 74: 143-156.
- Berg, G. (1974). Water pollution. Microbiology--detection, occurrence, and removal of viruses [Review]. *J Water Pollut Control Fed* 46: 1408-1413.
- Berg, JW. (1976). Nutrition and cancer (pp. 17-23; 1976). (ISSN 0093-7754 EISSN 1532-8708 PESTAB/76/1761). Berg, JW.
- Berg, MW. (1975). CHAPTER 13. DIET.
- Berg, R. (2004). When science crosses politics, I: The case of naturally occurring asbestos. *J Environ Health* 66: 31-39.
- Bergandi, L; Aina, V; Garetto, S; Malavasi, G; Aldieri, E; Laurenti, E; Matera, L; Morterra, C; Ghigo, D. (2010). Fluoride-containing bioactive glasses inhibit pentose phosphate oxidative pathway and glucose 6-phosphate dehydrogenase activity in human osteoblasts. *Chem Biol Interact* 183: 405-415. <http://dx.doi.org/10.1016/j.cbi.2009.11.021>.
- Berger, H. (1988). Of asbestosis, smoking, and mesothelioma [Letter]. *Hosp Pract (Off Ed)* 23: 17.
- Berger, J; Manz, A. (1992). Cancer of the stomach and the colon-rectum among workers in a coke gas plant. *Am J Ind Med* 22: 825-834. <http://dx.doi.org/10.1002/ajim.4700220605>.
- Berger, M; Dehazen, M; Nejari, A; Fournier, J; Guignard, J; Pezerat, H; Cadet, J. (1993). RADICAL OXIDATION REACTIONS OF THE PURINE MOIETY OF 2'-DEOXYRIBONUCLEOSIDES AND DNA BY IRON-CONTAINING MINERALS. *Carcinogenesis* 14: 41-46.
- Bergeret, A; Choasson, P; eds. (2006). [29th National Congress on Occupational Medicine and Health - Lyon 30 May - 2 June 2006]. *Arch Mal Prof Environ* 67: 117-462.
- Bergeret, A; Terrasson De Fougères, G. (1999). [Social impact of screening and of medical surveillance on people exposed to asbestos]. *Rev Mal Respir* 16: 1327-1331.
- Berghmans, P; Injuk, J; Van Grieken, R; Adams, F. (1994). Microanalysis of Atmospheric Particles and Fibres by Electron Energy Loss Spectroscopy, Electron Spectroscopic Imaging and Scanning Proton Microscopy. *Anal Chim Acta* 297: 1-2.
- Berghmans, P; Jacob, W; Adams, F. (1992). ULTRASTRUCTURAL LOCALIZATION OF TITANIUM IN CHEMICALLY MODIFIED CHRYSOTILE ASBESTOS (pp. 27-28). (BIOSIS/92/31272). Berghmans, P; Jacob, W; Adams, F.
- Bergin, CJ. (1991). Determinants of restrictive lung function in asbestos-induced pleural fibrosis [Letter]. *J Appl Physiol* 70: 472-473.
- Bergin, TF. (1989). THE APPLICATION OF POINT COUNTING PROCEDURES FOR THE ANALYSIS OF BULK ASBESTOS SAMPLES. *Microscope* 37: 3-4.
- Beritic, T. (1993). OCCUPATIONAL HEALTH WORKERS AT HIGH RISK THE RIGHT TO KNOW. *Lancet N AM ED*: 933-934.
- Beritić, T; Kovac, S. (1985). Asbestos-related disease without asbestosis--why not pleural asbestosis? [Editorial]. *Am J Ind Med* 8: 517-520.
- Beritic, T; Kovac, S; Kurajica, L; Sokol, I. (1984). DIAGNOSTIC CRITERIA OF ASBESTOSIS (pp. 363-382). (BIOSIS/85/15606). Beritic, T; Kovac, S; Kurajica, L; Sokol, I.
- Berk, S; Dogan, OT; Kilickap, S; Epozturk, K; Akkurt, I; Seyfikli, Z. (2012). Clinical characteristics, treatment and survival outcomes in malignant mesothelioma: eighteen years' experience in Turkey. *Asian Pac J Cancer Prev* 13: 5735-5739. <http://dx.doi.org/10.7314/APJCP.2012.13.11.5735>.
- Berlin, A; Hunter, WJ; van der Venne, MT. (1986). [Epidemiology and prevention of occupational health hazards within the European Community]. *Rev Epidemiol Sante Publique* 34: 261-265.
- Berlin, J; Frumkin, H. (1988). EXPOSURE TO ASBESTOS AND THE RISK OF GASTROINTESTINAL CANCER. *Br J Ind Med* 45: 575-575.
- Berlinger, NT. (1982). INHALANT GRANULOMAS SILICOSIS ASBESTOSIS BERYLLIOSIS (pp. 561-566). (HEEP/83/09866). Berlinger, NT.
- Berman, DM. (1986). Asbestos and health in the Third World: the case of Brazil. *Int J Health Serv* 16: 253-263.
- Berman, DM; Knoepfli, A. (2000). Asbestos magnate to environmental guru: the morphing of Stephan Schmidheiny [Letter]. *Int J Occup Environ Health* 6: 351-352. <http://dx.doi.org/10.1179/oeh.2000.6.4.351>.
- Berman, DW. (2006). Setting the record straight [Letter]. *Int J Occup Environ Health* 12: 181; author reply 182-186.
- Berman, DW. (2010). Comparing milled fiber, Quebec ore, and textile factory dust: has another piece of the asbestos puzzle fallen into place [Review]. *Crit Rev Toxicol* 40: 151-188. <http://dx.doi.org/10.3109/10408440903349137>.
- Berman, DW. (2011). Apples to apples: The origin and magnitude of differences in asbestos cancer risk estimates derived using varying protocols. *Risk Anal* 55: 565-568. <http://dx.doi.org/10.1111/j.1539-6924.2010.01581.x>.

Human Health Hazard Literature Search Results

Off Topic

- Berman, DW; Brorby, GP; Sheehan, PJ; Bogen, KT; Holm, SE. (2012). More on the dynamics of dust generation: the effects of mixing and sanding chrysotile, calcium carbonate, and other components on the characteristics of joint-compound dusts. *Ann Occup Hyg* 56: 852-867. <http://dx.doi.org/10.1093/annhyg/mes008>.
- Berman, DW; Case, BW. (2012). Overreliance on a Single Study: There is no Real Evidence that Applying Quality Criteria to Exposure in Asbestos Epidemiology Affects the Estimated Risk. *Ann Occup Hyg* 56: 869-878. <http://dx.doi.org/10.1093/annhyg/mes027>.
- Berman, DW; Case, BW. (2013). Quality of evidence must guide risk assessment of asbestos, by Lenters, V; Burdorf, A; Vermeulen, R; Stayner, L; Heederik, D [Letter]. *Ann Occup Hyg* 57: 667-669. <http://dx.doi.org/10.1093/annhyg/met015>.
- Berman, DW; Cox, LA, Jr; Popken, DA. (2013). A cautionary tale: The characteristics of two-dimensional distributions and their effects on epidemiological studies employing an ecological design [Review]. *Crit Rev Toxicol* 43: 1-25. <http://dx.doi.org/10.3109/10408444.2013.777688>.
- Berman, DW; Cox, LA; Popken, DA. (2013). Resisting the urge to act on random patterns: a reply to Schenker et al [Review]. *Crit Rev Toxicol* 43: 609-610. <http://dx.doi.org/10.3109/10408444.2013.813439>.
- Berman DW, C, rump KS, C., hatfield EJ, D., avis JM, J., ones AD. (1995). The sizes, shapes, and mineralogy of asbestos structures that induce lung tumors or mesothelioma in AF/HAN rats following inhalation. Erratum in *Risk Anal* 1995 Aug; 15(4):541. *Risk Anal* 15: 181-195.
- Berman, J. (1984). Beshada v. Johns-Manville Products Corp.: the function of state of the art evidence in strict products liability [Review]. *Am J Law Med* 10: 93-114.
- Bermudez, E. (1994). RECOVERY OF PARTICLES FROM THE PLEURAL CAVITY USING AGAROSE CASTS - A NOVEL METHOD FOR THE DETERMINATION OF FIBER DOSE TO THE RAT PLEURA. *Inhal Toxicol* 6: 115-124.
- Bermudez, E; Mangum, JB; Moss, OR; Wong, BA; Everitt, JI. (2003). Pleural dosimetry and pathobiological responses in rats and hamsters exposed subchronically to MMVF 10a fiberglass. *Toxicol Sci* 74: 165-173. <http://dx.doi.org/10.1093/toxsci/kfg092>.
- Bernstein, D; Dunnigan, J; Hesterberg, T; Brown, R; Legaspi Velasco, JA; Barrerao, R; Hoskins, J; Gibbs, A. (2013). Response to Murray M. Finkelstein, letter to the editor re Bernstein et al: Health risk of chrysotile revisited. *Crit Rev Toxicol*, 2013; 43(2): 154-183 [Letter]. *Crit Rev Toxicol* 43: 709-710. <http://dx.doi.org/10.3109/10408444.2013.826178>.
- Bernstein, D; Gibbs, A; Pooley, F; Langer, A; Donaldson, K, en; Hoskins, J; Dunnigan, J. (2007). Misconceptions and Misuse of International Agency for Research on Cancer 'Classification of Carcinogenic Substances'. The Case of Asbestos. *Indoor Built Environ* 16: 94-98. <http://dx.doi.org/10.1177/1420326X06076258>.
- Bernstein, DM. (2007). Special-purpose fiber type 475 - Toxicological assessment [Review]. *Inhal Toxicol* 19: 149-159. <http://dx.doi.org/10.1080/08958370601051818>.
- Bernstein, DM; Drew, RT; Kuschner, M. (1985). THE SOLUBILITY OF MAN-MADE MINERAL FIBERS IN THE LUNG IN CONTRAST TO NATURAL FIBERS (pp. 52). (BIOSIS/85/06958). Bernstein, DM; Drew, RT; Kuschner, M.
- Bernstein, DM; Mast, R; Anderson, R; Hesterberg, TW; Musselman, R; Kamstrup, O; Hadley, J. (1994). An experimental approach to the evaluation of the biopersistence of respirable synthetic fibers and minerals. *Environ Health Perspect* 102 Suppl 5: 15-18.
- Bernstein, DM; Morscheidt, C; Grimm, HG; Thevenaz, P; Teichert, U. (1996). Evaluation of soluble fibers using the inhalation biopersistence model, a nine-fiber comparison. *Inhal Toxicol* 8: 345-&.
- Bernstein, DM; Morscheidt, C; Tiesler, H; Grimm, HG; Thevenaz, P; Teichert, U. (1995). EVALUATION OF THE BIOPERSISTENCE OF COMMERCIAL AND EXPERIMENTAL FIBERS FOLLOWING INHALATION. *Inhal Toxicol* 7: 1031-1058.
- Bernstein, DM; Rossiter, CE; Grimm, HG; Rodelsperger, K; Woitowitz, HJ. (1994). LENGTH DISTRIBUTION OF ASBESTOS FIBERS AND MMVFS AT WORKPLACE AND IN INHALATION EXPERIMENTS WITH RATS. *Staub, Reinhaltung der Luft* 54: 203-214.
- Bernstein, DM; Sintes, JMR; Ersboell, BK; Kunert, J. (2001). Biopersistence of synthetic mineral fibers as a predictor of chronic inhalation toxicity in rats. *Inhal Toxicol* 13: 823-849.
- Bernstein, DM; Sintes, JMR; Ersboell, BK; Kunert, J. (2001). Biopersistence of synthetic mineral fibers as a predictor of chronic intraperitoneal injection tumor response in rats. *Inhal Toxicol* 13: 851-875.
- Bernstein, IL; Moteff, J. (1976). Possible asbestos hazards in clinical allergy. *J Allergy Clin Immunol* 57: 489-492.
- Bernstein, RS; Kuempel, ED; Lemen, RA. (1988). ENVIRONMENTAL EXPOSURES TO ASBESTOS A GUIDE FOR PHYSICIANS TOXICOLOGISTS AND PUBLIC HEALTH OFFICIALS (pp. KOBE). (BIOSIS/89/32726). Bernstein, RS; Kuempel, ED; Lemen, RA.
- Berra, A. (2013). [Letter to the Editors: Still on Asbestos. A Brief Review] [Review]. *G Ital Med Lav Ergon* 35: 61-62.
- Berrigan, D. (2002). Respiratory cancer and exposure to man-made vitreous fibers: a systematic review. *Am J Ind Med* 42: 354-362. <http://dx.doi.org/10.1002/ajim.10111>.
- Berrill, J; Haboubi, H; Duane, P. (2010). Peritoneal mesothelioma. *Br J Hosp Med (Lond)* 71: 290-291. <http://dx.doi.org/10.12968/hmed.2010.71.5.47912>.
- Berrino, F. (1993). OCCUPATIONAL FACTORS OF UPPER RESPIRATORY TRACT CANCERS (pp. NEW YORK). (BIOSIS/94/36450). Berrino, F.
- Berrino, F; Bai, E. (2012). [Campaign «Asbestos free»]. *Epidemiol Prev* 36: 136-137.
- Berry, CL; Jones, TJ. (1986). Early-onset, asbestos-associated mesothelioma? [Letter]. *Lancet* 1: 1094.
- Berry, G. (1973). Hygiene standards: Theory and application. In P Bogovski; JC Gilson; V Timbrell; JC Wagner (Eds.), (pp. 1). Lyon, France: World Health Organization, International Agency for Research on Cancer.
- Berry, G. (1975). Design of carcinogenesis experiments using the Weibull distribution. *Biometrika* 62: 321-328.
- Berry, G. (1980). Dose-response in case-control studies. *J Epidemiol Community Health* 34: 217-222.
- Berry, G. (1983). The analysis of mortality by the subject-years method. *Biometrics* 39: 173-184.
- Berry, G. (1991). Prediction of mesothelioma, lung cancer, and asbestosis in former Wittenoom asbestos workers. *Br J Ind Med* 48: 793-802.
- Berry, G. (1992). Re: "Changing opinions and attitudes regarding asbestos and cancer 1934-1965" *Am J Ind Med* 22: 447-448.

Human Health Hazard Literature Search Results

Off Topic

- Berry, G. (1995). Environmental mesothelioma incidence, time since exposure to asbestos and level of exposure. *Environmetrics* 6: 221-228. <http://dx.doi.org/10.1002/env.3170060211>.
- Berry, G; de Klerk, NH. (1990). Crocidolite and mesothelioma [Comment]. *Med J Aust* 152: 330-331.
- Berry, J. (1990). EPA and asbestos removal [Letter]. *Science* 248: 1595.
- Berry, JP; Henoc, P; Galle, P; Pariente, R. (1976). Pulmonary mineral dust. A study of ninety patients by electron microscopy, electron microanalysis, and electron microdiffraction. *Am J Pathol* 83: 427-456.
- Bertazzi, PA. (1976). [Glass fibers: exposure and risks for man]. *Med Lav* 67: 535-550.
- Bertazzi, PA. (1982). [Asbestos, health and society. A world symposium on asbestos, organized by: the government of Canada and Quebec and a Commission from the European Community Montreal, Canada, 24-27 May 1982]. *Med Lav* 73: 451-459.
- Bertazzi, PA; Zocchetti, C; Riboldi, L; Pesatori, A; Radice, L; Latocca, R. (1986). Cancer mortality of an Italian cohort of workers in man-made glass-fiber production. *Scand J Work Environ Health* 1: 65-71.
- Berthet, B. (1996). Peritoneal mesothelioma. *Annales de Gastroenterologie et d'Hepatology* 32: 219-221.
- Berti, E; Schiaffino, E; Minervini, MS; Longo, G; Schmid, C. (1997). Primary malignant mesothelioma of the tunica vaginalis of the testis. Immunohistochemistry and electron microscopy. *Pathology* 29: 96-99.
- Bertino, P; Marconi, A; Palumbo, L; Bruni, BM; Barbone, D; Germano, S; Dogan, AU; Tassi, GF; Porta, C; Mutti, L; Gaudino, G. (2007). Erionite and asbestos differently cause transformation of human mesothelial cells. *Int J Cancer* 121: 12-20. <http://dx.doi.org/10.1002/ijc.22687>.
- Bertino, P; Panigada, M; Soprana, E; Bianchi, V; Bertilaccio, S; Sanvito, F; Rose, AH; Yang, H; Gaudino, G; Hoffmann, PR; Siccardi, A; Carbone, M. (2013). Fowlpox-based survivin vaccination for malignant mesothelioma therapy. *Int J Cancer* 133: 612-623. <http://dx.doi.org/10.1002/ijc.28048>.
- Bertino, P; Piccardi, F; Porta, C; Favoni, R; Cilli, M; Mutti, L; Gaudino, G. (2008). Imatinib mesylate enhances therapeutic effects of gemcitabine in human malignant mesothelioma xenografts. *Clin Cancer Res* 14: 541-548. <http://dx.doi.org/10.1158/1078-0432.CCR-07-1388>.
- Bertrand, L; Monchalain, JP; Lepoutre, F. (1982). Magnitude and phase photoacoustic spectra of chrysotile asbestos, a powdered sample. *Appl Opt* 21: 248-252.
- Bertrand, R; Pezerat, H. (1980). Fibrous glass: carcinogenicity and dimensional characteristics.
- Besson, P; Lalanne, FX; Wang, Y; Guyot, F. (1999). Multi-parameter observation of environmental asbestos pollution at the Institut de Physique du Globe de Paris (Jussieu Campus, France). *Ann Occup Hyg* 43: 527-541.
- Betta, PG. (1982). [Asbestos bodies in the general population of the district of Alessandria: an autoptical survey and correlation of quantitative asbestos body counts, occupation and place of residence (author's transl)]. *Med Lav* 73: 58-64.
- Betta, PG. (1992). RECENT ADVANCES IN THE BIOLOGY OF DIFFUSE MALIGNANT MESOTHELIOMA. *Cancer J* 5: 249-253.
- Betti, M; Aspesi, A; Biasi, A; Casalone, E; Ferrante, D; Ogliara, P; Gironi, LC; Giorgione, R; Farinelli, P; Grosso, F; Libener, R; Rosato, S; Turchetti, D; Maffè, A; Casadio, C; Ascoli, V; Dianzani, C; Colombo, E; Piccolini, E; Pavesi, M; Miccoli, S; Mirabelli, D; Bracco, C; Righi, L; Boldorini, R; Papotti, M; Matullo, G; Magnani, C; Pasini, B; Dianzani, I. (2016). CDKN2A and BAP1 germline mutations predispose to melanoma and mesothelioma. *Cancer Lett* 378: 120-130. <http://dx.doi.org/10.1016/j.canlet.2016.05.011>.
- Bevan, DR; Manger, WE. (1985). Effect of particulates on metabolism and mutagenicity of benzo[a]pyrene. *Chem Biol Interact* 56: 13-28.
- Bevan, DR; Riemer, SC; Lakowicz, JR. (1981). Effects of particulate matter on rates of membrane uptake of polynuclear aromatic hydrocarbons. *J Toxicol Environ Health* 8: 1-2. <http://dx.doi.org/10.1080/15287398109530067>.
- Bevan, DR; Ulman, MR. (1991). Examination of factors that may influence disposition of benzo[a]pyrene in vivo: Vehicles and asbestos. *Cancer Lett* 57: 173-179. [http://dx.doi.org/10.1016/0304-3835\(91\)90212-Z](http://dx.doi.org/10.1016/0304-3835(91)90212-Z).
- Bevan, DR; Ulman, MR; Mack, V. (1988). EFFECTS OF PARTICULATES ON DISPOSITION OF BENZO-A-PYRENE IN-VIVO (pp. 25-28). (BIOSIS/88/23906). Bevan, DR; Ulman, MR; Mack, V.
- Bezerra, OM; Dias, EC; Galvão, MA; Carneiro, AP. (2003). [Talc pneumoconiosis among soapstone handicraft workers in a rural area of Ouro Preto, Minas Gerais, Brazil]. *Cad Saude Publica* 19: 1751-1759.
- Bezzub, SL; Popova, TP; Alekseeva, OG. (1988). THE EXPERIENCE OF USING IMMUNOCORRECTING AGENTS IN WORKERS ENGAGED IN THE MANUFACTURE OF GRAPHITE AND ASBESTOS PRODUCTS. *Gig Tr Prof Zabol* 0: 27-29.
- Bhagavan, BS; Koss, LG. (1976). Secular trends in prevalence and concentration of pulmonary asbestos bodies--1940 to 1972. A necropsy study. *Arch Pathol Lab Med* 100: 539-541.
- Bhagia, LJ; Vyas, JB; Shaikh, MI; Dodia, SL. (2010). Chrysotile asbestos exposure in the manufacturing of thermal insulating boards. *Environ Monit Assess* 167: 559-564. <http://dx.doi.org/10.1007/s10661-009-1072-9>.
- Bhatia, NP; Baker, AJ; Walsh, KB; Midmore, DJ. (2005). A role for nickel in osmotic adjustment in drought-stressed plants of the nickel hyperaccumulator *Stackhousia tryonii* Bailey. *Planta* 223: 134-139. <http://dx.doi.org/10.1007/s00425-005-0133-8>.
- Bhattacharya, K; Andon, FT; El-Sayed, R; Fadeel, B. (2013). Mechanisms of carbon nanotube-induced toxicity: Focus on pulmonary inflammation [Review]. *Adv Drug Deliv Rev* 65: 2087-2097. <http://dx.doi.org/10.1016/j.addr.2013.05.012>.
- Bhavnagary, HM; Bai, KM. (1981). A Method For Determination Of Inorganic Sulphate In Rat Urine During Pesticide Metabolism (pp. 145-150). (NIOSH/00155303). Bhavnagary, HM; Bai, KM.
- Bianchi, C; Bianchi, T. (2007). Malignant mesothelioma in telephone workers [Letter]. *J Occup Environ Med* 49: 359. <http://dx.doi.org/10.1097/JOM.0b013e318046eb20>.
- Bianchi, C; Bianchi, T. (2011). Mesothelioma and aircraft industry [Letter]. *Am J Ind Med* 54: 494. <http://dx.doi.org/10.1002/ajim.20949>.
- Bianchi, C; Bianchi, T. (2012). Malignant mesothelioma in Eastern Asia [Review]. *Asian Pac J Cancer Prev* 13: 4849-4853. <http://dx.doi.org/10.7314/APJCP.2012.13.10.4849>.

Human Health Hazard Literature Search Results

Off Topic

- Bianchi, C; Bianchi, T. (2014). Global mesothelioma epidemic: Trend and features. *Indian J Occup Environ Med* 18: 82-88. <http://dx.doi.org/10.4103/0019-5278.146897>.
- Bianchi, C; Bianchi, T. (2015). Asbestos between science and myth. A 6,000-year story. *Med Lav* 106: 83-90.
- Bianchi, C; Bianchi, T. (2016). [Non-Hodgkin lymphoma and asbestos exposure] [Letter]. *Med Lav* 107: 73-74.
- Bianchi, C; Brollo, A; Bittesini, L; Ramani, L. (1986). HEPATOCELLULAR CARCINOMA IN MONFALCONE ITALY ETIOLOGICAL HYPOTHESES (pp. BASEL). (BIOSIS/87/08163). Bianchi, C; Brollo, A; Bittesini, L; Ramani, L.
- Bianchi, C; Brollo, A; Ramani, L; Zuch, C. (1993). ASBESTOS EXPOSURE IN THE GENERAL POPULATION RELEVANCE OF NECROPSY-BASED STUDIES (pp. 5-10). (BIOSIS/94/36877). Bianchi, C; Brollo, A; Ramani, L; Zuch, C.
- Bianchi, C; Carluccio, L; Castelli, M. (1974). [Frequency of pulmonary asbestos bodies in autopsy material in Trieste. II]. *Minerva Med* 65: 1144-1145.
- Bianchi, C; Castelli, M; Carluccio, L. (1976). [Frequency of lung asbestos bodies in autopsy material at Udine]. *Minerva Med* 67: 1511-1512.
- Bianchi, C; Pegan, M; Carluccio, L. (1974). [Frequency of pulmonary asbestos bodies in autopsy material in Trieste. I]. *Minerva Med* 65: 1141-1143.
- Bianchi, P. (2006). [Asbestos, almost ten years of prohibition]. 21-22.
- Biardeau, B. (2006). [Cancer and environment scientific conference]. *Cah Med Inter Prof* 46: 37-44.
- Bibby, AC; Tsim, S; Kanellakis, N; Ball, H; Talbot, DC; Blyth, KG; Maskell, NA; Psallidas, I. (2016). Malignant pleural mesothelioma: an update on investigation, diagnosis and treatment. 25: 472-486. <http://dx.doi.org/10.1183/16000617.0063-2016>.
- Bidassey-Manilal, S; Wright, CY; Engelbrecht, JC; Albers, PN; Garland, RM; Matooane, M. (2016). Students' Perceived Heat-Health Symptoms Increased with Warmer Classroom Temperatures. *Int J Environ Res Public Health* 13. <http://dx.doi.org/10.3390/ijerph13060566>.
- Bielefeldt-Ohmann, H; Fitzpatrick, DR; Marzo, AL; Jarnicki, AG; Musk, AW; Robinson, BW. (1995). Potential for interferon-alpha-based therapy in mesothelioma: assessment in a murine model. *J Interferon Cytokine Res* 15: 213-223.
- Bierma, TJ; O'Neill, J; Anderson, MR; Langhorn, J. (1990). Guide to Indoor Air Quality for Home Weatherization Practitioners (pp. 117). (NTIS/O2975551_a). Bierma, TJ; O'Neill, J; Anderson, MR; Langhorn, J.
- Bigardi, AS; Pigatto, PD; Moroni, P. (1992). Occupational Skin Granulomas. *Clin Dermatol* 10: 219-223.
- Bigga, E. (1994). The asbestos problem viewed by a measurement technician. (BIOSIS/94/29228). Bigga, E.
- Bignon, J. (1979). [Measurement of mineral particles in broncho-alveolar lavage (author's transl)]. *Rev Fr Mal Respir* 7: 291-294.
- Bignon, J. (1983). Lung Diseases and Non-asbestos Fibres. *Eur J Respir Dis* 64: 397-402.
- Bignon, J. (1989). Non-occupational exposure to mineral fibres: Mineral fibres in the non-occupational environment [Review]. In IARC Scientific Publication. Lyon, France: International Agency on the Research of Cancer.
- Bignon, J. (1992). How are we going to change our attitudes and opinions regarding asbestos and cancer in the next 20 years? *Am J Ind Med* 22: 443-446.
- Bignon, J; Bader, JP. (1978). [Ingestion of asbestos and cancer] [Editorial]. *Gastroenterol Clin Biol* 2: 31-35.
- Bignon, J; Bientz, M; Bonnaud, G; Sébastien, P. (1977). [Numerical estimation of asbestos fibers in wine samples] [Letter]. *La Nouvelle presse médicale* 6: 1148-1149.
- Bignon, J; Bientz, M; Sébastien, P; Bonnaud, G. (1976). [Asbestos and environment: possible risk of cancer for the general population?] [Review]. *Rev Prat* 26: 2353-2357.
- Bignon, J; Bonnaud, G; Jaurand, MC; Goni, J; Dufour, G. (1970). [Method of isolation and concentration of "ferruginous bodies" in the human lung. Their incidence and significance]. 24: 71-86.
- Bignon, J; Brochard, P; Gibbs, G; eds. (1995). MMF: Assessment of toxicity of man-made fibres - Papers from a workshop held in Paris, France, 3-4 February 1994. *Ann Occup Hyg* 39: 633-781.
- Bignon, J; Brochard, P; Ravault, MC; Laforest, JC; Bouige, D. (1995). Standing committee on asbestos: Four measures. *Travail & Sécurité* ecurit and acirc: 288.
- Bignon, J; Goni, J; Remond, G. (1970). [The scanning electron microscope and electronic microanalyzer. Its use in the study of "ferruginous bodies" in the human lung]. 78: 880-884.
- Bignon, J; Housset, B; Brochard, P; Pairon, JC. (1998). [Asbestos-associated occupational lung diseases. Role of the pneumology unit in screening and compensation]. *Rev Mal Respir* 15: 615-621.
- Bignon, J; Housset, B; Brochard, P; Pairon, JC. (1999). [Asbestos-related occupational lung diseases. Role of the pneumology unit in screening and compensation]. *Rev Mal Respir* 16 Suppl 2: S42-S48.
- Bignon, J; Saracci, R; Touray, JC. (1994). Introduction: INSERM-IARC-CNRS workshop on biopersistence of respirable synthetic fibers and minerals. *Environ Health Perspect* 102 Suppl 5: 3-5.
- Bignon, J; Sébastien, P; Di Menza, L; Nebut, M; Payan, H. (1979). [French mesothelioma register 1965-1978 (author's transl)]. *Rev Fr Mal Respir* 7: 223-241.
- Bignon, J; Sebastien, P; Gaudichet, A. (1978). Measurement of asbestos retention in the human respiratory system related to health effects. In CC Gravatt; PD LaFleur; KFJ Heinrich (Eds.), NBS special publication (pp. 95-119). Washington, DC: National Bureau of Standards.
- Bignon, J; Sebastien, P; Gaudichet, A; Jaurand, MC. (1980). Biological effects of attapulgite.
- Bignon, J; Sebastien, P; Jaurand, MC; Hem, B. (1974). Microfiltration method for quantitative study of fibrous particles in biological specimens. *Environ Health Perspect* 9: 155-160.
- Billé, A; Krug, LM; Woo, KM; Rusch, VW; Zauderer, MG. (2016). Contemporary Analysis of Prognostic Factors in Patients with Unresectable Malignant Pleural Mesothelioma. *J Thorac Oncol* 11: 249-255. <http://dx.doi.org/10.1016/j.jtho.2015.10.003>.
- Billings, CG; Howard, P. (1994). Hypothesis: Exposure to solvents may cause fibrosing alveolitis. *Eur Respir J* 7: 1172-1176.

Human Health Hazard Literature Search Results

Off Topic

- Billon-Galland, MA. (2012). [Exposition markers: mineralogical analysis in the sputum and the bronchoalveolar lavage--asbestos bodies--uncoated fibres] [Review]. *Rev Mal Respir* 29: 521-528. <http://dx.doi.org/10.1016/j.rmr.2012.03.001>.
- Billon-Galland, MA; Kauffer, E. (1999). [Measurement of asbestos fibers in the air: description and limitations of the measuring techniques used] [Review]. *Rev Mal Respir* 16: 1212-1218.
- Billon-Galland, MA; Martinon, L; Andujar, P; Ameille, J; Paris, C; Brochard, P; Pairon, JC. (2011). [Exposure to asbestos and the indoor environment] [Review]. *Rev Mal Respir* 28: 730-738. <http://dx.doi.org/10.1016/j.rmr.2011.02.011>.
- Binazzi, A; Scarselli, A; Massari, S; Bonafede, M; Corfiati, M; Di Marzio, D; Iavicoli, S; Marinaccio, A. (2014). [Active research, registration, and prevention of tumors of professional origin] [Review]. *G Ital Med Lav Ergon* 36: 360-364.
- Binet, P. (2009). An evaluation of asbestos occupational exposures through an activity-exposure matrix. *Arch Mal Prof Environ* 70: 425-436. <http://dx.doi.org/10.1016/j.admp.2009.02.016>.
- Binette, MB; Binette, JP. (1987). A Method of Airborne Asbestos Fiber Collection. *Am Ind Hyg Assoc J* 48: A332-A333.
- Bingham, E; Niemeier, RW; Reid, JB. (1976). Multiple Factors in Carcinogenesis. *Ann N Y Acad Sci* 271: 14-21.
- Bird, MJ; Macintosh, DL; Williams, PL. (2004). Occupational exposures during routine activities in coal-fueled power plants. *J Occup Environ Hyg* 1: 403-413. <http://dx.doi.org/10.1080/15459620490453346>.
- Birks, LS; Fatemi, M; Gilfrich, JV; Johnson, ET. (1975). Quantitative Analysis Of Airborne Asbestos By X-Ray Diffraction: Final Report On Feasibility Study. Washington: 19751975.
- Birnbaum, LS; Schroeder, JC; Tilson, HA. (2010). A repeat call for the banning of asbestos [Editorial]. *Environ Health Perspect* 118: A280-A281. <http://dx.doi.org/10.1289/ehp.1002419>.
- Biscaye, PE. (1974). Deep sea sedimentation. *Environ Health Perspect* 9: 177-178.
- Bischoff, F; Bryson, G. (1975). CHRYSOTILE AT INTRATHORACIC AND SUBCUTANEOUS RODENT SITES. *Proc Am Assoc Cancer Res* 16: 4-4.
- Bischoff, F; Bryson, G. (1976). Toxicologic studies of tin needles at the intrathoracic site of mice. 15: 331-340.
- Bisconti, M; Bisetti, A; Bidoli, P. (2000). Malignant mesothelioma in subjects with Marfan's syndrome and Ehlers-Danlos syndrome: only an apparent association? [Review]. *Respiration* 67: 223-228. <http://dx.doi.org/29493>.
- Bishay, A; Raoof, S; Esan, A; Sung, A; Wali, S; Lee, LY; George, L; Saleh, A; Baumann, M. (2007). Update on pleural diseases--2007. *Annals of Thoracic Medicine* 2: 128-142. <http://dx.doi.org/10.4103/1817-1737.33704>.
- Bishop, JL; Englert, PA; Patel, S; Tirsch, D; Roy, AJ; Koeberl, C; Böttger, U; Hanke, F; Jaumann, R. (2014). Mineralogical analyses of surface sediments in the Antarctic Dry Valleys: coordinated analyses of Raman spectra, reflectance spectra and elemental abundances. *Philos Transact A Math Phys Eng Sci* 372. <http://dx.doi.org/10.1098/rsta.2014.0198>.
- Bishop, K; Ring, SJ; Zoltai, T; Manos, CG; Ahrens, VD; Lisk, DJ. (1985). IDENTIFICATION OF ASBESTOS AND GLASS-FIBERS IN MUNICIPAL SEWAGE SLUDGES. *Bull Environ Contam Toxicol* 34: 301-308.
- Bissonnette, E; Dubois, C; Rolapleszczynski, M. (1986). PERTURBATION OF IMMUNE-RESPONSES BY ASBESTOS FIBERS IN THE MOUSE. *J Leukoc Biol* 40: 309-309.
- Biswal, S. (2012). Development of inflammasome inhibitors to be used as anti-inflammatory agents.
- Biswal, S. (2013). Development of inflammasome inhibitors to be used as anti-inflammatory agents.
- Bitterlich, N; Schneider, J. (2007). Cut-off-independent tumour marker evaluation using ROC approximation. *Anticancer Res* 27: 4305-4310.
- Bittersohl, G. (1985). COMBATTING OCCUPATIONAL DISEASES IN THE CHEMICAL INDUSTRY. *Z Gesamte Hyg Grenzgeb* 31: 112-113.
- Bittighofer, PM. (1986). THE PLANT DOCTOR IN THE HOSPITAL OCCUPATIONAL MEDICAL CHECK-UPS (pp. 395-397). (BIOSIS/87/11751). Bittighofer, PM.
- Black, B; Lemasters, G. (2009). The Libby Community Childhood Health Investigation and Exposure Follow-Up Study.
- Black, B; Lemasters, G. (2010). The Libby Community Childhood Health Investigation and Exposure Follow-Up Study.
- Black, B; Lemasters, G. (2011). The Libby Community Childhood Health Investigation and Exposure Follow-Up Study.
- Black, BLG. (2012). The Libby Community Childhood Health Investigation and Exposure Follow-Up Study.
- Black, FM. (1991). Control of motor vehicle emissions - the US experience. *Crit Rev Environ Sci Tech* 21: 373-410.
- Black, JA. (1996). Asbestos exposure and asbestosis [Letter]. *J R Soc Med* 89: 240.
- Black, RD; Mcvey, DS; Oehme, FW. (1992). Immunotoxicity in the bovine animal: A review. *Vet Hum Toxicol* 34: 438-442.
- Blackburn, R. (2002). Asbestos alarm. 56: 20-21.
- Blackshear, PE; Pandiri, AR; Nagai, H; Bhusari, S; Hong, HH; Ton, TV; Clayton, NP; Wyde, M; Shockley, KR; Peddada, SD; Gerrish, KE; Sills, RC; Hoenerhoff, MJ. (2015). Gene expression of mesothelioma in vinylidene chloride-exposed F344/N rats reveal immune dysfunction, tissue damage, and inflammation pathways. *Toxicol Pathol* 43: 171-185. <http://dx.doi.org/10.1177/0192623314537885>.
- Blackshear, PE; Pandiri, AR; Ton, TV; Clayton, NP; Shockley, KR; Peddada, SD; Gerrish, KE; Sills, RC; Hoenerhoff, MJ. (2014). Spontaneous mesotheliomas in F344/N rats are characterized by dysregulation of cellular growth and immune function pathways. *Toxicol Pathol* 42: 863-876. <http://dx.doi.org/10.1177/0192623313501894>.
- Blackwood, MJ. (1985). Health risks of smoking increased by exposure to workplace chemicals [Review]. *Occup Health Saf* 54: 23-27, 81.
- Blagova, OV; Tsaregorodtsev, DA; Nedostup, AV; Maevskaia, IV; Petukhova, NV; Troitskaia, MP; Shadaniia, I, aR. (2010). [Severe disseminated constrictive polyserositis in a patient with rheumatoid arthritis]. *Ter Arkh* 82: 56-61.
- Blair, AE. (1991). Studies of occupational cancer [Research]. RePORTER Database National Institutes of Health.
- Blair, AE. (1992). Studies of occupational cancer [Research]. RePORTER Database National Institutes of Health.
- Blair, IA. (2014). Asbestos fate, exposure, remediation, and adverse health effects.
- Blair, IA. (2014). Biomedical Project 6 - Biomarkers of Asbestos Exposure.
- Blair, IA. (2014). Core A - Administrative Core.

Human Health Hazard Literature Search Results

Off Topic

- Blair, IA. (2015). Asbestos fate, exposure, remediation, and adverse health effects.
- Blair, IA. (2015). Biomedical Project 6 - Biomarkers of Asbestos Exposure.
- Blair, IA. (2015). Core A - Administrative Core.
- Blake, CL; Dotson, GS; Harbison, RD. (2006). Assessment of airborne asbestos exposure during the servicing and handling of automobile asbestos-containing gaskets. *Regul Toxicol Pharmacol* 45: 214-222. <http://dx.doi.org/10.1016/j.yrtph.2006.04.007>.
- Blake, CL; Dotson, GS; Harbison, RD. (2008). Evaluation of asbestos exposure within the automotive repair industry: a study involving removal of asbestos-containing body sealants and drive clutch replacement. *Regul Toxicol Pharmacol* 52: 324-331. <http://dx.doi.org/10.1016/j.yrtph.2008.09.001>.
- Blake, CL; Harbison, SC; Johnson, GT; Harbison, RD. (2011). Airborne asbestos exposures associated with work on asbestos fire sleeve materials. *Regul Toxicol Pharmacol* 61: 236-242. <http://dx.doi.org/10.1016/j.yrtph.2011.08.003>.
- Blake, CL; Johnson, GT; Harbison, RD. (2009). Airborne asbestos exposure during light aircraft brake replacement. *Regul Toxicol Pharmacol* 54: 242-246. <http://dx.doi.org/10.1016/j.yrtph.2009.04.007>.
- Blake, CL; Van Orden, DR; Banasik, M; Harbison, RD. (2003). Airborne asbestos concentration from brake changing does not exceed permissible exposure limit. *Regul Toxicol Pharmacol* 38: 58-70. [http://dx.doi.org/10.1016/S0273-2300\(03\)00069-2](http://dx.doi.org/10.1016/S0273-2300(03)00069-2).
- Blanc, P. (1991). Cigarette smoking, asbestos, and parenchymal opacities revisited. *Ann N Y Acad Sci* 643: 133-141.
- Blanc, PD. (1987). MULTIPLE-REGRESSION APPROACHES TO ASBESTOS PULMONARY EFFECTS. *Scand J Work Environ Health* 13: 173-173.
- Blanc, PD. (1989). OCCUPATIONAL HEALTH IN THE NEGEV A MODEL FOR REGIONAL PLANNING. *Am J Ind Med* 16: 401-416.
- Blanc, PD; Gamsu, G. (1988). The effect of cigarette smoking on the detection of small radiographic opacities in inorganic dust diseases [Review]. *J Thorac Imaging* 3: 51-56.
- Blanc, PD; Golden, JA; Gamsu, G; Aberle, DR; Gold, WM. (1988). Asbestos exposure-cigarette smoking interactions among shipyard workers. *JAMA* 259: 370-373.
- Blejer, HP; Arlon, R. (1973). Talc: a possible occupational and environmental carcinogen. *J Occup Med* 15: 92-97.
- Blenkinsopp, WK. (1968). Particle Accumulation in the Lung as a Possible Factor in the Aetiology of Lung Cancer. *J Pathol Bacteriol* 96: 297-304.
- Block, G. (1995). Nutrition, environment interactions [Research]. RePORTER Database National Institutes of Health.
- Block, G. (1996). Nutrition, environment interactions [Research]. RePORTER Database National Institutes of Health.
- Block, G. (1997). Nutrition, environment interactions [Research]. RePORTER Database National Institutes of Health.
- Block, G. (1998). Nutrition, environment interactions [Research]. RePORTER Database National Institutes of Health.
- Block, G. (2000). NUTRITION, ENVIRONMENT INTERACTIONS. (CRISP/2000/ES001896-220006). Block, G.
- Block, G. (2001). NUTRITION, ENVIRONMENT INTERACTIONS. (CRISP/2001/ES001896-23510006). Block, G.
- Block, G. (2002). NUTRITION, ENVIRONMENT INTERACTIONS. (CRISP/2002/ES001896-240006). Block, G.
- Bloise, A; Barca, D; Gualtieri, AF; Pollastri, S; Belluso, E. (2016). Trace elements in hazardous mineral fibres. *Environ Pollut* 216: 314-323. <http://dx.doi.org/10.1016/j.envpol.2016.06.007>.
- Bloise, A; Critelli, T; Catalano, M; Apollaro, C; Miriello, D; Croce, A; Barrese, E; Liberi, F; Piluso, E; Rinaudo, C; Belluso, E. (2014). Asbestos and other fibrous minerals contained in the serpentinites of the Gimigliano-Mount Reventino Unit (Calabria, S-Italy). *Environ Earth Sci* 71: 3773-3786. <http://dx.doi.org/10.1007/s12665-013-3035-2>.
- Blomquist, A. (1913). Investigations On Mercury Content In The Atmosphere, In The Dust Of The Premises Where Work With Metallic Mercury Is Performed (pp. 1126-1127). (NIOSH/00136667). Blomquist, A.
- Blomqvist, AM; Palmer, M. (1995). ASBESTOS, ERGOT ALKALOIDS, AND PLEURITIS. *Int J Occup Med Toxicol* 4: 277-283.
- Bloom, CI; Wilson, GE. (2009). Rounded atelectasis and respiratory compromise secondary to pergolide use. *Respirology* 14: 906-907. <http://dx.doi.org/10.1111/j.1440-1843.2009.01582.x>.
- Blot, WJ; Fraumeni, JF, Jr. (1982). Changing patterns of lung cancer in the United States. *Am J Epidemiol* 115: 664-673.
- Blount, AM. (1991). AMPHIBOLE CONTENT OF COSMETIC AND PHARMACEUTICAL TALCS. *Environ Health Perspect* 94: 225-230.
- Blount, AM; Vassiliou, AH. (1983). Identification of chlorite and serpentine in cosmetic or pharmaceutical talc. *Environ Health Perspect* 51: 379-385.
- Blount, M; Holt, PF; Leach, AA. (1966). The protein coating of asbestos bodies. *Biochem J* 101: 204-207.
- Blum, T; Kollmeier, J; Ott, S; Serke, M; Schonfeld, N; Bauer, T. (2008). Computed tomography for diagnosis and grading of dust-induced occupational lung disease [Review]. *Curr Opin Pulm Med* 14: 135-140. <http://dx.doi.org/10.1097/MCP.0b013e3282f5248e>.
- Blum, W; Pecze, L; Felley-Bosco, E; Schwaller, B. (2015). Overexpression or absence of calretinin in mouse primary mesothelial cells inversely affects proliferation and cell migration. *Respir Res* 16: 153. <http://dx.doi.org/10.1186/s12931-015-0311-6>.
- Blum, W; Schwaller, B. (2013). Calretinin is essential for mesothelioma cell growth/survival in vitro: a potential new target for malignant mesothelioma therapy? *Int J Cancer* 133: 2077-2088. <http://dx.doi.org/10.1002/ijc.28218>.
- Blundell, T. (2006). Asbestos-related disease compensation - 2006: At the crossroads. *J Occup Health Saf Aust New Zeal* 22: 427-440.
- Blyghon, AC. (1976). The Trade Unionist's View Of Occupational Cancer (pp. 425-429). (NIOSH/00149760). Blyghon, AC.
- Boatman, ES. (1982). ANALYZING ASBESTOS FIBERS IN WATER BY MEANS OF TRANSMISSION ELECTRON-MICROSCOPY. *J Am Water Works Assoc* 74: 532-536.
- Boatman, ES. (1983). ADDITIONAL NOTES ON THE USE OF QUANTITATIVE-ANALYSIS OF URINE TO ASSESS EXPOSURE TO ASBESTOS FIBERS IN DRINKING-WATER IN THE PUGET-SOUND REGION. *Environ Health Perspect* 53: 195-195.
- Boatman, ES; Merrill, T; Oneill, A; Polissar, L; Millette, J. R. (1983). USE OF QUANTITATIVE-ANALYSIS OF URINE TO ASSESS EXPOSURE TO ASBESTOS FIBERS IN DRINKING-WATER IN THE PUGET-SOUND REGION. *Environ Health Perspect* 53: 131-141.

Human Health Hazard Literature Search Results

Off Topic

- Bocchetta, M; Carbone, M. (2008). SV40 Tag/p53 complexes actively promote malignant cell growth of human mesothelial cells [1]. *Cell Oncol* 30: 455-455. <http://dx.doi.org/10.3233/CLO-2008-0446>.
- Bocchetta, M; Miele, L; Pass, HI; Carbone, M. (2003). Notch-1 induction, a novel activity of SV40 required for growth of SV40-transformed human mesothelial cells. *Oncogene* 22: 81-89. <http://dx.doi.org/10.1038/sj.onc.1206097>.
- Bochkov, NP; Katosova, LD; Platonova, VI; Sapacheva, VA; Titenko, NV; Tsurikova, GV. (1991). [Cytogenetic examination of workers engaged in manufacturing of asbestos technical products]. *Gig Tr Prof Zabol* 10-11.
- Boelter, F; Simmons, C; Hewett, P. (2011). Exposure data from multi-application, multi-industry maintenance of surfaces and joints sealed with asbestos-containing gaskets and packing. *J Occup Environ Hyg* 8: 194-209. <http://dx.doi.org/10.1080/15459624.2011.557936>.
- Boelter, FW; Crawford, GN; Podraza, DM. (2002). Airborne fiber exposure assessment of dry asbestos-containing gaskets and packings found in intact industrial and maritime fittings. *AIHA J* 63: 732-740.
- Boelter, FW; Persky, JD; Podraza, DM; Bullock, WH. (2016). Characterizing and Communicating Risk with Exposure Reconstruction and Bayesian Analysis: Historical Locomotive Maintenance/Repair Associated with Asbestos Woven Tape Pipe Lagging. *Risk Anal* 36: 228-243. <http://dx.doi.org/10.1111/risa.12458>.
- Boelter, FW; Spencer, JW; Simmons, CE. (2007). Heavy equipment maintenance exposure assessment: using a time-activity model to estimate surrogate values for replacement of missing data. *J Occup Environ Hyg* 4: 525-537. <http://dx.doi.org/10.1080/15459620701411109>.
- Boelter, FW; Xia, Y; Dell, L. (2014). Comparative Risks of Cancer from Drywall Finishing Based on Stochastic Modeling of Cumulative Exposures to Respirable Dusts and Chrysotile Asbestos Fibers. *Risk Anal* 35: 859-871. <http://dx.doi.org/10.1111/risa.12297>.
- Boelter, FW; Xia, Y; Persky, JD. (2016). A Bayesian Model and Stochastic Exposure (Dose) Estimation for Relative Exposure Risk Comparison Involving Asbestos-Containing Dropped Ceiling Panel Installation and Maintenance Tasks. *Risk Anal*. <http://dx.doi.org/10.1111/risa.12733>.
- Boev, B; Stafilov, T; Bačeva, K; Šorša, A; Boev, I. (2013). Influence of a nickel smelter plant on the mineralogical composition of attic dust in the Tikveš Valley, Republic of Macedonia. *Environ Sci Pollut Res Int* 20: 3781-3788. <http://dx.doi.org/10.1007/s11356-012-1318-x>.
- Boffetta, P. (1994). Biopersistence of respirable synthetic fibers and minerals: the point of view of the epidemiologist [Review]. *Environ Health Perspect* 102 Suppl 5: 11-13.
- Boffetta, P. (1997). MORTALITY OF MAN-MADE VITREOUS FIBRE WORKERS IN EUROPE (pp. 12-16). (BIOSIS/97/16433). Boffetta, P.
- Boffetta, P. (2010). Causation in the presence of weak associations. *Crit Rev Food Sci Nutr* 50: 13-16. <http://dx.doi.org/10.1080/10408398.2010.526842>.
- Boffetta, P. (2016). Response to: Pleural mesothelioma, and occupational and non-occupational asbestos exposure: a case-control study with quantitative risk assessment [Letter]. *Occup Environ Med* 73: 712. <http://dx.doi.org/10.1136/oemed-2016-103776>.
- Boffetta, P; Burstyn, I; Partanen, T; Kromhout, H; Svane, O; Langard, S; Jarvholm, B; Frentzel-Beyme, R; Kauppinen, T; Stucker, I; Shaham, J; Heederik, D; Ahrens, W; Bergdahl, IA; Cenee, S; Ferro, G; Heikkilä, P; Hooiveld, M; Johansen, C; Randem, BG; Schill, W. (2003). Cancer mortality among European asphalt workers: an international epidemiological study II Exposure to bitumen fume and other agents. *Am J Ind Med* 43: 28-39. <http://dx.doi.org/10.1002/ajim.10182>.
- Boffetta, P; Cardis, E; Vainio, H; Coleman, MP; Kogevinas, M; Nordberg, G; Parkin, DM; Partensky, C; Shuker, D; Tomatis, L. (1991). Cancer risks related to electricity production [Review]. *Eur J Cancer* 27: 1504-1519. [http://dx.doi.org/10.1016/0277-5379\(91\)90040-k](http://dx.doi.org/10.1016/0277-5379(91)90040-k).
- Boffetta, P; Donaldson, K, en; Moolgavkar, S; Mandel, JS. (2014). A systematic review of occupational exposure to synthetic vitreous fibers and mesothelioma [Review]. *Crit Rev Toxicol* 44: 436-449. <http://dx.doi.org/10.3109/10408444.2014.899558>.
- Boffetta, P; Kjaerheim, K; Hansen, J; Cherrie, J; Chang-Claude, J; Olsen, JH; Saracci, R; Westerholm, P; Andersen, A. (2003). Study of lung cancer in MMVF workers [Letter]. *Int J Occup Environ Health* 9: 169-170. <http://dx.doi.org/10.1179/oeh.2003.9.2.169>.
- Boffetta, P; La Vecchia, C. (2016). Re: Asbestos and product defence science [Letter]. *Int J Epidemiol* 45: 1690-1691. <http://dx.doi.org/10.1093/ije/dyw257>.
- Boffetta, P; La Vecchia, C. (2016). Setting new standards for epidemiological research on mesothelioma [Comment]. *Occup Environ Med* 73: 289. <http://dx.doi.org/10.1136/oemed-2015-103479>.
- Boffetta, P; Saracci, R; Andersen, A; Bertazzi, PA; Chang-Claude, J; Cherrie, J; Ferro, G; Frentzel-Beyme, R; Hansen, J; Olsen, J; Plato, N; Teppo, L; Westerholm, P; Winter, PD; Zocchetti, C. (1997). Cancer mortality among man-made vitreous fiber production workers. *Epidemiology* 8: 259-268.
- Bogen, KT; Brorby, G; Berman, DW; Sheehan, P; Floyd, M. (2011). Measuring mixed cellulose ester (MCE) filter mass under variable humidity conditions. *Ann Occup Hyg* 55: 485-494. <http://dx.doi.org/10.1093/annhyg/mer003>.
- Boggs, CJ; Shaddoan, WT. (1996). Cost savings associated with landfilling wastes containing very low levels of uranium. *GRA and I*: 10.
- Bogovski, P. (1974). IARC (International Agency for Research on Cancer) Scientific Publication, No. 8. Biological effects of asbestos. Proceedings of a Working Conference. (HEEP/75/03268). Bogovski, P.
- Bogovski, P; Gilson, JC; Timbrell, V; Wagner, JC. (1974). PROCEEDINGS OF A WORKING CONFERENCE OF THE INTERNATIONAL AGENCY FOR RESEARCH ON CANCER SYMPOSIUM ON BIOLOGICAL EFFECTS OF ASBESTOS LYON FRANCE OCTOBER 2-6 1972 (pp. LYON). (HEEP/75/04204). Bogovski, P; Gilson, JC; Timbrell, V; Wagner, JC.
- Bogovski, P; Küng, A; Winkmann, F. (1982). [Phenols, other components of oil shale tars and asbestos as factors of modifying the action of benzo(a)-pyrene (author's transl)]. *Arch Geschwulstforsch* 52: 49-55.
- Bohan, P; Hertzberg, V; Burg, W; Clark, S. (1991). Airborne Lead, Dust, and Asbestos-Like Fibers in Mechanical Street Cleaner Environments and an Evaluation of Some Contributory Factors. *Appl Occup Environ Hyg* 6: 54-58.
- Bohlig, H. (1971). (UICCincinnati classification of radiographic findings of lungs with dust disease.) (pp. 665-683). (HEEP/72/07473). Bohlig, H.
- Bohlig, H. (1973). NEW ASPECTS IN THE X-RAY DIAGNOSIS OF PNEUMOCONIOSIS DISEASES (pp. 137-139). (HEEP/74/05872). Bohlig, H.

Human Health Hazard Literature Search Results

Off Topic

- Bohlig, H. (1993). Re: Asbestos and cancer, 1934-1965 [Comment]. *Am J Ind Med* 23: 519.
- Bohlig, H; Gilson, JC. (1973). *Radiology* (pp. 25-30). (NIOSH/00150117). Bohlig, H; Gilson, JC.
- Bohlig, H; Gilson, JC. (1974). *RADIOLOGY* (pp. LYON). (HEEP/75/04209). Bohlig, H; Gilson, JC.
- Bohlig, H; Hain, E; Woitowitz, HJ. (1972). ILO U 1971 pneumoconiosis classification and its significance in the medical check up of dust exposed workers. *Prax Pneumol* 26: 688-700.
- Bohme, SR. (2012). Expression of concern: false claim to be free of conflicts in asbestos biopersistence debate [Letter]. *Int J Occup Environ Health* 18: 85-88. <http://dx.doi.org/10.1179/1077352512Z.00000000024>.
- Bohnker, BK; Betts, LS; Sack, DM; Craft, N. (2001). Navy Asbestos Medical Surveillance Program, 1995-1999: demographic characteristics and smoking status. *Mil Med* 166: 966-971.
- BOHS. (1968). Hygiene standards for chrysotile asbestos dust. *Ann Occup Hyg* 11: 47-69.
- BOHS. (1983). Report from the committee on asbestos: A study of the health experience in two UK asbestos factories. *Ann Occup Hyg* 27: 1-55.
- Boiano, JM. (1900). Potential Health Hazards in Taxidermy Shops (pp. 34-38). (NIOSH/00175551). Boiano, JM.
- Boleij J, SM; Buringh, E; Heederik, D; Kromhout, H. (1995). OCCUPATIONAL HYGIENE OF CHEMICAL AND BIOLOGICAL AGENTS (pp. AMSTERDAM). (BIOSIS/95/28232). Boleij J, SM; Buringh, E; Heederik, D; Kromhout, H.
- Boll, M; Weber, LW; Becker, E; Stampfl, A. (2001). Pathogenesis of carbon tetrachloride-induced hepatocyte injury bioactivation of CCl₄ by cytochrome P450 and effects on lipid homeostasis. *Z Naturforsch C Biosci* 56: 111-121.
- Boll, M; Weber, LWD; Becker, E; Stampfl, A. (2001). Pathogenesis of Carbon Tetrachloride-Induced Hepatocyte Injury Bioactivation of CCl₄ by Cytochrome P450 and Effects on Lipid Homeostasis. 56.
- Bollo, E; Scaglione, FE; Tursi, M; Schröder, C; Degiorgi, G; Belluso, E; Capella, S; Bellis, D. (2011). Malignant pleural mesothelioma in a female lion (*Panthera leo*). *Res Vet Sci* 91: 116-118. <http://dx.doi.org/10.1016/j.rvsc.2010.08.005>.
- Bolstad-Johnson, DM; Burgess, JL; Crutchfield, CD; Stormont, S; Gerkin, R; Wilson, JR. (2000). Characterization of firefighter exposures during fire overhaul. *Am Ind Hyg Assoc J* 61: 636-641.
- Bond, GG; McLaren, EA; Baldwin, CL; Cook, RR. (1986). An update of mortality among chemical workers exposed to benzene. *Br J Ind Med* 43: 685-691. <http://dx.doi.org/10.1136/oem.43.10.685>.
- Bond, GG; McLaren, EA; Cartmill, JB; Wymer, KT; Sobel, W; Lipps, TE; Cook, RR. (1987). Cause-specific mortality among male chemical workers. *Am J Ind Med* 12: 353-383. <http://dx.doi.org/10.1002/ajim.4700120403>.
- Bonelli, MA; Fumarola, C; La Monica, S; Alfieri, R. (2017). New therapeutic strategies for malignant pleural mesothelioma [Review]. *Biochem Pharmacol* 123: 8-18. <http://dx.doi.org/10.1016/j.bcp.2016.07.012>.
- Bonfiglio, JF; Clark, CS; Sigell, LT; Sublet, V; Rice, CH; Radike, MJ; Hayes, KM. (1988). Poison Centers: A Resource for Occupational Health Services. *Vet Hum Toxicol* 30: 569-571.
- Bongiovanni, M; Cassoni, P; De Giuli, P; Viberti, L; Cappia, S; Ivaldi, C; Chiusa, L; Bussolati, G. (2001). p27(kip1) immunoreactivity correlates with long-term survival in pleural malignant mesothelioma. *Cancer* 92: 1245-1250.
- Bonn, D. (1999). Asbestos—the legacy lives on. *Lancet* 353: 1336. [http://dx.doi.org/10.1016/S0140-6736\(05\)74338-5](http://dx.doi.org/10.1016/S0140-6736(05)74338-5).
- Bonneau, L; Suquet, H; Malard, C; Pezerat, H. (1986). STUDIES ON SURFACE-PROPERTIES OF ASBESTOS .1. ACTIVE-SITES ON SURFACE OF CHRYSOTILE AND AMPHIBOLES. *Environ Res* 41: 251-267.
- Bonneau, L; Zalma, R; Guignard, J; Pezerat, H; Mansuy, D; Fonecave, M. (1985). SURFACE ACTIVE SITES AND CATALYTIC PROPERTIES OF ASBESTOS MINERAL POSSIBLE CONSEQUENCE FOR THEIR ACTIVITY IN BIOLOGICAL MEDIUM (pp. NEW YORK). (BIOSIS/86/22521).
Bonneau, L; Zalma, R; Guignard, J; Pezerat, H; Mansuy, D; Fonecave, M.
- Bonnell, JA. (1987). The Electricity Supply Industry. 3: 37-54.
- Bonner, JC. (1994). Cellular and biochemical mechanisms of particle-induced lung disease [Research]. RePORTER Database National Institutes of Health.
- Bonner, JC. (2009). Lung Toxicity of Carbon Nanotubes in Models of Pre-Existing Respiratory Disease.
- Bonner, JC. (2010). Lung Toxicity of Carbon Nanotubes in Models of Pre-Existing Respiratory Disease.
- Bonner, JC. (2012). Genetic Susceptibility to Nanoparticle-Induced Respiratory Disease.
- Bonner, JC. (2013). Genetic Susceptibility to Nanoparticle-Induced Respiratory Disease.
- Bonner, JC. (2014). Genetic Susceptibility to Nanoparticle-Induced Respiratory Disease.
- Bonner, JC. (2015). Genetic Susceptibility to Nanoparticle-Induced Respiratory Disease.
- Bonner, JC; Rice, AB; Lindroos, PM; O'Brien, PO; Dreher, KL; Rosas, I; Alfaro-Moreno, E; Osornio-Vargas, AR. (1998). Induction of the lung myofibroblast PDGF receptor system by urban ambient particles from Mexico City. *Am J Respir Cell Mol Biol* 19: 672-680.
- Bononi, A; Napolitano, A; Pass, HI; Yang, H; Carbone, M. (2015). Latest developments in our understanding of the pathogenesis of mesothelioma and the design of targeted therapies [Review]. *Expert Review of Respiratory Medicine* 9: 633-654. <http://dx.doi.org/10.1586/17476348.2015.1081066>.
- Bonsib, RS. (1937). Dust Producing Operations in the Production of Petroleum Products and Associated Activities (pp. 19371937). (NIOSH/00172655). Bonsib, RS.
- Booker, JM; Catlin, M; Weiss, LD. (1991). ASBESTOS TRAINING - EVALUATION OF A STATE CERTIFIED PROGRAM IN ALASKA. *J Environ Health* 54: 18-21.
- Booth, SJ. (1986). MESOTHELIOMA SHORTLY AFTER BRIEF EXPOSURE TO ASBESTOS - REPLY. *Lancet* 1: 746-746.
- Booth, SJ; Weaver, EJ. (1986). Malignant pleural mesothelioma five years after domestic exposure to blue asbestos [Letter]. *Lancet* 327: 435. [http://dx.doi.org/10.1016/S0140-6736\(86\)92385-8](http://dx.doi.org/10.1016/S0140-6736(86)92385-8).

Human Health Hazard Literature Search Results

Off Topic

- Booth, SJ; Weaver, EJM. (1986). MALIGNANT PLEURAL MESOTHELIOMA 5 YEARS AFTER DOMESTIC EXPOSURE TO BLUE ASBESTOS. *Lancet* 1: 435-435.
- Boraschi, P; Neri, S; Braccini, G; Gigoni, R; Leoncini, B; Perri, G. (1999). Magnetic resonance appearance of asbestos-related benign and malignant pleural diseases. *Scand J Work Environ Health* 25: 18-23.
- Borcherding, CH. (1976). Health Hazard Evaluation Report No. HHE-75-192-330, Pittsburgh Plate Glass Ind., Mt. Zion, Illinois. NIOSH: 19761976.
- Borczyk, AC; Pei, J; Taub, RN; Levy, B; Nahum, O; Chen, J; Chen, K; Testa, JR. (2016). Genome-wide analysis of abdominal and pleural malignant mesothelioma with DNA arrays reveals both common and distinct regions of copy number alteration. 17: 328-335. <http://dx.doi.org/10.1080/15384047.2016.1145850>.
- Boreiko, CJ; Hesterberg, TW. (1985). Carcinogen Detection by Cell Transformation Systems. *CIIT Activities* 5: 1.
- Borek, C. (1985). X-ray cell transformation of rat and hamster embryos [Research]. *RePORTER Database National Institutes of Health*.
- Borek, E; Sharma, OK. (1982). New applications of urinary nucleoside markers. 103: 322-323.
- Borelli, V; Brochetta, C; Melato, M; Rizzardi, C; Polentarutti, M; Busatto, C; Vita, F; Abbate, R; Gotter, R; Zabucchi, G. (2007). A procedure for the isolation of asbestos bodies from lung tissue by exploiting their magnetic properties: A new approach to asbestos body study. *J Toxicol Environ Health A* 70: 1232-1240. <http://dx.doi.org/10.1080/15287390701380906>.
- Borgersen, A; Ostensen, H; Hanao, R. (1989). PNEUMOCONIOSIS PANEL AT THE NORWEGIAN DIRECTORATE OF LABOR INSPECTION. *Tidsskr Nor Laegeforen* 109: 17-18.
- Borghi, E; Occhiuzzi, M; Foresti, E; Lesci, IG; Roveri, N. (2010). Spectroscopic characterization of Fe-doped synthetic chrysotile by EPR, DRS and magnetic susceptibility measurements. *Phys Chem Chem Phys* 12: 227-238. <http://dx.doi.org/10.1039/b915182f>.
- Borm, P; Cassee, FR. (2013). Ken Donaldson: retirement of a young mind [Editorial]. *Part Fibre Toxicol* 10: 8. <http://dx.doi.org/10.1186/1743-8977-10-8>.
- Borm, PJ. (2002). Particle toxicology: from coal mining to nanotechnology [Review]. *Inhal Toxicol* 14: 311-324. <http://dx.doi.org/10.1080/08958370252809086>.
- Borm, PJA. (2004). [Particle toxicology: From coal mining to nanotechnology]. *Zentralblatt Arbeitsmedizin Arbeitsschutz Ergon* 54: 188-197.
- Borschgaletke, E. (1991). ASBESTOS-INDUCED LUNG-CANCER - THE PROBLEMS ENTAILED IN OCCUPATIONAL-DISEASE LITIGATION. *Arbeitsmedizin, Sozialmedizin, Praeventivmedizin* 26: 351-356.
- Bos, RP; Henderson, PT. (1984). Genotoxic risk of passive smoking [Review]. *Rev Environ Health* 4: 161-178.
- Boschero, L; Ferri, R; Malpassini, A; Pizzutelli, G. (2006). [Significance of the synergy between the ASL and the Association of Formerly Exposed to Asbestos]. *G Ital Med Lav Ergon* 28: 165-166.
- Böse-O'Reilly, S; Heudorf, U; Lob-Corzilius, T; von Mühlendahl, KE; Otto, M; Schmidt, S. (2007). Children's environment in Central Europe: threats and chances. *Int J Hyg Environ Health* 210: 503-507. <http://dx.doi.org/10.1016/j.ijheh.2007.07.010>.
- Bostrom, CE; Almen, J; Steen, B; Westerholm, R. (1994). Human exposure to urban air pollution [Review]. *Environ Health Perspect Suppl* 102: 39-47. <http://dx.doi.org/10.2307/3431929>.
- Botha, JL; Irwig, LM; Strebel, PM. (1987). EXCESS MORTALITY FROM STOMACH-CANCER, LUNG-CANCER, AND ASBESTOSIS AND OR MESOTHELIOMA IN CROCIDOLITE MINING DISTRICTS IN SOUTH-AFRICA - REPLY. *Am J Epidemiol* 125: 542-543.
- Botham, SK; Holt, PF. (1971). The development of glass-fibre bodies in the lungs of guinea-pigs. *J Pathol* 103: 149-156. <http://dx.doi.org/10.1002/path.1711030303>.
- Botham, SK; Holt, PF. (1972). Asbestos-body formation in the lungs of rats and guinea-pigs after inhalation of anthophyllite. *J Pathol* 107: 245-252. <http://dx.doi.org/10.1002/path.1711070404>.
- Botham, SK; Holt, PF. (1973). Comparison of effects of glass fibre and glass powder on guinea-pig lungs. *Br J Ind Med* 30: 232-236.
- Bottazzi, M. (2007). [The work of the social security and welfare branch of the Trade Union supporting workers suffering from mesothelioma and asbestos related diseases]. *Epidemiol Prev* 31: 31-34.
- Bottin, MC; Vigneron, JC; Rousseau, R; Micillino, JC; Eypert-Blaison, C; Kauffer, E; Martin, P; Binet, S; Rihn, BH. (2003). Man-made mineral fiber hazardous properties assessment using transgenic rodents: example of glass fiber testing. *Inhal Toxicol* 15: 1017-1027. <http://dx.doi.org/10.1080/08958370390226404>.
- Boudville, N; Paul, R; Robinson, BW; Creaney, J. (2011). Mesothelin and kidney function--analysis of relationship and implications for mesothelioma screening. *Lung Cancer* 73: 320-324. <http://dx.doi.org/10.1016/j.lungcan.2011.01.011>.
- Bouffant, L; Martin, JC; Durif, S; Daniel, H. (1973). Structure And Composition Of Pleural Plaques (pp. 249-257). (NIOSH/00149389). Bouffant, L; Martin, JC; Durif, S; Daniel, H.
- Bouige, D. (1990). Dust Exposure Results in 359 Asbestos-using Factories from 26 Countries (pp. 23-26). (NIOSH/00198574). Bouige, D.
- Boulanger, G; Andujar, P; Pairon, JC; Billon-Galland, MA; Dion, C; Dumortier, P; Brochard, P; Sobaszek, A; Bartsch, P; Paris, C; Jaurand, MC. (2014). Quantification of short and long asbestos fibers to assess asbestos exposure: a review of fiber size toxicity [Review]. *Environ Health* 13: 59. <http://dx.doi.org/10.1186/1476-069X-13-59>.
- Boundy, MG; Gold, K; Jr, MK; Burgess, WA; Dement, JM. (1979). Occupational Exposure to Non-Asbestiform Talc in Vermont. *Cancer Lett* 6: 183-192.
- Bourbeau, J; Ernst, P. (1988). Between- and within-reader variability in the assessment of pleural abnormality using the ILO 1980 international classification of pneumoconioses. *Am J Ind Med* 14: 537-543.
- Bourbeau, J; Somody, M; Ernst, P. (1987). BETWEEN AND WITHIN READER VARIABILITY IN THE ASSESSMENT OF PLEURAL ABNORMALITY USING THE ILO 1980 CLASSIFICATION OF PNEUMOCONIOSES (pp. 15-18). (BIOSIS/87/21431). Bourbeau, J; Somody, M; Ernst, P.
- Bourdillon, F. (2008). [Decision-making in public health] [Editorial]. *Sante Publique* 20: 291-293.

Human Health Hazard Literature Search Results

Off Topic

- Bourgkard, E; Wild, P; Gonzalez, M; Févotte, J; Penven, E; Paris, C. (2013). Comparison of exposure assessment methods in a lung cancer case-control study: performance of a lifelong task-based questionnaire for asbestos and PAHs. *Occup Environ Med* 70: 884-891. <http://dx.doi.org/10.1136/oemed-2013-101467>.
- Bouros, D; Hatzakis, K; Labrakis, H; Zeibecoglou, K. (2002). Association of malignancy with diseases causing interstitial pulmonary changes. *Chest* 121: 1278-1289. <http://dx.doi.org/10.1378/chest.121.4.1278>.
- Bousquet, J; Clot, J; Gauci, L; Michel, FB. (1980). IMMUNOLOGICAL PARAMETERS AND ETIOLOGIC DIAGNOSIS OF PLEURAL EFFUSIONS (pp. 18-21). (HEEP/81/07900). Bousquet, J; Clot, J; Gauci, L; Michel, FB.
- Boutin, C; Sébastien, P; Janson, X; Viallat, JR. (1981). [The metrology of mineral fibres in thoracoscopic lung and pleural biopsies. Preliminary results (author's transl)]. *Poumon Coeur* 37: 253-257.
- Bovy, J. (1996). Air pollution and asbestos (pp. 3-4). (IPA/97/1118512). Bovy, J.
- Bowden, DH. (1973). The alveolar macrophage and its role in toxicology [Review]. *CRC Crit Rev Toxicol* 2: 95-124.
- Bowen, AL; Martin, RS. (2009). Integration of serpentine channels for microchip electrophoresis with a palladium decoupler and electrochemical detection. *Electrophoresis* 30: 3347-3354. <http://dx.doi.org/10.1002/elps.200900234>.
- Bowen, DJ; Cartmel, B; Barnett, M; Goodman, G; Omenn, GS. (1999). Predictors of participant retention in two chemoprevention feasibility trials. *Ann Behav Med* 21: 210-215.
- Bowen, DJ; Thornquist, M; Anderson, K; Barnett, M; Powell, C; Goodman, G; Omenn, G; Carotene; Trial, RE. (2003). Stopping the active intervention: CARET. *Contr Clin Trials* 24: 39-50.
- Bowen, PT; Jackson, MK; Corbitt, RA; Gonce, N. (1992). SLUDGE TREATMENT UTILIZATION AND DISPOSAL. *Water Environ Res* 64: 378-386.
- Bowes, DR; CMBTIAJoIM, F. (1997). Major and trace element compositions of the UICC standard asbestos samples. *Am J Ind Med* 32: 592-594.
- Bowman MC, J. R.; Beroza M, J. R. (1971). Use of Dexsil 300 or a specially washed Chromosorb W for multicomponent residue determinations of phosphorus-and sulfur-containing pesticides by flame photometric GLC. (HAPAB/71/02783). Bowman MC, , JR; Beroza M, , JR.
- Bowman, R; Relan, V; Hughes, B. (2011). Medical management of mesothelioma. *Australian Prescriber* 34: 144-147.
- Boylan, AM. (1992). Molecular mech. of asbestos &mesothelial cell interact [Research]. RePORTER Database National Institutes of Health.
- Boylan, AM. (1993). Molecular mech. of asbestos &mesothelial cell interact [Research]. RePORTER Database National Institutes of Health.
- Boylan, AM. (1994). Asbestos and mesothelial cell interactions [Research]. RePORTER Database National Institutes of Health.
- Boylan, AM. (1995). Asbestos and mesothelial cell interactions [Research]. RePORTER Database National Institutes of Health.
- Boylan, AM; Sanan, DA; Broaddus, VC. (1992). IDENTIFICATION OF INTRACELLULAR ASBESTOS FIBERS IN MESOTHELIAL CELLS USING FLUORESCENCE CONFOCAL MICROSCOPY. *Mol Biol Cell* 3: A117-A117.
- Boylan, AM; Yang, L; Sanan, DA; Sheppard, D; Broaddus, VC. (1995). PLEURAL MESOTHELIAL CELLS RECOGNIZE AND INTERNALIZE SERUM-COATED CROCIDOLITE ASBESTOS VIA A VITRONECTIN RECEPTOR, ALPHA-V-BETA-5. *Mol Biol Cell* 6: 957-957.
- Boyland, E. (1980). Significance Of Promoters In Dose Response And Evaluation Of Carcinogenic Risks (pp. 181-193). (NIOSH/00152836). Boyland, E.
- Boyland, E. (1987). ESTIMATION OF ACCEPTABLE LEVELS OF TUMOR PROMOTERS. *Br J Ind Med* 44: 422-423.
- Boyle, CA; Brann, EA. (1992). Proxy respondents and the validity of occupational and other exposure data. The Selected Cancers Cooperative Study Group. *Am J Epidemiol* 136: 712-721.
- Boyles, MS; Young, L; Brown, DM; Maccalman, L; Cowie, H; Moiala, A; Smail, F; Smith, PJ; Proudfoot, L; Windle, AH; Stone, V. (2015). Multi-walled carbon nanotube induced frustrated phagocytosis, cytotoxicity and pro-inflammatory conditions in macrophages are length dependent and greater than that of asbestos. *Toxicol In Vitro* 29: 1513-1528. <http://dx.doi.org/10.1016/j.tiv.2015.06.012>.
- Bracey, TS. (2015). An Algorithmic Approach to the Postmortem Investigation and Histological Sampling of Potentially Asbestos Related Deaths. *J Pathol* 237: S25-S25.
- Brackett, KA; Clark, PJ; Millette, JR. (1992). Method for the analysis of asbestos fibers in water using mce filters. *Microscope* 40: 159-163.
- Brackett, KA; Clark, PJ; Millette, JR. (1994). Method 100.2. Determination of Asbestos Structures over 10 micrometers in Length in Drinking Water. 28.
- Brackney, MM; Marfin, AA; Staples, JE; Stallones, L; Keefe, T; Black, WC; Campbell, GL. (2010). Epidemiology of Colorado tick fever in Montana, Utah, and Wyoming, 1995-2003. *Vector Borne and Zoonotic Diseases* 10: 381-385. <http://dx.doi.org/10.1089/vbz.2009.0065>.
- Bradbury, P. (2005). Techniques for microscopic detection of asbestos bodies in lung tissue. *Biotech Histochem* 80: 169-170. <http://dx.doi.org/10.1080/10520290500250359>.
- Bragg, GM. (1982). The Technical Feasibility And Cost Of Controlling Workplace Exposure To Asbestos Fibres. 149: 19821982.
- Bragg, GM. (1987). ASBESTOS IN THE ENVIRONMENT AN INDUSTRY VIEWPOINT (pp. 289-296). (BIOSIS/87/26192). Bragg, GM.
- Bragg, GM. (1987). Effective Control of Asbestos Dust Emissions (pp. 192-197). (NIOSH/00170707). Bragg, GM.
- Bragg, GM. (1990). The behaviour of airborne asbestos fibres in indoor air.
- Brain, JD. (1992). Short-Term In Vitro and In Vivo Bioassays: Their Role in Estimating the Toxic Potential of Inhaled Complex Mixtures for Humans. *Cell Biol Toxicol* 8: 123-132.
- Brain, JD; Curran, MA; Donaghey, T; RM, M. (2009). Biologic responses to nanomaterials depend on exposure, clearance, and material characteristics. *Nanotoxicology* 3: 174-180. <http://dx.doi.org/10.1080/17435390802654628>.
- Brancati, F; Hodgson, MJ; Karpf, M. (1988). RELEVANT OCCUPATIONAL EXPOSURES AMONG MEDICAL INPATIENTS PREVALENCE AND RECOGNITION (pp. 27-29). (BIOSIS/88/27723). Brancati, F; Hodgson, MJ; Karpf, M.
- Branco, S. (2010). Serpentine soils promote ectomycorrhizal fungal diversity. *Mol Ecol* 19: 5566-5576. <http://dx.doi.org/10.1111/j.1365-294X.2010.04913.x>.

Human Health Hazard Literature Search Results

Off Topic

- Branco, S; Ree, RH. (2010). Serpentine soils do not limit mycorrhizal fungal diversity. *PLoS ONE* 5: e11757. <http://dx.doi.org/10.1371/journal.pone.0011757>.
- Brand, KG. (1986). Fibrotic Scar Cancer in the Light of Foreign Body Tumorigenesis (pp. Controversy in Occupational Medicine). (NIOSH/00171388). Brand, KG.
- Brandes, JC. (2012). HDAC inhibition for the chemoprevention of lung cancer.
- Brandes, JC. (2013). HDAC inhibition for the chemoprevention of lung cancer.
- Brandes, JC. (2014). HDAC inhibition for the chemoprevention of lung cancer.
- Brandner, W. (1982). Asbestos Exposure Assessment In Buildings. *Inspection Manual*. 75: 19821982.
- Brandt, LPA; Kirk, NU; Jensen, OC; Hansen, HL. (1994). MORTALITY AMONG DANISH MERCHANT SEAMEN FROM 1970 TO 1985. *Am J Ind Med* 25: 867-876.
- Brandt-Rauf, PW. (1991). Oncogene Proteins as Biomarkers in the Molecular Epidemiology of Occupational Carcinogenesis. The Example of the ras Oncogene-Encoded p21 Protein. *Int Arch Occup Environ Health* 63: 1-8.
- Brandt-Rauf, PW. (1992). The Molecular Epidemiology of Oncoproteins (pp. 46-49). (ISSN 0355-3140 EISSN 1795-990X NIOSH/00209226). Brandt-Rauf, PW.
- Brandt-Rauf, PW. (2002). P53 Biomaker and Intervention in Occupational Cancer.
- Brandt-Rauf, PW. (2003). P53 Biomaker and Intervention in Occupational Cancer.
- Brandt-Rauf, PW. (2004). P53 Biomaker and Intervention in Occupational Cancer.
- Brandt-Rauf, PW. (2014). Novel Biomarkers of Asbestos Carcinogenesis. 6.
- Branscheid, D; Bischoff, H; Vogt-Moykopf, I. (1988). SURGERY OF MALIGNANT PLEURAL EFFUSIONS INCLUDING MALIGNANT PLEURAL MESOTHELIOMA (pp. PLEURA). (BIOSIS/89/08224). Branscheid, D; Bischoff, H; Vogt-Moykopf, I.
- Brantly E P, J. R.; Lentzen, DE; Beard, ME; Breen, JJ. (1982). DEVELOPMENT OF A NATIONAL QUALITY ASSURANCE PROGRAM FOR ASBESTOS ANALYSIS. (HEEP/84/00901). Brantly E P, , JR; Lentzen, DE; Beard, ME; Breen, JJ.
- Brantly E P, J. R.; Lentzen, DE; Gold, KW; Meyers, LE; Breen, JJ; Beard, ME. (1982). DEVELOPMENT OF THE ENVIRONMENTAL PROTECTION AGENCY USA INTERIM METHOD FOR ASBESTOS IN BULK SAMPLES. (HEEP/83/13272). Brantly E P, , JR; Lentzen, DE; Gold, KW; Meyers, LE; Breen, JJ; Beard, ME.
- Bratteler, M; Lexer, C; Widmer, A. (2006). A genetic linkage map of *Silene vulgaris* based on AFLP markers. *Genome* 49: 320-327. <http://dx.doi.org/10.1139/g05-114>.
- Brauer, C; Baandrup, U; Jacobsen, P; Krasnik, M; Olsen, JH; Pedersen, JH; Rasmussen, TR; Schlünssen, V; Sherson, D; Svolgaard, B; Sørensen, JB; Omland, O. (2009). [Screening for asbestos-related conditions]. *Ugeskr Laeger* 171: 433-436.
- Braun, DC; Detreville, RT. (1972). Comment on McDonald et al's study on mortality in asbestos industry. *Arch Environ Health* 24: 294-295.
- Braun, L; Greene, A; Manseau, M; Singhal, R; Kisting, S; Jacobs, N. (2003). Scientific controversy and asbestos: making disease invisible [Review]. *Int J Occup Environ Health* 9: 194-205. <http://dx.doi.org/10.1179/oeht.2003.9.3.194>.
- Braun, L; Kisting, S. (2006). Asbestos-related disease in South Africa: the social production of an invisible epidemic. *Am J Public Health* 96: 1386-1396. <http://dx.doi.org/10.2105/AJPH.2005.064998>.
- Brautbar, N; Wu, MP; Gabel, E; Regev, L, ee. (2006). Occupational kidney cancer - Exposure to industrial solvents. *Ann N Y Acad Sci* 1076: 753-764. <http://dx.doi.org/10.1196/annals.1371.012>.
- Brechot, JM. (2008). Targeted therapy in malignant mesothelioma. *Targeted Oncology* 3: 217-221. <http://dx.doi.org/10.1007/s11523-008-0089-2>.
- Breedin, PH; Buss, DH. (1976). Ferruginous (asbestos) bodies in the lungs of rural dwellers, urban dwellers, and patients with pulmonary neoplasms. *South Med J* 69: 401-404.
- Breen, JJ. (1987). Evaluating Asbestos Exposures in Buildings (pp. 71-78). (NIOSH/00170703). Breen, JJ.
- Brenner, S; Anavi, Z. (1986). Review of the Israeli Technical Committee for Asbestos. *Am J Ind Med* 10: 527-532.
- Breslow, NE; Day, NE. (1987). IARC INTERNATIONAL AGENCY FOR RESEARCH ON CANCER SCIENTIFIC PUBLICATIONS NO. 82. STATISTICAL METHODS IN CANCER RESEARCH VOL. II THE DESIGN AND ANALYSIS OF COHORT STUDIES (pp. THE DESIGN AND ANALYSIS OF COHORT STUDIES). (BIOSIS/88/32761). Breslow, NE; Day, NE.
- Bresnick, E. (1985). Dna repair after polycyclic hydrocarbon administration [Research]. RePORTER Database National Institutes of Health.
- Bresnick, E. (1986). Dna repair after polycyclic hydrocarbon administration [Research]. RePORTER Database National Institutes of Health.
- Bresnick, E. (1987). Dna repair after polycyclic hydrocarbon administration [Research]. RePORTER Database National Institutes of Health.
- Bresnick, E. (1988). Dna repair after polycyclic hydrocarbon administration [Research]. RePORTER Database National Institutes of Health.
- Bresnick, E. (1989). Dna repair after polycyclic hydrocarbon administration [Research]. RePORTER Database National Institutes of Health.
- Bresnick, E. (1990). Regulation of O6-methylguanine dna methyltransferase [Research]. RePORTER Database National Institutes of Health.
- Bresnick, E. (1991). Regulation of O6-methylguanine dna methyltransferase [Research]. RePORTER Database National Institutes of Health.
- Bresnitz, EA; Frumkin, H; Goldstein, L; Neumark, D; Hodgson, M; Needleman, C. (1994). OCCUPATIONAL IMPAIRMENT AND DISABILITY AMONG APPLICANTS FOR SOCIAL-SECURITY DISABILITY BENEFITS IN PENNSYLVANIA. *Am J Public Health* 84: 1786-1790.
- Breyse, PN; Cherrie, JW; Addison, J; Dodgson, J. (1989). EVALUATION OF AIRBORNE ASBESTOS CONCENTRATIONS USING TEM AND SEM DURING RESIDENTIAL WATER TANK REMOVAL. *Ann Occup Hyg* 33: 243-&.
- Breyse, PN; Weaver, V; Cadorette, M; Wiggs, L; Curbow, B; Stefaniak, A; Melius, J; Newman, L; Smith, H; Schwartz, B. (2002). Development of a medical examination program for former workers at a department of energy national laboratory. *Am J Ind Med* 42: 443-454. <http://dx.doi.org/10.1002/ajim.10136>.

Human Health Hazard Literature Search Results

Off Topic

- Breyse, PN; Williams, DL; Herbstman, JB; Symons, JM; Chillrud, SN; Ross, J; Henshaw, S; Rees, K; Watson, M; Geyh, AS. (2005). Asbestos exposures to truck drivers during World Trade Center cleanup operations. *J Occup Environ Hyg* 2: 400-405. <http://dx.doi.org/10.1080/15459620500194286>.
- Brhel, P. (2001). Profile of occupational diseases in the Czech Republic. *Central Eur J Occup Env Med* 7: 3-4.
- Briand, E. (2007). Vers une approche prédictive des politiques de santé environnementale en France. *E R S* 6: 21-35. <http://dx.doi.org/10.1684/ers.2007.0029>.
- Bridges, VG; Campbell, J; Howe, W. (1983). Shipbuilding (pp. 2027-2032). (NIOSH/00150032). Bridges, VG; Campbell, J; Howe, W.
- Bridgman, S. (2001). Community health risk assessment after a fire with asbestos containing fallout. *J Epidemiol Community Health* 55: 921-927.
- Bridgman, SA. (1999). Lessons learnt from a factory fire with asbestos-containing fallout. *J Publ Health Med* 21: 158-165. <http://dx.doi.org/10.1093/pubmed/21.2.158>.
- Bridle, J; Hoskins, J. (2011). Canadian hypocrisy regarding chrysotile [Letter]. *Lancet* 377: 720. [http://dx.doi.org/10.1016/S0140-6736\(11\)60271-7](http://dx.doi.org/10.1016/S0140-6736(11)60271-7).
- Briers, JH; Van Wyk, S; Michael, MD. (1988). ROOT DEVELOPMENT AND GROWTH OF SELECTED PLANT SPECIES UNDER VARIOUS FERTILIZATION CONDITIONS AND WITH VARIOUS SOIL STRUCTURES IN THE ASBESTOS TAILINGS FROM THE MSAULI MINE IN EAST TRANSVAAL SOUTH AFRICA. *S Afr J Sci* 84: 325-329.
- Brigham, CR; Landrigan, PJ. (1985). Safety And Health In Boatbuilding And Repair. *Am J Ind Med* 8: 169-182.
- Brimms, FJ; Arif, M; Chauhan, AJ. (2012). Outcomes and complications following medical thoracoscopy. *Clinical Respiratory Journal* 6: 144-149. <http://dx.doi.org/10.1111/j.1752-699X.2011.00254.x>.
- Bringardner, BD; Baran, CP; Eubank, TD; Marsh, CB. (2008). The role of inflammation in the pathogenesis of idiopathic pulmonary fibrosis [Review]. *Antioxid Redox Signal* 10: 287-301. <http://dx.doi.org/10.1089/ars.2007.1897>.
- Brinkmann, OA; Mueller, KM. (1989). What's new in intraperitoneal test on Kevlar (asbestos substitute)? *Pathol Res Pract* 185: 412-417.
- Briselli, M; Mark, EJ; Dickersin, GR. (1981). Solitary fibrous tumors of the pleura: eight new cases and review of 360 cases in the literature. *Cancer* 47: 2678-2689.
- Bristol, LJ. (1955). Roentgenologic Aspects of Silicosis and Asbestosis (pp. 189-195). (NIOSH/00132432). Bristol, LJ.
- Britton, M; Apps, M; Maxwell, D; Hughes, D; Hanson, A. (1983). ASSESSMENT OF PULMONARY DISABILITY IN ASBESTOS RELATED DISEASE. *Eur J Respir Dis* 64: 582-582.
- Britton, MG. (1980). ASBESTOS PLEURAL DISEASE A CASE FOR COMPENSATION? (pp. 3-4). (ISSN 0040-6376 EISSN 1468-3296 HEEP/81/09095). Britton, MG.
- Broaddus, C; Wiener-Kronish, JP. (1986). PLEURAL DISEASES (pp. PHILADELPHIA). (BIOSIS/87/26577). Broaddus, C; Wiener-Kronish, JP.
- Broaddus, VC. (1994). Molecular interactions on asbestos and mesothelial cells [Research]. RePORTER Database National Institutes of Health.
- Broaddus, VC. (1997). Molecular interactions on asbestos and mesothelial cells [Research]. RePORTER Database National Institutes of Health.
- Broaddus, VC. (1997). Protective role of apoptosis in asbestos pleural injury [Research]. RePORTER Database National Institutes of Health.
- Broaddus, VC. (1998). Protective role of apoptosis in asbestos pleural injury [Research]. RePORTER Database National Institutes of Health.
- Broaddus, VC. (2000). Protective role of apoptosis in asbestos pleural injury.
- Broaddus, VC. (2001). Apoptosis and asbestos-induced disease: Is there a connection? [Editorial]. *J Lab Clin Med* 137: 314-315. <http://dx.doi.org/10.1067/mlc.2001.115172>.
- Broaddus, VC. (2001). Protective role of apoptosis in asbestos pleural injury.
- Broaddus, VC. (2010). Role of Macrophage-Induced Inflammation in Mesothelioma. 108.
- Broaddus, VC. (2011). Role of Macrophage-Induced Inflammation in Mesothelioma. 175.
- Brochard, P. (2007). [Malignant pleural mesothelioma: facts and unresolved questions] [Editorial]. *Rev Pneumol Clin* 63: 349-351.
- Brockmann, M; Fischer, M; Müller, KM. (1998). Exposure to carbon black: a cancer risk? [Review]. *Int Arch Occup Environ Health* 71: 85-99.
- Brodeur, P. (1973). Casualties of the Workplace. I Some Nonserious Violations (pp. 44-48). (NIOSH/00188536). Brodeur, P.
- Brodeur, P. (1973). Casualties of the Workplace. II That Dust Has Ate Us Up (pp. 98-105). (NIOSH/00188535). Brodeur, P.
- Brodeur, P. (1973). Casualties of the Workplace. III Some Conflicts of Interest (pp. 131-138). (NIOSH/00188534). Brodeur, P.
- Brodeur, P. (1973). Casualties of the Workplace. IV No Tangible Effect on Sales and Earnings (pp. 93-94). (NIOSH/00188533). Brodeur, P.
- Brodeur, P. (1973). Casualties of the Workplace. V A Question of the Patient's Rights (pp. 131-134). (NIOSH/00188532). Brodeur, P.
- Brodeur, P. (1980). The Factory Workers (pp. 29-33). (NIOSH/00153978). Brodeur, P.
- Brodeur, P. (1980). Indirect Occupational Exposure (pp. 41-43). (NIOSH/00153958). Brodeur, P.
- Brodeur, P. (1980). The Insulation Workers (pp. 18-21). (NIOSH/00153947). Brodeur, P.
- Brodeur, P. (1980). Miners And Millers (pp. 22-28). (NIOSH/00153938). Brodeur, P.
- Brodeur, P. (1980). The Shipyard Problem (pp. 34-40). (NIOSH/00153971). Brodeur, P.
- Brodeur, P. (1985). The Asbestos Industry on Trial. I A Failure to Warn (pp. 49-52). (NIOSH/00188531). Brodeur, P.
- Brodeur, P. (1985). The Asbestos Industry on Trial. II Discovery (pp. 45-48). (NIOSH/00188530). Brodeur, P.
- Brodeur, P. (1985). The Asbestos Industry on Trial. III Judgment (pp. 37-41). (NIOSH/00188529). Brodeur, P.
- Brodeur, P. (1985). The Asbestos Industry on Trial. IV Bankruptcy (pp. 36-38). (NIOSH/00188528). Brodeur, P.
- Brodin, CA; Balmes, JR; Redlich, CA; Cullen, MR. (2006). Residential proximity to naturally occurring asbestos: health risk or ecologic fallacy? [Letter]. *Am J Respir Crit Care Med* 173: 573; author reply 573-573; author reply 574. <http://dx.doi.org/10.1164/ajrccm.173.5.573>.
- Brody, AR. (1985). Asbestos activation of complement-dependent chemotactic factors for macrophages [Research]. RePORTER Database National Institutes of Health.

Human Health Hazard Literature Search Results

Off Topic

- Brody, AR. (1985). Interactions of inorganic particles with pulmonary cell membranes [Research]. RePORTER Database National Institutes of Health.
- Brody, AR. (1985). Pathogenesis of early pulmonary lesions induced by inhaled inorganic particles [Research]. RePORTER Database National Institutes of Health.
- Brody, AR. (1986). Complement-dependent chemotactic factors for macrophages [Research]. RePORTER Database National Institutes of Health.
- Brody, AR. (1986). Pathogenesis of early pulmonary lesions induced by inhaled inorganic particles [Research]. RePORTER Database National Institutes of Health.
- Brody, AR. (1987). Cellular and biochemical mechanisms of particle-induced lung disease [Research]. RePORTER Database National Institutes of Health.
- Brody, AR. (1988). Cellular and biochemical mechanisms of particle-induced lung disease [Research]. RePORTER Database National Institutes of Health.
- Brody, AR. (1990). Cellular and biochemical mechanisms of particle-induced lung disease [Research]. RePORTER Database National Institutes of Health.
- Brody, AR. (1991). Cellular and biochemical mechanisms of particle-induced lung disease [Research]. RePORTER Database National Institutes of Health.
- Brody, AR. (1992). Cellular and biochemical mechanisms of particle-induced lung disease [Research]. RePORTER Database National Institutes of Health.
- Brody, AR. (1993). ASBESTOS FINDINGS QUESTIONED - RESPONSE. *Environ Health Perspect* 101: 564-565.
- Brody, AR. (1993). Cellular and biochemical mechanisms of particle-induced lung disease [Research]. RePORTER Database National Institutes of Health.
- Brody, AR. (1994). CONTROL OF LUNG FIBROBLAST PROLIFERATION BY MACROPHAGE-DERIVED PLATELET-DERIVED GROWTH-FACTOR. *Ann N Y Acad Sci* 725: 193-199.
- Brody, AR. (1995). PLEURAL DISEASE. *Am J Respir Cell Mol Biol* 12: 579-580.
- Brody, AR. (2000). Growth factors in asbestos induced pulmonary fibrosis.
- Brody, AR. (2001). Growth factors in asbestos induced pulmonary fibrosis.
- Brody, AR. (2002). Growth factors in asbestos induced pulmonary fibrosis.
- Brody, AR. (2003). Growth factors in asbestos induced pulmonary fibrosis.
- Brody, AR. (2008). Bone Marrow Derived Stromal Cells in Rat Models of Lung Injury.
- Brody, AR. (2009). Bone Marrow Derived Stromal Cells in Rat Models of Lung Injury.
- Brody, AR; Barry, BE; Cavender, F; Crapo, JD. (1979). INHALED CHRYSOTILE ASBESTOS REACHES THE PULMONARY INTERSTITIUM THROUGH ALVEOLAR EPITHELIAL-CELLS. *Am Rev Respir Dis* 119: 203-203.
- Brody, AR; Bonner, JC. (1991). PLATELET-DERIVED GROWTH-FACTOR PRODUCED BY PULMONARY CELLS. *Chest* 99: S50-S52.
- Brody, AR; Bonner, JC; Overby, LH; Badgett, A; Kalter, V; Kumar, RK; Bennett, RA. (1992). INTERSTITIAL PULMONARY MACROPHAGES PRODUCE PLATELET-DERIVED GROWTH-FACTOR THAT STIMULATES RAT LUNG FIBROBLAST PROLIFERATION INVITRO. *J Leukoc Biol* 51: 640-648.
- Brody, AR; Butterick, C; Barrett, JC; Hesterberg, TW. (1983). ASBESTOS UPTAKE AND PERINUCLEAR ACCUMULATION IN MAMMALIAN-CELLS INVITRO. *J Cell Biol* 97: A425-A425.
- Brody, AR; Hill, L. (1985). THE TARGET CELLS OF INHALED MINERAL DUSTS (pp. NEW YORK). (BIOSIS/86/22524). Brody, AR; Hill, L.
- Brody, AR; Hill, LH; George, G; Warheit, DB. (1984). ACTIVATION OF A CHEMOTACTIC FACTOR FOR MACROPHAGES ON ALVEOLAR SURFACES (pp. 1ST ASPEN EMPHYSEMA CONFERENCE REVISITED (THE PAST 25 YEARS AND THE NEXT)). (HEEP/85/02185). Brody, AR; Hill, LH; George, G; Warheit, DB.
- Brody, AR; Hill, LH; Stirewalt, WS; Adler, KB. (1983). ACTIN-CONTAINING MICROFILAMENTS OF PULMONARY EPITHELIAL-CELLS PROVIDE A MECHANISM FOR TRANSLOCATING ASBESTOS TO THE INTERSTITIUM. *Chest* 83: S11-S12.
- Brody, AR; Overby, LH; Bennett, R; Bauman, M. (1987). CHEMOTACTIC AND GROWTH-FACTOR PRODUCTION BY ASBESTOS-EXPOSED PULMONARY MACROPHAGES. *Environ Health Perspect* 75: 132-133.
- Brody, AR; Samuels, SW; Nicholson, WJ; Johnson, EM; Harington, JS; Melius, J; Landrigan, PJ; Crump, KS; Mossman, BT; Bignon, J; Corn, M; Seaton, A; Gee, JBL. (1990). Asbestos, carcinogenicity, and public policy [Letter]. *Science* 248: 795-802.
- Brooks, BO; Aldrich FDUtter, GM; Debroy, JA; Schimke, RD. (1992). Immune responses to pollutant mixtures from indoor sources [Review]. *Ann N Y Acad Sci* 641: 199-214.
- Brooks, EM. (1978). Jolley, Robert L. (Ed.). *Water Chlorination. Environmental Impact and Health Effects, Vol. 1. Proceedings of the Conference on the Environmental Impact of Water Chlorination. Oak Ridge, Tenn. USA, Oct. 22-24, 1975. xvi+439p. Illus. Ann Arbor Science Publishers, Inc.: Ann Arbor, Mich., USA. Isbn 0-250-40201-7.; 1978 181-194 Decision making in the regulation of chemicals.*
- Brooks, SM; Stockwell, HG; Pinkham, PA; Armstrong, AW; Witter, DA. (1992). Sugarcane Exposure and the Risk of Lung Cancer and Mesothelioma. *Environ Res* 58: 195-203.
- Brophy, JT; Keith, MM; Schieman, J. (2007). Canada's asbestos legacy at home and abroad. *Int J Occup Environ Health* 13: 236-243. <http://dx.doi.org/10.1179/oeh.2007.13.2.236>.
- Brorby, GP; Sheehan, PJ; Berman, DW; Bogen, KT; Holm, SE. (2011). Potential artifacts associated with historical preparation of joint compound samples and reported airborne asbestos concentrations. *J Occup Environ Hyg* 8: 271-278. <http://dx.doi.org/10.1080/15459624.2011.566805>.
- Brorby, GP; Sheehan, PJ; Berman, DW; Bogen, KT; Holm, SE. (2013). Exposures from chrysotile-containing joint compound: evaluation of new model relating respirable dust to fiber concentrations. *Risk Anal* 33: 161-176. <http://dx.doi.org/10.1111/j.1539-6924.2012.01847.x>.

Human Health Hazard Literature Search Results

Off Topic

- Brorby, GP; Sheehan, PJ; Berman, DW; Greene, JF; Holm, SE. (2008). Re-creation of historical chrysotile-containing joint compounds. *Inhal Toxicol* 20: 1043-1053. <http://dx.doi.org/10.1080/08958370802290595>.
- Brosseau, LM; Ellenbecker, MJ. (1900). Collection of Silica and Asbestos Aerosols by Respirators at Steady and Cyclic Flow (pp. 24). (NIOSH/00192326). Brosseau, LM; Ellenbecker, MJ.
- Brosseau, LM; Ellenbecker, MJ; Evans, JS. (1990). Collection of silica and asbestos aerosols by respirators at steady and cyclic flow. *Am Ind Hyg Assoc J* 51: 420-426. <http://dx.doi.org/10.1080/15298669091369880>.
- Brosseau, LM; Evans, JS; Ellenbecker, MJ. (1993). An empirical model for estimating the collection efficiency of dust-mist respirators. *Ann Occup Hyg* 37: 135-150.
- Brown, AL. (1976). Evaluation of environmental carcinogens for cancer in man. *Oncology: Int J Canc Res Treat* 33: 58-60.
- Brown, C; Coleman, D; Dobson-Brown, D; Forman, K; Langmaack, M. (2004). Final Environmental Assessment Cape San Blas Towers Project Eglin Air Force Base, Florida, RCS 02-852 & 03-190. 74.
- Brown, DE. (1984). Asbestos abatement building clearance considerations. 32: 178-179.
- Brown, DG; Johnson, NF; Wagner, MM. (1985). Multipotential behaviour of cloned rat mesothelioma cells with epithelial phenotype. *Br J Cancer* 51: 245-252.
- Brown, DM; Roberts, NK; Donaldson, K. (1998). Effect of coating with lung lining fluid on the ability of fibres to produce a respiratory burst in rat alveolar macrophages. *Toxicol In Vitro* 12: 15-24.
- Brown, DP; Beaumont, JJ; Dement, JM; Tabershaw, IR; Thompson, CS. (1983). The Toxicity of Upstate New York Talc. *J Occup Med* 25: 178-181.
- Brown, DP; Kaplan, SD; Zumwalde, RD; Archer, VE. (1986). Retrospective Cohort Mortality Study of Underground Gold Mine Workers (pp. Controversy in Occupational Medicine). (NIOSH/00171359). Brown, DP; Kaplan, SD; Zumwalde, RD; M; Archer, VE.
- Brown, LK; Pilipski, M; Miller, A. (1986). SPIROMETRIC ANALYSIS USING MOMENTS INABILITY TO DETECT SMALL AIRWAYS DISEASE IN SARCOIDOSIS AND ASBESTOSIS (pp. 11-14). (BIOSIS/86/27907). Brown, LK; Pilipski, M; Miller, A.
- Brown, M; Henriques, WD; Bittner, PM. (1995). Toxicological Profile for Asbestos (Update, August 1995). 234.
- Brown, PW; Crawford, NP; Jones, AD; Miller, BG; Maclaren, WM. (1994). Development of the Regular Interlaboratory Counting Exchanges (RICE) scheme to include visual reference counts and samples from asbestos clearance operations. *Ann Occup Hyg* 38: 687-703.
- Brown, PW; Jones, AD; Miller, BG. (2002). Developments in the RICE asbestos fibre counting scheme, 1992-2000. Regular Interlaboratory Counting Exchanges. *Ann Occup Hyg* 46: 329-339. <http://dx.doi.org/10.1093/annhyg/mef033>.
- Brown, RC; Davies, R; Rood, AP. (1989). Modification of Fibrous Oregon Erionite and Its Effects on In Vitro Activity (pp. 74-80). (NIOSH/00191511). Brown, RC; Davies, R; Rood, AP.
- Brown, RC; Harrison, PT. (2012). Alkaline earth silicate wools - A new generation of high temperature insulation [Review]. *Regul Toxicol Pharmacol* 64: 296-304. <http://dx.doi.org/10.1016/j.yrtph.2012.08.020>.
- Brown, RC; Hoskins, JA; Glass, LR. (1995). The in vivo biological activity of ceramic fibres. *Ann Occup Hyg* 39: 705-713.
- Brown, RC; Pigott, GH; Alexander, I. (1995). CLASSIFICATION OF MMMF. *Ann Occup Hyg* 39: 135-140.
- Brown, RC; Poole, A; Fleming, GTA. (1983). The Influence Of Asbestos Dust On The Oncogenic Transformation Of C3H10T1/2 Cells. *Cancer Lett* 18: 221-227.
- Brown, RC; Sara, EA; Hoskins, JA; Evans, CE; Young, J; Laskowski, JJ; Acheson, R; Forder, SD; Rood, AP. (1992). THE EFFECTS OF HEATING AND DEVITRIFICATION ON THE STRUCTURE AND BIOLOGICAL-ACTIVITY OF ALUMINOSILICATE REFRACTORY CERAMIC FIBERS. *Ann Occup Hyg* 36: 115-129.
- Brown, RC; Wake, D; Gray, R; Blackford, DB; Bostock, GJ. (1988). Effect of Industrial Aerosols on the Performance of Electrically Charged Filter Material. *Ann Occup Hyg* 32: 271-294.
- Brown, SK. (1987). Asbestos exposure during renovation and demolition of asbestos-cement clad buildings. *Am Ind Hyg Assoc J* 48: 478-486. <http://dx.doi.org/10.1080/15298668791385075>.
- Brown, SK. (1990). Effect of Wetting Agents on Water Penetration into Asbestos Insulations. *Am Ind Hyg Assoc J* 51: 384-389.
- Brown, SK; Angelopoulos, M. (1991). EVALUATION OF EROSION RELEASE AND SUPPRESSION OF ASBESTOS FIBERS FROM ASBESTOS BUILDING PRODUCTS. *Am Ind Hyg Assoc J* 52: 363-371.
- Brown, SL; Brett, SM; Gough, M; Rodricks, JV; Tardiff, RG; Turnbull, D. (1988). Review of interspecies risk comparisons [Review]. *Regul Toxicol Pharmacol* 8: 191-206.
- Browne, K. (1988). Risk assessment in the asbestos cement industry [Letter]. *Br J Ind Med* 45: 720.
- Browne, K. (1991). Asbestos related malignancy and the Cairns hypothesis [Editorial]. *Br J Ind Med* 48: 73-76.
- Browne, K. (1991). Environmental asbestos [Letter]. *Lancet* 338: 949.
- Browne, K. (1995). Asbestos: a risk too far? [Letter]. *Lancet* 346: 305-306.
- Browne, K. (1997). Pathogenesis, diagnosis and clinical relevance of pleural plaques. *Indoor Built Environ* 6: 125-130. <http://dx.doi.org/10.1177/1420326X9700600212>.
- Browne, K; Goffe, T. (1984). Mesothelioma due to domestic exposure to asbestos [Letter]. *Br Med J (Clin Res Ed)* 289: 110-111.
- Brownlee, DW. (1973). The Abattoir Environment Demands Plant Surface Coatings Which are Both Durable and Versatile. (NIOSH/00131437). Brownlee, DW.
- Brownstein, R. (1983). Asbestos litigation a legal nightmare that Congress is being asked to end. 15: 1942-1947.
- Bruckman, L. (1978). A Study Of Airborne Asbestos Fibers In Connecticut (pp. Definitions and Measurement Methods). (NIOSH/00145902). Bruckman, L.
- Bruckman, L; Rubino, RA. (1975). Asbestos: Rationale behind a proposed air quality standard. *J Air Pollut Control Assoc* 25: 1207-1215.
- Bruckman, L; Rubino, RA. (1976). PROPOSED ASBESTOS AIR-QUALITY STANDARD - REPLY. *J Air Pollut Control Assoc* 26: 415-416.

Human Health Hazard Literature Search Results

Off Topic

- Brudnjak, Z. (1951). [Behavior of foot and mouth disease virus in asbestos filters]. *Schweiz Arch Tierheilkd* 93: 193-207.
- Brudzinski, MR; Thurber, CH; Hacker, BR; Engdahl, ER. (2007). Global prevalence of double Benioff zones. *Science* 316: 1472-1474. <http://dx.doi.org/10.1126/science.1139204>.
- Brueske-Hohlfeld, I; Moehner, M; Bolm-Audorff, U; Ahrens, W; K-H, J; Pohlabein, H; Jahn, I; Kreienbrock, L; Kreuzer, M; H-E, W. (1997). LUNG CANCER RISK IN WORKERS OCCUPATIONALLY EXPOSED TO DIESEL ENGINE EXHAUST DEE OR POLYCYCLIC AROMATIC HYDROCARBONS PAH (pp. 20-24). (BIOSIS/98/15204). Brueske-Hohlfeld, I; Moehner, M; Bolm-Audorff, U; Ahrens, W; Joeckel K-H; Pohlabein, H; Jahn, I; Kreienbrock, L; Kreuzer, M; Wichmann H-E.
- Brunelli, E; Garattini, S; Borghetti, F; Barbieri, PG. (2012). [Critical in demolition and removal of asbestos cement materials]. *G Ital Med Lav Ergon* 34: 555-557.
- Bruni, BM; Martinelli, C; Paoletti, L. (2004). [Results of an interlaboratory fibre count comparison program concerning the SEM technique]. *Med Lav* 95: 186-197.
- Bruni, BM; Pacella, A; Mazziotitagliani, S; Gianfagna, A; Paoletti, L. (2006). Nature and extent of the exposure to fibrous amphiboles in Biancavilla. *Sci Total Environ* 370: 9-16. <http://dx.doi.org/10.1016/j.scitotenv.2006.05.013>.
- Bruni, BM; Soggiu, ME; Marsili, G; Brancato, A; Inglessis, M; Palumbo, L; Piccardi, A; Beccaloni, E; Falleni, F; Mazziotti Tagliani, S; Pacella, A. (2014). Environmental concentrations of fibers with fluoro-edenitic composition and population exposure in Biancavilla (Sicily, Italy). *Ann Ist Super Sanita* 50: 119-126. http://dx.doi.org/10.4415/ANN_14_02_03.
- Brunner, WM; Williams, AN; Bender, AP. (2008). Investigation of exposures to commercial asbestos in northeastern Minnesota iron miners who developed mesothelioma. *Regul Toxicol Pharmacol* 52: S116-S120. <http://dx.doi.org/10.1016/j.yrtph.2007.09.014>.
- Bruno, C; Bruni, B; Scondotto, S; Comba, P. (2015). Prevention of disease caused by fluoro-edenite fibrous amphibole: the way forward. *Ann Ist Super Sanita* 51: 90-92. http://dx.doi.org/10.4415/ANN_15_02_02.
- Bruno, C; Comba, P; Zona, A. (2006). Adverse health effects of fluoro-edenitic fibers: epidemiological evidence and public health priorities. *Ann N Y Acad Sci* 1076: 778-783. <http://dx.doi.org/10.1196/annals.1371.020>.
- Bruns, AS; Mastronarde, JG. (2008). Imaging of pleural masses: which to choose? [Review]. *Respir Med* 102: 328-331. <http://dx.doi.org/10.1016/j.rmed.2007.11.010>.
- Brusick, DJ. (1983). TEST RECOMMENDATIONS FOR IN VITRO SHORT-TERM ASSESSMENTS OF CARCINOGENS (pp. 10 PP). (EMICBACK/54853). Brusick, DJ.
- Bruske-Hohlfeld, I; Mohner, M; Ahrens, W; Pohlabein, H; Heinrich, J; Kreuzer, M; Jockel, KH; Wichmann, HE. (1999). Lung cancer risk in male workers occupationally exposed to diesel motor emissions in Germany. *Am J Ind Med* 36: 405-414.
- Brüske-Hohlfeld, I; Rosario, AS; Wölke, G; Heinrich, J; Kreuzer, M; Kreienbrock, L; Wichmann, HE. (2006). Lung cancer risk among former uranium miners of the WISMUT Company in Germany. *Health Phys* 90: 208-216. <http://dx.doi.org/10.1097/01.HP.0000175443.08832.84>.
- Bryant, CJ. (1987). Health Hazard Evaluation Report No. HETA-86-434-1833, Federal Office Building, Evansville, Indiana (pp. 86-434). (NIOSH/00175417). Bryant, CJ.
- Bryant, DH; Bryant, DR; Juul, M. (1997). CAUSES OF EXERCISE LIMITATION IN PATIENTS WITH WORK-RELATED LUNG DISORDERS (pp. 20-24). (BIOSIS/98/15220). Bryant, DH; Bryant, DR; Juul, M.
- Bryant, RS; Cotruvo, JA; Jackson, JC; Wade, JA; Covey, J. R.; Warden, JL. (1986). ARE ASBESTOS FIBERS IN DRINKING-WATER HARMFUL. *J Am Water Works Assoc* 78: 18-&.
- Bryson, G; Bischoff, F. (1967). Silicate-Induced Neoplasms. *Prog Exp Tumor Res* 9: 77-164.
- Bryson, G; Bischoff, F; Stauffer, RD. (1974). COMPARISON OF CHRYSOTILE AND TRIDYMITATE AT INTRATHORACIC SITE IN MALE MARSH MICE. *Proc Am Assoc Cancer Res* 15: 6-6.
- Buccolieri, G; De Stefano, L. (2001). Accurate quantitative measurements of asbestos in XRPD analysis. *Ann Chim* 91: 277-283.
- Buchta, TM; Rice, CH; Lockey, JE; Lemasters, GK; Gartside, PS. (1998). A Comparative Study of the National Institute for Occupational Safety and Health 7400 A' and B' Counting Rules Using Refractory Ceramic Fibers. *Appl Occup Environ Hyg* 13: 58-61.
- Buck, M. (1986). [Sources, emissions and trends in air pollutants in concentrated areas--the Ruhr district]. *Schriftenr Ver Wasser Boden Lufthyg* 69: 25-54.
- Buckley, JD; Robison, LL; Swotinsky, R; Garabrant, DH; Lebeau, M; Manchester, P; Nesbit, ME; Odom, L; Peters, JM; Woods, WG; Hammond, GD. (1989). Occupational exposures of parents of children with acute nonlymphocytic leukemia: a report from the children's cancer study group. *Cancer Res* 49: 4030-4037.
- Buckley, JP; Keil, AP; Mcgrath, LJ; Edwards, JK. (2015). Evolving Methods for Inference in the Presence of Healthy Worker Survivor Bias [Review]. *Epidemiology* 26: 204-212. <http://dx.doi.org/10.1097/EDE.0000000000000217>.
- Buckley, SE; Aust, AE. (1997). ROLE OF VITRONECTIN IN REGULATION OF INTRACELLULAR GLUTATHIONE CONCENTRATIONS IN HUMAN LUNG EPITHELIAL CELLS (pp. 24-29). (BIOSIS/97/28600). Buckley, SE; Aust, AE.
- Buckley, SG; Sclipa, GC; Baxter, LL. (1999). Combustion Tests of Rocket Motor Washout Material: Focus on Air toxics Formation Potential and Asbestos Remediation (pp. 27). (NTIS/02924815_a).
- Buczaj, A; Brzana, W; Tarasińska, J; Buczaj, M; Choina, P. (2014). Study on the concentration of airborne respirable asbestos fibres in rural areas of the Lublin region in south-east Poland. *Ann Agric Environ Med* 21: 639-643. <http://dx.doi.org/10.5604/12321966.1120617>.
- Budiansky, S. (1983). Asbestos risks: Manville tries to pass the buck. *Nature* 304: 299.
- Bugiani, M; Carosso, A; Spinaci, S; Arossa, W. (1983). Calibration of the new CNR questionnaire, using the standard CECA one. 74: 42-50.
- Buick, R; Marais, DJD; Knoll, AH. (1995). STABLE ISOTOPIC COMPOSITIONS OF CARBONATES FROM THE MESOPROTEROZOIC BANGEMALL GROUP, NORTHWESTERN AUSTRALIA. *Chem Geol* 123: 153-171.

Human Health Hazard Literature Search Results

Off Topic

- Bujak-Pietrek, S; Szadkowska-Stańczyk, I. (2012). [Exposure to respirable asbestos fibers at various stage of asbestos removal work]. *Med Pr* 63: 191-198.
- Bulbulyan, MA; Boffetta, P. (1999). Occupational cancer in the European part of the Commonwealth of Independent States. *Environ Health Perspect* 107: 283-288.
- Bullard, RD; Wright, BH. (2015). 'The Historically Black Colleges/Universities and Communities Worker Health and Safety Training Program'.
- Bunn, WB; Hunninghake, GW; Broderick, A; Wilson, JS; Watt, JL; Dayton, CS; Schwartz, DA. (1993). THE DETERMINANTS AND VALIDITY OF DYSYPNEA IN WORKERS EXPOSED TO ASBESTOS. *Am Rev Respir Dis* 147: A905-A905.
- Buommino, E; De Filippis, A; Nicoletti, R; Menegozzo, M; Menegozzo, S; Ciavatta, ML; Rizzo, A; Brancato, V; Tufano, MA; Donnarumma, G. (2012). Cell-growth and migration inhibition of human mesothelioma cells induced by 3-O-methylfunicone from *Penicillium pinophilum* and cisplatin. *Invest New Drugs* 30: 1343-1351. <http://dx.doi.org/10.1007/s10637-011-9698-1>.
- Burda, D. (1985). Major hospital group asbestos suit planned. *Hospitals* 59: 24.
- Burdett, G. (1998). A comparison of historic asbestos measurements using a thermal precipitator with the membrane filter-phase contrast microscopy method. *Ann Occup Hyg* 42: 21-31.
- Burdett, G; Bard, D. (2007). Exposure of UK industrial plumbers to asbestos, Part I: Monitoring of exposure using personal passive samplers. *Ann Occup Hyg* 51: 121-130. <http://dx.doi.org/10.1093/annhyg/mel078>.
- Burdett, G; Rood, A. (1983). Sample preparation for monitoring asbestos in air by transmission electron microscopy. 55: 1642-1645.
- Burdett, GJ; Dewberry, K; Staff, J. (2016). Airborne Asbestos Exposures from Warm Air Heating Systems in Schools. *Ann Occup Hyg* 60: 27-39. <http://dx.doi.org/10.1093/annhyg/mev062>.
- Burdett, GJ; Jaffrey, SA; Rood, AP. (1989). Non-occupational exposure to mineral fibres: Airborne asbestos fibre levels in buildings: a summary of UK measurements. In IARC Scientific Publication. Lyon, France: International Agency on the Research of Cancer.
- Burdett, GJ; Jaffrey, SAM, T. (1986). Airborne asbestos concentrations in buildings. *Ann Occup Hyg* 30: 185-199.
- Burdett, GJ; le Guen, JM; Rood, AP. (1984). Mass concentrations of airborne asbestos in the non-occupational environment--a preliminary report of U.K. measurements. *Ann Occup Hyg* 28: 31-38. <http://dx.doi.org/10.1093/annhyg/28.1.31>.
- Burdett, GJ; Nagar, N; Smith, L. (1994). Removal of Asbestos from Difficult-to-Access Large Diameter Pipes: A Comparison of Wet Removal Methods. *Appl Occup Environ Hyg* 9: 836-844.
- Burdette, WJ. (1975). GEOPREVALENCE AND ETIOLOGY OF CANCER (pp. 345-354). (EPIDEM/006582). Burdette, WJ.
- Burdorf, A; Dahhan, M; Swuste, P. (2003). Occupational characteristics of cases with asbestos-related diseases in The Netherlands. *Ann Occup Hyg* 47: 485-492. <http://dx.doi.org/10.1093/annhyg/meg062>.
- Burdorf, A; Heederik, D. (2011). Applying quality criteria to exposure in asbestos epidemiology increases the estimated risk. *Ann Occup Hyg* 55: 565-568. <http://dx.doi.org/10.1093/annhyg/mer042>.
- Burdorf, A; Järnholm, B; Englund, A. (2005). Explaining differences in incidence rates of pleural mesothelioma between Sweden and the Netherlands. *Int J Cancer* 113: 298-301. <http://dx.doi.org/10.1002/ijc.20552>.
- Burgard, SA; Lin, KY. (2013). Bad Jobs, Bad Health? How Work and Working Conditions Contribute to Health Disparities. *Am Behav Sci* 57. <http://dx.doi.org/10.1177/0002764213487347>.
- Burgdorfer, W. (1969). Ecology of tick vectors of American spotted fever. *Bull World Health Organ* 40: 375-381.
- Burgers, JA; Damhuis, RAM. (2004). Prognostic factors in malignant mesothelioma [Review]. *Lung Cancer* 45: S49-S54. <http://dx.doi.org/10.1016/j.lungcan.2004.04.012>.
- Burgess, WA. (1981). Recognition of health hazards in industry. (CIS/82/00538). German federal Ministry of Labour and Social Affairs (Bundesministerium für Arbeit und Sozialordnung).
- Burgess, WA; Held, BJ. (1975). Personal Protective Devices (pp. 293-310). (NIOSH/00177661). Burgess, WA; Held, BJ.
- Burilkov, T; Michailova, L. (1970). ASBESTOS CONTENT OF SOIL AND ENDEMIC PLEURAL ASBESTOSIS. *Environ Res* 3: 443-+.
- Burilkov, T; Michailova, L; Babadjov, L. (1973). Amphibol asbestos in the soil and its significance for the endemic occurrence of pleural plaques. *Z Gesamte Hyg Grenzgeb* 18: 802-809.
- Burkhart, CH. (1987). Selling abatement programs requires honesty, openness. *Occup Health Saf* 56: 52-55.
- Burki, T. (2009). Asbestos production increases despite WHO opposition. *Lancet Oncol* 10: 846.
- Burki, T. (2010). Health experts concerned over India's asbestos industry. *Lancet* 375: 626-627.
- Burkitt, V. (2007). In Australia, patients and government at odds over mesothelioma treatment costs. *J Natl Cancer Inst* 99: 1750-1752. <http://dx.doi.org/10.1093/jnci/djm257>.
- Burns, PB; Swanson, GM. (1991). THE OCCUPATIONAL-CANCER INCIDENCE SURVEILLANCE STUDY (OCISS) - RISK OF LUNG-CANCER BY USUAL OCCUPATION AND INDUSTRY IN THE DETROIT METROPOLITAN-AREA. *Am J Ind Med* 19: 655-671.
- Burns, PB; Swanson, GM. (1995). STOMACH-CANCER RISK AMONG BLACK-AND-WHITE MEN AND WOMEN - THE ROLE OF OCCUPATION AND CIGARETTE-SMOKING. *J Occup Environ Med* 37: 1218-1223.
- Burns, RG; Strens, RG. (1966). Infrared study of the hydroxyl bands in clinoamphiboles. *Science* 153: 890-892. <http://dx.doi.org/10.1126/science.153.3738.890>.
- Burnsky, PJ; Kirkland, L; Mcarthur, JC; Drozak, F; Luciano, P; Rice, ML; Jr, KI; Bennett, CE; Lemen, RA. (1984). Proceedings Metal Trades Department Third Biennial National Shipbuilding Conference (pp. 14-16). (NIOSH/00209356). Burnsky, PJ; Kirkland, L; Mcarthur, JC; Drozak, F; Luciano, P; Rice, ML; Kidd IC Jr; Bennett, CE; Lemen, RA.
- Burr, GA. (1995). Health Hazard Evaluation Report HETA 93-0962-2490, MBL-USA, Ottawa, Illinois. 19.
- Burrell, AM; Hawkins, AK; Pepper, AE. (2012). Genetic analyses of nickel tolerance in a North American serpentine endemic plant, *Caulanthus amplexicaulis* var. *barbarae* (Brassicaceae). *Am J Bot* 99: 1875-1883. <http://dx.doi.org/10.3732/ajb.1200382>.

Human Health Hazard Literature Search Results

Off Topic

- Burrell, R. (1974). Immunological reflections on asbestos. *Environ Health Perspect* 9: 297-298.
- Burrell, R. (1985). Immune System (pp. 320-343). (NIOSH/00170892). Burrell, R.
- Burrell, R. (1993). Human immune toxicity. *Mol Aspects Med* 14: 1-81. [http://dx.doi.org/10.1016/0098-2997\(93\)90019-A](http://dx.doi.org/10.1016/0098-2997(93)90019-A).
- Burris, SB. (1989). Readily obtainable electron diffraction patterns in monoclinic amphibole asbestos. *Microscope* 37: 303-309.
- Burstyn, I; Boffetta, P; Kauppinen, T; Heikkilä, P; Svane, O; Partanen, T; Stücker, I; Frentzel-Beyme, R; Ahrens, W; Merzenich, H; Heederik, D; Hooiveld, M; Langård, S; Randem, BG; Järholm, B; Bergdahl, I; Shaham, J; Ribak, J; Kromhout, H. (2003). Estimating exposures in the asphalt industry for an international epidemiological cohort study of cancer risk. *Am J Ind Med* 43: 3-17. <http://dx.doi.org/10.1002/ajim.10183>.
- Burstyn, I; Teschke, K. (1999). Studying the determinants of exposure: A review of methods. *Am Ind Hyg Assoc J* 60: 57-72.
- Burton, B. (2004). Criminal investigation follows report on asbestos compensation fund. *B M J (Online)* 329: 762. <http://dx.doi.org/10.1136/bmj.329.7469.762-b>.
- Burton, B. (2005). Asbestos company is forced to fund compensation shortfall. *B M J (Online)* 330: 62. <http://dx.doi.org/10.1136/bmj.330.7482.62-b>.
- Burton, NC; Buchta, TM. (1993). Health Hazard Evaluation Report HETA 91-215-2293, Internal Revenue Service, Appeals Office, Omaha, Nebraska. 24.
- Busacca, S; Germano, S; De Cecco, L; Rinaldi, M; Comoglio, F; Favero, F; Murer, B; Mutti, L; Pierotti, M; Gaudino, G. (2010). MicroRNA signature of malignant mesothelioma with potential diagnostic and prognostic implications. *Am J Respir Cell Mol Biol* 42: 312-319. <http://dx.doi.org/10.1165/rcmb.2009-00600C>.
- Busch, KA; Hornung, RW; Smith, RJ; Leidel, NA. (1979). Unbiased Estimates of Coefficients of Variation for Asbestos Counting Determined From Johns-Manville Data. 19791979: 19791979.
- Bussy, C; Methven, L; Kostarelos, K. (2013). Hemotoxicity of carbon nanotubes [Review]. *Adv Drug Deliv Rev* 65: 2127-2134. <http://dx.doi.org/10.1016/j.addr.2013.10.008>.
- Bustanza Mantrana, JL; Jos, QS; eacute; MJ. (1997). Chemical agents - Exposure assessment. Erga Ediciones y Publicaciones.
- Busto Martin, L; Portela Pereira, P; Sacristan Lista, F; Busto Castanon, L. (2013). Mesothelioma of the tunica vaginalis. Case report. *Arch Esp Urol* 66: 384-388.
- Butchart, EG; Ashcroft, T; Barnsley, WC; Holden, MP. (1981). The Role of Surgery in Diffuse Malignant Mesothelioma of the Pleura. *Semin Oncol* 8: 321-328.
- Butler, D. (1997). French agency agrees to publication of asbestos report. *Nature* 390: 209. <http://dx.doi.org/10.1038/36665>.
- Butler, D. (1997). French ministries in argument over release of asbestos report. *Nature* 389: 649-650. <http://dx.doi.org/10.1038/39394>.
- Butler, D; Spurgeon, D. (1997). Canada and France fall out over the risks of asbestos. *Nature* 385: 379. <http://dx.doi.org/10.1038/385379b0>.
- Butler, EB; Johnson, NF. (1980). The use of electron microscopy in the diagnosis of diffuse mesotheliomas using human pleural effusions. *IARC Sci Publ IARC Scientific Publication No:* 409-418.
- Butnor, KJ; Pavlisko, EN; Sporn, TA; Roggli, VL. (2016). Malignant peritoneal mesothelioma and Crohn disease. *J Clin Pathol*. <http://dx.doi.org/10.1136/jclinpath-2016-203945>.
- Butnor, KJ; Sporn, TA; Ingram, P; Gunasegaram, S; Pinto, JF; Roggli, VL. (2003). Beryllium detection in human lung tissue using electron probe X-ray microanalysis. *Mod Pathol* 16: 1171-1177. <http://dx.doi.org/10.1097/01.MP.0000094090.90571.ED>.
- Butt, CA. (2016). Untitled: Tayo Adenaike. *JAMA* 316: 252-253. <http://dx.doi.org/10.1139/cjb-2016-0104>.
- Buttery, JE; Stuart, S. (1993). STUDIES ON ZINC AND ANGIOTENSIN-CONVERTING ENZYME. *Clin Chim Acta* 217: 213-216.
- Byczkowski, JZ; Gessner, T. (1987). Asbestos-catalyzed oxidation of benzo(a)pyrene by superoxide-peroxidized microsomes. *Bull Environ Contam Toxicol* 39: 312-317.
- Byczkowski, JZ; Kulkarni, AP. (1990). Lipid peroxidation and benzo(a)pyrene derivative co-oxygenation by environmental pollutants. *Bull Environ Contam Toxicol* 45: 633-640.
- C, MJ; JR. (1986). REPRODUCTIVE HAZARDS IN THE WORKPLACE SOME LEGAL CONSIDERATIONS. *J Occup Med* 28: 103-109.
- Cabasag, CJ. (2015). Cancer Risks in Shipyard Workers Exposed to Asbestos and Welding Fumes.
- Cabibi, D; Tutino, R; Salamone, G; Cocorullo, G; Agrusa, A; Gulotta, G. (2016). Diffuse malignant biphasic peritoneal mesothelioma with cystic areas. *Ann Ital Chir* 87.
- Cadby, G; Mukherjee, S; Musk, AW; Reid, A; Garlepp, M; Dick, I; Robinson, C; Hui, J; Fiorito, G; Guarrera, S; Beilby, J; Melton, PE; Moses, EK; Ugolini, D; Mirabelli, D; Bonassi, S; Magnani, C; Dianzani, I; Matullo, G; Robinson, B; Creaney, J; Palmer, LJ. (2013). A genome-wide association study for malignant mesothelioma risk. *Lung Cancer* 82: 1-8. <http://dx.doi.org/10.1016/j.lungcan.2013.04.018>.
- Cagle, PT. (2002). Criteria for attributing lung cancer to asbestos exposure [Editorial]. *Am J Clin Pathol* 117: 9-15. <http://dx.doi.org/10.1309/KGRX-TC9T-PPHM-1J46>.
- Cagle, PT; Allen, TC. (2011). Pathology of the pleura: what the pulmonologists need to know [Review]. *Respirology* 16: 430-438. <http://dx.doi.org/10.1111/j.1440-1843.2011.01957.x>.
- Cai, L; Fu, Y; Zhang, Y. (2014). APE1 Asp148Glu polymorphism and lung cancer susceptibility. *Tumor Biology* 35: 5237-5244. <http://dx.doi.org/10.1007/s13277-014-1681-y>.
- Caironi, M; Polini, S; Storto, T; Bertoli, M. (2007). [The productive district of textile asbestos in the Lower Iseo Lake area]. *Epidemiol Prev* 31: 10-15.
- Calado Correia, M. (2001). [Social directives [Portugal]].

Human Health Hazard Literature Search Results

Off Topic

- Calcabrini, A; Meschini, S; Marra, M; Falzano, L; Colone, M; De Berardis, B; Paoletti, L; Arancia, G; Fiorentini, C. (2004). Fine environmental particulate engenders alterations in human lung epithelial A549 cells. *Environ Res* 95: 82-91. <http://dx.doi.org/10.1016/j.envres.2003.07.011>.
- Calisti, R; De Giuli, P; Ghione, GL. (1992). An update of cancer mortality among chrysotile asbestos miners in Balangero, northern Italy [Letter]. *Br J Ind Med* 49: 144.
- Callahan, KC. (2004). Monitoring for asbestos: U.S. EPA methods [Letter]. *Environ Health Perspect* 112: A728.
- Calleja i Vila, A; Hern; aacute; Ndez i Carrascosa, S; Freixa Blanxart, A. (2000). Practical guidance for the preparation of plans for working with asbestos. *Erga Ediciones y Publicaciones*.
- Calleja i Villa, A; Hern; aacute; Ndez i Carrascosa, S; Freixa Blanxart, A. (1999). Work plans for removing or maintaining of asbestos-containing materials. *Erga Ediciones y Publicaciones*.
- Callol, L; Roig, F; Cuevas, A; de Granda, JI; Villegas, F; Jareño, J; Arias, E; Albiach, JM. (2007). Low-dose CT: a useful and accessible tool for the early diagnosis of lung cancer in selected populations. *Lung Cancer* 56: 217-221. <http://dx.doi.org/10.1016/j.lungcan.2007.01.010>.
- Cambier, J. (1979). [The dangers of mineral fibers]. *La Nouvelle presse médicale* 8: 3370-3371.
- Cameron, GS; Brody, AR. (1986). DIRECT EFFECTS OF ASBESTOS FIBERS ON RAT LUNG FIBROBLASTS INVITRO. *Am Rev Respir Dis* 133: A357-A357.
- Cameron, W. (1998). Worker health and safety training cooperative agreement [Research]. RePORTER Database National Institutes of Health.
- Cameron, W. (1998). Worker health and safety training cooperative agreement [Research]. RePORTER Database National Institutes of Health.
- Camidge, DR; Stockton, DL; Bain, M. (2006). Factors affecting the mesothelioma detection rate within national and international epidemiological studies: Insights from Scottish linked cancer registry-mortality data. *Br J Cancer* 95: 649-652. <http://dx.doi.org/10.1038/sj.bjc.6603293>.
- Campbell, AD; Nelson, PE. (1969). Determination of carbon monoxide in metal carbonyl complexes. *Talanta* 16: 875-879.
- Campbell, CP; Jackson, AS; Chow, S; Thomas, PS; Yates, DH. (2005). Non-invasive measurement of markers of oxidative stress in asbestos induced lung disease. *Thorax* 60: II39-II39.
- Campbell, WJ; Blake, RL; Brown, LL; Cather, EE; Sjoberg, JJ. (1977). Selected Silicate Minerals And Their Asbestiform Varieties. *Mineralogical Definitions And Identification-Characterization*. (NIOSH/00151044). Campbell, WJ; Blake, RL; Brown, LL; Cather, EE; Sjoberg, JJ.
- Campbell, WJ; Huggins, CW; Wylie, AG. (1980). Chemical and Physical Characterization of Amosite, Chrysotile, Crocidolite, and Nonfibrous Tremolite for Oral Ingestion Studies by the National Institute of Environmental Health Sciences. (NIOSH/00193277). Campbell, WJ; Huggins, CW; Wylie, AG.
- Campbell, WJ; Steel, EB; Virta, RL; Eisner, MH. (1979). Characterization of Cleavage Fragments and Asbestiform Amphibole Particulates (pp. 13-18). (NIOSH/00096324). Campbell, WJ; Steel, EB; Virta, RL; Eisner, MH.
- Campbell, WJ; Steel, EB; Virta, RL; Eisner, MH. (1979). Relationship Of Mineral Habit To Size Characteristics For Tremolite Cleavage Fragments And Fibers. (NIOSH/00144518). Campbell, WJ; Steel, EB; Virta, RL; Eisner, MH.
- Campopiano, A; Cannizzaro, A; Angelosanto, F; Astolfi, ML; Ramires, D; Olori, A; Canepari, S; Iavicoli, S. (2014). Dissolution of glass wool, rock wool and alkaline earth silicate wool: morphological and chemical changes in fibers. *Regul Toxicol Pharmacol* 70: 393-406. <http://dx.doi.org/10.1016/j.yrtph.2014.05.023>.
- Campopiano, A; Casciardi, S; Fioravanti, F; Ramires, D. (2004). Airborne asbestos levels in school buildings in Italy. *J Occup Environ Hyg* 1: 256-261. <http://dx.doi.org/10.1080/15459620490433771>.
- Campopiano, A; Olori, A; Cannizzaro, A; Ianno, A; Capone, PP. (2015). Quantification of Tremolite in Friable Material Coming from Calabrian Ophiolitic Deposits by Infrared Spectroscopy. <http://dx.doi.org/10.1155/2015/974902>.
- Campopiano, A; Ramires, D; Zakrzewska, AM; Ferri, R; D'annibale, A; Pizzutelli, G. (2009). Risk assessment of the decay of asbestos cement roofs. *Ann Occup Hyg* 53: 627-638. <http://dx.doi.org/10.1093/annhyg/mep036>.
- Camus, M. (2001). A ban on asbestos must be based on a comparative risk assessment [Review]. *Can Med Assoc J* 164: 491-494.
- Camus, M; Siemiatycki, J. (1998). Nonoccupational exposure to chrysotile asbestos and the risk of lung cancer - Reply. *N Engl J Med* 339: 1001-1002.
- Camus, P; Hillerdal, G; De Vuyst, P. (1998). Asbestos, ergot drugs and the pleura [Letter]. *Eur Respir J* 11: 1427.
- Cañedo-Mondragón, R; Eguía-Aguilar, P; Pérezpeña-Díazconti, M; Arenas-Huertero, F. (2013). Identification of ferruginous bodies in the lungs of children and analyses of the elemental composition of fibers. *Inhal Toxicol* 25: 517-524. <http://dx.doi.org/10.3109/08958378.2013.808288>.
- Cantin, A; Drapeau, G; Lamoureux, G; Begin, R. (1984). GALLIUM-67 LUNG SCANNING IN ASBESTOS WORKERS (pp. NEW YORK). (HEEP/85/00837). Cantin, A; Drapeau, G; Lamoureux, G; Begin, R.
- Cantor, KP. (1978). THE EPIDEMIOLOGIC APPROACH TO THE EVALUATION OF WATERBORNE CARCINOGENS (pp. ANN ARBOR). (HEEP/79/05674). Cantor, KP.
- Cantor, KP; Stewart, PA; Brinton, LA; Dosemeci, M. (1995). Occupational exposures and female breast cancer mortality in the United States. *J Occup Environ Med* 37: 336-348. <http://dx.doi.org/10.1097/00043764-199503000-00011>.
- Cao, C; Yan, TD; Deraco, M; Elias, D; Glehen, O; Levine, EA; Moran, BJ; Morris, DL; Chua, TC; Piso, P; Sugarbaker, PH; Group, PSM. (2012). Importance of gender in diffuse malignant peritoneal mesothelioma. *Ann Oncol* 23: 1494-1498. <http://dx.doi.org/10.1093/annonc/mdr477>.
- Cao, C; Yan, TD; Morris, DL; van Der Speeten, K; Laurberg, S; Glehen, O; Link, K; Piso, P; Tentes, AAK; Deraco, M; Larsen, SG; Kecmanovic, D; Bayon, LG; Melero, JT; Gonzalez-Moreno, S; Mahteme, H; Gertsch, P; Moran, B; Esquivel, J; Alexander, R; Levine, EA; Sugarbaker, PH. (2012). Prospective Registry On Mesothelioma Peritonei Treatment (PROMPT): study design and rationale. *Tumori* 98: 166-171.
- Capella, S; Bellis, D; Belluso, E. (2015). Diagnosis of Asbestos-Related Diseases: The Mineralogist and Pathologist's Role in Medicolegal Field. *Am J Forensic Med Pathol* 37: 24-28. <http://dx.doi.org/10.1097/PAF.0000000000000206>.

Human Health Hazard Literature Search Results

Off Topic

- Caplan, PE. (1985). Preliminary Survey Report: Control Technology For Asbestos Removal Industry, Report No. CT-147-15a, Gateway High School, Aurora, Colorado (pp. 147-115). (NIOSH/00152202). Caplan, PE.
- Caplan, PE. (1985). Preliminary Survey Report: Control Technology For Asbestos Removal Industry, Report No. CT-147-16a, Veterans Administration Hospital, Denver, Colorado (pp. 147-116). (NIOSH/00152206). Caplan, PE.
- Caplan, PE. (1985). Preliminary Survey Report: Control Technology Of Asbestos Removal Industry, Report No. CT-147-17a, Baseline Junior High School, Boulder, Colorado (pp. 147-117). (NIOSH/00152204). Caplan, PE.
- Cappelletto, F; Merler, E. (2003). Perceptions of health hazards in the narratives of Italian migrant workers at an Australian asbestos mine (1943-1966). *Soc Sci Med* 56: 1047-1059.
- Cappia, S; Righi, L; Mirabelli, D; Ceppi, P; Bacillo, E; Ardisson, F; Molinaro, L; Scagliotti, GV; Papotti, M. (2008). Prognostic role of osteopontin expression in malignant pleural mesothelioma. *Am J Clin Pathol* 130: 58-64. <http://dx.doi.org/10.1309/TWCQV536WWRNEU51>.
- Capron, R; Lecoq, E; Hue, H. (1985). Application of electron energy loss spectrometry to the determination of fibrous pulmonary pollutants. *S T*: 1985.
- Carbonari, D; Campopiano, A; Ramires, D; Strafella, E; Staffolani, S; Tomasetti, M; Curini, R; Valentino, M; Santarelli, L; Amati, M. (2011). Angiogenic effect induced by mineral fibres. *Toxicology* 288: 34-42. <http://dx.doi.org/10.1016/j.tox.2011.06.016>.
- Carbone, M. (2002). SV40 sequences in human tumors: analysis &biologic*.
- Carbone, M. (2003). SV40 sequences in human tumors: analysis &biologic*.
- Carbone, M. (2004). SV40 sequences in human tumors: analysis &biologic*.
- Carbone, M. (2006). Pathology, virology, and animal core.
- Carbone, M. (2007). Pathogenesis of mesothelioma.
- Carbone, M. (2007). Pathology, virology, and animal core.
- Carbone, M. (2008). Gene environment interactions in mesothelioma.
- Carbone, M. (2008). Pathology, virology, and animal core.
- Carbone, M. (2008). Role of Cell Mediators in Asbestos-SV40 Carcinogenesis.
- Carbone, M. (2009). Gene environment interactions in mesothelioma.
- Carbone, M. (2009). Pathology, virology, and animal core.
- Carbone, M. (2009). Role of Cell Mediators in Asbestos-SV40 Carcinogenesis.
- Carbone, M. (2010). Gene environment interactions in mesothelioma.
- Carbone, M. (2010). Pathology, virology, and animal core.
- Carbone, M. (2015). Germline BAP1 Mutations and Malignant Mesothelioma: Mechanisms and Early Detection.
- Carbone, M; Albelda, SM; Broaddus, VC; Flores, RM; Hillerdal, G; Jaurand, MC; Kjaerheim, K; Pass, HI; Robinson, B; Tsao, A. (2007). Eighth International Mesothelioma Interest Group [Review]. *Oncogene* 26: 6959-6967. <http://dx.doi.org/10.1038/sj.onc.1210515>.
- Carbone, M; Baris, YI; Bertino, P; Brass, B; Comertpay, S; Dogan, AU; Gaudino, G; Jube, S; Kanodia, S; Partridge, CR; Pass, HI; Rivera, ZS; Steele, I; Tuncer, M; Way, S; Yang, H; Miller, A. (2011). Erionite exposure in North Dakota and Turkish villages with mesothelioma. *Proc Natl Acad Sci USA* 108: 13618-13623. <http://dx.doi.org/10.1073/pnas.1105887108>.
- Carbone, M; Bedrossian, CW. (2006). The pathogenesis of mesothelioma [Review]. *Semin Diagn Pathol* 23: 56-60. <http://dx.doi.org/10.1053/j.semdp.2006.08.002>.
- Carbone, M; Emri, S; Dogan, AU; Steele, I, an; Tuncer, M; Pass, HI; Baris, YI. (2007). A mesothelioma epidemic in Cappadocia: scientific developments and unexpected social outcomes [Review]. *Nat Rev Cancer* 7: 147-154. <http://dx.doi.org/10.1038/nrc2068>.
- Carbone, M; Kanodia, S; Chao, A; Miller, A; Wali, A; Weissman, D; Adjei, A; Baumann, F; Boffetta, P; Buck, B; de Perrot, M; Dogan, AU; Gavett, S; Gualtieri, A; Hassan, R; Hesdorffer, M; Hirsch, FR; Larson, D; Mao, W; Masten, S; Pass, HI; Peto, J; Pira, E; Steele, I; Tsao, A; Woodard, GA; Yang, H; Malik, S. (2016). Consensus Report of the 2015 Weinman International Conference on Mesothelioma. *J Thorac Oncol* 11: 1246-1262. <http://dx.doi.org/10.1016/j.jtho.2016.04.028>.
- Carbone, M; Rizzo, P; Pass, H. (2000). Simian virus 40: the link with human malignant mesothelioma is well established [Comment]. *Anticancer Res* 20: 875-877.
- Carbone, M; Shimizu, D; Napolitano, A; Tanji, M; Pass, HI; Yang, H; Pastorino, S. (2016). Positive nuclear BAP1 immunostaining helps differentiate non-small cell lung carcinomas from malignant mesothelioma. *Onct* 7: 59314-59321. <http://dx.doi.org/10.18632/oncotarget.10653>.
- Carbone, M; Strianese, O; Theos, K; Yang, H. (2007). Mesothelioma [Review]. *Hawaii Med J* 66: 48-50.
- Carbone, RG; Terracini, B; Marinaccio, A; Montanaro, F; Shah, P. (2008). Asbestos, pleural mesothelioma, and mortality in Italy [Letter]. *J Occup Environ Hyg* 5: D55-D56. <http://dx.doi.org/10.1080/15459620801888107>.
- Cardile, V; Lombardo, L; Belluso, E; Panico, A; Renis, M; Gianfagna, A; Balazy, M. (2007). Fluoro-edenite fibers induce expression of Hsp70 and inflammatory response. *Int J Environ Res Public Health* 4: 195-202.
- Cardile, V; Proietti, L; Panico, A; Lombardo, L. (2004). Nitric oxide production in fluoro-edenite treated mouse monocyte-macrophage cultures. *Oncol Rep* 12: 1209-1215.
- Carel, R. (1995). WORKERS AT RISK - THE NEED FOR BIOLOGICAL MONITORING. *Isr J Med Sci* 31: 563-564.
- Carette, MF; Chabchoub, H; Tassart, M; Korzec, J; Marsault, C; Khalil, A. (2008). [Virtual pleuroscopy of diaphragmatic pleura: myth or reality?]. *Rev Pneumol Clin* 64: 15-19. <http://dx.doi.org/10.1016/j.pneumo.2008.06.006>.
- Carlborg, FW. (1981). 2 ACETYLAMINO FLUORENE AND THE WEIBULL MODEL. *Food Cosmet Toxicol* 19: 367-372.
- Carlens, E. (1978). Attempts to advise smokers not to work in polluted occupations. *28*: 39-42.

Human Health Hazard Literature Search Results

Off Topic

- Carlin, DJ; Larson, TC; Pfau, JC; Gavett, SH; Shukla, A; Miller, A; Hines, R. (2015). Current Research and Opportunities to Address Environmental Asbestos Exposures. *Environ Health Perspect* 123: A194-A197. <http://dx.doi.org/10.1289/ehp.1409662>.
- Carlsten, C; Croke, J. (1997). What every physician should know about environmental health [Letter]. *Wilderness Environ Med* 8: 250-252.
- Carnevale, F. (1997). [The judgement of the Civil and Criminal Court of Turin, Section II, in the suit of the British Asbestos Company Limited versus Il Progresso del Canavese e delle Valli di Stura (31 August 1906)]. *Epidemiol Prev* 21: 65-73.
- Carnevale, F. (2000). [Early retirement for ex asbestos workers. The role of the National Insurance Institute for work Accidents]. *Epidemiol Prev* 24: 132-134.
- Carnevale, F. (2005). [Apropos of amianth and mesothelioma] [Letter]. *Med Lav* 96: 263-264; author reply 264-266.
- Carnevale, F. (2005). [The strange story of the relationship between asbestos danger and the academic title of Doctor Selikoff]. *Epidemiol Prev* 29: 114-115.
- Carnevale, F. (2007). [Asbestos: a long lasting tragedy. Useful considerations for a historical reconstruction of the most remarkable facts]. *Epidemiol Prev* 31: 53-74.
- Carnevale, F. (2007). [If the end justifies the means: asbestos between condonation and prevention] [Letter]. *Med Lav* 98: 343-344.
- Carnevale, F. (2008). Grey and the color of dust. A factory, the clouds of asbestos, hundreds of workers died. A forgotten story. *Epidemiol Prev* 32: 332-332.
- Carnevale, F. (2012). [Asbestos in pre-industrial times: from natural wonder to subject of scientific investigation]. *Med Lav* 103: 3-16.
- Carpenter, A; Flanders, W; Frome, E; Tankersley, W; Fry, S. (1988). Chemical exposures and central nervous system cancers: a case-control study among workers at two nuclear facilities. *Am J Ind Med* 13: 351-362.
- Carpenter, LM; Higgins, CD; Douglas, AJ; Maconochie, NE; Omar, RZ; Fraser, P; Beral, V; Smith, PG. (1998). Cancer mortality in relation to monitoring for radionuclide exposure in three UK nuclear industry workforces. *Br J Cancer* 78: 1224-1232.
- Carraway, MS; Suliman, HB; Kliment, C; Welty-Wolf, KE; Oury, TD; Piantadosi, CA. (2008). Mitochondrial biogenesis in the pulmonary vasculature during inhalational lung injury and fibrosis. *Antioxid Redox Signal* 10: 269-275. <http://dx.doi.org/10.1089/ars.2007.1910>.
- Carré, P; Léophonte, P. (1993). [Cytokines and pulmonary fibroses] [Review]. *Rev Mal Respir* 10: 193-207.
- Carruth, RS; Goldstein, BD. (2004). The asbestos case: a comment on the appointment and use of nonpartisan experts in world trade organization dispute resolution involving health risk. *Risk Anal* 24: 471-481. <http://dx.doi.org/10.1111/j.0272-4332.2004.00450.x>.
- Carson, PA; Mumford, CJ. (1986). Industrial health hazards. Part 1: sources of exposure to substances hazardous to health. 1986: 1-18.
- Carter, AB. (2008). Hydrogen Peroxide and Asbestosis.
- Carter, AB. (2008). Lung Inflammation and Fibrosis After Asbestosis Exposure is Regulated by Rac1.
- Carter, AB. (2009). Hydrogen Peroxide and Asbestosis.
- Carter, AB. (2009). Lung Inflammation and Fibrosis After Asbestosis Exposure is Regulated by Rac1.
- Carter, AB. (2010). Hydrogen Peroxide and Asbestosis.
- Carter, AB. (2010). Lung Inflammation and Fibrosis After Asbestosis Exposure is Regulated by Rac1.
- Carter, AB. (2011). Hydrogen Peroxide and Asbestosis.
- Carter, AB. (2011). Lung Inflammation and Fibrosis After Asbestosis Exposure is Regulated by Rac1.
- Carter, AB. (2012). Cu,Zn-SOD, MMP-9, and Asbestosis.
- Carter, AB. (2012). Hydrogen Peroxide and Asbestosis.
- Carter, AB. (2013). Cu,Zn-SOD, MMP-9, and Asbestosis.
- Carter, AB. (2014). Cu,Zn-SOD, MMP-9, and Asbestosis.
- Carter, AB. (2015). Cu,Zn-SOD, MMP-9, and Asbestosis.
- Carter, JT. (1989). Government and occupational health practice the perspective of a regulatory authority. 11: 221-224.
- Carter, RL. (1977). [Cancerogenic chemicals in industry]. *Recenti Prog Med* 62: 27-38.
- Carthew, P; Edwards, RE; Dorman, BM; Brown, RC; Young, J; Laskowski, JJ; Wagner, JC. (1995). INTRAPLEURAL ADMINISTRATION OF VITREOUS HIGH DUTY CERAMIC FIBERS AND HEATED DEVITRIFIED CERAMIC FIBERS DOES NOT GIVE RISE TO PLEURAL MESOTHELIOMA IN RATS. *Hum Toxicol* 14: 657-661.
- Carton, B; Kauffer, E. (1980). The metrology of asbestos. *Atmos Environ* (1967) 14: 1181-1196.
- Carton, M; Bonnaud, S; Nachtigal, M; Serrano, A; Carole, C; Bonenfant, S; Coste, D; Lepinay, P; Varsat, B; Wadoux, B; Zins, M; Goldberg, M. (2011). [Pilot data from the Spirale project -- follow-up of occupational respiratory exposures] [Review]. *Rev Mal Respir* 28: 1000-1007. <http://dx.doi.org/10.1016/j.rmr.2011.09.001>.
- Carton, M; Bonnaud, S; Nachtigal, M; Serrano, A; Carole, C; Bonenfant, S; Coste, D; Lepinay, P; Varsat, B; Wadoux, B; Zins, M; Goldberg, M. (2011). Post-retirement surveillance of workers exposed to asbestos or wood dust: first results of the French national SPIRALE Program. *Epidemiol Prev* 35: 315-323.
- Carugno, M; Mensi, C; Sieno, C; Consonni, D; Riboldi, L. (2012). Asbestos exposure among hairdressers [Letter]. *Med Lav* 103: 70-71.
- Casadio, F; Douglas, JG; Faber, KT. (2007). Noninvasive methods for the investigation of ancient Chinese jades: an integrated analytical approach. *Anal Bioanal Chem* 387: 791-801. <http://dx.doi.org/10.1007/s00216-006-0684-y>.
- Casanovas Boixereu, X; Jim, T; eacute; Nez, L; Freixa Blanxart, A. (2004). [Asbestos detection in buildings (I): Basic aspects]. *Erga Ediciones y Publicaciones*.
- Casanovas Boixereu, X; Trujillo Jim, Nez, L; Freixa Blanxart, A. (2004). [Asbestos detection in buildings (II): Identification and analysis methodology]. 73.
- Case, BW. (1991). On talc, tremolite, and tergiversation ter-gi-ver-sate: 2: to use subterfuges [Letter]. *Occup Environ Med* 48: 357-358.

Human Health Hazard Literature Search Results

Off Topic

- Case, BW. (2006). Asbestos, smoking, and lung cancer: interaction and attribution [Comment]. *Occup Environ Med* 63: 507-508. <http://dx.doi.org/10.1136/oem.2006.027631>.
- Case, BW. (2016). Pathology analysis for mesothelioma study in the United Kingdom: Current practice and historical development. *J Toxicol Environ Health B Crit Rev* 19: 201-212. <http://dx.doi.org/10.1080/10937404.2016.1195320>.
- Case, BW; Abraham, JL; Meeker, G; Pooley, FD; Pinkerton, KE. (2011). Applying definitions of "asbestos" to environmental and "low-dose" exposure levels and health effects, particularly malignant mesothelioma [Review]. *J Toxicol Environ Health B Crit Rev* 14: 3-39. <http://dx.doi.org/10.1080/10937404.2011.556045>.
- Case, BW; Dufresne, A; Sebastien, P. (2006). Lung-retained asbestos fibre analysis: Trends over 25 years in one institution and their implications. *Epidemiology* 17: S136-S137.
- Case, BW; Oliver, LC. (1992). ASBESTOS BODIES ARE ABSENT FROM SPUTUM OF SCHOOL CUSTODIAL WORKERS (pp. 17-20). (BIOSIS/92/20041). Case, BW; Oliver, LC.
- Case, BW; Sebastien, P. (1985). BIOLOGICAL ESTIMATION OF ENVIRONMENTAL EXPOSURE TO ASBESTOS (pp. 12-15). (BIOSIS/85/16452). Case, BW; Sebastien, P.
- Case, BW; Sebastien, P. (1987). Environmental and occupational exposures to chrysotile asbestos: a comparative microanalytic study. *Arch Environ Health* 42: 185-191.
- Case, BW; Sebastien, P. (1988). MICROANALYTIC CLASSIFICATION OF ENVIRONMENTAL EXPOSURE IN A CHRYSOTILE MINING REGION (pp. 8-11). (BIOSIS/88/21273). Case, BW; Sebastien, P.
- Case, BW; Sébastien, P. (1989). Fibre levels in lung and correlation with air samples [Review]. In J Bignon; J Peto; R Saracci (Eds.), *IARC Sci Publ* (pp. 207-218). Lyon, France: International Agency for Research on Cancer.
- Case, BW; Sebastien, P; McDonald, JC. (1988). Lung fiber analysis in accident victims: a biological assessment of general environmental exposures. *Arch Environ Health* 43: 178-179. <http://dx.doi.org/10.1080/00039896.1988.9935849>.
- Casey, KR; Shigeoka, JW; Rom, WN; Moatamed, F. (1985). Zeolite exposure and associated pneumoconiosis. *Chest* 87: 837-840.
- Cassel, SL; Eisenbarth, SC; Iyer, SS; Sadler, JJ; Colegio, OR; Tephly, LA; Carter, AB; Rothman, PB; Flavell, RA; Sutterwala, FS. (2008). The Nalp3 inflammasome is essential for the development of silicosis. *Proc Natl Acad Sci USA* 105: 9035-9040. <http://dx.doi.org/10.1073/pnas.0803933105>.
- Cassidy, A; Balsan, J; Vesin, A; Wu, X; Liloglou, T; Brambilla, C; Timsit, JF; Field, JK; Consortium, E. (2009). Cancer diagnosis in first-degree relatives and non-small cell lung cancer risk: results from a multi-centre case-control study in Europe. *Eur J Cancer* 45: 3047-3053. <http://dx.doi.org/10.1016/j.ejca.2009.05.006>.
- Cassidy, A; Myles, JP; Liloglou, T; Duffy, SW; Field, JK. (2006). Defining high-risk individuals in a population-based molecular-epidemiological study of lung cancer. *Int J Oncol* 28: 1295-1301.
- Cassidy, A; Myles, JP; van Tongeren, M; Page, RD; Liloglou, T; Duffy, SW; Field, JK. (2008). The LLP risk model: an individual risk prediction model for lung cancer. *Br J Cancer* 98: 270-276. <http://dx.doi.org/10.1038/sj.bjc.6604158>.
- Cassiola, F; Rogers, RA; Kiyohara, PK; Joekes, I. (2005). Yeast cells long-term interaction with asbestos fibers. *Colloids Surf B Biointerfaces* 41: 277-283. <http://dx.doi.org/10.1016/j.colsurfb.2004.12.006>.
- Cassiola, F; Silveira, M; Jericó, S; Joekes, I. (2001). Interaction between *Saccharomyces cerevisiae* and chrysotile. *Eur Cell Mater* 2: 30-35.
- Castellanos R, MA; Salazar, S; Gomez, LB; Lima G, RM. (1991). ASBESTOS IN THE URBAN AREA OF MEXICO CITY MEXICO (pp. 25-30). (BIOSIS/92/36905). Castellanos R, MA; Salazar, S; Gomez, LB; Lima G, RM.
- Castillo, JE. (1992). Fiberglass. Information You Should Know. *Professional Safety* 37: 29-32.
- Castleman, B. (1998). Globally asbestos-free automobiles [Review]. *Int J Occup Environ Health* 4: 277-278. <http://dx.doi.org/10.1179/oeh.1998.4.4.277>.
- Castleman, B. (2000). [Influence of the asbestos industry and controversies in international organizations]. *Epidemiol Prev* 24: 7-11.
- Castleman, B. (2000). Re: Call for an International Ban on Asbestos: Why not ban asbestos? [Letter]. *Am J Ind Med* 37: 239-240.
- Castleman, B. (2001). Heroism in occupational health. *Int J Health Serv* 31: 669-672.
- Castleman, B. (2002). WTO confidential: the case of asbestos. World Trade Organization. *Int J Health Serv* 32: 489-501.
- Castleman, B. (2003). "Controlled use" of asbestos. *Int J Occup Environ Health* 9: 294-298. <http://dx.doi.org/10.1179/oeh.2003.9.3.294>.
- Castleman, B. (2003). WTO confidential: the case of asbestos. *New Solutions: A Journal of Environmental and Occupational Health Policy* 13: 73-85. <http://dx.doi.org/10.2190/3V5L-THWY-FCVD-R5NG>.
- Castleman, B. (2006). Asbestos products, hazards, and regulation. *Int J Health Serv* 36: 295-307.
- Castleman, B. (2016). The export of hazardous industries in 2015. *Environ Health* 15: 8. <http://dx.doi.org/10.1186/s12940-016-0091-6>.
- Castleman, B. (2017). Criminality and Asbestos in Industry. *New Solutions: A Journal of Environmental and Occupational Health Policy* 26: 557-580. <http://dx.doi.org/10.1177/1048291116678435>.
- Castleman, B; Dement, J; Giannasi, F; Frank, AL; Frumkin, H; Gochfeld, M; Goldstein, BD; Grandjean, P; Ladou, J; Lemen, RA; Levy, BS; Maltoni, C; McDiarmid, M; Silbergeld, EK; Teitelbaum, DT; Thebaud-Mony, A; Upton, AC; Wegman, DH. (1998). Salud ocupacional [Review]. *Int J Occup Environ Health* 11: 195-197. <http://dx.doi.org/10.1179/oeh.1998.4.2.131>.
- Castleman, BI. (1990). ASBESTOS MEDICAL AND LEGAL ASPECTS THIRD EDITION (pp. MEDICAL AND LEGAL ASPECTS). (BIOSIS/91/16992). Castleman, BI.
- Castleman, BI. (1990). Product Stewardship or Bans? Asbestos in The Third World (pp. 53-57). (NIOSH/00198867). Castleman, BI.
- Castleman, BI. (1991). Asbestos and cancer: history and public policy [Letter]. *Br J Ind Med* 48: 427-432.
- Castleman, BI. (1994). Scientific objectivity and the chrysotile controversy [Letter]. *Occup Environ Med* 51: 431.

Human Health Hazard Literature Search Results

Off Topic

- Castleman, BI. (2001). Controversies at international organizations over asbestos industry influence. *Int J Health Serv* 31: 193-202.
- Castleman, BI. (2006). Asbestos is not banned in North America. *Eur J Oncol* 11: 85-88.
- Castleman, BI; Joshi, TK. (2007). The global asbestos struggle today. *Eur J Oncol* 12: 149-154.
- Castleman, BI; Navarro, V. (1987). INTERNATIONAL MOBILITY OF HAZARDOUS PRODUCTS INDUSTRIES AND WASTES (pp. PALO ALTO). (BIOSIS/87/30392). Castleman, BI; Navarro, V.
- Castleman, BI; Vera Vera, MJ. (1980). Impending proliferation of asbestos. *Int J Health Serv* 10: 389-403.
- Castleman, BI; Ziem, GE. (1988). Corporate influence on threshold limit values. *Am J Ind Med* 13: 531-559.
- Castranova, V; Pailles, W; Judy, D; Blake, T; Schwegler-Berry, D; Jones, W. (1996). In vitro effects of large and small glass fibers on rat alveolar macrophages. *J Toxicol Environ Health* 49: 357-369.
- Castro, HA. (2012). Brazil on the road to the elimination of asbestos [Editorial]. *Cadernos de Saúde Pública / Reports in Public Health* 28: 816-817.
- Catalano, A; Lazzarini, R; Di Nuzzo, S; Orciari, S; Procopio, A. (2009). The plexin-A1 receptor activates vascular endothelial growth factor-receptor 2 and nuclear factor-kappaB to mediate survival and anchorage-independent growth of malignant mesothelioma cells. *Cancer Res* 69: 1485-1493. <http://dx.doi.org/10.1158/0008-5472.CAN-08-3659>.
- Catata, PF; Cavalieri, PG; Chiappino, G; Governa, M; Munafò, E; Paoletti, L; Verducchi, P; Paba, G. (2000). [Presence of asbestos in naval vessels: study of airborne fiber concentrations on Italian railways ferry boats]. *Med Lav* 91: 131-134.
- Catherine, H; Skinner, W. (2003). Mineralogy of asbestos minerals. *Indoor Built Environ* 12: 385-389. <http://dx.doi.org/10.1177/1420326X03037003>.
- Cattaneo, A; Cavallo, DM; Chiappino, G. (2009). [Improvement of a sedimentation method for measuring dispersion of fibres from asbestos cement roofs]. *Med Lav* 100: 187-196.
- Cattaneo, A; Somigliana, A; Gemmi, M; Bernabeo, F; Savoca, D; Cavallo, DM; Bertazzi, PA. (2012). Airborne concentrations of chrysotile asbestos in serpentine quarries and stone processing facilities in Valmalenco, Italy. *Ann Occup Hyg* 56: 671-683. <http://dx.doi.org/10.1093/annhyg/mer119>.
- Cattini, GC; Bini, A; Poletti, V; Boaron, M. (1985). SCLERO-HYALINE PLEURAL PLAQUES (pp. 133-142). (BIOSIS/86/03530). Cattini, GC; Bini, A; Poletti, V; Boaron, M.
- Cavallo, A; Rimoldi, B. (2013). Chrysotile asbestos in serpentinite quarries: a case study in Valmalenco, Central Alps, Northern Italy. *Environ Sci Process Impacts* 15: 1341-1350. <http://dx.doi.org/10.1039/c3em00193h>.
- Cavariani, F. (2016). Asbestos contamination in feldspar extraction sites: a failure of prevention? Commentary. *Ann Ist Super Sanita* 52: 6-8. http://dx.doi.org/10.4415/ANN_16_01_03.
- Cebollero, P; Echegoyen, E; Santolaria, MA. (2005). [Occupational asthma]. *An Sist Sanit Navar* 28 Suppl 1: 51-63.
- Cecchetti, G; Marconi, A; Paoletti, L. (1981). [Exact x-ray analysis with an energy analyzer and a wave length analyser. Application to the recognition of asbestos fibers]. *Ann Ist Super Sanita* 17: 569-573.
- Ceelen, WP; Van Dalen, T; Van Bockstal, M; Libbrecht, L; Sijmons, RH. (2011). Malignant peritoneal mesothelioma in a patient with Li-Fraumeni syndrome. *J Clin Oncol* 29: e503-e505. <http://dx.doi.org/10.1200/JCO.2010.34.1933>.
- Cegolon, L; Lange, JH; Mastrangelo, G. (2010). The Primary Care Practitioner and the diagnosis of occupational diseases. *BMC Public Health* 10: 405. <http://dx.doi.org/10.1186/1471-2458-10-405>.
- Cely-García, MF; Curriero, FC; Giraldo, M; Méndez, L; Breyse, PN; Durán, M; Torres-Duque, CA; González-García, M; Pérez, C; Parada, P; Ramos-Bonilla, JP. (2016). Factors Associated With Non-compliance of Asbestos Occupational Standards in Brake Repair Workers. *Ann Occup Hyg* 60: 1020-1035. <http://dx.doi.org/10.1093/annhyg/mew028>.
- Cely-García, MF; Curriero, FC; Sánchez-Silva, M; Breyse, PN; Giraldo, M; Méndez, L; Torres-Duque, C; Durán, M; González-García, M; Parada, P; Ramos-Bonilla, JP. (2016). Estimation of personal exposure to asbestos of brake repair workers. *J Expo Sci Environ Epidemiol*. <http://dx.doi.org/10.1038/jes.2016.76>.
- Cely-García, MF; Sánchez, M; Breyse, PN; Ramos-Bonilla, JP. (2012). Personal exposures to asbestos fibers during brake maintenance of passenger vehicles. *Ann Occup Hyg* 56: 985-999. <http://dx.doi.org/10.1093/annhyg/mes030>.
- Ceraso, J. (1986). BAN ON ASBESTOS CEMENT PIPE NEEDED. *J Am Water Works Assoc* 78: 8-8.
- Cerna, S; Hurbankova, M; Kovacikova, Z; Wimmerova, S; Beno, M. (2006). Influence of 2-week exposure to amosite and their substitutes on the selected cytotoxic parameters of bronchoalveolar lavage in rats. *Toxicol Lett* 164: S182-S183. <http://dx.doi.org/10.1016/j.toxlet.2006.07.037>.
- Cerna, S; Hurbankoval, M; Kovacikova, Z; Wimmerova, S; Beno, M; Kiss, T. (2008). Effect of exposure to amosite asbestos and its substitutes on the activity of chosen enzymes of rat bronchoalveolar lavage. *Toxicol Lett* 180: S144-S144. <http://dx.doi.org/10.1016/j.toxlet.2008.06.352>.
- Cesta, MF; Ryman-Rasmussen, JP; Wallace, DG; Masinde, T; Hurlburt, G; Taylor, AJ; Bonner, JC. (2010). Bacterial lipopolysaccharide enhances PDGF signaling and pulmonary fibrosis in rats exposed to carbon nanotubes. *Am J Respir Cell Mol Biol* 43: 142-151. <http://dx.doi.org/10.1165/rcmb.2009-0113OC>.
- C-H, C; C-M, W; C-K, H; W-B, S; H-S, Y. (1996). Fiberglass dermatitis: A case report. *Kaohsiung J Med Sci* 12: 491-494.
- Chabay, I; Rosasco, GJ; Etz, ES. (1976). Alternative Techniques for Fiber Characterization: Particulate Size Distribution Measurement by Doppler Shift Spectroscopy and Chemical Identification by Microraman Spectroscopy (pp. 23-25). (NIOSH/00172676). Chabay, I; Rosasco, GJ; Etz, ES.
- Chadwick, DA; Buchan, RM; Beaulieu, HJ. (1985). Airborne asbestos in Colorado public schools. *Environ Res* 36: 1-13.
- Chahinian, AP. (1985). Predictive chemotherapy for malignant mesothelioma [Research]. *REPORTER Database National Institutes of Health*.

Human Health Hazard Literature Search Results

Off Topic

- Chahinian, AP. (1986). Predictive chemotherapy for malignant mesothelioma [Research]. RePORTER Database National Institutes of Health.
- Chahinian, AP; Holland, JF. (1978). Treatment of diffuse malignant mesothelioma: a review [Review]. *Mt Sinai J Med* 45: 54-67.
- Chahinian, AP; Kirschner, PA; Gordon, RE; Szrajner, L; Holland, JF. (1991). Usefulness of the nude mouse model in mesothelioma based on a direct patient-xenograft comparison. *Cancer* 68: 558-560.
- Chailleux, E; Letourneux, M. (1999). Medical impact of the screening of asbestos-related benign pleural lesions [Review]. *Rev Mal Respir* 16: 1286-1293.
- Challita, S; Guerder, A; Charpentier, MC; Daher, M; Giraud, F; Roche, N. (2015). [Mesothelioma and familial Mediterranean fever: A relationship?]. *Rev Mal Respir* 32: 271-274. <http://dx.doi.org/10.1016/j.rmr.2014.06.029>.
- Chalon, J; Tang, CK; Klein, GS; Ramanathan, S; Patel, C; Turndorf, H. (1981). Routine cytodagnosis of pulmonary malignancies. *Arch Pathol Lab Med* 105: 11-14.
- Chambers, HM; Henderson, DW. (1981). Test and teach. Number twenty-seven. Diagnosis: malignant pleural mesothelioma. *Pathology* 13: 8-9, 159-161.
- Champness, PE; Cliff, G; Lorimer, GW. (1976). The identification of asbestos. *J Microsc OXF*: 231-250.
- Chan, HK; Gonda, I. (1993). PREPARATION OF RADIOLABELED MATERIALS FOR STUDIES OF DEPOSITION OF FIBERS IN THE HUMAN RESPIRATORY-TRACT. *J Aerosol Med* 6: 241-249.
- Chan, YM; Agamuthu, P; Mahalingam, R. (2000). Solidification and stabilization of asbestos waste from an automobile brake manufacturing facility using cement. *J Hazard Mater* 77: 209-226.
- Chang, HY; Chen, CR; Wang, JD. (1999). Risk assessment of lung cancer and mesothelioma in people living near asbestos-related factories in Taiwan. *Arch Environ Occup Health* 54: 194-201. <http://dx.doi.org/10.1080/00039899909602259>.
- Chang, JW; Jeon, HB; Lee, JH; Yoo, JS; Chun, JS; Kim, JH; Yoo, YJ. (2001). Augmented expression of peroxiredoxin I in lung cancer. *Biochem Biophys Res Commun* 289: 507-512. <http://dx.doi.org/10.1006/bbrc.2001.5989>.
- Chang, KC; Leung, CC. (2006). Malignant mesothelioma: A minor issue about gender ratio and a major issue about regulatory policy. *Respir Med* 100: 1123-1124. <http://dx.doi.org/10.1016/j.rmed.2006.01.028>.
- Chang, LY; Mercer, RR; Pinkerton, KE; Crapo, JD. (1991). Quantifying lung structure: experimental design and biologic variation in various models of lung injury. *Am J Respir Crit Care Med* 143: 625-634.
- Chang, SN; White, LE; Scott, WD. (1987). Assessing asbestos exposure potential in nonindustrial settings. *J Community Health* 12: 176-184. <http://dx.doi.org/10.1007/BF01323479>.
- Chang-Macchiu, P; Alvarez, D; Jesus Cruz, M; Perez, C; Curull, V; Guadalupe Silveira, M; Pijuan, L; Sanchez-Font, A; De Gracia, J; Ferrer, J. (2013). Utility of bronchoalveolar lavage in the determination of lung asbestos burden in Barcelona, Spain. *Eur Respir J* 42.
- Chanturiya, V; Masloboev, V; Makarov, D; Mazukhina, S; Nesterov, D; Men'shikov, Y. (2011). Artificial geochemical barriers for additional recovery of non-ferrous metals and reduction of ecological hazard from the mining industry waste. *J Environ Sci Health A Tox Hazard Subst Environ Eng* 46: 1579-1587. <http://dx.doi.org/10.1080/10934529.2011.609435>.
- Chan-Yeung, M. (1990). A CLINICIAN'S APPROACH TO DETERMINE THE DIAGNOSIS PROGNOSIS AND THERAPY OF OCCUPATIONAL ASTHMA. *Med Clin North Am* 74: 811-822.
- Chapman, EA; Thomas, PS; Stone, E; Lewis, C; Yates, DH. (2012). A breath test for malignant mesothelioma using an electronic nose. *Eur Respir J* 40: 448-454. <http://dx.doi.org/10.1183/09031936.00040911>.
- Chapman, EA; Thomas, PS; Yates, DH. (2010). Breath analysis in asbestos-related disorders: a review of the literature and potential future applications [Review]. *J Breath Res* 4: 034001. <http://dx.doi.org/10.1088/1752-7155/4/3/034001>.
- Chapman, S; Heidemann, A; Woodward, S. (1996). Were asbestos-filtered Kent cigarettes sold in Australia? [Letter]. *Aust N Z J Public Health* 20: 218-219.
- Chardot-Jacques, V; Calvaruso, C; Simon, B; Turpault, MP; Echevarria, G; Morel, JL. (2013). Chrysotile dissolution in the rhizosphere of the nickel hyperaccumulator *Leptoplax emarginata*. *Environ Sci Technol* 47: 2612-2620. <http://dx.doi.org/10.1021/es301229m>.
- Chariot, P; Couste, B; Guillon, F; Gaudichet, A; Bignon, J; Brochard, P. (1992). Nonfibrous mineral particles in bronchoalveolar lavage fluid and lung parenchyma from the general population. *Am Rev Respir Dis* 146: 61-65.
- Charney, W. (2007). Canada's asbestos legacy [Letter]. *Int J Occup Environ Health* 13: 451. <http://dx.doi.org/10.1179/oeh.2007.13.4.451>.
- Charpentier, P; Curet, PM; Peguin, G; Petitjean, F. (1998). Emergency medical operation in an abestosis contaminated area. 26: 449-454.
- Chase, GR. (1982). Membrane Filter Method: Statistical Considerations. 619: 145-153.
- Chase, GR. (1985). APPROACH TO ASBESTOS WORKER COMPENSATION PLAN ALLEGED TO BE FLAWED - RESPONSE. *J Occup Environ Med* 27: 790-791.
- Chase, GR; Kotin, P; Crump, K; Mitchell, RS. (1985). Evaluation for compensation of asbestos-exposed individuals. II. Apportionment of risk for lung cancer and mesothelioma. *J Occup Med* 27: 189-198.
- Chatfield, EJ. (1982). Analytical Procedures And Standardization For Asbestos Fiber Counting In Air, Water, And Solid Samples. 619: 91-107.
- Chatfield, EJ. (1984). Fiber Definition in Occupational and Environmental Asbestos Measurements. 834: 118-138.
- Chatfield, EJ. (1987). Limits of Detection and Precision in Monitoring for Asbestos Fibers (pp. 79-90). (NIOSH/00170704). Chatfield, EJ.
- Chatfield, EJ; Dillon, MJ. (1978). Some aspects of specimen preparation and limitations of precision in particulate analysis by SEM and TEM. 1: 487-496.
- Chatfield, EJ; Lewis, GM. (1980). Development and application of an analytical technique for measurement of asbestos fibers in vermiculite. *Scanning Microsc I*: 329-340.
- Chatterjee, N; Hartge, P. (2003). Apportioning causes, targeting populations and predicting risks: population attributable fractions [Comment]. *Eur J Epidemiol* 18: 933-935.

Human Health Hazard Literature Search Results

Off Topic

- Chaturvedi, S. (2000). Chrysotile asbestos: why should a carcinogen remain in demand? [Editorial]. *Indian J Public Health* 44: 71-74.
- Chaturvedi, S. (2008). Continued use of asbestos: market's signature on science. *Indian J Public Health* 52: 61-64.
- Chaturvedi, S; Chaturvedi, S. (2001). Carcinogenicity of asbestos: Convincing evidence, conflicting interests [Review]. *Natl Med J India* 14: 43-46.
- Chatzis, C; Karvounis, K; Hatziaira, P; Riza, E; Nikolaou, V; Linos, A. (2004). Greek employee awareness of carcinogenic exposure. *Prev Med* 39: 657-665. <http://dx.doi.org/10.1016/j.yjmed.2004.07.007>.
- Checkoway, H; Heyer, NJ; Demers, PA; Gibbs, GW. (1996). Reanalysis of mortality from lung cancer among diatomaceous earth industry workers, with consideration of potential confounding by asbestos exposure. *Occup Environ Med* 53: 645-647.
- Checkoway, H; Heyer, NJ; Seixas, NS; Welp, EA; Demers, PA; Hughes, JM; Weill, H. (1997). Dose-response associations of silica with nonmalignant respiratory disease and lung cancer mortality in the diatomaceous earth industry. *Am J Epidemiol* 145: 680-688.
- Checkoway, H; Heyer, NJ; Seixas, NS; Welp, EAE; Demers, PA; Hughes, JM; Weill, H. (1996). Silica, Silicosis, and Lung Cancer in Diatomite Workers (pp. 45). (NIOSH/00238178). Checkoway, H; Heyer, NJ; Seixas, NS; Welp, EAE; Demers, PA; Hughes, JM; Weill, H.
- Checkoway, H; Hickey, JL. (1988). Estimating the potential disease rate reduction under varying conditions of combined effects. *Int J Epidemiol* 17: 666-672.
- Checkoway, H; Pearce, N; Dement, JM. (1989). Design and Conduct of Occupational Epidemiology Studies: II. Analysis of Cohort Data. *Am J Ind Med* 15: 375-394.
- Chee, J; Singh, J; Naran, A; Misso, NL; Thompson, PJ; Bhoola, KD. (2007). Novel expression of kallikreins, kallikrein-related peptidases and kinin receptors in human pleural mesothelioma. *Biol Chem* 388: 1235-1242. <http://dx.doi.org/10.1515/BC.2007.139>.
- Chekol, SS; Sun, CC. (2012). Malignant mesothelioma of the tunica vaginalis testis: diagnostic studies and differential diagnosis [Review]. *Arch Pathol Lab Med* 136: 113-117. <http://dx.doi.org/10.5858/arpa.2010-0550-RS>.
- Chen, CC; Lai, CY; Shih, TS; Yeh, WY. (1998). Development of respirable aerosol samplers using porous foams. *Am Ind Hyg Assoc J* 59: 766-773. <http://dx.doi.org/10.1080/15428119891010938>.
- Chen, CC; Yu, TS; Shih, TS; Baron, P. (2001). Computer simulation of particle overlap in fiber count samples. *AIHAJ* 62: 281-287.
- Chen, CHU. (2008). Molecular epidemiology of lung cancer.
- Chen, CHU. (2009). Molecular epidemiology of lung cancer.
- Chen, CHU. (2010). Molecular epidemiology of lung cancer.
- Chen, CK; Katt, RJ; Kent, MB; Hamrick, M; Perry, WG; Smith, D; Spooner, C; Moore, E. (1983). Technological Feasibility of Controlling Asbestos and Silica at Mines and Mills (pp. 210-281). (NIOSH/00128106). Chen, CK; Katt, RJ; Kent, MB; Hamrick, M; Perry, WG; Smith, D; Spooner, C; Moore, E.
- Chen, D; Stueckle, TA; Luanpitpong, S; Rojanasakul, Y; Lu, Y; Wang, L. (2015). Gene expression profile of human lung epithelial cells chronically exposed to single-walled carbon nanotubes. *Nanoscale Res Lett* 10: 12. <http://dx.doi.org/10.1186/s11671-014-0707-0>.
- Chen, HC; Tsai, KB; Wang, CS; Hsieh, TJ; Hsu, JS. (2008). Duodenal metastasis of malignant pleural mesothelioma. *J Formos Med Assoc* 107: 961-964. [http://dx.doi.org/10.1016/S0929-6646\(09\)60021-8](http://dx.doi.org/10.1016/S0929-6646(09)60021-8).
- Chen, J; Armstrong, LC; Liu, SJ; Gerriets, JE; Last, JA. (1991). SILICA INCREASES CYTOSOLIC FREE CALCIUM-ION CONCENTRATION OF ALVEOLAR MACROPHAGES INVITRO. *Toxicol Appl Pharmacol* 111: 211-220.
- Chen, J; McLaughlin, JK; J-Y, Z; Stone, BJ; Luo, J; Chen, R; Dosemeci, M; Rexing, SH; Wu, Z; Hearl, FJ; Mccawley, MA; Blot, WJ. (1992). Mortality among Dust-Exposed Chinese Mine and Pottery Workers. *J Occup Med* 34: 311-316.
- Chen, L; Yuan, MY; Lei, M; Huang, BS; Chen, KL. (2015). [Study on identification of traditional Chinese medicine Yangqishi and Yinqishi by X-ray diffraction]. *Zhongguo Zhong Yao Za Zhi* 40: 3560-3566.
- Chen, M; Tse, LA. (2012). Laryngeal cancer and silica dust exposure: a systematic review and meta-analysis [Review]. *Am J Ind Med* 55: 669-676. <http://dx.doi.org/10.1002/ajim.22037>.
- Chen, MS; Huang, CL. (1997). Industrial workers' health and environmental pollution under the new international division of labor: The Taiwan experience. *Am J Public Health* 87: 1223-1231.
- Chen, QL; Bao, DQ; Yin, ZW. (2013). [Study on XRD and infrared spectroscopy of nephrites from Xinjiang and Xiuyan, Liaoning]. *Guang Pu Xue Yu Guang Pu Fen Xi* 33: 3142-3146.
- Chen, QL; Xu, YL; Ai, SJ; He, AQ; Yin, ZW. (2014). [Vibrational spectra of Caesious nephrite from Qinghai Province]. *Guang Pu Xue Yu Guang Pu Fen Xi* 34: 2017-2020.
- Chen, SE; Pace, MB. (2012). Malignant pleural mesothelioma [Review]. *Am J Health Syst Pharm* 69: 377-385. <http://dx.doi.org/10.2146/ajhp110281>.
- Chen, T; Kharazmi, E; Lou, J; Zhang, X; Sundquist, K; Hemminki, K. (2016). Risk of second primary cancers after malignant mesothelioma and vice versa. *Cancer Lett* 379: 94-99. <http://dx.doi.org/10.1016/j.canlet.2016.05.034>.
- Chen, T; Nie, H; Gao, X; Yang, J; Pu, J; Chen, Z; Cui, X; Wang, Y; Wang, H; Jia, G. (2014). Epithelial-mesenchymal transition involved in pulmonary fibrosis induced by multi-walled carbon nanotubes via TGF-beta/Smad signaling pathway. *Toxicol Lett* 226: 150-162. <http://dx.doi.org/10.1016/j.toxlet.2014.02.004>.
- Chen, WJ; Mottet, NK. (1978). Malignant mesothelioma with minimal asbestos exposure. *Hum Pathol* 9: 253-258.
- Chen, YC; Chen, JH; Richard, K; Chen, PY; Christiani, DC. (2004). Lung adenocarcinoma and human papillomavirus infection [Review]. *Cancer* 101: 1428-1436. <http://dx.doi.org/10.1002/cncr.20538>.
- Chen, YK; Yu, CP. (1991). Sedimentation of Fibers from Laminar Flows in a Horizontal Circular Duct. *Aerosol Sci Technol* 14: 343-347.
- Cheng, TD; Wen, CP. (2006). Quantifying the risks of mesothelioma and lung cancer from environmental crocidolite exposure in Da-yao, China. *Lung Cancer* 54: S33-S33.

Human Health Hazard Literature Search Results

Off Topic

- Cheng, TY; Goodman, GE; Thornquist, MD; Barnett, MJ; Beresford, SA; Lacroix, AZ; Zheng, Y; Neuhaus, ML. (2014). Estimated intake of vitamin D and its interaction with vitamin A on lung cancer risk among smokers. *Int J Cancer* 135: 2135-2145. <http://dx.doi.org/10.1002/ijc.28846>.
- Cheng, VK; O'Kelly, FJ. (1986). Asbestos exposure in the motor vehicle repair and servicing industry in Hong Kong. *J Soc Occup Med* 36: 104-106.
- Cheng, Y; Kirschner, MB; Cheng, NC; Gattani, S; Klebe, S; Edelman, JJB; Vallely, MP; Mccaughan, BC; Jin, HC; van Zandwijk, N; Reid, G. (2013). ZIC1 Is Silenced and Has Tumor Suppressor Function in Malignant Pleural Mesothelioma. *J Thorac Oncol* 8: 1317-1328. <http://dx.doi.org/10.1097/JTO.0b013e3182a0840a>.
- Cheng, YS. (2002). Inhalation Dosimetry/Exposure Index of Fiber Aerosol.
- Cheng, YS. (2003). Inhalation Dosimetry/Exposure Index of Fiber Aerosol.
- Cheng, YS. (2004). Inhalation Dosimetry/Exposure Index of Fiber Aerosol.
- Cheng, YS; Fan, B; Holmes, TD; Yeh, HC. (1996). Evaluation of Respirator Filters for Asbestos Fibers. (NIOSH/00231889). Cheng, YS; Fan, B; Holmes, TD; Yeh, HC.
- Cheng, YS; Holmes, TD; Fan, B. (2006). Evaluation of respirator filters for asbestos fibers. *J Occup Environ Hyg* 3: 26-35. <http://dx.doi.org/10.1080/15459620500444046>.
- Cheng, YS; Su, WC. (2013). Thoracic fraction of inhaled fiber aerosol. *J Occup Environ Hyg* 10: 194-202. <http://dx.doi.org/10.1080/15459624.2012.762608>.
- Cheng, YY, ee; Mclaughlin, C; Jin, HC; Chan, FK, I; Mccaughan, B; George, AM; Reid, G; Van Zandwijk, N. (2013). THE IMPORTANCE OF THE SECRETED FRIZZLED-RELATED PROTEIN (SFRP) TUMOUR SUPPRESSOR GENE FAMILY AND THE EFFECT OF LONG-TERM ASBESTOS EXPOSURE ON SFRP EXPRESSION IN MALIGNANT PLEURAL MESOTHELIOMA (MPM). *J Thorac Oncol* 8: S1037-S1037.
- Cheresh, P; Kim, SJ, o; Tulasiram, S; Kamp, DW. (2013). Oxidative stress and pulmonary fibrosis [Review]. *BIOCHIMICA ET BIOPHYSICA ACTA MOLECULAR BASIS OF DISEASE* 1832: 1028-1040. <http://dx.doi.org/10.1016/j.bbadis.2012.11.021>.
- Cherneva-Zhalova, P. (1986). NEW TENDENCIES IN THE ASSESSMENT OF DIMENSION CHARACTERISTICS OF ASBESTOS FIBERS (pp. 78-83). (BIOSIS/87/15052). Cherneva-Zhalova, P.
- Cherneva-Zhalova, P; Lukanova, R; Nikolova, S. (1988). STUDIES ON METHODS FOR THE CHARACTERIZATION OF ASBESTOS POLLUTION OF THE ENVIRONMENT (pp. 38-42). (BIOSIS/89/00486). Cherneva-Zhalova, P; Lukanova, R; Nikolova, S.
- Cherniack, MG; Boiano, JM. (1983). Health Hazard Evaluation Report No. HETA-81-357-1321, Elkem Metals Company, Alloy, West Virginia (pp. 81-357). (NIOSH/00134593). Cherniack, MG; Boiano, JM.
- Chernoff, JD; Testa, JR. (2011). The Role of p21-Activated Kinases in Malignant Mesothelioma.
- Chernoff, JD; Testa, JR. (2012). The Role of p21-Activated Kinases in Malignant Mesothelioma.
- Chernoff, JD; Testa, JR. (2013). The Role of p21-Activated Kinases in Malignant Mesothelioma.
- Chernoff, JD; Testa, JR. (2014). The Role of p21-Activated Kinases in Malignant Mesothelioma.
- Chernoff, JD; Testa, JR. (2015). The Role of p21-Activated Kinases in Malignant Mesothelioma.
- Cherrie, J; Addison, J; Dodgson, J. (1989). Comparative Studies of Airborne Asbestos in Occupational and Non-occupational Environments Using Optical and Electron Microscope Techniques (pp. 304-309). (NIOSH/00191366). Cherrie, J; Addison, J; Dodgson, J.
- Cherrie, J; Dodgson, J. (1986). Past exposures to airborne fibers and other potential risk factors in the European man-made mineral fiber production industry. *Scand J Work Environ Health* 1: 26-33.
- Cherrie, J; Dodgson, J. (1987). A Historical Environmental Investigation at 13 European Man-Made Mineral Fibre Production Plants. (NIOSH/00187938). Cherrie, J; Dodgson, J.
- Cherrie, J; Jones, AD; Johnston, AM. (1986). THE INFLUENCE OF FIBER DENSITY ON THE ASSESSMENT OF FIBER CONCENTRATION USING THE MEMBRANE FILTER METHOD. *Am Ind Hyg Assoc J* 47: 465-474.
- Cherrie, JW. (1984). The Effect Of Microscope Graticule Size And Counting Rules On The Estimation Of Airborne Fibre Numbers Using The Membrane Filter Technique (pp. 229-236). (NIOSH/00142580). Cherrie, JW.
- Cherrie, JW; Cowie, HA; Jones, AD. (2007). Modelling mesothelioma risk for workers assembling military gas masks [Letter]. *Occup Environ Med* 64: 785-786; author reply 785-786.
- Cherrie, JW; Dodgson, J; Groat, S; Carson, M. (1987). Comparison of Optical and Electron Microscopy for Evaluating Airborne Asbestos (pp. 533). (NIOSH/00172177). Cherrie, JW; Dodgson, J; Groat, S; Carson, M.
- Cherrie, JW; Gibson, H; McIntosh, C; Maclaren, WM; Lynch, G. (1995). EXPOSURE TO FINE AIRBORNE FIBROUS DUST AMONGST PROCESSORS OF PARA-ARAMID. *Ann Occup Hyg* 39: 403-&.
- Cherrie, JW; Schneider, T. (1999). Validation of a new method for structured subjective assessment of past concentrations. *Ann Occup Hyg* 43: 235-245.
- Cherrie, JW; Schneider, T; Spankie, S; Quinn, M. (1996). A New Method for Structured, Subjective Assessments of Past Concentrations. *Occup Hyg* 3: 1-3.
- Cherry, KF. (1988). ASBESTOS ENGINEERING MANAGEMENT AND CONTROL (pp. ENGINEERING MANAGEMENT AND CONTROL). (BIOSIS/89/17087). Cherry, KF.
- Cherry, N; Hutchins, H; Pace, T; Waldron, HA. (1985). Neurobehavioural effects of repeated occupational exposure to toluene and paint solvents. *Occup Environ Med* 42: 291-300.
- Cherubini, M; Fornaciai, G; Mantelli, F; Chellini, E; Sacco, C. (1998). Results of a survey on asbestos fibre contamination of drinking water in Tuscany, Italy. *Journal of Water Supply: Research and Technology-AQUA* 47: 1-8.
- Chesson, J; Hatfield, J. (1990). Comparison of Airborne Asbestos Levels Determined by Transmission Electron Microscopy (TEM) Using Direct and Indirect Transfer Techniques. 74.

Human Health Hazard Literature Search Results

Off Topic

- Chesson, J; Hatfield, J; Schultz, B; Dutrow, E; Blake, J. (1990). Airborne asbestos in public buildings. *Environ Res* 51: 100-107.
- Chesson, J; Rench, JD; Schultz, BD; Milne, KL. (1990). Interpretation of airborne asbestos measurements. *Risk Anal* 10: 437-447. <http://dx.doi.org/10.1111/j.1539-6924.1990.tb00527.x>.
- Chew, CK. (1986). Asbestos-related cancers [Letter]. *N Z Med J* 99: 168-169.
- Chhajed, P; Bubendorf, L; Hirsch, H; Boehler, A; Weder, W; Tamm, M. (2006). Mesothelioma after lung transplantation. *Thorax* 61: 916-917. <http://dx.doi.org/10.1136/thx.2004.032573>.
- Chiappino, G. (2006). [Asbestos fibre dimensions and mesothelioma] [Comment]. *Epidemiol Prev* 30: 358-360; discussion 361, 369.
- Chiappino, G. (2007). [Perseverare diabolicum: when will the real prevention of mesothelioma start?] [Letter]. *Med Lav* 98: 73-76.
- Chiappino, G; Friedrichs, KH; Forni, A; Rivolta, G; Todaro, A. (1989). Alveolar and lung fibre levels in non-occupationally exposed subjects. *IARC Sci Publ occupational Exposure to Mineral Fibres*: 310-313.
- Chiappino, G; Friedrichs, KH; Rivolta, G; Forni, A. (1988). Alveolar fiber load in asbestos workers and in subjects with no occupational asbestos exposure: an electron microscopy study. *Am J Ind Med* 14: 37-46.
- Chiappino, G; Giannelle, V; Todaro, A; Picchi, O. (1999). [Sedimentation method for measuring dispersion of fibers from asbestos cement roofs]. *Med Lav* 90: 519-526.
- Chiappino, G; Mensi, C; Riboldi, L; Rivolta, G. (2003). [Asbestos risk in the textile industry: final confirmation of data from the Lombardy Mesothelioma Registry]. *Med Lav* 94: 521-530.
- Chiappino, G; Pellissetti, D; Moretto, O; Picchi, O. (2005). [Asbestos risk in the textile industry: braking systems on machinery used until the 1990's]. *Med Lav* 96: 250-257.
- Chiappino, G; Scotti, PG; Anselmino, A. (1981). Occupational bronchopulmonary disease due to glass fibre - Clinical findings. 72: 96-101.
- Chiappino, G; Sebastien, P; Todaro, A. (1991). [Atmospheric asbestos pollution in the urban environment: Milan, Casale Monferrato, Brescia, Ancona, Bologna and Florence]. *Med Lav* 82: 424-438.
- Chiappino, G; Venerandi, I. (1991). [The erosion of asbestos cement roofs: an important source of environmental pollution]. *Med Lav* 82: 99-121.
- Chiazze, L; Watkins, DK; Fryar, C; Fayerweather, W; Kozono, J; Biggs, V. (2002). Mortality from non-malignant respiratory disease in the fibreglass manufacturing industry. *Occup Environ Med* 59: 369-371.
- Chida, T; Iida, K. (1989). Exposure to asbestos dust of house construction workers in Japan. 3: 3-14.
- Chirico, F. (2016). Health Surveillance in Italian workers formerly exposed to asbestos: a call to action for policy makers. *Ann Ig* 28: 373-375.
- Chissick, SS. (1979). ATTITUDES TO ASBESTOS (pp. NEW YORK). (HEEP/80/10408). Chissick, SS.
- Chiyotani, K; Saito, K; Okubo, T; Takahashi, K. (1990). LUNG CANCER RISK AMONG PNEUMOCONIOSIS PATIENTS IN JAPAN WITH SPECIAL REFERENCE TO SILICOTICS (pp. LYON). (BIOSIS/91/07594). Chiyotani, K; Saito, K; Okubo, T; Takahashi, K.
- Cho, HY; Lee, JY; Kwak, NJ; Lee, KH; Rha, SJ; Kim, YH; Cho, YY; Yang, KH; Kim, KA; Lim, Y. (2003). Silica induces nuclear factor-kappa B activation through TAK1 and NIK in Rat2 cell line. *Toxicol Lett* 143: 323-330. [http://dx.doi.org/10.1016/S0378-4274\(03\)00193-0](http://dx.doi.org/10.1016/S0378-4274(03)00193-0).
- Cho, JH; Lee, S; uJin; Oh, A; hY; Yoon, M, inHo; Woo, T, aeG; Park, B, umJ. (2015). NF2 blocks Snail-mediated p53 suppression in mesothelioma. *Onct* 6: 10073-10085.
- Cho, MO; Chang, HM; Lee, D; Yu, YG; Han, H; Kim, JK. (2013). Selective detection and automated counting of fluorescently-labeled chrysotile asbestos using a dual-mode high-throughput microscopy (DM-HTM) method. *Sensors* 13: 5686-5699. <http://dx.doi.org/10.3390/s130505686>.
- Cho, MO; Kim, JK; Han, H; Lee, J. (2013). Liquid-phase sample preparation method for real-time monitoring of airborne asbestos fibers by dual-mode high-throughput microscopy. *Conf Proc IEEE Eng Med Biol Soc* 2013: 5517-5520. <http://dx.doi.org/10.1109/EMBC.2013.6610799>.
- Cho, MO; Yoon, S; Han, H; Kim, JK. (2011). Automated counting of airborne asbestos fibers by a high-throughput microscopy (HTM) method. *Sensors* 11: 7231-7242. <http://dx.doi.org/10.3390/s110707231>.
- Cho, YJ; Seo, MS; Kim, JK; Lim, Y; Chae, G; Ha, KS; Lee, KH. (1999). Silica-induced generation of reactive oxygen species in Rat2 fibroblast: Role in activation of mitogen-activated protein kinase. *Biochem Biophys Res Commun* 262: 708-712.
- Choi, NC; Kanarek, DJ; Grillo, HC. (1990). Effect of postoperative radiotherapy on changes in pulmonary function in patients with stage II and IIIA lung carcinoma. *Int J Radiat Oncol Biol Phys* 18: 95-99.
- Choi, S; Suk, MH; Paik, NW. (2010). Asbestos-containing materials and airborne asbestos levels in industrial buildings in Korea. *J UOEH* 32: 31-43.
- Choi, SY; Kahyo, H. (1991). EFFECT OF CIGARETTE-SMOKING AND ALCOHOL-CONSUMPTION IN THE ETIOLOGY OF CANCER OF THE ORAL CAVITY, PHARYNX AND LARYNX. *Int J Epidemiol* 20: 878-885.
- Choi, Y; Lim, S; Paek, D. (2013). Trades of dangers: a study of asbestos industry transfer cases in Asia. *Am J Ind Med* 56: 335-346. <http://dx.doi.org/10.1002/ajim.22144>.
- Choi, YH; Park, KY; Ryoo, BY; Na, II; Yang, SH; Koh, JS; Kim, CH; Lee, JC. (2008). Presence of malignant mesothelial cells in the sputum. *Intern Med* 47: 57-60. <http://dx.doi.org/10.2169/internalmedicine.47.0348>.
- Chouard, CH; Cabanis, EA; Chambron, J; Milgrom, E. (2008). Nanoscience and medicine. *Bull Acad Natl Med* 192: 1253-1259.
- Chovil, A. (1981). Laryngeal Cancer: An Explanation for the Apparent Occupational Association. *Med Hypotheses* 7: 951-956.
- Chovil, A; Stewart, C. (1979). Latency period for mesothelioma [Letter]. *Lancet* 2: 853. [http://dx.doi.org/10.1016/S0140-6736\(79\)92205-0](http://dx.doi.org/10.1016/S0140-6736(79)92205-0).
- Chovil, AC; Feigley, CE; Crosscope, E. (1986). AN OCCUPATIONAL ILLNESS IN A UNIVERSITY SETTING. *Am Ind Hyg Assoc J* 47.
- Chovil, AC; Mccracken, WJ; Dowd, EC; Stewart, C; Burton, DF; Dyer, DW. (1981). Occupational cancer: experience in Ontario. *Can Med Assoc J* 125: 1237-1241.
- Chow, ET; Mahalingaiah, S. (2016). Cosmetics use and age at menopause: is there a connection? [Review]. *Fertil Steril* 106: 978-990. <http://dx.doi.org/10.1016/j.fertnstert.2016.08.020>.

Human Health Hazard Literature Search Results

Off Topic

- Chrétien, J; Beaumont, D. (1979). [International symposium on broncho-alveolar lavage in man, Lille, February 7-9 1979 (author's transl)]. *Rev Fr Mal Respir* 7: 295-304.
- Christensen, BC; Houseman, EA; Poage, GM; Godleski, JJ; Bueno, R; Sugarbaker, DJ; Wiencke, JK; Nelson, HH; Marsit, CJ; Kelsey, KT. (2010). Integrated profiling reveals a global correlation between epigenetic and genetic alterations in mesothelioma. *Cancer Res* 70: 5686-5694. <http://dx.doi.org/10.1158/0008-5472.CAN-10-0190>.
- Christensen, BC; Marsit, CJ. (2011). Epigenomics in environmental health. *Front Genet* 2: 84. <http://dx.doi.org/10.3389/fgene.2011.00084>.
- Christensen, BC; Marsit, CJ; Nelson, HH; Godleski, JG; Bueno, R; Sugarbaker, DJ; Kelsey, KT. (2006). Asbestos burden, epigenetic silencing, and survival in malignant pleural mesothelioma. *Lung Cancer* 54: S21-S21.
- Christiani, D. (1990). SURVEILLANCE FOR RESPIRATORY DISORDERS (pp. 22-27). (BIOSIS/90/18582). Christiani, D.
- Christiani, D; Greene, R. (1990). Asbestos Disease in Commercial Roofers: Radiologic Signs (pp. Asbestos and Cancers). (NIOSH/00198702). Christiani, D; Greene, R.
- Christiani, DC. (1994). Current Measurement Tools in the Study of Occupational and Environmental Lung Disease (pp. Asbestos and Cancers). (NIOSH/00224030). Christiani, DC.
- Christiani, DC. (1996). A case-control study of genetic factors in lung cancer [Research]. RePORTER Database National Institutes of Health.
- Christiani, DC. (1996). Organic dust exposure and chronic airway disease. *Am J Respir Crit Care Med* 154: 833-834.
- Christie, D; Kelman, GR. (1985). EPIDEMIOLOGY IN OCCUPATIONAL HEALTH. *Med J Aust* 142: 135-137.
- Christie, D; Robinson, K; Gordon, I; Bisby, J. (1991). A prospective study in the Australian petroleum industry. I. Mortality. *Br J Ind Med* 48: 507-510.
- Christoffel, T; Teret, SP. (1991). EPIDEMIOLOGY AND THE LAW - COURTS AND CONFIDENCE-INTERVALS. *Am J Public Health* 81: 1661-1666.
- Christofidou-Solomidou, M. (2013). Mesothelioma inhibition by secoisolariciresinol diglucoside (SDG).
- Christofidou-Solomidou, M. (2014). Biomedical Project 5 - Chemoprevention of Asbestos-induced Lung Diseases.
- Christofidou-Solomidou, M. (2014). Mesothelioma inhibition by secoisolariciresinol diglucoside (SDG).
- Christofidou-Solomidou, M. (2015). Biomedical Project 5 - Chemoprevention of Asbestos-induced Lung Diseases.
- Christou, A; Stec, AA; Ahmed, W; Aschberger, K; Amenta, V. (2016). A review of exposure and toxicological aspects of carbon nanotubes, and as additives to fire retardants in polymers [Review]. *Crit Rev Toxicol* 46: 74-95. <http://dx.doi.org/10.3109/10408444.2015.1082972>.
- CHROMOSOME, NSGHR; DAMAGE. (1990). A Nordic data base on somatic chromosome damage in humans. *Mutat Res* 241: 325-338.
- Chrostek, W. (1982). Health Hazard Evaluation Report, No. HETA-82-086-1126, Pennsylvania Department of Transportation, Montoursville, Pennsylvania. (NIOSH/00127109). Chrostek, W.
- Chrostek, W; Parkinson, DK. (1982). Health Hazard Evaluation Report, No. HETA-81-62-1211, Hatfield's Ferry Power Station, Masontown, Pennsylvania. (NIOSH/00127797). Chrostek, W; Parkinson, DK.
- Chrostek, WJ. (1980). Health Hazard Evaluation Determination, Report No. HHE-79-19-740, Radford Army Ammunition Plant Hercules Incorporated Radford, Virginia (pp. 19801980). (NIOSH/00103570). Chrostek, WJ.
- Chrostek, WJ. (1984). Health Hazard Evaluation Report No. HETA-84-029-1427, Jewish Family And Childrens Agency, Ardmore, Pennsylvania (pp. 89-029). (NIOSH/00150033). Chrostek, WJ.
- Chrostek, WJ. (1984). Health Hazard Evaluation Report No. HETA-84-043-1429, Pennsylvania Department Of Transportation, Transportation And Safety Building, Harrisburg, Pennsylvania (pp. 84-043). (NIOSH/00149688). Chrostek, WJ.
- Chrostek, WJ; Thoburn, TW. (1976). Health Hazard Evaluation Determination, Report No. HHE-74-10-258, Western Electric Company, Reading, Pennsylvania (pp. 74-10). (NIOSH/00074988). Chrostek, WJ; Thoburn, TW.
- Chu, SS; Cotes, JE. (1984). Lung transfer factor and carbon dioxide alveolar volume at cardiac frequency 100 beats per minute as a guide to impaired function of lung parenchyma. *Thorax* 39: 524-528.
- Chua, TC; Yao, P; Akther, J; Morris, DL. (2010). Impact of Tumor Angiogenesis in Peritoneal Mesothelioma After Radical Cytoreduction and Hyperthermic Intraperitoneal Chemotherapy. *Pathol Oncol Res* 16: 217-222. <http://dx.doi.org/10.1007/s12253-009-9210-9>.
- Chuang, C; Ho, SC; Lin, CL, i; Lin, MC; Kao, CH. (2016). Risk of Cerebrovascular Events in Pneumoconiosis Patients A Population-based Study, 1996-2011. *Medicine (Baltimore)* 95: e2944. <http://dx.doi.org/10.1097/MD.0000000000002944>.
- Chuang, MT; Krellenstein, DJ; Berman, LB. (1982). Multinodular Thoracic Densities in an Ex-shipyard Worker. *Mt Sinai J Med* 49: 511-513.
- Chudzikowski, RJ. (1975). Spotlight on talc. *Soap, Perfum Cosmet* 48: 56-65.
- Chung, DA; Yang, RR; Verma, DK; Luo, J. (2015). Retrospective Exposure Assessment for Occupational Disease of an Individual Worker Using an Exposure Database and Trend Analysis. *J Occup Environ Hyg* 12: 1-37. <http://dx.doi.org/10.1080/15459624.2015.1072630>.
- Chung, DJ; Kang, YW; Kim, BK; Park, JY; An, YS; Yang, JM; Kim, JH. (2003). Deciduoid peritoneal mesothelioma: CT findings with pathologic correlation. *Abdom Imaging* 28: 614-616. <http://dx.doi.org/10.1007/s00261-003-0006-1>.
- Chung, SM; Choi, SJ; Kim, MJ; Choi, JY; Kim, HJ; Lee, SY; Kang, EJ. (2016). Positive response of a primary malignant pericardial mesothelioma to pemetrexed plus cisplatin followed by pemetrexed maintenance chemotherapy: A case report. *12: 213-216*. <http://dx.doi.org/10.3892/ol.2016.4598>.
- Chung, YH; Gibbs, GW. (1981). The dimensions of airborne asbestos fibres - I. Crocidolite from Kuruman area, Cape Province, South Africa. *Ann Occup Hyg* 24: 23-41.
- Churchyard, MP; Copeland, GKE. (1988). Is It Really Chrysotile? *Ann Occup Hyg* 32: 545-547.
- Churg, A. (1982). OCCULT ASBESTOSIS (pp. 1-5). (HEEP/83/01903). Churg, A.
- Churg, A. (1982). REACTIONS OF THE LUNG TO SILICA SILICATES AND ASBESTOS (pp. AN EVOLVING FIELD; MEETINGS). (HEEP/84/01895). Churg, A.
- Churg, A. (1983). Current issues in the pathologic and mineralogic diagnosis of asbestos-induced disease. *Chest* 84: 275-280.

Human Health Hazard Literature Search Results

Off Topic

- Churg, A. (1983). Nonasbestos pulmonary mineral fibers in the general population. *Environ Res* 31: 189-200.
- Churg, A. (1985). FIBER SIZE AND NUMBER IN WORKERS EXPOSED TO PROCESSED CHRYSOTILE ASBESTOS (pp. 12-15). (BIOSIS/85/16447). Churg, A.
- Churg, A. (1986). MALIGNANT MESOTHELIOMA (pp. 25-30). (BIOSIS/86/30813). Churg, A.
- Churg, A. (1988). Reply to Dr. Dunnigan. Chrysotile as a mesothelial carcinogen in man. *Am J Ind Med* 14: 235-238.
- Churg, A. (1989). THE DIAGNOSIS OF ASBESTOSIS. *Hum Pathol* 20: 97-99.
- Churg, A. (1990). MALIGNANT MESOTHELIOMA EPIDEMIOLOGIC ISSUES AND IMPLICATIONS FOR ENVIRONMENTAL EXPOSURE TO ASBESTOS (pp. 10-13). (BIOSIS/90/30902). Churg, A.
- Churg, A. (1990). THE PATHOGENESIS OF ASBESTOS-RELATED DISEASE IN HUMANS STUDIES BY ANALYTICAL ELECTRON MICROSCOPY (pp. NEW YORK). (BIOSIS/91/26795). Churg, A.
- Churg, A. (1991). Analysis of lung asbestos content [Editorial]. *Br J Ind Med* 48: 649-652.
- Churg, A. (1991). MINERAL ANALYSIS OF THE LUNG PARENCHYMA (pp. SCIENTIFIC FOUNDATIONS). (BIOSIS/91/11691). Churg, A.
- Churg, A. (1992). MINERAL ANALYSIS OF THE LUNG PARENCHYMA (pp. NEW YORK). (BIOSIS/92/08295). Churg, A.
- Churg, A. (1993). Asbestos, asbestosis, and lung cancer [Editorial]. *Mod Pathol* 6: 509-511.
- Churg, A. (1994). MINERAL DUST INDUCED BRONCHIOLITIS (pp. NEW YORK). (BIOSIS/94/07958). Churg, A.
- Churg, A. (1996). The uptake of mineral particles by pulmonary epithelial cells. *Am J Respir Crit Care Med* 154: 1124-1140.
- Churg, A. (1998). Nonoccupational exposure to chrysotile asbestos and the risk of lung cancer [Letter]. *N Engl J Med* 339: 999. <http://dx.doi.org/10.1056/NEJM199810013391412>.
- Churg, A; Berean, K; Hobson, J; Wright, J. (1989). CATALASE PREVENTS CIGARETTE SMOKE INDUCED ASBESTOS FIBER PENETRATION IN RAT TRACHEAL EXPLANTS (pp. 14-17). (BIOSIS/89/20548). Churg, A; Berean, K; Hobson, J; Wright, J.
- Churg, A; Cherukupalli, K. (1993). CIGARETTE-SMOKE CAUSES RAPID LIPID-PEROXIDATION OF RAT TRACHEAL EPITHELIUM. *Int J Exp Pathol* 74: 127-132.
- Churg, A; Colby, TV; Cagle, P; Corson, J; Gibbs, AR; Gilks, B; Grimes, M; Hammar, S; Roggli, V; Travis, WD; Reference, U-CM. (2000). The separation of benign and malignant mesothelial proliferations. *Am J Surg Pathol* 24: 1183-1200.
- Churg, A; Dipaoli, L; Kempe, B; Stevens, B. (1984). LUNG ASBESTOS CONTENT IN CHRYSOTILE MINERS WITH MESOTHELIOMA (pp. 20-23). (HEEP/85/03222). Churg, A; Dipaoli, L; Kempe, B; Stevens, B.
- Churg, A; Gilks, B; Dai, J. (1999). Induction of fibrogenic mediators by fine and ultrafine titanium dioxide in rat tracheal explants. *Am J Physiol* 277: L975-L982.
- Churg, A; Golden, J. (1982). Current problems in the pathology of asbestos--related disease. 17 Pt 2: 33-66.
- Churg, A; Green, F. (1990). Re: Mesothelioma in railroad machinists [Letter]. *Am J Ind Med* 17: 523-530.
- Churg, A; Keeling, B; Gilks, B; Porter, S; Olive, P. (1995). RAT MESOTHELIAL AND TRACHEAL EPITHELIAL-CELLS SHOW EQUAL DNA SENSITIVITY TO HYDROGEN PEROXIDE-INDUCED OXIDANT INJURY. *Am J Physiol Lung Cell Mol Physiol* 268: L832-L838.
- Churg, A; Sakoda, N; Warnock, ML. (1977). A simple method for preparing ferruginous bodies for electron microscopic examination. *Am J Clin Pathol* 68: 513-517.
- Churg, A; Warnock, ML. (1977). ANALYSIS OF THE CORES OF FERRUGINOUS ASBESTOS BODIES FROM THE GENERAL POPULATION. *Lab Invest* 36.
- Churg, A; Warnock, ML; Green, N. (1979). Analysis of the cores of ferruginous (asbestos) bodies from the general population. II. True asbestos bodies and pseudoasbestos bodies. *Lab Invest* 40: 31-38.
- Churg, A; Wright, J; Wiggs, B; Pare, P; Lazar, N. (1984). SMALL AIRWAYS DISEASE AND MINERAL DUST EXPOSURE PREVALENCE STRUCTURE AND FUNCTION (pp. 20-23). (HEEP/85/01077). Churg, A; Wright, J; Wiggs, B; Pare, P; Lazar, N.
- Churg, A; Wright, JL. (1983). SMALL AIRWAYS DISEASE IN PATIENTS WITH EXPOSURE TO NONASBESTOS MINERAL DUSTS (pp. 8-11). (HEEP/84/08875). Churg, A; Wright, JL.
- Churg, A; Wright, JL. (1983). Small-airway lesions in patients exposed to nonasbestos mineral dusts. *Hum Pathol* 14: 688-693.
- Churg, A; Wright, JL. (1984). AUTOPSY PREVALENCE OF ASBESTOS AIRWAYS DISEASE AND ASBESTOSIS IN QUEBEC CANADA CHRYSOTILE MINERS (pp. 20-23). (HEEP/85/01894). Churg, A; Wright, JL.
- Churg, A; Wright, JL. (1984). SMALL AIRWAYS DISEASE INDUCED BY ASBESTOS AND NONASBESTOS MINERAL DUSTS (pp. 1ST ASPEN EMPHYSEMA CONFERENCE REVISITED (THE PAST 25 YEARS AND THE NEXT)). (HEEP/85/02186). Churg, A; Wright, JL.
- Churg, A; Wright, JL. (1989). An Animal Model of Co-exposure to Cigarette Smoke and Mineral Dust (pp. 10-14). (NIOSH/00225175). Churg, A; Wright, JL.
- Churg, A; Wright, JL. (2003). Bronchiolitis caused by occupational and ambient atmospheric particles. *Semin Respir Crit Care Med* 24: 577-584. <http://dx.doi.org/10.1055/s-2004-815605>.
- Churg, A; Wright, JL; Stevens, B; Wiggs, B. (1992). MINERAL PARTICLES IN THE HUMAN BRONCHIAL-MUCOSA AND LUNG PARENCHYMA .2. CIGARETTE SMOKERS WITHOUT EMPHYSEMA. *Exp Lung Res* 18: 687-714.
- Churg, A; Zay, K; Li, K. (1997). Mechanisms of mineral dust-induced emphysema. *Environ Health Perspect* 105: 1215-1218.
- Cicala, C; Pompetti, F; Carbone, M. (1993). SV40 INDUCES MESOTHELIOMAS IN HAMSTERS. *Am J Pathol* 142: 1524-1533.
- Ciccotosto, C; Storto, ML; Bonomo, L. (1992). DIAGNOSTIC OF PNEUMOCONIOSES. *Rays ROME*: 262-282.
- Cichy, B. (1989). Pathogenic and Carcinogenic Properties of Silicon Carbide. *Pol J Occup Med* 2: 87-96.
- Cigula, M; Valic, F. (1990). IS THE REMOVAL OF FIBROUS INSULATING MATERIALS FROM BUILDINGS NECESSARY (pp. 357-362). (BIOSIS/91/19753). Cigula, M; Valic, F.
- Cil, T; Isikdogan, A; Onat, S; Zincircioglu, B; Ulku, R; Ozekinci, S; Ates, G; Senyigit, A. (2009). Single Center Experience of Mesothelioma Patients in Southeast Region of Turkey. *U H O D* 19: 153-158.

Human Health Hazard Literature Search Results

Off Topic

- Cinguegrana, A; Ardizzoni, A; Depalma, M; Faravelli, B; Serrano, J; Serra, M; Fusco, V; Raso, C; Digiorgio, F; Et, AL. (1988). MALIGNANT PLEURAL MESOTHELIOMA MPM A REVIEW OF GENOA EXPERIENCE 1979-85 (pp. 5-9). (BIOSIS/89/06045). Cinguegrana, A; Ardizzoni, A; Depalma, M; Faravelli, B; Serrano, J; Serra, M; Fusco, V; Raso, C; Digiorgio, F; Et, AL.
- Cioce, M; Canino, C; Goparaju, C; Yang, H; Carbone, M; Pass, HI. (2014). Autocrine CSF-1R signaling drives mesothelioma chemoresistance via AKT activation. *Cell Death & Disease* 5: e1167. <http://dx.doi.org/10.1038/cddis.2014.136>.
- Clack, G. (1975). *Shipyard Health Hazards* (pp. 5-10). (NIOSH/00036894). Clack, G.
- Clapp, JT; Roberts, JA; Dahlberg, B; Berry, LS; Jacobs, LM; Emmett, EA; Barg, FK. (2016). Realities of environmental toxicity and their ramifications for community engagement. 170: 143-151. <http://dx.doi.org/10.1016/j.socscimed.2016.10.019>.
- Clark, C. (1993). Guidance document for the preparation of waste management plans for the Environmental Restoration Program at Oak Ridge National Laboratory. Environmental Restoration Program. 98.
- Clark, NE; Verma, DK; Julian, JA. (1995). DETERMINATION OF THE VARIABILITY IN ELEMENTAL COMPOSITION OF ASBESTOS FIBERS BY ANALYTICAL TRANSMISSION ELECTRON-MICROSCOPY. *Ann Occup Hyg* 39: 79-88.
- Clark, PJ; Millette, JR; Boone, RL. (1980). Asbestos-cement products in contact with drinking water: Scanning electron microscope observations. 1980: 341-346.
- Clark, RL. (1982). MSHA Standard Method For Fiber Identification B Electron Microscopy. 619: 207-210.
- Clarke, CC; Mowat, FS; Kelsh, MA; Roberts, MA. (2006). Pleural plaques: a review of diagnostic issues and possible nonasbestos factors [Review]. *Arch Environ Occup Health* 61: 183-192. <http://dx.doi.org/10.3200/AEOH.61.4.183-192>.
- Clarke, SW; Pavia, D. (1991). MUCOCILIARY CLEARANCE (pp. SCIENTIFIC FOUNDATIONS). (BIOSIS/91/11690). Clarke, SW; Pavia, D.
- Class, P; Brown, RC. (2002). Exposure to man-made mineral fibres - an attempt to summarise the available information on potential health risks. *Gefahrst Reinhalt Luft* 62: 197-201.
- Claudio, L. (2001). Environmental aftermath. *Environ Health Perspect* 109: A528-A536.
- Clayman, J. (1972). Occupational disease: A major health problem; government and labor cannot solve the problem alone (pp. 3-5). (HEEP/73/07229). Clayman, J.
- Clayman, J. (1972). The renewed dialogue between science and labor. *Prev Med* 1: 382-387.
- Clayson, DB. (1981). Mckinney, J. D. *Environmental Health Chemistry: The Chemistry of Environmental Agents of Potential Human Hazards; Symposium at the 178th National American Chemical Society Meeting, Washington, D. C., USA, Sept. 1979. Xiv+656p. Ann Arbor Science Publishers, Inc.: Ann Arbor, Mich., USA. Illus. Isbn 0-250-40352-8.; 0 (0). 1981. P365-382 The importance of metabolism in carcinogenesis.*
- Clayton Environmental Consultants. (1984). Threshold limit values for harmful substances in workplace air. *Cahiers de notes documentaires S  curit   et hygi  ne du travail 1st quarter 1984: 63-94.*
- Clayton, GD; Clayton, FE. (1991). *Patty's industrial hygiene and toxicology. Vols.1A and 1B: General principles* (pp. xviii). (CIS/92/01282). Clayton, GD; Clayton, FE.
- Clayton, KA; Gall, CA; Mason, KL; Scoles, GA; Brayton, KA. (2015). The characterization and manipulation of the bacterial microbiome of the Rocky Mountain wood tick, *Dermacentor andersoni*. *Parasites and Vectors* 8: 632. <http://dx.doi.org/10.1186/s13071-015-1245-z>.
- Clayton, MP; Bailey, AE; Vaughan, NP; Rajan, R. (2002). Performance of power assisted respirators during simulated asbestos removal. *Ann Occup Hyg* 46: 49-59. <http://dx.doi.org/10.1093/annhyg/mef020>.
- Clement, P; Young, R; Scully, R. (1996). Malignant mesotheliomas presenting as ovarian masses. A report of nine cases, including two primary ovarian mesotheliomas. *Am J Surg Pathol* 20: 1067-1080.
- Clemente, M; Reig-Botella, A. (2013). Adaptation of the questionnaire of Hahn, Cella, Bode, and Hanrahan in Spanish patients affected by asbestos poisoning. *Span J Psychol* 16: E66. <http://dx.doi.org/10.1017/sjp.2013.75>.
- Clemmesen, J. (1987). [Asbestos and cancer risk] [Letter]. *Ugeskr Laeger* 149: 1366-1367.
- Clin, B; Letourneux, M; Launoy, G. (2008). Professional exposure to carcinogenic substances: is occupational physicians' activity compatible with medical ethics and deontology? [Editorial]. *Occup Environ Med* 65: 577-578. <http://dx.doi.org/10.1136/oem.2007.038588>.
- Cline, RJ; Orom, H; Berry-Bobovski, L; Hernandez, T; Black, CB; Schwartz, AG; Ruckdeschel, JC. (2010). Community-level social support responses in a slow-motion technological disaster: the case of Libby, Montana. *Am J Community Psychol* 46: 1-18. <http://dx.doi.org/10.1007/s10464-010-9329-6>.
- Cline, RJ; Orom, H; Child, JT; Hernandez, T; Black, B. (2015). Social Support Functions During a Slowly-Evolving Environmental Disaster: The Case of Amphibole Asbestos Exposure in Libby, Montana. *Health Commun* 30: 1135-1148. <http://dx.doi.org/10.1080/10410236.2014.922456>.
- Cline, RJW; Orom, H; Chung, JE; Hernandez, T. (2014). The Role of Social Toxicity in Responses to a Slowly-Evolving Environmental Disaster: The Case of Amphibole Asbestos Exposure in Libby, Montana, USA. *Am J Community Psychol* 54: 12-27. <http://dx.doi.org/10.1007/s10464-014-9660-4>.
- CLINICAL, AO; SCIENTISTS. (1998). 116th Meeting of the Association of Clinical Scientists on Frontiers in Clinical Science (Providence, Rhode Island, USA; April 30-May 3, 1998). *Ann Clin Lab Sci* 28: 176-210.
- Clonfero, E; Saia, B. (1991). [Mutagens and carcinogens in city air]. *G Ital Med Lav* 13: 9-15.
- Cluff, DL; Patitsas, AJ. (1992). Size Characterization of Asbestos Fibers by Means of Electrostatic Alignment and Light-Scattering Techniques. *Aerosol Sci Technol* 17: 186-198.
- Co, DC. (1982). Evaluation of employee exposure to asbestos at the cell services department of inorganic chemicals production, michigan division with cover letter dated 120982. Order this.

Human Health Hazard Literature Search Results

Off Topic

- Coates, TJ; Li, VC. (1983). DOES SMOKING CESSATION LEAD TO WEIGHT-GAIN - THE EXPERIENCE OF ASBESTOS-EXPOSED SHIPYARD WORKERS. *Am J Public Health* 73: 1303-1304.
- Cocco, P. (2001). Multifactorial aetiology of lung cancer among silica-exposed workers [Review]. *Ann Acad Med Singapore* 30: 468-474.
- Cochrane, JC; Webster, I. (1981). Mesothelioma in relaxation to asbestos fibre exposure [Letter]. *S Afr Med J* 59: 848.
- Cocucci, C. (1982). Classification of asbestos-related changes - Proposal for revision. 73: 147-150.
- Coenen, W; Schenk, H. (1991). Development of a differentiated examination scheme to follow-up former asbestos workers. (CIS/91/01885).
Coenen, W; Schenk, H.
- Coetsee, AM; Becker, PJ. (1989). Lung function screening in industry. *S Afr Med J* 76: 550-553.
- Coffin, DL; Palekar, LD. (1978). EPA Study Of Biological Effects Of Asbestos-Like Mineral Fibers (pp. Definitions and Measurement Methods). (NIOSH/00145901). Coffin, DL; Palekar, LD.
- Coffin, DL; Palekar, LD. (1986). Tumorigenesis and Cytotoxicity of Silica (pp. Controversy in Occupational Medicine). (NIOSH/00171378). Coffin, DL; Palekar, LD.
- Coffin, DL; Peters, SE; Palekar, LD; Stahel, EP. (1989). A Study of the Biological Activity of Erionite in Relation to Its Chemical and Structural Characteristics (pp. 10-14). (NIOSH/00225189). Coffin, DL; Peters, SE; Palekar, LD; Stahel, EP.
- Coffin, DL; Stokinger, HE. (1977). Biological effects of air pollutants. In AC Stern (Ed.), (3rd ed., pp. 231-360). Academic Press: London, England.
- Coggon, D; Pannett, B; Wield, G. (1996). Upper aerodigestive cancer in battery manufacturers and steel workers exposed to mineral acid mists. *Occup Environ Med* 53: 445-449.
- Cohen, D. (1973). Ferromagnetic contamination in the lungs and other organs of the human body. *Science* 180: 745-748.
- Cohen, D; Crowther, T; Gibbs, G; Becklake, M. (1981). Magnetic Lung Measurements in Relation to Occupational Exposure in Asbestos Miners and Millers of Quebec. Final Report (pp. 6-81). (NIOSH/00192340). Cohen, D; Crowther, T; Gibbs, G; Becklake, M.
- Cohen, D; Crowther, TS; Gibbs, GW; Becklake, MR. (1981). Magnetic lung measurements of relation to occupational exposure in asbestos miners and millers of Quebec. *Environ Res* 26: 535-550.
- Cohen, HJ; Van Orden, DR. (2008). Asbestos exposures of mechanics performing clutch service on motor vehicles. *J Occup Environ Hyg* 5: 148-156. <http://dx.doi.org/10.1080/15459620701853227>.
- Cohen, KS. (1985). ASBESTOS IN BUILDINGS - TO REMOVE, OR NOT TO REMOVE, THAT IS THE QUESTION. *Am Ind Hyg Assoc J* 46: A4-A4.
- Cohen, N. (1991). Regulation of in-place asbestos-containing material [Review]. *Environ Res* 55: 97-106.
- Cohen Tervaert, JW; Kappel, RM. (2013). Silicone implant incompatibility syndrome (SIIS): a frequent cause of ASIA (Shoenfeld's syndrome). *Immunol Res* 56: 293-298. <http://dx.doi.org/10.1007/s12026-013-8401-3>.
- Cohn, MS; White, PD; Preuss, PW. (1981). CONSUMER PRODUCT-SAFETY - RISK ASSESSMENT OF EXPOSURE TO ASBESTOS EMISSIONS FROM HAND-HELD HAIR DRYERS - CRITIQUE. *Environ Manage* 5: 15-18.
- Cohn, MS; White, PD; Preuss, PW. (1981). CONSUMER PRODUCT-SAFETY - RISK ASSESSMENT OF EXPOSURE TO ASBESTOS EMISSIONS FROM HAND-HELD HAIR DRYERS - RESPONSE. *Environ Manage* 5: 91-93.
- Colangelo, F; Cioffi, R; Lavorgna, M; Verdolotti, L; De Stefano, L. (2011). Treatment and recycling of asbestos-cement containing waste. *J Hazard Mater* 195: 391-397. <http://dx.doi.org/10.1016/j.jhazmat.2011.08.057>.
- Colby, AH. (2014). Large Scale Synthesis and Biodistribution of Expansive Nanoparticles.
- Colditz, G; Dejong, W; Hunter, D; Trichopoulos, D; Willett, W. (1996). Harvard report on cancer prevention. Volume 1: Causes of human cancer. *Cancer Causes Control* 7. <http://dx.doi.org/10.2307/41575890>.
- Cole, BL; Shatkin, JP; Delp, L; Brown, MP. (1994). A Cross-Sectional Survey of Workers and Their Training Needs at 29 Hazardous Waste Sites. *Appl Occup Environ Hyg* 9: 605-611.
- Cole, HM. (1977). Industrial Hygiene Experience in the Reduction Plant (pp. 133-136). (NIOSH/00191455). Cole, HM.
- Cole, P; Goldman, MB. (1975). Fraumeni, Joseph F. Jr. Persons at High Risk of Cancer. An Approach to Cancer Etiology and Control. Proceedings of a Conference. Key Biscayne, Fla., U.S.A., Dec. 10-12, 1974. xviii+544p. Illus. Academic Press: New York, N.Y., U.S.A.; London, England. Isbn 0-12-265950-3.; 1975 (Recd 1976) 167-184 Occupation.
- Cole, P; Trichopoulos, D; Pastides, H; Starr, T; Mandel, JS. (2003). Dioxin and cancer: A critical review [Review]. *Regul Toxicol Pharmacol* 38: 378-388. <http://dx.doi.org/10.1016/j.yrtph.2003.08.002>.
- Coleman, BG; Epstein, DM; Arger, PH; Miller, WT. (1985). COMPUTED TOMOGRAPHY FEATURES OF AN UNUSUAL HYPERVASCULAR LUNG CARCINOMA COMPLICATING CHRONIC ASBESTOSIS RELATED PLEURAL DISEASE. *J Comput Assist Tomogr* 9: 554-557.
- Coleman, M; Henderson, DW; Mukherjee, TM. (1989). THE ULTRASTRUCTURAL PATHOLOGY OF MALIGNANT PLEURAL MESOTHELIOMA (pp. EAST NORWALK). (BIOSIS/91/17581). Coleman, M; Henderson, DW; Mukherjee, TM.
- Coles, GV. (1993). TLVS FOR ASBESTOS [Letter]. *Am J Ind Med* 23: 955-957.
- Coles, GV. (1999). A valuable service [Letter]. *Appl Occup Environ Hyg* 14: 267-268. <http://dx.doi.org/10.1080/104732299302828>.
- Collan, Y; Kosma, VM; Anttonen, H; Kulju, T. (1986). Toxicity of richterite in hemolysis test and macrophage cultures. *Arch Toxicol Suppl* 9: 292-295. http://dx.doi.org/10.1007/978-3-642-71248-7_48.
- Collegium Ramazzini. (1999). Call for an international ban on asbestos [Letter]. *Int J Occup Med Environ Health* 12: 285-288.
- Collegium Ramazzini. (2010). Asbestos is still with us: repeat call. *J Occup Environ Hyg* 7: D57-D61. <http://dx.doi.org/10.1080/15459624.2010.486307>.
- Collier, R. (2008). Health advocates assail Canada's asbestos stance. 179: 1257. <http://dx.doi.org/10.1503/cmaj.081806>.
- Collier, R. (2009). Asbestos panel chair mystified by secrecy surrounding report. 180: 1100-1101. <http://dx.doi.org/10.1503/cmaj.090728>.
- Collingwood, KW; Raabe, GK; Wong, O. (1996). An updated cohort mortality study of workers at a northeastern United States petroleum refinery. *Int Arch Occup Environ Health* 68: 277-288.

Human Health Hazard Literature Search Results

Off Topic

- Collins, A; Harrington, V. (2002). Repair of oxidative DNA damage: assessing its contribution to cancer prevention. *Mutagenesis* 17: 489-493. <http://dx.doi.org/10.1093/mutage/17.6.489>.
- Collins, LC; Hoberty, PD; Walker, JF; Fletcher, EC; Peiris, AN. (1995). THE EFFECT OF BODY-FAT DISTRIBUTION ON PULMONARY-FUNCTION TESTS. *Chest* 107: 1298-1302.
- Collins, NA. (1989). The Health and Safety Position in the Ceramics Industry The Record to Date. *Ann Occup Hyg* 33: 415-421.
- Colt, HG; Astoul, P; Wang, X; Yi, ES; Boutin, C; Hoffman, RM. (1996). Clinical course of human epithelial-type malignant pleural mesothelioma replicated in an orthotopic-transplant nude mouse model. *Anticancer Res* 16: 633-639.
- Colt, HG; Dumon, JF. (1994). Development of a disposable spray canister for talc pleurodesis. A preliminary report. *Chest* 106: 1776-1780.
- Colton, CE. (1997). Workplace Performance Studies of Half-Mask Respirators. *Occup Health Saf* 66: 46-47.
- Comba, P; Bianchi, F; Pirastu, R. (2007). Impatto Sulla Salute Dei Siti Inquinati: Metodologie Strumenti Per la Ricerca e le Valutazioni (Health Impact in Contaminated Sites: Methods and Instruments for Research and Evaluation) (pp. 225). (NTIS/02730119_a). Comba, P; Bianchi, F; Pirastu, R.
- Comin, CE; Deklerk, NH; Henderson, DW. (1997). Malignant mesothelioma: Current conundrums over risk estimates and whether electron microscopy for diagnosis? *Ultrastruct Pathol* 21: 315-320.
- Commerce, USDo. (2000). U.S. Department of Commerce, Occupational Safety and Health Manual, March 2000. 138.
- Commings, BT. (1989). Non-occupational exposure to mineral fibres Estimations of risk from environmental asbestos in perspective. In IARC Sci Publ. Lyon, France: International Agency for Research on Cancer.
- COMMISSION, CPS; HEALTH, DF; SCIENCES. (1983). REPORT BY THE CHRONIC HAZARD ADVISORY PANEL ON ASBESTOS. (EPIDEM/007953). Consumer PRODUCT SAFETY COMMISSION; DIRECTORATE FOR HEALTH; SCIENCES.
- Committee, JA-AAHE. (1975). Recommended procedures for sampling and counting asbestos fibers. Procedures for the evaluation of occupational exposures to airborne asbestos. *Am Ind Hyg Assoc J* 36: 83-90.
- Committee, NLHRS; Workgroup, NT. (2004). Facilities Management Guide for Asbestos and Lead. 80.
- Company, SO. (1982). MANAGEMENT REPORT CONCERNING WORKERS EXPOSED TO ASBESTOS WITH COVER LETTER. (TSCATS/017735). SAN JOSE MEDICAL CLINIC.
- Company, SO. (1982). TECHNICAL REPORT CONCERNING EXPOSURE TO ASBESTOS WITH COVER LETTER. (TSCATS/017734). SAN JOSE MEDICAL CLINIC.
- Company, SO. (1983). ASBESTOS SAMPLING OF TELECOM WORKERS WITH ATTACHMENT. (TSCATS/016900).
- Company, SO. (1983). RESULTS OF AIR SAMPLES TAKEN DURING HEALTH HAZARD EVALUATION WITH ATTACHED DATA SHEETS. (TSCATS/016877). OREGON WORKERS COMP DEPT.
- Conces, DJ; Tarver, RD. (1995). PLEURAL IMAGING. *Semin Respir Crit Care Med* 16: 279-287.
- Condomitti, A. (1977). Evaluation of Asbestos Pollution by Means of Scanning Electron Microscope Equipped with Energy Dispersive X-Ray Analysis System (SEM-EDAS) (pp. 17-21). (NIOSH/00173471). Condomitti, A.
- Cone, JE. (1988). Chemoprevention trial beta carotene and retinol [Research]. RePORTER Database National Institutes of Health.
- Cone, JE. (1989). Chemoprevention trial beta carotene and retinol [Research]. RePORTER Database National Institutes of Health.
- Cone, JE. (1990). Chemoprevention trial beta carotene and retinol [Research]. RePORTER Database National Institutes of Health.
- Connelly, RR. (1985). Descriptive cancer epidemiology [Research]. RePORTER Database National Institutes of Health.
- Conrad, ME; Omura, GA. (1987). Mycosis fungoides: Carcinogens and cerebral involvement. *Am J Med Sci* 293: 122-124.
- Constantopoulos, SH; Langer, AM; Saratzis, N; Nolan, RP. (1987). Regional findings in Metsovo lung [Letter]. *Lancet* 2: 452-453.
- Contour, JP; Guerin, I; Mouvier, G. (1978). A Study of the Adsorption of Organic Micropollutants on Chrysotile and Crocidolite. 1: 255-259.
- Contour, JP; Guerin, I; Mouvier, G. (1980). Adsorption of organic amine pollutants on asbestos fibers. 1: 243-258.
- Converso, A; Demass Martin, SL; Markle-Elder, S. (2007). Is your hospital safe? *Am J Nurs* 107: 37-39.
- Cook, A. (2008). Asbestos dressing [Letter]. *Br Dent J* 204: 224. <http://dx.doi.org/10.1038/bdj.2008.174>.
- Cook, AF. (2002). Ethics: A Bridge for Communities and Scientists.
- Cook, AF. (2003). Ethics: A Bridge for Communities and Scientists.
- Cook, AF. (2004). Ethics: A Bridge for Communities and Scientists.
- Cook, PM; Glass, GE; Tucker, JH. (1974). Asbestiform amphibole minerals: detection and measurement of high concentrations in municipal water supplies. *Science* 185: 853-855.
- Cook, PM; Marklund, DR. (1982). Sample Preparation For Quantitative Electron Microscope Analysis Of Asbestos Fiber Concentrations In Air. 619: 53-67.
- Cook, RA; Poole, GM. (1974). Factors influencing the activity of sterile filtered and heat-sterilized trypsin solutions. *Applied Microbiology* 28: 154-155.
- Cook, WA. (1989). Occupational Exposure Limits for Carcinogens Variant Approaches by Different Countries. *Am Ind Hyg Assoc J* 50: A680-A684.
- Cook, WA. (1992). TLVS FOR ASBESTOS [Letter]. *Am J Ind Med* 21: 765-766.
- Cooke, CT; Matz, LR; Armstrong, JA; Pinerua, RF. (1986). Asbestos related interstitial pneumonitis associated with glomerulonephritis and lymphomatoid granulomatosis. *Pathology* 18: 352-356.
- Cooke, KR. (1984). Deaths from asbestos-related diseases [Letter]. *N Z Med J* 97: 202.
- Cooke, M; Degner, KB; Osborne, MC; Harris, JC. (1984). Candidate Sampling And Analysis Methods For Twenty-One Suspect Carcinogens In Combustion Emissions (pp. 84-12). (NIOSH/00150947). FOOD and DRUG RESEARCH LABS INC.
- Cooke, P. (1988). Asbestos detection in floor tile. 36: 226-227.
- Cooke, TF. (1991). Indoor air pollutants: a literature review [Review]. *Rev Environ Health* 9: 137-160.

Human Health Hazard Literature Search Results

Off Topic

- Cookson W O, CM; Musk, AW; Glancy, JJ. (1984). Asbestosis and cryptogenic fibrosing alveolitis: A radiological and functional comparison. *Aust N Z J Med* 14: 626-630.
- Cookson W O, CM; Musk, AW; Glancy, JJ; De Klerk, N; Yin, R; Mele, E; Carr, NG; Armstrong, BK; Hobbs M, ST. (1984). COMPENSATION RADIOGRAPHIC CHANGES AND DEATH IN FORMER WITTENOOM WORKERS WITH ASBESTOSIS (pp. 7-9). (HEEP/85/06514). Cookson W O, CM; Musk, AW; Glancy, JJ; De Klerk, N; Yin, R; Mele, E; Carr, NG; Armstrong, BK; Hobbs M, ST.
- Cookson W, OC; Musck, AW; Glancy, JJ. (1983). Pleural thickening and gas transfer in asbestosis. *Thorax* 38: 657-661.
- Cookson, WO; Musk, AW; Glancy, JJ; de Klerk, NH; Yin, R; Mele, R; Carr, NG; Armstrong, BK; Hobbs, MS. (1985). Compensation, radiographic changes, and survival in applicants for asbestosis compensation. *Br J Ind Med* 42: 461-468.
- Coombspayac, J. (1985). CEMENT ASBESTOS AND OCCUPATIONAL-HEALTH. 31: 25-26.
- Cooper, GS; Brown, RC. (2010). The ghost of public health journalism: past, present, and future. *Epidemiology* 21: 263-266. <http://dx.doi.org/10.1097/EDE.0b013e3181cb8c3d>.
- Cooper, SP; Fraire, AE; Buffler, PA; Greenberg, SD; Langston, C. (1989). Epidemiologic aspects of childhood mesothelioma. *Pathol Immunopathol Res* 8: 276-286. <http://dx.doi.org/10.1159/000157156>.
- Cooper, TC. (1982). Walk-Through Survey Report at Union Carbide Corporation, King City, California, Report No. CT-112-21a (pp. 112-121). (NIOSH/00183722). Cooper, TC.
- Cooper, TC. (1984). In-Depth Survey Report: Control Technology for Bag Filling Operations at Company X, Report No. CT-112-21b (pp. 112-121). (NIOSH/00163591). Cooper, TC.
- Cooper, TC; Mcglothlin, JD; Godbey, FW; Sheehy, JW; O'Brien, DM. (1986). Preliminary Survey Report: Control Technology For Brake Lining At Northwest Local School District, Cincinnati, Ohio, Report No. CT-152-17a (pp. 152-117). (NIOSH/00159217). Cooper, TC; Mcglothlin, JD; Godbey, FW; Sheehy, JW; O'Brien, DM.
- Cooper, TC; Sheehy, JW; O'Brien, DM; Mcglothlin, JD; Todd, WF. (1987). In-Depth Survey Report: Evaluation of Brake Drum Service Controls at United States Postal Service Vehicle Maintenance Facility, Louisville, Kentucky, Report No. CT-152-11B (pp. 152-111). (NIOSH/00177547). Cooper, TC; Sheehy, JW; O'Brien, DM; Mcglothlin, JD; Todd, WF.
- Cooper, TC; Sheehy, JW; O'Brien, DM; Mcglothlin, JD; Todd, WF. (1988). In-Depth Survey Report: Evaluation of Brake Drum Service Controls at Cincinnati Gas and Electric Garages, Cincinnati, Evanston, and Monroe, Ohio and Covington, Kentucky, Report CT-152-22b (pp. 152-122). (NIOSH/00178067). Cooper, TC; Sheehy, JW; O'Brien, DM; Mcglothlin, JD; Todd, WF.
- Cooper, WC. (1989). Re: "US prevalence of occupational pleural thickening: a look at chest x-rays from the first National Health and Nutrition Examination Survey" [Letter]. *Am J Epidemiol* 129: 229-230.
- Cooper, WC. (1990). Epidemiologic Studies of Mining Populations Exposed to Nonasbestiform Amphiboles (pp. 23-26). (NIOSH/00198665). Cooper, WC.
- Cooper, WC; Balzer, JL. (1969). Evaluation and Control of Asbestos Exposures in the Insulating Trade (pp. 22-25). (NIOSH/00036280). Cooper, WC; Balzer, JL.
- Cooper, WC; Black, R; Papendorf, W; Gaffey, W. (1975). Study of Sheet Metal Workers (pp. 099-071). (NIOSH/00119321). Cooper, WC; Black, R; Papendorf, W; Gaffey, W.
- Cooper, WC; Murchio, J; Popendorf, W; Wenk, HR. (1979). Chrysotile asbestos in a California recreational area. *Science* 206: 685-688.
- Cooper, WC; Wong, O; Graebner, R. (1988). Mortality of workers in two Minnesota taconite mining and milling operations. *J Occup Med* 30: 506-511.
- Cooper, WC; Wong, O; Trent, LS; Harris, F. (1992). An updated study of taconite miners and millers exposed to silica and non-asbestiform amphiboles. *J Occup Med* 34: 1173-1180.
- Copley, SJ; Wells, AU; Rubens, MB; Chabat, F; Sheehan, RE; Musk, AW; Hansell, DM. (2001). Functional consequences of pleural disease evaluated with chest radiography and CT. *Radiology* 220: 237-243. <http://dx.doi.org/10.1148/radiology.220.1.r01j127237>.
- Corbella, J. (1993). RESPIRATORY TRACT PATHOLOGY OF TOXIC ORIGIN. *Reviews Argent Torax* 54: 12-23.
- Corbett, TH. (1977). Occupational Cancer (pp. Cancer and Chemicals). (PESTAB/77/2666). Corbett, TH.
- Corcoran, JP; Psallidas, I; Ross, CL; Hallifax, RJ; Rahman, NM. (2016). Always Worth Another Look? Thoracic Ultrasonography before, during, and after Pleural Intervention. 13: 118-121. <http://dx.doi.org/10.1513/AnnalsATS.201508-559CC>.
- Cordeiro, CR; Jones, JC; Alfaro, T; Ferreira, AJ. (2007). Bronchoalveolar lavage in occupational lung diseases [Review]. *Semin Respir Crit Care Med* 28: 504-513. <http://dx.doi.org/10.1055/s-2007-991523>.
- Cordier Kellerman, L; Valeyrie, L; Fernandez, N; Opolon, P; Sabourin, JC; Maubec, E; Le Roy, P; Kane, A; Legrand, A; Abina, MA; Descamps, V; Haddada, H. (2003). Regression of AK7 malignant mesothelioma established in immunocompetent mice following intratumoral gene transfer of interferon gamma. *Cancer Gene Ther* 10: 481-490. <http://dx.doi.org/10.1038/sj.cgt.7700594>.
- Cordioli, E; Tondini, C; Pizzi, C; Bugiardini, R. (1994). [Exudative pericarditis with pleural plaques caused by exposure to asbestos, resolved with steroidal treatment]. *Minerva Med* 85: 555-559.
- Cordova, F; Criner, GJ. (1997). OCCUPATIONAL LUNG DISEASE (pp. PHILADELPHIA). (BIOSIS/98/02516). Cordova, F; Criner, GJ.
- Corhay, JL; Bury, T; Delavignette, JP; Baharloo, F; Radermecker, M; Hereng, P; Fransolet, AM; Weber, G; Roelandts, I. (1995). Nonfibrous mineralogical analysis of bronchoalveolar lavage fluid from blast-furnace workers. *Arch Environ Health* 50: 312-319. <http://dx.doi.org/10.1080/00039896.1995.9935960>.
- Corhay, JL; Delavignette, JP; Bury, T; Roelandts, I; Weber, G; Radermecker, MF. (1991). Mineralogical analysis of the bronchoalveolar lavage fluid of steel workers. 52: 339-344.
- Corhay, JL; Delavignette, JP; Bury, T; Saint-Remy, P; Radermecker, MF. (1990). Occult exposure to asbestos in steel workers revealed by bronchoalveolar lavage. *Arch Environ Health* 45: 278-282. <http://dx.doi.org/10.1080/00039896.1990.10118746>.

Human Health Hazard Literature Search Results

Off Topic

- Corhay, JL; Delavignette, JP; Roelandts, I; Weber, G; Radermecker, M. (1991). MINERALOGICAL AND CHEMICAL ANALYSIS OF SOME BRONCHOALVEOLAR LAVAGE FLUIDS FROM METAL WORKERS IN THE LIEGE AREA BELGIUM (pp. PARIS). (BIOSIS/91/21009). Corhay, JL; Delavignette, JP; Roelandts, I; Weber, G; Radermecker, M.
- Corhay, JL; Hotermans, G; Biquet, JF; Bury, T; Saint-Remy, P; Bartsch, P; Radermecker, MF. (1989). PLEUROPARENCHYMAL ASBESTOSIS VALUE OF THE ANALYSIS OF BRONCHOALVEOLAR LAVAGE FLUID. *Rev Med Liege* 44: 218-228.
- Corn, CJ; Jr, WM; Dobson, RF. (1987). Electron Microscopic Analysis of Residual Asbestos Remaining in Preparative Vials Following Bleach Digestion (pp. 1-6). (ISSN 0741-0581 EISSN 1553-0817 NIOSH/00170972). Corn, CJ; Williams MG Jr; Dobson, RF.
- Corn, JK; Corn, M. (1995). Changing approaches to assessment of environmental inhalation risk: a case study [Review]. *Milbank Q* 73: 97-119.
- Corn, JK; Starr, J. (1987). Historical perspective on asbestos: policies and protective measures in World War II shipbuilding. *Am J Ind Med* 11: 359-373.
- Corn, M. (1985). Environmental health engineering [Research]. RePORTER Database National Institutes of Health.
- Corn, M. (1986). Asbestos and disease: an industrial hygienist's perspective. *Am Ind Hyg Assoc J* 47: 515-523. <http://dx.doi.org/10.1080/15298668691390151>.
- Corn, M. (1990). Airborne concentrations of asbestos-in-air in buildings and exposures of occupants: risk and regulatory implications.
- Corn, M. (1993). Re: "TLVs for asbestos" [Letter]. *Am J Ind Med* 23: 959.
- Corn, M. (1994). Airborne concentrations of asbestos in non-occupational environments. *Ann Occup Hyg* 38: 495-502.
- Corn, M; 19ed. (1993). Handbook of hazardous materials (pp. 92101-94311). (CIS/95/00682). Corn, M; 19ed.
- Corn, M; Corn, JK. (1993). Re: Historical reasons for attitudes and opinions regarding asbestos and cancer, 1934-1965 [Comment]. *Am J Ind Med* 23: 513-515.
- Corn, M; Crump, K; Farrar, DB; Lee, RJ; Mcfee, DR. (1991). Airborne concentrations of asbestos in 71 school buildings. *Regul Toxicol Pharmacol* 13: 99-114.
- Corn, M; Mcarthur, B; Dellarco, M. (1994). Asbestos Exposures of Building Maintenance Personnel. *Appl Occup Environ Hyg* 9: 845-852.
- Cornelissen, R; Lievense, LA; Heuvers, ME; Maat, AP; Hendriks, RW; Hoogsteden, HC; Hegmans, JP; Aerts, JG. (2012). Dendritic cell-based immunotherapy in mesothelioma [Review]. *Immunotherapy* 4: 1011-1022. <http://dx.doi.org/10.2217/IMT.12.108>.
- Cornia, PB; Lipsky, BA; Dhaliwal, G; Saint, S. (2004). Clinical problem-solving. Red snapper or crab? *N Engl J Med* 350: 1443-1448. <http://dx.doi.org/10.1056/NEJMcps032443>.
- Cornwell, R. (1983). Health Hazard Evaluation Report No. HETA-83-176-1310, Easton Elementary School, Morgantown, West Virginia (pp. 83-176). (NIOSH/00134368). Cornwell, R.
- CORP, GM. (1995). LETTER ON BEHALF OF GENERAL MOTORS CORP TO USEPA RE: GENERAL MOTORS TSCA INTERNAL AUDIT WITH ATTACHMENTS (EPIDEMIOLOGY STUDIES INVOLVING "MACHINING FLUIDS") DATED 07/24/95. (TSCATS/452027). STANDARD OIL CO OF CA.
- Corp, MS. (1983). BIOLOGICAL STUDIES ON INORGANIC POTASSIUM TITANATE FIBERS PREPARED BY ASKELL LAB OF TOXICOLOGY and INDUS MEDICINE. (TSCATS/018264).
- Corp., GSRD. (2006). Phase 1 Environmental Baseline Survey for Leasing Nellis Air Force Base Land for Construction and Maintenance of a Stormwater Detention System and Relocation of Military Family Housing Clark County, Nevada (pp. 255). (NTIS/12810025_a).
- Corp., GSRD. (2007). Environmental Baseline Survey, Real Property Transaction Between Nellis Air Force Base and the City of North Las Vegas for Construction of a Wastewater Treatment Facility, Clark County, Nevada. Phase 1 (pp. 553). (NTIS/12810026_a).
- Corp., GSRD. (2007). Phase 1 Environmental Baseline Survey for the Leasing of Nellis Air Force Base Land for Construction and Operation of a Youth Camp by the National Guard Bureau, Clark County, Nevada (pp. 169). (NTIS/12810028_a).
- Corp., GSRD. (2007). Supplemental Phase 1 Environmental Baseline Survey for the Leasing of Nellis Air Force Base Land for Construction and Operation of a Solar Photovoltaic System, Clark County, Nevada (pp. 133). (NTIS/12810027_a).
- Corp., GSRD. (2009). Phase 1 Environmental Baseline Survey for Construction of a Wastewater Transmission Pipeline by the City of North Las Vegas on Nellis Air Force Base Clark County, Nevada (pp. 345). (NTIS/12810030_a).
- Corradi, M; Goldoni, M; Mutti, A. (2015). A review on airway biomarkers: exposure, effect and susceptibility [Review]. *Expert Review of Respiratory Medicine* 9: 205-220. <http://dx.doi.org/10.1586/17476348.2015.1001373>.
- Corrin, B. (1980). DIAGNOSIS OF ASBESTOS RELATED CANCER (pp. 26-31). (HEEP/81/07795). Corrin, B.
- Corrin, B; Addis, BJ. (1990). Histopathology of the pleura [Review]. *Respiration* 57: 160-175.
- Corrin, B; Dewar, A; Rodriguez-Roisin, R; Turner-Warwick, M. (1985). Fine structural changes in cryptogenic fibrosing alveolitis and asbestosis. *J Pathol* 147: 107-119. <http://dx.doi.org/10.1002/path.1711470206>.
- Cortese, C; Demay, RM; Frain, BM; Grossl, N; Moriarty, AT; Prey, MU; Sharamitaro, N; Van Duzer, S; Committee, CP. (2004). Nongynecologic cytology practice guideline. *Acta Cytol* 48: 521-546.
- Cortés-Jofré, M; Rueda, J. R.; Corsini-Muñoz, G; Fonseca-Cortés, C; Carabaloso, M; Bonfill Cosp, X. (2012). Drugs for preventing lung cancer in healthy people [Review]. *Cochrane Database Syst Rev* 10: CD002141. <http://dx.doi.org/10.1002/14651858.CD002141.pub2>.
- Corti, M. (1997). Epithelial derived growth factors in pulmonary fibrosis [Research]. RePORTER Database National Institutes of Health.
- Corti, M. (1998). Epithelial derived growth factors in pulmonary fibrosis [Research]. RePORTER Database National Institutes of Health.
- Cosentino, A; Warnock, ML. (1992). Cellular and molecular basis of the asbestos-related diseases [Letter]. *Am Rev Respir Dis* 145: 238-239. <http://dx.doi.org/10.1164/ajrccm/145.1.238>.
- Cossette, M. (1984). Defining Asbestos Particulates for Monitoring Purposes (pp. 5-50). (NIOSH/00173437). Cossette, M.
- Cossette, M; Lemonde, J; Massey, DG. (1971). [Alkalinity and coagulation produced by chrysotile asbestos]. *Union Med Can* 100: 759-764.

Human Health Hazard Literature Search Results

Off Topic

- Cossette, M; Winer, AA. (1978). The Standard For Occupational Exposure To Asbestos Being Considered By ASTM Committee E-34 (pp. Definitions and Measurement Methods). (NIOSH/00146043). Cossette, M; Winer, AA.
- Costa, D; Guignard, J; Perezat, H. (1989). PRODUCTION OF FREE RADICALS BY NON-FIBROUS MATERIALS IN A CELL-FREE BUFFER MEDIUM (pp. SECAUCUS). (BIOSIS/90/02025). ROY F. WESTON INC.
- Costa, KA; Cerreta, JM. (1997). ALTERATION OF ELASTIN MRNA LEVELS IN CULTURED CELLS EXPOSED TO PULMONARY FIBROGENIC AGENTS (pp. 6-9). (BIOSIS/97/13014). Costa, KA; Cerreta, JM.
- Costabel, U. (1988). IMMUNOCYTOLOGY OF BRONCHOALVEOLAR LAVAGE CELLS IN NORMALS AND PATIENTS WITH INTERSTITIAL LUNG DISEASE. *Allergologie* 11: 411-416.
- Costabel, U. (1994). BRONCHOALVEOLAR LAVAGE CHARACTERISTICS OF THE BRONCHIOLAR DISEASES (pp. NEW YORK). (BIOSIS/94/07954). Costabel, U.
- Costabel, U; Bross, KJ; Guzman, J; Wurtemberger, G; Ruhler, KH; Matthys, H. (1986). INCREASED T4/T8 RATIOS AND ENHANCED EXPRESSION OF INTERLEUKIN-2 RECEPTORS ON LUNG LYMPHOCYTES IN ASBESTOS EXPOSED MEN. *Bull Europ Physiol Resp* 22: S20-S20.
- Costabel, U; Bross, KJ; Huck, E; Guzman, J; Matthys, H. (1987). Lung and blood lymphocyte subsets in asbestosis and in mixed dust pneumoconiosis. *Chest* 91: 110-112.
- Costabel, U; Donner, CF; Haslam, PL; Rizzato, G; Teschler, H; Velluti, G; Wallaert, B. (1990). CLINICAL GUIDELINES AND INDICATIONS FOR BRONCHOALVEOLAR LAVAGE BAL REPORT OF THE EUROPEAN SOCIETY OF PNEUMOLOGY TASK GROUP ON BAL OCCUPATIONAL LUNG DISEASES DUE TO INHALATION OF INORGANIC DUST. *Eur Respir J* 3: 946-949.
- Costabel, U; Teschler, H; Guzman, J; Bauer, PC; Friedrichs, KH; Konietzko, N. (1992). Diagnostic value of BAL in occupational and environmental lung diseases (pp. 480-484). (BIOSIS/93/06479). Costabel, U; Teschler, H; Guzman, J; Bauer, PC; Friedrichs, KH; Konietzko, N.
- Costantini, AS; Pirastu, R; Lagorio, S; Miligi, L; Costa, G. (1994). Studying cancer among female workers: Methods and preliminary results from a record-linkage system in Italy. *J Occup Med* 36: 1180-1186.
- Costas, E; Garrido, A; Goyanes, VJ. (1998). Nonoccupational exposure to chrysotile asbestos and the risk of lung cancer [Letter]. *N Engl J Med* 339: 1000.
- Costello, J; Castellan, RM; Swecker, GS; Kullman, GK. (1992). Mortality of a cohort of U.S. workers employed in the crushed stone industry, 1940-1980. *Am J Ind Med* 27: 625-640. <http://dx.doi.org/10.1002/ajim.4700270502>.
- Costello, R. (1984). Health Hazard Evaluation Report No. HETA-82-305-1541, Fountain Avenue Landfill, Brooklyn, New York (pp. 82-305). (NIOSH/00148231). Costello, R.
- Cote, RJ; Jhanwar, S; Novick, S; Pellicer, A. (1991). GENETIC ALTERATIONS OF THE P53 GENE ARE A COMMON FEATURE OF MALIGNANT MESOTHELIOMAS (pp. 15-18). (BIOSIS/91/26421). Cote, RJ; Jhanwar, S; Novick, S; Pellicer, A.
- Cote, RJ; Jhanwar, SC; Novick, S; Pellicer, A. (1991). GENETIC ALTERATIONS OF THE P53 GENE ARE A FEATURE OF MALIGNANT MESOTHELIOMAS. *Cancer Res* 51: 5410-5416.
- Cotes, JE. (2000). The Medical Research Council Pneumoconiosis Research Unit, 1945-1985: a short history and tribute. *Occup Med (Lond)* 50: 440-449.
- Cotes, JE; Chinn, DJ; Quanjer, PH; Roca, J; Yernault, JC. (1993). Standardization of the measurement of transfer factor (diffusing capacity). Report Working Party Standardization of Lung Function Tests, European Community for Steel and Coal. Official Statement of the European Respiratory Society [Review]. *Eur Respir J* 6: 41-52. <http://dx.doi.org/10.1183/09041950.041s1693>.
- Cotes, JE; Fulton, HS; King, B; Hutchinson, JEM; Woolley, V. (1987). RELATIONSHIP OF LUNG-FUNCTION TO RADIOGRAPH READING (ILO) IN PATIENTS WITH ASBESTOS-RELATED LUNG-DISEASE. *Thorax* 42: 207-207.
- Cotes, JE; King, B. (1991). The relationship between respiratory impairment and asbestos-related pleural abnormality in an active work force [Letter]. *Am Rev Respir Dis* 143: 1197. http://dx.doi.org/10.1164/ajrccm/143.5_Pt_1.1197.
- Cotes, JE; Steel, J. (1987). Work-related lung disorders.
- Cotruvo, JA. (1983). ASBESTOS IN DRINKING-WATER - A STATUS-REPORT. *Environ Health Perspect* 53: 181-183.
- Cotruvo, JA. (1987). Risk assessment and control decisions for protecting drinking water quality. 214: 693-733. <http://dx.doi.org/10.1021/ba-1987-0214.ch034>.
- Cotruvo, JA; Regelski, M. (1989). NATIONAL PRIMARY DRINKING WATER REGULATIONS FOR SYNTHETIC ORGANIC CHEMICALS INORGANIC CHEMICALS AND MICROBIOLOGICAL CONTAMINANTS (pp. AMENDMENTS). (BIOSIS/89/23959). Cotruvo, JA; Regelski, M.
- Cottrell, A; Schwartz, E; Sokas, R; Kofie, V; Welch, L. (1992). Surveillance of sentinel occupational mortality in the District of Columbia: 1980 to 1987. *Am J Public Health* 82: 117-119.
- Coulson, DM; Haynes, DL; Balaz, ME; Dolder, MP. (1973). Survey of Manual Methods of Measurements of Asbestos, Beryllium, Lead, Cadmium, Selenium, and Mercury in Stationary Source Emissions. (NIOSH/00057091). Coulson, DM; Haynes, DL; Balaz, ME; Dolder, MP.
- COUNCIL, AIH; STEERING; COMMITTEE. (1978). ESTIMATES OF THE FRACTION OF CANCER IN THE UNITED STATES RELATED TO OCCUPATIONAL FACTORS, REPLY AND DRAFT SUMMARY. (EPIDEM/002814). American INDUSTRIAL HEALTH COUNCIL; STEERING; COMMITTEE.
- Council, ASaC. (2006). Asbestos codes of practice and guidance - An introduction.
- Courtice, MN; Berman, DW; Yano, E; Kohyama, N; Wang, X. (2016). Size- and type-specific exposure assessment of an asbestos products factory in China. *J Expo Sci Environ Epidemiol* 26: 63-69. <http://dx.doi.org/10.1038/jes.2015.46>.
- Coustou, F. (1979). Carcinogenic risk of products used in the pharmaceutical and related industries. *IARC Sci Publ* 129-149.
- Coutts, II; Gilson, JC; Kerr, IH; Parkes, WR; Turner-Warwick, M. (1980). MORTALITY IN ASBESTOSIS IN RELATION TO INITIAL RADIOGRAPHIC APPEARANCE (pp. 235-236). (HEEP/81/12457). Coutts, II; Gilson, JC; Kerr, IH; Parkes, WR; Turner-Warwick, M.

Human Health Hazard Literature Search Results

Off Topic

- Coutts, II; Gilson, JC; Kerr, IH; Parkes, WR; Turner-Warwick, M. (1981). PROGRESSION OF INTRA PULMONARY FIBROSIS CAUSED BY ASBESTOS EXPOSURE (pp. 29-30). (ISSN 0040-6376 EISSN 1468-3296 HEEP/82/08966). Coutts, II; Gilson, JC; Kerr, IH; Parkes, WR; Turner-Warwick, M.
- Coutts, II; Gilson, JC; Kerr, IH; Parkes, WR; Turner-Warwick, M. (1987). Significance of finger clubbing in asbestosis. *Thorax* 42: 117-119.
- Covelo, EF; Vega, FA; Andrade, ML. (2007). Heavy metal sorption and desorption capacity of soils containing endogenous contaminants. *J Hazard Mater* 143: 419-430. <http://dx.doi.org/10.1016/j.jhazmat.2006.09.047>.
- Cowan, DM; Cheng, TJ; Ground, M; Sahmel, J; Varughese, A; Madl, AK. (2015). Analysis of workplace compliance measurements of asbestos by the U.S. Occupational Safety and Health Administration (1984-2011). *Regul Toxicol Pharmacol* 72: 615-629. <http://dx.doi.org/10.1016/j.yrtph.2015.05.002>.
- Cowan, DM; Kingsbury, T; Perez, AL; Woods, TA; Kovochich, M; Hill, DS; Madl, AK; Paustenbach, DJ. (2014). Evaluation of the California Safer Consumer Products Regulation and the impact on consumers and product manufacturers. *Regul Toxicol Pharmacol* 68: 23-40. <http://dx.doi.org/10.1016/j.yrtph.2013.11.001>.
- Cowles, SR. (1978). Cancer in the Workplace -Percival Pott to the Present. *Mil Med* 143: 395-400.
- Cox, JE. (1986). ASBESTOS EXPOSURE LIMIT REDUCED. *ASHRAE Journal* 28: 6-6.
- Cox, JE. (1988). ASBESTOS STUDY RELEASED. *ASHRAE Journal* 30: 16-16.
- Cox, LA; Popken, DA. (2007). Some limitations of aggregate exposure metrics. *Risk Anal* 27: 439-445. <http://dx.doi.org/10.1111/j.1539-6924.2007.00896.x>.
- Cox, LA; Popken, DA; Berman, DW. (2013). Causal versus spurious spatial exposure-response associations in health risk analysis [Review]. *Crit Rev Toxicol* 43 Suppl 1: 26-38. <http://dx.doi.org/10.3109/10408444.2013.777689>.
- Crabbe, JV. (1966). Quantitative determination of chrysotile, amosite and crocidolite by x-ray diffraction. *Am Ind Hyg Assoc J* 27: 293-298. <http://dx.doi.org/10.1080/00028896609342830>.
- Crabbe, JV; Knott, MJ. (1966). Application of x-ray diffraction to the determination of chrysotile in bulk or settled dust samples. *Am Ind Hyg Assoc J* 27: 383-387. <http://dx.doi.org/10.1080/00028896609342845>.
- Crabbe, JV; Knott, MJ. (1966). Quantitative X-ray diffraction analysis of crocidolite and amosite in bulk or settled dust samples. *Am Ind Hyg Assoc J* 27: 449-453. <http://dx.doi.org/10.1080/00028896609342452>.
- Craig, DK; Wehner, AP. (1971). GENERATION AND CHARACTERIZATION OF A RESPIRABLE AEROSOL OF CHRYSOTILE ASBESTOS FOR CHRONIC INHALATION STUDIES. *Am Ind Hyg Assoc J* 32: 61-&.
- Craig, DK; Wehner, AP; Morrow, WG. (1972). The generation and characterization of a respirable aerosol of chrysotile asbestos for chronic inhalation studies. *Am Ind Hyg Assoc J* 33: 283-292. <http://dx.doi.org/10.1080/0002889728506651>.
- Craighead, JE. (1984). Asbestos. An environmental reality. *JAMA* 252: 3292-3293.
- Craighead, JE. (1985). Experimental asbestos-induced mesothelioma [Research]. RePORTER Database National Institutes of Health.
- Craighead, JE. (1986). Experimental asbestos-induced mesothelioma [Research]. RePORTER Database National Institutes of Health.
- Craighead, JE. (1987). Current pathogenetic concepts of diffuse malignant mesothelioma [Review]. *Hum Pathol* 18: 544-557.
- Craighead, JE. (1988). 1987 H. P. Smith award lecture. Eyes for the epidemiologist: the pathologist's role in shaping our understanding of the asbestos-associated diseases. *Am J Clin Pathol* 89: 281-287.
- Craighead, JE. (1988). Experimental asbestos-induced mesothelioma [Research]. RePORTER Database National Institutes of Health.
- Craighead, JE. (1989). Experimental asbestos-induced mesothelioma [Research]. RePORTER Database National Institutes of Health.
- Craighead, JE. (1990). Experimental asbestos-induced mesothelioma [Research]. RePORTER Database National Institutes of Health.
- Craighead, JE. (1991). Experimental asbestos-induced mesothelioma [Research]. RePORTER Database National Institutes of Health.
- Craighead, JE. (1992). Experimental asbestos-induced mesothelioma [Research]. RePORTER Database National Institutes of Health.
- Craighead, JE. (1992). Re: "Changing attitudes and opinions regarding asbestos and cancer 1934-1965" [Comment]. *Am J Ind Med* 22: 271-273.
- Craighead, JE. (1995). AIRWAYS AND LUNG (pp. CHICAGO). (BIOSIS/96/17923). Craighead, JE.
- Craighead, JE. (1995). INDOOR AIR QUALITY AND POLLUTION (pp. CHICAGO). (BIOSIS/96/17902). Craighead, JE.
- Craighead, JE. (1995). INORGANIC AND ORGANIC DUST POLLUTANTS (pp. CHICAGO). (BIOSIS/96/17905). Craighead, JE.
- Craighead, JE; Mossman, BT. (1979). Carcinoma induction by 3-methylcholanthrene in hamster tracheal tissue implanted in syngeneic animals. *Prog Exp Tumor Res* 24: 48-60.
- Craighead, JE; Mossman, BT. (1987). Pathogenesis of Mesothelioma (pp. 151-162). (NIOSH/00178742). Craighead, JE; Mossman, BT.
- Craighead, JM. (1988). Response to Dr. Dunnigan's commentary. The role of chrysotile in the pathogenesis of mesothelioma [Letter]. *Am J Ind Med* 14: 241-243.
- Cralley, LJ. (1970). Dust Sampling Instruments and Dust Standards in the United States of America for Asbestos (pp. 10-12). (NIOSH/00177481). Cralley, LJ.
- Cralley, LJ. (1971). Identification and control of asbestos exposures. *Am Ind Hyg Assoc J* 32: 82-85. <http://dx.doi.org/10.1080/0002889718506414>.
- Cralley, LJ; Jr, SF. (1972). Interaction of Metals and Minerals in Carcinogenesis (pp. 14-19). (NIOSH/00041664). Cralley, LJ; Sunderman FW Jr.
- Cralley, LJ; Keenan, RG; Kupel, RE; Kinser, RE; Lynch, JR. (1968). Characterization and solubility of metals associated with asbestos fibers. *Am Ind Hyg Assoc J* 29: 569-573. <http://dx.doi.org/10.1080/00028896809343057>.
- Cralley, LJ; Keenan, RG; Lynch, JR. (1967). Exposure to metals in the manufacture of asbestos textile products. *Am Ind Hyg Assoc J* 28: 452-461. <http://dx.doi.org/10.1080/00028896709342664>.
- Cralley, LV; Atkins, PR. (1975). Industrial environmental health. The worker and the community. (HEEP/76/05565). Cralley, LV; Atkins, PR.

Human Health Hazard Literature Search Results

Off Topic

- Cramer, DW; Welch, WR; Scully, RE; Wojciechowski, CA. (1982). Ovarian cancer and talc: a case-control study. *Cancer* 50: 372-376.
- Crandall, MS; Fleeger, AK. (1989). Health Hazard Evaluation Report No. HETA-88-372-1953, Barbados Ministry of Health, Bridgetown, Barbados (pp. 88-372). (NIOSH/00188718). Crandall, MS; Fleeger, AK.
- Crandall, MS; Singal, M; Anastas, MY. (1988). Health Hazard Evaluation Report No. HETA-84-066-1883, Artesian Industries, Mansfield, Ohio (pp. 84-066). (NIOSH/00180436). Crandall, MS; Singal, M; Anastas, MY.
- Crapo, J; Miller, FJ; Mossman, B; Pryor, WA; Kiley, JP. (1992). NHLBI workshop summary. Environmental lung diseases. Relationship between acute inflammatory responses to air pollutants and chronic lung disease. *Am Rev Respir Dis* 145: 1506-1512. <http://dx.doi.org/10.1164/ajrccm/145.6.1506>.
- Crapo, JD; Broadus, VC; Brody, AR; Malindzak, G; Samet, J; Wright, J. R.; Society, AT. (2003). Workshop on lung disease and the environment: where do we go from here? [Review]. *Am J Respir Crit Care Med* 168: 250-254. <http://dx.doi.org/10.1164/rccm.168.2.250>.
- Crapo, RO; Morris, AH; Clayton, PD; Nixon, CR. (1982). Lung volumes in healthy nonsmoking adults. *Bull Europ Physiol Resp* 18: 419-425.
- Craun, GF; Millette, JR; Woodhull, RS; Laiuppa, R. (1977). EXPOSURE TO ASBESTOS FIBERS IN WATER DISTRIBUTION SYSTEMS. (EPIDEM/002191).
Craun, GF; Millette, JR; Woodhull, RS; Laiuppa, R.
- Cravens, CP. (1998). Asbestos makes a comeback. *Occup Health Saf* 67: 112-115.
- Crawford, D. (1980). Electron microscopy applied to studies of the biological significance of defects in crocidolite asbestos. *J Microsc* 120: 181-192.
- Crawford, D; Miller, K. (1981). Structure and structural changes in crocidolite asbestos associated with biological systems. *Micron* 12: 25-28.
- Crawford, EL; Levin, A; Safi, F; Lu, M; Baugh, A; Zhang, X; Yeo, J; Khuder, SA; Boulos, AM; Nana-Sinkam, P; Massion, PP; Arenberg, DA; Midthun, D; Mazzone, PJ; Nathan, SD; Wainz, R; Silvestri, G; Tita, J; Willey, JC. (2016). Lung cancer risk test trial: study design, participant baseline characteristics, bronchoscopy safety, and establishment of a biospecimen repository. *BMC Pulm Med* 16: 16. <http://dx.doi.org/10.1186/s12890-016-0178-4>.
- Crawford, NP; Brown, P; Cowie, AJ. (1992). THE RICE AND AFRICA SCHEMES FOR ASBESTOS FIBER COUNTING. *Ann Occup Hyg* 36: 59-69.
- Crawford, NP; Maclaren, WM; Brown, P; Jones, AD. (1987). A comparison of fibre counting stopping rules in the application of the membrane filter method. *Ann Occup Hyg* 31: 53-66.
- Creaney, J; Dick, IM; Meniawy, TM; Leong, SL; Leon, JS; Demelker, Y; Segal, A; Musk, AW; Lee, YC; Skates, SJ; Nowak, AK; Robinson, BW. (2014). Comparison of fibulin-3 and mesothelin as markers in malignant mesothelioma. *Thorax* 69: 895-902. <http://dx.doi.org/10.1136/thoraxjnl-2014-205205>.
- Creaney, J; Dick, IM; Robinson, BW. (2015). Comparison of mesothelin and fibulin-3 in pleural fluid and serum as markers in malignant mesothelioma [Review]. *Curr Opin Pulm Med* 21: 352-356. <http://dx.doi.org/10.1097/MCP.000000000000167>.
- Creaney, J; Dick, IM; Segal, A; Musk, AW; Robinson, BW. (2013). Pleural effusion hyaluronic acid as a prognostic marker in pleural malignant mesothelioma. *Lung Cancer* 82: 491-498. <http://dx.doi.org/10.1016/j.lungcan.2013.09.016>.
- Creaney, J; Robinson, BW. (2009). Serum and pleural fluid biomarkers for mesothelioma [Review]. *Curr Opin Pulm Med* 15: 366-370. <http://dx.doi.org/10.1097/MCP.0b013e32832b98eb>.
- Creaney, J; Sneddon, S; Dick, IM; Dare, H; Boudville, N; Musk, AW; Skates, SJ; Robinson, BW. (2013). Comparison of the diagnostic accuracy of the MSLN gene products, mesothelin and megakaryocyte potentiating factor, as biomarkers for mesothelioma in pleural effusions and serum. *Dis Markers* 35: 119-127. <http://dx.doi.org/10.1155/2013/874212>.
- Creaney, J; van Bruggen, I; Hof, M; Segal, A; Musk, AW; de Klerk, N; Horick, N; Skates, SJ; Robinson, BW. (2007). Combined CA125 and mesothelin levels for the diagnosis of malignant mesothelioma. *Chest* 132: 1239-1246. <http://dx.doi.org/10.1378/chest.07-0013>.
- Creaney, J; Yeoman, D; Demelker, Y; Segal, A; Musk, AW; Skates, SJ; Robinson, BW. (2008). Comparison of osteopontin, megakaryocyte potentiating factor, and mesothelin proteins as markers in the serum of patients with malignant mesothelioma. *J Thorac Oncol* 3: 851-857. <http://dx.doi.org/10.1097/JTO.0b013e318180477b>.
- Creaney, J; Yeoman, D; Musk, AW; de Klerk, N; Skates, SJ; Robinson, BW. (2011). Plasma versus serum levels of osteopontin and mesothelin in patients with malignant mesothelioma--which is best? *Lung Cancer* 74: 55-60. <http://dx.doi.org/10.1016/j.lungcan.2011.02.007>.
- Cree, M; Lalji, M; Jiang, B; Carriere, KC; Beach, J; Kamruzzaman, A. (2009). Explaining Alberta's rising mesothelioma rates. *Chronic Dis Can* 29: 144-152.
- Cregan, S; Breslin, M; Roche, G; Wennstedt, S; Macdonagh, L; Albadri, C; Gao, Y; O'Byrne, KJ; Cuffe, S; Finn, SP; Gray, SG. (2017). Kdm6a and Kdm6b: Altered expression in malignant pleural mesothelioma. *Int J Oncol* 50: 1044-1052. <http://dx.doi.org/10.3892/ijo.2017.3870>.
- Cregan, S; Mcdonagh, L; Gao, Y; Barr, MP; O'Byrne, KJ; Finn, SP; Cuffe, S; Gray, SG. (2016). KAT5 (Tip60) is a potential therapeutic target in malignant pleural mesothelioma. *Int J Oncol* 48: 1290-1296. <http://dx.doi.org/10.3892/ijo.2016.3335>.
- Cristaudo, A; Bonotti, A; Simonini, S; Vivaldi, A; Guglielmi, G; Ambrosino, N; Chella, A; Lucchi, M; Mussi, A; Foddìs, R. (2011). Combined serum mesothelin and plasma osteopontin measurements in malignant pleural mesothelioma. *J Thorac Oncol* 6: 1587-1593. <http://dx.doi.org/10.1097/JTO.0b013e31821e1c08>.
- Cristaudo, A; Foddìs, R; Bonotti, A; Simonini, S; Vivaldi, A; Guglielmi, G; Ambrosino, N; Canessa, PA; Chella, A; Lucchi, M; Mussi, A; Mutti, L. (2010). Comparison between plasma and serum osteopontin levels: usefulness in diagnosis of epithelial malignant pleural mesothelioma. *Int J Biol Markers* 25: 164-170.
- Cristaudo, A; Foddìs, R; Vivaldi, A; Guglielmi, G; Dipalma, N; Filiberti, R; Neri, M; Ceppi, M; Paganuzzi, M; Ivaldi, GP; Mencoboni, M; Canessa, PA; Ambrosino, N; Chella, A; Mutti, L; Puntoni, R. (2007). Clinical significance of serum mesothelin in patients with mesothelioma and lung cancer. *Clin Cancer Res* 13: 5076-5081. <http://dx.doi.org/10.1158/1078-0432.CCR-07-0629>.
- Cristiano, LM. (1997). Public health concerns about lung cancer - A case report. *Chest* 112: S214-S215. http://dx.doi.org/10.1378/chest.112.4_Supplement.214S.

Human Health Hazard Literature Search Results

Off Topic

- Criteria Group for Occupational Standards (Criteria Group for Occupational Standards (Sweden)). (1982). Scientific basis for Swedish occupational standards III. In *Arbete och hälsa* (24 ed.). Solna, Sweden: Arbetsmiljöinstitutet.
- Criteria Group for Occupational Standards. (2000). Scientific basis for Swedish occupational standards XXI. Consensus report for Chromium and Chromium compounds. *Arbete och Hälsa* 22: 18-40.
- Croce, M; Vasconcelos, DM; Manso E, RC; Duarte A, JS. (1998). Environmental pollution and respiratory allergy. *Medicina (Kaunas) RIBEIRAO PRETO*: 144-153.
- Crocetti, E; Pirastu, R; Buzzoni, C; Minelli, G; Manno, V; Bruno, C; Fazzo, L; Iavarone, I; Pasetto, R; Ricci, P; Zona, A; Conti, S; Comba, P. (2014). [SENTIERI Project: results]. *Epidemiol Prev* 38: 29-124.
- Cromley, J. (1992). SOME LESSONS LEARNED FROM USING PARTICIPATORY METHODS IN ASBESTOS WORKER TRAINING. *Am J Ind Med* 22: 781-784.
- Cronin, DJ; Blackburn, DH; Haller, WK. (1982). Glass As A Material For Asbestos Standards. 619: 21-28.
- Crosignani, P; Piffer, S. (2004). Respiratory tract cancers: lung and mesothelioma. *Epidemiol Prev* 28: 48-56.
- Cross, AA. (1976). Effect Of Changed Working Techniques On Asbestos Dust Levels In The Working Environment (pp. 121-125). (ISSN 0300-5038 NIOSH/00149804). Cross, AA.
- Cross, AA. (1979). Implementation of regulations and promotion of standards for protective measures in the absence of statutory regulations. *IARC Sci Publ* 71-74.
- Cross, AA. (1979). WHAT TO DO ABOUT THE ASBESTOS CURRENTLY IN SHIPS AND INDUSTRY? (pp. NEW YORK). (ISSN 0077-8923 EISSN 1749-6632 HEEP/81/07853). Cross, AA.
- Cross, AA. (1985). Progress In The Control Of Asbestos Dust In The Work Place (pp. 793-806). (NIOSH/00158304). Cross, AA.
- Cross, CE; Halliwell, B. (1991). BIOLOGICAL CONSEQUENCES OF GENERAL ENVIRONMENTAL CONTAMINANTS (pp. SCIENTIFIC FOUNDATIONS). (BIOSIS/91/11694). Cross, CE; Halliwell, B.
- Cross, CE; Halliwell, B. (1992). BIOLOGICAL CONSEQUENCES OF GENERAL ENVIRONMENTAL CONTAMINANTS (pp. NEW YORK). (BIOSIS/92/08298). Cross, CE; Halliwell, B.
- Crossman, M; Ward, L. (1994). Community Environmental Response Facilitation Act (CERFA) Report. New Orleans Military Ocean Terminal (NOMOT), New Orleans, LA (pp. 61). (NTIS/02993315_a). Crossman, M; Ward, L.
- Crossman, RM. (1993). Office safety pocket guide (pp. 12304-14690). (CIS/94/00135). Crossman, RM.
- Crotty, TB; Myers, JL; Katzenstein, AL; Tazelaar, HD; Swensen, SJ; Churg, A. (1994). Localized malignant mesothelioma. A clinicopathologic and flow cytometric study [Review]. *Am J Surg Pathol* 18: 357-363.
- Crouch, E; Churg, A. (1984). Ferruginous bodies and the histologic evaluation of dust exposure. *Am J Surg Pathol* 8: 109-116.
- Crouzier, D; Follot, S; Gentilhomme, E; Flahaut, E; Arnaud, R; Dabouis, V; Castellarin, C; Debouzy, JC. (2010). Carbon nanotubes induce inflammation but decrease the production of reactive oxygen species in lung. *Toxicology* 272: 39-45.
<http://dx.doi.org/10.1016/j.tox.2010.04.001>.
- Crump, K. (1989). CORRELATION OF CARCINOGENIC POTENCY IN ANIMALS AND HUMANS. *Cell Biol Toxicol* 5: 393-404.
- Crump, K. (2006). Setting the record straight [Letter]. *Int J Occup Environ Health* 12: 180-181; author reply 182-186.
<http://dx.doi.org/10.1179/oeh.2006.12.2.180>.
- Crump, K; Allen, B; Shipp, A. (1989). Choice of dose measure for extrapolating carcinogenic risk from animals to humans: An empirical investigation of 23 chemicals. *Health Phys* 57: 387-393.
- Crump, KS. (1990). In reply: asbestos, carcinogenicity, and public policy. *Science* 248: 799. <http://dx.doi.org/10.1126/science.248.4957.799>.
- Crump, KS; Allen, BC; Howe, RB; Crockett, PW. (1987). Time-related factors in quantitative risk assessment. *J Chronic Dis* 40: 1015-1115.
[http://dx.doi.org/10.1016/S0021-9681\(87\)80013-9](http://dx.doi.org/10.1016/S0021-9681(87)80013-9).
- Crump, KS; Berman, DW. (2011). Counting rules for estimating concentrations of long asbestos fibers. *Ann Occup Hyg* 55: 723-735.
<http://dx.doi.org/10.1093/annhyg/mer027>.
- Crump, KS; Farrar, DB. (1989). STATISTICAL ANALYSIS OF DATA ON AIRBORNE ASBESTOS LEVELS COLLECTED IN AN EPA SURVEY OF PUBLIC BUILDINGS. *Regul Toxicol Pharmacol* 10: 51-62.
- Cruz, E; Schuler, P. (1972). Pulmonary asbestosis (pp. 1011-1014). (HEEP/73/09182). Cruz, E; Schuler, P.
- Cruz, MJ; Curull, V; Pijuan, L; Álvarez-Simón, D; Sánchez-Font, A; de Gracia, J; Culebras, M; Ferrer, J. (2016). Utility of Bronchoalveolar Lavage for the Diagnosis of Asbestos-Related Diseases. *Arch Bronconeumol*. <http://dx.doi.org/10.1016/j.arbres.2016.08.016>.
- Cryberg, RL. (1989). THE ASBESTOS HAZARD - POST-ABATEMENT MONITORING USING TEM. *J Environ Health* 52: 168-169.
- Cucu, M; Andronache, E; Ionescu, I; Zamfirescu, M. (1989). CONSIDERATIONS REGARDING THE HEALTH RISK LINKED TO THE PRESENCE IN THE ATMOSPHERE OF CARCINOID POLLUTING AGENTS (pp. 29-33). (BIOSIS/90/29825). Cucu, M; Andronache, E; Ionescu, I; Zamfirescu, M.
- Cuendet, PA; Bilat, D. (1984). [Evaluation of the degree of protection provided by a cartridge-mask system during working with asbestos]. *Soz Praventivmed* 29: 42-43.
- Cui, H; Wu, W; Okuhira, K; Miyazawa, K; Hattori, T; Sai, K; Naito, M; Suzuki, K; Nishimura, T; Sakamoto, Y; Ogata, A; Maeno, T; Inomata, A; Nakae, D; Hirose, A; Nishimaki-Mogami, T. (2014). High-temperature calcined fullerene nanowhiskers as well as long needle-like multi-wall carbon nanotubes have abilities to induce NLRP3-mediated IL-1 β secretion. *Biochem Biophys Res Commun* 452: 593-599.
<http://dx.doi.org/10.1016/j.bbrc.2014.08.118>.
- Cukić, V; Ustamujić, A; Lovre, V; Zutić, H; Genjac, S; Masić-Zečević, M. (2008). Malignant pleural mesothelioma treated in Clinic for Pulmonary Diseases and Tuberculosis "Podhrastovi" in ten-year period (from 1998 to 2007). *Bosn J Basic Med Sci* 8: 361-366.
- Cullen, MR. (1988). Beta-carotene/retinol chemoprevention trial in asbestos [Research]. RePORTER Database National Institutes of Health.
- Cullen, MR. (1989). Beta-carotene/retinol chemoprevention trial in asbestos [Research]. RePORTER Database National Institutes of Health.

Human Health Hazard Literature Search Results

Off Topic

- Cullen, MR. (1990). Beta-carotene/retinol chemoprevention trial in asbestos [Research]. RePORTER Database National Institutes of Health.
- Cullen, MR. (1991). Beta-carotene/retinol chemoprevention trial in asbestos [Research]. RePORTER Database National Institutes of Health.
- Cullen, MR. (1992). Beta-carotene/retinol chemoprevention trial in asbestos [Research]. RePORTER Database National Institutes of Health.
- Cullen, MR. (1993). Beta-carotene/retinol chemoprevention trial in asbestos [Research]. RePORTER Database National Institutes of Health.
- Cullen, MR. (1994). Caret--study center [Research]. RePORTER Database National Institutes of Health.
- Cullen, MR. (1995). Caret--study center [Research]. RePORTER Database National Institutes of Health.
- Cullen, MR. (1996). The amphibole hypothesis of asbestos-related cancer--gone but not forgotten [Editorial]. *Am J Public Health* 86: 158-159.
- Cullen, MR. (1996). Caret--study center [Research]. RePORTER Database National Institutes of Health.
- Cullen, MR. (1996). Caret--study center [Research]. RePORTER Database National Institutes of Health.
- Cullen, MR. (1998). Chrysotile asbestos: enough is enough. *Lancet* 351: 1377-1378. [http://dx.doi.org/10.1016/S0140-6736\(05\)79440-X](http://dx.doi.org/10.1016/S0140-6736(05)79440-X).
- Cullen, MR; Cherniack, MG. (1989). Spectrum of occupational disease in an academic hospital-based referral center in Connecticut from 1979 to 1987. *Arch Intern Med* 149: 1621-1626.
- Cullen, MR; Cherniack, MG; Rosenstock, L. (1990). Occupational Medicine (First of Two Parts). *N Engl J Med* 322: 594-601.
- Cullen, MR; Harari, R. (1995). Occupational Health Research in Developing Countries: The Experience in Ecuador. *Int J Occup Environ Health* 1: 39-46.
- Cullen, R; Miller, B; Davis, J; Brown, D; Donaldson, K. (1997). Short-term inhalation and in vitro tests as predictors of fiber pathogenicity. *Environ Health Perspect* 105 Suppl 5: 1235-1240.
- Culley, MR; Zorland, J; Freire, K. (2010). Community responses to naturally occurring asbestos: implications for public health practice. *Health Educ Res* 25: 877-891. <http://dx.doi.org/10.1093/her/cyq039>.
- Cullinan, P; Pearce, N. (2012). The asbestos disease epidemic: here today, here tomorrow [Editorial]. *Thorax* 67: 98-99. <http://dx.doi.org/10.1136/thoraxjnl-2011-201180>.
- Culp, T; Cox, W; Hwang, H; Irwin, M; Jones, A. (1993). 1992 Environmental monitoring report, Sandia National Laboratories, Albuquerque, New Mexico. 320.
- Cummings, KJ; Pearce, TA; Kitt, M; Martin, SB. (2006). NIOSH Health Hazard Evaluation Report: HETA No. 2005-0329-2995, Swannanoa Valley Youth Development Center, Swannanoa, North Carolina, March 2006. 26.
- Cunniff, B; Benson, K; Stumpff, J; Newick, K; Held, P; Taatjes, D; Joseph, J; Kalyanaraman, B; Heintz, NH. (2013). Mitochondrial-targeted nitroxides disrupt mitochondrial architecture and inhibit expression of peroxiredoxin 3 and FOXM1 in malignant mesothelioma cells. *J Cell Physiol* 228: 835-845. <http://dx.doi.org/10.1002/jcp.24232>.
- Cunningham, HM; Pontefract, R. (1971). Asbestos fibres in beverages and drinking water. *Nature* 232: 332-333.
- Cunningham, HM; Pontefract, RD. (1973). SYMPOSIUM ON INDUSTRIAL CHEMICALS AS FOOD CONTAMINANTS ASBESTOS FIBERS IN BEVERAGES DRINKING WATER AND TISSUES THEIR PASSAGE THROUGH THE INTESTINAL WALL AND MOVEMENT THROUGH THE BODY (pp. 976-981). (HEEP/75/03733). Cunningham, HM; Pontefract, RD.
- Curran, AD. (1999). Flow cytometry in the exploration of the physiopathology of occupational lung disease. *Occup Environ Med* 56: 742-746.
- Curtis, F. (1991). Monitoring the presence of asbestos in a residential apartment building. *Environ Pollut* 71: 69-81.
- Curtis, RA. (1974). Industrial Hygiene of Raybestos-Manhattan Asbestos Textile Plant, North Charleston, South Carolina. (NIOSH/00105097). Curtis, RA.
- Cutright, DE; Huget, EF; Brady, JM. (1980). Asbestos: a subtle carcinogen in the dental laboratory. *Gen Dent* 28: 46-50.
- Cutrone, R; Lednicky, J; Dunn, G; Rizzo, P; Bocchetta, M; Chumakov, K; Minor, P; Carbone, M. (2005). Some oral poliovirus vaccines were contaminated with infectious SV40 after 1961. *Cancer Res* 65: 10273-10279. <http://dx.doi.org/10.1158/0008-5472.CAN-05-2028>.
- C-Y, H; Choudhuri, MSK; Berg, IE; Rao, NGS; Chaturvedi, AK. (1984). Toxicity Of 1-Phenylcyclohexene And Its Interaction With Phencyclidine. *Toxicol Appl Pharmacol* 76: 403-413.
- Czarnobilska, E; Kopinski, P; Pituch-Noworolska, A; Chlap, Z. (1992). Reactivity of bronchoalveolar space cells in lung asbestosis (pp. 19-23). (BIOSIS/92/21593). Czarnobilska, E; Kopinski, P; Pituch-Noworolska, A; Chlap, Z.
- Czuba, R; Andruszczak, E; Chodak, T; Bogda, A; Straczynski, S. (1992). The impact of the Naslawice mine on the crops growing in its vicinity. *Med Pr* 43: 227-233.
- D,Riot, G; Godefroy, JP. (2005). [The tragedy of asbestos in France: Understanding the issue, improving workers' compensation and drawing the lessons for the future].
- da Silva, SP; Wander, AP; Bisatto, R; Galland, GB. (2011). Preparation and characterization of chrysotile for use as nanofiller in polyolefins. *Nanotechnology* 22: 105701. <http://dx.doi.org/10.1088/0957-4484/22/10/105701>.
- Dab, W. (1998). [Catastrophe and public health: reasons for an impasse] [Editorial]. *Presse Med* 27: 1385-1386.
- Daba, MH; El-Tahir, KE; Al-Arifi, MN; Gubara, OA. (2004). Drug-induced pulmonary fibrosis [Review]. *Saudi Med J* 25: 700-706.
- Dacre, JC; Tabershaw, IR. (1970). Thiocyanate in saliva and sputum. Relationship to smoking and industrial exposures. *Arch Environ Health* 21: 47-49.
- D'acri, V; Souza, KR, d; Santos, M; Castro, HA, d. (2009). Formação de trabalhadores e pesquisa na construção do movimento de ação solidária de luta pela saúde: o caso da Associação Brasileira de Expostos ao Amianto do Rio de Janeiro (ABREA/RJ). 18: 154-163.
- Daetwyler, JJ. (1982). Asbestos estimated and dangerous. *Acta Pharm Technol*: 81-86.
- Dagani, R. (1981). Asbestos, smoking link to cancer probed. *Chem Eng News* 59: 21-22.
- Dagenais, M; Skeldon, A; Saleh, M. (2012). The inflammasome: in memory of Dr. Jurg Tschopp. *Cell Death Differ* 19: 5-12. <http://dx.doi.org/10.1038/cdd.2011.159>.

Human Health Hazard Literature Search Results

Off Topic

- Daghino, S; Martino, E; Fenoglio, I; Tomatis, M; Perotto, S; Fubini, B. (2005). Inorganic materials and living organisms: surface modifications and fungal responses to various asbestos forms. *Chemistry* 11: 5611-5618. <http://dx.doi.org/10.1002/chem.200500046>.
- Daghino, S; Martino, E; Vurro, E; Tomatis, M; Girlanda, M; Fubini, B; Perotto, S. (2008). Bioweathering of chrysotile by fungi isolated in ophiolitic sites. *FEMS Microbiol Lett* 285: 242-249. <http://dx.doi.org/10.1111/j.1574-6968.2008.01239.x>.
- Daghino, S; Turci, F; Tomatis, M; Favier, A; Perotto, S; Douki, T; Fubini, B. (2006). Soil fungi reduce the iron content and the DNA damaging effects of asbestos fibers. *Environ Sci Technol* 40: 5793-5798. <http://dx.doi.org/10.1021/es060881v>.
- Daghino, S; Turci, F; Tomatis, M; Girlanda, M; Fubini, B; Perotto, S. (2009). Weathering of chrysotile asbestos by the serpentine rock-inhabiting fungus *Verticillium leptobactrum*. *FEMS Microbiol Ecol* 69: 132-141. <http://dx.doi.org/10.1111/j.1574-6941.2009.00695.x>.
- Dagle, GE; Wehner, AP. (1985). ASBESTOSIS HAMSTER (pp. BERLIN). (BIOSIS/85/10561). Dagle, GE; Wehner, AP.
- D'Agostin, F; Negro, C; Barbati, G; De Zotti, R. (2012). [Anti-smoking counseling in a group of workers with past exposure to asbestos]. *Med Lav* 103: 449-458.
- Dahl I, MS; Laurent, TC. (1988). CONCENTRATION OF HYALURONAN IN THE SERUM OF UNTREATED CANCER PATIENTS WITH SPECIAL REFERENCE TO PATIENTS WITH MESOTHELIOMA. *Cancer PHILA*: 326-330.
- Dai, J; Xie, CS; Churg, A. (2002). Iron loading makes a nonfibrogenic model air pollutant particle fibrogenic in rat tracheal explants. *Am J Respir Cell Mol Biol* 26: 685-693.
- Dainese, E; Pozzi, B; Milani, M; Rossi, G; Pezzotta, MG; Vertemati, G; Tricomi, P; Sessa, F. (2010). Primary pleural epithelioid angiosarcoma. A case report and review of the literature [Review]. *Pathol Res Pract* 206: 415-419. <http://dx.doi.org/10.1016/j.prp.2009.11.008>.
- Dalal, NS; Newman, J; Pack, D; Leonard, S; Vallyathan, V. (1995). HYDROXYL RADICAL GENERATION BY COAL-MINE DUST - POSSIBLE IMPLICATION TO COAL-WORKERS PNEUMOCONIOSIS (CWP). *Free Radic Biol Med* 18: 11-20.
- D'Albuquerque, LA; Padilla, JM; Rodrigues, AL; Souza, MV; Quireze Júnior, C; Meniconi, MT; Copstein, JL; dos Santos Júnior, ED; de Melo, CR; Santo, GC; de Oliveira e Silva, A. (1997). [Diffuse primary malignant mesothelioma in abdominal cavity]. *Arq Gastroenterol* 34: 163-168.
- Dalcin, P; Dewever, I; Moerman, P; Vandenberghe, H. (1991). TRANSLOCATION X-12 IN MESOTHELIOMA. *Cancer Genet Cytogenet* 55: 115-118.
- DALE, JC; KING, EJ. (1953). Acute toxicity of mineral dusts. *AMA Arch Ind Hyg Occup Med* 7: 478-483.
- Dale, JC; King, EJ. (1953). Adsorption of dyes, amino acids, proteins, and metal hydroxides on quartz. *Arch Ind Hyg Occup Med* 7: 484-489.
- Dale, MT; Mckeough, Z; Munoz, PA; Corte, P; Bye, PTP; Alison, JA. (2013). Functional exercise capacity and health-related quality of life in people with asbestos related pleural disease: an observational study. *BMC Pulm Med* 13: 1. <http://dx.doi.org/10.1186/1471-2466-13-1>.
- Dale, MT; Mckeough, ZJ; Munoz, PA; Corte, P; Bye, PT; Alison, JA. (2014). Exercise training for asbestos-related and other dust-related respiratory diseases: a randomised controlled trial. *BMC Pulm Med* 14: 180. <http://dx.doi.org/10.1186/1471-2466-14-180>.
- Dale, MT; Mckeough, ZJ; Troosters, T; Bye, P; Alison, JA. (2015). Exercise training to improve exercise capacity and quality of life in people with non-malignant dust-related respiratory diseases [Review]. *Cochrane Database Syst Rev* 11: CD009385. <http://dx.doi.org/10.1002/14651858.CD009385.pub2>.
- Dalton, AJ. (1998). Hazards of white asbestos [Comment]. *Lancet* 352: 322.
- Dalton, DS. (1985). U.S. EPA ENFORCEMENT APPROACH TO ASBESTOS SITE CLEANUP (pp. Hazardous Materials Control Research Institute; 1985:1921-1925). (HMTC/85/0003317). Dalton, DS.
- Damhuis, RA; Planteydt, HT. (1995). Mesothelioma [Letter]. *Lancet* 345: 1233-1234.
- Damhuis, RA; Planteydt, HT. (1995). Trends in incidence of pleural mesothelioma in the Rotterdam area [Letter]. *Int J Cancer* 60: 883.
- Damhuis, RA; van Gelder, T. (1993). Malignant mesothelioma in the Rotterdam area, 1987-1989. *Eur J Cancer* 29A: 1478-1479.
- Damiran, N; Silbergeld, EK; Frank, AL; Lkhasuren, O; Ochir, C; Breyse, PN. (2015). Exposure to airborne asbestos in thermal power plants in Mongolia [Erratum]. *Int J Occup Environ Health* 21: 137-141. <http://dx.doi.org/10.1179/2049396715Y.0000000001>.
- Dammann, R; Strunnikova, M; Schagdarsurengin, U; Rastetter, M; Papritz, M; Hattenhorst, UE; Hofmann, HS; Silber, RE; Burdach, S; Hansen, G. (2005). CpG island methylation and expression of tumour-associated genes in lung carcinoma. *Eur J Cancer* 41: 1223-1236. <http://dx.doi.org/10.1016/j.ejca.2005.02.020>.
- Daniel, FB; Beach, CA; Hart, RW. (1980). Asbestos-Induced Changes In The Metabolism Of Polycyclic Aromatic Hydrocarbons In Human Fibroblast Cell Cultures (pp. 255-262). (NIOSH/00158492). Daniel, FB; Beach, CA; Hart, RW.
- Daniel, H; Le Bouffant, L. (1980). Study Of A Quantitative Scale For Assessing The Cytotoxicity Of Mineral Dusts (pp. 33-39). (NIOSH/00158617). Daniel, H; Le Bouffant, L.
- Daniel, LN; Mao, Y; Saffiotti, U. (1993). Oxidative DNA damage by crystalline silica. *Free Radic Biol Med* 14: 463-472.
- Daniel, LN; Mao, Y; Wang, TC; Markey, CJ; Markey, SP; Shi, X; Saffiotti, U. (1995). DNA strand breakage, thymine glycol production, and hydroxyl radical generation induced by different samples of crystalline silica in vitro. *Environ Res* 71: 60-73. <http://dx.doi.org/10.1006/enrs.1995.1068>.
- Daniels, CE; Jett, JR. (2005). Does interstitial lung disease predispose to lung cancer? *Curr Opin Pulm Med* 11: 431-437.
- Daniels, RD; Kubale, TL; Yiin, JH; Dahm, MM; Hales, TR; Baris, D; Zahm, SH; Beaumont, JJ; Waters, KM; Pinkerton, LE. (2014). Mortality and cancer incidence in a pooled cohort of US firefighters from San Francisco, Chicago and Philadelphia (1950-2009). *Occup Environ Med* 71: 388-397. <http://dx.doi.org/10.1136/oemed-2013-101662>.
- Daniels, WJ. (1980). Health Hazard Evaluation Determination Report No. HHE-79-151-657, Dearborn Rubber Corporation, Westmont, Illinois (pp. 79-151). (NIOSH/00179184). Daniels, WJ.
- Daniels, WJ. (1987). Health Hazard Evaluation Report No. HETA-86-343-1822, Sheller-Globe (Allen Industries, Inc.), Herrin, Illinois (pp. 86-343). (NIOSH/00174299). International Agency for Research on Cancer.

Human Health Hazard Literature Search Results

Off Topic

- Daniels, WJ; Orris, P; Arnold, S. (1985). Health Hazard Evaluation Report No. HETA-83-325-1564, Ladish Company, Cudahy, Wisconsin (pp. 83-325). (NIOSH/00147427). Daniels, WJ; Orris, P; Arnold, S.
- Daniels, WJ; Salisbury, S. (1997). Expert Systems: OSHA's Interactive Advisors Project. *Appl Occup Environ Hyg* 12: 250-252.
- Danielsen, TE; Langård, S; Andersen, A. (1996). Incidence of cancer among Norwegian boiler welders. *Occup Environ Med* 53: 231-234.
- Danielson, G. (1984). Hygienic Threshold Limits. (NIOSH/00160812). Danielson, G.
- D'Arco, P; Noel, Y; Demichelis, R; Dovesi, R. (2009). Single-layered chrysotile nanotubes: A quantum mechanical ab initio simulation. *J Chem Phys* 131: 204701. <http://dx.doi.org/10.1063/1.3251791>.
- Dardick, I; Jabi, M; McCaughey, WTE; Deodhare, S; Van Nostrand, AWP; Srigley, JR. (1987). Diffuse Epithelial Mesothelioma: A Review of the Ultrastructural Spectrum. *Ultrastruct Pathol* 11: 503-533.
- Dark, G. (2003). Recent advances in mesothelioma. *Clin Med* 3: 314-317.
- Darke, C; Wagner, MM; Mcmillan, GH. (1979). HLA-A and B antigen frequencies in an asbestos exposed population with normal and abnormal chest radiographs. *Tissue Antigens* 13: 228-232.
- Darne, C; Coulais, C; Terzetti, F; Fontana, C; Binet, S; Gaté, L; Guichard, Y. (2016). In vitro comet and micronucleus assays do not predict morphological transforming effects of silica particles in Syrian Hamster Embryo cells. *Mutat Res Genet Toxicol Environ Mutagen* 796: 23-33. <http://dx.doi.org/10.1016/j.mrgentox.2015.11.012>.
- Das, S; Teoh, SL. (2016). The emerging role of the Hippo pathway in lung cancers: Clinical implications. *Curr Drug Targets*.
- Das, SC; Sarkar, PK; Bhuyan, M; Rao, KM. (1989). Substrate preference of Simuliidae larvae in the field in India. *J Am Mosq Control Assoc* 5: 96-97.
- Datta, A; Smith, R; Fiorentino, F; Treasure, T. (2014). Surgery in the treatment of malignant pleural mesothelioma: recruitment into trials should be the default position. *Thorax* 69: 194-197. <http://dx.doi.org/10.1136/thoraxjnl-2013-203846>.
- Daugel'-Dauge, NO; Durnev, AD; Kulakova, AV; Seredenin, SB; Velichkovskii, BT. (1995). [Corpuscular mutagenesis and its prevention]. *Vestn Ross Akad Med Nauk* 1: 29-38.
- Daul, CB; Morgan, JE; Deshazo, RD. (1984). EFFECT OF CHRYSOTILE ASBESTOS ON B-LYMPHOCYTE PROLIFERATION AND IMMUNOGLOBULIN PRODUCTION (pp. 845A). (BIOSIS/85/01411). Daul, CB; Morgan, JE; Deshazo, RD.
- Davalle, MJ; Faber, LP; Kittle, CF; Jensik, RJ. (1986). Extrapleural pneumonectomy for diffuse, malignant mesothelioma. *Ann Thorac Surg* 42: 612-618.
- Davenport, J. (1989). Pleural mesothelioma [Review]. *Am Fam Physician* 39: 151-154.
- Davies, D. (1983). Asbestos related diseases without asbestosis [Editorial]. *Br Med J (Clin Res Ed)* 287: 164-165.
- Davies, D. (1984). Are all mesotheliomas due to asbestos? [Editorial]. *Br Med J (Clin Res Ed)* 289: 1164-1165.
- Davies, HE; Musk, AW; Lee, YCG. (2008). Prophylactic radiotherapy for pleural puncture sites in mesothelioma: the controversy continues. *Curr Opin Pulm Med* 14: 326-330.
- Davies, JCA. (1991). DEJA-VU. *Am J Ind Med* 19: 141-143.
- Davies, L; Cherrie, JW. (1992). AIRBORNE FIBER CONCENTRATIONS IN A GLASS CONTINUOUS FILAMENT FACTORY. *Ann Occup Hyg* 36: 609-627.
- Davies, MJ; Slater, TF. (1988). The use of electron-spin-resonance techniques to detect free-radical formation and tissue damage. *Proc Nutr Soc* 47: 397-406.
- Davies, P; Allison, AC. (1976). The macrophage as a secretory cell in chronic inflammation [Review]. *Agents and Actions* 6: 60-74.
- Davies, P; Allison, AC; Cardella, CJ. (1975). The relation between connective tissue cells and intercellular substances, including basement membranes. *Philos Trans R Soc Lond B Biol Sci* 271: 363-377.
- Davis, BL. (1990). QUANTITATIVE-ANALYSIS OF ASBESTOS MINERALS BY THE REFERENCE INTENSITY-X-RAY DIFFRACTION PROCEDURE. *Am Ind Hyg Assoc J* 51: 297-303.
- Davis, C. (2007). Fatal legacy of asbestos. *Nurs Stand* 21: 24-25.
- Davis, DL. (1992). Asbestos exposure [Letter]. *J Natl Cancer Inst* 84: 537-538.
- Davis, DL; Mandula, B; Van Ryzin, JV. (1985). Assessing the power and quality of epidemiologic studies of asbestos-exposed populations. *Toxicol Ind Health* 1: 93-110.
- Davis, DR. (1987). Potential health hazards of ceramic ring lining material. *J Prosthet Dent* 57: 362-369.
- Davis, DR. (1995). Release of asbestos fibers during casting ring liner manipulation. *J Prosthet Dent* 74: 294-298.
- Davis, JJ; Gulson, BL. (2005). Ceiling (attic) dust: a "museum" of contamination and potential hazard. *Environ Res* 99: 177-194. <http://dx.doi.org/10.1016/j.envres.2004.10.011>.
- Davis, JM. (1964). THE ULTRASTRUCTURE OF ASBESTOS BODIES FROM GUINEA-PIG LUNGS. *Br J Exp Pathol* 45: 634-641.
- Davis, JM. (1964). THE ULTRASTRUCTURE OF ASBESTOS BODIES FROM HUMAN LUNG. *Br J Exp Pathol* 45: 642-646.
- Davis, JM. (1972). The effects of polyvinyl pyridine-N-oxide (P204) on the cytopathogenic action of chrysotile asbestos in vivo and in vitro. *Br J Exp Pathol* 53: 652-658.
- Davis, JM. (1988). On the statement by Jacques Dunnigan. *Am J Ind Med* 14: 629-630.
- Davis, JM; Gross, P; Harley, RA. (1976). The mineral dust load of human lungs. *Am J Ind Med* 26: 103-113.
- Davis, JM; Gylseth, B; Morgan, A. (1986). Assessment of mineral fibres from human lung tissue [Review]. *Thorax* 41: 167-175.
- Davis, JMG. (1980). THE USE OF ANIMAL INHALATION EXPERIMENTS IN THE STUDY OF ASBESTOS BIOEFFECTS. *Staub, Reinhaltung der Luft* 40: 453-455.
- Davis, JMG. (1987). Carcinogenicity of Kevlar aramid pulp following intraperitoneal injection into rats. (NIOSH/00175443). Davis, JMG.
- Davis, JMG; Donaldson, K. (1993). RESPIRABLE INDUSTRIAL FIBERS - PATHOLOGY IN ANIMAL-MODELS. *Ann Occup Hyg* 37: 227-236.

Human Health Hazard Literature Search Results

Off Topic

- Davis, JMG; Gross, P; De Treville, RTP. (1970). Ferruginous bodies in guinea pigs: fine structure produced experimentally from minerals other than asbestos. *Arch Pathol Lab Med* 89: 364-373.
- Davis, WP; Janssen, YMW; Mossman, BT; Taatjes, DJ. (1997). Simultaneous Triple Fluorescence Detection of mRNA Localization, Nuclear DNA, and Apoptosis in Cultured Cells Using Confocal Scanning Laser Microscopy. *Histochem Cell Biol* 108: 307-311.
- Davis, WP; Janssen, YMW; Timblin, CJ; Churg, A; Mossman, BT; Taatjes, DJ. (1997). Localization of c-jun mRNA by in situ hybridization in rat pleural mesothelial cells exposed to asbestos, reactive oxygen or nitrogen intermediates. *FASEB J* 11: 1321-1321.
- Dawkins, SA; Gerhard, H; Nevin, M. (1991). Pulmonary Alveolar Proteinosis: A Possible Sequel of NO₂ Exposure. *J Occup Med* 33: 638-641.
- Day, MJ; Pearson, GR; Lucke, VM; Lane, SJ; Sparks, RSJ. (1996). Lesions associated with mineral deposition in the lymph node and lung of the dog. *Vet Pathol* 33: 29-42.
- Day, NE. (1985). Interpretation of negative epidemiological evidence for carcinogenicity. Statistical considerations. *IARC Sci Publ* 13-27.
- Day, NE; Brown, CC. (1980). Multistage models and primary prevention of cancer. *J Natl Cancer Inst* 64: 977-989.
- Day, R; Lemaire, I; Lemaire, S. (1983). INCREASED LEVELS OF VASOACTIVE INTESTINAL PEPTIDE (VIP) IN BRONCHOALVEOLAR LAVAGE FLUIDS AND LUNG-TISSUE OF RATS EXPOSED TO ASBESTOS. *Am Rev Respir Dis* 127: 167-167.
- Daynard, RA; Howard, PT; Wilking, CL. (2004). Private enforcement: Litigation as a tool to prevent obesity. *J Public Health Policy* 25: 408-417.
- Dazzi, H; Thatcher, N; Hasleton, PS; Chatterjee, AK; Lawson, RA. (1990). DNA analysis by flow cytometry in malignant pleural mesothelioma: relationship to histology and survival. *J Pathol* 162: 51-55. <http://dx.doi.org/10.1002/path.1711620110>.
- de Andrade, GC; Silveira, RL; Arantes, AA; Fonseca, GA; Pinheiro, N. (2004). Penetrating brain injury due to a large asbestos fragment treated by decompressive craniectomy: case report. *Arq Neuropsiquiatr* 62: 1104-1107.
- de Assis, L; Isoldi, MC. (2014). Comments on the introduction of the paper "Overview of the biochemical and genetic processes in malignant mesothelioma" reply. *J Bras Pneumol* 40: 586-587. <http://dx.doi.org/10.1590/S1806-37132014000500018>.
- de Assis, LV; Locatelli, J; Isoldi, MC. (2014). The role of key genes and pathways involved in the tumorigenesis of Malignant Mesothelioma. *Biochim Biophys Acta* 1845: 232-247. <http://dx.doi.org/10.1016/j.bbcan.2014.01.008>.
- de Bittencourt Pasquali, MA; de Oliveira, MR; De Bastiani, MA; da Rocha, RF; Schnorr, CE; Gasparotto, J; Gelain, DP; Fonseca Moreira, JC. (2012). L-NAME co-treatment prevent oxidative damage in the lung of adult Wistar rats treated with vitamin A supplementation. *Cell Biochem Funct* 30: 256-263. <http://dx.doi.org/10.1002/cbf.2791>.
- de Bittencourt Pasquali, MA; Gelain, DP; de Oliveira, MR; Behr, GA; da Motta, LL; da Rocha, RF; Klamt, F; Fonseca Moreira, JC. (2009). Vitamin A Supplementation for Different Periods Alters Oxidative Parameters in Lungs of Rats. *J Med Food* 12: 1375-1380. <http://dx.doi.org/10.1089/jmf.2008.0298>.
- De Bruin, ML; Burgers, JA; Baas, P; Van 't Veer, MB; Noordijk, EM; Louwman, MW; Zijlstra, JM; van Den Berg, H; Aleman, BM; van Leeuwen, FE. (2009). Malignant mesothelioma after radiation treatment for Hodgkin lymphoma. *Blood* 113: 3679-3681. <http://dx.doi.org/10.1182/blood-2008-10-184705>.
- de Castro, AB; Garcia, G; Gee, GC; Tsai, JHC; Rue, T; Takeuchi, DT. (2010). Smoking and the Asian American Workforce in the National Latino and Asian American Study. *Am J Ind Med* 53: 171-178. <http://dx.doi.org/10.1002/ajim.20697>.
- de Cupis, A; Pirani, P; Favoni, RE. (1998). Establishment and preliminary characterization of human malignant mesothelioma cell lines. *Monaldi Arch Chest Dis* 53: 188-192.
- de Cupis, A; Semino, C; Pirani, P; Loprevite, M; Ardizzoni, A; Favoni, RE. (2003). Enhanced effectiveness of last generation antiproliferative compounds vs. cisplatin on malignant pleural mesothelioma cell lines. *Eur J Pharmacol* 473: 83-95. [http://dx.doi.org/10.1016/S0014-2999\(03\)01907-1](http://dx.doi.org/10.1016/S0014-2999(03)01907-1).
- de Grandpré, L. (1975). [Workers' health is too precious to be a political balloon]. *Can Med Assoc J* 112: 999, 1002.
- De, K; Kumar, D; Kumar, K; Sahoo, A; Naqvi, SMK. (2015). Effect of different types of housing on behavior of Malpura lambs during winter in semi-arid tropical environment. *J Vet Behav Clin Appl Res* 10: 237-242. <http://dx.doi.org/10.1016/j.jveb.2015.02.005>.
- de Klerk, NH; Musk, AW; Ambrosini, GL; Eccles, JL; Hansen, J; Olsen, N; Watts, VL; Lund, HG; Pang, SC; Beilby, J; Hobbs, MS. (1998). Vitamin A and cancer prevention II: comparison of the effects of retinol and beta-carotene. *Int J Cancer* 75: 362-367.
- de Klerk, NH; Musk, AW; James, A; Glancy, JJ; Cookson, WO. (1990). Comparison of chest radiograph reading methods for assessing progress of pneumoconiosis over 10 years in Wittenoom crocidolite workers. *Br J Ind Med* 47: 127-131.
- de Klerk, NH; Musk, AW; Williams, V; Filion, PR; Whitaker, D; Shilkin, KB. (1996). Comparison of measures of exposure to asbestos in former crocidolite workers from Wittenoom Gorge, W. Australia. *Am J Ind Med* 30: 579-587. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199611\)30:5<579::AID-AJIM5>3.0.CO;2-O](http://dx.doi.org/10.1002/(SICI)1097-0274(199611)30:5<579::AID-AJIM5>3.0.CO;2-O).
- De Lamberterie, G; Maître, A; Goux, S; Brambilla, C; Perdrix, A. (2002). [How do we reduce the under-reporting of occupational primary lung cancer]. *Rev Mal Respir* 19: 190-195.
- de Lima, VA; Sørensen, JB. (2015). Third-line chemotherapy with carboplatin, gemcitabine and liposomised doxorubicin for malignant pleural mesothelioma. *Med Oncol* 32: 458. <http://dx.doi.org/10.1007/s12032-014-0458-x>.
- de Melo, M; Gerbase, MW; Curran, J; Pache, JC. (2006). Phosphorylated extracellular signal-regulated kinases are significantly increased in malignant mesothelioma. *J Histochem Cytochem* 54: 855-861. <http://dx.doi.org/10.1369/jhc.5A6807.2006>.
- De Nava, CC. (1982). Environmental Mutagenesis And Carcinogenesis In Latin America. *Environ Mutagens Carcinog* pages 771: 771-775.
- De Palma, MT. (2001). [Recovery of the Archives of the Italian Society of Asbestos of Grugliasco, Turin]. *Epidemiol Prev* 25: 266-270.
- De Pedrini, C. (1968). [Observations on methods of collection and counting asbestos dust in work environments]. *Arch Sci Med* 125: 769-776.
- De Raeve, H; Verschakelen, JA; Gevenois, PA; Mahieu, P; Moens, G; Nemery, B. (2001). Observer variation in computed tomography of pleural lesions in subjects exposed to indoor asbestos. *Eur Respir J* 17: 916-921.

Human Health Hazard Literature Search Results

Off Topic

- De Raeve, H; Verschakelen, JA; Gevenois, PA; Mahieu, P; Nemery, B. (1999). Reading of combined spiral CT and HRCT in detection of discrete pleural changes related to asbestos exposure. *Am J Respir Crit Care Med* 159: A622-A622.
- De Renzy Martin, DA. (1964). The Medical Care Of The Oil-Worker In South Sumatra. pages 235: 19641964.
- De Rienzo, A; Tor, M; Sterman, DH; Aksoy, F; Albelda, SM; Testa, JR. (2002). Detection of SV40 DNA sequences in malignant mesothelioma specimens from the United States, but not from Turkey. *J Cell Biochem* 84: 455-459. <http://dx.doi.org/10.1002/jcb.10058>.
- De Stefano, L; De Luca, F; Buccolieri, G. (1998). Analytical methods for quantitative asbestos determination by X-ray diffraction. *Ann Chim* 88: 11-12.
- De Vita, J; Wall, S; Wagner, J; Wang, ZM; Rao, LE. (2012). Determining the frequency of asbestos use in automotive brakes from a fleet of on-road California vehicles. *Environ Sci Technol* 46: 1344-1351. <http://dx.doi.org/10.1021/es202667d>.
- De Vos Irvine, H. (1995). Mesothelioma [Letter]. *Lancet* 345: 1233.
- de Vries, H; Lechner, L. (2000). Motives for protective behavior against carcinogenic substances in the workplace: a pilot study among Dutch workers. *J Occup Environ Med* 42: 88-95.
- De Vuyst, P. (1994). Biopersistence of respirable synthetic fibers and minerals: point of view of the chest physician [Review]. *Environ Health Perspect* 102 Suppl 5: 7-9.
- De Vuyst, P; Dumortier, P; Swaen, GM; Pairon, JC; Brochard, P. (1995). Respiratory health effects of man-made vitreous (mineral) fibres [Review]. *Eur Respir J* 8: 2149-2173.
- De Vuyst, P; Dumortier, P; Yernault, JC. (1986). [Mineralogical studies of deep lung tissue]. *Bull Mem Acad R Med Belg* 141: 213-219.
- De Vuyst, P; Karjalainen, A; Dumortier, P; Mons; ntilde; Brochard, P; Teschler, H; Tossavainen, A; Gibbs, A. (2000). Guidelines for the analysis of mineral fibres in biological samples. *DMT Documents pour le m and eacute*: 3-19.
- De Vuyst, P; Karjalainen, A; Dumortier, P; Pairon, JC; Mons, E; Brochard, P; Teschler, H; Tossavainen, A; Gibbs, A. (1998). Guidelines for mineral fibre analyses in biological samples: report of the ERS Working Group. *European Respiratory Society. Eur Respir J* 11: 1416-1426. <http://dx.doi.org/10.1183/09031936.98.11061416>.
- De Vuyst, P; Vande Weyer, R; De Coster, A; Marchandise, FX; Dumortier, P; Ketelbant, P; Jedwab, J; Yernault, JC. (1986). Dental Technician's Pneumoconiosis. A Report Of Two Cases. *Am Rev Respir Dis* 133: 316-320. <http://dx.doi.org/10.1164/arrd.1986.133.2.316>.
- De Waele, JK; Adams, FC. (1988). The Surface Characterization of Modified Chrysotile Asbestos. *Scanning Microsc* 2: 209-228.
- De Waele, JK; Gybels, JJ; Vansant, EF; Adams, FC. (1983). Laser microprobe mass analysis of plastic-contaminated asbestos fiber surfaces. *Anal Chem* 55: 2255-2260.
- De Waele, JK; Vansant, EF; Van Espen, P; Adams, FC. (1983). Laser microprobe mass analysis of asbestos fiber surfaces for organic compounds. *Anal Chem* 55: 671-677.
- Deadman, JE; Church, G; Bradley, C; Armstrong, B; Theriault, G. (1995). Retrospective Estimation of Exposures to Confirmed or Suspected Carcinogens in an Electrical Utility. *Appl Occup Environ Hyg* 10: 856-869.
- Dean, RT; Prydz, H. (1983). Inflammatory particles stimulate thromboplastin production by human monocytes. *Thromb Res Suppl* 30: 357-367.
- Deanin, RD. (1975). Additives in plastics. *Environ Health Perspect* 11: 35-39.
- Decologne, N; Kolb, M; Margetts, PJ; Menetrier, F; Artur, Y; Garrido, C; Gaudie, J; Camus, P; Bonniaud, P. (2007). TGF-beta1 induces progressive pleural scarring and subpleural fibrosis. *J Immunol* 179: 6043-6051.
- Degen, GH; Hengstler, JG. (2008). Developments in industrial and occupational toxicology: REACH, toxicogenomics, mycotoxins, lead, asbestos, boron, bitumen, deletions polymorphisms and SNP interactions: meeting report of the 16th EUROTOX training and discussion session. *Arch Toxicol* 82: 483-487. <http://dx.doi.org/10.1007/s00204-008-0315-9>.
- Değertekin, H; Yalçın, K; Işık, R. (2002). Peritoneal mesothelioma associated with exposure to asbestos in southeastern Turkey [Letter]. *J Clin Gastroenterol* 35: 409.
- Degiovanni, D; Pesce, B; Pondrano, N. (2004). Asbestos in Italy. *Int J Occup Environ Health* 10: 193-197. <http://dx.doi.org/10.1179/oeh.2004.10.2.193>.
- Deitmer, T. (1988). TUMORS OF THE NOSE AND PARA-NASAL SINUSES INDUCED BY ASBESTOS. *J Cancer Res Clin Oncol* 114: 543-543.
- Deitmer, T. (2004). [Expert testimony problems in occupational diseases caused by inhalation noxae] [Review]. *Laryngorhinotologie* 83 Suppl 1: S98-121. <http://dx.doi.org/10.1055/s-2004-814353>.
- Deklerk, NH; Armstrong, BK; Hobbs, MST; Musk, AW. (1990). CROCIDOLITE AND MESOTHELIOMA - REPLY. *Med J Aust* 152: 330-331.
- Del Bianco, A; Demers, PA. (2013). Trends in compensation for deaths from occupational cancer in Canada: a descriptive study. 1: E91-E96. <http://dx.doi.org/10.9778/cmajo.20130015>.
- Del Delumyea, R; Mckay, T; Horowitz, J. (1997). Trends in air quality research in northeast Florida, 1945-1995 and comparison of air quality in Jacksonville, FL with nine other cities in the United States, 1972-1992. *Florida Scientist* 60: 175-192.
- Del Giudice, ME; Young, SM; Vella, ET; Ash, M; Bansal, P; Robinson, A; Skrastins, R; Ung, Y; Zeldin, R; Levitt, C. (2014). Guideline for referral of patients with suspected lung cancer by family physicians and other primary care providers [Review]. *Can Fam Physician* 60: 711-716, e376-782.
- del Piano, M; Palagiano, C; Rimatori, V. (1989). Asbestos hazards in the city of Rome, Italy [Review]. *Soc Sci Med* 29: 1009-1013.
- Delaney, KJ. (1991). Control during corporate crisis: asbestos and the Manville bankruptcy [Review]. *Int J Health Serv* 21: 697-716. <http://dx.doi.org/10.2190/AJUP-457Y-88A3-GLVW>.
- Delapp, D; Chan, C; Nystrom, P. (2016). Recurrent hydropneumothorax: An unusual presentation for malignant pleural mesothelioma. 19: 43-45. <http://dx.doi.org/10.1016/j.rmcr.2016.07.003>.
- Delclos, GL; Wilson, RK; Bradley, BL. (1990). Interobserver Variability using the ILO (1980) Classification in Subjects Referred for Compensation Evaluation (pp. 3-7). (NIOSH/00198688). Delclos, GL; Wilson, RK; Bradley, BL.

Human Health Hazard Literature Search Results

Off Topic

- Delebecq, TJ; Porte, H; Zerimech, F; Copin, MC; Gouyer, V; Dacquembronne, E; Balduyck, M; Wurtz, A; Huet, G. (2000). Overexpression level of stromelysin 3 is related to the lymph node involvement in non-small cell lung cancer. *Clin Cancer Res* 6: 1086-1092.
- Delgermaa, V; Takahashi, K; Park, EK; Le, GV; Hara, T; Sorahan, T. (2011). Global mesothelioma deaths reported to the World Health Organization between 1994 and 2008. *Bull World Health Organ* 89: 716-724, 724A-724C. <http://dx.doi.org/10.2471/BLT.11.086678>.
- Delisle, MA. (1989). Five Methods for Removing Floor Tiles of Vinyl Asbestos Yield Diverse Data. *Occup Health Saf* 58: 31-32.
- Dellaportas, D; Kairi-Vassilatou, E; Lykoudis, P; Mavrigiannaki, P; Mellou, S; Kleantis, CK; Kondi-Pafiti, A. (2012). Peritoneal mesotheliomas mimicking adnexal tumors. Clinicopathological characteristics of four cases and a short literature review [Review]. *Eur J Gynaecol Oncol* 33: 101-104.
- Delon, J; Charretton, M; Prost, G; Cicolella, A. (1992). Short-term exposures and exposures close to threshold limit values - The response. 53: 91-98.
- Delorme, M; Muro, Y; Arai, T; Banas, D; Frame, SR; Reed, K; Warheit, D. (2012). Ninety-day inhalation toxicity study with a vapor grown carbon nanofiber in rats. *Toxicol Sci* 128: 449-460. <http://dx.doi.org/10.1093/toxsci/kfs172>.
- Delourme, J; Dhalluin, X; Cortot, AB; Lafitte, JJ; Scherpereel, A. (2013). [Malignant pleural mesothelioma: diagnosis and treatment] [Review]. *Rev Pneumol Clin* 69: 26-35. <http://dx.doi.org/10.1016/j.pneumo.2012.12.003>.
- Delozier, F. (1995). Risk-based cleanup and recycling of residuals from United States Department of Energy Decontamination and Decommissioning facilities in Oak Ridge, Tennessee, USA (pp. 10). (NTIS/03007721_a). Delozier, F.
- Demaria, S; Pikarsky, E; Karin, M; Coussens, LM; Chen, YC; El-Omar, EM; Trinchieri, G; Dubinett, SM; Mao, JT; Szabo, E; Krieg, A; Weiner, GJ; Fox, BA; Coukos, G; Wang, E; Abraham, RT; Carbone, M; Lotze, MT. (2010). Cancer and inflammation: promise for biologic therapy [Review]. *J Immunother* 33: 335-351. <http://dx.doi.org/10.1097/CJI.0b013e3181d32e74>.
- Dement, JM. (2005). Development of an Airborne Fiber Size Specific Job-Exposure Matrix (JEM) Based on Transmission Electron microscopy (TEM) Data, Charleston, South Carolina Asbestos Textile Cohort. 70.
- Dement, JM; Harris, RL, Jr; Symons, MJ; Shy, CM. (1983). Exposures and mortality among chrysotile asbestos workers Part I: exposure estimates. *Am J Ind Med* 4: 399-419.
- Dement, JM; Hensley, L; Kieding, S; Lipscomb, H. (1998). Proportionate mortality among union members employed at three Texas refineries. *Am J Ind Med* 33: 327-340. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199804\)33:4<327::AID-AJIM3>3.0.CO;2-R](http://dx.doi.org/10.1002/(SICI)1097-0274(199804)33:4<327::AID-AJIM3>3.0.CO;2-R).
- Dement, JM; Johnson, W. (1972). Walk Through Survey of Avon Products, Inc., Springdale, Ohio. 5: 19721972.
- Dement, JM; Kuempel, ED; Zumwalde, RD; Ristich, AM; Fernback, JE; Smith, RJ. (2015). Airborne fiber size characterization in exposure estimation: Evaluation of a modified transmission electron microscopy protocol for asbestos and potential use for carbon nanotubes and nanofibers. *Am J Ind Med* 58: 494-508. <http://dx.doi.org/10.1002/ajim.22422>.
- Dement, JM; Lemen, R; Wagoner, JK. (1997). Asbestos Bibliography (Revised) (pp. 224). Washington, DC: National Institute for Occupational Safety and Health.
- Dement, JM; Loomis, D; Richardson, D; Wolf, SH; Kuempel, ED. (2011). Estimates of historical exposures by phase contrast and transmission electron microscopy for pooled exposure--response analyses of North Carolina and South Carolina, USA asbestos textile cohorts. *Occup Environ Med* 68: 593-598. <http://dx.doi.org/10.1136/oem.2010.059972>.
- Dement, JM; Myers, D; Loomis, D; Richardson, D; Wolf, S. (2009). Estimates of historical exposures by phase contrast and transmission electron microscopy in North Carolina USA asbestos textile plants. *Occup Environ Med* 66: 574-583. <http://dx.doi.org/10.1136/oem.2008.040410>.
- Dement, JM; Stayner, LT. (2010). Letter to the editor: "Comparing milled fiber, Quebec ore, and textile factory dust: has another piece of the asbestos puzzle fallen into place?" by D. Wayne Berman [Letter]. *Crit Rev Toxicol* 40: 749-751; author reply 752-747. <http://dx.doi.org/10.3109/10408444.2010.498410>.
- Dement, JM; Zumwalde, RD. (1979). Occupational exposures to talcs containing asbestiform minerals.
- Dement, JM; Zumwalde, RD; Wallingford, KM. (1976). Discussion Paper: Asbestos Fiber Exposures In A Hard Rock Gold Mine. *Ann N Y Acad Sci* 271: 345-352.
- Dement JM; Kuempel, ED; Zumwalde, RD; Smith, RJ; Stayner, LT; Loomis, D. (2008). Development of a fibre size-specific job-exposure matrix for airborne asbestos fibres. *J Occup Environ Med* 65: 605-612. <http://dx.doi.org/10.1136/oem.2007.033712>.
- Demers, PA; Schade, WJ; Demers, RY. (1994). LYMPHOCYTOPENIA AND OCCUPATIONAL EXPOSURES AMONG PATTERN AND MODEL MAKERS. *Scand J Work Environ Health* 20: 107-112.
- Demers, RY; Fischetti, LR; Neale, AV. (1990). Incongruence between self-reported symptoms and objective evidence of respiratory disease among construction workers. *Soc Sci Med* 30: 805-810. [http://dx.doi.org/10.1016/0277-9536\(90\)90204-6](http://dx.doi.org/10.1016/0277-9536(90)90204-6).
- Demetskaia, AV. (2003). [Biological age of the workers of plants producing thermo-, sound-, and asbestos isolating materials]. *Lik Sprava* 126-130.
- Demirer, E; Ghattas, CF; Radwan, MO; Elamin, EM. (2015). Clinical and prognostic features of erionite-induced malignant mesothelioma [Review]. *Yonsei Med J* 56: 311-323. <http://dx.doi.org/10.3349/ymj.2015.56.2.311>.
- Demiruglu, H. (1998). Hazards of white asbestos [Letter]. *Lancet* 352: 322-323.
- Denardo, P; Bruni, B; Paoletti, L; Pasetto, R; Sirianni, B. (2004). Pulmonary fibre burden in sheep living in the Biancavilla area (Sicily): preliminary results. *Sci Total Environ* 325: 51-58. <http://dx.doi.org/10.1016/j.scitotenv.2003.11.018>.
- Deng, XB; Xiao, L; Wu, Y; Jin, F; Mossman, B; Testa, JR; Xiao, GH. (2015). Inhibition of mesothelioma cancer stem-like cells with adenovirus-mediated NK4 gene therapy. *Int J Cancer* 137: 481-490. <http://dx.doi.org/10.1002/ijc.29391>.
- Denner, J; Eaton, M. (1988). Wolf, K., W. J. Van Den Brink and F. J. Colon (Ed.). Contaminated Soil '88; Second International Netherlands Organization for Applied Scientific Research Ministry of Research and Technology Conference, Hamburg, West Germany, April 11-15,

Human Health Hazard Literature Search Results

Off Topic

1988. Xxxvi+1009p.(Vol. 1); Xxv+683p.(Vol. 2). Kluwer Academic Publishers: Dordrecht, Netherlands; Boston, Massachusetts, USA. Illus. Maps. Isbn 90-247-3714-1.; 0 (0). 1988. 1071-1074 The falsane uk case study development of an asbestos contaminated site.
- Dergousoff, SJ; Chilton, NB. (2007). Abnormal morphology of an adult Rocky Mountain wood tick, *Dermacentor andersoni* (Acari: Ixodidae). *J Parasitol* 93: 708-709. <http://dx.doi.org/10.1645/GE-1073R.1>.
- Dergousoff, SJ; Chilton, NB. (2010). Detection of a new *Arsenophonus*-type bacterium in Canadian populations of the Rocky Mountain wood tick, *Dermacentor andersoni*. *Exp Appl Acarol* 52: 85-91. <http://dx.doi.org/10.1007/s10493-010-9340-5>.
- Dergousoff, SJ; Chilton, NB. (2011). Novel genotypes of *Anaplasma bovis*, "Candidatus *Midichloria*" sp. and *Ignatzschineria* sp. in the Rocky Mountain wood tick, *Dermacentor andersoni*. *Vet Microbiol* 150: 100-106. <http://dx.doi.org/10.1016/j.vetmic.2011.01.018>.
- Dergousoff, SJ; Chilton, NB. (2012). Association of different genetic types of Francisella-like organisms with the rocky mountain wood tick (*Dermacentor andersoni*) and the American dog tick (*Dermacentor variabilis*) in localities near their northern distributional limits. *Appl Environ Microbiol* 78: 965-971. <http://dx.doi.org/10.1128/AEM.05762-11>.
- Dergousoff, SJ; Galloway, TD; Lindsay, LR; Curry, PS; Chilton, NB. (2013). Range Expansion of *Dermacentor variabilis* and *Dermacentor andersoni* (Acari: Ixodidae) Near Their Northern Distributional Limits. *J Med Entomol* 50: 510-520. <http://dx.doi.org/10.1603/ME12193>.
- Derienzo, DP; Greenberg, SD; Fraire, AE. (1991). CARCINOMA OF THE LARYNX - CHANGING INCIDENCE IN WOMEN. *Arch Otolaryngol Head Neck Surg* 117: 681-684.
- Dermatas, D; Mpouras, T; Chrysochoou, M; Panagiotakis, I; Vatseris, C; Linardos, N; Theologou, E; Boboti, N; Xenidis, A; Papassiopi, N; Sakellariou, L. (2015). Origin and concentration profile of chromium in a Greek aquifer. *J Hazard Mater* 281: 35-46. <http://dx.doi.org/10.1016/j.jhazmat.2014.09.050>.
- Dernevik, L; Björkander, J; Hanson, LA; Larsson, S; Söderström, T; William-Olsson, G. (1985). Immunological abnormalities in shrinking pleuritis with atelectasis. *Eur J Respir Dis* 66: 128-134.
- Deroide, M; Delporte, JB. (1983). Asbestos - an example of decontamination. *es de pr and acirc*: 103-106.
- D'Errico, A; Mirabelli, D; Costa, G. (1999). Cancer mortality of a cohort of widows of asbestos workers. *Epidemiology* 10: S62-S62.
- Derunt, JM; Shuler, PJ; Zumwalde, RD. (1972). Fiber Exposure During Use of Baby Powders. (NIOSH/00106056). Derunt, JM; Shuler, PJ; Zumwalde, RD.
- Deruyttere, A; Helsen, J; Baeten, J. (1980). Characterization And Properties Of Asbestos-Cement Dust (pp. 43-51). (NIOSH/00149443). Deruyttere, A; Helsen, J; Baeten, J.
- Desai, R; Richards, RJ. (1978). The adsorption of biological macromolecules by mineral dusts. *Environ Res* 16: 1-3.
- Desai, R; Tetley, TD; Curtis, CG; Powell, GM; Richards, RJ. (1978). STUDIES ON FATE OF PULMONARY SURFACTANT IN LUNG. *Biochem J* 176: 455-462.
- Desaulniers, G; P'An, A; Lecomte, R; Paradis, R; Landsberger, S; Monaro, S. (1979). On the use of the PIXE method to determine river water pollutions in asbestos mining areas. *30*: 261-262.
- Desaulniers, G; P'An, A; Trudeau, M; Lecomte, R; Landsberger, S; Paradis, P; Monaro, S. (1981). Use of proton induced x-ray excitation as methodology for measuring asbestos pollution in river water. *32*: 122-126.
- Descatha, A; Ollivier, S; Despreaux, T. (2015). Re: Fitzgerald et al. "Eligibility for low-dose computerized tomography screening among asbestos-exposed individuals" [Comment]. *Scand J Work Environ Health* 41: 417-418. <http://dx.doi.org/10.5271/sjweh.3503>.
- Deschamps, E; Le Nalbault, J; Descatha, A. (2014). Association between the reasoned opinion of occupational physicians and the decisions of a regional occupational disease commission (CRRMP). *Arch Mal Prof Environ* 75: 566-573. <http://dx.doi.org/10.1016/j.admp.2014.04.004>.
- Deshazo, RD. (1985). Evaluation of immunopathogenesis of asbestosis [Research]. RePORTER Database National Institutes of Health.
- Desouki, MM; Long, DJ. (2015). Malignant Mesothelioma Mimicking Invasive Mammary Carcinoma in a Male Breast. *2015*: 298523. <http://dx.doi.org/10.1155/2015/298523>.
- Dessy, E; Falleni, M; Braidotti, P; Del Curto, B; Panigalli, T; Pietra, GG. (2001). Unusual clear cell variant of epithelioid mesothelioma. *Arch Pathol Lab Med* 125: 1588-1590. [http://dx.doi.org/10.1043/0003-9985\(2001\)125<1588:UCCVOE>2.0.CO;2](http://dx.doi.org/10.1043/0003-9985(2001)125<1588:UCCVOE>2.0.CO;2).
- Deutsch, M; Land, SR; Begovic, M; Cecchini, R; Wolmark, N. (2007). An association between postoperative radiotherapy for primary breast cancer in 11 National Surgical Adjuvant Breast and Bowel Project (NSABP) studies and the subsequent appearance of pleural mesothelioma. *Am J Clin Oncol* 30: 294-296. <http://dx.doi.org/10.1097/01.coc.0000256102.40842.78>.
- Deutsche, FOR, SCHUNGSMEINSCH. (1986). MAXIMUM CONCENTRATIONS AT THE WORKPLACE AND BIOLOGICAL TOLERANCE VALUES FOR WORKING MATERIALS 1986 (pp. NEW YORK). (BIOSIS/87/33286). Deutsche, FORSCHUNGSGEMEINSCH.
- Devereux, T. (1995). Mechanism of carcinogens--genetic alterations in rodent and human tumors [Research]. RePORTER Database National Institutes of Health.
- Devlin, JD. (2011). Hazardous Waste Worker Training Program (HWWTP).
- Devlin, JD. (2012). Hazardous Waste Worker Training Program (HWWTP).
- Devlin, JD. (2013). Hazardous Waste Worker Training Program (HWWTP).
- Devlin, JD. (2014). Hazardous Waste Worker Training Program (HWWTP).
- Dewar, A; Valente, D; Ring, NP; Corrin, B. (1987). Pleural Mesothelioma of Epithelial Type and Pulmonary Adenocarcinoma: An Ultrastructural and Cytochemical Comparison. *J Pathol* 152: 309-316.
- Dewhurst, F. (1981). LABORATORY USAGE OF SOME SUSPECT CARCINOGENS (pp. 13-15). (HEEP/82/07799). Dewhurst, F.
- Dewys, WD. (1986). CHEMOPREVENTION CLINICAL TRIALS (pp. 25-30). (BIOSIS/86/30811). Dewys, WD.
- Dhaene, K; Hübner, R; Kumar-Singh, S; Weyn, B; Van Marck, E. (1998). Telomerase activity in human pleural mesothelioma. *Thorax* 53: 915-918.

Human Health Hazard Literature Search Results

Off Topic

- Dhalluin, X; Scherpereel, A. (2011). Chemotherapy and radiotherapy for mesothelioma [Review]. *Recent Results Cancer Res* 189: 127-147. http://dx.doi.org/10.1007/978-3-642-10862-4_8.
- Dharmawardene L, IM. (1991). Finger clubbing in match factory workers in Fiji. *Ceylon Med J* 36: 73-76.
- Dhom, G. (2004). [The history of bronchial carcinoma]. *Pneumologie* 58: 680-685. <http://dx.doi.org/10.1055/s-2004-818417>.
- Dhupia, G; egrave, Orster, H; Oberste-Padtberg, R. (1982). Critical discussion of the expressions "asbestos-like" and "pseudoasbestos bodies". *42: 189-191*.
- di Bentivoglio, C; Ramazzini, C. (1999). Call for an international ban on asbestos. *Am J Ind Med* 36: 227-229.
- Di Lorenzo, L; Corfiati, M; Giangaspero, G; Spaccavento, DS; Ria, W; Soleo, L. (2007). [Evaluation of plans for reclamation from products containing asbestos to ensure safety to the workers and the general population]. *G Ital Med Lav Ergon* 29: 646-649.
- Di Marzo, D; Forte, IM; Indovina, P; Di Gennaro, E; Rizzo, V; Giorgi, F; Mattioli, E; Iannuzzi, CA; Budillon, A; Giordano, A; Pentimalli, F. (2014). Pharmacological targeting of p53 through RITA is an effective antitumoral strategy for malignant pleural mesothelioma. *Cell Cycle* 13: 652-665. <http://dx.doi.org/10.4161/cc.27546>.
- Di Menza, L; Hirsch, A; Mangold, M; Bignon, J. (1979). RADIOLOGIC AND SURGICAL ASPECTS OF THE DIAPHRAGM IN ASBESTOS EXPOSURE (pp. NEW YORK). (ISSN 0077-8923 EISSN 1749-6632 HEEP/81/07990). Di Menza, L; Hirsch, A; Mangold, M; Bignon, J.
- Di Menza, L; Hirsch, A; Sebastien, P; Gaudichet, A; Bignon, J. (1980). Assessment Of Past Asbestos Exposure In Patients: Occupational Questionnaire Versus Monitoring In Broncho-alveolar Lavage (pp. 609-614). (ISSN 0300-5038 NIOSH/00155922). Di Menza, L; Hirsch, A; Sebastien, P; Gaudichet, A; Bignon, J.
- Di Tommaso, M; Rocconi, F; Marruchella, G; D'Angelo, AR; Masci, S; Santori, D; Civitella, C; Luciani, A; Boari, A. (2015). Invasive pleural malignant mesothelioma with rib destruction and concurrent osteosarcoma in a dog. *Acta Vet Scand* 57: 85. <http://dx.doi.org/10.1186/s13028-015-0176-1>.
- Dick, JA; Morgan W, KC; Muir D, FC; Reger, RB; Sargent, N. (1992). The significance of irregular opacities on the chest roentgenogram. *Chest* 102: 251-260.
- Diederich, S; Wormanns, D. (2004). Impact of low-dose CT on lung cancer screening [Review]. *Lung Cancer* 45 Suppl 2: S13-S19. <http://dx.doi.org/10.1016/j.lungcan.2004.07.997>.
- Diehl, SR; Smith, DT; Sydor, M. (1979). Analysis of suspended solids by single-particle scattering. *Appl Opt* 18: 1653-1658.
- Diem, JE; Jones, RN; Weill, H. (1986). PRIOR DIAGNOSABILITY OF ASBESTOSIS (pp. 11-14). (BIOSIS/86/28429). Diem, JE; Jones, RN; Weill, H.
- Dietemann-Molard, A; Maier, E; Pelletier, A; Hutt, N; Maier, A; Bohner, C; Pauli, G; Leroy M, JF; Roegel, E. (1989). An analysis of the elemental composition of inorganic substances in broncho-alveolar lavage in normal subjects and in various pulmonary diseases (excluding silica and asbestos fibers). *Rev Mal Respir* 6: 511-517.
- Dietrich, WR; Beck, B; Eichel, R. (1990). [Zonographic study of pleural lesions due to asbestos dust]. *Vrach Delo* 0: 93-95.
- Dika Nguea, H; de Reydellet, A; Lehuédé, P; de Méringo, A; Robé, A; Le Faou, A; Rihh, BH. (2008). A new in vitro cellular system for the analysis of mineral fiber biopersistence. *Arch Toxicol* 82: 435-443. <http://dx.doi.org/10.1007/s00204-007-0257-7>.
- Dikensoy, O. (2008). Mesothelioma due to environmental exposure to erionite in Turkey [Review]. *Curr Opin Pulm Med* 14: 322-325. <http://dx.doi.org/10.1097/MCP.0b013e3282fcea65>.
- Dimerman, S. (1997). Asbestos removal: Workers under observation. *Travail & Sécurité ecurit and acirc*: 38-42.
- Dimiskovska, B. (2010). ENVIRONMENTAL RISKS DUE TO DEBRIS CONTAINING ASBESTOS IN POST-EARTHQUAKE CONDITIONS. 45: 299-306. <http://dx.doi.org/10.1556/AGeod.45.2010.3.4>.
- Dimitrov, NV; Egner, J; Balcueva, E; Suhrlund, LG. (1982). High-dose methotrexate with citrovorum factor and vincristine in the treatment of malignant mesothelioma. *Cancer* 50: 1245-1247.
- Dimitrov, NV; McMahan, S. (1987). Presentation, Diagnostic Methods, Staging, and Natural History of Malignant Mesothelioma (pp. 225-238). (NIOSH/00178743). Dimitrov, NV; McMahan, S.
- Dimov, D; Beritić, T. (1969). [Asbestos bodies in the lungs of urban population] [Review]. *Lijec Vjesn* 91: 1003-1006.
- Ding, JY; Yu, CP; Zhang, L; Chen, YK. (1997). Deposition modeling of fibrous particles in rats: Comparisons with available experimental data. *Aerosol Sci Technol* 26: 403-414.
- Ding, L; Morimoto, Y; Oyabu, T; Kim, H; Ohgami, A; Yatera, K; Hirohashi, M; Yamato, H; Hori, H; Higashi, T; Tanaka, I. (2001). Gene expression of Clara cell secretory protein, surfactant protein-A and thyroid transcription factor-1 in the lungs of rats exposed to potassium octatitanate whiskers in vivo. *J Occup Health* 43: 111-117.
- Dingle, P; Lalla, F. (2002). Indoor Air Health Risk Perceptions in Australia. *Indoor Built Environ* 11: 275-284. <http://dx.doi.org/10.1159/000066527>.
- Dini, S; Comin, CE; Santucci, M; Caldarella, A. (1995). PLEURAL MALIGNANT MESOTHELIOMA MM A COMPARATIVE CLINICOPATHOLOGICAL STUDY OF SHORT-AND LONG-TERM SURVIVAL PATIENTS (pp. 3-8). (BIOSIS/96/07917). Dini, S; Comin, CE; Santucci, M; Caldarella, A.
- Dini, S; Santucci, M; Biancalani, M; Pingitore, R; Lopane, P; Tosi, P; Megha, T; Sforza, V. (1992). Pleural malignant mesothelioma in Tuscany, Italy (1970-1988): I. Anatomic-pathologic aspects. *Am J Ind Med* 21: 569-576.
- Dinsdale, D. (1993). TOXICOLOGY OF THE LUNG REPORT ON A JOINT MEETING OF THE BRITISH ASSOCIATION FOR LUNG RESEARCH AND THE BRITISH TOXICOLOGY SOCIETY CARDIFF WALES UK SEPTEMBER 25 1992. *Respir Med* 87: 279-284.
- Dion, C; Perrault, G. (1994). Comparison of four methods for the determination of asbestos fiber concentrations in workplace atmospheres by phase contrast microscopy. *Appl Occup Environ Hyg* 9: 707-711.
- Dionne, GP; Béland, JE; Wang, NS. (1976). Letter: Primary leiomyosarcoma of the diaphragm of an asbestos worker. *Arch Pathol Lab Med* 100: 398.

Human Health Hazard Literature Search Results

Off Topic

- Diot, P; Le Pape, A; Assouline, PS; Lasfargues, G; Rosmorduc, J; Lavandier, M; Moline, J; Baulieu, JL; Binz, H; Et, AL. (1991). D25 SCINTIGRAPHY A NEW METHOD FOR EARLY DETECTION OF OCCUPATIONAL LUNG DISEASES (pp. 12-15). (BIOSIS/91/21152). Diot, P; Le Pape, A; Assouline, PS; Lasfargues, G; Rosmorduc, J; Lavandier, M; Moline, J; Baulieu, JL; Binz, H; Et, AL.
- Dipalma, N; Luisi, V; Di Serio, F; Fontana, A; Maggolini, P; Licchelli, B; Mera, E; Bisceglia, L; Galise, I; Loizzi, M; Pizzigallo, MA; Molinini, R; Vimercati, L. (2011). Biomarkers in malignant mesothelioma: diagnostic and prognostic role of soluble mesothelin-related peptide. *The International Journal of Biological Markers* 26: 160-165. <http://dx.doi.org/10.5301/JBM.2011.8614>.
- Dipaolo, JA. (1988). INDUCTION OF MALIGNANT TRANSFORMATION IN HAMSTER FETAL CELLS BY DIVERSE ENVIRONMENTAL CARCINOGENS (pp. 21-22). (BIOSIS/88/17702). Dipaolo, JA.
- Dipaolo, JA; Doniger, J; Evans, CH; Popescu, NC. (1985). Enhancement and inhibition of transformation of Syrian hamster embryo cells. *Carcinog Compr Surv* 8: 319-328.
- Dixit, B. (1986). Performance of Protective Clothing: Development and Testing of Asbestos Substitutes. *Acta Cytol* 30: 470-476.
- Dixit, B. (1988). Development and Testing of Extremely High-Temperature (1093 degrees C and Over) Coatings for Safety Clothing. 989: 142-158.
- Dixon, JR; Lowe, DB; Richards, DE; Cralley, LJ; Stokinger, HE. (1970). The role of trace metals in chemical carcinogenesis: asbestos cancers. *Cancer Res* 30: 1068-1074.
- Dixon, W. (1978). OSHA regulations and methods for asbestos. *Microscope* 26: 1979.
- Dixon, WC. (1978). Occupational Safety And Health Administration Methods. 506: 431-440.
- Dixon, WC. (1980). Applications Of Optical Microscopy In Analysis Of Asbestos And Quartz. 120: 13-41.
- Djerassi, L. (1988). Time to reconsider TLVs [Letter]. *Am J Ind Med* 13: 611-612.
- Djerassi, L; Schmuclovsky, I. (1975). [Asbestos bodies]. *Zentralbl Arbeitsmed Arbeitsschutz* 25: 19-21.
- Dobbertin, S. (1977). HAZARDS TO HEALTH DUE TO AIR-POLLUTION WITH ASBESTOS. *Staub, Reinhaltung der Luft* 37: 65-67.
- Dobek, J. (1987). [Pulmonary asbestosis. II. Roentgenological diagnosis and other methods of examination] [Review]. 51: 326-331.
- Dobek, J; Wilamski, E; Izycki, J; Malinowski, L. (1988). [Roentgenologic and CT signs of asbestosis. Comparison of the methods in our caseload]. 52: 135-146.
- Dobra, K; Hjerpe, A. (2008). Targeted therapy--possible new therapeutic option for malignant mesothelioma? *Connect Tissue Res* 49: 270-272. <http://dx.doi.org/10.1080/03008200802147860>.
- Dobrev, M. (1976). Criteria for standardization and methods for measurement of asbestos dust in the air of working areas. 19: 290-296.
- Dobrev, M. (1988). Some aspects of methodology of measuring and hygienic evaluation of dust in the air of the working environment. 31: 12-15.
- Dobrev, M. (1988). SOME METHODOLOGICAL ASPECTS OF THE MEASUREMENT AND HYGIENIC EVALUATION OF DUST IN THE AIR OF WORKING ENVIRONMENT (pp. 12-16). (BIOSIS/89/07613). Dobrev, M.
- Dobrev, M; Burilkov, T; Tocheva, V; Mikhailova, L; Lukanova, R. (1979). [Occupational risk in asbestos textile manufacture]. *Probl Khig* 4: 32-40.
- Dobrev, M; Dinolova, B. (1978). Hygienic evaluation of dust in the production and usage of asbestos materials. 21: 339-344.
- Dodgson, J; Ottery, J; Cherrie, JW; Harrison, GE. (1980). Fibre concentrations and size distributions of airborne fibres in several European man-made mineral fibre plants. *IARC Sci Publ* 913-925.
- Dodic-Fikfak, M. (2007). An experiment to develop conversion factors to standardise measurements of airborne asbestos. *Arh Hig Rada Toksikol* 58: 179-185. <http://dx.doi.org/10.2478/v10004-007-0003-9>.
- Dodic-Fikfak, M; Clapp, R; Kriebel, D. (1999). The health risks of decommissioning nuclear facilities. *New Solutions: A Journal of Environmental and Occupational Health Policy* 9: 153-161. <http://dx.doi.org/10.2190/BF1Q-1FUV-0ENN-H3W2>.
- Dodson, R; Hammar, S. (2008). Comments on Dodson et al., A Technical Comparison of Evaluating Asbestos Concentration by Phase Contrast Microscopy (PCM), Scanning Electron Microscopy (SEM), and Analytical Transmission Electron Microscopy (ATEM) as Illustrated from Data Generated from a Case Report Response. *Inhal Toxicol* 20: 1115-1117. <http://dx.doi.org/10.1080/08958370802320814>.
- Dodson, R; Hurst, G; Williams, M; Corn, C; Greenberg, S. (1987). A COMPARISON OF LIGHT AND ELECTRON MICROSCOPY TECHNIQUES FOR DEFINING OCCUPATIONAL EXPOSURE TO ASBESTOS (pp. 8-13). (BIOSIS/87/12329). Dodson, R; Hurst, G; Williams, M; Corn, C; Greenberg, S.
- Dodson, RF; Atkinson, MA. (2006). Measurements of asbestos burden in tissues. *Ann N Y Acad Sci* 1076: 281-291. <http://dx.doi.org/10.1196/annals.1371.015>.
- Dodson, RF; Atkinson, MA; O'sullivan, M. (2005). Stability of ferruginous bodies in human lung tissue following death, embalment, and burial. *Inhal Toxicol* 17: 789-795. <http://dx.doi.org/10.1080/08958370500240199>.
- Dodson, RF; Hammar, SP; Poye, L. (2008). A technical comparison of evaluating asbestos concentration by phase-contrast microscopy (PCM), scanning electron microscopy (SEM), and analytical transmission electron microscopy (ATEM) as illustrated from data generated from a case report. *Inhal Toxicol* 20: 723-732. <http://dx.doi.org/10.1080/08958370701883250>.
- Dodson, RF; Huang, J; Bruce, JR. (2000). Asbestos content in the lymph nodes of nonoccupationally exposed individuals. *Am J Ind Med* 37: 169-174. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(200002\)37:2<169::AID-AJIM2>3.0.CO;2-V](http://dx.doi.org/10.1002/(SICI)1097-0274(200002)37:2<169::AID-AJIM2>3.0.CO;2-V).
- Dodson, RF; Huang, J; Williams, MG; Bruce, JR; Hammar, SP. (1998). Lack of asbestos contamination of paraffin. *Arch Pathol Lab Med* 122: 1103-1106.
- Dodson, RF; Hurst, GA; Williams, MG; Corn, C; Greenberg, SD. (1988). Comparison of light and electron microscopy for defining occupational asbestos exposure in transbronchial lung biopsies. *Chest* 94: 366-370.
- Dodson, RF; O'Sullivan, M; Brooks, D; Levin, JL. (2003). The sensitivity of lavage analysis by light and analytical electron microscopy in correlating the types of asbestos from a known exposure setting. *Inhal Toxicol* 15: 461-471. <http://dx.doi.org/10.1080/08958370390196417>.

Human Health Hazard Literature Search Results

Off Topic

- Dodson, RF; O'Sullivan, M; Corn, C. (1993). Technique dependent variations in asbestos burden as illustrated in a case of nonoccupational exposed mesothelioma. *Am J Ind Med* 24: 235-240. <http://dx.doi.org/10.1002/ajim.4700240210>.
- Dodson, RF; O'Sullivan, M; Corn, CJ; Garcia, JG; Stocks, JM; Griffith, DE. (1993). Analysis of ferruginous bodies in bronchoalveolar lavage from foundry workers. *Br J Ind Med* 50: 1032-1038.
- Dodson, RF; O'Sullivan, M; Corn, CJ; Hammar, SP. (1995). Quantitative comparison of asbestos and talc bodies in an individual with mixed exposure. *Am J Ind Med* 27: 207-215.
- Dodson, RF; O'Sullivan, M; Hammar, SP. (2004). Quality control analysis of the potential for asbestos contamination during tissue processing in pathology laboratories. *Arch Pathol Lab Med* 128: 781-784. [http://dx.doi.org/10.1043/1543-2165\(2004\)128<781:QCAOTP>2.0.CO;2](http://dx.doi.org/10.1043/1543-2165(2004)128<781:QCAOTP>2.0.CO;2).
- Dodson, RF; Williams, MG; Huang, J; Bruce, JR. (1999). Tissue burden of asbestos in nonoccupationally exposed individuals from east Texas. *Am J Ind Med* 35: 281-286.
- Dodson, RF; Williams, MG; Hurst, GA. (1983). Method for removing the ferruginous coating from asbestos bodies. *J Toxicol Environ Health* 11: 959-966. <http://dx.doi.org/10.1080/15287398309530398>.
- Dodson, RF; Williams, MG; Hurst, GA. (1985). Method for removing the ferruginous coating from asbestos bodies. *J Environ Pathol Toxicol Oncol* 6: 177-184.
- Doe, JE; Paddle, GM. (1994). The evaluation of carcinogenic risk to humans: Occupational exposures in the spraying and application of insecticides. *Regul Toxicol Pharmacol* 19: 297-308. <http://dx.doi.org/10.1006/rtph.1994.1025>.
- Dogan, A. (2003). Zeolite Mineralogy and Cappadocian Erionite. *Indoor Built Environ* 12: 337-342.
- Dogan, AU. (2003). Mesothelioma in Cappadocian villages. *Indoor Built Environ* 12: 367-375. <http://dx.doi.org/10.1177/1420326X03039065>.
- Dogan, AU; Baris, YI; Dogan, M; Emri, S; Steele, I; Elmishad, AG; Carbone, M. (2006). Genetic predisposition to fiber carcinogenesis causes a mesothelioma epidemic in Turkey. *Cancer Res* 66: 5063-5068. <http://dx.doi.org/10.1158/0008-5472.CAN-05-4642>.
- Dogan, AU; Dogan, M. (2008). Re-evaluation and re-classification of erionite series minerals. *Environ Geochem Health* 30: 355-366. <http://dx.doi.org/10.1007/s10653-008-9163-z>.
- Dogan, AU; Dogan, M; Hoskins, JA. (2008). Erionite series minerals: mineralogical and carcinogenic properties. *Environ Geochem Health* 30: 367-381. <http://dx.doi.org/10.1007/s10653-008-9165-x>.
- Dogan, M. (2002). Environmental pulmonary health problems related to mineral dusts: Examples from central Anatolia, Turkey. *Environ Geol* 41: 571-578. <http://dx.doi.org/10.1007/s002540100435>.
- Dogan, M. (2003). Sources and types of mineral dust in regions of Turkey with endemic malignant mesothelioma. *Indoor Built Environ* 12: 377-383. <http://dx.doi.org/10.1177/1420326X03038960>.
- Dolan, BP; Levine, AM; Dolan, DC. (1983). Small cleaved follicular center cell lymphoma: Seven cases in California plumbers. *J Occup Med* 25: 613-615.
- Dolci, ED. (2010). Metagenomic analysis of the lowell/eden asbestos mine.
- Dolci, ED. (2011). Metagenomic analysis of an aquatic environment at the lowell/eden asbestos mines.
- Doll, NJ; Bozelka, BE. (1984). Immunologic Techniques Utilized In The Diagnosis Of Occupational Lung Disease. *Clin Lab Med* 4: 523-538.
- Doll, NJ; Bozelka, BE; Salvaggio, JE. (1983). Immunology And Immunodiagnostic Tests (pp. 49-62). (NIOSH/00150937). Doll, NJ; Bozelka, BE; Salvaggio, JE.
- Doll, R. (1977). STRATEGY FOR DETECTION OF CANCER HAZARDS TO MAN (pp. 589-596). (EPIDEM/002976). Doll, R.
- Doll, R. (1984). Prevention of cancer: practical prospects [Review]. *Ann Acad Med Singapore* 13: 194-205.
- Doll, R. (1987). The quantitative significance of asbestos fibres in the ambient air. *Experientia, Suppl* 51: 213-219.
- Doll, R. (1987). Symposium on MMMF, Copenhagen, October 1986: overview and conclusions.
- Doll, R. (1989). Mineral fibres in the non-occupational environment: Concluding remarks. In J Bignon; J Peto; R Saracci (Eds.), IARC Sci Publ (pp. 511-518). Lyon, France: International Agency for Research on Cancer.
- Dollberg, DD; Abell, MT; Lange, BA. (1980). Occupational Health Analytical Chemistry (pp. 43-65). (NIOSH/00153800). Dollberg, DD; Abell, MT; Lange, BA.
- Domínguez-Malagón, H; Cano-Valdez, AM; González-Carrillo, C; Campos-Salgado, YE; Lara-García, A; Lopez-Mejía, M; Corona-Cruz, JF; Arrieta, O. (2016). Diagnostic efficacy of electron microscopy and pleural effusion cytology for the distinction of pleural mesothelioma and lung adenocarcinoma. *Ultrastruct Pathol* 40: 254-260. <http://dx.doi.org/10.1080/01913123.2016.1195469>.
- Donaldson, K. (1994). Biological activity of respirable industrial fibres treated to mimic residence in the lung. *Toxicol Lett* 72: 299-305.
- Donaldson, K, en. (2009). The inhalation toxicology of p-aramid fibrils [Review]. *Crit Rev Toxicol* 39: 487-500. <http://dx.doi.org/10.1080/10408440902911861>.
- Donaldson, K; Aitken, R; Tran, L; Stone, V; Duffin, R; Forrest, G; Alexander, A. (2006). Carbon nanotubes: A review of their properties in relation to pulmonary toxicology and workplace safety [Review]. *Toxicol Sci* 92: 5-22. <http://dx.doi.org/10.1093/toxsci/kfj130>.
- Donaldson, K; Borm, PJ; Castranova, V; Gulumian, M. (2009). The limits of testing particle-mediated oxidative stress in vitro in predicting diverse pathologies; relevance for testing of nanoparticles. *Part Fibre Toxicol* 6: 13. <http://dx.doi.org/10.1186/1743-8977-6-13>.
- Donaldson, K; Brown, DM; Mitchell, C; Dineva, M; Beswick, PH; Gilmour, P; Macnee, W. (1997). Free radical activity of PM10: iron-mediated generation of hydroxyl radicals. *Environ Health Perspect* 105: 1285-1289.
- Donaldson, K; Murphy, F; Schinwald, A; Duffin, R; Poland, CA. (2011). Identifying the pulmonary hazard of high aspect ratio nanoparticles to enable their safety-by-design [Review]. *Nanomed* 6: 143-156. <http://dx.doi.org/10.2217/nnm.10.139>.
- Donaldson, K; Oberdörster, G. (2011). Continued controversy on chrysotile biopersistence [Letter]. *Int J Occup Environ Health* 17: 98-99; discussion 99-102. <http://dx.doi.org/10.1179/107735211799031121>.

Human Health Hazard Literature Search Results

Off Topic

- Donaldson, K, en; Poland, CA. (2013). Nanotoxicity: challenging the myth of nano-specific toxicity. *Curr Opin Biotechnol* 24: 724-734. <http://dx.doi.org/10.1016/j.copbio.2013.05.003>.
- Donaldson, K, en; Seaton, A. (2012). A short history of the toxicology of inhaled particles. Part Fibre Toxicol 9: 13. <http://dx.doi.org/10.1186/1743-8977-9-13>.
- Donaldson, K; Tran, CL. (2004). An introduction to the short-term toxicology of respirable industrial fibres [Review]. *DNA Repair* 553: 5-9. <http://dx.doi.org/10.1016/j.mrfmmm.2004.06.011>.
- Donelli, G; Marsili, D; Comba, P. (2012). Le Problematiche Scientifico-sanitarie Correlate all'amianto: l'attivita dell'Istituto Superiore di Sanita Negli Anni 1980-2012. (Abestos-related Scientific and Health Issues: Activities of the Istituto Superiore di Sanita in the Years 1980-2012) (pp. 209). (NTIS/12110238). Donelli, G; Marsili, D; Comba, P.
- Dongay, G; Levade, M; Lauque, D; Carles, P; Bollinelli, R. (1985). [Computerized tomography of pleuropulmonary pathology due to asbestos]. *Rev Mal Respir* 2: 31-36.
- Döngel, I; Bayram, M; Bakan, ND; Yalçın, H; Gültürk, S. (2013). Is living close to ophiolites related to asbestos related diseases? Cross-sectional study. *Respir Med* 107: 870-874. <http://dx.doi.org/10.1016/j.rmed.2013.03.006>.
- Donham, KJ. (1986). Hazardous agents in agricultural dusts and methods of evaluation [Review]. *Am J Ind Med* 10: 205-220.
- Donington, JS; Mew, DJ; Pass, HI. (1995). Malignant pleural mesothelioma: newer aspects of carcinogenesis, molecular genetics, and prospects for future therapies [Review]. *Surg Oncol* 4: 175-185.
- Donna, A. (1972). [Study of morphogenesis of "asbestosis bodies", using an unusual technic: study in larvae of *Tenebrio molitor*]. *Med Lav* 63: 7-14.
- Donna, A. (1973). [Difference of action of various types of asbestos (crysotile, crocydolite, anthophyllite, amosite) demonstrated with a new technic: study in larvae of *Tenebrio molitor*]. *Med Lav* 64: 34-40.
- Donna, A; Betta, PG. (1986). Differentiation towards cartilage and bone in a primary tumor of pleura: Further evidence in support of the concept of mesodermoma. *Histopathology* OXF: 101-108.
- Donna, A; Betta, PG; Lanfranco, G. (1980). Acid and alkaline phosphatase in macrophages of *Tenebrio molitor* larvae stimulated with asbestos. *Exp Cell Biol* 48: 321-328.
- Donna, A; Lanfranco, G. (1974). [Behavior of some lysosomal macrophagic enzymes in hemocele of the larva of *Tenebrio molitor* stimulated with asbestos (III)]. *Med Lav* 65: 110-117.
- Donnelly, JW. (2000). Environmental Control Plan for the Industrial Hygiene Field Services Facility. 22.
- Donnelly, JW. (2001). Environmental Control Plan for the Industrial Hygiene Field Services Facility. 21.
- Donoghue, AM. (2004). Occupational health hazards in mining: an overview [Review]. *Occup Med (Lond)* 54: 283-289. <http://dx.doi.org/10.1093/occmed/kqh072>.
- Donovan, BA. (1994). Health Hazard Evaluation Report HETA 93-1000-2406, Ithaca City School District, Transportation Department, Ithaca, New York. 36.
- Donovan, BL; Donovan, E; Sahmel, J; Epstien, B; Paustenbach, DJ. (2008). Evaluation of Bystander Exposure to Asbestos: Review of the Literature (1950s-Present). *Epidemiology* 19: S186-S186.
- Donovan, E; Sahmel, J; Scott, P; Paustenbach, D. (2012). Response to a letter to the Editor by Dr. David Egilman and Mr. John Schilling regarding the article by Donovan et al. (2011). *Crit Rev Toxicol* 42: 173-183. <http://dx.doi.org/10.3109/10408444.2011.644506>.
- Donovan, EP; Donovan, BL; Sahmel, J; Scott, PK; Paustenbach, DJ. (2011). Evaluation of bystander exposures to asbestos in occupational settings: a review of the literature and application of a simple eddy diffusion model [Review]. *Crit Rev Toxicol* 41: 52-74. <http://dx.doi.org/10.3109/10408444.2010.506639>.
- Donovan, S; Pickin, J. (2016). An Australian stocks and flows model for asbestos. *Waste Manag Res* 34: 1081-1088. <http://dx.doi.org/10.1177/0734242X16659353>.
- Dontenwill, W; Chevalier, HJ; Harke, HP; Lafrenz, U; Reckzeh, G; Schneider, B. (1973). Investigations on the effects of chronic cigarette-smoke inhalation in Syrian golden hamsters. *J Natl Cancer Inst* 51: 1781-1832. <http://dx.doi.org/10.1093/jnci/51.6.1781>.
- Doo, SW; Cho, KH; Kim, JS; Yang, WJ; Choi, IH; Lee, DW; Hong, SS; Song, YS. (2012). Radiologic findings of mesothelioma at the tunica vaginalis. *Urology* 80: e3-e5. <http://dx.doi.org/10.1016/j.urology.2012.02.050>.
- Dorai, T; Kobayashi, H; Holland, JF; Ohnuma, T. (1994). Modulation of platelet-derived growth factor-beta mRNA expression and cell growth in a human mesothelioma cell line by a hammerhead ribozyme. *Mol Pharmacol* 46: 437-444.
- Dorevitch, S; Demirtas, H; Perksy, VW; Erdal, S; Conroy, L; Schoonover, T; Scheff, PA. (2006). Demolition of high-rise public housing increases particulate matter air pollution in communities of high-risk asthmatics. *Journal of the Air and Waste Management Association* 56: 1022-1032.
- Dörger, M; Münzing, S; Allmeling, AM; Krombach, F. (2000). Comparison of the phagocytic response of rat and hamster alveolar macrophages to man-made vitreous fibers in vitro. *Hum Exp Toxicol* 19: 635-640.
- Dorger, M; Munzing, S; Allmeling, AM; Messmer, K; Krombach, F. (2001). Differential responses of rat alveolar and peritoneal macrophages to man-made vitreous fibers in vitro. *Environ Res* 85: 207-214. <http://dx.doi.org/10.1006/enrs.2001.4234>.
- Dorozynski, A. (1995). French minister promises action to clean up asbestos. *BMJ* 311: 898.
- dos Santos, LD; Furuya, WM; Matsushita, M; da Silva, LCR; Silva, TS, deC; Botaro, D; Sales, PP. (2007). Deposition of conjugated linoleic acid (CLA) in Nile tilapia. *Revista Brasileira de Zootecnia* 36: 1225-1230.
- Dosemeci, M. (2008). Occupational Exposure Assessment.
- Dosemeci, M; Gokmen, I; Unsal, H; Hayes, RB; Blair, A. (1997). Tobacco, alcohol use, and risks of laryngeal and lung cancer by subsite and histologic type in Turkey. *Cancer Causes Control* 8: 729-737. <http://dx.doi.org/10.1023/A:1018479304728>.

Human Health Hazard Literature Search Results

Off Topic

- Doull, J. (1989). PESTICIDE CARCINOGENICITY INTRODUCTION AND BACKGROUND (pp. PRINCIPLES). (BIOSIS/90/15491). Doull, J.
- Doull, J. (1992). ASSESSMENT OF ACUTE TOXICITY OF PESTICIDES ON HUMANS AND DOMESTIC ANIMALS (pp. CHICHESTER). (BIOSIS/93/02226). Doull, J.
- Dourthe, LM; Coulon, MA; Piperno Neumann, S; Morere, JF; Breau, JL. (1999). [Peritoneal mesothelioma, a new complication of pica syndrome: apropos of a case] [Letter]. *Rev Med Interne* 20: 1047-1048.
- Dow Chemical Co (Dow Chemical Company). (1991). Letter from Dow Chemical Company to US EPA submitting several health and safety studies with attachments (sanitized). (TSCATS/419986). U.S. Environmental Protection Agency.
- Dow Chemical Co (Dow Chemical Company). (1992). Letter from Dow Chemical Co submitting several studies with trichloroethylene and other chemicals in humans with attachments (sanitized). (TSCATS/424089). Washington, DC: U.S. Environmental Protection Agency; Office of Toxic Substances. <https://ntrl.ntis.gov/NTRL/dashboard/searchResults.xhtml?searchQuery=OTS0538087>.
- Dowman, LM; Mcdonald, CF; Hill, CJ; Lee, AL; Barker, K; Boote, C; Glaspole, I; Goh, NS; Southcott, AM; Burge, AT; Gillies, R; Martin, A; Holland, AE. (2017). The evidence of benefits of exercise training in interstitial lung disease: a randomised controlled trial. *Thorax*. <http://dx.doi.org/10.1136/thoraxjnl-2016-208638>.
- Downey, GP. (2014). Targeting PTPalpha to Prevent Lung Fibrosis.
- Downey, GP. (2015). Targeting PTPalpha to Prevent Lung Fibrosis.
- Downs, FM; Giles, GM; Johnson, MJ. (2002). Palliative physicians persuade procurators fiscal. *Palliative Medicine* 16: 532-539. <http://dx.doi.org/10.1191/0269216302pm594oa>.
- Dragonieri, S; van der Schee, MP; Massaro, T; Schiavulli, N; Brinkman, P; Pinca, A; Carratú, P; Spanevello, A; Resta, O; Musti, M; Sterk, PJ. (2012). An electronic nose distinguishes exhaled breath of patients with Malignant Pleural Mesothelioma from controls. *Lung Cancer* 75: 326-331. <http://dx.doi.org/10.1016/j.lungcan.2011.08.009>.
- Dreassi, E; Lagazio, C; Maule, MM; Magnani, C; Biggeri, A. (2008). Sensitivity analysis of the relationship between disease occurrence and distance from a putative source of pollution. *Geospat Health* 2: 263-271. <http://dx.doi.org/10.4081/gh.2008.249>.
- Driml, J; Pulford, E; Moffat, D; Karapetis, C; Kao, S; Griggs, K; Henderson, DW; Klebe, S. (2016). Usefulness of Aquaporin 1 as a Prognostic Marker in a Prospective Cohort of Malignant Mesotheliomas. *International Journal of Molecular Sciences* 17. <http://dx.doi.org/10.3390/ijms17071041>.
- Driscoll, HE; Vincent, JJ; English, EL; Dolci, ED. (2016). Metagenomic investigation of the microbial diversity in a chrysotile asbestos mine pit pond, Lowell, Vermont, USA. *10: 158-164*. <http://dx.doi.org/10.1016/j.gdata.2016.11.004>.
- Driscoll, KE; Howard, BW; Carter, JM; Janssen, YMW; Mossman, BT; Isfort, RJ. (2001). Mitochondrial-derived oxidants and quartz activation of chemokine gene expression. *Adv Exp Med Biol* 500: 489-496.
- Driscoll, RJ; Elliott, LJ. (1990). Health Hazard Evaluation Report HETA 87-126-2019, Chrysler Chemical Division, Trenton, Michigan. 42.
- Dror, K. (1974). [Editorial: Asbestos and cancer]. *Harefuah* 86: 425.
- Drucker, E; Nagin, D; Michaels, D; Lacher, M; Zoloth, S. (1987). Exposure of Sheet-Metal Workers to Asbestos during the Construction and Renovation of Commercial Buildings in New York City. A Case Study in Social Medicine. *Ann N Y Acad Sci* 502: 230-244.
- Druesne-Pecollo, N; Latino-Martel, P; Norat, T; Barrandon, E; Bertrais, S; Galan, P; Hercberg, S. (2010). Beta-carotene supplementation and cancer risk: a systematic review and metaanalysis of randomized controlled trials [Review]. *Int J Cancer* 127: 172-184. <http://dx.doi.org/10.1002/ijc.25008>.
- Drummond, G; Bevan, R; Harrison, P. (2016). A comparison of the results from intra-pleural and intra-peritoneal studies with those from inhalation and intratracheal tests for the assessment of pulmonary responses to inhalable dusts and fibres. *Regul Toxicol Pharmacol* 81: 89-105. <http://dx.doi.org/10.1016/j.yrtph.2016.07.019>.
- Dtsch, FOR, SCHUNGSGEM. (1987). MAXIMUM CONCENTRATIONS AT THE WORKPLACE AND BIOLOGICAL TOLERANCE VALUES FOR WORKING MATERIALS 1987 REPORT NO. XXIII COMMISSION FOR THE INVESTIGATION OF HEALTH HAZARDS OF CHEMICAL COMPOUNDS IN THE WORK AREA (pp. REPORT NO). (BIOSIS/88/30306). Dtsch, FORSCHUNGSGEM.
- Du Plessis, H. (2003). Asbestos's sorrowful legacy: a photoessay. *Int J Occup Environ Health* 9: 236-243. <http://dx.doi.org/10.1179/oeh.2003.9.3.236>.
- Du Toit R, SJ; Gilfillan, TC. (1977). Simultaneous airborne dust samples with konimeter, thermal precipitator and dosimeter in asbestos mines. *Ann Occup Hyg* 20: 333-344.
- Du Toit, RS. (1991). An estimate of the rate at which crocidolite asbestos fibres are cleared from the lung. *Ann Occup Hyg* 35: 433-438.
- du Toit, RS. (1992). [Factors which may mask a possible safe threshold for asbestos fibre]. *S Afr Med J* 82: 424-427.
- Du Toit, RSJ. (1970). Dust Index versus Period of Service on South African Mines before Certification for Pneumoconiosis (pp. 438-441). (NIOSH/00177280). Du Toit, RSJ.
- Du Toit, RSJ. (1978). Methods Used in the Measurement of Asbestos-Dust Exposures (pp. 3-7). (NIOSH/00172124). Du Toit, RSJ.
- Du Toit, RSJ. (1992). Re: "Tiger's-Eye Pneumoconiosis" [Letter]. *Am J Ind Med* 22: 605-606.
- Du Toit, RSJ; Isserow, LW; Gilfillan, TC; Robock, K; Teichert, U. (1983). Relationships Between Simultaneous Airborne Dust Samples Taken With Five Types Of Instruments At South African Asbestos Mines And Mills. *Ann Occup Hyg* 27: 373-387.
- Dube, AK; Layton, C; Suvarna, SK; Kennedy, A. (1997). WHAT LUNG SAMPLES SHOULD WE USE FOR ASBESTOS FIBRE COUNTS? (pp. 2-4). (ISSN 0022-3417 EISSN 1096-9896 BIOSIS/97/28693). Dube, AK; Layton, C; Suvarna, SK; Kennedy, A.
- Dubes, GR. (1988). Asbestos and transfection. *6: 199-260*.
- Ducatman, AM. (1988). TO B OR NOT TO B WHAT ARE THE QUESTIONS IN ASBESTOS MEDICAL SURVEILLANCE (pp. 23-29). (BIOSIS/88/20722). Ducatman, AM.

Human Health Hazard Literature Search Results

Off Topic

- Ducatman, AM. (1991). Variability in interpretation of radiographs for asbestosis abnormalities: problems and solutions [Review]. *Ann N Y Acad Sci* 643: 108-120.
- Ducatman, AM. (1993). OCCUPATIONAL PHYSICIANS AND ENVIRONMENTAL MEDICINE. *J Occup Environ Med* 35: 251-259.
- Ducatman, AM. (1994). Hazardous Environments and Occupational Physicians: Clinical Cluster Observations and Etiologic Causation. *Hazards and Risks of Chemicals in the Oil Refining Industry: Hazards and Risks of Chemicals in the Oil Refining Industry*.
- Ducatman, AM; Yang, WN; Forman, SA. (1988). 'B-readers' and asbestos medical surveillance. *J Occup Med* 30: 644-647.
- Duck, BW. (1983). Petroleum, Extraction And Transport By Sea Of (pp. 1652-1656). (NIOSH/00149020). Duck, BW.
- Dueva, LA; Elovskaia, LT; Kovalevskaia, EV. (1997). [Evaluation of health hazards of asbestos containing wastes in the mining industry and prospects of their utilization]. *Med Tr Prom Ekol* 9-13.
- Dufault, R; Abelquist, E; Crooks, S; Demers, D; Diberardinis, L; Franklin, T; Horowitz, M; Petullo, C; Sturchio, G. (2000). Reducing environmental risk associated with laboratory decommissioning and property transfer. *Environ Health Perspect* 108: 1015-1022.
- Dufresne, A; Dion, C; Frielaender, A; Audet, E; Perrault, G. (2009). Personal and static sample measurements of asbestos fibres during two abatement projects. *Bull Environ Contam Toxicol* 82: 440-443. <http://dx.doi.org/10.1007/s00128-009-9661-4>.
- Dufresne, A; Looserevanich, P; Armstrong, B; Infanterivard, C; Perrault, G; Dion, C; Masse, S; Begin, R. (1995). PULMONARY RETENTION OF CERAMIC FIBERS IN SILICON-CARBIDE (SiC) WORKERS. *Am Ind Hyg Assoc J* 56: 490-498.
- Dumitru-Stănescu, R; Mandravel, C; Bercu, C. (1994). Infrared and nuclear magnetic resonance studies of some surface properties of asbestos-albumin interactions. *Analyst* 119: 689-691.
- Dummer, T; Gotay, C. (2015). Asbestos in Canada: time to change our legacy. 187: E315-E316. <http://dx.doi.org/10.1503/cmaj.150269>.
- Dumortier, P; Broucke, I; De Vuyst, P. (2001). Pseudoasbestos bodies and fibers in bronchoalveolar lavage of refractory ceramic fiber users. *Am J Respir Crit Care Med* 164: 499-503. <http://dx.doi.org/10.1164/ajrccm.164.3.2012020>.
- Dumortier, P; Coplū, L; Broucke, I; Emri, S; Selcuk, T; de Maertelaer, V; De Vuyst, P; Baris, I. (2001). Erionite bodies and fibres in bronchoalveolar lavage fluid (BALF) of residents from Tuzköy, Cappadocia, Turkey. *Occup Environ Med* 58: 261-266.
- Dumortier, P; De Vuyst, P; Rey, F; Boutin, C. (1998). RE main asbestos type in pleural mesothelioma [Letter]. *Am J Ind Med* 33: 94-96.
- Dumortier, P; De Vuyst, P; Strauss, P; Yernault, JC. (1990). Asbestos bodies in bronchoalveolar lavage fluids of brake lining and asbestos cement workers. *Br J Ind Med* 47: 91-98.
- Dumortier, P; de Vuyst, P; Yernault, JC. (1988). Mineralogical analysis of bronchoalveolar lavage fluids. *Z Erkr Atmungsorgane* 171: 50-58.
- Duncan, DB. (1988). THE RESPONSE OF PARIETAL PERITONEUM TO CALCIUM SILICATES (pp. 8-12). (BIOSIS/88/36762). Duncan, DB.
- Dunjic, M; Stanisic, S; Icrstic, D; Stanisic, M; Ignjatich, ZI; Dunjic, M. (2014). Integrative Approach to Diagnosis of Genital Human Papillomaviruses (HPV) Infection of Female. *Acupunct Electrother Res* 39: 229-239. <http://dx.doi.org/10.3727/036012914X14109544776051>.
- Dunleavey, R. (2004). Malignant mesothelioma: risk factors and current management [Review]. *Nurs Times* 100: 40-43.
- Dunn, AM; Burns, C; Sattler, B. (2003). Environmental health of children. *J Pediatr Health Care* 17: 223-231.
- Dunn, BK; Kramer, BS. (2016). Cancer Prevention: Lessons Learned and Future Directions. 2: 713-722. <http://dx.doi.org/10.1016/j.trecan.2016.11.003>.
- Dunnigan, J. (1993). Chrysotile asbestos revisited [Letter]. *Br J Ind Med* 50: 862-863.
- Dunnigan, J; Nadeau, D; Paradis, D. (1984). Cytotoxic effects of aramid fibres on rat pulmonary macrophages: comparison with chrysotile asbestos. *Toxicol Lett* 20: 277-282.
- Dunnill, MS. (1984). Pleural mesothelioma [Editorial]. *Eur J Respir Dis* 65: 159-161.
- Dunnom, DD. (1984). Definitions for Silica Minerals. 834: 188-192.
- Dupere, J. (1984). Asbestos Industry At The Crossroads: Current Position And Outlook. 36: 727-730.
- Durden, LA; Beckmen, KB; Gerlach, RF. (2016). New Records of Ticks (Acari: Ixodidae) From Dogs, Cats, Humans, and Some Wild Vertebrates in Alaska: Invasion Potential. *J Med Entomol* 53: 1391-1395. <http://dx.doi.org/10.1093/jme/tjw128>.
- Dutt, AK; Achmatowiczotok, A; Mukhopadhyay, A; Carney, MC. (1992). URBAN AND RURAL HOUSING CHARACTERISTICS OF POLAND. *Landscape Urban Plan* 22: 153-160.
- Dutta, M; Sreedhar, R; Basu, A. (2003). The blighted hills of Roro, Jharkhand, India: A tale of corporate greed and abandonment. *Int J Occup Environ Health* 9: 254-259. <http://dx.doi.org/10.1179/oeh.2003.9.3.254>.
- Duwe, K; Beck, B. (1983). Measurement and evaluation of non-toxic dusts in occupational hygiene - TGL 32620 and 32621. 22: 12-15.
- Dye, JA; Adler, KB. (1994). EFFECTS OF CIGARETTE-SMOKE ON EPITHELIAL-CELLS OF THE RESPIRATORY-TRACT. *Thorax* 49: 825-834.
- Dyer, EL. (1980). Asbestos: a ubiquitous fibrogenic and oncogenic dust. *J Indiana State Med Assoc* 73: 34-35.
- Dyken, JJ; Wheeler, JS; ATSDR. (2008). ATSDR's experience with community exposure to "naturally occurring asbestos". *J Environ Health* 70: 74-76.
- Eade, TN; Fulham, MJ; Constable, CJ. (2002). Primary malignant peritoneal mesothelioma: appearance on F-18 FDG positron emission tomographic images. *Clin Nucl Med* 27: 924-925.
- Eastes, W; Morris, KJ; Morgan, A; Launder, KA; Collier, CG; Davis, JA; Mattson, SM; Hadley, JG. (1995). DISSOLUTION OF CLASS FIBERS IN THE RAT LUNG FOLLOWING INTRATRACHEAL INSTILLATION. *Inhal Toxicol* 7: 197-213.
- Eastes, W; Potter, RM; Hadley, JG. (2000). Estimation of dissolution rate from in vivo studies of synthetic vitreous fibers. *Inhal Toxicol* 12: 1037-1054. <http://dx.doi.org/10.1080/08958370050164644>.
- Eastman, A; Mossman, BT; Bresnick, E. (1983). INFLUENCE OF ASBESTOS ON THE UPTAKE OF BENZO(A)PYRENE AND DNA ALKYLATION IN HAMSTER TRACHEAL EPITHELIAL-CELLS. *Cancer Res* 43: 1251-1255.
- Eaton, DL. (2010). Project 1: In vitro Studies: Correlate the physical and chemical characteristics.
- Eaton, DL. (2011). Project 1: In vitro Studies: Correlate the physical and chemical characteristics.

Human Health Hazard Literature Search Results

Off Topic

- Eaton, DL. (2012). Project 1: In vitro Studies: Correlate the physical and chemical characteristics.
- Ebadian, MA. (1999). Hemispheric center for environmental technology. News Highlights, March 1999. 86.
- Eberhardt, MK; Roman-Franco, AA; Quiles, MR. (1985). ASBESTOS-INDUCED DECOMPOSITION OF HYDROGEN PEROXIDE. *Environ Res* 37: 287-292.
- Ebert, R. (1988). [Register for work sites and workers exposed to asbestos dust pollution--organization and initial results]. *Z Gesamte Hyg Grenzgeb* 34: 399-400.
- Eborn, SK; Aust, AE. (1995). EFFECT OF IRON ACQUISITION ON INDUCTION OF DNA SINGLE-STRAND BREAKS BY ERIONITE, A CARCINOGENIC MINERAL FIBER. *Arch Biochem Biophys* 316: 507-514.
- ECETOC (European Centre for Ecotoxicology and Toxicology of Chemicals). (1996). Toxicology of man-made organic fibres (MMOF). (RISKLINE/1996080004). Brussels, Belgium: ECETOC Publications.
- Echeverry, N; Ziltener, G; Barbone, D; Weder, W; Stahel, RA; Broaddus, VC; Felley-Bosco, E. (2015). Inhibition of autophagy sensitizes malignant pleural mesothelioma cells to dual PI3K/mTOR inhibitors. *Cell Death & Disease* 6: e1757. <http://dx.doi.org/10.1038/cddis.2015.124>.
- Eckardt, RE. (1973). Recent developments in industrial carcinogens [Review]. *J Occup Med* 15: 904-907.
- Edakuni, N; Ikuta, K; Yano, S; Nakataki, E; Muguruma, H; Uehara, H; Tani, M; Yokota, J; Aizawa, H; Sone, S. (2006). Restored expression of the MYO18B gene suppresses orthotopic growth and the production of bloody pleural effusion by human malignant pleural mesothelioma cells in SCID mice. *Oncol Res* 16: 235-243.
- EDELMAN. (1988). EXPOSURE TO ASBESTOS AND THE RISK OF GASTROINTESTINAL CANCER - REPLY. *Br J Ind Med* 45: 574-575.
- Edelman, P. (1987). ASBESTOS AND AIR-FLOW LIMITATION [Letter]. *J Occup Environ Med* 29: 264-265.
- Edwards, AT; Whitaker, D; Browne, K; Pooley, FD; Gibbs, AR. (1997). Mesothelioma in a community in the north of England - Reply. *Occup Environ Med* 54: 67-68.
- Edwards, JG; Swinson, DE; Jones, JL; Muller, S; Waller, DA; O'Byrne, KJ. (2003). Tumor necrosis correlates with angiogenesis and is a predictor of poor prognosis in malignant mesothelioma. *Chest* 124: 1916-1923.
- Edwards, JG; Swinson, DE; Jones, JL; Waller, DA; O'Byrne, KJ. (2006). EGFR expression: associations with outcome and clinicopathological variables in malignant pleural mesothelioma. *Lung Cancer* 54: 399-407. <http://dx.doi.org/10.1016/j.lungcan.2006.08.012>.
- Edwards, WC; Gregory, DG. (1991). Livestock poisoning from oil field drilling fluids, muds and additives. *Vet Hum Toxicol* 33: 502-504.
- Egan, H. (1979). Organic and inorganic compounds: analytical aspects (pp. The Use of Biological Specimens for the Assessment of Human Exposure to Environmental Pollutants). (PESTAB/80/2810). Egan, H.
- Egedahl, RD; Olsen, GW; Coppock, E; Young, ML; Arnold, IMF. (1989). An Historical Prospective Mortality Study of the Sarnia Division of Dow Chemical Canada Inc., Sarnia, Ontario (1950-1984). *Can J Public Health* 80: 441-446.
- Eggertson, L. (2008). Asbestos panelists accuse government of misusing science. 179: 886-887. <http://dx.doi.org/10.1503/cmaj.081532>.
- Eggertson, L. (2010). Quebec stands firm on asbestos exports despite growing controversy. 182: E239-E240. <http://dx.doi.org/10.1503/cmaj.109-3184>.
- Egilman, D. (1992). WAS THE LITERATURE CORRUPTED - RESPONSE. *Am J Ind Med* 22: 613-613.
- Egilman, D. (2000). Researchers should talk to workers [Letter]. *Am J Ind Med* 37: 668.
- Egilman, D. (2001). Re: Researchers should talk to workers - Am. J. Ind. Med. 2000. 37 : 668. *Am J Ind Med* 39: 347-347.
- Egilman, D. (2009). Ford, General Motors, Chrysler, asbestos, and a "sane appreciation of the risks" [Editorial]. *Int J Occup Environ Health* 15: 109-110. <http://dx.doi.org/10.1179/oeh.2009.15.1.109>.
- Egilman, D. (2011). An elaboration of "proof" of peritoneal mesothelioma from tremolite free chrysotile [Comment]. *Am J Ind Med* 54: 647. <http://dx.doi.org/10.1002/ajim.20975>.
- Egilman, D. (2012). Report of a recent "brake" through in the fiber burden-mesothelioma dialogue [Letter]. *Inhal Toxicol* 24: 136-137. <http://dx.doi.org/10.3109/08958378.2011.643932>.
- Egilman, D; Baur, X; Soskolne, CL. (2016). Unreliable proposed 'new standard' for assessing asbestos exposure [Letter]. *Occup Environ Med* 73: 709. <http://dx.doi.org/10.1136/oemed-2016-103704>.
- Egilman, D; Bird, T. (2016). Short fiber tremolite free chrysotile mesothelioma cohort revealed. *Am J Ind Med* 59: 196-199. <http://dx.doi.org/10.1002/ajim.22552>.
- Egilman, D; Bird, T; Lee, C. (2014). Dust diseases and the legacy of corporate manipulation of science and law. *Int J Occup Environ Health* 20: 115-125. <http://dx.doi.org/10.1179/1077352514Z.000000000104>.
- Egilman, D; Fehnel, C; Bohme, SR. (2003). Exposing the "myth" of ABC, "anything but chrysotile": a critique of the Canadian asbestos mining industry and McGill University chrysotile studies. *Am J Ind Med* 44: 540-557. <http://dx.doi.org/10.1002/ajim.10300>.
- Egilman, D; Howe, S. (2007). Against anti-health epidemiology: Corporate obstruction of public health via manipulation of epidemiology. *Int J Occup Environ Health* 13: 118-124.
- Egilman, D; Rankin Bohme, S. (2004). Attorney-directed screenings can be hazardous. *Am J Ind Med* 45: 305-307. <http://dx.doi.org/10.1002/ajim.10347>.
- Egilman, D; Reinert, A. (1996). The asbestos TLV: early evidence of inadequacy. *Am J Ind Med* 30: 369-370. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199609\)30:3<369::AID-AJIM17>3.0.CO;2-U](http://dx.doi.org/10.1002/(SICI)1097-0274(199609)30:3<369::AID-AJIM17>3.0.CO;2-U).
- Egilman, D; Schilling, JH. (2012). Letter to the Editor regarding the Donovan et al. (2011) article [Letter]. *Crit Rev Toxicol* 42: 169-172; author reply 173-183. <http://dx.doi.org/10.3109/10408444.2011.651011>.
- Egilman, D; Tran, T. (2016). A commentary on Roggli's "The So-Called Short-Fiber Controversy". *Int J Occup Environ Health* 1-6. <http://dx.doi.org/10.1080/10773525.2016.1153866>.

Human Health Hazard Literature Search Results

Off Topic

- Egilman, DS. (2013). The importance of scientific debate [Editorial]. *Int J Occup Environ Health* 19: 157-159. <http://dx.doi.org/10.1179/1077352513Z.00000000076>.
- Egilman, DS. (2016). The production of corporate research to manufacture doubt about the health hazards of products: an overview of the Exponent Bakelite™ simulation study. *Int J Occup Environ Health* 22: 18-26. <http://dx.doi.org/10.1080/10773525.2015.1123379>.
- Egilman, DS; Ardolino, EL; Howe, S; Bird, T. (2011). Deconstructing a state-of-the-art review of the asbestos brake industry. *New Solutions: A Journal of Environmental and Occupational Health Policy* 21: 545-571. <http://dx.doi.org/10.2190/NS.21.4.e>.
- Egilman, DS; Billings, MA. (2005). Abuse of epidemiology: Automobile manufacturers manufacture a defense to asbestos liability. *Int J Occup Environ Health* 11: 360-371. <http://dx.doi.org/10.1179/oe.2005.11.4.360>.
- Egilman, DS; Billings, MA. (2006). Differential peeky bias [Letter]. *Int J Occup Environ Health* 12: 294. <http://dx.doi.org/10.1179/oe.2006.12.3.294>.
- Egilman, DS; Bird, T; Lee, C. (2013). MetLife and its corporate allies: dust diseases and the manipulation of science. *Int J Occup Environ Health* 19: 287-303. <http://dx.doi.org/10.1179/2049396713Y.00000000033>.
- Egilman, DS; Druar, NM. (2013). Commentary on 'evaluation of take home (para-occupational) exposure to asbestos and disease: a review of the literature', Donovan et al.1 [Editorial]. *Int J Occup Environ Health* 19: 163-168. <http://dx.doi.org/10.1179/1077352513Z.00000000072>.
- Egilman, DS; Goldin, AS; Goldin, GA. (1996). Mesothelioma: An unwarranted causal model [Letter]. *J Occup Environ Med* 38: 239-240.
- Egilman, DS; Reinert, A. (2000). Corruption of previously published asbestos research [Letter]. *Arch Environ Health* 55: 75-76. <http://dx.doi.org/10.1080/00039890009603390>.
- Egilman, DS; Reinert, AA. (1995). The origin and development of the asbestos Threshold Limit Value: scientific indifference and corporate influence [Review]. *Int J Health Serv* 25: 667-696. <http://dx.doi.org/10.2190/EXVJ-RR1P-AYCG-1WH6>.
- egrave; Onig, R; Heide, H. (1983). Development of a procedure for automatic counting of (asbestos) fibre concentrations on membrane filters. (CIS/84/01221). K and egrave; Onig, R; Heide, H.
- egrave; Orster, H; Grimm, HG; Mayer, P; Sch; egrave; Utz, A. (1984). Artificial mineral fibres in the workplace. 34: 362-371.
- Ehlers, EM; Kühnel, W; Wiedemann, GJ. (2002). Hyperthermia and mafosfamide in a human-derived malignant pleural mesothelioma cell line. *J Cancer Res Clin Oncol* 128: 65-72. <http://dx.doi.org/10.1007/s00432-001-0306-1>.
- Ehrenreich, T; Espinosa, T; Langer, AM; Rohl, AN; Daum, SM. (1982). Asbestos-related diseases. Algorithm for forensic pathological diagnosis. *Am J Forensic Med Pathol* 3: 315-321.
- Ehrenreich, T; Mackler, AD; Langer, AM; Selikoff, IJ. (1973). Identification and Characterization of Pulmonary Dust Burden in Pneumoconiosis. *Ann Clin Lab Sci* 3: 118-131.
- Ehrenreich, T; Selikoff, IJ. (1980). Forensic detection and investigation of occupational-environmental disease. *Am J Forensic Med Pathol* 1: 325-333.
- Ehrenreich, T; Selikoff, IJ. (1983). Diseases associated with asbestos exposure. Diagnostic perspectives in forensic pathology. *Am J Forensic Med Pathol* 4: 63-72.
- Ehrlich, A; Suzuki, Y. (1987). A rapid and simple method of extracting asbestos bodies from lung tissue by cytocentrifugation. *Am J Ind Med* 11: 109-116.
- Ehrlich, R; Myers, J. (1992). CHANGING ATTITUDES AND OPINIONS REGARDING ASBESTOS AND CANCER 1934-1965 - COMMENT [Comment]. *Am J Ind Med* 22: 279-280.
- Ehrlich, RI. (1989). THE OCCUPATIONAL MEDICINE CLINIC OF THE NATIONAL CENTER FOR OCCUPATIONAL HEALTH. *S Afr Med J* 75: 227-230.
- Eibel, R; Tuengerthal, S; Schoenberg, SO. (2003). The role of new imaging techniques in diagnosis and staging of malignant pleural mesothelioma. *Curr Opin Oncol* 15: 131-138.
- Eigenwillig, GG. (2006). Errors and blunders in the estimation of radiation exposure for the uranium miners of WISMUT in Germany [Letter]. *Health Phys* 91: 390-391; author reply 392. <http://dx.doi.org/10.1097/01.HP.0000234052.17553.b4>.
- Eikmann, T; Kramer, M; Goebel, H. (1992). THE BURDEN WITH TOXIC AGENTS OF THE POPULATION INSIDE MOTOR VEHICLES EXAMPLE BENZENE (pp. 41-52). (BIOSIS/92/30873). Eikmann, T; Kramer, M; Goebel, H.
- Einarsson, JT; Danielsen, R; Indridaon, OS; Gudbjartsson, T. (2010). [Constrictive pericarditis with severe heart failure - a case report and review of the literature] [Review]. *Laeknabladid* 96: 475-480.
- Einbrodt, HJ. (1970). [Asbestos and pseudoasbestos bodies (ferruginous bodies)]. 41: 504-506.
- Einbrodt, HJ. (1972). Threshold values for dust-like air pollutants and other anti-pollution measures (pp. 296-299). (HEEP/73/09311). Einbrodt, HJ.
- Eisen, EA. (1986). Epidemiologic markers of environmental lung diseases [Research]. RePORTER Database National Institutes of Health.
- Eisen, EA. (1987). Epidemiologic markers of environmental lung diseases [Research]. RePORTER Database National Institutes of Health.
- Eisen, EA. (1988). Epidemiologic markers of environmental lung diseases [Research]. RePORTER Database National Institutes of Health.
- Eisen, EA. (1989). Epidemiologic markers of environmental lung diseases [Research]. RePORTER Database National Institutes of Health.
- Eisen, EA; Oliver, LC; Christiani, DC; Robins, JM; Wegman, DH. (1985). EFFECTS OF SPIROMETRY STANDARDS IN 2 OCCUPATIONAL COHORTS (pp. 12-15). (BIOSIS/85/16507). Eisen, EA; Oliver, LC; Christiani, DC; Robins, JM; Wegman, DH.
- Eisen, L. (2007). Seasonal pattern of host-seeking activity by the human-biting adult life stage of *Dermacentor andersoni* (Acari: Ixodidae). *J Med Entomol* 44: 359-366.
- Eisen, L; Ibarra-Juarez, LA; Eisen, RJ; Piesman, J. (2008). Indicators for elevated risk of human exposure to host-seeking adults of the Rocky Mountain wood tick (*Dermacentor andersoni*) in Colorado. *J Vector Ecol* 33: 117-128.
- Eisen, L; Meyer, AM; Eisen, RJ. (2007). Climate-based model predicting acarological risk of encountering the human-biting adult life stage of *Dermacentor andersoni* (Acari: Ixodidae) in a key habitat type in Colorado. *J Med Entomol* 44: 694-704.

Human Health Hazard Literature Search Results

Off Topic

- Eisenberg, BC. (1973). Letters to the editor: Syringes with asbestos wound plungers. *Ann Allergy* 31: 516.
- Eisinger, J; Blumberg, WE. (1978). ENVIRONMENTAL INTOXICANTS AND THEIR FUNDAMENTAL INTERACTIONS. *Q Rev Biophys* 11: 429-438.
- Eitner, F. (1988). Substantiating hazardous exposure to asbestos by examination of pulmonary dust. *Int Arch Occup Environ Health* 61: 163-166.
- El Alami, M. (2004). Does asbestos cause laryngeal cancer? [Letter]. *Clin Otolaryngol Allied Sci* 29: 285. <http://dx.doi.org/10.1111/j.1365-2273.2004.00816.x>.
- El Yamani, M; Boulanger, G; Nerriere-Catelois, E; Paillat, A; Modelon, H; Soyey, A; Paquet, F; Binet, S; Paris, C; Brochard, P. (2012). Revision of French Occupational Exposure Limits of Asbestos and Recommendation of Measurement Method: Can the Dimensional Characteristics of the Asbestos Fibers (Long, Thin, Short) Be Taken Into Account? *Crit Rev Environ Sci Tech* 42: 1441-1484. <http://dx.doi.org/10.1080/10643389.2011.556895>.
- Elabed, H; Hamza, R; Bakhrouf, A; Gaddour, K. (2016). Rapid DNA transformation in *Salmonella Typhimurium* by the hydrogel exposure method. *J Microbiol Methods* 126: 67-71. <http://dx.doi.org/10.1016/j.mimet.2016.04.017>.
- Elias, JA; Rossman, MD; Daniele, RP. (1985). Pathogenesis of pleural plaques [Letter]. *Am Rev Respir Dis* 131: 965-966. <http://dx.doi.org/10.1164/arrd.1985.131.6.965b>.
- Elias, JD. (1981). Dry removal of asbestos. *Am Ind Hyg Assoc J* 42: 624-625. <http://dx.doi.org/10.1080/15298668191420387>.
- Elias, Z; Poirot, O; Danière, MC; Terzetti, F; Binet, S; Tomatis, M; Fubini, B. (2002). Surface reactivity, cytotoxicity, and transforming potency of iron-covered compared to untreated refractory ceramic fibers. *J Toxicol Environ Health A* 65: 2007-2027. <http://dx.doi.org/10.1080/00984100290071360>.
- Eling, TE. (1985). Biosynthesis of prostaglandins [Research]. RePORTER Database National Institutes of Health.
- Eling, TE. (1986). Biosynthesis of prostaglandins [Research]. RePORTER Database National Institutes of Health.
- Ellery, KS; Walker, BH. (1986). Growth characteristics of selected plant species on asbestos tailings from msauli mine eastern transvaal south africa. 52: 201-206.
- Ellinghausen, HC. (1973). Death and lysis of leptospirae when cultured in asbestos-filtered growth media. *Applied Microbiology* 26: 959-968.
- Ellingsen, D; Andersen, A; Nordhagen, HP; Efskind, J; Kjuus, H. (1992). CANCER INCIDENCE AND MORTALITY AMONG WORKERS EXPOSED TO MERCURY IN THE NORWEGIAN CHLORALKALI INDUSTRY (pp. 10-12). (BIOSIS/92/28786). Ellingsen, D; Andersen, A; Nordhagen, HP; Efskind, J; Kjuus, H.
- Elliott, J. (1980). Experts cite paralysis of asbestos exposure control efforts. *JAMA* 243: 211-213, 219.
- Elliott, P. (1993). EPIDEMIOLOGY IN THE ASSESSMENT OF ENVIRONMENTAL HAZARDS PART II. THE SMALL AREA HEALTH STATISTICS UNIT. (BIOSIS/94/14178). Elliott, P.
- Elliott, P; Westlake, AJ; Hills, M; Kleinschmidt, I; Rodrigues, L; MCGale, P; Marshall, K; Rose, G. (1992). The Small Area Health Statistics Unit: A national facility for investigating health around point sources of environmental pollution in the United Kingdom. *J Epidemiol Community Health* 46: 345-349.
- Ellis, WJ. (1997). Raghavan, D., S. A. Leibel, H. I. Scher and P. Lange. Principles and Practice of Genitourinary Oncology. Xxxviii+1146p. Lippincott-Raven Publishers: Philadelphia, Pennsylvania, USA. Isbn 0-397-51458-1.; 0 (0). 1997. 795-798 Epidemiology and etiology of renal cell carcinoma.
- Ellison, JM. (1994). Editor's preface to the report of the workshop on health risks associated with chrysotile asbestos [Editorial]. *Ann Occup Hyg* 38: 397-398.
- Ellison, JM; Howard, WP. (1970). The control of asbestos in the working environment. *Ann Occup Hyg* 13: 153-158.
- Elmes, P. (1979). Asbestosis and mesothelioma [proceedings]. *Br J Dis Chest* 73: 50-51.
- Elmes, P. (1993). ATTITUDES AND OPINIONS REGARDING ASBESTOS AND CANCER, 1934-1965. *Am J Ind Med* 23: 507-507.
- Elmes, P; Browne, K. (1986). Mesothelioma shortly after brief exposure to asbestos [Letter]. *Lancet* 1: 746.
- Elmes, PC. (1977). Investigation into the hazardous use of asbestos. Northern Ireland 1960-76. *Ulster Med J* 46: 71-80.
- Elmes, PC. (1978). Risk factors in asbestos exposure. *J R Soc Med* 71: 914-916.
- Elmes, PC. (1979). DOSE RESPONSE RELATIONSHIPS FROM EPIDEMIOLOGICAL DATA (pp. 8-10). (HEEP/80/09206). Elmes, PC.
- Elmes, PC. (1981). Relative importance of cigarette smoking in occupational lung disease. *Br J Ind Med* 38: 1-13.
- Elmes, PC. (1994). INORGANIC DUSTS (pp. LONDON). (BIOSIS/94/33354). Elmes, PC.
- Elmes, PC; Wagner, JC. (1978). FIBROSIS OF LUNG AN ENVIRONMENTAL DISEASE (pp. LONDON). (HEEP/81/00887). Elmes, PC; Wagner, JC.
- Elovskaja, LT. (1997). [Anti-asbestos campaign and conference on "Asbestos and health issues"]; *Med Tr Prom Ekol* 16-21.
- Elovskaya, LT. (1997). Anti-asbestos campaign and conference "Asbestos and Health" (Asbest, Russia, June 4-7, 1996). *Med Tr Prom Ekol* 0: 16-21.
- Elshazley, M; Shibata, E; Hisanaga, N; Ichihara, G; Ewis, AA; Kamijima, M; Ichihara, S; Sakai, K; Sato, M; Kondo, M; Hasegawa, Y. (2011). Pleural plaque profiles on the chest radiographs and CT scans of asbestos-exposed Japanese construction workers. *Ind Health* 49: 626-633.
- Elstner, P; Lohs, K; Stephan, U. (1982). Use of dangerous substances - Regulations (pp. 28-30). (CIS/84/00118). Elstner, P; Lohs, K; Stephan, U.
- Embleton, MJ; Wagner, JC; Wagner, MM; Jones, JS; Sheers, G; Oldham, PD; Baldwin, RW. (1976). Assessment of cell-mediated immunity to malignant mesothelioma by microcytotoxicity tests. *Int J Cancer* 17: 597-601.
- Emerson, P. (1981). PLEURISY WITH SERIOUS EFFUSIONS (pp. WOBURN). (HEEP/82/09205). Emerson, P.
- Emerson, RJ; Corrin, B; Cole, PJ. (1981). MORPHOLOGICAL EVIDENCE FOR ALVEOLAR MACROPHAGE DIFFERENTIATION IN A GUINEA-PIG MODEL OF CHRONIC INFLAMMATORY LUNG DISEASE (pp. 9-13). (HEEP/82/04644). Emerson, RJ; Corrin, B; Cole, PJ.
- Emmanouil, K; Kalliopi, A; Dimitrios, K; Evangelos, G. (2009). Asbestos pollution in an inactive mine: Determination of asbestos fibers in the deposit tailings and water. *J Hazard Mater* 167: 1080-1088. <http://dx.doi.org/10.1016/j.jhazmat.2009.01.102>.
- Emmett, EA. (2014). Core B - Community Engagement Core.

Human Health Hazard Literature Search Results

Off Topic

- Emmett, EA. (2015). Core B - Community Engagement Core.
- Emri, S. (2003). Recent developments in the therapy of malignant pleural mesothelioma. *Indoor Built Environ* 12: 391-393. <http://dx.doi.org/10.1177/1420326X03039011>.
- Emri, S; Kilickap, S; Kadilar, C; Halil, MG; Akay, H; Besler, T. (2012). Serum levels of alpha-tocopherol, vitamin C, beta-carotene, and retinol in malignant pleural mesothelioma. *Asian Pac J Cancer Prev* 13: 3025-3029. <http://dx.doi.org/10.7314/APJCP.2012.13.7.3025>.
- Endes, C; Mueller, S; Kinnear, C; Vanhecke, D; Foster, EJ; Petri-Fink, A; Weder, C; Clift, MJ; Rothen-Rutishauser, B. (2015). Fate of cellulose nanocrystal aerosols deposited on the lung cell surface in vitro. *Biomacromolecules* 16: 1267-1275. <http://dx.doi.org/10.1021/acs.biomac.5b00055>.
- Endes, C; Schmid, O; Kinnear, C; Mueller, S; Camarero-Espinosa, S; Vanhecke, D; Foster, EJ; Petri-Fink, A; Rothen-Rutishauser, B; Weder, C; Clift, MJ. (2014). An in vitro testing strategy towards mimicking the inhalation of high aspect ratio nanoparticles. *Part Fibre Toxicol* 11: 40. <http://dx.doi.org/10.1186/s12989-014-0040-x>.
- Endres, P. (1992). EFFECTS OF AIRBORNE POLLUTANTS ON THE RESPIRATORY TRACT (pp. MEDIZINISCH-OEKOLOGISCHE BEITRAEGE; (VECHTA UNIVERSITY PAPERS). (BIOSIS/92/21932). Endres, P.
- Eneanya, DI; Daniel, FB; Hart, RW. (1979). Effect of asbestos (chrysotile intermediate) on the metabolism of benzo(a)pyrene in Syrian hamster embryo cells [Abstract]. *Fed Proc* 38: 542.
- Energy, USDo. (1991). Tiger Team Assessment of the Solar Energy Research Institute. 455.
- Energy, USDo. (2007). Site Cleanup Report for Sites PBF-33 and PBF-34. 14.
- Energy, USDo. (2010). Application for a Permit to Operate a Class III Solid Waste Disposal Site at the Nevada Test Site Area 5 Asbestiform Low-Level Solid Waste Disposal Site (pp. 51). (NTIS/10740112).
- Engelberg, AL; Hodous, TK; Boehlecke, BA; Petersen, MR; Merchant, JA. (1980). National Institute For Occupational Safety And Health technical assistance to OSHA, Johns-Manville Corporation, Waukegan, Illinois (pp. 62). (TA-78-101-104). Washington, DC: National Institute for Occupational Safety and Health.
- Englert, JM. (2008). A Role for Advanced Glycation End-Products in Diabetic Lung Injury.
- Englert, JM. (2009). A Role for Advanced Glycation End-Products in Diabetic Lung Injury.
- Englert, JM. (2010). A Role for Advanced Glycation End-Products in Diabetic Lung Injury.
- Englund, A. (1979). Based on available data, can we project an acceptable standard for industrial use of asbestos? No. *Ann N Y Acad Sci* 330: 219-221.
- Englund, A. (1991). SWEDISH APPROACHES TO INDUSTRY-WIDE STUDIES THE CONSTRUCTION INDUSTRY (pp. EXPOSURE TO ASBESTOS IN PLACE: PUBLIC HEALTH CONTROL; CONFERENCE). (ISSN 0077-8923; EISSN 1749-6632; BIOSIS/93/34944). Englund, A.
- Enon, S; Kilic, D; Yuksel, C; Kayi Cangir, A; Percinel, S; Sak, SD; Gungor, A; Kavukcu, S; Okten, I. (2012). Benign localized fibrous tumor of the pleura: report of 25 new cases [Review]. *Thorac Cardiovasc Surg* 60: 468-473. <http://dx.doi.org/10.1055/s-0031-1295519>.
- Enrico Favero-Longo, S; Turci, F; Tomatis, M; Compagnoni, R; Piervittori, R; Fubini, B. (2009). The effect of weathering on ecopersistence, reactivity, and potential toxicity of naturally occurring asbestos and asbestiform minerals. *J Toxicol Environ Health A* 72: 305-314. <http://dx.doi.org/10.1080/15287390802529864>.
- Enright, P. (1987). Comment on spirometry [Letter]. *J Occup Med* 29: 842.
- Enterline, PE. (1976). Estimating health risks in studies of the health effects of asbestos. *Am Rev Respir Dis* 113: 175-180. <http://dx.doi.org/10.1164/arrd.1976.113.2.175>.
- Enterline, PE. (1976). Pitfalls in epidemiological research. An examination of the asbestos literature [Review]. *J Occup Med* 18: 150-156.
- Enterline, PE. (1978). Epidemiology in Studies of Occupational Health (pp. 78-169). (NIOSH/00184903). Enterline, PE.
- Enterline, PE. (1979). Attributability in the Face of Uncertainty (pp. 5). (NIOSH/00193792). Enterline, PE.
- Enterline, PE. (1980). ATTRIBUTABILITY IN THE FACE OF UNCERTAINTY (pp. 377-379). (HEEP/82/03090). Enterline, PE.
- Enterline, PE. (1981). Extrapolation from occupational studies: a substitute for environmental epidemiology. *Environ Health Perspect* 42: 39-44.
- Enterline, PE. (1983). SORTING OUT MULTIPLE CAUSAL FACTORS IN INDIVIDUAL CASES (pp. WASHINGTON). (HEEP/84/05598). Enterline, PE.
- Enterline, PE. (1991). Carcinogenic Effects of Man-Made Vitreous Fibers. *Annu Rev Public Health* 12: 459-480.
- Enterline, PE. (1991). Changing attitudes and opinions regarding asbestos and cancer 1934-1965. *Am J Ind Med* 20: 685-700.
- Enterline, PE. (1996). Toxic torts: are they poisoning the scientific literature? [Comment]. *Am J Ind Med* 30: 121-122. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199607\)30:1<121::AID-AJIM22>3.0.CO;2-Z](http://dx.doi.org/10.1002/(SICI)1097-0274(199607)30:1<121::AID-AJIM22>3.0.CO;2-Z).
- Enterline, PE; Henderson, V. (1990). ASBESTOS AND KIDNEY CANCER. *Am J Ind Med* 17: 645-646.
- Enterline, PE; Marsh, GM. (1980). Mortality of workers in the man-made mineral fibre industry. IARC Sci Publ IARC Scientific Publication No: 965-972.
- Enterline, PE; Marsh, GM. (1982). Missing records in occupational disease epidemiology. *J Occup Med* 24: 677-680.
- Enterline, PE; Marsh, GM; Henderson, V; Callahan, C. (1987). Mortality update of a cohort of US man-made mineral fibre workers. *Ann Occup Hyg* 31: 625-656.
- Entwisle, J. (2004). The use of magnetic resonance imaging in malignant mesothelioma [Review]. *Lung Cancer* 45 Suppl 1: S69-S71. <http://dx.doi.org/10.1016/j.lungcan.2004.04.015>.
- ENVIRON, AAPC; HAZARDS. (1976). Carcinogens in drinking water. *Pediatrics* 57: 462-464.
- Eom, HJ; Roca, CP; Roh, JY; Chatterjee, N; Jeong, JS; Shim, I; Kim, HM; Kim, PJ; Choi, K; Giral, F; Choi, J. (2015). A systems toxicology approach on the mechanism of uptake and toxicity of MWCNT in *Caenorhabditis elegans*. *Chem Biol Interact* 239: 153-163. <http://dx.doi.org/10.1016/j.cbi.2015.06.031>.

Human Health Hazard Literature Search Results

Off Topic

- Eom, M; Abdul-Ghafar, J; Park, SM; Han, JH; Hong, SW; Kwon, KY; Ko, ES; Kim, L; Kim, WS; Ha, SY; Lee, KY; Lee, CH; Yoon, HK; Choi, YD; Chung, MJ; Jung, SH. (2013). No detection of simian virus 40 in malignant mesothelioma in Korea. 47: 124-129. <http://dx.doi.org/10.4132/KoreanJPathol.2013.47.2.124>.
- EPA (Environmental Protection Agency). (1995). Asbestos building inspectors model curriculum for training for accreditation under TSCA section 206. Student notebook (Training manual). Washington, D.C.
- EPA (Environmental Protection Agency). (1996). Course 7. Model Curriculum for Asbestos Operations and Maintenance Workers (Training Package). Washington, D.C.
- Epler, GR. (1988). Incidental exposure to asbestos: how real is the risk? [Editorial]. *Hosp Pract (Off Ed)* 23: 6, 9-6,10.
- Epstein, SS. (1974). MULTIPLE FACTORS IN CARCINOGENESIS. *Environ Health Perspect* 9: 331-333.
- Er, O; Tanrikulu, AC; Abakay, A; Temurtas, F. (2012). An approach based on probabilistic neural network for diagnosis of Mesothelioma's disease. *Computers & Electrical Engineering* 38: 75-81. <http://dx.doi.org/10.1016/j.compeleceng.2011.09.001>.
- Erdogan, S; Acikalın, A; Zeren, H; Gonlusen, G; Zorludemir, S; Izol, V. (2014). Well-differentiated papillary mesothelioma of the tunica vaginalis: a case study and review of the literature. 48: 225-228. <http://dx.doi.org/10.4132/KoreanJPathol.2014.48.3.225>.
- Erichson, HM. (1999). Mass tort litigation and inquisitorial justice. *Georgetown Law Journal* 87: 1983-2024.
- Eriksson, M; Hardell, L; Adami, HO. (1990). Exposure to dioxins as a risk factor for soft tissue sarcoma: a population-based case-control study. *J Natl Cancer Inst* 82: 486-490.
- Erkiliç, S; Sari, I; Tunçözgür, B. (2001). Localized pleural malignant mesothelioma. *Pathol Int* 51: 812-815.
- Eroglu, C; Orhan, O; Kurtul, N; Karaca, H; Yildiz, OG; Ozkan, M; Soyuer, S; Karahacioglu, E; Kaplan, B. (2013). THE TREATMENT RESULTS OF MALIGN PLEURAL MESOTHELIOMA. PATIENTS: A SINGLE CENTRE EXPERIENCE. *Nobel Medicus* 9: 95-99.
- Erzinger, BF. (1987). METHOD AND COMPOSITION FOR REMOVING ASBESTOS-CONTAINING MATERIALS US PATENT-4693755. SEPTEMBER 15 1987. (BIOSIS/87/33126). Erzinger, BF.
- Esche, CA; Groff, JH. (1996). PAT Program Report: Background and Current Status (September 5, 1996). *Am Ind Hyg Assoc J* 57: 1179-1180.
- Esche, CA; Groff, JH. (1996). PAT Program: Background and Current Status. *Appl Occup Environ Hyg* 11: 1376-1378.
- Esche, CA; Groff, JH. (1996). Proficiency Analytical Testing Program Report (March 1996). *Am Ind Hyg Assoc J* 57.
- Esche, CA; Groff, JH. (1997). PAT Program Report: Background and Current Status. *Appl Occup Environ Hyg* 12: 650-652.
- Esche, CA; Groff, JH. (1997). PAT Program. Background and Current Status. *Appl Occup Environ Hyg* 12: 456-457.
- Esche, CA; Groff, JH. (1997). Proficiency Analytical Testing (PAT) Program (November 30, 1996). *Am Ind Hyg Assoc J* 58: 184-185.
- Esche, CA; Groff, JH. (1997). PROFICIENCY ANALYTICAL TESTING PAT PROGRAM MAY 30 1997. *Am Ind Hyg Assoc J* 58: 633-635.
- Esche, CA; Groff, JH. (1998). PAT Program Background and Current Status. *Appl Occup Environ Hyg* 13: 15-17.
- Esmen, N; Corn, M; Hammad, Y; Whittier, D; Kotsko, N. (1979). Summary of measurements of employee exposure to airborne dust and fiber in sixteen facilities producing man-made mineral fibers. *Am Ind Hyg Assoc J* 40: 108-117.
- Esmen, NA. (1991). THE COSTS OF IMPRECISION PERSPECTIVES IN ASBESTOS ABATEMENT (pp. EXPOSURE TO ASBESTOS IN PLACE: PUBLIC HEALTH CONTROL; CONFERENCE). (ISSN 0077-8923 EISSN 1749-6632 BIOSIS/93/34968). Esmen, NA.
- Esmen, NA; Corn, M. (1998). Airborne fiber concentrations during splitting open and boxing bags of asbestos. *Toxicol Ind Health* 14: 843-856.
- Esmen, NA; Erdal, S. (1990). Human occupational and nonoccupational exposure to fibers [Review]. *Environ Health Perspect* 88: 277-286.
- Esmen, NA; Hall, TA; Phillips, ML; Mars, GM. (2007). Chemical process based reconstruction of exposures for an epidemiological study: I. Theoretical and methodological issues. *Chem Biol Interact* 166: 254-263. <http://dx.doi.org/10.1016/j.cbi.2006.08.009>.
- Esmen, NA; Hammad, YY; Corn, M; Whittier, D; Kotsko, N; Haller, M; Kahn, RA. (1978). Exposure of employees to man-made mineral fibers: mineral wool production. *Environ Res* 15: 262-277.
- Espino, L; Vazquez, S; Failde, D; Barreiro, A; Mino, N; Goicoa, A, na. (2010). Localized pleural mesothelioma causing cranial vena cava syndrome in a dog. *J Vet Diagn Invest* 22: 309-312.
- Espinosa Muñoz, E; Ramírez Ocaña, D; Gutiérrez Cardo, AL. (2016). Malignant pleural mesothelioma in a young adult with no known exposure to asbestos. *Arch Bronconeumol* 52: 615-616. <http://dx.doi.org/10.1016/j.arbres.2016.03.008>.
- Esposito, MP; Mcardle, J; Greber, JS; Clark, R. (1984). Guidelines For Decontaminating Buildings, Structures And Equipment At Superfund Sites (pp. 486-488). (NIOSH/00155016). Esposito, MP; Mcardle, J; Greber, JS; Clark, R.
- Esposito, MP; Mcardle, JL; Crone, AH; Greber, JS; Clark, R; Brown, S; Hallowell, JB; Langham, A; Mccandlish, CD. (1987). Decontamination techniques for buildings, structures and equipment. (CIS/87/01391). Esposito, MP; Mcardle, JL; Crone, AH; Greber, JS; Clark, R; Brown, S; Hallowell, JB; Langham, A; Mccandlish, CD.
- Esswein, EJ; Tubbs, RL. (1994). Health Hazard Evaluation Report HETA 93-0696-2395, Hardy Road Landfill, Akron, Ohio. 27.
- Ettinger, DS; Akerley, W; Borghaei, H; Chang, A; Cheney, RT; Chirieac, LR; D'Amico, TA; Demmy, TL; Ganti, AK; Govindan, R; Grannis, FW; Horn, L; Jahan, TM; Jahanzeb, M; Kessinger, A; Komaki, R; Kong, FM; Kris, MG; Krug, LM; Lennes, IT; Loo, BW; Martins, R; O'Malley, J; Osarogiagbon, RU; Otterson, GA; Patel, JD; Schenck, MP; Pisters, KM; Reckamp, K; Riely, GJ; Rohren, E; Swanson, SJ; Wood, DE; Yang, SC; Network, NCC. (2012). Malignant pleural mesothelioma. 10: 26-41.
- Etz, ES; Rosasco, GJ; Blaha, JJ. (1977). Observation of the Raman effect from small, single particles: its use in the chemical identification of airborne particulates. (PESTAB/79/0739). Etz, ES; Rosasco, GJ; Blaha, JJ.
- Evans, CA. (1993). PUBLIC-HEALTH IMPACT OF THE 1992 LOS-ANGELES CIVIL UNREST. *Public Health Rep* 108: 265-272.
- Evans, PH; Nicholls, A. (1980). COLLAGEN POLYMORPHISM OF ASBESTOTIC PLEURAL PLAQUE (pp. 15-18). (HEEP/81/07938). Evans, PH; Nicholls, A.
- Everatt, R; Jankauskas, R; Kuciauskaite, A. (2006). Status of occupational cancer in Lithuania. *Int J Occup Environ Health* 12: 24-27.
- Everett, G. (1974). ANALYSIS FOR ASBESTOS IN ENVIRONMENTAL SAMPLES. *Environ Health Perspect* 9: 181-182.

Human Health Hazard Literature Search Results

Off Topic

- Everitt, JI; Gelzleichter, TR; Bermudez, E; Mangum, JB; Wong, BA; Janszen, DB; Moss, OR. (1997). Comparison of pleural responses of rats and hamsters to subchronic inhalation of refractory ceramic fibers. *Environ Health Perspect* 105: 1209-1213.
- Ewa, SW; Renata, L. (2005). [Malignant pleural mesothelioma--histopathological classification, staging and microscopic diagnosis] [Review]. *Pneumonologia i Alergologia Polska* 73: 285-291.
- Ewing, E; Agadoni, A; Echols, W; Clark, H; Ewing, W. (1994). Course 6. Model Curriculum for Training Asbestos Abatement Project Designers (Training Package). 5.
- Ewing, WM; Spain, WH. (1984). Getting to the very fiber of industrial asbestos removal. *Occup Health Saf* 6: 29-33, 60, 68.
- Ewing, WM; Spain, WH; Clay, EM; Bosserman, FC. (1985). Variety of asbestos uses requires many different substitute materials. *Occup Health Saf* 54: 42-47.
- Executive, HaS. (1981). Approved Code of Practice and Guidance Note - Work with asbestos insulation and asbestos coating. (CIS/82/00931). Health and Safety Executive.
- Executive, HaS. (1981). Threshold limit values 1980. (CIS/81/01968). Health and Safety Executive.
- Executive, HaS. (1997). Occupational exposure limits 1997. (CIS/97/00960). Health and Safety Executive.
- Executive, HaS. (1999). Asbestos: Exposure limits and measurement of airborne dust concentrations. 13: 00.
- Executive, HaS. (1999). Drycleaners - Are you in control? 5.
- Executive, HaS. (1999). Managing asbestos in premises. 13.
- Exner, JH; Catalano, D; Collough, C; Erikson, D; Lidstrom, R; Noble, E; Pullum, H; Wojinski, S; Campbell, JD. (1986). SITE INVESTIGATION AT A FORMER 2 4 5-T MANUFACTURING SITE (pp. 13-18). (BIOSIS/86/31073). Exner, JH; Catalano, D; Collough, C; Erikson, D; Lidstrom, R; Noble, E; Pullum, H; Wojinski, S; Campbell, JD.
- Exposure, COUOO. (2000). MICA. Health-based reassessment of administrative occupational exposure limits. 011.
- Eyde, DT. (1988). What--me worry? *Am Ind Hyg Assoc J* 49: A318, A320.
- Eypert-Blaison, C; Veissiere, S; Rastoix, O; Kauffer, E. (2010). Comparison of direct and indirect methods of measuring airborne chrysotile fibre concentration. *Ann Occup Hyg* 54: 55-67. <http://dx.doi.org/10.1093/annhyg/mep066>.
- Ezejiolor, TI; Ezejiolor, AN; Orisakwe, OE; Nwigwe, HC; Osuala, FO; Iwuala, MO. (2014). Anicteric hepatotoxicity: a potential health risk of occupational exposures in Nigerian petroleum oil refining and distribution industry. 9: 3. <http://dx.doi.org/10.1186/1745-6673-9-3>.
- Faber, LP. (1988). Surgical treatment of asbestos-related disease of the chest. *Surg Clin North Am* 68: 525-543.
- Fabian, F; Bulzan, V. (1986). ASSESSING THE RISK OF EXPOSURE TO CHRYSOTILE FIBERS IN THE COURSE OF THE MANUFACTURING OF ASBESTOS-CEMENT PLATES AND OF ASBESTOS-CARDBOARD. *Rev Ig Bacteriol Virusol Parazitol Epidemiol Pneumoftiziol Ser Ig* 35: 213-218.
- Fach, E; Waldman, WJ; Williams, M; Long, J; Meister, RK; Dutta, PK. (2002). Analysis of the biological and chemical reactivity of zeolite-based aluminosilicate fibers and particulates. *Environ Health Perspect* 110: 1087-1096.
- Fadrilan-Camacho, VF, eF; Quizon, RR; Diaz, DV; Manalato, ANP. (2016). CHALLENGES IN THE DEVELOPMENT OF A MEDICAL SURVEILLANCE SYSTEM FOR PNEUMOCONIOSES AND OTHER ASBESTOS-RELATED DISEASES IN THE PHILIPPINES. *Southeast Asian J Trop Med Public Health* 47: 822-832.
- Faich, GA. (1980). Asbestos hazard evaluation in Rhode Island schools. *Am J Public Health* 70: 162-164.
- Fairén, AG; Chevrier, V; Abramov, O; Marzo, GA; Gavin, P; Davila, AF; Tornabene, LL; Bishop, JL; Roush, TL; Gross, C; Kneissl, T; Uceda, ER; Dohm, JM; Schulze-Makuch, D; Rodríguez, JA; Amils, R; Mckay, CP. (2010). Noachian and more recent phyllosilicates in impact craters on Mars. *Proc Natl Acad Sci USA* 107: 12095-12100. <http://dx.doi.org/10.1073/pnas.1002889107>.
- Fairfax, R; 19Ed. (1994). Construction Health Exposures. *Appl Occup Environ Hyg* 9: 168-170.
- Fajen, JM; Hills, B; Calvert, GM. (1990). Health Hazard Evaluation Report HETA 89-126-2057, Hagaman Finishing, Hagaman, New York. 40.
- Fakhr, AE; Gohar, MK; Atta, AH. (2016). Impact of Some Ecological Factors on Fecal Contamination of Drinking Water by Diarrheagenic Antibiotic-Resistant *Escherichia coli* in Zagazig City, Egypt. *International Journal of Microbiology* 2016: 6240703. <http://dx.doi.org/10.1155/2016/6240703>.
- Falchi, M; Biondo, L; Conti, C; Cipri, A; Demarinis, F; Gigli, B; Paoletti, L. (1996). Inorganic particles in bronchoalveolar lavage fluids from nonoccupationally exposed subjects. *Arch Environ Health* 51: 157-161. <http://dx.doi.org/10.1080/00039896.1996.9936010>.
- Falchi, M; Paoletti, L. (1994). [Methods and instrumentation for the analysis of asbestos fibers in human organs and tissues]. *Ann Ist Super Sanita* 30: 139-149.
- Falchi, M; Paoletti, L; Mariotta, S; Giosue, S; Guidi, L; Biondo, L; Scavalli, P; Bisetti, A. (1996). Non-fibrous inorganic particles in bronchoalveolar lavage fluid of pottery workers. *Occup Environ Med* 53: 762-766.
- Falcone, M; Capone, PP; Tarzia, V; Campopiano, A; Giardino, R; Iannò, A; De Simone, P; Spagnoli, G; Macri, G. (2006). [Mount Reventino greenstone: assessment of tremolite fibre dispersion in the workplace]. *Med Lav* 97: 36-43.
- Falini, G; Foresti, E; Gazzano, M; Gualtieri, AF; Leoni, M; Lesci, IG; Roveri, N. (2004). Tubular-shaped stoichiometric chrysotile nanocrystals. *Chemistry* 10: 3043-3049. <http://dx.doi.org/10.1002/chem.200305685>.
- Falini, G; Foresti, E; Gazzano, M; Gualtieri, AF; Lesci, IG; Pecchini, G; Renna, E; Roveri, N. (2003). A new method for the detection of low levels of free fibres of chrysotile in contaminated soils by X-ray powder diffraction. *J Environ Monit* 5: 654-660. <http://dx.doi.org/10.1039/b300328k>.
- Falini, G; Foresti, E; Lesci, G; Roveri, N. (2002). Structural and morphological characterization of synthetic chrysotile single crystals. *Chem Commun (Camb)* 1512-1513.
- Falini, G; Foresti, E; Lesci, IG; Lunelli, B; Sabatino, P; Roveri, N. (2006). Interaction of bovine serum albumin with chrysotile: Spectroscopic and morphological studies. *Chemistry* 12: 1968-1974. <http://dx.doi.org/10.1002/chem.200500709>.
- Falkson, CI. (1985). Mesothelioma or ovarian carcinoma? A case report. *S Afr Med J* 68: 676-677.

Human Health Hazard Literature Search Results

Off Topic

- Fallentin, B; Kamstrup, O. (1993). Simulation of Past Exposure in Slag Wool Production. *Ann Occup Hyg* 37: 419-433.
- Fan, JG; Wang, QE. (2008). [Inhibitory mechanisms of three compounds for chrysotile-induced biological activities]. *Zhonghua Lao Dong Wei Sheng Zhi Ye Bing Za Zhi* 26: 592-595.
- Fang, C-P. (1993). Generation of fibrous aerosols in narrow size ranges [Research]. RePORTER Database National Institutes of Health.
- Fang, C-P. (1994). Fibrous aerosols in narrow size ranges [Research]. RePORTER Database National Institutes of Health.
- Fanizza, C; Ursini, CL; Paba, E; Ciervo, A; Di Francesco, A; Maiello, R; De Simone, P; Cavallo, D. (2007). Cytotoxicity and DNA-damage in human lung epithelial cells exposed to respirable alpha-quartz. *Toxicol In Vitro* 21: 586-594. <http://dx.doi.org/10.1016/j.tiv.2006.12.002>.
- FAO; WHO. (1971). SAFETY OF FOOD ADDITIVES AND SOLVENTS (pp. 409-411). (HEEP/72/07083). FAO; WHO.
- Farfel, MR. (2000). Community prevention interventions for urban demolition.
- Farfel, MR. (2001). Community prevention interventions for urban demolition.
- Farfel, MR. (2002). Community prevention interventions for urban demolition.
- Farioli, A; Mattioli, S; Curti, S; Violante, FS. (2014). Comment on 'The latency period of mesothelioma among a cohort of British asbestos workers (1978-2005)': the effect of left censoring [Comment]. *Br J Cancer* 111: 2197-2198. <http://dx.doi.org/10.1038/bjc.2014.440>.
- Farioli, A; Ottone, M; Morganti, AG; Compagnone, G; Romani, F; Cammelli, S; Mattioli, S; Violante, FS. (2016). Radiation-induced mesothelioma among long-term solid cancer survivors: a longitudinal analysis of SEER database. 5: 950-959. <http://dx.doi.org/10.1002/cam4.656>.
- Farioli, A; Violante, FS; Mattioli, S; Curti, S; Kriebel, D. (2013). Risk of mesothelioma following external beam radiotherapy for prostate cancer: a cohort analysis of SEER database. *Cancer Causes Control* 24: 1535-1545. <http://dx.doi.org/10.1007/s10552-013-0230-0>.
- Farjah, F; Wood, DE; Zadworny, ME; Rusch, VW; Rizk, NP. (2016). Resected Lung Cancer Patients Who Would and Would Not Have Met Screening Criteria. *Ann Thorac Surg* 101: 274-279. <http://dx.doi.org/10.1016/j.athoracsur.2015.06.010>.
- Farquhar, D. (2009). Environmental health in the 2009 state legislative sessions. *J Environ Health* 72: 26-28.
- Farquhar, D; Ellis, AC. (2013). 2013 environmental health legislation. *J Environ Health* 76: 52-57.
- Farrow, A; Farrow, SC; Little, R; Golding, J. (1996). The repeatability of self-reported exposure after miscarriage. *Int J Epidemiol* 25: 797-806.
- Farrow, A; Jacobs, A; West, RR. (1989). Myelodysplasia, Chemical Exposure, and Other Environmental Factors. *Leukemia* 3: 33-35.
- Fasano, M; Corte, CM; Vicidomini, G; Scotti, V; Rambaldi, PF; Fiorelli, A; Accardo, M; De Vita, F; Santini, M; Ciardiello, F; Morgillo, F. (2016). Small bowel metastasis from pancreatic cancer in a long-term survival patient with synchronous advanced malignant pleural mesothelioma: A case report and literature review. 12: 4505-4509. <http://dx.doi.org/10.3892/ol.2016.5279>.
- Fatkhutdinova, LM; Khaliullin, TO; Shvedova, AA. (2015). Carbon Nanotubes Exposure Risk Assessment: From Toxicology to Epidemiologic Studies (Overview of the Current Problem). *Nanotechnologies in Russia* 10: 501-509.
- Fattman, CL. (2008). ECSOD in Asbestos-induced Pulmonary Fibrosis.
- Fattman, CL. (2008). The role of ECSODF in lung repair after silica-induced injury.
- Fattman, CL. (2009). The role of ECSODF in lung repair after silica-induced injury.
- Fattman, CL. (2010). The role of ECSODF in lung repair after silica-induced injury.
- Fattman, CL. (2011). The role of ECSODF in lung repair after silica-induced injury.
- Fattman, CL. (2012). The role of ECSODF in lung repair after silica-induced injury.
- Favero-Longo, SE; Castellì, D; Fubini, B; Piervittori, R. (2009). Lichens on asbestos-cement roofs: bioweathering and biocovering effects. *J Hazard Mater* 162: 1300-1308. <http://dx.doi.org/10.1016/j.jhazmat.2008.06.060>.
- Favero-Longo, SE; Girlanda, M; Honegger, R; Fubini, B; Piervittori, R. (2007). Interactions of sterile-cultured lichen-forming ascomycetes with asbestos fibres. *Mycol Res* 111: 473-481. <http://dx.doi.org/10.1016/j.mycres.2007.01.013>.
- Favero-Longo, SE; Turci, F; Tomatis, M; Castellì, D; Bonfante, P; Hochella, MF; Piervittori, R; Fubini, B. (2005). Chrysotile asbestos is progressively converted into a non-fibrous amorphous material by the chelating action of lichen metabolites. *J Environ Monit* 7: 764-766. <http://dx.doi.org/10.1039/b507569f>.
- Favoni, RE; Florio, T. (2011). Combined chemotherapy with cytotoxic and targeted compounds for the management of human malignant pleural mesothelioma [Review]. *Trends Pharmacol Sci* 32: 463-479. <http://dx.doi.org/10.1016/j.tips.2011.03.011>.
- Fayerweather, WE; Eastes, W; Cereghini, F; Hadley, JG. (2002). Quantitative risk assessment of durable glass fibers. *Inhal Toxicol* 14: 553-568. <http://dx.doi.org/10.1080/08958370290084494>.
- Fedotov, IA. (1997). Role of international labour organization in preservation and improvement of workers' health. *Med Tr Prom Ekol* 0: 1-5.
- Feige, MA; Clark, PJ; Brackett, KA. (1993). Guidance and Clarification for the Current U.S. EPA Test Method for Asbestos in Drinking Water. 4.
- Feigley, CE; Chen, HC. (1992). PENETRATION OF SEVERAL FILTER MATERIALS BY ASBESTOS AS A FUNCTION OF FIBER DIMENSIONS. *Am Ind Hyg Assoc J* 53: 767-772.
- Feigley, CE; Maguire, KE; Hussey, JR. (1992). Asbestos Fiber Deposition Patterns on Various 25-mm Cassette Filters at a High Flow Rate. *Appl Occup Environ Hyg* 7: 749-757.
- Feinendegen, LE; Muhlensiepen, H. (1985). Magnetic Field Affects Thymidine Kinase In Vivo. *Int J Radiat Biol* 47: 723-730.
- Feinstein, MB; Bach, PB. (2000). Epidemiology of lung cancer. 10: 653-661.
- Feldman, RS. (1982). Development Of An Asbestos Reference Suspension (pp. Materials and Analytical Methods). (NIOSH/00145892). Feldman, RS.
- Feliu, LA; Polanco, A; Martinez, M; Centeno, JA. (1992). Identification of polynuclear aromatic hydrocarbons in automobile exhaust by high-performance liquid chromatography with a fluorescence detector. 203: ENVR64.
- Felley-Bosco, E; Opitz, I; Meerang, M. (2015). Hedgehog Signaling in Malignant Pleural Mesothelioma [Review]. 6: 500-511. <http://dx.doi.org/10.3390/genes6030500>.

Human Health Hazard Literature Search Results

Off Topic

- Felten, MK; Knoll, L; Eisenhawer, C; Ackermann, D; Khatab, K; Hüdepohl, J; Zschiesche, W; Kraus, T. (2010). Retrospective exposure assessment to airborne asbestos among power industry workers. *J Occup Med Toxicol* 5: 15. <http://dx.doi.org/10.1186/1745-6673-5-15>.
- Felton, JS. (1979). A comprehensive program in asbestos hazard surveillance and education. *Am Ind Hyg Assoc J* 40: 11-19. <http://dx.doi.org/10.1080/15298667991429282>.
- Felton, JS. (1982). A State Of Californianiversity Supported Occupational Health Centre (pp. 84-87). (NIOSH/00147854). Felton, JS.
- Fennell, DA; Gaudino, G; O'Byrne, KJ; Mutti, L; van Meerbeeck, J. (2008). Advances in the systemic therapy of malignant pleural mesothelioma [Review]. *Nat Clin Pract Oncol* 5: 136-147. <http://dx.doi.org/10.1038/ncponc1039>.
- Fennell, DA; Rudd, RM. (2004). Defective core-apoptosis signalling in diffuse malignant pleural mesothelioma: opportunities for effective drug development. *Lancet Oncol* 5: 354-362. [http://dx.doi.org/10.1016/S1470-2045\(04\)01492-5](http://dx.doi.org/10.1016/S1470-2045(04)01492-5).
- Fenner, EM. (1979). United States regulations for control of asbestos exposure. *Ann N Y Acad Sci* 330: 179-183.
- Fenner, EM. (1979). USA REGULATIONS FOR CONTROL OF ASBESTOS EXPOSURE (pp. NEW YORK). (HEEP/81/07839). Fenner, EM.
- Fenoglio, I; Aldieri, E; Gazzano, E; Cesano, F; Colonna, M; Scarano, D; Mazzucco, G; Attanasio, A; Yakoub, Y; Lison, D; Fubini, B. (2012). Thickness of multiwalled carbon nanotubes affects their lung toxicity. *Chem Res Toxicol* 25: 74-82. <http://dx.doi.org/10.1021/tx200255h>.
- Fenoglio, I; Greco, G; Tomatis, M; Muller, J; Raymundo-Piñero, E; Béguin, F; Fonseca, A; Nagy, JB; Lison, D; Fubini, B. (2008). Structural defects play a major role in the acute lung toxicity of multiwall carbon nanotubes: Physicochemical aspects. *Chem Res Toxicol* 21: 1690-1697. <http://dx.doi.org/10.1021/tx800100s>.
- Fenoglio, I; Prandi, L; Tomatis, M; Fubini, B. (2001). Free radical generation in the toxicity of inhaled mineral particles: the role of iron speciation at the surface of asbestos and silica. *Redox Rep* 6: 235-241. <http://dx.doi.org/10.1179/135100001101536382>.
- Fenoglio, I; Tomatis, M; Lison, D; Muller, J; Fonseca, A; Nagy, JB; Fubini, B. (2006). Reactivity of carbon nanotubes: Free radical generation or scavenging activity? *Free Radic Biol Med* 40: 1227-1233. <http://dx.doi.org/10.1016/j.freeradbiomed.2005.11.010>.
- Fent, KW; Dowell, CH. (2010). Health Hazard Evaluation Report: HETA-2009-0085-3107, Consolidation Coal Company, Blacksville, West Virginia, April 2010. Evaluation of Isocyanate Exposure during Polyurethane Foam Application and Silica Exposure during Rock Dusting at an Underground Coal Mine. 28.
- Ferguson, D. (1990). Low-level asbestos--the priorities are wrong [Editorial]. *Med J Aust* 152: 617-618.
- Ferguson, D. (1991). Asbestos: insufficient action, overreaction, action for tomorrow. 12: 140-145.
- Ferguson, D; Ng, T. (1980). Mesothelioma--ignorance is not bliss [Editorial]. *Med J Aust* 1: 150.
- Ferguson, GC; Watson, H. (1984). MESOTHELIOMA DUE TO DOMESTIC EXPOSURE TO ASBESTOS - REPLY. *Br Med J* 289: 110-111.
- Ferguson, JS. (1984). SCANNING AND TRANSMISSION ELECTRON MICROSCOPY APPLICATIONS IN AN ASBESTOS INHALATION TOXICOLOGY STUDY (pp. 16-20). (HEEP/85/07674). Ferguson, JS.
- Ferguson, LR. (1999). Prospects for cancer prevention [Review]. *Mutat Res* 428: 329-338.
- Ferguson, R. (1982). Health Hazard Evaluation Determination Report No. MHHE-80-107, Mine I.D. No. 1800155, Allied Chemical Corporation, Green River Works, Green River, Wyoming (pp. 80-107). (NIOSH/00237083). Ferguson, R.
- Ferguson, RP; Knutti, EB. (1991). Health Hazard Evaluation Report HETA 88-389-2147, International Salt Company, Avery Island, Louisiana (pp. 1-47). Ferguson, RP; Knutti, EB.
- Fernández Infante, B; Michel, FJ. (2005). [Malign pleural mesothelioma]. *An Sist Sanit Navar* 28 Suppl 1: 29-35.
- Fernandez-Caldas, E; Fox, RW. (1992). Environmental control of indoor air pollution. *Med Clin North Am* 76: 935-952.
- Fernando, R. (2011). Tas::75 0862::analytical chemistry support optional study 6.
- Fernando, R. (2013). Other functions - analytical chem services.
- Feron, VJ; Kuper, CF; Spit, BJ; Reuzel, PGJ; Woutersen, RA. (1985). Glass fibers and vapor phase components of cigarette smoke as cofactors in experimental respiratory tract carcinogenesis. *Carcinogenesis* 8: 93-118.
- Ferrandino, D; Reich, A; Ryer, FH. (1980). LABELING IN THE WORKPLACE AS REQUIRED BY THE OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION USA (pp. COLD SPRING HARBOR). (HEEP/82/01962). Ferrandino, D; Reich, A; Ryer, FH.
- Ferrante, D; Mirabelli, D; Tunesi, S; Terracini, B; Magnani, C. (2016). Pleural mesothelioma and asbestos exposure: a case-control study with quantitative risk assessment-response to Marsh and Benson's letter [Letter]. *Occup Environ Med* 74: 157-158. <http://dx.doi.org/10.1136/oemed-2016-104091>.
- Ferrante, P; Mastrantonio, M; Uccelli, R; Corfiati, M; Marinaccio, A. (2016). [Pleural mesothelioma mortality in Italy: time series reconstruction (1970-2009) and comparison with incidence (2003-2008)]. *Epidemiol Prev* 40: 205-214. <http://dx.doi.org/10.19191/EP16.3-4.P205.087>.
- Ferrara, BE. (1988). Asbestos exposure and lung cancer: the role of Kenneth M. Lynch and William Atmar Smith. *J S C Med Assoc* 84: 300-302.
- Ferraro, U; Tarone, V; Ghione, GL; Massaglia, GM; Passera, A; Pogliano, M; Ferrari-Sacco, A. (1987). Quadruple morbid association or single syndrome? Discussion of a complex and controversial clinical case (pp. 213-220). (BIOSIS/88/10598). Ferraro, U; Tarone, V; Ghione, GL; Massaglia, GM; Passera, A; Pogliano, M; Ferrari-Sacco, A.
- Ferreira, AJ; Cemlyn-Jones, J; Robalo Cordeiro, C. (2013). Nanoparticles, nanotechnology and pulmonary nanotoxicology. *Rev Port Pneumol* 19: 28-37. <http://dx.doi.org/10.1016/j.rppneu.2012.09.003>.
- Ferreiro, L; San José, E; Suárez-Antelo, J; Abdulkader, I; Martínez de Alegría, A; González-Barcala, FJ; Valdés, L. (2015). Spontaneous bilateral haemothorax as presentation of primary pleural epithelioid haemangioendothelioma. *Clinical Respiratory Journal*. <http://dx.doi.org/10.1111/crj.12421>.
- Ferrer, J; Cruz, MJ. (2008). [Asbestos as risk factor for lung cancer] [Editorial]. *Med Clin (Barc)* 130: 334-335.
- Ferrer, J; Martínez, C. (2008). [Diagnosis of respiratory diseases caused by asbestos] [Editorial]. *Arch Bronconeumol* 44: 177-179.

Human Health Hazard Literature Search Results

Off Topic

- Ferrer, J; Sampol, J; Cruz, MJ. (2017). Malignant pleural mesothelioma in a young adult with no known exposure to asbestos. Can asbestos exposure be truly ruled out? [Letter]. Arch Bronconeumol. <http://dx.doi.org/10.1016/j.arbres.2017.01.007>.
- Ferrer Sancho, J. (1995). [Study of pleural minerals] [Editorial]. Arch Bronconeumol 31: 49-50.
- Ferretti, G. (2011). [What are the tools for post-occupational follow-up, how should they be performed and what are their performance, limits and benefit/risk ratio? Chest X-Ray and CT scan] [Review]. Rev Mal Respir 28: 761-772. <http://dx.doi.org/10.1016/j.rmr.2011.02.012>.
- Févotte, J; Charbotel, B; Muller-Beauté, P; Martin, JL; Hours, M; Bergeret, A. (2006). Case-control study on renal cell cancer and occupational exposure to trichloroethylene. Part I: Exposure assessment. Ann Occup Hyg 50: 765-775. <http://dx.doi.org/10.1093/annhyg/mel040>.
- Févotte, J; Dananché, B; Delabre, L; Ducamp, S; Garras, L; Houot, M; Luce, D; Orłowski, E; Pilorget, C; Lacourt, A; Brochard, P; Goldberg, M; Imbernon, E. (2011). Matgéné: a program to develop job-exposure matrices in the general population in France. Ann Occup Hyg 55: 865-878. <http://dx.doi.org/10.1093/annhyg/mer067>.
- Fiel, SB; Friedman, AC; Radecki, PD; Fisher, MS. (1987). HIGH-RESOLUTION CT HRCT EVALUATION OF OCCUPATIONAL LUNG DISEASE (pp. 10-13). (BIOSIS/87/23778). Fiel, SB; Friedman, AC; Radecki, PD; Fisher, MS.
- Fielding, DJ; Mckee, JL; Oliver, WA; Matar, K; Brown, IG. (1995). Pleurectomy for persistent pain in benign asbestos-related pleural disease. Thorax 50: 181-183.
- Figáa-Talamanca, I. (1987). Interaction and synergism in epidemiological investigations: The case of smoking and occupational exposure in respiratory disease. 78: 93-104.
- Filius, MS. (1992). Health Hazard Evaluation Report HETA 91-318-2204, United Brotherhood of Carpenters and Joiners of America, Atlantic City, New Jersey. (NTIS/02972061). Atlanta, GA: National Institute for Occupational Safety and Health (NIOSH).
- Findlay, A. (1976). The role of occupational hygiene in the prevention of occupational health hazards. P N G Med J 19: 93-99.
- Findley, ME; Rose, VE; Cutter, GR; Windsor, RA. (1983). An assessment of the Environmental Protection Agency's asbestos hazard evaluation algorithm. Am J Public Health 73: 1179-1181.
- Finkelstein, M. (1985). On the relative toxicity of asbestos fibres [Letter]. Br J Ind Med 42: 69-70.
- Finkelstein, M. (2011). Regarding "Absence of Radiographic Asbestosis and the Risk of Lung Cancer among Asbestos-Cement Workers: Extended Follow-Up of a Cohort", by Murray Finkelstein, American Journal of Industrial Medicine 2010 Response. Am J Ind Med 54: 497-498. <http://dx.doi.org/10.1002/ajim.20938>.
- Finkelstein, M. (2012). Letter re Marsh et al [Letter]. Inhal Toxicol 24: 139-140; author reply 141-132. <http://dx.doi.org/10.3109/08958378.2011.638948>.
- Finkelstein, M. (2013). Reply to letter by Nolan and colleagues-re: The carcinogenicity of New York state talc dusts in humans [Letter]. Am J Ind Med 56: 1119-1124. <http://dx.doi.org/10.1002/ajim.22208>.
- Finkelstein, MM. (1984). Commentary: Exposure and mortality among chrysotile asbestos workers. American Journal of Industrial Medicine 4:421-433, 1983. Am J Ind Med 5: 407-410.
- Finkelstein, MM. (1988). Risk assessment in the asbestos cement industry [Letter]. Br J Ind Med 45: 201-203.
- Finkelstein, MM. (1999). Maintenance work and asbestos-related cancers in the refinery and petrochemical sector [Letter]. Am J Ind Med 36: 326. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199908\)36:2<326::AID-AJIM12>3.0.CO;2-Q](http://dx.doi.org/10.1002/(SICI)1097-0274(199908)36:2<326::AID-AJIM12>3.0.CO;2-Q).
- Finkelstein, MM. (1999). Maintenance work and asbestos-related cancers in the refinery and petrochemical sector [Comment]. Am J Ind Med 35: 201-205. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199902\)35:2<201::AID-AJIM13>3.0.CO;2-F](http://dx.doi.org/10.1002/(SICI)1097-0274(199902)35:2<201::AID-AJIM13>3.0.CO;2-F).
- Finkelstein, MM. (2000). Update of the Texaco mortality study 1947-93: Part II [Letter]. Occup Environ Med 57: 143-144.
- Finkelstein, MM. (2008). Asbestos fibre concentrations in the lungs of brake workers: another look. Ann Occup Hyg 52: 455-461. <http://dx.doi.org/10.1093/annhyg/men036>.
- Finkelstein, MM. (2009). Comments on Asbestos Fibre Concentrations in the Lungs of Brake Workers: Another Look Reply. Ann Occup Hyg 53: 192-193. <http://dx.doi.org/10.1093/annhyg/men080>.
- Finkelstein, MM. (2010). Lung cancer in the melt shops of Ontario steelmakers [Letter]. Am J Ind Med 53: 762. <http://dx.doi.org/10.1002/ajim.20848>.
- Finkelstein, MM. (2012). Malignant mesothelioma incidence among talc miners and millers in New York State. Am J Ind Med 55: 863-868. <http://dx.doi.org/10.1002/ajim.22063>.
- Finkelstein, MM. (2013). The analysis of asbestos count data with "nondetects": the example of asbestos fiber concentrations in the lungs of brake workers. Am J Ind Med 56: 1482-1489. <http://dx.doi.org/10.1002/ajim.22262>.
- Finkelstein, MM. (2013). Letter concerning the paper by Finley and colleagues: dx.doi.org/10.1016/j.yrtph.2012.05.015 [Letter]. Regul Toxicol Pharmacol 65: 178-179. <http://dx.doi.org/10.1016/j.yrtph.2012.08.016>.
- Finkelstein, MM. (2013). Letter to the Editor re Bernstein et al: Health risk of chrysotile revisited. Crit Rev Toxicol, 2013; 43(2): 154-183 [Letter]. Crit Rev Toxicol 43: 707-708. <http://dx.doi.org/10.3109/10408444.2013.825762>.
- Finkelstein, MM. (2015). Asbestos Fibres in the Lungs of an American Mechanic Who Drilled, Riveted, and Ground Brake Linings: A Case Report and Discussion [Letter]. Ann Occup Hyg 59: 525-527. <http://dx.doi.org/10.1093/annhyg/mev008>.
- Finkelstein, MM. (2016). In response to "Asbestos exposure and laryngeal cancer mortality". Laryngoscope. <http://dx.doi.org/10.1002/lary.26120>.
- Finlayson, A; Mcewen, J; Mair, A. (1971). Home interviews with relatives of deceased persons: a means of obtaining histories of exposure to a hazardous substance. Scott Med J 16: 509-512.
- Finley, BL; Pierce, JS; Paustenbach, DJ; Galbraith, DA. (2013). Response to a letter to the editor by Dr. Murray M. Finkelstein regarding the article by Finley et al. (2012) [Letter]. Regul Toxicol Pharmacol 65: 180-181. <http://dx.doi.org/10.1016/j.yrtph.2012.08.019>.

Human Health Hazard Literature Search Results

Off Topic

- Finley, BL; Richter, RO; Mowat, FS; Mlynarek, S; Paustenbach, DJ; Warmerdam, JM; Sheehan, PJ. (2007). Cumulative asbestos exposure for US automobile mechanics involved in brake repair (circa 1950s-2000). *J Expo Sci Environ Epidemiol* 17: 644-655. <http://dx.doi.org/10.1038/sj.jes.7500553>.
- Finn, RS; Brims, FJH; Gandhi, A; Olsen, N; Musk, AW; Maskell, NA; Lee, YCG. (2012). Postmortem Findings of Malignant Pleural Mesothelioma A Two-Center Study of 318 Patients. *Chest* 142: 1267-1273. <http://dx.doi.org/10.1378/chest.11-3204>.
- Finnish Society Of, T; British Toxicology, S. (1996). Joint Meeting of the Finnish Society of Toxicology and the British Toxicology Society, Tampere, Finland, July 4-6, 1996. *Hum Exp Toxicol* 15: 989-1014.
- Finocchiaro, C; Lark, A; Keating, M; Ugoni, A; Abramson, M. (1997). Does occupational exposure to brown coal dust cause a decline in lung function? *Occup Environ Med* 54: 642-645.
- Fireman, E. (2001). Induced sputum: opening a new window to the lung. *Sarcoidosis Vasc Diffuse Lung Dis* 18: 263-271.
- Fireman, E. (2014). Man-made mineral fibers and interstitial lung diseases [Review]. *Curr Opin Pulm Med* 20: 194-198. <http://dx.doi.org/10.1097/MCP.0000000000000035>.
- Fireman, E; Greif, J; Schwarz, Y; Man, A; Ganor, E; Ribak, Y; Lerman, Y. (1999). Assessment of hazardous dust exposure by BAL and induced sputum. *Chest* 115: 1720-1728.
- First, MW; Love, D. (1982). ENGINEERING CONTROL OF ASBESTOS. *Am Ind Hyg Assoc J* 43: 634-639.
- Fischbein, A; Bekesi, JG; Selikoff, IJ; Borek, E. (1984). The Use Of Immunological And Molecular Biological Techniques In The Assessment Of Occupational And Environmental Disease. 30: 163-175.
- Fischbein, A; Langer, AM; Rohl, AN. (1985). Asbestos-associated diseases: lessons from the past for the future [Letter]. *JAMA* 254: 1309-1310.
- Fischbein, A; Rohl, AN; Suzuki, Y; Bigman, O. (1985). INTERSTITIAL PULMONARY FIBROSIS IN AN AUTOMOBILE BODY SHOP WORKER. *Toxicol Lett AMST*: 1-3.
- Fischbein, A; Sharma, OK; Borek, E. (1985). Modified nucleosides and early detection of occupational cancer: a challenge for the future. *Mt Sinai J Med* 52: 480-483.
- Fischbein, A; Sharma, OK; Selikoff, IJ; Borek, E. (1983). Urinary excretion of modified nucleosides in patients with malignant mesothelioma. *Cancer Res* 43: 2971-2974.
- Fischbein, A; Wolff, MS. (1987). Conjugal exposure to polychlorinated biphenyls (PCBs). *Br J Ind Med* 44: 284-286.
- Fischmann, AB; Jr, BP; Guccion, JG; Matthews, MJ; Minna, JD. (1979). Exposure To Chemicals, Physical Agents, And Biologic Agents In Mycosis Fungoides And The Sezary Syndrome. *Cancer Treat Rep* 63: 591-596.
- Fise M, ER. (1992). INDOOR AIR QUALITY A CONSUMER PROTECTION ISSUE (pp. 665-668). (BIOSIS/92/28331). Fise M, ER.
- Fish, N. (1983). Refractories (pp. 1908-1910). (NIOSH/00149205). Fish, N.
- Fisher, M; Yang, LX. (2002). Anticancer effects and mechanisms of polysaccharide-K (PSK): implications of cancer immunotherapy [Review]. *Anticancer Res* 22: 1737-1754.
- Fishman, AP. (1982). Update: Pulmonary diseases and disorders. (CIS/83/01653). Fishman, AP.
- Fishwick, D; Barber, CM. (2014). Non-malignant asbestos-related diseases: a clinical view. *Clin Med* 14: 68-71. <http://dx.doi.org/10.7861/clinmedicine.14-1-68>.
- Fitzgerald, NR; Flanagan, WM; Evans, WK; Miller, AB; Working, CPaCCRMLC. (2015). Eligibility for low-dose computerized tomography screening among asbestos-exposed individuals. *Scand J Work Environ Health* 41: 407-412. <http://dx.doi.org/10.5271/sjweh.3496>.
- Fitz-Simons, T; Beard, ME. (1982). Simulation Of The EPA Provisional Method For Airborne Asbestos Concentrations (pp. Materials and Analytical Methods). (NIOSH/00146036). Fitz-Simons, T; Beard, ME.
- Fiume, MM; Boyer, I; Bergfeld, WF; Belsito, DV; Hill, RA; Klaassen, CD; Liebler, DC; Marks, JG, Jr; Shank, RC; Slaga, TJ; Snyder, PW; Andersen, FA. (2015). Safety Assessment of Talc as Used in Cosmetics. *Int J Toxicol* 34: 66S-129S. <http://dx.doi.org/10.1177/1091581815586797>.
- Flaherty, DM; Monick, MM; Carter, AB; Peterson, MW; Hunninghake, GW. (2001). GM-CSF increases AP-1 DNA binding and Ref-1 amounts in human alveolar macrophages. *Am J Respir Cell Mol Biol* 25: 254-259.
- Flanagan, J; Whitston, T. (2004). Asbestos victims support groups in England: a Manchester and Merseyside perspective [Review]. *Int J Occup Environ Health* 10: 177-182. <http://dx.doi.org/10.1179/oeh.2004.10.2.177>.
- Fleeger, AK; Lee, JS. (1988). Characterization of Worker Exposures to Methylene Chloride Resulting from Application of Aerosol Glue in the Asbestos Abatement Industry. *Appl Ind Hyg* 3: 245-250.
- Flejter, WL; Testa, JR. (1989). RECURRING LOSS INVOLVING CHROMOSOMES 1 3 AND 22 IN PRIMARY MALIGNANT MESOTHELIOMA CYTOGENETIC EVIDENCE FOR A POSSIBLE ROLE OF TUMOR SUPPRESSOR GENES (pp. 11-15). (BIOSIS/90/02737). Flejter, WL; Testa, JR.
- Fleming, B. (2003). Asbestos and the new regulations. *J Roy Soc Promot Health* 123: 200-201.
- Fleming, LE. (2000). Florida firefighter cancer incidence and mortality.
- Fleming, LE. (2001). Florida firefighter cancer incidence and mortality.
- Fleming, RM. (1972). Asbestos-Burlap Bags. (NIOSH/00107103). Fleming, RM.
- Flesch, JP; Rostand, RA. (1975). Health Hazard Evaluation Report No. HHE-74-94-253, Armstrong Cork Company, Jackson, Mississippi (pp. 74-94). (NIOSH/00051768). Flesch, JP; Rostand, RA.
- Fletcher, RA; Steel, EB; Beard, M; Wang, CC; Gentry, JW. (1989). Uniformity of Particle Deposition for Indoor Air Sampling under Anisokinetic Conditions. *J Aerosol Sci* 20: 1593-1596.
- Flick, K. (1969). The Analysis of Silicogenic and Asbestos-Containing Dust by Infrared Spectrophotometry (pp. 161-167). (NIOSH/00020220). Flick, K.

Human Health Hazard Literature Search Results

Off Topic

- Flores-Franco, RA; Ramos-Martínez, E; Luévano-Flores, E; Fierro-Murga, R; Barriga-Acevedo, R; Martínez-Tapia, ME; Luévano-González, A; Gómez-Díaz, A; Perea-Sánchez, RA. (2014). Malignant mesothelioma trends in Chihuahua, Mexico [Letter]. *Salud Publica Mex* 56: 315-316.
- Flum, M. (1995). Worker health and safety training cooperative agreement [Research]. RePORTER Database National Institutes of Health.
- Flynn, J; Kardos, S; Yan, L. (2004). Overstating the consequences of radiographic abnormalities [Letter]. *Environ Health Perspect* 112: A84.
- Foddis, R; Vivaldi, A; Filiberti, R; Puntoni, R; Mutti, L; Ambrosino, N; Chella, A; Guglielmi, G; Gattini, V; Buselli, R; Perretta, S; Cristaudo, A. (2007). [Serum mesothelin dosages in follow-up of previously exposed workers]. *G Ital Med Lav Ergon* 29: 342-345.
- Fodero, SD. (1977). REMOVAL AND DISPOSAL OF AN ENVIRONMENTAL CARCINOGEN - ASBESTOS. *J Environ Health* 40: 133-137.
- Fonken, LK. (2014). The role of the NLRP3 inflammasome in aging-associated cognitive impairments.
- Fonken, LK. (2015). The role of the NLRP3 inflammasome in aging-associated cognitive impairments.
- Fonseca, MG; Airoldi, C. (2001). Thermodynamics Data of Interaction of Copper Nitrate with Native and Modified Chrysotile Fibers in Aqueous Solution. *J Colloid Interface Sci* 240: 229-236. <http://dx.doi.org/10.1006/jcis.2001.7581>.
- Fontaine, JH; Trayer, DM. (1975). Asbestos control in steam-electric generating plants. *Am Ind Hyg Assoc J* 36: 126-130. <http://dx.doi.org/10.1080/0002889758507220>.
- Forbes, DS. (2002). Res facil const: env hlth, asbestos, lead, insecticide toxic.
- Force, DotA. (1993). Disposal and Reuse of Bergstrom Air Force Base, Texas. Final Environmental Impact Statement (pp. 740). (NTIS/03005392_a).
- Force, DotA. (1994). Disposal and Reuse of Castle Air Force Base, California. Final Environmental Impact Statement (pp. 791). (NTIS/03005364_a).
- Forck, G. (1977). [Amendment to the 7th Decree on Occupational diseases]. *Hautarzt* 28: 492-494.
- Ford, J; Smith, S; J-C, L; Friedman-Jimenez, G; Brandt-Rauf, P; Markowitz, S; Garibaldi, K; Niman, H. (1992). Serum Growth Factors and Oncoproteins in Firefighters. *Occup Med (Lond)* 42: 39-42.
- Foreland, S; Bugge, MD; Bakke, B; Bye, E; Eduard, W. (2012). A Novel Strategy for Retrospective Exposure Assessment in the Norwegian Silicon Carbide Industry. *J Occup Environ Hyg* 9: 230-241. <http://dx.doi.org/10.1080/15459624.2012.666189>.
- Foresti, E; Fornero, E; Lesci, IG; Rinaudo, C; Zuccheri, T; Roveri, N. (2009). Asbestos health hazard: a spectroscopic study of synthetic geoinspired Fe-doped chrysotile. *J Hazard Mater* 167: 1070-1079. <http://dx.doi.org/10.1016/j.jhazmat.2009.01.103>.
- Foresti, E; Gazzano, M; Gualtieri, AF; Lesci, IG; Lunelli, B; Pecchini, G; Renna, E; Roveri, N. (2003). Determination of low levels of free fibres of chrysotile in contaminated soils by X-ray diffraction and FTIR spectroscopy. *Anal Bioanal Chem* 376: 653-658. <http://dx.doi.org/10.1007/s00216-003-1965-3>.
- Forget, CE. (1987). Asbestos: promotion or prohibition? [Letter]. *CMAJ* 137: 874.
- Forget, CE. (1988). ASBESTOS - PROMOTION OR PROHIBITION - REPLY. *Can Med Assoc J* 138: 401-401.
- Forman, SA. (1988). US Navy Shipyard Occupational Medicine through World War II. *J Occup Med* 30: 28-32.
- Fornero, E; Belluso, E; Capella, B; Bellis, D. (2009). Environmental exposure to asbestos and other inorganic fibres using animal lung model. *Sci Total Environ* 407: 1010-1018. <http://dx.doi.org/10.1016/j.scitotenv.2008.10.021>.
- Fortmann, SP; Burda, BU; Senger, CA; Lin, JS; Beil, TL; O'Connor, E; Whitlock, EP. (2013). Vitamin, Mineral, and Multivitamin Supplements for the Primary Prevention of Cardiovascular Disease and Cancer: A Systematic Evidence Review for the U.S. Preventive Services Task Force. In *US Preventive Services Task Force Evidence Syntheses, formerly Systematic Evidence Reviews*. Rockville (MD): Agency for Healthcare Research and Quality (US).
- Foster, EM. (1990). Cliver, D. O. (Ed.). *Food Science and Technology: A Series of Monographs: Foodborne Diseases*. xvii+395p. Academic Press, Inc.: Troy, Missouri, USA; London, England, UK. Illus. isbn 0-12-176558-X.; 0 (0). 1990. 369-382 Perennial issues in food safety.
- Fournier, E. (1996). [Asbestos and protection of the population exposed to inhalation of asbestos fibers in public and private buildings]. *Bull Acad Natl Med* 180: 887-905.
- Fournier, J; Copin, E; Chouchane, S; Dzwigaj, S; Guignard, J. (1995). [Lipid peroxidation in the presence of inorganic compounds. Relation to oxidative stress mechanisms] [Review]. *C R Seances Soc Biol Fil* 189: 429-442.
- Fournier, M; Housset, B; Pairon, JC. (1999). [Asbestosis] [Editorial]. *Rev Mal Respir* 16 Suppl 2: S7-S8.
- Fournier-Massey, G; Wong, G. (1983). Assessment of methods to detect cancer control needs in a survey of former asbestos workers. *Prog Clin Biol Res* 120: 155-162.
- Fowler, DP. (1977). Industrial Hygiene Survey Report at Celotex Corporation, Pittston, Pennsylvania (pp. 210-276). (NIOSH/00106256). Fowler, DP.
- Fowler, DP. (2000). Exposures to asbestos arising from bandsawing gasket material. *Appl Occup Environ Hyg* 15: 404-408. <http://dx.doi.org/10.1080/104732200301359>.
- Fowler, DP; et al. (1978). Industrial Hygiene Survey Report, Forty-Eight Insulations, Inc. in Aurora, Illinois (pp. 19781978). (NIOSH/00106151). Fowler, DP; Et al.
- Fox, DL. (1987). Air pollution [Review]. *Anal Chem* 59: 280R-294R.
- Fox, DL. (1993). AIR-POLLUTION. *Anal Chem* 65: R156-R170.
- Fox, MR. (1995). Returning common sense to regulations. 9.
- Fox, SA; Richards, AK; Kusumah, I; Perumal, V; Bolitho, EM; Mutsaers, SE; Dharmarajan, AM. (2013). Expression profile and function of Wnt signaling mechanisms in malignant mesothelioma cells. *Biochem Biophys Res Commun* 440: 82-87. <http://dx.doi.org/10.1016/j.bbrc.2013.09.025>.

Human Health Hazard Literature Search Results

Off Topic

- Foy, JW; Collier, C; Swauger, JE. (2003). A comparison of mathematical methods for the determination of in vitro dissolution constants for glass fibers. *Inhal Toxicol* 15: 167-179. <http://dx.doi.org/10.1080/08958370304473>.
- Foyle, A; Al-Jabi, M; Mccaughey, WT. (1981). Papillary peritoneal tumors in women. *Am J Surg Pathol* 5: 241-249.
- Fraire, AE; Greenberg, SD; Spjut, HJ; Roggli, VL; Dodson, RF; Cartwright, J; Williams, G; Baker, S. (1994). EFFECT OF FIBROUS GLASS ON RAT PLEURAL MESOTHELIUM - HISTOPATHOLOGIC OBSERVATIONS. *Am J Respir Crit Care Med* 150: 521-527.
- Fraisse, A; Payen, D. (2006). [Asbestos - Removal of non-friable materials]. 19-21.
- Francisci, S; Minicozzi, P; Pierannunzio, D; Ardanaz, E; Eberle, A; Grimsrud, TK; Knijn, A; Pastorino, U; Salmerón, D; Trama, A; Sant, M; Group, E-W. (2015). Survival patterns in lung and pleural cancer in Europe 1999-2007: Results from the EUROCARE-5 study. *Eur J Cancer* 51: 2242-2253. <http://dx.doi.org/10.1016/j.ejca.2015.07.033>.
- Franco, R; Panayiotidis, MI. (2010). Cell death or survival: The double-edged sword of environmental and occupational toxicity [Editorial]. *Chem Biol Interact* 188: 265-266. <http://dx.doi.org/10.1016/j.cbi.2010.06.002>.
- Franco, R; Sanchez-Olea, R; Reyes-Reyes, EM; Panayiotidis, MI. (2009). Environmental toxicity, oxidative stress and apoptosis: Menage a Trois [Review]. *Mutat Res Genet Toxicol Environ Mutagen* 674: 3-22. <http://dx.doi.org/10.1016/j.mrgentox.2008.11.012>.
- Frank, AL. (1987). ASBESTOS AS AN AIR POLLUTANT AND SYNERGISM WITH SMOKING (pp. NEW YORK). (BIOSIS/88/05209). Frank, AL.
- Frank, AL. (1995). Medical and public health approaches to asbestos disease. *Mt Sinai J Med* 62: 401-405.
- Frank, AL. (1997). The riddle of risk assessment in asbestos carcinogenicity. *Med Lav* 88: 333-338.
- Frank, AL. (2012). China and the US: asbestos in common [Editorial]. *Int J Occup Environ Health* 18: 179-180. <http://dx.doi.org/10.1179/1077352512Z.00000000032>.
- Frank, AL. (2013). Why countries ban asbestos: some alternative thoughts [Comment]. *Int J Occup Environ Health* 19: 136. <http://dx.doi.org/10.1179/1077352513Z.00000000060>.
- Frank, AL; Joshi, TK. (2014). The global spread of asbestos [Review]. 80: 257-262. <http://dx.doi.org/10.1016/j.aogh.2014.09.016>.
- Frank, R; Lebowitz, MD. (1981). The risk of staying in [Editorial]. *Am Rev Respir Dis* 124: 521-522.
- Frank, W; Moritz, R; Becke, B; Pauli, R. (1999). Low dose cabergoline induced interstitial pneumonitis. *Eur Respir J* 14: 968-970.
- Frankel, CJ. (1972). IS ANAPLASTIC CANCER OF LUNG IN SMOKER EXPOSED TO ASBESTOS COMPENSABLE. *J Am Med Assoc* 221: 416-&.
- Franklin, BH. (1979). Public health control of environmental asbestos disease: consumer products. *Ann N Y Acad Sci* 330: 497-501.
- Franklin, P; Van, OS; Peters, S; Brims, F; De Klerk, N; Musk, B. (2015). VALIDATION OF AN ASBESTOS JOB EXPOSURE MATRIX USING LUNG FIBRE COUNTS. *Respirology* 20: 82-82.
- Franko, A; Dolzan, V; Kovac, V; Arneric, N; Dodic-Fikfak, M. (2012). Soluble mesothelin-related peptides levels in patients with malignant mesothelioma. *Dis Markers* 32: 123-131. <http://dx.doi.org/10.3233/DMA-2011-0866>.
- Franza, L; Meunier, R; Pasquini, P. (1993). EDF and the high-temperature processing of waste. 15.
- Franzblau, A; Garabrant, DH. (2004). Respiratory impairment due to asbestos exposure in brake-lining workers [Letter]. *Environ Res* 96: 105-106; author reply 106-108. <http://dx.doi.org/10.1016/j.envres.2004.04.005>.
- Fraser, A; Clickner, R; Everett, N; Viet, S. (1991). Evaluation of the Asbestos Hazard Emergency Response Act (AHERA). 416.
- Fraser, F; Bleasdale, C; Donnelly, RJ; Evans, CC; Meek, D; Hind C, RK. (1990). ADVANCED MALIGNANT PLEURAL MESOTHELIOMA COMPUTED TOMOGRAPHY ALONE OR OBTAIN HISTOLOGY (pp. 20-24). (BIOSIS/90/21914). Fraser, F; Bleasdale, C; Donnelly, RJ; Evans, CC; Meek, D; Hind C, RK.
- Frash, VN; Vanchugova, NN; Rukoleeva, SN; Zykova, VA; Grebennikov, SA; Shcherbakov, SV. (1992). [The oncogenic action of nonfibrous mineral dusts]. *Biull Eksp Biol Med* 114: 648-651.
- Frassy, F; Candiani, G; Rusmini, M; Maianti, P; Marchesi, A; Nodari, FR; Via, GD; Albonico, C; Gianinetta, M. (2014). Mapping Asbestos-Cement Roofing with Hyperspectral Remote Sensing over a Large Mountain Region of the Italian Western Alps. *Sensors* 14: 15900-15913. <http://dx.doi.org/10.3390/s140915900>.
- Freckelton, I. (2007). Long-tail liability law reform [Editorial]. *J Law Med* 15: 171-175.
- Freedman, AP; Robinson, SE; Green, FHY. (1982). Magnetopneumography As A Tool For The Study Of Dust Retention In The Lungs. *Ann Occup Hyg* 26: 1-4.
- Frei, C; Opitz, I; Soltermann, A; Fischer, B; Moura, U; Rehrauer, H; Weder, W; Stahel, R; Felley-Bosco, E. (2011). Pleural mesothelioma side populations have a precursor phenotype. *Carcinogenesis* 32: 1324-1332. <http://dx.doi.org/10.1093/carcin/bgr127>.
- Freimuth, VS; Van Nevel, JP. (1981). Reaching the public: the asbestos awareness campaign. 31: 155-167.
- Freimuth, VS; Vannevel, JP. (1993). CHANNELS AND VEHICLES OF COMMUNICATION - THE ASBESTOS AWARENESS CAMPAIGN. *Am J Ind Med* 23: 105-111.
- Freixa Blanxart, A. (1993). Substitute fibres for asbestos: General considerations. *Erga* 73.
- Freixa Blanxart, A; De Monserrat Vallvš, J; Colomer Cotta, J; eds. (2006). [Asbestos surveying in buildings (I): Situation in Spain and activities related to diagnosis in France]. 73.
- Freixa Blanxart, A; De Monserrat Vallvš, J; Colomer Cotta, J; eds. (2006). [Asbestos surveying in buildings (II): Norm NF X46-020 (AFNOR)]. 73.
- French, JG; Stien, HP; McKay, WJ; Albright, BE; Casey, GE; Howarth, CI. (1900). Interaction Between Smoking And Occupational Exposures. (NIOSH/00133302). French, JG; Stien, HP; McKay, WJ; Albright, BE; Casey, GE; Howarth, CI.
- Freund, A. (1982). Fired Up For Safety And Health. A Manual For Stationary Fireman In Boiler Rooms And Incinerators. 37: 19821982.
- Freville, L; Moulut, JC; Grzebyk, M; Kauffer, E. (2010). Producing samples for the organization of proficiency tests. Study of the homogeneity of replicas produced from two atmosphere generation systems. *Ann Occup Hyg* 54: 659-670. <http://dx.doi.org/10.1093/annhyg/meq031>.
- Frey, AB; Wali, A; Pass, H; Lonardo, F. (2007). Osteopontin is linked to p65 and MMP-9 expression in pulmonary adenocarcinoma but not in malignant pleural mesothelioma. *Histopathology* 50: 720-726. <http://dx.doi.org/10.1111/j.1365-2559.2007.02675.x>.

Human Health Hazard Literature Search Results

Off Topic

- Freyria, FS; Bonelli, B; Tomatis, M; Ghiazza, M; Gazzano, E; Ghigo, D; Garrone, E; Fubini, B. (2012). Hematite Nanoparticles Larger than 90 nm Show No Sign of Toxicity in Terms of Lactate Dehydrogenase Release, Nitric Oxide Generation, Apoptosis, and Comet Assay in Murine Alveolar Macrophages and Human Lung Epithelial Cells. *Chem Res Toxicol* 25: 850-861. <http://dx.doi.org/10.1021/tx2004294>.
- Friedrichs, KH. (1971). [Preparation of asbestos fibres for animal experiments]. *Int Arch Arbeitsmed* 28: 62-70.
- Friedrichs, KH. (1979). Morphological Aspects of Fibers. *Cancer Lett* 6: 183-192.
- Friedrichs, KH. (1987). Electron microscopic analyses of dust from the lungs and the lymph nodes of talc-mine employees. *AIHA J* 48: 626-633.
- Friedrichs, KH; Einbrodt, HJ. (1976). The measurement of fibre concentration in lung dusts (pp. 5-6). (HEEP/77/00258). Friedrichs, KH; Einbrodt, HJ.
- Friedrichs, KH; Otto, H. (1981). Fibers in human lung dust samples: a scanning electron microscope study. *Am Ind Hyg Assoc J* 42: 150-156. <http://dx.doi.org/10.1080/15298668191419497>.
- Friedrichs, KH; Otto, H. (1981). METHODOLOGY OF LUNG DUST ANALYSIS FOR DEMONSTRATION OF OCCUPATIONAL ASBESTOS EXPOSURE. *Arbeitsmedizin, Sozialmedizin, Praeventivmedizin* 16: 189-191.
- Friedrichs, KH; Otto, H; Fischer, M. (1992). CRITERIA FOR ANALYSIS OF FIBERS IN PULMONARY DUSTS. *Arbeitsmedizin, Sozialmedizin, Praeventivmedizin* 27: 228-232.
- Friedrichs, KH; Teschler, H; Wick, G; Konietzko, N; Costabel, U. (1991). [Asbestos content in bronchoalveolar lavage fluid]. *Zentralblatt fuer Hygiene und Umweltmedizin* 192: 336-343.
- Friemann, J; Gonzalez, S; Pott, F; Junker, K; Voss, B; K-M, M. (1990). Interaction of Mineral Fibres with Extracellular Matrix and Mesothelium after Intraperitoneal Injection in Rats (pp. 89-270). (NIOSH/00198468). Friemann, J; Gonzalez, S; Pott, F; Junker, K; Voss, B; Muller K-M.
- Friemann, J; Jaeschke, K; Gonzalez, S; Vollmer, E; Pott, F; Schmitz, I; K-M, M. (1992). Cytogenesis of mesothelial neoplasms in the intraperitoneal test (pp. 353-356). (BIOSIS/93/34001). Friemann, J; Jaeschke, K; Gonzalez, S; Vollmer, E; Pott, F; Schmitz, I; Mueller K-M.
- Friemann, J; Varnal, M; Sutter, C; Hoehr, B; Behrens, A; G-H, A; H-W, S. (1995). STUDIES OF THE FORMAL PATHOGENESIS AND DIFFERENTIAL DIAGNOSIS OF EXPERIMENTALLY INDUCED ABDOMINAL TUMORS IN RATS (pp. 355-356). (ISSN 0341-3055 BIOSIS/96/05105). Friemann, J; Varnal, M; Sutter, C; Hoehr, B; Behrens, A; Althoff G-H; Schlipkoeter H-W.
- Friemann, J; Voss, B; K-M, M. (1990). DISTRIBUTION OF COLLAGEN TYPES AND FIBRONECTIN IN FOREIGN BODY GRANULOMAS AFTER EXPERIMENTAL SILICOSIS AND ASBESTOSIS OF RATS (pp. STUTTGART). (BIOSIS/91/34134). Friemann, J; Voss, B; Mueller K-M.
- Friemann, J; Voss, B; K-M, M. (1990). REACTION OF EXTRACELLULAR MATRIX AND MESOTHELIUM ON MINERAL FIBERS (pp. 20-24). (BIOSIS/90/20764). Friemann, J; Voss, B; Mueller K-M.
- Friesen, KJ; Dixon, M; Lysyk, TJ. (2016). Embryo Development and Morphology of the Rocky Mountain Wood Tick (Acari: Ixodidae). *J Med Entomol* 53: 279-289. <http://dx.doi.org/10.1093/jme/tjv193>.
- Friesen, M. (2009). Occupational Exposure Assessment.
- Friesen, M. (2010). Occupational Exposure Assessment.
- Friesen, M. (2011). Occupational Exposure Assessment.
- Friesen, M. (2012). Occupational Exposure Assessment.
- Friesen, M. (2013). Occupational Exposure Assessment.
- Friesen, M. (2014). Occupational Exposure Assessment.
- Friesen, M. (2015). Occupational Exposure Assessment.
- Frija, J. (2011). [The current asbestos scandal]. *J Radiol* 92: 428-430. <http://dx.doi.org/10.1016/j.jradio.2011.03.019>.
- Frija, J; Fournier, M. (2007). [Asbestos in France] [Editorial]. *Rev Mal Respir* 24: 687-689.
- Fritschi, L; Chan, J; Hutchings, SJ; Driscoll, TR; Wong, AY; Carey, RN. (2016). The future excess fraction model for calculating burden of disease. *BMC Public Health* 16: 386. <http://dx.doi.org/10.1186/s12889-016-3066-1>.
- Fritschi, L; Siemiatycki, J; Richardson, L. (1996). Self-assessed versus expert-assessed occupational exposures. *Am J Epidemiol* 144: 521-527.
- Froats, JFK; Booher, LE. (1996). Exposure Comparison of Outdoor Asbestos Abatement Techniques in a Petroleum Refinery. *Appl Occup Environ Hyg* 11: 1139-1147.
- Froehlich, PA. (1992). Letter to the Editor on "Analysis of PCM Asbestos Air Monitoring Results for a Major Abatement Project". *Appl Occup Environ Hyg* 7: 288-289.
- Froehlich, PA. (1993). Evaluation of Two Negative-Air Glove Bag Techniques for Asbestos Removal. *Appl Occup Environ Hyg* 8: 871-882.
- Froehlich, PA; Hollett, BA. (1993). Evaluation of Glove Bag Containment and Asbestos Abatement Clearance: Methodologies for Asbestos Removal. *Appl Occup Environ Hyg* 8: 937-944.
- Frohberg, H. (1971). Contribution To The Problem Complex Concerning The Extrapolation Of Experimental Results To Man (pp. 226-235). (NIOSH/00135648). Frohberg, H.
- Frohberg, H. (1971). Contribution to the Study of the Extrapolation of the Results of Animal Experiments to Man (pp. 226-235). (NIOSH/00013236). Frohberg, H.
- Frohberg, H. (1974). Coulston, Frederick and Friedhelm Korte (Ed.). *Environmental Quality and Safety, Vol. 3. Global Aspects of Chemistry, Toxicology and Technology as Applied to the Environment. Viii+245p. Illus. Georg Thieme Publishers: Stuttgart, West Germany; Academic Press, Inc.: New York, N.Y., U.S.A. Isbn 3-13-510801-5; Isbn 0-12-227003-7.; 1974 57-84 Problems encountered in the toxicological testing of environmental chemicals.*
- Frolova, NN; Stupina, NM; Kolpakova, NP. (1973). ANTITUBERCULOUS VACCINATION IN EXPERIMENTAL ASBESTOSIS (pp. 76-78). (HEEP/74/04805). Frolova, NN; Stupina, NM; Kolpakova, NP.
- Frost, G. (2014). Response to comment on 'The latency period of mesothelioma among a cohort of British asbestos workers (1978-2005)' [Comment]. *Br J Cancer* 111: 2198-2199. <http://dx.doi.org/10.1038/bjc.2014.441>.

Human Health Hazard Literature Search Results

Off Topic

- Frost, RL; Mendelovici, E. (2006). Modification of fibrous silicates surfaces with organic derivatives: an infrared spectroscopic study. *J Colloid Interface Sci* 294: 47-52. <http://dx.doi.org/10.1016/j.jcis.2005.07.014>.
- Fruhmann, G. (1992). CURRENT TOPICS AFTER 25 YEARS OF OCCUPATIONAL MEDICINE (pp. 404-408). (BIOSIS/93/05001). Fruhmann, G.
- Frumkin, H. (1988). Re: Frumkin H, Berlin J (1988): asbestos exposure and gastrointestinal malignancy: review and meta-analysis. *Am J Ind Med* 14: 79-85 [Letter]. *Am J Ind Med* 14: 493.
- Fry, C. (2009). An investigation into asbestos related disease in the dental industry. *Br Dent J* 206: 515-516. <http://dx.doi.org/10.1038/sj.bdj.2009.413>.
- Fry, RJM; Ullrich, RL. (1986). Combined Effects of Radiation and Other Agents (pp. 437-454). (NIOSH/00175145). Fry, RJM; Ullrich, RL.
- Fu, D; Liu, B; Wang, H. (1997). [Detection of p53 gene mutation in paraffin-embedded asbestos-related lung cancer tissue]. *Zhonghua Yufang Yixue Zazhi* 31: 206-208.
- Fubini, B. (1993). The possible role of surface chemistry in the toxicity of inhaled fibers. In DB Warheit (Ed.), (pp. 229-257). San Diego, CA: Academic Press, Inc.
- Fubini, B; Barcelo, F; Areat, CO. (1997). Ferritin adsorption on amosite fibers: Possible implications in the formation and toxicity of asbestos bodies. *J Toxicol Environ Health* 52: 343-352. <http://dx.doi.org/10.1080/00984109708984069>.
- Fubini, B; Fenoglio, I. (2007). Toxic potential of mineral dusts. *Elements* 3: 407-414. <http://dx.doi.org/10.2113/GSELEMENTS.3.6.407>.
- Fubini, B; Fenoglio, I; Tomatis, M; Turci, F. (2011). Effect of chemical composition and state of the surface on the toxic response to high aspect ratio nanomaterials [Review]. *Nanomed* 6: 899-920. <http://dx.doi.org/10.2217/nnm.11.80>.
- Fubini, B; Ghiazza, M; Fenoglio, I. (2010). Physico-chemical features of engineered nanoparticles relevant to their toxicity [Review]. *Nanotoxicology* 4: 347-363. <http://dx.doi.org/10.3109/17435390.2010.509519>.
- Fujii, M; Nakanishi, H; Toyoda, T; Tanaka, I; Kondo, Y; Osada, H; Sekido, Y. (2012). Convergent signaling in the regulation of connective tissue growth factor in malignant mesothelioma: TGF β signaling and defects in the Hippo signaling cascade. *Cell Cycle* 11: 3373-3379. <http://dx.doi.org/10.4161/cc.21397>.
- Fujii, M; Toyoda, T; Nakanishi, H; Yatabe, Y; Sato, A; Matsudaira, Y; Ito, H; Murakami, H; Kondo, Y; Kondo, E; Hida, T; Tsujimura, T; Osada, H; Sekido, Y. (2012). TGF- β synergizes with defects in the Hippo pathway to stimulate human malignant mesothelioma growth. *J Exp Med* 209: 479-494. <http://dx.doi.org/10.1084/jem.20111653>.
- Fujimoto, N; Gemba, K; Asano, M; Wada, S; Ono, K; Ozaki, S; Kishimoto, T. (2010). Soluble mesothelin-related protein in pleural effusion from patients with malignant pleural mesothelioma. *Exp Ther Med* 1: 313-317. http://dx.doi.org/10.3892/etm_00000048.
- Fujimoto, N; Gemba, K; Asano, M; Wada, S, ae; Ono, K; Ozaki, S; Kishimoto, T. (2011). COMPARISON OF POTENTIAL VALUES OF HYALURONIC ACID AND VASCULAR ENDOTHELIAL GROWTH FACTOR IN THE PLEURAL FLUID OF MALIGNANT PLEURAL MESOTHELIOMA. *J Thorac Oncol* 6: S921-S922.
- Fujimoto, N; Gemba, K; Wada, S, ae; Ono, K; Fujii, Y; Ozaki, S; Ikeda, T; Taguchi, K; Kunitomo, T; Kishimoto, T. (2009). Malignant Pericardial Mesothelioma with Response to Chemotherapy. *J Thorac Oncol* 4: 1440-1441.
- Fujimoto, N; Ohnuma, K, ei; Aoe, K; Hosono, O; Yamada, T; Kishimoto, T; Morimoto, C. (2015). Clinical Significance of Soluble CD26 in Malignant Pleural Mesothelioma. *J Thorac Oncol* 10: S200-S200.
- Fujita, K; Fukuda, M; Endoh, S; Maru, J; Kato, H; Nakamura, A; Shinohara, N; Uchino, K; Honda, K. (2015). Size effects of single-walled carbon nanotubes on in vivo and in vitro pulmonary toxicity. *Inhal Toxicol* 27: 207-223. <http://dx.doi.org/10.3109/08958378.2015.1026620>.
- Fujita, K; Fukuda, M; Endoh, S; Maru, J; Kato, H; Nakamura, A; Shinohara, N; Uchino, K; Honda, K. (2016). Pulmonary and pleural inflammation after intratracheal instillation of short single-walled and multi-walled carbon nanotubes. *Toxicol Lett* 257: 23-37. <http://dx.doi.org/10.1016/j.toxlet.2016.05.025>.
- Fukagawa, NK; Holmen, B. (2009). Mechanisms for Cardiovascular Effects of air pollutants: Effect of Age and Sex.
- Fukagawa, NK; Holmen, B. (2010). Mechanisms for Cardiovascular Effects of air pollutants: Effect of Age and Sex.
- Funaki, K; Everitt, J; Bermudez, E; Walker, C. (1991). Trisomy of rat chromosome 1 associated with mesothelial cell transformation. *Cancer Res* 51: 4059-4066.
- Funari, E; Bastone, A; Bottoni, P; De Donno, D; Donati, L. (1991). Quality problems in waters used for drinking purposes in Italy. *Biomed Environ Sci* 4: 339-347.
- Furet, Y; Bechtel, Y; Le Guellec, C; Bechtel, PR; Autret-Leca, E; Paintaud, G. (2002). [Clinical relevance of N-acetyltransferase type 2 (NAT2) genetic polymorphism]. *Therapie* 57: 427-431.
- Furlan, C; Mortarino, C. (2012). Pleural mesothelioma: forecasts of the death toll in the area of Casale Monferrato, Italy. *Stat Med* 31: 4114-4134. <http://dx.doi.org/10.1002/sim.5523>.
- Furness, IW; Reed, PJ. (1985). The Assessment Of A Modification To The Acetonetriacetin Clearing Technique As Used In The Measurement Of Airborne Asbestos Dust. *Ann Occup Hyg* 29: 109-112.
- Furst, A. (1977). Inorganic Agents As Carcinogens (pp. 209-229). (NIOSH/00153143). Furst, A.
- Furuya, S; Natori, Y; Ikeda, R. (2003). Asbestos in Japan. *Int J Occup Environ Health* 9: 260-265. <http://dx.doi.org/10.1179/oeh.2003.9.3.260>.
- Fuster, A; Pico, C; Sanchez, J; Oliver, P; Zingaretti, MC; Murano, I; Morroni, M; Hoeller, U; Goralczyk, R; Cinti, S; Palou, A. (2008). Effects of 6-month daily supplementation with oral beta-carotene in combination or not with benzo[a]pyrene on cell-cycle markers in the lung of ferrets. *J Nutr Biochem* 19: 295-304. <http://dx.doi.org/10.1016/j.jnutbio.2007.03.004>.
- G Benavides, F; Menéndez-Navarro, A; Delclòs, J; Luque, M. (2012). [Scientific evidence and legal liability in occupational health: indemnity claim based on lack of safety and hygiene controls after a worker's death due to mesothelioma]. *Archivos de Prevencion de Riesgos Laborales* 15: 86-89. <http://dx.doi.org/10.12961/aprl.2012.15.2.04>.

Human Health Hazard Literature Search Results

Off Topic

- Gaafar, R; Bahnassy, A; Abdelsalam, I; Kamel, MM; Helal, A; Abdel-Hamid, A; Eldin, NA; Mokhtar, N. (2010). Tissue and serum EGFR as prognostic factors in malignant pleural mesothelioma. *Lung Cancer* 70: 43-50. <http://dx.doi.org/10.1016/j.lungcan.2010.01.002>.
- Gabrielson, EW. (1985). Cytopathology of asbestos and other fibers on human lung cells in culture [Research]. RePORTER Database National Institutes of Health.
- Gadek, J; Hunninghake, G; Schoenberger, C; Fells, G; Crystal, R. (1981). Pulmonary asbestosis and idiopathic pulmonary fibrosis: Pathogenetic parallels. *Chest* 80: 635-645.
- Gadek, JE; Fells, GA; Rennard, SI; Zimmerman, RL; Crystal, RG. (1982). EVALUATION OF THE ANTI COLLAGENASE SCREEN OF THE HUMAN LOWER RESPIRATORY TRACT IMPLICATIONS FOR THE EXPRESSION OF COLLAGENASE ACTIVITY IN PATIENTS WITH NEUTROPHILIC ALVEOLITIS (pp. 15-18). (HEEP/83/13438). Gadek, JE; Fells, GA; Rennard, SI; Zimmerman, RL; Crystal, RG.
- Gadikota, G; Natali, C; Boschi, C; Park, AH. (2014). Morphological changes during enhanced carbonation of asbestos containing material and its comparison to magnesium silicate minerals. *J Hazard Mater* 264: 42-52. <http://dx.doi.org/10.1016/j.jhazmat.2013.09.068>.
- Gadsden, JA; Parker, J; Smith, WL. (1970). Determination of chrysotile in airborne asbestos by an infra-red spectrometric technique. *Atmos Environ* (1967) 4: 667-670.
- Gadsden, JA; Parker, J; Smith, WL. (1970). Determination of chrysotile in airborne asbestos by an IR spectrometric technique. *Atmos Environ* 4: 667-670.
- Gaensler, EA. (1972). Hazardous?: I only worked there 6 months (pp. 3-5). (HEEP/73/07226). Gaensler, EA.
- Gaensler, EA. (1977). Pleural Complications from Asbestos Exposure. *J Occup Environ Med* 19: 286.
- Gaensler, EA. (1994). ASBESTOS EXPOSURE IN BUILDINGS (pp. S98-S110). (ISSN 0341-3055; BIOSIS/94/30152). Gaensler, EA.
- Gaffuri, E. (1970). Current knowledge of occupational tumors of the respiratory tract (pp. 281-302). (HEEP/72/03113). Gaffuri, E.
- Gaffuri, E. (1991). Disparity between estimated numbers and reported cases of occupational cancer. *Scand J Work Environ Health* 17: 216-217.
- Gaffuri, E. (2003). [Is asbestos alone responsible for lung tumors?] [Letter]. *Med Lav* 94: 330.
- Gailing, O; Macnair, MR; Bachmann, K. (2004). QTL mapping for a trade-off between leaf and bud production in a recombinant inbred population of *Microseris douglasii* and *M. bigelovii* (Asteraceae, Lactuceae): a potential preadaptation for the colonization of serpentine soils. *Plant Biol (Stuttg)* 6: 440-446. <http://dx.doi.org/10.1055/s-2004-817958>.
- Galateau-Salle, F. (1999). [Anatomopathological tools for screening and medical surveillance of people exposed to asbestos] [Review]. *Rev Mal Respir* 16: 1244-1256.
- Galateau-Salle, F; Attanoos, R; Gibbs, AR; Burke, L; Astoul, P; Rolland, P; Soit Ilg, AG; Pairon, JC; Brochard, P; Begueret, H; Vignaud, JM; Kerr, K; Launoy, G, uy; Imbernon, E; Goldberg, M. (2007). Lymphohistiocytoid variant of malignant mesothelioma of the pleura: A series of 22 cases. *Am J Surg Pathol* 31: 711-716.
- Galateau-Salle, F; Bidet, P; Iwatsubo, Y; Gennetay, E; Renier, A; Letourneux, M; Pairon, JC; Moritz, S; Brochard, P; Jaurand, MC; Freymuth, F. (1998). Detection of SV40-like DNA sequences in pleural mesothelioma, bronchopulmonary carcinoma and other pulmonary diseases [Review]. *Dev Biol Stand* 94: 147-152.
- Gale, RW; Timbrell, V. (1980). Practical application of magnetic alignment of mineral fibres for hazard evaluation. *IARC Sci Publ* 1: 53-60.
- Galetta, D; Catino, A; Misino, A; Logroscino, A; Fico, M. (2015). Sarcomatoid mesothelioma: future advances in diagnosis, biomolecular assessment, and therapeutic options in a poor-outcome disease [Review]. *Tumori* 102: 0. <http://dx.doi.org/10.5301/tj.5000364>.
- Galgani, F; Chiffolleau, JF; Orsoni, V; Costantini, L; Boissery, P; Calendini, S; Andral, B. (2006). Chemical contamination and sediment toxicity along the coast of Corsica. *Chem Ecol* 22: 299-312. <http://dx.doi.org/10.1080/02757540600812156>.
- Galietti, F; Giorgis, GE; Avolio, G; Barberis, S; Mirvalle, C; Onoscuri, M. (1988). COPPER LEVELS IN THE BLOOD AND BRONCHOALVEOLAR LAVAGE FLUID OF ASBESTOSIS PATIENTS AND SUBJECTS AT RISK OF THE DISEASE (pp. 8-11). (BIOSIS/88/21268). Galietti, F; Giorgis, GE; Avolio, G; Barberis, S; Mirvalle, C; Onoscuri, M.
- Gall, CA; Reif, KE; Scoles, GA; Mason, KL; Mousel, M; Noh, SM; Brayton, KA. (2016). The bacterial microbiome of *Dermacentor andersoni* ticks influences pathogen susceptibility. *ISME J* 10: 1846-1855. <http://dx.doi.org/10.1038/ismej.2015.266>.
- Gallacher, R. (2004). Understanding the impact of malignant mesothelioma [Comment]. *Nurs Times* 100: 45.
- Gallagher, JE; George, G; Brody, AR. (1984). Nonspecific binding of particles to alveolar macrophage membranes is mediated by cell surface sialic-acid. 129: A290.
- Gallagher, JE; George, G; Brody, AR. (1985). NON-RECEPTOR-MEDIATED BINDING AND PHAGOCYTOSIS OF PARTICLES BY PULMONARY MACROPHAGES (pp. 12-15). (BIOSIS/85/16482). Gallagher, JE; George, G; Brody, AR.
- Gallagher, RP; Spinelli, JJ; Elwood, JM; Moody, J. (1989). Agricultural Exposures, Allergies, and Risk of Multiple Myeloma. *J*: 274-275.
- Gallego, JC. (1998). Absence of left-sided predominance in asbestos-related pleural plaques: a CT study. *Chest* 113: 1034-1036.
- Gallo, MA; Fisher, GL. (1987). Asbestos toxicity symposium miami florida usa april 24 1985. *Drug Chem Toxicol* 10: 1-180.
- Galvan, A; Noci, S; Taverna, F; Lombardo, C; Franceschi, S; Pastorino, U; Dragani, TA. (2012). Testing of human papillomavirus in lung cancer and non-tumor lung tissue. *BMC Cancer* 12: 512. <http://dx.doi.org/10.1186/1471-2407-12-512>.
- Galvin, JR; Hunninghake, GW; Yagla, SJ; Schwartz, DA. (1992). COMPUTER-DERIVED MEASURES OF INTERSTITIAL ABNORMALITIES IN ASBESTOSIS (pp. 17-20). (BIOSIS/92/20043). Galvin, JR; Hunninghake, GW; Yagla, SJ; Schwartz, DA.
- Gamble, J; Jones, W; Minshall, S. (1987). Epidemiological-environmental study of diesel bus garage workers: chronic effects of diesel exhaust on the respiratory system. *Environ Res* 44: 6-17.
- Gamble, JF. (1993). A NESTED CASE CONTROL STUDY OF LUNG-CANCER AMONG NEW-YORK TALC WORKERS. *Int Arch Occup Environ Health* 64: 449-456.
- Gamble, JF; Lewis, RJ; Jorgensen, G. (2000). Mortality among three refinery/petrochemical plant cohorts. II. Retirees. *J Occup Environ Med* 42: 730-736.

Human Health Hazard Literature Search Results

Off Topic

- Gamsu, G. (1989). High-resolution CT in the diagnosis of asbestos-related pleuroparenchymal disease [Editorial]. *Am J Ind Med* 16: 115-117.
- Gamsu, G. (1990). IMAGING TECHNIQUES FOR PNEUMOCONIOSES (pp. 378). (BIOSIS/90/17949). Gamsu, G.
- Gamsu, G. (1991). Computed tomography and high-resolution computed tomography of pneumoconiosis [Review]. *J Occup Med* 33: 794-796.
- Gamsu, G; Aberle, DR; Lynch, D. (1989). Computed tomography in the diagnosis of asbestos-related thoracic disease [Review]. *J Thorac Imaging* 4: 61-67.
- Gamsu, G; Salmon, CJ; Warnock, ML; Blanc, PD. (1995). CT quantification of interstitial fibrosis in patients with asbestosis: A comparison of two methods (pp. 63-68). (BIOSIS/95/10925). Gamsu, G; Salmon, CJ; Warnock, ML; Blanc, PD.
- Gandevia, B. (1984). Mesothelioma. *Med J Aust* 141: 80.
- Gandevia, B. (1985). Radiology in asbestos workers [Letter]. *Med J Aust* 142: 424.
- Ganick, NR; Gobbell, RV. (1996). Asbestos management and removal in hospitals. 1-13.
- Gannon, C. (1986). Analysts manual for large asbestos inspection projects. 34: 268-269.
- Ganor, E; Fischbein, A; Brenner, S; Froom, P. (1992). Extreme airborne asbestos concentrations in a public building. *Br J Ind Med* 49: 486-488.
- Gao, F; Kinnula, VL; Myllärniemi, M; Oury, TD. (2008). Extracellular superoxide dismutase in pulmonary fibrosis [Review]. *Antioxid Redox Signal* 10: 343-354. <http://dx.doi.org/10.1089/ars.2007.1908>.
- Gao, HG; Whong, WZ; Jones, WG; Wallace, WE; Ong, T. (1995). Morphological transformation induced by glass fibers in BALB/c-3T3 cells. *Teratog Carcinog Mutagen* 15: 63-71.
- Garabrant, DH; Alexander, DD; Miller, PE; Fryzek, JP; Boffetta, P; Teta, MJ; Hessel, PA; Craven, VA; Kelsh, MA; Goodman, M. (2015). Mesothelioma among Motor Vehicle Mechanics: An Updated Review and Meta-analysis [Review]. *Ann Occup Hyg* 60: 8-26. <http://dx.doi.org/10.1093/annhyg/mev060>.
- Garabrant, DH; Fine, LJ; Oliver, C; Bernstein, L; Peters, JM. (1987). Abnormalities of pulmonary function and pleural disease among titanium metal production workers. *Scand J Work Environ Health* 13: 47-51.
- Garabrant, DH; Olin, R. (1986). CARCINOGENS AND CANCER RISKS IN THE MICROELECTRONICS INDUSTRY (pp. 119-134). (BIOSIS/86/31335). Garabrant, DH; Olin, R.
- Garavaglia, C. (1970). Radiological aspects of pneumoconiosis (pp. 11-12). (HEEP/72/06145). Garavaglia, C.
- García C, BM; Fonseca J, AC; Gutierrez, J. R.; De La MAZA M, CR. (1987). ASBESTOS CONTAMINATION IN A MOZAMBICAN LUSALITE FACTORY (pp. 8-11). (BIOSIS/87/34579). García C, BM; Fonseca J, AC; Gutierrez, J, JR; De La MAZA M, CR.
- García Gómez, M; Artieda Pellejero, L; Esteban Buedo, V; Guzmán Fernández, A; Camino Durán, F; Martínez Castillo, A; Lezzáun Goñi, M; Gallo Fernández, M; González García, I; Martínez Arguisuelas, N; Elvira Espinosa, M; Sánchez de Navas, AM; Zimmermann Verdejo, M; Campos Acedo, R; Galván Olivares, F; Castañeda López, R; Estaún Blasco, E; Castell Salvá, R; Martínez-Portillo, LM; Rubio Sanz, A; Unamuno Achúcarro, A; Fernández Fernández, I; Lama Herrera, C; Mayoral Cortés, JM. (2006). [Health surveillance of workers exposed to asbestos: an example of cooperation between the occupational prevention system and the national health system]. *Rev Esp Salud Publica* 80: 27-39.
- Garcia, JG; Griffith, DE; Cohen, AB; Callahan, KS. (1989). Alveolar macrophages from patients with asbestos exposure release increased levels of leukotriene B4. *Am Rev Respir Dis* 139: 1494-1501. <http://dx.doi.org/10.1164/ajrccm/139.6.1494>.
- Garcia, JG; Zavala, D; Bleicher, R; Monick, M; Brady, M; Merchant, J; Hunninghake, GW. (1983). UTILITY OF BRONCHO ALVEOLAR LAVAGE IN PATIENTS WITH ASBESTOS EXPOSURE (pp. 8-11). (HEEP/84/08870). Garcia, JG; Zavala, D; Bleicher, R; Monick, M; Brady, M; Merchant, J; Hunninghake, GW.
- Garcia, JGN; Griffith, DE; Levin, JL; Idell, S. (1989). Tobacco Smoke Exposure in Occupational Lung Disease (pp. 372-385). (NIOSH/00192570). Garcia, JGN; Griffith, DE; Levin, JL; Idell, S.
- García-Gómez, M; Garrido, RU; López, RC; Menéndez-Navarro, A. (2017). Medical costs of asbestos-related diseases in Spain between 2004 and 2011. *Ind Health* 55: 3-12. <http://dx.doi.org/10.2486/indhealth.2016-0021>.
- García-Gómez, M; Menéndez-Navarro, A; López, RC. (2015). Asbestos-related occupational cancers compensated under the Spanish National Insurance System, 1978-2011. *Int J Occup Environ Health* 21: 31-39. <http://dx.doi.org/10.1179/2049396714Y.0000000087>.
- Garcia-Hevia, L; Valiente, R; Gonzalez, J; Luis Fernandez-Luna, J; Villegas, JC; Fanarraga, ML. (2015). Anti-Cancer Cytotoxic Effects of Multiwalled Carbon Nanotubes. *Curr Pharm Des* 21: 1920-1929.
- Gardner, AW. (1959). Trauma and Squamous Skin Cancer. *Lancet* 276: 760-761.
- Gardner, DE; Gardner S, CM. (1994). TOXICOLOGY OF AIR POLLUTION (pp. BOCA RATON). (BIOSIS/94/14116). Gardner, DE; Gardner S, CM.
- Gardner, LU. (1940). Recent Developments in Relation to Silicosis. *Ind Med* 9: 45-49.
- Gardner, MJ. (1987). Geographical Patterns of Disease, with Special Reference to Cancer, and the Search for Occupational Risks (pp. 93-106). (NIOSH/00188048). Gardner, MJ.
- Gardner, SY; Brody, AR. (1995). INCORPORATION OF BROMODEOXYURIDINE AS A METHOD TO QUANTIFY CELL-PROLIFERATION IN BRONCHIOLAR-ALVEOLAR DUCT REGIONS OF ASBESTOS-EXPOSED MICE. *Inhal Toxicol* 7: 215-224.
- Garg, K; Lynch, DA. (2002). Imaging of thoracic occupational and environmental malignancies. *J Thorac Imaging* 17: 198-210. <http://dx.doi.org/10.1097/01.RTI.0000018844.63010.B6>.
- Garrahan, K. (1987). Mesothelioma: has patient had contact with even small amount of asbestos? *JAMA* 257: 1569-1570.
- Garrett, NE; Stack, HF; Gross, MR; Waters, MD. (1984). An analysis of the spectra of genetic activity produced by known or suspected human carcinogens. *Mutat Res* 134: 89-111. [http://dx.doi.org/10.1016/0165-1110\(84\)90006-X](http://dx.doi.org/10.1016/0165-1110(84)90006-X).
- Garrison, RP; Brady, PA. (1990). HOME IMPROVEMENTS AND REPAIR (pp. NEW YORK). (BIOSIS/91/08216). Garrison, RP; Brady, PA.
- Garshick, E. (2000). Lung cancer and diesel exhaust exposure.
- Garshick, E. (2001). Lung cancer and diesel exhaust exposure.

Human Health Hazard Literature Search Results

Off Topic

- Garshick, E; Schenker, MB; Woskie, SR; Speizer, FE. (1987). Past Exposure to Asbestos among Active Railroad Workers. *Am J Ind Med* 12: 399-406.
- Garzanti; Andò; Scutellà. (2000). Actualistic Ophiolite Provenance: The Cyprus Case. *J Geol* 108: 199-218.
- Gasparri, R; Leo, F; Veronesi, G; De Pas, T; Depas, T; Colleoni, M; Maisonnette, P; Pelosi, G; Galimberti, V; Spaggiari, L. (2006). Video-assisted management of malignant pleural effusion in breast carcinoma. *Cancer* 106: 271-276. <http://dx.doi.org/10.1002/cncr.21623>.
- Gasparrini, A; Pizzo, AM; Gorini, G; Costantini, AS; Silvestri, S; Ciapini, C; Innocenti, A; Berry, G. (2008). Prediction of mesothelioma and lung cancer in a cohort of asbestos exposed workers. *Eur J Epidemiol* 23: 541-546. <http://dx.doi.org/10.1007/s10654-008-9257-z>.
- Gates, MA; Tworoger, SS; Terry, KL; Titus-Ernstoff, L; Rosner, B; De Vivo, I; Cramer, DW; Hankinson, SE. (2008). Talc use, variants of the GSTM1, GSTT1, and NAT2 genes, and risk of epithelial ovarian cancer. *Cancer Epidemiol Biomarkers Prev* 17: 2436-2444. <http://dx.doi.org/10.1158/1055-9965.EPI-08-0399>.
- Gatto, MP; Tanna, D; Tanna, GL. (2013). Distribution and trends in mesothelioma mortality in Italy from 1974 to 2006. *Int Arch Occup Environ Health* 86: 489-496. <http://dx.doi.org/10.1007/s00420-012-0780-6>.
- Gaudichet, A; Bientz, M; Sebastien, P; Dufour, G; Bignon, J; Bonnaud, G; Puisais, J. (1978). ASBESTOS FIBERS IN WINES - RELATION TO FILTRATION PROCESS. *J Toxicol Environ Health* 4: 853-860.
- Gaudichet, A; Petit, G; Billon-Galland, MA; Dufour, G. (1989). Levels of atmospheric pollution by man-made mineral fibres in buildings. *IARC Sci Publ occupational Exposure to Mineral Fibres*: 291-298.
- Gaudichet, A; Sebastien, P; Clark, NJ; Pooley, FD. (1980). Identification and quantification of asbestos fibres in human tissues. *IARC Sci Publ* 1: 61-68.
- Gaudy-Marqueste, C; Dales, JP; Collet-Villette, AM; Grob, JJ; Astoul, P; Richard, MA. (2003). Cutaneous metastasis of pleural mesothelioma: two cases. *Ann Dermatol Venereol* 130: 455-459.
- Gaumer, HR; Cairo, J. (1978). CHEMI LUMINESCENT RESPONSE OF POLYMORPHONUCLEAR LEUKOCYTES WITH ASBESTOS FIBERS. *Fed Proc* 37.
- Gaumer, HR; Cairo, J; Salvaggio, JE. (1979). CHEMI LUMINESCENT RESPONSE TO ASBESTOS FIBERS (pp. 8-9). (HEEP/80/11434). Gaumer, HR; Cairo, J; Salvaggio, JE.
- Gaumer, HR; Kaimal, J; Schuyler, M; Salvaggio, JE. (1979). SUPPRESSOR CELL FUNCTION IN PATIENTS WITH ASBESTOSIS (pp. 13-16). (HEEP/80/06819). Gaumer, HR; Kaimal, J; Schuyler, M; Salvaggio, JE.
- Gautam, AK; Yunus, M; Rahman, A; Reddy, SS. (2003). Environmental monitoring of asbestos products manufacturing units--a case study. *Indian J Environ Health* 45: 289-292.
- Gauvin, H; Lacourt, A; Leffondré, K. (2013). On the proportional hazards model for occupational and environmental case-control analyses. *BMC Med Res Methodol* 13: 18. <http://dx.doi.org/10.1186/1471-2288-13-18>.
- Gavazza, A; Presciuttini, S; Barale, R; Lubas, G; Gugliucci, B. (2001). Association between canine malignant lymphoma, living in industrial areas, and use of chemicals by dog owners. *J Vet Intern Med* 15: 190-195. [http://dx.doi.org/10.1892/0891-6640\(2001\)015<0190:ABCMLL>2.3.CO;2](http://dx.doi.org/10.1892/0891-6640(2001)015<0190:ABCMLL>2.3.CO;2).
- Gaweda, E; Kondej, D. (2006). [Working environment hazards in production of building fittings and metal accessories]. *Med Pr* 57: 1-6.
- Gaweda, E; Kondej, D. (2007). [Exposure to harmful hazards in mechanical processing of metal accessories]. *Med Pr* 58: 223-229.
- Gazdar, AF; Carbone, M. (2003). Molecular pathogenesis of malignant mesothelioma and its relationship to simian virus 40 [Review]. *Clin Lung Cancer* 5: 177-181. <http://dx.doi.org/10.3816/CLC.2003.n.031>.
- Gaze, R. (1965). The Physical and Molecular Structure of Asbestos. *Ann N Y Acad Sci* 132: 23-30.
- Gazzi, D; Crockford, GW. (1987). INDOOR ASBESTOS LEVELS ON A HOUSING ESTATE DETERMINED BY TRANSMISSION ELECTRON MICROSCOPY. *Ann Occup Hyg* 31: 429-440.
- Ge, NL; Kocan, KM; Blouin, EF; Murphy, GL. (1996). Developmental studies of *Anaplasma marginale* (Rickettsiales: Anaplasmataceae) in male *Dermacentor andersoni* (Acari: Ixodidae) infected as adults by using nonradioactive in situ hybridization and microscopy. *J Med Entomol* 33: 911-920.
- Gebel, T; Foth, H; Damm, G; Freyberger, A; Kramer, PJ; Lilienblum, W; Roehl, C; Schupp, T; Weiss, C; Wollin, KM; Hengstler, J. (2014). Manufactured nanomaterials: categorization and approaches to hazard assessment [Review]. *Arch Toxicol* 88: 2191-2211. <http://dx.doi.org/10.1007/s00204-014-1383-7>.
- Gee, B; Bouhuys, A. (1971). Action on asbestos. *N Engl J Med* 285: 1317-1318. <http://dx.doi.org/10.1056/NEJM197112022852309>.
- Gee, GV; Koestler, DC; Christensen, BC; Sugarbaker, DJ; Ugolini, D; Ivaldi, GP; Resnick, MB; Houseman, EA; Kelsey, KT; Marsit, CJ. (2010). Downregulated microRNAs in the differential diagnosis of malignant pleural mesothelioma. *Int J Cancer* 127: 2859-2869. <http://dx.doi.org/10.1002/ijc.25285>.
- Gee, JB. (1993). Asbestos findings questioned [Letter]. *Environ Health Perspect* 101: 564-565.
- Gee, JB. (1994). Regarding bias [Letter]. *Environ Health Perspect* 102: 425-426.
- Gee, JB; Mossman, BT. (1990). Asbestos warrants care, management but society must resist urge to panic. *Occup Health Saf* 59: 25.
- Gefter, WB; Conant, EF. (1988). Issues and controversies in the plain-film diagnosis of asbestos-related disorders in the chest [Review]. *J Thorac Imaging* 3: 11-28.
- Gefter, WB; Epstein, DM; Miller, WT. (1984). Radiographic evaluation of asbestos-related chest disorders [Review]. *Crit Rev Diagn Imaging* 21: 133-181.
- Gehanno, JF; Paris, C; Thirion, B; Caillard, JF. (1998). Assessment of bibliographic databases performance in information retrieval for occupational and environmental toxicology. *Occup Environ Med* 55: 562-566.
- Gehrke, H. (1972). [Precautionary measures for asbestos-cement corrugated roofs]. *Zentralbl Arbeitsmed Arbeitsschutz* 22: 227-228.

Human Health Hazard Literature Search Results

Off Topic

- Geiser, M; Matter, M; Maye, I; Hof, VI; Gehr, P; Schurch, S. (2003). Influence of airspace geometry and surfactant on the retention of man-made vitreous fibers (MMVF 10a). *Environ Health Perspect* 111: 895-901. <http://dx.doi.org/10.1289/ehp.5888>.
- Geiser, M; Schubach, R; Waber, U; Gehr, P. (1998). Bioassay for hamster macrophage chemotaxis: application to study particle-lung interactions. *Cell Mol Life Sci* 54: 179-185.
- Gelain, DP; de Bittencourt Pasquali, MA; Caregnato, FF; Fonseca Moreira, JC. (2011). Vitamin A (retinol) up-regulates the receptor for advanced glycation endproducts (RAGE) through p38 and Akt oxidant-dependent activation. *Toxicology* 289: 38-44. <http://dx.doi.org/10.1016/j.tox.2011.07.008>.
- Gelb, AF. (1991). Physiologic testing in preventing occupational lung disease [Review]. *Occup Med: State of the Art Rev* 6: 59-68.
- Gellert, AR; Kitajewska, JY; Uthayakumar, S; Kirkham, JB; Rudd, RM. (1986). Asbestos fibres in bronchoalveolar lavage fluid from asbestos workers: examination by electron microscopy. *Br J Ind Med* 43: 170-176.
- Gellert, AR; Langford, JA; Uthayakumar, S; Rudd, RM. (1985). Bronchoalveolar lavage and clearance of 99m-Tc-DTPA in asbestos workers without evidence of asbestosis. *Br J Dis Chest* 79: 251-257.
- Gellert, AR; Langford, JA; Uthayakumar, S; Rudd, RM. (1985). BRONCHOALVEOLAR LAVAGE AND CLEARANCE OF TECHNETIUM-99M-LABELED DIETHYLENTRIAMINEPENTAACETIC-ACID IN ASBESTOS WORKERS WITHOUT EVIDENCE OF ASBESTOSIS (pp. 6-7). (BIOSIS/85/13943). Gellert, AR; Langford, JA; Uthayakumar, S; Rudd, RM.
- Gellert, AR; Langford, JA; Winter, RJ; Lewis, CA; Tolfree, SE; Rudd, RM. (1985). Clearance of 99m-technetium-labelled DTPA in asbestos-exposed subjects without clinical or radiological evidence of interstitial lung disease. *Br J Dis Chest* 79: 37-42.
- Gellert, AR; Macey, MG; Uthayakumar, S; Newland, AC; Rudd, RM. (1985). Lymphocyte subpopulations in bronchoalveolar lavage fluid in asbestos workers. *Am Rev Respir Dis* 132: 824-828. <http://dx.doi.org/10.1164/arrd.1985.132.4.824>.
- Gellert, AR; Winter R, JD; Uthayakumar, S; Langford, A; Rudd, RM. (1984). BRONCHOALVEOLAR LAVAGE AND CLEARANCE OF TECHNETIUM-99M-LABELED DIETHYLENTRIAMINEPENTACETATE IN ASBESTOSIS (pp. 4-6). (HEEP/85/06525). Gellert, AR; Winter R, JD; Uthayakumar, S; Langford, A; Rudd, RM.
- Gelman, C; Mehta, DV; Meltzer, TH. (1979). New filter compositions for the analysis of airborne particulate and trace metals. *Am Ind Hyg Assoc J* 40: 926-932.
- Geltner, C; Errhalt, P; Baumgartner, B; Ambrosch, G; Machan, B; Eckmayr, J; Klikovits, T; Hoda, MA; Popper, H; Klepetko, W; Group, AMI. (2016). Management of malignant pleural mesothelioma - part 1: epidemiology, diagnosis, and staging : Consensus of the Austrian Mesothelioma Interest Group (AMIG). *Wien Klin Wochenschr* 128: 611-617. <http://dx.doi.org/10.1007/s00508-016-1080-z>.
- Gelzleichter, TR; Bermudez, E; Mangum, JB; Wong, BA; Everitt, JI; Moss, OR. (1996). Pulmonary and pleural responses in fischer 344 rats following short-term inhalation of a synthetic vitreous fiber .1. Quantitation of lung and pleural fiber burdens. *Fundam Appl Toxicol* 30: 31-38.
- Gelzleichter, TR; Bermudez, E; Mangum, JB; Wong, BA; Janszen, DB; Moss, OR; Everitt, JI. (1999). Comparison of pulmonary and pleural responses of rats and hamsters to inhaled refractory ceramic fibers. *Toxicol Sci* 49: 93-101.
- Gelzleichter, TR; Mangum, JB; Bermudez, E; Wong, BA; Moss, OR; Everitt, JI. (1996). Pulmonary and pleural leukocytes from F344 rats produce elevated levels of fibronectin following inhalation of refractory ceramic fibers. *Exp Toxicol Pathol* 48: 487-489. [http://dx.doi.org/10.1016/S0940-2993\(96\)80062-5](http://dx.doi.org/10.1016/S0940-2993(96)80062-5).
- Genevois, PA. (1992). Computer tomography of asbestos-related chest diseases. *Am Rev Respir Dis* 145: 75-80.
- Genits, JF. (1996). Asbestos-related cancer [Letter]. *CA Cancer J Clin* 46: 254-255.
- Gennaro, V. (2010). MESOTHELIOMA RELATED-ASBESTOS AND DUTIES IN OIL REFINERIES AND PETROCHEMICAL INDUSTRY: UPDATE OF THE NATIONAL REGISTER OF MESOTHELIOMA (RENAMO). *Epidemiol Prev* 34: 227-228.
- Gennaro, V; Tomatis, L. (2005). Business bias: How epidemiologic studies may underestimate or fail to detect increased risks of cancer and other diseases. *Int J Occup Environ Health* 11: 356-359.
- Gentiloni, N; Febraro, S; Barone, C; Lemmo, G; Neri, G; Zannoni, G; Capelli, A; Gasbarrini, G. (1997). Peritoneal mesothelioma in recurrent familial peritonitis [Review]. *J Clin Gastroenterol* 24: 276-279.
- Gentry, JW. (1987). SURVEY OF RECENT MEASUREMENTS WITH ASBESTOS FIBERS. *J Aerosol Sci* 18: 47-486.
- Gentry, JW; Spurny, KR; Schormann, J. (1989). COLLECTION EFFICIENCY OF ULTRAFINE ASBESTOS FIBERS EXPERIMENT AND THEORY. *Aerosol Sci Technol* 11: 184-195.
- Gentry, JW; Spurny, KR; Schormann, J. (1991). THE DIFFUSION-COEFFICIENTS FOR ULTRATHIN CHRYSOTILE FIBERS. *J Aerosol Sci* 22: 869-880.
- Gentry, JW; Spurny, KR; Schormann, J; Han, RJ. (1990). FILTRATION AND DIFFUSION OF ASBESTOS FIBERS - COMPARISON OF EXPERIMENT AND THEORY. *J Aerosol Sci* 21: S711-S714.
- Gentry, JW; Spurny, KR; Schormann, J; Opiela, H; Weiss, G. (1982). MEASUREMENT OF THE DIFFUSION-COEFFICIENT FOR CHRYSOTILE AND CROCIDOLITE FIBERS. *Atmos Environ* 16: 2947-2957.
- Gentry, JW; Spurny, KR; Soulen, SA; Schormann, J. (1988). MEASUREMENTS OF THE DIFFUSION-COEFFICIENTS OF ULTRATHIN ASBESTOS FIBERS. *J Aerosol Sci* 19: 1041-1044.
- Georgy, ST; Widdicombe, JG. (2002). The pyrophysiology and sexuality of dragons [Review]. *Respir Physiol Neurobiol* 133: 3-10; discussion 11-12.
- Geotech, R. (1996). Summary environmental site assessment report for the U.S. Department of Energy Oxnard Facility, Oxnard, California (pp. 390). (NTIS/02986955_3).
- Geraut, C. (2010). [Contribution of occupational medicine to social medicine]. *Bull Acad Natl Med* 194: 779-790; discussion 790-771.
- Gerber, RM; Rossi, RC. (1977). Evaluation Of Electron Microscopy For Process Control In The Asbestos Industry. *Am Ind Hyg Assoc J* 55: 1977-1977.

Human Health Hazard Literature Search Results

Off Topic

- Gerbi, GB; Habtemariam, T; Tameru, B; Nganwa, D; Robnet, V. (2011). Psychosocial responses associated with perceived risk of cancer in an African-American community. *Psychol Rep* 109: 93-98. <http://dx.doi.org/10.2466/13.20.PR0.109.4.93-98>.
- Gerde, P; Scholander, P. (1988). Adsorption of benzo(a)pyrene on to asbestos and manmade mineral fibres in an aqueous solution and in a biological model solution. *Br J Ind Med* 45: 682-688.
- Gerde, P; Scholander, P. (1989). Adsorption of polycyclic aromatic hydrocarbons on to asbestos and man-made mineral fibres in the gas phase. *IARC Sci Publ occupational Exposure to Mineral Fibres*: 140-148.
- Gerde, P; Scholander, P. (1989). Mass transfer rates of polycyclic aromatic hydrocarbons between micron-size particles and their environment--theoretical estimates. *Environ Health Perspect* 79: 249-258.
- Gerlach, H. (1972). [The so-called asbestos bodies]. 115: 543-546.
- Germino, M. (1986). Asbestos in play sand [Letter]. *N Engl J Med* 315: 891. <http://dx.doi.org/10.1056/NEJM198610023151411>.
- Gerr, F; Hershman, D; Letz, R. (1990). Vibrotactile threshold measurement for detecting neurotoxicity: reliability and determination of age- and height-standardized normative values. *Arch Environ Health* 45: 148-154. <http://dx.doi.org/10.1080/00039896.1990.9936708>.
- Gerrity, MP. (1988). Development and operation of an in-house asbestos id program. *Microscope* 36: 309-318.
- Gerrity, MP. (1988). Setting up a comprehensive asbestos program. 36: 233.
- Gerwin, Bl. (1985). Molecular analysis of gene regulation and proliferative control in human cells [Research]. *RePORTER Database National Institutes of Health*.
- Gerwin, Bl. (1986). Molecular analysis of gene regulation and proliferative control in human cells [Research]. *RePORTER Database National Institutes of Health*.
- Gerwin, Bl. (1987). Molecular analysis of gene regulation and proliferative control in human cells [Research]. *RePORTER Database National Institutes of Health*.
- Gerwin, Bl. (1988). Molecular analysis of gene regulation and proliferative control in human cells [Research]. *RePORTER Database National Institutes of Health*.
- Gerwin, Bl. (1990). In vitro studies of human mesothelial cell carcinogenesis [Research]. *RePORTER Database National Institutes of Health*.
- Gerwin, Bl. (1991). In vitro studies of human mesothelial cell carcinogenesis [Research]. *RePORTER Database National Institutes of Health*.
- Gerwin, Bl. (1997). In vitro studies of human mesothelial cells [Research]. *RePORTER Database National Institutes of Health*.
- Gerwin, Bl. (1998). In vitro studies of human mesothelial cells [Research]. *RePORTER Database National Institutes of Health*.
- Gevenois, PA. (2006). [Imaging of benign asbestos pleural diseases] [Review]. *Rev Mal Respir* 23 Suppl 2: 4578-74S80.
- Geyer, SJ. (2011). The need for pathological confirmation of the diagnosis of peritoneal malignant mesothelioma [Letter]. *Am J Ind Med* 54: 646. <http://dx.doi.org/10.1002/ajim.20959>.
- Geyer, SJ. (2014). Asbestos, asbestosis, smoking, and lung cancer: study bias and confounding issues that complicate the interpretation of the results [Letter]. *Am J Respir Crit Care Med* 189: 115-116. <http://dx.doi.org/10.1164/rccm.201308-1436LE>.
- Geyh, A; Chillrud, S; Williams, D; Herbstman, J; Symons, J; Rees, K; Ross, J; Kim, S; Lim, H; Turpin, B; Breyse, P. (2005). Assessing truck driver exposure at the World Trade Center disaster site: personal and area monitoring for particulate matter and volatile organic compounds during October 2001 and April 2002. *J Occup Environ Hyg* 2: 179-193. <http://dx.doi.org/10.1080/15459620590923154>.
- Ghadially, FN; Lalonde, JM; Yong, NK. (1979). Ultrastructure of amianthoid fibers in osteoarthrotic cartilage. *Virchows Arch B Cell Pathol Incl Mol Pathol* 31: 81-86.
- Ghani, FI; Yamazaki, H; Iwata, S; Okamoto, T; Aoe, K; Okabe, K; Mimura, Y; Fujimoto, N; Kishimoto, T; Yamada, T; Xu, CW; Morimoto, C. (2011). Identification of cancer stem cell markers in human malignant mesothelioma cells. *Biochem Biophys Res Commun* 404: 735-742. <http://dx.doi.org/10.1016/j.bbrc.2010.12.054>.
- Gharaee-Kermani, M; Ullenbruch, M; Phan, SH. (2005). Animal models of pulmonary fibrosis. *Methods Mol Med* 117: 251-259. <http://dx.doi.org/10.1385/1-59259-940-0:251>.
- Ghawanmeh, T; Thunberg, U; Castro, J; Murray, F; Laytragoon-Lewin, N. (2011). miR-34a expression, cell cycle arrest and cell death of malignant mesothelioma cells upon treatment with radiation, docetaxel or combination treatment. *Oncology: Int J Canc Res Treat* 81: 330-335. <http://dx.doi.org/10.1159/000334237>.
- Ghiazza, M; Gazzano, E; Bonelli, B; Fenoglio, I; Polimeni, M; Ghigo, D; Garrone, E; Fubini, B. (2009). Formation of a vitreous phase at the surface of some commercial diatomaceous earth prevents the onset of oxidative stress effects. *Chem Res Toxicol* 22: 136-145. <http://dx.doi.org/10.1021/tx800270g>.
- Ghio, AJ; Churg, A; Roggli, VL. (2004). Ferruginous bodies: Implications in the mechanism of fiber and particle toxicity [Review]. *Toxicol Pathol* 32: 643-649. <http://dx.doi.org/10.1080/01926230490885733>.
- Ghio, AJ; Jaskot, RH; Hatch, GE. (1994). Lung injury after silica instillation is associated with an accumulation of iron in rats. *Am J Physiol* 267: L686-L692.
- Ghio, AJ; Pavlisko, EN; Roggli, VL. (2015). Iron and Iron-Related Proteins in Asbestosis. *J Environ Pathol Toxicol Oncol* 34: 277-285. <http://dx.doi.org/10.1615/JEnvironPatholToxicolOncol.2015013397>.
- Ghio, AJ; Roggli, VL. (2005). Diagnosis and initial management of nonmalignant diseases related to asbestos [Letter]. *Am J Respir Crit Care Med* 171: 527; author reply 528-527; author reply 530. <http://dx.doi.org/10.1164/ajrccm.171.5.950>.
- Ghio, AJ; Roggli, VL; Richards, JH; Crissman, KM; Stonehuerner, JD; Piantadosi, CA. (2003). Oxalate deposition on asbestos bodies. *Hum Pathol* 34: 737-742. [http://dx.doi.org/10.1016/S0046-8177\(03\)00252-1](http://dx.doi.org/10.1016/S0046-8177(03)00252-1).
- Ghosal, S; Bhattacharya, SK; Muruganandam, AV; Satyan, KS. (1997). Iron ion-catalyzed oxidation of tryptophan - a simulated biosynthetic route to isatin. *Biogenic Amines* 13: 91-100.

Human Health Hazard Literature Search Results

Off Topic

- Gia, MF; de Faria Vecchio, GM; Pretti, E; Jansen, WC; Lanza, MD; Vieira, RM. (1986). [Verification of adaptation discrepancies in cast metal restorations (technic using a copper-aluminum alloy)]. 23: 47-56.
- Giacomini, S; Mensi, C; Sieno, C; Riboldi, L. (2009). [Asbestos-related malignant mesothelioma of the pleura in a young person] [Letter]. *Med Lav* 100: 396.
- Giannasi; Thébaud-Mony. (1997). Occupational Exposures to Asbestos in Brazil. *Int J Occup Environ Health* 3: 150-157. <http://dx.doi.org/10.1179/107735297800407730>.
- Giannasi, F. (2007). Ban on asbestos diaphragms in the chlorine-related chemical industry and efforts toward a worldwide ban. *Int J Occup Environ Health* 13: 80-84. <http://dx.doi.org/10.1179/107735207800244983>.
- Giansanti, M; Bellezza, G; Guerriero, A; Pireddu, A; Sidoni, A. (2014). Localized Intrasplenic Mesothelioma: A Case Report. *Int J Surg Pathol* 22: 451-455. <http://dx.doi.org/10.1177/1066896913503492>.
- Gibb, H; Fulcher, K; Nagarajan, S; Mccord, S; Fallahian, NA; Hoffmann, HJ; Haver, C; Tolmachev, S. (2013). Analyses of radiation and mesothelioma in the US Transuranium and Uranium Registries. *Am J Public Health* 103: 710-716. <http://dx.doi.org/10.2105/AJPH.2012.300928>.
- Gibbs, A; Attanoos, RL; Churg, A; Weill, H. (2007). The "Helsinki Criteria" for attribution of lung cancer to asbestos exposure - How robust are the criteria? *Arch Pathol Lab Med* 131: 181-184.
- Gibbs, A; Attanoos, RL; Churg, A; Weill, H; Rock, F. (2008). The "Helsinki Criteria" for attribution of lung cancer to asbestos exposure: How robust are the criteria? In reply. *Arch Pathol Lab Med* 132: 1387-1387.
- Gibbs, A; Churg, A; Weill, H. (2007). The "Helsinki criteria" for attribution of lung cancer to asbestos exposure: How robust are the criteria? In reply. *Arch Pathol Lab Med* 131: 1630-1630.
- Gibbs, AR; Pooley, FD. (1996). Bits and pieces - Asbestos contamination in paraffin tissue blocks - Comment. *Hum Toxicol* 15: 85-86.
- Gibbs, AR; Pooley, FD; Attanoos, RL. (2005). Establishing 'control' standards to aid the diagnosis of asbestosis; asbestos fibre burden and fibrosis in the lungs of non-occupationally exposed persons. *Lab Invest* 85: 311A-311A.
- Gibbs, GW. (1969). Some problems associated with the storage of asbestos in polyethylene bags. *Am Ind Hyg Assoc J* 30: 458-464. <http://dx.doi.org/10.1080/00028896909343155>.
- Gibbs, GW. (1970). Qualitative aspects of dust exposure in the Quebec asbestos mining and milling industry. *Inhaled Particles* 2: 783-799.
- Gibbs, GW. (1975). Fibre release from asbestos garments. *Ann Occup Hyg* 18: 143-149.
- Gibbs, GW. (1994). The assessment of exposure in terms of fibres. *Ann Occup Hyg* 38: 477-487, 409-410.
- Gibbs, GW. (1998). Re: "Dose-response associations of silica with nonmalignant respiratory disease and lung cancer mortality in the diatomaceous earth industry" [Letter]. *Am J Epidemiol* 148: 307; author reply 308-309.
- Gibbs, GW; Baron, P; Beckett, ST; Dillen, R; Du Toit, RS; Koponen, M; Robock, K. (1977). A summary of asbestos fibre counting experience in seven countries. *Ann Occup Hyg* 20: 321-332.
- Gibbs, GW; Berry, G. (2008). Letter to the Editor Re: "Mesothelioma and asbestos" Reply. *Regul Toxicol Pharmacol* 52: 355-355. <http://dx.doi.org/10.1016/j.yrtph.2008.07.004>.
- Gibbs, GW; Du Toit, RSJ. (1973). Environmental Data In Mining. 8: 138-144.
- Gibbs, GW; Hwang, CY. (1975). Physical parameters of airborne asbestos fibres in various work environments--preliminary findings. *Am Ind Hyg Assoc J* 36: 459-466. <http://dx.doi.org/10.1080/0002889758507271>.
- Gibbs, GW; Hwang, CY. (1980). Dimensions of airborne asbestos fibres. *IARC Sci Publ* 1: 69-78.
- Gibbs, GW; Valic, F; Browne, K. (1994). Health risks associated with chrysotile asbestos. A report on a workshop held in Jersey, Channel Islands 14-17 November 1993. *Ann Occup Hyg* 38: 399-403.
- Gibson, RL. (1973). A Contemporary Look at the Preplacement Examination (pp. 19731973). (NIOSH/00170257). Gibson, RL.
- Gidakos, E; Anastasiadou, K; Koumantakis, E; Nikolaos, S. (2008). Investigative studies for the use of an inactive asbestos mine as a disposal site for asbestos wastes. *J Hazard Mater* 153: 955-965. <http://dx.doi.org/10.1016/j.jhazmat.2007.09.060>.
- Gidron, A; Pollack, N; Cugell, D; Kamp, D. (1999). Polyacrylate causes DNA damage in alveolar epithelial cells (pp. 16-18). (BIOSIS/00/03278).
Gidron, A; Pollack, N; Cugell, D; Kamp, D.
- Gielec, L; Izycki, J; Woźniak, H. (1992). [Evaluation of long-term occupational exposure to dust and its effect on health during production of ceramic tiles]. *Med Pr* 43: 25-33.
- Giersiepen, K; Rösler, J; Woitowitz, HJ. (1992). Risk of lung cancer and mesothelioma after cessation of asbestos exposure [Letter]. *Eur Respir J* 5: 1161-1162.
- Gilbert, B; Paesleme, LA; Ferreira, AM; Bulhões, MS; Castleton, C. (1973). Field tests of hexabutyl-distannoxane (TBTO) in slow-release formulations against *Biomphalaria* spp. *Bull World Health Organ* 49: 633-636.
- Gilbert, S. (1988). Home remedies. A sensible approach to finding and eliminating indoor pollutants. 9: 1, 4-1, 6.
- Gilks, B; Hegedus, C; Freeman, H; Fratkin, L; Churg, A. (1988). Malignant peritoneal mesothelioma after remote abdominal radiation. *Cancer* 61: 2019-2021.
- Gilks, B; Wright, J; Churg, A. (1988). Effects of cigarette smoke on tissue uptake and retention of iron oxide in the guinea-pig. *Am Rev Respir Dis* 137: 1382-1384.
- Gill, I; Patel, R. (2006). Biocatalytic ammonolysis of (5S)-4,5-dihydro-1H-pyrrole-1,5-dicarboxylic acid, 1-(1,1-dimethylethyl)-5-ethyl ester: preparation of an intermediate to the dipeptidyl peptidase IV inhibitor Saxagliptin. *Bioorg Med Chem Lett* 16: 705-709. <http://dx.doi.org/10.1016/j.bmcl.2005.10.021>.
- Gillard, AC. (2012). Evaluation of routine screening of ethmoid adenocarcinoma (EADC) by ENT and nasal fibroscopy among employees and former employees exposed to wood dust for over 20 years. *Arch Mal Prof Environ* 73: 3-8. <http://dx.doi.org/10.1016/j.admp.2011.12.009>.

Human Health Hazard Literature Search Results

Off Topic

- Gilles, D. (1976). Health Hazard Evaluation Determination Report No. HHE-76-95-346 and HHE-76-66-346, R. D. Werner Company, Inc., Greenville, Pennsylvania (pp. 76-95). (NIOSH/00058642). Gilles, D.
- Gillette, J; Weisburger, EK; Kraybill, H; Kelsey, M. (1985). STRATEGIES FOR DETERMINING THE MECHANISMS OF TOXICITY. *J Toxicol Clin Toxicol* 23: 1-78.
- Gillis, JG. (1965). THE ASSOCIATION OF ASBESTOS AND MALIGNANCY. *Can Med Assoc J* 92: 1034-1035.
- Gillissen, A; Jaworska, M; Löseke, S. (1998). [Induction of manganese superoxide dismutase gene expression in broncho-epithelial cells after exposure to mineral wool]. *Pneumologie* 52: 188-189.
- Gillissen, A; Nowak, D. (1998). Characterization of N-acetylcysteine and ambroxol in anti-oxidant therapy [Review]. *Respir Med* 92: 609-623.
- Gilmartin, D. (1979). The serratus anterior muscle on chest radiographs. *Radiology* 131: 629-635. <http://dx.doi.org/10.1148/131.3.629>.
- Gilmer, T. (1986). Mechanisms of neoplastic transformation by viral and cellular oncogenes [Research]. RePORTER Database National Institutes of Health.
- Gilmer, T. (1988). Mechanisms of neoplastic transformation by viral and cellular oncogenes [Research]. RePORTER Database National Institutes of Health.
- Gilmer, T. (1989). Mechanisms of neoplastic transformation by viral and cellular oncogenes [Research]. RePORTER Database National Institutes of Health.
- Gilmour, PS; Brown, DM; Lindsay, TG; Beswick, PH; Macnee, W; Donaldson, K. (1996). Adverse health effects of PM10 particles: involvement of iron in generation of hydroxyl radical. *Occup Environ Med* 53: 817-822.
- Gilson, JC. (1965). Problems and perspectives: the changing hazards of exposure to asbestos. *Ann N Y Acad Sci* 132: 696-705.
- Gilson, JC. (1974). Proceedings: Biological effects of asbestos. Unanswered questions posed by epidemiological studies. *Clin Sci Mol Med* 47: 11P.
- Gilson, JC. (1974). PROGRESS IN EPIDEMIOLOGY (pp. LYON). (HEEP/75/04205). Gilson, JC.
- Gilson, JC. (1974). UNANSWERED QUESTIONS POSED BY EPIDEMIOLOGICAL STUDIES. *Clin Sci Mol Med* 47.
- Ginder-Vogel, M; Borch, T; Mayes, MA; Jardine, PM; Fendorf, S. (2005). Chromate reduction and retention processes within arid subsurface environments. *Environ Sci Technol* 39: 7833-7839. <http://dx.doi.org/10.1021/es050535y>.
- Giordani, M; Mattioli, M; Dogan, M; Dogan, AU. (2016). Potential carcinogenic erionite from Lessini Mounts, NE Italy: Morphological, mineralogical and chemical characterization. *J Toxicol Environ Health A* 79: 808-824. <http://dx.doi.org/10.1080/15287394.2016.1182453>.
- Giordano, F; Dell'orco, V; Fantini, F; Grippo, F; Perretta, V; Testa, A; Figà-Talamanca, I. (2012). Mortality in a cohort of cement workers in a plant of Central Italy. *Int Arch Occup Environ Health* 85: 373-379. <http://dx.doi.org/10.1007/s00420-011-0678-8>.
- Girardi, P; Bressan, V; Merler, E. (2014). Past trends and future prediction of mesothelioma incidence in an industrialized area of Italy, the Veneto Region. *Cancer Epidemiology* 38: 496-503. <http://dx.doi.org/10.1016/j.canep.2014.08.007>.
- Giri, U; Iqbal, M; Athar, M. (1999). Potassium bromate (KBrO₃) induces renal proliferative response and damage by elaborating oxidative stress. *Cancer Lett* 135: 181-188.
- Gisquet, E; Chamming's, S; Pairon, JC; Gilg Soit Ilg, A; Imbernon, E; Goldberg, M. (2011). [The determinants of under-reporting occupational diseases. The case of mesothelioma]. *Rev Epidemiol Sante Publique* 59: 393-400. <http://dx.doi.org/10.1016/j.respe.2011.06.006>.
- Gisser, SD; Nayak, S; Kaneko, M; Tchernkoff, V. (1977). Adenocarcinoma of the rete testis: A review of the literature and presentation of a case with associated asbestosis. *Hum Pathol* 8: 219-225.
- Gitter, S; Lerman, Y. (1986). Advances in asbestos disease research. A symposium. April 22, 1985, Tel Aviv, Israel. Proceedings. *Am J Ind Med* 10: 441-572.
- Gitter, S; Lerman, Y. (1986). SYMPOSIUM ON ADVANCES IN ASBESTOS DISEASE RESEARCH TEL AVIV ISRAEL APRIL 22 1985. *Am J Ind Med* 10: 5-6.
- Giuliani, L; Favalli, C; Syrjanen, K; Ciotti, M. (2007). Human papillomavirus infections in lung cancer. Detection of E6 and E7 transcripts and review of the literature [Review]. *Anticancer Res* 27: 2697-2704.
- Giusti, L; Da Valle, Y; Bonotti, A; Donadio, E; Ciregia, F; Ventroni, T; Foddìs, R; Giannaccini, G; Guglielmi, G; Cristaudo, A; Lucacchini, A. (2014). Comparative proteomic analysis of malignant pleural mesothelioma evidences an altered expression of nuclear lamin and filament-related proteins. *Proteomics - Clinical Applications* 8: 258-268. <http://dx.doi.org/10.1002/prca.201300052>.
- Gladkova, EV. (1990). Etiology of lung cancer in graphite industry workers. *Vopr Onkol LENINGR*: 415-419.
- Glantz, CS; Laws, GL. (1990). Air quality monitoring program for the 1100-EM-1 remedial investigation. 173.
- Glaserapp, GB. (1975). [A case of industrial origin of laryngeal carcinoma (author's transl)]. *Laryngol Rhinol Otol* 54: 565-568.
- Glass, LR; Brown, RC; Hoskins, JA. (1995). Health effects of refractory ceramic fibres: scientific issues and policy considerations [Review]. *Occup Environ Med* 52: 433-440.
- Glasziou, P. (1995). Non-asbestos-related mesothelioma: chance, bias, or a real phenomenon? [Comment]. *Med J Aust* 162: 431-432.
- Gleason, JB; Tashtoush, B; Diacovo, MJ. (2016). Biphasic Malignant Pleural Mesothelioma Masquerading as a Primary Skeletal Tumor. 2016: 7560929. <http://dx.doi.org/10.1155/2016/7560929>.
- Glickman, LA. (1987). Psychosocial stress and cancer risk: prospective study [Research]. RePORTER Database National Institutes of Health.
- Glickman, LA. (1988). Psychosocial stress and cancer risk: prospective study [Research]. RePORTER Database National Institutes of Health.
- Glickman, LA. (1989). Psychosocial stress and cancer risk: prospective study [Research]. RePORTER Database National Institutes of Health.
- Glickman, LA. (1990). Psychosocial stress and cancer risk: prospective study [Research]. RePORTER Database National Institutes of Health.
- Glindmeyer, HW; Lefante, JJ; Jones, RN; Weill, H. (1988). Estimating true and total variance in annual change in lung function. *Am J Respir Crit Care Med* 137: 256.

Human Health Hazard Literature Search Results

Off Topic

- Glista-Baker, EE; Taylor, AJ; Sayers, BC; Thompson, EA; Bonner, JC. (2012). Nickel nanoparticles enhance platelet-derived growth factor-induced chemokine expression by mesothelial cells via prolonged mitogen-activated protein kinase activation. *Am J Respir Cell Mol Biol* 47: 552-561. <http://dx.doi.org/10.1165/rcmb.2012-0023OC>.
- Gloag, D. (1981). Asbestos fibers and the environment. *Br Med J* 282: 1982.
- Gloag, D. (1981). Asbestos fibres and the environment [Letter]. *Br Med J (Clin Res Ed)* 282: 1707.
- Gloag, D. (1981). Asbestos fibres and the environment. *Br Med J (Clin Res Ed)* 282: 623-626.
- Gloag, D. (1981). Asbestos--can it be used safely? *Br Med J (Clin Res Ed)* 282: 551-553.
- Gloag, D. (1982). Can society live with asbestos? [Editorial]. *Br Med J (Clin Res Ed)* 284: 1728-1729.
- Gloeckner-Hofmann, K; Zhu, XZ; Bartels, H; Feller, AC; Merz, H. (2000). Deciduioid pleural mesothelioma affecting a young female without prior asbestos exposure. *Respiration* 67: 456-458. <http://dx.doi.org/29549>.
- Glovinova, E; Kucera, M; Pavel, J. (1994). TESTING HAZARDOUS ASBESTOS FIBERS IN ANIMAL-TISSUES. *Toxicol Environ Chem* 43: 13-17.
- Gloyne, SR. (1931). A Method of Staining the Asbestos Bodies Found in the Sputum of Asbestos Workers. *J Ind Hyg* 13: 85-86.
- Gluckman, J. (1983). ASBESTOS IN DRINKING-WATER. 63: 217-218.
- Gniisen, R. (1994). Asbestos danger? In addition to (controlled) asbestos abatement? Perspective of a "normal" person (patient). *Atemwegs- und Lungenkrankheiten* 20: S74-S76.
- Gochfeld, M. (2005). Chronologic history of occupational medicine. *J Occup Environ Med* 47: 96-114. <http://dx.doi.org/10.1097/01.jom.0000152917.0349.0e>.
- Godbey, FW. (1985). Preliminary Survey Report: Evaluation Of Brake Drum Service Controls At Louisville Gas And Electric Company, Louisville, Kentucky, Report No. CT-152-14a (pp. 152-114). (NIOSH/00159074). Godbey, FW.
- Godbey, FW. (1988). Evaluation of Brake Drum Service Controls at Indianapolis Power and Light Company, Indianapolis, Indiana, Report No. CT-152-13A. Engineering Control Technology Branch: 19881988.
- Godbey, FW. (1988). Preliminary Survey Report: Evaluation of Brake Drum Service Controls at U.S. Army Armor Center, Fort Knox, Kentucky, Report No. CT-152-15A (pp. 152-115). (NIOSH/00181819). Godbey, FW.
- Godbey, FW; Cooper, TC; Sheehy, JW; O'Brien, DM; Van Wagenen, HD; Mcglothlin, JD; Todd, WF. (1987). In-Depth Survey Report: Evaluation of Brake Drum Service Controls at United States Postal Service, Vehicle Maintenance Facility, Nashville, Tennessee, Report No. CT-152-20B (pp. 152-120). (NIOSH/00175415). Godbey, FW; Cooper, TC; Sheehy, JW; O'Brien, DM; Van Wagenen, HD; Mcglothlin, JD; Todd, WF.
- Godelaine, D; Beaufay, H. (1989). COMPARATIVE STUDY OF THE EFFECT OF VARIOUS FIBERS ON THE SECRETION OF PLASMINOGEN ACTIVATOR BY MURINE PERITONEAL MACROPHAGES (pp. SECAUCUS). (BIOSIS/90/02013). Godelaine, D; Beaufay, H.
- Godish, D. (1989). Asbestos exposure in schools. *J Sch Health* 59: 362-363.
- Godish, T. (1989). Godish, T. Indoor Air Pollution Control. xiii+401p. Lewis Publishers, Inc.: Chelsea, Michigan, USA. Illus. Isbn 0-87371-098-3.; 0 (0). 1989. xiii+401p Indoor air pollution control. Chelsea, MI: Lewis Publishers, Inc. <http://lccn.loc.gov/89033791>.
- Godish, T. (1991). AIR QUALITY SECOND EDITION (pp. CHELSEA). (BIOSIS/91/13900). Godish, T.
- Godleski, JJ; Richards, WG; Katler, M; Mueller, J; Sugarbaker, DJ. (2009). Asbestos Bodies in Lung Tissue Are Associated with Survival Duration for Epithelial, but Not Non-Epithelial, Mesothelioma in Patients Undergoing Extrapleural Pneumonectomy. *Lab Invest* 89: 353A-353A.
- Godwin, JD; Holt, RM. (1994). IMAGING OF INTERSTITIAL LUNG-DISEASE. *Semin Respir Crit Care Med* 15: 10-36.
- Goel, A; Agrawal, A; Gupta, R; Hari, S; Dey, AB. (2008). Malignant mesothelioma of the tunica vaginalis of the testis without exposure to asbestos. *Cases Journal* 1: 310. <http://dx.doi.org/10.1186/1757-1626-1-310>.
- Goerth, CR. (1984). Manville bankruptcy outcome may have far-reaching impact. *Occup Health Saf* 53: 30, 56.
- Goffe, TR. (1986). Tobacco and asbestos litigation [Letter]. *Lancet* 2: 811-812.
- Gogou, E; Kerenidi, T; Chamos, V; Hatzoglou, C; Gourgouliani, KI. (2008). Environmental asbestos exposure alters the male:female ratio in patients with pleural mesothelioma [Letter]. *Respirology* 13: 931. <http://dx.doi.org/10.1111/j.1440-1843.2008.01373.x>.
- Gogou, E; Kerenidi, T; Chamos, V; Zintzaras, E; Gourgouliani, KI. (2009). Mesothelioma mortality in Greece from 1983 to 2003. *Int J Clin Pract* 63: 944-948. <http://dx.doi.org/10.1111/j.1742-1241.2007.01334.x>.
- Golbabaie, F; Mamdouh, M; Jelyani, KN; Shahtaheri, SJ. (2005). Exposure to methyl methacrylate and its subjective symptoms among dental technicians in Tehran, Iran. *Int J Occup Saf Ergon* 11: 283-289.
- Gold, KW; Naugle, DF; Berry, MA. (1991). Indoor Air-Assessment: Indoor Concentrations of Environmental Carcinogens (pp. 1-56). (NTIS/O2976355_a). Gold, KW; Naugle, DF; Berry, MA.
- Gold, KW; Naugle, DF; Berry, MA. (1993). Indoor concentrations of environmental carcinogens [Review]. *IARC Sci Publ* 41-71.
- Goldade, MP; O'Brien, WP. (2014). Use of direct versus indirect preparation data for assessing risk associated with airborne exposures at asbestos-contaminated sites. *J Occup Environ Hyg* 11: 67-76. <http://dx.doi.org/10.1080/15459624.2013.843779>.
- Goldberg, H; Lusk, E; Moore, J; Nowell, PC; Besa, EC. (1990). Survey of exposure to genotoxic agents in primary myelodysplastic syndrome: Correlation with chromosome patterns and data on patients without hematological disease. *Cancer Res* 50: 6876-6881.
- Goldberg, M. (2005). Are lung and pleural benign asbestos induced diseases a preliminary step in the pathogenic process of mesothelioma and lung cancer development? [Comment]. *Occup Environ Med* 62: 663-664. <http://dx.doi.org/10.1136/oem.2005.021865>.
- Goldberg, M. (2012). [What are the non-medical individual and collective objectives?] [Review]. *Rev Mal Respir* 29: 803-809. <http://dx.doi.org/10.1016/j.rmr.2012.05.008>.
- Goldberg, M; Banaei, A; Goldberg, S; Auvert, B; Luce, D; Gueguen, A. (2000). Past occupational exposure to asbestos among men in France. *Scand J Work Environ Health* 26: 52-61.

Human Health Hazard Literature Search Results

Off Topic

- Goldberg, P; Leclerc, A; Luce, D; Morcet, JF; Brugere, J. (1997). Laryngeal and hypopharyngeal cancer and occupation: Results of a case-control study. *Occup Environ Med* 54: 477-482.
- Golden, AL; Markowitz, SB; Landrigan, PJ. (1995). The risk of cancer in firefighters [Review]. *Occup Environ Med* 10: 803-820.
- Golden, RL. (1974). LONG-RANGE IMPACT OF ASBESTOS EXPOSURE. *Int J Occup Health Saf* 43: 18-19.
- Goldfield, J; Brandt, FE. (1974). Dust control techniques in the asbestos industry. *Am Ind Hyg Assoc J* 35: 799-808.
- Goldhaber, SB; Chessin, RL. (1997). Comparison of hazardous air pollutant health risk benchmarks. *Environ Sci Technol* 31: 573A.
- Goldsmith, DF; Guidotti, TL. (1986). Combined Silica Exposure and Cigarette Smoking: A Likely Synergistic Effect (pp. Controversy in Occupational Medicine). (NIOSH/00171370). Goldsmith, DF; Guidotti, TL.
- Goldsmith, DF; Schenker, M; Beaumont, JJ. (1994). Silicosis and Pulmonary Cancer (pp. 1994). (NIOSH/00227286). Goldsmith, DF; Schenker, M; Beaumont, JJ.
- Goldsmith, JR. (1977). Geographical pathology as a method for detecting occupational cancer. *J Occup Med* 19: 533-539.
- Goldstein, B; Webster, I; Van As, A. (1974). The use of nonhuman primates in pneumoconiosis and other industrial disease research. *Environ Res* 7: 320-329.
- Goldstein, BD. (1988). EPA AS A PUBLIC HEALTH AGENCY. *Regul Toxicol Pharmacol* 8: 328-334.
- Goldstein, R; Hasleton, PS. (2010). Survey of British pathologists' performance of mesothelioma post-mortems. *Pathol Res Pract* 206: 174-179. <http://dx.doi.org/10.1016/j.prp.2009.11.002>.
- Goldstein, RS; Hewitt, WR; Hook, JB. (1990). Toxic interactions. In RS Goldstein; WR Hewitt; JB Hook (Eds.), (pp. SAN DIEGO). San Diego, CA: Academic Press.
- Golka, K; Seidel, T; Dietrich, H; Roth, G; Rötzel, C; Thier, R; Geller, F; Reckwitz, T; Schulze, H. (2005). [Occupational and non-occupational risk factors in bladder cancer patients in an industrialized area located in former East-Germany]. *Aktuelle Urol* 36: 417-422. <http://dx.doi.org/10.1055/s-2004-830260>.
- Gomer, FE. (1986). Evaluating the Effectiveness of Warnings Under Prevailing Working Conditions (pp. 712-715). (NIOSH/00167917). Gomer, FE.
- Gomez Raposo, C; de Castro Carpeno, J; Gonzalez Baron, M. (2007). Causes of lung cancer: smoking, environmental tobacco smoke exposure, occupational and environmental exposures and genetic predisposition [Review]. *Med Clin (Barc)* 128: 390-396.
- Gómez-Puerta, JA; Gedmintas, L; Costenbader, KH. (2013). The association between silica exposure and development of ANCA-associated vasculitis: systematic review and meta-analysis [Review]. *Autoimmun Rev* 12: 1129-1135. <http://dx.doi.org/10.1016/j.autrev.2013.06.016>.
- Gómez-Román, JJ; Mons-Lera, R; Olmedo, IS; Val-Bernal, JF. (2002). Flow cytometric analysis of a localized malignant mesothelioma. *Ann Thorac Surg* 73: 1292-1294.
- Gong, Y; Ren, R; Ordóñez, NG; Sun, X; Sneige, N. (2005). Fine needle aspiration cytology of well-differentiated papillary mesothelioma: a case report. *Acta Cytol* 49: 537-542.
- González, CA; Agudo, A. (1999). Occupational cancer in Spain [Review]. *Environ Health Perspect* 107: 273-277.
- González, G. (2015). Climate Change Highlights a Potentially Dangerous Trade-off. *M E D I C C Review* 17: 51-52.
- Gonzalez, L; Kirsch-Volders, M. (2016). Biomonitoring of genotoxic effects for human exposure to nanomaterials: The challenge ahead [Review]. *Mutat Res Rev Mutat Res* 768: 14-26. <http://dx.doi.org/10.1016/j.mrrev.2016.03.002>.
- Gonzalez, L; Kirsch-Volders, M. (2016). Reprint of "Biomonitoring of genotoxic effects for human exposure to nanomaterials: The challenge ahead" [Review]. *Mutat Res* 770: 204-216. <http://dx.doi.org/10.1016/j.mrrev.2016.11.001>.
- Gonzalez-Fernandez, E; de la Osa, PD; Martín, FR. (1987). Comparison of AIA and NIOSH methods on asbestos fibre measurements in the workplace. *Ann Occup Hyg* 31: 363-373.
- Gonzalezfernandez, E; Delaosa, PD; Martin, FR. (1987). COMPARISON OF AIA AND NIOSH METHODS ON ASBESTOS FIBER MEASUREMENTS IN THE WORKPLACE. *Ann Occup Hyg* 31: 363-373.
- Gonzalez-Fernandez, E; Martín, FR. (1986). Comparison of NIOSH and AIA methods for evaluating asbestos fibres: effects of asbestos type, mounting medium, graticule type and counting rules. *Ann Occup Hyg* 30: 397-410.
- Goode, R; Waldron, T. (1977). Penetration of overall hoods by water-borne crocidolite fibres [Letter]. *Ann Occup Hyg* 20: 195-196.
- Goodman, GE. (1994). Caret [Research]. RePORTER Database National Institutes of Health.
- Goodman, GE. (1995). Caret: the seattle study center [Research]. RePORTER Database National Institutes of Health.
- Goodman, GE. (2013). Infrastructure support and data enhancements for the caret biorepository.
- Goodman, GE. (2014). Infrastructure support and data enhancements for the caret biorepository.
- Goodman, GE. (2015). Infrastructure support and data enhancements for the caret biorepository.
- Goodman, GE; Metch, BJ; Omenn, GS. (1994). The effect of long-term beta-carotene and vitamin A administration on serum concentrations of alpha-tocopherol. *Cancer Epidemiol Biomarkers Prev* 3: 429-432.
- Goodman, GE; Schaffer, S; Bankson, DD; Hughes, MP; Omenn, GS; Carotene; Co-Investigators, RET. (2001). Predictors of serum selenium in cigarette smokers and the lack of association with lung and prostate cancer risk. *Cancer Epidemiol Biomarkers Prev* 10: 1069-1076.
- Goodman, GE; Thornquist, M; Kestin, M; Metch, B; Anderson, G; Omenn, GS. (1996). The association between participant characteristics and serum concentrations of beta-carotene, retinol, retinyl palmitate, and alpha-tocopherol among participants in the Carotene and Retinol Efficacy Trial (CARET) for prevention of lung cancer. *Cancer Epidemiol Biomarkers Prev* 5: 815-821.
- Goodman, GE; Thornquist, MD; Balmes, J; Cullen, MR; Meyskens, FL; Omenn, GS; Valanis, B; Williams, JH. (2004). The Beta-Carotene and Retinol Efficacy Trial: incidence of lung cancer and cardiovascular disease mortality during 6-year follow-up after stopping beta-carotene and retinol supplements. *J Natl Cancer Inst* 96: 1743-1750. <http://dx.doi.org/10.1093/jnci/djh320>.

Human Health Hazard Literature Search Results

Off Topic

- Goodman, JE; Kerper, LE; Zu, K; Lynch, HN; Tao, G. (2015). Comment on "A systematic review of the association between pleural plaques and changes in lung function" by Kopylev et al (2014) [Letter]. *Occup Environ Med* 72: 684-685. <http://dx.doi.org/10.1136/oemed-2015-102894>.
- Goodman, JE; Nascarella, MA; Valberg, PA. (2009). Ionizing radiation: a risk factor for mesothelioma [Review]. *Cancer Causes Control* 20: 1237-1254. <http://dx.doi.org/10.1007/s10552-009-9357-4>.
- Goodman, JE; Zu, K; Tao, G; Kerper, LE. (2016). Comment on "Exposure-response modeling of non-cancer effects in humans exposed to Libby Amphibole Asbestos; update" by Benson et al. (2015) [Letter]. *Regul Toxicol Pharmacol* 80: 268-269. <http://dx.doi.org/10.1016/j.yrtph.2016.05.014>.
- Goodman, LR. (1983). Radiology of asbestos disease. *JAMA* 249: 644-646.
- Goodrich, JA. (1991). Kinetics of Chemical and Microbiological Contaminants in Distribution Systems. 19.
- Goodwin, A. (1978). The Mining Enforcement And Safety Administration Regulations And Methods. 506: 423-430.
- Goodwin, SS; Stanbury, M; Wang, ML; Silbergeld, E; Parker, JE. (2003). Previously undetected silicosis in New Jersey decedents. *Am J Ind Med* 44: 304-311. <http://dx.doi.org/10.1002/ajim.10260>.
- Gopal, NO; Narasimhulu, KV; Rao, JL. (2004). EPR, optical, infrared and Raman spectral studies of Actinolite mineral. *Spectrochim Acta A Mol Biomol Spectrosc* 60: 2441-2448. <http://dx.doi.org/10.1016/j.saa.2003.12.021>.
- Gopar-Nieto, R; Aguilar-Madrid, G; Sotelo-Martínez, L; Juárez-Pérez, CA; Kelly-García, J; Argote-Greene, L; Ochoa-Vázquez, MD; García-Bazán, EM; Ramírez-Pérez, J; Haro-García, L; Jiménez-Ramírez, C; Cabello-López, A. (2015). Malignant Pleural Mesothelioma: Accuracy of CT Against Immunohistochemical Test Among the Mexican Population. *Arch Med Res* 46: 107-111. <http://dx.doi.org/10.1016/j.arcmed.2015.02.002>.
- Gordon, JR; Leigh, J. (2011). Medicolegal aspects of the third wave of asbestos-related disease in Australia [Editorial]. *Med J Aust* 195: 247-248.
- Gordon, RE. (2014). Electron microscopy: a brief history and review of current clinical application. *Methods Mol Biol* 1180: 119-135. http://dx.doi.org/10.1007/978-1-4939-1050-2_7.
- Gorlova, O. (2010). A genomewide study of lung cancer in never smokers.
- Gorlova, O. (2011). A genomewide study of lung cancer in never smokers.
- Gorlova, O. (2012). A genomewide study of lung cancer in never smokers.
- Gorlova, O. (2013). A genomewide study of lung cancer in never smokers.
- Gorlova, O. (2014). A genomewide study of lung cancer in never smokers.
- Gorman, RW. (1979). Hazard Evaluation and Technical Assistance, Report No. TA-79-2, Department of Transportation Vehicle Inspection Stations, Washington, D.C (pp. 79-72). (NIOSH/00092153). Gorman, RW.
- Gorman, T; Johnston, R; Mcivor, A; Watterson, A. (2004). Asbestos in Scotland [Review]. *Int J Occup Environ Health* 10: 183-192. <http://dx.doi.org/10.1179/oeh.2004.10.2.183>.
- Gorman, WW. (1986). An evaluation of the K2 asbestos screening test [Letter]. *Am Ind Hyg Assoc J* 47: A698, A700, A702.
- Gormley, IP; Bolton, RE; Brown, G; Davis, JM; Donaldson, K. (1980). Studies on the morphological patterns of asbestos induced mesotheliomas in vivo and in vitro. *Carcinogenesis* 1: 219-231.
- Gormley, IP; Brown, GM; Cowie, H; Wright, A; Davi, JMG. (1985). The Effects of Fiber Length on the In Vitro Cytotoxicity of Asbestos Samples in Three Different Assay Systems (pp. 397-404). (NIOSH/00165773). Gormley, IP; Brown, GM; Cowie, H; Wright, A; Davi, JMG.
- Gorski, CH; Stettler, LE. (1974). The surface energetics of asbestos minerals. *Am Ind Hyg Assoc J* 35: 345-353. <http://dx.doi.org/10.1080/0002889748507043>.
- Gorski, CH; Stettler, LE; Lempert, BL. (1976). The porosity of amosite and chrysotile asbestos. *Am Ind Hyg Assoc J* 37: 117-122. <http://dx.doi.org/10.1080/0002889768507421>.
- Gorson, RO; Lieberman, JL. (1973). The prohibition of the use of asbestos spray in building construction. *J Occup Med* 15: 260-261.
- Gościcki, J; Woźniak, H; Bielichowska, G; Szendzikowski, S; Lao, I. (1980). [Biological and histological changes induced by cement dust]. *Med Pr* 31: 185-194.
- Got, C. (2008). [Processes involved in decision-making: the asbestos example]. *Sante Publique* 20: 357-366.
- Göthe, CJ. (1978). [Bronchial cancer. Anamnesis, smoking habits, disease background]. *Lakartidningen* 75: 1725-1726.
- Gots, RE. (1993). Medical hypothesis and medical practice autointoxication and multiple chemical sensitivities. *Regul Toxicol Pharmacol* 18: 2-12.
- Gottesfeld, P. (1989). EVALUATING STRATEGIES FOR COLLECTING AND ANALYZING BULK SAMPLES - A CASE-STUDY OF AN ASBESTOS HAZARD EMERGENCY RESPONSE ACT (AHERA) BUILDING INSPECTION. *Am Ind Hyg Assoc J* 50: A428-A430.
- Gottschall, EB. (2010). Taking a retrospective look at asbestos-related thoracic disease produces interesting results [Editorial]. *Radiology* 255: 681-682. <http://dx.doi.org/10.1148/radiol.10100469>.
- Gotze, JP; Lindeskog, P; Tornquist, CSI. (1994). EFFECTS OF INDUCTION AND AGE-DEPENDENT ENZYME EXPRESSION ON LUNG BIOAVAILABILITY, METABOLISM, AND DNA-BINDING OF URBAN AIR PARTICULATE-ABSORBED BENZO[A]PYRENE, 2-NITROFLUORENE, AND 3-AMINO-1,4-DIMETHYL-5H-PYRIDOL-(4,3)-INDOLE. *Environ Health Perspect* 102: 147-156.
- Goudar, RK. (2007). Management options for malignant pleural mesothelioma: clinical and cost considerations [Review]. *Drugs* 67: 1149-1165.
- Gough, J. (1965). Differential Diagnosis in the Pathology of Asbestosis. *Ann N Y Acad Sci* 132: 368-372.
- Gough, M. (1983). Sources and interpretation of asbestos exposure data. *J Toxicol Clin Toxicol* 21: 211-235.
- Gould, VE; Linnoila, RI. (1982). PULMONARY NEURO EPITHELIAL BODIES NEURO ENDOCRINE CELLS AND PULMONARY TUMORS. *Hum Pathol* 13: 1064-1066.
- Goung, SJ; Yang, J; Kim, YS; Lee, CM. (2015). A pilot study of indoor air quality in screen golf courses. *Environ Sci Pollut Res Int* 22: 7176-7182. <http://dx.doi.org/10.1007/s11356-014-3947-8>.

Human Health Hazard Literature Search Results

Off Topic

- Gout, D; Laforest, JC; Brochard, P; Le Bacle, C; Hur; acirc; E, P. (1996). Safe handling of asbestos. *Travail & Sécurité ecurit and acirc*: 640-672.
- Governa, M; Amati, M; Fontana, S; Visona, I; Botta, G; Mollo, F; Bellis, D; Bo, P. (1999). Role of iron in asbestos-body-induced oxidant radical generation (pp. 279-287). (ISSN 1528-7394; BIOSIS/00/05436). Governa, M; Amati, M; Fontana, S; Visona, I; Botta, G; Mollo, F; Bellis, D; Bo, P.
- Governa, M; Camilucci, L; Amati, M; Visonà, I; Valentino, M; Botta, GC; Campopiano, A; Fanizza, C. (1998). Wollastonite fibers in vitro generate reactive oxygen species able to lyse erythrocytes and activate the complement alternate pathway. *Toxicol Sci* 44: 32-38. <http://dx.doi.org/10.1006/toxs.1998.2440>.
- Governa, M; Fenoglio, I; Amati, M; Valentino, M; Bolognini, L; Coloccini, S; Volpe, AR; Carmignani, M; Fubini, B. (2002). Cleavage of the fifth component of human complement and release of a split product with C5a-like activity by crystalline silica through free radical generation and kallikrein activation. *Toxicol Appl Pharmacol* 179: 129-136. <http://dx.doi.org/10.1006/taap.2002.9351>.
- Governa, M; Valentino, M; Amati, M; Visona, I; Botta, GC; Marcer, G; Gemignani, C. (1997). Biological effects of contaminated silicon carbide particles from a workstation in a plant producing abrasives. *Toxicol In Vitro* 11: 201-207.
- Governa, M; Valentino, M; Visonà, I; Monaco, F; Amati, M. (1995). [Importance of the specific surface area in the study of the biological effects of dusts of industrial use]. *G Ital Med Lav* 17: 105-109.
- Governa, M; Valentino, M; Visonà, I; Monaco, F; Amati, M; Scancarello, G; Scansetti, G. (1995). In vitro biological effects of clay minerals advised as substitutes for asbestos. *Cell Biol Toxicol* 11: 237-249.
- Governa, M; Valentino, M; Visona', I; Monaco, F; Pizzichini, MA; Scancarello, G; Scansetti, G. (1993). Measurement of reacting oxigen species produced by human polimorphonuclears or bovine alveolar macrophages exposed to clay mineral, advised to replace asbestos. *Cytotechnology* 11: S160. <http://dx.doi.org/10.1007/BF00746089>.
- Government, A. (2005). Asbestos - Code of practice for the safe removal of asbestos.
- Government, A. (2005). Guidance note on the membrane filter method for estimating airborne asbestos fibres. 13.
- Government, A. (2006). Code of Practice for the management and control of asbestos in the workplace. 12.
- Government, F. (2002). [Decree No. 2002-1528 of 24 Dec. 2002 modifying Decree No. 96-1133 of 24 Dec. 1996 on the prohibition of asbestos and Decree No. 96-98 of 7 Feb. 1996 on the protection of workers against the risks of inhalation of asbestos dust [France]] (pp. 21860-21861). (CIS/02/01044).
- Government, F. (2007). [Decree No. 2007-1121 of 19 July 2007 updating and completing the tables of occupational diseases in the agricultural sector appended to book VII of the rural law [France]]. (CIS/08/00001).
- Government, NSW. (2001). Occupational Health and Safety Regulation [Australia - New South Wales]. 2: 6197-6476.
- Graceffa, P. (1988). Asbestos toxicity and carcinogenicity [Research]. RePORTER Database National Institutes of Health.
- Gracey, DR; Divertie, MB; Brown A L, J. R. (1973). The blood-air barrier in pulmonary asbestosis: Study of a case by electron microscopy. *Chest* 63: 46-51.
- Graf, JL; Draftz, RG; Haartz, JC. (1982). Asbestos Reference Materials: Sources And Characterization. 619: 5-20.
- Graham, A; Higinbotham, J; Allan, D; Donaldson, K; Beswick, PH. (1999). Chemical differences between long and short amosite asbestos: differences in oxidation state and coordination sites of iron, detected by infrared spectroscopy. *Occup Environ Med* 56: 606-611.
- Graham, JD; Paustenbach, DJ; Butler, WJ. (1995). Epidemiology and risk assessment divorce or marriage? In JD Graham (Ed.), (pp. 1-14): Elsevier Science Publishers B.V.
- Graham, MA; Hutchins, GM. (1998). FORENSIC PATHOLOGY PULMONARY DISEASE. *Clin Lab Med* 18: 241-262.
- Graham, S. (1981). Methodological problems in ecologic studies of the asbestos--cancer relationship. *Environ Res* 25: 35-49.
- Gralley, L; Ayer, H; Amoudri, C; Holmes, S; Ocella, E. (1973). [Assessment of the effect of asbestos in the industrial environment. (Recommendations of the Subcommittee on Asbestosis of the Permanent Committee and of the International Occupational Disease Association)]. *Gig Sanit* 38: 76-79.
- Gramond, C; Rolland, P; Lacourt, A; Ducamp, S; Chamming's, S; Creau, Y; Hery, M; Laureillard, J; Mohammed-Brahim, B; Orłowski, E, wa; Paris, C; Pairon, JC; Goldberg, M; Brochard, P; Grp, PS. (2012). Choice of rating method for assessing occupational asbestos exposure: Study for compensation purposes in France. *Am J Ind Med* 55: 440-449. <http://dx.doi.org/10.1002/ajim.22008>.
- Grandjean, P. (1981). INDIRECT OR BYSTANDERS EXPOSURE IN THE OCCUPATIONAL HISTORY (pp. 2464-2465). (HEEP/82/11130). Grandjean, P.
- Grandjean, P; Bach, E. (1986). Indirect exposures: the significance of bystanders at work and at home. *Am Ind Hyg Assoc J* 47: 819-824. <http://dx.doi.org/10.1080/15298668691390719>.
- Granieri, A; Tamburello, S; Tamburello, A; Casale, S; Cont, C; Guglielmucci, F; Innamorati, M. (2013). Quality of life and personality traits in patients with malignant pleural mesothelioma and their first-degree caregivers. 9: 1193-1202. <http://dx.doi.org/10.2147/NDT.S48965>.
- Grant, C; Bravery, AF. (1985). LABORATORY EVALUATION OF ALGICIDAL BIOCIDES FOR USE ON CONSTRUCTIONAL MATERIALS 3. USE OF THE VERMICULITE BED TECHNIQUE TO EVALUATE TOXIC WASHES SURFACE COATINGS AND SURFACE TREATMENTS (pp. 285-294). (BIOSIS/86/14606). Grant, C; Bravery, AF.
- Grant, LD; Elias, R; Nicholson, W; Bertsch, PM; Flegal, AR. (1990). Acidic Deposition: State of Science and Technology. Report 23. Indirect Health Effects Associated with Acidic Deposition. 174.
- Granville, LA; Younes, M; Chung, A; Roggli, VL; Henderson, DW; Cagle, PT. (2005). Comparison of monoclonal versus polyclonal calretinin antibodies for immunohistochemical diagnosis of malignant mesothelioma. *Appl Immunohistochem Mol Morphol* 13: 75-79.
- Grasperge, BJ; Morgan, TW; Paddock, CD; Peterson, KE; Macaluso, KR. (2014). Feeding by Amblyomma maculatum (Acari: Ixodidae) Enhances Rickettsia parkeri (Rickettsiales: Rickettsiaceae) Infection in the Skin. *J Med Entomol* 51: 855-863. <http://dx.doi.org/10.1603/ME13248>.
- Grasperge, BJ; Reif, KE; Morgan, TD; Sunyakumthorn, P; Bynog, J; Paddock, CD; Macaluso, KR. (2012). Susceptibility of Inbred Mice to Rickettsia parkeri. *Infect Immun* 80: 1846-1852. <http://dx.doi.org/10.1128/IAI.00109-12>.

Human Health Hazard Literature Search Results

Off Topic

- Graveland, A. (1998). Particle and micro-organism removal in conventional and advanced treatment technology. *Water Sci Technol* 37: 125-134.
- Gray, C. (1986). Danger? Asbestos. *Occup Health (Lond)* 38: 24-26.
- Gray, C; Carey, RN; Reid, A. (2016). Current and future risks of asbestos exposure in the Australian community. *Int J Occup Environ Health* 22: 292-299. <http://dx.doi.org/10.1080/10773525.2016.1227037>.
- Gray, LD; Carraway, JH; Brady, DE. (1990). A METHOD OF DIRECT LARYNGOSCOPY OF GUINEA-PIGS ENDOTRACHEAL INTUBATION AND REPEATED DUST EXPOSURE (pp. 20-24). (BIOSIS/90/20752). Gray, LD; Carraway, JH; Brady, DE.
- Gray, SG; Fennell, DA; Mutti, L; O'Byrne, KJ. (2009). In Arrayed Ranks Array Technology in the Study of Mesothelioma. *J Thorac Oncol* 4: 411-425.
- Graziano, G; Bilancia, M; Bisceglia, L; de Nichilo, G; Pollice, A; Assennato, G. (2009). [Statistical analysis of the incidence of some cancers in the province of Taranto 1999-2001]. *Epidemiol Prev* 33: 37-44.
- Graziano, JH. (1994). Environmental health in harlem [Research]. RePORTER Database National Institutes of Health.
- Graziano, JH. (1995). Environmental health in harlem [Research]. RePORTER Database National Institutes of Health.
- Graziano, JH. (1997). Environmental health in harlem [Research]. RePORTER Database National Institutes of Health.
- Great Britain Health and Safety Executive. (1984). Work with asbestos insulating board. (CIS/85/01237). Health and Safety Executive.
- Green, FH; Attfield, M. (1983). Pathology standards for asbestosis. *Scand J Work Environ Health* 9: 162-168.
- Green, FHY; Yoshida, K; Fick, G; Paul, J; Hugh, A; Green, WF. (1990). Characterization of airborne mineral dusts associated with farming activities in rural Alberta, Canada. *Int Arch Occup Environ Health* 62: 423-430.
- Green, J; Dundar, Y; Dodd, S; Dickson, R; Walley, T. (2007). Pemetrexed disodium in combination with cisplatin versus other cytotoxic agents or supportive care for the treatment of malignant pleural mesothelioma [Review]. *Cochrane Database Syst Rev* CD005574. <http://dx.doi.org/10.1002/14651858.CD005574.pub2>.
- Greenberg, A. (2003). Nyu biomarker clinical and epidemiologic center.
- Greenberg, A. (2004). Nyu biomarker clinical and epidemiologic center.
- Greenberg, AK; Lu, F; Goldberg, JD; Eylers, E; Tsay, JC; Yie, TA; Naidich, D; Mcguinness, G; Pass, H; Tchou-Wong, KM; Addrizzo-Harris, D; Chachoua, A; Crawford, B; Rom, WN. (2012). CT scan screening for lung cancer: risk factors for nodules and malignancy in a high-risk urban cohort. *PLoS ONE* 7: e39403. <http://dx.doi.org/10.1371/journal.pone.0039403>.
- Greenberg, M. (1970). Asbestos release from battery boxes. *Ann Occup Hyg* 13: 79-80.
- Greenberg, M. (1984). S fibers [Letter]. *Am J Ind Med* 5: 421-422.
- Greenberg, M. (1986). Silica, silicosis, and cancer in the United Kingdom. In DF Goldsmith; DM Winn; CM Shy (Eds.), *Cancer Research Monographs* (pp. 423-435). New York, NY: Praeger.
- Greenberg, M. (1992). Re: "Attitudes and opinions: asbestos and cancer" [Comment]. *Am J Ind Med* 22: 263-265.
- Greenberg, M. (1993). Asbestos and cancer: history and public policy [Letter]. *Br J Ind Med* 50: 95.
- Greenberg, M. (1993). The hazards of asbestos. Access to vital data is denied [Letter]. *BMJ* 307: 259.
- Greenberg, M. (1993). Reginald Tague: a UK asbestos prophet--a postscript. *Am J Ind Med* 24: 521-524.
- Greenberg, M. (1994). Thoughts inspired by reading the correspondence: Hughes and Weill vs. Roggli et al., April 1994. *Am J Ind Med* 26: 843-844.
- Greenberg, M. (1996). Malignant mesothelioma in paper mill workers: Where might the asbestos have come from? [Letter]. *Am J Ind Med* 30: 641-641. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199611\)30:5<641::AID-AJIM13>3.0.CO;2-3](http://dx.doi.org/10.1002/(SICI)1097-0274(199611)30:5<641::AID-AJIM13>3.0.CO;2-3).
- Greenberg, M. (1997). A battle for compensation for Welsh coal miners: JS Haldane v "Sericite"; Jones, 1932-1934. *Am J Ind Med* 32: 309-314. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199709\)32:3<309::AID-AJIM19>3.0.CO;2-Z](http://dx.doi.org/10.1002/(SICI)1097-0274(199709)32:3<309::AID-AJIM19>3.0.CO;2-Z).
- Greenberg, M. (1997). History of mesothelioma [Letter]. *Eur Respir J* 10: 2690-2691.
- Greenberg, M. (1997). Lung cancer in asbestos cement workers in Denmark [Letter]. *Occup Environ Med* 54: 143.
- Greenberg, M. (1997). Mesothelioma in a community in the north of England [Letter]. *Occup Environ Med* 54: 67-68.
- Greenberg, M. (1997). Professor Matthew Stewart: asbestosis research 1929-1934. *Am J Ind Med* 32: 562-569.
- Greenberg, M. (1998). The priority for recognizing asbestos as a multicentre carcinogen, and problems in categorizing asbestos tumours [Letter]. *Eur Respir J* 11: 996.
- Greenberg, M. (2000). Re: Call for an International Ban on Asbestos: Trust me, I'm a doctor [Letter]. *Am J Ind Med* 37: 232-234.
- Greenberg, M. (2003). Biological effects of asbestos: New York Academy of Sciences 1964. *Am J Ind Med* 43: 543-552. <http://dx.doi.org/10.1002/ajim.10192>.
- Greenberg, M. (2004). The British approach to asbestos standard setting: 1898-2000. *Am J Ind Med* 46: 534-541. <http://dx.doi.org/10.1002/ajim.20083>.
- Greenberg, M. (2004). Mineral fiber problems and their management: UK 1890-1935. *Am J Ind Med* 46: 304-311. <http://dx.doi.org/10.1002/ajim.20056>.
- Greenberg, M. (2005). Changing trends in US mesothelioma incidence [Letter]. *Occup Environ Med* 62: 134. <http://dx.doi.org/10.1136/oem.2004.018051>.
- Greenberg, M. (2006). Estimating the number of asbestos-related cancer deaths in Great Britain [Letter]. *Ann Occup Hyg* 50: 107-107. <http://dx.doi.org/10.1093/annhyg/mei067>.
- Greenberg, M. (2006). Revising the British Occupational Hygiene Society asbestos standard: 1968-1982. *Am J Ind Med* 49: 577-604. <http://dx.doi.org/10.1002/ajim.20321>.
- Greenberg, M. (2007). The "Helsinki Criteria" for attribution of lung cancer to asbestos exposure: how robust are the criteria? [Letter]. *Arch Pathol Lab Med* 131: 1630; author reply 1630. [http://dx.doi.org/10.1043/1543-2165\(2007\)131\[1630a:THCFAO\]2.0.CO;2](http://dx.doi.org/10.1043/1543-2165(2007)131[1630a:THCFAO]2.0.CO;2).
- Greenberg, M. (2008). Selikoff, asbestos and "la trahison des clercs". *Eur J Oncol* 13: 149-159.

Human Health Hazard Literature Search Results

Off Topic

- Greenberg, M. (2011). Re: Paradis G. Ban all production and export of chrysotile asbestos [Editor's Page]. *Can J Public Health* 2010;101(5):352 [Letter]. *Can J Public Health* 102: 76.
- Greenberg, SD. (1983). Recent advances in pulmonary cytopathology [Review]. *Hum Pathol* 14: 901-912.
- Greenberg, SD. (1985). THE ROLE OF SPUTUM CYTOPATHOLOGY IN THE DETECTION OF ASBESTOS EXPOSURE AN UPDATE (pp. 4-9). (BIOSIS/86/08563). Greenberg, SD.
- Greenberg, SD; McLarty, JL; Roggli, VL; Hurst, GA; Hieger, LR; Awe, RJ; Spivey, CG; Seitzman, LH; Farley, ML; Mabry, LC. (1982). ASBESTOS BODIES IN SPUTUM THEIR CLINICAL SIGNIFICANCE (pp. 15-18). (HEEP/84/03137). Greenberg, SD; McLarty, JL; Roggli, VL; Hurst, GA; Hieger, LR; Awe, RJ; Spivey, CG; Seitzman, LH; Farley, ML; Mabry, LC.
- Greenwald, P; Anderson, D; Nelson, SA; Taylor, PR. (2007). Clinical trials of vitamin and mineral supplements for cancer prevention [Review]. *Am J Clin Nutr* 85: 314S-317S.
- Greenwell, LL; Moreno, T; Jones, TP; Richards, RJ. (2002). Particle-induced oxidative damage is ameliorated by pulmonary antioxidants. *Free Radic Biol Med* 32: 898-905. [http://dx.doi.org/10.1016/S0891-5849\(02\)00782-7](http://dx.doi.org/10.1016/S0891-5849(02)00782-7).
- Greenwood, DJ. (1989). PLANT NUTRITION AND HUMAN WELFARE THE WORLD SCENE. *J Sci Food Agric* 48: 387-410.
- Gregoire, M; Ebstein, F. (2007). Immunotherapy and malignant mesothelioma: clinical perspectives [Review]. *Bull Cancer* 94: 23-31.
- Grégoire, M; Ligeza-Poisson, C; Juge-Morineau, N; Spisek, R. (2003). Anti-cancer therapy using dendritic cells and apoptotic tumour cells: pre-clinical data in human mesothelioma and acute myeloid leukaemia [Review]. *Vaccine* 21: 791-794.
- Greillier, L; Marco, S; Barlesi, F. (2011). Targeted therapies in malignant pleural mesothelioma: a review of clinical studies [Review]. *Anticancer Drugs* 22: 199-205. <http://dx.doi.org/10.1097/CAD.0b013e328341ccdd>.
- Greim, H; Brinkmann, B; Pohlenz-Michel, C; Ziegler-Skylakakis, K. (2000). The necessity of developing new criteria for carcinogen classification of fibers by the MAK Commission. *Inhal Toxicol* 12: 419-425. <http://dx.doi.org/10.1080/08958370050165328>.
- Greim, H; Utell, MJ; Maxim, LD; Niebo, R. (2014). Perspectives on refractory ceramic fiber (RCF) carcinogenicity: comparisons with other fibers [Review]. *Inhal Toxicol* 26: 789-810. <http://dx.doi.org/10.3109/08958378.2014.953276>.
- Greim, HA. (2004). Research needs to improve risk assessment of fiber toxicity [Review]. *Mutat Res* 553: 11-22. <http://dx.doi.org/10.1016/j.mrfmmm.2004.06.013>.
- Greim, HA; Ziegler-Skylakakis, K. (1997). Strategies for setting occupational exposure limits for particles. <http://dx.doi.org/10.2307/3433559>.
- Grellner, W; Staak, M. (1995). Multiple skeletal muscle metastases from malignant pleural mesothelioma. *Pathol Res Pract* 191: 456-460; discussion 461-452. [http://dx.doi.org/10.1016/S0344-0338\(11\)80732-6](http://dx.doi.org/10.1016/S0344-0338(11)80732-6).
- Grice, PG; Kajikuri, H; Riberi, A; Rodrigues, RW; Shumacker, HB. (1956). Intrapericardial asbestos in experimental coronary artery ligation. *Surgery* 40: 757-762.
- Griffis, SC. (1989). MULTIPLE LOCATION NEGATIVE AIR PRESSURE MONITOR US PATENT-4865634. SEPTEMBER 12 1989 (pp. 1101). (BIOSIS/89/35822). Griffis, SC.
- Griffith, DA; Reddan, W; Schmitz, W. (1992). Heat Stress Associated with the Use of Tyvek Coveralls in Asbestos Removal Inspection. 1: 733-737.
- Griffith, J. (1982). Limit to hospital's duty to reassure anxious employee? 1: 79-80.
- Griffiths, WD. (1987). The Selective Separation of Aerosol Particles of Different Shape. *J Aerosol Sci* 18: 761-763.
- Griffiths, WD; Kenny, LC; Chase, ST. (1985). The Electrostatic Separation of Fibres and Compact Particles. *J Aerosol Sci* 16: 229-243.
- Grigoriu, BD; Gregoire, M; Chahine, B; Scherpereel, A. (2008). New diagnostic markers for malignant pleural mesothelioma. *Bull Cancer* 95: 177-184.
- Grimm, HG; Bernstein, DM; Attia, M; Richard, J; De Reydellet, A. (2002). Experience from a long-term carcinogenicity study with intraperitoneal injection of biosoluble synthetic mineral fibers. *Inhal Toxicol* 14: 855-882. <http://dx.doi.org/10.1080/08958370290084665>.
- Grimrud, TK; Andersen, A. (2010). Evidence of carcinogenicity in humans of water-soluble nickel salts [Editorial]. *J Occup Med Toxicol* 5: 7. <http://dx.doi.org/10.1186/1745-6673-5-7>.
- Grizzle, JE; Omenn, GS; Thornquist, M; Rosenstock, L; Barnhart, S; Cone, J; Cullen, M; Goodman, G; Keogh, J; Valanis, B. (1990). DESIGN OF BETA CAROTENE AND RETINOL EFFICACY TRIAL CARET FOR CHEMOPREVENTION OF CANCER IN POPULATIONS AT HIGH RISK HEAVY SMOKERS AND ASBESTOS-EXPOSED WORKERS (pp. 16-22). (BIOSIS/91/14099). Grizzle, JE; Omenn, GS; Thornquist, M; Rosenstock, L; Barnhart, S; Cone, J; Cullen, M; Goodman, G; Keogh, J; Valanis, B.
- Grodsky, JA. (2007). Genomics and toxic torts: dismantling the risk-injury divide. *Stanford Law Rev* 59: 1671-1734.
- Groff, JH; Schlecht, PC. (1991). PAT Program Report. Background and Current Status. *Appl Occup Environ Hyg* 6: 1001-1002.
- Groff, JH; Schlecht, PC. (1993). PAT Program Report. Background and Current Status. *Appl Occup Environ Hyg* 8: 1000-1001.
- Groff, JH; Schlecht, PC. (1993). Proficiency Analytical Testing (PAT) Program. *Appl Occup Environ Hyg* 8: 837-839.
- Groff, JH; Schlecht, PC. (1994). PAT Program. *Appl Occup Environ Hyg* 9: 595-596.
- Groff, JH; Schlect, PG. (1996). PAT Program Report. *Am Ind Hyg Assoc J* 57: 79-81.
- Goose, I; Huetter, B; Hartmann, I; Binde, G; Gruber, H; Kurz, G. (1998). Asbestos on textiles: Is there an endangering during washing and wearing? *J Hazard Mater* 63: 119-130.
- Grosch, JW; Neale, AV; Demers, RY. (1996). Neurobehavioral and health-related deficits in solvent-exposed painters. *Am J Ind Med* 30: 623-632.
- Gross, P. (1974). ASBESTOS FIBERS IN DRINKING-WATER. *JAMA* 229: 767-767.
- Gross, P. (1974). Letter: Asbestos fibers in drinking water. *JAMA* 229: 767.
- Gross, P. (1975). Letter: Is short-fibered asbestos dust a biological hazard? *Arch Environ Health* 30: 56.
- Gross, P. (1981). Consideration of the aerodynamic equivalent diameter of respirable mineral fibers. *Am Ind Hyg Assoc J* 42: 449-452.
- Gross, P; Braun, DC. (1977). Toxicology Of Fibers: A Brief Review (pp. 19771977). (NIOSH/00145503). Gross, P; Braun, DC.
- Gross, P; Braun, DC. (1978). When is the extrapolation of animal carcinogenesis to man inappropriate. *J Occup Med* 20: 236-240.

Human Health Hazard Literature Search Results

Off Topic

- Gross, P; Davis, JM; Harley, RA; de Treville, RT. (1973). Lymphatic transport of fibrous dust from the lungs. *J Occup Med* 15: 186-189.
- Gross, P; Davis, JMG; Jr, HR. (1974). Identification and Quantitation of Fibrous Dust and Ferruginous Bodies in Lungs of Autopsied Adults (pp. 70-107). (NIOSH/00084649). Gross, P; Davis, JMG; Harley RA Jr.
- Gross, P; De Treville, RTP; Cralley, LJ; Pundsack, FL. (1970). Problems in the Pathology of Asbestosis (pp. 126-132). (NIOSH/00177496). Gross, P; De Treville, RTP; Cralley, LJ; Pundsack, FL.
- Gross, P; Harley, RA; Davis, JM; Cralley, LJ. (1974). Mineral fiber content of human lungs. *Am Ind Hyg Assoc J* 35: 148-151.
- Gross, P; Tolker, EB. (1966). Dust Particles in Lung Sections. Some Notes on Methods of Their Visualization. *Arch Environ Health* 12: 213-216.
- Gross, P; Tuma, J; De Treville, RT. (1971). Unusual ferruginous bodies: Their formation from nonfibrous particulates and from carbonaceous fibrous particles. *Arch Environ Health* 22: 534-537.
- Grosse, I; Huetter, B; Hartmann, I; Binde, G; Gruber, H; Kurz, G. (1998). Asbestos on textiles: is there an endangering during washing and wearing? *J Hazard Mater* 63: 119-130.
- Grosse, Y; Loomis, D; Guyton, KZ; Lauby-Secretan, B; El Ghissassi, F; Bouvard, V; Benbrahim-Tallaa, L; Guha, N; Scoccianti, C; Mattock, H; Straif, K; Group, IAfRoCMW. (2014). Carcinogenicity of fluoro-edenite, silicon carbide fibres and whiskers, and carbon nanotubes. *Lancet Oncol* 15: 1427-1428. [http://dx.doi.org/10.1016/S1470-2045\(14\)71109-X](http://dx.doi.org/10.1016/S1470-2045(14)71109-X).
- Gross-Goupil, M; Ruffié, P. (1999). [Malignant pleural mesothelioma] [Review]. *Bull Cancer Suppl* 3: 43-54.
- Grossi, SG; Zambon, JJ; Ho, AW; Koch, G; Dunford, RG; Machtei, EE; Norderyd, OM; Genco, RJ. (1994). Assessment of risk for periodontal disease. I. Risk indicators for attachment loss. *J Periodontol* 65: 260-267. <http://dx.doi.org/10.1902/jop.1994.65.3.260>.
- group, Bw. (1993). Magnesium hydroxide. (RISKLINE/1993120030). Bibra working group.
- Group, NW. (1985). Toxicology and carcinogenesis studies of chrysotile asbestos in F344/N rats (feed studies). (RISKLINE/1986060015). Ntp Working Group.
- group, Nw. (1988). Toxicology and carcinogenesis studies of crocidolite asbestos in F344/N rats (feed studies). (RISKLINE/1993090095). Ntp working group.
- group, Nw. (1993). Toxicology and carcinogenesis studies of talc in F344/N rats and B6C3F1 mice (inhalation studies). (RISKLINE/1994010002). Ntp working group.
- group, Ww. (1986). Asbestos and other natural mineral fibres. (RISKLINE/1989010025). Who working group.
- Gruenwald G, JS. (1988). ASBESTOS LEVELS IN A LOS ANGELES CALIFORNIA USA BUILDING BEFORE AND AFTER AN EARTHQUAKE. *Am Ind Hyg Assoc J* 49.
- Grunder, FI; Bell, C. (2000). Proficiency Analytical Testing (PAT) Program June 2000. *AIHAJ* 61: 757-758.
- Grundy, G; Miller, R. (1972). Malignant mesothelioma in childhood. Report of 13 cases. *Cancer* 30: 1216-1218.
- Grzankowski, KS; Brightwell, RM; Kasznica, JM; Odusi, KO. (2015). Malignant peritoneal mesothelioma without asbestos exposure: An ovarian cancer imitator. *11: 10-12*. <http://dx.doi.org/10.1016/j.gore.2014.11.002>.
- Grzebyk, M; Kauffer, E; Fréville, L. (2006). Proposal to adapt the WASP programme to fibre counting tests [Letter]. *Ann Occup Hyg* 50: 427. <http://dx.doi.org/10.1093/annhyg/mel022>.
- G-S, Z; M-J, T. (1993). The Investigation of a Devastating Accident An Accidental Explosion of 40 Tons of TNT. *J Hazard Mater* 34: 225-233.
- Gualtieri, AF; Cavenati, C; Zanatto, I; Meloni, M; Elmi, G; Gualtieri, ML. (2008). The transformation sequence of cement-asbestos slates up to 1200 degrees C and safe recycling of the reaction product in stoneware tile mixtures. *J Hazard Mater* 152: 563-570. <http://dx.doi.org/10.1016/j.jhazmat.2007.07.037>.
- Gualtieri, AF; Foresti, E; Lesci, IG; Roveri, N; Gualtieri, ML; Dondi, M; Zapparoli, M. (2009). The thermal transformation of Man Made Vitreous Fibers (MMVF) and safe recycling as secondary raw materials (SRM). *J Hazard Mater* 162: 1494-1506. <http://dx.doi.org/10.1016/j.jhazmat.2008.06.066>.
- Gualtieri, AF; Mangano, D; Gualtieri, ML; Ricchi, A; Foresti, E; Lesci, G; Roveri, N; Mariotti, M; Pecchini, G. (2009). Ambient monitoring of asbestos in selected Italian living areas. *J Environ Manage* 90: 3540-3552. <http://dx.doi.org/10.1016/j.jenvman.2009.06.007>.
- Gualtieri, AF; Viani, A; Sgarbi, G; Lusvardi, G. (2012). In vitro biodurability of the product of thermal transformation of cement-asbestos. *J Hazard Mater* 205-206: 63-71. <http://dx.doi.org/10.1016/j.jhazmat.2011.12.005>.
- Gub; acirc; Eran, E. (1989). Are the principal asbestos substitutes (fibreglass and mineral wool) carcinogenic? *47: 1455-1459*.
- Gubernskii YU, D. (1994). HEALTH-RELATED EVALUATION OF HOUSING CONDITIONS (pp. 42-44). (ISSN 0016-9900 BIOSIS/94/22919). Gubernskii YU, D.
- Guénel, P; Imbernon, E; Chevalier, A; Crinquand-Calastreng, A; Goldberg, M. (2002). Leukemia in relation to occupational exposures to benzene and other agents: A case-control study nested in a cohort of gas and electric utility workers. *Am J Ind Med* 42: 87-97. <http://dx.doi.org/10.1002/ajim.10090>.
- Guenther, S; Fischer, M; Brockmann, M; K-M, M. (1996). MESOTHELIOMAS AFTER OCCUPATIONAL OR NON-OCCUPATIONAL EXPOSURE INSURANCE MEDICAL ASPECTS (pp. 386-387). (ISSN 0341-3055 BIOSIS/96/38114). Guenther, S; Fischer, M; Brockmann, M; Mueller K-M.
- Guerin, JC. (1995). IS TALC DANGEROUS FOR THE PLEURA? *Rev Mal Respir* 12: 197-198.
- Guerin, JC; Biron, E; Kalb, JC. (1982). VALUE OF THORACOSCOPY IN THE DIAGNOSTIC OF NONLIQUID PLEURAL INVOLVEMENTS (pp. 1983)). (HEEP/84/07927). Guerin, JC; Biron, E; Kalb, JC.
- Guerra, ON; Canada, K. (1976). Open-cast technique for metal molds used in constructing facial prostheses. *J Prosthet Dent* 36: 421-425.
- Guest, PJ; Reznik, RH; Selleslag, D; Geraghty, R; Slevin, M. (1992). Peritoneal mesothelioma: the role of computed tomography in diagnosis and follow up. *Clin Radiol* 45: 79-84.

Human Health Hazard Literature Search Results

Off Topic

- Guidotti, TL. (1994). Occupational exposure to hydrogen sulfide in the sour gas industry: Some unresolved issues. *Int Arch Occup Environ Health* 66: 153-160. <http://dx.doi.org/10.1007/BF00380773>.
- Guidotti, TL. (2002). Apportionment in asbestos-related disease for purposes of compensation [Review]. *Ind Health* 40: 295-311.
- Guidotti, TL. (2012). Asbestos in Canada: the end is in sight [Editorial]. *Arch Environ Occup Health* 67: 1-2. <http://dx.doi.org/10.1080/19338244.2012.646931>.
- Guidotti, TL. (2013). Why pretend that "non-asbestos" fibrous silicates are not "asbestos"? [Editorial]. *Arch Environ Occup Health* 68: 187-189. <http://dx.doi.org/10.1080/19338244.2012.760363>.
- Guidotti, TL; Abraham, JL; Denee, PB. (1975). Letter: Asbestos exposure and cancer of the larynx. *West J Med* 122: 75.
- Guidotti, TL; Brodtkin, CA; Christiani, D; Harbut, MR; Hillerdal, G; Balmes, J. R.; Harber, P; Green, FHY; Rom, WN; Wagner, GR; Miller, A; Comm, AH. (2005). Diagnosis and initial management of nonmalignant diseases related to asbestos - Reply. *Am J Respir Crit Care Med* 171: 666-667.
- Guidotti, TL; Lappi, VG; Langard, S. (1992). Hazards of Welding Technologies (pp. 831-841). (NIOSH/00222255). Guidotti, TL; Lappi, VG; Langard, S.
- Guignon, N; Sandret, N; Vincent, R. (2005). [Exposures to carcinogens, mutagens and reprotoxic substances]. *DMT471-483*.
- Guilianelli, C; Baeza, A; Zalma, R; Pezerat, H; Marano, F. (1994). IMPLICATION OF ACTIVATED OXYGEN SPECIES IN THE TOXICITY OF MINERAL PARTICLES ON TRACHEAL EPITHELIUM IN VITRO (pp. 387S). (BIOSIS/95/09214). Guilianelli, C; Baeza, A; Zalma, R; Pezerat, H; Marano, F.
- Guillemin, MP; Madelaine, P; Litzistorf, G; Buffat, P; Iselin, F. (1989). ASBESTOS IN BUILDINGS - THE DIFFICULTIES OF A RELIABLE EXPOSURE ASSESSMENT. *Aerosol Sci Technol* 11: 221-243.
- Gulumian, M. (1999). The role of oxidative stress in diseases caused by mineral dusts and fibres: current status and future of prophylaxis and treatment [Review]. *Mol Cell Biochem* 196: 69-77.
- Gulumian, M. (2000). The ability of mineral dusts and fibres to initiate lipid peroxidation. Part II: relationship to different particle-induced pathological effects. *Redox Rep* 5: 325-351. <http://dx.doi.org/10.1179/135100000101535906>.
- Gulumian, M; Bhoolia, DJ; Du Toit, RSJ; Rendall, REG; Pollak, H; Van Wyk, JA; Rhempula, M. (1993). Activation of UICC Crocidolite: The Effect of Conversion of Some Ferric Ions to Ferrous Ions. *Environ Res* 60: 193-206.
- Gulumian, M; Bhoolia, DJ; Theodorou, P; Roellin, HB; Pollak, H; Van Wyk, JA. (1993). Parameters which determine the activity of the transition metal iron in crocidolite asbestos esr moessbauer spectroscopic and iron mobilization studies. *S Afr J Sci* 89: 405-409.
- Gulumian, M; Nkosibomvu, ZL; Channa, K; Pollak, H. (1997). Can microwave radiation at high temperatures reduce the toxicity of fibrous crocidolite asbestos? *Environ Health Perspect* 105: 1041-1044.
- Gulumian, M; Semano, M; Hearne, G. (2005). Surface Activity Of Erionite Samples From Different Localities. *Toxicol Sci* 84: 381.
- Gulumian, M; Vallyathan, V. (2010). Nanoparticles and potential human health implications: past and future directions. Preface. *J Toxicol Environ Health A* 73: 339-340. <http://dx.doi.org/10.1080/15287390903584339>.
- Gulumian, M; van Wyk, JA. (1987). Hydroxyl radical production in the presence of fibres by a Fenton-type reaction. *Chem Biol Interact* 62: 89-97.
- Gulumian, M; Van Wyk, JA; Hearne, GR; Kolk, B; Pollak, H. (1993). ESR and Moessbauer studies on detoxified crocidolite: Mechanism of reduced toxicity. *J Inorg Biochem* 50: 133-143.
- Gulumian, M; Van Wyk, JA; Kolk, B. (1989). DETOXIFIED CROCIDOLITE EXHIBITS REDUCED RADICAL GENERATION WHICH COULD EXPLAIN ITS LOWER TOXICITY ESR AND MOESSBAUER STUDIES (pp. SECAUCUS). (BIOSIS/90/02026). Gulumian, M; Van Wyk, JA; Kolk, B.
- Gun, RT. (1995). NON-ASBESTOS-RELATED MESOTHELIOMA - CHANCE, BIAS, OR A REAL PHENOMENON. *Med J Aust* 162: 432-432.
- Günday, M; Erinanç, H; Geredeli, C. (2013). Unusual region for pericardial malignant mesothelioma: cutaneous manifestation in a Turkish woman. *Rare Tumors* 5: e41. <http://dx.doi.org/10.4081/rt.2013.e41>.
- Gunter, BJ. (1974). Health Hazard Evaluation Report No. HHE-73-149-140, Federal-Mogul Corporation, Gallipolis, Ohio (pp. 73-149). (NIOSH/00027959). Gunter, BJ.
- Gunter, BJ. (1978). Health Hazard Evaluation Determination, Report No. HHE-78-112-535, Beech Aircraft Corporation, Boulder, Colorado, November, 1978. NIOSH: 19781978.
- Gunter, BJ. (1978). Health Hazard Evaluation Determination, Report No. HHE-78-128-549, Nixon Power Plant, Colorado Springs, Colorado, December, 1978 (pp. 78-128). (NIOSH/00101030). Gunter, BJ.
- Gunter, BJ. (1979). Hazard Evaluation and Technical Assistance Report No. TA-79-31, Poole Construction Company, Denver, Colorado (pp. 79-31). (NIOSH/00091535). Gunter, BJ.
- Gunter, BJ. (1979). Health Hazard Evaluation Determination Report No. HHE-79-23-603, A.M.F. Head Division, Boulder, Colorado (pp. 79-23). (NIOSH/00091560). Gunter, BJ.
- Gunter, BJ. (1983). Health Hazard Evaluation Report No. HETA-83-040-1356, Drive Train Industries, Inc., Casper, Wyoming (pp. 83-040). (NIOSH/00179027). Gunter, BJ.
- Gunter, BJ. (1986). Health Hazard Evaluation Report No. HETA-85-455-1724, Champion International, Frenchtown, Montana (pp. 85-455). (NIOSH/00165829). Gunter, BJ.
- Gunter, BJ. (1986). Health Hazard Evaluation Report No. HETA-86-222-1726, Grundy Industries, Inc., Denver, Colorado (pp. 86-222). (NIOSH/00165824). Gunter, BJ.
- Gunter, BJ; Lybarger, JA. (1979). Health Hazard Evaluation Determination Report No. HHE-78-95-596, Jonas Brothers Taxidermy Co., Denver, Colorado (pp. 78-95). (NIOSH/00091563). Gunter, BJ; Lybarger, JA.
- Gunter, ME. (2010). Defining asbestos: Differences between the built and natural environments [Review]. *Chimia* 64: 747-752. <http://dx.doi.org/10.2533/chimia.2010.747>.

Human Health Hazard Literature Search Results

Off Topic

- Guo, F; Ma, N; Horibe, Y; Kawanishi, S; Murata, M; Hiraku, Y. (2012). Nitrate DNA damage induced by multi-walled carbon nanotube via endocytosis in human lung epithelial cells. *Toxicol Appl Pharmacol* 260: 183-192. <http://dx.doi.org/10.1016/j.taap.2012.02.010>.
- Guo, J; Kauppinen, T; Kyrrönen, P; Lindbohm, ML; Heikkilä, P; Pukkala, E. (2004). Occupational exposure to diesel and gasoline engine exhausts and risk of lung cancer among Finnish workers. *Am J Ind Med* 45: 483-490. <http://dx.doi.org/10.1002/ajim.20013>.
- Guo, NL. (2012). Systematic assessment of multi-walled carbon nanotubes in pulmonary disease.
- Guo, NL. (2013). Systematic assessment of multi-walled carbon nanotubes in pulmonary disease.
- Guo, NL. (2014). Systematic assessment of multi-walled carbon nanotubes in pulmonary disease.
- Guo, NL. (2015). Systematic assessment of multi-walled carbon nanotubes in pulmonary disease.
- Guo, X; Xiang, D; Duan, G; Mou, P. (2010). A review of mechanochemistry applications in waste management [Review]. *Waste Manag* 30: 4-10. <http://dx.doi.org/10.1016/j.wasman.2009.08.017>.
- Guo, Z; Carbone, M; Zhang, X; Su, D; Sun, W; Lou, J; Gao, Z; Shao, D; Chen, J; Zhang, G; Hu, J; Chen, K; Wang, F; Pass, HI; Yu, H; Napolitano, A; Yang, H; Mao, W. (2016). Improving the Accuracy of Mesothelioma Diagnosis in China. *J Thorac Oncol*. <http://dx.doi.org/10.1016/j.jtho.2016.12.006>.
- Gupta, L; Elder, J. (2005). Lung squeeze: a helpful adjunct in diagnosis [Letter]. *Cytopathology* 16: 269-270. <http://dx.doi.org/10.1111/j.1365-2303.2005.00253.x>.
- Gupta, NP; Agrawal, AK; Sood, S; Hemal, AK; Nair, M. (1999). Malignant mesothelioma of the tunica vaginalis testis: A report of two cases and review of literature. *J Surg Oncol* 70: 251-254.
- Gupta, PK; Frost, JK. (1981). Cytologic changes associated with asbestos exposure. *Semin Oncol* 8: 283-289.
- Gupta, R; Noorudeen, S; Galliani, CA; Albritton, KH; Bowman, WP. (2014). Metastatic Peritoneal Mesothelioma in a 21-Year-Old Female with Chronic Myelogenous Leukemia. 3: 138-141. <http://dx.doi.org/10.1089/jayao.2013.0042>.
- Gurtner, F; Minder, CE. (1993). [Cancer mortality according to occupation: implications for prevention]. *Soz Praventivmed* 38 Suppl 2: S137-S139.
- Gurvich, VB; Kogan, FM; Deminov, AG; Gusef'nikova, NA. (1983). [Current problems in occupational hygiene during extraction and concentration of asbestos]. *Gig Tr Prof Zabol* 0: 1-5.
- Gurzau, ES; Neagu, C; Gurzau, AE. (2003). Essential metals--case study on iron [Review]. *Ecotoxicol Environ Saf* 56: 190-200. [http://dx.doi.org/10.1016/S0147-6513\(03\)00062-9](http://dx.doi.org/10.1016/S0147-6513(03)00062-9).
- Guseva Canu, I; Cardis, E; Metz-Flamant, C; Caër-Lorho, S; Auriol, B; Wild, P; Laurier, D; Tirmarche, M. (2010). French cohort of the uranium processing workers: mortality pattern after 30-year follow-up. *Int Arch Occup Environ Health* 83: 301-308. <http://dx.doi.org/10.1007/s00420-009-0455-0>.
- Guseva Canu, I; Paquet, F; Goldberg, M; Auriol, B; Bérard, P; Collomb, P; David, JC; Molina, G; Perez, P; Tirmarche, M. (2009). Comparative assessing for radiological, chemical, and physical exposures at the French uranium conversion plant: Is uranium the only stressor. *Int J Hyg Environ Health* 212: 398-413. <http://dx.doi.org/10.1016/j.ijheh.2008.09.002>.
- Gustavsson, P; Evanoff, B; Hogstedt, C. (1993). INCREASED RISK OF ESOPHAGEAL CANCER AMONG WORKERS EXPOSED TO COMBUSTION PRODUCTS. *Arch Environ Health* 48: 243-245.
- Gustavsson, P; Gustavsson, A; Hogstedt, C. (1988). Excess cancer morbidity in Swedish chimney sweeps. 171.
- Gustavsson, P; Holmberg, B; Krantz, S. (1987). Kriteriedokument for gr?nsv?rden. Man-made mineral fibres (MMMMF). (RISKLINE/1988020036). Gustavsson, P; Holmberg, B; Krantz, S.
- Gustavsson, P; Jakobsson, R. (2001). Re: "Occupational exposure and lung cancer risk: A population-based case-referent study in Sweden" - The first two authors reply. *Am J Epidemiol* 153: 1029-1029.
- Gustavsson, P; Krantz, S; Holmberg, B. (1987). Criteria document for exposure limits - Man-made mineral fibres (MMMMF). (CIS/88/00948). Arbetsmilj?oinstitutet.
- Gustitus, DA; Blaisdell, PM. (1996). Morgan, J. H. (Ed.). *Astm Stp, 1282. Sampling Environmental Media; Symposium, April 5-7, 1995. Xii+393p. Astm (American Society for Testing and Materials): Philadelphia, Pennsylvania, USA. Isbn 0-8031-2043-5; 0 (1282). 1996. 111-124 Investigating the presence of hazardous materials in buildings.*
- Guthrie, GD. (1995). EAT, BREATHE, AND BE WARY - MINERALOGY IN ENVIRONMENTAL-HEALTH. *Rev Geophys* 33: 117-121.
- Guthrie, GD. (1997). Mineral properties and their contributions to particle toxicity. *Environ Health Perspect* 105: 1003-1011.
- Gylseth, B; Baunan, RH; Bruun, R. (1981). Analysis of inorganic fiber concentrations in biological samples by scanning electron microscopy. *Scand J Work Environ Health* 7: 101-108.
- Gylseth, B; Baunan, RH; Overaa, L. (1982). Analysis of fibres in human lung tissue. *Br J Ind Med* 39: 191-195.
- Gylseth, B; Churg, A; Davis, JM; Johnson, N; Morgan, A; Mowe, G; Rogers, A; Roggli, V. (1985). Analysis of asbestos fibers and asbestos bodies in tissue samples from human lung. An international interlaboratory trial. *Scand J Work Environ Health* 11: 107-110.
- Gylseth, B; Ophus, EM; Mowé, G. (1979). Determination of inorganic fiber density in human lung tissue by scanning electron microscopy after low temperature ashing. *Scand J Work Environ Health* 5: 151-157.
- H, AT; SR. (1986). HANDLING AND MANAGEMENT OF HAZARDOUS MATERIALS AND WASTE (pp. NEW YORK). (BIOSIS/88/11145). Allegri T H; SR. H, MRL; JR. (1986). CHEST AUSCULTATION IN OCCUPATIONAL LUNG DISEASE (pp. 289-296). (BIOSIS/86/13119). Murphy R L H; JR.
- Ha, Y; Jung, S; Lee, KH; Lee, S; Lee, S; Park, YB. (2011). Retroperitoneal Fibrosis in 27 Korean Patients: Single Center Experience. *J Korean Med Sci* 26: 985-990. <http://dx.doi.org/10.3346/jkms.2011.26.8.985>.
- Haagsman, HP; van Golde, LM. (1985). Lung surfactant and pulmonary toxicology [Review]. *Lung* 163: 275-303.
- Haartz, JC; Lange, BA; Draftz, RG; Scholl, RF. (1978). Selection And Characterization Of Fibrous And Nonfibrous Amphiboles For Analytical Methods Development. 506: 295-312.

Human Health Hazard Literature Search Results

Off Topic

- Haba, T; Wakasa, K; Sasaki, M. (2003). Well-differentiated papillary mesothelioma in the pelvic cavity. A case report. *Acta Cytol* 47: 88-92.
- Haberman, SA; Laosmaa, PJ; Willeke, K. (1984). Size classification of fibers and isometric particles keeping each fraction airborne. *Am Ind Hyg Assoc J* 45: 598-602. <http://dx.doi.org/10.1080/15298668491400322>.
- Habib, RR; Abdallah, SM; Law, M; Kaldor, J. (2005). Mortality rates among nuclear industry workers at Lucas Heights Science and Technology Centre. *Aust N Z J Public Health* 29: 229-237.
- Habib, RR; Abdallah, SM; Law, M; Kaldor, J. (2006). Cancer incidence among Australian nuclear industry workers. *J Occup Health* 48: 358-365.
- Hackman, P; Husgafvel-Pursiainen, K; Anttila, S; Ridanpää, M; Karjalainen, A; Vainio, H. (1992). POINT MUTATION AND DNA AMPLIFICATION STUDIES ON RAS AND MYC GENES IN LUNG CANCERS. *Mutat Res Lett* 271: 121.
- Hackman, P; Husgafvel-Pursiainen, K; Anttila, S; Ridanpää, M; Karjalainen, A; Heikkilä, L; Vainio, H. (1991). Detection of point mutations in k-ras oncogene in lung cancer. *Mutat Res* 252: 203.
- Hadengue, P; Deslauriers, M. (1998). Current situation with respect to compensation of occupational diseases resulting from asbestos dust inhalation. *Archives des Maladies Professionnelles et de Médecine du Travail* 59: 499-506.
- Hadler, HI; Cook, GL. (1979). The mitochondrial activation of silicate and its role in silicosis, black lung disease and lung cancer. *J Environ Pathol Toxicol* 2: 1343-1350.
- Hadnagy, W; Choi, M; Idel, H. (1998). STUDIES ON THE PRODUCTION OF TUMOR NECROSIS FACTOR ALPHA TNF-ALPHA BY AIRBORNE DUSTS AND ITS COUNTER-REGULATION BY THE SOLUBLE TUMOR NECROSIS FACTOR RECEPTOR STNFR II (pp. 1-3). (BIOSIS/98/27980). Hadnagy, W; Choi, M; Idel, H.
- Ha-Duong, M; Casman, EA; Morgan, MG. (2004). Bounding poorly characterized risks: a lung cancer example. *Risk Anal* 24: 1071-1083. <http://dx.doi.org/10.1111/j.0272-4332.2004.00508.x>.
- Haegens, A; Heeringa, P; van Suylen, RJ; Steele, C; Aratani, Y; O'Donoghue, RJ; Mutsaers, SE; Mossman, BT; Wouters, EF; Vernooy, JH. (2009). Myeloperoxidase deficiency attenuates lipopolysaccharide-induced acute lung inflammation and subsequent cytokine and chemokine production. *J Immunol* 182: 7990-7996. <http://dx.doi.org/10.4049/jimmunol.0800377>.
- Haegens, A; Vernooy, JH; Heeringa, P; Mossman, BT; Wouters, EFM. (2008). Myeloperoxidase modulates lung epithelial responses to pro-inflammatory agents. *Eur Respir J* 31: 252-260. <http://dx.doi.org/10.1183/09031936.00029307>.
- Hagemeyer, O; Mannes, E; Koppisch, D; Otten, H; Dahmann, D. (2004). [New documentation sheet for medical examination due to exposures to dust]. *Pneumologie* 58: 357-364. <http://dx.doi.org/10.1055/s-2004-818421>.
- Hagiwara, Y; Hamada, Y; Kuwahara, M; Maeda, M; Segawa, T; Ishikawa, K; Hino, O. (2008). Establishment of a novel specific ELISA system for rat N- and C-ERC/mesothelin. Rat ERC/mesothelin in the body fluids of mice bearing mesothelioma. *Cancer Sci* 99: 666-670. <http://dx.doi.org/10.1111/j.1349-7006.2008.00731.x>.
- Hagmar, L. (2005). Corporate interests as an obstacle to the primary prevention of cancer. *Scand J Work Environ Health* 31: 165-167.
- Hagmolen Of Ten Have, W; Rooijackers, JM; Burgers, JA. (2016). [Financial compensation for asbestosis patients]. *Ned Tijdschr Geneesk* 160: D544.
- Haguenoer, JM; Frimat, P. (1985). Tobacco and professional risks (pp. 1124-1129). (IPA/88/758289). Haguenoer, JM; Frimat, P.
- Hahne, RMA; Landenberger, BD. (1993). THE USE OF SPIKED ASBESTOS SAMPLES TO DETERMINE ANALYTICAL PROFICIENCY OF COMMERCIAL LABORATORIES DOING FIBER COUNTING. *Am Ind Hyg Assoc J* 54: 560-563.
- Hahon, N. (1988). Polycyclic Aromatic Hydrocarbons, Particulates, and Defense Mechanisms (VKC-BAB-145). 15: 19881988.
- Hain, E. (1980). OCCUPATIONAL MEDICAL PROPHYLACTIC CHECK-UPS FOR ASBESTOS DUST EXPOSED PERSONS - EXPERIENCES AND PERSPECTIVES. *Staub, Reinhaltung der Luft* 40: 190-194.
- Haji Ali, R; Khalife, M; El Nounou, G; Zuhri Yafi, R; Nassar, H; Aidibe, Z; Raad, R; Abou Eid, R; Faraj, W. (2016). Giant primary malignant mesothelioma of the liver: A case report. 30: 58-61. <http://dx.doi.org/10.1016/j.ijscr.2016.11.001>.
- Hajok, I; Marchwińska, E; Dziubaneck, G; Kuraszewska, B; Piekut, A. (2014). Environmentally related diseases and the possibility of valuation of their social costs. *ScientificWorldJournal* 2014: 284072. <http://dx.doi.org/10.1155/2014/284072>.
- Halasova, E; Matakova, T; Kavcova, E; Musak, L; Letkova, L; Adamkov, M; Ondrusova, M; Bukovska, E; Singliar, A. (2009). Human lung cancer and hexavalent chromium exposure. *Neuro Endocrinol Lett* 30: 182-185.
- Haldin-Davis, H. (1935). Multiple Warts in a Creosote Worker. *Proc R Soc Med* 29: 89-90.
- Halebsky, M. (1980). OCEAN INCINERATION OF TOXIC CHEMICAL WASTES (pp. ANN ARBOR). (HEEP/81/02115). Halebsky, M.
- Haley, PJ. (1993). Immunological responses within the lung after inhalation of airborne chemicals. In DE Gardner; AW Hayes; JA Thomas (Eds.), *Target Organ Toxicology* (Second ed., pp. 389-416). New York, NY: Raven Press.
- Haley, TJ. (1975). Asbestosis: a reassessment of the overall problem. *J Pharm Sci Pharm*: 1975.
- Haley, TJ. (1987). CLINICAL TOXICOLOGY (pp. NEW YORK). (BIOSIS/87/24342). Haley, TJ.
- Haley, TJ; WO, B. (1987). Toxicology Absorption, distribution, biotransformation, conjugation and excretion of xenobiotics. Washington DC: Hemisphere Publishing Corporation.
- Hall, EJ. (1997). ETIOLOGY OF CANCER PHYSICAL FACTORS (pp. PRINCIPLES AND PRACTICE OF ONCOLOGY). (BIOSIS/97/18882). Hall, EJ.
- Hall, SA. (1971). Occupational exposures to pollution. *J R Coll Physicians Lond* 5: 379-384.
- Hall, TC; Jensen, DA; Lohse, JR; Shokeir, MO. (1999). Synovial sarcoma with t(X: 18) chromosomal translocation, cardiac involvement, and peripheral embolus. *Med Pediatr Oncol* 32: 141-145.
- Hallenbeck, W; Finn, M; Chen, E. (1900). Urine as a Biological Index of Human Exposure to Airborne Asbestos. 16.
- Hallenbeck, WH. (1981). CONSUMER PRODUCT-SAFETY - RISK ASSESSMENT OF EXPOSURE TO ASBESTOS EMISSIONS FROM HAND-HELD HAIR DRYERS. *Environ Manage* 5: 23-32.
- Hallenbeck, WH. (1983). Asbestos penetration of the gastrointestinal tract. *Environ Health Perspect* 53: 153-154.

Human Health Hazard Literature Search Results

Off Topic

- Hallenbeck, WH. (1988). CAN WE REALLY EVALUATE THE HEALTH RISKS DUE TO EXPOSURE TO AIRBORNE ASBESTOS? (pp. 333-340). (BIOSIS/89/13727). Hallenbeck, WH.
- Hallenbeck, WH; Chen, EH; Patelandlik, K; Wolff, AH. (1977). PRECISION OF ANALYSIS FOR WATERBORNE CHRYSOTILE ASBESTOS BY TRANSMISSION ELECTRON-MICROSCOPY. *Bull Environ Contam Toxicol* 17: 551-558.
- Hallenbeck, WH; Hesse, CS; Chen, EH; Patel-Mandlik, K; Wolff, AH. (1977). Asbestos in potable water. 118: 1-78.
- Halliwell, JL. (1991). Capitalizing on the EPA's shift in favor of "in-place" asbestos management. *Health Facil Manage* 4: 16-19.
- Halmos, B; Powell, CA. (2011). Update in lung cancer and oncological disorders 2010. *Am J Respir Crit Care Med* 184: 297-302. <http://dx.doi.org/10.1164/rccm.201103-0370UP>.
- Hamada, K; Katada, H; Ito, S; Et, AL. (1989). THE RELATIONSHIP BETWEEN CENTRAL AIRWAY LESIONS AND PERIPHERAL LESIONS IN PATIENTS WITH ASBESTOSIS. *Jpn J Chest Dis* 48: 51-56.
- Hamilton, A; Hardy, HL. (1974). Elastomers (pp. 345-348). (NIOSH/00135859). Hamilton, A; Hardy, HL.
- Hamilton, M. (1975). OH Congress session. Asbestos. *Occup Health (Lond)* 27: 431-433.
- Hamilton, M. (1976). SEARCH CONTINUES FOR CLUES TO ASBESTOS HAZARD SECRETS. *Int J Occup Health Saf* 45: 36-39.
- Hamilton, M. (1981). World's most stringent controls recommended. *Occup Health Saf* 50: 38-41.
- Hamilton, RF, Jr; Buford, MC; Wood, MB; Arnone, B; Morandi, M; Holian, A. (2007). Engineered carbon nanoparticles alter macrophage immune function and initiate airway hyper-responsiveness in the BALB/c mouse model. *Nanotoxicology* 1: 104-117. <http://dx.doi.org/10.1080/17435390600926939>.
- Hamilton, RF; Wu, N; Porter, D; Buford, M; Wolfarth, M; Holian, A. (2009). Particle length-dependent titanium dioxide nanomaterials toxicity and bioactivity. *Part Fibre Toxicol* 6: 35. <http://dx.doi.org/10.1186/1743-8977-6-35>.
- Hamilton, V. (2008). The Latrobe Valley: perspectives on asbestos issues. *New Solutions: A Journal of Environmental and Occupational Health Policy* 18: 375-378. <http://dx.doi.org/10.2190/NS.18.3.k>.
- Hamilton, WT; Round, AP; Sharp, DJ; Peters, TJ. (2004). High incidence of mesothelioma in an English city without heavy industrial use of asbestos. *J Public Health (Oxf)* 26: 77-78. <http://dx.doi.org/10.1093/pubmed/fdh116>.
- Hamm, G; Krause, J. (1993). OCCUPATIONAL-SAFETY IN ASBESTOS REMOVAL - JANUARY 25-26, 1993. *Staub, Reinhaltung der Luft* 53: 403-404.
- Hammad, Y; Attieh, B. (1991). SHORT-TERM PULMONARY CLEARANCE OF MMMF (pp. PARIS). (BIOSIS/91/21011). Hammad, Y; Attieh, B.
- Hammad, YY; Diem, J; Weill, H. (1979). Evaluation of dust exposure in asbestos cement manufacturing operations. *Am Ind Hyg Assoc J* 40: 490-495. <http://dx.doi.org/10.1080/15298667991429877>.
- Hammar, SP. (2015). Fatal pulmonary hemorrhage after taking anticoagulation medication. 15: 66-70. <http://dx.doi.org/10.1016/j.rmcr.2015.05.010>.
- Hammar, SP; Abraham, JL. (2015). Commentary on pathologic diagnosis of asbestosis and critique of the 2010 Asbestosis Committee of the College of American Pathologists (CAP) and Pulmonary Pathology Society's (PPS) update on the diagnostic criteria for pathologic asbestosis. *Am J Ind Med* 58: 1034-1039. <http://dx.doi.org/10.1002/ajim.22512>.
- Hammar, SP; Hallman, KO. (1993). Localized inflammatory pulmonary disease in subjects occupationally exposed to asbestos. *Chest* 103: 1792-1799.
- Hammar, SP; Williams, MG; Dodson, RF. (2003). Pulmonary granulomatous vasculitis induced by insoluble particulates: A case report. *Ultrastruct Pathol* 27: 439-449. <http://dx.doi.org/10.1080/01913120390209893>.
- Hammond, EC. (1969). [Prospective epidemiological studies]. *Archiv fuer Hygiene und Bakteriologie* 153: 483-489.
- Hammond, EC. (1970). American Cancer Society plans for a long-range study of colonic and rectal cancer. *Dis Colon Rectum* 13: 108-111.
- Hammond, EC; Selikoff, IJ. (1970). The Effects of Air Pollution. *Epidemiological Evidence* (pp. 368-373). (NIOSH/00177574). Hammond, EC; Selikoff, IJ.
- Hammons, AS; Huff, JE. (1974). ASBESTOS - WORLD CONCERN, INVOLVEMENT AND CULPABILITY. *Int J Environ Stud* 6: 247-252. <http://dx.doi.org/10.1080/00207237408709659>.
- Hampton, T. (2014). Investigational Drug May Fight Asbestos-Related Cancer. *JAMA* 312: 19-19.
- Hamula, W. (1991). Orthodontic office design. Sick building syndrome. *J Clin Orthod* 25: 725-734.
- Hamzaoui, A; Ammar, J; Grairi, H; Hamzaoui, K. (2003). Expression of Fas antigen and Fas ligand in bronchoalveolar lavage from silicosis patients. *Mediators Inflamm* 12: 209-214. <http://dx.doi.org/10.1080/09629350310001599648>.
- Hanash, SM. (2008). Proteomics Biomarkers Development Laboratory.
- Hand, A; Pelin, K; Mattson, K; Linnainmaa, K. (1995). Interferon (IFN)-alpha and IFN-gamma in combination with methotrexate: in vitro sensitivity studies in four human mesothelioma cell lines. *Anticancer Drugs* 6: 77-82.
- Hand, AM; Husgafvel-Pursiainen, K; Pelin, K; Vallas, M; Suitiala, T; Ekman, A; Mattson, M; Mattson, K; Linnainmaa, K. (1992). Interferon-alpha and -gamma in combination with chemotherapeutic drugs: in vitro sensitivity studies in four human mesothelioma cell lines. *Anticancer Drugs* 3: 687-694.
- Handler, P. (1980). Some comments on risk assessment. *Clean Air Heidelberg*: 28-30.
- Haniu, H; Matsuda, Y; Usui, Y; Aoki, K; Shimizu, M; Ogihara, N; Hara, K; Okamoto, M; Takanashi, S; Ishigaki, N; Nakamura, K; Kato, H; Saito, N. (2011). Toxicoproteomic evaluation of carbon nanomaterials in vitro [Review]. *J Proteomics* 74: 2703-2712. <http://dx.doi.org/10.1016/j.jprot.2011.03.004>.
- Haniu, H; Tsukahara, T; Matsuda, Y; Usui, Y; Aoki, K; Shimizu, M; Ogihara, N; Hara, K; Takanashi, S; Okamoto, M; Ishigaki, N; Nakamura, K; Kato, H; Saito, N. (2011). DJ-1 as a potential biomarker for the development of biocompatible multiwalled carbon nanotubes. *International Journal of Nanomedicine (Online)* 6: 2689-2695. <http://dx.doi.org/10.2147/IJN.S25471>.
- Hannibal, AL. (1983). Caveat fumator [Letter]. *Hosp Pract (Off Ed)* 18: 26-32.

Human Health Hazard Literature Search Results

Off Topic

- Hansell, A. (2008). Airborne environmental exposure to asbestos [Editorial]. *Am J Respir Crit Care Med* 178: 556-557. <http://dx.doi.org/10.1164/rccm.200806-859ED>.
- Hansell, AL; Best, NG; Rushton, L. (2009). Lessons from ecological and spatial studies in relation to occupational lung disease [Review]. *Curr Opin Allergy Clin Immunol* 9: 87-92. <http://dx.doi.org/10.1097/ACI.0b013e32832921f3>.
- Hansen, E; Rasmussen, F; Hardt, F; Kamstrup, O. (1999). Lung function and respiratory health of long-term fiber-exposed stonewool factory workers. *Am J Respir Crit Care Med* 160: 466-472.
- Hansen, ES. (1989). Mortality of auto mechanics. 15: 43-46.
- Hansen, ES. (1993). A follow-up study on the mortality of truck drivers. *Am J Ind Med* 23: 811-821.
- Hansen, ES. (2002). No effect or no information? Comments on a nested case-control study of lung cancer among European rock and slag wool production workers. *Int J Occup Environ Health* 8: 281-283. <http://dx.doi.org/10.1179/oeh.2002.8.3.281>.
- Hansen, ES. (2003). Lung cancer in MMVF workers--viewpoints on a null-result study [Comment]. *Int J Occup Environ Health* 9: 397-398. <http://dx.doi.org/10.1179/oeh.2003.9.4.397>.
- Hansen, KS. (1996). Validity of occupational exposure and smoking data obtained from surviving spouses and colleagues. *Am J Ind Med* 30: 392-397. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199610\)30:4<392::AID-AJIM3>3.0.CO;2-Y](http://dx.doi.org/10.1002/(SICI)1097-0274(199610)30:4<392::AID-AJIM3>3.0.CO;2-Y).
- Hansen, KS; Lauritsen, JM; Skytthe, A. (1996). Cancer incidence among mild steel and stainless steel welders and other metal workers. *Am J Ind Med* 30: 373-382. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199610\)30:4<373::AID-AJIM1>3.0.CO;2-X](http://dx.doi.org/10.1002/(SICI)1097-0274(199610)30:4<373::AID-AJIM1>3.0.CO;2-X).
- Hansen, SJ. (1991). Hansen, S. J. *Managing Indoor Air Quality*. X+317p. Fairmont Press, Inc.: Lilburn, Georgia, USA; (Dist. By Prentice-Hall, Inc.: Englewood Cliffs, New Jersey, USA). Illus. Isbn 0-88173-107-2; Isbn 0-13-553124-1.; 0 (0). 1991. X+317p *Managing indoor air quality*.
- Hanson, J. (1987). Asbestos management for the housekeeping department. Part 1. 8: 12-13, 16.
- Hanson, MJ; Schneider, RL; Berger, B; Deguzman, A; Cropek, DM. (2000). Infrared Spectroscopic Study of the Vapor Adsorption of Nitroglycerin and Pentaerythritol Tetranitrate on Chrysotile Asbestos (pp. 31). (NTIS/O2926934_a). Hanson, MJ; Schneider, RL; Berger, B; Deguzman, A; Cropek, DM.
- Haque, AK. (1992). Transplacental transfer of asbestos in humans [Research]. RePORTER Database National Institutes of Health.
- Haque, AK. (1993). Transplacental transfer of asbestos in humans [Research]. RePORTER Database National Institutes of Health.
- Haque, AK; Ali, I; Vrazel, DM; Uchida, T. (2001). Chrysotile asbestos fibers detected in the newborn pups following gavage feeding of pregnant mice. *J Toxicol Environ Health A* 62: 23-31.
- Haque, AK; Hernandez, JC; Dillard, EA. (1985). Asbestos bodies found in infant lungs [Letter]. *Arch Pathol Lab Med* 109: 212.
- Haque, AK; Mancuso, MG; Williams, G; Corn, C; Dodson, R. (1991). UNCOATED ASBESTOS FIBERS AND FERRUGINOUS BODIES IN THE PLACENTA AND ORGANS OF STILLBORN INFANTS (pp. 17-22). (ISSN 0023-6837 EISSN 1530-0307 BIOSIS/91/11943). Haque, AK; Mancuso, MG; Williams, G; Corn, C; Dodson, R.
- Haque, AK; Vrazel, D; Downs, T; Cooper, S; Burau, K. (1995). ASBESTOS IN STILLBORN INFANT'S ORGANS AND PLACENTAS TRANSPLACENTAL TRANSFER OR ARTIFACT? (pp. 11-17). (ISSN 0023-6837 EISSN 1530-0307 BIOSIS/95/11990). Haque, AK; Vrazel, D; Downs, T; Cooper, S; Burau, K.
- Harada, A; Uchino, J; Harada, T; Nakagaki, N; Hisasue, J; Fujita, M; Takayama, K. (2017). Vascular endothelial growth factor promoter-based conditionally replicative adenoviruses effectively suppress growth of malignant pleural mesothelioma. *Cancer Sci* 108: 116-123. <http://dx.doi.org/10.1111/cas.13112>.
- Harari, R; Marsili, D; Comba, P. (2009). Cooperazione Scientifica Italia (ISS) Ecuador (IFA). La Prevenzione Delle Patologie da Amianto: un Problema di Sanita Pubblica. (Scientific Cooperation Between Italy (ISS) and Ecuador (IFA). The Prevention of Asbestos-Related Diseases: a Public Health Concern.). 166.
- Haratake, J; Yamato, H; Hori, H; Tanaka, I. (1995). HISTOPATHOLOGIC EXAMINATIONS OF RATS TREATED BY CHRONIC INHALATION EXPOSURES TO GLASS-FIBERS. *Inhal Toxicol* 7: 343-352.
- Harber, P. (1985). ALTERNATIVE PARTIAL RESPIRATORY DISABILITY SCALING SYSTEMS (pp. 21-25). (BIOSIS/86/02827). Harber, P.
- Harber, P. (1986). Alternative partial respiratory disability rating schemes. *Am Rev Respir Dis* 134: 481-487. <http://dx.doi.org/10.1164/arrd.1986.134.3.481>.
- Harber, P. (1992). RESPIRATORY DISABILITY - THE UNCOUPLING OF OXYGEN-CONSUMPTION AND DISABILITY. *Clin Chest Med* 13: 367-376.
- Harber, P. (1994). Primary care role in preventing occupational and environmental respiratory disease [Review]. *Primary Care* 21: 291-311.
- Harber, P; Hsu, P. (1991). PROGRAM OPTIMIZATION A SEMI-QUANTITATIVE APPROACH (pp. 145-152). (ISSN 0885-114X BIOSIS/91/10781). Harber, P; Hsu, P.
- Harber, P; Kantor, R; Tashkin, DP; Rask-Anderson, A. (1989). FUNCTIONAL IMPACT OF SMALL AIRWAY DYSFUNCTION (pp. 14-17). (BIOSIS/89/21211). Harber, P; Kantor, R; Tashkin, DP; Rask-Anderson, A.
- Harber, P; Lew, M; Tashkin, DP; Simmons, M. (1987). Factor analysis of clinical data from asbestos workers: implications for diagnosis and screening. *Br J Ind Med* 44: 780-784.
- Harber, P; Merz, B; Lam, I; Yuan, M; Parker, JE; Chen, WL. (2000). Intelligent database generated occupational questionnaire system. *J Occup Environ Med* 42: 483-490. <http://dx.doi.org/10.1097/00043764-200005000-00004>.
- Harber, P; Tashkin, D; Shimozaaki, S; Hathaway, E. (1988). Veracity of disability claimants' self-reports of current smoking status. Comparison of carboxyhemoglobin levels from disability claimant and reference population. *Chest* 93: 561-564.
- Harbin, TJ. (1991). Cooper, R. L., J. M. Goldman and T. J. Harbin (Ed.). *The Johns Hopkins Series in Environmental Toxicology: Aging and Environmental Toxicology: Biological and Behavioral Perspectives*. Ix+301p. Johns Hopkins University Press: Baltimore, Maryland, USA; London, England, Uk. Illus. Isbn 0-8018-4105-4.; 0 (0). 1991. 232-245 Electrophysiological measures in neurotoxicology.

Human Health Hazard Literature Search Results

Off Topic

- Harbut, MR. (2007). Treatment of nonmalignant asbestos-related diseases [Editorial]. *Am J Ind Med* 50: 71-72. <http://dx.doi.org/10.1002/ajim.20416>.
- Harbut, MR; Endress, C; Graff, JJ; Weis, C; Pass, H. (2009). Clinical Presentation of Asbestosis with Intractable Pleural Pain in the Adult Child of a Taconite Miner and Radiographic Demonstration of the Probable Pathology Causing the Pain. *Int J Occup Environ Health* 15: 269-273. <http://dx.doi.org/10.1179/oeh.2009.15.3.269>.
- Hardell, L; Eriksson, M. (1988). The association between soft tissue sarcomas and exposure to phenoxyacetic acids a new case-referent study. *Cancer* 62: 652-656.
- Hardie, HD. (1980). Mineral fibre problems: a management view. *IARC Sci Publ* 769-774.
- Hardt, JS; Vermeulen, R; Peters, S; Kromhout, H; McLaughlin, J. R.; Demers, PA. (2014). A comparison of exposure assessment approaches: lung cancer and occupational asbestos exposure in a population-based case-control study. *Occup Environ Med* 71: 282-288. <http://dx.doi.org/10.1136/oemed-2013-101735>.
- Hardy, H; Egilman, D. (1991). Corruption of occupational medical literature: the asbestos example [Letter]. *Am J Ind Med* 20: 127-129.
- Hardy, MJ. (1985). More than 400-member hospitals join in asbestos suit. 8: 9.
- Hardy, RJ; Highsmith, VR; Costa, DL; Krewer, JA. (1992). Indoor asbestos concentrations associated with the use of asbestos-contaminated tap water in portable home humidifiers. *Environ Sci Technol* 26: 680-689.
- Harington, JS. (1965). Chemical Studies of Asbestos. *Ann N Y Acad Sci* 132: 31-47.
- Harington, JS. (1981). Fiber carcinogenesis: epidemiologic observations and the Stanton hypothesis [Review]. *J Natl Cancer Inst* 67: 977-988.
- Harington, JS; Mcglashan, ND. (1998). South African asbestos: Production, exports, and destinations, 1959-1993 [Review]. *Am J Ind Med* 33: 321-326.
- Harington, JS; Mcglashan, ND. (2000). The South African asbestos trade, 1994-1999 [Letter]. *Am J Ind Med* 37: 229.
- Harington, JS; Mcglashan, ND; Chelkowska, EZ. (2010). South Africa's export trade in asbestos: demise of an industry. *Am J Ind Med* 53: 524-534. <http://dx.doi.org/10.1002/ajim.20784>.
- Harington, JS; Miller, K. (1971). Effect of poly-2-vinylpyridine-1-oxide on hemolysis by water. *Environ Res* 4: 118-120.
- Harkin, TJ; Naidich, DP; Mccauley, DI; Mcguinness, G; Goldring, RM; Alexander, RF; Crane, MA; Rom, WN. (1991). A NEW RADIOGRAPHIC METHODOLOGY FOR THE ASSESSMENT OF ASBESTOS-RELATED PLEURAL AND PARENCHYMAL ABNORMALITIES UTILIZING HIGH RESOLUTION COMPUTED TOMOGRAPHY (pp. 12-15). (BIOSIS/91/21167). Harkin, TJ; Naidich, DP; Mccauley, DI; Mcguinness, G; Goldring, RM; Alexander, RF; Crane, MA; Rom, WN.
- Harkness, EF; Brewster, DH; Kerr, KM; Fergusson, RJ; Macfarlane, GJ. (2002). Changing trends in incidence of lung cancer by histologic type in Scotland. *Int J Cancer* 102: 179-183. <http://dx.doi.org/10.1002/ijc.10661>.
- Harkov, R. (1982). TOXIC AIR POLLUTANTS ASSESSING THEIR IMPORTANCE. *Sci Total Environ* 26: 67-86. [http://dx.doi.org/10.1016/0048-9697\(82\)90096-1](http://dx.doi.org/10.1016/0048-9697(82)90096-1).
- Harlow, BL; Hartge, PA. (1995). A review of perineal talc exposure and risk of ovarian cancer [Review]. *Regul Toxicol Pharmacol* 21: 254-260. <http://dx.doi.org/10.1006/rtph.1995.1039>.
- Harness, I. (1973). Airborne Asbestos Dust Evaluation. *Ann Occup Hyg* 16: 397-404.
- Harper, BL; Morris, DL. (1984). Implications of multiple mechanisms of carcinogenesis for short-term testing. *Teratog Carcinog Mutagen* 4: 483-503.
- Harper, M. (2008). 10th Anniversary Critical Review: Naturally occurring asbestos [Review]. *J Environ Monit* 10: 1394-1408. <http://dx.doi.org/10.1039/b810541n>.
- Harper, M; Bartolucci, A. (2003). Preparation and examination of proposed consensus reference standards for fiber-counting. *AIHA J* 64: 283-287.
- Harper, M; Butler, C; Berry, D; Wroble, J. (2015). Where occupation and environment overlap: US Forest Service worker exposure to Libby Amphibole fibers. *J Occup Environ Hyg* 12: D47-D53. <http://dx.doi.org/10.1080/15459624.2014.989362>.
- Harper, M; Lee, E; Doorn, SS; Hammond, O. (2008). Differentiating Non-Asbestiform Amphibole and Amphibole Asbestos by Size Characteristics. *J Occup Environ Hyg* 5: 761-770. <http://dx.doi.org/10.1080/15459620802462290>.
- Harper, M; Lee, EG; Slaven, JE; Bartley, DL. (2012). An inter-laboratory study to determine the effectiveness of procedures for discriminating amphibole asbestos fibers from amphibole cleavage fragments in fiber counting by phase-contrast microscopy. *Ann Occup Hyg* 56: 645-659. <http://dx.doi.org/10.1093/annhyg/mer123>.
- Harper, M; Slaven, JE; Pang, TW. (2009). Continued participation in an asbestos fiber-counting proficiency test with relocatable grid slides. *J Environ Monit* 11: 434-438. <http://dx.doi.org/10.1039/b813893a>.
- Harper, M; Van Gosen, B; Crankshaw, OS; Doorn, SS; Ennis, TJ; Harrison, SE. (2015). Characterization of Lone Pine, California, tremolite asbestos and preparation of research material. *Ann Occup Hyg* 59: 91-103. <http://dx.doi.org/10.1093/annhyg/meu074>.
- Harries, PG. (1970). PROTECTION OF DOCKYARD WORKERS AGAINST ASBESTOS. *Proc R Soc Med* 63: 1015-&.
- Harries, PG. (1971). Asbestos dust concentrations in ship repairing: a practical approach to improving asbestos hygiene in naval dockyards. *Ann Occup Hyg* 14: 241-254.
- Harrington, JM. (1993). Re: Attitudes and opinions regarding asbestos and cancer, 1934-1965 [Comment]. *Am J Ind Med* 23: 505-506.
- Harris, CC. (1974). Cause and prevention of lung cancer [Review]. *Semin Oncol* 1: 163-166.
- Harris, JE; Thun, MJ; Mondul, AM; Calle, EE. (2004). Cigarette tar yields in relation to mortality from lung cancer in the cancer prevention study II prospective cohort, 1982-8. *B M J (Online)* 328: 72. <http://dx.doi.org/10.1136/bmj.37936.585382.44>.
- Harris, LV; Kahwa, IA. (2003). Asbestos: old foe in 21st century developing countries [Editorial]. *Sci Total Environ* 307: 1-9. [http://dx.doi.org/10.1016/S0048-9697\(02\)00504-1](http://dx.doi.org/10.1016/S0048-9697(02)00504-1).

Human Health Hazard Literature Search Results

Off Topic

- Harris, MD; Johnson, CR. (2006). Preventive medicine in Task Force 1st Armored Division during Operation Iraqi Freedom. *Mil Med* 171: 807-812.
- Harris, MR; Hartnett B, JS; Marlin, GE. (1978). SURVEY OF FIBER OPTIC BRONCHOSCOPY. *Aust N Z J Med* 8: 449.
- Harris, P. (2005). Ongoing regulatory compliance required. 59: 49-50.
- Harris, R. (2002). Stoking Ground Zero health worries. *Curr Biol* 12: R122.
- Harrison, J; Sepai, O. (2000). Should control measures be based on air measurements or biological/biological effect monitoring? *Occup Med (Lond)* 50: 61-63.
- Harrison, LH; Schwarzenberger, PO; Byrne, PS; Marrogi, AJ; Kolls, JK; Mccarthy, KE. (2000). Gene-modified PA1-STK cells home to tumor sites in patients with malignant pleural mesothelioma. *Ann Thorac Surg* 70: 407-411.
- Harrison, PT; Heath, JC. (1986). Asbestos bodies in rat lung following intratracheal instillation of chrysotile. *Lab Anim* 20: 132-137. <http://dx.doi.org/10.1258/002367786780865223>.
- Harrod, J; Thorpe, V. (1984). Asbestos, politics and economics of a lethal product. (CIS/86/00023). Harrod, J; Thorpe, V.
- Hart, EM; Aberle, DR. (1996). Radiologic Methods (pp. occupational). (NIOSH/00229486). Hart, EM; Aberle, DR.
- Hart, J; Ward, T; Spear, T; Crispen, K; Zolnikov, T. (2007). Evaluation of asbestos exposures during firewood-harvesting simulations in Libby, MT, USA--preliminary data. *Ann Occup Hyg* 51: 717-723. <http://dx.doi.org/10.1093/annhyg/mem052>.
- Hart, RW; Daniel, FB; Kindig, OR; Beach, CA; Joseph, LB; Wells, RC. (1980). Elemental modifications and polycyclic aromatic hydrocarbon metabolism in human fibroblasts. *Environ Health Perspect* 34: 59-68.
- Hartford, WH. (1983). Asbestos exposure [Letter]. *J Air Pollut Control Assoc* 33: 820.
- Hartikainen, T; Tossavainen, A. (1997). Quantification of silicate fiber concentrations in rock products and dusts by electron microscopy. *Am Ind Hyg Assoc J* 58: 264-269.
- Hartley, PG; Galvin, JR; Hunninghake, GW; Merchant, JA; Yagla, SJ; Speakman, SB; Schwartz, DA. (1994). High-resolution CT-derived measures of lung density are valid indexes of interstitial lung disease. *J Appl Physiol* 76: 271-277.
- Hartung, M. (1980). OCCUPATIONALLY CONDITIONED PLEURAMESOTHELIOMA AFTER HANDLING WITH ASBESTOS CONTAINING PROTECTIVE CLOTHES. *Arbeitsmedizin, Sozialmedizin, Praeventivmedizin* 15: 153-154.
- Harwood, CF; Oestreich, DK; Siebert, P; Stockham, JD. (1975). Asbestos emissions from baghouse controlled sources. *Am Ind Hyg Assoc J* 36: 595-603.
- Hasan, FM. (1978). ASBESTOS EXPOSURE AND MESOTHELIOMA - REPLY. *Am Rev Respir Dis* 117: 187-187.
- Hasegawa, S; Kondo, N; Matsumoto, S; Takuwa, T; Hashimoto, M; Orui, H; Fukuda, S; Yoneda, K; Okumura, Y; Tsubota, N; Fukuoka, K; Torii, I; Tsujimura, T; Nakano, T. (2012). Practical approaches to diagnose and treat for T0 malignant pleural mesothelioma: a proposal for diagnostic total parietal pleurectomy [Review]. *Int J Clin Oncol* 17: 33-39. <http://dx.doi.org/10.1007/s10017-011-0368-2>.
- Hasegawa, S; Koshikawa, M; Takahashi, I; Hachiya, M; Furukawa, T; Akashi, M; Yoshida, S; Saga, T. (2008). Alterations in manganese, copper, and zinc contents, and intracellular status of the metal-containing superoxide dismutase in human mesothelioma cells. *J Trace Elem Med Biol* 22: 248-255. <http://dx.doi.org/10.1016/j.jtemb.2008.05.001>.
- Hasegawa, S; Koshikawa-Yano, M; Saito, S; Morokoshi, Y; Furukawa, T; Aoki, I; Saga, T. (2011). Molecular imaging of mesothelioma by detection of manganese-superoxide dismutase activity using manganese-enhanced magnetic resonance imaging. *Int J Cancer* 128: 2138-2146. <http://dx.doi.org/10.1002/ijc.25547>.
- Haseman, JK; Crawford, DD; Huff, JE; Boorman, GA; Mcconnell, EE. (1984). Results from 86 two-year carcinogenicity studies conducted by the National Toxicology Program. *J Toxicol Environ Health* 14: 621-639. <http://dx.doi.org/10.1080/15287398409530613>.
- Hashimoto, DM; Brennan, TA; Christiani, DC. (1991). Should asbestos in buildings be regulated on an environmental or occupational basis? *Ann N Y Acad Sci* 643: 609-613.
- Hashimoto, DM; Brennan, TA; Christiani, DC. (1991). SHOULD ASBESTOS IN BUILDINGS BE REGULATED ON AN ENVIRONMENTAL OR OCCUPATIONS BASIS? (pp. EXPOSURE TO ASBESTOS IN PLACE: PUBLIC HEALTH CONTROL; CONFERENCE). (BIOSIS/93/34971). Hashimoto, DM; Brennan, TA; Christiani, DC.
- Haslam, PL; Dewar, A; Butchers, P; Primett, ZS; Newman-Taylor, A; Turner-Warwick, M. (1987). Mast cells, atypical lymphocytes, and neutrophils in bronchoalveolar lavage in extrinsic allergic alveolitis. Comparison with other interstitial lung diseases. *Am Rev Respir Dis* 135: 35-47.
- Haslam, PL; Dewar, A; Turner-Warwick, M; Butchers, P. (1982). MAST CELLS IN BRONCHO ALVEOLAR LAVAGE FLUIDS FROM PATIENTS WITH EXTRINSIC ALLERGIC ALVEOLITIS SYNONYM HYPER SENSITIVITY PNEUMONITIS (pp. 15-18). (HEEP/83/10835). Haslam, PL; Dewar, A; Turner-Warwick, M; Butchers, P.
- Hassan, R; Alexander, R; Antman, K; Boffetta, P; Churg, A; Coit, D; Hausner, P; Kennedy, R; Kindler, H; Metintas, M; Mutti, L; Onda, M; Pass, H; Premkumar, A; Roggli, V; Stermann, D; Sugarbaker, P; Taub, R; Verschraegen, C. (2006). Current treatment options and biology of peritoneal mesothelioma: meeting summary of the first NIH peritoneal mesothelioma conference. *Ann Oncol* 17: 1615-1619. <http://dx.doi.org/10.1093/annonc/mdl060>.
- Hasselbacher, P. (1981). LACK OF CORRELATION OF MEMBRANOLYSIS WITH INFLAMMATORY POTENTIAL OF CRYSTALS (pp. 13-14). (HEEP/82/03355). Hasselbacher, P.
- Hatch, M; Moline, J. (1997). Women, work, and health. *Am J Ind Med* 32: 303-308.
- Hatfield, R; Longo, W; Newton, L; Templin, J. (2003). Asbestos exposure from gasket removal [Letter]. 64: 595; author reply 595-597.
- Hatfield, R; Longo, W; Newton, L; Templin, J. (2003). Asbestos exposures from gasket removal. *AIHA J* 64: 595-595.
- Hatz, RA; Klotz, LV. (2015). Pleural mesothelioma. Multimodal management as a clinical challenge. *Der Onkologe* 21: 1129-+. <http://dx.doi.org/10.1007/s00761-014-2886-9>.

Human Health Hazard Literature Search Results

Off Topic

- Hauptverband der gewerblichen Berufsgenossenschaften, F; Gesundheit, rSu. (2006). [Contaminated areas] (pp. EUR 6). (CIS/07/00676).
Hauptverband der gewerblichen Berufsgenossenschaften, F; r Sicherheit und Gesundheit (BGZ).
- Hawkins, R. (1994). Types of asbestos fibers and disease-causing potential [Letter]. *Am Fam Physician* 50: 308; author reply 308, 310.
- Hawkins, R. (1996). Carcinogens and the workplace [Letter]. *CA Cancer J Clin* 46: 255-256.
- Hay, A. (1979). Asbestos: killer dust, says book. *Nature* 281: 172.
- Hay, A. (1979). UK to tighten asbestos controls. *Nature* 282: 5.
- Hayashi, H. (1974). Quantitative determination of airborne asbestos dust in occupational environment by X-ray diffraction using conventional and rotating anode X-ray tube. *Ind Health* 11: 225-236.
- Hayashi, H. (1982). X-RAY MICRO ANALYSIS IN PULMONARY FIBROSIS (pp. 21-22). (HEEP/83/07780). Hayashi, H.
- Hayashi, H; Maeda, M; Murakami, S; Kumagai, N; Chen, Y; Hatayama, T; Katoh, M; Miyahara, N; Yamamoto, S; Yoshida, Y; Nishimura, Y; Kusaka, M; Fujimoto, W; Otsuki, T. (2009). SOLUBLE INTERLEUKIN-2 RECEPTOR AS AN INDICATOR OF IMMUNOLOGICAL DISTURBANCE FOUND IN SILICOSIS PATIENTS. *Int J Immunopathol Pharmacol* 22: 53-62.
- Hayashi, H; Miura, Y; Maeda, M; Murakami, S; Kumagai, N; Nishimura, Y; Kusaka, M; Urakami, K; Fujimoto, W; Otsuki, T. (2010). REDUCTIVE ALTERATION OF THE REGULATORY FUNCTION OF THE CD4+CD25+ T CELL FRACTION IN SILICOSIS PATIENTS. *Int J Immunopathol Pharmacol* 23: 1099-1109.
- Hayatsu, H. (1991). Mutagens in food: Detection and prevention. In H Hayatsu (Ed.), (pp. DETECTION AND PREVENTION). Boca Raton, FL: CRC Press, Inc.
- Hayem, A; Scharfman, A; Davril, M; Marko, D; Hannotiaux, MH; Lafitte, JJ. (1989). BRONCHOALVEOLAR LAVAGE FLUIDS FROM PATIENTS WITH SILICOSIS AND ASBESTOSIS NEUTROPHIL ELASTASE INHIBITORY CAPACITY IS DIFFERENT (pp. 14-17). (BIOSIS/89/21289). Hayem, A; Scharfman, A; Davril, M; Marko, D; Hannotiaux, MH; Lafitte, JJ.
- Hayes, A; Cohen, AT; Vanderschaaf, A; Lovegrove, FT; Thompson, G; Guelfi, G; Musk, A. (1988). COMPUTER QUANTITATION OF GA-67 UPTAKE IN CROCIDOLITE-EXPOSED ASBESTOS WORKERS. *Aust N Z J Med* 18: 488-488.
- Hayes, A; Musk, AW; Lovegrove, FT; Rose, A; Ryan, G; Robinson B, WS. (1987). ASBESTOS EXPOSURE AND PULMONARY GALLIUM UPTAKE (pp. 24-26). (BIOSIS/88/06019). Hayes, A; Musk, AW; Lovegrove, FT; Rose, A; Ryan, G; Robinson B, WS.
- Hayman, MF; Bergman, RF. (1980). Interagency Regulatory Liaison Group. (NIOSH/00145735). Hayman, MF; Bergman, RF.
- Haynes, RC. (2010). A worn-out welcome: renewed call for a global ban on asbestos [Comment]. *Environ Health Perspect* 118: A298-A303. <http://dx.doi.org/10.1289/ehp.118-a298>.
- Hayward, SB; Smith, GR. (1984). ASBESTOS CONTAMINATION OF VERMICULITE [Letter]. *Am J Public Health* 74: 519-519.
- Hazelton, WD; Goodman, G; Rom, WN; Tockman, M; Thornquist, M; Moolgavkar, S; Weissfeld, JL; Feng, Z. (2012). Longitudinal multistage model for lung cancer incidence, mortality, and CT detected indolent and aggressive cancers. *Math Biosci* 240: 20-34. <http://dx.doi.org/10.1016/j.mbs.2012.05.008>.
- H-C, C; P-Y, C. (1989). LEAD INTOXICATION IN SHIP-SCRAPPING EMPLOYEES IN TAIWAN. *Kaohsiung J Med Sci* 5: 284-290.
- He, J. (2008). Targeted liposomal radiotherapy of malignant mesothelioma.
- He, J. (2009). Targeted liposomal radiotherapy of malignant mesothelioma.
- He, J. (2010). Targeted liposomal radiotherapy of malignant mesothelioma.
- He, J. (2011). Targeted liposomal radiotherapy of malignant mesothelioma.
- He, X; Despeaux, E; Stueckle, TA; Chi, A; Castranova, V; Dinu, CZ; Wang, L; Rojasasakul, Y. (2016). Role of mesothelin in carbon nanotube-induced carcinogenic transformation of human bronchial epithelial cells. *Am J Physiol Lung Cell Mol Physiol* 311: L538-L549. <http://dx.doi.org/10.1152/ajplung.00139.2016>.
- Headapohl, D. (1993). Sex, gender, biology, and work [Review]. *Occup Med: State of the Art Rev* 8: 685-707.
- Health; Safety, C. (1999). Work with materials containing asbestos - Control of Asbestos Regulations 2006. 33: 50.
- Health; Safety, E. (1999). Asbestos dust kills. Keep your mask on. 4.
- Health; Safety, E. (1999). Asbestos kills: Protect yourself! - You are more at risk than you think. 4.
- Health; Safety, E. (1999). Asbestos: Medical guidance note. 10.
- Health; Safety, E. (1999). Asbestos: The analysts' guide for sampling, analysis and clearance procedures. *Biol Res* 71: 50.
- Health; Safety, E. (1999). Asbestos: The licensed contractors' guide. *Biol Res* 43: 50.
- Health; Safety, E. (1999). The management of asbestos in non-domestic premises - Regulation 4 of the Control of Asbestos at Work Regulations 2006 - Approved code of practice and guidance. 18: 50.
- Health; Safety, E. (1999). Occupational exposure limits 2002. 228: 50.
- Health; Safety, E. (1999). Selection of suitable respiratory protective equipment for work with asbestos. 14.
- Health; Safety, E. (1999). A short guide to managing asbestos in premises. 14.
- Health; Safety, E. (1999). Surveying, sampling and assessment of asbestos-containing materials. 21: 00.
- Health and Safety Commission. (1983). Work with asbestos insulation and asbestos coating: Approved code of practice and guidance note. (CIS/85/01552). Health and Safety Commission.
- Health and Safety Executive, MD. (1984). Asbestos (Licensing) Regulations 1983: medical surveillance. (CIS/84/01538). Health and Safety Executive.
- Health, IDo. (2000). Public Health Assessment for Illinois Beach Park Zion, Lake County, Illinois, Region 5. CERCLIS No. ILD984840140. 36.
- Health, PDo. (2015). Health Assessment Final Release: Borit Asbestos National Priorities List Site, Ambler, Montgomery County, Pennsylvania, January 9, 2015.

Human Health Hazard Literature Search Results

Off Topic

- Health, WDo. (1992). Public Health Assessment for Algoma Municipal Landfill, Algoma, Kewaunee County, Wisconsin, Region 5. CERCLIS No. WID980610380. 22.
- Health, WSDo. (2006). Health Consultation: Swift Creek Sediment Asbestos, Whatcom County, Washington. 35.
- Health, WSDo. (2016). Consultation: Asbestos and Metals in Groundwater and Leachate Swift Creek, Whatcom County, Washington.
- Heard, BE; Dewar, A; Corrin, B. (1992). APPOSITION OF FIBROBLASTS TO MAST-CELLS AND LYMPHOCYTES IN NORMAL HUMAN LUNG AND IN CRYPTOGENIC FIBROSING ALVEOLITIS - ULTRASTRUCTURE AND CELL PERIMETER MEASUREMENTS. *J Pathol* 166: 303-310.
- Hearne, GR; Kolk, B; Pollak, H; Vanwyk, JA; Gulumian, M. (1993). BULK AND SURFACE MODIFICATIONS IN DETOXIFIED CROCIDOLITE. *J Inorg Biochem* 50: 145-156.
- Hebert, C. (1973). Collaborative study of improvements in the distillation procedure of the official method for formaldehyde in maple sirup. 56: 132-134.
- Hechmat, A. (1972). On the problem of emergency-supply with drinking-water by way of Sitz-filter. 155: 535-540.
- Hecht, SE. (1996). CARCINOGEN-DERIVED BIOMARKERS AND LUNG CANCER (pp. 16-17). (BIOSIS/96/22556). Hecht, SE.
- Hecker, E. (1973). Current problems in tumorigenesis (pp. 99-122). (HEEP/73/09298). Hecker, E.
- Hecker, E. (1990). TUMOR PROMOTERS AS RISK FACTORS OF CANCER A NOVEL CATEGORY OF DEFINED CARCINOGENS OF THE ENVIRONMENT. *Arch Geschwulstforsch* 60: 409-422.
- Hedley-Whyte, J; Milamed, DR. (2008). Asbestos and ship-building: fatal consequences. *Ulster Med J* 77: 191-200.
- Hedmer, M; Isaxon, C; Nilsson, PT; Ludvigsson, L; Messing, ME; Genberg, J; Skaug, V; Bohgard, M; Tinnerberg, H; Pagels, JH. (2014). Exposure and emission measurements during production, purification, and functionalization of arc-discharge-produced multi-walled carbon nanotubes. *Ann Occup Hyg* 58: 355-379. <http://dx.doi.org/10.1093/annhyg/met072>.
- Heer, S; Ruttner, J. R. (1986). NUMBER AND LENGTH DISTRIBUTION OF FIBERS AND FERRUGINOUS BODIES FROM LUNGS OF INDIVIDUALS EXPOSED AND NOT EXPOSED TO ASBESTOS. *Arbeitsmedizin, Sozialmedizin, Praeventivmedizin* 21: 233-235.
- HEI (Health Effects Institute). (1991). Asbestos in public and commercial buildings: A literature review and synthesis of current knowledge [HEI] (pp. 422). (Special Report). Cambridge, MA: Health Effects Institute-Asbestos Research.
- Hei, TK. (1991). Radiation, asbestos, and mutagenesis [Research]. RePORTER Database National Institutes of Health.
- Hei, TK. (1992). Mutagenicity of mineral fibers [Research]. RePORTER Database National Institutes of Health.
- Hei, TK. (1992). Radiation, asbestos, and mutagenesis [Research]. RePORTER Database National Institutes of Health.
- Hei, TK. (1993). The mutagenicity of mineral fibers [Research]. RePORTER Database National Institutes of Health.
- Hei, TK. (1993). Radiation, asbestos, and mutagenesis [Research]. RePORTER Database National Institutes of Health.
- Hei, TK. (1994). Mutagenicity of mineral fibers [Research]. RePORTER Database National Institutes of Health.
- Hei, TK. (1994). Radiation, asbestos, and mutagenesis [Research]. RePORTER Database National Institutes of Health.
- Hei, TK. (1997). Mechanisms of fiber carcinogenesis [Research]. RePORTER Database National Institutes of Health.
- Hei, TK. (1998). Mechanisms of fiber carcinogenesis [Research]. RePORTER Database National Institutes of Health.
- Hei, TK. (1998). Mutagenicity of mineral fibers [Research]. RePORTER Database National Institutes of Health.
- Hei, TK. (2000). Mechanisms of fiber carcinogenesis.
- Hei, TK. (2000). Mutagenicity of mineral fibers.
- Hei, TK. (2001). Mechanisms of fiber carcinogenesis.
- Hei, TK. (2001). Mutagenicity of mineral fibers.
- Hei, TK. (2002). The mutagenicity of mineral fibers.
- Hei, TK. (2003). The mutagenicity of mineral fibers.
- Hei, TK. (2004). The mutagenicity of mineral fibers.
- Heidermanns, G. (1973). Asbestos Content Determination by Optical, Chemical, Radiographic and Infrared Spectrographic Analysis Procedures. *Staub, Reinhaltung der Luft* 33: 67-72.
- Heidermanns, G; Kuhnen, G; Schutz, A; Prochazka, R. (1975). Investigations of the Health Hazard of Dust from Asbestos-Containing Friction Brake Linings. STF Report No: 19751975.
- Heidermanns, G; Riediger, G; Schuetz, A. (1976). ASBESTOS DETERMINATION IN FINE INDUSTRIAL DUSTS AND IN LUNG DUSTS (pp. BERLIN). (HEEP/77/12080). Heidermanns, G; Riediger, G; Schuetz, A.
- Heidermanns, G; Riediger, G; Schuetz, A. (1976). ASBESTOS DETERMINATION IN INDUSTRIAL DUSTS AND IN LUNG DUSTS (pp. BERLIN). (HEEP/77/12069). Heidermanns, G; Riediger, G; Schuetz, A.
- Heidermanns, G; Riediger, G; Schütz, A. (1975). [Asbestos determination in industrial microdusts and in lung dusts]. 574-584.
- Heidermanns, G; Riediger, G; Schütz, A. (1975). [Asbestos determination in industrial microdusts and in pulmonary dusts]. 617-623.
- Heikkilä, P; Kauppinen, T. (1992). Occupational exposure to carcinogens in Finland. *Am J Ind Med* 21: 467-480.
- Heiman, H. (1967). Status of Air Pollution Health Research, 1966 (pp. 488-503). (ISSN 0003-9896 HAPAB/67/00584). Heiman, H.
- Heinrich, U; Muhle, H; Koch, W; Mohr, U. (1985). Homburger, F. (Ed.). Safety Evaluation and Regulation of Chemicals 2: Impact of Regulations: Improvement of Methods; 2nd International Conference, Cambridge, Mass., USA, Oct. 26-28, 1983. xvi+326p. S. Karger: Basel, Switzerland; New York, N.Y., USA. Illus. Isbn 3-8055-3942-8; 0 (0). 1985. 239-250 Long-term inhalation studies with rodents.
- Heinrich, U; Pott, F; Mohr, U; Stober, W. (1985). Experimental methods for the detection of the carcinogenicity and/or cocarcinogenicity of inhaled polycyclic-aromatic-hydrocarbon-containing emissions. *Carcinogenesis* 8: 131-146.
- Heintz, NH. (1998). Asbestos and no2 in environmental lung disease [Research]. RePORTER Database National Institutes of Health.
- Heintz, NH. (2000). Asbestos and no2 in environmental lung disease.
- Heintz, NH. (2001). Asbestos and no2 in environmental lung disease.

Human Health Hazard Literature Search Results

Off Topic

- Heitbrink, WA. (1983). Walk-Through Survey Report, Control Technology for General Motors at General Motors Inland Division, Vandalia, Ohio (pp. 144-114). (NIOSH/00132669). Heitbrink, WA.
- Heitbrink, WA. (1984). In-depth Survey Report No. CT-144-15b, Control Technology For Richard Klinger Incorporated, Sidney, Ohio (pp. 144-115). (NIOSH/00134958). Heitbrink, WA.
- Heitbrink, WA. (1984). In-Depth Survey Report No. CT-144-14b: Control Technology For Solids Material Handling At General Motors Corporation, Inland Division, Vandalia, Ohio (pp. 144-114). (NIOSH/00145151). Heitbrink, WA.
- Heitz, M; Herzog, H. (1984). [Lung diseases in the elderly. Pathogenetic significance of pollutants and environmental factors]. *Fortschr Med* 102: 477-482.
- Hejtmancik, M. (2015). Conduct of studies to evaluate the toxic and carcinogenic potential of naturally occurring asbestos in laboratory animals for the National Toxicology Program (NTP).
- Heller, DS; Gordon, RE. (1991). Demonstration of asbestos fibers in a ten-year-old sputum sample [Letter]. *Am J Ind Med* 20: 415-419.
- Hellwig, A; Krause, J. (1986). PROCEDURE FOR THE DETERMINATION OF ASBESTOS IN THE ENVIRONMENT. *Z Gesamte Hyg Grenzgeb* 32: 326-327.
- Helmers, RA; Hunninghake, GW. (1989). BRONCHOALVEOLAR LAVAGE IN THE NONIMMUNOCOMPROMISED PATIENT. *Chest* 96: 1184-1190.
- Helsen, JA; Vandavelde, P; Kuczumow, A; Deruyttere, A. (1989). SURFACE CHARACTERISTICS OF ASBESTOS FIBERS RELEASED FROM ASBESTOS-CEMENT PRODUCTS. *Am Ind Hyg Assoc J* 50: 655-663.
- Hembra, RL. (1990). Testimony. Observations on the Environmental Protection Agency's Budget Request for Fiscal Year 1991. 12.
- Hemenway, DR. (1986). Clearance and lung function in mineral dust exposed animals [Research]. *RePORTER Database National Institutes of Health*.
- Hemenway, DR. (1987). Core - animal care and inhalation exposure [Research]. *RePORTER Database National Institutes of Health*.
- Hemminki, K; Hussain, S. (2008). Mesothelioma incidence has leveled off in Sweden [Letter]. *Int J Cancer* 122: 1200-1201. <http://dx.doi.org/10.1002/ijc.23230>.
- Hemminki, K; Li, XJ. (2003). Mesothelioma is a killer of urban men in Sweden [Letter]. *Int J Cancer* 105: 144-146. <http://dx.doi.org/10.1002/ijc.11039>.
- Hemminki, K; Randerath, K; Reddy, MV; Putman, KL; Santella, RM; Perera, FP; Young, TL; Phillips, DH; Hewer, A; Savela, K. (1990). Postlabeling and immunoassay analysis of polycyclic aromatic hydrocarbons: Adducts of DNA in white blood cells of foundry workers. *Scand J Work Environ Health* 16: 158-162.
- Henderson, DW. (2003). Commentary regarding the article by Fischer et al.: Fibre years, pulmonary asbestos burden and asbestosis. *Int. J. Hyg. Environ. Health* 205, 245-248 (2002) [Letter]. *Int J Hyg Environ Health* 206: 249-250; author reply 251-242. <http://dx.doi.org/10.1078/1438-4639-00211>.
- Henderson, DW; Jones, ML; De Klerk, N; Leigh, J; Musk, AW; Shilkin, KB; Williams, VM. (2004). The diagnosis and attribution of asbestos-related diseases in an Australian context: report of the Adelaide Workshop on Asbestos-Related Diseases. October 6-7, 2000 [Review]. *Int J Occup Environ Health* 10: 40-46. <http://dx.doi.org/10.1179/oeh.2004.10.1.40>.
- Henderson, DW; Reid, G; Kao, SC; van Zandwijk, N; Klebe, S. (2013). Challenges and controversies in the diagnosis of mesothelioma: Part 1. Cytology-only diagnosis, biopsies, immunohistochemistry, discrimination between mesothelioma and reactive mesothelial hyperplasia, and biomarkers [Review]. *J Clin Pathol* 66: 847-853. <http://dx.doi.org/10.1136/jclinpath-2012-201303>.
- Henderson, DW; Shilkin, KB; Whitaker, D. (1998). Reactive mesothelial hyperplasia vs mesothelioma, including mesothelioma in situ: a brief review [Review]. *Am J Clin Pathol* 110: 397-404.
- Henderson, WJ; Gough, J; Harse, J. (1970). Identification of mineral particles in pneumoconiotic lungs. *J Clin Pathol* 23: 104-109.
- Henderson, WJ; Harse, J; Griffiths, K. (1969). A replication technique for the identification of asbestos fibres in mesotheliomas. *Eur J Cancer* 5: 621-624.
- Henderson, WJ; Joslin, CAF; Turnbull, AC; Griffiths, K. (1971). Talc and carcinoma of the ovary and cervix. *J Obstet Gynaecol Br Commonw* 78: 266-272.
- Hendricks, NV. (1946). Industrial Hygiene Importance of Dust. 64: 61-64.
- Hendrickx, M. (2008). Records of the Australian Mesothelioma Surveillance Program have been lost! [Letter]. *Med J Aust* 188: 552; author reply 552.
- Henschler, D. (1977). Substances Hazardous to Health Toxicological and Occupational Medical Criteria for MAC Values. (NIOSH/00076823). Henschler, D.
- Henschler, D. (1981). Industrial substances hazardous to health - Toxicological and occupational medical criteria for MAK values. (CIS/82/00703). Henschler, D.
- Henschler, D. (1984). Harmful industrial substances - Toxicological and medical basis for the establishment of maximum permissible concentrations. (CIS/85/01309). Verlag Chemie.
- Henschler, D. (1987). Risk assessment and evaluation of chemical carcinogens —Present and future strategies. *J Cancer Res Clin Oncol* 113: 1-7. <http://dx.doi.org/10.1007/BF00389959>.
- Heppleston, AG. (1969). PIGMENTATION AND DISORDERS OF THE LUNG (pp. 33-73). (HEEP/72/07112). Heppleston, AG.
- Heppleston, AG. (1986). Cell Type and Response to Siliceous Minerals (pp. Controversy in Occupational Medicine). (NIOSH/00171381). Heppleston, AG.
- Heran-Leroy, O; Sandret, N. (1998). Results of the "SUMER 94" survey - Occupational exposure to carcinogens. *D M T Documents pour le médecin du travail* 3th Quarter 1998: 265-272.

Human Health Hazard Literature Search Results

Off Topic

- Herbert, R; Gerr, F; Luo, J; Harris-Abbott, D; Landrigan, PJ. (1995). Peripheral neurologic abnormalities among roofing workers: sentinel case and clinical screening. *Arch Environ Occup Health* 50: 349-354.
- Herd-Lojavio, ML; Mauer, MP; Carlson, GA. (2008). Development of an exposure assessment method for epidemiological studies of New York State personnel who responded to the World Trade Center disaster. *Ann Occup Hyg* 52: 83-93. <http://dx.doi.org/10.1093/annhyg/mem065>.
- Herman, M; Kolek, V. (1993). Diffuse interstitial lung disease: Evaluation with high-resolution computed tomography. *Acta Univ Palacki Olomuc Fac Med* 135: 25-30.
- Hernández, O; Jiménez, AI; Jiménez, F; Arias, JJ; Havel, J. (1994). Highly specific spectrophotometric method for palladium(II) determination with 3-(5'-tetrazolylazo)-2,6-Diaminotoluene in the presence of chlorides. Kinetic and equilibrium study of reactions. *Talanta* 41: 775-782.
- Herndon, JE; Green, MR; Chahinian, AP; Corson, JM; Suzuki, Y; Vogelzang, NJ. (1998). Factors predictive of survival among 337 patients with mesothelioma treated between 1984 and 1994 by the Cancer and Leukemia Group B. *Chest* 113: 723-731.
- Hershcovici, T; Chaiek-Shaul, T; Hasin, T, al; Aamar, S; Hiller, N; Prus, D; Peleg, H. (2006). Familial Mediterranean fever and peritoneal malignant mesothelioma: A possible association? *Isr Med Assoc J* 8: 509-511.
- Hertzberg, RC; Miller, M. (1985). A statistical model for species extrapolation using categorical response data. *Toxicol Ind Health* 1: 43-63.
- Hertzberg, T. (2004). Risker med Kolfiberlaminat vid Brand (Dangers Relating to Fires in Carbon-Fibre Based Composite Material). 66.
- Hervin, RL. (1979). Hazard Evaluation and Technical Assistance Report No. TA-79-18, Cedar Rapids School District, Bureau of Labor, State of Iowa, Des Moines, Iowa. NIOSH: 19791979.
- Hess, CT; Weiffenbach, CV; Norton, SA; Brutsaert, WF; Hess, AL. (1984). Radon-222 In Potable Water Supplies In Maine: The Geology, Hydrology, Physics And Health Effects (pp. 216-220). (NIOSH/00153948). Hess, CT; Weiffenbach, CV; Norton, SA; Brutsaert, WF; Hess, AL.
- Hesse, CS; Hallenbeck, WH. (1978). Potential sources of asbestos in lake michigan usa. *J Great Lakes Res* 4: 1979.
- Hesse, CS; Hallenbeck, WH; Chen, EH; Brenniman, GR. (1977). Determination of chrysotile asbestos in rainwater. *Atmos Environ* 11: 1233-1238.
- Hessel, PA. (1999). Methodological issues related to studies of workers in the diatomaceous earth industry. *Indoor Built Environ* 8: 127-131.
- Hesterberg, TW; Hart, GA. (2001). Synthetic vitreous fibers: a review of toxicology research and its impact on hazard classification [Review]. *Crit Rev Toxicol* 31: 1-53. <http://dx.doi.org/10.1080/20014091111668>.
- Hesterberg, TW; Hart, GA; Müller, WC; Chase, G; Rogers, RA; Mangum, JB; Everitt, JI. (2002). Use of short-term assays to evaluate the potential toxicity of two new biosoluble glasswool fibers. *Inhal Toxicol* 14: 217-246.
- Hesterberg, TW; Oshimura, M; Barrett, JC. (1985). Beck, E. G. And J. Bignon (Ed.). *Nato Asi (Advanced Science Institute) Series Series G Ecological Science, Vol. 3. In Vitro Effects of Mineral Dusts; Third International Workshop, Schluchsee, West Germany, Oct. 1-4, 1984. Xiii+548p. Springer-Verlag: New York, N.Y., USA; Berlin, West Germany. Illus. Isbn 0-387-15651-8; Isbn 3-540-15651-8; 0 (0). 1985 (Recd. 1986). 185-196 Transformation of mammalian cells in culture by asbestos and other mineral dusts: a mechanism involving chromosomal mutation.*
- Hetland, RB; Myhre, O; Lag, M; Hongve, D; Schwarze, PE; Refsnes, M. (2001). Importance of soluble metals and reactive oxygen species for cytokine release induced by mineral particles. *Toxicology* 165: 133-144. [http://dx.doi.org/10.1016/S0300-483X\(01\)00418-8](http://dx.doi.org/10.1016/S0300-483X(01)00418-8).
- Hewett, P. (1996). Interpretation and use of occupational exposure limits for chronic disease agents. *Occup Med (Lond)* 11: 561-590.
- Heyworth, F. (1973). Inhalation of sodium chloride mist for sputum production. *Med J Aust* 2: 271-274.
- H-G, G. (1986). Carcinogenic Risks of Man-Made Mineral Fibers from Mineral Fiber Insulation Products. *Staub, Reinhaltung der Luft* 46: 105-111.
- Hiatt, GF; Den, AR; Johnson, JM. (2006). Personal exposures to naturally-occurring asbestos during sports and play activities in a California community in the Sierra foothills [Abstract]. *Toxicologist* 90: 174.
- Hickey, J; Saunders, J; Davern, P. (2015). The extent and influence of Asbestos Safety Awareness training among managers who had previously commissioned an asbestos survey in their workplace buildings. *Ind Health* 53: 398-409. <http://dx.doi.org/10.2486/indhealth.2014-0162>.
- Hickey, JE. (1987). Rhode island asbestos abatement program. *Appl Ind Hyg* 2: 128-132.
- Hickish, DE; Knight, KL. (1970). Exposure to asbestos during brake maintenance. *Ann Occup Hyg* 13: 17-21.
- Hickman, JR. (1985). Rice, R. G. *Safe Drinking Water: The Impact of Chemicals on a Limited Resource; Meeting. Viii+275p. Lewis Publishers, Inc.: Chelsea, Mich., USA. Illus. Isbn 0-96140-320-9.; 0 (0). 1985. 9-20 Drinking water a global victual.*
- Hida, AI; Yagi, S; Obase, Y; Nishimura, H; Akiyama, T; Irei, I; Hamazaki, S; Oka, M; Sadahira, Y. (2009). Rosai-Dorfman disease presenting as a solitary mediastinal mass. *Pathol Int* 59: 265-268. <http://dx.doi.org/10.1111/j.1440-1827.2009.02362.x>.
- Higashi, T; Hori, H; Sakurai, H; Omae, K; Tsuda, T; Tanaka, I; Satoh, T; Hoshi, H. (1994). Work environment of plants manufacturing asbestos-containing products in Japan. *Ann Occup Hyg* 38: 489-494, 409.
- Higgins, IT. (1981). "Asbestos in drinking water and cancer incidence in the San Francisco Bay area" [Letter]. *Am J Epidemiol* 114: 161-164.
- Higginson, J. (1976). A hazardous society? Individual versus community responsibility in cancer prevention. Third annual Matthew B. Rosenhaus Lecture. *Am J Public Health* 66: 359-366.
- Higginson, J. (1983). *An Epidemiological Approach To The Problem Of Dose Responses To Genotoxic Carcinogenic Stimuli In Relation To Modulating Factors (pp. 181-190). (ISSN 0165-2214 NIOSH/00148048). Higginson, J.*
- Higginson, J. (1986). *HISTORIC ROLE OF THE UICC IN ENVIRONMENTAL CARCINOGENESIS (pp. BASEL). (BIOSIS/87/05134). Higginson, J.*
- Hilborn, J; Thomas, RS; Lao, RC. (1974). The organic content of international reference samples of asbestos. *Sci Total Environ* 3: 129-140.
- Hileman, B. (1983). Indoor air pollution. *Environ Sci Technol* 17: 469A-472A.
- Hill, CM. (2005). Environmental Baseline Survey for JP-8 Pipeline Route Nellis Air Force Base Las Vegas, Nevada (pp. 191). (NTIS/12810037_a).
- Hill, GD. (1997). Fiber induced changes in pleural adhesion molecules [Research]. RePORTER Database National Institutes of Health.

Human Health Hazard Literature Search Results

Off Topic

- Hill, GD. (1998). Fiber induced changes in pleural adhesion molecules [Research]. RePORTER Database National Institutes of Health.
- Hill, HZ; Lin, HS. (1977). Horton, John and George J. Hill II (Ed.). *Clinical Oncology*. Xv+819p. Illus. Maps. W. B. Saunders Co.: Philadelphia, Pa., USA; London, England. Isbn 0-7216-4785-5.; 1977 (Recd 1978) 1-33 Carcinogenesis and tumor growth.
- Hill, JW. (1970). Water-cooled suit for protection against hot environments. *Proc R Soc Med* 63: 1014-1015.
- Hill, RJ; Edwards, RE; Carthew, P. (1990). Early changes in the pleural mesothelium following intrapleural inoculation of the mineral fiber erionite and the subsequent development of mesotheliomas. *J Exp Pathol OXF*: 105-118.
- Hill W F, J. R.; Jakubowski, W; Akin, EW; Clarke, NA. (1976). Detection of virus in water: Sensitivity of the tentative standard method for drinking water. *Appl Environ Microbiol* 31: 254-261.
- Hiller, U; Lange, H; Fichtmüller, A; Paul, M; Hiller, M; Rämisch, R. (1984). [Detection and monitoring of asbestos exposed persons in a district area]. 78: 733-736.
- Hillerdal, G. (1981). Dorsal pleural plaques in the lateral projection. *Eur J Respir Dis* 62: 140-141.
- Hillerdal, G. (1986). Endemic pleural plaques [Editorial]. *Eur J Respir Dis* 69: 1-3.
- Hillerdal, G. (1986). SHORT REPORT VALUE OF THE LATERAL VIEW IN DIAGNOSING PLEURAL PLAQUES. *Arch Environ Health* 41: 391-392.
- Hillerdal, G. (1991). Pleural lesions and the ILO classification: the need for a revision. *Am J Ind Med* 19: 125-130.
- Hillerdal, G. (2004). The Swedish experience with asbestos: history of use, diseases, legislation, and compensation [Review]. *Int J Occup Environ Health* 10: 154-158. <http://dx.doi.org/10.1179/oeh.2004.10.2.154>.
- Hillerdal, G; Karlen, E; Aberg, T. (1982). Asbestos lung cancers are they any different from ordinary ones? 57: 78.
- Hillerdal, G; Lindqvist, U; Engström-Laurent, A. (1991). Hyaluronan in pleural effusions and in serum. *Cancer* 67: 2410-2414.
- Hillerdal, G; Sorensen, JB; Sundström, S; Riska, H; Vikström, A; Hjerpe, A. (2008). Treatment of malignant pleural mesothelioma with carboplatin, liposomized doxorubicin, and gemcitabine: a phase II study. *J Thorac Oncol* 3: 1325-1331. <http://dx.doi.org/10.1097/JTO.0b013e31818b174d>.
- Hillhouse, JJ. (2010). An Appearance-Based Intervention to Reduce Teen Skin Cancer Risk.
- Hillhouse, JJ. (2011). An Appearance-Based Intervention to Reduce Teen Skin Cancer Risk.
- Hillhouse, JJ. (2012). An Appearance-Based Intervention to Reduce Teen Skin Cancer Risk.
- Hillhouse, JJ. (2013). An Appearance-Based Intervention to Reduce Teen Skin Cancer Risk.
- Hillhouse, JJ. (2014). An Appearance-Based Intervention to Reduce Teen Skin Cancer Risk.
- Hills, B. (1986). Industrywide Studies Report of an Industrial Hygiene Survey at the Clermont Sun, Batavia, Ohio, Report No. IWS-77-37 (pp. 77-37). (NIOSH/00163299). Hills, B.
- Hills, B. (2005). The James Hardie story: asbestos victims' claims evaded by manufacturer. *Int J Occup Environ Health* 11: 212-214. <http://dx.doi.org/10.1179/oeh.2005.11.2.212>.
- Hills, JP. (1979). Asbestos in public water supplies: discussion of future problems. *Ann N Y Acad Sci* 330: 573-577.
- Hindle, J. (1999). Revisiting asbestos compliance. 12: 1-5.
- Hino, O; Wakabayashi, K; Tatematsu, M; Tajima, K. (2007). 'On environmental carcinogens: from an era of risk evaluation to an era of risk management' Tokyo, Japan, 29 July 2006. *Cancer Sci* 98: 617-619. <http://dx.doi.org/10.1111/j.1349-7006.2007.00413.x>.
- Hinson K, FW; Otto, H; Webster, I; Rossiter, CE. (1974). CRITERIA FOR THE DIAGNOSIS AND GRADING OF ASBESTOSIS (pp. LYON). (HEEP/75/04213). Hinson K, FW; Otto, H; Webster, I; Rossiter, CE.
- Hinson, KFW; Otto, H; Webster, I; Rossiter, CE. (1973). Criteria For The Diagnosis And Grading Of Asbestosis (pp. 54-57). (NIOSH/00150834). Hinson, KFW; Otto, H; Webster, I; Rossiter, CE.
- Hinze, J; Hinze, MM. (1986). Problems Associated with Removal of Asbestos. *Journal of Construction Engineering and Management* 112: 211-219.
- Hippeli, S; Dornisch, K; Wiethage, T; Gillissen, A; Muller, KM; Elstner, EF. (2001). Biological durability and oxidative potential of man-made vitreous fibres as compared to crocidolite asbestos fibres. *Z Naturforsch C Biosci* 56: 633-648.
- Hippisley-Cox, J; Coupland, C. (2011). Identifying patients with suspected lung cancer in primary care: derivation and validation of an algorithm. *Br J Gen Pract* 61: e715-e723. <http://dx.doi.org/10.3399/bjgp11X606627>.
- Hiraku, Y; Guo, F; Ma, N; Yamada, T; Wang, S; Kawanishi, S; Murata, M. (2016). Multi-walled carbon nanotube induces nitrative DNA damage in human lung epithelial cells via HMGB1-RAGE interaction and Toll-like receptor 9 activation. *Part Fibre Toxicol* 13: 16. <http://dx.doi.org/10.1186/s12989-016-0127-7>.
- Hirani, N; Bayliff, CC; McCormack, DG. (2005). Diagnosis and management of pergolide-induced fibrosis [Letter]. *Mov Disord* 20: 512-513; author reply 513. <http://dx.doi.org/10.1002/mds.20443>.
- Hirano, K; Koga, T; Nakashima, T; Takebayashi, S. (1986). ELECTRON MICROSCOPY AND MICROANALYSIS OF FERRUGINOUS ASBESTOS BODIES IN BRONCHO-ALVEOLAR LAVAGE FLUID OF A PATIENT WITH ASBESTOSIS (pp. 25-26). (BIOSIS/87/32650). Hirano, K; Koga, T; Nakashima, T; Takebayashi, S.
- Hirano, S; Anuradha, CD; Kanno, S. (2000). Transcription of krox-20/egr-2 is upregulated after exposure to fibrous particles and adhesion in rat alveolar macrophages. *Am J Respir Cell Mol Biol* 23: 313-319. <http://dx.doi.org/10.1165/ajrcmb.23.3.4112>.
- Hirano, S; Fujitani, Y; Furuyama, A; Kanno, S. (2012). Macrophage receptor with collagenous structure (MARCO) is a dynamic adhesive molecule that enhances uptake of carbon nanotubes by CHO-K1 cells. *Toxicol Appl Pharmacol* 259: 96-103. <http://dx.doi.org/10.1016/j.taap.2011.12.012>.
- Hirayama, N; Tabata, C; Tabata, R; Maeda, R; Yasumitsu, A; Yamada, S; Kuribayashi, K; Fukuoka, K; Nakano, T. (2011). Pleural effusion VEGF levels as a prognostic factor of malignant pleural mesothelioma. *Respir Med* 105: 137-142. <http://dx.doi.org/10.1016/j.rmed.2010.10.010>.

Human Health Hazard Literature Search Results

Off Topic

- Hirohata, T; Kolonel, L; Nomura, A. (1977). Epidemiologic cancer research programs of the Cancer Center of Hawaii. *Natl Canc Inst Monogr* 47: 67-70.
- Hirose, A; Hirano, S. (2008). [Health effects of nanoparticles and nanomaterials (III). Toxicity and health effects of nanoparticles]. *Nippon Eiseigaku Zasshi* 63: 739-745.
- Hiroshima, K; Yusa, T; Kameya, T; Ito, I; Kaneko, K; Kadoyama, C; Kishi, H; Saitoh, Y; Ozaki, D; Itami, M; Iwata, T; Iyoda, A; Kawai, T; Yoshino, I; Nakatani, Y. (2009). Malignant pleural mesothelioma: clinicopathology of 16 extrapleural pneumonectomy patients with special reference to early stage features. *Pathol Int* 59: 537-545. <http://dx.doi.org/10.1111/j.1440-1827.2009.02404.x>.
- Hirsch, A; Jaurand, MC; Regnier, A; Brochard, P; Lange, J; Bignon, J. (1982). ASSESSMENT OF PRIMARY CULTURE OF HUMAN PARIETAL PLEURAL CELLS IN RELATION TO PREVIOUS ASBESTOS EXPOSURE. *Am Rev Respir Dis* 125: 161-161.
- Hirst, E; Kaye, PH; Guppy, JR. (1994). Light scattering from nonspherical airborne particles: experimental and theoretical comparisons. *Appl Opt* 33: 7180-7186.
- Hirst, E; Kaye, PH; Hoskins, JA. (1995). POTENTIAL FOR RECOGNITION OF AIRBORNE ASBESTOS FIBERS FROM SPATIAL LASER SCATTERING PROFILES. *Ann Occup Hyg* 39: 623-&.
- Hirvonen, A; Bouchardy, C; Mitrunen, K; Kataja, V; Eskelinen, M; Kosma, VM; Saarikoski, ST; Jourenkova, N; Anttila, S; Dayer, P; Uusitupa, M; Benhamou, S. (2001). Polymorphic GSTs and cancer predisposition. *Chem Biol Interact* 133: 75-80.
- HIS. (1999). Recognition and control of exposure to refractory ceramic fibres (RCF). (CIS/00/01410).
- Hisanaga, N; Hosokawa, T; Sakai, K; Shibata, E; O, T; Takeuchi, Y; Ono, Y. (1988). THE PRESENT STATE OF THE USE OF ASBESTOS-CONTAINING CONSTRUCTION MATERIAL BY CONSTRUCTION WORKERS RESULTS OF A QUESTIONNAIRE SURVEY (pp. 292). (BIOSIS/89/08458). Hisanaga, N; Hosokawa, T; Sakai, K; Shibata, E; O, T; Takeuchi, Y; Ono, Y.
- Hisanaga, N; Takeuchi, Y; Ono, Y; Shibata, E; O, T. (1988). PROBLEMS OF INDUSTRIAL HYGIENE IN THE AUTOMOBILE FRICTION MATERIAL REGENERATING INDUSTRY (pp. 305). (BIOSIS/89/08440). Hisanaga, N; Takeuchi, Y; Ono, Y; Shibata, E; O, T.
- Hittler, K. (1989). Method and apparatus for hazardous material containment and disposal us patent-4852687. august 1 1989. 1105: 184.
- H-J, W. (1986). OCCUPATIONAL NOXAE IN ETIOLOGY OF LUNG CANCER (pp. 482-484). (BIOSIS/87/02463). Woitowitz H-J.
- H-J, W. (1990). GENERAL STRATEGIES FOR CANCER PREVENTION BY CHEMICALS ASBESTOS (pp. 16-22). (BIOSIS/91/14052). Woitowitz H-J.
- Hjelm, KK. (1988). Ingestion, cytotoxicity, and early morphological effects of asbestos on Tetrahymena. *J Environ Pathol Toxicol Oncol* 8: 15-26.
- Hjelm, KK. (1989). Egestion of asbestos fibers in Tetrahymena results in early morphological abnormalities. A step in the induction of heterogeneous cell lines? *J Environ Pathol Toxicol Oncol* 9: 269-281.
- Hlavay, J; Antal, L; Gyorgy-Pozsonyi, L; Inczedy, J. (1984). Determination of Chrysotile Content of Asbestos Cement Dusts by IR-Spectroscopy (pp. 547-551). (NIOSH/00192020). Hlavay, J; Antal, L; Gyorgy-Pozsonyi, L; Inczedy, J.
- Hlavay, J; Oravetz, D. (1991). MORPHOLOGICAL STUDY ON RESPIRABLE DUST (pp. 19-21). (BIOSIS/92/02634). Hlavay, J; Oravetz, D.
- Hlavay, J; Wesemann, G. (1993). DISTRIBUTION OF MINERALOGICAL PHASES IN DUSTS COLLECTED AT DIFFERENT WORKSHOPS. *Sci Total Environ* 136: 33-42.
- Hmeljak, J; Coer, A. (2009). Presence and role of Simian Virus 40 (SV40) in malignant pleural mesothelioma. *Radiology and Oncology* 43: 9-16. <http://dx.doi.org/10.2478/v10019-009-0009-9>.
- Hmeljak, J; Erčulj, N; Dolžan, V; Pižem, J; Kern, I; Kovač, V; Cemažar, M; Cör, A. (2013). Is survivin expression prognostic or predictive in malignant pleural mesothelioma? *Virchows Arch* 462: 315-321. <http://dx.doi.org/10.1007/s00428-013-1373-9>.
- Hmeljak, J; Kern, I; Cör, A. (2010). No implication of Simian virus 40 in pathogenesis of malignant pleural mesothelioma in Slovenia. *Tumori* 96: 667-673.
- Hnizdo, E; Sluiscremer, GK. (1989). EFFECT OF TOBACCO SMOKING ON THE PRESENCE OF ASBESTOSIS AT POSTMORTEM AND ON THE READING OF IRREGULAR OPACITIES ON ROENTGENOGRAMS IN ASBESTOS-EXPOSED WORKERS - RESPONSE. *Am Rev Respir Dis* 139: 1568-1569.
- Ho, CL; Karim, H. (1978). Impact of adsorbed petroleum hydrocarbons on marine organisms. *Mar Pollut Bull* 9: 156-162.
- Ho, L; Sugarbaker, DJ; Skarin, AT. (2001). Malignant pleural mesothelioma [Review]. *Cancer Treat Res* 105: 327-373.
- Ho, TJ; Chiang, CP; Hong, CY; Kok, SH; Kuo, YS; Kuo, MYP. (2000). Induction of the c-jun protooncogene expression by areca nut extract and arecoline on oral mucosal fibroblasts. *Oral Oncol* 36: 432-436. [http://dx.doi.org/10.1016/S1368-8375\(00\)00031-2](http://dx.doi.org/10.1016/S1368-8375(00)00031-2).
- Hoar, SK. (1981). *Epidemiology And Occupational Classification Systems*. 9: 455-466.
- Hoar, SK; Morrison, AS; Cole, P; Silverman, DT. (1980). An occupation and exposure linkage system for the study of occupational carcinogenesis. *J Occup Environ Med* 22: 722-726.
- Hobson, DW; Roberts, SM; Shvedova, AA; Warheit, DB; Hinkley, GK; Guy, RC. (2016). Applied Nanotoxicology [Review]. *Int J Toxicol* 35: 5-16. <http://dx.doi.org/10.1177/1091581816628484>.
- Hobson, J. (2014). Lest we forget. *Occup Med (Lond)* 64: 30. <http://dx.doi.org/10.1093/occmed/kqt128>.
- Hobson, J; Wright, J; Churg, A. (1991). HISTOCHEMICAL EVIDENCE FOR GENERATION OF ACTIVE OXYGEN SPECIES ON THE APICAL SURFACE OF CIGARETTE-SMOKE EXPOSED TRACHEAL EXPLANTS. *Am J Pathol* 139: 573-580.
- Hoda, MA; Mohamed, A; Ghanim, B; Filipits, M; Hegedus, B; Tamura, M; Berta, J; Kubista, B; Dome, B; Grusch, M; Setinek, U; Micksche, M; Klepetko, W; Berger, W. (2011). Temezolimus inhibits malignant pleural mesothelioma growth in vitro and in vivo: synergism with chemotherapy. *J Thorac Oncol* 6: 852-863. <http://dx.doi.org/10.1097/JTO.0b013e31820e1a25>.
- Hodge, HC. (1978). Preventive toxicology in the service of medicine. *J Toxicol Environ Health* 4: 631-636.
- Hodgson, AA. (1993). INDUSTRIAL FIBERS - A TECHNICAL AND COMMERCIAL REVIEW. *Ann Occup Hyg* 37: 203-210.
- Hodgson, J; Mcelvenny, D; Darnton, A; Price, M; Peto, J. (2005). The expected burden of mesothelioma mortality in Great Britain from 2002 to 2050. *Br J Cancer* 92: 587-593. <http://dx.doi.org/10.1038/sj.bjc.6602307>.

Human Health Hazard Literature Search Results

Off Topic

- Hodgson, JT. (2013). Quality of evidence must guide risk assessment of asbestos, by Lenters, V; Burdorf, A; Vermeulen, R; Stayner, L; Heederik, D [Letter]. *Ann Occup Hyg* 57: 670-674. <http://dx.doi.org/10.1093/annhyg/met016>.
- Hodous, TK. (1990). ILO 'A' and 'B' Reader Classification. *J Occup Med* 32: 267.
- Hodous, TK; Banks, DE. (1981). VARIABILITY IN THE INTERPRETATION OF ASBESTOS WORKERS RADIOGRAPHS (pp. 9-13). (HEEP/82/05773). Hodous, TK; Banks, DE.
- Hodson, MJ; Smith, RJ; Vanblaaderen, A; Crafton, T; Oneill, CH. (1994). DETECTING PLANT SILICA FIBERS IN ANIMAL TISSUE BY CONFOCAL FLUORESCENCE MICROSCOPY. *Ann Occup Hyg* 38: 149-160.
- Hoekman, K; Tognon, G; Risse, EKJ; Bloemsm, CA; Vermorken, JB. (1996). Well-differentiated papillary mesothelioma of the peritoneum: A separate entity. *Eur J Cancer* 32A: 255-258.
- Hoekstra, AV; Riben, MW; Frumovitz, M; Liu, J; Ramirez, PT. (2005). Well-differentiated papillary mesothelioma of the peritoneum: a pathological analysis and review of the literature [Review]. *Gynecol Oncol* 98: 161-167. <http://dx.doi.org/10.1016/j.ygyno.2005.03.031>.
- Hoffman, D; Wynder, EL. (1978). Identification and reduction of carcinogens in the respiratory environment [Review]. 113-135.
- Hoffmann, B; Jockel, KH. (2006). Diesel exhaust and coal mine dust - Lung cancer risk in occupational settings. *Ann N Y Acad Sci* 1076: 253-265. <http://dx.doi.org/10.1196/annals.1371.025>.
- Hoffmann, M; Bruch, HP; Kujath, P; Limmer, S. (2010). Cold-plasma coagulation in the treatment of malignant pleural mesothelioma: results of a combined approach. *Interact Cardiovasc Thorac Surg* 10: 502-505. <http://dx.doi.org/10.1510/icvts.2009.223768>.
- Hofmann, EL; Koppikar, A; Barry, T; Foster, S. (2006). Advances In Asbestos Toxicology And Exposure Assessment. *Toxicol Sci* 90: 71.
- Hofmann-Preiß, K; Rehbock, B. (2016). [Early recognition of lung cancer in workers occupationally exposed to asbestos]. *Radiologe* 56: 810-816. <http://dx.doi.org/10.1007/s00117-016-0151-5>.
- Hogstedt, C. (1990). CANCER EPIDEMIOLOGY IN THE PAPER AND PULP INDUSTRY (pp. LYON). (BIOSIS/91/17621). Hogstedt, C.
- Hohenadel, K; Pichora, E; Marrett, L; Bukvic, D; Brown, J; Harris, SA; Demers, PA; Blair, A. (2011). Priority issues in occupational cancer research: Ontario stakeholder perspectives. *Chronic Dis Inj Can* 31: 147-151.
- Holiday, DA; Reitze, WB. (1971). Shipyard Procedures Guide Helps All Insulation Men. 3: 1-4.
- Holiday, DA; Reitze, WB. (1972). Control of Exposure to Asbestos-Containing Dusts in Shipyards. 40: 53-58.
- Holden, H. (1986). Richardson, M. L. (Ed.). Toxic Hazard Assessment of Chemicals. xviii+361p. The Royal Society of Chemistry: London, England, Uk. Illus. Isbn 0-85186-897-5.; 0 (0). 1986 (Recd. 1987). 223-232 Risk to work forces.
- Holden, J; Churg, A. (1985). ANALYSIS OF ASBESTOS BODY CORES AND THEIR USEFULNESS IN THE DIAGNOSIS OF ASBESTOSIS IN CHRYSOTILE WORKERS. *Lab Invest* 52: A30-A30.
- Holder, M; O'Brien, T. (2007). Protest and survive, the U.K. Construction Safety Campaign: a case study of workers' and victims' family action and legal and regulatory inaction on construction health and safety. *Int J Occup Environ Health* 13: 27-31. <http://dx.doi.org/10.1179/107735207800245072>.
- Holford, TR. (2008). Modeling Interventions for Lung Cancer Mortality.
- Holford, TR. (2009). Modeling Interventions for Lung Cancer Mortality.
- Holian, A. (1989). Effects of silica and asbestos on macrophage function [Research]. RePORTER Database National Institutes of Health.
- Holian, A. (1990). Effects of silica and asbestos on macrophage function [Research]. RePORTER Database National Institutes of Health.
- Holian, A. (1991). Effects of silica and asbestos on macrophage function [Research]. RePORTER Database National Institutes of Health.
- Holian, A. (2008). Mt cobre: cehs faculty development, admin core.
- Holian, A. (2009). Bioactivity of engineered fiber-shaped nanomaterials.
- Holian, A. (2009). Mt cobre: cehs faculty development, admin core.
- Holian, A. (2010). Bioactivity of engineered fiber-shaped nanomaterials.
- Holian, A. (2010). Mt cobre: cehs faculty development, admin core.
- Holian, A. (2011). Bioactivity of engineered fiber-shaped nanomaterials.
- Holian, A. (2011). Mt cobre: cehs faculty development, admin core.
- Holian, A; Kelley, K; Hamilton, RF. (1994). Mechanisms associated with human alveolar macrophage stimulation by particulates. *Environ Health Perspect* 102 Suppl 10: 69-74.
- Holiday, DB; Mclarty, JW; Yanagihara, RH; Riley, L; Shepherd, SB. (1995). Two biochemical markers effectively used to separate smokeless tobacco users from smokers and nonusers. *South Med J* 88: 1107-1113.
- Holland, LM. (1990). CRYSTALLINE SILICA AND LUNG-CANCER - A REVIEW OF RECENT EXPERIMENTAL-EVIDENCE. *Regul Toxicol Pharmacol* 12: 224-237.
- Holleman, JW; Ryon, MG; Hammons, AS. (1980). Chemical contaminants in non-occupationally exposed US residents (pp. 152 pp). (PESTAB/81/1616). Holleman, JW; Ryon, MG; Hammons, AS.
- Holler, DS; Gordon, RE; Westhoff, C; Katz, N. (1995). ASBESTOS EXPOSURE AND OVARIAN FIBER BURDEN. *Lab Invest* 72: A90-A90.
- Hollett, B; Moody, PL. (1984). Health Hazard Evaluation Report No. HETA-80-115-1401, U.S. Steel, Lorain-Cuyahoga Works, Lorain, Ohio (pp. 80-115). (NIOSH/00149671). Hollett, B; Moody, PL.
- Hollett, BA. (1976). Health Hazard Evaluation Determination Report No. HHE-76-25-539, Quincy Steel Casting Company, Inc., North Quincy, Massachusetts (pp. 76-25). (NIOSH/00058640). Hollett, BA.
- Hollett, BA. (1983). Walk-Through Survey Report, Control Technology for Asbestos Removal, Contractor at Duall Inc., Mt. Laurel, New Jersey (pp. 145-114). (NIOSH/00130215). Hollett, BA.

Human Health Hazard Literature Search Results

Off Topic

- Hollett, BA. (1983). Walk-Through Survey Report: HVLV Control Technology for Machining and Hand Grinding at: Ametek, Inc., Haveg Division, Wilmington, Delaware. NIOSH: 19831983.
- Hollett, BA. (1985). Walk-Through Survey Report No. CT-147-12a: Control Technology For Asbestos Removal Industry At James Monroe Elementary School, Norfolk, Virginia (pp. 147-112). (NIOSH/00148160). Hollett, BA.
- Hollett, BA. (1985). Walk-Through Survey Report No. CT-147-13a: Control Technology For Asbestos Removal Industry At Tidewater Park Elementary School, Norfolk, Virginia (pp. 147-113). (NIOSH/00148162). Hollett, BA.
- Hollett, BA. (1985). Walk-Through Survey Report No. CT-147-14a: Control Technology For Asbestos Removal Industry At Tarrallton Elementary School, Norfolk, Virginia (pp. 147-114). (NIOSH/00148161). Hollett, BA.
- Hollett, BA. (1985). Walk-Through Survey Report: Control Technology For Asbestos Removal Industry, Report No. CT-147-11a, Columbus East High School, Columbus, Indiana (pp. 147-111). (NIOSH/00152211). Hollett, BA.
- Hollett, BA; Caplan, PE; Cooper, TC; Froehlich, PA. (1987). In-Depth Survey Report: Control Technology for Asbestos Removal at Bloom Middle School, Cincinnati, Ohio, Report No. CT-147-19C (pp. 147-119). (NIOSH/00177555). Hollett, BA; Caplan, PE; Cooper, TC; Froehlich, PA.
- Hollett, BA; Caplan, PE; Cooper, TC; Froehlich, PA. (1987). In-Depth Survey Report: Control Technology for Asbestos Removal at Sands Elementary School, Cincinnati, Ohio, Report No. CT-147-19B (pp. 147-119). (NIOSH/00175438). Hollett, BA; Caplan, PE; Cooper, TC; Froehlich, PA.
- Hollett, BA; Caplan, PE; Cooper, TC; Froehlich, PA. (1987). In-Depth Survey Report: Control Technology for Asbestos Removal at Washburn Elementary School, Cincinnati, Ohio, Report No. CT-147-19A (pp. 147-119). (NIOSH/00175432). Hollett, BA; Caplan, PE; Cooper, TC; Froehlich, PA.
- Hollett, BA; Caplan, PE; Cooper, TC; Froehlich, PA. (1987). In-Depth Survey Report: Control Technology for Asbestos Removal at Winton Place Elementary School, Cincinnati, Ohio, Report No. CT-147-19D (pp. 147-119). (NIOSH/00175423). Hollett, BA; Caplan, PE; Cooper, TC; Froehlich, PA.
- Hollett, BA; Froehlich, PA. (1991). In-Depth Survey Report: Evaluation of a Custom Fabricated Negative Air Glove Bag during the Removal of Asbestos-Containing Pipe Lagging, Report No. CT-147-22A. Division of Physical Sciences and Engineering: 147-122.
- Hollett, BA; Froehlich, PA. (1991). In-Depth Survey Report: Evaluation of a Custom Fabricated Negative Air Glove Bag during the Removal of Asbestos-Containing Pipe Lagging, University of Massachusetts, Amherst, MA. 37.
- Hollett, BA; Froehlich, PA. (1991). In-Depth Survey Report: Evaluation of the Aero-Pipe Capsule (Negative Pressure Glove Bag) during the Removal of Asbestos-Containing Pipe Lagging. 33.
- Hollett, BA; Froehlich, PA; Caplan, PE; Cooper, TC; Shulman, SA. (1990). An Evaluation of Glove Bag Containment in Asbestos Removal. NIOSH: 88-22.
- Hollevoet, K; Nackaerts, K; Thimpont, J; Germonpre, P; Bosquee, L; De Vuyst, P; Legrand, C; Kellen, E; Kishi, Y; Delanghe, J. R.; van Meerbeeck, J. (2010). Diagnostic Performance of Soluble Mesothelin and Megakaryocyte Potentiating Factor in Mesothelioma. *Am J Respir Crit Care Med* 181: 620-625. <http://dx.doi.org/10.1164/rccm.200907-1020OC>.
- Hollevoet, K; Reitsma, JB; Creaney, J; Grigoriu, BD; Robinson, BW; Scherpereel, A; Cristaudo, A; Pass, HI; Nackaerts, K; Rodriguez Portal, JA; Schneider, J; Muley, T; Di Serio, F; Baas, P; Tomasetti, M; Rai, AJ; van Meerbeeck, J. (2012). Serum Mesothelin for Diagnosing Malignant Pleural Mesothelioma: An Individual Patient Data Meta-Analysis [Review]. *J Clin Oncol* 30: 1541-1549. <http://dx.doi.org/10.1200/JCO.2011.39.6671>.
- Hollevoet, K; Van Cleemput, J; Thimpont, J; Vandeweerd, M; De Vuyst, P; Nackaerts, K; Delanghe, J; Legrand, C; van Meerbeeck, J, anP. (2009). Soluble mesothelin as a tool for early detection of malignant mesothelioma in asbestos-exposed workers. *J Thorac Oncol* 4: S458-S458.
- Hollins, DM; Paustenbach, DJ; Clark, K; Mangold, CA. (2009). A visual historical review of exposure to asbestos at puget sound naval shipyard (1962-1972) [Review]. *J Toxicol Environ Health B Crit Rev* 12: 124-156. <http://dx.doi.org/10.1080/10937400902729176>.
- Hollowell, CD; Miksch, RR. (1981). Sources and concentrations of organic compounds in indoor environments. *Bull NY Acad Med* 57: 962-977.
- Holm, L; Holmberg, B. (1987). EXPOSURES TO CARCINOGENS AND CONSEQUENCES OF LISTING OF CARCINOGENS IN THE SWEDISH WORKING ENVIRONMENT. *Regul Toxicol Pharmacol* 7: 185-199.
- Holmberg, B; Lundberg, P. (1989). Assessment and management of occupational risks in the Nordic (Scandinavian) countries. *Am J Ind Med* 15: 615-626.
- Holmer, I; Nilsson, H; Rissanen, S; Hirata, K; Smolander, J. (1992). QUANTIFICATION OF HEAT-BALANCE DURING WORK IN 3 TYPES OF ASBESTOS-PROTECTIVE CLOTHING. *Int Arch Occup Environ Health* 64: 243-249.
- Holmes, A; Morgan, A; Sandalls, FJ. (1971). DETERMINATION OF IRON, CHROMIUM, COBALT, NICKEL, AND SCANDIUM IN ASBESTOS BY NEUTRON ACTIVATION ANALYSIS. *Am Ind Hyg Assoc J* 32: 281-&. <http://dx.doi.org/10.1080/0002889718506461>.
- Holmes, D. (2013). IARC in the dock over ties with asbestos industry. *Lancet* 381: 359-361.
- Holmes, E; Garshick, E. (1991). The reproducibility of the self-report of occupational exposure to asbestos and dust. *J Occup Med* 33: 134-138.
- Holmes, EP; Lavkulich, LM. (2014). The effects of naturally occurring acids on the surface properties of chrysotile asbestos. *J Environ Sci Health A Tox Hazard Subst Environ Eng* 49: 1445-1452. <http://dx.doi.org/10.1080/10934529.2014.928558>.
- Holmes, S. (1973). The Measurement Of Asbestos Dust. *Staub, Reinhaltung der Luft* 33: 65-67.
- Holmes, S. (1973). Sampling methods. 8: 109-112.
- Holmes, S. (1974). SAMPLING METHODS (pp. LYON). (HEEP/75/04218). Holmes, S.
- Holmquist, L; Russo, CA; Elixhauser, A. (2008). Hospital Stays for Lung Cancer, 2006. *Statistical Brief No. 63*. 13.
- Holopainen, M; Collan, Y; V-M, K; Kalliokoski, P; Kulju, T; Anttonen, H; Tossavainen, A; Kauppinen, H. (1986). Evidence for Toxicity of Phlogopite in Hemolysis and Macrophage Tests (pp. 23-26). (NIOSH/00166484). DU PONT CORP.

Human Health Hazard Literature Search Results

Off Topic

- Holopainen, M; Hirvonen, MR; Komulainen, H; Klockars, M. (2004). Effect of the shape of mica particles on the production of tumor necrosis factor alpha in mouse macrophages. *Scand J Work Environ Health* 30 Suppl 2: 91-98.
- Holst, S; Martinez, M; Zarth, B. (1978). Alternatives to asbestos in Cohn fractionation. 32: 15-21.
- Holstein, EC; Deuschle, KW; Bosch, S; Fischer, E; Rohl, AN; Selikoff, IJ. (1984). Port Allegany Asbestos Health Program: a community response to a public health problem. *Public Health Rep* 99: 193-199.
- Holt, GR. (1992). TOXICOLOGY OF UPPER AERODIGESTIVE TRACT POLLUTANTS (pp. 655-659). (BIOSIS/92/28329). Holt, GR.
- Holt, PF; Young, DK. (1960). A Dust-Feed Mechanism Suitable for Fibrous Dust. *Ann Occup Hyg* 2: 249-256.
- Holt, PF; Young, DK. (1973). Asbestos fibres in the air of towns. *Atmos Environ* (1967) 7: 481-483.
- Honda, Y; Beall, C; Delzell, E; Oestenstad, K; Brill, I; Matthews, R. (2002). Mortality among workers at a talc mining and milling facility. *Ann Occup Hyg* 46: 575-585. <http://dx.doi.org/10.1093/annhyg/mef075>.
- Honda, Y; Delzell, E; Cole, P. (1995). An updated study of mortality among workers at a petroleum manufacturing plant. *J Occup Environ Med* 37: 194-200.
- Hong, M; Xu, A; Zhou, H; Wu, L; Randers-Pehrson, G; Santella, RM; Yu, Z; Hei, TK. (2010). Mechanism of genotoxicity induced by targeted cytoplasmic irradiation. *Br J Cancer* 103: 1263-1268. <http://dx.doi.org/10.1038/sj.bjc.6605888>.
- Hong, S; Bi, MM; Zhao, PW; Wang, XU; Kong, QY; Wang, YT; Wang, L. (2016). Malignant peritoneal mesothelioma in a patient with intestinal fistula, incisional hernia and abdominal infection: A case report. 11: 2047-2050. <http://dx.doi.org/10.3892/ol.2016.4203>.
- Hongbing, W; Jianquan, H; Huaiyi, L; Xinming, W; Youching, Z; Zuoshu, J. (1997). A study of asbestos-induced aneuploidy in drosophila melanogaster. 379: S110.
- Honma, M; Takahashi, T; Asada, S; Nakagawa, Y; Ikeda, A; Yamakage, K. (2012). In vitro clastogenicity and phototoxicity of fullerene (C-60) nanomaterials in mammalian cells. *Mutat Res Genet Toxicol Environ Mutagen* 749: 97-100. <http://dx.doi.org/10.1016/j.mrgentox.2012.08.006>.
- Hook G, ER. (1993). DOES PULMONARY SURFACTANT AID IN DEFENSE OF THE LUNGS? *Environ Health Perspect* 101.
- Hook, MB; Feigley, CE; Ludwig, DA. (1983). Interwedge Variation In The Membrane Filter Method For Airborne Asbestos Fibers. *Am Ind Hyg Assoc J* 44: 542-546. <http://dx.doi.org/10.1080/15298668391405274>.
- Hooper, CE; Morley, AJ; Virgo, P; Harvey, JE; Kahan, B; Maskell, NA. (2013). A prospective trial evaluating the role of mesothelin in undiagnosed pleural effusions. *Eur Respir J* 41: 18-24. <http://dx.doi.org/10.1183/09031936.00148211>.
- Hooper, K; Ladou, J; Rosenbaum, JS; Book, SA. (1992). Regulation of priority carcinogens and reproductive or developmental toxicants. *Am J Ind Med* 22: 793-808. <http://dx.doi.org/10.1002/ajim.4700220603>.
- Hootman, HA; Vernet, JE. (1991). Air toxics provisions of the Clean Air Act: Potential impacts on energy (pp. 128). (NTIS/O2985744). Hootman, HA; Vernet, JE.
- Hoppe, KA; Metwali, N; Perry, SS; Hart, T; Kostle, PA; Thorne, PS. (2012). Assessment of airborne exposures and health in flooded homes undergoing renovation. *Indoor Air* 22: 446-456. <http://dx.doi.org/10.1111/j.1600-0668.2012.00785.x>.
- Hori, H; Higashi, T; Fujino, A; Yamato, H; Ishimatsu, S; Oyabu, T; Tanaka, I. (1993). Measurement of airborne ceramic fibres in manufacturing and processing factories. *Ann Occup Hyg* 37: 623-629.
- Hori, H; Kasai, T; Haratake, J; Ishimatsu, S; Oyabu, T; Yamato, H; Higashi, T; Tanaka, I. (1994). BIOLOGICAL EFFECTS OF INHALED MAGNESIUM-SULFATE WHISKERS IN RATS. *Occup Environ Med* 51: 492-499.
- Horibata, K; Ukai, A; Ogata, A; Nakae, D; Ando, H; Kubo, Y; Nagasawa, A; Yuzawa, K; Honma, M. (2017). Absence of in vivo mutagenicity of multi-walled carbon nanotubes in single intratracheal instillation study using F344 gpt delta rats. 39: 4. <http://dx.doi.org/10.1186/s41021-016-0065-5>.
- Horikoshi, S; Sumi, T; Ito, S; Dillert, R; Kashimura, K; Yoshikawa, N; Sato, M; Shinohara, N. (2014). Microwave-driven asbestos treatment and its scale-up for use after natural disasters. *Environ Sci Technol* 48: 6882-6890. <http://dx.doi.org/10.1021/es500551b>.
- Horiuchi, T; Ogata, S; ho; Tominaga, S; Hiroi, S; Kawahara, K; Hebisawa, A; Irei, I; Ito, I; Kameya, T; Tsujimura, T; Nakano, T; Nakanishi, K; Kawai, T. (2013). Immunohistochemistry of cytokeratins 7, 8, 17, 18, and 19, and GLUT-1 aids differentiation of desmoplastic malignant mesothelioma from fibrous pleuritis. *Histol Histopathol* 28: 663-670.
- Horsfield, K; Nicholls, A; Cumming, G; Hume, M; Prowse, K. (1977). Treatment of Pulmonary Aspergillosis with Di-iodohydroxyquinoline. *Thorax* 32: 250-253.
- Horvath, SM. (1981). Impact of air quality in exercise performance [Review]. *Exerc Sport Sci Rev* 9: 265-296.
- Horwell, CJ; Baxter, PJ; Hillman, SE; Calkins, JA; Damby, DE; Delmelle, P; Donaldson, K; Dunster, C; Fubini, B; Kelly, FJ; Le Blond, JS; Livi, KJ; Murphy, F; Natrass, C; Sweeney, S; Tetley, TD; Thordarson, T; Tomatis, M. (2013). Physicochemical and toxicological profiling of ash from the 2010 and 2011 eruptions of Eyjafjallajökull and Grímsvötn volcanoes, Iceland using a rapid respiratory hazard assessment protocol. *Environ Res* 127: 63-73. <http://dx.doi.org/10.1016/j.envres.2013.08.011>.
- Hosey, AD. (1970). Development of Criteria for Standards. May 10: 19701970.
- Hoshi, S; Tamai, Y; Tamura, A; Shida, H; Yoshida, N; Ogawa, C; Suzuki, N; Sano, Y; Kawabata, Y. (2006). Silico-asbestosis that responded to steroid therapy. *Intern Med* 45: 917-921. <http://dx.doi.org/10.2169/internalmedicine.45.1656>.
- Hoskins, JA; Brown, RC. (1994). Contamination of the air with mineral fibers following the explosive destruction of buildings and fire [Review]. *Drug Metab Rev* 26: 663-673. <http://dx.doi.org/10.3109/03602539408998321>.
- Hosny, G; Akel, M. (2006). Assessment of asbestos in drinking water in Alexandria, Egypt. *J Egypt Public Health Assoc* 81: 181-198.
- Hosoda, Y; Shida, H; Hiraga, Y. (1991). PNEUMOCONIOSIS IN DEVELOPING COUNTRIES DIAGNOSIS AND MANAGEMENT (pp. NEW YORK). (BIOSIS/91/13939). Hosoda, Y; Shida, H; Hiraga, Y.

Human Health Hazard Literature Search Results

Off Topic

- Hospitals, LDoHa. (2000). Public Health Assessment for Southern Shipbuiding (a/k/a Southern Shipbuilding Corporation), Slidell, St. Tammy Parish, Louisiana, EPA Facility ID: LAD008149015. 148.
- Hossain, M, dS; Fakhruddin, A, buNM; Chowdhury, MAZ; Gan, SH, ua. (2016). Impact of ship-Breaking activities on the coastal environment of Bangladesh and a management system for its sustainability. *Environ Sci Pol* 60: 84-94. <http://dx.doi.org/10.1016/j.envsci.2016.03.005>.
- Hossner, LR; Hons, FM. (1992). RECLAMATION OF MINE TAILINGS (pp. NEW YORK). (BIOSIS/93/35593). Hossner, LR; Hons, FM.
- Hott, T; Yoshikawa, T; Fukumoto, K; Yamaguchi, K; Kondo, M; Takamatsu, T. (1981). Peritoneal mesothelioma with elevated serum ferritin and beta2-microglobulin levels. *Jpn J Med* 20: 114-118.
- Hough, AJ; Mottram, FC; Sokoloff, L. (1973). The collagenous nature of amiantoid degeneration of human costal cartilage. *Am J Pathol* 73: 201-216.
- Houghton, AM; Lampe, PD. (2015). Proteomic, Glycomic and Autoantibody Lung Cancer Biomarker Validation.
- Houghton, AML, PD. (2014). Proteomic, Glycomic and Autoantibody Lung Cancer Biomarker Validation.
- Houghton, PWJ; Stewart, I; Heap, P; Mccmortensen, NJ; Williamson, RCN. (1987). ASBESTOS - A POSSIBLE ETIOLOGIC CAUSE OF GASTRIC-CANCER. *Gut* 28: A1404-A1404.
- Hounam, RF. (1971). The Konimiser--a dispenser for the continuous generation of dust clouds from milligram quantities of asbestos. *Ann Occup Hyg* 14: 329-335.
- Hountis, P; Chounti, M; Matthaios, D; Romanidis, K; Moraitis, S. (2015). Surgical treatment for malignant pleural mesothelioma: extrapleural pneumonectomy, pleurectomy/decortication or extended pleurectomy? [Review]. *J BUON* 20: 376-380.
- Hourihane, DO. (1992). Re: "Attitudes and opinions regarding asbestos and cancer 1934-1965" [Comment]. *Am J Ind Med* 22: 275-277.
- Houts, PS; Mcdougall, V. (1988). Effects of informing workers of their health risks from exposure to toxic materials. *Am J Ind Med* 13: 271-280.
- Houts, PS; Mcdougall, V. (1993). Importance of Evaluating the Context within which Notification Occurs. *Am J Ind Med* 23: 205-210.
- Howard, J; Middendorf, P. (2010). Exposure science can increase protection of workers and their families from exposure to asbestos and inform on the effects of other elongate mineral particles. *J Expo Sci Environ Epidemiol* 20: 485-486. <http://dx.doi.org/10.1038/jes.2010.40>.
- Howard, J; Middendorf, P. (2011). Response to 'Exposure science will not increase protection of workers from asbestos-caused diseases: NIOSH fails to provide needed public health action and leadership'. *J Expo Sci Environ Epidemiol* 21: 116-116. <http://dx.doi.org/10.1038/jes.2010.54>.
- Howard, J; Mohsenifar, Z; Brown, H; Koerner, S. (1984). ROLE OF EXERCISE TESTING IN ASSESSING RESPIRATORY IMPAIRMENT DUE TO ASBESTOS EXPOSURE (pp. NEW YORK). (HEEP/85/00777). Howard, J; Mohsenifar, Z; Brown, H; Koerner, S.
- Howard, J; Mohsenifar, Z; Brown, HV; Schnitzer, B; Koerner, SK. (1981). EVALUATION OF DYSPNEA IN SUBJECTS WITH A HISTORY OF ASBESTOS EXPOSURE (pp. 9-13). (HEEP/82/05790). Howard, J; Mohsenifar, Z; Brown, HV; Schnitzer, B; Koerner, SK.
- Howard, TP. (2003). Pneumoconlosis in a vermiculite end-product user. *Am J Ind Med* 44: 214-217. <http://dx.doi.org/10.1002/ajim.10245>.
- Howard, WP. (1970). ASBESTOS AND RESPIRATORY DISEASES. 41: 33-&.
- Howel, D; Arblaster, L. (2000). Identifying industrial sites with potential for residential exposure to asbestos. *J Publ Health Med* 22: 146-148.
- Howie, R. (2005). Asbestos lung residue and asbestos risk - Reply. *Ann Occup Hyg* 49: 364-365. <http://dx.doi.org/10.1093/annhyg/mei006>.
- Howie, RM. (1999). Minimising health hazards associated with derogated products and in-situ materials containing chrysotile contaminated with amphibole asbestos fibres [Letter]. *Ann Occup Hyg* 43: 493-498.
- Howitt, DG; Hatfield, J; Fishler, G. (1993). The difficulties with low-level asbestos exposure assessments in public, commercial, and industrial buildings. *AIHA J* 54: 267-271.
- Hoy, RF. (2012). Respiratory problems - occupational and environmental exposures. *Aust Fam Physician* 41: 856-860.
- Hoyes, JR; Clayton, R. (1980). A routine for the control of the performance of microscopists evaluating airborne asbestos fiber samples on membrane filters by phase contrast microscopy. *Ann Occup Hyg* 23: 1981.
- Hoyle, GW; Li, J; Finkelstein, JB; Eisenberg, T; Liu, JY; Lasky, JA; Athas, G; Morris, GF; Brody, AR. (1999). Emphysematous lesions, inflammation, and fibrosis in the lungs of transgenic mice overexpressing platelet-derived growth factor. *Am J Pathol* 154: 1763-1775.
- Hristozov, DR; Gottardo, S; Cinelli, M; Isigonis, P; Zabeo, A; Critto, A; Van Tongeren, M; Tran, L; Marcomini, A. (2014). Application of a quantitative weight of evidence approach for ranking and prioritising occupational exposure scenarios for titanium dioxide and carbon nanomaterials. *Nanotoxicology* 8: 117-131. <http://dx.doi.org/10.3109/17435390.2012.760013>.
- HSE (Health and Safety Executive). (1983). NEW RESULTS FROM IMPLANTATION EXPERIMENTS WITH MINERAL FIBRES. (TSCATS/018265). HASKELL LAB.
- HSE (Health and Safety Executive). (1998). Substitutes for chrysotile (white) asbestos. (CIS/99/02011).
- HSE (Health and Safety Executive). (1999). Asbestos: Medical guidance note (pp. GBP 4). (CIS/00/00501).
- HSE (Health and Safety Executive). (1999). Occupational exposure limits 1999 (pp. GBP 8). (CIS/00/01100).
- Hu, H; Beckett, L; Kelsey, K; Christiani, D. (1993). The left-sided predominance of asbestos-related pleural disease. *Am Rev Respir Dis* 148: 981-984. http://dx.doi.org/10.1164/ajrccm/148.4_Pt_1.981.
- H-U, P. (1994). AMBIENT AIR CONCENTRATIONS OF POLLUTANTS AT TRAFFIC-RELATED SITES IN URBAN AREAS OF NORTH RHINE-WESTPHALIA GERMANY. *Sci Total Environ* 146: 146-147.
- Hu, R; Block, J; Hriljac, JA; Eylem, C; Petrakis, L. (1996). Use of X-ray Powder Diffraction for Determining Low Levels of Chrysotile Asbestos in Gypsum-based Bulk Materials: Sample Preparation. *Anal Chem* 68: 3112-3120.
- H-U, W. (1984). Indoor Air Quality In Offices (pp. 19-27). (NIOSH/00154405). Wanner H-U.
- Huang, CC; Michael, CW. (2013). Deciduoid mesothelioma: cytologic presentation and diagnostic pitfalls. *Diagn Cytopathol* 41: 629-635. <http://dx.doi.org/10.1002/dc.22902>.

Human Health Hazard Literature Search Results

Off Topic

- Huang, J; Et, AL. (1986). A STUDY OF CONVERSION OF GRAVIMETRIC TO FIBER COUNTING CONCENTRATION OF AIRBORNE ASBESTOS DUST IN A CHRYSOTILE PRODUCT FACTORY (pp. 276-279). (BIOSIS/87/22066). Huang, J; Et, AL.
- Huang, X; Li, WH; Attfeld, MD; Nadas, A; Frenkel, K; Finkelman, RB. (2005). Mapping and prediction of coal workers' pneumoconiosis with bioavailable iron content in the bituminous coals. *Environ Health Perspect* 113: 964-968. <http://dx.doi.org/10.1289/ehp.7679>.
- Hubbard, R. (1997). The aetiology of mesothelioma: are risk factors other than asbestos exposure important? [Editorial]. *Thorax* 52: 496-497.
- Hubert, DD; Holiat, SM; Smith, WE; Baylouny, RA. (1983). Inhibition of transplanted carcinomas in mice by retinoids but not by vitamin C. *Cancer Treat Rep* 67: 1061-1065.
- Huck, PM; Toft, P. (1987). TREATMENT OF DRINKING WATER FOR ORGANIC CONTAMINANTS SECOND NATIONAL CONFERENCE EDMONTON ALBERTA CANADA APRIL 7-8 1986 (pp. NEW YORK). (BIOSIS/88/35585). Gesellschaft Deutscher Chemiker (GDCh) Advisory Committee on Existing Chemicals of Environmental Relevance (BUA).
- Huebner, W; Schoenberg, J; Kelsey, J; Wilcox, H; Mclaughlin, J; Greenberg, R; Preston-Martin, S; Austin, D; Stemhagen, A; Blot, W. (1992). Oral and pharyngeal cancer and occupation: a case-control study. *Epidemiology* 3: 300-309.
- Hueper, WC. (1949). Occupational Cancer Hazards Found in Industry. *Ind Hyg Newsl* 9: 7-9.
- Hueper, WC. (1965). Occupational and nonoccupational exposures to asbestos. *Ann N Y Acad Sci* 132: 184-195.
- Hueper, WC. (1966). Occupational and environmental cancers of the respiratory system. In *Recent Results in Cancer Research*, vol 3. New York, NY: Springer. <http://www.springer.com/medicine/book/978-3-642-87685-1>.
- Huff, J. (1993). ISSUES AN CONTROVERSIES SURROUNDING QUALITATIVE STRATEGIES FOR IDENTIFYING AND FORECASTING CANCER CAUSING AGENTS IN THE HUMAN ENVIRONMENT (pp. PREVENTION OF CANCER). (BIOSIS/93/21361). Huff, J.
- Huffman, LJ; Judy, DJ; Castranova, V. (1998). Regulation of nitric oxide production by rat alveolar macrophages in response to silica exposure. *J Toxicol Environ Health* 53: 29-46.
- Huggins, JT; Sahn, SA. (2004). Causes and management of pleural fibrosis [Review]. *Respirology* 9: 441-447. <http://dx.doi.org/10.1111/j.1440-1843.2004.00630.x>.
- HUGHES; WEILL. (1988). RISK ASSESSMENT IN THE ASBESTOS CEMENT INDUSTRY - REPLY. *Br J Ind Med* 45: 202-203.
- Hughes, J; Waggenspack, C; Weill, H. (1978). MORTALITY STUDY OF WORKERS ENGAGED IN MANUFACTURE OF ASBESTOS CEMENT PRODUCTS. *Am Rev Respir Dis* 117: 242-242.
- Hughes, JM; Jones, RN; Glindmeyer, HW; Hammad, YY; Weill, H. (1993). Follow up study of workers exposed to man made mineral fibres. *Br J Ind Med* 50: 658-667.
- Hughes, JM; Weill, H. (1994). Potency versus importance in fiber pathogenicity [Letter]. *Am J Ind Med* 25: 609-610.
- Hughes, JM; Weill, H; Checkoway, H; Jones, RN; Henry, MM; Heyer, NJ; Seixas, NS; Demers, PA. (1998). Radiographic evidence of silicosis risk in the diatomaceous earth industry. *Am J Respir Crit Care Med* 158: 807-814. <http://dx.doi.org/10.1164/ajrccm.158.3.9709103>.
- Hughes, P; McGavin, CR. (1995). Pleural mesothelioma with non-Hodgkin's lymphoma [Letter]. *Thorax* 50: 915.
- Huisman, SS; Astin, MS; Fleet, TM. (1994). Comprehensive Facility Decommissioning Through the Use of Innovative Technology to Reduce Cost, Schedule, and Environmental Liability. 7.
- Humerfelt, S; Gulsvik, A; Skjaerven, R; Nilssen, S; Kvale, G; Sulheim, O; Ramm, E; Eilertsen, E; Hummerfelt, SB. (1993). Decline in FEV1 and Airflow Limitation Related to Occupational Exposures in Men of an Urban Community. *Eur Respir J* 6: 1095-1103.
- Humerfelt, S; Stensvold, I; Kvaale, G; Lund-Larsen, P; Bjartveit, K; Gulsvik, A. (1990). SMOKING HABITS AND ASBESTOS EXPOSURE IN RELATION TO AIRFLOW LIMITATION IN A MALE POPULATION OF AGE 30-44 YEARS IN NORWAY (pp. 20-24). (BIOSIS/90/18838). Hummerfelt, S; Stensvold, I; Kvaale, G; Lund-Larsen, P; Bjartveit, K; Gulsvik, A.
- Humperdinck, C. (1971). Lung and occupational cancer (pp. 459-464). (HEEP/72/03200). Humperdinck, C.
- Humphrys, N; Downing, A; Evans, L; Sinclair, M. (2013). Traumatic implantation: a novel aetiology in the development of peritoneal mesothelioma. 2013: 389130. <http://dx.doi.org/10.1155/2013/389130>.
- Huncharek, M. (1987). Asbestos-related mesothelioma risk among railroad workers [Letter]. *Am Rev Respir Dis* 135: 983-984.
- Huncharek, M. (1987). Chrysotile asbestos exposure and mesothelioma [Letter]. *Br J Ind Med* 44: 287-288.
- Huncharek, M. (1989). THE EPIDEMIOLOGY OF PLEURAL MESOTHELIOMA CURRENT CONCEPTS AND CONTROVERSIES. *Cancer Invest* 7: 93-100.
- Huncharek, M. (1990). Asbestos: a chronology of its origins and health effects [Letter]. *Br J Ind Med* 47: 845-846.
- Huncharek, M. (1991). Occult asbestos exposure [Letter]. *Am J Ind Med* 20: 713-714.
- Huncharek, M. (1994). Types of asbestos fibers and disease-causing potential [Letter]. *Am Fam Physician* 50: 306-308; author reply 308, 310.
- Huncharek, M. (2002). Non-asbestos related diffuse malignant mesothelioma [Review]. *Tumori* 88: 1-9.
- Huncharek, M; Adcock, D. (1999). Diagnosis of malignant pleural mesothelioma by supraclavicular lymph node biopsy. *Oncol Rep* 6: 833-834.
- Huncharek, M; Bseiso, A; Hutchins, L; Warner, J. (2004). Presentation of malignant pleural mesothelioma with symptomatic brain metastasis: report of a case. *Tumori* 90: 424-427.
- Huncharek, M; Capotorto, J. (1988). Asbestos related lung disease in maintenance workers [Letter]. *Br J Ind Med* 45: 203-204.
- Huncharek, M; Muscat, J. (1987). METASTASES IN DIFFUSE PLEURAL MESOTHELIOMA INFLUENCE OF HISTOLOGICAL TYPE. *Thorax* 42: 897-898.
- Huncharek, M; Muscat, J. (2011). Perineal talc use and ovarian cancer risk: a case study of scientific standards in environmental epidemiology [Review]. *Eur J Cancer Prev* 20: 501-507. <http://dx.doi.org/10.1097/CEJ.0b013e3283476242>.
- Huncharek, M; Muscat, J; Onitilo, A; Kupelnick, B. (2007). Use of cosmetic talc on contraceptive diaphragms and risk of ovarian cancer: a meta-analysis of nine observational studies. *Eur J Cancer Prev* 16: 422-429.
- Huncharek, MS. (1987). METASTASES AND CELL TYPE IN DIFFUSE PLEURAL MESOTHELIOMA (pp. 10-13). (BIOSIS/87/23705). Huncharek, MS.
- Hung, IF; Yu, CC; Tung, CJ. (1994). INDOOR RADON CONCENTRATIONS IN TAIWANESE HOMES. *Journal of Environmental Science and Health, Part A: Environmental Science and Engineering and Toxi* 29: 1859-1870.

Human Health Hazard Literature Search Results

Off Topic

- Hunninghake, GW. (2004). Regulation of Alveolar Macrophage Function.
- Hunsaker, HA; Buchan, RM; Keefe, TJ; Marlatt, WE. (1988). Characterization of Asbestos Fiber Distribution on Membrane Filters from 25 and 37-mm Sampling Cassettes. *Appl Ind Hyg* 3: 284-290.
- Hunter, C. (2011). Perceiving a dust hazard in ordinary conditions of work. *Health and History* 13: 1-25.
- Hunter, W; Berlin, A; Van Mth, DV; Bennett, AE. (1983). The Protection Of Workers Exposed To Chemicals: The European Community Approach (pp. 171-196). (NIOSH/00155028). Hunter, W; Berlin, A; Van Mth, DV; Bennett, AE.
- Hunter-Craig, C; Penman, HG. (1994). Examination of lungs for asbestosis and asbestos bodies [Letter]. *Pathology* 26: 347.
- Hunting, KL; Welch, LS. (1992). Health Hazards of Shipbuilding and Ship Repairing (pp. 634-641). (NIOSH/00211671). Hunting, KL; Welch, LS.
- Hunze, R. (1994). ASBESTOS-RELATED DISEASES OF THE LUNG AND PLEURA. *Dtsch Med Wochenschr* 119: 1603-1603.
- Hur; acirc; E, P. (1997). Government-approved organizations for the measurement and control of chemical risks. *Cahiers de notes documentaires Hygi and aacute*: 319-332.
- Hurbankova, M. (1994). SOME BIOLOGICAL EFFECTS OF MAN-MADE MINERAL FIBERS. *Czech J Occup Med* 46: 214-217.
- Hurbankova, M; Kaiglova, A. (1997). THE ROLE OF SELECTED BAL-PARAMETERS AND SIZE OF FIBERS IN MECHANISM OF LUNG INJURY (pp. 20-24). (BIOSIS/98/15229). Hurbankova, M; Kaiglova, A.
- Hurbankova, M; Kaiglova, A; Trnovec, T. (1997). DETERMINATION OF BAL PARAMETERS AFTER EXPOSURE TO INDUSTRIAL FIBROUS DUSTS IN EXPERIMENT (pp. 14-17). (BIOSIS/98/05932). Hurbankova, M; Kaiglova, A; Trnovec, T.
- Hurbankova, M; Tilkes, F. (1993). Use of the test for estimation of LDH activity as one parameter for demonstrating cytotoxicity of fibrous dust (pp. 149-153). (BIOSIS/94/35291). Hurbankova, M; Tilkes, F.
- Hurbankova, M; Ulrich, L; Barlogova, S; Malik, E. (1991). Application of some immunological methods in preventive examinations of workers exposed to asbestos (pp. 5-8). (BIOSIS/92/35865). Hurbankova, M; Ulrich, L; Barlogova, S; Malik, E.
- Hurmuz, P. (2010). Management of malignant pleural mesothelioma. 1: 53-61. <http://dx.doi.org/10.1111/j.1759-7714.2010.00001.x>.
- Husgafvelpursiainen, K; Kannio, A. (1996). Cigarette smoking and p53 mutations in lung cancer and bladder cancer. *Environ Health Perspect* 104: 553-556.
- Husgafvelpursiainen, K; Ridanpaa, M; Anttila, S; Hackman, P; Karjalainen, A; Vainio, H. (1993). RAS AND P53 MUTATIONS IN PRIMARY LUNG-CANCER FROM PATIENTS WITH EXPOSURE TO ASBESTOS AND TOBACCO-SMOKE. *Mutat Res* 291: 282-282.
- Hutchings, S; Cherrie, JW; Van Tongeren, M; Rushton, L. (2012). Intervening to reduce the future burden of occupational cancer in Britain: what could work? 5: 1213-1222. <http://dx.doi.org/10.1158/1940-6207.CAPR-12-0070>.
- Hutchings, SJ; Rushton, L. (2012). Occupational cancer in Britain. *Statistical methodology. Br J Cancer* 107 Suppl 1: S8-17. <http://dx.doi.org/10.1038/bjc.2012.113>.
- Hutchison, JL; Whittaker, EJW. (1979). NATURE OF ELECTRON-DIFFRACTION PATTERNS OF AMPHIBOLE ASBESTOS AND THEIR USE IN IDENTIFICATION. *Environ Res* 20: 445-449.
- Huttenloch, P; Roehl, KE; Czurda, K. (2001). Sorption of nonpolar aromatic contaminants by chlorosilane surface modified natural minerals. *Environ Sci Technol* 35: 4260-4264.
- Hutzinger, O. (1986). Hutzinger, O. (Ed.). *The Handbook of Environmental Chemistry, Vol. 3 Part D. Anthropogenic Compounds*. Xi+248p. Springer-Verlag: Berlin, West Germany; New York, N.Y., USA. Illus. Isbn 3-540-15555-4; Isbn 0-387-15555-4.; 0 (0). 1986. Xi+248p The handbook of environmental chemistry vol. 3. part d. anthropogenic compounds.
- Huuskonen, MS. (1992). Screening for occupational cancer [Review]. *Scand J Work Environ Health* 18 Suppl 1: 110-114.
- Huuskonen, MS; Koskinen, H; Vainio, H; Tossavainen, A; Rantanen, J. (1990). Program to Prevent Asbestos-Induced Health Hazards in Finland Asbestos Program in Finland. *Br Med J* 301: 1015-1017.
- Huuskonen, MS; Rantanen, J. (2006). Finnish Institute of Occupational Health (FIOH): prevention and detection of asbestos-related diseases, 1987-2005. *Am J Ind Med* 49: 215-220. <http://dx.doi.org/10.1002/ajim.20282>.
- Huuskonen, MS; Tossavainen, A. (1992). Fifty-year experience in diagnosing asbestos-related cancers in Finland: progress and detours [Comment]. *Am J Ind Med* 22: 259-261.
- Huuskonen, MS; Tossavainen, A; Koskinen, H; Zitting, A; Korhonen, O; Nickels, J; Korhonen, K; Vaaranen, V. (1983). Wollastonite exposure and lung fibrosis. *Environ Res* 30: 291-304.
- Hwang, CY. (1983). Size and shape of airborne asbestos fibres in mines and mills. *Br J Ind Med* 40: 273-279.
- Hwang, CY; Gibbs, GW. (1981). The dimensions of airborne asbestos fibers: 1. Crocidolite from Kuruman area, Cape Province, South Africa. *Ann Occup Hyg* 24: 23-42.
- Hwang, CY; Pidoux, I. (1978). APPLICATION OF ELECTRON MICROSCOPY TO STUDY OF AIRBORNE FIBERS IN WORK ENVIRONMENTS (pp. TORONTO). (HEEP/80/02154). Hwang, CY; Pidoux, I.
- Hwang, CY; Wang, ZM. (1983). Comparison of methods of assessing asbestos fiber concentrations. *Arch Environ Health* 38: 5-10.
- Hwang, J; Ramachandran, G; Raynor, PC; Alexander, BH; Mandel, JH. (2013). Comprehensive assessment of exposures to elongate mineral particles in the taconite mining industry. *Ann Occup Hyg* 57: 966-978. <http://dx.doi.org/10.1093/annhyg/met026>.
- Hwang, J; Ramachandran, G; Raynor, PC; Alexander, BH; Mandel, JH. (2014). The Relationship Between Various Exposure Metrics for Elongate Mineral Particles (EMP) in the Taconite Mining and Processing Industry. *J Occup Environ Hyg* 11: 613-624. <http://dx.doi.org/10.1080/15459624.2014.890287>.
- Hwang, SH, o; Park, W, haMe. (2016). Application of asbestos management index and asbestos recognition in public buildings in South Korea. *Hum Ecol Risk Assess* 22: 1542-1551. <http://dx.doi.org/10.1080/10807039.2016.1197768>.
- Hwang, SH; Park, WM. (2016). Evaluation of asbestos-containing products and released fibers in home appliances. 66: 922-929. <http://dx.doi.org/10.1080/10962247.2016.1180329>.

Human Health Hazard Literature Search Results

Off Topic

- Hwang, WT. (2014). Core D - Biostatistical Research Support Core.
- Hwang, WT. (2015). Core D - Biostatistical Research Support Core.
- Hyatt, M; Macrae, ND; Nesbitt, HW. (1982). Chemical treatment of chrysotile asbestos in laboratory solutions. *Environ Int* 7: 215-219.
- Hyland, RA; Yates, DH; Benke, G; Sim, M; Johnson, AR. (2010). Occupational exposure to asbestos in New South Wales, Australia (1970-1989): development of an asbestos task exposure matrix. *Occup Environ Med* 67: 201-206. <http://dx.doi.org/10.1136/oem.2008.039347>.
- Hyodoh, F; Yamaguchi, M; Watanabe, Y; Kawakami, Y; Tsushima, H; Ueki, A. (1994). Adsorption of acid or basic dyes by asbestos. 36: 211-212.
- Hyslop, NS. (1961). A method of treating asbestos filter pads for virus filtration. *Nature* 191: 305-307.
- Iakshina, LI. (1953). [Individual protection from dust in asbestos plants]. *Gig Sanit* 6: 51-54.
- IARC. (1980). Biological effects of mineral fibres. Volume 1. Proceedings of a symposium. Lyon, France, 25-27 September 1979. IARC Sci Publ1-494.
- IARC. (1980). Biological effects of mineral fibres. Volume 2. Proceedings of a symposium. Lyon, France, 25-27 September 1979. IARC Sci Publ497-1007.
- IARC (International Agency for Research on Cancer). (1980). Chromium and chromium compounds [Review]. In IARC Monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Humans (pp. 205-323). (RISKLIN/1984100005). Lyon, France.
- IARC. (1989). Non-occupational exposure to mineral fibres. IARC Sci Publ1-529.
- Iatsenko, AS; Kogan, FM; Bogdanov, GB; Rauza, ND; Aliamovskii, SI. (1989). [Dust factors in the processing of asbestos-containing components]. *Gig Tr Prof Zabol*51-52.
- Iatsenko, AS; Kogan, FM; Fomina, AS; Zykova, VA; Nikitina, OV; Vanchugova, NN; Bogdanov, GB; Aliamovskii, SI; Pereliaeva, LA. (1994). [Correlation between biologic aggression and some physical and chemical properties of industrial dust caused by use of friction tools]. *Med Tr Prom Ekol*29-33.
- Ibrahim, JG; Chen, MH. (1997). Predictive variable selection for the multivariate linear model. *Biometrics* 53: 465-478.
- Ichihara, G; Castranova, V; Tanioka, A; Miyazawa, K. (2008). Re: Induction of mesothelioma in p53+/- mouse by intraperitoneal application of multi-wall carbon nanotube [Letter]. *J Toxicol Sci* 33: 381-382; author reply 382-384.
- Ichikawa, I; Matsumura, T. (1997). [Recent circumstances of standards for indoor air environment]. *J Toxicol Environ Health A* 43: 162-173.
- Ide, CW. (1992). Takes your breath away. 10: 15-18.
- Idel, H; Robock, K; H-W, S. (1990). Report on the "International Symposium on Pneumoconioses" in Shenyang, China, 30 May 2 June 1988 (pp. 23-26). (NIOSH/00198871). Idel, H; Robock, K; Schlipkoter H-W.
- IFdSD, S; Telveira, MM; Algranti, E. (1990). Brazilian Program for Pneumoconiosis Prevention (pp. 23-26). (NIOSH/00198655). Saad IFdSD; Telveira, MM; Algranti, E.
- Ignatova, MS; Kharina, EA; Dlin, VV; Osmanov, IM; Lyubimova, IP; Aksenova, ME; Trukhina, ON; Nikishina, TA. (1997). SOLVED AND UNSOLVED PROBLEMS OF PEDIATRIC ECONEPHROLOGY. *Pediatriya MOSCOW*: 54-58.
- Ihde, DC; Minna, JD. (1991). NON-SMALL CELL LUNG CANCER PART I. BIOLOGY DIAGNOSIS AND STAGING. *Curr Probl Cancer* 15: 65-104.
- Ikegami, T; Tanaka, AK; Taniguchi, A; Clark, ML; Ragan, HA; Mast, TJ; Lee, KP. (2004). Chronic inhalation toxicity and carcinogenicity study on potassium octatitanate fibers (TISMO) in rats. *Inhal Toxicol* 16: 291-310. <http://dx.doi.org/10.1080/08958370490428391>.
- Ikegami, T; Taniguchi, M; Singer, AW; Brooker, MJ; Yarrington, J; Placke, ME; Lee, KP. (2000). Inhalation toxicity of potassium octatitanate fibers (TISMO) in rats following 13 weeks of aerosol exposure. *Inhal Toxicol* 12: 415-438.
- Iles, PJ; Johnston, AM. (1983). Problems of asbestos fiber counting in the presence of fiber-fiber and particle-fiber overlap. *Ann Occup Hyg* 27: 1984).
- Iles, PJ; Johnston, AM. (1983). Problems of Asbestos Fibre Counting in the Presence of Fibre-Fibre and Particle-Fibre Overlap. *Ann Occup Hyg* 27: 389-403.
- Iles, PJ; Shenton-Taylor, T. (1986). Comparison of a fibrous aerosol monitor (FAM) with the membrane filter method for measuring airborne asbestos concentrations. *Ann Occup Hyg* 30: 77-87.
- Ilgren, E. (2008). The fiber length of Coalinga chrysotile: Enhanced clearance due to its short nature in aqueous solution with a brief critique on "Short Fiber Toxicity". *Indoor Built Environ* 17: 5-26. <http://dx.doi.org/10.1177/1420326X07086427>.
- Ilgren, E. (2008). The fiber width of Coalinga chrysotile: Reduced respirability due to its thick nature in an aerosol and its "Ultra-Thin" nature in aqueous solution (In vivo). *Indoor Built Environ* 17: 27-41. <http://dx.doi.org/10.1177/1420326X07086428>.
- Ilgren, EB. (1989). Mossman, B. T. And R. O. Begin (Ed.). *Nato Asi (Advanced Science Institute) Series Series H Cell Biology*, Vol. 30. Effects of Mineral Dusts on Cells; Fourth International Workshop, Orford, Quebec, Canada, September 20-23, 1988. Xii+470p. Springer-Verlag New York, Inc.: Secaucus, New Jersey, USA; Berlin, West Germany. Illus. Isbn 0-387-50422-2; Isbn 3-540-50422-2.; 0 (0). 1989. 455-464 Mesothelioma threshold.
- Ilgren, EB. (2001). Health risks from exposures to asbestos, metals, and various chemicals due to collapse of the World Trade Center: An environmental residential survey with a commentary related to Ground Zero workers. *Indoor Built Environ* 10: 361-383. <http://dx.doi.org/10.1177/1420326X0101000604>.
- Ilgren, EB. (2002). Response to the California EPA's Office of Environmental Health Hazard Assessment critical assessment of Ilgren and Chatfield's studies of Coalinga chrysotile's fibrogenicity, tumorigenicity, and biopersistence. *Indoor Built Environ* 11: 243-245. <http://dx.doi.org/10.1159/000066013>.
- Ilgren, EB. (2004). The biology of cleavage fragments: A brief synthesis and analysis of current knowledge. *Indoor Built Environ* 13: 343-356. <http://dx.doi.org/10.1177/1420326X04047563>.
- Ilgren, EB. (2004). Coalinga Chrysotile: A Short Fibre, Amphibole Free, Chrysotile: Part V - Lack of Amphibole Asbestos Contamination. *Indoor Built Environ* 13: 325-341. <http://dx.doi.org/10.1177/1420326x04047657>.

Human Health Hazard Literature Search Results

Off Topic

- Ilgren, EB. (2008). Coalinga chrysotile: Dissolution, concentration, regulation and general relevance. *Indoor Built Environ* 17: 42-57. <http://dx.doi.org/10.1177/1420326X07086944>.
- Ilgren, EB; Ortega brena, M; Castro larragoitia, J; Loustaunau navarrete, G; Fuentes brena, A; Krauss, E; Feher, G. (2008). A reconnaissance study of a potential emerging Mexican mesothelioma epidemic due to fibrous zeolite exposure. *Indoor Built Environ* 17: 496-515. <http://dx.doi.org/10.1177/1420326x08096610>.
- Imazawa, T; Shimoji, N; Shinoda, K; Imaida, K; Takahashi, M; Hayashi, Y. (1988). [Application of X-ray analytical scanning electron microscopy to the detection of asbestos in talc]. *Eisei Shikenjo Hokoku*73-77.
- Imbernon, E; Goldberg, M; Guenel, P; Chevalier, A; Vatre, R; Bonenfant, S. (1996). Validation of Asbestos Exposure Assessment in a Job-Exposure Matrix in the Electricity and Gas Industry in France: The Matex Project. *Occup Hyg* 3: 1-3.
- Imbernon, E; Goldberg, M; Spyckerelle, Y; Steinmetz, J; Bonenfant, S; Fournier, B. (2004). Use of a job-exposure matrix for the screening of occupational exposure to asbestos. *Rev Epidemiol Sante Publique* 52: 7-17. [http://dx.doi.org/10.1016/S0398-7620\(04\)99018-9](http://dx.doi.org/10.1016/S0398-7620(04)99018-9).
- Imokawa, S; Sato, A; Toyoshima, M; Yoshitomi, A; Tamura, R; Suda, T; Suganuma, H; Yagi, T; Iwata, M; Hayakawa, H. (1994). Dyskeratosis congenita showing usual interstitial pneumonia. *Intern Med* 33: 226-230.
- Impivaara, O; Zitting, AJ; Kuusela, T; Alanen, E; Karjalainen, A. (1998). Observer variation in classifying chest radiographs for small lung opacities and pleural abnormalities in a population sample. *Am J Ind Med* 34: 261-265. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199809\)34:3<261::AID-AJIM8>3.0.CO;2-Y](http://dx.doi.org/10.1002/(SICI)1097-0274(199809)34:3<261::AID-AJIM8>3.0.CO;2-Y).
- Inagaki, N; Kibata, K; Tamaki, T; Shimizu, T; Nomura, S. (2013). Primary intrahepatic malignant mesothelioma with multiple lymphadenopathies due to non-tuberculous mycobacteria: A case report and review of the literature. *6: 676-680*. <http://dx.doi.org/10.3892/ol.2013.1461>.
- Inamasu, M. (1987). Professional oncology education program [Research]. RePORTER Database National Institutes of Health.
- Inami, K; Abe, M; Takeda, K; Hagiwara, Y; Maeda, M; Segawa, T; Suyama, M; Watanabe, S; Hino, O. (2010). Antitumor activity of anti-C-ERC/mesothelin monoclonal antibody in vivo. *Cancer Sci* 101: 969-974. <http://dx.doi.org/10.1111/j.1349-7006.2009.01463.x>.
- Inami, K; Kajino, K; Abe, M; Hagiwara, Y; Maeda, M; Suyama, M; Watanabe, S; Hino, O. (2008). Secretion of N-ERC/mesothelin and expression of C-ERC/mesothelin in human pancreatic ductal carcinoma. *Oncol Rep* 20: 1375-1380. http://dx.doi.org/10.3892/or_00000155.
- INC, CCC. (1983). Consideration in establishing an appropriate tlv for formaldehyde presented to acgih subcommittee on jan 20, 1983. <http://www.cco.org/cgi-bin/sis/transfer?tscats+NTIS/OTS0206028> target="new">Order this.
- Inc., AE. (1993). Summary of Operator Knowledge of Rocky Mountain Arsenal Structures. Version 3.2 (pp. 179). (NTIS/02997340_a).
- Indovina, P; Marcelli, E; Di Marzo, D; Casini, N; Forte, IM; Giorgi, F; Alfano, L; Pentimalli, F; Giordano, A. (2014). Abrogating G₂/M checkpoint through WEE1 inhibition in combination with chemotherapy as a promising therapeutic approach for mesothelioma. *Cancer Biol Ther* 15: 380-388. <http://dx.doi.org/10.4161/cbt.27623>.
- Indulski, J; Izycki, J; Wiecek, E. (1985). [Principles of preventing the adverse health effects of occupational exposure to asbestos]. *Med Pr* 36: 257-264.
- Infante, PF; Lemen, RA. (1976). Letter: Asbestos in dentistry. *J Am Dent Assoc* 93: 221-222.
- Infante, PF; Pohl, GK. (1988). LIVING IN A CHEMICAL WORLD ACTIONS AND REACTIONS TO INDUSTRIAL CARCINOGENS. *Teratog Carcinog Mutagen* 8: 225-249.
- Infante, PF; Schuman, LD; Huff, J. (1996). Fibrous glass insulation and cancer: response and rebuttal [Comment]. *Am J Ind Med* 30: 113-120.
- Inoko, M; Ariiso, K. (1982). DETERMINATION OF CHRYSOTILE FIBERS IN RESIDUAL DUST ON ROAD VEHICLE BRAKE DRUMS. *Environmental Pollution Series B: Chemical and Physical* 4: 249-255.
- Inoue, Y. (1988). DIRECT RADIOIMMUNOASSAY OF ANGIOTENSIN-CONVERTING ENZYME IN SERUM AND BRONCHOALVEOLAR LAVAGE FLUID FROM PATIENTS WITH PULMONARY DISEASES (pp. 129-138). (BIOSIS/89/34089). Inoue, Y.
- Institute, NC. (1979). Asbestos exposure: a desk reference for communicators. National Cancer Institute. *Clin Toxicol* 14: 607-618. <http://dx.doi.org/10.3109/15563657908992472>.
- International Labour Office (ILO). (1984). Safety in the use of asbestos. (CIS/84/01853). International Labour Office.
- Ioli, F; Donner, CF; Fracchia, C; Patessio, A; Spada, EL; Vecchio, C. (1986). RETRAINING WITH PHYSICAL EXERCISE (pp. NEW TECHNIQUES AND METHODOLOGY). (BIOSIS/87/29898). Ioli, F; Donner, CF; Fracchia, C; Patessio, A; Spada, EL; Vecchio, C.
- Iozzo, RV; Goldes, JA; Chen, WJ; Wight, TN. (1981). Glycosaminoglycans of pleural mesothelioma: a possible biochemical variant containing chondroitin sulfate. *Cancer* 48: 89-97.
- Irwig, HG; Oliver, LC; Page, T; Wegman, DH; Ellenbecker, MJ. (1991). Asbestos in Place: A Building Management Perspective. *Ann N Y Acad Sci* 643: 589-596.
- Isabel Velasco-Garcia, M; Recuero, R; Jesus Cruz, M; Panades, R; Marti, G; Ferrer, J. (2010). Prevalence and Distribution of Asbestos Lung Residue in a Spanish Urban Population. *Arch Bronconeumol* 46: 176-181. <http://dx.doi.org/10.1016/j.arbres.2009.12.008>.
- Ishida, T; Alexandrov, M; Nishimura, T; Hirota, R; Ikeda, T; Kuroda, A. (2013). Molecular engineering of a fluorescent bioprobe for sensitive and selective detection of amphibole asbestos. *PLoS ONE* 8: e76231. <http://dx.doi.org/10.1371/journal.pone.0076231>.
- Ishida, T; Alexandrov, M; Nishimura, T; Minakawa, K; Hirota, R; Sekiguchi, K; Kohyama, N; Kuroda, A. (2010). Selective detection of airborne asbestos fibers using protein-based fluorescent probes. *Environ Sci Technol* 44: 755-759. <http://dx.doi.org/10.1021/es902395h>.
- Ishida, T; Alexandrov, M; Nishimura, T; Minakawa, K; Hirota, R; Sekiguchi, K; Kohyama, N; Kuroda, A. (2012). Evaluation of Sensitivity of Fluorescence-Based Asbestos Detection by Correlative Microscopy. *J Fluoresc* 22: 357-363. <http://dx.doi.org/10.1007/s10895-011-0967-3>.
- Ishidate, MJ; Harnois, MC; Sofuni, T. (1988). A comparative analysis of data on the clastogenicity of 951 chemical substances tested in mammalian cell cultures [Review]. *Mutat Res* 195: 151-213. [http://dx.doi.org/10.1016/0165-1110\(88\)90023-1](http://dx.doi.org/10.1016/0165-1110(88)90023-1).

Human Health Hazard Literature Search Results

Off Topic

- Ishihara, Y; Kohyama, N; Kagawa, J. (1996). Acceleration and inhibition of nitric oxide production in macrophages stimulated by silica and asbestos. *FASEB J* 10: 3701-3701.
- Ishihara, Y; Kyono, H; Kohyama, N; Otaki, N; Serita, F; Toya, T. (2002). Effects of surface characteristics of potassium titanate whisker samples on acute lung injury induced by a single intratracheal administration in rats. *Inhal Toxicol* 14: 503-519.
- Ishimatsu, S; Oyabu, T; Hori, H; Tanaka, I. (1999). A new digestion method for recovery of MMMFs from lungs. *Ind Health* 37: 307-312. <http://dx.doi.org/10.2486/indhealth.37.307>.
- Ito, S; Mikami, R; Ryujin, Y; Kasuga, H; Shioya, N; Miyazaki, R; Narita, N; Tsutsui, S; Shibatsuji, H; Hamada, S. (1983). Clinical evaluation of gallium-67 citrate scintigrams in diffuse pulmonary diseases: Comparison with radiological findings (pp. 1459-1466). (HEEP/84/09739). Ito, S; Mikami, R; Ryujin, Y; Kasuga, H; Shioya, N; Miyazaki, R; Narita, N; Tsutsui, S; Shibatsuji, H; Hamada, S.
- Ivanov, SV; Ivanova, AV; Goparaju, CM; Chen, Y; Beck, A; Pass, HI. (2009). Tumorigenic properties of alternative osteopontin isoforms in mesothelioma. *Biochem Biophys Res Commun* 382: 514-518. <http://dx.doi.org/10.1016/j.bbrc.2009.03.042>.
- Ivanova, AV. (2010). Role of the tumor suppressor Fus1 in asbestos-induced inflammatory cancers.
- Ivanova, AV. (2011). Role of the tumor suppressor Fus1 in asbestos-induced inflammatory cancers.
- Iversen, OH. (1986). Cancer risks in relation to other health hazards in a modern society. *Environ Int* 12: 499-503.
- Ives, JC; Buffler, PA; Greenberg, SD. (1983). Environmental associations and histopathologic patterns of carcinoma of the lung: the challenge and dilemma in epidemiologic studies [Review]. *Am Rev Respir Dis* 128: 195-209. <http://dx.doi.org/10.1164/arrd.1983.128.1.195>.
- Iwahori, K; Osaki, T; Serada, S; Fujimoto, M; Suzuki, H; Kishi, Y; Yokoyama, A; Hamada, H; Fujii, Y; Yamaguchi, K; Hirashima, T; Matsui, K; Tachibana, I; Nakamura, Y; Kawase, I; Naka, T. (2008). Megakaryocyte potentiating factor as a tumor marker of malignant pleural mesothelioma: evaluation in comparison with mesothelin. *Lung Cancer* 62: 45-54. <http://dx.doi.org/10.1016/j.lungcan.2008.02.012>.
- Iwatsubo, Y; Benezet, L; Boutou-Kempf, O; Fevotte, J; Garras, L; Goldberg, M; Luce, D; Pilorget, C; Imbernon, E. (2014). An extensive epidemiological investigation of a kidney cancer cluster in a chemical plant: what have we learned? *Occup Environ Med* 71: 4-11. <http://dx.doi.org/10.1136/oemed-2013-101477>.
- Iwatsubo, Y; Matrat, M; Michel, E; Boutin, C; Galateau-Salle, F; Jouglu, E; Bignon, J; Pairon, JC; Brochard, P. (2002). Estimation of the incidence of pleural mesothelioma according to death certificates in France. *Am J Ind Med* 42: 188-199. <http://dx.doi.org/10.1002/ajim.10098>.
- Iyer, R; Holian, A. (1997). Involvement of the ICE family of proteases in silica-induced apoptosis in human alveolar macrophages. *Am J Physiol* 273: L760-L767.
- Izikson, L; Vanderpool, J; Brodsky, G; Mihm, MC; Zembowicz, A. (2004). Combined basal cell carcinoma and Langerhans cell histiocytosis of the scrotum in a patient with occupational exposure to coal tar and dust. *Int J Dermatol* 43: 678-680. <http://dx.doi.org/10.1111/j.1365-4632.2004.02178.x>.
- Izmerov, N; Elovskaya, L; Kovalevskiy, E. (1998). Working with asbestos in Russia [Letter]. *Int J Occup Environ Health* 4: 59-61. <http://dx.doi.org/10.1179/oeh.1998.4.1.59>.
- Izmerov, NF; Kovalevskii, EV. (2004). [Regulations of controlled use of asbestos-containing materials in construction industry]. *Med Tr Prom Ekol* 5-12.
- Izuchi, Y; Boffa, MC; Soulier, JP. (1979). Purification and properties of prothrombin modified by asbestos filtration of human plasma. *Thromb Haemostasis* 40: 439-453.
- Izzi, V; Masuelli, L; Tresoldi, I; Foti, C; Modesti, A; Bei, R. (2012). Immunity and malignant mesothelioma: From mesothelial cell damage to tumor development and immune response-based therapies [Review]. *Cancer Lett* 322: 18-34. <http://dx.doi.org/10.1016/j.canlet.2012.02.034>.
- Jablonski, RP; Kim, SJ; Cheresch, P; Williams, DB; Morales-Nebreda, L; Yeldandi, A; Guis, D; Budinger, S; Kamp, DW. (2015). Sirt3 Attenuates Asbestos-Induced Alveolar Epithelial Cell Mitochondrial Dna Damage, Apoptosis And Pulmonary Fibrosis. *Am J Respir Crit Care Med* 191.
- Jackaman, C; Lew, AM; Zhan, Y; Allan, JE; Koloska, B; Graham, PT; Robinson, BW; Nelson, DJ. (2008). Deliberately provoking local inflammation drives tumors to become their own protective vaccine site. *Int Immunol* 20: 1467-1479. <http://dx.doi.org/10.1093/intimm/dxn104>.
- Jackler, RK. (2015). Testimony by otolaryngologists in defense of tobacco companies 2009-2014. *Laryngoscope* 125: 2722-2729. <http://dx.doi.org/10.1002/lary.25432>.
- Jackson, D. (1992). Death from Asbestos: One Physician's Practice. *J Am Med Assoc* 268.
- Jackson, D. (1992). DEATHS FROM ASBESTOS ONE PHYSICIAN'S PRACTICE [Letter]. *JAMA J AM MED ASSOC*: 2169.
- Jackson, HM; West, NG. (1992). Initial Experience with the Workplace Analysis Scheme for Proficiency (WASP). *Ann Occup Hyg* 36: 545-561.
- Jackson, T; Hammes, DC. (1986). A small town lagoon system. 3: 14-19.
- Jacobi, V; Kirchner, J; Keller, C; Bauer, B; Thalhammer, A. (1995). Differential diagnosis of lung fibrosis with HRCT (pp. S30-S33). (ISSN 0341-3055 BIOSIS/95/19590). Jacobi, V; Kirchner, J; Keller, C; Bauer, B; Thalhammer, A.
- Jacobsen, M. (1991). THE INTERNATIONAL LABOUR OFFICE CLASSIFICATION USE AND MISUSE (pp. EXPOSURE TO ASBESTOS IN PLACE: PUBLIC HEALTH CONTROL; CONFERENCE). (BIOSIS/93/34924). Jacobsen, M.
- Jacobsen, M; Dodgson, J; Maclaren, W. (1983). ESTIMATING FACTORY-WORKERS CUMULATIVE EXPOSURE TO LOW CONCENTRATIONS OF ASBESTOS DUST. *Scand J Work Environ Health* 9: 61-61.
- Jacobsen, M; Ducatman, B; Cox-Ganser, J. (2000). Study of the Feasibility of Research on Pathologic Types of Lung Cancer in Silica- and Radon-Exposed Miners, Final Report. 66.
- Jacobson, EB. (1989). Glove bag waste removal system for asbestos impregnated brakes us patent-4865401. september 12 1989. 1106: 1020-1021.

Human Health Hazard Literature Search Results

Off Topic

- Jacobson, G; Lainhart, WS. (1973). INTERNATIONAL LABOR OFFICE INTERNATIONAL UNION AGAINST CANCER CINCINNATI 1971 INTERNATIONAL CLASSIFICATION OF RADIOGRAPHS OF THE PNEUMOCONIOSES (pp. 67-76). (HEEP/74/08665). Jacobson, G; Lainhart, WS.
- Jacobson, RJ; Kagan, E. (1983). PLASMA-CELL AND LYMPHOID MALIGNANCIES - ASSOCIATION WITH ASBESTOS EXPOSURE. *Am J Clin Pathol* 80: 118-119.
- Jacomos, P; Dal Grande, E; Mburns, C. (2013). WHAT IS THE QUALITY OF LIFE OF PEOPLE DIAGNOSED WITH ASBESTOS-RELATED DISEASE AND THEIR FAMILY CAREGIVERS? *Respirology* 18: 22-22.
- Jadhav, AV; Roy, N. (2012). Asbestosis: Past voices from the Mumbai factory floor. *Indian J Occup Environ Med* 16: 131-136. <http://dx.doi.org/10.4103/0019-5278.111758>.
- Jaekel, M; Kerenyi, T; Voss, B; Wiethage, T; Mueller, KM. (1997). Bronchopathogenic effects of asbestos and some mineral fibre. 10: 21S.
- Jaenchen, R; Defren, K; Reinhardt, M. (1995). QUALIFICATION OF MICROBIOLOGY VALIDATED FILTERS FOR THE ELIMINATION OF ASBESTOS FIBERS FROM PARENTERALS. 57: 183-187.
- Jafek, BW; Smith, CM; Moran, DT; Johson, EW; Eller, PM. (1992). EFFECTS ON THE UPPER RESPIRATORY PASSAGES (pp. 720-729). (ISSN 0194-5998 EISSN 1097-6817 BIOSIS/92/28338). Jafek, BW; Smith, CM; Moran, DT; Johson, EW; Eller, PM.
- Jaffery, S; Burdett, GJ; Rood, AP. (1988). An Investigation of Airborne Asbestos Concentration in Two UK Buildings: Before, during and after the Removal of Asbestos. *Int J Environ Stud* 32: 169-180.
- Jaffrey, SAM, T; Rood, AP; Scott, RM. (1992). Fibrous Dust Release from Asbestos Substitutes in Friction Products. *Ann Occup Hyg* 36: 173-181.
- Jah"Jaev, AV; Velickovskij, BT; Deeva, IB; Korkina, LG. (1986). Biological significance of fibrogenic dust surface properties. No: 34-37.
- Jahn, H; Rodelsperger, K; Bruckel, B; Manke, J; Woitowitz, HJ. (1985). ASBESTOS DUST RISKS IN BRAKE REPAIR SERVICES. *Staub, Reinhaltung der Luft* 45: 80-83.
- Jahn, I; Becker, U; Jöckel, KH; Pohlabein, H. (1995). Occupational life course and lung cancer risk in men. Findings from a socio-epidemiological analysis of job-changing histories in a case-control study. *Soc Sci Med* 40: 961-975.
- Jain, M. (2015). Comparing and Combining Bortezomib and Mycophenolate in SSc Pulmonary Fibrosis.
- Jaiswal, AK; Viswanathan, PN. (1980). PULMONARY BIOCHEMICAL RESPONSE TO COMBINED EFFECT OF ASBESTOS DUST AND PULMONARY INFECTION. *Indian J Biochem Biophys* 17: S25-S25.
- Jaklitsch, MT; Grondin, SC; Sugarbaker, DJ. (2001). Treatment of malignant mesothelioma. *World J Surg* 25: 210-217.
- Jakobsson, K. (1994). ASBESTOS, CEMENT, AND CANCER IN THE RIGHT PART OF THE COLON (VOL 51, PG 95, 1994). *Occup Environ Med* 51: 576-576.
- Jakubowski, W; Hill, WF; Clarke, NA. (1975). Comparative study of four microporous filters for concentrating viruses from drinking water. *Applied Microbiology* 30: 58-65.
- James, AM; Freier, JE; Keirans, JE; Durden, LA; Mertins, JW; Schlater, JL. (2006). Distribution, seasonality, and hosts of the Rocky Mountain wood tick in the United States. *J Med Entomol* 43: 17-24.
- James, KR; Bull, TB; Fox, B. (1986). Detection of asbestos fibers by dark-ground illumination microscopy. 148: 85A.
- James, KR; Bull, TB; Fox, B. (1987). Detection of asbestos fibres by dark ground microscopy. *J Clin Pathol* 40: 1259-1260.
- Janigan, D. (2001). The debate on banning asbestos [Letter]. *CMAJ* 165: 1190; author reply 1191-1193.
- Jankovic, JT. (1985). ASBESTOS BULK SAMPLING PROCEDURE. *Am Ind Hyg Assoc J* 46: B8-&.
- Jankovic, JT; Jones, W; Clere, J. (1986). Field Technique for Clearing Cellulose Ester Filters Used in Asbestos Sampling. *Appl Ind Hyg* 1: 145-147.
- Janson, P. (1959). [Asbestos warts]. 26: 123-124.
- Janssen, JH. (2005). [Wonder matter and assassin. The perception of the asbestos danger as a mirror of the time 1930-1990]. *Gewina* 28: 38-53.
- Janssen, YM; Marsh, JP; Driscoll, KE; Borm, PJ; Oberdorster, G; Mossman, BT. (1994). Increased expression of manganese-containing superoxide dismutase in rat lungs after inhalation of inflammatory and fibrogenic minerals. *Free Radic Biol Med* 16: 315-322.
- Janssen, YMW; Heintz, NH. (1995). INDUCTION OF C-FOS AND C-JUN PROTOONCOGENE EXPRESSION IN PULMONARY TARGET-CELLS BY ASBESTOS FIBERS. *J Cell Biochem* 37-37.
- Janssen, YMW; Marsh, JP; Borm, PJA; Heintz, NH; Mossman, BT. (1993). C-FOS AND C-JUN PROTOONCOGENE EXPRESSION IN RAT PLEURAL MESOTHELIAL CELLS AND HAMSTER TRACHEAL EPITHELIAL-CELLS AFTER EXPOSURE TO ASBESTOS AND SYNTHETIC-FIBERS. *Am Rev Respir Dis* 147: A910-A910.
- Janssen, YMW; Timblin, CR; Zanella, CL; Jimenez, LA; Mossman, BT. (1996). Induction of Gene Expression by Environmental Oxidants Associated with Inflammation, Fibrogenesis, and Carcinogenesis. 00146: 387-414.
- Janssen-Heininger, YMW. (1998). Reactive intermediates in gene regulation by asbestos [Research]. *RePORTER Database National Institutes of Health*.
- Jantz, MA; Antony, VB. (2006). Pleural fibrosis [Review]. *Clin Chest Med* 27: 181-+. <http://dx.doi.org/10.1016/j.ccm.2005.12.003>.
- Jantzen, CM. (1992). Method for dissolution and stabilization of silica-rich fibers. 10.
- Jara Chinarro, B; de Miguel Díez, J; Abad Santamaría, N; López Vime, R; Juretschke Moragues, MA; Gómez Santos, D. (2001). [Round atelectasis]. *Rev Clin Esp* 201: 303-307.
- Jarad, NA; Poulakis, N; Rubens, MB; Pearson, MC; Rudd, RM. (1989). CT SCAN VERSUS X-RAY ESTIMATIONS TO THE EXTENT OF PLEURAL ASBESTOSIS (pp. 14-17). (BIOSIS/89/20553). Jarad, NA; Poulakis, N; Rubens, MB; Pearson, MC; Rudd, RM.
- Jarad, NA; Wilkinson, P; Pearson, MC; Rudd, RM. (1992). A new high resolution computed tomography scoring system for pulmonary fibrosis, pleural disease, and emphysema in patients with asbestos related disease. *Br J Ind Med* 49: 73-84.
- Jarvholm, B. (1992). DOSE-RESPONSE IN EPIDEMIOLOGY - AGE AND TIME ASPECTS. *Am J Ind Med* 21: 101-106.
- Järholm, B. (2000). Natural organic fibers--health effects [Review]. *Int Arch Occup Environ Health* 73 Suppl: S69-S74.

Human Health Hazard Literature Search Results

Off Topic

- Jarvholm, B; Hillerdal, G; Jarliden, AK; Hansson, A; Lilja, BG; Tornling, G; Westerholm, P. (1995). OCCURRENCE OF PLEURAL PLAQUES IN WORKERS WITH EXPOSURE TO MINERAL WOOL. *Int Arch Occup Environ Health* 67: 343-346.
- Jasani, B; Gibbs, A. (2012). Mesothelioma not associated with asbestos exposure [Review]. *Arch Pathol Lab Med* 136: 262-267. <http://dx.doi.org/10.5858/arpa.2011-0039-RA>.
- Jasanoff, S. (1986). Richardson, M. L. (Ed.). *Toxic Hazard Assessment of Chemicals*. xviii+361p. The Royal Society of Chemistry: London, England, Uk. Illus. Isbn 0-85186-897-5.; 0 (0). 1986 (Recd. 1987). 259-282 Comparative risk assessment the lessons of cultural variation.
- Jaunarajs, KL; Liebling, RS. (1972). The digestion of lung tissue for mineral dust recovery. *Am Ind Hyg Assoc J* 33: 535-542. <http://dx.doi.org/10.1080/0002889728506701>.
- Jaurand, MC. (2006). Asbestos, chromosomal deletions and tumor suppressor gene alterations in human malignant mesothelioma. *Lung Cancer* 54: S15-S15.
- Jaurand, MC; Bignon, J. (1993). Focus on mesothelioma and the mesothelial cell [Editorial]. *Eur Respir J* 6: 319-321.
- Jaworski, JF. (1980). EFFECTS OF CHROMIUM ALKALI HALIDES ARSENIC ASBESTOS MERCURY AND CADMIUM IN THE CANADIAN ENVIRONMENT (pp. 1-92). (HEEP/81/09103). Jaworski, JF.
- Jayanty, RKM; Peterson, MR; Naugle, DF; Berry, MA. (1990). Exposure Assessment: Methods of Analysis for Environmental Carcinogens. *Risk Anal* 10: 587-595. <http://dx.doi.org/10.1111/j.1539-6924.1990.tb00543.x>.
- Jaynes, PS. (1986). A Method For Testing Fabrics with Molten Metals. *Acta Cytol* 30: 470-476.
- J-C, T; Baillif, P; M-C, J; Magne, L; Bignon, J. (1987). COMPARATIVE STUDY OF THE ADSORPTION OF DNA ON CHRYSOTILE AND PHOSPHORYLATED CHRYSOTILE CHRYSOPHOSPHATE. *Can J Chem* 65: 508-511.
- J-D, A; Etournand, A; Jedrzejewska, Y; Ramuz, A. (1979). Assay of traces of mercury in food products (pp. 416-425). (HEEP/80/09038). Aubort J-D; Etournand, A; Jedrzejewska, Y; Ramuz, A.
- Jederlinic, PJ; Abraham, JL; Chung, A; Himmelstein, JS; Epler, GR; Gaensler, EA. (1990). Pulmonary fibrosis in aluminum oxide workers. Investigation of nine workers, with pathologic examination and microanalysis in three of them. *Am Rev Respir Dis* 142: 1179-1184. <http://dx.doi.org/10.1164/ajrccm/142.5.1179>.
- Jeebun, V; Stenton, SC. (2010). ASBESTOS-INDUCED DIFFUSE PLEURAL THICKENING-A CONTINUING PROBLEM. *Thorax* 65: A81-A81. <http://dx.doi.org/10.1136/thx.2010.150961.10>.
- Jennings, CJ; Murer, B; O'Grady, A; Hearn, LM; Harvey, BJ; Kay, EW; Thomas, W. (2015). Differential p16/INK4A cyclin-dependent kinase inhibitor expression correlates with chemotherapy efficacy in a cohort of 88 malignant pleural mesothelioma patients. *Br J Cancer* 113: 69-75. <http://dx.doi.org/10.1038/bjc.2015.187>.
- Jennings, CJ; Zainal, N; Dahlan, IM; Kay, EW; Harvey, BJ; Thomas, W. (2016). Tamoxifen Suppresses the Growth of Malignant Pleural Mesothelioma Cells. *Anticancer Res* 36: 5905-5913. <http://dx.doi.org/10.21873/anticancer.11177>.
- Jensen, C. (1997). Behavior of crocidolite asbestos in living vertebrate cells [Research]. RePORTER Database National Institutes of Health.
- Jensen, CG; Jensen, LC; Ault, JG; Osorio, G; Cole, R; Rieder, CL. (1993). Behavior of asbestos in living cells. 4: 277A.
- Jensen, OM. (1988). THE CANCER REGISTRY AS A TOOL FOR EPIDEMIOLOGY SOME DANISH EXAMPLES (pp. NEW YORK). (BIOSIS/88/30509). Jensen, OM.
- Jentschke, M. (1981). Asbestos bibliography. (CIS/83/00643). Jentschke, M.
- Jeong, JY; Choi, S; Kho, YL; Kim, PG. (2010). Extensive changes to occupational exposure limits in Korea. *Regul Toxicol Pharmacol* 58: 345-348. <http://dx.doi.org/10.1016/j.yrtph.2010.08.006>.
- Jeong, KS; Kim, Y; Kim, MC; Yoo, CI, n. (2011). Comparison of Cancer Incidence Between Production and Office Workers at a Shipyard in Korea: A Retrospective Cohort Study From 1992 to 2005. *Am J Ind Med* 54: 719-725. <http://dx.doi.org/10.1002/ajim.20957>.
- Jerolmack, DJ. (2014). Environmental Science Project 2 - Mobility and Fate of Asbestos Particles.
- Jerolmack, DJ. (2015). Environmental Science Project 2 - Mobility and Fate of Asbestos Particles.
- Jess, PR; Mazilu, M; Dholakia, K; Riches, AC; Herrington, CS. (2009). Optical detection and grading of lung neoplasia by Raman microspectroscopy. *Int J Cancer* 124: 376-380. <http://dx.doi.org/10.1002/ijc.23953>.
- Jeyaratnam, J. (1991). Rantanen, J. And S. Lehtinen (Ed.). *International Congress Series, 890. New Trends and Developments in Occupational Health Services; International Symposium, Espoo, Finland, October 3-6, 1989*. xxi+203p. Elsevier Science Publishers B.V.: Amsterdam, Netherlands; (Dist. In the USA and Canada by Elsevier Science Publishing Co., Inc.: New York, New York). Illus. Isbn 0-444-81401-9.; 0 (0). 1991. 19-28 Occupational health problems of developing countries.
- Jeyaratnam, M; West, NG. (1994). A STUDY OF HEAT-DEGRADED CHRYSOTILE, AMOSITE AND CROCIDOLITE BY X-RAY-DIFFRACTION. *Ann Occup Hyg* 38: 137-148.
- Ji, J; Sundquist, J; Sundquist, K. (2016). Incidence and familial risk of pleural mesothelioma in Sweden: a national cohort study. *Eur Respir J* 48: 873-879. <http://dx.doi.org/10.1183/13993003.00091-2016>.
- Ji, ST; Kim, M; Park, H; Lee, E; Lee, Y; Jang, YJ; Kim, H; Lee, J. (2013). Diallyl disulfide impairs hippocampal neurogenesis in the young adult brain. *Toxicol Lett* 221: 31-38. <http://dx.doi.org/10.1016/j.toxlet.2013.05.013>.
- Ji, WD; Chen, JK; Lu, JC; Wu, ZL; Yi, F; Feng, SM. (2006). Alterations of FHIT gene and P16 gene in nickel transformed human bronchial epithelial cells. *Biomed Environ Sci* 19: 277-284.
- Jiang, GC; Madl, AK; Ingmundson, KJ; Murbach, DM; Fehling, KA; Paustenbach, DJ; Finley, BL. (2008). A study of airborne chrysotile concentrations associated with handling, unpacking, and repacking boxes of automobile clutch discs. *Regul Toxicol Pharmacol* 51: 87-97. <http://dx.doi.org/10.1016/j.yrtph.2008.02.009>.
- Jiang, L; Chew, SH; Nakamura, K; Ohara, Y; Akatsuka, S; Toyokuni, S. (2016). Dual preventive benefits of iron elimination by desferal in asbestos-induced mesothelial carcinogenesis. *Cancer Sci* 107: 908-915. <http://dx.doi.org/10.1111/cas.12947>.

Human Health Hazard Literature Search Results

Off Topic

- Jiang, L; Yamashita, Y; Toyokuni, S. (2010). A novel method for efficient collection of normal mesothelial cells in vivo. *J Clin Biochem Nutr* 46: 265-268. <http://dx.doi.org/10.3164/jcbrn.10-01>.
- Jiang, Y; Shao, F. (2013). A stone miner with both silicosis and constrictive pericarditis: case report and review of the literature [Review]. *BMC Pulm Med* 13: 71. <http://dx.doi.org/10.1186/1471-2466-13-71>.
- Jiang, Z; Chen, J; Lou, J; Miao, C; Shao, D; Zhang, X. (2015). [Monitoring and analysis of asbestos concentration in working environment of different asbestos-producing technologies in a certain area]. *Zhonghua Lao Dong Wei Sheng Zhi Ye Bing Za Zhi* 33: 833-837.
- Jing, H; Hu, T; Shi, D; Hua, Y. (1981). Investigation of chemical components of lung tissue on 12 cases of human pneumoconiosis (pp. 324-328). (HEEP/83/02602). Jing, H; Hu, T; Shi, D; Hua, Y.
- J-L, P; Barneon, G; Bousquet, J; F-B, M; Godard, P. (1990). Interstitial Pulmonary Disease Induced by Occupational Exposure to Paraffin. *Chest* 97: 234-236.
- Jöckel, KH; Ahrens, W; Jahn, I; Pohlabeln, H; Bolm-Audorff, U. (1998). Occupational risk factors for lung cancer: a case-control study in West Germany. *Int J Epidemiol* 27: 549-560.
- Jöckel, KH; Pohlabeln, H; Bolm-Audorff, U; Brüske-Hohlfeld, I; Wichmann, HE. (2000). Lung cancer risk of workers in shoe manufacture and repair. *Am J Ind Med* 37: 575-580.
- Joel, DD; Le Fevre, ME. (1979). Effects of chronic asbestos ingestion on iodine-125 deoxy uridine incorporation in various tissues of mice. *Fed Proc* 38.
- Joel, DD; Weiss, RA. (1981). Effects of chronic ingestion of asbestos on splenic lymphocyte function. 40: 828.
- Johanning, E; Goldberg, M; Kim, R. (1994). Asbestos hazard evaluation in South Korean textile production. *Int J Health Serv* 24: 131-144.
- Johansen, C. (2004). Electromagnetic fields and health effects--epidemiologic studies of cancer, diseases of the central nervous system and arrhythmia-related heart disease [Review]. *Scand J Work Environ Health* 30 Suppl 1: 1-30.
- Johansen, C; Olsen, JH. (1998). Mortality from amyotrophic lateral sclerosis, other chronic disorders, and electric shocks among utility workers. *Am J Epidemiol* 148: 362-368.
- John, CM; Turek, PJ. (2011). Model of the Human Testis for Reproductive Toxicology.
- John, W; Vincent, JH. (1985). Static Electrification Of Workplace Aerosols: A Perspective. *Ann Occup Hyg* 29: 285-288.
- Johns, DR. (1949). Hygiene in the Metal Powder Industry (pp. 51-57). (NIOSH/00131548). Johns, DR.
- Johns, JA; Yasuda, T; Garabedian, HD; Aaronson, RA; Leinbach, RC; Akins, CW; Gold, HK. (1987). Improved left ventricular function following intravenous recombinant tissue-type plasminogen activator in acute myocardial infarction. 9: 190A.
- Johnson, A; Farrow, P; Jenkins, R. (2006). Effectiveness of smoking cessation advice for asbestos workers. *Occup Med (Lond)* 56: 59-60. <http://dx.doi.org/10.1093/occmed/kqj001>.
- Johnson, AJ; Karabatsos, N; Lanciotti, RS. (1997). Detection of Colorado tick fever virus by using reverse transcriptase PCR and application of the technique in laboratory diagnosis. *J Clin Microbiol* 35: 1203-1208.
- Johnson, BB. (2002). Stability and inoculation of risk comparisons' effects under conflict: replicating and extending the "asbestos jury" study by Slovic et al. *Risk Anal* 22: 777-788.
- Johnson, BB. (2004). Varying risk comparison elements: effects on public reactions. *Risk Anal* 24: 103-114. <http://dx.doi.org/10.1111/j.0272-4332.2004.00415.x>.
- Johnson, BL. (1990). Advances in neurobehavioral toxicology applications in environmental and occupational health third international symposium on neurobehavioral methods in environmental and occupational health washington d.c. Usa december 14-17 1988. B.
- Johnson, BL; Lee, I; Gould, V. (1987). EPIDEMIOLOGY PATHOGENESIS AND PATHOLOGY (pp. DIAGNOSIS AND MANAGEMENT). (BIOSIS/87/20503). Johnson, BL; Lee, I; Gould, V.
- Johnson, DL. (1970). Environmental Sampling at 3 Arizona Asbestos Mines and Mills. 5: 19701970.
- Johnson, DL. (1983). Automated scanning electron microscopic characterization of particulate inclusions in biological tissues. *Scan Electron Microsc* 1211-1228.
- Johnson, DL; Healey, JJ; Ayer, HE; Lynch, JR. (1969). Exposure to fibers in the manufacture of fibrous glass. *Am Ind Hyg Assoc J* 30: 545-550.
- Johnson, DL; Martonen, TB. (1993). Fiber deposition along airway walls: Effects of fiber cross-section on rotational interception. *J Aerosol Sci* 24: 525-536. [http://dx.doi.org/10.1016/0021-8502\(93\)90036-9](http://dx.doi.org/10.1016/0021-8502(93)90036-9).
- Johnson, ES. (1995). Asbestos: a risk too far? [Letter]. *Lancet* 346: 304-305; author reply 306.
- Johnson, ES. (2004). Cancer risk in workers exposed to oncogenic viruses.
- Johnson, FB. (1972). Crystals in pathologic specimens [Review]. 7: 321-344.
- Johnson, FM. (2002). How many food additives are rodent carcinogens? *Environ Mol Mutagen* 39: 69-80. <http://dx.doi.org/10.1002/em.10037>.
- Johnson, NF. (1990). Relevance of animal bioassays to assess human health hazards to inorganic fibrous materials. 21.
- Johnson, NF. (1991). Utility of animal inhalation studies to assess the risk of mineral fiber-induced pulmonary cancer. 28.
- Johnson, NF. (1993). The Limitations of Inhalation, Intratracheal, and Intracoelomic Routes of Administration for Identifying Hazardous Fibrous Materials (pp. 43-72). (NIOSH/00227928). Johnson, NF.
- Johnson, NF. (1994). Phagosomal pH and glass fiber dissolution in cultured nasal epithelial cells and alveolar macrophages: a preliminary study. *Environ Health Perspect* 102 Suppl 5: 97-102.
- Johnson, NF; Carpenter, TR; Jaramillo, RJ; Liberati, TA. (1997). DNA damage-inducible genes as biomarkers for exposures to environmental agents. *Environ Health Perspect* 105: 913-918. <http://dx.doi.org/10.2307/3433303>.
- Johnson, NF; Davies, R. (1982). THE EFFECT OF ASBESTOS ON PERITONEAL-MACROPHAGES. *J Pathol* 137: 81-81.
- Johnson, NF; Edwards, RE; Munday, DE; Rowe, N; Wagner, JC. (1984). Pluripotential nature of mesotheliomata induced by inhalation of erionite in rats. *Int J Exp Pathol* 65: 377-388.

Human Health Hazard Literature Search Results

Off Topic

- Johnson, NF; Haslam, PL; Dewar, A; Newman-Taylor, AJ; Turner-Warwick, M. (1986). Identification of inorganic dust particles in bronchoalveolar lavage macrophages by energy dispersive x-ray microanalysis. *Arch Environ Health* 41: 133-144. <http://dx.doi.org/10.1080/00039896.1986.9935767>.
- Johnson, NF; Ibe, K. (1981). Sectioning and imaging hard mineral fibers in biological tissues. *J Microsc OXF*: 87-92.
- Johnson, NF; Wagner, JC; Brown, DG; Wagner, MMF. (1982). THE ULTRASTRUCTURE OF ASBESTOS INDUCED RAT PLEURAL MESOTHELIOMAS FOLLOWING TRANSPLANTATION INTO SYNGENEIC ANIMALS. *J Pathol* 137: 80-80.
- Johnson, PL. (1976). Preliminary Industrial Hygiene Survey at Auto Brake Clinic, Cincinnati, Ohio. 3: 19761976.
- Johnson, PL. (1978). Industrial Hygiene Study of Tuffy Service Center. 11: 19781978.
- Johnson, PL. (1979). Technical Assistance Report No. TA-79-17, Saint Elizabeth's Hospital, Washington, D.C. NIOSH: 19791979.
- Johnson, PL. (1982). Health Hazard Evaluation Report, No. HETA-81-339-1053, Valley Station Post Office, Valley Station, Kentucky. 8: 19821982.
- Johnson, WG; Heler, E. (1983). The costs of asbestos-associated disease and death. 61: 177-194.
- Johnson, WG; Heler, E. (1984). Compensation for death from asbestos. 37: 529-540.
- Johnston, AM; Jones, AD; Vincent, JH. (1982). THE INFLUENCE OF EXTERNAL AERODYNAMIC FACTORS ON THE MEASUREMENT OF THE AIRBORNE CONCENTRATION OF ASBESTOS FIBERS BY THE MEMBRANE-FILTER METHOD. *Ann Occup Hyg* 25: 309-316.
- Johnston, AM; Jones, AD; Vincent, JH. (1987). The effect of electrostatic charge on the aspiration efficiencies of airborne dust samplers: with special reference to asbestos. *Am Ind Hyg Assoc J* 48: 613-621. <http://dx.doi.org/10.1080/15298668791385291>.
- Johnston, AM; Vincent, JH; Jones, AD. (1985). Measurements Of Electric Charge For Workplace Aerosols. *Ann Occup Hyg* 29: 271-284.
- Johnston, HJ; Hutchison, GR; Christensen, FM; Peters, S; Hankin, S; Aschberger, K; Stone, V. (2010). A critical review of the biological mechanisms underlying the in vivo and in vitro toxicity of carbon nanotubes: The contribution of physico-chemical characteristics [Review]. *Nanotoxicology* 4: 207-246. <http://dx.doi.org/10.3109/17435390903569639>.
- Johnston, WL. (1985). Evaluation Of Asbestos Fibers In The Exhaust Air Of Industrial Vacuum Cleaners. *Am Ind Hyg Assoc J* 46: 402-406.
- Jolicoeur, C; Poisson, D. (1987). SURFACE PHYSICO-CHEMICAL STUDIES OF CHRYSOTILE ASBESTOS AND RELATED MINERALS. *Drug Chem Toxicol* 10: 1-47. <http://dx.doi.org/10.3109/01480548709042582>.
- Jolicoeur, C; Roberge, P; Fortier, JL. (1981). Separation of short fibers from bulk chrysotile asbestos fiber materials: Analysis and physicochemical characterization. *Can J Chem* 59: 1040-1048.
- Jones, AD; Arroyo, MC; Grosjean, R; Tylee, B; Miller, BG; Brown, P. (2005). A comparison of fibre counting across three European national proficiency testing schemes. *Ann Occup Hyg* 49: 309-324. <http://dx.doi.org/10.1093/annhyg/meh100>.
- Jones, AD; Gale, RW. (1982). Industrial trials with the Vickers M88 rapid asbestos fiber counter. *Ann Occup Hyg* 25: 39-52.
- Jones, AD; Johnston, AM; Vincent, JH. (1983). Static Electrification Of Airborne Asbestos Dust (pp. 613-632). (NIOSH/00149639). Jones, AD; Johnston, AM; Vincent, JH.
- Jones, AP. (1999). Indoor air quality and health. *Atmos Environ* 33: 4535-4564.
- Jones, AT. (1979). Conference Report: Report on the Second Australian Pneumoconiosis Conference, Sydney N.S.W., 20-23 February 1978. *Ann Occup Hyg* 22: 183-187.
- Jones, AW. (1984). ASBESTOSIS - THE LUNG ASBESTOS FIBER CONTENT AND PATHOLOGICAL-CHANGES OF CURRENT CASES IN THE UK. *J Pathol* 143: A5-A5.
- Jones, AW; Broadbent, MV; Burton, G. (1983). THE ASBESTOS FIBER CONTENT OF LUNGS AND PLEURAL PLAQUES. *J Pathol* 139: 468-468.
- Jones, CR; Brunner, JL; Scoles, GA; Owen, JP. (2015). Factors affecting larval tick feeding success: host, density and time. *Parasites and Vectors* 8: 340. <http://dx.doi.org/10.1186/s13071-015-0955-6>.
- Jones, DJ. (1992). Prescribed Respiratory Diseases in the 1990s. *Respir Med* 86: 283-287.
- Jones, DR. (1979). Assessment of Asbestos Concentrations in the Engineerroom Environment of Marine Vessels, Phase I. (NIOSH/00191929). Jones, DR.
- Jones, DR; Yamate, G. (1982). Preparation Of Airborne Asbestos Standards. 619: 77-84.
- Jones, EJ. (1975). Practical aspects of counting asbestos on the Millipore MC. *Microscope* 23: 93-101.
- Jones, J; Mcguire, MJ. (1987). Dredging to reduce asbestos concentrations in the California aqueduct USA. 79: 30-37.
- Jones, JH; Young, RJ; Selevan, S. (1975). Walk-Through Survey of E. I. du Pont de Nemours and Company, Inc., Louisville, Kentucky, Report No. IWS-87-10 (pp. 87-10). (NIOSH/00182735). Jones, JH; Young, RJ; Selevan, S.
- Jones, JS. (2002). The pleura in health and disease [Review]. *Lung* 179: 397-413. <http://dx.doi.org/10.1007/s004080000075>.
- Jones, JSP. (1993). The formation and function of the Mesothelioma Panel of the Commission of the European Communities. (CIS/93/01229). Commission of the European Communities.
- Jones, RN. (1997). Asbestos and lung cancer - Reply. *Thorax* 52: 306-306.
- Jones, RN; Diem, JE; Hendrick, DJ; Gilson, JC; Weill, H. (1986). RADIOGRAPHIC PROGRESSION IN CURRENT AND FORMER ASBESTOS CEMENT WORKERS - A 10-YEAR PROSPECTIVE-STUDY. *Am Rev Respir Dis* 133: A32-A32.
- Jones, RN; Weill, H; Parkes, WR. (1994). Disease Related to Non-asbestos Silicates (pp. 536-570). (NIOSH/00228504). Jones, RN; Weill, H; Parkes, WR.
- Jongsma, J; van Montfort, E; Vooijs, M; Zevenhoven, J; Krimpenfort, P; van Der Valk, M; van De Vijver, M; Berns, A. (2008). A conditional mouse model for malignant mesothelioma. *Cancer Cell* 13: 261-271. <http://dx.doi.org/10.1016/j.ccr.2008.01.030>.
- Jonsson, S; Gonzales, JM; Stevens, PM. (1985). THE EFFECTS OF SMOKING AND ASBESTOS EXPOSURE ON AIRWAY FUNCTION IN INSULATORS. *Chest* 88: S9-S9.
- Jordan, RC. (1980). The identification of asbestos minerals in insulation materials. 96: 102.
- Jørgensen, NK. (1981). [Pleural plaques after indirect, non work-related exposure to asbestos]. *Ugeskr Laeger* 143: 548-550.

Human Health Hazard Literature Search Results

Off Topic

- Jose, DJ; Salzenberg, CH. (1992). The Effectiveness of Decontamination Procedures Used by Asbestos Abatement Workers (pp. Fourth Volume). (NIOSH/00238265). Jose, DJ; Salzenberg, CH.
- Joshi, TK. (2008). Industry influence on IAOH [Letter]. *Int J Occup Environ Health* 14: 82. <http://dx.doi.org/10.1179/oeh.2008.14.1.82>.
- Joshi, TK; Bhuvu, UB; Katoch, P. (2006). Asbestos ban in India: challenges ahead. *Ann N Y Acad Sci* 1076: 292-308. <http://dx.doi.org/10.1196/annals.1371.072>.
- Joshi, TK; Gupta, RK. (2003). Asbestos-related morbidity in India. *Int J Occup Environ Health* 9: 249-253. <http://dx.doi.org/10.1179/oeh.2003.9.3.249>.
- Jouan, AM. (1981). A case of occupational cerium inhalation. Literature survey and the value of an innovative method of deep pulmonary exploration. (CIS/82/01386). Jouan, AM.
- Jr, CR; Jr, WM; Lauderdale, J; Schosek, K; Dodson, RE. (1996). Quantification of Fiber Releases for Various Floor Tile Removal Methods. *Appl Occup Environ Hyg* 11: 1113-1124.
- Jr, GC; Baron, PA; Carter, JW; Smith, DL. (1979). Testing of Hair Dryers for Asbestos Emissions (pp. 79-29). (NIOSH/00185315). Geraci CL Jr; Baron, PA; Carter, JW; Smith, DL.
- Jr, HE. (1988). Occupational Health Programs in Clinics and Hospitals. *Occup Med (Lond) Principles and Practical Applications: Principles and Practical Applications*.
- Jr, KG. (1988). Limited-Use Garments Have Expanded Role in Protective Clothing Industry. *Occup Health Saf* 57: 35-36.
- Jr, MA; Quinn, PM; Limtiaco, LP. (1971). Applications of Atomic Absorption Spectrophotometry in Occupational Health Studies. *Am Lab* 8 pages.
- Jr, MS; Davis, RL. (1991). Cigarette Smoking during Pregnancy and Mother's Occupation. *J Occup Med* 33: 468-473.
- Jr, MW; Heitbrink, WA. (1984). Control Of Air Contaminants In Tire Manufacturing. (NIOSH/00151380). Mckinnery WN Jr; Heitbrink, WA.
- Jr, SF. (1968). Nickel Carcinogenesis, Epidemiology of Respiratory Cancer Among Nickel Workers. *Dis Chest* 54: 527-534.
- Jr, WW; Johnson, RL; Donaven, DJ; Parker, DR. (1981). An Introduction to the Mine Inspection Data Analysis System (MIDAS). (NIOSH/00185192). Watts WF Jr; Johnson, RL; Donaven, DJ; Parker, DR.
- Jube, S; Rivera, ZS; Bianchi, ME; Powers, A; Wang, E; Pagano, I; Pass, HI; Gaudino, G; Carbone, M; Yang, H. (2012). Cancer cell secretion of the DAMP protein HMGB1 supports progression in malignant mesothelioma. *Cancer Res* 72: 3290-3301. <http://dx.doi.org/10.1158/0008-5472.CAN-11-3481>.
- Julius, PJ. (1990). How to safely maintain asbestos-containing tile. *Health Facil Manage* 3: 58-60.
- Jung, BG; Toan, NT; Cho, SJ; Ko, JH; Jung, YK; Lee, BJ. (2010). Dietary aluminosilicate supplement enhances immune activity in mice and reinforces clearance of porcine circovirus type 2 in experimentally infected pigs. *Vet Microbiol* 143: 117-125. <http://dx.doi.org/10.1016/j.vetmic.2009.11.009>.
- Jung, H; Green II, HW; Dobrzynetska, LF. (2004). Intermediate-depth earthquake faulting by dehydration embrittlement with negative volume change. *Nature* 428: 545-549. <http://dx.doi.org/10.1038/nature02412>.
- Jung, K. (1990). Protective Clothing against the Effects of Heat. 11: 221-228.
- Jung, T; Burkart, W. (1997). Wei, L., T. Sugahara and Z. Tao (Ed.). *International Congress Series, No. 1136. High Levels of Natural Radiation, 1996. Radiation Dose and Health Effects; 4th International Conference, Beijing, China, October 21-25, 1996. Xv+438p. Elsevier Science Publishers B.V.: Amsterdam, Netherlands; New York, New York, USA. Isbn 0-444-82630-0.; 0 (1136). 1997. 167-178 Assessment of risks from combined exposures to radiation and other agents at environmental levels.*
- Junttila, S; Tossavainen, A; Hartikainen, T; Harma, P; Korhonen, K; Suominen, V; Pyy, L. (1996). Airborne Mineral Fibers and Quartz Dust in Precambrian Metamorphic Limestone and Dolomite Mines in Finland. *Appl Occup Environ Hyg* 11: 1075-1080.
- Jurinski, JB; Jurinski, NB. (1997). A Proposed Control Limit for Exposure to Airborne Erionite Fibers. *Appl Occup Environ Hyg* 12: 429-434.
- Kachuri, L; Villeneuve, PJ; Parent, ME; Johnson, KC; Group, CCRER; Harris, SA. (2016). Workplace exposure to diesel and gasoline engine exhausts and the risk of colorectal cancer in Canadian men. *Environ Health* 15: 4. <http://dx.doi.org/10.1186/s12940-016-0088-1>.
- Kachuri, L; Villeneuve, PJ; Parent, ME; Johnson, KC; Harris, SA; Registries, CC. (2014). Occupational exposure to crystalline silica and the risk of lung cancer in Canadian men. *Int J Cancer* 135: 138-148. <http://dx.doi.org/10.1002/ijc.28629>.
- Kacmar, P; Pistl, J; Mikula, I. (1999). Immunotoxicology and veterinary medicine. *Acta Veterinaria Brno* 68: 57-79.
- Kadiiska, M. (1998). Transition metal mediated free radical formation in vitro and in vivo [Research]. *RePORTER Database National Institutes of Health*.
- Kadiiska, M. (2000). Transition metal mediated free radical formation in vitro and in vivo.
- Kaerlev, L; Hansen, J; Hansen, HL; Nielsen, PS. (2005). Cancer incidence among Danish seafarers: a population based cohort study. *Occup Environ Med* 62: 761-765. <http://dx.doi.org/10.1136/oem.2005.020818>.
- Kagan, E; Jacobson, RJ. (1984). ASBESTOS LINK TO LYMPHOID NEOPLASMS STILL JUST A HYPOTHESIS - REPLY. *Am J Clin Pathol* 81: 411-411.
- Kagan, E; Miller, K. (1978). ALVEOLAR MACROPHAGE-SPLENIC LYMPHOCYTE INTERACTIONS FOLLOWING CHRONIC ASBESTOS INHALATION IN RAT. *J Reticuloendothel Soc* 23: I24-I24.
- Kagemann, J; Clay, K. (2013). Effects of Infection by *Arsenophonus* and *Rickettsia* Bacteria on the Locomotive Ability of the Ticks *Amblyomma americanum*, *Dermacentor variabilis*, and *Ixodes scapularis*. *J Med Entomol* 50: 155-162. <http://dx.doi.org/10.1603/ME12086>.
- Kahal, EJ; Murphy, SL; Salaymeh, SR. (1994). Savannah River Site management response plan for chemical safety vulnerability field assessment. Revision 1. 50.
- Kahlos, K; Paakko, P; Kurttila, E; Soini, Y; Kinnula, VL. (2000). Manganese superoxide dismutase as a diagnostic marker for malignant pleural mesothelioma. *Br J Cancer* 82: 1022-1029.
- Kahlos, K; Soini, Y; Paakko, P; Saily, M; Linnainmaa, K; Kinnula, VL. (2000). Proliferation, apoptosis, and manganese superoxide dismutase in malignant mesothelioma. *Int J Cancer* 88: 37-43. [http://dx.doi.org/10.1002/1097-0215\(20001001\)88:1<37::AID-IJC6>3.0.CO;2-3](http://dx.doi.org/10.1002/1097-0215(20001001)88:1<37::AID-IJC6>3.0.CO;2-3).

Human Health Hazard Literature Search Results

Off Topic

- Kaira, K; Takise, A; Endou, K; Yanagitani, N; Sunaga, N; Mori, M. (2006). A case of primary peritoneal serous papillary carcinoma initially presented by massive bilateral pleural effusions. *Eur J Gynaecol Oncol* 27: 197-199.
- Kakooei, H; Hormozy, M; Marioryad, H. (2011). Evaluation of asbestos exposure during brake repair and replacement. *Ind Health* 49: 374-380.
- Kakooei, H; Marioryad, H. (2010). Evaluation of exposure to the airborne asbestos in an automobile brake and clutch manufacturing industry in Iran. *Regul Toxicol Pharmacol* 56: 143-147. <http://dx.doi.org/10.1016/j.yrtph.2009.09.005>.
- Kakooei, H; Normohammadi, M. (2014). Asbestos exposure among construction workers during demolition of old houses in Tehran, Iran. *Ind Health* 52: 71-77.
- Kakooei, H; Sameti, M; Kakooei, AA. (2007). Asbestos exposure during routine brake lining manufacture. *Ind Health* 45: 787-792.
- Kala, H; Zessin, G; Trümper, B; Moldenhauer, H. (1974). [Absorption of drugs on asbestos filter layers (SKS-II-P-filter layers)]. *Pharmazie* 29: 194-197.
- Kalomenidis, I; Light, RW. (2003). Eosinophilic pleural effusions [Review]. *Curr Opin Pulm Med* 9: 254-260.
- Kalomenidis, I; Light, RW. (2004). Pathogenesis of the eosinophilic pleural effusions [Review]. *Curr Opin Pulm Med* 10: 289-293.
- Kamal, AA; Sayed, GM; Hassan, MH; Massoud, AA. (1988). Usage of personal protective devices among Egyptian industrial workers. *Am J Ind Med* 13: 707-716.
- Kambic, V; Tusevlijak, M. (1989). [Educational level and mental reflexes in workers in the cement-asbestos industry in relation to occupational health risks] [Letter]. *Med Lav* 80: 264-266.
- Kambouchner, M; Bernaudin, JF. (2015). The pathologist's view of silicosis in 1930 and in 2015. The Johannesburg Conference legacy. *Am J Ind Med* 58: 48-58. <http://dx.doi.org/10.1002/ajim.22506>.
- Kameda, H; Risinger, JI; Han, BB; Baek, SJ; Barrett, JC; Abe, T; Takeuchi, T; Glasgow, WC; Eling, TE. (2001). Expression of Gab1 lacking the pleckstrin homology domain is associated with neoplastic progression. *Mol Cell Biol* 21: 6895-6905. <http://dx.doi.org/10.1128/MCB.21.20.6895-6905.2001>.
- Kamel, H; Mccusker, GJM; Heatley, M; Press, M; Bharucha, H. (1989). MALIGNANT MESOTHELIOMA - AN AUTOPSY STUDY INCLUDING ASBESTOS COUNTS ON 44 CASES FROM NORTHERN-IRELAND. *J Pathol* 158: A355-A355.
- Kamino, K; Ernst, H; Mohr, U. (1993). Additional atypical malignant mesothelioma after intraperitoneal injection of mineral fibres in rats [Letter]. *Exp Toxicol Pathol* 45: 65-66. [http://dx.doi.org/10.1016/S0940-2993\(11\)80461-6](http://dx.doi.org/10.1016/S0940-2993(11)80461-6).
- Kamp, DW. (2012). Mechanisms of Asbestos-Induced Alveolar Epithelial Cell Injury.
- Kamp, DW. (2012). Mitigation of asbestos induced alveolar epithelial cell injury.
- Kamp, DW. (2013). Mechanisms of Asbestos-Induced Alveolar Epithelial Cell Injury.
- Kamp, DW. (2013). Mitigation of asbestos induced alveolar epithelial cell injury.
- Kamp, DW. (2014). Mechanisms of Asbestos-Induced Alveolar Epithelial Cell Injury.
- Kamp, DW. (2014). Mitigation of asbestos induced alveolar epithelial cell injury.
- Kamp, DW. (2015). Mitigation of asbestos induced alveolar epithelial cell injury.
- Kamp, DW; Preusen, SE; Zhang, CX; Weitzman, SA. (1993). ASBESTOS CAUSES DNA STRAND BREAKS IN CULTURED PULMONARY EPITHELIAL-CELLS. *Am Rev Respir Dis* 147: A912-A912.
- Kamp, DW; Shacter, E; Weitzman, SA. (2011). Chronic inflammation and cancer: the role of the mitochondria [Review]. *Oncology (Williston Park)* 25: 400-410, 413.
- Kamrin, MA. (1988). TOXICOLOGY A PRIMER ON TOXICOLOGY PRINCIPLES AND APPLICATIONS (pp. A PRIMER ON TOXICOLOGY PRINCIPLES AND APPLICATIONS). (BIOSIS/88/29778). Kamrin, MA.
- Kamstrup, O; Ellehauge, A; Bellmann, B; Chevalier, J; Davis, JMG. (2004). Subchronic inhalation study of stone wool fibres in rats. *Ann Occup Hyg* 48: 91-104. <http://dx.doi.org/10.1093/annhyg/meg093>.
- Kamstrup, O; Ellehauge, A; Collier, CG; Davis, JMG. (2002). Carcinogenicity studies after intraperitoneal injection of two types of stone wool fibres in rats. *Ann Occup Hyg* 46: 135-142. <http://dx.doi.org/10.1093/annhyg/mf034>.
- Kanai, G; Kakuta, T; Hirukawa, T; Okamatsu, C; Fukagawa, M. (2016). A Case of Encapsulating Peritoneal Sclerosis Complicated by Malignant Peritoneal Mesothelioma. *Tokai J Exp Clin Med* 41: 135-138.
- Kanarek, MS. (2009). The delay of preventive medicine for asbestos caused disease in the 20th century. *WMJ* 108: 286-287.
- Kanarek, MS; Conforti, PM. (1981). ASBESTOS IN DRINKING-WATER AND CANCER INCIDENCE IN THE SAN-FRANCISCO BAY AREA - REPLY. *Am J Epidemiol* 114: 163-164.
- Kanarek, MS; Conforti, PM. (1982). ASBESTOS IN DRINKING-WATER AND CANCER INCIDENCE IN THE SAN-FRANCISCO BAY AREA - REPLY. *Am J Epidemiol* 115: 143-144.
- Kanarek, MS; Conforti, PM; Jackson, LA. (1981). CHRYSOTILE ASBESTOS FIBERS IN DRINKING-WATER FROM ASBESTOS-CEMENT PIPE. *Environ Sci Technol* 15: 923-925. <http://dx.doi.org/10.1021/es00090a006>.
- Kanbay, A; Ozer Simsek, Z; Tutar, N; Yilmaz, I; Buyukoglan, H; Canoz, O; Demir, R. (2014). Non-asbestos-related malignant pleural mesothelioma. *Intern Med* 53: 1977-1979. <http://dx.doi.org/10.2169/internalmedicine.53.0900>.
- Kandaswami, C; O'Brien, PJ. (1983). EFFECT OF CHRYSOTILE ASBESTOS AND SILICA ON THE MICROSOMAL METABOLISM OF BENZO(A)PYRENE. *Environ Health Perspect* 51: 311-314.
- Kandaswami, C; O'Brien, PJ. (1982). THE EFFECT OF ASBESTOS ON THE BIO ACTIVATION OF POLYNUCLEAR AROMATIC HYDRO CARBONS (pp. 22-23). (HEEP/84/04287). Kandaswami, C; O'Brien, PJ.
- Kandaswami, C; Rahimtula, M; O'Brien, PJ. (1983). Effect of Chrysotile Asbestos Pretreatment of Rats on the Hepatic Microsomal Metabolism of Benzo(a)pyrene (pp. Formation). (NIOSH/00175327). Kandaswami, C; Rahimtula, M; O'Brien, PJ.

Human Health Hazard Literature Search Results

Off Topic

- Kandaswami, C; Rhimtula, M; O'Brien, PJ. (1985). Effect of Asbestos on the Microsomal Metabolism and Bioactivation of Polynuclear Aromatic Hydrocarbons (pp. 221-228). (NIOSH/00165753). Kandaswami, C; Rhimtula, M; O'Brien, PJ.
- Kandaswami, C; Subrahmanyam, VV; O'Brien, PJ. (1982). The Effect Of Asbestos On The Bioactivation Of Benzo(a)pyrene (pp. Physical and Biological Chemistry). (NIOSH/00155053). Kandaswami, C; Subrahmanyam, VV; O'Brien, PJ.
- Kane, AB. (1985). Pathogenesis of mesenchymal tumors induced by asbestos [Research]. RePORTER Database National Institutes of Health.
- Kane, AB. (1986). Pathogenesis of mesenchymal tumors induced by asbestos [Research]. RePORTER Database National Institutes of Health.
- Kane, AB. (1986). Pathogenesis of mineral dust toxicity [Research]. RePORTER Database National Institutes of Health.
- Kane, AB. (1987). Pathogenesis of mesenchymal tumors induced by asbestos [Research]. RePORTER Database National Institutes of Health.
- Kane, AB. (1987). Pathogenesis of mineral dust toxicity [Research]. RePORTER Database National Institutes of Health.
- Kane, AB. (1988). Pathogenesis of mesenchymal tumors induced by asbestos [Research]. RePORTER Database National Institutes of Health.
- Kane, AB. (1988). Pathogenesis of mineral dust toxicity [Research]. RePORTER Database National Institutes of Health.
- Kane, AB. (1989). Pathogenesis of mesenchymal tumors induced by asbestos [Research]. RePORTER Database National Institutes of Health.
- Kane, AB. (1989). Pathogenesis of mineral dust toxicity [Research]. RePORTER Database National Institutes of Health.
- Kane, AB. (1990). Pathogenesis of mesenchymal tumors induced by asbestos [Research]. RePORTER Database National Institutes of Health.
- Kane, AB. (1990). Pathogenesis of mineral dust toxicity [Research]. RePORTER Database National Institutes of Health.
- Kane, AB. (1991). Pathogenesis of mesenchymal tumors induced by asbestos [Research]. RePORTER Database National Institutes of Health.
- Kane, AB. (1991). Pathogenesis of mineral dust toxicity [Research]. RePORTER Database National Institutes of Health.
- Kane, AB. (1992). Pathogenesis of mesenchymal tumors induced by asbestos [Research]. RePORTER Database National Institutes of Health.
- Kane, AB. (1992). Pleural dosimetry and biomarkers of response to fibers [Research]. RePORTER Database National Institutes of Health.
- Kane, AB. (1993). Pleural dosimetry and biomarkers of response to fibers [Research]. RePORTER Database National Institutes of Health.
- Kane, AB. (1994). Pathogenesis of mesenchymal tumors induced by asbestos [Research]. RePORTER Database National Institutes of Health.
- Kane, AB. (1994). Pleural dosimetry and biomarkers of response to fibers [Research]. RePORTER Database National Institutes of Health.
- Kane, AB. (1995). Pathogenesis of mesenchymal tumors induced by asbestos [Research]. RePORTER Database National Institutes of Health.
- Kane, AB. (1998). Pathogenesis of mesenchymal tumors induced by asbestos [Research]. RePORTER Database National Institutes of Health.
- Kane, AB. (1999). Pathogenesis of mesenchymal tumors induced by asbestos [Research]. RePORTER Database National Institutes of Health.
- Kane, AB. (2000). Pathogenesis of mesenchymal tumors induced by asbestos.
- Kane, AB. (2001). Pathogenesis of mesenchymal tumors induced by asbestos.
- Kane, AB. (2003). Pathogenesis of Mesenchymal Tumors Induced by Asbestos.
- Kane, AB. (2004). Pathogenesis of Mesenchymal Tumors Induced by Asbestos.
- Kane, AB. (2005). Pathogenesis of Mesenchymal Tumors Induced by Asbestos.
- Kane, AB. (2006). Pathogenesis of Mesenchymal Tumors Induced by Asbestos.
- Kane, AB. (2007). Pathogenesis of Mesenchymal Tumors Induced by Asbestos.
- Kane, AB. (2008). Chemical, Structural, and Superstructural Determinants of Nanocarbon Toxicity.
- Kane, AB. (2008). Genotoxic Potential of Mixed Dust Exposures.
- Kane, AB. (2009). Chemical, Structural, and Superstructural Determinants of Nanocarbon Toxicity.
- Kane, AB. (2009). Project 2: Toxicity of Metallic Nanoparticles and Carbon Nanotubes.
- Kane, AB. (2010). Chemical, Structural, and Superstructural Determinants of Nanocarbon Toxicity.
- Kane, AB. (2010). Project 2: Toxicity of Metallic Nanoparticles and Carbon Nanotubes.
- Kane, AB. (2011). Project 2: Toxicity of Metallic Nanoparticles and Carbon Nanotubes.
- Kane, AB. (2012). Project 2: Toxicity of Metallic Nanoparticles and Carbon Nanotubes.
- Kane, AB. (2013). Project 2: Toxicity of Metallic Nanoparticles and Carbon Nanotubes.
- Kane, AB. (2014). Project 2: Toxicity of Metallic Nanoparticles and Carbon Nanotubes.
- Kane, AB; Garant, LJ; Gleva, GF. (1990). GROWTH REGULATION OF MOUSE PRENEOPLASTIC AND NEOPLASTIC MESOTHELIAL CELL LINES BY TRANSFORMING GROWTH FACTOR-BETA-1 TGF-BETA-1 (pp. 20-24). (BIOSIS/90/20765). Kane, AB; Garant, LJ; Gleva, GF.
- Kane, AB; Hurt, RH. (2008). Nanotoxicology: the asbestos analogy revisited. *Nat Nanotechnol* 3: 378-379. <http://dx.doi.org/10.1038/nnano.2008.182>.
- Kane, PB; Goldman, SL; Pillai, BH; Bergofsky, EH. (1977). Diagnosis of asbestosis by transbronchial biopsy. A method to facilitate demonstration of ferruginous bodies. *Am Rev Respir Dis* 115: 689-694. <http://dx.doi.org/10.1164/arrd.1977.115.4.689>.
- Kaneko, H. (1988). HEALTH STANDARDS AND HEALTH MANAGEMENT OF WORKERS EMPLOYED IN SMALL-SCALE CONSTRUCTION. (BIOSIS/89/08446). Kaneko, H.
- Kaneko, M; Minamikawa, T; Taniguchi, H; Yamada, Y; Nakamura, J; Okihara, K; Nakauchi, H. (2016). MALIGNANT MESOTHELIOMA OF THE TUNICA VAGINALIS TESTIS: A CASE REPORT. *Nippon Hinyokika Gakkai Zasshi* 107: 44-47. <http://dx.doi.org/10.5980/jpnjurol.107.44>.
- Kang, BC; Lee, YS; Lee, SK. (2004). Malignant pleural mesothelioma in a woodchuck (*Marmota monax*). *J Vet Med Sci* 66: 1617-1619.
- Kang, DM; Kim, JE; Kim, JY; Lee, HH; Hwang, YS; Kim, YK; Lee, YJ. (2016). Environmental asbestos exposure sources in Korea. *Int J Occup Environ Health* 22: 307-314. <http://dx.doi.org/10.1080/10773525.2016.1231948>.
- Kang, DM; Kim, JE; Lee, YJ; Lee, HH; Lee, CY; Moon, SJ; Kang, MS. (2016). Environmental health centers for asbestos and their health impact surveys and activities. 28: 68. <http://dx.doi.org/10.1186/s40557-016-0154-8>.
- Kang, DM, ug; Kim, YK, i; Kim, JE, un. (2012). Asbestos and environmental diseases. *J Korean Am Med Assoc* 55: 214-222. <http://dx.doi.org/10.5124/jkma.2012.55.3.214>.

Human Health Hazard Literature Search Results

Off Topic

- Kang, HC; Kim, HK; Lee, S; Mendez, P; Kim, JW; Woodard, G; Yoon, JH; Jen, KY; Fang, LT; Jones, K; Jablons, DM; Kim, IJ. (2016). Whole exome and targeted deep sequencing identify genome-wide allelic loss and frequent SETDB1 mutations in malignant pleural mesotheliomas. *Onco* 7: 8321-8331. <http://dx.doi.org/10.18632/oncotarget.7032>.
- Kang, SH; Kim, TY; Kim, HY; Lee, YK; Moon, HW; Lee, DS; Cho, HI. (2006). [Association of NQO1 Polymorphism with Multiple Myeloma Risk in Koreans.]. 26: 71-76.
- Kangur, M. (2007). Occupational exposure to asbestos during renovation of oil-shale fuelled power plants in Estonia. *Int J Occup Saf Ergon* 13: 341-346. <http://dx.doi.org/10.1080/10803548.2007.11076733>.
- Kannerstein, M. (1980). Recent advances and perspectives relevant to the pathology of asbestos-related diseases in man [Review]. *IARC Sci Publ* 1: 149-162.
- Kannerstein, M; Churg, J. (1980). Mesothelioma in man and experimental animals [Review]. *Environ Health Perspect* 34: 31-36.
- Kannerstein, M; Churg, J; McCaughey W, TE; Hill, DP. (1977). Papillary tumors of the peritoneum in women: Mesothelioma or papillary carcinoma. *Am J Obstet Gynecol* 127: 306-314.
- Kannio, A; Ridanpaa, M; Collan, Y; Koskinen, H; Ekfors, T; Anttila, S; Niinikoski, J; Vainio, H; Husgafvel-Pursiainen, K. (1994). P53 MUTATIONS IN TWO SETS OF BLADDER CANCER PATIENTS (pp. 16-18). (BIOSIS/94/30686). Kannio, A; Ridanpaa, M; Collan, Y; Koskinen, H; Ekfors, T; Anttila, S; Niinikoski, J; Vainio, H; Husgafvel-Pursiainen, K.
- Kant, S; Verma, SK; Sanjay, SK. (2008). Malignant pleural mesothelioma without asbestos exposure with distant metastasis in a peripheral lymph node: a case report. 25: 31-33. <http://dx.doi.org/10.4103/0970-2113.44137>.
- Kao, SC; Armstrong, N; Condon, B; Griggs, K; McCaughan, B; Maltby, S; Wilson, A; Henderson, DW; Klebe, S. (2012). Aquaporin 1 is an independent prognostic factor in pleural malignant mesothelioma. *Cancer* 118: 2952-2961. <http://dx.doi.org/10.1002/cncr.26497>.
- Kao, SC; Clarke, S; Vardy, J; Corte, P; Clarke, C; van Zandwijk, N. (2013). Patterns of care for malignant pleural mesothelioma patients compensated by the Dust Diseases Board in New South Wales, Australia. *Internal Medicine Journal (Online)* 43: 402-410. <http://dx.doi.org/10.1111/j.1445-5994.2012.02925.x>.
- Kao, SC; Pavlakis, N; Harvie, R; Vardy, JL; Boyer, MJ; van Zandwijk, N; Clarke, SJ. (2010). High blood neutrophil-to-lymphocyte ratio is an indicator of poor prognosis in malignant mesothelioma patients undergoing systemic therapy. *Clin Cancer Res* 16: 5805-5813. <http://dx.doi.org/10.1158/1078-0432.CCR-10-2245>.
- Kaplan, DE. (1993). UNREGULATED DISPOSAL OF ASBESTOS CONTAMINATED SHOWER WATER EFFLUENT - A QUESTION OF PUBLIC-HEALTH RISK. *J Environ Health* 55: 6-8.
- Kaptsov, VA; Kashanskiĭ, SV; Domnin, SG; Tikhova, TS; Trofimova, EV; Novoselova, TA; Bogdanov, GB. (2003). [Railway use of asbestos-containing rubble: environmental hygienic aspects]. *Gig Sanit* 11-15.
- Kapur, U; Wojcik, EM. (2007). Fine-needle aspiration of malignant mesothelioma with unusual morphologic features: a case report. *Diagn Cytopathol* 35: 174-178. <http://dx.doi.org/10.1002/dc.20605>.
- Karadagli, F. (2011). Comparative Assessment of Asbestos-Containing and Alternative Materials in Turkish Industrial Facilities. *Indoor Built Environ* 20: 471-478. <http://dx.doi.org/10.1177/1420326X11410089>.
- Karaffa, MA; Amick, RS; Crone, A; Powers, TJ. (1987). An Evaluation of Asbestos Removal Effectiveness: The Potential for Exposures (pp. 59-70). (NIOSH/00170702). Karaffa, MA; Amick, RS; Crone, A; Powers, TJ.
- Karageorgi, S; Gates, MA; Hankinson, SE; De Vivo, I. (2010). Perineal Use of Talcum Powder and Endometrial Cancer Risk. *Cancer Epidemiol Biomarkers Prev* 19: 1269-1275. <http://dx.doi.org/10.1158/1055-9965.EPI-09-1221>.
- Karakousis, CP; Seddiq, M; Moore, R. (1980). Malignant mesotheliomas and chemotherapy. *J Surg Oncol* 15: 181-185.
- Karches, GJ. (1990). Personal Protection (pp. The Hazardous Fiber). (NIOSH/00210919). Karches, GJ.
- Karches, GJ; Faas, JC. (1987). Proper Asbestos Abatement Techniques and Respirator Selection. *Appl Ind Hyg* 2: 28-30.
- Karjalainen, A. (1997). Asbestos--a continuing concern [Editorial]. *Scand J Work Environ Health* 23: 81-82.
- Karjalainen, A; Anttila, S; Mäntylä, T; Taskinen, E; Kyyrönen, P; Tukiainen, P. (1994). Asbestos bodies in bronchoalveolar lavage fluid in relation to occupational history. *Am J Ind Med* 26: 645-654.
- Karjalainen, A; Martikainen, R; Oksa, P; Saarinen, K; Uitti, J. (2002). Incidence of asthma among Finnish construction workers. *J Occup Environ Med* 44: 752-757. <http://dx.doi.org/10.1097/01.jom.0000026043.24145.50>.
- Karjalainen, A; Vanhala, E; Karhunen, PJ; Lalu, K; Penttilä, A; Tossavainen, A. (1994). Asbestos exposure and pulmonary fiber concentrations of 300 Finnish urban men. *Scand J Work Environ Health* 20: 34-41.
- Karpathiou, G; Stefanou, D; Froudarakis, ME. (2015). Pleural neoplastic pathology [Review]. *Respir Med* 109: 931-943. <http://dx.doi.org/10.1016/j.rmed.2015.05.014>.
- Karsten, H. (1985). Strategy of conimetric sampling of asbestos-containing dusts. 31: 163-165.
- Kasai, T; Umeda, Y; Ohnishi, M; Kondo, H; Takeuchi, T; Aiso, S; Nishizawa, T; Matsumoto, M; Fukushima, S. (2014). Thirteen-week study of toxicity of fiber-like multi-walled carbon nanotubes with whole-body inhalation exposure in rats. *Nanotoxicology* 9: 1-10. <http://dx.doi.org/10.3109/17435390.2014.933903>.
- Kasai, T; Umeda, Y; Ohnishi, M; Mine, T; Kondo, H; Takeuchi, T; Matsumoto, M; Fukushima, S. (2016). Lung carcinogenicity of inhaled multi-walled carbon nanotube in rats. *Part Fibre Toxicol* 13: 53. <http://dx.doi.org/10.1186/s12989-016-0164-2>.
- Kasevich, RS; Nocito, T; Vaux, WG; Snyder, T. (1994). Electromagnetic mixed waste processing system for asbestos decontamination (pp. 12). (NTIS/03003715_a). Kasevich, RS; Nocito, T; Vaux, WG; Snyder, T.
- Kasevich, RS; Vaux, WG; Nocito, T. (1995). Electromagnetic mixed waste processing system for asbestos decontamination (pp. 9). (NTIS/02985209_3). Kasevich, RS; Vaux, WG; Nocito, T.
- Kashanskiĭ, SV; Bogdanov, GB; Slyshkina, TV. (2001). [Content of asbestos fibers in water sources of the Bazhenovo deposit]. *Gig Sanit* 17-19.

Human Health Hazard Literature Search Results

Off Topic

- Kashanskiĭ, SV; Domnin, SG. (2003). [Changes in dust content of workplace air during ore extraction at the Bazhenovsk chrysotile asbestos field]. *Med Tr Prom Ekol* 39-42.
- Kashanskiĭ, SV; Kogan, FM; Bogdanov, GB; Terekhov, EA; Slyshkina, TV; Zykova, VA. (2001). [Sanitary characteristics of the production of asbestos membranes]. *Gig Sanit* 45-47.
- Kashanskiĭ, SV; Kogan, FM; Shcherbakov, SV. (1997). [Occupational health issues at enterprises and utilization of road-building materials derived from the wastes of lead-containing enriched ore from the Aktovrak mines]. *Med Tr Prom Ekol* 0: 13-16.
- Kashansky, SV; Domnin, SG; Kochelayev, VA; Monakhov, DD; Kogan, FM. (2001). Retrospective view of airborne dust levels in workplace of a chrysotile mine in Ural, Russia. *Ind Health* 39: 51-56.
- Kashansky, SV; Slyshkina, TV. (2002). Asbestos in water sources of the Bazhenovskoye chrysotile asbestos deposit. *Int J Occup Med Environ Health* 15: 65-68.
- Kasper, J; Hermanns, MI; Bantz, C; Maskos, M; Stauber, R; Pohl, C; Unger, RE; Kirkpatrick, CJ. (2011). Inflammatory and cytotoxic responses of an alveolar-capillary coculture model to silica nanoparticles: Comparison with conventional monocultures. *Part Fibre Toxicol* 8: 6. <http://dx.doi.org/10.1186/1743-8977-8-6>.
- Kasseyet, S; Astoul, P; Boutin, C. (1999). Results of a phase II trial of combined chemotherapy for patients with diffuse malignant mesothelioma of the pleura. *Cancer* 85: 1740-1749.
- Kasuga, H; Mikami, R; Tamura, M; Miyazaki, R; Narita, N. (1987). [Effects of smoking on asbestos-related pulmonary and pleural changes]. *Sangyo Igaku* 29: 191-195.
- Katellaris, A. (2011). Renovation and renewal [Editorial]. *Med J Aust* 195: 245.
- Katirtzoglou, N; Gkiozos, I; Makrilia, N; Tsaroucha, E; Rapti, A; Stratakos, G; Fountzilias, G; Syrigos, KN. (2010). Carboplatin Plus Pemetrexed as First-line Treatment of Patients With Malignant Pleural Mesothelioma: A Phase II Study. *Clin Lung Cancer* 11: 30-35. <http://dx.doi.org/10.3816/CLC.2010.n.005>.
- Kato, K; Gemba, K; Fujimoto, N; Aoe, K; Takeshima, Y; Inai, K; Kishimoto, T. (2016). Computed Tomographic Features of Malignant Peritoneal Mesothelioma. *Anticancer Res* 36: 1067-1072.
- Kato, K; Kishimoto, T; Fujimoto, N; Gemba, K; Aoe, K; Takeshima, Y; Inai, K. (2015). CT Findings of Early Pleural Mesothelioma and Benign Asbestos Pleural Effusion. *J Thorac Oncol* 10: S634-S634.
- Kato, T; Lee, D; Wu, L; Patel, P; Young, AJ; Wada, H; Hu, HP; Ujii, H; Kaji, M; Kano, S; Matsuge, S; Domen, H; Kaga, K; Matsui, Y; Kanno, H; Hatanaka, Y; Hatanaka, KC; Matsuno, Y; de Perrot, M; Yasufuku, K. (2016). Kinesin family members KIF11 and KIF23 as potential therapeutic targets in malignant pleural mesothelioma. *Int J Oncol* 49: 448-456. <http://dx.doi.org/10.3892/ijo.2016.3566>.
- Kato, T; Lee, D; Wu, L; Patel, P; Young, AJ; Wada, H; Hu, HP; Ujii, H; Kaji, M; Kano, S; Matsuge, S; Domen, H; Kanno, H; Hatanaka, Y; Hatanaka, KC; Kaga, K; Matsui, Y; Matsuno, Y; De Perrot, M; Yasufuku, K. (2016). SORORIN and PLK1 as potential therapeutic targets in malignant pleural mesothelioma. *Int J Oncol* 49: 2411-2420. <http://dx.doi.org/10.3892/ijo.2016.3765>.
- Katt, R; Elias, G; Moore, E. (1982). Final Report On The Sampling Design For The OHSMI, Volume 2 (pp. 210-280). (NIOSH/00133327). Katt, R; Elias, G; Moore, E.
- Katz, CL; Jutras-Aswad, D; Kiliman, M; Pilatowicz, I; Akerele, E; Marrone, K; Ozbay, F. (2012). Alcohol use in Polish 9/11 responders: implications for cross-cultural treatment. *J Psychiatr Pract* 18: 55-63. <http://dx.doi.org/10.1097/01.pra.0000410989.46346.14>.
- Kauffer, E. (1992). The asbestos fibre inter-laboratory counting exchange in France. *Cahiers de notes documentaires S and acirc*: 249-254.
- Kauffer, E; Billon-Galland, MA; Vigneron, JC; Veissiere, S; Brochard, P. (1996). Effect of preparation methods on the assessment of airborne concentrations of asbestos fibres by transmission electron microscopy. *Ann Occup Hyg* 40: 321-330.
- Kauffer, E; Martin, P; Grzebyk, M; Villa, M; Vigneron, JC. (2003). Comparison of two direct-reading instruments (FM-7400 and Fibrecheck FC-2) with phase contrast optical microscopy to measure the airborne fibre number concentration. *Ann Occup Hyg* 47: 413-426. <http://dx.doi.org/10.1093/annhyg/meg055>.
- Kauffer, E; Martine, M; Grzebyk, M; Vigneron, JC; Sandino, JP. (2001). Performance of asbestos fibre counting laboratories by transmission electron microscopy. *Ann Occup Hyg* 45: 61-69.
- Kauffer, E; Schneider, T; Vigneron, JC. (1993). ASSESSMENT OF MAN-MADE MINERAL FIBER SIZE DISTRIBUTIONS BY SCANNING ELECTRON-MICROSCOPY. *Ann Occup Hyg* 37: 469-479.
- Kauffer, E; Vigneron, JC; Fabriès, JC; Billon-Galland, MA; Brochard, P. (1996). The use of a new static device based on the collection of the thoracic fraction for the assessment of the airborne concentration of asbestos fibres by transmission electron microscopy. *Ann Occup Hyg* 40: 311-319.
- Kauffer, E; Vincent, R. (2007). Occupational exposure to mineral fibres: Analysis of results stored on colchic database. *Ann Occup Hyg* 51: 131-142. <http://dx.doi.org/10.1093/annhyg/mel063>.
- Kaufman, AJ; Flores, RM. (2011). Surgical treatment of malignant pleural mesothelioma. *Curr Treat Options Oncol* 12: 201-216. <http://dx.doi.org/10.1007/s11864-011-0154-4>.
- Kaufman, AJ; Pass, HI. (2008). Current concepts in malignant pleural mesothelioma [Review]. *Expert Rev Anticancer Ther* 8: 293-303. <http://dx.doi.org/10.1586/14737140.8.2.293>.
- Kauppinen, T; Korhonen, K. (1987). Exposure to Asbestos During Brake Maintenance of Automotive Vehicles by Different Methods. *Am Ind Hyg Assoc J* 48: 499-504.
- Kauppinen, T; Pajarskiene, B; Podniece, Z; Rjazanov, V; Smerhovsky, Z; Veidebaum, T; Leino, T. (2001). Occupational exposure to carcinogens in Estonia, Latvia, Lithuania and the Czech Republic in 1997. *Scand J Work Environ Health* 27: 343-345.

Human Health Hazard Literature Search Results

Off Topic

- Kauppinen, T; Saalo, A; Pukkala, E; Virtanen, S; Karjalainen, A; Vuorela, R. (2007). Evaluation of a national register on occupational exposure to carcinogens: effectiveness in the prevention of occupational cancer, and cancer risks among the exposed workers. *Ann Occup Hyg* 51: 463-470. <http://dx.doi.org/10.1093/annhyg/mem030>.
- Kauppinen, T; Teschke, K; Savela, A; Kogevinas, M; Boffetta, P. (1997). International data base of exposure measurements in the pulp, paper and paper product industries. *Int Arch Occup Environ Health* 70: 119-127. <http://dx.doi.org/10.1007/s004200050195>.
- Kaw, JL. (1977). Tissue culture in pneumoconiosis [Review]. *CRC Crit Rev Toxicol* 5: 103-114.
- Kaw, JL; Waseem, M. (1992). SOME ADVANCES IN DUST-RELATED PULMONARY TOXICOLOGY DURING THE LAST DECADE. *Journal of Sci Ind Res* 51: 791-801.
- Kawaguchi, K; Murakami, H; Taniguchi, T; Fujii, M; Kawata, S; Fukui, T; Kondo, Y; Osada, H; Usami, N; Yokoi, K; Ueda, Y; Yatabe, Y; Ito, M; Horio, Y; Hida, T; Sekido, Y. (2009). Combined inhibition of MET and EGFR suppresses proliferation of malignant mesothelioma cells. *Carcinogenesis* 30: 1097-1105. <http://dx.doi.org/10.1093/carcin/bgp097>.
- Kawaguchi, Y; Hayashi, H; Sato, M; Shindo, Y. (1997). Needle crystals of vitamin B2 induce polyploidy in Chinese hamster lung (CHL/IU) cells. *Mutat Res* 373: 1-7.
- Kawakami, M. (1990). [Chronic bronchiolitis] [Review]. *Kokyu to Junkan* 38: 102-108.
- Kawamoto, T; Yoshikawa, M; Kumagai, Y; Mirabueno, MH; Okuno, M; Kobayashi, T. (2013). Mantle wedge infiltrated with saline fluids from dehydration and decarbonation of subducting slab. *Proc Natl Acad Sci USA* 110: 9663-9668. <http://dx.doi.org/10.1073/pnas.1302040110>.
- Kawashima, A; Libshitz, HI. (1990). Malignant pleural mesothelioma: CT manifestations in 50 cases. *AJR Am J Roentgenol* 155: 965-969. <http://dx.doi.org/10.2214/ajr.155.5.2120965>.
- Kay, K. (1974). Inorganic particles of agricultural origin. *Environ Health Perspect* 9: 193-195.
- Kayama, M; Sasa, K; Koike, T. (2002). Needle life span, photosynthetic rate and nutrient concentration of *Picea glehnii*, *P-jezoensis* and *P-abies* planted on serpentine soil in northern Japan. *Tree Physiol* 22: 707-716.
- Kaye, JA; Wang, AM; Joachim, CL; Seltzer, SE; Cibas, E; Skarin, A; Antman, KH. (1986). Malignant mesothelioma with brain metastases. *Am J Med* 80: 95-97.
- Kaye, P; Hirst, E; Wang-Thomas, Z. (1997). Neural-network-based spatial light-scattering instrument for hazardous airborne fiber detection. *Appl Opt* 36: 6149-6156.
- Kayser, K; Kosjerina, Z; Goldmann, T; Kayser, G; Kazmierczak, B; Vollmer, E. (2005). Lung carcinoma-associated atypical adenomatoid hyperplasia, squamous cell dysplasia, and chromosome alterations in non-neoplastic bronchial mucosa. *Lung Cancer* 47: 205-214. <http://dx.doi.org/10.1016/j.lungcan.2004.07.042>.
- Kazan-Allen, L. (2000). [Europe bans asbestos. Finally!]. *Epidemiol Prev* 24: 18-19.
- Kazan-Allen, L. (2000). The international ban asbestos secretariat [Letter]. *Int J Occup Environ Health* 6: 164. <http://dx.doi.org/10.1179/oeh.2000.6.2.164>.
- Kazan-Allen, L. (2000). Open letter on the asbestos industry in India. *Int J Occup Environ Health* 6: 345-348. <http://dx.doi.org/10.1179/oeh.2000.6.4.345>.
- Kazan-Allen, L. (2001). Asbestos poisons World Trade Organization atmosphere. *Int J Health Serv* 31: 481-493.
- Kazan-Allen, L. (2001). The debate on banning asbestos [Letter]. *CMAJ* 165: 1189; author reply 1191-1183.
- Kazan-Allen, L. (2004). Asbestos dispatches. *Int J Occup Environ Health* 10: 111-120. <http://dx.doi.org/10.1179/oeh.2004.10.2.111>.
- Kazan-Allen, L. (2004). Canadian asbestos: a global concern. *Int J Occup Environ Health* 10: 121-143. <http://dx.doi.org/10.1179/oeh.2004.10.2.121>.
- Kazan-Allen, L. (2007). The 2nd ADAO Asbestos Conference. *Am J Ind Med* 50: 52-62. <http://dx.doi.org/10.1002/ajim.20397>.
- Kazan-Allen, L. (2011). Ban asbestos phenomenon: the winds of change. *New Solutions: A Journal of Environmental and Occupational Health Policy* 21: 629-636. <http://dx.doi.org/10.2190/NS.21.4.j>.
- Kazan-Allen, L. (2012). Who is driving Mexico's asbestos policy? [Comment]. *Int J Health Serv* 42: 109-118. <http://dx.doi.org/10.2190/HS.42.1.j>.
- Kazan-Allen, L; ed. (2003). The asbestos war [Review]. *Int J Occup Environ Health* 9: 173-193. <http://dx.doi.org/10.1179/oeh.2003.9.3.173>.
- Kazantseva, VA; Drozdov, SG. (1982). [Removal of enteroviruses from water using asbestos-containing material]. *Vopr Virusol* 27: 83-88.
- Kazantzis, G. (1972). Chromium and nickel. *Ann Occup Hyg* 15: 25-31.
- Keane, J. (1992). Re: "Changing attitudes and opinions regarding asbestos and cancer 1934-1965". *Am J Ind Med* 22: 429-433.
- Keast, D; Sheppard, NP; Papadimitriou, JM. (1987). Some biological properties of respirable iron ore dust. *Environ Res* 42: 455-468.
- Keating, GM. (1984). HOSPITAL AS WORKPLACE - ASBESTOS AND OCCUPATIONAL-HEALTH. *Community Health Stud* 8: 340-340.
- Keeling, B; Hobson, J; Churg, A. (1993). Effects of cigarette smoke on epithelial uptake of non-asbestos mineral particles in tracheal organ culture. *Am J Respir Cell Mol Biol* 9: 335-340.
- Keeling, B; Li, KY; Churg, A. (1994). Iron enhances uptake of mineral particles and increases lipid peroxidation in tracheal epithelial cells. *Am J Respir Cell Mol Biol* 10: 683-688. <http://dx.doi.org/10.1165/ajrcmb.10.6.8003344>.
- Keenan, RG; Lynch, JR. (1970). Techniques for the detection, identification and analysis of fibers. *Am Ind Hyg Assoc J* 31: 587-597. <http://dx.doi.org/10.1080/0002889708506297>.
- Kehrer, JP; Mossman, BT; Sevanian, A; Trush, MA; Smith, MT. (1988). Free radical mechanisms in chemical pathogenesis. Summary of the symposium presented at the 1988 annual meeting of the Society of Toxicology. *Toxicol Appl Pharmacol* 95: 349-362.
- Keil, AP; Richardson, DB; Troester, MA. (2015). Healthy worker survivor bias in the Colorado plateau uranium miners cohort. *Am J Epidemiol* 181: 762-770. <http://dx.doi.org/10.1093/aje/kwu348>.

Human Health Hazard Literature Search Results

Off Topic

- Keirn, MA; Mousa, JJ; Stratton, CL; Brown, JK. (1982). Environmental Survey and Assessment of Gateway Army Ammunition Plant (pp. 166). (NTIS/03450011). Keirn, MA; Mousa, JJ; Stratton, CL; Brown, JK.
- Kelleher, P; Pacheco, K; Newman, LS. (2000). Inorganic dust pneumonias: the metal-related parenchymal disorders [Review]. *Environ Health Perspect* 108 Suppl 4: 685-696.
- Keller, JE; Howe, HL; Noak, JR. (1991). An algorithm for matching anonymous hospital discharge records used in occupational disease surveillance: Anonymous record matching algorithm. *Am J Ind Med* 20: 657-662.
- Kellner, R; H-J, P; Roesch, W. (1973). Therapy-resistant ascites of extreme viscosity (pp. 257-261). (HEEP/74/09359). Kellner, R; Pesch H-J; Roesch, W.
- Kelly, J. (1992). Health Hazard Evaluation Report HETA 91-118-2213, Cocalico School District, Denver, Pennsylvania. 16.
- Kelly, JE. (1993). Health Hazard Evaluation Report HETA 92-314-2308, Ohio University, Athens, Ohio. (HHE Report No. HETA-92-314-2308). Cincinnati, OH: National Institute for Occupational Safety and Health (NIOSH).
- Kelly, JE; Moss, CE; Tepper, A. (1992). Health Hazard Evaluation Report HETA 91-390-2270, Warner Amex, Cincinnati, Ohio. 36.
- Kelly, RJ. (1984). Effective Method for Thermal Insulation Core Sampling. *Am Ind Hyg Assoc J* 45.
- Kelman, GR. (1985). Can one fibre cause cancer? [Letter]. *Med J Aust* 143: 92.
- Kelse, JW; Thompson, CS. (1989). THE REGULATORY AND MINERALOGICAL DEFINITIONS OF ASBESTOS AND THEIR IMPACT ON AMPHIBOLE DUST ANALYSIS. *Am Ind Hyg Assoc J* 50: 613-622.
- Kelsey, KT. (1997). Loh at 3p and p53 and k-ras mutation in lung cancer [Research]. RePORTER Database National Institutes of Health.
- Kelsey, KT. (1998). Loh at 3p and p53 and k-ras mutation in lung cancer [Research]. RePORTER Database National Institutes of Health.
- Kelsey, KT. (2000). Loh at 3p and p53 and k-ras mutation in lung cancer.
- Kelsey, KT. (2008). The Epidemiology of Molecular Alterations in Mesothelioma.
- Kelsey, KT. (2009). The Epidemiology of Molecular Alterations in Mesothelioma.
- Kelsey, KT. (2010). The Epidemiology of Molecular Alterations in Mesothelioma.
- Kelsey, KT. (2011). The Epidemiology of Molecular Alterations in Mesothelioma.
- Kelsey, KT. (2012). The Epidemiology of Molecular Alterations in Mesothelioma.
- Kelsey, KT; Christiani, DC. (1985). Approach to asbestos worker compensation plan alleged to be flawed [Letter]. *J Occup Med* 27: 790-791.
- Kelsey, KT; Christiani, DC; Little, JB. (1986). Enhancement of benzo[a]pyrene-induced sister chromatid exchanges in lymphocytes from cigarette smokers occupationally exposed to asbestos. *J Natl Cancer Inst* 77: 321-327.
- Kelsh, MA; Berman, DW; Langer, AM. (2006). Residential proximity to naturally occurring asbestos and mesothelioma risks: further consideration of exposure misclassification and occupational confounding [Letter]. *Am J Respir Crit Care Med* 174: 1400; author reply 1400-1400; author reply 1401. <http://dx.doi.org/10.1164/ajrccm.174.12.1400a>.
- Kelso, JC. (1992). ASBESTOS AND CANCER HISTORY AND PUBLIC POLICY [Letter]. *Br J Ind Med* 49: 526.
- Kemnitz, JW. (2008). Wnprc operational services division.
- Kennedy, L; Harley, RA; Sahn, SA; Strange, C. (1995). TALC SLURRY PLEURODESIS - PLEURAL FLUID AND HISTOLOGIC ANALYSIS. *Chest* 107: 1707-1712.
- Kennedy, SM. (1991). Medical screening for occupational disease risk is not a control measure [Letter]. *Am J Ind Med* 20: 271-272.
- Kenny, LC. (1984). ASBESTOS FIBER COUNTING BY IMAGE ANALYSIS THE PERFORMANCE OF THE MANCHESTER ENGLAND UK ASBESTOS PROGRAM ON MAGISCAN (pp. 3-6). (BIOSIS/85/04587). Kenny, LC.
- Kenny, LC. (1988). AUTOMATED-ANALYSIS OF ASBESTOS CLEARANCE SAMPLES. *Ann Occup Hyg* 32: 115-128.
- Kenny, LC; Rood, AP; Blight, BJN. (1987). A DIRECT MEASUREMENT OF THE VISIBILITY OF AMOSITE ASBESTOS FIBERS BY PHASE-CONTRAST OPTICAL MICROSCOPY. *Ann Occup Hyg* 31: 261-264.
- Kentner, M; Valentin, H. (1993). Identification and prevention of work-related diseases and premature incapacity. *Zentralblatt fuer Hygiene und Umweltmedizin* 193: 495-512.
- Kenyon, AJ; Roncari, R. (1996). AN ECONOMIC PROCEDURE FOR RENDERING ASBESTOS HARMLESS (pp. 14-17). (BIOSIS/96/15123). Kenyon, AJ; Roncari, R.
- Keogh, JP. (1988). Phase iv chemoprevention trial beta-carotene/retinol [Research]. RePORTER Database National Institutes of Health.
- Keogh, JP. (1989). Phase iv chemoprevention trial beta-carotene/retinol [Research]. RePORTER Database National Institutes of Health.
- Keogh, JP. (1990). Phase iv chemoprevention trial beta-carotene/retinol [Research]. RePORTER Database National Institutes of Health.
- Keogh, JP. (1991). Phase iv chemoprevention trial beta-carotene/retinol [Research]. RePORTER Database National Institutes of Health.
- Keogh, JP. (1992). Phase iv chemoprevention trial beta-carotene/retinol [Research]. RePORTER Database National Institutes of Health.
- Keogh, JP. (1993). Phase iv chemoprevention trial beta-carotene/retinol [Research]. RePORTER Database National Institutes of Health.
- Keogh, JP. (1994). Caret--the baltimore study center [Research]. RePORTER Database National Institutes of Health.
- Keogh, JP. (1995). Caret--the baltimore study center [Research]. RePORTER Database National Institutes of Health.
- Keogh, JP. (1996). Caret--the baltimore study center [Research]. RePORTER Database National Institutes of Health.
- Kerenyi, T; Jackel, M; Voss, B; Muller, KM; Grasbon, S. (1998). Different types of asbestos-induced focal mesothelial proliferation in rats. *Mod Pathol* 11: 176A-176A.
- Kern, DG; Christiani, DC; Kelsey, KT; Hu, H; Frumkin, H; Kreiss, K; Rose, C; Newman, LS; Jarvis, J; Garabrant, D. (1991). Asbestos-related diseases [Letter]. *N Engl J Med* 324: 195-197. <http://dx.doi.org/10.1056/NEJM199101173240312>.
- Kern, DG; Frumkin, H. (1990). Asbestos-related disease in the jewelry industry [Letter]. *J Occup Med* 32: 87.
- Kern, DG; Patel, SR. (1991). Auscultated forced expiratory time as a clinical and epidemiologic test of airway obstruction. *Chest* 100: 636-639.
- Kessler, R. (2011). Examining Nanotech's Clean Energy Promises. *Environ Health Perspect* 119: A17-A17.

Human Health Hazard Literature Search Results

Off Topic

- Kettunen, E; Salmenkivi, K; Vuopala, K; Toljamo, T; Kuosma, E; Norppa, H; Knuutila, S; Kaleva, S; Huuskonen, MS; Anttila, S. (2006). Copy number gains on 5p15, 6p11-q11, 7p12, and 8q24 are rare in sputum cells of individuals at high risk of lung cancer. *Lung Cancer* 54: 169-176. <http://dx.doi.org/10.1016/j.lungcan.2006.07.009>.
- Keyes, DL; Chesson, J; Ewing, WM; Faas, JC; Hatfield, RL; Hays, SM; Longo, WE; Millette, J. R. (1991). EXPOSURE TO AIRBORNE ASBESTOS ASSOCIATED WITH SIMULATED CABLE INSTALLATION ABOVE A SUSPENDED CEILING. *Am Ind Hyg Assoc J* 52: 479-484. <http://dx.doi.org/10.1080/15298669191365081>.
- Keyes, DL; Ewing, WM; Hays, SM; Longo, WE; Millette, JR. (1994). Baseline Studies of Asbestos Exposure during Operations and Maintenance Activities. *Appl Occup Environ Hyg* 9: 853-860.
- Keyes, DL; Millette, JR. (1991). Asbestos exposure from activities in buildings with asbestos-containing materials. *Ann N Y Acad Sci* 643: 509-510.
- Keys, DL; Millette, JR. (1991). ASBESTOS EXPOSURE FROM ACTIVITIES IN BUILDINGS WITH ASBESTOS-CONTAINING MATERIALS (pp. EXPOSURE TO ASBESTOS IN PLACE: PUBLIC HEALTH CONTROL; CONFERENCE). (BIOSIS/93/34961). Keys, DL; Millette, JR.
- Kgalamono, SM; Rees, D; Kielkowski, D; Solomon, A. (2005). Asbestos in the non-mining industry on the Witwatersrand, South Africa. *S Afr Med J* 95: 47-51.
- Khan, SG; Ali, S; Rahman, Q. (1990). Protective role of ascorbic acid against asbestos induced toxicity in rat lung: in vitro study. *Drug Chem Toxicol* 13: 249-256. <http://dx.doi.org/10.3109/01480549009018125>.
- Khan, SG; Rizvi, RY; Hadi, SM; Rahman, Q. (1991). INFLUENCE OF SILICIC-ACID ON INVITRO DEPURINATION OF DNA. *Bull Environ Contam Toxicol* 47: 342-349.
- Khomenko, EV. (1988). [Hygienic standardization of asbestos-containing dust (review of the literature)] [Review]. *Vrach Delo* 98-102.
- Khorami, J; Lemieux, A; Nadeau, D. (1987). THE PHOSPHORYLATION OF CHRYSOTILE ASBESTOS FIBERS WITH PHOSPHORUS OXYCHLORIDE (POCL3) - MECHANISM OF REACTION AND CHEMICAL-COMPOSITION OF THE EXTERNAL COATING. *Can J Chem* 65: 2268-2276.
- Khoshnevis, MR; Geis, R. (2009). Minimally invasive talc insufflation: a new technique with no need for thoracoscopy. *Journal of Bronchology & Interventional Pulmonology* 16: 99-101. <http://dx.doi.org/10.1097/LBR.0b013e3181a08e9c>.
- Khudu-Petersen, K; Bard, D; Garrington, N; Yarwood, J; Tylee, B. (2000). Microscopic identification of asbestos fibres associated with African clay crafts manufacture. *Ann Occup Hyg* 44: 137-141.
- Kieback, D. (1978). Fire Risk Concerning Working Clothes Due to Arcing Research on the Selection of Safe Vocational Clothing for Electrical Engineering Staff (pp. 36-43). (NIOSH/00171537). Kieback, D.
- Kiec-Swierzczynska, M. (1990). Occupational Dermatoses and Allergy to Metals in Polish Construction Workers Manufacturing Prefabricated Building Units. *Contact Derm* 23: 27-32.
- Kiec-Swierzczynska, M; Wojtczak, J. (2000). Occupational ceramic fibres dermatitis in Poland. *Occup Med (Lond)* 50: 337-342.
- Kiefer, M; Salisburg, S. (1991). Health Hazard Evaluation Report No. HETA-91-238-2162, University of South Florida, Tampa, Florida (pp. 91-238). (NIOSH/00205033). Kiefer, M; Salisburg, S.
- Kiefer, M; Salisburg, S. (1991). Health Hazard Evaluation Report HETA 91-238-2162, University of South Florida, Tampa, Florida. 42.
- Kiefer, M; Tepper, A; Miller, R. (1992). Health Hazard Evaluation Report HETA 91-338-2187, IMC Corporation, Sterlington, Louisiana (pp. 26). (HETA 91-338-2187). Cincinnati, OH: National Inst. for Occupational Safety and Health.
- Kiefer, MJ; Buchan, RM; Keefe, TJ; Blehm, KD. (1987). A PREDICTIVE MODEL FOR DETERMINING ASBESTOS CONCENTRATIONS FOR FIBERS LESS THAN FIVE MICROMETERS IN LENGTH. *Environ Res* 43: 31-38.
- Kiener, A. (1984). [An alternative to the use of asbestos in the dental laboratory]. 42: 137-143.
- Kilburn, KH. (1981). Cigarette smoking does not produce or enhance the radiologic appearance of pulmonary fibrosis. *Am J Ind Med* 2: 305-308.
- Kilburn, KH. (1982). Flame-attenuated fiberglass: another asbestos? *Am J Ind Med* 3: 121-125.
- Kilburn, KH. (1984). Lung Disease: Lessons From The Past Keys To The Future. *Arch Environ Health* 39: 139-143.
- Kilburn, KH. (1986). Chronic bronchitis and emphysema. In JA Merchant (Ed.), (pp. 861-865). Washington, DC: U.S. Department of Health and Human Services.
- Kilburn, KH. (1986). Medical Screening for Lung Cancer: Perspective and Strategy. *J Occup Med* 28: 714-718.
- Kilburn, KH; Miller, A; Warshaw, RH. (1993). Measuring lung volumes in advanced asbestosis: Comparability of plethysmographic and radiographic versus helium rebreathing and single breath methods. *Respir Med* 87: 115-120.
- Kilburn, KH; Powers, D; Warshaw, RH. (1992). Pulmonary effects of exposure to fine fiberglass: irregular opacities and small airways obstruction. *Br J Ind Med* 49: 714-720.
- Kilburn, KH; Powers, D; Warshaw, RH. (1993). PULMONARY EFFECTS OF EXPOSURE TO FINE FIBERGLASS - IRREGULAR OPACITIES AND SMALL AIRWAYS OBSTRUCTION - REPLY. *Br J Ind Med* 50: 863-864.
- Kilburn, KH; Warshaw, R; Boylen, CT; Johnson, S. (1983). STIGMATA OF ASBESTOS IN WIVES OF SHIPYARDS WORKERS. *Am Rev Respir Dis* 127: 170-170.
- Kilburn, KH; Warshaw, RH. (1989). CORRELATION OF PULMONARY FUNCTIONAL IMPAIRMENT WITH RADIOGRAPHIC ASBESTOSIS ILO CATEGORY (pp. 14-17). (BIOSIS/89/20546). Kilburn, KH; Warshaw, RH.
- Kilburn, KH; Warshaw, RH. (1989). PLEURAL ASBESTOSIS IMPAIRS PULMONARY FUNCTION (pp. 14-17). (BIOSIS/89/21284). Kilburn, KH; Warshaw, RH.
- Kilburn, KH; Warshaw, RH. (1990). Effects of individually motivating smoking cessation in male blue collar workers. *Am J Public Health* 80: 1334-1337.
- Kilburn, KH; Warshaw, RH. (1990). Pulmonary Functional Impairment from Years of Arc Welding (pp. 62-69). (ISSN 0002-9343 EISSN 1555-7162 NIOSH/00198782). Kilburn, KH; Warshaw, RH.

Human Health Hazard Literature Search Results

Off Topic

- Kilburn, KH; Warshaw, RH. (1990). RADIOGRAPHICALLY SEVERE ASBESTOSIS IS AN OBSTRUCTIVE DISEASE (pp. 20-24). (BIOSIS/90/18829).
Kilburn, KH; Warshaw, RH.
- Kilburn, KH; Warshaw, RH. (1990). Suggestions for Revision of the ILO Criteria for Abestosis Based on Screening 10,000 Workers. (NIOSH/00198781). Kilburn, KH; Warshaw, RH.
- Kilburn, KH; Warshaw, RH. (1990). WHAT PREDICTS REDUCED CARBON MONOXIDE DIFFUSING CAPACITY IN ASBESTOSIS (pp. 20-24). (BIOSIS/90/18830). Kilburn, KH; Warshaw, RH.
- Kilburn, KH; Warshaw, RH. (1991). Difficulties of attribution of effect in workers exposed to fiberglass and asbestos. *Am J Ind Med* 20: 745-751. <http://dx.doi.org/10.1002/ajim.4700200605>.
- Kilburn, KH; Warshaw, RH. (1992). COMPARABILITY OF PLETHYSMOGRAPHIC AND RADIOGRAPHIC VERSUS HELIUM REBREATHING AND SINGLE BREATH METHODS FOR LUNG VOLUMES IN ASBESTOSIS (pp. 17-20). (BIOSIS/92/20025). Kilburn, KH; Warshaw, RH.
- Kilburn, KH; Warshaw, RH. (1993). Neurobehavioral testing of subjects exposed residentially to groundwater contaminated from an aluminum die-casting plant and local referents. *J Toxicol Environ Health* 39: 483-496. <http://dx.doi.org/10.1080/15287399309531766>.
- Kilburn, KH; Warshaw, RH. (1993). Total lung capacity in asbestosis: A comparison of radiographic and body plethysmographic methods. *Am J Med Sci* 305: 84-87.
- Kilburn, KH; Warshaw, RH. (1995). Airways obstruction from asbestos exposure and asbestosis revisited [Comment]. *Chest* 107: 1730-1731.
- Kilburn, KH; Warshaw, RH; Powers, D. (1990). PULMONARY EFFECTS OF EXPOSURE TO FINE FIBERGLASS (pp. 20-24). (BIOSIS/90/18842). Kilburn, KH; Warshaw, RH; Powers, D.
- Kilburn, KH; Warshaw, RH; Thornton, JC. (1995). Do Radiographic Criteria for Emphysema Predict Physiologic Impairment? *Chest* 107: 1225-1231.
- Kilpatrick, DJ. (1989). Pleural mesothelioma in a lift mechanic [Letter]. *Br J Ind Med* 46: 894.
- Kilpatrick, DJ. (1995). Mesothelioma: is asbestos exposure the only cause? [Letter]. *Med J Aust* 163: 392.
- Kilpatrick, DJ; Kottek, M. (1994). Re: Attitudes and opinions regarding asbestos and cancer, 1937-1965 [Letter]. *Am J Ind Med* 25: 461-462.
- Kilpatrick, N; Frumkin, H; Trowbridge, J; Escoffery, C; Geller, R; Rubin, L; Teague, G; Nodvin, J. (2002). The environmental history in pediatric practice: A study of pediatricians' attitudes, beliefs, and practices. *Environ Health Perspect* 110: 823-827.
- Kim, DS, ik; Lee, SG, yu; Jun, S, unY; Kim, KW, on; Ha, T, aeY; Kim, KK, uk. (2008). Primary malignant mesothelioma developed in liver. *Hepatogastroenterology* 55: 1081-1084.
- Kim, H; Morimoto, Y; Ogami, A; Nagatomo, H; Hirohashi, M; Oyabu, T; Kawanami, Y; Kuroda, E; Higashi, T; Tanaka, I. (2007). Differential expression of EC-SOD, Mn-SOD and CuZn-SOD in rat lung exposed to crystalline silica. *J Occup Health* 49: 242-248.
- Kim, I; Kim, EA; Kim, JY. (2014). Compensation for occupational cancer. *J Korean Med Sci* 29 Suppl: S40-S46. <http://dx.doi.org/10.3346/jkms.2014.29.S.S40>.
- Kim, J; Harvard, C; You, L; Xu, Z; Kuchenbecker, K; Baehner, R; Jablons, D. (2007). Stathmin is overexpressed in malignant mesothelioma. *Anticancer Res* 27: 39-44.
- Kim, J; Oak, C; Jang, T; Jung, M; Chun, B; Park, EK; Takahashi, K. (2013). Lung cancer probably related to talc exposure: a case report. *Ind Health* 51: 228-231.
- Kim, J; Song, KS; Yu, I. (2015). Evaluation of in vitro and in vivo genotoxicity of single-walled carbon nanotubes. *Toxicol Ind Health* 31: 747-757. <http://dx.doi.org/10.1177/0748233713483201>.
- Kim, J; Yu, I. (2014). SINGLE-WALL CARBON NANOTUBES (SWCNT) INDUCE CYTOTOXICITY AND GENOTOXICITY PRODUCED BY REACTIVE OXYGEN SPECIES (ROS) GENERATION IN PHYTOHEMAGGLUTININ (PHA)-STIMULATED MALE HUMAN PERIPHERAL BLOOD LYMPHOCYTES. *J Toxicol Environ Health A* 77: 1141-1153. <http://dx.doi.org/10.1080/15287394.2014.917062>.
- Kim, JE; Lim, HT; Minai-Tehrani, A; Kwon, JT; Shin, JY; Woo, CG; Choi, M; Baek, J; Jeong, DH; Ha, YC; Chae, CH; Song, KS; Ahn, KH; Lee, JH; Sung, HJ; Yu, IJ; Beck, GR; Cho, MH. (2010). Toxicity and clearance of intratracheally administered multiwalled carbon nanotubes from murine lung. *J Toxicol Environ Health A* 73: 1530-1543. <http://dx.doi.org/10.1080/15287394.2010.511578>.
- Kim, JH; Chang, HS; Kim, KY; Park, WM; Lee, YJ; Choi, HC; Kim, KA; Lim, Y. (1999). Environmental measurements of total dust and fiber concentration in manufacturer and user of man-made mineral fibers. *Ind Health* 37: 322-328.
- Kim, JS. (2009). Imaging Diagnosis of Asbestosis. *J Korean Am Med Assoc* 52: 465-471.
- Kim, JS; Lee, K; Lee, YH; Cho, HS; Kim, KH; Choi, KH; Lee, SH; Song, KS; Kang, CS; Yu, IJ. (2011). Aspect ratio has no effect on genotoxicity of multi-wall carbon nanotubes. *Arch Toxicol* 85: 775-786. <http://dx.doi.org/10.1007/s00204-010-0574-0>.
- Kim, JS; Lynch, DA. (2002). Imaging of nonmalignant occupational lung disease. *J Thorac Imaging* 17: 238-260. <http://dx.doi.org/10.1097/01.RTI.0000026900.80362.9C>.
- Kim, JS; Song, KS; Joo, HJ; Lee, JH; Yu, IJ. (2010). Determination of cytotoxicity attributed to multiwall carbon nanotubes (MWCNT) in normal human embryonic lung cell (WI-38) line. *J Toxicol Environ Health A* 73: 1521-1529. <http://dx.doi.org/10.1080/15287394.2010.511577>.
- Kim, JS; Song, KS; Lee, JH; Yu, IJ. (2011). Evaluation of biocompatible dispersants for carbon nanotube toxicity tests. *Arch Toxicol* 85: 1499-1508. <http://dx.doi.org/10.1007/s00204-011-0723-0>.
- Kim, JS; Sung, JH; Choi, BG; Ryu, HY; Song, KS; Shin, JH; Lee, JS; Hwang, JH; Lee, JH; Lee, GH; Jeon, K; Ahn, KH; Yu, IJ. (2014). In vivo genotoxicity evaluation of lung cells from Fischer 344 rats following 28 days of inhalation exposure to MWCNTs, plus 28 days and 90 days post-exposure. *Inhal Toxicol* 26: 222-234. <http://dx.doi.org/10.3109/08958378.2013.878006>.
- Kim, JS; Yi, JG; Kim, YK; Doo, KW; Lee, JW; Ham, SY; Kim, JI; Kang, EY. (2013). Notes from the 2012 Annual Meeting of the Korean Society of Thoracic Radiology: asbestos-related thoracic diseases. *J Thorac Imaging* 28: W49-W55. <http://dx.doi.org/10.1097/RTI.0b013e31828834a0>.

Human Health Hazard Literature Search Results

Off Topic

- Kim, JT, ai; Hoskins, JA. (2010). Asbestos in Korean Buildings, Safety Concerns, and Sensible Risk Assessment. *Indoor Built Environ* 19: 21-29. <http://dx.doi.org/10.1177/1420326X09357997>.
- Kim, JT, ai; Yu, CWF. (2014). Hazardous materials in buildings. *Indoor Built Environ* 23: 44-61. <http://dx.doi.org/10.1177/1420326X14524073>.
- Kim, KA; Lee, WK; Kim, JK; Seo, MS; Lim, Y; Lee, KH; Chae, G; Lee, SH; Chung, Y. (2001). Mechanism of refractory ceramic fiber- and rock wool-induced cytotoxicity in alveolar macrophages. *Int Arch Occup Environ Health* 74: 9-15.
- Kim, KC; Vo, HP. (2016). Localized malignant pleural sarcomatoid mesothelioma misdiagnosed as benign localized fibrous tumor. *J Thorac Dis* 8: E379-E384. <http://dx.doi.org/10.21037/jtd.2016.03.92>.
- Kim, KH; Yeon, SM; Kim, HG; Lee, H; Kim, SK; Han, SH; Min, KJ; Byun, Y; Lee, EH; Lee, KS; Yuk, SH; Ha, UH; Jung, YW. (2014). Single-Walled Carbon Nanotubes Induce Cell Death and Transcription of TNF- α in Macrophages Without Affecting Nitric Oxide Production. *Inflammation* 37: 44-54. <http://dx.doi.org/10.1007/s10753-013-9710-3>.
- Kim, MC; Cui, FJ; Kim, Y. (2013). Hydrogen peroxide promotes epithelial to mesenchymal transition and stemness in human malignant mesothelioma cells. *Asian Pac J Cancer Prev* 14: 3625-3630. <http://dx.doi.org/10.7314/APJCP.2013.14.6.3625>.
- Kim, SM; Oh, Y; Oh, SH; Han, JH. (2016). Primary diffuse malignant peritoneal mesothelioma in a striped skunk (*Mephitis mephitis*). *J Vet Med Sci* 78: 485-487. <http://dx.doi.org/10.1292/jvms.15-0377>.
- Kim, SY; Kim, YC; Kim, Y; Hong, WH. (2016). Predicting the mortality from asbestos-related diseases based on the amount of asbestos used and the effects of slate buildings in Korea. *Sci Total Environ* 542: 1-11. <http://dx.doi.org/10.1016/j.scitotenv.2015.10.115>.
- Kim, WS; Carter, JW; Kupel, RE. (1981). Quick screening test for asbestos. *Am Ind Hyg Assoc J* 42: 198-201.
- Kim, YC; Hong, WH; Zhang, YL; Son, BH; Seo, YK; Choi, JH. (2016). Estimating the Additional Greenhouse Gas Emissions in Korea: Focused on Demolition of Asbestos Containing Materials in Building. *Int J Environ Res Public Health* 13. <http://dx.doi.org/10.3390/ijerph13090902>.
- Kimizuka, G; Ohwada, H; Hayashi, Y. (1987). Co-carcinogenic effect of asbestos and benzo(a)pyrene in the lung of hamster. *Acta Pathol Jpn* 37: 465-474. <http://dx.doi.org/10.1111/j.1440-1827.1987.tb00380.x>.
- Kimizuka, G; Shinozaki, K; Hayashi, Y. (1988). Analysis of the core of ferruginous bodies and the relationship between body type and core characteristics. *Acta Pathol Jpn* 38: 989-1000.
- Kimmel, M. (2008). Lung Cancer Model: Risk, Progression and Intervention.
- Kimmel, M. (2009). Lung Cancer Model: Risk, Progression and Intervention.
- Kimmerle, FM; Noel, L; Khorami, J. (1984). QUANTITATIVE IR ATTENUATED TOTAL REFLECTANCE SPECTROMETRY OF ASBESTOS FIBERS ON MEMBRANE FILTERS. *Can J Chem* 62: 441-451.
- Kinaret, P; Ilves, M; Fortino, V; Rydman, E; Karisola, P; Lähde, A; Koivisto, J; Jokiniemi, J; Wolff, H; Savolainen, K; Greco, D; Alenius, H. (2017). Inhalation and Oropharyngeal Aspiration Exposure to Rod-Like Carbon Nanotubes Induce Similar Airway Inflammation and Biological Responses in Mouse Lungs. *ACS Nano* 11: 291-303. <http://dx.doi.org/10.1021/acs.nano.6b05652>.
- Kindy, MS. (2009). Pesticides, Paraoxonase and Alzheimer's Disease.
- Kindy, MS. (2010). Pesticides, Paraoxonase and Alzheimer's Disease.
- King, JA; Wong, SW. (1996). Autopsy evaluation of asbestos exposure: retrospective study of 135 cases with quantitation of ferruginous bodies in digested lung tissue. *South Med J* 89: 380-385.
- King, JAC; Listinsky, CM; Tucker, JA. (2004). An intriguing case: Malignant mesothelioma presenting as inguinal lymph node metastases. *Ultrastruct Pathol* 28: 109-113. <http://dx.doi.org/10.1080/01913120490430995>.
- King, JAC; Wong, SW; Tucker, JA. (1998). Asbestos: applications of electron microscopy and energy-dispersive X-ray analysis. *Microsc Res Tech* 40: 82-82.
- King, MA; Hess, SM. (1986). The Effect of Occupational Exposures in a Population of Former Coal Worker. *Annals of the American Conference of Governmental Industrial Hygienists* 14: 101-105.
- Kingsley, I. (1976). Health Hazard Evaluation Report No. HHE-76-40-341, 919 Third Garage Company, New York, New York (pp. 76-40). (NIOSH/00057818). Kingsley, I.
- Kinnes, GM; Lushniak, BD. (1990). Health Hazard Evaluation Report HETA 89-244-2068, Thomson Consumer Electronics, Inc., Circleville, Ohio (pp. 1-34). Kinnes, GM; Lushniak, BD.
- Kinnes, GM; Lushniak, BD. (1990). Health Hazard Evaluation Report No. HETA-89-244-2068, Thomson Consumer Electronics, Inc., Circleville, Ohio (pp. 89-244). (NIOSH/00197953). Kinnes, GM; Lushniak, BD.
- Kinney, PL; Satterfield, MH; Shaikh, RA. (1994). Airborne Fiber Levels during Asbestos Operations and Maintenance Work in a Large Office Building. *Appl Occup Environ Hyg* 9: 825-835.
- Kinnula, VL; Torkkeli, T; Kristo, P; Sormunen, R; Soini, Y; Pääkkö, P; Ollikainen, T; Kahlos, K; Hirvonen, A; Knuutila, S. (2004). Ultrastructural and chromosomal studies on manganese superoxide dismutase in malignant mesothelioma. *Am J Respir Cell Mol Biol* 31: 147-153. <http://dx.doi.org/10.1165/rcmb.2003-0409OC>.
- Kinoshita, Y; Takasu, K; Yuri, T; Yoshizawa, K; Uehara, N; Kimura, A; Miki, H; Tsubura, A; Shikata, N. (2013). Two cases of malignant peritoneal mesothelioma without asbestos exposure: cytologic and immunohistochemical features. *Ann Diagn Pathol* 17: 99-103. <http://dx.doi.org/10.1016/j.anndiagpath.2012.05.007>.
- Kipen, HM; Gochfeld, M. (2002). Mind and matter: OEM and the World Trade Center [Editorial]. *Occup Environ Med* 59: 145-146.
- Kirby, PJ; Shines, CJ; Taylor, GJ; Bousquet, RW; Price, HC; Everitt, JI; Morgan, DL. (2009). Pleural effects of indium phosphide in B6C3F1 mice: nonfibrous particulate induced pleural fibrosis. *Exp Lung Res* 35: 858-882. <http://dx.doi.org/10.3109/01902140902980961>.
- Kirby, RK. (1982). The NBS Program For Standard Reference Materials (pp. Materials and Analytical Methods). (NIOSH/00145888). Kirby, RK.
- Kirby, T. (2010). Canada accused of hypocrisy over asbestos exports. *Lancet* 376: 1973-1974.
- Kirby, T. (2014). Canberra Government to demolish asbestos-contaminated homes. *Lancet Respir Med* 2: 975.

Human Health Hazard Literature Search Results

Off Topic

- Kirkham, TL; Koehoorn, MW; Mcleod, CB; Demers, PA. (2011). Surveillance of mesothelioma and workers' compensation in British Columbia, Canada. *Occup Environ Med* 68: 30-35. <http://dx.doi.org/10.1136/oem.2009.048629>.
- Kirkham, TL; Siemiatycki, J; Labrèche, F; Lavoué, J. (2016). Impact of aggregating exposure information from cases and controls when building a population-based job-exposure matrix from past expert evaluations. *Occup Environ Med* 73: 474-481. <http://dx.doi.org/10.1136/oemed-2014-102690>.
- Kirschner, MB; Cheng, Y; Badrian, B; Kao, SC; Creaney, J; Edelman, JJB; Armstrong, NJ; Vallely, MP; Musk, AW; Robinson, BWS; Mccaughan, BC; Klebe, S; Mutsaers, SE; van Zandwijk, N; Reid, G. (2012). Increased Circulating miR-625-3p A Potential Biomarker for Patients With Malignant Pleural Mesothelioma. *J Thorac Oncol* 7: 1184-1191. <http://dx.doi.org/10.1097/JTO.0b013e3182572e83>.
- Kirshner, M; Bleach, K. (1994). ENVIRONMENTAL AND OCCUPATIONAL REMEDIATION SUBSEQUENT TO THE WORLD-TRADE-CENTER BOMBING. *Environ Int* 20: 253-261.
- Kishi, K; Homma, S; Miyamoto, A; Kurosaki, A; Motoi, N; Kohno, T; Yoshimura, K. (2005). Rounded atelectasis associated with pulmonary lymphangioliomyomatosis. *Intern Med* 44: 625-627.
- Kishimoto, T. (1989). ASBESTOS IN LUNG-CANCER - REPLY. *Chest* 96: 701-702.
- Kishimoto, T. (1991). [The distribution of various type of oncogenes products in the tumor tissue of malignant mesothelioma]. *Nihon Kyobu Shikkan Gakkai Zasshi* 29: 1168-1173.
- Kishimoto, T. (1993). THE ATTRIBUTION OF LUNG-CANCER TO ASBESTOS - REPLY. *Chest* 103: 654-654.
- Kishimoto, T; Okada, K. (1988). [Cases of suspected asbestos exposure in the family]. *Sangyo Igaku* 30: 212-213.
- Kishizuchi, K. (1995). Analysis of asbestos fiber deposited within human lung, with Special reference to occurrence of lung cancer and malignant mesothelioma (pp. 279-296). (BIOSIS/96/04364). Kishizuchi, K.
- Kiviluoto, R. (1960). Pleural calcification as a roentgenologic sign of non-occupational endemic anthophyllite-asbestosis. *Acta Radiologica Supplementum* 194: 1-67.
- Kizer, KW; Warriner, TE; Book, SA. (1988). SOUND SCIENCE IN THE IMPLEMENTATION OF PUBLIC POLICY A CASE REPORT OF CALIFORNIA'S PROPOSITION 65. *JAMA J AM MED ASSOC*: 951-955.
- Kjaergaard, J; Andersson, M. (2000). Incidence rates of malignant mesothelioma in Denmark and predicted future number of cases among men. *Scand J Work Environ Health* 26: 112-117.
- Kjellstrom, T. (1984). ASBESTOS, AN OCCUPATIONAL-DISEASE TIME-BOMB IN NEW-ZEALAND. *Community Health Stud* 8: 268-269.
- Klasco, R. (2002). Colorado tick fever [Review]. *Med Clin North Am* 86: 435-440, ix.
- Klauder, JV; Hardy, MK. (1946). Actual Causes Of Certain Occupational Dermatoses. *Occup Med (Lond)* 1: 168-181.
- Klech, HH; Pohl, WR. (1994). USE OF BRONCHOALVEOLAR LAVAGE IN SARCOIDOSIS AND OTHER INTERSTITIAL LUNG DISORDERS (pp. NEW YORK). (BIOSIS/94/20443). Klech, HH; Pohl, WR.
- Klein, B; Bachesser, K; Rehn, B; Gono, E; Teschler, K; Costabel, U; Konietzko, N; Bruch, J. (1993). INCREASED LUNG SURFACTANT PHOSPHOLIPIDS IN ASBESTOS-EXPOSED PATIENTS WITH MESOTHELIOMA. *Am Rev Respir Dis* 147: A909-A909.
- Klein, F; Bauer, J. (1993). Cleanup of dioxins and asbestos in a hospital incinerator - From planning to implementation. 19: 40-43.
- Klein, G. (2000). Simian virus 40 and the human mesothelium [Comment]. *Proc Natl Acad Sci USA* 97: 9830-9831. <http://dx.doi.org/10.1073/pnas.190325697>.
- Klein, JS. (1991). Detecting lung disease with high-resolution CT. 13: 118-122.
- Kleineberg, J. (1988). HOW TO DEPOSIT ASBESTOS-BEARING WASTE CORRECTLY STATUS AND PROSPECTS (pp. DORDRECHT). (BIOSIS/88/35771). Kleineberg, J.
- Kleinfeld, M; Messite, J; Kooyman, O; Zaki, MH. (1967). Mortality among talc miners and millers in New York state. *Arch Environ Occup Health* 14: 663-667.
- Klemp, M; Peters, A; Sacks, R. (1994). High-Speed Gc Analysis of Voc's Sample Collection and Inlet Systems. *Environ Sci Technol* 28: 369a-376a.
- Kleymenova, EV; Horesovsky, G; Pylev, LN; Everitt, J. (1999). Mesotheliomas induced in rats by the fibrous mineral erionite are independent from p53 alterations. *Cancer Lett* 147: 55-61.
- Klien, K; Pilger, A; Girard, A; Godnic-Cvar, J. (2013). Immunological effects of carbon nanotubes. *Allergologie* 36: 302-304. <http://dx.doi.org/10.5414/ALX01609>.
- Kliment, CR; Clemens, K; Oury, TD. (2009). North american erionite-associated mesothelioma with pleural plaques and pulmonary fibrosis: a case report. *Int J Clin Exp Pathol* 2: 407-410.
- Kline, ER; Mattson, VR; Pickering, QH; Spehar, DL; Stephan, CE. (1987). EFFECTS OF POLLUTION ON FRESHWATER ORGANISMS. *J Water Pollut Control Fed* 59: 539-572.
- Klingholz, R; Steinkopf, B. (1982). Behaviour of man-made mineral fibres in a model physiological fluid and in water. 1982: 69-76.
- Klinman, D. (2013). Mechanism of action and therapeutic utility of immunosuppressive oligonucleotide.
- Klinman, D. (2014). Mechanism of action and therapeutic utility of immunosuppressive oligonucleotide.
- Klinman, D. (2015). Mechanism of action and therapeutic utility of immunosuppressive oligonucleotide.
- Klosterkötter, W; Robock, K. (1975). 1975 Yant Memorial Lecture New aspects on dust and pneumoconiosis research. *Am Ind Hyg Assoc J* 36: 659-668. <http://dx.doi.org/10.1080/0002889758507312>.
- Knaapen, AM; Seiler, F; Schilderman, PAE, L; Nehls, P; Bruch, J; Schins, RPF; Borm, PJA. (1999). Neutrophils cause oxidative DNA damage in alveolar epithelial cells. *Free Radic Biol Med* 27: 234-240.
- Knibbs, LD; Sly, PD. (2014). Indigenous health and environmental risk factors: an Australian problem with global analogues? *Global Health Action* 7: 23766. <http://dx.doi.org/10.3402/gha.v7.23766>.

Human Health Hazard Literature Search Results

Off Topic

- Knight, G. (1982). DIFFERENCES BETWEEN ASBESTOS FIBER SIZE DISTRIBUTIONS IN AIR AND IN THE LUNG (pp. 7-10). (ISSN 0003-4878; EISSN 1475-3162; HEEP/83/07555). Knight, G.
- Knight, G. (1984). Rock Fiber in Nonasbestos Mines A Suggested Program for Canadian Mines (pp. 184-187). (NIOSH/00174557). Knight, G.
- Knight, JL; Sleeth, DK; Larson, RR; Pahler, LF. (2013). An analysis of OSHA inspections assessing contaminant exposures in general medical and surgical hospitals. 61: 153-160. <http://dx.doi.org/10.3928/21650799-20130318-27>.
- Knight, KL; Bloor, DM; Miller, F. (1985). Use of a cowl in asbestos air sampling [Letter]. *Ann Occup Hyg* 29: 289-291.
- Knishkowsky, B; Baker, EL. (1986). Transmission of occupational disease to family contacts. *Am J Ind Med* 9: 543-550. <http://dx.doi.org/10.1002/ajim.4700090606>.
- Knocke, WR; Mckinney, JD; Golden, RJ; Ohanian, EV; Schnell, RC; Askenaizer, D; Neukrug, H; Paris, DB. (1993). RESEARCH AGENDA FOR INORGANIC COMPOUNDS (pp. 62-67). (BIOSIS/93/14811). Knocke, WR; Mckinney, JD; Golden, RJ; Ohanian, EV; Schnell, RC; Askenaizer, D; Neukrug, H; Paris, DB.
- Knox, EG. (1973). Computer Simulation of Industrial Hazards. *Br J Ind Med* 30: 54-63.
- Knox, JM; Knox, JM; Dinehart, SM; Holder, W; Cox, G; Smith, EB. (1986). ACQUIRED PERFORATING DISEASE IN OIL FIELD WORKERS. *J Am Acad Dermatol* 14: 605-611.
- K-O, G; Kunzelmann, F. (1991). THE CHEST FILM IN PULMONARY ASBESTOSIS (pp. 20-21). (BIOSIS/92/10849). Grahl K-O; Kunzelmann, F.
- Kobayashi, S; Waragai, T; Sano, H; Mochizuki, K; Akaihata, M; Ohara, Y; Hosoya, M; Kikuta, A. (2014). Malignant peritoneal mesothelioma in a child: chemotherapy with gemcitabine and platinum was effective for the disease unresponsive to other treatments. *Anticancer Drugs* 25: 1102-1105. <http://dx.doi.org/10.1097/CAD.000000000000143>.
- Kocak, F; Ergen, Z; Cinar, ME. (1999). Fouling organisms and their developments in a polluted and an unpolluted marina in the Aegean Sea (Turkey). *Ophelia* 50: 1-20.
- Kochelaev, VA; Gaïsin, NK; Sviridiuk, AI. (2008). [Providing safe work conditions in JSC "Uralasbest"] [Review]. *Med Tr Prom Ekol* 37-42.
- Koeman, T, om; Offermans, NSM; Christopher-De Vries, Y; Slotte, P; Van Den Brandt, PA; Goldbohm, RA; Kromhout, H; Vermeulen, R. (2013). JEMs and Incompatible Occupational Coding Systems: Effect of Manual and Automatic Recoding of Job Codes on Exposure Assignment. *Ann Occup Hyg* 57: 107-114. <http://dx.doi.org/10.1093/annhyg/mes046>.
- Koenig, JQ. (1988). Indoor and outdoor pollutants and the upper respiratory tract. *J Allergy Clin Immunol* 81: 1055-1059. [http://dx.doi.org/10.1016/0091-6749\(88\)90180-7](http://dx.doi.org/10.1016/0091-6749(88)90180-7).
- Koerten, HK; Van Blitterswijk, CA; Grote, JJ; Daems, WT. (1988). ACCUMULATION OF TRACE ELEMENTS BY MACROPHAGES DURING DEGRADATION OF BIOMATERIALS (pp. AMSTERDAM). (BIOSIS/89/20298). Koerten, HK; Van Blitterswijk, CA; Grote, JJ; Daems, WT.
- Koga, Y; Dobashi, K; Kaira, K; Satoh, T; Koka, M; Yamada, N; Hisada, T; Yatomi, M; Ono, A; Kamide, Y; Seki, K; Aoki, H; Tsurumaki, H; Yamada, M. (2015). In-Air Microparticle Induced X-Ray Emission Analysis Of Inhaled Particulates In Thoracic Lymph Node In A Patient With Asbestos Exposure. *Am J Respir Crit Care Med* 191.
- Kogan, FM. (1977). [Maximum Permissible Exposure Level (MPEL) of asbestos powders]. *Med Lav* 68: 142-148.
- Kogan, FM. (1989). CHRYSOTILE ASBESTOS AND MESOTHELIOMA OF PLEURA. *Am J Ind Med* 15: 123-123.
- Kogan, FM; Balagov, AG; Bunimovich, GI. (1970). Protection of animals against soman (1,2,2-trimethylpropyl methylphosphono-fluoridate) by pretreatment with some other organophosphorus compounds, followed by oxime and atropine. *Gig Tr Prof Zabol* 14: 45-47.
- Kogan, FM; Deminov, AG; Bakhireva, ID; Bunimovich, GI. (1977). [Justifiability of the MPEL in effect for asbestos-containing dust]. *Gig Tr Prof Zabol* 37-40.
- Kogan, FM; Deminov, AG; Guselnikova, NA; Gurvich, VB. (1982). CHANGES IN OCCUPATIONAL MORBIDITY AMONG WORKERS IN THE ASBESTOS MINING INDUSTRY IN RELATION TO THE IMPROVEMENT OF WORKING CONDITIONS (pp. 24-26). (ISSN 0004-069X EISSN 1661-4917 HEEP/84/05403). Kogan, FM; Deminov, AG; Guselnikova, NA; Gurvich, VB.
- Kogan, FM; Deminov, AG; Troitskaia, EE; Kolesnikova, TN; Kopytova, MV. (1977). [Working conditions of women track maintenance workers in asbestos mines]. *Gig Sanit* 19-23.
- Kogan, FM; Deminov, AG; Troitskaya, EE; Kolesnikova, TN; Kopytova, MV; Polyakova, TT. (1977). WORKING CONDITIONS OF WOMEN RAILROAD CONSTRUCTION WORKERS IN ASBESTOS MINES. *Gig Sanit* 9: 19-23.
- Kogan, FM; Kashanskiĭ, SV; Bogdanov, GB; Golikova, NG; Rauza, ND; Il'chenko, GN. (1989). [Comparison of the methods of analysis of the levels and dispersion-morphologic composition of asbestos-containing dust]. *Gig Sanit* 39-41.
- Kogan, FM; Kashanskiĭ, SV; Bogdanov, GB; Golikova, NG; Rauze, ND; Il'chenko, GI. (1989). A COMPARISON OF METHODS FOR DETERMINING THE CONCENTRATION AND THE MORPHOLOGICAL COMPOSITION OF DISPERSED ASBESTOS-CONTAINING DUST. *Gig Sanit* 0: 39-41.
- Kogan, FM; Polzik, EV. (1991). RESPONSE TO QUALMS ABOUT MEDICAL SCREENING AS A DISCRIMINATORY TOOL [Letter]. *Am J Ind Med* 20: 273-274.
- Kogan, FM; Svirskiĭ, EL; Belobragina, GV. (1969). [Hygienic characteristics of the dust factor in the production of the asbestos-containing heat-insulating materials Asbovermiculite and Asboperlite]. *Gig Tr Prof Zabol* 13: 9-12.
- Kogan, FM; Svirskiĭ, EL; Pochashev, EN. (1970). [Data on hygienic assessment of asbestos-containing dust of asbozurit and sovelit]. *Gig Sanit* 35: 19-23.
- Kogevinas, M; Boffetta, P. (1995). Occupational exposure to carcinogens and cancer occurrence in Europe. *Med Lav* 86: 236-242.
- Kogevinas, M; Boffetta, P; Pearce, N. (1994). Occupational Exposure to Carcinogens in Developing Countries [Review] (pp. 63-95). (ISSN 0300-5038; NIOSH/00229412). Kogevinas, M; Boffetta, P; Pearce, N.
- Kogevinas, M; Pearce, N. (2012). Importance of meta-analyses for evaluating carcinogens [Letter]. *Environ Health Perspect* 120: A145; author reply A146-A145; author reply A147. <http://dx.doi.org/10.1289/ehp.1104755>.

Human Health Hazard Literature Search Results

Off Topic

- Kogi, K. (2015). Promoting international collaboration through the International Commission on Occupational Health. *Ind Health* 53: 1-3. <http://dx.doi.org/10.2486/indhealth.53-001>.
- Koh, DH; Chung, EK; Jang, JK; Lee, HE; Ryu, HW; Yoo, KM; Kim, EA; Kim, KS. (2014). Cancer incidence and mortality among temporary maintenance workers in a refinery/petrochemical complex in Korea. *Int J Occup Environ Health* 20: 141-145. <http://dx.doi.org/10.1179/2049396714Y.0000000059>.
- Kohyama, N. (1980). Quantitative X-ray diffraction analysis for airborne asbestos dust in the industrial environment: 1. Application of the X-ray absorption correction method. *Ind Health* 18: 69-88.
- Kohyama, N. (1997). Length-reduction method for man-made mineral fibers for biological experiments. *Ind Health* 35: 126-134.
- Kohyama, N; Kurimori, S. (1996). A total sample preparation method for the measurement of airborne asbestos and other fibers by optical and electron microscopy. *Ind Health* 34: 185-203.
- Kohyama, N; Shinohara, Y; Suzuki, Y. (1996). Mineral phases and some reexamined characteristics of the International Union Against Cancer standard asbestos samples. *Am J Ind Med* 30: 515-528. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199611\)30:5<AID-AJIM1>3.0.CO;2-S](http://dx.doi.org/10.1002/(SICI)1097-0274(199611)30:5<AID-AJIM1>3.0.CO;2-S).
- Kohyama, N; Tanaka, I; Tomita, M; Kudo, M; Shinohara, Y. (1997). Preparation and characteristics of standard reference samples of fibrous minerals for biological experiments. *Ind Health* 35: 415-432. <http://dx.doi.org/10.2486/indhealth.35.415>.
- Kokkola, K; Huuskonen, MS. (1979). Electrocardiographic signs of cor pulmonale in asbestosis. *Int Arch Occup Environ Health* 43: 167-176.
- Köksal, N; Celik, M; Kahraman, H; Ekerbiçer, HC; Dağlı, CE; Ozkan, F. (2012). Survey of environmental exposure to asbestos in the town of Buyuktatlar, Turkey. *Int J Occup Environ Health* 18: 130-134. <http://dx.doi.org/10.1179/1077352512Z.00000000011>.
- Kolář, F; Fér, T; Štech, M; Trávníček, P; Dušková, E; Schönswetter, P; Suda, J. (2012). Bringing together evolution on serpentine and polyploidy: spatiotemporal history of the diploid-tetraploid complex of *Knautia arvensis* (Dipsacaceae). *PLoS ONE* 7: e39988. <http://dx.doi.org/10.1371/journal.pone.0039988>.
- Kolbye, AC. (1991). Facts or fears: the need for appropriate responses [Editorial]. *Regul Toxicol Pharmacol* 13: 115.
- Koldunovich, GE; Guseva, LG; Golovkina, GK. (1979). The Nature of the Adsorptive Interaction of Rubbers with Asbestos Fibre. *Kauchuk i Rezina* Nov: 29-30.
- Kolev, K. (1983). PROBLEM OF THE HYGIENIC SIGNIFICANCE OF SUB MICROSCOPIC FRACTIONS OF ASBESTOS DUSTS IN THE HOME AND WORK ENVIRONMENT. *Gig Sanit* 0: 50-53.
- Kolev, K; Topov, I, a. (1984). [Morphological characteristics of experimental peritoneal and pleural mesotheliomas caused by crocidolite asbestos]. *Gig Tr Prof Zabol* 0: 31-34.
- Kolonel, LN. (1985). Biostatistical services [Research]. RePORTER Database National Institutes of Health.
- Kolopp-Sarda, MN; Bene, MC; Massin, N; Wild, P; Faure, GC. (1995). Altered partition of T cell subsets in the peripheral blood of healthy workers exposed to flour dust. *Am J Ind Med* 28: 497-504.
- Kominsky, J. R.; Freyberg, RW; Chesson, J; Cain, WC; Powers, TJ; Wilmoth, RC. (1990). EVALUATION OF 2 CLEANING METHODS FOR THE REMOVAL OF ASBESTOS FIBERS FROM CARPET. *Am Ind Hyg Assoc J* 51: 500-504.
- Kominsky, J; Freyberg, R; Gerber, D; Centifonti, G; Brownlee, J; Clark, P; Edwards, A; Wilmoth, R. (1996). Evaluation of the implementation of asbestos operations and maintenance programs in New Jersey schools. *AIHA J* 57: 1065-1068.
- Kominsky, JR; Freyberg, DW; Brackett, KA. (1993). Evaluation of Three Cleaning Methods for Removing Asbestos from Carpet: Determination of Airborne Asbestos Concentrations Associated with Each Method. 90.
- Kominsky, JR; Freyberg, RW. (1991). Asbestos Fiber Reentrainment during Dry Vacuuming and Wet Cleaning of Asbestos-Contaminated Carpet. 56.
- Kominsky, JR; Freyberg, RW; Boiano, JM. (1995). Airborne Asbestos Concentrations during Buffing, Burnishing, and Stripping of Resilient Floor Tile. 114.
- Kominsky, JR; Freyberg, RW; Brownlee, JA; Brackett, KA. (1992). Airborne Asbestos Concentrations Three Years After Abatement in Seventeen Schools. 131.
- Kominsky, JR; Freyberg, RW; Brownlee, JA; Gerber, DR. (1991). AHERA Clearance at Twenty Abatement Sites. 68.
- Kominsky, JR; Freyberg, RW; Brownlee, JA; Gerber, DR. (1992). Asbestos Concentrations Two Years After Abatement in Seventeen Schools. 52.
- Kominsky, JR; Freyberg, RW; Clark, PJ; Edwards, A; Wilmoth, RC; Brackett, KA. (1998). Asbestos Exposures During Routine Floor Tile Maintenance. Part 1: Spray-Buffing and Wet-Stripping. *Appl Occup Environ Hyg* 13: 101-106.
- Kominsky, JR; Freyberg, RW; Clark, PJ; Hollett, BA; Edwards, A; Wilmoth, RC; Boiano, JM; Brackett, KA. (1998). Asbestos Exposures During Routine Floor Tile Maintenance. Part 2: Ultra High Speed Burnishing and Wet-Stripping. *Appl Occup Environ Hyg* 13: 107-112.
- Kominsky, JR; Freyberg, RW; Hollett, BA; Clark, PJ; Brackett, KA. (1991). Asbestos Fiber Release during Change-Out of Filter Bags from HEPA-Filtered Vacuum Cleaners. 8.
- Kominsky, JR; Freyberg, RW; Hubert, CS; Brownlee, JA; Gerber, DR. (1994). Evaluation of Asbestos Management Programs in 17 New Jersey Schools: A Case Studies Report. 328.
- Kominsky, JR; Freyberg, RW; Powers, TJ; Wilmoth, RC; Frebis, CP. (1990). Airborne Asbestos Levels Measured Before, during and After Abatement. 10.
- Kominsky, JR; Freyburg, R. (1991). Assessment of Asbestos Removal Carried Out Using EPA Purple Book Guidance. 106.
- Kominsky, JR; Thornburg, JW; Shaul, GM; Barrett, WM; Hall, FD; Konz, JJ. (2010). Development of the releasable asbestos field sampler. *Journal of the Air and Waste Management Association* 60: 294-301. <http://dx.doi.org/10.3155/1047-3289.60.3.294>.
- Kon, SH. (1978). Biological autoxidation. I. Decontrolled iron: an ultimate carcinogen and toxicant: an hypothesis. *Med Hypotheses* 4: 445-471.

Human Health Hazard Literature Search Results

Off Topic

- Koné Pefoyo, AJ; Genesove, L; Moore, K; Del Bianco, A; Kramer, D. (2014). Exploring the usefulness of occupational exposure registries for surveillance: the case of the Ontario Asbestos Workers Registry (1986-2012). *J Occup Environ Med* 56: 1100-1110. <http://dx.doi.org/10.1097/JOM.000000000000235>.
- Konetzke, GW. (1974). Viewpoints and criteria for the recognition of cancers as occupational diseases. *Arch Geschwulstforsch* 44: 23-24.
- Konetzke, GW. (1983). Determination Of Occupational Exposure To Carcinogenic Factors In The Work Place Environment (pp. 867-869). (NIOSH/00149434). Konetzke, GW.
- Konetzke, GW. (1985). [Criteria and references for the recognition of malignant tumors as occupational disease]. 79: 89-90.
- Konetzke, GW. (1988). THE EVALUATION OF CARCINOGENIC MUTAGENIC EMBRYOTOXIC AND TERATOGENIC SUBSTANCES (pp. BERLIN). (BIOSIS/89/11209). Konetzke, GW.
- Konetzke, GW. (1995). The carcinogenicity of man-made mineral fibres (pp. 194-198). (BIOSIS/95/23726). Konetzke, GW.
- Konetzke, GW; Gibel, W; Swart, H; Lohs, K. (1984). Carcinogenic factors in the working environment. (500). Verlag Volk und Gesundheit, Neue GrŠunstrasse.
- Konietzko, N; Accoclu, A; Petro, W. (1983). LUNG-MECHANICS AND GAS-EXCHANGE IN PATIENTS WITH ASBESTOS RELATED LUNG FIBROSIS. *Eur J Respir Dis* 64: 512-512.
- Konietzko, N; Teschler, H; Costabel, U. (1989). CLINICAL VALUE OF BAL IN PNEUMOCONIOSIS (pp. 631-635). (BIOSIS/90/07977). Konietzko, N; Teschler, H; Costabel, U.
- Konow, L. (1987). [Working environment. Difficult for the employee to get an asbestos certificate. Interview by Lars Peter Bergqvist]. *Sygeplejersken / Danish Journal of Nursing* 87: 12-13.
- Koo, JW, an; Kim, HR. (2009). Occupational and Environmental Asbestos Exposure in Korea. *J Korean Am Med Assoc* 52: 442-448.
- Kopczyk-Myszlon, T; Nielaczna, M. (1993). [Health threat from asbestos dust at certain railroad workplaces. I. Evaluation of the work environment]. *Med Pr* 44: 215-219.
- Kopelovich, LM; Thuett, KA; Chapman, PS; Paustenbach, DJ. (2014). History and evolution of warning labels for automotive friction products. *Regul Toxicol Pharmacol* 68: 402-411. <http://dx.doi.org/10.1016/j.yrtph.2014.01.015>.
- Koppers Company, I. (1982). INDUSTRIAL HYGIENE SURVEY REPORT FOR THE IRVING, TEXAS PLANT. (TSCATS/018640).
- Koppers Company, I. (1982). INDUSTRIAL HYGIENE SURVEY REPORT FOR THE MARIETTA, GEORGIA PLANT COATINGS and RESINS DIVISION ORGANIC MATERIAL GROUP. (TSCATS/018648). KOPPER INDUS HYGIENE SEC.
- Koppers Company, I. (1982). OCCUPATIONAL HEALTH EVALUATION OF THE GARWOOD, N.J. PLANT OF KOPPERS CO., INC. (TSCATS/018657). TABERSHAW OCC MEDICINE ASSOC.
- Kopylev, L; Christensen, KY; Brown, JW; Cooper, GS. (2015). Authors' response: A systematic review of the association between pleural plaques and changes in lung function [Letter]. *Occup Environ Med* 72: 685-686. <http://dx.doi.org/10.1136/oemed-2015-103063>.
- Korallus, U; Ulm, K; Steinmann-Steiner-Haldenstaett, W. (1993). Bronchial carcinoma mortality in the German chromate-producing industry: the effects of process modification. *Int Arch Occup Environ Health* 65: 171-178. <http://dx.doi.org/10.1007/BF00381153>.
- Korbut, SE; Kashtanova, MG; Milonova, TI. (1979). [Filterability of Treponema pallidum through sterilizing filters of varying pore size]. *Vestnik Dermatologii i Venerologii* 70-74.
- Korhola, O; Hiltunen, A; Karjalainen, A; Martikainen, R; Riihimäki, H. (2001). Association between pleural plaques and coronary heart disease. *Scand J Work Environ Health* 27: 154-155.
- Korhonen, K; Liukkonen, T; Ahrens, W; Astrakianakis, G; Boffetta, P; Burdorf, A; Heederik, D; Kauppinen, T; Kogevinas, M; Osvoll, P; Rix, BA; Saalo, A; Sunyer, J; Szadkowska-Stanczyk, I; Teschke, K; Westberg, H; Widerkiewicz, K. (2004). Occupational exposure to chemical agents in the paper industry. *Int Arch Occup Environ Health* 77: 451-460. <http://dx.doi.org/10.1007/s00420-004-0530-5>.
- Korkina, LG; Deeva, IB; Velichkovskii, VT. (1988). HOW DOES POLYVINYLPIRIDINE-N-OXIDE DECREASE CYTOTOXICITY OF SILICON DIOXIDE PARTICLES? *Gig Tr Prof Zabol* 0: 8-13.
- Korkina, LG; Suslova, TB; Cheremisina, ZP; Velichkovski, BT. (1988). CATALYTIC PROPERTIES OF ASBESTOS FIBERS AND THEIR BIOLOGICAL ACTIVITY. *Stud Biophys* 126: 99-104.
- Kory, RC; Callahan, R; Boren, HG; Syner, JC. (1961). The Veterans Administration-Army cooperative study of pulmonary function: I. Clinical spirometry in normal men. *Am J Med* 30: 243-258. [http://dx.doi.org/10.1016/0002-9343\(61\)90096-1](http://dx.doi.org/10.1016/0002-9343(61)90096-1).
- Koskinen, HO; Nordman, HL; Zitting, AJ; Suoranta, HT; Anttila, SL; Taikina-Aho, OS; Luukkonen, RA. (1997). Fibrosis of the lung and pleura and long-term exposure to wollastonite. *Scand J Work Environ Health* 23: 41-47.
- Kosolapova, AV; Ulenkova, LV. (1984). [Hygienic characteristics of working conditions in the manufacture of asbestos-cement slag cotton products]. *Gig Tr Prof Zabol* 49-51.
- Kosolapova, AV; Ulenkova, LV. (1984). HYGIENIC CHARACTERISTICS OF WORKING CONDITIONS OF WORKERS ENGAGED IN THE MANUFACTURE OF ASBESTOS CEMENT MINERAL COTTON ARTICLES. *Gig Tr Prof Zabol* 0: 49-51.
- Koss, MN; Johnson, FB; Hochholzer, L. (1981). Pulmonary blue bodies. *Hum Pathol* 12: 258-266.
- Kotagiri, N; Kim, JW. (2014). Stealth nanotubes: strategies of shielding carbon nanotubes to evade opsonization and improve biodistribution [Review]. *International Journal of Nanomedicine (Online)* 9 Suppl 1: 85-105. <http://dx.doi.org/10.2147/IJN.S51854>.
- Kotchey, GP; Zhao, Y; Kagan, VE; Star, A. (2013). Peroxidase-mediated biodegradation of carbon nanotubes in vitro and in vivo [Review]. *Adv Drug Deliv Rev* 65: 1921-1932. <http://dx.doi.org/10.1016/j.addr.2013.07.007>.
- Kotelchuck, D. (1990). The Third-Wave Asbestos Conference: high drama in science. 20: 13-17.
- Kothari, VP. (1995). Proceedings of the environmental technology through industry partnership conference. Volume 1. 312.
- Kotin, P. (1978). Pathophysiology In Relation To The Chemical And Physical Properties Of Fibers (pp. Definitions and Measurement Methods). (NIOSH/00145896). Kotin, P.

Human Health Hazard Literature Search Results

Off Topic

- Kotin, P. (1979). BASED ON AVAILABLE DATA CAN WE PROJECT AN ACCEPTABLE STANDARD FOR INDUSTRIAL USE OF ASBESTOS? YES (pp. NEW YORK). (HEEP/81/07864). Kotin, P.
- Kotin, P. (1979). Based upon available data, can we project an acceptable standard for industrial use of asbestos? Yes. *Ann N Y Acad Sci* 330: 211-213.
- Kotin, P. (1979). INDUSTRY RESPONSIBILITY FOR THE USE OF ITS PRODUCTS (pp. NEW YORK). (ISSN 0077-8923 EISSN 1749-6632 HEEP/81/07976). Kotin, P.
- Kotin, P. (1986). Causation and financial compensation. *Regul Toxicol Pharmacol* 6: 108-115.
- Kotin, P; Paul, W. (1982). Results of a lung cancer detection program in an asbestos industry. *Recent Results Cancer Res* 82: 131-137.
- Kottek, M; Kilpatrick, D. (2002). Re: Malignant mesothelioma from neighborhood exposure to anthophyllite asbestos [Letter]. *Am J Ind Med* 41: 514. <http://dx.doi.org/10.1002/ajim.10071>.
- Kottek, M; Kilpatrick, DJ. (2016). Estimating Occupational Exposure to Asbestos in Australia [Letter]. *Ann Occup Hyg* 60: 531-532. <http://dx.doi.org/10.1093/annhyg/mew002>.
- Kousta, RN. (1991). CONTROL OF INCIDENTAL ASBESTOS EXPOSURE AT HAZARDOUS-WASTE SITES. *J Air Waste Manag Assoc* 41: 1004-1009.
- Kovacic, P; Somanathan, R. (2008). Integrated approach to immunotoxicity: electron transfer, reactive oxygen species, antioxidants, cell signaling, and receptors [Review]. *J Recept Signal Transduct Res* 28: 323-346. <http://dx.doi.org/10.1080/10799890802305217>.
- Kováčiková, Z; Hurbánková, M; Cerná, S; Tátra, E; Beno, M; Wimmerová, S. (2006). Effect of exposure to ceramic fibres and cigarette smoke on antioxidant status of the lung. *Neuro Endocrinol Lett* 27 Suppl 2: 23-26.
- Kovalevskii, EB; Tossavaäinen, A; Tuomi, T; Vankhala, E. (2000). [Evaluation of the mineral fibers content of pulmonary tissue in people engaged in extraction and concentration of chrysotile asbestos and in those living near enterprises]. *Med Tr Prom Ekol* 13-19.
- Kovalevskii, EV. (1993). Hygienic evaluation of exposure to asbestos-containing dust in heating power stations. *Med Tr Prom Ekol* 0: 9-10.
- Kovalevskii, EV. (1993). [Hygienic evaluation of contact with asbestos-containing dusts at thermoelectric power plants]. *Med Tr Prom Ekol* 17-20.
- Kovalevskii, EV; Kashanskii, SV. (2008). [Contemporary approach to regulation of asbestos-containing dust] [Review]. *Med Tr Prom Ekol* 9-15.
- Koyuncu, A; Koksall, D; Ozmen, O; Demirag, F; Bayiz, H; Aydogdu, K; Berkoglu, M. (2015). Prognostic factors in malignant pleural mesothelioma: A retrospective study of 60 Turkish patients. *J Cancer Res Ther* 11: 216-222. <http://dx.doi.org/10.4103/0973-1482.138094>.
- Kozlowski, D; Provost, SC; Tucker, J; van der Zwan, R. (2014). Dusted community: piloting a virtual peer-to-peer support community for people with an asbestos-related diagnosis and their families. *J Psychosoc Oncol* 32: 463-475. <http://dx.doi.org/10.1080/07347332.2014.917142>.
- Kradin, RL; Fidias, P; Digumarthy, S; Mark, EJ. (2014). Case 17-2014: A 64-Year-Old Man with Chest Pain and a Pleural Effusion. *N Engl J Med* 370: 2132-2140. <http://dx.doi.org/10.1056/NEJMcpc1400835>.
- Kradin, RL; Mark, EJ. (2006). Distinguishing benign mesothelial hyperplasia from neoplasia: a practical approach [Review]. *Semin Diagn Pathol* 23: 4-14. <http://dx.doi.org/10.1053/semmp.2006.06.005>.
- Kraficis, GJ. (1979). Drywall construction and asbestos exposure [Letter]. *Am Ind Hyg Assoc J* 40: 829-830.
- Krakowiak, E; Górny, RL; Cembrzyńska, J; Sakol, G; Boissier-Draghi, M; Anczyk, E. (2009). Environmental exposure to airborne asbestos fibres in a highly urbanized city. *Ann Agric Environ Med* 16: 121-128.
- Kramkowski, RS; Mcquilk, SD. (1979). Hazard Evaluation and Technical Assistance, Report No. TA-79-41, Chicago Air Route Traffic Control Center, Aurora, Illinois. (NIOSH/00092422). Kramkowski, RS; Mcquilk, SD.
- Krantz, S; Olander, L. (1983). Control Of Aerosol Exposure In The Swedish Work Environment (pp. 79-86). (NIOSH/00149983). Krantz, S; Olander, L.
- Krarup-Hansen, A; Hansen, HH. (1991). CHEMOTHERAPY IN MALIGNANT MESOTHELIOMA A REVIEW. *Cancer Chemother Pharmacol* 28: 319-330.
- Krasinskaia, GF; Migair, KV. (1953). [Preventive measures in preparation and working with products from asbestos and cement]. *Gig Sanit* 9: 47-49.
- Krasovskii, GN; Egorova, NA. (1985). ASBESTOS AND THE QUALITY OF DRINKING WATER. *Gig Sanit* 0: 64-67.
- Krasovskii, GN; Egorova, NA. (1985). [Asbestos and the quality of drinking water] [Review]. *Gig Sanit* 64-67.
- Krasovskii, GN; Mozhaev, EA. (1993). ASBESTOS IN DRINKING WATER (pp. 20-22). (BIOSIS/94/10733). Krasovskii, GN; Mozhaev, EA.
- Krasovskii, GN; Mozhaev, EA. (1993). [Asbestos in drinking water (review)] [Review]. *Gig Sanit* 20-22.
- Kratzke, R. (2013). Detection of mesothelioma remains a conundrum [Editorial]. *J Natl Cancer Inst* 105: 254-255. <http://dx.doi.org/10.1093/jnci/djs651>.
- Kraunz, KS; Nelson, HH; Liu, M; Wiencke, JK; Kelsey, KT. (2005). Interaction between the bone morphogenetic proteins and Ras/MAP-kinase signalling pathways in lung cancer. *Br J Cancer* 93: 949-952. <http://dx.doi.org/10.1038/sj.bjc.6602790>.
- Kraus, DL; Hendry, CD; et al. (1985). U.S. DEPARTMENT OF DEFENSE SUPERFUND IMPLEMENTATION AT A FORMER TNT MANUFACTURING FACILITY (pp. Hazardous Materials Control Research Institute; 1985: 1314-1318). (HMTC/85/0003586). Kraus, DL; Hendry, CD; Et al.
- Kraus, T; Hering, KG. (2010). [Effects of asbestos fiber dust exposure on lung function - a systematic review] [Letter]. *Pneumologie* 64: 430; author reply 436-430; author reply 441. <http://dx.doi.org/10.1055/s-0029-1244183>.
- Kraus, T; Raithel, HJ; Hering, KG. (1996). Evaluation and classification of high-resolution computed tomographic findings in patients with pneumoconiosis. *Int Arch Occup Environ Health* 68: 249-254.
- Kraus, T; Raithel, HJ; Lehnert, G. (1997). Computer-assisted classification system for chest X-ray and computed tomography findings in occupational lung disease. *Int Arch Occup Environ Health* 69: 482-486.
- Krause, J; Sobottka, A. (1989). [Morphologic studies of asbestos-cement surfaces]. *Z Gesamte Hyg Grenzgeb* 35: 323-325.
- Krause, JB; Ashton, WH. (1978). Misidentification Of Asbestos In Talc (pp. Definitions and Measurement Methods). (NIOSH/00146042). Krause, JB; Ashton, WH.

Human Health Hazard Literature Search Results

Off Topic

- Krauspe, A; Schafer, T. (2003). What do nursery school teachers know about allergies? Knowledge about causes and manifestations of atopic diseases. *Allergologie* 26: 429-439.
- Kraut, A; Godbold, J; Liliis, R. (1989). Effect of tobacco smoking on the presence of asbestosis at postmortem and on the reading of irregular opacities on roentgenograms in asbestos-exposed workers [Letter]. *Am Rev Respir Dis* 139: 1567-1569. <http://dx.doi.org/10.1164/ajrccm/139.6.1567>.
- Kraut, AG. (2009). Hospitalization in Winnipeg, Canada due to Occupational Disease: A Pilot Study. *Am J Ind Med* 52: 372-379. <http://dx.doi.org/10.1002/ajim.20681>.
- Kraybill, HF. (1976). Distribution of chemical carcinogens in aquatic environments [Review]. *Prog Exp Tumor Res* 20: 3-34.
- Kraybill, HF. (1978). ORIGIN CLASSIFICATION AND DISTRIBUTION OF CHEMICALS IN DRINKING WATER WITH AN ASSESSMENT OF THEIR CARCINOGENIC POTENTIAL (pp. ANN ARBOR). (HEEP/79/05672). Kraybill, HF.
- Kraynie, A; de Ridder, GG; Sporn, TA; Pavlisko, EN; Roggli, VL. (2016). Malignant mesothelioma not related to asbestos exposure: Analytical scanning electron microscopic analysis of 83 cases and comparison with 442 asbestos-related cases. *Ultrastruct Pathol* 40: 142-146. <http://dx.doi.org/10.3109/01913123.2016.1154633>.
- Kreel, L. (1964). Asbestosis And Mesothelioma On Computed Tomography (pp. 231-251). (NIOSH/00157639). Kreel, L.
- Kreel, L. (1981). COMPUTED TOMOGRAPHY IN MESOTHELIOMA. *Semin Oncol* 8: 302-312.
- Kreel, L. (1982). COMPUTED TOMOGRAPHY IN MESOTHELIOMA (pp. 24-26). (HEEP/84/05379). Kreel, L.
- Kreel, L. (2008). The story behind the development of computed tomography. 34: 20-24.
- Krehl, R; Poorman, PA; Clive, D. (1986). EPIGENESIS BY 5 AZACYTIDINE MISLABELED GENOTOXICITY? (pp. 9-13). (BIOSIS/86/27679). Krehl, R; Poorman, PA; Clive, D.
- Kreienbrock, L; Kreuzer, M; Gerken, M; Dingerkus, G; Wellmann, J; Keller, G; Wichmann, HE. (2001). Case-control study on lung cancer and residential radon in western Germany. *Am J Epidemiol* 153: 42-52. <http://dx.doi.org/10.1093/aje/153.1.42>.
- Kreitel, KD. (1980). Mapping Chemical Exposures. (NIOSH/00123072). Kreitel, KD.
- Kremer, T; Millette, JR; Et, AL. (1990). A standard TEM procedure for identification and quantitation of asbestiform minerals in talc. *Microscope* 38: 457-468.
- Kretzmar, JH. (1986). ASBESTOS POLLUTION AND MESOTHELIOMA. 69: 164-164.
- Kreuzer, M; Heinrich, J; Wolke, G; Rosario, AS; Gerken, M; Wellmann, J; Keller, G; Kreienbrock, L; Wichmann, HE. (2003). Residential radon and risk of lung cancer in Eastern Germany. *Epidemiology* 14: 559-568. <http://dx.doi.org/10.1097/01.ede.0000071410.26053.c4>.
- Krewer, JA. (1988). QUALITY ASSURANCE IN ELECTRON MICROSCOPY ASBESTOS LABORATORY. *Microscope* 36: 153-159.
- Kriebel, D. (1997). Lung cancer and exposure to chrysotile and amphiboles [Research]. RePORTER Database National Institutes of Health.
- Kriebel, D. (1998). Lung cancer and exposure to chrysotile and amphiboles [Research]. RePORTER Database National Institutes of Health.
- Krieger, GR; 19ed. (1995). Accident prevention manual for business and industry - Environmental management (pp. 60143-60558). (CIS/96/01809). Krieger, GR; 19ed.
- Krishnamurthy, S; Wilkens, MM. (1994). Environmental chemistry of chromium. 16: 14-17.
- Krismann, M; Adams, H; Jaworska, M; Müller, KM; Johnen, G. (2000). Patterns of chromosomal imbalances in benign solitary fibrous tumours of the pleura. *Virchows Arch* 437: 248-255.
- Krismann, M; Müller, KM; Jaworska, M; Johnen, G. (2000). Severe chromosomal aberrations in pleural mesotheliomas with unusual mesodermal features. Comparative genomic hybridization evidence for a mesothelioma subgroup. *J Mol Diagn* 2: 209-216. [http://dx.doi.org/10.1016/S1525-1578\(10\)60639-3](http://dx.doi.org/10.1016/S1525-1578(10)60639-3).
- Kristein, MM. (1981). Asbestos workers and lung cancer [Letter]. *Am J Public Health* 71: 1409.
- Krooks, DA; Hurt, TM. (1993). Environmental Compliance Assessment System (ECAS) - Japan Settlement (pp. 228). (NTIS/02990105_2). Krooks, DA; Hurt, TM.
- Krstev, S; Perunčić, B. (1988). [Absenteeism from work among asbestos-textile workers]. *Arh Hig Rada Toksikol* 39: 39-46.
- Krupa, SV. (1997). AIR POLLUTION PEOPLE AND PLANTS AN INTRODUCTION (pp. AN INTRODUCTION). (BIOSIS/98/17926). Krupa, SV.
- Kryatov, IA; Mozhaev, EA. (1993). CARCINOGENIC AND OTHER HAZARDOUS CHEMICALS IN WATER A REVIEW (pp. 20-22). (BIOSIS/94/13589). Kryatov, IA; Mozhaev, EA.
- Kryuchkova, GS; Romanov, GA; Finkel'Berg, EI; Tatanov YU, A; Mal'Tseva, LM. (1981). Endoscopic and histological characteristics of bronchi in dust bronchitis. *Gig Tr Prof Zabol* 0: 28-30.
- Ku, BK; Deye, GJ; Turkevich, LA. (2014). Efficacy of screens in removing long fibers from an aerosol stream--sample preparation technique for toxicology studies. *Inhal Toxicol* 26: 70-83. <http://dx.doi.org/10.3109/08958378.2013.854851>.
- Kubicka, K; Samecka-Cymerman, A; Kolon, K; Kosiba, P; Kempers, AJ. (2015). Chromium and nickel in *Pteridium aquilinum* from environments with various levels of these metals. *Environ Sci Pollut Res Int* 22: 527-534. <http://dx.doi.org/10.1007/s11356-014-3379-5>.
- Kubota, M; Takayama, K; Namimoto, D. (2005). Pleading for the use of biodegradable polymers in favor of marine environments and to avoid an asbestos-like problem for the future [Review]. *Appl Microbiol Biotechnol* 67: 469-476. <http://dx.doi.org/10.1007/s00253-004-1857-2>.
- Kudo, Y; Aizawa, Y. (2008). Biopersistence of rock wool in lungs after short-term inhalation in rats. *Inhal Toxicol* 20: 139-147. <http://dx.doi.org/10.1080/08958370701821375>.
- Kudo, Y; Aizawa, Y. (2011). Cytotoxicity and solubility evaluation of two types of whiskers by cell magnetometry. *Environ Health Prev Med* 16: 327-334. <http://dx.doi.org/10.1007/s12199-010-0203-9>.
- Kudo, Y; Aizawa, Y. (2011). Safety evaluation of rock wool after nasal inhalation in rats. *Ind Health* 49: 47-55.
- Kudo, Y; Kohyama, N; Satoh, T; Konishi, Y; Aizawa, Y. (2006). Behavior of rock wool in rat lungs after exposure by nasal inhalation. *J Occup Health* 48: 437-445.

Human Health Hazard Literature Search Results

Off Topic

- Kudo, Y; Kotani, M; Aizawa, Y. (2009). Cytotoxicity study of rock wool by cell magnetometric evaluation. *Regul Toxicol Pharmacol* 55: 151-157. <http://dx.doi.org/10.1016/j.yrtph.2009.06.011>.
- Kudo, Y; Kotani, M; Aizawa, Y. (2010). Cytotoxicity study of high temperature wool (HT wool) by cell magnetometric evaluation. *J Occup Health* 52: 106-114.
- Kudo, Y; Kotani, M; Aizawa, Y. (2010). Evaluation of hazardousness of refractory fibers by cell magnetometry. *J Toxicol Sci* 35: 807-815.
- Kudo, Y; Kotani, M; Tomita, M; Aizawa, Y. (2009). Effects of rock wool on the lungs evaluated by magnetometry and biopersistence test. *J Occup Med Toxicol* 4: 5. <http://dx.doi.org/10.1186/1745-6673-4-5>.
- Kudo, Y; Shibata, K; Miki, T; Ishibashi, M; Hosoi, K; Sato, T; Kohyama, N; Aizawa, Y. (2005). Behavior of new type of rock wool (HT wool) in lungs after exposure by nasal inhalation in rats. *Environ Health Prev Med* 10: 239-248. <http://dx.doi.org/10.1007/BF02897697>.
- Kudo, Y; Watanabe, M; Okada, M; Shinji, H; Niitsuya, M; Satoh, T; Sakai, Y; Kohyama, N; Kotani, M; Aizawa, Y. (2003). Comparative cytotoxicity study of rock wool and chrysotile by cell magnetometric evaluation. *Inhal Toxicol* 15: 1275-1295. <http://dx.doi.org/10.1080/08958370390241759>.
- Kuehne, W; Schultz, M. (1988). PROBLEMS OF EXPERIMENTAL TUMORIGENESIS BY FIBROUS DUSTS ESPECIALLY BY ASBESTOS WITH REGARD TO STANTON'S HYPOTHESIS. *Exp Pathol JENA*: 191-196.
- Kuempel, ED; Stayner, LT; Dement, JD; Gilbert, SJ; Hein, MJ. (2006). Fiber Size-Specific Exposure Estimates And Updated Mortality Analysis Of Chrysotile Asbestos Textile Workers. *Toxicol Sci* 90: 71.
- Kuhnen, G; Heimann, M. (1983). Fiber Emission From Shaping Machines And Devices--Partial Testing In The Sense Of The Equipment Safety Law (pp. 431-436). (NIOSH/00149153). Kuhnen, G; Heimann, M.
- Kuiper, HM; Lens, S; Brouwer, M; Linsley, PS; Van Lier, RAW. (1995). 9th International Congress of Immunology, July 23-29, 1995, San Francisco, California Expression of co-stimulatory receptors and their ligands on activated lymphocytes. Bethesda, MD: American Association of Immunologists.
- Kukkonen, MK; Hämäläinen, S; Kaleva, S; Vehmas, T; Huuskonen, MS; Oksa, P; Vainio, H; Piirilä, P; Hirvonen, A. (2011). Genetic polymorphisms of xenobiotic-metabolizing enzymes influence the risk of pulmonary emphysema. *Pharmacogenet Genomics* 21: 876-883. <http://dx.doi.org/10.1097/FPC.0b013e32834d597f>.
- Kukkonen, MK; Tiili, E; Vehmas, T; Oksa, P; Piirila, P; Hirvonen, A, ri. (2013). Association of genes of protease-antiprotease balance pathway to lung function and emphysema subtypes. *BMC Pulm Med* 13: 36. <http://dx.doi.org/10.1186/1471-2466-13-36>.
- Kulagina, TF; Pylev, LN. (1985). [Morphological assessment of pleural tumors induced in rats by Dzhetygara chrysotile asbestos and lizardite]. *Gig Tr Prof Zabol* 0: 27-29.
- Kullman, GJ; Doak, CB; Keimig, DG; Cornwell, RJ; Ferguson, RP. (1989). Assessment of respiratory exposures during gilsonite mining and milling operations. *Am Ind Hyg Assoc J* 50: 413-418. <http://dx.doi.org/10.1080/15298668991374903>.
- Kullman, GJ; Greife, AL; Costello, J; Hearl, FJ. (1995). Occupational exposures to fibers and quartz at 19 crushed stone mining and milling operations. *Am J Ind Med* 27: 641-660.
- Kumagai, S; Nakachi, S; Kurumatani, N; Nakagiri, S; Kataoka, A. (1993). [Estimation of asbestos exposure among workers repairing asbestos cement pipes used for conduits]. *Sangyo Igaku* 35: 178-187.
- Kumar, A; Maiti, SK. (2014). Translocation and bioaccumulation of metals in *Oryza sativa* and *Zea mays* growing in chromite-asbestos contaminated agricultural fields, Jharkhand, India. *Bull Environ Contam Toxicol* 93: 434-441. <http://dx.doi.org/10.1007/s00128-014-1339-x>.
- Kumar, A; Maiti, SK. (2015). Effect of Organic Manures on the Growth of *Cymbopogon citratus* and *Chrysopogon zizanioides* for the Phytoremediation of Chromite-Asbestos Mine Waste: A Pot Scale Experiment. *Int J Phytoremediation* 17: 437-447. <http://dx.doi.org/10.1080/15226514.2014.910174>.
- Kumar, PD. (1992). Asbestos is here again [Letter]. *J Assoc Physicians India* 40: 482-483.
- Kumar, RK; O'Grady, R; Li, W; Velan, GM. (1992). Mitogenic activity for fibroblasts induced by silica and titanium dioxide particles in vitro and in vivo. *Int J Exp Pathol* 73: 573-583.
- Kumar, RK; Velan, GM; O'Grady, R. (1994). Epidermal growth factor-like activity in bronchoalveolar lavage fluid in experimental silicosis. *Growth Factors* 10: 163-170.
- Kumar, S. (1995). INDIAN ASBESTOS WORKERS. *Lancet* 345: 315-315.
- Kundiev, I, ul; Cherniuk, VI; Karakashian, AN; Kucheruk, TK; Martynovskaia, TI, u; Demetskaia, AV; Sal'nikova, NA; Chuï, TS; Piatnitsa-Gorpinchenko, NK. (2008). [Hygienic characteristics of work conditions for main occupations in asbestos cement production of Ukraine]. *Med Tr Prom Ekol* 21-27.
- Kung, VL. (2008). *Pseudomonas aeruginosa* genomic islands and virulence factors.
- Kung, VL. (2009). *Pseudomonas aeruginosa* genomic islands and virulence factors.
- Kung, VL. (2010). *Pseudomonas aeruginosa* genomic islands and virulence factors.
- Kung, VL. (2011). *Pseudomonas aeruginosa* genomic islands and virulence factors.
- Küng-Vösamäe, A; Vinkmann, F. (1980). Combined carcinogenic action of chrysotile asbestos dust and N-nitrosodiethylamine on the respiratory tract of Syrian golden hamsters. *IARC Sci Publ* 1: 305-310.
- Kunnert, JE; Christmann, D; Marescaux, J; Weill-Bousson, M; Pasquali, JL; Storck, D. (1986). [Malignant diffuse peritoneal mesothelioma: clinical and therapeutic aspects. Apropos of a case with gelatinous ascites]. *Rev Med Interne* 7: 78-84.
- Kuno, R; Bower, DJ; Aguayo, SM. (1994). Round atelectasis as a complication of Legionella pneumonia. *Chest* 106: 607-608.
- Kuntz, SW; Winters, CA; Hill, WG; Weinert, C; Rowse, K; Hernandez, T; Black, B. (2009). Rural public health policy models to address an evolving environmental asbestos disaster. *Public Health Nursing* 26: 70-78. <http://dx.doi.org/10.1111/j.1525-1446.2008.00755.x>.

Human Health Hazard Literature Search Results

Off Topic

- Kunwor, R; Joseph, S; Apushkin, MA. (2016). A MASSIVE UNILATERAL PLEURAL EFFUSION: NO ASBESTOS EXPOSURE DOES NOT EQUAL NO MESOTHELIOMA. *Anticancer Res* 36: 6711-6711.
- Kupel, RE; Kinser, RE; Mauer, PA. (1968). Separation and analysis of the less than 10-micron fractions of industrial dusts. *Am Ind Hyg Assoc J* 29: 364-367. <http://dx.doi.org/10.1080/00028896809343018>.
- Kupferer, TE. (1984). ASBESTOS - PROPERTIES, APPLICATIONS, AND HAZARDS, VOL 2 - CHISSICK,SS, DERROITT,R. *Am Ind Hyg Assoc J* 45: B23-B23.
- Kuramitsu, Y; Tominaga, W; Baron, B; Tokuda, K; Wang, Y; Kitagawa, T; Nakamura, K. (2013). Up-regulation of DDX39 in human malignant pleural mesothelioma cell lines compared to normal pleural mesothelial cells. *Anticancer Res* 33: 2557-2560.
- Kurata, S; Ishibashi, M; Azuma, K; Kaida, H; Takamori, S; Fujimoto, K; Kobayashi, M; Hirose, Y; Aizawa, H; Hayabuchi, N. (2010). Preliminary study of positron emission tomography/computed tomography and plasma osteopontin levels in patients with asbestos-related pleural disease. *Japanese Journal of Radiology* 28: 446-452. <http://dx.doi.org/10.1007/s11604-010-0449-6>.
- Kuribayashi, K; Kanemura, S; Koda, Y; Shibata, E; Otsuki, TI; Mikami, K; Nakano, T. (2016). INVESTIGATION OF ASBESTOS-RELATED PLEURAL AND PULMONARY LESIONS IN PERITONEAL MESOTHELIOMA. *Respirology* 21: 68-68.
- Kuribayashi, K; Voss, S; Nishiuma, S; Arakawa, K; Nogi, Y; Mikami, K; Kudoh, S. (2012). Safety and effectiveness of pemetrexed in patients with malignant pleural mesothelioma based on all-case drug-registry study. *Lung Cancer* 75: 353-359. <http://dx.doi.org/10.1016/j.lungcan.2011.08.002>.
- Kurihara, N; Wada, O. (2004). Silicosis and smoking strongly increase lung cancer risk in silica-exposed workers [Review]. *Ind Health* 42: 303-314. <http://dx.doi.org/10.2486/indhealth.42.303>.
- Kuroki, T; Matsushima, T. (1987). Performance of short-term tests for detection of human carcinogens [Review]. *Mutagenesis* 2: 33-37. <http://dx.doi.org/10.1093/mutage/2.1.33>.
- Kurosawa, T; Sugino, K; Isobe, K; Hata, Y; Fukasawa, Y; Homma, S. (2016). Primary malignant pericardial mesothelioma with increased serum mesothelin diagnosed by surgical pericardial resection: A case report. 5: 553-556. <http://dx.doi.org/10.3892/mco.2016.1019>.
- Kurppa, K. (1982). First symposium on epidemiology in occupational health. 8.
- Kurtti, TJ; Simser, JA; Baldrige, GD; Palmer, AT; Munderloh, UG. (2005). Factors influencing in vitro infectivity and growth of *Rickettsia peacockii* (*Rickettsiales: Rickettsiaceae*), an endosymbiont of the Rocky Mountain wood tick, *Dermacentor andersoni* (*Acari, Ixodidae*). *J Invertebr Pathol* 90: 177-186. <http://dx.doi.org/10.1016/j.jip.2005.09.001>.
- Kurumatani, N; Kumagai, S. (2011). Significant Clustering of Mesothelioma Caused by Neighborhood Exposure to Crocidolite From a Large Asbestos Cement Pipe Plant in Japan. *Epidemiology* 22: S75-S75.
- Kuryk, L; Haavisto, E; Garofalo, M; Capasso, C; Hirvonen, M; Pesonen, S; Ranki, T; Vassilev, L; Cerullo, V. (2016). Synergistic anti-tumor efficacy of immunogenic adenovirus ONCOS-102 (Ad5/3-D24-GM-CSF) and standard of care chemotherapy in preclinical mesothelioma model. *Int J Cancer* 139: 1883-1893. <http://dx.doi.org/10.1002/ijc.30228>.
- Kuschner, M. (1985). PERSPECTIVE ON PATHOLOGIC PREDISPOSITION TO LUNG CANCER IN HUMANS. (BIOSIS/86/02021). Kuschner, M.
- Kuschner, M. (1987). The Effects of MMMF on Animal Systems: Some Reflections on Their Pathogenesis. *Ann Occup Hyg* 31: 791-797.
- Kuschner, ML, R.; Robeck, GG; Rossum, JR; Scheniderman, MA; Taylor, EW; Wright, GW. (1974). A study of the problem of asbestos in water. *J Am Water Works Assoc* 66: 1-22.
- Kuschner, WG; Varma, R; Flores, R; Agrawal, M; Guvenc-Tuncturk, S. (2012). Missed opportunities to counsel patients with malignant pleural mesothelioma about causation and potential compensation. *Am J Med Sci* 343: 206-209. <http://dx.doi.org/10.1097/MAJ.0b013e3182297912>.
- Kusiak, R; Liss, GM; Gailitis, MM. (1993). Cor pulmonale and pneumoconiotic lung disease: An investigation using hospital discharge data. *Am J Ind Med* 24: 161-173.
- Kuwahara, M; Kuwahara, M; Bijwaard, KE; Gersten, DM; Diglio, CA; Kagan, E. (1991). MESOTHELIAL CELLS PRODUCE A CHEMOATTRACTANT FOR LUNG FIBROBLASTS - ROLE OF FIBRONECTIN. *Am J Respir Cell Mol Biol* 5: 256-264.
- Kuwahara, M; Takeda, M; Takeuchi, Y; Kuwahara, M; Harada, T; Maita, K. (2001). Transforming growth factor beta production by spontaneous malignant mesothelioma cell lines derived from Fisher 344 rats. *Virchows Arch* 438: 492-497.
- Kuyper, LN. (1970). Dust Problems in the Mining, Milling and Packaging of Asbestos (pp. 42-50). (NIOSH/00177487). Kuyper, LN.
- Kwiatkowski, A. (1990). Dietary factors in etiology and prevention of cancer in man. *Environ Geochem Health* 12: 221-238.
- Kyrtopoulos, SA. (2005). Can one assess genotoxic and carcinogenic risk of asbestos without mentioning ingested fibres? Guest editor's response to Dr. Cs. Varga's letter. *Mutat Res* 572: 175-176. <http://dx.doi.org/10.1016/j.mrfmmm.2004.12.007>.
- Kystaubaeva, KS. (1973). [Significance of the epidermal barrier in the pathogenesis of occupational dermatoses--allergic dermatitis and eczema]. *Sov Med* 36: 148-149.
- L, GR; JR. (1971). Pulmonary function tests in the early recognition and control of industrial pulmonary disease. *Ind Med Surg* 40: 27-29.
- La Vecchia, C; Boffetta, P. (2014). A critique of a review on the relationship between asbestos exposure and the risk of mesothelioma: reply [Letter]. *Eur J Cancer Prev* 23: 494-496. <http://dx.doi.org/10.1097/CEJ.0000000000000051>.
- La Vecchia, C; Decarli, A; Peto, J; Levi, F; Tomei, F; Negri, E. (2000). An age, period and cohort analysis of pleural cancer mortality in Europe. *Eur J Cancer Prev* 9: 179-184.
- Laborde, A; Tomasina, F; Bianchi, F; Bruné, MN; Buka, I; Comba, P; Corra, L; Cori, L; Duffert, CM; Harari, R; Iavarone, I; Mcdiarmid, MA; Gray, KA; Sly, PD; Soares, A; Suk, WA; Landrigan, PJ. (2014). Children's Health in Latin America: The Influence of Environmental Exposures [Review]. *Environ Health Perspect* 123: 201-209. <http://dx.doi.org/10.1289/ehp.1408292>.
- Labrèche, F; Case, BW; Ostiguy, G; Chalaoui, J; Camus, M; Siemiatycki, J. (2012). Pleural mesothelioma surveillance: validity of cases from a tumour registry. *Can Respir J* 19: 103-107.
- Lachnit, V. (1972). [Chronic lesions due to environmental pollution] [Review]. *Wiener medizinische Wochenschrift* 122: 43-49.

Human Health Hazard Literature Search Results

Off Topic

- Lacourt, A. (2013). Reply: No indication that mineral wool causes mesothelioma [Letter]. *Am J Respir Crit Care Med* 188: 873-874. <http://dx.doi.org/10.1164/rccm.201305-0901LE>.
- Ladou, J. (1986). ASBESTOS CONTAMINATION OF DRINKING WATER (pp. STRATEGIES IN THE WORKPLACE; SECOND ANNUAL OCCUPATIONAL CANCER CONFERENCE). (BIOSIS/87/11975). Ladou, J.
- Ladou, J. (2004). Warning auto mechanics about asbestos hazards [Editorial]. *Int J Occup Environ Health* 10: 108-109. <http://dx.doi.org/10.1179/oeht.2004.10.1.108>.
- Ladou, J; Landrigan, P; Bailar, JC; Foa, V; Frank, A; Ramazzini, C. (2001). A call for an international ban on asbestos [Comment]. *Can Med Assoc J* 164: 489-490.
- Lafay, R; Montes-Hernandez, G; Janots, E; Chiriach, R; Findling, N; Toche, F. (2013). Nucleation and growth of chrysotile nanotubes in H₂SiO₃/MgCl₂/NaOH medium at 90 to 300 °C. *Chemistry* 19: 5417-5424. <http://dx.doi.org/10.1002/chem.201204105>.
- Lafleur, J; Vena, JE. (1991). RETROSPECTIVE COHORT MORTALITY STUDY OF CANCER AMONG SEWAGE PLANT WORKERS. *Am J Ind Med* 19: 75-86. <http://dx.doi.org/10.1002/ajim.4700190110>.
- Laforest, L; Luce, D; Goldberg, P; Bégin, D; Gérin, M; Demers, PA; Brugère, J; Leclerc, A. (2000). Laryngeal and hypopharyngeal cancers and occupational exposure to formaldehyde and various dusts: A case-control study in France. *Occup Environ Med* 57: 767-773. <http://dx.doi.org/10.1136/oem.57.11.767>.
- Lagier, F; Cartier, A; Malo, JL. (1990). Medico-legal statistics on occupational asthma in Quebec (Canada) between 1986 and 1988. *Rev Mal Respir* 7: 337-342.
- Lagrotteria, DD; Tsang, B; Elavathil, LJ; Tomlinson, CW. (2005). A case of primary malignant pericardial mesothelioma. *Can J Cardiol* 21: 185-187.
- Lai, CS. (1989). Occupational Health Practice in the Private Sector. *J Occup Med* 1: 22-28.
- Lai, J; Zhou, Z; Tang, XJ; Gao, ZB; Zhou, J; Chen, SQ. (2016). A Tumor-Specific Neo-Antigen Caused by a Frameshift Mutation in BAP1 Is a Potential Personalized Biomarker in Malignant Peritoneal Mesothelioma. *International Journal of Molecular Sciences* 17. <http://dx.doi.org/10.3390/ijms17050739>.
- Lainhart, WS. (1976). Sweden attacks toxic substances. *Occup Health Saf* 45: 44-48.
- Laird, JD; Ferguson, WR; Stanford, CF. (1986). INCIDENTAL UPTAKE OF GALLIUM-67 CITRATE IN THE LACRIMAL GLANDS AS AN AID TO THE DIAGNOSIS OF SARCOIDOSIS (pp. 22-25). (BIOSIS/86/36673). Laird, JD; Ferguson, WR; Stanford, CF.
- Laisaar, T; Palmiste, V; Vooder, T; Umbleja, T. (2006). Life expectancy of patients with malignant pleural effusion treated with video-assisted thoracoscopic talc pleurodesis. *Interact Cardiovasc Thorac Surg* 5: 307-310. <http://dx.doi.org/10.1510/icvts.2005.118018>.
- Lake, R. (2013). A TRACTABLE ANIMAL MODEL OF MESOTHELIOMA. *J Thorac Oncol* 8: S85-S85.
- Lake, RA; van Bruggen, I; Segal, A; Robinson, B; Sherwood, A; Robinson, C. (2006). An SV40 TAg transgenic model of asbestos-induced mesothelioma. *Lung Cancer* 54: S4-S4.
- Lakowicz, JR; Bevan, DR. (1979). Effects of asbestos, iron oxide, silica, and carbon black on the microsomal availability of benzo[a]pyrene. *Biochemistry* 18: 5170-5176.
- Lakowicz, JR; Bevan, DR. (1979). PARTICLE ENHANCED TRANSPORT OF CHEMICAL CARCINOGENS STUDIES BY FLUORESCENCE SPECTROSCOPY (pp. 26-28). (HEEP/80/06838). Lakowicz, JR; Bevan, DR.
- Lakowicz, JR; Bevan, DR. (1980). Effects Of Adsorption Of Benzo(a)pyrene To Asbestos And Non-Fibrous Mineral Particulates Upon Its Rate Of Uptake Into Phospholipid Vesicles And Rat Liver Microsomes (pp. 169-175). (NIOSH/00158586). Lakowicz, JR; Bevan, DR.
- Lakowicz, JR; Hylden, JL. (1978). Asbestos-mediated membrane uptake of benzo[a]pyrene observed by fluorescence spectroscopy. *Nature* 275: 446-448.
- Lakowicz, JR; Hylden, JL; Englund, F; Hidmark, A; Mcnamara, M. (1979). Asbestos-Facilitated Membrane Uptake Of Polynuclear Aromatic Hydrocarbons Studied By Fluorescence Spectroscopy: A Possible Explanation Of The Cocarcinogenic Effects Of Particulates And PAH (pp. Chemistry and Biology Carcinogenesis and Mutagenesis). (NIOSH/00135554). Lakowicz, JR; Hylden, JL; Englund, F; Hidmark, A; Mcnamara, M.
- Lam, NS; Thanh, TD. (2013). STUDY OF SOME FACTORS RELATED TO EPIDEMIOLOGY IN MALIGNANT PLEURAL MESOTHELIOMA. *J Thorac Oncol* 8: S990-S990.
- Lam R, HF; Brown, JP; Fan, AM. (1994). CHEMICALS IN CALIFORNIA DRINKING WATER SOURCE OF CONTAMINATION RISK ASSESSMENT AND DRINKING WATER STANDARDS (pp. INTEGRATION OF EXPOSURE ASSESSMENT). (BIOSIS/94/23224). Lam R, HF; Brown, JP; Fan, AM.
- Lam, WK; White, NW; Chan-Yeung, MM. (2004). Lung cancer epidemiology and risk factors in Asia and Africa [Review]. *Int J Tuberc Lung Dis* 8: 1045-1057.
- Lambert, B; Chu E, HY; De Carli, L; Ehling, UH; Evans, HJ; Hayashi, M; Thilly, WG; Vainio, H. (1986). ASSAYS FOR GENETIC CHANGES IN MAMMALIAN CELLS (pp. A CRITICAL APPRAISAL). (BIOSIS/88/11161). Lambert, B; Chu E, HY; De Carli, L; Ehling, UH; Evans, HJ; Hayashi, M; Thilly, WG; Vainio, H.
- Lambert, C; Scott, LLF; Raleigh, K; Adgate, J; Ramachandran, G; Mandel, JH; Johnson, J; Messing, R; Alexander, BH. (2011). ENVIRONMENTAL EXPOSURE TO ASBESTOS-CONTAMINATED VERMICULITE AND PREVALENCE OF RESTRICTIVE LUNG DISEASE. *Am J Epidemiol* 173: S260-S260.
- Lambert, CS; Alexander, BH; Ramachandran, G; Maclehorse, RF; Nelson, HH; Ryan, AD; Mandel, JH. (2016). A case-control study of mesothelioma in Minnesota iron ore (taconite) miners. *Occup Environ Med* 73: 103-109. <http://dx.doi.org/10.1136/oemed-2015-103105>.
- Lambert, R; Bisson, G; Lamoureux, G; Bégin, R. (1985). Gallium-67 thoracic scan and pleural disease in asbestos workers. *J Nucl Med* 26: 600-603.
- Lambert, WE; Samet, JM. (1996). Indoor Air Pollution (pp. 784-807). (NIOSH/00229392). Lambert, WE; Samet, JM.

Human Health Hazard Literature Search Results

Off Topic

- Lambre, C; Schorsch, F; Blanchard, O; Richard, J; Boivin, JC; Hanton, D; Grimm, H; Morscheidt, C. (1998). An evaluation of the carcinogenic potential of five man-made vitreous fibers using the intraperitoneal test. *Inhal Toxicol* 10: 995-1021.
- Lamontagne, AD; Hunter, CE; Vallance, D; Holloway, AJ. (2008). Asbestos disease in Australia: looking forward and looking back. *New Solutions: A Journal of Environmental and Occupational Health Policy* 18: 361-373. <http://dx.doi.org/10.2190/NS.18.3.j>.
- Lamote, K; Baas, P; van Meerbeeck, JP. (2013). Fibulin-3 as a biomarker for pleural mesothelioma [Letter]. *N Engl J Med* 368: 189-190. <http://dx.doi.org/10.1056/NEJMc1213514#SA2>.
- Lamote, K; Nackaerts, K; van Meerbeeck, J. (2014). Strengths, Weaknesses, and Opportunities of Diagnostic Breathomics in Pleural Mesothelioma-A Hypothesis. *Cancer Epidemiol Biomarkers Prev* 23: 898-908. <http://dx.doi.org/10.1158/1055-9965.EPI-13-0737>.
- Lamote, K; Vynck, M; Van Cleemput, J; Thas, O; Nackaerts, K; van Meerbeeck, JP. (2016). Detection of malignant pleural mesothelioma in exhaled breath by multicapillary column/ion mobility spectrometry (MCC/IMS). *J Breath Res* 10: 046001. <http://dx.doi.org/10.1088/1752-7155/10/4/046001>.
- Landas, SK; Schwartz, DA. (1991). Mica-associated pulmonary interstitial fibrosis. *Am Rev Respir Dis* 144: 718-721. http://dx.doi.org/10.1164/ajrccm/144.3_Pt_1.718.
- Landers, J, ay. (2009). US EPA Declares Libby Asbestos Site a 'Public Health Emergency'. *Civil Engineering* 79: 16-19.
- Landrigan, P. (2004). Dr. T.K. Joshi and asbestos in India: a message from the Collegium Ramazzini. *Am J Ind Med* 45: 125-128. <http://dx.doi.org/10.1002/ajim.10346>.
- Landrigan, PJ. (1985). Environmental health sciences center [Research]. RePORTER Database National Institutes of Health.
- Landrigan, PJ. (1986). Environmental health sciences center [Research]. RePORTER Database National Institutes of Health.
- Landrigan, PJ. (1987). Environmental health sciences center [Research]. RePORTER Database National Institutes of Health.
- Landrigan, PJ. (1988). Industrial hygiene core [Research]. RePORTER Database National Institutes of Health.
- Landrigan, PJ. (1989). Industrial hygiene core [Research]. RePORTER Database National Institutes of Health.
- Landrigan, PJ. (1990). Industrial hygiene core [Research]. RePORTER Database National Institutes of Health.
- Landrigan, PJ. (1991). Industrial hygiene core [Research]. RePORTER Database National Institutes of Health.
- Landrigan, PJ. (1991). A population of children at risk of exposure to asbestos in place. *Ann N Y Acad Sci* 643: 283-286.
- Landrigan, PJ. (1991). The third wave of asbestos disease: exposure to asbestos in place. *Public health control. Introduction. Ann N Y Acad Sci* 643: xv-xvi.
- Landrigan, PJ. (1992). Commentary: environmental disease--a preventable epidemic [Comment]. *Am J Public Health* 82: 941-943.
- Landrigan, PJ. (1996). Asbestos-related cancer - Reply. *CA Cancer J Clin* 46: 254-255.
- Landrigan, PJ. (1998). Asbestos--still a carcinogen [Editorial]. *N Engl J Med* 338: 1618-1619. <http://dx.doi.org/10.1056/NEJM199805283382209>.
- Landrigan, PJ. (1998). Nonoccupational exposure to chrysotile asbestos and the risk of lung cancer - Reply. *N Engl J Med* 339: 1002-1002.
- Landrigan, PJ. (2004). The WTC disaster: Landrigan's response. *Environ Health Perspect* 112: A607-A607.
- Landrigan, PJ. (2016). Children's Environmental Health: A Brief History [Review]. *Academic Pediatrics* 16: 1-9.
- Landrigan, PJ. (2016). Comments on the 2014 Helsinki consensus report on asbestos. *Ind Health* 54: 94-97. <http://dx.doi.org/10.2486/indhealth.cr03>.
- Landrigan, PJ; Kazemi, H. (1991). ANNALS OF THE NEW YORK ACADEMY OF SCIENCES VOL. 643. THE THIRD WAVE OF ASBESTOS DISEASE EXPOSURE TO ASBESTOS IN PLACE PUBLIC HEALTH CONTROL CONFERENCE NEW YORK NEW YORK USA JUNE 7-9 1990 (pp. EXPOSURE TO ASBESTOS IN PLACE: PUBLIC HEALTH CONTROL; CONFERENCE). (BIOSIS/93/34915). Landrigan, PJ; Kazemi, H.
- Landrigan, PJ; Kazemi, H. (1991). The third wave of asbestos disease: Asbestos in place. *Public health control.* 643.
- Landrigan, PJ; Lioy, PJ; Thurston, G; Berkowitz, G; Chen, LC; Chillrud, SN; Gavett, SH; Georgopoulos, PG; Geyh, AS; Levin, S; Perera, F; Rappaport, SM; Small, C. (2004). Health and environmental consequences of the world trade center disaster [Review]. *Environ Health Perspect* 112: 731-739. <http://dx.doi.org/10.1289/ehp.6702>.
- Landrigan, PJ; Melius, JM; Rinsky, RA; Thun, MJ. (1985). APPROACHES TO THE ESTIMATION OF EXPOSURE IN OCCUPATIONAL EPIDEMIOLOGY (pp. COLD SPRING HARBOR). (BIOSIS/86/16406). Landrigan, PJ; Melius, JM; Rinsky, RA; Thun, MJ.
- Landrigan, PJ; Pollack, SH; Godbold, JH; Belville, R. (1995). OCCUPATIONAL INJURIES EPIDEMIOLOGY PREVENTION TREATMENT (pp. EPIDEMIOLOGY AND PREVENTION). (BIOSIS/96/14752). Landrigan, PJ; Pollack, SH; Godbold, JH; Belville, R.
- Landrigan, PJ; Ramazzini, C. (2016). Comments on the Causation of Malignant Mesothelioma: Rebutting the False Concept That Recent Exposures to Asbestos Do Not Contribute to Causation of Mesothelioma. *82: 214-216.* <http://dx.doi.org/10.1016/j.aogh.2016.01.017>.
- Landrigan, PJ; Soffritti, M. (2005). Collegium Ramazzini call for an international ban on asbestos [Editorial]. *Am J Ind Med* 47: 471-474. <http://dx.doi.org/10.1002/ajim.20173>.
- Landrigan, PJ; Soffritti, M. (2005). Collegium Ramazzini statement on the Tokyo Declaration banning asbestos [Editorial]. *Am J Ind Med* 48: 89-90. <http://dx.doi.org/10.1002/ajim.20195>.
- Landry, C. (2008). Improving the Transfer of ERK siRNA Constructs Using Nanoporous Silica.
- Lang, PL; V-V, C; Mccune, K; Franssen, S; Goodnight-Schmidt, M; Mendenhall, R; Conner, W. (1998). Quantitation of asbestos using diffuse reflection infrared spectroscopy. *Appl Spectrosc* 52: 212-217.
- Lang, SQ; Frueh-Green, GL; Bernasconi, SM; Butterfield, DA. (2013). Sources of organic nitrogen at the serpentinite-hosted Lost City hydrothermal field. *Geobiology* 11: 154-169. <http://dx.doi.org/10.1111/gbi.12026>.
- Lang, T; Guibout, P; Badia, D; Verdoux, P. (1978). APPLICATION OF INFRA-RED SPECTROSCOPY TO DEMONSTRATION OF ASBESTOS IN TUMOR TISSUE IN 3-PLEURAL MESOTHELIOMAS. *La Nouvelle presse médicale* 7: 3672-3673.
- Langard, S. (1992). ATTITUDES AND OPINIONS REGARDING ASBESTOS AND CANCER 1934-1965 - COMMENT. *Am J Ind Med* 22: 267-269.

Human Health Hazard Literature Search Results

Off Topic

- Langard, S. (1992). PROPOSAL FOR FUTURE USES IN EPIDEMIOLOGY FOR COHORT STUDIES ON THE PREVENTION OF WORK-RELATED CANCER. *Scand J Work Environ Health* 18: 57-63.
- Langård, S. (1992). Re: "Attitudes and opinions regarding asbestos and cancer 1934-1965" [Comment]. *Am J Ind Med* 22: 267-269.
- Langård, S. (1994). Nickel-related cancer in welders [Review]. *Sci Total Environ* 148: 303-309.
- Langard, S; Stern, RM. (1984). Nickel In Welding Fumes A Cancer Hazard To Welders? A Review Of Epidemiological Studies On Cancer In Welders [Review] (pp. 95-103). (ISSN 0300-5038 NIOSH/00153477). Langard, S; Stern, RM.
- Lange, A. (1982). INTERNATIONAL CONFERENCE ON EPIDEMIOLOGICAL IMMUNOLOGICAL AND GENETIC ASPECTS OF ASBESTOSIS WROCLAW POLAND MARCH 24-26 1981. *Arch Immunol Ther Exp* 30: 3-4.
- Lange, A. (1984). [Antibodies against deoxyribonucleic acid and its protein complex--their formation and clinical significance] [Review]. *Postepy Higieny i Medycyny Doswiadczalnej* 38: 681-691.
- Lange, A. (2008). Genetic factors predicting IFN-gamma generation potential in patients with sarcoidosis and after haematopoietic stem cell transplantation. *Int J Immunogenet* 35: 385-388. <http://dx.doi.org/10.1111/j.1744-313X.2008.00796.x>.
- Lange, A; Karabon, L; Tomeczko, J. (1995). Interleukin-6- and interleukin-4-related proteins (C-reactive protein and IgE) are prognostic factors of asbestos-related cancer. *Ann N Y Acad Sci* 762: 435-438.
- Lange, A; Pietrzyca, B; Moniewska, A; Rabczynski, J. (1989). LONG-TERM EFFECT OF 3 METHYLCHOLANTHRENE COATED ASBESTOS FIBERS ON THE IMMUNE STATUS OF F1-NZB C57BL-6 MICE (pp. SECAUCUS). (BIOSIS/90/02017). Lange, A; Pietrzyca, B; Moniewska, A; Rabczynski, J.
- Lange, A; Skibinski, G. (1977). T-CELLS AND B-CELLS AND DELAYED-TYPE SKIN REACTIONS IN ASBESTOS WORKERS. *Scand J Immunol* 6: 720-720.
- Lange, J; Mastrangelo, G; Cegolon, L. (2011). Asbestos abatement workers versus asbestos workers: exposure and health-effects differ [Letter]. *Int J Occup Med Environ Health* 24: 418-419; author reply 420-411. <http://dx.doi.org/10.2478/s13382-011-0039-6>.
- Lange, JH. (1991). A suggested air standard for lead to protect the public during lead abatement activities. *Med Hypotheses* 36: 211-212.
- Lange, JH. (1993). A study of asbestos abatement workers for respiratory usage, respiratory fit-testing and occupational medical surveillance: Evaluation of safety practice relationships and occupational health prevention measures. *J Occup Med Toxicol* 2: 65-74.
- Lange, JH. (1999). A statistical evaluation of asbestos air concentrations. *Indoor Built Environ* 8: 293-303.
- Lange, JH. (2000). Cost and distribution of bids for asbestos abatement projects in the public sector. *Indoor Built Environ* 9: 201-206.
- Lange, JH. (2001). Has the World Trade Center tragedy established a new standard for asbestos? *Indoor Built Environ* 10: 346-349.
- Lange, JH. (2001). Occupational exposure during removal of windows with lead-based paint and asbestos caulking. *Bull Environ Contam Toxicol* 66: 146-149.
- Lange, JH. (2002). Airborne exposure and soil levels associated with lead abatement of a steel tank. *Toxicol Ind Health* 18: 28-38. <http://dx.doi.org/10.1191/0748233702th127oa>.
- Lange, JH. (2002). How do you interpret regulations: through science or agency rules? [Letter]. *Toxicol Ind Health* 18: 107-108. <http://dx.doi.org/10.1191/0748233702th134xx>.
- Lange, JH. (2002). Impact of asbestos concentrations in floor tiles on exposure during removal. *Int J Environ Health Res* 12: 293-300. <http://dx.doi.org/10.1080/0960312021000056401>.
- Lange, JH. (2003). Cough and bronchial responsiveness in firefighters at the World Trade Center site [Letter]. *N Engl J Med* 348: 76-77; author reply 76-77.
- Lange, JH. (2004). Asbestos abatement of pipe and floor tile/mastic and comparison of critical plastic barrier controls. *Bull Environ Contam Toxicol* 72: 542-546. <http://dx.doi.org/10.1007/s00128-001-0278-3>.
- Lange, JH. (2004). Emergence of a new policy for asbestos: A result of the World Trade Center tragedy. *Indoor Built Environ* 13: 21-33. <http://dx.doi.org/10.1177/1420326x04038959>.
- Lange, JH. (2004). The WTC disaster and asbestos regulations [Letter]. *Environ Health Perspect* 112: A606-607; author reply A607.
- Lange, JH. (2005). Airborne exposure during asbestos abatement of floor tile, wall plaster, and pipe insulation. *Bull Environ Contam Toxicol* 74: 70-72. <http://dx.doi.org/10.1007/s00128-004-0549-z>.
- Lange, JH. (2005). Asbestos-containing floor tile and mastic abatement: Is there enough exposure to cause asbestos-related disease? *Indoor Built Environ* 14: 83-88. <http://dx.doi.org/10.1177/142032X05050675>.
- Lange, JH. (2006). Type and amount of asbestos in floor tile and mastic. *Bull Environ Contam Toxicol* 77: 807-809. <http://dx.doi.org/10.1007/s00128-006-1215-4>.
- Lange, JH; Bules, M; Lindquist, J; Gray, M; Ivarone, C. (2000). A survey of publicly funded asbestos abatement projects in the county of Erie, Pennsylvania, USA, during the time period 1996-1999. *Indoor Built Environ* 9: 342-347.
- Lange, JH; Grad, JW; Lange, PA; Thomulka, KW; Dunmyre, GR; Lee, RJ; Richardson, CF; Blumershine, RVH. (1993). Asbestos abatement of ceiling panels and mold growth in a public school building after water damage: a case study of contaminant levels. *Fresen Environ Bull* 2: 13-18.
- Lange, JH; Heymann, WC; Cegolon, L. (2014). Other causative factors for lung diseases in populations exposed to asbestos [Letter]. *Clinical Respiratory Journal* 8: 253-254. <http://dx.doi.org/10.1111/crj.12069>.
- Lange, JH; Hoskins, JA. (2004). Asbestos in drinking water does not cause mesothelioma [Letter]. *Int J Gynecol Cancer* 14: 1048-1049; author reply 1046-1047. <http://dx.doi.org/10.1111/j.1048-891X.2004.014551.x>.
- Lange, JH; Hoskins, JA; Mastrangelo, G. (2006). Smoking rates in asbestos workers [Letter]. *Occup Med (Lond)* 56: 581. <http://dx.doi.org/10.1093/ocmed/kql090>.
- Lange, JH; Kaiser, G; Thomulka, KW. (1994). Environmental site assessments and audits: building inspection requirements. *J Environ Manage* 18: 151-160.

Human Health Hazard Literature Search Results

Off Topic

- Lange, JH; Kuhn, BD; Thomulka, KW; Sites, SLM. (2000). A study of area and personal airborne asbestos samples during abatement in a crawl space. *Indoor Built Environ* 9: 192-200.
- Lange, JH; Lange, PA; Thomulka, KW. (1993). Alcohol and Smoking Habits of Asbestos Abatement Workers: A Questionnaire Survey. *Fresen Environ Bull* 2: 244-249.
- Lange, JH; Lange, PR; Reinhard, TK; Thomulka, KW. (1996). A study of personal and area airborne asbestos concentrations during asbestos abatement: A statistical evaluation of fibre concentration data. *Ann Occup Hyg* 40: 449-466.
- Lange, JH; Marangi, G; Mastrangelo, G. (2009). Non-asbestos Risks of Asbestos Abatement Workers. *Indoor Built Environ* 18: 90-92. <http://dx.doi.org/10.1177/1420326X08100810>.
- Lange, JH; Mastrangelo, G. (2008). What are the real risks for asbestos abatement workers? *Indoor Built Environ* 17: 274-276. <http://dx.doi.org/10.1177/1420326X08091055>.
- Lange, JH; Mastrangelo, G. (2009). Real Risk. *Indoor Built Environ* 18: 187-188. <http://dx.doi.org/10.1177/1420326X09105604>.
- Lange, JH; Mastrangelo, G; Buja, A. (2006). Smoking and alcohol use in asbestos abatement workers. *Bull Environ Contam Toxicol* 77: 338-342. <http://dx.doi.org/10.1007/s00128-006-1071-2>.
- Lange, JH; Mastrangelo, G; Cegolon, L. (2012). A proposed threshold exposure for airborne asbestos [Letter]. *Occup Environ Med* 69: 227-228. <http://dx.doi.org/10.1136/oemed-2011-100225>.
- Lange, JH; Priolo, G; Mastrangelo, G. (2004). Smoking trend in a high-risk group: asbestos abatement workers [Letter]. *J Occup Environ Med* 46: 1195. <http://dx.doi.org/10.1097/01.jom.0000147221.40883.68>.
- Lange, JH; Sites, SL; Mastrangelo, G; Thomulka, KW. (2006). Asbestos abatement in a location previously improperly abated. *Bull Environ Contam Toxicol* 77: 723-725. <http://dx.doi.org/10.1007/s00128-006-1123-7>.
- Lange, JH; Sites, SL; Mastrangelo, G; Thomulka, KW. (2006). Exposure to airborne asbestos during abatement of ceiling material, window caulking, floor tile, and roofing material. *Bull Environ Contam Toxicol* 77: 718-722. <http://dx.doi.org/10.1007/s00128-006-1122-8>.
- Lange, JH; Sites, SL; Mastrangelo, G; Thomulka, KW. (2008). Exposure to airborne asbestos during abatement of ceiling material, window caulking, floor tile and roofing material. *Bull Environ Contam Toxicol* 80: 10-13. <http://dx.doi.org/10.1007/s00128-007-9280-x>.
- Lange, JH; Spence, PL; Rosato, PA. (1991). A MEDICAL-SURVEILLANCE PROGRAM FOR HAZARDOUS-WASTE ACTIVITIES AND ASBESTOS-ABATEMENT OPERATION FOR A CONSULTING ENGINEERING FIRM. *Journal of Environmental Science and Health, Part A: Environmental Science and Engineering and Toxi* 26: 953-970.
- Lange, JH; Thomulka, KW. (2000). Air sampling during asbestos abatement of floor tile and mastic. *Bull Environ Contam Toxicol* 64: 497-501.
- Lange, JH; Thomulka, KW. (2000). Area and personal airborne exposure during abatement of asbestos-containing roofing material. *Bull Environ Contam Toxicol* 64: 673-678.
- Lange, JH; Thomulka, KW. (2000). An evaluation of personal airborne asbestos exposure measurements during abatement of dry wall and floor tile/mastic. *Int J Environ Health Res* 10: 5-19.
- Lange, JH; Thomulka, KW. (2003). Smoking prevalence of asbestos workers: a comment [Letter]. *Am J Ind Med* 44: 218-219; author reply 220-211. <http://dx.doi.org/10.1002/ajim.10247>.
- Lange, JH; Thomulka, KW; Lee, RH; Van Orden, DR. (2002). Surface and passive monitoring for asbestos in an industrial facility. *Indoor Built Environ* 11: 327-333. <http://dx.doi.org/10.1159/000068233>.
- Lange, JH; Thomulka, KW; Lee, RJ; Dunmyre, GR. (1995). EVALUATION OF LIFT AND PASSIVE SAMPLING METHODS DURING ASBESTOS ABATEMENT ACTIVITIES. *Bull Environ Contam Toxicol* 55: 325-331.
- Lange, JH; Thomulka, KW; Sites, SL. (2002). Comparison of asbestos exposure in a containment system with and without employment of glovebags. *Bull Environ Contam Toxicol* 69: 843-846. <http://dx.doi.org/10.1007/s00128-002-0136-0>.
- Lange, JH; Thomulka, KW; Sites, SL; Priolo, G; Mastrangelo, G. (2006). Personal airborne asbestos exposure levels associated with various types of abatement. *Bull Environ Contam Toxicol* 76: 389-391. <http://dx.doi.org/10.1007/s00128-006-0933-y>.
- Lange, JH; Thomulka, KW; Sites, SS; Priolo, G; Buja, A; Mastrangelo, G. (2005). Personal exposure during abatement of various asbestos-containing materials in the same work area. *Bull Environ Contam Toxicol* 74: 1034-1036.
- Lange, JH; Wang, M; Buja, A; Mastrangelo, G. (2005). Area and personal exposure measurements during asbestos abatement of a crawl space and boiler room. *Bull Environ Contam Toxicol* 74: 388-390. <http://dx.doi.org/10.1007/s00128-004-0596-5>.
- Lange, JH; Weyel, DA; Rosato, LM; Tucker, D; Malek, DE; Mayernik, JA; Ryan, LK. (1987). PRELIMINARY RESULTS ON SMOKING PATTERNS FOR WORKERS ATTENDING AN ASBESTOS ABATEMENT COURSE [Letter]. *Scand J Work Environ Health* 13: 459-459.
- Langer, A. (1985). Laboratory sciences--mineralogy [Research]. RePORTER Database National Institutes of Health.
- Langer, A. (1986). Laboratory sciences--mineralogy [Research]. RePORTER Database National Institutes of Health.
- Langer, A. (1987). Laboratory sciences--mineralogy [Research]. RePORTER Database National Institutes of Health.
- Langer, AM. (1974). Research perspectives concerning asbestos minerals and their effects on biological systems. *Environ Health Perspect* 9: 335-338.
- Langer, AM. (1974). The subject of continuous vigilance. *Environ Health Perspect* 9: 53-56.
- Langer, AM. (1979). SIGNIFICANCE OF ASPECT RATIO IN REGULATION OF ASBESTOS FIBER EXPOSURE (pp. NEW YORK). (HEEP/81/07875). Langer, AM.
- Langer, AM. (1998). Nonoccupational exposure to chrysotile asbestos and the risk of lung cancer [Letter]. *N Engl J Med* 339: 1000-1001.
- Langer, AM. (2003). Reduction of the biological potential of chrysotile asbestos arising from conditions of service on brake pads [Review]. *Regul Toxicol Pharmacol* 38: 71-77.
- Langer, AM. (2008). Identification and enumeration of asbestos fibers in the mining environment: Mission and modification to the Federal Asbestos Standard. *Regul Toxicol Pharmacol* 52: S207-S217. <http://dx.doi.org/10.1016/j.yrtph.2008.01.007>.

Human Health Hazard Literature Search Results

Off Topic

- Langer, AM; Mackler, AD; Pooley, FD. (1974). Electron microscopical investigation of asbestos fibers. *Environ Health Perspect* 9: 63-80.
- Langer, AM; Maggiore, CM; Nicholson, WJ; Rohl, AN; Rubin, IB; Selikoff, IJ. (1979). The contamination of Lake Superior with amphibole gangue minerals. *Ann N Y Acad Sci* 330: 549-572.
- Langer, AM; Morse, RG. (2001). The World Trade Center catastrophe: Was the type of spray fire proofing a factor in the collapse of the Twin Towers? *Indoor Built Environ* 10: 350-360.
- Langer, AM; Nolan, RP. (1985). PHYSICO-CHEMICAL PROPERTIES OF MINERALS RELEVANT TO BIOLOGICAL ACTIVITIES STATE OF THE ART (pp. NEW YORK). (BIOSIS/86/22520). Langer, AM; Nolan, RP.
- Langer, AM; Nolan, RP. (1990). Pleural mesothelioma after asbestos exposure [Letter]. *Respir Med* 84: 509-510.
- Langer, AM; Nolan, RP. (1997). Asbestos disease in foundrymen [Letter]. *J Occup Environ Med* 39: 699-700.
- Langer, AM; Nolan, RP. (1997). Asbestos-related cancer and the amphibole hypothesis. The amphibole hypothesis: neither gone nor forgotten [Letter]. *Am J Public Health* 87: 688-689; author reply 690-681.
- Langer, AM; Nolan, RP; Addison, J. (1991). On talc, tremolite, and tergerisation [Letter]. *Occup Environ Med* 48: 359-360.
- Langer, AM; Nolan, RP; Constantopoulos, SH. (1988). Endemic pleural calcification and mesothelioma [Letter]. *JAMA* 260: 339-340.
- Langer, AM; Nolan, RP; Ross, M. (1990). Asbestos policy [Letter]. *Science* 249: 1485.
- Langer, AM; Rohl, AN; Wolff, MS; Selikoff, IJ. (1990). Asbestos, Fibrous Minerals And Acicular Cleavage Fragments: Nomenclature And Biological Properties. (NIOSH/00145011). Langer, AM; Rohl, AN; Wolff, MS; Selikoff, IJ.
- Langer, AM; Rubin, I; Selikoff, IJ. (1970). Electron Microprobe Analysis of Asbestos Bodies (pp. 57-69). (NIOSH/00036321). Langer, AM; Rubin, I; Selikoff, IJ.
- Langer, AM; Rubin, IB; Selikoff, IJ. (1972). Chemical characterization of asbestos body cores by electron microprobe analysis. *J Histochem Cytochem* 20: 723-734.
- Langer, AM; Selikoff, IJ; Sastre, A. (1971). CHRYSOTILE ASBESTOS IN LUNGS OF PERSONS IN NEW YORK CITY. *Arch Environ Health* 22: 348-&.
- Langer, AM; Wolff, MS; Rohl, AN; Selikoff, IJ. (1978). Variation of properties of chrysotile asbestos subjected to milling. *J Toxicol Environ Health* 4: 173-188. <http://dx.doi.org/10.1080/15287397809529654>.
- Langerman, MA. (1990). Modeling the steady-state ISV process: A 3-D finite element analysis of coupled thermal-electric fields. 63.
- Langevin, SM; Mcclean, MD; Michaud, DS; Eliot, M; Nelson, HH; Kelsey, KT. (2013). Occupational dust exposure and head and neck squamous cell carcinoma risk in a population-based case-control study conducted in the greater Boston area. 2: 978-986. <http://dx.doi.org/10.1002/cam4.155>.
- Langford, DM. (2010). Hazardous Waste Worker Training Program (HWWTP).
- Langlands, JHM; Coyne, FC; Simpson, MJC; Campbell, MJ. (1981). FOLLOW-UP OF ASBESTOS INSULATION WORKERS IN BELFAST. *Thorax* 36: 232-232.
- Lang-Lazdunski, L. (2014). Surgery for malignant pleural mesothelioma: why, when and what? [Review]. *Lung Cancer* 84: 103-109. <http://dx.doi.org/10.1016/j.lungcan.2014.01.021>.
- Lang-Lazdunski, L; Bille, A; Belcher, E; Cane, P; Landau, D; Steele, J; Taylor, H; Spicer, J. (2011). Pleurectomy/decortication, hyperthermic pleural lavage with povidone-iodine followed by adjuvant chemotherapy in patients with malignant pleural mesothelioma. *J Thorac Oncol* 6: 1746-1752. <http://dx.doi.org/10.1097/JTO.0b013e3182288af9>.
- Langseth, H; Hankinson, SE; Siemiatycki, J; Weiderpass, E. (2008). Perineal use of talc and risk of ovarian cancer [Review]. *J Epidemiol Community Health* 62: 358-360. <http://dx.doi.org/10.1136/jech.2006.047894>.
- Lansley, SM; Pedersen, B; Robinson, C; Searles, RG; Sterrett, G; van Bruggen, I; Lake, RA; Mutsaers, SE; Prêle, CM. (2016). A Subset of Malignant Mesothelioma Tumors Retain Osteogenic Potential. *Sci Rep* 6: 36349. <http://dx.doi.org/10.1038/srep36349>.
- Lanzetta, E. (2003). Research needed for mesothelioma. Financial compensation after death is no panacea. *Am J Nurs* 103: 11.
- Lao, I; Wojtczak, J; Krajnow, A. (2000). [The fibrogenic effect of artificial ceramic fibres in experimental rats]. *Med Pr* 51: 465-473.
- Lapenas, DJ; Gale, PN. (1983). Kaolin Pneumoconiosis. A Case Report. *Arch Pathol Lab Med* 107: 650-653.
- Lapin, CA; Craig, DK; Valerio, MG; Mccandless, JB; Bogoroch, R. (1991). A SUBCHRONIC INHALATION TOXICITY STUDY IN RATS EXPOSED TO SILICON-CARBIDE WHISKERS. *Fundam Appl Toxicol* 16: 128-146.
- Laquatra, J; Maxwell, LE; Pierce, M. (2005). Indoor air pollutants: Limited-resource households and child care facilities. *J Environ Health* 67: 39-43.
- Larsen, BL; Holland, RC. (2000). Baseline Environmental Report Environmental Test Facility Buildings 955 and 956 Sandia National Laboratories, California. 22.
- Larsen, RI. (2003). An air quality data analysis system for interrelating effects, standards, and needed source reductions: Part 13 - Applying the EPA proposed guidelines for carcinogen risk assessment to a set of asbestos lung cancer mortality data. *J Air Waste Manag Assoc* 53: 1326-1339.
- Larson, D; Powers, A; Ambrosi, JP; Tanji, M; Napolitano, A; Flores, EG; Baumann, F; Pellegrini, L; Jennings, CJ; Buck, BJ; Mclaurin, BT; Merkler, D; Robinson, C; Morris, P; Dogan, M; Dogan, AU; Pass, HI; Pastorino, S; Carbone, M; Yang, H. (2016). Investigating palygorskite's role in the development of mesothelioma in southern Nevada: Insights into fiber-induced carcinogenicity. *J Toxicol Environ Health B Crit Rev* 19: 213-230. <http://dx.doi.org/10.1080/10937404.2016.1195321>.
- Larson, T; Holiday, D; Antao, V. (2011). Agreement Among Multiple Hrcrt Readers For Asbestos-Related Parenchymal And Pleural Abnormalities. *Am J Respir Crit Care Med* 183.
- Larson, T; Melnikova, N; Davis, SI; Jamison, P. (2007). Incidence and descriptive epidemiology of mesothelioma in the United States, 1999-2002. *Int J Occup Environ Health* 13: 398-403.

Human Health Hazard Literature Search Results

Off Topic

- Larson, T; Williamson, L; Antao, V; Helgerson, S. (2015). Lung Cancer Incidence In A Rural County Undergoing Asbestos Screening. *Am J Respir Crit Care Med* 191.
- Larson, TC; Franzblau, A; Lewin, M; Goodman, AB; Antao, VC. (2014). Impact of body mass index on the detection of radiographic localized pleural thickening. *Acad Radiol* 21: 3-10. <http://dx.doi.org/10.1016/j.acra.2013.09.014>.
- Laskin, DL; Pendino, KJ. (1995). Macrophages and inflammatory mediators in tissue injury [Review]. *Annu Rev Pharmacol Toxicol* 35: 655-677. <http://dx.doi.org/10.1146/annurev.pa.35.040195.003255>.
- Lasky, JA; Friedman, M; Zhuo, Y; Liu, JY; Poovey, H; Brody, A. (2001). Platelet-derived growth factor receptors are essential in the development of asbestos-induced fibrosis. *Chest* 120: 61S-61S.
- Lasky, JA; Gozal, E; Brass, E; Lu, H; Friedman, M; Brody, AR. (1999). A PDGF-selective tyrosine kinase inhibitor significantly blocks asbestos-induced lung fibroblast proliferation. *Am J Respir Crit Care Med* 159: A72-A72.
- Last, JM. (1984). Health hazards of the indoor environment [Editorial]. *Can J Public Health* 75: 189-191.
- Laster, R. (1992). EXPOSURE OF WORKERS TO TOXIC SUBSTANCES AND PHYSICAL HAZARDS THE LAW IN THEORY AND PRACTICE. *Isr J Med Sci* 28: 8-9.
- Latif, MT; Baharudin, NH; Velayutham, P; Awang, N; Hamdan, H; Mohamad, R; Mokhtar, MB. (2011). Composition of heavy metals and airborne fibers in the indoor environment of a building during renovation. *Environ Monit Assess* 181: 479-489. <http://dx.doi.org/10.1007/s10661-010-1843-3>.
- Latour, I; Miranda, R; Blanco, A. (2016). Optimization of silica removal with magnesium chloride in papermaking effluents: mechanistic and kinetic studies. *Environ Sci Pollut Res Int* 23: 3707-3717. <http://dx.doi.org/10.1007/s11356-015-5542-z>.
- Lau, JA; Mccall, AC; Davies, KF; Mckay, JK; Wright, JW. (2008). Herbivores and edaphic factors constrain the realized niche of a native plant. *Ecology* 89: 754-762.
- Lauber, B; Leuthold, M; Schmitter, D; Canosantos, J; Waibel, R; Stahel, RA. (1992). AN AUTOCRINE MITOGENIC ACTIVITY PRODUCED BY A PLEURAL HUMAN MESOTHELIOMA CELL-LINE. *Int J Cancer* 50: 943-950.
- Laucirica, R; Ostrowski, ML. (2007). Cytology of nonneoplastic occupational and environmental diseases of the lung and pleura [Review]. *Arch Pathol Lab Med* 131: 1700-1708. [http://dx.doi.org/10.1043/1543-2165\(2007\)131\[1700:CONOAE\]2.0.CO;2](http://dx.doi.org/10.1043/1543-2165(2007)131[1700:CONOAE]2.0.CO;2).
- Lauenstein, HD; Quarcoo, D; Welte, T; Braun, A; Groneberg, DA. (2013). Expression of VPAC1 in a murine model of allergic asthma. *J Occup Med Toxicol* 8: 28. <http://dx.doi.org/10.1186/1745-6673-8-28>.
- Lauer, WC; Wolfe, GW; Condie, LW. (1994). HEALTH EFFECT STUDIES ON RECYCLED DRINKING WATER FROM SECONDARY WASTEWATER (pp. YANG). (BIOSIS/95/05368). Committee for Compounds Toxic to Reproduction.
- Laughlin, GJ; Mccrone, WC. (1989). THE EFFECT OF HEAT ON THE MICROSCOPICAL PROPERTIES OF ASBESTOS. *Microscope* 37: 9-41.
- Laurent, F; Paris, C; Ferretti, GR; Beigelman, C; Montaudon, M; Latrabe, V; Jankowski, A; Badachi, Y; Clin, B; Gislard, A; Letourneux, M; Luc, A; Schorlé, E; Brochard, P; Ameille, J; Pairon, JC. (2014). Inter-reader agreement in HRCT detection of pleural plaques and asbestosis in participants with previous occupational exposure to asbestos. *Occup Environ Med* 71: 865-870. <http://dx.doi.org/10.1136/oemed-2014-102336>.
- Laurent, F; Tunon de Lara, M. (1999). [Exposure to asbestos. Role of thoracic imagery in screening and follow-up] [Review]. *Rev Mal Respir* 16: 1193-1202.
- Lauth, J; Schurr, K. (1984). ENTRY OF CHRYSOTILE ASBESTOS FIBERS FROM WATER INTO THE PLANKTONIC ALGA CRYPTOMONAS-EROSA (pp. 113-114). (HEEP/85/07656). Lauth, J; Schurr, K.
- Lavelle, CL; Landman, AD. (1976). Letter: Hazards in laboratories. *Can Med Assoc J* 114: 498, 503.
- Lavkulich, LM; Schreier, HE; Wilson, JE. (2014). Effects of natural acids on surface properties of asbestos minerals and kaolinite. *J Environ Sci Health A Tox Hazard Subst Environ Eng* 49: 617-624. <http://dx.doi.org/10.1080/10934529.2014.865401>.
- Law, BD; Bunn, WB; Hesterberg, TW. (1991). Dissolution of Natural Mineral and Man-Made Vitreous Fibers in Karnovsky's and Formalin Fixatives. *Inhal Toxicol* 3: 309-321.
- Lawrence, EC. (1991). Asbestos effects on human alveolar macrophage functions [Research]. RePORTER Database National Institutes of Health.
- Lawrence, J; Tosine, HM; Zimmermann, HW; Pang, TWS. (1975). REMOVAL OF ASBESTOS FIBERS FROM POTABLE WATER BY COAGULATION AND FILTRATION. *Water Res* 9: 397-400.
- Lawrence, J; Zimmermann, HW. (1977). ASBESTOS IN WATER - MINING AND PROCESSING EFFLUENT TREATMENT. *J Water Pollut Control Fed* 49: 156-160.
- Lawther, PJ. (1979). Epidemics of non-infectious disease. 205: 63-75.
- Layman, L. (1983). Work and workers' responses at Wittenoom, 1943-1966. *Community Health Stud* 7: 1-18.
- Lazarus, AA. (2011). Asbestos Related Lung Disease Introduction. *Dis Mon* 57: 6-6. <http://dx.doi.org/10.1016/j.disamonth.2010.12.002>.
- Lazarus, R. (1982). Lung-function reference values from Victoria power-industry workmen. 2: 121-124.
- Le Bouffant, L. (1974). Investigation and analysis of asbestos fibers and accompanying minerals in biological materials. *Environ Health Perspect* 9: 149-153.
- Le Bouffant, L. (1978). [Asbestos fibers in alcoholic beverages. Contaminating role of filtration material]. 32: 1011-1019.
- Le Bouffant, L. (1980). Physics and chemistry of asbestos dust. *IARC Sci Publ* 1: 15-33.
- Le Bouffant, L; Daniel, H; Henin, JP; Martin, JC; Normand, C; Tichoux, G; Trolard, F. (1987). Experimental study on long-term effects of inhaled MMMF on the lungs of rats. *Ann Occup Hyg* 31: 765-790.
- Le Bouffant, L; Martin, JC; Durif, S. (1969). [Identification of mineral particles in histological sections by x-ray diffraction. Problems posed by the observation of microscopic particles of asbestos]. *Poumon Coeur* 25: 299-305.

Human Health Hazard Literature Search Results

Off Topic

- Le, DT; Deavers, M; Hunt, K; Malpica, A; Verschraegen, CF. (2003). Cisplatin and irinotecan (CPT-11) for peritoneal mesothelioma. *Cancer Invest* 21: 682-689. <http://dx.doi.org/10.1081/CNV-120023766>.
- Le Gros, V; Lemaigre, D; Suon, C; Pozzi, JP; Liot, F. (1989). Magnetopneumography: a general review [Review]. *Eur Respir J* 2: 149-159.
- Le Guen, JM; Burdett, G. (1981). Asbestos concentration in public buildings: A preliminary report. *Ann Occup Hyg* 24: 185-190.
- Le Guen, JMM; Galvin, S. (1981). Clearing and mounting techniques for the evaluation of asbestos fibres by the membrane filter method. 24: 273-280.
- Le, GV; Takahashi, K; Karjalainen, A; Delgermaa, V; Hoshuyama, T; Miyamura, Y; Furuya, S; Higashi, T; Pan, G; Wagner, G. (2010). National use of asbestos in relation to economic development. *Environ Health Perspect* 118: 116-119. <http://dx.doi.org/10.1289/ehp.0901196>.
- Le Pimpec-Barthes, F; Bernard, I; Abd Alsamad, I; Renier, A; Kheuang, L; Fleury-Feith, J; Devauchelle, P; Colonna, FQ; Riquet, M; Jaurand, MC. (1999). Pleuro-pulmonary tumours detected by clinical and chest X-ray analyses in rats transplanted with mesothelioma cells. *Br J Cancer* 81: 1344-1350.
- Le Stang, N; Belot, A; Gilg Soit Ilg, A; Rolland, P; Astoul, P; Bara, S; Brochard, P; Danzon, A; Delafosse, P; Grosclaude, P; Guizard, AV; Imbernon, E; Lapôtre-Ledoux, B; Ligier, K; Molinié, F; Pairon, JC; Sauleau, EA; Trétarre, B; Velten, M; Bossard, N; Goldberg, M; Launoy, G; Galateau-Sallé, F. (2010). Evolution of pleural cancers and malignant pleural mesothelioma incidence in France between 1980 and 2005. *Int J Cancer* 126: 232-238. <http://dx.doi.org/10.1002/ijc.24711>.
- Lea, CS; Hertz-Picciotto, I; Andersen, A; Chang-Claude, J; Olsen, JH; Pesatori, AC; Teppo, L; Westerholm, P; Winter, PD; Boffetta, P. (1999). Gender differences in the healthy worker effect among synthetic vitreous fiber workers. *Am J Epidemiol* 150: 1099-1106.
- Leanderson, P; Lagesson, V; Tagesson, C. (1997). Demonstration of nitric oxide on asbestos and silicon carbide fibers with a new ultraviolet spectrophotometric assay. *Environ Health Perspect* 105: 1037-1040.
- Leanderson, P; Soderkvist, P; Tagesson, C; Axelson, O. (1988). FORMATION OF 8-HYDROXYDEOXYGUANOSINE BY ASBESTOS AND MAN-MADE MINERAL FIBERS. *Br J Ind Med* 45: 309-311.
- Leard, LE; Broadbudd, VC. (2004). Mesothelial cell proliferation and apoptosis. *Respirology* 9: 292-299.
- Lebaron, EI; Boettner, EA. (1980). Fiber motion analysis by two-pulse holography. *Appl Opt* 19: 891-894.
- Leblay, N; Leprêtre, F; Le Stang, N; Gautier-Stein, A; Villeneuve, L; Isaac, S; Maillet, D; Galateau-Sallé, F; Villenet, C; Sebda, S; Goracci, A; Byrnes, G; Mckay, JD; Figeac, M; Glehen, O; Gilly, FN; Foll, M; Fernandez-Cuesta, L; Brevet, M. (2016). BAP1 Is Altered by Copy Number Loss, Mutation, and/or Loss of Protein Expression in More Than 70% of Malignant Peritoneal Mesotheliomas. *J Thorac Oncol*. <http://dx.doi.org/10.1016/j.jtho.2016.12.019>.
- Leboeuf, RA; Kerckaert, GA; Aardema, MJ; Gibson, DP; Brauninger, R; Isfort, RJ. (1996). The pH 6.7 Syrian hamster embryo cell transformation assay for assessing the carcinogenic potential of chemicals [Review]. *Mutat Res* 356: 85-127. [http://dx.doi.org/10.1016/0027-5107\(95\)00199-9](http://dx.doi.org/10.1016/0027-5107(95)00199-9).
- Lebovits, AH. (1980). PSYCHOLOGICAL ASPECTS OF MESOTHELIOMA AND KNOWLEDGE OF HIGH RISK FOR CANCER (pp. 26-27). (HEEP/81/04374). Lebovits, AH.
- Lebovits, AH. (1985). Controlled psychologic study of asbestos exposure [Research]. RePORTER Database National Institutes of Health.
- Lebovits, AH; Chahinian, AP; Holland, JF; Holland, JC. (1981). RETROSPECTIVE REACTIONS OF MESOTHELIOMA PATIENTS (PTS) TO ASBESTOS EXPOSURE. *Proc Am Assoc Cancer Res* 22: 397-397.
- Lebowitz, MD. (1990). Environmental contaminants and low-level cancer risks: perceptions and scientific strategies. *Int J Epidemiol* 19 Suppl 1: S11-S13.
- Lechner, JF. (1986). Model systems for studying physical carcinogens at the cellular level [Research]. RePORTER Database National Institutes of Health.
- Lechner, JF. (1988). Model systems for studying physical carcinogens at the cellular level [Research]. RePORTER Database National Institutes of Health.
- Lechner, JF; Laveck, MA; Gerwin, BI; Matis, EA. (1989). Differential responses to growth factors by normal human mesothelial cultures from individual donors. *J Cell Physiol* 139: 295-300. <http://dx.doi.org/10.1002/jcp.1041390211>.
- Lechner, JF; Tesfaigzi, J; Gerwin, BI. (1997). Oncogenes and tumor-suppressor genes in mesothelioma - A synopsis. *Environ Health Perspect* 105: 1061-1067. <http://dx.doi.org/10.2307/3433510>.
- Leclercq, RM; Jongmans-Liedekerken, AW. (1997). [Malignant pleural mesothelioma in general practice; complex pain problems]. *Ned Tijdschr Geneesk* 141: 1081-1085.
- Leconche, JJ. (2010). Hazmat Disaster Preparedness Training Program (HDPTP).
- Leconche, JJ. (2011). Hazmat Disaster Preparedness Training Program (HDPTP).
- Leconche, JJ. (2012). Hazmat Disaster Preparedness Training Program (HDPTP).
- Leconche, JJ. (2013). Hazmat Disaster Preparedness Training Program (HDPTP).
- Leconche, JJ. (2014). Hazmat Disaster Preparedness Training Program (HDPTP).
- Ledda, C; Loreto, C; Bracci, M; Mangano, D; Migliore, M; Ricceri, V; Musumeci, A; Costa, C; Pomara, C; Rapisarda, V. (2016). High risk of pleural plaques and parenchymal abnormalities in women living in Biancavilla (Italy). 12: 63-65. <http://dx.doi.org/10.2217/fon-2016-0337>.
- Ledda, C; Loreto, C; Matera, S; Massimino, N; Cannizzaro, E; Musumeci, A; Migliore, M; Fenga, C; Pomara, C; Rapisarda, V. (2016). Early effects of fluoro-edenite: correlation between IL-18 serum levels and pleural and parenchymal abnormalities. 12: 59-62. <http://dx.doi.org/10.2217/fon-2016-0338>.
- Ledda, C; Loreto, C; Pomara, C; Rapisarda, G; Fiore, M; Ferrante, M; Bracci, M; Santarelli, L; Fenga, C; Rapisarda, V. (2016). Sheep lymph-nodes as a biological indicator of environmental exposure to fluoro-edenite. *Environ Res* 147: 97-101. <http://dx.doi.org/10.1016/j.envres.2016.01.043>.

Human Health Hazard Literature Search Results

Off Topic

- Ledda, C; Pomara, C; Bracci, M; Mangano, D; Ricceri, V; Musumeci, A; Ferrante, M; Musumeci, G; Loreto, C; Fenga, C; Santarelli, L; Rapisarda, V. (2016). Natural carcinogenic fiber and pleural plaques assessment in a general population: A cross-sectional study. *Environ Res* 150: 23-29. <http://dx.doi.org/10.1016/j.envres.2016.05.024>.
- Ledecka, K; Sevcikova, Z; Mihaly, M; Hajurka, J; Pavuk, V; Hluchy, M; Skurkova, L; Lackova, M; Ledecy, V. (2010). Mesothelioma of the pericardium in a Bernese mountain dog - a case report. *Veterinarski Arhiv* 80: 797-806.
- Lederer, DJ. (2008). Explaining Racial and Ethnic Disparities in Idiopathic Pulmonary Fibrosis.
- Lederer, DJ. (2009). Explaining Racial and Ethnic Disparities in Idiopathic Pulmonary Fibrosis.
- Lederer, DJ. (2010). Explaining Racial and Ethnic Disparities in Idiopathic Pulmonary Fibrosis.
- Lederer, DJ. (2011). Explaining Racial and Ethnic Disparities in Idiopathic Pulmonary Fibrosis.
- Leditschke, J; Collett, S; Ellen, R. (2011). Mortuary operations in the aftermath of the 2009 Victorian bushfires. *Forensic Sci Int* 205: 8-14. <http://dx.doi.org/10.1016/j.forsciint.2010.11.002>.
- Lee, AH; Soomro, IN. (2004). Collision tumour of the pleura composed of small cell carcinoma and malignant mesothelioma [Letter]. *Histopathology* 45: 305-306. <http://dx.doi.org/10.1111/j.1365-2559.2004.01900.x>.
- Lee, BW; Christiani, DC. (1998). Cigarette smoking, asbestos exposure, lung cancer, and sample size - From the authors. *Am J Respir Crit Care Med* 158: 1688-1688.
- Lee, BW; Wain, JC; Kelsey, KT; Wiencke, JK; Christiani, DC. (1998). Association between diet and lung cancer location. *Am J Respir Crit Care Med* 158: 1197-1203. <http://dx.doi.org/10.1164/ajrccm.158.4.9804089>.
- Lee, CS; Cooper, WA. (2004). Asbestos exposure and lung cancer [Editorial]. *Pathology* 36: 513-514. <http://dx.doi.org/10.1080/00313020400012050>.
- Lee, CW; Martin, J; Macrae, R; Tsao, MS; Nguyen, E; Johnston, M; Baas, P; Laurie, S; Feld, R; Murray, N; Shepherd, FA. (2008). Malignant mesothelioma: Canadian perspective and research directions. *Current Oncology (Toronto)* 15: 104-111.
- Lee, DJ; Fleming, LE; Mccollister, KE; Caban, AJ; Arheart, KL; Leblanc, WG; Chung-Bridges, K; Christ, SL; Dietz, N; Clark, JD. (2007). Healthcare provider smoking cessation advice among US worker groups. *Tob Control* 16: 325-328. <http://dx.doi.org/10.1136/tc.2006.019117>.
- Lee, EG; Nelson, JH; Kashon, ML; Harper, M. (2015). Evaluation of the dark-medium objective lens in counting asbestos fibers by phase-contrast microscopy. *Ann Occup Hyg* 59: 616-628. <http://dx.doi.org/10.1093/annhyg/mev007>.
- Lee, EG; Pang, TW; Nelson, J; Andrew, M; Harper, M. (2011). Comparison of mounting methods for the evaluation of fibers by phase contrast microscopy. *Ann Occup Hyg* 55: 644-657. <http://dx.doi.org/10.1093/annhyg/mer015>.
- Lee, GL; Smith, DJ. (1974). Steelwork insulated with sprayed crocidolite asbestos: controlling a potential hazard. *Ann Occup Hyg* 17: 49-52.
- Lee, HJ; Park, EK; Wilson, D; Tutkun, E; Oak, C. (2013). Awareness of Asbestos and Action Plans for Its Exposure can Help Lives Exposed to Asbestos. *Saf Health Work* 4: 84-86. <http://dx.doi.org/10.1016/j.shaw.2013.04.005>.
- Lee, J; Vandervort, R. (1970). Report On Survey Of Sager Glove Corporation, Murray, Kentucky, Hazard Evaluation And Technical Assistance Report No. HETA-70-036 (pp. 70-036). (NIOSH/00133819). Lee, J; Vandervort, R.
- Lee, J; Wang, M; Sudhir, PR; Chen, G; Chi, C; Chen, JY. (2007). Osteopontin promotes integrin activation through outside-in and inside-out mechanisms: OPN-CD44(v) interaction enhances survival in gastrointestinal cancer cells. *Cancer Res* 67: 2089-2097. <http://dx.doi.org/10.1158/0008-5472.CAN-06-3625>.
- Lee, JH; Lee, SB; Bae, GN; Jeon, KS; Yoon, JU; Ji, JH; Sung, JH; Lee, BG; Lee, JH; Yang, JS; Kim, HY; Kang, CS; Yu, IJ. (2010). Exposure assessment of carbon nanotube manufacturing workplaces. *Inhal Toxicol* 22: 369-381. <http://dx.doi.org/10.3109/08958370903367359>.
- Lee, JK; Sayers, BC; Chun, KS; Lao, HC; Shipley-Phillips, JK; Bonner, JC; Langenbach, R. (2012). Multi-walled carbon nanotubes induce COX-2 and iNOS expression via MAP kinase-dependent and -independent mechanisms in mouse RAW264.7 macrophages. *Part Fibre Toxicol* 9: 14. <http://dx.doi.org/10.1186/1743-8977-9-14>.
- Lee, JS. (1989). An industrial hygienist's perspective on generic standards. *Ann N Y Acad Sci* 572: 93-99; discussion 107-109.
- Lee, JU, ee; Kim, B, umK; Kim, YM, ee; Sul, H, aeJ; Lee, KB, ok; Lee, H, oiY. (2007). Malignant deciduoid mesothelioma - A case report. 41: 416-419.
- Lee, JW; Won, EJ; Kang, HM; Hwang, DS; Kim, DH; Kim, RK; Lee, SJ; Lee, JS. (2016). Effects of multi-walled carbon nanotube (MWCNT) on antioxidant depletion, the ERK signaling pathway, and copper bioavailability in the copepod (*Tigriopus japonicus*). *Aquat Toxicol* 171: 9-19. <http://dx.doi.org/10.1016/j.aquatox.2015.12.005>.
- Lee, KH; Park, SH; Yoon, HS; Kim, YI; Jang, HG; Im, WB. (2012). Bredigite-structure orthosilicate phosphor as a green component for white LED: the structural and optical properties. *Optics Express* 20: 6248-6257.
- Lee, LJH; Chang, Y; Liou, SH; Wang, J. (2012). Estimation of benefit of prevention of occupational cancer for comparative risk assessment: methods and examples. *Occup Environ Med* 69: 582-586. <http://dx.doi.org/10.1136/oemed-2011-100462>.
- Lee, LJH; Chang, Y; Wang, J. (2010). Impact of malignant mesothelioma in Taiwan: A 27-year review of population-based cancer registry data. *Lung Cancer* 68: 16-19. <http://dx.doi.org/10.1016/j.lungcan.2009.05.016>.
- Lee, M; Alexander, HR; Burke, A. (2013). Diffuse mesothelioma of the peritoneum: a pathological study of 64 tumours treated with cytoreductive therapy. *Pathology* 45: 464-473. <http://dx.doi.org/10.1097/PAT.0b013e3283631cce>.
- Lee, ML; Whitmore, GA; Laden, F; Hart, JE; Garshick, E. (2009). A case-control study relating railroad worker mortality to diesel exhaust exposure using a threshold regression model. *J Stat Plan Inference* 139: 1633-1642. <http://dx.doi.org/10.1016/j.jspi.2008.05.023>.
- Lee, P. (2002). Joint action of smoking and asbestos exposure on lung cancer - Reply. *Occup Environ Med* 59: 495-496.
- Lee, PN; Forey, BA. (2003). Why are lung cancer rate trends so different in the United States and United kingdom? *Inhal Toxicol* 15: 909-949. <http://dx.doi.org/10.1080/08958370390215776>.

Human Health Hazard Literature Search Results

Off Topic

- Lee, PN; Forey, BA; Coombs, KJ. (2012). Systematic review with meta-analysis of the epidemiological evidence in the 1900s relating smoking to lung cancer [Review]. *BMC Cancer* 12: 385. <http://dx.doi.org/10.1186/1471-2407-12-385>.
- Lee, R; Van Orden, D. (2015). RE: Gordon R, Fitzgerald S, and Millette J. Asbestos in commercial cosmetic talcum powder as a cause of mesothelioma in women. *Int J Occup Environ Health*. 2014;20(4):318-332. *Int J Occup Environ Health*2049396715Y0000000005. <http://dx.doi.org/10.1179/2049396715Y0000000005>.
- Lee, RJ; Fisher, RM. (1979). IDENTIFICATION OF FIBROUS AND NONFIBROUS AMPHIBOLES IN THE ELECTRON MICROSCOPE (pp. NEW YORK). (HEEP/81/07981). Lee, RJ; Fisher, RM.
- Lee, RJ; Florida, RG; Stewart, IM. (1995). Asbestos contamination in paraffin tissue blocks. *Arch Pathol Lab Med* 119: 528-532.
- Lee, RJ; Kelly, JF; Walker, JS. (1982). Considerations In The Analysis And Definition Of Asbestos Using Electron Microscopy (pp. Materials and Analytical Methods). (NIOSH/00146156). Lee, RJ; Kelly, JF; Walker, JS.
- Lee, RJ; Lally, JS; Fisher, RM. (1978). Identification And Counting Of Mineral Fragments (pp. Definitions and Measurement Methods). (NIOSH/00146044). Lee, RJ; Lally, JS; Fisher, RM.
- Lee, RJ; Van Orden, DR. (2008). Airborne asbestos in buildings. *Regul Toxicol Pharmacol* 50: 218-225. <http://dx.doi.org/10.1016/j.yrtph.2007.10.005>.
- Lee, RJ; Van Orden, DR; Corn, M; Crump, KS. (1992). Exposure to airborne asbestos in buildings. *Regul Toxicol Pharmacol* 16: 93-107.
- Lee, RJ; Vanorden, DR; Dunmyre, GR. (1996). Interlaboratory evaluation of the breakup of asbestos containing dust particles by ultrasonic agitation. *Environ Sci Technol* 30: 3010-3015.
- Lee, S; Matsuzaki, H; Kumagai-Takei, N; Yoshitome, K; Maeda, M; Chen, Y; Kusaka, M; Urakami, K; Hayashi, H; Fujimoto, W; Nishimura, Y; Otsuki, T. (2014). Silica exposure and altered regulation of autoimmunity [Review]. *Environ Health Prev Med* 19: 322-329. <http://dx.doi.org/10.1007/s12199-014-0403-9>.
- Lee, S; Pervaiz, S. (2011). Assessment of Oxidative Stress-Induced DNA Damage by Immunofluorescent Analysis of 8-OxodG [Review]. *Methods Cell Biol* 103: 99-113. <http://dx.doi.org/10.1016/B978-0-12-385493-3.00005-X>.
- Lee, SF; O'Connor, MM; Chapman, Y; Hamilton, V; Francis, K. (2009). A very public death: dying of mesothelioma and asbestos-related lung cancer (M/ARLC) in the Latrobe Valley, Victoria, Australia. *Rural Remote Health* 9: 1183.
- Lee, TC; Zhang, YH; Aston, C; Hintz, R; Jagirdar, J; Perle, MA; Burt, M; Rom, WN. (1993). NORMAL HUMAN MESOTHELIAL CELLS AND MESOTHELIOMA CELL-LINES EXPRESS INSULIN-LIKE GROWTH FACTOR-I AND ASSOCIATED MOLECULES. *Cancer Res* 53: 2858-2864.
- Lee, WJ; Baris, D; Järvalho, B; Silverman, DT; Bergdahl, IA; Blair, A. (2003). Multiple myeloma and diesel and other occupational exposures in swedish construction workers. *Int J Cancer* 107: 134-138. <http://dx.doi.org/10.1002/ijc.11351>.
- Lee, WJ; Sandler, DP; Blair, A; Samanic, C; Cross, AJ; Alavanja, MC. (2007). Pesticide use and colorectal cancer risk in the Agricultural Health Study. *Int J Cancer* 121: 339-346. <http://dx.doi.org/10.1002/ijc.22635>.
- Lee, WR. (1978). Advances in occupational health. *Practitioner* 221: 581-585.
- Lee, WR. (1986). WHAT SHOULD WE DO ABOUT WORK RELATED CANCER. *Br Med J* 292: 1155-1156.
- Lee, WR. (1994). THE OCCUPATIONAL HISTORY (pp. LONDON). (BIOSIS/94/33339). Lee, WR.
- Lee, Y; Lee, Y; Im, J; Won, SY; Kim, Y; Cho, MK; Nam, H; Choi, Y; Lee, S. (2013). Synergistic anti-cancer effects of resveratrol and chemotherapeutic agent clofarabine against human malignant mesothelioma MSTO-211H cells. *Food Chem Toxicol* 52: 61-68. <http://dx.doi.org/10.1016/j.fct.2012.10.060>.
- Lee, YC; Hogg, R; Rannels, DE. (1994). EXTRACELLULAR-MATRIX SYNTHESIS BY COAL DUST-EXPOSED TYPE-II EPITHELIAL-CELLS. *Am J Physiol Lung Cell Mol Physiol* 267: L365-L374.
- Lee, YC; Rynnion, CK; Pang, SC; de Klerk, NH; Musk, AW. (2001). Increased body mass index is related to apparent circumscribed pleural thickening on plain chest radiographs. *Am J Ind Med* 39: 112-116.
- Lee, YCG; Singh, B; Pang, SC; de Klerk, NH; Hillman, DR; Musk, AW. (2003). Earlier study on asbestos workers, ILO scores, and oxygenation more comprehensive - Reply. *Occup Environ Med* 60: 611-611.
- Lee, YCG; Singh, B; Pang, SC; de Klerk, NH; Hillman, DR; Musk, AW. (2003). Radiographic (ILO) readings predict arterial oxygen desaturation during exercise in subjects with asbestosis. *Occup Environ Med* 60: 201-206.
- Leeman, RJ. (2007). Prevention of Head and Neck Carcinogenesis with a Plant-Derived Compound.
- Leeman, RJ. (2008). Prevention of Head and Neck Carcinogenesis with a Plant-Derived Compound.
- Leeman, RJ. (2009). Prevention of Head and Neck Carcinogenesis with a Plant-Derived Compound.
- Lefebvre, Y; Lambert, M; Khorami, J; Menard, H. (1988). GAS CHROMATOGRAPHIC STUDY OF THE ADSORBING PROPERTIES OF MODIFIED ASBESTOS FIBERS AND FIBERS PROPOSED AS SUBSTITUTES FOR ASBESTOS. *Can J Chem* 66: 1596-1599.
- Lefevre, ME; Joel, DD. (1984). PEYERS PATCH EPITHELIUM AN IMPERFECT BARRIER (pp. INTESTINAL TOXICOLOGY). (HEEP/85/03167). Lefevre, ME; Joel, DD.
- Legales, C. (1984). AN EVALUATION MODEL FOR OCCUPATIONAL MORTALITY IN ASBESTOS INDUSTRY. *Rev Epidemiol Sante Publique* 32: 122-133.
- Legales, C; Oudiz, A. (1984). METHODOLOGICAL CONTRIBUTION TO THE DETERMINATION OF PERMISSIBLE OCCUPATIONAL EXPOSURE LIMITS TO ASBESTOS - EXPOSURE-RISK RELATIONS AND ECONOMIC CRITERIA. *Rev Epidemiol Sante Publique* 32: 113-121.
- Legan, J; Madden, R; Thoma, G; Patten, J. (1973). Biologic exposure to dental materials. *Oral Surg Oral Med Oral Pathol* 36: 908-914.
- Legittimo, P; Silvestri, S. (2010). MASTER COMPANY/EXPOSURE TO ASBESTOS: A USEFUL IN-DEPTH ANALYSIS TOOL FOR EPIDEMIOLOGICAL DETERMINANTS FOR ASBESTOS-RELATED ILLNESSES. *Epidemiol Prev* 34: 209-209.
- Legrand Cattani, K; Chouaid, C; Monnet, I; Atassi, K; Bassinet, L; Dhissi, G; Fuhrman, C; Lebarry, F; L'Huillier, JP; Maitre, B; Mangiapan, G; Roos, F; Bignon, J; Housset, B; Pairon, JC. (2000). [Evaluation of occupational exposures in lung cancer]. *Rev Mal Respir* 17: 957-962.

Human Health Hazard Literature Search Results

Off Topic

- Legrande, D. (1989). Luncheon Address (pp. 305-309). (NIOSH/00189073). Legrande, D.
- Lehman, EJ; Hein, MJ; Estill, CF. (2008). Proportionate mortality study of the United Association of Journeymen and Apprentices of the Plumbing and Pipe Fitting Industry. *Am J Ind Med* 51: 950-963. <http://dx.doi.org/10.1002/ajim.20640>.
- Lehnert, M; Kraywinkel, K; Heinze, E; Wiethage, T; Johnen, G; Fiebig, J; Brüning, T; Taeger, D. (2017). Incidence of malignant mesothelioma in Germany 2009-2013. *Cancer Causes Control* 28: 97-105. <http://dx.doi.org/10.1007/s10552-016-0838-y>.
- Lehtinen, S; ed. (1997). Asbestos, asbestosis and cancer. (CIS/08/00594). Lehtinen, S; ed.
- Lechnitz, K. (1995). Analysis of dangerous substances. (CIS/95/01809). Lechnitz, K.
- Leidel, NA; Bayer, SG; Zumwalde, RD; Busch, KA. (1979). USPHS Membrane Filter Method for Evaluating Airborne Asbestos Fibers (pp. 79-127). (NIOSH/00133465). Leidel, NA; Bayer, SG; Zumwalde, RD; Busch, KA.
- Leidel, NA; Busch, KA. (1974). An Evaluation of Phase Contrast Microscopes for Asbestos Counting. (NIOSH/00190677). Leidel, NA; Busch, KA.
- Leigh, J. (1995). Mesothelioma: is asbestos exposure the only cause? [Letter]. *Med J Aust* 163: 105-106.
- Leigh, J; Davidson, P; Hendrie, L; Berry, D. (2001). Malignant mesothelioma in Australia, 1945 to 2000. *J Occup Health Saf Aust New Zeal* 17: 453-470.
- Leigh, JP. (1986). Using a "risk-free" wage in calculating the present value of lost earnings for asbestos workers. 4: 26-28.
- Leigh, JP. (1992). Probabilities of Job-Related Deaths and Disabilities. 66.
- Leigh, JP; De Vogli, R. (2016). Low Wages as Occupational Health Hazards. *J Occup Environ Med* 58: 444-447. <http://dx.doi.org/10.1097/JOM.0000000000000717>.
- Leigh, S; Steel, E; Small, J; Sheridan, P; Filliben, J. (1982). Statistical Considerations In The Preparation Of Chrysotile Filter Reference Materials: Filter Homogeneity (pp. Materials and Analytical Methods). (NIOSH/00146038). Leigh, S; Steel, E; Small, J; Sheridan, P; Filliben, J.
- Leikin, JB. (2011). Asbestos Related Lung Disease Foreword. *Dis Mon* 57: 5-5. <http://dx.doi.org/10.1016/j.disamonth.2010.11.002>.
- Lein, M. (2004). When science crosses politics, I: The case of naturally occurring asbestos [Letter]. *J Environ Health* 67: 40.
- Leineweber, JP. (1900). Dust Chemistry and Physics Mineral and Vitreous Fibers. Health (London) Safety and Environment Department.
- Leineweber, JP. (1978). Statistics And The Significance Of Asbestos Fiber Analyses (pp. Definitions and Measurement Methods). (NIOSH/00145906). Leineweber, JP.
- Lemaire, I; Jones, S; Khan, MF. (1991). Bombesin-like peptides in alveolar macrophage: increased release in pulmonary inflammation and fibrosis. *Neuropeptides* 20: 63-72.
- Lemaire, I; Lemaire, S; Beaudoin, H; Masse, S; Dubois, C. (1983). ASBESTOS INDUCED FIBROSIS IN RATS - INCREASED PRODUCTION OF MACROPHAGE-DERIVED GROWTH-FACTOR FOR LUNG FIBROBLASTS. *Am Rev Respir Dis* 127: 168-168.
- Lemaire, I; Masse, S; Beaudoin, H. (1985). Alveolar Macrophage-Derived Growth Factor for Fibroblasts: A Potential Mediator of Asbestos-Induced Fibrosis (pp. 459-465). (NIOSH/00165780). HASKELL LABORATORY.
- Lemaire, I; Ouellet, S. (1996). Role of transforming growth factor-beta(1) in down-regulating TNF production by alveolar macrophages during asbestos-induced pulmonary fibrosis. *Mediators Inflamm* 5: 37-42. <http://dx.doi.org/10.1155/S0962935196000063>.
- Lemaire, I; Yang, HX. (1996). Colony stimulating factors induce alveolar macrophage differentiation and giant cell formation. *Ann N Y Acad Sci* 796: 173-181.
- Lemarie, E. (2004). Exposure to asbestos and lung cancer. *Rev Mal Respir* 21: S86-S87.
- Lemen, RA. (1972). Spray Application of Fireproof Insulation at the Construction Site of the Proctor and Gamble Technical Center, Blue Ash, Ohio. (NIOSH/00192309). Lemen, RA.
- Lemen, RA. (1994). WAGONER, JOSEPH, K. DECEMBER 4, 1935 - MAY 30, 1993 - IN-MEMORIAM. *Am J Ind Med* 25: 923-925.
- Lemen, RA. (2000). RE: Call for an International Ban on Asbestos: Why asbestos should be banned [Letter]. *Am J Ind Med* 37: 236-237.
- Lemen, RA; Bingham, E. (1994). CASE-STUDY IN AVOIDING A DEADLY LEGACY IN DEVELOPING-COUNTRIES [Review]. *Toxicol Ind Health* 10: 59-87.
- Lemen, RA; Bingham, E. (1994). The Continuum of Prevention during Industrial Development: New Markets and the Introduction of Old and New Technologies (pp. Hazards and Risks of Chemicals in the Oil Refining Industry). (NIOSH/00227294). Lemen, RA; Bingham, E.
- Lemen, RA; Frank, AL; Soskolne, CL; Weiss, SH; Castleman, BI. (2014). Asbestos exposure during home renovation in New South Wales [Letter]. *Med J Aust* 200: 315. <http://dx.doi.org/10.5694/mja13.11293>.
- Lemenager, J; Boulier, A; Sesboue, B; Fabre, J. (1984). COMPARATIVE ESTIMATION ON X-RAYS AND LUNG-FUNCTION TESTING IN SURVEY FOR ASBESTOS RELATED DISEASES. *Bull Acad Natl Med* 168: 981-985.
- Lemesch, C; Naim, LY; Donagi, A. (1983). Occupational cancer in Israel. *Isr J Med Sci* 19: 655-656.
- Lemieux, P. (2012). Emissions of Amphibole Asbestos from the Simulated Open Burning of Duff from Libby, MT. 327.
- Lemjabbar-Alaoui, H; Hassan, OU; Yang, YW; Buchanan, P. (2015). Lung cancer: Biology and treatment options [Review]. *Biochim Biophys Acta* 1856: 189-210. <http://dx.doi.org/10.1016/j.bbcan.2015.08.002>.
- Lemkin, P; Lipkin, L; Merrill, C; Shifrin, S. (1980). Protein abnormalities in macrophages bearing asbestos. *Environ Health Perspect* 34: 75-89.
- Lemonde, J; Tremblay, A; Massey, DG. (1971). ASBESTOS AND CANCER GROWTH. *Clin Res* 19.
- Lemos, BR; Soares, ÉA; Teixeira, AP; Ardisson, JD; Fernandez-Outon, LE; Amorim, CC; Lago, RM; Moura, FC. (2016). Growth of carbon structures on chrysotile surface for organic contaminants removal from wastewater. *Chemosphere* 159: 602-609. <http://dx.doi.org/10.1016/j.chemosphere.2016.06.022>.
- Lenhart, SW; Kawamoto, MM. (1993). Health Hazard Evaluation Report HETA 92-022-2327, Green Circle Growers, Inc., Oberlin, Ohio. (HHE Report No. HETA-92-022-2327). Cincinnati, OH: National Institute for Occupational Safety and Health (NIOSH).
- Lenihan, J; Fletcher, WW. (1977). Environment and Man, Vol. 6. The chemical environment. (HEEP/79/04643). Lenihan, J; Fletcher, WW.
- Lennox, D; Leroux, J. (1953). Applications of X-Ray Diffraction Analysis in the Environmental Field (pp. 359-370). (NIOSH/00051790). Lennox, D; Leroux, J.

Human Health Hazard Literature Search Results

Off Topic

- Lenters, V; Burdorf, A; Vermeulen, R; Stayner, L; Heederik, D. (2012). Quality of evidence must guide risk assessment of asbestos. *Ann Occup Hyg* 56: 879-887. <http://dx.doi.org/10.1093/annhyg/mes065>.
- Lentz, TJ; Rice, CH; Lockey, JE; Succop, PA; Lemasters, GK. (1999). Potential significance of airborne fiber dimensions measured in the U.S. refractory ceramic fiber manufacturing industry. *Am J Ind Med* 36: 286-298.
- Lentzen, DE; Brantly, EP; Gold, KW; Myers, LE. (1982). Preparation Of Asbestos "Standards" For Methods Verification And Laboratory Evaluation (pp. Materials and Analytical Methods). (NIOSH/00145890). Lentzen, DE; Brantly, EP; Gold, KW; Myers, LE.
- Lentzen, DE; Lee, RJ; Casuccio, GS; Dunmyre, GR. (1986). SAMPLING AND ANALYSIS FOR AIRBORNE ASBESTOS AND OTHER INORGANIC PARTICULATES (pp. 7-12). (BIOSIS/86/37132). Lentzen, DE; Lee, RJ; Casuccio, GS; Dunmyre, GR.
- Leonard, JF; Templeton, PA. (1992). PULMONARY IMAGING TECHNIQUES IN THE DIAGNOSIS OF OCCUPATIONAL INTERSTITIAL LUNG DISEASE (pp. 241-260). (BIOSIS/92/22399). Leonard, JF; Templeton, PA.
- Leonelli, C; Veronesi, P; Boccaccini, DN; Rivasi, MR; Barbieri, L; Andreola, F; Lancellotti, I; Rabitti, D; Pellacani, GC. (2006). Microwave thermal inertisation of asbestos containing waste and its recycling in traditional ceramics. *J Hazard Mater* 135: 149-155. <http://dx.doi.org/10.1016/j.jhazmat.2005.11.035>.
- Leon-Gonzalez, AJ; Auger, C; Schini-Kerth, VB. (2015). Pro-oxidant activity of polyphenols and its implication on cancer chemoprevention and chemotherapy. *Biochem Pharmacol* 98: 371-380. <http://dx.doi.org/10.1016/j.bcp.2015.07.017>.
- Leophonte, P; De Vuyst, P; Dumortier, P; Didier, A; Gaudichet, A; Caratero, A. (1986). CYTOMORPHOLOGICAL AND MINERALOGICAL FINDINGS IN BRONCHO-ALVEOLAR LAVAGE IN FRENCH TALC PNEUMOCONIOSIS (pp. 11-14). (BIOSIS/86/28421). Leophonte, P; De Vuyst, P; Dumortier, P; Didier, A; Gaudichet, A; Caratero, A.
- Lerman, C. (2012). Tobacco and Environmental Carcinogenesis Program.
- Lerman, C. (2013). Tobacco and Environmental Carcinogenesis Program.
- Lerman, C. (2014). Tobacco and Environmental Carcinogenesis Program.
- Lerman, C. (2015). Tobacco and Environmental Carcinogenesis Program.
- Lerman, Y; Schwarz, Y; Kaufman, G; Ganor, E; Fireman, E. (2003). Case series: Use of induced sputum in the evaluation of occupational lung diseases. *Arch Environ Health* 58: 284-289.
- Lerman, Y; Segal, B; Rochvarger, M; Weinberg, D; Kivity, O; Fireman, E. (2003). Induced-sputum particle size distribution and pulmonary function in foundry workers. *Arch Environ Health* 58: 565-571.
- Lesage, S. (1993). METHODS FOR THE ANALYSIS OF HAZARDOUS WASTES. *J Chromatogr* 642: 1-2.
- Lescoufflair, G; Phillion, Y; Morissette, J. (1980). Hearing loss among miners claiming compensation. 106: 602-609.
- Leslie, GB. (2000). Health risks from indoor air pollutants: public alarm and toxicological reality. *Indoor Built Environ* 9: 5-16.
- Leslie, GB; Lunau, FW. (1992). Indoor air pollution. Problems and priorities. (CIS/93/01991). Leslie, GB; Lunau, FW.
- Lesur, O; Melloni, B; Cantin, AM; Begin, R. (1992). SILICA-EXPOSED LUNG FLUIDS HAVE A PROLIFERATIVE ACTIVITY FOR TYPE-II EPITHELIAL-CELLS - A STUDY ON HUMAN AND SHEEP ALVEOLAR FLUIDS. *Exp Lung Res* 18: 633-654.
- Letonturier, P. (2008). [Asbestos: damages better known]. *Presse Med* 37: 1353-1354. <http://dx.doi.org/10.1016/j.lpm.2008.03.007>.
- Letourneau, M; Chailleux, E; Ameille, J; Delobel, M; Grignet, JP. (2000). Occupational asbestosis: recognition and compensation. *Rev Mal Respir* 17: 1009-1014.
- Letourneau, M; Clin, B; Clin-Godard, B; Marquignon, MF; Gauberti, P. (2012). [What tools should be used for follow-up post occupational exposure? What should be the frequency?] [Review]. *Rev Mal Respir* 29: 205-212. <http://dx.doi.org/10.1016/j.rmr.2011.07.008>.
- Letourneau, M; Paris, C; Pommier De Santi, P; Clin, B; Marquignon, MF; Galateau-Sallé, F. (2007). [Benign asbestos-related pleuropulmonary diseases] [Review]. *Rev Mal Respir* 24: 1299-1313. <http://dx.doi.org/10.1019/200720180>.
- Leuprecht, P. (2011). Stop Canadian death export of asbestos [Editorial]. *Int J Occup Environ Health* 17: 285-286. <http://dx.doi.org/10.1179/107735211799041904>.
- Leuzzi, G; Rea, F; Spaggiari, L; Marulli, G; Sperduti, I; Alessandrini, G; Casiraghi, M; Bovolato, P; Pariscenti, G; Alloisio, M; Infante, M; Pagan, V; Fontana, P; Oliaro, A; Ruffini, E; Ratto, GB; Leoncini, G; Sacco, R; Mucilli, F; Facciolo, F. (2015). Prognostic Score of Long-Term Survival After Surgery for Malignant Pleural Mesothelioma: A Multicenter Analysis. *Ann Thorac Surg* 100: 890-897. <http://dx.doi.org/10.1016/j.athoracsur.2015.04.087>.
- Levenstein, C. (2007). Asbestos: immoral fiber, licentious interests [Editorial]. *New Solutions: A Journal of Environmental and Occupational Health Policy* 17: 275-278. <http://dx.doi.org/10.2190/5548-T1Q2-PU63-7105>.
- Levin, B. (1999). An overview of preventive strategies for pancreatic cancer [Review]. *Ann Oncol* 10 Suppl 4: 193-196.
- Levin, ER. (1990). Electron Microscopy Analysis of Asbestos (pp. The Hazardous Fiber). (NIOSH/00210918). Levin, ER.
- Levin, JL; Frank, AL; Williams, MG; Mcconnell, W; Suzuki, Y; Dodson, RF. (1996). Kaolinosis in a cotton mill worker. *Am J Ind Med* 29: 215-221. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199602\)29:2<215::AID-AJIM13>3.0.CO;2-6](http://dx.doi.org/10.1002/(SICI)1097-0274(199602)29:2<215::AID-AJIM13>3.0.CO;2-6).
- Levin, JL; Stocks, JM; Shepherd, JR; Fagan, MF; Dodson, RF. (1992). Asbestos exposures: known and underrecognized sources [Letter]. *Am J Ind Med* 22: 607-608.
- Levin, L. (1990). Industrial Hygiene Considerations Other than Asbestos of Abatement Projects (pp. The Hazardous Fiber). (NIOSH/00210920). Levin, L.
- Levin, SM. (1992). Prevention delayed is prevention denied. *Am J Ind Med* 22: 435-436.
- Levine, RJ. (1978). HOW INDUSTRIAL PHYSICIAN CAN REDUCE MORTALITY FROM ASBESTOS-RELATED DISEASES. *J Occup Environ Med* 20: 464-468.
- Levine, RJ. (1978). How the industrial physician can reduce mortality from asbestos-related diseases [Review]. *J Occup Med* 20: 464-468.

Human Health Hazard Literature Search Results

Off Topic

- Levine, RJ; Gidley, MD; Feuerstein, M; Chesney, M; Giever, PM; Felton, JS. (1979). ASBESTOS RELATED DISEASES 5. PREVENTION OF ASBESTOS RELATED DISEASES (pp. NEW YORK). (HEEP/80/09230). Levine, RJ; Gidley, MD; Feuerstein, M; Chesney, M; Giever, PM; Felton, JS.
- Levine RJ, ED. (1978). ASBESTOS: AN INFORMATION RESOURCE.
- Levine, S; Sowinski, R. (1970). Carbonyl iron: a new adjuvant for experimental autoimmune diseases. *J Immunol* 105: 1530-1535.
- Levy, BS; Halperin, WE. (1988). Screening for Occupational Disease (pp. 75-86). (NIOSH/00214323). KAROLINSKA INST (STOCKHOLM).
- Levy, BS; Seplow, A. (1992). Asbestos-Related Hazards in Developing Countries [Review]. *Environ Res* 59: 167-174.
- Levy, SA. (1994). Pulmonary Reactions to Other Occupational Dusts and Fumes. *Occup Med (Lond)* Third Edition: 194-204.
- Lewinsohn, HC; Kennedy, CA; Day, JE; Cooper, PH. (1979). Dust control in a conventional asbestos textile factory. *Ann N Y Acad Sci* 330: 225-241.
- Lewis, BM; Waters, EM; Parry, JM. (1991). COMPARATIVE STUDY OF THE ABILITY OF SELECTED CHEMICALS TO INDUCE CHROMOSOME ABERRATION IN HUMAN PERIPHERAL LYMPHOCYTES AND OTHER CELL LINES: PRELIMINARY RESULTS (pp. 429-430). (EMICBACK/79992). German federal Ministry of Labour and Social Affairs (Bundesministerium für Arbeit und Sozialordnung).
- Lewis, E; Lipkin, MD. (1985). Failure of Attapulgit to Produce Tumors: Prediction of this Result by In Vitro Cytotoxicity Test (pp. 539-542). (NIOSH/00166210). Lewis, E; Lipkin, MD.
- Lewis, NJ; Curtis, MF. (1990). Occupational health and hygiene following a fire in a warehouse with an asbestos cement roof. *J Soc Occup Med* 40: 53-54.
- Lewis, PG. (2000). Occupational and environmental medicine: moving the factory fence or hedging our bets? *Occup Med (Lond)* 50: 217-220.
- Lewis, RJ. (1993). Mesothelioma: an incurable, nonsurgically treatable disease [Letter]. *J Thorac Cardiovasc Surg* 105: 943-944.
- Lewis, RJ; Gamble, JF. (2002). Mortality among three refinery/petrochemical plant cohorts - Reply. *J Occup Environ Med* 44: 396-397.
- Lewis, RJ; Schnatter, AR; Drummond, I; Murray, N; Thompson, FS; Katz, AM; Jorgensen, G; Nicolich, MJ; Dahلمان, D; Thériault, G. (2003). Mortality and cancer morbidity in a cohort of Canadian petroleum workers. *Occup Environ Med* 60: 918-928.
- Lewis, RJ; Schnatter, AR; Katz, AM; Thompson, FS; Murray, N; Jorgensen, G; Thériault, G. (2000). Updated mortality among diverse operating segments of a petroleum company. *Occup Environ Med* 57: 595-604.
- Lewis, RM; Cavagnaro, J. (1991). THE IMPLICATIONS OF AGE-RELATED CHANGES IN IMMUNE FUNCTION AND TOXICITY (pp. AGING AND ENVIRONMENTAL TOXICOLOGY: BIOLOGICAL AND BEHAVIORAL PERSPECTIVES). (BIOSIS/92/02472). Lewis, RM; Cavagnaro, J.
- Lewis, TR; Eldridge, SR; Renne, RA. (1982). Determining the Role of Pulmonary Fibrosis in the Etiology of Lung Cancer (pp. Progress on Joint Environmental and Occupational Cancer Studies). (NIOSH/00187790). Lewis, TR; Eldridge, SR; Renne, RA.
- Lewtas, J. (1993). AIRBORNE CARCINOGENS (pp. PREVENTION OF CANCER). (BIOSIS/93/21366). Lewtas, J.
- L'Huillier, JP; Choudat, D. (2009). [Compensation for occupational respiratory diseases in France]. *Rev Mal Respir* 26: 167-182. <http://dx.doi.org/10.1019/20094027>.
- Li, A; Poon, L; Khoo, KL; Seet, JE; Sinha, AK; Lee, P. (2015). A man with pleural effusion and ascites. *Chest* 147: e208-e214. <http://dx.doi.org/10.1378/chest.14-2237>.
- Li, H, ui; Haberzettl, P; Albrecht, C; Hoehr, D; Knaapen, A, dM; Borm, PJA; Schins, RPF. (2007). Inhibition of the mitochondrial respiratory chain function abrogates quartz induced DNA damage in lung epithelial cells. *Mutat Res* 617: 46-57. <http://dx.doi.org/10.1016/j.mrfmmm.2006.12.001>.
- Li, H; Wu, Z; Zheng, X; Liu, S; Zheng, Z; Zeng, L; Duanmu, B; Ke, F; Yan, H; Qing, Y. (1991). Pathological observation of experimental asbestosis treated by hydroxypiperazine phosphate in dogs (pp. 181-184). (BIOSIS/91/21547). Li, H; Wu, Z; Zheng, X; Liu, S; Zheng, Z; Zeng, L; Duanmu, B; Ke, F; Yan, H; Qing, Y.
- Li, M; Fukagawa, NK, ay. (2010). THP-1 cells exposed to chrysotile asbestos (CHRY) and libby amphiboles (LIB) induce inflammation in bronchial epithelial cells (BEAS-2B) via IL-1 beta and oxidative stress. *Free Radic Biol Med* 49: S133-S133. <http://dx.doi.org/10.1016/j.freeradbiomed.2010.10.366>.
- Li, ML; Ping, G; Plathow, C; Trinh, T; Lipson, KE; Hauser, K; Krempien, R; Debus, J; Abdollahi, A; Huber, PE. (2006). Small molecule receptor tyrosine kinase inhibitor of platelet-derived growth factor signaling (SU9518) modifies radiation response in fibroblasts and endothelial cells. *BMC Cancer* 6: 79. <http://dx.doi.org/10.1186/1471-2407-6-79>.
- Li, VC; Kim, YJ; Ewart, CK; Terry, PB; Cuthie, JC; Wood, J; Emmett, EA; Permutt, S. (1984). Effects of physician counseling on the smoking behavior of asbestos-exposed workers. *Prev Med* 13: 462-476.
- Li, VC; Kim, YJ; Terry, PB; Cuthie, JC; Roter, D; Emmett, EA; Harvey, A; Permutt, S. (1983). Behavioural, attitudinal, and physiologic characteristics of smoking and nonsmoking asbestos-exposed shipyard workers. 25: 864-870.
- Li, VC; Li-Scholz, A; Gotti, R. (1983). Preventing cancer in the workplace and community. Vol. I. Cancer, the worker and the workplace: A teacher's guide. (CIS/85/00769). Li, VC; Li-Scholz, A; Gotti, R.
- Li, X; Brownlee, NA; Sporn, TA; Mahar, A; Roggli, VL. (2015). Malignant (Diffuse) Mesothelioma in Patients With Hematologic Malignancies: A Clinicopathologic Study of 45 Cases. *Arch Pathol Lab Med* 139: 1129-1136. <http://dx.doi.org/10.5858/arpa.2014-0569-OA>.
- Li, YK; Cao, JJ; Wu, ZQ; Dai, DL; Lin, ZX. (2015). [NIR and XRD analysis of drill-hole samples from Zhamuaobao iron-graphite deposit, Inner Mongolia]. *Guang Pu Xue Yu Guang Pu Fen Xi* 35: 83-88.
- Li, Z; Bednarik, ON; Pavlenko, ME. (1994). Air pollutants and mortality rates in the community (pp. 9-12). (BIOSIS/95/30518). ZERKAL' LI; Bednarik, ON; Pavlenko, ME.
- Lianes, P; Remon, J; Bover, I; Isla, D. (2011). SEOM guidelines for the treatment of malignant pleural mesothelioma. *Clin Transl Oncol* 13: 569-573. <http://dx.doi.org/10.1007/s12094-011-0699-5>.
- Liao, GJ; Simone, J; Simon, S. R. (1994). PARACRINE DOWN-REGULATION OF FC-GAMMA-RIII IN HUMAN MONOCYTE-DERIVED MACROPHAGES INDUCED BY PHAGOCYTOSIS OF NONOPSONIZED PARTICLES. *Blood* 83: 2294-2304.
- Libbus, B. (1994). Fiber-induced dna damage & carcinogenicity [Research]. RePORTER Database National Institutes of Health.

Human Health Hazard Literature Search Results

Off Topic

- Libby, DM; Murphy, TF; Edwards, A; Gray, G; King, TK. (1980). Chronic eosinophilic pneumonia: an unusual cause of acute respiratory failure. *Am Rev Respir Dis* 122: 497-500.
- Liberati, TA; Finkelstein, JN; Oberdorster, G. (1993). ALVEOLAR TYPE-II CELL RESPONSE TO CROCIDOLITE ASBESTOS INVITRO. *Am Rev Respir Dis* 147: A907-A907.
- Libouton, P; Caroyer, JM; Machtelinckx, V. (2001). [New occupational diseases recognized by the Occupational Disease Fund]. (CIS/02/01675). Libouton, P; Caroyer, JM; Machtelinckx, V.
- Libshitz, HI. (1984). Malignant pleural mesothelioma: The role of computed tomography (pp. 15-20). (HEEP/84/08495). Libshitz, HI.
- Lichtenstein, MD; Masilamani, PR. (2006). Recent developments in toxic torts and environmental law. *Tort Trial Insur Pract Law J* 41: 755-781.
- Liddell, D. (1981). Asbestos and public health [Editorial]. *Thorax* 36: 241-244.
- Liddell, D; Miller, K. (1983). Individual Susceptibility To Inhaled Particles. A Methodological Essay (pp. 1-8). (ISSN 0355-3140 EISSN 1795-990X NIOSH/00138799). Liddell, D; Miller, K.
- Liddell, FD. (1997). Magic, menace, myth and malice [Editorial]. *Ann Occup Hyg* 41: 3-12. [http://dx.doi.org/10.1016/S0003-4878\(96\)00177-9](http://dx.doi.org/10.1016/S0003-4878(96)00177-9).
- Liddell, FDK. (1977). Radiological Assessment of Small Pneumoconiotic Opacities. *Br J Ind Med* 34: 85-94.
- Lie, JT. (1989). Sudden death as the initial manifestation of diffuse pleural mesothelioma. *Chest* 95: 682-684.
- Lieske, K. (1992). [Detection of asbestos bodies in paraffin embedded lung tissue by cytocentrifugation]. *Pathologe* 13: 196-198.
- Light, WG; Wei, ET. (1977). Surface charge and hemolytic activity of asbestos. *Environ Res* 13: 135-145.
- Lilienfeld, DE. (1988). Obfuscation: a reply to Dr. Dunnigan. *Am J Ind Med* 14: 625-628.
- Lilienfeld, P; Elterman, PB; Baron, P. (1979). Development of a prototype fibrous aerosol monitor. *Am Ind Hyg Assoc J* 40: 270-282.
- Lilis, R. (1981). FIBROUS ZEOLITES AND ENDEMIC MESOTHELIOMA IN CAPPADOCIA TURKEY. *J Occup Med* 23: 548-550.
- Lilis, R. (1985). Clinical studies unit [Research]. RePORTER Database National Institutes of Health.
- Lilis, R. (1986). Clinical studies unit [Research]. RePORTER Database National Institutes of Health.
- Lilis, R. (1987). Clinical studies unit [Research]. RePORTER Database National Institutes of Health.
- Lilis, R. (1988). Clinical studies unit [Research]. RePORTER Database National Institutes of Health.
- Lilis, R. (1989). Clinical studies unit [Research]. RePORTER Database National Institutes of Health.
- Lilis, R. (1990). Clinical studies unit [Research]. RePORTER Database National Institutes of Health.
- Lilis, R. (1991). Clinical studies unit [Research]. RePORTER Database National Institutes of Health.
- Lilis, R. (2006). Ruth Lilis' award acceptance speech at the NY/NJ NIOSH Occupational Safety and Health Education and Research Center's 25th Anniversary Dinner. *Am J Ind Med* 49: 705-707. <http://dx.doi.org/10.1002/ajim.20367>.
- Lilis, R; Miller, A; Godbold, J; Chan, E; Selikoff, JJ. (1991). Pulmonary function and pleural fibrosis: Quantitative relationships with an integrative index of pleural abnormalities. *Am J Ind Med* 20: 145-161. <http://dx.doi.org/10.1002/ajim.4700200203>.
- Lilja, RK; Morozov, V. (1998). Industrial hazardous waste management in Petrozavodsk: Republic of Karelia, Russia. *Ambio* 27: 580-582.
- Lillington, GA; Jamplis, RW; Differding, JR. (1974). Letter: Conjugal malignant mesothelioma. *N Engl J Med* 291: 583-584. <http://dx.doi.org/10.1056/NEJM197409122911117>.
- Lim A, YK; Sue, DY; Sietsema, KE; Wasserman, K. (1990). CAUSE OF EXERCISE LIMITATION ON FOLLOW-UP EXERCISE TESTING IN MEN WITH ASBESTOSIS (pp. 20-24). (BIOSIS/90/18831). Lim A, YK; Sue, DY; Sietsema, KE; Wasserman, K.
- Lim, HS; Kim, JY; Sakai, K; Hisanaga, N. (2004). Airborne asbestos and non-asbestos fiber concentrations in non-occupational environments in Korea. *Ind Health* 42: 171-178.
- Lim, HS; Kim, JY; Sakai, K; Hisanaga, N. (2004). Pulmonary asbestos and non-asbestos fiber concentrations in autopsied inhabitants in Pohang, Korea. *Ind Health* 42: 163-170.
- Lim, JW; Koh, D; Khim, JS; Le, GV; Takahashi, K. (2011). Preventive measures to eliminate asbestos-related diseases in singapore. *Saf Health Work* 2: 201-209. <http://dx.doi.org/10.5491/SHAW.2011.2.3.201>.
- Lim, JY; Wolf, AS; Flores, RM. (2013). The use of surgery in mesothelioma. *Lancet Respir Med* 1: 184-186. [http://dx.doi.org/10.1016/S2213-2600\(13\)70028-6](http://dx.doi.org/10.1016/S2213-2600(13)70028-6).
- Lim, MK. (1992). Asbestos in Buildings: Risk Assessment and Control Measures. *J Occup Med* 4: 26-30.
- Lima Cunha, P, deS; Teixeira Lanna, EA; Xavier Bastos, RK; Quadros, M; Rezende, FP; de Freitas, LM. (2010). Fertilizers for *Daphnia* sp (Crustacea, Cladocera) production in experimental tanks. *Revista Brasileira de Zootecnia* 39: 955-960.
- Lin, FB; Chang, JW. (1988). MEASUREMENT OF AIRBORNE ASBESTOS DUST IN WORKSITES (pp. KOBE). (BIOSIS/89/32761). Lin, FB; Chang, JW.
- Lin, J, ie; Wang, Q; Gu, Y, e; Pei, X; Deng, Y; Ding, Y. (2016). Ovarian malignant mesothelioma with endometrial cyst: a case report and review of literature. *Int J Clin Exp Pathol* 9: 2594-2598.
- Lin, JIE. (2008). Genetic Polymorphisms in TRAIL Pathway as Susceptibility Markers for Lung Cancer.
- Lin, JT; Craighead, J. (1989). A GROWTH-PROMOTING FACTOR RELEASED FROM UICC CROCIDOLITE-TREATED MOUSE MACROPHAGES. *J Leukoc Biol* 46: 302-302.
- Lin, RC; Kirschner, MB; Cheng, YY; van Zandwijk, N; Reid, G. (2016). MicroRNA gene expression signatures in long-surviving malignant pleural mesothelioma patients. *9: 44-49*. <http://dx.doi.org/10.1016/j.gdata.2016.06.009>.
- Lin, YT, ai; Singhvi, G; Trivedi, V; Ahmad, S; Behera, T; Aron, J; Gumaste, V. (2012). Peritoneal Mesothelioma Presenting as Refractory Ascites in a Young Patient Without Previous Asbestos Exposure. *Am J Gastroenterol* 107: S381-S381.
- Lindberg, HK; Falck, GCM; Singh, R; Suhonen, S; Jarventaus, H; Vanhala, E, sa; Catalan, J; Farmer, PB; Savolainen, K; Norppa, H. (2013). Genotoxicity of short single-wall and multi-wall carbon nanotubes in human bronchial epithelial and mesothelial cells in vitro. *Toxicology* 313: 24-37. <http://dx.doi.org/10.1016/j.tox.2012.12.008>.
- Lindell, KV. (1973). Industrial Uses Of Asbestos (pp. 323-328). (NIOSH/00149897). Lindell, KV.

Human Health Hazard Literature Search Results

Off Topic

- Lindelof, B; Almkvist, O; Göthe, CJ. (1992). Sleep disturbances and exposure to organic solvents. *Arch Environ Health* 47: 104-106. <http://dx.doi.org/10.1080/00039896.1992.10118762>.
- Lindholm, P; Nymark, P; Wikman, H; Salmenkivi, K; Nicholson, A; Korpela, MV; Kaski, S; Ruosaari, S; Hollmen, J; Vanhala, E; Karjalainen, A; Anttila, S; Kinnula, V; Knuutila, S. (2006). Asbestos-associated malignancies in the lung and pleura show distinct genetic aberrations. *Lung Cancer* 54: S15-S15.
- Lindholm, PM; Salmenkivi, K; Vauhkonen, H; Nicholson, AG; Anttila, S; Kinnula, VL; Knuutila, S. (2007). Gene copy number analysis in malignant pleural mesothelioma using oligonucleotide array CGH. *Cytogenet Genome Res* 119: 46-52. <http://dx.doi.org/10.1159/000109618>.
- Lindroos, PM; Rice, AB; Wang, YZ; Bonner, JC. (1998). Role of nuclear factor-kappa B and mitogen-activated protein kinase signaling pathways in IL-1 beta-mediated induction of alpha-PDGF receptor expression in rat pulmonary myofibroblasts. *J Immunol* 161: 3464-3468.
- Linet, MS; Stewart, WF; Van Natta, ML; Mccaffrey, LD; Szklo, M. (1987). Comparison of methods for determining occupational exposure in a case-control interview study of chronic lymphocytic leukemia. *J Occup Environ Med* 29: 136-141.
- Linnainmaa, K. (1985). Asbestos carcinogenesis/chromosomal changes in human cells [Research]. RePORTER Database National Institutes of Health.
- Linnainmaa, K; Pelin, K; Walles, S. (1993). CYTOXICITY, ANAPHASE ABERRATIONS AND DNA SINGLE-STRAND BREAKS INDUCED BY ASBESTOS AND ERIONITE IN CULTURED HUMAN MESOTHELIAL CELLS. *Mutat Res* 291: 253-254.
- Linnainmaa, M; Kangas, J; Mäkinen, M; Metsärinne, S; Tossavainen, A; Sääntti, J; Veteli, M; Savolainen, H; Kalliokoski, P. (2007). Exposure to refractory ceramic fibres in the metal industry. *Ann Occup Hyg* 51: 509-516. <http://dx.doi.org/10.1093/annhyg/mem027>.
- Linton, A; Soeberg, M; Broome, R; Kao, S; van Zandwijk, N. (2017). Geographic and socioeconomic factors in patients with malignant pleural mesothelioma in New South Wales and their impact upon clinical outcomes. *Respirology*. <http://dx.doi.org/10.1111/resp.12981>.
- Liotard, K; et al. (1227). Chrysotile asbestos: Hazardous to humans, deadly to the Rotterdam Convention. 54.
- Lioy, PJ; Panitz, E. (1988). *Indoor Air Pollution* (pp. 921-926). (NIOSH/00185130). Lioy, PJ; Panitz, E.
- Lioy, PJ; Weisel, CP; Millette, JR; Eisenreich, S; Vallero, D; Offenberg, J; Buckley, B; Turpin, B; Zhong, M; Cohen, MD; Prophete, C; Yang, I; Stiles, R; Chee, G; Johnson, W; Porcja, R; Alimokhtari, S; Hale, RC; Weschler, C; Chen, LC. (2002). Characterization of the dust/smoke aerosol that settled east of the World Trade Center (WTC) in lower Manhattan after the collapse of the WTC 11 September 2001. *Environ Health Perspect* 110: 703-714. <http://dx.doi.org/10.1289/ehp.02110703>.
- Lipkus, IM. (1999). Increasing colorectal cancer screening among carpenters [Research]. RePORTER Database National Institutes of Health.
- Lipkus, IM. (2000). Increasing colorectal cancer screening among carpenters.
- Lipkus, IM. (2001). Increasing colorectal cancer screening among carpenters.
- Lipkus, IM. (2002). Increasing colorectal cancer screening among carpenters.
- Lipkus, IM. (2003). Increasing colorectal cancer screening among carpenters.
- Lipp, MJ; Jusufi, MS; Backer, C; Feyerabend, B; Weilert, H; Oldhafer, KJ. (2017). [Benign multicystic peritoneal mesothelioma (BMPM) - a surprising differential diagnosis in case of an expected intraabdominal abscess formation]. *Z Gastroenterol*. <http://dx.doi.org/10.1055/s-0043-100104>.
- Lippman, M. (1995). Fibrous aerosols in narrow size ranges [Research]. RePORTER Database National Institutes of Health.
- Lippmann, M. (1985). Effect of fiber length on asbestos carcinogenicity [Research]. RePORTER Database National Institutes of Health.
- Lippmann, M. (1986). Effect of fiber length on asbestos carcinogenicity [Research]. RePORTER Database National Institutes of Health.
- Lippmann, M. (1987). Effect of fiber length on asbestos carcinogenicity [Research]. RePORTER Database National Institutes of Health.
- Lippmann, M. (1990). Man-made mineral fibers (MMMf): human exposures and health risk assessment [Review]. *Toxicol Ind Health* 6: 225-246.
- Lippmann, M. (1991). INDUSTRIAL AND ENVIRONMENTAL HYGIENE - PROFESSIONAL GROWTH IN A CHANGING ENVIRONMENT. *Am Ind Hyg Assoc J* 52: 341-348. <http://dx.doi.org/10.1080/15298669191364857>.
- Lippmann, M. (1994). Nature of exposure to chrysotile. *Ann Occup Hyg* 38: 459-467, 408.
- Lippmann, M. (2003). An air quality data analysis system for interrelating effects, standards, and needed source reductions [Letter]. *Journal of the Air and Waste Management Association* 53: 1298-1300; author reply 1300.
- Lippmann, M; Samet, J; Shaikh, R; eds. (1994). Proceedings of operations and maintenance programs in buildings containing asbestos - A workshop organized by the Health Effects Institute - Asbestos Research. *Appl Occup Environ Hyg* 9: 773-926.
- Lippy, BE; Boggs, JA. (1989). MEASURING AIRBORNE ASBESTOS - THE SIGNIFICANCE OF SMALL FIBERS DETECTED UNDER TEM. *J Environ Health* 52: 157-160.
- Liptak, JM; Brebner, NS. (2006). Hemidiaphragmatic reconstruction with a transversus abdominis muscle flap after resection of a solitary diaphragmatic mesothelioma in a dog. *J Am Vet Med Assoc* 228: 1204-1208.
- Lipworth, L; La Vecchia, C; Bosetti, C; McLaughlin, JK. (2009). Occupational exposure to rock wool and glass wool and risk of cancers of the lung and the head and neck: a systematic review and meta-analysis [Review]. *J Occup Environ Med* 51: 1075-1087. <http://dx.doi.org/10.1097/JOM.0b013e3181b35125>.
- Lipworth, L; Tarone, RE; McLaughlin, JK. (2006). The epidemiology of renal cell carcinoma [Review]. *J Urol* 176: 2353-2358. <http://dx.doi.org/10.1016/j.juro.2006.07.130>.
- Lison, D; Carbonnelle, P; Mollo, L; Lauwerys, R; Fubini, B. (1995). Physicochemical mechanism of the interaction between cobalt metal and carbide particles to generate toxic activated oxygen species. *Chem Res Toxicol* 8: 600-606. <http://dx.doi.org/10.1021/tx00046a015>.
- Littman, AJ; Thornquist, MD; White, E; Jackson, LA; Goodman, GE; Vaughan, TL. (2004). Prior lung disease and risk of lung cancer in a large prospective study. *Cancer Causes Control* 15: 819-827. <http://dx.doi.org/10.1023/B:CACO.0000043432.71626.45>.
- Litvinov, NN. (1985). HYGIENIC CLASSIFICATION OF CARCINOGENIC SUBSTANCES AND THE POSSIBILITY OF USING IT IN PREVENTION OF CARCINOGENIC EFFECTS. *Gig Sanit* 0: 10-13.

Human Health Hazard Literature Search Results

Off Topic

- Litzistorf, G; Guillemin, MP; Buffat, P; Iselin, F. (1985). Influence of human activity on the airborne fiber level in paraoccupational environments. *Journal of the Air and Waste Management Association* 35: 836-837.
- Liu, BIN. (2010). Identifying antigens bound by novel scFvs targeting all subtypes of mesothelioma.
- Liu, BIN. (2011). Identifying antigens bound by novel scFvs targeting all subtypes of mesothelioma.
- Liu, BIN. (2012). Identifying antigens bound by novel scFvs targeting all subtypes of mesothelioma.
- Liu, BIN. (2013). Identifying antigens bound by novel scFvs targeting all subtypes of mesothelioma.
- Liu, C, yu. (2010). Association of Asbestos Exposure and Genetic Modification on Lung Cancer Risk. *Genet Epidemiol* 34: 975-975.
- Liu, H; Wu, L; Ji, K; Wang, W. (2015). Prognostic value of several biomarkers for the patients with malignant pleural mesothelioma [Review]. *Tumor Biology* 36: 7375-7384. <http://dx.doi.org/10.1007/s13277-015-4063-1>.
- Liu, JY; Lei, WH; Morris, GC; Brody, AR. (1996). PDGF A, B-chains and TGF beta mRNA and proteins are expressed at sites of lung injury in asbestos-exposed rats. *FASEB J* 10: 36-36.
- Liu, R; Ferguson, BD; Zhou, Y; Naga, K; Salgia, R; Gill, PS; Krasnoperov, V. (2013). EphB4 as a therapeutic target in mesothelioma. *BMC Cancer* 13: 269. <http://dx.doi.org/10.1186/1471-2407-13-269>.
- Liu, X. (1998). [Study on the spectra of granite of asbestos red and sesame white]. *Guang Pu Xue Yu Guang Pu Fen Xi* 18: 614-616.
- Liu, X; Meng, Z. (2005). Effects of airborne fine particulate matter on antioxidant capacity and lipid peroxidation in multiple organs of rats. *Inhal Toxicol* 17: 467-473. <http://dx.doi.org/10.1080/08958370590964467>.
- Liu, XZ. (1983). [Evaluation of wet technic dust control in an asbestos textile factory]. *Zhonghua Yufang Yixue Zazhi* 17: 26-28.
- Liu, XZ; Luo, SQ. (1983). [Determination of airborne asbestos fiber concentration and fiber size distribution by phase contrast microscopy]. *Zhonghua Yufang Yixue Zazhi* 17: 82-85.
- Liu, YG; Wu, ZL; Chen, JK. (1998). Differential effects of aneugens and clastogens on incidences of multinucleated cells and of micronucleate cells in Chinese hamster lung (V79) cell line in vitro. *Mutat Res Genet Toxicol Environ Mutagen* 413: 39-45.
- Liu, YK; Yang, GY; Wu, TN; Lin, RS; Sung, FC. (2003). Mortality among former shipbreaking workers - A 13-year retrospective follow-up study in Taiwan. *J Occup Health* 45: 36-42. <http://dx.doi.org/10.1539/joh.45.36>.
- Liukonen, LR; Weir, FW. (2005). Asbestos exposure from gaskets during disassembly of a medium duty diesel engine. *Regul Toxicol Pharmacol* 41: 113-121. <http://dx.doi.org/10.1016/j.yrtph.2004.10.003>.
- Liveright, T; Gann, P; Mcana, J. (1986). Health Hazard Evaluation Report No. HETA-81-372-1727, Exxon Corporation, Bayway Refinery and Chemical Plant, Linden, New Jersey (pp. 81-372). (NIOSH/00165825). Liveright, T; Gann, P; Mcana, J.
- Llamas, MY. (2012). Tips for palliative care professionals treating mesothelioma patients [Letter]. *J Palliat Med* 15: 1169. <http://dx.doi.org/10.1089/jpm.2012.9550>.
- Lloyd, JW. (1983). COHORT OR LONGITUDINAL STUDIES? (pp. WASHINGTON). (HEEP/84/05597). Lloyd, JW.
- Lobo-Mendonca, R. (1958). Exposure To Silicosis In Bombay State. *Indian Journal of Occupational Health* 1: 6-11.
- Locke, J. (1986). Fixing exposure limits for toxic chemicals in the UK--some case studies. *Sci Total Environ* 51: 237-260.
- Lockey, J; Jarabek, A; Carson, A; Mckay, R; Harber, P; Khoury, P; JMorrisonJ, W; Spitz, H; Brooks, S. (1983). Pulmonary Hazards of Vermiculite Exposure (pp. 303-315). (NIOSH/00213857). Lockey, J; Jarabek, A; Carson, A; Mckay, R; Harber, P; Khoury, P; Wiot JMorrisonJ; Spitz, H; Brooks, S.
- Lockey, JE. (1981). Nonasbestos fibrous minerals [Review]. *Clin Chest Med* 2: 203-218.
- Lockey, JE; Moatamed, F. (1984). Health Implications Of Nonasbestos Fibers (pp. 75-98). (NIOSH/00147770). Lockey, JE; Moatamed, F.
- Lockey, JE; Roggli, VL; Hitbert, TJ; Rice, CH; Levin, LS; Borton, EK; Biddinger, PW; Lemasters, GK. (2012). Biopersistence of Refractory Ceramic Fiber in Human Lung Tissue and a 20-Year Follow-Up of Radiographic Pleural Changes in Workers. *J Occup Environ Med* 54: 781-788. <http://dx.doi.org/10.1097/JOM.0b013e31825296fd>.
- Lockey, JE; Wiese, NK. (1992). Health Effects of Synthetic Vitreous Fibers. *Clin Chest Med* 13: 329-339.
- LOCKHEED MARTIN ENERGY SYSTEMS, I. (1995). Construction and operation of an industrial solid waste landfill at Portsmouth Gaseous Diffusion Plant, Piketon, Ohio. 54.
- Lockwood, TH. (1974). THE ANALYSIS OF ASBESTOS FOR TRACE METALS (pp. 245-251; 1974). (ISSN 0002-8894; HMT/74/0003525). Lockwood, TH.
- Lodge, C; Hambidge, A. (2003). Asbestos--why is this subject being dragged up again? *57*: 55-56.
- Loeb, JM. (1991). ASBESTOS REMOVAL, HEALTH-HAZARDS, AND THE EPA. *JAMA* 266: 696-697.
- Loeb, JM. (1992). THE HEALTH-HAZARDS OF ASBESTOS REMOVAL - REPLY. *JAMA* 267: 53-53.
- Loewen, G; Natarajan, N; Tan, D; Nava, E; Klippenstein, D; Mahoney, M; Cummings, M; Reid, M. (2007). Autofluorescence bronchoscopy for lung cancer surveillance based on risk assessment. *Thorax* 62: 335-340. <http://dx.doi.org/10.1136/thx.2006.068999>.
- Logan, MD. (1986). Extent Of Asbestos Danger Is International Disagreement. *Occup Health Saf* 55: 63-64.
- Logsdon, GS. (1983). ENGINEERING AND OPERATING APPROACHES FOR CONTROLLING ASBESTOS FIBERS IN DRINKING-WATER. *Environ Health Perspect* 53: 169-176.
- Logsdon, GS; Symons, JM. (1977). Removal of asbestiform fibers by water filtration (pp. 499-506). (HEEP/78/06251). Logsdon, GS; Symons, JM.
- Lohani, M; Schiffmann, F; H-H, B; Dopp, E; Schiffmann, D; Rahman, Q. (1999). Co-exposure to kerosene soot and chrysotile asbestos causes additive genotoxic effects in Syrian hamster embryo fibroblasts (pp. 14-18). (BIOSIS/00/03291). Lohani, M; Schiffmann, F; Becker H-H; Dopp, E; Schiffmann, D; Rahman, Q.
- Loharamtaweethong, K; Puripat, N; Aoonjai, N; Sutepvarnon, A; Bandidwattanawong, C. (2016). Anaplastic lymphoma kinase (ALK) translocation in paediatric malignant peritoneal mesothelioma: a case report of novel ALK-related tumour spectrum. *Histopathology* 68: 603-607. <http://dx.doi.org/10.1111/his.12779>.

Human Health Hazard Literature Search Results

Off Topic

- Lohman P, HM; Mendelsohn, ML; Moore D H, II; Waters, MD; Brusick, DJ; Ashby, J; Lohman W, JA. (1992). A METHOD FOR COMPARING AND COMBINING SHORT-TERM GENOTOXICITY TEST DATA THE BASIC SYSTEM. *Mutat Res* 266: 7-25.
- Lohrer, W; H-J, N. (1987). Asbestos in the Environment, Part II (pp. 519-522). (NIOSH/00193064). Lohrer, W; Nantke H-J.
- Lomasney, HL; Grawe, JG; Sheth, VK. (1986). IN-SITU POLYMERIC MEMBRANE FOR ISOLATING HAZARDOUS MATERIALS US PATENT-4632847. DEC. 30 1986. (BIOSIS/87/07871). Lomasney, HL; Grawe, JG; Sheth, VK.
- Lombini, A; Llugany, M; Poschenrieder, C; Dinelli, E; Barceló, J. (2003). Influence of the Ca/Mg ratio on Cu resistance in three Silene armeria ecotypes adapted to calcareous soil or to different, Ni- or Cu-enriched, serpentine sites. *J Plant Physiol* 160: 1451-1456. <http://dx.doi.org/10.1078/0176-1617-01002>.
- London, L. (2005). Dual loyalties and the ethical and human rights obligations of occupational health professionals. *Am J Ind Med* 47: 322-332. <http://dx.doi.org/10.1002/ajim.20148>.
- London, M; Rinsky, R. (1986). Health Hazard Evaluation Report No. HETA-81-025-1668, Operative Plasterers' and Cement Masons' International Association, Washington, D.C (pp. 81-025). (NIOSH/00163124). London, M; Rinsky, R.
- London, MA; Lee, S. (1987). Health Hazard Evaluation Report No. HETA-85-003-1834, B. F. Goodrich, Woodburn, Indiana (pp. 85-003). (NIOSH/00175412). London, MA; Lee, S.
- London, SJ; Daly, AK; Cooper, J; Carpenter, CL; Navidi, WC; Ding, L; Idle, JR. (1996). Lung cancer risk in relation to the CYP2E1 Rsa I genetic polymorphism among African-Americans and Caucasians in Los Angeles County. *Pharmacogenetics* 6: 151-158.
- London, SJ; Daly, AK; Fairbrother, KS; Holmes, C; Carpenter, CL; Navidi, WC; Idle, JR. (1995). Lung cancer risk in African-Americans in relation to a race-specific CYP1A1 polymorphism. *Cancer Res* 55: 6035-6037.
- Long, JF; Dutta, PK; Hogg, BD. (1997). Fluorescence imaging of reactive oxygen metabolites generated in single macrophage cells (NR8383) upon phagocytosis of natural zeolite (erionite) fibers. *Environ Health Perspect* 105: 706-711. <http://dx.doi.org/10.1289/ehp.97105706>.
- Longley, EO. (1969). The many faces of asbestos disease. *Med J Aust* 2: 1063-1066.
- Longo, WE. (1996). Asbestos contamination in paraffin tissue blocks [Letter]. *Arch Pathol Lab Med* 120: 225-226.
- Longo, WE; Egeland, WB; Hatfield, RL; Newton, LR. (2002). Fiber release during the removal of asbestos-containing gaskets: a work practice simulation. *Appl Occup Environ Hyg* 17: 55-62. <http://dx.doi.org/10.1080/104732202753306168>.
- Longo, WE; Rigler, MW; Slade, J. (1995). Crocidolite asbestos fibers in smoke from original Kent cigarettes. *Cancer Res* 55: 2232-2235.
- Loomis, D; Schulz, M. (2000). Mortality from six work-related cancers among African Americans and Latinos. *Am J Ind Med* 38: 565-575.
- Loomis, DP. (2003). Chrysotile: New Exposure Indices and Cancer Epidemiology.
- Loomis, DP. (2004). Chrysotile: New Exposure Indices and Cancer Epidemiology.
- Lope, V; Pollan, M; Gustavsson, P; Plato, N; Perez-Gomez, B; Aragonés, N; Suarez, B; Carrasco, JM; Rodriguez, S; Ramis, R; Boldo, E; Lopez-Abente, G. (2005). Occupation and thyroid cancer risk in Sweden. *J Occup Environ Med* 47: 948-957. <http://dx.doi.org/10.1097/01.jom.0000169564.21523.5d>.
- Lopes, T; Clemente, S; Feliciano, A; Lourenco, I; Costa, A; Duarte, JG, il. (2009). Pulmonary epithelioid hemangioendothelioma - Rarity, diagnosis and treatment difficulties. *Rev Port Pneumol* 15: 1167-1174.
- Lopez DE SA, A; Cirugeda, ME; Blanco, C. (1987). ASBESTOS FIBERS IN WATER-DISTRIBUTING SYSTEMS A REVIEW. *Alimentaria* 24: 37-42.
- López-Abente, G; Fernández-Navarro, P; Boldo, E; Ramis, R; García-Pérez, J. (2012). Industrial pollution and pleural cancer mortality in Spain. *Sci Total Environ* 424: 57-62. <http://dx.doi.org/10.1016/j.scitotenv.2012.02.047>.
- López-Abente, G; García-Pérez, J; Fernández-Navarro, P; Boldo, E; Ramis, R. (2012). Colorectal cancer mortality and industrial pollution in Spain. *BMC Public Health* 12: 589. <http://dx.doi.org/10.1186/1471-2458-12-589>.
- López-Abente, G; Hernández-Barrera, V; Pollán, M; Aragonés, N; Pérez-Gómez, B. (2005). Municipal pleural cancer mortality in Spain. *Occup Environ Med* 62: 195-199. <http://dx.doi.org/10.1136/oem.2004.015743>.
- Loreto, C; Rapisarda, V; Carnazza, ML; Musumeci, G; Valentino, M; Fenga, C; Martinez, G. (2008). Fluoro-edenite fibres induce lung cell apoptosis: an in vivo study. *Histol Histopathol* 23: 319-326.
- Lorimer, WV; Rohl, AN; Miller, A; Nicholson, WJ; Selikoff, IJ. (1976). ASBESTOS EXPOSURE OF BRAKE REPAIR WORKERS IN UNITED-STATES. *Mt Sinai J Med* 43: 207-218.
- Lorkowski, J; Grzegorowska, O; Kotela, A; Weryński, W; Kotela, I. (2015). Shoulder ring complaints as a rare first symptom of malignant pleural mesothelioma. *Adv Exp Med Biol* 852: 5-10. http://dx.doi.org/10.1007/5584_2015_113.
- Losman, D. (1979). Detection and analysis of asbestos in environmental-samples collected on membrane-filters - multiple-choice procedure integrating the Im, the sem and the emp. *Bull Environ Contam Toxicol* 23: 170-178.
- Lott, PF. (1991). The detection of asbestos in floor tiles by X-ray diffractometry. *Microchem J* 44: 161-167.
- Lotter, JT; Roberts, B; Henshaw, JL; Pierce, JS. (2016). Airborne asbestos exposures associated with the installation and removal of roofing products. *J Occup Environ Hyg* 13: D121-D131. <http://dx.doi.org/10.1080/15459624.2016.1183010>.
- Lou, C. (1990). HARMFULNESS OF ASBESTO AND ITS PROSPECT OF UTILIZATION (pp. 91-92). (BIOSIS/90/20531). Lou, C.
- Lounsbury, KM; Stern, M; Jaken, S; Mossman, BT. (2001). Increased localization and substrate activation of protein kinase C delta in lung epithelial cells following exposure to asbestos. *Free Radic Biol Med* 31: S117-S117.
- Lounsbury, KM; Stern, M; Shukla, A; Mossman, B. (2002). PKC delta is required for H2O(2)- and asbestos-induced MAPK activation and proliferation in lung epithelial cells. *Free Radic Biol Med* 33: S417-S417.
- Lowenfels, AB; Anderson, ME. (1977). Diet and cancer [Review]. *Cancer* 39: 1809-1814.
- Lowengart, RA; Peters, JM; Cicioni, C; Buckley, J; Bernstein, L; Preston-Martin, S; Rappaport, E. (1987). Childhood leukemia and parents' occupational and home exposures. *J Natl Cancer Inst* 79: 39-46. <http://dx.doi.org/10.1093/jnci/79.1.39>.
- Lowenthal, G. (1994). Occupational Health Programs in Clinics and Hospitals. *Occup Med (Lond)* Third Edition: 875-882.

Human Health Hazard Literature Search Results

Off Topic

- Lowers, HA; Meeker, GP; Liou, PJ; Lippmann, M. (2009). Summary of the development of a signature for detection of residual dust from collapse of the World Trade Center buildings. *J Expo Sci Environ Epidemiol* 19: 325-335. <http://dx.doi.org/10.1038/jes.2008.25>.
- Lowish, MD. (1986). Common sense measures ensure profitable abatement. *Occup Health Saf* 55: 69, 72.
- Lowish, MD. (1986). Proper ladders, scaffolding can prevent dangerous slips, falls. *Occup Health Saf* 55: 44-47.
- Lowry, SJ; Weiss, NS. (2016). Geographic distribution of incidence of pericardial and paratesticular mesotheliomas in the USA. *Cancer Causes Control* 27: 1487-1489. <http://dx.doi.org/10.1007/s10552-016-0825-3>.
- Lozewicz, S; Reznick, R; Herdman, M; Dacie, J; Maclean, A; Davies, RJ. (1988). ROLE OF COMPUTED-TOMOGRAPHY SCANNING IN THE EVALUATION OF SUSPECTED ASBESTOS RELATED LUNG-DISEASE. *Thorax* 43: P811-P811.
- Lu, BQ; Xia, YB; Qi, LJ; You, JL. (2005). [Raman spectra study of thermal transformation of nephrite cat's eye from Sichuan province]. *Guang Pu Xue Yu Guang Pu Fen Xi* 25: 1824-1826.
- Lu, JM; Keane, MJ; Ong, T; Wallace, WE. (1992). UNSCHEDULED DNA-SYNTHESIS OF ALVEOLAR MACROPHAGES, PRIMARY LUNG-CELLS AND V79 CELLS EXPOSED TO CHRYSOTILE ASBESTOS. *FASEB J* 6: A1911-A1911.
- Lu, ZHO; NGYUAN; Wang, HAI; BIN; Et, AL. (1997). Study on the synthesizing building materials by steam curing asbestos tailings. *Huanjing Kexue* 18: 68-69.
- Luanpitpong, S; Wang, L; Castranova, V; Rojanasakul, Y. (2014). Induction of stem-like cells with malignant properties by chronic exposure of human lung epithelial cells to single-walled carbon nanotubes. *Part Fibre Toxicol* 11: 22. <http://dx.doi.org/10.1186/1743-8977-11-22>.
- Luanpitpong, S; Wang, L; Davidson, DC; Riedel, H; Rojanasakul, Y. (2016). Carcinogenic Potential of High Aspect Ratio Carbon Nanomaterials. 3: 483-493. <http://dx.doi.org/10.1039/C5EN00238A>.
- Luanpitpong, S; Wang, L; Stueckle, TA; Tse, W; Chen, Y, iC; Rojanasakul, Y, on. (2014). Caveolin-1 regulates lung cancer stem-like cell induction and p53 inactivation in carbon nanotube-driven tumorigenesis. *Onct* 5: 3541-3554. <http://dx.doi.org/10.18632/oncotarget.1956>.
- Lubick, N. (2006). Fungi partly disarm asbestos [Comment]. *Environ Sci Technol* 40: 5590-5591.
- Lucas, AD; Klemme, JC. (1984). Health Hazard Evaluation Report: HETA-80-124, 230-1168 (Revised April 1984). Aluminum Company of America, Alcoa, Tennessee (pp. 40). (NTIS/12260087). Lucas, AD; Klemme, JC.
- Lucas, JE; Kronoveter, KJ. (1982). Health Hazard Evaluation Report, No. HETA-81-297-1116, U. S. Postal Service, Washington Bulk Mail Center, Washington, D.C. (NIOSH/00127498). Lucas, JE; Kronoveter, KJ.
- Luce, D; Billon-Galland, MA; Bugel, I; Goldberg, P; Salomon, C; Févotte, J; Goldberg, M. (2004). Assessment of environmental and domestic exposure to tremolite in New Caledonia. *Arch Environ Health* 59: 91-100. <http://dx.doi.org/10.3200/AEOH.59.2.91-100>.
- Luce, D; Brochard, P; Quénel, P; Salomon-Nekiriai, C; Goldberg, P; Billon-Galland, MA; Goldberg, M. (1994). Malignant pleural mesothelioma associated with exposure to tremolite [Letter]. *Lancet* 344: 1777.
- Luce, D; Goldberg, M. (2007). Occupational cancer (except asbestos caused). *Oncologie* 9: 331-334. <http://dx.doi.org/10.1007/s10269-007-0596-2>.
- Luce, D; Stücker, I; Group, IS. (2011). Investigation of occupational and environmental causes of respiratory cancers (ICARE): A multicenter, population-based case-control study in France. *BMC Public Health* 11: 928. <http://dx.doi.org/10.1186/1471-2458-11-928>.
- Luckewicz, W. (1975). Differential thermal analysis of chrysotile asbestos in pure talc and talc containing other minerals. *Journal of the Society of Cosmetic Chemists Soc*: 431-437.
- Luckey, DS; Schultz, KP. (2001). Defining and Coping with Wicked Problems: The Case of Fort Ord Building Removal. 129.
- Ludes, C; Schaal, M; Labani, A; Jeung, MY; Roy, C; Ohana, M. (2016). [Ultra-low dose chest CT: The end of chest radiograph?] [Review]. 45: 291-301. <http://dx.doi.org/10.1016/j.jpmp.2015.12.003>.
- Lulenski, GC; Pifarré, R; Neville, WE. (1971). Rapid growth of a pleural mesothelioma. *Chest* 59: 230-232.
- Lumley, KP. (1971). Asbestos dust levels inside firefighting helmets with chrysotile asbestos covers. *Ann Occup Hyg* 14: 285-286.
- Lumley, KP; Harries, PG; O'Kelly, FJ. (1971). Buildings insulated with sprayed asbestos: a potential hazard. *Ann Occup Hyg* 14: 255-257.
- Lunau, F. (1984). A guide to the new asbestos regulations. *Occup Health (Lond)* 36: 307-309.
- Lund, LG; Aust, AE. (1990). Iron mobilization from asbestos by chelators and ascorbic acid. *Arch Biochem Biophys* 278: 61-64.
- Lundahl, J; Eklund, A; Hallgren, M; Tornling, G. (1995). UP-REGULATION OF ANTIGENS ON ALVEOLAR MACROPHAGES IN QUARTZ EXPOSED RATS. *Inflammation* 19: 543-548. <http://dx.doi.org/10.1007/BF01539134>.
- Lundberg, I; Alfredsson, L; Plato, N; Sverdrup, B; Klareskog, L; Kleinau, S. (1994). Occupation, occupational exposure to chemicals and rheumatological disease: A register based cohort study. *Scand J Rheumatol* 23: 305-310. <http://dx.doi.org/10.3109/03009749409099278>.
- Lundgren, L; Figler, B; Larsson, G. (1989). Analysis of asbestos by x-ray diffraction - Part 1. Qualitative analysis. (CIS/91/00204). Lundgren, L; Figler, B; Larsson, G.
- Lundgren, L; Lundstrom, S; Laszlo, I; Westling, B. (1995). MODERN FIBER COUNTING - A TECHNIQUE WITH THE PHASE-CONTRAST MICROSCOPE ONLINE TO A MACINTOSH COMPUTER. *Ann Occup Hyg* 39: 455-&.
- Lundgren, L; Lundstrom, S; Sundstrom, G; Bergman, G; Krantz, S. (1996). A quantitative method using a light microscope on-line to a Macintosh computer for the analysis of tremolite fibres in dolomite. *Ann Occup Hyg* 40: 197-&.
- Lundstig, A; Dejmek, A; Eklund, C; Filinic, I, vo; Dillner, J. (2007). No detection of SV40 DNA in mesothelioma tissues from a high incidence area in Sweden. *Anticancer Res* 27: 4159-4161.
- Lundy, P; Barer, M. (1992). Asbestos-containing materials in New York City buildings. *Environ Res* 58: 15-24.
- Luo, X; Rong, Y; Wang, L; He, J; Zhao, M; Lu, W; Zhang, R; Sun, W; Chen, W. (2015). [Comparison of two methods for fiber count concentration determination]. *Zhonghua Lao Dong Wei Sheng Zhi Ye Bing Za Zhi* 33: 822-825.

Human Health Hazard Literature Search Results

Off Topic

- Luoma, GA; Yee, LK; Rowland, R. (1982). DETERMINATION OF MICROGRAM AMOUNTS OF ASBESTOS IN MIXTURES BY IR SPECTROMETRY. *Anal Chem* 54: 2140-2142.
- Luoto, K; Holopainen, M; Kangas, J; Kalliokoski, P; Savolainen, K. (1995). The effect of fiber length on the dissolution by macrophages of rockwool and glasswool fibers. *Environ Res* 70: 51-61. <http://dx.doi.org/10.1006/enrs.1995.1046>.
- Luoto, K; Holopainen, M; Kangas, J; Kalliokoski, P; Savolainen, K. (1998). Dissolution of short and long rockwool and glasswool fibers by macrophages in flowthrough cell culture. *Environ Res* 78: 25-37. <http://dx.doi.org/10.1006/enrs.1997.3825>.
- Luqman, M; Javed, MM; Daud, S; Raheem, N; Ahmad, J; Khan, AU. (2014). Risk factors for lung cancer in the Pakistani population. *Asian Pac J Cancer Prev* 15: 3035-3039. <http://dx.doi.org/10.7314/APJCP.2014.15.7.3035>.
- Luster, MI. (2014). A historical perspective of immunotoxicology [Review]. *J Immunotoxicol* 11: 197-202. <http://dx.doi.org/10.3109/1547691X.2013.837121>.
- Luster, MI; Rosenthal, GJ. (1986). THE IMMUNOSUPPRESSIVE INFLUENCE OF INDUSTRIAL AND ENVIRONMENTAL XENOBIOTICS. *Trends Pharmacol Sci* 7: 408-412.
- Lusuardi, M; Capelli, A; Donner, CF; Capelli, O; Velluti, G. (1992). Semi-quantitative X-ray microanalysis of bronchoalveolar lavage samples from silica-exposed and nonexposed subjects. *Eur Respir J* 5: 798-803.
- Lutz, W; Krajewska, B. (1995). [Oxidative stress as a basic mechanism of the carcinogenic effect of man made mineral fibers on the human body] [Review]. *Med Pr* 46: 275-284.
- Lutz, W; Krajewska, B; Piřacik, B. (1997). Determination of tissue polypeptide antigens (TPA) and carcinoembryonic antigen (CEA) in serum: its value in the preliminary cancer risk assessment in asbestos exposed workers. *Int J Occup Med Environ Health* 10: 259-265.
- Luxon, SG. (1971). USE OF DUST RESPIRATORS AGAINST ASBESTOS DUST HAZARDS IN UNITED-KINGDOM. *Am Ind Hyg Assoc J* 32: 723-&.
- Lynch, DA; Gamsu, G; Aberle, DR. (1989). Conventional and high resolution computed tomography in the diagnosis of asbestos-related diseases. *Radiographics* 9: 523-551. <http://dx.doi.org/10.1148/radiographics.9.3.2727359>.
- Lynch, JJ; Burgess, WA. (1974). A personal exposure sampler for carbon monoxide. *Am Ind Hyg Assoc J* 35: 354-358. <http://dx.doi.org/10.1080/0002889748507044>.
- Lynch, JR. (1966). Results of Air Samples at American Asbestos Textile Corporation, Meredith, New Hampshire. (NIOSH/00105827). Lynch, JR.
- Lynch, JR. (1967). Result of Air Sample at Flint-Kote, Ravenna, Ohio. (NIOSH/00105346). Lynch, JR.
- Lynch, JR. (1968). Results of Air Samples at Certain-Teed Products, Santa Clara, California. (NIOSH/00105989). Lynch, JR.
- Lynch, JR. (1968). Results of Air Samples at Fabco Industrial Insulation, Emeryville, California. (NIOSH/00105995). Lynch, JR.
- Lynch, JR. (1968). Results of Air Samples at Pittsburg Corning in Tyler, Texas. (NIOSH/00106145). Lynch, JR.
- Lynch, JR. (1971). Environmental Sampling and Analysis of Particulate Matter: Asbesto. *Arch Dermatol* 85: 441-454.
- Lynch, JR. (1974). Industrial Ventilation: A New Look at an Old Problem (pp. 4-5). (NIOSH/00045478). Lynch, JR.
- Lynch, JR; Ayer, HE. (1966). Measurement of dust exposures in the asbestos textile industry. *Am Ind Hyg Assoc J* 27: 431-437. <http://dx.doi.org/10.1080/00028896609342449>.
- Lynch, JR; Ayer, HE. (1968). Measurement of asbestos exposure. *J Occup Med* 10: 21-24.
- Lynch, JR; Ayer, HE; Johnson, DL. (1970). The interrelationships of selected asbestos exposure indices. *Am Ind Hyg Assoc J* 31: 598-604. <http://dx.doi.org/10.1080/0002889708506298>.
- Lynch, RM; Mbaye, I. (1999). Industrial hygiene review of three manufacturing facilities in Senegal: findings and key questions. *New Solutions: A Journal of Environmental and Occupational Health Policy* 9: 439-448. <http://dx.doi.org/10.2190/M7XJ-KNM7-MX1C-P7KV>.
- Lynge, E; Villadsen, E; Raffn, E; Engholm, G. (1997). Lung cancer in asbestos cement workers in Denmark - Reply. *Occup Environ Med* 54: 143-143.
- Lyon, JL. (1988). Radon progeny and risk of lung cancer [Research]. RePORTER Database National Institutes of Health.
- Lyon, JL. (1989). Radon progeny and risk of lung cancer [Research]. RePORTER Database National Institutes of Health.
- Lyon, JL. (1990). Radon progeny and risk of lung cancer [Research]. RePORTER Database National Institutes of Health.
- Lyon, JL. (1991). Radon progeny and risk of lung cancer [Research]. RePORTER Database National Institutes of Health.
- Lyon, JL. (1992). Radon progeny and risk of lung cancer [Research]. RePORTER Database National Institutes of Health.
- Lyons, TJ; Knapik, JP. (1996). WORKER EXPOSURE DURING ENVIRONMENTAL SAMPLING THE HAZARDS INVOLVED (pp. PHILADELPHIA). (BIOSIS/96/38447). Lyons, TJ; Knapik, JP.
- Lyons, WG. (1989). PROCESS FOR REMOVING ASBESTOS USING TAPED TROUGHS US PATENT-4803771. FEBRUARY 14 1989. (BIOSIS/89/11780). Lyons, WG.
- Lyons, WG. (1989). TROUGHS FOR WET REMOVAL OF ASBESTOS FROM PIPING US PATENT-4815488. MARCH 28 1989. (BIOSIS/89/16969). Lyons, WG.
- Lysyk, TJ. (2008). Effects of Ambient Temperature and Cattle Skin Temperature on Engorgement of *Dermacentor andersoni*. *J Med Entomol* 45: 1000-1006.
- Lysyk, TJ. (2010). Tick Paralysis Caused by *Dermacentor andersoni* (Acari: Ixodidae) is a Heritable Trait. *J Med Entomol* 47: 210-214. <http://dx.doi.org/10.1603/ME09223>.
- Lysyk, TJ; Dergousoff, SJ. (2016). Can Subclinical Infestation by Paralyzing *Dermacentor andersoni* (Acari: Ixodidae) Induce Immunity to Tick Paralysis in Sheep? *J Med Entomol* 53: 496-499. <http://dx.doi.org/10.1093/jme/tjv248>.
- Lysyk, TJ; Majak, W. (2003). Increasing the paralyzing ability of a laboratory colony of *Dermacentor andersoni* Stiles. *J Med Entomol* 40: 185-194.
- Lysyk, TJ; Majak, W; Veira, DM. (2005). Prefeeding *Dermacentor andersoni* (Acari : Ixodidae) on cattle with prior tick exposure may inhibit detection of tick paralysis by using hamster bioassay. *J Med Entomol* 42: 376-382.

Human Health Hazard Literature Search Results

Off Topic

- Lysyk, TJ; Scoles, GA. (2008). Reproductive Compatibility of Prairie and Montane Populations of *Dermacentor andersoni*. *J Med Entomol* 45: 1064-1070.
- Lysyk, TJ; Veira, DM; Kastelic, JP; Majak, W. (2009). Inducing Active and Passive Immunity in Sheep to Paralysis Caused by *Dermacentor andersoni*. *J Med Entomol* 46: 1436-1441.
- Lysyk, TJ; Veira, DM; Majak, W. (2009). Cattle Can Develop Immunity to Paralysis Caused by *Dermacentor andersoni*. *J Med Entomol* 46: 358-366.
- M, A; C, CS; N, C; B, H; D, J; A, K; M, M; J, R; T, S; F, Y. (2015). nmental Assessment, Repair of the Dam at Non-Potable Reservoir #1, United States Air Force Academy, Colorado.
- M. M, B; S, S. (2002). Meadows & 152 Eagle Heights Units Military Family Housing Privatization.
- M-A, A; Browne, LM; Weir, GL. (1987). HAZARDOUS CHEMICALS INFORMATION AND DISPOSAL GUIDE THIRD EDITION (pp. INFORMATION AND DISPOSAL GUIDE). (BIOSIS/88/26440). Armour M-A; Browne, LM; Weir, GL.
- Ma, JYC; Barger, MW; Ma, JKH; Castranova, V. (1997). Acute pulmonary responses to intratracheal instillation of asbestos: Amelioration by tetrandrine. *FASEB J* 11: 747-747.
- Macarthur, A; Le, N; Fang, R; Band, P. (2009). Identification of occupational cancer risk in British Columbia: A population-based case-control study of 2,998 lung cancers by histopathological subtype. *Am J Ind Med* 52: 221-232. <http://dx.doi.org/10.1002/ajim.20663>.
- Macdonald, HS. (1990). Optical sectioning of vinyl asbestos floor tiles. *Microscope* 38: 61-65.
- Macdonald, L. (1992). The health hazards of asbestos removal [Letter]. *JAMA* 267: 52-53.
- Macdonell, MM; Peterson, JM. (1991). Engineering evaluation/cost analysis for the proposed management of 15 nonprocess buildings (15 series) at the Weldon Spring Site Chemical Plant, Weldon Spring, Missouri. Environmental assessment: Weldon Spring Site Remedial Action Project, Weldon Spring, Missouri (pp. 216). (NTIS/02984330). Macdonell, MM; Peterson, JM.
- Machado-Ferreira, E; Piesman, J; Zeidner, NS; Soares, CAG. (2012). A prevalent alpha-proteobacterium *Paracoccus* sp in a population of the Cayenne ticks (*Amblyomma cajennense*) from Rio de Janeiro, Brazil. *Genet Mol Biol* 35: 862-867.
- Maciejewska, A. (2012). [Application of infrared spectrometry (FT-IR) for mineral identification of asbestos in bulk samples]. *Med Pr* 63: 181-189.
- Maciejewska, A; Bielichowska-Cybula, G; Kruzewska, R. (1990). Exposure to industrial dust and asbestos-like mineral fibers in building stone and aggregate mines of Walbrzych Province, (Poland). *Med Pr* 41: 429-434.
- Mactiernan, A; Fritschi, L; Slevin, T; Jalleh, G; Donovan, R; Heyworth, J. (2014). Public perceptions of cancer risk factors: a Western Australian study. *Health Promot J Austr* 25: 90-96. <http://dx.doi.org/10.1071/HE13081>.
- Macura, SL; Steinbacher, JL; Macpherson, MB; Lathrop, MJ; Sayan, M; Hillegass, JM; Beuschel, SL; Perkins, TN; Spiess, PC; van der Vliet, A; Butnor, KJ; Shukla, A; Wadsworth, M; Landry, CC; Mossman, BT. (2013). Microspheres targeted with a mesothelin antibody and loaded with doxorubicin reduce tumor volume of human mesotheliomas in xenografts. *BMC Cancer* 13: 400. <http://dx.doi.org/10.1186/1471-2407-13-400>.
- Maddalon, G; Occella, E. (1992). [Diffractometric analysis of non-pulverized coherent materials]. *Med Lav* 83: 365-370.
- Maddalon, G; Occella, E; Trimarchi, R. (1989). [Refinement of the methods of diffractometric analysis in relation to the preparation surface exposed to X rays]. *Med Lav* 80: 78-89.
- Maddalon, G; Patroni, M; Peruzzo, GF; Trimarchi, R; Cavallo, DM. (2001). Characterization of airborne dust and fibres, especially those of silica and asbestos. *Med Lav* 92: 1-101.
- Maddalon, G; Patroni, M; Trimarchi, R; Clerici, C; Occella, E. (1991). [Sensitivity, precision and resolution of the optical microscope in the study of environmental pollution by asbestos fibers]. *Med Lav* 82: 358-371.
- Maddaloni, MA. (2006). Assessing Asbestos Hazards In The Indoor Environment. *Toxicol Sci* 90: 72.
- Madl, AK; Clark, K; Paustenbach, DJ. (2007). Exposure to airborne asbestos during removal and installation of gaskets and packings: a review of published and unpublished studies [Review]. *J Toxicol Environ Health B Crit Rev* 10: 259-286. <http://dx.doi.org/10.1080/15287390600974957>.
- Madl, AK; Devlin, KD; Perez, AL; Hollins, DM; Cowan, DM; Scott, PK; White, K; Cheng, TJ; Henshaw, JL. (2015). Airborne asbestos exposures associated with gasket and packing replacement: a simulation study of flange and valve repair work and an assessment of exposure variables. *Regul Toxicol Pharmacol* 71: 35-51. <http://dx.doi.org/10.1016/j.yrtph.2014.10.017>.
- Madl, AK; Gaffney, SH; Balzer, JL; Paustenbach, DJ. (2009). Airborne asbestos concentrations associated with heavy equipment brake removal. *Ann Occup Hyg* 53: 839-857. <http://dx.doi.org/10.1093/annhyg/mep056>.
- Madl, AK; Hollins, DM; Devlin, KD; Donovan, EP; Dopart, PJ; Scott, PK; Perez, AL. (2014). Airborne asbestos exposures associated with gasket and packing replacement: a simulation study and meta-analysis. *Regul Toxicol Pharmacol* 69: 304-319. <http://dx.doi.org/10.1016/j.yrtph.2014.04.007>.
- Madl, AK; Scott, LL; Murbach, DM; Fehling, KA; Finley, BL; Paustenbach, DJ. (2008). Exposure to chrysotile asbestos associated with unpacking and repacking boxes of automobile brake pads and shoes. *Ann Occup Hyg* 52: 463-479. <http://dx.doi.org/10.1093/annhyg/men028>.
- Maeda, R; Tabata, C; Tabata, R; Eguchi, R; Fujimori, Y; Nakano, T. (2011). Is serum thioredoxin-1 a useful clinical marker for malignant pleural mesothelioma? *Antioxid Redox Signal* 15: 685-689. <http://dx.doi.org/10.1089/ars.2011.3978>.
- Magdeleinat, P; Alifano, M; Petino, A; Le Rochais, JP; Dulmet, E; Galateau, F; Icard, P; Regnard, JF. (2002). Solitary fibrous tumors of the pleura: clinical characteristics, surgical treatment and outcome. *Eur J Cardiothorac Surg* 21: 1087-1093.
- Maggioni, C; Barletta, G; Rijavec, E; Biello, F; Gualco, E; Grossi, F. (2016). Advances in treatment of mesothelioma. *Expert Opin Pharmacother* 17: 1197-1205. <http://dx.doi.org/10.1080/14656566.2016.1176145>.
- Magnani, C; Borgo, G; Betta, GP; Botta, M; Ivaldi, C; Mollo, F; Scelzi, M; Terracini, B. (1991). Mesothelioma and non-occupational environmental exposure to asbestos [Letter]. *Lancet* 338: 50. [http://dx.doi.org/10.1016/0140-6736\(91\)90034-M](http://dx.doi.org/10.1016/0140-6736(91)90034-M).

Human Health Hazard Literature Search Results

Off Topic

- Magnani, C; Fubini, B; Mirabelli, D; Bertazzi, PA; Bianchi, C; Chellini, E; Gennaro, V; Marinaccio, A; Menegozzo, M; Merler, E; Merletti, F; Musti, M; Pira, E; Romanelli, A; Terracini, B; Zona, A. (2013). Pleural mesothelioma: epidemiological and public health issues. Report from the Second Italian Consensus Conference on Pleural Mesothelioma. *Med Lav* 104: 191-202.
- Magnus, K; Engeland, A; Green, BM; Haldorsen, T; Muirhead, CR; Strand, T. (1994). Residential radon exposure and lung cancer--an epidemiological study of Norwegian municipalities. *Int J Cancer* 58: 1-7.
- Mah, M; Boatman, ES. (1978). Scanning and transmission electron microscopy of new and used asbestos-cement pipe utilized in the distribution of water supplies (pp. 85-92). (HEEP/79/00474). Mah, M; Boatman, ES.
- Mahmut, Y; Ninomiya, H; Motoi, N; Itoh, S; Fujiwara, M; Ishikawa, Y. (2014). Expression profiling of miRNA in asbestos-related lung adenocarcinoma. *Cancer Res* 74. <http://dx.doi.org/10.1158/1538-7445.AM2014-300>.
- Maier, EA; Dietemann-Molard, A; Rastegar, F; Heimbürger, R; Ruch, C; Maier, A; Roegel, E; Leroy M, JF. (1986). Simultaneous determination of trace elements in lavage fluids from human bronchial alveoli by energy-dispersive X-ray fluorescence: 2. Determination of abnormal lavage contents and verification of the results. *Clin Chem* 32: 664-668.
- Maier, H. (2002). [Early cancer detection in persons exposed to asbestos dust. Is integration of ENT examination into the prevention program according to occupational directive G 1.2 necessary?] [Comment]. *HNO* 50: 976-977. <http://dx.doi.org/10.1007/s00106-002-0740-7>.
- Maier, H; Tisch, M; Kyrberg, H; Conradt, C; Weidauer, H. (2002). Significance of occupation and nutrition as risk factors for head and neck cancer. *HNO* 50: 743-752.
- Maines, SL; Nadeau, D; Orsi, EV. (1985). ASBESTOS FIBER MODIFICATION OF HUMAN HERPES-VIRUS INFECTION. *In Vitro* 21: A20-A20.
- Maino, A; Gianelle, V; Onida, F; Albiero, S. (1995). [Occupational exposure to asbestos in removal and protective treatment of roof coverings]. *Med Lav* 86: 546-554.
- Maisonneuve, P; Shivappa, N; Hébert, JR; Bellomi, M; Rampinelli, C; Bertolotti, R; Spaggiari, L; Palli, D; Veronesi, G; Gnagnarella, P. (2015). Dietary inflammatory index and risk of lung cancer and other respiratory conditions among heavy smokers in the COSMOS screening study. *Eur J Nutr* 55: 1069-1079. <http://dx.doi.org/10.1007/s00394-015-0920-3>.
- Maizlish, N; Beaumont, J; Singleton, J. (1988). Mortality among California highway workers. *Am J Ind Med* 13: 363-379.
- Major, G; Vardy, GF. (1989). Public perception of risk and its consequences: the case of a natural fibrous mineral deposit. *IARC Sci Publ* 497-508.
- Mak, V; Davies, E; Putcha, V; Choodari-Oskooei, B; Møller, H. (2008). The epidemiology and treatment of mesothelioma in South East England 1985-2002. *Thorax* 63: 160-166. <http://dx.doi.org/10.1136/thx.2006.066886>.
- Maki-Nevala, S; Ronty, M; Morel, M; Gomez, M; Dawson, Z, oe; Sarhadi, VK; Telaranta-Keerie, A; Knuutila, A; Knuutila, S. (2014). Epidermal Growth Factor Receptor Mutations in 510 Finnish Non-Small-Cell Lung Cancer Patients. *J Thorac Oncol* 9: 886-891. <http://dx.doi.org/10.1097/JTO.000000000000132>.
- Mäki-Nevala, S; Sarhadi, VK; Rönty, M; Kettunen, E; Husgafvel-Pursiainen, K; Wolff, H; Knuutila, A; Knuutila, S. (2016). Hot spot mutations in Finnish non-small cell lung cancers. *Lung Cancer* 99: 102-110. <http://dx.doi.org/10.1016/j.lungcan.2016.06.024>.
- Malami, C; Hoke, E; Grasserbauer, M. (1981). Contribution to the Quantitative X-Ray Analysis of Individual Submicrometre Particles: Asbestos Fibres (pp. 141-158). (NIOSH/00192115). Malami, C; Hoke, E; Grasserbauer, M.
- Malizia, E. (1995). METHODOLOGY OF ASBESTOS REMOVAL CARRIED OUT THROUGH THE DIRECTION PRODUCTION AND TRANSMISSION OF ENEL S.P.A. *Riv Tossicol*: *Sper Clin* 24: 121-124.
- Malker, HR; Malker, BK; Blot, WJ. (1983). Mesothelioma among sugar refinery workers. 2: 858.
- Malpica, A; Sant'Ambrogio, S; Deavers, MT; Silva, EG. (2012). Well-Differentiated Papillary Mesothelioma of the Female Peritoneum: A Clinicopathologic Study of 26 Cases. *Am J Surg Pathol* 36: 117-127.
- Maltoni, C. (2000). Re: Call for an International Ban on Asbestos [Letter]. *Am J Ind Med* 37: 230-231.
- Malvezzi, M; Bosetti, C; Rosso, T; Bertuccio, P; Chatenoud, L; Levi, F; Romano, C; Negri, E, va; La Vecchia, C. (2013). Lung cancer mortality in European men; Trends and predictions. *Lung Cancer* 80: 138-145. <http://dx.doi.org/10.1016/j.lungcan.2013.01.020>.
- Mamay, M; Michils, A; De Vuyst, P; Gevenois, PA; Yernault, JC. (1990). PERIPHERAL LUNG MASS. *Eur Respir J* 3: 734-735.
- Mamontov, E; Kumzerov, YA; Vakhrushev, SB. (2005). Diffusion of benzene confined in the oriented nanochannels of chrysotile asbestos fibers. *Phys Rev E Stat Nonlin Soft Matter Phys* 72: 051502. <http://dx.doi.org/10.1103/PhysRevE.72.051502>.
- Mamontov, E; Kumzerov, YA; Vakhrushev, SB. (2005). Translational dynamics of water in the nanochannels of oriented chrysotile asbestos fibers. *Phys Rev E Stat Nonlin Soft Matter Phys* 71: 061502. <http://dx.doi.org/10.1103/PhysRevE.71.061502>.
- Manabe, M; Tatarazako, N; Kinoshita, M. (2011). Uptake, excretion and toxicity of nano-sized latex particles on medaka (*Oryzias latipes*) embryos and larvae. *Aquat Toxicol* 105: 576-581. <http://dx.doi.org/10.1016/j.aquatox.2011.08.020>.
- Manabe, R; Kunugita, N; Katoh, T; Kuroda, Y; Akiyama, Y; Yamano, Y; Uchiyama, I; Arashidani, K. (2007). [Investigation of the condition of asbestos in large-scale buildings in Kitakyushu]. *J UOEH* 29: 449-455.
- Manaouil, C; Graser, M; Jardé, O. (2006). Compensation of asbestos victims in France. *Med Lav* 25: 435-443.
- Manceau; Schlegel; Nagy; Charlet. (1999). Evidence for the Formation of Trioctahedral Clay upon Sorption of Co(2+) on Quartz. *J Colloid Interface Sci* 220: 181-197. <http://dx.doi.org/10.1006/jcis.1999.6547>.
- Mancuso, TF. (1989). IS CHRYSOTILE A SIGNIFICANT RISK FACTOR FOR MESOTHELIOMA - RESPONSE. *Am J Ind Med* 15: 353-356.
- Mancuso, TF. (1989). RELATIVE RISK OF MESOTHELIOMA AMONG RAILROAD MACHINISTS EXPOSED TO CHRYSOTILE - RESPONSE. *Am J Ind Med* 15: 485-486.
- Mancuso, TF. (1993). Re: "TLVs for asbestos" [Letter]. *Am J Ind Med* 23: 961-965.
- Mancuso, TF. (1994). Unpublished data on asbestos dust continue to surface [Letter]. *Am J Ind Med* 25: 457-460.
- Mancuso, TF. (1997). Chromium as an industrial carcinogen: Part II. Chromium in human tissues. *Am J Ind Med* 31: 140-147. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(19970204\)31:2<140::AID-AJIM2>3.0.CO;2-3](http://dx.doi.org/10.1002/(SICI)1097-0274(19970204)31:2<140::AID-AJIM2>3.0.CO;2-3).

Human Health Hazard Literature Search Results

Off Topic

- Mandel, JH; Ramachandran, G; Alexander, BH. (2016). Increased Lung Cancer Mortality in Taconite Mining: The Potential for Disease from Elongate Mineral Particle Exposure. *Chem Res Toxicol* 29: 136-141. <http://dx.doi.org/10.1021/acs.chemrestox.5b00472>.
- Mandel, NS; Mandel, GS. (1982). STRUCTURES OF CRYSTALS THAT PROVOKE INFLAMMATION (pp. NEW YORK). (HEEP/82/12321). Mandel, NS; Mandel, GS.
- Manegold, C. (2004). Current therapies for mesothelioma [correction of glioblastoma]. *Clin Adv Hematol Oncol* 2: 648-649.
- Manente, AG; Pinton, G; Zonca, S; Cilli, M; Rinaldi, M; Daga, A; Nilsson, S; Moro, L. (2015). Intracellular lactate-mediated induction of estrogen receptor beta (ER β) in biphasic malignant pleural mesothelioma cells. *Onct* 6: 25121-25134. <http://dx.doi.org/10.18632/oncotarget.4486>.
- Maness, SC; Boreiko, CJ. (1989). CYTOSTASIS AND BINUCLEUS INDUCTION FOLLOWING TREATMENT OF HUMAN LUNG TUMOR CELL LINES WITH CHRYSOTILE ASBESTOS (pp. 122-123). (ISSN 0893-6692 EISSN 1098-2280 EMICBACK/73710). Maness, SC; Boreiko, CJ.
- Mangold, C; Clark, K; Madl, A; Paustenbach, D. (2006). An exposure study of bystanders and workers during the installation and removal of asbestos gaskets and packing. *J Occup Environ Hyg* 3: 87-98. <http://dx.doi.org/10.1080/15459620500498067>.
- Maniwa, Y; Yoshimura, M; Takata, M; Nishimura, Y; Ohno, Y. (2008). Effective chemotherapy based on a chemosensitivity test for malignant pleural mesothelioma. *Ann Thorac Cardiovasc Surg* 14: 319-321.
- Manke, J; Bruckel, B; Rodelsperger, K; Woitowitz, HJ. (1984). ANALYSIS OF LUNG DUST AFTER OCCUPATIONAL EXPOSURE TO WHITE ASBESTOS (CHRYSOTIL). *Arbeitsmedizin, Sozialmedizin, Praeventivmedizin* 19: 257-261.
- Manke, J; Rödelersperger, K; Brückel, B; Woitowitz, HJ. (1987). Evaluation and application of a plasma ashing method for STEM fiber analysis in human lung tissue. *Am Ind Hyg Assoc J* 48: 730-738. <http://dx.doi.org/10.1080/15298668791385480>.
- Manke, J; Roedelsperger, K; H-J, W; Scharmann, A. (1990). ELECTRON MICROSCOPE IDENTIFICATION OF MINERAL FIBERS IN HUMAN LUNG TISSUE. *Naturwissenschaften* 77: 433-435.
- Mann, B. (1980). Asbestosis. *Radiography* 46: 250-252.
- Mann, JH. (1990). An industrial hygiene evaluation of beet sugar processing plants. *Am Ind Hyg Assoc J* 51: 313-318. <http://dx.doi.org/10.1080/15298669091369727>.
- Manners, D; Wong, P; Murray, C; Teh, J; Kwok, YJ; de Klerk, N; Alfonso, H; Franklin, P; Reid, A; Musk, AW; Brims, FJ. (2017). Correlation of ultra-low dose chest CT findings with physiologic measures of asbestosis. *Eur Radiol*. <http://dx.doi.org/10.1007/s00330-016-4722-7>.
- Manning, DP; Jones, C; Rowland, FJ; Roff, M. (1998). The surface roughness of a rubber soling material determines the coefficient of friction on water-lubricated surfaces. *J Safety Res* 29: 275-283.
- Manning, LS; Whitaker, D; Murch, AR; Garlepp, MJ; Davis, MR; Musk, AW; Robinson, BW. (1991). Establishment and characterization of five human malignant mesothelioma cell lines derived from pleural effusions. *Int J Cancer* 47: 285-290.
- Manos, CG; Patelmandlik, KJ; Lisk, DJ. (1992). PREVALENCE OF ASBESTOS IN COMPOSTED WASTE FROM 26 COMMUNITIES IN THE UNITED-STATES. *Arch Environ Contam Toxicol* 23: 266-269.
- Manos, CG; Patelmandlik, KJ; Lisk, DJ. (1993). ASBESTOS IN YARD OR SLUDGE COMPOSTS FROM THE SAME COMMUNITY AS A FUNCTION OF TIME-OF-WASTE-COLLECTION. *Chemosphere* 26: 1537-1540.
- Manos, CG; Patel-Mandlik, KJ; Ross, BJ; Jenkins, EJ; Lisk, DJ. (1991). Prevalence of asbestos in sewage sludges from 51 lae and small cites in the USA. *Chemosphere* 22: 9-10.
- Mansfield, AS; Symanowski, JT; Peikert, T. (2014). Systematic review of response rates of sarcomatoid malignant pleural mesotheliomas in clinical trials [Review]. *Lung Cancer* 86: 133-136. <http://dx.doi.org/10.1016/j.lungcan.2014.08.017>.
- Manti, A; Bancomina, C; Capano, G. (2013). [Greenstones mining is a risk for public health?]. *Epidemiol Prev* 37: 74-76.
- Manuel, J. (1999). A healthy home environment? [news]. *Environ Health Perspect* 107: A352-A357.
- Manzini, V; Recchia, L; Cafferata, M; Porta, C; Siena, S; Giannetta, L; Morelli, F; Oniga, F; Bearz, A; Torri, V; Cinquini, M. (2010). Malignant peritoneal mesothelioma: a multicenter study on 81 cases. *Ann Oncol* 21: 348-353. <http://dx.doi.org/10.1093/annonc/mdp307>.
- Mao, IF; Yeh, HR; Chen, ML. (2002). Comparison of fiber counting by TV screen and eyepieces of phase contrast microscopy. *AIHA J* 63: 756-761.
- Maples, KR; Johnson, NF. (1992). Fiber-induced hydroxyl radical formation: correlation with mesothelioma induction in rats and humans. *Carcinogenesis* 13: 2035-2039.
- Marano, PD. (1976). Reverse smoking and the insulated denture. *J Am Dent Assoc* 92: 599-601.
- Marchetti, C; Ribulla, S; Magnelli, V; Patrone, M; Burlando, B. (2016). Resveratrol induces intracellular Ca²⁺ rise via T-type Ca²⁺ channels in a mesothelioma cell line. *Life Sci* 148: 125-131. <http://dx.doi.org/10.1016/j.lfs.2016.01.048>.
- Marchi, E; Vargas, FS; Acencio, MM; Canzian, M; Ribeiro, OG; Ibanez, OM; Broaddus, VC. (2004). Asbestos-induced pleural inflammation in mice genetically selected for maximum or minimum inflammatory response. *Chest* 126: 895S-896S.
- Marchi, T; Guidi, M. (1998). [Occupational exposure and pollution caused by asbestos during removal work]. *Med Lav* 89: 58-67.
- Marconcini, MR; Farro, AM. (1985). [Computerized tomography in the study of pleural diseases]. *Med Lav* 76: 17-21.
- Marconi, A. (2001). [Estimating the number of exposures to asbestos at work in Italy: the inconsistency of the existing evaluations] [Letter]. *Med Lav* 92: 355.
- Marconi, A; Cecchetti, G; Barbieri, M. (1989). Airborne Mineral Fibre Concentrations in an Urban Area Near an Asbestos-Cement Plant (pp. 336-346). (ISSN 0300-5038; NIOSH/00191370). Marconi, A; Cecchetti, G; Barbieri, M.
- Marconi, A; Falleni, F; Campanella, E. (1993). Comparison between phase contrast optical microscopy and electron scanning microscopy for analysis of airborne asbestos fibres in office environments. *84*: 211-216.
- Marconi, A; Falleni, F; Campanella, E. (1993). [A comparison between phase-contrast optical microscopy and scanning electron microscopy for the analysis of air-borne asbestos fibers in an office environment]. *Med Lav* 84: 211-216.

Human Health Hazard Literature Search Results

Off Topic

- Marconi, A; Maccione, M; Rossi, L. (1986). Asbestos and Talc: Determination of Mineral Fiber Content in Commercial Talc Powders by Combined Optical Microscopy Techniques (pp. 496-510). (NIOSH/00175467). Marconi, A; Maccione, M; Rossi, L.
- Marconi, A; Menichini, E; Paoletti, L. (1984). A comparison of light microscopy and transmission electron microscopy results in the evaluation of the occupational exposure to airborne chrysotile fibres. *Ann Occup Hyg* 28: 321-331.
- Marcq, E; Pauwels, P; van Meerbeeck, JP; Smits, EL. (2015). Targeting immune checkpoints: New opportunity for mesothelioma treatment? [Review]. *Cancer Treat Rev* 41: 914-924. <http://dx.doi.org/10.1016/j.ctrv.2015.09.006>.
- Marczynski, B; Rozynek, P; Kraus, T; Chen, Z; Schloesser, S; H-J, R; Baur, X. (1996). DETERMINATION OF 8-HYDROXY-DEOXYGUANOSINE AS A BIOMARKER FOR DNA DAMAGE IN WHITE BLOOD CELLS OF ASBESTOS-EXPOSED WORKERS (pp. 388-389). (BIOSIS/96/38105).
- Marczynski, B; Rozynek, P; Kraus, T; Chen, Z; Schloesser, S; Raithel H-J; Baur, X.
- Marek, K; Kujawska, A. (1982). REMARKS ON THE SPECIFICITY OF RADIOLOGICAL CHANGES OF S T U TYPE USED FOR DIAGNOSIS OF ASBESTOSIS (pp. 24-26). (HEEP/84/05474). Marek, K; Kujawska, A.
- Marek, LA; Hinz, TK; von Mässenhausen, A; Olszewski, KA; Kleczko, EK; Boehm, D; Weiser-Evans, MC; Nemenoff, RA; Hoffmann, H; Warth, A; Gozgit, JM; Perner, S; Heasley, LE. (2014). Nonamplified FGFR1 is a growth driver in malignant pleural mesothelioma. *Mol Cancer Res* 12: 1460-1469. <http://dx.doi.org/10.1158/1541-7786.MCR-14-0038>.
- Marek, W; Kotschy-Lang, N; Khanavkar, B; Muti, A; Topalidis, T; Atay, Z; Nakhosteen, JA. (1999). Screening for lung cancer by automated sputum cytometry (ASC) among radon or asbestos exposed workers. *Am J Respir Crit Care Med* 159: A623-A623.
- Marek, W; Kotschy-Lang, N; Muti, A; Köhler, CH; Nielsen, L; Topalidis, TH; Atay, Z; Nakhosteen, JA. (2001). Can semi-automated image cytometry on induced sputum become a screening tool for lung cancer? Evaluation of quantitative semi-automated sputum cytometry on radon- and uranium-exposed workers. *Eur Respir J* 18: 942-950. <http://dx.doi.org/10.1183/09031936.01.00024401>.
- Mares, DC; Mathur, PN. (1998). Medical thorascopic talc pleurodesis for chylothorax due to lymphoma: a case series. *Chest* 114: 731-735.
- Maresca, GP; Puffer, JH; Germine, M. (1984). ASBESTOS IN LAKE AND RESERVOIR WATERS OF STATEN-ISLAND, NEW-YORK - SOURCE, CONCENTRATION, MINERALOGY, AND SIZE DISTRIBUTION. *Environ Geol Water Sci* 6: 201-210.
- Marfels, H; Spurny, K; Chr, B; Schoermann, J; Opiela, H; Arthaus, W; Weiss, G. (1984). Measurements Of Fibrous Dusts In Ambient Air Of The Federal Republic Of Germany I. Measurements In The Vicinity Of An Industrial Sourc (pp. 259-263). (NIOSH/00152502). Marfels, H; Spurny, K; Boose Chr; Schoermann, J; Opiela, H; Arthaus, W; Weiss, G.
- Marfels, H; Spurny, KR. (1988). FIBER DUST EMISSIONS ON DUMPS AND THEIR ASSESSMENT (pp. DORDRECHT). (BIOSIS/88/35673). Marfels, H; Spurny, KR.
- Marfels, H; Spurny, KR; Ibburg, J; Wenzel, A; Glaser, U. (1990). Anthropogene Staeube in der Aussenluft in Baden-Wuerttemberg: Physikalisch-chemische Analyse und toxikologische Bewertung. (Anthropogenic airborne dust in the ambient air of Baden-Wuerttemberg: Physical/chemical analysis and toxicological investigation) (pp. 51). (NTIS/02974643_a). Marfels, H; Spurny, KR; Ibburg, J; Wenzel, A; Glaser, U.
- Margery, J; Planchard, D. (2014). Malignant pleural mesothelioma. *Oncologie* 16: 245-249. <http://dx.doi.org/10.1007/s10269-014-2395-x>.
- Margery, J; Ruffié, P. (2007). [Malignant pleural mesothelioma: interrogations and hopes concerning the expected epidemic] [Review]. *Rev Pneumol Clin* 63: 354-364.
- Margery, J; Ruffié, P. (2008). [Environmental cancer: malignant pleural mesothelioma] [Review]. *Bulletin du Cancer (Online)* 95: 77-86. <http://dx.doi.org/10.1684/bdc.2008.0566>.
- Margler, LW; Rogozen, MB; Ziskind, RA; Reynolds, R. (1979). Rapid screening and identification of airborne carcinogens of greatest concern in California, USA. *J Air Pollut Control Assoc* 29: 1153-1157.
- Marie, I; Gehanno, JF. (2015). Environmental risk factors of systemic sclerosis [Review]. *Seminars in Immunopathology* 37: 463-473. <http://dx.doi.org/10.1007/s00281-015-0507-3>.
- Marier, M; Charney, W; Rousseau, R; Lanthier, R; van Raalte, J. (2007). Exploratory sampling of asbestos in residences near Thetford Mines: the public health threat in Quebec. *Int J Occup Environ Health* 13: 386-397. <http://dx.doi.org/10.1179/oeht.2007.13.4.386>.
- Marijnissen, J; Buwalda, H; Van Pinxteren, M; Lemkowitz, S; Bibo, H. (1989). Production of Well-Defined Organic Fibres for Inhalation Experiment. *J Aerosol Sci* 20: 1285-1288.
- Marinaccio, A. (2009). Epidemiologic surveillance of occupational cancers in the light of the new laws. *Epidemiol Prev* 33: 80-84.
- Marinaccio, A. (2010). [Scientific research, epidemiologic surveillance, and compensation criteria for asbestos-related diseases] [Letter]. *Med Lav* 101: 146-148.
- Marinaccio, A; Belli, S; Binazzi, A; Scarselli, A; Massari, S; Bruni, A; Conversano, M; Crosignani, P; Minerba, A; Zona, A; Comba, P. (2011). Residential proximity to industrial sites in the area of Taranto (Southern Italy). A case-control cancer incidence study. *Ann Ist Super Sanita* 47: 192-199. http://dx.doi.org/10.4415/ANN_11_02_11.
- Marinaccio, A; Binazzi, A; Comba, P; Corfiati, M; Fazzo, L; Bruno, C; Pirastu, R; Pasetto, R; Zona, A. (2016). [SENTIERI-ReNaM: Materials and methods]. *Epidemiol Prev* 40: 16-18.
- Marinaccio, A; Binazzi, A; Di Marzio, D; Massari, S; Scarselli, A; Iavicoli, S. (2011). [The contribution of surveillance systems of occupational diseases and mesothelioma in environmental health studies]. *Epidemiol Prev* 35: 185-188.
- Marinaccio, A; Montanaro, F; Mastrantonio, M; Uccelli, R; Altavista, P; Nesti, M; Costantini, AS; Gorini, G. (2005). Predictions of mortality from pleural mesothelioma in Italy: a model based on asbestos consumption figures supports results from age-period-cohort models. *Int J Cancer* 115: 142-147. <http://dx.doi.org/10.1002/ijc.20820>.
- Marinaccio, A; Nesti, M; Centers, RO. (2003). Analysis of survival of mesothelioma cases in the Italian register (ReNaM). *Eur J Cancer* 39: 1290-1295. [http://dx.doi.org/10.1016/S0959-8049\(03\)00233-8](http://dx.doi.org/10.1016/S0959-8049(03)00233-8).

Human Health Hazard Literature Search Results

Off Topic

- Marinaccio, A; Scarselli, A; Binazzi, A; Altavista, P; Belli, S; Mastrantonio, M; Pasetto, R; Uccelli, R; Comba, P. (2008). Asbestos related diseases in Italy: an integrated approach to identify unexpected professional or environmental exposure risks at municipal level. *Int Arch Occup Environ Health* 81: 993-1001. <http://dx.doi.org/10.1007/s00420-007-0293-x>.
- Marinaccio, A; Scarselli, A; Merler, E; Iavicoli, S. (2012). Mesothelioma incidence surveillance systems and claims for workers' compensation. Epidemiological evidence and prospects for an integrated framework. *BMC Public Health* 12: 314. <http://dx.doi.org/10.1186/1471-2458-12-314>.
- Marini, F; Ferré, MP; Gross, H; Mantout, B; Huvinen, M; Beaufile, D; Cunat, PJ; Bozec, C. (1995). Does welding stainless steel cause cancer? [Letter]. *Scand J Work Environ Health* 21: 65-68.
- Marino, O; Palumbo, M; Mascolo, G. (1995). Destruction of asbestos fibres by sintering asbestos-volcanic tuff mixtures. *Environ Technol* 16: 89-94.
- Marioryad, H; Kakooei, H; Shahtaheri, SJ; Yunesian, M; Azam, K. (2011). Assessment of airborne asbestos exposure at an asbestos cement sheet and pipe factory in Iran. *Regul Toxicol Pharmacol* 60: 200-205. <http://dx.doi.org/10.1016/j.yrtph.2011.03.005>.
- Maris, JK. (1991). State of the Environment Report at Fort Lewis and Its Sub-Installations: A Program Review of the Environmental and Natural Resources Division at Fort Lewis (pp. 103). (NTIS/02980552). Maris, JK.
- Maris, P. (1988). COMPARISON OF FOUR SAMPLING TECHNIQUES OF BACTERIA ON CONCRETE ASBESTOS CONCRETE AND STEEL IN HEN-BREEDING BUILDINGS (pp. 181-186). (BIOSIS/89/00263). Maris, P.
- Mark, EJ. (1981). The second diagnosis: the role of the pathologist in identifying pneumoconioses in lungs excised for tumor. *Hum Pathol* 12: 585-587.
- Mark, EJ; Kradin, RL. (2006). Pathological recognition of diffuse malignant mesothelioma of the pleura: the significance of the historical perspective as regards this signal tumor [Review]. *Semin Diagn Pathol* 23: 25-34. <http://dx.doi.org/10.1053/j.semdp.2006.06.004>.
- Markowitz, G; Rosner, D. (2016). "Unleashed on an Unsuspecting World": The Asbestos Information Association and Its Role in Perpetuating a National Epidemic. *Am J Public Health* 106: 834-840. <http://dx.doi.org/10.2105/AJPH.2015.303023>.
- Markowitz, S; Morabia, A; Miller, A. (2014). Reply: To PMID 23590275 [Letter]. *Am J Respir Crit Care Med* 189: 116-117. <http://dx.doi.org/10.1164/rccm.201307-1350LE>.
- Markowitz, S. (1992). Primary prevention of occupational lung disease: A view from the United States. *Isr J Med Sci* 28: 8-9.
- Marks-Konczalik, J; Gillissen, A; Jaworska, M; Loeseke, S; Voss, B; Fisseler-Eckhoff, A; Schmitz, I; Schultze-Werninghaus, G. (1998). Induction of manganese superoxide dismutase gene expression in bronchoepithelial cells after rockwool exposure. *Lung* 176: 165-180.
- Marr, WT. (1964). ASBESTOS EXPOSURE DURING NAVAL VESSEL OVERHAUL. *Am Ind Hyg Assoc J* 25: 264-268. <http://dx.doi.org/10.1080/00028896409342585>.
- Marrett, LD; Ellison, LF; Dryer, D. (2008). Canadian cancer statistics at a glance: mesothelioma. *Can Med Assoc J* 178: 677-678. <http://dx.doi.org/10.1503/cmaj.080129>.
- Marrogi, A; Pass, HI; Khan, M; Metheny-Barlow, LJ; Harris, CC; Gerwin, BI. (2000). Human mesothelioma samples overexpress both cyclooxygenase-2 (COX-2) and inducible nitric oxide synthase (NOS2): in vitro antiproliferative effects of a COX-2 inhibitor. *Cancer Res* 60: 3696-3700.
- Marsella, LT; Marmo, C; Saracino, V; Del Vecchio, R. (2006). [The association of asbestos and cigarette smoke in lung cancer. Note 2] [Review]. *Clin Ter* 157: 53-59.
- Marsh, GM; Benson, SM. (2017). Response to: 'Pleural mesothelioma and occupational and non-occupational asbestos exposure: a case-control study with quantitative risk assessment' by Ferrante et al [Letter]. *Occup Environ Med* 74: 156-157. <http://dx.doi.org/10.1136/oemed-2016-104002>.
- Marsh, GM; Gula, MJ; Youk, AO; Buchanich, JM; Churg, A; Colby, TV. (2001). Historical cohort study of US man-made vitreous fiber production workers: II. Mortality from mesothelioma. *J Occup Environ Med* 43: 757-766.
- Marsh, GM; Youk, AO; Roggli, VL. (2011). Asbestos fiber concentrations in the lungs of brake repair workers: commercial amphiboles levels are predictive of chrysotile levels. *Inhal Toxicol* 23: 681-688. <http://dx.doi.org/10.3109/08958378.2011.580472>.
- Marsh, JP; Mossman, BT; Driscoll, KE; Borm P, JA. (1992). EFFECTS OF AN ORGANIC SYNTHETIC FIBER ON HAMSTER TRACHEAL EPITHELIAL CELLS AND RAT LUNG FIBROBLASTS IN-VITRO (pp. 17-20). (BIOSIS/92/20033). Marsh, JP; Mossman, BT; Driscoll, KE; Borm P, JA.
- Marsili, D. (2007). Salute e Sviluppo: Il Caso dell'Amianto nei Paesi in via di Sviluppo (Health and Development: Asbestos in Developing Countries) (pp. 103). (NTIS/03450117).
- Marsili, D; Comba, P. (2013). Asbestos case and its current implications for global health. *Ann Ist Super Sanita* 49: 249-251. http://dx.doi.org/DOI: 10.4415/ANN_13_03_03.
- Marsili, D; Comba, P; Bruno, C; Calisti, R; Marinaccio, A; Mirabelli, D; Papa, L; Harari, R. (2010). [Preventing asbestos-related diseases: operative action for Italian cooperation with Latin-American countries]. *Rev Salud Publica (Bogota)* 12: 682-692.
- Marsili, D; Comba, P; De Castro, P. (2015). Environmental health literacy within the Italian Asbestos Project: experience in Italy and Latin American contexts. Commentary. *Ann Ist Super Sanita* 51: 180-182. http://dx.doi.org/10.4415/ANN_15_03_02.
- Marsili, D; Comba, P; Pasetto, R; Terracini, B. (2014). International scientific cooperation on asbestos-related disease prevention in Latin America [Editorial]. 80: 247-250. <http://dx.doi.org/10.1016/j.aogh.2014.09.002>.
- Marsili, D; Terracini, B; Santana, VS; Ramos-Bonilla, JP; Pasetto, R; Mazzeo, A; Loomis, D; Comba, P; Algranti, E. (2016). Prevention of Asbestos-Related Disease in Countries Currently Using Asbestos [Review]. *Int J Environ Res Public Health* 13. <http://dx.doi.org/10.3390/ijerph13050494>.

Human Health Hazard Literature Search Results

Off Topic

- Marsit, CJ; Hasegawa, M; Hirao, T; Kim, DH; Aldape, K; Hinds, PW; Wiencke, JK; Nelson, HH; Kelsey, KT. (2004). Loss of heterozygosity of chromosome 3p21 is associated with mutant TP53 and better patient survival in non-small-cell lung cancer. *Cancer Res* 64: 8702-8707. <http://dx.doi.org/10.1158/0008-5472.CAN-04-2558>.
- Martensson, G. (1981). Thoracoscopy in the diagnosis of malignant mesothelioma. *Poumon Coeur* 37: 249-251.
- Mårtensson, G; Hagmar, B; Zettergren, L. (1984). Diagnosis and prognosis in malignant pleural mesothelioma: a prospective study. *Eur J Respir Dis* 65: 169-178.
- Martikainen, P; Lahelma, E; Ripatti, S; Albanes, D; Virtamo, J. (2001). Educational differences in lung cancer mortality in male smokers. *Int J Epidemiol* 30: 264-267.
- Martin, B. (1900). Asbestos Removal or Treatment in Oklahoma Schools. (NIOSH/00181247). Martin, B.
- Martin, HL; Nutt, AW; Myers, BL; Hightower, JO. (1994). Unknown plant de-construction hazard -- toxic COS and CS(sub 2) gas from torch cutting of pipe (pp. 16). (WSRC-MS-94-0180; CONF-941128-2). Aiken, SC: Westinghouse Savannah River Co. <https://ntrl.ntis.gov/NTRL/dashboard/searchResults.xhtml?searchQuery=DE95001896>.
- Martin, J; Beauptant, M; Sauvé, S; L'Espérance, G. (2016). On the threshold conditions for electron beam damage of asbestos amosite fibers in the transmission electron microscope (TEM). *J Occup Environ Hyg* 13: 924-935. <http://dx.doi.org/10.1080/15459624.2016.1191638>.
- Martin, J; Beauptant, M; Sauvé, S; L'Espérance, G. (2017). Effect of accelerating voltage on beam damage of asbestos fibers in the transmission electron microscope (TEM). 96: 1-8. <http://dx.doi.org/10.1016/j.micron.2017.01.006>.
- Martin, J; Beauptant, M; Sauvé, S; L'Espérance, G. (2017). Effect of temperature on beam damage of asbestos fibers in the transmission electron microscope (TEM) at 100kV. 94: 26-36. <http://dx.doi.org/10.1016/j.micron.2016.11.011>.
- Martincic, M; Tobias, G. (2015). Filled carbon nanotubes in biomedical imaging and drug delivery [Review]. *Expert Opin Drug Deliv* 12: 563-581. <http://dx.doi.org/10.1517/17425247.2015.971751>.
- Martines, V; Fioravanti, M; Anselmi, A; Attili, F; Battaglia, D; Cerratti, D; Ciarrocca, M; D'Amelio, R; De Lorenzo, G; Ferrante, E; Gaudioso, F; Mascia, E; Raucio, A; Siena, S; Palitti, T; Tucci, L; Vacca, D; Vigliano, R; Zelano, V; Tomei, F; Sancini, A. (2010). [Algorithm for assessment of exposure to asbestos]. *G Ital Med Lav Ergon* 32: 154-161.
- Martinez, G; Loreto, C; Rapisarda, V; Masumeci, G; Valentino, M; Carnazza, ML. (2006). Effects of exposure to fluoro-edenite fibre pollution on the respiratory system: an in vivo model. *Histol Histopathol* 21: 595-601.
- Martínez-Miranda, MD; Nielsen, B; Nielsen, JP. (2016). Simple benchmark for mesothelioma projection for Great Britain. *Occup Environ Med* 73: 561-563. <http://dx.doi.org/10.1136/oemed-2015-103303>.
- Martini, E. (1980). [The measurements of asbestos fibres in the working environment. Methods and problems (author's transl)]. *Med Lav* 71: 174-182.
- Martino, E; Cerminara, S; Prandi, L; Fubini, B; Perotto, S. (2004). Physical and biochemical interactions of soil fungi with asbestos fibers. *Environ Toxicol Chem* 23: 938-944. <http://dx.doi.org/10.1897/03-266>.
- Martinotti, S; Ranzato, E; Burlando, B. (2011). In vitro screening of synergistic ascorbate-drug combinations for the treatment of malignant mesothelioma. *Toxicol In Vitro* 25: 1568-1574. <http://dx.doi.org/10.1016/j.tiv.2011.05.023>.
- Martinson, MJ. (1983). Sampling Aerosols In South African Mines (pp. 37-58). (NIOSH/00150277). Martinson, MJ.
- Martonen, TB. (1992). Aerodynamic size measurement of airborne fibers and health effects implications. *Adv Powder Tech* 3: 311-321. [http://dx.doi.org/10.1016/S0921-8831\(08\)60666-4](http://dx.doi.org/10.1016/S0921-8831(08)60666-4).
- Martonen, TB; Hofmann, W; Balashazy, I. (1989). Physical Factors Affecting Lung Deposition of Cigarette Smoke (with Syncarcinogenic Radon Progeny Effects) and Mineral Fibers (pp. 10-14). (NIOSH/00225179). Martonen, TB; Hofmann, W; Balashazy, I.
- Martoni, JF; Nash, E; Grossman, E. (2001). The history of OSHA's asbestos rule makings and some distinctive approaches that they introduced for regulating occupational exposure to toxic substances. *AIHAJ* 62: 208-217.
- Martra, G; Tomatis, M; Fenoglio, I; Coluccia, S; Fubini, B. (2003). Ascorbic acid modifies the surface of asbestos: possible implications in the molecular mechanisms of toxicity. *Chem Res Toxicol* 16: 328-335. <http://dx.doi.org/10.1021/tx0200515>.
- Maruyama, K; Haniu, H; Saito, N; Matsuda, Y; Tsukahara, T; Kobayashi, S; Tanaka, M; Aoki, K; Takamashi, S; Okamoto, M; Kato, H. (2015). Endocytosis of Multiwalled Carbon Nanotubes in Bronchial Epithelial and Mesothelial Cells. *BioMed Res Int* 2015: 793186. <http://dx.doi.org/10.1155/2015/793186>.
- Maruyama, R; Shoji, F; Okamoto, T; Miyamoto, T; Miyake, T; Nakamura, T; Ikeda, J; Aoki, Y; Wataya, H; Asoh, H; Ichinose, Y. (2005). Triplet chemotherapy with cisplatin, gemcitabine and vinorelbine for malignant pleural mesothelioma. *Jpn J Clin Oncol* 35: 433-438. <http://dx.doi.org/10.1093/jjco/hyi127>.
- Masarsky, I. (1994). Suffocating asbestos crisis [Letter]. 36: 79.
- Mason, GR; Abraham, JL; Hoffman, L; Cole, S; Lippmann, M; Wasserman, K. (1982). Treatment of mixed-dust pneumoconiosis with whole lung lavage. *Am Rev Respir Dis* 126: 1102-1107.
- Massardier-Pilonchery, A; Bergeret, A. (2011). [Follow-up after occupational asbestos exposure: terms and devices in foreign] [Review]. *Rev Mal Respir* 28: 556-564. <http://dx.doi.org/10.1016/j.rmr.2010.08.012>.
- Massaro, T; Baldassarre, A; Pinca, A; Martina, GL; Fiore, S; Lettino, A; Cassano, F; Musti, M. (2012). [Exposure to asbestos in buildings in areas of Basilicata characterized by the presence of rocks containing tremolite]. *G Ital Med Lav Ergon* 34: 568-570.
- Massaro, T; Dragonieri, S; Martina, GL; Baldassarre, A; Cassano, F; Musti, M. (2012). [Asbestos and agriculture: new perspectives of risk]. *G Ital Med Lav Ergon* 34: 581-582.
- Massawe, E. (2013). Nanomaterials for Environmental Remediation: Investigating the Role of Nanoinformatics in Support of Environmental, Health, and Safety Oversight of Nanotechnologies at the Local Level. *J Environ Health* 76: 8-17.
- Massey, DG; Fournier-Massey, G. (1987). Asbestos removal from buildings: a review. *Hawaii Med J* 46: 153-154, 157.

Human Health Hazard Literature Search Results

Off Topic

- Massola, A. (2005). [Air-dispersed asbestos fiber pollution in urban areas: current and previous levels]. *G Ital Med Lav Ergon* 27: 431-435.
- Mast, RW; Mcconnell, EE; Hesterberg, TW; Chevalier, J; Kotin, P; Thevenaz, P; Bernstein, DM; Glass, LR; Miiller, W; Anderson, R. (1995). MULTIPLE-DOSE CHRONIC INHALATION TOXICITY STUDY OF SIZE-SEPARATED KAOLIN REFRACTORY CERAMIC FIBER IN MALE FISCHER-344 RATS. *Inhal Toxicol* 7: 469-502.
- Mast, RW; Yu, CP; Oberdorster, C; Mcconnell, EE; Utell, MJ. (2000). A retrospective review of the carcinogenicity of refractory ceramic fiber in two chronic Fischer 344 rat inhalation studies: An assessment of the MTD and implications for risk assessment. *Inhal Toxicol* 12: 1141-1172.
- Mastrangelo, G. (2014). [Authors response] [Letter]. *Med Lav* 105: 309-310.
- Mastrangelo, G; Ballarin, MN; Bellini, E; Eder, M; Zannol, F; Giofrè, F; Zedde, A; Tessadri, G; Marangi, G; Scozzato, L; Valentini, F; Fedeli, U; Rylander, R. (2009). [Feasibility of a screening programme for lung cancer among workers previously heavily exposed to asbestos]. *Med Lav* 100 Suppl 1: 29-32.
- Mastrangelo, G; Marangi, G; Ballarin, MN; Bellini, E; De Marzo, N; Eder, M; Finchi, A; Giofrè, F; Marcolina, D; Tessadri, G; Zannol, F; Altafini, I; Belluso, E; Zaina, S; Agnesi, R; Scozzato, L; Fedeli, U; Cegolon, L; Valentini, F; Marchiori, L. (2013). Post-occupational health surveillance of asbestos workers. *Med Lav* 104: 351-358.
- Masui, T; Lechner, JF; Yoakum, GH; Willey, JC; Harris, CC. (1986). GROWTH AND DIFFERENTIATION OF NORMAL AND TRANSFORMED HUMAN BRONCHIAL EPITHELIAL CELLS (pp. NEW YORK). (BIOSIS/87/11224). Masui, T; Lechner, JF; Yoakum, GH; Willey, JC; Harris, CC.
- Mateo, M; Perez-Carraminana, C; Chinchon, S. (2013). Varieties of asbestos in buildings and risks associated with the work of deconstruction. *Informes de la Construcción* 65: 311-324. <http://dx.doi.org/10.3989/ic.11.118>.
- Mathee, A; Von Schirnding, YER; De Wet, T; Mokoetle, K. (2000). Potential risk factors for asbestos exposure amongst six-month-old infants living in the township of Soweto, South Africa. *Int J Environ Health Res* 10: 135-139.
- Matrat, M; Guida, F; Cénée, S; Févotte, J; Carton, M; Cyr, D; Menvielle, G; Paget-Bailly, S; Radoï, L; Schmaus, A; Bara, S; Velten, M; Luce, D; Stücker, I; The Icare Study Group, I. (2015). Occupational Exposure to Diesel Motor Exhaust and Lung Cancer: A Dose-Response Relationship Hidden by Asbestos Exposure Adjustment? The ICARE Study. *Journal of Cancer Epidemiology* 2015: 879302. <http://dx.doi.org/10.1155/2015/879302>.
- Matrat, M; Guida, F; Mattei, F; Cénée, S; Cyr, D; Févotte, J; Sanchez, M; Menvielle, G; Radoï, L; Schmaus, A; Woronoff, AS; Luce, D; Stücker, I; Group, IS. (2016). Welding, a risk factor of lung cancer: the ICARE study. *Occup Environ Med* 73: 254-261. <http://dx.doi.org/10.1136/oemed-2015-102964>.
- Mattei, F; Guida, F; Matrat, M; Cénée, S; Cyr, D; Sanchez, M; Radoï, L; Menvielle, G; Jellouli, F; Carton, M; Bara, S; Marrer, E; Luce, D; Stücker, I. (2014). Exposure to chlorinated solvents and lung cancer: results of the ICARE study. *Occup Environ Med* 71: 681-689. <http://dx.doi.org/10.1136/oemed-2014-102182>.
- Mattei, F; Liverani, S; Guida, F; Matrat, M; Cénée, S; Azizi, L; Menvielle, G; Sanchez, M; Pilorget, C; Lapôtre-Ledoux, B; Luce, D; Richardson, S; Stücker, I; Group, IS. (2016). Multidimensional analysis of the effect of occupational exposure to organic solvents on lung cancer risk: the ICARE study. *Occup Environ Med* 73: 368-377. <http://dx.doi.org/10.1136/oemed-2015-103177>.
- Mattila, JT; Burkhardt, NY; Hutcheson, HJ; Munderloh, UG; Kurtti, TJ. (2007). Isolation of cell lines and a rickettsial endosymbiont from the soft tick *Carios capensis* (Acari : Argasidae : Ornithodorinae). *J Med Entomol* 44: 1091-1101.
- Mattila, JT; Munderloh, UG; Kurtti, TJ. (2007). Phagocytosis of the Lyme disease spirochete, *Borrelia burgdorferi*, by cells from the ticks, *Ixodes scapularis* and *Dermacentor andersoni*, infected with an endosymbiont, *Rickettsia peacockii*. *J Insect Sci* 7: 58. <http://dx.doi.org/10.1673/031.007.5801>.
- Mattila, JT; Munderloh, UG; Kurtti, TJ. (2007). *Rickettsia peacockii*, an endosymbiont of *Dermacentor andersoni*, does not elicit or inhibit humoral immune responses from immunocompetent *D. andersoni* or *Ixodes scapularis* cell lines. *Dev Comp Immunol* 31: 1095-1106. <http://dx.doi.org/10.1016/j.dci.2007.01.011>.
- Mattioli, S; Nini, D; Mancini, G; Violante, FS. (2002). Past asbestos exposure levels in foundries and cement-asbestos factories [Letter]. *Am J Ind Med* 42: 363. <http://dx.doi.org/10.1002/ajim.10114>.
- Mattson, SM. (1994). Glass Fibres in Simulated Lung Fluid: Dissolution Behaviour and Analytical Requirements. *Ann Occup Hyg* 38: 857-877.
- Mattsson, T; Huuskonen, MS; Zitting, A. (1985). Correlation Between Radiographic And Physiological Findings In Asbestosis (pp. 705-717). (NIOSH/00158299). Mattsson, T; Huuskonen, MS; Zitting, A.
- Matzka, RA. (1989). A REVIEW OF THE APPLICATION OF NON-ASBESTOS PACKING AND GASKET MATERIALS IN THE PULP AND PAPER-INDUSTRY. *Tappi Journal* 72: 233-238.
- Mauch, SC; Militana, LM. (1990). STATISTICAL MODELLING OF AMBIENT AIR TOXICS IMPACTS DURING REMEDIAL INVESTIGATIONS AT A LANDFILL SITE (pp. PITTSBURGH). (BIOSIS/91/30792). Mauch, SC; Militana, LM.
- Mauderly, JL. (1997). Relevance of particle-induced rat lung tumors for assessing lung carcinogenic hazard and human lung cancer risk [Review]. *Environ Health Perspect* 105 (Suppl 5): 1337-1346.
- Maurel, M; Stoufflet, A; Thorel, L; Berna, V; Gislard, A; Letourneux, M; Pairon, JC; Survey, NNoAP-E; Paris, C. (2009). Factors associated with cancer distress in the Asbestos Post-Exposure Survey (APEXS). *Am J Ind Med* 52: 288-296. <http://dx.doi.org/10.1002/ajim.20672>.
- Mavi, A; Dhuriraj, T; Cermik, TF; Urhan, M; Wasik, M; Basu, S; Kumar, R; Torigian, D; Alavi, A. (2008). Central photopenic lesions on FDG-PET scan in a patient with peripheral T cell lymphoma. *Ann Nucl Med* 22: 629-633. <http://dx.doi.org/10.1007/s12149-008-0164-x>.
- Mawas, AS; Amatya, VJ; Suzuki, R; Kushitani, K; Mohi El-Din, MM; Takeshima, Y. (2017). PIM1 knockdown inhibits cell proliferation and invasion of mesothelioma cells. *Int J Oncol* 50: 1029-1034. <http://dx.doi.org/10.3892/ijo.2017.3863>.
- Maxim, LD; Boymel, P; Chase, GR; Bernstein, DM. (2002). Indices of fiber biopersistence and carcinogen classification for synthetic vitreous fibers (SVFs). *Regul Toxicol Pharmacol* 35: 357-378. <http://dx.doi.org/10.1006/rtph.2002.1552>.

Human Health Hazard Literature Search Results

Off Topic

- Maxim, LD; Galvin, JB; Niebo, R; Segrave, AM; Kampa, OA; Utell, MJ. (2006). Occupational exposure to carbon/coke fibers in plants that produce green or calcined petroleum coke and potential health effects: 1. Fiber characteristics. *Inhal Toxicol* 18: 1-16. <http://dx.doi.org/10.1080/08958370500282167>.
- Maxim, LD; Hadley, JG; Potter, RM; Niebo, R. (2006). The role of fiber durability/biopersistence of silica-based synthetic vitreous fibers and their influence on toxicology [Review]. *Regul Toxicol Pharmacol* 46: 42-62. <http://dx.doi.org/10.1016/j.yrtph.2006.05.003>.
- Maxim, LD; Mast, RW; Utell, MJ; Yu, CP; Boymel, PM; Zoitos, BK; Cason, JE. (1999). Hazard assessment and risk analysis of two new synthetic vitreous fibers. *Regul Toxicol Pharmacol* 30: 54-74. <http://dx.doi.org/10.1006/rtph.1999.1314>.
- Maxim, LD; McConnell, EE. (2005). A review of the toxicology and epidemiology of wollastonite [Review]. *Inhal Toxicol* 17: 451-466. <http://dx.doi.org/10.1080/08958370591002030>.
- Maxim, LD; Niebo, R, on; Larosa, S; Johnston, B; Allison, K; McConnell, EE. (2008). Product Stewardship in Wollastonite Production. *Inhal Toxicol* 20: 1199-1214. <http://dx.doi.org/10.1080/08958370802136749>.
- Maxim, LD; Niebo, R; Utell, MJ; McConnell, EE; Larosa, S; Segrave, AM. (2014). Wollastonite toxicity: an update [Review]. *Inhal Toxicol* 26: 95-112. <http://dx.doi.org/10.3109/08958378.2013.857372>.
- Mayall, FG; Gibbs, AR. (1992). The histology and immunohistochemistry of small cell mesothelioma. *Histopathology* 20: 47-51.
- Mayall, FG; Goddard, H; Gibbs, AR. (1992). INTERMEDIATE FILAMENT EXPRESSION IN MESOTHELIOMAS - LEIOMYOID MESOTHELIOMAS ARE NOT UNCOMMON. *Histopathology* 21: 453-457.
- Mayall, FG; Goddard, H; Gibbs, AR. (1992). P53 IMMUNOSTAINING IN THE DISTINCTION BETWEEN BENIGN AND MALIGNANT MESOTHELIAL PROLIFERATIONS USING FORMALIN-FIXED PARAFFIN SECTIONS. *J Pathol* 168: 377-381.
- Mayer, P. (1983). [Substitute materials for asbestos]. 33: 282-288.
- Maynard, C. (2004). Asbestos problems in Montana and California [Letter]. *Environ Sci Technol* 38: 46A.
- Mazza, R; Invernizzi, G; Sbrogio, L. (2010). Smoking while driving: do we need a law? [Editorial]. *Epidemiol Prev* 34: 7-8.
- Mazziotti, S; Gaeta, M; Costa, C; Ascenti, G; Barbaro Martino, L; Spatari, G; Settineri, N; Barbaro, M. (2004). Computed tomography features of liparitis: a pneumoconiosis due to amorphous silica. *Eur Respir J* 23: 208-213. <http://dx.doi.org/10.1183/09031936.04.00028904>.
- Mc Dougall, V. (1997). Worker health and safety training cooperative agreement [Research]. RePORTER Database National Institutes of Health.
- Mc Larty, JW. (1985). Beta-carotene and lung cancer chemoprevention [Research]. RePORTER Database National Institutes of Health.
- Mc Larty, JW. (1986). Beta-carotene and lung cancer chemoprevention [Research]. RePORTER Database National Institutes of Health.
- Mc Larty, JW. (1987). Beta-carotene and lung cancer chemoprevention [Research]. RePORTER Database National Institutes of Health.
- Mc Larty, JW. (1988). Beta-carotene and lung cancer chemoprevention [Research]. RePORTER Database National Institutes of Health.
- Mcbryde, WT; Williams, F. (1957). A Rapid Determination Of Micro Quantities Of Mercury In Urine And Water Using The Mercurimeter. (NIOSH/00132201). Mcbryde, WT; Williams, F.
- Mccahan, J. (1980). MEDICAL-MANAGEMENT OF FORMER ASBESTOS WORKER. *JAMA* 244: 1725-1725.
- Mccallum, RI. (1971). Pollution at work: Dusty work in the 1970's (pp. 246-250). (HEEP/73/03217). Mccallum, RI.
- Mccammon, C; Lee, S. (1990). Hazard Evaluation and Technical Assistance Report HETA 90-151-L2067, Department of Energy, Westside Energy Co-Op, Denver, Colorado. 13.
- Mccammon, C; Lee, S. (1990). Hazard Evaluation and Technical Assistance Report No. HETA-90-151-L2067, Department of Energy, Westside Energy Co-Op, Denver, Colorado (pp. 90-151). (NIOSH/00196019). Mccammon, C; Lee, S.
- Mccammon, JB; Hills, B; Orgel, D. (1990). Health Hazard Evaluation Report HETA 88-348-2081, A.E. Staley Manufacturing Company, Decatur, Illinois. 45.
- Mccammon, JB; Hills, B; Orgel, D. (1990). Health Hazard Evaluation Report No. HETA-88-348-2081, A.E. Staley Manufacturing Company, Decatur, Illinois (pp. 88-348). (NIOSH/00198493). Mccammon, JB; Hills, B; Orgel, D.
- Mccann, J; Horn, L; Kaldor, J. (1984). An evaluation of Salmonella (Ames) test data in the published literature: Application of statistical procedures and analysis of mutagenic potency. *Mutat Res* 134: 1-47. [http://dx.doi.org/10.1016/0165-1110\(84\)90013-7](http://dx.doi.org/10.1016/0165-1110(84)90013-7).
- Mccaughy W, TE. (1991). THE DIAGNOSIS OF MESOTHELIOMA BY PANELS. *Am J Ind Med* 19: 121-124.
- Mccaughy, WT. (1993). Re: Asbestos and cancer, 1934-1965 [Comment]. *Am J Ind Med* 23: 503-504.
- Mcclay, EF. (1989). EPIDEMIOLOGY OF BONE AND SOFT TISSUE SARCOMAS. *Semin Oncol* 16: 264-272.
- Mcclean, MD; Kelsey, KT; Sison, JD; Quesenberry, CP; Wrensch, MR; Wiencke, JK. (2011). A case-control study of asphalt and tar exposure and lung cancer in minorities. *Am J Ind Med* 54: 811-818. <http://dx.doi.org/10.1002/ajim.21007>.
- Mccleery, B; Jones, MP; Manasse, J; Johns, S; Gompf, RE; Newman, S. (2015). Pericardial Mesothelioma in a Yellow-naped Amazon Parrot (*Amazona auropalliata*). *J Avian Med Surg* 29: 55-62.
- Mcclellan, RO. (1994). ASSESSING HEALTH RISKS OF SYNTHETIC VITREOUS FIBERS - AN INTEGRATIVE APPROACH. *Regul Toxicol Pharmacol* 20: S121-S134.
- Mcclellan, RO. (1997). Use of Mechanistic Data in Assessing Human Risks from Exposure to Particles. *Environ Health Perspect* 105: 1363-1372.
- Mcclellan, RO; Hesterberg, TW. (1994). ROLE OF BIOPERSISTENCE IN THE PATHOGENICITY OF MAN-MADE FIBERS AND METHODS FOR EVALUATING BIOPERSISTENCE - A SUMMARY OF 2 ROUND-TABLE DISCUSSIONS. *Environ Health Perspect* 102: 277-283.
- Mcclellan, RO; Mauderly, JL; Jones, RK; Cuddihy, RG. (1985). Health effects of diesel exhaust: a contemporary air pollution issue. *Postgrad Med* 78: 206-207.
- Mcclellan, RO; Miller, FJ; Hesterberg, TW; Warheit, DB; Bunn, WB; Kane, AB; Lippmann, M; Mast, RW; McConnell, EE; Reinhardt, CF. (1992). APPROACHES TO EVALUATING THE TOXICITY AND CARCINOGENICITY OF MAN-MADE FIBERS - SUMMARY OF A WORKSHOP HELD NOVEMBER 11-13, 1991, DURHAM, NORTH-CAROLINA. *Regul Toxicol Pharmacol* 16: 321-364.
- McConnell, EE. (1995). Advantages and Limits of In Vivo Screening Tests. *Ann Occup Hyg* 39: 727-735.

Human Health Hazard Literature Search Results

Off Topic

- Mcconnell, EE. (1995). Historical review of the rodent bioassay and future directions [Review]. *Regul Toxicol Pharmacol* 21: 38-43.
- McConnell, EE. (2000). A science-based paradigm for the classification of synthetic vitreous fibers [Review]. *Regul Toxicol Pharmacol* 32: 14-21. <http://dx.doi.org/10.1006/rtph.2000.1409>.
- Mcconnell, EE; Carbone, M. (2000). A Comparison of Pleural Mesotheliomas Induced by Asbestos or SV40 Virus in Syrian Golden Hamsters. *Inhal Toxicol* 12 Suppl 3: 173-181. <http://dx.doi.org/10.1080/08958378.2000.11463211>.
- Mcconnell, EE; Davis, JMG. (2002). Quantification of fibrosis in the lungs of rats using a morphometric method. *Inhal Toxicol* 14: 263-272. <http://dx.doi.org/10.1080/08958370252809040>.
- Mcconnell, EE; Hall, L; Adkins, B, Jr. (1991). Studies on the chronic toxicity (inhalation) of wollastonite in Fischer 344 rats. *Inhal Toxicol* 3: 323-337.
- Mcconnell, EE; Kamstrup, O; Musselman, R; Hesterberg, TW; Chevalier, J; Miiller, WC; Thevenaz, P. (1994). CHRONIC INHALATION STUDY OF SIZE-SEPARATED ROCK AND SLAG WOOL INSULATION FIBERS IN FISCHER 344/N RATS. *Inhal Toxicol* 6: 571-614.
- Mcconnell, EE; Mast, RW; Hesterberg, TW; Chevalier, J; Kotin, P; Bernstein, DM; Thevenaz, P; Glass, LR; Anderson, R. (1995). CHRONIC INHALATION TOXICITY OF A KAOLIN-BASED REFRACTORY CERAMIC FIBER IN SYRIAN GOLDEN-HAMSTERS. *Inhal Toxicol* 7: 503-532.
- Mccormack, V; Peto, J; Byrnes, G; Straif, K; Boffetta, P. (2013). Reply: comment on 'estimating the asbestos-related lung cancer burden from mesothelioma mortality' [Letter]. *Br J Cancer* 109: 825-826. <http://dx.doi.org/10.1038/bjc.2013.302>.
- Mccormick, LD. (1983). A SURFACE CHARACTERIZATION OF COATED AND UNCOATED CHRYSOTILE UTILIZING AUGER ELECTRON SPECTROSCOPY (pp. 13-16). (HEEP/84/05691). Mccormick, LD.
- Mccoy, MJ; Nowak, AK; Lake, RA. (2009). Chemoimmunotherapy: an emerging strategy for the treatment of malignant mesothelioma [Review]. *Tissue Antigens* 74: 1-10. <http://dx.doi.org/10.1111/j.1399-0039.2009.01275.x>.
- Mccredie, M; Stewart, JH. (1993). RISK-FACTORS FOR KIDNEY CANCER IN NEW-SOUTH-WALES .4. OCCUPATION. *Br J Ind Med* 50: 349-354.
- Mccrone, WC. (1979). Evaluation Of Asbestos In Insulation (pp. 5-9). (NIOSH/00152084). Mccrone, WC.
- Mccrone, WC. (1985). ROUTINE DETECTION AND IDENTIFICATION OF ASBESTOS. *Microscope* 33: 273-284.
- Mccrone, WC. (1989). CALCULATION OF REFRACTIVE INDICES FROM DISPERSION STAINING DATA. *Microscope* 37: 49-53.
- Mccrone, WC. (1989). DISCUSSION OF THE ASBESTOS BULK SAMPLE ANALYSIS QUALITY ASSURANCE PROGRAMS. *Microscope* 37: 3-4.
- Mccrone, WC. (1990). Discussion of the Asbestos Bulk Sample Analysis Quality Assurance Programs. *Am Environ Lab* 2: 16-20.
- Mccullagh, SF. (1978). Non-occupational exposure to asbestos [Letter]. *Lancet* 2: 844.
- Mccullagh, SF. (1978). Non-occupational exposure to asbestos and malignant mesothelioma [Letter]. *Lancet* 2: 521-522.
- Mccullagh, SF. (1985). Biological Effects Of Asbestos The Unresolved Matters (pp. 501-509). (NIOSH/00158291). Mccullagh, SF.
- Mcculloch, J. (2003). Asbestos mining in Southern Africa, 1893-2002. *Int J Occup Environ Health* 9: 230-235. <http://dx.doi.org/10.1179/oeh.2003.9.3.230>.
- Mcculloch, J. (2005). Mining and mendacity, or how to keep a toxic product in the marketplace. *Int J Occup Environ Health* 11: 398-403. <http://dx.doi.org/10.1179/oeh.2005.11.4.398>.
- Mcculloch, J. (2006). Saving the asbestos industry, 1960 to 2006. *Public Health Rep* 121: 609-614.
- Mcculloch, J; Tweedale, G. (2004). Double standards: the multinational asbestos industry and asbestos-related disease in South Africa. *Int J Health Serv* 34: 663-679.
- Mcculloch, J; Tweedale, G. (2007). Science is not sufficient: Irving J. Selikoff and the asbestos tragedy. *New Solutions: A Journal of Environmental and Occupational Health Policy* 17: 293-310. <http://dx.doi.org/10.2190/NS.17.4.f>.
- Mcculloch, J; Tweedale, G. (2007). Shooting the messenger: the vilification of Irving J. Selikoff. *Int J Health Serv* 37: 619-634.
- Mccunney, RJ. (1986). The patient with asbestos exposure. *J Fam Pract* 22: 73-78.
- Mccunney, RJ. (1987). The role of building construction and ventilation in indoor air pollution. Review of a recurring problem [Review]. *N Y State J Med* 87: 203-209.
- Mccunney, RJ; Russo, PK; Doyle, JR. (1987). Occupational Illness in the Arts. *Am Fam Physician* 36: 145-153.
- Mccutcheon, J; Wilson, SA; Southam, G. (2016). Microbially Accelerated Carbonate Mineral Precipitation as a Strategy for in Situ Carbon Sequestration and Rehabilitation of Asbestos Mine Sites. *Environ Sci Technol* 50: 1419-1427. <http://dx.doi.org/10.1021/acs.est.5b04293>.
- Mcdermott, M; Bevan, MM; Allardice, JT. (1982). LUNG-FUNCTION, RESPIRATORY SYMPTOMS AND RADIOGRAPHIC CHANGE IN WORKERS EXPOSED TO CHRYSOTILE ASBESTOS IN SWAZILAND. *Eur J Respir Dis* 63: 172-172.
- Mcdiarmid, M; Weaver, V; Kessler, ER. (1996). Hospitals and Laboratories (pp. 729-746). (NIOSH/00229883). Mcdiarmid, M; Weaver, V; Kessler, ER.
- Mcdiarmid, MA; Weaver, V. (1993). Fouling one's own nest revisited [Review]. *Am J Ind Med* 24: 1-9.
- Mcdonald, AD; Mcdonald, JC. (1985). Mesothelioma and asbestos fibre type [Letter]. *Br J Ind Med* 42: 567-568.
- Mcdonald, AD; Mcdonald, JC. (1988). Methods old and new for analysing occupational cohort data [Letter]. *Am J Ind Med* 13: 735-736.
- Mcdonald, C. (1976). Asbestos researcher charges distortion. 17-22.
- Mcdonald, C. (1995). MINERAL DUSTS AND FIBRES (pp. LONDON). (BIOSIS/96/14762). Mcdonald, C.
- Mcdonald, Cea. (1997). The Quebec asbestos cohort. *Ann Occup Hyg* 41: 1-1.
- Mcdonald, JC. (1971). HEALTH OF QUEBEC ASBESTOS WORKERS. 64: 65-&.
- Mcdonald, JC. (1972). MORTALITY IN ASBESTOS INDUSTRY - REPLY. *Arch Environ Health* 24: 295-&.
- Mcdonald, JC. (1975). Problems in the determination of safety standards for asbestos-exposed workers. 603-607.
- Mcdonald, JC. (1976). PROBLEMS IN THE DETERMINATION OF SAFETY STANDARDS FOR ASBESTOS EXPOSED WORKERS (pp. BERLIN). (HEEP/77/12075). Mcdonald, JC.

Human Health Hazard Literature Search Results

Off Topic

- Mcdonald, JC. (1984). Aspects of the Asbestos Standard (pp. 139-149). (NIOSH/00171050). Mcdonald, JC.
- Mcdonald, JC. (1994). Epidemiological significance of mineral fiber persistence in human lung tissue [Review]. *Environ Health Perspect* 102 Suppl 5: 221-224.
- Mcdonald, JC. (2000). Re: Call for an International Ban on Asbestos: Why not ban asbestos? [Letter]. *Am J Ind Med* 37: 235.
- Mcdonald, JC. (2001). Re: Researchers should talk to workers. *Am. J. Ind. Med.* 2000. 37:668 [Letter]. *Am J Ind Med* 39: 346-347.
- Mcdonald, JC; Case, BW; Enterline, PE; Henderson, V; Mcdonald, AD; Plourde, M; Sebastien, P. (1990). Lung dust analysis in the assessment of past exposure of man-made mineral fibre workers. *Ann Occup Hyg* 34: 427-441.
- Mcdonald, JC; Cherry, N; Mcnamee, R; Burgess, G; Turner, S. (1995). Preliminary analysis of proportional mortality in a cohort of British pottery workers exposed to crystalline silica. *Scand J Work Environ Health* 21 Suppl 2: 63-65.
- Mcdonald, JC; Mcdonald, AD. (1981). MESOTHELIOMA AS AN INDEX OF ASBESTOS IMPACT (pp. COLD SPRING HARBOR). (HEEP/83/00857). Mcdonald, JC; Mcdonald, AD.
- Mcdonald, JC; Mcdonald, AD. (1990). Asbestos and carcinogenicity [Letter]. *Science* 249: 844.
- Mcdonald, JC; Sébastien, P; Case, B; Mcdonald, AD; Dufresne, A. (1992). Ferruginous body counts in sputum as an index of past exposure to mineral fibres. *Ann Occup Hyg* 36: 271-282.
- Mcdonald, ME. (1985). ACID DEPOSITION AND DRINKING WATER (pp. 772-776; 1985). (ISSN 0013-936X EISSN 1520-5851 HMT/85/0002904). Mcdonald, ME.
- Mcdonald, S. (1927). Histology of Pulmonary Asbestosis. *Br Med J* 2: 1025-1026.
- Mcelduff, P; Attia, J; Ewald, B; Cockburn, J; Heller, R. (2002). Estimating the contribution of individual risk factors to disease in a person with more than one risk factor. *J Clin Epidemiol* 55: 588-592.
- Mcfadden, JS. (1986). CHEMICAL HAZARDS IN A HOSPITAL ENVIRONMENT A SAFETY AND INDUSTRIAL HYGIENE NIGHTMARE. (BIOSIS/86/33437). Mcfadden, JS.
- McGavin, C; Smith, K; Sykes, L. (2002). Diffuse asbestos-related pleural fibrosis; A poor guide to heavy dust exposure? *Thorax* 57.
- McGinnis, ME; Malisch, VS. (1983). CONTROLLING ASBESTOS EXPOSURE (pp. 41; 1983). (HMT/83/0000529). McGinnis, ME; Malisch, VS.
- McGlothlin, JD; Froneberg, B. (1982). Health Hazard Evaluation Report, No. HHE-79-139-966, Fulflex Rubber Company, Bristol, Rhode Island. (NIOSH/00127761). McGlothlin, JD; Froneberg, B.
- McGrath, DB; Van Orden, DR; Howard, RM; Guerrero, P; Davis, SC. (2010). Analytical performance issues. Two different methods, three different variations, four different sources: what bulk asbestos PLM method is your laboratory using? Part 2. *J Occup Environ Hyg* 7: D65-D68. <http://dx.doi.org/10.1080/15459624.2010.487181>.
- McGrath, DB; Van Orden, DR; Howard, RM; Guerrero, P; Davis, SC. (2010). Two different methods, three different variations, four different sources: what bulk asbestos PLM method is your laboratory using? Part 1. *J Occup Environ Hyg* 7: D53-D56. <http://dx.doi.org/10.1080/15459624.2010.486305>.
- McInnes, RG; Dell'Anno, A. (1987). TREND IN SETTING EMISSION GUIDELINES (pp. 8-36; 1987). (HMT/87/0004830). McInnes, RG; Dell'Anno, A.
- McIntyre, OR. (1988). Asbestos as a health hazard: a course for college students [Letter]. *J Cancer Educ* 3: 9-10. <http://dx.doi.org/10.1080/08858198809527905>.
- Mckelvy, MJ; Chizmeshya, AV; Diefenbacher, J; Béarat, H; Wolf, G. (2004). Exploration of the role of heat activation in enhancing serpentine carbon sequestration reactions. *Environ Sci Technol* 38: 6897-6903.
- Mckernan, JL; Toraason, MA; Fernback, JE. (2008). Presence of airborne fibers in tungsten refining and manufacturing processes: preliminary characterization. *J Occup Environ Hyg* 5: 463-474. <http://dx.doi.org/10.1080/15459620802143742>.
- Mckiernan, M. (2012). Giovanni Antonio Canale (Canaletto): The Arsenal The Water Entrance 1732. *Occup Med (Lond)* 62: 86-87. <http://dx.doi.org/10.1093/ocmed/kqs003>.
- Mckinley, M; Ronk, C; Jacobsen, M; Williams, E; Galbraith, D. (2012). CHRYSOTILE ASBESTOS EXPOSURE AND UPPER RESPIRATORY CANCERS: IS THERE AN ASSOCIATION? *Am J Epidemiol* 175: S101-S101.
- McLarty, J; Shepherd, S; Hurst, G; Levin, J. (2011). EARLY INDICATORS OF MORTALITY IN ASBESTOS WORKERS. *J Thorac Oncol* 6: S1388-S1389.
- McLarty, J; Zinkgraf, S; Smith, K. (1986). VALIDATION OF SELF-REPORTED TOBACCO USE IN FORMER ASBESTOS WORKERS USING PLASMA COTININE AND THIOCYANATE - THE TYLER-CANCER-PREVENTION-PROGRAM. *Am J Epidemiol* 124: 538-538.
- McLarty, JW. (1989). Beta-carotene and lung cancer chemoprevention [Research]. RePORTER Database National Institutes of Health.
- McLarty, JW. (1990). Beta-carotene and lung cancer chemoprevention [Research]. RePORTER Database National Institutes of Health.
- McLarty, JW. (1991). Beta-carotene and lung cancer chemoprevention [Research]. RePORTER Database National Institutes of Health.
- McLarty, JW. (1992). Beta-carotene and lung cancer chemoprevention [Research]. RePORTER Database National Institutes of Health.
- McLarty, JW; Farley, ML; Greenberg, SD; Hurst, GA; Mabry, LC. (1980). Statistical comparison of aerosol-induced and spontaneous sputum specimens in the Tyler Asbestos Workers Program. *Acta Cytol* 24: 460-465.
- McLarty, JW; Fortson, NG. (1982). SPUTUM CYTOPATHOLOGY IN PERSONS OCCUPATIONALLY EXPOSED TO ASBESTOS. *Am Rev Respir Dis* 125: 153-153.
- McLarty, JW; Holiday, DB; Girard, WM; Yanagihara, RH; Kummert, TD; Greenberg, SD. (1995). Beta-Carotene, vitamin A, and lung cancer chemoprevention: results of an intermediate endpoint study. *Am J Clin Nutr* 62: 1431S-1438S.
- McLarty, JW; Yanagihara, R; James, H; Riley, L; Kummert, T; Smith, K. (1987). BASELINE DATA ANALYSIS OF SERUM BETA CAROTENE IN A RANDOMIZED CLINICAL TRIAL THE TYLER CANCER PREVENTION PROGRAM (pp. 15-18). (BIOSIS/87/21409). McLarty, JW; Yanagihara, R; James, H; Riley, L; Kummert, T; Smith, K.
- Mclaughlin, JK. (1994). Formaldehyde and cancer: A critical review [Review]. *Int Arch Occup Environ Health* 66: 295-301. <http://dx.doi.org/10.1007/bf00378361>.

Human Health Hazard Literature Search Results

Off Topic

- Mclaughlin, JK; Malker, HSR; Blot, WJ; Weiner, JA; Stone, BJ; Ericsson, JLE; Fraumeni, JF. (1992). RENAL-CELL CANCER AMONG ARCHITECTS AND ALLIED PROFESSIONALS IN SWEDEN. *Am J Ind Med* 21: 873-876.
- Mclean A, EM. (1977). Testing of industrial chemicals. *Lancet* 2: 1070-1071.
- Mclean, AN; Patel, KR. (1997). Clinical features and epidemiology of malignant pleural mesothelioma in west Glasgow 1987-1992. *Scott Med J* 42: 37-39.
- Mcleland, SM; Imhoff, DJ; Thomas, M; Powers, BE; Quimby, JM. (2013). Subcutaneous fluid port-associated soft tissue sarcoma in a cat. *J Feline Med Surg* 15: 917-920. <http://dx.doi.org/10.1177/1098612X13478267>.
- Mclellan, RK. (1983). The Health Hazards Of Office Work. *Toxic Subst* 5: 162-181.
- Mclemore, T; Mace, M; Roggli, VL; Greenberg, SD; Lawrence, C; Martin, R. (1980). COMPARISON BETWEEN INVITRO INTERACTION OF HUMAN FREE ALVEOLAR MACROPHAGES AND UNCOATED OR COATED ASBESTOS FIBERS. *Lab Invest* 42: 135-135.
- Mclemore, TL; Corson, MA; Martin, RR; Arnott, M; Jenkins, WT; Brinkley, BR; Mace, ML; Snodgrass, DR; Wray, NP. (1979). CYTOTOXICITY AND AHH ENZYME-INDUCTION IN HUMAN PULMONARY MACROPHAGES AND LYMPHOCYTES CULTURED WITH ASBESTOS. *Am Rev Respir Dis* 119: 229-229.
- Mclennan, G; Roder, DM. (1989). Lung cancer in Australia. *Med J Aust* 150: 206-207, 210-203.
- Mclintock, JS; Rae, S. (1972). The Radiological Control Of Dust Disease (pp. 166-177). (NIOSH/00156089). Mclintock, JS; Rae, S.
- Mcloud, TC. (1988). The use of CT in the examination of asbestos-exposed persons [Editorial]. *Radiology* 169: 862-863. <http://dx.doi.org/10.1148/radiology.169.3.3187016>.
- Mcloud, TC. (1989). ASBESTOS-RELATED DISEASES THE ROLE OF IMAGING TECHNIQUES (pp. 65-74). (BIOSIS/90/01705). Mcloud, TC.
- Mcloud, TC. (1991). Occupational Lung Disease. *Radiol Clinical North Am* 29: 931-941.
- Mcloud, TC. (1992). Conventional radiography in the diagnosis of asbestos-related disease [Review]. *Radiol Clinical North Am* 30: 1177-1189.
- Mcloud, TC. (1992). Pneumoconioses (pp. 0-683). (NIOSH/00211342). Mcloud, TC.
- Mcloud, TC. (1998). CT and MR in pleural disease [Review]. *Clin Chest Med* 19: 261-276.
- Mcloud, TC; Kushner, DC; Dedrick, CG; Shepard J-A, O; Kanarek, D. (1984). DIGITAL RADIOGRAPHY IN THE ASSESSMENT OF PLEURAL CHANGES IN AN ASBESTOS EXPOSED POPULATION (pp. 25-30). (HEEP/85/07851). Mcloud, TC; Kushner, DC; Dedrick, CG; Shepard J-A, O; Kanarek, D.
- Mcmanus, KP. (1986). Health Hazard Evaluation Report No. HETA-85-021-1654, Portsmouth Naval Shipyard, Portsmouth, New Hampshire (pp. 85-021). (NIOSH/00163126). Mcmanus, KP.
- Mcmichael, AJ. (1979). ASBESTOS - WORK AS A HEALTH-HAZARD - PEACOCK, M. *Community Health Stud* 3: 49-49.
- Mcmillan, CH; Jones, AD; Vincent, JH; Johnston, AM; Douglas, AN; Cowie, H. (1989). Accumulation of mixed mineral dusts in the lungs of rats during chronic inhalation exposure. *Environ Res* 48: 218-237.
- Mcmillan, GH; Rossiter, CE; Deacon, R. (1982). Comparison of independent randomised reading of radiographs with direct progression scoring for assessing change in asbestos-related pulmonary and pleural lesions. *Br J Ind Med* 39: 60-61.
- Mcmillan, GHG; Pethybridge, RJ. (1984). A clinical, radiological and pulmonary function case-control study of 135 dockyard welders aged 45 years and over. *J Soc Occup Med* 34: 3-23.
- Mcmillan, LM; Stout, RG; Willey, BF. (1977). ASBESTOS IN RAW AND TREATED WATER - ELECTRON-MICROSCOPY STUDY. *Environ Sci Technol* 11: 390-394.
- Mcneil, BJ; Eddy, DM. (1982). The costs and effects of screening for cancer among asbestos-exposed workers. *J Chronic Dis* 35: 351-358.
- McNulty, JC. (1970). Asbestos Exposure in Australia (pp. 201-203). (NIOSH/00177268). McNulty, JC.
- Mcquilk, SD. (1979). Health Hazard Evaluation Determination, Report No. HHE-79-45-649, The Timken Company, Canton, Ohio (pp. 79-45). (NIOSH/00092889). Mcquilk, SD.
- Mead Technology Labs, D, OH. (1982). Industrial Hygiene Survey with Cover Memo and Cover Letter. 53.
- Medack, J; Werner, I. (1985). On dust exposure during thermal cutting of asbestos-containing materials. 27: 972-983.
- Medveczky, T; Turton, C. (2008). TOBACCO USE IN SUSSEX ASBESTOS WORKERS. *Thorax* 63: A7-A8.
- Meek, ME; Long, G. (1994). MAN-MADE VITREOUS FIBERS - EVALUATION OF RISKS TO HEALTH FROM ENVIRONMENTAL EXPOSURE IN CANADA. *J Environ Sci Health C Environ Carcinog Ecotoxicol Rev* 12: 361-387.
- Meeker, GP; Bern, AM; Brownfield, IK; Lowers, HA; Sutley, SJ; Hoefen, TM; Vance, JS. (2003). The composition and morphology of amphiboles from the Rainy Creek Complex, near Libby, Montana. *Am Mineral* 88: 1955-1969.
- Meeker, GP; Lowers, HA; Swayze, GA; Vangosen, BS; Sutley, SJ. (2006). Mineralogy and Morphology of Amphiboles Observed in Soils and Rocks in El Dorado Hills, California (pp. 55). (NTIS/12420214). Meeker, GP; Lowers, HA; Swayze, GA; Vangosen, BS; Sutley, SJ.
- Meel, BL; Meel, R. (2005). Prevalence of asbestos exposure of the mine workforce from Transkei, South Africa. *Chest* 128: 345S-345S.
- Meeran, R. (2003). Cape Plc: South African mineworkers' quest for justice. *Int J Occup Environ Health* 9: 218-229. <http://dx.doi.org/10.1179/oeh.2003.9.3.218>.
- Mehlman, MA. (1991). Dangerous and cancer-causing properties of products and chemicals in the oil refining and petrochemical industry: Part V--Asbestos-caused cancers and exposure of workers in the oil refining industry. *Toxicol Ind Health* 7: 53-71.
- Mehlman, MA. (1991). Dangerous and cancer-causing properties of products and chemicals in the oil-refining and petrochemical industries. Part IX: Asbestos exposure and analysis of exposures [Review]. *Ann N Y Acad Sci* 643: 368-389.
- Mei, N; Kunugita, N; Hirano, T; Kasai, H. (2002). Acute arsenite-induced 8-hydroxyguanine is associated with inhibition of repair activity in cultured human cells. *Biochem Biophys Res Commun* 297: 924-930. [http://dx.doi.org/10.1016/S0006-291X\(02\)02309-4](http://dx.doi.org/10.1016/S0006-291X(02)02309-4).
- Mei, N; Tamae, K; Kunugita, N; Hirano, T; Kasai, H. (2003). Analysis of 8-hydroxydeoxyguanosine 5'-monophosphate (8-OH-dGMP) as a reliable marker of cellular oxidative DNA damage after gamma-irradiation. *Environ Mol Mutagen* 41: 332-338. <http://dx.doi.org/10.1002/em.10165>.

Human Health Hazard Literature Search Results

Off Topic

- Meirelles, GS; Kavakama, JI; Jasinowodolinski, D; Nery, LE; Terra-Filho, M; Rodrigues, RT; Neder, JA; Bagatin, E; D'ippolito, G. (2005). [Asbestos-related pleuropulmonary diseases: pictorial essay] [Review]. *Rev Port Pneumol* 11: 477-485.
- Meirelles, GS; Kavakama, JI; Jasinowodolinski, D; Nery, LE; Terra-Filho, M; Rodrigues, RT; Neder, JA; Napolis, LM; Bagatin, E; D'ippolito, G; Müller, NL. (2006). Pleural plaques in asbestos-exposed workers: reproducibility of a new high-resolution CT visual semiquantitative measurement method. *J Thorac Imaging* 21: 8-13. <http://dx.doi.org/10.1097/01.rti.0000191424.50208.bd>.
- Meisenkothen, C. (2014). The four most pernicious myths in asbestos litigation: Part I: safe chrysotile and idiopathic mesothelioma. *New Solutions: A Journal of Environmental and Occupational Health Policy* 24: 1-26. <http://dx.doi.org/10.2190/NS.24.1.a>.
- Meisenkothen, C. (2014). The four most pernicious myths in asbestos litigation: Part II: safe thresholds for exposure and Tyndall lighting as junk science. *New Solutions: A Journal of Environmental and Occupational Health Policy* 24: 27-55. <http://dx.doi.org/10.2190/NS.24.1.b>.
- Meister, T; Birkfellner, T; Poremba, C; Becker, JC; Menzel, J; Domschke, W; Lerch, MM. (2003). Papillary mesothelioma of the peritoneum in the absence of asbestos exposure. *Z Gastroenterol* 41: 329-332. <http://dx.doi.org/10.1055/s-2003-38637>.
- Melato, M; Rizzardi, C. (2001). Malignant pleural mesothelioma following chemotherapy for breast cancer. *Anticancer Res* 21: 3093-3096.
- Melchior, M; Goldberg, M; Krieger, N; Kawachi, I; Menvielle, G; Zins, M; Berkman, LF. (2005). Occupational class, occupational mobility and cancer incidence among middle-aged men and women: a prospective study of the French GAZEL cohort. *Cancer Causes Control* 16: 515-524. <http://dx.doi.org/10.1007/s10552-004-7116-0>.
- Melero, M; Lloveras, J; Waisman, H; Elsner, B; Baldessari, E. (1995). MALIGNANT PERITONEAL MESOTHELIOMA - AN INFREQUENT CAUSE OF PROLONGED FEVER AND LEUKOCYTOSIS IN A YOUNG-ADULT. *Medicina (B Aires)* 55: 48-50.
- Melino, C. (2003). [The registry for asbestos-related tumors]. *Ann Ig* 15: 271-274.
- Melino, C; Pasquarella, A; De Luca D'Alessandro, E. (1989). [Pollution of confined air in non-industrial environments] [Review]. *Ann Ig* 1: 459-480.
- Melino, C; Pasquarella, A; Lo Russo, NA. (1991). [Indoor pollution]. *Clin Ter* 136: 375-391.
- Melius, J; Frazier, T; Sundin, D; Seligman, P. (1986). New Occupational Health Risks: Service Industries, an Example (pp. 22-24). (NIOSH/00179418). Melius, J; Frazier, T; Sundin, D; Seligman, P.
- Mello, NK. (1975). BEHAVIORAL TOXICOLOGY - DEVELOPING DISCIPLINE. *Fed Proc* 34: 1832-1834.
- Melloni, B; Monteil, J; Vincent, F; Bertin, F; Gaillard, S; Ducloux, T; Verbeke, S; Maubon, A; Vandroux, JC; Bonnaud, F. (2004). Assessment of 18F-fluorodeoxyglucose dual-head gamma camera in asbestos lung diseases. *Eur Respir J* 24: 814-821. <http://dx.doi.org/10.1183/09031936.04.00004504>.
- Melnikova, N; Wu, J; Kaye, W; Orr, M. (2013). Reliability of Family Proxy Data for Studies of Malignant Mesothelioma: Results from the ATSDR Pilot Surveillance. 2013: 325409. <http://dx.doi.org/10.1155/2013/325409>.
- Meloni, AM; Stephenson, CF; Li, FP; Sandberg, AA. (1992). DEL(6Q) AS A POSSIBLE PRIMARY CHANGE IN MALIGNANT MESOTHELIOMA. *Cancer Genet Cytogenet* 59: 57-61.
- Melton, CW. (1976). Progress in the Development of Rapid Extraction Methods for Chrysotile Asbestos in H₂O (pp. 23-25). (NIOSH/00172674). Melton, CW.
- Melton, CW; Anderson, SJ; Dye, CF; Chase, WE; Anderson, CH. (1982). Concentration And Separation Of Chrysotile By Two-Phase Liquid Separation (pp. Materials and Analytical Methods). (NIOSH/00146031). Melton, CW; Anderson, SJ; Dye, CF; Chase, WE; Anderson, CH.
- Menard, H; Lefebvre, Y; Khorami, J. (1987). [Not Available]. *Talanta* 34: 589-592.
- Menard, H; Noel, L; Khorami, J; Jouve, JL; Dunnigan, J. (1986). The adsorption of polyaromatic hydrocarbons on natural and chemically modified asbestos fibers. *Environ Res* 40: 84-91.
- Menard, H; Noel, L; Kimmerle, FM; Tousignant, L; Lambert, M. (1984). Adsorption isotherms of polycyclic aromatic hydrocarbons on asbestos chrysotile by high-pressure liquid chromatography. *Anal Chem* 56: 1240-1242.
- Mencoboni, M; Michelazzi, LA; Cioe, A; Bruzzone, A; Delcorso, L; Mortara, V; Marroni, P; Dini, G; Marcenaro, S; Spigno, F. (2012). MESOTHELIN AND INDIVIDUAL CHARACTERISTICS IN A COHORT OF ASBESTOS EXPOSED WORKERS. *Ann Oncol* 23: 80-80.
- Mendelovici, E; Frost, RL. (2005). Pioneer studies on HCl and silylation treatments of chrysotile. *J Colloid Interface Sci* 289: 597-599. <http://dx.doi.org/10.1016/j.jcis.2005.05.053>.
- Mendelsohn, ML; Moore DH, II; Lohman, PHM. (1992). A method for comparing and combining short-term genotoxicity test data: results and interpretation. *DNA Repair* 266: 43-60.
- Mendes, GP; Vieira, PS; Lanceros-Méndez, S; Kluskens, LD; Mota, M. (2015). Transformation of Escherichia coli JM109 using pUC19 by the Yoshida effect. *J Microbiol Methods* 115: 1-5. <http://dx.doi.org/10.1016/j.mimet.2015.05.012>.
- Mendes, R. (2007). [Asbestos and public health policy in Brazil] [Editorial]. *Cad Saude Publica* 23: 1508-1509.
- Mendez VARGAS, MM; Maldonado TORRES, L. (1982). THE RADIOGRAPHIC IMAGES IN PNEUMOCONIOSIS CAUSED BY ASBESTOS ASBESTOSIS. *Rev Med Inst Mex Seguro Soc* 20: 321-326.
- Mendez VARGAS, MM; Maldonado TORRES, L; Vazquez GALINDO, GM; Marrufo LOPEZ, S. (1987). SEVERE PNEUMOCONIOSIS IN THE PRODUCTION OF BEER. *Rev Med Inst Mex Seguro Soc* 25: 63-66.
- Menegozzo, M; Belli, S; Bruno, C; Canfora, V; Costigliola, A; Di Cintio, P; Di Liello, L; Grignoli, M; Palumbo, F; Sapio, P; et al. (1993). Mortality due to asbestos-related causes in a cohort of railway carriage construction workers. 84: 193-200.
- Meng, X; Guzzo, TJ; Bing, Z. (2013). Malignant mesotheliomas in spermatic cords: reports of two cases and a brief review of literature. *Rare Tumors* 5: e4. <http://dx.doi.org/10.4081/rt.2013.e4>.
- Mengoni, A; Tatti, E; Decorosi, F; Viti, C; Bazzicalupo, M; Giovannetti, L. (2005). Comparison of 16S rRNA and 16S rDNA T-RFLP approaches to study bacterial communities in soil microcosms treated with chromate as perturbing agent. *Microb Ecol* 50: 375-384. <http://dx.doi.org/10.1007/s00248-004-0222-4>.
- Menichini, E; Marconi, A. (1982). Asbestos in brake and clutch factories: Results of an environmental survey. *G Ital Med Lav* 4: 4-5.

Human Health Hazard Literature Search Results

Off Topic

- Menichini, E; Marconi, A; Rossi, L. (1984). EEC directive on the protection of workers against asbestos risks - Scientific bases and problems of application relating to the measurement of airborne asbestos. *75*: 423-436.
- Menichini, E; Marconi, A; Rossi, L. (1984). [EEC directive on the protection of workers against asbestos. Scientific motivations and problems in application related to the measurement of air-dispersed asbestos]. *Med Lav* 75: 423-436.
- Mensah, E; Bilotti, A; Cailas, M. (1995). CURRENT AND POTENTIAL ASBESTOS HAZARD ASSESSMENTS EFFECTS OF INSPECTORS' TRAINING AND PROFESSIONAL BACKGROUND. *Journal of Environmental Systems* 24: 1995-1996.
- Mensi, C; Canti, Z; Rivolta, G; Riboldi, L; Chiappino, G. (2006). [Malignant mesothelioma in the maritime professions] [Letter]. *Med Lav* 97: 82.
- Mensi, C; Garberi, A; Sieno, C; Riboldi, L. (2010). Porcelain factory worker with asbestos-related mesothelioma [Letter]. *J Formos Med Assoc* 109: 389. [http://dx.doi.org/10.1016/S0929-6646\(10\)60067-8](http://dx.doi.org/10.1016/S0929-6646(10)60067-8).
- Mensi, C; Garberi, A; Trinco, R; Riboldi, L. (2009). The upholsterer and the asbestos [Letter]. *Occup Environ Med* 66: 855. <http://dx.doi.org/10.1136/oem.2009.050658>.
- Mensi, C; Macchione, M; Termine, L; Rivolta, G; Riboldi, L; Chiappino, G. (2006). [Information of the registry of mesothelioma in Lombardy: the asbestos risk in rotogravure] [Letter]. *Med Lav* 97: 726.
- Mensi, C; Sieno, C; Consonni, D; Riboldi, L. (2010). MALIGNANT MESOTHELIOMA AND ASBESTOS EXPOSURE IN THE LOMBARDY REGION, ITALY, 2000-2004. *Epidemiol Prev* 34: 161-161.
- Menzel, DB. (1993). Antioxidants in lung disease. *Toxicol Ind Health* 9: 323-336.
- Menzer, RE. (1991). WATER AND SOIL POLLUTANTS (pp. THE BASIC SCIENCE OF POISONS). (BIOSIS/92/10319). Menzer, RE.
- Meo, SA; Rashied, S; Khan, MM; Shujaiddin, S; Al-Tuwaijri, AS. (2008). Effect of cement dust exposure on phagocytic function of polymorphonuclear neutrophils in cement mill workers. *Int J Occup Med Environ Health* 21: 133-139. <http://dx.doi.org/10.2478/v10001-008-0017-9>.
- Méranger, JC; Davey, AB. (1989). Non-asbestos fibre content of selected consumer products. *IARC Sci Publ occupational Exposure to Mineral Fibres*: 347-353.
- Mercadante, S; Degiovanni, D; Casuccio, A. (2016). Symptom burden in mesothelioma patients admitted to home palliative care. *Curr Med Res Opin* 32: 1985-1988. <http://dx.doi.org/10.1080/03007995.2016.1226165>.
- Mercer, RR; Hubbs, AF; Scabilloni, JF; Wang, L; Battelli, LA; Schwegler-Berry, D; Castranova, V; Porter, DW. (2010). Distribution and persistence of pleural penetrations by multi-walled carbon nanotubes. *Part Fibre Toxicol* 7: 28. <http://dx.doi.org/10.1186/1743-8977-7-28>.
- Mercer, RR; Scabilloni, JF; Hubbs, AF; Battelli, LA; Mckinney, W; Friend, S; Wolfarth, MG; Andrew, M; Castranova, V; Porter, DW. (2013). Distribution and fibrotic response following inhalation exposure to multi-walled carbon nanotubes. *Part Fibre Toxicol* 10: 33. <http://dx.doi.org/10.1186/1743-8977-10-33>.
- Merchant, J. (1996). Core--occupational health research [Research]. RePORTER Database National Institutes of Health.
- Merchant, JA. (1997). Core--occupational health research [Research]. RePORTER Database National Institutes of Health.
- Merchant, JA. (1998). Core--occupational health research [Research]. RePORTER Database National Institutes of Health.
- Merchant, JA. (2000). Core--occupational health research.
- Mercier, M. (1988). RISK ASSESSMENT OF CHEMICALS A GLOBAL APPROACH (pp. LONDON). (BIOSIS/89/17099). Mercier, M.
- Meredith, SK; McDonald, JC. (1994). Work-related respiratory disease in the United Kingdom, 1989-1992: report on the SWORD project. *Occup Med (Lond)* 44: 183-189.
- Meredith, SK; Taylor, VM; McDonald, JC. (1991). Occupational respiratory disease in the United Kingdom 1989: a report to the British Thoracic Society and the Society of Occupational Medicine by the SWORD project group. *Br J Ind Med* 48: 292-298.
- Merler, E. (1997). [The INSERM report "The effects on health of the main asbestos exposures" and the decision to ban asbestos in France]. *Epidemiol Prev* 21: 10-13.
- Merler, E. (2014). [Importance of screening the exposed to asbestos with LDCT] [Letter]. *Med Lav* 105: 307-308.
- Merler, E; Bressan, V; Bilato, AM; Marinaccio, A; maligni, Grvsm. (2011). [The effectiveness of compensation system for mesotheliomas due to occupational exposure to asbestos and determinants for requests and awards: an evaluation based on record-linkage between the Veneto Mesothelioma Register and the claims and compensations recorded by the National Insurance Institute (INAIL)]. *Epidemiol Prev* 35: 331-338.
- Merler, E; Buiatti, E; Chellini, E; Costantini, AS; Magnani, C; Terracini, B. (1992). [Exposure to asbestos and Decree 277] [Letter]. *Med Lav* 83: 194-195.
- Merler, E; Buiatti, E; Vainio, H. (1997). Surveillance and intervention studies on respiratory cancers in asbestos-exposed workers [Review]. *Scand J Work Environ Health* 23: 83-92.
- Merler, E; Marinaccio, A. (2008). [An Italian fund for the asbestos victims]. *Epidemiol Prev* 32: 16-17.
- Merler, E; Paci, E; Consonni, D; Giorgi Rossi, P. (2016). [Identification, early diagnosis, and monitoring of workers exposed to asbestos. Where are we?] [Editorial]. *Epidemiol Prev* 40: 3-6. <http://dx.doi.org/10.19191/EP16.1S1.P003.022>.
- Merler, E; Ricci, P. (1989). Re: "Malignant Pleural Mesothelioma Among Swiss Furniture Workers: A New High-Risk Group" by CE Minder, J.P Vader. *Scand J work Environ Health* 1988;14:252-6 [Comment]. *Scand J Work Environ Health* 15: 439-440.
- Merler, E; Ricci, P; Silvestri, S. (1996). Crocidolite and not chrysotile was mainly used by the Italian railroad system [Letter]. *Med Lav* 87: 268-269.
- Merler, E; Roberti, S; Bressan, V. (2006). [Systematic research and etiological diagnosis of lung tumors] [Letter]. *Med Lav* 97: 807-809.
- Merler, E; Silvestri, S; Mauro, L; Campinoti, G. (2001). Re: mortality among workers in the geothermal power plants at Larderello, Italy. *Am. J. Ind. Med.* 35:536-539, 2000 [Letter]. *Am J Ind Med* 39: 436-437; author reply 438.
- Merler, E; Somigliana, A; Girardi, P; Barbieri, PG. (2016). Residual fibre lung burden among patients with pleural mesothelioma who have been occupationally exposed to asbestos. *Occup Environ Med.* <http://dx.doi.org/10.1136/oem.2015-103382>.

Human Health Hazard Literature Search Results

Off Topic

- Merliss, RR. (1971). Talc and asbestos contaminant of rice. *JAMA* 216: 2144.
- Merlo, DF; Garattini, S; Gelatti, U; Simonati, C; Covolo, L; Ceppi, M; Donato, F. (2004). A mortality cohort study among workers in a graphite electrode production plant in Italy. *Occup Environ Med* 61.
- Merlo, F; Reggiardo, G; Garrone, E; Ceppi, M; Puntoni, R. (1994). Cancer Risk among 3,890 Workers Employed at the Industrial Branch of the Shipyard of Genova, Italy: A Retrospective Cohort (pp. 23-25). (NIOSH/00223988). Merlo, F; Reggiardo, G; Garrone, E; Ceppi, M; Puntoni, R.
- Merrill, W; Cullen, M; Carter, D; Madri, J; Care, S; Mikes, P; Marcy, T; Dorinsky, P. (1987). HISTOLOGIC AND IMMUNOCHEMICAL FREQUENCY OF BRONCHIAL METAPLASIA IN SMOKING ASBESTOS WORKERS (pp. 1-4). (BIOSIS/87/21582). Merrill, W; Cullen, M; Carter, D; Madri, J; Care, S; Mikes, P; Marcy, T; Dorinsky, P.
- Merrill, WW. (1986). Epithelial surface proteins: markers of cancer risk [Research]. RePORTER Database National Institutes of Health.
- Merrill, WW. (1987). Epithelial surface proteins: markers of cancer risk [Research]. RePORTER Database National Institutes of Health.
- Merrill, WW. (1989). Epithelial surface proteins: markers of cancer risk [Research]. RePORTER Database National Institutes of Health.
- Merrill, WW; Cullen, MR; Carter, D; Horwitz, R; Matthay, RA; Gee, JBL. (1991). Epithelial Surface Proteins: Markers of Cancer Risk (pp. 1-47). (NIOSH/00201448). New Haven: Merrill, WW; Cullen, MR; Carter, D; Horwitz, R; Matthay, RA; Gee, JBL.
- Merrill, WW; Cullen, MR; Carter, D; Marenberg, ME. (1992). Association between acute inflammatory cells in lavage fluid and bronchial metaplasia. *Chest* 102: 688-693.
- Merritt, N; Blewett, CJ; Miller, JD; Bennett, WF; Young, JE; Urschel, JD. (2001). Survival after conservative (palliative) management of pleural malignant mesothelioma. *J Surg Oncol* 78: 171-174.
- Merten, HA; Durden, LA. (2000). A state-by-state survey of ticks recorded from humans in the United States. *J Vector Ecol* 25: 102-113.
- Mertz, RA. (1973). Hazard Evaluation and Technical Assistance Report No. TA-73-23, Cincinnati Gas and Electric, Miami Fort Station (pp. 73-23). (NIOSH/00179001). Mertz, RA.
- Messite, J. (1984). Occupational Safety And Health In The Dental Workplace (pp. 1-19). (NIOSH/00158467). Messite, J.
- Messite, J; Baker, DB. (1984). Occupational Health Problems in Offices A Mixed Bag (pp. 7-14). (NIOSH/00169453). Messite, J; Baker, DB.
- Metcalf, CA; Yach, D. (1992). SMOKING POLICIES IN THE WORKPLACE IN THE WESTERN CAPE. 81: 23-26.
- Metcalf, RA; Welsh, JA; Bennett, WP; Seddon, MB; Lehman, TA; Pelin, K; Linnainmaa, K; Tammilehto, L; Mattson, K; Gerwin, BI; Harris, CC. (1992). P53 AND KIRSTEN-RAS MUTATIONS IN HUMAN MESOTHELIOMA CELL-LINES. *Cancer Res* 52: 2610-2615.
- Methadilokul, O; Supanachart, P; Siriwatananukul, P. (1990). Occupational Silicosis among Workers in an Ore Mill, Thailand (pp. 23-26). (NIOSH/00198286). Methadilokul, O; Supanachart, P; Siriwatananukul, P.
- Metheny-Barlow, LJ; Flynn, B; van Gijssel, HE; Marrogi, A; Gerwin, BI. (2001). Paradoxical effects of platelet-derived growth factor-A overexpression in malignant mesothelioma. Antiproliferative effects in vitro and tumorigenic stimulation in vivo. *Am J Respir Cell Mol Biol* 24: 694-702. <http://dx.doi.org/10.1165/ajrcmb.24.6.4334>.
- Metintas, M. (2015). Mesothelioma Risk in Turkey. *J Thorac Oncol* 10: S348-S348.
- Metintas, M. (2016). ENVIRONMENTAL EXPOSURE TO ASBESTOS- LIKED CARCINOGENIC FIBER IN TURKEY. *Respirology* 21: 6-6.
- Metintas, M; Hillerdal, G; Metintas, S. (1999). Malignant mesothelioma due to environmental exposure to erionite: follow-up of a Turkish emigrant cohort. *Eur Respir J* 13: 523-526.
- Metintas, M; Hillerdal, G; Metintas, S; Dumortier, P. (2010). Endemic malignant mesothelioma: exposure to erionite is more important than genetic factors. *Arch Environ Occup Health* 65: 86-93. <http://dx.doi.org/10.1080/19338240903390305>.
- Metress, EK; Metress, SP. (1987). CONFLICT ENVIRONMENTAL DETERIORATION AND ASBESTOS POLLUTION (pp. 14-18). (BIOSIS/87/29942). Metress, EK; Metress, SP.
- Mets, JT. (1983). THE ASBESTOS HAZARD. 63: 349-349.
- Mettler F A, J. R.; Moseley R D, J. R. (1985). MEDICAL EFFECTS OF IONIZING RADIATION (pp. ORLANDO). (BIOSIS/86/15680). EXXON BIOMEDICAL SCIENCES INC.
- Metz-Flamant, C; Canu, IG; Laurier, D. (2011). Malignant pleural mesothelioma risk among nuclear workers: a review [Review]. *J Radiol Prot* 31: 9-23. <http://dx.doi.org/10.1088/0952-4746/31/1/R01>.
- Meurman, LO. (1993). CHANGING ATTITUDES AND OPINIONS REGARDING ASBESTOS AND CANCER, 1934-1965. *Am J Ind Med* 23: 517-517.
- Meurman, LO. (1993). Re: "Changing attitudes and opinions regarding asbestos and cancer, 1934-1965" [Comment]. *Am J Ind Med* 23: 517.
- Meyer, DP. (1980). Nutritional problems associated with the establishment of vegetation on tailings from an asbestos mine (pp. 287-298). (HEEP/81/08618). Meyer, DP.
- Meyer, JD; Islam, SS; Ducatman, AM; Mccunney, RJ. (1997). Prevalence of small lung opacities in populations unexposed to dusts - A literature analysis. *Chest* 111: 404-410. <http://dx.doi.org/10.1378/chest.111.2.404>.
- Meyerowitz, BE. (1993). Assessing quality of life when planning and evaluating worker notification programs: two case examples. *Am J Ind Med* 23: 221-227.
- Meyerowitz, BE; Sullivan, CD; Premeau, CL. (1989). Reactions of asbestos-exposed workers to notification and screening. *Am J Ind Med* 15: 463-475.
- Meykar, OA. (1974). Progress of protection of the environment and resources in the United States? a historical survey. (PESTAB/74/2584). Meykar, OA.
- Meyskens, FL. (1991). Chemoprevention efficacy trial of beta-carotene/retinol [Research]. RePORTER Database National Institutes of Health.
- Meyskens, FL. (1992). Chemoprevention efficacy trial of beta-carotene/retinol [Research]. RePORTER Database National Institutes of Health.
- Meyskens, FL. (1993). Chemoprevention efficacy trial of beta-carotene/retinol [Research]. RePORTER Database National Institutes of Health.

Human Health Hazard Literature Search Results

Off Topic

- Meyskens, FL. (1994). Chemoprevention efficacy trial of beta carotene/retinol [Research]. RePORTER Database National Institutes of Health.
- Meyskens, FL. (1995). Caret--the carotene and retinol efficacy trial [Research]. RePORTER Database National Institutes of Health.
- Meziane, MA. (1991). New perspective in the imaging of pneumoconioses. *Cleve Clin J Med* 58: 143-147.
- Miao, R; Ding, B; Zhang, Y; Xia, Q; Li, Y; Zhu, B. (2016). Proteomic profiling change during the early development of silicosis disease. *J Thorac Dis* 8: 329-341. <http://dx.doi.org/10.21037/jtd.2016.02.46>.
- Michaels, D. (1983). Occupational cancer in the black population: the health effects of job discrimination [Review]. 75: 1014-1018.
- Michaels, D. (2006). Manufactured uncertainty: protecting public health in the age of contested science and product defense. *Ann N Y Acad Sci* 1076: 149-162. <http://dx.doi.org/10.1196/annals.1371.058>.
- Michaels, L. (1987). EPIDEMIOLOGY AND PATHOLOGY (pp. NEW YORK). (BIOSIS/87/20635). Michaels, L.
- Michailova-Dotscheva, L. (1968). Mineralogical Studies in the Bulgarian Asbestos Industry (pp. 30-32). (NIOSH/00019626). Michailova-Dotscheva, L.
- Michailova-Dotscheva, L; Stefanov, D. (1972). Hygienic evaluation of talc used in Bulgaria. *Z Gesamte Hyg Grenzgeb* 18: 233-235.
- Michel, JL; Catilina, P; Laubignat, JF; Gabrillargues, D. (1999). Can criteria be found for selecting asbestos-exposed subjects for CT screening? *J Radiol* 80: 141-145.
- Michel, JL; Reynier, C; Avy, G; Bard, JJ; Gabrillargues, D; Catilina, P. (2001). [An assessment of low-dose high resolution CT in the detection of benign asbestos-related pleural abnormalities]. *J Radiol* 82: 922-923.
- Michel, O; Brusis, T. (2007). [Occupational head and neck cancer: Part II: Not-registered occupational diseases] [Review]. *Laryngorhinotologie* 86: 219-227; quiz 228-219. <http://dx.doi.org/10.1055/s-2006-945049>.
- Middleton, AP. (1978). On the occurrence of fibres of calcium sulphate resembling amphibole asbestos in samples taken for the evaluation of airborne asbestos. *Ann Occup Hyg* 21: 91-94.
- Middleton, AP. (1982). Analysis Of Airborne Dust Samples For Chrysotile By X-Ray Diffraction: Interference By Non-Asbestiforon Serpentine. *Ann Occup Hyg* 25: 443-447.
- Middleton, D. (2002). Review of Asbestos-Related Abnormalities Among a Group of Patients from Libby, Montana: A Pilot Study of Environmental Cases. 50.
- Middleton, D; Sowell, A; Uddin, M; Shim, Y. (2008). Community Testing: A Commentary. *J Environ Health* 71: 48-49.
- Miettinen, OS; Rossiter, CE. (1990). Man-made mineral fibers and lung cancer: epidemiologic evidence regarding the causal hypothesis. *Scand J Work Environ Health* 16: 221-231.
- Migliaccio, CT; Hamilton, RF; Holian, A. (2005). Increase in a distinct pulmonary macrophage subset possessing an antigen-presenting cell phenotype and in vitro APC activity following silica exposure. *Toxicol Appl Pharmacol* 205: 168-176. <http://dx.doi.org/10.1016/j.taap.2004.11.005>.
- Migliore, M. (2015). Opening lecture to the Second Mediterranean Symposium in Thoracic Oncology. Foreword. 11: 1-3. <http://dx.doi.org/10.2217/fon.15.280>.
- Mikami, R; Sada, K; Shirai, F; Et, AL. (1981). Recent problems concerning pulmonary asbestosis in Japan. *Jpn J Chest Dis* 40: 469-484.
- Mikhailova-Cocheva, L. (1973). [Mineralogical characteristics and a hygienic evaluation of the spicular components in some industrial aerosols]. *Gig Tr Prof Zabol* 17: 11-13.
- Mikhailova-Cocheva, L. (1972). Hygienic evaluation of the mineral composition of soils in regions of the People's Republic of Bulgaria marked by the prevalence of endemic pleural calcifications. *Gig Tr Prof Zabol* 16: 30-33.
- Mikhailova-Cocheva, L; Buriilov, T. (1974). Mineralogical characteristics and hygienic evaluation of spiculate components in some industrial aerosols. *Gig Tr Prof Zabol* 17: 11-13.
- Mikhailova-Cocheva, L; Kolev, K. (1985). EXPERIMENTAL STUDIES ON THE BIOLOGICAL ACTIVITY OF TALC RAW MATERIALS USED IN BULGARIA (pp. 60-64). (BIOSIS/86/11277). Mikhailova-Cocheva, L; Kolev, K.
- Mikheev, MI; Kurppa, K; Takala, J; Matos, E; Partensky, C. (1994). International and National Measures for Prevention and Control (pp. 143-171). (NIOSH/00229415). Mikheev, MI; Kurppa, K; Takala, J; Matos, E; Partensky, C.
- Mikulski, MA; Hartley, PG; Sprince, NL; Sanderson, WT; Lourens, S; Worden, NE; Wang, K; Fuortes, LJ. (2011). Risk and significance of chest radiograph and pulmonary function abnormalities in an elderly cohort of former nuclear weapons workers. *J Occup Environ Med* 53: 1046-1053. <http://dx.doi.org/10.1097/JOM.0b013e318229aaff>.
- Mikulski, SM. (1995). TREATMENT OF MALIGNANT MESOTHELIOMA (REVIEW). *Int J Oncol* 7: 1415-1420.
- Milanez, JR; Vargas, FS; Filomeno, LT; Fernandez, A; Jatene, A; Light, RW. (1994). Intrapleural talc for the prevention of recurrent pneumothorax. *Chest* 106: 1162-1165.
- Milanez, RC; Vargas, FS; Filomeno, LB; Teixeira, LR; Fernandez, A; Jatene, F; Light, RW. (1995). Intrapleural talc for the treatment of malignant pleural effusions secondary to breast cancer. *Cancer* 75: 2688-2692.
- Milham S, J. R. (1988). USING MULTIPLE CAUSES OF DEATH CODING IN OCCUPATIONAL MORTALITY STUDIES. *Am J Ind Med* 14: 341-344.
- Milishnikova, VV; Elovskaja, LT; Burmistrova, TB; Kovalevskii, EV. (2000). [Preliminary and periodic medical examinations of asbestos production workers]. *Med Tr Prom Ekol* 4-10.
- Military Airlift Wing 437th. (2009). Environmental Assessment for Transfer of Former Charleston Air Force Base Housing Annex Property to the City of North Charleston for Construction and Operation of New Municipal Facilities.
- Miller, A. (1984). DECREASED LUNG-FUNCTION IN LONG-TERM ASBESTOS CEMENT WORKERS - A CROSS-SECTIONAL STUDY. *Am J Ind Med* 6: 321-321.
- Miller, A. (1996). Asbestos-related bilateral diffuse pleural thickening: Natural history of radiographic and lung function abnormalities [Letter]. *Am J Respir Crit Care Med* 154: 1919-1920. <http://dx.doi.org/10.1164/ajrccm.154.6.8970388>.

Human Health Hazard Literature Search Results

Off Topic

- Miller, A. (1999). On perception, perspicuity, and precision. *Chest* 115: 305-305.
- Miller, A. (2013). Of dung and dynein arms: understanding COPD in nonsmokers [Editorial]. *Respir Care* 58: 543-545. <http://dx.doi.org/10.4187/respcare.02334>.
- Miller, A. (2014). "Not your grandfather's pleural disease": rapid progression, ventilatory impairment, and chronic pleuritic pain from Libby vermiculite/amphibole [Comment]. *Am J Ind Med* 57: 1195-1196. <http://dx.doi.org/10.1002/ajim.22370>.
- Miller, A. (2015). From the Clinic to the Field: Joint Pulmonary Medicine-Environmental Sciences Laboratory Investigations, 1973-1992 and Beyond. *Am J Ind Med* 58: 1017-1020. <http://dx.doi.org/10.1002/ajim.22502>.
- Miller, A; Warshaw, R; Thornton, JC. (1991). Prevalence of spirometric abnormalities in a representative sample of the population of Michigan (USA). *Am J Ind Med* 19: 473-486.
- Miller, AB. (1986). OCCUPATION AND CANCER (pp. BASEL). (BIOSIS/87/08167). Miller, AB.
- Miller, AK; Esswein, EJ; Allen, J. (1997). Health Hazard Evaluation Report No. HETA-94-0078-2660, Center to Protect Workers' Rights, Washington, D.C (pp. 94-0078). (NIOSH/00240349). Miller, AK; Esswein, EJ; Allen, J.
- Miller, BG. (1984). A statistical method for analysis of membrane filter samples of airborne fibre. 28: 217-227.
- Miller, CE. (1987). A Comparison of Leakage and Measured Face Fit Factors Using Self-Contained Breathing Apparatus in Demand and Pressure Demand Modes. *Am Ind Hyg Assoc J* 48.
- Miller, GR; Burch, NB. (1981). IMPACT OF MUNICIPAL TREATMENT PLANTS ON TOXIC POLLUTANTS IN WASTE WATER (pp. A UNIFYING CONCEPT FOR THE ENVIRONMENTAL PROFESSION IN THE 1980'S). (HEEP/83/07734). Miller, GR; Burch, NB.
- Miller, JM; Thompson, JK; Macpherson, MB; Beuschel, SL; Westbom, CM; Sayan, M; Shukla, A. (2014). Curcumin: A Double Hit on Malignant Mesothelioma. *Cancer Prev Res (Phila Pa)* 7: 330-340. <http://dx.doi.org/10.1158/1940-6207.CAPR-13-0259>.
- Miller, K; Kagan, E. (1977). The in vivo effects of quartz on alveolar macrophage membrane topography and on the characteristics of the intrapulmonary cell population. *J Reticuloendothel Soc* 21: 307-316.
- Miller, K; Lawrence, F; Riley, RA. (1989). CONSEQUENCES OF MMMF INHALATION ON LUNG AND PLEURAL CAVITY CELL POPULATIONS (pp. SECAUCUS). (BIOSIS/90/02041). Miller, K; Lawrence, F; Riley, RA.
- Miller, K; Skikne, MI; Webster, I. (1976). THE EFFECT OF CHRONIC EXPOSURE TO QUARTZ AND ASBESTOS DUST ON LUNG ULTRASTRUCTURE (pp. 35-36). (HEEP/78/02915). Miller, K; Skikne, MI; Webster, I.
- Miller, K; Webster, I; Handfield R, IM. (1977). IN-VITRO PHAGOCYTOSIS OF QUARTZ AND ASBESTOS BY RAT ALVEOLAR MACROPHAGES (pp. 129-130). (HEEP/79/11343). Miller, K; Webster, I; Handfield R, IM.
- Miller, RH. (1987). Stricter respiratory protection is required by new asbestos rules. *Occup Health Saf* 56: 39-42.
- Miller, RH. (1988). Respirator fit testing procedures: asbestos application requirements. *Occup Health Saf* 57: 47, 50-41, 72.
- Miller, RW. (1974). DELINEATION OF PERSONS AT EXCEPTIONALLY HIGH RISK OF CANCER (pp. BALTIMORE). (HEEP/75/00774). Miller, RW.
- Miller, RW. (1977). Relationship between human teratogens and carcinogens. *J Natl Cancer Inst* 58: 471-474. <http://dx.doi.org/10.1093/jnci/58.3.47>.
- Miller, RW. (1978). CHAPTER 5. THE DISCOVERY OF HUMAN TERATOGENS, CARCINOGENS, AND MUTAGENS: LESSONS FOR THE FUTURE.
- Miller, RW. (1978). Environmental causes of cancer in childhood [Review]. *Adv Pediatr* 25: 97-119.
- Miller, RW. (2004). How environmental hazards in childhood have been discovered: carcinogens, teratogens, neurotoxicants, and others. *Pediatrics* 113: 945-951.
- Miller, RW; Honarvar, S; Hunsaker, B. (1980). Effects of drilling fluids on soils and plants: 1. Individual fluid components. *J Environ Qual* 9: 547-552.
- Miller, SP; Cumming, JR. (2000). Effects of serpentine soil factors on Virginia pine (*Pinus virginiana*) seedlings. *Tree Physiol* 20: 1129-1135.
- Miller, WT. (1992). Various aspects of asbestos exposure [Editorial]. *Semin Roentgenol* 27: 81.
- Miller, WT; Gupta, PK; Grippi, MA; Miller, WT. (1992). Rounded atelectasis: diagnosis by fine-needle aspiration cytology. *Diagn Cytopathol* 8: 617-620.
- Millet, C. (1985). Techniques for Asbestos Control in Buildings (pp. 85-82). (NIOSH/00175454). Millet, C.
- Millette, J. R. (1981). USE OF ASBESTOS-CEMENT PIPE [Letter]. *J Occup Environ Med* 23: 226-226.
- Millette, JR. (1983). SUMMARY WORKSHOP ON INGESTED ASBESTOS (pp. 1-210). (EPIDEM/008696). Millette, JR.
- Millette, JR. (1986). ANALYSIS OF ASBESTOS IN ENVIRONMENTAL SAMPLES BY TEM (pp. 21-24). (BIOSIS/87/11344). Millette, JR.
- Millette, JR. (1986). ASBESTOS IN WATER. *Microscope* 34: 371-374.
- Millette, JR. (1987). ELECTRON DIFFRACTION OF ASBESTOS. *Microscope* 35: 207-215.
- Millette, JR. (1997). Reference methods for asbestos analysis. *Microscope* 45: 57-59.
- Millette, JR; Brown, RS; Hill, WB. (2008). Using environmental forensic microscopy in exposure science. *J Expo Sci Environ Epidemiol* 18: 20-30. <http://dx.doi.org/10.1038/sj.jes.7500613>.
- Millette, JR; Burris, SB. (1988). COUNTING RULES FOR TEM ANALYSIS OF CLEARANCE SAMPLES. *Microscope* 36: 3-4.
- Millette, JR; Clark, PJ; Pansing, MF; Twyman, JD. (1980). Concentration and size of asbestos in water supplies. *Environ Health Perspect* 34: 13-25.
- Millette, JR; Krewer, JA. (1987). A REFERENCE LIST OF MICROSCOPICAL METHODS FOR THE MEASUREMENT OF ASBESTOS. *Microscope* 35: 311-318.
- Millette, JR; Longo, WE; Hubbard, JL. (1993). Demonstration of the capability of asbestos analysis by transmission electron microscopy in the 1960s. *Microscope* 41: 15-17.
- Millette, JR; Mount, MD. (1993). A Study Determining Asbestos Fiber Release during the Removal of Valve Packing. *Appl Occup Environ Hyg* 8: 790-793.

Human Health Hazard Literature Search Results

Off Topic

- Milligan, SA; Owens, MW; Grisham, MB. (1996). Augmentation of cytokine-induced nitric oxide synthesis by hydrogen peroxide. *Am J Physiol* 271: L114-L120.
- Mills, KH; Dungan, LS; Jones, SA; Harris, J. (2013). The role of inflammasome-derived IL-1 in driving IL-17 responses [Review]. *J Leukoc Biol* 93: 489-497. <http://dx.doi.org/10.1189/jlb.1012543>.
- Mills, PK; Riordan, DG; Cress, RD; Young, HA. (2004). Perineal talc exposure and epithelial ovarian cancer risk in the central valley of California. *Int J Cancer* 112: 458-464. <http://dx.doi.org/10.1002/ijc.20434>.
- Milne, J. (1976). Are glass fibres carcinogenic to man? A critical appraisal. *Br J Ind Med* 33: 47-48.
- Milne, JE. (1971). Developmental changes in asbestos bodies and their significance. *Trans Soc Occup Med* 21: 118-121.
- Milne, JEH. (1971). ASBESTOS BODY - ITS DEVELOPMENT AND SIGNIFICANCE. *Med J Aust* 2: 1147-&.
- Milosevic, R; Pickerill, R. (1986). MESOTHELIOMA OCCURRING IN SITE PREVIOUSLY IRRADIATED FOR LOCALIZED NON-HODGKIN'S LYMPHOMA (pp. 1-2). (BIOSIS/86/31582). Milosevic, R; Pickerill, R.
- Minami, D; Takigawa, N; Kato, Y; Kudo, K; Iozaki, H; Hashida, S; Harada, D; Ochi, N; Fujii, M; Kubo, T; Ohashi, K; Sato, A; Tanaka, T; Hotta, K; Tabata, M; Toyooka, S; Tanimoto, M; Kiura, K. (2015). Downregulation of TBXAS1 in an iron-induced malignant mesothelioma model. *Cancer Sci* 106: 1296-1302. <http://dx.doi.org/10.1111/cas.12752>.
- Minamoto, T; Mai, M; Ronai, Z. (1999). Environmental factors as regulators and effectors of multistep carcinogenesis. *Carcinogenesis* 20: 519-527.
- Minato, H; Nojima, T; Kurose, N; Kinoshita, E. (2009). Adenomatoid tumor of the pleura. *Pathol Int* 59: 567-571. <http://dx.doi.org/10.1111/j.1440-1827.2009.02407.x>.
- Minder, CE; J-P, V. (1988). Malignant Pleural Mesothelioma among Swiss Furniture Workers. A New High-Risk Group (pp. 252-256). (NIOSH/00182857). Minder, CE; Vader J-P.
- Mineo, TC; Ambrogi, V. (2012). Malignant pleural mesothelioma: factors influencing the prognosis [Review]. *Oncology (Williston Park)* 26: 1164-1175.
- Minette, A. (1985). PULMONARY DEFENSIVE MECHANISM AGAINST ATMOSPHERIC POLLUTANTS (pp. 400-401). (BIOSIS/88/03776). Minette, A. Minoia, C; Apostoli, P. (1999). ACTIVITY OF THE ITALIAN SOCIETY OF REFERENCE VALUES JOURNAL ARTICLE HUMAN HUMAN ITALIAN SOCIETY OF REFERENCE VALUES REFERENCE VALUES OCCUPATIONAL HEALTH ENVIRONMENTAL HEALTH XENOBIOTICS OCCUPATIONAL EXPOSURE BIOLOGICAL EXPOSURE LIMITS BIOLOGICAL MONITORING MONITORING METHOD ITALY EUROPE =62533 =71432 =90153 =108883 =1330207 =1332214 =7439921 =7439976 =7439987 =7440473 =7782492 =5315797 =110134 =96457 =1336363. *Int Arch Occup Environ Health* 72: 268-270.
- Mintzer, RA. (1981). COMPUTED TOMOGRAPHY IN THE EVALUATION OF PULMONARY LESIONS. *Crit Rev Diagn Imaging* 15: 95-138.
- Miozzi, E; Rapisarda, V; Marconi, A; Costa, C; Polito, I; Spandidos, DA; Libra, M; Fenga, C. (2016). Fluoro-edenite and carbon nanotubes: The health impact of 'asbestos-like' fibres (Review). *Exp Ther Med* 11: 21-27. <http://dx.doi.org/10.3892/etm.2015.2894>.
- Mirabella, F. (1987). EPIDEMIOLOGICAL INVESTIGATIONS ON SPONTANEOUS MESOTHELIOMA IN THE DOG POTENTIAL USE FOR HUMAN PATHOLOGY. *Med Lav* 78: 28-32.
- Mirabelli, D. (2009). [Evidence of effectiveness and prevention of occupational cancer]. *Epidemiol Prev* 33: 74-78.
- Mirabelli, D. (2016). [Every little bit counts in order to protect asbestos business]. *Epidemiol Prev* 40: 154-155. <http://dx.doi.org/10.19191/EP16.3-4.P154.082>.
- Mirabelli, D; Merler, E. (2008). 'Environment' in cancer causation and etiological fraction: limitations and ambiguities [Letter]. *Carcinogenesis* 29: 1083. <http://dx.doi.org/10.1093/carcin/bgm305>.
- Mirabelli, D; Roberti, S; Gangemi, M; Rosato, R; Ricceri, F; Merler, E; Gennaro, V; Mangone, L; Gorini, G; Pascucci, C; Cavone, D; Nicita, C; Barbieri, PG; Marinaccio, A; Magnani, C; Montanaro, F. (2009). Survival of peritoneal malignant mesothelioma in Italy: A population-based study. *Int J Cancer* 124: 194-200. <http://dx.doi.org/10.1002/ijc.23866>.
- Mirabelli, D; Stura, A; Gangemi, M; Bertolotti, M; Maule, MM; Magnani, C. (2007). Incidence of malignant mesothelioma in Piedmont, 1990-2001. *Epidemiol Prev* 31: 132-138.
- Mirabelli, D; Zugna, D. (2014). Comment on 'The latency period of mesothelioma among a cohort of British asbestos workers (1978-2005)' [Letter]. *Br J Cancer* 111: 1675. <http://dx.doi.org/10.1038/bjc.2014.111>.
- Mirarabshahii, P; Pillai, K; Chua, TC; Pourgholami, MH; Morris, DL. (2012). Diffuse malignant peritoneal mesothelioma--an update on treatment [Review]. *Cancer Treat Rev* 38: 605-612. <http://dx.doi.org/10.1016/j.ctrv.2011.10.006>.
- Mirer, FE. (1983). In vitro and in vivo response after exposure to man-made mineral and asbestos insulation fibers [Letter]. *Am Ind Hyg Assoc J* 44: B64.
- Mirliss, MJ. (1998). Re: 'Dose-response associations of silica with nonmalignant respiratory disease and lung cancer mortality in the diatomaceous earth industry' [Letter]. *Am J Epidemiol* 148: 307-309.
- Mirsra, V; Rahman, Q; Viswanathan, PN. (1977). ROLE OF SILICIC-ACID IN TOXIC EFFECTS OF ASBESTOS DUST. *Indian J Biochem Biophys* 14: 53-53.
- Miscetti, G; Bodo, P; Garofani, P; Abbritti, EP; Lumare, A. (2014). [Levels of exposure to respirable fibres at worksites for abatement of compact and friable asbestos]. *Med Lav* 105: 63-73.
- Miscetti, G; Bodo, P; Luciani, G; Garofani, P; Mazzanti, M; Marsili, G; Bessi, L. (2008). [Carcinogens project in a Local Health Unit in Umbria: updating of risk so as to estimate worker exposure levels]. *Med Lav* 99: 454-465.
- Mischler, NE; Chuprevich, T; Johnson, RO; Tormey, DC. (1979). Malignant mesothelioma presenting in the pleura and peritoneum. *J Surg Oncol* 11: 185-191.
- Misdorp, W. (1996). Veterinary cancer epidemiology [Review]. *Vet Q* 18: 32-36. <http://dx.doi.org/10.1080/01652176.1996.9694610>.

Human Health Hazard Literature Search Results

Off Topic

- Misdorp, W. (1997). [Asbestos risk for companion animals]. *Tijdschr Diergeneeskde* 122: 50-51.
- Misdorp, W. (2002). Congenital tumours and tumour-like lesions in domestic animals. 1. Cattle. A review [Review]. *Vet Q* 24: 1-11.
- Misdorp, W. (2002). Tumours in calves: comparative aspects. *J Comp Pathol* 127: 96-105. <http://dx.doi.org/10.1053/jcpa.2002.0563>.
- Mitchev, K; Dumortier, P; De Vuyst, P. (2002). 'Black Spots' and hyaline pleural plaques on the parietal pleura of 150 urban necropsy cases. *Am J Surg Pathol* 26: 1198-1206. <http://dx.doi.org/10.1097/01.PAS.0000022627.38542.2F>.
- Mitha, R; Pooley, FD. (1993). Determination of asbestos in lung tissue using transmission electron microscopy. *IARC Sci Publ* 190-195.
- Miyanaga, A; Masuda, M; Tsuta, K; Kawasaki, K; Nakamura, Y; Sakuma, T; Asamura, H; Gemma, A; Yamada, T. (2015). Hippo pathway gene mutations in malignant mesothelioma: revealed by RNA and targeted exon sequencing. *J Thorac Oncol* 10: 844-851. <http://dx.doi.org/10.1097/JTO.0000000000000493>.
- Miyazaki, M; Une, H. (2001). Risk of lung cancer among Japanese coal miners on hazard risk and interaction between smoking and coal mining. *J Occup Health* 43: 225-230.
- MJa, E. (1970). The Value of Bronchoscopy for the Diagnosis of Chronic Bronchitis Caused by Dust (pp. 56-58). (NIOSH/00011431). Elova MJa. MKEd, H. (1976). A Guide to the Work-Relatedness of Disease (pp. 210-275). (NIOSH/00068884). Hutchison MKEd.
- Mlika, M; Ayadi-Kaddour, A; Ksantini, M; Bouraoui, S; Mzabi, S; El Mezni, F. (2013). Is galectin-3 antibody a useful marker in the diagnosis of malignant pleural mesothelioma? 34: 111-125. <http://dx.doi.org/10.1080/15321819.2012.690356>.
- Mlynarek, S; Corn, M; Blake, C. (1996). Asbestos exposure of building maintenance personnel. *Regul Toxicol Pharmacol* 23: 213-224. <http://dx.doi.org/10.1006/rtph.1996.0045>.
- Mlynarek, SP; Van Orden, DR. (2012). Asbestos exposure from the overhaul of a Pratt & Whitney R2800 engine. *Regul Toxicol Pharmacol* 64: 189-194. <http://dx.doi.org/10.1016/j.yrtph.2012.07.004>.
- Mlynarek, SP; Van Orden, DR. (2012). Assessment of potential asbestos exposures from jet engine overhaul work. *Regul Toxicol Pharmacol* 63: 78-83. <http://dx.doi.org/10.1016/j.yrtph.2012.02.010>.
- Moatamed, F; Lockey, JE; Parry, WT. (1986). Fiber contamination of vermiculites: A potential occupational and environmental health hazard. *Environ Res* 41: 207-218. [http://dx.doi.org/10.1016/S0013-9351\(86\)80183-9](http://dx.doi.org/10.1016/S0013-9351(86)80183-9).
- Moatamed, F; Miaatvedt, CH. (1983). FIBROGENICITY OF ERIONITE FIBERS (pp. 10-15). (HEEP/84/02236). Moatamed, F; Miaatvedt, CH.
- Mocciola, M. (2007). [Criminal responsibility in non pre-meditated personal injury caused by inhalation of asbestos]. *Epidemiol Prev* 31: 38-40.
- Modin, BE; Greenberg, SD; Buffler, PA; Lockhart, JA; Seitzman, LH; Awe, RJ. (1982). Asbestos bodies in a general hospital/clinic population. *Acta Cytol* 26: 667-677.
- Moehner, M; Brueske-Hohlfeld, I; Bolm-Audorff, U; Pohlabeln, H; Ahrens, W; K-H, J; Heinrich, J; Jahn, I; Kreienbrock, L; Kreuzer, M; H-E, W. (1997). DIFFERENCES IN OCCUPATIONAL LUNG CANCER RISK BETWEEN EASTERN AND WESTERN GERMANY (pp. 20-24). (BIOSIS/98/15203). Moehner, M; Brueske-Hohlfeld, I; Bolm-Audorff, U; Pohlabeln, H; Ahrens, W; Joeckel K-H; Heinrich, J; Jahn, I; Kreienbrock, L; Kreuzer, M; Wiesbaden H-E.
- Moeller, L; Schuetzle, D; Autrup, H. (1994). FUTURE RESEARCH NEEDS ASSOCIATED WITH THE ASSESSMENT OF POTENTIAL HUMAN HEALTH RISKS FROM EXPOSURE TO TOXIC AMBIENT AIR POLLUTANTS. *Environ Health Perspect* 102: 193-210.
- Moen, BE; Nilsson, R; Nordlinder, R; Ovrebø, S; Bleie, K; Skorve, AH; Hollund, BE. (1996). Assessment of exposure to polycyclic aromatic hydrocarbons in engine rooms by measurement of urinary 1-hydroxypyrene. *Occup Environ Med* 53: 692-696. <http://dx.doi.org/10.1136/oem.53.10.692>.
- Moghissi, AA. (1991). STRATEGIES FOR THE DEVELOPMENT OF INDOOR AIR-QUALITY STANDARDS. *Environ Int* 17: 365-370.
- Mohammad-Taheri, Z; Nadji, SA; Raisi, F; Mohammadi, F; Bahadori, M; Mark, EJ. (2013). No association between simian virus 40 and diffuse malignant mesothelioma of the pleura in Iranian patients: a molecular and epidemiologic case-control study of 60 patients. *Am J Ind Med* 56: 1221-1225. <http://dx.doi.org/10.1002/ajim.22160>.
- Mohnen, VA. (1979). Problems In Assessing Asbestos Concentrations Under Realistic Conditions (pp. 25-30). (NIOSH/00152112). Mohnen, VA.
- Mohr, C; Davis, GS; Graebner, C; Hemenway, DR; Gemsa, D. (1992). ENHANCED RELEASE OF PROSTAGLANDIN-E(2) FROM MACROPHAGES OF RATS WITH SILICOSIS. *Am J Respir Cell Mol Biol* 6: 390-396.
- Mohr, S; Bottin, MC; Lannes, B; Neuville, A; Bellocq, JP; Keith, G; Rihn, BH. (2004). Microdissection, mRNA amplification and microarray: a study of pleural mesothelial and malignant mesothelioma cells. *Biochimie* 86: 13-19. <http://dx.doi.org/10.1016/j.biochi.2003.11.008>.
- Mohr, S; Keith, G; Galateau-Salle, F; Icard, P; Rihn, BH. (2004). Cell protection, resistance and invasiveness of two malignant mesotheliomas as assessed by 10K-microarray. *Biochim Biophys Acta* 1688: 43-60. <http://dx.doi.org/10.1016/j.bbdis.2003.10.007>.
- Mohr, S; Rihn, B. (2001). [Gene expression profiling in human mesothelioma cells using DNA microarray and high-density filter array technologies]. *Bull Cancer* 88: 305-313.
- Mohr, U; Schmahl, D; Tomatis, L; Davis W, ED. (1977). AIR POLLUTION AND CANCER IN MAN. (EPIDEM/000165). Mohr, U; Schmahl, D; Tomatis, L; Davis W, ED.
- Mohsenifar, Z; Brown, HV; Koerner, SK. (1982). Abnormal wasted ventilation fraction and normal pulmonary hemodynamics during exercise in patients with exertional dyspnea. *Respiration* 43: 263-270.
- Moir, W; Zeig-Owens, R; Daniels, RD; Hall, CB; Webber, MP; Jaber, N; Yiin, JH; Schwartz, T; Liu, X; Vossbrinck, M; Kelly, K; Prezant, DJ. (2016). Post-9/11 cancer incidence in World Trade Center-exposed New York City firefighters as compared to a pooled cohort of firefighters from San Francisco, Chicago and Philadelphia (9/11/2001-2009). *Am J Ind Med* 59: 722-730. <http://dx.doi.org/10.1002/ajim.22635>.
- Molina, C. (1980). [Methods of supervision of asbestos workers]. *Bull Acad Natl Med* 164: 506-511.
- Moline, J; Herbert, R; Nguyen, N. (2006). Health consequences of the September 11 World Trade Center attacks: a review [Review]. *Cancer Invest* 24: 294-301. <http://dx.doi.org/10.1080/07357900600633965>.

Human Health Hazard Literature Search Results

Off Topic

- Moll, KD; Tihansky, DP. (1977). Risk-benefit analysis for industrial and social needs. *Am Ind Hyg Assoc J* 38: 153-161. <http://dx.doi.org/10.1080/0002889778507931>.
- Moll, M. (1987). Health and safety in the school environment. (CIS/88/00154). Moll, M.
- Mollo, F. (2005). [Asbestos fiber dimensions and mesothelioma] [Letter]. *Med Lav* 96: 262; author reply 264-266.
- Mollo, F; Andrion, A; Colombo, A; Segnan, N; Pira, E. (1984). Pleural plaques and risk of cancer in Turin, northwestern Italy: An autopsy study. *Cancer PHILA*: 1418-1422.
- Mollo, F; Bellis, D; Delsedime, L; Bernardi, P; Ardissonne, F; Piolatto, G; Andrion, A. (1991). Autopsy indicators of exposure to asbestos and lung cancer. *IARC Sci Publ E*: 141-147.
- Mollo, F; Cravello, M; Andreozzi, A; Burlo, P; Bo, P; Attanasio, A; De Giuli, P. (2000). Asbestos body burden in decomposed human lungs. *Am J Forensic Med Pathol* 21: 148-150.
- Molloy, LB. (1991). Asbestos in place in Metropolitan New York. *Ann N Y Acad Sci* 643: 614-621.
- Monaghan, H; Al-Nafussi, A. (2001). Deciduoid pleural mesothelioma [Letter]. *Histopathology* 39: 104-106.
- Monaro, S; Landsberger, S; Lecomte, R; Paradis, P; Desaulniers, G; P'An, A. (1983). Asbestos pollution levels in river water measured by proton-induced X-ray emission techniques (pp. 83-90). (HEEP/83/10378). Monaro, S; Landsberger, S; Lecomte, R; Paradis, P; Desaulniers, G; P'An, A.
- Monchaux, G; Morlier, JP; Fritsch, P; Rochefort, P; Douriez, E; Morin, M; Maximilien, R. (1996). Co-carcinogenic effects of various agents in rats following exposure to radon and radon daughters. *Environ Int* 22: S917-S925.
- Monchaux, G; Morlier, JP; Morin, M; Chameaud, J; Lafuma, J; Masse, R. (1994). CARCINOGENIC AND COCARCINOGENIC EFFECTS OF RADON AND RADON DAUGHTERS IN RATS [Review]. *Environ Health Perspect* 102: 64-73.
- Monechi, MV; Di Natale, M; Vannucchi, G; Zappa, M. (1987). [Asbestos pollution in the Prato textile cycle: environmental study]. *Med Lav* 78: 293-300.
- Monechi, MV; Di Natale, M; Vannucchi, G; Zappa, M. (1987). Asbestos pollution in the Prato textile industry: Environmental investigation. 78: 293-300.
- Monguzzi, A; Lesci, IG; Capitani, GC; Santo, N; Roveri, N; Campione, M. (2014). Mineral-organic hybrid nanotubes as highly sensitive solid state optical chemical sensors. *Phys Chem Chem Phys* 16: 2491-2498. <http://dx.doi.org/10.1039/c3cp54467b>.
- Moniz, M; de Castro, HA; Peres, F. (2012). [Asbestos, danger and invisibility: perception of environmental risks and health of the residents of Bom Jesus da Serra/Bahia state]. *Cien Saude Colet* 17: 327-336.
- Monnet, I; Breau, JL; Moro, D; Lena, H; Eymard, JC; Menard, O; Vuillez, JP; Chokri, M; Romet-Lemonne, JL; Lopez, M. (2002). Intrapleural infusion of activated macrophages and gamma-interferon in malignant pleural mesothelioma - A phase II study. *Chest* 121: 1921-1927. <http://dx.doi.org/10.1378/chest.121.6.1921>.
- Monroe, B. (1979). NATIONAL BROADCASTING COMPANYS MEET THE PRESS SUNDAY JUNE 25 1978 THE ENVIRONMENT HOW CANCEROUS (pp. NEW YORK). (HEEP/81/07791). Monroe, B.
- Monso, E; Carreres, A; Tura, JM; Ruiz, J; Fiz, J; Xaus, C; Llatjos, M; Morera, J. (1997). Electron microscopic microanalysis of bronchoalveolar lavage: a way to identify exposure to silica and silicate dust. *Occup Environ Med* 54: 560-565.
- Monso, E; Pifarre, R; Rosell, A; Bonet, G; Martinez, C; Llatjos, M; Morera, J. (1997). IDENTIFICATION OF SIGNIFICANT ASBESTOS EXPOSURE WITH BRONCHOALVEOLAR LAVAGE (pp. 20-24). (BIOSIS/98/15101). Monso, E; Pifarre, R; Rosell, A; Bonet, G; Martinez, C; Llatjos, M; Morera, J.
- Monso, E; Texido, A; Lopez, D; Vaquero, M; Ruiz, J; Gallego, M; Morera, J. (1991). ASBESTOS BODIES IN THE LUNG OF A NONEXPOSED WESTERN MEDITERRANEAN POPULATION (pp. 12-15). (BIOSIS/91/21149). Monso, E; Texido, A; Lopez, D; Vaquero, M; Ruiz, J; Gallego, M; Morera, J.
- Monso, E; Tura, JM; Marsal, M; Morell, F; Pujadas, J; Morera, J. (1990). Mineralogical microanalysis of idiopathic pulmonary fibrosis. *Arch Environ Health* 45: 185-188.
- Monson, RR; Christiani, DC. (1997). Summary of the evidence: Occupation and environment and cancer. *Cancer Causes Control* 8: 529-531. <http://dx.doi.org/10.1023/A:1018429926593>.
- Montanaro, F; Rosato, R; Gangemi, M; Roberti, S; Ricceri, F; Merler, E; Gennaro, V; Romanelli, A; Chellini, E; Pascucci, C; Musti, M; Nicita, C; Barbieri, PG; Marinaccio, A; Magnani, C; Mirabelli, D. (2009). Survival of pleural malignant mesothelioma in Italy: a population-based study. *Int J Cancer* 124: 201-207. <http://dx.doi.org/10.1002/ijc.23874>.
- Montenegro, N. (1990). Asbestos abatement requires prudent approach. *Health Facil Manage* 3: 34, 36, 38.
- Montero Ruano, L. (2006). Asbestos: Implications of Royal Decree 396/2006 [Spain] (pp. 7-8). (CIS/07/00870). Montero Ruano, L.
- Montgomery, RR; Webster, P; Mellman, I. (1991). Accumulation of indigestible substances reduces fusion competence of macrophage lysosomes. *J Immunol* 147: 3087-3095.
- Montjoy, C; Parker, J; Petsonk, L; Luis, T; Fallon, K. (2009). Mesothelioma review [Review]. *W V Med J* 105: 13-16.
- Montoya Cabrera, MA; Pérez Reyes, MA; Alonso de Ruiz, P; Gutiérrez-Pastrana, MD; Maldonado Torres, L. (1988). [Investigation of ferruginous bodies in the sputum of individuals exposed to asbestos fibers. Comparative study of 3 identification technics]. *Arch Invest Med* 19: 97-106.
- Moody, J. (1993). Toxic effects of inhaled particles. 1993: 23-27.
- Moolgavkar, SH; Luebeck, EG; Turim, J; Hanna, L. (1999). Quantitative assessment of the risk of lung cancer associated with occupational exposure to refractory ceramic fibers. *Risk Anal* 19: 599-611.
- Moolgavkar, SH; Meza, R; Turim, J, ay. (2009). Pleural and peritoneal mesotheliomas in SEER: age effects and temporal trends, 1973-2005. *Cancer Causes Control* 20: 935-944. <http://dx.doi.org/10.1007/s10552-009-9328-9>.

Human Health Hazard Literature Search Results

Off Topic

- Moolgavkar, SH; Turim, J; Brown, RC. (2001). The power of the European Union protocol to test for carcinogenicity of inhaled fibers. *Regul Toxicol Pharmacol* 33: 350-355. <http://dx.doi.org/10.1006/rtph.2001.1474>.
- Moolgavkar, SH; Turim, J; Brown, RC; Luebeck, G. (2001). Long man-made fibers and lung cancer risk. *Regul Toxicol Pharmacol* 33: 138-146. <http://dx.doi.org/10.1006/rtph.2000.1443>.
- Moon, CM; Schissel, DJ. (1999). Pityriasis amiantacea. *Cutis* 63: 169-170.
- Moon, EK. (2012). Augmenting Chimeric Antibody Receptor Directed T cell Therapy for Cancer.
- Moon, EK. (2013). Augmenting Chimeric Antibody Receptor Directed T cell Therapy for Cancer.
- Moon, EK. (2014). Augmenting Chimeric Antibody Receptor Directed T cell Therapy for Cancer.
- Moon, EK. (2015). Augmenting Chimeric Antibody Receptor Directed T cell Therapy for Cancer.
- Moon, MC; Park, JD; Choi, BS; Park, SY; Kim, DW; Chung, YH; Hisanaga, N; Yu, JJ. (2011). Risk Assessment of Baby Powder Exposure through Inhalation. *Toxicological Research* 27: 137-141. <http://dx.doi.org/10.5487/TR.2011.27.3.137>.
- Moorcroft, JS; Duggan, MJ. (1984). RATE OF DECLINE OF ASBESTOS FIBER CONCENTRATION IN ROOM AIR. *Ann Occup Hyg* 28: 453-457.
- Moore, JA. (1978). NIEHS Oral Asbestos Studies (pp. Definitions and Measurement Methods). (NIOSH/00145898). Moore, JA.
- Moore, KJ. (2013). Mechanisms of CD36 Signal Transduction - Resubmission - 1.
- Moore, KJ. (2014). Mechanisms of CD36 Signal Transduction - Resubmission - 1.
- Moore, KJ. (2015). Mechanisms of CD36 Signal Transduction - Resubmission - 1.
- Moore, LL. (1988). ASBESTOS EXPOSURE ASSOCIATED WITH AUTOMOTIVE BRAKE REPAIR IN PENNSYLVANIA USA. *Am Ind Hyg Assoc J* 49.
- Moore, MA; Boymel, PM; Maxim, LD; Turim, J. (2002). Categorization and nomenclature of vitreous silicate wools [Review]. *Regul Toxicol Pharmacol* 35: 1-13. <http://dx.doi.org/10.1006/rtph.2001.1509>.
- Moore, RP; Stacy, WK; Williams, MG; Dodson, RF. (1986). OXALOSIS IN ASBESTOSIS A STUDY OF CALCIUM OXALATE DIHYDRATE CRYSTALLIZATION ON ASBESTOS BODIES (pp. 11-14). (ISSN 0003-0805 BIOSIS/86/28427). Moore, RP; Stacy, WK; Williams, MG; Dodson, RF.
- Moore, S; Darlison, L; Tod, AM. (2010). Living with mesothelioma. A literature review [Review]. *European Journal of Cancer Care Online* 19: 458-468. <http://dx.doi.org/10.1111/j.1365-2354.2009.01162.x>.
- Moore, TL; Grimes, SW; Lewis, RL; Alexis, F. (2014). Multilayered polymer-coated carbon nanotubes to deliver dasatinib. *Mol Pharm* 11: 276-282. <http://dx.doi.org/10.1021/mp400448w>.
- Moore, TR; Zimmermann, RC. (1977). Establishment of vegetation of serpentine asbestos mine wastes, southeastern Quebec, Canada. *J Appl Ecol* 14: 589-600.
- Mor, O; Yaron, P; Huszar, M; Yellin, A; Jakobovitz, O; Brok-Simoni, F; Rechavi, G; Reichert, N. (1997). Absence of p53 mutations in malignant mesotheliomas. *Am J Respir Cell Mol Biol* 16: 9-13.
- Moraes, KAK; Valadares Filho, SC; Moraes, EHB, K; Pina, DS. (2015). CALCIUM OXIDE LEVELS IN SUGARCANE SILAGE, FRESH SUGARCANE OR CORN SILAGE FOR FEEDLOT NELLORE HEIFERS. *The J A P S* 25: 989-996.
- Moran, EM. (1992). Epidemiological factors of cancer in California. *J Environ Pathol Toxicol Oncol* 11: 303-307.
- Moran, EM. (1996). Environment, cancer, and molecular epidemiology: air pollution. *J Environ Pathol Toxicol Oncol* 15: 97-104.
- Morcos, SK. (2001). Asbestos-related benign pleural disease [Letter]. *Clin Radiol* 56: 85. <http://dx.doi.org/10.1053/crad.2000.0581>.
- Moreira, S; Silva, NB; Almeida-Lima, J; Rocha, HA; Medeiros, SR; Alves, C; Gama, FM. (2009). BC nanofibres: in vitro study of genotoxicity and cell proliferation. *Toxicol Lett* 189: 235-241. <http://dx.doi.org/10.1016/j.toxlet.2009.06.849>.
- Moreno Küstner, B; Quemada, C; Masedo, AI. (2015). [Authors reply. Opinions and expectations of patients with health problems associated to asbestos exposure] [Letter]. *An Sist Sanit Navar* 38: 145-151.
- Morey, EF; Earnshaw, R. (1992). The fit of gold-alloy full-crown castings made with pre-wetted casting ring liners. *J Dent Res* 71: 1858-1864. <http://dx.doi.org/10.1177/00220345920710120101>.
- Morfeld, P; Mccunney, RJ. (2009). Carbon Black and Lung Cancer-Testing a Novel Exposure Metric by Multi-Model Inference. *Am J Ind Med* 52: 890-899. <http://dx.doi.org/10.1002/ajim.20754>.
- Morgan, A. (1974). ADSORPTION OF HUMAN-SERUM ALBUMIN BY ASBESTIFORM MINERALS AND ITS APPLICATION TO MEASUREMENT OF SURFACE-AREAS OF DISPERSED SAMPLES OF CHRYSOTILE. *Environ Res* 7: 330-341.
- Morgan, A. (1994). IN-VIVO EVALUATION OF CHEMICAL BIOPERSISTENCE OF MAN-MADE MINERAL FIBERS. *Environ Health Perspect* 102: 127-131.
- Morgan, A. (1994). The removal of fibres of chrysotile asbestos from lung [Letter]. *Ann Occup Hyg* 38: 643-646.
- Morgan, A. (1997). Acid leaching studies of chrysotile asbestos from mines in the Coalinga region of California and from Quebec and British Columbia. *Ann Occup Hyg* 41: 249-&.
- Morgan, A; Black, A; Evans, N; Holmes, A; Pritchard, JN. (1980). Deposition of sized glass fibres in the respiratory tract of the rat. *Ann Occup Hyg* 23: 353-366.
- Morgan, A; Collier, CG; Kellington, JP. (1993). DISTRIBUTION OF GLASS-FIBERS IN THE PERITONEAL-CAVITY OF THE RAT FOLLOWING ADMINISTRATION BY INTRAPERITONEAL INJECTION. *J Toxicol Environ Health* 38: 245-256.
- Morgan, A; Collier, CG; Morris, KJ; Launder, KA. (1993). A radioactive tracer technique to determine in vivo the number of fibers in the lungs of rats following their administration by intratracheal instillation. *Environ Res* 63: 182-190. <http://dx.doi.org/10.1006/enrs.1993.1139>.
- Morgan, A; Cralley, LJ. (1973). CHEMICAL CHARACTERISTICS OF ASBESTOS AND ASSOCIATED TRACE ELEMENT (pp. 113-118). (EPIDEM/003713). Morgan, A; Cralley, LJ.
- Morgan, A; Cralley, LJ. (1973). Chemical Characteristics of Asbestos and Associated Trace Elements (pp. 2-5). (NIOSH/00032917). Morgan, A; Cralley, LJ.

Human Health Hazard Literature Search Results

Off Topic

- Morgan, A; Cralley, LJ. (1974). CHEMICAL CHARACTERISTICS OF ASBESTOS AND ASSOCIATED TRACE ELEMENTS (pp. LYON). (HEEP/75/04219).
Morgan, A; Cralley, LJ.
- Morgan, A; Holmes, A. (1970). Neutron Activation Techniques in Investigations of the Composition and Biological Effects of Asbestos (pp. 52-56). (NIOSH/00177488). Morgan, A; Holmes, A.
- Morgan, A; Holmes, A. (1984). Solubility of rockwool fibres in vivo and the formation of pseudo-asbestos bodies. *Ann Occup Hyg* 28: 307-314.
- Morgan, A; Holmes, A. (1985). The enigmatic asbestos body: its formation and significance in asbestos-related disease. *Environ Res* 38: 283-292.
- Morgan, A; Holmes, A; Davison, W. (1982). Clearance of sized glass fibres from the rat lung and their solubility in vivo. *Ann Occup Hyg* 25: 317-331.
- Morgan, A; Lally, AE; Holmes, A. (1973). Some observations on the distribution of trace metals in chrysotile asbestos. *Ann Occup Hyg* 16: 231-240.
- Morgan, D. (2009). Mechanisms of Indium Phosphide Pleural and Pulmonary Toxicity.
- Morgan, D. (2011). Mechanisms of Pleural and Pulmonary Toxicity of Indium Compounds.
- Morgan, D. (2012). Mechanisms of Pleural and Pulmonary Toxicity of Indium Compounds.
- Morgan, D. (2013). Mechanisms of Pleural and Pulmonary Toxicity of Indium Compounds.
- Morgan, D. (2014). Mechanisms of Pleural and Pulmonary Toxicity of Indium Compounds.
- Morgan, D. (2015). Mechanisms of Pleural and Pulmonary Toxicity of Indium Compounds.
- Morgan, DL. (2008). Mechanisms of Indium Phosphide Pleural and Pulmonary Toxicity.
- Morgan, K. (1991). ASBESTOS - THE TURBULENT INTERFACE BETWEEN SCIENCE AND POLICY. *Can Med Assoc J* 145: 291-292.
- Morgan, R; Pickworth, F; Dubbins, P; Mcgavin, C. (1990). ULTRASOUND APPEARANCES OF ASBESTOS RELATED PLEURAL PLAQUE (pp. 18-21). (BIOSIS/91/08451). Morgan, R; Pickworth, F; Dubbins, P; Mcgavin, C.
- Morgan, R; Simpson, G; Gray, S; Gillett, C; Tabi, Z; Spicer, J; Harrington, KJ; Pandha, HS. (2016). HOX transcription factors are potential targets and markers in malignant mesothelioma. *BMC Cancer* 16: 85. <http://dx.doi.org/10.1186/s12885-016-2106-7>.
- Morgan, RH. (1986). Radiology. *Environ Res* 43: 97-103.
- Morgan, RW. (1991). METAANALYSIS OF ASBESTOS AND GASTROINTESTINAL CANCER. *Am J Ind Med* 19: 407-408.
- Morgan, RW. (1991). Re: Meta-analysis of asbestos and gastrointestinal cancer [Letter]. *Am J Ind Med* 19: 407-411.
- Morgan, RW. (1991). Whodunit? Liability for Mesothelioma Cases. *J Occup Med* 33: 956-957.
- Morgan, RW. (1992). Attitudes about asbestos and lung cancer. *Am J Ind Med* 22: 437-441.
- Morgan, RW; Goodman, M. (1998). Nonoccupational exposure to chrysotile asbestos and the risk of lung cancer [Letter]. *N Engl J Med* 339: 1001; author reply 1002.
- Morgan, RW; Larson, SR. (1984). Newer Occupational Lung Carcinogens (pp. 69-77). (NIOSH/00169242). Morgan, RW; Larson, SR.
- Morgan, RW; Zhao, KE. (1994). Study of occupational lung cancer in asbestos factories in China [Letter]. *Occup Environ Med* 51: 719.
- Morgan W, KC. (1979). INDUSTRIAL CARCINOGENS THE EXTENT OF THE RISK. *Thorax* 34: 431-433.
- Morgan W, KC. (1989). ON WELDING WHEEZING AND WHIMSY. *Am Ind Hyg Assoc J* 50: 59-69.
- Morgan, WK. (1987). Asbestos: promotion or prohibition? [Letter]. *CMAJ* 136: 569.
- Morgan, WK. (1991). Mesothelioma and exposure to asbestos [Letter]. *BMJ* 302: 1153.
- Morgan, WK. (1992). Asbestos and cancer: history and public policy [Letter]. *Br J Ind Med* 49: 451.
- Morgenroth, K. (1972). ELECTRON MICROSCOPIC STUDIES ON ASBESTOSIS BODIES IN THE HUMAN LUNG. (HEEP/73/09941). Morgenroth, K.
- Morgenroth, K. (1979). [Determination of organic elements in histological sections (author's transl)]. 33 Suppl 1: 615-618.
- Morgenroth, K. (1982). SIZING AND IDENTIFICATION OF ASBESTOS FIBERS AND OTHER MINERALS WITH ANALYTICAL ELECTRON MICROSCOPY IN AUTOPSY AND BIOPSY MATERIAL (pp. 24-26). (HEEP/84/05467). Morgenroth, K.
- Morgenroth, K; Blaschke, R; Schlake, W. (1974). Energy dispersive X-ray analysis of semi-thin sections in the scanning transmission. *Beitr Pathol* 150: 406-411.
- Morimoto, T; Biswas, G; Kono, T; Sakai, M; Hikima, J. (2016). Immune responses in the Japanese pufferfish (Takifugu rubripes) head kidney cells stimulated with particulate silica. *Fish Shellfish Immunol* 49: 84-90. <http://dx.doi.org/10.1016/j.fsi.2015.12.023>.
- Morimoto, Y; Ding, L; Oyabu, T; Hirohashi, M; Kim, H; Ogami, A; Yamato, H; Akiyama, I; Hori, H; Higashi, T; Tanaka, I. (2003). Expression of Clara cell secretory protein in the lungs of rats exposed to silicon carbide whisker in vivo. *Toxicol Lett* 145: 273-279. [http://dx.doi.org/10.1016/S0378-4274\(03\)00308-4](http://dx.doi.org/10.1016/S0378-4274(03)00308-4).
- Morimoto, Y; Ding, L; Oyabu, T; Kim, H; Ogami, A; Hirohashi, M; Nagatomo, H; Yamato, H; Akiyama, I; Hori, H; Higashi, T; Tanaka, I. (2003). Gene expression of surfactant protein-A and thyroid transcription factor-1 in lungs of rats exposed to silicon-carbide whisker in vivo. *J Occup Health* 45: 307-312.
- Morimoto, Y; Higashi, T; Chiba, O; Ishiwata, H; Takanami, T. (2009). [Treatment of asbestos-containing waste products to prevent harm to the lungs] [Review]. *Nippon Eiseigaku Zasshi* 64: 704-709.
- Morimoto, Y; Hirohashi, M; Kasai, T; Oyabu, T; Ogami, A; Myojo, T; Murakami, M; Nishi, K; Kadoya, C; Todoroki, M; Yamamoto, M; Kawai, K; Kasai, H; Tanaka, I. (2009). Effect of polymerized toner on rat lung in chronic inhalation study. *Inhal Toxicol* 21: 898-905. <http://dx.doi.org/10.1080/08958370802641938>.
- Morimoto, Y; Izumi, H; Kuroda, E. (2014). Significance of persistent inflammation in respiratory disorders induced by nanoparticles [Review]. *Journal of Immunology Research* 2014: 962871. <http://dx.doi.org/10.1155/2014/962871>.
- Morimoto, Y; Izumi, H; Yoshiura, Y; Fujishima, K, ei; Yatera, K; Yamamoto, K. (2016). Usefulness of Intratracheal Instillation Studies for Estimating Nanoparticle-Induced Pulmonary Toxicity [Review]. *International Journal of Molecular Sciences* 17. <http://dx.doi.org/10.3390/ijms17020165>.

Human Health Hazard Literature Search Results

Off Topic

- Morimoto, Y; Kim, H; Oyabu, T; Hirohashi, M; Nagatomo, H; Ogami, A; Yamato, H; Obata, Y; Kasai, H; Higashi, T; Tanaka, I. (2005). Negative effect of long-term inhalation of toner on formation of 8-hydroxydeoxyguanosine in DNA in the lungs of rats in vivo. *Inhal Toxicol* 17: 749-753. <http://dx.doi.org/10.1080/08958370500224771>.
- Morimoto, Y; Kobayashi, N. (2016). Evaluations of the Carcinogenicity of Carbon Nanotubes, Fluoro-Edinite, and Silicon Carbide by the International Agency for Research on Cancer (IARC). *Nippon Eiseigaku Zasshi* 71: 252-259. <http://dx.doi.org/10.1265/jjh.71.252>.
- Morimoto, Y; Tsuda, T; Yamato, H; Oyabu, T; Higashi, T; Tanaka, I; Kasai, T; Ishimatsu, S; Hori, H; Kido, M. (2001). Comparison of gene expression of cytokines mRNA in lungs of rats induced by intratracheal instillation and inhalation of mineral fibers. *Inhal Toxicol* 13: 589-601.
- Morimoto, Y; Yamato, H; Kido, M; Tanaka, I; Higashi, T; Fujino, A; Yokosaki, Y. (1994). Effects of Inhaled Ceramic Fibres on Macrophage Function of Rat Lungs. *Occup Environ Med* 51: 62-67.
- Morita, T; Asano, N; Awogi, T; Sasaki, YF; Sato, S; Shimada, H; Sutou, S; Suzuki, T; Wakata, A; Sofuni, T; Hayashi, M. (1997). Evaluation of the rodent micronucleus assay in the screening of IARC carcinogens (groups 1, 2A and 2B) the summary report of the 6th collaborative study by CSGMT/JEMS MMS. Collaborative Study of the Micronucleus Group Test. Mammalian Mutagenicity Study Group [Erratum] [Erratum]. *Mutat Res* 391: 259-267. [http://dx.doi.org/10.1016/S1383-5718\(97\)00074-0](http://dx.doi.org/10.1016/S1383-5718(97)00074-0).
- Morocz, IA; Schmitter, D; Lauber, B; Stahel, RA. (1994). AUTOCRINE STIMULATION OF A HUMAN LUNG MESOTHELIOMA CELL-LINE IS MEDIATED THROUGH THE TRANSFORMING GROWTH-FACTOR-ALPHA EPIDERMAL GROWTH-FACTOR RECEPTOR MITOGENIC PATHWAY. *Br J Cancer* 70: 850-856.
- Moron, BD; Sanchez, DM; Serna, AB; Herruzo, JAS. (1991). DIFFUSE PERITONEAL MESOTHELIOMA - REPORT OF 2 CASES AND LITERATURE-REVIEW. *Rev Esp Enferm Dig* 79: 55-59.
- Morosova, KI; Aronova, GV; Katsnelson, BA; Velichkovski, BT; Genkin, AM; Elnichnykh, LN; Privalova, LI. (1982). On the defensive action of glutamate against the cytotoxicity and fibrogenicity of quartz dust. *Br J Ind Med* 39: 244-252.
- Morré, DJ; Hostetler, B; Taggart, DJ; Morré, DM; Musk, AW; Robinson, BW; Creaney, J. (2016). Erratum to: ENOX2-based early detection (ONCOblot) of asbestos-induced malignant mesothelioma 4-10 years in advance of clinical symptoms [Erratum]. *Clinical Proteomics* 13: 3. <http://dx.doi.org/10.1186/s12014-016-9105-1>.
- Morrell, S; Kerr, C; Driscoll, T; Taylor, R; Salkeld, G; Corbett, S. (1998). Best estimate of the magnitude of mortality due to occupational exposure to hazardous substances. *Occup Environ Med* 55: 634-641.
- Morris, DL; Connor, TH; Harper, BL; Ward, JB; Legator, MS. (1989). Genotoxic effects of fly ash in bacteria, mammalian cells and animals. *Teratog Carcinog Mutagen* 9: 297-314. <http://dx.doi.org/10.1002/tcm.1770090505>.
- Morris, GF. (1996). Molecular mechanisms of lung injury and repair [Research]. RePORTER Database National Institutes of Health.
- Morris, GF. (1997). P53 in asbestos induced lung disease [Research]. RePORTER Database National Institutes of Health.
- Morris, GF. (1998). P53 in asbestos induced lung disease [Research]. RePORTER Database National Institutes of Health.
- Morris, GF. (2000). P53 in asbestos induced lung disease.
- Morris, GF; Shan, BIN; Sullivan, DE. (2008). Mechansims of Lung Carcinogenesis Induced by Asbestos and Cigarette Smoke.
- Morris, GF; Shan, BIN; Sullivan, DE. (2009). Mechansims of Lung Carcinogenesis Induced by Asbestos and Cigarette Smoke.
- Morris, GF; Shan, BIN; Sullivan, DE. (2010). Mechansims of Lung Carcinogenesis Induced by Asbestos and Cigarette Smoke.
- Morris, GF; Shan, BIN; Sullivan, DE. (2011). Mechansims of Lung Carcinogenesis Induced by Asbestos and Cigarette Smoke.
- Morris, GFB, SDE. (2012). Mechansims of Lung Carcinogenesis Induced by Asbestos and Cigarette Smoke.
- Morris, KJ; Collier, CG; Eastes, W; Launder, KA. (1996). Comparison of biopersistence of experimental glass fibres in the lung and peritoneal cavity. *Exp Toxicol Pathol* 48: 490-493.
- Morris, KJ; Launder, KA; Morgan, A; Hornby, SB; Collier, CG. (1995). PRELIMINARY DATA FROM INVESTIGATIONS OF THE IN-VIVO BIOPERSISTENCE OF 3 EXPERIMENTAL GLASS-FIBERS OF VARYING CHEMICAL-COMPOSITION. *Exp Toxicol Pathol* 47: 179-182.
- Morrison, J; Stamenkovic, S; Walker, WS; Wallace, WA. (2006). Pulmonary histiocytosis X in a patient with epithelioid mesothelioma [Letter]. *Histopathology* 49: 320-321. <http://dx.doi.org/10.1111/j.1365-2559.2006.02391.x>.
- Morrison, PJ. (2008). Asbestos, mesothelioma and the legacy of shipbuilding in Belfast [Editorial]. *Ulster Med J* 77: 145.
- Morse, RH. (1985). A difficult chest pain. *J La State Med Soc* 137: 17-18, 20.
- Moser, MA. (1988). FACTORS IN SELECTING GASKETS. (BIOSIS/88/13824). Moser, MA.
- Mosher, CB; Derebery, VJ; Young, BJ; Adams, RA. (1987). Unusually aggressive transmission of tuberculosis in a factory. *J Occup Med* 29: 29-31.
- Moss, AAH. (1980). The chemist and the environment. (PESTAB/81/0323). Moss, AAH.
- Mossano, S. (2011). [The Eternit trial: the verdict is close]. *Epidemiol Prev* 35: 175-177.
- Mossman, BT. (1985). Oxygen radicals in mineral damage/tumor promotion [Research]. RePORTER Database National Institutes of Health.
- Mossman, BT. (1985). Pulmonary responses to inhaled inorganic dusts [Research]. RePORTER Database National Institutes of Health.
- Mossman, BT. (1986). Oxygen radicals in mineral damage/tumor promotion [Research]. RePORTER Database National Institutes of Health.
- Mossman, BT. (1986). Pulmonary responses to inhaled inorganic dusts [Research]. RePORTER Database National Institutes of Health.
- Mossman, BT. (1987). Oxygen radicals in mineral damage/tumor promotion [Research]. RePORTER Database National Institutes of Health.
- Mossman, BT. (1987). Prevention of asbestos-associated pulmonary fibrosis [Research]. RePORTER Database National Institutes of Health.
- Mossman, BT. (1988). Effects of mineral dusts on cells [Research]. RePORTER Database National Institutes of Health.
- Mossman, BT. (1988). Oxidant injury in asbestos related lung injury and fibrosis [Research]. RePORTER Database National Institutes of Health.
- Mossman, BT. (1989). Oxidant injury in asbestos related lung injury and fibrosis [Research]. RePORTER Database National Institutes of Health.
- Mossman, BT. (1990). Oxidant injury in asbestos related lung injury and fibrosis [Research]. RePORTER Database National Institutes of Health.
- Mossman, BT. (1991). Oxidant injury in asbestos related lung injury and fibrosis [Research]. RePORTER Database National Institutes of Health.

Human Health Hazard Literature Search Results

Off Topic

- Mossman, BT. (1993). Mechanisms of asbestos carcinogenesis and toxicity: the amphibole hypothesis revisited [Editorial]. *Br J Ind Med* 50: 673-676.
- Mossman, BT. (1993). Mechanisms of cell replication in asbestos cancers [Research]. RePORTER Database National Institutes of Health.
- Mossman, BT. (1994). Mechanisms of cell replication in asbestos cancers [Research]. RePORTER Database National Institutes of Health.
- Mossman, BT. (1995). Mechanisms of cell replication in asbestos cancers [Research]. RePORTER Database National Institutes of Health.
- Mossman, BT. (1997). Egfr signaling pathways by particulates in lung disease [Research]. RePORTER Database National Institutes of Health.
- Mossman, BT. (1997). Mechanisms of cell replication in asbestos cancers [Research]. RePORTER Database National Institutes of Health.
- Mossman, BT. (1998). Egfr signaling pathways by particulates in lung disease [Research]. RePORTER Database National Institutes of Health.
- Mossman, BT. (1999). Egfr signaling pathways by particulates in lung disease [Research]. RePORTER Database National Institutes of Health.
- Mossman, BT. (1999). Environmental pathology: New directions and opportunities. *Toxicol Pathol* 27: 180-186.
<http://dx.doi.org/10.1177/019262339902700205>.
- Mossman, BT. (2000). Egfr signaling pathways by particulates in lung disease.
- Mossman, BT. (2006). Erk pathways in pathogenesis of mesothelioma.
- Mossman, BT. (2007). Erk pathways in pathogenesis of mesothelioma.
- Mossman, BT. (2008). Erk pathways in pathogenesis of mesothelioma.
- Mossman, BT. (2009). Erk pathways in pathogenesis of mesothelioma.
- Mossman, BT. (2010). Erk pathways in pathogenesis of mesothelioma.
- Mossman, BT; Bignon, J. (1990). In reply: asbestos, carcinogenicity, and public policy. *Science* 248: 799-802.
<http://dx.doi.org/10.1126/science.248.4957.799-a>.
- Mossman, BT; Borm, PJ; Castranova, V; Costa, DL; Donaldson, K; Kleeberger, SR. (2007). Mechanisms of action of inhaled fibers, particles and nanoparticles in lung and cardiovascular diseases [Editorial]. *Part Fibre Toxicol* 4: 4. <http://dx.doi.org/10.1186/1743-8977-4-4>.
- Mossman, BT; Craighead, JE. (1978). INHIBITION OF ASBESTOS-INDUCED METAPLASTIC CHANGES AND INCORPORATION OF TRITIATED-THYMIDINE IN HAMSTER TRACHEAL ORGAN-CULTURES WITH ADDITION OF VITAMIN-A ANALOG, RETINYL METHYL-ETHER. *Proc Am Assoc Cancer Res* 19: 93-93.
- Mossman, BT; Gee, JB. (1997). Asbestos-related cancer and the amphibole hypothesis. The hypothesis is still supported by scientists and scientific data [Letter]. *Am J Public Health* 87: 689-690; author reply 690-681.
- Mossman, BT; Gee, JBL. (1991). ASBESTOS-RELATED DISEASES - REPLY. *N Engl J Med* 324: 196-197.
- Mossman, BT; Klein, G; Zur Hausen, H. (2004). Modern criteria to determine the etiology of human carcinogens. *Semin Cancer Biol* 14: 449-452.
<http://dx.doi.org/10.1016/j.semcan.2004.06.008>.
- Mossman, BT; Shukla, A; Fukagawa, NK. (2007). Highlight Commentary on "Oxidative stress and lipid mediators induced in alveolar macrophages by ultrafine particles" [Review]. *Free Radic Biol Med* 43: 504-505.
<http://dx.doi.org/10.1016/j.freeradbiomed.2007.04.013>.
- Mossop, RT. (1983). Asbestos hazards in Zimbabwe [Letter]. *Cent Afr J Med* 29: 117-118.
- Motadi, LR; Misso, NL; Dlamini, Z; Bhoola, KD. (2007). Molecular genetics and mechanisms of apoptosis in carcinomas of the lung and pleura: therapeutic targets [Review]. *Int Immunopharmacol* 7: 1934-1947. <http://dx.doi.org/10.1016/j.intimp.2007.07.013>.
- Moulin, JJ; Clavel, T; Roy, D; B, D; Marquis, N; Févotte, J; Fontana, JM. (2000). [Risk of bronchopulmonary cancer in a stainless and alloyed steels plant]. *Cahiers de notes documentaires Hygiène et sécurité du travail* 3rd Quarter 2000: 49-59.
- Moulin, JJ; Wild, P; Mantout, B; Fournier-Betz, M; Mur, JM; Smagghe, G. (1993). Mortality from lung cancer and cardiovascular diseases among stainless-steel producing workers. *Cancer Causes Control* 4: 75-81. <http://dx.doi.org/10.1007/BF00053147>.
- Mousavi, SM; Sundquist, J; Hemminki, K. (2010). Is risk of pleural mesothelioma an environmental risk outside Turkey? A study on immigrants to Sweden [Letter]. *Lung Cancer* 68: 125-126. <http://dx.doi.org/10.1016/j.lungcan.2010.01.014>.
- Mowat, F; Bono, M; Lee, RJ; Tamburello, S; Paustenbach, D. (2005). Occupational exposure to airborne asbestos from phenolic molding material (Bakelite) during sanding, drilling, and related activities. *J Occup Environ Hyg* 2: 497-507.
<http://dx.doi.org/10.1080/15459620500274237>.
- Mowat, F; Weidling, R; Sheehan, P. (2007). Simulation tests to assess occupational exposure to airborne asbestos from asphalt-based roofing products. *Ann Occup Hyg* 51: 451-462. <http://dx.doi.org/10.1093/annhyg/mem020>.
- Mowat, FS; Bono, M; Paustenbach, DJ. (2004). Occupational Exposure To Airborne Chrysotile Asbestos During Use And Removal Of Mastics, Coating, And Adhesives (CIRCA 1940s-Present Day). *Toxicologist* 78: 108.
- Mowé, G; Gylseth, B. (1984). Medico-legal aspects of malignant mesothelioma. *Scand J Soc Med* 12: 15-23.
- Mozhaev, EA; Pechennikova, EV. (1994). CERTAIN ISSUES OF AIR POLLUTION STUDIES ABROAD A REVIEW (pp. 9-12). (BIOSIS/94/26371).
Mozhaev, EA; Pechennikova, EV.
- Mrakovcic, M; Meindl, C; Leitinger, G; Roblegg, E; Fröhlich, E. (2015). Carboxylated short single-walled carbon nanotubes but not plain and multi-walled short carbon nanotubes show in vitro genotoxicity. *Toxicol Sci* 144: 114-127. <http://dx.doi.org/10.1093/toxsci/kfu260>.
- Mrvos, R; Walters, D; Krenzelok, EP. (1999). The media's influence on a poison center's call volume. *Vet Hum Toxicol* 41: 329-330.
- Mudenda, L; Pierlé, SA; Turse, JE; Scoles, GA; Purvine, SO; Nicora, CD; Clauss, TR; Ueti, MW; Brown, WC; Brayton, KA. (2014). Proteomics informed by transcriptomics identifies novel secreted proteins in *Dermacentor andersoni* saliva. *Int J Parasitol* 44: 1029-1037.
<http://dx.doi.org/10.1016/j.ijpara.2014.07.003>.
- Mudur, G. (2003). Asbestos poisoning was covered up by doctors, claims health team. *B M J (Online)* 327: 248.
<http://dx.doi.org/10.1136/bmj.327.7409.248-c>.

Human Health Hazard Literature Search Results

Off Topic

- Mueck, AO; Seeger, H. (2008). The World Health Organization defines hormone replacement therapy as carcinogenic: is this plausible? *Gynecol Endocrinol* 24: 129-132. <http://dx.doi.org/10.1080/09513590801893349>.
- Mueller, A; Niederhofer, M. (2009). Malign mesothelioma of the pleura in a 13-year-old gelding. *Prakt Tierarzt* 90: 220-227.
- Mueller, NL. (1991). DIFFERENTIAL DIAGNOSIS OF CHRONIC DIFFUSE INFILTRATIVE LUNG DISEASE ON HIGH-RESOLUTION COMPUTED TOMOGRAPHY. *Semin Roentgenol* 26: 132-142.
- Mueller, TB. (2009). Tomorrow's causation standards for yesterday's wonder material: Reiter v. Acands, Inc. and Maryland's changing asbestos litigation. *J Contemp Health Law Policy* 25: 437-461.
- Muhle, H; Bellmann, B. (1995). Biopersistence of man-made vitreous fibres. *Ann Occup Hyg* 39: 655-660.
- Muhle, H; Mangelsdorf, I. (2003). Inhalation toxicity of mineral particles: Critical appraisal of endpoints and study design [Review]. *Toxicol Lett* 140-141: 223-228. [http://dx.doi.org/10.1016/S0378-4274\(02\)00514-3](http://dx.doi.org/10.1016/S0378-4274(02)00514-3).
- Muhle, H; Pott, F. (2000). Asbestos as reference material for fibre-induced cancer [Review]. *Int Arch Occup Environ Health* 73 Suppl: S53-S59.
- Muir, CS. (1975). CHAPTER 18. INTERNATIONAL VARIATION IN HIGH-RISK POPULATIONS.
- Muir, CS. (1986). Value of a multinational approach in determining the causation of cancer. *Yale J Biol Med* 59: 485-496.
- Muir, DC. (2001). The debate on banning asbestos [Letter]. *CMAJ* 165: 1189; author reply 1191-1183.
- Mukherjee, AK; Rajmohan, HR; Dave, SK; Rajan, BK; Kakde, Y; Rao, SR. (1992). An environmental survey in chrysotile asbestos milling processes in India. *Am J Ind Med* 22: 543-551.
- Mukherjee, AK; Rajmohan, RR; Dave, SK; Rajan, BK; Kakde, Y; Rao, SR. (1996). Pollution and its control in asbestos milling processes in India. *Ind Health* 34: 35-43.
- Mulatero, CW; Penson, RT; Papamichael, D; Gower, NH; Evans, M; Rudd, RM. (2001). A phase II study of combined intravenous and subcutaneous interleukin-2 in malignant pleural mesothelioma. *Lung Cancer* 31: 67-72. [http://dx.doi.org/10.1016/S0169-5002\(00\)00157-4](http://dx.doi.org/10.1016/S0169-5002(00)00157-4).
- Mullan, RJ; Murthy, LI. (1991). OCCUPATIONAL SENTINEL HEALTH EVENTS - AN UP-DATED LIST FOR PHYSICIAN RECOGNITION AND PUBLIC-HEALTH SURVEILLANCE. *Am J Ind Med* 19: 775-799.
- Muller, J; Delos, M; Panin, N; Rabolli, V; Huaux, F; Lison, D. (2009). Absence of carcinogenic response to multiwall carbon nanotubes in a 2-year bioassay in the peritoneal cavity of the rat. *Toxicol Sci* 110: 442-448. <http://dx.doi.org/10.1093/toxsci/kfp100>.
- Muller, J; Huaux, F; Moreau, N; Misson, P; Heilier, JF; Delos, M; Arras, M; Fonseca, A; Nagy, JB; Lison, D. (2005). Respiratory toxicity of multi-wall carbon nanotubes. *Toxicol Appl Pharmacol* 207: 221-231. <http://dx.doi.org/10.1016/j.taap.2005.01.008>.
- Muller, JG; Lieske, JM; Hernandez, JE; Kubiak, G; Rudolph, WG; Jan, MH. (2008). Variability in interpretation among B-readers in the U.S. Navy Asbestos Medical Surveillance Program. *Mil Med* 173: 375-380.
- Muller, JG; Rudolph, WG; Lieske, JM; Hernandez, JE; Jan, MH; Kubiak, G. (2007). Changes in B-readings over time in the United States Navy Asbestos Medical Surveillance Program. *J Occup Environ Med* 49: 194-203. <http://dx.doi.org/10.1097/JOM.0b013e31802df12c>.
- Müller, KM. (1992). Sidero-elastosis pulmonum--M. Ceelen of the adult. *Pathol Res Pract* 188: 808-811.
- Müller, KM; Dernbach, AB; Neumann, V. (2008). [Mesothelioma in academics. German Bochum mesothelioma register]. *Chirurg Suppl*: 99-102.
- Müller, KM; Fischer, M. (2000). Malignant pleural mesotheliomas: an environmental health risk in southeast Turkey [Editorial]. *Respiration* 67: 608-609.
- Muller, KM; Schmitz, I; Konstantinidis, K. (2002). Black spots of the parietal pleura: Morphology and formal pathogenesis. *Respiration* 69: 261-267. <http://dx.doi.org/10.1159/000063630>.
- Müller, NL. (1993). Imaging of the pleura [Review]. *Radiology* 186: 297-309. <http://dx.doi.org/10.1148/radiology.186.2.8421723>.
- Muller, NL; Miller, RR. (1990). COMPUTED TOMOGRAPHY OF CHRONIC DIFFUSE INFILTRATIVE LUNG DISEASE PART 1. *Am Rev Respir Dis* 142: 1206-1215.
- Münch, R; Beck, EG; Manojlović, N. (1971). [Reaction of in-vitro cultivated cells to short-term incubation with SiO₂ dust]. *Beitr Silikoseforsch Pneumokoniose* 23: 173-205.
- Mundt, DJ; Marano, KM; Nunes, AP; Adams, RC. (2009). A review of changes in composition of hot mix asphalt in the United States. *J Occup Environ Hyg* 6: 714-725. <http://dx.doi.org/10.1080/15459620903249125>.
- Mundt, F; Johansson, HJ; Forshed, J; Arslan, S; Metintas, M; Dobra, K; Lehtiö, J; Hjerpe, A. (2014). Proteome screening of pleural effusions identifies galectin 1 as a diagnostic biomarker and highlights several prognostic biomarkers for malignant mesothelioma. *Mol Cell Proteomics* 13: 701-715. <http://dx.doi.org/10.1074/mcp.M113.030775>.
- Munro, IAH. (1981). Amosite asbestos and mesothelioma [Editorial]. *Lancet* 2: 1397-1398.
- Munro IAH, ED. (1981). ASBESTOS IN WATER: EDITORIAL. (EPIDEM/000576). Munro IAH, ED.
- Muravov, OI; Kaye, WE; Lewin, M; Berkowitz, Z; Lybarger, JA; Campolucci, SS; Parker, JE. (2005). The usefulness of computed tomography in detecting asbestos-related pleural abnormalities in people who had indeterminate chest radiographs: the Libby, MT, experience. *Int J Hyg Environ Health* 208: 87-99. <http://dx.doi.org/10.1016/j.ijheh.2005.01.019>.
- Murayama, T; Takahashi, K; Natori, Y; Kurumatani, N. (2006). Estimation of future mortality from pleural malignant mesothelioma in Japan based on an age-cohort model. *Am J Ind Med* 49: 1-7. <http://dx.doi.org/10.1002/ajim.20246>.
- Murbach, DM; Madl, AK; Unice, KM; Knutsen, JS; Chapman, PS; Brown, JL; Paustenbach, DJ. (2008). Airborne concentrations of asbestos onboard maritime shipping vessels (1978-1992). *Ann Occup Hyg* 52: 267-279. <http://dx.doi.org/10.1093/annhyg/men015>.
- Murer, B. (2000). Pleural malignant mesothelioma. *Adv Clin Path* 4: 177-179.
- Murphy, DC. (1992). Designing a Respirator Fit Testing Program (pp. 545-548). (NIOSH/00211180). Murphy, DC.
- Murphy, FA; Poland, CA; Duffin, R; Al-Jamal, KT; Ali-Boucetta, H; Nunes, A; Byrne, F; Prina-Mello, A; Volkov, Y; Li, S; Mather, SJ; Bianco, A; Prato, M; Macnee, W; Wallace, WA; Kostarelos, K; Donaldson, K. (2011). Length-dependent retention of carbon nanotubes in the pleural

Human Health Hazard Literature Search Results

Off Topic

- space of mice initiates sustained inflammation and progressive fibrosis on the parietal pleura. *Am J Pathol* 178: 2587-2600. <http://dx.doi.org/10.1016/j.ajpath.2011.02.040>.
- Murphy, FA; Poland, CA; Duffin, R; Donaldson, K. (2013). Length-dependent pleural inflammation and parietal pleural responses after deposition of carbon nanotubes in the pulmonary airspaces of mice. *Nanotoxicology* 7: 1157-1167. <http://dx.doi.org/10.3109/17435390.2012.713527>.
- Murphy, FA; Schinwald, A; Poland, CA; Donaldson, K. (2012). The mechanism of pleural inflammation by long carbon nanotubes: interaction of long fibres with macrophages stimulates them to amplify pro-inflammatory responses in mesothelial cells. *Part Fibre Toxicol* 9: 8. <http://dx.doi.org/10.1186/1743-8977-9-8>.
- Murphy, LA; Gwaltney-Brant, SM; Albretsen, JC; Wismer, TA. (2003). Toxicologic agents of concern for search-and-rescue dogs responding to urban disasters [Comment]. *J Am Vet Med Assoc* 222: 296-304.
- Murphy, RL. (1987). The diagnosis of nonmalignant diseases related to asbestos [Letter]. *Am Rev Respir Dis* 136: 1516-1517. <http://dx.doi.org/10.1164/ajrccm/136.6.1516>.
- Murphy, WJ; Ross, RA. (1978). The thermal desorption of surface species from sulfur dioxide adsorption on natural chrysotile asbestos and calorimetric sorption heats at 298, 323, 373, and 423K. *Can J Chem* 56: 1847-1852.
- Murr, LE. (2008). Microstructures and nanostructures for environmental carbon nanotubes and nanoparticulate soots. *Int J Environ Res Public Health* 5: 321-336.
- Murr, LE; Garza, KM. (2009). Natural and anthropogenic environmental nanoparticulates: Their microstructural characterization and respiratory health implications. *Atmos Environ* 43: 2683-2692. <http://dx.doi.org/10.1016/j.atmosenv.2009.03.002>.
- Murr, LE; Garza, KM; Soto, KF; Carrasco, A; Powell, TG; Ramirez, DA; Guerrero, PA; Lopez, DA; III, VJ. (2005). Cytotoxicity assessment of some carbon nanotubes and related carbon nanoparticle aggregates and the implications for anthropogenic carbon nanotube aggregates in the environment. *Int J Environ Res Public Health* 2: 31-42.
- Murr, LE; Kloska, K. (1976). The detection and analysis of particulates in municipal water supplies by transmission electron microscopy. *Water Res* 10: 469-477.
- Murr, LE; Soto, KF; Garza, KM; Guerrero, PA; Martinez, F; Esquivel, EV; Ramirez, DA; Shi, Y; Bang, JJ; Venzor, J. (2006). Combustion-generated nanoparticulates in the El Paso, TX, USA / Juarez, Mexico Metroplex: their comparative characterization and potential for adverse health effects. *Int J Environ Res Public Health* 3: 48-66.
- Murray, AR; Kisin, ER; Tkach, AV; Yanamala, N; Mercer, RR; Young, SH; Fadeel, B; Kagan, VE; Shvedova, AA. (2012). Factoring-in agglomeration of carbon nanotubes and nanofibers for better prediction of their toxicity versus asbestos. *Part Fibre Toxicol* 9: 10. <http://dx.doi.org/10.1186/1743-8977-9-10>.
- Murray, CP; Wong, PM; Teh, J; de Klerk, N; Rosenow, T; Alfonso, H; Reid, A; Franklin, P; Musk, AW; Brims, FJ. (2016). Ultra low dose CT screen-detected non-malignant incidental findings in the Western Australian Asbestos Review Programme. *Respirology* 21: 1419-1424. <http://dx.doi.org/10.1111/resp.12826>.
- Murray, R. (1991). ASBESTOS AND CANCER - HISTORY AND PUBLIC-POLICY - REPLY. *Br J Ind Med* 48: 430-431.
- Murray, R; Browne, K. (1981). Asbestos in water [Letter]. *Lancet* 2: 415.
- Muscat, JE; Citron, M; Wang, CX; White, A; Lazarus, P. (1997). P53 protein overexpression in lung adenocarcinomas in non-smokers: possible association with environmental tobacco smoke. *Oncol Rep* 4: 825-827.
- Muscat, JE; Huncharek, M. (1996). Dietary intake and the risk of malignant mesothelioma. *Br J Cancer* 73: 1122-1125.
- Muscat, JE; Huncharek, MS. (2008). Perineal talc use and ovarian cancer: a critical review [Review]. *Eur J Cancer Prev* 17: 139-146. <http://dx.doi.org/10.1097/CEJ.0b013e32811080ef>.
- Musk, A; Gordon, L; Alfonso, H; Reid, A; Olsen, N; Mina, R; Franklin, P; Brims, F; Hui, J; De Klerk, N. (2016). MALIGNANT MESOTHELIOMA IN SUBJECTS WITH NO KNOWN EXPOSURE TO ASBESTOS: A CASE-CONTROL STUDY. *Respirology* 21: 178-178.
- Musk, AW; De Klerk, NH. (2002). The quantitative risks of mesothelioma and lung cancer in relation to asbestos exposure: The Wittenoom data - Reply. *Ann Occup Hyg* 46: 128-129. <http://dx.doi.org/10.1093/annhyg/mef003>.
- Musk, AW; de Klerk, NH; Nowak, AK. (2016). Asbestos exposure: challenges for Australian clinicians. *Med J Aust* 204: 48-49.
- Musk, AW; Olsen, N; Alfonso, H; Reid, A; Mina, R; Franklin, P; Sleith, J; Hammond, N; Threlfall, T; Shilkin, KB; de Klerk, NH. (2011). Predicting survival in malignant mesothelioma. *Eur Respir J* 38: 1420-1424. <http://dx.doi.org/10.1183/09031936.00000811>.
- Müsken, H. (2010). [Effects of asbestos fiber dust exposure on lung function - a systematic review] [Letter]. *Pneumologie* 64: 433; author reply 436-433; author reply 441. <http://dx.doi.org/10.1055/s-0029-1244188>.
- Musthapa, MS; Ahmad, I; Trivedi, AK; Rahman, Q. (2003). Asbestos contamination in biota and abiota in the vicinity of asbestos-cement factory. *Bull Environ Contam Toxicol* 70: 1170-1177. <http://dx.doi.org/10.1007/s00128-003-0105-2>.
- Musti, M. (2003). [The mesothelioma registry]. *G Ital Med Lav Ergon* 25: 393-395.
- Musti, M; Bruno, C; Cassano, F; Caputo, A; Cauzillo, G; Cavone, D; Convertini, L; De Blasio, A; De Mei, B; Marra, M; Montagano, G; Schettino, B; Zona, A; Comba, P. (2006). [Consensus Conference "Health surveillance of resident population exposed to tremolite in Local Health Unit 3 territory Lagonegro, PZ" Rome 22-23 February 2005]. *Ann Ist Super Sanita* 42: 469-476.
- Musumeci, G; Cardile, V; Fenga, C; Caggia, S; Loreto, C. (2011). Mineral fibre toxicity: expression of retinoblastoma (Rb) and phospho-retinoblastoma (pRb) protein in alveolar epithelial and mesothelial cell lines exposed to fluoro-edenite fibres. *Cell Biol Toxicol* 27: 217-225. <http://dx.doi.org/10.1007/s10565-011-9183-9>.
- Musumeci, G; Loreto, C; Cardile, V; Carnazza, ML; Martinez, G. (2010). Immunohistochemical expression of retinoblastoma and phospho-retinoblastoma protein in sheep lung exposed to fluoro-edenite fibers. *Anat Sci Int* 85: 74-78. <http://dx.doi.org/10.1007/s12565-009-0059-5>.

Human Health Hazard Literature Search Results

Off Topic

- Musumeci, G; Loreto, C; Szychlińska, MA; Imbesi, R; Rapisarda, V; Aiello, FC; Castorina, S; Castrogiovanni, P. (2015). N-Cadherin, ADAM-10 and Aquaporin 1 expression in lung tissue exposed to fluoro-edenite fibers: an immunohistochemical study. *Histol Histopathol* 30: 987-999. <http://dx.doi.org/10.14670/HH-11-603>.
- Mutetwa, B. (2007). FIOH-sponsored newsletter. Misrepresentation of asbestos hazards in Zimbabwe. Lack of objectivity and coherence in articulating the subject of chrysotile asbestos in the Bailer et al. article [Letter]. *Int J Occup Environ Health* 13: 137-139.
- Mutetwa, B; Chikonyora, M; Dozva, R; Mazibuko, D. (2005). The evaluation of chrysotile asbestos fibre levels in major chrysotile cement manufacturing companies in Zimbabwe. 11: 7-11.
- Muzi, G; Dell'Omo, M; Murgia, N; Abbritti, G. (2004). [Chemical pollution of indoor air and its effects on health]. *G Ital Med Lav Ergon* 26: 364-369.
- Mwaiselage, J; Bratveit, M; Moen, B; Mashalla, Y. (2004). Cement dust exposure and ventilatory function impairment: An exposure-response study. *J Occup Environ Med* 46: 658-667. <http://dx.doi.org/10.1097/01.jom.0000131787.02250.79>.
- Mweene-Ndumba, I; Siziya, S; Monze, M; Mazaba, ML; Masaninga, F; Songolo, P; Mwaba, P; Babaniyi, OA. (2015). Seroprevalence of West Nile Virus specific IgG and IgM antibodies in North-Western and Western provinces of Zambia. *Afr Health Sci* 15: 803-809. <http://dx.doi.org/10.4314/ahs.v15i3.14>.
- Myojin, T; Azuma, K; Okumura, J; Uchiyama, I. (2012). Future Trends of Mesothelioma Mortality in Japan Based on a Risk Function. *Ind Health* 50: 197-204.
- Myojo, T; Takaya, M. (2001). Estimation of fibrous aerosol deposition in upper bronchi based on experimental data with model bifurcation. *Ind Health* 39: 141-149.
- Myrent, KL. (1986). Asbestos-associated pulmonary disease [Letter]. *Diagn Cytopathol* 2: 179.
- Nabavi, N; Bennewith, KL; Churg, A; Wang, Y; Collins, CC; Mutti, L. (2016). Switching off malignant mesothelioma: exploiting the hypoxic microenvironment [Review]. 7: 340-354. <http://dx.doi.org/10.18632/genesandcancer.124>.
- Nabeshi, H; Yoshikawa, T; Imazawa, T; Tsunoda, SI; Tsutsumi, Y. (2010). Safety Assessment of Nanomaterials Using Toxicokinetics and Toxicoproteome Analysis. *Yakugaku Zasshi* 130: 465-470.
- Nadeau, D; Vincent, R; Kumarathasan, P; Brook, J; Dufresne, A. (1996). Cytotoxicity of ambient air particles to rat lung macrophages: comparison of cellular and functional assays. *Toxicol In Vitro* 10: 161-172.
- Nagai, H; Okazaki, Y; Chew, S; Misawa, N; Miyata, Y; Shinohara, H; Toyokuni, S. (2013). Intraperitoneal administration of tangled multiwalled carbon nanotubes of 15 nm in diameter does not induce mesothelial carcinogenesis in rats. *Pathol Int* 63: 457-462. <http://dx.doi.org/10.1111/pin.12093>.
- Nagai, H; Toyokuni, S. (2010). Biopersistent fiber-induced inflammation and carcinogenesis: lessons learned from asbestos toward safety of fibrous nanomaterials [Review]. *Arch Biochem Biophys* 502: 1-7. <http://dx.doi.org/10.1016/j.abb.2010.06.015>.
- Nagamatsu, Y; Nakayama, Y; Clayson, H; Natori, Y; Ohata, M; Matsuura-Moriguchi, S; Porter, SE. (2014). Caring for Patients with Malignant Pleural Mesothelioma in Japan: Evaluation of a Palliative Care Educational Program. *Asian Pac J Cancer Prev* 15: 9165-9170. <http://dx.doi.org/10.7314/APJCP.2014.15.21.9165>.
- Nagao, N; Nishikawa, K; Kiyomoto, Y; Todoroki, M; Hoshuyama, T; Takahashi, K. (2008). [Asbestos clinics and asbestos health examinations--findings from a questionnaire survey of implementing organizations]. *Sangyo Eiseigaku Zasshi* 50: 145-151.
- Nagaoka, H; Ibaraki, Y; Yamamura, H; Yokouchi, A; Ohnuma, S; Odachi, T; Nittono, M; Iioka, A; Miyata, T; Haraguchi, K. (1990). [A study for non-asbestos casting liners. An experimental study of the adaptability of MOD casting to die]. 9: 15-21.
- Nagata, S; Tomoeda, M; Kubo, C; Yoshizawa, H; Yuki, M; Kitamura, M; Takenaka, A; Nakanishi, K; Yagi, T; Imamura, F; Tomita, Y. (2011). Malignant mesothelioma of the peritoneum invading the liver and mimicking metastatic carcinoma: a case report. *Pathol Res Pract* 207: 395-398. <http://dx.doi.org/10.1016/j.prp.2011.04.004>.
- Nagaya, T; Walker, AM; Wookey, J; Wallis, SR; Ishii, K; Kendall, JM. (2016). Seismic evidence for flow in the hydrated mantle wedge of the Ryukyu subduction zone. *Sci Rep* 6: 29981. <http://dx.doi.org/10.1038/srep29981>.
- Nagda, P. (2013). Nanomedicine: experts state safety concerns regarding carbon nanotubes have been allayed by chemistry. *Nanomed* 8: 325-326. <http://dx.doi.org/10.2217/nnm.13.29>.
- Naidoo, RN; Robins, TG; Solomon, A; White, N; Franzblau, A. (2004). Radiographic outcomes among South African coal miners. *Int Arch Occup Environ Health* 77: 471-481. <http://dx.doi.org/10.1007/s00420-004-0532-3>.
- Nair, RR; Preeta, R; Smitha, G; Adiga, I. (2003). Variation in mitogenic response of cardiac and pulmonary fibroblasts to cerium. *Biol Trace Elem Res* 94: 237-246.
- Nair, RS; Johannsen, FR; Bolte, HF; Newton, PE; Rinehart, WE. (1992). Toxicity of calcium sodium metaphosphate fiber. II. Chronic inhalation and oncogenicity study. *Fundam Appl Toxicol* 19: 79-90.
- Nair, RS; Li, AP; Shiotsuka, RN; Wilson, AG. (1992). Toxicity of calcium sodium metaphosphate fiber. I. In vitro and in vivo degradation and clearance studies. *Fundam Appl Toxicol* 19: 69-78.
- Nakajima, M; Takeuchi, T; Morimoto, K. (1996). Determination of 8-hydroxydeoxyguanosine in human cells under oxygen-free conditions. *Carcinogenesis* 17: 787-791.
- Nakamura, E; Makishima, A; Hagino, K; Okabe, K. (2009). Accumulation of radium in ferruginous protein bodies formed in lung tissue: association of resulting radiation hotspots with malignant mesothelioma and other malignancies. *Proc Jpn Acad Ser B Phys Biol Sci* 85: 229-239. <http://dx.doi.org/10.2183/pjab.85.229>.
- Nakamura, H; Kanazawa, K. (1976). QUANTITATIVE ANALYSIS OF ASBESTOS WITH WAVELENGTH DISPERSIVE X-RAY MICRO ANALYZER (pp. 719-720). (HEEP/79/03093). Nakamura, H; Kanazawa, K.

Human Health Hazard Literature Search Results

Off Topic

- Nakamura, H; Kanazawa, K; Mizuhira, V. (1977). AN ATTEMPT TO IDENTIFY ASBESTOS BY WAVELENGTH DISPERSIVE X-RAY MICRO ANALYZER. (HEEP/79/01086). Nakamura, H; Kanazawa, K; Mizuhira, V.
- Nakamura, K; Tobe, T. (1988). Review of epidemiological studies on occupational cancers in Japan. 36: 347-355.
- Nakano, T. (2006). [Malignant mesothelioma--diagnosis and treatment strategies] [Review]. *Gan To Kagaku Ryoho* 33: 1215-1220.
- Nakano, T. (2008). Current therapies for malignant pleural mesothelioma. *Environ Health Prev Med* 13: 75-83.
<http://dx.doi.org/10.1007/s12199-007-0016-7>.
- Nakatsuka, S; Nagano, T; Kimura, H; Hanada, S; Inoue, H; Iwata, T. (2012). Extranodal marginal zone lymphoma of mucosa-associated lymphoid tissue type arising in the pleura with pleural fibrous plaques in a lathe worker. *Ann Diagn Pathol* 16: 224-229.
<http://dx.doi.org/10.1016/j.anndiagpath.2011.02.003>.
- Nakaza, M; Toyama, T; Tsunoda, T. (1979). [Chrysotile fiber count in asbestos-cement board plants (author's transl)]. *Sangyo Igaku* 21: 417-421.
- Nam, JM. (2007). Comparison of validity of assessment methods using indices of adjusted agreement. *Stat Med* 26: 620-632.
<http://dx.doi.org/10.1002/sim.2562>.
- Nam, SN; Jeong, S; Lim, H. (2014). Thermochemical destruction of asbestos-containing roofing slate and the feasibility of using recycled waste sulfuric acid. *J Hazard Mater* 265: 151-157. <http://dx.doi.org/10.1016/j.jhazmat.2013.11.004>.
- NASA. (1990). Environmental Projects. Volume 12: Friable Asbestos Abatement, GDSCC. 210.
- Nascimento, AG; Keeney, GL; Fletcher, CDM. (1994). DECIDUOID PERITONEAL MESOTHELIOMA - AN UNUSUAL PHENOTYPE AFFECTING YOUNG FEMALES. *Am J Surg Pathol* 18: 439-445.
- Nasreen, N; Khodayari, N; Mohammed, KA. (2012). Advances in malignant pleural mesothelioma therapy: targeting EphA2 a novel approach. *AJCR* 2: 222-234.
- Nasreen, N; Mohammed, KA; Antony, VB. (2006). Silencing the receptor EphA2 suppresses the growth and haptotaxis of malignant mesothelioma cells. *Cancer* 107: 2425-2435. <http://dx.doi.org/10.1002/cncr.22254>.
- Natale, A. (1987). METHOD OF DISPOSING OF ASBESTOS WASTE MATERIAL US PATENT-4705429. NOVEMBER 10 1987. (BIOSIS/88/02681).
Natale, A.
- Natale, T. (1989). PORTABLE CONTAINMENT DEVICE FOR TREATMENT OF HAZARDOUS MATERIALS US PATENT-4812700. MARCH 14 1989 (pp. 1129-1130). (BIOSIS/89/14815).
Natale, T.
- Natow, AJ. (1986). Talc: need we beware? *Cutis* 37: 328-329.
- Natusch D, FS. (1978). POTENTIALLY CARCINOGENIC SPECIES EMITTED TO THE ATMOSPHERE BY FOSSIL FUELED POWER PLANTS. *Environ Health Perspect* 22: 79-90.
- Nawrot, TS; Van Kerckhaever, G; Van Eycken, E; Nemery, B. (2007). Belgium: historical champion in asbestos consumption [Letter]. *Lancet* 369: 1692. [http://dx.doi.org/10.1016/S0140-6736\(07\)60776-4](http://dx.doi.org/10.1016/S0140-6736(07)60776-4).
- Nay, SY. (2003). Asbestos in Belgium: use and abuse. *Int J Occup Environ Health* 9: 287-293. <http://dx.doi.org/10.1179/oeh.2003.9.3.287>.
- Nayebzadeh, A; Dufresne, A; Case, B; Vali, H; Williams-Jones, AE; Martin, R; Normand, C; Clark, J. (2001). Lung mineral fibers of former miners and millers from Thetford-Mines and asbestos regions: a comparative study of fiber concentration and dimension. *Arch Environ Health* 56: 65-76. <http://dx.doi.org/10.1080/00039890109604056>.
- Naylor, B. (1977). Regarding cyanophilic bodies, toxoplasma cysts and ferruginous bodies [Letter]. *Acta Cytol* 21: 490-492.
- Naylor, WP; Moore, BK; Phillips, RW. (1987). A topographical assessment of casting ring liners using scanning electron microscopy (SEM). 11: 413-420.
- Nazem, M; Hosseinpour, M; Farhadi, M. (2010). Perineal mesh rectopexy with sterile talc in children with rectal prolapse. 20: 321-324.
<http://dx.doi.org/10.1055/s-0030-1254121>.
- Ndlovu, N; Naude, J, t; Murray, J. (2013). Compensation for environmental asbestos-related diseases in South Africa: a neglected issue. *Global Health Action* 6: 19410. <http://dx.doi.org/10.3402/gha.v6i0.19410>.
- NE, SACOA. (1990). Environmental Impact Statement for the Closure of Pease Air Force Base. Volume 2. 230.
- Needleman, C. (1993). Worker Notification: Lessons from the Past. *Am J Ind Med* 23: 11-23.
- Neef, W. (1963). Bilateral Pleural Calcification Connected with Ageing (pp. 632-638). (NIOSH/00127439). Neef, W.
- Nel, AE. (2008). Development of methods and models for nanoparticle toxicity screening: Applicatio.
- Nelson, BJ; Wood, SA; Gunter, ME. (2005). Dissolution of tremolite: An experimental study simulating conditions in the human lung. *Geochim Cosmo Acta* 69: A195-A195.
- Nelson, G. (2013). Occupational respiratory diseases in the South African mining industry. *Global Health Action* 6: 19520.
<http://dx.doi.org/10.3402/gha.v6i0.19520>.
- Nelson, G; Murray, J; Phillips, JI. (2011). The risk of asbestos exposure in South African diamond mine workers. *Ann Occup Hyg* 55: 569-577.
<http://dx.doi.org/10.1093/annhyg/mer028>.
- Nemo, A; Boccuzzi, MT; Silvestri, S. (2009). [Asbestos import in Italy: the transit through Livorno harbour from 1957 to 1995]. *Epidemiol Prev* 33: 59-64.
- Nenadic, CM; Crable, JV. (1900). Applications of X-Ray Diffraction in Occupational Health Studies (pp. 81-101). (NIOSH/00174923). Nenadic, CM; Crable, JV.
- Nenadic, CM; Crable, JV. (1971). Application of x-ray diffraction to analytical problems of occupational health [Review]. *Am Ind Hyg Assoc J* 32: 529-538. <http://dx.doi.org/10.1080/0002889718506501>.
- Neophytou, AM; Picciotto, S; Costello, S; Eisen, EA. (2016). Occupational Diesel Exposure, Duration of Employment, and Lung Cancer An Application of the Parametric G-Formula. *Epidemiology* 27: 21-28. <http://dx.doi.org/10.1097/EDE.0000000000000389>.

Human Health Hazard Literature Search Results

Off Topic

- Neragi-Miandoab, S. (2006). Multimodality approach in management of malignant pleural mesothelioma [Review]. *Eur J Cardiothorac Surg* 29: 14-19. <http://dx.doi.org/10.1016/j.ejcts.2005.10.008>.
- Neri, M; Ugolini, D; Boccia, S; Canessa, PA; Cesario, A; Leoncini, G; Mutti, L; Bonassi, S. (2012). Chemoprevention of asbestos-linked cancers: a systematic review [Review]. *Anticancer Res* 32: 1005-1013.
- Neshatian, L; Halland, M; Arora, AS. (2014). Abdominal pain and bloating in an auto mechanic. *Gastroenterology* 146: 1610-1611. <http://dx.doi.org/10.1053/j.gastro.2014.02.052>.
- Nesnow, S; Argus, M; Bergman, H; Chu, K; Frith, C; Helmes, T; Mcgaughy, R; Ray, V; Slaga, TJ; Et, AL. (1987). CHEMICAL CARCINOGENS A REVIEW AND ANALYSIS OF THE LITERATURE OF SELECTED CHEMICALS AND THE ESTABLISHMENT OF THE GENE-TOX CARCINOGEN DATA BASE. *Mutat Res* 185: 1-2.
- Ness, RB; Nelson, DB; Kumanyika, SK; Grisso, JA. (1997). Evaluating minority recruitment into clinical studies: How good are the data? *Ann Epidemiol* 7: 472-478. [http://dx.doi.org/10.1016/S1047-2797\(97\)00080-X](http://dx.doi.org/10.1016/S1047-2797(97)00080-X).
- Nesti, M; Marinaccio, A; Chellini, E. (2004). Malignant mesothelioma in Italy, 1997. *Am J Ind Med* 45: 55-62. <http://dx.doi.org/10.1002/ajim.10313>.
- Nesti, M; Marinaccio, A; Gennaro, V; Gorini, G; Mirabelli, D; Mensi, C; Merler, E; Montanaro, F; Musti, M; Pannelli, F; Romanelli, A; Tumino, R; Group, RW. (2005). Epidemiologic surveillance for primary prevention of malignant mesothelioma: the Italian experience. *Med Lav* 96: 338-346.
- Neuberger, M. (1979). ASBESTOS INDUCED OCCUPATIONAL-DISEASES IN AUSTRIA. *Arbeitsmedizin, Sozialmedizin, Praeventivmedizin* 14: 35-39.
- Neuberger, M. (1983). OCCUPATIONAL ASBESTOS DISEASES IN AUSTRIA. *Arbeitsmedizin, Sozialmedizin, Praeventivmedizin* 18: 54-58.
- Neuberger, M; Frank, W; Golob, P; Warbichler, P. (1996). Asbestos concentrations in drinking water - Asbestos cement pipes and geogen sources in Austria. *Zentralblatt fuer Hygiene und Umweltmedizin* 198: 293-306.
- Neugut, AI. (1986). Case-control study of colorectal polyps [Research]. RePORTER Database National Institutes of Health.
- Neugut, AI. (1987). A case-control study of colorectal polyps [Research]. RePORTER Database National Institutes of Health.
- Neugut, AI. (1988). Case-control study of colorectal polyps [Research]. RePORTER Database National Institutes of Health.
- Neugut, AI; Ahsan, H; Antman, KH. (1997). Incidence of malignant pleural mesothelioma after thoracic radiotherapy. *Cancer* 80: 948-950.
- Neuhouser, ML; Patterson, RE; Thornquist, MD; Omenn, GS; King, IB; Goodman, GE. (2003). Fruits and vegetables are associated with lower lung cancer risk only in the placebo arm of the beta-carotene and retinol efficacy trial (CARET). *Cancer Epidemiol Biomarkers Prev* 12: 350-358.
- Neumann, V; Kraus, T; Fischer, M; Löseke, S; Tannapfel, A. (2009). [Relevance of pathological examinations and lung dust analyses in the context of asbestos-associated lung cancer-No. 4104 of the list of occupational diseases in Germany]. *Pneumologie* 63: 588-593. <http://dx.doi.org/10.1055/s-0029-1215093>.
- Neumann, V; Loeseke, S; Tannapfel, A. (2009). Medical Insurance Aspects of Peritoneal Tumors with Particular Attention to Peritoneal Mesotheliomas [Review]. *Med Klin* 104: 765-771. <http://dx.doi.org/10.1007/s00063-009-1162-z>.
- Neumann, V; Rütten, A; Scharmach, M; Müller, KM; Fischer, M. (2004). Factors influencing long-term survival in mesothelioma patients--results of the German mesothelioma register. *Int Arch Occup Environ Health* 77: 191-199. <http://dx.doi.org/10.1007/s00420-003-0498-6>.
- Neumann, V; Tannapfel, A. (2010). [Effects of asbestos fiber dust exposure on lung function - a systematic review] [Letter]. *Pneumologie* 64: 430-432; author reply 436-441. <http://dx.doi.org/10.1055/s-0029-1244184>.
- Nevitt, C; Daniell, W; Rosenstock, L. (1994). Workers' compensation for nonmalignant asbestos-related lung disease. *Am J Ind Med* 26: 821-830.
- Newcombe, HB. (1980). Design and future uses of national dose registers for regulatory control and epidemiology. *Health Phys* 39: 783-796.
- Newell, GR. (1981). *Progress in Cancer Research and Therapy: Nutrition and Cancer Etiology and Treatment General mechanisms of carcinogenesis* (1st ed.). University of California: Raven Press.
- Newhouse, ML. (1975). Methods of control and evaluation in Great Britain. 609-612.
- Newhouse, ML. (1977). Asbestos content of dust encountered in brake maintenance and repair. *Proc R Soc Med* 70: 291.
- Newhouse, ML; Thompson, H. (1993). MESOTHELIOMA OF PLEURA AND PERITONEUM FOLLOWING EXPOSURE TO ASBESTOS IN THE LONDON AREA (REPRINTED FROM BRITISH JOURNAL OF INDUSTRIAL MEDICINE, VOL 22, PG 262-269, 1965). *Br J Ind Med* 50: 769-769.
- Newman, D. (2004). 'Gold standard' for remediation of WTC contamination. *New Solutions: A Journal of Environmental and Occupational Health Policy* 14: 199-217. <http://dx.doi.org/10.2190/C7MN-MRBW-JT1R-C8PR>.
- Newman, LS; Kreiss, K; Campbell, PA. (1991). Natural killer cell tumoricidal activity in cigarette smokers and in silicotics. *Clin Immunol Immunopathol* 60: 399-411.
- Newman, MA; Kachuba, JB. (1991). The role of safety and security directors in asbestos abatement programs for hospitals. 7: 106-109.
- Newman, RH. (1983). Asbestos-like fibres of biogenic silica in sugar cane [Letter]. *Lancet* 2: 857.
- Newman, RH. (1986). Fine Biogenic Silica Fibres in Sugar Cane: A Possible Hazard. *Ann Occup Hyg* 30: 365-370.
- Newman Taylor, A. (2009). Asbestos, lung cancer and mesothelioma in the British Journal of Industrial Medicine [Editorial]. *Occup Environ Med* 66: 426-427. <http://dx.doi.org/10.1136/oem.2006.026724>.
- Ney, PE. (1986). ASBESTOS (pp. BERLIN). (BIOSIS/86/34137). Ney, PE.
- Neyens, T; Lawson, AB; Kirby, RS; Nuyts, V; Watjou, K; Aregay, M; Carroll, R; Nawrot, TS; Faes, C. (2017). Disease mapping of zero-excessive mesothelioma data in Flanders. *Ann Epidemiol* 27: 59-66.e53. <http://dx.doi.org/10.1016/j.annepidem.2016.10.006>.
- Ng, G; Chau, EMT; Shi, Y, an. (2010). Recent Developments in Immune Activation by Uric Acid Crystals [Review]. *Arch Immunol Ther Exp* 58: 273-277. <http://dx.doi.org/10.1007/s00005-010-0082-1>.
- Ng, TP; Chan, SL; Lee, J. (1990). Mortality of a cohort of men in a silicosis register: further evidence of an association with lung cancer. *Am J Ind Med* 17: 163-171.

Human Health Hazard Literature Search Results

Off Topic

- Ngatu, NR; Suzuki, S; Kusaka, Y; Shida, H; Akira, M; Suganuma, N. (2010). Effect of a two-hour training on physicians' skill in interpreting Pneumoconiotic chest radiographs. *J Occup Health* 52: 294-301.
- Nguea, HD; Rihn, B; Mahon, D; Bernard, JL; De Reydellet, A; Le Faou, A. (2005). Effects of various man-made mineral fibers on cell apoptosis and viability. *Arch Toxicol* 79: 487-492. <http://dx.doi.org/10.1007/s00204-005-0661-9>.
- Nicar, MJ; Norman, DA. (1978). Talc in drugs [Letter]. *N Engl J Med* 299: 556-557.
- Niccoli-Asabella, A; Notaristefano, A; Rubini, D; Altini, C; Ferrari, C; Merenda, N; Fanelli, M; Rubini, G. (2013). 18F-FDG PET/CT in suspected recurrences of epithelial malignant pleural mesothelioma in asbestos-fibers-exposed patients (comparison to standard diagnostic follow-up). *Clin Imaging* 37: 1098-1103. <http://dx.doi.org/10.1016/j.clinimag.2013.06.009>.
- Nicholson, AG; Goldstraw, P; Fisher, C. (1998). Synovial sarcoma of the pleura and its differentiation from other primary pleural tumours: a clinicopathological and immunohistochemical review of three cases. *Histopathology* 33: 508-513.
- Nicholson, JM. (1979). Toxic substances, science, and public responsibility: a comment. (PESTAB/80/0080). Nicholson, JM.
- Nicholson, WJ. (1976). Case study 1: asbestos--the TLV approach. *Ann N Y Acad Sci* 271: 152-169.
- Nicholson, WJ. (1985). Epidemiology--mortality studies [Research]. RePORTER Database National Institutes of Health.
- Nicholson, WJ. (1985). Epidemiology--risk assessment [Research]. RePORTER Database National Institutes of Health.
- Nicholson, WJ. (1985). Selection factors in cohort studies. *Natl Canc Inst Monogr* 67: 111-115.
- Nicholson, WJ. (1986). Epidemiology--mortality studies [Research]. RePORTER Database National Institutes of Health.
- Nicholson, WJ. (1986). Epidemiology--risk assessment [Research]. RePORTER Database National Institutes of Health.
- Nicholson, WJ. (1987). Epidemiology--mortality studies [Research]. RePORTER Database National Institutes of Health.
- Nicholson, WJ. (1987). Epidemiology--risk assessment [Research]. RePORTER Database National Institutes of Health.
- Nicholson, WJ. (1988). Epidemiology--risk assessment [Research]. RePORTER Database National Institutes of Health.
- Nicholson, WJ. (1989). Airborne mineral fibre levels in the non-occupational environment. In J Bignon; J Peto; R Saracci (Eds.), *IARC Sci Publ* (pp. 239-261). Lyon, France: International Agency for Research on Cancer.
- Nicholson, WJ. (1989). Epidemiology--risk assessment [Research]. RePORTER Database National Institutes of Health.
- Nicholson, WJ. (1990). Epidemiology--risk assessment [Research]. RePORTER Database National Institutes of Health.
- Nicholson, WJ. (1991). Epidemiology--risk assessment [Research]. RePORTER Database National Institutes of Health.
- Nicholson, WJ. (1991). Project summary: Airborne asbestos health assessment update (pp. 6). (EPA/600/S8-84/003F). Washington DC: U.S. Environmental Protection Agency.
- Nicholson, WJ. (1992). Core-- environmental cancer [Research]. RePORTER Database National Institutes of Health.
- Nicholson, WJ. (1993). Core-- environmental cancer [Research]. RePORTER Database National Institutes of Health.
- Nicholson, WJ. (1994). Core-- environmental cancer [Research]. RePORTER Database National Institutes of Health.
- Nicholson, WJ. (1995). Core-- environmental cancer [Research]. RePORTER Database National Institutes of Health.
- Nicholson, WJ. (2000). Re: Call for an International Ban on Asbestos [Letter]. *Am J Ind Med* 37: 238.
- Nicholson, WJ; Johnson, EM; Harington, JS; Melius, J; Landrigan, PJ. (1990). In reply: asbestos, carcinogenicity, and public policy. *Science* 248: 796-799. <http://dx.doi.org/10.1126/science.248.4957.796>.
- Nicholson, WJ; Pundsack, FL. (1973). Asbestos in the environment.
- Nicholson, WJ; Rohl, A; Fischbein, SA; Selikoff, IJ. (1975). OCCUPATIONAL AND COMMUNITY ASBESTOS EXPOSURE FROM WALLBOARD FINISHING COMPOUNDS. *Bull NY Acad Med* 51: 1180-1181.
- Nicholson, WJ; Rohl, AN; Ferrand, EF. (1971). Asbestos air pollution in New York City. In HM Englund; WT Beery (Eds.), (pp. 136-139). New York, NY: Academic Press.
- Nicholson, WJ; Rohl, AN; Weisman, I; Selikoff, IJ. (1980). Environmental asbestos concentrations in the United States.
- Nicholson, WJ; Swoszowski, EJ, Jr; Rohl, AN; Todaro, JD; Adams, A. (1979). Asbestos contamination in United States schools from use of asbestos surfacing materials. *Ann N Y Acad Sci* 330: 587-596.
- Nici, L; Santos-Moore, A; Kuhn, C; Calabresi, P. (1998). Modulation of bleomycin-induced pulmonary toxicity in the hamster by the antioxidant amifostine. *Cancer* 83: 2008-2014. [http://dx.doi.org/10.1002/\(SICI\)1097-0142\(19981101\)83:9<2008::AID-CNCR18>3.0.CO;2-M](http://dx.doi.org/10.1002/(SICI)1097-0142(19981101)83:9<2008::AID-CNCR18>3.0.CO;2-M).
- Nicita, C; Buzzoni, C; Chellini, E; Ferretti, S; Marinaccio, A; Mensi, C; Grp, AW; Grp, RW; Grp, PR-AW. (2014). A comparative analysis between regional mesothelioma registries and cancer registries: results of the ReNaM-AIRTUM project. *Epidemiol Prev* 38: 191-199.
- Nicol, M; Maudet, M. (2000). Carotenoids and vitamin A. Latest data. *7*: 266-270.
- Nicolle-Mir, L. (2011). Environmental exhibition asbestos and mesothelioma risk. *E R S* 10: 98-99.
- Niebylski, ML; Peacock, MG; Fischer, ER; Porcella, SF; Schwan, TG. (1997). Characterization of an endosymbiont infecting wood ticks, *Dermacentor andersoni*, as a member of the genus *Francisella*. *Appl Environ Microbiol* 63: 3933-3940.
- Niebylski, ML; Peacock, MG; Schwan, TG. (1999). Lethal effect of *Rickettsia rickettsii* on its tick vector (*Dermacentor andersoni*). *Appl Environ Microbiol* 65: 773-778.
- Niebylski, ML; Schrupf, ME; Burgdorfer, W; Fischer, ER; Gage, KL; Schwan, TG. (1997). *Rickettsia peacockii* sp. nov., a new species infecting wood ticks, *Dermacentor andersoni*, in western Montana. *International Journal of Systematic Bacteriology* 47: 446-452. <http://dx.doi.org/10.1099/00207713-47-2-446>.
- Nielsen, A. (1986). [Asbestos in the indoor atmosphere and environment]. *Ugeskr Laeger* 148: 3323-3328.
- Nielsen, A. (1988). [Asbestos in talcum--once more] [Letter]. *Ugeskr Laeger* 150: 1428-1429.
- Nies, E. (1995). IN-VITRO TESTS - A CONTRIBUTION TO THE ESTIMATION OF THE CARCINOGENIC POTENCY OF MINERAL FIBERS. *Staub, Reinhaltung der Luft* 55: 1-6.

Human Health Hazard Literature Search Results

Off Topic

- Niggli, FK; Gray, TJ; Raafat, F; Stevens, MC. (1994). Spectrum of peritoneal mesothelioma in childhood: clinical and histopathologic features, including DNA cytometry. *Pediatr Hematol Oncol* 11: 399-408.
- NIH. (1977). Educational needs of physicians and public regarding asbestos exposure [Review]. 1: 9-12.
- NIH. (1996). Core--environmental cancer [Research]. RePORTER Database National Institutes of Health.
- Nikitina, OV; Kogan, FM; Kashanskiĭ, SV; Vezentsev, AI; Chuprova, I, ul. (2000). [Occupational expedience of using the artificial substitutes of asbestos (literature review)] [Review]. *Med Tr Prom Ekol* 27-30.
- Nikitina, OV; Troitskaia, NA; Kogan, FM; Velichkovskii, BT; Blokhin, VA; Kuznetsova, ZM; Vanchugova, NN. (1990). [Hygienic aspects of the production of asbestos substitutes]. *Gig Tr Prof Zabol* 0: 30-34.
- Nikolaevskaia, ZS; Aizen, MS. (1972). [Detection of minimal concentrations of viruses in large volumes by ultrafiltration through soluble Lanthanum-aluminum-alginate ultrafilters]. *Vopr Virusol* 17: 723-726.
- Nikolaevskaya, ZS; Aizen, MS. (1973). Detection of minimal concentrations of viruses in large volumes by ultrafiltration through soluble lanthanum-aluminum-alginate ultrafilters. *Vopr Virusol* 17: 723-726.
- Nikolova, SI. (1986). [Light microscopy procedure for the identification of asbestos]. *Z Gesamte Hyg Grenzgeb* 32: 93-95.
- NIOSH. (1975). NIOSH Testimony on Mine Safety and Health by J. F. Finklea, October 7, 1975. (NIOSH/00189598). NIOSH.
- NIOSH. (1975). NIOSH Testimony on NIOSH Responsibilities by J. K. Wagoner, July 11, 1975. (NIOSH/00189601). NIOSH.
- NIOSH. (1977). NIOSH Testimony on Mine Health Research by E. J. Baier, March 31, 1977. (NIOSH/00191035). NIOSH.
- NIOSH. (1978). NIOSH Testimony on NIOSH Responsibilities by E. J. Baier, October 3, 1978. (NIOSH/00191008). NIOSH.
- NIOSH (National Institute for Occupational Safety and Health). (1991). Health Hazard Evaluation Report HETA 88-391-2156, Morton Salt Company, Weeks Island, Louisiana. (HHE Report No. HETA-88-391-2156). Cincinnati, OH: National Institute for Occupational Safety and Health (NIOSH).
- NIOSH. (1991). NIOSH Testimony on Occupational Exposure to Asbestos, Tremolite, Anthophyllite, and Actinolite by J. D. Millar, April 26, 1991. (NIOSH/00203291). NIOSH.
- NIOSH. (1991). NIOSH Testimony on Occupational Exposure to Asbestos, Tremolite, Anthophyllite, and Actinolite by J. D. Millar, January 24, 1991. (NIOSH/00203295). NIOSH.
- NIOSH (National Institute for Occupational Safety and Health). (1991). Transcript from the Prerulemaking Technical Conference on NIOSH Assessment of Performance Levels for Industrial Respirators. Held in Morgantown, West Virginia on January 9-11, 1991 (pp. 1-455). (NIOSH/00200831).
- NIOSH. (2006). Fatality Assessment and Control Evaluation (FACE) Report for Nebraska: Hispanic Asbestos Remover Falls to Death from Ladder. 12.
- NIOSH. (2009). Delivering on the Nation's Investment in Worker Safety and Health. 68.
- NIOSH. (2009). Delivering on the Nation's Investment in Worker Safety and Health (December 2009). 68.
- NIOSH. (2015). Intelligence Bulletin 67: Promoting Health and Preventing Disease and Injury Through Workplace Tobacco Policies.
- NIOSH. (2016). Working Workers' Health Across the Globe: Advancing the Global Plan of Action for Workers' Health.
- NIOSH / ILO (National Institute for Occupational Safety and Health / International Labour Office). (1990). Proceedings of the NIOSH-ILO International Pneumoconiosis Conference (7th). Part 2. Held in Pittsburgh, Pennsylvania on August 23-26, 1988 (pp. 1-692).
- Nishimura, T; Alexandrov, M; Ishida, T; Hirota, R; Ikeda, T; Sekiguchi, K; Kuroda, A. (2016). Differential Counting of Asbestos Using Phase Contrast and Fluorescence Microscopy. *Ann Occup Hyg* 60: 1104-1115. <http://dx.doi.org/10.1093/annhyg/mew055>.
- Niu, K; Asada, M; Okazaki, T; Yamanda, S; Ebihara, T; Guo, H; Zhang, D; Nagatomi, R; Arai, H; Kohzuki, M; Ebihara, S. (2012). Adiponectin pathway attenuates malignant mesothelioma cell growth. *Am J Respir Cell Mol Biol* 46: 515-523. <http://dx.doi.org/10.1165/rcmb.2011-00680C>.
- Nitze, H. (1971). [Frequency of so-called asbestos bodies in human lungs]. *Int Arch Arbeitsmed* 28: 71-82.
- Nitze, H. (1972). [Genuine and so-called asbestos bodies]. *Dtsch Med Wochenschr* 97: 1045.
- Noah, V; Bullock, B; Horne, DK. (1995). Woodbridge Research Facility 1995 Asbestos Survey, Woodbridge, Virginia. 86.
- Noble, PW; Lake, FR; Henson, PM; Riches, DW. (1993). Hyaluronate activation of CD44 induces insulin-like growth factor-1 expression by a tumor necrosis factor-alpha-dependent mechanism in murine macrophages. *J Clin Invest* 91: 2368-2377. <http://dx.doi.org/10.1172/JCI116469>.
- Noel, L; Menard, H. (1988). IMPROVED METHOD FOR DETERMINING ADSORPTION ISOTHERMS BY LIQUID CHROMATOGRAPHY ON LONG AND SHORT FIBROUS MATERIAL. *J Chromatogr* 436: 391-398.
- Noguchi, K; Fujimoto, N; Asano, M; Fuchimoto, Y; Ono, K; Ozaki, S; Hotta, K; Kato, K; Toda, H; Taguchi, K; Kishimoto, T. (2013). Extrapulmonary small cell carcinoma mimicking malignant pleural mesothelioma [Letter]. *J Clin Pathol* 66: 450-451. <http://dx.doi.org/10.1136/jclinpath-2012-201401>.
- Nogueira, CR; Nápolis, LM; Bagatin, E; Terra-Filho, M; Müller, NL; Silva, CI; Rodrigues, RT; Neder, JA; Nery, LE. (2011). Lung diffusing capacity relates better to short-term progression on HRCT abnormalities than spirometry in mild asbestosis. *Am J Ind Med* 54: 185-193. <http://dx.doi.org/10.1002/ajim.20922>.
- Nogueira, DP. (1988). ASBESTOS-RELATED MALIGNANCY - ANTMAN, K, AISNER, J. *Rev Saude Publica* 22: 248-248.
- Nolan, RP. (2008). International symposium on the health hazard evaluation of fibrous particles associated with taconite and the adjacent Duluth complex. Introduction [Editorial]. *Regul Toxicol Pharmacol* 52: S4. <http://dx.doi.org/10.1016/j.yrtph.2008.08.013>.
- Nolan, RP; Gamble, JF; Gibbs, GW. (2013). Letter to the editor on commentary: malignant mesothelioma incidence among talc miners and millers in New York state by M M Finkelstein [Letter]. *Am J Ind Med* 56: 1116-1118. <http://dx.doi.org/10.1002/ajim.22161>.

Human Health Hazard Literature Search Results

Off Topic

- Nolan, RP; Langer, AM. (2008). Session VI: Risk Assessment of Asbestos and Other Fibrous Mineral Particulates: Rapporteur's report. *Regul Toxicol Pharmacol* 52: S246-S248. <http://dx.doi.org/10.1016/j.yrtph.2008.06.002>.
- Nolan, RP; Langer, AM; Herson, GB. (1991). Characterisation of Palygorskite Specimens from Different Geological Locales for Health Hazard Evaluation. *Br J Ind Med* 48: 463-475.
- Nolan, RP; Langer, AM; Ross, M; Wicks, FJ; Martin, RF; eds. (1460). The health effects of chrysotile asbestos - Contribution of science to risk-management decisions. 78087.
- Nolan, RP; Langer, AM; Wilson, R. (1999). A risk assessment for exposure to grunerite asbestos (amosite) in an iron ore mine. *Proc Natl Acad Sci USA* 96: 3412-3419.
- Nolan, RP; Ross, M; Nord, GL; Axten, CW; Osleeb, JP; Domnin, SG; Price, B; Wilson, R. (2005). Risk assessment for asbestos-related cancer from the 9/11 attack on the World Trade Center. *J Occup Environ Med* 47: 817-825. <http://dx.doi.org/10.1097/01.jom.000167273.17109.6d>.
- Noonan, CW; Conway, K; Landguth, EL; Mcnew, T; Linker, L; Pfau, J; Black, B; Szeinuk, J; Flores, R. (2015). Multiple pathway asbestos exposure assessment for a Superfund community. *J Expo Sci Environ Epidemiol* 25: 18-25. <http://dx.doi.org/10.1038/jes.2014.25>.
- Noonan, CW; Pfau, JC; Larson, TC; Spence, MR. (2005). Asbestos exposure and risk of autoimmune disease. *Am J Epidemiol* 161: S31-S31.
- Noonan, GP; Linn, HI; Reed, LD. (1986). A Guide to Respiratory Protection for the Asbestos Abatement Industry (pp. 85-86). (NIOSH/00166988). Noonan, GP; Linn, HI; Reed, LD.
- Noonan, J. (2009). Shrinking certainty. *Safety and Health Practitioner* 27: 46-48.
- Noone, P. (2012). Chronic disease prevention, asbestos exposure in diamond miners. *Occup Med (Lond)* 62: 76.
- Nordberg, GF; Andersen, O. (1981). Metal interactions in carcinogenesis: enhancement, inhibition [Review]. *Environ Health Perspect* 40: 65-81.
- Nordberg, GF; Goyer, RA; Clarkson, TW. (1985). Impact of effects of acid precipitation on toxicity of metals [Review]. *Environ Health Perspect* 63: 169-180. <http://dx.doi.org/10.2307/3430043>.
- North Carolina DHHS. (2010). Letter Health Consultation: Old Fort Finishing Site, Old Fort, North Carolina, February 16, 2010. 17.
- Novakova, K. (2003). [Unclear ascites]. *Praxis (Bern 1994)* 92: 1229-1231. <http://dx.doi.org/10.1024/0369-8394.92.27.1229>.
- Novello, S; Pinto, C; Torri, V; Porcu, L; Di Maio, M; Tiseo, M; Ceresoli, G; Magnani, C; Silvestri, S; Veltri, A; Papotti, M; Rossi, G; Ricardi, U; Trodella, L; Rea, F; Facciolo, F; Granieri, A; Zagonel, V; Scagliotti, G. (2016). The Third Italian Consensus Conference for Malignant Pleural Mesothelioma: State of the art and recommendations. *Crit Rev Oncol Hematol* 104: 9-20. <http://dx.doi.org/10.1016/j.critrevonc.2016.05.004>.
- Novick, LF; Rice, C; Freedman, MA; Jillson, D. (1981). ASBESTOS IN VERMONT SCHOOLS - FINDINGS OF A STATEWIDE ON-SITE INVESTIGATION. *Am J Public Health* 71: 744-746.
- Novikov YU, V; Tulakin, AV; Tsyplakova, GP; Ustyugov, VA; Ekhina, RS; Ampleeva, GP; Tyuleneva, IS; Semenova, OG. (1998). IMPACT OF PIPELINE CORROSION AND GROWTH PRODUCTS ON DRINKING WATER QUALITY (pp. 8-11). (BIOSIS/98/20876). Novikov YU, V; Tulakin, AV; Tsyplakova, GP; Ustyugov, VA; Ekhina, RS; Ampleeva, GP; Tyuleneva, IS; Semenova, OG.
- Nowak, AK; Bydder, S. (2007). Management of malignant pleural mesothelioma. *Asia Pacific Journal of Clinical Oncology* 3: 177-186. <http://dx.doi.org/10.1111/j.1743-7563.2007.00116.x>.
- Nozaki, S; Sledge, GW; Nakshatri, H. (2001). Repression of GADD153/CHOP by NF-kappa B: a possible cellular defense against endoplasmic reticulum stress-induced cell death. *Oncogene* 20: 2178-2185. <http://dx.doi.org/10.1038/sj.onc.1204292>.
- NTP (National Toxicology Program). (1993). NTP toxicology and carcinogenesis studies of talc (CAS no. 14807-96-6)(non-asbestiform) in F344/n rats and B6C3F1 mice (inhalation studies) [NTP] (pp. 1-287). (NTP TR 363; PB90-2818). http://ntp.niehs.nih.gov/ntp/htdocs/lt_rpts/tr421.pdf.
- Nukushina, J. (1995). Japanese earthquake victims are being exposed to high density of asbestos. We need protective masks desperately [Letter]. *Epidemiol Prev* 19: 226-227.
- Numano, T; Xu, J; Futakuchi, M; Fukamachi, K; Alexander, DB; Furukawa, F; Kanno, J; Hirose, A; Tsuda, H; Suzui, M. (2014). Comparative study of toxic effects of anatase and rutile type nanosized titanium dioxide particles in vivo and in vitro. *Asian Pac J Cancer Prev* 15: 929-935. <http://dx.doi.org/10.7314/APJCP.2014.15.2.929>.
- Nurminen, M; Karjalainen, A. (2001). Epidemiologic estimate of the proportion of fatalities related to occupational factors in Finland. *Scand J Work Environ Health* 27: 161-213.
- Nurminen, M; Tossavainen, A. (1994). Asbestos-related pleural plaques and lung cancer [Letter]. *Chest* 106: 648-649.
- Nuuja I, JM; Arstila, AU. (1982). The response of mouse peritoneal macrophages to titanium dioxide pigments in vitro. *Environ Res* 29: 174-184.
- Nuyts, V; Vanhooren, H; Begyn, S; Nackaerts, K; Nemery, B. (2017). Asbestos bodies in bronchoalveolar lavage in the 21st century: a time-trend analysis in a clinical population. *Occup Environ Med* 74: 59-65. <http://dx.doi.org/10.1136/oemed-2016-103710>.
- N-W, P; Levine, SP; Schork, MA. (1994). Intracounter, Intralaboratory, and Interlaboratory Variation of Asbestos Counting with Phase-Contrast Microscopy. *Appl Occup Environ Hyg* 9: 510-516.
- Nyberg, F; Gustavsson, P; Jarup, L; Bellander, T; Berglund, N; Jakobsson, R; Pershagen, G. (2000). Urban air pollution and lung cancer in Stockholm. *Epidemiology* 11: 487-495.
- Nymark, P; Guled, M; Borze, I; Faisal, A; Lahti, L; Salmenkivi, K; Kettunen, E; Anttila, S; Knuutila, S. (2011). Asbestos- and histology-related microRNAs in lung cancer. *Virchows Arch* 459: S133-S134.
- Nymark, P; Jensen, KA; Suhonen, S; Kembouche, Y; Vippola, M; Kleinjans, J; Catalán, J; Norppa, H; van Delft, J; Briedé, JJ. (2014). Free radical scavenging and formation by multi-walled carbon nanotubes in cell free conditions and in human bronchial epithelial cells. *Part Fibre Toxicol* 11: 4. <http://dx.doi.org/10.1186/1743-8977-11-4>.

Human Health Hazard Literature Search Results

Off Topic

- Nymark, P; Wikman, H; Hollmen, J; Seppanen, JK; Wolf, M; Knuutila, S; Anttila, S. (2004). Identification of gene copy number changes in asbestos-related lung cancer. *Toxicol Appl Pharmacol* 197: 261-261.
- O. M. Scott & Sons, M, OH. (1978). ADVISE THAT INFORMATION RELATING TO CHEM FERTILIZER PLANT HAS COME TO ATTENTION OF SCOTT WITH ATTACHMENTS. (TSCATS/029325). O M SCOTT and SONS.
- Oak, C; Choi, HJ; Park, EK; Takahashi, K. (2012). Compensation scheme for complementary and alternative medicine use in asbestos-related diseases in New South Wales, Australia. *J Clin Pharm Ther* 37: 373-374. <http://dx.doi.org/10.1111/j.1365-2710.2011.01319.x>.
- Oakes, D; Mcdonald, JC. (1982). Restricted cohort study designs. *Scand J Work Environ Health* 8 Suppl 1: 30-33.
- Obata, Y; Morimoto, Y; Hirohashi, M; Ogami, A; Oyabu, T; Myojo, T; Kawanami, S; Horie, S; Nagatomo, H; Murakami, M; Tanaka, I. (2011). Expression of heme oxygenase-1 in the lungs of rats exposed to potassium octatitanate whiskers. *J Occup Health* 53: 267-273.
- Ober, E; Bussani, R; Silvestri, F. (2009). Unexpected mesothelioma in a centenarian woman: an autopsy report. *Eur J Oncol* 14: 33-36.
- Oberdörster, G. (2000). Determinants of the pathogenicity of man-made vitreous fibers (MMVF) [Review]. *Int Arch Occup Environ Health* 73 Suppl: S60-S68.
- Oberdörster, G. (2010). Safety assessment for nanotechnology and nanomedicine: concepts of nanotoxicology. *J Intern Med* 267: 89-105. <http://dx.doi.org/10.1111/j.1365-2796.2009.02187.x>.
- Oberdörster, G; Stone, V; Donaldson, K. (2007). Toxicology of nanoparticles: A historical perspective. *Nanotoxicology* 1: 2-25. <http://dx.doi.org/10.1080/17435390701314761>.
- Oberta, AF. (1991). Letter to the Board of Directors [Letter]. *Am Ind Hyg Assoc J* 52: A569-A570.
- O'Brien, DM; Todd, WF. (1984). Preliminary Survey Report No. CT-148-16a: Control Technology For New Materials At International Harvester, Columbus Plastics Plant, Columbus, Ohio (pp. 148-116). (NIOSH/00135181). O'Brien, DM; Todd, WF.
- Obrien, PJ; Rahimtula, M; Kandaswami, C. (1984). ASBESTOS ENHANCED METABOLIC-ACTIVATION OF CARCINOGENIC POLYCYCLIC AROMATIC-HYDROCARBONS AND ARYLAMINES. *Proc Am Assoc Cancer Res* 25: 11-11.
- O'Brien, RJ. (1972). Pleural Calcification in Coal Miners. *J Occup Med* 14: 922-924.
- Obukhova, TI, u; Bugaeva, IV; Karpova, EA; Tereshina, LG; Budkar', LN. (2009). [Non-medicamentous correction of changes in the cardiovascular and respiratory systems in subjects exposed to chrysolite asbestos dust]. *Voprosy Kurortologii, Fizioterapii, i Lechebnoi Fizicheskoi Kultury / Problems of Health Resort Tre* 13-17.
- O'Byrne, KJ; Dalgleish, AG; Browning, MJ; Steward, WP; Harris, AL. (2000). The relationship between angiogenesis and the immune response in carcinogenesis and the progression of malignant disease [Review]. *Eur J Cancer* 36: 151-169.
- Occella, E; Maddalon, G; Peruzzo, GF; Foà, V. (1999). [The preparation and characterization of fine dusts carried out in the Clinica del Lavoro di Milano in support of experimental studies]. *Med Lav* 90: 704-721.
- Occupational Safety and Health Division, MoM, Singapore. (2000). Guidelines on the handling of asbestos materials. (CIS/03/00824).
- Ochi, T; Nakajima, F; Nasui, M. (1999). Distribution of gamma-tubulin in multipolar spindles and multinucleated cells induced by dimethylarsinic acid, a methylated derivative of inorganic arsenics, in Chinese hamster V79 cells. *Toxicology* 136: 79-88. [http://dx.doi.org/10.1016/S0300-483X\(99\)00061-X](http://dx.doi.org/10.1016/S0300-483X(99)00061-X).
- Ochmann, U, ta; Nowak, D; Heinzow, B. (2012). Occupational medicine in Germany - with special focus on occupational cancer. Review and critical discussion. *Eur J Oncol* 17: 113-134.
- O'CONNOR, RB. (1974). Editorials: After Armageddon--what? *J Occup Med* 16: 810.
- Oczypok, EA; Oury, T. (2015). Electron Microscopy Remains the Gold Standard for the Diagnosis of Epithelial Malignant Mesothelioma: A Case Study. *Ultrastruct Pathol* 39: 153-158. <http://dx.doi.org/10.3109/01913123.2014.960542>.
- Oczypok, EA; Sanchez, MS; Van Orden, DR; Berry, GJ; Pourtabib, K; Gunter, ME; Roggli, VL; Kraynie, AM; Oury, T, imD. (2016). Erionite-associated malignant pleural mesothelioma in Mexico. *Int J Clin Exp Pathol* 9: 5722-5732.
- Oddone, E; Taino, G; Gremita, C; Corradi, M. (2015). [The health surveillance of workers previously exposed to asbestos: criticality of intervention protocols]. *G Ital Med Lav Ergon* 37: 201-208.
- Odziemkowski, M; Koziel, JA; Irish, DE; Pawliszyn, J. (2001). Sampling and Raman confocal microspectroscopic analysis of airborne particulate matter using poly(dimethylsiloxane) solid-phase microextraction fibers. *Anal Chem* 73: 3131-3139.
- Oestenstad, RK; Rose, VE. (1986). An Evaluation of the K2 Asbestos Screening Test. *Am Ind Hyg Assoc J* 47: 245-248.
- OF, FS; TOXICOLOGY. (1997). Annual Meeting of the French Society of Toxicology, Meeting on Toxic Injury and Cancer: Molecular and Epidemiological Aspects, Paris, France, November 19-20, 1996. *Hum Exp Toxicol* 16: 525-551.
- Offermans, NSM; Vermeulen, R; Burdorf, A; Peters, S; Goldbohm, RA; Koeman, T, om; van Tongeren, M; Kauppinen, T; Kant, I; Kromhout, H; van Den Brandt, PA. (2012). Comparison of expert and job-exposure matrix-based retrospective exposure assessment of occupational carcinogens in the Netherlands Cohort Study. *Occup Environ Med* 69: 745-751. <http://dx.doi.org/10.1136/oemed-2011-100556>.
- Office, IL. (1211). [Safety in the use of asbestos. Code of practice].
- Office, IL. (1211). Safety in the use of mineral and synthetic fibres.
- Office, UGA. (2006). Clean Air Act: EPA Should Improve the Management of Its Air Toxics Program. 76.
- Office, USGA. (1990). Observations on the Environmental Protection Agency's Budget Request for Fiscal Year 1991. 12.
- Ogami, A; Morimoto, Y; Yamato, H; Oyabu, T; Akiyama, I; Tanaka, I. (2001). Short term effect of silicon carbide whisker to the rat lung. *Ind Health* 39: 175-182.
- Ogata, S; Hiroi, S; Tominaga, A; Aida, S; Kobayashi, A; Tamura, K; Abe, Y; Kawai, T. (2009). Malignant pleural mesothelioma initially diagnosed on cervical lymph node biopsy. *Pathol Int* 59: 592-594. <http://dx.doi.org/10.1111/j.1440-1827.2009.02412.x>.
- Ogden, T. (2006). Annals of occupational Hygiene at volume 50: Many achievements, a few mistakes, and an interesting future [Review]. *Ann Occup Hyg* 50: 751-764. <http://dx.doi.org/10.1093/annhyg/mel070>.

Human Health Hazard Literature Search Results

Off Topic

- Ogden, T. (2008). Canada, chrysotile, and the search for truth [Editorial]. *Ann Occup Hyg* 52: 673-674. <http://dx.doi.org/10.1093/annhyg/men065>.
- Ogden, T. (2009). Data Sharing, Federal Rule of Evidence 702, and the Lions in the Undergrowth. *Ann Occup Hyg* 53: 651-655. <http://dx.doi.org/10.1093/annhyg/mep065>.
- Ogden, TL. (1982). The reproducibility of asbestos counts. (CIS/82/01549). Health and Safety Executive.
- Ogden, TL. (1984). STATISTICAL UNCERTAINTIES IN ASBESTOS-LABORATORY CLASSIFICATION THROUGH THE RICE SCHEME. *Ann Occup Hyg* 28: 449-452.
- Ogden, TL. (2009). Canadian chrysotile report released--at last [Editorial]. *Ann Occup Hyg* 53: 307-309. <http://dx.doi.org/10.1093/annhyg/mep031>.
- Ogden, TL; Shentontaylor, T; Cherrie, JW; Crawford, NP; Moorcroft, S; Duggan, MJ; Jackson, PA; Treble, RD. (1986). WITHIN-LABORATORY QUALITY-CONTROL OF ASBESTOS COUNTING. *Ann Occup Hyg* 30: 411-425.
- Ogden, TL; Society, BOH. (2003). Commentary: the 1968 BOHS Chrysotile Asbestos Standard. *Ann Occup Hyg* 47: 3-6.
- Ogden, TL; Walton, WH. (1975). The descent angle of inclined cylinders--a possible means of separating fibres by length. *Ann Occup Hyg* 18: 157-160.
- Ogino, S; Fukumori, N; Yasuno, T; Koseki, M; Kazama, M. (1988). ASBESTOS FIBERS IN SAKE. *J Food Prot* 51: 737-739.
- Ogretmen, B; Bahadori, H; Mccauley, M; Boylan, A; Green, M; Safa, AR. (1998). Lack of correlation of MRP and gamma-glutamylcysteine synthetase overexpression with doxorubicin resistance due to increased apoptosis in SV40 large T-antigen-transformed human mesothelial cells. *Cancer Chemother Pharmacol* 42: 441-446. <http://dx.doi.org/10.1007/s002800050843>.
- Ogunseitán, OA. (2015). The asbestos paradox: global gaps in the translational science of disease prevention. *Bull World Health Organ* 93: 359-360. <http://dx.doi.org/10.2471/BLT.14.142307>.
- Ogunseitán, OA. (2015). The asbestos paradox: global gaps in the translational science of disease prevention (vol 93, pg 359, 2015). *Bull World Health Organ* 93: 436-436.
- Ohana, M; Ludes, C; Schaal, M; Meyer, E; Jeung, MY; Labani, A; Roy, C. (2016). [What future for chest x-ray against ultra-low-dose [computed tomography?] [Review]. *Rev Pneumol Clin*. <http://dx.doi.org/10.1016/j.pneumo.2016.09.007>.
- Ohba, T; Xu, J; Alexander, DB; Yamada, A; Kanno, J; Hirose, A; Tsuda, H; Imaizumi, Y. (2014). MWCNT causes extensive damage to the ciliated epithelium of the trachea of rodents. *J Toxicol Sci* 39: 499-505.
- Ohberg, I. (1987). Technological development of the mineral wool industry in Europe. *Ann Occup Hyg* 31: 529-545.
- Ohberg, I; Hartung, W. (1980). On the need for a new, distinct terminology for inorganic fibres. *IARC Sci Publ* 927-930.
- Ohlson, CG. (1989). Is chrysotile a significant risk factor for mesothelioma? [Comment]. *Am J Ind Med* 15: 351-356.
- Ohlson, CG; Ydreborg, B. (1985). Participants and non-participants of different categories in a health survey. A cross-sectional register study. *Scand J Soc Med* 13: 67-74.
- Ohmori, T; Arita, N; Okada, K; Kondo, M; Tabei, R. (1995). PERICARDIAL MALIGNANT MESOTHELIOMA - CASE-REPORT AND DISCUSSION OF IMMUNOHISTOCHEMICAL AND HISTOCHEMICAL FINDINGS. *Pathol Int* 45: 622-625.
- Ohnaka, T; Tochiara, Y; Muramatsu, T. (1993). Physiological strains in hot-humid conditions while wearing disposable protective clothing commonly used by the asbestos removal industry. *Ergonomics* 36: 1241-1250. <http://dx.doi.org/10.1080/00140139308967990>.
- Ohnishi, M; Yajima, H; Kasai, T; Umeda, Y; Yamamoto, M; Yamamoto, S; Okuda, H; Suzuki, M; Nishizawa, T; Fukushima, S. (2013). Novel method using hybrid markers: development of an approach for pulmonary measurement of multi-walled carbon nanotubes. *J Occup Med Toxicol* 8: 30. <http://dx.doi.org/10.1186/1745-6673-8-30>.
- Ohshima, S. (2001). Induction of aneuploidy by nickel sulfate in V79 Chinese hamster cells. *Mutat Res* 492: 39-50. [http://dx.doi.org/10.1016/S1383-5718\(01\)00148-6](http://dx.doi.org/10.1016/S1383-5718(01)00148-6).
- Ohyagi, S; Kagamimori, S; Toda, K. (1981). [A comparative study on the prevalence of pleural thickness related with asbestos exposures. A comparison between urban and rural districts using miniature X-ray films (author's transl)]. *Sangyo Igaku* 23: 366-376.
- Ohyama, M; Otake, T; Morinaga, K. (2001). Effect of size of man-made and natural mineral fibers on chemiluminescent response in human monocyte-derived macrophages. *Environ Health Perspect* 109: 1033-1038.
- Oishi, N. (1985). Professional oncology education program [Research]. RePORTER Database National Institutes of Health.
- Oishi, N. (1986). Professional oncology education program [Research]. RePORTER Database National Institutes of Health.
- Ojima, J; Homma, K. (1994). [Generation of fiber aerosol by ultrasonic nebulizer]. *Sangyo Igaku* 36: 203-210.
- Okabe, K; Vallarino, JA; Murthy, GGK; Tsuda, A; Godleski, JJ. (1996). Dissolution of slagwool fibers in the filter clearing and mounting step in preparation for counting. *Inhal Toxicol* 8: 263-270.
- Okada, F. (2007). Beyond foreign-body-induced carcinogenesis: impact of reactive oxygen species derived from inflammatory cells in tumorigenic conversion and tumor progression [Review]. *Int J Cancer* 121: 2364-2372. <http://dx.doi.org/10.1002/ijc.23125>.
- Okamoto, T; Yano, T; Haro, A; Yoshida, T; Kohno, M; Maehara, Y. (2013). Treatment for recurrence after extrapleural pneumonectomy for malignant pleural mesothelioma: A single institution experience. 4: 66-70. <http://dx.doi.org/10.1111/j.1759-7714.2012.00138.x>.
- Okamura, H; Kamei, T; Mitsuno, A; Hongo, H; Sakuma, N; Ishihara, T. (2001). Localized malignant mesothelioma of the pleura. *Pathol Int* 51: 654-660.
- Okayasu, R. (1997). Role of dna repair in asbestos toxicity [Research]. RePORTER Database National Institutes of Health.
- Okayasu, R; Hei, TK. (1996). CYTOTOXICITY AND MUTAGENICITY OF MAN MADE CERAMIC FIBERS (pp. 20-24). (BIOSIS/96/18906). Okayasu, R; Hei, TK.

Human Health Hazard Literature Search Results

Off Topic

- Okazaki, M; Kimura, SD; Kikuchi, T; Igura, M; Hattori, T; Abe, T. (2008). Suppressive effects of magnesium oxide materials on cadmium uptake and accumulation into rice grains I: Characteristics of magnesium oxide materials for cadmium sorption. *J Hazard Mater* 154: 287-293. <http://dx.doi.org/10.1016/j.jhazmat.2007.10.119>.
- Okazaki, Y; Kono, I; Kuriki, T; Funahashi, S; Fushimi, S; Iqbal, M; Okada, S; Toyokuni, S. (2012). Bovine lactoferrin ameliorates ferric nitrilotriacetate-induced renal oxidative damage in rats. *J Clin Biochem Nutr* 51: 84-90. <http://dx.doi.org/10.3164/jcbn.11-100>.
- Oke, Y; Yamasaki, N; Yamamoto, G, o; Sasaki, K; Maeta, N; Fujimaki, H; Hashida, T. (2008). Novel selective dyeing method for chrysotile asbestos detection in concrete materials. *Environ Sci Technol* 42: 1638-1642. <http://dx.doi.org/10.1021/es071805a>.
- O'Keefe, GF. (1989). ASBESTOS SUBSTITUTE GASKETS EXPERIENCE AT KINLEITH PULP AND PAPER MILLS TOKOROA NEW ZEALAND. *Appita* 42: 141-143.
- Okello, C; Treasure, T; Nicholson, AG; Peto, J; Møller, H. (2009). Certified causes of death in patients with mesothelioma in South East England. *BMC Cancer* 9: 28. <http://dx.doi.org/10.1186/1471-2407-9-28>.
- Okleshen, W. (1995). OSHA's final rule on asbestos cuts permissible exposure in half. *Health Facil Manage* 8: 38-40.
- Okuda, T; Ogino, Y; Yamashita, S; Ishii, H; Kin, S; Nagata, A; Otsubo, M; Kataoka, H; Kitawaki, J. (2014). Diagnostic laparoscopy identifies a peritoneal adenomatoid-like mesothelioma masquerading as ovarian cancer: a case report. *Eur J Gynaecol Oncol* 35: 91-94.
- Olabanji, IO; Adeniyi, IF. (2005). Trace metals in bulk freefall and roof intercepted rainwater at Ile-Ife, Southwest Nigeria. *Chem Ecol* 21: 167-179. <http://dx.doi.org/10.1080/02757540500151648>.
- Olcerst, R. (1987). A Field Portable Asbestos Monitoring Statistical System (pp. 180-191). (NIOSH/00170706). Olcerst, R.
- Olcerst, R. (1995). Analytical Limits of Asbestos Fiber Detection. *Appl Occup Environ Hyg* 10: 776-782.
- Oldham, PD. (1974). A TRIAL OF TECHNIQUES FOR COUNTING ASBESTOS BODIES IN TISSUE (pp. LYON). (HEEP/75/04211). Oldham, PD.
- Oliveira, JR; Do Carmo, JL; Cavalcanti Oliveira, KK; Figueredo Soares, M, doC. (2009). Sodium chloride, benzocaine and clove oil in tilapia transport water. *Revista Brasileira de Zootecnia* 38: 1163-1169.
- Oliver, LC; Eisen, EA; Sprince, NL. (1986). A comparison of two definitions of abnormality on pulmonary outcome in epidemiologic studies. *Am Rev Respir Dis* 133: 825-829.
- Oliver, LC; Welch, L; Frank, AL; Lemen, RA; Mutti, L. (2016). New standard for assessing asbestos exposure and its consequences? [Letter]. *Occup Environ Med* 73: 709-710. <http://dx.doi.org/10.1136/oemed-2016-103693>.
- Oliver, T; Murr, LE. (1977). An electron microscope study of asbestiform fiber concentrations in Rio Grande valley water supplies (pp. 428-431). (HEEP/78/05704). Oliver, T; Murr, LE.
- Olivier, M; Van Den Ham, K; Shio, MT; Kassa, FA; Fougeray, S. (2014). Malarial pigment hemozoin and the innate inflammatory response [Review]. 5: 25. <http://dx.doi.org/10.3389/fimmu.2014.00025>.
- Olliaro, P; Lombardi, L; Frigerio, S; Basilio, N; Taramelli, D; Monti, D. (2000). Phagocytosis of hemozoin (native and synthetic malaria pigment), and Plasmodium falciparum intraerythrocyte-stage parasites by human and mouse phagocytes. *Ultrastruct Pathol* 24: 9-13.
- Ollier, M; Garcier, JM; Naughton, G; Chamoux, A; Pereira, B; Dutheil, F. (2014). CT scan procedure for lung cancer screening in asbestos-exposed workers [Letter]. *Chest* 146: e76-e77. <http://dx.doi.org/10.1378/chest.14-0831>.
- Ollivier, H; Morand, P; Brun, R. (1949). [Not Available]. *Arch Mal Prof Med Trav Secur Soc* 10: 516.
- O'Lone, EL; Park, EK; Sandrini, A; Fogarty, GB; Yates, DH. (2009). Early detection of malignant pleural mesothelioma through measurement of soluble mesothelin-related protein and positron emission tomography. *Med J Aust* 190: 158-159.
- Olsen, O. (1995). Unbiased vs. conservative estimators of etiological fractions: examples of misclassification from studies of occupational lung cancer. *Am J Ind Med* 27: 837-843.
- Olson, HL. (1974). Asbestos in Potable-Water Supplies. *J Am Water Works Assoc* 66: 515-518.
- Olson, M. (1981). Part 2: Insulating your hospital from asbestos risk. 3: 135-140.
- Olsson, A; Skogh, T; Axelson, O; Wingren, G. (2004). Occupations and exposures in the work environment as determinants for rheumatoid arthritis. *Occup Environ Med* 61: 233-238. <http://dx.doi.org/10.1136/oem.2003.007971>.
- Olsson, AC; Fevotte, J; Fletcher, T; Cassidy, A; 'T Mannetje, A; Zaridze, D; Szeszenia-Dabrowska, N; Rudnai, P; Lissowska, J; Fabianova, E; Mates, D; Bencko, V; Foretova, L; Janout, V; Brennan, P; Boffetta, P. (2010). Occupational exposure to polycyclic aromatic hydrocarbons and lung cancer risk: a multicenter study in Europe. *Occup Environ Med* 67: 98-103. <http://dx.doi.org/10.1136/oem.2009.046680>.
- Olsson, H; Brandt, L. (1983). Asbestos exposure and non-Hodgkin's lymphoma [Letter]. *Lancet* 1: 588.
- O'Mara, L. (1992). As debate over asbestos risks rages worker health remains central issue. *Occup Health Saf* 61: 29-30.
- Omenn, GS. (1991). FUTURE RESEARCH DIRECTIONS IN CANCER ECOGENETICS (pp. 283-291). (BIOSIS/91/21038). Omenn, GS.
- Omenn, GS. (2004). Adverse effects in chemoprevention trials: Evidence of adverse interaction between asbestos exposure and the beta-carotene/retinyl palmitate intervention in CARET. *Cancer Epidemiol Biomarkers Prev* 13: 1938S-1938S.
- Omura, Y. (2007). Rapid screening & diagnosis of various cancers from human voice using Bi-Digital O-Ring Test resonance phenomenon between 2 identical substances i.e. between microscope slide of specific cancer tissue & cancer information in the sound of human voice, and detection of myocardial damage & infection from human voice. *Acupunct Electrother Res* 32: 235-269.
- Omura, Y. (2008). Organ Representation Areas of Different Internal Organs Localized on the Eyebrows & Eyelids by the Bi-Digital O-Ring Test Electromagnetic Resonance Phenomenon between 2 Identical Molecules - Part I: Detection of Increased Markers for Cancer & Heart Disease from White Hairs on the Eyebrows and Marked Decrease in the Markers after Taking One Optimal Dose of DHEA. *Acupunct Electrother Res* 33: 193-224.
- Omura, Y. (2016). Clinical Significance of Human Papillomavirus Type 16 for Breast Cancer & Adenocarcinomas of Various Internal Organs and Alzheimer's Brain with Increased beta-amyloid (1-42); Combined Use of Optimal Doses of Vitamin D-3 and Taurine 3 times/day Has Significant Beneficial Effects of Anti-Cancer, Anti-Ischemic Heart, and Memory & Other Brain Problems By Significant Urinary Excretion

Human Health Hazard Literature Search Results

Off Topic

- of Viruses, Bacteria, and Toxic Metals & Substances. *Acupunct Electrother Res* 41: 127-134.
<http://dx.doi.org/10.3727/036012916X14666839504677>.
- Omura, Y; Chen, Y; Lermand, O; Jones, M; Duvvi, H; Shimotsuura, Y. (2010). Effects of transcutaneous electrical stimulation (1 pulse/sec) through custom-made disposable surface electrodes covering Omura's ST36 area of both legs on normal cell telomeres, oncogen C-fosAb2, integrin alpha5beta1, chlamydia trachomatis, etc. in breast cancer & alzheimer patients. *Acupunct Electrother Res* 35: 147-185.
- Omura, Y; Chen, Y; Lu, DP; Shimotsura, Y; Ohki, M; Duvvi, H. (2007). Anatomical relationship between traditional acupuncture point ST 36 and omura's ST 36 (true ST 36) with their therapeutic effects: 1) inhibition of cancer cell division by markedly lowering cancer cell telomere while increasing normal cell telomere, 2) improving circulatory disturbances, with reduction of abnormal increase in high triglyceride, L-homocystein, CRP, or cardiac troponin I & T in blood by the stimulation of omura's ST 36 - part 1. *Acupunct Electrother Res* 32: 31-70.
- Omura, Y; Horiuchi, N; Jones, MK; Lu, DP; Shimotsuura, Y; Duvvi, H; Pallos, A; Ohki, M; Suetsugu, A. (2009). Temporary Anti-Cancer & Anti-Pain Effects of Mechanical Stimulation of Any One of 3 Front Teeth (1st Incisor, 2nd Incisor, & Canine) of Right & Left Side of Upper & Lower Jaws and Their Possible Mechanism, & Relatively Long Term Disappearance of Pain & Cancer Parameters by One Optimal Dose of DHEA, Astragalus, Boswellia Serrata, often with Press Needle Stimulation of True ST. 36. *Acupunct Electrother Res* 34: 175-203.
- Omura, Y; Jones, M; Duvvi, H; Paluch, K; Shimotsuura, Y; Ohki, M. (2013). Factors significantly increasing or inhibiting early stages of malignant melanoma (M.M.) and non-invasive evaluation of new treatment by ingestion and external application of optimal doses of the most effective anti-M.M. substances: haritaki, cilantro, vitamin D3, nori, EPA with DHA, & application of special (+) solar energy stored paper, which reduced the M.M. active area & asbestos rapidly. *Acupunct Electrother Res* 38: 37-76.
- Omura, Y; Losco, M; Omura, AK; Yamamoto, S; Shikawa, H; Takeshige, C; Shimotsuura, Y; Muteki, T. (1991). CHRONIC OR INTRACTABLE MEDICAL PROBLEMS ASSOCIATED WITH PROLONGED EXPOSURE TO UNSUSPECTED HARMFUL ENVIRONMENTAL ELECTRIC, MAGNETIC OR ELECTROMAGNETIC-FIELDS RADIATING IN THE BEDROOM OR WORKPLACE AND THEIR EXACERBATION BY INTAKE OF HARMFUL LIGHT AND HEAVY-METALS FROM COMMON SOURCES. *Acupunct Electrother Res* 16: 143-177.
- Omura, Y; Lu, D; Jones, MK; Nihrane, A; Duvvi, H; Yapor, D; Shimotsuura, Y; Ohki, M. (2016). Optimal Dose of Vitamin D-3 400 IU for Average Adults has A Significant Anti-Cancer Effect, While Widely Used 2000 IU or Higher Promotes Cancer: Marked Reduction of Taurine & 1 alpha, 25(OH)(2)D-3 Was Found In Various Cancer Tissues and Oral Intake of Optimal Dose of Taurine 175mg for Average Adults, Rather Than 500mg, Was Found to Be A New Potentially Safe and More Effective Method of Cancer Treatment. *Acupunct Electrother Res* 41: 39-60. <http://dx.doi.org/10.3727/036012916X14597946741564>.
- Omura, Y; Lu, DP; Jones, M; O'Young, B; Duvvi, H; Paluch, K; Shimotsuura, Y; Ohki, M. (2011). New Clinical Findings on the Longevity Gene in Disease, Health, & Longevity: Sirtuin 1 Often Decreases with Advanced Age & Serious Diseases in Most Parts of the Human Body, While Relatively High & Constant Sirtuin 1 Regardless of Age was First Found in the Hippocampus of Supercentenarians. *Acupunct Electrother Res* 36: 287-309.
- Omura, Y; O'Young, B; Jones, M; Pallos, A; Duvvi, H; Shimotsuura, Y. (2011). Caprylic acid in the effective treatment of intractable medical problems of frequent urination, incontinence, chronic upper respiratory infection, root canalled tooth infection, ALS, etc., caused by asbestos & mixed infections of Candida albicans, Helicobacter pylori & cytomegalovirus with or without other microorganisms & mercury [Review]. *Acupunct Electrother Res* 36: 19-64.
- O'Neill, C; Jordan, P; Bhatt, T; Newman, R. (1986). Silica and oesophageal cancer. *121: 214-230*.
- O'Neill, LA. (2008). Immunology. How frustration leads to inflammation [Comment]. *Science* 320: 619-620.
<http://dx.doi.org/10.1126/science.1158398>.
- O'Neill, R. (2006). ILO to promote global asbestos ban. *New Solutions: A Journal of Environmental and Occupational Health Policy* 16: 449-453.
<http://dx.doi.org/10.2190/8461-285M-4638-5246>.
- O'Neill, S. (1987). Asbestos induced disease--the cost of containment [Editorial]. *Ir Med J* 80: 78-79.
- Ong, L; Chung, F; Tan, Y; Leong, C. (2016). Toxicity of single-walled carbon nanotubes [Review]. *Arch Toxicol* 90: 103-118.
<http://dx.doi.org/10.1007/s00204-014-1376-6>.
- Ong, T; Liu, Y; Zhong, BZ; Jones, WG; Whong, WZ. (1997). Induction of micronucleated and multinucleated cells by man-made fibers in vitro in mammalian cells. *J Toxicol Environ Health* 50: 409-414. <http://dx.doi.org/10.1080/009841097160447>.
- Opitz, I; Lardinois, D; Arni, S; Hillinger, S; Vogt, P; Odermatt, B; Rousson, V; Weder, W. (2007). Local recurrence model of malignant pleural mesothelioma for investigation of intrapleural treatment. *Eur J Cardiothorac Surg* 31: 772-778.
<http://dx.doi.org/10.1016/j.ejcts.2007.01.047>.
- Orcajo Rincon, J; Alonso Farto, JC; Rotger Regi, A; Hernandez Perez, R; Hualde, AM; Perez Aradas, V. (2011). Usefulness of F-18-FDG PET-CT in the presurgical assessment of malignant pleural mesothelioma treated with neoadjuvant chemotherapy. *Rev Esp Med Nucl* 30: 307-310. <http://dx.doi.org/10.1016/j.remn.2010.08.008>.
- Ordóñez, NG. (2005). Clear cell mesothelioma presenting as an incarcerated abdominal hernia. *Virchows Arch* 447: 823-827.
<http://dx.doi.org/10.1007/s00428-005-0023-2>.
- Ordóñez, NG. (2012). The use of immunohistochemistry in the diagnosis of composite and collision tumors: exemplified by pleural mesothelioma and carcinoid tumor of the lung. *Appl Immunohistochem Mol Morphol* 20: 421-426.
<http://dx.doi.org/10.1097/PAI.0b013e318238bb8f>.
- Oren, A; Sue, DY; Hansen, JE; Torrance, DJ; Wasserman, K. (1987). The role of exercise testing in impairment evaluation. *Am Rev Respir Dis* 135: 230-235. <http://dx.doi.org/10.1164/arrd.1987.135.1.230>.
- Oren, A; Sue, DY; Hansen, JE; Wasserman, K; Torrance, DJ. (1984). THE BENEFIT OF ADDING AN EXERCISE TEST TO THE EVALUATION OF IMPAIRMENT (pp. 8-12). (HEEP/85/04198). Oren, A; Sue, DY; Hansen, JE; Wasserman, K; Torrance, DJ.

Human Health Hazard Literature Search Results

Off Topic

- Orgad, U; Perl, S; Yakobson, B; Nobel, TA. (1987). CONGENITAL TUMORS IN CATTLE. (BIOSIS/87/32624). Orgad, U; Perl, S; Yakobson, B; Nobel, TA.
- Orki, A; Kosar, A; Akin, O; Hacıbrahimoglu, G; Arman, SB. (2008). Solitary fibrous tumor of the pleura. *Thorac Cardiovasc Surg* 56: 287-290. <http://dx.doi.org/10.1055/s-2008-1038348>.
- Orlowski, E, wa; Audignon-Durand, S; Goldberg, M; Imbernon, E; Brochard, P. (2015). EV@LUTIL: An Open Access Database on Occupational Exposures to Asbestos and Man-Made Mineral Fibres. *Am J Ind Med* 58: 1059-1074. <http://dx.doi.org/10.1002/ajim.22498>.
- Orlowski, E; Billon Galland, MA. (1998). [The assessment of asbestos exposure]. *Rev Mal Respir* 15: 239-245.
- Orlowski, E; et al. (1997). EVALUTIL: Data base for assessing asbestos exposure among users of asbestos containing materials. *Cahiers de notes documentaires Hygi et aacute: 5-16*.
- Orlowski, E; Galland, MA. (1999). [Assessment of exposure to asbestos]. *Rev Mal Respir* 16 Suppl 2: S18-S24.
- Orlowski, E; Pohlabeln, H; Berrino, F; Ahrens, W; Bolmaudorff, U; Grossgarten, K; Iwatsubo, Y; Jockel, KH; Brochard, P. (1993). RETROSPECTIVE ASSESSMENT OF ASBESTOS EXPOSURE .2. AT THE JOB LEVEL - COMPLEMENTARITY OF JOB-SPECIFIC QUESTIONNAIRE AND JOB EXPOSURE MATRICES. *Int J Epidemiol* 22: S96-S105.
- Orlowski, E; Pohlabeln, H; Berrino, F; Ahrens, W; Bolm-Audorff, U; Grossgarten, K; Iwatsubo, Y; Jöckel, KH; Brochard, P. (1993). Retrospective assessment of asbestos exposure--II. At the job level: complementarity of job-specific questionnaire and job exposure matrices. *Int J Epidemiol* 22 Suppl 2: S96-105.
- Orman, A; Kahraman, A; Cakar, H; Ellidokuz, H; Serteser, M. (2005). Plasma malondialdehyde and erythrocyte glutathione levels in workers with cement dust-exposure silicosis. *Toxicology* 207: 15-20. <http://dx.doi.org/10.1016/j.tox.2004.07.021>.
- O'Rourke, C; Gifford, LA. (1994). Environmental Compliance Assessment and Management Program. 243.
- O'Rourke, C; Gifford, LA. (1994). Environmental Compliance Assessment System (ECAS) - Oregon Supplement. 55.
- O'Rourke, C; Gifford, LA. (1994). Environmental Compliance Assessment System (ECAS) - Wisconsin Supplement. 453.
- O'Rourke, C; Gifford, LA. (1994). Environmental Compliance Assessment System (ECAS). *South Carolina Supplement U.S. Army*. 396.
- Orr, KB. (1989). The rising epidemic of malignant mesothelioma [Letter]. *Med J Aust* 150: 607.
- Orriols, R; Isidro, I; Abu-Shams, K; Costa, R; Boldu, J; Rego, G; Zock, J; Y, ERO. (2010). Reported Occupational Respiratory Diseases in Three Spanish Regions. *Am J Ind Med* 53: 922-930. <http://dx.doi.org/10.1002/ajim.20862>.
- Orriols, R; Munoz, X; Sunyer, J; Isidro, I; Tura, JM; Ferrer, J. (2005). Radiologically recognized pleural changes in nonpneumoconiotic silica-exposed coal miners. *Scand J Work Environ Health* 31: 115-121.
- Orris, P; Cone, J; Mcquilk, S. (1983). Health Hazard Evaluation Report No. HETA-80-096-1359, Eureka Company, Bloomington, Illinois (pp. 80-096). (NIOSH/00134196). Orris, P; Cone, J; Mcquilk, S.
- Ortiz, LW; Ettinger, HJ; Fairchild, CI. (1975). Calibration standards for counting asbestos. *Am Ind Hyg Assoc J* 36: 104-112. <http://dx.doi.org/10.1080/0002889758507217>.
- Ortiz, LW; Soderholm, SC; Valdez, FO. (1988). Penetration of Respirator Filters by an Asbestos Aerosol. *Am Ind Hyg Assoc J* 49: 451-460. <http://dx.doi.org/10.1080/15298668891380060>.
- Osgood, CJ. (1994). REFRACTORY CERAMIC FIBERS (RCFS) INDUCE GERMLINE ANEUPLOIDY IN DROSOPHILA OOCYTES. *Mutat Res* 324: 23-27.
- OSHA. (2005). OSH regulation - Guidelines Part 6: Substance specific requirements (pp. //www). (CIS/06/01164).
- Oshimura, M; Barrett, JC. (1985). DOUBLE NONDISJUNCTION DURING KARYOTYPIC PROGRESSION OF CHEMICALLY INDUCED SYRIAN HAMSTER CELL LINES. (ANEUPL/85/003394). Oshimura, M; Barrett, JC.
- Oshimura, M; Barrett, JC. (1986). Chemically induced aneuploidy in mammalian cells: mechanisms and biological significance in cancer [Review]. *Environ Mutagen* 8: 129-159.
- Osim, EE; Tandayi, M; Chinyanga, HM; Matarira, HT; Mudambo, KK; Musabayane, CT. (1999). Lung function, blood gases, pH and serum electrolytes of small-scale miners exposed to chrome ore dust on the Great Dyke in Zimbabwe. *Trop Med Int Health* 4: 621-628. <http://dx.doi.org/10.1046/j.1365-3156.1999.00460.x>.
- Osinubi, OY; Moline, J; Rovner, E; Sinha, S; Perez-Lugo, M; Demissie, K; Kipen, HM. (2003). A pilot study of telephone-based smoking cessation intervention in asbestos workers. *J Occup Environ Med* 45: 569-574. <http://dx.doi.org/10.1097/01.jom.0000063618.37065.ab>.
- Osinubi, OYO. (2003). RE: study of smoking behavior in asbestos workers by Osinubi et al. *Am J Ind Med* 41: 62-69 2002. Reply to Lange and Thomulka's letter to the editor "smoking prevalence of asbestos workers: A comment". *Am J Ind Med* 44: 220-221. <http://dx.doi.org/10.1002/ajim.10248>.
- Osinubi, OYO; Afilaka, AA; Doucette, J; Golden, A; Soriano, T; Rovner, E; Anselm, E. (2002). Study of smoking behavior in asbestos workers. *Am J Ind Med* 41: 62-69. <http://dx.doi.org/10.1002/ajim.10031>.
- Osmond-Mcleod, MJ; Poland, CA; Murphy, F; Waddington, L; Morris, H; Hawkins, SC; Clark, S; Aitken, R; McCall, MJ; Donaldson, K. (2011). Durability and inflammogenic impact of carbon nanotubes compared with asbestos fibres. *Part Fibre Toxicol* 8: 15. <http://dx.doi.org/10.1186/1743-8977-8-15>.
- Osornio-Vargas, A; Bonner, JC; Brody, AR. (1991). RAT LUNG FIBROBLAST RLF CHEMOTAXIS TO PDGF-AA AB AND BB DIMERS (pp. 12-15). (BIOSIS/91/23333). Osornio-Vargas, A; Bonner, JC; Brody, AR.
- Osornio-Vargas, AR; Hernández-Rodríguez, NA; Yáñez-Buruel, AG; Ussler, W; Overby, LH; Brody, AR. (1991). Lung cell toxicity experimentally induced by a mixed dust from Mexicali, Baja California, Mexico. *Environ Res* 56: 31-47.
- Oster, CV. (1971). Results of Sampling at American Asbestos Textile Company, Meredith, New Hampshire. (NIOSH/00105833). Oster, CV.
- Ostergaard, G; Knudsen, I. (1998). The applicability of the ADI (Acceptable Daily Intake) for food additives to infants and children. *Food Addit Contam* 15: 63-74.

Human Health Hazard Literature Search Results

Off Topic

- Ostroff, RM; Mehan, MR; Stewart, A; Ayers, D; Brody, EN; Williams, SA; Levin, S; Black, B; Harbut, M; Carbone, M; Goparaju, C; Pass, HI. (2012). Early detection of malignant pleural mesothelioma in asbestos-exposed individuals with a noninvasive proteomics-based surveillance tool. *PLoS ONE* 7: e46091. <http://dx.doi.org/10.1371/journal.pone.0046091>.
- O'Sullivan, MF; Corn, CJ; Dodson, RF. (1987). Comparative efficiency of Nuclepore filters of various pore sizes as used in digestion studies of tissue. *Environ Res* 43: 97-103.
- O'Sullivan, NA; Tait, CP. (2014). Tanning bed and nail lamp use and the risk of cutaneous malignancy: a review of the literature [Review]. *Australas J Dermatol* 55: 99-106. <http://dx.doi.org/10.1111/ajd.12145>.
- Otero Areán, C; Barceló, F; Fenoglio, I; Fubini, B; Llabrés i Xamena, FX; Tomatis, M. (2001). Free radical activity of natural and heat treated amphibole asbestos. *J Inorg Biochem* 83: 211-216.
- Otsuki, T. (2008). Asbestos and malignant mesothelioma: foreword. Reviews of a symposium entitled "Malignant Mesothelioma" organized by the Study Group on Fibrous and Particulate Substances of the 77th Annual Meeting of the Japanese Society for Hygiene, 2007. *Environ Health Prev Med* 13: 53-54. <http://dx.doi.org/10.1007/s12199-007-0013-x>.
- Otsuki, T. (2010). [Preface: Studies on fibrous and particulate substances]. *Nippon Eiseigaku Zasshi* 65: 486.
- Otsuki, T; Hirano, S. (2012). [Regarding the special feature of "the frontline of nanoparticle research"; progress of the Study Group on Fibrous and Particulate Substances (SGFPS)] [Review]. *Nippon Eiseigaku Zasshi* 67: 375-382.
- Otsuki, T; Holian, A; Di Gioacchino, M. (2014). Immunological effects of environmental factors: focus on the fibrous and particulated materials [Editorial]. *Journal of Immunology Research* 2014: 697438. <http://dx.doi.org/10.1155/2014/697438>.
- Otsuki, T; Sakaguchi, H; Tomokuni, A; Aikoh, T; Matsuki, T; Kawakami, Y; Kusaka, M; Ueki, H; Kita, S; Ueki, A. (1998). Soluble Fas mRNA is dominantly expressed in cases with silicosis. *Immunology* 94: 258-262.
- Otsuki, T; Tomokuni, A; Sakaguchi, H; Hyodoh, F; Kusaka, M; Ueki, A. (2000). Reduced expression of the inhibitory genes for Fas-mediated apoptosis in silicosis patients. *J Occup Health* 42: 163-168.
- Ottaviani, MF; Venturi, F; Pokhrel, MP; Schmutz, T; Bossmann, SH. (2001). Physicochemical studies on the adsorption properties of asbestos - 2. An EPR and fluorescence study on the adsorption of pyrene. *J Colloid Interface Sci* 238: 371-380. <http://dx.doi.org/10.1006/jcis.2001.7529>.
- Otto, CM; Downend, AB; Serpell, JA; Ziemer, LS; Saunders, HM. (2004). Medical and behavioral surveillance of dogs deployed to the World Trade Center and the Pentagon from October 2001 to June 2002. *J Am Vet Med Assoc* 225: 861-867. <http://dx.doi.org/10.2460/javma.2004.225.861>.
- Ou, WB; Corson, JM; Flynn, DL; Lu, WP; Wise, SC; Bueno, R; Sugarbaker, DJ; Fletcher, JA. (2011). AXL regulates mesothelioma proliferation and invasiveness. *Oncogene* 30: 1643-1652. <http://dx.doi.org/10.1038/onc.2010.555>.
- Ouellette, RP; Cheremisinoff, PN. (1987). ASBESTOS HAZARD MANAGEMENT (pp. 36-43; 1987). (HMTC/87/0004442). Ouellette, RP; Cheremisinoff, PN.
- Ouellette, RP; Garte, AI; Thompson, WC. (1985). Assessing asbestos risks involves prioritizing, ranking hazard areas. *Occup Health Saf* 54: 67-72.
- Oury, TD. (2010). The Role of RAGE and RAGE Ligands in Pulmonary Fibrosis.
- Oury, TD. (2011). The Role of RAGE and RAGE Ligands in Pulmonary Fibrosis.
- Ovrevik, J; Hetland, RB; Schins, RP; Myran, T; Schwarze, PE. (2006). Iron release and ROS generation from mineral particles are not related to cytokine release or apoptosis in exposed A549 cells. *Toxicol Lett* 165: 31-38. <http://dx.doi.org/10.1016/j.toxlet.2006.01.012>.
- Ovrevik, J; Myran, T; Refsnes, M; Låg, M; Becher, R; Hetland, RB; Schwarze, PE. (2005). Mineral particles of varying composition induce differential chemokine release from epithelial lung cells: importance of physico-chemical characteristics. *Ann Occup Hyg* 49: 219-231. <http://dx.doi.org/10.1093/annhyg/meh087>.
- Øvrevik, J; Refsnes, M; Namork, E; Becher, R; Sandnes, D; Schwarze, PE; Låg, M. (2006). Mechanisms of silica-induced IL-8 release from A549 cells: initial kinase-activation does not require EGFR activation or particle uptake. *Toxicology* 227: 105-116. <http://dx.doi.org/10.1016/j.tox.2006.07.029>.
- Owen, JP; Vander Vliet, A; Scoles, GA. (2014). Comparative off-host survival of larval Rocky Mountain Wood Ticks (*Dermacentor andersoni*) collected from ecologically distinct field populations. *Medical & Veterinary Entomology Online* 28: 341-344. <http://dx.doi.org/10.1111/mve.12049>.
- Owen, OS. (1975). Natural resource conservation. An ecological approach. (HEEP/75/11320). Owen, OS.
- Oyabu, T; Yamato, H; Ogami, A; Morimoto, Y; Akiyama, I; Ishimatsu, S; Hori, H; Tanaka, I. (2004). The effect of lung burden on biopersistence and pulmonary effects in rats exposed to potassium octatitanate whiskers by inhalation. *J Occup Health* 46: 382-390.
- Oyabu, T; Yamato, H; Ogami, A; Morimoto, Y; Akiyama, I; Ishimatsu, S; Hori, H; Tanaka, I. (2006). The effect of lung burden on biopersistence and pulmonary effects in rats exposed to potassium octatitanate whiskers by intratracheal instillation. *J Occup Health* 48: 44-48.
- Ozaki, T; Hayashi, H; Tani, K; Ogushi, F; Yasuoka, S; Ogura, T. (1992). NEUTROPHIL CHEMOTACTIC FACTORS IN THE RESPIRATORY-TRACT OF PATIENTS WITH CHRONIC AIRWAY DISEASES OR IDIOPATHIC PULMONARY FIBROSIS. *Am Rev Respir Dis* 145: 85-91.
- Ozdemir, T; Coplu, L; Dincer, N; Isik, L; Dumortier, P; Artvinli, M. (1997). ENVIRONMENTAL TREMOLITE EXPOSURE IN A VILLAGE LOCATED IN SOUTHWEST OF TURKEY (pp. 20-24). (BIOSIS/98/15088). Ozdemir, T; Coplu, L; Dincer, N; Isik, L; Dumortier, P; Artvinli, M.
- Ozden, H; Ak, G; Metintas, S; Metintas, M; Sahin, B; Erginel, S; Civi, K. (2007). Relationship between tumorsize of malignant pleural mesothelioma and its response to chemotherapy. *J Health Sci* 53: 23-30.
- Ozhiganova, VN; Pankova, VB; Milishnikova, VV; Gladkova, EV; Nikitina, LS; Lobanova, EA; Polyakova, IN. (1993). EARLY DIAGNOSIS TREATMENT AND REHABILITATION OF PATIENTS WITH OCCUPATIONAL RESPIRATORY DISEASES REVIEW OF THE LITERATURE. *Med Tr Prom Ekol* 0: 23-29.
- Ozonoff, DM. (2008). Research Translation.

Human Health Hazard Literature Search Results

Off Topic

- Ozonoff, DM. (2009). Research Translation.
- Packham, RF. (1990). WATER QUALITY AND HEALTH (pp. CAUSES). (BIOSIS/90/20593). Packham, RF.
- Pacurari, M; Castranova, V; Vallyathan, V. (2010). Single- and multi-wall carbon nanotubes versus asbestos: Are the carbon nanotubes a new health risk to humans [Review]. *J Toxicol Environ Health A* 73: 378-395. <http://dx.doi.org/10.1080/15287390903486527>.
- Pacurari, M; Qian, Y; Fu, W; Schwegler-Berry, D; Ding, M; Castranova, V; Guo, NL. (2012). Cell permeability, migration, and reactive oxygen species induced by multiwalled carbon nanotubes in human microvascular endothelial cells. *J Toxicol Environ Health A* 75: 112-128. <http://dx.doi.org/10.1080/15287394.2011.615110>.
- Pacurari, M; Qian, Y; Porter, DW; Wolfarth, M; Wan, Y; Luo, D; Ding, M; Castranova, V; Guo, NL. (2011). Multi-walled carbon nanotube-induced gene expression in the mouse lung: association with lung pathology. *Toxicol Appl Pharmacol* 255: 18-31. <http://dx.doi.org/10.1016/j.taap.2011.05.012>.
- Pacurari, M; Xuejun, JY; Jinshun, Z; Ming, D; Leonard, SS; Schwegler-Berry, D; Ducatman, BS; Sbarra, D; Hoover, MD; Castranova, V; Vallyathan, V. (2008). Raw Single-Wall Carbon Nanotubes Induce Oxidative Stress and Activate MAPKs, AP-1, NF- κ B, and Akt in Normal and Malignant Human Mesothelial Cells. *Environ Health Perspect* 116: 1211-1217. <http://dx.doi.org/10.1289/ehp.10924>.
- Pacurari, M; Yin, XJ; Ding, M; Leonard, SS; Schwegler-Berry, D; Ducatman, BS; Chirila, M; Endo, M; Castranova, V; Vallyathan, V. (2008). Oxidative and molecular interactions of multi-wall carbon nanotubes (MWCNT) in normal and malignant human mesothelial cells. *Nanotoxicology* 2: 155-170. <http://dx.doi.org/10.1080/17435390802318356>.
- Paddock, CD. (2009). The science and fiction of emerging rickettsioses. *Ann N Y Acad Sci* 1166: 133-143. <http://dx.doi.org/10.1111/j.1749-6632.2009.04529.x>.
- Page, E; Burr, G; Brueck, S. (2009). Health Hazard Evaluation Report: HETA-2008-0166-3079, NASA Glenn Research Center, Cleveland, Ohio, March 2009. Evaluation of Cancer Among Occupants of Two Office Buildings. 28.
- Page, M; Dumas, L. (1986). MULTIPARAMETRIC ANALYSIS OF SYNTHETIC FIBERS AND NORMAL MINERAL FIBERS (pp. BASEL). (BIOSIS/87/08147). Page, M; Dumas, L.
- Page, RT; Bloomfield, JJ. (1937). A Study of Dust Control Methods in an Asbestos Fabricating Plant. *Public Health Rep* 52: 1713-1727.
- Paget-Bailly, S; Guida, F; Carton, M; Menvielle, G; Radoi, L; Cyr, D; Schmaus, A; C  n  e, S; Papadopoulos, A; F  votte, J; Pilorget, C; Velten, M; Guizard, AV; St  cker, I; Luce, D. (2013). Occupation and head and neck cancer risk in men: results from the ICARE study, a French population-based case-control study. *J Occup Environ Med* 55: 1065-1073. <http://dx.doi.org/10.1097/JOM.0b013e318298fae4>.
- Paglietti, F; Malinconico, S; Di Molfetta, V; Giangrosso, M. (2012). Guidelines for asbestos remediation at Italian superfund sites [Review]. 30: 253-286. <http://dx.doi.org/10.1080/10590501.2012.705161>.
- Pagon, RA; Adam, MP; Ardinger, HH; Wallace, SE; Amemiya, A; Bean, LJH; Bird, TD; Ledbetter, N; Mefford, HC; Smith, RJH; Stephens, K. (1993). BAP1 Tumor Predisposition Syndrome. In RA Pagon; MP Adam; HH Ardinger; SE Wallace; A Amemiya; LJH Bean; TD Bird; N Ledbetter; HC Mefford; RJH Smith; K Stephens (Eds.). Seattle (WA): University of Washington, Seattle.
- Pagoto, S; Hillhouse, J; Heckman, CJ; Coups, EJ; Stapleton, J; Buller, D; Turrisi, R; Robinson, J; Geller, AC. (2014). Society of Behavioral Medicine (SBM) position statement: ban indoor tanning for minors. 4: 124-126. <http://dx.doi.org/10.1007/s13142-013-0240-1>.
- Paik, NW; Levine, SP. (1997). Quality control for industrial hygiene laboratories. 18: 359-362.
- Paik, NW; Walcott, RJ; Brogan, PA. (1983). WORKER EXPOSURE TO ASBESTOS DURING REMOVAL OF SPRAYED MATERIAL AND RENOVATION ACTIVITY IN BUILDINGS CONTAINING SPRAYED MATERIAL. *Am Ind Hyg Assoc J* 44: 428-432. <http://dx.doi.org/10.1080/15298668391405085>.
- Pairolero, PC; Bernatz, PH; Harrison, EG. (1973). Surgical implications of parietal pleural plaques. *Surg Clin North Am* 53: 867-873.
- Pairon, JC; Andujar, P; Matrat, M; Ameille, J. (2008). [Occupational respiratory cancers] [Review]. *Rev Mal Respir* 25: 193-207. [http://dx.doi.org/10.1016/S0761-8425\(08\)71517-1](http://dx.doi.org/10.1016/S0761-8425(08)71517-1).
- Pairon, JC; Billongalland, MA; Iwatsubo, Y; Bernstein, M; Gaudichet, A; Bignon, J; Brochard, P. (1994). BIOPERSISTENCE OF NONFIBROUS MINERAL PARTICLES IN THE RESPIRATORY TRACTS OF SUBJECTS FOLLOWING OCCUPATIONAL EXPOSURE. *Environ Health Perspect* 102: 269-275. <http://dx.doi.org/10.2307/3432102>.
- Pairon, JC; Brochard, P; Jaurand, MC; Bignon, J. (1991). SILICA AND LUNG-CANCER - A CONTROVERSIAL ISSUE. *Eur Respir J* 4: 730-744.
- Pairon, JC; Dumortier, P. (1999). [Role of biometric analysis in the retrospective assessment of exposure to asbestos] [Review]. *Rev Mal Respir* 16: 1219-1235.
- Pairon, JC; Jaurand, MC; Bignon, J; Brochard, P. (1992). Occupational exposure to crystalline silica and lung cancer. 53: 257-274.
- Pairon, JC; Jaurand, MC; Laurent, F; Salmi, R; Astoul, P; Galateau-Sall  , F; Brochard, P. (2006). [How to assess asbestos exposure and identify a population at risk?]. *Rev Mal Respir* 23: 11S19-27.
- Pairon, JC; Martinon, L; Brochard, P. (1998). [Mineral analysis and study of asbestos pathology] [Review]. *Rev Mal Respir* 15: 141-149.
- Pairon, JC; Martinon, L; Brochard, P. (1998). Mineralogical analysis and exploration of asbestos diseases. *Rev Mal Respir* 15: 141-149.
- Pairon, JC; Martinon, L; Brochard, P. (1999). [Mineralogical analysis and exploration of asbestos diseases]. *Rev Mal Respir* 16 Suppl 2: S9-17.
- Pairon, JC; Matrat, M; Brochard, P. (2003). Mineralogy of biological samples and respiratory diseases. *Rev Mal Respir* 20: 181-185.
- Paiva, SAR; Russell, RM. (1999). beta-carotene and other carotenoids as antioxidants. *J Am Coll Nutr* 18: 426-433.
- Pal, A; Dutta, S; Mukherjee, PK; Paul, AK. (2005). Occurrence of heavy metal-resistance in microflora from serpentine soil of Andaman. *J Basic Microbiol* 45: 207-218. <http://dx.doi.org/10.1002/jobm.200410499>.
- Pala, C; Paliogiannis, P; Serventi, F; Trignano, E; Trignano, M. (2010). Multimodality approach to malignant pleural mesothelioma. A case report. *Ann Ital Chir* 81: 37-40.
- Pałaszewska-Tkacz, A; Czerczak, S; Konieczko, K. (2015). [Carcinogenic and mutagenic agents in the workplace, Poland, 2011-2012]. *Med Pr* 66: 29-38.

Human Health Hazard Literature Search Results

Off Topic

- Panahi, D; Kakooei, H; Marioryad, H; Mehrdad, R; Golhosseini, M. (2011). Evaluation of exposure to the airborne asbestos in an asbestos cement sheet manufacturing industry in Iran. *Environ Monit Assess* 178: 449-454. <http://dx.doi.org/10.1007/s10661-010-1703-1>.
- Pancaldi, C; Balatti, V; Guaschino, R; Vaniglia, F; Corallini, A; Martini, F; Mutti, L; Tognon, M. (2009). Simian virus 40 sequences in blood specimens from healthy individuals of Casale Monferrato, an industrial town with a history of asbestos pollution. *J Infect* 58: 53-60. <http://dx.doi.org/10.1016/j.jinf.2008.10.014>.
- Pande, P; Aust, AE. (2002). Role of integrin alpha(v)beta(5) receptor in crocidolite uptake in human lung epithelial (A549) cells. *Mol Biol Cell* 13: 484A-484A.
- Pande, P; Baldys, A; Musleh, T; Aust, AE. (2004). Crocidolite-mediated changes in the intracellular redox state of human lung epithelial (A549) cells - Important in biological effects of crocidolite. *Mol Biol Cell* 15: 259A-259A.
- Pande, P; Musleh, T; Aust, A. (2004). Role of integrin alpha(v)beta(5) receptor in crocidolite uptake and its effect on intracellular GSH levels in A549 cells. *FASEB J* 18: C216-C216.
- Pandita, S. (2006). Banning asbestos in Asia: campaigns and strategies by the Asian Network for the Rights of Occupational Accident Victims (ANROAV). *Int J Occup Environ Health* 12: 248-253. <http://dx.doi.org/10.1179/oe.2006.12.3.248>.
- Panduri, V; Liu, G; Surapureddi, S; Kondapalli, J; Soberanes, S; de Souza-Pinto, NC; Bohr, VA; Budinger, GRS; Schumacker, PT; Weitzman, SA; Kamp, DW. (2009). Role of mitochondrial hOGG1 and aconitase in oxidant-induced lung epithelial cell apoptosis. *Free Radic Biol Med* 47: 750-759. <http://dx.doi.org/10.1016/j.freeradbiomed.2009.06.010>.
- Panettieri, RA. (2015). Integrative Health Sciences Facility Core.
- Pang, D. (1999). A relative power table for nested matched case-control studies. *Occup Environ Med* 56: 67-69.
- Pang, T. (2007). A new parameter to evaluate the quality of fiber count data of slides with relocatable fields. *J Occup Environ Hyg* 4: 129-144. <http://dx.doi.org/10.1080/15459620601128852>.
- Pang T, WS; Schonfeld, FA; Patel, K. (1988). THE PRECISION AND ACCURACY OF A METHOD FOR THE ANALYSIS OF AMOSITE ASBESTOS. *Am Ind Hyg Assoc J* 49: 351-356.
- Pang, TW. (2000). Precision and accuracy of asbestos fiber counting by phase contrast microscopy. *AIHAJ* 61: 529-538.
- Pang, TW; Harper, M. (2008). The quality of fiber counts using improved slides with relocatable fields. *J Environ Monit* 10: 89-95. <http://dx.doi.org/10.1039/b712323j>.
- Pang, TWS; Dicker, WL; Nazar, MA. (1984). An Evaluation Of The Precision And Accuracy Of The Direct Transfer Method For The Analysis Of Asbestos Fibers With Comparison To The NIOSH Method. *Am Ind Hyg Assoc J* 45: 329-335. <http://dx.doi.org/10.1080/15298668491399875>.
- Pang, TWS; Robinson, AE. (1981). A TECHNIQUE TO PREPARE ASBESTOS AIR SAMPLES FOR LIGHT AND ELECTRON-MICROSCOPY. *Br J Ind Med* 38: 389-393.
- Pang, TWS; Schonfeld, FA; Nazar, MA. (1987). THE DETERMINATION OF TREMOLITE ASBESTOS IN TALC POWDER SAMPLES. *Ann Occup Hyg* 31: 219-8.
- Pannett, B; Coggon, D; Acheson, E. (1985). A job-exposure matrix for use in population based studies in England and Wales. *Br J Ind Med* 42: 777-783.
- Panou, V; Omland, O; Meristoudis, C; Hoffmann, L; Roe, OD. (2015). Pleural and Peritoneal Malignant Mesothelioma in Women Correlated to Occupational, Domestic and Environmental Asbestos Exposure. *J Thorac Oncol* 10: S348-S348.
- Panou, V; Vyberg, M; Weinreich, UM; Meristoudis, C; Falkmer, UG; Røe, OD. (2015). The established and future biomarkers of malignant pleural mesothelioma [Review]. *Cancer Treat Rev* 41: 486-495. <http://dx.doi.org/10.1016/j.ctrv.2015.05.001>.
- Pantano, P. (2014). Multiwalled-Carbon Nanotube Properties and Macrophage Proinflammatory Responses.
- Pantazopoulos, I; Boura, P; Xanthos, T; Syrigos, K. (2013). Effectiveness of mesothelin family proteins and osteopontin for malignant mesothelioma [Review]. *Eur Respir J* 41: 706-715. <http://dx.doi.org/10.1183/09031936.00226111>.
- Paoletti, L. (1982). THE APPLICATION OF ELECTRON MICROSCOPY METHODS TO THE STUDY OF ENVIRONMENTAL POLLUTION BY MINERAL PARTICLES (pp. 79-80). (HEEP/84/01090). Paoletti, L.
- Paoletti, L; Caiazza, S; Donelli, G; Pocchiari, F. (1984). Evaluation by electron microscopy techniques of asbestos contamination in industrial, cosmetic, and pharmaceutical talcs. *Regul Toxicol Pharmacol* 4: 222-235.
- Paoletti, L; Falchi, M; Viviano, G; Ziemacki, G; Batisti, D; Pisani, D. (1989). FEATURES OF AIRBORNE BREATHABLE PARTICULATE IN A REMOTE RURAL AND IN AN URBAN AREA. *Water Air Soil Pollut* 43: 1-2.
- Paoletti, L; Martinelli, C; Camilucci, L; Fornaciai, G. (1996). [The determination of asbestos fiber concentration by scanning electron microscopy: a comparison of the results obtained by different laboratories]. *Med Lav* 87: 386-393.
- Paoletti, L; Puledda, S. (1992). An approach to the classification and assessment of asbestos-containing wastes - Description of a survey conducted in an industrial area. 83: 371-380.
- Paoletti, L; Puledda, S. (1994). [Quantitative determination of asbestos in bulk samples]. *Ann Ist Super Sanita* 30: 213-221.
- Paoletti, L; Puledda, S; Ferdinandi, M. (1999). [The comminution of fibrous and prismatic tremolites: the effect on the diffractometric response]. *Ann Ist Super Sanita* 35: 443-447.
- Paoletti, P; Pistelli, G; Fazzi, P; Viegi, G; Di Pede, F; Giuliano, G; Prediletto, R; Carrozzi, L; Polato, R; Saetta, M; Zambon, R; Sapigni, T; Lebowitz, MD; Giuntini, C. (1986). Reference values for vital capacity and flow-volume curves from a general population study. *Eur Respir J* 22: 451-459.
- Paoletti, P; Viegi, G; Pistelli, G; Di Pede, F; Fazzi, P; Polato, R; Saetta, M; Zambon, R; Carli, G; Giuntini, C. (1985). Reference equations for the single-breath diffusing capacity: A cross-sectional analysis and effect of body size and age. *Am Rev Respir Dis* 132: 806-813.

Human Health Hazard Literature Search Results

Off Topic

- Paolillo, S; Farina, S; Bussotti, M; Iorio, A; Filardi, PP; Piepoli, MF; Agostoni, P. (2012). Exercise testing in the clinical management of patients affected by pulmonary arterial hypertension. *European Journal of Preventive Cardiology* 19: 960-971. <http://dx.doi.org/10.1177/1741826711426635>.
- Paolini, M; Abdel-Rahman, SZ; Cantelli-Forti, G; Legator, MS. (2001). Chemoprevention or anticemoprevention? A salutary warning From the beta-carotene experience [Letter]. *J Natl Cancer Inst* 93: 1110-1111.
- Papaioannou, D; Cooper, KL; Carroll, C; Hind, D; Squires, H; Tappenden, P; Logan, RF. (2011). Antioxidants in the chemoprevention of colorectal cancer and colorectal adenomas in the general population: a systematic review and meta-analysis [Review]. *Colorectal Disease Online* 13: 1085-1099. <http://dx.doi.org/10.1111/j.1463-1318.2010.02289.x>.
- Papi, M; Genestreti, G; Tassinari, D; Lorenzini, P; Serra, S; Ricci, M; Pasquini, E; Nicolini, M; Pasini, G; Tamburini, E; Fattori, PP; Ravaioli, A. (2005). Malignant pericardial mesothelioma. Report of two cases, review of the literature and differential diagnosis. *Tumori* 91: 276-279.
- Papp, T; Schipper, H; Pemsel, H; Bastrop, R; Muller, KM; Wiethage, T; Weiss, DG; Dopp, E; Schiffmann, D; Rahman, Q. (2001). Mutational analysis of N-ras, p53, p16(INK4a), p14(ARF) and CDK4 genes in primary human malignant mesotheliomas. *Int J Oncol* 18: 425-433.
- Paradis, G. (2010). Ban all production and export of chrysotile asbestos [Editorial]. *Can J Public Health* 101: 352.
- Paradis, G. (2010). Exporting death made in Quebec [Editorial]. *Can J Public Health* 101: 112.
- Paradis, G. (2012). Asbestos: avoiding a pyrrhic victory [Editorial]. *Can J Public Health* 103: e321.
- Paraeha, UZ; Hayat, K; Ali, M; Qadir, MI. (2015). New diagnostic and therapeutic avenues for mesothelioma. *Pak J Pharm Sci* 28: 1425-1432.
- Parekh, PP; Janulis, RJ; Webber, JS; Semkow, TM. (1992). Quantitation of asbestos in synthetic mixtures using instrumental neutron activation analysis. *Anal Chem* 64: 320-325.
- Parent, ME; Hua, Y; Siemiatycki, J. (2000). Occupational risk factors for renal cell carcinoma in Montreal. *Am J Ind Med* 38: 609-618.
- Parent, ME; Siemiatycki, J; Laplante, E; Desy, M. (2003). Risk of lung cancer and mesothelioma associated with occupational exposure to asbestos: A population-based case-control study in Montreal, Canada. *Epidemiology* 14: S69-S70.
- Parente, B. (2008). Mesothelioma treatment [Review]. *Rev Port Pneumol* 14 Suppl 2: S35-S44. [http://dx.doi.org/10.1016/S0873-2159\(15\)30313-5](http://dx.doi.org/10.1016/S0873-2159(15)30313-5).
- Parfett, CL; Marquardt, T; Pilon, R. (2000). Promotion of morphological transformation by Di-n-butyltin dichloride in C3H/10T1/2 cells: prediction by prior expression of tumour promoter-responsive genes. *Food Chem Toxicol* 38: 339-349.
- Paris, C; Clement-Duchene, C; Vignaud, JM; Gislard, A; Stoufflet, A; Bertrand, O; Thiberville, L; Grosdidier, G; Martinet, Y; Benichou, J; Hainaut, P. (2010). Relationships between lung adenocarcinoma and gender, age, smoking and occupational risk factors: A case-case study. *Lung Cancer* 68: 146-153. <http://dx.doi.org/10.1016/j.lungcan.2009.06.007>.
- Paris, C; Gonzalez, M. (2010). Epidemiology and traceability of occupational exposures to carcinogens. *Arch Mal Prof Environ* 71: 242-247. <http://dx.doi.org/10.1016/j.admp.2010.03.062>.
- Paris, C; Letourneux, M; Catilina, P; Frimat, P; Sobaszek, A; Boutin, C. (1999). [Prevention programs for people exposed to asbestos: results of the ongoing activities] [Review]. *Rev Mal Respir* 16: 1332-1349.
- Paris, C; Maurel, M; Luc, A; Stoufflet, A; Pairon, JC; Letourneux, M. (2010). CT scan screening is associated with increased distress among subjects of the APExS. *BMC Public Health* 10: 647. <http://dx.doi.org/10.1186/1471-2458-10-647>.
- Paris, C; Pairon, JC; Billon-Galland, MA; Vanoni-Espiand, H; Godbert, B; Martinet, Y; Chabot, F; Aymard, B; Vignaud, JM. (2011). Giant Cell Interstitial Pneumonia: Report of Two Cases with High Titanium Concentration in the Lung. *Am J Respir Crit Care Med* 184: 1215-1317.
- Park, D. (2008). Trends in occupational asbestos exposure and asbestos consumption over recent decades in Korea (vol 14, pg 18, 2008). *Int J Occup Environ Health* 14: 93-93.
- Park, D; Choi, S; Ryu, K; Park, J; Paik, N. (2008). Trends in occupational asbestos exposure and asbestos consumption over recent decades in Korea. *Int J Occup Environ Health* 14: 18-24. <http://dx.doi.org/10.1179/oeh.2008.14.1.18>.
- Park, EJ; Roh, J; Kim, SN; Kang, MS; Han, YA; Kim, Y; Hong, JT; Choi, K. (2011). A single intratracheal instillation of single-walled carbon nanotubes induced early lung fibrosis and subchronic tissue damage in mice. *Arch Toxicol* 85: 1121-1131. <http://dx.doi.org/10.1007/s00204-011-0655-8>.
- Park, EK; Takahashi, K; Hoshuyama, T; Cheng, TJ; Delgermaa, V; Le, GV; Sorahan, T. (2011). Global magnitude of reported and unreported mesothelioma. *Environ Health Perspect* 119: 514-518. <http://dx.doi.org/10.1289/ehp.1002845>.
- Park, EK; Takahashi, K; Jiang, Y; Movahed, M; Kameda, T. (2012). Elimination of asbestos use and asbestos-related diseases: an unfinished story [Review]. *Cancer Sci* 103: 1751-1755. <http://dx.doi.org/10.1111/j.1349-7006.2012.02366.x>.
- Park, EK; Thomas, PS; Yates, DH. (2010). Biomarkers for early detection of mesothelioma in asbestos-exposed subjects [Letter]. *Clin Chem Lab Med* 48: 1673-1674. <http://dx.doi.org/10.1515/CCLM.2010.306>.
- Park, EK; Yates, DH; Hyland, RA; Johnson, AR. (2013). Asbestos exposure during home renovation in New South Wales. *Med J Aust* 199: 410-413. <http://dx.doi.org/10.5694/mja12.11802>.
- Park, J; Hisanaga, N; Kim, Y. (2009). Transfer of occupational health problems from a developed to a developing country: Lessons from the Japan-South Korea experience. *Am J Ind Med* 52: 625-632. <http://dx.doi.org/10.1002/ajim.2072>.
- Park, SD; Sohn, TJ. (1980). The alveolar lining layer of lungs in experimental asbestosis observed by periodic acid methenamine silver stain (pp. 141-144). (HEEP/81/08753). Park, SD; Sohn, TJ.
- Park, SH; Aust, A. (2003). Activation of non-receptorTyrosine kinases, pp60(src) and pp125(FAK), in crocidolite-treated human lung epithelial cells. *FASEB J* 17: A1324-A1324.
- Parker, C; Neville, E. (2003). Lung cancer center dot 8: Management of malignant mesothelioma. *Thorax* 58: 809-813.
- Parker, DL; Bender, AP; Barklind, A. (1990). Public Health Implications of the Variability in the Interpretation of "B" Readings (pp. 844-846). (ISSN 0007-4861 EISSN 1432-0800 NIOSH/00198429). Parker, DL; Bender, AP; Barklind, A.

Human Health Hazard Literature Search Results

Off Topic

- Parker, GE. (1982). OCCUPATIONAL-DISEASE - THE ASBESTOS EXPERIENCE. 68: 19-&.
- Parker, JE. (1997). Radiological Criteria: The Use of Chest Imaging Techniques in Asbestos-Related Diseases (pp. 28-40). (NIOSH/00240962). Parker, JE.
- Parkes, WR. (1994). Appendices (pp. 839-874). (NIOSH/00229968). Parkes, WR.
- Parkes, WR. (1994). An Approach to the Differential Diagnosis of Asbestosis and Non-occupational Diffuse Interstitial Pulmonary Fibrosis (pp. 505-535). (NIOSH/00228503). Parkes, WR.
- Parkin, DM; Vizcaino, AP; Skinner, MEG; Ndhlovu, A. (1994). CANCER PATTERNS AND RISK-FACTORS IN THE AFRICAN POPULATION OF SOUTHWESTERN ZIMBABWE, 1963-1977. *Cancer Epidemiol Biomarkers Prev* 3: 537-547.
- Parkinson, DK. (1981). ASBESTOS WORKERS AND LUNG-CANCER - REPLY. *Am J Public Health* 71: 1409-1409.
- Parkinson, G. (1986). MAKERS OF GASKETS, PACKING, TRY ASBESTOS REPLACEMENTS. *Chem Eng* 93: 23-&.
- Parkinson, G; Skole, R; et al. (1986). ASBESTOS USERS STEP UP SEARCH FOR SUBSTITUTES (pp. 18-20; 1986). (HMTC/86/0004328). Parkinson, G; Skole, R; Et al.
- Parloff, R. (2002). The \$200 billion miscarriage of justice. *Fortune* 145: 154-158, 162, 164 passim.
- Parmentier, CJ; Gill, GJ. (1978). Practical Aspects Of Talc And Asbestos (pp. Definitions and Measurement Methods). (NIOSH/00145893). Parmentier, CJ; Gill, GJ.
- Parnell, AH. (1986). Perspectives in the development of asbestos litigation and its future implications. *Am Ind Hyg Assoc J* 47: 708-711. <http://dx.doi.org/10.1080/15298668691390520>.
- Parrish, RG; Hartle, R; Groth, D. (1985). Health Hazard Evaluation Report No. HETA-83-044-1596, General Electric Plant, Evendale, Ohio (pp. 83-044). (NIOSH/00153673). Parrish, RG; Hartle, R; Groth, D.
- Parrotta, MJ. (1991). Radioactivity in water treatment wastes: A USEPA perspective (pp. 134-140). (BIOSIS/91/16386). Parrotta, MJ.
- Parry, WT. (1983). Characterization of Minerals in Human Health Studies (pp. 13-33). (NIOSH/00213846). Parry, WT.
- Parsons, RC; Bryant, DG; Edstrom, HW. (1986). Variation in fibre and dust counts in an asbestos mine and mill. *Ann Occup Hyg* 30: 63-75.
- Parsons, TJ. (1900). Establishment of a Construction Safety Research Plan for NIOSH. (NIOSH/00185295). Parsons, TJ.
- Partanen, T; Heikkila, P; Hernberg, S; Kauppinen, T; Moneta, G; Ojajarvi, A. (1991). Renal cell cancer and occupational exposure to chemical agents. *Scand J Work Environ Health* 17: 231-239.
- Pascolo, L; Gianoncelli, A; Kaulich, B; Rizzardi, C; Schneider, M; Bottin, C; Polentarutti, M; Kiskinova, M; Longoni, A; Melato, M. (2011). Synchrotron soft X-ray imaging and fluorescence microscopy reveal novel features of asbestos body morphology and composition in human lung tissues. *Part Fibre Toxicol* 8: 7. <http://dx.doi.org/10.1186/1743-8977-8-7>.
- Pascolo, L; Gianoncelli, A; Rizzardi, C; de Jonge, M; Howard, D; Paterson, D; Cammisuli, F; Salomé, M; De Paoli, P; Melato, M; Canzonieri, V. (2016). Focused X-Ray Histological Analyses to Reveal Asbestos Fibers and Bodies in Lungs and Pleura of Asbestos-Exposed Subjects. 22: 1062-1071. <http://dx.doi.org/10.1017/S1431927616011685>.
- Pascolo, L; Gianoncelli, A; Schneider, G; Salomé, M; Schneider, M; Calligaro, C; Kiskinova, M; Melato, M; Rizzardi, C. (2013). The interaction of asbestos and iron in lung tissue revealed by synchrotron-based scanning X-ray microscopy. *Sci Rep* 3: 1123. <http://dx.doi.org/10.1038/srep01123>.
- Pascual, D; Borque, A. (2008). Epidemiology of kidney cancer. *Advances in Urology* 78:2381. <http://dx.doi.org/10.1155/2008/782381>.
- Pascual, M. (2011). [What counselling to give to workers occupationally exposed to asbestos?] [Review]. *Rev Mal Respir* 28: 995-999. <http://dx.doi.org/10.1016/j.rmr.2010.08.019>.
- Pasello, G; Ceresoli, GL; Favaretto, A. (2013). An overview of neoadjuvant chemotherapy in the multimodality treatment of malignant pleural mesothelioma [Review]. *Cancer Treat Rev* 39: 10-17. <http://dx.doi.org/10.1016/j.ctrv.2012.03.001>.
- Pasello, G; Favaretto, A. (2009). Molecular targets in malignant pleural mesothelioma treatment [Review]. *Curr Drug Targets* 10: 1235-1244.
- Pasetto, R; Biggeri, A; Comba, P; Pirastu, R. (2007). Mortality in the cohort of workers of the petrochemical plant in Gela (Sicily) 1960-2002. *Epidemiol Prev* 31: 39-45.
- Pasiechnik, D; Ziegler, D. (2014). THE POWER OF EMPATHY IN ADVOCATING FOR CANCER CONTROL POLICY: COMBINING EVIDENCE AND A PERSONAL CANCER STORY TO MOTIVATE STAKEHOLDERS TO ADVOCATE FOR THE FIRST ASBESTOS REGISTRY IN CANADA. *Asia Pacific Journal of Clinical Oncology* 10: 22-22.
- Paskal, SS. (2004). Environmental and occupational health hazards associated with the presence of asbestos in brake linings and pads (1900 to present): A "state-of-the-art" review [Letter]. *J Toxicol Environ Health B Crit Rev* 7: 481-482; author reply 482-483. <http://dx.doi.org/10.1080/10937400490512519>.
- Pasquali, MAB; Gelain, DP; Oliveira, MR; Behr, GA; Motta, LL; Rocha, RF; Klamt, F; Moreira, JCF. (2009). VITAMIN A SUPPLEMENTATION INDUCES OXIDATIVE STRESS AND DECREASES THE IMMUNOCONTENT OF CATALASE AND SUPEROXIDE DISMUTASE IN RAT LUNGS. *Exp Lung Res* 35: 427-438. <http://dx.doi.org/10.1080/01902140902747436>.
- Pasquier, LC; Mercier, G; Blais, JF; Cecchi, E; Kentish, S. (2014). Reaction mechanism for the aqueous-phase mineral carbonation of heat-activated serpentine at low temperatures and pressures in flue gas conditions. *Environ Sci Technol* 48: 5163-5170. <http://dx.doi.org/10.1021/es405449v>.
- Pass, H; Huflejt, M. (2015). Immune Diagnostic Signatures and Therapeutic Targets of Mesothelioma.
- Pass, HI. (2006). Clinical core.
- Pass, HI. (2007). Clinical core.
- Pass, HI. (2008). American/Australian Mesothelioma Consortium.
- Pass, HI. (2008). Clinical core.
- Pass, HI. (2009). Clinical core.

Human Health Hazard Literature Search Results

Off Topic

- Pass, HI. (2010). Clinical core.
- Pass, HI. (2015). Case 1: A 70 Year Old with a Biphasic Stage I MPM. *J Thorac Oncol* 10: S162-S163.
- Pass, HI; Carbone, M. (2009). Current status of screening for malignant pleural mesothelioma [Review]. *Semin Thorac Cardiovasc Surg* 21: 97-104. <http://dx.doi.org/10.1053/j.semtcvs.2009.06.007>.
- Pass, HI; Carbone, M; Wali, A. (2006). Asbestos exposure and serum osteopontin - Reply. *N Engl J Med* 354: 305-305.
- Pass, HI; Goparaju, C. (2013). Fibulin-3 as a biomarker for pleural mesothelioma [Letter]. *N Engl J Med* 368: 190. <http://dx.doi.org/10.1056/NEJMc1213514>.
- Pass, HI; Goparaju, C; Ivanov, S; Donington, J; Carbone, M; Hoshen, M; Cohen, D; Chajut, A; Rosenwald, S; Dan, H; Benjamin, S; Aharonov, R. (2010). hsa-miR-29c* is linked to the prognosis of malignant pleural mesothelioma. *Cancer Res* 70: 1916-1924. <http://dx.doi.org/10.1158/0008-5472.CAN-09-3993>.
- Pass, HI; Levin, SM; Harbut, MR; Melamed, J; Chiriboga, L; Donington, J; Huflejt, M; Carbone, M; Chia, D; Goodglick, L; Goodman, GE; Thornquist, MD; Liu, G; de Perrot, M; Tsao, MS; Goparaju, C. (2012). Fibulin-3 as a blood and effusion biomarker for pleural mesothelioma. *N Engl J Med* 367: 1417-1427. <http://dx.doi.org/10.1056/NEJMoa1115050>.
- Pass, HI; Lott, D; Lonardo, F; Harbut, M; Liu, Z; Tang, N; Carbone, M; Webb, C; Wali, A. (2005). Asbestos exposure, pleural mesothelioma, and serum osteopontin levels. *N Engl J Med* 353: 1564-1573. <http://dx.doi.org/10.1056/NEJMoa051185>.
- Pass, HI; Vogelzang, N; Hahn, S; Carbone, M. (2004). Malignant pleural mesothelioma [Review]. *Curr Probl Cancer* 28: 93-174. <http://dx.doi.org/10.1016/j.currprobcancer.2004.04.001>.
- Passos, F; Maria, L. (2012). In vitro cultivation of *Anaplasma marginale* and *A. phagocytophilum* in tick cell lines: a review. *Rev Bras Parasitol Vet* 21: 81-86.
- Pastuszka, JS. (2009). Emission of airborne fibers from mechanically impacted asbestos-cement sheets and concentration of fibrous aerosol in the home environment in Upper Silesia, Poland. *J Hazard Mater* 162: 1171-1177. <http://dx.doi.org/10.1016/j.jhazmat.2008.06.045>.
- Pastuszka, JS; Kabala-Dzik, A; Paw, KT. (1999). A study of fibrous aerosols in the home environment in Sosnowiec, Poland. *Sci Total Environ* 229: 131-136.
- Patel, HJ; Kwon, S. (2013). Length-dependent effect of single-walled carbon nanotube exposure in a dynamic cell growth environment of human alveolar epithelial cells. *J Expo Sci Environ Epidemiol* 23: 101-108. <http://dx.doi.org/10.1038/jes.2012.75>.
- Patel, J; Sheppard, MN. (2011). Primary malignant mesothelioma of the pericardium. *Cardiovasc Pathol* 20: 107-109. <http://dx.doi.org/10.1016/j.carpath.2010.01.005>.
- Patel, N; Bishay, A; Bakry, M; George, L; Saleh, A. (2007). Dyspnea with slow-growing mass of the left hemithorax. *Chest* 131: 904-908. <http://dx.doi.org/10.1378/chest.06-0485>.
- Patel, SC; Dowell, JE. (2016). Modern management of malignant pleural mesothelioma [Review]. 7: 63-72. <http://dx.doi.org/10.2147/LCTT.S83338>.
- Patel, T. (2014). New insights into the molecular pathogenesis of intrahepatic cholangiocarcinoma [Review]. *J Gastroenterol* 49: 165-172. <http://dx.doi.org/10.1007/s00535-013-0894-y>.
- Patel, TV; Kumar, S; Singh, AK. (2007). Post-renal acute renal failure. *Kidney Int* 72: 890-894. <http://dx.doi.org/10.1038/sj.ki.5002301>.
- Patellos, MC; Garabrant, DH. (1994). Occupational Cancer. *Primary Care* 21: 329-347.
- Patelmandlik, KJ; Manos, CG; Jahnsen, KEB; Norton, VL; Lisk, DJ. (1994). PREVALENCE OF ASBESTOS IN SLUDGES FROM 16 SEWAGE PLANTS IN LARGE AMERICAN CITIES IN 1993. *Chemosphere* 29: 1369-1372.
- Patelmandlik, KJ; Manos, CG; Lisk, DJ. (1988). ABSENCE OF ASBESTOS IN MUNICIPAL SEWAGE-SLUDGE ASHES. *Bull Environ Contam Toxicol* 40: 703-706.
- Patelmandlik, KJ; Manos, CG; Lisk, DJ. (1988). ANALYSIS OF MUNICIPAL REFUSE INCINERATOR ASHES FOR ASBESTOS. *Bull Environ Contam Toxicol* 41: 844-846.
- Patel-Mandlik, KJ; Manos, CG; Lisk, DJ. (1988). IDENTIFICATION OF ASBESTOS AND GLASS FIBERS IN SEWAGE SLUDGES OF SMALL NEW YORK STATE CITIES USA. *Chemosphere* 17: 1025-1032.
- Patergnani, S; Giorgi, C; Maniero, S; Missiroli, S; Maniscalco, P, io; Bononi, I; Martini, F; Cavallesco, G; Tognon, M; Pinton, P. (2015). The endoplasmic reticulum mitochondrial calcium cross talk is downregulated in malignant pleural mesothelioma cells and plays a critical role in apoptosis inhibition. *Onco* 6: 23427-23444. <http://dx.doi.org/10.18632/oncotarget.4370>.
- Pathak, B; Sebastien, P. (1985). SURFACE CHARACTERIZATION OF CHRYSOTILE ASBESTOS BY X-RAY PHOTOELECTRON SPECTROSCOPY AND SCANNING AUGER SPECTROSCOPY (pp. 1-6). (BIOSIS/86/14308). Pathak, B; Sebastien, P.
- Patrick, G; Rood, AP; Hoskins, JA; Mongan, LC; Houghton, CE; Jones, T; Dinsdale, D. (2001). A novel synthetic erionite fibre radiolabelled with Co-57. *Ann Occup Hyg* 45: 365-370.
- Patrick, JM. (1981). SMOKING, COAL, ASBESTOS, AND THE LUNGS. *Br Med J* 283: 675-675.
- Patrone, LM; Ferriola, PC. (1996). MINERAL FIBER EFFECTS ON FIBRONECTIN EXPRESSION AND ORGANIZATION IN AIRWAY EPITHELIAL AND PLEURAL MESOTHELIAL CELLS (pp. 20-24). (BIOSIS/96/18819). Patrone, LM; Ferriola, PC.
- Patsios, D; Bayanati, H; Johnston, M; Paul, N; Roberts, H. (2006). Low-dose computed tomography in workers previously exposed to asbestos: Detection of parenchymal lung disease. *Lung Cancer* 54: S38-S38.
- Patterson, EI; Dergousoff, SJ; Chilton, NB. (2009). Genetic variation in the 16S mitochondrial DNA gene of two Canadian populations of *Dermacentor andersoni* (Acari: Ixodidae). *J Med Entomol* 46: 475-481.
- Patterson, WB; Craven, DE; Schwartz, DA; Nardell, EA; Kasmer, J; Noble, J. (1985). Occupational hazards to hospital personnel [Review]. *Ann Intern Med* 102: 658-680.

Human Health Hazard Literature Search Results

Off Topic

- Patz, EF; Shaffer, K; Piwnica-Worms, DR; Jochelson, M; Sarin, M; Sugarbaker, DJ; Pugatch, RD. (1992). Malignant pleural mesothelioma: value of CT and MR imaging in predicting resectability. *AJR Am J Roentgenol* 159: 961-966. <http://dx.doi.org/10.2214/ajr.159.5.1414807>.
- Pauker, SG; Kopelman, RI; Lechan, RM. (1995). DIVERTED BY THE CHIEF COMPLAINT. *N Engl J Med* 333: 45-48.
- Paul, BN; Prakash, A; Kumar, S; Yadav, AK; Mani, U; Saxena, AK; Sahu, AP; Lal, K; Dutta, KK. (2002). Silica induced early fibrogenic reaction in lung of mice ameliorated by *Nyctanthes arbortristis* extract. *Biomed Environ Sci* 15: 215-222.
- Paull, JM; Corn, M; Lees P, SJ; Breyse, PN. (1986). NON-OCCUPATIONAL EXPOSURE TO ASBESTOS IN BUILDINGS A PRACTICAL RISK MANAGEMENT PROGRAM. *Am Ind Hyg Assoc J* 47: 497-504.
- Paulson, GG; Walker, CW; Ferrell, RE. (1974). IDENTIFICATION OF ASBESTOS WITH THE SCANNING ELECTRON MICROSCOPE ENERGY DISPERSIVE X-RAY MICRO PROBE. *Tex Rep Biol Med* 32.
- Pauly, JL; Stegmeier, SJ; Allaart, HA; Cheney, RT; Zhang, PJ; Mayer, AG; Streck, RJ. (1998). Inhaled cellulosic and plastic fibers found in human lung tissue. *Cancer Epidemiol Biomarkers Prev* 7: 419-428.
- Paustenbach, DJ. (2006). Scientific method questioned [Letter]. *Int J Occup Environ Health* 12: 290-292; author reply 292-293. <http://dx.doi.org/10.1179/oeh.2006.12.3.290>.
- Paustenbach, DJ; Finley, BL; Lu, ET; Brorby, GP; Sheehan, PJ. (2004). Environmental and occupational health hazards associated with the presence of asbestos in brake linings and pads (1900 to present): a "state-of-the-art" review [Review]. *J Toxicol Environ Health B Crit Rev* 7: 25-80. <http://dx.doi.org/10.1080/10937400490231494>.
- Paustenbach, DJ; Finley, BL; Sheehan, PJ; Brorby, GP. (2006). Re: Evaluation of the size and type of free particulates collected from unused asbestos-containing brake components as related to potential for respirability [Letter]. *Am J Ind Med* 49: 60-61; author reply 62-64. <http://dx.doi.org/10.1002/ajim.20236>.
- Paustenbach, DJ; Madl, AK; Donovan, E; Clark, K; Fehling, K; Lee, TC. (2006). Chrysotile asbestos exposure associated with removal of automobile exhaust systems (ca. 1945-1975) by mechanics: results of a simulation study. *J Expo Sci Environ Epidemiol* 16: 156-171. <http://dx.doi.org/10.1038/sj.jea.7500450>.
- Paustenbach, DJ; Richter, RO; Finley, BL; Sheehan, PJ. (2003). An evaluation of the historical exposures of mechanics to asbestos in brake dust. *Appl Occup Environ Hyg* 18: 786-804. <http://dx.doi.org/10.1080/10473220301439>.
- Paustenbach, DJ; Sage, A; Bono, M; Mowat, F. (2004). Occupational exposure to airborne asbestos from coatings, mastics, and adhesives. *J Expo Anal Environ Epidemiol* 14: 234-244. <http://dx.doi.org/10.1038/sj.jea.7500320>.
- Paustenbach, DJ; White, KR. (2012). Egilman's assessment regarding exposures of auto mechanics to amphiboles is not accurate [Letter]. *Inhal Toxicol* 24: 609-613; author reply 614-608. <http://dx.doi.org/10.3109/08958378.2012.692126>.
- Pavliko, EN; Roggli, VL. (2015). Sarcomatoid Peritoneal Mesothelioma: Clinicopathologic Correlation of 13 Cases. *Am J Surg Pathol* 39: 1568-1575. <http://dx.doi.org/10.1097/PAS.0000000000000495>.
- Pavliko, EN; Sporn, TA; Roggli, VL. (2011). MALIGNANT (DIFFUSE) MESOTHELIOMA IN WOMEN: A STUDY OF 355 CASES. *J Thorac Oncol* 6: S535-S536.
- Pawełczyk, A; Bożek, F; Grabas, K; Chęćmanowski, J. (2016). Chemical elimination of the harmful properties of asbestos from military facilities. *Waste Manag*. <http://dx.doi.org/10.1016/j.wasman.2016.11.041>.
- Paweletz, N; Schroeter, D. (1987). ON THE ULTRASTRUCTURE OF THE MITOTIC APPARATUS (pp. INCIDENCE AND ETIOLOGY). (BIOSIS/88/05187). Paweletz, N; Schroeter, D.
- Pawlak, AL. (1982). FACTORS AFFECTING BENZO A PYRENE ACTIVATION IN MAMMALIAN CELLS (pp. 24-26). (HEEP/84/05563). Pawlak, AL.
- Payer, M; von Briel, T. (2007). Intradural pleural malignant mesothelioma [Review]. *Acta Neurochir (Wien)* 149: 1053-1056. <http://dx.doi.org/10.1007/s00701-007-1255-5>.
- Payne, J; Pichora, E. (2008). Clarification on mesothelioma rates in Ontario [Letter]. *Int J Occup Environ Health* 14: 157-158. <http://dx.doi.org/10.1179/oeh.2008.14.2.157>.
- Payne, JI; Pichora, E. (2009). Filing for workers' compensation among Ontario cases of mesothelioma. *Can Respir J* 16: 148-152.
- Peacock, C; Copley, SJ; Hansell, DM. (2000). Asbestos-related benign pleural disease [Review]. *Clin Radiol* 55: 422-432. <http://dx.doi.org/10.1053/crad.2000.0450>.
- Pearce, L. (2016). Charity support is making rewarding roles possible. 31: 38-39. <http://dx.doi.org/10.7748/ns.31.1.38.s41>.
- Pearce, N. (1989). Analytical implications of epidemiological concepts of interaction. *Int J Epidemiol* 18: 976-980.
- Pearce, N; Checkoway, H; Dement, J. (1989). DESIGN AND CONDUCT OF OCCUPATIONAL EPIDEMIOLOGY STUDIES III. DESIGN ASPECTS OF CASE-CONTROL STUDIES. *Am J Ind Med* 15: 395-402.
- Pearce, N; Matos, E; Boffetta, P; Kogevinas, M; Vainio, H. (1994). Occupational Exposures to Carcinogens in Developing Countries (pp. 684-689). (NIOSH/00225268). Pearce, N; Matos, E; Boffetta, P; Kogevinas, M; Vainio, H.
- Pearson, MG; Taylor, KJ; Earis, JE. (1988). DIFFERENCES IN THE SUBDIVISIONS OF GAS TRANSFER FACTOR BETWEEN CRYPTOGENIC FIBROSING ALVEOLITIS AND ASBESTOSIS (pp. 8-11). (BIOSIS/88/23628). Pearson, MG; Taylor, KJ; Earis, JE.
- Pearson, VAH; Sims, PA. (1992). AN ASBESTOS HAZARD IN NORTH DEVON. *J Publ Health Med* 14: 376-379.
- Pearson, WL. (1985). CEMENT ASBESTOS AND OCCUPATIONAL-HEALTH. 31: 13-14.
- Peck, AS; Serocki, JJ; Dicker, LC. (1985). AIRBORNE ASBESTOS MEASUREMENT - PRELIMINARY FINDINGS IDENTIFY A NEW SOURCE OF VARIABILITY IN THE MEMBRANE-FILTER METHOD. *Am Ind Hyg Assoc J* 46: B14-B16.
- Pedersen, JT. (1988). WORK-RELATED DISEASES OF THE LUNGS AND PLEURAE (pp. 1259-1260). (BIOSIS/88/29649). Pedersen, JT.
- Peeters, PM; Eurlings, IMJ; Perkins, TN; Wouters, EF; Schins, RPF; Borm, PJA; Drommer, W; Reynaert, NL; Albrecht, C. (2014). Silica-induced NLRP3 inflammasome activation in vitro and in rat lungs. *Part Fibre Toxicol* 11: 58. <http://dx.doi.org/10.1186/s12989-014-0058-0>.

Human Health Hazard Literature Search Results

Off Topic

- Pei, XH; Nakanishi, Y; Inoue, H; Takayama, K; Bai, F; Hara, N. (2002). Polycyclic aromatic hydrocarbons induce IL-8 expression through nuclear factor kappaB activation in A549 cell line. *Cytokine* 19: 236-241. <http://dx.doi.org/10.1006/cyto.2002.1967>.
- Pelclová, D; Fenclová, Z; Syslová, K; Vlčková, S; Lebedová, J; Pecha, O; Běláček, J; Navrátil, T; Kuzma, M; Kačer, P. (2011). Oxidative stress markers in exhaled breath condensate in lung fibroses are not significantly affected by systemic diseases. *Ind Health* 49: 746-754.
- Pelcova, D; Navratil, T; Fenclova, Z; Vlckova, S; Kupka, K; Urban, P; Ridzon, P; Zikan, V; Landova, L; Syslova, K; Kuzma, M; Kacer, P. (2011). Increased oxidative/nitrosative stress markers measured non-invasively in patients with high 2,3,7,8-tetrachloro-dibenzo-p-dioxin plasma level. *Neuro Endocrinol Lett* 32 Suppl 1: 71-76.
- Pelcova, D; Zdimal, V; Fenclova, Z; Vlckova, S; Turci, F; Corazzari, I; Kacer, P; Schwarz, J; Zikova, N; Makes, O; Syslova, K; Komarc, M; Belacek, J; Navratil, T; Machajova, M; Zakharov, S. (2016). Markers of oxidative damage of nucleic acids and proteins among workers exposed to TiO2 (nano) particles. *Occup Environ Med* 73: 110-118. <http://dx.doi.org/10.1136/oemed-2015-103161>.
- Pelin, K; Hirvonen, A; Linnainmaa, K. (1994). EXPRESSION OF CELL-ADHESION MOLECULES AND CONNEXINS IN GAP JUNCTIONAL INTERCELLULAR COMMUNICATION DEFICIENT HUMAN MESOTHELIOMA TUMOR-CELL LINES AND COMMUNICATION COMPETENT PRIMARY MESOTHELIAL CELLS. *Carcinogenesis* 15: 2673-2675.
- Péllissier, C; Dutertre, V; Fournel, P; Gendre, I; Michel Vergnon, J; Kalecinski, J; Tinquaut, F; Fontana, L; Chauvin, F. (2017). Design and validation of a self-administered questionnaire as an aid to detection of occupational exposure to lung carcinogens. *Public Health* 143: 44-51. <http://dx.doi.org/10.1016/j.puhe.2016.10.026>.
- Pellegrini, L; Xue, J; Larson, D; Pastorino, S; Jube, S; Forest, KH; Saad-Jube, ZS; Napolitano, A; Pagano, I; Negi, VS; Bianchi, ME; Morris, P; Pass, HI; Gaudino, G; Carbone, M; Yang, H. (2017). HMGB1 targeting by ethyl pyruvate suppresses malignant phenotype of human mesothelioma. *Onct*. <http://dx.doi.org/10.18632/oncotarget.15152>.
- Pelley, J. (2005). Mine tailings soak up greenhouse gas. *Environ Sci Technol* 39: 60A.
- Pellice VILALTA, C; Cosme GIMENEZ, M; Casalots SERRAMIA, J. (1996). Tumors of the tunica vaginalis testis: Report of 5 cases (3 mesothelial and 2 fibrous pseudotumors). *Arch Esp Urol* 49: 12-16.
- Pelnar, PV. (1988). Further Evidence of Nonasbestos-Related Mesothelioma. A Review of the Literature (pp. 141-144). (NIOSH/00182375). Pelnar, PV.
- Pelosi, G; Zannoni, M; Caprioli, F; Faccincani, L; Battistoni, MG; Balercia, G; Bontempini, L. (1991). BENIGN MULTICYSTIC MESOTHELIAL PROLIFERATION OF THE PERITONEUM - IMMUNOHISTOCHEMICAL AND ELECTRON-MICROSCOPIC STUDY OF A CASE AND REVIEW OF THE LITERATURE. *Histol Histopathol* 6: 575-583.
- Pelucchi, C; Malvezzi, M; La Vecchia, C; Levi, F; Decarli, A; Negri, E. (2004). The Mesothelioma epidemic in Western Europe: an update. *Br J Cancer* 90: 1022-1024. <http://dx.doi.org/10.1038/sj.bjc.6601638>.
- Pene, P; Masse, R. (2009). Health effects of outdoor and indoor air pollution. *Bull Acad Natl Med* 193: 1387-1415.
- Penning, TM. (2014). Core E - Inter-disciplinary Training Core.
- Penning, TM. (2015). Center of excellence in environmental toxicology.
- Penning, TM. (2015). Core E - Inter-disciplinary Training Core.
- Pennucci, MC; Ardizzoni, A; Pronzato, P; Fioretti, M; Lanfranco, C; Verna, A; Giorgi, G; Vignani, A; Frola, C; Rosso, R. (1997). Combined cisplatin, doxorubicin, and mitomycin for the treatment of advanced pleural mesothelioma: a phase II FONICAP trial. Italian Lung Cancer Task Force. *Cancer* 79: 1897-1902. [http://dx.doi.org/10.1002/\(SICI\)1097-0142\(19970515\)79:10<1897::AID-CNCR9>3.0.CO;2-D](http://dx.doi.org/10.1002/(SICI)1097-0142(19970515)79:10<1897::AID-CNCR9>3.0.CO;2-D).
- Pepelko, WE. (1991). Effect of exposure route on potency of carcinogens. *Regul Toxicol Pharmacol* 13: 3-17. [http://dx.doi.org/10.1016/0273-2300\(91\)90038-W](http://dx.doi.org/10.1016/0273-2300(91)90038-W).
- Pepelko, WE. (1996). Evaluation of the Carcinogenic Risk of Biochemically Inert Insoluble Particles by the EPA Using Rat Inhalation Data. *Inhal Toxicol* 8: 169-180.
- Pepelko, WE. (1996). Evaluation of the carcinogenic risk of biochemically inert insoluble particles by the EPAa using rat inhalation data. *Part Sci Technol* 14: 123-134.
- Pepino, R. (2014). Core C - Research Translation Core.
- Pepino, R. (2015). Core C - Research Translation Core.
- Perdrix, A; Yernault, JC. (1999). Asbestos exposure: pulmonary function tests as tool for early detection and follow-up [Review]. *Rev Mal Respir* 16: 1203-1211.
- Perera, F. (1987). MOLECULAR EPIDEMIOLOGY A NOVEL APPROACH TO THE INVESTIGATION OF POLLUTANT-RELATED CHRONIC DISEASE. (BIOSIS/88/30718). Perera, F.
- Perera, F; Boffetta, P. (1988). PERSPECTIVES ON COMPARING RISKS OF ENVIRONMENTAL CARCINOGENS. *J Natl Cancer Inst BETHESDA*: 1282-1293.
- Perera, FP. (1991). PERSPECTIVES ON THE RISK ASSESSMENT FOR NONGENOTOXIC CARCINOGENS AND TUMOR PROMOTERS. *Environ Health Perspect* 94: 231-236.
- Peretz, A; Checkoway, H; Kaufman, JD; Trajber, I; Lerman, Y. (2006). Silica, silicosis, and lung cancer. *Isr Med Assoc J* 8: 114-118.
- Perez-Ordóñez, B; Srigley, JR. (2000). Mesothelial lesions of the paratesticular region [Review]. *Semin Diagn Pathol* 17: 294-306.
- Perkins, JL; Cutter, GN; Cleveland, MS. (1990). Estimating the mean, variance, and confidence limits from censored (less than limit of detection), lognormally/distributed exposure data. *Am Ind Hyg Assoc J* 51: 416-419.
- Perkins, RA; Hargesheimer, J; Fourie, W. (2007). Asbestos release from whole-building demolition of buildings with asbestos-containing material. *J Occup Environ Hyg* 4: 889-894. <http://dx.doi.org/10.1080/15459620701691023>.
- Perkins, RA; Hargesheimer, J; Vaara, L. (2008). Evaluation of public and worker exposure due to naturally occurring asbestos in gravel discovered during a road construction project. *J Occup Environ Hyg* 5: 609-616. <http://dx.doi.org/10.1080/15459620802289941>.

Human Health Hazard Literature Search Results

Off Topic

- Perkins, RA; Hargesheimer, J; Winterfeld, A. (2009). Naturally Occurring Asbestos in Alaska and Experiences and Policy of Other States Regarding Its Use. 80.
- Perkins, RC; Hamilton, R; Scheule, RK; Holian, A. (1991). FIBROGENIC PARTICULATE STIMULATION OF CYTOKINE RELEASE BY THE HUMAN ALVEOLAR MACROPHAGE (pp. 12-15). (BIOSIS/91/23360). Perkins, RC; Hamilton, R; Scheule, RK; Holian, A.
- Perkins, RL. (1990). Point-counting technique for friable asbestos-containing materials. *Microscope* 38: 27-39.
- Perkins, RL; Harvey, BW. (1993). Method for the Determination of Asbestos in Bulk Building Materials. (Test Method). 112.
- Pernis, B; Vigliani, EC. (1982). The role of macrophages and immunocytes in the pathogenesis of pulmonary diseases due to mineral dusts. *Am J Ind Med* 3: 133-137.
- Perr, IN. (1992). Asbestos exposure and psychic injury--a review of 48 claims. 20: 383-393.
- Perr, IN. (1993). Asbestos exposure and posttraumatic stress disorder. 21: 331-344.
- Perr, IN. (1994). Asbestos exposure and cancerphobia. *J Forensic Sci* 39: 808-814.
- Perrolle, JA. (1993). REPRODUCTIVE HAZARDS A MODEL PROTECTION POLICY FOR THE CHEMICAL INDUSTRY. *Occup Med (Lond) PHILADELPHIA*: 755-786.
- Pershagen, G. (1990). Air pollution and cancer (IARC Scientific Publications No. 104 ed.). Lyon, France: International Agency for Research on Cancer.
- Pershhouse, M; Heivly, S; Girtsman, T. (2006). The role of SV40 in malignant mesothelioma and other human malignancies [Review]. *Inhal Toxicol* 18: 995-1000. <http://dx.doi.org/10.1080/08958370600835377>.
- Perunicic, B; Jablanov, L. (1987). AIRBORNE DUST LEVELS IN AN ASBESTOS PLANT USING CHRYSOTILE RESULTS OF SIMULTANEOUS MEASUREMENTS WITH FOUR METHODS (pp. 323-330). (BIOSIS/88/35152). Perunicic, B; Jablanov, L.
- Perysinakis, I; Nixon, AM; Spyridakis, I; Kakiopoulos, G; Zorzos, C; Margaris, I. (2014). Primary intrahepatic malignant epithelioid mesothelioma. 5: 1098-1101. <http://dx.doi.org/10.1016/j.ijscr.2014.11.028>.
- Pessôa, FM; de Melo, AS; Souza, AS; de Souza, LS; Hochhegger, B; Zanetti, G; Marchiori, E. (2016). Applications of Magnetic Resonance Imaging of the Thorax in Pleural Diseases: A State-of-the-Art Review [Review]. *Lung* 194: 501-509. <http://dx.doi.org/10.1007/s00408-016-9909-9>.
- Pestka, JJ. (2012). Dietary Lipids and Silica-Accelerated Autoimmunity.
- Pestka, JJ. (2013). Dietary Lipids and Silica-Accelerated Autoimmunity.
- Petborom, P. (2016). CASE REPORT: MALIGNANT MESOTHELIOMA IN NON-ASBESTOS EXPOSURE. *Respirology* 21: 130-130.
- Peters, GA; Peters, BJ. (1980). GARLAND SAFETY MANAGEMENT SERIES SOURCE BOOK ON ASBESTOS DISEASES MEDICAL LEGAL AND ENGINEERING ASPECTS (pp. SOURCEBOOK ON ASBESTOS DISEASES: MEDICAL). (HEEP/81/00921). Peters, GA; Peters, BJ.
- Peters, GA; Peters, BJ. (1987). Asbestos review and update - Supplement to Sourcebook on Asbestos Diseases: Medical, legal, and engineering aspects. (CIS/89/00609). Peters, GA; Peters, BJ.
- Peters, S; van Oyen, SC; Alfonso, H; Fritschi, L; de Klerk, NH; Reid, A; Franklin, P; Gordon, L; Benke, G; Musk, AW. (2016). Response to Kottek and Kilpatrick, 'Estimating Occupational Exposure to Asbestos in Australia' [Letter]. *Ann Occup Hyg* 60: 533-535. <http://dx.doi.org/10.1093/annhyg/mew010>.
- Peters, S; Vermeulen, R; Cassidy, A; Mannetje, AT; van Tongeren, M; Boffetta, P; Straif, K; Kromhout, H. (2011). Comparison of exposure assessment methods for occupational carcinogens in a multi-centre lung cancer case-control study. *Occup Environ Med* 68: 148-153. <http://dx.doi.org/10.1136/oem.2010.055608>.
- Peters, S; Vermeulen, R; Olsson, A; Van Gelder, R; Kendzia, B; Vincent, R; Savary, B; Williams, N; Woldbæk, T; Lavoué, J; Cavallo, D; Cattaneo, A; Mirabelli, D; Plato, N; Dahmann, D; Fevotte, J; Pesch, B; Brüning, T; Straif, K; Kromhout, H. (2012). Development of an exposure measurement database on five lung carcinogens (ExpoSYN) for quantitative retrospective occupational exposure assessment. *Ann Occup Hyg* 56: 70-79. <http://dx.doi.org/10.1093/annhyg/mer081>.
- Peters, S; Vermeulen, R; Portengen, L; Olsson, A; Kendzia, B; Vincent, R; Savary, B; Lavoué, J; Cavallo, D; Cattaneo, A; Mirabelli, D; Plato, N; Fevotte, J; Pesch, B; Brüning, T; Straif, K; Kromhout, H. (2016). SYN-JEM: A Quantitative Job-Exposure Matrix for Five Lung Carcinogens. *Ann Occup Hyg* 60: 795-811. <http://dx.doi.org/10.1093/annhyg/mew034>.
- Peterson, DL. (1978). DULUTH EXPERIENCE - ASBESTOS, WATER, AND PUBLIC. *J Am Water Works Assoc* 70: 24-28.
- Peterson, JM; Macdonell, MM. (1991). Engineering evaluation/cost analysis for the proposed management of contaminated structures at the Weldon Spring Chemical Plant (pp. 117). (NTIS/O2976722_a). Peterson, JM; Macdonell, MM.
- Peterson, JT; Greenberg, SD; Buffler, PA. (1984). Non-asbestos-related malignant mesothelioma. A review [Review]. *Cancer* 54: 951-960.
- Peterson, KJ; Raleigh, RJ; Stroud, RK; Goulding, RL. (1977). Bovine anaplasmosis transmission studies conducted under controlled natural exposure in a *Dermacentor andersoni* (venustus) indigenous area of eastern Oregon. *Am J Vet Res* 38: 351-354.
- Peterson, MR; Naugle, DF; Berry, MA. (1990). Indoor Air - Assessment: Methods of Analysis for Environmental Carcinogens. 52.
- Peterson, MW. (1995). THE ROLE OF OXIDANTS IN ASBESTOS-INDUCED EPITHELIAL PERMEABILITY (pp. 28-30). (BIOSIS/95/35613). Peterson, MW.
- Peto, J. (1977). The establishment of industrial hygiene standards: An example. In A Whittemore (Ed.), (pp. 104-114). Philadelphia, PA: Society for Industrial and Applied Mathematics.
- Peto, J. (1985). PROBLEMS IN DOSE-RESPONSE AND RISK ASSESSMENT THE EXAMPLE OF ASBESTOS (pp. COLD SPRING HARBOR). (BIOSIS/86/16408). Peto, J.
- Peto, J; Gilham, C; Rake, C; Darnton, A; Hodgson, J; Burdett, G. (2016). Authors' reply to letters from Egilman et al and Oliver et al [Letter]. *Occup Environ Med* 73: 710-711. <http://dx.doi.org/10.1136/oemed-2016-103870>.

Human Health Hazard Literature Search Results

Off Topic

- Peto, J; Rake, C; Gilham, C; Darnton, A; Hodgson, J; Burdett, G. (2012). FUTURE MESOTHELIOMA RATES IN RELATION TO PAST AND CURRENT ASBESTOS EXPOSURE LEVELS. *J Thorac Oncol* 7: S11-S11.
- Peto, R; Schneiderman, M. (1981). Quantification of occupational cancer. (CIS/82/01652). Peto, R; Schneiderman, M.
- Petrausch, U; Schuberth, PC; Hagedorn, C; Soltermann, A; Tomaszek, S; Stahel, R; Weder, W; Renner, C. (2012). Re-directed T cells for the treatment of fibroblast activation protein (FAP)-positive malignant pleural mesothelioma (FAPME-1). *BMC Cancer* 12: 615. <http://dx.doi.org/10.1186/1471-2407-12-615>.
- Petrella, F; Coccè, V; Masia, C; Milani, M; Salè, EO; Alessandri, G; Parati, E; Sisto, F; Pentimalli, F; Brini, AT; Pessina, A; Spaggiari, L. (2017). Paclitaxel-releasing mesenchymal stromal cells inhibit in vitro proliferation of human mesothelioma cells. *Biomed Pharmacother* 87: 755-758. <http://dx.doi.org/10.1016/j.biopha.2017.01.118>.
- Petrucchi, MS; De Lio, MC; D'Alò, D; Stracci, F; Masanotti, GM. (2015). Epidemiologic surveillance of mesothelioma in Umbria. *Ann Ig* 27: 526-532.
- Petruska, J; Marsh, JP; Hansen, K; Brew, ME; Mossman, BT. (1987). MECHANISMS OF GENERATION OF SUPEROXIDE (O²⁻) FROM ALVEOLAR MACROPHAGES (AM) EXPOSED TO ASBESTOS. *In Vitro* 23: A53-A53.
- Petry, R; Mastalerz, R; Zahn, S; Mayerhöfer, TG; Völksch, G; Viereck-Götte, L; Kreher-Hartmann, B; Holz, L; Lankers, M; Popp, J. (2006). Asbestos mineral analysis by UV Raman and energy-dispersive X-ray spectroscopy. *Chemphyschem* 7: 414-420. <http://dx.doi.org/10.1002/cphc.200500303>.
- Petsonk, EL. (1996). Electric Power Generation (pp. 697-703). (NIOSH/00229880). Petsonk, EL.
- Petsonk, EL; Wang, M. (2010). Interpreting Screening Questionnaires Specific Respiratory Symptoms and Their Relationship to Objective Test Results. *J Occup Environ Med* 52: 1225-1229. <http://dx.doi.org/10.1097/JOM.0b013e3181fd728f>.
- Pettazzoni, M; Rivolta, G; Mascagni, P; Carcano, M; Porro, S; Toffoletto, F. (2007). [The presence of asbestos bodies in induced sputum as an indicator of asbestos exposure]. *Med Lav* 98: 25-29.
- Pettigrew, GL; Jr, MH. (1984). Health Hazard Evaluation Report No. HETA-84-028-1517, Drive Train Industries, Inc., Albuquerque, New Mexico (pp. 84-028). (NIOSH/00144846). Pettigrew, GL; Markel HL Jr.
- Petty, TL. (2001). The early diagnosis of lung cancer [Review]. *Dis Mon* 47: 204-264.
- Petzl, DH; Holz, O; Konnaris, C; Ruediger, HW. (1994). Detection of oxidative damage by analysis of 8-hydroxy deoxyguanosine in urine. (BIOSIS/94/29226). Petzl, DH; Holz, O; Konnaris, C; Ruediger, HW.
- Pezerat, H. (1995). Evaluation and reduction of risk in buildings with sprayed asbestos. *Archives des Maladies Professionnelles et de Médecine du Travail* 56: 374-384.
- Pezerat, H. (2009). Chrysotile biopersistence: the misuse of biased studies. *Int J Occup Environ Health* 15: 102-106. <http://dx.doi.org/10.1179/107735209799449770>.
- Pezerat, H; Guignard, J; Cherrie, JW. (1992). Man-made mineral fibers and lung cancer: An hypothesis. *Toxicol Ind Health* 8: 1-2.
- Pfau, JC. (2008). Cellular mechanisms of asbestos-induced autoimmunity.
- Pfau, JC. (2010). Role of System xc in Asbestos Induced Autoimmune Responses.
- Pfau, JC. (2012). Identification of Functional Targets for Asbestos Induced Autoantibodies.
- Pfau, JC; Brown, JM; Holian, A. (2004). Silica-exposed mice generate autoantibodies to apoptotic cells. *Toxicology* 195: 167-176. <http://dx.doi.org/10.1016/j.tox.2003.09.011>.
- Pfau, JC; Pershouse, M; Putnam, EA. (2006). Conference summary. Directions and needs in asbestos research: new insights. *Inhal Toxicol* 18: 919-923. <http://dx.doi.org/10.1080/08958370600834735>.
- Pfau, JC; Pershouse, M; Putnam, EA. (2008). Directions and needs in asbestos research: New insights: Conference summary. *J Immunotoxicol* 5: 123-127. <http://dx.doi.org/10.1080/15476910802085905>.
- Pfau, JC; Seib, T; Overocker, JJ; Roe, J; Ferro, AS. (2012). Functional expression of system x(c)(-) is upregulated by asbestos but not crystalline silica in murine macrophages. *Inhal Toxicol* 24: 476-485. <http://dx.doi.org/10.3109/08958378.2012.689782>.
- Pham, QT. (1986). EPIDEMIOLOGY OF OCCUPATIONAL LUNG DISEASES (pp. 3-4). (BIOSIS/87/21364). Pham, QT.
- Phanprasit, W; Sujirarat, D; Musigapong, P; Sripaiboonkij, P; Chaikittiporn, C. (2012). Asbestos Exposure among Mitering Workers. *Saf Health Work* 3: 235-240. <http://dx.doi.org/10.5491/SHAW.2012.3.3.235>.
- Philip, RB. (1995). ENVIRONMENTAL HAZARDS AND HUMAN HEALTH (pp. LONDON). (BIOSIS/96/25312). Committee for Compounds Toxic to Reproduction.
- Philippou, S; Morgenroth, K. (1992). A NEW FORM OF PNEUMOCONIOSIS - LIGHT AND ELECTRON-MICROSCOPY ANALYSIS WITH X-RAY MICRODIFFRACTION ANALYSIS. *Pathologie* 13: 20-24.
- Phillips, CC; Hamilton, CB. (1994). A PRELIMINARY ASSESSMENT OF ASBESTOS AWARENESS AND CONTROL MEASURES IN BRAKE AND CLUTCH REPAIR SERVICES IN KNOXVILLE AND KNOX COUNTY, TENNESSEE. *J Environ Health* 56: 7-12.
- Phillips, JI; Murray, J. (2009). South African data on malignant mesothelioma [Letter]. *Ind Health* 47: 198-199.
- Phillips, TJG. (1990). Changes in Compensation for Occupational Lung Disease in Britain over 34 Years (pp. 23-26). (NIOSH/00198687). Phillips, TJG.
- Phinney, DG. (2008). CORE--Morphology.
- Phoon, WH; Chan, OY. (1990). Statutory Medical Examinations and Designated Factory Doctors in Singapore. *J Soc Occup Med* 40: 55-58.
- Phoon, WO. (1998). Occupational health in Australia. *Int Arch Occup Environ Health* 71: 363-371.
- Piacitelli, L. (1983). Health Hazard Evaluation Report No. HETA-83-106-1311, West Virginia Geological And Economic Survey, Morgantown, West Virginia (pp. 83-106). (NIOSH/00134194). Piacitelli, L.
- Piacitelli, L. (1983). Health Hazard Evaluation Report No. HETA-83-112-1309, Saint Francis High School, Morgantown, West Virginia (pp. 83-112). (NIOSH/00133121). Piacitelli, L.

Human Health Hazard Literature Search Results

Off Topic

- Piatnytsa-Horpynchenko, NK. (2008). [Biological age of asbestoscement plant workers in Ukraine]. *Lik Sprava*109-112.
- Piazza, D; Caruso, F; Scaringi, S; Ferrara, M; Latteri, F; Dell'Erba, D. (2000). Primary Diffuse Malignant Peritoneal Mesothelioma: Case report and update of therapy. *J Surg Oncol* 75: 55-58.
- Picado, C; Roisin, RR; Sala, H; Agusti-Vidal, A. (1984). Diagnosis Of Asbestosis. Clinical, Radiological And Lung Function Data In 42 Patients. *Lung* 162: 325-335.
- Piccigallo, E; Jeffers, LJ; Reddy, KR; Caldironi, MW; Parenti, A; Schiff, ER. (1988). MALIGNANT PERITONEAL MESOTHELIOMA A CLINICAL AND LAPAROSCOPIC STUDY OF TEN CASES. *Dig Dis Sci* 33: 633-639.
- Picciotto, S; Ljungman, PL; Eisen, EA. (2016). Straight Metalworking Fluids and All-Cause and Cardiovascular Mortality Analyzed by Using G-Estimation of an Accelerated Failure Time Model With Quantitative Exposure: Methods and Interpretations. *Am J Epidemiol* 183: 680-688. <http://dx.doi.org/10.1093/aje/kwv232>.
- Pichora, EC; Payne, JI. (2007). Trends and characteristics of compensated occupational cancer in Ontario, Canada, 1937-2003. *Am J Ind Med* 50: 980-991. <http://dx.doi.org/10.1002/ajim.20530>.
- Pickrell, JA; Hill, JO; Carpenter, RL; Hahn, FF; Rebar, AH. (1981). Toxicity Of Small Glass Fibers. II. In Vitro And In Vivo Response To Man-Made Mineral And Asbestos Fibers (pp. 525-529). (NIOSH/00132468). Pickrell, JA; Hill, JO; Carpenter, RL; Hahn, FF; Rebar, AH.
- Pienta, RJ; Kushner, LM; Russell, LS. (1984). The Use Of Short-Term Tests And Limited Bioassays In Carcinogenicity Testing. *Regul Toxicol Pharmacol* 4: 249-260.
- Pierce, J; Mowat, F; Finley, BL. (2006). Characterization Of Chrysotile Asbestos Exposures For Garage Mechanics. *Toxicol Sci* 90: 173-174.
- Pierce, JW; Kerr, IH. (1978). IMMUNOLOGIC DISEASES AND THE LUNG (pp. 389-406). (HEEP/80/03446). Pierce, JW; Kerr, IH.
- Pierce, R; Turner-Warwick, M. (1980). Skin tests with tuberculin (PPD) *Candida albicans* and *Trichophyton* spp. in cryptogenic fibrosing alveolitis and asbestos related lung disease. *Clin Allergy* 10: 229-237.
- Pierini, G. (1982). [The use of scanning electron microscopy (SEM) and microanalysis for the detection of crystalline or amorphous particles in the pulmonary parenchyma]. *G Ital Med Lav* 4: 279-282.
- Pifarré, R; Monsó, E; Rosell, A; Llatjós, M; Badorrey, I; Morera, J. (1999). [Identifying asbestos bodies in bronchoalveolar lavage fluid]. *Arch Bronconeumol* 35: 113-116.
- Pigg, BJ. (1992). ASBESTOS GASKETS NOT A HAZARD. *Power Engineering* 96: 85-85.
- Pigg, BJ. (1994). The uses of chrysotile. *Ann Occup Hyg* 38: 453-458.
- Piirila, P; Kivisaari, L; Koskinen, H; Lehtola, H; Nordman, H; S-P, S; Zitting, A; Sovijarvi A, RA. (1997). LUNG SOUND ANALYSIS COMPARED WITH HIGH RESOLUTION COMPUTER TOMOGRAPHY IN ASBESTOS EXPOSED SUBJECTS (pp. 20-24). (BIOSIS/98/15024). Piirila, P; Kivisaari, L; Koskinen, H; Lehtola, H; Nordman, H; Salo S-P; Zitting, A; Sovijarvi A, RA.
- Piirilä, P; Lehtola, H; Zitting, A; Kivisaari, L; Koskinen, H; Luukkonen, R; Salo, SP; Vehmas, T; Nordman, H; Sovijärvi, AR. (2000). Lung sounds in asbestos induced pulmonary disorders. *Eur Respir J* 16: 901-908.
- Piirila, P; Sovijarvi A, RA. (1995). Crackles: Recording, analysis and clinical significance. *Eur Respir J* 8: 2139-2148.
- Pike, MC. (1985). Epidemiology and Risk Assessment: Estimation of GI Cancer Risk from Asbestos in Drinking Water and Lung Cancer Risk from PAHs in Air (pp. 55-64). (NIOSH/00165403). Pike, MC.
- Pike, S. (1992). Art and Artists (pp. 690-696). (NIOSH/00211674). Pike, S.
- Pilat, L; Rafaila, E; Craciun, O; Teculescu, D; Georgescu, AM; Apostolescu, R. (1971). Correlation between the radiological, clinical and respiratory functional aspects of asbestosis. *Med Lav* 62: 495-504.
- Pile Perez, R; Rosales Torres, P; Pile Pelaez, R; Holguin Prieto, VA; Alzate Giraldo, LF. (2009). Malignant pleural mesothelioma. Report of a case and review of literature. *Enfermedades Emergentes* 11: 149-155.
- Pillai, K; Ehteda, A; Akhter, J; Chua, TC; Morris, DL. (2014). Anticancer effect of bromelain with and without cisplatin or 5-FU on malignant peritoneal mesothelioma cells. *Anticancer Drugs* 25: 150-160. <http://dx.doi.org/10.1097/CAD.0000000000000039>.
- Pillai, K; Pourgholami, MH; Chua, TC; Morris, DL. (2013). Does the expression of BCL2 have prognostic significance in malignant peritoneal mesothelioma? *AJCR* 3: 312-322.
- Pillonel, J. (2010). [Health alert management and emerging risk] [Review]. 17: 291-295. <http://dx.doi.org/10.1016/j.tracli.2010.09.155>.
- Pilorget, C; Imbernon, E; Goldberg, M; Bonenfant, S; Spyckerelle, Y; Fournier, B; Steinmetz, J; Schmaus, A. (2003). Evaluation of the quality of coding of job episodes collected by self questionnaires among French retired men for use in a job-exposure matrix. *Occup Environ Med* 60: 438-443.
- Pinato, DJ; Mauri, FA; Ramakrishnan, R; Wahab, L; Lloyd, T; Sharma, R. (2012). Inflammation-based prognostic indices in malignant pleural mesothelioma. *J Thorac Oncol* 7: 587-594. <http://dx.doi.org/10.1097/JTO.0b013e31823f45c1>.
- Pinheiro, GA; Antao, VC; Bang, KM; Attfield, MD. (2004). Malignant mesothelioma surveillance: a comparison of ICD 10 mortality data with SEER incidence data in nine areas of the United States. *Int J Occup Environ Health* 10: 251-255.
- Pinheiro, GA; Antão, VC; Monteiro, MM; Capelozzi, VL; Terra-Filho, M. (2003). Mortality from pleural mesothelioma in Rio de Janeiro, Brazil, 1979-2000: estimation from death certificates, hospital records, and histopathologic assessments. *Int J Occup Environ Health* 9: 147-152. <http://dx.doi.org/10.1179/oeht.2003.9.2.147>.
- Pinkerton, KE. (1989). Effects of ozone and acid aerosols on fate of respired particulates [Research]. RePORTER Database National Institutes of Health.
- Pinkerton, KE. (1990). Effects of ozone and acid aerosols on fate of respired particulates [Research]. RePORTER Database National Institutes of Health.
- Pinkerton, KE. (1991). Effects of ozone and acid aerosols on fate of respired particulates [Research]. RePORTER Database National Institutes of Health.

Human Health Hazard Literature Search Results

Off Topic

- Pinkerton, KE. (1992). Effects of ozone and acid aerosols on fate of respired particulates [Research]. RePORTER Database National Institutes of Health.
- Pinkerton, KE. (1993). Effects of ozone and acid aerosols on fate of respired particulates [Research]. RePORTER Database National Institutes of Health.
- Pinkerton, KE. (1994). Effects of ozone and acid aerosols on fate of respired particulates [Research]. RePORTER Database National Institutes of Health.
- Pinkerton, KE; Brody, AR; McLaurin, DA; Adkins, B, Jr; O'Connor, RW; Pratt, PC; Crapo, JD. (1983). Characterization of three types of chrysotile asbestos after aerosolization. *Environ Res* 31: 32-53.
- Pinkerton, KE; Pratt, PC; Crapo, JD. (1980). MORPHOLOGIC LUNG CHANGES FOLLOWING EXPOSURE TO CHRYSOTILE ASBESTOS FIBERS (pp. 18-21). (HEEP/81/05578). Pinkerton, KE; Pratt, PC; Crapo, JD.
- Pinkerton, KE; Roggli, VL; Plopper, CG; Mercer, RR; Brody, AR; Crapo, JD. (1984). REGIONAL DIFFERENCES IN ALVEOLAR TISSUE RESPONSE FOLLOWING ASBESTOS INHALATION (pp. 20-23). (HEEP/85/01074). Pinkerton, KE; Roggli, VL; Plopper, CG; Mercer, RR; Brody, AR; Crapo, JD.
- Pinto, C; Ardizzoni, A; Betta, PG; Facciolo, F; Tassi, G; Tonoli, S; Zompatori, M; Alessandrini, G; Magrini, SM; Tiseo, M; Mutri, V. (2011). Expert opinions of the first italian consensus conference on the management of malignant pleural mesothelioma. *Am J Clin Oncol* 34: 99-109. <http://dx.doi.org/10.1097/COC.0b013e3181d31f02>.
- Pinto, C; Novello, S; Torri, V; Ardizzoni, A; Betta, PG; Bertazzi, PA; Casalini, GA; Fava, C; Fubini, B; Magnani, C; Mirabelli, D; Papotti, M; Ricardi, U; Rocco, G; Pastorino, U; Tassi, G; Trodella, L; Zompatori, M; Scagliotti, G. (2013). Second Italian consensus conference on malignant pleural mesothelioma: state of the art and recommendations [Review]. *Cancer Treat Rev* 39: 328-339. <http://dx.doi.org/10.1016/j.ctrv.2012.11.004>.
- Pinto, MA. (1988). Glovebag Modification Offers Option for Handling Asbestos-Covered Ducts. *Occup Health Saf* 57: 58-60.
- Pinto, SS; Nelson, KW. (1976). Arsenic toxicology and industrial exposure [Review]. *Annu Rev Pharmacol Toxicol* 16: 95-100. <http://dx.doi.org/10.1146/annurev.pa.16.040176.000523>.
- Pinton, G; Brunelli, E; Murer, B; Puntoni, R; Puntoni, M; Fennell, DA; Gaudino, G; Mutti, L; Moro, L. (2009). Estrogen receptor-beta affects the prognosis of human malignant mesothelioma. *Cancer Res* 69: 4598-4604. <http://dx.doi.org/10.1158/0008-5472.CAN-08-4523>.
- Pinton, G; Manente, AG; Moro, L; Mutti, L. (2012). Circulating tumor cells as a diagnostic test for malignant pleural mesothelioma. *Expert Opin on Medical Diagnostics* 6: 171-173. <http://dx.doi.org/10.1517/17530059.2012.676042>.
- Pinton, G; Manente, AG; Murer, B; De Marino, E; Mutti, L; Moro, L. (2013). PARP1 inhibition affects pleural mesothelioma cell viability and uncouples AKT/mTOR axis via SIRT1. *J Cell Mol Med* 17: 233-241. <http://dx.doi.org/10.1111/jcmm.12000>.
- Pinton, G; Manente, AG; Tavian, D; Moro, L; Mutti, L. (2013). Therapies currently in Phase II trials for malignant pleural mesothelioma [Review]. *Expert Opin Investig Drugs* 22: 1255-1263. <http://dx.doi.org/10.1517/13543784.2013.816281>.
- Pinton, G; Zonca, S; Manente, AG; Cavaletto, M; Borroni, E; Daga, A; Jithesh, PV; Fennell, D; Nilsson, S; Moro, L. (2016). SIRT1 at the crossroads of AKT1 and ER beta in malignant pleural mesothelioma cells. *Onct* 7: 14366-14379.
- Pintos, J; Parent, ME; Rousseau, MC; Siemiatycki, J. (2007). Occupational exposure to asbestos and manmade vitreous fibers, and risk of lung cancer: Evidence from two case-control studies in Montreal, Canada. *Am J Epidemiol* 165: S102-S102.
- Piolatto, PG; Pira, E; Putzu, MG; Massiccio, M; Romano, C. (2006). [Asbestosis and microfiber role] [Review]. *G Ital Med Lav Ergon* 28: 273-275.
- Piolatto, PG; Putzu, MG; Botta, GC. (2003). [Asbestos fibres and reference values]. *G Ital Med Lav Ergon* 25: 94-98.
- Piper, A. (1976). Asbestos Tiny Straws in the Wind. *Nature* 261: 271-272.
- Piper, SG; Lebedzinski, N. (1990). Guidelines for Asbestos NESHAP Demolition and Renovation Inspection Procedures. 162.
- Pira, E; Pelucchi, C; Romano, C; Manzari, M; Negri, E, va; La Vecchia, C. (2012). Mortality From Cancer and Other Causes in an Italian Cohort of Male Rubber Tire Workers. *J Occup Environ Med* 54: 345-349. <http://dx.doi.org/10.1097/JOM.0b013e318244503c>.
- Pirastu, R; Lagorio, S; Miligi, L; Costantini, AS. (1999). Health and work among women in Italy: An overview of the epidemiological literature. *Eur J Epidemiol* 15: 51-57. <http://dx.doi.org/10.1023/A:1007522000856>.
- Pisani, RJ; Colby, TV; Williams, DE. (1988). Malignant mesothelioma of the pleura [Review]. *Mayo Clin Proc* 63: 1234-1244.
- Pistolesi, M; Rusthoven, J. (2004). Malignant pleural mesothelioma: update, current management, and newer therapeutic strategies [Review]. *Chest* 126: 1318-1329. <http://dx.doi.org/10.1378/chest.126.4.1318>.
- Pitarque, S; Cleries, R; Martinez, JM; Lopez-Abente, G; Kogevinas, M; Benavides, FG. (2008). Mesothelioma mortality in men: trends during 1977-2001 and projections for 2002-2016 in Spain. *Occup Environ Med* 65: 279-282. <http://dx.doi.org/10.1136/oem.2007.034769>.
- Pitot, HC. (1983). Chemicals and cancer: initiation and promotion. *Hosp Pract (Off Ed)* 18: 101-113.
- Pitt M, LM; Handfield R, IM. (1980). SCANNING ELECTRON MICROSCOPIC STUDY OF THE PLEURAE OF MICE EXPOSED TO ASBESTOS (pp. 123-124). (HEEP/82/08998). Pitt M, LM; Handfield R, IM.
- Pitt, R. (1988). ASBESTOS AS AN URBAN AREA POLLUTANT. *J Water Pollut Control Fed* 60: 1993-2001.
- Plamenac, P; Nikulin, A; Pikula, B. (1974). THE SIGNIFICANCE OF THE FINDING OF THE RESPIRATORY SPIRALS IN SPUTA (pp. 335-342). (HEEP/74/11155). Plamenac, P; Nikulin, A; Pikula, B.
- Plas, E; Riedl, CR; Pfluger, H. (1998). Malignant mesothelioma of the tunica vaginalis testis - Review of the literature and assessment of prognostic parameters. *Cancer* 83: 2437-2446.
- Platek, SF; Riley, RD; Simon, SD. (1992). THE CLASSIFICATION OF ASBESTOS FIBERS BY SCANNING ELECTRON-MICROSCOPY AND COMPUTER-DIGITIZING TABLET. *Ann Occup Hyg* 36: 155-171.
- Platner, J. (2002). Industrial hygiene at the World Trade Center disaster. *Appl Occup Environ Hyg* 17: 84-85. <http://dx.doi.org/10.1080/104732202317201302>.

Human Health Hazard Literature Search Results

Off Topic

- Plato, N; Steineck, G. (1993). Methodology and utility of a job-exposure matrix [Review]. *Am J Ind Med* 23: 491-502.
- Plaus, WJ. (1988). Peritoneal mesothelioma. *Arch Surg* 123: 763-766.
- Plescia, P; Gizzi, D; Benedetti, S; Camilucci, L; Fanizza, C; De Simone, P; Paglietti, F. (2003). Mechanochemical treatment to recycling asbestos-containing waste. *Waste Manag* 23: 209-218. [http://dx.doi.org/10.1016/S0956-053X\(02\)00156-3](http://dx.doi.org/10.1016/S0956-053X(02)00156-3).
- Pliukhin, AE. (2006). [The health status of workers while mining and enriching chrysotile asbestos: hygienic aspects]. *Gig Sanit* 26-28.
- Pliukhin, AE; Burmistrova, TB. (2014). [Occupational lung diseases caused by exposure to chrysotile asbestos dust and the preventive measures]. *Med Tr Prom Ekol* 24-28.
- Ploenes, T; Osei-Agyemang, T; Nestle, U; Waller, CF; Passlick, B. (2012). [Malignant pleural mesothelioma] [Review]. *Dtsch Med Wochenschr* 137: 481-486. <http://dx.doi.org/10.1055/s-0031-1298905>.
- Plomp, HN. (2013). The Contribution of Health Professionals to the Creation of Occupational Health Standards: The Impact of Professional Ethics in the Case of Asbestos. *Public Health Ethics* 6: 73-89. <http://dx.doi.org/10.1093/phe/phs037>.
- Plönes, T; Fischer, M; Höhne, K; Sato, H; Müller-Quernheim, J; Zissel, G. (2017). Turning back the Wheel: Inducing Mesenchymal to Epithelial Transition via Wilms Tumor 1 Knockdown in Human Mesothelioma Cell Lines to Influence Proliferation, Invasiveness, and Chemotaxis. *Pathol Oncol Res*. <http://dx.doi.org/10.1007/s12253-016-0181-3>.
- Plotko, EG; Domnin, SG; Kashanskiĭ, SV; Kulikov, VG; Seliankina, KP; Bogdanov, GB; Manakova, NS. (2000). [Ecological and occupational evaluation of chrysotile-asbestos fibers emitted during construction and exploitation by roof materials made of asbestos cement]. *Med Tr Prom Ekol* 41-45.
- Plotko, EG; Seliankina, KP; Kashanskiĭ, SV; Ryzhov, VV; Vinokurova, MV; Vinokurov, MV; Shtol', AV. (2005). [Hygienic problems in the protection of the environment and human health in the areas of chrysotile asbestos extract and utilization]. *Gig Sanit* 70-71.
- Plowman, C. (1973). Effect of heat on the identification of asbestos by x-ray diffraction. *Nature* 244: 280.
- Plowman, C; Hobson, E. (1980). The identification of asbestos by x-ray diffraction. *Am Ind Hyg Assoc J* 41: 299-304. <http://dx.doi.org/10.1080/15298668091424780>.
- Plumlee, GS; Lamothe, PJ; Meeker, GP; Sutley, SJ; Ziegler, TL. (2004). The Toxicological Geochemistry Of Dusts, Soils, And Other Earth Materials: Insights From In Vitro Leach Tests. *Toxicologist* 78: 214.
- Pluygers, E; Baldewyns, P; Minette, P; Beauduin, M; Gourdin, P. (1991). MOLECULAR EPIDEMIOLOGY IN THE PREVENTION OF OCCUPATIONAL CANCER WITH SPECIAL REFERENCE TO ASBESTOS EXPOSURE (pp. 3-6). (BIOSIS/92/04891). Pluygers, E; Baldewyns, P; Minette, P; Beauduin, M; Gourdin, P.
- Pluygers, E; Baldewyns, P; Minette, P; Beauduin, M; Gourdin, P; Robinet, P. (1991). Biomarker assessments in asbestos-exposed workers as indicators for selective prevention of mesothelioma or bronchogenic carcinoma: rationale and practical implementations. *Eur J Cancer Prev* 1: 57-68.
- Pockley, P. (1991). WHITE ASBESTOS AND MESOTHELIOMA. *Br Med J* 302: 675-675.
- Podobnik, J; Kocijancic, I; Kovac, V; Sersa, I. (2010). 3T MRI in evaluation of asbestos-related thoracic diseases - preliminary results. *Radiology and Oncology* 44: 92-96. <http://dx.doi.org/10.2478/v10019-010-0027-7>.
- Poeschel, E; egrave; Ohling, A. (1985). Catalogue of asbestos-replacing substances (pp. 620p). (CIS/86/00412). Battelle-Institut e.V.
- Pogosov, DP; Omel'yanets, NI; Grigor'Eva, LV; Medvedev, IN; Mironets, NV. (1972). Hygienic evaluation of means of enrichment with salts and decontamination of demineralized water. *Gig Sanit* 37: 19-22.
- Pohlabeln, H; Jöckel, KH; Brüske-Hohlfeld, I; Möhner, M; Ahrens, W; Bolm-Audorff, U; Arhelger, R; Römer, W; Kreienbrock, L; Kreuzer, M; Jahn, I; Wichmann, HE. (2000). Lung cancer and exposure to man-made vitreous fibers: results from a pooled case-control study in Germany. *Am J Ind Med* 37: 469-477.
- Polakoff, PL. (1984). Attention Should Be Given To Limiting Firefighting Hazards. *Occup Health Saf* 53: 55-56.
- Poland, CA; Byrne, F; Cho, W; Prina-Mello, A; Murphy, FA; Davies, GL; Coey, JMD; Gounko, Y; Duffin, R; Volkov, Y; Donaldson, K, en. (2012). Length-dependent pathogenic effects of nickel nanowires in the lungs and the peritoneal cavity. *Nanotoxicology* 6: 899-911. <http://dx.doi.org/10.3109/17435390.2011.626535>.
- Poland, CA; Duffin, R; Kinloch, I; Maynard, A; Wallace, WAH; Seaton, A; Stone, V; Brown, S; MacNee, W; Donaldson, K. (2008). Carbon nanotubes introduced into the abdominal cavity of mice show asbestos-like pathogenicity in a pilot study. *Nat Nanotechnol* 3: 423-428. <http://dx.doi.org/10.1038/nnano.2008.111>.
- Polatli, M; Erdinc, M; Erdinc, E; Cok, G. (2004). Response to "respiratory impairment due to asbestos exposure in brake-lining workers". *Environ Res* 96: 106-108. <http://dx.doi.org/10.1016/j.envres.2004.04.004>.
- Polednak, AP. (2003). Geographic distribution of incident mesothelioma in Connecticut men, 1990-99 [Letter]. *Int J Cancer* 107: 509-510. <http://dx.doi.org/10.1002/ijc.11401>.
- Policard, A; Collet, A. (1955). [Pseudo-asbestotic corpuscles in anthracosis]. *Arch Mal Prof Med Trav Secur Soc* 16: 460-462.
- Polimeni, M; Gazzano, E; Ghiazza, M; Fenoglio, I; Bosia, A; Fubini, B; Ghigo, D. (2008). Quartz inhibits glucose 6-phosphate dehydrogenase in murine alveolar macrophages. *Chem Res Toxicol* 21: 888-894. <http://dx.doi.org/10.1021/tx7003213>.
- Polimeni, M; Gulino, GR; Gazzano, E; Kopecka, J; Marucco, A; Fenoglio, I; Cesano, F; Campagnolo, L; Magrini, A; Pietroiusti, A; Ghigo, D; Aldieri, E. (2016). Multi-walled carbon nanotubes directly induce epithelial-mesenchymal transition in human bronchial epithelial cells via the TGF- β -mediated Akt/GSK-3 β /SNAIL-1 signalling pathway. *Part Fibre Toxicol* 13: 27. <http://dx.doi.org/10.1186/s12989-016-0138-4>.
- Polivka, BJ; Wills, C. (2014). Student nurses' risk perceptions of home environmental hazards. *Public Health Nursing* 31: 298-308. <http://dx.doi.org/10.1111/phn.12098>.
- Pollak, H; De Waard, H; Gulumian, M. (1993). MOESSBAUER SPECTROSCOPIC STUDIES ON THREE DIFFERENT TYPES OF CROCIDOLITE FIBRES. *S Afr J Sci* 89: 401-404.

Human Health Hazard Literature Search Results

Off Topic

- Pollard, AJ; Reeves, RD; Baker, AJ. (2014). Facultative hyperaccumulation of heavy metals and metalloids [Review]. *Plant Sci* 217-218: 8-17.
<http://dx.doi.org/10.1016/j.plantsci.2013.11.011>.
- Pollard, KM. (2016). Silica, Silicosis, and Autoimmunity [Review]. 7: 97. <http://dx.doi.org/10.3389/fimmu.2016.00097>.
- Pollastri, S; D'Acapito, F; Trapananti, A; Colantoni, I; Andreozzi, GB; Gualtieri, AF. (2015). The chemical environment of iron in mineral fibres. A combined X-ray absorption and Mossbauer spectroscopic study. *J Hazard Mater* 298: 282-293.
<http://dx.doi.org/10.1016/j.jhazmat.2015.05.010>.
- Pollastri, S; Perchiazzi, N; Lezzerini, M; Plaisier, JR; Cavallo, A; Dalconi, MC; Gandolfi, NB; Gualtieri, AF. (2016). The crystal structure of mineral fibres 1. Chrysotile. *Periodico di Mineralogia* 85: 249-259. <http://dx.doi.org/10.2451/2016PM655>.
- Ponce Lorenzo, J; Giménez Ortiz, A; Aparisi Aparisi, F; Fleitas Kanonnikoff, T; Montalar Salcedo, J. (2007). [Peritoneal mesothelioma: an unusual clinical presentation in a patient without exposure to asbestos]. *An Med Interna* 24: 81-83.
- Ponnamperuma, RM; Shimizu, Y; Kirchhof, SM; De Luca, LM. (2000). beta-carotene fails to act as a tumor promoter, induces RAR expression, and prevents carcinoma formation in a two-stage model of skin carcinogenesis in male Sencar mice. *Nutr Cancer* 37: 82-88.
http://dx.doi.org/10.1207/S15327914NC3701_11.
- Ponti, J; Broggi, F; Mariani, V; De Marzi, L; Colognato, R; Marmorato, P; Gioria, S; Gilliland, D; Pascual Garcia, C; Meschini, S; Stringaro, A; Molinari, A; Rauscher, H; Rossi, F. (2013). Morphological transformation induced by multiwall carbon nanotubes on Balb/3T3 cell model as an in vitro end point of carcinogenic potential. *Nanotoxicology* 7: 221-233.
<http://dx.doi.org/10.3109/17435390.2011.652681>.
- Pontius, FW. (1997). Future directions in water quality regulations (pp. 40-54). (BIOSIS/97/11386). Committee for Compounds Toxic to Reproduction.
- Pontius, FW. (1998). New horizons in federal regulation. *J Am Water Works Assoc* 90: 38-50.
- Pontius, FW. (1999). Complying with future water regulations: With regulatory activity picking up momentum into 2000, utilities must anticipate and strategically plan for compliance (pp. 46-58). (BIOSIS/99/17457). Pontius, FW.
- Poole, A; Brown, RC. (1987). IN-VITRO METHODS TO INVESTIGATE TOXIC LUNG DISEASE (pp. NEW ROCHELLE). (BIOSIS/88/11146). Poole, A; Brown, RC.
- Poole, A; Brown, RC; Turver, CJ; Skidmore, JW; Griffiths, DM. (1983). In vitro genotoxic activities of fibrous erionite. *Br J Cancer* 47: 697-705.
- Poole, C; Dreyer, NA; Satterfield, MH; Levin, L; Rothman, KJ. (1993). Kidney cancer and hydrocarbon exposures among petroleum refinery workers. *Environ Health Perspect* 101: 53-62.
- Pooley, FD. (1972). ELECTRON-MICROSCOPE CHARACTERISTICS OF INHALED CHRYSOTILE ASBESTOS FIBER. *Br J Ind Med* 29: 146-&.
- Pooley, FD. (1974). METHODS FOR ASSESSING ASBESTOS FIBERS AND ASBESTOS BODIES IN TISSUE BY ELECTRON MICROSCOPY (pp. LYON). (HEEP/75/04212). Pooley, FD.
- Pooley, FD. (1975). The identification of asbestos dust with an electron microscope microprobe analyser. *Ann Occup Hyg* 18: 181-186.
- Pooley, FD. (1979). Evaluation of Fiber Samples Taken From the Vicinity of Two Villages in Turkey. *J Neurochem* 47: 1039-1051.
- Pooley, FD. (1981). Mineralogy of asbestos: the physical and chemical properties of the dusts they form. *Semin Oncol* 8: 243-249.
- Pooley, FD. (1987). Asbestos Mineralogy (pp. 3-27). (NIOSH/00178736). Pooley, FD.
- Pooley, FD; Clark, NJ. (1979). Quantitative assessment of inorganic fibrous particulates in dust samples with an analytical transmission electron microscope. *Ann Occup Hyg* 22: 253-271.
- Pooley, FD; Mitha, R. (1986). Determination and Interpretation of the Levels of Chrysotile Asbestos in Lung Tissue. *Accomplishments in Oncology* 1: 12-18.
- Pooley, FD; Oldham, PD; C-H, U; Wagner, JC. (1970). The Detection of Asbestos in Tissues (pp. 108-116). (NIOSH/00177493). Pooley, FD; Oldham, PD; Um C-H; Wagner, JC.
- Pooley, FD; Ranson, DL. (1986). Comparison of the results of asbestos fibre dust counts in lung tissue obtained by analytical electron microscopy and light microscopy. *J Clin Pathol* 39: 313-317.
- Poore, SH. (1987). LONDON RESEARCHER DEVELOPING IH SAMPLER FOR THIRD WORLD COUNTRIES (pp. 8-9; 1987). (HMTC/87/0004929). Poore, SH.
- Porret, E; Madelaine, J; Galateau-Sallé, F; Bergot, E; Zalcmán, G. (2007). [Epidemiology, molecular biology, diagnostic and therapeutic strategy of malignant pleural mesothelioma in 2007 - an update] [Review]. *Rev Mal Respir* 24: 6S157-156S164.
<http://dx.doi.org/10.1019/200720144>.
- Porru, S; Carta, A; Toninelli, E; Bozzola, G; Arici, C. (2016). Reducing the underreporting of lung cancer attributable to occupation: outcomes from a hospital-based systematic search in Northern Italy. *Int Arch Occup Environ Health* 89: 981-989.
<http://dx.doi.org/10.1007/s00420-016-1135-5>.
- Porru, S; Placidi, D; Scotto di Carlo, A; Campagna, M; Mariotti, O; Mariotti, O; Barbieri, PG; Lombardi, S; Candela, A; Tassi, GF; Alessio, L. (2005). Malignant mesothelioma and the working environment: the viewpoint of the occupational physician. *Med Lav* 96: 312-329.
- Porta, C; Ardizzoni, A; Gaudino, G; Maio, M; Mutti, L; Pinto, C; Porru, S; Puntoni, R; Tassi, G; Tognon, M. (2005). Malignant mesothelioma in 2004: How advanced technology and new drugs are changing the perspectives of mesothelioma patients. Highlights from the VIth Meeting of the International Mesothelioma Interest Group. *Med Lav* 96: 360-369.
- Porteous, A. (1992). DICTIONARY OF ENVIRONMENTAL SCIENCE AND TECHNOLOGY REVISED EDITION (pp. CHICHESTER). (BIOSIS/93/20990). Porteous, A.
- Porter, NL; Hullinger, C. (1989). ASBESTOS INFORMATION SOURCES (pp. 107-114). (BIOSIS/90/01566). Porter, NL; Hullinger, C.
- Porter, WE. (1990). Asbestos management. Foreign trip report, August 25, 1989-September 10, 1989. 17.

Human Health Hazard Literature Search Results

Off Topic

- Portier, CJ; Hedges, JC; Hoel, DG. (1986). Age-specific models of mortality and tumor onset for historical control animals in the National Toxicology Program's carcinogenicity experiments. *Cancer Res* 46: 4372-4378.
- Porto, ALM; Cassiola, F; Dias, SLP; Joekes, I; Gushikem, Y; Rodrigues, JAR; Moran, PJS; Manfio, GP; Marsaioli, AJ. (2002). *Aspergillus terreus* CCT 3320 immobilized on chrysotile or cellulose/TiO₂ for sulfide oxidation. *Journal of Molecular Catalysis B: Enzymatic* 19: 327-334.
- Potamianou, A; Xepapadakis, G; Polichronis, A. (1993). Occupational cancer (pp. 201-204). (BIOSIS/94/34614). National Occupational Health and Safety Commission (Worksafe Australia).
- Potapovich, AI; Kostyuk, VA. (2003). Comparative study of antioxidant properties and cytoprotective activity of flavonoids. *Biochemistry (Mosc)* 68: 514-519.
- Pott, F. (1978). SOME ASPECTS ON THE DOSIMETRY OF THE CARCINOGENIC POTENCY OF ASBESTOS AND OTHER FIBROUS DUSTS. *Staub, Reinhaltung der Luft* 38: 486-490.
- Pott, F. (1986). THE FIBER AS A CARCINOGENIC AGENT (pp. 4-8). (BIOSIS/86/31721). Pott, F.
- Pott, F. (1987). Problems in Defining Carcinogenic Fibres. *Ann Occup Hyg* 31: 799-802.
- Pott, F. (1989). A Hypothesis for Explaining the Syncarcinogenic Effect of Cigarette Smoke and Asbestos (pp. 10-14). (NIOSH/00225172). Pott, F.
- Pott, F. (1995). DETECTION OF MINERAL FIBER CARCINOGENICITY WITH THE INTRAPERITONEAL TEST - RECENT RESULTS AND THEIR VALIDITY. *Ann Occup Hyg* 39: 771-779.
- Pott, F; Roller, M. (1992). Carcinogenicity of non-asbestos fibres: Hazard identification, quantification, prevention (pp. 420-427). (BIOSIS/93/04368). Pott, F; Roller, M.
- Pott, F; Roller, M. (1998). How far can carcinogenicity studies of fibre types be substituted by data on their biopersistence? *Gefahrst Reinhalt Luft* 58: 85-91.
- Pott, F; Roller, M; Kamino, K; Bellmann, B. (1994). Significance of durability of mineral fibers for their toxicity and carcinogenic potency in the abdominal cavity of rats in comparison with the low sensitivity of inhalation studies. *Environ Health Perspect* 102 Suppl 5: 145-150.
- Pottern, LM; Heineman, EF; Olsen, JH; Raffn, E; Blair, A. (1992). Multiple myeloma among Danish women: Employment history and workplace exposures. *Cancer Causes Control* 3: 427-432. <http://dx.doi.org/10.1007/BF00051355>.
- Pottern, LM; Zahm, SH. (1994). International Conference on Women's Health: Occupation and Cancer. I. Proceedings of an International Conference in Baltimore, Maryland, November 1993. *J Occup Med* 36: 809-927.
- Pound, JM; George, JE. (1991). Differential effects of photoperiod on development and reproduction in "montane" and "prairie" strains of the Rocky Mountain wood tick (Acari: Ixodidae). *J Med Entomol* 28: 174-182.
- Povodator, AM; Kogan, FM; Deminov, AG. (1980). DYNAMIC RADIO RHEO PNEUMOGRAPHY IN INDUSTRY. *Gig Tr Prof Zabol* 0: 46-47.
- Powell, CH; Holaday, DA; Kendrick, MA; Dyson, WL. (1968). The Preliminary Survey: A Technique for the Assessment of the Nation's Occupational Health Requirements. (NIOSH/00000376). ACGIH.
- Powell, CS. (1997). Science in court. Reflections on science and truth in an asbestos trial. *Sci Am* 277: 32, 34.
- Power, IM; Dipple, GM; Southam, G. (2010). Bioleaching of ultramafic tailings by acidithiobacillus spp. for CO₂ sequestration. *Environ Sci Technol* 44: 456-462. <http://dx.doi.org/10.1021/es900986n>.
- Power, IM; Wilson, SA; Dipple, GM; Southam, G. (2011). Modern carbonate microbialites from an asbestos open pit pond, Yukon, Canada. *Geobiology* 9: 180-195. <http://dx.doi.org/10.1111/j.1472-4669.2010.00265.x>.
- Powers, A; Carbone, M. (2002). The role of environmental carcinogens, viruses and genetic predisposition in the pathogenesis of mesothelioma [Review]. *Cancer Biol Ther* 1: 348-353.
- Poynter, ME; Janssen-Heininger, YMW; Buder-Hoffmann, S; Taatjes, DJ; Mossman, BT. (1999). Measurement of oxidant-induced signal transduction proteins using cell imaging. *Free Radic Biol Med* 27: 1164-1172.
- Prandi, E; Cantoni, S. (2001). [Which health surveillance for people formerly exposed to asbestos? Reply] [Letter]. *Med Lav* 92: 286.
- Prandi, L; Bodoardo, S; Penazzi, N; Fubini, B. (2001). Redox state and mobility of iron at the asbestos surface: a voltammetric approach. *J Mater Chem* 11: 1495-1501.
- Prasad, RK; Uma, R; Kansal, A; Gupta, S; Kumar, P; Saksena, S. (2002). Indoor air quality in an air-conditioned building in new Delhi and its relationship to ambient air quality. *Indoor Built Environ* 11: 334-339. <http://dx.doi.org/10.1159/000068234>.
- Pratt, J. R.; McCormick, PV; Pontasch, KW; Cairns J, J. R. (1988). EVALUATING SOLUBLE TOXICANTS IN CONTAMINATED SOILS. *Water Air Soil Pollut* 37: 3-4.
- Pratt, PC. (1992). WAS THE LITERATURE CORRUPTED. *Am J Ind Med* 22: 609-611.
- Preat, B. (1990). Comparison of the Sampling Strategies Recommended by the European Communities for the Protection of Workers from the Risks Related to Chemical Agents at Work, Asbestos, Lead, and Mine Dust. *Am Rev Respir Dis* 142: 1331-1336.
- Préat, B. (2000). Confusion about the precision of asbestos fibres counting by electron microscopy [Letter]. *Ann Occup Hyg* 44: 75-76.
- Préat, B. (2001). Performance of asbestos fibre counting laboratories by transmission electron microscopy [Letter]. *Ann Occup Hyg* 45: 500-501.
- Préat, B. (2006). Comments about the proposal to adapt the WASP programme to fibre counting tests [Letter]. *Ann Occup Hyg* 50: 105. <http://dx.doi.org/10.1093/annhyg/mei062>.
- Preller, L; van den Bosch, LM; van den Brandt, PA; Kauppinen, T; Goldbohm, A. (2010). Occupational exposure to silica and lung cancer risk in the Netherlands. *Occup Environ Med* 67: 657-663. <http://dx.doi.org/10.1136/oem.2009.046326>.
- Prentice, J; Gonsalves, B. (1985). REPRODUCIBILITY OF DUST DISTURBANCE TECHNIQUES DURING CLEARANCE SAMPLING AFTER ASBESTOS REMOVAL. *Ann Occup Hyg* 29: 435-437.
- Prentice, RL; Omenn, GS; Goodman, GE; Chu, J; Henderson, MM; Feigl, P; Kleinman, GD; Thomas, DB; Hutchinson, ML; Et, AL. (1985). RATIONALE AND DESIGN OF CANCER CHEMOPREVENTION STUDIES IN SEATTLE WASHINGTON USA (pp. BETHESDA). (BIOSIS/86/24619). Prentice, RL; Omenn, GS; Goodman, GE; Chu, J; Henderson, MM; Feigl, P; Kleinman, GD; Thomas, DB; Hutchinson, ML; Et, AL.

Human Health Hazard Literature Search Results

Off Topic

- Presswood, WG; Huyser, J; Whitaker, CG. (1980). Monitoring airborne fly ash by the membrane filter counting procedure. *Am Ind Hyg Assoc J* 41: 33-39. <http://dx.doi.org/10.1080/15298668091424320>.
- Preston, GA; Lang, JE; Maronpot, RR; Barrett, JC. (1994). Regulation of apoptosis by low serum in cells of different stages of neoplastic progression: Enhanced susceptibility after loss of a senescence gene and decreased susceptibility after loss of a tumor suppressor gene. *Cancer Res* 54: 4214-4223.
- Preston-Martin, S; Pike, MC; Ross, RK; Henderson, BE. (1991). EPIDEMIOLOGIC EVIDENCE FOR THE INCREASED CELL PROLIFERATION MODEL OF CARCINOGENESIS (pp. IMPLICATIONS FOR RISK ASSESSMENT; CHEMICALLY INDUCED CELL PROLIFERATION CONFERENCE). (BIOSIS/92/10577). Preston-Martin, S; Pike, MC; Ross, RK; Henderson, BE.
- Preston-Martin, S; Pike, MC; Ross, RK; Jones, PA; Henderson, BE. (1990). Increased cell division as a cause of human cancer. *Cancer Res* 50: 7415-7421.
- Price, B. (2010). Industrial-grade talc exposure and the risk of mesothelioma [Review]. *Crit Rev Toxicol* 40: 513-530. <http://dx.doi.org/10.3109/10408441003646781>.
- Price, B; Crump, KS. (1993). Exposure Inferences from Airborne Asbestos Measurements in Building (pp. 19-21). (NIOSH/00220386). Price, B; Crump, KS.
- Price, B; Crump, KS; Baird, EC. (1992). AIRBORNE ASBESTOS LEVELS IN BUILDINGS - MAINTENANCE WORKER AND OCCUPANT EXPOSURES. *J Expo Anal Environ Epidemiol* 2: 357-374.
- Price, B; Ware, A. (2004). Mesothelioma trends in the United States: An update based on surveillance, epidemiology, and end results program data for 1973 through 2003. *Am J Epidemiol* 159: 107-112. <http://dx.doi.org/10.1093/aje/kwh025>.
- Price, B; Ware, A. (2005). Mesothelioma: Risk apportionment among asbestos exposure sources. *Risk Anal* 25: 937-943. <http://dx.doi.org/10.1111/j.1539-6924.2005.00643.x>.
- Price, B; Ware, A. (2009). Time trend of mesothelioma incidence in the United States and projection of future cases: an update based on SEER data for 1973 through 2005 [Review]. *Crit Rev Toxicol* 39: 576-588. <http://dx.doi.org/10.1080/10408440903044928>.
- Price, JH; Seta, JA. (1975). Health Hazard Evaluation No. HHE-75-046, General Services Administration, Marion, Ohio, And Fort Wayne, Indiana Depots (pp. 75-046). (NIOSH/00134936). Price, JH; Seta, JA.
- Price, MJ; Darnton, AJ; Mcelvenny, DM; Hodgson, JT. (2007). Simian virus 40 and mesothelioma in Great Britain. *Occup Med (Lond)* 57: 564-568. <http://dx.doi.org/10.1093/occmed/kqm079>.
- Price, R. (2011). The need for a regulatory response to diagnosis fraud in mesothelioma cases. *J Law Med* 19: 196-200.
- Priest, G; Horner, JA. (1980). Fibrous ceramic aluminum silicate as an alternative to asbestos liners. *J Prosthet Dent* 44: 51-56.
- Primack, SL; Hartman, TE; Hansell, DM; Muller, NL. (1993). End-stage lung disease: CT findings in 61 patients. *Radiology* 189: 681-686.
- Prior, AJ; Ball A, BS. (1993). INTESTINAL OBSTRUCTION COMPLICATING MALIGNANT MESOTHELIOMA OF THE PLEURA. *Respir Med* 87: 147-148.
- Pritchard, D. (2000). Was Charlemagne killed by his tablecloth? [Letter]. *Biologist (London)* 47: 170.
- Proctor, BP; Mitchell, TM; Hirth, G; Goldsby, D; Zorzi, F; Platt, JD; Di Toro, G. (2014). Dynamic weakening of serpentinite gouges and bare surfaces at seismic slip rates. *J Geophys Res Solid Earth* 119: 8107-8131. <http://dx.doi.org/10.1002/2014JB011057>.
- Proctor, TD. (1988). Conditioned Clothing: The Needs of Industry and the Wearer. *Ergonomics* 31: 987-990.
- Prodi, V; De Zaiacomo, T; Hochrainer, D; Spurny, K. (1982). Fibre Collection and Measurement with the Inertial Spectrometer. *J Aerosol Sci* 13: 49-58.
- Program, USAIR. (1994). Superfund record of decision (EPA Region 4); Alabama Army Ammunition Plant, operable unit 2, Childersburg, AL., August 1994. United States (USA): U. S. Environmental Protection Agency.
- Proietti, L; Migliore, M; Polosa, R; Comba, P; Circo, C; Di Maria, GU. (2004). [Malignant pleural mesothelioma in housewives in the province of Catania]. *Recenti Prog Med* 95: 365-368.
- Prosie, F; Lesage, FX; Deschamps, F. (2008). Nanoparticles: structures, utilizations and health impacts [Review]. *Presse Med* 37: 1431-1437. <http://dx.doi.org/10.1016/j.lpm.2008.04.003>.
- Protas, SV. (2014). [Hygienic evaluation of air pollution with asbestos dust in subway parkings]. *Med Tr Prom Ekol* 23-26.
- Provencher, S; Labreche, FP. (1994). STUDY ON A HIGH-INCIDENCE OF CANCER AT A METAL FACTORY - PRACTICAL IMPLICATIONS FOR PUBLIC-HEALTH. *Can J Public Health* 85: 330-333.
- Provencher, S; Labrèche, FP; De Guire, L. (1997). Physician based surveillance system for occupational respiratory diseases: the experience of PROPULSE, Québec, Canada. *Occup Environ Med* 54: 272-276.
- Pryor, P. (1980). Health Hazard Evaluation Determination Report, No. HHE-78-79-736, Cissell Manufacturing Company, Louisville, Kentucky. 21: 19801980.
- Pryor, P. (1982). Health Hazard Evaluation Report, No. HETA-82-270-1238, Drive Train Industries, Inc., Denver, Colorado. (NIOSH/00127603). Pryor, P.
- Pryor, P; Lilis, R. (1979). Health Hazard Evaluation Determination, Report No. HHE-77-98-587, Du Co Ceramics Company, Saxonburg, Pennsylvania (pp. 77-98). (NIOSH/00092151). Pryor, P; Lilis, R.
- Pryor, WA; Stahl, W; Rock, CL. (2000). Beta carotene: from biochemistry to clinical trials [Review]. *Nutr Rev* 58: 39-53.
- Pu, X; Dou, Y; Liu, D; Lu, S; Quan, S; Zhang, X; Ma, S; Zhao, Z. (2016). Membranous nephropathy associated with malignant pleural mesothelioma in an adult patient: A case report. 5: 407-410. <http://dx.doi.org/10.3892/mco.2016.976>.
- Puffer, JH; Germine, M; Hurtubise, DO; Mrotek, KA; Bello, DM. (1980). Asbestos distribution in the Central Serpentine District of Maryland-Pennsylvania. *Environ Res* 23: 233-246.
- Puffer, JH; Germine, M; Maresca, GP. (1987). RUTILE FIBERS IN SURFACE WATERS OF NORTHERN NEW JERSEY USA. *Arch Environ Contam Toxicol* 16: 103-110.

Human Health Hazard Literature Search Results

Off Topic

- Pugnaroni, A; Lucarini, G; Giantomassi, F; Lombardo, L; Capella, S; Belluso, E; Zizzi, A; Panico, AM; Biagini, G; Cardile, V. (2007). In vitro study of biofunctional indicators after exposure to asbestos-like fluoro-edenite fibres. *Cell Mol Biol (Noisy-le-grand)* 53 Suppl: OL965-OL980.
- Pujolar, AE; González, C; Agudo, A; Calleja, A; Beltrán, M; González-Moya, J; Hernandez, S; Panades, R; Ramirez, J; Turuguet, D. (2001). Information about occupational exposure to asbestos given to cases in an etiological study: ethical aspects. *Eur J Epidemiol* 17: 1-6.
- Pukkala, E. (1995). Cancer risk by social class and occupation : a survey of 109,000 cancer cases among Finns of working age. In J Wahrendorf (Ed.). Basel, Switzerland: Karger.
- Pukkala, E; Guo, J; Kyyrönen, P; Lindbohm, ML; Sallmén, M; Kauppinen, T. (2005). National job-exposure matrix in analyses of census-based estimates of occupational cancer risk. *Scand J Work Environ Health* 31: 97-107.
- Pukkala, E; Martinsen, J; Lyng, E; Gunnarsdottir, H; Sparén, P; Tryggvadottir, L; Weiderpass, E; Kjaerheim, K. (2009). Occupation and cancer - follow-up of 15 million people in five Nordic countries. *Acta Oncol* 48: 646-790. <http://dx.doi.org/10.1080/02841860902913546>.
- Puledda, S; Ferdinandi, M; Inglessis, M. (1999). [An experimental quality assurance program for asbestos measurements performed with x-ray diffractometry in bulk samples]. *Ann Ist Super Sanita* 35: 583-590.
- Puledda, S; Ferdinandi, M; Plescia, P. (1998). [First intercalibration test of diffractometric measurements of asbestos in National Italian laboratories]. *Med Lav* 89: 292-300.
- Puledda, S; Marconi, A. (1990). Quantitative X-ray diffraction analysis of asbestos by the silver membrane filter method: Application to chrysotile. *Am Ind Hyg Assoc J* 51: 107-114.
- Puledda, S; Marconi, A. (1991). Study of the Count-to-Mass Conversion Factor for Asbestos Fibres in Samples Collected at the Emissions of Three Industrial Plants. *Ann Occup Hyg* 35: 517-524.
- Puledda, S; Paoletti, L. (1993). The problem of asbestos content determination in bulk samples - Study of the effect of comminution on the diffractometric response of chrysotile contained in an asbestos-cement sample. 84: 297-305.
- Puledda, S; Paoletti, L. (1993). [The problem of determining asbestos in bulk materials: a study of the effect of grinding on the diffractometric response of the chrysotile content in an asbestos cement sample]. *Med Lav* 84: 297-305.
- Puledda, S; Paoletti, L. (1994). Study of the effect of comminution on the diffractometric response of chrysotile contained in a bulk sample. *Ann Occup Hyg* 38: 59-65.
- Puleio, R; Schiavo, MR; Macaluso, G; Manno, C; Loria, GR. (2013). The use of wild animal models to detect evidence of environmental contamination by asbestos-like substance. *Vet Rec* 172: 398. <http://dx.doi.org/10.1136/vr.101365>.
- Pulkrabek, M; Simecek, J. (1990). On the hygienic evaluation of fibrous dust in working atmosphere: Part II. Asbestos (pp. 91-93). (BIOSIS/91/12486). Pulkrabek, M; Simecek, J.
- Puntoni, R; Filiberti, R; Cerrano, PG; Neri, M; Andreatta, R; Bonassi, S. (2003). Implementation of a molecular epidemiology approach to human pleural malignant mesothelioma [Review]. *Mutat Res* 544: 385-396. <http://dx.doi.org/10.1016/j.mrrev.2003.06.012>.
- Purser, CA; Hume, AS. (1994). Detection - analytical. In G Lorriss; B Cockerham; S Shane (Eds.), (pp. 501-528). Boca Raton, FL: CRC Press.
- Purvis, OW; Halls, C. (1996). A review of lichens in metal-enriched environments. *Lichenologist LONDON*: 571-601.
- Puskar, MA; Harkins, JM; Moomey, JD; Hecker, LH. (1991). INTERNAL WALL LOSSES OF PHARMACEUTICAL DUSTS DURING CLOSED-FACE, 37-MM POLYSTYRENE CASSETTE SAMPLING. *Am Ind Hyg Assoc J* 52: 280-286.
- Putnam, EA. (2002). Investigations of Asbestos-Related Diseases.
- Putnam, EA. (2003). Investigations of Asbestos-Related Diseases.
- Putnam, EA. (2004). Investigations of Asbestos-Related Diseases.
- Putnam, EA. (2008). Response in lung extracellular matrix to asbestos.
- Putnam, EA. (2009). Response in lung extracellular matrix to asbestos.
- Putnam, EA. (2013). The role of SPARC in lung fibrosis.
- Putzu, MG; Bruno, C; Zona, A; Massiccio, M; Pasetto, R; Piolatto, PG; Comba, P. (2006). Fluoro-edenitic fibres in the sputum of subjects from Biancavilla (Sicily): a pilot study. *Environ Health* 5: 20. <http://dx.doi.org/10.1186/1476-069X-5-20>.
- Pye, AM. (1979). A review of asbestos substitute materials in industrial applications. *J Hazard Mater* 3: 125-148.
- Pye, AM. (1979). REVIEW OF ASBESTOS SUBSTITUTE MATERIALS IN INDUSTRIAL APPLICATIONS. *J Hazard Mater* 3: 125-147.
- Pylev, LN; Koval'Skaya, GD; Yakovenko, GN. (1975). Carcinogenic activity of synthetic asbestos. *Gig Tr Prof Zabol* 31-35.
- Pylev, LN; Krivosheeva, LV; Levinskiĭ, SS; Khitrovo, IA. (2008). [The content of ben(z)pyrene in ondulin proposed as an asbestos cement roofing slate substitute]. *Gig Sanit* 20-23.
- Pylev, LN; Krivosheeva, LV; Uzunov, P; Mikhailova, LM; Cherneva, P; Vasileva, R. (1983). THE CONTENT OF BENZO A PYRENE IN SOVIET AND BULGARIAN ANTHOPHYLLITE. *Gig Tr Prof Zabol* 0: 19-22.
- Pylev, LN; Kulagina, TF; Vasil'Eva, LA; Celicev, NF; Berensteyn, BG. (1986). Blastomogenic activity of erionite (needle zeolite). *nye zabolevanija* June 1986: 33-37.
- Pylev, LN; Martynova, EA. (1984). [Cytotoxic effect of various types of synthetic asbestos on murine peritoneal macrophage culture]. *Gig Tr Prof Zabol* 50-52.
- Pylev, LN; Roe, F; Vorvik, D. (1970). [Distribution and excretion of 3H-benz(alpha)pyrene from the bodies of animals following its intratracheal injection with asbestos and carbon black]. *Vopr Onkol* 16: 61-69.
- Pylev, LN; Roe, F; Vorvik, D. (1970). Macrophage Reaction of Hamster Lung Tissue to Intratracheal Administration of Tritium Labeled Benz(a)Pyrene Mixed with Carbon Black and Asbestos (pp. 47-51). (NIOSH/00102604). Pylev, LN; Roe, F; Vorvik, D.
- Pylev, LN; Roe, F; Vorvik, D. (1970). [Macrophage reaction of hamster lung tissue to the intratracheal administration of tritium-labelled benzo(a)pyrene mixed with carbon black and asbestos]. *Patol Fiziol Eksp Ter* 14: 47-51.

Human Health Hazard Literature Search Results

Off Topic

- Pylev, LN; Roe, FJC; Warwick, GP. (1969). Elimination of radioactivity after intratracheal instillation of tritiated 3,4-benzopyrene in hamsters. *Br J Cancer* 23: 103-115.
- Pykkänen, L; Sainio, M; Ollikainen, T; Mattson, K; Nordling, S; Carpén, O; Linnainmaa, K; Husgafvel-Pursiainen, K. (2002). Concurrent LOH at multiple loci in human malignant mesothelioma with preferential loss of NF2 gene region. *Oncol Rep* 9: 955-959.
- Pykkänen, L; Wolff, H; Stjernvall, T; Knuutila, A; Anttila, S; Husgafvel-Pursiainen, K. (2004). Reduced Fhit protein expression in human malignant mesothelioma. *Virchows Arch* 444: 43-48. <http://dx.doi.org/10.1007/s00428-003-0902-3>.
- Qamar, R; Viswanathan, PN; Tandon, SK. (1973). Influence of citrate ions on the dissolution of silica from asbestos. *Med Lav* 64: 245-249.
- Qi, F; Carbone, M; Yang, H; Gaudino, G. (2011). Simian virus 40 transformation, malignant mesothelioma and brain tumors [Review]. *Expert Review of Respiratory Medicine* 5: 683-697. <http://dx.doi.org/10.1586/ers.11.51>.
- Qian, MW; Eaton, JW. (1989). Tobacco-borne siderophoric activity. *Arch Biochem Biophys* 275: 280-288.
- Qian, MW; Eaton, JW. (1991). IRON TRANSLLOCATION BY FREE FATTY-ACIDS. *Am J Pathol* 139: 1425-1434.
- Qu, ZH; Liebler, JM; Powers, MR; Galey, T; Ahmadi, P; Huang, XN; Ansel, JC; Butterfield, JH; Planck, S. R.; James, T. (1995). MAST-CELLS ARE A MAJOR SOURCE OF BASIC FIBROBLAST GROWTH-FACTOR IN CHRONIC INFLAMMATION AND CUTANEOUS HEMANGIOMA. *Am J Pathol* 147: 564-573.
- Qua, JC; Rao, UN; Takita, H. (1993). Malignant pleural mesothelioma: a clinicopathological study. *J Surg Oncol* 54: 47-50.
- Quek, U; Forster, J. (1993). TRACE-METALS IN ROOF RUNOFF. *Water Air Soil Pollut* 68: 373-389.
- Quinlan, TR; Marsh, JP; Janssen, YMW; Leslie, KO; Hemenway, D; Vacek, P; Mossman, BT. (1993). DOSE RESPONSIVE INCREASES IN GENE-EXPRESSION OF MANGANESE SUPEROXIDE-DISMUTASE AND ORNITHINE DECARBOXYLASE IN RAT LUNGS AFTER INHALATION OF CROCIDOLITE ASBESTOS. *Am Rev Respir Dis* 147: A906-A906.
- Quinn, AE. (1983). Textile Industry (pp. 2167-2170). (NIOSH/00150068). Quinn, AE.
- Quinn, JF; Acer, K. (1990). Protection from asbestos exposure includes personal and area monitoring. *Occup Health Saf* 59: 27-31.
- Quinn, M. (1988). [Control of exposure to asbestos in buildings in the United States: legislation and industrial hygiene procedures]. *Med Lav* 79: 403-410.
- Quinn, M. (1989). The control of exposure to asbestos in buildings in the United States: Legislation and industrial hygiene procedures (pp. 403-410). (CIS/90/00887). Quinn, M.
- Quinn, MM; Kriebel, D; Buiatti, E; Paci, E; Sini, S; Vannucchi, G; Zappa, M. (1987). An asbestos hazard in the reprocessed textile industry. *Am J Ind Med* 11: 255-266.
- Quinn, MM; Smith, TJ; Schneider, T; Eisen, EA; Wegman, DH. (2005). Determinants of airborne fiber size in the glass fiber production industry. *J Occup Environ Hyg* 2: 19-28. <http://dx.doi.org/10.1080/15459620590898108>.
- Quinn, MW; Smith, TJ; Eisen, EA; Wegman, DH; Ellenbecker, MJ. (2000). Implications of different fiber measures for epidemiologic studies of man-made vitreous fibers. *Am J Ind Med* 38: 132-139. [http://dx.doi.org/10.1002/1097-0274\(200008\)38:2<132::AID-AJIM3>3.0.CO;2-P](http://dx.doi.org/10.1002/1097-0274(200008)38:2<132::AID-AJIM3>3.0.CO;2-P).
- Quintaes, KD; Amaya-Farfan, J; Morgano, MA; Mantovani, DMB. (2002). Soapstone (steatite) cookware as a source of minerals. *Food Addit Contam* 19: 134-143. <http://dx.doi.org/10.1080/02652030110066206>.
- Quintero, C; Larios, L; Andersson, K. (1996). Comparison of two questionnaires on respiratory symptoms in a Nicaraguan population: Value in diagnosis of chronic bronchitis. *Int J Occup Environ Health* 2: 88-94. <http://dx.doi.org/10.1179/oeh.1996.2.2.88>.
- Qureshi, RA; Gazney, JA; Soorae, AS. (2002). Rare pigmented tumor of the lung. *J Pak Med Assoc* 52: 183-185.
- Rabes, HM. (1988). MINIMAL NEOPLASIAS IN EXPERIMENTAL LIVER CARCINOGENESIS (pp. DIAGNOSIS AND THERAPY). (BIOSIS/88/36450). Rabes, HM.
- Rabinowitz, JG; Efremidis, SC; Cohen, B; Dan, S; Efremidis, A; Chahinian, AP; Teirstein, AS. (1982). A Comparative Study of Mesothelioma and Asbestosis Using Computed Tomography and Conventional Chest Radiography. *Radiology* 144: 453-460.
- Rabovsky, J. (1995). Biogenic amorphous silica [Review].
- Racine, WP. (2010). Emissions concerns during renovation in the healthcare setting: asbestos abatement of floor tile and mastic in medical facilities. *J Environ Manage* 91: 1429-1436. <http://dx.doi.org/10.1016/j.jenvman.2010.02.027>.
- Racki, Z; Svagel, J. (1987). ASBESTOSIS IN A GREAT ADRIATIC SHIPYARD. *Medicina (Kaunas) RIJEKA*: 3-4.
- Radak, JT. (2005). The medical record on trial: was it mesothelioma or lung cancer ... or another frivolous lawsuit? [Editorial]. *Geriatrics* 60: 9-10.
- Radauceanu, A; Chouaniere, D; Wild, P; Hery, M; Creau, Y. (2008). Assessment of asbestos exposure in asbestos removal operations: Proposal of a task exposure matrix. *Arch Mal Prof Environ* 69: 586-592. <http://dx.doi.org/10.1016/j.admp.2008.05.006>.
- Radenbach, D; Nowak, D; Joerres, R; Magnussen, H. (1995). Effect of welding on the respiratory system: Findings in 30 symptomatic welders (pp. 105-111). (BIOSIS/95/19452). Radenbach, D; Nowak, D; Joerres, R; Magnussen, H.
- Radia, J. (1986). WHAT ARE THE SOLUTIONS TO ASBESTOS REMOVAL? (pp. 81; 1986). (HMTC/86/0004072). Radia, J.
- Radnofsky, MI. (1969). History and development of nonflammable material for Apollo spacecraft. *Aerosp Med* 40: 1181-1185.
- Radulescu, N. (1983). [Asbestos--quantitative determination using infrared spectroscopy]. *Z Gesamte Hyg Grenzgeb* 29: 682-683.
- Radvanec, M; Tuček, L; Derco, J; Čechovská, K; Németh, Z. (2013). Change of carcinogenic chrysotile fibers in the asbestos cement (eternit) to harmless waste by artificial carbonatization: petrological and technological results. *J Hazard Mater* 252-253: 390-400. <http://dx.doi.org/10.1016/j.jhazmat.2013.02.036>.
- Radwan, M; Demirer, E; Ghattas, C; Mageed, EMA; Elamin, EM. (2013). Unique Radiological Findings In Erionite Comparing To Asbestos Related Malignant Pleural Mesothelioma. *Am J Respir Crit Care Med* 187.
- RAFFIN. (1993). INCIDENCE OF LUNG-CANCER BY HISTOLOGICAL TYPE AMONG ASBESTOS-CEMENT WORKERS IN DENMARK - REPLY. *Br J Ind Med* 50: 767-767.
- Rafnsson, V; Gunnarsdottir, H. (1994). MORTALITY AMONG ICELANDIC SEAMEN. *Int J Epidemiol* 23: 730-736.

Human Health Hazard Literature Search Results

Off Topic

- Rafnsson, V; Gunnarsdottir, H. (1995). CANCER INCIDENCE AMONG SEAMEN IN ICELAND. *Am J Ind Med* 27: 187-193.
- Rahman, Q; Alvi, NK; Rizvi, RY; Hadi, SM. (1984). Degradation Of DNA By Silicic Acid. *Mutat Res* 141: 1-5.
- Rahman, Q; Alvi, NK; Rizvi, RY; Hadi, SM. (1985). Interaction of DNA with Silicic Acid (pp. 543-548). (NIOSH/00166211). Rahman, Q; Alvi, NK; Rizvi, RY; Hadi, SM.
- Rahman, Q; Beg, MU; Viswanathan, PN. (1975). Dissolution of silicic acid from amosite and quartz dusts under physiological conditions. *Scand J Work Environ Health* 1: 117-119.
- Rahman, Q; Beg, MU; Viswanathan, PN; Zaidi, SH. (1974). Relation between solubility of silicates and enzyme inhibition in rat lung homogenate (in vitro studies). *Environ Physiol Biochem* 3: 281-285.
- Rahman, Q; Lohani, M; Dopp, E; Pemsel, H; Jonas, L; Weiss, DG; Schiffmann, D. (2002). Evidence that ultrafine titanium dioxide induces micronuclei and apoptosis in Syrian hamster embryo fibroblasts. *Environ Health Perspect* 110: 797-800.
- Rahman, Q; Viswanathan, PN. (1981). BIOCHEMICAL ECO TOXICOLOGY OF AIR POLLUTANTS AND THEIR EFFECT ON LUNGS (pp. 14-18). (HEEP/82/11472). Rahman, Q; Viswanathan, PN.
- Rai, A; Gupta, TN. (2002). Asbestos an important insulating material; its varieties, properties and safe uses [Review]. *Indian J Environ Health* 44: 220-224.
- Rai, AJ; Flores, RM. (2011). Association of malignant mesothelioma and asbestos related conditions with ovarian cancer: shared biomarkers and a possible etiological link? [Editorial]. *Clin Chem Lab Med* 49: 5-7. <http://dx.doi.org/10.1515/CCLM.2011.027>.
- Raiko, I; Sander, I; Weber, DG; Raulf-Heimsoth, M; Gillissen, A; Kollmeier, J; Scherpereel, A; Bruening, T; Johnen, G. (2010). Development of an enzyme-linked immunosorbent assay for the detection of human calretinin in plasma and serum of mesothelioma patients. *BMC Cancer* 10: 242. <http://dx.doi.org/10.1186/1471-2407-10-242>.
- Raja, S; Murthy, SC; Mason, DP. (2011). Malignant pleural mesothelioma [Review]. *Current Oncology Reports (Online)* 13: 259-264. <http://dx.doi.org/10.1007/s11912-011-0177-9>.
- Rajan, KT; Evans, PH. (1973). EXPERIMENTAL METHODS Organ Culture (pp. 94-98). (NIOSH/00150381). Rajan, KT; Evans, PH.
- Rajan, KT; Evans, PH. (1974). EXPERIMENTAL METHODS ORGAN CULTURE (pp. LYON). (HEEP/75/04216). Rajan, KT; Evans, PH.
- Rajhans, GS. (1977). Here's an update on asbestos. *Occup Health Saf* 46: 38-43.
- Rajhans, GS; Bragg, GM. (1978). Engineering aspects of asbestos dust control. (HEEP/79/06211). Rajhans, GS; Bragg, GM.
- Rajhans, GS; Bragg, GM; Morton, JS. (1978). REVIEW OF ASBESTOS EXPOSURES IN ONTARIO. *Am Ind Hyg Assoc J* 39: 767-771. <http://dx.doi.org/10.1080/0002889778507849>.
- Rajhans, GS; Sullivan, JL. (1981). Asbestos sampling and analysis. (CIS/82/01542). Rajhans, GS; Sullivan, JL.
- Raji, OY; Duffy, SW; Agbaje, OF; Baker, SG; Christiani, DC; Cassidy, A; Field, JK. (2012). Predictive accuracy of the Liverpool Lung Project risk model for stratifying patients for computed tomography screening for lung cancer: a case-control and cohort validation study. *Ann Intern Med* 157: 242-250. <http://dx.doi.org/10.7326/0003-4819-157-4-201208210-00004>.
- Rajkumar, M; Ma, Y; Freitas, H. (2008). Characterization of metal-resistant plant-growth promoting *Bacillus weihenstephanensis* isolated from serpentine soil in Portugal. *J Basic Microbiol* 48: 500-508. <http://dx.doi.org/10.1002/jobm.200800073>.
- Rake, C; Gilham, C; Hatch, J; Darnton, A; Hodgson, J; Peto, J. (2009). Occupational, domestic and environmental mesothelioma risks in the British population: a case-control study. *Br J Cancer* 100: 1175-1183. <http://dx.doi.org/10.1038/sj.bjc.6604879>.
- Rake, C; Gilham, C; Hodgson, J; Peto, J. (2006). The mesothelioma epidemic and the hidden asbestos-related lung cancer epidemic. *Lung Cancer* 54: S33-S33.
- Rall, DP. (1994). Media and science: harmless dioxin, benign CFCs, and good asbestos [Editorial]. *Environ Health Perspect* 102: 10.
- Ramachandran, R; Radhan, P; Santosham, R; Rajendiran, S. (2014). A rare case of primary malignant pericardial mesothelioma. 4: 47. <http://dx.doi.org/10.4103/2156-7514.139737>.
- Ramalingam, SS; Belani, CP. (2008). Recent advances in the treatment of malignant pleural mesothelioma [Review]. *J Thorac Oncol* 3: 1056-1064. <http://dx.doi.org/10.1097/JTO.0b013e3181834f66>.
- Ramazzini, C. (1999). Call for an international ban on asbestos. *Scand J Work Environ Health* 25: 633-635.
- Ramazzini, C. (1999). Call for an international ban on asbestos [Editorial]. *J Occup Environ Med* 41: 830-832. <http://dx.doi.org/10.1179/oeh.1999.5.3.247>.
- Ramazzini, C. (1999). Call for an international ban on asbestos. *Collegium Ramazzini. Am J Ind Med* 36: 227-229.
- Ramazzini, C. (2010). Asbestos is still with us: repeat call for a universal ban [Editorial]. *J Occup Environ Med* 52: 469-472. <http://dx.doi.org/10.1080/19338241003776104>.
- Ramazzini, C. (2011). Asbestos Is Still With Us: Repeat Call for a Universal Ban. *Am J Ind Med* 54: 168-173. <http://dx.doi.org/10.1002/ajim.20892>.
- Ramazzini, C. (2016). Collegium Ramazzini The global health dimensions of asbestos and asbestos-related diseases. *Med Lav* 107: 75-79.
- Ramazzini, C. (2016). Comments on the 2014 helsinki consensus report on asbestos. *J Occup Health* 58: 224-227.
- Ramazzini, C. (2016). Comments on the causation of malignant mesothelioma: rebutting the false concept that recent exposures to asbestos do not contribute to causation of mesothelioma. *Ind Health* 54: 92-93. <http://dx.doi.org/10.2486/indhealth.cr02>.
- Ramazzini, C. (2016). Comments on the causation of malignant mesothelioma: rebutting the false concept that recent exposures to asbestos do not contribute to causation of mesothelioma. *J Occup Health* 58: 228-229. <http://dx.doi.org/10.1539/joh.16-2003-LT>.
- Ramkumar, KM; Manjula, C; Gnanakumar, G; Kanjwal, MA; Sekar, TV; Paulmurugan, R; Rajaguru, P. (2012). Oxidative stress-mediated cytotoxicity and apoptosis induction by TiO2 nanofibers in HeLa cells. *Eur J Pharm Biopharm* 81: 324-333. <http://dx.doi.org/10.1016/j.ejpb.2012.02.013>.
- Ramos-Nino, ME. (2004). Role of Fra-1 in Mesothelioma.
- Ramos-Nino, ME. (2005). Role of Fra-1 in Mesothelioma.

Human Health Hazard Literature Search Results

Off Topic

- Ramos-Nino, ME. (2006). Role of Fra-1 in Mesothelioma.
- Ramos-Nino, ME. (2007). Role of Fra-1 in Mesothelioma.
- Ramos-Nino, ME. (2008). Role of Fra-1 in Mesothelioma.
- Ramos-Nino, ME; Blumen, SR; Sabo-Attwood, T; Pass, H; Carbone, M; Testa, JR; Altomare, BA; Mossman, BT. (2008). HGF mediates cell proliferation of human mesothelioma cells through a PI3K/MEK5/Fra-1 pathway. *Am J Respir Cell Mol Biol* 38: 209-217. <http://dx.doi.org/10.1165/rcmb.2007-0206OC>.
- Ramos-Nino, ME; Vianale, G; Sabo-Attwood, T; Mutti, L; Porta, C; Heintz, N; Mossman, BT. (2005). Human mesothelioma cells exhibit tumor cell-specific differences in phosphatidylinositol 3-kinase/AKT activity that predict the efficacy of Onconase. *Mol Cancer Ther* 4: 835-842.
- Ramsey, JC. (2006). Environmental Assessment: Construct New Mini-Storage Facility Okeechobee Road Eglin Air Force Base Florida. 10.
- Ramun, JR. (1989). ASBESTOS CONTAMINATION CONTROL METHOD AND FORMULAS USED THEREIN US PATENT-4828883. MAY 9 1989. (BIOSIS/89/20832). Ramun, JR.
- Rangé, J. (1998). Working with asbestos in Brazil [Letter]. *Int J Occup Environ Health* 4: 56-58. <http://dx.doi.org/10.1179/oeh.1998.4.1.56>.
- Rangé, J. (1999). Globally asbestos-free automobiles [Letter]. *Int J Occup Environ Health* 5: 242-243. <http://dx.doi.org/10.1179/oeh.1999.5.3.242>.
- Rao, S. (2009). Malignant pleural mesothelioma. 26: 53-54. <http://dx.doi.org/10.4103/0970-2113.48900>.
- Rapisarda, V; Amati, M; Coloccini, S; Bolognini, L; Gobbi, L; Duscio, D. (2003). [The in vitro release of hydroxyl radicals from dust containing fluoro-edenite fibers identified in the volcanic rocks of Biancavilla (eastern Sicily)]. *Med Lav* 94: 200-206.
- Rapisarda, V; Ledda, C; Migliore, M; Salemi, R; Musumeci, A; Bracci, M; Marconi, A; Loreto, C; Libra, M. (2015). FBLN-3 as a biomarker of pleural plaques in workers occupationally exposed to carcinogenic fibers: a pilot study. 11: 35-37. <http://dx.doi.org/10.2217/fo.15.271>.
- Rapisarda, V; Ledda, C; Ricceri, V; Arena, F; Musumeci, A; Marconi, A; Fago, L; Bracci, M; Santarelli, L; Ferrante, M. (2015). Detection of pleural plaques in workers exposed to inhalation of natural fluoro-edenite fibres. 9: 2046-2052. <http://dx.doi.org/10.3892/ol.2015.2978>.
- Rapisarda, V; Loreto, C; Ledda, C; Musumeci, G; Bracci, M; Santarelli, L; Renis, M; Ferrante, M; Cardile, V. (2015). Cytotoxicity, oxidative stress and genotoxicity induced by glass fibers on human alveolar epithelial cell line A549. *Toxicol In Vitro* 29: 551-557. <http://dx.doi.org/10.1016/j.tiv.2014.12.010>.
- Rapisarda, V; Rapisarda, G; Vico, GD; Gobbi, L; Loreto, C; Valentino, M. (2005). Monitoring of fluoro-edenite fibre pollution through the study of sheep lymph nodes as a model of a biological indicator [Letter]. *Occup Environ Med* 62: 656. <http://dx.doi.org/10.1136/oem.2005.020727>.
- Rapiti, E; Turi, E; Forastiere, F; Borgia, P; Comba, P; Perucci, CA; Axelson, O. (1992). A mortality cohort study of seamen in Italy. *Am J Ind Med* 21: 863-872.
- Raptopoulos, V. (1985). Peritoneal mesothelioma [Review]. *Crit Rev Diagn Imaging* 24: 293-328.
- Rasanen, T. (1962). Effects of heparin and asbestos with corticotrophin on the mucosal mast cells and tissue eosinophils of rat stomach. *Acta Endocrinol* 41: 437-440.
- Rascoe, PA; Jupiter, D; Cao, X; Littlejohn, JE; Smythe, WR. (2012). Molecular pathogenesis of malignant mesothelioma [Review]. *Expert Rev Mol Med* 14: e12. <http://dx.doi.org/10.1017/erm.2012.6>.
- Raşcu, A; Drăghici, B; Naghi, E. (2005). [Questions and answers about asbestos] [Review]. *Pneumologia* 54: 195-199.
- Rasmuson, JO; Roggli, VL; Boelter, FW; Rasmuson, EJ; Redinger, CF. (2014). Cumulative Retrospective Exposure Assessment (REA) as a predictor of amphibole asbestos lung burden: validation procedures and results for industrial hygiene and pathology estimates. *Inhal Toxicol* 26: 1-13. <http://dx.doi.org/10.3109/08958378.2013.845273>.
- Rasmussen, K; Lunde-Jensen, P; Svane, O. (1991). Biological monitoring and medical screening at the workplace in the EC countries. *Int Arch Occup Environ Health* 63: 347-352.
- Rastrick, J; Birrell, M. (2014). The role of the inflammasome in fibrotic respiratory diseases [Review]. *Minerva Med* 105: 9-23.
- Rathje, D. (2002). E-Learning Tools for Chemical Emergency Responders.
- Rathje, D. (2003). E-Learning Tools for Chemical Emergency Responders.
- Rauscher, FJ; Testa, JR. (2015). Pathogenesis of Malignant Mesothelioma by the Human Polycomb Complex BAP1-ASXL.
- Rauscher, FJT, JR. (2014). Pathogenesis of Malignant Mesothelioma by the Human Polycomb Complex BAP1-ASXL.
- Rautiala, S; Reponen, T; Nevalainen, A; Husman, T; Kalliokoski, P. (1998). Control of exposure to airborne viable microorganisms during remediation of moldy buildings; Report of three case studies. *Am Ind Hyg Assoc J* 59: 455-460.
- Ravallec, C; Basseur, G. (2006). [Asbestos: The situation after 10 years of regulations] (pp. 659). (ISSN 0373-1944 CIS/06/00901). Ravallec, C; Basseur, G.
- Ravi, K; Shivkumar, K; Eichenhorn, M; Henry, JW; Stein, PD. (1993). RIGHT VENTRICULAR DILATATION IN PATIENTS WITH RESTRICTIVE LUNG DISEASE AN ECHOCARDIOGRAPHIC STUDY (pp. 3-5). (BIOSIS/94/37060). Ravi, K; Shivkumar, K; Eichenhorn, M; Henry, JW; Stein, PD.
- Ravichandran, P; Baluchamy, S; Gopikrishnan, R; Biradar, S; Ramesh, V; Goornavar, V; Thomas, R; Wilson, BL; Jeffers, R; Hall, JC; Ramesh, GT. (2011). Pulmonary biocompatibility assessment of inhaled single-wall and multiwall carbon nanotubes in BALB/c mice. *J Biol Chem* 286: 29725-29733. <http://dx.doi.org/10.1074/jbc.M111.251884>.
- Ravikrishna, R; Lee, HW; Mbuligwe, S; Valsaraj, KT; Pardue, JH. (2010). Air quality during demolition and recovery activities in post-Katrina New Orleans. *Environ Toxicol Chem* 29: 1438-1444. <http://dx.doi.org/10.1002/etc.210>.
- Ray, M; Kindler, HL. (2009). Malignant pleural mesothelioma: an update on biomarkers and treatment [Review]. *Chest* 136: 888-896. <http://dx.doi.org/10.1378/chest.08-2665>.
- Raymond, MV. (1965). [ASBESTOS IN BUILDINGS AND PUBLIC WORKS]. *Arch Mal Prof Med Trav Secur Soc* 26: 166-168.
- Raymond, V. (1956). [Accidents caused by asbestos cement roofing]. *Arch Mal Prof Med Trav Secur Soc* 17: 62-66.

Human Health Hazard Literature Search Results

Off Topic

- Raynor, PC. (2013). Midwest Emerging Technologies Public Health and Safety Training Program.
- Raynor, PC. (2014). Midwest Emerging Technologies Public Health and Safety Training Program.
- Raynor, PC. (2015). Midwest Emerging Technologies Public Health and Safety Training Program.
- Razavi, M; Fathi, M; Savabi, O; Vashae, D; Tayebi, L. (2014). Improvement of biodegradability, bioactivity, mechanical integrity and cytocompatibility behavior of biodegradable mg based orthopedic implants using nanostructured Bredigite (Ca7MgSi 4O 16) bioceramic coated via ASD/EPD technique. *Ann Biomed Eng* 42: 2537-2550. <http://dx.doi.org/10.1007/s10439-014-1084-7>.
- Reber, E. (1982). Processing and using asbestos and asbestos products. (CIS/83/00064). Reber, E.
- Recalde Ruiz, DL; Laborda Grima, R. (2006). [Guide to the preparation of work plans applicable to the dismantling and demolition of asbestos-containing structures. New legislation]. *Prevenion n Oct*: 60-68.
- Reddel, RR; Malan-Shibley, L; Gerwin, BI; Metcalf, RA; Harris, CC. (1989). TUMORIGENICITY OF HUMAN MESOTHELIAL CELL LINE TRANSFECTED WITH EJ-RAS ONCOGENE. *J Natl Cancer Inst BETHESDA*: 945-948.
- Redwood, D; Lanier, AP; Brubaker, M; Orell, L; Tom-Orme, L; George, C; Edwards, S; Slattery, M. (2012). Occupational and Environmental Exposures Among Alaska Native and American Indian People Living in Alaska and the Southwest United States. *J Environ Health* 74: 22-28.
- Reed, TTQ. (2008). Brownfields Minority Worker Training Program.
- Reed, TTQ. (2009). Brownfields Minority Worker Training Program.
- Rees, D; Issah, W. (2000). Don't forget the ferruginous bodies [Letter]. *S Afr Med J* 90: 128.
- Rees, D; Steinberg, M; Becker, PJ; Solomon, A. (1992). DUST EXPOSURE AND PNEUMOCONIOSIS IN A SOUTH-AFRICAN POTTERY .2. PNEUMOCONIOSIS AND FACTORS INFLUENCING READING OF RADIOLOGICAL OPACITIES. *Br J Ind Med* 49: 465-471.
- Reger, R; Morgan, WKC. (1990). On talc, tremolite, and tergiversation [Review]. *Occup Environ Med* 47: 505-507.
- Reger, RB; Ames, RG; Merchant, JA; Polakoff, PP; Sargent, EN; Silbiger, M; Whittlesey, P. (1982). The detection of thoracic abnormalities using posterior-anterior (PA) vs PA and oblique roentgenograms. *Chest* 81: 290-295.
- Reggeti, F; Brisson, B; Ruotsalo, K; Southorn, E; Bienzle, D. (2005). Invasive epithelial mesothelioma in a dog. *Vet Pathol* 42: 77-81.
- Regunathan, P. (1985). OVERVIEW OF POINT-OF-USE WATER TREATMENT TECHNOLOGY. Rice R: THE IMPACT OF CHEMICALS ON A LIMITED RESOURCE; MEETING.
- Rehm, C. (2000). Cadmium, A Health Hazard Surface Treatment (pp. 19). (NTIS/02930234_a). Rehm, C.
- Rehn, B; Rehn, S; Bruch, J. (1999). A new in-vitro-testing concept (vector-model) in biological screening and monitoring the lung toxicity of dusts. Presentation of the concept and testing the method with dust of known lung toxicity. *Staub, Reinhaltung der Luft* 59: 181-188.
- Reichel, G. (1980). DISABILITY DETERMINATION AND COMPENSATION FOR PNEUMOCONIOSIS IN WEST GERMANY (pp. 365-366). (HEEP/82/03314). Reichel, G.
- Reid, HO; Kahwa, IA. (1995). Potential public health problems of asbestos in Jamaica [Letter]. *Occup Environ Med* 52: 214.
- Reid, ME; Craven, G. (1996). Geologic sources of asbestos in Seattle's Tolt Reservoir. *NW Sci* 70: 48-54.
- Reid, R. (1987). ASBESTOS IN THE BUILDING?--EXAMINE THESE OPTIONS (pp. 39-43; 1987). (HMTC/87/0005079). Reid, R.
- Reilly, MJ; Abramson, D; Beedasy, J; Petkova, E; D'Andrea, C; Little, M. (2015). of Health Department Worker Safety Training on Health Impacts After Sandy.
- Reinstein, L; Bersin, B. (2017). Clarence Borel. *New Solutions: A Journal of Environmental and Occupational Health Policy* 26: 622-629. <http://dx.doi.org/10.1177/1048291116679964>.
- Reinstein, L; Kazan-Allen, L. (2007). Asbestos update [Editorial]. *Am J Ind Med* 50: 73-75. <http://dx.doi.org/10.1002/ajim.20415>.
- Reinthalder, FF; Schmalz, H; Mascher, F. (1988). DISPOSAL OF CHEMICALS IN HOSPITAL AND OTHER MEDICAL AREAS (pp. 224-228). (BIOSIS/88/32223). Reinthalder, FF; Schmalz, H; Mascher, F.
- Reiss, B; Millette, J. R.; Williams, GM. (1980). THE ACTIVITY OF ENVIRONMENTAL-SAMPLES IN A CELL-CULTURE TEST FOR ASBESTOS TOXICITY. *Environ Res* 22: 315-321.
- Reitze, W. (1979). Industrial hygiene perspectives in control of asbestos exposure. *Ann N Y Acad Sci* 330: 223-224.
- Reitze, WB; Nicholson, WJ; Holaday, DA; Selikoff, IJ. (1972). Application of sprayed inorganic fiber containing asbestos: occupational health hazards. *Am Ind Hyg Assoc J* 33: 178-191. <http://dx.doi.org/10.1080/0002889728506628>.
- Rekhi, B; Pathuthara, S; Ajit, D; Kane, SV. (2010). "Signet-ring" cells--a caveat in the diagnosis of a diffuse peritoneal mesothelioma occurring in a lady presenting with recurrent ascites: an unusual case report. *Diagn Cytopathol* 38: 435-439. <http://dx.doi.org/10.1002/dc.21248>.
- Remon, J; Lianes, P; Martínez, S; Velasco, M; Querol, R; Zanui, M. (2013). Malignant mesothelioma: new insights into a rare disease [Review]. *Cancer Treat Rev* 39: 584-591. <http://dx.doi.org/10.1016/j.ctrv.2012.12.005>.
- Remon, J; Reguart, N; Corral, J; Lianes, P. (2015). Malignant pleural mesothelioma: new hope in the horizon with novel therapeutic strategies [Review]. *Cancer Treat Rev* 41: 27-34. <http://dx.doi.org/10.1016/j.ctrv.2014.10.007>.
- Ren, R; Yin, P; Zhang, Y; Zhou, J; Zhou, Y; Xu, R; Lin, H; Huang, C. (2016). Diagnostic value of fibulin-3 for malignant pleural mesothelioma: A systematic review and meta-analysis. *Onct* 7: 84851-84859. <http://dx.doi.org/10.18632/oncotarget.12707>.
- Rena, O; Boldorini, LR; Gaudino, E; Casadio, C. (2011). Epidermal growth factor receptor overexpression in malignant pleural mesothelioma: prognostic correlations. *J Surg Oncol* 104: 701-705. <http://dx.doi.org/10.1002/jso.21901>.
- Rena, O; Boldorini, R; Papalia, E; Mezzapelle, R; Baietto, G; Roncon, A; Casadio, C. (2015). Persistent lung expansion after pleural talc poudrage in non-surgically resected malignant pleural mesothelioma. *Ann Thorac Surg* 99: 1177-1183. <http://dx.doi.org/10.1016/j.athoracsur.2014.11.050>.
- Rendall, RE. (1980). Physical and chemical characteristics of IICC reference samples. *IARC Sci Publ* 87-96.

Human Health Hazard Literature Search Results

Off Topic

- Rendall, RE; Davies, JC. (2007). Dust and fibre levels at Penge amosite mine, 1970-1971. 33: 26-30.
- Rendall, RE; Skikne, MI. (1980). Submicroscopic fibres in industrial atmospheres. In JC Wagner (Ed.), IARC Scientific Publication (pp. 837-843). Lyon, France: International Agency on the Research of Cancer.
<http://apps.who.int/bookorders/anglais/detart1.jsp?sesslan=1&codlan=1&codcol=73&codcch=30>.
- Rendall, REG. (1970). The Data Sheets on the Chemical and Physical Properties of the U.I.C.C. Standard Reference Samples (pp. 23-27). (NIOSH/00177484). Rendall, REG.
- Rendall, REG; Schoeman, JJ. (1985). A membrane filter technique for glass fibres. *Ann Occup Hyg* 29: 101-108.
- Renier, A; Fleury, J; Monchaux, G; Nebut, M; Bignon, J; Jaurand, MC. (1989). Toxicity of an attapulgitic sample studied in vivo and in vitro. *IARC Sci Publ Occupational Exposure to Mineral Fibres*: 180-184.
- Renn, JJ. (2003). ATS, American Bar Association, and asbestos [Letter]. *Am J Respir Crit Care Med* 168: 1399-1400; discussion 1400.
<http://dx.doi.org/10.1164/ajrccm.168.11.950>.
- Renner, R. (1999). Asbestos dust stirs trouble in Sierra Nevada foothills. *Environ Sci Technol* 33: 348A-349A.
- Renner, R. (2000). Asbestos in the air. *Sci Am* 282: 34.
- Renner, R. (2003). Asbestos investigation under way. *Environ Sci Technol* 37: 426A-428A.
- Renner, R. (2006). Naturally occurring asbestos linked to cancer [Comment]. *Environ Sci Technol* 40: 636-637.
<http://dx.doi.org/10.1021/es063007a>.
- Renner, R. (2007). Policy: chrysotile on ice. *Environ Health Perspect* 115: A130.
- RES, NRIODSAM; COUNC. (1977). The activities of the South African Committee on Cumulative Dust Exposure Records. *Ann Occup Hyg* 20: 271-278.
- Resetskova, E; Padula, A; Hoda, SA. (2001). Pathologic quiz case - A pelvic mass with abdominal dissemination. *Arch Pathol Lab Med* 125: 703-704.
- Respondek, M; Kerenyi, T; Voss, B; K-M, M. (1993). MODELS OF PULMONARY REACTION TO SYNTHETIC MINERAL FIBERS ROCKWOOL (pp. 401-402). (BIOSIS/94/02162). Respondek, M; Kerenyi, T; Voss, B; Mueller K-M.
- Respondek, M; Wiethage, T; Mueller, KM. (1995). Pulmonale Reaktionsmuster auf kuenstliche Mineralfasern. (Man-made mineral fibres - effects on morphology of the lung). 83.
- Rey, DR. (1991). PNEUMOCONIOSIS (pp. 133-140). (BIOSIS/92/16419). Rey, DR.
- Reynolds, C; Barber, C; Cullinan, P. (2014). Late -breaking abstract: Idiopathic pulmonary fibrosis, asbestosis and mesothelioma, trends for England and Wales: Is asbestos exposure associated th IPF? *Eur Respir J* 44.
- Reynolds, SJ; Kreiger, RA; Bohn, JA; Fish, D; Marxhausen, T; Mcjilton, C. (1994). Factors affecting airborne concentrations of asbestos in a commercial building. *Am Ind Hyg Assoc J* 55: 823-828.
- Rheinwald, J. (1986). Cell culture analysis of human epithelial neoplasia [Research]. RePORTER Database National Institutes of Health.
- Rheinwald, J. (1987). Cell culture analysis of human epithelial neoplasia [Research]. RePORTER Database National Institutes of Health.
- Rheinwald, J. (1988). Cell culture analysis of human epithelial neoplasia [Research]. RePORTER Database National Institutes of Health.
- Riala, RE; Riipinen, HM. (1998). Respirator and High Efficiency Particulate Air Filtration Unit Performance in Asbestos Abatement. *Appl Occup Environ Hyg* 13: 32-40.
- Riaz, SP; Coupland, VH; Luchtenborg, M; Peake, MD; Møller, H. (2012). Mesothelioma incidence projections in South East England. *Eur Respir J* 40: 965-968. <http://dx.doi.org/10.1183/09031936.00168111>.
- Ribak, J. (1994). Inconsistencies and delays in asbestos evaluations [Letter]. *Am J Ind Med* 25: 455-456.
- Ribak, J; Lerman, Y. (1995). Use of asbestos in expected and unexpected places in Israel. *Public Health Rev* 23: 35-45.
- Ribback, S; Thiele, A; Rosenberg, C; Friesecke, S; Neumann, V; Tannapfel, A; Dombrowski, F. (2011). Nodular hemangiomas of pleura and peritoneum. *Pathol Res Pract* 207: 718-721. <http://dx.doi.org/10.1016/j.prp.2011.08.006>.
- Ribeiro, C; Campelos, S; Moura, CS; Machado, JC; Justino, A; Parente, B. (2013). Well-differentiated papillary mesothelioma: clustering in a Portuguese family with a germline BAP1 mutation. *Ann Oncol* 24: 2147-2150. <http://dx.doi.org/10.1093/annonc/mdt135>.
- Rice, AB; Moomaw, CR; Morgan, DL; Bonner, JC. (1999). Specific inhibitors of platelet-derived growth factor or epidermal growth factor receptor tyrosine kinase reduce pulmonary fibrosis in rats. *Am J Pathol* 155: 213-221. [http://dx.doi.org/10.1016/S0002-9440\(10\)65115-2](http://dx.doi.org/10.1016/S0002-9440(10)65115-2).
- Rice, C; Heineman, EF. (2003). Application of a method to evaluate the quality of work histories and document the exposure assessment process. *Am J Ind Med* 44: 94-106. <http://dx.doi.org/10.1002/ajim.10231>.
- Rice, C; Heineman, EF. (2003). An asbestos job exposure matrix to characterize fiber type, length, and relative exposure intensity. *Appl Occup Environ Hyg* 18: 506-512. <http://dx.doi.org/10.1080/10473220301459>.
- Rice, J. (2011). The global reorganization and revitalization of the asbestos industry, 1970-2007. *Int J Health Serv* 41: 239-254.
- Richards, RJ; Desai, R; Hext, PM; Rose, FA. (1975). Biological reactivity of PVC dust. *Nature* 256: 664-665.
- Richards, RJ; Tetley, TD; Hunt, J. (1981). The biological reactivity of calcium silicate composites: in vivo studies. *Environ Res* 26: 243-257.
- Richards, WG; Godleski, J; Katler, M; Mueller, J; Sugarbaker, D. (2009). Asbestos bodies in lung tissue are associated with pathologic features and patient outcome for epithelial but not non-epithelial mesothelioma treated by extrapleural pneumonectomy. *FASEB J* 23.
- Richardson, DB. (2002). Susceptibility and occupational radiation risks.
- Richardson, DB. (2003). Susceptibility and occupational radiation risks.
- Richardson, DB. (2004). Susceptibility and occupational radiation risks.
- Richardson, DB. (2008). Cohort analysis methods for occupational cancer studies.
- Richardson, DB. (2008). A simple approach for fitting linear relative rate models in SAS. *Am J Epidemiol* 168: 1333-1338.
<http://dx.doi.org/10.1093/aje/kwn278>.

Human Health Hazard Literature Search Results

Off Topic

- Richardson, DB. (2009). Cohort analysis methods for occupational cancer studies.
- Richardson, DB; Cole, SR; Chu, H; Langholz, B. (2011). Lagging exposure information in cumulative exposure-response analyses. *Am J Epidemiol* 174: 1416-1422. <http://dx.doi.org/10.1093/aje/kwr260>.
- Richardson, DB; Cole, SR; Langholz, B. (2012). Regression models for the effects of exposure rate and cumulative exposure. *Epidemiology* 23: 892-899. <http://dx.doi.org/10.1097/EDE.0b013e31826c3149>.
- Richardson, DB; Maclehose, RF; Langholz, B; Cole, S. R. (2011). Hierarchical latency models for dose-time-response associations. *Am J Epidemiol* 173: 695-702. <http://dx.doi.org/10.1093/aje/kwq387>.
- Richardson, S; Zittoun, R; Bastuji-Garin, S; Lasserre, V; Guihenneuc, C; Cadiou, M; Viguie, F; Laffont-Faust, I. (1992). Occupational risk factors for acute leukaemia: A case-control study. *Int J Epidemiol* 21: 1063-1073. <http://dx.doi.org/10.1093/ije/21.6.1063>.
- Riches, E. (1972). Industrial cancers. Skin lesions caused by trichloroethylene in a metal processing plant (pp. 21-25). (HEEP/73/00027). Riches, E. Richman, SI. (1983). Medicolegal aspects of asbestos for pathologists [Review]. *Arch Pathol Lab Med* 107: 557-561.
- Richmond, JB. (1978). Physician advisory: Health effects of asbestos [Editorial]. *Prev Med* 7: 641-642. [http://dx.doi.org/10.1016/0091-7435\(78\)90270-0](http://dx.doi.org/10.1016/0091-7435(78)90270-0).
- Richmond, JB. (1978). Physician advisory: Health effects of asbestos [Editorial]. *Clin Toxicol* 13: 641-643. <http://dx.doi.org/10.3109/15563657808988270>.
- Richter, ED. (1984). Asbestos exposure in Israel: findings, issues and needs [Review]. *Isr J Med Sci* 20: 89-97.
- Richter, ED; Chlamtac, N. (2001). Bibliography of research and policy regarding asbestos in Israel. *Public Health Rev* 29: 265-267.
- Richter, ED; Chlamtac, N; Berman, T; Laster, R. (2001). A review of environmental and occupational exposure to asbestos in Israel [Review]. *Public Health Rev* 29: 247-264.
- Richter, ED; Tulchinsky, T; Goldsmith, JR; Yaffe, Y. (1984). Asbestos-exposed populations: prevention, care, and compensation. *Prev Med* 13: 286-298.
- Richter, RO; Finley, BL; Paustenbach, DJ; Williams, PRD; Sheehan, PJ. (2009). An evaluation of short-term exposures of brake mechanics to asbestos during automotive and truck brake cleaning and machining activities. *J Expo Sci Environ Epidemiol* 19: 458-474. <http://dx.doi.org/10.1038/jes.2008.36>.
- Rickards, AL. (1972). Estimation of trace amounts of chrysotile asbestos by x-ray diffraction. *Anal Chem* 44: 1872-1873. <http://dx.doi.org/10.1021/ac60319a050>.
- Rickards, AL. (1978). The routine monitoring of airborne asbestos in an occupational environment. *Ann Occup Hyg* 21: 315-322.
- Rickards, AL. (1994). Levels of workplace exposure. *Ann Occup Hyg* 38: 469-475, 409.
- Rickert, RR. (1974). Technique for the systematic examination of colon--rectum specimens. *Environ Health Perspect* 9: 237.
- Rider, CV; Carlin, DJ; Devito, MJ; Thompson, CL; Walker, NJ. (2013). Mixtures research at NIEHS: An evolving program. *Toxicology* 313: 94-102. <http://dx.doi.org/10.1016/j.tox.2012.10.017>.
- Riehemann, K; Schmitt, O; Ehlers, EM. (2005). The effects of thermochemotherapy using cyclophosphamide plus hyperthermia on the malignant pleural mesothelioma in vivo. *Ann Anat* 187: 215-223. <http://dx.doi.org/10.1016/j.aanat.2004.12.019>.
- Righi, L; Duregon, E; Vatrano, S; Izzo, S; Giorcelli, J; Rondón-Lagos, M; Ascoli, V; Ruffini, E; Ventura, L; Volante, M; Scagliotti, GV. (2016). BRCA1-Associated Protein 1 (BAP1) Immunohistochemical Expression as a Diagnostic Tool in Malignant Pleural Mesothelioma Classification: A Large Retrospective Study. *J Thorac Oncol* 11: 2006-2017. <http://dx.doi.org/10.1016/j.jtho.2016.06.020>.
- Riis, P; Chatfield, EJ. (1982). Development Of A Rapid Survey Technique For The Detection Of Asbestos Fibers (pp. Materials and Analytical Methods). (NIOSH/00146033). Riis, P; Chatfield, EJ.
- Rinaudo, C; Croce, A; Musa, M; Fornero, E; Allegrina, M; Trivero, P; Bellis, D; Sferch, D; Toffalorio, F; Veronesi, G; Pelosi, G. (2010). Study of inorganic particles, fibers, and asbestos bodies by variable pressure scanning electron microscopy with annexed energy dispersive spectroscopy and micro-Raman spectroscopy in thin sections of lung and pleural plaque. *Appl Spectrosc* 64: 571-577. <http://dx.doi.org/10.1366/000370210791414380>.
- Ringen, K. (1989). The Case for Worker Notification. *Ann N Y Acad Sci* 572: 133-141.
- Ringen, K; Englund, A; Seegal, J. (1995). Construction Workers (pp. 685-701). (NIOSH/00235078). Ringen, K; Englund, A; Seegal, J.
- Ringen, K; Pollack, E; Finklea, JF; Melius, J; Englund, A. (1995). HEALTH INSURANCE AND WORKER'S COMPENSATION THE DELIVERY OF MEDICAL AND REHABILITATION SERVICES FOR CONSTRUCTION WORKERS. *Occup Med (Lond) PHILADELPHIA*: 435-444.
- Ringenburg, V. (1983). Survey Report of Triborough Bridge and Tunnel Authority, Randall's Island, New York, New York (pp. 45-05). (NIOSH/00132003). Ringenburger, V.
- Ringertz, HG. (1972). [Crystallographic analysis of lung and lymph node tissue]. *Lakartidningen* 69: 1054-1055.
- Rintoul, RC. (2015). The MesoVATS trial: is there a future for video-assisted thoracoscopic surgery partial pleurectomy? *Future Oncol* 11: 15-17. <http://dx.doi.org/10.2217/fon.15.274>.
- Rintoul, RC; Rassi, DM; Gittins, J; Marciniak, SJ; collaborators, M. (2015). Mesobank UK: an international mesothelioma bioresource. *Thorax* 71: 380-382. <http://dx.doi.org/10.1136/thoraxjnl-2015-207496>.
- Ripanucci, G; Grana, M; Vicentini, L; Magrini, A; Bergamaschi, A. (2006). Dust in the underground railway tunnels of an Italian town. *J Occup Environ Hyg* 3: 16-25. <http://dx.doi.org/10.1080/15459620500444004>.
- Rippstein W J, J. R.; Coleman, ME. (1983). Toxicological evaluation of the Columbia spacecraft. *Aviat Space Environ Med* 54: S60-S67.
- Risk, C; Epler, GR; Gaensler, EA. (1984). Exercise alveolar-arterial oxygen pressure difference in interstitial lung disease. *Chest* 85: 69-74.
- Risner, RJ. (1978). ASBESTOS UPTAKE IN CULTURE PLANT-CELLS. *In Vitro* 14: 334-335.
- Risom, L; Moller, P; Vogel, U; Kristjansen, PEG; Loft, S. (2003). X-ray-induced oxidative stress: DNA damage and gene expression of HO-1, ERCC1 and OGG1 in mouse lung. *Free Radic Res* 37: 957-966. <http://dx.doi.org/10.1080/1071576031000150788>.

Human Health Hazard Literature Search Results

Off Topic

- Rittinghausen, S; Hackbarth, A; Creutzenberg, O; Ernst, H; Heinrich, U; Leonhardt, A; Schaudien, D. (2014). The carcinogenic effect of various multi-walled carbon nanotubes (MWCNTs) after intraperitoneal injection in rats. *Part Fibre Toxicol* 11: 59. <http://dx.doi.org/10.1186/s12989-014-0059-z>.
- Riva, MA; Carnevale, F; D'Orso, MI; Iavicoli, S; Bertazzi, PA; Cesana, G. (2012). The contribution of Enrico C. Vigliani (1907-1992) to the international development of occupational medicine and industrial hygiene. *Med Lav* 103: 419-426.
- Rivera, Z; Strianese, O; Bertino, P; Yang, H; Pass, H; Carbone, M. (2008). The relationship between simian virus 40 and mesothelioma [Review]. *Curr Opin Pulm Med* 14: 316-321. <http://dx.doi.org/10.1097/MCP.0b013e3283018220>.
- Rivolta, G; Della Foglia, M; Donelli, S; Riboldi, L. (2006). [Health surveillance of workers with prior exposure to asbestos. Application in the metallurgy/metal mechanical field]. *G Ital Med Lav Ergon* 28: 169-172.
- Rizzo, P; Bocchetta, M; Powers, A; Foddis, R; Stekala, E; Pass, HI; Carbone, M. (2001). SV40 and the pathogenesis of mesothelioma [Review]. *Semin Cancer Biol* 11: 63-71. <http://dx.doi.org/10.1006/scbi.2000.0347>.
- Roach, SA. (1970). Hygiene standards for asbestos. *Ann Occup Hyg* 13: 7-15.
- Roach, SA. (1983). *Silica And Silicates* (pp. 2033-2035). (NIOSH/00150030). Roach, SA.
- Robbins, C. (1973). Use of SIC Number List as a Basis for Initiating THHP Inspections and Information on Raw Cotton Dust. (NIOSH/00075957). Robbins, C.
- Robb-Nicholson, C. (2000). By the way, doctor: I received an e-mail from a friend about the dangers of using tampons because of the asbestos, dioxin, and rayon in them. Occasionally I get such warnings passed on to me through the Internet and have no way to quickly verify them. Is there truth to this one? *Harv Womens Health Watch* 7: 8.
- Roberson, KT; Thomas, TC; Sherman, LR. (1992). COMPARISON OF ASBESTOS AIR SAMPLES BY SEM-EDXA AND TEM-EDXA. *Ann Occup Hyg* 36: 265-269.
- Roberti, S; Merler, E; Bressan, V; Fiore, AR; Maligni, GRSM. (2007). [Malignant mesothelioma in the Veneto Region (north-east of Italy), 1988-2002: incidence, geographical analysis, trends and comparison with mortality]. *Epidemiol Prev* 31: 309-316.
- Roberts, D. (1981). Asbestos Analysis Report for St. Marys Elementary School, Alexandria, Kentucky, Report No. IWS-127-18 (pp. 127-118). (NIOSH/00195592). Roberts, D.
- Roberts, DR. (1980). Asbestos Analysis Report for Reading Community Schools, Ceiling Insulating Material, Reading, Ohio, Report No. IWS-127-16 (pp. 127-116). (NIOSH/00195591). Roberts, DR.
- Roberts, DR; Zumwalde, RD. (1982). Industrial Hygiene Summary Report of Asbestos Exposure Assessment for Brake Mechanics, Report No. IWS-32-4 (pp. 32-34). (NIOSH/00133792). Roberts, DR; Zumwalde, RD.
- Roberts, F; Mackinnon, JL; Cherrie, L; Burnett, RA; Harper, CM. (2004). Interobserver variability in analysis of asbestos fibres and asbestos bodies in human lung tissue. *Med Sci Law* 44: 151-159.
- Robertson, AJ. (1978). Awkward medicolegal problems in asbestos workers [Editorial]. *J R Soc Med* 71: 864.
- Robertson, MD; Donaldson, K; Brown, D; Seaton, A. (1987). ACUTE SYSTEMIC AND LOCAL INFLAMMATORY RESPONSES TO CHRYSOTILE ASBESTOS. *Thorax* 42: 212-213.
- Robins, J; Greenland, S. (1991). Estimability and estimation of expected years of life lost due to a hazardous exposure. *Stat Med* 10: 79-93.
- Robins, JM. (1989). Statistical method to control the healthy worker effect [Research]. RePORTER Database National Institutes of Health.
- Robins, JM. (1990). Statistical method to control the healthy worker effect [Research]. RePORTER Database National Institutes of Health.
- Robinson, B; Fisher, S; Robinson, C. (2013). Targeting Immunological Restraints: Understanding the Immunology Behind Combination Chemoimmunotherapy to Improve the Treatment of Malignant Mesothelioma. 11.
- Robinson, BW; Creaney, J; Lake, R; Nowak, A; Musk, AW; de Klerk, N; Winzell, P; Hellstrom, KE; Hellstrom, I. (2005). Soluble mesothelin-related protein--a blood test for mesothelioma. *Lung Cancer* 49 Suppl 1: S109-S111. <http://dx.doi.org/10.1016/j.lungcan.2005.03.020>.
- Robinson, BW; Robinson, C; Lake, RA. (2001). Localised spontaneous regression in mesothelioma -- possible immunological mechanism. *Lung Cancer* 32: 197-201.
- Robinson, C; Dick, I, an; Wise, M; Robinson, B; Lake, R. (2013). MOLECULAR ANALYSIS OF ASBESTOS-INDUCED MESOTHELIOMAS FROM SV40 TAG TRANSGENIC MICE SHOWS THAT THEY ARE HIGHLY CONCORDANT WITH HUMAN MESOTHELIOMA. *J Thorac Oncol* 8: S777-S777.
- Robinson, C; Woo, S; Nowak, AK; Lake, RA. (2014). Dietary Vitamin D Supplementation Does Not Reduce the Incidence or Severity of Asbestos-Induced Mesothelioma in a Mouse Model. *Nutr Cancer* 66: 383-387. <http://dx.doi.org/10.1080/01635581.2013.878733>.
- Robinson, C; Woo, S; Walsh, A; Nowak, AK; Lake, RA. (2012). The antioxidants vitamins A and E and selenium do not reduce the incidence of asbestos-induced disease in a mouse model of mesothelioma. *Nutr Cancer* 64: 315-322. <http://dx.doi.org/10.1080/01635581.2012.649100>.
- Robinson, JC; Paxman, DG. (1992). The role of threshold limit values in U.S. air pollution policy. *Am J Ind Med* 21: 383-396.
- Robinson, M; Wiggins, J. (2002). Statement on malignant mesothelioma in the UK [Comment]. *Thorax* 57: 187.
- Roby, TJ; Swan, GE; Schumann, GB; Jr, EL. (1990). Utility of Quantitated Sputum Cytology to Detect the Effects of Exposure in Smokers and Nonsmokers. *Am J Ind Med* 17: 537-552.
- Roca, E; Laroumagne, S; Vandemoortele, T; Berdah, S; Dutau, H; Maldonado, F; Astoul, P. (2013). 18F-fluoro-2-deoxy-d-glucose positron emission tomography/computed tomography fused imaging in malignant mesothelioma patients: looking from outside is not enough. *Lung Cancer* 79: 187-190. <http://dx.doi.org/10.1016/j.lungcan.2012.10.017>.
- Roche, LM. (1995). Reducing Carcinogens in Public Schools: A Non-Regulatory Approach by a Regulatory Agency. *J Environ Health* 57: 23-26.
- Rochon, K; Scoles, GA; Lysyk, TJ. (2012). Dispersion and sampling of adult Dermacentor andersoni in rangeland in Western North America. *J Med Entomol* 49: 253-261.
- Rockoff, SD; Kagan, E. (1988). Inorganic dust pneumoconioses [Editorial]. *J Thorac Imaging* 3: vii.

Human Health Hazard Literature Search Results

Off Topic

- Rockoff, SD; Schwartz, A; Hix, WR; Rohatgi, PK; Kagan, E. (1986). VISCERAL PLEURAL THICKENING IN ASBESTOS EXPOSURE. *South Med J* 79: 7-7.
- Rockoff, SD; Schwartz, AM. (1991). Noninvasive detection of early asbestos-related disease of the thorax: algorithmic analysis of radiographic, nuclear, and serologic tests [Review]. *Ann N Y Acad Sci* 643: 121-132.
- Rodelsperger, K; Arhelger, R; Bruckel, B; Woitowitz, HJ. (1988). DOSIMETRY OF FIBROUS ASBESTOS DUST - RESULTS FROM A BUILDING SITE STUDY AND A STUDY OF BRAKE REPAIR SERVICE. *Staub, Reinhaltung der Luft* 48: 19-25.
- Rodelsperger, K; Bruckel, B; Manke, J; H-J, W; Pott, F. (1987). Potential Health Risks From the Use of Fibrous Mineral Absorption Granulates. *Br J Ind Med* 44: 337-343.
- Rodelsperger, K; H-J, W; Krieger, HG. (1980). Estimation Of Exposure To Asbestos-Cement Dust On Building Sites (pp. 845-853). (ISSN 0300-5038; NIOSH/00156017). Rodelsperger, K; Woitowitz H-J; Krieger, HG.
- Rodelsperger, K; Schneider, J; Woitowitz, HJ. (1996). Non-occupational outdoor and indoor exposure to asbestos dust. *Gefahrst Reinhalt Luft* 56: 117-126.
- Rodelsperger, K; Teichert, U; Marfels, H; Spurny, K; Arhelger, R; Woitowitz, HJ. (1989). Measurement of Inorganic Fibrous Particulates in Ambient Air and Indoors with the Scanning Electron Microscope (pp. 361-366). (ISSN 0300-5038; NIOSH/00191372). Rodelsperger, K; Teichert, U; Marfels, H; Spurny, K; Arhelger, R; Woitowitz, HJ.
- Rödelsperger, K; Woitowitz, HJ. (1983). [Carcinogenic working materials exemplified by fibers]. *Zentralbl Arbeitsmed Arbeitsschutz Prophyl Ergonomie* 33: 83-92.
- Rödelsperger, K; Woitowitz, HJ. (1991). [Asbestos in drinking water]. *Dtsch Med Wochenschr* 116: 555-557.
- Rödelsperger, K; Woitowitz, HJ. (2003). Commentary regarding the article by Fischer et al.: Fibre years, pulmonary asbestos burden and asbestosis. *Int. J. Hyg. Environ. Health* 205, 245-248 (2002) [Letter]. *Int J Hyg Environ Health* 206: 245-247; author reply 251-242. <http://dx.doi.org/10.1078/1438-4639-00210>.
- Rodelsperger, K; Woitowitz, HJ; Patzich, R; Bruckel, B. (1990). ASBESTOS FIBERS AND FERRUGINOUS BODIES IN THE LUNG-TISSUE OF MAN .1. ANALYSIS OF ASBESTOS FIBERS IN THE LUNGS OF PERSONS WITH NO EVIDENCE OF OCCUPATIONAL EXPOSURE. *Staub, Reinhaltung der Luft* 50: 73-80.
- Rodelsperger, K; Woitowitz, HJ; Patzich, R; Bruckel, B; Gosch, V. (1990). ASBESTOS FIBERS AND FERRUGINOUS BODIES IN THE LUNG-TISSUE OF MAN .2. FERRUGINOUS BODIES ANALYSIS IN THE LUNGS OF PERSONS WITH NO EVIDENCE OF OCCUPATIONAL EXPOSURE. *Staub, Reinhaltung der Luft* 50: 99-105.
- Rodman, T; Rodman, MS. (1983). Pleural thickening: its significance and relationship to asbestos dust exposure [Letter]. *Am Rev Respir Dis* 127: 656-657. <http://dx.doi.org/10.1164/arrd.1983.127.5.656>.
- Rodriguez, EJ. (2004). Asbestos banned in Argentina [Review]. *Int J Occup Environ Health* 10: 202-208. <http://dx.doi.org/10.1179/oeh.2004.10.2.202>.
- Rodríguez Panadero, F. (2015). Diagnosis and treatment of malignant pleural mesothelioma [Review]. *Arch Bronconeumol* 51: 177-184. <http://dx.doi.org/10.1016/j.arbres.2014.06.005>.
- Rodríguez Portal, JA. (2009). [Diagnostic biomarkers of malignant pleural mesothelioma] [Editorial]. *Med Clin (Barc)* 133: 464-466. <http://dx.doi.org/10.1016/j.medcli.2009.06.018>.
- Rodríguez-Panadero, F; Pérez, MA; Moya, MA; Cruz, MI. (2009). [Management of pleural disease]. *Arch Bronconeumol* 45 Suppl 3: 22-27. [http://dx.doi.org/10.1016/S0300-2896\(09\)72854-6](http://dx.doi.org/10.1016/S0300-2896(09)72854-6).
- Rodriguezroisin, R. (1977). FLOW-VOLUME CURVES IN ASBESTOS WORKERS. *Bull Europ Physiol Resp* 13: P5-P5.
- Rodríguez-Roisin, R. (1983). [Asbestos!] [Editorial]. *Med Clin (Barc)* 81: 761-762.
- Rodriguez-Roisin, R; Cochrane, GM; Clark, TJ. (1976). Asbestos exposure and small airways disease [proceedings]. *Scand J Respir Dis* 57: 318.
- Rodriguezroisin, R; Roca, J. (1986). AIR-FLOW LIMITATION, ASBESTOS EXPOSURE AND LUNG SIZE - RESPONSE. *Bull Europ Physiol Resp* 22: 513-514.
- Roedelsperger, K; Jahn, H; Brueckel, B; Manke, J; Paur, R; H-J, W. (1986). ASBESTOS DUST EXPOSURE DURING BRAKE REPAIR. *Am J Ind Med* 10: 63-72.
- Roelofs, C. (2015). Latency attention deficit: Asbestos abatement workers need us to investigate. *Am J Ind Med* 58: 1231-1234. <http://dx.doi.org/10.1002/ajim.22539>.
- Rogan, WJ; Gladen, BC; Ragan, NB; Anderson, HA. (1986). PREVALENCE OF ASBESTOS-RELATED PLEURAL CHANGES ON X-RAY IN THE UNITED-STATES - HEALTH AND NUTRITION EXAMINATION SURVEY (HANES) DATA. *Am J Epidemiol* 124: 531-531.
- Roger, RS. (1969). Results of Air Samples at Maremont-Grizzly Corporation in Paulding, Ohio. (NIOSH/00106144). Roger, RS.
- Rogers, A. (1990). ASBESTOS AND OTHER FIBROUS MATERIALS - MINERALOGY, CRYSTAL-CHEMISTRY AND HEALTH-EFFECTS - SKINNER,HC, ROSS,M, FRONDEL,C. *Community Health Stud* 14: 206-206.
- Rogers, A. (1992). Prediction of mesothelioma, lung cancer, and asbestosis in former Wittenoom asbestos workers [Letter]. *Br J Ind Med* 49: 451-452.
- Rogers, AJ; Baker, EM; Conaty, GJ. (1997). Asbestiform Minerals: Worker Exposure and Risk Assessment in Some Contaminated Australian Mines. *Appl Occup Environ Hyg* 12: 867-871.
- Roggli, V; Gibbs, AR; Attanoos, R; Chung, A; Popper, H; Corrin, B; Franks, T; Galateau-Salle, F; Galvin, J; Hasleton, P; Honma, K. (2016). Pathology of Asbestosis: An Update of the Diagnostic Criteria Response to a Critique. *Arch Pathol Lab Med* 140: 950-952. <http://dx.doi.org/10.5858/arpa.2015-0503-SA>.
- Roggli, VL. (1981). Pericardial mesothelioma after exposure to asbestos [Letter]. *N Engl J Med* 304: 1045.
- Roggli, VL. (1990). Asbestos in lung tissue [Letter]. *Chest* 97: 1501-1502.

Human Health Hazard Literature Search Results

Off Topic

- Roggli, VL. (2007). Environmental asbestos contamination: What are the risks? [Editorial]. *Chest* 131: 336-338. <http://dx.doi.org/10.1378/chest.06-2649>.
- Roggli, VL. (2016). Fiber analysis vignettes: Electron microscopy to the rescue! *Ultrastruct Pathol* 40: 126-133. <http://dx.doi.org/10.3109/01913123.2016.1149531>.
- Roggli, VL; Brody, AR. (1988). IMAGING TECHNIQUES FOR APPLICATION TO LUNG TOXICOLOGY (pp. TOXICOLOGY OF THE LUNG). (BIOSIS/88/36437). Roggli, VL; Brody, AR.
- Roggli, VL; Gibbs, AR; Attanoos, R; Churg, A; Popper, H; Cagle, P; Corrin, B; Franks, TJ; Galateau-Salle, F; Galvin, J; Hasleton, PS; Henderson, DW; Honma, K. (2010). Pathology of asbestosis- An update of the diagnostic criteria: Report of the asbestosis committee of the college of american pathologists and pulmonary pathology society. *Arch Pathol Lab Med* 134: 462-480. <http://dx.doi.org/10.1043/1543-2165-134.3.462>.
- Roggli, VL; Hammar, SP; Maddox, JC; Henderson, DW. (2008). The "Helsinki Criteria" for attribution of lung cancer to asbestos exposure: How robust are the criteria? *Arch Pathol Lab Med* 132: 1386-1387.
- Roggli, VL; Hammar, SP; Maddox, JC; Henderson, DW. (2008). Re: The "Helsinki Criteria" for attribution of lung cancer to asbestos exposure: how robust are the criteria? [Letter]. *Arch Pathol Lab Med* 132: 1386-1387; author reply 1387. [http://dx.doi.org/10.1043/1543-2165\(2008\)132\[1386c:THCFAO\]2.0.CO;2](http://dx.doi.org/10.1043/1543-2165(2008)132[1386c:THCFAO]2.0.CO;2).
- Roggli, VL; Johnston, WW; Kaminsky, DB. (1984). Asbestos bodies in fine needle aspirates of the lung. *Acta Cytol* 28: 493-498.
- Roggli, VL; Langer, AM. (2005). RE: Asbestos in brakes: exposure and risk of disease [Letter]. *Am J Ind Med* 47: 276-277; author reply 278-280. <http://dx.doi.org/10.1002/ajim.20129>.
- Roggli, VL; Pratt, PC. (1988). Amphiboles and chrysotile asbestos exposure [Letter]. *Am J Ind Med* 14: 245-246.
- Roggli, VL; Pratt, PC; Brody, AR. (1994). Fiber potency vs. importance [Letter]. *Am J Ind Med* 25: 611-612.
- Roggli, VL; Sporn, TA; Butnor, KJ. (2008). Comments on Dodson et al., A technical comparison of evaluating asbestos concentration by phase contrast microscopy (PCM), scanning electron microscopy (SEM), and analytical transmission electron microscopy (ATEM) as illustrated from data generated from a case report [Letter]. *Inhal Toxicol* 20: 1113-1114; author reply 1115-1117. <http://dx.doi.org/10.1080/08958370802433724>.
- Roggli, VL; Sporn, TA; Case, BW; Butnor, KJ. (2009). Comments on Asbestos fibre concentrations in the lungs of brake workers: another look [Letter]. *Ann Occup Hyg* 53: 191; author reply 192-193. <http://dx.doi.org/10.1093/annhyg/men079>.
- Rohatgi, PK. (1981). Significance of serum angiotensin converting enzyme and gallium scan in noninvasive diagnosis of sarcoidosis. *Eur J Respir Dis* 62: 223-230.
- Rohde, GK. (2014). Utility of Effusion Cytology and Image Analysis in the Diagnosis of Mesothelioma.
- Rohde, GK. (2015). Utility of Effusion Cytology and Image Analysis in the Diagnosis of Mesothelioma.
- Rohl, AN. (1974). Asbestos in talc. *Environ Health Perspect* 9: 129-132.
- Rohl, AN; Langer, AM. (1974). Identification and quantitation of asbestos in talc. *Environ Health Perspect* 9: 95-109.
- Rohl, AN; Langer, AM. (1979). Fibrous mineral content of consumer talc-containing products.
- Rohl, AN; Langer, AM; Klimentidis, R; Wolff, MS; Selikoff, IJ. (1977). Asbestos content of dust encountered in brake maintenance and repair. *Proc R Soc Med* 70: 32-37.
- Rohl, AN; Langer, AM; Selikoff, IJ; Nicholson, WJ. (1975). Exposure to asbestos in the use of consumer spackling, patching, and taping compounds. *Science* 189: 551-553.
- Rohl, AN; Langer, AM; Selikoff, IJ; Tordini, A; Klimentidis, R; Bowes, DR; Skinner, DL. (1976). Consumer talcums and powders: mineral and chemical characterization. *J Toxicol Environ Health* 2: 255-284. <http://dx.doi.org/10.1080/15287397609529432>.
- Rohl, AN; Langer, AM; Wolff, MS; Weisman, I. (1976). Asbestos exposure during brake lining maintenance and repair. *Environ Res* 12: 110-128.
- Rojanasakul, Y; Wang, LY; Hoffman, AH; Shi, XL; Dalal, NS; Banks, DE; Ma, JKH. (1993). MECHANISMS OF HYDROXYL FREE-RADICAL INDUCED CELLULAR INJURY AND CALCIUM OVERLOADING IN ALVEOLAR MACROPHAGES. *Am J Respir Cell Mol Biol* 8: 377-383.
- Rojanasakul, YON. (2014). Induction of Neoplastic Transformation and Cancer Stem Cells by Carbon Nanotubes.
- Rojanasakul, YON. (2015). Induction of Neoplastic Transformation and Cancer Stem Cells by Carbon Nanotubes.
- Roland, J. (2007). [The new doctor-patient relationship: the advent of "self-diagnosis"]. *Bull Acad Natl Med* 191: 1491-1495; discussion 1496.
- Roller, M; Csicsaky, M; Pott, F. (1992). METHODS OF RISK ASSESSMENT FROM DATA OF EXPERIMENTAL CARCINOGENESIS. *Zentralblatt fuer Hygiene und Umweltmedizin* 192: 479-493.
- Rom, WN. (1995). BIOMEDICAL RESEARCH ETHICS RELATED TO BIOMARKERS (pp. PROGRESS AND PERSPECTIVES). (BIOSIS/96/22202). Rom, WN.
- Rom, WN. (2000). Nyu biomarker clinical and epidemiologic center.
- Rom, WN. (2001). Nyu biomarker clinical and epidemiologic center.
- Rom, WN. (2002). Nyu biomarker clinical and epidemiologic center.
- Rom, WN. (2004). Bronchoalveolar Lavage in Asbestos Exposed Individuals.
- Rom, WN. (2004). NYU Biomarker Clinical and Epidemiologic Center for Cancer.
- Rom, WN. (2008). Nyu biomarker clinical and epidemiologic center for cancer.
- Rom, WN. (2008). NYU Lung Cancer Biomarker Center.
- Rom, WN. (2009). NYU Lung Cancer Biomarker Center.
- Rom, WN. (2010). NYU Lung Cancer Biomarker Center.
- Rom, WN; Bang, KM; Nelson, JA. (1984). MOVING SLIT AND UNSHARP MASK RADIOGRAPHY IN THE DIAGNOSIS OF ASBESTOS RELATED DISEASE (pp. 20-23). (HEEP/85/02135). Rom, WN; Bang, KM; Nelson, JA.

Human Health Hazard Literature Search Results

Off Topic

- Rom, WN; Lee, J. (1983). Energy alternatives: What are their possible health effects. *Environ Sci Technol* 17: 132A-144A.
- Rom, WN; Travis, WD; Brody, AR. (1992). CELLULAR AND MOLECULAR-BASIS OF THE ASBESTOS-RELATED DISEASES - REPLY. *Am Rev Respir Dis* 145: 238-239.
- Roman-Franco, AA. (1985). Mechanism of action of carcinogenic fibers [Research]. RePORTER Database National Institutes of Health.
- Roman-Franco, AA. (1986). Mechanism of action of carcinogenic fibers [Research]. RePORTER Database National Institutes of Health.
- Roman-Franco, AA. (1987). Mechanism of action of carcinogenic fibers [Research]. RePORTER Database National Institutes of Health.
- Romeo, R; Scancarello, G; Cassano, P; Cioni, F; Bacaloni, A; Sartorelli, P. (2004). [Assessment of asbestos exposure via mineralogical analysis of bronchoalveolar lavage fluid]. *Med Lav* 95: 17-31.
- Romundstad, PR; Rønneberg, A; Leira, HL; Bye, T. (1998). Health survey of former workers in a Norwegian coke plant: Part. 1. Estimation of historical exposures. *Occup Environ Med* 55: 616-621. <http://dx.doi.org/10.1136/oem.55.9.616>.
- Roncey, K; Cattan, KL; Ameille, J; Dargery, S; Dores, M; Fleury, J; Gral, P; Housset, B; Iwatsubo, Y; Lauzier, F; Leroy, R; Martinon, L; Paris, C; Roos, F; Pairon, JC. (1999). Evaluation of past exposure to asbestos: Value of an asbestos body marker in the sputum (pp. 27-30). (BIOSIS/00/01222). Roncey, K; Cattan, KL; Ameille, J; Dargery, S; Dores, M; Fleury, J; Gral, P; Housset, B; Iwatsubo, Y; Lauzier, F; Leroy, R; Martinon, L; Paris, C; Roos, F; Pairon, JC.
- Ronneberg, A. (1995). Mortality and cancer morbidity in workers from an aluminium smelter with prebaked carbon anodes--part I: exposure assessment. *Occup Environ Med* 52: 242-249.
- Rönneberg, A; Langmark, F. (1992). Epidemiologic evidence of cancer in aluminum reduction plant workers [Review]. *Am J Ind Med* 22: 573-590.
- Rood, AP; Scott, RM. (1989). SIZE DISTRIBUTIONS OF CHRYSOTILE ASBESTOS IN A FRICTION PRODUCTS FACTORY AS DETERMINED BY TRANSMISSION ELECTRON-MICROSCOPY. *Ann Occup Hyg* 33: 583-590.
- Rood, AP; Streeter, RR. (1984). Size distributions of occupational airborne asbestos textile fibres as determined by transmission electron microscopy. *Ann Occup Hyg* 28: 333-339.
- Rood, AP; Streeter, RR. (1985). Size distributions of airborne superfine man-made mineral fibers determined by transmission electron microscopy. 46: 257-261.
- Rood, AP; Walker, EJ; Moore, D. (1992). Construction of a Portable Fiber Monitor Measuring the Differential Light Scattering from Aligned Fibers. *Aerosol Sci Technol* 17: 1-8.
- Rooker, SJ; Vaughan, NP; Le Guen, JM. (1982). Visibility of fibers by phase contrast microscopy. *Am Ind Hyg Assoc J* 43: 505-515.
- Roomi, MW; Ivanov, V; Kalinovskiy, T; Niedzwiecki, A; Rath, M. (2006). Inhibition of malignant mesothelioma cell matrix metalloproteinase production and invasion by a novel nutrient mixture. *Exp Lung Res* 32: 69-79. <http://dx.doi.org/10.1080/01902140600710488>.
- Röööli, M; Künzli, N; Schindler, C; Theis, G; Oglesby, L; Mathys, P; Camenzind, M; Braun-Fahrländer, C. (2003). Single pollutant versus surrogate measure approaches: do single pollutant risk assessments underestimate the impact of air pollution on lung cancer risk? *J Occup Environ Med* 45: 715-723. <http://dx.doi.org/10.1097/01.jom.0000079082.33909.c2>.
- Roperto, F; Troncone, A; Tranquillo, A; Galati, P. (1995). Extrapulmonary silicosis in two water buffaloes. *J Comp Pathol* 112: 97-103. [http://dx.doi.org/10.1016/S0021-9975\(05\)80092-1](http://dx.doi.org/10.1016/S0021-9975(05)80092-1).
- Rosal Goncalves, J; Correia, I; Raymundo, E; Teles de Araujo, A; MFe, C. (1990). Inhaled Corticosteroids in the Treatment of Occupational Respiratory Diseases (O.R.D.) (pp. 14-17). (NIOSH/00198442). Rosal Goncalves, J; Correia, I; Raymundo, E; Teles de Araujo, A; Costa MFe.
- Rosario, CM; Lin, X; Kamp, DW. (2012). Mesothelioma - Update on Diagnostic Strategies. *Clinical Pulmonary Medicine* 19: 282-288. <http://dx.doi.org/10.1097/CPM.0b013e318272ce61>.
- Rose, DSC; Vigneswaran, WT; Bovill, BA; Riordan, JF; Sapsford, RN; Stanbridge, RD. (1992). PRIMARY PERICARDIAL MESOTHELIOMA PRESENTING AS TUBERCULOUS PERICARDITIS. *Postgrad Med J* 68: 137-139.
- Rose, G. (1991). ENVIRONMENTAL HEALTH PROBLEMS AND PROSPECTS. *J R Coll Physicians Lond* 25: 48-52.
- Rose, HA. (1974). Detection and determination of chrysotile in talc USP. *J Pharm Sci Pharm*: 268-269.
- Rose, J. (1993). CROATIA ENVIRONMENTAL EFFECTS OF WAR. *Environ Sci Technol* 27: 1010-1011.
- Rosen, P; Gordon, P; Savino, A; Melamed, M. (1973). Ferruginous bodies in benign fibrous pleural plaques. *Am J Clin Pathol* 60: 608-612.
- Rosen, P; Melamed, M; Savino, A. (1972). The "ferruginous body" content of lung tissue: A quantitative study of eighty-six patients. *Acta Cytol* 16: 207-211.
- Rosenberg, DM. (1997). Asbestos-related disorders. A realistic perspective [Comment]. *Chest* 111: 1424-1426.
- Rosenkrantz, TS; Zalneraita, E. (1989). PREDICTION OF DEATH IN SEVERELY ASPHYXIATED INFANTS (pp. 1-4). (BIOSIS/89/21002). Rosenkrantz, TS; Zalneraita, E.
- Rosenman, KD; Reilly, MJ. (1998). Asbestos-related x-ray changes in foundry workers. *Am J Ind Med* 34: 197-201.
- Rosenstock, L; Barnhart, S; Balmes, J; Cherniack, M; Cone, J; Cullen, M; Koegh, J; Valanis, B; Omenn, G. (1991). THE BETA CAROTENE AND RETINOL EFFICACY TRIAL CARET FOR CHEMOPREVENTION OF LUNG CANCER IN ASBESTOS-EXPOSED WORKERS (pp. 12-15). (BIOSIS/91/21165). Rosenstock, L; Barnhart, S; Balmes, J; Cherniack, M; Cone, J; Cullen, M; Koegh, J; Valanis, B; Omenn, G.
- Rosenstock, L; Barnhart, S; Heyer, NJ; Pierson, DJ; Hudson, LD. (1986). INTERNATIONAL LABOR OFFICE PROFUSION CATEGORIES NOT USUALLY CONSIDERED TO REPRESENT FIBROSIS ARE ASSOCIATED WITH REDUCTIONS IN FORCED VITAL CAPACITY IN AN ASBESTOS-EXPOSED COHORT (pp. 11-14). (BIOSIS/86/27905). Rosenstock, L; Barnhart, S; Heyer, NJ; Pierson, DJ; Hudson, LD.
- Rosenthal, GL. (1991). Lung immunotoxicology [Research]. RePORTER Database National Institutes of Health.
- Rosenthal, GL. (1992). Lung immunotoxicology [Research]. RePORTER Database National Institutes of Health.
- Rosin, MP. (1985). IN-VITRO SIMULATION OF CONCURRENT EXPOSURES TO ASBESTOS FIBERS AND NITROSAMINES (pp. NEW YORK). (BIOSIS/86/22547). Rosin, MP.

Human Health Hazard Literature Search Results

Off Topic

- Ross, K. (1996). New glovebag regulations allow safer, cheaper asbestos removal. *Occup Health Saf* 65: 52-55.
- Ross, M. (1984). A Definition for Talc (pp. 193-197). (NIOSH/00174559). Ross, M.
- Ross, M. (1995). THE SCHOOLROOM ASBESTOS ABATEMENT PROGRAM - A PUBLIC-POLICY DEBACLE. *Environ Geol* 26: 182-188.
- Ross, M; Kuntze, RA; Clifton, RA. (1984). A Definition for Asbestos (pp. 139-147). (NIOSH/00173441). Ross, M; Kuntze, RA; Clifton, RA.
- Ross, M; Langer, AM; Nord, GL; Nolan, RP; Lee, RJ; Van Orden, D; Addison, J. (2008). The mineral nature of asbestos. *Regul Toxicol Pharmacol* 52: S26-S30. <http://dx.doi.org/10.1016/j.yrtph.2007.09.008>.
- Ross, M; Nolan, RP; Nord, GL. (2008). The search for asbestos within the Peter Mitchell Taconite iron ore mine, near Babbitt, Minnesota. *Regul Toxicol Pharmacol* 52: S43-S50. <http://dx.doi.org/10.1016/j.yrtph.2007.09.018>.
- Ross, M; Papike, JJ; Weiblen, PW. (1968). Exsolution in clinoamphiboles. *Science* 159: 1099-1102. <http://dx.doi.org/10.1126/science.159.3819.1099>.
- Ross, R. (2014). Asbestosis, not asbestos exposure, is the primary risk factor for lung cancer [Letter]. *Am J Respir Crit Care Med* 189: 114-115. <http://dx.doi.org/10.1164/rccm.201306-1040LE>.
- Ross, RM. (2011). Regarding "absence of radiographic asbestosis and the risk of lung cancer among asbestos-cement workers: extended follow-up of a cohort", by Murray Finkelstein, *American Journal of Industrial Medicine* 2010 [Letter]. *Am J Ind Med* 54: 495-496; author reply 497-498. <http://dx.doi.org/10.1002/ajim.20940>.
- Rossi, L; Menichini, E; Marconi, A. (1984). [The EEC directive on the protection of workers against the risk of asbestos. Problems of interpretation and application]. *Med Lav* 75: 359-367.
- Rossiter, C. (1988). Mineral Fibres and Health (pp. 700-704). (ISSN 0029-7917 NIOSH/00184612). Rossiter, C.
- Rossiter, CE. (1972). Initial repeatability trials of the UICCincinnati classification of the radiographic appearances of pneumoconioses. *Br J Ind Med* 29: 407-419.
- Rossiter, CE. (1987). Asbestos blues [Editorial]. *Med J Aust* 147: 162-163.
- Rossiter, CE; Browne, K; Gilson, JC. (1988). International classification trial of AIA set of 100 radiographs of asbestos workers. *Br J Ind Med* 45: 538-543.
- Rossiter, CE; Wagner, JC; Dodgson, J; Saracci, R. (1985). Man-Made Mineral Fibres: Joint European Medical Research Project (pp. 209-218). (NIOSH/00158324). Rossiter, CE; Wagner, JC; Dodgson, J; Saracci, R.
- Rossiter, CE; Weill, H. (1974). SYNERGISM BETWEEN DUST EXPOSURE AND SMOKING AN ARTIFACT IN THE STATISTICAL ANALYSIS OF LUNG FUNCTION (pp. 717-725). (HEEP/75/07220). Rossiter, CE; Weill, H.
- Rossol, M. (1986). Stage fright - Health and safety in the theater. (CIS/87/01312). Rossol, M.
- Roter, DL; Rudd, RE; Keogh, J; Robinson, B. (1986). Worker produced health education material for the construction trades. *Int Q Community Health Educ* 7: 109-121. <http://dx.doi.org/10.2190/FJPL-N1RH-829Q-PQRJ>.
- Roter, DL; Rudd, RE; Keogh, J; Robinson, B. (2006). Worker produced health education material for the construction trades. *Int Q Community Health Educ* 27: 231-243. <http://dx.doi.org/10.2190/IQ.27.3.d>.
- Roth, AR; Eddy, GW. (1966). Insecticide control of the Rocky Mountain wood tick on cattle in Wyoming. *J Med Entomol* 3: 342-344.
- Rothman, KJ. (1978). Occam's razor pares the choice among statistical models. *Am J Epidemiol* 108: 347-349.
- Rothschild, H; Buechner, H; Welsh, R; Vial, LJ; Weinberg, R. (1982). Histologic typing of lung cancer in Louisiana. *Cancer* 49: 1874-1877.
- Roullier, JY. (2006). [Managing the asbestos risk] (pp. 25-27). (CIS/07/01107). Roullier, JY.
- Roulois, D; Deshayes, S; Guilly, MN; Nader, JS; Liddell, C; Robard, M; Hulin, P; Ouacher, A; Le Martelot, V; Fonteneau, JF; Grégoire, M; Blanquart, C; Pouliquen, DL. (2016). Characterization of preneoplastic and neoplastic rat mesothelial cell lines: the involvement of TETs, DNMTs, and 5-hydroxymethylcytosine. *Onct* 7: 34664-34687. <http://dx.doi.org/10.18632/oncotarget.8970>.
- Roum, JH; Kirby, M; Borok, Z; Hubbard, R; Crystal, RG. (1991). ABILITY OF EXTRACELLULAR GLUTATHIONE TO SUPPRESS OXIDANT GENERATION IN ALVEOLAR MACROPHAGES IN INDIVIDUALS WITH CHRONIC INTERSTITIAL LUNG DISEASE (pp. 12-15). (BIOSIS/91/21207). Roum, JH; Kirby, M; Borok, Z; Hubbard, R; Crystal, RG.
- Rousmaniere, P; Raj, N. (2007). Shipbreaking in the developing world: Problems and prospects. *Int J Occup Environ Health* 13: 359-368.
- Rowe, JN. (1983). RELATIVE SOURCE CONTRIBUTIONS OF DIET AND AIR TO INGESTED ASBESTOS EXPOSURE. *Environ Health Perspect* 53: 115-120.
- Rowse, KD; Winters, CA. (2008). Exploring Research Communication and Engagement in a Rural Community: The Libby P.
- Roy F. Weston, I. (1990). Report of Sampling and Analysis Results, Addison Army Housing Units, Addison, Illinois. 42.
- Roy F. Weston, I. (1990). Report of Sampling and Analysis Results, Worth Army Housing Units, Worth, Illinois. 75.
- Roy F. Weston, I. (1990). Report of Sampling and Analysis Results: Tappan Army Housing Units, Tappan, New York (pp. 60). (NTIS/02972349_a).
- Roy-Chowdhury, AK; Jr, MT; Reeves, AL. (1973). Trace Metals in Asbestos Carcinogenesis. *Arch Environ Health* 26: 253-255.
- Rozeboom, LE; Burgdorfer, W. (1959). Development of Colorado tick fever virus in the Rocky Mountain wood tick, *Dermacentor andersoni*. *Am J Hyg* 69: 138-145.
- Ruangchira-Urai, R; Mark, EJ. (2009). Lymphangiomatoid pattern in diffuse malignant mesothelioma of the pleura: a report of six cases. *Virchows Arch* 455: 143-148. <http://dx.doi.org/10.1007/s00428-009-0806-y>.
- Rubin, AH. (1986). Common problems in asbestos-related pulmonary diseases. *Am J Ind Med* 10: 555-562.
- Rubin, DB. (2001). Estimating the causal effects of smoking. *Stat Med* 20: 1395-1414.
- Rubin, ES. (1999). Toxic releases from power plants. *Environ Sci Technol* 33: 3062-3067.
- Rubin, IA; Maggiore, CJ. (1974). Elemental analysis of asbestos fibers by means of electron probe techniques. *Environ Health Perspect* 9: 81-94.
- Rubino, G. (1986). BRONCHOALVEOLAR LAVAGE AND GALLIUM-67 SCINTIGRAPHY IN THE EVALUATION OF THE OCCUPATIONAL INTERSTITIAL LUNG DISEASES. *Am J Ind Med* 9: 393-396.

Human Health Hazard Literature Search Results

Off Topic

- Rubino, GF; Newhouse, M; Murray, R; Scansetti, G; Piolatto, G; Aresini, G. (1979). Radiologic changes after cessation of exposure among chrysotile asbestos miners in Italy. *Ann N Y Acad Sci* 330: 157-161.
- Ruda, TA; Dutta, PK. (2005). Fenton chemistry of Fe(III)-exchanged zeolitic minerals treated with antioxidants. *Environ Sci Technol* 39: 6147-6152. <http://dx.doi.org/10.1021/es050336e>.
- Rudd, R. (1997). Asbestos and lung cancer [Letter]. *Thorax* 52: 306.
- Rudd, R; Moore-Gillon, J; Muers, M. (2002). Mesothelioma [Letter]. *Thorax* 57: 187.
- Rudd, RM. (1989). CORRELATION BETWEEN FIBER CONTENT OF LUNG AND DISEASE IN EAST LONDON ASBESTOS FACTORY-WORKERS. *Br J Ind Med* 46: 358-360.
- Rudzki, E. (1979). [Contact allergens found in Poland and their sources] [Review]. 34: 2031-2033.
- Rudzki, E; Schubert, H. (1980). [Comparison of the incidence of contact dermatitis in Poland and German Democratic Republic. I. Skin changes caused by cement, industrial oils and epoxy resins]. *Przeglad Dermatologiczny* 67: 239-244.
- Rüegger, M. (1996). [Are artificial mineral fibers harmful to health and unsuitable for asbestos substitute?]. *Praxis (Bern 1994)* 85: 961-966.
- Ruegger, M; Schutz, R. (1997). Medico-legal aspects of asbestos-induced pleural plaques: The issue of worker's compensation. *Indoor Built Environ* 6: 119-124.
- Ruers, B. (2004). *Annals of the Global Asbestos Congress 2004*. 171.
- Ruettner, JR. (1976). ASBESTOS PRODUCTS FROM THE MORPHOLOGICAL AND DUST ANALYTICAL POINT OF VIEW (pp. BERLIN). (HEEP/77/12067). Ruettner, JR.
- Ruettner, JR; Spycher, MA; Sticher, H. (1972). Diffuse "asbestosis-like" interstitial fibrosis of the lung. *Pathol Microbiol* 38: 250-257.
- Ruff, GG. (1992). Environmental laws in health care. 14: 28-39.
- Ruff, K. (2012). Quebec and Canadian governments end their historic support of the asbestos industry [Editorial]. *Int J Occup Environ Health* 18: 263-267. <http://dx.doi.org/10.1179/1077352512Z.00000000046>.
- Ruff, K. (2013). UN Scientific Agency collaborating with scientists involved in sabotaging UN Rotterdam Convention [Editorial]. *Int J Occup Environ Health* 19: 160-162. <http://dx.doi.org/10.1179/1077352513Z.00000000077>.
- Ruff, K. (2014). Asbestos: a continuing failure of ethics by McGill University [Editorial]. *Int J Occup Environ Health* 20: 1-3. <http://dx.doi.org/10.1179/1077352513Z.000000000102>.
- Ruff, K. (2015). Scientific journals and conflict of interest disclosure: what progress has been made? *Environ Health* 14: 45. <http://dx.doi.org/10.1186/s12940-015-0035-6>.
- Ruff, K; Mirabelli, D; Magnani, C. (2016). Scientific journal publishes second eratum regarding false information by scientists funded by asbestos interests. *Epidemiol Prev* 40: 138-139. <http://dx.doi.org/10.19191/EP16.2.P138.069>.
- Ruffié, P. (2000). [Management of patients with malignant mesothelioma of the pleura]. *Presse Med* 29: 1413-1416.
- Ruffie, P; Hirsch, A. (1980). A review of the treatment of diffuse malignant pleural mesothelioma. *IARC Sci Publ* 553-557.
- Ruffié, P; Lehmann, M; Galateau-Sallé, F; Lagrange, JL; Pairen, JC. (1998). [Standards, Options, and Recommendations for the management of patients with malignant mesothelioma of the pleura. Fédération Nationale des Centres de Lutte Contre le Cancer]. *Bull Cancer* 85: 545-561.
- Ruhe, RL. (1979). Health Hazard Evaluation Determination, Report No. HHE-79-95-613, Federal-Mogul Corporation, Gallipolis, Ohio. (NIOSH/00091888). Ruhe, RL.
- Ruhe, RL. (1982). Health Hazard Evaluation Report, No. HETA-81-427-1043, United States Main Post Office, Columbus, Ohio. (NIOSH/00127767). Ruhe, RL.
- Ruhe, RL. (1983). Health Hazard Evaluation Report No. HETA-83-189-1368, Goodyear Aerospace Corporation, Akron, Ohio (pp. 83-189). (NIOSH/00134130). Ruhe, RL.
- Ruhe, RL; Donohue, M. (1980). Hazard Evaluation and Technical Assistance Report TA-79-45, Internal Revenue Service, Erlanger, Kentucky (pp. 79-45). (NIOSH/00179010). Ruhe, RL; Donohue, M.
- Ruppe, K; Werner, J; Thürmer, H; Lorenz, A. (1989). [Adequate measurement of artificial mineral fibers and evaluation of the biological effect]. *Z Gesamte Hyg Grenzgeb* 35: 417-419.
- Rusch, VW. (1995). Clinical features and current treatment of diffuse malignant pleural mesothelioma [Review]. *Lung Cancer* 12 Suppl 2: S127-S146.
- Rushworth, DH. (2005). The Navy and asbestos thermal insulation. *Naval Engineers Journal* 117: 35-48.
- Russell, H. (1993). *Toxics Directory: References and Resources on the Health Effects of Toxic Substances*. Fourth Edition. 147.
- Russell, PA; Hutchings, AE. (1978). Electron microscopy and X-ray applications to environmental and occupational health analysis. (HEEP/79/05810). Russell, PA; Hutchings, AE.
- Russell, RM. (2004). The enigma of beta-carotene in carcinogenesis: what can be learned from animal studies [Review]. *J Nutr* 134: 262S-268S.
- Russi, M; Dubrow, R; Flannery, JT; Cullen, MR; Mayne, ST. (1997). Occupational exposure to machining fluids and laryngeal cancer risk: Contrasting results using two separate control groups. *Am J Ind Med* 31: 166-171.
- Ruther, U; Nunnensiek, C; Muller, HAG; Rothe, B; Dobbertin, J; Bader, H; Jipp, P; Toomes, H. (1994). EVIDENCE OF EBV-DNA, HSV(I+II)-DNA, HHV6-DNA, CMV-DNA, AND ADENOVIRUS-2E1A AND ADENOVIRUS-5E1B IN MUCOUS-MEMBRANE OF BRONCHOGENIC-CARCINOMA, PLEURAL MESOTHELIOMA, SARCOIDOSIS, AND INTRINSIC ASTHMA. *Tumordiagnostik & Therapie* 15: 121-127.
- Rutten, A; Bermudez, E; Stewart, W; Everitt, JI; Walker, CL. (1995). EXPRESSION OF INSULIN-LIKE GROWTH-FACTOR-II IN SPONTANEOUSLY IMMORTALIZED RAT MESOTHELIAL AND SPONTANEOUS MESOTHELIOMA CELLS - A POTENTIAL AUTOCRINE ROLE OF INSULIN-LIKE GROWTH-FACTOR-II. *Cancer Res* 55: 3634-3639.
- Rüttner, JR. (1975). [Asbestos problems from the morphological and dust-analytical viewpoint]. 559-564.

Human Health Hazard Literature Search Results

Off Topic

- Ryan, B; Kuhl, I; Ware, R. (2014). Framework for handling asbestos after a tidal surge. *J Environ Health* 76: 170-176.
- Ryan, D. (1986). MOVING TO RID AMERICA OF ASBESTOS (pp. 7-8; 1986). (HMTC/86/0004145). Ryan, D.
- Ryan, G; Buchan, RM; Keefe, TJ; Mccammon, CS. (1996). A Longitudinal Study of an American Public Building following Asbestos Removal. *Appl Occup Environ Hyg* 11: 1417-1423.
- Ryan, PH; Dihle, M; Griffin, S; Partridge, C; Hilbert, TJ; Taylor, R; Adjei, S; Lockey, JE. (2011). Erionite in road gravel associated with interstitial and pleural changes--an occupational hazard in western United States. *J Occup Environ Med* 53: 892-898.
<http://dx.doi.org/10.1097/JOM.0b013e318223d44c>.
- Ryan, PJ; Oates, JL; Crocker, J; Stableforth, DE. (1997). Distinction between pleural mesothelioma and pulmonary adenocarcinoma using MOC31 in an asbestos sprayer. *Respir Med* 91: 57-60.
- Rybicki, BA; Johnson, CC; Peterson, EL; Kortsha, GX; Gorell, JM. (1997). Comparability of different methods of retrospective exposure assessment of metals in manufacturing industries. *Am J Ind Med* 31: 36-43. [http://dx.doi.org/10.1002/\(sici\)1097-0274\(199701\)31:1<36::aid-ajim6>3.3.co;2-o](http://dx.doi.org/10.1002/(sici)1097-0274(199701)31:1<36::aid-ajim6>3.3.co;2-o).
- Rydman, EM; Ilves, M; Koivisto, AJ; Kinaret, PA; Fortino, V; Savinko, TS; Lehto, MT; Pulkkinen, V; Vippola, M; Hämeri, KJ; Matikainen, S; Wolff, H; Savolainen, KM; Greco, D; Alenius, H. (2014). Inhalation of rod-like carbon nanotubes causes unconventional allergic airway inflammation. *Part Fibre Toxicol* 11: 48. <http://dx.doi.org/10.1186/s12989-014-0048-2>.
- Ryer, FH. (1978). AIR POLLUTION EXPOSURES TO FIVE TARGET HEALTH HAZARDS (pp. 928-931; 1978). (HMTC/78/0003296). Ryer, FH.
- Ryman-Rasmussen, JP; Cesta, MF; Brody, AR; Shipley-Phillips, JK; Everitt, JI; Tewksbury, EW; Moss, OR; Wong, BA; Dodd, DE; Andersen, ME; Bonner, JC. (2009). Inhaled carbon nanotubes reach the subpleural tissue in mice. *Nat Nanotechnol* 4: 747-751.
<http://dx.doi.org/10.1038/nnano.2009.305>.
- Ryrfeldt, A; Bannenberg, G; Moldeus, P. (1993). FREE RADICALS AND LUNG DISEASE. *Br Med Bull* 49: 588-603.
- Ryzhov, VV; Kashanskiĭ, SV; Manakova, NS; Plotko, EG; Seliankina, KP; Makarenko, NP; Kyzhina, I, uV. (2000). [Occupational evaluation of air in workplace area and populated zone at asbestos cardboard production]. *Med Tr Prom Ekol* 37-39.
- SA, LD. (1989). The influence of materials used for water pipes on water quality. *Alimentaria* 26: 65-67.
- Saab, AM; Lampronti, I; Borgatti, M; Finotti, A; Harb, F; Safi, S; Gambari, R. (2012). In vitro evaluation of the anti-proliferative activities of the wood essential oils of three Cedrus species against K562 human chronic myelogenous leukaemia cells. *Nat Prod Res* 26: 2227-2231.
<http://dx.doi.org/10.1080/14786419.2011.643885>.
- Saarikoski, ST; Voho, A; Reinikainen, M; Anttila, S; Karjalainen, A; Malaveille, C; Vainio, H; Husgafvel-Pursiainen, K; Hirvonen, A. (1998). Combined effect of polymorphic GST genes on individual susceptibility to lung cancer. *Int J Cancer* 77: 516-521.
[http://dx.doi.org/10.1002/\(SICI\)1097-0215\(19980812\)77:4<516::AID-IJC7>3.0.CO;2-X](http://dx.doi.org/10.1002/(SICI)1097-0215(19980812)77:4<516::AID-IJC7>3.0.CO;2-X).
- Saarni, H; Pentti, J; Pukkala, E. (2002). Cancer at sea: a case-control study among male Finnish seafarers. *Occup Environ Med* 59: 613-619.
<http://dx.doi.org/10.1136/oem.59.9.613>.
- Sabatino, P; Casella, L; Granata, A; Iafisco, M; Lesci, IG; Monzani, E; Roveri, N. (2007). Synthetic chrysotile nanocrystals as a reference standard to investigate surface-induced serum albumin structural modifications. *J Colloid Interface Sci* 314: 389-397.
<http://dx.doi.org/10.1016/j.jcis.2007.05.081>.
- Sabo-Attwood, TL. (2008). Mechanisms of Asbestos-Induced Clca1 and Mucin in Lung Epithelium.
- Sabo-Attwood, TL. (2009). Mechanisms of Asbestos-Induced Clca1 and Mucin in Lung Epithelium.
- Sabo-Attwood, TL. (2012). Contribution of Toll-like Receptors in the Pulmonary Response to Nanoparticles an.
- Sabo-Attwood, TL. (2013). Contribution of Toll-like Receptors in the Pulmonary Response to Nanoparticles an.
- Sabo-Attwood, TL. (2014). Contribution of Toll-like Receptors in the Pulmonary Response to Nanoparticles an.
- Sabo-Attwood, TL. (2015). Contribution of Toll-like Receptors in the Pulmonary Response to Nanoparticles an.
- Saddoughi, S. (2010). Suppression of Lung Cancer Growth by Ceramide.
- Saddoughi, S. (2011). Suppression of Lung Cancer Growth by Ceramide.
- Saddoughi, S. (2012). Suppression of Lung Cancer Growth by Ceramide.
- Saddoughi, S. (2013). Suppression of Lung Cancer Growth by Ceramide.
- Saebø, A; Elgio, K; Lassen, J. (1993). Could development of malignant mesothelioma be induced by Yersinia enterocolitica infection? *Med Hypotheses* 40: 275-277.
- Saeki, H; Hashizume, A; Izumi, H; Suzuki, F; Ishi, K; Nojima, M; Maeda, M; Hino, O. (2012). The utility of serum N-ERC/mesothelin as a biomarker of ovarian carcinoma. 4: 637-641. <http://dx.doi.org/10.3892/ol.2012.796>.
- Saffiotti, U. (1990). Quantitative studies on concurrent factors in neoplastic transformation [Research]. RePORTER Database National Institutes of Health.
- Safitri Zen, I; Ahamad, R; Gopal Rampal, K; Omar, W. (2013). Use of asbestos building materials in Malaysia: legislative measures, the management, and recommendations for a ban on use. *Int J Occup Environ Health* 19: 169-178.
<http://dx.doi.org/10.1179/2049396713Y.0000000028>.
- Sagan, LA; Whipple, CG. (1984). Cancer Control in the Workplace: Some Examples from the Utility Industry (pp. 159-174). (NIOSH/00165606). Commission of the European Communities.
- Sager, TM; Wolfarth, MW; Battelli, LA; Leonard, SS; Andrew, M; Steinbach, T; Endo, M; Tsuruoka, S; Porter, DW; Castranova, V. (2013). Investigation of the pulmonary bioactivity of double-walled carbon nanotubes. *J Toxicol Environ Health A* 76: 922-936.
<http://dx.doi.org/10.1080/15287394.2013.825571>.
- Saggia, C; Forti, G; Biaggi, G; Lattuada, S; Santagostino, A; Angeli, G; Pollo, MC; Negru, ME; Alabiso, O. (2004). Two cases of secondary soft tissue sarcomas after radiotherapy and radiochemotherapy. *Tumori* 90: 622-624.

Human Health Hazard Literature Search Results

Off Topic

- Sahin, N; Akatli, AN; Celik, MR; Ulutas, H; Samdanci, ET; Colak, C. (2016). The Role of CD90 in the Differential Diagnosis of Pleural Malignant Mesothelioma, Pulmonary Carcinoma and Comparison with Calretinin. *Pathol Oncol Res*. <http://dx.doi.org/10.1007/s12253-016-0135-9>.
- Sahle, W. (1987). Evaluation of the K2 Asbestos Screening Test Kit. *Ann Occup Hyg* 31: 227-232.
- Sahle, W; Larsson, G. (1989). The Usefulness of Void-Counting for Fibre Concentration Estimation by Optical Phase Contrast Microscopy. *Ann Occup Hyg* 33: 97-111.
- Sahle, W; Laszlo, I. (1996). Airborne Inorganic Fibre Level Monitoring by Transmission Electron Microscope (TEM): Comparison of Direct and Indirect Sample Transfer Methods. *Ann Occup Hyg* 40: 29-44.
- Sahle, W; Laszlo, I; Krantz, S; Christensson, B. (1994). Airborne Tungsten Oxide Whiskers in a Hard-Metal Industry. Preliminary Findings. *Ann Occup Hyg* 38: 37-44.
- Sahmel, J; Avens, HJ; Scott, PK; Unice, K; Burns, A; Barlow, CA; Madl, AK; Henshaw, J; Paustenbach, DJ. (2015). Measured removal rates of chrysotile asbestos fibers from air and comparison with theoretical estimates based on gravitational settling and dilution ventilation. *Inhal Toxicol* 27: 787-801. <http://dx.doi.org/10.3109/08958378.2015.1110216>.
- Sahmel, J; Barlow, CA; Gaffney, S; Avens, HJ; Madl, A; Henshaw, J; Unice, K, en; Galbraith, D; Derosé, G; Lee, RJ; Van Orden, D; Sanchez, M; Zock, M; Paustenbach, DJ. (2016). Airborne asbestos take-home exposures during handling of chrysotile-contaminated clothing following simulated full shift workplace exposures. *J Expo Sci Environ Epidemiol* 26: 48-62. <http://dx.doi.org/10.1038/jes.2015.15>.
- Sahmel, J; Barlow, CA; Simmons, B; Gaffney, SH; Avens, HJ; Madl, AK; Henshaw, J; Lee, RJ; Van Orden, D; Sanchez, M; Zock, M; Paustenbach, DJ. (2014). Evaluation of Take-Home Exposure and Risk Associated with the Handling of Clothing Contaminated with Chrysotile Asbestos. *Risk Anal* 34: 1448-1468. <http://dx.doi.org/10.1111/risa.12174>.
- Saint-Pierre, MD; Pease, C; Mithoowani, H; Zhang, T; Nicholas, GA; Laurie, SA; Wheatley-Price, P. (2015). Malignant Pleural Mesothelioma Outcomes in the Era of Combined Platinum and Folate Antimetabolite Chemotherapy. 2015: 590148. <http://dx.doi.org/10.1155/2015/590148>.
- Saito, S; Hi Yamuta, S; Kurasaki, M; Saito, T; Hosokawa, T; Fujita, H; Yoshida, K. (2002). The effect of Au injection on the ceruloplasmin, metallothionein and 8-hydroxydeoxyguanosine of rat serum, kidney and liver. *Chem Biol Interact* 140: 265-278.
- Saito, T. (1993). Determination by pyrolysis-gas chromatography of the phenolic resin concentration in particulate matter accumulated from traffic on roads. *Anal Chim Acta* 276: 295-302.
- Saito, T. (1995). INDIRECT ESTIMATION OF ASBESTOS CONCENTRATION DUE TO VEHICLES IN PARTICULATE MATTER IN THE ATMOSPHERE AND ON ROADS BY PYROLYSIS-GAS CHROMATOGRAPHY. *J Anal Appl Pyrol* 32: 171-178.
- Saitoh, K; Takizawa, Y; Muto, H; Hirano, K. (1992). [Concentration and form of asbestos fibers in tap drinking water contaminated from a water supply pipe with asbestos-cement]. *Nippon Eiseigaku Zasshi* 47: 851-860.
- Sakai, K; Hisanaga, N; Kohyama, N; Shibata, E; Takeuchi, Y. (2001). Airborne fiber concentration and size distribution of mineral fibers in area with serpentinite outcrops in Aichi prefecture, Japan. *Ind Health* 39: 132-140.
- Sakai, K; Hisanaga, N; Kojima, A; Takeuchi, Y. (1992). VISIBILITY OF FINE ASBESTOS FIBERS IN TRANSMISSION ELECTRON MICROSCOPY ANALYSIS (pp. 466-467). (BIOSIS/93/04999). Sakai, K; Hisanaga, N; Kojima, A; Takeuchi, Y.
- Sakai, K; Hisanaga, N; Mitani, K; Tsuchiya, H; Ko, T; Shibata, E; Ono, Y; Tanabe, E; Takeuchi, Y. (1990). [Asbestos concentrations in the air of the rooms sprayed with asbestos-containing materials]. *Nippon Koshu Eisei Zasshi* 37: 109-117.
- Sakai, K; Hisanaga, N; Okuno, M; Kohyama, N; Shinohara, Y; Shibata, E; Kamijima, M; Yamanaka, K; Takeuchi, Y. (1996). [Concentration and fiber size of asbestos in lungs of residents living close to the serpentinite area]. *Nippon Koshu Eisei Zasshi* 43: 551-562.
- Sakai, K; Hisanaga, N; Shibata, E; Kojima, A; Takeuchi, Y. (1998). [Types and dimensions of mineral fibers in the atmosphere and from lungs of residents in the urban area]. *Nippon Koshu Eisei Zasshi* 45: 921-933.
- Sakai, K; Hisanaga, N; Shibata, E; Ono, Y; Tabe, E; Takeuchi, Y. (1988). ASBESTOS LEVEL IN THE AIR IN ASBESTOS CONSTRUCTION MATERIAL-MANUFACTURING FACTORIES (pp. 291-292). (BIOSIS/89/08457). Sakai, K; Hisanaga, N; Shibata, E; Ono, Y; Tabe, E; Takeuchi, Y.
- Sakai, K; Hisanaga, N; Shibata, E; Ono, Y; Takeuchi, Y. (2006). Asbestos exposures during reprocessing of automobile brakes and clutches. *Int J Occup Environ Health* 12: 95-105. <http://dx.doi.org/10.1179/oeh.2006.12.1.95>.
- Sakai, K; Hisanaga, N; Takeuchi, Y. (1988). EFFECTS OF DIFFERENT PREPARATION METHODS FOR ELECTRON MICROSCOPY ON ELEMENTAL COMPOSITIONS OF ASBESTOS FIBERS (pp. 134-135). (BIOSIS/88/27369). Sakai, K; Hisanaga, N; Takeuchi, Y.
- Sakai, K; Kojima, A; Hisanaga, N; Shibata, E; Huang, J; Ono, Y; Takeuchi, Y; Aoki, T; Takagi, H; Ando, T. (1991). [Asbestos concentration and fiber size in lungs of the urban residents]. *Nippon Koshu Eisei Zasshi* 38: 762-770.
- Sakai, S; Inada, K; Tanaka, AK; Kelly, DP; Sykes, GP; Lee, KP. (2010). Inhalation toxicity study of disk-shaped potassium octatitanate particles (terrace TF) in rats following 90 days of aerosol exposure. *Inhal Toxicol* 22: 56-68. <http://dx.doi.org/10.3109/08958370902913229>.
- Sakai, S; Takatsuki, H; Hiraoka, M; Tsunemi, T. (1991). SLUDGE MELTING PROCESS WITH HAZARDOUS ASBESTOS WASTES (pp. 10-12). (ISSN 0273-1223; EISSN 0273-1223; BIOSIS/91/08708). Sakai, S; Takatsuki, H; Hiraoka, M; Tsunemi, T.
- Sakai, S; Tanaka, A; Kelly, DP; Sykes, G; Lee, KP. (2006). Two-Week Inhalation Studies With Diskshaped Particles Of Potassium Octatitanate (Terrace TF) In Rats. *Toxicol Sci* 90: 215.
- Sakari, WD. (1984). Rain water collected from asbestos tile roofs [Letter]. *East Afr Med J* 61: 343.
- Sakhvidi, MJZ; Ardekani, JB; Firoozchahak, A, li; Zavarreza, Z; Hajaghazade, M; Mostaghaci, M; Mehrparvar, A; Barkhordari, A. (2015). EXHALED BREATH MALONDIALDEHYDE, SPIROMETRIC RESULTS AND DUST EXPOSURE ASSESSMENT IN CERAMICS PRODUCTION WORKERS. *Int J Occup Med Environ Health* 28: 81-89. <http://dx.doi.org/10.13075/ijom.1896.00262>.
- Sakuma-Mochizuki, J; Yoshida, M; Abe, K; Arai, T; Mori, M; Kaneda, Y; Hayashi, S. (2000). Changes in pulmonary histology and exfoliated bronchoalveolar cells induced by in vivo introduction of the tumor necrosis factor-alpha gene. *Inflammation* 24: 11-19.

Human Health Hazard Literature Search Results

Off Topic

- Sakurai, T; Tagami, S; Takao, S; Baba, Y. (1989). MEASUREMENT OF ASBESTOS CONCENTRATIONS AROUND FACTORIES MANUFACTURING ASBESTOS-CONTAINING PRODUCTS (pp. 382-383). (BIOSIS/90/08400). Sakurai, T; Tagami, S; Takao, S; Baba, Y.
- Sala, H; Rotger, MM; Roca, J; Navajas, D; Rodriguezroisin, R; Picado, C; Agustividal, A. (1983). TRANSIT-TIME ANALYSIS OF FORCED SPIROMETRY IN ASBESTOS EXPOSURE. *Eur J Respir Dis* 64: 551-551.
- Salahudeen, HM; Hoey, ET; Robertson, RJ; Darby, MJ. (2009). CT appearances of pleural tumours [Review]. *Clin Radiol* 64: 918-930. <http://dx.doi.org/10.1016/j.crad.2009.03.010>.
- Salazar, MK; Takaro, TK; Ertell, K; Gochfeld, M; O'Neill, S; Connon, C; Barnhart, S. (1999). Structure and function of occupational health services within selected department of energy sites. *J Occup Environ Med* 41: 1072-1078.
- Salazar, N; Cely-García, MF; Breyse, PN; Ramos-Bonilla, JP. (2015). Asbestos exposure among transmission mechanics in automotive repair shops. *Ann Occup Hyg* 59: 292-306. <http://dx.doi.org/10.1093/annhyg/meu093>.
- Salazar-Flores, M; Rivera-Rodríguez, RM; Vázquez-Manriquez, ME; Arenas-Huertero, F. (2009). Synergistic effect of air pollution and habitual smoking on the retention of inorganic fibers identified as ferruginous bodies in autopsy cases in Mexico City. *Inhal Toxicol* 21: 882-888. <http://dx.doi.org/10.1080/08958370802566648>.
- Saleh, HZ; Fontaine, E; Elsayed, H. (2012). Malignant pleural mesothelioma presenting with a spontaneous hydropneumothorax: a report of 2 cases. *Rev Port Pneumol* 18: 93-95. <http://dx.doi.org/10.1016/j.rppneu.2011.04.001>.
- Salisbury, S; Koenig, J. (1989). Health Hazard Evaluation Report No. HETA-87-379-1977, Keebler Company, Atlanta, Georgia (pp. 87-379). (NIOSH/00192793). Salisbury, S; Koenig, J.
- Saltzman, BE. (1985). Variability and bias in the analyses of industrial hygiene samples. *Am Ind Hyg Assoc J* 46: 134-141. <http://dx.doi.org/10.1080/15298668591394545>.
- Samedi, V; White, S; Zimarowski, MJ; Harris, A; Saffitz, J; Wang, HH. (2010). Metastatic peritoneal mesothelioma in the setting of recurrent ascites: a case report. *Diagn Cytopathol* 38: 675-681. <http://dx.doi.org/10.1002/dc.21300>.
- Samet, JM. (1995). What can we expect from epidemiologic studies of chemical mixtures? *Toxicology* 105: 307-314.
- Samet, JM; Marbury, MC; Spengler, JD. (1987). HEALTH-EFFECTS AND SOURCES OF INDOOR AIR-POLLUTION .1. *Am Rev Respir Dis* 136: 1486-1508.
- Samet, JM; Speizer, FE; Gaensler, EA. (1978). Questionnaire reliability and validity in asbestos exposed workers. *Bull Europ Physiol Resp* 14: 177-188.
- Samet, JM; Speizer, FE; Gaensler, EA; Burke, GW; Robbins, AG. (1977). THE USE OF REGRESSION TECHNIQUES TO IDENTIFY AN OCCUPATIONAL COMPONENT OF CHANGE IN PULMONARY FUNCTION IN ASBESTOS EXPOSED WORKERS. *Am Rev Respir Dis* 115.
- Samet, M; Ayatollahi, J; Aboutorabi, A; Rahimian, M; Shahcheraghi, SH; Mirjalili, SA. (2015). Comparison of samples obtained from bronchoscopy of patients with and without bronchial anthracosis for investigating the prevalence of Mycobacterium tuberculosis. 5: 78-82. <http://dx.doi.org/10.11599/germs.2015.1074>.
- Samimi, BS; Williams, AM. (1981). OCCUPATIONAL EXPOSURE TO ASBESTOS FIBERS RESULTING FROM USE OF ASBESTOS GLOVES. *Am Ind Hyg Assoc J* 42: 870-875. <http://dx.doi.org/10.1080/15298668191420837>.
- Sammon, NB; Harrower, KM; Fabbro, LD; Reed, RH. (2011). Three potential sources of microfungi in a treated municipal water supply system in sub-tropical Australia. *Int J Environ Res Public Health* 8: 713-732. <http://dx.doi.org/10.3390/ijerph8030713>.
- Samuels, A. (2015). Mesothelioma and the law. *Med Leg J* 83: 26-28. <http://dx.doi.org/10.1177/0025817214528433>.
- Samuels, SW. (1980). REGULATION AND CONTROL OF OCCUPATIONAL HEALTH PROBLEMS WORKERS AT HIGH RISK (pp. NEW YORK). (HEEP/81/10406). Samuels, SW.
- Samuels, SW. (1992). Funding in the asbestos debate [Letter]. *CMAJ* 146: 1697, 1700.
- Samuels, SW. (1994). AN OPEN SYSTEMS-APPROACH TO RISK ASSESSMENT (VOL 25, PG 447, 1994). *Am J Ind Med* 26: 427-427.
- Samui, KL; Inoue, S; Mweene, AS; Nambota, AM; Mlangwa J, ED; Chilonda, P; Onuma, M; Morita, C. (1997). Distribution of Rift Valley fever among cattle in Zambia (pp. 73-77). (BIOSIS/97/33565). Samui, KL; Inoue, S; Mweene, AS; Nambota, AM; Mlangwa J, ED; Chilonda, P; Onuma, M; Morita, C.
- Sanchez, VC; Weston, P; Yan, A; Hurt, RH; Kane, AB. (2011). A 3-dimensional in vitro model of epithelioid granulomas induced by high aspect ratio nanomaterials. *Part Fibre Toxicol* 8: 17. <http://dx.doi.org/10.1186/1743-8977-8-17>.
- Sanden, A; Jarvholm, B. (1986). PLEURAL PLAQUES RESPIRATORY SYMPTOMS AND RESPIRATORY FUNCTION IN SHIPYARD WORKERS EXPOSED TO MAN-MADE MINERAL FIBERS. *J Soc Occup Med* 36: 86-89.
- Sanders, CL. (1973). CO CARCINOGENESIS OF RADIOACTIVE PLUTONIUM DIOXIDE WITH CHRYSOTILE ASBESTOS OR BENZOPYRENE IN THE RAT ABDOMINAL CAVITY (pp. OAK RIDGE). (HEEP/74/00918). Sanders, CL.
- Sanders, CL; Et, AL. (1977). ERDA (Energy Research and Development Administration) Symposium Series, Vol. 43. Pulmonary macrophage and epithelial cells. Proceedings of the 16th Annual Hanford Biology Symposium. Richland, Wash., USA., Sept. 27-29, 1976. (HEEP/79/02330). Sanders, CL; Et, AL.
- Sanderson, W; Knutti, E. (1988). Health Hazard Evaluation Report No. MHETA-86-528-1889, McGraw-Edison, Canonsburg, Pennsylvania (pp. 86-528). (NIOSH/00181280). Sanderson, W; Knutti, E.
- Sanderson, WT; Ferguson, RP. (1987). Health Hazard Evaluation Report No. MHETA-85-226-1839, Freshlabs, Inc., Warren, Michigan (pp. 147-119). (NIOSH/00175422). Sanderson, WT; Ferguson, RP.
- Sanderson, WT; Hearl, FJ. (1981). Industrial Hygiene Survey of Lehigh Cement Co., Cementon, New York. Cement Workers Morbidity Study. (NIOSH/00218235). Sanderson, WT; Hearl, FJ.
- Sandler, DP. (1985). Environmental exposure and chronic disease [Research]. RePORTER Database National Institutes of Health.
- Sandler, DP. (1986). Environmental exposure and chronic disease [Research]. RePORTER Database National Institutes of Health.

Human Health Hazard Literature Search Results

Off Topic

- Sandler, DP. (1987). Environmental exposures and chronic renal and other diseases [Research]. RePORTER Database National Institutes of Health.
- Sandler, DP. (1990). Environmental exposures and chronic renal and other diseases [Research]. RePORTER Database National Institutes of Health.
- Sandman, PM; Weinstein, ND; Miller, P. (1994). High risk or low: how location on a "risk ladder" affects perceived risk. *Risk Anal* 14: 35-45.
- Sandret, N; Pairon, JC; Orłowski, E; Zakia, T; Nourry, J; Saux, M; Dufour, G; Bignon, J; Brochard, P. (1994). Characterization of occupational exposures in compensated asbestos-related diseases in France. *Archives des Maladies Professionnelles et de Médecine du Travail* 55: 25-34.
- Sankaranarayanan, R; Wahrendorf, J; Demaret, E. (1994). IARC SCIENTIFIC PUBLICATIONS 130. DIRECTORY OF ON-GOING RESEARCH IN CANCER EPIDEMIOLOGY (pp. LYON). (BIOSIS/95/28329). Committee for Compounds Toxic to Reproduction.
- Sano, T. (1990). A Case Study on Fiberglass Pneumoconiosis with Undifferentiated Cancer Fiberglass, Cancerogenous Material (pp. 303-331). (NIOSH/00198697). Sano, T.
- Sano, T; Ebihara, I. (1985). Considerations On Pathology, Pathogenesis And Etiology Of Pneumoconiosis (pp. 303-331). (NIOSH/00158328). Sano, T; Ebihara, I.
- Santarelli, L; Strafella, E; Staffolani, S; Amati, M; Emanuelli, M; Sartini, D; Pozzi, V; Carbonari, D; Bracci, M; Pignotti, E; Mazzanti, P; Sabbatini, A; Ranaldi, R; Gasparini, S; Neuzil, J; Tomasetti, M. (2011). Association of MiR-126 with soluble mesothelin-related peptides, a marker for malignant mesothelioma. *PLoS ONE* 6: e18232. <http://dx.doi.org/10.1371/journal.pone.0018232>.
- Santiago-Delpin, EA. (1985). Cancer biology and carcinogenesis--core [Research]. RePORTER Database National Institutes of Health.
- Santibanez, M; Vioque, J; Alguacil, J; Barber, X; de la Hera, G; Kauppinen, T. (2008). Occupational exposures and risk of oesophageal cancer by histological type: a case-control study in eastern Spain. *Occup Environ Med* 65: 774-781. <http://dx.doi.org/10.1136/oem.2007.037929>.
- Santibáñez, S; Portillo, A; Palomar, AM; Bell-Sakyi, L; Romero, L; Oteo, JA. (2015). Isolation and maintenance of *Rickettsia raoultii* in a *Rhipicephalus sanguineus* tick cell line. *Microb Infect* 17: 866-869. <http://dx.doi.org/10.1016/j.micinf.2015.09.018>.
- Santos, C; Gamboa, F; Fradinho, F; Pêgo, A; Carvalho, L; Bernardo, J. (2012). Deciduoid Pleural Mesothelioma - a Rare Entity in a Young Woman. *Rev Port Pneumol* 18: 294-298. <http://dx.doi.org/10.1016/j.rppneu.2012.02.004>.
- Saracci, R. (1980). Introduction: Epidemiology Of Groups Exposed To Other Mineral Fibre (pp. 951-963). (NIOSH/00157600). Saracci, R.
- Saracci, R. (1981). THE INTERNATIONAL AGENCY FOR RESEARCH ON CANCER MONOGRAPH PROGRAM ON THE EVALUATION OF THE CARCINOGENIC RISK OF CHEMICALS TO HUMANS AS A CONTRIBUTION TO THE IDENTIFICATION OF OCCUPATIONAL CARCINOGENS (pp. COLD SPRING HARBOR). (HEEP/83/00856). Saracci, R.
- Saraya, T; Yokoyama, T; Ishii, H; Tanaka, Y; Tsujimoto, N; Ogawa, Y; Sohara, E; Nakajima, A; Inui, T; Sayuki, H; Fujiwara, M; Oka, T; Kawachi, R; Goya, T; Takizawa, H; Goto, H. (2013). A case of malignant peritoneal mesothelioma revealed with limitation of PET-CT in the diagnosis of thoracic metastasis. *J Thorac Dis* 5: E11-E16. <http://dx.doi.org/10.3978/j.issn.2072-1439.2012.08.19>.
- Saretto, G; Bertani, G; Capetta, C; Macchi, L. (2007). [Regione Lombardia 2006-2010: action plan for asbestos derived risk prevention]. *Epidemiol Prev* 31: 35-37.
- Sargent, EN. (1988). CHEST RADIOGRAPHIC APPROACH TO ASBESTOS DISEASES (pp. 23-29). (BIOSIS/88/20721). Sargent, EN.
- Sargent, EN; Boswell, WD; Ralls, PW; Markovitz, A. (1984). Subpleural fat pads in patients exposed to asbestos: distinction from non-calcified pleural plaques. *Radiology* 152: 273-277. <http://dx.doi.org/10.1148/radiology.152.2.6739783>.
- Sargent, EN; Gordonson, J; Jacobson, G; Birnbaum, W; Shaub, M. (1978). Bilateral pleural thickening: a manifestation of asbestos dust exposure. *AJR Am J Roentgenol* 131: 579-585. <http://dx.doi.org/10.2214/ajr.131.4.579>.
- Sartorelli, E. (1982). Bronchopulmonary disease due to silicates and limestone. (CIS/82/01539). Sartorelli, E.
- Sartorelli, P; Romeo, R; Scancarello, G; Montomoli, L; Muzzupappa, C; Barabesi, L. (2007). Measurement of asbestos fibre concentrations in fluid of repeated bro-choalveolar lavages of exposed workers. *Ann Occup Hyg* 51: 495-500. <http://dx.doi.org/10.1093/annhyg/mem014>.
- Sartorelli, P; Scancarello, G; Romeo, R; Marciano, G; Rottoli, P; Arcangeli, G; Palmi, S. (2001). Asbestos exposure assessment by mineralogical analysis of bronchoalveolar lavage fluid. *J Occup Environ Med* 43: 872-881. <http://dx.doi.org/10.1097/00043764-200110000-00006>.
- Sartorio, E. (2010). [Mondovi: who monitors the former exposed to asbestos?]. *Epidemiol Prev* 34: 61-62.
- Sasai, M; Nakamura, H; Sougawa, N; Sakurai, Y; Suzuki, M; Lee, CM, an. (2016). Novel Hyaluronan Formulation Enhances the Efficacy of Boron Neutron Capture Therapy for Murine Mesothelioma. *Anticancer Res* 36: 907-911.
- Sasaki, T; Asakura, M; Ishioka, C; Kasai, T; Katagiri, T; Fukushima, S. (2016). In vitro chromosomal aberrations induced by various shapes of multi-walled carbon nanotubes (MWCNTs). *J Occup Health* 58: 622-631. <http://dx.doi.org/10.1539/joh.16-0099-OA>.
- Sasaki, Y; Katsuragawa, S; Yanagisawa, T. (1992). Quantitative analysis of pneumoconiosis in standard chest radiographs (pp. 1385-1393). (BIOSIS/93/09711). Sasaki, Y; Katsuragawa, S; Yanagisawa, T.
- Sataloff, RT. (1992). The Impact of Pollution on the Voice. *Otolaryngol Head Neck Surg* 106: 701-705.
- Sataloff, RT. (2010). Asbestos exposure and laryngeal cancer Response. *Ear Nose Throat J* 89: 104-104.
- Sato, A; Torii, I; Okamura, Y; Yamamoto, T; Nishigami, T; Kataoka, TR; Song, M; Hasegawa, S; Nakano, T; Kamei, T; Tsujimura, T. (2010). Immunocytochemistry of CD146 is useful to discriminate between malignant pleural mesothelioma and reactive mesothelium. *Mod Pathol* 23: 1458-1466. <http://dx.doi.org/10.1038/modpathol.2010.134>.
- Sato, F; Yamazaki, H; Ataka, K; Mashima, I; Suzuki, K; Takahashi, T; Umezumi, H; Gejyo, F. (2000). Malignant peritoneal mesothelioma associated with deep vein thrombosis following radiotherapy for seminoma of the testis. *Intern Med* 39: 920-924.
- Sato, G; Yoshii, E; Morikawa, H. (1971). [Clinical results on devitalizing method of deciduous dental pulp using paraform (neoparaform)]. *Shika Gakuho* 71: 2189-2194.

Human Health Hazard Literature Search Results

Off Topic

- Sato, T; Suzuki, Y; Mori, T; Maeda, M; Abe, M; Hino, O; Takahashi, K. (2014). Newly established ELISA for N-ERC/mesothelin improves diagnostic accuracy in patients with suspected pleural mesothelioma. 3: 1377-1384. <http://dx.doi.org/10.1002/cam4.297>.
- Satoh, M; Takemura, Y; Hamada, H; Sekido, Y; Kubota, S. (2013). EGCG induces human mesothelioma cell death by inducing reactive oxygen species and autophagy. *Canc Cell Int* 13: 19. <http://dx.doi.org/10.1186/1475-2867-13-19>.
- Sauni, R; Oksa, P; Huikko, S; Roto, P; Uitti, J. (2003). Increased risk of asthma among Finnish construction workers. *Occup Med (Lond)* 53: 527-531. <http://dx.doi.org/10.1093/occmed/kqg112>.
- Sauni, R; Oksa, P; Lehtimäki, L; Toivio, P; Palmroos, P; Nieminen, R; Moilanen, E; Uitti, J. (2012). Increased alveolar nitric oxide and systemic inflammation markers in silica-exposed workers. *Occup Environ Med* 69: 256-260. <http://dx.doi.org/10.1136/oemed-2011-100347>.
- Savastano, H. (1999). Comments on "Comparative hazards of chrysotile asbestos and its substitutes: a European perspective" [Letter]. *Environ Health Perspect* 107: A596-A597.
- Savic, S; Franco, N; Grilli, B; Barascud, A; Herzog, M; Bode, B; Loosli, H; Spieler, P; Schöneegg, R; Zlobec, I; Clark, DP; Herman, JG; Bubendorf, L. (2010). Fluorescence in situ hybridization in the definitive diagnosis of malignant mesothelioma in effusion cytology. *Chest* 138: 137-144. <http://dx.doi.org/10.1378/chest.09-1951>.
- Savici, D; He, B; Geist, LJ; Monick, MM; Hunninghake, GW. (1994). SILICA INCREASES TUMOR-NECROSIS-FACTOR (TNF) PRODUCTION, IN PART, BY UP-REGULATING THE TNF PROMOTER. *Exp Lung Res* 20: 613-625.
- Savitz, DA; Dufort, V; Armstrong, B; Thériault, G. (1997). Lung cancer in relation to employment in the electrical utility industry and exposure to magnetic fields. *Occup Environ Med* 54: 396-402.
- Sawyer, RN. (1977). Asbestos exposure in a Yale building: analysis and resolution. *Environ Res* 13: 146-169.
- Sawyer, RN. (1979). Indoor asbestos pollution: application of hazard criteria. *Ann N Y Acad Sci* 330: 579-586.
- Sawyer, RN; Rohl, AN; Langer, AM. (1985). Airborne fiber control in buildings during asbestos material removal by amended water methodology. *Environ Res* 36: 46-55.
- Sawyer, RN; Spooner, CM. (1978). Sprayed asbestos-containing materials in buildings: a guidance document (pp. 2-78). (NIOSH/00146436). Sawyer, RN; Spooner, CM.
- Sawyer, RN; Spooner, CM. (1978). Sprayed Asbestos-Containing Materials In Buildings: A Guidance Document. Part 2 (pp. 2-094). (NIOSH/00139453). Sawyer, RN; Spooner, CM.
- Saxena, KC; Ali, S; Dogra, RKS. (1981). EFFECT OF ASBESTOS DUST IN CANDIDA-ALBICANS ON THE LUNGS OF GUINEA-PIGS. *Indian J Biochem Biophys* 18: 159-160.
- Sayan, M; Shukla, A; Macpherson, MB; Macura, SL; Hillegass, JM; Perkins, TN; Thompson, JK; Beuschel, SL; Miller, JM; Mossman, BT. (2014). Extracellular signal-regulated kinase 5 and cyclic AMP response element binding protein are novel pathways inhibited by vandetanib (ZD6474) and doxorubicin in mesotheliomas. *Am J Respir Cell Mol Biol* 51: 595-603. <http://dx.doi.org/10.1165/rcmb.2013-0373TR>.
- Scales, MD; Damment, SJ; Gatehouse, DG. (1992). A review of the ability of non-clinical testing strategies currently applied to drugs to detect known human carcinogens. 11: 111-122.
- Scansetti, G; Botta, GC; Capellaro, F; Piolatto, G. (1981). Exposure to chrysotile asbestos in friction materials industry. *Med Lav* 72: 46-51.
- Scansetti, G; Pavan, I; Botta, GC; Belliardo, F. (1980). Problems deriving from asbestos fibres wetting in the textile industry. *Med Lav* 71: 422-427.
- Scansetti, G; Piolatto, G. (1987). Tremolite/chrysotile ratios [Letter]. *Am J Ind Med* 12: 117-118.
- Scansetti, G; Pira, E; Botta, GC; Turbiglio, M; Piolatto, G. (1993). ASBESTOS EXPOSURE IN A STEAM-ELECTRIC GENERATING PLANT. *Ann Occup Hyg* 37: 645-653.
- Scarlett, HP; Delzell, E; Sathiakumar, N; Oestenstad, RK; Postlethwait, E. (2010). Exposure to airborne asbestos in Jamaican hospitals. *West Indian Med J* 59: 668-673.
- Scarlett, HP; Postlethwait, E; Delzell, E; Sathiakumar, N; Oestenstad, RK. (2012). Asbestos in public hospitals: are employees at risk? *J Environ Health* 74: 22-26.
- Scarnato, C; Morelli, C. (2012). Mortality study in secondary aluminum foundry workers. *Eur J Oncol* 17: 205-212.
- Scarselli, A; Corfiati, M; Di Marzio, D. (2016). Occupational exposure in the removal and disposal of asbestos-containing materials in Italy. *Int Arch Occup Environ Health* 89: 857-865. <http://dx.doi.org/10.1007/s00420-016-1126-6>.
- Scattone, A; Pennella, A; Gentile, M; Musti, M; Nazzaro, P; Buonadonna, AL; Marzullo, A; Cavone, D; Pollice, L; Serio, G. (2006). Comparative genomic hybridisation in malignant deciduoid mesothelioma. *J Clin Pathol* 59: 764-769. <http://dx.doi.org/10.1136/jcp.2005.026435>.
- Schaalje, GB; Wilkinson, PR. (1985). Discriminant analysis of vegetational and topographical factors associated with the focal distribution of Rocky Mountain wood ticks, *Dermacentor andersoni* (Acari: Ixodidae), on cattle range. *J Med Entomol* 22: 315-320.
- Schachtman, NA; Rhodes, CJ. (1992). Medico-legal issues in occupational lung disease litigation [Review]. *Semin Roentgenol* 27: 140-143.
- Schaefer, CM; Oestmann, JW; Greene, R; Oliver, C; Hall, D; Llewellyn, HJ; Rubens, J. R.; Pile-Spellman, E; Mccarthy, K; Lindemann, S. (1989). COMPARATIVE PERFORMANCE OF DUAL ENERGY DIGITAL IMAGING FOR ASBESTOS-RELATED DISEASE (pp. 19-25). (BIOSIS/90/13256). Schaefer, CM; Oestmann, JW; Greene, R; Oliver, C; Hall, D; Llewellyn, HJ; Rubens, J. R.; Pile-Spellman, E; Mccarthy, K; Lindemann, S.
- Schaefer, H. (1989). TOXIC ORGAN DAMAGE. *Versicherungsmedizin* 41: 29-32.
- Schaffer, EH; Quintanilla-Martinez, L; Marquart, KH; Kunder, S; Scheel, C; Jennen, L. (2005). Pericardial malignant mesothelioma in a Beagle dog. *Tieraerztliche Praxis Ausgabe K: Kleintiere - Heimtiere* 33: 334-340.
- Schanamann, SR. (1986). Air monitoring is not enough to estimate future asbestos hazards. *Occup Health Saf* 55: 31-35, 55.
- Schandl, Z. (1995). Restructuring Occupational Health in Hungary: A Perspective from Industry (pp. Implications for Environmental and Occupational Health). (NIOSH/00228570). Schandl, Z.

Human Health Hazard Literature Search Results

Off Topic

- Schapira, RM; Ghio, AJ; Effros, RM; Morrissey, J; Almagro, UA; Dawson, CA; Hacker, AD. (1995). Hydroxyl radical production and lung injury in the rat following silica or titanium dioxide instillation in vivo. *Am J Respir Cell Mol Biol* 12: 220-226. <http://dx.doi.org/10.1165/ajrcmb.12.2.7865220>.
- Schardein, JL. (1993). Metals (pp. 722-750). (DART/TER/93001550). German Federal Ministry of Labour and Social Affairs (Bundesministerium für Arbeit und Sozialordnung).
- Schechter, D. (1983). Will OSHA make waves for the Navy? *Occup Health Saf* 52: 14-18.
- Schechter, SP; Bruns, TD. (2008). Serpentine and non-serpentine ecotypes of *Collinsia sparsiflora* associate with distinct arbuscular mycorrhizal fungal assemblages. *Mol Ecol* 17: 3198-3210. <http://dx.doi.org/10.1111/j.1365-294X.2008.03828.x>.
- Scheel, PJ, Jr; Feeley, N. (2009). Retroperitoneal Fibrosis The Clinical, Laboratory, and Radiographic Presentation. *Medicine (Baltimore)* 88: 202-207. <http://dx.doi.org/10.1097/MD.0b013e3181afc439>.
- Scheff, PA; Wadden, RA; Bates, BA. (1990). INDOOR AIR POLLUTION (pp. NEW YORK). (BIOSIS/91/08218). Scheff, PA; Wadden, RA; Bates, BA.
- Scheid, P. (1996). 32nd Symposium of the Society for Pulmonary and Respiratory Research in the German Society for Pneumology on the basics of respiratory tract inflammation and hyperactivity, Bochum, Germany, December 5-7, 1996 (pp. 567-591). (BIOSIS/97/06046). Scheid, P.
- Schelch, K; Hoda, MA; Klikovits, T; Münzker, J; Ghanim, B; Wagner, C; Garay, T; Laszlo, V; Setinek, U; Dome, B; Filipits, M; Pirker, C; Heffeter, P; Selzer, E; Tovari, J; Torok, S; Kenessey, I; Holzmann, K; Grasl-Kraupp, B; Marian, B; Klepetko, W; Berger, W; Hegedus, B; Grusch, M. (2014). Fibroblast growth factor receptor inhibition is active against mesothelioma and synergizes with radio- and chemotherapy. *Am J Respir Crit Care Med* 190: 763-772. <http://dx.doi.org/10.1164/rccm.201404-0658OC>.
- Schell, DJ. (1994). Defense Logistics Agency (DLA) Supplement for the Environmental Assessment and Management (TEAM) Guide (pp. 267). (NTIS/03005356_a). Schell, DJ.
- Schell, DJ. (1994). Environmental Review Guide for Operations (ERGO) Supplement for the Environmental Assessment and Management (TEAM) Guide (pp. 244). (NTIS/03005372_a). Schell, DJ.
- Schelz, JP. (1974). The Detection Of Chrysotile Asbestos At Low Levels In Talc By Differential Thermal Analysis. *Thermochim Acta* 8: 197-204.
- Schelz, JP. (1976). Measurement of Asbestos and Quartz in Talc (pp. 76-40). (ISSN 0040-6031 NIOSH/00058073). Schelz, JP.
- Schempf, H. (1995). BOA: Asbestos Pipe-Insulation Removal Robot System. 63.
- Schempf, H; Bares, JE. (1995). BOA: Asbestos pipe insulation removal robot system. Phase 1. 64.
- Schempf, H; Bares, JE. (1995). BOA: Asbestos pipe-insulation removal robot system. Phase I. Topical report, November 1993--December 1994. 105.
- Schenker, MB. (1992). HEALTH EFFECTS OF INDOOR AIR POLLUTION NITROGEN DIOXIDE ETS AND OTHERS (pp. 5-10). (BIOSIS/92/17050). Schenker, MB.
- Schenker, MB. (1999). Environmental asbestos and mesothelioma in california [Research]. RePORTER Database National Institutes of Health.
- Schenker, MB. (2000). Environmental asbestos and mesothelioma in california.
- Schenker, MB. (2001). Environmental asbestos and mesothelioma in california.
- Schenker, MB; Speizer, FE. (1980). A Retrospective Cohort Study Of Diesel Exhaust Exposure In Railroad Workers: Study Design And Methodologic Issues (pp. Proceedings of an International Symposium). (NIOSH/00148878). Schenker, MB; Speizer, FE.
- Schepers, GW. (1991). The Veterans Administration's Asbestos Abatement Program. *Ann N Y Acad Sci* 643: 597-608.
- Schepers, GW. (1992). Re: "Changing attitudes and opinions: asbestos and cancer 1934-1965". *Am J Ind Med* 22: 461-466.
- Schepers, GWH. (1993). TLVS FOR ASBESTOS [Letter]. *Am J Ind Med* 23: 967-969.
- Schepers, GWH; Durkan, TM. (1955). The Effects Of Inhaled Talc-Mining Dust On The Human Lung (pp. 182-197). (NIOSH/00135461). Schepers, GWH; Durkan, TM.
- Scherpereel, A. (2009). [Malignant mesothelioma]. *Rev Prat* 59: 751-755.
- Scherpereel, A; Astoul, P; Baas, P; Berghmans, T; Clayson, H; de Vuyst, P; Dienemann, H; Galateau-Salle, F; Hennequin, C; Hillerdal, G; Le Pechoux, C; Mutti, L; Pairon, JC; Stahel, R; van Houtte, P; van Meerbeeck, J; Waller, D; Weder, W. (2010). Guidelines of the European Respiratory Society and the European Society of Thoracic Surgeons for the management of malignant pleural mesothelioma. *Eur Respir J* 35: 479-495. <http://dx.doi.org/10.1183/09031936.00063109>.
- Scherpereel, A; Grigoriu, B; Conti, M; Gey, T; Grégoire, M; Copin, MC; Devos, P; Chahine, B; Porte, H; Lassalle, P. (2006). Soluble mesothelin-related peptides in the diagnosis of malignant pleural mesothelioma. *Am J Respir Crit Care Med* 173: 1155-1160. <http://dx.doi.org/10.1164/rccm.200511-1789OC>.
- Scherpereel, A; Grigoriu, BD; Noppen, M; Gey, T; Chahine, B; Baldacci, S; Trauet, J; Copin, MC; Dessaint, JP; Porte, H; Labalette, M. (2013). Defect in recruiting effector memory CD8+ T-cells in malignant pleural effusions compared to normal pleural fluid. *BMC Cancer* 13: 324. <http://dx.doi.org/10.1186/1471-2407-13-324>.
- Scherpereel, A; Group, FSSfCME. (2007). Guidelines of the French Speaking Society for Chest Medicine for management of malignant pleural mesothelioma. *Respir Med* 101: 1265-1276. <http://dx.doi.org/10.1016/j.rmed.2006.10.018>.
- Scherpereel, A; Lee, YC. (2007). Biomarkers for mesothelioma [Review]. *Curr Opin Pulm Med* 13: 339-443. <http://dx.doi.org/10.1097/MCP.0b013e32812144bb>.
- Schettler, G. (1992). THE RELATIVITY FACTOR IN ENVIRONMENTAL RISKS. *Versicherungsmedizin* 44: 69-71.
- Scheule, RK; Holian, A. (1989). SPECIFIC OPSONIZATION OF CHRYSOTILE ASBESTOS BY IGG (pp. 14-17). (BIOSIS/89/20558). Scheule, RK; Holian, A.
- Scheuplein, RJ. (1987). Risk assessment and food safety a scientist's and regulator's view. 42: 237-250.
- Schiby, D; Gallily, I. (1980). The orderly nature of the motion of nonspherical aerosol particles: 3. Effect of the particle-wall fluid-dynamic interaction. *J Colloid Interface Sci* 77: 328-352.

Human Health Hazard Literature Search Results

Off Topic

- Schilirò, T; Alessandria, L; Degan, R; Traversi, D; Gilli, G. (2010). Chemical characterisation and cytotoxic effects in A549 cells of urban-air PM10 collected in Torino, Italy. *Environ Toxicol Pharmacol* 29: 150-157. <http://dx.doi.org/10.1016/j.etap.2009.12.005>.
- Schilling, G. (2005). Division for Planetary Sciences meeting: Martian methane: rocky birth, then gone with the wind? *Science* 309: 1984-1985. <http://dx.doi.org/10.1126/science.309.5743.1984a>.
- Schillings, R; Goette, P; Viereck-Goette, L; Mergner, HJ. (1991). Indoor examinations of asbestos sources. *Int J Hyg Environ Health* 192: 171.
- Schins, RPF; Borm, PJA. (1994). SERUM PROCOLLAGEN TYPE-III PEPTIDE IN COAL-WORKERS PNEUMOCONIOSIS - A 5-YEAR FOLLOW-UP-STUDY. *Exp Lung Res* 20: 445-455.
- Schins, RPF; Duffin, R; Hohr, D; Knaapen, AM; Shi, TM; Weishaupt, C; Stone, V; Donaldson, K; Borm, PJA. (2002). Surface modification of quartz inhibits toxicity, particle uptake, and oxidative DNA damage in human lung epithelial cells. *Chem Res Toxicol* 15: 1166-1173. <http://dx.doi.org/10.1021/tx02558u>.
- Schins, RPF; Gaudichet, A; Jaurand, MC. (1993). A METHOD TO OBTAIN A WELL-DEFINED FRACTION OF RESPIRABLE PARA-ARAMID FIBERS. *Environ Health Perspect* 101: 414-416.
- Schins, RPF; Keman, S; Borm, PJA. (1997). Blood antioxidant status in coal dust-induced respiratory disorders: A longitudinal evaluation of multiple biomarkers. *Biomarkers* 2: 45-50.
- Schins, RPF; Schilderman, P; Borm, PJA. (1995). OXIDATIVE DNA-DAMAGE IN PERIPHERAL-BLOOD LYMPHOCYTES OF COAL-WORKERS. *Int Arch Occup Environ Health* 67: 153-157.
- Schinwald, A; Chernova, T; Donaldson, K. (2012). Use of silver nanowires to determine thresholds for fibre length-dependent pulmonary inflammation and inhibition of macrophage migration in vitro. *Part Fibre Toxicol* 9: 47. <http://dx.doi.org/10.1186/1743-8977-9-47>.
- Schinwald, A; Donaldson, K, en. (2012). Use of back-scatter electron signals to visualise cell/nanowires interactions in vitro and in vivo; frustrated phagocytosis of long fibres in macrophages and compartmentalisation in mesothelial cells in vivo. *Part Fibre Toxicol* 9: 34. <http://dx.doi.org/10.1186/1743-8977-9-34>.
- Schinwald, A; Murphy, F; Askounis, A; Koutsos, V; Sefiane, K; Donaldson, K; Campbell, CJ. (2014). Minimal oxidation and inflammogenicity of pristine graphene with residence in the lung. *Nanotoxicology* 8: 824-832. <http://dx.doi.org/10.3109/17435390.2013.831502>.
- Schipper, H; Papp, T; Johnen, G; Pemsel, H; Bastrop, R; Muller, KM; Wiethage, T; Jaworska, M; Krismann, M; Schiffmann, D; Rahman, Q. (2003). Mutational analysis of the nf2 tumour suppressor gene in three subtypes of primary human malignant mesotheliomas. *Int J Oncol* 22: 1009-1017.
- Schipperijn, AJ. (2007). [Environmental exposure to asbestos in the area around Goor has been established as the cause of pleural mesothelioma in women] [Comment]. *Ned Tijdschr Geneesk* 151: 2810.
- Schirren, J; Muley, T; Schneider, P; Trainer, C; Bülzebruck, H; Dienemann, H; Vogt-Moykopf, I. (1998). [Treatment strategy in pleural mesothelioma] [Review]. 115: 498-506.
- Schlecht, PC; Cassinelli, ME. (1997). Survey of Analytical Methods, Parts I and II (pp. 26-27). (NIOSH/00241841). Schlecht, PC; Cassinelli, ME.
- Schlecht, PC; Groff, JH. (1994). PAT Program Report: Background and Current Status. *Appl Occup Environ Hyg* 9: 945-946.
- Schlecht, PC; Groff, JH. (1994). Proficiency Analytical Testing Program. *Appl Occup Environ Hyg* 9: 393-394.
- Schlecht, PC; Groff, JH. (1995). PAT Program. Background and Current Status. *Appl Occup Environ Hyg* 10: 744-745.
- Schlecht, PC; Shulman, SA. (1986). PERFORMANCE OF ASBESTOS FIBER COUNTING LABORATORIES IN THE NIOSH PROFICIENCY ANALYTICAL TESTING (PAT) PROGRAM. *Am Ind Hyg Assoc J* 47: 259-269.
- Schlecht, PC; Shulman, SA. (1995). Phase contrast microscopy asbestos fiber counting performance in the Proficiency Analytical Testing program. *Am Ind Hyg Assoc J* 56: 480-489.
- Schlesinger, RB. (1992). ATMOSPHERIC POLLUTION (pp. 642-648). (BIOSIS/92/28327). Schlesinger, RB.
- Schliephacke, J. (1994). Health protection in the workplace. 25: 10-12.
- Schlipkoter, HW; K-H, F. (1975). The Importance Of Fibrous Dusts On Health And The Method Of Measuring Its Effect (pp. 359-362). (NIOSH/00136347). Schlipkoter, HW; Friedrichs K-H.
- Schloemer, JR. (1982). Health Hazard Evaluation Report No. TA-80-028-1063, Post Officecourthouse Building, Louisville, Kentucky (pp. 80-028). (NIOSH/00179180). Schloemer, JR.
- Schmidt, SC; Weidemann, H; Muller, KM; Krismann, M; Langrehr, JM; Neuhaus, P. (2002). Low malignant epithelioid peritoneal mesothelioma: Successful treatment with surgical therapy alone. *Hepatogastroenterology* 49: 366-370.
- Schmitz, I; Konstantinidis, K; K-M, M. (1997). HYALINE PLEURAL PLAQUES SCANNING ELECTRON MICROSCOPY AND IMMUNOHISTOCHEMISTRY FINDINGS. (BIOSIS/98/08648). Schmitz, I; Konstantinidis, K; Mueller K-M.
- Schmolz, G. (1991). [Asbestos in indoor areas]. *Offentl Gesundheitswes* 53: 383-389.
- Schneider, GJ. (1994). Standardization of Protocol for the Sampling, Testing and abatement of Asbestos Containing Joint Compound. 130.
- Schneider, J. (2010). Early detection of lung cancers - Comparison of computed tomography, cytology and fuzzy-based tumor markers panels [Review]. *Cancer Biomark* 6: 149-162. <http://dx.doi.org/10.3233/CBM-2009-0126>.
- Schneider, J; Presek, P; Braun, A; Witowitz, HJ. (1999). Serum levels of pantropic p53 protein and EGF-receptor, and detection of anti-p53 antibodies in former uranium miners (SDAG Wismut). *Am J Ind Med* 36: 602-609.
- Schneider, SP. (1987). ASBESTOS EXAMINATIONS FOR CONSTRUCTION WORKERS [Letter]. *Am J Public Health* 77: 645-646.
- Schneider, T. (1979). The Influence Of Counting Rules On The Number And On The Size Distribution Of Fibres. *Ann Occup Hyg* 21: 341-350.
- Schneider, T. (1984). RECORDKEEPING ON OCCUPATIONAL EXPOSURES AND CANCER. *Scand J Work Environ Health* 10.
- Schneider, T; Burdett, G; Martinon, L; Brochard, P; Guillemin, M; Teichert, U; Draeger, U. (1996). Ubiquitous fiber exposure in selected sampling sites in Europe. *Scand J Work Environ Health* 22: 274-284.

Human Health Hazard Literature Search Results

Off Topic

- Schneider, T; Davies, LS; Burdett, G; Tempelman, J; Puledda, S; Jørgensen, O; Buchanan, D; Paoletti, L. (1998). Development of a method for the determination of low contents of asbestos fibres in bulk material. *Analyst* 123: 1393-1400.
- Schneider, T; Lepicard, S; Oudiz, A; Gadbois, S; Hériard-Dubreuil, G. (2000). A comparison of the carcinogenic risk assessment and management of asbestos, nickel and ionising radiation. (CIS/02/01259). Schneider, T; Lepicard, S; Oudiz, A; Gadbois, S; Hériard-Dubreuil, G.
- Schneider, T; Skotte, J. (1990). Fiber exposure reassessed with the new indices. *Environ Res* 51: 108-116.
- Schneider, WD; Br; egrave; Aunlich, A; Lorenz, A; Sch; egrave; Oneich, R; Th; egrave; Urmer, H; Wallenstein, G. (1995). Dose-effect relationship derived from studies of the exposure of the respiratory tract to irritants (Final report) (pp. 113-115). (CIS/95/02196). Bundesanstalt f and egrave;ur Arbeitsmedizin.
- Schneiderman, MA. (1987). EXPECTATION AND LIMITATION OF HUMAN STUDIES AND RISK ASSESSMENT (pp. CHELSEA). (BIOSIS/88/17254). SITTINGBOURNE RESEARCH CENTRE.
- Schneiderman, MA. (1992). Asbestos-related cancer [Letter]. *J Natl Cancer Inst* 84: 1125.
- Schneiderman, MA. (1993). Re: Attitudes and opinions regarding asbestos and cancer, 1934-1965 [Comment]. *Am J Ind Med* 23: 509-510.
- Schnitzer, RJ. (1974). Modification of biological surface activity of particles. *Environ Health Perspect* 9: 261-266.
- Schnitzer, RJ; Bunescu, G. (1970). Polymers as selective antagonists of hemolytic asbestos fibers. *Arch Environ Health* 20: 481-482.
- Schnurrenberger, E. (1987). DUST AS A FACTOR IN THE ASSESSMENT OF POTENTIAL HEALTH RISKS IN CHEMICAL MANUFACTURING PLANTS (pp. 107-110). (BIOSIS/87/22977). Schnurrenberger, E.
- Schochat, T; Seidel, HJ. (2001). [Epidemiology in the study of human ecology - concept and evaluation of a seminar]. *Gesundheitswesen* 63: 561-566. <http://dx.doi.org/10.1055/s-2001-16681>.
- Schoenberg, JB; Mitchell, CA. (1974). Implementation of the federal asbestos standard in Connecticut. *J Occup Med* 16: 781-784.
- Schoenen, D; Dott, W. (1978). [Microbial growth on bitumen and chlorcaoutchouc under laboratory conditions (author's transl)]. 167: 323-325.
- Schol, HM; Pipkin, JL; Hoage, TR; Hinson, WG. (1982). MACROPHAGE RESPONSE TO INTRA PERITONEAL INJECTION OF GRAPHITE PARTICLES. (HEEP/84/01923). Schol, HM; Pipkin, JL; Hoage, TR; Hinson, WG.
- Scholze, H; Conradt, R. (1987). An in vitro study of the chemical durability of siliceous fibres. *Ann Occup Hyg* 31: 683-692. <http://dx.doi.org/10.1093/annhyg/31.4B.683>.
- Scholze, H; Conradt, R. (1987). AN IN-VITRO STUDY OF THE CHEMICAL DURABILITY OF SILICEOUS FIBERS (pp. 28-29). (BIOSIS/88/18197). Scholze, H; Conradt, R.
- Schouten, LJ. (1997). [Increasing incidence of mesothelioma in the future due to occupational exposure to asbestos in the past] [Letter]. *Ned Tijdschr Geneesk* 141: 1584-1585.
- Schreier, H. (1986). ASBESTOS FIBERS AND ASSOCIATED TRACE METAL TOXICITY IN STREAM WATER (pp. 13-15). (BIOSIS/87/17335). Schreier, H.
- Schreier, H; Northcote, TG; Hall, K. (1987). TRACE METALS IN FISH EXPOSED TO ASBESTOS RICH SEDIMENTS. *Water Air Soil Pollut* 35: 3-4.
- Schreier, H; Omueti, JA; Lavkulich, LM. (1987). WEATHERING PROCESSES OF ASBESTOS-RICH SERPENTINITIC SEDIMENTS. *Soil Sci Soc Am J* 51: 993-999.
- Schreier, H; Shelford, JA; Nguyen, TD. (1986). ASBESTOS FIBERS AND TRACE METALS IN THE BLOOD OF CATTLE GRAZING IN FIELDS INUNDATED BY ASBESTOS-RICH SEDIMENTS. *Environ Res* 41: 99-109.
- Schreier, H; Timmenga, HJ. (1986). EARTHWORM LUMBRICUS-RUBELLUS RESPONSE TO ASBESTOS-RICH SERPENTINITIC SEDIMENTS. *Soil Biol Biochem* 18: 85-90.
- Schreiner, CA; Holden HE, J. R. (1983). MUTAGENS AS TERATOGENS: A CORRELATIVE APPROACH (pp. 135-168). (ISSN 0171-2004 EMICBACK/56801). Schreiner, CA; Holden HE, , JR.
- Schrodt, AG. (1957). The Determination Of Iodine-131 And Strontium-90 In Urine (pp. 112-130). (NIOSH/00138493). Schrodt, AG.
- Schubauer-Berigan, MK; Deddens, JA; Couch, JR; Petersen, MR. (2011). Risk of lung cancer associated with quantitative beryllium exposure metrics within an occupational cohort. *Occup Environ Med* 68: 354-360. <http://dx.doi.org/10.1136/oem.2010.056515>.
- Schubauer-Berigan, MK; Hein, MJ; Raudabaugh, WM; Ruder, AM; Silver, SR; Spaeth, S; Steenland, K; Petersen, MR; Waters, KM. (2011). Update of the NIOSH Life Table Analysis System: A Person-Years Analysis Program for the Windows Computing Environment. *Am J Ind Med* 54: 915-924. <http://dx.doi.org/10.1002/ajim.20999>.
- Schuetz, VA. (1982). Limit Values For Carcinogenic Substances Used In Industry - Technical Guiding Concentrations (TRK) (pp. 403-405). (NIOSH/00141502). Schuetz, VA.
- Schüler, G; Rüttner, JR. (1989). Mesothelioma among Swiss furniture workers [Letter]. *Scand J Work Environ Health* 15: 440-442.
- Schulte, PA; Connally, B. (1993). The Methodology of Worker Notification, Proceedings of a Workshop Held in Vail, Colorado, August 1 and 2, 1991. *Am J Ind Med* 23.
- Schulte, PA; Kuempel, ED; Zumwalde, RD; Geraci, CL; Schubauer-Berigan, MK; Castranova, V; Hodson, L; Murashov, V; Dahm, MM; Ellenbecker, M. (2012). Focused actions to protect carbon nanotube workers [Review]. *Am J Ind Med* 55: 395-411. <http://dx.doi.org/10.1002/ajim.22028>.
- Schulz, MH; Devanny, WE; Gitter, A; Zhong, S; Ernst, J; Bar-Joseph, Z. (2012). DREM 2.0: Improved reconstruction of dynamic regulatory networks from time-series expression data. *BMC Syst Biol* 6: 104. <http://dx.doi.org/10.1186/1752-0509-6-104>.
- Schumacher, A. (1988). A GUIDE TO HAZARDOUS MATERIALS MANAGEMENT PHYSICAL CHARACTERISTICS FEDERAL REGULATIONS AND RESPONSE ALTERNATIVES (pp. PHYSICAL CHARACTERISTICS). (BIOSIS/88/32827). Schumacher, A.
- Schuman, LD; Infante, PF. (1993). Synthetic mineral fibers [Letter]. *J Occup Med* 35: 1173-1177.
- Schure, PJ; van Dalen, KC; Ruitenbergh, HM; van Dalen, T. (2006). Mesothelioma of the tunica vaginalis testis: a rare malignancy mimicking more common inguino-scrotal masses. *J Surg Oncol* 94: 162-164; discussion 161. <http://dx.doi.org/10.1002/jso.20428>.

Human Health Hazard Literature Search Results

Off Topic

- Schutz, A. (1985). Protection Against Quartz And Asbestos Dust Exposures At Workplaces. Regulations And Guidelines In The Federal Republic Of Germany (pp. 815-822). (NIOSH/00158306). Schutz, A.
- Schutz, A; H-J, W. (1973). Technical Standard Values for the Admissible Working Place Concentration of Chrysotile Asbestos (pp. 445-450). (NIOSH/00191489). Schutz, A; Woitowitz H-J.
- Schwartz, A; Cote, M; Wenzlaff, A; Van Dyke, A; Chen, W; Ruckdeschel, J; Gadgeel, S; Soubani, A. (2009). Chronic obstructive lung diseases and risk of non-small cell lung cancer in women. *J Thorac Oncol* 4: 291-299. <http://dx.doi.org/10.1097/JTO.0b013e3181951cd1>.
- Schwartz, A; Rockoff, SD; Christiani, D; Hyde, J. (1988). A clinical diagnostic model for the assessment of asbestosis: a new algorithmic approach. *J Thorac Imaging* 3: 29-35.
- Schwartz, DA. (1990). Asbestos-induced pleural fibrosis & lung restriction [Research]. RePORTER Database National Institutes of Health.
- Schwartz, DA. (1991). Asbestos-induced pleural fibrosis & lung restriction [Research]. RePORTER Database National Institutes of Health.
- Schwartz, DA. (1992). Asbestos-induced pleural fibrosis & lung restriction [Research]. RePORTER Database National Institutes of Health.
- Schwartz, DA. (1997). Core--pulmonary biology [Research]. RePORTER Database National Institutes of Health.
- Schwartz, DA. (1998). Core--pulmonary biology [Research]. RePORTER Database National Institutes of Health.
- Schwartz, DA. (2000). Core--pulmonary biology.
- Schwartz, DA. (2009). GWAS in Fibrosing Interstitial Lung Disease.
- Schwartz, DA. (2010). GWAS in Fibrosing Interstitial Lung Disease.
- Schwartz, DA. (2011). GWAS in Fibrosing Interstitial Lung Disease.
- Schwartz, DA. (2012). GWAS in Fibrosing Interstitial Lung Disease.
- Schwartz, DA. (2013). Genetic and Epigenetic Changes in MUC5B and Fibrosing Interstitial Lung Disease.
- Schwartz, DA. (2013). GWAS in Fibrosing Interstitial Lung Disease.
- Schwartz, DA. (2014). Genetic and Epigenetic Changes in MUC5B and Fibrosing Interstitial Lung Disease.
- Schwartz, DA. (2014). MUC5B, a novel therapeutic target for Idiopathic Pulmonary Fibrosis (IPF).
- Schwartz, DA. (2015). Genetic and Epigenetic Changes in MUC5B and Fibrosing Interstitial Lung Disease.
- Schwartz, DA. (2015). MUC5B, a novel therapeutic target for Idiopathic Pulmonary Fibrosis (IPF).
- Schwartz, DA; Galvin, J. R.; Merchant, JA; Burmeister, LF; Dayton, CS; Hunninghake, GW. (1992). CLINICAL UTILITY OF ASBESTOS BODIES IN BAL FLUID - REPLY. *Am Rev Respir Dis* 145: 1513-1514.
- Schwartz, DA; Galvin, JR; Dayton, CS; Merchant, JA; Hunninghake, GW. (1991). THE INFLUENCE OF CIGARETTE SMOKING ON BRONCHOALVEOLAR LAVAGE CELLULARITY IN ASBESTOS-INDUCED LUNG DISEASE (pp. 12-15). (BIOSIS/91/21150). Schwartz, DA; Galvin, JR; Dayton, CS; Merchant, JA; Hunninghake, GW.
- Schwartz, DA; Galvin, JR; Merchant, RK; Dayton, CS; Burmeister, LF; Merchant, JA; Hunninghake, GW. (1992). Influence of cigarette smoking on bronchoalveolar lavage cellularity in asbestos-induced lung disease. *Am Rev Respir Dis* 145: 400-405. http://dx.doi.org/10.1164/ajrccm/145.2_Pt_1.400.
- Schwartz, DA; Wakefield, DS; Fieselmann, JF; Berger-Wesley, M; Zeitler, R. (1991). The occupational history in the primary care setting. *Am J Med* 90: 315-319.
- Schwartz, DH. (1996). Core--pulmonary biology [Research]. RePORTER Database National Institutes of Health.
- Schwartz, E; Landrigan, P. (1987). Use of court records for supplementing occupational disease surveillance. *Am J Public Health* 77: 1457-1458.
- Schwartz, MK. (1975). Role of trace elements in cancer [Review]. *Cancer Res* 35: 3481-3487.
- Schwartz, SP. (1980). Occupational Health: Organizational Responses To Worker Risk. (NIOSH/00136178). Schwartz, SP.
- Schweisfurth, H. (1996). PRELIMINARY REPORT OF THE GERMAN REGISTRY OF INTERSTITIAL LUNG DISEASES (pp. 7-11). (BIOSIS/97/05333). Schweisfurth, H.
- SCIENCES, NAO; EXECUTIVE; COMMITTEE. (1976). PEST CONTROL: AN ASSESSMENT OF PRESENT AND ALTERNATIVE TECHNOLOGIES. VOL. 1. CONTEMPORARY PEST CONTROL PRACTICES AND PROSPECTS: THE REPORT OF THE EXECUTIVE COMMITTEE (pp. 66-86). (EPIDEM/002215). National ACADEMY OF SCIENCES; EXECUTIVE; COMMITTEE.
- SCIENTIFIC, NTPBO; COUNSELORS. (1985). CHRYSOTILE ASBESTOS: NTP - BIOASSAY (pp. 12-13). (EPIDEM/00931). National TOXICOLOGY PROGRAM BOARD OF SCIENTIFIC; COUNSELORS.
- Scire, FE; Teague, EC. (1978). Piezodriven 50-microm range stage with subnanometer resolution. *Rev Sci Instrum* 49: 1735. <http://dx.doi.org/10.1063/1.1135327>.
- Scoles, GA; Broce, AB; Lysyk, TJ; Palmer, GH. (2005). Relative efficiency of biological transmission of *Anaplasma marginale* (Rickettsiales: Anaplasmataceae) by *Dermacentor andersoni* (Acari: Ixodidae) compared with mechanical transmission by *Stomoxys calcitrans* (Diptera: Muscidae). *J Med Entomol* 42: 668-675. [http://dx.doi.org/10.1603/0022-2585\(2005\)042\[0668:REOBT0\]2.0.CO;2](http://dx.doi.org/10.1603/0022-2585(2005)042[0668:REOBT0]2.0.CO;2).
- Scoles, GA; Mcelwain, TF; Rurangirwa, FR; Knowles, DP; Lysyk, TJ. (2006). A Canadian bison isolate of *Anaplasma marginale* (Rickettsiales: Anaplasmataceae) is not transmissible by *Dermacentor andersoni* (Acari: Ixodidae), whereas ticks from two Canadian *D. andersoni* populations are competent vectors of a U.S. strain. *J Med Entomol* 43: 971-975.
- Scoles, GA; Ueti, MW; Palmer, GH. (2005). Variation among geographically separated populations of *Dermacentor andersoni* (Acari: Ixodidae) in midgut susceptibility to *Anaplasma marginale* (Rickettsiales: Anaplasmataceae). *J Med Entomol* 42: 153-162.
- Scott, WC; Estes, HJ; Coble, YD. (1991). Asbestos removal, health hazards, and the EPA. Council on Scientific Affairs, American Medical Association. *JAMA* 266: 696-697.
- Seal, RM. (1980). Current views on pathological aspects of asbestosis (the unresolved questions and problems). *IARC Sci Publ* 217-235.
- Seal, S; Barr, TL; Krezoski, S; Petering, DH; Antholine, W. (1997). Characterization of chemical interaction of asbestos surfaces during culturing with lung cells. *Journal of Vacuum Science and Technology A* 15: 1235-1245.

Human Health Hazard Literature Search Results

Off Topic

- Seal, S; Krezoski, S; Barr, TL; Petering, DH; Evans, PH; Klinowski, J. (1997). Surface chemical interaction of fibrous asbestos with biocells: An ESCA study. *J Hazard Mater* 53: 57-74.
- Seal, S; Krezoski, S; Barr, TL; Petering, DH; Klinowski, J; Evans, PH. (1996). Surface chemistry and biological pathogenicity of silicates: An X-ray photoelectron spectroscopic study. *Proc Biol Sci* 263: 943-951. <http://dx.doi.org/10.1098/rspb.1996.0140>.
- Searle, CE. (1976). ACS (American Chemical Society) Monograph, Vol. 173. Chemical carcinogens. (HEEP/77/07801). Searle, CE.
- Seaton, A. (1993). The hazards of asbestos. Detailed occupational history is vital [Letter]. *BMJ* 307: 258.
- Seaton, A. (1995). [Asbestos: past, present and future]. *Schweizerische Medizinische Wochenschrift* 125: 453-457.
- Seaton, A. (2002). One fibre or many; what causes mesothelioma? [Letter]. *Thorax* 57: 186-187.
- Sebastian, RL; Clark, R; Gallman, P. (1995). Three dimensional characterization and archiving system. 33.
- Sebastien, P. (1987). Measuring Asbestos Dust in the Environment (pp. 97-108). (NIOSH/00170705). Sebastien, P.
- Sébastien, P. (1982). [Current possibilities of the biometry of dust in specimens of bronchoalveolar lavage fluid] [Review]. *Ann Biol Clin (Paris)* 40: 279-293.
- Sebastien, P; Bignon, J; Martin, M. (1982). Indoor airborne asbestos pollution: from the ceiling and the floor. *Science* 216: 1410-1413.
- Sebbag, G; Yan, H; Shmookler, BM; Sugarbaker, PH. (2001). Malignant mesothelioma of the male genital tract: report of two cases. *Urol Oncol* 6: 261-264.
- Secor, E. (1986). Asbestos Encapsulation: Penetrant Approach To Control. *Occup Health Saf* 55: 68-69.
- Security, IS. (1211). [Asbestos: Towards a worldwide ban]. 1.
- Segawa, T; Hagiwara, Y; Ishikawa, K; Aoki, N; Maeda, M; Shiomi, K; Hino, O. (2008). MESOMARK kit detects C-ERC/mesothelin, but not SMRP with C-terminus. *Biochem Biophys Res Commun* 369: 915-918. <http://dx.doi.org/10.1016/j.bbrc.2008.02.114>.
- Seger, G. (1982). Design and development of an optical instrument for fibre counting at the workplace (pp. 82-034). (CIS/83/00637). Seger, G.
- Segers, K; Kumar-Singh, S; Vandaele, A; Bogers, J; Vanmeerbeeck, J; Vermeire, P; Weyler, J; Vanmarck, E. (1996). Evaluation and prognostic value of DNA content and of morphometric parameters in malignant mesothelioma using digital image analysis. *Lung Cancer* 14: 229-237.
- Segers, K; Ramael, M; Kumar-Singh, S; Vandaele, A; Weyler, J; Vanmarck, E. (1995). DETECTION OF NUMERICAL CHROMOSOMAL-ABERRATIONS IN PARAFFIN-EMBEDDED MALIGNANT PLEURAL MESOTHELIOMA BY NONISOTOPIC IN-SITU HYBRIDIZATION. *J Pathol* 175: 219-226.
- Segnan, N; Tanturri, G. (1976). [Study of the geographical pathology of laryngeal, bladder and childhood tumors in the Province of Turin]. *Tumori* 62: 377-385.
- Segura, O; Burdorf, A; Looman, C. (2003). Update of predictions of mortality from pleural mesothelioma in the Netherlands. *Occup Environ Med* 60: 50-55.
- Seiber, J. (1990). INDUSTRIAL AND ENVIRONMENTAL CHEMICALS IN THE HUMAN FOOD CHAIN PART TWO. ORGANIC CHEMICALS (pp. FLORENCE). (BIOSIS/91/02354). Seiber, J.
- Seifert, B; Van De Wiel, HJ; Dodet, B; O'Neill, IK. (1993). Environmental carcinogens. Methods of analysis and exposure measurement. Volume 12 - Indoor air. (CIS/93/01643). Ministry of the Environment (France).
- Seifter, E; Mendecki, J; Friedenthal, E; Weinzeig, J; Padawer, J. (1987). DAMAGE FROM INHALATION OF RADIOACTIVE DUSTS AND GASES ARE VITAMIN A VA AND BETA CAROTENE BC SUPPLEMENTS PROTECTIVE. (BIOSIS/87/33662). Seifter, E; Mendecki, J; Friedenthal, E; Weinzeig, J; Padawer, J.
- Seillan, H; Brochard, P; Narbonne, JF; L?Ca, N; Martin, D. (2008). [Nanomaterials - A new type of danger?] (pp. 13-29). (CIS/09/00383). Seillan, H; Brochard, P; Narbonne, JF; L?Ca, N; Martin, D.
- Seitz, HK; Czygan, P; Kommerell, B. (1982). Alcohol And Carcinogenesis (pp. 95-107). (NIOSH/00135130). Seitz, HK; Czygan, P; Kommerell, B.
- Seitz, TA. (1990). Health Hazard Evaluation Report HETA 89-270-2080, Harrisburg Steam Generation Facility, Harrisburg, Pennsylvania (pp. 1-36). Seitz, TA.
- Seixas, N; Siwinski, G; Ghosh, A. (1987). Bias introduced by NIOSH Method 7400 quantitative fiber exposure assessment. *Am Ind Hyg Assoc J* 48: A242-A243.
- Seixas, NS; Ordian, D. (1986). Health Hazard Evaluation Report No. HETA-84-262-1734, Friction Products, Trenton, New Jersey (pp. 84-262). (NIOSH/00165821). Seixas, NS; Ordian, D.
- Sekhon, H; Wright, J; Churg, A. (1995). Effects of cigarette smoke and asbestos on airway, vascular and mesothelial cell proliferation. *Int J Exp Pathol* 76: 411-418.
- Sekhon, HS; Keeling, B; Churg, A. (1993). Rat pleural mesothelial cells show damage after exposure to external but not internal cigarette smoke. *Environ Health Perspect* 101: 326-330.
- Sekido, Y. (2010). Genomic abnormalities and signal transduction dysregulation in malignant mesothelioma cells [Review]. *Cancer Sci* 101: 1-6. <http://dx.doi.org/10.1111/j.1349-7006.2009.01336.x>.
- Sekido, Y. (2011). Inactivation of Merlin in malignant mesothelioma cells and the Hippo signaling cascade dysregulation [Review]. *Pathol Int* 61: 331-344. <http://dx.doi.org/10.1111/j.1440-1827.2011.02666.x>.
- Sekido, Y. (2013). Molecular pathogenesis of malignant mesothelioma [Review]. *Carcinogenesis* 34: 1413-1419. <http://dx.doi.org/10.1093/carcin/bgt166>.
- Seldén, A; Lundgren, L; Plato, N. (2014). [“Bear plug”—asbestos source in every home?] [Letter]. *Lakartidningen* 111: 1850.
- Seldén, AI; Westberg, HB; Axelson, O. (1997). Cancer morbidity in workers at aluminum foundries and secondary aluminum smelters. *Am J Ind Med* 32: 467-477.
- Selikoff, IJ. (1970). Partnership for prevention—the insulation industry hygiene research program. 39: 162-166.
- Selikoff, IJ. (1973). COCARCINOGENIC EFFECT OF SMOKING AND ASBESTOS EXPOSURE. *JAMA* 223: 336-336.
- Selikoff, IJ. (1973). Widening Perspectives of Occupational Lung Disease. *Prev Med* 2: 412-437.

Human Health Hazard Literature Search Results

Off Topic

- Selikoff, IJ. (1974). Environmental Cancer Associated with Inorganic Microparticulate Air Pollution (pp. 21-25). (ISSN 0013-9351 EISSN 1096-0953 NIOSH/00057401). Selikoff, IJ.
- Selikoff, IJ. (1977). Air pollution and asbestos carcinogenesis: investigation of possible synergism. IARC Sci Publ U: 247-253.
- Selikoff, IJ. (1978). CARCINOGENIC POTENTIAL OF SILICA COMPOUNDS (pp. NEW YORK). (HEEP/80/00943). Selikoff, IJ.
- Selikoff, IJ. (1979). Relation of Smoking to Neoplasia in Asbestos Workers (Final Report). (NIOSH/00091886). Selikoff, IJ.
- Selikoff, IJ. (1980). Chemical disease in humans: problems in comparative toxicology. 76: 331-347.
- Selikoff, IJ. (1980). The First Phase Is Over (pp. 81-2293). (NIOSH/00146072). Selikoff, IJ.
- Selikoff, IJ. (1981). CARCINOGENIC RISK MANAGEMENT IN THE USA (pp. NEW YORK). (HEEP/82/03086). Selikoff, IJ.
- Selikoff, IJ. (1981). CONSTRAINTS IN ESTIMATING OCCUPATIONAL CONTRIBUTIONS TO CURRENT CANCER MORTALITY IN THE USA (pp. COLD SPRING HARBOR). (HEEP/83/00956). Selikoff, IJ.
- Selikoff, IJ. (1981). THE IRON GRIP OF LATENCY CAN IT BE LOOSENED? (pp. 23-28). (HEEP/83/08811). Selikoff, IJ.
- Selikoff, IJ. (1984). Investigation Of Genetic Hazards: Guidance From Occupational And Environmental Studies (pp. 1-20). (NIOSH/00150123). Selikoff, IJ.
- Selikoff, IJ. (1984). Twenty Lessons From Asbestos A Bitter Harvest Of Scientific Information. J Environ Health 47: 140-144.
- Selikoff, IJ. (1985). Lung cancer: prognostic significance of vitamin a levels [Research]. RePORTER Database National Institutes of Health.
- Selikoff, IJ. (1989). Mortality study of workers exposed to asbestos in a Lodz factory [Letter]. Pol J Occup Med 2: 323-328.
- Selikoff, IJ. (1990). Historical developments and perspectives in inorganic fiber toxicity in man [Review]. Environ Health Perspect 88: 269-276.
- Selikoff, IJ. (1991). Statistical compassion. J Clin Epidemiol 44 Suppl 1: 141S-146S.
- Selikoff, IJ. (1992). Death certificates in epidemiological studies, including occupational hazards: inaccuracies in occupational categories. Am J Ind Med 22: 493-504.
- Selikoff, IJ. (1992). Influence of age at death on accuracy of death certificate disease diagnosis: findings in 475 consecutive deaths of mesothelioma among asbestos insulation workers and asbestos factory workers. Am J Ind Med 22: 505-510.
- Selikoff, IJ; Frank, AL. (1983). Keynote address: potential of in vitro tests in asbestos-related problems. Environ Health Perspect 51: 1-4.
- Selikoff, IJ; Hammond, EC. (1970). Asbestos Bodies in the New York City Population in Two Periods of Time (pp. 99-105). (NIOSH/00045725). Selikoff, IJ; Hammond, EC.
- Selikoff, IJ; Hammond, EC. (1971). Asbestos exposure to coke oven operators. J Occup Med 13: 496-497.
- Selikoff, IJ; Hammond, EC. (1973). ENVIRONMENTAL CANCER IN THE YEAR 2000 (pp. PHILADELPHIA). (HEEP/74/11048). Selikoff, IJ; Hammond, EC.
- Selikoff, IJ; Hammond, EC. (1975). MULTIPLE RISK FACTORS IN ENVIRONMENTAL CANCER (pp. NEW YORK). (HEEP/76/12034). Selikoff, IJ; Hammond, EC.
- Selikoff, IJ; Hammond, EC. (1979). ANNALS OF THE NEW-YORK ACADEMY OF SCIENCES VOL. 330. HEALTH HAZARDS OF ASBESTOS EXPOSURE INTERNATIONAL CONFERENCE JUNE 24-27 1978 NEW-YORK NEW-YORK USA (pp. NEW YORK). (HEEP/81/07974). Selikoff, IJ; Hammond, EC.
- Selikoff, IJ; Hammond, EC. (1979). Asbestos and smoking [Editorial]. JAMA 242: 458-459. <http://dx.doi.org/10.1001/jama.1979.03300050048029>.
- Selikoff, IJ; Nicholson, WJ; Langer, AM. (1972). Asbestos air pollution. Arch Environ Health 25: 1-13.
- Selikoff, IJ; Seidman, H. (1991). Evaluation of selection bias in a cross-sectional survey. Am J Ind Med 20: 615-627.
- Selikoff, IJ; Seidman, H. (1992). Use of death certificates in epidemiological studies, including occupational hazards: Variations in discordance of different asbestos-associated diseases on best evidence ascertainment. Am J Ind Med 22: 481-492. <http://dx.doi.org/10.1002/ajim.4700220403>.
- Selikoff, IJ; Seidman, H; Hammond, EC. (1980). Mortality effects of cigarette smoking among amosite asbestos factory workers. J Natl Cancer Inst 65: 507-513.
- Selner, JC; Staudenmayer, H. (1985). The practical approach to the evaluation of suspected environmental exposures: chemical intolerance. Ann Allergy 55: 665-673.
- Sem, GJ; Tsurubayashi, K; Homma, K. (1977). Performance of the piezoelectric microbalance respirable aerosol sensor. Am Ind Hyg Assoc J 38: 580-588. <http://dx.doi.org/10.1080/00028897708984402>.
- Senden, D; Buchet, JP; Lauwerys, R. (1990). ASSESSMENT OF THE CONCENTRATION OF PSEUDOURIDINE IN URINE AS AN EARLY INDICATOR OF A MALIGNANT PROCESS. J Toxicol Clin Exp 10: 473-480.
- Sengbusch, GV; Hannibalfriedrich, O. (1979). POTENTIAL DAMAGE TO HEALTH AS A RESULT OF EXPOSURE TO ASBESTOS OUTSIDE THE WORKPLACE. Staub, Reinhaltung der Luft 39: 452-456.
- Sengupta, J. (1986). ENVIRONMENTAL FACTORS AFFECTING HUMAN WORK PERFORMANCE (pp. 298-299). (BIOSIS/87/02204). Sengupta, J.
- Senkevich, NA; Rashevskaya, AM; Konchalovskaya, NM; Sokolov, VV. (1976). CURRENT PROBLEMS OF DUST INDUCED PATHOLOGY OF THE LUNGS PNEUMOCONIOSES. Ter Arkh 48: 100-104.
- Senyigit, A; Bayram, H; Babayigit, C; Topcu, F; Balci, AE; Satici, O. (2000). Comparison of the effectiveness of some pleural sclerosing agents used for control of effusions in malignant pleural mesothelioma: a review of 117 cases. Respiration 67: 623-629. <http://dx.doi.org/56291>.
- September, BA; Villet, WT. (1972). Monoclonal gammopathy associated with malignant mesothelioma: Case report. S Afr Med J 46: 545-549.
- Serebrov, AI; Kholdin, SA. (1973). So-called "risk groups.". Vopr Onkol 19: 121-122.
- Serio, G; Pennella, A; Marzullo, A; Lo Mele, M; Musti, M; Cavone, D; Ammirabile, F; Pollice, L. (1999). Malignant pleural mesothelioma: Epidemiology, differential diagnosis and prognosis [Abstract]. 435: 366.

Human Health Hazard Literature Search Results

Off Topic

- Serio, G; Scattonone, A; Gentile, M; Nazzaro, P; Pennella, A; Buonadonna, AL; Pollice, L; Musti, M. (2004). Familial pleural mesothelioma with environmental asbestos exposure: losses of DNA sequences by comparative genomic hybridization (CGH) [Letter]. *Histopathology* 45: 643-645. <http://dx.doi.org/10.1111/j.1365-2559.2004.01941.x>.
- Services, NCHaH. (2009). Health Consultation: Sapphire Valley Gem Mine Naturally Occurring Asbestos Site, Jackson County, North Carolina, September 18, 2009. 95.
- Services, WDoH. (2012). Letter Health Consultation: Mole Lake School, Crandon, Wisconsin, November 27, 2012. 10.
- Seshan, K. (1977). Explanation for the insensitivity to tilts of the electron diffraction patterns of amphibole asbestos fibers. *Environ Res* 14: 46-58.
- Seshan, K. (1978). On the utility of dark-field electron microscopy in the determination of the degree of deformation in chrysotile asbestos: An environmental research application. *Environ Res* 16: 1-3.
- Seshan, K. (1983). HOW ARE THE PHYSICAL AND CHEMICAL-PROPERTIES OF CHRYSOTILE ASBESTOS ALTERED BY A 10-YEAR RESIDENCE IN WATER AND UP TO 5 DAYS IN SIMULATED STOMACH ACID. *Environ Health Perspect* 53: 143-148.
- Sessa, G. (1973). The radiologic pulmonary volume in patients with asbestosis (pp. 9-10). (HEEP/74/07485). Sessa, G.
- Sessa, T; Pennarola, R. (1973). Cytomorphological and cytochemical studies on the expectoration of subjects with asbestosis (pp. 7-8). (HEEP/74/05581). Sessa, T; Pennarola, R.
- Sethi, S; Beck, EG; Manojlovic, N. (1975). The induction of polykaryocytes by various fibrous dusts and their inhibition by drugs in rats. *Ann Occup Hyg* 18: 173-177.
- Setta, JH; Neder, A; Bagatin, E; Terra-Filho, M; Maris N?polis, L; Dal Corso, S; Ferreira Amorin, MM; Tavares Rodrigues, R; Godoy Fernandes, AL; Nery, LE. (2008). Relationship between induced sputum cytology and inflammatory status with lung structural and functional abnormalities in asbestosis. *Am J Ind Med* 51: 186-194.
- Severson, RK; Harvey, J; Polissar, L. (1981). THE RELATIONSHIP BETWEEN ASBESTOS AND TURBIDITY IN RAW WATER. *J Am Water Works Assoc* 73: 223-224.
- Sevinç, S; Unsal, S; Oztürk, T; Uysal, A; Samancilar, O; Kaya, SO; Ermete, S. (2013). Thoracic endometriosis syndrome with bloody pleural effusion in a 28 year old woman. *J Pak Med Assoc* 63: 114-116.
- Sexton, K. (1985). A survey of indoor air monitoring services: is there a private demand for healthful indoor air quality? *Journal of the Air and Waste Management Association* 35: 626-631.
- Seyama, H; Soma, Y; Soma, M; Takao, S; Sakurai, T; Tagami, S. (1991). APPLICATION OF SECONDARY ION MASS SPECTROMETRY SIMS FOR THE ANALYSIS OF ASBESTOS FIBERS (pp. 26-31). (BIOSIS/92/08073). Seyama, H; Soma, Y; Soma, M; Takao, S; Sakurai, T; Tagami, S.
- S-H, L. (1994). Occupational disease profile in Taiwan, Republic of China. *Ind Health* 32: 107-118.
- S-H, P; Aust, AE. (1997). ROLE OF IRON AND REDOX STATUS IN INDUCTION OF INOS MRNA IN HUMAN LUNG EPITHELIAL A549 CELLS (pp. 24-29). (BIOSIS/97/28571). Park S-H; Aust, AE.
- Shackleton, S; Harrington, JM. (1989). Non-occupational factors in occupational morbidity and mortality [Review]. *Pol J Occup Med* 2: 105-130.
- Shaikh, RA; Satterfield, MH; Kinney, PL. (1994). Airborne Fiber Levels in a Hospital Operations and Maintenance Program. *Appl Occup Environ Hyg* 9: 811-824.
- Shallari, S; Schwartz, C; Hasko, A; Morel, JL. (1998). Heavy metals in soils and plants of serpentine and industrial sites of Albania. *Sci Total Environ* 209: 2-3.
- Shandala, MG; Yanysheva N, YA; Kireev, IS; Chernichenko, IA. (1985). EXPERIENCE AND PROSPECTS FOR RESEARCH ON CHEMICAL CARCINOGENS IN THE ENVIRONMENT. *Gig Sanit* 0: 7-10.
- Shannon, VR; Nesbitt, JC; Libshitz, HI. (1995). Malignant pleural mesothelioma after radiation therapy for breast cancer. A report of two additional patients. *Cancer* 76: 437-441.
- Shapiro, IM; Kolev, VN; Vidal, CM; Kadariya, Y; Ring, JE; Wright, Q; Weaver, DT; Menges, C; Padval, M; Mcclatchey, AI; Xu, Q; Testa, J. R.; Pachter, JA. (2014). Merlin deficiency predicts FAK inhibitor sensitivity: a synthetic lethal relationship. *Sci Transl Med* 6: 237ra268. <http://dx.doi.org/10.1126/scitranslmed.3008639>.
- Sharkey, BP; Coffey, TJ; Dibiasi, DT; Leardi, JW; Van Dillen, T. (2006). Recent developments in products, general liability, and consumer law. *Tort Trial Insur Pract Law J* 41: 629-650.
- Sharma, DC. (2002). Indian groups demand ban on asbestos. *Lancet* 359: 1414. [http://dx.doi.org/10.1016/S0140-6736\(02\)08400-3](http://dx.doi.org/10.1016/S0140-6736(02)08400-3).
- Sharma, S. (2012). Shattered lives: asbestos-related diseases [Editorial]. *Curr Opin Pulm Med* 18: 375-376. <http://dx.doi.org/10.1097/MCP.0b013e328354d845>.
- Sharon, A. (1986). DUST LEVELS IN AN ASBESTOS-CEMENT FACTORY PROBLEM SOLVING (pp. 5-6). (ISSN 0271-3586; EISSN 1097-0274; BIOSIS/87/09243). Sharon, A.
- Sharpe, WE; Dewalle, DR. (1990). THE EFFECTS OF ACID PRECIPITATION RUNOFF EPISODES ON RESERVOIR AND TAPWATER QUALITY IN AN APPALACHIAN MOUNTAIN WATER-SUPPLY. *Environ Health Perspect* 89: 153-158.
- Shatkin, JA; Oberdörster, G. (2016). Comment on Shvedova et al. (2016), "gender differences in murine pulmonary responses elicited by cellulose nanocrystals" [Comment]. *Part Fibre Toxicol* 13: 59. <http://dx.doi.org/10.1186/s12989-016-0170-4>.
- Shatos, MA; Doherty, JM; Mossman, BT. (1985). SCAVENGERS OF ACTIVE OXYGEN SPECIES AMELIORATE ASBESTOS-ASSOCIATED INJURY IN LUNG FIBROBLASTS AND ALVEOLAR MACROPHAGES (pp. 18-22). (BIOSIS/86/10480). Shatos, MA; Doherty, JM; Mossman, BT.
- Shatos, MA; Mossman, BT. (1989). Oxygen Free Radicals in Pulmonary Fibrosis. (NIOSH/00192325). Shatos, MA; Mossman, BT.
- Shear, NM; Schmidt, CW; Huntley, SL; Crawford, DW; Finley, BL. (1996). Evaluation of the factors relating combined sewer overflows with sediment contamination of the lower passaic river. *Mar Pollut Bull* 32: 288-304. [http://dx.doi.org/10.1016/0025-326X\(95\)00164-I](http://dx.doi.org/10.1016/0025-326X(95)00164-I).

Human Health Hazard Literature Search Results

Off Topic

- Shearer, C. (2015). On Corporate Accountability: Lead, Asbestos, and Fossil Fuel Lawsuits. *New Solutions: A Journal of Environmental and Occupational Health Policy* 25: 172-188. <http://dx.doi.org/10.1177/1048291115583306>.
- Sheehan, MJ; Reynolds, JW. (1992). Airborne Asbestos Analysis of Low Fiber Density Samples: A Comparison of the A and B Counting Rules of the NIOSH Method 7400. *Appl Occup Environ Hyg* 7: 38-41.
- Sheehan, NJ. (2004). The ramifications of HLA-B27. *J R Soc Med* 97: 10-14. <http://dx.doi.org/10.1258/jrsm.97.1.10>.
- Sheehan, P; Mowat, F; Weidling, R; Floyd, M. (2010). Simulation tests to assess occupational exposure to airborne asbestos from artificially weathered asphalt-based roofing products. *Ann Occup Hyg* 54: 880-892. <http://dx.doi.org/10.1093/annhyg/meq058>.
- Sheehan, PJ; Brorby, GP; Berman, DW; Bogen, KT; Holm, SE. (2011). Chamber for testing asbestos-containing products: validation and testing of a re-created chrysotile-containing joint compound. *Ann Occup Hyg* 55: 797-809. <http://dx.doi.org/10.1093/annhyg/mer048>.
- Sheehy, JW. (1986). Preliminary Survey Report: Evaluation of Brake Drum Service Controls at Ohio Department of Transportation, Maintenance Facility, Lebanon, Ohio, Report No. CT-152-18a (pp. 152-118). (NIOSH/00163313). Sheehy, JW.
- Sheehy, JW; Cooper, TC; O'Brien, DM; Mcglothlin, JD; Froehlich, PA. (1989). Control of asbestos exposure during brake drum service. (CIS/90/00953). Sheehy, JW; Cooper, TC; O'Brien, DM; Mcglothlin, JD; Froehlich, PA.
- Sheehy, JW; Godbey, FW; Cooper, TC; Lenihan, KL; Van Wagenen, HD; Mcglothlin, JD. (1987). In-Depth Survey Report: Control Technology for Brake Drum Service Operations at Ohio Department of Transportation, Maintenance Facility, Lebanon, Ohio, CT-152-18b (pp. 152-118). (NIOSH/00166990). Sheehy, JW; Godbey, FW; Cooper, TC; Lenihan, KL; Van Wagenen, HD; Mcglothlin, JD.
- Sheehy, JW; Todd, WF; Cooper, TC; Van Wagenen, HD. (1987). In-Depth Survey Report: Evaluation of Brake Drum Service Controls at Cincinnati Bell Maintenance Facility, Fairfax, Ohio, Report No. CT-152-21B (pp. 152-121). (NIOSH/00175414). Sheehy, JW; Todd, WF; Cooper, TC; Van Wagenen, HD.
- Sheers, G. (1979). Asbestos-associated disease in employees of Devonport Dockyard. *Ann N Y Acad Sci* 330: 281-287.
- Shen, H; Zhang, Q. (1992). Nickel Exposure and Occupational Lung Cancer A Review. *J Occup Med* 4: 78-89.
- Shen, Z; Parker, VD; Aust, AE. (1995). Mediated, thin-layer cell, coulometric determination of redox-active iron on the surface of asbestos fibers. *Anal Chem* 67: 307-311.
- Shenton-Taylor, T; Ogden, TL. (1986). Permanence of Membrane Filter Clearing and Mounting Methods for Asbestos Measurement. *Microscope* 34: 161-172.
- Sherman, C; Barnhart, S; Rosenstock, L. (1987). OBLIQUE CHEST ROENTGENOGRAPHS DO NOT IMPROVE DETECTION OF PLEURAL DISEASE IN ASBESTOS-EXPOSED WORKERS (pp. 10-13). (BIOSIS/87/24515). Sherman, C; Barnhart, S; Rosenstock, L.
- Sherman, LR; Roberson, KT; Thomas, TC. (1989). QUALITATIVE ANALYSIS OF ASBESTOS FIBERS IN AIR WATER AND BULK SAMPLES BY SCANNING ELECTRON MICROSCOPY-ENERGY DISPERSIVE X-RAY ANALYSIS (pp. 28-33). (BIOSIS/89/31581). Sherman, LR; Roberson, KT; Thomas, TC.
- Sherman, LR; Thomas, TC; Roberson, KT. (1993). SEM-EDXA ANALYSES OF AIRBORNE INORGANIC FIBERS FOR QUALITATIVE IDENTIFICATION (pp. 1-2). (BIOSIS/93/17650). Sherman, LR; Thomas, TC; Roberson, KT.
- Sherwin, RP; Richters, V; Richters, A. (1997). Respirable >10 µm fibrous and platy phyllosilicates. *Inhal Toxicol* 9: 405-422.
- Sherwood, AL; Mutsaers, SE; Peeva, VK; Robinson, C; Desilva, CJ; Swanson, NR; Lake, RA. (2008). Spontaneously immortalized mouse mesothelial cells display characteristics of malignant transformation. *Cell Prolif* 41: 894-908. <http://dx.doi.org/10.1111/j.1365-2184.2008.00560.x>.
- Shibusawa, K. (1983). [Asbestos and histiocytic lymphoma. Mental disturbance after delivery]. 35: 102-103.
- Shibuya, K; Tajima, M; Saitoh, T; Shibuya, N; Kizaki, H; Yamate, J; Nunoya, T. (1996). Establishment and characterization of cell lines, MeMS and MeFS, derived from spontaneous rat mesotheliomas. *J Vet Med Sci* 58: 693-697.
- Shibuya, K; Tajima, M; Yamate, J. (1990). HISTOLOGICAL CLASSIFICATION OF 62 SPONTANEOUS MESOTHELIOMAS IN F344 RATS (pp. 1313-1318). (ISSN 0021-5295 BIOSIS/91/08058). Shibuya, K; Tajima, M; Yamate, J.
- Shield, AC. (1975). Deadly asbestos. *Australian Nurses Journal* 5: 33-34.
- Shigematsu, Y; Hanagiri, T; Kuroda, K; Baba, T; Mizukami, M; Ichiki, Y; Yasuda, M; Takenoyama, M; Sugio, K; Yasumoto, K. (2009). Malignant mesothelioma-associated antigens recognized by tumor-infiltrating B cells and the clinical significance of the antibody titers. *Cancer Sci* 100: 1326-1334. <http://dx.doi.org/10.1111/j.1349-7006.2009.01181.x>.
- Shigemoto-Mogami, Y; Hoshikawa, K; Hirose, A; Sato, K. (2016). Phagocytosis-dependent and independent mechanisms underlie the microglial cell damage caused by carbon nanotube agglomerates. *J Toxicol Sci* 41: 501-509.
- Shih, JF; Wilson, JS; Broderick, A; Watt, JL; Schwartz, DA. (1993). IMPAIRED EXERCISE PHYSIOLOGY IN PATIENTS WITH ASBESTOS-INDUCED PLEURAL FIBROSIS. *Am Rev Respir Dis* 147: A906-A906.
- Shimizu, K; Uchiyama, A; Yamashita, M; Hirose, A; Nishimura, T; Oku, N. (2013). Biomembrane damage caused by exposure to multi-walled carbon nanotubes. *J Toxicol Sci* 38: 7-12.
- Shimizu, Y; Dobashi, K. (2013). Proton ion-microbeam elemental analysis for inhaled particle-induced pulmonary diseases: application for diagnosis and assessment of progression [Review]. *Curr Med Chem* 20: 789-793.
- Shimizu, Y; Matsuzaki, S; Satoh, T; Koka, M; Yokoyama, A; Ohkubo, T; Ishii, Y; Kamiya, T; Fueki, M; Mori, M; Dobashi, K. (2011). In-air microparticle induced X-ray emission analysis of particles in interstitial pneumonia lung tissue obtained by transbronchial biopsy. *J Clin Biochem Nutr* 49: 125-130. <http://dx.doi.org/10.3164/jcbn.10-127>.
- Shimotsuma, M; Shields, JW; Simpsonmorgan, MW; Sakuyama, A; Shirasu, M; Hagiwara, A; Takahashi, T. (1993). MORPHOPHYSIOLOGICAL FUNCTION AND ROLE OF OMENTAL MILKY SPOTS AS OMENTUM-ASSOCIATED LYMPHOID-TISSUE (OALT) IN THE PERITONEAL-CAVITY [Review]. *Lymphology* 26: 90-101.

Human Health Hazard Literature Search Results

Off Topic

- Shin, DM; Fossella, FV; Umsawadsi, T; Murphy, WK; Chasen, MH; Walsh, G; Komaki, R; McMurtrey, MJ; Hong, WK. (1995). Prospective study of combination chemotherapy with cyclophosphamide, doxorubicin, and cisplatin for unresectable or metastatic malignant pleural mesothelioma. *Cancer* 76: 2230-2236.
- Shio, MT; Christian, J; Jung, J; Chang, K; Olivier, M. (2015). PKC/ROS-Mediated NLRP3 Inflammasome Activation Is Attenuated by Leishmania Zinc-Metalloprotease during Infection. *P L o S Neglected Tropical Diseases* 9: e0003868. <http://dx.doi.org/10.1371/journal.pntd.0003868>.
- Shiomi, K; Shiomi, S; Ishinaga, Y; Sakuraba, M; Hagiwara, Y; Miyashita, K; Maeda, M; Suzuki, K; Takahashi, K; Hino, O. (2011). Impact of Renal Failure on the Tumor Markers of Mesothelioma, N-ERC/Mesothelin and Osteopontin. *Anticancer Res* 31: 1427-1430.
- Shishido, S; Iwai, K; Tsukagoshi, K. (1990). [Ferruginous bodies in the lungs of the general population during a 45-year period and mineralogical examination]. *Nihon Kyobu Shikkan Gakkai Zasshi* 28: 473-480.
- Shishido, S; Iwai, K; Tsukagoshi, K. (1989). Incidence of ferruginous bodies in the lungs during a 45-year period and mineralogical analysis of the core fibres and uncoated fibres. *IARC Sci Publ* 229-238.
- Shishido, S; Tsukagoshi, K; Shichiku, C; Ushikubo, K; Iwai, K. (1976). [Asbestos pollution of the lung. (1) Incidence of asbestos bodies found in the lung and sputum]. *Nihon Kyobu Shikkan Gakkai Zasshi* 14: 728-735.
- Shockley, K. (2014). DNA Microarray Data Analysis.
- Shockley, K. (2015). DNA Microarray Data Analysis.
- Shongwe, L; Voyi, K. (2006). Relationship between abnormal changes of lung function test and the length of exposure to asbestos dust. *Epidemiology* 17: S520-S520.
- Shore, RE; Iyer, V; Altshuler, B; Pasternack, BS. (1992). Use of human data in quantitative risk assessment of carcinogens: impact on epidemiologic practice and the regulatory process. *Regul Toxicol Pharmacol* 15: 180-221.
- Short, R; Reaves, R; Price, R; Rose, P; Calvit, E; Horace, C; Dunagan, D. (2006). Environmental Assessment: Base-Wide Building Demolition Arnold Air Force Base, Tennessee.
- Shterengartz, RI, a; Boiarchuk, IF; Dorfman, AA; Siriachenko, SS. (1995). [Sanitary-hygienic regulations of the utilization of asbestos production waste in railway facilities]. *Gig Sanit* 55-57.
- Shu, Y; Zhu, L; Yuan, F; Kong, X; Huang, T; Cai, YD. (2016). Analysis of the relationship between PM2.5 and lung cancer based on protein-protein interactions. *Comb Chem High Throughput Screen* 19: 100-108. <http://dx.doi.org/10.2174/1386207319666151110123345>.
- Shukla, A. (2012). Inflammasomes in pathogenesis of mesothelioma.
- Shukla, A. (2013). Inflammasomes in pathogenesis of mesothelioma.
- Shukla, A. (2014). Inflammasomes in pathogenesis of mesothelioma.
- Shukla, A. (2015). Inflammasomes in pathogenesis of mesothelioma.
- Shukla, A; Barrett, TF; Lounsbury, KM; Mossman, BT. (2006). Matrix metalloproteinases regulation by asbestos in murine lung: Role of protein kinase C delta. *FASEB J* 20: A226-A226.
- Shukla, A; Gell, J; Barrett, TF; Macpherson, M; Butnor, K; Huber, S; Rincon, M; Davis, G; Lounsbury, K; Mossman, B. (2005). Decreased asbestos-induced pulmonary fibrosis in PKC delta knockout mice, a possible result of altered inflammatory profiles. *FASEB J* 19: A491-A491.
- Shukla, A; Hillegass, JM; Macpherson, MB; Beuschel, SL; Vacek, PM; Butnor, KJ; Pass, HI; Carbone, M; Testa, J. R.; Heintz, NH; Mossman, BT. (2011). ERK2 is essential for the growth of human epithelioid malignant mesotheliomas. *Int J Cancer* 129: 1075-1086. <http://dx.doi.org/10.1002/ijc.25763>.
- Shukla, A; Mossman, BT. (2008). Cell signaling by oxidants: Pathways leading to activation of Mitogen-activated Protein Kinases (MAPK) and Activator Protein-1 (AP-1). *Current Topics in Membranes* 61: 191-+. [http://dx.doi.org/10.1016/S1063-5823\(08\)00209-3](http://dx.doi.org/10.1016/S1063-5823(08)00209-3).
- Shukla, A; Timblin, C; Berube, K; Gordon, T; McKinney, W; Driscoll, K; Vacek, P; Mossman, BT. (2000). Inhaled particulate matter causes expression of nuclear factor (NF)-"kappa"B-related genes and oxidant-dependent NF-"kappa"B activation in vitro. *Am J Respir Cell Mol Biol* 23: 182-187.
- Shukla, A; Timblin, CR; Hubbard, AK; Bravman, J; Mossman, BT. (2001). Silica-induced activation of c-Jun-NH2-terminal amino kinases, protracted expression of the activator protein-1 proto-oncogene, fra-1, and S-phase alterations are mediated via oxidative stress. *Cancer Res* 61: 1791-1795.
- Shukla, OP. (1994). Biotechnology for environmental pollution control (pp. 1-9). (ISSN 0379-8097 BIOSIS/95/17214). Shukla, OP.
- Shvedova, AA; Kisin, ER; Murray, AR; Gorelik, O; Arepalli, S; Castranova, V; Young, SH; Gao, F; Tyurina, YY; Oury, TD; Kagan, VE. (2007). Vitamin E deficiency enhances pulmonary inflammatory response and oxidative stress induced by single-walled carbon nanotubes in C57BL/6 mice. *Toxicol Appl Pharmacol* 221: 339-348. <http://dx.doi.org/10.1016/j.taap.2007.03.018>.
- Shvedova, AA; Kisin, ER; Porter, D; Schulte, P; Kagan, VE; Fadeel, B; Castranova, V. (2009). Mechanisms of pulmonary toxicity and medical applications of carbon nanotubes: Two faces of Janus? [Review]. *Pharmacol Ther* 121: 192-204. <http://dx.doi.org/10.1016/j.pharmthera.2008.10.009>.
- Shvedova, AA; Kisin, ER; Yanamala, N; Farcas, MT; Menas, AL; Williams, A; Fournier, PM; Reynolds, JS; Gutkin, DW; Star, A; Reiner, RS; Halappanavar, S; Kagan, VE. (2016). Gender differences in murine pulmonary responses elicited by cellulose nanocrystals. *Part Fibre Toxicol* 13: 28. <http://dx.doi.org/10.1186/s12989-016-0140-x>.
- Shvedova, AA; Kisin, ER; Yanamala, N; Tkach, AV; Gutkin, DW; Star, A; Shurin, GV; Kagan, VE; Shurin, MR. (2015). MDSC and TGFβ Are Required for Facilitation of Tumor Growth in the Lungs of Mice Exposed to Carbon Nanotubes. *Cancer Res* 75: 1615-1623. <http://dx.doi.org/10.1158/0008-5472.CAN-14-2376>.
- Si, S; Carey, R; Reid, A; Peters, S; Glass, DD; Driscoll, T; Darcey, E; Fritsch, L. (2016). Occupational exposure to carcinogens in Australian road transport workers. *Am J Ind Med* 59: 31-41. <http://dx.doi.org/10.1002/ajim.22536>.

Human Health Hazard Literature Search Results

Off Topic

- Sidorov, KK; Vishnevskaya, SS. (1992). HYGIENIC STANDARDIZATION OF HARMFUL SUBSTANCES IN THE AIR OF A WORK ZONE IN 1986-1990. *Gig Tr Prof Zabol O*: 33-34.
- Siebert, PC; Ripley, TC; Harwood, CF. (1976). Assessment Of Particle Control Technology For Enclosed Asbestos Sources. Phase II (pp. 2-76). (NIOSH/00146935). Siebert, PC; Ripley, TC; Harwood, CF.
- Siegert, CJ; Fisichella, PM; Moseley, JM; Shoni, M; Lebenthal, A. (2017). Open access phone triage for veterans with suspected malignant pleural mesothelioma. *J Surg Res* 207: 108-114. <http://dx.doi.org/10.1016/j.jss.2016.08.031>.
- Siegrist, KJ; Reynolds, SH; Kashon, ML; Lowry, DT; Dong, C; Hubbs, A; Young, SH; Salisbury, JL; Porter, DW; Benkovic, SA; Mccawley, M; Keane, MJ; Mastovich, JT; Bunker, KL; Cena, LG; Sparrow, MC; Sturgeon, JL; Dinu, CZ; Sargent, LM. (2014). Genotoxicity of multi-walled carbon nanotubes at occupationally relevant doses. *Part Fibre Toxicol* 11: 6. <http://dx.doi.org/10.1186/1743-8977-11-6>.
- Siegrist, M; Keller, C; Kastenholz, H; Frey, S; Wiek, A. (2007). Laypeople's and experts' perception of nanotechnology hazards. *Risk Anal* 27: 59-69. <http://dx.doi.org/10.1111/j.1539-6924.2006.00859.x>.
- Siemiatycki, J. (1984). An Epidemiological Approach to Discovering Occupational Carcinogens by Obtaining Better Information on Occupational Exposures (pp. 143-157). (NIOSH/00172115). Siemiatycki, J.
- Siemiatycki, J. (2001). Should Canadian health care professionals support the call for a worldwide ban on asbestos? [Review]. *CMAJ* 164: 495-497.
- Siemiatycki, J. (2007). Investigating cancer risks related to asbestos and other occupational carcinogens [Editorial]. *Occup Environ Med* 64: 500-501. <http://dx.doi.org/10.1136/oem.2006.030759>.
- Siemiatycki, J; Gérin, M; Dewar, R; Lakhani, R; Begin, D; Richardson, L. (1990). Silica and cancer associations from a multicancer occupational exposure case-referent study. *IARC Sci Publ* 1: 29-42.
- Siemiatycki, J; Gerin, M; Richardson, L; Hubert, J; Kemper, H. (1982). Preliminary Report Of An Exposure-Based, Case-Control Monitoring System For Discovering Occupational Carcinogens (pp. 169-177). (NIOSH/00142213). Siemiatycki, J; Gerin, M; Richardson, L; Hubert, J; Kemper, H.
- Siesling, S; van Der Zwan, JM; Izzugaza, I; Jaal, J; Treasure, T; Foschi, R; Ricardi, U; Groen, H; Tavilla, A; Ardanaz, E; Group, RW. (2012). Rare thoracic cancers, including peritoneum mesothelioma. *Eur J Cancer* 48: 949-960. <http://dx.doi.org/10.1016/j.ejca.2012.02.047>.
- Siew, SS; Kauppinen, T; Kyyrönen, P; Heikkilä, P; Pukkala, E. (2008). Exposure to iron and welding fumes and the risk of lung cancer. *Scand J Work Environ Health* 34: 444-450.
- Siew, SS; Kauppinen, T; Kyyrönen, P; Heikkilä, P; Pukkala, E. (2012). Occupational exposure to wood dust and formaldehyde and risk of nasal, nasopharyngeal, and lung cancer among Finnish men. *Cancer Management and Research* 4: 223-232. <http://dx.doi.org/10.2147/CMAR.S30684>.
- Signorelli, D; Macerelli, M; Proto, C; Vitali, M; Cona, MS; Agustoni, F; Zilembo, N; Platania, M; Trama, A; Gallucci, R; Ganzinelli, M; Pelosi, G; Pastorino, U; de Braud, F; Garassino, MC; Lo Russo, G. (2015). Systemic approach to malignant pleural mesothelioma: what news of chemotherapy, targeted agents and immunotherapy? [Review]. *Tumori* 102: 0. <http://dx.doi.org/10.5301/tj.5000436>.
- Sigova, NV; Vanchugova, NN; Frash, VN. (1998). [Modified effect of dust and chemical mutagens under the influence of vibration]. *Gig Sanit* 5: 15-18.
- Sigurdson, EE. (1982). DESCRIPTION AND COMPARISON OF 2 POPULATION-BASED STUDIES OF DULUTH, MINNESOTA, AS A FOLLOW-UP OF ASBESTOS EXPOSURE AND RECOMMENDATIONS FOR FACILITATING SIMILAR STUDIES IN THE FUTURE. *Journal of Environmental Science and Health, Part A: Environmental Science and Engineering and Toxi* 17: 463-471.
- Silant'ev, VV; Zaripova, EP; Brodilo, LI. (1992). [Work conditions and morbidity of workers at plants manufacturing asbestos-technical products]. *Gig Sanit* 18-21.
- Silberschmid, M; Sabroe, S; Andresen, J; Bolvig, L; Coutte, A. (1984). LIGHT ASBESTOS EXPOSURE DOSE INDEX AS A MEASURE FOR EXPOSURE IN DOSE EFFECT STUDIES (pp. NEW YORK). (HEEP/85/00838). Silberschmid, M; Sabroe, S; Andresen, J; Bolvig, L; Coutte, A.
- Silcocks, P. (1984). Asbestos link to lymphoid neoplasms still just a hypothesis [Letter]. *Am J Clin Pathol* 81: 410.
- Silva, JE; Jesus, PC. (2003). Evaluation of the catalytic activity of lipases immobilized on chrysotile for esterification. *An Acad Bras Cienc* 75: 157-162.
- Silva, RM; Xu, J; Saiki, C; Anderson, DS; Franzi, LM; Vulpe, CD; Gilbert, B; Van Winkle, LS; Pinkerton, KE. (2014). Short versus long silver nanowires: a comparison of in vivo pulmonary effects post instillation. *Part Fibre Toxicol* 11: 52. <http://dx.doi.org/10.1186/s12989-014-0052-6>.
- Silver, K. (1979). ASBESTOS IN SCHOOL BUILDINGS RESULTS OF A NATIONWIDE SURVEY (pp. NEW YORK). (HEEP/81/07989). Silver, K.
- Silver, SR; Pinkerton, LE; Fleming, DA; Jones, JH; Allee, S; Luo, L; Bertke, SJ. (2014). Retrospective Cohort Study of a Microelectronics and Business Machine Facility. *Am J Ind Med* 57: 412-424. <http://dx.doi.org/10.1002/ajim.22288>.
- Silverstein, M; Pak, R; Maizlish, N. (1983). Tobacco and asbestos: consistent treatment advocated [Editorial]. *J Occup Med* 25: 694-695.
- Silverton, RE; Munday, DE. (1967). Laboratory Methods Used in the Study of Conditions Associated with Exposure to Asbestos Dust (pp. 182-202). (NIOSH/00129945). Silverton, RE; Munday, DE.
- Silvestri, GA. (2007). Screening for lung cancer in a high-risk group: but I still haven't found what I'm looking for [Editorial]. *Eur Respir J* 29: 6-7. <http://dx.doi.org/10.1183/09031936.00145606>.
- Silvestri, S. (2005). [Asbestos industry: an incomplete mosaic]. *Epidemiol Prev* 29: 293-295.
- Silvestri, S. (2011). [Problems due to the prolonged permanence of asbestos-containing materials]. *Epidemiol Prev* 35: 139-143.
- Silvestri, S. (2012). Managing asbestos in Italy: twenty years after the ban. *New Solutions: A Journal of Environmental and Occupational Health Policy* 22: 489-496. <http://dx.doi.org/10.2190/NS.22.4.g>.

Human Health Hazard Literature Search Results

Off Topic

- Silvestri, S; Di Benedetto, F; Raffaelli, C; Veraldi, A. (2016). Asbestos in toys: an exemplary case. *Scand J Work Environ Health* 42: 80-85. <http://dx.doi.org/10.5271/sjweh.3542>.
- Silvestri, S; Nemo, A. (2014). [Reconstruction of past asbestos exposure of dockers in the Port of Livorno]. *Med Lav* 105: 187-196.
- Sim, MR. (2013). A worldwide ban on asbestos production and use: some recent progress, but more still to be done [Editorial]. *Occup Environ Med* 70: 1-2. <http://dx.doi.org/10.1136/oemed-2012-101290>.
- Sim, MR; Boffetta, P. (2009). Occupational cancer: an emerging problem in newly industrializing countries [Editorial]. *Asia Pac J Public Health* 21: 241-243. <http://dx.doi.org/10.1177/1010539509341404>.
- Simard, A; Kobusch, AB; Feldstein, M; Vauclair, R; Gibbs, GW; Davis, R. (1984). PULMONARY CYTOLOGY IN CHRYSOTILE ASBESTOS WORKERS. *Proc Am Assoc Cancer Res* 25: 221-221.
- Simard, A; Vauclair, R; Thouez, JP; Ghadirian, P. (1986). [Cytology of expectorations in steel and asbestos workers. Evaluation from 1980-1984]. *Union Med Can* 115: 480-483.
- Simecek, J; Pulkrabek, M. (1990). Hygienic evaluation of airborne fibrous dusts at the workplaces: I. Man-made mineral fibers (pp. 41-43). (BIOSIS/91/31544). Simecek, J; Pulkrabek, M.
- Simecek, J; Pulkrabek, M. (1991). Measurement and evaluation of fibrous dusts. *Z Gesamte Hyg Grenzgeb* 37: 109-112.
- Simeonova, PP; Leonard, S; Flood, L; Shi, XL; Luster, MI. (1999). Redox-dependent regulation of interleukin-1 by tumor necrosis factor-alpha in lung epithelial cells. *Lab Invest* 79: 1027-1037.
- Simonato, L; Tessari, R; Canova, C. (2004). [Controversy unsupported by data] [Letter]. *Med Lav* 95: 412-413.
- Simoncini, C. (2007). [Socio-economic context in the Lower Iseo Lake area after World War II]. *Epidemiol Prev* 31: 6-9.
- Simonsson, BG. (1975). [Asbestos, tobacco and lung function]. *Lakartidningen* 72: 4815.
- Sims, RC; Sims, JL; Dupont, RR. (1987). HUMAN HEALTH EFFECTS ASSAYS. *J Water Pollut Control Fed* 59: 601-614.
- Simser, JA; Macaluso, KR; Mulenga, A; Azad, AF. (2004). Immune-responsive lysozymes from hemocytes of the American dog tick, *Dermacentor variabilis* and an embryonic cell line of the Rocky Mountain wood tick, *D. andersoni*. *Insect Biochem Mol Biol* 34: 1235-1246. <http://dx.doi.org/10.1016/j.ibmb.2004.07.003>.
- Simser, JA; Palmer, AT; Munderloh, UG; Kurtti, TJ. (2001). Isolation of a spotted fever group Rickettsia, *Rickettsia peacockii*, in a Rocky Mountain wood tick, *Dermacentor andersoni*, cell line. *Appl Environ Microbiol* 67: 546-552. <http://dx.doi.org/10.1128/AEM.67.2.546-552.2001>.
- Simser, JA; Rahman, MS; Dreher-Lesnack, SM; Azad, AF. (2005). A novel and naturally occurring transposon, *ISRpe1* in the *Rickettsia peacockii* genome disrupting the *rickA* gene involved in actin-based motility. *Mol Microbiol* 58: 71-79. <http://dx.doi.org/10.1111/j.1365-2958.2005.04806.x>.
- Simsir, A; Fetsch, P; Bedrossian, CWM; Ioffe, OB; Abati, A. (2001). Absence of SV-40 large T antigen (Tag) in malignant mesothelioma effusions: An immunocytochemical study. *Diagn Cytopathol* 25: 203-207. <http://dx.doi.org/10.1002/dc.2039>.
- Singal, M; Finkelstein, JN. (2005). Use of indicator cell lines for determining inflammatory gene changes and screening the inflammatory potential of particulate and non-particulate stimuli. *Inhal Toxicol* 17: 415-425. <http://dx.doi.org/10.1080/08958370591002021>.
- Singh, A; Chatterjee, P; Pai, MC; Chacko, RT. (2013). Multicystic peritoneal mesothelioma: not always a benign disease. *Singapore Med J* 54: e76-e78. <http://dx.doi.org/10.11622/smedj.2013085>.
- Singh, B; Thouez, JP. (1983). Ambient air concentration of asbestos fibres, dust content and mortality: the case of Asbestos, Quebec. 2: 343-351.
- Singh, G; Whiteside, TL; Dekker, A. (1979). Immunodiagnosis of Mesothelioma. Use of Antimesothelial Cell Serum in an Indirect Immunofluorescence Assay. *Cancer* 43: 2288-2296.
- Singh, SV; Das, B; Rahman, Q; Viswanathan, PN; Krishna Murti, CR. (1982). Biological effects of slate dust: Solubility and hemolytic studies. 20: 139-145.
- Singh, Z; Chadha, P. (2016). Textile industry and occupational cancer [Review]. 11: 39. <http://dx.doi.org/10.1186/s12995-016-0128-3>.
- Sinks, T; Elliott, L; J-F, D; Smith, D. (1990). Health Hazard Evaluation Report No. HETA-88-192-1998, Hitachi Magnetics Corporation, Edmore, Michigan (pp. 88-192). (NIOSH/00194414). Sinks, T; Elliott, L; Deng J-F; Smith, D.
- Sinks, T; Hartle, R; Boeniger, M; Mannino, D; Boyd, JE; Fernback, J; Hawkins, M; Grimes, G; Watkins, KL; Dill, P. (1994). Exposure to biogenic silica fibers and respiratory health in Hawaii sugarcane workers. *J Occup Med* 36: 1329-1334.
- Sinks, TH; Hartle, RW; Boeniger, MF; Mannino, DM. (1993). Health Hazard Evaluation Report No. HETA-88-0119-2345, Hawaiian Commercial and Sugar Company, Puuene, Hawaii; Hamakua Sugar Plantation, Honakaa, Hawaii. (HHE Report No. HETA-88-0119-2345). Cincinnati, OH: National Institute for Occupational Safety and Health (NIOSH).
- Sinks, TL; Deng, JF; Smith, D. (1990). Health Hazard Evaluation Report HETA 88-192-1998, Hitachi Magnetics Corporation, Edmore, Michigan (pp. 48). (NTIS/02970492_a). Sinks, TL; Deng, JF; Smith, D.
- Sinon, SH; Rich, AM; Hussaini, HM; Yoon, HS; Firth, NA; Seymour, GJ. (2013). Metastases to the oral region from pleural mesothelioma: Clinicopathologic review [Review]. 35: 599-604. <http://dx.doi.org/10.1002/hed.21942>.
- Sireci, MP; Levenstein, C; Gibson, S. (2016). Teachers Union Organizes Members to Enforce AHERA Law--A Work in Progress. *New Solutions: A Journal of Environmental and Occupational Health Policy* 26: 72-82. <http://dx.doi.org/10.1177/1048291115623056>.
- Sirois, P; Cadieux, A; Rola-Pleszczynski, M; Begin, R. (1982). Perfused alveolar macrophages: A technique to study the effects of toxicants on prostaglandin release. *Experientia BASEL*: 1125-1127.
- Sirovatka, JC. (1989). A DEDICATED CENTRAL-STOP DISPERSION STAINING OBJECTIVE NIKON. *Microscope* 37: 43-47.
- Sivak, A. (1988). TUMOR PROMOTION THE SEARCH FOR THE NECESSARY AND SUFFICIENT (pp. BIOLOGICAL APPROACHES FOR MECHANISTIC STUDIES AND ASSAY SYSTEMS; CONFERENCE). (BIOSIS/89/02763). Sivak, A.
- Sixt, R; Bake, B; Abrahamsson, G; Thiringer, G. (1983). Lung function of sheet metal workers exposed to fiber glass. *Scand J Work Environ Health* 9: 9-14.

Human Health Hazard Literature Search Results

Off Topic

- Sjogren, B. (2009). Mortality among British asbestos workers [Comment]. *Occup Environ Med* 66: 854-855. <http://dx.doi.org/10.1136/oem.2009.050831>.
- Sjögren, B. (1986). Respiratory effects of arc welding [Letter]. *J Soc Occup Med* 36: 35.
- Sjögren, B. (2001). Association between pleural plaques and coronary heart disease [Letter]. *Scand J Work Environ Health* 27: 420-421.
- Skaggs, BJ; Ortiz, LW; Burton, DJ; Isom, BL; Vigil, EA. (1991). Evaluation of dust-related health hazards associated with air coring at G-Tunnel, Nevada Test Site. 110.
- Skammeritz, E; Omland, Ø; Hansen, J; Johansen, JP. (2013). Regional differences in incidence of malignant mesothelioma in Denmark. 60: A4592.
- Skaug, V; Gylseth, B. (1981). Can calcium silicate replace asbestos. No: 8-9.
- Skaug, V; Gylseth, B; Reiss A-L, P; Norseth, T. (1985). TUMOR INDUCTION IN RATS AFTER INTRAPLEURAL INJECTION OF NICKEL SUBSULFIDE AND NICKEL OXIDE (pp. PALO ALTO). (BIOSIS/86/08999). Skaug, V; Gylseth, B; Reiss A-L, P; Norseth, T.
- Skidmore, JW; Dufficy, BL. (1983). Environmental History Of A Factory Producing Friction Material. *Br J Ind Med* 40: 8-12.
- Skidmore, JW; Jones, JS. (1975). Monitoring an asbestos spray process. *Ann Occup Hyg* 18: 151-156.
- Skikne, MI; Talbot, JH; Rendall, REG. (1971). ELECTRON DIFFRACTION PATTERNS OF UICC ASBESTOS SAMPLES. *Environ Res* 4: 141-&.
- Skillern, CP; Kelly, BM. (1989). Solvent Vapor Transfer across an Enthalpy Energy System. *Am Ind Hyg Assoc J* 50: 320-324.
- Skogstad, A; Eduard, W; Huser, PO. (1996). A laboratory method for generation of replicate filter samples of asbestos fibers in air. *Am Ind Hyg Assoc J* 57: 741-745. <http://dx.doi.org/10.1080/15428119691014602>.
- Skulberg, KR; Gylseth, B; Skaug, V; Hanoa, R. (1985). Mica Pneumoconiosis A Literature Review (pp. 65-74). (NIOSH/00150589). Skulberg, KR; Gylseth, B; Skaug, V; Hanoa, R.
- Sleep, NH; Bird, DK; Pope, EC. (2011). Serpentinite and the dawn of life. *Proc R Soc Lond B* 366: 2857-2869. <http://dx.doi.org/10.1098/rstb.2011.0129>.
- SLIC, EC. (2006). [A practical guide on best practice to prevent or minimise asbestos risks in work that involves (or may involve) asbestos: for the employer, the workers and the labour inspector]. (CIS/06/01171).
- Slovic, P; Malmfors, T; Mertz, CK; Neil, N; Purchase, IF. (1997). Evaluating chemical risks: results of a survey of the British Toxicology Society. *Hum Exp Toxicol* 16: 289-304. <http://dx.doi.org/10.1177/096032719701600601>.
- SLUISCREMER; BEZUIDENHOUT. (1990). RELATION BETWEEN ASBESTOSIS AND BRONCHIAL-CANCER IN AMPHIBOLE ASBESTOS MINERS - REPLY. *Br J Ind Med* 47: 215-216.
- Sluiscremer, GK. (1992). PNEUMOCONIOSIS RESEARCH IN SOUTH-AFRICA WITH EMPHASIS ON DEVELOPMENTS IN THE LAST QUARTER CENTURY. *Am J Ind Med* 22: 591-603.
- Sluis-Cremer, GK. (1980). Active pulmonary tuberculosis discovered at post-mortem examination of the lungs of black miners. *Br J Dis Chest* 74: 374-378.
- Sluis-Cremer, GK. (1988). Linking chrysotile asbestos with mesothelioma [Letter]. *Am J Ind Med* 14: 631-632.
- Sluis-Cremer, GK. (1993). Re: Attitudes and opinions regarding asbestos and cancer, 1934-1965 [Comment]. *Am J Ind Med* 23: 511.
- Sluis-Cremer, GK; Du Toit, RS. (1980). Asbestos-related radiological changes in residents of South African amphibole asbestos mining fields and the fibre counts to which they may have been exposed. IARC Sci Publ IARC Scientific Publications No: 559-563.
- Sluis-Cremer, GK; Hnizdo, E. (1989). Progression of irregular opacities in asbestos miners. *Br J Ind Med* 46: 846-852.
- Sluis-Cremer, GK; Thomas, RG; Schmaman, IB. (1984). The value of computerised axial tomography in the assessment of workers exposed to asbestos. *Am J Ind Med* 6: 27-35.
- Sluis-Cremer, GK; Hnizdo, E; Hessel, PA. (1987). FACTORS THAT INFLUENCE THE READING OF SMALL IRREGULAR OPACITIES WHEN ASBESTOSIS IS ABSENT AT AUTOPSY (pp. 15-18). (BIOSIS/87/21430). Sluis-Cremer, GK; Hnizdo, E; Hessel, PA.
- Sly, PD; Chase, R; Kolbe, J; Thompson, P; Gupta, L; Daube, M; Olver, I; Vallance, D. (2010). Asbestos still poses a threat to global health: now is the time for action [Editorial]. *Med J Aust* 193: 198-199.
- Small, GR; Nicolson, M; Buchan, K; Broadhurst, P. (2008). Pericardial malignant mesothelioma: a latent complication of radiotherapy? *Eur J Cardiothorac Surg* 33: 745-747. <http://dx.doi.org/10.1016/j.ejcts.2007.12.024>.
- Small, JA; Steel, EB; Sheridan, PJ. (1985). Analytical standards for the analysis of chrysotile asbestos in ambient environments. *Anal Chem* 57: 204-208.
- Smigel, K. (1996). Beta carotene fails to prevent cancer in two major studies; CARET intervention stopped. *J Natl Cancer Inst* 88: 145.
- Smirnova, IA. (2000). [Environmental protection is one of the priorities of "Uralasbest" joint stock company]. *Med Tr Prom Ekol* 39-41.
- Smith, AH. (1998). Amphibole fibers, chrysotile fibers, and pleural mesothelioma. *Am J Ind Med* 33: 96-96.
- Smith, AH; Sharp, DS. (1991). A STANDARDIZED BENCHMARK APPROACH TO THE USE OF CANCER EPIDEMIOLOGY DATA FOR RISK ASSESSMENT (pp. PRINCETON). (BIOSIS/92/07529). Smith, AH; Sharp, DS.
- Smith, AH; Sullivan, JW. (1986). SHOULD DIETARY CHANGES BE RECOMMENDED TO WORKERS AT RISK OF OCCUPATIONAL CANCER (pp. STRATEGIES IN THE WORKPLACE; SECOND ANNUAL OCCUPATIONAL CANCER CONFERENCE). (BIOSIS/87/11977). Smith, AH; Sullivan, JW.
- Smith, CM. (1985). Immunotoxicology of environmental agents [Research]. RePORTER Database National Institutes of Health.
- Smith, CM. (1986). Immunotoxicology of environmental agents [Research]. RePORTER Database National Institutes of Health.
- Smith, CM. (1987). Immunotoxicology of environmental agents [Research]. RePORTER Database National Institutes of Health.
- Smith, DD. (1994). PLAQUES, CANCER, AND CONFUSION [Editorial]. *Chest* 105: 8-9.
- Smith, DD. (2002). Women and mesothelioma. *Chest* 122: 1885-1886. <http://dx.doi.org/10.1378/chest.122.6.1885>.

Human Health Hazard Literature Search Results

Off Topic

- Smith, DD. (2003). Earlier study on asbestos workers, ILO scores, and oxygenation more comprehensive [Letter]. *Occup Environ Med* 60: 611; author reply 611.
- Smith, DD. (2004). Failure to prove asbestos exposure produces obstructive lung disease [Letter]. *Chest* 126: 1000. <http://dx.doi.org/10.1378/chest.126.3.1000>.
- Smith, DD. (2004). Top ten list in occupational pulmonary disease. *Chest* 126: 1360-1363. <http://dx.doi.org/10.1378/chest.126.4.1360>.
- Smith, DD. (2005). Diagnosis and initial management of nonmalignant diseases related to asbestos [Letter]. *Am J Respir Crit Care Med* 171: 665-666; author reply 666-667. <http://dx.doi.org/10.1164/ajrccm.171.6.951>.
- Smith, DK. (1990). Mineralogical textural and compositional data on the alteration of basaltic glass from Kilauea, Hawaii to 300 C: Insights to the corrosion of a borosilicate glass waste-form. 10.
- Smith, DM; Ortiz, LW; Archuleta, RF; Spalding, JF; Tillery, MI; Ettinger, HJ; Thomas, RG. (1981). A Method For Chronic Nose-Only Exposures Of Laboratory Animals To Inhaled Fibrous Aerosols (pp. 89-105). (NIOSH/00151808). Smith, DM; Ortiz, LW; Archuleta, RF; Spalding, JF; Tillery, MI; Ettinger, HJ; Thomas, RG.
- Smith, DR; Beh, EJ. (2012). Asbestos kills: no matter how you cut the data [Editorial]. *Arch Environ Occup Health* 67: 187-188. <http://dx.doi.org/10.1080/19338244.2012.675791>.
- Smith, E. (1988). CAUSES OF HUMAN CANCER WHAT IS KNOWN AND WHAT IS KNOWABLE EVALUATION BY INTERNATIONAL PROGRAM ON CHEMICAL SAFETY IPCS EXPERT COMMITTEES (pp. OCCUPATIONAL AND ENVIRONMENTAL SIGNIFICANCE OF INDUSTRIAL CARCINOGENS; INTERNATIONAL CONFERENCE). (BIOSIS/89/05028). Smith, E.
- Smith, HG; Goulding, RL. (1968). Some effects of orally administered ruelene on host sheep and two ectoparasites: the yellow-fever mosquito and the rocky mountain wood tick. *J Econ Entomol* 61: 292-297.
- Smith, JD. (1988). DEVICE FOR REMOVING ASBESTOS AND THE LIKE US PATENT-4752103. JUNE 21 1988. (BIOSIS/88/26375). Smith, JD.
- Smith, KR; Veranth, JM; Hu, AA; Lighty, JS; Aust, AE. (2000). Interleukin-8 levels in human lung epithelial cells are increased in response to coal fly ash and vary with the bioavailability of iron, as a function of particle size and source of coal. *Chem Res Toxicol* 13: 118-125. <http://dx.doi.org/10.1021/tx9901736>.
- Smith, KR; Veranth, JM; Lighty, JS; Aust, AE. (1998). Mobilization of iron from coal fly ash was dependent upon the particle size and the source of coal. *Chem Res Toxicol* 11: 1494-1500. <http://dx.doi.org/10.1021/tx980142v>.
- Smith, LS; Schillaci, RF. (1984). Rounded atelectasis due to acute exudative effusion. Spontaneous resolution. *Chest* 85: 830-832.
- Smith, MD. (1991). Asbestos management assures staff, resident safety. 17: 27, 30.
- Smith, MJ; Naylor, B. (1972). A method for extracting ferruginous bodies from sputum and pulmonary tissue. *Am J Clin Pathol* 58: 250-254.
- Smith, RJ. (1979). State officials alerted to school asbestos hazard. *Science* 204: 285. <http://dx.doi.org/10.1126/science.204.4390.285>.
- Smith, TR. (1994). MALIGNANT PERITONEAL MESOTHELIOMA - MARKED VARIABILITY OF CT FINDINGS. *Abdom Imaging* 19: 27-29.
- Smith, WE; Spivey, ML; Roux, LJ. (1978). A method for exposing animals to particulates in drinking water. *Am Ind Hyg Assoc J* 39: 583-586. <http://dx.doi.org/10.1080/0002889778507813>.
- Smither, WJ. (1977). Asbestos content of dust encountered in brake maintenance and repair [Letter]. *Proc R Soc Med* 70: 369-370.
- Smolders, S; Verhoest, L; De Gueldere, G; Van De Steene, B. (2009). Inspection of deteriorating asbestos cement force mains with georadar technique. *Water Sci Technol* 60: 995-1001. <http://dx.doi.org/10.2166/wst.2009.429>.
- Smolik, R; Lange, A. (1979). [Role of immune mechanisms in the pathogenesis of occupational diseases]. *Pol Arch Med Wewn* 62: 137-144.
- Smolková, P; Nakládálová, M; Zapletalová, J. (2016). Response to the letter to editors concerning "Validity of mesothelin in occupational medicine practice". *Int J Occup Med Environ Health* 29: 881. <http://dx.doi.org/10.13075/ijom.1896.01101>.
- Smyrniotis, NA; Jederlinic, PJ; Irwin, RS. (1990). Pleural effusion in an asymptomatic patient. Spectrum and frequency of causes and management considerations [Review]. *Chest* 97: 192-196.
- Snarska, B. (2005). [How to use and dispose of asbestos in a safe manner]. 12-19.
- Snashall, DC; Bazas, T. (1984). Asbestos in hospitals [Letter]. *J Soc Occup Med* 34: 99.
- Snashall, PD. (1977). Mucopolysaccharide osmotic pressure in the measurement of interstitial pressure. *Am J Physiol* 232: H608-H616.
- Snider, GL. (1985). Interstitial pulmonary fibrosis environmental or idiopathic? *Hosp Pract (Off Ed)* 20: 94C-94H, 94M-94P, 94T-94U passim.
- Snyder, JG; Virta, RL; Segreti, JM. (1987). Evaluation of the phase contrast microscopy method for the detection of fibrous and other elongated mineral particulates by comparison with a STEM technique. *Am Ind Hyg Assoc J* 48: 471-477. <http://dx.doi.org/10.1080/15298668791385066>.
- Sobel, W; Bond, GG; Baldwin, CL; Ducommun, DJ. (1988). An update of respiratory cancer and occupational exposure to arsenicals. *Am J Ind Med* 13: 263-270.
- Soberanes, S; Panduri, V; Mutlu, GM; Ghio, A; Bundinger, GRS; Kamp, DW. (2006). p53 mediates particulate matter-induced alveolar epithelial cell mitochondria-regulated apoptosis. *Am J Respir Crit Care Med* 174: 1229-1238. <http://dx.doi.org/10.1164/rccm.200602-203OC>.
- Soberman, ROY. (1992). White cell responses to environmental toxins [Research]. RePORTER Database National Institutes of Health.
- Soberman, ROY. (1993). White cell responses to environmental toxins [Research]. RePORTER Database National Institutes of Health.
- Soberman, ROY. (1994). White cell responses to environmental toxins [Research]. RePORTER Database National Institutes of Health.
- Soberman, ROY. (1995). White cell responses to environmental toxins [Research]. RePORTER Database National Institutes of Health.
- Sobradillo, V; Diez, JL; Villate, J; Romero, P. (1985). EFFECTS OF CIGARETTE-SMOKING ON PULMONARY-FUNCTION IN ASBESTOS WORKERS. *Bull Europ Physiol Resp* 21: A6-A6.
- Sociales, MDA; dtedls. (2003). [Guide for the general practitioner or the lung specialist. Experimental protocol for the surveillance of workers previously exposed to asbestos]. 93308.
- Sociales, MDA; dtedls. (2003). [Guide to the identification of asbestos exposure by the occupational physician]. 93308.

Human Health Hazard Literature Search Results

Off Topic

- Sociales, MDA; dtedls. (2003). [Information document for radiologists. Post-employment surveillance of workers previously exposed to asbestos]. 1.
- Society, AT. (1987). Standardization of spirometry--1987 update. Statement of the American Thoracic Society. *Am Rev Respir Dis* 136: 1285-1298. <http://dx.doi.org/10.1164/ajrccm/136.5.1285>.
- Socolar, D. (1990). Breath taken: exposing the ongoing tragedy of asbestos. 20: 4-12.
- Socolovschi, C; Mediannikov, O; Raoult, D; Parola, P. (2009). The relationship between spotted fever group Rickettsiae and ixodid ticks [Review]. *Vet Res* 40: 34. <http://dx.doi.org/10.1051/vetres/2009017>.
- Soeberg, MJ; Creighton, N; Currow, DC; Young, JM; van Zandwijk, N. (2016). Patterns in the incidence, mortality and survival of malignant pleural and peritoneal mesothelioma, New South Wales, 1972-2009. *Aust N Z J Public Health* 40: 255-262. <http://dx.doi.org/10.1111/1753-6405.12503>.
- Soffritti, M; Chiozzotto, D; Belpoggi, F. (2009). [The role of scientific research in the identification of occupational carcinogenic agents: The contribution of the Cesare Maltoni Cancer research center of the European Ramazzini Foundation] [Review]. *Epidemiol Prev* 33: 57-67.
- Soffritti, M; Falcioni, L; Bua, L; Tibaldi, E; Manservigi, M; Belpoggi, F. (2013). Potential carcinogenic effects of world trade center dust after intratracheal instillation to Sprague-Dawley rats: first observation. *Am J Ind Med* 56: 155-162. <http://dx.doi.org/10.1002/ajim.22109>.
- Soffritti, M; Landrigan, PJ. (2004). Statement of the Collegium Ramazzini. *Am J Ind Med* 46: 88. <http://dx.doi.org/10.1002/ajim.20040>.
- Soini, Y; Kahlos, K; Puhakka, A; Lakari, E; Saily, M; Paakko, P; Kinnula, V. (2000). Expression of inducible nitric oxide synthase in healthy pleura and in malignant mesothelioma. *Br J Cancer* 83: 880-886.
- Soini, Y; Kinnula, V; Kaarteenaho-Wiik, R; Kurttila, E; Linnainmaa, K; Paakko, P. (1999). Apoptosis and expression of apoptosis regulating proteins bcl-2, mcl-1, bcl-X, and bar in malignant mesothelioma. *Clin Cancer Res* 5: 3508-3515.
- Soini, Y; Kinnula, VL. (2012). High association of peroxiredoxins with lung cancer [Letter]. *Lung Cancer* 78: 167. <http://dx.doi.org/10.1016/j.lungcan.2012.08.013>.
- Solaroli, M; Valentini, G; Baldisserrri, D; Benassati, A; Geminiani, MA; Gianelli, F; Rambaldi, R; Samore, T; Sintoni, M; Bersani, G; Bissi, C; Fabbri, L; Casadio, I; Focaccia, G; Saiani, P; Falcini, P; Amadori, D; Bucchi, L. (1999). Reporting and compensation of mesothelioma associated with occupational exposure to asbestos in Romagna, Italy (1986-1994). *Med Lav* 90: 460-472.
- Soldatovic, D. (1989). APPARATUS FOR REMOVING ASBESTOS FROM PIPES US PATENT-4809391. MARCH 7 1989 (pp. 21-22). (BIOSIS/89/14061). Soldatovic, D.
- Sole, GM; Chipman, JK. (1986). THE MUTAGENIC POTENCY OF CHRYSOIDINES AND BISMARCK BROWN DYES. *Carcinogenesis LOND: 1921-1924*.
- Solomon, A. (2002). Semantics and the application of the ILO classification: the need for recording visceral pleural manifestations separately [Letter]. *Int J Occup Environ Health* 8: 288-289. <http://dx.doi.org/10.1179/107735202800338849>.
- Somerford, DJ; Powers, SR. (1980). The sizing of fibres using optical scattering. IARC Sci Publ IARC Scientific Publication No: 97-104.
- Somers, E. (1987). Making decisions from numbers. *Regul Toxicol Pharmacol* 7: 35-42.
- Sommer, A; Vyas, KS. (2012). A global clinical view on vitamin A and carotenoids [Review]. *Am J Clin Nutr* 96: 1204S-1206S. <http://dx.doi.org/10.3945/ajcn.112.034868>.
- Sommer, R; Weber, G; Cabaj, A; Wekerle, J; Keck, G; Schauburger, G. (1989). UV-inactivation of microorganisms in water (pp. 214-224). (BIOSIS/90/28379). Sommer, R; Weber, G; Cabaj, A; Wekerle, J; Keck, G; Schauburger, G.
- Sonenshine, DE; Gainsburg, DM; Homsher, PJ. (1982). Quinone inhibition of sex pheromone activity in the ticks *Dermacentor andersoni* Stiles and *Dermacentor variabilis* (Say). *J Parasitol* 68: 921-929.
- Sonenshine, DE; Silverstein, RM; Plummer, E; West, JR; McCullough, T. (1976). 2,6-DICHLOROPHENOL, THE SEX PHEROMONE OF THE ROCKY MOUNTAIN WOOD TICK, *Dermacentor andersoni* STILES AND THE AMERICAN DOG TICK, *Dermacentor variabilis* (SAY). *J Chem Ecol* 2: 201-209.
- Sonenshine, DE; Yunker, CE; Clifford, CM; Clark, GM; Rudbach, JA. (1976). Contributions to the ecology of Colorado tick fever virus. 2. Population dynamics and host utilization of immature stages of the Rocky Mountain wood tick, *Dermacentor andersoni*. *J Med Entomol* 12: 651-656.
- Song, LY; Yan, WS; Zhao, T; Deng, M; Song, SL; Zhang, JH; Zhu, MG. (2005). Mycobacterium tuberculosis infection and FHIT gene alterations in lung cancer. *Cancer Lett* 219: 155-162. <http://dx.doi.org/10.1016/j.canlet.2004.06.036>.
- Sorahan, T. (2012). Cancer incidence in UK electricity generation and transmission workers, 1973-2008. *Occup Med (Lond)* 62: 496-505. <http://dx.doi.org/10.1093/occmed/kqs152>.
- Sorahan, T; Kinlen, LJ; Doll, R. (2005). Cancer risks in a historical UK cohort of benzene exposed workers. *Occup Environ Med* 62: 231-236. <http://dx.doi.org/10.1136/oem.2004.015628>.
- Sorensen, AR; Thulstrup, A; Hansen, J; Ramlau-Hansen, CH; Meersohn, A; Skytthe, A; Bonde, JP. (2007). Risk of lung cancer according to mild steel and stainless steel welding. *Scand J Work Environ Health* 33: 379-386.
- Sorimachi, K; Watanabe, K; Yamazaki, S; Yasumura, Y. (1992). Inhibition of fibroblast growth by polyanions; effects of dextran sulfate and lignin derivatives. 16: 63-71.
- Sorriha, A; Marques, M; Joekes, I; Moran, PJS; Rodrigues, JAR. (1992). REDUCTION OF PHENYLKETONES BY IMMOBILIZED BAKERS-YEAST. *Bioorg Med Chem Lett* 2: 191-196.
- Soskolne, CL; Jhangri, GS; Siemiatycki, J; Lakhani, R; Dewar, R; Burch, JD; Howe, GR; Miller, AB. (1992). Occupational exposure to sulfuric acid in southern Ontario, Canada, in association with laryngeal cancer. *Scand J Work Environ Health* 18: 225-232.
- Soto, KF; Carrasco, A; Powell, TG; Murr, LE; Garza, KM. (2006). Biological effects of nanoparticulate materials. *Mater Sci Eng C* 26: 1421-1427. <http://dx.doi.org/10.1016/j.msec.2005.08.002>.
- Soudry, C. (1986). Limit values and indicated values of the concentration of chemical substances in workplace air France. 1986: 337-347.

Human Health Hazard Literature Search Results

Off Topic

- Soule, RD. (1975). Hazard Evaluation and Control (pp. industrial). (NIOSH/00177660). Soule, RD.
- Soulier, JP; Prou-Wartelle, O. (1975). [Effects of various adsorbants on coagulation factors (author's transl)]. *Nouv Rev Fr Hematol* 15: 195-211.
- Spacilova, M; Mirejovsky, P. (1989). A CONTRIBUTION TO THE EVALUATION OF OCCUPATIONAL DAMAGE WITH ASBESTOS (pp. 201-203). (BIOSIS/89/31357). Spacilova, M; Mirejovsky, P.
- Spain, W; Mayer, D. (1987). Policies have been confusing, but asbestos awareness improves. Interview by Sheri Hagen Poore. *Occup Health Saf* 56: 44-51.
- Spain, WH; Ewing, WH; Clay, EM. (1985). Health and safety needs detailed in new asbestos abatement survey. *Occup Health Saf* 54: 13-17.
- Spear, TM; Hart, JF; Spear, TE; Loushin, MM; Shaw, NN; Elashhab, MI. (2012). The presence of asbestos-contaminated vermiculite attic insulation or other asbestos-containing materials in homes and the potential for living space contamination. *J Environ Health* 75: 24-29.
- Spech, RW; Wisniowski, P; Kachel, DL; Wright, JR; Martin, WJ. (2000). Surfactant protein A prevents silica-mediated toxicity to rat alveolar macrophages. *Am J Physiol Lung Cell Mol Physiol* 278: L713-L718.
- Specht, NL. (1993). INTERSTITIAL LUNG DISEASE (pp. PRINCIPLES OF PATIENT CARE). (BIOSIS/93/23332). Specht, NL.
- Specht, WL. (1999). Results of Water and Sediment Toxicity Tests and Chemical Analyses Conducted at the Central Shops Burning Rubble Pit Waste Unit, January 1999 (pp. 67). (NTIS/02921532_a). Specht, WL.
- Speck-Hernandez, CA; Montoya-Ortiz, G. (2012). Silicon, a Possible Link between Environmental Exposure and Autoimmune Diseases: The Case of Rheumatoid Arthritis. 2012: 604187. <http://dx.doi.org/10.1155/2012/604187>.
- Speight, RG. (1982). Application of water immersion microscopy to the examination of thermal insulation fibers. *Microscope* 30: 5-9.
- Speight, RG. (1986). AN EXAMINATION OF THE INFLUENCE OF MICROSCOPE CHARACTERISTICS ON ASBESTOS FIBER COUNTING. *Microscope* 34: 93-106.
- Speirs, RS; Wenck, U. (1955). Local inflammatory response produced by solutions sterilized with asbestos type filters. *Proc Soc Exp Biol Med* 88: 89-93.
- Speit, G. (2002). Appropriate in vitro test conditions for genotoxicity testing of fibers [Review]. *Inhal Toxicol* 14: 79-90. <http://dx.doi.org/10.1080/089583701753338640>.
- Spence, LA; Aschengrau, A; Gallagher, LE; Webster, TF; Heeren, TC; Ozonoff, DM. (2008). Evaluation of the Webber-Brown model for estimating tetrachloroethylene exposure from vinyl-lined asbestos-cement pipes. *Environ Health* 7: 24. <http://dx.doi.org/10.1186/1476-069X-7-24>.
- Spence, SK; Rocchi, PSJ. (1996). Exposure to asbestos fibres during gasket removal. *Ann Occup Hyg* 40: 583-588.
- Spencer, JW; Plisko, MJ; Balzer, JL. (1999). Asbestos fiber release from the brake pads of overhead industrial cranes. *Appl Occup Environ Hyg* 14: 397-402. <http://dx.doi.org/10.1080/104732299302800>.
- Spengler, JD. (1985). Indoor air pollution. *N Engl Reg Allergy Proc* 6: 126-134.
- Spengler, JD; Sexton, K. (1983). Indoor air pollution: a public health perspective. *Science* 221: 9-17. <http://dx.doi.org/10.1126/science.6857273>.
- Sperduto, B; Burrigato, F; Altieri, A. (1977). [Asbestos minerals: their recognition and determination]. *Ann Ist Super Sanita* 13: 127-135.
- Sperduto, B; Graziano, E; Castellino, N. (1990). System for Protection against Exposure to Asbestos in a Factory for De-Insulation of Railway Cars (pp. 23-26). (NIOSH/00198576). Sperduto, B; Graziano, E; Castellino, N.
- Spicer, RC; Gangloff, HJ. (2000). A probability model for evaluating building contamination from an environmental event. *Journal of the Air and Waste Management Association* 50: 1637-1646.
- Spiegelman, D; Wegman, D. (1987). VALIDATION OF A NEW STUDY DESIGN FOR INVESTIGATING OCCUPATIONAL CANCER RISKS (pp. 17-19). (BIOSIS/88/02950). Spiegelman, D; Wegman, D.
- Spieß, PE; Tuziak, T; Kassouf, W; Grossman, HB; Czerniak, B. (2005). Malignant mesothelioma of the tunica vaginalis. *Urology* 66: 397-401. <http://dx.doi.org/10.1016/j.urology.2005.03.012>.
- Spiridigliozzi, S; Abetti, P; Capozza, G. (1998). [Decontamination of asbestos-containing objects]. *Ann Ig* 10: 55-64.
- Spitz, MR. (2008). Inflammation Genes and Lung Cancer Risk.
- Spitz, MR. (2009). Inflammation Genes and Lung Cancer Risk.
- Spitz, MR. (2010). Inflammation Genes and Lung Cancer Risk.
- Spitz, MR. (2012). Inflammation Genes and Lung Cancer Risk.
- Spitz, MR. (2013). Inflammation Genes and Lung Cancer Risk.
- Spitz, MR; Barnett, MJ; Goodman, GE; Thornquist, MD; Wu, XF; Pollak, M. (2002). Serum insulin-like growth factor (IGF) and IGF-binding protein levels and risk of lung cancer: A case-control study nested in the beta-carotene and retinol efficacy trial cohort. *Cancer Epidemiol Biomarkers Prev* 11: 1413-1418.
- Sporn, TA. (2011). Mineralogy of asbestos [Review]. *Recent Results Cancer Res* 189: 1-11. http://dx.doi.org/10.1007/978-3-642-10862-4_1.
- Springer, YP. (2007). Clinal resistance structure and pathogen local adaptation in a serpentine flax-flax rust interaction. *Evolution* 61: 1812-1822. <http://dx.doi.org/10.1111/j.1558-5646.2007.00156.x>.
- Spugnini, EP; Bosari, S; Citro, G; Lorenzon, I; Cognetti, F; Baldi, A. (2006). Human malignant mesothelioma: Molecular mechanisms of pathogenesis and progression [Review]. *Int J Biochem Cell Biol* 38: 2000-2004. <http://dx.doi.org/10.1016/j.biocel.2006.07.002>.
- Spurgeon, D. (2008). Canadian academics call for asbestos report on cancer risks to be published by the government. *Br Med J* 336: 1269-1269.
- Spurgeon, D. (2008). Canadian academics call for asbestos report to be published. *B M J (Online)* 336: 1269. <http://dx.doi.org/10.1136/bmj.39601.589306.DB>.

Human Health Hazard Literature Search Results

Off Topic

- Spurny, K; Marfels, H; Boose, C; Weiss, G; Opiela, H; F-J, W. (1988). MEASUREMENTS OF FIBROUS DUSTS IN AMBIENT AIR OF WEST GERMANY AMBIENT AIR CONCENTRATIONS OF ASBESTOS FIBERS IN THE VICINITY OF BUILDINGS WITH ASBESTOS CONTAINING MATERIALS (pp. 136-141). (BIOSIS/89/12715). Spurny, K; Marfels, H; Boose, C; Weiss, G; Opiela, H; Wulbeck F-J.
- Spurny, K; Marfels, H; Boose, C; Weiss, G; Opiela, H; Wulbeck, FJ. (1988). [Measurement of the fibrous dusts in West Germany. Fiber concentration in the vicinity of objects and buildings with asbestos-containing building materials]. Zentralbl Bakteriologie, Mikrobiologie Hygiene, Ser B 187: 136-141.
- Spurny, K; Marfels, H; Boose, C; Weiss, G; Opiela, H; Wulbeck, FJ. (1989). ON THE MEASUREMENT OF FIBER EMISSIONS FROM WEATHERED AND CORRODED ASBESTOS-CEMENT-PRODUCTS .1. FIBER RELEASE IN THE AMBIENT AIR. Zentralblatt fuer Hygiene und Umweltmedizin 188: 127-143.
- Spurny, K; Marfels, H; Boose, C; Weiss, G; Opiela, H; Wulbeck, FJ. (1989). ON THE MEASUREMENT OF FIBER EMISSIONS FROM WEATHERED AND CORRODED ASBESTOS-CEMENT-PRODUCTS .2. PHYSICAL AND CHEMICAL-PROPERTIES OF THE RELEASED ASBESTOS FIBERS. Zentralblatt fuer Hygiene und Umweltmedizin 188: 262-270.
- Spurny, KR. (1982). ON THE PROBLEM OF MEASURING AND ANALYSIS OF CHEMICALLY CHANGED MINERAL FIBERS IN THE ENVIRONMENT AND IN BIOLOGICAL MATERIALS (pp. 4-7). (HEEP/83/03250). Spurny, KR.
- Spurny, KR. (1983). Measurement and analysis of chemically changed mineral fibers after experiments in vitro and in vivo. Environ Health Perspect 51: 343-355. <http://dx.doi.org/10.2307/3429775>.
- Spurny, KR. (1986). ON THE FILTRATION OF FIBROUS AEROSOLS. Sci Total Environ 52: 189-199.
- Spurny, KR. (1988). On the emission of fibrous particles from corroded asbestos-cement products. In NH Seemayer; W Hadnagy (Eds.), (pp. 205-208). New York, NY: Springer.
- Spurny, KR. (1989). Asbestos Fibre Release by Corroded and Weathered Asbestos-Cement Products (pp. 367-371). (ISSN 0300-5038; NIOSH/00191373). Spurny, KR.
- Spurny, KR. (1989). On the release of asbestos fibers from weathered and corroded asbestos cement products. Environ Res 48: 100-116.
- Spurny, KR. (1991). AEROSOL PENETRATION THROUGH PROTECTIVE CLOTHING. J Aerosol Sci 22: S789-S792.
- Spurny, KR. (1992). MEASUREMENTS OF FIBROUS DUSTS IN AMBIENT AIR OF THE FEDERAL-REPUBLIC-OF-GERMANY - AMBIENT AIR CONCENTRATIONS OF ASBESTOS FIBERS PRODUCED BY BRAKE LININGS OF AUTOMOBILES. Zentralblatt fuer Hygiene und Umweltmedizin 193: 287-294.
- Spurny, KR. (1993). ANTHROPOGENIC ASBESTOS IN SOILS. Z Pflanzenernaehr Bodenkd 156: 177-180.
- Spurny, KR. (1994). Sampling, Analysis, Identification and Monitoring of Fibrous Dusts and Aerosols. Analyst 119: 41-51.
- Spurny, KR; Opiela, H; Schorman, J; Weiss, G. (1984). Methods And Investigations On The Stability Of Mineral Fibers In Vivo And In Vitro (pp. 169-182). (NIOSH/00151726). Spurny, KR; Opiela, H; Schorman, J; Weiss, G.
- Spurny, KR; Opiela, H; Weiss, G. (1980). On The Milling And Ultrasonic Treatment Of Fibres For Biological And Analytical Applications (pp. 931-933). (ISSN 0300-5038 NIOSH/00156141). Spurny, KR; Opiela, H; Weiss, G.
- Spurny, KR; Pott, F; et al. (1983). ON THE CHEMICAL CHANGES OF ASBESTOS FIBERS AND MMMFs IN BIOLOGIC RESIDENCE AND IN THE ENVIRONMENT: PART I (pp. 833-845; 1983). (HMTC/83/0001877). Spurny, KR; Pott, F; Et al.
- Spurny, KR; Pott, F; Stoeber, W; Opiela, H; Schoermann, J; Weiss, G. (1983). On the chemical changes of asbestos fibers and MMMFs in biologic residence and in the environment: part 1. Am Ind Hyg Assoc J 44: 833-845.
- Spurny, KR; Schoermann, J; Opiela, H. (1990). Aerosols and Protective Clothing. Am Ind Hyg Assoc J 51: 36-43. <http://dx.doi.org/10.1080/15298669091369303>.
- Spurny, KR; Stöber, W. (1981). Some aspects of analysis of single fibers in environmental and biological samples. Int J Environ Anal Chem 9: 265-281. <http://dx.doi.org/10.1080/03067318108071521>.
- Spurny, KR; Stöber, W; Opiela, H; Weiss, G. (1980). On the problem of milling and ultrasonic treatment of asbestos and glass fibers in biological and analytical applications. Am Ind Hyg Assoc J 41: 198-203.
- Spurny, KR; Stoeber, W; Opiela, H; Weiss, G. (1979). On the evaluation of fibrous particles in remote ambient air. Sci Total Environ 11: 1-40.
- Spycher, MA; Ruttner, JR. (1985). Electron Microscopic Identification of Fibrous Lung Dust Particles (pp. 12-14). (NIOSH/00192393). Spycher, MA; Ruttner, JR.
- Spyratos, D; Zarogoulidis, P; Porpodis, K; Angelis, N; Papaiwannou, A; Kioumis, I; Pitsiou, G; Pataka, A; Tsakiridis, K; Mpakas, A; Arikas, S; Katsikogiannis, N; Kougioumtzi, I; Tsiouda, T; Machairiotis, N; Siminelakis, S; Argyriou, M; Kotsakou, M; Kessis, G; Kolettas, A; Belevesslis, T; Zarogoulidis, K. (2014). Preoperative evaluation for lung cancer resection [Review]. J Thorac Dis 6 Suppl 1: S162-S166. <http://dx.doi.org/10.3978/j.issn.2072-1439.2014.03.06>.
- Spyropoulos, DD. (2004). Use of HOXC6 Gene to Develop Novel Lung Chemopreventives.
- Squance, ML; Guest, M; Reeves, G; Attia, J; Bridgman, H. (2014). Exploring lifetime occupational exposure and SLE flare: a patient-focussed pilot study. 1: e000023. <http://dx.doi.org/10.1136/lupus-2014-000023>.
- Squinazi, F. (2002). La pollution de l'air à l'intérieur des bâtiments (allergènes exclus). Rev Fr Allergol Immunol Clin 42: 248-255. [http://dx.doi.org/10.1016/s0335-7457\(02\)00145-4](http://dx.doi.org/10.1016/s0335-7457(02)00145-4).
- Sram, RJ; Landa, K; Hola, N; Roznickova, I. (1985). The use of the cytogenetic analysis of peripheral lymphocytes as a method for checking the level of mac in czechoslovakia. Mutat Res 147: 322.
- Srám, RJ; Rössner, P; Smerhovský, Z. (2004). Cytogenetic analysis and occupational health in the Czech Republic [Review]. Mutat Res 566: 21-48.
- Sreenath Reddy, M; Yadagiri Reddy, P; Rama Reddy, K; Eappen, KP; Ramachandran, TV; Mayya, YS. (2008). Indoor radon levels in urban Hyderabad area, Andhra Pradesh, India. Radiat Prot Dosimetry 132: 403-408. <http://dx.doi.org/10.1093/rpd/ncn311>.

Human Health Hazard Literature Search Results

Off Topic

- Sridhar, KS; Doria, R; Raub, WA; Thurer, RJ; Saldana, M. (1992). New strategies are needed in diffuse malignant mesothelioma. *Cancer* 70: 2969-2979.
- Stachetzki, U; Verhoff, MA; Ulm, K; Müller, KM. (2001). [Morphological findings and medical insurance aspects in 371 exhumations]. *Pathologe* 22: 252-258.
- Stack, N. (1983). Standards for asbestos exposure [Letter]. *Lancet* 2: 1424.
- Stafford, EJ. (2000). Hazardous materials worker health & safety training for.
- Stafford, EJ. (2000). Hazardous materials worker health and safety training.
- Stafford, EJ. (2001). Hazardous materials worker health & safety training for.
- Stafford, EJ. (2001). Hazardous materials worker health and safety training.
- Stafford, EJ. (2002). Hazardous materials worker health & safety training for.
- Stafford, EJ. (2002). Hazardous materials worker health and safety training.
- Stafford, EJ. (2003). Hazardous materials worker health & safety training for.
- Stafford, EJ. (2003). Hazardous materials worker health and safety training.
- Stafford, EJ. (2004). Hazardous materials worker health & safety training for.
- Stafford, EJ. (2004). Hazardous materials worker health and safety training.
- Stafford, EJ. (2008). Brownfields Minority Training Program.
- Stafford, EJ. (2008). HAZMAT Training-DOE Nuclear Weapons Complex Coop Agreeeme.
- Stafford, EJ. (2008). HWWTP-Hazardous Materials Worker Health /Safety Training Program.
- Stafford, EJ. (2008). MWTP--Minority Worker Training Program.
- Stafford, EJ. (2009). Brownfields Minority Training Program.
- Stafford, EJ. (2009). HAZMAT Training-DOE Nuclear Weapons Complex Coop Agreeeme.
- Stafford, EJ. (2009). HWWTP-Hazardous Materials Worker Health /Safety Training Program.
- Stafford, EJ. (2009). MWTP--Minority Worker Training Program.
- Stafford, EJ. (2010). HWWTP-Hazardous Materials Worker Health /Safety Training Program.
- Stafford, EJ. (2010). MWTP--Minority Worker Training Program.
- Stafford, EJ. (2011). HWWTP-Hazardous Materials Worker Health /Safety Training Program.
- Stafford, EJ. (2011). MWTP--Minority Worker Training Program.
- Stafford, EJ. (2012). HWWTP-Hazardous Materials Worker Health /Safety Training Program.
- Stafford, EJ. (2012). MWTP--Minority Worker Training Program.
- Stafford, EJ. (2013). HWWTP-Hazardous Materials Worker Health /Safety Training Program.
- Stafford, EJ. (2013). MWTP--Minority Worker Training Program.
- Stafford, EJ. (2014). HWWTP-Hazardous Materials Worker Health /Safety Training Program.
- Stafford, EJ. (2014). MWTP--Minority Worker Training Program.
- Stafford, EJ. (2015). Hazardous Waste Worker Training Program.
- Stahel, RA. (2006). Malignant pleural mesothelioma: a new standard of care [Review]. *Lung Cancer* 54 Suppl 2: S9-S14.
<http://dx.doi.org/10.1016/j.lungcan.2006.09.011>.
- Stahel, RA; Felley-Bosco, E; Opitz, I; Weder, W. (2009). Malignant pleural mesothelioma [Review]. *Future Oncol* 5: 391-402.
<http://dx.doi.org/10.2217/FON.09.7>.
- Stahel, RA; O'Hara, CJ; Waibel, R; Martin, A. (1988). MONOCLONAL ANTIBODIES AGAINST MESOTHELIAL MEMBRANE ANTIGEN DISCRIMINATE BETWEEN MALIGNANT MESOTHELIOMA AND LUNG ADENOCARCINOMA. *Int J Cancer* 41: 218-223.
- Stahel, RA; Weder, W; Felley-Bosco, E; Petrusch, U; Curioni-Fontecedro, A; Schmitt-Opitz, I; Peters, S. (2015). Searching for targets for the systemic therapy of mesothelioma [Review]. *Ann Oncol* 26: 1649-1660. <http://dx.doi.org/10.1093/annonc/mdv101>.
- Stallard, E. (2001). Product liability forecasting for asbestos-related personal injury claims: a multidisciplinary approach [Review]. *Ann N Y Acad Sci* 954: 223-244.
- Stanbury, M; Rosenman, KD. (1987). A METHODOLOGY FOR IDENTIFYING WORKERS EXPOSED TO ASBESTOS SINCE 1940. *Am J Public Health* 77: 854-855.
- Stanbury, M; Solice-Sample, G; Pescatore, J. (1993). Asbestos disease risk communication conducted by the New Jersey Department of Health. *Am J Ind Med* 23: 97-104.
- Stanbury, M; Tepper, A; Ramaprasad, R; Solice-Sample, G. (1991). Asbestosis in New Jersey. 88: 195-199.
- Standard Oil Co. of California, SF. (1979). Measurements of Airborne Asbestos in Building One with Cover Letter and Attachment. 189.
- standards, Cgfo. (1982). Scientific basis for Swedish Occupational Standards. II. Consensus report for synthetic inorganic fibers. (RISKLINE/1988030026). Criteria group for occupational standards.
- standards, Cgfo. (1992). Scientific basis for Swedish Occupational Standards. XII. Consensus report for natural crystalline mineral fibers (except asbestos). (RISKLINE/1992040045). Criteria group for occupational standards.
- standards, Cgfo. (1992). Scientific basis for Swedish Occupational Standards. XII. Consensus report for talc dust. (RISKLINE/1992040046). Criteria group for occupational standards.
- standards, Cgfo; Elmes, PC; Wagner, JC. (1981). Man made mineral fibres. (RISKLINE/1985030068). Criteria group for occupational standards; Elmes, PC; Wagner, JC.
- standards, Cgfo; Nicholson, WJ. (1981). Asbestos and inorganic fibers. (RISKLINE/1985030055). Criteria group for occupational standards; Nicholson, WJ.

Human Health Hazard Literature Search Results

Off Topic

- standards, Decfo. (1991). Health-based recommended occupational exposure limit for talc dusts. (RISKLINE/1994100061). Dutch expert committee for occupational standards.
- Stanton, MF. (1973). TUMORS OF PLEURA INDUCED WITH ASBESTOS AND FIBROUS GLASS - REPLY. *J Natl Cancer Inst* 51: 317-319.
- Stanton, MF. (1974). Fiber carcinogenesis: Is asbestos the only hazard? *J Natl Cancer Inst* 52: 633-634.
- Stanton, MF; Layard, M. (1978). The Carcinogenicity Of Fibrous Minerals (pp. Definitions and Measurement Methods). (NIOSH/00145897). International Agency for Research on Cancer (IARC).
- Star, A. (2010). Investigations and Mitigation of Carbon Nanomaterial Toxicity.
- Star, A. (2011). Investigations and Mitigation of Carbon Nanomaterial Toxicity.
- Star, A. (2012). Investigations and Mitigation of Carbon Nanomaterial Toxicity.
- Star, A. (2013). Investigations and Mitigation of Carbon Nanomaterial Toxicity.
- Star, A. (2014). Investigations and Mitigation of Carbon Nanomaterial Toxicity.
- Staruchová, M; Volková, K; Lajdová, A; Misl'anová, C; Collins, A; Wsólóvá, L; Staruch, L; Dusinská, M. (2006). Importance of diet in protection against oxidative damage. *Neuro Endocrinol Lett* 27 Suppl 2: 112-115.
- Stasny, JT; Albright, FR; Graham, R. (1981). Identification of foreign matter in foods. *Scan Electron Microsc* 599-610.
- Stathopoulos, GT. (2011). Translational advances in pleural malignancies [Review]. *Respirology* 16: 53-63. <http://dx.doi.org/10.1111/j.1440-1843.2010.01890.x>.
- Stathopoulos, GT; Kalomenidis, I. (2009). Animal models of malignant pleural effusion [Review]. *Curr Opin Pulm Med* 15: 343-352. <http://dx.doi.org/10.1097/MCP.0b013e32832af07c>.
- Stathopoulos, GT; Karamessini, MT; Sotiriadi, AE; Pastromas, VG. (2005). Rounded atelectasis of the lung. *Respir Med* 99: 615-623. <http://dx.doi.org/10.1016/j.rmed.2004.10.003>.
- Stavisky, LP. (1982). State responsibility for the control of asbestos in the schools. *J Sch Health* 52: 358-364.
- Stayner, L; Bailer, AJ; Smith, R; Gilbert, S; Rice, F; Kuempel, E. (1999). Sources of uncertainty in dose-response modeling of epidemiological data for cancer risk assessment. *Ann N Y Acad Sci* 895: 212-222. <http://dx.doi.org/10.1111/j.1749-6632.1999.tb08087.x>.
- Stayner, L; Kuempel, E; Rice, F; Prince, M; Althouse, R. (1996). Approaches for assessing the efficacy of occupational health and safety standards [Review]. *Am J Ind Med* 29: 353-357. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199604\)29:4<353::AID-AJIM14>3.0.CO;2-0](http://dx.doi.org/10.1002/(SICI)1097-0274(199604)29:4<353::AID-AJIM14>3.0.CO;2-0).
- Stayner, LT. (2008). Canada, chrysotile and cancer: Health Canada's Asbestos International Expert Panel report [Editorial]. *J Occup Environ Med* 50: 1327-1328. <http://dx.doi.org/10.1097/JOM.0b013e318190eff3>.
- Stayner, LT. (2015). Para-occupational exposures to asbestos: lessons learned from Casale Monferrato, Italy [Comment]. *Occup Environ Med* 73: 145-146. <http://dx.doi.org/10.1136/oemed-2015-103233>.
- Stayner, LT; Dankovic, DA; Lemen, RA. (1997). Asbestos-related cancer and the amphibole hypothesis - Response. *Am J Public Health* 87: 688-688.
- Stearns, RC; Paulauskis, JD; Godleski, JJ. (2001). Endocytosis of ultrafine particles by A549 cells. *Am J Respir Cell Mol Biol* 24: 108-115. <http://dx.doi.org/10.1165/ajrcmb.24.2.4081>.
- Steel, E; Hartman, A; Hembree, G; Sheridan, P; Small, J. (1986). PERFORMANCE STANDARDS FOR MICROANALYSIS. *J Trace Microprobe Tech* 4: 147-162.
- Steel, EB; Small, JA; Sheridan, P. (1982). Analytical Errors In Asbestos Analysis By Analytical Electron Microscopy (pp. Materials and Analytical Methods). (NIOSH/00146037). Steel, EB; Small, JA; Sheridan, P.
- Steel, J. (1968). Respiratory Hazards In Shipbuilding And Shiprepairing. *Ann Occup Hyg* 11: 115-121.
- Steele, JPC. (2005). Prognostic factors for mesothelioma [Review]. *Hematol Oncol Clin North Am* 19: 1041-+.
- Steele, JPC; Klabatsa, A. (2005). Chemotherapy options and new advances in malignant pleural mesothelioma [Review]. *Ann Oncol* 16: 345-351. <http://dx.doi.org/10.1093/annonc/mdi094>.
- Steele, RH; Thomson, KJ. (1982). Asbestos bodies in the lung: Southampton (UK) and Wellington (New Zealand). *Br J Ind Med* 39: 349-354.
- Steen, B. (1991). Sveriges befolkning exponering foer kvaevexider och mutagena aemnen i luft. (Exposure of the Swedish population to nitrogen oxides and mutagenic substances in the air) (pp. 29). (NTIS/02986822). Steen, B.
- Steen, D; Guillemin, MP; Buffat, P; Litzistorf, G. (1983). DETERMINATION OF ASBESTOS FIBERS IN AIR TRANSMISSION ELECTRON-MICROSCOPY AS A REFERENCE METHOD. *Atmos Environ* 17: 2285-2297.
- Steenland, K. (2002). Ten-year update on mortality among mild-steel welders. *Scand J Work Environ Health* 28: 163-167.
- Steenland, K. (2005). One agent, many diseases: exposure-response data and comparative risks of different outcomes following silica exposure. *Am J Ind Med* 48: 16-23. <http://dx.doi.org/10.1002/ajim.20181>.
- Steenland, K; Beaumont, J; Elliot, L. (1991). LUNG-CANCER IN MILD-STEEL WELDERS. *Am J Epidemiol* 133: 220-229.
- Steenland, K; Brown, D. (1995). Mortality study of gold miners exposed to silica and nonasbestiform amphibole minerals: an update with 14 more years of follow-up. *Am J Ind Med* 27: 217-229.
- Stefani, D; Wardman, D; Lambert, T. (2005). The implosion of the Calgary General Hospital: Ambient air quality issues. *J Air Waste Manag Assoc* 55: 52-59.
- Stegne, M; Liu, M; Tammemagi, G. (2010). THE ROLE OF ASBESTOS EXPOSURE AND PULMONARY FUNCTION IN THE PREDICTION OF PULMONARY FIBROSIS. *Am J Epidemiol* 171: S87-S87.
- Stein, WD. (1991). ANALYSIS OF CANCER INCIDENCE DATA ON THE BASIS OF MULTISTAGE AND CLONAL GROWTH MODELS (pp. SAN DIEGO). (BIOSIS/92/19241). Stein, WD.
- Steineck, G; Plato, N; Gerhardsson, M; Norell, SE; Hogstedt, C. (1990). Increased risk of urothelial cancer in Stockholm during 1985-87 after exposure to benzene and exhausts. *Int J Cancer* 45: 1012-1017. <http://dx.doi.org/10.1002/ijc.2910450605>.

Human Health Hazard Literature Search Results

Off Topic

- Steiner, AJ. (1944). Fire Hazard Classification of Building Materials. (NIOSH/00129643). Steiner, AJ.
- Steiner, WE; Koehler J, LM; Popenuck, WW. (1990). GUADALUPE CORRIDOR TRANSPORTATION PROJECT ASBESTOS HEALTH RISK ASSESSMENT SAN JOSE CALIFORNIA USA (pp. 18-22). (BIOSIS/90/24490). Steiner, WE; Koehler J, LM; Popenuck, WW.
- Steiner, WE; Koehler, JL; Popenuck, WW. (1990). Guadalupe corridor transportation project asbestos health risk assessment, San Jose, California. *Sci Total Environ* 93: 115-124.
- Steinetz, C; Clarke, R; Jacobs, GH; Abdul-Karim, FW; Petrelli, M; Tomaszefski, JF. (1990). Localized fibrous tumors of the pleura: correlation of histopathological, immunohistochemical and ultrastructural features. *Pathol Res Pract* 186: 344-357. [http://dx.doi.org/10.1016/S0344-0338\(11\)80293-1](http://dx.doi.org/10.1016/S0344-0338(11)80293-1).
- Steinfurth, RJ. (1979). CARE OF THE INJURED WORKER A LABOR PERSPECTIVE (pp. NEW YORK). (HEEP/81/07871). Steinfurth, RJ.
- Steinhoff, D. (1981). Possible Methods Of Carcinogenicity Testing For Substances Used At The Place Of Work. *Cancer Detect Prev* 4: 41-46.
- Steinmaus, CM; Ferreccio, C; Romo, JA; Yuan, Y; Cortes, S; Marshall, G; Moore, LE; Balmes, JR; Liaw, J; Golden, T; Smith, AH. (2013). Drinking water arsenic in northern Chile: High cancer risks 40 years after exposure cessation. *Cancer Epidemiol Biomarkers Prev* 22: 623-630. <http://dx.doi.org/10.1158/1055-9965.EPI-12-1190>.
- Steinmetz-Markiewicz, A; Smolik, R; Szechinski, J; Szahidewicz-Krupska, E; Ignatowicz, L; Chmielarczyk, W. (1986). ANGIOTENSIN CONVERTING ENZYME ACTIVITY CORRELATES WITH CIRCULATING T CELL SUBSETS IN ASBESTOSIS (pp. BASEL). (BIOSIS/87/08195). Steinmetz-Markiewicz, A; Smolik, R; Szechinski, J; Szahidewicz-Krupska, E; Ignatowicz, L; Chmielarczyk, W.
- Steinsvag, K; Bratveit, M; Moen, BE. (2007). Exposure to carcinogens for defined job categories in Norway's offshore petroleum industry, 1970 to 2005. *Occup Environ Med* 64: 250-258. <http://dx.doi.org/10.1136/oem.2006.028225>.
- Stella, GM. (2011). Carbon nanotubes and pleural damage: Perspectives of nanosafety in the light of asbestos experience [Review]. *Biointerphases* 6: P1-P17. <http://dx.doi.org/10.1116/1.3582324>.
- Stellman, SD. (2003). Issues of causality in the history of occupational epidemiology. *Soz Praventivmed* 48: 151-160. <http://dx.doi.org/10.1007/s00038-003-1051-9>.
- Stellman, SD; Boffetta, P; Garfinkel, L. (1988). Smoking habits of 800,000 American men and women in relation to their occupations. *Am J Ind Med* 13: 43-58. <http://dx.doi.org/10.1002/ajim.4700130104>.
- Stellman, SD; Demers, PA; Colin, D; Boffetta, P. (1998). Cancer mortality and wood dust exposure among participants in the American Cancer Society Cancer Prevention Study-II (CPS-II). *Am J Ind Med* 34: 229-237. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199809\)34:3<229::AID-AJIM4>3.0.CO;2-Q](http://dx.doi.org/10.1002/(SICI)1097-0274(199809)34:3<229::AID-AJIM4>3.0.CO;2-Q).
- Stenner, RD; Baechler, MC. (1990). Health effects associated with energy conservation measures in commercial buildings. Volume 2, Review of the literature (pp. 219). (PNL7505V2). Technical Information Center Oak Ridge Tennessee(DE).
- Stenton, SC. (1997). Asbestos, Simian virus 40 and malignant mesothelioma [Review]. *Thorax* 52 Suppl 3: S52-S57.
- Stenzel, PS. (2001). Occupational Exposure Assessment.
- Stenzel, PS. (2002). Occupational Exposure Assessment.
- Stenzel, PS. (2003). Occupational Exposure Assessment. (CRISP/2003/CP010122-08). Stenzel, PS.
- Stenzel, PS. (2004). Occupational Exposure Assessment. (CRISP/2004/CP010122-09). Stenzel, PS.
- Stephens, RJ; Whiting, C; Cowan, K; Committee, JLAMPSPS. (2015). Research priorities in mesothelioma: A James Lind Alliance Priority Setting Partnership. *Lung Cancer* 89: 175-180. <http://dx.doi.org/10.1016/j.lungcan.2015.05.021>.
- Stephenson, D; Hoover, MD. (2005). In Vitro Mordenite Fiber Dissolution at Acidic pH. 28.
- Stephenson, J. (2008). Nanotechnology hazard? *JAMA* 299: 2737-2737.
- Stephenson, RL; Burt, S. (1992). Health Hazard Evaluation Report HETA 89-293-2178, Chempower, Incorporated, Combustion Engineering, Incorporated, Albright Power Station, Albright, West Virginia. 42.
- Sterling, TD. (1983). Possible effects on occupational lung cancer from smoking related changes in the mucus content of the lung. *J Clin Epidemiol* 36: 669-676.
- Sterling, TD; Collett, CW; Rosenbaum, WL; Weinkam, JJ. (1993). Comments on the health effects institute-asbestos research (HEI-AR) report: "Asbestos in public and commercial building," with emphasis on risk assessment methods used. *Am J Ind Med* 24: 767-781.
- Sterling, TD; Glicksman, A; Perry, H; Sterling, DA; Rosenbaum, WL; Weinkam, JJ. (1996). An alternative explanation for the apparent elevated relative mortality and morbidity risks associated with exposure to environmental tobacco smoke. *J Clin Epidemiol* 49: 803-808.
- Sterling, TP; Rosenbaum, WL; Weinkam, JJ. (1994). ASBESTOS EXPOSURES IN PUBLIC AND COMMERCIAL BUILDINGS - COMMENTARY. *Am J Ind Med* 26: 845-847.
- Sterling, TP; Rosenbaum, WL; Weinkam, JJ. (1995). RE - ASBESTOS EXPOSURES IN PUBLIC AND COMMERCIAL BUILDINGS. *Am J Ind Med* 27: 439-441.
- Serman, DH; Albelda, SM. (2005). Advances in the diagnosis, evaluation, and management of malignant pleural mesothelioma [Review]. *Respirology* 10: 266-283. <http://dx.doi.org/10.1111/j.1440-1843.2005.00714.x>.
- Stern, FB; Ruder, AM; Chen, G. (2000). Proportionate mortality among unionized roofers and waterproofers. *Am J Ind Med* 37: 478-492.
- Stern, M; Shukla, A; Lounsbury, KM; Taatjes, DJ; Mossman, BT. (2003). PKC delta is essential for asbestos-induced apoptosis and proliferation in lung epithelial cells. *FASEB J* 17: A1358-A1358.
- Stern, M; Taatjes, DJ; Mossman, BT. (2006). Multifluorescence labeling techniques and confocal laser scanning microscopy on lung tissue. *Methods Mol Biol* 319: 67-76. http://dx.doi.org/10.1007/978-1-59259-993-6_4.
- Sterner, JH. (1943). Determining Margins of Safety Criteria for Defining a "Harmful" Exposure. *Ind Med* 12: 514-518.
- Stevens, BJ; Montgomery, SA; Phillips, KL; Wester, MW; Jennings, SH. (2014). Pathology in Practice. *J Am Vet Med Assoc* 245: 57-59.

Human Health Hazard Literature Search Results

Off Topic

- Stevens, GW; Back, DA. (1996). Hazardous Waste, Decontamination and Decommissioning and Clean-Up Workers' Exposure Assessment Feasibility study at the Department of Energy's Fernald Site, Phase 1 (pp. 200-292). (NIOSH/00238198). Cincinnati, OH: National Institute for Occupational Safety and Health :: NIOSH.
- Stevens, RH; Cole, DA. (1982). Identification of carcinogens by measurements of cell-mediated immunity. II. Assay specificity. *Environ Res* 28: 67-76.
- Stevens, RH; Cole, DA; Lindholm, PA; Cheng, HF. (1986). Identification of environmental carcinogens utilizing T-cell mediated immunity. *Med Hypotheses* 19: 267-285.
- Stevens, RH; Cole, DA; Meek, ES. (1981). Antibody-dependent cell cytotoxicity in chemical-induced rat pancreas and colon cancer. *Environ Res* 25: 372-380.
- Stevens, RH; Cole, DA; Rana, RS; Graves, JM. (1980). Identification of carcinogens by measurement of cell-mediated immunity: 1. Immunity induced by rat pancreas and colon carcinogens. *Environ Res* 21: 143-149.
- Stewart, HL. (1974). USE OF EXPERIMENTAL ANIMALS. *Environ Health Perspect* 9: 325-326.
- Stewart, HL. (1981). Spoken on the occasion of the memorial service for Dr. Mearl F. Stanton at St. Mark's Episcopal Church, Washington, D. C., on Wednesday, May 21, 1980. *J Natl Cancer Inst* 67: 961-962.
- Stewart, IM. (1978). Transmission Electron Microscopical Methods For The Determination Of Asbestos (pp. Definitions and Measurement Methods). (NIOSH/00145905). Stewart, IM.
- Stewart, IM. (1979). Asbestos And The Electron Microscope (pp. 9-14). (NIOSH/00152080). Stewart, IM.
- Stewart, IM. (1982). Comments On The Achievability Of A Valid Asbestos Standard For TEM Counting (pp. Materials and Analytical Methods). (NIOSH/00146034). Stewart, IM.
- Stewart, IM. (1988). Asbestos Analytical Techniques. *Appl Ind Hyg* 3: 26-23.
- Stewart, P. (2000). Occupational Exposure Assessment.
- Stewart, PA. (1996). Studies of occupational cancer--occupational exposure assessment [Research]. RePORTER Database National Institutes of Health.
- Stewart, PA. (1997). Studies of occupational cancer--occupational exposure assessment [Research]. RePORTER Database National Institutes of Health.
- Stewart, PA; Coble, JB; Vermeulen, R; Schleiff, P; Blair, A; Lubin, J; Attfield, M; Silverman, DT. (2010). The diesel exhaust in miners study: I. Overview of the exposure assessment process. *Ann Occup Hyg* 54: 728-746. <http://dx.doi.org/10.1093/annhyg/meq022>.
- Stewart, PA; Herrick, RF. (1991). Issues in Performing Retrospective Exposure Assessment. *Appl Occup Environ Hyg* 6: 91-38661.
- Stewart-Taylor, AJ; Cherrie, JW. (1998). Does risk perception affect behaviour and exposure? A pilot study amongst asbestos workers. *Ann Occup Hyg* 42: 565-569.
- Steww, BW. (2008). Banding carcinogenic risks in developed countries: A procedural basis for qualitative assessment. *Mutat Res Rev Mutat Res* 658: 124-151. <http://dx.doi.org/10.1016/j.mrrrev.2007.11.007>.
- Stey, C; Landolt-Weber, U; Vetter, W; Sauter, C; Marincek, B. (1995). Malignant peritoneal mesothelioma after Thorotrast exposure. *Am J Clin Oncol* 18: 313-317.
- Stief-Tauch, HP. (1991). CONTROL OF AIR POLLUTION THE EUROPEAN COMMUNITY APPROACH (pp. EMISSION). (BIOSIS/92/08374). Stief-Tauch, HP.
- Stober, W; McClellan, RO. (1997). Pulmonary retention and clearance of inhaled biopersistent aerosol particles: data-reducing interpolation models and models of physiologically based systems - a review of recent progress and remaining problems [Review]. *Crit Rev Toxicol* 27: 539-598.
- Stocks, SJ; Turner, S; Carder, M; Hussey, L; Mcnamee, R; Agius, RM. (2010). Medically reported work-related ill-health in the UK agricultural sector. *Occup Med (Lond)* 60: 340-347. <http://dx.doi.org/10.1093/occmed/kqq038>.
- Stoelinga, MA; Marijnissen, JCM; Bibo, BH; Prodi, V. (1992). Separation, Dispersion, Humidification and Transport of Fibres in a Physical Lung Model. *J Aerosol Sci* 23.
- Stollar (RL) and Associates Inc. (1991). Final Asbestos Sampling Plan, Fort Douglas Environmental Investigation/Alternative Analysis. 65.
- Stolley, PD; Lasky, T. (1995). INVESTIGATING DISEASE PATTERNS THE SCIENCE OF EPIDEMIOLOGY (pp. THE SCIENCE OF EPIDEMIOLOGY). (BIOSIS/96/02362). Stolley, PD; Lasky, T.
- Stone, R. (1991). No meeting of the minds on asbestos. *Science* 254: 928-931.
- Stone, RA; Marsh, GM; Lee, KY; Smith, TJ; Quinn, MM; Wilcox, MA. (1994). Assessing Joint Effects of Multiple Time-Dependent Exposures (pp. 23-25). (NIOSH/00223994). Stone, RA; Marsh, GM; Lee, KY; Smith, TJ; Quinn, MM; Wilcox, MA.
- Stoner, G; Reddel, R; Harris, C. (1990). Human Esophageal Epithelial Cell Lines. 24.
- Stoner, PS. (1996). You're the flight surgeon. *Aviat Space Environ Med* 67: 382-383.
- Stopford, C; Kaye, PH; Greenaway, RS; Hirst, E; Ulanowski, Z; Stanley, WR. (2013). Real-time detection of airborne asbestos by light scattering from magnetically re-aligned fibers. *Optics Express* 21: 11356-11367. <http://dx.doi.org/10.1364/OE.21.011356>.
- Stopponi, R. (2007). [A "particular" case of exposure to asbestos in the circus profession] [Letter]. *Med Lav* 98: 345.
- Storer, RA. (1986). 1986 ANNUAL BOOK OF ASTM AMERICAN SOCIETY OF TESTING AND MATERIALS STANDARDS SECTION 11. WATER AND ENVIRONMENTAL TECHNOLOGY VOL. 11.03. ATMOSPHERIC ANALYSIS OCCUPATIONAL HEALTH AND SAFETY (pp. PHILADELPHIA). (BIOSIS/87/17076). Storer, RA.
- Storey, R; Lewchuk, W. (2000). From dust to dust: asbestos and the struggle for worker health and safety at Bendix Automotive. 45: 103-140.
- Straif, K; Silverstein, M. (1997). Comparison of US Occupational Safety and Health Administration standards and German Berufsgenossenschaften guidelines for preventive occupational health examinations. *Am J Ind Med* 31: 373-380.

Human Health Hazard Literature Search Results

Off Topic

- Straif, K; Stayner, L; Demers, PA; Landrigan, PJ. (2012). Use of meta-analyses by IARC Working Groups [Letter]. *Environ Health Perspect* 120: A342-A343. <http://dx.doi.org/10.1289/ehp.1205397>.
- Stralka, D; Suer, L; Den, A. (2006). Exposure to naturally occurring asbestos during offroad vehicle and camping/hiking activities at a recreational area in California [Abstract]. *Toxicologist* 90: 174.
- Strankinga, WF; Sperber, M; Kaiser, MC; Stam, J. (1987). Accuracy of diagnostic procedures in the initial evaluation and follow-up of mesothelioma patients. *Respiration* 51: 179-187.
- Strauss, SH. (1993). Regulation and management of asbestos-containing materials in hospitals. 1: 9-15.
- Stringer, B; Imrich, A; Kobzik, L. (1996). Lung epithelial cell (A549) interaction with unopsonized environmental particulates: Quantitation of particle-specific binding and IL-8 production. *Exp Lung Res* 22: 495-508.
- Stringer, B; Kobzik, L. (1996). Alveolar macrophage uptake of the environmental particulate titanium dioxide: role of surfactant components. *Am J Respir Cell Mol Biol* 14: 155-160. <http://dx.doi.org/10.1165/ajrcmb.14.2.8630265>.
- Stringer, B; Kobzik, L. (1998). Environmental particulate-mediated cytokine production in lung epithelial cells (A549): role of preexisting inflammation and oxidant stress. *J Toxicol Environ Health A* 55: 31-44.
- Strnad, P. (1967). The Protection of Workers' Health in the Production and Processing of Insulation Materials. (NIOSH/00011356). Strnad, P.
- Strohlein, AC. (1972). A technique for making flexible casts of brain specimens. 22: 174-181.
- Stroink, G; Dahn, D; Holland, J. (1981). MAGNETO PNEUMOGRAPHIC ESTIMATION OF LUNG DUST LOADS AND DISTRIBUTION IN ASBESTOS MINERS AND MILLERS (pp. 9-13). (HEEP/82/05780). Stroink, G; Dahn, D; Holland, J.
- Stroink, G; Lim, D; Dunlap, RA. (1987). A Mössbauer-effect study of autopsied lung tissue of asbestos workers. *Phys Med Biol* 32: 203-211.
- Stroková, B; Evstatieva, S; Dimitrova, S; Mavrodieva, E; Lukanova, R. (1998). Study of asbestos exposure in some applications of asbestos materials in the chemical industry. *Int Arch Occup Environ Health* 71 Suppl: S19-S21.
- Stroszejn-Mrowca, G. (1982). [Correlations between selected indicators of asbestos dust pollution of the work environment]. *Med Pr* 33: 163-169.
- Stroszejn-Mrowca, G. (2003). [Identification of asbestos in bulk materials by polarised light microscopy and phase contrast--method and results] [Review]. *Med Pr* 54: 567-572.
- Stroszejn-Mrowca, G; Szczepaniak, M. (1993). [Microscopic quality control--numeric representation of asbestos fiber concentration in environmental air of the workplace]. *Med Pr* 44: 153-159.
- Stroszejn-Mrowca, G; Szczepaniak, M; Wiecek, E. (1991). [Occupational exposure to asbestos-containing dust at the plants manufacturing and using asbestos products during the years 1986-1989]. *Med Pr* 42: 343-348.
- Stroszejn-Mrowca, G; Wiecek, E. (1979). [Air concentration of asbestos fibers at work sites]. *Med Pr* 30: 293-299.
- Stroszejn-Mrowca, G; Wiecek, E. (1985). EVALUATION OF EXPOSURE TO ASBESTOS DUST IN ASBESTOS-PROCESSING PLANTS. *Med Pr* 36: 214-222.
- Strubelt, O. (1986). On the occurrence and importance of carcinogens in the human environment (pp. 1677-1687). (IPA/88/759281). Strubelt, O.
- Studentova, H; Vitaskova, D; Ctvrtlik, F; Melichar, B; Havlik, R. (2016). Prolonged response to pemetrexed-based chemotherapy in a patient with peritoneal mesothelioma: a case report and review of the literature. 27: 1-5. <http://dx.doi.org/10.1515/pterd-2015-0015>.
- Sturgis, EM. (2010). Asbestos exposure and laryngeal cancer [Letter]. 89: 104; author reply 104.
- Sturm, R. (2010). Deposition and cellular interaction of cancer-inducing particles in the human respiratory tract: Theoretical approaches and experimental data. 1: 141-152. <http://dx.doi.org/10.1111/j.1759-7714.2010.00027.x>.
- Sturm, R. (2010). Theoretical approach to the hit probability of lung-cancer-sensitive epithelial cells by mineral fibers with various aspect ratios. 1: 116-125. <http://dx.doi.org/10.1111/j.1759-7714.2010.00023.x>.
- Sturm, R. (2011). A computer model for the simulation of fiber-cell interaction in the alveolar region of the respiratory tract. *Comput Biol Med* 41: 565-573. <http://dx.doi.org/10.1016/j.compbiomed.2011.05.009>.
- Stutz, H; Bresgen, N; Eckl, PM. (2015). Analytical tools for the analysis of beta-carotene and its degradation products [Review]. *Free Radic Res* 49: 650-680. <http://dx.doi.org/10.3109/10715762.2015.1022539>.
- Sudo, H; Tsuji, AB; Sugyo, A; Ogawa, Y; Sagara, M; Saga, T. (2012). ZDHHC8 knockdown enhances radiosensitivity and suppresses tumor growth in a mesothelioma mouse model. *Cancer Sci* 103: 203-209. <http://dx.doi.org/10.1111/j.1349-7006.2011.02126.x>.
- Sue, DY. (1994). EXERCISE TESTING IN THE EVALUATION OF IMPAIRMENT AND DISABILITY. *Clin Chest Med* 15: 369-387.
- Sueoka, N; Sueoka, E; Miyazaki, Y; Okabe, S; Kurosumi, M; Takayama, S; Fujiki, H. (1998). Molecular pathogenesis of interstitial pneumonitis with TNF-alpha transgenic mice. *Cytokine* 10: 124-131.
- Sugalski, A; Davis, M; Prasannan, L; Saldivar, V; Hung, JY; Tomlinson, GE. (2013). Clinical, histologic, and genetic features of mesothelioma in a 7-year-old child. 60: 146-148. <http://dx.doi.org/10.1002/pbc.24284>.
- Suganuma, N; Tamura, A; Funakoshi, M; Hasegawa, K; Ishimine, A; Koike, A; Tannai, N; Fujii, M; Hattori, M; Hirano, H; Nakamura, K; Funakoshi, M; Satomi, K; Yamashita, Y; Fukuchi, Y. (2010). Asbestos exposure among primary lung cancer patients in Japan [Abstract]. *Am J Respir Crit Care Med* 181: A1732. http://dx.doi.org/10.1164/ajrcm-conference.2010.181.1_MeetingAbstracts.A1732.
- Sugarbaker, DJ; Strauss, GM; Lynch, TJ; Richards, W; Mentzer, SJ; Lee, TH; Corson, JM; Antman, KH. (1993). NODE STATUS HAS PROGNOSTIC-SIGNIFICANCE IN THE MULTIMODALITY THERAPY OF DIFFUSE, MALIGNANT MESOTHELIOMA. *J Clin Oncol* 11: 1172-1178.
- Sugibayashi, K; Todo, H; Kimura, E. (2008). Safety evaluation of titanium dioxide nanoparticles by their absorption and elimination profiles. *J Toxicol Sci* 33: 293-298.
- Sugimoto, R; Kuyama, S; Shimoda, A; Nakanishi, M; Umeno, T; Nohjima, D; Kataoka, K. (2013). CLINICOPATHOLOGIC CHARACTERISTICS OF LUNG CANCER ASSOCIATED WITH PLEURAL PLAQUES. *J Thorac Oncol* 8: S992-S992.

Human Health Hazard Literature Search Results

Off Topic

- Suk, WA; Ruchirawat, KM; Balakrishnan, K; Berger, M; Carpenter, D; Damstra, T; de Garbino, JP; Koh, D; Landrigan, PJ; Makalinao, I; Sly, PD; Xu, Y; Zheng, BS. (2003). Environmental threats to children's health in Southeast Asia and the Western Pacific [Review]. *Environ Health Perspect* 111: 1340-1347. <http://dx.doi.org/10.1289/ehp.6059>.
- Sullivan, PA; Cooper, G. (2008). Rheumatoid arthritis in an asbestos-exposed occupational cohort. *Am J Epidemiol* 167: S117-S117.
- Sullivan, PA; Eisen, EA; Woskie, SR; Kriebel, D; Wegman, DH; Hallock, MF; Hammond, SK; Tolbert, PE; Smith, TJ; Monson, RR. (1998). Mortality studies of metalworking fluid exposure in the automobile industry: VI. A case-control study of esophageal cancer. *Am J Ind Med* 34: 36-48. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199807\)34:1<36::AID-AJIM6>3.0.CO;2-O](http://dx.doi.org/10.1002/(SICI)1097-0274(199807)34:1<36::AID-AJIM6>3.0.CO;2-O).
- Sulotto, F; Capellaro, E; Chiesa, A; Villari, S; Bontempi, S; Scansetti, G. (1997). Relationship between asbestos bodies in sputum and the number of specimens. *Scand J Work Environ Health* 23: 48-53.
- Sulotto, F; Romano, C; Berra, A; Botta, GC; Rubino, GF; Sabbioni, E; Pietra, R. (1986). Rare-earth pneumoconiosis: a new case. *Am J Ind Med* 9: 567-575.
- Sultanov, GV; Gadzhieva, GR. (1976). Case of a polluted water pipeline. *Gig Sanit*.
- Suquet, H. (1989). DIFFERENCES BETWEEN ADSORPTION PROPERTIES OF TWO RHODESIAN CHRYSOTILE SAMPLES RELATION WITH THE DTA FEATURES INTRODUCED BY LEACHING AND GRINDING. *Can J Chem* 67: 202-207.
- Sussman, RG; Gearhart, JM; Lippmann, M. (1985). A variable feed rate mechanism for fluidized bed asbestos generators. *Am Ind Hyg Assoc J* 46: 24-27. <http://dx.doi.org/10.1080/15298668591394329>.
- Suster, S; Moran, C. (2005). Malignant mesothelioma: current status of histopathologic diagnosis and molecular profile [Review]. *Expert Rev Mol Diagn* 5: 715-723. <http://dx.doi.org/10.1586/14737159.5.5.715>.
- Suta, BE; Levine, RJ. (1979). Non-occupational asbestos emissions and exposures. In L Michaels; SS Chissick (Eds.), (pp. 171-205). New York, NY: John Wiley & Sons.
- Suzui, M; Futakuchi, M; Fukamachi, K; Numano, T; Abdelgied, M; Takahashi, S; Ohnishi, M; Omori, T; Tsuruoka, S; Hirose, A; Kanno, J; Sakamoto, Y; Alexander, DB; Alexander, WT; Jiegou, X; Tsuda, H. (2016). Multiwalled carbon nanotubes intratracheally instilled into the rat lung induce development of pleural malignant mesothelioma and lung tumors. *Cancer Sci* 107: 924-935. <http://dx.doi.org/10.1111/cas.12954>.
- Suzuki, M; Toyooka, S; Shivapurkar, N; Shigematsu, H; Miyajima, K; Takahashi, T; Stastny, V; Zern, AL; Fujisawa, T; Pass, HI; Carbone, M; Gazdar, AF. (2005). Aberrant methylation profile of human malignant mesotheliomas and its relationship to SV40 infection. *Oncogene* 24: 1302-1308.
- Suzuki, N; Horiuchi, T; Ohta, K; Yamaguchi, M; Ueda, T; Takizawa, H; Hirai, K; Shiga, J; Ito, K; Miyamoto, T. (1993). MAST-CELLS ARE ESSENTIAL FOR THE FULL DEVELOPMENT OF SILICA-INDUCED PULMONARY INFLAMMATION - A STUDY WITH MAST CELL-DEFICIENT MICE. *Am J Respir Cell Mol Biol* 9: 475-483.
- Suzuki, S; Ishii, S; Wu, A; Cheung, A; Tenney, A; Wanger, G; Kuenen, JG; Nealson, KH. (2013). Microbial diversity in The Cedars, an ultrabasic, ultrareducing, and low salinity serpentinizing ecosystem. *Proc Natl Acad Sci USA* 110: 15336-15341. <http://dx.doi.org/10.1073/pnas.1302426110>.
- Suzuki, T; Sakakibara, Y; Hisanaga, N; Sakai, K; Yu, IJ; Lim, HS; Mikamo, H; Seno, H; Kobayashi, F; Shibata, E. (2016). The association among ferruginous body, uncoated fibers, asbestos and non-asbestos fibers in lung tissue in terms of length. *Ind Health* 54: 370-376. <http://dx.doi.org/10.2486/indhealth.2015-0159>.
- Suzuki, Y. (1985). Laboratory sciences--pathology [Research]. RePORTER Database National Institutes of Health.
- Suzuki, Y. (1986). Laboratory sciences--pathology [Research]. RePORTER Database National Institutes of Health.
- Suzuki, Y. (1987). Laboratory sciences--pathology [Research]. RePORTER Database National Institutes of Health.
- Suzuki, Y. (1988). Laboratory sciences--pathology [Research]. RePORTER Database National Institutes of Health.
- Suzuki, Y. (1989). Laboratory sciences--pathology [Research]. RePORTER Database National Institutes of Health.
- Suzuki, Y. (1990). Laboratory sciences--pathology [Research]. RePORTER Database National Institutes of Health.
- Suzuki, Y. (1991). Laboratory sciences--pathology [Research]. RePORTER Database National Institutes of Health.
- Suzuki, Y. (1992). Diagnostic criteria for human diffuse malignant mesothelioma [Review]. *Acta Pathol Jpn* 42: 767-786.
- Suzuki, Y. (2001). Pathology of human malignant mesothelioma--preliminary analysis of 1,517 mesothelioma cases. *Ind Health* 39: 183-185.
- Suzuki, Y; Aita, S; Hoshino, T; Iwata, H. (1976). APPLICATION OF ANALYTICAL ELECTRON MICROSCOPY FOR DETECTION OF SUB MICROSCOPIC ASBESTOS IN TISSUES. *Am J Pathol* 82.
- Suzuki, Y; Churg, J. (1970). Formation of the asbestos body. A comparative study with three types of asbestos. *Environ Res* 3: 107-118.
- Suzuki, Y; Kipen, H; Lilis, R; Selikoff, IJ. (1987). Pulmonary fibrosis in asbestos insulation workers with lung cancer [Letter]. *Br J Ind Med* 44: 719-720.
- Suzuki, Y; Selikoff, IJ. (1987). PATHOLOGY OF EARLY STAGES OF PULMONARY ASBESTOSIS AMONG YOUNG ASBESTOS INSULATION WORKERS. *Fed Proc* 46: 996-996.
- Svensden, K; Hilt, B. (1999). Lung function disturbances and chest X-ray abnormalities among marine engineers. *Am J Ind Med* 35: 590-594. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199906\)35:6<590::AID-AJIM6>3.0.CO;2-D](http://dx.doi.org/10.1002/(SICI)1097-0274(199906)35:6<590::AID-AJIM6>3.0.CO;2-D).
- Svirskii, EL. (1967). [Hygienic characteristics of the production of Sovelite]. *Gig Tr Prof Zabol* 11: 13-16.
- Svirskii, EL; Kogan, FM. (1970). [Dust factor in heat insulation work utilizing asbestos-containing materials]. *Gig Tr Prof Zabol* 14: 28-32.
- Swain, W; Patrick, G; Faux, S. (2001). Cell signalling pathways initiated in mesothelial cells by asbestos fibers. *Toxicology* 164: 117-117.
- Swann, MH; Lund, DG; Esposito, GG. (1967). Determination of Carbon Black in High Gloss Enamels and Lacquers. A New, Rapid Method for the Total Pigment Content of Solvent-Type Coatings. *J Paint Technol* 39: 191-193.
- Swanson, JA. (2013). Inducible Renitence in Macrophages.

Human Health Hazard Literature Search Results

Off Topic

- Swanson, JA. (2014). Inducible Renitence in Macrophages.
- Swanson, JA. (2015). Inducible Renitence in Macrophages.
- Swauger, JE; Foy, JW. (2000). Safety assessment of continuous glass filaments used in eclipse. *Inhal Toxicol* 12: 1071-1084. <http://dx.doi.org/10.1080/08958370050164662>.
- Swauger, JE; Pauly, JL; Cummings, KM; Streck, RJ. (1999). Correspondence re: J. L. Pauly et al., Glass Fiber Contamination of Cigarette Filters: An Additional Health Risk to the Smoker? *Cancer Epidemiol. Biomark. Prev.*, 7: 967-979, 1998 (and reply). *Cancer Epidemiol Biomarkers Prev* 8: 835-838.
- Świątkowska, B; Szeszenia-Dąbrowska, N. (2017). Spirometry: a predictor of lung cancer among asbestos workers. *Inhal Toxicol* 29: 18-22. <http://dx.doi.org/10.1080/08958378.2016.1272652>.
- Swiatkowska, B; Szeszenia-Dabrowska, N; Sobala, W; Wilczynska, U. (2008). [Occupational risk factors for lung cancer: A case-control study, Lodz industrial center]. *Med Pr* 59: 25-34.
- Świątkowska, B; Szeszenia-Dąbrowska, N; Wilczyńska, U. (2016). Medical monitoring of asbestos-exposed workers: experience from Poland. *Bull World Health Organ* 94: 599-604. <http://dx.doi.org/10.2471/BLT.15.159426>.
- Swuste, P; Burdorf, A; Ruers, B. (2004). Asbestos, asbestos-related diseases, and compensation claims in The Netherlands [Review]. *Int J Occup Environ Health* 10: 159-165. <http://dx.doi.org/10.1179/oe.2004.10.2.159>.
- Swuste, P; Dahhan, M; Burdorf, A. (2008). Linking expert judgement and trends in occupational exposure into a job-exposure matrix for historical exposure to asbestos in The Netherlands. *Ann Occup Hyg* 52: 397-403. <http://dx.doi.org/10.1093/annhyg/men030>.
- Syrjänen, K; Silvoniemi, M; Salminen, E; Vasankari, T; Syrjänen, S. (2012). Detection of human papillomavirus genotypes in bronchial cancer using sensitive multimer assay. *Anticancer Res* 32: 625-631.
- Syrjänen, KJ. (2002). HPV infections and lung cancer [Review]. *J Clin Pathol* 55: 885-891.
- Syslova, K; Kacer, P; Kuzma, M; Pankracova, A; Fenclova, Z; Vlckova, S; Lebedova, J; Pelclova, D. (2010). LC-ESI-MS/MS method for oxidative stress multimarker screening in the exhaled breath condensate of asbestosis/silicosis patients. *J Breath Res* 4: 017104. <http://dx.doi.org/10.1088/1752-7155/4/1/017104>.
- Szczepaniak, M. (1994). [Studies of structure-determined biological aggressiveness of chrysotile asbestos. I. Model of chrysotile crystalline structure]. *Med Pr* 45: 249-255.
- Szczesny, LB; Holbrook, JH. (1992). Cigarette Smoking (pp. 1211-1222). (NIOSH/00225104). Szczesny, LB; Holbrook, JH.
- Szczurek, J. (2008). Asphalt Roofing Shingles into Energy Project. Report for June 1, 2006 to April 20, 2008. 192.
- Szeinuk, J; Wilk-Rivard, EJ. (2007). Case report: Silicosis in a carpet installer. *Environ Health Perspect* 115: 932-935. <http://dx.doi.org/10.1289/ehp.9691>.
- Szeszenia-Dabrowska, N. (2013). Legal aspects of the protection of the health of workers against asbestos in Poland in the light of the EU's legal framework (vol 64(5), pg 689,2013). *Med Pr* 64.
- Szeszenia-Dąbrowska, N; Sobala, W; Świątkowska, B; Stroszejn-Mrowca, G; Wilczyńska, U. (2012). Environmental asbestos pollution -- situation in Poland. *Int J Occup Med Environ Health* 25: 3-13. <http://dx.doi.org/10.2478/s13382-012-0003-0>.
- Szeszenia-Dabrowska, N; Strzelecka, A; Wilczynska, U. (1991). Exposure to carcinogens in industry: Evaluation of the existing situation and a draft of an information system. *Med Pr* 42: 60-65.
- Szeszenia-Dąbrowska, N; Świątkowska, B; Szubert, Z; Wilczyńska, U. (2011). Asbestos in Poland: occupational health problems. *Int J Occup Med Environ Health* 24: 142-152. <http://dx.doi.org/10.2478/s13382-011-0020-4>.
- Szeszenia-Dabrowska, N; Wilczyńska, U. (1986). [Problems related to studies on the mortality of industrial workers exemplified by observations of persons exposed to asbestos dust] [Review]. *Med Pr* 37: 92-100.
- Szeszenia-Dabrowska, N; Wilczyńska, U. (1989). [Problem of cigarette smoking in the epidemiological studies of lung cancer risks among industrial populations]. *Przegl Epidemiol* 43: 283-288.
- Szeszenia-Dabrowska, N; Wilczyńska, U. (2013). Occupational diseases among workers employed in various branches of the national economy. *Med Pr* 64: 161-174.
- Szeszenia-Dabrowska, N; Strzelecka, A; Wilczyńska, U. (1991). [Exposure to carcinogens in industry. Evaluation of the situation and proposition of an information system]. *Med Pr* 42: 59-65.
- Szwarcberg, JB; Glajchen, N; Teirstein, AS. (2005). Pleural involvement in chronic sarcoidosis detected by thoracic CT scanning. *Sarcoidosis Vasc Diffuse Lung Dis* 22: 58-62.
- Szychlinska, MA; Parenti, R; Loreto, C; Salvatorelli, L; Spadola, S; Trovato, FM; Pirri, C; Rapisarda, V; Pace, MM; Magro, G; Musumeci, G. (2014). FLUORO EDENITE-ASSOCIATED PATHOGENESIS IN PLEURAL MALIGNANT MESOTHELIOMA. 30: 980-988.
- Szydłowski, GW; Cohn, HE; Steiner, RM; Edie, RN. (1992). ROUNDED ATELECTASIS - A PULMONARY PSEUDOTUMOR. *Ann Thorac Surg* 53: 817-821.
- Szymczak, W; Szeszenia-Dabrowska, N; Wilczyńska, U. (1995). [Assessment of cancer risk in the general population of Poland due to asbestos exposure. I. Basis of methodology]. *Przegl Epidemiol* 49: 399-406.
- Szymczak, W; Wilczyńska, U; Szeszenia-Dabrowska, N. (1989). [Mortality rates in industrial cohort studies. II. Standardized relative risk] [Review]. *Med Pr* 40: 162-168.
- [†]T Mannelte, A; Brennan, P; Zaridze, D; Szeszenia-Dabrowska, N; Rudnai, P; Lissowska, J; Fabianova, E; Cassidy, A; Mates, D; Bencko, V; Foretova, L; Janout, V; Fovotte, J; Fletcher, T; Boffetta, P. (2012). Welding and Lung Cancer in Central and Eastern Europe and the United Kingdom. *Am J Epidemiol* 175: 706-714. <http://dx.doi.org/10.1093/aje/kwr358>.
- [†]T Mannelte, A; Kromhout, H. (2003). The use of occupation and industry classifications in general population studies. *Int J Epidemiol* 32: 419-428. <http://dx.doi.org/10.1093/ije/dyg080>.

Human Health Hazard Literature Search Results

Off Topic

- Taatjes, DJ; Sobel, BE; Budd, RC. (2008). Morphological and cytochemical determination of cell death by apoptosis [Review]. *Histochem Cell Biol* 129: 33-43. <http://dx.doi.org/10.1007/s00418-007-0356-9>.
- Tabata, C; Hirayama, N; Tabata, R; Yasumitsu, A; Yamada, S; Murakami, A; Iida, S; Tamura, K; Fukuoka, K; Kuribayashi, K; Terada, T; Nakano, T. (2010). A novel clinical role for angiopoietin-1 in malignant pleural mesothelioma. *Eur Respir J* 36: 1099-1105. <http://dx.doi.org/10.1183/09031936.00154009>.
- Tabershaw, IR. (1974). Medical criteria for work in respiratory hazards. *J Occup Med* 16: 402-405.
- Tachiyama, Y; Izumi, K; Kawanishi, M. (1990). Secular trends in incidence and degree of concentration of asbestos bodies in autopsied lungs in Hiroshima prefecture (Japan) (1957-1987) (pp. 25-34). (BIOSIS/90/17479). Tachiyama, Y; Izumi, K; Kawanishi, M.
- Tada, Y; Takiguchi, Y; Hiroshima, K; Shimada, H; Ueyama, T; Nakamura, M; Tatsumi, K; Kuriyama, T; Tagawa, M. (2008). Gene therapy for malignant pleural mesothelioma: present and future [Review]. *Oncol Res* 17: 239-246.
- Taddeo, D. (2006). Point of view of Occupational Health Prevention Units. *Med Lav* 97: 458-462.
- Taikina-Aho, O; Anttila, S; Paakko, P; Sivonen, SJ; Kalliomaki, PL. (1990). Environmental Pulmonary Mineral Burden Correlated with Smoking, Pulmonary Emphysema and Lung Cancer. *Commun Soil Sci Plant Anal* 27: 11-12.
- Taioli, E; Wolf, AS; Camacho-Rivera, M; Flores, RM. (2014). Women with malignant pleural mesothelioma have a threefold better survival rate than men. *Ann Thorac Surg* 98: 1020-1024. <http://dx.doi.org/10.1016/j.athoracsur.2014.04.040>.
- Tait, N. (1980). The effect of differing concepts of the criteria that should be used for the diagnosis of asbestos disease. *IARC Sci Publ* 855-859.
- Tajik, M; Gottlieb, K; Lowndes, N; Stewart, G. (2007). Environmental policies, politics, and community risk perception: case study of community contamination in Casper, Wyoming. *New Solutions: A Journal of Environmental and Occupational Health Policy* 17: 345-361. <http://dx.doi.org/10.2190/NS.17.4.i>.
- Takabe, K; Tsukada, Y; Shimizu, T; Takagiwa, J; Hirayama, M; Nakayama, M; Miura, H; Akabane, H; Takayama, S; Aida, S. (1997). [The clinical utility of asbestos body counts in bronchoalveolar lavage fluid]. *Nihon Kyobu Shikkan Gakkai Zasshi* 35: 1196-1204.
- Takagi, A; Hirose, A; Futakuchi, M; Tsuda, H; Kanno, J. (2012). Dose-dependent mesothelioma induction by intraperitoneal administration of multi-wall carbon nanotubes in p53 heterozygous mice. *Cancer Sci* 103: 1440-1444. <http://dx.doi.org/10.1111/j.1349-7006.2012.02318.x>.
- Takahashi; Pan; Kasai; Hanaoka; Feng; Liu; Zhang; Xu; Tsuda; Yamato; Higashi; Okubo. (1997). Relationship between Asbestos Exposures and 8-Hydroxydeoxyguanosine Levels in Leukocytic DNA of Workers at a Chinese Asbestos-material Plant. *Int J Occup Environ Health* 3: 111-119. <http://dx.doi.org/10.1179/oeh.1997.3.2.111>.
- Takahashi, K. en. (2009). The asbestos threat: a world-wide overview of the epidemiology of asbestos exposure. *J Thorac Oncol* 4: S71-S72.
- Takahashi, K; Case, BW; Duffresne, A; Fraser, R; Higashi, T; Siemiatacki, J. (1994). Relation between lung asbestos fibre burden and exposure indices based on job history. *Occup Environ Med* 51: 461-469.
- Takahashi, K; Kang, SK. (2010). Towards elimination of asbestos-related diseases: a theoretical basis for international cooperation. *Saf Health Work* 1: 103-106. <http://dx.doi.org/10.5491/SHAW.2010.1.2.103>.
- Takahashi, K; Karjalainen, A. (2003). A cross-country comparative overview of the asbestos situation in ten Asian countries. *Int J Occup Environ Health* 9: 244-248. <http://dx.doi.org/10.1179/oeh.2003.9.3.244>.
- Takahashi, K; Landrigan, PJ; Ramazzini, C. (2016). The Global Health Dimensions of Asbestos and Asbestos-Related Diseases. *J Occup Health* 82: 209-213. <http://dx.doi.org/10.1016/j.aogh.2016.01.019>.
- Takahashi, K; Otsuki, T; Mase, A; Kawado, T; Kotani, M; Nishimura, Y; Maeda, M; Murakami, S; Kumagai, N; Hayashi, H; Chen, Y; Shirahama, T; Miura, Y; Morimoto, K. (2009). Two weeks of permanence in negatively-charged air conditions causes alteration of natural killer cell function. *Int J Immunopathol Pharmacol* 22: 333-342.
- Takahashi, K; Sekikawa, A; Laporte, RE; Satoh, T; Pan, G; Ren, A; Okubo, T; Yoshimura, T. (1998). Occupational lung diseases and global occupational health on the Net. *Occup Med (Lond)* 48: 3-6.
- Takahashi, T; Munakata, M; Takekawa, H; Homma, Y; Kawakami, Y. (1996). Pulmonary fibrosis in a carpenter with long-lasting exposure to fiberglass. *Am J Ind Med* 30: 596-600.
- Takahashi, Y; Miyaki, K; Nakayama, T. (2007). Analysis of news of the Japanese asbestos panic: a supposedly resolved issue that turned out to be a time bomb. *J Public Health (Oxf)* 29: 62-69. <http://dx.doi.org/10.1093/pubmed/fdl081>.
- Takala, J. (2015). Eliminating occupational cancer [Editorial]. *Ind Health* 53: 307-309. <http://dx.doi.org/10.2486/indhealth.53-307>.
- Takanen, S; Resuli, B; Graziano, V; Parisi, A; Lisi, R; Raffetto, N; Tombolini, V. (2012). Complete Response and Long-term Survival in Malignant Pleural Mesothelioma: Case Report. *Anticancer Res* 32: 1485-1487.
- Takaro, TK. (2000). Combined effect of radiation & asbestos in producing pul.
- Takaro, TK. (2001). Combined effect of radiation & asbestos in producing pul.
- Takaro, TK; Davis, D; Van Rensburg, SJ; Arroyo Aguilar, RS; Algranti, E; Bailar, JC; Belpoggi, F; Berlin, M; Bhattacharya, S; Bonnier Viger, YV; Brophy, J; Bustinza, R; Cameron, RB; Dement, JM; Egilman, D; Castleman, B; Chaturvedi, S; Cherniack, M; Choudhury, H; Demers, PA; Digangi, J; Digon, A; Edwards, JG; Englund, A; Erikson, B; Corr ea Filho, HR; Franco, G; Frank, AL; Freund, A; Gee, D; Giordano, A; Gochfeld, M; Gilbert, M; Goldsmith, DF; Goldstein, BD; Grandjean, P; Greenberg, M; Gut, I; Harari, R; Hindry, M; Hogstedt, C; Huff, J; Infante, PF; J rnholm, B; Kern, DG; Keifer, M; Khatler, K; Kjuus, H; Keith, M; Koo, LC; Kumar, A; Ladou, J; Landrigan, PJ; Lemen, RA; Last, JM; Lee, CW; Leigh, J; Levin, SM; Lippman, A; Madrid, GA; McCulloch, J; McDiarmid, MA; Merchant, JA; Monforton, C; Morse, T; Muir, DC; Mukerjee, D; Mulloy, KB; Myers, J; Nuwayhid, I; Orris, P; Ozonoff, D; Paek, D; Patra, M; Pelclov a, D; Pepper, L; Poje, GV; Rahman, Q; Reyes, B; Robinson, BW; Rodr guez, E; Rose, C; Rosenman, KD; Rosenstock, L; Ruchirawat, M; Rydzynski, K; Schneider, J; Silverstein, B; Siqueira, CE; Slatin, C; Soffritti, M; Soskoline, C; Sparer, J; Stayner, LT; Takaro, TK; Tarkowski, S; Teitelbaum, DT; Tompa, A; Trosic, I;

Human Health Hazard Literature Search Results

Off Topic

- Turcotte, F; Vilela, RA; Waterman, YR; Watterson, A; Wegman, DH; Welch, LS; Woitowitz, HJ; Yanri, Z; Zavariz, C. (2010). Scientists appeal to Quebec Premier Charest to stop exporting asbestos to the developing world [Letter]. *Int J Occup Environ Health* 16: 241-248.
- Takaro, TK; Griffith, W; Omri, K. (2004). Combined effects of radiation and asbestos in producing pulmonary fibrosis. *Chest* 126: 766S-767S.
- Takaro, TK; Griffith, WC; Omri, K; Checkoway, H; Faustman, EM. (2003). Asbestos and radiation as combined exposures in pulmonary fibrosis. *Toxicol Sci* 72: 46-46.
- Takaya, M; Serita, F; Yamazaki, K; Aiso, S; Kubota, H; Asakura, M; Ikawa, N; Nagano, K; Arito, H; Fukushima, S. (2010). Characteristics of Multiwall Carbon Nanotubes for an Intratracheal Instillation Study with Rats. *Ind Health* 48: 452-459.
- Takehara, Y; Endo, S; Mori, Y; Nakahara, K; Takayanagi, D; Shimada, S; Omoto, T; Maeda, C; Mukai, S; Hidaka, E; Ishida, F; Tanaka, J; Kudo, SE. (2014). Malignant peritoneal mesothelioma with lymph node metastasis that originated in the transverse colon. *World Journal of Surgical Oncology* 12: 112. <http://dx.doi.org/10.1186/1477-7819-12-112>.
- Takemura, T; Rom, WN; Ferrans, VJ; Crystal, RG. (1989). Morphologic characterization of alveolar macrophages from subjects with occupational exposure to inorganic particles. *Am Rev Respir Dis* 140: 1674-1685. <http://dx.doi.org/10.1164/ajrccm/140.6.1674>.
- Takemura, Y; Satoh, M; Satoh, K; Hamada, H; Sekido, Y; Kubota, S. (2010). High dose of ascorbic acid induces cell death in mesothelioma cells. *Biochem Biophys Res Commun* 394: 249-253. <http://dx.doi.org/10.1016/j.bbrc.2010.02.012>.
- Takeshima, Y; Amatya, VJ; Kushitani, K; Kaneko, M; Inai, K. (2009). Value of immunohistochemistry in the differential diagnosis of pleural sarcomatoid mesothelioma from lung sarcomatoid carcinoma. *Histopathology* 54: 667-676. <http://dx.doi.org/10.1111/j.1365-2559.2009.03298.x>.
- Takeuchi, T; Morimoto, K; Kosaka, H; Shiga, T. (1993). SPIN-TRAPPING OF SUPEROXIDE RELEASED BY OPSONIZED ASBESTOS FROM HUMAN PROMYELOCYTIC LEUKEMIA-CELL LINE, HL-60. *Biochem Biophys Res Commun* 194: 57-64. <http://dx.doi.org/10.1006/bbrc.1993.1784>.
- Talaska, G; Underwood, P; Maier, A; Lewtas, J; Rothman, N; Jaeger, M. (1996). Polycyclic aromatic hydrocarbons (PAHs), nitro-PAHs and related environmental compounds: Biological markers of exposure and effects. *Environ Health Perspect* 104: 901-906. <http://dx.doi.org/10.2307/3433008>.
- Talcott, JA. (1989). Clinical and classical epidemiology in oncology [Research]. RePORTER Database National Institutes of Health.
- Talcott, JA. (1990). Clinical and classical epidemiology in oncology [Research]. RePORTER Database National Institutes of Health.
- Talcott, JA. (1991). Clinical and classical epidemiology in oncology [Research]. RePORTER Database National Institutes of Health.
- Tallet, A; Nault, JC; Renier, A; Hysi, I; Galateau-Sallé, F; Cazes, A; Copin, MC; Hofman, P; Andujar, P; Le Pimpec-Barthes, F; Zucman-Rossi, J; Jaurand, MC; Jean, D. (2014). Overexpression and promoter mutation of the TERT gene in malignant pleural mesothelioma. *Oncogene* 33: 3748-3752. <http://dx.doi.org/10.1038/onc.2013.351>.
- Tamer Dogan, O; Salk, I; Tas, F; Epözürk, K; Gumus, C; Akkurt, I; Levent Ozsahin, S. (2012). Thoracic computed tomography findings in malignant mesothelioma. *Iranian Journal of Radiology* 9: 209-211. <http://dx.doi.org/10.5812/iranradiol.8764>.
- Tammilehto, L; Maasilta, P; Kostianen, S; Appelqvist, P; Holsti, LR; Mattson, K. (1992). Diagnosis and prognostic factors in malignant pleural mesothelioma: a retrospective analysis of sixty-five patients. *Respiration* 59: 129-135.
- Tamminen, JA; Yin, M; Rönty, M; Sutinen, E; Pasternack, A; Ritvos, O; Myllärniemi, M; Koli, K. (2015). Overexpression of activin-A and -B in malignant mesothelioma - attenuated Smad3 signaling responses and ERK activation promote cell migration and invasive growth. *Exp Cell Res* 332: 102-115. <http://dx.doi.org/10.1016/j.yexcr.2014.12.010>.
- Tamura, T; Suganuma, N; Hering, KG; Vehmas, T; Itoh, H; Akira, M; Takashima, Y; Hirano, H; Kusaka, Y. (2015). Relationships (I) of International Classification of High-resolution Computed Tomography for Occupational and Environmental Respiratory Diseases with the ILO International Classification of Radiographs of Pneumoconioses for parenchymal abnormalities. *Ind Health* 53: 260-270. <http://dx.doi.org/10.2486/indhealth.2014-0073>.
- Tan, E; Warren, N; Darnton, AJ; Hodgson, JT. (2010). Projection of mesothelioma mortality in Britain using Bayesian methods. *Br J Cancer* 103: 430-436. <http://dx.doi.org/10.1038/sj.bjc.6605781>.
- Tan, H; Fu, L; Seno, M. (2010). Optimization of bacterial plasmid transformation using nanomaterials based on the Yoshida effect. *International Journal of Molecular Sciences* 11: 4961-4972. <http://dx.doi.org/10.3390/ijms11124962>.
- Tan, WK; Tan, MY; Tan, WS; Gan, SC; Pathmanathan, R; Tan, HM; Tan, WP. (2016). Well-Differentiated Papillary Mesothelioma of the Tunica Vaginalis: Case Report and Systematic Review of Literature. *Clinical Genitourinary Cancer (Online)* 14: e435-e439. <http://dx.doi.org/10.1016/j.clgc.2016.03.007>.
- Tanaka, I; Akiyama, T. (1985). [A personal sampling and an area sampling--exposure concentration and environmental concentration]. *J UOEH* 7: 207-211.
- Tanaka, I; Osada, H; Fujii, M; Fukatsu, A; Hida, T; Horio, Y; Kondo, Y; Sato, A; Hasegawa, Y; Tsujimura, T; Sekido, Y. (2015). LIM-domain protein AJUBA suppresses malignant mesothelioma cell proliferation via Hippo signaling cascade. *Oncogene* 34: 73-83. <http://dx.doi.org/10.1038/onc.2013.528>.
- Tanaka, I; Yamato, H; Oyabu, T; Ogami, A. (2001). Biopersistence of man-made fibers by animal inhalation experiments in recent reports. *Ind Health* 39: 114-118. <http://dx.doi.org/10.2486/indhealth.39.114>.
- Tang, KM; Nace, CG, Jr; Lynes, CL; Maddaloni, MA; Laposta, D; Callahan, KC. (2004). Characterization of background concentrations in upper Manhattan, New York apartments for select contaminants identified in World Trade Center dust. *Environ Sci Technol* 38: 6482-6490. <http://dx.doi.org/10.1021/es035468r>.
- Tang, KM; Nace, CG; Maddaloni, MA; Harkay, JD; Graham, DR; Koustas, RN; Rotola, JD; Laposta, D; Callahan, KC. (2004). Evaluation of vacuum and wet-wipe methods for removal of World Trade Center dust from indoor environments. *Journal of the Air and Waste Management Association* 54: 1293-1298. <http://dx.doi.org/10.1080/10473289.2004.10470992>.

Human Health Hazard Literature Search Results

Off Topic

- Tannahill, SN; Jackson, MH; Willey, RJ. (1990). Effect of Cowl on Air Samples for Amosite in the Workplace and in the Laboratory. *Ann Occup Hyg* 34: 521-527.
- Tannahill, SN; Willey, RJ; Jackson, MH. (1990). Workplace protection factors of HSE approved negative pressure full-facepiece dust respirators during asbestos stripping: preliminary findings. *Ann Occup Hyg* 34: 547-552.
- Tanrikulu, AC; Abakay, A; Kaplan, M; Kucukoner, M; Palanci, Y; Evliyaoglu, O; Sezgi, C; Sen, H; Carkanat, A; Kirbas, G. (2010). A Clinical, Radiographic and Laboratory Evaluation of Prognostic Factors in 363 Patients with Malignant Pleural Mesothelioma. *Respiration* 80: 480-487. <http://dx.doi.org/10.1159/000321370>.
- Tansan, S; Emri, S; Selçuk, T; Koç, Y; Hesketh, P; Heeren, T; Mccaffrey, RP; Barış, YI. (1994). Treatment of malignant pleural mesothelioma with cisplatin, mitomycin C and alpha interferon. *Oncology: Int J Canc Res Treat* 51: 348-351.
- Tao, G; Zu, K; Kerper, LE; Goodman, JE. (2015). Comment on "HRCT/CT and associated spirometric effects of low Libby Amphibole asbestos exposure" by Lockey et al (2015) [Comment]. *J Occup Environ Med* 57: e80. <http://dx.doi.org/10.1097/JOM.0000000000000463>.
- Tapbergenov, SO; Zhetpisbaev, BA; Ilderbayev, OZ; Zhetpisbaeva, HS; Olzhayeva, RR; Prozor, II; Usenova, OA; Ilderbayeva, GO. (2013). Free radical oxidation in rats in the delayed period after combined exposure to dust and radiation. *Bull Exp Biol Med* 154: 747-749. <http://dx.doi.org/10.1007/s10517-013-2046-z>.
- Tapp, L; Sussell, A. (2008). Health Hazard Evaluation Report: HETA-2007-0055-3073, Huntington Coach Corporation, Huntington Station, New York, October 2008. Evaluation of Employee Exposures in a Bus Maintenance Shop. 24.
- Tárnok, A; Dörger, M; Berg, I; Gercken, G; Schlüter, T. (2001). Rapid screening of possible cytotoxic effects of particulate air pollutants by measurement of changes in cytoplasmic free calcium, cytosolic pH, and plasma membrane potential in alveolar macrophages by flow cytometry. *Cytometry* 43: 204-210.
- Tarry, SL. (2007). More about differential peeky bias [Letter]. *Int J Occup Environ Health* 13: 133-134; author reply 134-136.
- Tartakovskaia, LI, a; Osintsev, VI, a; Gridin, NM. (1982). [Establishing permissible vibration levels at work sites for the operators of industrial equipment]. *Gig Tr Prof Zabol* 8-10.
- Tartakovskaya L, YA; Osintsev V, YA; Gridin, NM. (1982). Derivation of vibration allowable levels for workplaces of industrial equipment operators. *Gig Tr Prof Zabol* 0: 8-10.
- Taskforce, ZNC. (2007). FIOH-sponsored Newsletter. Misrepresentation of asbestos hazards in Zimbabwe. Zimbabwe can use chrysotile fiber safely and responsibly [Letter]. *Int J Occup Environ Health* 13: 139; author reply 139-140.
- Taskinen, E; Ahlman, K; Wiikeri, M. (1973). A current hypothesis of the lymphatic transport of inspired dust to the parietal pleura. *Chest* 64: 193-196.
- Tátraí, E; Brozik, M; Adamis, Z; Merétey, K; Ungváry, G. (1996). In vivo pulmonary toxicity of cellulose in rats. *J Appl Toxicol* 16: 129-135. [http://dx.doi.org/10.1002/\(SICI\)1099-1263\(199603\)16:2<129::AID-JAT316>3.0.CO;2-C](http://dx.doi.org/10.1002/(SICI)1099-1263(199603)16:2<129::AID-JAT316>3.0.CO;2-C).
- Taubert, L. (2000). Hydrochloric attack of serpentinites: Mg²⁺ leaching from serpentinites. *Magnes Res* 13: 167-173.
- Taunton, AE; Gunter, ME; Nolan, RP; Phillips, JI. (2011). Characterization of minerals in pleural plaques from lung tissue of non-human primates. *Periodico di Mineralogia* 80: 167-179. <http://dx.doi.org/10.2451/2011PM0014>.
- Taunton, AE; Wood, SA; Gunter, ME. (2002). The thermodynamics of asbestos mineral dissolution and conversion in the human lung. *Geochim Cosmo Acta* 66: A765-A765.
- Taylor, DG; Nenadic, CM; Crable, JV. (1970). Infrared Spectra for Mineral Identification. *Am Ind Hyg Assoc J* 31: 100-108.
- Taylor, JA. (1989). Molecular epidemiology of cancer susceptibility and oncogene activation [Research]. RePORTER Database National Institutes of Health.
- Taylor, JA. (1989). Molecular epidemiology of cancer susceptibility and oncogene activation [Research]. RePORTER Database National Institutes of Health.
- Taylor, JA. (1991). Molecular epidemiology of cancer susceptibility and oncogene activation [Research]. RePORTER Database National Institutes of Health.
- Taylor, JA. (1992). Molecular epidemiology of cancer susceptibility and oncogene activation [Research]. RePORTER Database National Institutes of Health.
- Taylor, JA. (1995). Molecular epidemiology of cancer susceptibility and oncogene activation [Research]. RePORTER Database National Institutes of Health.
- Taylor, JA. (1997). Exposure specific mutation in critical target genes [Research]. RePORTER Database National Institutes of Health.
- Taylor, JA. (1998). Exposure specific mutation in critical target genes [Research]. RePORTER Database National Institutes of Health.
- Taylor, RL; Taylor, MS; Noguchi, TT. (1975). APPLICATIONS OF SCANNING ELECTRON MICROSCOPIC X-RAY ANALYSIS AT THE LOS-ANGELES COUNTY CALIFORNIA USA FORENSIC SCIENCE CENTER (pp. PART 1). (HEEP/75/10828). Taylor, RL; Taylor, MS; Noguchi, TT.
- Taylor, T; Saxion, H; Zender, K; Reaves, R; Mantell, M; De La Cruz, R; Dunagan, D. (2008). nmental Assessment: Building 3001 Tinker Air Force Base, Oklahoma.
- T-C, A; Stephenson, RL. (1983). Health Hazard Evaluation Report No. HETA-82-113-1374, Mainstreet Enterprises, Lebanon, Indiana (pp. 82-113). (NIOSH/00178913). Aw T-C; Stephenson, RL.
- Teherani, DK. (1985). DETERMINATION OF ARSENIC SCANDIUM CHROMIUM COBALT AND NICKEL IN ASBESTOS BY NEUTRON ACTIVATION ANALYSIS (pp. 177-184). (BIOSIS/86/03161). Teherani, DK.
- Teherani, DK. (1986). APPLICATION OF NEUTRON ACTIVATION ANALYSIS FOR DETERMINATION OF MERCURY IRON EUROPIUM LANTHANUM AND POTASSIUM IN ASBESTOS (pp. 231-240). (BIOSIS/86/27155). Teherani, DK.
- Teichert, U. (1983). Emission Reduction By Prefabrication Of Asbestos Cement Products And By The Use Of Low-Dust Shaping Devices (pp. 425-429). (NIOSH/00148916). Teichert, U.

Human Health Hazard Literature Search Results

Off Topic

- Teirstein, AS. (1992). Advances in lung cancer? *Environ Res* 59: 145-149.
- Teirstein, AS; Chuang, MT; Miller, A. (1976). FLEXIBLE BRONCHOSCOPIC BIOPSY AND ELECTRON MICROSCOPY IN THE DIAGNOSIS OF PULMONARY ASBESTOSIS. *Am Rev Respir Dis* 113.
- Teixeira, AP; Purceno, AD; de Paula, CC; da Silva, JC; Ardisson, JD; Lago, RM. (2013). Efficient and versatile fibrous adsorbent based on magnetic amphiphilic composites of chrysotile/carbon nanostructures for the removal of ethynylestradiol. *J Hazard Mater* 248-249: 295-302. <http://dx.doi.org/10.1016/j.jhazmat.2013.01.014>.
- Teixeira, MI; Melo, AP; Ferraz, GM; Caldas, LV. (2010). Application of jade samples for high-dose dosimetry using the EPR technique. 68: 582-585. <http://dx.doi.org/10.1016/j.apradiso.2009.09.066>.
- Tejral, J; Smejkalová, J; Srb, V; Fiala, Z; Musil, M; Vales, P. (1997). [Biological and medical monitoring of persons with occupational exposure to fibrous materials]. *Acta Medica (Hradec Kralove) Suppl* 40: 107-111.
- Tekath, M; Duthheil, F; Bellini, R; Roche, A; Pereira, B; Naughton, G; Chamoux, A; Michel, JL. (2014). Comparison of the ultra-low-dose Veo algorithm with the gold standard filtered back projection for detecting pulmonary asbestos-related conditions: a clinical observational study. *BMJ Open* 4: e004980. <http://dx.doi.org/10.1136/bmjopen-2014-004980>.
- Tekinbas, C; Erol, MM; Saglam, F; Nuhoglu, I; Gunduz, A. (2009). Approach to patients with intrathoracic solitary fibrous tumors. *Turkish Journal of Thoracic and Cardiovascular Surgery* 17: 97-100.
- Tenaglia, L; Proietti, L; Cali, S; Trovato, S; Accurso, N; Di Stefano, C; Catania, G. (2007). Peritoneal malignant mesothelioma: case report. *G Chir* 28: 435-438.
- Terada, T; Tabata, C; Tabata, R; Okuwa, H; Kanemura, S; Shibata, E; Nakano, T. (2012). Clinical utility of 18-fluorodeoxyglucose positron emission tomography/computed tomography in malignant pleural mesothelioma. *Exp Ther Med* 4: 197-200. <http://dx.doi.org/10.3892/etm.2012.572>.
- Terracini, B. (2008). [Rotterdam Convention: chrysotile is still in the waiting list] [Editorial]. *Epidemiol Prev* 32: 275-276.
- Terracini, B. (2008). Yokohama declaration for fair and equal compensation for all asbestos victims and their families. *Int J Occup Environ Health* 14: 67. <http://dx.doi.org/10.1179/oeht.2008.14.1.67>.
- Terracini, B; Mirabelli, D. (2016). Asbestos and product defence science [Editorial]. *Int J Epidemiol* 45: 614-618. <http://dx.doi.org/10.1093/ije/dyw136>.
- Terracini, B; Mirabelli, D. (2016). Asbestos and product defence science. Response to: Boffetta and La Vecchia [Letter]. *Int J Epidemiol* 45: 1692-1693. <http://dx.doi.org/10.1093/ije/dyw258>.
- Terracini, B; Mirabelli, D; Baur, X; Landrigan, P; Ramazzini, C. (2016). Comments on the causation of malignant mesothelioma: Rebutting the false concept that recent exposures to asbestos do not contribute to causation of mesothelioma. *Am J Ind Med* 59: 506-507. <http://dx.doi.org/10.1002/ajim.22590>.
- Terracini, B; Mirabelli, D; Baur, X; Landrigan, PJ; Ramazzini, C. (2016). Re: Comments on the causation of malignant mesothelioma: Rebutting the false concept that recent exposures to asbestos do not contribute to causation of mesothelioma. *Am J Ind Med* 59: 1180-1182. <http://dx.doi.org/10.1002/ajim.22663>.
- Terracini, B; Mirabelli, D; Magnani, C; Ferrante, D; Barone-Adesi, F; Bertolotti, M. (2014). A critique to a review on the relationship between asbestos exposure and the risk of mesothelioma [Letter]. *Eur J Cancer Prev* 23: 492-494. <http://dx.doi.org/10.1097/CEJ.0000000000000057>.
- Terra-Filho, M; Bagatin, E; Nery, LE; Nápolis, LM; Neder, JA; de Souza Portes Meirelles, G; Silva, CI; Muller, NL. (2015). Screening of miners and millers at decreasing levels of asbestos exposure: comparison of chest radiography and thin-section computed tomography. *PLoS ONE* 10: e0118585. <http://dx.doi.org/10.1371/journal.pone.0118585>.
- Terra-Filho, M; Kavakama, J; Bagatin, E; Capelozzi, VL; Nery, LE; Tavares, R. (2003). Identification of rounded atelectasis in workers exposed to asbestos by contrast helical computed tomography. *Braz J Med Biol Res* 36: 1341-1347.
- Teschke, K. (2016). Thinking about Occupation-Response and Exposure-Response Relationships: Vehicle Mechanics, Chrysotile, and Mesothelioma [Letter]. *Ann Occup Hyg* 60: 528-530. <http://dx.doi.org/10.1093/annhyg/mew015>.
- Teschke, K; Ahrens, W; Andersen, A; Boffetta, P; Fincham, S; Finkelstein, M; Henneberger, P; Kauppinen, T; Kogevinas, M; Korhonen, K; Liss, G; Liukkonen, T; Osvoll, P; Savela, A; Szadkowska-Stanczyk, I; Westberg, H; Widerkiewicz, K. (1999). Occupational exposure to chemical and biological agents in the nonproduction departments of pulp, paper, and paper product mills: an international study. *Am Ind Hyg Assoc J* 60: 73-83. <http://dx.doi.org/10.1080/0002889908984424>.
- Teschke, K; Morgan, MS; Checkoway, H; Franklin, G; Spinelli, JJ; van Belle, G; Weiss, NS. (1997). Mesothelioma surveillance to locate sources of exposure to asbestos. *Can J Public Health* 88: 163-168.
- Teschke, K; Olshan, AF; Daniels, JL; De Roos, AJ; Parks, CG; Schulz, M; Vaughan, TL. (2002). Occupational exposure assessment in case-control studies: Opportunities for improvement [Review]. *Occup Environ Med* 59: 575-594. <http://dx.doi.org/10.1136/oem.59.9.575>.
- Teschke, K; van Zwieten, L. (1999). Perceptions of the causes of bladder cancer, nasal cancer, and mesothelioma among cases and population controls. *Appl Occup Environ Hyg* 14: 819-826. <http://dx.doi.org/10.1080/104732299302053>.
- Testa, JR. (2002). Molecular Genetic Alterations in Malignant Mesothelioma.
- Testa, JR. (2003). Molecular Genetic Alterations in Malignant Mesothelioma.
- Testa, JR. (2004). Molecular Genetic Alterations in Malignant Mesothelioma.
- Testa, JR. (2006). Akt and tumor suppressor pathways in mesothelioma.
- Testa, JR. (2007). Akt and tumor suppressor pathways in mesothelioma.
- Testa, JR. (2008). Akt and tumor suppressor pathways in mesothelioma.
- Testa, JR. (2010). Akt and tumor suppressor pathways in mesothelioma.

Human Health Hazard Literature Search Results

Off Topic

- Testa, JR. (2012). Role of the inflammasome in asbestos-induced mesothelioma formation (pp. 7). Testa, JR.
- Testa, JR. (2014). Biomedical Project 4 - Animal Models of Mesothelioma.
- Testa, JR. (2015). Biomedical Project 4 - Animal Models of Mesothelioma.
- Testa, JR; Giordano, A. (2001). SV40 and cell cycle perturbations in malignant mesothelioma. *Semin Cancer Biol* 11: 31-38. <http://dx.doi.org/10.1006/scbi.2000.0344>.
- Teta, MJ. (2011). Mesothelioma in a connecticut friction plant: the need for transparency and exposure information in attribution of risk [Letter]. *Ann Occup Hyg* 55: 817-819; author reply 820-812. <http://dx.doi.org/10.1093/annhyg/mer049>.
- Teta, MJ; Ott, MG; Schnatter, AR. (1987). Population Based Mortality Surveillance in Carbon Products Manufacturing Plants. *Br J Ind Med* 44: 344-350.
- Tetikurt, C; Tetikkurt, S; Ozdemir, I; Bayar, N. (2011). Round atelectasis in sarcoidosis. 6: 180-182. <http://dx.doi.org/10.1186/2049-6958-6-3-180>.
- Tetley, TD; Rose, FA; Richards, RJ. (1981). Biochemical and cellular reaction of polyvinylchloride paste polymers and latex following intratracheal instillation into rats. *Inflammation* 5: 137-152.
- Tewaternaude, J; Abratt, R; Myers, J. (2006). South Africa: The first link between asbestos and mesothelioma, but not the last word? *Lung Cancer* 54: S9-S9.
- Tewson, TJ; Francsechini, MP; Scheule, RK; Holian, A. (1991). Preparation of radiolabeled bioactive asbestos fibers. *Appl Radiat Isot* 42: 499-502.
- T-H, F; M-T, C; Wong, FCH; Shaw, DT. (1991). Generation and Characterization of Ultrafine Chain Aggregate Aerosols. *Aerosol Sci Technol* 15: 19-29.
- Thanh, TD; Tho, NV; Lam, NS; Dung, NH; Tabata, C; Nakano, Y. (2016). Simian virus 40 may be associated with developing malignant pleural mesothelioma. 11: 2051-2056. <http://dx.doi.org/10.3892/ol.2016.4174>.
- Thaon, I; Guillemin, M; Gonzalez, M; Cantineau, A. (2001). Toxic hazards and occupational diseases related to the soldering of metals. *Encyclopedie Medico-Chirurgicale Toxicologie - Pathologie Professionnelle die m and eacute*.
- Thaon, I; Mouchetrou-Njoya, I; Luc, A; Penven, E; Paireon, JC; Paris, C. (2013). The role of knowledge and perceived risks of asbestos-related effects on psychological distress. *Eur Respir J* 42.
- Tharr, D. (1991). Asbestos Exposure During Low-Income Housing Weatherization. *Appl Occup Environ Hyg* 6: 347-348.
- Tharr, D; 19Ed. (1993). Exposure to Different Metals during the Demolition of Oil-Fired Boilers. *Appl Occup Environ Hyg* 8: 151-152.
- Tharr, D; 19Ed. (1993). Exposure to Silica Dust among Street-Sweeper Operators. *Appl Occup Environ Hyg* 8: 13-14.
- Tharr, D; 19Ed. (1993). Mastic Removal An Educational Experience. *Appl Occup Environ Hyg* 8: 607-608.
- Thébaud-Mony, A. (2003). Justice for asbestos victims and the politics of compensation: the French experience. *Int J Occup Environ Health* 9: 280-286. <http://dx.doi.org/10.1179/oeh.2003.9.3.280>.
- Theegarten, D; Philippou, S; Freitag, L. (1995). Tracheal carcinoma and mixed pneumoconiosis. A causal relationship? *Respiration* 62: 49-52.
- Thellung, S; Favoni, RE; Wuerth, R; Nizzari, M; Pattarozzi, A; Daga, A; Florio, T; Barbieri, F. (2016). Molecular Pharmacology of Malignant Pleural Mesothelioma: Challenges and Perspectives From Preclinical and Clinical Studies. *Curr Drug Targets* 17: 824-849. <http://dx.doi.org/10.2174/1389450116666150804110714>.
- Theodosiou, Z; Tsapatsoulis, N; Bujak-Pietrek, S; Szadkowska-Stanczyk, I. (2010). Airborne asbestos fibers detection in microscope images using re-initialization free active contours. *Conf Proc IEEE Eng Med Biol Soc* 2010: 4785-4788. <http://dx.doi.org/10.1109/IEMBS.2010.5626630>.
- Theophilus, JP. (1988). EXPERIENCES IN CLEARING LARGE SITES SEVERELY CONTAMINATED WITH ASBESTOS (pp. DORDRECHT). (BIOSIS/88/35770). Theophilus, JP.
- Therault, GP; Grandbois, L. (1978). MESOTHELIOMA AND ASBESTOS IN PROVINCE OF QUEBEC, 1969-1972. *Arch Environ Health* 33: 15-19.
- Thiele, H. (1970). [Ambulatory care of occupational chronic lung diseases]. 133: 252-255.
- Thimpont, J; Paquier, L; Dumortier, P; Farr, P; De Brouwer, C; Strauss, P; De Vuyst, P. (2009). [The missions of the Occupational Diseases Fund. Under-claim and recognition of occupational lung cancer, in particular those related to asbestos]. *Rev Med Brux* 30: 318-325.
- Thiringer, G. (1980). Are pleural plaques a predictor for carcinoma of the lung? *Eur J Respir Dis Suppl* 107: 109-110.
- Thiringer, G; Sixt, R; Zettergren, L. (1975). THE VALUE OF DIFFERENT FUNCTION TESTS IN PATIENTS WITH BIOPSY VERIFIED PULMONARY ASBESTOSIS. (HEEP/76/06458). Thiringer, G; Sixt, R; Zettergren, L.
- Thoenen, JR. (1938). Mineral Wool. (NIOSH/00132601). Thoenen, JR.
- Thomas, A; Chen, Y; Yu, T; Gill, A; Prasad, V. (2015). Distinctive clinical characteristics of malignant mesothelioma in young patients. *Onct* 6: 16766-16773. <http://dx.doi.org/10.18632/oncotarget.4414>.
- Thomas, D; Geck, R; Rozas, D; Muro-Cacho, C; Rumbak, M. (2012). Mesothelioma: a soon to be forgotten disease in the United States? 19: 258-261. <http://dx.doi.org/10.1097/LBR.0b013e31825f1aba>.
- Thomas, DC. (1983). Nonparametric estimation and tests of fit for dose-response relations. *Biometrics* 39: 263-268.
- Thomas, DC; Whitemore, AS. (1988). Methods for testing interactions, with applications to occupational exposures, smoking, and lung cancer. *Am J Ind Med* 13: 131-147. <http://dx.doi.org/10.1002/ajim.4700130109>.
- Thomas, DH; Attanoos, RL; Gibbs, AR. (2001). Synchronous malignant mesothelioma and adenocarcinoma in asbestos-exposed individuals. *J Pathol* 195: 40A-40A.
- Thomas, DH; Attanoos, RL; Gibbs, AR. (2004). Coexistent atypical adenomatous hyperplasia, primary lung adenocarcinoma and pleural mesothelioma in an asbestos-exposed subject [Letter]. *Histopathology* 45: 540-542. <http://dx.doi.org/10.1111/j.1365-2559.2004.01939.x>.
- Thomas, JA; Ballantyne, B. (1992). TOXICOLOGICAL ASSESSMENT OF ZEOLITES. *J Am Coll Toxicol* 11: 259-273.

Human Health Hazard Literature Search Results

Off Topic

- Thomas, JD; Mohammed, O; Slaughter, RE; Fuentes, M; Crossin, J; Marshall, H; Wright, CM; Martins, MU; Tan, ME; Yang, IA; Fong, KM; Bowman, RV. (2011). RELATIONSHIPS BETWEEN PLEURAL PLAQUES, LUNG ASBESTOS CONTENT AND ASBESTOS EXPOSURE IN AUSTRALIANS WITH OR AT RISK OF LUNG CANCER. *J Thorac Oncol* 6: S9-S10.
- Thomassin, JH; Touray, JC; Baillif, P; Jaurand, MC; Magne, L; Goni, J. (1980). Surface interaction between chrysotile and solutions (dissolution and adsorption): systematic x-ray photoelectron spectroscopy studies. *IARC Sci Publ* 105-112.
- Thompson, HJ. (2000). Selenium and lung cancer risk.
- Thompson, HJ. (2001). Selenium and lung cancer risk.
- Thompson, HJ. (2002). Selenium and lung cancer risk.
- Thompson, HJ. (2003). Selenium and Lung Cancer Risk.
- Thompson, IM. (1975). Letter: Submicroscopic asbestos fibers and disease. *N Engl J Med* 292: 1194-1196.
- Thomson, JA; Burkholder, DA; Heithaus, MR; Fourqurean, JW; Fraser, MW; Statton, J; Kendrick, GA. (2015). Extreme temperatures, foundation species, and abrupt ecosystem change: an example from an iconic seagrass ecosystem. *Global Change Biol* 21: 1463-1474. <http://dx.doi.org/10.1111/gcb.12694>.
- Thomson, JG. (1965). Asbestos and the urban dweller. *Ann N Y Acad Sci* 132: 196-214.
- Thomson, JG; Graves, WM. (1966). Asbestos as an urban air contaminant. *Arch Pathol* 81: 458-464.
- Thomson, R; Kilroe-Smith, TA; Webster, I. (1978). The effect of asbestos-associated metal ions on the binding of benzo(a)pyrene to macromolecules in vitro. *Environ Res* 15: 309-319.
- Thomson, R; Webster, I; Kilroe-Smith, TA. (1974). The metabolism of benzo(a)pyrene in rat liver microsomes: The effect of asbestos-associated metal ions and pH. *Environ Res* 7: 149-157.
- Thorley, AJ; Tetley, TD. (2013). New perspectives in nanomedicine [Review]. *Pharmacol Ther* 140: 176-185. <http://dx.doi.org/10.1016/j.pharmthera.2013.06.008>.
- Thornburg, J; Kominsky, J; Brown, GG; Frechtel, P; Barrett, W; Shaul, G. (2010). A model to predict the breathing zone concentrations of particles emitted from surfaces. *J Environ Monit* 12: 973-980. <http://dx.doi.org/10.1039/b919385e>.
- Thorne, PS. (1996). Core--inhalation toxicology [Research]. RePORTER Database National Institutes of Health.
- Thorne, PS. (1997). Core--inhalation toxicology [Research]. RePORTER Database National Institutes of Health.
- Thorne, PS. (1998). Core--inhalation toxicology [Research]. RePORTER Database National Institutes of Health.
- Thorne, PS. (2000). Core--inhalation toxicology.
- Thorne, PS; Lightfoot, EN; Albrecht, RM. (1985). Physicochemical characterization of cryogenically ground, size separated, fibrogenic particles. *Environ Res* 36: 89-110.
- Thornquist, MD; Omenn, GS; Goodman, GE; Grizzle, JE; Rosenstock, L; Barnhart, S; Anderson, GL; Hammar, S; Balmes, J; Cherniack, M. (1993). Statistical design and monitoring of the Carotene and Retinol Efficacy Trial (CARET). *Contr Clin Trials* 14: 308-324.
- Thornquist, MD; Urban, N; Tseng, A; Edelstein, C; Lund, B; Omenn, GS. (1993). Research cost analyses to aid in decision making in the conduct of a large prevention trial, CARET. Carotene and Retinol Efficacy Trial. *Contr Clin Trials* 14: 325-339.
- Thorsby, E. (1989). CANCER OCCUPATIONAL EXPOSURE AND GENETICS. *Tidsskr Nor Laegeforen* 109: 1535-1538.
- Thoumelin, P; Ayasse-Jaubert, AM; Laffitte-Rigaud, G; Musso, P; Jeanne, C; Vandenbulcke, S; De Gaudemaris, R; François, P. (2001). [Clinical audit of occupational medicine - Application to the assessment of the quality of medical services for employees previously exposed to asbestos]. *DMT*.
- Thurnherr, T; Brandenberger, C; Fischer, K; Diener, L; Manser, P; Maeder-Althaus, X; Kaiser, JP; Krug, HF; Rothen-Rutishauser, B; Wick, P. (2011). A comparison of acute and long-term effects of industrial multiwalled carbon nanotubes on human lung and immune cells in vitro. *Toxicol Lett* 200: 176-186. <http://dx.doi.org/10.1016/j.toxlet.2010.11.012>.
- Thurnherr, T; Su, DS; Diener, L; Weinberg, G; Manser, P; Pfaender, N; Arrigo, R; Schuster, ME; Wick, P; Krug, HF. (2009). Comprehensive evaluation of in vitro toxicity of three large-scale produced carbon nanotubes on human Jurkat T cells and a comparison to crocidolite asbestos. *Nanotoxicology* 3: 319-338. <http://dx.doi.org/10.3109/17435390903276958>.
- Thurston, SW. (2002). Bayesian biomarker models for cancer genetics studies.
- Thurston, SW. (2003). Bayesian biomarker models for cancer genetics studies.
- Thurston, SW. (2004). Bayesian biomarker models for cancer genetics studies.
- Tian, L, in; Ahmadi, G. (2013). Fiber transport and deposition in human upper tracheobronchial airways. *J Aerosol Sci* 60: 1-20. <http://dx.doi.org/10.1016/j.jaerosci.2013.02.001>.
- Tianen, MH; Moatamed, F; Miaatvedt, CH; Lee, JS; Rom, WN. (1983). DIRECT PENETRATION OF THE DIAPHRAGM BY MINERAL FIBERS (pp. 10-15). (HEEP/84/02235). Tianen, MH; Moatamed, F; Miaatvedt, CH; Lee, JS; Rom, WN.
- Tiitola, M; Kivisaari, L; Zitting, A; Huuskonen, MS; Kaleva, S; Tossavainen, A; Vehmas, T. (2002). Computed tomography of asbestos-related pleural abnormalities. *Int Arch Occup Environ Health* 75: 224-228. <http://dx.doi.org/10.1007/s00420-001-0297-x>.
- Tillett, S; Sullivan, P. (1993). Asbestos screening and education programs for building and construction trades unions. *Am J Ind Med* 23: 143-152.
- Tillett, T. (2012). The traveling Libby legacy: Minnesota community exhibits nonoccupational health impacts consistent with asbestos damage [Comment]. *Environ Health Perspect* 120: A35. <http://dx.doi.org/10.1289/ehp.120-a35a>.
- Timblin, C; Berube, K; Chrug, A; Driscoll, K; Gordon, T; Hemenway, D; Walsh, E; Cummins, AB; Vacek, P; Mossman, B. (1998). Ambient particulate matter causes activation of the c-jun kinase/stress-activated protein kinase cascade and DNA synthesis in lung epithelial cells. *Cancer Res* 58: 4543-4547.

Human Health Hazard Literature Search Results

Off Topic

- Timblin, CR; Shukla, A; Berlinger, I; Berube, KA; Churg, A; Mossman, BT. (2002). Ultrafine airborne particles cause increases in protooncogene expression and proliferation in alveolar epithelial cells. *Toxicol Appl Pharmacol* 179: 98-104. <http://dx.doi.org/10.1006/taap.2001.9343>.
- Timbrell, V. (1970). Characteristics of the International Union against Cancer Standard Reference Samples of Asbestos (pp. 28-36). (NIOSH/00177485). Timbrell, V.
- Timbrell, V. (1972). Alignment Of Amphibole Asbestos Fibres By Magnetic Fields. *Microscope* 20: 365-368.
- Timbrell, V. (1974). Proceedings: The physicist's approach to asbestos cancers. *Clin Sci Mol Med* 47: 12P.
- Timbrell, V. (1974). PROGRESS IN PHYSICS AND CHEMISTRY (pp. LYON). (HEEP/75/04207). Timbrell, V.
- Timbrell, V. (1975). Alignment of respirable asbestos fibers by magnetic fields. *Ann Occup Hyg* 18: 299-311.
- Timbrell, V. (1980). Measurement of fibres in human lung tissue. IARC Sci Publ IARC Scientific Publication No: 113-126.
- Timbrell, V. (1989). Review of the significance of fibre size in fibre-related lung disease: a centrifuge cell for preparing accurate microscope-evaluation specimens from slurries used in inoculation studies [Review]. *Ann Occup Hyg* 33: 483-505.
- Timbrell, V; Holmes, S. (1970). Suggestions on Criteria for Sampling Asbestos Dust (pp. 610-612). (NIOSH/00177358). Timbrell, V; Holmes, S.
- Timbrell, V; Pooley, F; Wagner, JC. (1970). Characteristics of Respirable Asbestos Fibres (pp. 120-125). (NIOSH/00177495). Timbrell, V; Pooley, F; Wagner, JC.
- Timmermans, K. (2008). International jurisprudence on trade and environmental health: one step forward, two steps back? *Int J Occup Environ Health* 14: 307-316. <http://dx.doi.org/10.1179/oeh.2008.14.4.307>.
- Ting, JP. (2012). Inflammation and Radiation-induced Lung Injury.
- Ting, JP. (2014). Inflammation and Radiation-induced Lung Injury.
- Ting, JPY. (2010). Inflammation and Radiation-induced Lung Injury.
- Ting, JPY. (2011). Inflammation and Radiation-induced Lung Injury.
- Tintner, R; Manian, P; Gauthier, P; Jankovic, J. (2005). Pleuropulmonary fibrosis after long-term treatment with the dopamine agonist pergolide for Parkinson Disease. *Arch Neurol* 62: 1290-1295. <http://dx.doi.org/10.1001/archneur.62.8.1290>.
- Tischoff, I; Neid, M; Neumann, V; Tannapfel, A. (2011). Pathohistological diagnosis and differential diagnosis [Review]. *Recent Results Cancer Res* 189: 57-78. http://dx.doi.org/10.1007/978-3-642-10862-4_5.
- Tisi, S; Dickson, J; Lawson, M. (2015). Are your lung cancer patients missing out on compensation? The importance of documenting asbestos exposure and occupational history. *Lung Cancer* 87: S40-S41.
- Tiwari, RR. (2013). Agreement between chest radiography and high-resolution computed tomography in diagnosing dust-related interstitial lung fibrosis. *Toxicol Ind Health* 31: 235-238. <http://dx.doi.org/10.1177/0748233712471703>.
- Tiwari, RR; Saha, A. (2015). Knowledge and attitude towards asbestos hazards among asbestos workers in India [Letter]. *Int J Occup Environ Med* 6: 58-60.
- Tobin, CL; Shulgina, L; Ampikaipakan, SN; Wilson, AM; Twentyman, OP. (2008). DOES ASBESTOS EXPOSURE EXPLAIN THE EXCESS OF MEN WITH DIFFUSE PULMONARY FIBROSIS. *Thorax* 63: A134-A135.
- Tochihara, Y; Ohnaka, T; Nagai, Y; Muramatsu, T. (1993). [A survey on physiological strains of asbestos abatement work wearing protective clothing in summer]. 12: 31-38.
- Todd, DF; Loscutoff, WV. (1993). AN OVERVIEW OF CARB-ADOPTED SOURCE TEST METHODS FOR TOXIC COMPOUNDS AND RESULTS OF TESTING NATURAL GAS-FIRED UTILITY BOILERS (pp. STATE OF THE ART; FIRST INTERNATIONAL CONFERENCE). (BIOSIS/94/14239). Todd, DF; Loscutoff, WV.
- Toft, P; Malaiyandi, M; Hickman, JR. (1987). GUIDELINES FOR CANADIAN DRINKING WATER QUALITY (pp. SAMPLING). (BIOSIS/87/34041). Toft, P; Malaiyandi, M; Hickman, JR.
- Toft, P; Meek, ME; Wigle, DT; Meranger, JC. (1984). ASBESTOS IN DRINKING-WATER. 14: 151-197.
- Toma, S; Raffo, P; Isnardi, L; Palumbo, R. (1999). Retinoids in lung cancer chemoprevention and treatment [Review]. *Ann Oncol* 10 Suppl 5: S95-102.
- Tomasetti, M; Santarelli, L. (2010). Biomarkers for early detection of malignant mesothelioma: diagnostic and therapeutic application. *Cancers* 2: 523-548. <http://dx.doi.org/10.3390/cancers2020523>.
- Tomasetti, M; Strafella, E; Amati, M; Nocchi, L; Saccucci, F; Santarelli, L. (2009). Asbestos exposure affects poly(ADP-Ribose) polymerase-1 activity: Role in the asbestos-induced carcinogenesis. *Toxicol Lett* 189: S133-S133. <http://dx.doi.org/10.1016/j.toxlet.2009.06.714>.
- Tomasini, M; Rivolta, G; Chiappino, G. (1986). Sclerogenic effects due to occupational exposure to glass fibre in a selected group of workers. 77: 256-262.
- Tomatis, L. (1987). IDENTIFICATION ON ONCOLOGICAL RISK FACTORS AND POSSIBLE WAYS FOR THE PROPHYLAXIS OF CANCER. *Vopr Onkol LENINGR*: 3-12.
- Tomatis, L. (1988). THE CONTRIBUTION OF THE IARC MONOGRAPHS PROGRAM TO THE IDENTIFICATION OF CANCER RISK FACTORS (pp. OCCUPATIONAL AND ENVIRONMENTAL SIGNIFICANCE OF INDUSTRIAL CARCINOGENS; INTERNATIONAL CONFERENCE). (BIOSIS/89/05027). Tomatis, L.
- Tomatis, L. (2004). Asbestos and international organizations [Letter]. *Environ Health Perspect* 112: A336-A337.
- Tomatis, L; Bartsch, H. (1990). THE CONTRIBUTION OF EXPERIMENTAL STUDIES TO RISK ASSESSMENT OF CARCINOGENIC AGENTS IN HUMANS. *Exp Pathol JENA*: 251-266.
- Tombes, C; Calpin, JA. (1988). A SIMPLE QUALITY CONTROL SYSTEM FOR EVALUATION OF INTERLABORATORY DIFFERENCES IN FIBER COUNTING IN ACCORDANCE WITH NIOSH 7400 METHOD. *Am Ind Hyg Assoc J* 49.

Human Health Hazard Literature Search Results

Off Topic

- Tomioka, K; Saeki, K; Obayashi, K; Kurumatani, N. (2016). Risk of Lung Cancer in Workers Exposed to Benzidine and/or Beta-Naphthylamine: A Systematic Review and Meta-Analysis. *J Epidemiol* 26: 447-458. <http://dx.doi.org/10.2188/jea.JE20150233>.
- Tompa, A; Sapi, E. (1989). Detection of 6-thioguanine resistance in human peripheral blood lymphocytes (pbl) of industrial workers and lung cancer patients. *Mutat Res* 210: 345-351.
- Tong, C; Ved Brat, S; Telang, S; Laspia, MF; Fazio, M; Reiss, B; Williams, GM. (1983). Effects of Genotoxic Polycyclic Aromatic Hydrocarbons in Rat Liver Culture Systems (pp. 1189-1203). (NIOSH/00175341). Tong, C; Ved Brat, S; Telang, S; Laspia, MF; Fazio, M; Reiss, B; Williams, GM.
- Topçu, F; Bayram, H; Simşek, M; Kaya, K; Ozcan, C; Işık, R; Senyigit, A. (2000). High-resolution computed tomography in cases with environmental exposure to asbestos in Turkey [Comment]. *Respiration* 67: 139-145. <http://dx.doi.org/29501>.
- Topinka, J, b; Loli, P; Dusinská, M; Hurbánková, M; Kováčiková, Z; Volkovová, K; Kazimírová, A; Barancoková, M; Tatrai, E; Wolff, T; Oesterle, D; Kyrtopoulos, SA; Georgiadis, P. (2006). Mutagenesis by man-made mineral fibres in the lung of rats. *Mutat Res* 595: 174-183. <http://dx.doi.org/10.1016/j.mrfmmm.2005.11.001>.
- Topinka, J; Loli, P; Georgiadis, P; Hurbankova, M; Kyrtopoulos, SA; Wolff, T. (2002). Mutagenicity of amosite in rat lung and its interaction with benzo(a)pyrene. *Naunyn Schmiedebergs Arch Pharmacol* 365: R143-R143.
- Topinka, J; Loli, P; Hurbankova, M; Kovacikova, Z; Volkovova, K; Wolff, T; Oesterle, D; Kyrtopoulos, SA; Georgiadis, P. (2006). Benzo a pyrene-enhanced mutagenesis by man-made mineral fibres in the lung of lambda-lacI transgenic rats. *Mutat Res-Fundam Mol Mech Mutagen* 595: 167-173. <http://dx.doi.org/10.1016/j.mrfmmm.2005.11.003>.
- Topov, J; Kolev, K. (1987). Unusual microscopic forms of experimental mesotheliomas. *Arch Geschwulstforsch* 57: 181-186.
- Topping, DC; Nettesheim, P. (1980). Two-stage carcinogenesis studies with asbestos in Fischer 344 rats. *J Natl Cancer Inst* 65: 627-630. <http://dx.doi.org/10.1093/jnci/65.3.627>.
- Toren, K; Bergdahl, IA; Nilsson, T; Jarvholm, B. (2007). Occupational exposure to particulate air pollution and mortality due to ischaemic heart disease and cerebrovascular disease. *Occup Environ Med* 64: 515-519. <http://dx.doi.org/10.1136/oem.2006.029488>.
- Toren, K; Persson, B; Wingren, G. (1996). Health Effects of Working in Pulp and Paper Mills: Malignant Diseases [Review]. *Am J Ind Med* 29: 123-130. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199602\)29:2<123::AID-AJIM2>3.0.CO;2-T](http://dx.doi.org/10.1002/(SICI)1097-0274(199602)29:2<123::AID-AJIM2>3.0.CO;2-T).
- Toren, K; Qvarfordt, I; Bergdahl, IA; Jarvholm, B. (2011). Increased mortality from infectious pneumonia after occupational exposure to inorganic dust, metal fumes and chemicals. *Thorax* 66: 992-996. <http://dx.doi.org/10.1136/thoraxjnl-2011-200707>.
- Toren, K; Sallsten, G; Jarvholm, B. (1991). MORTALITY FROM ASTHMA, CHRONIC OBSTRUCTIVE PULMONARY-DISEASE, RESPIRATORY SYSTEM CANCER, AND STOMACH-CANCER AMONG PAPER-MILL WORKERS - A CASE-REFERENT STUDY. *Am J Ind Med* 19: 729-737.
- Torii, I; Hashimoto, M; Terada, T; Kondo, N; Fushimi, H; Shimazu, K; Takeda, S; Takuwa, T; Okumura, Y; Sato, A; Yamamoto, T; Fukuoka, K; Tanaka, F; Nishigami, T; Nakano, T; Hasegawa, S; Tsujimura, T. (2010). Well-differentiated papillary mesothelioma with invasion to the chest wall. *Lung Cancer* 67: 244-247. <http://dx.doi.org/10.1016/j.lungcan.2009.10.004>.
- Tossavainen, A. (2003). National mesothelioma incidence and the past use of asbestos [Comment]. *Monaldi Arch Chest Dis* 59: 146-149.
- Tossavainen, A; Kovalevsky, E; Vanhala, E; Tuomi, T. (2000). Pulmonary mineral fibers after occupational and environmental exposure to asbestos in the Russian chrysotile industry. *Am J Ind Med* 37: 327-333.
- Tossavainen, A; Lehtinen, S; Huuskonen, M; Rantanen, J; eds. (2000). New advances in radiology and screening of asbestos-related diseases. (CIS/02/00347). Tossavainen, A; Lehtinen, S; Huuskonen, M; Rantanen, J; eds.
- Tosson, R; Krismann, M. (2000). Primary myxoid sarcoma of the pleura: 5 years follow-up. *Thorac Cardiovasc Surg* 48: 238-240. <http://dx.doi.org/10.1055/s-2000-6888>.
- Tosun, AB; Yergiyev, O; Kolouri, S; Silverman, JF; Rohde, GK. (2015). Detection of malignant mesothelioma using nuclear structure of mesothelial cells in effusion cytology specimens. *Cytometry A* 87: 326-333. <http://dx.doi.org/10.1002/cyto.a.22602>.
- Totire, V; Aurora, F. (2000). [Asbestos and benefits of prevention] [Letter]. *Epidemiol Prev* 24: 52.
- Tourmann, JL; Kaufmann, R. (1994). BIOPERSISTENCE OF THE MINERAL MATTER OF COAL-MINE DUSTS IN SILICOTIC HUMAN LUNGS - IS THERE A PREFERENTIAL RELEASE OF IRON. *Environ Health Perspect* 102: 265-268.
- Toyama, T. (1971). [General theory of air pollution and health]. *Naika* 27: 808-815.
- Toyokawa, G; Takenoyama, M; Hirai, F; Toyozawa, R; Inamasu, E; Kojo, M; Morodomi, Y; Shiraishi, Y; Takenaka, T; Yamaguchi, M; Shimokawa, M; Seto, T; Ichinose, Y. (2014). Gemcitabine and vinorelbine as second-line or beyond treatment in patients with malignant pleural mesothelioma pretreated with platinum plus pemetrexed chemotherapy. *International Journal of Clinical Oncology (Online)* 19: 601-606. <http://dx.doi.org/10.1007/s10147-013-0619-5>.
- Toyokuni, S. (2009). Role of iron in carcinogenesis: cancer as a ferrotoxic disease [Review]. *Cancer Sci* 100: 9-16. <http://dx.doi.org/10.1111/j.1349-7006.2008.01001.x>.
- Toyokuni, S. (2011). Iron as a target of chemoprevention for longevity in humans [Review]. *Free Radic Res* 45: 906-917. <http://dx.doi.org/10.3109/10715762.2011.564170>.
- Toyokuni, S. (2013). Genotoxicity and carcinogenicity risk of carbon nanotubes [Review]. *Adv Drug Deliv Rev* 65: 2098-2110. <http://dx.doi.org/10.1016/j.addr.2013.05.011>.
- Toyokuni, S; Jiang, LI; Kitaura, R; Shinohara, H. (2015). Minimal inflammogenicity of pristine single-wall carbon nanotubes. *Nagoya J Med Sci* 77: 195-202.
- Toyooka, S; Carbone, M; Toyooka, K; Bocchetta, M; Shivapurkar, N; Minna, JD; Gazdar, AF. (2002). Progressive aberrant methylation of the RASSF1A gene in simian virus 40 infected human mesothelial cells. *Oncogene* 21: 4340-4344. <http://dx.doi.org/10.1038/sj.onc.1205381>.
- Tran, CL; Tantra, R; Donaldson, K; Stone, V; Hankin, SM; Ross, B; Aitken, RJ; Jones, AD. (2011). A hypothetical model for predicting the toxicity of high aspect ratio nanoparticles (HARN). *J Nanopart Res* 13: 6683-6698. <http://dx.doi.org/10.1007/s11051-011-0575-9>.

Human Health Hazard Literature Search Results

Off Topic

- Tran, D; Beh, EJ; Smith, DR. (2012). Real-world occupational epidemiology, part 3: an aggregate data analysis of Selikoff's "20-Year Rule". *Arch Environ Occup Health* 67: 243-248. <http://dx.doi.org/10.1080/10937404.2012.678766>.
- Trattner, RB; Swanson, NR; Cheremisinoff, PN. (1980). FACTS ABOUT ASBESTOS ... BASIC INFORMATION ON THE EFFECTS, REGULATION, AND CONTROL OF THIS CONTROVERSIAL MATERIAL IN THE PLANT. *Plant Engineering* 34: 121-123.
- Travis, CC; Pack, S. R.; Hattemer-Frey, HA. (1989). IS IONIZING RADIATION REGULATED MORE STRINGENTLY THAN CHEMICAL CARCINOGENS? *Health Phys* 56: 527-532.
- Trayer, DM; Thornton, CC; Lehman, CB. (1989). Development and testing of a new thermal-acoustic industrial insulation. 4: 45-49.
- Treasure, T. (2015). The Second Mediterranean Symposium: considering mesothelioma from a local and international perspective [Editorial]. 11: 5-6. <http://dx.doi.org/10.2217/fon.15.259>.
- Tregubov, ES. (1988). [Morphological changes in the bronchi of workers in the asbestos industry]. *Gig Tr Prof Zabol* 0: 47-48.
- Treumann, S; Ma-Hock, L; Gröters, S; Landsiedel, R; van Ravenzwaay, B. (2013). Additional Histopathologic Examination of the Lungs from a 3-Month Inhalation Toxicity Study with Multiwall Carbon Nanotubes in Rats. *Toxicol Sci* 134: 103-110. <http://dx.doi.org/10.1093/toxsci/kft089>.
- Treville, RT; Gross, P; Davis, JM. (1968). Crocidolite as a cause of mesothelioma. *JAMA* 205: 469.
- Treweek, GP; Glicker, J; Chow, B; Sprinker, M. (1985). PILOT-PLANT SIMULATION OF CORROSION IN DOMESTIC PIPE MATERIALS (pp. 74-82). (BIOSIS/86/03616). Treweek, GP; Glicker, J; Chow, B; Sprinker, M.
- Trice, KD. (2009). Notification of Concurrence - K-25/K-27 D&D Project, ETPP - Change Number of EMWMF Waste Lots in the Waste Handling Plan for Demolition of the K-25 and K-27 Building Structures and Remaining Components Located at the ETPP, Oak Ridge, TN From Two to Three. GRA and I: 16.
- Trief, NM; Weller, SC; Ramanujam, VMS; Legator, MS. (1990). Prediction of Toxicological Interactions in a Binary Mixture by Using Pattern Recognition Techniques: Proposed Approach with a Developed Model (pp. 165-175). (NIOSH/00195871). Trief, NM; Weller, SC; Ramanujam, VMS; Legator, MS.
- Trivedi, AK; Ahmad, I; Musthapa, MS; Ansari, FA. (2007). Environmental contamination of chrysotile asbestos and its toxic effects on antioxidative system of *Lemna gibba*. *Arch Environ Contam Toxicol* 52: 355-362. <http://dx.doi.org/10.1007/s00244-006-0056-9>.
- Trivedi, AK; Ahmad, I; Musthapa, MS; Ansari, FA; Rahman, Q. (2004). Environmental contamination of chrysotile asbestos and its toxic effects on growth and physiological and biochemical parameters of *Lemna gibba*. *Arch Environ Contam Toxicol* 47: 281-289. <http://dx.doi.org/10.1007/s00244-004-3161-7>.
- Trizio, D; Basketter, DA; Botham, PA; Graepel, PH; Cl, L; Magda, SJ; Pal, TM; Riley, AJ; Ronneberger, H; van Sittert, NJ; Bontinck, WJ. (1988). Identification of immunotoxic effects of chemicals and assessment of their relevance to man. *Food Chem Toxicol* 26: 527-539. [http://dx.doi.org/10.1016/0278-6915\(88\)90006-3](http://dx.doi.org/10.1016/0278-6915(88)90006-3).
- Troast, R. (2005). "When science crosses politics, I: The case of naturally occurring asbestos" [Letter]. *J Environ Health* 67: 84.
- Troitskiĭ, SI, u; Kuz'minykh, AI. (1968). [Hygienic characteristics of the manufacture of faolitic items]. *Gig Tr Prof Zabol* 12: 3-7.
- Troll, W. (1985). Core--chemical carcinogenesis [Research]. RePORTER Database National Institutes of Health.
- Troll, W. (1986). Core--chemical carcinogenesis [Research]. RePORTER Database National Institutes of Health.
- Troll, W. (1987). Core--chemical carcinogenesis [Research]. RePORTER Database National Institutes of Health.
- Troll, W. (1988). Core--chemical carcinogenesis [Research]. RePORTER Database National Institutes of Health.
- Troll, W. (1989). Core--chemical carcinogenesis [Research]. RePORTER Database National Institutes of Health.
- Trosic, I. (2001). Multinucleated giant cell appearance after whole body microwave irradiation of rats. *Int J Hyg Environ Health* 204: 133-138. <http://dx.doi.org/10.1078/1438-4639-00078>.
- Trosic, I. (2001). Fate of the miraculous mineral--ban asbestos worldwide campaign [Review]. *Coll Antropol* 25: 713-718.
- Trosic, I. (2009). [Issues related to long-term asbestos use and manufacture]. *Arh Hig Rada Toksikol* 60 Suppl: 3-10.
- Trosic, I; Curić, S; Matausić-Pisl, M; Stilinović, L; Zrilić, I; Brumen, V. (1993). Ferruginous bodies in the lungs of urban dogs. *Arh Hig Rada Toksikol* 44: 303-307.
- Tsai, SP; Ahmed, FS; Wendt, JP; Foster, DE; Donnelly, RP; Strawmyer, TR. (2007). A 56-year mortality follow-up of Texas petroleum refinery and chemical employees, 1948-2003. *J Occup Environ Med* 49: 557-567. <http://dx.doi.org/10.1097/JOM.0013618057777c>.
- Tsai, SP; Gilstrap, EL; Cowles, SR; Snyder, PJ; Ross, CE. (1996). Long-term follow-up mortality study of petroleum refinery and chemical plant employees. *Am J Ind Med* 29: 75-87.
- Tse, L; Mang, O; Yu, I; Wu, F, an; Au, J; Law, S. (2009). Cigarette smoking and changing trends of lung cancer incidence by histological subtype among Chinese male population. *Lung Cancer* 66: 22-27. <http://dx.doi.org/10.1016/j.lungcan.2008.12.023>.
- Tseng, CH; Chen, KC; Hsu, KH; Tseng, JS; Ho, CC; Hsia, TC; Su, KY; Wu, MF; Chiu, KL; Liu, CM; Wu, TC; Chen, HJ; Chen, HY; Chang, CS; Hsu, CP; Hsia, JY; Chuang, CY; Lin, CH; Chen, JJ; Chen, KY; Liao, WY; Shih, JY; Yu, SL; Yu, CJ; Yang, PC; Yang, TY; Chang, GC. (2016). EGFR mutation and lobar location of lung adenocarcinoma. *Carcinogenesis* 37: 157-162. <http://dx.doi.org/10.1093/carcin/bgv168>.
- Tsiouris, A; Kourliouros, A; Smith, EJ. (2009). Trends and challenges in treatment of malignant pleural mesothelioma [Editorial]. *Br J Hosp Med (Lond)* 70: 312-313.
- Tsiouris, A; Walesby, RK. (2007). Malignant pleural mesothelioma: current concepts in treatment [Review]. *Nat Clin Pract Oncol* 4: 344-352. <http://dx.doi.org/10.1038/ncponc0839>.
- Tsou, JA; Galler, JS; Wali, A; Ye, W; Siegmund, KD; Groshen, S; Laird, PW; Turla, S; Koss, MN; Pass, HI; Laird-Offringa, IA. (2007). DNA methylation profile of 28 potential marker loci in malignant mesothelioma. *Lung Cancer* 58: 220-230. <http://dx.doi.org/10.1016/j.lungcan.2007.06.015>.

Human Health Hazard Literature Search Results

Off Topic

- Tsou, JA; Shen, LY; Siegmund, KD; Long, TI; Laird, PW; Seneviratne, CK; Koss, MN; Pass, HI; Hagen, JA; Laird-Offringa, IA. (2005). Distinct DNA methylation profiles in malignant mesothelioma, lung adenocarcinoma, and non-tumor lung. *Lung Cancer* 47: 193-204. <http://dx.doi.org/10.1016/j.lungcan.2004.08.003>.
- Tsuchiya, A; Kaku, Y; Nakano, T; Nishizaki, T. (2015). Diarachidonoylphosphoethanolamine induces apoptosis of malignant pleural mesothelioma cells through a Trx/ASK1/p38 MAPK pathway. *J Pharmacol Sci* 129: 160-168. <http://dx.doi.org/10.1016/j.jpsh.2015.10.003>.
- Tsuda, H; Tokunaga, H; Hirose, A; Kanno, J. (2008). Hazard Identification of Nanomaterials [Review]. *Yakugaku Zasshi* 128: 1727-1732.
- Tsuda, H; Xu, J; Sakai, Y; Futakuchi, M; Fukamachi, K. (2009). Toxicology of engineered nanomaterials - a review of carcinogenic potential [Review]. *Asian Pac J Cancer Prev* 10: 975-980.
- Tsujimura, T; Torii, I; Sato, A; Song, M; Fukuoka, K; Hasegawa, S; Nakano, T. (2012). Pathological and molecular biological approaches to early mesothelioma [Review]. *International Journal of Clinical Oncology (Online)* 17: 40-47. <http://dx.doi.org/10.1007/s10147-011-0369-1>.
- Tsutsui, T; Mclachlan, JA; Hesterberg, TW; Oshimura, M; Lamb, P; Barrett, JC. (1984). CORRELATION BETWEEN MUTAGENICITY AND CELL TRANSFORMATION (pp. 100). (EMICBACK/51354). Tsutsui, T; Mclachlan, JA; Hesterberg, TW; Oshimura, M; Lamb, P; Barrett, JC.
- Tucker, JD; Auletta, A; Cimino, MC; Dearfield, KL; Jacobson-Kram, D; Tice, RR; Carrano, AV. (1993). Sister-chromatid exchange: second report of the Gene-Tox program [Review]. *DNA Repair* 297: 101-180. [http://dx.doi.org/10.1016/0165-1110\(93\)90001-4](http://dx.doi.org/10.1016/0165-1110(93)90001-4).
- Tulachka, GJ; Brantley, WA; MCGivney, GP; Ziebert, GJ. (1987). An investigation of the potential biohazards associated with asbestos-substitute casting ring liners. *J Prosthet Dent* 57: 108-112.
- Tümmers, T; Bourgeois, G. (2006). [Unfortunatly we will see this more often]; Pleural mesothelioma]. *MMW Fortschr Med* 148: 5.
- Tuomala, MH; Hirvonen, MR; Savolainen, KM. (1992). PRODUCTION OF INOSITOL PHOSPHATES AND REACTIVE OXYGEN METABOLITES IN QUARTZ-DUST-STIMULATED HUMAN POLYMORPHONUCLEAR LEUKOCYTES. *FEBS Lett* 296: 57-60.
- Tuomi, T. (1992). Fibrous minerals in the lungs of mesothelioma patients: comparison between data on SEM, TEM, and personal interview information. *Am J Ind Med* 21: 155-162.
- Tuomi, T; Oksa, P; Anttila, S; Taikina-Aho, O; Taskinen, E; Karjalainen, A; Tukiainen, P. (1992). Fibres and asbestos bodies in bronchoalveolar lavage fluids of asbestos sprayers. *Br J Ind Med* 49: 480-485.
- Turci, F; Colonna, M; Tomatis, M; Mantegna, S; Cravotto, G; Fubini, B. (2010). New detoxification processes for asbestos fibers in the environment. *J Toxicol Environ Health A* 73: 368-377. <http://dx.doi.org/10.1080/15287390903442678>.
- Turci, F; Favero-Longo, SE; Gazzano, C; Tomatis, M; Gentile-Garofalo, L; Bergamini, M. (2016). Assessment of asbestos exposure during a simulated agricultural activity in the proximity of the former asbestos mine of Balangero, Italy. *J Hazard Mater* 308: 321-327. <http://dx.doi.org/10.1016/j.jhazmat.2016.01.056>.
- Turci, F; Favero-Longo, SE; Tomatis, M; Martra, G; Castelli, D; Piervittori, R; Fubini, B. (2007). A biomimetic approach to the chemical inactivation of chrysotile fibres by lichen metabolites. *Chemistry* 13: 4081-4093. <http://dx.doi.org/10.1002/chem.200600991>.
- Turci, F; Tomatis, M; Compagnoni, R; Fubini, B. (2009). Role of associated mineral fibres in chrysotile asbestos health effects: the case of balangeroite. *Ann Occup Hyg* 53: 491-497. <http://dx.doi.org/10.1093/annhyg/mep028>.
- Turci, F; Tomatis, M; Mantegna, S; Cravotto, G; Fubini, B. (2008). A new approach to the decontamination of asbestos-polluted waters by treatment with oxalic acid under power ultrasound. *Ultrason Sonochem* 15: 420-427. <http://dx.doi.org/10.1016/j.ultsonch.2007.08.007>.
- Turcu, RV; Hoyt, DW; Rosso, KM; Sears, JA; Loring, JS; Felmy, AR; Hu, JZ. (2013). Rotor design for high pressure magic angle spinning nuclear magnetic resonance. 226: 64-69. <http://dx.doi.org/10.1016/j.jmr.2012.08.009>.
- Turi, E; Tidei, F; Paoletti, L. (1993). [Asbestos exposure on board ships: a study of the environmental situation on 2 classes of ferryboats]. *Med Lav* 84: 201-210.
- Turiaf, J. (1971). Pleural mesothelioma and asbestosis (pp. 1-2). (HEEP/73/02139). Turiaf, J.
- Turim, J. (2008). Correction to R. Lemen's review article, 'Asbestos in Brakes: Exposure and Risk of Disease' [Letter]. *Am J Ind Med* 51: 475; author reply 476. <http://dx.doi.org/10.1002/ajim.20575>.
- Turk, J; Kenda, M; Janezic, A; Kranjec, I; Rakovec, P; Cijan, A; Gasparac, A; Jezernik, J; Gracnar, R. (1987). PERICARDIAL MESOTHELIOMA. *Cor VASA* 29: 392-394.
- Turk, J; Kenda, M; Kranjec, I. (1991). PRIMARY MALIGNANT PERICARDIAL MESOTHELIOMA. *Klinische Wochenschrift* 69: 674-678.
- Turkcu, G; ul; Alabalik, U; Keles, AN, ur; Ibiloglu, I; Kucukoner, M; Sen, HS; Buyukbayram, H. (2016). COMPARISON OF SKIP EXPRESSION IN MALIGNANT PLEURAL MESOTHELIOMAS WITH KI-67 PROLIFERATION INDEX AND PROGNOSTIC PARAMETERS. *Pol J Pathol* 67: 108-113. <http://dx.doi.org/10.5114/PJP.2016.61445>.
- Turler, A; Monig, SP; Raab, M. (1997). Problems of diagnosis and therapy in malignant pleural mesothelioma [Review]. *Med Klin* 92: 101-105.
- Turner, JF; Gronbeck, C; Stacy, C. (1992). Solitary pulmonary nodule in a patient without asbestos exposure. *Chest* 102: 1267-1268.
- Turner, S; Binnie, PWH. (1990). An indoor air quality survey of twenty-six Swiss office buildings.
- Turner, S; Steel, EB. (1991). Accuracy of Transmission Electron Microscopy Analysis of Asbestos on Filters: Interlaboratory Study. *Anal Chem* 63: 868-872.
- Turner, S; Steel, EB; Doorn, SS; Phelps, JM; Windsor, ES. (1994). Proficiency Tests for the NIST Airborne Asbestos Program, 1990. 146.
- Turner, TL; Bourne, EC; Von Wettberg, EJ; Hu, TT; Nuzhdin, SV. (2010). Population resequencing reveals local adaptation of *Arabidopsis lyrata* to serpentine soils. *Nat Genet* 42: 260-263. <http://dx.doi.org/10.1038/ng.515>.
- Turner-Warwick, M. (1973). [Antinuclear antibodies in pulmonary diseases]. *Poumon Coeur* 29: 259-260 passim.
- Turnock, AC; Bryks, S; Bertalanffy, FD. (1971). The synthesis of tritium-labeled asbestos for use in biological research. *Environ Res* 4: 86-94.
- Turpin-Legendre, E; Meyer, JP. (2003). Comparison of physiological and subjective strain in workers wearing two different protective coveralls for asbestos abatement tasks. *Appl Ergon* 34: 551-556. [http://dx.doi.org/10.1016/S0003-6870\(03\)00081-4](http://dx.doi.org/10.1016/S0003-6870(03)00081-4).

Human Health Hazard Literature Search Results

Off Topic

- Tweeddale, G. (1998). Instances of sprayed asbestos use in Brazil [Letter]. *Int J Occup Environ Health* 4: 206. <http://dx.doi.org/10.1179/oeh.1998.4.3.206>.
- Tweeddale, G. (2000). Sources in the history of occupational health: The Turner & Newall archive. *Soc Hist Med* 13: 515-533. <http://dx.doi.org/10.1093/shm/13.3.515>.
- Tweeddale, G. (2007). The Rochdale asbestos cancer studies and the politics of epidemiology: what you see depends on where you sit. *Int J Occup Environ Health* 13: 70-79. <http://dx.doi.org/10.1179/107735207800245045>.
- Tweeddale, G; Jeremy, DJ. (1999). Compensating the workers: industrial injury and compensation in the British asbestos industry, 1930s-60s. *Business History* 41: 102-120. <http://dx.doi.org/10.1080/00076799900000259>.
- Tyburczy, JA; Krishnamurthy, RV; Epstein, S; Ahrens, TJ. (1990). Impact-induced devolatilization and hydrogen isotopic fractionation of serpentine: implications for planetary accretion. *Earth Planet Sci Lett* 98: 245-261.
- U.S. Department of Energy. (1993). Glossary of CERCLA, RCRA and TSCA related terms and acronyms. *Environmental Guidance* (pp. 300). (NTIS/O2989112_2).
- U.S. Department of Energy. (1993). Proceedings of the workshop on transite decontamination dismantlement and recycle/disposal (pp. 45). (NTIS/O2989653_2).
- U.S. Department of Energy. (1994). Three-Dimensional Integrated Characterization and Archiving System (3D-ICAS). Phase 1. 92.
- U.S. Department of Energy. (1995). Regulatory requirements affecting disposal of asbestos-containing waste. 4.
- U.S. EPA. (1988). 100 Commonly Asked Questions About the New AHERA (Asbestos Hazard Emergency Response Act) Asbestos-in-Schools Rule. 65.
- U.S. EPA. (1988). Asbestos-in-Schools: A Guide to New Federal Requirements for Local Education Agencies. 46.
- U.S. EPA. (1990). Access EPA. Clearinghouses and Hotlines. 47.
- U.S. EPA. (1990). Managing Asbestos in Place: A Building Owner's Guide to Operations and Maintenance Programs for Asbestos-Containing Materials. 54.
- U.S. EPA. (1990). Superfund Record of Decision (EPA Region 9): Coalinga Asbestos Mine, Fresno County, CA. (Second Remedial Action), September 1990. 66.
- U.S. EPA. (1991). Building Air Quality: A Guide for Building Owners and Facility Managers. 252.
- U.S. EPA. (1991). Everything You Wanted to Know about Environmental Regulations but Were Afraid to Ask: A Guide for Very Small Communities. 49.
- U.S. EPA. (1991). Superfund Record of Decision (EPA Region 2): Asbestos Dump, New Vernon Road and White Bridge Road Sites, Passaic Township, Meyersville, NJ. (Second Remedial Action), September 1991. 68.
- U.S. EPA. (1991). Superfund Record of Decision (EPA Region 4): Aberdeen Pesticide Dumps, Moore County, Aberdeen, NC. (First Remedial Action), (Amendment), September 1991. 138.
- U.S. EPA. (1992). Guidelines for Catastrophic Emergency Situations Involving Asbestos. 64.
- U.S. EPA. (1993). Summary of Data Presented in the Background Document for Effluent Limitations Guidelines and Standards, Mineral Mining and Processing Point Source Category. 78.
- U.S. EPA. (1993). Superfund at Work: Hazardous Waste Cleanup Efforts Nationwide, Fall 1993 (Johns-Manville Site Profile, Illinois). 6.
- U.S. EPA. (1995). Asbestos Abatement Contractors and Supervisors Model Curriculum for Training. Student Notebook (Training Manual). 338.
- U.S. EPA. (1995). Asbestos Management Planners Model Curriculum for Training for Accreditation under TSCA Section 206. Student Notebook (Training Manual). 208.
- U.S. EPA. (1995). Generic Protocol for Conducting Environmental Audits of Federal Facilities (for Microcomputers) (pp. The software is on seven 3 1/2 inch DOS diskettes, 1.44M high density. File format: Word). (NTIS/O3008298_a).
- U.S. EPA. (1995). Model Curriculum for Asbestos Operations and Maintenance Workers (Slides). This is a set of 371 372x372 color slides. This.
- U.S. EPA. (1995). Model Curriculum for School Asbestos Management Planners (Slides). This is a set of 85 82x82 color slides. This.
- U.S. EPA. (1995). Superfund Explanation of Significant Difference for the Record of Decision (EPA Region 9): South Bay Asbestos, Alviso, CA., October 18, 1993. 6.
- U.S. EPA. (1996). Course 7. Operations and Maintenance EPA Model Asbestos Training Course. Student Manual. 216.
- U.S. EPA. (1996). How to Manage Asbestos in School Buildings: AHERA Designated Person's Self-Study Guide. 104.
- U.S. EPA. (2000). Asbestos worker protection. Environmental Protection Agency (EPA). Final rule. *Fed Reg* 65: 69210-69217.
- U.S. EPA. (2003). Region/ORD Workshop on Emerging Pollutants, Summary Report. August 11-14, 2003. 117.
- U.S. EPA. (2008). Framework for Investigating Asbestos-Contaminated Superfund Sites. 71.
- U.S. EPA. (2011). Early Warning Report: Use of Unapproved Asbestos Demolition Methods May Threaten Public Health. 4.
- U.S. GAO. (2008). Health and Safety Information: EPA and OSHA Could Improve Their Processes for Preparing Communication Products. 71.
- U.S. GAO. (2011). Asbestos Injury Compensation: The Role and Administration of Asbestos Trusts. 45.
- Ubakov, SA; Vanchuova, NN; Grebennikov, SA; Frash, VN. (1994). Mutagenic action of asbestos, modified by combination with ethanol, coffee and fumigating resin. *Med Tr Prom Ekol* 0: 8-10.
- Ucci, ME. (2003). Toxic exposure. Court: inmate's skin lesions caused by HIV drugs, not asbestos, p. 6.
- Uchiyama, H; Kaneko, K; Ozeki, S. (1989). Stepwise nitric oxide chemisorption processes on synthetic chrysotile asbestos: Tubular crystals with acidic and basic surfaces (pp. 3833-3844). (BIOSIS/90/06412). Uchiyama, H; Kaneko, K; Ozeki, S.
- Uemoto, J; Hoshi, N; Hirabayashi, K; Hoshi, S; Onodera, K; Nishi, T; Tomikawa, M; Igarashi, S. (2013). Collision tumors of hepatocellular carcinoma and malignant peritoneal mesothelioma. *Med Mol Morphol* 46: 177-183. <http://dx.doi.org/10.1007/s00795-013-0041-0>.

Human Health Hazard Literature Search Results

Off Topic

- Ueno, S; Kashimoto, T; Susa, N; Wada, K; Ito, N; Takeda-Homma, S; Nishimura, Y; Sugiyama, M. (2006). Estimation of hydroxyl radical generation by salicylate hydroxylation method in multiple organs of mice exposed to whole-body X-ray irradiation. *Free Radic Res* 40: 944-951. <http://dx.doi.org/10.1080/10715760600817963>.
- Ugolini, D; Bonassi, S; Cristaudo, A; Leoncini, G; Ratto, GB; Neri, M. (2015). Temporal trend, geographic distribution, and publication quality in asbestos research. *Environ Sci Pollut Res Int* 22: 6957-6967. <http://dx.doi.org/10.1007/s11356-014-3925-1>.
- Ugolini, D; Donatella, U; Neri, M; Monica, N; Canessa, PA; Aldo, CP; Casilli, C; Cristina, C; Catrambone, G; Giuseppe, C; Ivaldi, GP; Paolo, IG; Lando, C; Cecilia, L; Marroni, P; Paola, M; Paganuzzi, M; Michela, P; Parodi, B; Barbara, P; Visconti, P; Paola, V; Puntoni, R; Riccardo, P; Bonassi, S; Stefano, B. (2008). The CREST biorepository: a tool for molecular epidemiology and translational studies on malignant mesothelioma, lung cancer, and other respiratory tract diseases. *Cancer Epidemiol Biomarkers Prev* 17: 3013-3019. <http://dx.doi.org/10.1158/1055-9965.EPI-08-0524>.
- Ugolini, D; Neri, M; Casilli, C; Ceppi, M; Canessa, PA; Ivaldi, GP; Paganuzzi, M; Bonassi, S. (2010). A bibliometric analysis of scientific production in mesothelioma research. *Lung Cancer* 70: 129-135. <http://dx.doi.org/10.1016/j.lungcan.2010.01.013>.
- Ulfvarson, U. (1975). [Current problems in occupational safety in the USA]. *Lakartidningen* 72: 458-461.
- Ullah, SA; Kaufman, WR. (2014). Salivary gland degeneration and ovarian development in the Rocky Mountain wood tick, *Dermacentor andersoni* Stiles (Acari: Ixodidae). I. Post-engorgement events. 5: 569-574. <http://dx.doi.org/10.1016/j.ttbdis.2014.03.012>.
- Ullah, SA; Kaufman, WR. (2014). Salivary gland degeneration and ovary development in the Rocky Mountain wood tick, *Dermacentor andersoni* Stiles (Acari: Ixodidae). II. Determination of the 'critical weight'. 5: 516-522. <http://dx.doi.org/10.1016/j.ttbdis.2014.03.007>.
- Ulmer, P; Trommsdorff, V. (1995). Serpentine stability to mantle depths and subduction-related magmatism. *Science* 268: 858-861. <http://dx.doi.org/10.1126/science.268.5212.858>.
- Ulmer, WT. (1976). [Inhalative noxae] [Review]. *Internist (Berl)* 17: 391-398.
- Ulrich, P. (1971). (Pathological anatomy of hyaline pleural plaques.). *Pneumologie* 146: 159-177.
- Um, CH. (1971). Study of the secular trend in asbestos bodies in lungs in London 1936-66. *Br Med J* 2: 248-251.
- Umamoto, EY; Speck, M; Shimoda, LM; Kahue, K; Sung, C; Stokes, AJ; Turner, H. (2014). Single-walled carbon nanotube exposure induces membrane rearrangement and suppression of receptor-mediated signalling pathways in model mast cells. *Toxicol Lett* 229: 198-209. <http://dx.doi.org/10.1016/j.toxlet.2014.06.009>.
- Unalacak, M; Altin, R; Kart, L; Tor, M; Ornek, T; Altunel, H. (2004). Smoking prevalence, behaviour and nicotine addiction among coal workers in Zonguldak, Turkey. *J Occup Health* 46: 289-295. <http://dx.doi.org/10.1539/joh.46.289>.
- United States Congress, EaESC. (1990). Environmental and Energy Study Conference Briefing Book. 144.
- Uo, M; Akasaka, T; Watari, F; Sato, Y; Tohji, K. (2011). Toxicity evaluations of various carbon nanomaterials [Review]. *Dent Mater J* 30: 245-263. <http://dx.doi.org/10.4012/dmj.2010-039>.
- Upreti, R; Dogra, RKS; Shanker, R; Murti, CRK; Dwivedi, KK; Rao, GN. (1984). Trace Elemental Analysis Of Asbestos With An X-Ray Fluorescence Technique. *Sci Total Environ* 40: 259-267.
- Upton, AC. (1985). Inhalation carcinogenesis of environmental agents [Research]. RePORTER Database National Institutes of Health.
- Upton, AC. (1986). Inhalation carcinogenesis of environmental agents [Research]. RePORTER Database National Institutes of Health.
- Upton, AC. (1987). Inhalation carcinogenesis of environmental agents [Research]. RePORTER Database National Institutes of Health.
- Upton, AC. (1987). Symposium on advances in environmental health [Research]. RePORTER Database National Institutes of Health.
- Upton, AC. (1988). Inhalation facility--core [Research]. RePORTER Database National Institutes of Health.
- Upton, AC. (1989). Inhalation facility--core [Research]. RePORTER Database National Institutes of Health.
- Upton, AC. (1990). Inhalation facility--core [Research]. RePORTER Database National Institutes of Health.
- Upton, AC. (1991). Inhalation facility--core [Research]. RePORTER Database National Institutes of Health.
- Upton, AC. (1992). Core--inhalation facility [Research]. RePORTER Database National Institutes of Health.
- Upton, AC. (1993). Core--inhalation facility [Research]. RePORTER Database National Institutes of Health.
- Upton, AC. (1994). Core--inhalation facility [Research]. RePORTER Database National Institutes of Health.
- Upton, AC; Fink, DJ. (1979). Pneumoconiosis and fibrous glass. *Am Ind Hyg Assoc J* 40: A14, A16.
- Upton, AC; Shaikh, RA. (1995). Asbestos exposures in public and commercial buildings. *Am J Ind Med* 27: 433-437; discussion 439-441.
- Urso, L; Calabrese, F; Favaretto, A; Conte, P; Pasello, G. (2016). Critical review about MDM2 in cancer: Possible role in malignant mesothelioma and implications for treatment [Review]. *Crit Rev Oncol Hematol* 97: 220-230. <http://dx.doi.org/10.1016/j.critrevonc.2015.08.019>.
- US. EPA. (1993). Guide to Federal Environmental Requirements for Small Governments (pp. 120). (270K93001). <http://nepis.epa.gov/exe/ZyPURL.cgi?Dockey=500001LF.txt>.
- Usami, N; Fukui, T; Kondo, M; Taniguchi, T; Yokoyama, T; Mori, S; Yokoi, K; Horio, Y; Shimokata, K; Sekido, Y; Hida, T. (2006). Establishment and characterization of four malignant pleural mesothelioma cell lines from Japanese patients. *Cancer Sci* 97: 387-394. <http://dx.doi.org/10.1111/j.1349-7006.2006.00184.x>.
- Utell, MJ; Beckett, WS. (2006). Implications for occupational exposure to particulate matter [Review]. *Clin Occup Environ Med* 5: 883-893. <http://dx.doi.org/10.1016/j.coem.2006.07.001>.
- Utell, MJ; Maxim, LD. (2010). Refractory ceramic fiber (RCF) toxicity and epidemiology: A review [Review]. *Inhal Toxicol* 22: 500-521. <http://dx.doi.org/10.3109/08958370903521224>.
- Utembe, W; Potgieter, K; Stefaniak, AB; Gulumian, M. (2015). Dissolution and biodurability: Important parameters needed for risk assessment of nanomaterials [Review]. *Part Fibre Toxicol* 12: 11. <http://dx.doi.org/10.1186/s12989-015-0088-2>.
- Utley, M; Fiorentino, F; Treasure, T, om. (2010). Obtaining an upper estimate of the survival benefit associated with surgery for mesothelioma. *Eur J Cardiothorac Surg* 38: 241-244. <http://dx.doi.org/10.1016/j.ejcts.2010.02.028>.

Human Health Hazard Literature Search Results

Off Topic

- Uzunov, P; Vlasov, V; Mikhova, TS. (1985). EARLY CHANGES IN TRANSPLANTS OF ORGANIC PULMONARY CULTURES TREATED WITH TWO TYPES OF ANTIPHILIT BULGARIAN AND SOVIET (pp. 119-124). (BIOSIS/86/32010). Uzunov, P; Vlasov, V; Mikhova, TS.
- Vacek, PM. (1997). Assessing the effect of intensity when exposure varies over time. *Stat Med* 16: 505-513.
- Vacek, PM; Mcdonald, JC. (1991). Risk assessment using exposure intensity: an application to vermiculite mining. *Br J Ind Med* 48: 543-547.
- Vacherot, B; Rossert, J; Conso, F; Fouret, P; Touboul, J. (1983). [Myeloproliferative syndrome followed by mesothelioma after exposure to asbestos] [Letter]. *Presse Med* 12: 2824.
- Vaglio, A. (2009). Retroperitoneal fibrosis: new insights into clinical presentation and diagnosis [Comment]. *Medicine (Baltimore)* 88: 208-210. <http://dx.doi.org/10.1097/MD.0b013e3181afc4d1>.
- Vaille, C. (1997). ABOUT ASBESTOS (pp. 421-422). (BIOSIS/97/15988). Vaille, C.
- Vainio, H. (2000). Chemoprevention of cancer: lessons to be learned from beta-carotene trials [Review]. *Toxicol Lett* 112-113: 513-517.
- Vainio, H. (2015). Epidemics of asbestos-related diseases--something old, something new [Editorial]. *Scand J Work Environ Health* 41: 1-4. <http://dx.doi.org/10.5271/sjweh.3471>.
- Vainio, H; Hemminki, K. (1991). Use of exposure information and animal cancer data in the prevention of environmental and occupational cancer. *Cancer Detect Prev* 15: 7-16.
- Vainio, H; Sorsa, M; Mcmichael, AJ. (1990). IARC INTERNATIONAL AGENCY FOR RESEARCH ON CANCER NO. 104. COMPLEX MIXTURES AND CANCER RISK WORKSHOP ESPOO FINLAND MAY 14-17 1989 (pp. LYON). (BIOSIS/91/17584). Vainio, H; Sorsa, M; Mcmichael, AJ.
- Valanis, B; Blank, J; Glass, A. (1998). Mailing strategies and costs of recruiting heavy smokers in CARET, a large chemoprevention trial. *Contr Clin Trials* 19: 25-38.
- Valanis, BG. (1988). Chemoprevention of lung cancer--retinoids/beta-carotene [Research]. RePORTER Database National Institutes of Health.
- Valanis, BG. (1989). Chemoprevention of lung cancer--retinoids/beta-carotene [Research]. RePORTER Database National Institutes of Health.
- Valanis, BG. (1990). Chemoprevention of lung cancer--retinoids/beta-carotene [Research]. RePORTER Database National Institutes of Health.
- Valanis, BG. (1991). Chemoprevention of lung cancer--retinoids/beta-carotene [Research]. RePORTER Database National Institutes of Health.
- Valanis, BG. (1992). Chemoprevention of lung cancer--retinoids/beta-carotene [Research]. RePORTER Database National Institutes of Health.
- Valanis, BG. (1993). Chemoprevention of lung cancer--retinoids/beta-carotene [Research]. RePORTER Database National Institutes of Health.
- Valanis, BG. (1994). Caret--study center [Research]. RePORTER Database National Institutes of Health.
- Valanis, BG. (1995). Caret--study center [Research]. RePORTER Database National Institutes of Health.
- Valavanidis, A; Vlachogianni, T; Fiotakis, C. (2009). 8-hydroxy-2'-deoxyguanosine (8-OHdG): A Critical Biomarker of Oxidative Stress and Carcinogenesis [Review]. *J Environ Sci Health C Environ Carcinog Ecotoxicol Rev* 27: 120-139. <http://dx.doi.org/10.1080/10590500902885684>.
- Valavanidis, A; Vlachogianni, T; Fiotakis, K. (2009). Tobacco smoke: involvement of reactive oxygen species and stable free radicals in mechanisms of oxidative damage, carcinogenesis and synergistic effects with other respirable particles. *Int J Environ Res Public Health* 6: 445-462. <http://dx.doi.org/10.3390/ijerph6020445>.
- Valberg, PA. (2004). Is PM more toxic than the sum of its parts? Risk-assessment toxicity factors vs. PM-mortality "effect functions". *Inhal Toxicol* 16 Suppl 1: 19-29. <http://dx.doi.org/10.1080/08958370490442935>.
- Vale, GA; Chamisa, A; Mangwiro, C; Torr, SJ. (2013). A neglected aspect of the epidemiology of sleeping sickness: the propensity of the tsetse fly vector to enter houses. *P L o S Neglected Tropical Diseases* 7: e2086. <http://dx.doi.org/10.1371/journal.pntd.0002086>.
- Valentim, IB; Martins, MH; Joekes, I. (2008). Influence of dipalmitoylphosphatidylcholine on the dissolution of Brazilian chrysotile. *Colloids Surf B Biointerfaces* 66: 96-102. <http://dx.doi.org/10.1016/j.colsurfb.2008.05.014>.
- Valentine, R; Chang, MJ; Hart, RW; Finch, GL; Fisher, GL. (1983). Thermal modification of chrysotile asbestos: evidence for decreased cytotoxicity. *Environ Health Perspect* 51: 357-368.
- Valentino, M; Governa, M; Curatola, G; Fiorini, RM; Lo Martire, N. (1982). [Adsorption of proteins by artificial mineral fibers: in vitro experiments]. *Boll Soc Ital Biol Sper* 58: 80-86.
- Valerio, F; Balducci, D. (1989). Qualitative and Quantitative Evaluation of Chrysotile and Crocidolite Fibres with Infrared Spectrophotometry: Application to Asbestos-Cement Products (pp. 197-204). (NIOSH/00191527). Valerio, F; Balducci, D.
- Valerio, F; Esposito, M; Santi, L. (1975). ADSORPTION OF ACIDIC AND BASIC DYES FROM SOLUTION ON ASBESTOS FIBERS. (HEEP/77/04222). Valerio, F; Esposito, M; Santi, L.
- Valerio, F; Puntoni, R; Santi, L. (1979). Adsorption Properties of U.I.C.C. Rhodesian Chrysotile and Crocidolite in Aqueous Solution Effects of Cation Depletion. *Am Ind Hyg Assoc J* 40: 781-788. <http://dx.doi.org/10.1080/15298667991430299>.
- Valić, F. (1988). Risk assessment of non-occupational asbestos exposure--can it be done? *Arh Hig Rada Toksikol* 39: 499-505.
- Valić, F. (2002). The asbestos dilemma: II. The ban. *Arh Hig Rada Toksikol* 53: 203-211.
- Vallance, DA. (2004). The phase-out of asbestos in the Australian manufacturing environment [Review]. *Int J Occup Environ Health* 10: 209-211. <http://dx.doi.org/10.1179/oeh.2004.10.2.209>.
- Valle, MT; Castagneto, B; Procopio, A; Carbone, M; Giordano, A; Mutti, L. (1998). Immunobiology and immune defense mechanisms of mesothelioma cells [Review]. *Monaldi Arch Chest Dis* 53: 219-227.
- Vallero, DA; Kominsky, JR; Beard, ME. (2007). Sampling and Analysis of Asbestos Fibers on Filter Media to Support Exposure Assessments: Scoping Effort. 68.
- Vallero, DA; Kominsky, JR; Beard, ME; Crankshaw, O. (2008). Sampling and Analysis of Asbestos Fibers on Filter Media to Support Exposure Assessment: Bench-Scale Testing. 50.
- Vallero, DA; Kominsky, JR; Beard, ME; Crankshaw, OS. (2009). Efficiency of Sampling and Analysis of Asbestos Fibers on Filter Media: Implications for Exposure Assessment. *J Occup Environ Hyg* 6: 62-72. <http://dx.doi.org/10.1080/15459620802577485>.

Human Health Hazard Literature Search Results

Off Topic

- Vallyathan, NV; Craighead, JE. (1981). Pulmonary pathology in workers exposed to nonasbestiform talc. *Hum Pathol* 12: 28-35.
- Vallyathan, V; Castranova, V; Pack, D; Leonard, S; Shumaker, J; Hubbs, AF; Shoemaker, DA; Ramsey, DM; Pretty, J. R.; Mclaurin, JL. (1995). Freshly fractured quartz inhalation leads to enhanced lung injury and inflammation. Potential role of free radicals. *Am J Respir Crit Care Med* 152: 1003-1009.
- Vallyathan, V; Green, F; Ducatman, B; Schulte, P. (1998). Roles of epidemiology, pathology, molecular biology, and biomarkers in the investigation of occupational lung cancer. *J Toxicol Environ Health B Crit Rev* 1: 91-116.
- Vallyathan, V; Leonard, S; Kuppasamy, P; Pack, D; Chzhan, M; Sanders, SP; Zweir, JL. (1997). Oxidative stress in silicosis: Evidence for the enhanced clearance of free radicals from whole lungs. *Mol Cell Biochem* 168: 125-132. <http://dx.doi.org/10.1023/A:1006850920080>.
- Vallyathan, V; Mentnech, MS; Stettler, LE; Dollberg, DD; Green, FHY. (1983). Mount St. Helens Volcanic Ash: Hemolytic Activity. *Environ Res* 30: 349-360.
- Vallyathan, V; Robinson, V; Reasor, M; Stettler, L. (1984). WOLLASTONITE AND ASBESTOS CYTO TOXICITY (pp. 20-23). (HEEP/85/00848).
Vallyathan, V; Robinson, V; Reasor, M; Stettler, L.
- Valouma, A; Verganelaki, A; Maravelaki-Kalaitzaki, P; Gidarakos, E. (2016). Chrysotile asbestos detoxification with a combined treatment of oxalic acid and silicates producing amorphous silica and biomaterial. *J Hazard Mater* 305: 164-170.
<http://dx.doi.org/10.1016/j.jhazmat.2015.11.036>.
- van Berlo, D; Clift, MJ; Albrecht, C; Schins, RP. (2012). Carbon nanotubes: an insight into the mechanisms of their potential genotoxicity [Review]. *Swiss Med Wkly* 142: w13698. <http://dx.doi.org/10.4414/sm.w.2012.13698>.
- van Berlo, D; Wilhelm, V; Boots, AW; Hullmann, M; Kuhlbusch, TA; Bast, A; Schins, RP; Albrecht, C. (2014). Apoptotic, inflammatory, and fibrogenic effects of two different types of multi-walled carbon nanotubes in mouse lung. *Arch Toxicol* 88: 1725-1737.
<http://dx.doi.org/10.1007/s00204-014-1220-z>.
- van Brakel, J; van Ouwkerk, B; Cleophas, TJ. (2007). Mesothelioma: a case report [Letter]. *Neth J Med* 65: 43; autho reply 43.
- van de Moortèle, B; Bezacier, L; Trullenque, G; Reynard, B. (2010). Electron back-scattering diffraction (EBSD) measurements of antigorite lattice-preferred orientations (LPO). *J Microsc* 239: 245-248. <http://dx.doi.org/10.1111/j.1365-2818.2010.03398.x>.
- van de Wiel, HJ; Møhlhave, L. (1993). Sampling strategies for indoor air analyses. COST 613 document. *IARC Sci Publ* 96-117.
- van den Brule, S; Beckers, E; Chaurand, P; Liu, W; Ibouaadata, S; Palmi-Pallag, M; Uwambayinema, F; Yakoub, Y; Avellan, A; Levard, C; Haufroid, V; Marbaix, E; Thill, A; Lison, D; Rose, J. (2014). Nanometer-long Ge-imogolite nanotubes cause sustained lung inflammation and fibrosis in rats. *Part Fibre Toxicol* 11: 67. <http://dx.doi.org/10.1186/s12989-014-0067-z>.
- van Den Heuvel, MM; Korse, CM; Bonfrer, JMG; Baas, P. (2008). Non-invasive diagnosis of pleural malignancies: The role of tumour markers. *Lung Cancer* 59: 350-354. <http://dx.doi.org/10.1016/j.lungcan.2007.08.030>.
- Van Den Oever, R; Roosels, D; Douwen, M; Vanderkeel, J; Lahaye, D. (1990). Exposure of diamond polishers to cobalt. *Ann Occup Hyg* 34: 609-614.
- van der Bij, S; Baas, P; van de Vijver, MJ; de Mol, BA; Burgers, JA. (2013). Legal claims for malignant mesothelioma: dealing with all cases. *Lung Cancer* 80: 153-158. <http://dx.doi.org/10.1016/j.lungcan.2013.01.012>.
- van der Laan, G. (2007). [Mesothelioma incidence around Goor, The Netherlands, and far beyond: the asbestos drama unfolds] [Comment]. *Ned Tijdschr Geneesk* 151: 2422-2425.
- van der Linde, A; Osius, G. (2001). Estimation of non-parametric multivariate risk functions in matched case-control studies with application to the assessment of interactions of risk factors in the study of cancer. *Stat Med* 20: 1639-1662. <http://dx.doi.org/10.1002/sim.905>.
- Van Der MEEREN, A; Renier, A; Magne, L; Bignon, J; M-C, J. (1986). PRODUCTION OF GROWTH AND INHIBITOR FACTORS BY TRANSFORMED RAT PLEURAL MESOTHELIAL CELLS PMC (pp. 8-10). (BIOSIS/87/15192). Van Der MEEREN, A; Renier, A; Magne, L; Bignon, J; Jaurand M-C.
- Van Duuren, BL. (1980). Prediction of carcinogenicity based on structure, chemical reactivity and possible metabolic pathways. *J Environ Pathol Toxicol Oncol* 3: 11-33.
- Van Gosen, BS; Meeker, GP; Plumlee, GS; Ziegler, TL. (2003). Mineralogical dilemmas in evaluating the human health impacts of asbestos in commercial mineral deposits. *Toxicol Sci* 72: 396-396.
- van Helden, YG; Keijzer, J; Knaapen, AM; Heil, SG; Briedé, JJ; van Schooten, FJ; Godschalk, RW. (2009). Beta-carotene metabolites enhance inflammation-induced oxidative DNA damage in lung epithelial cells. *Free Radic Biol Med* 46: 299-304.
<http://dx.doi.org/10.1016/j.freeradbiomed.2008.10.038>.
- van Hengel, P; van Geffen, F; Kazzaz, BA; Heyerman, HG. (2001). Atypical carcinoid presenting as mesothelioma. *Neth J Med* 58: 185-190.
- Van Houten, B. (1994). Asbestos induced oxidative dna damage and repair [Research]. RePORTER Database National Institutes of Health.
- Van Houten, B. (1995). Asbestos induced oxidative dna damage and repair [Research]. RePORTER Database National Institutes of Health.
- Van Houten, B. (1997). Asbestos induced oxidative dna damage and repair [Research]. RePORTER Database National Institutes of Health.
- Van Houten, B. (1998). Asbestos induced oxidative dna damage and repair [Research]. RePORTER Database National Institutes of Health.
- Van Houten, B; Yakes, FM; Salazar, JJ; Lebovitz, RM. (1998). REACTIVE OXYGEN SPECIES INDUCE PERSISTENT MITOCHONDRIAL DNA DAMAGE IN MAMMALIAN CELLS (pp. 21-26). (BIOSIS/98/11855). Van Houten, B; Yakes, FM; Salazar, JJ; Lebovitz, RM.
- Van Houten, JL. (2010). Vermont inbre: lead institution core.
- Van Julsingha, EB; Tuchmann-Duplessis, H. (1979). TERATOGENIC EFFECTS OF ENVIRONMENTAL POLLUTANTS (pp. PROCEEDINGS OF THE INTERNATIONAL COLOQUIUM). (HEEP/80/07892). Van Julsingha, EB; Tuchmann-Duplessis, H.
- van Kesteren, P; Bulten, J; Schijf, C; Boonstra, H; Massuger, L. (2004). Untitled - Response. *Int J Gynecol Cancer* 14: 1046-1047.
- van Meerbeeck, JP; Damhuis, R. (2011). Facts, rumours and speculations about the mesothelioma epidemic [Editorial]. *Respirology* 16: 1018-1019. <http://dx.doi.org/10.1111/j.1440-1843.2011.02020.x>.

Human Health Hazard Literature Search Results

Off Topic

- van Meerbeeck, JP; Hillerdal, G. (2008). Screening for mesothelioma: more harm than good? [Editorial]. *Am J Respir Crit Care Med* 178: 781-782. <http://dx.doi.org/10.1164/rccm.200806-955ED>.
- Van Netten, C; Brands, R; Teschke, KE; Ashwood-Smith, MJ; Morley, DR; Ross, RN. (1995). Environmental Survey of RCMP Detachment Building in Powell River, B. C., Implicated in a Cancer Cluster. *Can J Public Health* 86: 51-56.
- van Oldruitenborgh-Oosterbaan, MMS; Goehring, LS. (1999). Different dermatological problems with similar clinical signs. *Pferdeheilkunde* 15: 175-180.
- Van Orden, DR. (1993). Comment on "Exposure to airborne asbestos in buildings" [Letter]. *Regul Toxicol Pharmacol* 18: 481.
- Van Orden, DR; Lee, RJ; Allison, KA; Addison, J. (2009). Width Distributions of Asbestos and Non-Asbestos Amphibole Minerals. *Indoor Built Environ* 18: 531-540. <http://dx.doi.org/10.1177/1420326X09341503>.
- van Orden, DR; Lee, RJ; Bishop, KM; Kahane, D; Morse, R. (1995). Evaluation of ambient asbestos concentrations in buildings following the Loma Prieta earthquake. *Regul Toxicol Pharmacol* 21: 117-122.
- Van Oss, CJ; Naim, JO; Costanzo, PM; Giese, RF; Wu, W; Sorling, AF. (1999). Impact of different asbestos species and other mineral particles on pulmonary pathogenesis. *Clays and Clay Minerals* 47: 697-707.
- van Oyen, SC; Peters, S; Alfonso, H; Fritschi, L; de Klerk, NH; Reid, A; Franklin, P; Gordon, L; Benke, G; Musk, AW. (2015). Development of a Job-Exposure Matrix (AsbJEM) to Estimate Occupational Exposure to Asbestos in Australia. *Ann Occup Hyg* 59: 737-748. <http://dx.doi.org/10.1093/annhyg/mev017>.
- Van Poppel, H; Nilsson, S; Algaba, F; Bergerheim, U; Dal Cin, P; Fleming, S; Hellsten, S; Kirkali, Z; Klotz, L; Lindblad, P; Ljungberg, B; Mulders, P; Roskams, T; Ross, RK; Walker, C; Wersail, P. (2000). Precancerous lesions in the kidney. *Scand J Urol Nephrol* 34: 136-165.
- Van Raalte, HGS. (1979). Suspicion and confidence in toxicology and occupational medicine. *Dev Toxicol Environ Sci* 4: 81-91. <http://dx.doi.org/10.1016/B978-0-444-00288-4.50014-1>.
- Van Wagenen, HD. (1987). Preliminary Survey Report: Evaluation of Brake Drum Service Controls at Pennsylvania Bureau of Vehicle Management, Vehicle Maintenance Division, Harrisburg, Pennsylvania, Report No. CT-152-19a (pp. 152-119). (NIOSH/00169479). Van Wagenen, HD.
- van Zandwijk, N. (2013). Clinical practice guidelines for malignant pleural mesothelioma. *J Thorac Dis* 5: 724-725. <http://dx.doi.org/10.3978/j.issn.2072-1439.2013.12.50>.
- van Zeeland, AA; de Groot, AJL; Hall, J; Donato, F. (1999). 8-Hydroxydeoxyguanosine in DNA from leukocytes of healthy adults: relationship with cigarette smoking, environmental tobacco smoke, alcohol and coffee consumption. *Mutat Res Genet Toxicol Environ Mutagen* 439: 249-257.
- Van Zorge, JA. (1996). Exposure to mixtures of chemical substances: is there a need for regulations? *Food Chem Toxicol* 34: 1033-1036.
- Vanchugova, NN; Frash, VN; Kogan, FM. (1985). USE OF THE MICRONUCLEAR TEST AS A RAPID METHOD FOR DETECTION OF POTENTIAL BLASTOMOGENICITY OF ASBESTOS-CONTAINING AND OTHER MINERAL FIBERS. *Gig Tr Prof Zabol* 0: 45-48.
- Vanda, B; de Buen, N; Jasso, R; Valero, G; Vargas, MH; Olmos, R; Arreola, JL; Santillan, P; Alonso, P. (1998). Inflammatory cells and ferruginous bodies in bronchoalveolar lavage in urban dogs. *Acta Cytol* 42: 939-944. <http://dx.doi.org/10.1159/000331972>.
- Vandeborne, E. (1981). Order concerning asbestos (Royal Order of 15 Dec. 1978) amending Parts II and III of the General Labour Protection Regulations. 4: 9-21.
- Vandenbos, F; Figueredo, M; Dumon-Gubeno, MC; Nicolle, I; Tarhini, A; Butori, C; Mouroux, J. (2013). [Malignant pleural mesothelioma after radiation treatment for Hodgkin lymphoma]. *Rev Pneumol Clin* 69: 291-293. <http://dx.doi.org/10.1016/j.pneumo.2013.04.004>.
- Vandergulden, JWJ; Jansen, IW; Verbeek, ALM; Kolk, JJ. (1993). REPEATABILITY OF SELF-REPORTED DATA ON OCCUPATIONAL EXPOSURE TO PARTICULAR COMPOUNDS. *Int J Epidemiol* 22: 284-287.
- Vandermeers, F; Neelature Sriramareddy, S; Costa, C; Hubaux, R; Cosse, JP; Willems, L. (2013). The role of epigenetics in malignant pleural mesothelioma [Review]. *Lung Cancer* 81: 311-318. <http://dx.doi.org/10.1016/j.lungcan.2013.05.014>.
- Vandivort, TC; Birkland, TP; Domiciano, TP; Mitra, S; Kavanagh, TJ; Parks, WC. (2017). Stromelysin-2 (MMP-10) facilitates clearance and moderates inflammation and cell death following lung exposure to long multiwalled carbon nanotubes. *International Journal of Nanomedicine (Online)* 12: 1019-1031. <http://dx.doi.org/10.2147/IJN.S123484>.
- Vangelder, T; Damhuis, RAM; Hoogsteden, HC. (1994). PROGNOSTIC FACTORS AND SURVIVAL IN MALIGNANT PLEURAL MESOTHELIOMA. *Eur Respir J* 7: 1035-1038.
- Vanoeteren, C; Cornelis, R; Dams, R; Ryckaert, R. (1984). SCANNING ELECTRON MICROSCOPY AND X-RAY FLUORESCENCE ANALYSIS OF PARTICULATE MATTER DEPOSITED IN HUMAN LUNG (pp. BERLIN). (BIOSIS/86/02008). Vanoeteren, C; Cornelis, R; Dams, R; Ryckaert, R.
- Vanotto, A. (2010). [Asbestos victims still in search of justice: the battle of AIEA (Italian Association of the Exposed to Asbestos)]. *Epidemiol Prev* 34: 15-16.
- Varchaver, N. (2008). The tombstone at Ground Zone. *Fortune* 157: 92-96, 98, 100 passim.
- Varesano, S; Leo, C; Boccardo, S; Salvi, S; Truini, M; Ferro, P; Fedeli, F; Canessa, PA; Dessanti, P; Pistillo, MP; Roncella, S. (2014). Status of Anaplastic Lymphoma Kinase (ALK) in malignant mesothelioma. *Anticancer Res* 34: 2589-2592.
- Varga, C. (2000). Asbestos fibres in drinking water: are they carcinogenic or not? *Med Hypotheses* 55: 225-226. <http://dx.doi.org/10.1054/mehy.2000.1049>.
- Varga, C. (2005). Can one assess genotoxic and carcinogenic risk of asbestos without mentioning ingested fibres? [Letter]. *Mutat Res* 572: 173-174; author reply 175-176. <http://dx.doi.org/10.1016/j.mrfmmm.2004.12.006>.
- Varga, C; Pocsai, Z; Horvath, G; Timbrell, V; Kertai, P. (1995). IN VIVO CYTOGENETIC EFFECTS OF ORAL EXPOSURE TO BENZO A PYRENE-COATED UICC AMPHIBOLE ASBESTOS FIBRES (pp. 22-26). (BIOSIS/96/02827). Varga, C; Pocsai, Z; Horvath, G; Timbrell, V; Kertai, P.
- Varkey, B. (1983). Asbestos exposure. An update on pleuropulmonary hazards. *Postgrad Med* 74: 93-99, 102-103.

Human Health Hazard Literature Search Results

Off Topic

- Varkey, B; Kumar, UN. (1978). Asbestos-related diseases of lung and pleura: clinical picture and illustrative cases. *Postgrad Med* 63: 48-66.
- Vasama-Neuvonen, K; Pukkala, E; Paakkulainen, H; Mutanen, P; Weiderpass, E; Boffetta, P; Shen, N; Kauppinen, T; Vainio, H; Partanen, T. (1999). Ovarian cancer and occupational exposures in Finland. *Am J Ind Med* 36: 83-89.
- Vasilenko I, YA; Maskalev YU, I; Strel'Tsova, VN. (1986). CARCINOGENIC EFFECT OF IONIZING RADIATION COMBINED WITH CHEMICAL AND OTHER PHYSICAL AGENTS. *Vopr Onkol Leningr*: 3-14.
- Vasuki, V; Rajavel, AR. (1992). Beta-Cyfluthrin, a synthetic pyrethroid for mosquito control. *Southeast Asian J Trop Med Public Health* 23: 318-323.
- Vathesatogkit, P; Harkin, TJ; Addrizzo-Harris, DJ; Bodkin, M; Crane, M; Rom, WN. (2004). Clinical correlation of asbestos bodies in BAL fluid. *Chest* 126: 966-971. <http://dx.doi.org/10.1378/chest.126.3.966>.
- Vaughan, GL; Jordan, J; Karr, S. (1991). The Toxicity, In Vitro, of Silicon Carbide Whiskers. *Environ Res* 56: 57-67.
- Vaughan, GL; Kennedy, JR; Trently, SA. (1991). The immediate effects of silicon carbide whiskers upon ciliated tracheal epithelium. *Environ Res* 56: 178-185.
- Vaughan, GL; Trently, SA. (1996). The toxicity of silicon carbide whiskers, a review. *Journal of Environmental Science and Health, Part A: Environmental Science and Engineering and Toxi* 31: 2033-2054.
- Vaughan, NP; Brown, RC; Evans, PG. (1996). The Effects of Asbestos Wet-Stripping Agents on Filters Used in Powered Respirators. *Ann Occup Hyg* 40: 539-553.
- Vaughan, NP; Rooker, SJ; Le Guen, JMM. (1981). In situ identification of asbestos fibres collected on membrane filters for counting. *24*: 281-290.
- Veale, AG. (2004). Regarding 'mortality, morbidity, and asbestosis in New Zealand: the hidden legacy of asbestos exposure' [Letter]. *N Z Med J* 117: U1225.
- Veetil, SP; Pasquier, LC; Blais, JF; Cecchi, E; Kentish, S; Mercier, G. (2015). Direct gas-solid carbonation of serpentinite residues in the absence and presence of water vapor: a feasibility study for carbon dioxide sequestration. *Environ Sci Pollut Res Int* 22: 13486-13495. <http://dx.doi.org/10.1007/s11356-015-4580-x>.
- Veghte, JH. (1973). Human exposure to high radiant environments. *Aerosp Med* 44: 1147-1151.
- Vehmas, T. (2008). Factors influencing the prevalence of pulmonary nodules in lung cancer screening trials: re-evaluation of a CT study. *Ups J Med Sci* 113: 279-286.
- Vehmas, T; Hiltunen, A; Kivisaari, L; Leino-Arjas, P. (2008). Atherosclerotic and pleural calcifications are related among asbestos-exposed workers. *Eur J Cardiovasc Prev Rehabil* 15: 599-601. <http://dx.doi.org/10.1097/HJR.0b013e328309a224>.
- Vehmas, T; Oksa, P. (2015). Healthy volunteer effect in a lung cancer screening study [Letter]. *Eur J Cancer Prev* 24: 454-454. <http://dx.doi.org/10.1097/CEJ.000000000000110>.
- Velan, GM; Kumar, RK; Cohen, DD. (1993). Pulmonary inflammation and fibrosis following subacute inhalational exposure to silica: determinants of progression. *Pathology* 25: 282-290.
- Velasco-García, MI; Cruz, MJ; Ruano, L; Montero, MA; Freixa, A; Ferrer, J. (2011). Reproducibility of asbestos body counts in digestions of autopsy and surgical lung tissue. *Am J Ind Med* 54: 597-602. <http://dx.doi.org/10.1002/ajim.20966>.
- Velichkovskii, BT; Fishman, BB. (2000). [Catalytic properties of dust as criteria of its occupational hazards]. *Gig Sanit* 25-28.
- Velichkovskii, BT; Vladimirov, I, uA; Korkina, LG; Suslova, TB. (1982). [Physico-chemical mechanism of interaction of phagocytic cells with fibrosis-inducing dusts]. *Vestn Akad Med Nauk SSSR* 45-51.
- Velluti, G; Lusuardi, M; Capelli, A; Braghiroli, A; Capelli, O; Donner, CF. (1987). VALUE OF QUANTITATIVE ELEMENTAL X-RAY MICROANALYSIS APPLIED TO BRONCHO-ALVEOLAR BAL CYTOLOGIC SAMPLES IN THE STUDY OF PNEUMOCONIOSIS (pp. 10-13). (BIOSIS/87/23710). Velluti, G; Lusuardi, M; Capelli, A; Braghiroli, A; Capelli, O; Donner, CF.
- Veranth, JM; Smith, KR; Huggins, F; Hu, AA; Lighty, JS; Aust, AE. (2000). Mossbauer spectroscopy indicates that iron in an aluminosilicate glass phase is the source of the bioavailable iron from coal fly ash. *Chem Res Toxicol* 13: 161-164. <http://dx.doi.org/10.1021/tx9902136>.
- Verger, P; Arnaud, S; Ferrer, S; Iarmarcovai, G; Saliba, ML; Viau, A; Souville, M. (2008). Inequities in reporting asbestos-related lung cancer: influence of smoking stigma and physician's specialty, workload and role perception. *Occup Environ Med* 65: 392-397. <http://dx.doi.org/10.1136/oem.2007.035808>.
- Verhoff, MA; Risse, M; Alles, JU; Müller, KM; Stachetzki, U. (2004). [Obligation to report occupational diseases. Importance of external post-mortem examinations before cremation]. *Pathologie* 25: 217-221. <http://dx.doi.org/10.1007/s00292-003-0645-6>.
- Verma, DK; Clark, NE. (1995). Relationships between phase contrast microscopy and transmission electron microscopy results of samples from occupational exposure to airborne chrysotile asbestos. *Am Ind Hyg Assoc J* 56: 866-873. <http://dx.doi.org/10.1080/15428119591016494>.
- Verma, DK; Clark, NE; Julian, JA. (1991). ASBESTOS FIBER CHARACTERIZATION USING AN ANALYTICAL TRANSMISSION ELECTRON-MICROSCOPE AND A MICROFILM READER. *Am Ind Hyg Assoc J* 52: 113-119.
- Verma, DK; Middleton, CG. (1980). Occupational exposure to asbestos in the drywall taping process. *Am Ind Hyg Assoc J* 41: 264-269. <http://dx.doi.org/10.1080/15298668091424726>.
- Verma, DK; Purdham, JT; Roels, HA. (2002). Translating evidence about occupational conditions into strategies for prevention [Review]. *Occup Environ Med* 59: 205-213; quiz 214.
- Verma, DK; Sahai, D; Kurtz, LA; Finkelstein, MM. (2004). Current man-made mineral fibers (MMMF) exposures among Ontario construction workers. *J Occup Environ Hyg* 1: 306-318. <http://dx.doi.org/10.1080/15459620490445462>.
- Vermeirsch, K; Dubois, B; Sciot, R; Westhovens, R. (2006). An external cause for 'idiopathic' pachymeningitis? *Acta Clin Belg* 61: 355-358. <http://dx.doi.org/10.1179/acb.2006.056>.

Human Health Hazard Literature Search Results

Off Topic

- Vernhet, H; Bousquet, C; Vergnes, C; Thiebault, C; Lesnik, A; Durand, G; Giron, J; Senac, JP. (1999). Contribution of high-resolution volume computed tomography (HRVCT) for the exploration of diffuse pulmonary infiltrative disorders. *Rev Mal Respir* 16: 188-197.
- Veronese, FM; Caliceti, P; Schiavon, O; Sergi, M. (2002). Polyethylene glycol-superoxide dismutase, a conjugate in search of exploitation [Review]. *Adv Drug Deliv Rev* 54: 587-606.
- Verpeut, A; Vansteenkiste, J; Deschepper, K; Demedts, M. (1999). Preoperative work-up of a solitary diaphragmatic mass in a patient with right shoulder pain: a case for diagnosis. *Monaldi Arch Chest Dis* 54: 234-236.
- Versagi, FJ. (1961). How to Handle Corrosive Gases (pp. 26-30). (NIOSH/00003494). Versagi, FJ.
- Verschakelen, JA; Vancleemput, J; Rombouts, J; Baert, AL; Nemery, B; Lacquet, L. (1996). Correlation between pleural plaque surface quantified with CT, cumulative asbestos exposure, and pulmonary function test results in a well-controlled group of asbestos workers [Abstract]. *Radiology* 201: 1656.
- Vestbo, J; Knudsen, KM; Raffn, E; Korsgaard, B; Rasmussen, FV. (1991). Exposure to cement dust at a Portland cement factory and the risk of cancer. *Br J Ind Med* 48: 803-807.
- Vetere, C. (1989). [Health program for an effective primary prevention of carcinoma of the lung]. *Arch Monaldi Mal Torace* 44: 937-950.
- Vetrani, A; Palombini, L; Marino, M; Boschi, R; Fulciniti, F; Marino, G; Zabatta, A; Bianco, P. (1986). Malignancy-associated cellular markers (MAC) in oral and bronchial epithelial cells in sputum specimens: possible morphologic marker for high-risk groups (asbestos-exposed workers). *Cancer Detect Prev* 9: 343-346.
- Vezencev, AI; Nejman, SM; Naumova, LN. (1998). Chrysotile asbestos emission from asbestos cement. *Bezopasnost' Truda v Promyshlennosti truda v promyshlennosti* 1998: 40-44.
- Vial, T; Nicolas, B; Descotes, J. (1996). Clinical immunotoxicity of pesticides. *J Toxicol Environ Health* 48: 215-229.
- Viallat, JR; Farisse, P; Rey, F; Boutin, C. (1990). [Epidemiology and etiology of mesothelioma]. *Rev Prat* 40: 1842-1845.
- Vianna, NJ; Polan, AK. (1978). NON-OCCUPATIONAL EXPOSURE TO ASBESTOS AND MALIGNANT MESOTHELIOMA - REPLY. *Lancet* 2: 522-522.
- Vida, S; Pintos, J; Parent, ME; Lavoué, J; Siemiatycki, J. (2010). Occupational exposure to silica and lung cancer: pooled analysis of two case-control studies in Montreal, Canada. *Cancer Epidemiol Biomarkers Prev* 19: 1602-1611. <http://dx.doi.org/10.1158/1055-9965.EPI-10-0015>.
- Vierikko, T; Jaervenpaeae, R; Uitti, J; Virtema, P; Oksa, P; Jaakkola, MS; Autti, T; Vehmas, T. (2008). The effects of secondhand smoke exposure on HRCT findings among asbestos-exposed workers. *Respir Med* 102: 658-664. <http://dx.doi.org/10.1016/j.rmed.2007.12.021>.
- Vierikko, T; Kivistö, S; Järvenpää, R; Uitti, J; Oksa, P; Virtema, P; Vehmas, T. (2009). Psychological impact of computed tomography screening for lung cancer and occupational pulmonary disease among asbestos-exposed workers. *Eur J Cancer Prev* 18: 203-206. <http://dx.doi.org/10.1097/CEJ.0b013e328329d800>.
- Vietti, G; Ibouaraadaten, S; Palmari-Pallag, M; Yakoub, Y; Bailly, C; Fenoglio, I; Marbaix, E; Lison, D; van den Brule, S. (2013). Towards predicting the lung fibrogenic activity of nanomaterials: experimental validation of an in vitro fibroblast proliferation assay. *Part Fibre Toxicol* 10: 52. <http://dx.doi.org/10.1186/1743-8977-10-52>.
- Vietti, G; Lison, D; van den Brule, S. (2016). Mechanisms of lung fibrosis induced by carbon nanotubes: towards an Adverse Outcome Pathway (AOP) [Review]. *Part Fibre Toxicol* 13: 11. <http://dx.doi.org/10.1186/s12989-016-0123-y>.
- Vigliani, EC. (1969). [Criteria for the determination of maximum tolerable concentration of silica and asbestos in the air]. *Med Lav* 60: 85-89.
- Vigliani, EC. (1969). Criteria for the Determination of the Maximum Tolerable Silica and Asbestos Concentrations in the Atmosphere (pp. 85-89). (NIOSH/00184928). Vigliani, EC.
- Vigliani, EC; Rendal, RE; Patroni, M; Skikne, M; Occella, E; Ellis, P. (1976). Presence and identification of fibres in the atmosphere of Milan. *Med Lav* 67: 551-567.
- Vigliaturo, R; Capella, S; Rinaudo, C; Belluso, E. (2016). "Rinse and trickle": a protocol for TEM preparation and investigation of inorganic fibers from biological material. *Inhal Toxicol* 28: 357-363. <http://dx.doi.org/10.1080/08958378.2016.1175527>.
- Vigneswaran, WT. (2014). PREVENTING PLEURAL MESOTHELIOMA IN PATIENTS WITH RECOGNIZABLE ASBESTOS-RELATED PLEURAL PLAQUES Reply [Letter]. *J Thorac Cardiovasc Surg* 148: 1763-1764. <http://dx.doi.org/10.1016/j.jtcvs.2014.05.043>.
- Vihma, TE; Rantanen, SI; Nurminen, MM. (1984). Multiple And Combined Chemical Exposure In Industry (pp. 71-79). (NIOSH/00156865). Vihma, TE; Rantanen, SI; Nurminen, MM.
- Vijayan, VK; Sankaran, K; Sharma, SK; Misra, NP. (1995). CHRONIC LUNG INFLAMMATION IN VICTIMS OF TOXIC GAS LEAK AT BHOPAL. *Respir Med* 89: 105-111. [http://dx.doi.org/10.1016/0954-6111\(95\)90192-2](http://dx.doi.org/10.1016/0954-6111(95)90192-2).
- Villa, M; Hubert, G; Lima, S; Kauffer, E; acirc; Ery, M. (1995). Asbestos removal in an office building - Efficacy of personal protection. *Cahiers de notes documentaires Hygi and aacute*: 463-467.
- Villa, M; Hubert, G; Lima, S; Kauffer, E; Hery, M. (1994). Occupational Exposure during Asbestos Removal Operations (pp. 7-14). (NIOSH/00225667). Villa, M; Hubert, G; Lima, S; Kauffer, E; Hery, M.
- Villanova, F; Procopio, A; Rippo, MR. (2008). Malignant mesothelioma resistance to apoptosis: recent discoveries and their implication for effective therapeutic strategies [Review]. *Curr Med Chem* 15: 631-641.
- Villeda-Cuevas, D; Quintero-Casas, D; Rivera-Rosales, RM; Eguía-Aguilar, P; Perezpeña-Diazconti, M; Arenas-Huertero, F. (2012). Elemental composition of ferruginous bodies and occupational categories: analyses and case studies in Mexico. *Inhal Toxicol* 24: 201-212. <http://dx.doi.org/10.3109/08958378.2012.657307>.
- Villeneuve, PJ; Parent, MÉ; Sahni, V; Johnson, KC; Group, CCRER. (2011). Occupational exposure to diesel and gasoline emissions and lung cancer in Canadian men. *Environ Res* 111: 727-735. <http://dx.doi.org/10.1016/j.envres.2011.04.003>.
- Vincent, JH. (1985). On the Practical Significance of Electrostatic Lung Deposition of Isometric and Fibrous Aerosols. *J Aerosol Sci* 16: 511-519.

Human Health Hazard Literature Search Results

Off Topic

- Vincent, M; Chemarin, C. (2011). Série « pollution de l'air intérieur »/Coordonnée par F. de Blay: Impact sanitaire de la pollution particulaire minérale à l'intérieur des locaux [Review]. *Rev Mal Respir* 28: 496-502. <http://dx.doi.org/10.1016/j.rmr.2010.10.033>.
- Vincent, R; Kauppinen, T; Toikkanen, J; Pedersen, D; Young, R; Kogevinas, M. (1999). CAREX: International information system on occupational exposure to carcinogenic agents in Europe - Occupational exposure to carcinogenic agents in France from 1990 to 1993. *Cahiers de notes documentaires Hygi and egrave*: 49-58.
- Vintman, L; Nielsen, S; Berner, A; Reich, R; Davidson, B. (2005). Mitogen-activated protein kinase expression and activation does not differentiate benign from malignant mesothelial cells. *Cancer* 103: 2427-2433. <http://dx.doi.org/10.1002/cncr.21014>.
- Virta, RL; Segreti, JM. (1987). A MODEL FOR PREDICTING CROCIDOLITE FIBER SIZE DISTRIBUTIONS. *Environ Res* 44: 148-160.
- Virta, RL; Shedd, KB; Campbell, WJ. (1982). Identification And Quantification Of Asbestos In Construction Materials Using Polarized Light Microscopy: The Need For Standards (pp. Materials and Analytical Methods). (NIOSH/00145889). Virta, RL; Shedd, KB; Campbell, WJ.
- Virta, RL; Shedd, KB; Wylie, AG; Snyder, JG. (1983). Size And Shape Characteristics Of Amphibole Asbestos (Amosite) And Amphibole Cleavage Fragments (Actinolite, Cummingtonite) Collected On Occupational Air Monitoring Filters (pp. 633-643). (NIOSH/00151413). Virta, RL; Shedd, KB; Wylie, AG; Snyder, JG.
- Visalli, G; Bertuccio, MP; Iannazzo, D; Piperno, A; Pistone, A; Di Pietro, A. (2015). Toxicological assessment of multi-walled carbon nanotubes on A549 human lung epithelial cells. *Toxicol In Vitro* 29: 352-362. <http://dx.doi.org/10.1016/j.tiv.2014.12.004>.
- Visioli, G; Menta, C; Gardi, C; Conti, FD. (2013). Metal toxicity and biodiversity in serpentine soils: application of bioassay tests and microarthropod index. *Chemosphere* 90: 1267-1273. <http://dx.doi.org/10.1016/j.chemosphere.2012.09.081>.
- Viswanathan, PN. (1985). ENVIRONMENTAL TOXICOLOGY IN INDIA (pp. 88-98). (BIOSIS/86/09884). Viswanathan, PN.
- Viswanathan, PN; Khatoon, N; Rahman, Q. (1981). Some aspects of lung biochemistry in relation to toxicity of air pollutants (pp. 67-77). (HEEP/82/11833). Viswanathan, PN; Khatoon, N; Rahman, Q.
- Vitale Brovarone, A; Martinez, I; Elmaleh, A; Compagnoni, R; Chaduteau, C; Ferraris, C; Esteve, I. (2017). Massive production of abiotic methane during subduction evidenced in metamorphosed ophicarbonates from the Italian Alps. *Nature Communications* 8: 14134. <http://dx.doi.org/10.1038/ncomms14134>.
- Vlachogianni, T; Fiotakis, K; Loidas, S; Perdicaris, S; Valavanidis, A. (2013). Potential toxicity and safety evaluation of nanomaterials for the respiratory system and lung cancer [Review]. 4: 71-82. <http://dx.doi.org/10.2147/LCTT.S23216>.
- Vlastos, F; Hillas, G; Vidal, P; Lacomme, S; Galateau-Salle, F; Vollmer, E; Guzman-Costabel, J; Vignaud, JM; Martinet, N. (2009). Survey and Biological Insights of Pemetrexed-Related Therapeutic Improvement in Mesothelioma The Nancy Centre of Biological Resources' Mesothelioma Cohort. *J Thorac Oncol* 4: 1259-1263. <http://dx.doi.org/10.1097/JTO.0b013e3181aba6bd>.
- VO, S. (1985). PROBLEMS OF HYGIENIC REGULATION OF THE USE OF POLYMER MATERIALS OUTSIDE THE USSR. *Gig Sanit* 0: 63-65.
- Voborsky, RC. (1980). Occupational Health Chemistry Collection And Analysis Of Airborne Contaminants (pp. 185-195). (NIOSH/00149881). Voborsky, RC.
- Vogel, EW; Graf, U; Frei, HJ; Nivard, MM. (1999). The results of assays in *Drosophila* as indicators of exposure to carcinogens [Review]. *IARC Sci Publ* 146: 427-470.
- Vogelaar, EF; Boer-V d Berg, MA; Reijnierse, E; Brummelhuis, HG; Krijnen, HW. (1974). Contributions to the optimal use of human blood. V. A method to increase the yield of anti-D immunoglobulin by processing Cohn's fraction III. *Vox Sang* 27: 207-213.
- Vogelzang, NJ. (1992). Malignant mesothelioma: diagnostic and management strategies for 1992 [Review]. *Semin Oncol* 19: 64-71.
- Vogelzang, NJ; Schultz, SM; Iannucci, AM; Kennedy, BJ. (1984). Malignant mesothelioma: The University of Minnesota (USA) experience. *Cancer PHILA*: 377-383.
- Vogt, C; Cotruvo, J. (1987). DRINKING WATER STANDARDS THEIR DERIVATION AND MEANING (pp. CHELSEA). (BIOSIS/88/08746). Vogt, C; Cotruvo, J.
- Vogt, C; Cotruvo, J; Goldhaber, S. (1987). DEVELOPMENT OF DRINKING WATER REGULATIONS FOR ORGANIC CONTAMINANTS IN THE USA (pp. NEW YORK). (BIOSIS/88/35588). Vogt, C; Cotruvo, J; Goldhaber, S.
- Vohra, KG. (1981). Environmental carcinogens in the city air and lung cancer incidence. *J Cancer Res Clin Oncol* 99: 41-49.
- Voisin, C; Fisekci, F; Buclez, B; Didier, A; Couste, B; Bastien, F; Brochard, P; Pairon, JC. (1996). Mineralogical analysis of the respiratory tract in aluminium oxide-exposed workers. *Eur Respir J* 9: 1874-1879.
- Vollmer, RT; Roggli, VL. (1985). Asbestos body concentrations in human lung: predictions from asbestos body counts in tissue sections with a mathematical model. *Hum Pathol* 16: 713-718.
- Vordermark, D; Said, HM; Katzer, A; Kuhnt, T; Hänsgen, G; Dunst, J; Flentje, M; Bache, M. (2006). Plasma osteopontin levels in patients with head and neck cancer and cervix cancer are critically dependent on the choice of ELISA system. *BMC Cancer* 6: 207. <http://dx.doi.org/10.1186/1471-2407-6-207>.
- Vorobiof, DA; Mafafo, K. (2009). Malignant Pleural Mesothelioma: Medical Treatment Update [Review]. *Clin Lung Cancer* 10: 112-117. <http://dx.doi.org/10.3816/CLC.2009.n.014>.
- Voronov, IE; Gur'Ev, SA; Kogan, FM; Gurvic, VB. (1983). Determining the chrysotile content of dust from asbestos processing plants and its hygienic significance. 1983: 44-46.
- Voronov, IE; Gur'Ev, SA; Kogan, FM; Gurvich, VB. (1983). DETERMINATION OF CHRYSOLITE LEVELS IN THE DUST OF ASBESTOS PROCESSING ENTERPRISES AND ITS HYGIENIC SIGNIFICANCE. *Gig Sanit* 0: 44-46.
- Vorontsova, EI; Latushkina, VB. (1970). Prevention of pneumoconiosis. *Gig Tr Prof Zabol* 14: 4-7.
- Vorster, MJ; Schubert, PT; Koegelenberg, CF. (2015). The real value of endobronchial ultrasound. *S Afr Med J* 105: 876.

Human Health Hazard Literature Search Results

Off Topic

- Vu, V; Barrett, JC; Roycroft, J; Schuman, L; Dankovic, D; Baron, P; Martonen, T; Pepelko, W; Lai, D. (1996). Chronic inhalation toxicity and carcinogenicity testing of respirable fibrous particles (Chapel Hill, North Carolina, USA, May 8-10, 1995). *Regul Toxicol Pharmacol* 24: 202-212.
- Vujovic, M. (1995). Standardizing diagnostic criteria for assessment of asbestos-related occupational disease of the lung and lung parenchyma. *Arh Hig Rada Toksikol* 46: 445-449.
- Vujović, M; Vujović, I; Kuzmanić, I. (1998). New technologies in diagnosing occupational asbestosis. *Arh Hig Rada Toksikol* 49: 251-258.
- Vural, SA; Ozyildiz, Z; Ozsoy, SY. (2007). Pleural mesothelioma in a nine-month-old dog. *Irish Veterinary Journal* 60: 30-33.
- Vuskovic, MI; Xu, H; Bovin, NV; Pass, HI; Huflejt, ME. (2011). Processing and analysis of serum antibody binding signals from Printed Glycan Arrays for diagnostic and prognostic applications. *Int J Bioinform Res Appl* 7: 402-426. <http://dx.doi.org/10.1504/IJBRA.2011.043771>.
- Vutuc, C. (1983). Lung cancer risk in workers belonging to the mining and processing of stone occupation (pp. 3-4). (HEEP/84/01383). Vutuc, C. Vyas, D; Pihl, K; Kavuturu, S; Vyas, A. (2012). Mesothelioma as a rapidly developing Giant Abdominal Cyst. *World Journal of Surgical Oncology* 10: 277. <http://dx.doi.org/10.1186/1477-7819-10-277>.
- Vysamyae, AI. (1978). Morphology of experimental lung tumors in albino rats and Syrian hamsters. *Vestn Akad Med Nauk SSSR* 77-79.
- Vyth, A; Stolk, LM; Abbad, FC. (1986). Aluminum contamination of dialysis and intravenous fluids after asbestos-free depth filtration [Letter]. *Am J Hosp Pharm* 43: 2390.
- W, WJ; JR. (1989). PROCESS FOR REMOVING ASBESTOS OR OTHER FRIABLE COATING FROM A SURFACE US PATENT-4853042. AUGUST 1 1989. (BIOSIS/89/30046). Wilderman J W; JR.
- Waage, HP; Vatten, LJ; Opedal, E; Hilt, B. (1996). Lung function and respiratory symptoms related to changes in smoking habits in asbestos-exposed subjects. *J Occup Environ Med* 38: 178-183.
- Waage, HP; Vatten, LJ; Opedal, E; Hilt, B. (1997). Smoking intervention in subjects at risk of asbestos-related lung cancer. *Am J Ind Med* 31: 705-712.
- Wacholder, S; Benichou, J; Heineman, EF; Hartge, P; Hoover, RN. (1994). Attributable risk: advantages of a broad definition of exposure. *Am J Epidemiol* 140: 303-309.
- Wachowski, L; Domka, L. (2000). Sources and effects of asbestos and other mineral fibres present in ambient air. *Pol J Environ Stud* 9: 443-454.
- Waerhaug, J. (1980). Temporary restorations: advantages and disadvantages. *Dent Clin North Am* 24: 305-316.
- Wagg, RM. (1976). Safety measures when handling asbestos. 96: 252-255.
- Waggoner, WC. (1979). Asbestos in baby powder [Letter]. *Vet Hum Toxicol* 21: 372.
- Wagner, GR. (1997). Asbestosis and silicosis [Review]. *Lancet* 349: 1311-1315. [http://dx.doi.org/10.1016/S0140-6736\(96\)07336-9](http://dx.doi.org/10.1016/S0140-6736(96)07336-9).
- Wagner, GR. (2007). The fallout from asbestos [Comment]. *Lancet* 369: 973-974. [http://dx.doi.org/10.1016/S0140-6736\(07\)60472-3](http://dx.doi.org/10.1016/S0140-6736(07)60472-3).
- Wagner, GR. (2008). Thinking longitudinally in a cross-sectional world [Editorial]. *Am J Respir Crit Care Med* 177: 565-566. <http://dx.doi.org/10.1164/rccm.200711-1703ED>.
- Wagner, J. (2015). Analysis of serpentine polymorphs in investigations of natural occurrences of asbestos. *Environ Sci Process Impacts* 17: 985-996. <http://dx.doi.org/10.1039/c5em00089k>.
- Wagner, JC. (1972). Current opinions on the asbestos cancer problem. *Ann Occup Hyg* 15: 61-65.
- Wagner, JC. (1972). Significance of asbestos in lung tissue. *J Clin Pathol* 25: 557.
- Wagner, JC. (1974). EXPERIMENTAL AND FUTURE STUDIES. *Clin Sci Mol Med* 47.
- Wagner, JC. (1974). Proceedings: Biological effects of asbestos. Experimental and future studies. *Clin Sci Mol Med* 47: 12P.
- Wagner, JC. (1974). PROGRESS IN PATHOLOGY EXPERIMENTAL PATHOLOGY (pp. LYON). (HEEP/75/04206). Wagner, JC.
- Wagner, JC. (1975). Proceedings: Asbestos carcinogenesis. *Br J Cancer* 32: 258-259.
- Wagner, JC. (1989). Correlation between fiber content of lung and disease in east london asbestos factory-workers - reply. *Br J Ind Med* 46: 305-308.
- Wagner, JC. (1997). Asbestos-related cancer and the amphibole hypothesis. The first documentation of the association [Letter]. *Am J Public Health* 87: 687-688.
- Wagner, JC; Berry, G; Hill, RJ; Skidmore, JW. (1979). An Animal Model for Inhalation Exposure to Talc. *Cancer Lett* 6: 183-192.
- Wagner, JC; Bogovski, P; Higginson, J. (1972). The role of international research in occupational cancer. *Med Lav* 63: 213-220.
- Wagner, JC; Burns, J; Munday, DE; JO'D, M. (1982). Presence of fibronectin in pneumoconiotic lesions. *Thorax* 37: 54-56.
- Wagner, JC; Griffiths, DM; Munday, DE. (1987). Experimental studies with palygorskite dusts. *Occup Environ Med* 44: 749-763.
- Wagner, JC; Johnson, NF; Brown, DG; Wagner, MM. (1982). Histology and ultrastructure of serially transplanted rat mesotheliomas. *Br J Cancer* 46: 294-299.
- Wagner, JC; Pooley, FD. (1986). Mineral fibres and mesothelioma [Editorial]. *Thorax* 41: 161-166.
- Wagner, M. (1985). How Healthy Are Today's Dentists (pp. 17-24). (ISSN 0002-8177 EISSN 1943-4723 NIOSH/00150221). Wagner, M.
- Wagner, M. (1985). Safeguarding the physical well-being of dentists. *J Am Dent Assoc* 110: 16-24.
- Wagner, ME; Travis, LB. (2008). Letter to the editor re: "Mesothelioma and asbestos" [Letter]. *Regul Toxicol Pharmacol* 52: 353-354; author reply 355. <http://dx.doi.org/10.1016/j.yrtph.2008.07.001>.
- Waiwood, KG. (1980). Changes in hematocrit of rainbow trout (*Salmo gairdneri*) exposed to various combinations of water hardness, pH and copper. *Trans Am Fish Soc* 109: 461-463.
- Wake, D; Gray, R; Brown, RC. (1991). Assessment of Industrial Vacuum Cleaners of Both Wet and Dry Types for Use in Potteries. *Ann Occup Hyg* 35: 201-221.
- Wakeford, R; Antell, BA; Leigh, WJ. (1998). A Review of Probability of Causation and its Use in a Compensation Scheme for Nuclear Industry Workers in the United Kingdom. *Health Phys* 74: 1-9.

Human Health Hazard Literature Search Results

Off Topic

- Wakeham, SG; Davis, AC; Witt, RT; Tripp, BW; Frew, NM. (1980). Tetrachloroethylene contamination of drinking water by vinyl-coated asbestos-cement pipe. *Bull Environ Contam Toxicol* 25: 639-645.
- Waldbott, GL; Oelschlager, W. (1974). Fluoride in the environment. *Fluoride* 7: 220-222.
- Waldman, FM. (2003). Renal cancer genomic alterations and environmental risk.
- Waldman, FM. (2004). Renal cancer genomic alterations and environmental risk.
- Waldman, L; Williams, H. (2013). Calculations of risk: regulation and responsibility for asbestos in social housing. *Int J Occup Environ Health* 19: 91-103. <http://dx.doi.org/10.1179/2049396713Y.0000000022>.
- Waldren, C. (1982). DETECTION OF CHROMOSOME DELETIONS AND NONDISJUNCTION PRODUCED BY ENVIRONMENTAL AGENTS IN CULTURED SOMATIC MAMMALIAN CELLS (pp. 6-11). (HEEP/83/07459). Waldren, C.
- Waldron, HA. (2002). Fairchild and the "guilty" fibre. *Med Leg J* 70: 87-88.
- Wali, A; Morin, PJ; Hough, CD; Lonardo, F; Seya, T; Carbone, M; Pass, HI. (2005). Identification of intelectin overexpression in malignant pleural mesothelioma by serial analysis of gene expression (SAGE). *Lung Cancer* 48: 19-29. <http://dx.doi.org/10.1016/j.lungcan.2004.10.011>.
- Walker, AM. (1984). Declining relative risks for lung cancer after cessation of asbestos exposure. *J Occup Med* 26: 422-426.
- Walker, AM; Loughlin, JE; Friedlander, ER; Rothman, KJ; Dreyer, NA. (1983). Projections of asbestos-related disease 1980-2009. *J Occup Med* 25: 409-425.
- Walker, AM; Maxim, LD; Utell, M. (2002). Risk analysis for mortality from respiratory tumors in a cohort of refractory ceramic fiber workers [Review]. *Regul Toxicol Pharmacol* 35: 95-104. <http://dx.doi.org/10.1006/rtp.2001.1513>.
- Walker, AM; Maxim, LD; Utell, MJ. (2012). Are airborne refractory ceramic fibers similar to asbestos in their carcinogenicity? *Inhal Toxicol* 24: 416-424. <http://dx.doi.org/10.3109/08958378.2012.683892>.
- Walker, AM; Maxim, LD; Utell, MJ. (2012). Corrigendum. Are airborne refractory ceramic fibers similar to asbestos in their carcinogenicity? [Erratum]. *Inhal Toxicol* 24: 928-929. <http://dx.doi.org/10.3109/08958378.2012.736736>.
- Walker, CL. (1994). Wilm's tumor suppressor gene in mesothelioma [Research]. RePORTER Database National Institutes of Health.
- Walker, CL. (1995). Wilm's tumor suppressor gene in mesothelioma [Research]. RePORTER Database National Institutes of Health.
- Walker, CL. (1997). Wilm's tumor suppressor gene in mesothelioma [Research]. RePORTER Database National Institutes of Health.
- Walker, T. (1985). EXPOSURE TO ASBESTOS. *Chem Eng News* 63: 76-76.
- Walker, TJ. (1977). Hygienic Aspects of Aluminium Reduction (pp. 23-30). (NIOSH/00191445). Walker, TJ.
- Wallace, JM. (1985). Bronchoalveolar lavage fluid--asbestos exposed patients with lung disease [Research]. RePORTER Database National Institutes of Health.
- Wallaert, B; Voisin, C. (1992). In vitro study of gas effects on alveolar macrophages. *Cell Biol Toxicol* 8: 151-156. <http://dx.doi.org/10.1007/BF00130522>.
- Waller, RE. (1972). The combined effects of smoking and occupational or urban factors in relation to lung cancer. *Ann Occup Hyg* 15: 67-73.
- Wallingford, KM; Bierbaum, PJ; Dement, JM. (1973). Determination of Asbestos Levels in a Public Building Located in Towson, Maryland. (NIOSH/00192307). Wallingford, KM; Bierbaum, PJ; Dement, JM.
- Wallingford, KM; Snyder, EM. (2001). Occupational exposures during the World Trade Center disaster response. *Toxicol Ind Health* 17: 247-253. <http://dx.doi.org/10.1191/0748233701th112oa>.
- Walls, C; Crane, J; Gillies, J; Wilsher, M; Wong, C. (1997). Occupational asthma and other nonasbestos occupational respiratory diseases notified between 1993 and 1996. *N Z Med J* 110: 246-249.
- Walls, C; Crane, J; Gillies, J; Wilsher, M; Wong, C. (2000). Occupational asthma cases notified to OSH from 1996 to 1999. *N Z Med J* 113: 491-492.
- Walls, KL; Boulic, M; Boddy, JW. (2016). The Built Environment-A Missing "Cause of the Causes" of Non-Communicable Diseases. *Int J Environ Res Public Health* 13. <http://dx.doi.org/10.3390/ijerph13100956>.
- Walter, GP. (1984). ASBESTOS IN DRINKING WATER. (EPIDEM/008535). Walter, GP.
- Walter, RF; Vollbrecht, C; Werner, R; Mairinger, T; Schmeller, J; Flom, E; Wohlschlaeger, J; Barbetakis, N; Paliouras, D; Chatziniolaou, F; Adamidis, V; Tsakiridis, K; Zarogoulidis, P; Trakada, G; Christoph, DC; Schmid, KW; Mairinger, FD. (2016). Screening of Pleural Mesotheliomas for DNA-damage Repair Players by Digital Gene Expression Analysis Can Enhance Clinical Management of Patients Receiving Platin-Based Chemotherapy. *Journal of Cancer* 7: 1915-1925. <http://dx.doi.org/10.7150/jca.16390>.
- Walther, E. (1970). Dust Problems in the Use of Asbestos Products (pp. 37-41). (NIOSH/00177486). Walther, E.
- Walton, M; Skeoch, T. (1968). Diagnosis of Asbestosis by Needle Lung Biopsy. *Thorax* 23: 556-562.
- Wambach, PF. (2002). Variation in exposure levels for high hazard frequently monitored agents. *AIHA J* 63: 424-429.
- Wan, KC; Street, NR. (1990). Criteria for Determining Work Related Heavy Asbestos Exposure. *J Occup Med* 32: 1088-1090.
- Wang, D; Cullimore, D. (2010). Bacteriological challenges to asbestos cement water distribution pipelines. *J Environ Sci* 22: 1203-1208. [http://dx.doi.org/10.1016/S1001-0742\(09\)60239-4](http://dx.doi.org/10.1016/S1001-0742(09)60239-4).
- Wang, D; Li, Y, i; Li, G; Wang, C; Zhang, W; Wang, Q. (2013). Modeling of quantitative effects of water components on the photocatalytic degradation of 17 alpha-ethynylestradiol in a modified flat plate serpentine reactor. *J Hazard Mater* 254: 64-71. <http://dx.doi.org/10.1016/j.jhazmat.2013.03.049>.
- Wang, J; Schlagenhauf, L; Setyan, A. (2017). Transformation of the released asbestos, carbon fibers and carbon nanotubes from composite materials and the changes of their potential health impacts [Review]. *Journal of Nanobiotechnology* 15: 15. <http://dx.doi.org/10.1186/s12951-017-0248-7>.
- Wang, K; Dong, JQ; Zhao, HX; Gan, FX; Hu, YQ; Pan, WQ. (2015). [The Non-Destructive Analysis of Some Ancient Jade Artifacts Unearthed from Henan Province by a Variety of Optical Techniques]. *Guang Pu Xue Yu Guang Pu Fen Xi* 35: 2492-2499.

Human Health Hazard Literature Search Results

Off Topic

- Wang, LE; Yang, M; Xie, G. (1997). [Preparation of NADPH-cytochrome P-450 reductase and the role in metabolism of xenobiotics]. *Wei Sheng Yan Jiu* 26: 217-220.
- Wang, LI; Christiani, DC. (2002). Asbestos exposure, smoking, manganese superoxide dismutase (MnSOD) gene polymorphism and lung cancer risk. *Am J Epidemiol* 155: s69-s69.
- Wang, ML; McCabe, L; Petsonk, EL; Hankinson, JL; Banks, DE. (1997). Weight gain and longitudinal changes in lung function in steel workers. *Chest* 111: 1526-1532. <http://dx.doi.org/10.1378/chest.111.6.1526>.
- Wang, ML; Petsonk, EL; Beeckman, LA; Wagner, GR. (1999). Clinically important FEV1 declines among coal miners: an exploration of previously unrecognized determinants. *Occup Environ Med* 56: 837-844.
- Wang, NS. (1996). Pleural mesothelioma: an approach to diagnostic problems [Review]. *Respirology* 1: 259-271.
- Wang, O. (2003). Asbestos related diseases from environmental exposure to crocidolite in Da-yao, China. I. Review of exposure and epidemiological data - Commentary. *Occup Environ Med* 60: 41-42.
- Wang, S; Jiang, L; Han, Y; Chew, SH; Ohara, Y; Akatsuka, S; Weng, L; Kawaguchi, K; Fukui, T; Sekido, Y; Yokoi, K; Toyokuni, S. (2016). Urokinase-type plasminogen activator receptor promotes proliferation and invasion with reduced cisplatin sensitivity in malignant mesothelioma. *Oncotarget* 7: 69565-69578. <http://dx.doi.org/10.18632/oncotarget.11829>.
- Wang, X; Araki, S; Yano, E; Wang, M; Wang, Z. (1995). Effects of smoking on respiratory function and exercise performance in asbestos workers. *Ind Health* 33: 173-180.
- Wang, X; Christiani, DC; Mark, EJ; Nelson, H; Wiencke, JK; Gunn, L; Wain, JC; Kelsey, KT. (1999). Carcinogen exposure, p53 alteration, and K-ras mutation in synchronous multiple primary lung carcinoma. *Cancer* 85: 1734-1739.
- Wang, X; Yano, E. (1999). Pulmonary dysfunction in silica-exposed workers: a relationship to radiographic signs of silicosis and emphysema. *Am J Ind Med* 36: 299-306. [http://dx.doi.org/10.1002/\(SICI\)1097-0274\(199908\)36:2<299::AID-AJIM9>3.0.CO;2-W](http://dx.doi.org/10.1002/(SICI)1097-0274(199908)36:2<299::AID-AJIM9>3.0.CO;2-W).
- Wang, XB; Yin, Y; Miao, Y; Eberhardt, R; Hou, G; Herth, FJ; Kang, J. (2016). Flex-rigid pleuroscopic biopsy with the SB knife Jr is a novel technique for diagnosis of malignant or benign fibrothorax. *J Thorac Dis* 8: E1555-E1559. <http://dx.doi.org/10.21037/jtd.2016.11.92>.
- Wang, XD. (2001). Biologic Activity of Lycopene.
- Wang, XD. (2002). Biologic Activity of Lycopene.
- Wang, XD; Liu, C; Bronson, RT; Smith, DE; Krinsky, NI; Russell, M. (1999). Retinoid signaling and activator protein-1 expression in ferrets given beta-carotene supplements and exposed to tobacco smoke. *J Natl Cancer Inst* 91: 60-66.
- Wang, Y; Okazaki, Y; Shi, L; Kohda, H; Tanaka, M; Taki, K; Nishioka, T; Hirayama, T; Nagasawa, H; Yamashita, Y; Toyokuni, S. (2016). Role of hemoglobin and transferrin in multi-wall carbon nanotube-induced mesothelial injury and carcinogenesis. *Cancer Sci* 107: 250-257. <http://dx.doi.org/10.1111/cas.12865>.
- Wang, Y; Rishi, AK; Puliappadamba, VT; Sharma, S; Yang, H; Tarca, A; Dou, QP; Lonardo, F; Ruckdeschel, JC; Pass, HI; Wali, A. (2010). Targeted proteasome inhibition by Velcade induces apoptosis in human mesothelioma and breast cancer cell lines. *Cancer Chemother Pharmacol* 66: 455-466. <http://dx.doi.org/10.1007/s00280-009-1181-8>.
- Wang, Y; Rishi, AK; Wu, W; Polin, L; Sharma, S; Levi, E; Albelda, S; Pass, HI; Wali, A. (2011). Curcumin suppresses growth of mesothelioma cells in vitro and in vivo, in part, by stimulating apoptosis. *Mol Cell Biochem* 357: 83-94. <http://dx.doi.org/10.1007/s11010-011-0878-2>.
- Wang, YX; Wu, J; Zhou, LG; Hou, LG; Wang, D; Cao, M. (2015). [Mineral Spectrum Change Analysis under the Conditions of Different Particle Size]. *Guang Pu Xue Yu Guang Pu Fen Xi* 35: 803-808.
- Wanner, HU. (1993). Sources of pollutants in indoor air [Review]. *IARC Sci Publ* 19-30.
- Ward, AJ. (2008). Current evaluation of libby asbestos exposures.
- Ward, DL. (1979). ANALYSIS OF LAGGING MATERIALS FOR ASBESTOS - CEGB PROCEDURES. *Ann Occup Hyg* 22: 319-323.
- Ward, EM; Ruder, AM; Suruda, A; Smith, AB; Halperin, W; Fessler, CA; Zahm, SH. (1994). Cancer mortality patterns among female and male workers employed in a cable manufacturing plant during World War II. *J Occup Med* 36: 860-866.
- Ward, FG. (1986). INDUSTRIAL BENEFITS AND RESPIRATORY DISEASES. *Thorax* 41: 257-260.
- Ward, JM; Frank, AL; Wenk, M; Devor, D; Tarone, RE. (1980). Ingested asbestos and intestinal carcinogenesis in F344 rats. *J Environ Pathol Toxicol* 3: 301-312.
- Ward, TJ. (2009). Current evaluation of libby asbestos exposures.
- Warheit, DB. (1989). Interspecies comparisons of lung responses to inhaled particles and gases [Review]. *Toxicology* 20: 1-29. <http://dx.doi.org/10.3109/10408448909037474>.
- Warheit, DB. (1995). A review of inhalation toxicology studies with para-aramid fibrils [Review]. *Ann Occup Hyg* 39: 691-697.
- Warheit, DB; Brody, AR; Hartsky, MA. (1989). PREDICTIVE VALUE OF IN-VITRO PULMONARY MACROPHAGE FUNCTIONAL ASSAYS TO ASSESS IN-VIVO CLEARANCE OF INHALED PARTICLES (pp. SECAUCUS). (BIOSIS/90/02044). Warheit, DB; Brody, AR; Hartsky, MA.
- Warheit, DB; Carakostas, MC; Bamberger, JR; Hartsky, MA. (1991). Complement facilitates macrophage phagocytosis of inhaled iron particles but has little effect in mediating silica-induced lung inflammatory and clearance responses. *Environ Res* 56: 186-203.
- Warheit, DB; Donner, M; Murli, H. (2001). p-aramid RFP do not induce chromosomal aberrations in a standardized in vitro genotoxicity assay using human lymphocytes. *Inhal Toxicol* 13: 1079-1091. <http://dx.doi.org/10.1080/08958370152647627>.
- Warheit, DB; George, G; Hill, LH; Brody, AR. (1984). THE INITIAL MACROPHAGE RESPONSE FOLLOWING CHRYSOTILE ASBESTOS INHALATION IS DIMINISHED IN COMPLEMENT DEFICIENT RATS AND MICE (pp. 20-23). (HEEP/85/01078). Warheit, DB; George, G; Hill, LH; Brody, AR.
- Warheit, DB; Hartsky, MA; Reed, KL; Webb, TR. (2001). Biodegradability of inhaled para-aramid respirable-sized fiber-shaped particulates: mechanistic in vivo and in vitro studies. *Toxicol Appl Pharmacol* 174: 78-88. <http://dx.doi.org/10.1006/taap.2001.9177>.

Human Health Hazard Literature Search Results

Off Topic

- Warheit, DB; Hill, LH; Brody, AR. (1984). CORRELATION BETWEEN COMPLEMENT ACTIVATION BY INORGANIC PARTICLES IN-VITRO AND MACROPHAGE CHEMO TACTIC RESPONSE TO SITES OF PARTICLE DEPOSITION IN-VIVO (pp. 20-23). (HEEP/85/01911). Warheit, DB; Hill, LH; Brody, AR.
- Warheit, DB; Hwang, HC. (1990). ASSESSMENTS OF LUNG DIGESTION TECHNIQUES FOR RECOVERY OF FIBERS (pp. 20-24). (BIOSIS/90/20766). Warheit, DB; Hwang, HC.
- Warheit, DB; Hwang, HC; Achinko, L. (1991). Assessments of lung digestion methods for recovery of fibers. *Environ Res* 54: 183-193.
- Warheit, DB; Kellar, KA; Hartsky, MA. (1992). Pulmonary cellular effects in rats following aerosol exposures to ultrafine Kevlar aramid fibrils: evidence for biodegradability of inhaled fibrils. *Toxicol Appl Pharmacol* 116: 225-239.
- Warheit, DB; Reed, KL; Pinkerton, KE; Webb, TR. (2002). Biodegradability of inhaled p-aramid respirable fiber-shaped particulates (RFP): mechanisms of RFP shortening and evidence of reversibility of pulmonary lesions. *Toxicol Lett* 127: 259-267. [http://dx.doi.org/10.1016/S0378-4274\(01\)00508-2](http://dx.doi.org/10.1016/S0378-4274(01)00508-2).
- Warner, M. (1988). OPTICAL AND ELECTRON MICROSCOPY CAN BE USED TO DETERMINE ASBESTOS IN AMBIENT AIR. *Anal Chem* 60.
- Warnock, M. (1986). HOW MANY ASBESTOS BODIES ARE NECESSARY TO DIAGNOSE ASBESTOSIS? (pp. 13-18). (BIOSIS/86/25835). Warnock, M.
- Warnock, ML; Churg, A. (1975). ASBESTOS AND LUNG-CANCER IN A NON-OCCUPATIONALLY EXPOSED AUTOPSY POPULATION. *Lab Invest* 32: 439-439.
- Warnock, ML; Press, M; Churg, A. (1980). Further observations on cytoplasmic hyaline in the lung. *Hum Pathol* 11: 59-66.
- Warshamana, GS; Corti, M; Brody, AR. (2001). TNF-alpha, PDGF, and TGF-beta(1) expression by primary mouse bronchiolar-alveolar epithelial and mesenchymal cells: TNF-alpha induces TGF-beta(1). *Exp Mol Pathol* 71: 13-33. <http://dx.doi.org/10.1006/exmp.2001.2376>.
- Warshamana, GS; Pociask, DA; Fisher, KJ; Liu, JY; Sime, PJ; Brody, AR. (2002). Titration of non-replicating adenovirus as a vector for transducing active TGF-beta1 gene expression causing inflammation and fibrogenesis in the lungs of C57BL/6 mice. *Int J Exp Pathol* 83: 183-201.
- Wasiela, T; Dutkiewicz, T. (1994). Index method for hazard assessment under exposure to toxic environmental and occupational chemicals. *Bromatol Chem Toksykol* 27: 91-97.
- Wastiaux, A; Blanchard, O; Honnons, S. (1994). POSSIBLE APPLICATION OF URINARY ANALYSIS TO ESTIMATE DISSOLUTION OF SOME MAN-MADE VITREOUS FIBERS. *Environ Health Perspect* 102: 217-219. <http://dx.doi.org/10.2307/3432090>.
- Watanabe, M; Okada, M; Aizawa, Y; Sakai, Y; Yamashina, S; Kotani, M. (2000). Magnetometric evaluation for the effects of silicon carbide whiskers on alveolar macrophages. *Ind Health* 38: 239-245.
- Watanabe, M; Okada, M; Kudo, Y; Tonori, Y; Niitsuya, M; Sato, T; Aizawa, Y; Kotani, M. (2002). Differences in the effects of fibrous and particulate titanium dioxide on alveolar macrophages of Fischer 344 rats. *J Toxicol Environ Health A* 65: 1047-1060. <http://dx.doi.org/10.1080/152873902760125219>.
- Watanabe, M; Shibata, K; Okada, M; Kudo, Y; Niitsuya, M; Satoh, T; Kotani, M; Aizawa, Y. (2002). Magnetometric evaluation for cytotoxicity of potassium octatitanate whisker on alveolar macrophages of Fischer 344 rats. *J Occup Health* 44: 321-328.
- Watanabe, M; Suzuki, H; Fukutome, K; Enoki, A; Yamada, N; Nakano, T; Shiraiishi, T; Yatani, R. (1999). An autopsy case of a malignant pericardial mesothelioma in a Japanese young man. *Pathol Int* 49: 658-662.
- Watanabe, Y; Kojima, T; Kagawa, S; Uno, F; Hashimoto, Y; Kyo, S; Mizuguchi, H; Tanaka, N; Kawamura, H; Ichimaru, D; Urata, Y; Fujiwara, T. (2010). A novel translational approach for human malignant pleural mesothelioma: heparanase-assisted dual virotherapy. *Oncogene* 29: 1145-1154. <http://dx.doi.org/10.1038/onc.2009.415>.
- Waterman, YR; Peeters, MG. (2004). The Dutch Institute for Asbestos Victims [Review]. *Int J Occup Environ Health* 10: 166-176. <http://dx.doi.org/10.1179/oeh.2004.10.2.166>.
- Watson, AA; Oliver, JS. (1979). Isolation of diatoms and asbestos bodies from lungs by subtilisin-A [Letter]. *Lancet* 2: 913-914.
- Watterson, A; Gorman, T; Malcolm, C; Robinson, M; Beck, M. (2006). The economic costs of health service treatments for asbestos-related mesothelioma deaths. *Ann N Y Acad Sci* 1076: 871-881. <http://dx.doi.org/10.1196/annals.1371.042>.
- Watterson, A; Gorman, T; O'Neill, R. (2008). Occupational cancer prevention in Scotland: a missing public health priority. *Eur J Oncol* 13: 161-169.
- Watts, J. (2002). Japan compensates asbestos-exposed workers. *Lancet* 360: 1230-1230.
- Watzka, SB; Posch, F; Pass, HI; Huflejt, M; Bernhard, D; Hannigan, GE; Müller, MR. (2011). Detection of integrin-linked kinase in the serum of patients with malignant pleural mesothelioma. *J Thorac Cardiovasc Surg* 142: 384-389. <http://dx.doi.org/10.1016/j.jtcvs.2011.04.034>.
- Waxweiler, RJ; Robinson, C; Spanedda, R; Barbieri, D; La Corte, R; Olsson, H; Brandt, L. (1983). Asbestos and non-Hodgkin's lymphoma. *Lancet* 1: 189-190.
- Waxweiler, RJ; Robinson, C; Spaneddab, R; Barbierib, D; La Cortec, R. (1983). Asbestos and non-Hodgkin's lymphoma [Letter]. *Lancet* 1: 189-190.
- Waxweiler, RJ; Zumwalde, RD; Ness, GO; Brown, DP. (1988). A retrospective cohort mortality study of males mining and milling attapulgite clay. *Am J Ind Med* 13: 305-315.
- Weaver, PC. (2008). Interim Letter Report Verification Survey of 19 Grids in the Lester Flat Area, David Witherspoon, Inc. 1630 Site, Knoxville, Tennessee (pp. 11). (NTIS/02990088_a). Weaver, PC.
- Weaver, PC. (2008). Interim Letter Report Verification Survey of Partial Grids H19, J21, J22, X20, and X21 at the David Witherspoon, Inc., 1630 Site Knoxville, Tennessee (pp. 10). (NTIS/02990092_a). Weaver, PC.
- Weaver, PC. (2008). Verification Survey of Partial Grid E9 at the David Witherspoon, Inc., 1630 Site Knoxville, Tennessee. Interim Letter Report (pp. 6). (NTIS/02990091_a). Weaver, PC.
- Weaver, PC. (2009). Verification Survey of Final Grids at the David Witherspoon, Inc. 1630 Site Knoxville, Tennessee (pp. 22). (NTIS/02990089_a). Weaver, PC.
- Weaver, VM. (1997). Chemical Hazards in Health Care Workers. *Occup Med (Lond)* 12: State of the Art Reviews.

Human Health Hazard Literature Search Results

Off Topic

- Webb, CP; Pass, HI. (2004). Translation research: from accurate diagnosis to appropriate treatment. *J Transl Med* 2: 35. <http://dx.doi.org/10.1186/1479-5876-2-35>.
- Webber, JS. (1998). A simple technique for measuring asbestos layer-line spacings during TEM analysis. *Microscope* 46: 197-200.
- Webber, JS; Carhart, LJ; Czuharnich, AG. (1997). Analytical trends in asbestos analysis: New York state's bulk sample proficiency-testing program. *Am Ind Hyg Assoc J* 58: 809-813.
- Webber, JS; Covey, J. R. (1991). ASBESTOS IN WATER. *Critical Reviews in Environmental Control* 21: 331-371.
- Webber, JS; Covey, J. R.; King, MV. (1989). ASBESTOS IN DRINKING-WATER SUPPLIED THROUGH GROSSLY DETERIORATED AC PIPE. *J Am Water Works Assoc* 81: 80-85.
- Webber, JS; Czuharnich, AG; Carhart, LJ. (2007). Performance of membrane filters used for TEM analysis of asbestos. *J Occup Environ Hyg* 4: 780-789. <http://dx.doi.org/10.1080/15459620701588385>.
- Webber, JS; Janulis, R; Syrotynski, S. (1990). EXAMINING PLAY SAND PRODUCTS FOR ASBESTOS CONTAMINATION. *Bull Environ Contam Toxicol* 45: 486-494.
- Webber, JS; Janulis, RJ; Carhart, LJ; Gillespie, MB. (1990). QUANTITATING ASBESTOS CONTENT IN FRIABLE BULK SAMPLES - DEVELOPMENT OF A STRATIFIED POINT-COUNTING METHOD. *Am Ind Hyg Assoc J* 51: 447-452.
- Webber, JS; Syrotynski, S; King, MV. (1988). ASBESTOS-CONTAMINATED DRINKING-WATER - ITS IMPACT ON HOUSEHOLD AIR. *Environ Res* 46: 153-167.
- Weber, DG; Johnen, G; Bryk, O; Joeckel, KH; Bruening, T. (2012). Identification of miRNA-103 in the Cellular Fraction of Human Peripheral Blood as a Potential Biomarker for Malignant Mesothelioma - A Pilot Study. *PLoS ONE* 7: e30221. <http://dx.doi.org/10.1371/journal.pone.0030221>.
- Webster, I. (1978). THE PATHOGENESIS OF CHRONIC OBSTRUCTIVE LUNG DISEASE IN CERTAIN INDUSTRIES. *Lung* 155: 73-74.
- Webster, I; Goldstein, B. (1976). CONTROL OF ASBESTOS EXPOSED WORKERS IN SOUTH AFRICA (pp. BERLIN). (HEEP/77/12079). Webster, I; Goldstein, B.
- Weg, JG. (1998). A 77-year-old man with progressive dyspnea on exertion. *Chest* 113: 521-522.
- Wegman, DH. (1992). THE POTENTIAL IMPACT OF EPIDEMIOLOGY ON THE PREVENTION OF OCCUPATIONAL-DISEASE [Review]. *Am J Public Health* 82: 944-954.
- Wegman, DH; Burgess, WA; Peters, JM. (1977). Talc Workers Health Study Report. (NIOSH/00133467). Wegman, DH; Burgess, WA; Peters, JM.
- Wegman, DH; Eisen, EA; Froines, JR. (1988). HAZARD SURVEILLANCE A PROPOSAL. *J Public Health Policy* 9: 335-338.
- Wegman, DH; Peters, JM; Boundy, MG; Smith, TJ. (1982). Evaluation of respiratory effects in miners and millers exposed to talc free of asbestos and silica. *Occup Environ Med* 39: 233-238.
- Wehner, AP; Craig, DK; Stuart, BO. (1972). An aerosol exposure system for chronic inhalation studies with rodents. *Am Ind Hyg Assoc J* 33: 483-487. <http://dx.doi.org/10.1080/0002889728506690>.
- Wehner, AP; Olson, RJ; Busch, RH. (1976). Increased life span and decreased weight in hamsters exposed to cigarette smoke. *Arch Environ Health* 31: 146-153.
- Wehrung, JM; Mclear, JH. (1976). Surveying for Asbestos and the SEM (pp. 23-25). (NIOSH/00172672). Wehrung, JM; Mclear, JH.
- Wei, B; Yang, L; Yu, J; Ye, B; Jia, X. (2013). Are metals accumulated in human hair affected by naturally occurring asbestos fiber contamination? A case study from a rural area of china. *Biol Trace Elem Res* 156: 12-21. <http://dx.doi.org/10.1007/s12011-013-9840-3>.
- Wei, B; Ye, B; Yu, J; Jia, X; Zhang, B; Zhang, X; Lu, R; Dong, T; Yang, L. (2013). Concentrations of asbestos fibers and metals in drinking water caused by natural crocidolite asbestos in the soil from a rural area. *Environ Monit Assess* 185: 3013-3022. <http://dx.doi.org/10.1007/s10661-012-2768-9>.
- Wei, L; Fei, Y; Zhang, DY. (2009). The study of the molecular changes induced by asbestos in mesothelial cells using system biology approach. *J Thorac Oncol* 4: S768-S769.
- Weichenthal, S; Joseph, L; Béglise, P; Dufresne, A. (2010). Bayesian estimation of the probability of asbestos exposure from lung fiber counts. *Biometrics* 66: 603-612. <http://dx.doi.org/10.1111/j.1541-0420.2009.01279.x>.
- Weicksel, P; Ulrich, E. (1982). [Asbestos dust hazards in the modern asbestos processing industry]. 32: 228-236.
- Weideborg, M; A-I, R. (1989). MIXING SURFACE WATER AND GROUNDWATER IN A SMALL NORWEGIAN WATERWORK INFLUENCE ON WATER QUALITY AND CORROSION IN THE DISTRIBUTION SYSTEM. *Vatten* 45: 9-15.
- Weidner, RB. (1970). Results of Air Samples at Fibreboard Paper Products Corporation, Emeryville, California. (NIOSH/00105994). Weidner, RB.
- Weidner, RB. (1971). Analysis of Personal Samples at Certain-Teed, Santa Clara, California. (NIOSH/00105991). Weidner, RB.
- Weidner, RB. (1971). Analysis of Personal Samples at Johns-Manville, Long Beach, California. (NIOSH/00105996). Weidner, RB.
- Weidner, RB. (1971). Analysis of Personal Samples at Johns-Manville, Stockton, California. (NIOSH/00105992). Weidner, RB.
- Weidner, RB. (1971). Results of U.S.P.H.S. Survey at Raybestos Manhattan Asbestos Textile Plant, Charleston, South Carolina. (NIOSH/00105343). Weidner, RB.
- Weidner, RB. (1972). Results of U.S.P.H.S. Survey at H.K. Porter Company, Charlotte, North Carolina. (NIOSH/00105830). Weidner, RB.
- Weidner, RB; et al. (1972). Preliminary Survey to Determine Possible Asbestos Exposures at Rock Crushing Operations at the Anaconda Company, in Butte, Montana. (NIOSH/00106160). Weidner, RB; Et al.
- Weiland, SK; Straif, K; Chambless, L; Werner, B; Mundt, KA; Bucher, A; Birk, T; Keil, U. (1998). Workplace risk factors for cancer in the German rubber industry: Part 1. Mortality from respiratory cancers. *Occup Environ Med* 55: 317-324.
- Weiler, M; Tilkes, F; Beck, EG. (1985). Determination of the Phagocytic Capacity of Rat Alveolar Macrophages Following Exposure to Inhalable Fibrous and Non-Fibrous Dust Fractions (pp. 529-532). (NIOSH/00166208). Weiler, M; Tilkes, F; Beck, EG.

Human Health Hazard Literature Search Results

Off Topic

- Weill, D; Weill, H. (2005). Diagnosis and initial management of nonmalignant diseases related to asbestos [Letter]. *Am J Respir Crit Care Med* 171: 527-528; author reply 528-530. <http://dx.doi.org/10.1164/ajrccm.171.5.951>.
- Weill, H. (1980). Basis for clinical decision making. *Chest* 78: 382-383.
- Weill, H. (1981). Occupational lung diseases: state of the art. 80: 545-575.
- Weill, H; Hughes, J; Churg, A. (2005). Changing trends in US mesothelioma incidence [Letter]. *Occup Environ Med* 62: 270. <http://dx.doi.org/10.1136/oem.2005.020321>.
- Weill, H; Hughes, JM. (1995). Mesothelioma [Comment]. *Lancet* 345: 1234.
- Weill, H; Hughes, JM; Churg, AM. (2004). Changing trends in US mesothelioma incidence. *Occup Environ Med* 61: 438-441. <http://dx.doi.org/10.1136/oem.2003.010165>.
- Weill, H; Hughes, JM; Jones, RN. (1995). Asbestos: a risk too far? [Letter]. *Lancet* 346: 304; author reply 306.
- Weinberg, ED. (1989). Iron, asbestos, and carcinogenicity [Letter]. *Lancet* 1: 1399-1400.
- Weinberg, ED. (1993). ASSOCIATION OF IRON WITH RESPIRATORY-TRACT NEOPLASIA. *J Trace Elem Exp Med* 6: 117-123.
- Weinberg, ED. (1999). The development of awareness of the carcinogenic hazard of inhaled iron [Review]. *Oncol Res* 11: 109-113.
- Weiner, A; Schewel, S; Austin, D. (1979). Cancer and White Lung. The Plight of North Carolina's Asbestos Workers. (NIOSH/00192013). Weiner, A; Schewel, S; Austin, D.
- Weiner, ML. (1988). Intestinal transport of some macromolecules in food [Review]. *Food Chem Toxicol* 26: 867-880.
- Weinrach, DM; Wang, KL; Wiseman, WR; Diaz, LK. (2005). Ferruginous bodies on frozen section. *Arch Pathol Lab Med* 129: 266. [http://dx.doi.org/10.1043/1543-2165\(2005\)129<266:FBOFS>2.0.CO;2](http://dx.doi.org/10.1043/1543-2165(2005)129<266:FBOFS>2.0.CO;2).
- Weir, FW; Meraz, LB. (2001). Morphological characteristics of asbestos fibers released during grinding and drilling of friction products. *Appl Occup Environ Hyg* 16: 1147-1149. <http://dx.doi.org/10.1080/10473220127403>.
- Weir, FW; Tolar, G; Meraz, LB. (2001). Characterization of vehicular brake service personnel exposure to airborne asbestos and particulate. *Appl Occup Environ Hyg* 16: 1139-1146. <http://dx.doi.org/10.1080/10473220127402>.
- Weisburger, JH. (1992). MUTAGENIC CARCINOGENIC AND CHEMOPREVENTIVE EFFECTS OF PHENOLS AND CATECHOLS THE UNDERLYING MECHANISMS (pp. WASHINGTON). (BIOSIS/93/05196). Weisburger, JH.
- Weisburger, JH; Williams, GM. (1982). CLASSIFICATION OF CARCINOGENS AS GENO TOXIC AND EPI GENETIC AS BASIS FOR IMPROVED TOXICOLOGIC BIOASSAY METHODS (pp. NEW YORK). (HEEP/83/09672). Weisburger, JH; Williams, GM.
- Weiss, NS. (1993). Complex mixtures and indoor air pollution: overview of epidemiologic methods. *Environ Health Perspect* 4: 179-181. <http://dx.doi.org/10.2307/3431674>.
- Weiss, SH. (2012). A call to action: epidemiologists assert themselves with scientific data [Editorial]. *Int J Occup Environ Health* 18: 167-170. <http://dx.doi.org/10.1179/1077352512Z.00000000039>.
- Weiss, W. (1983). Heterogeneity in historical cohort studies: a source of bias in assessing lung cancer risk. *J Occup Environ Med* 25: 290-294.
- Weiss, W. (1991). Cigarette smoking and small irregular opacities. *Br J Ind Med* 48: 841-844.
- Weiss, W. (1993). PULMONARY EFFECTS OF EXPOSURE TO FINE FIBERGLASS - IRREGULAR OPACITIES AND SMALL AIRWAYS OBSTRUCTION. *Br J Ind Med* 50: 1054-1054.
- Weiss, W. (1994). ASBESTOS-RELATED PLEURAL PLAQUES AND LUNG-CANCER - RESPONSE. *Chest* 106: 649-649.
- Weiss, W. (2000). Asbestosis and lobar site of lung cancer [Review]. *Occup Environ Med* 57: 358-360.
- Weissenburger-Moser, L; Meza, J; Yu, F; Shiyabola, O; Romberger, DJ; Levan, TD. (2016). A principal factor analysis to characterize agricultural exposures among Nebraska veterans. *J Expo Sci Environ Epidemiol* 27: 214-220. <http://dx.doi.org/10.1038/jes.2016.20>.
- Weissmann, G. (1985). Lung inflammation [Research]. RePORTER Database National Institutes of Health.
- Weissmann, G. (1986). Lung inflammation [Research]. RePORTER Database National Institutes of Health.
- Weissmann, G. (1987). Lung inflammation [Research]. RePORTER Database National Institutes of Health.
- Weissmann, G. (1988). Lung inflammation [Research]. RePORTER Database National Institutes of Health.
- Weissmann, LB; Corson, JM; Neugut, AI; Antman, KH. (1996). Malignant mesothelioma following treatment for Hodgkin's disease. *J Clin Oncol* 14: 2098-2100.
- Weitzman, SA; Chester, JF; Graceffa, P. (1988). Binding of deferoxamine to asbestos fibers in vitro and in vivo. *Carcinogenesis* 9: 1643-1645.
- Welch, L; Roto, P. (1995). MEDICAL SURVEILLANCE PROGRAMS FOR CONSTRUCTION WORKERS. *Occup Med (Lond) PHILADELPHIA*: 421-433.
- Welch, LS; Hunting, KL; Balmes, J; Bresnitz, EA; Guidotti, TL; Lockey, JE; Myo-Lwin, T. (1998). Variability in the classification of radiographs using the 1980 International Labor Organization classification for pneumoconioses. *Chest* 114: 1740-1748. <http://dx.doi.org/10.1378/chest.114.6.1740>.
- Welker, RW; Eisenberg, W; Semmler, RA. (1983). Mine Particulate Size Characterization (pp. 455-480). (NIOSH/00150278). Welker, RW; Eisenberg, W; Semmler, RA.
- Weller, M. (1992). Insurance, reinsurance and underwriting names' liability for asbestos-related diseases. *Med Sci Law* 32: 23-34.
- Weller, MP. (1992). Asbestos and cancer: history and public policy [Letter]. *Br J Ind Med* 49: 70-72.
- Weller, MP. (1993). Asbestos and cancer: history and public policy [Letter]. *Br J Ind Med* 50: 671.
- Wellington, T. (1996). OSHA's new asbestos rule: what you need to know. *Health Facil Manage* 9: 54, 56, 58.
- Wells, AH. (1975). Asbestos in Duluth water. *Minn Med* 58: 458-459.
- Welsh, DE. (2007). Asbestos exposure during an abatement project. *J Occup Environ Hyg* 4: D7-D9. <http://dx.doi.org/10.1080/15459620601098485>.

Human Health Hazard Literature Search Results

Off Topic

- Wen, G; Hong, M; Li, B; Liao, W; Cheng, SK; Hu, B; Calaf, GM; Lu, P; Partridge, MA; Tong, J; Hei, TK. (2011). Transforming growth factor- β -induced protein (TGFB1) suppresses mesothelioma progression through the Akt/mTOR pathway. *Int J Oncol* 39: 1001-1009. <http://dx.doi.org/10.3892/ijo.2011.1097>.
- Wendel, H; Putzke, HP. (1990). DIAGNOSTIC POSSIBILITIES IN MICROFOCAL LUNG DISEASE WITH THE HELP OF THORACOSCOPY (pp. 20-24). (BIOSIS/90/18818). Wendel, H; Putzke, HP.
- Wendhausen, R; Fregonesi, A; Moran, PJ; Joekes, I; Rodrigues, JA; Tonella, E; Althoff, K. (2001). Continuous fermentation of sugar cane syrup using immobilized yeast cells. *J Biosci Bioeng* 91: 48-52.
- Wendhausen, R; Frigato, M; Fernandes, P; Carvalho, CCC, R; Cruz, A; Pinheiro, HM; Cabral, JMS. (2005). Chrysotile as a support for the immobilisation of *Mycobacterium* sp NRRL B-3805 cells for the bioconversion of beta-sitosterol in an organic-aqueous two-liquid phase system. *Journal of Molecular Catalysis B: Enzymatic* 32: 61-65. <http://dx.doi.org/10.1016/j.molcatb.2004.10.001>.
- Wendhausen, R; Moran, PJS; Joekes, I; Rodrigues, JAR. (1998). Continuous process for large-scale preparation of chiral alcohols with baker's yeast immobilized on chrysotile fibers. *Journal of Molecular Catalysis B: Enzymatic* 5: 69-73.
- Wendland, W; Sonnenkalb, W; Platz, H. (1965). [ON IMPROVED POSSIBILITIES OF APYROGENIC FILTRATION WITH ASBESTOS FILTERS]. *Pharmazie* 20: 101-103.
- Weng, XT; Yao, JC; Wang, YJ; Hu, TX; Yu, ZG; Lu, ZY; Guo, JS. (1989). A study of magnetic field in the lung of workers in an asbestos factory. *Ind Health* 27: 9-15.
- Werner, H; Hellwig, A. (1985). [The asbestos problem from the communal hygiene viewpoint--the responsibility of state hygiene inspection in resolving this question]. *Z Gesamte Hyg Grenzgeb* 31: 682-684.
- Werner, I. (1982). [Application possibilities of different test methods for asbestos analysis]. *Z Gesamte Hyg Grenzgeb* 28: 794-796.
- Werner, I. (1982). Presence of asbestos in talc samples. 21: 5-7.
- Werner, I; Geissler, H. (1982). IDENTIFICATION OF THERMALLY TRANSFORMED CHRYSOTILE IN DUST FROM WORKPLACES BY X-RAY DIFFRACTION IR SPECTROSCOPY AND OPTICAL MICROSCOPY (pp. 24-26). (ISSN 0004-069X EISSN 1661-4917 HEEP/84/05627). Werner, I; Geissler, H.
- Werner, JB. (1980). Problems with the measurement of radiological change. IARC Sci Publ IARC Scientific Publications No: 571-577.
- Wesolowski, JJ; Stanley, R; Smith, G; Carpenter, L; Berne, A. (1975). Asbestos Measurements In The California Environment (pp. 1729-1737). (NIOSH/00156339). Wesolowski, JJ; Stanley, R; Smith, G; Carpenter, L; Berne, A.
- West, R. (1982). Mining Environmental Target Investigation Taconite (pp. 83-193). (NIOSH/00131979). West, R.
- Westberg, H; Andersson, L; Bryngelsson, IL; Ngo, Y; Ohlson, CG. (2013). Cancer morbidity and quartz exposure in Swedish iron foundries. *Int Arch Occup Environ Health* 86: 499-507. <http://dx.doi.org/10.1007/s00420-012-0782-4>.
- Westberg, KBT; Hardell, LO; Malmqvist, N; Ohlson, CG; Axelson, O. (2005). On the use of different measures of exposure - Experiences from a case-control study on testicular cancer and PVC exposure. *J Occup Environ Hyg* 2: 351-356. <http://dx.doi.org/10.1080/15459620590969046>.
- Westbom, CM; Shukla, A; Macpherson, MB; Yasewicz, EC; Miller, JM; Beuschel, SL; Steele, C; Pass, HI; Vacek, PM; Shukla, A. (2014). CREB-Induced Inflammation Is Important for Malignant Mesothelioma Growth. *Am J Pathol* 184: 2816-2827. <http://dx.doi.org/10.1016/j.ajpath.2014.06.008>.
- Westerlund, J; Graff, P, al; Bryngelsson, I; Westberg, H; Eriksson, K; Lofstedt, H. (2015). Occupational Exposure to Trichloramine and Trihalomethanes in Swedish Indoor Swimming Pools: Evaluation of Personal and Stationary Monitoring. *Ann Occup Hyg* 59: 1074-1084. <http://dx.doi.org/10.1093/annhyg/mev045>.
- Wethasinghe, J; Sood, J; Walmsley, R; Milne, D; Jafer, A; Gordon-Glassford, N. (2015). Primary pleural epithelioid hemangioendothelioma mimicking as a posterior mediastinal tumor. 3: 75-77. <http://dx.doi.org/10.1002/rcr2.106>.
- Wetzel, SA. (2008). Effects of asbestos on t cell activation.
- Wetzel, SA. (2009). Effects of asbestos on t cell activation.
- Wetzel, SA. (2010). Effects of asbestos on t cell activation.
- Weyn, B; Van De Wouwer, G; Koprowski, M; Van Daele, A; Dhaene, K; Scheunders, P; Jacob, W; Van Marck, E. (1999). Value of morphometry, texture analysis, densitometry, and histometry in the differential diagnosis and prognosis of malignant mesothelioma. *J Pathol* 189: 581-589. [http://dx.doi.org/10.1002/\(SICI\)1096-9896\(199912\)189:4<581::AID-PATH464>3.0.CO;2-P](http://dx.doi.org/10.1002/(SICI)1096-9896(199912)189:4<581::AID-PATH464>3.0.CO;2-P).
- Weyn, B; van de Wouwer, G; Kumar-Singh, S; van Daele, A; Scheunders, P; van Marck, E; Jacob, W. (1999). Computer-assisted differential diagnosis of malignant mesothelioma based on syntactic structure analysis. *Cytometry* 35: 23-29.
- Wheeler, CS. (1990). Exposure to man-made mineral fibers: a summary of current animal data [Review]. *Toxicol Ind Health* 6: 293-307.
- Wheeler, CS; Garner, CD. (1989). THE EFFECT OF ARAMID AND METAPHOSPHATE FIBERS ON MACROPHAGE VIABILITY AND FUNCTION (pp. SECAUCUS). (BIOSIS/90/02015). Wheeler, CS; Garner, CD.
- Wheeler, PS; Morgan, RH. (1984). ASBESTOSIS THE ROLE OF RADIOLOGY IN A SEMANTIC EPIDEMIC (pp. 25-30). (HEEP/85/07846). Wheeler, PS; Morgan, RH.
- Wheeler, RW. (1986). International Conference on the Health of Miners. *Annals of the American Conference of Governmental Industrial Hygienists* 14.
- Wheeler, TM; Johnson, EH; Coughlin, D; Greenberg, SD. (1988). The sensitivity of detection of asbestos bodies in sputa and bronchial washings. *Acta Cytol* 32: 647-650.
- Wheeler, WT. (1992). Overview of FY92/FY93 waste component recycle, treatment, and disposal integrated demonstration (WeDID) activities. 6.
- Whitaker, D. (1978). Asbestos bodies in sputum [Letter]. *Acta Cytol* 22: 443-444.
- Whitaker, D; Sterrett, G; Shilkin, K; Walters, M. (1986). Malignant mesothelioma cells in sputum. *Diagn Cytopathol* 2: 21-24.

Human Health Hazard Literature Search Results

Off Topic

- Whitaker, PJ. (1973). Health standards and required medical examinations. *J Occup Med* 15: 740-741.
- White, CW; Mimmack, RF; Repine, JE. (1986). ACCUMULATION OF LUNG TISSUE OXIDIZED GLUTATHIONE AS A MARKER OF OXIDANT INDUCED LUNG INJURY. (BIOSIS/86/28263). White, CW; Mimmack, RF; Repine, JE.
- White, FA; Getman, RE. (1990). Indoor air quality: what managers can do. 17: 93-101.
- White, GL. (1978). Hazard Evaluation and Technical Assistance Report No. TA-78-4, Smithsonian Institution, Washington, D.C. (NIOSH/00080620). White, GL.
- White, MJ. (2004). Asbestos and the future of mass torts. *J Econ Perspect* 18: 183-204.
- White, MK; Hodous, TK; Hudnall, JB. (1989). Physiological and subjective responses to working in disposable protective coveralls and respirators commonly used by the asbestos abatement industry. *Am Ind Hyg Assoc J* 50: 313-319. <http://dx.doi.org/10.1080/15298668991374723>.
- White, N. (1993). Compensation for occupational diseases--fact or legal fiction? [Letter]. *S Afr Med J* 83: 216.
- White, NW; Chetty, R; Bateman, ED. (1991). Silicosis among gemstone workers in South Africa: tiger's-eye pneumoconiosis. *Am J Ind Med* 19: 205-213.
- White, R; Kuhn, C. (1980). Effects of phagocytosis of mineral dusts on elastase secretion by alveolar and peritoneal exudative macrophages. *Arch Environ Health* 35: 106-109.
- White, RA, III; Power, I; Dipple, GM; Southam, G; Suttle, CA. (2015). Metagenomic analysis reveals that modern microbialites and polar microbial mats have similar taxonomic and functional potential. *FMICB* 6: 966. <http://dx.doi.org/10.3389/fmicb.2015.00966>.
- Whitehouse, MJ; Schoenberg, R; Fedo, CM; Kamber, BS. (2015). Does a Heavy Fe-Isotope Composition of Akilia Quartz-Amphibole-Pyroxene Rocks Necessitate a BIF Origin? *Astrobiology* 15: 816-824. <http://dx.doi.org/10.1089/ast.2015.1362>.
- Whitley, NO. (1987). Computed Tomography and Malignant Mesothelioma (pp. 265-299). (NIOSH/00178745). Whitley, NO.
- Whitlock, CJ; Paulson, VA. (1982). PRIORITY POLLUTANT SAMPLING - DIFFERENT FROM CONVENTIONAL SAMPLING REQUIREMENTS (pp. Proc). (HMT/82/000056). Whitlock, CJ; Paulson, VA.
- Whittemore, AS. (1987). METHODS OLD AND NEW FOR ANALYZING OCCUPATIONAL COHORT DATA. *Am J Ind Med* 12: 233-248.
- Whittle, D. (2015). Cuba-USA: Environmental Protection Knows No Borders. *M E D I C C Review* 17: 49-50.
- WHO. (1211). IARC monographs on the evaluation of carcinogenic risks to humans - Volume 83: Tobacco smoke and involuntary smoking. 27: Illus.
- WHO. (1211). Outline for the development of national programmes for elimination of asbestos-related diseases. 22.
- WHO. (1991). INDOOR AIR QUALITY INORGANIC FIBERS. *Environ Technol* 12: 833-836.
- WHO. (1997). Assessment of exposure to indoor air pollutants [Review]. 78: iii-xii, 1-139.
- WHO (World Health Organization). (1997). Assessment of exposure to indoor air pollutants. In M Jantunen; JJK Jaakkola; M Krzyzanowski (Eds.), WHO Regional Publications European Series, No 78 (pp. GENEVA). Copenhagen, Denmark: World Health Organization Regional Office for Europe. <http://apps.who.int/bookorders/anglais/detart1.jsp?codlan=1&codcol=31&codcch=78>.
- WHO; ILO. (2011). [Specifying national program on elimination of asbestos-related diseases]. *Med Tr Prom Ekol* 1-2.
- Whong, WZ; Gao, HG; Zhou, G; Ong, T. (1999). Genetic alterations of cancer-related genes in glass fiber-induced transformed cells. *J Toxicol Environ Health A* 56: 397-404.
- Whorton, MD. (1986). ASBESTOS EXAMINATIONS FOR CONSTRUCTION WORKERS A WORKABLE ALTERNATIVE [Editorial]. *Am J Public Health* 76: 1388-1389.
- Whorton, MD. (1987). ASBESTOS EXAMINATIONS FOR CONSTRUCTION WORKERS - REPLY. *Am J Public Health* 77: 646-646.
- Whysner, J; Covello, VT; Kuschner, M; Rifkind, AB; Rozman, KK; Trichopoulos, D; Williams, GM. (1994). ASBESTOS IN THE AIR OF PUBLIC BUILDINGS - A PUBLIC-HEALTH RISK [Review]. *Prev Med* 23: 119-125. <http://dx.doi.org/10.1006/pmed.1994.1017>.
- Wichmann, HE; Rosario, AS; Heid, IM; Kreuzer, M; Heinrich, J; Kreienbrock, L. (2005). Increased lung cancer risk due to residential radon in a pooled and extended analysis of studies in Germany. *Health Phys* 88: 71-79. <http://dx.doi.org/10.1097/01.HP.0000142497.31627.86>.
- Widgren, S. (1977). [Application of modern methods to clinical autopsy]. 33: 67-73.
- Wiebe, V. (1992). Occupationally and environmentally induced pulmonary and bronchial diseases: Imaging techniques (pp. 485-488). (BIOSIS/93/06447). Wiebe, V.
- Wiecek, E. (1983). [Identification of crystalline phases and various metal content of fibrous minerals (Polish asbestos) found in nickel ore deposits]. *Med Pr* 34: 235-244.
- Wiecek, E; Szczepaniak, M; Bielichowska-Cybula, G; Woźniak, H. (1992). [Asbestos substitutes and their biological effects. 2. Synthetic amphiboles--their physico-chemical characteristics]. *Med Pr* 43: 251-256.
- Wiedemann, HP; Gee J, BL; Lwebuga-Mukasa, J. (1983). MESOTHELIAL CELL DERIVED SOLUBLE FACTOR STIMULATES FIBROBLAST DNA SYNTHESIS (pp. 8-11). (HEEP/84/10096). Wiedemann, HP; Gee J, BL; Lwebuga-Mukasa, J.
- Wiederkehr, P. (1993). CONTROL OF HAZARDOUS AIR POLLUTANTS IN OECD COUNTRIES A COMPARATIVE POLICY ANALYSIS (pp. STATE OF THE ART; FIRST INTERNATIONAL CONFERENCE). (BIOSIS/94/14236). Wiederkehr, P.
- Wiemann, B; Bergmann, L. (1988). THE ORIGIN OF BRONCHOGENIC CARCINOMA BASED ON SIDEROFIBROSIS. *Z Erkr Atmungsorgane* 171: 82-84.
- Wiencke, JK. (1996). Dna adducts in human lung and blood mononuclear cells [Research]. RePORTER Database National Institutes of Health.
- Wigle, DT; Mao, Y; Semenciw, R; Smith, MH; Toft, P. (1986). Contaminants in drinking water and cancer risks in Canadian cities. *Can J Public Health* 77: 335-342.
- Wikeley, N. (2002). Compensation for asbestos-related lung cancer. *Med Leg J* 70: 17-25; discussion 25-18.
- Wikeley, NJ. (1993). Measurement of asbestos dust levels in British asbestos factories in the 1930s. *Am J Ind Med* 24: 509-520.

Human Health Hazard Literature Search Results

Off Topic

- Wikman, H; Thiel, S; Jager, B; Schmezer, P; Spiegelhalter, B; Edler, L; Dienemann, H; Kayser, K; Schulz, V; Drings, P; Bartsch, H; Risch, A. (2001). Relevance of N-acetyltransferase 1 and 2 (NAT1, NAT2) genetic polymorphisms in non-small cell lung cancer susceptibility. *Pharmacogenetics* 11: 157-168. <http://dx.doi.org/10.1097/00008571-200103000-00006>.
- Wilbourn, J; Haroun, L; Heseltine, E; Kaldor, J; Partensky, C; Vainio, H. (1986). Response of experimental animals to human carcinogens: an analysis based upon the IARC monographs programme. *Carcinogenesis* 7: 1853-1863.
- Wilczyńska, U; Szeszenia-Dabrowska, N. (2003). [Prevalence of tobacco smoking among workers exposed to asbestos dust]. *Med Pr* 54: 407-413.
- Wilczyńska, U; Szeszenia-Dabrowska, N; Szymczak, W. (1990). [Effect of the selection of reference population on the evaluation of the degree of the risk of death among industrial cohorts]. *Med Pr* 41: 175-180.
- Wild, P; Leodolter, K; Refregier, M; Schmidt, H; Bourgard, E. (2008). Effects of talc dust on respiratory health: results of a longitudinal survey of 378 French and Austrian talc workers. *Occup Environ Med* 65: 261-267. <http://dx.doi.org/10.1136/oem.2007.034298>.
- Wilharm, G; Lepka, D; Faber, F; Hofmann, J; Kerrinnes, T; Skiebe, E. (2010). A simple and rapid method of bacterial transformation. *J Microbiol Methods* 80: 215-216. <http://dx.doi.org/10.1016/j.mimet.2009.12.002>.
- Wilk, E; Krówczynska, M; Pabjanek, P; Mędrzycki, P. (2017). Estimation of the amount of asbestos-cement roofing in Poland. *Waste Manag Res* 34: 242X16683271. <http://dx.doi.org/10.1177/0734242X16683271>.
- Wilke, HJ. (1976). New rules issued by the FDA about the use of asbestos containing filter sheets and their consequences in pharmaceutical technology (pp. 18-36). (IPA/76/222013). Wilke, HJ.
- Wilkinson, PR. (1970). A preliminary note on predation on free-living engorged female Rocky Mountain wood ticks. *J Med Entomol* 7: 493-496.
- Willeke, K; eds, BP. (1993). Aerosol measurement: principles, techniques and applications. In K Willeke; PA Baron (Eds.), (pp. International Thomson Publishing Services Ltd).
- Willenbring, JK. (2014). Environmental Science Project 1 - Remediation of Asbestos Particles.
- Willenbring, JK. (2015). Environmental Science Project 1 - Remediation of Asbestos Particles.
- Williams, AR; Weiss, NS; Koepsell, TD; Lyon, JL; Swanson, GM. (1989). Infectious and noninfectious exposures in the etiology of light chain myeloma: A case-control study. *Cancer Res* 49: 4038-4041.
- Williams, GM. (1985). GENOTOXIC AND EPIGENETIC CARCINOGENS (pp. IMPACT OF REGULATIONS: IMPROVEMENT OF METHODS; 2ND INTERNATIONAL CONFERENCE). (BIOSIS/86/02569). Williams, GM.
- Williams, GM. (1990). Chemical Mixtures and Interactive Carcinogenesis: In Vitro Studies (pp. 107-112). (NIOSH/00206171). Williams, GM.
- Williams, JK; Rodriguez, RE; Uziel, MS; Tiner, PF. (1991). Surface radiological investigations at White Wing Scrap Yard, Oak Ridge Reservation, Oak Ridge, Tennessee (pp. 72). (NTIS/02980708). Williams, JK; Rodriguez, RE; Uziel, MS; Tiner, PF.
- Williams, M; Kirschner, MB; Cheng, YY; Hanh, J; Weiss, J; Mugridge, N; Wright, CM; Linton, A; Kao, SC; Edelman, JJ; Valley, MP; Mccaughan, BC; Cooper, W; Klebe, S; Lin, RC; Brahmhatt, H; Macdiarmid, J; van Zandwijk, N; Reid, G. (2015). miR-193a-3p is a potential tumor suppressor in malignant pleural mesothelioma. *Onco* 6: 23480-23495. <http://dx.doi.org/10.18632/oncotarget.4346>.
- Williams M G, J. R.; Dodson, RF; Corn, C; Hurst, GA. (1982). A procedure for the isolation of amosite asbestos and ferruginous bodies from lung tissue and sputum. *J Toxicol Environ Health* 10: 4-5.
- Williams, MG; Crossman, RN. (2003). Asbestos release during removal of resilient floor covering materials by recommended work practices of the resilient floor covering institute. *Appl Occup Environ Hyg* 18: 466-478. <http://dx.doi.org/10.1080/713833178>.
- Williams, MG; Dodson, RF; Corn, C; Hurst, GA. (1982). A procedure for the isolation of amosite asbestos and ferruginous bodies from lung tissue and sputum. *J Toxicol Environ Health* 10: 627-638. <http://dx.doi.org/10.1080/15287398209530282>.
- Williams, P; Paustenbach, D; Balzer, JL; Mangold, C. (2007). Retrospective exposure assessment of airborne asbestos related to skilled craftsmen at a petroleum refinery in Beaumont, Texas (1940-2006). *J Toxicol Environ Health A* 70: 1076-1107. <http://dx.doi.org/10.1080/15287390701208305>.
- Williams, PR. (2014). An analysis of violations of Osha's (1987) occupational exposure to benzene standard. *J Toxicol Environ Health B Crit Rev* 17: 259-283. <http://dx.doi.org/10.1080/10937404.2014.924452>.
- Williams, PR; Paustenbach, DJ. (2006). Reconstruction Of Exposure Of Skilled Craftsmen To Asbestos At The Beaumont, Texas Refinery (1946-2004). *Toxicol Sci* 90: 173.
- Williams, PRD; Phelka, AD; Paustenbach, DJ. (2007). A review of historical exposures to asbestos among skilled craftsmen (1940-2006) [Review]. *J Toxicol Environ Health B Crit Rev* 10: 319-377. <http://dx.doi.org/10.1080/10937400601034191>.
- Williams, RL; Muhlbaier, JL. (1982). Asbestos brake emissions. *Environ Res* 29: 70-82.
- Williams, T; Slade, P; Raeburn, J. (1998). Lump sum compensation for asbestos related lung disease. *Thorax* 53: 535.
- Williams, TF. (1970). Pollution A Community And Occupational Problem (pp. 20-26). (NIOSH/00135909). Williams, TF.
- Williams, TJ. (1977). THE ASBESTOS PROBLEM (pp. ANN ARBOR). (HEEP/79/02269). Williams, TJ.
- Willis, NP. (1990). Hanford Site radioactive solid waste acceptance criteria. 176.
- Wilmoth, RC; Hollett, BA; Mccarthy, WN. (1992). Co-Existing with Asbestos: A Look at the Engineering Research Program of the U.S. Environmental Protection Agency. 22.
- Wilmoth, RC; Powers, TJ; Millette, JR. (1988). Observations on Studies Useful to Asbestos O and M Activities. (NIOSH/00192908). Wilmoth, RC; Powers, TJ; Millette, JR.
- Wilmoth, RC; Powers, TJ; Millette, JR. (1991). Observations on studies useful to asbestos O&M activities. *Microscope* 39: 299-312.
- Wilmoth, RC; Powers, TJ; Millette, JR. (1991). Observations on Studies Useful to Asbestos Operations and Management Activities. 14.
- Wilmoth, RC; Taylor, MS; Meyer, BE. (1994). Abestos Release from the Demolition of Two Schools in Fairbanks, Alaska. 12.
- Wilson, DL; Dudney, CS; Gammage, RB. (1993). Interim protocol for the mitigation of radon in nonresidential buildings. 5.

Human Health Hazard Literature Search Results

Off Topic

- Wilson, DL; Dudney, CS; Gammage, RB. (1994). AN INTERIM PROTOCOL FOR THE MITIGATION OF RADON IN NONRESIDENTIAL BUILDINGS. *Radiat Prot Dosimetry* 56: 9-11.
- Wilson, R; Langer, AM; Nolan, RP. (1999). A risk assessment for exposure to glass wool [Review]. *Regul Toxicol Pharmacol* 30: 96-109. <http://dx.doi.org/10.1006/rtph.1999.1344>.
- Wilson, R; Langer, AM; Nolan, RP; Gee, JB; Ross, M. (1994). Asbestos in New York City public school buildings--public policy: is there a scientific basis? *Regul Toxicol Pharmacol* 20: 161-169. <http://dx.doi.org/10.1006/rtph.1994.1067>.
- Wilson, R; Mcconnell, EE; Ross, M; Axten, CW; Nolan, RP. (2008). Risk assessment due to environmental exposures to fibrous particulates associated with taconite ore. *Regul Toxicol Pharmacol* 52: S232-S245. <http://dx.doi.org/10.1016/j.yrtph.2007.11.005>.
- Wilson, R; Nolan, RP; Domnin, SG. (2001). The debate on banning asbestos [Letter]. *CMAJ* 165: 1190-1191; author reply 1191-1193.
- Windom, H; Griffin, J; Goldberg, ED. (1967). Talc in Atmospheric Dusts. *Environ Sci Technol* 1: 923-926.
- Winer, AA; Cossette, M. (1979). The effect of aspect ratio on fiber counts: a preliminary study. *Ann N Y Acad Sci* 330: 661-672.
- Winfree, CJ; Mack, WJ; Sisti, MB. (2004). Solitary cerebellar metastasis of malignant pleural mesothelioma: case report [Review]. *Surg Neurol* 61: 174-178; discussion 178-179. [http://dx.doi.org/10.1016/S0090-3019\(03\)00448-8](http://dx.doi.org/10.1016/S0090-3019(03)00448-8).
- Wingren, G. (2004). Mortality and cancer incidence in a Swedish art glassworks--an updated cohort study. *Int Arch Occup Environ Health* 77: 599-603. <http://dx.doi.org/10.1007/s00420-004-0553-y>.
- Wingren G; Englander, V. (1990). Mortality and cancer morbidity in a cohort of Swedish glassworkers. *Int Arch Occup Environ Health* 62: 253-257.
- Winkler, J. (2015). High levels of dioxin-like PCBs found in organic-farmed eggs caused by coating materials of asbestos-cement fiber plates: A case study. *Environ Int* 80: 72-78. <http://dx.doi.org/10.1016/j.envint.2015.03.005>.
- Winn, RA. (2011). The Wnt and Prostacyclin pathways act in concert to inhibit NSCLC cell growth.
- Winn, RA. (2012). The Wnt and Prostacyclin pathways act in concert to inhibit NSCLC cell growth.
- Winn, RA. (2013). The Wnt and Prostacyclin pathways act in concert to inhibit NSCLC cell growth.
- Winn, RA. (2014). The Wnt and Prostacyclin pathways act in concert to inhibit NSCLC cell growth.
- Winter, CK; Seiber, JN; Nuckton, CF. (1990). CHEMICALS IN THE HUMAN FOOD CHAIN (pp. FLORENCE). (BIOSIS/91/02349). Winter, CK; Seiber, JN; Nuckton, CF.
- Winters, CA. (2009). Exploring Research Communication and Engagement in a Rural Community: The Libby P.
- Winters, JW. (1976). A simple small light-weight personal dust sampling unit for full shift determination of asbestos dust exposure. *Ann Occup Hyg* 19: 77-80.
- Witherby, SM; Butnor, KJ; Grunberg, SM. (2007). Malignant mesothelioma following thoracic radiotherapy for lung cancer [Review]. *Lung Cancer* 57: 410-413. <http://dx.doi.org/10.1016/j.lungcan.2007.03.016>.
- Witschi, H; Last, JA. (1987). PULMONARY TOXICOLOGY (pp. NEW YORK). (BIOSIS/87/24331). Witschi, H; Last, JA.
- Woitowitz, HJ; egrave, Odelsperger, K; Arhelger, R; Giesen, T. (1983). Exposure to asbestos dust in the workplace - Measurement results in the international literature. (CIS/85/01251). Woitowitz, HJ; R and egrave, Odelsperger, K; Arhelger, R; Giesen, T.
- Woitowitz, HJ; Rodelsperger, K. (1992). CHRYSOTILE ASBESTOS, MESOTHELIOMA AND GARAGE MECHANICS - RESPONSE. *Am J Ind Med* 21: 453-455.
- Woitowitz, HJ; Rödelsperger, K. (1992). [Cancer risk caused by synthetic mineral fibers]. *Dtsch Med Wochenschr* 117: 1776-1777.
- Woitowitz, HJ; Rodelsperger, K; Bodeker, H; Bruckel, B; Gosch, V. (1991). BIOMONITORING AFTER EXPOSURE TO ASBESTOS-FIBER DUST - LIGHT-MICROSCOPY AS AGAINST ELECTRON-MICROSCOPY. *Arbeitsmedizin, Sozialmedizin, Praeventivmedizin* 26: 219-224.
- Wolf, AF. (1975). Occupational diseases of the lungs: II. Inhalation diseases due to inorganic dust. *Ann Allergy* 35: 87-92.
- Wolf, F. (1976). Industrial Hygiene Survey Report, Champion International Paper Company, Canton, North Carolina, Report No. IWS-62-12 (pp. 62-12). (NIOSH/00179847). Wolf, F.
- Wolf, K. (1985). HAZARDOUS SUBSTANCES AND CANCER INCIDENCE INTRODUCTION TO THE SPECIAL ISSUE ON RISK ASSESSMENT AND RISK MANAGEMENT. *J Hazard Mater* 10: 2-3.
- Wolff, AH; Oehme, FW. (1974). Carcinogenic chemicals in food as an environmental health issue [Review]. *J Am Vet Med Assoc* 164: 623-629.
- Wolff, H; Saukkonen, K; Anttila, S; Karjalainen, A; Vainio, H; Ristimäki, A. (1998). Expression of cyclooxygenase-2 in human lung carcinoma. *Cancer Res* 58: 4997-5001.
- Wolff, H; Vehmas, T; Oksa, P; Rantanen, J; Vainio, H. (2015). Asbestos, asbestosis, and cancer, the Helsinki criteria for diagnosis and attribution 2014: recommendations. *Scand J Work Environ Health* 41: 5-15. <http://dx.doi.org/10.5271/sjweh.3462>.
- Wolff, H; Vehmas, T; Oksa, P; Tuomi, T; Rantanen, J; Vainio, H. (2016). Response by the organizers of the Helsinki criteria updates 2014: Criteria for asbestos-related diseases need periodic updates [Letter]. *Scand J Work Environ Health* 42: 95-96. <http://dx.doi.org/10.5271/sjweh.3536>.
- Wolkonsky, P. (1982). THE INDUSTRIAL PHYSICIAN AND OCCUPATIONAL LUNG DISEASE (pp. 67-69). (HEEP/83/07601). Wolkonsky, P.
- Wolman, A. (1986). Is there a public health function? *Annu Rev Public Health* 7: 1-12. <http://dx.doi.org/10.1146/annurev.pu.07.050186.000245>.
- Wong, BS; Yoong, SL; Jagusiak, A; Panczyk, T; Ho, HK; Ang, WH; Pastorin, G. (2013). Carbon nanotubes for delivery of small molecule drugs [Review]. *Adv Drug Deliv Rev* 65: 1964-2015. <http://dx.doi.org/10.1016/j.addr.2013.08.005>.
- Wong, KC; Barry, BE; Stone, C; Oneil, JJ; Crapo, JD. (1979). LUNG INJURY AFTER 3 MONTHS EXPOSURE TO SHORT LENGTH CHRYSOTILE ASBESTOS FIBERS. *Am Rev Respir Dis* 119: 241-241.
- Wong, O. (2006). The interpretation of occupational epidemiologic data in regulation and litigation: Studies of auto mechanics and petroleum workers. *Regul Toxicol Pharmacol* 44: 191-197. <http://dx.doi.org/10.1016/j.yrtph.2006.01.003>.
- Wong, O; Foliart, D; Trent, LS. (1991). A case-control study of lung cancer in a cohort of workers potentially exposed to slag wool fibres. *Occup Environ Med* 48: 818-824.

Human Health Hazard Literature Search Results

Off Topic

- Wong, O; Musselman, RP. (1994). An epidemiological and toxicological evaluation of the carcinogenicity of man-made vitreous fiber, with a consideration of coexposures. *J Environ Pathol Toxicol Oncol* 13: 169-180.
- Wood, SA. (2002). The Lung: A Reaction Chamber for Asbestiform Minerals.
- Wood, SA; Taunton, AE; Normand, C; Gunter, ME. (2006). Mineral-fluid interaction in the lungs: insights from reaction-path modeling. *Inhal Toxicol* 18: 975-984. <http://dx.doi.org/10.1080/08958370600835252>.
- Woods, BO; Mcloud, TC; Epler, GR; Carrington, CB; Gaensler, EA. (1982). ETIOLOGY OF DIFFUSE PLEURAL THICKENING IN AN ASBESTOS EXPOSED POPULATION. *Chest* 82: 216-217.
- Woodward, KN; Mcdonald, A; Joshi, S. (1991). Ranking of chemicals for carcinogenic potency: A comparative study of 13 carcinogenic chemicals and an examination of some of the issues involved. *Carcinogenesis EYNSHAM*: 1061-1066.
- Woodward-Clyde Consultants. (1990). HEALTH and SAFETY ASPECTS: INFORMATION, DATA, COMMENTS and RECOMMENDATIONS REGARDING OCCUPATIONAL EXPOSURE TO MAN-MADE VITREOUS FIBERS WITH ATTACHMENTS AND COVER LETTER DATED 071790. (TSCATS/413303).
- Woog, H; Kruger, D; Zimmermann, G. (1978). Sterile filtering and elimination of pyrogens from parenteral medicines with novel asbestos free deep bed filters (pp. 47-50). (IPA/79/329099). Woog, H; Kruger, D; Zimmermann, G.
- Wordeman, L; Wagenbach, M. (1999). Using antisense technology to study mitosis. *Methods Cell Biol* 61: 245-266.
- Work, CP; Taylor, RA. (1984). TOXIC CHEMICALS: JUST HOW REAL A DANGER (pp. 64-67). (EPIDEM/008171). Work, CP; Taylor, RA.
- Workum, P; Delbono, E; Holford, S; Ishikawa, S; Murphy R, J. R. (1980). OBSERVER VARIABILITY IN THE ASSESSMENT OF CRACKLES RALES (pp. 18-21). (HEEP/81/07939). Workum, P; Delbono, E; Holford, S; Ishikawa, S; Murphy R, JR.
- Worth, H; Worth, G. (1983). A FOLLOW-UP-STUDY OF LUNG-FUNCTION DATA AND X-RAY CHANGES IN PATIENTS WITH ASBESTOS-RELATED DISEASE. *Eur J Respir Dis* 64: 512-512.
- Worth, H; Worth, G. (1985). LONG-TERM FOLLOW-UP OF LUNG-FUNCTION DATA AND X-RAY CHANGES IN PATIENTS WITH ASBESTOS-RELATED DISEASE. *Bull Europ Physiol Resp* 21: A6-A6.
- Woźniak, H. (1989). [Biological effects of artificial mineral fibers] [Review]. *Med Pr* 40: 238-245.
- Wozniak, H; Wiecek, E. (1996). Refractory ceramic fibres: Kinds, exposure health effects, MACs [Review]. *Med Pr* 47: 393-399.
- Woźniak, H; Wiecek, E. (1991). [Maximum permissible levels of asbestos and other natural minerals with fibrous structure--necessity of verification] [Review]. *Med Pr* 42: 249-255.
- Woźniak, H; Wiecek, E. (2002). [Evaluation of occupational exposure to dusts of mixed free crystalline silica and natural respirable mineral fibers] [Review]. *Med Pr* 53: 219-227.
- Woźniak, H; Wiecek, E; Dobrucka, D; Pelc, W; Bielichowska-Cybula, G; Król, M; Opalska, B. (1992). [Various ecological problems related to mining and processing of serpentine. Evaluation of non-occupational exposure of the population of Nasławice to fibrous mineral dust]. *Med Pr* 43: 235-243.
- Woźniak, H; Wiecek, E; Dobrucka, D; Pelc, W; Maciejewska, A; Bielichowska, G; Opalska, B. (1991). [Evaluation of occupational exposure of workers engaged in mining of rock raw materials in the Sleza massif]. *Med Pr* 42: 411-417.
- Woźniak, H; Wiecek, E; Kesik, K; Bojarska, D. (1995). [Exposure to mineral fibers in selected ceramics plants]. *Med Pr* 46: 327-336.
- Wozniak, H; Wiecek, E; Makowski, A; Gadalska, D; Jakobczyk, L; Maciejewska, A; Opalska, B. (1991). Occupational and non-occupational exposure to natural mineral fibres in the "Szkłary" metallurgical plant. *Med Pr* 42: 127-135.
- Woźniak, H; Wiecek, E; Pelc, W; Dobrucka, D; Król, M; Opalska, B. (1994). [Respirable mineral fibers in atmospheric air of Wrocław]. *Med Pr* 45: 239-247.
- Woźniak, H; Wiecek, E; Pelc, W; Dobrucka, D; Opalska, B. (1993). [Effect of water sprinkling on total dust and mineral fiber concentration during serpentine asbestos processing]. *Med Pr* 44: 573-578.
- Woźniak, H; Wiecek, E; Stroszejn-Mrowca, G; Wojtczak, J. (1992). [Asbestos substitutes and their biological action. I. Types, use, exposure and MPEL] [Review]. *Med Pr* 43: 159-164.
- Wozniewicz, B; Krzysko, R; Flejsierowicz, Z; Mlynarczyk, W. (1971). Biopsy of the bronchi, the lungs and the mediastinum in pneumoconiosis (pp. 513-522). (HEEP/72/08170). Wozniewicz, B; Krzysko, R; Flejsierowicz, Z; Mlynarczyk, W.
- Wranik, WD; Muir, A; Hu, M. (2017). Costs of productivity loss due to occupational cancer in Canada: estimation using claims data from Workers' Compensation Boards. 7: 9. <http://dx.doi.org/10.1186/s13561-017-0145-7>.
- Wright, BH. (2010). Worker Health and Safety Training Cooperative Agreement.
- Wright, JW; Stanton, ML. (2007). *Collinsia sparsiflora* in serpentine and nonserpentine habitats: using F2 hybrids to detect the potential role of selection in ecotypic differentiation. *New Phytol* 173: 354-366. <http://dx.doi.org/10.1111/j.1469-8137.2006.01925.x>.
- Wright, MD; Warren, JL; Hickey, JLS; Lee, BS; Rogoff, JT; Olson, JA; Chapman, JH; Matzzie, DE; Hillman, RG; Muchler, JE; Soule, RD. (1978). Asbestos Dust. Part I: Technological Feasibility Assessment And Inflationary Impact Analysis Of The Proposed Federal Occupational Standard For Asbestos Dust (pp. 6-0225). (NIOSH/00135163). Wright, MD; Warren, JL; Hickey, JLS; Lee, BS; Rogoff, JT; Olson, JA; Chapman, JH; Matzzie, DE; Hillman, RG; Muchler, JE; Soule, RD.
- Wright, PE; Sheller, JR. (1988). WHAT IS THE MEANING OF AN ISOLATED REDUCTION IN SINGLE BREATH DIFFUSING CAPACITY FOR CARBON MONOXIDE? RESULTS OF RECORD ANALYSIS AND LITERATURE REVIEW. *Respir Care* 33: 333-340.
- Wright, PH. (1993). Pleural determinants of restrictive lung function and respiratory symptoms in an asbestos-exposed population [Letter]. *Chest* 104: 1314-1315.
- Wright, PH; Hanson, A; Kreef, L; Capel, LH. (1978). PLEURAL DISEASE IN ASBESTOS WORKERS. *Thorax* 33: 669-670.
- Wright, WE; Rom, WN. (1980). PRELIMINARY REPORT INVESTIGATION FOR SHALOSIS AMONG OIL SHALE WORKERS (pp. ANN ARBOR). (HEEP/82/00827). Wright, WE; Rom, WN.

Human Health Hazard Literature Search Results

Off Topic

- Wright, WE; Rom, WN; Moatamed, F. (1983). Characterization of zeolite fiber sizes using scanning electron microscopy. *Arch Environ Occup Health* 38: 99-103.
- Wroński, M; Burt, M. (1993). Cerebral metastases in pleural mesothelioma: case report and review of the literature [Review]. *J Neurooncol* 17: 21-26.
- Wu, C; Chang, J. (2007). Degradation, bioactivity, and cytocompatibility of diopside, akermanite, and bredigite ceramics. *J Biomed Mater Res B Appl Biomater* 83: 153-160. <http://dx.doi.org/10.1002/jbm.b.30779>.
- Wu, C; Chang, J. (2007). Synthesis and in vitro bioactivity of bredigite powders. *J Biomater Appl* 21: 251-263. <http://dx.doi.org/10.1177/0885328206062360>.
- Wu, C; Chang, J; Wang, J; Ni, S; Zhai, W. (2005). Preparation and characteristics of a calcium magnesium silicate (bredigite) bioactive ceramic. *Biomaterials* 26: 2925-2931. <http://dx.doi.org/10.1016/j.biomaterials.2004.09.019>.
- Wu, C; Chang, J; Zhai, W; Ni, S. (2007). A novel bioactive porous bredigite (Ca₇MgSi₄O₁₆) scaffold with biomimetic apatite layer for bone tissue engineering. *J Mater Sci Mater Med* 18: 857-864. <http://dx.doi.org/10.1007/s10856-006-0083-0>.
- Wu, CC. (1984). OCCUPATIONAL ASBESTOS-RELATED DISEASES IN TAIWAN. *Scand J Work Environ Health* 10: 136-136.
- Wu, H; Walker, J; Damhuis, RA; Brewster, DH; Wild, SH; Group, SDRNE. (2016). Metformin and survival of people with type 2 diabetes and pleural mesothelioma: A population-based retrospective cohort study. *Lung Cancer* 99: 194-199. <http://dx.doi.org/10.1016/j.lungcan.2016.07.020>.
- Wu, J; Kreis, IA; Griffiths, D; Darling, C. (2004). Respiratory symptoms and lung function of coke oven workers: A lung function surveillance system from 1990-2000. *J Occup Environ Med* 46: 906-915. <http://dx.doi.org/10.1097/01.jom.0000137719.38356.9b>.
- Wu, L; Ortiz, C; Xu, Y; Willenbring, J; Jerolmack, D. (2015). In Situ Liquid Cell Observations of Asbestos Fiber Diffusion in Water. *Environ Sci Technol* 49: 13340-13349. <http://dx.doi.org/10.1021/acs.est.5b03839>.
- Wu, L; Ortiz, CP; Jerolmack, DJ. (2017). Aggregation of Elongated Colloids in Water. *Langmuir* 33: 622-629. <http://dx.doi.org/10.1021/acs.langmuir.6b03962>.
- Wünsch Filho, V; Neves, H; Moncau, JE. (2001). [Asbestos in Brazil: scientific and economic conflicts] [Review]. *Rev Assoc Med Bras* 47: 259-261.
- Wyart-Remy, M. (1997). Asbestos disease in foundrymen [Letter]. *J Occup Environ Med* 39: 700.
- Wyers, H. (1956). Dermatology in Industry. *Chem Week* 40: 1036-1040.
- Wylie, AG. (1979). FIBER LENGTH AND ASPECT RATIO OF SOME SELECTED ASBESTOS SAMPLES (pp. NEW YORK). (HEEP/81/07834). Wylie, AG.
- Wylie, AG. (1984). Membrane Filter Method for Estimating Asbestos Fiber Exposure (pp. 105-117). (NIOSH/00173439). Wylie, AG.
- Wylie, AG. (1990). Discriminating Amphibole Cleavage Fragments from Asbestos: Rationale and Methodology (pp. 23-26). (NIOSH/00198575). Wylie, AG.
- Wylie, AG; Bailey, KF. (1992). THE MINERALOGY AND SIZE OF AIRBORNE CHRYSOTILE AND ROCK FRAGMENTS - RAMIFICATIONS OF USING THE NIOSH 7400 METHOD. *Am Ind Hyg Assoc J* 53: 442-447.
- Wylie, AG; Candela, PA. (2015). Methodologies for determining the sources, characteristics, distribution, and abundance of asbestiform and nonasbestiform amphibole and serpentine in ambient air and water. *J Toxicol Environ Health B Crit Rev* 18: 1-42. <http://dx.doi.org/10.1080/10937404.2014.997945>.
- Wylie, AG; Virta, RL; Russek, E. (1985). CHARACTERIZING AND DISCRIMINATING AIRBORNE AMPHIBOLE CLEAVAGE FRAGMENTS AND AMOSITE FIBERS IMPLICATIONS FOR NATIONAL INSTITUTE OF OCCUPATIONAL SAFETY AND HEALTH METHOD. *Am Ind Hyg Assoc J* 46: 197-201.
- Wylie, AG; Virta, RL; Segreti, JM. (1987). Characterization of mineral population by index particle: implication for the Stanton hypothesis. *Environ Res* 43: 427-439.
- Wynder, EL. (1978). Lung cancer in shipyard workers: a plea for prevention [Editorial]. *N Engl J Med* 299: 651-652. <http://dx.doi.org/10.1056/NEJM197809212991207>.
- Wypych, F; Adad, LB; Mattoso, N; Marangon, AA; Schreiner, WH. (2005). Synthesis and characterization of disordered layered silica obtained by selective leaching of octahedral sheets from chrysotile and phlogopite structures. *J Colloid Interface Sci* 283: 107-112. <http://dx.doi.org/10.1016/j.jcis.2004.08.139>.
- Wypych, F; Schreiner, WH; Richard, E. (2004). Grafting of phenylarsonic and 2-nitrophenol-4-arsonic acid onto disordered silica obtained by selective leaching of brucite-like sheet from chrysotile structure. *J Colloid Interface Sci* 276: 167-173. <http://dx.doi.org/10.1016/j.jcis.2004.03.022>.
- Xaubet, A; Marin, A; Picado, C; Roca, J; Montserrat, JM; Rodriguez ROISIN, R; Agusti-Vidal, A. (1985). EOSINOPHILS IN BRONCHOALVEOLAR LAVAGE IN DIFFUSE INTERSTITIAL PULMONARY DISEASE (pp. 92-95). (BIOSIS/85/15564). Xaubet, A; Marin, A; Picado, C; Roca, J; Montserrat, JM; Rodriguez ROISIN, R; Agusti-Vidal, A.
- Xaubet, A; Rodriguez ROISIN, R; Bombi, JA; Marin, A; Roca, J; Sala, H; Cardesa, A; Agusti, A. (1984). CORRELATION OF BRONCHO ALVEOLAR LAVAGE AND CLINICAL FINDINGS IN PULMONARY ASBESTOSIS (pp. 20-23). (HEEP/85/01067). Xaubet, A; Rodriguez ROISIN, R; Bombi, JA; Marin, A; Roca, J; Sala, H; Cardesa, A; Agusti, A.
- Xaubet Mir, A; Agusti Vidal, A. (1984). Early diagnosis of asbestosis with bronchoalveolar lavage. 4: 15-20.
- Xie, J. (2008). Molecular Basis of Hedgehog Signaling in Carcinogenesis.
- Xie, J. (2009). Molecular Basis of Hedgehog Signaling in Carcinogenesis.
- Xie, J. (2010). Molecular Basis of Hedgehog Signaling in Carcinogenesis.
- Xie, J. (2011). Molecular Basis of Hedgehog Signaling in Carcinogenesis.
- Xu, J; Alexander, DB; Futakuchi, M; Numano, T; Fukamachi, K; Suzui, M; Omori, T; Kanno, J; Hirose, A; Tsuda, H. (2014). Size- and shape-dependent pleural translocation, deposition, fibrogenesis, and mesothelial proliferation by multiwalled carbon nanotubes. *Cancer Sci* 105: 763-769. <http://dx.doi.org/10.1111/cas.12437>.

Human Health Hazard Literature Search Results

Off Topic

- Yablochkin, VD; Pilipyuk, ZI; Gorban, GM; Chukhno, EI; Gorshunova, AI. (1971). (Sanitary-chemical and toxicological study of some heat-insulating asbestos-filled materials with a base of Lavsan.). *Gig Tr Prof Zabol* 15: 60-62.
- Yajima, M; Aihara, K; Nagase, H; Hata, T. (1978). AN ELECTRON MICROSCOPIC STUDY ON THE CHANGES OF THE BLOOD AIR BARRIER INDUCED BY EXPERIMENTAL ASBESTOSIS (pp. 8-10). (HEEP/80/13686). Yajima, M; Aihara, K; Nagase, H; Hata, T.
- Yamada, Y; Ishizaki, M; Kido, T. (1990). [Prevalence of pleural thickening observed in chest X-ray films of workers in a non-asbestos industry]. *Sangyo Igaku* 32: 44-45.
- Yamagishi, T; Fujimoto, N; Miyamoto, Y; Asano, M; Fuchimoto, Y; Wada, S; Kitamura, K; Ozaki, S; Nishi, H; Kishimoto, T. (2015). Brain metastases in malignant pleural mesothelioma. *Clin Exp Metastasis* 33: 231-237. <http://dx.doi.org/10.1007/s10585-015-9772-8>.
- Yamamoto, M; Oyabu, T; Morimoto, Y; Ogami, A; Kadoya, C; Nishi, K; Todoroki, M; Myojo, T; Tanaka, I. (2011). Biopersistence of potassium hexatitanate in inhalation and intratracheal instillation studies. *Inhal Toxicol* 23: 196-204. <http://dx.doi.org/10.3109/08958378.2011.558935>.
- Yamamoto, T; Kida, A; Noma, Y; Terazono, A; Sakai, S. (2014). Development of a testing method for asbestos fibers in treated materials of asbestos containing wastes by transmission electron microscopy. *Waste Manag* 34: 536-541. <http://dx.doi.org/10.1016/j.wasman.2013.11.008>.
- Yamashita, K; Nagai, H; Kondo, Y; Misawa, N; Toyokuni, S. (2013). Evaluation of two distinct methods to quantify the uptake of crocidolite fibers by mesothelial cells. *J Clin Biochem Nutr* 53: 27-35. <http://dx.doi.org/10.3164/jcbrn.12-104>.
- Yamashita, K; Yoshioka, Y. (2012). [The safety assessment of nanomaterials in reproductive developmental field] [Review]. *Yakugaku Zasshi* 132: 331-335.
- Yamashita, K; Yoshioka, Y; Higashisaka, K; Morishita, Y; Yoshida, T; Fujimura, M; Kayamuro, H; Nabeshi, H; Yamashita, T; Nagano, K; Abe, Y; Kamada, H; Kawai, Y; Mayumi, T; Yoshikawa, T; Itoh, N; Tsunoda, S; Tsutsumi, Y. (2010). Carbon Nanotubes Elicit DNA Damage and Inflammatory Response Relative to Their Size and Shape. *Inflammation* 33: 276-280. <http://dx.doi.org/10.1007/s10753-010-9182-7>.
- Yamashita, T; Nagano, K; Kanasaki, S; Maeda, Y; Furuya, T; Inoue, M; Nabeshi, H; Yoshikawa, T; Yoshioka, Y; Itoh, N; Abe, Y; Kamada, H; Tsutsumi, Y; Tsunoda, S. (2012). Annexin A4 is a possible biomarker for cisplatin susceptibility of malignant mesothelioma cells. *Biochem Biophys Res Commun* 421: 140-144. <http://dx.doi.org/10.1016/j.bbrc.2012.03.144>.
- Yamate, G; Beard, ME. (1982). Refinements In The EPA Provisional Methodology (pp. Materials and Analytical Methods). (NIOSH/00146039). Yamate, G; Beard, ME.
- Yamate, G; Yamate, SS; Beard, ME. (1986). A Simplified TEM Analysis Method for Asbestos Abatement Projects (pp. 941-954). (NIOSH/00174139). Yamate, G; Yamate, SS; Beard, ME.
- Yamato, H; Hori, H; Tanaka, I; Higashi, T; Morimoto, Y; Kido, M. (1994). RETENTION AND CLEARANCE OF INHALED CERAMIC FIBERS IN RAT LUNGS AND DEVELOPMENT OF A DISSOLUTION MODEL. *Occup Environ Med* 51: 275-280.
- Yamato, H; Morimoto, Y; Tsuda, T; Ohgami, A; Kohyama, N; Tanaka, I. (1998). Fiber numbers per unit weight of JFM standard reference samples determined with a scanning electron microscope. *Ind Health* 36: 384-387. <http://dx.doi.org/10.2486/indhealth.36.384>.
- Yamazaki, H; Naito, M; Ghani, FI; Dang, NH; Iwata, S; Morimoto, C. (2012). Characterization of cancer stem cell properties of CD24 and CD26-positive human malignant mesothelioma cells. *Biochem Biophys Res Commun* 419: 529-536. <http://dx.doi.org/10.1016/j.bbrc.2012.02.054>.
- Yan, TD; Deraco, M; Baratti, D; Kusamura, S; Elias, D; Glehen, O; Gilly, FN; Levine, EA; Shen, P; Mohamed, F; Moran, BJ; Morris, DL; Chua, TC; Piso, P; Sugarbaker, PH. (2009). Cytoreductive surgery and hyperthermic intraperitoneal chemotherapy for malignant peritoneal mesothelioma: multi-institutional experience. *J Clin Oncol* 27: 6237-6242. <http://dx.doi.org/10.1200/JCO.2009.23.9640>.
- Yan, TD; Edwards, G; Alderman, R; Marquardt, CE; Sugarbaker, PH. (2007). Morbidity and mortality assessment of cytoreductive surgery and perioperative intraperitoneal chemotherapy for diffuse malignant peritoneal mesothelioma--a prospective study of 70 consecutive cases. *Ann Surg Oncol* 14: 515-525. <http://dx.doi.org/10.1245/s10434-006-9187-5>.
- Yan, TD; Welch, L; Black, D; Sugarbaker, PH. (2007). A systematic review on the efficacy of cytoreductive surgery combined with perioperative intraperitoneal chemotherapy for diffuse malignancy peritoneal mesothelioma [Review]. *Ann Oncol* 18: 827-834. <http://dx.doi.org/10.1093/annonc/mdl428>.
- Yan, TD; Yoo, D; Sugarbaker, PH. (2006). Significance of lymph node metastasis in patients with diffuse malignant peritoneal mesothelioma. *Eur J Surg Oncol* 32: 948-953. <http://dx.doi.org/10.1016/j.ejso.2006.05.009>.
- Yanagawa, J; Rusch, V. (2013). Surgical Management of Malignant Pleural Mesothelioma [Review]. *Thorac Surg Clin* 23: 73-+. <http://dx.doi.org/10.1016/j.thorsurg.2012.10.002>.
- Yanagihara, RH. (1988). Chemomodulation of dysplastic bronchial epithelium [Research]. RePORTER Database National Institutes of Health.
- Yanagisawa, K; Kozawa, T; Onda, A; Kanazawa, M; Shinohara, J; Takunami, T; Shiraishi, M. (2009). A novel decomposition technique of friable asbestos by CHClF₂-decomposed acidic gas. *J Hazard Mater* 163: 593-599. <http://dx.doi.org/10.1016/j.jhazmat.2008.07.017>.
- Yanamala, N; Farcas, MT; Hatfield, MK; Kisin, ER; Kagan, VE; Geraci, CL; Shvedova, AA. (2014). In Vivo Evaluation of the Pulmonary Toxicity of Cellulose Nanocrystals: A Renewable and Sustainable Nanomaterial of the Future. 2: 1691-1698. <http://dx.doi.org/10.1021/sc500153k>.
- Yang, D; Xie, L; Bobicki, E; Xu, Z; Liu, Q; Zeng, H. (2014). Probing anisotropic surface properties and interaction forces of chrysotile rods by atomic force microscopy and rheology. *Langmuir* 30: 10809-10817. <http://dx.doi.org/10.1021/la5019373>.
- Yang, D; Zhang, Y; Hong, Q; Hu, J, ie; Li, C; Pan, B; Wang, Q, un; Ding, F; Ou, J; Liu, F; Zhang, D, an; Zhou, J; Song, Y; Bai, C. (2015). Role of a serum-based biomarker panel in the early diagnosis of lung cancer for a cohort of high-risk patients. *Cancer* 121: 3113-3121. <http://dx.doi.org/10.1002/cncr.29551>.

Human Health Hazard Literature Search Results

Off Topic

- Yang, GZ; Li, J; Ding, HY. (2009). Localized malignant myxoid anaplastic mesothelioma of the pericardium. 1: 115-118. <http://dx.doi.org/10.4021/jocmr2009.05.1241>.
- Yang, H. (2011). The Role of HMGB1 in the Pathogenesis of Mesothelioma.
- Yang, H. (2012). The Role of HMGB1 in the Pathogenesis of Mesothelioma.
- Yang, H. (2013). The Role of HMGB1 in the Pathogenesis of Mesothelioma.
- Yang, H. (2014). The Role of HMGB1 in the Pathogenesis of Mesothelioma.
- Yang, H. (2015). The Role of HMGB1 in the Pathogenesis of Mesothelioma.
- Yang, HY; Huang, SH; Shie, RH; Chen, PC. (2016). Cancer mortality in a population exposed to nephrite processing. *Occup Environ Med* 73: 528-536. <http://dx.doi.org/10.1136/oemed-2016-103586>.
- Yang, HY; Wishart, J; Yang, YY; Lumeng, J; Paik, YK. (1998). A quantitative study of environmental asbestos exposure in Honolulu. *Hawaii Med J* 57: 536-539.
- Yang, L; Lin, JH; Wang, L; Wang, B; Du, Y. (2013). [IR spectrum characteristics and significance of Luodian jade from Guizhou]. *Guang Pu Xue Yu Guang Pu Fen Xi* 33: 2087-2091.
- Yang, ML; Fu, W; Wang, BH; Zhang, YQ; Huang, XR; Niu, HJ. (2015). [Infrared Spectra Characteristics of the Silicate Nickel Ores: A Comparison Study on Different Ore Samples from Indonesia and China]. *Guang Pu Xue Yu Guang Pu Fen Xi* 35: 631-634.
- Yang, XD; Shi, GH; Liu, Y. (2012). [Vibrational spectra of black species of hetian nephrite (tremolite jade) and its color genesis]. *Guang Pu Xue Yu Guang Pu Fen Xi* 32: 681-685.
- Yano, E; Takeuchi, A; Yukiya, Y; Brown, RC. (1984). Chemotactic Factor Generation By Asbestos. Fiber Type Differences And The Effects Of Leaching. *Br J Exp Pathol* 65: 223-229.
- Yano, E; Takeuchi, A; Yukiya, Y; Evans, PH. (1986). CARCINOGENICITY OF MINERAL DUSTS II. IN-VITRO CYTOTOXICITY OF ERIONITE TO POLYMORPHONUCLEAR LEUKOCYTES (pp. 21-25). (BIOSIS/86/33837). Yano, E; Takeuchi, A; Yukiya, Y; Evans, PH.
- Yano, S; Sone, S. (2000). [Causative agents for lung carcinogenesis] [Review]. *Nippon Rinsho* 58: 1017-1022.
- Yano, T; Morodomi, Y; Ito, K; Miura, N; Takenaka, T; Kawano, D; Shoji, F; Maehara, Y. (2008). [Treatment of malignant pleural mesothelioma-- present status and future view] [Review]. *Fukuoka Igaku Zasshi* 99: 74-79.
- Yasuda, M; Amano, H; Yamanaka, M; Tamura, A; Ishikawa, O. (2008). Coincidental association of mycosis fungoides and occupational systemic sclerosis? *J Dermatol* 35: 21-24. <http://dx.doi.org/10.1111/j.1346-8138.2007.00405.x>.
- Yasui, M; Kamoshita, N; Nishimura, T; Honma, M. (2015). Mechanism of induction of binucleated cells by multiwalled carbon nanotubes as revealed by live-cell imaging analysis. 37: 6. <http://dx.doi.org/10.1186/s41021-015-0003-y>.
- Yatsenko, AS; Kogan, FM; Fomina, AS; Zykova, VA; Nikitina, OV; Vanchugova, NN; Bogdanov, GB; Alyamovskii, SI; Perelyaeva, LA. (1994). ON RELATIONSHIPS BETWEEN BIOLOGIC AGGRESSION AND SOME PHYSICAL AND CHEMICAL PROPERTIES OF INDUSTRIAL DUST APPEARING IN USE OF FRICTION TOOLS. *Med Tr Prom Ekol* 0: 29-33.
- Yaziji, H; Battifora, H; Barry, TS; Hwang, HC; Bacchi, CE; Mcintosh, MW; Kussick, SJ; Gown, AM. (2006). Evaluation of 12 antibodies for distinguishing epithelioid mesothelioma from adenocarcinoma: identification of a three-antibody immunohistochemical panel with maximal sensitivity and specificity. *Mod Pathol* 19: 514-523. <http://dx.doi.org/10.1038/modpathol.3800534>.
- Y-C, L. (1986). A QUICK SCREEN TEST FOR THE IDENTIFICATION OF ASBESTOS (pp. 21-25). (BIOSIS/86/33811). Lin Y-C.
- Ye, JP; Shi, XL; Jones, W; Rojanasakul, Y; Cheng, NL; Schwegler-Berry, D; Baron, P; Deye, GJ; Li, CH; Castranova, V. (1999). Critical role of glass fiber length in TNF-alpha production and transcription factor activation in macrophages. *Am J Physiol Lung Cell Mol Physiol* 276: L426-L434.
- Yearwood, P. (1991). Asbestos fibre exposure during a removal project. (CIS/93/00786). Yearwood, P.
- Yendell, SJ; Fischer, M; Staples, JE. (2015). Colorado tick fever in the United States, 2002-2012. *Vector Borne and Zoonotic Diseases* 15: 311-316. <http://dx.doi.org/10.1089/vbz.2014.1755>.
- Yernault, JC; De Vuyst, P; Dumortier, P. (1986). Correlation of bronchoalveolar lavage and clinical and functional findings in asbestosis [Letter]. *Am Rev Respir Dis* 134: 1335-1336. <http://dx.doi.org/10.1164/arrd.1986.134.5.1335>.
- Yetkin, O. (2006). Malignant pleural mesothelioma: occupational and environmental exposure [Letter]. *Respir Med* 100: 1121-1122; author reply 1123-1124. <http://dx.doi.org/10.1016/j.rmed.2006.02.013>.
- Yeung, P; Patience, K; Apthorpe, L; Willcocks, D. (1999). An Australian study to evaluate worker exposure to chrysotile in the automotive service industry. *Appl Occup Environ Hyg* 14: 448-457.
- Yewe-Dyer, M. (2008). Carcinogenic asbestos [Letter]. *Br Dent J* 204: 544. <http://dx.doi.org/10.1038/sj.bdj.2008.419>.
- Y-H, Y; Bromwich, D. (1994). Failure of bags and sheets used in asbestos abatements. *Am Ind Hyg Assoc J* 55: 42-52.
- Yi, D; Wu, C; Ma, B; Ji, H; Zheng, X; Chang, J. (2014). Bioactive bredigite coating with improved bonding strength, rapid apatite mineralization and excellent cytocompatibility. *J Biomater Appl* 28: 1343-1353. <http://dx.doi.org/10.1177/0885328213508165>.
- Yi, ZB; Cao, JJ; Luo, SY; Wang, ZY; Liao, YP. (2014). [Near infrared spectrum analysis and meaning of the soil in 512 earthquake surface rupture zone in Pingtong, Sichuan]. *Guang Pu Xue Yu Guang Pu Fen Xi* 34: 2076-2080.
- Yin, K; Tian, J; Ma, YB; Wu, Y; Wang, Y. (2014). [Mineralogy and colosation of oil-green jadeite jade]. *Guang Pu Xue Yu Guang Pu Fen Xi* 34: 3323-3326.
- Yokohira, M; Nakano, Y; Yamakawa, K; Kishi, S; Ninomiya, F; Saoo, K; Imaida, K. (2013). Strain differences in pleural mesothelial cell reactions induced by potassium octatitanate fibers (TISMO) infused directly into the thoracic cavity. *Exp Toxicol Pathol* 65: 925-932. <http://dx.doi.org/10.1016/j.etp.2013.01.006>.

Human Health Hazard Literature Search Results

Off Topic

- Yokohira, M; Nakano-Narusawa, Y; Yamakawa, K; Hashimoto, N; Yoshida, S; Kanie, S; Imaida, K. (2016). Chronic mesothelial reaction and toxicity of potassium octatitanate fibers in the pleural cavity in mice and F344 rats. *Cancer Sci* 107: 1047-1054. <http://dx.doi.org/10.1111/cas.12944>.
- Yokoyama, K; Sera, Y; Morinaga, K. (1982). MORTALITY AMONG WORKERS RECEIVING COMPENSATION FOR ASBESTOSIS IN OSAKA PREFECTURE JAPAN (pp. 21-22). (HEEP/83/07742). Yokoyama, K; Sera, Y; Morinaga, K.
- Yoo, SM; ten Tije, AJ; van der Harst, E; van Gelder, T. (2000). The difficult diagnostic approach of the intraperitoneal mesothelioma. *Neth J Med* 57: 224-228.
- Yoon, C; Lee, K; Park, D. (2011). Indoor air quality differences between urban and rural preschools in Korea. *Environ Sci Pollut Res Int* 18: 333-345. <http://dx.doi.org/10.1007/s11356-010-0377-0>.
- Yoshida, N. (2007). Discovery and application of the Yoshida effect: nano-sized acicular materials enable penetration of bacterial cells by sliding friction force [Review]. *Recent Pat Biotechnol* 1: 194-201.
- Yoshida, N; Fujiura, N. (2009). Earthquakes promote bacterial genetic exchange in serpentinite crevices. *Astrobiology* 9: 289-295. <http://dx.doi.org/10.1089/ast.2007.0185>.
- Yoshida, N; Ide, K. (2008). Plasmid DNA is released from nanosized acicular material surface by low molecular weight oligonucleotides: exogenous plasmid acquisition mechanism for penetration intermediates based on the Yoshida effect. *Appl Microbiol Biotechnol* 80: 813-821. <http://dx.doi.org/10.1007/s00253-008-1637-5>.
- Yoshida, N; Takebe, K. (2006). Quantitative detection of asbestos fiber in gravelly sand using elastic body-exposure method. *J Ind Microbiol Biotechnol* 33: 827-833. <http://dx.doi.org/10.1007/s10295-006-0125-0>.
- Yoshikawa, N; Kashimura, K; Hashiguchi, M; Sato, M; Horikoshi, S; Mitani, T; Shinohara, N. (2015). Detoxification mechanism of asbestos materials by microwave treatment. *J Hazard Mater* 284: 201-206. <http://dx.doi.org/10.1016/j.jhazmat.2014.09.030>.
- Yoshizumi, K; Hori, H; Satoh, T; Higashi, T. (2001). The trend in airborne asbestos concentrations at plants manufacturing asbestos-containing products in Japan. *Ind Health* 39: 127-131.
- Yost, MJ. (1993). Physiologic sampler for airborne health hazards [Research]. RePORTER Database National Institutes of Health.
- Yost, MJ. (1994). Physiologic sampler for airborne health hazards [Research]. RePORTER Database National Institutes of Health.
- You, B; Park, W. (2016). Auranofin induces mesothelioma cell death through oxidative stress and GSH depletion. *Oncol Rep* 35: 546-551. <http://dx.doi.org/10.3892/or.2015.4382>.
- You, BR; Park, WH. (2016). The levels of HDAC1 and thioredoxin1 are related to the death of mesothelioma cells by suberoylanilide hydroxamic acid. *Int J Oncol* 48: 2197-2204. <http://dx.doi.org/10.3892/ijo.2016.3402>.
- You, L. (2010). The Role of Cul4A in Genome Stability and Cancer Development.
- You, L. (2011). The Role of Cul4A in Genome Stability and Cancer Development.
- You, L. (2012). The Role of Cul4A in Genome Stability and Cancer Development.
- You, L. (2013). The Role of Cul4A in Genome Stability and Cancer Development.
- You, L. (2014). The Role of Cul4A in Genome Stability and Cancer Development.
- Young, AL. (1984). Determination and measurement of human exposure to the dibenzo-p-dioxins. *Bull Environ Contam Toxicol* 33: 702-709.
- Young, B; Rausch, K; Kang, J. (1994). Community Environmental Response Facilitation Act (CERFA) Report. Fort Des Moines, Des Moines, Iowa (pp. 118). (NTIS/02993316_a). Young, B; Rausch, K; Kang, J.
- Youssef, O; Sarhadi, VK; Armengol, G; Piirilä, P; Knuutila, A; Knuutila, S. (2016). Exhaled breath condensate as a source of biomarkers for lung carcinomas. A focus on genetic and epigenetic markers-A mini-review [Review]. *Genes Chromosomes Cancer* 55: 905-914. <http://dx.doi.org/10.1002/gcc.22399>.
- Y-T, Y; N-S, W; Michel, RP; Poulsen, RS. (1984). Mineral dusts in lungs with scar or scar cancer. *Cancer PHILA*: 1814-1823.
- Yu, CP. (1990). Aerosol deposition and clearance in the respiratory trac [Research]. RePORTER Database National Institutes of Health.
- Yu, CP. (1991). Aerosol deposition and clearance in the respiratory trac [Research]. RePORTER Database National Institutes of Health.
- Yu, CP. (1992). Aerosol deposition and clearance in the respiratory trac [Research]. RePORTER Database National Institutes of Health.
- Yu, CP; Dai, YT; Boymel, PM; Zoitos, BK; Oberdorster, G; Utell, MJ. (1998). A clearance model of man-made vitreous fibers (MMVFs) in the rat lung. *Inhal Toxicol* 10: 253-274.
- Yu, CP; Ding, YJ; Zhang, L; Oberdorster, G. (1996). A clearance model of refractory ceramic fibers (RCF) in the rat lung including fiber dissolution and breakage. *J Aerosol Sci* 27: 151-159. [http://dx.doi.org/10.1016/0021-8502\(95\)00536-6](http://dx.doi.org/10.1016/0021-8502(95)00536-6).
- Yu, CP; Zhang, L; Oberdörster, G; Mast, RW; Glass, LR; Utell, MJ. (1994). Clearance of refractory ceramic fibers (RCF) from the rat lung: development of a model. *Environ Res* 65: 243-253. <http://dx.doi.org/10.1006/enrs.1994.1035>.
- Yu, I; Tse, L. (2007). Exploring the joint effects of silicosis and smoking on lung cancer risks. *Int J Cancer* 120: 133-139. <http://dx.doi.org/10.1002/ijc.22133>.
- Yu, IJ; Choi, JK; Kang, SK; Chang, HK; Chung, YH; Han, JH; Song, KS; Lee, YM; Chung, HK. (2002). Potential source of asbestos in non-asbestos textile manufacturing company. *Environ Int* 28: 35-39.
- Yu, IJ; Moon, YH; Sakai, K; Hisanaga, N; Park, JD; Takeuchi, Y. (1998). Asbestos and non-asbestos fiber content in lungs of Korean subjects with no known occupational asbestos exposure history. *Environ Int* 24: 293-300.
- Yu, IJ; Yoo, CY; Chung, YH; Han, JH; Yhang, SY; Yu, GM; Song, KS. (2004). Asbestos exposure among Seoul metropolitan subway workers during renovation of subway air-conditioning systems. *Environ Int* 29: 931-934. [http://dx.doi.org/10.1016/S0160-4120\(03\)00058-8](http://dx.doi.org/10.1016/S0160-4120(03)00058-8).
- Yu, M; Chen, R; Jia, Z; Chen, J; Lou, J; Tang, S; Zhang, X. (2015). MWCNTs Induce ROS Generation, ERK Phosphorylation, and SOD-2 Expression in Human Mesothelial Cells. *Int J Toxicol* 35: 17-26. <http://dx.doi.org/10.1177/1091581815591223>.
- Yu, PY; Wang, CC; Gentry, JW. (1987). Experimental Measurement of the Rate of Unipolar Charging of Actinolite Fibers. *J Aerosol Sci* 18: 73-85.

Human Health Hazard Literature Search Results

Off Topic

- Yu, SY; Harris, ML; Lalacer, V. (1993). REMOVAL OF MATRIX CALCIUM COMPOUNDS FROM ASBESTOS FIBERS IN BULK INSULATION. *Microscope* 41: 2-3.
- Yu, TS; Tse, CY; Simon M, TP. (1987). ASBESTOSIS CONFIRMED ON TRANSBRONCHIAL BIOPSY (pp. 37-39). (BIOSIS/87/32573). Yu, TS; Tse, CY; Simon M, TP.
- Yuan, BZ; Chapman, J; Ding, M; Wang, J; Jiang, B; Rojanasakul, Y; Reynolds, SH. (2013). TRAIL and proteasome inhibitors combination induces a robust apoptosis in human malignant pleural mesothelioma cells through Mcl-1 and Akt protein cleavages. *BMC Cancer* 13: 140. <http://dx.doi.org/10.1186/1471-2407-13-140>.
- Yu-Fei, L; Guo-Qi, Z; Yue-Feng, C; Hui, S; Wen-Jie, Y; Li, Z. (2015). CT differentiation of diffuse malignant peritoneal mesothelioma and peritoneal carcinomatosis. *J Gastroenterol Hepatol* 31: 709-715. <http://dx.doi.org/10.1111/jgh.13260>.
- Yuspa, SH; Shields, PG. (1997). ETIOLOGY OF CANCER CHEMICAL FACTORS (pp. PRINCIPLES AND PRACTICE OF ONCOLOGY). (BIOSIS/97/07573). Yuspa, SH; Shields, PG.
- Zabińska, O; Arabska-Przedpelska, B; Sobczak, M; Ostrowska, H. (1981). [Condition of the oral mucosa in workers from selected industrial plants]. 36: 1173-1175.
- Zaghloul, HH; Circeo, LJ. (1993). Destruction and Vitrification of Asbestos Using Plasma Arc Technology (Construction Productivity Advancement Research (CPAR) Program). 40.
- Zahm, SH; Blair, A. (2003). Occupational cancer among women: Where have we been and where are we going? [Review]. *Am J Ind Med* 44: 565-575. <http://dx.doi.org/10.1002/ajim.10270>.
- Zaidi, SH. (1977). Yant Memorial Lecture...1977. Some aspects of experimental infective pneumoconiosis. *Am Ind Hyg Assoc J* 38: 239-245. <http://dx.doi.org/10.1080/0002889778507611>.
- Zaidi, SH; Bhattacharjee, JW; Dogra, RK; Saxena, RP. (1982). Effect of BCG on experimental asbestosis. *Ind Health* 20: 129-137.
- Zajac, T. (2002). [The state of working conditions in light of control recommendations issued by the State Labor Inspectorate--selected problems]. *Med Pr* 53: 61-65.
- Zalaquett, R. (2001). A short history of coronary surgery. Apropos of Dr Favalaro's death. *Rev Med Chil* 129: 201-208.
- Zalcman, G; Mazieres, J; Margery, J; Greillier, L; Audigier-Valette, C; Moro-Sibilot, D; Molinier, O; Corre, R; Monnet, I; Gounant, V; Rivière, F; Janicot, H; Gervais, R; Locher, C; Milleron, B; Tran, Q; Lebitasy, MP; Morin, F; Creveuil, C; Parienti, JJ; Scherpereel, A; Intergroup, FCT. (2015). Bevacizumab for newly diagnosed pleural mesothelioma in the Mesothelioma Avastin Cisplatin Pemetrexed Study (MAPS): a randomised, controlled, open-label, phase 3 trial. *Lancet* 387: 1405-1414. [http://dx.doi.org/10.1016/S0140-6736\(15\)01238-6](http://dx.doi.org/10.1016/S0140-6736(15)01238-6).
- Zamfir, G; Diaconu, R. (1981). Asbestos as environmental pollutant. *Rev Ig Bacteriol Virusol Parazitol Epidemiol Pneumoftiziol Ser Ig* 30: 1-10.
- Zanazzi, C; Hersmus, R; Veltman, IM; Gillis, AJ; van Drunen, E; Beverloo, HB; Hegmans, JP; Verweij, M; Lambrecht, BN; Oosterhuis, JW; Looijenga, LH. (2007). Gene expression profiling and gene copy-number changes in malignant mesothelioma cell lines. *Genes Chromosomes Cancer* 46: 895-908. <http://dx.doi.org/10.1002/gcc.20475>.
- Zandjani, F; Hogsæet, B; Andersen, A; Langard, S. (1994). INCIDENCE OF CANCER AMONG NITRATE FERTILIZER WORKERS. *Int Arch Occup Environ Health* 66: 189-193. <http://dx.doi.org/10.1007/BF00380779>.
- Zanella, CJ; Tritton, TR; Shreeve, SM; Mossman, BT. (1997). CROCIDOLITE ASBESTOS INTERFERES WITH EPIDERMAL GROWTH FACTOR RECEPTOR EGF-R LIGAND BINDING AND AFFECTS EGF-R BIOSYNTHESIS (pp. 6-9). (BIOSIS/97/13029). Zanella, CJ; Tritton, TR; Shreeve, SM; Mossman, BT.
- Zanko, LM; Niles, HB; Oreskovich, JA. (2008). Mineralogical and microscopic evaluation of coarse taconite tailings from Minnesota taconite operations. *Regul Toxicol Pharmacol* 52: S51-S65. <http://dx.doi.org/10.1016/j.yrtph.2007.09.016>.
- Zarchy, TM. (1996). Chlorinated Hydrocarbon Solvents and Biliary-Pancreatic Cancer: Report of Three Cases. *Am J Ind Med* 30: 341-342.
- Zarkovic, N; Zarkovic, K; Kralj, M; Borovic, S; Sabolovic, S; Blazi, MP; Cipak, A; Pavelic, K. (2003). Anticancer and antioxidative effects of micronized zeolite clinoptilolite. *Anticancer Res* 23: 1589-1595.
- Zarogoulidis, K; Zarogoulidis, P; Darwiche, K; Tsakiridis, K; Machairiotis, N; Kougioumtzi, I; Courcoutsakis, N; Terzi, E; Zaric, B; Huang, H; Freitag, L; Spyrtos, D. (2013). Malignant pleural effusion and algorithm management [Review]. *J Thorac Dis* 5 Suppl 4: S413-S419. <http://dx.doi.org/10.3978/j.issn.2072-1439.2013.09.04>.
- Zauderer, MG; Bott, M; Mcmillan, R; Sima, CS; Rusch, V; Krug, LM; Ladanyi, M. (2013). Clinical characteristics of patients with malignant pleural mesothelioma harboring somatic BAP1 mutations. *J Thorac Oncol* 8: 1430-1433. <http://dx.doi.org/10.1097/JTO.0b013e31829e7ef9>.
- Zauderer, MG; Krug, LM. (2011). The evolution of multimodality therapy for malignant pleural mesothelioma. *Curr Treat Options Oncol* 12: 163-172. <http://dx.doi.org/10.1007/s11864-011-0146-4>.
- Zauderer, MG; Mcmillan, R; Sima, CS; Robson, M; Rusch, VW; Krug, L, eM; Ladanyi, M. (2013). DEFINING BAP1 SYNDROME: PRELIMINARY RESULTS FROM AN EPIDEMIOLOGIC ASCERTAINMENT STUDY. *J Thorac Oncol* 8: S309-S310.
- Zavalić, M; Bogadi-Sare, A. (1995). [Criteria for diagnosis of occupational asbestosis of the pulmonary parenchyma and pleura]. *Arh Hig Rada Toksikol* 46: 433-444.
- Zavalić, M; Macan, J. (2009). [Croatian and international regulations on the protection and rights of workers exposed to asbestos at work]. *Arh Hig Rada Toksikol* 60 Suppl: 57-63.
- Zavatti, A; Lauriola, P. (1999). The contribution of environmental monitoring in the epidemiological assessment of exogenous risk - The experience of ARPA in the Emilia-Romagna Region of Italy. *Ann N Y Acad Sci* 895: 173-187.
- Zaverdeanu, P; Constantinescu, V. (1986). THE CYTOLOGICAL DIAGNOSIS OF BRONCHO-PULMONARY PRENEOPLASTIC LESIONS IN PROFESSIONAL EXPOSITION TO ASBESTOS (pp. BASEL). (BIOSIS/87/05145). Zaverdeanu, P; Constantinescu, V.

Human Health Hazard Literature Search Results

Off Topic

- Zazanski, R; Ashton, WH; Briggs, D; Chudkowski, M; Kelse, JW; Maceachern, L; Mccarthy, EF; Nordhauser, MA; Roddy, MT; Teetsel, NM; Wells, AB; Gettings, SD. (1995). TALC - OCCURRENCE, CHARACTERIZATION, AND CONSUMER APPLICATIONS. *Regul Toxicol Pharmacol* 21: 218-229.
- Zebedeo, CN; Davis, C; Peña, C; Ng, KW; Pfau, JC. (2014). Erionite induces production of autoantibodies and IL-17 in C57BL/6 mice. *Toxicol Appl Pharmacol* 275: 257-264. <http://dx.doi.org/10.1016/j.taap.2014.01.018>.
- Zeedijk, HB. (1976). INDUSTRIAL APPLICATIONS OF ELECTRON MICROSCOPY AT THE METAALINSTITUUT TNO NETHERLANDS. *Ultramicroscopy* 2.
- Zeeh, J; Eitner, F; Otto, H. (1986). THE SIGNIFICANCE OF THE CASE-HISTORY IN ESTABLISHING OCCUPATIONAL ASBESTOS ENDANGERMENT. *Arbeitsmedizin, Sozialmedizin, Praeventivmedizin* 21: 1-4.
- Zeidler, PC; Millecchia, LM; Castranova, V. (2004). Role of inducible nitric oxide synthase-derived nitric oxide in lipopolysaccharide plus interferon-gamma-induced pulmonary inflammation. *Toxicol Appl Pharmacol* 195: 45-54. <http://dx.doi.org/10.1016/j.taap.2003.10.005>.
- Zejda, J. (1989). Diagnostic value of exercise testing in asbestosis. *Am J Ind Med* 16: 305-319.
- Zelen, M. (1985). Products liability issues in school asbestos litigation [Review]. *Am J Law Med* 10: 467-489.
- Zelko, IN; Zhu, J; Ritzenthaler, JD; Roman, J. (2016). Pulmonary hypertension and vascular remodeling in mice exposed to crystalline silica. *Respir Res* 17: 160. <http://dx.doi.org/10.1186/s12931-016-0478-5>.
- Zellmer, SD; Draugelis, AK; Rueda, J; Zimmerman, RE. (1995). Contamination source review for Building E3641, Edgewood Area, Aberdeen Proving Ground, Maryland. 60.
- Zellos, LS; Sugarbaker, DJ. (2002). Diffuse malignant mesothelioma of the pleural space and its management [Review]. *Oncology (Williston Park)* 16: 907-913; discussion 916-907, 919-920, 925.
- Zeng, L; Buard, A; Monnet, I; Boutin, C; Fleury, J; Saint-Etienne, L; Brochard, P; Bignon, J; Jaurand, MC. (1993). In vitro effects of recombinant human interferon gamma on human mesothelioma cell lines. *Int J Cancer* 55: 515-520.
- Zervos, MD; Bizakis, C; Pass, HI. (2008). Malignant mesothelioma 2008 [Review]. *Curr Opin Pulm Med* 14: 303-309. <http://dx.doi.org/10.1097/MCP.0b013e328302851d>.
- Zey, JN. (1988). Health Hazard Evaluation Report No. HETA-87-147-1873, Rothan and Rothan, DDS, Cincinnati, Ohio (pp. 87-147). (NIOSH/00179858). Zey, JN.
- Zey, JN; Klemme, JC. (1982). Health Hazard Evaluation Report, No. HETA-81-100-1140, Raybestos Friction Materials Company, Crawfordsville, Indiana. (NIOSH/00127771). Zey, JN; Klemme, JC.
- Zhai, W; Lu, H; Wu, C; Chen, L, ei; Lin, X; Naoki, K; Chen, G; Chang, J. (2013). Stimulatory effects of the ionic products from Ca-Mg-Si bioceramics on both osteogenesis and angiogenesis in vitro. *Acta Biomater* 9: 8004-8014. <http://dx.doi.org/10.1016/j.actbio.2013.04.024>.
- Zhang, GR; Kiene, L; Wable, O; Chan, US; Duguet, JP. (1992). MODELING OF CHLORINE RESIDUAL IN THE WATER DISTRIBUTION NETWORK OF MACAO. *Environ Technol* 13: 937-946.
- Zhang, H; Lohcharoenkal, W; Sun, J; Li, X; Wang, L; Wu, N; Rojanasakul, Y, on; Liu, Y. (2015). Microfluidic gradient device for studying mesothelial cell migration and the effect of chronic carbon nanotube exposure. *Journal of Micromechanics and Microengineering* 25. <http://dx.doi.org/10.1088/0960-1317/25/7/075010>.
- Zhang, H; Yin, G; Jiang, H; Zhang, C. (2013). High-dose N-acetylcysteine decreases silica-induced lung fibrosis in the rat. *J Int Med Res* 41: 1179-1186. <http://dx.doi.org/10.1177/0300060513488503>.
- Zhang, J; Cole, SR; Richardson, DB; Chu, H. (2013). A Bayesian approach to strengthen inference for case-control studies with multiple error-prone exposure assessments. *Stat Med* 32: 4426-4437. <http://dx.doi.org/10.1002/sim.5842>.
- Zhang, PC; Chung, WB; Chan, KW; Kung, IT. (1987). Modified alkali digestion method for pulmonary asbestos fibre counts. *Pathology* 19: 159-161.
- Zhang, PJ; Livolsi, VA; Brooks, JJ. (2000). Malignant epithelioid vascular tumors of the pleura: report of a series and literature review [Review]. *Hum Pathol* 31: 29-34.
- Zhang, Q; Huang, X. (2002). Induction of ferritin and lipid peroxidation by coal samples with different prevalence of coal workers' pneumoconiosis: Role of iron in the coals. *Am J Ind Med* 42: 171-179. <http://dx.doi.org/10.1002/ajim.10101>.
- Zhang, QW; Kusaka, Y; Donaldson, K. (2000). Comparative pulmonary responses caused by exposure to standard cobalt and ultrafine cobalt. *J Occup Health* 42: 179-184.
- Zhang, W; Wu, X; Wu, L; Zhang, W; Zhao, X. (2015). Advances in the diagnosis, treatment and prognosis of malignant pleural mesothelioma [Review]. 3: 182. <http://dx.doi.org/10.3978/j.issn.2305-5839.2015.07.03>.
- Zhang, X; Kusaka, Y; Ishii, Y. (1995). Computed tomography of pneumoconiosis. *J Occup Health* 37: 321-328.
- Zhang, X; Varin, E; Allouche, S; Lu, Y; Poulain, L; Icard, P. (2009). Effect of Citrate on Malignant Pleural Mesothelioma Cells: A Synergistic Effect with Cisplatin. *Anticancer Res* 29: 1249-1254.
- Zhang, X; Varin, E; Briand, M; Allouche, S; Heutte, N; Schwartz, L; Poulain, L; Icard, P. (2009). Novel Therapy for Malignant Pleural Mesothelioma Based on Anti-energetic Effect: An Experimental Study Using 3-Bromopyruvate on Nude Mice. *Anticancer Res* 29: 1443-1448.
- Zhang, X; Zhang, C; Xu, W; Zhong, B; Lin, F; Zhang, J; Wang, Q; Ji, J; Wei, J; Zhang, Y. (2015). Biodegradable mesoporous calcium-magnesium silicate-polybutylene succinate scaffolds for osseous tissue engineering. *International Journal of Nanomedicine (Online)* 10: 6699-6708. <http://dx.doi.org/10.2147/IJN.S92598>.
- Zhang, Y, i; He, J; Zhang, F; Li, H, ui; Yue, D; Wang, C; Jablons, DM; He, B; Lui, N. (2013). SMO expression level correlates with overall survival in patients with malignant pleural mesothelioma. *Journal of Experimental and Clinical Cancer Research (Online)* 32: 7. <http://dx.doi.org/10.1186/1756-9966-32-7>.

Human Health Hazard Literature Search Results

Off Topic

- Zhang, ZY; Wang, XL; Lin, LG; Xing, SD; Wu, YH; Li, Y; Wu, LJ; Gang, BQ. (2001). The effects of carbon fibre and carbon fibre composite dusts on bronchoalveolar lavage component of rats. *J Occup Health* 43: 75-79.
- Zhao, T; Li, D; Zou, C; National Organizing Committee For 10th Icord, M; eds. (1211). Occupational respiratory hazards in the 21st century: Best practices for prevention and control. 22: CD-ROM.
- Zhao, Y. (2008). Role of TGFBI gene in cell proliferation and tumor progression.
- Zhao, Y. (2009). Role of TGFBI gene in cell proliferation and tumor progression.
- Zhao, Y. (2010). Role of TGFBI gene in cell proliferation and tumor progression.
- Zhao, Y. (2011). Role of TGFBI gene in cell proliferation and tumor progression.
- Zhong, BZ; Whong, WZ; Ong, TM. (1997). Detection of mineral-dust-induced DNA damage in two mammalian cell lines using the alkaline single cell gel/comet assay. *Mutat Res Genet Toxicol Environ Mutagen* 393: 181-187. [http://dx.doi.org/10.1016/S1383-5718\(97\)00094-6](http://dx.doi.org/10.1016/S1383-5718(97)00094-6).
- Zhong, CY; Zhou, YM; Smith, KR; Kennedy, IM; Chen, CY; Aust, AE; Pinkerton, KE. (2010). Oxidative injury in the lungs of neonatal rats following short-term exposure to ultrafine iron and soot particles. *J Toxicol Environ Health A* 73: 837-847. <http://dx.doi.org/10.1080/15287391003689366>.
- Zhong, J. (2012). Coxiella-like endosymbionts [Review]. *Adv Exp Med Biol* 984: 365-379. http://dx.doi.org/10.1007/978-94-007-4315-1_18.
- Zhong, J; Lardinois, D; Szilard, J; Tamm, M; Roth, M. (2011). Rat mesothelioma cell proliferation requires p38 δ mitogen activated protein kinase and C/EBP- α . *Lung Cancer* 73: 166-170. <http://dx.doi.org/10.1016/j.lungcan.2010.12.003>.
- Zhou, J; Iwasa, Y; Konishi, I; Kan, N; Kannagi, R; Kobashi, Y; Kim, YC; Yamabe, H. (1995). PAPILLARY SEROUS CARCINOMA OF THE PERITONEUM IN WOMEN - A CLINICOPATHOLOGICAL AND IMMUNOHISTOCHEMICAL STUDY. *Cancer* 76: 429-436.
- Zhou, L; Lu, L; Guo, Y. (1990). Effects of mineral dusts on ultrastructure and function of alveolar macrophages. *Arch Pathol* 17: 537-552. <http://dx.doi.org/10.1002/ajim.4700170501>.
- Zhou, S; Liu, L; Li, H; Eilers, G; Kuang, Y; Shi, S; Yan, Z; Li, X; Corson, JM; Meng, F; Zhou, H; Sheng, Q; Fletcher, JA; Ou, WB. (2014). Multipoint targeting of the PI3K/mTOR pathway in mesothelioma. *Br J Cancer* 110: 2479-2488. <http://dx.doi.org/10.1038/bjc.2014.220>.
- Zhou, Y, ue; Su, W; Cheng, YS. (2008). Fiber Deposition in the Tracheobronchial Region: Deposition Equations. *Inhal Toxicol* 20: 1191-1198. <http://dx.doi.org/10.1080/08958370802233082>.
- Zhou, Y; Su, WC; Cheng, YS. (2007). Fiber deposition in the tracheobronchial region: Experimental measurements. *Inhal Toxicol* 19: 1071-1078. <http://dx.doi.org/10.1080/08958370701626634>.
- Zhu, HL. (1994). STUDY OF OCCUPATIONAL LUNG-CANCER IN ASBESTOS FACTORIES IN CHINA - REPLY. *Occup Environ Med* 51: 719-719.
- Zhu, S; Manuel, M; Tanaka, S; Choe, N; Kagan, E; Matalon, S. (1998). Contribution of reactive oxygen and nitrogen species to particulate-induced lung injury [Review]. *Environ Health Perspect* 106 Suppl 5: 1157-1163.
- Zhu, XJ; Chen, YQ; Li, T. (2011). [Research progress on the health effects of the man-made vitreous fibre insulation wools] [Review]. *Zhonghua Lao Dong Wei Sheng Zhi Ye Bing Za Zhi* 29: 553-556.
- Zhu, XJ; Chen, YQ; Li, T. (2013). [Study of mechanical irritation effects in workers exposed to rock wool]. *Zhonghua Lao Dong Wei Sheng Zhi Ye Bing Za Zhi* 31: 48-51.
- Zhu, ZB; Makhija, SK; Lu, B; Wang, M; Wang, S; Takayama, K; Siegal, GP; Reynolds, PN; Curiel, DT. (2006). Targeting mesothelioma using an infectivity enhanced survivin-conditionally replicative adenoviruses. *J Thorac Oncol* 1: 701-711.
- Ziegler, TL; Hinkley, TK; Lamothe, PJ; Meeker, GP; Sutley, SJ; Lowers, H; Brownfield, IK; Plumlee, GS. (2003). Geochemical solubility of asbestos toxicological standards in simulated lung fluids. *Toxicol Sci* 72: 190-190.
- Zielhuis, RL. (1979). Public health risks of exposure to asbestos. Report of a Working Group. (HEEP/79/11632). Zielhuis, RL.
- Ziem, H. (1982). Occupational hygiene in the handling of asbestos-containing material (pp. 28-30). (CIS/83/00644). Ziem, H.
- Ziemann, C; Reamon-Buettner, S; Schlichting, A; Brockmeyer, H; Rahmer, H; Bellmann, B. (2012). Human pleural mesothelial MeT-5A cells are a limited in vitro model system in determining potential asbestos-like genotoxic effects of multiwall carbon nanotubes [Abstract]. *Naunyn Schmiedebergs Arch Pharmacol* 385: 107.
- Zier, M; Götz, D. (1982). [A procedure for the determination of asbestos and soot concentration in the atmosphere using transmission electron microscopy]. *Z Gesamte Hyg Grenzgeb* 28: 858-862.
- Zitting, A; Huuskonen, MS; Alanko, K; Mattsson, T. (1978). Radiographic and physiological findings in patients with asbestosis. *Scand J Work Environ Health* 4: 275-283.
- Zitting, AJ. (1995). PREVALENCE OF RADIOGRAPHIC SMALL LUNG OPACITIES AND PLEURAL ABNORMALITIES IN A REPRESENTATIVE ADULT-POPULATION SAMPLE. *Chest* 107: 126-131.
- ZNCTF. (2007). FIOH-sponsored newsletter - Misrepresentation of asbestos hazards in Zimbabwe. *Int J Occup Environ Health* 13: 139-139.
- Zober, A. (1981). SYMPTOMS AND FINDINGS AT THE BRONCHO PULMONARY SYSTEM OF ELECTRIC ARC WELDERS 2. PULMONARY FIBROSES (pp. 1-2). (HEEP/82/07845). Zober, A.
- Zocchetti, C. (2015). Health expenditures for cases of pleural mesothelioma. *Med Lav* 106: 361-373.
- Zoeteman, BC. (1981). Water supply and health, balancing between questions and answers. *Sci Total Environ* 18: 369-374.
- Zoitos, BK; Demeringo, A; Rouyer, E; Thelohan, S; Bauer, J; Law, B; Boymel, PM; Olson, J. R.; Christensen, VR; Guldberg, M; Koenig, AR; Perander, M. (1997). In vitro measurement of fiber dissolution rate relevant to biopersistence at neutral pH: An interlaboratory round robin. *Inhal Toxicol* 9: 525-540.
- Zoller, T; Zeller, WJ. (2000). Production of reactive oxygen species by phagocytic cells after exposure to glass wool and stone wool fibres - effect of fibre preincubation in aqueous solution. *Toxicol Lett* 114: 1-9.
- Zoloth, S; Michaels, D; Lacher, M; Nagin, D; Drucker, E. (1986). Asbestos disease screening by non-specialists: results of an evaluation. *Am J Public Health* 76: 1392-1395.

Human Health Hazard Literature Search Results

Off Topic

- Zoltai, T. (1979). ASBESTIFORM AND ACICULAR MINERAL FRAGMENTS (pp. NEW YORK). (HEEP/81/07980). Zoltai, T.
- Zona, A; Bruno, C. (2009). Health surveillance for subjects with past exposure to asbestos: from international experience and Italian regional practices to a proposed operational model [Review]. *Ann Ist Super Sanita* 45: 147-161.
- Zona, A; Bruno, C; Villari, C; Contiguglia, R; Fazzo, L; Mollica, G; Puglisi, G; Comba, P. (2010). [Health surveillance for subjects with past occupational exposure to asbestos: the experience of Local Health Unit Messina 5 (Sicily)]. *Epidemiol Prev* 34: 94-99.
- Zucali, PA; Ceresoli, GL; De Vincenzo, F; Simonelli, M; Lorenzi, E; Gianoncelli, L; Santoro, A. (2011). Advances in the biology of malignant pleural mesothelioma [Review]. *Cancer Treat Rev* 37: 543-558. <http://dx.doi.org/10.1016/j.ctrv.2011.01.001>.
- Zucali, PA; De Vincenzo, F; Simonelli, M; Santoro, A. (2009). Future developments in the management of malignant pleural mesothelioma [Review]. *Expert Rev Anticancer Ther* 9: 453-467. <http://dx.doi.org/10.1586/era.09.2>.
- Zucali, PA; Giaccone, G. (2006). Biology and management of malignant pleural mesothelioma [Review]. *Eur J Cancer* 42: 2706-2714. <http://dx.doi.org/10.1016/j.ejca.2006.07.011>.
- Zumwalde, R. (1973). Fibrous Glass Dust and Industrial Hygiene Survey. (NIOSH/00051166). Zumwalde, R.
- Zumwalde, RD. (1973). Asbestos Survey of Federal Office Building No. 7, U.S. Court of Claims and Court of Customs and Patent Appeals Building Washington, D.C. and George H. Fallon Office Building Baltimore, Maryland. (NIOSH/00073682). Zumwalde, RD.
- Zumwalde, RD; Harmison, LT. (1980). Carbonaphite Fibers: Environmental Exposures And Potential Health Implications. (NIOSH/00134910). Zumwalde, RD; Harmison, LT.
- Zwi, AB; Ehrlich, RI. (1986). Occupational history-taking in the RSA. *S Afr Med J* 70: 601-605.
- Zygielbaum, PS. (2007). Ending asbestos poisoning: global advocacy from a survivor's view. *Am J Ind Med* 50: 68-70. <http://dx.doi.org/10.1002/ajim.20392>.

OPPT RISK ASSESSMENT, PROBLEM FORMULATION OR SCOPE DOCUMENT

All documents cited in previous OPPT risk assessments, problem formulations and scope documents are included in the following section and listed as *on topic* without further categorization. The references may have also been captured in the search strategy and therefore presented in the peer reviewed literature search results section as either *on topic* or *off topic* for a given topic area in the sections above.

OPPT Risk Assessment, Problem Formulation or Scope Document

On Topic

- Addison, WE; Neal, GH; White, AD. (1966). Amphi-boles—Part IV—Surface properties of amosite and crocido-lite. *J Am Chem Soc A*: 79-81.
- ATSDR (Agency for Toxic Substances and Disease Registry). (2001). Toxicological profile for asbestos (update). (CIS/03/00067). Atlanta, Georgia: U.S. Department Of Health And Human Services, Public Health Service, Agency for Toxic Substances and Disease Registry.
- Badollet, MS. (1951). Asbestos, a mineral of unparalleled properties. *Transactions of the Canadian Institute of Mining & Metallurgy* 54: 151-160.
- HHS (U.S. Department of Health and Human Services). (2017). Household products database [Database]. Bethesda, MD: National Institutes of Health. Retrieved from <http://householdproducts.nlm.nih.gov/about.htm>
- Hodgson, AA. (1986). Scientific advances in asbestos, 1967 to 1985. Crowthorne, United Kingdom: Anjalena Publications Ltd.
- IARC (International Agency for Research on Cancer). (1977). IARC monographs on the evaluation of carcinogenic risk of chemicals to man: Asbestos. Lyon, France: World Health Organization. <http://monographs.iarc.fr/ENG/Monographs/vol1-42/mono14.pdf>
- IARC (International Agency for Research on Cancer). (1987). Asbestos and certain asbestos compounds [IARC Monograph]. In *IARC Monographs on the Evaluation of Carcinogenic Risks to Humans* (pp. 106-116). Lyon, France. <http://monographs.iarc.fr/ENG/Monographs/suppl7/index.php>
- IARC (International Agency for Research on Cancer). (2012). A review of human carcinogens. Part C: Arsenic, metals, fibres, and dusts [IARC Monograph]. Lyon, France: World Health Organization. <http://monographs.iarc.fr/ENG/Monographs/vol100C/mono100C.pdf>
- Markowitz, SB; Garibaldi, K; Lilis, R; Landrigan, PJ. (1991). Asbestos exposure and fire fighting. *Ann N Y Acad Sci* 643: 573-577.
- Mazurek, JM; Syamlal, G; Wood, JM; Hendricks, SA; Weston, A. (2017). Malignant Mesothelioma Mortality - United States, 1999-2015. *MMWR Morb Mortal Wkly Rep* 66: 214-218. <http://dx.doi.org/10.15585/mmwr.mm6608a3>
- NIOSH (National Institute for Occupational Safety and Health). (2011). Asbestos fibers and other elongate mineral particles: State of the science and roadmap for research. *Current Intelligence Bulletin* 62. (Atlanta, GA). National Institute for Occupational Safety and Health, Centers for Disease Control and Prevention.
- NRC (National Research Council). (1983). Drinking Water And Health. Washington, DC: Safe Drinking Water Committee, Board on Toxicology and Environmental Health Hazards, National Research Council, National Academies Press. <http://dx.doi.org/10.17226/326>
- NRC (National Research Council). (2006). Asbestos: Selected cancers. Institute of Medicine (US) Committee on Asbestos: Selected Health Effects. Washington, DC: The National Academies Press.
- NTP (National Toxicology Program). (2016). 14th Report On Carcinogens. Research Triangle Park, NC: U.S. Department of Health and Human Services, Public Health Service. <https://ntp.niehs.nih.gov/pubhealth/roc/index-1.html>
- OSHA (Occupational Safety & Health Administration). (1994). Toxic and hazardous substances - asbestos. (Standard No. 1910.1001). Washington, DC: United States Department of Labor.

OPPT Risk Assessment, Problem Formulation or Scope Document

On Topic

- Pukkala, E; Martinsen, JI; Weiderpass, E; Kjaerheim, K; Lyng, E; Tryggvadottir, L; Sparén, P; Demers, PA. (2014). Cancer incidence among firefighters: 45 years of follow-up in five Nordic countries. *Occup Environ Med* 71: 398-404. <http://dx.doi.org/10.1136/oemed-2013-101803>
- Shugar, S. (1979). Effects of asbestos in the Canadian environment. Volume 40 of Canada NRC Environmental Quality Report. (NRCC No 16452). Ottawa, Canada: National Research Council of Canada.
- U.S. EPA (U.S. Environmental Protection Agency). Asbestos national emissions standard for hazardous air pollutants: Waste disposal and transportation. <https://www.epa.gov/asbestos/asbestos-national-emissions-standard-hazardous-air-pollutants-neshap#was>
- U.S. EPA (U.S. Environmental Protection Agency). (1980). Ambient water quality criteria for asbestos [EPA Report]. (EPA/440/5-80/022). Washington, DC. <http://nepis.epa.gov/Exe/ZyPURL.cgi?Dockey=00001LP6.txt>
- U.S. EPA (U.S. Environmental Protection Agency). (1980). Water Quality Criteria Documents. In *Fed Reg* (pp. 79318-79379).
- U.S. EPA (U.S. Environmental Protection Agency). (1985). Drinking water criteria document for asbestos. (600/X-84/199-1). Cincinnati, OH: Environmental Criteria and Assessment Office, U.S. Environmental Protection Agency.
- U.S. EPA (U.S. Environmental Protection Agency). (1988). IRIS summary for asbestos (CASRN 1332-21-4). Washington, DC: Integrated Risk Information System. <http://www.epa.gov/iris/subst/0371.htm>
- U.S. EPA (U.S. Environmental Protection Agency). (1989). Regulatory impact analysis of controls on asbestos and asbestos products: Final report: Volume III. (5601989ICF001). Washington, DC: Office of Toxic Substances, U.S. Environmental Protection Agency.
- U.S. EPA (U.S. Environmental Protection Agency). (1998). Guidelines for ecological risk assessment [EPA Report]. (EPA/630/R-95/002F). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. <http://www.epa.gov/raf/publications/guidelines-ecological-risk-assessment.htm>
- U.S. EPA (U.S. Environmental Protection Agency). (2000). Science policy council handbook: Risk characterization (pp. 1-189). (EPA/100/B-00/002). Washington, D.C.: U.S. Environmental Protection Agency, Science Policy Council. <https://www.epa.gov/risk/risk-characterization-handbook>
- U.S. EPA (U.S. Environmental Protection Agency). (2002). National recommended water quality criteria: 2002 [EPA Report]. (EPA-822-R-02-047). Washington, DC: Office of Water, Office of Science and Technology. <http://nepis.epa.gov/Exe/ZyPURL.cgi?Dockey=P1005EYQ.txt>
- U.S. EPA (U.S. Environmental Protection Agency). (2006). A framework for assessing health risk of environmental exposures to children (pp. 1-145). (EPA/600/R-05/093F). Washington, DC: U.S. Environmental Protection Agency, Office of Research and Development, National Center for Environmental Assessment. <http://cfpub.epa.gov/ncea/cfm/recorddisplay.cfm?deid=158363>
- U.S. EPA (U.S. Environmental Protection Agency). (2010). TSCA New Chemicals Program (NCP) chemical categories [EPA Report]. <http://www.epa.gov/oppt/newchemicals/pubs/npchemicalcategories.pdf>
- U.S. EPA (U.S. Environmental Protection Agency). (2011). Exposure factors handbook: 2011 edition (final) [EPA Report]. (EPA/600/R-090/052F). Washington, DC: U.S. Environmental Protection Agency, Office of Research and Development, National Center for Environmental Assessment. <http://cfpub.epa.gov/ncea/cfm/recorddisplay.cfm?deid=236252>
- U.S. EPA (U.S. Environmental Protection Agency). (2013). Interpretive assistance document for assessment of discrete organic chemicals. Sustainable futures summary assessment [EPA Report]. Washington, DC. http://www.epa.gov/sites/production/files/2015-05/documents/05-ia-d_discretes_june2013.pdf
- U.S. EPA (U.S. Environmental Protection Agency). (2014). Framework for human health risk assessment to inform decision making. Final [EPA Report]. (EPA/100/R-14/001). Washington, DC: U.S. Environmental Protection, Risk Assessment Forum. <http://www2.epa.gov/risk/framework-human-health-risk-assessment-inform-decision-making>
- U.S. EPA (U.S. Environmental Protection Agency). (2014). Toxicological review of libby amphibole asbestos. In Support of Summary Information on the Integrated Risk Information System (IRIS). (EPA/635/R-11/002F). Washington, DC: Integrated Risk Information System, National Center for Environmental Assessment, Office of Research and Development. https://cfpub.epa.gov/ncea/iris/iris_documents/documents/toxreviews/1026tr.pdf
- U.S. EPA (U.S. Environmental Protection Agency). (2016). CPCat (Chemical and Product Categories) [Database]. Retrieved from <https://www.epa.gov/chemical-research/chemical-and-product-categories-cpcat>
- U.S. EPA (U.S. Environmental Protection Agency). (2016). Public database 2016 chemical data reporting (May 2017 release). Washington, DC: US Environmental Protection Agency, Office of Pollution Prevention and Toxics. Retrieved from <https://www.epa.gov/chemical-data-reporting>
- U.S. EPA (U.S. Environmental Protection Agency). (2016). TSCA Chemical Data Reporting. Fact Sheet: Importers. Washington, DC: Office of Pollution Prevention and Toxics. https://www.epa.gov/sites/production/files/2015-12/documents/cdr_fact_sheet_importers_final_dec2015_0.pdf
- U.S. EPA (U.S. Environmental Protection Agency). (2016). Weight of evidence in ecological assessment. (EPA100R16001). Washington, DC: Office of the Science Advisor. https://cfpub.epa.gov/si/si_public_record_report.cfm?dirEntryId=335523
- U.S. EPA (U.S. Environmental Protection Agency). (2017). How to report under chemical data reporting. <https://www.epa.gov/chemical-data-reporting/how-report-under-chemical-data-reporting>
- U.S. EPA (U.S. Environmental Protection Agency). (2017). Preliminary Information on Manufacturing, Processing, Distribution, Use, and Disposal: Asbestos. Support document for Docket EPA-HQ-OPPT-2016-0736. Washington, DC: Office of Chemical Safety and Pollution Prevention. <https://www.epa.gov/sites/production/files/2017-02/documents/asbestos.pdf>
- U.S. EPA (U.S. Environmental Protection Agency). (2017). Public meeting on risk evaluation scoping efforts under TSCA for 10 chemical substances - Background material & presentation [Website]. <https://www.epa.gov/assessing-and-managing-chemicals-under-tasca/public-meeting-risk-evaluation-scoping-efforts-under-0>

OPPT Risk Assessment, Problem Formulation or Scope Document

On Topic

- U.S. EPA (U.S. Environmental Protection Agency). (2017). Toxics Release Inventory (TRI). Retrieved from <https://www.epa.gov/toxics-release-inventory-tri-program/tri-data-and-tools>
- USGS (U.S. Geological Survey). (2016). Mineral commodity summaries: Asbestos. <https://minerals.usgs.gov/minerals/pubs/commodity/asbestos/mcs-2016-asbes.pdf>
- USGS (U.S. Geological Survey). (2017). Mineral Commodity Summaries 2017. Washington, DC: U.S. Department of the Interior. <https://minerals.usgs.gov/minerals/pubs/mcs/2017/mcs2017.pdf>
- Virta, R. (2011). Asbestos. Kirk-Othmer Encyclopedia of Chemical Technology. [online]: John Wiley & Sons. <http://dx.doi.org/10.1002/0471238961.0119020510151209.a01.pub3>
- WHO (World Health Organization). (2014). Chrysotile asbestos. Geneva, Switzerland. http://www.who.int/ipcs/assessment/public_health/chrysotile_asbestos_summary.pdf

Gray Literature Search Results

Gray literature is defined as the broad category of studies not found in standard, peer-reviewed literature databases (e.g., PubMed). Gray literature includes studies that are difficult to find in conventional bibliographic databases and includes references such as white papers, conference proceedings, technical reports, reference books, dissertations and information on various stakeholder websites.

The gray literature search results are currently contained in this document and in Excel spreadsheets. EPA is considering whether to manually develop EndNote citations for on topic gray literature results. This section lists abbreviated information for each citation, including a link to the reference. Full gray literature search results are presented in the *Gray Literature Excel Spreadsheet: Asbestos*.

Note: Gray Lit Results provided as a second PDF.

Legend for Gray Literature Bibliography Columns

Source		A brief description of the gray literature source that was searched	
General Information About Result	URL	The web address of the search result URL	
	Annotation	An brief description of the search result	
Subject-Matter Tags	Engineering	On topic	An "x" indicates the reference is on topic for the engineering/occupational exposure topic area
		Off topic	An "x" indicates the reference is off topic for the engineering/occupational exposure topic area
	Fate	On topic	An "x" indicates the reference is on topic for the fate topic area
		Off topic	An "x" indicates the reference is off topic for the fate topic area
	Exposure	On topic	An "x" indicates the reference is on topic for the exposure topic area
		Off topic	An "x" indicates the reference is off topic for the exposure topic area
	Human Health	On topic	An "x" indicates the reference is on topic for the human health topic area
		Off topic	An "x" indicates the reference is off topic for the human health topic area
Notes		Any notes about the search result, including a note about search results that were not tagged to individual topic areas but are considered "on topic" overall	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Office of Water: EPA Clean Water Act Drinking Water Standards and Health Advisories	https://www.epa.gov/ground-water-and-drinking-water/table-regulated-drinking-water-contaminants	asbestos along with primary release mechanisms		X		X	X			X	
Office of Water: STORET and WQX	https://www.epa.gov/sites/production/files/2015-09/documents/dwstandards2012.pdf	2012 drinking water standards and health advisories		X		X	X			X	
Office of Air Quality Planning and Standards (OAQPS)	https://www.epa.gov/waterdata/storage-and-retrieval-and-water-quality-exchange	Data downloaded from STORET database		X		X	X			X	
Office of Air Quality Planning and Standards (OAQPS)	https://www3.epa.gov/airquality/permits/partic/which.pdf	Which Facilities are Covered by the Title V Program?		X		X		X		X	
Office of Air Quality Planning and Standards (OAQPS)	https://www3.epa.gov/airquality/greenbook/frn/5950848.pdf	Reclassification of Ozone Nonattainment Area; States of New		X		X		X		X	
Office of Air Quality Planning and Standards (OAQPS)	https://www3.epa.gov/airquality/permits/partic/handbk.pdf	Appendices; link not working		X		X		X		X	
Office of Air Quality Planning and Standards (OAQPS)	https://www3.epa.gov/airquality/cta_act/198312_voc_epa450_3-83-007_leaks_naturalgas_processing.pdf	Control of Volatile Organic Compound Equipment Leaks	X			X		X		X	
Office of Air Quality Planning and Standards (OAQPS)	https://www3.epa.gov/airquality/cta_act/198403_voc_epa450_3-83-006_leaks_polymer_manufacturing.pdf	Equipment Leaks from Synthetic and Organic Polymer Manufacturing	X			X		X		X	
Office of Air Quality Planning and Standards (OAQPS)	www3.epa.gov/airquality/	N/A		X		X		X		X	
Office of Air: Ambient Water Quality Criteria documents	https://www.epa.gov/wqc/national-recommended-water-quality-criteria-human-health-criteria-table	Quality Criteria - Human Health Criteria Table	X			X		X		X	
Office of Air: Ambient Water Quality Criteria documents	https://www.epa.gov/wqc/human-health-water-quality-criteria	2015 Final Updated Human Health Ambient Water Quality Criteria		X	X			X		X	
Office of Air: Ambient Water Quality Criteria documents	https://www.epa.gov/wqc/national-recommended-water-quality-criteria-aquatic-life-criteria-table	Quality Criteria - Aquatic Life Criteria ...		X		X	X			X	
Office of Air: Ambient Water Quality Criteria documents	https://www.epa.gov/wqc	Bioaccumulation factors		X	X			X		X	
Office of Air: Ambient Water Quality Criteria documents	https://www.epa.gov/wqc	Bioaccumulation factors: supplemental (Excel)		X	X			X		X	
Office of Air: Ambient Water Quality Criteria documents	www.epa.gov/wqc	N/A		X		X		X		X	
Office of Air: HAPS	www.epa.gov/haps/initial-list-hazardous-air-pollutants-modifications	N/A		X		X		X		X	
Office of Air: NESHAP	www.epa.gov/technical-air-pollution-resources	N/A		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Office of Air: NESHAP	www.epa.gov/technical-air-pollution-resources	N/A		X		X		X		X	
Office of Air: TRI	https://www.epa.gov/tribal/grant-programs-tribes	Grant Program for Tribes		X		X		X		X	
Office of Air: TRI	https://www.epa.gov/tri/reporting-forms-and-instructions	TRI Reporting Forms		X		X		X		X	
Office of Air: TRI	www.epa.gov/tri	N/A		X		X		X		X	
Significant New Alternatives Policy (SNAP)	www.epa.gov/snap	N/A		X		X		X		X	
Significant New Alternatives Policy (SNAP)	www.epa.gov/snap	N/A		X		X		X		X	
Safer Choice	www.epa.gov/saferchoice/	N/A		X		X		X		X	
Safer Choice	www.epa.gov/saferchoice/	N/A		X		X		X		X	
Pollution Prevention	https://www.epa.gov/p2/pollution-prevention-technical-assistance-epa-region-1	Region 1 contact information		X		X		X		X	
Pollution Prevention	www.epa.gov/p2/	N/A		X		X		X		X	
Pesticide Ingredients	https://www.epa.gov/ingredients-used-pesticide-products/chromated-arsenicals-cca	Chromated Arsenicals (CCA), Ingredients Used in Pesticide		X		X		X		X	
Pesticide Ingredients	www.epa.gov/ingredients-used-pesticide-products	N/A		X		X		X		X	
Hazardous Waste	https://www.epa.gov/hw/report-congress-wastes-extraction-and-beneficiation-metallic-ores-phosphate-rock-asbestos	Extraction and Beneficiation of Asbestos		X		X		X		X	
Hazardous Waste	https://www.epa.gov/hw/land-disposal-restrictions-hazardous-waste	Land Disposal Restrictions for Hazardous Waste		X		X		X		X	
Hazardous Waste	https://www.epa.gov/hw/legislative-and-regulatory-timeline-mining-waste	Legislative and Regulatory Timeline for Mining Waste		X		X		X		X	
Hazardous Waste	https://www.epa.gov/hw/hazardous-waste-transportation	Hazardous Waste Transportation		X		X		X		X	
Hazardous Waste	https://www.epa.gov/hw/special-wastes	Special Wastes		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Hazardous Waste	www.epa.gov/hw/	N/A		X		X		X		X	
Superfund chemical data matrix	https://www.epa.gov/superfund/superfund-chemical-data-matrix-scdm-query	Superfund matrix section		X	X			X		X	
Superfund Enterprise Management System (SEMS)	https://cumulis.epa.gov/supercpad/cursites/csitinfo.cfm?id=0301842	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	https://cumulis.epa.gov/supercpad/cursites/dsp_sspSiteData1.cfm?id=0301842	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	https://cumulis.epa.gov/supercpad/cursites/dsp_sspSiteData1.cfm?id=0200769	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	https://cumulis.epa.gov/supercpad/cursites/dsp_sspSiteData1.cfm?id=0901736	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	https://cumulis.epa.gov/supercpad/cursites/dsp_sspSiteData2.cfm?id=0301842	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	https://cumulis.epa.gov/supercpad/cursites/dsp_sspSiteData2.cfm?id=0902250	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	https://cumulis.epa.gov/supercpad/cursites/dsp_sspSiteData2.cfm?id=0100524	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	https://cumulis.epa.gov/supercpad/cursites/dsp_sspSiteData1.cfm?id=0902250	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	https://cumulis.epa.gov/supercpad/cursites/dsp_sspSiteData1.cfm?id=0902075	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	https://cumulis.epa.gov/supercpad/cursites/dsp_sspSiteData1.cfm?id=0300445	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	https://cumulis.epa.gov/supercpad/cursites/dsp_sspSiteData2.cfm?id=0500197	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	https://cumulis.epa.gov/supercpad/cursites/csitinfo.cfm?id=0200769	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	https://cumulis.epa.gov/supercpad/cursites/dsp_sspSiteData1.cfm?id=0900679	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	https://cumulis.epa.gov/supercpad/cursites/dsp_sspSiteData2.cfm?id=1002476	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	https://cumulis.epa.gov/supercpad/cursites/ccontinfo.cfm?id=0901736	Superfund Site Profile		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Superfund Enterprise Management System (SEMS)	https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0101713	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=1002688	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	https://cumulis.epa.gov/supercpad/cursites/dsp_sspSiteData1.cfm?id=0303196	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	https://cumulis.epa.gov/supercpad/cursites/csdocument.cfm?id=0801744&doc=Y&colid=32329	Site-Wide Human Health Risk Assessment at Libby Site		X		X	X			X	
Superfund Enterprise Management System (SEMS)	https://cumulis.epa.gov/supercpad/cursites/csdocument.cfm?id=0801744&doc=Y&colid=32329	Site 1 Human Health Risk Assessment at Libby Site		X		X	X			X	
Superfund Enterprise Management System (SEMS)	https://cumulis.epa.gov/supercpad/cursites/csdocument.cfm?id=0801744&doc=Y&colid=32329	Site 2 Human Health Risk Assessment at Libby Site		X		X	X			X	
Superfund Enterprise Management System (SEMS)	https://cumulis.epa.gov/supercpad/cursites/csdocument.cfm?id=0801744&doc=Y&colid=32329	Site-Wide Ecological Risk Assessment at Libby Site		X		X	X			X	
Superfund Enterprise Management System (SEMS)	https://cumulis.epa.gov/supercpad/cursites/csdocument.cfm?id=0801744&doc=Y&colid=32329	Site 3 Human Health Risk Assessment at Libby Site		X		X	X			X	
Superfund Enterprise Management System (SEMS)	https://cumulis.epa.gov/supercpad/cursites/cadminrecord.cfm?id=0801744&doc=Y&colid=64793	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0202360	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0508215	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0902250	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0501954	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0300446	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0100524	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0403488	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	https://cumulis.epa.gov/supercpad/cursites/dsp_sspSiteData1.cfm?id=0100094	Superfund Site Profile		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Superfund Enterprise Management System (SEMS)	https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=1000082	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0505170	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=1001134	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0501655	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0301595	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0300445	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0605517	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0505181	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0304250	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0902722	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0301541	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0504822	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0303066	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0902779	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0802850	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	https://cumulis.epa.gov/supercpad/cursites/dsp_sspSiteData1.cfm?id=0306876	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0901736	Superfund Site Profile		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Superfund Enterprise Management System (SEMS)	https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0504952	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0304433	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0302858	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0302612	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0500551	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0404043	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	https://cumulis.epa.gov/supercpad/cursites/dsp_sspSiteData2.cfm?id=0203733	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0800357	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0702020	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0600653	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0902075	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0601752	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0405304	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0500342	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0400637	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0302859	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	https://cumulis.epa.gov/supercpad/cursites/csinfo.cfm?id=0600023	Superfund Site Profile		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Superfund Enterprise Management System (SEMS)	https://cumulis.epa.gov/supercpad/cursites/csitinfo.cfm?id=0101074	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	https://cumulis.epa.gov/supercpad/cursites/csitinfo.cfm?id=0300517	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	https://cumulis.epa.gov/supercpad/cursites/csitinfo.cfm?id=0101072	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	https://cumulis.epa.gov/supercpad/cursites/csitinfo.cfm?id=0600881	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	https://cumulis.epa.gov/supercpad/cursites/csitinfo.cfm?id=0500197	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	https://cumulis.epa.gov/supercpad/cursites/dsp_sspSiteData1.cfm?id=0200332	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	https://cumulis.epa.gov/supercpad/cursites/dsp_sspSiteData1.cfm?id=0404794	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	https://cumulis.epa.gov/supercpad/cursites/dsp_sspSiteData1.cfm?id=0202972	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	https://cumulis.epa.gov/supercpad/cursites/csitinfo.cfm?id=0101085	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	https://cumulis.epa.gov/supercpad/cursites/dsp_sspSiteData1.cfm?id=0801744	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	https://cumulis.epa.gov/supercpad/cursites/dsp_sspSiteData2.cfm?id=0300445	Superfund Site Profile		X		X		X		X	
Superfund Enterprise Management System (SEMS)	https://cumulis.epa.gov/supercpad/cursites/csitinfo.cfm?id=0900679	Superfund Site Profile		X		X		X		X	
CPCat	https://actor.epa.gov/cpcat/faces/search.xhtml	CPCat (Chemical and Product Categories) is a database containing		X		X	X			X	
CPCat	https://actor.epa.gov/cpcat/faces/search.xhtml	and Product Categories) is a database containing information mapping		X		X	X			X	
CPCat	https://actor.epa.gov/cpcat/faces/search.xhtml	CPCat (Chemical and Product Categories) is a database containing		X		X	X			X	
CPCat	https://actor.epa.gov/cpcat/faces/search.xhtml	CPCat (Chemical and Product Categories) is a database containing		X		X	X			X	
CPCat	https://actor.epa.gov/cpcat/faces/search.xhtml	CPCat (Chemical and Product Categories) is a database containing		X		X	X			X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
CPCat	https://actor.epa.gov/cpcat/faces/search.xhtml	CPCat (Chemical and Product Categories) is a database containing		X		X	X			X	
CPCat	https://actor.epa.gov/cpcat/faces/search.xhtml	CPCat (Chemical and Product Categories) is a database containing		X		X	X			X	
NCEA IRIS	https://www.epa.gov/iris/supporting-documents-libby-amphibole-asbestos	Toxicological Profile for Libby Site		X		X	X		X		
NCEA IRIS	https://www.epa.gov/iris	General IRIS site		X		X		X		X	
NCEA IRIS	https://www.epa.gov/iris/iris-recent-additions	Recent additions to IRIS		X		X		X		X	
NCEA IRIS	www.epa.gov/iris	N/A		X		X		X		X	
NCEA IRIS	https://cfpub.epa.gov/ncea/iris/search/	IRIS Overview Page		X		X		X	X		
NCEA IRIS	https://cfpub.epa.gov/ncea/iris/search/	IRIS Summary Page		X		X		X	X		
ChemView (CDR/IUR)	http://java.epa.gov/chemview	Substantial risk reports submitted by companies		X		X		X	X		
ChemView (CDR/IUR)	http://java.epa.gov/chemview	Chemical data reporting	X			X		X		X	
ChemView (CDR/IUR)	http://java.epa.gov/chemview	TRI Release and Disposal information	X			X		X		X	
ChemView (CDR/IUR)	http://java.epa.gov/chemview	Pollution prevention information about change in releases	X			X		X		X	
Stationary Sources Air Pollution	https://www.epa.gov/stationary-sources-air-pollution/asbestos-national-emission-standards-hazardous-air-pollutants	Asbestos as a Hazardous Air Pollutant: main site		X		X		X		X	
Stationary Sources Air Pollution	https://www.epa.gov/stationary-sources-air-pollution/40-fr-48291	1975 Hazardous Air Pollution FR Notice		X		X		X		X	
Stationary Sources Air Pollution	https://www.epa.gov/stationary-sources-air-pollution/biologic-effects-atmospheric-pollutants-asbestos-need-air	Asbestos: the need for and feasibility of air pollution controls	X			X	X		X		
Stationary Sources Air Pollution	https://www.epa.gov/stationary-sources-air-pollution/asbestos-national-emission-standards-hazardous-air-pollutants-0	Asbestos Review FR Notice Support Documents		X		X		X		X	
Stationary Sources Air Pollution	https://www.epa.gov/stationary-sources-air-pollution/national-emission-standards-hazardous-air-pollutants-neshap-7	FR Notice for 1990 Asbestos NESHAP Rule		X	X		X			X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Stationary Sources Air Pollution	https://www.epa.gov/stationary-sources-air-pollution/national-emission-standards-hazardous-air-pollutants-neshap	FR Notice for 1984 Asbestos NESHAP Rule		X		X		X		X	
Stationary Sources Air Pollution	https://www.epa.gov/stationary-sources-air-pollution/guideline-document-requests-approval-alternative-emissions	Approval of an Alternative Asbestos Emission Limitation		X		X		X		X	
Stationary Sources Air Pollution	https://www.epa.gov/stationary-sources-air-pollution/clean-air-act-standards-and-guidelines-mineral-processing	Clean Air Act Standards and Guidelines for Mineral Processing		X		X		X		X	
Stationary Sources Air Pollution	https://www.epa.gov/stationary-sources-air-pollution/national-emission-standards-hazardous-air-pollutants-neshap	NESHAP Landing Page		X		X		X		X	
Stationary Sources Air Pollution	https://www.epa.gov/stationary-sources-air-pollution/38-fr-8820	Hazardous Air Pollution FR Notice		X		X		X		X	
Stationary Sources Air Pollution	www.epa.gov/stationary-sources-air-pollution/	N/A		X		X		X		X	
Asbestos	https://www.epa.gov/asbestos/learn-about-asbestos	Learn About Asbestos		X		X		X		X	
Asbestos	https://www.epa.gov/asbestos/forms/contact-us-about-asbestos	Contact Us about Asbestos Asbestos US EPA		X		X		X		X	
Asbestos	https://www.epa.gov/asbestos/protecting-workers-asbestos	Protecting Workers from Asbestos		X		X		X		X	
Asbestos	https://www.epa.gov/asbestos/asbestos-professionals	Asbestos Professionals		X		X		X		X	
Asbestos	https://www.epa.gov/asbestos/school-hazard-abatement-reauthorization-act-1990	Asbestos School Hazard Abatement Reauthorization Act of 1990		X		X		X		X	
Asbestos	https://www.epa.gov/asbestos/how-manage-asbestos-school-buildings-ahra-designated-persons-self-study-guide-0	How to Manage Asbestos in School Buildings		X		X		X		X	
Asbestos	https://www.epa.gov/asbestos/asbestos-frequently-asked-questions	Asbestos Frequently Asked Questions		X		X		X		X	
Asbestos	https://www.epa.gov/asbestos/job-site-controls-work-involving-asbestos-containing-material-acm	Job-Site Controls for Work Involving Asbestos-Containing Material		X		X		X		X	
Asbestos	https://www.epa.gov/asbestos/how-develop-and-maintain-building-asbestos-operations-and-maintenance-program	Building Asbestos Operations and Maintenance Plan		X		X		X		X	
Asbestos	https://www.epa.gov/asbestos/what-operations-and-maintenance-om-program	What is an Operations and Maintenance (O&M) Program		X		X		X		X	
Asbestos	https://www.epa.gov/asbestos/safe-work-practices	Safe Work Practices	X			X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Asbestos	https://www.epa.gov/asbestos/protect-your-family	Protect Your Family Asbestos US EPA		X		X		X		X	
Asbestos	https://www.epa.gov/asbestos/occupant-notification-buildings-containing-asbestos	Occupant Notification in Buildings Containing Asbestos		X		X		X		X	
Asbestos	https://www.epa.gov/asbestos/asbestos-ban-and-phase-out-federal-register-notice	Asbestos Ban and Phase-Out Federal Register Notices		X		X		X		X	
Asbestos	https://www.epa.gov/asbestos/code-federal-regulations-chapter-40-part-763-asbestos	Code of Federal Regulations: Chapter 40; Part 763		X		X		X		X	
Asbestos	https://www.epa.gov/asbestos/united-states-environmental-protection-agency-abc-asbestos-schools-today-lesson-asbestos	The ABCs Of Asbestos In Schools		X		X		X		X	
Asbestos	https://www.epa.gov/asbestos/recordkeeping-asbestos-operation-and-management-om-plans	Operation and Management (O&M) Plans		X		X		X		X	
Asbestos	https://www.epa.gov/asbestos/model-ahera-asbestos-management-plan-local-education-agencies	Model AHERA Asbestos Management Plan for Local Education		X		X		X		X	
Asbestos	https://www.epa.gov/asbestos/asbestos-training	Asbestos Training		X		X		X		X	
Asbestos	https://www.epa.gov/asbestos/setting-asbestos-operations-and-maintenance-om-program	Setting up an Asbestos Operations and Maintenance (O&M) Program		X		X		X		X	
Asbestos	https://www.epa.gov/asbestos/guidelines-enhanced-management-asbestos-water-ordered-demolitions	Guidelines for Enhanced Management of Asbestos in Water		X		X		X		X	
Asbestos	https://www.epa.gov/asbestos/epa-notification-rules-and-regulations-regarding-asbestos	EPA's Notification of Rules and Regulations Regarding Asbestos		X		X		X		X	
Asbestos	https://www.epa.gov/asbestos/us-federal-bans-asbestos	U.S. Federal Bans on Asbestos Asbestos US EPA	X			X		X		X	
Asbestos	https://www.epa.gov/asbestos/federal-requirements-asbestos-management-schools-fact-sheet	Federal Requirements For Asbestos Management in Schools Fact sheet		X		X		X		X	
Asbestos	https://www.epa.gov/asbestos/current-best-practices-preventing-asbestos-exposure-among-brick-and-clay-union-workers-1	Current Best Practices for Preventing Asbestos Exposure		X		X		X		X	
Asbestos	https://www.epa.gov/asbestos/monitoring-asbestos-containing-material-acm	Monitoring Asbestos-Containing Material (ACM)		X		X		X		X	
Asbestos	https://www.epa.gov/asbestos/elements-asbestos-operations-and-maintenance-om-program	Elements of an Asbestos Operations and Maintenance (O&M) Program		X		X		X		X	
Asbestos	https://www.epa.gov/asbestos/united-states-environmental-protection-agency-ahera-asbestos-management-plan-self-audit	AHERA Asbestos Management Plan Self-Audit Checklist		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Asbestos	https://www.epa.gov/asbestos/asbestos-manufacture-importation-processing-and-distribution-commerce-prohibitions-final	Asbestos: Manufacture, Importation, Processing, and Distribution		X		X		X		X	
Asbestos	https://www.epa.gov/asbestos/epa-guidelines-states-regarding-online-asbestos-model-accreditation-plan-map-annual	EPA Guidelines for States Regarding Online Asbestos		X		X		X		X	
Asbestos	https://www.epa.gov/asbestos/current-best-practices-preventing-asbestos-exposure-among-brake-and-clutch-repair-workers	Current Best Practices For Preventing Asbestos Exposure		X		X		X		X	
Asbestos	https://www.epa.gov/asbestos/what-local-education-agencies-least-should-know-about-asbestos-national-emission-standard	What Local Education Agencies (LEAs) should know		X		X		X		X	
Asbestos	https://www.epa.gov/asbestos/epa-guidelines-states-regarding-online-asbestos-model-accreditation-plan-map-annual	EPA Guidelines for States Regarding Online Asbestos Model		X		X		X		X	
Asbestos	https://www.epa.gov/asbestos/asbestos-laws-and-regulations	Asbestos Laws and Regulations Asbestos US EPA		X		X		X		X	
Asbestos	https://www.epa.gov/asbestos/united-states-environmental-protection-agency-sample-record-keeping-forms-sites-asbestos	United States Environmental Protection Agency: Sample Record		X		X		X		X	
Asbestos	https://www.epa.gov/asbestos/current-best-practices-preventing-asbestos-exposure-among-brake-and-clutch-repair-workers	Current Best Practices for Preventing Asbestos Exposure		X		X		X		X	
Asbestos	https://www.epa.gov/asbestos/plan-de-manejo-de-asbestos-de-ahera	Plan de manejo de asbestos de AHERA		X		X		X		X	
Asbestos	https://www.epa.gov/asbestos/asbestos-worker-protection-subpart-g	Asbestos Worker Protection: Subpart G		X		X		X		X	
Asbestos	https://www.epa.gov/asbestos/modelo-ahera-para-el-plan-de-manejo-de-asbestos-para-las-agencias-locales-de-educacion	Modelo AHERA para el plan de manejo de asbestos para las ...		X		X		X		X	
Asbestos	https://www.epa.gov/asbestos/asbestos-national-emissions-standard-hazardous-air-pollutants-neshap	Asbestos National Emissions Standard for Hazardous Air Pollutants		X		X		X		X	
Asbestos	https://www.epa.gov/asbestos/state-asbestos-contacts	State Asbestos Contacts Asbestos US EPA		X		X		X		X	
Asbestos	https://www.epa.gov/asbestos/protect-your-family-asbestos-contaminated-vermiculite-insulation	Protect Your Family from Asbestos-Contaminated Vermiculite		X		X		X		X	
Asbestos	https://www.epa.gov/asbestos/information-owners-and-managers-buildings-contain-asbestos	Information for Owners and Managers of Buildings that Contain Asbestos		X		X		X		X	
Asbestos	https://www.epa.gov/asbestos/asbestos-and-school-buildings	Asbestos and School Buildings Asbestos US EPA		X		X		X		X	
Economic and cost assessment	https://www.epa.gov/economic-and-cost-analysis-air-pollution-regulations/economic-impact-analyses-air-pollution	Economic Impact Analyses for Air Pollution Regulations		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Economic and cost assessment	www.epa.gov/economic-and-cost-analysis-air-pollution-regulations	N/A		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P100BU9D.PDF?Dockey=P100BU9D.PDF	Tornado Debris and Asbestos Concerns Fact Sheet		X		X	X			X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P100FL3S.PDF?Dockey=P100FL3S.PDF	Asbestos Sites Supplemental Guidance to Comprehensive Five-		X		X	X			X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P100828F.PDF?Dockey=P100828F.PDF	Mountain View Mobile Home Estates: Globe, Arizona		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P100MGOR.PDF?Dockey=P100MGOR.PDF	Asbestos Sites Supplemental Guidance to Comprehensive Five-		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P1006Q0R.PDF?Dockey=P1006Q0R.PDF	Protect Your Family from Asbestos Contaminated Vermiculite Insulation		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/90130P00.PDF?Dockey=90130P00.PDF	Asbestos in Schools Draft Copy for External Review		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/91015CX3.PDF?Dockey=91015CX3.PDF	Identification of New Assessment Tools for Evaluating Asbestos at		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P1005J87.PDF?Dockey=P1005J87.PDF	Current Best Practices for Vermiculite Attic Draft		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P100M55D.PDF?Dockey=P100M55D.PDF	Airborne Asbestos Health Assessment Update Project Summary		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/9100Z3LR.PDF?Dockey=9100Z3LR.PDF	NESHAPs Inspection and Safety Procedures Training Course		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/90180500.PDF?Dockey=90180500.PDF	Identification of New Assessment Tools for Evaluating Asbestos at		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/9100PO1W.PDF?Dockey=9100PO1W.PDF	Regulations: Asbestos {Technical Version}		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/91016NLK.PDF?Dockey=91016NLK.PDF	Asbestos and Your Health		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P100IVPC.PDF?Dockey=P100IVPC.PDF	Observations on Asbestos Release During Demolition Activities		X		X	X			X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/50000Q4K.PDF?Dockey=50000Q4K.PDF	Asbestos In the Home: A Homeowner's Guide		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P100OYJH.PDF?Dockey=P100OYJH.PDF	of Asbestos in Water at Ordered Demolitions, Appendices		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/2000DXGY.PDF?Dockey=2000DXGY.PDF	Cooperative Efforts Abate Asbestos Hazards		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/910238YC.PDF?Dockey=910238YC.PDF	Asbestos : Fact Sheet on a Drinking Water Chemical Contaminant		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/30003WW8.PDF?Dockey=30003WW8.PDF	Programs in 17 New Jersey Schools: A Case Studies Report. Project		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/50000LTT.PDF?Dockey=50000LTT.PDF	Emergency Situations Involving Asbestos		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/91003D69.PDF?Dockey=91003D69.PDF	Publicker/Cuyahoga Wrecking Plant, PA		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/30003X7C.PDF?Dockey=30003X7C.PDF	During Buffing Burnishing, and Stripping of Resilient Floor Tile.		X		X	X			X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/30003WKM.PDF?Dockey=30003WKM.PDF	During Buffing of Resilient Floor Tile. Project Summary	X			X	X			X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/20001EVF.PDF?Dockey=20001EVF.PDF	Asbestos in Your Home		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P100GEOX.PDF?Dockey=P100GEOX.PDF	Framework for Investigating Asbestos-Contaminated Superfund Sites		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/30003WKC.PDF?Dockey=30003WKC.PDF	for Removing Asbestos from Carpet: Determination of Airborne Asbestos		X		X	X			X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/30003VY4.PDF?Dockey=30003VY4.PDF	Asbestos Concentrations Two Years after Abatement in Seventeen Schools		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/30003TYA.PDF?Dockey=30003TYA.PDF	Dry Vacuuming and Wet Cleaning of Asbestos-Contaminated Carpet.		X		X	X			X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/2000D958.PDF?Dockey=2000D958.PDF	EPA And State Combine Tough Enforcement With Careful Oversight		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/91002H6B.PDF?Dockey=91002H6B.PDF	Superfund Record of Decision: Atlas Asbestos Mine, CA		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/300034VS.PDF?Dockey=300034VS.PDF	Programs in 17 New Jersey Schools: Case Studies Report		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/9101ZK3Z.PDF?Dockey=9101ZK3Z.PDF	Asbestos Safety and Health Protection Practices		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/9101D4NG.PDF?Dockey=9101D4NG.PDF	Safety Procedures Reference Materials: Reference Materials-		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/30003WJW.PDF?Dockey=30003WJW.PDF	Three Years After Abatement in Seventeen Schools. Project Summary		X		X	X			X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P1000CZ1.PDF?Dockey=P1000CZ1.PDF	The ABCs of Asbestos in Schools		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/9100LM90.PDF?Dockey=9100LM90.PDF	Guide to Normal Demolition Practices Under the Asbestos NESHAP		X		X	X			X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P1005FXG.PDF?Dockey=P1005FXG.PDF	Project XL: City of Fort Worth, Texas		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/30003TY2.PDF?Dockey=30003TY2.PDF	Carried Out Using EPA Purple Book Guidance. Project Summary		X		X	X			X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/91024FJQ.PDF?Dockey=91024FJQ.PDF	Dry Vacuuming and Wet Cleaning of Asbestos-Contaminated Carpet		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/9101ZJSU.PDF?Dockey=9101ZJSU.PDF	Standard Methods for Conducting Asbestos O&M Work Practices		X		X	X			X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/9101UKTP.PDF?Dockey=9101UKTP.PDF	Exposure of Custodial Employees to Airborne Asbestos		X		X	X			X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P100B7X3.PDF?Dockey=P100B7X3.PDF	the Asbestos NESHAP Regulations 40 CFR Part 61, Subpart M		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/930013TJ.PDF?Dockey=930013TJ.PDF	Asbestos Release During Building Demolition Activities		X		X	X			X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P100B97N.PDF?Dockey=P100B97N.PDF	Buildings AHERA Designated Person's Self Study Guide		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/30002X9L.PDF?Dockey=30002X9L.PDF	Three Years After Abatement in Seventeen Schools	X			X	X			X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/30006670.PDF?Dockey=30006670.PDF	Learn to Protect Students, Staff From Exposure to Asbestos Hazards		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P100QYI7.PDF?Dockey=P100QYI7.PDF	of Asbestos in Water at Ordered Demolitions		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P1001JX9.PDF?Dockey=P1001JX9.PDF	Asbestos Control Method and the NESHAP Method for Demolition of		X		X	X			X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/9100OC96.PDF?Dockey=9100OC96.PDF	Superfund Record of Decision: South Bay Asbestos Area (Amendment), CA		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/9101D4EB.PDF?Dockey=9101D4EB.PDF	Safety Procedures Workshop: Draft Student Manual		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exec/Action/Display/Display?User=anonymous&Password=anonymous&Client=EPAS&id=1	ASBESTOS SAMPLING BULLETIN, 1994		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exec/ZyPDF.cgi/9101P6N5.PDF?Dockey=9101P6N5.PDF	Health and Safety Guidelines for EPA Asbestos Inspectors		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exec/ZyPDF.cgi/9100TKSO.PDF?Dockey=9100TKSO.PDF	Determination of Asbestos in Bulk Building Material		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exec/ZyPDF.cgi/9100TKSO.PDF?Dockey=9100TKSO.PDF	ADVISORY TO THE PUBLIC ON ASBESTOS IN BUILDINGS		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exec/ZyPDF.cgi/9100TKSO.PDF?Dockey=9100TKSO.PDF	MAINTENANCE OF ASBESTOS FLOOR TILES		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exec/ZyPDF.cgi/9100TKSO.PDF?Dockey=9100TKSO.PDF	ASBESTOS DISEASE AMONG AUTO MECHANICS		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exec/ZyPDF.cgi/P10066BY.PDF?Dockey=P10066BY.PDF	Steps to Stay Safe		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exec/ZyPDF.cgi/P1007K1G.PDF?Dockey=P1007K1G.PDF	Test Method for the Determination of Asbestos in Bulk Building Materials		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exec/ZyPDF.cgi/P100B4ZJ.PDF?Dockey=P100B4ZJ.PDF	Correct Years of Environmental Wrongs Libby Asbestos Site,		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exec/ZyPDF.cgi/P100B4ZJ.PDF?Dockey=P100B4ZJ.PDF	CONTAINING MATERIALS IN PUBLIC BUILDINGS: REPORT TO		X		X	X			X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exec/ZyPDF.cgi/P100B4ZJ.PDF?Dockey=P100B4ZJ.PDF	REINSPECTIONS UNDER THE ASBESTOS HAZARDOUS		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exec/ZyPDF.cgi/91017PVL.PDF?Dockey=91017PVL.PDF	Magnitudes, Phase Two : Location on the Page, Units of Exposure		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exec/ZyPDF.cgi/9100KQ0Z.PDF?Dockey=9100KQ0Z.PDF	Worker Protection Rule: Employer Responsibilities		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exec/ZyPDF.cgi/9100KQ0Z.PDF?Dockey=9100KQ0Z.PDF	EVALUATION OF THE ASBESTOS HAZARD EMERGENCY RESPONSE		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exec/ZyPDF.cgi/P10014JJ.PDF?Dockey=P10014JJ.PDF	Garden Products That Contain Vermiculite		X		X	X			X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exec/ZyPDF.cgi/91001J0D.PDF?Dockey=91001J0D.PDF	Difference for the Record of Decision: South Bay Asbestos, Alviso, CA		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exec/ZyPDF.cgi/P100B95J.PDF?Dockey=P100B95J.PDF	Commitment to the Libby Cleanup May 2011		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/900Z0B00.PDF?Dockey=900Z0B00.PDF	A Discussion of Asbestos Detection Techniques for Air and Soil		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P1005HTF.PDF?Dockey=P1005HTF.PDF	Naturally Occurring Asbestos: Approaches for Reducing Exposure		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P1004JAK.PDF?Dockey=P1004JAK.PDF	Former Vermiculite Northwest W R Grace Vermiculite Exfoliation Facility		X		X	X			X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/9101QENZ.PDF?Dockey=9101QENZ.PDF	Evaluation of an Alternative Asbestos Control Method for Building		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P100B95H.PDF?Dockey=P100B95H.PDF	Determining Toxicity Values of Libby Amphibole Asbestos, May 2011		X		X		X	X		
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P1004UQG.PDF?Dockey=P1004UQG.PDF	Blackburn Union Privileges Fact Sheet Spring 2009 Removal Action		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/9100QS9V.PDF?Dockey=9100QS9V.PDF	Risk Assessments at Asbestos Superfund Sites: Part 2 - Technical		X		X	X			X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/30002XHO.PDF?Dockey=30002XHO.PDF	Evaluation of Three Cleaning Methods for Removing Asbestos from Carpet		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P100EMV8.PDF?Dockey=P100EMV8.PDF	Asbestos Abatement Project Designers Instructor's Manual		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/9100R1T1.PDF?Dockey=9100R1T1.PDF	TRAINING ASBESTOS ABATEMENT PROJECT DESIGNERS {STUDENT		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/9100R1T1.PDF?Dockey=9100R1T1.PDF	Carried Out Using EPA Purple Book Guidance		X		X	X			X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P1000CZL.PDF?Dockey=P1000CZL.PDF	Asbestos Exposure Among Brake And Clutch Repair Workers	X			X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/91000N84.PDF?Dockey=91000N84.PDF	Brunswick Naval Air Station Sites 5 and 6, Brunswick, ME 8/31/1993		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/9100HLKA.PDF?Dockey=9100HLKA.PDF	Asbestos Hazard Emergency Response Act (AHERA): a Fact Sheet		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/9100HLKA.PDF?Dockey=9100HLKA.PDF	TRAINING ASBESTOS ABATEMENT PROJECT DESIGNERS		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/9100HLKA.PDF?Dockey=9100HLKA.PDF	ASSESSMENT MANUAL SUPERFUND METHOD FOR THE		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P100FZVK.PDF?Dockey=P100FZVK.PDF	Program Advanced Monitoring Systems Center Test/QA Plan for		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/20001ERN.PDF?Dockey=20001ERN.PDF	Evaluation of the Asbestos Hazard Emergency Response Act (AHERA)		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P100ALNK.PDF?Dockey=P100ALNK.PDF	BoRit Superfund Site Community Update March 2011		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P100ALNK.PDF?Dockey=P100ALNK.PDF	ASSESSMENT MANUAL SUPERFUND METHOD FOR THE		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/90190300.PDF?Dockey=90190300.PDF	Asbestos Hazard Emergency Response Act (AHERA) A Fact Sheet		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/600001H5.PDF?Dockey=600001H5.PDF	Minority and Women-Owned Businesses		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P1000POA.PDF?Dockey=P1000POA.PDF	Asbestos Exposure Among Brake and Clutch Repair Workers		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P1004YZG.PDF?Dockey=P1004YZG.PDF	Proceeding at Hospital Site Piqua Hospital Site		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/P100B95L.PDF?Dockey=P100B95L.PDF	Next Steps at Libby Asbestos Superfund Site		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/91022L7L.PDF?Dockey=91022L7L.PDF	Determination of Asbestos in Vermiculite and Vermiculite-		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/91000GBS.PDF?Dockey=91000GBS.PDF	Superfund Record of Decision: Asbestos Dump, NJ		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/900L1N00.PDF?Dockey=900L1N00.PDF	Guidelines for Asbestos NESHAP Landfill Recordkeeping Inspections		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/910157M5.PDF?Dockey=910157M5.PDF	During Maintenance of Asbestos-Containing Floor Tile: Final Report		X		X	X			X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/100028RW.PDF?Dockey=100028RW.PDF	Determination of Releasable Asbestos in Soils and Bulk Materials		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/9100RYO8.PDF?Dockey=9100RYO8.PDF	Asbestos Hazard Emergency Response Act (AHERA), A Summary		X		X		X		X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/9100R1VG.PDF?Dockey=9100R1VG.PDF	AHERA Clearance at Twenty Abatement Sites		X		X	X			X	
NSCEP documents (has NEPIS)	https://nepis.epa.gov/Exe/ZyPDF.cgi/2001234Y.PDF?Dockey=2001234Y.PDF	Asked Questions About Reinspections Under The Ahera Asbestos In Schools		X		X		X		X	
Regulatory Development and Retrospective Review Tracker	yosemite.epa.gov/opei/rulegate.nsf/	N/A		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Regulatory Development and Retrospective Review Tracker	yosemite.epa.gov/opei/rulegate.nsf/	N/A		x		x		x		x	
"List of Lists"	https://www.epa.gov/sites/production/files/2015-03/documents/list_of_lists.pdf	Subject to the Emergency Planning and Community Right- To-Know Act	x			x		x		x	
TSCATS 2.0	https://yosemite.epa.gov/oppts/epatscat8.nsf/reportsearch?openform	TSCATS Low Detail Report		x	x			x		x	
HPV challenge submissions	cfpub.epa.gov/hpv-s/	N/A		x		x		x		x	
HPV challenge submissions	cfpub.epa.gov/hpv-s/	N/A		x		x		x		x	
OPPT Monitoring Database	Monitoring database	Monitoring database data		x		x		x		x	
TSCA Use Dossiers and Public Comments	https://www.epa.gov/assessing-and-managing-chemicals-under-tscs/evaluating-risk-existing-chemicals-under-tscas-table	Posting Memo									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0723-0027	submitted by Christine Ernst, Earthjustice									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0736-0041	submitted by Robyn Brooks, Director, Health, Environment, Safety and									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0736-0042	submitted by J. Brent Kynoch, Managing Director, Environmental									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0736-0011	submitted by Christopher Maahs, Asbestos Abatement Supervisor,									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0736-0021	Public Comment - Comment submitted by T. Schenck									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0736-0057	Public Comment - Anonymous public comment									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0736-0022	Public Comment - Comment submitted by K. McCarthy									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0736-0020	submitted by Vincent L. Jacques, P.E., Asbestos Inspector, Project									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0736-0056	submitted by Timothy J. Lafond, P.E., Chair, Environmental Committee,									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0736-0036	Public Comment - Comment submitted by A. L. Frank									TSCA public comments are not tagged to specific discipline

Source	General Information about Result		Subject-Matter Tags								Notes	
	URL	Annotation	Engineering		Fate		Exposure		Human Health			
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic		
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0736-0036	Public Comment - Comment submitted by A. L. Frank										TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0736-0036	Public Comment - Comment submitted by A. L. Frank										TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0736-0036	Public Comment - Comment submitted by A. L. Frank										TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0736-0036	Public Comment - Comment submitted by A. L. Frank										TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0736-0023	submitted by Michael W. Lema, Senior Project Manager- Asbestos										TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0723-0022	submitted by Christina Franz, Senior Director, Regulatory & Technical										TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0736-0029	submitted by Aaron E. Hatcher, Project Manager, Eagle										TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0736-0039	by Andrew F. Oberta, The Environmental Consultancy										TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0736-0032	submitted by Brendon Tivnan, CT and MA Licensed Asbestos Consultant,										TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0736-0045	submitted by Patrick Morrison, Assistant to the General President for										TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0736-0010	submitted by Ladislav Jirku, Asbestos Abatement Supervisor, License										TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0736-0024	submitted by Stephen E. Strauss, Asbestos Consultant-										TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0736-0015	submitted by Diane Cantiello, 40 Hr Asbestos Certified, Heritage Village										TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0736-0052	submitted by Judith Nordgren, Managing Director, Chlorine										TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0736-0052	submitted by Judith Nordgren, Managing Director, Chlorine										TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0736-0052	submitted by Judith Nordgren, Managing Director, Chlorine										TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0736-0052	submitted by Judith Nordgren, Managing Director, Chlorine										TSCA public comments are not tagged to specific discipline

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0736-0043	submitted by D. Evan van Hook, Corporate Vice President, Health									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0736-0003	campaign sponsoring organization unknown. Sample attached									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0723-0020	submitted by Elizabeth Hitchcock, Government Affairs Director and									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0736-0053	submitted by Eve Gartner, Staff Attorney, Earthjustice et al.									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0736-0035	Public Comment - Comment submitted by B. Castleman									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0736-0035	Public Comment - Comment submitted by B. Castleman									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0736-0035	Public Comment - Comment submitted by B. Castleman									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0736-0035	Public Comment - Comment submitted by B. Castleman									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0736-0035	Public Comment - Comment submitted by B. Castleman									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0736-0035	Public Comment - Comment submitted by B. Castleman									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0736-0035	Public Comment - Comment submitted by B. Castleman									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0736-0035	Public Comment - Comment submitted by B. Castleman									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0736-0064	submitted by Patrick MacRoy, Safer Chemicals, Healthy Families (SCHF),									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0736-0025	submitted by Mark N. Duvall, Beveridge & Diamond P.C.									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0736-0046	submitted by the Environmental Defense Fund (EDF)									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0736-0007	submitted by Richard Haffey, President and Training Director,									TSCA public comments are not tagged to specific discipline

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0736-0008	submitted by David M. Nardone, Facilities Manager, Derby Public									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0736-0009	submitted by Dennis Bouffard, Abatement Supervisor, New England									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0736-0012	submitted by Mark Burbelo, CHMM, RIDOH Licensed Asbestos Inspector,									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	-	Public Comment - Comment submitted by J. Gatzuras									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0723-0023	submitted by Eve Gartner, Staff Attorney, Earthjustice on behalf of									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0736-0047	submitted by Mark G. Ellis, President, Industrial Minerals Association - North									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0736-0019	submitted by Carlos Texidor, Senior Project Manager, Fuss & O'Neill									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0736-0014	submitted by Neil G. Payne, Licensed ASB. Inspector and Project Designer,									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0736-0059	Public Comment - Anonymous public comment									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0736-0031	submitted by Steven Talevi, State Licensed Abatement Contractor,									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0736-0037	submitted by Angelo Garcia III, Principal Industrial Hygienist, Future									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0736-0065	submitted by Julie Braman Kane, President, American Association for									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0736-0051	submitted by Diane Matthew Brown, Health and Safety Specialist,									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0736-0013	Public Comment - Comment submitted by J. Oconnell									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0736-0018	submitted by Michael R. Mader, President, Michael R Mader									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0723-0019	submitted by Adhesive and Sealant Council et al.									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0736-0040	submitted by Mary Miller, Co-Chair Policy Committee, American Public									TSCA public comments are not tagged to specific discipline

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0736-0066	submitted by Stephanie Fox-Rawlings, National Center for Health Research									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0736-0030	Public Comment - Comment submitted by S. Mossey									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0736-0038	submitted by William M. Ewing, Technical Director, Compass									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0736-0063	submitted by Richard Krock, Vice President, Regulatory and Technical									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0736-0058	submitted by Paul A. Kakuris, President, Illinois Dunesland									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0736-0044	submitted by Linda Reinstein, President and Chief Executive Officer,									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0736-0060	submitted by Susan Inglis, Executive Director, Sustainable Furnishings									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0736-0027	Public Comment - Comment submitted by J. Arienti									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0736-0026	submitted by Ashis Roychowdhury, Executive Vice President, Eagle									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0723-0010	submitted by Stacy Tatman, MS, JD, Director, Environmental Affairs,									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0736-0049	submitted by Michael W. Johnson, Chief Executive Officer, National									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0736-0017	submitted by Albert Ferranti, Asbestos Inspector & Management Planner,									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0736-0016	submitted by Ashis Roychowdhury, Executive Vice President, Eagle									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0736-0033	submitted by Rohit Bali, CIE, President, Carolinas EIA									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0736-0061	Public Comment - Comment submitted by S. Markowitz									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0736-0002	Comment Campaign submitted by University Clinic Berlin et al. (Paper)									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0736-0067	submitted by Gregg W. Martin, Unit Manager, Site Engineering &									TSCA public comments are not tagged to specific discipline

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0736-0068	submitted by Juleen Lam, PhD, Associate Researcher, University of									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0723-0024	submitted by Stephanie Fox-Rawlings, National Center for Health Research									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0723-0016	submitted by Susan Inglis, Executive Director, Sustainable Furnishings									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0723-0030	submitted by Juleen Lam, PhD, Associate Researcher, University of									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0741-0021	submitted by Anthony Schatz, Ph.D, Director Occupational Health and									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0736-0005	Manufacturing, Processing, Distribution, Use, and Disposal:									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0741-0007	submitted by Elizabeth Hitchcock, Government Affairs Director, Safer									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0733-0019	submitted by Kim Cox, Environmental Policy Manager, City of Portland									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0742-0026	Campaign sponsored by Earthjustice (web)									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0723-0018	submitted by Barbara S. Losey, Director, Alkylphenols & Ethoxylates									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0723-0013	submitted by Timothy A. Brown, Regulatory Counsel and Steven									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0723-0002	submitted by Eve Gartner, Staff Attorney, Earthjustice, Elizabeth									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0723-0006	submitted by Chris Trahan Cain, Director of Safety and Health, North									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0723-0021	submitted by Lindsay McCormick, Chemicals and Health Project									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0723-0017	submitted by Laurie Holmes, Senior Director, Environmental Policy, Motor									TSCA public comments are not tagged to specific discipline
TSCA Use Dossiers and Public Comments	https://www.regulations.gov/document?D=EPA-HQ-OPPT-2016-0723-0014	Campaign sponsored by Earthjustice (web) (Revised)									TSCA public comments are not tagged to specific discipline
National Institutes of Health (NIH) ChemIDplus	http://chem.sis.nlm.nih.gov/chemidplus/	searches, govt regulatory documents, consumer product databases, etc.		X		X	X			X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
National Institutes of Health (NIH) ChemIDplus	http://chem.sis.nlm.nih.gov/chemidplus/	searches, govt regulatory documents, consumer product databases, etc.		x		x	x			x	
National Institutes of Health (NIH) ChemIDplus	http://chem.sis.nlm.nih.gov/chemidplus/	searches, govt regulatory documents, consumer product databases, etc.		x		x	x			x	
National Institutes of Health (NIH) ChemIDplus	http://chem.sis.nlm.nih.gov/chemidplus/	searches, govt regulatory documents, consumer product databases, etc.		x		x		x		x	
National Institutes of Health (NIH) ChemIDplus	http://chem.sis.nlm.nih.gov/chemidplus/	searches, govt regulatory documents, consumer product databases, etc.		x		x		x		x	
National Institutes of Health (NIH) ChemIDplus	http://chem.sis.nlm.nih.gov/chemidplus/	searches, govt regulatory documents, consumer product databases, etc.		x		x		x		x	
National Institutes of Health (NIH) ChemIDplus	http://chem.sis.nlm.nih.gov/chemidplus/	searches, govt regulatory documents, consumer product databases, etc.		x		x		x		x	
NIH PubChem Compound Database	https://www.ncbi.nlm.nih.gov/pccompound	pubmed, products, MSDS, Fate summaries, effluent conc, human	x		x		x		x		
NIH PubChem Compound Database	https://www.ncbi.nlm.nih.gov/pccompound	pubmed, products, MSDS, Fate summaries, effluent conc, human	x		x		x		x		
NIH HazMap	http://hazmap.nlm.nih.gov/index.html	Contains links to HSDB, CChemID Plus, pubmed	x			x		x		x	
NIH HazMap	http://hazmap.nlm.nih.gov/index.html	Contains links to HSDB, CChemID Plus, pubmed	x			x		x		x	
NIH HazMap	http://hazmap.nlm.nih.gov/index.html	Contains links to HSDB, CChemID Plus, pubmed	x			x		x		x	
NIH Household Products Database	http://householdproducts.nlm.nih.gov/	containing ingredient, NLM databases HSBD, TOXNET, ChemiID Plus,		x		x	x			x	
NIH Household Products Database	http://householdproducts.nlm.nih.gov/	containing ingredient, NLM databases HSBD, TOXNET, ChemiID Plus,		x		x	x			x	
NIH Household Products Database	http://householdproducts.nlm.nih.gov/	containing ingredient, NLM databases HSBD, TOXNET, ChemiID Plus,		x		x	x			x	
NIH Hazardous Substance Data Bank (HSDB)	https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm	Contains exerts from peer reviewed lit in the same manner as pubchem	x		x		x		x		
NIH Hazardous Substance Data Bank (HSDB)	https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm	Contains exerts from peer reviewed lit in the same manner as pubchem	x		x		x		x		
NIH Hazardous Substance Data Bank (HSDB)	https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm	Contains exerts from peer reviewed lit in the same manner as pubchem	x		x		x		x		

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
NIH Hazardous Substance Data Bank (HSDB)	https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm	Contains excerpts from peer reviewed lit in the same manner as pubchem	X		X		X		X		
NIH NLM Drug Information Portal	https://druginfo.nlm.nih.gov/drugportal/	HSDB, Medline/PubMed, Toxline, PubChem, ChemIDplus		X		X	X			X	
NTP Report on Carcinogens (RoC)	https://ntp.niehs.nih.gov/pubhealth/roc/index-1.html#C	Carcinogens; 2 to 4 pages in length. This is a summary of the information	X			X	X		X		
CDC ATSDR Tox Profiles	http://www.atsdr.cdc.gov/toxprofiles/index.asp	The pdf contains the ATSDR profile	X		X		X			X	
CDC ATSDR	https://www.atsdr.cdc.gov/csem/asbestos_2014/docs/asbestos.pdf	Asbestos toxicity case studies	X			X	X			X	
ATSDR	https://www.atsdr.cdc.gov/hac/pha/eldoradohills/techinfosheetrev72011508.pdf	ATSDR Asbestos Technical Information Sheet		X		X	X			X	
ATSDR	https://www.atsdr.cdc.gov/hac/pha/OakRidgeHS-013106/OakRidgeHighSchoolHC013106.pdf	HC El Dorado Hills CA Oak Ridge High School		X		X	X		X		
ATSDR	https://www.atsdr.cdc.gov/hac/pha/HoughtonKeweenawMI/PHA/HoughtonKeweenawMI/PHA013003.pdf	Public Health Assessment Houghton/Keweenaw Counties MI		X		X	X			X	
ATSDR	https://www.atsdr.cdc.gov/HAC/pha/MinifieldsAsbestosSite/MinifieldsAsbestosSiteLetterHC07122012.pdf	Letter HC Street, Maryland		X		X	X			X	
ATSDR	https://www.atsdr.cdc.gov/hac/pha/ZonoliteWRGrace031405-NJ/appendices.pdf	Zonolite GR appendices	X			X		X	X		
ATSDR	https://www.atsdr.cdc.gov/HAC/pha/LibbyAsbestosSite/MT_LibbyPHAMay-15-2003_508.pdf	Public Health Assessment Libby, MT	X			X	X		X		
ATSDR	https://www.atsdr.cdc.gov/hac/pha/swiftcreekasbestos/swiftcreekasbestos_2-22-2008.pdf	HC Everson, WA		X		X	X		X		
ATSDR	https://www.atsdr.cdc.gov/HAC/pha/BoRitAsbestosSite/BORIT_Asbestos_LHC_508.pdf	Letter HC Ambler, PA		X		X		X		X	
ATSDR	https://www.atsdr.cdc.gov/hac/pha/amblergravelpitjune2007/amblergravelpitjune2007.pdf	HC Ambler, AK	X			X	X			X	
ATSDR	https://www.atsdr.cdc.gov/HAC/pha/PowhatanMiningCompany/PowhatanMiningCompanyLetterHC11142011.pdf	Letter HC Woodlawn, MD		X		X	X			X	
ATSDR	https://www.atsdr.cdc.gov/HAC/pha/AlexandriaVA/PHA/AlexandriaVA/PHA013003.pdf	Letter HC Alexandria, VA		X		X		X		X	
ATSDR	https://www.atsdr.cdc.gov/HAC/pha/PowhatanMiningLHCOnOffsiteResidence03202012.pdf	Letter HC Woodlawn, MD Powhatan Mining		X		X	X			X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
ATSDR	http://www.atsdr.cdc.gov/hac/pha/eldoradohills/eldoradohillsfinalhc08162011.pdf	HC El Dorado Hills CA Wide Asb Exposure	x			x	x			x	
ATSDR	https://www.atsdr.cdc.gov/HAC/pha/SwiftCreekSedimentAsbestos/SwiftCreekHC033006.pdf	HC Swift Creek Whatcom County, WA - Sediment Asb		x		x	x			x	
ATSDR	https://www.atsdr.cdc.gov/HAC/pha/BoRitAsbestosSite/BoRitAsbestosSiteHCFinal07192013_508.pdf	HC BoRit Asbestos Site, Ambler PA - Response to Public Comments		x		x	x			x	
ATSDR	https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=1240&pg=2	Preliminary Public Health Assessment Walpole, MA		x		x	x		x		
ATSDR	https://www.atsdr.cdc.gov/HAC/pha/PowhatanMining/PowhatanMiningLHC2ndOffsiteResidence02232012.pdf	Mining - 2cd offsite indoor air sampling		x		x		x		x	
ATSDR	https://www.atsdr.cdc.gov/HAC/PHAZ/Arizona_hc/Arizonaolite%20HC-FINAL.pdf	HC Glendale AZ, Ari-Zonolite	x			x	x		x		
ATSDR	https://www.atsdr.cdc.gov/hac/pha/PHA.asp?docid=271&pg=1	HC Burns Air Force Rang, Burns OR		x		x		x		x	
ATSDR	http://www.atsdr.cdc.gov/hac/pha/Arizona_hc/wr%20grace%20-%203rd%20offsite%20residence_hc_final.pdf	HC W.R. Grace Exfoliation Facility		x		x		x		x	
ATSDR	https://www.atsdr.cdc.gov/hac/PHA/HCPHA.asp?State=MT	List of HCs and PHAs for Montana on ATSDR website		x		x		x		x	
ATSDR	https://www.atsdr.cdc.gov/hac/pha/vermiculitehod/vermiculitehcfinal040805.pdf	Health Statistics Review for Louisiana Communities		x		x		x	x		
ATSDR	http://www.atsdr.cdc.gov/hac/pha/sapphirevalleygemmine/sapphirevalleygemminehc09-18-2009.pdf	HC Sapphire Valley Jackson County, NC		x		x	x			x	
ATSDR	http://www.atsdr.cdc.gov/hac/pha/Clams/PortHeiden/PortHeidenAsbExposure09-18-2009.pdf	Public Health Consultation Asb Exposure in Clams, Port Heiden AK	x			x	x			x	
ATSDR	https://www.atsdr.cdc.gov/hac/pha/Zonolite-W.R.Grace/ZonoliteSiteLHC02-18-2009.pdf	Letter HC Zonolite/W.R. Grace Site, Jefferson LA		x		x	x			x	
ATSDR	http://www.atsdr.cdc.gov/hac/pha/powhatanmining/powhatanmininghconsteresidence02232012.pdf	MD Onsite Residence Indoor Air Sampling		x		x		x		x	
ATSDR	https://www.atsdr.cdc.gov/HAC/pha/PowhatanMining/PowhatanMiningLHC3rdOffsiteResidence03202012.pdf	MD 3rd Offsite Residence Indoor Air Sampling		x		x	x			x	
ATSDR	https://www.atsdr.cdc.gov/hac/pha/PHA.asp?docid=206&pg=2	Public Health Assessment Nation Air Station, Jacksonville, FL		x		x		x		x	
ATSDR	https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=771&pg=1	Public Health Assessment Spickler Landfill, WI		x		x	x			x	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
ATSDR	https://www.atsdr.cdc.gov/HAC/pba/WesternMineralDustStudy/WesternMineralDustStudyHC01182012.pdf	HC Western Mineral Products Site, Minneapolis MN		X		X	X		X		
ATSDR	http://www.atsdr.cdc.gov/hac/pba/vermiculitenorthwest072204-wa/vermiculitenw072204-wa_pt1.pdf	HC Spokane, WA	X			X	X		X		
ATSDR	https://www.atsdr.cdc.gov/HAC/pba/los_angeles_glendale/A%20HC%202006%20FINAL%20to%20RR.pdf	HC California Zonolite/WR Grace Company Site	X			X	X		X		
ATSDR	https://www.atsdr.cdc.gov/hac/pba/pha.asp?docid=553&pg=1	List of HC and PHAs for IL on ATSDR's website		X		X		X		X	
ATSDR	https://www.atsdr.cdc.gov/hac/pba/los_angeles_glendale/CS110807-Glendale-CANHA.pdf	Asbestos Neighborhood Health Alert		X		X		X		X	
ATSDR	https://www.atsdr.cdc.gov/hac/pba/easthampton_zonolite/easthampton_zonolite.pdf	HC Easthampton MA	X			X	X		X		
ATSDR	https://www.atsdr.cdc.gov/hac/pba/pha.asp?docid=898&pg=1	List of HC and PHAs for AK on ATSDR's website		X		X		X		X	
ATSDR	https://www.atsdr.cdc.gov/hac/pba/formerCelotexIndustrialPark/formerCelotexIndustrialPark02092011.pdf	Public Health Assessment Celotex Industrial Park		X		X	X			X	
ATSDR	https://www.atsdr.cdc.gov/hac/pba/pha.asp?docid=974&pg=2	List of HC and PHAs for CT on ATSDR's website		X		X		X		X	
ATSDR	https://www.atsdr.cdc.gov/hac/pba/vermiculiteintermountain/vermiculiteintermountainhc030107.pdf	HC Epi Investigation of Human Exposure to Vermiculite Site in UT		X		X		X	X		
ATSDR	https://www.atsdr.cdc.gov/hac/pba/PHA.asp?docid=52&pg=1	List of HC and PHAs for CA on ATSDR's website		X		X		X		X	
ATSDR	https://www.atsdr.cdc.gov/HAC/pba/MarineCorpsQuanticoMCCDC%20Quantico%20Final%20PHA%20050604_508.pdf	Public Health Assessment Marine Corps Combat Quantico, VA		X		X	X			X	
ATSDR	https://www.atsdr.cdc.gov/hac/pba/agriculturestreet/airforce/air_p2.html	PHA Air Force Plant 85 Columbus OH		X		X	X			X	
ATSDR	https://www.atsdr.cdc.gov/hac/pba/pha.asp?docid=331&pg=1	List of HC and PHAs for PA on ATSDR's website		X		X		X		X	
ATSDR	https://www.atsdr.cdc.gov/HAC/pba/IllinoisBeachStatePark/IllinoisBeachStateParkEIHHC101907.pdf	HC for Illinois Bease State Park		X		X	X			X	
ATSDR	https://www.atsdr.cdc.gov/HAC/pba/NorthRidgeEstates052104-OR/NorthRidgeEstatesHC052104.pdf	HC North Ridge Estates, Klamath Falls, OR		X		X		X		X	
ATSDR	https://www.atsdr.cdc.gov/HAC/PHA/HCPHA.asp?State=PA	List of HC and PHAs for PA on ATSDR's website		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
ATSDR	https://www.atsdr.cdc.gov/hac/pha/agriculturestreet/airforce/air_p1.html	Public Health Assessment Air Force Plant 85		X		X		X		X	
ATSDR	https://www.atsdr.cdc.gov/hac/pha/NavalAirFacility/Document.pdf	Public Health Assessment Naval Air facility, Adak	X			X	X			X	
ATSDR	https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=1215&pg=2	Public Health Assessment Sunflower Army Ammunition Plant		X		X	X			X	
ATSDR	https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=932&pg=3	List of HC and PHAs for AK on ATSDR's website		X		X		X		X	
ATSDR	https://www.atsdr.cdc.gov/hac/pha/PHA.asp?docid=28&pg=1	List of HC and PHAs for CA on ATSDR's website		X		X		X		X	
ATSDR	http://www.atsdr.cdc.gov/HAC/pha/pha.asp?docid=1330&pg=1	Preliminary PHA Sokane Junkyard, WA		X		X		X		X	
ATSDR	https://www.atsdr.cdc.gov/HAC/pha/wpracesuperfundsite/wr%20race%20facility%206-19-2012.pdf	HC Review of Vermiculite Findings and Community Investigation		X		X	X			X	
ATSDR	https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=932&pg=0	List of HC and PHAs for AK on ATSDR's website		X		X		X		X	
ATSDR	https://www.atsdr.cdc.gov/hac/PHA/HCPHA.asp?State=CA	List of HC and PHAs for CA on ATSDR's website		X		X		X		X	
ATSDR	https://www.atsdr.cdc.gov/HAC/pha/Vermiculite%20Northwest/NAERTIiers%20(scanned).pdf	National Asbestos Exposure Review		X		X		X		X	
ATSDR	http://www.atsdr.cdc.gov/hac/pha/FormerCardwellMemorialHospital/FormerCardwellMemorialHospitalHC030306.pdf	HC Cardwell Memorial Hospital, Stella, MO		X		X	X			X	
ATSDR	https://www.atsdr.cdc.gov/hac/pha/OldFortFinishing/OldFortFinishingSite/HC02-16-2010.pdf	Letter HC Old Fort, NC		X		X		X		X	
ATSDR	https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=501&pg=1	PHA Norfolk Naval Base, VA		X		X		X		X	
ATSDR	https://www.atsdr.cdc.gov/hac/pha/HCPHA.asp?State=LA	List of HC and PHAs for LA on ATSDR's website		X		X		X		X	
ATSDR	https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=1215&pg=4	Table 2 of PHA Sunflower Army Ammunition Plant		X		X	X			X	
ATSDR	https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=587&pg=1	List of HC and PHAs for IL on ATSDR's website		X		X		X		X	
ATSDR	https://www.atsdr.cdc.gov/hac/pha/pha.asp?docid=1131&pg=2	PHA Hanlin-Allied-Olin Moundsville, WV		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
ATSDR	https://www.atsdr.cdc.gov/HAC/pha/FermerAZTanningCompany/ArizonaTanningCompanyHC05212010.pdf	HC Arizona Tanning Company Site, Pinal County AZ		x		x	x			x	
ATSDR	https://www.atsdr.cdc.gov/HAC/PHA/HCPHA.asp?State=WA	List of HC and PHAs for WA on ATSDR's website		x		x		x		x	
ATSDR	https://www.atsdr.cdc.gov/hac/pha/valleyasphaltproduction/site120805/valleyasphalt120805.pdf	HC Spanish Fork, UT		x		x	x			x	
CDC NIOSH	https://www.cdc.gov/niosh/npg/nengapdxg.html	Update Project - Exposure Limits NOT in Effect	x			x		x		x	
CDC NIOSH	https://www.cdc.gov/niosh/npg/npgd0041.html	hazards- name (including synonyms/trade names),	x		x			x		x	
CDC NIOSH	https://www.cdc.gov/niosh/npg/npgd0041.html			x		x		x		x	
CDC NIOSH	https://www.cdc.gov/niosh/docs/2003-154/pdfs/9000.pdf	is a collection of methods for sampling and analysis of contaminants in		x		x		x		x	
CDC NIOSH	https://www.cdc.gov/niosh/docs/2003-154/pdfs/9000.pdf	Peer review article		x		x		x		x	
CDC NIOSH	https://www.cdc.gov/niosh/docs/1970/78127_5.html	Asbestos Exposure During Servicing of Motor Vehicle Brake and Clutch	x			x		x		x	
CDC NIOSH	https://www.cdc.gov/niosh/docs/77-169/pdfs/77-169.pdf	Revised Recommended Asbestos Standard	x		x		x			x	
CDC NIOSH	https://www.cdc.gov/niosh/docs/81-103/pdfs/81-103.pdf	Review and Recommendations #81-103	x		x		x			x	
CDC NIOSH	https://www.cdc.gov/niosh/topics/vermiculite/pdfs/HETA2000-0407.pdf	Letter		x		x		x		x	
CDC NIOSH	https://www.cdc.gov/niosh/docs/2003-154/pdfs/9000.pdf	Powerpoint presentation		x		x		x		x	
CDC NIOSH	http://www.cdc.gov/niosh/topics/asbestos/other.html	NIOSH page linking to other resources		x		x		x		x	
CDC NIOSH	https://www.cdc.gov/niosh/npg/nengapdxg.html	Appendix C- supplementary exposure limits	x			x		x		x	
CDC NIOSH	https://www.cdc.gov/niosh/docs/2003-154/pdfs/chapter-1.pdf	Methods for detection		x		x		x		x	
CDC NIOSH	https://www.cdc.gov/niosh/docs/2003-154/pdfs/chapter-1.pdf	Methods for detection		x		x		x		x	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
CDC NIOSH	https://www.cdc.gov/niosh/docket/archive/pdfs/NIOSH-099A/0099A-060608-CIB.pdf	fibers and other elongated mineral particles: state of the science and	X		X			X		X	
CDC NIOSH	https://www.cdc.gov/niosh/docs/81-103/pdfs/81-103.pdf	Duplicate	X			X		X		X	
CDC NIOSH	https://www.cdc.gov/niosh/docs/89-121/	Control of Asbestos Exposure During Brake Drum Exposure	X			X	X			X	
CDC NIOSH	http://www.cdc.gov/niosh/nioshtic-2/00114443.html	Methods for detection		X		X		X		X	
CDC NIOSH	http://www.cdc.gov/niosh/nioshtic-2/00135165.html	Peer review article		X		X		X		X	
CDC NIOSH	http://www.cdc.gov/niosh/nioshtic-2/00143511.html	Methods for detection		X		X		X		X	
CDC NIOSH	http://www.cdc.gov/niosh/nioshtic-2/00180382.html	Methods for detection		X		X		X		X	
CDC NIOSH	https://www.cdc.gov/niosh/nioshtic-2/20034603.html	Methods for detection		X		X		X		X	
CDC NIOSH	http://www.cdc.gov/niosh/nioshtic-2/00150460.html	Chemical characteristics of asbestos and associated trace elements.		X	X			X		X	
CDC NIOSH	https://www.cdc.gov/niosh/docs/97-125/	DHHS (NIOSH) Publication Number 97-125; More of a fact sheet summary		X		X		X		X	
CDC NIOSH	http://www.cdc.gov/niosh/pqms/worknotify/asbestos.html	summarizes NIOSH study on health effects/ mortality of occ exposure	X			X		X		X	
CDC NIOSH	http://www.cdc.gov/niosh/nioshtic-2/00183851.html	asbestos. Asbestos exposure during servicing of motor vehicle brake and	X			X		X		X	
CDC NIOSH	http://www.cdc.gov/niosh/nioshtic-2/00092775.html	Methods for detection		X		X		X		X	
CDC NIOSH	http://www.cdc.gov/niosh/programs/resp/risks.html	general short summary info		X		X		X		X	
CDC NIOSH	https://www.cdc.gov/niosh/docs/2003-154/pdfs/7400.pdf	Methods for detection		X		X		X		X	
CDC NIOSH	http://www.cdc.gov/niosh/nioshtic-2/20043322.html	Peer review article		X		X		X		X	
CDC NIOSH	http://www.cdc.gov/niosh/nioshtic-2/00194483.html	Peer review article		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
CDC NIOSH	https://www.cdc.gov/niosh/docs/90-108/	Proceedings of the VIIth: International Pneumoconioses Conference	x			x	x			x	
CDC NIOSH	http://www.cdc.gov/niosh/nioshtic-2/20034783.html	Peer review article		x		x		x		x	
CDC NIOSH	http://www.cdc.gov/niosh/nioshtic-2/00174266.html	Peer review article		x		x		x		x	
CDC NIOSH	https://www.cdc.gov/niosh/docket/archive/pdfs/niosh-099/0099-050407-eqilman_presentation.pdf	Powerpoint presentation, Public comment presenting peer review data		x		x		x		x	
CDC NIOSH	http://www.cdc.gov/niosh/nioshtic-2/00219288.html	Peer review article		x		x		x		x	
CDC NIOSH	http://www.cdc.gov/niosh/nioshtic-2/00203479.html	Peer review article		x		x		x		x	
CDC NIOSH	http://www.cdc.gov/niosh/nioshtic-2/00205178.html	Peer review article		x		x		x		x	
CDC NIOSH	https://www.cdc.gov/niosh/docket/archive/pdfs/NIOSH-099/0099-050407-gibbs_presentation.pdf	Powerpoint presentation, Public comment		x		x		x		x	
CDC NIOSH	http://www.cdc.gov/niosh/nioshtic-2/00225007.html	Peer review article		x		x		x		x	
CDC NIOSH	http://www.cdc.gov/niosh/nioshtic-2/00129248.html	Peer review article		x		x		x		x	
CDC NIOSH	http://www.cdc.gov/niosh/nioshtic-2/00133792.html	Asbestos Exposure Assessment for Brake Mechanics, Report No. IWS-32-	x		x			x		x	
CDC NIOSH	http://www.cdc.gov/niosh/nioshtic-2/00223205.html	Peer review article		x		x		x		x	
CDC NIOSH	https://www.cdc.gov/niosh/nioshtic-2/00196543.html	Peer review article		x		x		x		x	
CDC NIOSH	http://www.cdc.gov/niosh/nioshtic-2/00059443.html	Peer review article		x		x		x		x	
CDC NIOSH	https://www.cdc.gov/niosh/docs/2003-154/pdfs/7402.pdf	is a collection of methods for sampling and analysis of contaminants in		x		x		x		x	
CDC NIOSH	https://www.cdc.gov/niosh/npg/npqd0584.html	Not asbestos		x		x		x		x	
CDC NIOSH	http://www.cdc.gov/niosh/nioshtic-2/00241722.html	Peer review article		x		x		x		x	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
CDC NIOSH	http://www.cdc.gov/niosh/nioshtic-2/00187034.html	Peer review article		X		X		X		X	
CDC NIOSH	http://www.cdc.gov/niosh/nioshtic-2/00023959.html	Peer review article		X		X		X		X	
CDC NIOSH	http://www.cdc.gov/niosh/nioshtic-2/00019142.html	Peer review article		X		X		X		X	
CDC NIOSH	http://www.cdc.gov/niosh/nioshtic-2/20036350.html	Peer review article		X		X		X		X	
CDC NIOSH	https://www.cdc.gov/niosh/nioshtic-2/00012058.html	Peer review article		X		X		X		X	
CDC NIOSH	https://www.cdc.gov/niosh/docs/90-119/pdfs/90-119.pdf	Containment in Asbestos Removal: on site treatment/removal, air sampling,	X		X			X		X	
CDC NIOSH	http://www.cdc.gov/niosh/nioshtic-2/00239913.html	Peer review article		X		X		X		X	
CDC NIOSH	http://www.cdc.gov/niosh/nioshtic-2/20044481.html	Peer review article		X		X		X		X	
CDC NIOSH	https://www.cdc.gov/niosh/stockel/archive/pdfs/NIOSH-099/0099-053007-keleka_sub_file6.pdf	cancer and mesothelioma from exposure to Amphibole cleavage	X		X		X			X	
CDC NIOSH	http://www.cdc.gov/niosh/nioshtic-2/00178073.html	General pamphlet for public		X		X		X		X	
CDC NIOSH	https://www.cdc.gov/niosh/nioshtic-2/00197039.html	Peer review article		X		X		X		X	
CDC NIOSH	http://www.cdc.gov/niosh/nioshtic-2/00185315.html	Testing of hair dryers for asbestos emissions		X		X	X			X	
CDC NIOSH	https://www.cdc.gov/niosh/nioshtic-2/00240977.html	Peer review article		X		X		X		X	
CDC NIOSH	https://www.cdc.gov/niosh/nioshtic-2/00202765.html	Peer review article		X		X		X		X	
CDC NIOSH	https://www.cdc.gov/niosh/awards/hamilton/pdfs/dement-human-2008.pdf	Peer review article		X		X		X		X	
CDC NIOSH	https://www.cdc.gov/niosh/docs/2014-151/pdfs/methods/9000.pdf	is a collection of methods for sampling and analysis of contaminants in		X		X		X		X	
CDC NIOSH	https://www.cdc.gov/niosh/docs/2003-154/pdfs/9002.pdf	is a collection of methods for sampling and analysis of contaminants in		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
CDC NIOSH	http://www.cdc.gov/niosh/nioshtic-2/20035037.html	Peer review article		X		X		X		X	
CDC NIOSH	http://www.cdc.gov/niosh/nioshtic-2/20027691.html	Peer review article		X		X		X		X	
CDC NIOSH	https://www.cdc.gov/niosh/docket/archive/pdfs/niosh-099-050407-lee-strohmeier_presentation.pdf	comment (has some information about fibers)		X	X			X		X	
CDC NIOSH	https://www.cdc.gov/niosh/docket/archive/pdfs/NIOSH-099A/0099A-093008_Gambleetal_ref.pdf	Peer review article		X		X		X		X	
CDC NIOSH	https://www.cdc.gov/niosh/nioshtic-2/00147368.html	Peer review article		X		X		X		X	
CDC NIOSH	https://www.cdc.gov/niosh/docket/archive/pdfs/NIOSH-099A/0099A-030104-Pictorialpresentation.pdf	growth habit and their relationship to cancer studies	X		X		X			X	
CDC NIOSH	https://www.cdc.gov/niosh/docket/archive/pdfs/NIOSH-099-053007-kelse_sub_file1.pdf	White Paper: Asbestos, Health Risk and Tremolitic Talc	X		X			X	X		
CDC NIOSH	https://www.cdc.gov/niosh/docs/72-10267/pdfs/7210267.pdf	Criteria for a Recommended Standard-Occupational Exposure to Asbestos	X			X		X		X	
CDC NIOSH	https://www.cdc.gov/niosh/docket/archive/pdfs/niosh-099c/0099c-041610-ford_attachment3.pdf	Peer review article		X		X		X		X	
CDC NIOSH	https://www.cdc.gov/niosh/docket/archive/pdfs/NIOSH-099-050407-castleman_sub.pdf	Senate Testimony Outline		X		X		X		X	
CDC NIOSH	http://www.cdc.gov/niosh/nioshtic-2/20033324.html	Peer review article		X		X		X		X	
CDC NIOSH	http://www.cdc.gov/niosh/updates/upd-03-23-11.html	Announcement of NIOSH publication already found		X		X		X		X	
CDC NIOSH	http://www.cdc.gov/niosh/nioshtic-2/00129737.html	Peer review article		X		X		X		X	
CDC NIOSH	https://www.cdc.gov/niosh/surveyreports/pdfs/147-11a.pdf	technology for asbestos removal industry at Columbus East High	X			X		X		X	
CDC NIOSH	http://www.cdc.gov/niosh/nioshtic-2/00207136.html	Peer review article		X		X		X		X	
CDC NIOSH	https://www.cdc.gov/niosh/pgms/worknotif/pdfs/LibbyWorkerNotification.pdf	NIOSH Libby Vermiculite Study: Update of a Cohort Mortality Study	X			X		X	X		
CDC NIOSH	http://www.cdc.gov/niosh/docket/archive/docket099c.html	62- Captured the final document, this page has drafts and supplemental		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
CDC NIOSH	https://www.cdc.gov/niosh/awards/hamilton/pdfs/crystal-silica.pdf	Peer review article		X		X		X		X	
CDC NIOSH	http://www.cdc.gov/niosh/nioshtic-2/10006887.html	Characterization of Amosite, Chrysotile, Crocidolite, and Nonfibrous		X	X			X		X	
CDC NIOSH	https://www.cdc.gov/niosh/docket/archive/pdfs/NIOSH-099/0099-053007-kelso_sub_fill6.pdf	Peer review article		X		X		X		X	
CDC NIOSH	http://www.cdc.gov/niosh/nioshtic-2/20032483.html	Peer review article		X		X		X		X	
CDC NIOSH	http://www.cdc.gov/niosh/nioshtic-2/00222767.html	Peer review article		X		X		X		X	
CDC NIOSH	http://www.cdc.gov/niosh/nioshtic-2/00010580.html	Peer review article		X		X		X		X	
CDC NIOSH	http://www.cdc.gov/niosh/nioshtic-2/20032649.html	Peer review article		X		X		X		X	
CDC NIOSH	http://www.cdc.gov/niosh/nioshtic-2/20035809.html	Peer review article		X		X		X		X	
CDC NIOSH	http://www.cdc.gov/niosh/nioshtic-2/00222919.html	Peer review article		X		X		X		X	
CDC NIOSH	https://www.cdc.gov/niosh/awards/hamilton/pdfs/eng_16.pdf	Peer review article		X		X		X		X	
CDC NIOSH	http://www.cdc.gov/niosh/nioshtic-2/00068052.html	Peer review article		X		X		X		X	
CDC NIOSH	https://www.cdc.gov/niosh/nioshtic-2/00219288.html	Peer review article		X		X		X		X	
CDC NIOSH	http://www.cdc.gov/niosh/nioshtic-2/20036121.html	US Dept of the Interior, Bureau of Mines		X		X		X		X	
CDC NIOSH	http://www.cdc.gov/niosh/nioshtic-2/00204038.html	Peer review article		X		X		X		X	
CDC NIOSH	https://www.cdc.gov/niosh/docket/archive/pdfs/NIOSH-099A/0099A-033008-Appendix1.pdf	Appendix of doc already captured		X		X		X		X	
CDC NIOSH	http://www.cdc.gov/niosh/nioshtic-2/20040887.html	Peer review article		X		X		X		X	
CDC NIOSH	https://www.cdc.gov/niosh/docket/archive/pdfs/NIOSH-099A/0099A-033008-Addison_ref.pdf	Peer review article; only first page		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
CDC NIOSH	https://www.cdc.gov/niosh/nioshtic-2/20045115.html	Peer review article		X		X		X		X	
CDC NIOSH	https://www.cdc.gov/niosh/docket/archive/pdfs/niosh-099c-0099c-041610-vanorden_footnote11.pdf	tremolite from non-asbestiform tremolite", discusses the reasoning		X	X		X			X	
CDC NIOSH	http://www.cdc.gov/niosh/nioshtic-2/00239346.html	Peer review article		X		X		X		X	
CDC NIOSH	https://www.cdc.gov/niosh/docket/archive/pdfs/NIOSH-099/0099-050407-Hartley_presentation.pdf	powerpoint presentation		X		X		X		X	
CDC NIOSH	https://www.cdc.gov/niosh/docket/archive/pdfs/NIOSH-099/0099C-041610-Ford_Attachment7.pdf	Peer review article		X		X		X		X	
CDC NIOSH	http://www.cdc.gov/niosh/nioshtic-2/20036122.html	U.S. Department of the Interior, Bureau of Mines		X		X		X		X	
CDC NIOSH	https://www.cdc.gov/niosh/docket/archive/pdfs/NIOSH-099C/0099C-041610-VanOrden_Footnote6.pdf	Peer review article		X		X		X		X	
CDC NIOSH	https://www.cdc.gov/niosh/docket/archive/pdfs/NIOSH-099/0099-050407-Jemen_presentation.pdf	Public comments response to Roadmap		X		X		X		X	
CDC NIOSH	https://www.cdc.gov/niosh/docket/archive/pdfs/niosh-099/0099-053007-kelise_sub_file9.pdf	some peer review + white papers) regarding asbestos fibers,		X	X			X		X	
CDC NIOSH	http://www.cdc.gov/niosh/nioshtic-2/10004328.html	U.S. Department of the Interior, Bureau of Mines		X		X		X		X	
CDC NIOSH	https://www.cdc.gov/niosh/nioshtic-2/00094753.html	Peer review article		X		X		X		X	
CDC NIOSH	https://www.cdc.gov/niosh/nioshtic-2/00239305.html	Peer review article		X		X		X		X	
CDC NIOSH	https://www.cdc.gov/niosh/nioshtic-2/00169702.html	Peer review article		X		X		X		X	
CDC NIOSH	https://www.cdc.gov/niosh/docket/archive/pdfs/niosh-099c-0099c-041210-satterley_1_sub.pdf	Public comments response to Roadmap		X		X		X		X	
CDC NIOSH	https://www.cdc.gov/niosh/docket/archive/pdfs/NIOSH-099/0099-052707-addison_sub.pdf	Public comments response to Roadmap		X		X		X		X	
CDC NIOSH	https://www.cdc.gov/niosh/docket/archive/pdfs/niosh-099c-0099c-041210-satterley_exhibit2.pdf	Peer review article		X		X		X		X	
CDC NIOSH	https://www.cdc.gov/niosh/nioshtic-2/00203490.html	Peer review article		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes	
	URL	Annotation	Engineering		Fate		Exposure		Human Health			
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic		
CDC NIOSH	http://www.cdc.gov/niosh/nioshtic-2/10007953.html	Characteristics for Tremolite Cleavage Fragments and Fibers; particle size		X	X				X		X	
CDC NIOSH	https://www.cdc.gov/niosh/docket/archive/pdfs/niosh-099a/0099a-093008-wyljabalov_ref.pdf	Peer review article		X		X		X			X	
CDC NIOSH	http://www.cdc.gov/niosh/nioshtic-2/20045855.html	Peer review article		X		X		X			X	
CDC NIOSH	https://www.cdc.gov/niosh/nioshtic-2/00230920.html	Peer review article		X		X		X			X	
CDC NIOSH	https://www.cdc.gov/niosh/docket/archive/pdfs/NIOSH-099/0099-053007-kelse_sub_file7.pdf	Peer review article		X		X		X			X	
CDC NIOSH	http://www.cdc.gov/niosh/nioshtic-2/20040756.html	Peer review article		X		X		X			X	
CDC NIOSH	https://www.cdc.gov/niosh/docket/archive/pdfs/NIOSH-099/0099-053107-ford_sub.pdf	Public comments response to Roadmap		X		X		X			X	
CDC NIOSH	https://www.cdc.gov/niosh/docket/archive/pdfs/niosh-099c/0099c-041510-vanorden_d_sub.pdf	Public comments response to Roadmap		X		X		X			X	
CDC NIOSH	https://www.cdc.gov/niosh/docket/archive/pdfs/NIOSH-099A/0099A-070706-Lee_Exhibit%20C.pdf	Response of RJ Leer Group		X		X		X			X	
CDC NIOSH	http://www.cdc.gov/niosh/pel88/14807-96.html	Talc (no asbestos)		X		X		X			X	
CDC NIOSH	https://www.cdc.gov/niosh/docket/archive/pdfs/NIOSH-099C/0099C-041410-Abrams_et_al_sub.pdf	Public comments response to Roadmap		X		X		X			X	
CDC NIOSH	https://www.cdc.gov/niosh/awards/hamilton/pdfs/Hein-human-2008.pdf	Peer review article		X		X		X			X	
CDC NIOSH	https://www.cdc.gov/niosh/nioshtic-2/00073965.html	Peer review article		X		X		X			X	
CDC NIOSH	http://www.cdc.gov/niosh/nioshtic-2/00082586.html	Analysis of Talc by X-ray Diffraction and Polarized Light Microscopy.		X		X		X			X	
CDC NIOSH	https://www.cdc.gov/niosh/docs/2011-197/pdfs/2011-197.pdf	medical evidence related to cancer for the world trade center health program	X			X		X		X		
CDC NIOSH	http://www.cdc.gov/niosh/awards/hamilton/aliceabs08.html	Not relevant		X		X		X			X	
CDC NIOSH	https://www.cdc.gov/niosh/docket/archive/pdfs/niosh-099/0099-053007-webber_sub.pdf	Public comments response to Roadmap		X		X		X			X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
CDC NIOSH	https://www.cdc.gov/niosh/docket/archive/pdfs/NIOSH-099A/0099A-093008-Ford_letter_sub.pdf	Public comments response to Roadmap		X		X		X		X	
CDC NIOSH	https://www.cdc.gov/niosh/docket/archive/pdfs/NIOSH-099A/0099A-070706-Lee_Attachment%20A-5a.pdf	Response of RJ Leer Group		X		X		X		X	
CDC NIOSH	https://www.cdc.gov/niosh/docs/81-123/pdfs/0558.pdf	Not relevant chemical		X		X		X		X	
CDC NIOSH	https://www.cdc.gov/niosh/docs/2013-139/pdfs/2013-139.pdf	Bibliography- has listings of some asbestos publications (peer review)		X		X		X		X	
CDC NIOSH	http://www.cdc.gov/niosh/topics/cancer/npotocca.html	List of carcinogens		X		X		X		X	
CDC NIOSH	https://www.cdc.gov/niosh/docs/81-123/pdfs/0584.pdf	Talc (non asbestos form)		X		X		X		X	
CDC NIOSH	https://www.cdc.gov/niosh/hhe/reports/pdfs/1988-0372-1953.pdf	HETA-88-372-1953, Barbados Ministry of Health, Bridgetown,	X			X	X			X	
CDC NIOSH	https://www.cdc.gov/niosh/npg/nengapdx.html	Requirements for Selected Chemicals; Occupational control	X			X		X		X	
CDC NIOSH	https://www.cdc.gov/niosh/hhe/reports/pdfs/1991-0040-2510.pdf	Kraft General Foods, Inc., Maxwell House Coffee, Co., Houston, Texas.	X			X		X		X	
CDC NIOSH	http://www.cdc.gov/niosh/npg/npgdcas.html	Exposure limit	X			X		X		X	
CDC NIOSH	http://www.cdc.gov/niosh/topics/chemical.html	Source page for NIOSH resources on Asb (links captured below)	X			X		X		X	
CDC NIOSH	http://www.cdc.gov/niosh/topics/chemical.html	United States: 1982-1993, death rates for asbestosis across US	X			X	X			X	
CDC NIOSH	http://www.cdc.gov/niosh/topics/chemical.html	2000-127), (mortality, morbidity, asbestos exposure; by occupation	X			X		X		X	
CDC NIOSH	http://www.cdc.gov/niosh/topics/chemical.html	Surveillance Report, 2002 (mortality, morbidity, asbestos exposure; by	X			X	X			X	
CDC NIOSH	http://www.cdc.gov/niosh/topics/chemical.html	Asbestos Fibers and Other Elongate Mineral Particles: State of the Science	X		X			X		X	
CDC NIOSH	http://www.cdc.gov/niosh/topics/chemical.html	Potential Exposures of Workers to Asbestos Associated with	X			X	X			X	
CDC NIOSH	http://www.cdc.gov/niosh/topics/chemical.html	Occupational Safety and Health Guideline for Asbestos	X		X			X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
CDC NIOSH	http://www.cdc.gov/niosh/topics/chemical.html	Study of Cancer among U.S. Fire Fighters (summary of NIOSH study on	X			X		X		X	
CDC NIOSH	http://www.cdc.gov/niosh/topics/chemical.html	Research Agenda Report of the Workers' Family Protection Task	X			X		X		X	
CDC NIOSH	http://www.cdc.gov/niosh/topics/chemical.html	Home Contamination Study Conducted Under The Workers'	X			X	X			X	
CDC NIOSH	http://www.cdc.gov/niosh/topics/chemical.html	Occupational Respiratory Disease Surveillance- links	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/1986-0434-1833.pdf	Human Hazard Eval. Report	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/77-102-434.pdf	at places for gen pop exposure, children too	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/2002-0343-2902.pdf	Asbestos not measured		X		X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/1992-0230-2471.pdf	Asbestos not measured		X		X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/82-93-1453.pdf	Human Hazard Eval. Report	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/1990-0155-2169.pdf	Asbestos not measured		X		X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/1996-0171-2692.pdf	Human Hazard Eval. Report	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/2003-0351-2972.pdf	Asbestos not measured		X		X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/1997-0034-2683.pdf	Asbestos not measured		X		X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/2000-0332-2827.pdf	Human Hazard Eval. Report	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/1992-0009-2362.pdf	Asbestos not measured		X		X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/1986-0535-1797.pdf	Asbestos not measured		X		X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/1987-0017-1949.pdf	Human Hazard Eval. Report	X			X		X	X		

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/2012-0176-3215.pdf	Asbestos not measured		X		X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/2000-0255-2868.pdf	Asbestos not measured		X		X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/1998-0307-2761.pdf	Asbestos not measured		X		X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/2012-0100-3217.pdf	Asbestos not measured		X		X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/2010-0168-3136.pdf	Asbestos not measured		X		X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/1990-0340-2659.pdf	Asbestos not measured		X		X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/1996-0253-2682.pdf	Asbestos not measured		X		X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/1991-0378-2242.pdf	Asbestos not measured		X		X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/2001-0326-2999.pdf	Asbestos not measured		X		X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/1988-0391-2156.pdf	Human Hazard Eval. Report	X			X		X	X		
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/2007-0199-3075_sp.pdf	Spanish version		X		X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/81-38-801.pdf	Human Hazard Eval. Report	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/1991-0349-2311.pdf	Human Hazard Eval. Report	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/81-42-832.pdf	Human Hazard Eval. Report	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/74-45-150.pdf	Human Hazard Eval. Report	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/81-407-993.pdf	Human Hazard Eval. Report	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	http://www.cdc.gov/niosh/hhe/reports/pdfs/79-89-609.pdf	Human Hazard Eval. Report	X			X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/83-112-1309.pdf	Human Hazard Eval. Report, school exposure (occ, susceptible, general)	X			X	X			X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/79-136-668.pdf	Human Hazard Eval. Report	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/83-39-1305.pdf	Human Hazard Eval. Report	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/81-309-936.pdf	exposure only/ doesn't look at health effects	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	http://www.cdc.gov/niosh/hhe/reports/pdfs/73-133-136.pdf	Human Hazard Eval. Report	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/81-209-891.pdf	Human Hazard Eval. Report	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/1991-0053-2320.pdf	Human Hazard Eval. Report	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/81-365-1083.pdf	exposure only/ doesn't look at health effects	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/78-73-612.pdf	Human Hazard Eval. Report	X			X		X	X		
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/1986-0524-1851.pdf	Human Hazard Eval. Report	X			X		X	X		
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/1986-0422-1891.pdf	Human Hazard Eval. Report	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/79-95-613.pdf	Human Hazard Eval. Report	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/76-4-310.pdf	Human Hazard Eval. Report	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/1988-0119-2345.pdf?referer=www.clickfind.com.au	Human Hazard Eval. Report	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/83-438-1479.pdf	Human Hazard Eval. Report	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/84-321-1590.pdf	Human Hazard Eval. Report	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/76-40-341.pdf	Human Hazard Eval. Report	X			X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/83-176-1310.pdf	Human Hazard Eval. Report, school exposure (occ, susceptible, general)	X			X	X			X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/81-28-1059.pdf	Human Hazard Eval. Report	X			X		X	X		
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/83-106-1311.pdf	Human Hazard Eval. Report	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/1991-0040-2510.pdf	Human Hazard Eval. Report	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/2013-0061-3244.pdf	Asbestos not measured		X		X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/1991-0118-2213.pdf	Asbestos not measured		X		X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/79-151-657.pdf	Human Hazard Eval. Report	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	http://www.cdc.gov/niosh/hhe/reports/pdfs/74-94-253.pdf	Human Hazard Eval. Report	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/1991-0215-2293.pdf	Human Hazard Eval. Report	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/1987-0379-1977.pdf	Human Hazard Eval. Report	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/81-477-1192.pdf	Human Hazard Eval. Report	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/73-149-140.pdf	Human Hazard Eval. Report	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/77-34-471.pdf	Human Hazard Eval. Report	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/2008-0166-3079.pdf	Human Hazard Eval. Report	X			X		X	X		
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/81-379-1018.pdf	Asbestos not detected		X		X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/1991-0338-2187.pdf	Human Hazard Eval. Report	X			X		X	X		
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/2012-0077-3223.pdf	Human Hazard Eval. Report	X			X		X	X		

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/75-192-330.pdf	exposure only/ doesn't look at health effects	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/72-24-12.pdf	Human Hazard Eval. Report	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/1987-0392-2099.pdf	Human Hazard Eval. Report	X			X		X	X		
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/82-270-1238.pdf	Human Hazard Eval. Report	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/1992-0319-2459.pdf	Human Hazard Eval. Report	X			X		X	X		
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/81-293-983.pdf	exposure only/ doesn't look at health effects	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/79-141-711.pdf	Human Hazard Eval. Report	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/1989-0126-2057.pdf	Human Hazard Eval. Report	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/1993-1133-2425.pdf	Human Hazard Eval. Report	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/83-44-1596.pdf	Human Hazard Eval. Report	X			X		X	X		
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/83-73-1293.pdf	Human Hazard Eval. Report	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	http://www.cdc.gov/niosh/hhe/reports/pdfs/78-128-549.pdf	exposure only/ doesn't look at health effects	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/80-53-795.pdf	Health Hazard Evaluation Report 80-053-795		X		X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/84-257-1650.pdf	Human Hazard Eval. Report	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/85-21-1654.pdf	Human Hazard Eval. Report	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/2000-0185-2808.pdf	Human Hazard Eval. Report	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/2002-0038-2870.pdf	Human Hazard Eval. Report, building by WTC site (high expos, occ)	X			X	X			X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/2007-0055-3073.pdf	Human Hazard Eval. Report	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	http://www.cdc.gov/niosh/hhe/reports/pdfs/73-135-138.pdf	Human Hazard Eval. Report	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/1994-0329-2574.pdf	Human Hazard Eval. Report	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/80-185-842.pdf	Human Hazard Eval. Report	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/1994-0078-2660.pdf	Asbestos not detected		X		X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/1986-0223-1743.pdf	exposure only/ doesn't look at health effects	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/2014-0026-3230.pdf	Asbestos not measured		X		X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/2012-0141-3220.pdf	Asbestos not measured		X		X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/2007-0199-3075.pdf?viewType=Print&viewClass=Print	Human Hazard Eval. Report	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/2005-0369-3034.pdf	hurricane katrina damage (high expos, occ)	X			X	X			X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/82-302-1461.pdf	Asbestos not measured		X		X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/2002-0157-2887.pdf	Human Hazard Eval. Report	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/2014-0056-3259.pdf	Human Hazard Eval. Report	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/2003-0367-2973.pdf	Asbestos not measured		X		X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/1991-0123-2305.pdf	Asbestos not measured		X		X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/2011-0045-3149.pdf	Asbestos not measured		X		X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/72-91-37.pdf	Human Hazard Eval. Report	X			X		X	X		

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/1992-0095-2317.pdf	Human Hazard Eval. Report	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/2007-0201-3086.pdf	Asbestos not measured		X		X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/2008-0237-3097.pdf	Asbestos not measured		X		X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/1987-0010-1892.pdf	Asbestos not measured		X		X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/1993-0501-2580.pdf	Asbestos not measured		X		X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/1998-0124-2743.pdf	Human Hazard Eval. Report, school exposure (occ, susceptible, general)	X			X	X			X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/2010-0061-3206.pdf	Human Hazard Eval. Report	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/2003-0097-3018.pdf	Asbestos not measured		X		X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/81-92-950.pdf	Human Hazard Eval. Report	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/1992-0415-2502.pdf	Asbestos not measured		X		X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/1988-0372-1953.pdf	Human Hazard Eval. Report, samples in airport (gen pop, occ)	X			X	X			X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/77-69-522.pdf	Human Hazard Eval. Report	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/2015-0025-3237.pdf	Asbestos not measured		X		X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/2008-0286-3084.pdf	Asbestos not measured		X		X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/1996-0109-2616.pdf	Asbestos not measured		X		X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/2000-0134-2847.pdf	Human Hazard Eval. Report	X			X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/83-75-1559.pdf	Human Hazard Eval. Report	X			X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/2004-0145-2941.pdf	Asbestos not measured		X		X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/2011-0113-3179.pdf	Asbestos not measured		X		X		X		X	
CDC NIOSH Health Hazard Evaluations	https://www.cdc.gov/niosh/hhe/reports/pdfs/2007-0167-3078.pdf	Asbestos not measured		X		X		X		X	
CDC NIOHS International Chemical Safety Cards (ICSC)	https://www.cdc.gov/niosh/ipcsneng/nengcas.html	chemical safety card- physical properties, routes of exposure,	X		X			X		X	
CDC NIOHS International Chemical Safety Cards (ICSC)	https://www.cdc.gov/niosh/ipcsneng/nengcas.html	chemical safety card- physical properties, routes of exposure,	X		X			X		X	
FDA Food and Drug Administration	http://www.fda.gov/Cosmetics/ProductsIngredients/Ingredients/ucm293184.htm	testing for asbestos in products with talc	X			X	X			X	
FDA Food and Drug Administration	http://www.fda.gov/downloads/drugs/drugsafety/drugsafetynewsletters/ucm109174.pdf	Info on new drug for mesothelioma treatment		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/OHRMS/DOCKETS/98fr/043003co.pdf	Federal register doc		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/NewsEvents/Newsroom/PressAnnouncements/2004/ucm108240.htm	Info on new drug for mesothelioma treatment		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/OHRMS/DOCKETS/98fr/FDA-2007-N-0379-nfr.pdf	Use of Asbestos Filters in drug production (reg info, use, proc info)	X			X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/ICECI/Inspections/InspectionGuides/ucm074930.htm	Not relevant		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/ohrms/dockets/dailys/03/May03/050903/050903.htm	Not relevant		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/downloads/AdvisoryCommittees/CommitteesMeetingMaterials/ToxicologicalResearch/UCM042342.pdf	CV of researcher		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/downloads/AdvisoryCommittees/UCM154228.pdf	CV of researcher		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/Food/GuidanceRegulation/GuidanceDocumentsRegulatoryInformation/Labeling/Nutrition/ucm073332.htm	Not relevant		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/ohrms/dockets/dockets/06n0107/06n-0107-ts00008-Kimbrell.ppt	Not relevant		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/Drugs/DrugSafety/DrugSafetyNewsletter/ucm120058.htm	link not working		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
FDA Food and Drug Administration	http://www.fda.gov/MedicalDevices/Safety/AlertsandNotices/PatientAlerts/ucm070003	link not working		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/ohrms/dockets/98fr/FR1972_01_11_330(8957).pdf	Federal register		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/ohrms/dockets/ac/08/slides/2008-0038oph-03.pdf	Not chemical of interest		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/Food/IngredientsPackagingLabeling/LabelingNutrition/ucm072771.htm	Not relevant		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/ohrms/dockets/ucm072997.pdf	report about tobacco smoke- not relevant		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/Drugs/DrugSafety/PostmarketDrugSafetyInformationforPatientsandProviders/ucm110261.htm	Info on new drug for mesothelioma treatment		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/ICECI/Inspections/InspectionGuides/ucm106037.htm	Not relevant		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/ohrms/dockets/dockets/02p0317/02P-0317_emc-000402.txt	Not relevant		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/ohrms/dockets/dockets/06n0352/06n-0352-emc0227.txt	Not relevant		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/ICECI/Inspections/InspectionGuides/ucm071825.htm	Not relevant		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/Food/IngredientsPackagingLabeling/LabelingNutrition/ucm166913.htm	Not relevant		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/Drugs/DrugSafety/PostmarketDrugSafetyInformationforPatientsandProviders/ucm110262.htm	Info on new drug for mesothelioma treatment		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/ohrms/dockets/dockets/02p0317/02P-0317_emc-000399.txt	Not relevant		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/MedicalDevices/ProductionandMedicalProcedure/ImplantsandProsthetics/BreastImplants/UCM064040	Not relevant		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/ohrms/dockets/98fr/06-1264.pdf	Not relevant		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/ohrms/dockets/dockets/04n0454/04n-0454-ec19-attach-1.doc	Not relevant, public comment		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/ohrms/dockets/dockets/06n0107/06n-0107-ts00004.pdf	Not relevant		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
FDA Food and Drug Administration	http://www.fda.gov/Food/FoodborneIllnessContaminants/Metals/ucm319948.htm	Not relevant		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/downloads/Drugs/NewsEvents/UCM414805.pdf	Not relevant		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/RegulatoryInformation/Guidances/ucm071781.htm	Not chemical of interest		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/AboutFDA/Partnerships/Collaborations/MemorandaofUnderstanding/MOUsoDomesticMOUs/ucm115675.htm	Not relevant		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/downloads/Food/FoodScienceResearch/UCM181703.txt	List of chemicals		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/ohrms/dockets/dailys/03/May03/050903/75p-0261-eir0001-vid7.pdf	Regulation Entitled: "Asbestos-form particles in drugs for parenteral	X			X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/OHRMS/DOCKETS/98fr/07n-0280-nfr0001.pdf	Use of Asbestos Filters in drug production (reg info, use, proc info)	X			X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/ohrms/dockets/ac/01/briefing/3780b1_056a_Amendment_3_071001.pdf	Not relevant		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/MedicalDevices/ProductsandMedicalProcedures/DentalProducts/DentalAnalog/ucm171117.htm	Not chemical of interest		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/ICECI/EnforcementActions/WarningLetters/2015/ucm486141.htm	Not relevant		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/ICECI/Inspections/ucm255532.htm	Not chemicals of interest		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/ScienceResearch/FieldScience/ucm171868.htm	Not relevant		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/RegulatoryInformation/Legislation/ucm148790.htm	Federal regulation, no quantitative values		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/Food/GuidanceRegulation/RetailFoodProtection/FoodCode/ucm188363.htm	Federal regulation, no quantitative values		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/AboutFDA/Transparency/Basics/ucm194879.htm	General list of areas FDA regulates, not relevant		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/ucm/groups/ffadov-public/@ffadov-atfda-adcom/documents/document/ucm354955.pdf	CV of researcher		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/Safety/MedWatch/SafetyInformation/ucm327632.htm	talco (asbestos free)		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
FDA Food and Drug Administration	http://www.fda.gov/NewsEvents/Newsroom/PressAnnouncements/ucm491466.htm	Not relevant		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/Food/IngredientsPackagingLabeling/PackagingFCS/IndirectAdditives/default.htm	Database covered in manual search		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/Radiation-EmittingProducts/ResourcesForYou/RadiationEmittingProducts/ucm292764.htm	Not relevant		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/Drugs/GuidanceComplianceRegulatoryInformation/Guidances/ucm124777.htm	Use of Asbestos Filters in drug production (reg info, use, proc info)	X			X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/Drugs/ResourcesForYou/Consumers/BuyingUsingMedicineSafely/MedicationsHealthFraud/ucm438426.htm	Not relevant		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/Food/ResourcesForYou/Consumers/ucm271595.htm	Not relevant		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/downloads/Food/IngredientsPackagingLabeling/GRAS/NoticeInventory/UCM269157	Asbestos in a method; not relevant		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/NewsEvents/Newsroom/PressAnnouncements/ucm170515.htm	Info on new drug for mesothelioma treatment		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/NewsEvents/Newsroom/PressAnnouncements/ucm451237.htm	Not relevant		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/ohrms/dockets/dockets/02p0317/02P-0317_emc-000405.txt	Public comment, not relevant		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/ohrms/dockets/dockets/02p0317/02P-0317_emc-000405.txt	Federal register		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/ForConsumers/ConsumerUpdates/ucm219837.htm	Not relevant		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/ICECI/EnforcementActions/WarningLetters/2011/ucm272441.htm	Not relevant		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/ScienceResearch/FieldScience/ucm173976.htm	Not relevant		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/ohrms/dockets/dockets/02p0317/02P-0317_emc-000405.txt	CV of researcher		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/Food/FoodborneIllnessContaminants/Metals/ucm233281.htm	Not relevant		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/ohrms/dockets/dockets/03/Jun03/061603/03d-0137-c000002-01-vol1.pdf	CV of researcher, public comment, not relevant		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
FDA Food and Drug Administration	http://www.fda.gov/ohrms/dockets/dockets/06n0352/06n-0352-emc0217-03.pdf	Public comment, not relevant		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/downloads/AdvisoryCommittees/CommitteesMeetingMaterials/ToxicologicalResearch/UCM075295.pdf	CV of researcher		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/ohrms/dockets/dailys/00/apr00/041700/c000053.pdf	Measured in water supply, but not detected		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/ohrms/dockets/98fr/051900co.txt	Federal register		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/OHRMS/DOCKETS/98fr/061405co.pdf	Federal register		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/ohrms/dockets/98fr/102798co.txt	Federal register		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/ohrms/dockets/dockets/02p0122/02P-0122-EC6-Attach-1.pdf	Not relevant		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/ohrms/dockets/98fr/FR1972_09_30_20525(90235).pdf	Federal register		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/OHRMS/DOCKETS/98fr/042700co.pdf	Federal register		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/forconsumers/consumerupdates/ucm260849.htm	Substances (SCOGS) Opinion: Silicates; no data		X		X	X			X	
FDA Food and Drug Administration	http://www.fda.gov/OHRMS/DOCKETS/98fr/101006.pdf	Federal register		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/ohrms/dockets/ac/05/slides/2005-4185OPH1_01_Dhruvakumar.ppt	Not relevant		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/ohrms/dockets/98fr/060806toc.pdf	Federal register doc		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/ohrms/dockets/dockets/06n0352/06n-0352-emc0217-02.pdf	Not relevant		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/OHRMS/DOCKETS/98fr/072208toc.pdf	Federal register doc		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/downloads/AboutFDA/ReportsManualsForms/StaffManualGuides/UCM258768.pdf	Not relevant		X		X		X		X	
FDA Food and Drug Administration	http://www.fda.gov/ohrms/dockets/98fr/062998co.pdf	Federal register doc		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
FDA Databases	http://www.accessdata.fda.gov/drugsatfda_docs/nda/97/20-799_Floxin%20Otic_EAFONSI.pdf	Not relevant		X		X		X		X	
FDA Databases	http://www.accessdata.fda.gov/cdrh_docs/pdf6/H060004B.pdf	Not relevant, assay for mesothelioma		X		X		X		X	
FDA Databases	http://www.accessdata.fda.gov/drugsatfda_docs/nda/97/20587_SCLEROL%20INTRAPLEURAL_CORRES.PDF	talc (asbestos free)		X		X		X		X	
FDA Databases	https://www.accessdata.fda.gov/cdrh/cfdocs/cfdcr/CFRSearch.cfm?CFRPart=177&hqFR=1&hqNode=213.9.1.4.3	Links to regulation found in manual search		X		X		X		X	
FDA Databases	https://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfdcr/CFRSearch.cfm?fr=211.72	Federal regulation, no quantitative values		X		X		X		X	
FDA Databases	http://www.accessdata.fda.gov/drugsatfda_docs/applletter/2004/21457ltr.pdf	Asbestos free		X		X		X		X	
FDA Databases	http://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfMAUDE/detail.cfm?mdrfoi_id=2094151	Not relevant		X		X		X		X	
FDA Databases	http://www.accessdata.fda.gov/drugsatfda_docs/nda/2009/022307s000_AdminCorres_P15.pdf	Not relevant		X		X		X		X	
FDA Databases	http://www.accessdata.fda.gov/drugsatfda_docs/nda/99/021036-clinpharm2.pdf	Not relevant		X		X		X		X	
FDA Databases	https://www.accessdata.fda.gov/cdrh_docs/pdf15/K151722.pdf	Use of Asbestos in muscle stimulator		X		X	X			X	
FDA Databases	http://www.accessdata.fda.gov/drugsatfda_docs/nda/2003/21159_Logprox_medr_P2.pdf	Not relevant		X		X		X		X	
FDA Databases	http://www.accessdata.fda.gov/drugsatfda_docs/nda/2013/204063Orig1s000MedR.pdf	Not relevant		X		X		X		X	
FDA Databases	http://www.accessdata.fda.gov/drugsatfda_docs/nda/97/20587_SCLEROL%20INTRAPLEURAL_STATR.PDF	talc (asbestos free)		X		X		X		X	
FDA Databases	http://www.accessdata.fda.gov/drugsatfda_docs/nda/2006/021526_s000_Ranexa_Pharmr.pdf	Not relevant		X		X		X		X	
FDA Databases	http://www.accessdata.fda.gov/drugsatfda_docs/nda/2014/204629Orig1s000SumR.pdf	not relevant		X		X		X		X	
FDA Databases	http://www.accessdata.fda.gov/drugsatfda_docs/nda/2003/21-388.pdf_Sterile%20Talc%20Power_Pharmr.pdf	talc (asbestos free)		X		X		X		X	
FDA Databases	http://www.accessdata.fda.gov/drugsatfda_docs/nda/2015/208065Orig1s000RiskR.pdf	Not relevant		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
FDA Databases	http://www.accessdata.fda.gov/drugsatfda_docs/nda/2012/203441Orig1s000OtherR.pdf	Not relevant		X		X		X		X	
FDA Databases	https://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfCFR/CFRSearch.cfm?CFRPart=175&showFR=1	Duplicate		X		X		X		X	
FDA Databases	http://www.accessdata.fda.gov/drugsatfda_docs/label/2003/21388_SterileTalcib1.pdf	talc (asbestos free)		X		X		X		X	
FDA Databases	http://www.accessdata.fda.gov/drugsatfda_docs/nda/97/20587_SCLEROL%20INTRAPLEURAL_ADMINDOCS.PDF	talc (asbestos free)		X		X		X		X	
FDA Databases	http://www.accessdata.fda.gov/drugsatfda_docs/nda/97/20587_SCLEROL%20INTRAPLEURAL_APPROV.PDF	talc (asbestos free)		X		X		X		X	
FDA Databases	http://www.accessdata.fda.gov/cdrh_docs/pdf6/H060004C.pdf	Not relevant, assay for mesothelioma		X		X		X		X	
FDA Databases	http://www.accessdata.fda.gov/drugsatfda_docs/label/2012/020587s0061b1.pdf	talc (asbestos free)		X		X		X		X	
FDA Databases	http://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfCFR/CFRSearch.cfm?CFRPart=175&showFR=1	Links to docs already covered		X		X		X		X	
FDA Databases	https://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfCFR/CFRSearch.cfm?CFRPart=175&showFR=1	Links to docs already covered		X		X		X		X	
FDA Databases	http://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfCFR/CFRSearch.cfm?CFRPart=175&showFR=1	Links to docs already covered		X		X		X		X	
FDA Databases	http://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cfCFR/CFRSearch.cfm?CFRPart=175&showFR=1	Links to docs already covered		X		X		X		X	
FDA List of Indirect Additives Used in Food Contact Substances	http://www.fda.gov/Food/IngredientsPackagingLabeling/Packaging/FCs/IndirectAdditives/ucm115333.htm	Code of Federal Regulations Title 21-21CFR175.105		X		X	X			X	
FDA List of Indirect Additives Used in Food Contact Substances	http://www.fda.gov/Food/IngredientsPackagingLabeling/Packaging/FCs/IndirectAdditives/ucm115333.htm	Code of Federal Regulations Title 21-21CFR177.2410		X		X	X			X	
FDA List of Indirect Additives Used in Food Contact Substances	http://www.fda.gov/Food/IngredientsPackagingLabeling/Packaging/FCs/IndirectAdditives/ucm115333.htm	Code of Federal Regulations Title 21-21CFR177.2420		X		X	X			X	
FDA List of Indirect Additives Used in Food Contact Substances	http://www.fda.gov/Food/IngredientsPackagingLabeling/Packaging/FCs/IndirectAdditives/ucm115333.htm	Code of Federal Regulations Title 21-21CFR177.2600		X		X	X			X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/SLTC/asbestos/	Safety and Health Topics Asbestos Occupational Safety and ...	X			X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/dts/sltc/methods/inorganic/id160/id160.pdf	detection methods		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=INTERPRETATIONS&p_id=25141	Building owner's requirement to determine and communicate the ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/SLTC/asbestos/evaluation.html	Safety and Health Topics Asbestos - Evaluating and Controlling ...	X			X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/publications/publication.athruz?pType=Industry&pID=11	OSHA Publications - Asbestos Occupational Safety and Health ...	X			X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=DIRECTIVES&p_id=1576	CPL 02-02-063 - CPL 2-2.63 CH-1 - Inspection Procedures for ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/Publications/osha3096.pdf	also include detection methods	X			X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=STANDARDS&p_id=10002	Substance Technical Information for Asbestos-Non-Mandatory ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/Publications/OSHA3693.pdf	Asbestos-Containing Flooring Material Maintenance		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/dts/shib/shib072606.html	Bulletins Asbestos-Automotive Brake ...	X			X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/SLTC/asbestos/checklist.html	Asbestos Self-Inspection Checklist: Asbestos [Text Version ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=STANDARDS&p_id=10003	Medical surveillance guidelines for asbestos - Non-Mandatory ...	X			X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=standards&p_id=9995	Asbestos. - 1910.1001 Occupational Safety and Health ...	X			X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/OshDoc/data_Hurricane_Facts/AsbestosHazards.pdf	Protecting Workers from Asbestos Hazards Fact Sheet		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=STANDARDS&p_id=10870	Substance Technical Information for Asbestos - Non-Mandatory ...	X			X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/Publications/osha3095.html	Asbestos Standard For General Industry	X			X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/dte/library/asbestos/asbestos_1094/	29 CFR 1926.1101 OSHA's Asbestos Standard for the Construction ...	X			X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=STANDARDS&p_id=10868	Work practices and engineering controls for Class I Asbestos ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=DIRECTIVES&p_id=1576	(REVISED) - Inspection Procedures for ...		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/asbestos-other.html	OSHA Asbestos and Other Hazards Breakout Page	X			X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/dte/library/asbestos/rev_asb.html	Significant Changes in the Asbestos Standard for Construction 29	X			X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/dts/chemicalsampling/data/CH_219600.html	Chemical Sampling Information Asbestos (all forms) Occupational ...	X			X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=INTERPRETATIONS&p_id=22963	1% asbestos.		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/Publications/OSHA3507.html	OSHA Fact Sheet: Asbestos - OSHA 3507 Occupational Safety and ...	X			X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=INTERPRETATIONS&p_id=25031	02/01/2005 - Construction industry asbestos standard definition of ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/SLTC/asbestos/otherresources.html	Safety and Health Topics Asbestos - Other Resources ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=STANDARDS&p_id=10004	Smoking Cessation Program Information For Asbestos - Non ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=INTERPRETATIONS&p_id=30236	10/13/2015 - Changes to asbestos warning signs and ANSI warning ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=INTERPRETATIONS&p_id=25125	06/27/2005 - Construction industry asbestos standard, 1926.1101 ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/nyc-disaster/ny9asbestosmonitoring.html	Asbestos Monitoring at the WTC Site		X		X	X			X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=INTERPRETATIONS&p_id=24748	11/24/2003 - Compliance requirements for renovation work ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=NEWS_RELEASES&p_id=32976	OSHA finds US Steel again exposed workers to asbestos hazards at ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=INTERPRETATIONS&p_id=27278	Compliance with 1926.1101 when drilling through asbestos ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=INTERPRETATIONS&p_id=30365	10/07/2015 - Asbestos sampling protocol cannot be used for ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/dts/osta/oshasoft/asbestos/	OSHA Expert Advisors Asbestos Advisor Occupational Safety and ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=INTERPRETATIONS&p_id=27098	Comprehensive building/facility/vessel surveys for asbestos.		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=STANDARDS&p_id=10863	detection methods		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=INTERPRETATIONS&p_id=22609	07/01/1998 - Asbestos tests, evaluations, and sample collections ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=INTERPRETATIONS&p_id=28655	11/10/2011 - Numerous questions on the removal of asbestos ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=INTERPRETATIONS&p_id=25757	04/05/2007 - Classification of removal of asbestos-containing ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=INTERPRETATIONS&p_id=22740	05/19/1999 - Asbestos: notification requirements and exposure ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=INTERPRETATIONS&p_id=24206	Asbestos Standard to the removal of ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=INTERPRETATIONS&p_id=25808	05/10/2007 - Clarification of OSHA's asbestos standards for general ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=INTERPRETATIONS&p_id=22346	02/07/1997 - Compliance with OSHA's Asbestos Standard ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=FEDERAL_REGISTER&id=13404	Occupational Exposure to Asbestos - 59:40964-41162 ...	X			X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_id=10862&p_table=standards	Asbestos - 1926.1101 Occupational Safety and Health Administration		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=INTERPRETATIONS&p_id=29318	04/21/2014 - Installing a barrier film over asbestos-containing ...	X			X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_id=24206&p_table=INTERPRETATIONS	08/26/2002 - Application of the asbestos standard to demolition of ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=INTERPRETATIONS&p_id=22386	04/28/1997 - Classification of asbestos work for employees ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=INTERPRETATIONS&p_id=27289	07/10/2008 - Refresher training requirements for Class III asbestos ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=INTERPRETATIONS&p_id=10863	1926.1101 - Asbestos	X			X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_id=10872&p_table=STANDARDS	Smoking cessation program information for asbestos, non ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=INTERPRETATIONS&p_id=19895	12/26/1989 - Asbestos and the Hazard Communication Standard ...		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/dte/grant_materials/fy11/sh-22297-11/Asbestos.ppt	IOSH's Safety Training Presentations		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/imis/sic_manual_display?id=678&tab=description	Description for 3292: Asbestos Products Occupational Safety and ...	X			X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=INTERPRETATIONS&p_id=22258	09/05/1996 - Questions concerning OSHA's Asbestos Standard ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/SLTC/asbestos/standards.html	detection methods		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=INTERPRETATIONS&p_id=25655	01/17/2006 - Requirements for providing awareness training for ...	X			X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=PREAMBLES&p_id=775	Section 1 - I. Regulatory History Occupational Safety and Health ...	X			X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=STANDARDS&p_id=10001	Work practices and engineering controls for automotive brake and ...	X			X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=INTERPRETATIONS&p_id=22753	Surfacing materials		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=INTERPRETATIONS&p_id=23483	02/10/2015 - Asbestos medical surveillance requirements for class ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_id=22491&p_table=INTERPRETATIONS	10/31/1997 - Routine asbestos inspections, bulk sampling activities ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=FEDERAL_REGISTER&p_id=13570	Occupational Exposure to Asbestos, Tremolite, Anthophyllite and ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=INTERPRETATIONS&p_id=28862	Whether a specific brand of plastic sheeting meets the Asbestos ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/dts/chemicalsampling/data/CH_269400.html	Chemical Sampling Information Talc (Containing asbestos)		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=interpretations&p_id=19487	Respirator fit testing requirements in the revised asbestos standard.		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/SLTC/asbestos/hazards.html	Safety and Health Topics Asbestos - Hazards Occupational Safety ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=NEWS_RELEASES&p_id=32979	OSHA finds US Postal facility exposed workers to asbestos hazards		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=PREAMBLES&p_id=784	Section 3 - III. Regulatory History Occupational Safety and Health ...		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/OshDoc/data_FloodFacts/Bulletin4.pdf	Flood Cleanup How to Protect Yourself from Asbestos Hazards		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=INTERPRETATIONS&p_id=25083	05/18/2005 - Prohibitions and/or restrictions on aggressive methods ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=INTERPRETATIONS&p_id=22342	02/05/1997 - OSHA Asbestos standard. Occupational Safety and ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=INTERPRETATIONS&p_id=21630	requirements for asbestos removal bags.		X		X		X		X	
OSHA Occupational Safety and Health Administration	http://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=INTERPRETATIONS&p_id=1910100	1910.1001 - Asbestos.		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=INTERPRETATIONS&p_id=22812	11/05/1999 - Questions regarding the cleaning of asbestos ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=INTERPRETATIONS&p_id=25656	01/16/2007 - Requirement for facility owners to notify tenants or ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/dte/library/asbestos/asbestos_1094/asb.ppt	29 CFR 1926.1101		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/SLTC/asbestos/construction.html	Safety and Health Topics Asbestos - Construction Occupational ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=INTERPRETATIONS&p_id=27310	responsibilities for health and safety when ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_id=25746&p_table=INTERPRETATIONS	03/01/2007 - Clarification of decontamination procedures for ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=INTERPRETATIONS&p_id=24473	05/07/2003 - Aggressive vs non-aggressive removal of asbestos ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=INTERPRETATIONS&p_id=22770	07/23/1999 - Clarification of OSHA's risk assessment and approach ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_id=246&p_table=TESTIMONIES	OSHA protects workers from the dangers of Asbestos exposure ...	X			X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=interpretations&p_id=22050	Standard. Occupational Safety and ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=INTERPRETATIONS&p_id=22570	04/21/1998 - Class III asbestos work: training, medical surveillance ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/dte/grant_materials/fy11/sh-22297-11/AsbestosQuiz.pdf	FSCJ Asbestos Awareness Test		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/SLTC/asbestos/checklist_text.html	Asbestos Self-Inspection Checklist: Asbestos [Text Version ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/publications/publication_athruz?pType=Industry&pID=48	OSHA Publications - Construction - Asbestos Occupational Safety ...	X			X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/dts/sltc/methods/inorganic/id191/id191.pdf	detection methods		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=INTERPRETATIONS&p_id=22462	08/20/1997 - Asbestos surveying and sampling associated with the ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=INTERPRETATIONS&p_id=22474	09/03/1997 - Construction Asbestos Standard. Occupational Safety ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=FEDERAL_REGISTER&id=13822	Occupational Exposure to Asbestos. - 63:35137-35138 ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=INTERPRETATIONS&p_id=22084	02/21/1996 - Building and/or facility owner notification requirements ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	http://www.osha.gov/oshaweb/owadisp.show_document?p_table=INTERPRETATIONS&p_id=21667	General Industry Asbestos		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=INTERPRETATIONS&p_id=21467	04/26/1994 - HAZWOPER and Asbestos standards apply to any ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=INTERPRETATIONS&p_id=27581	06/08/2010 - Acceptability of rounding laboratory-reported ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/nyc-disaster/wtc.html	OSHA Asbestos Sampling Area Map - World Trade Center		X		X		X		X	
OSHA Occupational Safety and Health Administration	http://www.osha.gov/oshaweb/owadisp.show_document?p_table=INTERPRETATIONS&p_id=21667	Asbestos		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=STANDARDS&p_id=10966	Medical questionnaires; mandatory - 1926.1101 App D ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=federal_register&id=13570	Occupational Exposure to Asbestos, Tremolite, Anthophyllite and ...	X			X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=FEDERAL_REGISTER&id=13234	Occupational Exposure to Asbestos, Tremolite, Anthophyllite and ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	http://osha.gov/pls/oshaweb/owadisp.show_document?p_table=FEDERAL_REGISTER&p_id=12968	Asbestos; Extension of Partial Stay; Amendment to Final Rule - 54 ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=FEDERAL_REGISTER&id=13035	Occupational Exposure to Asbestos, Tremolite, Anthophyllite, and ...		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=DIRECTIVES&p_id=1834	CSP 01-01-026 - STP 2-1.126A - Occupational Exposure to ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=FEDERAL_REGISTER&p_id=12958	Asbestos, Tremolite, Anthophyllite and Actinolite - 53:35610-35629 ...	X			X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=FEDERAL_REGISTER&p_id=13014	Occupational Exposure to Asbestos, Tremolite, Anthophyllite and ...	X			X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=STANDARDS&p_id=10005	Polarized Light Microscopy of Asbestos -- Non-Mandatory ...	X			X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=FEDERAL_REGISTER&p_id=12963	Asbestos, Tremolite, Anthophyllite and Actinolite - 53:37080 ...	X			X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=FEDERAL_REGISTER&p_id=13240	Occupational Exposure to Asbestos, Tremolite, Anthophyllite and ...	X			X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=PREAMBLES&p_id=784	Section 3 - III. Regulatory History Occupational Safety and Health ...	X			X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=PREAMBLES&p_id=782	Section 1 - I. Introduction Occupational Safety and Health ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=FEDERAL_REGISTER&p_id=13029	Occupational Exposure to Asbestos, Tremolite, Anthophyllite and ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=FEDERAL_REGISTER&p_id=12650	Asbestos - 51:37002-07 Occupational Safety and Health ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	http://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=FEDERAL_REGISTER&p_id=12965&p_id=12965	Federal Registers Occupational Safety and Health Administration		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_id=777&p_table=PREAMBLES	Section 3 - III. Summary and Explanation of Revised Standards ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=PREAMBLES&p_id=788	Section 7 - VII. Summary and Explanation of the Amendments ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=FEDERAL_REGISTER&p_id=13183	Extension of Partial Stay and Amendment of Final Rule for ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	http://www.osha.gov/whet/newsroom/2007/04/04/PREAMBLES_topic/44_dms-040707a_senr3_top/Preamble040707a_senr3_enr3.pdf	Regulations (Preambles to Final Rules) Results Occupational ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/dte/grant_materials/fy05/46c5-h116/asbestos_awareness.ppt	PPT		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=PREAMBLES&p_id=785	Considerations Occupational Safety ...		X	X			X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=FEDERAL_REGISTER&p_id=13106	Re-opening of the Rulemaking Record on Proposed Rule on ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=FEDERAL_REGISTER&p_id=13117	Extension of Comment Period on Proposed Rule on Occupational ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=standards&p_id=9995	Asbestos. - 1910.1001 Occupational Safety and Health ...	X			X		X		X	
OSHA Occupational Safety and Health Administration	http://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=FEDERAL_REGISTER&p_id=13129	Extension of Partial Stay and Amendment of Final Rule on ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=PREAMBLES&p_id=786	Section 5 - V. Health Effects Occupational Safety and Health ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=FEDERAL_REGISTER&p_id=12697	Asbestos - 51:22612-790 Occupational Safety and Health ...	X			X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=FEDERAL_REGISTER&p_id=12709	Asbestos - 52:15722-23		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/dte/library/asbestos/asbestos_1094/slide3.html	OSHA Training and Reference Materials Library - 29 CFR ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/dts/chemicalsampling/data/CH_219600.html	Chemical Sampling Information Asbestos (all forms) Occupational ...	X			X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_id=10288&p_table=STANDARDS	OSHA Reference Method - Mandatory - 1915.1001 App A ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=FEDERAL_REGISTER&p_id=12837	Asbestos, Stay Extension - 53:27345-6	X			X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/dts/chemicalsampling/data/CH_269400.html	Chemical Sampling Information Talc (Containing asbestos)	X			X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=STANDARDS&p_id=10870	Substance Technical Information for Asbestos - Non-Mandatory ...	X			X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=STANDARDS&p_id=10002	Substance Technical Information for Asbestos-Non-Mandatory ...	X			X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=Standards&p_id=10628	Gases, vapors, fumes, dusts, and mists. - 1926.55 Occupational ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=FEDERAL_REGISTER&p_id=12658	Federal Registers referencing 1926.58		X		X		X		X	
OSHA Occupational Safety and Health Administration	http://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=PREAMBLES&p_id=10288&p_table=STANDARDS	Regulations (Preambles to Final Rules) Occupational Safety and ...		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=STANDARDS&p_id=9712	contaminants. - 1910.19 Occupational ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/dts/chemicalsampling/data/CH_269300.html	Chemical Sampling Information - Talc (Containing no asbestos)		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/SLTC/asbestos/	Safety and Health Topics Asbestos Occupational Safety and ...	X			X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=PREAMBLES&p_id=787	Section 6 - VI. Other Regulatory Issues Occupational Safety and ...	X			X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/dte/grant_materials/fy08/sh-17820-08/6_1_c2.ppt	PPT	X			X		X		X	
OSHA Occupational Safety and Health Administration	http://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=FEDERAL_REGISTER&p_id=13159	Approval of South Carolina Standards 56:16126		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=FEDERAL_REGISTER&p_id=12716	Asbestos - 52:17752-56 Occupational Safety and Health ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/dts/chemicalsampling/data/CH_19101001.html	1910.1001 Occupational Safety and ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=federal_register&p_id=12727	State Standards - 52:22864 Occupational Safety and Health ...	X			X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/dts/chemicalsampling/data/CH_19101001.html	Federal Registers Occupational Safety and Health Administration		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/dts/chemicalsampling/data/CH_19101001.html	Regulations (Standards - 29 CFR) Results Occupational Safety and ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=STANDARDS&p_id=9767	Regulations (Standards - 29 CFR) Results Occupational Safety and ...	X			X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/dts/chemicalsampling/toc/chmn_A.html	Chemical Sampling Information Index of Chemical Sampling ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/dts/chemicalsampling/data/CH_219600.html	Chemical Sampling Information Index of Chemical Sampling ...	X			X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/dts/chemicalsampling/data/CH_272565.html	detection method		X		X		X		X	
OSHA Occupational Safety and Health Administration	#VALUE!	Regulations (Standards - 29 CFR) Results		X		X		X		X	
OSHA Occupational Safety and Health Administration	#VALUE!	Regulations (Standards - 29 CFR) Results Occupational Safety and ...		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/chemicaldata/	OSHA Occupational Chemical Database Occupational Safety and ...	X			X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/dts/chemicalsampling/data/CH_267400.html	Federal Registers Occupational Safety and Health Administration		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshweb/owadisp.show_document?p_table=PREAMBLES&p_id=775	Section 1 - I. Regulatory History Occupational Safety and Health ...	X			X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/occ/citations/T2GCLLCdbaT2Construction_315512137_1102_11.pdf	U.S. Department of Labor		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/dts/chemicalsampling/data/CH_267400.html	Federal Registers Occupational Safety and Health Administration		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshweb/owadisp.show_document?p_table=PREAMBLES&p_id=775	Documents referencing 1910.1001 Occupational Safety and Health ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	#VALUE!	Regulations (Standards - 29 CFR) Results		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshweb/owadisp.show_document?p_table=FEDERAL_REGISTER&id=13330	Iowa State Standards; Approval. - 58:51885-51887 Occupational ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshweb/owadisp.show_document?p_table=PREAMBLES&p_id=781	Intro to 29 CFR Parts 1910 and 1926, Occupational Exposure to ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/dsg/annotated-pels/tablez-3.html	Annotated PELs Table Z-3 Occupational Safety and Health ...	X			X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshweb/owadisp.show_document?p_table=PREAMBLES&p_id=1020	Section 1 - I. Background Occupational Safety and Health ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshweb/owadisp.show_document?p_table=FEDERAL_REGISTER&id=14007	Nevada State Standards; Notice of Approval - 65:1915-1916 ...	X			X		X		X	
OSHA Occupational Safety and Health Administration	#VALUE!	Regulations (Standards - 29 CFR) Results Occupational Safety and ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/occ/citations/GramekConstructionInc_315512145_1102_11.pdf	U.S. Department of Labor		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/dts/chemicalsampling/data/CH_267400.html	Chemical Sampling Information Soapstone (Total Dust)	X			X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshweb/owadisp.show_document?p_table=FEDERAL_REGISTER&id=12965	Asbestos; OMB Information Collection - 54:29546	X			X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshweb/owadisp.show_document?p_table=FEDERAL_REGISTER&id=13017	Maryland State Standards; Notice of Approval - 55:1296 ...		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=FEDERAL_REGISTER&p_id=13040	Iowa State Standards Approval - 55:6072-73		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=PREAMBLES&p_id=799	Applicability Occupational Safety and ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=PREAMBLES&p_id=790	Intro to 29 CFR Parts 1910 and 1926, Occupational Exposure to ...	X			X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=PREAMBLES&p_id=796	detection method		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/dep/citations/AMD-Industries.pdf	Citation		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=PREAMBLES&p_id=795	Environmental Impacts Occupational ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/SLTC/asbestos/evaluation.html	detection methods	X			X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=STANDARDS&p_id=10001	Safety and Health Topics Asbestos - Evaluating and Controlling ...	X			X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/dts/shib/shib072606.html	Safety and Health Topics Asbestos - Evaluating and Controlling ...	X			X		X		X	
OSHA Occupational Safety and Health Administration	https://www.cdc.gov/niosh/docs/89-121/pdfs/89-121.pdf	personal sampling results	X			X		X		X	
OSHA Occupational Safety and Health Administration	https://www.cdc.gov/niosh/docs/1970/78127_5.html	Safety and Health Topics Asbestos - Evaluating and Controlling ...	X			X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/oc/citations/newbrunswickscientific_313986788_100611.pdf	U.S. Department of Labor		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=FEDERAL_REGISTER&p_id=13193	Standards - 56:56245 Occupational ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/SLTC/asbestos/construction.html	Safety and Health Topics Asbestos - Construction Occupational ...	X			X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=STANDARDS&p_id=10962	Safety and Health Topics Asbestos - Construction Occupational ...	X			X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=FEDERAL_REGISTER&p_id=18846	Safety and Health Topics Asbestos - Construction Occupational ...	X			X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=FEDERAL_REGISTER&p_id=18639	Safety and Health Topics Asbestos - Construction Occupational ...	X			X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=INTERPRETATIONS&p_id=24748	letter of interpretation of OSHA reg		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=INTERPRETATIONS&p_id=24015	letter of interpretation of OSHA reg		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=INTERPRETATIONS&p_id=24015	letter of interpretation of OSHA reg		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=INTERPRETATIONS&p_id=29303	letter of interpretation of OSHA reg	X			X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=INTERPRETATIONS&p_id=28655	letter of interpretation of OSHA reg	X			X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/Publications/OSHA3096/3096.html	Safety and Health Topics Asbestos - Construction Occupational ...	X			X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/dts/hib/hib_data/hib19981008.html	Safety and Health Topics Asbestos - Construction Occupational ...	X			X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/dts/osta/oshasoft/asbestos/index.html	Safety and Health Topics Asbestos - Construction Occupational ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=STANDARDS&p_id=10864	detection methods		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/dts/sltc/methods/inorganic/id191/id191.pdf	detection methods		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=STANDARDS&p_id=10865	Safety and Health Topics Asbestos - Construction Occupational ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=STANDARDS&p_id=10866	Safety and Health Topics Asbestos - Construction Occupational ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=STANDARDS&p_id=10867	Safety and Health Topics Asbestos - Construction Occupational ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=STANDARDS&p_id=10868	Safety and Health Topics Asbestos - Construction Occupational ...	X			X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=STANDARDS&p_id=10869	Safety and Health Topics Asbestos - Construction Occupational ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=STANDARDS&p_id=10871	Safety and Health Topics Asbestos - Construction Occupational ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=STANDARDS&p_id=10872	detection methods		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=FEDERAL_REGISTER&p_id=13065	Iowa State Standards; Notice of Approval - 55:19808-10 ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=STANDARDS&p_id=10287	Safety and Health Topics Asbestos - OSHA Standards ...	X			X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=STANDARDS&p_id=10296	Safety and Health Topics Asbestos - OSHA Standards ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=STANDARDS&p_id=10297	Safety and Health Topics Asbestos - OSHA Standards ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=STANDARDS&p_id=10298	detection methods		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=STANDARDS&p_id=10299	Safety and Health Topics Asbestos - OSHA Standards ...	X			X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=FEDERAL_REGISTER&p_id=21689	Safety and Health Topics Asbestos - OSHA Standards ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=FEDERAL_REGISTER&p_id=21620	Safety and Health Topics Asbestos - OSHA Standards ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=DIRECTIVES&p_id=6474	Safety and Health Topics Asbestos - OSHA Standards ...	X			X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/OshDoc/Directive_pdf/CPL_02-00-157.pdf	Safety and Health Topics Asbestos - OSHA Standards ...	X			X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=STANDARDS&p_id=10289	detection methods		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=STANDARDS&p_id=10290	Safety and Health Topics Asbestos - OSHA Standards ...	X			X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=STANDARDS&p_id=10291	Safety and Health Topics Asbestos - OSHA Standards ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=STANDARDS&p_id=10292	Safety and Health Topics Asbestos - OSHA Standards ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=STANDARDS&p_id=10293	Safety and Health Topics Asbestos - OSHA Standards ...	X			X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=STANDARDS&p_id=10294	Safety and Health Topics Asbestos - OSHA Standards ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=STANDARDS&p_id=10295	Safety and Health Topics Asbestos - OSHA Standards ...	X			X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=FEDERAL_REGISTER&p_id=13267	Approval of Vermont State Standards - 57:47880 Occupational ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=FEDERAL_REGISTER&p_id=13092	Occupational Exposure to Asbestos, Tremolite, Anthophyllite and ...	X			X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=FEDERAL_REGISTER&p_id=12988	State Standards; New York State; Oregon State; Virgin Islands - 54 ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=PREAMBLES&p_id=791	Section 1 - I. Clearance of Information Collection Requirements.		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=PREAMBLES&p_id=793	Section 2 - II. Regulatory and Legal Authority Background ...	X			X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=INTERPRETATIONS&p_id=22753	letter of interpretation of OSHA reg	X			X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=PREAMBLES&p_id=783	Section 2 - II. Pertinent Legal Authority Occupational Safety and ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_id=246&p_table=TESTIMONIES	OSHA protects workers from the dangers of Asbestos exposure ...	X			X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_id=12710	1910.1101 Occupational Safety and ...	X			X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=FEDERAL_REGISTER&p_id=13234	1910.1101 Occupational Safety and ...	X			X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=FEDERAL_REGISTER&p_id=13035	1910.1101 Occupational Safety and ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=FEDERAL_REGISTER&p_id=12988	1910.1101 Occupational Safety and ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=FEDERAL_REGISTER&p_id=12710	1910.1101 Occupational Safety and ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	https://www.osha.gov/pls/oshaweb/owadisp.show_document?p_table=FEDERAL_REGISTER&p_id=12651	1910.1101 Occupational Safety and ...		X		X		X		X	
OSHA Occupational Safety and Health Administration	http://osha.gov/pls/oshaweb/owadisp.show_document?p_table=PREAMBLES&p_id=789	Section 8 - VIII. Authority Occupational Safety and Health ...		X		X		X		X	
OSHA Chemical Exposure Health Data	https://www.osha.gov/opengov/healthsamples.html	OSHA PELs and general information	X			X		X		X	
NIST	https://www.nist.gov/document-6552	epa test method for asbestos in bulk materials		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
NIST	https://www.nist.gov/node/662661	Peer reviewed abstracts		X		X		X		X	
NIST	https://www.nist.gov/nvlap/assessor-resources/assessor-training-topics	Assessor Training Topics NIST		X		X		X		X	
NIST	https://www.nist.gov/document-6556	Memo on testing methods for bulk asbestos		X		X		X		X	
NIST	https://www.nist.gov/national-voluntary-laboratory-accreditation-program-nvlap/asbestos-fiber-analysis-program	NVLAP Asbestos Fiber analysis program		X		X		X		X	
NIST	https://www.nist.gov/nvlap	NVLAP main page		X		X		X		X	
NIST	https://www.nist.gov/document-8009	Transcript from talk on Asbestos, PCBs, halons		X		X		X		X	
NIST	https://www.nist.gov/sites/default/files/documents/nvlap/NIST_HB_150_13_Checklist-2-1.pdf	NVLAP lab accreditation check list		X		X		X		X	
NIST	https://www.nist.gov/publications/optical-properties-amphibole-asbestos	Peer reviewed abstracts		X		X		X		X	
NIST	https://www.nist.gov/sites/default/files/documents/nvlap/NIST-HB-150-3-Checklist-2011-02-18.pdf	NVLAP lab accreditation check list Bulk analysis		X		X		X		X	
NIST	https://www.nist.gov/document-440	NVLAP Lab Bulletin		X		X		X		X	
NIST	https://www.nist.gov/nvlap/nvlap-asbestos-fiber-analysis-lap	NVLAP accreditation for asbestos testing		X		X		X		X	
NIST	https://www.nist.gov/document-16593	Fiber analysis test method selection checklist		X		X		X		X	
NIST	https://www.nist.gov/node/661911	Peer reviewed abstracts		X		X		X		X	
NIST	https://www.nist.gov/nvlap/nvlap-fee-structure	NVLAP fees		X		X		X		X	
NIST	https://www.nist.gov/node/646786	Peer reviewed abstracts		X		X		X		X	
NIST	https://www.nist.gov/document-12024	Word Document NVLAP checklist for accreditation		X		X		X		X	
NIST	https://www.nist.gov/mml/mmsd/reference_materials	Listing of CRMs		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
NIST	https://www.nist.gov/image/1866-crocidolite-alsf-400-x-3241.jpg	microscope picture of fiber		X		X		X		X	
NIST	https://www.nist.gov/nvlap/site-assessment-checklists	NVLAP accreditation checklists		X		X		X		X	
NIST	https://www.nist.gov/nvlap/about-nvlap/history	NVLAP history		X		X		X		X	
NIST	https://www.nist.gov/node/605861	Link to NVLAP handbook for airborne asbestos		X		X		X		X	
NIST	https://www.nist.gov/document-16550	NVLAP accreditation for asbestos testing		X		X		X		X	
NIST	https://www.nist.gov/document-6044	NVLAP lab bulletin		X		X		X		X	
NIST	https://www.nist.gov/document-6045	NVLAP lab bulletin		X		X		X		X	
NIST	https://www.nist.gov/publications/guide-quality-control-qualitative-and-quantitative-analysis-bulk-asbestos-samples	Peer reviewed abstracts		X		X		X		X	
NIST	https://www.nist.gov/nvlap/nvlap-handbooks-and-lab-bulletins	NVLAP Handbooks and bulletins		X		X		X		X	
NIST	https://www.nist.gov/sites/default/files/documents/cnst/Hurt.pdf	Powerpoint		X		X		X		X	
NIST	https://www.nist.gov/sites/default/files/documents/nvlap/Annex-A-Referencing-NVLAP-Accreditation.pdf	NVLAP Assessor Training Powerpoint		X		X		X		X	
NIST	https://www.nist.gov/document-3548	NVLAP Assessor Training Powerpoint		X		X		X		X	
NIST	https://www.nist.gov/national-voluntary-laboratory-accreditation-program-nvlap/references-information	NVLAP References and Info		X		X		X		X	
NIST	https://www.nist.gov/permissions/nvlap?page=11	NVLAP Handbooks		X		X		X		X	
NIST	https://www.nist.gov/nvlap/apply-nvlap-accreditation	NVLAP how to apply		X		X		X		X	
NIST	https://www.nist.gov/document-6555	Federal Registry Entry		X		X		X		X	
NIST	https://www.nist.gov/sites/default/files/documents/lel/disasterstudies/wtc/SunderWTCMediaHandout050703.pdf	Case study of WTC fireproofing		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
NIST	https://www.nist.gov/document-17434	House appropriations exect		X		X		X		X	
NIST	https://www.nist.gov/news-events/news/2004/07/status-data-collection-efforts	WTC investigation status of data collection efforts		X		X		X		X	
NIST	https://www.nist.gov/document-15160	NVLAP newsletter		X		X		X		X	
NIST	https://www.nist.gov/nvlap/about-nvlap/staff	staff directory		X		X		X		X	
NIST	https://www.nist.gov/document-17551	House appropriations exect		X		X		X		X	
NIST	https://www.nist.gov/nvlap/directory-accredited-laboratories	Directory of Accredited Laboratories NIST		X		X		X		X	
NIST	https://www.nist.gov/people/leigh-stefan	Stefan Leigh NIST		X		X		X		X	
NIST	https://www.nist.gov/node/662311	Analysis of Kaolinite/Chrysotile Mixtures by Ashing and X-Ray ...		X		X		X		X	
NIST	https://www.nist.gov/people/steel-eric-b	Eric Steel NIST		X		X		X		X	
NIST	https://www.nist.gov/document-12433	method of detection and rounding results		X		X		X		X	
NIST	https://www.nist.gov/people/nelson-bryant-c	Bryant Nelson NIST		X		X		X		X	
NIST	https://www.nist.gov/document-16537	NVLAP Signs IAAC MLA		X		X		X		X	
NIST	https://www.nist.gov/document-11222	NVLAP at NCSLI		X		X		X		X	
NIST	https://www.nist.gov/people/richmond-hazel-m	Hazel Richmond NIST		X		X		X		X	
NIST	https://www.nist.gov/sites/default/files/documents/nvlap/NVLAP-Requirements-for-Proficiency-Testing.pdf	NVLAP Assessor Training		X		X		X		X	
NIST	https://www.nist.gov/nvlap/about-nvlap	About NVLAP NIST		X		X		X		X	
NIST	https://www.nist.gov/sites/default/files/documents/srm/SRM-2011-Cat-v2_All.pdf	SRM 2011 Catalog for CD_pg1		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
NIST	https://www.nist.gov/people/jennifer-r-verkouteren	Jennifer Verkouteren NIST		X		X		X		X	
NIST	https://www.nist.gov/people/small-john	John Small NIST		X		X		X		X	
NIST	https://www.nist.gov/document-15592	Lab Bulletin LB-22-2007		X		X		X		X	
NIST	https://www.nist.gov/document-6557	QC guide for bulk asbestos samples		X		X		X		X	
NIST	https://www.nist.gov/document-15587	Lab Bulletin LB-23-2007		X		X		X		X	
NIST	https://www.nist.gov/document-5772	Four More Years! Congratulations Tim Rasinski!		X		X		X		X	
NIST	https://www.nist.gov/document-4954	Mark D. Raven		X		X		X		X	
NIST	https://www.nist.gov/document/final-abstracts-bios-doc-071716pdf	Speaker Abstracts and Bios		X		X		X		X	
NIST	https://www.nist.gov/nvlap/announcements-2	Announcements NIST		X		X		X		X	
NIST	https://www.nist.gov/publication-type/journals?page=1638	Journals Page 1639 NIST		X		X		X		X	
NIST	https://www.nist.gov/oles/forensic-database-trace-evidence-table	Forensic Database Trace Evidence Table NIST		X		X		X		X	
NIST	https://www.nist.gov/node/616276	National Voluntary Laboratory Accreditation Program (NVLAP ...		X		X		X		X	
NIST	https://www.nist.gov/document/ofpmnist-mccc-industry-day-2-10-16pptx	Office of Facilities & Property Management		X		X		X		X	
NIST	https://www.nist.gov/laboratories/tools-instruments/yamato-adp-31-vacuum-oven	Yamato ADP-31 Vacuum Oven NIST		X		X		X		X	
NIST	https://www.nist.gov/document-16559	NVLAP Airborne Asbestos testing manual		X		X		X		X	
NIST	https://www.nist.gov/publications/search_by_author/31466	Search Publications by Verkouteren, Jennifer R NIST		X		X		X		X	
NIST	https://www.nist.gov/document-15157	NIWS 3.0 Coming October 2008 NVLAP Evaluation by APLAC (July ...		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
NIST	https://www.nist.gov/document-8188	The Determination of Risk Factors for Acute Exposure to Powdered ...		X		X		X		X	
NIST	https://www.nist.gov/permissions/mml/mmsd?page=7	mmsd Page 8 NIST		X		X		X		X	
NIST	https://www.nist.gov/document-4103	Standard Fire Tests of WTC Tower Typical Floor Construction		X		X		X		X	
NIST	https://www.nist.gov/permissions/mml/mmsd?page=6	mmsd Page 7 NIST		X		X		X		X	
NIST	https://www.nist.gov/document-11708	Understanding Imaging and Metrology with the Helium Ion Microscope		X		X		X		X	
NIST	https://www.nist.gov/document-4951	Johan de Villiers		X		X		X		X	
NIST	https://www.nist.gov/document-15218	Fire Resistance Testing of WTC Floor System		X		X		X		X	
NIST	https://www.nist.gov/nvlap/nvlap-energy-efficient-lighting-products-lap	NVLAP Energy Efficient Lighting Products LAP NIST		X		X		X		X	
NIST	https://www.nist.gov/sites/default/files/documents/nvlap/EPA-600-M4-82-020.pdf	EPA interim method for Asbestos in bulk insulations		X		X		X		X	
NIST	https://www.nist.gov/document-15159	NVLAP Seminar at MSC Conference		X		X		X		X	
NIST	https://www.nist.gov/nvlap/nvlap-calibration-lap	NVLAP Calibration LAP NIST		X		X		X		X	
NIST	https://www.nist.gov/srm	Standard Reference Materials NIST		X		X		X		X	
NIST	https://www.nist.gov/node/589671	Guide to Protecting the Confidentiality of Personally Identifiable ...		X		X		X		X	
NIST	https://www.nist.gov/document-17674	DOE-assisted Safety Audit of NIST Boulder Laboratories		X		X		X		X	
NIST	https://www.nist.gov/itl/sed/stefan-d-leigh	Stefan D. Leigh NIST		X		X		X		X	
NIST	https://www.nist.gov/nvlap/accreditation-programs	Accreditation Programs NIST		X		X		X		X	
NIST	#VALUE!	Search Publications Page 2 NIST		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
NIST	https://www.nist.gov/national-voluntary-laboratory-accreditation-program-nvlap/proficiency-testing-requirements-1	Proficiency Testing Requirements NIST		X		X		X		X	
NIST	https://www.nist.gov/document-6554	Memo clarification on Asbestos NESHAP		X		X		X		X	
NIST	https://www.nist.gov/nist-pub-series/handbook-nist-hb?page=7	Handbook (NIST HB) Page 8 NIST		X		X		X		X	
NIST	https://www.nist.gov/nvlap/requirements-documents	Requirements Documents NIST		X		X		X		X	
NIST	https://www.nist.gov/permissions/nvlap?page=13	nvlap Page 14 NIST		X		X		X		X	
NIST	#VALUE!	Search Publications Page 5 NIST		X		X		X		X	
NIST	https://www.nist.gov/nvlap/assessor-resources/nvlap-assessor-bulletins	NVLAP Assessor Bulletins NIST		X		X		X		X	
NIST	https://www.nist.gov/nvlap/assessor-resources	NVLAP Assessor Resources NIST		X		X		X		X	
NIST	https://www.nist.gov/image/1866crocidolitefromalsfig-0	NVLAP Asbestos LAP Program Summary Featured Image		X		X		X		X	
NIST	https://www.nist.gov/nvlap/about-nvlap/international-recognition	Mutual Recognition Arrangements NIST		X		X		X		X	
NIST	https://www.nist.gov/nvlap/nvlap-wood-based-products-lap	NVLAP Wood-Based Products LAP NIST		X		X		X		X	
NIST	https://www.nist.gov/document-15141	Overview of NIST Measurement Services		X		X		X		X	
NIST	https://www.nist.gov/itl/sed/james-j-filliben	Peer reviewed abstracts		X		X		X		X	
NIST	https://www.nist.gov/nist-research-library/journal-research-volume-55	Peer reviewed abstracts		X		X		X		X	
NIST	#VALUE!	Peer reviewed literature		X		X		X		X	
NIST	https://www.nist.gov/publication-type/journals?page=28	Journals Page 29 NIST		X		X		X		X	
NIST	https://www.nist.gov/document-6669	NA		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
NIST	#VALUE!	Search Publications Page 25 NIST		X		X		X		X	
NIST	#VALUE!	Search Publications Page 31 NIST		X		X		X		X	
NIST	#VALUE!	Search Publications Page 978 NIST		X		X		X		X	
NIST	#VALUE!	Search Publications Page 979 NIST		X		X		X		X	
NIST	#VALUE!	Search Publications Page 852 NIST		X		X		X		X	
NIST	#VALUE!	Search Publications Page 854 NIST		X		X		X		X	
NIST	#VALUE!	Search Publications Page 988 NIST		X		X		X		X	
NIST	#VALUE!	Search Publications Page 855 NIST		X		X		X		X	
NIST	#VALUE!	Search Publications Page 987 NIST		X		X		X		X	
NIST	#VALUE!	Search Publications Page 1410 NIST		X		X		X		X	
NIST	#VALUE!	Search Publications Page 2657 NIST		X		X		X		X	
NIST	https://www.nist.gov/document-12461	American Recovery and Reinvestment Act (ARRA)		X		X		X		X	
NOAA CAMEO database	https://cameochemicals.noaa.gov/	SDS	X			X		X		X	
NOAA CAMEO database	https://cameochemicals.noaa.gov/	SDS - Blue Asbestos	X			X		X		X	
Protective Action Criteria (PAC) Database	https://sp.eota.energy.gov/pac/teel/Revision_29_Table1.pdf	Associated Chemical Information. PACs Rev. 29, May 2016		X	X			X	X		
Protective Action Criteria (PAC) Database	https://sp.eota.energy.gov/pac/teel/Revision_29_Table2.pdf	(PAC) Rev. 29 based on applicable 60-minute AEGLs, RPGs, or TEELs. The		X		X		X	X		
Protective Action Criteria (PAC) Database	https://sp.eota.energy.gov/pac/teel/Revision_29_Table4.pdf	(PAC) Rev. 29 based on applicable 60-minute AEGLs, ERPGs, or TEELs.		X		X		X	X		

Source	General Information about Result		Subject-Matter Tags								Notes	
	URL	Annotation	Engineering		Fate		Exposure		Human Health			
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic		
US Geological Survey	https://pubs.usgs.gov/sir/2015/5177/sir20155177.pdf	Rich Sediment in the Sumas River, Whatcom County, Washington		X	X			X			X	
US Geological Survey	https://www.usgs.gov/staff-profiles/nadine-piatak	Nadine Piatak		X		X			X		X	
US Geological Survey	https://www.usgs.gov/media/images/magnified-dust-world-trade-center-collapse	Magnified Dust from the World Trade Center Collapse		X		X			X		X	
US Geological Survey	https://www.usgs.gov/staff-profiles/geoffrey-plumlee	Geoffrey Plumlee, Ph.D.		X		X			X		X	
US Geological Survey	https://www.usgs.gov/staff-profiles/raymond-kokaly	Raymond Kokaly		X		X			X		X	
US Geological Survey	https://www.usgs.gov/staff-profiles/christopher-magirl	Christopher Magirl		X		X			X		X	
US Geological Survey	https://www.usgs.gov/science/regions/northwest/washington	Washington		X		X			X		X	
Department of Energy	https://energy.gov/sites/prod/files/TFS-Asbestos%20Technologies%20FINAL-JD-PK.pdf	Techniques and Technologies for Field Detection of Asbestos ...		X		X			X		X	
Department of Energy	https://www.energy.gov/sites/prod/files/2013/09/f3/chapter1_1.pdf	Asbestos Abatement Actions		X		X			X		X	
Department of Energy	https://energy.gov/sites/prod/files/CX-008340.pdf	CX-008340.pdf		X		X			X		X	
Department of Energy	https://energy.gov/sites/prod/files/2013/09/f3/chapter1_1.pdf	DOE-HDBK-1169-2003; DOE Handbook Nuclear Air Cleaning ...	X			X			X		X	
Department of Energy	http://energy.gov/sites/prod/files/CX-007978.pdf	CX-007978.pdf		X		X			X		X	
Department of Energy	https://energy.gov/ea/downloads/consent-order-fluor-bw-portsmouth-llc-march-12-2015	Consent Order, Fluor-B&W Portsmouth, LLC - March 12, 2015 ...		X		X			X		X	
Department of Energy	https://energy.gov/sites/prod/files/maprod/documents/PUBLIC_PIA_E-1074.pdf	PIA - Savannah River Nuclear Solutions Training Records and ...		X		X			X		X	
Department of Energy	https://energy.gov/nepa/categorical-exclusion-determinations-b116	asbestos removal but would need to compile info from many PDFs		X		X			X		X	
Department of Energy	https://energy.gov/sites/prod/files/2016/05/f32/lupwg_spring2016_gasi_pennington_terrell.pdf	Case Study on eProjectBuilder: Presented by Lara Gast, U.S. ...		X		X			X		X	
Department of Energy	http://energy.gov/sites/prod/files/CX-013361.pdf	CX-013361.pdf		X		X			X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Department of Energy	https://energy.gov/sites/prod/files/2013/10/f3/surveillance_case_definitions.pdf	Former Worker Medical Screening Program Surveillance case definitions	X			X		X		X	
Department of Energy	http://energy.gov/sites/prod/files/2015/06/f23/100273.pdf	US. DOE: Office of Energy Efficiency and Renewable Energy ...		X		X		X		X	
Department of Energy	https://energy.gov/sites/prod/files/TFS%20-TransitePanel-FINAL-JD-PK.pdf	Study of Alternative Approaches for Transite Panel Removal (196.34 ...	X			X		X		X	
Department of Energy	https://energy.gov/pppo/paducah-waste-disposal	Paducah Waste Disposal Department of Energy		X		X		X		X	
Department of Energy	https://energy.gov/nepa/downloads/cx-001181-categorical-exclusion-determination	CX-001181: Categorical Exclusion Determination Department of ...		X		X		X		X	
Department of Energy	https://energy.gov/ehss/extreme-vpp-kandahar-afghanistan	Extreme VPP - Kandahar, Afghanistan Department of Energy		X		X		X		X	
Department of Energy	https://energy.gov/sites/prod/files/2013/04/f0/CX-009401.pdf	CX-009401.pdf		X		X		X		X	
Department of Energy	http://energy.gov/sites/prod/files/FY10%20Reporting%20Guidance.pdf	Development of Environmental Liability Estimates (Field Only)		X		X		X		X	
Department of Energy	https://energy.gov/sites/prod/files/CX-000791.pdf	CX-000791.pdf		X		X		X		X	
Department of Energy	http://energy.gov/sites/prod/files/CX-002455.pdf	CX-002455.pdf		X		X		X		X	
Department of Energy	https://energy.gov/energysaver/insulation-materials	Insulation Materials Department of Energy		X		X		X		X	
Department of Energy	https://energy.gov/sites/prod/files/2013/11/f5/case_study_retrofit_1915home.pdf	Retrofit of 1915 Home, Dayton, Washington		X		X		X		X	
Department of Energy	https://energy.gov/sites/prod/files/HQ_Work_Control_Permit.docx	HQ_Work_Control_Permit.docx		X		X		X		X	
Department of Energy	https://energy.gov/ebr/downloads/managing-category-i-and-ii-asbestos-containing-materials-during-decontamination-and	Managing Category I and II Asbestos-Containing Materials During ...		X		X		X		X	
Department of Energy	https://energy.gov/c/action-center-office-general-counsel/faq-related-recovery-act/eligibility-determinations-under	ELIGIBILITY DETERMINATIONS UNDER EECBG, SEP, or WAP ...		X		X		X		X	
Department of Energy	https://energy.gov/sites/prod/files/2015/03/20/Worker%20Rights%20Pamphlet%20031215.pdf	to do exposure monitoring. Need to find the specifications of "851" to		X		X		X		X	
Department of Energy	https://energy.gov/sites/prod/files/2013/06/f1/CX-010354.pdf	CX-010354.pdf		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Department of Energy	https://energy.gov/sites/prod/files/2015/10/f27/929%201015%20Ciucci%20EM%20Successes.pdf	Ciucci Presentation		X		X		X		X	
Department of Energy	https://www.energy.gov/sites/prod/files/2014/05/f12/20140512%20Energy%20and%20Environment%20and%20Health%20and%20Safety%20and%20Security.pdf	A Unique Approach to Prevention of Heat Strain in D&D Workers		X		X		X		X	
Department of Energy	http://energy.gov/sites/prod/files/2013/07/f2/EnvironmentalLiability-101-2013.pdf	Introduction to DOE Environmental Liabilities		X		X		X		X	
Department of Energy	http://energy.gov/sites/prod/files/CX-014551.pdf	CX-014551.pdf		X		X		X		X	
Department of Energy	https://energy.gov/sites/prod/files/2013/10/f3/INEEL_NeedsAssessment.pdf	Assessment Medical Surveillance. Report the results and analysis of	X			X		X		X	
Department of Energy	https://energy.gov/em/articles/deactivation-project-commences-while-cleanup-continues-paducah-site	Deactivation Project Commences While Cleanup Continues at ...		X		X		X		X	
Department of Energy	https://energy.gov/sites/prod/files/2016/04/f01/center%20rehabilitation%20status%20report%20final%20report%200416.pdf	Center Hill Rehabilitation Status		X		X		X		X	
Department of Energy	http://energy.gov/sites/prod/files/Asbestos%20Data%20Collection%20Guidance.pdf	ASBESTOS DATA COLLECTION As a result of site interactions and ...		X		X		X		X	
Department of Energy	http://energy.gov/sites/prod/files/CX-000681.pdf	CX-000681.pdf		X		X		X		X	
Department of Energy	https://energy.gov/sites/prod/files/2015/02/f18/DOEPP003-0145%20D2%20Group%201%20Buildings%20ECCA.pdf	Engineering Evaluation/Cost Analysis - Group 1 Buildings		X		X		X		X	
Department of Energy	https://energy.gov/sites/prod/files/2016/07/f33/5_3i_pp_plumbing%20overview_v2.0.ppt	PowerPoint: Plumbing Overview		X		X		X		X	
Department of Energy	https://energy.gov/sites/prod/files/CX-015859.pdf	CX-015859.pdf (1.35 MB)		X		X		X		X	
Department of Energy	https://energy.gov/sites/prod/files/2013/05/f0/PM_PLAN_EXAMPLES_18-19.pdf	Hazardous and Radioactive Material Evaluations Examples		X		X		X		X	
Department of Energy	https://energy.gov/sites/prod/files/2013/10/f3/LANL_NeedsAssessment.pdf	Los Alamos Needs Assessment	X			X		X		X	
Department of Energy	https://energy.gov/sites/prod/files/CX-014730.pdf	CX-014730.pdf (450.33 KB)		X		X		X		X	
Department of Energy	https://energy.gov/sites/prod/files/em/emrecovery/EMARRANewsletterIssue6.pdf	Program for Former Los Alamos National Laboratory Workers	X			X		X		X	
Department of Energy	https://energy.gov/em/articles/workers-demolishing-significant-inactive-facility-paducah-site	Workers Demolishing Significant Inactive Facility at Paducah Site ...		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Department of Energy	https://www.energy.gov/sites/prod/files/2014/02/18/DOE-STD-3020-2005_Specification_for_HEPA_Filters_used_by_DOE.pdf	Final Action Memorandum for the Plant Support Buildings and ...		X		X		X		X	
Department of Energy	http://energy.gov/sites/prod/files/CX-006087.pdf	Sitewide Categorical Exclusion for Removal of Asbestos from ...		X		X		X		X	
Department of Energy	https://energy.gov/sites/prod/files/2016/10/13/Excess%20Facilities.pdf	EXCESS CONTAMINATED FACILITIES		X		X		X		X	
Department of Energy	https://energy.gov/sites/prod/files/2013/06/11/doe-std-3020-2005.pdf	DOE-STD-3020-2005, Specification for HEPA Filters used by DOE ...		X		X		X		X	
Department of Energy	https://www.energy.gov/sites/prod/files/2014/02/18/FWP_Annual_Report.pdf	Former Worker Medical Screening Program 2013 Annual Report ...	X			X		X		X	
Department of Energy	https://energy.gov/em/articles/workers-demolish-metals-plant-paducah-site	Workers Demolish Metals Plant at Paducah Site Department of ...		X		X		X		X	
Department of Energy	https://www.energy.gov/sites/prod/files/2013/10/13/ORNL_ProductionWorkers_NeedsAssessment.pdf	Surveillance Program Needs Assessment	X			X		X		X	
Department of Energy	https://energy.gov/sites/prod/files/2013/10/13/Hanford_Production_Workers_NeedsAssessment.pdf	Hanford Production Workers Needs Assessment for Medical Surveillance	X			X		X		X	
Department of Energy	http://energy.gov/sites/prod/files/2013/07/12/CX-010532.pdf	JUI~ 0 X013		X		X		X		X	
Department of Energy	https://energy.gov/eere/articles/oregon-school-district-benefits-energy-improvements	Oregon School District Benefits from Energy Improvements ...		X		X		X		X	
Department of Energy	https://energy.gov/sites/prod/files/2015/06/23/CX-012767.pdf	CX-012767.pdf		X		X		X		X	
Department of Energy	https://energy.gov/em/downloads/workers-complete-asbestos-removal-west-valley-prep-facility	Workers Complete Asbestos Removal at West Valley to Prepare ...		X		X		X		X	
Department of Energy	http://energy.gov/sites/prod/files/2015/04/01/13_Jamie%20Stalker_10%20CFR%2089%20Requirements%20for%20Removal_Docket%20Number_45_BM-10_CBDPP.pdf	Docket Number: HS-RM-10-CBDPP - Jamie Stalker		X		X		X		X	
Department of Energy	https://energy.gov/sites/prod/files/2013/10/13/Oak_Ridge_Construction_Workers_NeedsAssessment.pdf	Needs Assessment for Medical Surveillance	X			X		X		X	
Department of Energy	https://energy.gov/oreo/articles/final-load-debris-shipped-k-25-building-demolition-project	Final load of debris shipped from K-25 Building demolition project ...		X		X		X		X	
Department of Energy	https://energy.gov/sites/prod/files/2014/03/19/BPA%20Safety%20Management%20Program%20Review%20Report.pdf	Independent Oversight Review of the Bonneville Power ...		X		X		X		X	
Department of Energy	https://energy.gov/em/articles/em-begins-demolishing-k-31-gaseous-diffusion-building	EM Begins Demolishing K-31 Gaseous Diffusion Building ...		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Department of Energy	https://www.energy.gov/sites/prod/files/2016/11/f34/2016%20November%20RISAB%20E%20Facilities%20Final-web_0.pdf	NA		X		X		X		X	
Department of Energy	https://energy.gov/ehss/services/worker-health-and-safety/former-worker-medical-screening-program	Former Worker Medical Screening Program Department of Energy		X		X		X		X	
Department of Energy	https://energy.gov/sites/prod/files/2014/10/18/VVS13%20Fire_ERAD%2009242014.pdf	Variable Voltage Substation Electrical Fire-John Seabury Sep 24 ...		X		X		X		X	
Department of Energy	https://energy.gov/sites/prod/files/2014/10/18/EnvironmentalLiability0514.pdf	Environmental Liability		X		X		X		X	
Department of Energy	https://energy.gov/ehss/chest-x-rays	Chest x-Rays Department of Energy		X		X		X		X	
Department of Energy	https://energy.gov/sites/prod/files/em/emrecovery/WestValleyAsbestosRemovalNewsFlash.pdf	Workers Complete Asbestos Removal at West Valley to Prepare ...		X		X		X		X	
Department of Energy	https://energy.gov/sites/prod/files/2015/01/19/OAS-FS-15-07.pdf	Audit Report: OAS-FS-15-07		X		X		X		X	
Department of Energy	https://energy.gov/savings/mass-save-heat-loan-program	Mass Save - HEAT Loan Program Department of Energy		X		X		X		X	
Department of Energy	https://www.energy.gov/sites/prod/files/2013/10/03/Pommouth_Paducah_K25ProductionWorkers_NeedsAssessment.pdf	Paducah Needs Assessment Former Worker Medical Surveillance Program	X			X		X		X	
Department of Energy	https://energy.gov/sites/prod/files/2014/09/18/2014%20CSAC%20meeting%20presentations-082014.pptx	2014 CSAC Meeting Presentations (13.07 MB)		X		X		X		X	
Department of Energy	https://energy.gov/nepa/categorical-exclusion-cx-determinations-cx	Determinations By CX Department of Energy		X		X		X		X	
Department of Energy	https://energy.gov/gc/action-center-office-general-counsel/facts-related-recovery-act/davis-bacon	Davis Bacon Department of Energy		X		X		X		X	
Department of Energy	https://energy.gov/sites/prod/files/2013/05/11/PM_PLAN_EXAMPLES_77-78.pdf	PROJECT MANGEMENT PLAN EXAMPLES Project Closeout - End ...		X		X		X		X	
Department of Energy	https://energy.gov/em/hanford-site	Hanford Site Department of Energy		X		X		X		X	
Department of Energy	https://energy.gov/lm/sites/lm-sites/programmatic-framework	Programmatic Framework Department of Energy		X		X		X		X	
Department of Energy	https://energy.gov/sites/prod/files/TFS-SMS%20VS-FINAL-pk.pdf	Structural Monitoring System (SMS) and Visual System (VS)		X		X		X		X	
Department of Energy	https://energy.gov/sites/prod/files/2014/01/14/Managing%20Category%20I%20and%20II%20Asbestos-Containing%20Materials%20During%20Remediation%20at%20Hanford%20Site.pdf	Managing Category I and II Asbestos-Containing Materials During ...		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Department of Energy	http://energy.gov/sites/prod/files/EIS-0413-FEIS_Appendix%20D_Western's%20Construction%20Standards.pdf	Appendix D - Western's Construction Standards		X		X		X		X	
Department of Energy	https://energy.gov/oha/whistleblower-qas	Whistleblower Q&A's Department of Energy		X		X		X		X	
Department of Energy		NA		X		X		X		X	
Department of Energy	http://energy.gov/sites/prod/files/2013/12/f5/ORNL.pdf	Oak Ridge National Laboratory (continued)		X		X		X		X	
Department of Energy	https://energy.gov/sites/prod/files/2014/04/f15/0012ornl.pdf	Type B Accident Investigation of the Subcontractor Employee ...		X		X		X		X	
Department of Energy	http://energy.gov/sites/prod/files/2013/10/f3/SRS_Construction_Workers_NeedsAssessment.pdf	Assessment for Medical Surveillance Program	X			X		X		X	
Department of Energy	https://energy.gov/sites/prod/files/2013/10/f3/Portsmouth_Paducah_Construction_Workers_NeedsAssessment.pdf	Construction Workers Needs Assessment for Medical Surveillance	X			X		X		X	
Department of Energy	http://energy.gov/sites/prod/files/CX-014552.pdf	CX-014552.pdf		X		X		X		X	
Department of Energy	https://www.energy.gov/ehsa/savannah-river-site-former-construction-worker-screening-projects	TRADES MEDICAL SCREENING PROGRAM	X			X		X		X	
Department of Energy	https://energy.gov/sites/prod/files/OAS-FS-13-08.pdf	Audit Report - Management Letter on the Audit of the Department of ...		X		X		X		X	
Department of Energy	https://energy.gov/sites/prod/files/2015/03/f20/FBP%20Consent%20Order%20033115.pdf	Fluor-B&W Portsmouth, LLC Consent Order		X		X		X		X	
Department of Energy	https://energy.gov/sites/prod/files/2013/05/f0/PM_PLAN_EXAMPLES_13-14.pdf	Hazard Identification and Characterization Examples		X		X		X		X	
Department of Energy	https://energy.gov/sites/prod/files/oha/Whistleblower/tbh0073.pdf	Case Numbers: TBH-0073, TBH-0075 (69.4 KB)		X		X		X		X	
Department of Energy	https://energy.gov/sites/prod/files/May%202011%20Jeanette_Brown_EPA_DOE_Green_05102011.pdf	Environmental Protection Agency		X		X		X		X	
Department of Energy	https://energy.gov/sites/prod/files/2015/06/f22/Meeting%20Minutes%20-%20March%202015.pdf	Many Voices Working for the Community		X		X		X		X	
Department of Energy	http://energy.gov/nepa/downloads/cx-014455-categorical-exclusion-determination	CX-014455: Categorical Exclusion Determination Department of ...		X		X		X		X	
Department of Energy	https://energy.gov/sites/prod/files/CX-013911.pdf	CX-013911.pdf		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Department of Energy	https://energy.gov/sites/prod/files/repapub/epa_documents/RedDore/CXR-Technical_Support_Document_Dec_20.pdf	CX rulemaking files		X		X		X		X	
Department of Energy	https://energy.gov/sites/prod/files/2015/02/19/DOEPPPO3-0146%26D2%20RCW%20EECA.pdf	Engineering Evaluation/Cost Analysis		X		X		X		X	
PNNL Pacific Northwest National Laboratory	https://www.pnnl.gov/contracts/FileView.aspx?fileLoc=Forms%20Links/Attachments/19/sp00e110.doc	Prejob Safety Planning Signoff		X		X		X		X	
PNNL Pacific Northwest National Laboratory	http://www.pnnl.gov/biology/staff/staff_info.asp?staff_num=7044	PNNL: Biological Sciences - Katrina Waters		X		X		X		X	
PNNL Pacific Northwest National Laboratory	https://www.pnnl.gov/contracts/FileView.aspx?fileLoc=Forms%20Links/Attachments/29/CESH_Manual.pdf	Contractor Environment, Safety & Health Manual		X		X		X		X	
PNNL Pacific Northwest National Laboratory	http://www.pnnl.gov/main/publications/external/technical_reports/PNNL-20972.pdf	Volume 17: Insulation		X		X		X		X	
PNNL Pacific Northwest National Laboratory	http://www.pnnl.gov/nationalsecurity/technical/capabilities/computing/ascm/publications.stm	PNNL: National Security Directorate, Applied Statistics ...		X		X		X		X	
PNNL Pacific Northwest National Laboratory	http://www.pnnl.gov/main/publications/external/technical_reports/PNNL-23706.pdf	Pseudo		X		X		X		X	
PNNL Pacific Northwest National Laboratory	http://www.pnnl.gov/main/publications/external/technical_reports/PNNL-23408.pdf	Energy and Water Conservation Assessment of the Radiochemical ...		X		X		X		X	
PNNL Pacific Northwest National Laboratory	https://www.pnnl.gov/contracts/FileView.aspx?fileLoc=Reports/Attachments/9/A133FinancialStatementFY08.pdf	FY08 A-133 financial statement		X		X		X		X	
PNNL Pacific Northwest National Laboratory	http://www.pnnl.gov/contracts/documents/terms_cond/currentGPs/GPs-A-110-1-Construction-FP.pdf	GENERAL PROVISIONS For the Pacific Northwest National ...		X		X		X		X	
PNNL Pacific Northwest National Laboratory	http://www.pnnl.gov/main/publications/external/technical_reports/PNNL-21951.pdf	Annual Report: 2010-2011 Storm Season Sampling for None-Dry ...		X		X		X		X	
PNNL Pacific Northwest National Laboratory	http://www.pnnl.gov/main/publications/external/technical_reports/PNNL-22139.pdf	Annual Report: 2011-2012 Non-Dry Dock Stormwater Monitoring for ...		X		X		X		X	
PNNL Pacific Northwest National Laboratory	https://www.pnnl.gov/contracts/FileView.aspx?fileLoc=Forms%20Links/Attachments/16/sp00e190.doc	PNNL Contractor Employee Job Task Analysis Form		X		X		X		X	
PNNL Pacific Northwest National Laboratory	http://www.pnnl.gov/main/publications/external/technical_reports/pnnl-20956.pdf	A Guide to Energy Audits		X		X		X		X	
PNNL Pacific Northwest National Laboratory	http://www.pnnl.gov/main/publications/external/technical_reports/PNNL-21402.pdf	Commercial Building Energy Asset Rating		X		X		X		X	
PNNL Pacific Northwest National Laboratory	http://www.pnnl.gov/main/publications/external/technical_reports/PNNL-21088.pdf	Analysis of International Commodity Shipping Data and the ...		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/70044935	Earth mineral resource of the month: asbestos: no link		x		x		x		x	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/70044815	Peer-reviewed journal article		x		x		x		x	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/70031741	The geology of asbestos in the United States and its practical applications		x		x		x		x	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/cir1255KK	Mineral Commodity Profiles -- Asbestos		x		x		x		x	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/70037340	mineral deposits and asbestos in the western united states		x		x		x		x	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/b2192	of U.S. vermiculite deposits; are asbestos minerals common		x		x		x		x	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/70013249	DISEASES IN TRADES AND MINING OCCUPATIONS AND IN FACTORY		x		x		x		x	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/70045455	Asbestos: no link		x		x		x		x	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/pp1016	the asbestos-bearing ultramafic rocks of the Belvidere Mountain area in		x		x		x		x	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/ofr20041092	Associated Amphibole Asbestos Within Mined Deposits of the		x		x		x		x	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/cir611	Asbestos occurrence in the Eagle C-4 quadrangle, Alaska		x		x		x		x	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/70036720	Vermont Asbestos Group mine, Belvidere Mountain, Vermont		x		x		x		x	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/ofr20091242	Water-Elutriated Libby Amphibole 2000 and RTI International Amosite		x		x	x			x	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/70027257	deposits as an indicator of amphibole asbestos content		x		x		x		x	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/ofr79360	of the Hamdah area, Kingdom of Saudi Arabia		x		x		x		x	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/cir1298	Consumption Trends from 1900 through 2003	x			x		x		x	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/ofr20061211	and natural asbestos occurrences in the central United States		x		x	x			x	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/mr17	Asbestos in the United States, exclusive of Alaska and Hawaii		X		X		X		X	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/ofr20051189	historic asbestos prospects, and natural asbestos occurrences in the		X		X	X			X	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/b1019L	Asbestos Resources in the United States and Canada		X		X	X			X	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/ofr20121012	"Libby Amphibole" toxicological testing material		X		X		X		X	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/b1122B	Deposits of the Upper Missisquoi Valley and Vicinity, Vermont		X		X		X		X	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/ofr20111188	historic asbestos prospects, and other natural occurrences of asbestos in		X		X		X		X	
US Geological Survey publications	http://pubs.er.usgs.gov/publication/70036688	Mapping potentially asbestos-bearing rocks using imaging spectroscopy		X		X		X		X	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/70012684	SIERRA ANCHA WILDERNESS, ARIZONA		X		X		X		X	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/mf1529B	Mount Eddy and Castle Crags Roadless Areas, Shasta, Siskiyou,		X		X		X		X	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/ofr20101041	Historic Asbestos Prospects, and Other Natural Occurrences of		X		X		X		X	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/ofr4393	Asbestos mine near Bluerock Knob, Yancey County, North Carolina		X		X		X		X	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/70013433	DEFINITION FOR ASBESTOS.		X		X		X		X	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/70014920	skarn environment at the tomboy-minnie gold deposits, Lander County,		X		X		X		X	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/70021142	Fraser mine, Sudbury, Ontario, Canada: Description and crystal		X		X		X		X	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/ofr20071182	Historic Asbestos Prospects, and Natural Asbestos Occurrences in the		X		X		X		X	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/ofr20081095	Historic Asbestos Prospects, and Natural Asbestos Occurrences in the		X		X		X		X	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/ofr82745	in trades and mining occupations and in factory and mining communities as	X			X	X			X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/ofr20131170F	Environmental-Health Implications of the SAFRR Tsunami Scenario in		x		x		x		x	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/70010349	comparison with the conventional technique		x		x		x		x	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/70020482	diabase: A likely contributor of copper to porphyry systems in the dripping		x		x		x		x	
US Geological Survey publications	http://pubs.er.usgs.gov/publication/70014025	SPANISH PEAKS PRIMITIVE AREA, MONTANA.		x		x		x		x	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/70024595	magmatism in Vermont and adjacent Quebec: Implications for early		x		x		x		x	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/ofr02149	Asbestos: Geology, Mineralogy, Mining, and Uses	x			x		x		x	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/70017989	minerals from Ravalli County, Montana		x		x		x		x	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/pp1086	Regional metamorphism in the Condrey Mountain Quadrangle		x		x		x		x	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/ofr70148	Mineral resources of parts of the Departments of Antioquia and ...		x		x		x		x	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/fs20073063	Mineral Resources of Afghanistan, 2007		x		x		x		x	
US Geological Survey publications	http://pubs.er.usgs.gov/publication/70003361	deposits and its application to public health policy		x		x		x		x	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/ofr72204	Reconnaissance geology of the Jabal Bitran quadrangle, Kingdom ...		x		x		x		x	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/ofr20131280R	occurrences and permissive areas for other occurrences in the Islamic		x		x		x		x	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/70140561	generated by the collapse of the World Trade Center: peer reviewed		x		x		x		x	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/70178781	Oxygen, hydrogen, sulfur, and carbon isotopes in the Pea Ridge ...		x		x		x		x	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/mf1999	Mineral resources and resource potential map of the Pyramid Peak ...		x		x		x		x	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/sir20155177	rich sediment in the Sumas River, Whatcom County, Washington		x	x			x		x	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/70162643	environmental-health implications of extreme storms: ARkStorm scenario		X		X		X		X	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/70178613	Metaultramafic schists and dismembered ophiolites of the Ashe ...		X		X		X		X	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/ofr20101056	Examination of Libby, Montana, Fill Material for Background Levels ...		X		X	X			X	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/ofr97199	water and sediments, Grand Portage and Wausaugoning Bays, Lake		X		X		X		X	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/70028626	Evaluating minerals of environmental concern using spectroscopy		X		X		X		X	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/70023855	Fracture Development within the Karaha-Telaga Bodas Geothermal ...		X		X		X		X	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/70015935	Characterization of carbon in sediment-hosted disseminated gold ...		X		X		X		X	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/70033393	Spatial and temporal zoning of hydrothermal alteration and ...		X		X		X		X	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/70013412	DEFINITION FOR TALC. - USGS Publications Warehouse		X		X		X		X	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/ofr20141197	An evaluation of remote sensing technologies for the detection of ...		X		X		X		X	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/70140565	Analyses of Asbestos in the World Trade Center Dust: Asbestos Content		X		X		X		X	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/ofr52110	Geologic setting of the Mountain Pass rare earth deposits, San ...		X		X		X		X	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/b1930	Gold-bearing skarns - USGS Publications Warehouse		X		X		X		X	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/70012292	A review of recent activity in the United States.		X		X		X		X	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/wri904180	Corrosiveness of ground water in the Kirkwood-Cohansey aquifer ...		X		X		X		X	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/70043397	Porphyry-type metallization and alteration at La Florida de Nacozari ...		X		X		X		X	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/b1122A	Geology of the Spruce Pine District, Avery, Mitchell, and Yancy ...		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/70028289	Bald Friar Metabasalt and Kennett Square Amphibolite: Two lapetan ...		X		X		X		X	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/70011825	Mineralogy and stable isotope geochemistry of hydrothermally ...		X		X		X		X	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/70033749	The evolution of volcano-hosted geothermal systems based on deep ...		X		X		X		X	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/70026277	Fracture development within a stratovolcano: The Karaha-Telaga ...		X		X		X		X	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/ofr6939	The talc, soapstone, and asbestos deposits of Massachusetts		X		X		X		X	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/70015445	The campi flegrei (Italy) geothermal system: A fluid inclusion study of ...		X		X		X		X	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/ofr20061362	Mineralogy and Morphology of Amphiboles Observed in Soils and ...		X		X		X		X	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/sir20065194	Effects of Regulation and Technology on End Uses of Nonfuel ...		X		X		X		X	
US Geological Survey publications	https://pubs.er.usgs.gov/browse/Article/Journal%20Article/Environmental%20and%20Engineering%20Geoscience/	Browse the USGS Publications Warehouse		X		X		X		X	
US Geological Survey publications	https://pubs.er.usgs.gov/browse/Article/Journal%20Article/Environmental%20and%20Engineering%20Geoscience/	Browse the USGS Publications Warehouse		X		X		X		X	
US Geological Survey publications	https://pubs.er.usgs.gov/browse/Article/Journal%20Article/Geology%20in%20China/	Browse the USGS Publications Warehouse		X		X		X		X	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/70016914	Mineralogy and geochemistry of two metamorphosed sedimentary ...		X		X		X		X	
US Geological Survey publications	https://pubs.er.usgs.gov/browse/Article/Journal%20Article/Environmental%20Geology/	Publications int the Series Environmental Geology - USGS ...		X		X		X		X	
US Geological Survey publications	https://pubs.er.usgs.gov/browse/Conference%20Paper/	Conference Paper - USGS Publications Warehouse		X		X		X		X	
US Geological Survey publications	https://pubs.er.usgs.gov/browse/Report/USGS%20Numbered%20Series/Open-File%20Report/2006/	2006 - USGS Publications Warehouse		X		X		X		X	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/fs01201	Some Facts About Asbestos - USGS Publications Warehouse		X		X		X		X	
US Geological Survey publications	https://pubs.er.usgs.gov/browse/Report/USGS%20Numbered%20Series/Bulletin/	Bulletin - USGS Publications Warehouse		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
US Geological Survey publications	https://pubs.er.usgs.gov/browse/Article/Journal%20Article/Mining%20Engineering/	Publications in the Series Mining Engineering - Browse the USGS ...		X		X		X		X	
US Geological Survey publications	https://pubs.er.usgs.gov/browse/Article/Journal%20Article/Ring/	Browse the USGS Publications Warehouse		X		X		X		X	
US Geological Survey publications	https://pubs.er.usgs.gov/browse/Report/USGS%20Number%20Series/Open-File%20Report/1982/	1982 - USGS Publications Warehouse		X		X		X		X	
US Geological Survey publications	https://pubs.er.usgs.gov/browse/Article/Journal%20Article/Earth/	Browse the USGS Publications Warehouse		X		X		X		X	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/70044911	Asbestos - USGS Publications Warehouse		X		X		X		X	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/70027280	The coefficient of friction of chrysotile gouge at seismogenic depths		X		X		X		X	
US Geological Survey publications	http://pubs.er.usgs.gov/publication/70010458	Studies in the system MgO-SiO ₂ -CO ₂ -H ₂ O(l): The activity-product ...		X		X		X		X	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/70001743	Equilibrium coexistence of three amphiboles		X		X		X		X	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/70013109	Some mineral stability relations in the system CaOMgOSiO ₂ H ₂ O/HCl		X		X		X		X	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/70010783	Heat capacity from 12 to 305??K and entropy of talc and tremolite		X		X		X		X	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/70014412	Contrasting serpentinization processes in the eastern Central Alps		X		X		X		X	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/ofr98364	Acid-neutralizing potential of minerals in intrusive rocks of the ...		X		X		X		X	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/70028814	Hydrogen and oxygen isotope constraints on hydrothermal ...		X		X		X		X	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/70001459	Metamorphic assemblages and the direction of flow of metamorphic ...		X		X		X		X	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/70030371	Stable isotope compositions of serpentinite seamounts in the ...		X		X		X		X	
US Geological Survey publications	http://pubs.er.usgs.gov/publication/70018187	Strength of chrysotile-serpentinite gouge under hydrothermal ...		X		X		X		X	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/70001175	Serpentinization and alteration in an olivine cumulate from the ...		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/70011546	Exsolution in clinoamphiboles - USGS Publications Warehouse		x		x		x		x	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/70014028	Manganese-rich red tourmaline from the Fowler talc belt, New York.		x		x		x		x	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/70013137	The age and origin of felsic intrusions of the Thetford Mines ophiolite ...		x		x		x		x	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/70036688	Mapping potentially asbestos-bearing rocks using imaging ...		x		x		x		x	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/70016459	anthophyllite and talc: corrections and ...		x		x		x		x	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/70012766	Present day serpentinization in New Caledonia, Oman and Yugoslavia		x		x		x		x	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/70148593	chromium and nickel from serpentinite ...		x		x		x		x	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/70012437	Low temperature alteration processes affecting ultramafic bodies		x		x		x		x	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/70018456	Mount St. Augustine volcano fumarole wall rock alteration ...		x		x		x		x	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/70024962	The composition and morphology of amphiboles from the Rainy ...		x		x		x		x	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/ofr70329	The mineral resources of the Sierra Nevada de Santa Marta ...		x		x		x		x	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/70015349	Spectral characteristics of chlorites and Mg-serpentines using high ...		x		x		x		x	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/70021015	Geology of the Barite Hill gold-silver deposit in the southern ...		x		x		x		x	
US Geological Survey publications	https://pubs.er.usgs.gov/browse/Article/Journal%20Article/International%20Geology%20Review/	Browse the USGS Publications Warehouse		x		x		x		x	
US Geological Survey publications	http://pubs.er.usgs.gov/publication/70019443	Strengths of serpentinite gouges at elevated temperatures		x		x		x		x	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/ofr5326	Geology of the Plumtree area, Spruce Pine district, North Carolina		x		x		x		x	
US Geological Survey publications	https://pubs.er.usgs.gov/browse/Report/USGS%20Number%20Series/Professional%20Paper/1967/	1967 - USGS Publications Warehouse		x		x		x		x	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
US Geological Survey publications	https://pubs.er.usgs.gov/browse/Article/Journal%20Article/American%20Mineralogist/	American Mineralogist - USGS Publications Warehouse		X		X		X		X	
US Geological Survey publications	https://pubs.er.usgs.gov/browse/Report/USGS%20Numbered%20Series/Open-File%20Report/2004/	2004 - USGS Publications Warehouse		X		X		X		X	
US Geological Survey publications	https://pubs.er.usgs.gov/browse/Article/Journal%20Article/Geochemical%20and%20Cosmochimica%20Acta/	Publications int the Series Geochemical et Cosmochimica Acta		X		X		X		X	
US Geological Survey publications	https://pubs.er.usgs.gov/browse/Article/Journal%20Article/Geology/	Browse the USGS Publications Warehouse		X		X		X		X	
US Geological Survey publications	http://pubs.er.usgs.gov/browse/usgs-publications/OFR/2004	2004 - Browse the USGS Publications Warehouse - U.S. Geological ...		X		X		X		X	
US Geological Survey publications	https://pubs.er.usgs.gov/browse/Article/Journal%20Article/Chemistry/	Browse the USGS Publications Warehouse		X		X		X		X	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/70019410	Frictional strength and velocity-dependence of serpentine gouges ...		X		X		X		X	
US Geological Survey publications	https://pubs.er.usgs.gov/publication/pp384B	Solution studies of chrysotile, lizardite, and antigorite		X		X		X		X	
European Commission	http://ec.europa.eu/social/BlobServlet?docId=4081&langId=en	Binding OELS in EU	X			X		X		X	
European Commission	http://ec.europa.eu/social/BlobServlet?docId=7478&langId=en	asbestos removal and maintenance. Includes info and policy on asbestos	X			X		X		X	
European Commission	http://ec.europa.eu/health/ph_risk/committees/sct/documents/out169_en.pdf	review of health effects	X			X		X	X		
European Commission	http://ec.europa.eu/DocsRoom/documents/11150/attachments/3/translations/en/renditions/native	best practice guide on asbestos removal -	X			X		X		X	
European Commission	http://ec.europa.eu/DocsRoom/documents/11150/attachments/3/translations/en/renditions/native	electrolysis installations in Europe - use exempt from restriction under	X			X		X		X	
European Commission	http://ec.europa.eu/environment/chemicals/reach/bdf/studies_review2012/annexe3_study4.pdf	List of asbestos in consumer products imported into EU	X			X		X		X	
European Commission	http://ec.europa.eu/DocsRoom/documents/13166/attachments/1/translations/en/renditions/native	restrictions on asbestos. Report contains descriptive info on process	X			X		X		X	
European Commission	http://ec.europa.eu/environment/integration/research/newsalert/pdf/IR5_en.pdf	contamination - presented limited data on environmental levels in		X		X	X			X	
European Commission	eur-lex.europa.eu/collection/eu-law.html	N/A		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
European Commission	eur-lex.europa.eu/collection/eu-law.html	N/A		X		X		X		X	
ECHA Documents	https://echa.europa.eu/documents/10162/13641/annex_xvi_chrysotile_en.pdf	Chrysotile	X			X	X				X
ECHA Documents	https://echa.europa.eu/documents/10162/a47c93cb-5003-4850-86aa-e3a3453215ff	Chrysotile	X			X		X			X
ECHA Documents	https://echa.europa.eu/documents/10162/21728206/pic_art9_reporting2004_en.pdf	Chrysotile	X			X		X			X
ECHA Documents	https://echa.europa.eu/documents/10162/21728206/pic_ec-report-2007_article9-final_en.pdf	import in tonnes	X			X		X			X
ECHA Documents	https://echa.europa.eu/documents/10162/70f519ad-84dc-4c1f-9e09-d7e012cb6dd3	Chrysotile	X			X		X			X
IARC Monograph	http://monographs.iarc.fr/ENG/Monographs/PDFs/index.php	Volume 100C	X			X	X			X	
WHO Insitutional Repository for Information Sharing (IRIS)	http://apps.who.int/iris/handle/10665/69479	Elimination of Asbestos-Related Diseases		X		X	X				X
WHO Insitutional Repository for Information Sharing (IRIS)	http://apps.who.int/iris/handle/10665/37190?locale=zh&null	Asbestos and other natural mineral fibres / published under the joint ...		X		X		X			X
WHO Insitutional Repository for Information Sharing (IRIS)	http://apps.who.int/iris/handle/10665/37190?locale=ar	WHO IRIS: Asbestos and other natural mineral fibres / published ...		X		X		X			X
WHO Insitutional Repository for Information Sharing (IRIS)	http://apps.who.int/iris/handle/10665/117604?mode=full&locale=ar	WHO IRIS: Environmental exposure to asbestos and the exposure ...		X		X		X			X
WHO Insitutional Repository for Information Sharing (IRIS)	http://apps.who.int/iris/handle/10665/69479?locale=es	Elimination of Asbestos-Related Diseases		X		X		X			X
WHO Insitutional Repository for Information Sharing (IRIS)	http://apps.who.int/iris/handle/10665/46982?locale=es	Asbestos : insufficient action, overreaction, action for tomorrow		X		X		X			X
WHO Insitutional Repository for Information Sharing (IRIS)	http://apps.who.int/iris/handle/10665/46982?locale=ru	Asbestos : insufficient action, overreaction, action for tomorrow		X		X		X			X
WHO Insitutional Repository for Information Sharing (IRIS)	http://apps.who.int/iris/bitstream/10665/143649/5/9789241564816_tha.pdf	Chrysotile asbestos		X		X		X			X
WHO Insitutional Repository for Information Sharing (IRIS)	http://apps.who.int/iris/bitstream/10665/143649/9/9789244564813_rus.pdf	Chrysotile asbestos		X		X		X			X
WHO Insitutional Repository for Information Sharing (IRIS)	http://apps.who.int/iris/bitstream/10665/55239/1/WHF_1997_18(3-4)_p359-362.pdf	Quality Control for Industrial Hygiene Laboratories		X		X		X			X

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
WHO Insitutional Repository for Information Sharing (IRIS)	http://apps.who.int/iris/bitstream/10665/60065/1/WHO_OCH_TOH_92.1.pdf	The interaction of smoking and workplace hazards		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	http://apps.who.int/iris/handle/10665/143649	Chrysotile asbestos		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	http://apps.who.int/iris/bitstream/10665/119663/1/dsa1187.pdf	CEHA SPECIAL STUDIES AND APPLIED RESEAR ...		X		X	X			X	
WHO Insitutional Repository for Information Sharing (IRIS)	http://apps.who.int/iris/bitstream/10665/42046/1/9241572043_eng.pdf	Boron		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	http://apps.who.int/iris/bitstream/10665/178166/5/9789290232810.pdf?ua=1	Chemicals of public health concern in the African Region a		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	http://apps.who.int/iris/bitstream/10665/119625/1/EMROPUB_1999_EN_1410.pdf	Indoor Air Pollution in the Eastern Mediterranean Region		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	http://apps.who.int/iris/handle/10665/69480	Elimination des maladies lies l'amiante		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	http://apps.who.int/iris/handle/10665/69481	Language: Arabic		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	http://apps.who.int/iris/bitstream/10665/66100/1/WHO_SDE_OEH_99.11.pdf	*1 Sustainable Development and Eligihgad		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	http://apps.who.int/iris/handle/10665/69744	Esquema para la elaboracin de programas nacionales de ...		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	http://apps.who.int/iris/bitstream/10665/63382/1/WHO_EHG_96.15.pdf	Epi Info Teaching Modules		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	http://apps.who.int/iris/bitstream/10665/43541/7/9789144053806_swe.pdf	Grundlggande epidemiologic		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	http://apps.who.int/iris/handle/10665/46982	Asbestos : insufficient action, overreaction, action for tomorrow		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	http://apps.who.int/iris/bitstream/10665/51553/1/WHF_1988_9(4)_p564-568.pdf	Human ecology in the repertoire of health development		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	http://apps.who.int/iris/bitstream/10665/37912/1/924154211X.pdf	Early Detection of Occupational Diseases	X			X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	null">http://apps.who.int/iris/handle/10665/69693/statistics?locale=ru&>null	WHO IRIS:		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	http://apps.who.int/iris/bitstream/10665/161293/1/WHA38_1985-REC-3_eng.pdf	WORLD HEALTH ASSEMBLY		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
WHO Insitutional Repository for Information Sharing (IRIS)	http://apps.who.int/iris/bitstream/10665/206368/1/B0378.pdf	Wastes from Health Care and from Agriculture		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	http://apps.who.int/iris/handle/10665/69744?mode=full&locale=fr	elaboracin de programas nacionales ...		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	http://apps.who.int/iris/bitstream/10665/55460/1/WHF_1998_19(1)_p60-67.pdf	Occupational health - a requirement for development		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	http://apps.who.int/iris/bitstream/10665/66025/2/WHO_WCK_SYM_99.1_(p96-p161).pdf	AGEING, SOCIETY AND HEALTH		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	http://apps.who.int/iris/bitstream/10665/126793/15/rdr60_SDE.pdf	Sustainable development and healthy environments		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	http://apps.who.int/iris/bitstream/10665/56134/1/WHF_1998_19(4)_p412-416.pdf	Exporting Hazards to other countries		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	http://apps.who.int/iris/handle/10665/208207	Chrysotile asbestos, foreign language		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	http://apps.who.int/iris/bitstream/10665/40044/1/9241571594-eng.pdf	Glyphosate		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	http://apps.who.int/iris/bitstream/10665/39037/1/9241571551-eng.pdf	Biomarkers and Risk Assessment: Concepts and Principles		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	http://apps.who.int/iris/bitstream/10665/40136/1/9241542608-eng.pdf	Principles and Methods for the Assessment of Neurotoxicity		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	http://apps.who.int/iris/bitstream/10665/42792/1/9241580348_eng_Volume1.pdf	COMPARATIVE QUANTIFICATION OF HEALTH RISKS		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	http://apps.who.int/iris/bitstream/10665/38082/1/9241571012_eng.pdf	Methylmercury		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	http://apps.who.int/iris/bitstream/10665/40299/1/924157111X-eng.pdf	Report of the fifth meeting of the European Environment and Health		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	http://apps.who.int/iris/bitstream/10665/40299/1/924157111X-eng.pdf	Triphenyl phosphate		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	http://apps.who.int/iris/bitstream/10665/108346/1/E70315.pdf	HOUSING AND HEALTH Report on a WHO Expert Meeting		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	http://apps.who.int/iris/bitstream/10665/197379/1/9789241509787_eng.pdf	for public health emergency operations centres		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	http://apps.who.int/iris/bitstream/10665/137403/1/WHA20_14_eng.pdf	Program on Cancer: Budget for 1968		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
WHO Insitutional Repository for Information Sharing (IRIS)	http://apps.who.int/iris/bitstream/10665/46982/1/WHF_1991_12(2)_p140-145.pdf	Asbestos : insufficient action, overreaction, action for tomorrow		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	http://apps.who.int/iris/bitstream/10665/53705/1/bulletin_1987_65(2)_207-215.pdf	Potential sources of enterotoxigenic Escherichia coli in homes of children		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	http://apps.who.int/iris/bitstream/10665/166464/1/25993.pdf	International program on chemical safety		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	http://apps.who.int/iris/bitstream/10665/59528/1/WHO_EHG_94.10.pdf	Basic Epidemiology		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	http://apps.who.int/iris/bitstream/10665/39552/1/9241571055_eng.pdf	Environmental Health Criteria		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	http://apps.who.int/iris/bitstream/10665/42683/1/9241590645.pdf	Essential Component of a Health-Promoting School		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	http://apps.who.int/iris/bitstream/10665/53511/1/WH_1986_March_p28-29_en.pdf	IARC: 20 years old		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	http://apps.who.int/iris/bitstream/10665/63096/1/WHO_PHARM_92.559_rev.1.pdf	Quality Control Methods for Medicinal Plant Materials		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	http://apps.who.int/iris/bitstream/10665/44584/1/9789241548151_eng.pdf	Guidelines for Water Quality: Fourth Edition		X		X	X			X	
WHO Insitutional Repository for Information Sharing (IRIS)	http://apps.who.int/iris/bitstream/10665/38009/1/9241541504_eng.pdf	The International Pharmacopeia		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	http://apps.who.int/iris/bitstream/10665/161157/1/B4753.pdf	WHO Country Cooperation Strategy Thailand		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	http://apps.who.int/iris/bitstream/10665/119623/1/dsa1208.pdf	Significance of environmental Asbestos on air pollution in the ...	X		X		X			X	
WHO Insitutional Repository for Information Sharing (IRIS)	http://apps.who.int/iris/bitstream/10665/117385/1/13_6_2007_1343_1352.pdf	low birth weight in Karachi: a case-control study		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	http://apps.who.int/iris/bitstream/10665/4867/1/WHF_1986_7(4)_p380-386.pdf	Good life-styles for good health		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	http://apps.who.int/iris/bitstream/10665/36838/9/9144485514_swe.pdf	Grundläggande epidemiologic		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	http://apps.who.int/iris/bitstream/10665/47357/1/WHF_1987_8(1)_p86-93.pdf	Third World Cities and the Environment of Poverty		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	http://apps.who.int/iris/bitstream/10665/191555/1/EURO_EHS_31_eng.pdf	GUIDELINES FOR HEALTHY HOUSING		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
WHO Insitutional Repository for Information Sharing (IRIS)	http://apps.who.int/iris/bitstream/10665/41904/1/9241544961.pdf	Determination of airborne fibre number concentrations		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	http://apps.who.int/iris/bitstream/10665/53354/1/bulletin_1994_72(4)_581-587.pdf	growth retardation: a community-based study in Karachi		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	http://apps.who.int/iris/bitstream/10665/46603/1/bulletin_1986_64(3)_421-429.pdf	Secondary prevention of cancer: an overview		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	http://apps.who.int/iris/bitstream/10665/37815/1/9241544740.pdf	National Cancer Control		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	http://apps.who.int/iris/bitstream/10665/144546/1/9789243503721_spa.pdf	HACER FRENTE A LA EPIDEMIA DE TABAQUISMO		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	http://apps.who.int/iris/handle/10665/42104	Chrysotile asbestos, foreign language		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	http://apps.who.int/iris/bitstream/10665/108362/1/E71393.pdf	Methods of assessing risk to health from exposure to hazards from waste	X		X		X			X	
WHO Insitutional Repository for Information Sharing (IRIS)	http://apps.who.int/iris/bitstream/10665/113144/1/9789241500241_eng.pdf	WHO healthy workplace framework and model: background and methods		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	http://apps.who.int/iris/bitstream/10665/204411/1/9789241547611_eng.pdf	Guidelines for Drinking-water Quality		X		X	X			X	
WHO Insitutional Repository for Information Sharing (IRIS)	http://apps.who.int/iris/bitstream/10665/200733/1/dsa191.pdf	A manual for primary health care workers		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	http://apps.who.int/iris/bitstream/10665/42491/1/WHO_SDE_OEH_01.9.pdf	Understanding And Performing Economic Assessments		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	http://apps.who.int/iris/bitstream/10665/133525/1/9789241506557_eng.pdf	Noncommunicable (PEN) disease interventions for primary health care in		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	http://apps.who.int/iris/bitstream/10665/42506/1/a75954.pdf	Children in the New Millennium		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	http://apps.who.int/iris/bitstream/10665/107300/1/euro_series_78.pdf	ASSESSMENT OF EXPOSURE TO INDOOR AIR POLLUTANTS		X		X	X			X	
WHO Insitutional Repository for Information Sharing (IRIS)	http://apps.who.int/iris/bitstream/10665/204120/1/9789241508667_eng.pdf?ua=1	UN Initiative on Greening Procurement in the Health Sector		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	http://apps.who.int/iris/bitstream/10665/182736/1/9789241509398_eng.pdf	Meeting Report		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	http://apps.who.int/iris/handle/10665/250203	Asbestos: use, bans and disease burden in Europe		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
WHO Insitutional Repository for Information Sharing (IRIS)	http://apps.who.int/iris/bitstream/10665/40085/1/9241560606_eng.pdf	The control of endemic goitre		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	http://apps.who.int/iris/bitstream/10665/67545/1/WHO_NMH_NPH_ALC_02.12.pdf	Impact of AIDS on older people in Africa : Zimbabwe case study		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	http://apps.who.int/iris/bitstream/10665/108169/1/E65523.pdf	Strategic approaches to indoor air policy-making		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	http://apps.who.int/iris/bitstream/10665/174002/1/Epidemiologia%20basica.pdf?ua=1	Epidemiology basic		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	http://apps.who.int/iris/bitstream/10665/38009/4/9241544627_eng.pdf	The International Pharmacopoeia		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	http://apps.who.int/iris/bitstream/10665/141296/1/5225018386.pdf			X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	http://apps.who.int/iris/bitstream/10665/36838/5/8970890556_kor.pdf	whqlibdoc.who.int - World Health Organization		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	http://apps.who.int/iris/bitstream/10665/44022/1/9789243547114_spa.pdf	Prevention		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	http://apps.who.int/iris/bitstream/10665/44055/1/9789242547078_fre.pdf	Iments d'pidmiologie, Deuxime dition		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	http://apps.who.int/iris/bitstream/10665/108610/1/e96698.pdf	ELIMINATION OF ASBESTOSRELATED DISEASES:		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	http://apps.who.int/iris/bitstream/10665/70035/1/WHO_SDE_PHE_07.02_fre.pdf	Project pour l'laboration de programmes nationaux pour l ...		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	http://apps.who.int/iris/bitstream/10665/69693/2/WHO_SDE_PHE_07.02_rus.pdf	NA		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	http://apps.who.int/iris/bitstream/10665/252073/1/9241541695-eng.pdf	Volume 2: Health criteria and other supporting information		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	http://apps.who.int/iris/bitstream/10665/41982/1/9243544969_spa.pdf	DeterminaciOn de la concentraciOn de suspendidas en el aire		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	http://apps.who.int/iris/handle/10665/178802	L'amiante chrysotile		X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	http://apps.who.int/iris/bitstream/10665/143649/14/9789246564811_ara.pdf			X		X		X		X	
WHO Insitutional Repository for Information Sharing (IRIS)	http://apps.who.int/iris/bitstream/10665/128276/3/RD%20Report%202013.pdf	The work of WHO in the South-East Asia Region		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
World Health Organization- Regional Office for Europe	http://www.who.int/news-room/press-releases/2011/04/14	At least one in three Europeans can be exposed to asbestos at work ...		X		X		X		X	
World Health Organization- Regional Office for Europe	www.euro.who.int/en/home	N/A		X		X		X		X	
of Health, National Industrial Chemicals; NICNAS	https://www.nicnas.gov.au/news-and-events/chemical-profiles/numbers/2016/02-august/list-of-priority-existing-chemicals	List of priority existing chemicals - NICNAS		X		X		X		X	
of Health, National Industrial Chemicals; NICNAS	https://www.nicnas.gov.au/_data/assets/pdf_file/0017/34613/NICNAS_Annual_Report_2012-13.pdf	ANNUAL REPORT 201213		X		X		X		X	
of Health, National Industrial Chemicals; NICNAS	https://www.nicnas.gov.au/_data/assets/word_doc/0003/34806/PEC1s-TGIC-secondary-notification.docx	Priority Existing Chemical Secondary		X		X		X		X	
of Health, National Industrial Chemicals; NICNAS	https://www.nicnas.gov.au/chemical-information/factsheets/chemical-name/asbestos-chrysotile-asbestos	NICNAS chemical profile	X			X		X		X	
of Health, National Industrial Chemicals; NICNAS	https://www.nicnas.gov.au/cosmetics-and-soaps/prohibited-or-restricted-cosmetic-chemicals	Prohibited or restricted cosmetic chemicals - NICNAS		X		X		X		X	
of Health, National Industrial Chemicals; NICNAS	https://www.nicnas.gov.au/_data/assets/pdf_file/0008/40787/20111035947-18.pdf	Advice/Brief FR		X		X		X		X	
of Health, National Industrial Chemicals; NICNAS	https://www.nicnas.gov.au/about-us/what-we-do	What we do - NICNAS		X		X		X		X	
of Health, National Industrial Chemicals; NICNAS	http://www.nicnas.gov.au/chemical-information/information-about-factories-on-specific-topics/trends-in-chemical-imports-and-manufacturing	Trends in new chemical imports and manufacturing - NICNAS		X		X		X		X	
of Health, National Industrial Chemicals; NICNAS	https://www.nicnas.gov.au/_data/assets/pdf_file/0019/9541/PLC139FR.PDF	INDEX Interpolymer		X		X		X		X	
of Health, National Industrial Chemicals; NICNAS	https://www.nicnas.gov.au/_data/assets/word_doc/0013/5422/Tier-1-environment-all-tranches-28-june-2013.xls	Chemical uses & regulation	X			X		X		X	
of Health, National Industrial Chemicals; NICNAS	https://www.nicnas.gov.au/chemical-information/information-about-factories-on-specific-topics/cancer-council-public-submissions/consultation-paper-2-submissions/cancer-council	Cancer Council - NICNAS		X		X		X		X	
of Health, National Industrial Chemicals; NICNAS	https://www.nicnas.gov.au/_data/assets/pdf_file/0005/43439/Monash-Literature_Review_of_NBMs_of_Interest_PDF.pdf	Review of 200709 literature on toxicological and health-effects ...		X		X		X	X		
of Health, National Industrial Chemicals; NICNAS	https://www.nicnas.gov.au/_data/assets/word_doc/0004/34825/PEC19-Hydrofluoric-acid-HF.docx	PEC report on hydrofluoric acid		X		X		X		X	
of Health, National Industrial Chemicals; NICNAS	https://www.nicnas.gov.au/_data/assets/word_doc/0004/34816/PEC3-chrysotile-white-asbestos.docx	NICNAS public report	X		X		X		X		
of Health, National Industrial Chemicals; NICNAS	https://www.nicnas.gov.au/_data/assets/pdf_file/0008/38537/Report_Findings_of_PEC_Uptake_2008.pdf	Uptake of NICNAS's Priority Existing Chemical Recommendations ...		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
of Health, National Industrial Chemicals; NICNAS	https://www.nicnas.gov.au/_data/assets/word_doc/0013/20407/NA678FR.docx	Hazardous Impurities and Additives in SikaGard-63N Part B		X		X		X		X	
of Health, National Industrial Chemicals; NICNAS	https://www.nicnas.gov.au/_data/assets/pdf_file/0005/9617/PLC210FR.pdf	MSDS		X		X		X		X	
of Health, National Industrial Chemicals; NICNAS	https://www.nicnas.gov.au/chemical-information/pac-assessments?result_34791_result_page=C	Priority Existing Chemical (PEC) assessments - NICNAS		X		X		X		X	
of Health, National Industrial Chemicals; NICNAS	https://www.nicnas.gov.au/media/components/forms/contact-us	Contact us - NICNAS		X		X		X		X	
of Health, National Industrial Chemicals; NICNAS	https://www.nicnas.gov.au/chemical-information/pac-assessments?result_34791_result_page=C	Appendix: Nano Titanium Dioxide Toxicology Information and ...		X		X		X		X	
of Health, National Industrial Chemicals; NICNAS	https://www.nicnas.gov.au/news-and-events/topics-of-interest/subjects/chemicals-banned-or-severely-restricted-in-australia	Chemicals banned or severely restricted in Australia - NICNAS		X		X		X		X	
of Health, National Industrial Chemicals; NICNAS	https://www.nicnas.gov.au/_data/assets/word_doc/0003/34806/PEC1s-TGIC-secondary-notification.docx	Triglycidylisocyanurate (TGIC)secondary notification		X		X		X		X	
of Health, National Industrial Chemicals; NICNAS	https://www.nicnas.gov.au/_data/assets/pdf_file/0016/34612/10868_NICNAS_Annual_Report_FINAL.pdf	download PDF [1.85 MB]		X		X		X		X	
of Health, National Industrial Chemicals; NICNAS	https://www.nicnas.gov.au/_data/assets/word_doc/0005/9734/Botterdam_Convention_-_Annex_III_June_2012.docx	Only the CAS numbers of parent compounds are listed. For a list of ...		X		X		X		X	
of Health, National Industrial Chemicals; NICNAS	https://www.nicnas.gov.au/_data/nicnas-handbook.pdf	NICNAS Handbook		X		X		X		X	
of Health, National Industrial Chemicals; NICNAS	https://www.nicnas.gov.au/funnelback-crawl-listing	Funnelback Crawl List - NICNAS		X		X		X		X	
of Health, National Industrial Chemicals; NICNAS	https://www.nicnas.gov.au/_data/assets/word_doc/0018/34812/PE1s-sodium-ethyl-xanthate-secondary-notification.docx	Sodium ethyl xanthatessecondary notification - PEC5s		X		X		X		X	
of Health, National Industrial Chemicals; NICNAS	https://www.nicnas.gov.au/_data/assets/word_doc/0018/34821/PEC14-ortho-dichlorobenzene.docx	ortho-Dichlorobenzene - PEC14 [WORD 475 KB]		X		X		X		X	
of Health, National Industrial Chemicals; NICNAS	https://www.nicnas.gov.au/_data/assets/excel_doc/0017/35513/Stage-One-List-published-15-Sep-2016.xlsx	Download a list of Stage One chemicals [XL 258 KB]		X		X		X		X	
of Health, National Industrial Chemicals; NICNAS	#VALUE!	New Chemical Assessments - NICNAS		X		X		X		X	
of Health, National Industrial Chemicals; NICNAS	https://www.nicnas.gov.au/_data/assets/word_doc/0003/34833/PEC28-formaldehyde.docx	report on formaldehyde		X		X		X		X	
of Health, National Industrial Chemicals; NICNAS	https://www.nicnas.gov.au/_data/assets/excel_doc/0004/5737/Topic-HH-available-for-public-comment-1-July-2013.xls	Chemical uses & regulation	X			X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
of Health, National Industrial Chemicals; NICNAS	https://www.nicnas.gov.au/about-us/international-obligations/rotterdam-convention	Rotterdam Convention		X		X		X		X	
of Health, National Industrial Chemicals; NICNAS	https://www.nicnas.gov.au/chemical-information/factsheets	Fact sheets - NICNAS		X		X		X		X	
of Health, National Industrial Chemicals; NICNAS	https://www.nicnas.gov.au/chemical-information/pec-assessments	Priority Existing Chemical (PEC) assessments - NICNAS		X		X		X		X	
of Health, National Industrial Chemicals; NICNAS	https://www.nicnas.gov.au/chemical-information/map-assessments/map-assessment-details?assessment_id=1161	o-Anisidine (CAS No. 90-04-0)		X		X		X		X	
of Health, National Industrial Chemicals; NICNAS	https://www.nicnas.gov.au/_data/assets/word_doc/0010/19963/NA816FR.docx	9. evaluation of toxicological data		X		X		X		X	
of Health, National Industrial Chemicals; NICNAS	https://www.nicnas.gov.au/_data/assets/excel_doc/0017/35513/Stage-One-1-list-published-16-Sep-2016.xlsx	Download a list of Stage One chemicals [XL 258 KB]		X		X		X		X	
Canada Chemicals Portal	http://chemicalsubstanceschimiques.gc.ca/index-eng.php	General description of Canada's actions with respect to the chemical	X			X		X		X	
CAREX Canada	http://www.carexcanada.ca/en/asbestos/	surveillance of envi and occu exp for cancer prevention	X			X		X		X	
CAREX Canada	http://www.carexcanada.ca/en/team/	Our Team CAREX Canada		X		X		X		X	
CAREX Canada	http://www.carexcanada.ca/en/e-bulletin/january_2015	e-Bulletin - January 2015 CAREX Canada		X		X		X		X	
CAREX Canada	http://www.carexcanada.ca/en/innovations/ARC_welcome_together_some_nanomaterials_will_fibers_cause_cancer/	nanomaterials and fibers cause cancer		X		X		X		X	
CAREX Canada	http://www.carexcanada.ca/en/refractory_ceramic_fibres/	Refractory Ceramic Fibres		X		X		X		X	
CAREX Canada	http://www.carexcanada.ca/en/announcements/CAREX_hosts_burden_of_occupational_cancer_symposium_in_BC/	CAREX hosts Burden of Occupational Cancer Symposium in BC ...		X		X		X		X	
CAREX Canada	http://www.carexcanada.ca/en/e-bulletin/january_2014/	Fact sheet	X			X		X		X	
CAREX Canada	http://www.carexcanada.ca/en/e-bulletin/january_2016	e-Bulletin - January 2016 CAREX Canada		X		X		X		X	
CAREX Canada	http://www.carexcanada.ca/en/e-bulletin/january_2014/	e-Bulletin - January 2014 CAREX Canada		X		X		X		X	
CAREX Canada	http://www.carexcanada.ca/en/e-bulletin/october_2013/	e-Bulletin - October 2013 CAREX Canada		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
CAREX Canada	http://www.carexcanada.ca/en/package_summaries/	Package Summaries CAREX Canada		X		X		X		X	
CAREX Canada	http://www.carexcanada.ca/en/announcements/DRC_grant_awarded_for_international_partnership/	awarded for international partnership ...		X		X		X		X	
CAREX Canada	http://www.carexcanada.ca/en/asbestos/environmental_estimate/	Environmental Estimate		X		X		X		X	
CAREX Canada	http://www.carexcanada.ca/en/e-bulletin/april_2016/	e-Bulletin - April 2016 CAREX Canada		X		X		X		X	
CAREX Canada	http://www.carexcanada.ca/en/profiles_and_estimates/	Profiles & Estimates CAREX Canada		X		X		X		X	
CAREX Canada	http://www.carexcanada.ca/en/asbestos/environmental_estimate/#data	exposure		X		X	X			X	
CAREX Canada	http://www.carexcanada.ca/en/e-bulletin/october_2014	e-Bulletin - October 2014 CAREX Canada		X		X		X		X	
CAREX Canada	http://www.carexcanada.ca/en/asbestos/environmental_estimate/#data+outdoor_air	Outdoor air conc		X		X	X			X	
CAREX Canada	http://www.carexcanada.ca/en/e-bulletin/april_2013/	e-Bulletin - April 2013 CAREX Canada		X		X		X		X	
CAREX Canada	http://www.carexcanada.ca/en/asbestos/environmental_estimate/#data+indoor_air	indoor air conc		X		X	X			X	
CAREX Canada	http://www.carexcanada.ca/en/classifying_carcinogens/	page leads to relevant pages		X		X		X		X	
CAREX Canada	http://www.carexcanada.ca/CAREX_Canada_Occupational_Priorities_Report.pdf	Canada priority carcinogens-occupational	X			X		X		X	
CAREX Canada	http://www.carexcanada.ca/CAREX_Canada_Environmental_Priorities_Report.pdf	Canada priority carcinogens-environmental	X			X	X			X	
CAREX Canada	http://www.carexcanada.ca/en/CAREX_CELA_webinar/	not useful for EFE		X		X		X		X	
CAREX Canada	http://www.carexcanada.ca/en/presentations/	not useful for EFE		X		X		X		X	
CAREX Canada	http://www.carexcanada.ca/en/faqs/	not useful for EFE		X		X		X		X	
CAREX Canada	http://www.carexcanada.ca/en/emerging_issues/	not useful for EFE		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
CAREX Canada	http://www.carexcanada.ca/en/data/	not useful for EFE		X		X		X		X	
CAREX Canada	http://www.carexcanada.ca/en/asbestos/occupational_estimate/	cancer risk estimates	X			X		X		X	
CAREX Canada	http://www.carexcanada.ca/en/e-bulletin/july_2016/	not useful for EFE		X		X		X		X	
CAREX Canada	http://www.carexcanada.ca/en/e-bulletin/october_2015/	not useful for EFE		X		X		X		X	
CAREX Canada	http://www.carexcanada.ca/en/carcinogens_in_the_news/	news article-not important		X		X		X		X	
CAREX Canada	http://www.carexcanada.ca/en/announcements/lung_cancer_awareness_month_priority_carcinogens/	repeat goes to carex asbestos page		X		X		X		X	
CAREX Canada	http://www.carexcanada.ca/en/e-bulletin/july_2012/	repeat goes to carex asbestos page		X		X		X		X	
CAREX Canada	http://www.carexcanada.ca/en/e-bulletin/july_2010/	repeat goes to carex asbestos page		X		X		X		X	
CAREX Canada	http://www.carexcanada.ca/en/exposure_reduction/	repeat goes to carex asbestos page		X		X		X		X	
CAREX Canada	http://www.carexcanada.ca/en/carcinogens_in_the_news/archive/	news article-not important		X		X		X		X	
CAREX Canada	http://www.carexcanada.ca/en/silica_(crystalline)/	crystalline silica and are used in the ceramic and		X		X		X		X	
GESTIS Database	http://limitvalue.ifa.dguv.de/	List of international regulatory limits	X			X	X			X	
Government of Japan: Ministry of the Environment	https://www.env.go.jp/en/air/asbestos/summary_caa.pdf	Asbestos countermeasures	X		X			X		X	
Government of Japan: Ministry of the Environment	https://www.env.go.jp/press/11291.html	2009 health effect/exposure survey	X			X		X		X	
Government of Japan: Ministry of the Environment	https://www.env.go.jp/en/headline/1280.html	Workshop on Asbestos Management in Asian Countries		X		X		X		X	
Government of Japan: Ministry of the Environment	https://www.env.go.jp/press/9835.html	2008 health effect/exposure survey	X			X		X		X	
Government of Japan: Ministry of the Environment	https://www.env.go.jp/en/headline/2283.html	Concerning Acknowledgment of Designated		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Government of Japan: Ministry of the Environment	https://www.env.go.jp/en/headline/257.html	Diseases under the Act on Asbestos Health Damage Relief		x		x		x		x	
Government of Japan: Ministry of the Environment	https://www.env.go.jp/press/8441.html	Report on the Survey on Health Hazards Caused by Asbestos [MOE]		x		x		x		x	
Government of Japan: Ministry of the Environment	https://www.env.go.jp/en/headline/1235.html	Announcement on the approval for the certification application for ...		x		x		x		x	
Government of Japan: Ministry of the Environment	https://www.env.go.jp/en/headline/1233.html	Announcement on the certification system application for businesses ...		x		x		x		x	
Government of Japan: Ministry of the Environment	http://www.env.go.jp/en/headline/1116.html	Announcement on the the certification system application for ...		x		x		x		x	
Government of Japan: Ministry of the Environment	https://www.env.go.jp/en/headline/106.html	"Manual of Measures to Prevent Asbestos from Entering the ...		x		x		x		x	
Government of Japan: Ministry of the Environment	https://www.env.go.jp/en/chemi/asbestos/law_aahdr.pdf	Asbestos legislation		x		x		x		x	
Government of Japan: Ministry of the Environment	https://www.env.go.jp/en/headline/1306.html	Announcement on the certification system application for businesses ...		x		x		x		x	
Government of Japan: Ministry of the Environment	https://www.env.go.jp/en/headline/953.html	Workshop on Countermeasures Against Asbestos in Asian Countries		x		x		x		x	
Government of Japan: Ministry of the Environment	https://www.env.go.jp/en/headline/968.html	Countermeasures against Asbestos in ...		x		x		x		x	
Government of Japan: Ministry of the Environment	https://www.env.go.jp/press/12764.html	Examination for Acknowledgment of ...		x		x		x		x	
Government of Japan: Ministry of the Environment	https://www.env.go.jp/press/10005.html	Examination for Acknowledgment of ...		x		x		x		x	
Government of Japan: Ministry of the Environment	https://www.env.go.jp/en/headline/2271.html	Concerning Acknowledgment of Designated		x		x		x		x	
Government of Japan: Ministry of the Environment	https://www.env.go.jp/en/headline/894.html	Diseases under the Act on Asbestos Health Damage Relief		x		x		x		x	
Government of Japan: Ministry of the Environment	https://www.env.go.jp/en/headline/2289.html	Concerning Acknowledgment of Designated		x		x		x		x	
Government of Japan: Ministry of the Environment	https://www.env.go.jp/en/headline/2266.html	Concerning Acknowledgment of Designated		x		x		x		x	
Government of Japan: Ministry of the Environment	https://www.env.go.jp/en/headline/2210.html	Concerning Acknowledgment of Designated		x		x		x		x	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Government of Japan: Ministry of the Environment	https://www.env.go.jp/en/press/2006/0120b-01.pdf	Schematic Diagram of the Bill on Asbestos Health Damage Relief		X		X		X		X	
Government of Japan: Ministry of the Environment	https://www.env.go.jp/en/press/2006/0120b.html	Diseases under the Act on Asbestos Health Damage Relief		X		X		X		X	
Government of Japan: Ministry of the Environment	https://www.env.go.jp/en/headline/2259.html	Concerning Acknowledgment of Designated		X		X		X		X	
Government of Japan: Ministry of the Environment	https://www.env.go.jp/en/headline/2250.html	Diseases under the Act on Asbestos Health Damage Relief		X		X		X		X	
Government of Japan: Ministry of the Environment	https://www.env.go.jp/en/headline/2254.html	Concerning Acknowledgment of Designated		X		X		X		X	
Government of Japan: Ministry of the Environment	https://www.env.go.jp/en/headline/2209.html	Concerning Acknowledgment of Designated		X		X		X		X	
Government of Japan: Ministry of the Environment	https://www.env.go.jp/press/11611.html	Diseases under the Act on Asbestos Health Damage Relief		X		X		X		X	
Government of Japan: Ministry of the Environment	https://www.env.go.jp/press/11079.html	Result of Medical Examination for Acknowledgment of Designated ...		X		X		X		X	
Government of Japan: Ministry of the Environment	https://www.env.go.jp/press/11272.html	Medical Data Examination Results for Recognition of Designated ...		X		X		X		X	
Government of Japan: Ministry of the Environment	https://www.env.go.jp/en/headline/2220.html	Concerning Acknowledgment of Designated		X		X		X		X	
Government of Japan: Ministry of the Environment	https://www.env.go.jp/press/9876.html	Diseases under the Act on Asbestos Health Damage Relief		X		X		X		X	
Government of Japan: Ministry of the Environment	https://www.env.go.jp/en/headline/1454.html	Announcement on the approval for the certification application for ...		X		X		X		X	
Government of Japan: Ministry of the Environment	https://www.env.go.jp/press/11154.html	Result of a Medical Examination for the Acknowledgment of ...		X		X		X		X	
Government of Japan: Ministry of the Environment	https://www.env.go.jp/en/headline/2290.html	Concerning Acknowledgment of Designated		X		X		X		X	
Government of Japan: Ministry of the Environment	https://www.env.go.jp/press/9165.html	Diseases under the Act on Asbestos Health Damage Relief		X		X		X		X	
Government of Japan: Ministry of the Environment	http://www.env.go.jp/press/10073.html	Examination for Acknowledgment of ...		X		X		X		X	
Government of Japan: Ministry of the Environment	http://www.env.go.jp/en/focus/docs/files/20140725-87-3.pdf	Guidelines for waste		X	X			X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Government of Japan: Ministry of the Environment	https://www.env.go.jp/en/news/	What's New [MOE]		X		X		X		X	
Government of Japan: Ministry of the Environment	https://www.env.go.jp/en/wpaper/1995/eae240000000045.html	Quality of the Environment in Japan 1995 [MOE]		X		X		X		X	
Government of Japan: Ministry of the Environment	https://www.env.go.jp/en/chemi/prtr/about/substances.html	PRTR substances:PRTR information plaza Japan		X		X		X		X	
Government of Japan: Ministry of the Environment	https://www.env.go.jp/en/wpaper/1995/eae240000000035.html	Quality of the Environment in Japan 1995 [MOE]		X		X		X		X	
Government of Japan: Ministry of the Environment	https://www.env.go.jp/en/wpaper/1995/eae240000000055.html	White paper		X		X	X			X	
Government of Japan: Ministry of the Environment	https://www.env.go.jp/en/headline/1332.html	Announcement on the approval for the certification application for ...		X		X		X		X	
Government of Japan: Ministry of the Environment	https://www.env.go.jp/en/chemi/	Health & Chemicals [MOE]		X		X		X		X	
Government of Japan: Ministry of the Environment	https://www.env.go.jp/en/wpaper/1992/eae210000000040.html	White paper	X			X		X		X	
Government of Japan: Ministry of the Environment	https://www.env.go.jp/en/laws/recycle/03.pdf	Waste mgmt regulations		X	X			X		X	
Government of Japan: Ministry of the Environment	https://www.env.go.jp/en/recycle/smcs/a-rep/2009gs_full.pdf	Waste mgmt		X	X			X		X	
Government of Japan: Ministry of the Environment	http://www.env.go.jp/en/recycle/asian_net/Country_Information/Law_NI_Regulation/Malaysia/ma54629.pdf	ENVIRONMENTAL QUALITY (SCHEDULED WASTES ...		X		X		X		X	
Government of Japan: Ministry of the Environment	https://www.env.go.jp/en/wpaper/1996/eae250000000010.html	Asbestos countermeasures		X		X	X			X	
Government of Japan: Ministry of the Environment	https://www.env.go.jp/en/recycle/asian_net/Country_Information/Imp_ctf_on_2ndhand/Philippines/ds94-28.pdf	DAO No.28 Series of 1994		X		X		X		X	
Government of Japan: Ministry of the Environment	https://www.env.go.jp/en/chemi/prtr/manual/pdf/mat03-10.pdf	Emission factors	X		X			X		X	
Government of Japan: Ministry of the Environment	https://www.env.go.jp/en/recycle/wm/150413jpmw.pdf	Japan's policy on the environmentally sound management of ...		X		X		X		X	
Government of Japan: Ministry of the Environment	https://www.env.go.jp/en/air/aq/air.html	Air pollutant regulation		X		X	X			X	
Government of Japan: Ministry of the Environment	https://www.env.go.jp/en/headline/429.html	Manual for Monitoring of Asbestos Concentration in Ambient Air		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Government of Japan: Ministry of the Environment	https://www.env.go.jp/en/air/	Air & Transportation [MOE]		X		X		X		X	
Government of Japan: Ministry of the Environment	https://www.env.go.jp/en/aboutus/organization/organization.pdf	Organization of the Ministry of the Environment		X		X		X		X	
Government of Japan: Ministry of the Environment	https://www.env.go.jp/en/headline/	News Headline [MOE]		X		X		X		X	
Government of Japan: Ministry of the Environment	http://www.env.go.jp/en/recycle/asian_net/Annual_Workshops2012_PDF/D1S1-3PHILIPPINESrev.pdf	Update on National Regulations and Border Control Activities for ...		X		X		X		X	
Government of Japan: Ministry of the Environment	https://www.env.go.jp/en/wpaper/1994/eae230000000055.html	Quality of the Environment in Japan 1994 [MOE]		X		X		X		X	
Government of Japan: Ministry of the Environment	http://www.env.go.jp/en/recycle/asian_net/Annual_Workshops2012_PDF/D1S2-4MALAYSIArev.pdf	Current practice of recycling and treatment		X		X		X		X	
Government of Japan: Ministry of the Environment	http://www.env.go.jp/en/recycle/asian_net/Annual_Workshops2012_PDF/D1S2-4MALAYSIArev.pdf	Environmental protection standards for solid wastes		X	X			X		X	
Government of Japan: Ministry of the Environment	http://www.env.go.jp/en/recycle/asian_net/Annual_Workshops2015_PDF/Day1_S1_10_Thailand.pdf	Control of Import and Export		X		X		X		X	
Government of Japan: Ministry of the Environment	https://www.env.go.jp/en/wpaper/1990/eae190000000025.html	Asbestos emission control	X			X		X		X	
Government of Japan: Ministry of the Environment	https://www.env.go.jp/en/headline/1438.html	Asbestos countermeasures		X	X			X		X	
Government of Japan: Ministry of the Environment	https://www.env.go.jp/en/recycle/smcs/a-rep/2007gs_full.pdf	Measures against asbestos		X	X			X		X	
Government of Japan: Ministry of the Environment	http://www.env.go.jp/en/recycle/asian_net/Country_Information/imp_cri_en_2nhand/Vietnam/Vat-Decree12_NDCP_En.pdf	Decree 12/2006/ND-CP, 23/1/2006		X		X		X		X	
Government of Japan: Ministry of the Environment	https://www.env.go.jp/en/wpaper/1994/eae230000000045.html	White paper	X			X		X		X	
Government of Japan: Ministry of the Environment	https://www.env.go.jp/en/wpaper/1989/eae180000000010.html	White paper	X			X	X			X	
Government of Japan: Ministry of the Environment	https://www.env.go.jp/en/wpaper/1990/eae190000000045.html	Quality of the Environment in Japan 1990 [MOE]		X		X		X		X	
Government of Japan: Ministry of the Environment	https://www.env.go.jp/en/recycle/asian_net/Annual_Workshops2014_PDF/Day1_S1_05_Philippines.pdf	What are Hazardous Wastes?		X		X		X		X	
Government of Japan: Ministry of the Environment	https://www.env.go.jp/en/laws/recycle/02.pdf	Waste mgmt		X	X			X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Government of Japan: Ministry of the Environment	https://www.env.go.jp/en/wpaper/1996/eae250000000030.html	Quality of the Environment in Japan 1996 [MOE]		x		x		x		x	
Government of Japan: Ministry of the Environment	https://www.env.go.jp/en/wpaper/1994/eae230000000025.html	Quality of the Environment in Japan 1994 [MOE]		x		x		x		x	
Government of Japan: Ministry of the Environment	https://www.env.go.jp/en/wpaper/1993/eae220000000045.html	Quality of the Environment in Japan 1993 [MOE]		x		x		x		x	
Government of Japan: Ministry of the Environment	https://www.env.go.jp/en/recycle/basel_conv/files/conv_e.pdf	BASEL CONVENTION ON THE CONTROL OF TRANSBOUNDARY ...		x		x		x		x	
Government of Japan: Ministry of the Environment	https://www.env.go.jp/en/wpaper/1992/eae210000000000.html	Quality of the Environment in Japan 1992 [MOE]		x		x		x		x	
Government of Japan: Ministry of the Environment	https://www.env.go.jp/en/wpaper/1990/eae190000000020.html	Quality of the Environment in Japan 1990 [MOE]		x		x		x		x	
Government of Japan: Ministry of the Environment	https://www.env.go.jp/en/headline/1362.html	Revision of Asbestos Monitoring Manual [MOE]		x		x		x		x	
Substances in Preparations in Nordic Countries (SPIN) Database	http://www.spin2000.net/spinmyphp/	Summary by chemical	x			x	x			x	
Trade Associations	http://canadianchemistry.ca/library/docs/Total%20Emissions%202011%20with%20Issues-Final%20Eng.pdf	chemical inventory Canada 2011 with predictions of 2014	x			x		x		x	
Trade Associations	http://canadianchemistry.ca/library/docs/Total%20Emissions%202011%20with%20Issues-Final%20Eng.pdf	chemical inventory Canada 2011 with predictions of 2014	x			x		x		x	
Lowell Center for Sustainable Production	http://www.sustainableproduction.org/downloads/Causes%20of%20Cancer.pdf	Environmental and Occupational Causes of Cancer	x			x		x	x		
Lowell Center for Sustainable Production	http://www.sustainableproduction.org/downloads/TACD%20Briefing.pdf	Download - TACD Briefing Paper on the Precautionary Principle - Draft		x		x		x		x	
Lowell Center for Sustainable Production	http://www.sustainableproduction.org/downloads/GreatLakesBasinAppendicesBD.pdf	Appendix B: Overview and Analysis of the Toxic Substances Control ...		x		x		x		x	
Lowell Center for Sustainable Production	http://sustainableproduction.org/downloads/OptionsforStateChemicalsPolicyReform.pdf	Options for State Chemicals Policy Reform		x		x		x		x	
Lowell Center for Sustainable Production	http://sustainableproduction.org/downloads/UnitedNationsMercuryReport.pdf	United Nations Environment Programme		x		x		x		x	
Lowell Center for Sustainable Production	http://www.sustainableproduction.org/downloads/New%20Directions%20in%20European%20Chemicals%20Policy.pdf	New Directions in European Chemicals Policy.pdf		x		x		x		x	
Lowell Center for Sustainable Production	http://www.sustainableproduction.org/downloads/Methods-ToolsforChemHazardAss5-2011.pdf	A Compendium of Methods and Tools for Chemical Hazard ...		x		x		x		x	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Lowell Center for Sustainable Production	http://www.sustainableproduction.org/downloads/Industrialcarcinogens_002.pdf	Industrial Carcinogens: A Need for Action	x			x		x		x	
Lowell Center for Sustainable Production	http://www.sustainableproduction.org/downloads/ECN_casestudy_0325.pdf	Precarious Promise: A Case Study of Engineered Carbon Nanotubes		x		x		x		x	
Lowell Center for Sustainable Production	http://www.sustainableproduction.org/downloads/RClappIndustrialCarcinogens.pdf	INDUSTRIAL CARCINOGENS: A NEED FOR ACTION		x		x		x		x	
Lowell Center for Sustainable Production	http://www.sustainableproduction.org/cancer-summary.php	LCSP Press: Press Releases: UMass Lowell Report Links ...		x		x		x		x	
Lowell Center for Sustainable Production	http://www.sustainableproduction.org/downloads/LessonsLearned-FullReport.pdf	Lessons Learned: Solutions for Workplace Safety and Health	x			x		x		x	
Lowell Center for Sustainable Production	http://sustainableproduction.org/downloads/ErvandOccCausesofCancer2007.Update-DownloadVersion.pdf	Environmental and Occupational Causes of Cancer, 2007	x			x		x	x		
Lowell Center for Sustainable Production	http://www.sustainableproduction.org/downloads/Airandwaterpollutants_001.pdf	Cancer Air and Water Pollutants		x		x		x		x	
Lowell Center for Sustainable Production	http://www.sustainableproduction.org/downloads/KriebelPresCancerPanel9162008.pdf	Download as a PDF		x		x	x			x	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/09/08330.htm	Uses of asbestos		x		x		x		x	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/15/14598.pdf	Asbestos uses	x			x		x		x	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/32/31049.ppt	Environmental Aspect/Impacts		x		x		x		x	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/13/12009.htm	Asbestos uses	x			x		x		x	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/37/36886.pdf	Experiment to determine conc of asbestos in air after cleaning	x			x		x		x	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/41/40678.doc	Iowa guidance on asbestos		x		x	x			x	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/07/06288.pdf	Potentially same study as 5020-Asb_1-12 in different form, EPA report	x			x		x		x	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/32/31985/Asbestos.htm	Asbestos use in brake, clutches	x			x		x		x	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/13/12010.htm	Spanish version of 5020-Asb_1-11 with a little less detail		x		x		x		x	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/24/23028.pdf	Asbestos management plan for Keesler AFB, contains PEL		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/09/08370.pdf	Asbestos Guidance on Excavation Projects		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/30/29936.pdf	during cleaning of asbestos containing tile	X			X	X			X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/07/06044.htm	Uses of asbestos	X			X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/09/08329.htm	Oregon guidance on receiving asbestos waste at landfills	X			X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/27/26454.pdf	Writing Asbestos Specifications	X			X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/13/12008.pdf	OSHA training on asbestos	X			X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/03/02572.pdf	Texas guidance on disposal of asbestos	X			X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/05/04825.pdf	Brief project summary of alternative asbestos abatement project		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/26/25048.pdf	EPA study - asbestos cleaning methods	X			X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/13/12011.pdf	Similar content as 5020-Asb_1-22	X			X	X			X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/14/0_initiatives/init/jun97/index-1.htm	Research project about new method to remove asbestos	X			X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/24/23027.pdf	Kessler AFB Asbestos operating plan	X			X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/25/24335.pdf	Cooling tower materials disposal	X			X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/12/11450.pdf	Asbestos removal permit form NC		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/23/22773.pdf	(e) in disposing of asbestos waste in any form at a landfill site, the ...		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/38/37541/AppD1.pdf	ASBESTOS NESHAP	X			X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/37/36194.ppt	Department of Health and Human Services Health Hazards Control ...		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/01/text/0025221.htm	Asbestos Information Association of North America		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/32/31002/Section9SpecialWaste.pdf	Special Wastes		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/46/45132.ppt	Info about asbestos disposal post hurricane	X			X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/21/20467.txt	Diaphragm production	X			X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/15/14867.pdf	Use of asbestos in brakes	X			X	X			X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/04/03373.htm	Asbestos Alternatives in Packings and Gaskets		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/15/14907.pdf	Missouri Department of Natural Resources		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/14/13297.htm	Asbestos Recycling, Inc.		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/03/02918.ppt	In Situ Plasma Remediation of Subsurface Contaminants		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/34/33614.ppt	Being Green in the BAAQMD		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/11/10479.htm	Uses of asbestos	X			X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/07/06042.htm	List of regulations on asbestos		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/19/18161/aerosol/vanderpool.htm	Professor's bio		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/07/06050.htm	FACT SHEET: Environmental Issues in Contracting		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/19/18196.pdf	Construction and Demolition Debris		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/37/36418.ppt	The Cyprus Strategies & Experience on Solid and Hazardous Waste ...		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/50/49484.pdf	Amount of asbestos used in 2005 for roofing material	X			X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/06/05926.pdf	Mining of landfills	X			X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/11/10606.pdf	Primary study asbestos concentration after cleaning carpets		X		X	X			X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/01/00402/aaad.html	EPA glossary		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/27/26598.pdf	technology to remove asbestos	X			X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/20/19926/Fact_Sheets/DSDATA/EPA/Demolition%20Waste.pdf	Asbestos uses	X			X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/26/25905/patt005.pdf	No pdf, link did not work		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/34/33792.pdf	Asbestos used in roofing	X			X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/24/23088.pdf	List of Potential Asbestos Containing Building Materials	X			X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/36/35237.pdf	EPA report		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/32/31002/Section13WorkerSafety.pdf	Environmental Regulations Guide Section 13 Worker Safety		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/18/17756/report_html/chap6_09.html	Asbestos pipes used in Tucson		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/20/19033.pdf	Installation Environmental Program Management Guide		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/10/09978.htm	Disposal guidance of asbestos	X			X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/39/38521.pdf	List of NEA SOP		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/11/10039.pdf	Luke Air Force Base	X			X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/31/30822.pdf	AATCC Technical Manual		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/30/29282.pdf	Location, info on manufacturing 1963-1977	x			x		x		x	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/48/47745.pdf	Disposal info	x			x		x		x	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/28/27296.pdf	Project to reduce asbestos use in process	x			x		x		x	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/50/49068.pdf	Brake and clutch disposal with asbestos	x			x		x		x	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/32/31002/Section5HazMat.pdf	Environmental Regulations Guide Section 5 Hazardous Materials		x		x		x		x	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/34/33290.pdf	Asbestos in shingles	x			x		x		x	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/39/38202.pdf	Environmental - Key Contacts & Information Sources		x		x		x		x	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/16/15640.pdf	Asbestos uses	x			x		x		x	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/26/25646.pdf	List of different agencies, organizations and publications		x		x		x		x	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/07/06033.htm	Asbestos used in batteries		x		x		x		x	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/25/24381.pdf	Asbestos uses	x			x		x		x	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/02/01393.pdf	Legacy uses of asbestos in auto industry	x			x		x		x	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/15/14904.htm	Asbestos uses		x		x		x		x	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/29/28805.pdf	Asbestos uses - packaging	x			x		x		x	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/42/41990.pdf	One sentence about asbestos uses	x			x		x		x	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/01/00402/aterms.html	EPA glossary		x		x		x		x	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/30/29950.pdf	Asbestos uses in building materials	x			x		x		x	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/27/26930.pdf	Alternatives to asbestos diaphragms; not a lot of info	x			x		x		x	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/08/07378/0737810.pdf	APPENDIX F TRAINING MATRIX		x		x		x		x	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/06/05736/	One sentence about disposal of asbestos waste in landfill in Rochester	x			x		x		x	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/42/41567.pdf	Asbestos in building supplies	x			x		x		x	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/15/14972.pdf	Information on shingle recycling		x		x		x		x	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/03/02144.pdf	Uses of asbestos in residences		x		x	x			x	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/44/43932.pdf	Review of papers with tox studies of asbestos		x		x		x	x		
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/12/11946.pdf	The Solid Waste Management Ordinance for Duplin County, NC		x		x		x		x	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/14/13978.htm	Company's products address D&D needs		x		x		x		x	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/13/12872.htm	Hazardous Waste Reduction Checklist - Automotive Repair Shops		x		x		x		x	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/28/27368.pdf	One sentence about flues containing asbestos-cement		x		x	x			x	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/17/16630.pdf	Asbestos abatement; some disposal info	x			x		x		x	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/33/32514.pdf	Potentially unearthing asbestos at landfills		x		x	x			x	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/07/06028.htm	FACT SHEET: Lead-Based Paint		x		x		x		x	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/50/49948.pdf	Recycle South Carolina - C & D Recycling - Winter 98		x		x		x		x	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/15/14355.pdf	Distillation Handbook		x		x		x		x	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/01/00457.pdf	Environmental Handbook for Oregon Construction Contractors		x		x		x		x	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/25/24331.pdf	Salt water cooling tower retrofit experience		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/17/16896.pdf	Information of which businesses generate asbestos waste	X			X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/22/21445.pdf	The AETC Environmental Planning, Programming		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/23/22603.pdf	EPA report		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/01/text/0076910.htm	Nature of the Problem		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/34/33838.pdf	Some uses of asbestos	X			X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/14/13083.pdf	Reduction of Hazardous Waste from High School Chemistry ...	X			X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/26/25116.pdf	Guidelines on asbestos inspection, contains maximum contaminant level		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/19/18750.pdf	Total leaching content, soluble threshold limit		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/35/34565.pdf	Toxic air trigger levels		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/32/31861.pdf	Hazardous Waste Reduction: A Step-By-Step Guidebook for ...		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/19/18363.pdf	List of asbestos containing materials	X			X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/41/40122.pdf	Guidelines from CA EPA about asbestos removal, regs	X			X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/01/00373.pdf	Reduction Technologies for Laboratory Chemical Wastes ...		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/41/40080.pdf	Environmental Compliance Quality Assurance Review Guide		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/24/23876.pdf	Regulatory emission rate limits	X			X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/26/25131.pdf	Georgia Army Core Engineers Guide, MCL		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/24/23875.pdf	Colorado Army Core Engineers Guide	X			X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/26/25216.pdf	OK Army Core Engineers Guide		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/24/23883.pdf	CA Army Core Engineers Guide; contains STLC and TTLC , MCL	X			X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/31/30234.pdf	Contains TLV	X			X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/24/23877.pdf	CT Army Core Engineers Guide, HLV		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/33/32042.pdf	Air Pollutant table, occ information	X			X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/24/23887.pdf	KY Army Core Engineers Guides		X		X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/03/02216.pdf	MN Army Core Engineers Guides	X			X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/24/23888.pdf	LA Army core Engineers Guides	X			X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/26/25217.pdf	OR Army core Engineers Guides	X			X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/24/23891.pdf	MA Army core Engineers Guides, significant release rate	X			X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/26/25134.pdf	CA emission limits	X			X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/26/25095.pdf	NE Army core Engineers Guides, MCL	X			X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/26/25159.pdf	NH Army core Engineering Guides	X			X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/26/25100.pdf	Italy Air Force guide, SCLs	X			X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/26/25117.pdf	Japan DOD compliance protocol, MCLs	X			X		X		X	
Pollution Prevention Infohouse	http://infohouse.p2ric.org/ref/03/02430.pdf	Asbestos mining report	X			X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
State sites	http://www.deq.louisiana.gov/portal/DIVISIONS/PublicParticipationandPermitSupport/Asbestos/AsbestosAccreditationandNotificationForms.aspx	Asbestos Accreditation and Notification Forms		X		X		X		X	
State sites	https://ndep.nv.gov/bmi/docs/120724_asbestos_dvsr_guidance.pdf	lab accreditation for asbestos testing		X		X		X		X	
State sites	http://www.wa.gov/department-of-sustainability/air-quality/2015-tech-guide-to-asbestos-related-risks-in-soils	location of deposits, worker PELs	X			X		X		X	
State sites	http://legacy.azdeq.gov/environ/air/asbestos/	ADEQ: Air Quality Division: Asbestos		X		X		X		X	
State sites	http://www.mass.gov/eea/agencies/massdep/air/programs/answers-to-common-asbestos-questions.html	Answers to Common Asbestos Questions MassDEP		X		X		X		X	
State sites	https://ndep.nv.gov/bmi/technical.htm	2015 Tech guide to Asbestos Related risks in soils	X			X	X			X	
State sites	http://www.doh.wa.gov/portals/1/Documents/Pubs/334-224.pdf	2010 Asbestos related cluster investigation		X		X		X	X		
State sites	https://oehha.ca.gov/chemicals/asbestos	oral and inhalation slope factors	X			X		X		X	
State sites	http://www.dir.ca.gov/dosh/acru/ACRUinfo.htm	Reporting requirements		X		X		X		X	
State sites	https://oehha.ca.gov/air/asbestos-fact-sheet-information-health-risks-exposures-asbestos	Asbestos Fact Sheet - Information on Health Risks from Exposures ...		X		X		X		X	
State sites	https://epd.georgia.gov/asbestos	Asbestos Environmental Protection Division		X		X		X		X	
State sites	http://www.in.gov/idem/airquality/2581.htm	IDEM - Air Quality: Asbestos		X		X		X		X	
State sites	http://www.health.state.mn.us/divs/eh/asbestos/prof/	Asbestos - Professionals - EH: Minnesota Department of Health		X		X		X		X	
State sites	https://www.dtsc.ca.gov/SiteCleanup/Projects/upload/Garden_Valley_REP_Soil_10-02.pdf	Report on Surface Soil Sampling for Naturally Occurring Asbestos ...		X	X			X		X	
State sites	https://www.adeq.state.ar.us/home/databases.aspx	Databases ADEQ		X		X		X		X	
State sites	http://www.health.state.mn.us/divs/eh/asbestos/prof/workprac/	Asbestos - Work Practices - EH: Minnesota Department of Health		X		X		X		X	
State sites	http://www.deq.louisiana.gov/portal/DIVISIONS/PublicParticipationandPermitSupport/Asbestos.aspx	Asbestos		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
State sites	https://www.adeg.state.ar.us/air/program/asbestos/contractor.aspx	Asbestos Contractors/Consultants Search Air Division ADEQ		X		X		X		X	
State sites	http://www.michigan.gov/deg/1.1607.7-135-3310_4106-11856--.00.html	Reporting requirements		X		X		X		X	
State sites	http://legacy.azdeq.gov/environ/air/	Air Quality Division		X		X		X		X	
State sites	http://dhhs.ne.gov/publichealth/Documents/AsbestosInspectors.pdf	Nebraska-Licensed Asbestos Inspectors		X		X		X		X	
State sites	http://osha.oregon.gov/OSHAPubs/2129.pdf	Asbestos - Rules of abatement		X		X		X		X	
State sites	http://www.mass.gov/eea/agencies/massdep/air/programs/asbestos.html	Asbestos & Construction/Demolition Notifications MassDEP		X		X		X		X	
State sites	http://www.health.state.mn.us/divs/eh/asbestos/rules.html	Asbestos - Minnesota Asbestos Statutes and Rules - EH: Minnesota ...		X		X		X		X	
State sites	https://www.adeg.state.ar.us/air/program/asbestos/noi.aspx	Asbestos NOI Database Air Division ADEQ		X		X		X		X	
State sites	http://www.michigan.gov/lara/0,4601.7-154-11407_15333_15369-41734--.00.html	LARA - Asbestos FAQ's		X		X		X		X	
State sites	https://oehha.ca.gov/proposition-65/chemicals/asbestos	Asbestos OEHHA		X		X		X		X	
State sites	http://www.dep.pa.gov/Business/Air/BAQ/BusinessTopics/Pages/Asbestos.aspx	Asbestos		X		X		X		X	
State sites	http://www.in.gov/idem/airquality/2582.htm	IDEM - Air Quality: Asbestos Compliance		X		X		X		X	
State sites	http://www.nclabor.com/osha/etta/indguide/ig17.pdf	Asbestos guide to construction industry	X			X		X		X	
State sites	http://www.health.state.mn.us/divs/eh/hazardous/sites/hennepin/western/wstrnhc0212.pdf	Health Consultation		X		X	X		X		
State sites	http://www.michigan.gov/lara/0,4601.7-154-11407_15333_15369--.00.html	LARA - Asbestos Program		X		X		X		X	
State sites	http://www.dtsc.ca.gov/Schools/upload/SMBRP_POL_Guidance_Schools_NOA.pdf	Rules for monitoring when developing a school		X		X		X		X	
State sites	http://www.epa.illinois.gov/topics/air-quality/asbestos/	Asbestos		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
State sites	https://denr.sd.gov/des/wm/asb/asbmaterials.aspx	Asbestos Materials		X		X		X		X	
State sites	http://www.conservation.ca.gov/cgs/information/publications/Pages/online_maps_data.aspx	Links to maps of rock formations in CA likely to contain asbestos		X		X		X		X	
State sites	http://www.dshs.texas.gov/asbestos/rules.shtm	Laws and Rules - Asbestos Program		X		X		X		X	
State sites	http://health.hawaii.gov/irhb/asbestos/	Indoor and Radiological Health Branch Asbestos Program		X		X		X		X	
State sites	http://healthvermont.gov/health-environment/asbestos-lead-buildings/asbestos-contractors	Asbestos Information for Contractors Vermont Department of Health		X		X		X		X	
State sites	http://www.steq.louisiana.gov/portals/DIVISIONS/PublicParticipationandPermitSupport/Asbestos/AsbestosWorkers.aspx	Asbestos Workers		X		X		X		X	
State sites	http://healthvermont.gov/health-environment/asbestos-lead-buildings/asbestos	Overview: Asbestos in Buildings Vermont Department of Health		X		X		X		X	
State sites	http://www.doh.wa.gov/Portals/1/Documents/Pubs/334-331.pdf	2013 Sumas Mountain Health Investigation		X		X		X	X		
State sites	http://www.ct.gov/dph/lib/dph/environmental_health/asbestos/docs/152_licensure_and_training_doc	Licensure and Training Requirements for Persons Engaged in ...		X		X		X		X	
State sites	https://www.ct.gov/health/coshs/documents/ehap/haz_sites/regional_state/asb_cementjrelim_asbes_ducts.pdf	1986 report on indoor asbestos in homes with asbestos cement air ducts		X		X	X			X	
State sites	http://www.health.state.mn.us/divs/eh/asbestos/find_contractor/	Asbestos - Find a Contractor or Consultant - EH: Minnesota ...		X		X		X		X	
State sites	http://www.scdhec.gov/environment/AirQuality/Asbestos/BuildingInspections/	DHEC: Building Inspections		X		X		X		X	
State sites	https://www.dir.ca.gov/dosh/asbestos.html	Cal/OSHA - Asbestos		X		X		X		X	
State sites	http://www.dshs.texas.gov/portals/DIVISIONS/PublicParticipationandPermitSupport/Asbestos/AsbestosManagementPlanners.aspx	Asbestos Management Planners		X		X		X		X	
State sites	http://www.conservation.ca.gov/cgs/minerals/hazardous_minerals/asbestos	Pamphlet of Asbestos mining in CA	X			X	X			X	
State sites	ftp://ftp.consrv.ca.gov/pub/dmg/pubs/ms/59/asbestos_sites.pdf	Location of Asbestos deposits and operations in CA	X			X	X			X	
State sites	http://www.scdhec.gov/Environment/AirQuality/Asbestos/AsbestosRegs/	Asbestos Regulations		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
State sites	http://www.health.state.mn.us/divs/hpcd/cdee/occhealth/documents/MinersReport112503.pdf	Health Consultation	X			X		X		X	
State sites	http://www.nj.gov/dep/dshw/rrtp/asbestos.htm	Guidance Document for the Management of Asbestos-containing		X		X		X		X	
State sites	http://www.dep.state.pa.us/portals/01/33/33NSP/Info/Participation/PermitSupport/Asbestos/AsbestosContractorsSupervisors.htm	Asbestos Contractor and Supervisors		X		X		X		X	
State sites	http://www.azdeq.gov/environ/air/asbestos/download/neshap_demo.pdf	Asbestos NESHAP Regulations for demolition and renovation		X		X		X		X	
State sites	http://www.health.state.mn.us/divs/eh/hazardous/sites/hennepin/western/	2003 Final - Western Mineral Products Site Health Consultation	X			X		X	X		
State sites	http://www.dshs.texas.gov/asbestos/pdf/ARC018.pdf	Asbestos Clarifications - Surveys Conducted Prior to Dec 98		X		X		X		X	
State sites	http://www.nj.gov/health/ceohs/asbestos/	Department of Health Environmental Health Asbestos		X		X		X		X	
State sites	https://oehha.ca.gov/media/downloads/air/document/asbestos.pdf	CA Air Resources Board, Regulatory amendment statement	X			X	X			X	
State sites	https://www.dfac.ca.gov/SiteCleanup/Projects/Upload/Garden-Valley_REP_Slodysty_Sampling.pdf	Roadside monitoring from el dorado county	X			X	X			X	
State sites	https://www.env.nm.gov/Ohsb_Website/Training/documents/Asbestos.ppt	Powerpoint on Uses and Occupation Exposures	X			X		X		X	
State sites	http://www.scdhec.gov/HomeAndEnvironment/DisasterPreparedness/Hurricanes/REMOVINGASBESTOS/	Containing Materials from Private Homes		X		X		X		X	
State sites	http://www.mass.gov/real/real-services/massdeq/air/regulations/discussion-document-asbestos-containing-joint-compound.html	Discussion Document: Asbestos-Containing Joint Compound (ACJC)		X		X		X		X	
State sites	https://www.adeg.state.ar.us/air/program/asbestos/	Asbestos Air Division ADEQ		X		X		X		X	
State sites	http://www.scdhec.gov/Apps/Environment/BAQAsbestosContractors	Consultants Search - My ASP.NET MVC ...		X		X		X		X	
State sites	http://www.scdhec.gov/HomeAndEnvironment/DisasterPreparedness/Hurricanes/REMOVINGASBESTOS/	DHEC: Asbestos-Related Health Effects		X		X		X		X	
State sites	https://www.dfac.ca.gov/SiteCleanup/Projects/Upload/Garden-Valley_REP_Slodysty.pdf	Serpentine road exposure study	X			X	X			X	
State sites	http://www.scdhec.gov/Environment/Guidance/	DHEC:Guidance Documents		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
State sites	http://www.scdhec.gov/Environment/AirQuality/Asbestos/	DHEC: Asbestos		X		X		X		X	
State sites	https://denr.sd.gov/des/wm/asb/asbhomepage.aspx	Asbestos Homepage		X		X		X		X	
State sites	http://www.ct.gov/dph/lib/dph/environmental_health/asbestos/pdf/asbestos_training_courses1.pdf	ASBESTOS TRAINING COURSES		X		X		X		X	
State sites	http://www.scdhec.gov/environment/AirQuality/Asbestos/FriableAsbestos-ContainingMaterials/	DHEC: Friable Asbestos-Containing Materials		X		X		X		X	
State sites	https://denr.sd.gov/des/dw/Asbestos.aspx	Asbestos		X		X		X		X	
State sites	http://www.mde.state.md.us/programs/air/asbestos/asbestosandindustrialhygiene/Programs/AirProgram/asbestos/home.html	Asbestos and Industrial Hygiene Home		X		X		X		X	
State sites	http://www.health.state.mn.us/divs/eh/asbestos/homeowner/asbinhomes.html	Asbestos: Homeowner Information - Asbestos in Minnesota Homes ...		X		X		X		X	
State sites	http://www.scdhec.gov/Environment/PermitCentral/ApplicationForms/	DHEC: FORMS: Applications, Registration, Reporting, Etc		X		X		X		X	
State sites	http://www.scdhec.gov/environment/AirQuality/Asbestos/DisposalofAsbestos/	DHEC: Disposal of Asbestos		X		X		X		X	
State sites	https://www.dshs.texas.gov/asbestos/notifications.aspx	Notification Requirements - Asbestos Program		X		X		X		X	
State sites	http://www.conservation.ca.gov/cgs/geologic_hazards/hazardous_minerals/Pages/aviris.aspx	Hazardous Minerals California Geological Survey - Hazardous ...		X		X		X		X	
State sites	https://epd.georgia.gov/sites/epd.georgia.gov/files/related_files/site_page/B-125.pdf	COUNTY GOLD BELT BULLETIN 125		X		X		X		X	
State sites	http://www.health.state.mn.us/divs/eh/asbestos/	World production overview	X			X		X		X	
State sites	http://www.ct.gov/dph/cwp/view.asp?a=3140&q=417052	General info on uses and health effects		X		X		X		X	
State sites	http://www.dec.ny.gov/education/55242.html	Asbestos - NYS Dept. of Environmental Conservation		X		X		X		X	
State sites	http://dhs.ne.gov/publichealth/Documents/asbestosfactsheetquestions.pdf	Fact Sheet		X	X			X		X	
State sites	http://www.azdeg.gov/programs/air-quality-programs/what-asbestos	What is Asbestos? ADEQ Arizona Department of Environmental ...		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
State sites	http://www.healthvermont.gov/sites/default/files/Env_THOPresentation_ALReqprogram_061210.pdf	VT Regulatory presentation	X			X		X		X	
State sites	https://www.pca.state.mn.us/sites/default/files/p-ac16-08b.pdf	p-ac16-08b		X		X		X		X	
State sites	https://epd.georgia.gov/sites/epd.georgia.gov/files/Proposed%20Rule.pdf	Chapter 391-3-4 Rules for Solid Waste Management 1 July 7, 2016 ...		X		X		X		X	
State sites		wyoming department of environmental quality solid and hazardous ...		X		X		X		X	
State sites	http://dec.vermont.gov/sites/dec/files/geo/OpenFile/VG9603WaitsfieldRx.pdf	Digital compilation bedrock geologic map of part of the Waitsfield ...		X		X		X		X	
State sites	http://www.deq.louisiana.gov/portal/portals/0/planning/regs/pdf/AQ330S.pdf	Finalizes		X		X		X		X	
State sites	http://www.health.state.mn.us/divs/eh/asbestos/didyouknow/	Asbestos - Did you know? - EH: Minnesota Department of Health		X		X		X		X	
State sites	http://www.dir.ca.gov/dosh/dosh_publications/constguideonline.pdf	CAL/OSHA POCKET GUIDE FOR THE CONSTRUCTION INDUSTRY		X		X		X		X	
State sites	http://www.dep.wv.gov/WVE/ew/Document/3-18-2017%20Closure%20Guidance%20Document.pdf	to open document.		X		X		X		X	
State sites	http://deq.mt.gov/DEQAdmin/dir/libby/asbestosrndup	Montana DEQ > DEQAdmin > dir > libby > asbestosrndup		X		X		X		X	
State sites	http://www.deq.utah.gov/ProgramsServices/programs/air/asbestos/docs/201212DecAsbestos_namcblt.pdf	Utah Asbestos Hazards during Abatement and Renovation Activities		X		X		X		X	
State sites	http://www.maine.gov/dep/waste/asbestos/documents/custodial.pdf	Asbestos General Awareness Training for School Custodial and ...		X		X		X		X	
State sites	https://epd.georgia.gov/state-georgias-rules-governing-asbestos-abatement-licensing-and-disposal-revised-apr-1999	State of Georgia's Rules Governing Asbestos Abatement, Licensing ...		X		X		X		X	
State sites	https://www.nj.gov/health/cechs/documents/cechap/haz_sites/mercer/hamilton/zonefile/zonefile_bc_expo_3_05.pdf	Health Consultation - Zonolite and W.R. Grace Site NJ	X		X		X		X		
State sites	https://www.cdph.ca.gov/programs/IAQ/Pages/Asbestos.aspx	link broken		X		X		X		X	
State sites	http://www.kdheks.gov/env/lab/download/2010/2003_Nelac_Std.pdf	2003 NELAC Standard		X		X		X		X	
State sites	http://www.floridhealth.gov/environmental-health/hazardous-waste/sites/_documents/wrgrace040105.pdf	Health Consultation - W.R. Grace FL Site	X		X		X		X		

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
State sites	http://dec.vermont.gov/sites/dec/files/geo/bulletins/Hewitt1961All.pdf	BU 18		X		X		X		X	
State sites	http://www.mde.state.md.us/assets/document/general/mdejan02.pdf	January		X		X		X		X	
State sites	https://deq.mt.gov/Portals/112/Water/WQP/Standards/PDF/DEQ7/FinalApprovedDEQ7.pdf	Montana ground and surface water quality standards		X		X	X			X	
State sites	https://www.des.nh.gov/organization/commissioner/gsu/documents/nh-mines1960.pdf	New Hampshire Mines and Mineral Localities (1960)		X		X		X		X	
State sites	http://des.nh.gov/organization/commissioner/legal/rules/documents/env-sw2100.pdf	Env-Sw 2100		X		X		X		X	
State sites	http://dec.vermont.gov/sites/dec/files/geo/bulletins/Eric_1958sm.pdf	GEOLOGY OF THE CONCORD-WATERFORD AREA, VERMONT		X		X		X		X	
State sites	https://www.dshs.texas.gov/WorkArea/linkit.aspx?LinkIdentifier=id&ItemID=16575	Texas Asbestos Health Protection Act		X		X		X		X	
State sites	http://www.dep.state.pa.us/documents/ResEnviroHaz2005.pdf	Solid Waste Management Rule		X		X		X		X	
State sites	https://epd.georgia.gov/sites/epd.georgia.gov/files/related_files/site_page/B-85.pdf	ultramafic and related rocks in the vicinity of lake chatuge		X		X		X		X	
State sites	http://health.hawaii.gov/opppd/files/2015/06/11-504.pdf	11-504		X		X		X		X	
State sites	http://dec.vermont.gov/sites/dec/files/geo/TechReports/VGTR2011-1CO2Sequestration.pdf	Vermont Bedrock and its Potential for Sequestration of Carbon Dioxide		X		X		X		X	
State sites	https://epd.georgia.gov/sites/epd.georgia.gov/files/related_files/site_page/IC-54A.pdf	IC-54A Latest Thinking on the Stratigraphy of Selected Areas in ...		X		X		X		X	
State sites	https://www.cdph.ca.gov/programs/CLPPB/Documents/ResEnviroHaz2005.pdf	Broken Link		X		X		X		X	
State sites	https://www.cdph.ca.gov/programs/CLPPB/Documents/ResEnviroHaz2005.pdf	Broken Link		X		X		X		X	
State sites	http://www.dtsc.ca.gov/SCP/upload/10-18-13_Candidate-Chemicals-List.xls	Candidate Chemicals List		X		X		X		X	
State sites	http://www.nj.gov/dep/dshw/resource/26sch01.pdf	N.J.A.C. 7:26 Subchapter 1. General ...		X		X		X		X	
State sites	http://dec.vermont.gov/sites/dec/files/geo/images/NH1997Map.pdf	Geologic Map of New Hampshire		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
State sites	http://www.legis.nd.gov/information/acdata/pdf/33-15-13.pdf	North Dakota Administrative Code - Title 33 Article 15 Chapter 13		X		X		X		X	
State sites	http://www.cdph.ca.gov/programs/outdoorair/Pages/TransmissionElectronMicroscopeImages.aspx	Transmission Electron Microscope Images		X		X		X		X	
State sites	https://www.cdph.ca.gov/programs/IAQ/Pages/Publications.aspx	broken link		X		X		X		X	
State sites	http://legacy.azdeq.gov/enviro/waste/sps/Mountain_View_Mobile_Home_Estates.html	delisted NPL site links broken		X		X		X		X	
State sites	http://www.azdeq.gov/enviro/water/watershed/download/nemo-salt-wp.pdf	NEMO Watershed-Based Plan Salt Watershed		X		X		X		X	
State sites	http://www.ct.gov/dph/lib/dph/environmental_health/asbestos/pdf/ArtClayLetter.pdf	Potential Asbestos Hazard in Art Clay		X		X		X		X	
State sites	http://www.health.state.mn.us/divs/eh/hazardous/sites/hennepin/western/nmcvicohort.pdf	ATSDR NE Minneapolis Community Vermiculite Investigation	X			X	X			X	
State sites	http://des.nh.gov/organization/commissioner/legal/rules/documents/env-dw709-713.pdf	Env-Dw 709		X		X		X		X	
State sites	http://www.health.state.mn.us/divs/eh/asbestos/homeowner/insulation.html	Vermiculite Insulation Asbestos		X		X		X		X	
State sites	http://www.doh.wa.gov/Portals/1/Documents/Pubs/334-358.pdf	Van Stone Mine Health Consultation	X			X	X			X	
State sites	http://dhhs.ne.gov/publichealth/Pages/enh_asbestos_index.aspx	Nebraska DHHS: Asbestos Program		X		X		X		X	
State sites	http://www.conservation.ca.gov/cqs/minerals/min_prod/Documents/non_fuel_2002.pdf	CALIFORNIA NON-FUEL MINERALS 2002		X		X		X		X	
State sites	http://www.des.nh.gov/organization/divisions/waste/orcb/ors/adsp/documents/asbestos_guidance.pdf	Guidance for managing Asbestos Disposal Sites		X		X		X		X	
State sites	http://deq.mt.gov/DEQAdmin/dir/libby/wrgracetimeline3113099	timeline of Libby asbestos site		X		X		X		X	
State sites	http://labor.vermont.gov/wordpress/wp-content/uploads/X-01358Pion.pdf	R. P., Estate of R. P., H.P. v. Vermont Asbestos Group		X		X		X		X	
State sites	http://www.ndp.state.nd.us/programs/land/MapAndBorehole/CPMapping/Documents/Bare%20Hills%20Quarries%20and%20Pits.pdf	Bare Hills Quarries and Pits		X		X		X		X	
State sites	http://des.nh.gov/organization/commissioner/gsu/documents/nh-mines1960.pdf	New Hampshire Mines and Mineral Localities (1960)		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
State sites	http://www.health.state.mn.us/divs/eh/hazardous/topics/toxfreekids/chclist/chc2016add.pdf	Chemicals Added to the Chemicals of High Concern list in 2016 (PDF)		X		X		X		X	
State sites	http://www.dem.ri.gov/pubs/regs/regs/waste/remreg11.pdf	Rules and Regulations for the Investigation and Remediation of ...		X		X		X		X	
State sites	http://www.doh.wa.gov/YouandYourFamily/HealthyHome/Contaminants/Asbestos	Asbestos Insulation		X		X		X		X	
State sites	https://www.cdph.ca.gov/pages/sitemap.aspx	Broken Link		X		X		X		X	
State sites	http://www.dec.ny.gov/docs/materials_minerals_pdf/05anrpt3.pdf	New 2005 York State Mineral Fact Sheets		X		X		X		X	
State sites	http://www.iowadnr.gov/portals/dnr/uploads/Enforcement%20Actions/2010/enf6135.pdf	ADMINISTRATIVE CONSENT ORDER REGENCY of IOWA, INC.		X		X		X		X	
State sites	https://epd.georgia.gov/sites/epd.georgia.gov/files/related_files/site_page/B-53.pdf	Talc Deposits of Murray County, Georgia		X		X		X		X	
State sites	https://epd.georgia.gov/sites/epd.georgia.gov/files/related_files/site_page/B-124.pdf	Publication		X		X		X		X	
State sites	http://www.conservation.ca.gov/cgs/information/publications/Pages/california_geology_magazine1.aspx	Publications California Geological Survey - California Geology Index ...		X		X		X		X	
State sites	https://www.dtsc.ca.gov/Schools/upload/SMP_REP_Schools_Phase1Advisory.pdf	Assessment Advisory: School Property ...		X		X		X		X	
State sites	http://www.iowadnr.gov/portals/dnr/uploads/Enforcement%20Actions/2010/enf5901.pdf	Page 1 IOWA DEPARTMENT OF NATURAL RESOURCES ...		X		X		X		X	
State sites	http://www.deq.state.ok.us/AQDNew/asbestos/index.htm	Asbestos Homepage		X		X		X		X	
State sites	http://www.dec.ny.gov/docs/materials_minerals_pdf/03anrpt5.pdf	2003 Mineral Resources Annual Report - Part 5		X		X		X		X	
State sites	https://www.tceq.texas.gov/publications/rg/rg-022.html/at_download/file	Guidelines for the Classification and Coding of Industrial and ...		X		X		X		X	
Trade Associations	http://www.acmanet.org/research/spi_papers_90_thru_99/SPI_papers_90/1990-13.pdf	lists products that asbestos was used in and currently (1990) being replaced	X			X		X		X	
Trade Associations	http://www.acmanet.org/regulatory-compliance/chemical-safety-and-regulation/2-uncategorized	a rehash of a proposed OSHA rule on silica fiber	X			X		X		X	
Trade Associations	http://www.acmanet.org/research/spi_papers_90_thru_99/SPI_papers_92/1992-17.pdf			X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Trade Associations	http://www.acmanet.org/research/spi_papers_90_thru_99/SPI_papers_94/1994-14.pdf	for different light weight Glass Fiber Reinforced Plastic		X		X		X		X	
Trade Associations	acmanet.org			X		X		X		X	
Trade Associations	http://www.aia-aerospace.org/wp-content/uploads/2016/06/PLANES-AUGUST-1959.pdf	talks about asbestos being used in thermo suits in 1959 aerospace		X		X		X		X	
Trade Associations	http://www.aia-aerospace.org/wp-content/uploads/2016/06/AIA-1973-ANNUAL-REPORT.pdf			X		X		X		X	
Trade Associations	http://www.aia-aerospace.org/wp-content/uploads/2016/06/THE-1968-AEROSPACE-YEAR-BOOK_Part3.pdf			X		X		X		X	
Trade Associations	http://www.aia-aerospace.org/wp-content/uploads/2016/06/THE-1929-AIRCRAFT-YEAR-BOOK.pdf			X		X		X		X	
Trade Associations	http://www.aia-aerospace.org/wp-content/uploads/2016/06/THE-1938-AIRCRAFT-YEAR-BOOK.pdf			X		X		X		X	
Trade Associations	http://www.aia-aerospace.org/wp-content/uploads/2016/06/THE-1926-AIRCRAFT-YEAR-BOOK.pdf			X		X		X		X	
Trade Associations	http://www.aia-aerospace.org/wp-content/uploads/2016/06/THE-1944-AIRCRAFT-YEAR-BOOK.pdf			X		X		X		X	
Trade Associations	http://www.aia-aerospace.org/wp-content/uploads/2016/06/THE-1943-AIRCRAFT-YEAR-BOOK.pdf			X		X		X		X	
Trade Associations	aia-aerospace.org			X		X		X		X	
Trade Associations	https://phthalates.americanchemistry.com/July-2012-Newsletter/	newsletter		X		X		X		X	
Trade Associations	http://www.americanchemistry.com/Products/Technology/ByArea/Order/CO/Products/Research/Manual/3rd-edition/CO-Product-Research/Manual/Design-of-Facilities.pdf	6.0, discussion of asbestos gaskets; asbestos gaskets and asbestos		X		X		X		X	
Trade Associations	http://www.americanchemistry.com/Products/Technology/ByArea/Order/CO/Products/Research/Manual/3rd-edition/CO-Product-Research/Manual/Summary.pdf	summary of workshop proceedings	X			X		X		X	
Trade Associations	http://www.americanchemistry.com/Products/Technology/ByArea/Order/CO/Products/Research/Manual/3rd-edition/CO-Product-Research/Manual/Summary.pdf	mostly list of abbreviations		X		X		X		X	
Trade Associations	https://iri-abstract.americanchemistry.com/docs/LRIAbstracts/LRIAbstract_145.pdf	abstract for particulate pulmonary injury		X		X		X		X	
Trade Associations	http://www.americanchemistry.com/Products/Technology/ByArea/Order/CO/Products/Research/Manual/3rd-edition/CO-Product-Research/Manual/Summary.pdf	regulations of ethylene oxide transportation; no mention of asbestos		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Trade Associations	https://www.americanchemistry.com/ProductsTechnology/Propane/Propane-Safe-Practice-GuidelinesPDF_Piping-Items-and-Valves.pdf	best practices of piping		X		X		X		X	
Trade Associations	https://www.americanchemistry.com/ProductsTechnology/EthyleneOxide/ChemicalSafety/EthyleneOxideControlGuidelinesforHealthandSafety.pdf	Table of contents and Section 6.3 of ethylene oxide document		X		X		X		X	
Trade Associations	https://www.americanchemistry.com/ProductsTechnology/CarbonNanotubes/CarbonNanotubesSafetyGuidelinesforHealthandSafety.pdf	only mentioned as comparison to carbon nanotubules		X		X		X		X	
Trade Associations	https://www.americanchemistry.com/ProductsTechnology/RecycledPlastics/RecycledPlasticsSafetyGuidelinesforHealthandSafety.pdf	review of gasification of non-recycled plastics		X		X		X		X	
Trade Associations	https://www.americanchemistry.com/ProductsTechnology/Schools/SchoolsSafetyGuidelinesforHealthandSafety.pdf	guideline for spray polyurethane foam in schools		X		X		X		X	
Trade Associations	http://www.asphaltroofing.org/sites/default/files/ARMA%20meeting%20Denver%202013_Serdar.pdf			X		X		X		X	
Trade Associations	http://www.asphaltroofing.org/sites/default/files/Statement%20Responding%20to%20ARC%20November%202011.pdf			X		X		X		X	
Trade Associations	http://www.asphaltroofing.org/sites/default/files/ARMA%202011%20HSE%20Webinar%20Read%20Ahead%20Materials.pdf			X		X		X		X	
Trade Associations	http://www.asphaltroofing.org/sites/default/files/ARMA-NRCA%20Guidance%20-%20Tear%20Offs.pdf	be co exposure to asbestos. Talks about ppe and practices to avoid both	X			X		X		X	
Trade Associations	http://www.asphaltroofing.org/sites/default/files/The_Bitumen_Roofing_Industry_-_A_Global_Perspective.pdf	gives use rates of asbestos in # oif buildings	X			X		X		X	
Trade Associations	http://www.asphaltroofing.org/sites/default/files/2015%20QARC%20Judging.pdf			X		X		X		X	
Trade Associations	http://www.asphaltroofing.org/sites/default/files/ARMA%20FL%20Report%208-05%20Toronto.pdf	have to remove all asbestos tiles before adding new ones		X		X		X		X	
Trade Associations	http://www.asphaltroofing.org/sites/default/files/ARMA_Presentation_GAF_EHS_Management_System.pdf			X		X		X		X	
Trade Associations	http://www.asphaltroofing.org/sites/default/files/ARMA_CSG_Steep_Slope_March_2009_0.ppt	have to remove all asbestos tiles before adding new ones		X		X		X		X	
Trade Associations	http://www.asphaltroofing.org/sites/default/files/ARMA_CSG_Steep_Slope_March_2009.pdf	have to remove all asbestos tiles before adding new ones		X		X		X		X	
Trade Associations	http://www.asphaltroofing.org/sites/default/files/2016%20QARC%20Judging%20Presentation.pdf			X		X		X		X	
Trade Associations	asphaltroofing.org			X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Trade Associations	https://www.canadianchemistry.ca/responsible_care/uploads/2016_ARLANXEO.pdf			X		X		X		X	
Trade Associations	https://www.canadianchemistry.ca/responsible_care/uploads/2016_National_Silicates.pdf	RESPONSIBLE CARE® for national silicates	X			X		X		X	
Trade Associations	http://canadianchemistry.ca/responsible_care/uploads/2013_National_Silicates.pdf			X		X		X		X	
Trade Associations	http://www.canadianchemistry.ca/library/uploads/CIAC_RE20_Print_web2.pdf			X		X		X		X	
Trade Associations	http://www.canadianchemistry.ca/library/uploads/CIAC_RE20_Print_web2.pdf	chemical emissions report Canada. Graph shows decreasing emission	X			X		X		X	
Trade Associations	http://www.canadianchemistry.ca/library/uploads/CIAC_RE20_Print_web2.pdf	replacement of TCE with another product	X			X		X		X	
Trade Associations	http://canadianchemistry.ca/library/docs/Total%20Emissions%202011%20with%20Issues-Final%20Eng.pdf	chemical inventory Canada 2011 with predictions of 2014	X			X		X		X	
Trade Associations	http://canadianchemistry.ca/library/docs/Total%20Emissions%202011%20with%20Issues-Final%20Eng.pdf	chemical inventory Canada 2011 with predictions of 2014	X			X		X		X	
Trade Associations	http://canadianchemistry.ca/library/docs/Total%20Emissions%202011%20with%20Issues-Final%20Eng.pdf	chemical inventory Canada 2011 with predictions of 2014	X			X		X		X	
Trade Associations	http://canadianchemistry.ca/library/docs/Total%20Emissions%202011%20with%20Issues-Final%20Eng.pdf	chemical inventory Canada 2011 with predictions of 2014	X			X		X		X	
Trade Associations	http://www.canadianchemistry.ca/library/docs/Total%20emissions%202012.pdf	emissions inventory Canada 2012 for 2015	X			X		X		X	
Trade Associations	http://www.canadianchemistry.ca/library/docs/Total%20emissions%202012.pdf	emissions inventory Canada 2012 for 2015	X			X		X		X	
Trade Associations	http://www.canadianchemistry.ca/library/docs/Total%20emissions%202012.pdf	emissions inventory Canada 2012 for 2015	X			X		X		X	
Trade Associations	http://www.canadianchemistry.ca/library/docs/Total%20emissions%202012.pdf	emissions inventory Canada 2012 for 2015	X			X		X		X	
Trade Associations	http://members.canadianchemistry.ca/Portals/0/Revised%202012%20Stewardship%20Guide.pdf			X		X		X		X	
Trade Associations	http://members.canadianchemistry.ca/Portals/0/Revised%202012%20Stewardship%20Guide.pdf	emissions were reduced by switch cleaning systems	X			X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Trade Associations	http://canadianchemistry.ca/library/docs/Total%20emissions%202012%20-%20FR.pdf	emissions inventory Canada 2012 for 2015 in french	x			x		x		x	
Trade Associations	http://canadianchemistry.ca/library/docs/Total%20emissions%202012%20-%20FR.pdf	emissions inventory Canada 2012 for 2015 in french	x			x		x		x	
Trade Associations	http://canadianchemistry.ca/library/docs/Total%20emissions%202012%20-%20FR.pdf	emissions inventory Canada 2012 for 2015 in french	x			x		x		x	
Trade Associations	http://canadianchemistry.ca/library/docs/Total%20emissions%202012%20-%20FR.pdf	emissions inventory Canada 2012 for 2015 in french	x			x		x		x	
Trade Associations	http://canadianchemistry.ca/library/docs/Total%20emissions%202012%20-%20FR.pdf	emissions inventory Canada 2012 for 2015 in french	x			x		x		x	
Trade Associations	canadianchemistry.ca			x		x		x		x	
Trade Associations	cefic-efra.com			x		x		x		x	
Trade Associations	cefic-efra.com			x		x		x		x	
Trade Associations	http://www.cspa.org/our-team/beth-l-law/			x		x		x		x	
Trade Associations	cspa.org			x		x		x		x	
Trade Associations	http://www.ebfrip.org/uploads/Press/documents/core.html	removed when the product that used asbestos is done being used	x			x		x		x	
Trade Associations	ebfrip.org			x		x		x		x	
Trade Associations	http://www.jpma.org/news/294609/Flame-Retardants-A-Guide-to-Current-State-Regulations.htm	restriction on children products with chemicals for various states		x		x	x			x	
Trade Associations	http://www.jpma.org/news/294609/Flame-Retardants-A-Guide-to-Current-State-Regulations.htm	restriction on children products with chemicals for various states		x		x	x			x	
Trade Associations	jpma.org			x		x		x		x	
Trade Associations	nam.org			x		x		x		x	
Trade Associations	http://www.nam.org/Advocacy/The-Center-for-Legal-Action/Brief-Online-2015-NAM-Appeal-Brief-in-Support-of-Food-Meats-Co-IPa.pdf			x		x		x		x	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Trade Associations	http://www.nam.org/Advocacy/The-Center-for-Legal-Action/Reports/Online/2016/NM-Ambios-Blot-in-the-New-York-City-Subways-Exposure-NY-5-Ctl			X		X		X		X	
Trade Associations	http://www.nam.org/Advocacy/The-Center-for-Legal-Action/Reports/Online/2013/NM-Ambios-Blot-in-Durham--Ford-Motor-Co.-MI-V			X		X		X		X	
Trade Associations	http://old.nam.org/~media/28186F27BE384262A13A833CAB807052/Betz_v_Pneumo_Abex_LLC.pdf			X		X		X		X	
Trade Associations	http://old.nam.org/~media/9F62D387C47344BD481756B13A6CD648/Georgia_Pacific_LLC_v_Farar_MD_02272013.pdf	that came into contact with asbestos in dry way did not cause here		X		X	X			X	
Trade Associations	http://www.nam.org/Newsroom/eNewsletters/The-Center-Legal-News/2014/The-Center-News--October-2014/			X		X		X		X	
Trade Associations	http://lawcenter.nam.org/Results.aspx?P=Associated%20Builders%20%26%20Contractors&Y=active			X		X		X		X	
Trade Associations	http://www.nam.org/Issues/Trade/Bilateral-Trade/REACH-Regulation/			X		X		X		X	
Trade Associations	http://www.nam.org/Advocacy/The-Center-for-Legal-Action/Reports/Online/2015/NM-Ambios-Blot-in-Sage-Diver-Fabrics--In-a-Split--Georgia.pdf			X		X		X		X	
Trade Associations	http://www.nam.org/Advocacy/The-Center-for-Legal-Action/Reports/Online/2015/NM-Ambios-Blot-in-Croston-Ambios-Thermal-Insulation-In-Quincy-Ma	that was use din terms of total asbestos content	X			X		X		X	
Trade Associations	http://old.nam.org/Statistics/And-Data/Manufacturing-Less-Cases/Manufacturers-In-The-Courts/Amtrak/110112.aspx			X		X		X		X	
Trade Associations	http://www.nam.org/Advocacy/The-Center-for-Legal-Action/Reports/Online/2013/NM-Ambios-Blot-in-Georgia-Pacific-Corp.-TX.pdf			X		X		X		X	
Trade Associations	http://lawcenter.nam.org/results.aspx?idGroup=528			X		X		X		X	
Trade Associations	http://lawcenter.nam.org/Results.aspx?P=Barabin			X		X		X		X	
Trade Associations	http://documents.nam.org/LAW/Juni2.pdf			X		X		X		X	
Trade Associations	http://www.nam.org/Newsroom/eNewsletters/The-Center-Legal-News/2011/Manufacturers-In-The-Courts--May-2011/			X		X		X		X	
Trade Associations	http://www.pirfa.org/index.php?ev=media-events/news/532-n-68-17-firefighter-health-and-personal-protective-equipment	mentions mesothelioma was elevate din fire fighters		X		X		X		X	
Trade Associations	http://pirfa.org/index.php?ev=media-events/news/763-n-70-15-us-national-institute-for-occupational-safety-and-health	other exposure routes mesothelioma	X			X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Trade Associations	http://www.pinfa.org/index.php/en/media-events/news/861-n-73-16-bavaria-government-information-on-fire-toxicity	links to an off site document in Bavaria		X		X		X		X	
Trade Associations	http://www.pinfa.org/index.php/en/media-events/news/795-n-69-08-us-chemical-safety-act-signed-into-law-with-consensus	talks about TSCA		X		X		X		X	
Trade Associations	http://www.pinfa.org/index.php/en/media-events/news?start=90			X		X		X		X	
Trade Associations	http://www.pinfa.org/index.php/en/media-events/news/841-n-72-17-echa-proposals-on-safer-chemicals-substitution	this article https://echa.europa.eu/documents/10	X			X		X		X	
Trade Associations	http://www.pinfa.org/images/newsletters/Pinfa_Newsletter_Issue_no69_September-2016.pdf	EPA regulation section		X		X		X		X	
Trade Associations	http://www.pinfa.org/documents/MediaNewsletter/pinfa_newsletter_issue_no37_december-2014.pdf	mesothelioma rates in fire fighters		X		X	X			X	
Trade Associations	http://www.pinfa.org/index.php/en/media-events/news/newsletter-pinhadid-1-may84-66-newsletter-issue-n-69-september-2016?mtr=comment			X		X		X		X	
Trade Associations	http://www.pinfa.org/images/newsletters/Pinfa_Newsletter_Issue_no66_May-2016.pdf	mentions elevated levels of lung cancer in fire fighters		X		X		X		X	
Trade Associations	http://www.pinfa.org/images/newsletters/Pinfa_Newsletter_Issue_no66_May-2016.pdf	Washington with products over 0.01 HBCD by mass		X		X	X			X	
Trade Associations	pinfa.org			X		X		X		X	
Trade Associations	http://plasticpipe.org/pdf/case-study-mid-pb-oregon.pdf	talks about the removal of asbestos pipe at astoria Oeragon	X			X		X		X	
Trade Associations	https://plasticpipe.org/pdf/ppi-comment-permeation-hydrocarbons.pdf	talks about pipe leakage but no specifics beyond that		X		X		X		X	
Trade Associations	https://plasticpipe.org/pdf/ppi-comment-permeation-hydrocarbons.pdf	will break through PVC pipe in 6.5 days	X			X		X		X	
Trade Associations	https://plasticpipe.org/pdf/chapter16.pdf	pipes. These can be asbestos so can be a source of exposure	X			X		X		X	
Trade Associations	https://plasticpipe.org/pdf/tr-5_standards_for_plastic_piping.pdf			X		X		X		X	
Trade Associations	https://plasticpipe.org/pdf/statement-n_barrier_properties_plastic_pipe_used_for_potable_water.pdf			X		X		X		X	
Trade Associations	https://plasticpipe.org/pdf/tr-30_maximum_temperatures_attained_by_fuel_gas_inside_service_risers.pdf	asbestos was found to not be better than air in these scenarios		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Trade Associations	https://plasticpipe.org/pdf/a-solution-for-drinking-water-networks-ppixvi2012.pdf			X		X		X		X	
Trade Associations	http://plasticpipe.org/municipal_pipe/advisory/pipebursting/overview-piping-solution.html			X		X		X		X	
Trade Associations	https://plasticpipe.org/pdf/mid-water-infrastructure-progress-proceeds-palco-alto.pdf	asbestos pipes by adding newer materials to add to help support them	X			X		X		X	
Trade Associations	http://plasticpipe.org/municipal_pipe/advisory/pipebursting/overview-pipe-brusting-process.html			X		X		X		X	
Trade Associations	https://plasticpipe.org/pdf/chapter06.pdf			X		X		X		X	
Trade Associations	http://plasticpipe.org/municipal_pipe/mid-trenchless.html			X		X		X		X	
Trade Associations	https://plasticpipe.org/pdf/westgate_saves_with_pex.pdf			X		X		X		X	
Trade Associations	https://plasticpipe.org/pdf/ukwir-national-mains-failure-database.pdf			X		X		X		X	
Trade Associations	https://plasticpipe.org/pdf/glossary.pdf			X		X		X		X	
Trade Associations	plasticpipe.org			X		X		X		X	
Trade Associations	http://www.sips.org/downloads/DRAFT%20Nalbase%20Installation%20Guide%204-8-14.pdf			X		X		X		X	
Trade Associations	https://www.sips.org/downloads/CCASHRAE7002015NGBS_watermark_protected_20160506033835.pdf			X		X		X		X	
Trade Associations	https://www.sips.org/downloads/208AHA-Retrofit-Insulated-Panel-Strategy-Final-v1.0-Summer-2015.pdf			X		X		X		X	
Trade Associations	sips.org			X		X		X		X	
Trade Associations	https://www.socma.com/article/id/3492/if-we-can-fix-tsca-we-can-fix-the-osh-act			X		X		X		X	
Trade Associations	https://www.socma.com/article/id/4006/get-to-know-your-chemstewards-auditor-kirstin-dolan			X		X		X		X	
Trade Associations	http://www.socma.com/Blog/Post/ID/5260			X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Trade Associations	socma.com			X		X		X		X	
Trade Associations	www.acmanet.org			X		X		X		X	
Trade Associations	http://www.afma.org/f-tutor/acrylic.htm	link won't open		X		X		X		X	
Trade Associations	http://www.afma.org/f-tutor/uses.htm	link won't open		X		X		X		X	
Trade Associations	http://www.afma.org/f-tutor/aramid.htm	link won't open		X		X		X		X	
Trade Associations	http://www.afma.org/F-Info/More_News/mccr-032204.htm	link won't open		X		X		X		X	
Trade Associations	www.afma.org			X		X		X		X	
Trade Associations	www.afsinc.org			X		X		X		X	
Trade Associations	http://www.afsinc.org/files/12-005.pdf	report on silica sand replacement		X		X		X		X	
Trade Associations	https://www.aga.org/environmental-policy	login required		X		X		X		X	
Trade Associations	https://www.aga.org/frontpage?page=26&wptouch_preview_theme=enabled	links to AGA resources		X		X		X		X	
Trade Associations	https://www.aga.org/frontpage?field_categories_tid%5B%5D=155&field_source_tid=189	links to AGA resources		X		X		X		X	
Trade Associations	https://www.aga.org/2012-0	links to AGA resources		X		X		X		X	
Trade Associations	https://www.aga.org/frontpage?page=4&field_categories_tid%255B%255D=160&field_source_tid=189	AGA tweets		X		X		X		X	
Trade Associations	https://www.aga.org/categories/operations	links to AGA resources		X		X		X		X	
Trade Associations	https://www.aga.org/frontpage_temp?page=13	links to AGA resources		X		X		X		X	
Trade Associations	https://www.aga.org/frontpage?page=2&field_categories_tid%5B%5D=160&field_source_tid=189	AGA tweets		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Trade Associations	https://www.aga.org/frontpage?page=2&field_categories_tid%5B0%5D=155&field_source_tid=All	links to AGA resources		X		X		X		X	
Trade Associations	https://www.aga.org/categories/environment?page=3	links to AGA resources		X		X		X		X	
Trade Associations	https://www.aga.org/frontpage?page=14&field_categories_tid%255B%255D=166&field_source_tid=All	links to AGA resources		X		X		X		X	
Trade Associations	https://www.aga.org/frontpage?page=6&field_categories_tid%5B0%5D=155&field_source_tid=All	link to AGA homepage		X		X		X		X	
Trade Associations	https://www.aga.org/frontpage?page=26&field_categories_tid%255B%255D=161&field_source_tid=All	AGA trending content page		X		X		X		X	
Trade Associations	https://www.aga.org/advocacy-priorities	list of AGA advocacy priorities		X		X		X		X	
Trade Associations	https://www.aga.org/frontpage?page=5&field_categories_tid%255B%255D=180&field_source_tid=180	AGA tweets		X		X		X		X	
Trade Associations	https://www.aga.org/frontpage?page=5&field_categories_tid%255B%255D=181&field_source_tid=180	link only AGA tweets		X		X		X		X	
Trade Associations	https://www.aga.org/categories/environment	links to AGA resources		X		X		X		X	
Trade Associations	https://www.aga.org/knowledgecenter/natural-gas-101/natural-gas-glossary/	glossary		X		X		X		X	
Trade Associations	https://www.aga.org/frontpage?page=15&field_categories_tid%255B%255D=164&field_source_tid=All	links to AGA resources		X		X		X		X	
Trade Associations	www.aga.org			X		X		X		X	
Trade Associations	https://www.aga.org/knowledgecenter/compatibility-of-lubricants/	summary of compatibility of lubricants		X		X		X		X	
Trade Associations	https://www.aga.org/knowledgecenter/compatibility-of-refrigerants-and-lubricants/	report on compatibility of refrigerants and lubricants		X		X		X		X	
Trade Associations	https://www.aga.org/knowledgecenter/evaluation-report-on-pressure-chillers/	evaluation report on pressure chillers		X		X		X		X	
Trade Associations	https://www.aga.org/knowledgecenter/refrigerant-database/	refrigerant database		X		X		X		X	
Trade Associations	http://www.ahrlinet.org/App_Content/ahrlinet/FILES/NEWSLETTER/10%20-%202012/TheAllianceOverview_Inserts.pdf	best practices summary		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Trade Associations		arti refrigerant database		X		X		X		X	
Trade Associations	www.ahrinet.org			X		X		X		X	
Trade Associations	http://www.aluminum.org/sites/default/files/aecd8.pdf	insulation and cable components		X		X	X			X	
Trade Associations	http://www.aluminum.org/sites/default/files/aecd14.pdf	review of aluminum wires		X		X		X		X	
Trade Associations	http://www.aluminum.org/sites/default/files/aecd16.pdf	cast aluminum rotors		X		X		X		X	
Trade Associations	http://www.aluminum.org/sites/default/files/AECD%20part1%20compressed.pdf	aluminum electrical conductor handbook		X		X		X		X	
Trade Associations	http://www.aluminum.org/sites/default/files/aecd9.pdf	engineering designs of cable applications		X		X		X		X	
Trade Associations	http://www.aluminum.org/sites/default/files/aecdindex.pdf	index		X		X		X		X	
Trade Associations	http://www.aluminum.org/sites/default/files/Index.pdf	index		X		X		X		X	
Trade Associations	www.aluminum.org			X		X		X		X	
Trade Associations	http://www.ame.org/sites/default/files/target_articles/90Q4A1.pdf	exposure to pollution review	X			X		X		X	
Trade Associations	http://www.ame.org/sites/default/files/NE%20Region%20Newsletter%20February%202014.pdf	workshops lists		X		X		X		X	
Trade Associations	http://www.ame.org/sites/default/files/NE%20Region%20Newsletter%20April%202014.pdf	workshops lists		X		X		X		X	
Trade Associations	http://www.ame.org/sites/default/files/documents/08-24-2-Safety.pdf	making safety standard operating procedure - no data on asbestos		X		X		X		X	
Trade Associations	www.ame.org			X		X		X		X	
Trade Associations		ethylene oxide third edition review Section 8.0		X		X		X		X	
Trade Associations	https://www.americanchemistry.com/Products/Technology/Hydrogen-Fluoride-2/Emergency-Response-Guidelines-for-AHF.pdf	emergency response guidelines for hydrogen fluoride leak	X			X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Trade Associations	www.americanchemistry.com			X		X		X		X	
Trade Associations	www.ansi.org			X		X		X		X	
Trade Associations	www.ansi.org			X		X		X		X	
Trade Associations	http://www.api.org/-/media/Files/EHS/Clean_Water/GW_other/GW_Sdat%20-%20API%20poster.pdf	GWSDAT data analysis tool		X		X		X		X	
Trade Associations	http://www.api.org/-/media/Files/Certification/CHPCP-Certification-Programs/SIFE_StudyGuide_English_Update-9-17-2015.pdf	inspection and quality surveillance guide		X		X		X		X	
Trade Associations	http://www.api.org/-/media/Files/Policy/Job/Oil-Gas-Stimulate-Jobs-Economic-Growth/Map/Kansas.pdf	Kansas job growth report		X		X		X		X	
Trade Associations	http://www.api.org/-/link.aspx?_id=09D08FACC3A546CE85067B949A8B6BBD&_z=z	link broken - page not found		X		X		X		X	
Trade Associations	http://www.api.org/-/media/Files/Policy/Job/Oil-Gas-Stimulate-Jobs-Economic-Growth/Map/California.pdf	California job growth report		X		X		X		X	
Trade Associations	http://www.api.org/events-and-training/api-training/api-%20training%20brochures?page=8&tr=profile_certification_title	link broken - page not found		X		X		X		X	
Trade Associations	http://www.api.org/-/media/Files/Certification/CHPCP-Certification-Programs/118_4#st=0&st=api_80561189_80K_2016_10-15-2016_00116.pdf?st=api	link broken - page not found		X		X		X		X	
Trade Associations	http://www.api.org/-/media/Files/Policy/Job/Oil-Gas-Stimulate-Jobs-Economic-Growth/Map/Texas.pdf	Texas job growth report		X		X		X		X	
Trade Associations	http://www.api.org/-/media/Files/Certification/CHPCP-Certification-Programs/118_2016_10-15-2016_00116.pdf?st=api	Canada OSHA regulations report	X			X		X		X	
Trade Associations	http://www.api.org/-/media/Files/Certification/CHPCP-Certification-Programs/118_2017_Guide/Box/118_USA_23-CFR-1910_OSHA_EH242017.pdf	OSHA standards	X			X		X		X	
Trade Associations	http://www.api.org/-/media/Files/EHS/Environmental_Performance/Industry-sustainability-reporting-guidance-2015.pdf	oil and gas industry guidance report		X		X		X		X	
Trade Associations	http://www.api.org/-/media/Files/Certification/CHPCP-Certification-Programs/118_2017_Guide/Box/118_USA_23-CFR-1910_OSHA_EH242017.pdf	API certification programs application - PDF not working		X		X		X		X	
Trade Associations	http://www.api.org/-/media/Files/events/conference%20proceedings/lcc2012/customercasestudyupdate.pdf?st=api	2012 legal update - PowerPoint		X		X		X		X	
Trade Associations	http://www.api.org/-/media/Files/Certification/CHPCP-Certification-Programs/118_2016_Guide/Box/118_USA_23-CFR-1910_OSHA_EH242017.pdf	OSHA standards		X		X	X			X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Trade Associations	http://www.ascouncil.org/resource/resmgr/Docs/minneapolis.pdf	program for fall 2013 conference		X		X		X		X	
Trade Associations	www.ascouncil.org			X		X		X		X	
Trade Associations	http://www.awc.org/pdf/codes-standards/publications/tr/AWC-TR09-0707.pdf	report on heat release rates		X		X		X		X	
Trade Associations	http://www.awc.org/pdf/education/mat/AWC-MAT110-Fireblocking-071024.pdf	Fireblocking and Draftstopping		X		X		X		X	
Trade Associations	http://www.awc.org/pdf/education/mat/AWC-MAT100-Basics-070923.pdf	Basics of woodframe construction		X		X		X		X	
Trade Associations	www.awc.org			X		X		X		X	
Trade Associations	http://www.bifma.org/resource/resmgr/Chemicals_Summit/4cp_BIFMA_Presentation_Decla.pdf	Presentation from chemical summit		X		X		X		X	
Trade Associations	https://www.bifma.org/resource/resmgr/lent_cofc_summit_130429_cmp.pdf	PowerPoint on Evolticknering A&D		X		X		X		X	
Trade Associations	www.bifma.org			X		X		X		X	
Trade Associations	www.cancentral.com			X		X		X		X	
Trade Associations	www.cancentral.com			X		X		X		X	
Trade Associations	www.chlorinated-solvents.eu			X		X		X		X	
Trade Associations	www.chlorinated-solvents.eu			X		X		X		X	
Trade Associations	https://www.cibo.org/wp-content/uploads/2014/04/nhsmfinalrulesummary.pdf	Rule for Non-Hazardous Secondary Materials That Are Solid Waste When		X		X		X		X	
Trade Associations	www.cibo.org			X		X		X		X	
Trade Associations	http://www.cleaninginstitute.org/assets/1/Page/AsthmaScienceForumReport.pdf	Forum; Asbestos mentioned in biography		X		X		X		X	
Trade Associations	www.cleaninginstitute.org			X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Trade Associations	www.copper.org			X		X		X		X	
Trade Associations	www.copper.org			X		X		X		X	
Trade Associations	https://www.flexpack.org/assets/1/6/Mark_Thimke.pdf	presentation for environmental health managers		X		X		X		X	
Trade Associations	https://www.flexpack.org/assets/1/6/Karen_Chu_.pdf	PowerPoint on design of the environment		X		X		X		X	
Trade Associations	http://www.flexpack.org/assets/1/6/ashland_brand_article.pdf	New Ashland brand article		X		X		X		X	
Trade Associations	https://www.flexpack.org/assets/1/6/Teresa_McGuckin.pdf	Value of product stewardship		X		X		X		X	
Trade Associations	https://www.flexpack.org/assets/1/6/2010_Safety_Conference_Speaker_Bios.pdf	Safety conference speaker bios		X		X		X		X	
Trade Associations	https://www.flexpack.org/assets/1/6/FPAUpdate1216.pdf	Topics for FPA annual meeting		X		X		X		X	
Trade Associations	https://www.flexpack.org/assets/1/6/rl_bio.pdf	Bio for Ronald Lott		X		X		X		X	
Trade Associations	http://www.flexpack.org/ashland-announces-strategic-collaboration-with-hp-inc-on-adhesives-and-coatings-for-labels-and-flexible-packaging/	Ashland news release		X		X		X		X	
Trade Associations	https://www.flexpack.org/dow-reports-fourth-quarter-2016-and-full-year-results/	Dow fourth quarter highlights		X		X		X		X	
Trade Associations	www.flexpack.org			X		X		X		X	
Trade Associations	https://www.gasketfab.com/memonly/Webinar2.ppt	PowerPoint on basic gasketing		X		X		X		X	
Trade Associations	https://www.gasketfab.com/downloads/March2012.pdf	gasket fabricator volume 31 issue 1		X		X		X		X	
Trade Associations	https://www.gasketfab.com/downloads/march2014.pdf	gasket fabricator volume 33 issue 1		X		X		X		X	
Trade Associations	https://www.gasketfab.com/downloads/March2011.pdf	gasket fabricator volume 30 issue 1		X		X		X		X	
Trade Associations	https://www.gasketfab.com/downloads/December2012.pdf	gasket fabricator volume 31 issue 3		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Trade Associations	https://www.gasketfab.com/memonly/GFADirectory2009_PDF	GFA directory of membership		X		X		X		X	
Trade Associations	https://www.gasketfab.com/downloads/August2014.pdf	gasket fabricator volume 33 issue 2		X		X		X		X	
Trade Associations	https://www.gasketfab.com/downloads/december2011.pdf	gasket fabricator volume 30 issue 3		X		X		X		X	
Trade Associations	https://www.gasketfab.com/downloads/Winter2016.pdf	gasket fabricator volume 34 issue 3		X		X		X		X	
Trade Associations	https://www.gasketfab.com/downloads/december2010.pdf	gasket fabricator volume 29 issue 3		X		X		X		X	
Trade Associations	https://www.gasketfab.com/downloads/March2009.pdf	gasket fabricator volume 28		X		X		X		X	
Trade Associations	https://www.gasketfab.com/downloads/december2013.pdf	gasket fabricator volume 32	X			X		X		X	
Trade Associations	https://www.gasketfab.com/downloads/GFA_Newsletter_March_2016.pdf	gasket fabricator volume 35 issue 1		X		X		X		X	
Trade Associations	https://www.gasketfab.com/downloads/GFA%20Newsletter%20Dec%202016.pdf	gasket fabricator volume 35 issue 3		X		X		X		X	
Trade Associations	https://www.gasketfab.com/downloads/August2011.pdf	gasket fabricator volume 30		X		X		X		X	
Trade Associations	https://www.gasketfab.com/downloads/August2012.pdf	gasket fabricator volume 31		X		X		X		X	
Trade Associations	https://www.gasketfab.com/downloads/august2010.pdf	gasket fabricator volume 29		X		X		X		X	
Trade Associations	https://www.gasketfab.com/downloads/March2015.pdf	gasket fabricator volume 34		X		X		X		X	
Trade Associations	www.gasketfab.com			X		X		X		X	
Trade Associations	http://www.gasketfab.com/downloads/Comment%20Letter%20About%20Brake%20Friction%20Material%20Laws%202014%2011%2017.pdf	comment letter about brake friction material laws		X		X		X		X	
Trade Associations	http://www.gasketfab.com/downloads/Comment%20Letter%20About%20Better%20Brake%20Pads%20Rule%202014%2011%2017.pdf	comment letter about Better Brake Pads rule		X		X	X			X	
Trade Associations	http://www.gasketfab.com/downloads/Comment%20Letter%20About%20Brake%20Friction%20Material%20Laws%202014%2011%2017.pdf	comment letter about brake friction material laws		X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Trade Associations	www.globalautomakers.org			X		X		X		X	
Trade Associations	http://www.gmaonline.org/blog/larc-please-make-up-your-mind-does-coffee-cause-cancer/	article on coffee and cancer		X		X		X		X	
Trade Associations	http://www.gmaonline.org/forms/uploadFiles/21874500001FA.filename.Paul_Benson.pdf	Paul Benson biography		X		X		X		X	
Trade Associations	http://www.gmaonline.org/downloads/wygwam/GMA_SupplyChain2.pdf	Food Supply Chain handbook		X		X		X		X	
Trade Associations	https://www.gmaonline.org/downloads/wygwam/SupplyChainFR.PDF	Food Supply Chain handbook in French		X		X		X		X	
Trade Associations	http://www.gmaonline.org/file-manager/Chemicals/TSCA_GAO_Report_US_vs_EU_Chemical_Regulation.pdf	differences between US and EU approaches to risks		X		X		X		X	
Trade Associations	http://www.gmaonline.org/file-manager/Chemicals/TSCA.CRS_REPORT.pdf	summary of TSCA		X		X	X			X	
Trade Associations	http://www.gmaonline.org/forms/uploadFiles/21874D000003B7.filename.Jon_Cohen.pdf	John Cohen bio		X		X		X		X	
Trade Associations	http://www.gmaonline.org/file-manager/Chemicals/CRS_Paper_on_TSCA.pdf	TSCA implementation and challenges report		X		X		X		X	
Trade Associations	http://www.gmaonline.org/forms/meeting/Microsite/Litigation2013.1	program event schedule for conference		X		X		X		X	
Trade Associations	http://www.gmaonline.org/file-manager/About/Sanitation_Lexicon-GMA_Sanitary_Design_Workgroup-2013.pdf	Sanitary design workshop presentation		X		X		X		X	
Trade Associations	http://www.gmaonline.org/uploadFiles/1B1A9B000002AE.filename.GMA_Ashley_7_16_13.pdf.pdf	healthy housing presentations		X		X		X		X	
Trade Associations	http://www.gmaonline.org/forms/meeting/Microsite/Litigation_Trends.3	list of speaker biographies		X		X		X		X	
Trade Associations	www.gmaonline.org			X		X		X		X	
Trade Associations	www.hsia.org			X		X		X		X	
Trade Associations	https://www.ilma.org/PDF/LegislativeMatters/IndustryResources/TSCAReformFaciSheet.pdf			X		X		X		X	
Trade Associations	https://www.ilma.org/PDF/LegislativeMatters/IndustryIssues/WhitePaperTSCA.pdf			X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Trade Associations	www.irma.org			X		X		X		X	
Trade Associations	http://www.inda.org/events/filt16/speaker.php?sp=1274			X		X		X		X	
Trade Associations	http://www.inda.org/BIO/filt2013_644_PPT.pdf			X		X		X		X	
Trade Associations	http://www.inda.org/events/hyqienix16/speaker.php?sp=1179			X		X		X		X	
Trade Associations	http://www.inda.org/BIO/rise2013_623_PPT.pdf			X		X		X		X	
Trade Associations	http://www.inda.org/BIO/htm2015_938.pdf			X		X		X		X	
Trade Associations	http://www.inda.org/BIO/filt2013_643_PPT.pdf			X		X		X		X	
Trade Associations	https://www.inda.org/idea16/BCECE ExhibitorGuide.pdf			X		X		X		X	
Trade Associations	http://www.inda.org/Glossary.pdf			X		X		X		X	
Trade Associations	https://www.inda.org/idea16/ExhibitorServicesKitIDEA16.pdf			X		X		X		X	
Trade Associations	www.inda.org			X		X		X		X	
Trade Associations	https://www.ipc.org/4.0_Knowledge/4.1_Standards/1752A-Errata-Language.pdf			X		X		X		X	
Trade Associations	http://www.ipc.org/3.0_Industry/3.4_EHS/2011/March-2011-Update-to-IPC-1752A-Appendices-B-C-D.pdf			X		X		X		X	
Trade Associations	http://www.ipc.org/3.0_Industry/3.4_EHS/2010/RoHS-final-adopted-report-081210.pdf			X		X		X		X	
Trade Associations	https://www.ipc.org/3.0_Industry/3.4_EHS/RCRA%20Comments2.pdf			X		X		X		X	
Trade Associations	https://www.ipc.org/files-history/Book111547.pdf			X		X		X		X	
Trade Associations	http://www.ipc.org/committee/drafts/5-33f_d_HDBK850-for_ind_rev-11-11.pdf			X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Trade Associations	http://www.ipc.org/TOC/IPC-HDBK-630.pdf	toc only		X		X		X		X	
Trade Associations	http://www.ipc.org/4.0_Knowledge/4.1_Standards/Free/Joint-Industry-Guide-Ed2.pdf	list of regulated substances		X		X		X		X	
Trade Associations	http://www.ipc.org/3.0_Industry/3.4_EHS/materials-declaration/JIG-List-of-Substances.pdf			X		X		X		X	
Trade Associations	http://www.ipc.org/committee/drafts/7-35_d_HDBK-820a-ProposedforBallot_Oct11.pdf			X		X		X		X	
Trade Associations	http://www.isri.org/docs/default-source/osh-safety/asbestos-during-brake-and-clutch-service-cklst.doc?sfvrsn=2			X		X		X		X	
Trade Associations	http://www.isri.org/docs/default-source/safety/isec-brochure.pdf?sfvrsn=8			X		X		X		X	
Trade Associations	http://www.isri.org/docs/default-source/safety-management-program/respiratory-protection-presentation.ppt?sfvrsn=6			X		X		X		X	
Trade Associations	http://www.isri.org/docs/default-source/isri-sec/emerging-issues-in-osh-enforcement-and-liability.pdf?sfvrsn=2			X		X		X		X	
Trade Associations	http://www.isri.org/safety-best-practices/isri-safety/isri-safety-resources/osh-resources/osh-inspection-checklist			X		X		X		X	
Trade Associations	http://www.isri.org/docs/default-source/osh-safety/osh3084---hazcom-pamphlet.pdf?sfvrsn=5			X		X		X		X	
Trade Associations	http://www.isri.org/docs/default-source/isri-sec/l-guerra_new-hire.pdf?sfvrsn=2			X		X		X		X	
Trade Associations	http://www.isri.org/docs/default-source/osh-safety/hazcom-labs-presentation.ppt?sfvrsn=5			X		X		X		X	
Trade Associations	http://www.isri.org/docs/default-source/osh-safety/osh3122---principle-emergency-response.pdf?sfvrsn=2			X		X		X		X	
Trade Associations	http://www.isri.org/docs/default-source/osh-safety/hazardous-waste-sites-activities.pdf?sfvrsn=5			X		X		X		X	
Trade Associations	www.isri.org			X		X		X		X	
Trade Associations	https://www.issa.com/data/moxiestorage/regulatory_education/regulatory-reference-library/osh/asbestos.pdf			X		X		X		X	
Trade Associations	https://www.issa.com/data/moxiestorage/regulatory_education/regulatory-reference-library/osh/asbestos_checklist.pdf			X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Trade Associations	http://www.issa.com/dir/company/website/1629/			X		X		X		X	
Trade Associations	http://www.issa.com/news/news-details/personnel-employees-appointments/iss-appoints-pro-fowler-managing-director/			X		X		X		X	
Trade Associations	https://www.issa.com/data/moxiestorage/certifications_standards/cib/cib_training_center_verification_standard.pdf			X		X		X		X	
Trade Associations	https://www.issa.com/data/moxiestorage/regulatory_education/osha_hcs.pdf			X		X		X		X	
Trade Associations	http://www.issa.com/data/moxiestorage/regulatory_education/green_cleaning/green_cleaning_sustainability_guide_on_green_cleaning.pdf			X		X		X		X	
Trade Associations	www.issa.com			X		X		X		X	
Trade Associations	www.jpma.org			X		X		X		X	
Trade Associations	https://www.mema.org/epa-asbestos-review-sought-due-imported-brake-parts-risks			X		X		X		X	
Trade Associations	https://www.mema.org/mema-industry-news?page=37&css=print			X		X		X		X	
Trade Associations	https://www.mema.org/memg-and-bmc-submit-comments-california%E2%80%99s-brake-friction-materials-revised-proposed-rule			X		X		X		X	
Trade Associations	https://www.mema.org/news/newsletter/90			X		X		X		X	
Trade Associations	https://www.mema.org/sites/default/files/page/2015%20Pocket%20Card%20Final.pdf			X		X		X		X	
Trade Associations	https://www.mema.org/mema-pushes-epa-designate-asbestos-high-priority-under-toxic-substance-control-act-0			X		X		X		X	
Trade Associations	https://www.mema.org/world-rings-asbestos-alarm-india-ignorant-about-cancer-causing-agent-0			X		X		X		X	
Trade Associations	https://www.mema.org/copper-brakes			X		X		X		X	
Trade Associations	https://www.mema.org/sites/default/files/MEMA%20EPA%20Letter%20090616.pdf			X		X		X		X	
Trade Associations	https://www.mema.org/mema-states			X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Trade Associations	https://www.mema.org/mema-and-bmc-submit-comments-california-brake-friction-materials-proposed-rule			X		X		X		X	
Trade Associations	https://www.mema.org/congress-passes-toxic-substances-control-act-tsca-reform			X		X		X		X	
Trade Associations	https://www.mema.org/mema-industry-news?page=21			X		X		X		X	
Trade Associations	www.mema.org			X		X		X		X	
Trade Associations	http://www.nasf.org/pdfs/regulation/niosh-occupational-exposure-chromium.pdf			X		X		X		X	
Trade Associations	www.nasf.org			X		X		X		X	
Trade Associations	https://www.nema.org/Standards/ComplimentaryDocuments/L16.pdf			X		X		X		X	
Trade Associations	https://www.nema.org/About/Join/Documents/NEMA%20Product%20Scopes.pdf			X		X		X		X	
Trade Associations	http://www.nema.org/Standards/ComplimentaryDocuments/L16.pdf			X		X		X		X	
Trade Associations	http://www.nema.org/news/Lists/ElectroIndustryMagazine/Attachments/67/EI_July16.pdf			X		X		X		X	
Trade Associations	http://www.nema.org/Standards/Documents/in-res+amendments.pdf			X		X		X		X	
Trade Associations	http://www.nema.org/Communications/EI/Documents/EI_March11.pdf	Graphic showing 100% of imported asbestos from Canada		X		X		X		X	
Trade Associations	https://www.nema.org/Policy/Environmental-Stewardship/Documents/eurelectric.pdf			X		X		X		X	
Trade Associations	http://www.nema.org/Policy/Environmental-Stewardship/Documents/eurelectric.pdf			X		X		X		X	
Trade Associations	https://www.nema.org/news/EI%20PDF/EI_Sept14.pdf			X		X		X		X	
Trade Associations	http://www.nema.org/Policy/Environmental-Stewardship/Documents/eurelectric.pdf			X		X		X		X	
Trade Associations	www.nema.org			X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Trade Associations	www.ngsa.org			X		X		X		X	
Trade Associations	www.ngsa.org			X		X		X		X	
Trade Associations	www.nmpgroup.com			X		X		X		X	
Trade Associations	www.nmpgroup.com			X		X		X		X	
Trade Associations	www.pei.org			X		X		X		X	
Trade Associations	www.pei.org			X		X		X		X	
Trade Associations	www.personalcarecouncil.org			X		X		X		X	
Trade Associations	www.personalcarecouncil.org			X		X		X		X	
Trade Associations	https://www.pmpa.org/docs/news/industrial-storm-water-draft.pdf?sfvrsn=0			X		X		X		X	
Trade Associations	www.pmpa.org			X		X		X		X	
Trade Associations	www.powertoolinstitute.com			X		X		X		X	
Trade Associations	www.powertoolinstitute.com			X		X		X		X	
Trade Associations	http://www.printing.org/page/3152			X		X		X		X	
Trade Associations	http://www.printing.org/page/12119			X		X		X		X	
Trade Associations	http://www.printing.org/page/3089			X		X		X		X	
Trade Associations	http://www.printing.org/page/3389			X		X		X		X	
Trade Associations	http://www.printing.org/page/3395			X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Trade Associations	http://www.printing.org/page/5781			X		X		X		X	
Trade Associations	http://www.printing.org/page/3386			X		X		X		X	
Trade Associations	www.printing.org			X		X		X		X	
Trade Associations	http://www.pstc.org/files/public/Shurtape.pdf			X		X		X		X	
Trade Associations	http://www.pstc.org/files/public/TapeProductsDirectory/2012TPD_3M_GTA-NHT_VentureTape.pdf			X		X		X		X	
Trade Associations	http://www.pstc.org/files/bb/Cantech_Product_Directory_fnl.xlsx			X		X		X		X	
Trade Associations	http://www.pstc.org/files/bb/Shurtape_Product_Directory_fnl.xlsx			X		X		X		X	
Trade Associations	http://www.pstc.org/files/public/PSTC%202011%20RTMP%20Program%20Document%20FINALV2.pdf			X		X		X		X	
Trade Associations	http://www.pstc.org/files/public/TapeProductsDirectory/2012TPD_Cantech.pdf			X		X		X		X	
Trade Associations	http://www.pstc.org/i4a/pages/index.cfm?pageID=4513			X		X		X		X	
Trade Associations	http://www.pstc.org/files/public/TapeProductsDirectory/2012TPD_BerryPlastics.pdf			X		X		X		X	
Trade Associations	http://www.pstc.org/files/public/TapeProductsDirectory/2012TPD_Shurtape.pdf			X		X		X		X	
Trade Associations	http://www.pstc.org/files/public/Venture.pdf			X		X		X		X	
Trade Associations	http://www.pstc.org/files/public/Cantech.xls			X		X		X		X	
Trade Associations	http://www.pstc.org/files/public/Berry.pdf			X		X		X		X	
Trade Associations	http://www.pstc.org/files/Wright_Diana.pdf			X		X		X		X	
Trade Associations	http://www.roofcoatings.org/pdf/organizationallinks_Special-Report.pdf			X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Trade Associations	http://www.roofcoatings.org/wp-content/uploads/2015/01/Everything-Old-is-New-Again.pdf			X		X		X		X	
Trade Associations	http://www.roofcoatings.org/pdf/9-04_FristAsbestosLetter.pdf			X		X		X		X	
Trade Associations	http://www.roofcoatings.org/pdf/RCMASeptemberNewsletter.pdf			X		X		X		X	
Trade Associations	http://www.roofcoatings.org/wp-content/uploads/2013/03/Government-Affairs-Committee-Update.pdf			X		X		X		X	
Trade Associations	www.roofcoatings.org			X		X		X		X	
Trade Associations	www.sema.org			X		X		X		X	
Trade Associations	www.sema.org			X		X		X		X	
Trade Associations	https://www.sme.org/WorkArea/DownloadAsset.aspx?id=72197			X		X		X		X	
Trade Associations	http://www.sme.org/uploadedfiles/events/expositions_and_conferences/2012/exhibitor-manual.pdf			X		X		X		X	
Trade Associations	www.sme.org			X		X		X		X	
Trade Associations	www.socma.com			X		X		X		X	
Trade Associations	https://www.steel.org/~media/Files/AISI/Public%20Policy/Letters/OSHA%20PEL%20RFI.PDF			X		X		X		X	
Trade Associations	http://www.steel.org/about-aisi/history/key-aisi-milestones.aspx			X		X		X		X	
Trade Associations	http://www.steel.org/~media/Files/AISI/Press%20Releases/2015/Unified_NME_Study.pdf			X		X		X		X	
Trade Associations	https://www.steel.org/~media/Files/AISI/Public%20Policy/Letters/NIP%20Primary%20Metal%20Industries%20102014.pdf			X		X		X		X	
Trade Associations	www.steel.org			X		X		X		X	
Trade Associations	www.tcata.org			X		X		X		X	

Source	General Information about Result		Subject-Matter Tags								Notes
	URL	Annotation	Engineering		Fate		Exposure		Human Health		
			On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	On-Topic	Off-Topic	
Trade Associations	www.tcata.org			X		X		X		X	
Trade Associations	www.trsa.org			X		X		X		X	
Trade Associations	www.trsa.org			X		X		X		X	
Trade Associations	www.vinylsiding.org			X		X		X		X	
Trade Associations	www.vinylsiding.org			X		X		X		X	
Trade Associations	www.xpsa.com			X		X		X		X	
Trade Associations	www.xpsa.com			X		X		X		X	
Other items from ERG search to support lifecycle diagrams	Book	Commodity Summaries 2017. 2017. p. 202.	X			X		X		X	
Other items from ERG search to support lifecycle diagrams	Book	2016: U.S. Geological Survey 2015 Minerals Yearbook.	X			X		X		X	
OPPT Hazard Characterizations	https://ofmpub.epa.gov/oppt/hpv_hc_characterization_get_report_by_cas?doctype=2	OPPT Hazard Characterizations		X		X		X		X	
EHPV Program Submissions - Supporting Information	https://www.regulations.gov/docket?D=EPA-HQ-OPPT-2006-1020	EHPV Program Submissions - Supporting Information		X		X		X		X	
OPPT Risk-Based Prioritizations	https://iaspub.epa.gov/oppt/hpv/existchem_hpv_prioritizations.report	OPPT Risk-Based Prioritizations		X		X		X		X	
NIH LACTMED	https://toxnet.nlm.nih.gov/newtoxnet/lactmed.htm	NIH LACTMED		X		X		X		X	