


## Final Scope of the Risk Evaluation for *p*-Dichlorobenzene

**CASRN 106-46-7**



*August 2020*

# TABLE OF CONTENTS

---

<b>TABLE OF CONTENTS</b> .....	<b>2</b>
<b>LIST OF TABLES</b> .....	<b>4</b>
<b>LIST OF FIGURES</b> .....	<b>4</b>
<b>LIST OF APPENDIX TABLES</b> .....	<b>5</b>
<b>LIST OF APPENDIX FIGURES</b> .....	<b>6</b>
<b>ACKNOWLEDGEMENTS</b> .....	<b>7</b>
<b>ABBREVIATIONS AND ACRONYMS</b> .....	<b>8</b>
<b>EXECUTIVE SUMMARY</b> .....	<b>12</b>
<b>1 INTRODUCTION</b> .....	<b>15</b>
<b>2 SCOPE OF THE EVALUATION</b> .....	<b>15</b>
2.1 Reasonably Available Information.....	15
2.1.1 Search of Gray Literature .....	16
2.1.2 Search of Literature from Publicly Available Databases (Peer-Reviewed Literature).....	17
2.1.3 Search of TSCA Submissions.....	26
2.2 Conditions of Use.....	27
2.2.1 Categories and Subcategories of Conditions of Use Included in the Scope of the Risk Evaluation.....	28
2.2.2 Activities Excluded from the Scope of the Risk Evaluation .....	30
2.2.3 Production Volume.....	32
2.2.4 Overview of Conditions of Use and Lifecycle Diagram .....	32
2.3 Exposures .....	34
2.3.1 Physical and Chemical Properties .....	34
2.3.2 Environmental Fate and Transport .....	36
2.3.3 Releases to the Environment .....	36
2.3.4 Environmental Exposures .....	38
2.3.5 Occupational Exposures .....	38
2.3.6 Consumer Exposures .....	39
2.3.7 General Population Exposures.....	40
2.4 Hazards (Effects).....	40
2.4.1 Environmental Hazards .....	40
2.4.2 Human Health Hazards.....	40
2.5 Potentially Exposed or Susceptible Subpopulations .....	41
2.6 Conceptual Models.....	41
2.6.1 Conceptual Model for Industrial and Commercial Activities and Uses: Potential Exposures and Hazards.....	42
2.6.2 Conceptual Model for Consumer Activities and Uses .....	44
2.6.3 Conceptual Model for Environmental Releases and Wastes: Potential Exposures and Hazards (Regulatory Overlay) .....	46
2.6.3.1 Exposure Pathway and Risks Addressed by Other EPA Administered Statutes.....	48
2.6.3.2 Conceptual Model for Environmental Releases and Wastes: Potential Exposures and Hazards	55

2.7	Analysis Plan .....	57
2.7.1	Physical and Chemical Properties and Environmental Fate .....	57
2.7.2	Exposure .....	58
2.7.2.1	Environmental Releases .....	58
2.7.2.2	Environmental Exposures .....	60
2.7.2.3	Occupational Exposures .....	61
2.7.2.4	Consumer Exposures .....	62
2.7.2.5	General Population .....	64
2.7.3	Hazards (Effects) .....	64
2.7.3.1	Environmental Hazards .....	64
2.7.3.2	Human Health Hazards.....	65
2.7.4	Summary of Risk Approaches for Characterization .....	68
2.8	Peer Review.....	69
<b>REFERENCES.....</b>		<b>70</b>
<b>APPENDICES.....</b>		<b>76</b>
<b>Appendix A ABBREVIATED METHODS FOR SEARCHING AND SCREENING .....</b>		<b>76</b>
A.1	Literature Search of Publicly Available Databases .....	76
A.1.1	Search Term Genesis and Chemical Verification .....	76
A.1.2	Publicly Available Database Searches .....	77
A.1.2.1	Query Strings for the Publicly-Available Database Searches on <i>p</i> -Dichlorobenzene ....	77
A.1.2.2	Data Prioritization for Environmental Hazard, Human Health Hazard, Fate and Physical Chemistry .....	83
A.1.2.3	Data Prioritization for Occupational Exposures and Environmental Releases and General Population, Consumer and Environmental Exposures .....	83
A.2	Peer-Reviewed Screening Process .....	83
A.2.1	Inclusion/Exclusion Criteria .....	84
A.2.1.1	PECO for Environmental and Human Health Hazards.....	84
A.2.1.2	PECO for Consumer, Environmental, and General Population Exposures .....	86
A.2.1.3	RESO for Occupational Exposure and Environmental Releases .....	87
A.2.1.4	PESO for Fate and Transport .....	89
A.2.1.5	Generation of Hazard Heat Maps.....	91
A.3	Gray Literature Search and Screening Strategies .....	92
A.3.1	Screening of Gray Literature .....	92
A.3.2	Initial Screening of Sources Using Decision Logic Tree .....	93
A.3.3	TSCA Submission Searching and Title Screening .....	94
A.3.4	Gray Literature Search Results for <i>p</i> -Dichlorobenzene.....	95
<b>Appendix B PHYSICAL AND CHEMICAL PROPERTIES OF <i>p</i>-DICHLOROBENZENE.....</b>		<b>99</b>
<b>Appendix C ENVIRONMENTAL FATE AND TRANSPORT PROPERTIES .....</b>		<b>100</b>
<b>Appendix D REGULATORY HISTORY .....</b>		<b>102</b>
D.1	Federal Laws and Regulations .....	102
D.2	State Laws and Regulations .....	110
D.3	International Laws and Regulations.....	113
<b>Appendix E PROCESS, RELEASE AND OCCUPATIONAL EXPOSURE INFORMATION</b>		<b>115</b>

E.1	Process Information.....	115
E.1.1	Import .....	115
E.1.2	Processing and Distribution .....	115
E.1.2.1	Processing as a Reactant.....	115
E.1.2.2	Incorporated into a Formulation, Mixture or Reaction Product .....	115
E.1.2.3	Incorporated into an Article.....	116
E.1.3	Uses.....	116
E.1.3.1	Solvents (Which Become Part of Product Formulation or Mixture).....	116
E.1.3.2	Functional Fluids (Closed Systems).....	116
E.1.3.3	Air Care Products .....	116
E.1.3.4	Lubricants and Greases.....	117
E.1.3.5	Fuels and Related Products .....	117
E.1.3.6	Other Uses .....	117
E.1.3.7	Building/Construction Materials .....	118
E.1.4	Disposal .....	118
E.2	Preliminary Occupational Exposure Data .....	118
<b>Appendix F</b>	<b>SUPPORTING INFORMATION - CONCEPTUAL MODEL FOR INDUSTRIAL AND COMMERCIAL ACTIVITIES.....</b>	<b>120</b>
<b>Appendix G</b>	<b>SUPPORTING INFORMATION - CONCEPTUAL MODEL FOR CONSUMER ACTIVITIES/USES.....</b>	<b>133</b>
<b>Appendix H</b>	<b>SUPPORTING INFORMATION – CONCEPTUAL MODEL FOR ENVIRONMENTAL RELEASES AND WASTES.....</b>	<b>136</b>

## LIST OF TABLES

Table 2-1.	Results of Title Screening of Submissions to EPA under Various Sections of TSCA <sup>a</sup> .....	27
Table 2-2.	Categories and Subcategories of Conditions of Use Included in the Scope of the Risk Evaluation .....	28
Table 2-3.	Physical and Chemical Properties of <i>p</i> -Dichlorobenzene .....	34
Table 2-4.	Summary of <i>p</i> -Dichlorobenzene TRI Production-Related Waste Managed in 2018.....	37
Table 2-5.	Summary of Releases of <i>p</i> -Dichlorobenzene to the Environment During 2018 .....	37
Table 2-6.	Categories and Sources of Environmental Release Data .....	58
Table 2-7.	Potential Sources of Occupational Exposure Data .....	61

## LIST OF FIGURES

Figure 2-1.	Gray Literature Tag Results by Discipline for <i>p</i> -Dichlorobenzene .....	17
Figure 2-2.	Peer-reviewed Literature Inventory Tree – Physical and Chemical Properties Search Results for <i>p</i> -Dichlorobenzene .....	18
Figure 2-3.	Peer-reviewed Literature Inventory Tree – Fate and Transport Search Results for <i>p</i> -Dichlorobenzene .....	19
Figure 2-4.	Peer-reviewed Literature Inventory Heat Map - Fate and Transport Search Results for <i>p</i> -Dichlorobenzene .....	20
Figure 2-5.	Peer-reviewed Literature Inventory Tree - Engineering Search Results for <i>p</i> -Dichlorobenzene .....	21
Figure 2-6.	Peer-reviewed Literature Inventory Heat Map – Engineering - Search Results for <i>p</i> -Dichlorobenzene .....	22

Figure 2-7. Peer-reviewed and Gray Literature Inventory Tree - Exposure Search Results for <i>p</i> -Dichlorobenzene .....	23
Figure 2-8. Peer-reviewed and Gray Literature Inventory Heat Map – Exposure Search Results for <i>p</i> -Dichlorobenzene .....	24
Figure 2-9. Peer-reviewed Literature Inventory Tree – Human Health and Environmental Hazards Search Results for <i>p</i> -Dichlorobenzene.....	25
Figure 2-10. Peer-reviewed Literature Inventory Heat Map – Human Health and Environmental Hazards Search Results for <i>p</i> -Dichlorobenzene.....	26
Figure 2-11. <i>p</i> -Dichlorobenzene Life Cycle Diagram .....	33
Figure 2-12. Box and Whisker Plots of Reported Physical and Chemical Property Value .....	36
Figure 2-13. <i>p</i> -Dichlorobenzene Conceptual Model for Industrial and Commercial Activities and Uses: Worker and Occupational Non-User Exposures and Hazards.....	43
Figure 2-14. <i>p</i> -Dichlorobenzene Conceptual Model for Consumer Activities and Uses: Consumer Exposures and Hazards.....	45
Figure 2-15. <i>p</i> -Dichlorobenzene Conceptual Model for Environmental Releases and Wastes: Environmental and General Population Exposures and Hazards (Regulatory Overlay) ..	47
Figure 2-16. <i>p</i> -Dichlorobenzene Conceptual Model for Environmental Releases and Wastes: Environmental and General Population Exposures and Hazards .....	56

## LIST OF APPENDIX TABLES

Table_Apx A-1 Sources of Verification for Chemical Names and Structures.....	76
Table_Apx A-2. Summary of Data Sources, Search Dates and Number of Peer-Reviewed Literature Search Results for <i>p</i> -Dichlorobenzene.....	78
Table_Apx A-3. Hazards Title and Abstract and Full-text PECO Criteria for <i>p</i> -DCB.....	84
Table_Apx A-4. Major Categories of Potentially Relevant Supplemental Material for <i>p</i> -DCB.....	85
Table_Apx A-5. Generic Inclusion Criteria for the Data Sources Reporting Exposure Data on General Population, Consumers and Environmental Receptors.....	86
Table_Apx A-6. Pathways Identified as Supplemental for <i>p</i> -Dichlorobenzene <sup>a</sup> .....	87
Table_Apx A-7. Inclusion Criteria for Data Sources Reporting Engineering and Occupational Exposure Data.....	87
Table_Apx A-8. Engineering, Environmental Release and Occupational Data Necessary to Develop the Environmental Release and Occupational Exposure Assessments .....	88
Table_Apx A-9. Inclusion Criteria for Data or Information Sources Reporting Environmental Fate and Transport Data.....	90
Table_Apx A-10. Fate Endpoints and Associated Processes, Media and Exposure Pathways Considered in the Development of the Environmental Fate Assessment .....	91
Table_Apx A-11. Decision Logic Tree Overview .....	94
Table_Apx A-12. Gray Literature Sources that Yielded Results for <i>p</i> -Dichlorobenzene .....	95
Table_Apx B-1. Summary Statistics for Reviewed Physical Properties of <i>p</i> -Dichlorobenzene .....	99
Table_Apx C-1. Environmental Fate Characteristics of <i>p</i> -Dichlorobenzene .....	100
Table_Apx D-1. Federal Laws and Regulations.....	102
Table_Apx D-2. State Laws and Regulations.....	110
Table_Apx D-3. Regulatory Actions by Other Governments, Tribes, and International Agreements... ..	113
Table_Apx E-1. Summary of Industry Sectors with <i>p</i> -Dichlorobenzene Monitoring Samples Available from OSHA Inspections Conducted Between 2010 and 2019.....	118
Table_Apx E-2. Summary of NIOSH HHEs with Monitoring for <i>p</i> -Dichlorobenzene <sup>a</sup> .....	119
Table_Apx F-1. Worker and Occupational Non-User Exposure Conceptual Model Supporting Table .....	120

Table\_Apx G-1. Consumer Exposure Conceptual Model Supporting Table ..... 133  
Table\_Apx H-1. General Population and Environmental Exposure Conceptual Model Supporting Table  
..... 136

## **LIST OF APPENDIX FIGURES**

---

Figure\_Apx A-1. Decision Logic Tree Used to Screen Gray Literature Results ..... 93

## **ACKNOWLEDGEMENTS**

---

This report was developed by the United States Environmental Protection Agency (U.S. EPA), Office of Chemical Safety and Pollution Prevention (OCSPP), Office of Pollution Prevention and Toxics (OPPT).

### **Acknowledgements**

The OPPT Assessment Team gratefully acknowledges participation or input from Intra-agency reviewers that included multiple offices within EPA, Inter-agency reviewers that included multiple Federal agencies, and assistance from EPA contractors Abt Associates (Contract No. EP-W-16-009), GDIT (Contract No. HHSN316201200013W), ERG (Contract No. EP-W-12-006), ICF (Contract No. 68HERC19D0003), SRC (Contract No. 68HERH19D0022), and Versar (Contract No. EP-W-17-006). EPA also acknowledges the contributions of technical experts from EPA's Office of Research and Development.

### **Docket**

Supporting information can be found in public docket: [EPA-HQ-OPPT-2018-0446](https://www.epa.gov/epaospr/oppt-2018-0446).

### **Disclaimer**

Reference herein to any specific commercial products, process or service by trade name, trademark, manufacturer or otherwise does not constitute or imply its endorsement, recommendation or favoring by the United States Government.

## ABBREVIATIONS AND ACRONYMS

---

µg	Microgram(s)
AAL	Allowable Ambient Levels
AC	Acute concentration
ACGIH	American Conference of Government Industrial Hygienists
ADME	Absorption, Distribution, Metabolism, and Excretion
Apx	Appendix
ATSDR	Agency for Toxic Substances and Disease Registry
AUC	Area Under the Curve
AWQC	Ambient Water Quality Criteria
BAF	Bioaccumulation Factor
BCF	Bioconcentration Factor
BW <sup>3/4</sup>	Body weight scaling to the 3/4 power
CAA	Clean Air Act
CARB	California Air Resources Board
CASRN	Chemical Abstracts Service Registry Number
CBI	Confidential Business Information
CCD	Chemical Control Division
CCL	Contaminant Candidate List
CDC	Centers for Disease Control
CDR	Chemical Data Reporting
CEHD	Chemical Exposure Health Data
CERCLA	Comprehensive Environmental Response, Compensation and Liability Act
CFR	Code of Federal Regulations
ChemSTEER	Chemical Screening Tool for Exposure and Environmental Releases
COC	Concentration of Concern
CoRAP	Community Rolling Action Plan
COU	Conditions of Use
CPCat	Chemical and Product Categories
CPID	Consumer Product Information Database
CSCL	Chemical Substances Control Law
DHHS	Department of Health and Human Services
DMR	Discharge Monitoring Report
DNA	Deoxyribonucleic Acid
EC	Engineering controls
ECOTOX	ECOTOXicology knowledgebase
ED	Exposure duration
E-FAST	Exposure and Fate Assessment Screening Tool
E-FAST2	Exposure and Fate Assessment Screening Tool version 2
EPA	Environmental Protection Agency
EPCRA	Emergency Planning and Community Right-to-Know Act
EPI Suite™	Estimation Program Interface Suite™
EPS	Expanded Polystyrene
ERG	Eastern Research Group, Inc.
ESD	Emission Scenario Document
EU	European Union
FDA	Food and Drug Administration



FF	Far field
FYI	For Your Information
g/L	Gram(s) per Liter
HERO	Health and Environmental Research Online
Hg	Mercury
HHE	Health Hazard Evaluation
HMTA	Hazardous Materials Transportation Act
HPV	High Production Volume
HQ	Headquarters
HSDB	Hazardous Substances Data Bank
HUC	Hydrologic Unit Code
IA	Indoor air
IARC	International Agency for Research on Cancer
IECCU	Indoor Environmental Concentrations in Buildings with Conditioned and Unconditioned Zones
IMIS	Integrated Management Information System
K	Thousand
L	Liter(s)
lb	Pound
LC50	Lethal Concentration of 50% test organisms
LEV	Local exhaust ventilation
LOAEL	Lowest Observed Adverse Effect Level
LOEC	Lowest Observed Effect Concentration
m	Meter(s)
m <sup>3</sup>	Cubic Meter(s)
MACT	Maximum Achievable Control Technology
MCL	Maximum Contaminant Level
MCLG	Maximum Contaminant Level Goal
mg	Milligram(s)
mg/L	Milligram(s) per Liter
mg/m <sup>3</sup>	Milligram(s) per cubic meter
mg/mL	Milligram(s) per milliliter
mmHg	Millimeter(s) of Mercury
MOA	Mode of Action
MOE	Margin of exposure
MRL	Minimal Risk Level
n	number
N/A	Not Applicable
NHANES	National Health and Nutrition Examination Survey
NICNAS	National Industrial Chemicals Notification and Assessment Scheme (Australia)
NIH	National Institutes of Health
NIOSH	National Institute for Occupational Safety and Health
NITE	National Institute of Technology and Evaluation
NOAEL	No Observed Adverse Effect Level
NOEC	No Observed Effect Concentration
NPDES	National Pollutant Discharge Elimination System
NPDR	National Primary Drinking Water Regulations

NPL	National Priorities List
NPRI	National Pollutant Release Inventory
NR	Not Reported
NRC	National Research Council
NSPS	New Source Performance Standards
NTP	National Toxicology Program
NWIS	National Water Information System
OCSP	Office of Chemical Safety and Pollution Prevention
OECD	Organisation for Economic Co-operation and Development
OEHHA	Office of Environmental Health Hazard Assessment (California)
OEL	Occupational Exposure Limit
OES	Occupational Exposure Scenario
OLEM	Office of Land and Emergency Management
ONU	Occupational Non-User
OPPT	Office of Pollution Prevention and Toxics
ORD	Office of Research and Development
OSHA	Occupational Safety and Health Administration
OST	Office of Science and Technology
OSWER	Office of Solid Waste and Emergency Response
OW	Office of Water
PBPK	Physiologically Based Pharmacokinetic
PBT	Persistent, Bioaccumulative, Toxic
PECO	Population, Exposure, Comparator and Outcome
PEL	Permissible Exposure Limit
PESO	Pathways/processes, Exposures, Setting/Scenario, and Outcomes
PESS	Potentially Exposed or Susceptible Subpopulation
POD	Point of Departure
POTW	Publicly Owned Treatment Works
PPE	Personal Protective Equipment
ppm	Part(s) per million
PS	Point Source
PV	Production Volume
PWS	Public Water System
QA	Quality Assurance
QC	Quality Control
QSAR	Quantitative Structure Activity Relationship
RA	Risk Assessment
RAD	Risk Assessment Division
RCRA	Resource Conservation and Recovery Act
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals (European Union)
REL	Recommended Exposure Limit
RESO	Receptors, Exposure, Setting or Scenario and Outcomes
RfC	Reference Concentration
RfD	Reference dose
RQ	Risk Quotient
SAB	Science Advisory Board

SAR	Structure-activity relationship
SARA	Superfund Amendments and Reauthorization Act
SD	Standard deviation
SDS	Safety Data Sheet
SDWA	Safe Drinking Water Act
SIC	Standard Industrial Classification
SIDS	Screening Information Dataset
STEL	Short-term Exposure Limit
STORET	STORage and RETrieval (water quality data warehouse)
SVOC	Semivolatile Organic Compounds
SWC	Surface Water Concentration
T	Toxic (used with PBT)
TIAB	Title and Abstract
TLV	Threshold Limit Value
TRI	Toxics Release Inventory
TSCA	Toxic Substances Control Act
TTO	Total Toxic Organics
TWA	Time-weighted average
U.S.	United States
U.S.C.	United States Code
UCMR	Unregulated Contaminant Monitoring Rule
UIC	Underground Injection Control
US EPA	United States Environmental Protection Agency
USGS	United States Geological Survey
VOC	Volatile Organic Compound
VP	Vapor Pressure
WQP	Water Quality Portal
WQX	Water Quality Exchange
WWT	Wastewater Treatment

## EXECUTIVE SUMMARY

---

In December 2019, EPA designated *p*-dichlorobenzene (CASRN 106-46-7) as a high-priority substance for risk evaluation following the prioritization process required by Section 6(b) of the Toxic Substances Control Act (TSCA) and implementing regulations (40 CFR Part 702) (Docket ID: [EPA-HQ-OPPT-2019-0131](#)). The first step of the risk evaluation process is the development of the draft scope document. EPA published the *Draft Scope of the Risk Evaluation for p-Dichlorobenzene CASRN 106-46-7* (EPA Document No. EPA-740-D-20-002) ([U.S. EPA, 2020c](#)) and provided a 45-day comment period on the draft scope per 40 CFR 702.41(c)(7). EPA has considered comments received (Docket ID: [EPA-HQ-OPPT-2018-0446](#)) during the public comment period to inform the development of this final scope document, and public comments received will continue to inform the development of the risk evaluation for *p*-dichlorobenzene. This document fulfills the TSCA requirement to issue a final scope document per TSCA Section 6(b)(4)(D) and as described in 40 CFR 702.41(c)(8). The scope for *p*-dichlorobenzene includes the following information: the conditions of use, potentially exposed or susceptible subpopulations (PESS), hazards, and exposures that EPA plans to consider in the risk evaluation, along with a description of the reasonably available information, conceptual model, analysis plan and science approaches, and plan for peer review for this chemical substance.

**General Information.** *p*-Dichlorobenzene is a colorless to white crystalline solid that is poorly soluble in water but miscible in most organic solvents. It has a strong pungent odor. At ambient temperature, it undergoes sublimation, passing directly from a solid to a vapor state. *p*-Dichlorobenzene has a total production volume in the United States between 50 to 100 million pounds.

**Reasonably Available Information.** EPA leveraged the data and information sources already described in the *Proposed Designation of p-Dichlorobenzene (CASRN 106-46-7) as a High-Priority Substance for Risk Evaluation* ([U.S. EPA, 2019d](#)) to inform the development of this scope document. Furthermore, EPA conducted a comprehensive search to identify and screen multiple evidence streams (*i.e.*, chemistry, fate, release and engineering, exposure, hazard) and the search and screening results are provided in Section 2.1. EPA used the systematic review process described in Appendix A search for and screen reasonably available information, including information already in EPA's possession, for inclusion in the risk evaluation. This information includes the hazards, exposures, PESS, and conditions of use that may help inform the risk evaluation for *p*-dichlorobenzene. EPA has focused on the data collection phase (consisting of data search, data screening, and data extraction) during the preparation of the scope document, whereas the data evaluation and integration stages will occur during the development of the risk evaluation and thus are not part of the scoping activities described in this document. EPA will consider additional information identified following publication of this scope document, as appropriate, in developing the risk evaluation, including the Chemical Data Reporting (CDR) information that the Agency will receive by the end of November 2020.

**Conditions of Use.** EPA plans to evaluate importing; processing; distribution in commerce; industrial, commercial and consumer uses; and disposal of *p*-dichlorobenzene in the risk evaluation. *p*-Dichlorobenzene is imported into the United States. The chemical is processed as a reactant, incorporated into formulation, mixture or reaction products and incorporated into articles. The identified processing activities also include recycling of *p*-dichlorobenzene. Several industrial and commercial uses were identified that ranged from use in solvents (which become part of product formulation or mixture) to use in air care products as continuous action air fresheners. Consumer uses were reported in air care products, lubricants and greases and building and construction products. EPA identified these conditions of use from information reported to EPA through CDR and Toxics Release Inventory (TRI)

reporting, published literature, public comments and consultation with stakeholders for both uses currently in production and uses whose production may have ceased. EPA revised the conditions of use in the final scope of the risk evaluation based on additional information and public comments (Docket ID: [EPA-HQ-OPPT-2018-0446](#)) on the draft scope document for *p*-dichlorobenzene. EPA is aware of information reporting use of *p*-dichlorobenzene in pesticides, pesticide manufacturing, food additives and pharmaceutical manufacturing; however, they are not conditions of use for the chemical substance as defined in TSCA § 3(2) and (4). Section 2.2 provides details about the conditions of use within the scope of the risk evaluation.

**Conceptual Models.** The conceptual models for *p*-dichlorobenzene are presented in Section 2.6. Conceptual models are graphical depictions of the actual or predicted relationships of conditions of use, exposure pathways (*e.g.*, media), exposure routes (*e.g.*, inhalation, dermal, oral), hazards, and receptors throughout the life cycle of the chemical substance. EPA considered reasonably available information as well as public comments received on the draft scope document for *p*-dichlorobenzene in finalizing the exposure pathways, exposure routes, and hazards EPA plans to evaluate in the risk evaluation. As a result, EPA plans to focus the risk evaluation for *p*-dichlorobenzene on the following exposures, hazards and receptors.

- *Exposures (Pathways and Routes), Receptors and PESS.* EPA plans to evaluate releases to the environment as well as human and environmental exposures resulting from the conditions of use of *p*-dichlorobenzene that EPA plans to consider in risk evaluation. Exposures for *p*-dichlorobenzene are discussed in Section 2.3. Additional information gathered through systematic review searches will also inform expected exposures.

EPA's plan for evaluating environmental exposure pathways in the scope of the risk evaluation considers whether and how other EPA administered statutes and regulatory programs cover *p*-dichlorobenzene in media pathways falling under the jurisdiction of those authorities. Section 2.6.3.1 discusses those pathways under the jurisdiction of other EPA-administered laws. In Section 2.6.3.2, EPA presents the conceptual model describing the identified exposures (pathways and routes), receptors and hazards associated with the conditions of use of *p*-dichlorobenzene within the scope of the risk evaluation. Based on pathways under the jurisdiction of other EPA-administered laws, EPA does not plan to evaluate the general population as a receptor in the scope of the risk evaluation (see Figure 2-16).

EPA considered reasonably available information and comments received on the draft scope for *p*-dichlorobenzene in determining the human and environmental exposure pathways, routes, receptors and PESS for inclusion in the final scope. EPA plans to evaluate the following human and environmental exposure pathways, routes, receptors and PESS in the scope of the risk evaluation.

- *Occupational exposure:* EPA plans to evaluate exposures to workers and occupational non-users (ONUs) via the inhalation route and exposures to workers via the dermal route associated with the manufacturing, processing, use or disposal of *p*-dichlorobenzene
- *Consumer and bystander exposure:* EPA plans to evaluate inhalation, oral and dermal exposure to *p*-dichlorobenzene for consumers and inhalation exposure to bystanders from air care products, fuel and related products, lubricants and greases, building and construction products.

- *PESS*: EPA plans to include children, women of reproductive age (*e.g.*, pregnant women), workers and consumers as PESS in the risk evaluation.
  - *Environmental exposure*: EPA plans to evaluate exposure to *p*-dichlorobenzene for aquatic receptors.
- *Hazards*. Hazards for *p*-dichlorobenzene are discussed in Section 2.4. EPA completed preliminary reviews of information (*e.g.*, federal and international government assessments) to identify potential environmental and human health hazards for *p*-dichlorobenzene as part of the prioritization ([U.S. EPA, 2019d](#)) and scoping process ([U.S. EPA, 2020c](#)). EPA also considered reasonably available information collected through systematic review methods as outlined in Appendix A and public comments received on the draft scope for *p*-dichlorobenzene in determining the broad categories of environmental and human health hazard effects to be evaluated in the risk evaluation. EPA will use systematic review methods to evaluate the epidemiological and toxicological literature for *p*-dichlorobenzene.

EPA plans to evaluate all potential environmental and human health hazard effects identified for *p*-dichlorobenzene in Sections 2.4.1 and 2.4.2, respectively. Identified through the data screening phase of systematic review, the potential environmental hazard effects and related information that EPA plans to consider for the risk evaluation include: ADME, PBPK, cancer, developmental, endocrine, gastrointestinal, hematological and immune, hepatic, mortality, neurological, nutritional and metabolic, renal and reproductive for *p*-dichlorobenzene. Similarly, the potential human health hazard effects and related information identified through prioritization and the data screening phase of systematic review for *p*-dichlorobenzene that EPA plans to consider for the risk evaluation include: ADME, PBPK, cancer, developmental, endocrine, gastrointestinal, hematological and immune, hepatic, mortality, musculoskeletal, neurological, nutritional and metabolic, ocular and sensory, renal, reproductive, respiratory and skin and connective tissue.

***Analysis Plan.*** The analysis plan for *p*-dichlorobenzene is presented in Section 2.7. The analysis plan outlines the general science approaches that EPA plans to use for the various information streams (*i.e.*, chemistry, fate, release and engineering, exposure, hazard) supporting the risk evaluation. The analysis plan is based on EPA's knowledge of *p*-dichlorobenzene to date which includes a review of identified information as described in Section 2.1. Should additional data or approaches become reasonably available, EPA may consider them for the risk evaluation.

***Peer Review.*** The draft risk evaluation for *p*-dichlorobenzene will be peer reviewed. Peer review will be conducted in accordance with relevant and applicable methods for chemical risk evaluations, including using EPA's Peer Review Handbook ([U.S. EPA, 2015b](#)) and other methods consistent with Section 26 of TSCA (see 40 CFR 702.45).

# 1 INTRODUCTION

---

This document presents the scope of the risk evaluation to be conducted for *p*-dichlorobenzene under the Frank R. Lautenberg Chemical Safety for the 21st Century Act. The Frank R. Lautenberg Chemical Safety for the 21st Century Act amended TSCA on June 22, 2016. The new law includes statutory requirements and deadlines for actions related to conducting risk evaluations of existing chemicals.

Under TSCA § 6(b), the Environmental Protection Agency (EPA) must designate chemical substances as high-priority substances for risk evaluation or low-priority substances for which risk evaluations are not warranted at the time, and upon designating a chemical substance as a high-priority substance, initiate a risk evaluation on the substance. TSCA § 6(b)(4) directs EPA to conduct risk evaluations for existing chemicals, to "*determine whether a chemical substance presents an unreasonable risk of injury to health or the environment, without consideration of costs or other nonrisk factors, including an unreasonable risk to a potentially exposed or susceptible subpopulation identified as relevant to the risk evaluation by the Administrator under the conditions of use.*"

TSCA § 6(b)(4)(D) and implementing regulations require that EPA publish the scope of the risk evaluation to be conducted, including the hazards, exposures, conditions of use and PESS that the Administrator expects to consider, within 6 months after the initiation of a risk evaluation. In addition, a draft scope is to be published pursuant to 40 CFR 702.41. In December 2019, EPA published a list of 20 chemical substances that have been designated high priority substances for risk evaluations (Docket ID: [EPA-HQ-OPPT-2019-0131](#)) (84 FR 71924, December 30, 2019), as required by TSCA § 6(b)(2)(B), which initiated the risk evaluation process for those chemical substances. *p*-Dichlorobenzene is one of the chemicals designated as a high priority substance for risk evaluation. On April 9, 2020, EPA published the *Draft Scope of the Risk Evaluation for p-Dichlorobenzene* (EPA Document No. 740-D-20-002) (85 FR 19941, April 9, 2020) ([U.S. EPA, 2020c](#)). for a 45-day public comment period. After reviewing and considering the public comments received (Docket ID: [EPA-HQ-OPPT-2018-0446](#)) on the draft scope document, EPA is now publishing this final scope document pursuant to 40 CFR 702.41(c)(8).

## 2 SCOPE OF THE EVALUATION

---

### 2.1 Reasonably Available Information

---

EPA conducted a comprehensive search for reasonably available information<sup>1</sup> to support the development of this draft scope document for *p*-dichlorobenzene. EPA leveraged the data and information sources already identified in the documents supporting the chemical substance's high-priority substance designation. In addition, EPA searched for additional data and information on physical and chemical properties, environmental fate, engineering, exposure, environmental and human health hazards that could be obtained from the following general categories of sources:

1. Databases containing publicly available, peer-reviewed literature;
2. Gray literature, which is defined as the broad category of data/information sources not found in standard, peer-reviewed literature databases;

---

<sup>1</sup> *Reasonably available information* means information that EPA possesses or can reasonably generate, obtain, and synthesize for use in risk evaluations, considering the deadlines specified in TSCA Section 6(b)(4)(G) for completing such evaluation. Information that meets the terms of the preceding sentence is reasonably available information whether or not the information is confidential business information, that is protected from public disclosure under TSCA Section 14 (40 CFR 702.33).

3. Data and information submitted under TSCA Sections 4, 5, 8(e), and 8(d), as well as “for your information” (FYI) submissions.

Following the comprehensive search, EPA performed a title and abstract screening to identify information potentially relevant for the risk evaluation process. This step also classified the references into useful categories or tags to facilitate the sorting of information through the systematic review process.

Search terms were used to search each of the literature streams and gather *p*-dichlorobenzene studies. These terms and the methods used to develop them are listed in Appendix A. The studies resulting from the search process were loaded into the EPA Health and Environmental Research Online (HERO) database and then prioritized to screen first the literature likely relevant for each of the disciplines: fate, physical and chemical properties, engineering, exposure and hazard. The tools and methods used to manage the screening process are also outlined in Appendix A. The studies resulting from the search underwent a title/abstract screening process, which tagged them by topic or category. Following this, a determination was made to move studies forward into full-text screening. The criteria used in the screening process for each discipline are found in the population, exposure, comparator, outcome (PECO) statements listed in Appendix A. The screening process results are presented in the form of literature inventory trees and evidence tables in Section 2.1.2. The screening process was conducted based on EPA’s planning, execution and assessment activities outlined in Appendix A.

EPA has focused on the data collection phase (consisting of data search, data screening, and data extraction) during the preparation of the scope document, whereas the data evaluation and integration stages will occur during the development of the risk evaluation and thus are not part of the scoping activities described in this document.

The subsequent sections summarize the data collection activities completed to date for the general categories of sources and topic areas (or disciplines) using systematic review methods.


### **2.1.1 Search of Gray Literature**

EPA surveyed the gray literature<sup>2</sup> and identified 123 search results relevant to EPA's risk evaluation needs for *p*-dichlorobenzene. Appendix A.3.4 lists the gray literature sources that yielded 123 discrete data or information sources relevant to *p*-dichlorobenzene. EPA further categorized the data and information into the various topic areas (or disciplines) supporting the risk evaluation (*e.g.*, physical and chemical properties, environmental fate, ecological hazard, human health hazard, exposure, engineering), and the breakdown is shown in Figure 2-1. EPA will consider additional reasonably available information from gray literature if it becomes available during the risk evaluation phase.

---

<sup>2</sup> Gray literature is defined as the broad category of data/information sources not found in standard, peer-reviewed literature databases (*e.g.*, PubMed and Web of Science). Gray literature includes data/information sources such as white papers, conference proceedings, technical reports, reference books, dissertations, information on various stakeholder websites, and other databases.





**Figure 2-1. Gray Literature Tag Results by Discipline for *p*-Dichlorobenzene**


The percentages across disciplines do not add up to 100%, as each source may provide data or information for various topic areas (or disciplines).

### 2.1.2 Search of Literature from Publicly Available Databases (Peer-Reviewed Literature)

EPA has begun the systematic review process and has conducted searching and screening of the reasonably available literature using the process outlined in Appendix A. This includes performing a comprehensive search of the reasonably available peer review literature on physical and chemical properties, environmental fate and transport, engineering (environmental release and occupational exposure), exposure (environmental, general population and consumer) and environmental and human health hazards of *p*-dichlorobenzene. Eligibility criteria were applied in the form of PECO statements (see Appendix A). Included references met the PECO criteria, whereas excluded references did not meet the criteria (*i.e.*, not relevant), and supplemental material was considered as potentially relevant (see Appendix A.2). EPA plans to analyze the reasonably available information identified for each discipline during the development of the risk evaluation.


EPA created literature inventory trees to graphically illustrate the flow of data and information sources following full-text screening (see Figure 2-2, Figure 2-3, Figure 2-5, Figure 2-7, Figure 2-9). For the physical and chemical, fate, engineering and hazard literature, EPA used the Health Assessment Workplace Collaborative (HAWC) tool to develop web-based literature inventory trees illustrating, through interactive links, studies that were included or excluded. These literature inventory trees enhance the transparency of the decisions resulting from the screening process described in Appendix A. For each of the corresponding disciplines, the literature was tagged to be included for evaluation during the risk evaluation. Literature inventory trees for physical and chemical properties are provided as static diagrams (Figure 2-2). For all other disciplines, static screen captures are provided in addition to links to the interactive trees. The links show individual studies that were tagged as included, excluded, or supplemental. Supplemental studies did not meet all inclusion criteria but may be considered during the risk evaluation as supporting information (see Appendix A). These studies can be accessed through the hyperlink provided in the associated caption. In some figures the sum of the numbers for the various sub-categories may be larger than the broader category because some studies may be included under multiple sub-categories. In other cases, the sum of the various sub-categories may be smaller than the main category because some studies may not be depicted in the sub-categories if their relevance to the risk evaluation was unclear.

In addition, EPA tabulated the number and characteristics of the data and information sources included in the full-text screening process in the form of a literature heat map for the fate, engineering, exposure and hazard information (see Figure 2-4, Figure 2-6, Figure 2-8, and Figure 2-10). For each of these four disciplines, a static image of the literature inventory heat map is provided, and a link to the interactive version presented in HAWC is included in the caption below each diagram.



**Figure 2-2. Peer-reviewed Literature Inventory Tree – Physical and Chemical Properties Search Results for *p*-Dichlorobenzene**

Data in this static figure represent references obtained from the publicly available databases search (see Appendix A.1.2) that were included during full-text screening as of June 2, 2020. TIAB refers to “title and abstract” screening.




**Figure 2-3. Peer-reviewed Literature Inventory Tree – Fate and Transport Search Results for *p*-Dichlorobenzene**

Click [here](#) to view the interactive literature inventory tree. Data in this figure represent references obtained from the publicly available databases search (see Appendix A.1.2) that were included during full-text screening as of June 2, 2020. Additional data may be added to the interactive version as they become available.

Endpoint	Media				Grand Total
	Air	Soil, Sediment	Wastewater, Biosolids	Water	
Bioconcentration	1	4	3	16	20
Biodegradation	1	20	5	17	22
Hydrolysis	1				1
Photolysis	5			5	9
Sorption	2	28	6	25	31
Volatilization	5	3	5	8	9
Wastewater Treatment	6	1	8	8	10
Other	2	2	2	4	5
Grand Total	13	43	21	61	81

**Figure 2-4. Peer-reviewed Literature Inventory Heat Map - Fate and Transport Search Results for *p*-Dichlorobenzene**

Click [here](#) to view the interactive version for additional study details. The column totals, row totals, and grand totals indicate total numbers of unique references, as some references may be included in multiple cells. The various shades of color visually represent the number of relevant references identified by media or endpoint. The darker the color, the more references are available for a given media or endpoint. Data in this figure represents references obtained from the publicly available databases search (see Appendix A.1.2) that were included during full-text screening as of June 2, 2020. Additional data may be added to the interactive version as they become available.




**Figure 2-5. Peer-reviewed Literature Inventory Tree - Engineering Search Results for *p*-Dichlorobenzene**

Click [here](#) to view the interactive literature inventory tree. Data in this figure represent references obtained from the publicly available databases search (see Appendix A.1.2) that were included during full-text screening as of August 5, 2020. Additional data may be added to the interactive version as they become available.

Data Type	Evidence Tags	
Environmental Releases	Description of release source	32
	No evidence tag	1
	Release frequency	5
	Release or emission factors	34
	Release quantity	33
	Waste treatment methods and pollution control	19
	Total	58
General Engineering Assessment	Chemical concentration	20
	Life cycle description	19
	No evidence tag	6
	Number of sites	8
	Process description	23
	Production, import, or use volume	34
	Throughput	4
Total	58	
Occupational Exposures	Area sampling data	44
	Dermal exposure data	9
	Engineering control	5
	Exposure duration	27
	Exposure frequency	15
	Exposure route	44
	No evidence tag	6
	Number of workers	15
	Particle size characterization	
	Personal protective equipment	14
	Personal sampling data	33
	Physical form	22
	Worker activity description	30
Total	78	
Grand Total		122

**Figure 2-6. Peer-reviewed Literature Inventory Heat Map – Engineering - Search Results for *p*-Dichlorobenzene**

Click [here](#) to view the interactive version for additional study details. Data in this figure represent references obtained from the publicly available databases search (see Appendix A.1.2) that were included during full-text screening as of August 5, 2020. Additional data may be added to the interactive version as they become available.



**Figure 2-7. Peer-reviewed and Gray Literature Inventory Tree - Exposure Search Results for *p*-Dichlorobenzene**


Click [here](#) to view the interactive literature inventory tree. Data in this static figure represent all references obtained from the publicly available databases search (see Appendix A.1.2), and gray literature references search (see Appendix A.3) that were included during full-text screening as of July 31, 2020. Additional data may be added to the interactive version as they become available.

Media (group)	Data Type							Grand Total
	Monitoring Study	Modeling Study	Completed Assessment	Experimental Study	Epidemiological Study	Database	Survey	
Ambient Air								
Biosolids/Sludge	3	2	4		1			6
Drinking Water								
Groundwater								
Land Disposal/ Landfill								
Sediment	3	2	4		1			6
Soil	7	2	4	1	1			11
Surface Water	4	2	4		1	1		7
Wastewater	2	1	3		1			4
Aquatic Species	3	1	2					5
Terrestrial Species	4							4
Consumer	24	9	7	18	3	2	5	41
Dietary	9		5		1	1	1	12
Dust	2							2
Exposure Factors	8	6	5	2	4	5	6	15
Exposure Pathway	19	5	12	3	3	3	4	25
Human Biomonitoring	60	5	11	6	10	12	7	67
Indoor Air	160	21	35	17	13	13	21	182
Isomers	18	1	6	3	4	2	1	21
Use Information	10	5	11	1	3	2	4	16
No Evidence Type								
Grand Total	216	25	43	23	24	25	27	251

**Figure 2-8. Peer-reviewed and Gray Literature Inventory Heat Map – Exposure Search Results for *p*-Dichlorobenzene**

Click [here](#) to view the interactive version for additional study details. The column totals, row totals, and grand totals indicate total numbers of unique references, as some references may be included in multiple cells. The various shades of color visually represent the number of relevant references identified by exposure media or data type. The darker the color, the more references are available for a given exposure media or data type. Data in this figure represent all references obtained from the publicly available databases search (see Appendix A.1.2), and gray literature references search (see Appendix A.3) that were included during full-text screening as of July 31, 2020. Additional data may be added the interactive version as they become available.





**Figure 2-9. Peer-reviewed Literature Inventory Tree – Human Health and Environmental Hazards Search Results for p-Dichlorobenzene**

Click [here](#) to view the interactive literature inventory tree. Data in this figure represent references obtained from the publicly available databases search (see Appendix A.1.2) that were included during full-text screening as of June 10, 2020. Additional data may be added to the interactive version as they become available.

Health Outcomes	Evidence Type				Grand Total
	Human	Animal - Human Health Model	Animal - Environmental Model	Plant	
ADME	11	39	11	6	60
Cancer	7	33	5		40
Cardiovascular					
Developmental	6	21	9	8	42
Endocrine	5	22	3	1	28
Gastrointestinal	1	2	1		4
Hematological and Immune	12	27	2		40
Hepatic	5	46	5		51
Mortality		3	10		13
Musculoskeletal		7			7
Neurological	2	7	6		15
Nutritional and Metabolic	6	12	7	4	29
Ocular and Sensory	2	6			8
PBPK	1		1		2
Renal	5	32	1		36
Reproductive	5	13	6	2	23
Respiratory	7	19	2		26
Skin and Connective Tissue	1	4			5
No Tag		4	16	11	30
Grand Total	21	78	49	23	158

**Figure 2-10. Peer-reviewed Literature Inventory Heat Map – Human Health and Environmental Hazards Search Results for *p*-Dichlorobenzene**

Click [here](#) to view the interactive version for additional study details. The numbers indicate the number of studies with TIAB keywords related to a particular health outcome, not the number of studies that observed an association with *p*-dichlorobenzene. Evidence types were manually extracted, and Health Systems were determined via machine learning. Therefore, the studies examining multiple Health Outcomes and Evidence types, connections between health outcome, and evidence type may not be accurately represented. If a study evaluated multiple health outcomes or included multiple populations or study designs, it is shown here multiple times. Data in this figure represents references obtained from the publicly available databases search (see Appendix A.1.2) that were included during full-text screening as of June 10, 2020. Additional data may be added to the interactive version as they become available.

### 2.1.3 Search of TSCA Submissions

Table 2-1 presents the results of screening the titles of data sources and reports submitted to EPA under various sections of TSCA. EPA screened a total of 111 submissions using PECO or similar statements that identify inclusion/exclusion criteria specific to individual disciplines (see Table 2-1 for the list of disciplines). The details about the criteria are presented in Appendix A.2.1. EPA identified 70 submissions that met the inclusion criteria in these statements and identified 27 submissions with

supplemental data.<sup>3</sup> EPA excluded 14 submissions because the reports were identified as one of the following:

- Published report that would be identified via other peer or gray literature searches
- Preliminary report of a final available submitted report
- Duplicate of another report
- Submission on a different chemical
- Data not relevant to any discipline

**Table 2-1. Results of Title Screening of Submissions to EPA under Various Sections of TSCA <sup>a</sup>**

Discipline	Included	Supplemental <sup>b</sup>
Physical and Chemical Properties	1	0
Environmental Fate and Transport	9	0
Environmental and General Population Exposure	42	1
Occupational Exposure/Release Information	5	2
Environmental Hazard	11	2
Human Health Hazard	19	24

<sup>a</sup> Individual submissions may be relevant to multiple disciplines.

<sup>b</sup> Included submissions may contain supplemental data for other disciplines, which will be identified at full-text review.

## 2.2 Conditions of Use

As described in the *Proposed Designation of p-Dichlorobenzene (CASRN 106-46-7) as a High Priority Substance for Risk Evaluation* (U.S. EPA, 2019c), EPA assembled information from the CDR and TRI programs to determine conditions of use<sup>4</sup> or significant changes in conditions of use of the chemical substance. Once the 2020 CDR reporting period ends in November 2020, EPA will utilize the most recent CDR information. EPA also consulted a variety of other sources to identify uses of *p*-dichlorobenzene including published literature, company websites, and government and commercial trade databases and publications. To identify formulated products containing *p*-dichlorobenzene, EPA searched for safety data sheets (SDS) using internet searches, EPA Chemical and Product Categories (CPCat) (U.S. EPA, 2019b) data, and other resources in which SDSs could be found. SDSs were cross-checked with company websites to make sure that each product SDS was current. In addition, EPA incorporated communications with companies, industry groups, environmental organizations and public comments to supplement the use information.

EPA identified and described the categories and subcategories of conditions of use that EPA plans to include in the scope of the risk evaluation (Section 2.2.1; Table 2-2). The conditions of use included in the scope of the risk evaluation are those reflected in the life cycle diagrams and conceptual models.

After gathering reasonably available information related to the manufacture, processing, distribution in commerce, use and disposal of *p*-dichlorobenzene, EPA identified those activities for *p*-dichlorobenzene

<sup>3</sup> EPA may further consider some supplemental or excluded references depending on the reasons for tagging as supplemental or excluded.

<sup>4</sup> *Conditions of use* means the circumstances, as determined by the Administrator, under which a chemical substance is intended, known, or reasonably foreseen to be manufactured, processed, distributed in commerce, used, or disposed of (TSCA § 3(4)).

the Agency determined not to be conditions of use or are otherwise excluded from the scope of the risk evaluation. These excluded activities are described in Section 2.2.2.

### 2.2.1 Categories and Subcategories of Conditions of Use Included in the Scope of the Risk Evaluation

Table 2-2 lists the conditions of use that are included in the scope of the risk evaluation.

**Table 2-2. Categories and Subcategories of Conditions of Use Included in the Scope of the Risk Evaluation**

Life-Cycle Stage <sup>a</sup>	Category <sup>b</sup>	Subcategory <sup>c</sup>	References
Manufacturing	Import	Import	<a href="#">U.S. EPA (2019a)</a>
Processing	Processing as a reactant	Intermediate in plastic material and resin manufacturing; all other basic organic chemical manufacturing	<a href="#">U.S. EPA (2019a)</a> ; <a href="#">EPA-HQ-OPPT-2018-0446-0013</a> ; <a href="#">EPA-HQ-OPPT-2018-0446-0017</a>
	Processing – incorporation into formulation, mixture or reaction product	Intermediates in plastic material and resin manufacturing (including PPS, high performance plastics)	<a href="#">U.S. EPA (2019a)</a> ; <a href="#">EPA-HQ-OPPT-2018-0446-0013</a>
		Solvents (which become part of product formulation or mixture) in Plastic material and resin manufacturing); Petroleum lubricating oil and grease manufacturing; All other chemical product and preparation manufacturing	<a href="#">EPA-HQ-OPPT-2018-0446-0007</a> ; <a href="#">EPA-HQ-OPPT-2018-0446-0017</a>
		Odor agents in Soap, cleaning compound, and toilet preparation manufacturing ( <i>e.g.</i> urinal block, toilet/garbage deodorizers)	<a href="#">EPA-HQ-OPPT-2018-0446-0011</a>
	Processing – incorporation into article	Other, including in plastic product manufacturing	<a href="#">U.S. EPA (2019a)</a> ; <a href="#">EPA-HQ-OPPT-2018-0446-0017</a>
	Recycling	Recycling	<a href="#">U.S. EPA (2019a)</a>
Distribution in commerce	Distribution in commerce	Distribution in commerce	
Industrial Use	Solvents (which become part of product formulation or mixture)	Synthetic dye and pigment manufacturing	<a href="#">Lanxess Corporation (2015)</a>

	Functional fluids (closed system)	All other basic organic chemical manufacturing	<a href="#">EPA-HQ-OPPT-2018-0446-0037</a>
Commercial use	Air care products	Continuous action air fresheners (including toilet/urinal/garbage deodorizers/fresheners), cleaning and furnishing care uses	<a href="#">U.S. EPA (2019a)</a> ; <a href="#">EPA-HQ-OPPT-2018-0446-0004</a> ; <a href="#">EPA-HQ-OPPT-2018-0446-0011</a> ; <a href="#">Hospeco (2018)</a> ; <a href="#">DeLima Associates (2014)</a> <a href="#">Hospeco (2018)</a> ; <a href="#">DeLima Associates (2014)</a>
	Lubricants and greases	Lubricants and greases, degreasers (for oil additives for engines and pneumatic tools)	<a href="#">U.S. EPA (2019a)</a> ; ( <a href="#">Marvel Oil Company, 2017b</a> )
	Fuels and related products	Fuel additive for gasoline and diesel	<a href="#">Marvel Oil Company (2017a)</a> ; <a href="#">EPA-HQ-OPPT-2018-0046-0028</a>
	Other use	<i>e.g.</i> , Laboratory chemicals and analytical uses, embalming uses	<a href="#">U.S. EPA (2019a)</a> ; <a href="#">Frigid Fluid Co (2016)</a>
	Building and construction products	<i>e.g.</i> , Plastic foam insulation, foam sealant	<a href="#">Touch n Foam (2019)</a>
Consumer use	Building and construction products	<i>e.g.</i> , Plastic foam insulation, foam sealant	<a href="#">Touch n Foam (2019)</a>
	Air care products	Continuous action air fresheners (including toilet/urinal deodorizers/fresheners)	<a href="#">U.S. EPA (2019a)</a> ; <a href="#">EPA-HQ-OPPT-2018-0446-0 004</a> ; <a href="#">DeLima Associates (2014)</a>
	Lubricants and greases	Lubricants and greases (greases and oils for engines, gears and pneumatic tools)	<a href="#">U.S. EPA (2019a)</a> ; <a href="#">Marvel Oil Company (2017b)</a>
	Fuels and related products	Fuel additive for gasoline and diesel	<a href="#">Marvel Oil Company (2017a)</a>
Disposal	Disposal	Disposal	

<sup>a</sup> Life Cycle Stage Use Definitions (40 CFR § 711.3)

- “Industrial use” means use at a site at which one or more chemicals or mixtures are manufactured (including imported) or processed.
- “Commercial use” means the use of a chemical or a mixture containing a chemical (including as part of an article) in a commercial enterprise providing saleable goods or services.
- “Consumer use” means the use of a chemical or a mixture containing a chemical (including as part of an article, such as furniture or clothing) when sold to or made available to consumers for their use.

- Although EPA has identified both industrial and commercial uses here for purposes of distinguishing scenarios in this document, the Agency interprets the authority over “any manner or method of commercial use” under TSCA Section 6(a)(5) to reach both.

<sup>b</sup> These categories of conditions of use appear in the Life Cycle Diagram, reflect CDR codes, and broadly represent conditions of use of *p*-dichlorobenzene in industrial and/or commercial settings.

<sup>c</sup> These subcategories reflect more specific conditions of use of *p*-dichlorobenzene.

The draft scope of the risk evaluation included two conditions of use related to pharmaceutical manufacturing: “processing, use of *p*-dichlorobenzene as an intermediate in pharmaceutical and medicine manufacturing” and “processing – incorporation into article in pharmaceutical manufacturing.” EPA has determined that both uses of *p*-dichlorobenzene in pharmaceutical manufacturing fall outside TSCA’s definition of a “chemical substance.” (See Section 2.2.2).

Also, in the draft scope of the risk evaluation, a condition of use was included for processing – incorporation into article, use of *p*-dichlorobenzene as an intermediate in pesticides, fertilizer and other agricultural chemical manufacturing. EPA has determined that use of *p*-dichlorobenzene in pesticide, fertilizer and other agricultural manufacturing falls outside TSCA’s definition of a “chemical substance.” (See Section 2.2.2).

In the final scope, EPA made the following changes to the conditions of use:

- EPA changed “processing – processing as a reactant – intermediate in dye manufacturing” to “industrial use – solvents (which become part of product formulation or mixture) - synthetic dye manufacturing” based on consultation with industry (waiting for docket number)
- EPA changed “processing – incorporation into formulation, mixture, or reaction product - constituent in oils” to “processing – processing - incorporation into formulation, mixture or reaction product - petroleum lubricating oil and grease manufacturing” and “processing – incorporation into formulation, mixture, or reaction product – all other chemical product and preparation manufacturing” based on consultation with industry. ([EPA-HQ-OPPT-2018-0446-0007](#))
- EPA changed “processing – incorporation into formulation, mixture or reaction product – odor agents (deodorizers) to “processing – incorporation into formulation, mixture or reaction product – odor agents in soap, cleaning compound and toilet preparation manufacturing” after consultation with industry. ([EPA-HQ-OPPT-2018-0446-0011](#))
- EPA changed “commercial use - lubricants and greases” to “commercial use - lubricants and greases - lubricants and greases - degreasers (*e.g.*, oil additives, degreasers, penetrants for pneumatic tools)” after consultation with industry.
- EPA added “industrial use – functional fluids (closed system) – all other basic organic chemical manufacturing” based on a public comment ([EPA-HQ-OPPT-2018-0446-0037](#)).
- EPA added “commercial use – fuels and related products – fuel additive for gasoline and diesel” based on consultation with industry (waiting for docket number) and a public comment ([EPA-HQ-OPPT-2018-0446-0028](#))
- EPA added “consumer use - lubricants and greases - lubricants and greases (*e.g.*, oil additives, degreasers, penetrants for pneumatic tools)” after consultation with industry.
- EPA added “consumer use – fuels and related products – fuel additive for gasoline and diesel” based on consultation with industry (waiting for docket number) and a public comment ([EPA-HQ-OPPT-2018-0446-0028](#))
- EPA removed “processing – processing-incorporation into article – odor agents in wholesale and retail trade” after consultation with industry that odor agents are not articles (waiting for docket number)
- EPA removed “processing – processing-incorporation into article – odor agents in wholesale and retail trade” after consultation with industry that odor agents are not articles.
- EPA removed “commercial use – automotive care products” and “consumer use – automotive care products” after consultation with industry and clarifying that automotive care products, intended for auto cleaning, are not the intended uses.

## **2.2.2 Activities Excluded from the Scope of the Risk Evaluation**

As explained in the final rule, *Procedures for Chemical Risk Evaluation Under the Amended Toxic Substances Control Act* (82 FR 33726, July 20, 2017), TSCA Section 6(b)(4)(D) requires EPA to identify the hazards, exposures, conditions of use, and the PESS the Administrator expects to consider in a risk evaluation, suggesting that EPA may exclude certain activities that it determines to be conditions of use on a case-by-case basis (82 FR 33726, 33729; July 20, 2017). TSCA Section 3(4) also grants EPA discretion to determine the circumstances that are appropriately considered to be conditions of use for a

particular chemical substance<sup>5</sup>. As a result, EPA does not plan to include in this scope or in the risk evaluation the activities described below that the Agency does not consider to be conditions of use or for which EPA is exercising discretionary authority provided by TSCA Section 6(b)(4)(D).

TSCA Section 3(2) also excludes from the definition of “chemical substance” “any food, food additive, drug, cosmetic, or device (as such terms are defined in Section 201 of the Federal Food, Drug, and Cosmetic Act [21 U.S.C. 321]) when manufactured, processed, or distributed in commerce for use as a food, food additive, drug, cosmetic, or device” as well as “any pesticide (as defined in the Federal Insecticide, Fungicide, and Rodenticide Act [7 U.S.C. 136 et seq.]) when manufactured, processed, or distributed in commerce for use as a pesticide.” EPA has determined that the following uses of *p*-dichlorobenzene are non-TSCA uses:

*p*-Dichlorobenzene is used both as a conventional chemical insecticide as a moth repellent and as an intermediate in pesticide, fertilizer and other agricultural manufacturing. EPA has determined that both of these uses fall outside TSCA’s definition of “chemical substance.” Under TSCA § 3(2) the definition of “chemical substance” does not include any pesticide (as the term is defined by the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), 7 U.S.C. § 136 et seq. (1996)) when manufactured, processed, or distributed in commerce for use as a pesticide. EPA clarified previously that “raw materials, intermediates and inert ingredients produced or used in the manufacture of a pesticide are not themselves regulated under FIFRA (unless they happen to be pesticides themselves). *p*-dichlorobenzene is both a pesticide and an intermediate, so it is regulated under FIFRA. (42 FR 64572, 1977). Activities and releases associated with such pesticidal uses are therefore not “conditions of use,” and EPA does not plan to evaluate them during risk evaluation.

*p*-Dichlorobenzene is used as a food contact substance in food contact polymers and as an intermediate in pharmaceutical manufacturing. Specifically, *p*-dichlorobenzene is authorized for use as a food contact substance in food contact polymers, under the definition of “food additive” in the Federal Food, Drug and Cosmetic Act, 21 U.S.C. § 321. *p*-Dichlorobenzene is also used as an intermediate in pharmaceutical manufacturing. EPA has determined that both of these uses fall outside TSCA’s definition of “chemical substance.” Under TSCA § 3(2) the definition of “chemical substance” does not include any food, food additive, drug, cosmetic, or device (as such terms are defined in Section 201 of the Federal Food, Drug, and Cosmetic Act) when manufactured, processed, or distributed in commerce for use as a food, food additive, drug, cosmetic, or device. Intermediates or catalysts intended solely for use in the production of a drug are considered to be components of the drug and are therefore subject to regulation under the FDCA. See, *e.g.*, 42 FR 64572, 64586 (1977). Activities associated with such food additive uses and pharmaceutical manufacturing uses are therefore not “conditions of use” (defined as

---

<sup>5</sup> *Chemical substance* means any organic or inorganic substance of a particular molecular identity, including any combination of such substances occurring in whole or in part as a result of a chemical reaction or occurring in nature, and any element or uncombined radical. Chemical substance does not include (1) any mixture; (2) any pesticide (as defined in the Federal Insecticide, Fungicide, and Rodenticide Act) when manufactured, processed, or distributed in commerce for use as a pesticide; (3) tobacco or any tobacco product; (4) any source material, special nuclear material, or byproduct material (as such terms are defined in the Atomic Energy Act of 1954 and regulations issued under such Act); (5) any article the sale of which is subject to the tax imposed by Section 4181 of the Internal Revenue Code of 1954 (determined without regard to any exemptions from such tax provided by Section 4182 or 4221 or any other provision of such Code), and; (6) any food, food additive, drug, cosmetic, or device (as such terms are defined in Section 201 of the Federal Food, Drug, and Cosmetic Act) when manufactured, processed, or distributed in commerce for use as a food, food additive, drug, cosmetic, or device (TSCA § 3(2)).

circumstances associated with “a chemical substance,” TSCA § 3(4)) and will not be evaluated during risk evaluation.

### **2.2.3 Production Volume**

---

As reported to EPA during the 2016 CDR reporting period and described here as a range to protect production volumes that were claimed as confidential business information (CBI), total production volume of *p*-dichlorobenzene in 2015 was between 50 million and 100 million pounds ([U.S. EPA, 2020a](#)). EPA also uses pre-2015 CDR production volume information, as detailed in the *Proposed Designation of p-Dichlorobenzene (CASRN 106-46-7) as a High Priority Substance for Risk Evaluation* ([U.S. EPA, 2019c](#)) and will include more recent production volume information from the 2020 CDR reporting period in the risk evaluation to support the exposure assessment.

### **2.2.4 Overview of Conditions of Use and Lifecycle Diagram**

---

Figure 2-11 provides the lifecycle diagram for *p*-dichlorobenzene. The life cycle diagram is a graphical representation of the various life stages of the industrial, commercial and consumer use categories included within the scope of the risk evaluation. The information in the life cycle diagram is grouped according to the CDR processing codes and use categories (including functional use codes for industrial uses and product categories for industrial, commercial and consumer uses). Appendix E contains additional descriptions (*e.g.*, process descriptions, worker activities, process flow diagrams) for each manufacture, processing, distribution in commerce, use and disposal category.






Figure 2-11. p-Dichlorobenzene Life Cycle Diagram

## 2.3 Exposures

For TSCA exposure assessments, EPA plans to analyze human and environmental exposures and releases to the environment resulting from the conditions of use within the scope of the risk evaluation of *p*-dichlorobenzene. In this section, the physical and chemical properties, environmental fate and transport properties and releases to the environment are described in addition to potential human and environmental exposures from TSCA conditions of use and from other possible or known sources. Release pathways and routes will be described in Section 2.6 to characterize the relationship or connection between the conditions of use of the chemical and the exposure to human receptors, including PESS, and environmental receptors. EPA plans to consider, where relevant, the duration, intensity (concentration), frequency and number of exposures in characterizing exposures to *p*-dichlorobenzene.

### 2.3.1 Physical and Chemical Properties

Consideration of physical and chemical properties is essential for a thorough understanding or prediction of environmental fate (*i.e.*, transport and transformation) and the eventual environmental concentrations. It can also inform the hazard assessment. Table 2-3 summarizes the physical and chemical property values preliminarily selected for use in the risk evaluation from among the range of reported values collected as of June 2020. This information differs from that presented in the *Proposed Designation of p-Dichlorobenzene (CASRN 106-46-7) as a High Priority Substance for Risk Evaluation* ([U.S. EPA, 2019d](#)) and may be updated as EPA continues to evaluate and integrate additional information through systematic review methods.

Figure 2-12 summarizes the distribution of reported values for eight physical and chemical properties routinely used in existing chemical risk evaluations. Appendix B presents summary statistics for reported physical and chemical property values. All physical and chemical property values that were extracted and evaluated as of June 2020 are presented in the supplemental file *Data Extraction and Data Evaluation Tables for Physical and Chemical Property Studies* ([EPA-HQ-OPPT-2018-0446](#)).

**Table 2-3. Physical and Chemical Properties of *p*-Dichlorobenzene**


Property or Endpoint	Value <sup>a</sup>	Reference	Data Quality Rating
Molecular formula	C <sub>6</sub> H <sub>4</sub> Cl <sub>2</sub>	NA	NA
Molecular weight	147.00 g/mol	NA	NA
Physical state	Solid monoclinic prisms, leaves	<a href="#">Rumble (2018)</a>	High
Physical properties	Distinctive aromatic odor, becomes very strong at concentrations between 30 and 60 ppm	<a href="#">NLM (2018)</a>	High
Melting point	53.1°C	<a href="#">Rumble (2018)</a>	High
Boiling point	174°C	<a href="#">U.S. EPA (2018b)</a>	High
Density	1.46 g/cm <sup>3</sup> at 20°C	<a href="#">O'Neil et al. (2013)</a>	High

Property or Endpoint	Value <sup>a</sup>	Reference	Data Quality Rating
Vapor pressure	1.3 mm Hg	<a href="#">RSC (2019)</a>	High
Vapor density	5.08 (air = 1)	<a href="#">NLM (2018)</a>	High
Water solubility	81.4 mg/L at 25°C	<a href="#">Shiu and Mackay (1997)</a>	High
Octanol/water partition coefficient (log Kow)	3.52 at 22±0.2°C (Calculated from experimental retention times)	<a href="#">Verbruggen et al. (1999)</a>	High
Henry's Law constant	0.00241 atm·m <sup>3</sup> /mol at 25°C	<a href="#">Rumble (2018)</a>	High
Flash point	65.56°C (closed cup)	<a href="#">O'Neil et al. (2013)</a>	High
Auto flammability	Not available		
Viscosity	0.839 cP at 55°C	<a href="#">NLM (2018)</a>	High
Refractive index	1.5285	<a href="#">O'Neil et al. (2013)</a>	High
Dielectric constant	2.3943 at 55°C	<a href="#">NLM (2018)</a>	High

<sup>a</sup> Measured unless otherwise noted.

NA = Not applicable

Figure 2-12 displays a summary of the data collected as of June 2020 for eight physical and chemical values routinely used in TSCA existing chemical risk evaluations. The box and whisker plots for each endpoint illustrate the mean (average, indicated by the blue diamond) and the 10<sup>th</sup>, 25<sup>th</sup>, 50<sup>th</sup> (median), 75<sup>th</sup>, and 90<sup>th</sup> percentiles. All individual data points are indicated by black squares, and value preliminarily selected for use in the risk evaluation is overlaid (indicated by the orange circle) to provide context for where it lies within the distribution of the dataset. The number of unique primary data sources is indicated below each box and whisker plot. If multiple sources presented equivalent values and cited the same primary source, only one of those was included in the statistical calculations. As a result, the number of sources listed in Figure 2-12 may differ from the total number of data sources presented in Figure 2-2.



**Figure 2-12. Box and Whisker Plots of Reported Physical and Chemical Property Value**

### 2.3.2 Environmental Fate and Transport

Understanding of environmental fate and transport processes assists in the determination of the specific exposure pathways and potential human and environmental receptors that need to be assessed in the risk evaluation for *p*-dichlorobenzene. EPA plans to use the environmental fate characteristics described in Appendix C to support the development of the risk evaluation for *p*-dichlorobenzene. The values for the environmental fate properties may be updated as EPA evaluates and integrates additional information into the risk evaluation through systematic review methods.

### 2.3.3 Releases to the Environment

Releases to the environment from conditions of use are a component of potential exposure and may be derived from reported data that are obtained through direct measurement, calculations based on empirical data and/or assumptions and models.

A source of information that EPA plans to consider in evaluating exposure are data reported to the Toxics Release Inventory (TRI) program. EPA's TRI database contains information on chemical waste management activities that are disclosed by industrial and federal facilities, including quantities released into the environment (*i.e.*, to air, water, and disposed to land), treated, burned for energy, recycled, or transferred off-site to other facilities for these purposes.

Under Section 313 of the Emergency Planning and Community Right-to-Know Act (EPCRA) *p*-dichlorobenzene is a TRI-reportable substance, under the name 1,4-dichlorobenzene, effective January

01, 1987 (40 CFR 372.65). For TRI reporting<sup>6</sup>, facilities in covered sectors in the United States are required to disclose releases and other waste management activity quantities of *p*-dichlorobenzene under the CASRN 106-46-7 if they manufacture (including import) or process more than 25,000 pounds or otherwise use more than 10,000 pounds of the chemical in a given year by July 1 of the following year.

Table 2-4 provides production-related waste management data for *p*-dichlorobenzene reported by facilities to the TRI program for reporting year 2018.<sup>7</sup> As shown in the Table 2-4, 16 facilities reported in total nearly 2.7 million pounds of *p*-dichlorobenzene as production-related waste. Of this total, over 1.45 million pounds were recycled and over 1.14 million pounds were treated. Only 1% (approximately 29,000 pounds) of the production-related waste was burned for energy recovery during 2018, and only 2% was released to the environment. The majority of the quantities (92%) of *p*-dichlorobenzene managed as production-related waste were managed as such on site.

**Table 2-4. Summary of *p*-Dichlorobenzene TRI Production-Related Waste Managed in 2018**

Year	Number of Facilities	Recycled (lbs)	Recovered for Energy (lbs)	Treated (lbs)	Released <sup>a,b,c</sup> (lbs)	Total Production Related Waste (lbs)
2018	16	1,453,833	28,739	1,140,897	55,392	2,678,861

Data source: 2018 TRI Data ([U.S. EPA \(2019e\)](https://www.epa.gov/toxics-release-inventory-tri-program/basics-tri-reporting))

<sup>a</sup> Terminology used in these columns may not match the more detailed data element names used in the TRI public data and analysis access points.

<sup>b</sup> Does not include releases due to one-time event not associated with production such as remedial actions or earthquakes.

<sup>c</sup> Counts all releases including release quantities transferred and release quantities disposed of by a receiving facility reporting to TRI.

Table 2-5 provides a summary of *p*-dichlorobenzene released to the environment during 2018 as reported to TRI. Quantities of *p*-dichlorobenzene disposed to land and released to air were roughly equal. Comparatively much smaller amounts were discharged to water or designated as “other releases”. The quantities of *p*-dichlorobenzene that were disposed of on land were almost exclusively on site to RCRA Subtitle C landfills, and account for approximately 50% of the total amount of *p*-dichlorobenzene released to the environment in 2018. Air releases accounted for 47% of total *p*-dichlorobenzene releases; fugitive air releases comprised the majority of air releases, with only about 1/6 from point sources (*i.e.*, stacks). Of the total *p*-dichlorobenzene disposed of or otherwise released during 2018, only 3% took place off site: nearly all of this quantity was sent off site to waste brokers for disposal, as reported in Table 2-5 under “other releases”.

**Table 2-5. Summary of Releases of *p*-Dichlorobenzene to the Environment During 2018**

Year	Number of Facilities	Air Releases		Water Releases (lbs)	Land Disposal			Other Releases <sup>a</sup> (lbs)	Total Releases <sup>b, c</sup> (lbs)
		Stack Air Releases (lbs)	Fugitive Air Releases (lbs)		Class I Under-ground Injection (lbs)	RCRA Subtitle C Landfills (lbs)	All other Land Disposal <sup>a</sup> (lbs)		
2018	16	4,396	21,761	5	38	27,997	0	1,788	55,984
		26,157			28,034				

<sup>6</sup> For TRI reporting criteria see <https://www.epa.gov/toxics-release-inventory-tri-program/basics-tri-reporting>

<sup>7</sup> Reporting year 2018 is the most recent TRI data available. Data presented in Table 2-4 were queried using TRI Explorer and uses the 2018 National Analysis data set (released to the public in November 2019). This dataset includes revisions for the years 1988 to 2018 processed by EPA.

Year	Number of Facilities	Air Releases		Water Releases (lbs)	Land Disposal			Other Releases <sup>a</sup> (lbs)	Total Releases <sup>b, c</sup> (lbs)
		Stack Air Releases (lbs)	Fugitive Air Releases (lbs)		Class I Under-ground Injection (lbs)	RCRA Subtitle C Landfills (lbs)	All other Land Disposal <sup>a</sup> (lbs)		

Data source: 2018 TRI Data ([U.S. EPA \(2019e\)](#))

<sup>a</sup> Terminology used in these columns may not match the more detailed data element names used in the TRI public data and analysis access points.

<sup>b</sup> These release quantities do include releases due to one-time events not associated with production such as remedial actions or earthquakes.

<sup>c</sup> Counts release quantities once at final disposition, accounting for transfers to other TRI reporting facilities that ultimately dispose of the chemical waste.

While production-related waste managed shown in Table 2-4 excludes any quantities reported as catastrophic or one-time releases (TRI Section 8 data), release quantities shown in Table 2-5 include both production-related and non-production-related quantities. For *p*-dichlorobenzene the total release quantities shown in each table are the same, but for other TRI chemicals total release quantities between the two tables may differ slightly and may further reflect differences in TRI calculation methods for reported release range estimates ([U.S. EPA \(2019e\)](#))

EPA plans to review these data in conducting the exposure assessment component of the risk evaluation for *p*-dichlorobenzene.

### **2.3.4 Environmental Exposures**

The manufacturing, processing, distribution, use and disposal of *p*-dichlorobenzene can result in releases to the environment and exposure to aquatic and terrestrial receptors. Environmental exposures to biota are informed by releases into the environment, overall persistence, degradation, and bioaccumulation, and partitioning across different media. Concentrations of chemical substances in biota provide evidence of exposure. EPA plans to review reasonably available information on environmental exposures in biota to inform development of the environmental exposure assessment for *p*-dichlorobenzene.

### **2.3.5 Occupational Exposures**

EPA plans to evaluate worker activities where there is a potential for exposure under the various conditions of use (manufacturing, processing, industrial/commercial uses, and disposal) described in Section 2.2. In addition, EPA plans to evaluate exposure to occupational non-users (ONUs), *i.e.*, workers who do not directly handle the chemical but perform work in an area where the chemical is present. EPA also plans to consider the effect(s) that engineering controls (EC) and/or personal protective equipment (PPE) have on occupational exposure levels as part of the risk evaluation.

Examples of worker activities associated with the conditions of use within the scope of the risk evaluation for *p*-dichlorobenzene that EPA may analyze include, but are not limited to:

- Unloading and transferring *p*-dichlorobenzene to and from storage containers and process vessels;
- Handling and disposing of waste containing *p*-dichlorobenzene;
- Cleaning and maintaining equipment;
- Sampling chemicals, formulations, or products containing *p*-dichlorobenzene for quality control;
- Repackaging chemicals, formulations, or products containing *p*-dichlorobenzene;
- Performing other work activities in or near areas where *p*-dichlorobenzene is used.

*p*-Dichlorobenzene is a solid that sublimates at ambient temperature and has a vapor pressure of 1.74 mmHg. EPA anticipates that workers and ONUs will be exposed via the inhalation route. EPA plans to analyze inhalation exposure to vapor in scenarios where *p*-dichlorobenzene is handled in open systems. EPA also plans to analyze inhalation exposure to dust/particulates where *p*-dichlorobenzene is present as a solid, powder, or contained in an article (*e.g.*, particulate generated during handling of plastic resins, finishing operations associated with the manufacture and finishing of plastics and plastic articles and incorporation of plastics and other article components into finished products), and inhalation exposure to mists in scenarios where products containing *p*-dichlorobenzene may be spray applied (*e.g.*, air care products). The extent of inhalation exposure could vary from facility to facility depending on many factors including but not limited to EC, type of facility, and design.

In addition, EPA plans to analyze worker exposure to solids and liquids via the dermal route, depending on the specific physical form of *p*-dichlorobenzene in each scenario. EPA does not plan to analyze dermal exposure for ONUs because they do not directly handle the chemical.

EPA generally does not evaluate occupational exposures through the oral route. Workers and ONUs may inadvertently ingest inhaled particles that deposit in the upper respiratory tract. In addition, workers may transfer chemicals from their hands to their mouths. The frequency and significance of this exposure route are dependent on several factors including the physical and chemical properties of the substance during worker activities, the visibility of the chemicals on the hands while working, workplace training and practices, and personal hygiene that is difficult to predict ([Cherrie et al., 2006](#)). EPA will consider the relevance of this exposure route on a case-by-case basis, taking into consideration the aforementioned factors and any reasonably available information, and may assess oral exposure for workers for certain COUs and worker activities where warranted. For certain conditions of use of *p*-dichlorobenzene, EPA plans to consider inhalation exposure to dust/particulates for workers and ONUs. As inhalation exposure to dust/particulates may occur, EPA plans to consider potential exposure for particulates that deposit in the upper respiratory tract from inhalation exposure and may be ingested via the oral route.

The United States has several regulatory and non-regulatory exposure limits for *p*-dichlorobenzene: the Occupational Safety and Health Administration (OSHA) Permissible Exposure Limit (PEL) ([OSHA, 2020](#)) is 75 parts per million (ppm) or 450 milligrams (mg)/cubic meter (m<sup>3</sup>) as an 8-hour time weighted average (TWA). This chemical does not have a National Institute for Occupational Safety and Health (NIOSH) Recommended Exposure Limit (REL). NIOSH considers *p*-dichlorobenzene to be a potential occupational carcinogen with an Immediately Dangerous to Life or Health (IDLH) value of 150 ppm ([NIOSH, 2020, 2016](#)). The American Conference of Governmental Industrial Hygienists (ACGIH) set the Threshold Limit Value (TLV) at 10 ppm as an 8-hour TWA ([Krishnamurti, 2001](#); [NIOSH, 1994](#)). ACGIH has also set a Short-Term Exposure Limit (STEL) of 50 ppm.

### **2.3.6 Consumer Exposures**

---

According to reports of the 2016 CDR, air care products, building and construction products, lubricants and greases, and fuels and related products were identified as consumer products for *p*-dichlorobenzene. Consumers using or disposing of *p*-dichlorobenzene-based air care products, building and construction products, lubricants and greases, and fuels and related products may be exposed to *p*-dichlorobenzene through direct solid and liquid contact which may lead to dermal and oral exposure, through vapor emissions, which may lead to inhalation exposure, through mist and/or dust generation which may lead to dermal, inhalation, and oral exposure (see Appendix G). In addition, bystanders present during the consumer use or disposal of *p*-dichlorobenzene products may also be exposed to vapor emissions, mist,

and dust which may lead to inhalation exposure. Based on these potential sources and pathways of exposure, EPA plans to analyze dermal, inhalation, and oral routes of exposure to consumers, as well as inhalation exposure to bystanders that may result from the conditions of use of *p*-dichlorobenzene.

There were no reports to CDR of any use of *p*-dichlorobenzene in children's products.

### **2.3.7 General Population Exposures**

---

Releases of *p*-dichlorobenzene from certain conditions of use, such as manufacturing, processing, or disposal activities, may result in general population exposures. *p*-Dichlorobenzene has been identified as the main dichlorobenzene present in drinking water, likely resulting from its release into surface waters after its extensive use in toilet deodorizers ([IARC, 1999](#)). The general population pathways in the scope of this evaluation are described in Sections 2.6.3 and 2.7.2.5.

## **2.4 Hazards (Effects)**

---

### **2.4.1 Environmental Hazards**

---

EPA considered reasonably available information (*e.g.*, federal and international government chemical assessments) on *p*-dichlorobenzene as well as public comments received on the *Proposed Designation of p-Dichlorobenzene (CASRN 106-46-7) as a High Priority Substance for Risk Evaluation* ([U.S. EPA, 2019d](#)) and draft scope for *p*-dichlorobenzene ([U.S. EPA, 2020c](#)) to identify potential environmental hazards. During prioritization, EPA identified environmental hazard effects for aquatic and terrestrial organisms.

Since prioritization, EPA applied automated techniques during the data screening phase of systematic review to identify the following potential environmental hazards and related information that may be considered for the risk evaluation (as explained in Appendix A): ADME, PBPK, cancer, cardiovascular, developmental, endocrine, gastrointestinal, hematological and immune, hepatic, mortality, musculo-skeletal, neurological, nutritional and metabolic ocular and sensory, renal, reproductive, respiratory, skin and connective tissue (Figure 2-10). A summary of references identified during the screening step of systematic review is included in the interactive literature inventory trees (Figure 2-9). As EPA continues to evaluate reasonably available and relevant hazard information identified through systematic review, EPA may update the list of potential hazard effects to be analyzed in the risk evaluation.

### **2.4.2 Human Health Hazards**

---

EPA considered reasonably available information (*e.g.*, federal and international government chemical assessments) on *p*-dichlorobenzene as well as public comments received on the *Proposed Designation of p-Dichlorobenzene (CASRN 106-46-7) as a High Priority Substance for Risk Evaluation* ([U.S. EPA, 2019d](#)) and draft scope for *p*-dichlorobenzene ([U.S. EPA, 2020c](#)) to identify potential human health hazards. During prioritization, EPA identified the following potential human health hazards and related information: ADME, PBPK, acute, repeat dose, genetic, reproductive, toxicokinetic, developmental, irritation/corrosion, dermal sensitization, respiratory sensitization, cancer, immune and neurological effects.

Since prioritization, EPA applied automated techniques during the data screening phase of systematic review to identify the following additional potential human health hazards and related information that may be considered for the risk evaluation (as explained in Appendix A): ADME, PBPK, cancer, cardiovascular, developmental, endocrine, gastrointestinal, hematological and immune, hepatic, mortality, musculoskeletal, neurological, nutritional and metabolic ocular and sensory, renal,



reproductive, respiratory, skin and connective tissue (Figure 2-10). A summary of references identified during the screening step of systematic review is included in the interactive literature inventory trees (Figure 2-9). As EPA continues to evaluate reasonably available and relevant hazard information identified through systematic review, EPA may update the list of potential hazard effects to be analyzed in the risk evaluation.

## **2.5 Potentially Exposed or Susceptible Subpopulations**

---

TSCA § 6(b)(4) requires EPA to determine whether a chemical substance presents an unreasonable risk to “a potentially exposed or susceptible subpopulation identified as relevant to the risk evaluation.” TSCA §3(12) states that “the term ‘potentially exposed or susceptible subpopulation’ means a group of individuals within the general population identified by the Administrator who, due to either greater susceptibility or greater exposure, may be at greater risk than the general population of adverse health effects from exposure to a chemical substance or mixture, such as infants, children, pregnant women, workers, or the elderly.” General population is “the total of individuals inhabiting an area or making up a whole group” and refers here to the U.S. general population ([U.S. EPA, 2011a](#)).

EPA identified the following PESS based on CDR information, public comments received on the draft scope for *p*-dichlorobenzene (Docket ID: [EPA-HQ-OPPT-2018-0446](#)), and studies reporting developmental and reproductive effects: children, women of reproductive age (e.g., pregnant women), workers, including ONUs and users, and consumers, including users and bystanders ([U.S. EPA, 2019a](#)). EPA plans to evaluate these PESS in the risk evaluation. Following further evaluation of the reasonably available information, EPA may evaluate PESS in the general population as they relate to fence line communities.

In developing exposure scenarios, EPA plans to analyze reasonably available data to ascertain whether some human receptor groups may be exposed via exposure pathways that may be distinct to a particular subpopulation or life stage (e.g., children’s crawling, mouthing or hand-to-mouth behaviors) and whether some human receptor groups may have higher exposure via identified pathways of exposure due to unique characteristics (e.g., activities, duration or location of exposure) when compared with the general population ([U.S. EPA, 2006b](#)). Likewise, EPA plans to evaluate reasonably available human health hazard information to ascertain whether some human receptor groups may have greater susceptibility than the general population to the chemical’s hazard(s). Based on these analyses, EPA may update the list of PESS in the risk evaluation.

## **2.6 Conceptual Models**

---


In this section, EPA presents the conceptual models describing the identified exposures (pathways and routes), receptors and hazards associated with the conditions of use of *p*-dichlorobenzene. Pathways and routes of exposure associated with workers and ONUs are described in Section 2.6.1, and pathways and routes of exposure associated with consumers are described in Section 2.6.2. Pathways and routes of exposure associated with environmental releases and wastes, including those pathways that are under the jurisdiction of other EPA-administered laws, are discussed and depicted in the conceptual model shown in Section 2.6.3.1. Pathways and routes of exposure associated with environmental releases and wastes, excluding those pathways that are under the jurisdiction of other EPA-administered laws, are presented in the conceptual model shown in Section 2.6.3.2.

### **2.6.1 Conceptual Model for Industrial and Commercial Activities and Uses: Potential Exposures and Hazards**

---

Figure 2-13 illustrates the conceptual model for the pathways of exposure from industrial and commercial activities and uses of *p*-dichlorobenzene that EPA plans to include in the risk evaluation. There is potential for exposures to workers and ONUs via inhalation/oral routes and exposures to workers via dermal routes. It is expected that inhalation exposure to vapors is the most likely exposure route. In addition, workers at waste management facilities may be exposed via inhalation or dermal routes via wastewater treatment, incineration or other disposal methods. EPA plans to evaluate activities resulting in exposures associated with distribution in commerce (*e.g.*, loading, unloading) throughout the various lifecycle stages and conditions of use (*e.g.*, manufacturing, processing, industrial use, commercial use, and disposal) rather than a single distribution scenario.

For each condition of use identified in Table 2-2, a determination was made whether or not EPA plans to evaluate each combination of exposure pathway, route, and receptor in the risk evaluation. The results of that analysis along with the supporting rationale are presented in Appendix F.




**Figure 2-13. *p*-Dichlorobenzene Conceptual Model for Industrial and Commercial Activities and Uses: Worker and Occupational Non-User Exposures and Hazards**

The conceptual model presents the exposure pathways, exposure routes, and hazards to human receptors from industrial and commercial activities and uses of *p*-dichlorobenzene.

## **2.6.2 Conceptual Model for Consumer Activities and Uses**

The conceptual model in Figure 2-14 presents the exposure pathways, exposure routes and hazards to human receptors from consumer activities and uses of *p*-dichlorobenzene. EPA expects inhalation to be the primary route of exposure and plans to further analyze inhalation exposures to *p*-dichlorobenzene vapor for consumer and bystanders. Inhalation exposure may occur via vapor, mist, and dust generation. Oral and dermal exposures to consumers may occur via direct liquid, solid, mist, or dust contact during use. Bystanders are not expected have direct dermal contact with liquid or solid *p*-dichlorobenzene. For each consumer condition of use identified in Table 2-2, EPA made a determination as to whether each combination of exposure pathway, route, and receptor will be further analyzed in the risk evaluation. The supporting rationale for consumer pathways considered for *p*-dichlorobenzene are included in Appendix G.



**Figure 2-14. *p*-Dichlorobenzene Conceptual Model for Consumer Activities and Uses: Consumer Exposures and Hazards**


The conceptual model presents the exposure pathways, exposure routes and hazards to human receptors from consumer activities and uses of *p*-dichlorobenzene.

### **2.6.3 Conceptual Model for Environmental Releases and Wastes: Potential Exposures and Hazards (Regulatory Overlay)**

---

In this section, EPA presents the conceptual models describing the identified exposures (pathways and routes from environmental releases to waste) and hazards to general population and environmental receptors associated with the conditions of use of *p*-dichlorobenzene within the scope of the risk evaluation. This section also discusses those pathways that may be addressed pursuant to other EPA-administered laws.

The conceptual model in Figure 2-15 presents the potential exposure pathways, exposure routes and hazards to general population and environmental receptors from releases and waste streams associated with industrial, commercial and consumer uses of *p*-dichlorobenzene. The conceptual model shows the overlays, labeled and shaded to depict the regulatory programs under EPA-administered statutes and associated pathways that EPA considered for the scope of the risk evaluation. The regulatory programs that cover these environmental release and waste pathways are further described in Section 2.6.3.1.



**Figure 2-15. *p*-Dichlorobenzene Conceptual Model for Environmental Releases and Wastes: Environmental and General Population Exposures and Hazards (Regulatory Overlay)**

The conceptual model presents the exposure pathways, exposure routes and hazards to human and environmental receptors from releases and wastes from industrial, commercial, and consumer uses of *p*-dichlorobenzene showing environmental statutes covering those pathways.

- Industrial wastewater or liquid wastes may be treated on-site and then released to surface water (direct discharge), or pre-treated and released to a Publicly Owned Treatment Works (POTW) (indirect discharge). For consumer uses, such wastes may be released directly to POTW. Drinking water will undergo further treatment in drinking water treatment plant. Ground water may also be a source of drinking water.
- Receptors include PESS (see Section 2.5)
- For regulation of hazardous and municipal waste incinerators and municipal waste landfills CAA and RCRA may have shared regulatory authority.

### **2.6.3.1 Exposure Pathway and Risks Addressed by Other EPA Administered Statutes**

In its TSCA Section 6(b) risk evaluations, EPA is coordinating action on certain exposure pathways and risks falling under the jurisdiction of other EPA-administered statutes or regulatory programs. More specifically, EPA is exercising its TSCA authorities to tailor the scope of its risk evaluations, rather than focusing on environmental exposure pathways addressed under other EPA-administered statutes or regulatory programs or risks that could be eliminated or reduced to a sufficient extent by actions taken under other EPA-administered laws. EPA considers this approach to be a reasonable exercise of the Agency's TSCA authorities, which include:

- TSCA Section 6(b)(4)(D): “The Administrator shall, not later than 6 months after the initiation of a risk evaluation, publish the scope of the risk evaluation to be conducted, including the hazards, exposures, conditions of use, and the potentially exposed or susceptible subpopulations the Administrator expects to consider...”
- TSCA Section 9(b)(1): “The Administrator shall coordinate actions taken under this chapter with actions taken under other Federal laws administered in whole or in part by the Administrator. If the Administrator determines that a risk to health or the environment associated with a chemical substance or mixture could be eliminated or reduced to a sufficient extent by actions taken under the authorities contained in such other Federal laws, the Administrator shall use such authorities to protect against such risk unless the Administrator determines, in the Administrator's discretion, that it is in the public interest to protect against such risk by actions taken under this chapter.”
- TSCA Section 9(e): “...[I]f the Administrator obtains information related to exposures or releases of a chemical substance or mixture that may be prevented or reduced under another Federal law, including a law not administered by the Administrator, the Administrator shall make such information available to the relevant Federal agency or office of the Environmental Protection Agency.”
- TSCA Section 2(c): “It is the intent of Congress that the Administrator shall carry out this chapter in a reasonable and prudent manner, and that the Administrator shall consider the environmental, economic, and social impact of any action the Administrator takes or proposes as provided under this chapter.”
- TSCA Section 18(d)(1): “Nothing in this chapter, nor any amendment made by the Frank R. Lautenberg Chemical Safety for the 21st Century Act, nor any rule, standard of performance, risk evaluation, or scientific assessment implemented pursuant to this chapter, shall affect the right of a State or a political subdivision of a State to adopt or enforce any rule, standard of performance, risk evaluation, scientific assessment, or any other protection for public health or the environment that— (i) is adopted or authorized under the authority of any other Federal law or adopted to satisfy or obtain authorization or approval under any other Federal law...”

These TSCA authorities supporting tailored risk evaluations and intra-agency referrals are described in more detail below:

#### *TSCA Section 6(b)(4)(D)*

TSCA Section 6(b)(4)(D) requires EPA, in developing the scope of a risk evaluation, to identify the hazards, exposures, conditions of use, and PESS the Agency “expects to consider” in a risk evaluation. This language suggests that EPA is not required to consider all conditions of use, hazards, or exposure



pathways in risk evaluations. As EPA explained in the *Procedures for Chemical Risk Evaluation Under the Amended Toxic Substances Control Act* (82 FR 33726, July 20, 2017) (“Risk Evaluation Rule”), “EPA may, on a case-by-case basis, tailor the scope of the risk evaluation “...in order to focus its analytical efforts on those exposures that are likely to present the greatest concern, and consequently merit an unreasonable risk determination.” 82 FR 33726, 33729 (July 20, 2017).

In the problem formulation documents for many of the first 10 chemicals undergoing risk evaluation, EPA applied the same authority and rationale to certain exposure pathways, explaining that “EPA is planning to exercise its discretion under TSCA 6(b)(4)(D) to focus its analytical efforts on exposures that are likely to present the greatest concern and consequently merit a risk evaluation under TSCA, by excluding, on a case-by-case basis, certain exposure pathways that fall under the jurisdiction of other EPA-administered statutes.” This is informed by the legislative history of the amended TSCA, which supports the Agency’s exercise of discretion to focus the risk evaluation on areas that raise the greatest potential for risk. See June 7, 2016 Cong. Rec., S3519-S3520. Consistent with the approach articulated in the problem formulation documents, and as described in more detail below, EPA is exercising its authority under TSCA to tailor the scope of exposures evaluated in TSCA risk evaluations, rather than focusing on environmental exposure pathways addressed under other EPA-administered, media-specific statutes and regulatory programs.

#### *TSCA Section 9(b)(1)*

In addition to TSCA Section 6(b)(4)(D), the Agency also has discretionary authority under the first sentence of TSCA Section 9(b)(1) to “coordinate actions taken under [TSCA] with actions taken under other Federal laws administered in whole or in part by the Administrator.” This broad, freestanding authority provides for intra-agency coordination and cooperation on a range of “actions.” In EPA’s view, the phrase “actions taken under [TSCA]” in the first sentence of Section 9(b)(1) is reasonably read to encompass more than just risk management actions, and to include actions taken during risk evaluation as well. More specifically, the authority to coordinate intra-agency actions exists regardless of whether the Administrator has first made a definitive finding of risk, formally determined that such risk could be eliminated or reduced to a sufficient extent by actions taken under authorities in other EPA-administered Federal laws, and/or made any associated finding as to whether it is in the public interest to protect against such risk by actions taken under TSCA. TSCA Section 9(b)(1) therefore provides EPA authority to coordinate actions with other EPA offices without ever making a risk finding or following an identification of risk. This includes coordination on tailoring the scope of TSCA risk evaluations to focus on areas of greatest concern rather than exposure pathways addressed by other EPA-administered statutes and regulatory programs, which does not involve a risk determination or public interest finding under TSCA Section 9(b)(2).

In a narrower application of the broad authority provided by the first sentence of TSCA Section 9(b)(1), the remaining provisions of Section 9(b)(1) provide EPA authority to identify risks and refer certain of those risks for action by other EPA offices. Under the second sentence of Section 9(b)(1), “[i]f the Administrator determines that a risk to health or the environment associated with a chemical substance or mixture could be eliminated or reduced to a sufficient extent by actions taken under the authorities contained in such other Federal laws, the Administrator shall use such authorities to protect against such risk unless the Administrator determines, in the Administrator’s discretion, that it is in the public interest to protect against such risk by actions taken under [TSCA].” Coordination of intra-agency action on risks under TSCA Section 9(b)(1) therefore entails both an identification of risk, and a referral of any risk that could be eliminated or reduced to a sufficient extent under other EPA-administered laws to the

EPA office(s) responsible for implementing those laws (absent a finding that it is in the public interest to protect against the risk by actions taken under TSCA).

Risk may be identified by OPPT or another EPA office, and the form of the identification may vary. For instance, OPPT may find that one or more conditions of use for a chemical substance present(s) a risk to human or ecological receptors through specific exposure routes and/or pathways. This could involve a quantitative or qualitative assessment of risk based on reasonably available information (which might include, *e.g.*, findings or statements by other EPA offices or other federal agencies). Alternatively, risk could be identified by another EPA office. For example, another EPA office administering non-TSCA authorities may have sufficient monitoring or modeling data to indicate that a particular condition of use presents risk to certain human or ecological receptors, based on expected hazards and exposures. This risk finding could be informed by information made available to the relevant office under TSCA Section 9(e), which supports cooperative actions through coordinated information-sharing.

Following an identification of risk, EPA would determine if that risk could be eliminated or reduced to a sufficient extent by actions taken under authorities in other EPA-administered laws. If so, TSCA requires EPA to “use such authorities to protect against such risk,” unless EPA determines that it is in the public interest to protect against that risk by actions taken under TSCA. In some instances, EPA may find that a risk could be sufficiently reduced or eliminated by future action taken under non-TSCA authority. This might include, *e.g.*, action taken under the authority of the Safe Drinking Water Act (SDWA) to address risk to the general population from a chemical substance in drinking water, particularly if the Office of Water has taken preliminary steps such as listing the subject chemical substance on the Contaminant Candidate List (CCL). This sort of risk finding and referral could occur during the risk evaluation process, thereby enabling EPA to use more a relevant and appropriate authority administered by another EPA office to protect against hazards or exposures to affected receptors.

Legislative history on TSCA Section 9(b)(1) supports both broad coordination on current intra-agency actions, and narrower coordination when risk is identified and referred to another EPA office for action. A Conference Report from the time of TSCA’s passage explained that Section 9 is intended “to assure that overlapping or duplicative regulation is avoided while attempting to provide for the greatest possible measure of protection to health and the environment.” S. Rep. No. 94-1302 at 84. See also H. Rep. No. 114-176 at 28 (stating that the 2016 TSCA amendments “reinforce TSCA’s original purpose of filling gaps in Federal law,” and citing new language in Section 9(b)(2) intended “to focus the Administrator’s exercise of discretion regarding which statute to apply and to encourage decisions that avoid confusion, complication, and duplication”). Exercising TSCA Section 9(b)(1) authority to coordinate on tailoring TSCA risk evaluations is consistent with this expression of Congressional intent.

Legislative history also supports a reading of Section 9(b)(1) under which EPA coordinates intra-agency action, including information-sharing under TSCA Section 9(e), and the appropriately positioned EPA office is responsible for the identification of risk and actions to protect against such risks. See, *e.g.*, Senate Report 114-67, 2016 Cong. Rec. S3522 (under TSCA Section 9, “if the Administrator finds that disposal of a chemical substance may pose risks that could be prevented or reduced under the Solid Waste Disposal Act, the Administrator should ensure that the relevant office of the EPA receives that information”); H. Rep. No. 114-176 at 28, 2016 Cong. Rec. S3522 (under Section 9, “if the Administrator determines that a risk to health or the environment associated with disposal of a chemical substance could be eliminated or reduced to a sufficient extent under the Solid Waste Disposal Act, the Administrator should use those authorities to protect against the risk”). Legislative history on Section

9(b)(1) therefore supports coordination with and referral of action to other EPA offices, especially when statutes and associated regulatory programs administered by those offices could address exposure pathways or risks associated with conditions of use, hazards, and/or exposure pathways that may otherwise be within the scope of TSCA risk evaluations.

#### *TSCA Sections 2(c) and 18(d)*

Finally, TSCA Section 2(c) supports coordinated action on exposure pathways and risks addressed by other EPA-administered statutes and regulatory programs. Section 2(c) directs EPA to carry out TSCA in a “reasonable and prudent manner” and to consider “the environmental, economic, and social impact” of its actions under TSCA. Legislative history from around the time of TSCA’s passage indicates that Congress intended EPA to consider the context and take into account the impacts of each action under TSCA. S. Rep. No. 94-698 at 14 (“the intent of Congress as stated in this subsection should guide each action the Administrator takes under other sections of the bill”).

Section 18(d)(1) specifies that state actions adopted or authorized under any Federal law are not preempted by an order of no unreasonable risk issued pursuant to TSCA Section 6(i)(1) or a rule to address unreasonable risk issued under TSCA Section 6(a). Thus, even if a risk evaluation were to address exposures or risks that are otherwise addressed by other federal laws and, for example, implemented by states, the state laws implementing those federal requirements would not be preempted. In such a case, both the other federal and state laws, as well as any TSCA Section 6(i)(1) order or TSCA Section 6(a) rule, would apply to the same issue area. See also TSCA Section 18(d)(1)(A)(iii). In legislative history on amended TSCA pertaining to Section 18(d), Congress opined that “[t]his approach is appropriate for the considerable body of law regulating chemical releases to the environment, such as air and water quality, where the states have traditionally had a significant regulatory role and often have a uniquely local concern.” Sen. Rep. 114-67 at 26.

EPA’s careful consideration of whether other EPA-administered authorities are available, and more appropriate, for addressing certain exposures and risks is consistent with Congress’ intent to maintain existing federal requirements and the state actions adopted to locally and more specifically implement those federal requirements, and to carry out TSCA in a reasonable and prudent manner. EPA believes it is both reasonable and prudent to tailor TSCA risk evaluations, rather than attempt to evaluate and regulate potential exposures and risks from those media under TSCA. This approach furthers Congressional direction and EPA aims to efficiently use Agency resources, avoid duplicating efforts taken pursuant to other Agency programs, and meet the statutory deadline for completing risk evaluations.

EPA-administered statutes and regulatory programs that address specific exposure pathways and/or risks are listed as follows:

#### Ambient Air Pathway

The Clean Air Act (CAA) contains a list of hazardous air pollutants (HAP) and provides EPA with the authority to add to that list pollutants that present, or may present, a threat of adverse human health effects or adverse environmental effects. For stationary source categories emitting HAPs, the CAA requires issuance of technology-based standards and, if necessary, additions or revisions to address developments in practices, processes, and control technologies, and to ensure the standards protect public health and the environment. The CAA thereby provides EPA with comprehensive authority to regulate emissions to ambient air of any hazardous air pollutant. *p*-Dichlorobenzene is a HAP. See 42

U.S.C. 7412. EPA has issued a number of technology-based standards for source categories that emit *p*-dichlorobenzene to ambient air and, as appropriate, has reviewed, or is in the process of reviewing remaining risks. See 40 CFR part 63.

Emission pathways to ambient air from commercial and industrial stationary sources and associated inhalation exposure of the general population or terrestrial species in this TSCA evaluation from stationary source releases of *p*-dichlorobenzene to ambient air are covered under the jurisdiction of the CAA. EPA's Office of Air and Radiation and Office of Pollution Prevention and Toxics will continue to work together to provide an understanding and analysis of the CAA regulatory analytical processes and to exchange information related to toxicity and occurrence data on chemicals undergoing risk evaluation under TSCA. As such, EPA does not plan to evaluate exposures to the general population from ambient air in the risk evaluation under TSCA. This regulatory coverage is represented by the red shading in Figure 2-15.

#### Drinking Water Pathway

EPA has regular analytical processes to identify and evaluate unregulated drinking water contaminants of potential regulatory concern for public water systems under the SDWA. In addition, the SDWA requires EPA to review and revise "as appropriate" existing drinking water regulations every 6 years.

EPA has promulgated National Primary Drinking Water Regulations (NPDWRs) under the SDWA for *p*-dichlorobenzene. EPA has set an enforceable Maximum Contaminant Level (MCL) as close as feasible to a health based, non-enforceable Maximum Contaminant Level Goal (MCLG). Public water systems are required to monitor for the regulated chemical based on a standardized monitoring schedule to ensure compliance with the MCL. The MCL and MCLG for *p*-dichlorobenzene in water are both 0.075 mg/L.

The drinking water exposure pathway for *p*-dichlorobenzene is currently addressed in the NPDWR. As such, EPA does not plan to evaluate exposures to the general population from drinking water exposure in the risk evaluation. This regulatory coverage is represented by the dark blue shading in Figure 2-15. EPA's Office of Water and Office of Pollution Prevention and Toxics will continue to work together providing understanding and analysis of the SDWA regulatory analytical processes and to exchange information related to toxicity and occurrence data on chemicals undergoing risk evaluation under TSCA.

#### Ambient Water Pathway

EPA has developed Clean Water Act (CWA) Section 304(a) recommended human health criteria for 122 chemicals and aquatic life criteria for 47 chemicals. A subset of these chemicals is identified as "priority pollutants" (103 human health and 27 aquatic life), including *p*-dichlorobenzene. The CWA requires that states adopt numeric criteria for priority pollutants for which EPA has published recommended criteria under Section 304(a), the discharge or presence of which in the affected waters could reasonably be expected to interfere with designated uses adopted the state. For pollutants with recommended human health criteria, EPA regulations require that state criteria contain sufficient parameters and constituents to protect designated uses. Once states adopt criteria as water quality standards, the CWA requires that National Pollutant Discharge Elimination System (NPDES) discharge permits include effluent limits as stringent as necessary to meet standards CWA Section 301(b)(1)(C). This permit issuance process accounts for risk in accordance with the applicable ambient water exposure pathway (human health or aquatic life as applicable) for the designated water use.

EPA develops recommended water quality criteria under Section 304(a) of the CWA for pollutants in surface water that are protective of aquatic life or human health designated uses. EPA has developed recommended water quality criteria for protection of human health for *p*-dichlorobenzene which are available for possible adoption into state water quality standards and are available for possible use by NPDES permitting authorities in deriving effluent limits to meet state narrative criteria. See, *e.g.*, 40 CFR part 423, Appendix A; 40 CFR 131.11(b)(1); 40 CFR 122.44(d)(1)(vi). As such, EPA does not plan to evaluate exposures to the general population from surface water in the risk evaluation under TSCA. This regulatory coverage is represented by the light blue shading in Figure 2-15. EPA's OW and OPPT will continue to work together to exchange information related to toxicity of chemicals undergoing risk evaluation under TSCA. EPA may update its CWA Section 304(a) water quality criteria for *p*-dichlorobenzene in the future under the CWA.

EPA has not developed CWA Section 304(a) recommended water quality criteria for the protection of aquatic life for *p*-dichlorobenzene, so there are no national recommended criteria for this use available for adoption into state water quality standards and available for use in NPDES permits. As such, EPA is evaluating exposures to aquatic life risk evaluation under TSCA (see Section 2.4.1). EPA may publish CWA Section 304(a) aquatic life criteria for *p*-dichlorobenzene in the future if it is identified as a priority under the CWA.

#### Onsite Releases to Land Pathway

The Comprehensive Environmental Response, Compensation, and Liability Act, otherwise known as CERCLA, provides broad authority under the statute (generally referred to as Superfund) to clean up uncontrolled or abandoned hazardous-waste sites as well as accidents, spills, and other releases of hazardous substances, pollutants and contaminants into the environment. Through CERCLA, EPA was given authority to seek out those parties potentially responsible for the release of hazardous substances and either have them clean up the release or compensate the Federal government for undertaking the response action.

CERCLA Section 101(14) defines "hazardous substance" by referencing other environmental statutes, including toxic pollutants listed under CWA Section 307(a); hazardous substances designated pursuant to CWA Section 311(b)(2)(A); hazardous air pollutants listed under CAA Section 112; imminently hazardous substances with respect to which EPA has taken action pursuant to TSCA Section 7; and hazardous wastes having characteristics identified under or listed pursuant to RCRA Section 3001. See 40 CFR 302.4. CERCLA Section 102(a) also authorizes EPA to promulgate regulations designating as hazardous substances those substances which, when released into the environment, may present substantial danger to the public health or welfare or the environment. EPA must also promulgate regulations establishing the quantity of any hazardous substance the release of which must be reported under Section 103. Section 103 requires persons in charge of vessels or facilities to report to the National Response Center if they have knowledge of a release of a hazardous substance above the reportable quantity threshold.

*p*-Dichlorobenzene is a hazardous substance under CERCLA. Releases of *p*-dichlorobenzene in excess of 100 pounds within a 24-hour period must be reported (40 CFR 302.4, 302.6). The scope of this EPA TSCA risk evaluation does not include on-site releases to the environment of *p*-dichlorobenzene at Superfund sites and subsequent exposure of the general population or non-human species.

#### Disposal and Soil Pathways

*p*-Dichlorobenzene is included on the list of hazardous wastes pursuant to the Resource Conservation

and Recovery Act (RCRA) Section 3001 (40 CFR §§ 261.24, 261.33) as a listed waste on the U072D and U lists (D027 lists and U072). The general standard in RCRA Section 3004(a) for the technical criteria that govern the management (treatment, storage, and disposal) of hazardous waste are those "necessary to protect human health and the environment," RCRA 3004(a). The regulatory criteria for identifying "characteristic" hazardous wastes and for "listing" a waste as hazardous also relate solely to the potential risks to human health or the environment (40 CFR §§ 261.11, 261.21-261.24). RCRA statutory criteria for identifying hazardous wastes require EPA to "tak[e] into account toxicity, persistence, and degradability in nature, potential for accumulation in tissue, and other related factors such as flammability, corrosiveness, and other hazardous characteristics." Subtitle C controls cover not only hazardous wastes that are landfilled, but also hazardous wastes that are incinerated (subject to joint control under RCRA Subtitle C and the CAA hazardous waste combustion Maximum Achievable Control Technology (MACT)) or injected into Underground Injection Control (UIC) Class I hazardous waste wells (subject to joint control under Subtitle C and SDWA)<sup>8</sup>.

EPA does not plan to evaluate on-site releases to land that go to underground injection or associated exposures to the general population or terrestrial species in its risk evaluation. TRI reporting in 2018 indicated 38 pounds released to underground injection to Class I hazardous waste wells. Environmental disposal of *p*-dichlorobenzene injected into Class I well types are presumed to be managed and prevented from further environmental release by RCRA and SDWA regulations. Therefore, disposal of *p*-dichlorobenzene via underground injection is not likely to result in environmental and general population exposures. See [40 CFR part 144](#).

EPA has identified releases to land that go to RCRA Subtitle C hazardous waste landfills. Based on 2018 reporting, the majority of TRI land disposal includes Subtitle C landfills (27,997 pounds) with a much smaller amount transferred to "all other land disposal" both on-site and off-site (400 pounds reported in 2015 and 0 pounds in 2018). Design standards for Subtitle C landfills require double liner, double leachate collection and removal systems, leak detection system, run on, runoff, and wind dispersal controls, and a construction quality assurance program. They are also subject to closure and post-closure care requirements including installing and maintaining a final cover, continuing operation of the leachate collection and removal system until leachate is no longer detected, maintaining and monitoring the leak detection and groundwater monitoring system. Bulk liquids may not be disposed in Subtitle C landfills. Subtitle C landfill operators are required to implement an analysis and testing program to ensure adequate knowledge of waste being managed, and to train personnel on routine and emergency operations at the facility. Hazardous waste being disposed in Subtitle C landfills must also meet RCRA waste treatment standards before disposal. Given these controls, general population exposure in groundwater from Subtitle C landfill leachate is not expected to be a significant pathway. See 40 CFR part 264. As a result, EPA does not plan to evaluate on-site releases to land from RCRA Subtitle C hazardous waste landfills or exposures of the general population or terrestrial species from such releases in the TSCA evaluation. This regulatory coverage is represented by the pink shading in Figure 2-15.

*p*-Dichlorobenzene is present in commercial and consumer products that may be disposed of in Municipal Solid Waste (MSW) landfills. On-site releases RCRA Subtitle D municipal solid waste landfills leading to exposures of the general population (including susceptible populations) or terrestrial species from such releases are expected to be minimal based on current TRI releases (*i.e.*, 0 lb in 2018) for *p*-dichlorobenzene. While permitted and managed by the individual states, municipal solid waste

---

<sup>8</sup> This is not an exclusive list of Subtitle C authority, as it also covers, for example, disposal to surface impoundments, waste piles, and land treatment.

(MSW) landfills are required by federal regulations to implement some of the same requirements as Subtitle C landfills. MSW landfills generally must have a liner system with leachate collection and conduct groundwater monitoring and corrective action when releases are detected. MSW landfills are also subject to closure and post-closure care requirements and must have financial assurance for funding of any needed corrective actions. MSW landfills have also been designed to allow for the small amounts of hazardous waste generated by households and very small quantity waste generators (less than 220 lb per month). Bulk liquids, such as free solvent, may not be disposed of at MSW landfills. As a result, EPA is not evaluating on-site releases to land from RCRA Subtitle D municipal solid waste (MSW) landfills or exposures of the general population or terrestrial species from such releases in the TSCA evaluation. See 40 CFR part 258. As a result, EPA does not plan to evaluate on-site releases to land from RCRA Subtitle D municipal solid waste (MSW) landfills or exposures of the general population or terrestrial species from such releases in the TSCA evaluation. This regulatory coverage is represented by the pink shading in Figure 2-15.


On-site releases to land from industrial non-hazardous and construction/demolition waste landfills may occur for *p*-dichlorobenzene. Industrial non-hazardous and construction/demolition waste landfills are primarily regulated under authorized state regulatory programs. States must also implement limited federal regulatory requirements for siting, groundwater monitoring, and corrective action, and a prohibition on open dumping and disposal of bulk liquids. States may also establish additional requirements such as for liners, post-closure and financial assurance, but are not required to do so. See *e.g.*, RCRA Section 3004(c), 4007; 40 CFR part 257. As a result, EPA does not plan to evaluate on-site releases to land from industrial non-hazardous waste and construction/demolition waste landfills or associated exposures to the general population. This regulatory coverage is represented by the pink shading in Figure 2-15.

### **2.6.3.2 Conceptual Model for Environmental Releases and Wastes: Potential Exposures and Hazards**

---

As described in Section 2.6.3.1, some pathways in the conceptual models are covered under the jurisdiction of other environmental statutes administered by EPA. The conceptual model depicted in Figure 2-16 presents the exposure pathways, exposure routes and hazards to general population and environmental receptors from releases and wastes from industrial, commercial, and consumer uses of *p*-dichlorobenzene that EPA plans to evaluate.

The diagram shown in Figure 2-16 includes releases from industrial, commercial and/or consumer uses to water/sediment, soil and biosolids either via direct discharges to these media or through indirect means such as deposition from air to water bodies or soil. These releases may lead to exposure to aquatic receptors and the pathways mentioned will be further examined in the risk evaluation. The supporting basis for environmental pathways considered for *p*-dichlorobenzene are included in Appendix H.



**Figure 2-16. *p*-Dichlorobenzene Conceptual Model for Environmental Releases and Wastes: Environmental and General Population Exposures and Hazards**

The conceptual model presents the exposure pathways, exposure routes and hazards to human receptors from releases and wastes from industrial, commercial and consumer uses of *p*-dichlorobenzene that EPA plans to consider in the risk evaluation.

- Industrial wastewater or liquid wastes may be treated on-site and then released to surface water (direct discharge), or pre-treated and released to POTW (indirect discharge). For consumer uses, such wastes may be released directly to POTW. Drinking water will undergo further treatment in drinking water treatment plant. Ground water may also be a source of drinking water.
- Receptors include PESS (see Section 2.5).



## 2.7 Analysis Plan

---

The analysis plan is based on EPA's knowledge of *p*-dichlorobenzene resulting from the full-text screening of reasonably available information as described in Section 2.1. EPA encourages submission of additional existing data, such as full study reports or workplace monitoring from industry sources, that may be relevant to EPA's evaluation of conditions of use, exposures, hazards and PESS during risk evaluation. As discussed in the *Application of Systematic Review in TSCA Risk Evaluations* document ([U.S. EPA, 2018a](#)), targeted supplemental searches during the analysis phase may be necessary to identify additional information (*e.g.*, commercial mixtures) for the risk evaluation of *p*-dichlorobenzene. For any additional data needs identified during the risk evaluation, EPA may use the Agency's TSCA authorities under Sections 4, 8 or 11, as appropriate.

### 2.7.1 Physical and Chemical Properties and Environmental Fate

---

EPA plans to analyze the physical and chemical properties and environmental fate and transport of *p*-dichlorobenzene as follows:

- 1) Review reasonably available measured or estimated physical and chemical and environmental fate endpoint data collected using systematic review procedures and, where reasonably available, environmental assessments conducted by other regulatory agencies.**  
EPA plans to evaluate data and information collected through the systematic review methods and public comments about the physical and chemical properties (Appendix B) and fate endpoints (Appendix C), some of which appeared in the *Proposed Designation of p-Dichlorobenzene (CASRN 106-46-7) as a High Priority Substance for Risk Evaluation* ([U.S. EPA, 2019d](#)). All sources cited in EPA's analysis will be evaluated according to the procedures and metrics described in the *Application of Systematic Review in TSCA Risk Evaluations* ([U.S. EPA, 2018a](#)). Where the systematic review process does not identify experimentally measured chemical property values of sufficiently high quality, testing will be requested under the TSCA Section 4 authority, or values will be estimated using chemical parameter estimation models as appropriate. Model-estimated fate properties will be reviewed for applicability and quality.
- 2) Using measured data and/or modeling, determine the influence of environmental fate endpoints (*e.g.*, persistence, bioaccumulation, partitioning, transport) on exposure pathways and routes of exposure to human and environmental receptors.**  
Measured data and, where necessary, model predictions of physical and chemical properties and environmental fate endpoints will be used to characterize the persistence and movement of *p*-dichlorobenzene within and across environmental media. The fate endpoints of interest include volatilization, sorption to organic matter in sediments, water solubility, aqueous and atmospheric photolysis rates, aerobic and anaerobic biodegradation rates, and potential bioconcentration and bioaccumulation. These endpoints will be used in exposure calculations.
- 3) Conduct a weight of the scientific evidence evaluation of environmental fate data, including qualitative and quantitative sources of information.**  
During risk evaluation, EPA plans to evaluate and integrate the environmental fate evidence identified in the literature inventory using the methods described in the *Application of Systematic Review in TSCA Risk Evaluations* ([U.S. EPA, 2018a](#)).

## 2.7.2 Exposure

EPA plans to analyze exposure levels for indoor dust, indoor air, surface water, ground water, sediment, dietary food sources, and aquatic biota associated with exposure to *p*-dichlorobenzene. Based on its physical and chemical properties, expected sources, and transport and transformation within the outdoor and indoor environment, *p*-dichlorobenzene is more likely to be present in some of these media and less likely to be present in others. EPA has not yet determined the exposure levels in these media. Exposure level(s) can be characterized through a combination of reasonably available monitoring data and estimated exposure levels from modeling approaches. Exposure scenarios are combinations of sources (uses), exposure pathways, and exposed receptors. Draft exposure scenarios corresponding to various conditions of use for *p*-dichlorobenzene are presented in Appendix F, Appendix G and Appendix H. EPA plans to analyze scenario-specific exposures.

### 2.7.2.1 Environmental Releases

EPA plans to analyze releases to environmental media as follows:

- 1) Review reasonably available published literature and other reasonably available information on processes and activities associated with the conditions of use to analyze the types of releases and wastes generated.**

EPA has reviewed some sources containing information on processes and activities resulting in releases, and the information found is described in Appendix E. EPA plans to review of additional data sources identified. Potential sources of environmental release data are summarized in Table 2-6 below.

**Table 2-6. Categories and Sources of Environmental Release Data**

U.S. EPA TRI Data
U.S. EPA Generic Scenarios
Organisation for Economic Co-operation and Development (OECD) Emission Scenario Documents
European Union (EU) Risk Assessment Reports
Discharge Monitoring Report (DMR) surface water discharge data for <i>p</i> -dichlorobenzene from NPDES-permitted facilities

- 2) Review reasonably available chemical-specific release data, including measured or estimated release data (e.g., data from risk assessments by other environmental agencies).**

EPA has reviewed key release data sources including the Toxics Release Inventory (TRI), and the data from this source is summarized in Section 2.3.3. EPA plans to continue to review relevant data sources during risk evaluation. EPA will continue to consider additional reasonably available information and will evaluate it during development of the risk evaluation. EPA plans to match identified data to applicable conditions of use and identify data gaps where no data are found for particular conditions of use. EPA plans to attempt to address data gaps identified as described in #3 and #4 below by considering potential surrogate data and models.

Additionally, for conditions of use where no measured data on releases are reasonably available, EPA may use a variety of methods including release estimation approaches and assumptions in the Chemical Screening Tool for Exposures and Environmental Releases ([U.S. EPA, 2015a](#)).

**3) Review reasonably available measured or estimated release data for surrogate chemicals that have similar uses and physical properties.**

EPA plans to continue review of literature sources identified and if surrogate data are found, these data will be matched to applicable conditions of use for potentially filling data gaps.

**4) Review reasonably available data that may be used in developing, adapting or applying exposure models to the particular risk evaluation.**

This item will be performed after completion of #2 and #3 above. EPA plans to continue to evaluate relevant data to determine whether the data can be used to develop, adapt or apply models for specific conditions of use (and corresponding release scenarios). EPA has identified information from various EPA statutes and sources (including, for example, regulatory limits, reporting thresholds or disposal requirements) that may be relevant to consider for release estimation and environmental exposures. EPA plans to consider relevant regulatory requirements in estimating releases during risk evaluation.

**5) Review and determine applicability of OECD Emission Scenario Documents (ESDs) and EPA Generic Scenarios to estimation of environmental releases.**

EPA has identified potentially relevant OECD Emission Scenario Documents (ESDs) and EPA Generic Scenarios (GS) that correspond to some conditions of use; for example, the [July 2009 ESD on Plastics Additives \(OECD, 2009\)](#) and the [September 2011 ESD on Chemical Industry \(OECD, 2011\)](#) may be useful. EPA plans to critically review these generic scenarios and ESDs to determine their applicability to the conditions of use assessed.

EPA Generic Scenarios are available at the following: <https://www.epa.gov/tsca-screening-tools/using-predictive-methods-assess-exposure-and-fate-under-tsca#fate>.

OECD Emission Scenario Documents are available at the following:

<http://www.oecd.org/chemicalsafety/risk-assessment/emissionscenariodocuments.htm>

If ESDs and GSs are not available, other methods may be considered. EPA may also perform supplemental targeted searches of peer-reviewed or gray literature for applicable models and associated parameters that EPA may use to estimate releases for certain conditions of use. Additionally, for conditions of use where no measured data on releases are available, EPA may use a variety of methods including the application of default assumptions such as standard loss fractions associated with drum cleaning (3%) or single process vessel cleanout (1%).

**6) Map or group each condition of use to a release assessment scenario(s).**

EPA has completed an initial mapping of release scenarios to relevant conditions of use as shown in Appendix F. EPA plans to refine the mapping/grouping of release scenarios based on factors (*e.g.*, process equipment and handling, magnitude of production volume used, and exposure/release sources) corresponding to conditions of use using reasonably available information. EPA may perform supplemental targeted searches of peer-reviewed or gray literature to better understand certain conditions of use to further develop release scenarios.

**7) Evaluate the weight of the scientific evidence of environmental release data.**

During risk evaluation, EPA plans to evaluate and integrate the environmental release evidence identified in the literature inventory using the methods described in the *Application of Systematic Review in TSCA Risk Evaluations* ([U.S. EPA, 2018a](#)). EPA plans to integrate the data using

systematic review methods to assemble the relevant data, evaluate the data for quality and relevance, including strengths and limitations, followed by synthesis and integration of the evidence.

### **2.7.2.2 Environmental Exposures**

---

EPA plans to analyze the following in developing its environmental exposure assessment of *p*-dichlorobenzene:

**1) Review available environmental and biological monitoring data for all media relevant to environmental exposure.**

For *p*-dichlorobenzene, environmental media which will be analyzed are sediment, ground water, and surface water.

**2) Review reasonably available information on releases to determine how modeled estimates of concentrations near industrial point sources compare with reasonably available monitoring data.**

EPA plans to analyze and consider reasonably available environmental exposure models that meet the scientific standards under TSCA Section 26(h) and that estimate surface water, and sediment concentrations will be analyzed and considered alongside available surface water, and sediment monitoring data to characterize environmental exposures. Modeling approaches to estimate surface water concentrations, sediment concentrations may generally include the following inputs: direct release into surface water, or sediment, and indirect release into surface water, sediment, fate and transport (partitioning within media) and characteristics of the environment (*e.g.*, river flow, volume of lake, meteorological data).

**3) Determine applicability of existing additional contextualizing information for any monitored data or modeled estimates during risk evaluation.**

There have been changes to use patterns of *p*-dichlorobenzene over the last few years. Monitoring data or modeled estimates will be reviewed to determine how representative they are of ongoing use patterns.

Any studies which relate levels of *p*-dichlorobenzene in the environment or biota with specific sources or groups of sources will be evaluated.

**4) Group each condition(s) of use to environmental assessment scenario(s).**

Refine and finalize exposure scenarios for environmental receptors by considering sources (use descriptors), exposure pathways including routes, and populations exposed. For *p*-dichlorobenzene, the following are noteworthy considerations in constructing exposure scenarios for environmental receptors:

- Estimates of surface water concentrations, sediment concentrations near industrial point sources based on reasonably available monitoring data.
- Review and characterize monitoring data or modeled estimates to determine how representative they are of applicable use patterns. Reasonably available biomonitoring data. Monitoring data could be used to compare with species or taxa-specific toxicological benchmarks.
- Applicability of existing additional contextualizing information for any monitored data or modeled estimates during risk evaluation. Review and characterize the spatial

and temporal variability, to the extent that data are reasonably available, and characterize exposed aquatic populations.

- Weight of the scientific evidence of environmental occurrence data and modeled estimates.

**5) Evaluate the weight of the scientific evidence of environmental occurrence data and modeled estimates.**

During risk evaluation, EPA plans to evaluate and integrate the exposure evidence identified in the literature inventory using the methods described in the *Application of Systematic Review in TSCA Risk Evaluations* ([U.S. EPA, 2018a](#)).

**2.7.2.3 Occupational Exposures**

---

EPA plans to analyze both worker and occupational non-user exposures as follows:

**1) Review reasonably available exposure monitoring data for specific condition(s) of use.**

EPA plans to review exposure data including workplace monitoring data collected by government agencies such as the OSHA and the NIOSH, and monitoring data found in published literature. These workplace monitoring data include personal exposure monitoring data (direct exposures) and area monitoring data (indirect exposures).

OSHA has established a PEL for *p*-dichlorobenzene. EPA plans to consider the influence of such limits on occupational exposures in the occupational exposure assessment. The following are some data sources identified thus far:

**Table 2-7. Potential Sources of Occupational Exposure Data**

2012 ATSDR Toxicological Profile
U.S. OSHA Chemical Exposure Health Data (CEHD) program data
U.S. NIOSH Health Hazard Evaluation (HHE) Program reports

**2) Review reasonably available exposure data for surrogate chemicals that have uses, volatility and physical and chemical properties similar to *p*-dichlorobenzene.**

EPA plans to review literature sources identified and if surrogate data are found, these data will be matched to applicable conditions of use for potentially filling data gaps.

**3) For conditions of use where data are limited or not reasonably available, review existing exposure models that may be applicable in estimating exposure levels.**

EPA has identified potentially relevant EPA Generic Scenarios (GS) and will need to critically review these generic scenarios to determine their applicability to the conditions of use assessed. For example, the [May 2004 Additives in Plastics Processing \(Compounding\) GS](#) ([U.S. EPA, 2004a](#)) could be used to estimate occupational exposures. EPA plans to critically review these generic scenarios and ESDs to determine their applicability to the conditions of use. EPA may conduct industry outreach efforts or perform supplemental, targeted searches of peer-reviewed or gray literature to understand those conditions of use, which may inform identification of exposure scenarios. EPA may also need to perform targeted supplemental searches to identify applicable models that EPA may use to estimate exposures for certain conditions of use.

**4) Review reasonably available data that may be used in developing, adapting or applying exposure models to a particular risk evaluation scenario.**

Based on information developed from #2 and #3, EPA plans to evaluate relevant data to determine whether the data can be used to develop, adapt, or apply models for specific conditions of use (and corresponding exposure scenarios). EPA may utilize existing, peer-reviewed exposure models developed by EPA, other government agencies, or reasonably available in the scientific literature, or EPA may elect to develop additional models to assess specific condition(s) of use. Inhalation exposure models may be simple box models or two-zone (near-field/far-field) models. In two-zone models, the near-field exposure represents potential inhalation exposures to workers, and the far-field exposure represents potential inhalation exposures to ONUs.

**5) Consider and incorporate applicable EC and/or PPE into exposure scenarios.**

OSHA recommends employers utilize the hierarchy of controls to address hazardous exposures in the workplace. The hierarchy of controls strategy outlines, in descending order of priority, the use of elimination, substitution, ECs, administrative controls, and lastly PPE. EPA plans to review potentially relevant data sources on EC and PPE to determine their applicability and incorporation into exposure scenarios during risk evaluation. EPA plans to assess worker exposure pre- and post-implementation of EC, using reasonably available information on control technologies and control effectiveness. For example, EPA may assess worker exposure in industrial use scenarios before and after implementation of local exhaust ventilation.

**6) Map or group each condition of use to occupational exposure assessment scenario(s).**

EPA has identified occupational exposure scenarios and mapped them to relevant conditions of use (Appendix F). As presented in the fourth column in Table\_Apx F-1, EPA has completed an initial mapping of exposure scenarios to conditions of use. EPA plans to refine mapping or grouping of occupational exposure scenarios based on factors (*e.g.*, process equipment and handling, magnitude of production volume used, and exposure/release sources) corresponding to conditions of use as reasonably available information is identified. EPA may perform supplemental targeted searches of peer-reviewed or gray literature to better understand certain conditions of use to further develop exposure scenarios.

**7) Evaluate the weight of the scientific evidence of occupational exposure data, which may include qualitative and quantitative sources of information.**

During risk evaluation, EPA plans to evaluate and integrate the exposure evidence identified in the literature inventory using the methods described in the *Application of Systematic Review in TSCA Risk Evaluations* ([U.S. EPA, 2018a](#)). EPA plans to rely on the weight of the scientific evidence when evaluating and integrating occupational data. EPA plans to integrate the data using systematic review methods to assemble the relevant data, evaluate the data for quality and relevance, including strengths and limitations, followed by synthesis and integration of the evidence.

#### **2.7.2.4 Consumer Exposures**

---

EPA plans to analyze both consumers using a consumer product and bystanders associated with the consumer using the product as follows:

**1) Group each condition of use to consumer exposure assessment scenario(s).**

Refine and finalize exposure scenarios for consumers by considering sources (ongoing consumer uses), exposure pathways including routes, and exposed populations.

For *p*-dichlorobenzene, the following are noteworthy considerations in constructing consumer exposure scenarios:

- Conditions of use
- Duration, frequency and magnitude of exposure
- Weight fraction of chemical in products
- Amount of chemical used

**2) Evaluate the potential of indoor exposure pathways based on reasonably available data.**

Based on the physical and chemical properties of *p*-dichlorobenzene and the consumer uses identified, inhalation of vapors and mists is expected to be an important indoor exposure pathway for consumers. EPA plans to review all reasonably available information in developing the consumer exposure scenarios and evaluating the exposure pathways in indoor environments.

**3) Review existing indoor exposure models that may be applicable in estimating indoor air exposures.**

Indoor exposure models that estimate emissions from use of consumer products are available. These models generally consider *p*-chem properties (e.g., vapor pressure, molecular weight), product specific properties (e.g., weight fraction of the chemical in the product), use patterns (e.g., duration and frequency of use), user environment (e.g., room of use, ventilation rates), and receptor characteristics (e.g., exposure factors, activity patterns). The OPPT's Consumer Exposure Model (CEM) and other similar models can be used to estimate indoor air exposures from consumer products.

**4) Review reasonably available empirical data that may be used in developing, adapting or applying exposure models to a particular risk evaluation scenario. For example, existing models developed for a chemical assessment may be applicable to another chemical assessment if model parameter data are available.**

To the extent other organizations have already modeled a *p*-dichlorobenzene consumer exposure scenario that is relevant to the OPPT's assessment, EPA plans to evaluate those modeled estimates. In addition, if other chemicals similar to *p*-dichlorobenzene have been modeled for similar uses, those modeled estimates will also be evaluated. The underlying parameters and assumptions of the models will also be evaluated.

**5) Review reasonably available consumer product-specific sources to determine how those exposure estimates compare with each other and with indoor monitoring data reporting *p*-dichlorobenzene in specific media (e.g., indoor air).**

The availability of *p*-dichlorobenzene concentration for various conditions of use will be evaluated. This data provides the source term for any subsequent indoor modeling.

**6) Review reasonably available population- or subpopulation-specific exposure factors and activity patterns to determine if PESS need to be further refined.**

For *p*-dichlorobenzene, EPA plans to evaluate exposure scenarios that involve PESS and plans to consider age-specific behaviors, activity patterns and exposure factors unique to those subpopulations. For some exposure scenarios related to consumer uses, EPA plans to consider

whether exposures for adults may differ from those of children due to different activities (*e.g.*, children may mouth certain products) or exposure factors (*e.g.*, inhalation rates).

**7) Evaluate the weight of the scientific evidence of consumer exposure estimates based on different approaches.**

EPA plans to rely on the weight of the scientific evidence when evaluating and integrating data related to consumer exposure. The weight of the scientific evidence may include qualitative and quantitative sources of information. EPA plans to integrate the data using systematic review methods to assemble the relevant data, evaluate the data for quality and relevance, including strengths and limitations, followed by synthesis and integration of the evidence.

### **2.7.2.5 General Population**

---

EPA does not plan to analyze general population exposures, based on a review of exposure pathways as described in Section 2.6.3. EPA plans to evaluate whether general population exposure pathways could be addressed pursuant to other Federal laws.

### **2.7.3 Hazards (Effects)**

---

#### **2.7.3.1 Environmental Hazards**

---

EPA plans to conduct an environmental hazard assessment of *p*-dichlorobenzene as follows:

**1) Review reasonably available environmental hazard data, including data from alternative test methods (*e.g.*, computational toxicology and bioinformatics; high-throughput screening methods; data on categories and read-across; *in vitro* studies).**

EPA plans to analyze the hazards of *p*-dichlorobenzene to aquatic organisms, including plants, invertebrates (*e.g.*, insects, arachnids, mollusks, crustaceans), and vertebrates (*e.g.*, mammals, birds, amphibians, fish, reptiles) across exposure durations and conditions if potential environmental hazards are identified through systematic review results and public comments. Additional types of environmental hazard information will also be considered (*e.g.*, analogue and read-across data) when characterizing the potential hazards of *p*-dichlorobenzene to aquatic organisms.

EPA plans to evaluate environmental hazard data using the evaluation strategies laid out in the *Application of Systematic Review in TSCA Risk Evaluations* ([U.S. EPA, 2018a](#)). The study evaluation results will be documented in the risk evaluation phase and data from acceptable studies will be extracted and integrated in the risk evaluation process.

Mechanistic data may include analyses of alternative test data such as novel *in vitro* test methods and high throughput screening. The association between acute and chronic exposure scenarios to the agent and each health outcome will also be integrated. Study results will be extracted and presented in evidence tables or another appropriate format by organ/system.

**2) Derive hazard thresholds for aquatic organisms.**

Depending on the robustness of the evaluated data for a particular organism or taxa (*e.g.*, aquatic invertebrates), environmental hazard values (*e.g.*, EC<sub>x</sub>/LC<sub>x</sub>/NOEC/LOEC, etc.) may be derived and used to further understand the hazard characteristics of *p*-dichlorobenzene to aquatic species.



Identified environmental hazard thresholds may be used to derive concentrations of concern (COC), based on endpoints that may affect populations of organisms or taxa analyzed.

**3) Evaluate the weight of the scientific evidence of environmental hazard data.**

During risk evaluation, EPA plans to evaluate and integrate the environmental hazard evidence identified in the literature inventory using the methods described in the *Application of Systematic Review in TSCA Risk Evaluations* ([U.S. EPA, 2018a](#)).

**4) Consider the route(s) of exposure, based on reasonably available monitoring and modeling data and other available approaches to integrate exposure and hazard assessments.**

EPA plans to consider aquatic (*e.g.*, water and sediment exposures) pathways in the *p*-dichlorobenzene conceptual model. These organisms may be exposed to *p*-dichlorobenzene via a number of environmental pathways (*e.g.*, surface water, sediment, diet).

**5) Consider a persistent, bioaccumulative, and toxic (PBT) assessment of *p*-dichlorobenzene.**

EPA plans to consider the persistence, bioaccumulation, and toxic (PBT) potential of *p*-dichlorobenzene after reviewing relevant physical and chemical properties and exposure pathways. EPA plans to assess the reasonably available studies collected from the systematic review process relating to bioaccumulation and bioconcentration (*e.g.*, BAF, BCF) of *p*-dichlorobenzene. In addition, EPA plans to integrate traditional environmental hazard endpoint values (*e.g.*, LC<sub>50</sub>, LOEC) and exposure concentrations (*e.g.*, surface water concentrations, tissue concentrations) for *p*-dichlorobenzene with the fate parameters (*e.g.*, BAF, BCF, BMF, TMF).

**6) Conduct an environmental risk estimation and characterization of *p*-dichlorobenzene.**

EPA plans to conduct a risk estimation and characterization of *p*-dichlorobenzene to identify if there are risks to the aquatic environments from the measured and/or predicted concentrations of *p*-dichlorobenzene in environmental media (*e.g.*, water, sediment). Risk quotients (RQs) may be derived by the application of hazard and exposure benchmarks to characterize environmental risk ([U.S. EPA, 1998](#); [Barnthouse et al., 1982](#)). Analysis of risk for characterization includes a confidence statement in risk estimation which qualitative judgment describing the certainty of the risk estimate considering the strength the evidence scores for hazard and exposure and the limitations, and relevance.

### **2.7.3.2 Human Health Hazards**

---

EPA plans to analyze human health hazards as follows:

**1) Review reasonably available human health hazard data, including data from alternative test methods (*e.g.*, computational toxicology and bioinformatics; high-throughput screening methods; data on categories and read-across; *in vitro* studies; systems biology).**

EPA plans to evaluate human health studies using the evaluation strategies laid out in the *Application of Systematic Review in TSCA Risk Evaluations* ([U.S. EPA, 2018a](#)) and updates to the epidemiological data quality criteria released with the first ten risk evaluations. The study evaluation results will be documented in the risk evaluation phase and data from acceptable studies will be extracted and integrated in the risk evaluation process ([U.S. EPA, 2018a](#)).

Mechanistic data may include analyses of alternative test data such as novel *in vitro* test methods and high throughput screening. The association between acute and chronic exposure scenarios to

the agent and each health outcome will also be integrated. Study results will be extracted and presented in evidence tables or another appropriate format by organ/system.

**2) In evaluating reasonably available data, determine whether particular human receptor groups may have greater susceptibility to the chemical's hazard(s) than the general population.**

Reasonably available human health hazard data will be evaluated to ascertain whether some human receptor groups may have greater susceptibility than the general population to *p*-dichlorobenzene hazard(s). Susceptibility of particular human receptor groups to *p*-dichlorobenzene will be determined by evaluating information on factors that influence susceptibility.

EPA has reviewed some sources containing hazard information associated with susceptible populations and lifestyles such as pregnant women and infants. Pregnancy (*i.e.*, gestation) and childhood are potential susceptible lifestyles for *p*-dichlorobenzene exposure. EPA may quantify these differences in the risk evaluation following further evaluation of the reasonably available data and information.

**3) Conduct hazard identification (the qualitative process of identifying non-cancer and cancer endpoints) and dose-response assessment (the quantitative relationship between hazard and exposure) for identified human health hazard endpoints.**

Human health hazards from acute and chronic exposures will be identified by evaluating the human and animal data that meet the systematic review data quality criteria described in the *Application of Systematic Review in TSCA Risk Evaluations* ([U.S. EPA, 2018a](#)). Hazards identified by studies meeting data quality criteria will be grouped by routes of exposure relevant to humans (*e.g.*, oral, dermal, inhalation) and by cancer and noncancer endpoints identified in Section 2.4.2.

Dose-response assessment will be performed in accordance with EPA guidance ([U.S. EPA, 2012a](#), [2011a](#), [1994](#)) developing points of departure (POD) for either margins of exposure (MOEs), cancer slope factors (CSFs), oral slope factors (OSFs), and/or inhalation unit risks (IURs). Dose-response analyses may be used if the data meet data quality criteria and if additional information on the identified hazard endpoints are not reasonably available or would not alter the analysis.

The cancer mode of action (MOA) analyses determine the relevancy of animal data to human risk and how data can be quantitatively evaluated. If cancer hazard is determined to be applicable to *p*-dichlorobenzene, EPA plans to evaluate information on genotoxicity and the MOA for all cancer endpoints to determine the appropriate approach for quantitative cancer assessment in accordance with the *U.S. EPA Guidelines for Carcinogen Risk Assessment* ([U.S. EPA, 2005a](#)). In accordance with EPA's *Supplemental Guidance for Assessing Susceptibility from Early-life Exposures to Carcinogens* ([U.S. EPA, 2005b](#)), EPA plans to determine whether age-dependent adjustment factors (ADAFs) are appropriate for *p*-dichlorobenzene for specific conditions of use based upon potential exposures to children.

- 4) **Derive points of departure (PODs) where appropriate; conduct benchmark dose modeling depending on reasonably available data. Adjust the PODs as appropriate to conform (e.g., adjust for duration of exposure) to the specific exposure scenarios evaluated.**

Hazard data will be evaluated to determine the type of dose-response modeling that is applicable. Where modeling is feasible, a set of dose-response models that are consistent with a variety of potentially underlying biological processes will be applied to empirically model the dose-response relationships in the range of the observed data consistent with EPA's *Benchmark Dose Technical Guidance Document* ([U.S. EPA, 2012a](#)). Where dose-response modeling is not feasible, NOAELs or LOAELs will be identified. Non-quantitative data will also be evaluated for contribution to weight of the scientific evidence or for evaluation of qualitative endpoints that are not appropriate for dose-response assessment.

EPA plans to evaluate whether the reasonably available PBPK and empirical kinetic models are adequate for route-to-route and interspecies extrapolation of the POD, or for extrapolation of the POD to standard exposure durations (e.g., lifetime continuous exposure). If application of the PBPK model is not possible, oral PODs may be adjusted by  $BW^{3/4}$  scaling in accordance with U.S. EPA ([2011b](#)), and inhalation PODs may be adjusted by exposure duration and chemical properties in accordance with U.S. EPA ([1994](#)).

- 5) **Evaluate the weight of the scientific evidence of human health hazard data.**

During risk evaluation, EPA plans to evaluate and integrate the human health hazard evidence identified in the literature inventory under acute and chronic exposure conditions using the methods described in the *Application of Systematic Review in TSCA Risk Evaluations* ([U.S. EPA, 2018a](#)).

- 6) **Consider the route(s) of exposure (e.g., oral, inhalation, dermal), reasonably available route-to-route extrapolation approaches; biomonitoring data; and approaches to correlate internal and external exposures to integrate exposure and hazard assessment.**

At this stage of review, EPA believes there will be sufficient reasonably available data to conduct a dose-response analysis and/or benchmark dose modeling for the oral route of exposure. EPA plans to also evaluate any potential human health hazards following dermal and inhalation exposure to *p*-dichlorobenzene, which could be important for worker, consumer and general population risk analysis. Reasonably available data will be assessed to determine whether or not a point of departure can be identified for the dermal and inhalation routes.

If sufficient reasonably available toxicity studies are not identified through the systematic review process to assess risks from inhalation or dermal exposure, then a route-to-route extrapolation may be needed. The preferred approach is to use a PBPK model ([U.S. EPA, 2006a](#)). Without an adequate PBPK model, considerations regarding the adequacy of data for route-to-route extrapolation are described in *Methods for Derivation of Inhalation Reference Concentrations and Application of Inhalation Dosimetry* ([U.S. EPA, 1994](#)). EPA may use these considerations when determining whether to extrapolate from the oral to the inhalation route of exposure. Similar approaches for oral-to-dermal route extrapolation are described in EPA guidance document *Risk Assessment Guidance for Superfund Volume I: Human Health Evaluation Manual (Part E, Supplemental Guidance for Dermal Risk Assessment)* ([U.S. EPA, 2004b](#)).

If there are acceptable inhalation data after completion of systematic review, EPA may also consider extrapolating from the inhalation to the dermal route if first-pass metabolism through the liver via the oral route is expected because in that case, use of data from the oral route is not recommended ([U.S. EPA, 1994](#)). EPA may also consider inhalation-to-dermal route extrapolation if an inhalation toxicity study with a sensitive hazard endpoint is used to evaluate risks. Based on these considerations, EPA extrapolated from the inhalation to the dermal route for several of the first ten risk evaluations under amended TSCA, including methylene chloride ([U.S. EPA, 2020d](#)) and carbon tetrachloride ([U.S. EPA, 2020b](#)).

**7) Conduct a human health risk estimation and characterization of *p*-dichlorobenzene.**

Analysis of risk for characterization includes a confidence statement in risk estimation. This confidence statement is based on qualitative judgment describing the certainty of the risk estimate considering the strength of the evidence scores for hazard and exposure along with their limitations and relevance. The lowest confidence evaluation for either hazard or exposure will drive the overall confidence estimate.

**2.7.4 Summary of Risk Approaches for Characterization**

Risk characterization is an integral component of the risk assessment process for both environmental and human health risks. EPA plans to derive the risk characterization in accordance with EPA's *Risk Characterization Handbook* ([U.S. EPA, 2000](#)). As defined in EPA's [Risk Characterization Policy](#), "the risk characterization integrates information from the preceding components of the risk evaluation and synthesizes an overall conclusion about risk that is complete, informative and useful for decision makers." Risk characterization is considered to be a conscious and deliberate process to bring all important considerations about risk, not only the likelihood of the risk but also the strengths and limitations of the assessment, and a description of how others have assessed the risk into an integrated picture.

The level of information contained in each risk characterization varies according to the type of assessment for which the characterization is written. Regardless of the level of complexity or information, the risk characterization for TSCA risk evaluations will be prepared in a manner that is transparent, clear, consistent, and reasonable ([U.S. EPA, 2000](#)) and consistent with the requirements of the *Procedures for Chemical Risk Evaluation Under the Amended Toxic Substances Control Act* (82 FR 33726, July 20, 2017). As discussed in 40 CFR 702.43, risk characterization has a number of considerations. This is the step where EPA integrates the hazard and exposure assessments into risk estimates for the identified populations (including any PESS) and ecological characteristics and weighs the scientific evidence for the identified hazards and exposures. The risk characterization does not consider costs or other nonrisk factors, and takes into account, "where relevant, the likely duration, intensity, frequency, and number of exposures under the condition(s) of use...." The risk characterization also summarizes the following considerations: (1) uncertainty and variability in each step of the risk evaluation; (2) data quality, and any applicable assumptions used; (3) alternative interpretations of data and analyses, where appropriate; and (4) any considerations for environmental risk evaluations, if necessary (*e.g.*, related to nature and magnitude of effects).

EPA plans to also be guided by EPA's Information Quality Guidelines ([U.S. EPA, 2002](#)) as it provides guidance for presenting risk information. Consistent with those guidelines, in the risk characterization, EPA plans to also identify: (1) Each population addressed by an estimate of applicable risk effects; (2) the expected risk or central estimate of risk for affected PESS; (3) each appropriate upper-bound or

lower bound estimate of risk; (4) each significant uncertainty identified in the process of the assessment of risk effects and the studies that would assist in resolving the uncertainty; and (5) peer reviewed studies known to the Agency that support, are directly relevant to, or fail to support any estimate of risk effects and the methodology used to reconcile inconsistencies in the scientific information.

## **2.8 Peer Review**

---

Peer review will be conducted in accordance with EPA's regulatory procedures for chemical risk evaluations, including using EPA's Peer Review Handbook ([U.S. EPA, 2015b](#)) and other methods consistent with Section 26 of TSCA (see 40 CFR 702.45). As explained in the Risk Evaluation Rule, the purpose of peer review is for the independent review of the science underlying the risk assessment (see 82 Fed. Reg. 33726, 33744; July 12, 2017). Peer review will therefore address aspects of the underlying science as outlined in the charge to the peer review panel such as hazard assessment, assessment of dose-response, exposure assessment, and risk characterization. The draft risk evaluation for *p*-dichlorobenzene will be peer reviewed.

## REFERENCES

---

- [Atkinson, R.](#) (1989). Kinetics and mechanisms of the gas-phase reactions of the hydroxyl radical with organic compounds. Monograph No. 1. <https://srdr.nist.gov/JPCRD/jpcrdM1.pdf>
- [ATSDR](#) (Agency for Toxic Substances and Disease Registry). (2006). Toxicological profile for dichlorobenzenes. Atlanta, GA: U.S. Department of Health and Human Services, Public Health Service, Agency for Toxic Substances and Disease Registry. <https://www.atsdr.cdc.gov/ToxProfiles/tp10.pdf>
- [Barnhouse, LW; DeAngelis, DL; Gardner, RH; O'Neill, RV; Suter, GW; Vaughan, DS.](#) (1982). Methodology for Environmental Risk Analysis. (ORNL/TM-8167). Oak Ridge, TN: Oak Ridge National Laboratory.
- [Bosma, TNP; Te Welscher, RAG; Schraa, G; Smeenk, J; Zehnder, AJB.](#) (1991). Microbial aspects of the behaviour of chlorinated compounds during soil passage. In A Bjørseth (Ed.), Organic Micropollutants in the Aquatic Environment (pp. 184-192). Dordrecht, The Netherlands: Springer, Dordrecht. [http://dx.doi.org/10.1007/978-94-011-3356-2\\_17](http://dx.doi.org/10.1007/978-94-011-3356-2_17)
- [Chaisuksant, Y; Yu, Q; Connell, DW.](#) (1997). Bioconcentration of bromo- and chlorobenzenes by fish (*Gambusia affinis*). Water Res 31: 61-68. [http://dx.doi.org/10.1016/S0043-1354\(96\)00229-1](http://dx.doi.org/10.1016/S0043-1354(96)00229-1)
- [Cherrie, JW; Semple, S; Christopher, Y; Saleem, A; Hughson, GW; Philips, A.](#) (2006). How important is inadvertent ingestion of hazardous substances at work? Ann Occup Hyg 50: 693-704. <http://dx.doi.org/10.1093/annhyg/mel035>
- [Chiou, CT; Porter, PE; Schmedding, DW.](#) (1983). Partition equilibria of nonionic organic compounds between soil organic matter and water. 17: 227-231. <https://doi.org/10.1021/es00110a009>
- [CPID](#) (Consumer Product Information Database). (2020). What's in it? p-Dichlorobenzene. Available online at <https://www.whatsinproducts.com/chemicals/view/1/1464/000106-46-7>
- [DeLima Associates.](#) (2014). Bowl fresh toilet bowl deodorizer. DeLima Associates. [https://www.whatsinproducts.com/types/type\\_detail/1/15465/standard/Bowl%20Fresh%20Toilet%20Bowl%20Deodorizer-10/20/2014/23-017-013](https://www.whatsinproducts.com/types/type_detail/1/15465/standard/Bowl%20Fresh%20Toilet%20Bowl%20Deodorizer-10/20/2014/23-017-013)
- [ECHA](#) (European Chemicals Agency). (2004). European Union risk assessment report: 1,4-dichlorobenzene. Luxembourg: European Union, European Chemicals Bureau, Institute for Health and Consumer Protection. <https://echa.europa.eu/documents/10162/fb7bf6b4-7831-4c3b-87b3-5acd493ce597>
- [ECHA](#) (European Chemicals Agency). (2019). Registration dossier: 1,4-dichlorobenzene (106-46-7) [Website]. Helsinki, Finland. <https://echa.europa.eu/registration-dossier/-/registered-dossier/14821/1>
- [Environment Canada.](#) (2018). Chemicals at a glance. Government of Canada, Environment Canada, Health Canada. <https://www.canada.ca/en/health-canada/services/chemical-substances/factsheets/chemicals-glance.html>
- [Finnish Environment Institute.](#) (2019). Data bank of environmental properties of chemicals: 1,4-dichlorobenzene. [http://www.ymparisto.fi/scripts/Kemrek/Kemrek\\_uk.asp?Method=MAKECHEMdetailsform&xtChemId=125](http://www.ymparisto.fi/scripts/Kemrek/Kemrek_uk.asp?Method=MAKECHEMdetailsform&xtChemId=125)
- [Frigid Fluid Co.](#) (2016). Safety data sheet: Paulex powder. Frigid Fluid Co. <https://www.frigidfluid.com/wp-content/uploads/2018/05/PaulexPowderSDS.pdf>
- [GoodGuide.](#) (2011). 1,4-Dichlorobenzene. [http://scorecard.goodguide.com/chemical-profiles/summary.tcl?edf\\_substance\\_id=+106-46-7#use\\_profile](http://scorecard.goodguide.com/chemical-profiles/summary.tcl?edf_substance_id=+106-46-7#use_profile)
- [Grainger Global Sourcing.](#) (2014). SDS - B/Screen PDCB H/Stamp Pink Cherry.

Haider, K; Jagnow, G; Kohnen, R; Lim, SU. (1974). Degradation of chlorinated benzenes, phenols and cyclohexane derivatives by benzene and phenol utilizing soil bacteria under aerobic conditions. 96: 183-200. <http://dx.doi.org/10.1007/BF00590175>

Home Depot. (2019). 20 oz. Para Moth Balls Box. Home Depot. <https://www.homedepot.com/p/Enoz-20-oz-Para-Moth-Balls-Box-E32-1/207207031>

Hospesco. (2018). Safety Data Sheet: 8220 Round Block PARA Cherry Pink. [https://www.hospesco.com/Documents/SDS/08220%20Round%20Block%20PARA%20Cherry%20Pink\\_\(US\).pdf](https://www.hospesco.com/Documents/SDS/08220%20Round%20Block%20PARA%20Cherry%20Pink_(US).pdf)

Howard, BE; Phillips, J; Miller, K; Tandon, A; Mav, D; Shah, MR; Holmgren, S; Pelch, KE; Walker, V; Rooney, AA; Macleod, M; Shah, RR; Thayer, K. (2016). SWIFT-Review: a text-mining workbench for systematic review. Syst Rev 5: 87. <http://dx.doi.org/10.1186/s13643-016-0263-z>

HSDB (Hazardous Substances Data Bank). (2018). 1,4-dichlorobenzene [Website]. <http://toxnet.nlm.nih.gov/cgi-bin/sis/search2/r?dbs+hsdb:@term+@DOCNO+523>

IARC (International Agency for Research on Cancer). (1999). Some chemicals that cause tumours of the kidney or urinary bladder in rodents and some other substances. In IARC Monographs on the Evaluation of Carcinogenic Risks to Humans. Lyon, France: World Health Organization. <https://monographs.iarc.fr/wp-content/uploads/2018/06/mono73.pdf>

Krishnamurti, R. (2001). Chlorinated benzenes. In Kirk-Othmer Encyclopedia of Chemical Technology. [online]: John Wiley & Sons. <https://onlinelibrary.wiley.com/doi/10.1002/0471238961.0308121502182501.a01.pub2>

Kurt, Z; Spain, JC. (2013). Biodegradation of chlorobenzene, 1,2-dichlorobenzene, and 1,4-dichlorobenzene in the vadose zone. Environ Sci Technol 47: 6846-6854. <http://dx.doi.org/10.1021/es3049465>

Lanxess Corporation. (2015). Product Safety Assessment: p-Dichlorobenzene. Lanxess Corporation. <http://lanxess4you.com/psra/summaries/p-Dichlorobenzene.pdf>

Marvel Oil Company. (2017a). Marvel Mystery Oil. (Revision 12). <https://www.marvelmysteryoil.com/media/1256/marvel-mystery-oil.pdf>

Marvel Oil Company. (2017b). SDS for: Marvel Mystery Oil-01/26/2017. Addison, IL: Marvel Oil Company; I. [https://www.whatsinproducts.com/brands/show\\_msds/1/21614](https://www.whatsinproducts.com/brands/show_msds/1/21614)

NICNAS (National Industrial Chemicals Notification and Assessment Scheme). (2000). Priority existing chemical assessment report no. 13: Para-dichlorobenzene. Sydney, Australia: Australian Department of Health, National Industrial Chemicals Notification and Assessment Scheme. [https://search.nicnas.gov.au/s/redirect?collection=nicnas-assessments&url=https%3A%2F%2Fwww.nicnas.gov.au%2F\\_data%2Fassets%2Fword\\_doc%2F0017%2F34820%2FPEC13-para-dichlorobenzene.docx&auth=qoNm9zjYV%2F7XuInieVZzVw&profile=default&rank=1&query=106-46-7+%2B%5BQ%3A106-46-7%5D+%7C3%3AAssessments](https://search.nicnas.gov.au/s/redirect?collection=nicnas-assessments&url=https%3A%2F%2Fwww.nicnas.gov.au%2F_data%2Fassets%2Fword_doc%2F0017%2F34820%2FPEC13-para-dichlorobenzene.docx&auth=qoNm9zjYV%2F7XuInieVZzVw&profile=default&rank=1&query=106-46-7+%2B%5BQ%3A106-46-7%5D+%7C3%3AAssessments)

NIOSH (National Institute for Occupational Safety and Health). (1994). NIOSH Publications & Products. <https://www.cdc.gov/niosh/idlh/106467.html>

NIOSH. (National Institute for Occupational Safety and Health) (2016). Updated Immediately Dangerous To Life or Health (IDLH) Values (as of 2016). Atlanta, GA. <http://www.cdc.gov/niosh/idlh/intrid14.html>

NIOSH. (National Institute for Occupational Safety and Health) (2020). NIOSH Potential Carcinogen List [Database]. <https://www.cdc.gov/niosh/topics/cancer/npotocca.html>

NITE (National Institute of Technology and Evaluation). (2010). Substance data: Chemical substances information: 1,4 dichlorobenzene (106-46-7) [Database]. Japan CHEMicals Collaborative

- Knowledge database. [https://www.nite.go.jp/chem/jcheck/detail.action?cno=106-46-7&mno=3-0041&request\\_locale=en](https://www.nite.go.jp/chem/jcheck/detail.action?cno=106-46-7&mno=3-0041&request_locale=en)
- NLM** (National Institutes of Health, National Library of Medicine). (2018). PubChem: Hazardous Substance Data Bank: 1,4-Dichlorobenzene, 106-46-7 [Website]. <https://pubchem.ncbi.nlm.nih.gov/compound/4685#source=HSDB>
- O'Neil, MJ; Heckelman, PE; Dobbelaar, PH; Roman, KJ; Kenney, CM; Karaffa, LS.** (2013). The Merck index: An encyclopedia of chemicals, drugs, and biologicals (15th ed.). Cambridge, UK: The Royal Society of Chemistry.
- OECD** (Organisation for Economic Co-operation and Development). (2004). Emission scenario document on lubricants and lubricant additives. (JT00174617). Paris, France. [http://www.oilis.oecd.org/olis/2004doc.nsf/LinkTo/env-jm-mono\(2004\)21](http://www.oilis.oecd.org/olis/2004doc.nsf/LinkTo/env-jm-mono(2004)21)
- OECD** (Organisation for Economic Co-operation and Development). (2009). Emission scenario document on plastics additives. (JT03267870). Paris, France. [http://www.oecd.org/officialdocuments/publicdisplaydocumentpdf/?cote=env/jm/mono\(2004\)8/rev1&doclanguage=en](http://www.oecd.org/officialdocuments/publicdisplaydocumentpdf/?cote=env/jm/mono(2004)8/rev1&doclanguage=en)
- OECD** (Organisation for Economic Co-operation and Development). (2011). Emission scenario document on the chemical industry. (JT03307750). <http://www.oecd.org/env/ehs/risk-assessment/48774702.pdf>
- Oliver, BG; Niimi, AJ.** (1983). Bioconcentration of chlorobenzenes from water by rainbow trout: correlations with partition coefficients and environmental residues. Environ Sci Technol 17: 287-291.
- OSHA** (Occupational Safety and Health Administration). (2020). Table Z-1 Limits for Air Contaminants. <https://www.osha.gov/laws-regs/regulations/standardnumber/1910/1910.1000TABLEZ1>
- RSC** (Royal Society of Chemistry). (2019). ChemSpider: 1,4-Dichlorobenzene [Website]. <http://www.chemspider.com/Chemical-Structure.13866817.html?rid=eeb95d80-40ae-4125-8796-c2f8dd963e9a>
- Rumble, JR.** (2018). CRC handbook of chemistry and physics (99 ed.). Boca Raton, FL: CRC Press.
- Shiu, WY; Mackay, D.** (1997). Henry's law constants of selected aromatic hydrocarbons, alcohols, and ketones. Journal of Chemical and Engineering Data 42: 27-30. <http://dx.doi.org/10.1021/je960218u>
- Solvay.** (2020). Ryton®PPS Regulatory Statements. <https://www.solvay.com/en/brands/ryton-pps/regulatory-statements>
- Synapse Information Resources.** (2009). Specialty Chemicals Source Book (4 ed.).
- Tomer, A; Kane, J.** (2015). The great port mismatch. U.S. goods trade and international transportation. The Global Cities Initiative. A joint project of Brookings and JPMorgan Chase. <https://www.brookings.edu/wp-content/uploads/2015/06/brgkssrvygcifreightnetworks.pdf>
- Touch n Foam.** (2019). DAP® Mouse shield® foam sealant 2019. [http://www.touch-n-foam.com/cmss\\_files/attachmentlibrary/TDS/TDS-TNF-MouseShield-FINAL.pdf](http://www.touch-n-foam.com/cmss_files/attachmentlibrary/TDS/TDS-TNF-MouseShield-FINAL.pdf)
- U.S. EPA** (U.S. Environmental Protection Agency). (1994). Methods for derivation of inhalation reference concentrations and application of inhalation dosimetry [EPA Report]. (EPA/600/8-90/066F). Research Triangle Park, NC: U.S. Environmental Protection Agency, Office of Research and Development, Office of Health and Environmental Assessment, Environmental Criteria and Assessment Office. <https://cfpub.epa.gov/ncea/risk/recordisplay.cfm?deid=71993&CFID=51174829&CFTOKEN=25006317>



- [U.S. EPA](#) (U.S. Environmental Protection Agency). (1998). Guidelines for ecological risk assessment [EPA Report]. (EPA/630/R-95/002F). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. <https://www.epa.gov/risk/guidelines-ecological-risk-assessment>
- [U.S. EPA](#) (U.S. Environmental Protection Agency). (2000). Science policy council handbook: Risk characterization handbook. (EPA/100/B-00/002). Washington, DC: U.S. Environmental Protection Agency, Science Policy Council. <https://www.epa.gov/risk/risk-characterization-handbook>
- [U.S. EPA](#) (U.S. Environmental Protection Agency). (2002). Guidelines for ensuring and maximizing the quality, objectivity, utility, and integrity of information disseminated by the Environmental Protection Agency. (EPA/260/R-02/008). Washington, DC: U.S. Environmental Protection Agency, Office of Environmental Information. <https://www.epa.gov/sites/production/files/2017-03/documents/epa-info-quality-guidelines.pdf>
- [U.S. EPA](#) (U.S. Environmental Protection Agency). (2004a). Additives in plastics processing (compounding) – Generic scenario for estimating occupational exposures and environmental Release – Draft. Washington, DC. <https://www.epa.gov/tsc-screening-tools/chemsteer-chemical-screening-tool-exposures-and-environmental-releases#genericscenarios>
- [U.S. EPA](#) (U.S. Environmental Protection Agency). (2004b). Risk Assessment Guidance for Superfund (RAGS), Volume I: Human health evaluation manual, (Part E: Supplemental guidance for dermal risk assessment). (EPA/540/R/99/005). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. <https://www.epa.gov/risk/risk-assessment-guidance-superfund-rags-part-e>
- [U.S. EPA](#) (U.S. Environmental Protection Agency). (2005a). Guidelines for carcinogen risk assessment [EPA Report]. (EPA/630/P-03/001B). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. [https://www.epa.gov/sites/production/files/2013-09/documents/cancer\\_guidelines\\_final\\_3-25-05.pdf](https://www.epa.gov/sites/production/files/2013-09/documents/cancer_guidelines_final_3-25-05.pdf)
- [U.S. EPA](#). (U.S. Environmental Protection Agency) (2005b). Supplemental guidance for assessing susceptibility from early-life exposure to carcinogens [EPA Report]. (EPA/630/R-03/003F). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. [https://www3.epa.gov/airtoxics/childrens\\_supplement\\_final.pdf](https://www3.epa.gov/airtoxics/childrens_supplement_final.pdf)
- [U.S. EPA](#). (U.S. Environmental Protection Agency) (2006a). Approaches for the application of physiologically based pharmacokinetic (PBPK) models and supporting data in risk assessment (Final Report) [EPA Report] (pp. 1-123). (EPA/600/R-05/043F). Washington, DC: U.S. Environmental Protection Agency, Office of Research and Development, National Center for Environmental Assessment. <http://cfpub.epa.gov/ncea/cfm/recordisplay.cfm?deid=157668>
- [U.S. EPA](#) (U.S. Environmental Protection Agency). (2006b). A framework for assessing health risk of environmental exposures to children (pp. 1-145). (EPA/600/R-05/093F). Washington, DC: U.S. Environmental Protection Agency, Office of Research and Development, National Center for Environmental Assessment. <http://cfpub.epa.gov/ncea/cfm/recordisplay.cfm?deid=158363>
- [U.S. EPA](#) (U.S. Environmental Protection Agency). (2011a). Exposure factors handbook: 2011 edition [EPA Report]. (EPA/600/R-090/052F). Washington, DC. <http://cfpub.epa.gov/ncea/cfm/recordisplay.cfm?deid=236252>
- [U.S. EPA](#) (U.S. Environmental Protection Agency). (2011b). Recommended use of body weight 3/4 as the default method in derivation of the oral reference dose (pp. 1-50). (EPA/100/R-11/0001). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum, Office of the Science Advisor. <https://www.epa.gov/sites/production/files/2013-09/documents/recommended-use-of-bw34.pdf>

- [U.S. EPA](#) (U.S. Environmental Protection Agency). (2012a). Benchmark dose technical guidance. (EPA/100/R-12/001). Washington, DC: U.S. Environmental Protection Agency, Risk Assessment Forum. <https://www.epa.gov/risk/benchmark-dose-technical-guidance>
- [U.S. EPA](#) (U.S. Environmental Protection Agency). (2012b). Estimation Programs Interface Suite™ for Microsoft® Windows, v 4.11. Washington, DC. Retrieved from <https://www.epa.gov/tsca-screening-tools/epi-suitetm-estimation-program-interface>
- [U.S. EPA](#) (U.S. Environmental Protection Agency). (2015a). ChemSTEER user guide - Chemical screening tool for exposures and environmental releases. Washington, DC. [https://www.epa.gov/sites/production/files/2015-05/documents/user\\_guide.pdf](https://www.epa.gov/sites/production/files/2015-05/documents/user_guide.pdf)
- [U.S. EPA](#) (U.S. Environmental Protection Agency). (2015b). Science policy council peer review handbook [EPA Report] (4th ed.). (EPA/100/B-15/001). Washington, DC: U.S. Environmental Protection Agency, Science Policy Council. <https://www.epa.gov/osa/peer-review-handbook-4th-edition-2015>
- [U.S. EPA](#) (U.S. Environmental Protection Agency). (2018a). Application of systematic review in TSCA risk evaluations. (740-P1-8001). Washington, DC: U.S. Environmental Protection Agency, Office of Chemical Safety and Pollution Prevention. [https://www.epa.gov/sites/production/files/2018-06/documents/final\\_application\\_of\\_sr\\_in\\_tsca\\_05-31-18.pdf](https://www.epa.gov/sites/production/files/2018-06/documents/final_application_of_sr_in_tsca_05-31-18.pdf)
- [U.S. EPA](#) (U.S. Environmental Protection Agency). (2018b). Chemistry dashboard information for 1,4-Dichlorobenzene [Website]. <https://comptox.epa.gov/dashboard/dsstoxdb/results?search=106-46-7#details>
- [U.S. EPA](#) (U.S. Environmental Protection Agency). (2018c). para-Dichlorobenzene: Human health risk assessment in support of registration review. (EPA-HQ-OPP-2016-0117). Washington, DC: U.S. Environmental Protection Agency, Office of Pesticide Programs. <https://www.regulations.gov/docket?D=EPA-HQ-OPP-2016-0117>
- [U.S. EPA](#) (U.S. Environmental Protection Agency). (2019a). Chemical data reporting (2012 and 2016 CBI CDR database). U.S. Environmental Protection Agency, Office of Pollution Prevention and Toxics.
- [U.S. EPA](#) (U.S. Environmental Protection Agency). (2019b). CPCat: Chemical and Product Categories. <https://actor.epa.gov/cpcat/faces/home.xhtml>
- [U.S. EPA](#). (U.S. Environmental Protection Agency) (2019c). Proposed Designation of o-Dichlorobenzene (CASRN 95-50-1) as a High-Priority Substance for Risk Evaluation. U.S. Environmental Protection Agency, Office of Chemical Safety and Pollution Prevention. [https://www.epa.gov/sites/production/files/2019-08/documents/o-dichlorobenzene\\_95-50-1\\_high-priority\\_proposeddesignation\\_082319.pdf](https://www.epa.gov/sites/production/files/2019-08/documents/o-dichlorobenzene_95-50-1_high-priority_proposeddesignation_082319.pdf)
- [U.S. EPA](#) (U.S. Environmental Protection Agency). (2019d). Proposed designation of p-Dichlorobenzene (CASRN 106-46-7) as a high priority substance for risk evaluation. Office of Chemical Safety and Pollution Prevention. [https://www.epa.gov/sites/production/files/2019-08/documents/pdb\\_106-46-7\\_high-priority\\_proposeddesignation\\_082319.pdf](https://www.epa.gov/sites/production/files/2019-08/documents/pdb_106-46-7_high-priority_proposeddesignation_082319.pdf)
- [U.S. EPA](#) (U.S. Environmental Protection Agency). (2019e). TRI Explorer (2018 dataset released November 2019). Washington, DC: U.S. Environmental Protection Agency. <https://enviro.epa.gov/triexplorer/>
- [U.S. EPA](#) (U.S. Environmental Protection Agency). (2020a). Chemical data reporting (2012 and 2016 Public CDR database) [Database]. Washington, DC: U.S. Environmental Protection Agency, Office of Pollution Prevention and Toxics. ChemView: July 2020. <https://chemview.epa.gov/chemview>

- U.S. EPA. (U.S. Environmental Protection Agency) (2020b). Draft risk evaluation for carbon tetrachloride (methane, tetrachloro-); CASRN: 56-23-5 (pp. 1-301). (EPA-740-R1-8014). Office of Chemical Safety and Pollution Prevention, U.S. Environmental Protection Agency. <https://nepis.epa.gov/Exe/ZyPDF.cgi/P100YHUW.PDF?Dockkey=P100YHUW.PDF>
- U.S. EPA. (U.S. Environmental Protection Agency) (2020c). Draft Scope of the risk evaluation for p-Dichlorobenzene CASRN 106-46-7 [EPA Report]. (EPA-740-D-20-002). [https://www.epa.gov/sites/production/files/2020-04/documents/casm-106-46-7\\_p-dichlorobenzene\\_draft\\_scope.pdf](https://www.epa.gov/sites/production/files/2020-04/documents/casm-106-46-7_p-dichlorobenzene_draft_scope.pdf)
- U.S. EPA. (U.S. Environmental Protection Agency) (2020d). Risk evaluation for methylene chloride (dichloromethane, dcm); CASRN: 75-09-2 (pp. 1-753). (EPA-740-R1-8010). Office of Chemical Safety and Pollution Prevention, U.S. Environmental Protection Agency. [https://www.epa.gov/sites/production/files/2020-06/documents/1\\_mecl\\_risk\\_evaluation\\_final.pdf](https://www.epa.gov/sites/production/files/2020-06/documents/1_mecl_risk_evaluation_final.pdf)
- Van Der Meer, JR; Bosma, TN; De Bruin, WP; Harms, H; Holliger, C; Rijnaarts, HH; Tros, ME; Schraa, G; Zehnder, AJ. (1992). Versatility of soil column experiments to study biodegradation of halogenated compounds under environmental conditions. *Biodegradation* 3: 265-284. <http://dx.doi.org/10.1007/BF00129088>
- Verbruggen, EM; Klamer, HJC; Villerius, L; Brinkman, UAT; Hermens, JL. (1999). Gradient elution reversed-phase high-performance liquid chromatography for fractionation of complex mixtures of organic micropollutants according to hydrophobicity using isocratic retention parameters. *J Chromatogr A* 835: 19-27. [http://dx.doi.org/10.1016/S0021-9673\(97\)90065-0](http://dx.doi.org/10.1016/S0021-9673(97)90065-0)

## APPENDICES

### Appendix A ABBREVIATED METHODS FOR SEARCHING AND SCREENING

#### A.1 Literature Search of Publicly Available Databases

##### A.1.1 Search Term Genesis and Chemical Verification

To develop the chemical terms for the subsequent literature search for *p*-dichlorobenzene, several online sources were queried.

- California Department of Pesticide Regulation:  
<https://www.cdpr.ca.gov/docs/chemical/monster2.htm>
- USEPA Chemistry Dashboard: <https://comptox.epa.gov/dashboard>
- University of Hertfordshire PPDB: Pesticide Properties DataBase:  
<https://sitem.herts.ac.uk/aeru/ppdb/en/search.htm>
- USEPA Reregistration Eligibility Decision (RED) documents:  
<https://archive.epa.gov/pesticides/reregistration/web/html/status.html>
- Office of Pesticide Programs Pesticide Chemical Search:  
<https://ofmpub.epa.gov/apex/pesticides/f?p=CHEMICALSEARCH:1>
- Food and Agriculture Organization of the United Nations: <http://www.fao.org/home/en/>
- PAN Pesticides Database: [http://www.pesticideinfo.org/Search\\_Chemicals.jsp](http://www.pesticideinfo.org/Search_Chemicals.jsp)

Prior to inclusion in the search term string, all forms of chemical names were subjected to verification from several potential sources (*e.g.*, US EPA Chemistry Dashboard, STN International-CAS; see complete list of sources for chemical verification in Table\_Apx A-1). From these sources, all chemical names, synonyms, CAS number(s), trade names, etc. were documented and used to generate terms for database searches.

**Table\_Apx A-1 Sources of Verification for Chemical Names and Structures**

CHEMICAL SOURCE	CONTENTS	DOCUMENT LOCATION
Chemistry Dashboard ( <a href="https://comptox.epa.gov/dashboard">https://comptox.epa.gov/dashboard</a> )	CAS Numbers, Synonyms, Structures, Properties, Environmental Fate and Transport.	Online
Dictionary of Chemical Names and Synonyms	Wide assortment of chemical compounds by chemical name and synonym, has CAS index and some structure data	ECOTOX
Farm Chemicals Handbook-1992	Pesticide information, CAS numbers and synonyms, some structure data ***Sometimes CAS number presented for a compound is for the main constituent only	ECOTOX
OPPT SMILES Verification Source	Structure Data	Electronic verification
RTECS (Registry of Toxic Effects of chemical substance, 1983-84 ed., 2 vols)	Chemical names, synonyms and CAS numbers	ECOTOX
Sigma – Aldrich website 58784 <a href="http://www.sigma-aldrich.com">http://www.sigma-aldrich.com</a>	Organic and inorganic Compounds by chemical name, has CAS index and some structure and Physical Property data	Online

CHEMICAL SOURCE	CONTENTS	DOCUMENT LOCATION
STN International (CAS) 1994	***Most complete source of chemical name, synonym and structure information, no physical properties	Online
The Pesticide Manual 10th edition, 1994	Pesticide Compounds by chemical name, synonym, product code, has CAS index and some structure and Physical Property data	ECOTOX
TSCA (Toxic Substances Control Act Chemical Substance Inventory, 1985 ed., 5 vols)	Chemical names, synonyms and CAS numbers	ECOTOX
World Wide Web (misc. web sources) A copy of the verification page is saved to the Attachments tab of the chemical entry. This includes company MSDS sheets or Chemical Labels.	Chemical names, synonyms and CAS numbers	Online
California Department of Pesticide Regulation ( <a href="http://www.cdpr.ca.gov/dprdatabase.htm">http://www.cdpr.ca.gov/dprdatabase.htm</a> )	Multiple databases containing chemicals, pesticides, companies, products, etc.	Online
PAN Pesticide Database ( <a href="http://www.pesticideinfo.org/Search_Chemicals.jsp">http://www.pesticideinfo.org/Search_Chemicals.jsp</a> )	Pesticides searchable by name or CAS #. Includes CAS #, Name, synonyms, targets, toxicity data, related chemicals and regulatory information.	Online
US EPA Office of Pesticide Programs Pesticide Fate Database – No web access available. An electronic copy of the data file is located at the Contractor site: PFATE_37_Tables.mdb.	Multiple databases containing chemicals, pesticides, companies, products, etc.	Online

### **A.1.2 Publicly Available Database Searches**

The databases listed below were searched for literature containing the chemical search terms. Database searching occurred during April and May of 2019 by an information specialist and the results were stored in the Health and Environmental Research Online (HERO) database and assigned a HERO reference identification number.<sup>9</sup> The present literature search focused only on the chemical name (including synonyms and trade names) with no additional limits. Full details of the search strategy for each database are presented in Appendix A.1.2.1.

After initial deduplication in HERO<sup>10</sup>, these studies were imported into [SWIFT Review](#) software ([Howard et al., 2016](#)) to identify those references most likely to be applicable to each discipline area (*i.e.* consumer, environmental, and general population exposure, occupational exposure and environmental releases, environmental hazards, human health hazards, and fate and physical chemistry).

#### **A.1.2.1 Query Strings for the Publicly-Available Database Searches on *p*-Dichlorobenzene**

Table\_Apx A-2 presents a list of the data sources, the search dates and number of peer-reviewed references resulting from the searches for *p*-dichlorobenzene. The sources are found as online databases and the resulting references were gathered and uploaded into the EPA Health and Environmental Research Online (HERO) database for literature screening.

<sup>9</sup>EPA's HERO database provides access to the scientific literature behind EPA science assessments. The database includes more than 600,000 scientific references and data from the peer-reviewed literature used by EPA to develop its regulations.

<sup>10</sup> Deduplication in HERO involves first determining whether a matching unique ID exists (*e.g.*, PMID, WOSid, or DOI). If one matches one that already exists in HERO, HERO will tag the existing reference instead of adding the reference again. Second, HERO checks if the same journal, volume, issue and page number are already in HERO. Third, HERO matches on the title, year, and first author. Title comparisons ignore punctuation and case.

**Table\_Apx A-2. Summary of Data Sources, Search Dates and Number of Peer-Reviewed Literature Search Results for *p*-Dichlorobenzene**

Source	Date of Search	Number of References
Current Contents	4/23/2019	362
Web of Science	9/13/2019	1111
ProQuest CSA	4/23/2019	2220
Dissertation Abstracts	4/23/2019	11
Science Direct	4/23/2019	559
Agricola	4/23/2019	882
TOXNET	4/23/2019	1397
UNIFY	4/24/2019	216
PubMed	5/30/2019	1175
<b>Totals:</b>		<b>7933</b>

### **GENERAL**

General search terms were compiled and used in the search strategies for each of the databases/sources listed below. Based upon the online search manuals for the respective databases/sources, it was necessary to construct searches as noted for each of the sources. The search terms are listed below in full for each source and noted if the general search terms or other search terms were used.

"1, 4-Dichlorobenzene" OR "1,4-Chlorobenzene" OR "1,4-Dichlorbenzol" OR "1,4-Dichlorobenzene" OR "1,4-Dichloro-Benzene" OR "Benzene, 1,4-dichloro-" OR "BENZENE, P-DICHLORO" OR "Benzene, p-dichloro-" OR "Caswell No. 632" OR "DICHLORICIDE" OR "Di-chloricide" OR "Dichlorobenzene, p" OR "Dichlorobenzene, p-" OR "Dichlorobenzene, para" OR "Dichlorobenzene, para-" OR "Dichlorocide" OR "Di-Choricide" OR "Evola" OR "Global" OR "Kaydox" OR "NCI-C54955" OR "NSC 36935" OR "Para crystals" OR "Paracide" OR "Paradichlorbenzol" OR "Para-dichloro benzene" OR "Paradichlorobenzene" OR "para-Dichlorobenzene" OR "Paradichlorobenzol" OR "Paradow" OR "Paramoth" OR "Paranuggets" OR "Parazene" OR "p-Chlorophenyl chloride" OR "PDCB" OR "P-DCB" OR "p-Dichlorbenzene" OR "p-Dichlorobenzene" OR "p-Dichloro-Benzene" OR "p-Dichlorobenzol" OR "Persia-Perazol" OR "Santochlor"

### **CURRENT CONTENTS CONNECT:** ([access.webofknowledge.com](http://access.webofknowledge.com))

General Search Terms applied to the search strategy for Current Contents.

Date Searched: 04/23/2019

Date Range of Search: 1970 to Present

N = 362

TS=("1, 4-Dichlorobenzene" OR "1,4-Chlorobenzene" OR "1,4-Dichlorbenzol" OR "1,4-Dichlorobenzene" OR "1,4-Dichloro-Benzene" OR "Benzene, 1,4-dichloro-" OR "BENZENE, P-DICHLORO" OR "Benzene, p-dichloro-" OR "Caswell No. 632" OR "DICHLORICIDE" OR "Di-chloricide" OR "Dichlorobenzene, p" OR "Dichlorobenzene, p-" OR "Dichlorobenzene, para" OR "Dichlorobenzene, para-" OR "Dichlorocide" OR "Di-Choricide" OR "Evola" OR "Global" OR "Kaydox" OR "NCI-C54955" OR "NSC 36935" OR "Para crystals" OR "Paracide" OR "Paradichlorbenzol" OR "Para-dichloro benzene" OR "Paradichlorobenzene" OR "para-Dichlorobenzene" OR "Paradichlorobenzol" OR "Paradow" OR "Paramoth" OR "Paranuggets" OR "Parazene" OR "p-Chlorophenyl chloride" OR "PDCB" OR "P-DCB" OR "p-Dichlorbenzene" OR "p-

Dichlorobenzene" OR "p-Dichloro-Benzene" OR "p-Dichlorobenzol" OR "Persia-Perazol" OR "Santochlor")  
N = 362

### **WOS Core Collection**

Web of Science Core Collection may be accessed through EPA Desktop Library (<https://intranet.epa.gov/desktop/databases.htm>) by clicking on the Web of Science Link or copying and pasting (<https://apps.webofknowledge.com>).

Date Searched: 09/13/2019

Date Range of Search: 1970 to Present

N = 1111

TS=("1, 4-Dichlorobenzene" OR "1,4-Chlorobenzene" OR "1,4-Dichlorbenzol" OR "1,4-Dichlorobenzene" OR "1,4-Dichloro-Benzene" OR "Benzene, 1,4-dichloro-" OR "BENZENE, P-DICHLORO" OR "Benzene, p-dichloro-" OR "Caswell No. 632" OR "DICHLORICIDE" OR "Dichloricide" OR "Dichlorobenzene, p" OR "Dichlorobenzene, p-" OR "Dichlorobenzene, para" OR "Dichlorobenzene, para-" OR "Dichlorocide" OR "Di-Choricide" OR "Evola" OR "Global" OR "Kaydox" OR "NCI-C54955" OR "NSC 36935" OR "Para crystals" OR "Paracide" OR "Paradichlorbenzol" OR "Para-dichloro benzene" OR "Paradichlorobenzene" OR "para-Dichlorobenzene" OR "Paradichlorobenzol" OR "Paradow" OR "Paramoth" OR "Paranuggets" OR "Parazene" OR "p-Chlorophenyl chloride" OR "PDCB" OR "P-DCB" OR "p-Dichlorbenzene" OR "p-Dichlorobenzene" OR "p-Dichloro-Benzene" OR "p-Dichlorobenzol" OR "Persia-Perazol" OR "Santochlor")  
N = 1111

### **PROQUEST Agricultural and Scientific Database:** (www.csa.com)

General Search Terms applied to the search strategy for ProQuest Agricultural and Scientific Database.

Date Searched: 04/23/2019

Date Range of Search: 1900 to Present

N = 2,220

ALL("1, 4-Dichlorobenzene" OR "1,4-Chlorobenzene" OR "1,4-Dichlorbenzol" OR "1,4-Dichlorobenzene" OR "1,4-Dichloro-Benzene" OR "Benzene, 1,4-dichloro-" OR "BENZENE, P-DICHLORO" OR "Benzene, p-dichloro-" OR "Caswell No. 632" OR "DICHLORICIDE" OR "Dichloricide" OR "Dichlorobenzene, p" OR "Dichlorobenzene, p-" OR "Dichlorobenzene, para" OR "Dichlorobenzene, para-" OR "Dichlorocide" OR "Di-Choricide" OR "Evola" OR "Global" OR "Kaydox" OR "NCI-C54955" OR "NSC 36935" OR "Para crystals" OR "Paracide" OR "Paradichlorbenzol" OR "Para-dichloro benzene" OR "Paradichlorobenzene" OR "para-Dichlorobenzene" OR "Paradichlorobenzol" OR "Paradow" OR "Paramoth" OR "Paranuggets" OR "Parazene" OR "p-Chlorophenyl chloride" OR "PDCB" OR "P-DCB" OR "p-Dichlorbenzene" OR "p-Dichlorobenzene" OR "p-Dichloro-Benzene" OR "p-Dichlorobenzol" OR "Persia-Perazol" OR "Santochlor") AND STYPE("Scholarly Journals" OR Reports OR Thesis OR "Government Documents") AND LA(ENG)  
N = 2220

### **PROQUEST Dissertations and Theses:** (search.proquest.com)

General Search Terms applied to the search strategy for ProQuest Dissertations and Theses.

Date Searched: 04/23/2019

Date Range of Search: 1900 to Present

N = 11

ALL("1, 4-Dichlorobenzene" OR "1,4-Chlorobenzene" OR "1,4-Dichlorbenzol" OR "1,4-Dichlorobenzene" OR "1,4-Dichloro-Benzene" OR "Benzene, 1,4-dichloro-" OR "BENZENE, P-DICHLORO" OR "Benzene, p-dichloro-" OR "Caswell No. 632" OR "DICHLORICIDE" OR "Di-chloricide" OR "Dichlorobenzene, p" OR "Dichlorobenzene, p-" OR "Dichlorobenzene, para" OR "Dichlorobenzene, para-" OR "Dichlorocide" OR "Di-Choricide" OR "Evola" OR "Globol" OR "Kaydox" OR "NCI-C54955" OR "NSC 36935" OR "Para crystals" OR "Paracide" OR "Paradichlorbenzol" OR "Para-dichloro benzene" OR "Paradichlorobenzene" OR "para-Dichlorobenzene" OR "Paradichlorobenzol" OR "Paradow" OR "Paramoth" OR "Paranuggets" OR "Parazene" OR "p-Chlorophenyl chloride" OR "PDCB" OR "P-DCB" OR "p-Dichlorbenzene" OR "p-Dichlorobenzene" OR "p-Dichloro-Benzene" OR "p-Dichlorobenzol" OR "Persia-Perazol" OR "Santochlor") AND LA(ENG)

N = 11

**SCIENCE DIRECT:** ([www.sciencedirect.com](http://www.sciencedirect.com))

General Search Terms applied to the search strategy for Science Direct

Date Searched: 04/23/2019

Date Range of Search: 1823 to Present

N = 559

Science Direct 01:

"1, 4-Dichlorobenzene" OR "1,4-Chlorobenzene" OR "1,4-Dichlorbenzol" OR "1,4-Dichlorobenzene" OR "1,4-Dichloro-Benzene" OR "Benzene, 1,4-dichloro-" OR "BENZENE, P-DICHLORO" OR "Benzene, p-dichloro-" OR "Caswell No. 632"

N = 202

Science Direct 02:

"DICHLORICIDE" OR "Di-chloricide" OR "Dichlorobenzene, p" OR "Dichlorobenzene, p-" OR "Dichlorobenzene, para" OR "Dichlorobenzene, para-" OR "Dichlorocide" OR "Di-Choricide" OR "Evola"

N = 47

Science Direct 03:

"Globol" OR "Kaydox" OR "NCI-C54955" OR "NSC 36935" OR "Para crystals" OR "Paracide" OR "Paradichlorbenzol" OR "Para-dichloro benzene" OR "Paradichlorobenzene"

N = 39

Science Direct 04:

"para-Dichlorobenzene" OR "Paradichlorobenzol" OR "Paradow" OR "Paramoth" OR "Paranuggets" OR "Parazene" OR "p-Chlorophenyl chloride" OR "PDCB" OR "P-DCB"

N = 87

Science Direct 05:

"p-Dichlorbenzene" OR "p-Dichlorobenzene" OR "p-Dichloro-Benzene" OR "p-Dichlorobenzol" OR "Persia-Perazol" OR "Santochlor"

N = 184



**AGRICOLA:** ([www.nal.usda.gov](http://www.nal.usda.gov))

General Search Terms applied to the search strategy for Agricola. The Agricola database contains a significant amount of gray literature including proceedings, symposia, and progress reports from government and educational institutions. Agricola is not used when conducting a search for the Office of Water.

Date Searched: 04/23/2019

Date Range of Search: 15<sup>th</sup> century to the Present

N = 882

Agricola 01:

1, 4-Dichlorobenzene

1,4-Chlorobenzene

1,4-Dichlorbenzol

1,4-Dichlorobenzene

1,4-Dichloro-Benzene

Benzene, 1,4-dichloro-

BENZENE, P-DICHLORO

Benzene, p-dichloro-

Caswell No. 632

DICHLORICIDE

N = 88

Agricola 02:

Di-chloricide

Dichlorobenzene, p

Dichlorobenzene, p-

Dichlorobenzene, para

Dichlorobenzene, para-

Dichlorocide

Di-Choricide

Evola

Globol

Kaydox

N = 715

Agricola 03:

NCI-C54955

NSC 36935

Para crystals

Paracide

Paradichlorbenzol

Para-dichloro benzene

Paradichlorobenzene

para-Dichlorobenzene

Paradichlorobenzol

Paradow

N = 33

Agricola 04:  
Paramoth  
Paranuggets  
Parazene  
p-Chlorophenyl chloride  
PDCB  
P-DCB  
p-Dichlorbenzene  
p-Dichlorobenzene  
p-Dichloro-Benzene  
p-Dichlorobenzol  
N = 46

Agricola 05:  
Persia-Perazol  
Santochlor  
N = 0

**TOXNET:** (toxnet.nlm.nih.gov/cgi-bin/sis/htmlgen?TOXLINE)  
General Search Terms applied to the search strategy for TOXNET.  
Date Searched: 04/23/2019  
Date Range of Search: 1900 to Present  
N = 1,397

TOXNET 01:  
106-46-7  
N = 1397

**ECOTOX UNIFY:**

This is an internal EPA database that is not accessible to the public. Results from the ECOTOX Unify search strategy.  
Date Searched: 04/24/2019  
Date Range of Search: all years  
N = 216 (14DCIBZ)

**PubMed:**

PubMed may be accessed through the EPA Desktop Library (<https://www.ncbi.nlm.nih.gov/pubmed/>)  
Date Searched: 05/30/2019  
Date Range of Search: 1900 to present  
N = 1175

"1, 4-Dichlorobenzene" OR "1,4-Chlorobenzene" OR "1,4-Dichlorbenzol" OR "1,4-Dichlorobenzene" OR "1,4-Dichloro-Benzene" OR "Benzene, 1,4-dichloro-" OR "BENZENE, P-DICHLORO" OR "Benzene, p-dichloro-" OR "Caswell No. 632" OR "DICHLORICIDE" OR "Di-chloricide" OR "Dichlorobenzene, p" OR "Dichlorobenzene, p-" OR "Dichlorobenzene, para" OR "Dichlorobenzene, para-" OR "Dichlorocide" OR "Di-Choricide" OR "Evola" OR "Global" OR "Kaydox" OR "NCI-C54955" OR "NSC 36935" OR "Para crystals" OR "Paracide" OR "Paradichlorbenzol" OR "Paradichloro benzene" OR "Paradichlorobenzene" OR "para-Dichlorobenzene" OR "Paradichlorobenzol"

OR "Paradow" OR "Paramoth" OR "Paranuggets" OR "Parazene" OR "p-Chlorophenyl chloride" OR "PDCB" OR "P-DCB" OR "p-Dichlorbenzene" OR "p-Dichlorobenzene" OR "p-Dichloro-Benzene" OR "p-Dichlorobenzol" OR "Persia-Perazol" OR "Santochlor"  
N = 1175

#### **A.1.2.2 Data Prioritization for Environmental Hazard, Human Health Hazard, Fate and Physical Chemistry**

---

In brief, SWIFT Review has pre-set literature search strategies (“filters”) developed by information specialists that can be applied to identify studies that are more likely to be useful for identifying human health and ecotoxicity content from those that likely do not (*e.g.*, analytical methods). The filters function like a typical search strategy where studies are tagged as belonging to a certain filter if the terms in the filter literature search strategy appear in title, abstract, keyword or medical subject headings (MeSH) fields content. The applied SWIFT Review filters focused on lines of evidence: human, animal models for human health, ecological taxa (which includes ecotoxicological animal models, plants, and other taxa), and *in vitro* studies. The details of the search strategies that underlie the filters are available [online](#). Studies not retrieved using these filters were not considered further. Studies that included one or more of the search terms in the title, abstract, keyword, or MeSH fields were exported as a RIS file for screening in Swift-ActiveScreener or [DistillerSR](#)<sup>11</sup>.

#### **A.1.2.3 Data Prioritization for Occupational Exposures and Environmental Releases and General Population, Consumer and Environmental Exposures**

---

To prioritize references related to occupational exposure, environmental release, general population exposure, consumer exposure, and environmental exposure, EPA used positive and negative seed studies to build a classification model in SWIFT Review. The positive seeds were identified using relevant literature pool for the first ten TSCA risk evaluations, while the negative seeds were identified from a subset of literature for the current high-priority substances. The model was then applied to the unclassified literature to generate a classification score for each references. Scores above a certain threshold value were then prioritized for further review in SWIFT-ActiveScreener.

## **A.2 Peer-Reviewed Screening Process**

---

The studies identified from publicly available database searches and SWIFT-Review filtering/prioritization were housed in HERO system and imported into SWIFT-ActiveScreener or DistillerSR for title/abstract and full-text screening. Both title/abstract and full-text screening were conducted by two independent reviewers. Screening is initiated with a pilot phase of screening (between 10 and 50) studies to identify areas where clarification in screening criteria might be needed or chemical-specific supplemental material tags might be identified. Records that met PECO (or equivalent criteria (Appendix A.2.1) during title and abstract screening were considered for full-text screening. At both the title/abstract and full-text review levels, screening conflicts were resolved by topic-specific experts and/or discussion among the primary screeners. For citations with no abstract, the articles are initially screened based on all or some of the following: title relevance (titles that suggest a record is not relevant can be excluded rather than marked as unclear), and page numbers (articles two pages in length or less were assumed to be conference reports, editorials, or letters). During title/abstract or full-text level screening in DistillerSR, studies that did not meet the PECO criteria, but which could provide supporting information were categorized (or “tagged”) as supplemental information.

---

<sup>11</sup>[DistillerSR](https://www.evidencepartners.com/products/distillersr-systematic-review-software) is a web-based systematic review software used to screen studies available at <https://www.evidencepartners.com/products/distillersr-systematic-review-software>.

It is important to emphasize that being tagged as supplemental material does not mean the study would necessarily be excluded from consideration in an assessment. The initial screening level distinctions between a study meeting the PECO criteria and a supplemental study are often made for practical reasons and the tagging structures (as seen in the literature inventory trees and heat maps in Section 2.1 of this document) are designed to ensure the supplemental studies are categorized for easy retrieval if needed while conducting the assessment. The impact on the assessment conclusions of individual studies tagged as supporting material is often difficult to assess during the screening phase of the assessment. These studies may emerge as being critically important to the assessment and need to be evaluated and summarized at the individual study level (e.g., cancer MOA mechanistic or non-English-language studies), or be helpful to provide context (e.g., summarize current levels of exposure, provide hazard evidence from routes or durations of exposure not pertinent to the PECO), or not be cited at all in the assessment (e.g., individual studies that contribute to a well-established scientific conclusion). Studies may be tagged as supplemental material during either title and abstract or full-text screening. When tagged as supplemental material during title and abstract screening, it may not be completely clear whether the chemical of interest is reported in the study (i.e., abstracts may not describe all chemicals investigated). In these cases, studies are still tagged with the expectation that if full-text retrieval is pursued, then additional screening would be needed to clarify if the study is pertinent.

### A.2.1 Inclusion/Exclusion Criteria

A PECO statement is typically used to focus the research question(s), search terms, and inclusion/exclusion criteria in a systematic review. PECO criteria were developed *a priori* to screening and modified to fit the various discipline areas supporting the TSCA risk evaluations. Variations include the RESO (receptor, exposure, scenario/setting, and outcome) used for the occupational exposure and environmental releases discipline, and PESO (pathways/ processes, exposures, setting/scenario, and outcomes) used by the fate and transport discipline. All PECO and PECO-equivalent criteria can be found in the following sections.

#### A.2.1.1 PECO for Environmental and Human Health Hazards

The PECO used in this evidence map to identify literature pertinent to *p*-dichlorobenzene effects on human health and environmental hazard is presented in Table\_Apx A-4. In addition to the PECO criteria, studies containing potentially relevant supplemental material were tracked and categorized during the literature screening process as outlined in Table\_Apx A-4.

**Table\_Apx A-3. Hazards Title and Abstract and Full-text PECO Criteria for *p*-DCB**

PECO Element	Evidence
P	<p><b>Human:</b> Any population and life stage (occupational or general population, including children and other sensitive populations).</p> <p><b>Animal:</b> Aquatic and terrestrial species (live, whole organism) of any life stage (including preconception, in utero, lactation, peripubertal, and adult stages).. Include insects, spiders, amphibians, birds, crustaceans, fish, mollusks, reptiles, worms and invertebrates. Bacteria and viruses are not included. In most cases, transgenic animal models will get screened as "yes" or "unclear" at TIAB level. Although certain non-mammalian model systems are increasing used to identify potential human health hazards (e.g., <i>Xenopus</i>, zebrafish), for simplicity animal models will be further inventoried according to the categorization below:</p> <p><u>Human health models:</u> rat, mouse, rabbit, dog, hamster, guinea pig, cat, non-human primate, pig</p> <p><u>Ecotoxicological models:</u> invertebrates (e.g., insects, spiders, crustaceans, mollusks, and worms) and vertebrates (e.g., mammals and all amphibians, birds, fish, and reptiles), including wild mammals (e.g. <i>Peromyscus</i> sp.)</p> <p><b>Plants:</b> All aquatic and terrestrial species (live), including algal, moss, lichen and fungi species.</p>

PECO Element	Evidence
E	<p><b>Relevant forms:</b>  <i>p</i>-Dichlorobenzene 1,4-dichlorobenzene (CASRN 106-46-7) and <i>o</i>-dichlorobenzene or 1,2-dichlorobenzene (CASRN 95-50-1)</p> <p><i>p</i>-Dichlorobenzene (CASRN 106-46-7) has a number of synonyms that can be found on the <a href="#">EPA Chemistry Dashboard</a>. <i>o</i>-dichlorobenzene (CASRN 95-50-1) has a number of synonyms that can be found on the <a href="#">EPA Chemistry Dashboard</a>.</p> <p>Forms that should be excluded: <i>m</i>-Dichlorobenzene or 1,3 -dichlorobenzene (CASRN 541-73-1)  No isomers were included for <i>p</i>-dichlorobenzene (CASRN 106-46-7) and <i>o</i>-dichlorobenzene (CASRN 95-50-1)</p> <p><b>Human:</b> Any exposure to <i>p</i>-dichlorobenzene (CASRN 106-46-7) and <i>o</i>-dichlorobenzene (CASRN 95-50-1).</p> <p><b>Animal:</b> Any exposure to <i>p</i>-dichlorobenzene (CASRN 106-46-7) and <i>o</i>-dichlorobenzene (CASRN 95-50-1), including via water, soil or sediment, injection (oral or topical), diet, dermal, and inhalation.</p> <p><b>Plants:</b> Exposure to <i>p</i>-dichlorobenzene (CASRN 106-46-7) and <i>o</i>-dichlorobenzene (CASRN 95-50-1) via water and/or soil, with reported concentration and duration. Studies involving exposures to mixtures will be included only if they include exposure to <i>p</i>-dichlorobenzene (CASRN 106-46-7) or <i>o</i>-dichlorobenzene (CASRN 95-50-1) alone. Chemical exposures for aquatic plants where only sediment concentrations are reported from field studies are excluded; laboratory-based sediment studies are retained.</p>
C	<p><b>Human:</b> A comparison or referent population exposed to lower levels (or no exposure/exposure below detection limits) of <i>p</i>-dichlorobenzene (CASRN 106-46-7) or <i>o</i>-dichlorobenzene (CASRN 95-50-1), or exposure to <i>p</i>-dichlorobenzene (CASRN 106-46-7) or <i>o</i>-dichlorobenzene (CASRN 95-50-1) for shorter periods of time. Case reports and case series will be tracked as “potentially relevant supplemental information.”</p> <p><b>Animal and Plants:</b> A concurrent control group exposed to vehicle-only treatment and/or untreated control (control could be a baseline measurement).</p>
O	<p><b>Human:</b> All health outcomes (cancer and noncancer).</p> <p><b>Animal and Plants:</b> All biological effects (including bioaccumulation from laboratory studies with concurrently measured water and tissue concentrations).</p>

**Table\_Apx A-4. Major Categories of Potentially Relevant Supplemental Material for *p*-DCB**

Category	Evidence
<b>Mechanistic studies</b>	Studies reporting measurements related to a health outcome that inform the biological or chemical events associated with phenotypic effects, in both mammalian and non-mammalian model systems, including <i>in vitro</i> , <i>in vivo</i> (by various non-inhalation routes of exposure), <i>ex vivo</i> , and <i>in silico</i> studies.
<b>ADME, PBPK, and toxicokinetic</b>	Studies designed to capture information regarding absorption, distribution, metabolism, and excretion (ADME), toxicokinetic studies, or physiologically based pharmacokinetic (PBPK) models.
<b>Susceptible populations (no health outcome)</b>	Studies that identify potentially susceptible subgroups; for example, studies that focus on a specific demographic, life stage, or genotype.
<b>Mixture studies</b>	Mixture studies that are not considered PECO-relevant because they do not contain an exposure or treatment group assessing only the chemical of interest. Only use for experimental studies, not epidemiology studies.

Category	Evidence
Case study	Case reports (n ≤ 3 cases) and case series (non-occupational) will be tracked as potentially relevant supplemental information.
Non-English record	Non-English records will be tracked as potentially relevant supplemental information.
Records with no original data	Records that do not contain original data, such as other agency assessments, informative scientific literature reviews, editorials or commentaries.
Conference abstracts	Records that do not contain sufficient documentation to support study evaluation and data extraction.
Exposure studies	Exposure studies with biomonitoring or biomarker information (e.g. DCBs metabolites in blood or urine or DCB measured in whole body human/animals) are considered ADME. Environmental exposure studies (e.g. DCB in dust) are EXCLUDED.

### A.2.1.2 PECO for Consumer, Environmental, and General Population Exposures

**Table\_Apx A-5. Generic Inclusion Criteria for the Data Sources Reporting Exposure Data on General Population, Consumers and Environmental Receptors**

PECO Element	Evidence
<u>P</u> opulation	<b><u>Human:</u></b> General population; consumers; bystanders in the home; near-facility populations (includes industrial and commercial facilities manufacturing, processing, or using the chemical substance); children; susceptible populations (life stages, preexisting conditions, genetic factors), pregnant women; lactating women, women of child-bearing age. Many human population groups may be exposed. No chemical-specific exclusions are suggested at this time.
	<b><u>Environmental:</u></b> aquatic species, terrestrial species, terrestrial plants, aquatic plants (field studies only)
<u>E</u> xposure	<b>Expected Primary Exposure Sources, Pathways, Routes:</b> <u>Pathways:</u> indoor air/vapor/mist; indoor dust; particles; outdoor/ambient air; surface water; biosolids; sediment; breastmilk; food items containing <i>p</i> -dichlorobenzene including fish; consumer product uses in the home (including consumer product containing chemical); <u>Routes of Exposure:</u> Inhalation, Oral, Dermal
Comparator (Scenario)	<b><u>Human:</u></b> Consider media-specific background exposure scenarios and use/source specific exposure scenarios as well as which receptors are and are not reasonably exposed across the projected exposure scenarios.
	<b><u>Environmental</u></b> Consider media-specific background exposure scenarios and use/source specific exposure scenarios as well as which receptors are and are not reasonably exposed across the projected exposure scenarios.

PECO Element	Evidence
Outcomes for Exposure Concentration or Dose	<p><b>Human:</b> Acute, subchronic, and/or indoor air and water concentration estimates (mg/m<sup>3</sup> or mg/L). Both external potential dose and internal dose based on biomonitoring and reverse dosimetry mg/kg/day will be considered.</p> <p>Characteristics of consumer products or articles (weight fraction, emission rates, etc) containing <i>p</i>-dichlorobenzene</p>
	<p><b>Environmental:</b> A wide range of ecological receptors will be considered (range depending on available ecotoxicity data) using surface water concentrations, sediment concentrations.</p>

**Table\_Apx A-6. Pathways Identified as Supplemental for *p*-Dichlorobenzene<sup>a</sup>**

Chemical	Drinking Water	Ambient Air	Air Disposal	Land Disposal	Underground Disposal	Ground Water
<i>p</i> -Dichlorobenzene	X	X	X	X	X	X

<sup>a</sup> Supplemental pathways are pathways addressed by other EPA administered statutes (see Section 2.6.3.1).

Studies tagged under these pathways provide media information that is not prioritized in the screening process.

### A.2.1.3 RESO for Occupational Exposure and Environmental Releases

EPA developed a generic RESO statement to guide the screening of engineering and occupational exposure data or information sources for the TSCA risk evaluations. Data or information sources that comply with the inclusion criteria specified in the RESO statement are eligible for inclusion, considered for evaluation, and possibly included in the environmental release and occupational exposure assessments. On the other hand, data or information sources that fail to meet the criteria in the RESO statement are excluded from further consideration.

Assessors seek information on various chemical-specific engineering and occupational exposure data needs as part of the process of developing the exposure assessment for each risk evaluation. EPA uses the RESO statement (Table\_Apx A-7) along with the information in Table\_Apx A-8 when screening the engineering and occupational exposure data and information.

**Table\_Apx A-7. Inclusion Criteria for Data Sources Reporting Engineering and Occupational Exposure Data**

RESO Element	Evidence
Receptors	<ul style="list-style-type: none"> <li><b>Humans:</b> Workers, including occupational non-users</li> <li><b>Environment:</b> All environmental receptors (relevant release estimates input to Exposure)</li> </ul> <p>Please refer to the conceptual models for more information about the environmental and human receptors included in the TSCA risk evaluation.</p>

<u>Exposure</u>	<ul style="list-style-type: none"> <li>Worker exposure to and relevant environmental releases of the chemical substance from occupational scenarios: <ul style="list-style-type: none"> <li>Dermal and inhalation exposure routes (as indicated in the conceptual model)</li> <li>Oral route (as indicated in the conceptual model)</li> </ul> </li> </ul> <p>Please refer to the conceptual models for more information about the routes and media/pathways included in the TSCA risk evaluation.</p>
<u>Setting or Scenario</u>	<ul style="list-style-type: none"> <li>Any occupational setting or scenario resulting in worker exposure and relevant environmental releases (includes all manufacturing, processing, use, disposal).</li> </ul>
<u>Outcomes</u>	<ul style="list-style-type: none"> <li>Quantitative estimates* of worker exposures and of relevant environmental releases from occupational settings</li> <li>General information and data related and relevant to the occupational estimates*</li> </ul>

\* Metrics (e.g., mg/kg/day or mg/m<sup>3</sup> for worker exposures, kg/site/day for releases) are determined by toxicologists for worker exposures and by exposure assessors for releases; also, the Engineering, Release and Occupational Exposure Data Needs (Table\_Apx A-8) provides a list of related and relevant general information.

**Table\_Apx A-8. Engineering, Environmental Release and Occupational Data Necessary to Develop the Environmental Release and Occupational Exposure Assessments**

<b>Objective Determined during Scoping</b>	<b>Type of Data <sup>a</sup></b>
General Engineering Assessment (may apply to Occupational Exposures and / or Environmental Releases)	<p>Description of the life cycle of the chemical(s) of interest, from manufacture to end-of-life (e.g., each manufacturing, processing, or use step), and material flow between the industrial and commercial life cycle stages.</p> <p>The total annual U.S. volume (lb/yr or kg/yr) of the chemical(s) of interest manufactured, imported, processed, and used; and the share of total annual manufacturing and import volume that is processed or used in each life cycle step.</p> <p>Description of processes, equipment, and unit operations during each industrial/ commercial life cycle step.</p> <p>Material flows, use rates, and frequencies (lb/site-day or kg/site-day and days/yr; lb/site-batch and batches/yr) of the chemical(s) of interest during each industrial/ commercial life cycle step. Note: if available, include weight fractions of the chemicals (s) of interest and material flows of all associated primary chemicals (especially water).</p> <p>Number of sites that manufacture, process, or use the chemical(s) of interest for each industrial/ commercial life cycle step and site locations.</p> <p>Concentration of the chemical of interest</p>
Occupational Exposures	<p>Description of worker activities with exposure potential during the manufacture, processing, or use of the chemical(s) of interest in each industrial/commercial life cycle stage.</p> <p>Potential routes of exposure (e.g., inhalation, dermal).</p> <p>Physical form of the chemical(s) of interest for each exposure route (e.g., liquid, vapor, mist) and activity.</p> <p>Breathing zone (personal sample) measurements of occupational exposures to the chemical(s) of interest, measured as time-weighted averages (TWAs), short-term exposures, or peak exposures in each occupational life cycle stage (or in a workplace scenario similar to an occupational life cycle stage).</p> <p>Area or stationary measurements of airborne concentrations of the chemical(s) of interest in each occupational setting and life cycle stage (or in a workplace scenario similar to the life cycle stage of interest).</p> <p>For solids, bulk and dust particle size characterization data.</p> <p>Dermal exposure data.</p> <p>Exposure duration (hr/day).</p> <p>Exposure frequency (days/yr).</p>



Objective Determined during Scoping	Type of Data <sup>a</sup>
	Number of workers who potentially handle or have exposure to the chemical(s) of interest in each occupational life cycle stage. PPE types employed by the industries within scope. EC employed to reduce occupational exposures in each occupational life cycle stage (or in a workplace scenario similar to the life cycle stage of interest), and associated data or estimates of exposure reductions.
Environmental Releases (to relevant environmental media)	Description of sources of potential environmental releases, including cleaning of residues from process equipment and transport containers, involved during the manufacture, processing, or use of the chemical(s) of interest in each life cycle stage. Estimated mass (lb or kg) of the chemical(s) of interest released from industrial and commercial sites to each environmental medium (water) and treatment and disposal methods (POTW), including releases per site and aggregated over all sites (annual release rates, daily release rates) Release or emission factors. Number of release days per year. Waste treatment methods and pollution control devices employed by the industries within scope and associated data on release/emission reductions.
<sup>a</sup> These are the tags included in the full-text screening form. The screener makes a selection from these specific tags, which describe more specific types of data or information. In addition to the data types listed above, EPA may identify additional data needs for mathematical modeling. These data needs will be determined on a case-by-case basis. <b>Abbreviations:</b> hr=Hour kg=Kilogram(s) lb=Pound(s) yr=Year PV=Particle volume POTW=Publicly owned treatment works PPE=Personal protection equipment PSD=Particle size distribution TWA=Time-weighted average	

#### **A.2.1.4 PESO for Fate and Transport**

EPA developed a generic PESO statement to guide the screening of environmental fate data or information sources for the TSCA risk evaluations. Data or information sources that comply with the inclusion criteria in the PESO statement are eligible for inclusion, considered for evaluation, and possibly included in the environmental fate assessment. On the other hand, data or information sources that fail to meet the criteria in the PESO statement are excluded from further consideration.

Assessors seek information on various chemical-specific fate endpoints and associated fate processes, environmental media and exposure pathways as part of the process of developing the environmental fate assessment for each risk evaluation. EPA uses the PESO statement (Table\_Apx A-9) along with the information in Table\_Apx A-10 when screening the fate data or information sources to ensure complete coverage of the processes, pathways and data or information relevant to the environmental fate and transport of the chemical substance undergoing risk evaluation.

**Table\_Apx A-9. Inclusion Criteria for Data or Information Sources Reporting Environmental Fate and Transport Data**

<b>PESO Element</b>	<b>Evidence</b>
<b><u>P</u>athways and <u>P</u>rocesses</b>	<p>Environmental fate, transport, partitioning and degradation behavior across environmental media to inform exposure pathways of the chemical substance of interest</p> <p>Exposure pathways included in the conceptual models: air, surface water, groundwater, wastewater, soil, sediment and biosolids.</p> <p>Processes associated with the target exposure pathways</p> <p>Bioconcentration and bioaccumulation</p> <p>Destruction and removal by incineration</p> <p>Please refer to the conceptual models for more information about the exposure pathways included in each TSCA risk evaluation.</p>
<b><u>E</u>xposure</b>	<p>Environmental exposure of environmental receptors (<i>i.e.</i>, aquatic and terrestrial organisms) to the chemical substance of interest, mixtures including the chemical substance, and/or its degradation products and metabolites</p> <p>Environmental exposure of human receptors, including any potentially exposed or susceptible subpopulations (PESS), to the chemical substance of interest, mixtures including the chemical substance, and/or its degradation products and metabolites</p> <p>Please refer to the conceptual models for more information about the environmental and human receptors included in each TSCA risk evaluation.</p>
<b><u>S</u>etting or <u>S</u>cenario</b>	<p>Any setting or scenario resulting in releases of the chemical substance of interest into the natural or built environment (<i>e.g.</i>, buildings including homes or workplaces, or wastewater treatment facilities) that would expose environmental (<i>i.e.</i>, aquatic and terrestrial organisms) or human receptors (<i>i.e.</i>, general population, and PESS)</p>
<b><u>O</u>utcomes</b>	<p>Fate properties which allow assessments of exposure pathways:</p> <ul style="list-style-type: none"> <li>Abiotic and biotic degradation rates, mechanisms, pathways, and products</li> <li>Bioaccumulation magnitude and metabolism rates</li> <li>Partitioning within and between environmental media (see Pathways and Processes)</li> </ul>

**Table\_Apx A-10. Fate Endpoints and Associated Processes, Media and Exposure Pathways Considered in the Development of the Environmental Fate Assessment**

Fate Data Endpoint	Associated Process(es)	Associated Media/Exposure Pathways			
		Surface Water, Wastewater, Sediment	Soil, Biosolids	Groundwater	Air
<b>Required Environmental Fate Data</b>					
Abiotic reduction rates or half-lives	Abiotic reduction, Abiotic dehalogenation	X			
Aerobic biodegradation rates or half-lives	Aerobic biodegradation	X	X		
Anaerobic biodegradation rates or half-lives	Anaerobic biodegradation	X	X	X	
Aqueous photolysis (direct and indirect) rates or half-lives	Aqueous photolysis (direct and indirect)	X			
Atmospheric photolysis (direct and indirect) rates or half-lives	Atmospheric photolysis (direct and indirect)				X
Bioconcentration factor (BCF), Bioaccumulation factor (BAF)	Bioconcentration, Bioaccumulation	X	X		X
Biomagnification and related information	Trophic magnification	X			
Desorption information	Sorption, Mobility	X	X	X	
Destruction and removal by incineration	Incineration				X
Hydrolysis rates or half-lives	Hydrolysis	X	X	X	
Koc and other sorption information	Sorption, Mobility	X	X	X	
Wastewater treatment removal information	Wastewater treatment	X	X		
<b>Supplemental (or Optional) Environmental Fate Data</b>					
Abiotic transformation products	Hydrolysis, Photolysis, Incineration	X			X
Aerobic biotransformation products	Aerobic biodegradation	X	X		
Anaerobic biotransformation products	Anaerobic biodegradation	X	X	X	
Atmospheric deposition information	Atmospheric deposition				X
Coagulation information	Coagulation, Mobility	X		X	
Incineration removal information	Incineration				X

#### **A.2.1.5 Generation of Hazard Heat Maps**

As stated in Appendix A.1.2.2, SWIFT Review has pre-set literature search strategies (“filters”) developed by information specialists that can be applied to identify studies that are more likely to be useful for identifying human health and ecotoxicity content. The filters function like a typical search

strategy where studies are tagged as belonging to a certain filter if the terms in the filter literature search strategy appear in title, abstract, keyword or MeSH fields content.

After the completion of full-text screening for hazard data, all references tagged as included (or “PECO-relevant”) were uploaded to the SWIFT Review tool for further filtering. The SWIFT Review filters applied at this phase focused on types of health outcomes included: “ADME”, “PBPK”, “cancer”, “cardiovascular”, “developmental”, “endocrine”, “gastrointestinal”, “hematological and immune”, “hepatic”, “mortality”, “musculoskeletal”, “neurological”, “nutritional and metabolic”, “ocular and sensory”, “renal”, “reproductive”, “respiratory”, and “skin and connective tissue”. The details of these health outcome search strategies that underlie the filters are available [online](#). Studies that included one or more of the search terms in the title, abstract, keyword, or MeSH fields were exported and used to populate the Hazard Heat Map (Figure 2-10). Studies that were not retrieved using these filters were tagged as “No Tag”. The evidence type listed in the heat map (*e.g.*, human, animal-human health model, animal- environmental model, and plant) was manually assigned to each reference by screeners during the full-text screening.

The health outcome tags were originally designed for vertebrate systems, and as such, did not conform well to plant evidence. Therefore, any plant studies tagged for: “cancer”, “cardiovascular”, “gastrointestinal”, “hematological and immune”, “hepatic”, “musculoskeletal”, “neurological”, “ocular and sensory” and “renal and respiratory” were manually reviewed and re-tagged to more appropriate health outcomes.

### **A.3 Gray Literature Search and Screening Strategies**

---


EPA conducted a gray literature search for available information to support the TSCA risk evaluations for the next twenty TSCA risk evaluations. Gray literature is defined as the broad category of data/information sources not found in standard, peer-reviewed literature databases (*e.g.*, PubMed and Web of Science). Gray literature includes data/information sources such as white papers, conference proceedings, technical reports, reference books, dissertations, information on various stakeholder websites, and other databases. Given the nature of how gray literature is searched and collected, results may not come with a bibliographic citation or abstract and were therefore processed using a decision tree logic described in A.3.1 for potential relevance prior to entering full text screening where a discipline-specific PECO is applied.

Search terms were variable dependent on source and based on knowledge of a given source to provide discipline-specific information. A summary of sources is provided in Appendix A.3.4. The criteria for determining the potential relevance of documents identified from gray literature sources is described in the following sections for each discipline.

#### **A.3.1 Screening of Gray Literature**

---

To reduce the overall burden of processing gray literature results, EPA developed a screening process to determine the potential relevance of gray literature. This step was introduced prior to collecting the resulting documents. Figure\_Apx A-1 describes the decision logic used to screen gray literature results.



**Figure\_Apx A-1. Decision Logic Tree Used to Screen Gray Literature Results**

### A.3.2 Initial Screening of Sources Using Decision Logic Tree

The purpose of the inclusion/exclusion decision logic tree in Figure\_Apx A-1 is to provide a broad, general screening technique to determine whether each gray literature source should be included and further screened or excluded with no additional screening necessary. The diamonds in the decision tree require analysis by the screener, whereas the rectangular boxes are used to classify the type of source. All the questions used in the decision process are provided in Table\_Apx A-12.

**Table Apx A-11. Decision Logic Tree Overview**

<i>Step</i>	<i>Metric</i>	<i>Questions to consider</i>
<i>1</i>	Potential Relevance	Does the result have information (qualitative or quantitative) related to TSCA risk evaluations? *Apply Discipline relevancy metric
<i>2.1.1</i>	Complete / Available	Is it a secondary data source (assessment, robust summary, TSCA submission databases, etc.)?
<i>2.1.2</i>		Is the document from a peer reviewed/published journal?
<i>2.2</i>		Is there an established procedure for data collection, communication, peer review, and/or reporting?
<i>2.2.1</i>		Has the data been provided by a US governmental/state source?
<i>2.2.2</i>		Has the data been provided by an international governmental source?
<i>2.3</i>		Are these data publicly available/accessible?
<i>2.3.1</i>		Is the source TSCA CBI, proprietary, TSCA or NGO stakeholder submission?
<i>3</i>		Duplicate

Results of the gray literature search and decision tree process are included in Appendix A.3.4.

### **A.3.3 TSCA Submission Searching and Title Screening**

EPA screens information submitted under TSCA Sections 4, 5, 8(e), and 8(d), as well as for your information (FYI) submissions. In the gray literature process defined in Appendix A.3.2, EPA considers the databases that contain TSCA submissions to be secondary sources (Step 1.1) because the metadata in the databases are secondary. These databases then advance to Step 2.3.1 and then to Process C. The Process C steps are described here.

EPA first screens the titles using two screeners per title. EPA conducts this step primarily to reduce the number of full studies to be obtained because some studies are available only on microfiche or in long-term storage. Screening is done using the inclusion and exclusion criteria within the relevant PECO, PESO or RESO for each topic area (Appendix A.2.1). EPA excludes interim reports (*e.g.*, interim sacrifices for toxicity studies) and only final reports are further considered. If the title is not clear regarding the document’s contents, EPA obtains the full text and advances to the next steps.

After full texts are obtained, EPA reviewed some sources (prior to full-text screening) based on whether they have several factors; primary data, an established procedure for peer review, data collection, communication and/or reporting and are publicly available. Sources that have these factors will move on to full text screening. Other sources will go straight to full text screening using PECO-type criteria without going through this extra step.

EPA may decide to initiate a backwards search on sources that are deemed to have secondary data. In situations where parameters such as procedures for peer review and data collection are unclear, EPA may reach out to the authors to retrieve information to gauge whether the source should be included or excluded. Studies that are not publicly available (such as proprietary or CBI sources) may undergo additional screening steps.

During the full-text screening step, two individuals screen each source according to the PECOs, PESOs and RESOs (Appendix A.2.1).

Results of the TSCA submission search and decision tree process are included in Appendix A.3.4.

### A.3.4 Gray Literature Search Results for *p*-Dichlorobenzene

Table\_Apx A-12 provides a list of gray literature sources that yielded results for *p*-dichlorobenzene.

**Table\_Apx A-12. Gray Literature Sources that Yielded Results for *p*-Dichlorobenzene**

Source Agency	Source Name	Source Type	Source Category	Source Website
ATSDR	ATSDR Tox Profile Updates and Addendums	Other US Agency Resources	Assessment or Related Document	<a href="https://www.atsdr.cdc.gov/toxprofiles/profilesaddenda.asp">https://www.atsdr.cdc.gov/toxprofiles/profilesaddenda.asp</a>
ATSDR	ATSDR Toxicological Profiles (original publication)	Other US Agency Resources	Assessment or Related Document	<a href="https://www.atsdr.cdc.gov/toxprofiles/index.asp">https://www.atsdr.cdc.gov/toxprofiles/index.asp</a>
Australian Government, Department of Health	NICNAS Assessments (human health, Tier I, II or III)	International Resources	Assessment or Related Document	<a href="https://www.industrialchemicals.gov.au/chemical-information/search-assessments">https://www.industrialchemicals.gov.au/chemical-information/search-assessments</a>
CAL EPA	Technical Support Documents for regulations: Cancer Potency Information	Other US Agency Resources	Assessment or Related Document	<a href="https://oehha.ca.gov/chemicals">https://oehha.ca.gov/chemicals</a>
CAL EPA	Technical Support Documents for regulations: Reference Exposure Levels (RELs)	Other US Agency Resources	Assessment or Related Document	<a href="https://oehha.ca.gov/chemicals">https://oehha.ca.gov/chemicals</a>
CAL EPA	Technical Support Documents for regulations: Drinking Water Public Health Goals	Other US Agency Resources	Assessment or Related Document	<a href="https://oehha.ca.gov/chemicals">https://oehha.ca.gov/chemicals</a>
CAL EPA	Technical Support Documents for regulations: Proposition 65, Cancer	Other US Agency Resources	Assessment or Related Document	<a href="https://oehha.ca.gov/chemicals">https://oehha.ca.gov/chemicals</a>
CDC	CDC Biomonitoring Tables	Other US Agency Resources	Database	<a href="https://www.cdc.gov/exposure/report/index.html/">https://www.cdc.gov/exposure/report/index.html/</a>

Source Agency	Source Name	Source Type	Source Category	Source Website
ECHA	Annex XV Restriction Report	International Resources	Assessment or Related Document	<a href="https://echa.europa.eu/current-activities-on-restrictions">https://echa.europa.eu/current-activities-on-restrictions</a>
ECHA	European Union Risk Assessment Report	International Resources	Assessment or Related Document	<a href="https://echa.europa.eu/information-on-chemicals/information-from-existing-substances-regulation">https://echa.europa.eu/information-on-chemicals/information-from-existing-substances-regulation</a>
Env Canada	Priority Substances List Assessment Report; State of Science Report, Environment Canada Assessment	International Resources	Assessment or Related Document	<a href="https://www.canada.ca/en/environment-climate-change/services/canadian-environmental-protection-act-registry/substances-list/priority-list.html">https://www.canada.ca/en/environment-climate-change/services/canadian-environmental-protection-act-registry/substances-list/priority-list.html</a>
Env Canada	Guidelines, Risk Management, Regulations	International Resources	Assessment or Related Document	<a href="https://www.canada.ca/en.html">https://www.canada.ca/en.html</a>
Env Canada	Chemicals at a Glance (fact sheets)	International Resources	Assessment or Related Document	<a href="https://www.canada.ca/en/health-canada/services/chemical-substances/fact-sheets/chemicals-glance.html">https://www.canada.ca/en/health-canada/services/chemical-substances/fact-sheets/chemicals-glance.html</a>
EPA	OPPT: TSCATS database maintained at SRC (TSCA submissions)	US EPA Resources	Database	
EPA	OPPT: Chemview (TSCA submissions - chemical test rule data and substantial risk reports)	US EPA Resources	Database	<a href="https://chemview.epa.gov/chemview">https://chemview.epa.gov/chemview</a>
EPA	OPPT: 8e database (CBI) (TSCA submissions)	US EPA Resources	Database	
EPA	OPPT: CIS (CBI LAN) (TSCA submissions)	US EPA Resources	Database	
EPA	Office of Air: AQS, Annual	US EPA Resources	Database	<a href="https://aqs.epa.gov/aqsweb/air_data/download_files.html#Annual">https://aqs.epa.gov/aqsweb/air_data/download_files.html#Annual</a>
EPA	Office of Air: National Emissions Inventory (NEI) - National Emissions Inventory (NEI) Data (2014, 2011, 2008)	US EPA Resources	Database	<a href="https://www.epa.gov/air-emissions-inventories/2014-national-emissions-inventory-nei-data">https://www.epa.gov/air-emissions-inventories/2014-national-emissions-inventory-nei-data</a>
EPA	Office of Water: STORET and WQX	US EPA Resources	Database	<a href="https://www.waterqualitydata.us/portal/">https://www.waterqualitydata.us/portal/</a>
EPA	EPA Office of Water: Ambient Water Quality Criteria documents	US EPA Resources	Assessment or Related Document	<a href="https://www.epa.gov/wqc">https://www.epa.gov/wqc</a>



Source Agency	Source Name	Source Type	Source Category	Source Website
EPA	EPA Pesticide Chemical Search (docket)	US EPA Resources	Assessment or Related Document	<a href="https://iaspub.epa.gov/apex/pesticides/f?p=CHEMICALSEARCH:1:0::NO:1::">https://iaspub.epa.gov/apex/pesticides/f?p=CHEMICALSEARCH:1:0::NO:1::</a>
EPA	IRIS Summary	US EPA Resources	Assessment or Related Document	<a href="https://cfpub.epa.gov/ncea/iris_drafts/atoz.cfm?list_type=alpha">https://cfpub.epa.gov/ncea/iris_drafts/atoz.cfm?list_type=alpha</a>
EPA	Office of Air: TRI	US EPA Resources	Database	<a href="https://www.epa.gov/toxics-release-inventory-tri-program/tri-data-and-tools">https://www.epa.gov/toxics-release-inventory-tri-program/tri-data-and-tools</a>
EPA	EPA: AP-42	US EPA Resources	Regulatory Document or List	<a href="https://www.epa.gov/air-emissions-factors-and-quantification/ap-42-compilation-air-emissions-factors">https://www.epa.gov/air-emissions-factors-and-quantification/ap-42-compilation-air-emissions-factors</a>
EPA	TRI: Envirofacts Toxics Release Inventory 2017 Updated Dataset	US EPA Resources	Database	<a href="https://www.epa.gov/enviro/tri-customized-search">https://www.epa.gov/enviro/tri-customized-search</a>
EPA	Other EPA: Misc sources	US EPA Resources	General Search	<a href="https://www.epa.gov/">https://www.epa.gov/</a>
EPA	Office of Air: CFRs and Dockets	US EPA Resources	Regulatory Document or List	<a href="https://www.epa.gov/stationary-sources-air-pollution">https://www.epa.gov/stationary-sources-air-pollution</a>
EPA	EPA: Generic Scenario	US EPA Resources	Assessment or Related Document	<a href="https://www.epa.gov/tsca-screening-tools/chemsteer-chemical-screening-tool-exposures-and-environmental-releases#genericscenarios">https://www.epa.gov/tsca-screening-tools/chemsteer-chemical-screening-tool-exposures-and-environmental-releases#genericscenarios</a>
FDA	FDA Market Baskets	Other US Agency Resources	Assessment or Related Document	<a href="https://www.fda.gov/food/total-diet-study/analytical-results-total-diet-study">https://www.fda.gov/food/total-diet-study/analytical-results-total-diet-study</a>
IARC	IARC Monograph	International Resources	Assessment or Related Document	<a href="http://monographs.iarc.fr/ENG/Monographs/PDFs/index.php">http://monographs.iarc.fr/ENG/Monographs/PDFs/index.php</a>
ILO	International Chemical Safety Cards(ICSCs)	International Resources	Database	<a href="https://www.ilo.org/safework/info/publications/WCMS_113134/lang--en/index.htm">https://www.ilo.org/safework/info/publications/WCMS_113134/lang--en/index.htm</a>
Japan	Japanese Ministry of the Environment Assessments - Environmental Risk Assessments (Class I Designated Chemical Substances Summary Table)	International Resources	Regulatory Document or List	<a href="https://www.env.go.jp/en/chemi/prtr/substances/">https://www.env.go.jp/en/chemi/prtr/substances/</a>

Source Agency	Source Name	Source Type	Source Category	Source Website
KOECT	Kirk-Othmer Encyclopedia of Chemical Technology Journal Article	Other Resource	Encyclopedia	<a href="https://onlinelibrary.wiley.com/doi/book/10.1002/0471238961">https://onlinelibrary.wiley.com/doi/book/10.1002/0471238961</a>
NIOSH	CDC NIOSH - Occupational Health Guideline Documents	Other US Agency Resources	Assessment or Related Document	<a href="https://www.cdc.gov/niosh/topics/chemical.html/">https://www.cdc.gov/niosh/topics/chemical.html/</a>
NIOSH	CDC NIOSH - Pocket Guide	Other US Agency Resources	Database	<a href="https://www.cdc.gov/niosh/npg/default.html">https://www.cdc.gov/niosh/npg/default.html</a>
NIOSH	CDC NIOSH - Health Hazard Evaluations (HHEs)	Other US Agency Resources	Assessment or Related Document	<a href="https://www2a.cdc.gov/hhe/search.asp">https://www2a.cdc.gov/hhe/search.asp</a>
NTP	Technical Reports	Other US Agency Resources	Assessment or Related Document	<a href="https://ntp.niehs.nih.gov/publications/reports/index.html?type=Technical+Report">https://ntp.niehs.nih.gov/publications/reports/index.html?type=Technical+Report</a>
OECD	OECD Emission Scenario Documents	International Resources	Assessment or Related Document	<a href="http://www.oecd.org/document/46/0,2340,en_2649_201185_2412462_1_1_1_1,00.html">http://www.oecd.org/document/46/0,2340,en_2649_201185_2412462_1_1_1_1,00.html</a>
OECD	OECD: General Site	International Resources	General Search	<a href="https://www.oecd.org/">https://www.oecd.org/</a>
OSHA	OSHA Chemical Exposure Health Data	Other US Agency Resources	Database	<a href="https://www.osha.gov/opengov/healthsamples.html">https://www.osha.gov/opengov/healthsamples.html</a>
RIVM	Integrated Criteria Documents	International Resources	Assessment or Related Document	<a href="https://www.rivm.nl/en">https://www.rivm.nl/en</a>
RIVM	RIVM Reports: Risk Assessments	International Resources	Assessment or Related Document	<a href="https://www.rivm.nl/en">https://www.rivm.nl/en</a>
TERA	Toxicology Excellence for Risk Assessment	Other Resources	Assessment or Related Document	<a href="https://www.tera.org/">https://www.tera.org/</a>

## Appendix B PHYSICAL AND CHEMICAL PROPERTIES OF *p*-DICHLOROBENZENE

Table\_Apx B-1 summarizes statistics for the physical and chemical property values identified through systematic review as of June 2020. The “N” column indicates the number of unique primary sources of data for that endpoint. That is, if multiple sources presented equivalent values and cited the same primary source, only one of those was included in these statistics and included in the statistical calculations. All physical and chemical property values that were extracted and evaluated as of June 2020 are presented in the supplemental file *Data Extraction and Data Evaluation Tables for Physical and Chemical Property Studies* ([EPA-HQ-OPPT-2018-0446](#)).

**Table\_Apx B-1. Summary Statistics for Reviewed Physical Properties of *p*-Dichlorobenzene**

Property or Endpoint	N	Unit	Mean	Standard Deviation	Min	Max
Molecular formula	-	-	NA	NA	NA	NA
Molecular weight	-	g/mol	NA	NA	NA	NA
Physical state	4	-	NA	NA	NA	NA
Physical properties	7	-	NA	NA	NA	NA
Melting point	28	°C	53.3	1.51	50	57.01
Boiling point	15	°C	173.9	0.4	173	174.6
Density	6	g /cm <sup>3</sup>	1.365	0.130	1.2475	1.526
Vapor pressure	9	mm Hg	1.024	1.060	0.035	3.390
Vapor density	1	-	5.08	-	5.08	5.08
Water solubility	9	mg/L	84.8	38.8	30.9	167
Octanol/water partition coefficient (log K <sub>ow</sub> )	9	-	3.48	0.19	3.23	3.91
Henry’s Law constant	2	atm·m <sup>3</sup> /mol	0.00241	0	0.00241	0.00241
Flash point	8	°C	65.52	0.46	65	66
Auto flammability	0	°C	-	-	-	-
Viscosity	1	cP	0.839	-	0.839	0.839
Refractive index	3	-	1.5335	0.0086	1.5285	1.5434
Dielectric constant	2	-	2.5322	0.1949	2.3943	2.67

NA = Not applicable

## Appendix C ENVIRONMENTAL FATE AND TRANSPORT PROPERTIES

Table\_Apx C-1. provides the environmental fate characteristics that EPA identified and considered in developing the scope for *p*-dichlorobenzene. This information was presented in the *Proposed Designation of p-dichlorobenzene (CASRN 106-46-7) as a High-Priority Substance for Risk Evaluation (U.S. EPA, 2019d)* and may be updated as EPA collects additional information through systematic review methods.

**Table\_Apx C-1. Environmental Fate Characteristics of *p*-Dichlorobenzene**

Property or Endpoint	Value	Reference
Direct Photodegradation	Does not contain chromophores that absorb at wavelengths >290 nm; not expected to undergo direct photolysis by sunlight	<a href="#">HSDB (2018)</a>
Indirect Photodegradation	$t_{1/2} = 33$ days (based on 12-hour day with $1.5 \times 10^6$ •OH/cm <sup>3</sup> and •OH rate constant $3.2 \times 10^{-13}$ cm <sup>3</sup> /mol·second at 25 °C)	<a href="#">U.S. EPA (2012b)</a> citing <a href="#">Atkinson (1989)</a>
Hydrolysis	Stable; <i>p</i> -dichlorobenzene is not expected to undergo hydrolysis based on its chemical structure, which lacks functional groups known to undergo hydrolysis under environmental conditions	<a href="#">HSDB (2018)</a>
Biodegradation (Aerobic)	Water: 0%/28 days based on theoretical BOD and HPLC using an activated sludge inoculum (Japanese MITI test; improved for a volatile substance; initial test substance concentration of 100 mg/L)	<a href="#">HSDB (2018)</a> citing <a href="#">NITE (2010)</a>
	Water: 80%/ 28 days mineralization and 30%/28 days with initial test substance concentrations of 8 and 40 mg/L, respectively (test comparable to MITI [I] test)  1.4%/8 days, 49.5%/15 days, and 67%/28 days based on test substance analysis and initial test substance concentration of 1.9 mg/L (OECD 301D, closed bottle test); <i>p</i> -dichlorobenzene meets the 10-day window and is readily biodegradable at lower concentrations but toxic effect at higher concentrations is likely	<a href="#">ECHA (2004)</a>

	Soil: 6.3%/10 weeks based on theoretical CO <sub>2</sub> evolution in an alkaline soil sample reported for dichlorobenzene isomers	<a href="#">HSDB (2018)</a> citing <a href="#">Haider et al. (1974)</a>
	Sediment: 25 and 90%/300 days incubation in soil column experiments with sediment from the Rhine River	<a href="#">HSDB (2018)</a> citing <a href="#">Van Der Meer et al. (1992)</a>
Biodegradation (Anaerobic)	Sediment: no biotransformation/12 months in anaerobic Rhine River sediment column	<a href="#">HSDB (2018)</a> citing <a href="#">Bosma et al. (1991)</a>
	Groundwater: 7.4 mg/m <sup>3</sup> /day biodegradation rate in vadose zone in New Jersey measured above polluted groundwater at DuPont Chambers Works	<a href="#">HSDB (2018)</a> citing <a href="#">Kurt and Spain (2013)</a>
Wastewater Treatment	76% total removal (46% by biodegradation, 7.1% by sludge, and 23% by volatilization to air; estimated) <sup>b</sup>	<a href="#">U.S. EPA (2012b)</a>
Bioconcentration Factor	370–720 (rainbow trout) 78 (mosquito fish)	<a href="#">HSDB (2018)</a> citing <a href="#">Chaisuksant et al. (1997)</a> and <a href="#">Oliver and Niimi (1983)</a>
	33–190 ( <i>Cyprinus carpio</i> ; OECD 305)	<a href="#">NITE (2010)</a>
	Ranged from 60 ( <i>Lepomis macrochirus</i> ; whole-body wet weight) to 1,800 ( <i>Poecilia reticulata</i> ; total lipid content and BCF of 270 based on whole-body dry weight)	<a href="#">ECHA (2019)</a> (range from eight study summaries)
Bioaccumulation Factor	281 (estimated) <sup>b</sup>	<a href="#">U.S. EPA (2012b)</a>
Soil Organic Carbon:Water Partition Coefficient (Log K <sub>oc</sub> )	2.44 (K <sub>oc</sub> = 273; batch equilibrium method equivalent to OECD 106)	<a href="#">ATSDR (2006)</a> citing <a href="#">ECHA (2019)</a> ; <a href="#">Chiou et al. (1983)</a>

<sup>a</sup>Measured unless otherwise noted

<sup>b</sup>EPI Suite™ physical property inputs: Log K<sub>ow</sub> = 3.44, BP = 174 °C, MP = 52.09 °C, VP = 1.74 mm Hg, WS = 81.3 mg/L, HLC = 0.00241 atm·m<sup>3</sup>/mol, STP Exp. biodeg values of BIOP = 40, BioA = 10 and BioS = 10, SMILES c(ccc(c1)Cl)(c1)Cl  
 •OH = hydroxyl radical; HPLC = high performance liquid chromatography; BOD = biological oxygen demand; OECD = Organisation for Economic Cooperation and Development; MITI = Ministry of International Trade and Industry

## Appendix D REGULATORY HISTORY

The chemical substance, *p*-dichlorobenzene, is subject to federal and state laws and regulations in the United States (Table\_Apx D-1 and Table\_Apx D-2.). Regulatory actions by other governments, tribes and international agreements applicable to *p*-dichlorobenzene are listed in Table\_Apx D-3..

### D.1 Federal Laws and Regulations

**Table\_Apx D-1. Federal Laws and Regulations**

Statutes/Regulations	Description of Authority/Regulation	Description of Regulation
<b>EPA Statutes/Regulations</b>		
Toxic Substances Control Act (TSCA) – Section 6(b)	EPA is directed to identify high-priority chemical substances for risk evaluation; and conduct risk evaluations on at least 20 high priority substances no later than three and one-half years after the date of enactment of the Frank R. Lautenberg Chemical Safety for the 21st Century Act.	<i>p</i> -Dichlorobenzene is one of the 20 chemicals EPA designated as a High-Priority Substance for risk evaluation under TSCA ( <a href="#">84 FR 71924</a> , December 30, 2019). Designation of <i>p</i> -dichlorobenzene as high-priority substance constitutes the initiation of the risk evaluation on the chemical.
Toxic Substances Control Act (TSCA) – Section 8(a)	The TSCA Section 8(a) CDR Rule requires manufacturers (including importers) to give EPA basic exposure-related information on the types, quantities and uses of chemical substances produced domestically and imported into the United States	<i>p</i> -Dichlorobenzene manufacturing (including importing), processing and use information is reported under the CDR rule ( <a href="#">85 FR 20122</a> , April 2, 2020).
Toxic Substances Control Act (TSCA) – Section 8(b)	EPA must compile, keep current and publish a list (the TSCA Inventory) of each chemical substance manufactured (including imported) or processed in the United States.	<i>p</i> -Dichlorobenzene was on the initial TSCA Inventory and therefore was not subject to EPA’s new chemicals review process under TSCA Section 5 ( <a href="#">60 FR 16309</a> , March 29, 1995).

Statutes/Regulations	Description of Authority/Regulation	Description of Regulation
Toxic Substances Control Act (TSCA) – Section 8(e)	Manufacturers (including importers), processors, and distributors must immediately notify EPA if they obtain information that supports the conclusion that a chemical substance or mixture presents a substantial risk of injury to health or the environment.	There are three risk reports for <i>p</i> -dichlorobenzene received between 1998-2002 (U.S. EPA, ChemView, Accessed April 5, 2019)
Toxic Substances Control Act (TSCA) – Section 4	Provides EPA with authority to issue rules and orders requiring manufacturers (including importers) and processors to test chemical substances and mixtures.	2 notifications of chemical data submissions from test rules were received for <i>p</i> -dichlorobenzene including a Metabolism and Pharmacokinetics study (In Vitro Dermal Absorption Rate Testing, 2005) and a Reproductive toxicity study (Two Generation Reproduction Study, 1989). (U.S. EPA, ChemView, Accessed June 23, 2020).
Emergency Planning and Community Right-To-Know Act (EPCRA) – Section 313	Requires annual reporting from facilities in specific industry sectors that employ 10 or more full-time equivalent employees and that manufacture, process or otherwise use a TRI-listed chemical in quantities above threshold levels. A facility that meets reporting requirements must submit a reporting form for each chemical for which it triggered reporting, providing data across a variety of categories, including activities and uses of the chemical, releases and other waste management ( <i>e.g.</i> , quantities recycled, treated, combusted) and pollution prevention activities (under Section 6607 of the Pollution Prevention Act). These data include on- and off-site data as well as multimedia data ( <i>i.e.</i> , air, land and water).	<i>p</i> -Dichlorobenzene (1,4-Dichlorobenzene) is a listed substance subject to reporting requirements under <a href="#">40 CFR 372.65</a> effective as of January 1, 1987.
Federal Insecticide, Fungicide, and Rodenticide Act	FIFRA governs the sale, distribution and use of pesticides. Section 3 of FIFRA generally requires that pesticide products be registered by EPA prior to distribution or sale.	<i>p</i> -Dichlorobenzene was first registered as an antimicrobial and conventional chemical

Statutes/Regulations	Description of Authority/Regulation	Description of Regulation
(FIFRA) - Sections 3 and 6	Pesticides may only be registered if, among other things, they do not cause “unreasonable adverse effects on the environment.” Section 6 of FIFRA provides EPA with the authority to cancel pesticide registrations if either (1) the pesticide, labeling, or other material does not comply with FIFRA; or (2) when used in accordance with widespread and commonly recognized practice, the pesticide generally causes unreasonable adverse effects on the environment.	insecticide on June 15, 1948. EPA issued the revised reregistration Eligibility Decision (RED) for <i>p</i> -dichlorobenzene ( <i>p</i> -dichlorobenzene) on December 29, 2008. All antimicrobial uses of <i>p</i> -dichlorobenzene were cancelled at the time of the RED in 2008. As of 2020, of the Section 3 registrations for <i>p</i> -dichlorobenzene the majority of the pesticidal uses are as a moth repellent to protect garments from insect damage. There are no outdoor uses registered for <i>p</i> -dichlorobenzene. In November 2018, OPP completed a Draft Human Health Risk Assessment of <i>p</i> -dichlorobenzene in support of its Registration Review, under the 15-year cycle ( <a href="#">U.S. EPA, 2018c</a> ). OPP announced the availability of EPA’s proposed interim registration review decision on <i>p</i> -dichlorobenzene on July 30, 2020 and invited comments by September 28, 2020 ( <a href="#">EPA-HQ-OPP-2017-0750-0017</a> ).
Clean Air Act (CAA) – Section 111(b)	Requires EPA to establish new source performance standards (NSPS) for any category of new or modified stationary sources that EPA determines causes, or	<i>p</i> -Dichlorobenzene is subject to the NSPS for equipment leaks of volatile organic



Statutes/Regulations	Description of Authority/Regulation	Description of Regulation
	<p>contributes significantly to, air pollution, which may reasonably be anticipated to endanger public health or welfare. The standards are based on the degree of emission limitation achievable through the application of the best system of emission reduction (BSER) which (taking into account the cost of achieving reductions and environmental impacts and energy requirements) EPA determines has been adequately demonstrated.</p>	<p>compounds (VOCs) in the synthetic organic chemicals manufacturing industry for which construction, reconstruction or modification began after January 5, 1981 and on or before November 7, 2006 (<a href="#">40 CFR Part 60</a>, Subpart VV).</p>
<p>Clean Air Act (CAA) – Section 112(b)</p>	<p>Defines the original list of 189 hazardous air pollutants (HAPs). Under 112(c) of the CAA, EPA must identify and list source categories that emit HAP and then set emission standards for those listed source categories under CAA Section 112(d). CAA Section 112(b)(3)(A) specifies that any person may petition the Administrator to modify the list of HAP by adding or deleting a substance. Since 1990, EPA has removed two pollutants from the original list leaving 187 at present.</p>	<p><i>p</i>-Dichlorobenzene is listed as a HAP (<a href="#">42 U.S. Code Section 7412</a>)</p>
<p>Clean Air Act (CAA) – Section 112(d)</p>	<p>Directs EPA to establish, by rule, NESHAPs for each category or subcategory of listed major sources and area sources of HAPs (listed pursuant to Section 112(c)). For major sources, the standards must require the maximum degree of emission reduction that EPA determines is achievable by each particular source category. This is generally referred to as maximum achievable control technology (MACT). For areas sources, the standards must require generally achievable control technology (GACT) though may require MACT.</p>	<p>EPA has established National Emission Standards for Hazardous Air Pollutants (<a href="#">NESHAPs</a>) for a number of source categories that emit <i>p</i>-dichlorobenzene to air.</p>
<p>Clean Air Act (CAA) – Sections 112(d) and 112(f)</p>	<p>Risk and technology review (RTR) of Section 112(d) national emission standards for hazardous air pollutants (NESHAP). Section 112(f)(2) requires EPA to conduct risk assessments for each source category subject to Section 112(d) NESHAP that require maximum achievable control technology</p>	<p>EPA has promulgated a number of RTR NESHAP and will do so, as required, for the remaining source categories with NESHAP.</p>

Statutes/Regulations	Description of Authority/Regulation	Description of Regulation
	(MACT), and to determine if additional standards are needed to reduce remaining risks. Section 112(d)(6) requires EPA to review and revise the emission standards, as necessary, taking into account developments in practices, processes and control technologies.	
Clean Air Act (CAA) – Section 183(e)	Section 183(e) requires EPA to list the categories of consumer and commercial products that account for at least 80 percent of all VOC emissions in areas that violate the National Ambient Air Quality Standards (NAAQS) for ozone and to issue standards for these categories that require “best available controls.” In lieu of regulations, EPA may issue control techniques guidelines if the guidelines are determined to be substantially as effective as regulations.	<i>p</i> -Dichlorobenzene is listed under the National Volatile Organic Compound Emission Standards for Aerosol Coatings ( <a href="#">40 CFR part 59, subpart E</a> ). <i>p</i> -dichlorobenzene has a reactivity factor of .20 g O <sub>3</sub> /g VOC.
Clean Air Act (CAA) – Sections 211(a), (b) (e) and (f)	Requires fuels and fuel additives that are designated by EPA to be registered under <a href="#">40 CFR Part 79</a> , Registration of Fuels and Fuel Additives.	While the composition of registered fuels and fuel additives is confidential, a Safety Data Sheet for a fuel additive identified <i>p</i> -dichlorobenzene and <i>o</i> -dichlorobenzene as components. ( <a href="#">List of Registered Gasoline and Diesel Additives</a> , Accessed June 4, 2020)
Clean Water Act (CWA) - Section 304(a)(1)	Requires EPA to develop and publish ambient water quality criteria (AWQC) reflecting the latest scientific knowledge on the effects on human health that may be expected from the presence of pollutants in any body of water.	In 2015, EPA published updated AWQC for <i>p</i> -dichlorobenzene, including a recommendation of 300 (µg/L) for “Human Health for the consumption of Water + Organism” and 900 (µg/L) for “Human Health for the consumption of Organism Only”

Statutes/Regulations	Description of Authority/Regulation	Description of Regulation
		for states and authorized tribes to consider when adopting criteria into their water quality standards. ( <a href="#">National Recommended Water Quality Criteria – Human Health Criteria Table</a> , Accessed May 20, 2020)
Clean Water Act (CWA) – Section 301(b), 304(b), 306, 207(a) and 307(b)	Clean Water Act Section 307(a) establishes a list of toxic pollutants or combination of pollutants under the CWA. The statute specifies a list of families of toxic pollutants also listed in the Code of Federal Regulations at 40 CFR Part 401.15. The “priority pollutants” specified by those families are listed in 40 CFR Part 423 Appendix A. These are pollutants for which best available technology effluent limitations must be established on either a national basis through rules (Sections 301(b), 304(b), 307(b), 306) or on a case-by-case best professional judgement basis in NPDES permits, see Section 402(a)(1)(B). EPA identifies the best available technology that is economically achievable for that industry after considering statutorily prescribed factors and sets regulatory requirements based on the performance of that technology.	<i>p</i> -Dichlorobenzene is designated as a toxic pollutant and a priority pollutant under Section 307(a)(1) of the CWA and as such is subject to effluent limitations ( <a href="#">40 CFR 401.15</a> ). <i>p</i> -Dichlorobenzene is designated as a priority pollutant as well ( <a href="#">40 CFR Part 423 Appendix A</a> ). Under CWA Section 304, <i>p</i> -dichlorobenzene is included in the list of total toxic organics (TTO) ( <a href="#">40 CFR 413.02(j)</a> )
Clean Water Act (CWA) – Section 311(b)(2)(A) and 501(a) of the Federal Water Pollution Control Act.	Requires EPA to develop, promulgate, and revise as may be appropriate, regulations designating as hazardous substances, other than oil, which, when discharged present an imminent and substantial danger to the public health or welfare, including, but not limited to, fish, shellfish, wildlife, shorelines, and beaches.	<i>p</i> -Dichlorobenzene is a designated hazardous substance in accordance with Section 311(b)(2)(A) of the Federal Water Pollution Control Act. ( <a href="#">43 FR 10474</a> , March 13, 1978).
Safe Drinking Water Act (SDWA) – Section 1412	Requires EPA to publish a non-enforceable maximum contaminant level goal (MCLG) for a contaminant for which EPA makes the determination that the contaminant: 1. may have an adverse effect on the health of	<i>p</i> -Dichlorobenzene is subject to NPDWR under the SDWA with a MCLG of 0.075 (mg/L) <sup>2</sup> and an enforceable MCL of 0.075

Statutes/Regulations	Description of Authority/Regulation	Description of Regulation
	<p>persons; 2. is known to occur or there is a substantial likelihood that the contaminant will occur in public water systems with a frequency and at levels of public health concern; and 3. in the sole judgement of the Administrator, regulation of the contaminant presents a meaningful opportunity for health risk reductions for persons served by public water systems. When EPA publishes an MCLG, EPA must also promulgate a National Primary Drinking Water Regulation (NPDWR) which includes either an enforceable maximum contaminant level (MCL), or a required treatment technique. Public water systems are required to comply with NPDWRs.</p>	<p>(mg/L)<sup>2</sup> (Section 1412) (<a href="#">52 FR 25690</a>, January 30, 1991)</p>
<p>Resource Conservation and Recovery Act (RCRA) – Section 3001</p>	<p>Directs EPA to develop and promulgate criteria for identifying the characteristics of hazardous waste, and for listing hazardous waste, taking into account toxicity, persistence, and degradability in nature, potential for accumulation in tissue and other related factors such as flammability, corrosiveness, and other hazardous characteristics.</p>	<p><i>p</i>-Dichlorobenzene is included on the list of hazardous wastes pursuant to RCRA 3001. RCRA Hazardous Waste Codes: D027 and U072 (<a href="#">40 CFR 261.24 and 261.33</a>).</p>
<p>Comprehensive Environmental Response, Compensation and Liability Act (CERCLA) – Sections 102(a) and 103</p>	<p>Authorizes EPA to promulgate regulations designating as hazardous substances those substances which, when released into the environment, may present substantial danger to the public health or welfare or the environment. EPA must also promulgate regulations establishing the quantity of any hazardous substance the release of which must be reported under Section 103. Section 103 requires persons in charge of vessels or facilities to report to the National Response Center if they have knowledge of a release of a hazardous substance above the reportable quantity threshold.</p>	<p><i>p</i>-Dichlorobenzene is a hazardous substance under CERCLA. Releases of <i>p</i>-dichlorobenzene in excess of 100 pounds must be reported (<a href="#">40 CFR 302.4</a>).</p>
<p>Superfund Amendments and</p>	<p>Requires the Agency to revise the hazardous ranking system and update the National</p>	<p><i>p</i>-Dichlorobenzene is listed on SARA, an</p>

Statutes/Regulations	Description of Authority/Regulation	Description of Regulation
Reauthorization Act (SARA)–	Priorities List of hazardous waste sites, increases state and citizen involvement in the superfund program and provides new enforcement authorities and settlement tools.	amendment to CERCLA and the CERCLA Priority List of Hazardous Substances. This list includes substances most commonly found at facilities on the CERCLA National Priorities List (NPL) that have been deemed to pose the greatest threat to public health. ( <a href="#">Substance Priority List</a> , Accessed May 20, 2020).
<b>Other Federal Statutes/Regulations</b>		
Occupational Safety and Health Act (OSHA)	Requires employers to provide their workers with a place of employment free from recognized hazards to safety and health, such as exposure to toxic chemicals, excessive noise levels, mechanical dangers, heat or cold stress or unsanitary conditions (29 U.S.C Section 651 et seq.). Under the Act, OSHA can issue occupational safety and health standards including such provisions as PEL, exposure monitoring, engineering and administrative control measures, and respiratory protection.	OSHA issued occupational safety and health standards for <i>p</i> -dichlorobenzene including a PEL of 75 ppm TWA, exposure monitoring, control measures and respiratory protection ( <a href="#">29 CFR 1910.1000</a> ).
Federal Hazardous Materials Transportation Act (HMTA)	Section 5103 of the Act directs the Secretary of Transportation to: <ul style="list-style-type: none"> <li>• Designate material (including an explosive, radioactive material, infectious substance, flammable or combustible liquid, solid or gas, toxic, oxidizing or corrosive material, and compressed gas) as hazardous when the Secretary determines that transporting the material in commerce may pose an unreasonable risk to health and safety or property.</li> <li>• Issue regulations for the safe transportation, including security, of hazardous material in intrastate, interstate and foreign commerce.</li> </ul>	<i>p</i> -Dichlorobenzene is listed as a hazardous material with regard to transportation and is subject to regulations prescribing requirements applicable to the shipment and transportation of listed hazardous materials ( <a href="#">70 FR 34381</a> , June 14, 2005).

Statutes/Regulations	Description of Authority/Regulation	Description of Regulation
Federal Food, Drug and Cosmetic Act (FFDCA)	<p>Provides the FDA with authority to oversee the safety of food, drugs and cosmetics.</p> <p>As a food contact substance FDA does not use “indirect food additive” as a regulatory term anymore. Since about 2000, the regulatory term for things previously categorized as “indirect food additives” is “food contact substance” “FDA established a maximum residual level of 0.8 ppm of <i>p</i>-dichlorobenzene as an indirect food additive in food contact polymers (21 CFR 177.2490).”</p>	<p><i>p</i>-Dichlorobenzene is listed as a food contact substance in food contact polymers, specifically in polyphenylene sulfide resins in coatings or components of coatings of articles intended for repeated use in contact with food. FDA established a maximum residual level of 0.8 ppm of <i>p</i>-dichlorobenzene as a food contact substance in food contact polymers (<a href="#">21 CFR 177.2490</a>).</p>

## D.2 State Laws and Regulations

**Table\_Apx D-2. State Laws and Regulations**

State Actions	Description of Action
State Air Regulations	<p>Allowable Ambient Levels [New Hampshire set a 24 hr AAL of 800 µg/m<sup>3</sup> and an annual AAL of 800 µg/m<sup>3</sup> (<a href="#">Env-A 1400: Regulated Toxic Air Pollutants</a>). Rhode Island has set a 1 hour AAL of 12,000 µg/m<sup>3</sup> and a 24-hour AAL of 800 µg/m<sup>3</sup> and an annual AAL of .09 µg/m<sup>3</sup> (<a href="#">Air Pollution Regulation No. 22</a>).</p>
State Drinking Water Standards and Guidelines	<p>Arizona set an MCL of .075 mg/L and an MCLG of 0.075 mg/L (<a href="#">14 Ariz. Admin. Register 2978</a>, August 1, 2008). California set an MCL of .0005 mg/L, a DLR of .0005 and a PHG of .006 mg/l in 1997 (<a href="#">Cal Code Regs. Title 26, § 22-64444</a>). Connecticut set an MCL of 0.075 mg/L (<a href="#">R.C.S.A Section 19-13-B102</a>) (<a href="#">Conn. Agencies Regs. § 19-13-B102</a>). Delaware set an MCL of 0.075 mg/L and MCLG of 75 mg/L (Del. Admin. Code Title 16, § 4462). Florida set an MCL of 75 mg/L (<a href="#">Fla. Admin. Code R. Chap. 62-550</a>). Maine set an MCL of 0.075 mg/L (<a href="#">10 144 Me. Code R. Chap. 231</a>). Massachusetts set an MCL of 0.005 mg/L (<a href="#">310 Code Mass. Regs. § 22.00</a>),.</p> <p>Michigan set drinking water criteria of 75 mg/L (<a href="#">Mich. Admin. Code r.299.44 and r.299.49, 2017</a>).</p> <p>Minnesota set an MCL of 10 mg/L (<a href="#">Minn R. Chap. 4720</a>).</p> <p>New Jersey adopted Federal MCL of 75 mg/L (<a href="#">7:10 N.J Admin. Code § 5.2</a>).</p> <p>Pennsylvania set an MCL of 0.075 mg/L (<a href="#">25 Pa. Code § 109.202</a>).</p>

State Actions	Description of Action
	Rhode Island set an MCL of 75 mg/L ( <a href="#">Rules and Regulations Pertaining to Public Drinking Water R46-13-DWQ</a> ).
State PELs	California PEL of 10 ppm and a STEL of 110 ppm ( <a href="#">Cal Code Regs. Title 8, § 5155</a> ). Hawaii PEL of 75 ppm and 450 mg/m <sup>3d</sup> and a STEL of 110 ppm and 675 mg/m <sup>3d</sup> ( <a href="#">Hawaii Administrative Rules Section 12-60-50</a> ).
State Right-to-Know Acts	<i>p</i> -Dichlorobenzene is on the MA Toxic Use Reduction Act (TURA) list of 2019 ( <a href="#">301 CMR 41.00</a> , <a href="#">105 Code Massachusetts. Regs. § 670.000 Appendix A</a> ). <i>p</i> -Dichlorobenzene is a hazardous substance identified under New Jersey's Worker and Community RTK Act which includes over 2000 hazardous substances. New Jersey ( <a href="#">N.J.A.C. 7:1G</a> ) and Pennsylvania ( <a href="#">P.L. 734, No. 159</a> and <a href="#">34 Pa. Code § 323</a> ).
Chemicals of High Concern to Children	Several states have adopted reporting laws for chemicals in children's products containing <i>p</i> -dichlorobenzene Maine designated <i>p</i> -dichlorobenzene as a chemical of concern ( <a href="#">38 MRSA Chapter 16-D</a> ), and Minnesota lists <i>p</i> -dichlorobenzene as a Chemical of High Concern (Toxic Free Kids Act <a href="#">Minn. Stat. 116.9401 to 116.9407</a> ).
Volatile Organic Compound (VOC) Regulations for Consumer Products	Many states regulate <i>p</i> -dichlorobenzene as a VOC. These regulations may set VOC limits for consumer products and/or ban the sale of certain consumer products as an ingredient and/or impurity. Regulated products vary from state to state and could include toilet and urinal care products and air fresheners including in toilet bowls, urinals and animal holding facilities. California prohibited <i>p</i> -dichlorobenzene in solid air freshener and in toilet/urinal care products effective 12/31/2005 with a sell through date of 12/31/2006. ( <a href="#">Title 17, California Code of Regulations, Division 3, Chapter 1, Subchapter 8.5, Articles 1, 2, 3 and 4</a> ). Connecticut prohibits the sale, supply or manufacture of any solid air freshener or toilet/urinal care product that contains <i>p</i> -dichlorobenzene ( <a href="#">R.C.S.A Sections 22a-174-40, 22a-174-41, and 22a-174-44</a> ), Delaware ( <a href="#">Adm. Code Title 7, 1141</a> ). District of Columbia prohibits the sale, supply, manufacturer or use of solid air fresheners or toilet/urinal care products that contain <i>p</i> -dichlorobenzene ( <a href="#">Section 20-729 Environment Rule 729</a> ). Illinois prohibits air fresheners containing <i>p</i> -dichlorobenzene ( <a href="#">35 Adm Code 223</a> ). Indiana adopted restrictions on <i>p</i> -dichlorobenzene in VOC-containing products ( <a href="#">Article 8 Volatile Organic Compound Rule 326 IAC 8-15</a> ), Maine adopted a ban effective January 1, 2010 on the sale, supply, and manufacture of any solid air fresheners or Toilet/Urinal Care products that

State Actions	Description of Action
	<p>contain <i>p</i>-dichlorobenzene. (<a href="#">Chapter 152 of the Maine Department of Environmental Protection Regulations</a>).</p> <p>Maryland prohibits insecticides, solid air fresheners and toilet or urinal care products containing <i>p</i>-dichlorobenzene (<a href="#">COMAR 26.11.32.00 to 26.11.32.26</a>).</p> <p>Massachusetts prohibits the sale of solid air freshener or toilet/urinal care products that contain <i>para</i>-dichlorobenzene under a regulation that took effect January 1, 2009 but allows a sell-through period of January 1, 2010 (<a href="#">310 CMR 7.25, Commonwealth of Massachusetts Air Pollution Control Regulations</a>).</p> <p>New Hampshire prohibits fragrances containing <i>p</i>-dichlorobenzene (<a href="#">Env-A 4100</a>).</p> <p>New Jersey prohibits solid air fresheners containing 98% by weight <i>p</i>-dichlorobenzene (<a href="#">Title 7, Chapter 27, Subchapter 24</a>).</p> <p>New York prohibits solid air fresheners and toilet/urinal care products containing <i>p</i>-dichlorobenzene (<a href="#">6 CRR-NY III A 235</a>).</p> <p>Ohio prohibits <i>p</i>-dichlorobenzene in toilet care products. (<a href="#">Chapter 3745-112</a>).</p> <p>Pennsylvania prohibits <i>p</i>-dichlorobenzene in toilet care products (<a href="#">Chapter 130, Subchapter B, Sections 130.201 through 130.471</a>).</p> <p>Rhode Island prohibits solid air fresheners and toilet/urinal care products containing <i>p</i>-dichlorobenzene (<a href="#">Air Pollution Control Regulation No. 31</a>).</p> <p>Utah limits toilet care and solid air fresheners to 3% by weight VOC (<a href="#">R 307-357</a>).</p> <p>Virginia (<a href="#">9VAC5 CHAPTER 45</a>) has VOC regulations or limits for consumer products.</p>
Other	<p>California listed <i>p</i>-dichlorobenzene on Proposition 65 in 1989 due to carcinogenicity. (<a href="#">Cal Code Regs. Title 27, § 27001</a>).</p> <p><i>p</i>-Dichlorobenzene is listed as a Candidate Chemical under California's Safer Consumer Products Program (<a href="#">Health and Safety Code § 25252 and 25253</a>).</p> <p>California lists <i>p</i>-dichlorobenzene as a designated chemical for biomonitoring (2006) (<a href="#">California SB 1379</a>).</p> <p>California Department of Industrial Relations lists <i>p</i>-dichlorobenzene as a Hazardous Substance. (<a href="#">Title 8 Section 339 The Hazardous Substances List</a>).</p> <p><i>p</i>-Dichlorobenzene is on the MA Toxic Use Reduction Act (TURA) list of 2019 (<a href="#">301 CMR 41.00 Toxic or Hazardous Substances List</a>).</p>



## D.3 International Laws and Regulations

Table\_Apx D-3. Regulatory Actions by Other Governments, Tribes, and International Agreements

Country/ Organization	Requirements and Restrictions
Canada	<p><i>p</i>-Dichlorobenzene is on the <a href="#">Domestic Substances List (Government of Canada)</a>. Managing substances in the environment. Substances Search. Database accessed April 17, 2019). Other regulations include:</p> <ul style="list-style-type: none"> <li>• <a href="#">Canada’s National Pollutant Release Inventory (NPRI)</a></li> </ul>
European Union	<p>In 2014, <a href="#">a restriction on the sale of <i>p</i>-dichlorobenzene</a> as a substance or as a constituent of mixtures in concentration equal to or greater than 1% by weight, where the substance or the mixture is placed on the market for use or used as an air freshener or deodorizer in toilets, homes, offices or other indoor public areas. (Accessed April 16, 2019)</p>
Australia	<p><i>p</i>-Dichlorobenzene is subject to secondary notifications when importing or manufacturing the chemical in Australia. In 2000, <i>p</i>-dichlorobenzene was assessed (<a href="#">para-Dichlorobenzene. Priority Existing Chemical No. 13. Full Public Report, 2000</a>).</p>
Japan	<p><i>p</i>-Dichlorobenzene is regulated in Japan under the following legislation:</p> <ul style="list-style-type: none"> <li>• Act on the Evaluation of Chemical Substances and Regulation of Their Manufacture, etc. (Chemical Substances Control Law; CSCL)</li> <li>• Act on Confirmation, etc. of Release Amounts of Specific Chemical Substances in the Environment and Promotion of Improvements to the Management Thereof</li> <li>• Industrial Safety and Health Act (ISHA)</li> <li>• Air Pollution Control Law</li> <li>• Water Pollution Control Law</li> </ul> <p>(<a href="#">National Institute of Technology and Evaluation [NITE] Chemical Risk Information Platform [CHIRP]</a>, Accessed May 20,2020).</p>
Australia, Austria, Belgium, Canada-Ontario, Canada-Quebec, Denmark, European Union, Finland, France, Germany, Hungary Ireland, Italy, Japan, Latvia New Zealand, People’s Republic of	<p>Occupational exposure limits for <i>p</i>-dichlorobenzene (<a href="#">GESTIS International limit values</a> for chemical agents) (Occupational exposure limits, OELs) database, Accessed May 20, 2020).</p>

<b>Country/ Organization</b>	<b>Requirements and Restrictions</b>
China, Poland, Romania, Singapore, South Korea, Spain, Sweden, Switzerland, The Netherlands, Turkey, USA, United Kingdom	

## Appendix E PROCESS, RELEASE AND OCCUPATIONAL EXPOSURE INFORMATION

---

This appendix provides information and data found in preliminary data gathering for *p*-dichlorobenzene

### E.1 Process Information

---

Process-related information potentially relevant to the risk evaluation may include process diagrams, descriptions and equipment. Such information may inform potential release sources and worker exposure activities.

#### E.1.1 Import

---

In general, chemicals may be imported into the United States in bulk via water, air, land, and intermodal shipments ([Tomer and Kane, 2015](#)). These shipments take the form of oceangoing chemical tankers, railcars, tank trucks, and intermodal tank containers. *p*-Dichlorobenzene is shipped either in molten form in heated, insulated steel tank cars or in flake or granular solid form in sealed containers such as paper bags, fiber packs, or drums ([Krishnamurti, 2001](#)). EPA has identified two importers of record that import *p*-dichlorobenzene directly to their sites for on-site processing or use and three importers of record that import *p*-dichlorobenzene directly to other sites for processing or use (the importing sites of record do not directly handle or store the imported *p*-dichlorobenzene) ([U.S. EPA, 2020a](#)).

#### E.1.2 Processing and Distribution

---

##### E.1.2.1 Processing as a Reactant

---

Processing as a reactant or intermediate is the use of *p*-dichlorobenzene as a feedstock in the production of another chemical product via a chemical reaction in which *p*-dichlorobenzene is consumed to form the product. *p*-Dichlorobenzene is used as a feedstock in the manufacture of poly (phenylene sulfide) resins, 1,2,4-trichlorobenzene, and insecticide intermediates ([Krishnamurti, 2001](#)).

Exact operations for the use of *p*-dichlorobenzene as a reactant to produce plastic materials and resins and other chemicals are not known at this time. For using a chemical as a reactant, operations would typically involve unloading the chemical from transport containers and feeding the chemical into a reaction vessel(s), where the chemical would react either fully or to a lesser extent. Following completion of the reaction, the produced substance may be purified further, thus removing unreacted *p*-dichlorobenzene (if any exists). One poly (phenylene sulfide) manufacturer has indicated their poly (phenylene sulfide) product may contain up to 100 ppm of unreacted *p*-dichlorobenzene ([Solvay, 2020](#)).

##### E.1.2.2 Incorporated into a Formulation, Mixture or Reaction Product

---

Incorporation into a formulation, mixture or reaction product refers to the process of mixing or blending of several raw materials to obtain a single product or preparation. EPA has identified the following product formulations in which *p*-dichlorobenzene is a component:

- Plastic material and resin manufacturing: *p*-dichlorobenzene is used as a feedstock in the manufacture of poly (phenylene sulfide) resins, 1,2,4-trichlorobenzene, dyes, and insecticide intermediates ([Krishnamurti, 2001](#)).
- Solvents which become part of the product formulation or mixture in plastic material and resin manufacturing); petroleum lubricating oil and grease manufacturing; all other chemical product and preparation manufacturing ([EPA-HQ-OPPT-2018-0446-0007](#)).

- Odor agents in Soap, cleaning compound, and toilet preparation manufacturing including urinal block, toilet/garbage deodorizers.

The exact processes used to formulate products containing *p*-dichlorobenzene are not known at this time.

### **E.1.2.3 Incorporated into an Article**

---

Incorporation into an article typically refers to a process in which a chemical becomes an integral component of an article (as defined at 40 CFR 704.3) for distribution in commerce. EPA has identified the following articles in which *p*-dichlorobenzene is incorporated:

- Plastic products: *p*-dichlorobenzene is used in the manufacture of polyphenyl sulfide (PPS), in high heat thermoplastics. Thermoplastics are used in a variety of consumer and industrial/commercial products including food contact materials (FDA), automotive brake systems, air valves, fuel rails, transmission accumulator pistons and water pump impellers ([Solvay, 2020](#); [U.S. EPA, 2019b](#)); [EPA-HQ-OPPT-2018-0446-0017](#))

Exact process operations involved in the incorporation of *p*-dichlorobenzene into these products are not known at this time. Since *p*-dichlorobenzene is a solid in these articles, incorporation activities may include unloading *p*-dichlorobenzene from shipping containers, melting *p*-dichlorobenzene into liquid form, forming *p*-dichlorobenzene into the desired shape, and cooling and solidifying the article at its desired shape.

### **E.1.3 Uses**

---

#### **E.1.3.1 Solvents (Which Become Part of Product Formulation or Mixture)**

---

EPA has found indications that *p*-dichlorobenzene could be a component in synthetic dyes and pigments ([Lanxess Corporation, 2015](#)), however, EPA has not found process specific information for this condition of use. EPA plans to further investigate the use of *p*-dichlorobenzene as a component of dyes and pigments.

#### **E.1.3.2 Functional Fluids (Closed Systems)**

---

One company has reported to EPA that they use a mixture of *p*-dichlorobenzene and *o*-dichlorobenzene as a coolant in a closed system; the ratio of the two isomers is approximately 75% *ortho*- and 25% *para*- ([EPA-HQ-OPPT-2018-0446-0037](#)). This is consistent with the 2011 OECD Emissions Scenario document on the Chemical industry which states; “heat transferring agents are a class of substances with functions described like coolants, heating agents, and refrigerants”. Furthermore, the ESD states that “heat transferring agents are applied in closed systems and that under normal operating conditions no releases to the environment are expected to occur” ([OECD, 2011](#)).

#### **E.1.3.3 Air Care Products**

---

The 2016 and 2012 CDRs report use of *p*-dichlorobenzene in air care products at concentrations of at least 90 percent by weight. ([Synapse Information Resources, 2009](#)) identifies use of this chemical in air purifiers. Ullman’s ([2003](#)) indicates that the chemical provides deodorant properties due to its inherently strong odor and high vapor pressure. ([GoodGuide, 2011](#)) Pollution Scorecard identifies use of this chemical in non-personal, non-aerosol deodorants and air fresheners. The ([ECHA, 2019](#)) registration dossier identified use of *p*-dichlorobenzene in air care products. The ([Environment Canada, 2018](#)) identifies use of the chemical as an air freshener and deodorizer. The ([Finnish Environment Institute, 2019](#)) also identifies the use of *p*-dichlorobenzene in air deodorizers. ([NICNAS, 2000](#)) identifies use of *p*-dichlorobenzene as a room freshener in homes. An air freshener tablet from ([Grainger Global Sourcing, 2014](#)) was found to contain *p*-dichlorobenzene.

EPA identified additional domestic use of this chemical in antimicrobial products and bathroom cleaners. EPA identified urinal and toilet deodorants and deodorizing wall blocks that contain *p*-dichlorobenzene. Synapse Information Resources identified use of *p*-dichlorobenzene in mildew control agents ([Synapse Information Resources, 2009](#)).

EPA has identified the following articles in which *p*-dichlorobenzene is incorporated:

- Air care products: *p*-dichlorobenzene is an odor agent in air care products ([U.S. EPA, 2020a](#)); ([Krishnamurti, 2001](#)), such as toilet bowl deodorizers ([CPID, 2020](#)). CPID and the SDS for Toilet Bowl Deodorizer ([DeLima Associates, 2014](#)) identify use of *p*-dichlorobenzene in a toilet bowl deodorizer also in concentrations between 99 - 100% by weight ([CPID, 2020](#); [Home Depot, 2019](#)). The toilet bowl deodorizer is designed to be attached with a hanger to the interior of the toilet bowl, where it continuously deodorizes ([Home Depot, 2019](#)).

#### **E.1.3.4 Lubricants and Greases**

---

EPA has identified a single lubricant and grease product that contains *p*-dichlorobenzene: A fuel additive from ([Marvel Oil Company, 2017b](#)) was found to contain <0.1 wt% *p*-dichlorobenzene, as per its safety data sheet (SDS) ([Marvel Oil Company, 2017b](#)).

The Organisation for Economic Co-operation and Development (OECD) Emission Scenario Document on Lubricants and Lubricant Additives ([OECD, 2004](#)) provides general process descriptions for the formulation of lubricants, which may be similar to the formulation of lubricating fuel additives such as the Marvel Mystery Oil. Lubricant formulation typically involves the blending of two or more components, including liquid and solid additives, together in a blending vessel ([OECD, 2004](#)).

#### **E.1.3.5 Fuels and Related Products**

---

The Consumer Product Information Database ([CPID, 2020](#)) identifies one fuel additive product that contains this chemical. A fuel additive from ([Marvel Oil Company, 2017b](#)) was found to contain <0.1 wt% *p*-dichlorobenzene, as per its safety data sheet (SDS) ([Marvel Oil Company, 2017b](#)).

Marvel Mystery Oil is sold in small containers and can be added directly to the fuel tank or the crankcase of engines for automobiles, trucks, agricultural and earth moving equipment, marine vehicles, recreational vehicles, small powered landscaping equipment (such as chainsaws, lawn mowers, and snow blowers), and gasoline-powered generators. Marvel Mystery Oil improves oil lubrication and sludge control, improves fuel combustion, and aids engine cleaning ([Marvel Oil Company, 2017b](#)).

#### **E.1.3.6 Other Uses**

---

EPA has identified additional uses of *p*-dichlorobenzene in various other TSCA-covered conditions of use, including use, by NASA, as a laboratory chemical. A commenter ([EPA-HQ-OPPT-2018-0446-0036](#)) provided descriptions of their use of *p*-dichlorobenzene as a critical use as a reference sample for analysis of terrestrial and extraterrestrial material samples and in laboratory applications for analytical standards, research, equipment calibration and sample preparation. EPA has also identified SDS's for an external embalming powder that contains *p*-dichlorobenzene at a concentration of between 15-40% ([Frigid Fluid Co, 2016](#)). EPA plans to further investigate these uses during the risk evaluation.

### **E.1.3.7 Building/Construction Materials**

EPA has identified a single building and construction material product that contains *p*-dichlorobenzene: Touch n' Foam Mouse Shield. This building sealant is sold in a 12-ounce can and is used to spray a foam sealant to seal gaps and cracks in buildings. The *p*-dichlorobenzene provides a pest repellent function in the product ([Touch n Foam, 2019](#)).

### **E.1.4 Disposal**

Each of the conditions of use of *p*-dichlorobenzene may generate waste streams of the chemical that are collected and transported to third-party sites for disposal, treatment, or recycling. Industrial sites that treat or dispose onsite wastes that they themselves generate are assessed in each condition of use assessment. Similarly, point source discharges of *p*-dichlorobenzene to surface water are assessed in each condition of use assessment.

Wastes of *p*-dichlorobenzene that are generated during a condition of use and sent to a third-party site for treatment or disposal may include wastewater and solid wastes. *p*-dichlorobenzene may be contained in wastewater discharged to POTW or other, non-public treatment works for treatment. Industrial wastewater containing HHCb discharged to a POTW may be subject to EPA or authorized NPDES state pretreatment programs. Solid wastes are defined under RCRA as any material that is discarded by being: abandoned; inherently waste-like; a discarded military munition; or recycled in certain ways (certain instances of the generation and legitimate reclamation of secondary materials are exempted as solid wastes under RCRA).

For the 2018 reporting year of the TRI program, 16 facilities reported in total nearly 2.7 million pounds of *p*-dichlorobenzene as production-related waste. Of this total, over 1.45 million pounds were recycled and over 1.14 million pounds were treated. Only 1% (approximately 29,000 pounds) of the production-related waste was burned for energy recovery during 2018, and only 2% was released to the environment. The majority of the quantities (92%) of *p*-dichlorobenzene managed as production-related waste were managed as such on site.

## **E.2 Preliminary Occupational Exposure Data**

EPA presents below an example of occupational exposure-related information obtained from preliminary data gathering. EPA plans to consider this information and data in combination with other data and methods for use in the risk evaluation.

Table\_Apx E-1 summarizes the OSHA inspection monitoring data identified in the Chemical Exposure Health Data (CEHD) from 2010 to 2019 by North American Industry Classification System (NAICS) code. Number of data points in Table\_Apx E-1 was populated from data found at <https://www.osha.gov/opengov/healthsamples.html>.

**Table\_Apx E-1. Summary of Industry Sectors with *p*-Dichlorobenzene Monitoring Samples Available from OSHA Inspections Conducted Between 2010 and 2019**

NAICS	NAICS Description	Number of Data Points
325130	Synthetic Dye and Pigment Manufacturing	26
326199	All Other Plastics Product Manufacturing	7

NAICS	NAICS Description	Number of Data Points
926150	Regulation, Licensing, and Inspection of Miscellaneous Commercial Sectors	4

Table\_Apx E-2 summarizes NIOSH Health Hazard Evaluations identified during EPA's preliminary data gathering. HHEs can be found at <https://www.cdc.gov/niosh/hhe/>

**Table\_Apx E-2. Summary of NIOSH HHEs with Monitoring for *p*-Dichlorobenzene <sup>a</sup>**

Year of Publication	Report Number	Facility Description
2009	HETA 2005-0076	Environmental tobacco smoke at casinos (Bally's, Paris, and Caesars Palace in Las Vegas, NV)
1981	HETA 81-065-938	Vehicle maintenance facility (METRO Bus Maintenance Shop, Washington, D.C.)
1980	80-082-773	Manufacturer of chlorinated benzene derivatives
1980	HHE 77-99-726	Chemical manufacturer (DuPont Chambers Works, Deepwater, New Jersey)
1976	74-107-279	Silicone manufacturer (General Electric Company, Silicone Products Department, Waterford, New York)

<sup>a</sup> Table includes HHEs identified to date.

## Appendix F SUPPORTING INFORMATION - CONCEPTUAL MODEL FOR INDUSTRIAL AND COMMERCIAL ACTIVITIES

**Table\_Apx F-1. Worker and Occupational Non-User Exposure Conceptual Model Supporting Table**

Life Cycle Stage	Category	Subcategory	Release / Exposure Scenario	Exposure Pathway <sup>a</sup>	Exposure Route	Receptor / Population	Plans to Evaluate	Rationale
Manufacture	Import	Import	Unloading of Import Containers	Liquid/Solid Contact	Dermal	Workers	Yes	The potential for exposures to workers exists during import, but exposure will only occur in the event the imported material is repackaged. <i>p</i> -dichlorobenzene is typically imported as a solid but may also be shipped in a molten form.
				Vapor	Inhalation	Workers, ONU	Yes	<i>p</i> -dichlorobenzene is semi-volatile (VP = 1.74 mmHg) at room temperature and there is potential for vapor generation.
				Dust	Inhalation/Oral	Workers, ONU	Yes	If <i>p</i> -dichlorobenzene is imported and repackaged as a solid, then there is a potential for dust generation.
				Mist	Inhalation	Workers, ONU	No	Mist generation is not expected during import or repackaging.



Life Cycle Stage	Category	Subcategory	Release / Exposure Scenario	Exposure Pathway <sup>a</sup>	Exposure Route	Receptor / Population	Plans to Evaluate	Rationale
				Liquid/Solid Contact	Dermal	ONU	No	Dermal exposure by ONU is not expected for this condition of use as they are not expected to directly handle the chemical.
Processing	As a Reactant	Intermediate in: plastic material and resin manufacturing; all other basic organic chemical manufacturing	Reactants in plastic material and resin manufacturing and other organic chemical manufacturing	Liquid/Solid Contact	Dermal	Workers	Yes	The potential for exposures to workers exists during manufacturing of other chemicals, as <i>p</i> -dichlorobenzene can be processed in liquid/solid form.
				Vapor	Inhalation	Workers, ONU	Yes	<i>p</i> -dichlorobenzene is semi-volatile (VP = 1.74 mmHg) at room temperature and there is potential for vapor generation.
				Dust	Inhalation/Oral	Workers, ONU	Yes	If <i>p</i> -dichlorobenzene is transported to industrial users as a solid, then there is a potential for dust generation.
				Mist	Inhalation	Workers, ONU	No	Mist generation is not expected during manufacturing of other chemicals.
				Liquid/Solid Contact	Dermal	ONU	No	Dermal exposure by ONU is not expected for this condition of use as they are not expected to directly handle the chemical.
				Incorporation into formulation,	Intermediates in plastic material and resin	Intermediates in plastic material and resin manufacturing	Liquid/Solid Contact	Dermal

Life Cycle Stage	Category	Subcategory	Release / Exposure Scenario	Exposure Pathway <sup>a</sup>	Exposure Route	Receptor / Population	Plans to Evaluate	Rationale
	mixture, or reaction product	manufacturing (PPS, high performance plastics)						during processing (incorporation into formulation, mixture, or reaction product), as <i>p</i> -dichlorobenzene can be processed in liquid/solid form.
Vapor				Inhalation	Workers, ONU	Yes	<i>p</i> -dichlorobenzene is semi-volatile (VP = 1.74 mmHg) at room temperature and there is potential for vapor generation.	
Dust				Inhalation/Oral	Workers, ONU	Yes	If <i>p</i> -dichlorobenzene is transported to industrial users as a solid, then there is a potential for dust generation.	
Mist				Inhalation	Workers, ONU	No	Mist generation is not expected during processing.	
Liquid/Solid Contact				Dermal	ONU	No	Dermal exposure by ONU is not expected for this condition of use as they are not expected to directly handle the chemical.	
		Solvents (which become part of product formulation or mixture in Plastic material and resin manufacturing); Petroleum lubricating oil and grease manufacturing; All other chemical product and preparation manufacturing	Incorporated as constituents in plastics and resins, lubricating oil and greases	Liquid/Solid Contact	Dermal	Workers	Yes	The potential for exposures to workers exists during processing (incorporation into formulation, mixture, or reaction product), as <i>p</i> -dichlorobenzene can exist as liquid/solid.

Life Cycle Stage	Category	Subcategory	Release / Exposure Scenario	Exposure Pathway <sup>a</sup>	Exposure Route	Receptor / Population	Plans to Evaluate	Rationale	
				Vapor	Inhalation	Workers, ONU	Yes	<i>p</i> -dichlorobenzene is semi-volatile (VP = 1.74 mmHg) at room temperature and there is potential for vapor generation.	
				Dust	Inhalation/Oral	Workers, ONU	Yes	If <i>p</i> -dichlorobenzene is transported to industrial users as a solid, then there is a potential for dust generation.	
				Mist	Inhalation	Workers, ONU	No	Mist generation is not expected during processing.	
				Liquid/Solid Contact	Dermal	ONU	No	Dermal exposure by ONU is not expected for this condition of use as they are not expected to directly handle the chemical.	
		Odor agents in Soap, cleaning compound, and toilet preparation manufacturing	Incorporated in odor agents (e.g. urinal block, toilet/garbage deodorizers)	Liquid/Solid Contact	Dermal	Workers	Yes	The potential for exposures to workers exists during processing (incorporation into formulation, mixture, or reaction product), as <i>p</i> -dichlorobenzene can exist as liquid/solid.	
					Vapor	Inhalation	Workers, ONU	Yes	<i>p</i> -dichlorobenzene is semi-volatile (VP = 1.74 mmHg) at room temperature and there is potential for vapor generation.
					Dust	Inhalation/Oral	Workers, ONU	Yes	Dust generation is possible during processing when <i>p</i> -

Life Cycle Stage	Category	Subcategory	Release / Exposure Scenario	Exposure Pathway <sup>a</sup>	Exposure Route	Receptor / Population	Plans to Evaluate	Rationale
								dichlorobenzene exists as dry powder.
				Mist	Inhalation	Workers, ONU	No	Mist generation is not expected during processing.
				Liquid/Solid Contact	Dermal	ONU	No	Dermal exposure by ONU is not expected for this condition of use as they are not expected to directly handle the chemical.
	Incorporating into article	Other, including in plastic product manufacturing	Incorporated in plastic products ( <i>p</i> -DCB is used in the manufacture of PPS (polyphenyl sulfide) – <i>e.g.</i> , high heat thermoplastics	Liquid/Solid Contact	Dermal	Workers	Yes	The potential for exposures to workers exists during processing (incorporation into article), as <i>p</i> -dichlorobenzene can be processed as liquid/solid.
				Vapor	Inhalation	Workers, ONU	Yes	<i>p</i> -dichlorobenzene is semi-volatile (VP = 1.74 mmHg) at room temperature and there is potential for vapor generation.
				Dust	Inhalation/Oral	Workers, ONU	Yes	Dust generation is possible during processing when <i>p</i> -dichlorobenzene exists as dry powder.
				Mist	Inhalation	Workers, ONU	No	Mist generation is not expected during processing.
				Liquid/Solid Contact	Dermal	ONU	No	Dermal exposure by ONU is not expected for this condition of use as they are not

Life Cycle Stage	Category	Subcategory	Release / Exposure Scenario	Exposure Pathway <sup>a</sup>	Exposure Route	Receptor / Population	Plans to Evaluate	Rationale
								expected to directly handle the chemical.
	Recycling	Recycling	Recycling of materials containing <i>p</i> -dichlorobenzene	Liquid/Solid Contact	Dermal	Workers	Yes	The potential for exposures to workers exists during processing as <i>p</i> -dichlorobenzene can be processed as liquid/solid.
				Vapor	Inhalation	Workers, ONU	Yes	<i>p</i> -dichlorobenzene is semi-volatile (VP = 1.74 mmHg) at room temperature and there is potential for vapor generation.
				Dust	Inhalation/Oral	Workers, ONU	Yes	Dust generation is possible during processing when <i>p</i> -dichlorobenzene exists as dry powder.
				Mist	Inhalation	Workers, ONU	No	Mist generation is not expected during processing.
				Liquid/Solid Contact	Dermal	ONU	No	Dermal exposure by ONU is not expected for this condition of use as they are not expected to directly handle the chemical.
Distribution in commerce	Distribution in commerce	Distribution in commerce	Distribution of bulk shipments of <i>p</i> -dichlorobenzene and formulated products	Liquid/solid Contact, Vapor	Dermal, Inhalation	Worker, ONU	Yes	EPA plans to analyze activities resulting in exposures associated with distribution in commerce (e.g., loading, unloading) throughout the various lifecycle stages and

Life Cycle Stage	Category	Subcategory	Release / Exposure Scenario	Exposure Pathway <sup>a</sup>	Exposure Route	Receptor / Population	Plans to Evaluate	Rationale
								conditions of use (e.g., manufacturing, processing, industrial use, commercial use, disposal) rather than as a single distribution scenario.
Industrial Use	Solvents (which become part of product formulation or mixture)	Synthetic dye and pigment manufacturing	Use of products containing <i>p</i> -dichlorobenzene	Liquid/Solid Contact	Dermal	Workers	Yes	The potential for exposures to workers exists during this use as liquid/solid formulations may be disposed
				Vapor	Inhalation	Workers, ONU	Yes	<i>p</i> -dichlorobenzene is semi-volatile (VP = 1.74 mmHg) at room temperature and there is potential for vapor generation.
				Dust	Inhalation/Oral	Workers, ONU	Yes	Dust generation is possible during disposal of solid wastes.
				Mist	Inhalation	Workers, ONU	No	Mist generation is not expected during use.
				Liquid/Solid Contact	Dermal	ONU	No	Dermal exposure by ONU is not expected for this condition of use as they are not expected to directly handle the chemical.
	Functional Fluids (closed system)	All other basic organic chemical manufacturing	Operations of systems that require the use of	Liquid/Solid Contact	Dermal	Workers	Yes	These products are in liquid/solid form; therefore, exposures

Life Cycle Stage	Category	Subcategory	Release / Exposure Scenario	Exposure Pathway <sup>a</sup>	Exposure Route	Receptor / Population	Plans to Evaluate	Rationale
			heat transfer fluids (coolant)					to workers are possible.
				Vapor	Inhalation	Workers, ONU	Yes	There is potential for vapor generation based on <i>p</i> -dichlorobenzene's vapor pressure (VP) (VP = 1.36 mmHg) at room temperature.
				Mist/Dust	Inhalation/Oral	Workers, ONU	No	Mist/dust generation is not expected during this use.
				Liquid/Solid Contact	Dermal	ONU	No	Dermal exposure by ONU is not expected for this condition of use as they are not expected to directly handle the chemical
Commercial Uses	Air care products	Continuous action air fresheners (including toilet/urinal deodorizers/fresheners), cleaning and furnishing care uses	Used in air care products. Cleaning and furnishing care products	Liquid/Solid Contact	Dermal	Workers	Yes	Air care products can be in solid or liquid form; therefore, exposures to workers exists for <i>p</i> -dichlorobenzene used in air care products.
				Vapor	Inhalation	Workers, ONU	Yes	<i>p</i> -Dichlorobenzene is semi-volatile (VP = 1.74 mmHg) at room temperature and there is potential for vapor generation.
				Dust	Inhalation/Oral	Workers, ONU	Yes	Dust generation is possible during use of air care products.
				Mist	Inhalation	Workers, ONU	Yes	Mist generation is possible during use of air care products.

Life Cycle Stage	Category	Subcategory	Release / Exposure Scenario	Exposure Pathway <sup>a</sup>	Exposure Route	Receptor / Population	Plans to Evaluate	Rationale
				Liquid/Solid Contact	Dermal	ONU	No	Dermal exposure by ONU is not expected for this condition of use as they are not expected to directly handle the chemical.
	Fuels and related products	Fuel additive for gasoline and diesel	Use of fuel additives for gasoline and diesel engines	Liquid/Solid Contact	Dermal	Workers	Yes	<i>p</i> -Dichlorobenzene can be in solid or liquid form; therefore, exposures to workers exists for <i>p</i> -DCB used in fuel products.
Vapor				Inhalation	Workers, ONU	Yes	<i>p</i> -Dichlorobenzene is semi-volatile (VP = 1.74 mmHg) at room temperature and there is potential for vapor generation.	
Dust				Inhalation/Oral	Workers, ONU	No	Dust generation is not expected during the use of fuel additives	
Mist				Inhalation	Workers, ONU	No	Mist generation is not expected during the use of fuel additives	
Liquid/Solid Contact				Dermal	ONU	No	Dermal exposure by ONU is not expected for this condition of use as they are not expected to directly handle the chemical.	
Lubricants and greases				Lubricants and greases, degreasers (for engines, gears and pneumatic tools)	Used in lubricants and greases, and degreasers	Liquid/Solid Contact	Dermal	Workers



Life Cycle Stage	Category	Subcategory	Release / Exposure Scenario	Exposure Pathway <sup>a</sup>	Exposure Route	Receptor / Population	Plans to Evaluate	Rationale
				Vapor	Inhalation	Workers, ONU	Yes	<i>p</i> -Dichlorobenzene is semi-volatile (VP = 1.74 mmHg) at room temperature and there is potential for vapor generation.
				Mist	Inhalation	Workers, ONU	No	Mist generation is not expected during its use in lubricants and grease, and degreaser.
				Dust	Inhalation/Oral	Workers, ONU	No	Dust generation is not expected during its use in lubricants and grease, and degreaser.
				Liquid/Solid Contact	Dermal	ONU	No	Dermal exposure by ONU is not expected for this condition of use as they are not expected to directly handle the chemical.
	Building and construction products	Building and construction products	Used in plastic foam insulation, foam sealant	Liquid Contact	Dermal	Workers	No	Plastic foam insulation, foam sealant, and other building and construction products will typically in solid form; therefore, exposures to workers is minimal when <i>p</i> -dichlorobenzene is in liquid form.
				Solid Contact	Dermal	Workers	Yes	Plastic foam insulation, foam sealant, and other building and construction

Life Cycle Stage	Category	Subcategory	Release / Exposure Scenario	Exposure Pathway <sup>a</sup>	Exposure Route	Receptor / Population	Plans to Evaluate	Rationale
								products will typically in solid form; therefore, exposures to workers exist when <i>p</i> -dichlorobenzene is in solid form.
				Vapor	Inhalation	Workers, ONU	Yes	<i>p</i> -Dichlorobenzene is semi-volatile (VP = 1.74 mmHg) at room temperature and there is potential for vapor generation.
				Mist	Inhalation	Workers, ONU	No	Mist generation is not expected during its use as a plastic foam insulation, foam sealant, and other building and construction products.
				Dust	Inhalation/Oral	Workers, ONU	Yes	Dust generation is possible during its use as a plastic foam insulation, foam sealant, and other building and construction products.
				Liquid/Solid Contact	Dermal	ONU	No	Dermal exposure by ONU is not expected for this condition of use as they are not expected to directly handle the chemical.
	Other Use	Laboratory chemicals and embalming fluid	Used as laboratory chemicals and embalming powder	Liquid/Solid Contact	Dermal	Workers	Yes	The potential for exposures to workers is possible during use of <i>p</i> -dichlorobenzene as a

Life Cycle Stage	Category	Subcategory	Release / Exposure Scenario	Exposure Pathway <sup>a</sup>	Exposure Route	Receptor / Population	Plans to Evaluate	Rationale
								laboratory chemical, as <i>p</i> -dichlorobenzene can be used in liquid/solid form.
				Vapor	Inhalation	Workers, ONU	Yes	<i>p</i> -Dichlorobenzene is semi-volatile (VP = 1.74 mmHg) at room temperature and there is potential for vapor generation.
				Mist	Inhalation	Workers, ONU	No	Mist generation is not expected during its use as a laboratory chemical.
				Dust	Inhalation/Oral	Workers, ONU	Yes	Dust generation is possible during this condition of use.
				Liquid/Solid Contact	Dermal	ONU	No	Dermal exposure by ONU is not expected for this condition of use as they are not expected to directly handle the chemical.
Disposal	Disposal	Emissions to air, in wastewater, liquid wastes, and solid wastes	Worker handling wastes	Liquid/Solid Contact	Dermal	Workers	Yes	The potential for exposures to workers exists during this use as liquid/solid formulations may be disposed
				Vapor	Inhalation	Workers, ONU	Yes	<i>p</i> -Dichlorobenzene is semi-volatile (VP = 1.74 mmHg) at room temperature and there is potential for vapor generation.
				Dust	Inhalation/Oral	Workers, ONU	Yes	Dust generation is possible during

Life Cycle Stage	Category	Subcategory	Release / Exposure Scenario	Exposure Pathway <sup>a</sup>	Exposure Route	Receptor / Population	Plans to Evaluate	Rationale
								disposal of solid wastes.
				Mist	Inhalation	Workers, ONU	No	Mist generation is not expected during disposal of liquid wastes.
				Liquid/Solid Contact	Dermal	ONU	No	Dermal exposure by ONU is not expected for this condition of use as they are not expected to directly handle the chemical.

a) Dermal exposure to mist and dust is included in liquid and solid contact, respectively.

## Appendix G SUPPORTING INFORMATION - CONCEPTUAL MODEL FOR CONSUMER ACTIVITIES/USES

**Table\_Apx G-1. Consumer Exposure Conceptual Model Supporting Table**

Life Cycle Stage	Category	Subcategory	Release from source	Exposure Pathway	Route	Receptor	Plans to Evaluate	Rationale
Consumer Use	Air care products	Continuous action air fresheners (including toilet/urinal deodorizers/freshener)	Direct contact through application or use of products	Liquid/ Solid Contact	Dermal	Consumers	Yes	Exposure is expected to be primarily restricted to consumers who are directly involved in the application or use of the chemical. Bystanders are not expected to come in direct contact with the chemical.
					Oral	Consumers	Yes	Dust generation is possible during use of this particular air care product.
						Inhalation	Consumers and Bystanders	Yes
					Inhalation	Consumers and Bystanders	Yes	<i>p</i> -Dichlorobenzene is volatile at room temperature; the inhalation pathway should be further analyzed.
					Inhalation	Consumers and Bystanders	No	The product is not expected to be spray applied; therefore, mist generation is not expected.
Consumer Use	Building/ construction materials not covered elsewhere	Plastic foam insulation, foam sealant	Direct contact through application or use of products	Liquid/ Solid Contact	Dermal	Consumers	Yes	Exposure is expected to be primarily restricted to consumers who are directly involved in using the chemical. Bystanders are not expected to come in direct contact with the chemical.
					Oral	Consumers	Yes	Dust generation is possible during use of building/construction materials. In addition, product can be sanded after application; therefore, dust generation is expected.
						Inhalation	Consumers and Bystanders	Yes

Life Cycle Stage	Category	Subcategory	Release from source	Exposure Pathway	Route	Receptor	Plans to Evaluate	Rationale
			Long-term emission/mass-transfer through application or use of products	Vapor	Inhalation	Consumers and Bystanders	Yes	<i>p</i> -Dichlorobenzene is volatile at room temperature; the inhalation pathway should be further analyzed.
			Direct contact through application or use of products	Mist	Inhalation	Consumers and Bystanders	Yes	The product is expected to be spray applied; therefore, mist generation is expected.
Consumer Use	Lubricants and greases	Lubricants and greases (greases and oils for engines, gears and pneumatic tools)	Direct contact through application or use of products	Liquid/ Solid Contact	Dermal	Consumers	Yes	Exposure is expected to be primarily restricted to consumers who are directly involved in using the chemical. Bystanders are not expected to come in direct contact with the chemical.
			Long-term emission/mass-transfer, Abrasion, Direct Transfer to Dust	Dust	Oral	Consumers	No	Dust generation is not expected during its use in lubricants and grease, and degreaser.
					Inhalation	Consumers and Bystanders	No	Dust generation is not expected during its use in lubricants and grease, and degreaser.
			Long-term emission/mass-transfer through application or use of products	Vapor	Inhalation	Consumers and Bystanders	Yes	<i>p</i> -Dichlorobenzene is volatile at room temperature; the inhalation pathway should be further analyzed.
			Direct contact through application or use of products	Mist	Inhalation	Consumers and Bystanders	No	Mist generation is not expected during its use in lubricants and grease, and degreaser.
Consumer Use	Fuels and related products	Fuel additive for gasoline and diesel	Direct contact through application or use of products	Liquid/ Solid Contact	Dermal	Consumers	Yes	Exposure is expected to be primarily restricted to consumers who are directly involved in using the chemical. Bystanders are not expected to come in direct contact with the chemical.
			Long-term emission/mass-transfer, Abrasion, Direct Transfer to Dust	Dust	Oral	Consumers	No	Dust generation is not expected during the use of fuel additives
					Inhalation	Consumers and Bystanders	No	Dust generation is not expected during the use of fuel additives

Life Cycle Stage	Category	Subcategory	Release from source	Exposure Pathway	Route	Receptor	Plans to Evaluate	Rationale
			Long-term emission/mass-transfer through application or use of products	Vapor	Inhalation	Consumers and Bystanders	Yes	<i>p</i> -Dichlorobenzene is volatile at room temperature; the inhalation pathway should be further analyzed.
			Direct contact through application or use of products	Mist	Inhalation	Consumers and Bystanders	No	Mist generation is not expected during the use of fuel additives
Consumer Handling of Disposal and Waste	Wastewater, Liquid wastes and solid wastes	Wastewater, Liquid wastes and solid wastes	Direct contact through handling or disposal of products	Liquid/ Solid Contact	Dermal	Consumers	Yes	Exposure is expected to be primarily restricted to consumers who are directly involved in handling or disposing the chemical. Bystanders are not expected to come in direct contact with the chemical.
			Long-term emission/mass-transfer, Abrasion, Direct Transfer to Dust	Dust	Oral	Consumers	Yes	Dust generation is possible during disposal of solid wastes.
					Inhalation	Consumers and Bystanders	Yes	Dust generation is possible during disposal of solid wastes.
			Long-term emission/mass-transfer through handling or disposal of products	Vapor	Inhalation	Consumers and Bystanders	Yes	<i>p</i> -Dichlorobenzene is volatile at room temperature; inhalation pathway should be further analyzed.
			Direct contact through handling or disposal of products	Mist	Inhalation and Dermal	Consumers and Bystanders	No	Mist generation is not expected during handling or disposal.

## Appendix H SUPPORTING INFORMATION – CONCEPTUAL MODEL FOR ENVIRONMENTAL RELEASES AND WASTES

**Table\_Apx H-1. General Population and Environmental Exposure Conceptual Model Supporting Table**

Life Cycle Stage	Category	Release	Exposure Pathway / Media	Exposure Routes	Receptor / Population	Plans to Evaluate	Rationale
All	Emissions to Air	Emissions to Air	Near facility ambient air concentrations	Inhalation	General Population	No	p-Dichlorobenzene is a HAP. Stationary source releases of p-dichlorobenzene to ambient air are under the jurisdiction of the CAA.
			Indirect deposition to nearby bodies of water and soil catchments	Oral Dermal	General Population	No	
				TBD	Aquatic and Terrestrial Receptors	No	
	Wastewater or Liquid Wastes	Industrial pre-treatment and wastewater treatment, or POTW	Direct release into surface water and indirect partitioning to sediment	TBD	Aquatic Receptors	Yes	EPA has developed Ambient Water Quality Criteria for protection of human health for <i>p</i> -dichlorobenzene.
				Oral Dermal	General Population	No	
			Drinking Water via Surface or Ground Water	Oral Dermal and Inhalation (e.g., showering)	General Population	No	The drinking water exposure pathway for <i>p</i> -dichlorobenzene is currently addressed in the NPDWR.
			Biosolids: application to soil and/or migration to groundwater and/or surface water	Oral (e.g., ingestion of soil) Inhalation	General Population	No	Since it has been found in biosolids (Biosolids Biennial Review - <a href="https://www.epa.gov/sites/production/files/2019-06/documents/2016-2017-biosolids-biennial-review.pdf">https://www.epa.gov/sites/production/files/2019-06/documents/2016-2017-biosolids-biennial-review.pdf</a> ), this pathway will be evaluated for exposures to aquatic species.
				TBD	Aquatic Receptors	Yes	
			Underground injection	Migration to groundwater, potential	Oral Dermal Inhalation	General Population	No



Life Cycle Stage	Category	Release	Exposure Pathway / Media	Exposure Routes	Receptor / Population	Plans to Evaluate	Rationale
			surface/drinking water	TBD	Aquatic and Terrestrial Species		
Disposal	Solid and Liquid Wastes	Hazardous, Municipal landfill and other land disposal	Leachate to soil, ground water and/or mitigation to surface water	Oral Dermal	General Population	No	<i>p</i> -dichlorobenzene is included on the list of hazardous wastes pursuant to RCRA 3001 (40 CFR §§ 261.33).
				TBD	Aquatic and Terrestrial Receptors		