BACKGROUND DOCUMENT

REPORT ON REVISIONS TO 5TH EDITION AP-42 CHAPTER 15 - ORDNANCE DETONATION

EMISSION FACTORS DEVELOPED BASED ON PHASE V-A TESTING CONDUCTED AT DUGWAY PROVING GROUND, UTAH

Prepared for:

U.S. Army Environmental Command
ATTN: IMAE-ATT
Aberdeen Proving Ground, Maryland 21010-5401

November 2007



NOTICE

The information in this document has been funded by the U.S. Army Environmental Command (USAEC) and prepared by MACTEC Federal Programs, Inc., under Contract No. GS-10F-0157K, Order No. W911SR-05-F-0023. It has been reviewed by the U.S. Environmental Protection Agency (EPA) Office of Air Quality Planning and Standards (OAQPS) and has been approved for publication. Mention of trade names or commercial products does not constitute endorsement or recommendation for use.



TABLE OF CONTENTS

				Page
1.0	INT	RODUCT	TION	1
2.0	CON	APOUND	OS MEASURED AND EMISSION MEASUREMENT METHODS	2
	2.1		Monoxide, Carbon Dioxide, Oxides of Nitrogen, and Sulfur Dioxide	
	2.2		spended Particulate	
	2.3		ate Matter with an Aerodynamic Diameter Less than or Equal to 10 or 2.5 Mic	
	2.4			
	2.5		ıloric Acid, Chlorine, and Ammonia	
	2.6		Organic Compounds	
	2.7		atile Organic Compounds	
	2.8		and Furan Compounds	
	2.9		le and Carbonyl Compounds	
	2.10	•	c Materials	
	2.10	_	en Cyanide	
			ate	
			Compound	
	2.13	Tracer C	ompound	/
3.0	TES	T DATA	ANALYSIS AND RATING	7
	3.1	EPA Gu	idance Regarding Test Data Quality Ratings	7
	3.2	Analysis	s of Test Data	8
	3.3	Test Dat	a Quality Ratings	14
4.0	ENG	GGION E	A CTOD CALCULATIONS	10
4.0			ACTOR CALCULATIONS	
	4.1	Incorpor	ration of Analytical Detection-Limits to the Test Data	18
	4.2		nation of Background Concentration	
	4.3		nation of Test Compound Concentration	
	4.4		nation of Background-Corrected Concentration	
	4.5		nation of Dilution-Corrected Concentration	
	4.6		nation of Mass of Compound Released	
	4.7		nation of Emission Factors	
	4.8	Determin	nation of Average Emission Factors	21
5.0	EMI	SSION F	ACTOR RATINGS	2.1
2.0			n Factor Ratings Assigned – Based on Ordnance-Specific Test Data	
	5.2		n Factor Ratings Assigned – Based on All Available Test Data	
6.0	REF	ERENCE	ES	32
APP	ENDI	X A:	COMPOUNDS ANALYZED AND EMISSION FACTORS DEVELOPE	D FOR
			ORDNANCE INCLUDED IN PHASE V-A TESTING AT DUGWAY	
			PROVING GROUND, UTAH	
1 DE		W.D.	NEW AR AR GEOTIONS FOR ORDIVANCE WAS VICENIA TO SELECT	
APP	ENDI	XB:	NEW AP-42 SECTIONS FOR ORDNANCE INCLUDED IN PHASE V-	A
			TESTING AT DUGWAY PROVING GROUND, UTAH	

LIST OF TABLES

No.	<u>Title</u>	Page
1	Ordnance for Which Emission Factors were Developed	1
2	Ordnance Net Explosive Weight	
3	Sampling and Analytical Methods Used	3
4	Selected Sampling or Analytical Method for Compounds Measured Using Two	
	Sampling or Analytical Methods	9
5	Compounds for Which Large Relative Percent Differences Were Noted Between Test Runs or Sample Trains	11
6	Compounds Found in the Method Blank at Levels Greater Than 50 Percent of Both	
	Test Values	14
7	Downgraded Data Quality Ratings	14
8	Ordnance Categorization for Emission Factor Correlation Assessment	23
	LIST OF FIGURES	
<u>No.</u>	<u>Title</u>	Page
1	Calculation of background-corrected concentration (BCC)	20
	DRAFT	

1.0 INTRODUCTION

Due to the lack of credible data concerning emissions from training ordnance when used in their tactical configurations, the U.S. Army Environmental Command (USAEC) established a program to quantify emissions from the detonation of ordnance. This document presents background information concerning the development of air emission factors for five ordnance types used during training exercises at U.S. Army installations. The air emission factors were developed from test data collected by USAEC. Ordnance for which emission factors have been developed and their corresponding AP-42 sections are identified in Table 1. To help readers easily find those emission factors of interest, the ordnance are organized according to their Department of Defense Identification Code (DODIC).

DODIC	Ordnance Description	AP-42 Section
A365	M181A1 14.5-mm Artillery Training Cartridge	15.1.22
G930	AN-M8 Hexachloroethane (HC) Smoke Hand Grenade	15.5.5
G982	M83 Terephthalic Acid (TA) Smoke Practice Hand Grenade	15.5.12
L592	TOW Blast Simulator	15.8.17
M630	M1 Pull Type Demolition Firing Device	15.9.20

TABLE 1 ORDNANCE FOR WHICH EMISSION FACTORS WERE DEVELOPED

The emission factors described in this document are based on data obtained during testing conducted at Dugway Proving Ground, Utah, as presented in the final test report titled Sampling Results for AEC Phase V Emission Characterization of Exploding Ordnance and Smoke/Pyrotechnics¹ and the document titled Detailed Test Plan for Phase V Emission Characterization of Exploding Ordnance and Smoke/Pyrotechnics.² These documents were supplemented by additional data provided by the testing contractor.³ For each ordnance, two test runs were conducted. Between one and twelve items were detonated per run, depending upon the ordnance tested. Source test protocols were developed by USAEC before any testing was conducted and were reviewed by the U.S. Environmental Protection Agency's (EPA's) Emission Measurement Center. The tests were conducted between November 11 and 18, 2003.

The compounds that were measured included carbon monoxide (CO), carbon dioxide (CO₂), oxides of nitrogen (NO_x), sulfur dioxide (SO₂), total suspended particulate (TSP), particulate matter with an aerodynamic diameter less than or equal to 10 microns (PM-10), particulate matter with an aerodynamic diameter less than or equal to 2.5 microns (PM-2.5), metals, hydrogen chloride (HCl), chlorine (Cl₂), ammonia (NH₃), volatile organic compounds (VOC), semivolatile organic compounds (SVOC), dioxins/furans (PCDD/PCDF), aldehydes and carbonyls, energetic materials, hydrogen cyanide, perchlorate, and sulfur hexafluoride (SF₆). Within each of the AP-42 sections, only emission factors for criteria pollutants, carbon dioxide, hazardous air pollutants (as defined by $\S112(b)(1)$ of the *Clean Air Act* [CAA]), and toxic chemicals (as defined by $\S313$ of the *Emergency Planning and Community Right-to-Know Act* [EPCRA]) are presented.

The emission factors were developed on a "per item" basis and on a "per net explosive weight (NEW)" basis. Users should choose the appropriate emission factor to estimate emissions based upon the data available; either factor is equally valid. The NEW of each ordnance tested is provided in the corresponding AP-42 section and in Table 2.

TABLE 2 ORDNANCE NET EXPLOSIVE WEIGHT

DODIC	Ordnance Description	NEW (lb/item) ^a
A365	M181A1 14.5-mm Artillery Training Cartridge	1.60 E-02
G930	AN-M8 Hexachloroethane (HC) Smoke Hand Grenade	1.10
G982	M83 Terephthalic Acid (TA) Smoke Practice Hand Grenade	7.02 E-01
L592	TOW Blast Simulator	5.65 E-03
M630	M1 Pull Type Demolition Firing Device	5.70 E-05

^aNEW values were obtained from Reference 4.

This document includes five sections in addition to this Introduction. Section 2 of this document identifies the compounds measured during the test program and describes the emission measurement methods used. Section 3 includes a discussion of the emission factor final test report and ratings for the test data contained therein. Section 4 describes the calculations and methodologies used to develop emission factors for each type of compound measured. Section 5 describes the methodology used to rate the emission factors and provides emission factor ratings for each type of compound measured. Section 6 includes a complete list of the references cited in this document.

There are two appendices included with this document. Appendix A identifies, by ordnance type, all of the compounds for which analyses were performed and the emission factors that were developed. [Note: Compounds present in the method blank at greater than 50 percent of test levels are excluded from Appendix A as described in Section 3.2.4.] Appendix A also identifies the minimum detection levels associated with all compounds that were not detected. Emission factors and minimum detection levels presented in Appendix A were determined from the most accurate method if two sampling or analytical methods were used to measure one compound. Appendix B presents the new AP-42 sections for the five ordnance that were tested.

In addition to this document, there are electronic databases available on the web (http://www.epa.gov/ttn/chief/ap42/index.html) that contain the data used in the development of the emission factors. The general procedures that were followed to develop these emission factors can be found at the same web address under the titles *Procedures for Preparing Emission Factor Documents* and *Draft Detailed Procedures for Preparing Emission Factors*.

2.0 COMPOUNDS MEASURED AND EMISSION MEASUREMENT METHODS

The USAEC Phase V-A series testing was conducted in the Smoke Characterization Test Chamber (Smoke Chamber) located at Dugway Proving Ground, Utah. The Smoke Chamber is an aluminum-lined chamber with an interior volume of approximately 820 cubic feet. The chamber is approximately 7 feet wide, 20 feet long, and 6 feet tall for 2/3 of its length and 5 feet tall for the remainder. During sampling, fans inside the chamber keep the gases mixed while stainless steel probes extract gas samples from the chamber through 12 sample ports. Gases extracted from the chamber are replaced by ambient air that enters the chamber through six ½-inch diameter vent lines that are distributed along one side of the chamber. An electrical firing circuit is used to remotely detonate the ordnance and release the tracer gas.

A number of different test methods were employed to collect and analyze the emission data that were used to develop emission factors for detonation of ordnance. Table 3 identifies each emission test

method used; bracketed information identifies the purpose of using the method. The emissions data were collected using EPA test methods published in Title 40 of the Code of Federal Regulations, Part 50 (40 CFR 50); 40 CFR 60; and in *Compendium of Methods for the Determination of Toxic Organic Compounds in Ambient Air.*⁷ Some of the sample analytical procedures used were from EPA Office of Solid Waste (OSW) publication SW-846, *Test Methods for Evaluating Solid Waste, Physical/Chemical Methods.*⁸ Where necessary, the test methods were adapted to reflect application to the unique testing of ordnance detonation in the Smoke Chamber.

The following sections identify and briefly describe the test methods used to measure each compound or group of compounds. Additional information regarding the operation of the Smoke Chamber and the test methods used is presented in Reference 1. EPA-approved methods were used by the laboratories that provided sampling and analysis data.

TABLE 3 SAMPLING AND ANALYTICAL METHODS USED

Compound	Test Method	
СО	40 CFR 60, Appendix A, EPA Method 10 - Determination of Carbon Monoxide Emissions from Stationary Sources [sampling and analysis]	
CO ₂	40 CFR 60, Appendix A, EPA Method 3A - Determination of Oxygen and Carbon Dioxide Concentrations in Emissions from Stationary Sources (Instrumental Analyzer Procedure) [sampling and analysis]	
NO _x	40 CFR 60, Appendix A, EPA Method 7E - Determination of Nitrogen Oxides Emissions from Stationary Sources (Instrumental Analyzer Procedure) [sampling and analysis]	
SO_2	40 CFR 60, Appendix A, EPA Method 6C - Determination of Sulfur Dioxide Emissions from Stationary Sources (Instrumental Analyzer Procedure) [sampling and analysis]	
TSP	40 CFR 60, Appendix A, EPA Method 5 - Determination of Particulate Matter from Stationary Sources [sampling and analysis]	
PM-10 and PM-2.5	40 CFR 51, Appendix A, EPA Method 201A - Determination of PM-10 Emissions (Constant Sampling Rate Procedure) [sampling and analysis]	
Metals Metal sample was obtained from TSP sample [sampling]		
	40 CFR 60, Appendix A, EPA Method 29 - Determination of Metals Emissions from Stationary Sources [analysis]	
	SW-846 Method 6010A - Inductively Coupled Plasma-Atomic Emission Spectrometry [analysis for metals except mercury]	
	SW-846 Method 7470 - Mercury in Liquid Waste (Manual Cold-Vapor Technique) [analysis mercury]	
HCl, CL ₂ , and NH ₃	40 CFR 60, Appendix A, EPA Method 26 - Determination of Hydrogen Halide and Halogen Emissions from Stationary Sources (Non-Isokinetic Method) [sampling]	
	SW-846 Method 9057 - Determination of Chloride from HCl/Cl ₂ Emission Sampling Train (Methods 0050 and 0051) by Anion Chromatography [analysis]	
VOC	EPA Compendium Method TO-12 - Method for the Determination of Non-Methane Organic Compounds (NMOC) in Ambient Air Using Cryogenic Preconcentration and Direct Flame Ionization Detection (FID) [sampling and analysis]	

TABLE 3 (cont.)

Compound	Test Method
Speciated VOC	EPA Compendium Method TO-14 - Determination of Volatile Organic Compounds (VOCs) in Ambient Air Using SUMMA Passivated Canister Sampling and Gas Chromatographic Analysis [sampling and analysis]
SVOC	SW-846 Method 0010 - Modified Method 5 Sampling Train [sampling]
	SW-846 Method 8270 - Semivolatile Organic Compounds by Gas Chromatography/ Mass Spectrometry (GC/MS) [analysis]
Dioxins and Furans	40 CFR 60, Appendix A, EPA Method 23 - Determination of Polychlorinated Dibenzo-p-dioxins and Polychlorinated Dibenzofurans from Municipal Waste Combustors [sampling]
	SW-846 Method 8290 - Polychlorinated Dibenzodioxins (PCDDs) and Polychlorinated Dibenzofurans (PCDFs) by High-Resolution Gas Chromatography/High-Resolution Mass Spectrometry (HRGC/HRMS) [analysis]
Aldehydes and Carbonyls	EPA Compendium Method TO-11A - Determination of Formaldehyde in Ambient Air Using Adsorbent Cartridge Followed by High Performance Liquid Chromatography (HPLC) [sampling and analysis]
Energetic	SW-846 Method 0010 - Modified Method 5 Sampling Train [sampling]
Materials	SW-846 Method 8095 - Explosives by Gas Chromatography [analysis]
Hydrogen Cyanide	EPA Conditional Test Method 033 - Sampling and Analysis for Hydrogen Cyanide Emissions from Stationary Sources [sampling and analysis]
Perchlorate	Perchlorate sample was obtained from TSP sample [sampling]
	EPA Method 314 - Determination of Perchlorate in Drinking Water Using Ion Chromatography [analysis]
Tracer	Grab sample [sampling]
Compound (SF ₆)	Gas Chromatograph/Electron Capture Detector [analysis]

2.1 Carbon Monoxide, Carbon Dioxide, Oxides of Nitrogen, and Sulfur Dioxide

Real-time concentrations of CO, CO₂, NO_x, and SO₂ that resulted from the use of ordnance in the Smoke Chamber were measured using a continuous emissions measurement system (CEMS). CO sampling and analysis was conducted in accordance with 40 CFR Part 60, Appendix A, Method 10 - Determination of Carbon Monoxide Emissions from Stationary Sources. CO₂ sampling and analysis was conducted in accordance with 40 CFR Part 60, Appendix A, Method 3A - Determination of Oxygen and Carbon Dioxide Concentrations in Emissions from Stationary Sources. NO_x sampling and analysis was conducted in accordance with 40 CFR Part 60, Appendix A, Method 7E - Determination of Nitrogen Oxides Emissions from Stationary Sources. SO₂ sampling and analysis was conducted in accordance with 40 CFR Part 60, Appendix A, Method 6C- Determination of Sulfur Dioxide Emissions from Stationary Sources. For each run, the target minimum sampling time was 20 minutes.

2.2 Total Suspended Particulate

The TSP concentration that resulted from the use of ordnance in the Smoke Chamber was determined using a sampling and analysis procedure based on 40 CFR 60, Appendix A, EPA Method 5 -

Determination of Particulate Matter from Stationary Sources. During each run, duplicate samples were obtained using samplers operating simultaneously. For each run, the target minimum sampling time was 20 minutes. The TSP concentration was computed by dividing the mass of TSP collected by the volume of air sampled, corrected to standard conditions.

2.3 Particulate Matter with an Aerodynamic Diameter Less than or Equal to 10 or 2.5 Microns

The PM-10 and PM-2.5 concentrations that resulted from the use of ordnance in the Smoke Chamber were determined using a modified sampling and analysis procedure based on 40 CFR 51, Appendix A, Method 201A - *Determination of PM-10 Emissions (Constant Sampling Rate Procedure)*. The sample was collected using a short probe and two cyclones in series. Particles larger than 10 microns were removed in the first cyclone. Particles between 10 and 2.5 microns passed through the first cyclone but not the second. Particles smaller than 2.5 microns passed through the second cyclone and were captured on a filter. Each fraction was measured gravimetrically. The particulate concentrations were computed by dividing the mass of PM-10 and PM-2.5 collected by the volume of air sampled, corrected to standard conditions.

2.4 Metals

Metal concentrations that resulted from the use of ordnance in the Smoke Chamber were determined using particulate matter from the TSP samples collected as described in Section 2.2. After the TSP total weight gain was determined in the laboratory, a portion of the TSP filter was digested with concentrated hydrogen fluoride and nitric acid per 40 CFR 60, Appendix A, Method 29 - *Determination of Metals Emissions from Stationary Sources*. The digestate was then analyzed for metals (except mercury) using inductively coupled argon plasma (ICAP) emission spectroscopy in accordance with SW-846 Method 6010A - *Inductively Coupled Plasma-Atomic Emission Spectrometry*. Mercury was determined by cold vapor atomic absorption spectroscopy (CVAAS) in accordance with SW-846 Method 7470 - *Mercury in Liquid Waste (Manual Cold-Vapor Technique)*. The concentration of each target metal was computed by dividing the mass of metal collected by the volume of air sampled, corrected to standard conditions.

2.5 Hydrochloric Acid, Chlorine, and Ammonia

Hydrochloric acid (HCl), chlorine (Cl₂), and ammonia (NH₃) concentrations that resulted from the use of ordnance in the Smoke Chamber were sampled in accordance with 40 CFR Part 60, Appendix A, Method 26 - Determination of Hydrogen Chloride Emissions from Stationary Sources. During each run, chamber gases were pulled through two sets of impingers in series containing dilute sulfuric acid and sodium hydoxide solutions. Collected samples were analyzed using SW-846 Method 9057 - Determination of Chloride from HCl/Cl₂ Emission Sampling Train (Methods 0050 and 0051) by Anion Chromatography. The concentrations of HCl, Cl₂, and NH₃ were computed by dividing the mass collected by the volume of air sampled, corrected to standard conditions. For each run, the target minimum sampling time was 30 minutes.

2.6 Volatile Organic Compounds

VOC concentrations that resulted from the use of ordnance in the Smoke Chamber were determined using two methods from the Second Supplement to Compendium of Methods for the Determination of Toxic Organic Compounds in Ambient Air: (1) Method TO-12 - Method for the Determination of Non-methane Organic Compounds in Ambient Air using Cryogenic Preconcentration and Direct Flame Ionization Detection and (2) Method TO-14 - Determination of Volatile Organic Compounds in Ambient Air Using SUMMA Passivated Canister Sampling and Gas Chromatographic

Analysis. For both procedures, air samples were collected in stainless steel 6-liter SUMMA® canisters. Two or three identical canisters were used for each test run. The minimum sampling time for each VOC canister was 10 minutes.

2.7 Semivolatile Organic Compounds

SVOC concentrations that resulted from the use of ordnance in the Smoke Chamber were determined based on procedures found in SW-846 Method 0010 - *Modified Method 5 Sampling Train*. During each run, duplicate samples were collected using two PS-1 samplers that contained special sampling inlets (i.e., aluminum sampling modules) designed to hold 100-mm diameter quartz fiber filters to collect particulate matter, followed by XAD-2 adsorbent resin cartridges for collection of vapor phase SVOCs. A 20-minute sampling time was targeted. Following sampling, the filters and resin cartridges underwent solvent extraction and the mass of SVOC collected was quantitatively determined by GC/MS analysis following procedures in SW-846 Method 8270 - *Semivolatile Organic Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)*. Unknown compounds, if any, were tentatively identified using computerized mass spectral matching techniques of the highest non-target "peaks."

2.8 Dioxin and Furan Compounds

Dioxin and furan compound concentrations that resulted from the use of ordnance in the Smoke Chamber were determined based on procedures found in 40 CFR 60, Appendix A, EPA Method 23 - Determination of Polychlorinated Dibenzo-p-dioxins and Polychlorinated Dibenzofurans from Municipal Waste Combustors. During each run, duplicate samples were obtained using two modified PS-1 samplers. The modified samplers used standard quartz filters, but the adsorbent cartridges contained XAD-2 resin sandwiched between polyurethane foam (PUF) plugs. A minimum sampling time of 20 minutes was targeted. After sampling, the filters and adsorbent cartridges underwent extraction with the appropriate solvent(s). The mass of dioxin and furan compounds collected was quantitatively determined following SW-846 Method 8290 - Polychlorinated Dibenzodioxins (PCDDs) and Polychlorinated Dibenzofurans (PCDFs) by High-Resolution Gas Chromatography/High-Resolution Mass Spectrometry (HRGC/HRMS).

2.9 Aldehyde and Carbonyl Compounds

Aldehyde and carbonyl compound concentrations that resulted from the use of ordnance in the Smoke Chamber were determined using EPA Compendium Method TO-11A - Determination of Formaldehyde in Ambient Air Using Adsorbent Cartridge Followed by High Performance Liquid Chromatography (HPLC), but using modified sampling and analytical procedures. Dinitrophenylhydrazine (DNPH) laden cartridge tubes were used as a direct probe to trap and derivatize aldehyde and carbonyl compounds. A minimum sampling time of 20 minutes was targeted. Analysis was by HPLC with ultraviolet (UV) absorption detection.

2.10 Energetic Materials

Energetic compound concentrations that resulted from the use of ordnance in the Smoke Chamber were determined based on procedures found in SW-846 Method 0010 - *Modified Method 5 Sampling Train*. Samples were collected using combination quartz filter/adsorbent cartridges. The adsorbent cartridges contained XAD-2 polymeric resin beads. A minimum sampling time of 20 minutes was targeted. After sampling, the filters and adsorbent cartridge were extracted with acetonitrile. The effluent was then analyzed following the procedures outlined in SW-846 Method 8095 - *Explosives by Gas Chromatography*.

2.11 Hydrogen Cyanide

Hydrogen cyanide (HCN) concentrations that resulted from the use of ordnance in the Smoke Chamber were determined using EPA Conditional Test Method (CTM) 033 - *Sampling and Analysis for Hydrogen Cyanide Emissions from Stationary Sources*. The sample gas was drawn through a heated quartz-fiber filter and two impingers containing 0.1 normal sodium hydroxide (NaOH). A minimum sampling time of 20 minutes was targeted. The impinger solution and extracted filter were analyzed by ion chromatography.

2.12 Perchlorate

The perchlorate concentrations that resulted from the use of ordnance in the Smoke Chamber were determined based on the procedures in EPA Method 314 - *Determination of Perchlorate in Drinking Water Using Ion Chromatography*. The second of two quartz filters used to collect particulate matter was analyzed for perchlorate. Once weighed for TSP concentration, the perchlorates were leached from the filter by shaking small strips of the filter in reagent water for 1 hour. Ion chromatography was then used to analyze the digestate in accordance with EPA Method 314.

2.13 Tracer Compound

Sulfur hexafluoride (SF_6) was used as a tracer compound during each run to estimate the amount of sample dilution that occurred as a result of ambient air entering the Smoke Chamber during the run. Grab samples were collected five times during each run using evacuated canisters. A minimum sampling time of 2 minutes was targeted for each canister. The canisters were analyzed for the tracer compound using a GC with an electron capture detector.

3.0 TEST DATA ANALYSIS AND RATING

3.1 EPA Guidance Regarding Test Data Quality Ratings

Prior to inclusion of emission factors in AP-42, the reliability of the underlying emission test data must be appraised in accordance with the rating system specified in Reference 5. Under this rating system, test data are assigned a rating from A to D, where an "A" rating is assigned to the highest quality data. The criteria used to assign a specific data quality rating are summarized below.

- **A** Tests are performed by using an EPA reference test method, or when not applicable, a sound methodology. Tests are reported in enough detail for adequate validation and raw data are provided that can be used to duplicate the emission results presented in the report.
- **B** Tests are performed by a generally sound methodology, but lacking enough detail for adequate validation. Data are insufficient to completely duplicate the emission result presented in the report.
- C Tests are based on an unproven or new methodology, or are lacking a significant amount of background information.
- **D** Tests are based on a generally unacceptable method, but the method may provide an order-of-magnitude value for the source.

Four specific criteria are identified in Reference 5 for consideration to assist in the assignment of a test data quality rating. These four criteria are:

- 1. <u>Source operation</u>. If the manner in which the source was operated is well documented in the report and the source was operating within typical parameters during the test, an "A" rating should be assigned. If the report stated parameters that were typical, but lacked detailed information, a "B" rating should be assigned. If there is reason to believe the operation was not typical, a "C" or "D" rating should be assigned.
- 2. Test methods and sampling procedures. In developing the ratings, the estimated accuracy and precision of the test method as well as the adequacy of the documentation should be considered. In general, if a current EPA reference test method, appropriate for the source, was followed, the rating should be higher ("A" or "B"). If other methods were used, an assessment should be made of their validity. If it is judged that the method was likely to be inaccurate or biased, a lower rating ("C" or "D") should be given. A complete report should indicate whether any procedures deviated from standard methods and explain any deviations. If deviations were reported, an evaluation should be made of whether these were likely to influence the test results.
- 3. <u>Process information</u>. During testing, many variations in the process can occur without warning and sometimes without being noticed. Such variations can induce wide deviations in sampling results. If a large variation between test run results cannot be explained by information contained in the site final test report or from test reports of other sources, the data are suspect and should be given a lower rating or excluded. However, it should be recognized that a process may have highly variable emissions and a lower rating may not be appropriate solely on the basis of wide deviations in sampling results.
- 4. <u>Analysis and calculations</u>. Ideally, final test reports should contain original raw data sheets and other documentation such as gas parameters (dry cubic feet per minute, oxygen percentage), calculation sheets, or example calculations describing how the calculated emission results were obtained. If there are data sheets, the nomenclature and equations used should be compared to those specified by EPA to establish equivalency. The depth of review of the calculations should be dictated by the reviewers' confidence in the ability and conscientiousness of the tester, based on such factors as consistency of results and completeness of other areas of the final test report. Reports may indicate that raw data sheets were available, but were not included. If the final test report is of high quality based on the other criteria, the quality rating should not be lowered due to a lack of data sheets.

An overall test data quality rating should be assigned based upon the ratings assigned for each of the four criteria.

3.2 Analysis of Test Data

Data included in the final test report¹ were rated in accordance with the rating system described above. Results for each of the four criteria are presented in the following sections.

3.2.1 Source Operations

The manner by which the ordnance were deployed (i.e., used) is documented in the final test report. Each of the ordnance that was tested was deployed in a manner similar to that which would occur in the field. The tests appear to have replicated typical ordnance operating parameters; consequently, the test data should be assigned an "A" rating based on this criterion.

3.2.2 Test Methods and Sampling Procedures

The test methods and sampling procedures were evaluated as being appropriate and consistent with EPA test methods or sound methodology. Except as noted below, no problems of any significance were identified; consequently, the test data should be assigned an "A" rating based on this criterion.

3.2.2.1 CEMS-Measured Data

Although summaries of the CEMS data were provided for the tests,¹ raw CEMS data were not provided for the tests or for the pre- and post-test quality control (QC) activities. Furthermore, none of the calibration gas certifications were supplied. There was no evidence of bias in the data; however, based on the issues noted above, the test data for the CEMS-measured compounds (i.e., CO, CO₂, NO_x, and SO₂) should be assigned a "B" rating based on this criterion.

3.2.2.2 Compounds Sampled or Analyzed Using More than One Test Method or Analytical Method

Fourteen compounds were either sampled or analyzed using two methods; these compounds are identified in Table 4. For each of these compounds, emission factors were calculated based upon the data measured using the more appropriate test or analytical method; data measured using the less appropriate method were ignored. The more appropriate method was identified by reviewing the methods and the target compound lists associated with each method. If a specific compound appeared on the target compound list for one method but not the other, the method targeting the compound was selected. If a specific compound appeared on the target compound lists for both methods, the method judged to provide the most accurate data was selected.

TABLE 4 SELECTED SAMPLING OR ANALYTICAL METHOD FOR COMPOUNDS MEASURED USING TWO SAMPLING OR ANALYTICAL METHODS

Compound	Selected Method	Other Method Employed	
Butyraldehyde ^a	TO-11A (Aldehydes)	TO-14 (VOC)	
1,2-Dichlorobenzene	TO-14 (VOC)	SW8270 (SVOC)	
1,3-Dichlorobenzene	TO-14 (VOC)	SW8270 (SVOC)	
1,4-Dichlorobenzene	TO-14 (VOC)	SW8270 (SVOC)	
1,3-Dinitrobenzene ^b	SW8095 (Energetics)	SW8270 (SVOC)	
2,4-Dinitrotoluene ^c	SW8095 (Energetics)	SW8270 (SVOC)	
2,6-Dinitrotoluene ^d	SW8095 (Energetics)	SW8270 (SVOC)	
Hexachlorobutadiene	TO-14 (VOC)	SW8270 (SVOC)	
Naphthalene	SW8270 (SVOC)	TO-14 (VOC)	
Nitrobenzene	SW8095 (Energetics)	SW8270 (SVOC), TO-14 (VOC)	
1,2,4-Trichlorobenzene	TO-14 (VOC)	SW8270 (SVOC)	
Acetone ^e	TO-11A (Aldehydes)	TO-14 (VOC)	
p-Ethyltoluene	TO-14 (VOC)	TO-12 (VOC)	
1,3,5-Trinitrobenzene	SW8095 (Energetics)	SW8270 (SVOC)	

TABLE 4 (cont.)

- ^a For DODICs G930 and L592, data analyzed using the TO-14 analytical method were used to develop emission factors because this compound had a relative percent difference greater than 100 percent between the TO-11A analytical results.
- ^b For DODICs G982 and M630, data analyzed using the SW8270 analytical method were used to develop emission factors because this compound had a relative percent difference greater than 100 percent between SW8095 analytical results.
- ^c For DODICs A365, G930, and L592, data analyzed using the SW8270 analytical method were used to develop emission factors because this compound had a relative percent difference greater than 100 percent between SW8095 analytical results.
- ^d For DODIC G930, data analyzed using the SW8270 analytical method were used to develop emission factors because this compound had a relative percent difference greater than 100 percent between SW8095 analytical results.
- ^e For DODIC A365, data analyzed using the TO-14 analytical method were used to develop emission factors because this compound had a relative percent difference greater than 100 percent between TO-11A analytical results.

For compounds analyzed using both the TO-11A (aldehydes) and TO-14 (VOC) methods, the TO-11A method analysis was judged to be more accurate and was selected. For compounds analyzed using both the TO-12 (VOC) and TO-14 (VOC) methods, the TO-14 method analysis was judged to be more accurate and was selected. For compounds analyzed using both the SW8270 (SVOC) and TO-14 (VOC) methods, the TO-14 method analysis was judged to be more accurate and was selected. [Note: Naphthalene was analyzed using both SW8270 (SVOC) and TO-14 (VOC), but only appears on the target compound list for SW8270; therefore, this method analysis was selected.] For compounds analyzed using both the SW8270 (SVOC) and SW8095 (energetics) methods, the SW8095 method analysis was judged to be more accurate and was selected.

Occasionally, the compound measurement from the less accurate method was chosen because the compound had poor precision between test runs for the sampling method that would have been more accurate under normal circumstances. These cases are noted in the footnotes to Table 4.

3.2.2.3 Tentatively Identified Compounds

During the analysis of the VOC and SVOC data, the highest nontarget "peaks" were tentatively identified using computerized mass spectral matching techniques. Emission factors were developed for these tentatively identified compounds (TICs) if all of the following criteria were met.

- 1. The TIC corresponded to a unique compound (e.g., fluorene). Emission factors were not developed if the TIC corresponded to a class of compounds (e.g., unknown alcohol).
- 2. The TIC was not identified using another analysis method that provided higher confidence data. Emission factors were developed based upon the higher confidence analysis method if such data were available.
- 3. The TIC was not present in the method blank. Emission factors were not developed if the TIC was found in the corresponding method blank.

The number of VOC that were tentatively identified as unique compounds, were not identified using a higher confidence method, and were not present in the method blank varied from zero to four compounds per ordnance. The number of SVOC that were tentatively identified as unique compounds, were not identified using a higher confidence method, and were not present in the method blank varied from one to 29 compounds per ordnance. Emission factors were developed for all of these

TICs, but because of the uncertainty in the true identity of the TICs, the test data were assigned a "C" rating.

3.2.3 Process Information

Ordnance are manufactured to tight tolerances and are expected to deploy in a very repeatable fashion. Consequently, the test data should be assigned an "A" rating based upon this criterion. However, large relative percent differences (i.e., greater than 100 percent) between test runs or sample trains were noted for several compounds. Specific instances in which these differences were noted are identified in Table 5. The equation below illustrates calculation of relative percent difference:

$$relative\ percent\ difference = \frac{test\ 1\ concentration - test\ 2\ concentration}{average\ of\ test\ 1\ and\ test\ 2\ concentrations}\ x\ 100\%$$

Due to the large relative percent differences between test runs, the test data specifically identified in Table 5 were assigned a "C" rating. The remainder of the data should be assigned an "A" rating based on this criterion.

TABLE 5 COMPOUNDS FOR WHICH LARGE RELATIVE PERCENT DIFFERENCES WERE NOTED BETWEEN TEST RUNS OR SAMPLE TRAINS

Compound	Applicable DODIC	
Acetaldehyde	L592	
Ammonia	G982	
Antimony	G930, G982	
Barium	G982	
Carbon tetrachloride	G930	
Chloroform	G930	
Copper	G982	
Crotonaldehyde	A365, M630	
Formaldehyde	A365, L592	
1,2,3,4,6,7,8-Heptachlorodibenzo-p-dioxin	G930, L592	
1,2,3,4,6,7,8-Heptachlorodibenzofuran	G930, L592	
1,2,3,4,7,8,9-Heptachlorodibenzofuran	G930	
Hexachlorobenzene	G930	
Hexachlorocyclopentadiene	G930	
1,2,3,4,7,8-Hexachlorodibenzo-p-dioxin	L592	
1,2,3,6,7,8-Hexachlorodibenzo-p-dioxin	L592	
1,2,3,7,8,9-Hexachlorodibenzo-p-dioxin	L592	
1,2,3,4,7,8-Hexachlorodibenzofuran	G930	
1,2,3,6,7,8-Hexachlorodibenzofuran	G930, L592	
1,2,3,7,8,9-Hexachlorodibenzofuran	G930, L592	

TABLE 5 (cont.)

Compound	Applicable DODIC	
2,3,4,6,7,8-Hexachlorodibenzofuran	G930	
Hexachloroethane	G930	
Hydrochloric acid	G982, L592	
Lead	G982	
Methylene chloride	G930	
Nitroglycerin	A365, G930	
1,2,3,4,6,7,8,9-Octachlorodibenzo-p-dioxin	G930, L592	
1,2,3,4,6,7,8,9-Octachlorodibenzofuran	G930	
Pentachlorobenzene	G930	
1,2,3,7,8-Pentachlorodibenzo-p-dioxin	L592	
1,2,3,7,8-Pentachlorodibenzofuran	G930	
2,3,4,7,8-Pentachlorodibenzofuran	G930	
Propionaldehyde	L592, M630	
Selenium	G982	
2,3,7,8-Tetrachlorodibenzofuran	G930	
Thallium	A365	
Trichloroethylene	G930	
2,4,5-Trichlorophenol	G982	
2,4,6-Trichlorophenol	G930	
Vinyl chloride	L592	
Acetone	L592, M630	
4-Amino-2,6-dinitrotoluene	G930, G982, M630	
Benzaldehyde	L592	
Chloroacetonitrile	G930	
2,6-Dichlorophenol	G930	
Hexachloropropene	G930	
Hexaldehyde	G982, L592	
HMX	L592, M630	
Isovaleraldehyde	L592	
Magnesium	G982	
N-Nitrosomethylethylamine	G930	
4-Nitrotoluene	A365, G982, L592	
PETN	G930, M630	

TABLE 5 (cont.)

Compound	Applicable DODIC	
RDX	G930, G982, M630	
1,2,4,5-Tetrachlorobenzene	G930	
2,3,4,6-Tetrachlorophenol	G930	
Tetryl	G982, L592, M630	
o,m,p-Tolualdehyde	G982, L592	
2,4,6-Trinitrotoluene	G982, M630	
Valeraldehyde	G982, L592	

3.2.4 Analysis and Calculations

The test report, detailed test plan, and analytical data supporting the test report were reviewed to determine whether they contained all of the original raw data, other documentation, and example calculations. Although the test report did not contain raw field data, the data were made available upon request. The test report also lacked certain calibration data. However, the missing information was judged insufficient to result in a downgrade of the test data quality rating.

The raw data and sample calculations presented in the final test report, detailed test plan, and analytical data supporting the test report were reviewed to determine if the emission factors presented in the report could be duplicated. Where differences were found between the emission factors calculated using the Excel spreadsheets and those presented in the test report, an examination was made to determine the reason for the differences.

Several minor errors were noted in the calculation of the emission factors within the test report, particularly with respect to the incorporation of "0" values into the emission factors (see Section 4.4) and the net explosive weight assumed for each ordnance. The emission factors presented in AP-42 are based upon the corrected spreadsheets. Based upon the raw data, other documentation, and the Excel spreadsheet calculations, the test data should be assigned an "A" rating.

Emission factors developed for compounds present in the method blank at levels of 20 percent to 50 percent of both test values were assumed to be biased high. Antimony met this criterion for DODIC G930 and 1,2,3,4,6,7,8,9-octachlorodibenzo-p-dioxin met this criterion for DODIC A365. The test data for both of these compounds were assigned "B" ratings.

When compounds were found in the method blank at levels greater than 50 percent of both test values, the data were assumed to be suspect and no emission factors were developed. Several compounds met this criterion and are identified in Table 6.

TABLE 6 COMPOUNDS FOUND IN THE METHOD BLANK AT LEVELS GREATER THAN 50 PERCENT OF BOTH TEST VALUES

Compound	Applicable DODIC	
Chlorine	A365, G982, L592, M630	
1,2,3,4,7,8-Hexachlorodibenzofuran	L592	
1,2,3,4,6,7,8,9-Octachlorodibenzo-p-dioxin	M630	
2,3,7,8-Tetrachlorodibenzofuran	A365	
Diethylphthalate	A365, G930, G982, L592, M630	

3.3 Test Data Quality Ratings

Upon completing the analysis described in the preceding section of this document, the test data quality ratings assigned as a result of the four criteria were reviewed. This review led to a downgrading of some of the test data from an "A" rating to either a "B" rating or a "C" rating. Table 7 identifies the data quality ratings for all compounds that did not receive an "A" rating.

TABLE 7 DOWNGRADED DATA QUALITY RATINGS

Compound	Data Quality Rating	Applicable DODIC
Carbon dioxide	В	All DODICs
Carbon monoxide	В	All DODICs
Oxides of nitrogen	В	All DODICs
Sulfur dioxide	В	All DODICs
Acetaldehyde	С	L592
Acetic acid, chloro-	С	G982
Ammonia	С	G982
Antimony	С	G930, G982
Barium	С	G982
Benzene, pentachloro(trichloroethenyl)-	С	G930
Biphenyl	С	A365, G982, L592
Carbon tetrachloride	С	G930
Chloroform	С	G930
Copper	С	G982
Crotonaldehyde	С	A365, M630
Formaldehyde	С	A365, L592
1,2,3,4,6,7,8-Heptachlorodibenzo-p-dioxin	С	G930, L592
1,2,3,4,6,7,8-Heptachlorodibenzofuran	С	G930, L592
1,2,3,4,7,8,9-Heptachlorodibenzofuran	С	G930

TABLE 7 (cont.)

Compound	Data Quality Rating	Applicable DODIC
Hexachlorobenzene	C	G930
Hexachlorocyclopentadiene	С	G930
1,2,3,4,7,8-Hexachlorodibenzo-p-dioxin	С	L592
1,2,3,6,7,8-Hexachlorodibenzo-p-dioxin	C	L592
1,2,3,7,8,9-Hexachlorodibenzo-p-dioxin	C	L592
1,2,3,4,7,8-Hexachlorodibenzofuran	C	G930
1,2,3,6,7,8-Hexachlorodibenzofuran	C	G930, L592
1,2,3,7,8,9-Hexachlorodibenzofuran	С	G930, L592
2,3,4,6,7,8-Hexachlorodibenzofuran	С	G930
Hexachloroethane	C	G930
Hydrochloric acid	С	G982, L592
Lead	С	G982
Methylene chloride	С	G930
Nitroglycerin	C	A365, G930
1,2,3,4,6,7,8,9-Octachlorodibenzo-p-dioxin	В	A365
1,2,3,4,6,7,8,9-Octachlorodibenzo-p-dioxin	C	G930, L592
1,2,3,4,6,7,8,9-Octachlorodibenzofuran	С	G930
Pentachlorobenzene	C	G930
1,2,3,7,8-Pentachlorodibenzo-p-dioxin	C	L592
1,2,3,7,8-Pentachlorodibenzofuran	C	G930
2,3,4,7,8-Pentachlorodibenzofuran	C	G930
Propionaldehyde	C	L592, M630
Selenium	C	G982
2,3,7,8-Tetrachlorodibenzofuran	C	G930
Thallium	C	A365
Trichloroethylene	C	G930
2,4,5-Trichlorophenol	C	G982
2,4,6-Trichlorophenol	C	G930
Vinyl chloride	C	L592
Acetone	C	L592, M630
4-Amino-2,6-dinitrotoluene	C	G930, G982, M630
Benzaldehyde	С	L592

TABLE 7 (cont.)

Compound	Data Quality Rating	Applicable DODIC
Benzaldehyde, 4-ethyl	С	L592
Benzene, (1,2-dichloroethyl)-	C	G930
Benzenesulfinothioic acid, 4-methoxy-, S	C	L592
Benzoic acid, methyl ester	C	G930
Benzoic acid, 4-chloro	C	G982
Benzophenone	C	G982
1,1'-Biphenyl, 3-carboxy acid	C	G982
Biphenyl-4-carboxylic acid	C	G982
[1,1'-Biphenyl]-3-ol	C	G982
1,3-Butadiyne	C	G930
3-Butenoic acid	C	G982
cis-1-Butyl-2-methylcyclopropane	C	G982
Chloroacetonitrile	C	G930
1,3-Cyclopentadiene, 1,2,3,4-tetrachloro	C	G930
4-Cyclopentene-1,3-dione	C	G982
1-Decene	C	G982
2,6-Dichlorophenol	С	G930
Diphenylmethane	С	G982
1-Dodecene	С	G982
Ethyne, chloro-	С	G930
9H-Fluoren-9-one	C	G982
Furan	C	G982
2-Furancarboxaldehyde	C	G982
Furan, 2-methyl-	C	G982
2(3H)-Furanone	C	G982
2(3H)-Furanone, 5-methyl-	C	G982
Heptacosane	C	M630
Hexachloropropene	С	G930
Hexadecanoic acid	С	G982
1-Hexadecene	С	G982
Hexaldehyde	С	G982, L592
HMX	С	L592, M630

TABLE 7 (cont.)

Compound	Data Quality Rating	Applicable DODIC
p-Hydroxybiphenyl	С	G982
4-Hydroxy-9-fluorenone	С	G982
Isovaleraldehyde	C	L592
Magnesium	С	G982
4,7-Methanoisobenzofuran-1,3-dione, 3a,4	С	G982
Naphthalene, 2-ethenyl-	С	A365, G982, L592
Naphthalene, octachloro-	С	G930
1-Naphthalenepropanol, alpha-ethenylde	С	M630
N-Nitrosomethylethylamine	С	G930
4-Nitrotoluene	С	A365, G982, L592
Nonadecane	С	M630
1-Nonene	С	G982
Octadecanoic acid	С	G982
3-Octadecene, (E)-	C	M630
1-Pentadecene		G982
2-Pentanol, 4-methyl-		A365
PETN	С	G930, M630
Phenylethyne	С	G982
2H-Pyran-2-one	С	G982
RDX	С	G930, G982, M630
1,2,4,5-Tetrachlorobenzene	С	G930
2,3,4,6-Tetrachlorophenol	С	G930
Tetryl	С	G982, L592, M630
o,m,p-Tolualdehyde	С	G982, L592
1-Tridecene	С	G982
2,4,6-Trinitrotoluene	С	G982, M630
Triphenylmethane	С	G982
Valeraldehyde	С	G982, L592
Xanthone	С	G982

4.0 EMISSION FACTOR CALCULATIONS

The methodologies and procedures that were used to develop emission factors from the test data are described in this section. A similar approach was used to calculate emission factors for TSP, PM-10, PM-2.5, metals, HCl, Cl₂, NH₃, SVOC, dioxin/furan compounds, aldehydes and carbonyls, energetic materials, hydrogen cyanide, and perchlorate. The calculation steps that were performed for each sampling train and each run are summarized below.

- 1. For compounds for which more than one test sample was obtained, analytical detection limits were incorporated into the test data.
- 2. The background compound concentration was calculated by dividing the mass of compound detected during the background run by the background run sample volume.
- 3. The test compound concentration was calculated by dividing the mass of compound detected during the test run by the test run sample volume.
- 4. A background-corrected concentration was calculated by subtracting the background concentration from the test concentration.
- 5. A dilution-corrected concentration was calculated by dividing the background-corrected concentration by the dilution correction factor.
- 6. The mass of compound released during the test run was calculated by multiplying the dilution-corrected concentration by the volume of the Smoke Chamber.
- 7. Emission factors for each sample and sampling train or test run were calculated by dividing the mass of compound released by the number of ordnance detonated during the test run or by the NEW detonated during the test run, as appropriate.
- 8. Average emission factors were calculated for each compound.

Because concentration data (i.e., milligrams per cubic meter [mg/m³], parts per million by volume [ppmv], or parts per billion by volume [ppbv]) were recorded for VOC and CEMS-measured compounds, it was not necessary to calculate background and test concentrations as described in steps 2 and 3. Detection limits were applied directly to test compound concentrations of VOC and CEMS-measured compounds, as described in step 1. Where present, ppmv and ppbv values were converted to mg/m³. Emission factors for VOC and CEMS-measured compounds were then estimated in accordance with steps 4 through 8 described above.

The following sections describe each of the eight emission factor calculation steps listed above in more detail.

4.1 Incorporation of Analytical Detection-Limits to the Test Data

In many cases, more than one test sample was obtained for a specific compound (i.e., more than one sample was obtained for a given test run or more than one test run was conducted). When multiple samples were obtained for the same compound, a comparison was made of all the sample data collected. Based upon the results of the comparison, the following adjustments were made to the test data:

- 1. If all of the samples indicated that a compound was "not detected," the sample data were not adjusted.
- 2. If all of the samples indicated that a compound was detected, the sample data were not adjusted.
- 3. If one or more of the samples indicated that a compound was detected and one or more of the samples indicated that a compound was not detected, the "not detected" values were replaced

with a value equal to one half of the compound's analytical detection limit. The assumption inherent to this adjustment was that the measured presence of a compound in one or more samples was indicative of the compound's presence in all samples. The analytical detection limits for each sample were obtained from the test report.

4.2 Determination of Background Concentration

For TSP, PM-10, PM-2.5, metals, HCl, Cl₂, NH₃, SVOC, dioxin/furan compounds, aldehydes and carbonyls, energetic materials, hydrogen cyanide, and perchlorate compounds, the background compound concentration (BC) was calculated by dividing the mass of compound detected during the background run (Bkgd mass) by the background run sample volume (Bkgd V). This calculation is illustrated by the following equation:

$$BC = \frac{Bkgd\ mass}{Bkgd\ V}$$

For VOC compounds, the background run data were used directly. Background data for CEMS-measured compounds were recorded for each test run between the time the CEMS began sampling and the time of detonation. The background concentrations were assumed to equal representative values over the sampling period.

4.3 Determination of Test Compound Concentration

For TSP, PM-10, PM-2.5, metals, HCl, Cl₂, NH₃, SVOC, dioxin/furan compounds, aldehydes and carbonyls, energetic materials, hydrogen cyanide, and perchlorate compounds, the test compound concentration (TC) was calculated by dividing the mass of compound measured during the test run (Test mass) by the test run sample volume (Test V). This calculation is illustrated by the following equation:

$$TC = \frac{Test\ mass}{Test\ V}$$

For VOC compounds, the test run data were used directly. For CEMS-measured compounds, the test compound concentration was determined as the arithmetic mean of the test data collected from the initial steady-state point until the end of the test.

4.4 Determination of Background-Corrected Concentration

For all compounds, the calculation of the background-corrected concentration (BCC) was dependent on whether the background (BC) and test (TC) concentrations were detected and whether they were less than, equal to, or greater than one another. The procedures used to calculate the background-corrected concentration for each sampling train and compound are described below and are displayed graphically in Figure 1.

- 1. If the test concentration was not detected (ND), the background-corrected concentration equaled ND.
- 2. If the test concentration was detected and the background concentration was not detected, the background-corrected concentration equaled the test concentration.
- 3. If the test and background concentrations were detected and the test concentration was less than or equal to the background concentration, the background-corrected concentration equaled 0.




Figure 1 Calculation of background-corrected concentration (BCC).

4. If the test and background concentrations were detected and the test concentration was greater than the background concentration, the background concentration was subtracted from the test concentration. This calculation is illustrated by the following equation:

$$BCC = TC - BC$$

4.5 Determination of Dilution-Corrected Concentration

The dilution-corrected concentration (DCC) was calculated by dividing the background-corrected concentration by the applicable dilution correction factor (DCF). This calculation is illustrated by the following equation:

$$DCC = \frac{BCC}{DCF}$$

4.6 Determination of Mass of Compound Released

The mass of compound released was calculated by multiplying the dilution-corrected concentration by the volume of the Smoke Chamber. This calculation is illustrated by the following equation:

 $Mass\ compound\ released = DCC\ x\ Smoke\ Chamber\ volume$

4.7 Determination of Emission Factors

Once the mass of compound released was calculated, two emission factors were developed for each sample or sampling train and for each test run: the mass of compound released per item (i.e., per single ordnance) and the mass of compound released per pound NEW. The NEW for all ordnance were determined from Reference 4.

4.8 Determination of Average Emission Factors

Steps 1 through 7, as described in Sections 4.1 through 4.7, are applicable to individual samples or sampling trains within individual test runs. The final step in the emission factor calculation process was to calculate average emission factors for each compound in terms of mass released per item and mass released per pound NEW. The average emission factors for each compound were calculated as the arithmetic mean of the individual samples associated with the compound. If all samples indicated that the compound was not detected (ND), then the average emission factor was assigned a value of ND. [Note: The minimum detection levels associated with the compounds that were not detected are presented in Appendix A.] Total dioxin/furan emission factors were calculated by summing the average emission factors for all dioxin/furan compounds.

5.0 EMISSION FACTOR RATINGS

The emission factors were appraised in accordance with the rating system specified in Reference 5. Under this rating system, emission factors are assigned a rating from A to E, where an "A" rating is assigned to the highest quality factors. The criteria used to assign a specific emission factor rating are summarized below.

- **A** Excellent. The emission factor was developed primarily from A- and B-rated source test data taken from many randomly chosen facilities in the industry population. The source category population was sufficiently specific to minimize variability.
- **B** Above average. The emission factor was developed primarily from A- or B-rated test data from a moderate number of facilities. Although no specific bias was evident, it was not clear if the facilities tested represented a random sample of the industry. As with the "A" rating, the source category population was sufficiently specific to minimize variability.
- C Average. The emission factor was developed primarily from A-, B- and/or C-rated test data from a reasonable number of facilities. Although no specific bias was evident, it was not clear if the facilities tested represented a random sample of the industry. As with the "A" rating, the source category population was sufficiently specific to minimize variability.
- **D** Below average. The emission factor was developed primarily from A-, B-, and C-rated test data from a small number of facilities, and there may have been reason to suspect that these facilities did not represent a random sample of the industry. There also may have been evidence of variability within the source category population.
- **E** Poor. The emission factor was developed from C- and D-rated test data from a very limited number of facilities, and there may have been reason to suspect that the facilities tested did not represent a random sample of the industry. There also may have been evidence of variability within the source category population.

Two analyses were conducted to assign ratings to the ordnance emission factors. First, an analysis was conducted on an ordnance-specific basis. Second, an analysis was conducted using all available ordnance emission factor data. The second analysis was conducted to determine whether a sufficient correlation existed between emission factors for different but similar ordnance to allow the number of test data points to be increased to the point that higher emission factor ratings could be assigned than were possible when using the ordnance-specific approach. Both analyses are described below.

5.1 Emission Factor Ratings Assigned – Based on Ordnance-Specific Test Data

As previously described, emission factor ratings are dependent upon the test data quality, the number of test data points, the amount of variability present within a source category population, and the randomness of the source category sample. The following test data facts pertain to these rating criteria:

- 1. As described in Section 3 of this Background Document, the ordnance test data was primarily rated A or B. The test data for a few compounds was rated C.
- 2. Two tests were conducted or two sampling trains were used per ordnance.
- 3. Ordnance are manufactured to very tight tolerance levels so there is little variability within a specific type of ordnance.
- 4. There was no evidence that suggested the tested items within each type of ordnance were specially selected.

Emission factor ratings were assigned based upon these facts. The rationale used to accept or reject specific emission factor ratings follow.

A: Rejected. The number of test data points was deemed to be insufficient to assign an A emission factor rating.

- B: Rejected. The number of test data points was deemed to be insufficient to assign a B emission factor rating.
- C: Accepted for most ordnance. The emission factors were developed using A- and B-rated test data, there is little variability among items, and there was no evidence that suggested the tested items were specially selected. Because of the limited number of data points, a C rating was deemed appropriate for this set of circumstances.
- D: Accepted for some ordnance. The emission factors were developed using C-rated test data, there is little variability among items, and there was no evidence that suggested the tested items were specially selected. Because of the limited number of data points, a D rating was deemed appropriate for this set of circumstances.
- E: Rejected. The ordnance described in this report were developed primarily using A- and B-rated test data rather than C- or D-rated data, there is little variability among items, and there was no evidence that suggested the tested items were specially selected. Therefore, an E emission factor rating was deemed inappropriate.

5.2 Emission Factor Ratings Assigned – Based on All Available Test Data

The proceeding sections of this Background Document concern the emission measurement methods, data analysis, and calculations used to develop emission factors for specific ordnance. However, USAEC's ordnance emission factor development program includes more than 200 ordnance that have been tested under more than 25 separate test series. Because many of these ordnance are similar in size and/or chemical composition, a statistical analysis was conducted to assess the similarity of the emission factors developed for similar ordnance. The results of this analysis were used to reevaluate the emission factor ratings assigned on an ordnance-specific basis.

USAEC characterized individual ordnance as falling into one of 17 separate categories, depending upon the size and/or chemical composition of the ordnance. The ordnance and their respective categories are identified in Table 8 along with a comment field describing the number of data points.

TABLE 8 ORDNANCE CATEGORIZATION FOR EMISSION FACTOR CORRELATION ASSESSMENT

Category	DODIC	Ordnance Description	Test Series	Comment
CS	G963 ^a	M73A CS Riot Control Agent Hand Grenade	DPG VI	Data not yet
	K765 ^a	CS Riot Control Agent Capsule	DPG VI	available
Demolition	G900	TH3 AN-M14 Incendiary Grenade	EO5	
	G911	MK3A2 Offensive Hand Grenade	EO2	
	G911	MK3A2 Offensive Hand Grenade	EO6	20 data points
	K010	M4 Field Incendiary Burster	EO5	20+ data points
	K145	M18A1 Antipersonnel Mine	EO2	
	M023	M112 Demolition Block Charge	EO1	

TABLE 8 (cont.)

Category	DODIC	Ordnance Description	Test Series	Comment
	M030	1/4-Pound Demolition Block Charge	EO1	
	M030	1/4-Pound Demolition Block Charge	EO3	
	M031	1/2-Pound Demolition Block Charge	DPG IVA	
	M032	1-Pound Demolition Block Charge	EO2	
	M032	1-Pound Demolition Block Charge	EO3	
	M130 ^a	M6 Electric Blasting Cap	DPG VII	
	M130 ^a	M6 Electric Blasting Cap	EO7	
	M131 ^a	M7 Blasting Cap	EO7	
	M241	M10 High Explosive Universal Destructor	DPG IVB	
	M456	PETN Type 1 Detonating Cord	DPG IVA	
	M500 ^a	M21 REEF Line Cutter	FP10	
	M591	M1 Military Dynamite Demolition Block Charge	EO1	
Demolition,	M913 -	M58A3 Linear Demolition Charge	EO3	20 data mainta
continued	ML05 ^a	MK24 High Explosive Cutter	EO11	20+ data points
	ML09	Linear Demolition Charge, Shaped 20 gr/ft	DPG IVA	
	ML15	Linear Demolition Charge, Shaped 225 gr/ft	DPG IVA	
	ML47 ^a	M11 Blasting Cap	EO7	
	MM50 ^a	M221 Shaped Charge	EO11	
	MN02 ^a	M12 Blasting Cap	EO7	
	MN03 ^a	M13 Blasting Cap	EO7	
	MN06 ^a	M14 Blasting Cap	EO7	
	MN07 ^a	M15 Delay Blasting Cap	EO11	
	MN08 ^a	M81 Igniter	EO9	
	MN68 ^a	M151 Booster Demolition Charge	DPG VIII	
	None	PAX-11, Granular Powder Burn	EO4	
	None	PAX-11, Molded Pellet Detonation	EO4	
	G878 ^a	M228 Practice Hand Grenade Fuse	DPG VI	
	K051	M604 Anti-Tank Practice Mine Fuze	EO6	
Fuze	N278 ^a	M564 MTSQ Fuze	EO11	<10 data points
	N285 ^a	M577 Fuze	EO9	
	N286 ^a	M582 Fuze	EO7	

TABLE 8 (cont.)

Category	DODIC	Ordnance Description	Test Series	Comment
	N335	M557 Point Detonating Fuze	EO5	
Fuze, continued	N340	M739A1 Point Detonating Fuze	EO5	<10 data points
continued	N464 ^a	M732 Fuze	EO9	
	G881	M67 Fragmentation Hand Grenade	EO1	
Grenade	G978	M82 Smoke Simulant Screening Launcher Grenade	DPG V	<10 data points
	G982	M83 TA Smoke Practice Hand Grenade	DPG V	_
	GG09 ^a	M84 Non-Lethal Stun Hand Grenade	EO12	
	B535	M583A1 40-mm White Star Parachute Cartridge	DPG IVB	
	B536	M585 40-mm White Star Cluster Cartridge	DPG IVB	
	B627	M83A3, M83A2, & M83A1 60-mm Illuminating Cartridge with Fuze	DPG V	
	D505	M485A2 155-mm Illumination Round (projectile)	DPG I	
	L305	M195 Green Star Parachute Signal Flare	DPG I	20+ data points
Illumination	L306	M158 Red Star Cluster Signal Illumination	DPG II	
munimation	L307	M159 White Star Cluster Signal Illumination	DPG II	
	L311	M126A1 Red Star Parachute Signal Flare	DPG II	
	L312	M127A1 White Star Parachute Signal Flare	DPG I	
	L314	M125A1 Green Star Cluster Signal Flare	DPG I	
	L367ª	M22 Anti-Tank, Guided Missile, and Rocket Launching Simulator	DPG VI	
	L410 ^a	M206 Aircraft Countermeasure Flare	DPG VI	
Inert	HA11 ^a	Rocket, 2.75-inch Flechette with M255A1 Warhead	DPG VIII	Data not yet available
	C511	M490 105-mm Target Practice Tracer Cartridge (tracer)	EO6	
Large	C784 ^a	M831 120-mm Target Practice Tracer Cartridge	EO12	Only 1 data point yet available
	C785 ^a	M865 120-mm Target Practice Discarding Sabot Tracer Cartridge	EO12	unuoie
Madium	BA11 ^a	M1001 40-mm HVCC Cartridge	EO12	Data not yet
Medium	BA15 ^a	M769 60-mm FRP Cartridge	EO12	available

TABLE 8 (cont.)

Category	DODIC	Ordnance Description	Test Series	Comment
	A652	M220 20-mm TP-T Cartridge	FP9	
	A940	M910 25-mm Target Practice Discarding Sabot Tracer Cartridge	FP8	
	A976	M793 25-mm Target Practice Tracer Cartridge	FP8	
Medium-FP	B129 ^a	M789 30 mm CTG	EO9	10+ data points
	B519	M781 40-mm Practice Cartridge	FP2	
	B584	M918 40-mm Practice Cartridge	FP2	
	B505 ^a	M662 40-mm Red Star Parachute Cartridge	DPG VIII	
Mine	K042 ^a	M88 Volcano Practice Canister Mine	DPG VIII	Data not yet available
Mortar	CA03	XM929 120 mm Smoke Cartridge with M7334A1 Fuze	DPG V	Only 1 data point
	B542	M430 40-mm High Explosive Dual Purpose (HEDP) Cartridge (projectile)	EO3	
	B571	M383 40-mm High Explosive Cartridge (projectile)	EO3	
	B632	M49A4 60-mm High Explosive Cartridge (projectile)	EO3	
	B642	M720 60-mm High Explosive Cartridge (projectile)	EO6	
Projectile	BZ-13 ^a	M888 60-mm Cartridge with M935 PD Fuze	EO11	10+ data points
	C995	M136 AT4 Recoilless Rifle, 84-mm Cartridge (projectile)	EO3	
	H557	M72A3 66-mm High Explosive Antitank Rocket (warhead)	EO1	
	H708 ^a	M73 35-mm Subcaliber Practice Rocket	DPG VIII	
	None ^a	PAX-21, 60-mm Mortar	EO8	
	PJ02	FIM-92A Stinger-Basic Guided Missile (warhead)	EO6	
Dronallant	B642	M720 60-mm High Explosive Cartridge (propelling charge)	FP4	20 data nointa
Propellant	B653 ^a	M766 60-mm Short Range Practice Mortar Cartridge	FP10	20+ data points

TABLE 8 (cont.)

Category	DODIC	Ordnance Description	Test Series	Comment
	C226	M301A3 81-mm Illuminating Cartridge (propelling charge)	FP4	
	C379	M934 120-mm High Explosive Cartridge (Zone 1 - propelling charge)	FP8	
	C511	M490 105-mm Target Practice Tracer Cartridge (propelling charge)	FP5	
	C784	M831 120-mm Target Practice Tracer Cartridge (propelling charge)	FP5	
	C785	M865 120-mm Target Practice Discarding Sabot Tracer Cartridge (propelling charge)	FP5	
	C868	M821 81-mm High Explosive Cartridge (propelling charge)	FP4	
	C876	M880 81-mm Target Practice Short Range Cartridge (propelling charge)	FP4	
	CA09	M931 120-mm Full Range Practice Cartridge (Zone 1 - propelling charge)	FP8	
	CA09	M931 120-mm Full Range Practice Cartridge (Zone 4 - propelling charge)	FP8	
Propellant, continued	D533 -	M119A2 155-mm Propelling Charge (Zone 7)	FP5	20+ data points
	D540	M3 155-mm Propelling Charge (Zone 3, M199 Cannon)	FP1	
	D540	M3 155-mm Propelling Charge (Zone 3, M199 Cannon)	FP5	
	D540 D540 D540	M3 155-mm Propelling Charge (Zone 3, M284 Cannon)	FP1	
		M3 155-mm Propelling Charge (Zone 5, M199 Cannon)	FP1	
		M3A1 155-mm Propelling Charge (Zone 3, M199 Cannon)	FP1	
		M3A1 155-mm Propelling Charge (Zone 3, M284 Cannon)	FP1	
	D541	M4A2 155-mm Propelling Charge (Zone 7)	FP5	
	M174 ^a	MK209 Impulse Cartridge	FP10	
	M842 ^a	M1 Squib	EO7	
	M842 ^a	M79 Igniter	EO9	

TABLE 8 (cont.)

Category	DODIC	Ordnance Description	Test Series	Comment
	MD73 ^a	M796 Impulse Cartridge	FP10	
Propellant, continued	PJ02	FIM-92A Stinger-Basic Guided Missile (flight motor)	FP7	20+ data points
Commuca	PJ02	FIM-92A Stinger-Basic Guided Missile (launch motor)	EO5	
	H975 ^a	M274 2.75-inch Signature Smoke with H872 Warhead	DPG VIII	
	L366	M74A1 Projectile Air Burst Simulator	DPG IVB	
	L495	M49A1 Surface Trip Flare	DPG II	
	L508 ^a	M72 Red Railroad Warning Fuse	DPG VI	
	L592	TOW Blast Simulator	DPG V	
	L594	M115A2 Ground Burst Simulator	DPG I	
	L595 ^a	M9 Liquid Projectile Air Burst Simulator	EO12	
	L596	M110 Flash Artillery Simulator	DPG I	
	L598	M117 Flash Booby Trap Simulator	DPG I	
	L599	M118 Illuminating Booby Trap Simulator	DPG II	
	L600	M119 Whistling Booby Trap Simulator	DPG II	
	L601	M116A1 Hand Grenade Simulator	DPG I	20 1
Pyrotechnic	L602	M21 Artillery Flash Simulator	DPG IVB	20+ data points
	L709	M25 Target Hit Simulator	EO2	
	L709	XM25 Target Hit Simulator	DPG V	
	L720	M26 Target Kill Simulator	EO6	
	M327 ^a	Coupling Base Firing Device	FP10	
	M448 ^a	M2 Percussion Detonator	EO11	
	M626 ^a	M1 Push Igniter	EO9	
	M627 ^a	M5 Pressure Release Igniter	FP10	1
	M630	M1 Pull Igniter	DPG V	
	M630 ^a	M1 Pull Igniter	EO9	
	M670 ^a	M700 Blasting Fuse	EO11	
	M766 ^a	M60 Igniter	EO9	
	ML03 ^a	M142 Firing Device	EO11	

TABLE 8 (cont.)

Category	DODIC	Ordnance Description	Test Series	Comment
	H459	Rocket, 2.75-inch Flechette, MK40 Mod 3 Motor (propelling rocket)	FP7	
	H557	M72A3 66-mm High Explosive Antitank Rocket (propelling rocket)	FP4	
Rocket/Missile	H557	M72A3 66-mm High Explosive Antitank Rocket (propelling rocket)	FP7	10+ data points
	H708	M73 35-mm Subcaliber Practice Rocket (motor)	FP9	
	H974	Rocket, 2.75-inch M267 Practice Warhead, MK66 Mod 3 Motor (propelling rocket)	FP7	
	A010	M220 10 Gage Blank/Subcaliber Salute Cartridge	FP9	
	A011	12 Gage #00 Shot Cartridge	FP9	
	A017 ^a	12 Gage #9 Shot Cartridge	FP10	
	A059	M855 5.56-mm Ball Cartridge (fired from the M16A1 Rifle)	FP3	
	A059	M855 5.56-mm Ball Cartridge (fired from the M16A2 Rifle)	FP3	
	A059	M855 5.56-mm Ball Cartridge (No-Lead)	FP4	
	A063	M856 5.56-mm Tracer Cartridge	FP3	
	A065	M862 5.56-mm Practice Ball Cartridge	FP3	
	A066	M193 5.56-mm Ball Cartridge	FP6	
Small Arm-FP	A068	M196 5.56-mm Tracer Cartridge	FP6	20+ data points
	A080	M200 5.56-mm Blank Cartridge	FP3	
	A086	.22 Caliber Long Rifle Ball Cartridge	FP4	
	A106	.22 Caliber Standard Velocity Long Rifle Ball Cartridge	FP4	
	A111	M82 7.62-mm Blank Cartridge	FP3	
	A131	M62 7.62-mm Tracer Cartridge	FP6	
	A136	M118 7.62-mm Ball Match Cartridge	FP6	
	A143	M80 7.62-mm Ball Cartridge	FP3	
	A171	M852 7.62-mm Ball Match Cartridge	FP6	
	A182	M1 .30 Caliber Ball Cartridge	FP6	
	A212	M2 .30 Caliber Ball Cartridge	FP6	

TABLE 8 (cont.)

Category	DODIC	Ordnance Description	Test Series	Comment
	A218	M25 .30 Caliber Tracer Cartridge	FP9	
	A247	M72 .30 Caliber Ball Match Cartridge	FP6	
	A363	M882 9-mm Ball Cartridge	FP3	
	A365	M181 14.5-mm Trainer-Spotter Cartridge with 3-sec Delay (Artillery)	DPG V	
	A366 ^a	M182 14.5-mm Cartridge	EO11	
	A400	M41 .38 Caliber Special Ball Cartridge	FP9	
Small Arm-FP, continued	A403	.38 Caliber Special Blank Cartridge	FP9	20+ data points
continued	A475	M1911 .45 Caliber Ball Cartridge	FP3	
	A518	M903 .50 Caliber SLAP Cartridge	FP9	
	A518 ^a	M962 .50 Caliber SLAP/T	FP10	
	A525	M2 .50 Caliber Armor Piercing Cartridge	FP8	
	A557	M17 .50 Caliber Tracer Cartridge	FP3	
	A557	M33 .50 Caliber Ball Cartridge	FP3	
	A598	M1A1 .50 Caliber Blank Cartridge	FP3	
	C870 ^a	M819 (IUK) 81-mm Red Phosphorus Smoke	DPG VII	
	G815 ^a	Red Phosphorus Smoke Screening Grenade Launcher (UK)	DPG VII	
	G930	AN-M8 HC Smoke Hand Grenade	DPG V	
	G940	M18 Green Smoke Hand Grenade	DPG III	
	G945	M18 Yellow Smoke Hand Grenade	DPG III	
Smoke	G950	M18 Red Smoke Hand Grenade	DPG III	10+ data points
	G950	M18 Red Smoke Hand Grenade (new formulation)	DPG V	
	G955	M18 Violet Smoke Hand Grenade	DPG III	
	G955	M18 Violet Smoke Hand Grenade (new formulation)	DPG V	
	K866 ^a	ABC-M5 HC Ground Smoke Pot (MILES)	DPG VII	
	K867 ^a	M4A2 Floating Smoke Pot	DPG VII	

^a Although testing may have been completed, emission factors for this ordnance have not yet been analyzed for inclusion in AP-42; therefore, these data were not included when the data correlation was assessed.

Within each of the 17 ordnance categories identified by USAEC, emission factors for each compound were compared. To allow the comparison of emission factors for ordnance with similar

constituents but significant differences in net explosive weight, the comparison was made using the normalized emission factor units of mass of compound released per pound NEW. Based upon information provided by EPA, ⁹ the following procedures were used to assess the data correlation:

- 1. The relative standard deviation, defined as the standard deviation divided by the mean, was calculated for each compound within each ordnance category.
- 2. If the relative standard deviation was less than 1.0, the evaluated emission factors were considered to demonstrate good correlation. As such, the rating for these emission factors <u>could</u> be elevated to a maximum of an A, depending on the number of data points within the evaluated ordnance category.
- 3. If the relative standard deviation was between 1.0 and 2.0, the evaluated emission factors were considered to demonstrate fair correlation. As such, the rating for these emission factors <u>could</u> be elevated to a maximum of a B, depending on the number of data points within the evaluated ordnance category.
- 4. If the relative standard deviation was greater than 2.0, the evaluated emission factors were considered to demonstrate poor correlation. As such, the emission factor rating could not be elevated, regardless of the amount of data available.

A poor correlation between emission factors was not necessarily construed as being indicative of poor test data. Rather, a poor correlation was more likely to indicate that the ordnance included in the category were not as similar in nature as anticipated by USAEC when the ordnance categories were defined.

In addition to assessing the data correlation, an assessment was made of the number of test data points available within each of the 17 ordnance categories. Because each ordnance test consisted of two test data points (i.e., two test runs per ordnance or two independent sampling trains were used during an ordnance test), the number of test data points available in each of the ordnance categories varied from 2 to 68. Based upon information provided by EPA, the following assumptions were used to assess whether sufficient category-specific test data points were available to justify elevating the emission factor ratings based on ordnance-specific data only:

- 1. If 20 or more data points were available, the emission factor rating could be elevated to a maximum of an A, provided that the data also demonstrated a good correlation.
- 2. If at least 10 but less than 20 data points were available, the emission factor rating could be elevated to a maximum of a B, provided that the data also demonstrated a good correlation.
- 3. If less than 10 data points were available, the emission factor rating could not be elevated, regardless of the data correlation.
- 4. If the data demonstrated a fair correlation and 20 or more data points were available, the emission factor rating could be elevated to a maximum of a B.
- 5. If the data demonstrated a fair correlation and at least 10 but less than 20 data points were available, the emission factor rating could be elevated to a maximum of a C.

Using the criteria specified above, the emission factor ratings assigned to ordnance in each of the 17 ordnance categories were reevaluated. This evaluation indicated that some of the emission factor ratings associated with ordnance included in nine categories could be elevated from a C or D rating to an A or B rating. These nine categories are:

- 1. Demolition
- 2. Illumination
- 3. Medium Firing Point
- 4. Projectiles

- 5. Propellants
- 6. Pyrotechnics
- 7. Rocket/Missile
- 8. Small Arms Firing Point
- 9. Smokes

A final assessment was made as to the emission factor rating assigned based on ordnance-specific test data only. If the original emission factor data rating assigned was a C, then the emission factor rating was elevated to an A or B, as appropriate, based upon the data for the whole ordnance category. If the original emission factor data rating assigned was a D, then the emission factor rating was elevated to a B or C, as appropriate, based upon the data for the whole ordnance category. The analysis is documented in an Excel spreadsheet that is located on the EPA website at: http://www.epa.gov/ttn/chief/ap42/index.html.

Within the current test series, DODIC A365 was included in the Small Arm-FP category, and DODICs L592 and M630 were included in the Pyrotechnic category. Both of these categories include more than 20 data points. As a result, some emission factor ratings associated with each of these ordnance were elevated. DODIC G930 was included in the Smoke category, which includes more than 10 test data points. As a result, some emission factor ratings associated with this ordnance were also elevated. Finally, DODIC G982 was included in the Grenade category, which includes less than 10 test data points. As a result, none of the emission factor ratings associated with this ordnance were elevated. The emission factor ratings assigned are presented in Appendix A.

6.0 REFERENCES

- 1. Sampling Results for AEC Phase V Emission Characterization of Exploding Ordnance and Smoke/Pyrotechnics, Revision 1, URS Group, Inc., Oak Ridge, TN, February 2007.
- 2. Detailed Test Plan for Phase V Emission Characterization of Exploding Ordnance and Smoke/Pyrotechnics, West Desert Test Center, U.S. Army Dugway Proving Ground, UT, October 2003.
- 3. Supporting information including Excel spreadsheets supplied upon request by the U.S. Army Dugway Proving Ground test support contractor, URS Group, Inc., Oak Ridge, TN, January 2006 and February 2007.
- 4. *Munitions Items Disposition Action System (MIDAS)* website, https://midas.dac.army.mil/, U.S. Army Defense Ammunition Center, McAlester, OK, November 2006.
- 5. *Procedures for Preparing Emission Factor Documents*, EPA-454/R-95-015, U.S. Environmental Protection Agency, Research Triangle Park, NC, November 1997.
- 6. Draft Detailed Procedures for Preparing Emission Factors, U.S. Environmental Protection Agency, Research Triangle Park, NC, June 2006.
- 7. Compendium of Methods for the Determination of Toxic Organic Compounds in Ambient Air, Second Supplement, EPA/600/4-89/017, U.S. Environmental Protection Agency, Research Triangle Park, NC, June 1988.

- 8. *Test Methods for Evaluating Solid Waste, Physical/Chemical Methods (SW-846)*, U.S. Environmental Protection Agency, http://www.epa.gov/epaoswer/hazwaste/test/sw846.htm.
- 9. Information regarding the relationship between emission factor data correlation, the number of data points available, and the resulting emission factor rating assigned supplied upon request by Mr. Ron Myers, Measurement Policy Group, Office of Air Quality Planning and Standards, U.S. Environmental Protection Agency, Research Triangle Park, NC, June 2006.



This page left blank intentionally.

DRAFT

APPENDIX A

COMPOUNDS ANALYZED AND EMISSION FACTORS DEVELOPED FOR ORDNANCE INCLUDED IN PHASE V-A TESTING AT DUGWAY PROVING GROUND, UTAH



This page left blank intentionally.

DRAFT

TABLE A1 COMPOUNDS ANALYZED AND EMISSION FACTORS DEVELOPED FOR DODIC A365, M181A1 14.5-MM ARTILLERY TRAINING CARTRIDGE

		Emission Factor ^{b,c}		Minimum
CASRN ^a	Compound	lb per item	lb per lb NEW ^d	Detection Level mg/m ^{3,e}
	Carbon Dioxide, Criteria Pollutants, and Total Suspen		ane Hydrocarbor	ns,
124-38-9	Carbon dioxide ^f	0	0	
630-08-0	Carbon monoxide ^f	1.4 E-04	8.7 E-03	
7439-92-1	Lead	1.3 E-03	8.1 E-02	
	Oxides of nitrogen ^g	1.1 E-04	7.1 E-03	
	PM-2.5 ^g	1.4 E-03	9.0 E-02	
	PM-10 ^g	1.5 E-03	9.2 E-02	
7446-09-5	Sulfur dioxide	5.4 E-06	3.4 E-04	
	Total nonmethane hydrocarbons	1.4 E-05	8.5 E-04	
12789-66-1	Total suspended particulate ^f	1.7 E-03	1.1 E-01	
	Hazardous Air Pollutant	s and Toxic Che	micals	
83-32-9	Acenaphthenef	ND	ND	1.2 E-03
208-96-8	Acenaphthyleneg	ND	ND	1.2 E-03
75-07-0	Acetaldehyde ^f	1.0 E-07	6.3 E-06	
75-05-8	Acetonitrile ^f	ND	ND	1.9 E-02
98-86-2	Acetophenone	ND	ND	6.0 E-03
107-02-8	Acrolein ^g	ND	ND	1.0 E-02
107-13-1	Acrylonitrile ^f	ND	ND	9.5 E-03
53-96-3	2-Acetylaminofluorene	ND	ND	1.2 E-03
107-05-1	Allyl chloride	ND	ND	1.4 E-02
7429-90-5	Aluminum ^g	1.2 E-05	7.4 E-04	
92-67-1	4-Aminobiphenyl	ND	ND	2.5 E-02
7664-41-7	Ammonia ^f	ND	ND	2.8 E-02
62-53-3	Aniline	ND	ND	1.8 E-02
120-12-7	Anthraceneg	ND	ND	1.2 E-03
7440-36-0	Antimony ^g	1.1 E-05	7.0 E-04	
7440-38-2	Arsenic	ND	ND	8.9 E-03
7440-39-3	Barium ^g	5.4 E-06	3.4 E-04	
71-43-2	Benzene ^f	4.9 E-07	3.1 E-05	
92-87-5	Benzidine	ND	ND	1.3 E-01
56-55-3	Benzo[a]anthracene ^g	ND	ND	1.4 E-03
205-99-2	Benzo[b]fluoranthene ^g	ND	ND	2.7 E-03
207-08-9	Benzo[k]fluoranthene ^f	ND	ND	1.5 E-03

TABLE A1 (cont.)

		Emission Factor ^{b,c}		Minimum
CASRN ^a	Compound	lb per item	lb per lb NEW ^d	Detection Level mg/m ^{3,e}
191-24-2	Benzo[g,h,i]perylene ^f	ND	ND	4.0 E-03
50-32-8	Benzo[a]pyrene ^f	ND	ND	1.2 E-03
100-44-7	Benzyl chloride	ND	ND	5.8 E-03
7440-41-7	Beryllium	ND	ND	2.3 E-04
92-52-4	Biphenyl ⁱ	5.4 E-07	3.4 E-05	
75-25-2	Bromoform	ND	ND	4.5 E-02
74-83-9	Bromomethane	ND	ND	4.3 E-03
101-55-3	4-Bromophenylphenylether	ND	ND	1.2 E-03
106-99-0	1,3-Butadiene ^f	1.7 E-07	1.0 E-05	
71-36-3	n-Butanol	ND	ND	1.3 E-02
85-68-7	Butylbenzylphthalate	ND	ND	1.5 E-03
123-72-8	Butyraldehyde	3.8 E-07	2.4 E-05	
7440-43-9	Cadmium	ND	ND	1.3 E-04
86-74-8	Carbazole	ND	ND	1.6 E-03
75-15-0	Carbon disulfide ^g	1.2 E-06	7.2 E-05	
56-23-5	Carbon tetrachloride	ND	ND	7.0 E-03
106-47-8	4-Chloroaniline	ND	ND	1.5 E-02
108-90-7	Chlorobenzene	ND	ND	5.2 E-03
75-00-3	Chloroethane	ND	ND	3.0 E-03
111-91-1	bis(2-Chloroethoxy)methane	ND	ND	1.2 E-03
111-44-4	bis(2-Chloroethyl)ether	ND	ND	1.4 E-03
67-66-3	Chloroform	ND	ND	5.4 E-03
108-60-1	bis(2-Chloroisopropyl)ether	ND	ND	1.9 E-03
74-87-3	Chloromethane ^f	ND	ND	9.0 E-03
91-58-7	2-Chloronaphthalene	ND	ND	1.2 E-03
7005-72-3	4-Chlorophenylphenyl ether	ND	ND	1.2 E-03
7440-47-3	Chromium	4.8 E-07	3.0 E-05	
218-01-9	Chrysene ^g	ND	ND	1.6 E-03
7440-48-4	Cobalt	ND	ND	1.3 E-03
7440-50-8	Copper ^g	2.5 E-06	1.5 E-04	
4170-30-3	Crotonaldehyde ^h	5.7 E-08	3.5 E-06	
98-82-8	Cumene	ND	ND	5.5 E-03
110-82-7	Cyclohexane	ND	ND	3.8 E-03
53-70-3	Dibenz[a,h]anthraceneg	ND	ND	1.5 E-03
132-64-9	Dibenzofuran	ND	ND	1.2 E-03

TABLE A1 (cont.)

		Emission Factor ^{b,c}		Minimum	
CASRN ^a	Compound	lb per item	lb per lb NEW ^d	Detection Level mg/m ^{3,e}	
106-93-4	1,2-Dibromoethane	ND	ND	8.6 E-03	
84-74-2	Dibutylphthalate	ND	ND	2.5 E-02	
95-50-1	1,2-Dichlorobenzene	ND	ND	6.7 E-03	
541-73-1	1,3-Dichlorobenzene	ND	ND	6.7 E-03	
106-46-7	1,4-Dichlorobenzene	ND	ND	6.7 E-03	
91-94-1	3,3'-Dichlorobenzidine	ND	ND	1.8 E-02	
75-27-4	Dichlororobromomethane	ND	ND	7.5 E-03	
75-71-8	Dichlorodifluoromethane	ND	ND	5.5 E-03	
75-34-3	1,1-Dichloroethane	ND	ND	4.5 E-03	
107-06-2	1,2-Dichloroethane ^f	ND	ND	4.5 E-03	
120-83-2	2,4-Dichlorophenol	ND	ND	1.2 E-03	
78-87-5	1,2-Dichloropropane	ND	ND	5.2 E-03	
10061-02-6	trans-1,3-Dichloro-1-propene	ND	ND	5.1 E-03	
76-14-2	Dichlorotetrafluoroethane	ND	ND	7.8 E-03	
60-11-7	p-Dimethylaminoazobenzene	ND	ND	1.2 E-03	
57-97-6	7,12-Dimethylbenz[a]anthracene	ND	ND	1.3 E-03	
119-93-7	3,3'-Dimethylbenzidine	ND	ND	1.2 E-01	
105-67-9	2,4-Dimethylphenol	ND	ND	1.6 E-02	
131-11-3	Dimethyl phthalate	ND	ND	1.2 E-03	
99-65-0	1,3-Dinitrobenzene	ND	ND	1.3 E-03	
534-52-1	4,6-Dinitro-o-cresol	ND	ND	2.2 E-02	
51-28-5	2,4-Dinitrophenol	ND	ND	5.5 E-02	
121-14-2	2,4-Dinitrotoluene	ND	ND	1.2 E-03	
606-20-2	2,6-Dinitrotoluene	ND	ND	3.7 E-04	
88-85-7	Dinoseb	ND	ND	2.5 E-03	
123-91-1	1,4-Dioxane	ND	ND	1.6 E-02	
	Total dioxin/furan compounds ^g	1.5E-12	9.5E-11		
122-39-4	Diphenylamine	ND	ND	1.2 E-03	
122-66-7	1,2-Diphenylhydrazine	ND	ND	1.2 E-03	
100-41-4	Ethylbenzene ^g	ND	ND	4.9 E-03	
74-85-1	Ethylene ^g	ND	ND	1.3 E-01	
117-81-7	bis(2-Ethylhexyl)phthalate	ND	ND	2.5 E-02	
206-44-0	Fluorantheneg	ND	ND	1.3 E-03	
86-73-7	Fluoreneg	ND	ND	1.2 E-03	
50-00-0	Formaldehyde ^h	2.7 E-07	1.7 E-05		

TABLE A1 (cont.)

		Emission Factor ^{b,c}		Minimum
CASRN ^a	Compound	lb per item	lb per lb NEW ^d	Detection Level mg/m ^{3,e}
76-13-1	Freon 113	ND	ND	8.6 E-03
35822-46-9	1,2,3,4,6,7,8-Heptachlorodibenzo-p-dioxin ^g	ND	ND	1.5 E-08
67562-39-4	1,2,3,4,6,7,8- Heptachlorodibenzofuran ^g	ND	ND	5.0 E-09
55673-89-7	1,2,3,4,7,8,9- Heptachlorodibenzofuran	ND	ND	7.5 E-09
118-74-1	Hexachlorobenzene	ND	ND	1.2 E-03
87-68-3	Hexachlorobutadiene	ND	ND	4.7 E-02
77-47-4	Hexachlorocyclopentadiene	ND	ND	2.5 E-02
39227-28-6	1,2,3,4,7,8-Hexachlorodibenzo-p-dioxin	ND	ND	7.5 E-09
57653-85-7	1,2,3,6,7,8-Hexachlorodibenzo-p-dioxin ^f	ND	ND	7.5 E-09
19408-74-3	1,2,3,7,8,9-Hexachlorodibenzo-p-dioxin ^g	ND	ND	7.5 E-09
70648-26-9	1,2,3,4,7,8-Hexachlorodibenzofuran ^f	8.9E-14	5.5E-12	
57117-44-9	1,2,3,6,7,8-Hexachlorodibenzofuran ^g	ND	ND	5.0 E-09
72918-21-9	1,2,3,7,8,9-Hexachlorodibenzofuran	ND	ND	5.0 E-09
60851-34-5	2,3,4,6,7,8-Hexachlorodibenzofuran	ND	ND	5.0 E-09
67-72-1	Hexachloroethane	ND	ND	1.3 E-03
110-54-3	Hexane ^g	ND	ND	3.9 E-03
7647-01-0	Hydrochloric acid	ND	ND	9.5 E-02
74-90-8	Hydrogen cyanide ^g	1.3 E-06	8.0 E-05	
193-39-5	Indeno[1,2,3-cd]pyrene ^f	ND	ND	1.3 E-03
78-59-1	Isophorone	ND	ND	1.2 E-03
67-63-0	Isopropyl alcohol	ND	ND	1.1 E-02
120-58-1	Isosafrole	ND	ND	1.2 E-03
7439-92-1	Lead	1.3 E-03	8.1 E-02	5.0 E-03
7439-96-5	Manganese	2.1 E-07	1.3 E-05	
7439-97-6	Mercury	ND	ND	3.6 E-04
126-98-7	Methacrylonitrile	ND	ND	1.2 E-02
96-33-3	Methyl acrylate	ND	ND	1.5 E-02
56-49-5	3-Methylcholanthrene	ND	ND	1.2 E-03
75-09-2	Methylene chloride ^g	3.1 E-07	1.9 E-05	
108-10-1	Methyl isobutyl ketone	ND	ND	1.8 E-02

TABLE A1 (cont.)

		Emission Factor ^{b,c}		Minimum
CASRN ^a	Compound	lb per item	lb per lb NEW ^d	Detection Level mg/m ^{3,e}
80-62-6	Methyl methacrylate	ND	ND	1.8 E-02
91-57-6	2-Methylnaphthalene	ND	ND	1.2 E-03
95-48-7	2-Methylphenol	ND	ND	7.5 E-03
1634-04-4	Methyl tert-butyl ether	ND	ND	1.6 E-02
91-20-3	Naphthalene ^f	ND	ND	1.5 E-03
134-32-7	1-Naphthylamine	ND	ND	2.5 E-02
91-59-8	2-Naphthylamine	ND	ND	2.5 E-02
7440-02-0	Nickel	4.4 E-07	2.7 E-05	
100-01-6	4-Nitroaniline	ND	ND	5.0 E-03
98-95-3	Nitrobenzene	ND	ND	8.9 E-04
55-63-0	Nitroglycerin ^h	2.9 E-08	1.8 E-06	
88-75-5	2-Nitrophenol	ND	ND	1.2 E-03
100-02-7	4-Nitrophenol	ND	ND	8.2 E-03
79-46-9	2-Nitropropane	ND	ND	1.6 E-02
924-16-3	N-Nitroso-di-n-butylamine	ND	ND	1.2 E-03
55-18-5	N-Nitrosodiethylamine	ND	ND	1.2 E-03
62-75-9	N-Nitrosodimethylamine	ND	ND	1.2 E-03
86-30-6	N-Nitrosodiphenylamine	ND	ND	2.2 E-03
621-64-7	N-Nitroso-di-n-propylamine	ND	ND	1.2 E-03
59-89-2	N-Nitrosomorpholine	ND	ND	1.2 E-03
100-75-4	N-Nitrosopiperidine	ND	ND	1.2 E-03
99-55-8	5-Nitro-o-toluidine	ND	ND	2.0 E-02
3268-87-9	1,2,3,4,6,7,8,9-Octachlorodibenzo-p-dioxin ^g	1.4E-12	9.0E-11	
39001-02-0	1,2,3,4,6,7,8,9- Octachlorodibenzofuran ^g	ND	ND	
608-93-5	Pentachlorobenzene	ND	ND	1.2 E-03
40321-76-4	1,2,3,7,8-Pentachlorodibenzo-p- dioxin	ND	ND	5.0 E-09
57117-41-6	1,2,3,7,8-Pentachlorodibenzofuran ^g	ND	ND	2.5 E-09
57117-31-4	2,3,4,7,8-Pentachlorodibenzofuran	ND	ND	2.6 E-09
76-01-7	Pentachloroethane	ND	ND	1.2 E-03
82-68-8	Pentachloronitrobenzene	ND	ND	1.2 E-03
87-86-5	Pentachlorophenol	ND	ND	6.2 E-02
85-01-8	Phenanthrene ^g	ND	ND	1.2 E-03
108-95-2	Phenol	7.4 E-08	4.6 E-06	

TABLE A1 (cont.)

		Emission	Emission Factor ^{b,c}	
CASRN ^a	Compound	lb per item	lb per lb NEW ^d	Detection Level mg/m ^{3,e}
7723-14-0	Phosphorus	5.2 E-07	3.3 E-05	
123-38-6	Propionaldehyde ^g	ND	ND	7.7 E-04
115-07-1	Propylene ^f	ND	ND	1.9 E-01
129-00-0	Pyrene ^g	ND	ND	1.3 E-03
110-86-1	Pyridine	ND	ND	1.8 E-03
94-59-7	Safrole	ND	ND	1.2 E-03
7782-49-2	Selenium	ND	ND	8.9 E-03
7440-22-4	Silver	ND	ND	1.8 E-02
100-42-5	Styrene ^f	ND	ND	
1746-01-6	2,3,7,8-Tetrachlorodibenzo-p-dioxin	ND	ND	2.5 E-09
79-34-5	1,1,2,2-Tetrachloroethane	ND	ND	7.7 E-03
127-18-4	Tetrachloroethylene	ND	ND	7.6 E-03
7440-28-0	Thallium ^h	1.1 E-07	6.7 E-06	
108-88-3	Toluene ^g	8.7 E-08	5.4 E-06	
95-53-4	o-Toluidine	ND	ND	1.6 E-02
120-82-1	1,2,4-Trichlorobenzene	ND	ND	3.2 E-02
71-55-6	1,1,1-Trichloroethane ^g	ND	ND	6.1 E-03
79-00-5	1,1,2-Trichloroethane	ND	ND	6.1 E-03
79-01-6	Trichloroethylene	ND	ND	6.0 E-03
75-69-4	Trichlorofluoromethane	ND	ND	6.3 E-03
95-95-4	2,4,5-Trichlorophenol	ND	ND	3.2 E-03
88-06-2	2,4,6-Trichlorophenol	ND	ND	1.9 E-03
96-18-4	1,2,3-Trichloropropane	ND	ND	2.6 E-02
95-63-6	1,2,4-Trimethylbenzene	ND	ND	5.5 E-03
540-84-1	2,2,4-Trimethylpentane	ND	ND	2.0 E-02
108-05-4	Vinyl acetate	ND	ND	1.5 E-02
75-01-4	Vinyl chloride	ND	ND	1.5 E-02
75-35-4	Vinylidene chloride	ND	ND	4.4 E-03
106-42-3, 108-38-3	m-Xylene, p-Xylene	ND	ND	4.9 E-03
95-47-6	o-Xylene	ND	ND	4.9 E-03
7440-66-6	Zinc ^f	4.9 E-06	3.0 E-04	
	Other Po	llutants		
67-64-1	Acetone	1.4 E-05	8.7 E-04	

TABLE A1 (cont.)

		Emission	Factor ^{b,c}	Minimum
CASRN ^a	Compound	lb per item	lb per lb NEW ^d	Detection Level mg/m ^{3,e}
74-86-2	Acetylene ^g	ND	ND	1.2 E-01
35572-78-2	2-Amino-4,6-dinitrotoluene	ND	ND	1.7 E-04
19406-51-0	4-Amino-2,6-dinitrotoluene	ND	ND	1.5 E-04
100-52-7	Benzaldehyde	2.1 E-08	1.3 E-06	
65-85-0	Benzoic acid	1.5 E-06	9.3 E-05	
100-51-6	Benzyl alcohol	ND	ND	8.7 E-02
106-97-8	n-Butane	ND	ND	1.0 E-02
106-98-9	1-Butene	2.4 E-07	1.5 E-05	
590-18-1	cis-2-Butene	ND	ND	1.0 E-02
624-64-6	trans-2-Butene	ND	ND	1.0 E-02
107-14-2	Chloroacetonitrile	ND	ND	1.4 E-02
109-69-3	1-Chlorobutane	ND	ND	4.2 E-02
59-50-7	4-Chloro-3-methylphenol	ND	ND	1.5 E-03
90-13-1	1-Chloronaphthalene	ND	ND	1.2 E-03
95-57-8	2-Chlorophenol	ND	ND	1.2 E-03
287-92-3	Cyclopentane	ND	ND	1.3 E-02
124-18-5	n-Decane	ND	ND	2.5 E-02
124-48-1	Dibromochloromethane	ND	ND	9.5 E-03
156-59-2	cis-1,2-Dichloroethene	ND	ND	4.4 E-03
156-60-5	trans-1,2-Dichloroethene	ND	ND	2.0 E-02
87-65-0	2,6-Dichlorophenol	ND	ND	1.2 E-03
10061-01-5	cis-1,3-Dichloropropene	ND	ND	5.1 E-03
141-93-5	1,3-Diethylbenzene	ND	ND	2.4 E-02
105-05-5	1,4-Diethylbenzene	ND	ND	2.4 E-02
5779-94-2	2,5-Dimethylbenzaldehyde	ND	ND	8.8 E-04
75-83-2	2,2-Dimethylbutane	ND	ND	1.5 E-02
79-29-8	2,3-Dimethylbutane	ND	ND	1.5 E-02
565-59-3	2,3-Dimethylpentane	ND	ND	1.8 E-02
108-08-7	2,4-Dimethylpentane	ND	ND	1.8 E-02
117-84-0	Di-n-octylphthalate	ND	ND	1.4 E-03
74-84-0	Ethane ^f	ND	ND	1.4 E-01
64-17-5	Ethanol	ND	ND	8.2 E-03
60-29-7	Ethyl ether	ND	ND	1.3 E-02
97-63-2	Ethyl methacrylate	ND	ND	2.0 E-02
62-50-0	Ethyl methanesulfonate	ND	ND	1.2 E-03

TABLE A1 (cont.)

		Emission Factor ^{b,c}		Minimum
CASRN ^a	Compound	lb per item	lb per lb NEW ^d	Detection Level mg/m ^{3,e}
620-14-4	m-Ethyltoluene	ND	ND	2.2 E-02
611-14-3	o-Ethyltoluene	ND	ND	2.2 E-02
622-96-8	p-Ethyltoluene	ND	ND	2.2 E-02
142-82-5	n-Heptane	ND	ND	4.6 E-03
1888-71-7	Hexachloropropene	ND	ND	1.8 E-03
66-25-1	Hexaldehyde	1.1 E-08	7.2 E-07	
591-78-6	2-Hexanone	ND	ND	1.8 E-02
592-41-6	1-Hexene ^g	ND	ND	1.5 E-02
2691-41-0	HMX	ND	ND	1.9 E-02
75-28-5	Isobutane	ND	ND	1.0 E-02
78-79-5	Isoprene	ND	ND	1.2 E-02
590-86-3	Isovaleraldehyde	ND	ND	6.6 E-04
5989-27-5	d-Limonene	ND	ND	2.4 E-02
7439-95-4	Magnesium	4.2 E-05	2.6 E-03	
108-87-2	Methylcyclohexane	ND	ND	1.8 E-02
96-37-7	Methylcyclopentane	ND	ND	1.5 E-02
78-93-3	Methyl ethyl ketone ^g	ND	ND	1.3 E-02
592-27-8	2-Methylheptane	ND	ND	2.0 E-02
589-81-1	3-Methylheptane	ND	ND	2.0 E-02
591-76-4	2-Methylhexane	ND	ND	1.8 E-02
589-34-4	3-Methylhexane	ND	ND	1.8 E-02
66-27-3	Methyl methanesulfonate	ND	ND	1.4 E-03
107-83-5	2-Methylpentane	ND	ND	1.5 E-02
96-14-0	3-Methylpentane	ND	ND	1.5 E-02
827-54-3	Naphthalene, 2-ethenyl-i	4.3 E-07	2.7 E-05	
88-74-4	2-Nitroaniline	ND	ND	1.2 E-03
99-09-2	3-Nitroaniline	ND	ND	5.0 E-03
10595-95-6	N-Nitrosomethylethylamine	ND	ND	2.1 E-03
930-55-2	N-Nitrosopyrrolidine	ND	ND	1.2 E-03
88-72-2	2-Nitrotoluene	1.6 E-06	1.0 E-04	
99-99-0	4-Nitrotoluene ^h	7.2 E-07	4.5 E-05	
111-84-2	n-Nonane ^g	ND	ND	2.3 E-02
111-65-9	n-Octane ^g	ND	ND	2.0 E-02
78-78-4	i-Pentane	ND	ND	1.3 E-02
109-66-0	n-Pentane	ND	ND	1.3 E-02

TABLE A1 (cont.)

		Emission Factor ^{b,c}		Minimum
CASRN ^a	Compound	lb per item	lb per lb NEW ^d	Detection Level mg/m ^{3,e}
108-11-2	2-Pentanol, 4-methyl- ⁱ	3.5 E-07	2.2 E-05	
109-67-1	1-Pentene	ND	ND	1.3 E-02
627-20-3	cis-2-Pentene	ND	ND	1.3 E-02
646-04-8	trans-2-Pentene	ND	ND	1.3 E-02
14797-73-0	Perchlorate	5.6 E-08	3.5 E-06	
78-11-5	PETN	ND	ND	8.1 E-04
62-44-2	Phenacetin	ND	ND	1.2 E-03
80-56-8	alpha-Pinene	ND	ND	2.4 E-02
127-91-3	beta-Pinene	ND	ND	2.4 E-02
74-98-6	Propane	ND	ND	2.0 E-01
103-65-1	n-Propylbenzene	ND	ND	5.5 E-03
121-82-4	RDX	ND	ND	1.0 E-04
95-94-3	1,2,4,5-Tetrachlorobenzene	ND	ND	1.2 E-03
58-90-2	2,3,4,6-Tetrachlorophenol	ND	ND	1.6 E-03
109-99-9	Tetrahydrofuran	ND	ND	1.3 E-02
479-45-8	Tetryl	ND	ND	2.4 E-04
1334-78-7	o,m,p-Tolualdehyde	4.8 E-08	3.0 E-06	
526-73-8	1,2,3-Trimethylbenzene	ND	ND	2.1 E-02
108-67-8	1,3,5-Trimethylbenzene	ND	ND	5.5 E-03
565-75-3	2,3,4-Trimethylpentane	ND	ND	2.0 E-02
99-35-4	1,3,5-Trinitrobenzene	ND	ND	1.0 E-03
118-96-7	2,4,6-Trinitrotoluene	ND	ND	1.6 E-04
1120-21-4	Undecane	ND	ND	2.8 E-02
110-62-3	Valeraldehyde	ND	ND	1.4 E-03

^a CASRN = Chemical Abstracts Service Registry Number.

^b ND = nondetected.

^c Emission factors rated C unless otherwise noted.

^d NEW = net explosive weight. The NEW for this ordnance is 1.60 E-02 pounds per item.

^e Data provided for compounds that were not detected.

f Emission factor rated A because of correlation with emission factors for similar ordnance and number of test data points.

^g Emission factor rated B because of correlation with emission factors for similar ordnance and number of test data points.

^h Emission factor rated D because the factor is based upon C-rated test data.

ⁱ Emission factor rated D because the factor is for a tentatively identified compound.

TABLE A2 COMPOUNDS ANALYZED AND EMISSION FACTORS DEVELOPED FOR DODIC G930, AN-M8 HEXACHLOROETHANE (HC) SMOKE HAND GRENADE

	T	1		1
		Emission	Factor ^{b,c}	Minimum
CASRN ^a	Compound	lb per item	lb per lb NEW ^d	Detection Level mg/m ^{3,e}
	Carbon Dioxide, Criteria Pollutants, and Total Suspen		ane Hydrocarbor	ns,
124-38-9	Carbon dioxide ^f	3.3 E-02	3.0 E-02	
630-08-0	Carbon monoxide ^f	4.6 E-02	4.2 E-02	
7439-92-1	Lead	4.7 E-04	4.2 E-04	
	Oxides of nitrogen ^f	1.0 E-03	9.1 E-04	
	PM-2.5	1.1 E-01	1.0 E-01	
	PM-10	6.8 E-01	6.2 E-01	
7446-09-5	Sulfur dioxide	1.2 E-04	1.1 E-04	
	Total nonmethane hydrocarbons	6.3 E-04	5.7 E-04	
12789-66-1	Total suspended particulate ^f	4.7 E-01	4.3 E-01	
	Hazardous Air Pollutant	s and Toxic Che	micals	
83-32-9	Acenaphthene	ND	ND	5.3 E-03
208-96-8	Acenaphthylene	ND	ND	5.3 E-03
75-07-0	Acetaldehyde	0	0	
75-05-8	Acetonitrile	1.2 E-05	1.1 E-05	
98-86-2	Acetophenone	1.0 E-06	9.2 E-07	
107-02-8	Acrolein	6.8 E-06	6.2 E-06	
107-13-1	Acrylonitrile	3.2 E-06	2.9 E-06	
53-96-3	2-Acetylaminofluorene	ND	ND	5.3 E-03
107-05-1	Allyl chloride	2.7 E-06	2.5 E-06	
7429-90-5	Aluminum	3.8 E-03	3.4 E-03	
92-67-1	4-Aminobiphenyl	ND	ND	1.1 E-01
7664-41-7	Ammonia	ND	ND	1.1 E-01
62-53-3	Aniline	2.9 E-06	2.6 E-06	
120-12-7	Anthracene	ND	ND	5.3 E-03
7440-36-0	Antimony ^g	5.4 E-07	4.9 E-07	
7440-38-2	Arsenic	ND	ND	3.7 E-03
7440-39-3	Barium	1.8 E-05	1.6 E-05	
71-43-2	Benzene	1.3 E-05	1.2 E-05	
29082-74-4	Benzene, pentachloro(trichloroethenyl)-h	2.3 E-06	2.0 E-06	
92-87-5	Benzidine	ND	ND	5.4 E-01
56-55-3	Benzo[a]anthracene	ND	ND	6.1 E-03
205-99-2	Benzo[b]fluoranthene	ND	ND	1.2 E-02

TABLE A2 (cont.)

		Emission Factor ^{b,c}		Minimum	
CASRN ^a	Compound	lb per item	lb per lb NEW ^d	Detection Level mg/m ^{3,e}	
207-08-9	Benzo[k]fluoranthene	ND	ND	6.5 E-03	
191-24-2	Benzo[g,h,i]perylene	ND	ND	1.7 E-02	
50-32-8	Benzo[a]pyrene	ND	ND	5.3 E-03	
100-44-7	Benzyl chloride	3.2 E-06	2.9 E-06		
7440-41-7	Beryllium	ND	ND	9.3 E-04	
75-25-2	Bromoform	ND	ND	2.3 E-01	
74-83-9	Bromomethane	ND	ND	2.2 E-02	
101-55-3	4-Bromophenylphenylether	ND	ND	5.3 E-03	
106-99-0	1,3-Butadiene	1.6 E-06	1.5 E-06		
71-36-3	n-Butanol	ND	ND	6.8 E-02	
85-68-7	Butylbenzylphthalate	ND	ND	6.4 E-03	
123-72-8	Butyraldehyde	ND	ND	6.6 E-02	
7440-43-9	Cadmium	5.8 E-06	5.3 E-06		
86-74-8	Carbazole	ND	ND	6.7 E-03	
75-15-0	Carbon disulfide	ND	ND	7.0 E-02	
56-23-5	Carbon tetrachloride ^g	1.5 E-03	1.3 E-03		
7782-50-5	Chlorine	9.0 E-03	8.2 E-03		
106-47-8	4-Chloroaniline	ND	ND	6.3 E-02	
108-90-7	Chlorobenzene ^f	2.7 E-06	2.4 E-06		
75-00-3	Chloroethane	ND	ND	1.5 E-02	
111-91-1	bis(2-Chloroethoxy)methane	ND	ND	5.3 E-03	
111-44-4	bis(2-Chloroethyl)ether	ND	ND	5.9 E-03	
67-66-3	Chloroform	3.7 E-05	3.4 E-05		
108-60-1	bis(2-Chloroisopropyl)ether	ND	ND	8.0 E-03	
74-87-3	Chloromethane	9.3 E-06	8.4 E-06		
91-58-7	2-Chloronaphthalene	ND	ND	5.3 E-03	
7005-72-3	4-Chlorophenylphenyl ether	ND	ND	5.3 E-03	
7440-47-3	Chromium	3.8 E-06	3.4 E-06		
218-01-9	Chrysene	ND	ND	6.7 E-03	
7440-48-4	Cobalt	ND	ND	5.2 E-03	
7440-50-8	Copper ^f	1.4 E-06	1.3 E-06		
4170-30-3	Crotonaldehyde	2.3 E-07	2.0 E-07		
98-82-8	Cumene	ND	ND	2.8 E-02	
110-82-7	Cyclohexane	ND	ND	2.0 E-02	
53-70-3	Dibenz[a,h]anthracene	ND	ND	6.3 E-03	

TABLE A2 (cont.)

		Emission Factor ^{b,c}	Factor ^{b,c}	Minimum
CASRN ^a	Compound	lb per item	lb per lb NEW ^d	Detection Level mg/m ^{3,e}
132-64-9	Dibenzofuran	ND	ND	5.3 E-03
106-93-4	1,2-Dibromoethane	ND	ND	4.4 E-02
84-74-2	Dibutylphthalate	ND	ND	1.1 E-01
95-50-1	1,2-Dichlorobenzene ^f	ND	ND	3.4 E-02
541-73-1	1,3-Dichlorobenzene	ND	ND	3.4 E-02
106-46-7	1,4-Dichlorobenzene	ND	ND	3.4 E-02
91-94-1	3,3'-Dichlorobenzidine	ND	ND	7.8 E-02
75-27-4	Dichlorobromomethane	ND	ND	3.8 E-02
75-71-8	Dichlorodifluoromethane	ND	ND	2.8 E-02
75-34-3	1,1-Dichloroethane	ND	ND	2.3 E-02
107-06-2	1,2-Dichloroethane	ND	ND	2.3 E-02
120-83-2	2,4-Dichlorophenol	ND	ND	5.3 E-03
78-87-5	1,2-Dichloropropane	ND	ND	2.6 E-02
10061-02-6	trans-1,3-Dichloro-1-propene	ND	ND	2.6 E-02
76-14-2	Dichlorotetrafluoroethane	ND	ND	4.0 E-02
60-11-7	p-Dimethylaminoazobenzene	ND	ND	5.3 E-03
57-97-6	7,12-Dimethylbenz[a]anthracene	ND	ND	5.4 E-03
119-93-7	3,3'-Dimethylbenzidine	ND	ND	5.3 E-01
105-67-9	2,4-Dimethylphenol	ND	ND	6.6 E-02
131-11-3	Dimethyl phthalate	ND	ND	5.3 E-03
99-65-0	1,3-Dinitrobenzene	ND	ND	5.4 E-03
534-52-1	4,6-Dinitro-o-cresol	ND	ND	9.1 E-02
51-28-5	2,4-Dinitrophenol	ND	ND	2.3 E-01
121-14-2	2,4-Dinitrotoluene	ND	ND	5.3 E-03
606-20-2	2,6-Dinitrotoluene	ND	ND	5.3 E-03
88-85-7	Dinoseb	ND	ND	1.0 E-02
123-91-1	1,4-Dioxane	ND	ND	8.1 E-02
	Total dioxin/furan compounds	1.4 E-07	1.3 E-07	
122-39-4	Diphenylamine	ND	ND	5.3 E-03
122-66-7	1,2-Diphenylhydrazine	ND	ND	5.3 E-03
100-41-4	Ethylbenzene	ND	ND	2.5 E-02
74-85-1	Ethylene	1.4 E-05	1.3 E-05	
117-81-7	bis(2-Ethylhexyl)phthalate	ND	ND	1.1 E-01
206-44-0	Fluoranthene	ND	ND	5.7 E-03
86-73-7	Fluorene	ND	ND	5.3 E-03

TABLE A2 (cont.)

		Emission	Factor ^{b,c}	Minimum
CASRN ^a	Compound	lb per item	lb per lb NEW ^d	Detection Level mg/m ^{3,e}
50-00-0	Formaldehyde	ND	ND	2.8 E-03
76-13-1	Freon 113	ND	ND	4.4 E-02
35822-46-9	1,2,3,4,6,7,8-Heptachlorodibenzo-p-dioxin ^g	1.1E-10	9.6E-11	
67562-39-4	1,2,3,4,6,7,8- Heptachlorodibenzofuran ^g	7.1 E-09	6.5 E-09	
55673-89-7	1,2,3,4,7,8,9- Heptachlorodibenzofuran ^g	1.5 E-09	1.4 E-09	
118-74-1	Hexachlorobenzene ^g	2.4 E-04	2.2 E-04	
87-68-3	Hexachlorobutadiene	5.9 E-05	5.4 E-05	
77-47-4	Hexachlorocyclopentadiene ^g	3.8 E-05	3.4 E-05	
39227-28-6	1,2,3,4,7,8-Hexachlorodibenzo-p-dioxin	ND	ND	1.3 E-07
57653-85-7	1,2,3,6,7,8-Hexachlorodibenzo-p-dioxin	ND	ND	1.2 E-07
19408-74-3	1,2,3,7,8,9-Hexachlorodibenzo-p-dioxin	ND	ND	1.3 E-07
70648-26-9	1,2,3,4,7,8-Hexachlorodibenzofuran ^g	1.5 E-09	1.4 E-09	
57117-44-9	1,2,3,6,7,8-Hexachlorodibenzofurang	6.8E-10	6.2E-10	
72918-21-9	1,2,3,7,8,9-Hexachlorodibenzofuran ^g	1.3E-10	1.2E-10	
60851-34-5	2,3,4,6,7,8-Hexachlorodibenzofuran ^g	4.5E-10	4.1E-10	
67-72-1	Hexachloroethaneg	1.1 E-05	9.8 E-06	
110-54-3	Hexane	ND	ND	2.0 E-02
7647-01-0	Hydrochloric acid	6.9 E-03	6.3 E-03	
74-90-8	Hydrogen cyanide	ND	ND	2.4 E-01
193-39-5	Indeno[1,2,3-cd]pyrene	ND	ND	5.7 E-03
78-59-1	Isophorone	ND	ND	5.3 E-03
67-63-0	Isopropyl alcohol	ND	ND	5.5 E-02
120-58-1	Isosafrole	ND	ND	5.3 E-03
7439-92-1	Lead	4.7 E-04	4.2 E-04	2.1 E-02
7439-96-5	Manganese	5.9 E-05	5.3 E-05	
7439-97-6	Mercury	ND	ND	1.5 E-03
126-98-7	Methacrylonitrile	ND	ND	1.3 E-02
96-33-3	Methyl acrylate	ND	ND	1.6 E-02
56-49-5	3-Methylcholanthrene	ND	ND	5.3 E-03
75-09-2	Methylene chloride ^g	1.3 E-05	1.2 E-05	

TABLE A2 (cont.)

		Emission	Factor ^{b,c}	Minimum
CASRN ^a	Compound	lb per item	lb per lb NEW ^d	Detection Level mg/m ^{3,e}
108-10-1	Methyl isobutyl ketone	ND	ND	9.2 E-02
80-62-6	Methyl methacrylate	ND	ND	1.9 E-02
91-57-6	2-Methylnaphthalene	ND	ND	5.3 E-03
95-48-7	2-Methylphenol	ND	ND	3.2 E-02
1634-04-4	Methyl tert-butyl ether	ND	ND	8.1 E-02
91-20-3	Naphthalene	ND	ND	6.3 E-03
134-32-7	1-Naphthylamine	ND	ND	1.1 E-01
91-59-8	2-Naphthylamine	ND	ND	1.1 E-01
7440-02-0	Nickel	2.1 E-06	1.9 E-06	
100-01-6	4-Nitroaniline	ND	ND	2.1 E-02
98-95-3	Nitrobenzene	ND	ND	3.7 E-03
55-63-0	Nitroglycering	1.4 E-06	1.3 E-06	
88-75-5	2-Nitrophenol	ND	ND	5.3 E-03
100-02-7	4-Nitrophenol	ND	ND	3.5 E-02
79-46-9	2-Nitropropane	ND	ND	1.7 E-02
924-16-3	N-Nitroso-di-n-butylamine	ND	ND	5.3 E-03
55-18-5	N-Nitrosodiethylamine	ND	ND	5.3 E-03
62-75-9	N-Nitrosodimethylamine	ND	ND	5.3 E-03
86-30-6	N-Nitrosodiphenylamine	ND	ND	9.1 E-03
621-64-7	N-Nitroso-di-n-propylamine	ND	ND	5.3 E-03
59-89-2	N-Nitrosomorpholine	ND	ND	5.3 E-03
100-75-4	N-Nitrosopiperidine	ND	ND	5.3 E-03
115-07-1	5-Nitro-o-toluidine	ND	ND	8.4 E-02
3268-87-9	1,2,3,4,6,7,8,9-Octachlorodibenzo- p-dioxin	3.0E-10	2.8E-10	
39001-02-0	1,2,3,4,6,7,8,9- Octachlorodibenzofuran ^g	1.3 E-07	1.1 E-07	
608-93-5	Pentachlorobenzeneg	1.7 E-06	1.6 E-06	
40321-76-4	1,2,3,7,8-Pentachlorodibenzo-p- dioxin	ND	ND	1.2 E-07
57117-41-6	1,2,3,7,8-Pentachlorodibenzofuran ^g	2.2E-10	2.0E-10	
57117-31-4	2,3,4,7,8-Pentachlorodibenzofuran ^g	3.7E-10	3.4E-10	
76-01-7	Pentachloroethane	ND	ND	5.3 E-03
82-68-8	Pentachloronitrobenzene	ND	ND	5.3 E-03
87-86-5	Pentachlorophenol	ND	ND	2.6 E-01
85-01-8	Phenanthrene	ND	ND	5.3 E-03

TABLE A2 (cont.)

		Emission	Factor ^{b,c}	Minimum
CASRN ^a	Compound	lb per item	lb per lb NEW ^d	Detection Level mg/m ^{3,e}
108-95-2	Phenol	2.1 E-07	1.9 E-07	
7723-14-0	Phosphorus	8.0 E-06	7.3 E-06	
123-38-6	Propionaldehyde	1.3 E-07	1.2 E-07	
115-07-1	Propylene	ND	ND	1.9 E-01
129-00-0	Pyrene	ND	ND	5.6 E-03
110-86-1	Pyridine	ND	ND	7.8 E-03
94-59-7	Safrole	ND	ND	5.3 E-03
7782-49-2	Selenium	ND	ND	3.7 E-03
7440-22-4	Silver	3.3 E-07	3.0 E-07	
100-42-5	Styrene	ND	ND	
1746-01-6	2,3,7,8-Tetrachlorodibenzo-p-dioxin	ND	ND	7.8 E-08
51207-31-9	2,3,7,8-Tetrachlorodibenzofuran ^g	8.8E-11	8.0E-11	
79-34-5	1,1,2,2-Tetrachloroethane	ND	ND	3.9 E-02
127-18-4	Tetrachloroethylene	1.4 E-03	1.3 E-03	
7440-28-0	Thallium	8.5 E-07	7.8 E-07	
108-88-3	Toluene	3.8 E-06	3.5 E-06	
95-53-4	o-Toluidine	ND	ND	6.7 E-02
120-82-1	1,2,4-Trichlorobenzene	ND	ND	1.7 E-01
71-55-6	1,1,1-Trichloroethane	ND	ND	3.1 E-02
79-00-5	1,1,2-Trichloroethane	ND	ND	3.1 E-02
79-01-6	Trichloroethylene	7.9 E-06	7.2 E-06	
75-69-4	Trichlorofluoromethane	ND	ND	3.2 E-02
95-95-4	2,4,5-Trichlorophenol	ND	ND	1.4 E-02
88-06-2	2,4,6-Trichlorophenol ^g	1.0 E-06	9.2 E-07	
96-18-4	1,2,3-Trichloropropane	ND	ND	1.3 E-01
95-63-6	1,2,4-Trimethylbenzene	ND	ND	2.8 E-02
540-84-1	2,2,4-Trimethylpentane	ND	ND	2.1 E-02
108-05-4	Vinyl acetate	ND	ND	7.9 E-02
75-01-4	Vinyl chloride ^f	2.7 E-06	2.5 E-06	7.9 E-02
75-35-4	Vinylidene chloride	ND	ND	2.3 E-02
106-42-3, 108-38-3	m-Xylene, p-Xylene	ND	ND	2.5 E-02
95-47-6	o-Xylene	ND	ND	2.5 E-02
7440-66-6	Zinc	1.9 E-01	1.7 E-01	

TABLE A2 (cont.)

		Emission Factor ^{b,c}		Minimum
CASRN ^a	Compound	lb per item	lb per lb NEW ^d	Detection Level mg/m ^{3,e}
	Other Po	llutants		
67-64-1	Acetone	0	0	
74-86-2	Acetylene ^f	2.5 E-05	2.3 E-05	
35572-78-2	2-Amino-4,6-dinitrotoluene	ND	ND	7.0 E-04
19406-51-0	4-Amino-2,6-dinitrotolueneg	2.1 E-05	1.9 E-05	
100-52-7	Benzaldehyde	ND	ND	7.1 E-04
1074-11-9	Benzene, (1,2-dichloroethyl)-h	1.0 E-05	9.5 E-06	
65-85-0	Benzoic acid	1.0 E-04	9.4 E-05	
93-58-3	Benzoic acid, methyl ester ^h	3.1 E-06	2.8 E-06	
100-51-6	Benzyl alcohol	ND	ND	3.7 E-01
460-12-8	1,3-Butadiyne ^h	7.7 E-06	7.0 E-06	
106-97-8	n-Butane	ND	ND	1.1 E-02
106-98-9	1-Butene	9.8 E-07	8.9 E-07	
590-18-1	cis-2-Butene	ND	ND	1.0 E-02
624-64-6	trans-2-Butene	ND	ND	1.0 E-02
107-14-2	Chloroacetonitrileg	3.7 E-06	3.3 E-06	
109-69-3	1-Chlorobutane	ND	ND	4.2 E-02
59-50-7	4-Chloro-3-methylphenol	ND	ND	6.5 E-03
90-13-1	1-Chloronaphthalene	ND	ND	5.3 E-03
95-57-8	2-Chlorophenol	ND	ND	5.3 E-03
695-77-2	1,3-Cyclopentadiene, 1,2,3,4- tetrachloro ^h	4.6 E-06	4.2 E-06	
287-92-3	Cyclopentane	ND	ND	1.3 E-02
124-18-5	n-Decane	ND	ND	2.7 E-02
124-48-1	Dibromochloromethane	ND	ND	4.9 E-02
156-59-2	cis-1,2-Dichloroethene	ND	ND	2.3 E-02
156-60-5	trans-1,2-Dichloroethene	ND	ND	1.0 E-01
87-65-0	2,6-Dichlorophenol ^g	2.2 E-07	2.0 E-07	
10061-01-5	cis-1,3-Dichloropropene	ND	ND	2.6 E-02
141-93-5	1,3-Diethylbenzene	ND	ND	2.5 E-02
105-05-5	1,4-Diethylbenzene	ND	ND	2.5 E-02
5779-94-2	2,5-Dimethylbenzaldehyde	ND	ND	9.4 E-04
75-83-2	2,2-Dimethylbutane	ND	ND	1.6 E-02
79-29-8	2,3-Dimethylbutane	ND	ND	1.6 E-02
565-59-3	2,3-Dimethylpentane	ND	ND	1.9 E-02

TABLE A2 (cont.)

		Emission Factor ^{b,c}		Minimum
CASRN ^a	Compound	lb per item	lb per lb NEW ^d	Detection Level mg/m ^{3,e}
108-08-7	2,4-Dimethylpentane	ND	ND	1.9 E-02
117-84-0	Di-n-octylphthalate	ND	ND	5.9 E-03
74-84-0	Ethane	ND	ND	1.4 E-01
64-17-5	Ethanol ^f	3.7 E-06	3.3 E-06	
60-29-7	Ethyl ether	ND	ND	1.4 E-02
97-63-2	Ethyl methacrylate	ND	ND	2.1 E-02
62-50-0	Ethyl methanesulfonate	ND	ND	5.3 E-03
593-63-5	Ethyne, chloro-h	5.5 E-06	5.0 E-06	
620-14-4	m-Ethyltoluene	ND	ND	2.3 E-02
611-14-3	o-Ethyltoluene	ND	ND	2.3 E-02
622-96-8	p-Ethyltoluene	ND	ND	2.3 E-02
142-82-5	n-Heptane	ND	ND	2.3 E-02
1888-71-7	Hexachloropropene ^g	3.2 E-05	2.9 E-05	
66-25-1	Hexaldehyde	ND	ND	1.3 E-03
591-78-6	2-Hexanone	ND	ND	9.2 E-02
592-41-6	1-Hexene	ND	ND	1.6 E-02
2691-41-0	HMX	8.6 E-04	7.8 E-04	
75-28-5	Isobutane	ND	ND	1.1 E-02
78-79-5	Isoprene	ND	ND	1.3 E-02
590-86-3	Isovaleraldehyde	ND	ND	7.1 E-04
5989-27-5	d-Limonene	ND	ND	1.2 E-01
7439-95-4	Magnesium ^f	7.6 E-05	6.9 E-05	
108-87-2	Methylcyclohexane	ND	ND	1.8 E-02
96-37-7	Methylcyclopentane	ND	ND	1.6 E-02
78-93-3	Methyl ethyl ketone	ND	ND	6.6 E-02
592-27-8	2-Methylheptane	ND	ND	2.1 E-02
589-81-1	3-Methylheptane	ND	ND	2.1 E-02
591-76-4	2-Methylhexane	ND	ND	1.9 E-02
589-34-4	3-Methylhexane	ND	ND	1.9 E-02
66-27-3	Methyl methanesulfonate	ND	ND	5.8 E-03
107-83-5	2-Methylpentane	ND	ND	1.6 E-02
96-14-0	3-Methylpentane	ND	ND	1.6 E-02
2234-13-1	Naphthalene, octachloro-h	3.4 E-05	3.1 E-05	
88-74-4	2-Nitroaniline	ND	ND	5.3 E-03
99-09-2	3-Nitroaniline	ND	ND	2.1 E-02

TABLE A2 (cont.)

		Emission Factor ^{b,c}		Minimum
CASRN ^a	Compound	lb per item	lb per lb NEW ^d	Detection Level mg/m ^{3,e}
10595-95-6	N-Nitrosomethylethylamine ^g	3.9 E-07	3.6 E-07	
930-55-2	N-Nitrosopyrrolidine	ND	ND	5.3 E-03
88-72-2	2-Nitrotoluene	ND	ND	3.3 E-03
99-99-0	4-Nitrotoluene	ND	ND	2.7 E-03
111-84-2	n-Nonane	ND	ND	2.4 E-02
111-65-9	n-Octane	ND	ND	2.1 E-02
78-78-4	i-Pentane	ND	ND	1.4 E-02
109-66-0	n-Pentane	ND	ND	1.3 E-02
109-67-1	1-Pentene	ND	ND	1.3 E-02
627-20-3	cis-2-Pentene	ND	ND	1.3 E-02
646-04-8	trans-2-Pentene	ND	ND	1.3 E-02
14797-73-0	Perchlorate	ND	ND	2.4 E-02
78-11-5	PETN ^g	3.2 E-06	2.9 E-06	
62-44-2	Phenacetin	ND	ND	5.3 E-03
80-56-8	alpha-Pinene	ND	ND	1.2 E-01
127-91-3	beta-Pinene	ND	ND	1.2 E-01
74-98-6	Propane	ND	ND	2.0 E-01
103-65-1	n-Propylbenzene	ND	ND	2.8 E-02
121-82-4	RDX^g	4.1 E-07	3.8 E-07	
95-94-3	1,2,4,5-Tetrachlorobenzene ^g	7.3 E-07	6.7 E-07	
58-90-2	2,3,4,6-Tetrachlorophenol ^g	1.2 E-06	1.1 E-06	
109-99-9	Tetrahydrofuran	ND	ND	6.6 E-02
479-45-8	Tetryl	ND	ND	9.9 E-04
1334-78-7	o,m,p-Tolualdehyde	ND	ND	2.6 E-03
526-73-8	1,2,3-Trimethylbenzene	ND	ND	2.2 E-02
108-67-8	1,3,5-Trimethylbenzene	ND	ND	2.8 E-02
565-75-3	2,3,4-Trimethylpentane	ND	ND	2.1 E-02
99-35-4	1,3,5-Trinitrobenzene	ND	ND	4.3 E-03
118-96-7	2,4,6-Trinitrotoluene	ND	ND	6.7 E-04
1120-21-4	Undecane	ND	ND	2.9 E-02
110-62-3	Valeraldehyde	ND	ND	1.5 E-03

TABLE A2 (cont.)

- ^a CASRN = Chemical Abstracts Service Registry Number.
- ^b ND = nondetected.
- ^c Emission factors rated C unless otherwise noted.
- ^d NEW = net explosive weight. The NEW for this ordnance is 1.10 pounds per item.
- ^e Data provided for compounds that were not detected.
- ^f Emission factor rated B because of correlation with emission factors for similar ordnance and number of test data points.
- ^g Emission factor rated D because the factor is based upon C-rated test data.
- ^h Emission factor rated D because the factor is for a tentatively identified compound.



TABLE A3 COMPOUNDS ANALYZED AND EMISSION FACTORS DEVELOPED FOR DODIC G982, M83 TEREPHTHALIC ACID (TA) SMOKE PRACTICE HAND GRENADE

		Emission Factor ^{b,c}		Minimum
CASRN ^a	Compound	lb per item	lb per lb NEW ^d	Detection Level mg/m ^{3,e}
Carbon	Dioxide, Criteria Pollutants, Total Non Particu	•	earbons, and Tota	al Suspended
124-38-9	Carbon dioxide	1.3 E-01	1.9 E-01	
630-08-0	Carbon monoxide	1.8 E-02	2.5 E-02	
7439-92-1	Lead ^f	5.8 E-05	8.3 E-05	
	Oxides of nitrogen	3.5 E-04	5.1 E-04	
	PM-2.5	2.8 E-02	4.0 E-02	
	PM-10	3.6 E-02	5.2 E-02	
7446-09-5	Sulfur dioxide	9.5 E-06	1.4 E-05	
	Total nonmethane hydrocarbons	9.5 E-03	1.3 E-02	
12789-66-1	Total suspended particulate	4.7 E-02	6.7 E-02	
	Hazardous Air Pollutant	s and Toxic Che	micals	
83-32-9	Acenaphthene	2.0 E-07	2.8 E-07	
208-96-8	Acenaphthylene	4.4 E-07	6.3 E-07	
75-07-0	Acetaldehyde	2.0 E-05	2.9 E-05	
79-11-8	Acetic acid, chloro-g	1.6 E-06	2.2 E-06	
75-05-8	Acetonitrile	4.6 E-06	6.6 E-06	
98-86-2	Acetophenone	1.8 E-05	2.6 E-05	
53-96-3	2-Acetylaminofluorene	ND	ND	1.3 E-03
107-02-8	Acrolein	4.2 E-04	6.0 E-04	
107-13-1	Acrylonitrile	ND	ND	3.7 E-02
107-05-1	Allyl chloride	ND	ND	5.4 E-02
7429-90-5	Aluminum	5.9 E-06	8.5 E-06	
92-67-1	4-Aminobiphenyl	ND	ND	2.6 E-02
7664-41-7	Ammonia ^f	4.9 E-06	7.0 E-06	
62-53-3	Aniline	ND	ND	1.9 E-02
120-12-7	Anthracene	8.1 E-08	1.2 E-07	
7440-36-0	Antimony ^f	2.9 E-05	4.1 E-05	
7440-38-2	Arsenic	1.2 E-08	1.7 E-08	
7440-39-3	Barium ^f	2.2 E-05	3.2 E-05	
71-43-2	Benzene	5.5 E-03	7.8 E-03	
92-87-5	Benzidine	ND	ND	1.4 E-01
56-55-3	Benzo[a]anthracene	ND	ND	1.5 E-03
205-99-2	Benzo[b]fluoranthene	1.8 E-07	2.6 E-07	

TABLE A3 (cont.)

		Emission Factor ^{b,c}		Minimum	
CASRN ^a	Compound	lb per item	lb per lb NEW ^d	Detection Level mg/m ^{3,e}	
207-08-9	Benzo[k]fluoranthene	ND	ND	1.6 E-03	
191-24-2	Benzo[g,h,i]perylene	ND	ND	4.2 E-03	
50-32-8	Benzo[a]pyrene	ND	ND	1.3 E-03	
100-44-7	Benzyl chloride	ND	ND	7.4 E-01	
7440-41-7	Beryllium	ND	ND	2.4 E-04	
92-52-4	Biphenyl ^g	8.8 E-06	1.3 E-05		
75-25-2	Bromoform	ND	ND	6.1	
74-83-9	Bromomethane	ND	ND	5.5 E-01	
101-55-3	4-Bromophenylphenylether	ND	ND	1.3 E-03	
106-99-0	1,3-Butadiene	8.0 E-05	1.1 E-04		
71-36-3	n-Butanol	ND	ND	1.8	
85-68-7	Butylbenzylphthalate	ND	ND	1.6 E-03	
123-72-8	Butyraldehyde	2.7 E-06	3.8 E-06		
7440-43-9	Cadmium	ND	ND	1.4 E-04	
86-74-8	Carbazole	ND	ND	1.7 E-03	
75-15-0	Carbon disulfide	ND	ND	1.8	
56-23-5	Carbon tetrachloride	ND	ND	9.0 E-01	
106-47-8	4-Chloroaniline	ND	ND	1.6 E-02	
108-90-7	Chlorobenzene	ND	ND	6.6 E-01	
75-00-3	Chloroethane	ND	ND	3.8 E-01	
111-91-1	bis(2-Chloroethoxy)methane	ND	ND	1.3 E-03	
111-44-4	bis(2-Chloroethyl)ether	ND	ND	1.5 E-03	
67-66-3	Chloroform	ND	ND	6.9 E-01	
108-60-1	bis(2-Chloroisopropyl)ether	ND	ND	2.0 E-03	
74-87-3	Chloromethane	7.5 E-05	1.1 E-04		
91-58-7	2-Chloronaphthalene	ND	ND	1.3 E-03	
7005-72-3	4-Chlorophenylphenyl ether	ND	ND	1.3 E-03	
7440-47-3	Chromium	4.3 E-06	6.1 E-06		
218-01-9	Chrysene	4.4 E-06	6.3 E-06		
7440-48-4	Cobalt	ND	ND	1.4 E-03	
7440-50-8	Copper ^f	8.0 E-08	1.1 E-07		
4170-30-3	Crotonaldehyde	1.1 E-05	1.5 E-05		
98-82-8	Cumene	ND	ND	7.0 E-01	
110-82-7	Cyclohexane	ND	ND	4.9 E-01	
53-70-3	Dibenz[a,h]anthracene	ND	ND	1.6 E-03	

TABLE A3 (cont.)

		Emission	Factor ^{b,c}	Minimum
CASRN ^a	Compound	lb per item	lb per lb NEW ^d	Detection Level mg/m ^{3,e}
132-64-9	Dibenzofuran	9.0 E-06	1.3 E-05	
106-93-4	1,2-Dibromoethane	ND	ND	1.1
84-74-2	Dibutylphthalate	ND	ND	2.6 E-02
95-50-1	1,2-Dichlorobenzene	ND	ND	8.6 E-01
541-73-1	1,3-Dichlorobenzene	ND	ND	8.6 E-01
106-46-7	1,4-Dichlorobenzene	ND	ND	8.6 E-01
91-94-1	3,3'-Dichlorobenzidine	ND	ND	2.0 E-02
75-27-4	Dichlorobromomethane	ND	ND	9.5 E-01
75-71-8	Dichlorodifluoromethane	ND	ND	7.0 E-01
75-34-3	1,1-Dichloroethane	ND	ND	5.8 E-01
107-06-2	1,2-Dichloroethane	ND	ND	5.8 E-01
120-83-2	2,4-Dichlorophenol	1.2 E-05	1.8 E-05	
78-87-5	1,2-Dichloropropane	ND	ND	6.6 E-01
10061-02-6	trans-1,3-Dichloro-1-propene	ND	ND	6.5 E-01
76-14-2	Dichlorotetrafluoroethane	ND	ND	1.0
60-11-7	p-Dimethylaminoazobenzene	ND	ND	1.3 E-03
57-97-6	7,12-Dimethylbenz[a]anthracene	ND	ND	1.4 E-03
119-93-7	3,3'-Dimethylbenzidine	ND	ND	1.3 E-01
105-67-9	2,4-Dimethylphenol	ND	ND	1.7 E-02
131-11-3	Dimethyl phthalate	ND	ND	1.3 E-03
99-65-0	1,3-Dinitrobenzene	ND	ND	1.4 E-03
534-52-1	4,6-Dinitro-o-cresol	ND	ND	2.3 E-02
51-28-5	2,4-Dinitrophenol	ND	ND	5.8 E-02
121-14-2	2,4-Dinitrotoluene	ND	ND	2.8 E-04
606-20-2	2,6-Dinitrotoluene	1.2 E-06	1.8 E-06	
88-85-7	Dinoseb	ND	ND	2.6 E-03
123-91-1	1,4-Dioxane	ND	ND	2.1
	Total dioxin/furan compounds	2.1E-10	3.0E-10	
122-39-4	Diphenylamine	ND	ND	1.3 E-03
122-66-7	1,2-Diphenylhydrazine	ND	ND	1.3 E-03
100-41-4	Ethylbenzene	ND	ND	6.2 E-01
74-85-1	Ethylene	7.1 E-04	1.0 E-03	
117-81-7	bis(2-Ethylhexyl)phthalate	ND	ND	2.6 E-02
206-44-0	Fluoranthene	2.9 E-07	4.1 E-07	
86-73-7	Fluorene	7.9 E-06	1.1 E-05	

TABLE A3 (cont.)

		Emission	Factor ^{b,c}	Minimum
CASRN ^a	Compound	lb per item	lb per lb NEW ^d	Detection Level mg/m ^{3,e}
50-00-0	Formaldehyde	2.0 E-04	2.9 E-04	
76-13-1	Freon 113	ND	ND	1.1
35822-46-9	1,2,3,4,6,7,8-Heptachlorodibenzo-p-dioxin	2.7E-11	3.8E-11	
67562-39-4	1,2,3,4,6,7,8- Heptachlorodibenzofuran	6.3E-13	9.0E-13	
55673-89-7	1,2,3,4,7,8,9- Heptachlorodibenzofuran	ND	ND	1.9 E-08
118-74-1	Hexachlorobenzene	ND	ND	1.3 E-03
87-68-3	Hexachlorobutadiene	ND	ND	6.3
77-47-4	Hexachlorocyclopentadiene	ND	ND	2.6 E-02
39227-28-6	1,2,3,4,7,8-Hexachlorodibenzo-p- dioxin	2.6E-11	3.7E-11	
57653-85-7	1,2,3,6,7,8-Hexachlorodibenzo-p-dioxin	1.6E-11	2.3E-11	
19408-74-3	1,2,3,7,8,9-Hexachlorodibenzo-p- dioxin	2.7E-11	3.8E-11	
70648-26-9	1,2,3,4,7,8-Hexachlorodibenzofuran	1.3E-12	1.9E-12	
57117-44-9	1,2,3,6,7,8-Hexachlorodibenzofuran	6.9E-13	9.8E-13	
72918-21-9	1,2,3,7,8,9-Hexachlorodibenzofuran	ND	ND	1.1 E-08
60851-34-5	2,3,4,6,7,8-Hexachlorodibenzofuran	1.6E-12	2.3E-12	
67-72-1	Hexachloroethane	ND	ND	1.4 E-03
110-54-3	Hexane	ND	ND	5.0 E-01
7647-01-0	Hydrochloric acid ^f	0	0	
74-90-8	Hydrogen cyanide	5.0 E-05	7.2 E-05	
193-39-5	Indeno[1,2,3-cd]pyrene	ND	ND	1.4 E-03
78-59-1	Isophorone	ND	ND	1.3 E-03
67-63-0	Isopropyl alcohol	ND	ND	1.45
120-58-1	Isosafrole	ND	ND	1.3 E-03
7439-92-1	Lead ^f	5.8 E-05	8.3 E-05	
7439-96-5	Manganese	6.0 E-07	8.6 E-07	
7439-97-6	Mercury	ND	ND	3.8 E-04
126-98-7	Methacrylonitrile	ND	ND	4.7 E-02
96-33-3	Methyl acrylate	ND	ND	6.1 E-02
56-49-5	3-Methylcholanthrene	ND	ND	1.3 E-03
75-09-2	Methylene chloride	ND	ND	5.0 E-01

TABLE A3 (cont.)

		Emission	Factor ^{b,c}	Minimum
CASRN ^a	Compound	lb per item	lb per lb NEW ^d	Detection Level mg/m ^{3,e}
108-10-1	Methyl isobutyl ketone	ND	ND	2.4
80-62-6	Methyl methacrylate	ND	ND	7.1 E-02
91-57-6	2-Methylnaphthalene	8.6 E-07	1.2 E-06	
95-48-7	2-Methylphenol	7.2 E-06	1.0 E-05	
1634-04-4	Methyl tert-butyl ether	ND	ND	2.1
91-20-3	Naphthalene	1.3 E-05	1.8 E-05	
134-32-7	1-Naphthylamine	ND	ND	2.6 E-02
91-59-8	2-Naphthylamine	ND	ND	2.6 E-02
7440-02-0	Nickel	3.1 E-06	4.4 E-06	
100-01-6	4-Nitroaniline	ND	ND	5.3 E-03
98-95-3	Nitrobenzene	3.0 E-05	4.3 E-05	
55-63-0	Nitroglycerin	ND	ND	8.1 E-04
88-75-5	2-Nitrophenol	7.4 E-07	1.1 E-06	
100-02-7	4-Nitrophenol	ND	ND	8.7 E-03
79-46-9	2-Nitropropane	ND	ND	6.3 E-02
924-16-3	N-Nitroso-di-n-butylamine	ND	ND	1.3 E-03
55-18-5	N-Nitrosodiethylamine	ND	ND	1.3 E-03
62-75-9	N-Nitrosodimethylamine	ND	ND	1.3 E-03
86-30-6	N-Nitrosodiphenylamine	ND	ND	2.3 E-03
621-64-7	N-Nitroso-di-n-propylamine	ND	ND	1.3 E-03
59-89-2	N-Nitrosomorpholine	ND	ND	1.3 E-03
100-75-4	N-Nitrosopiperidine	ND	ND	1.3 E-03
99-55-8	5-Nitro-o-toluidine	ND	ND	2.1 E-02
3268-87-9	1,2,3,4,6,7,8,9-Octachlorodibenzo- p-dioxin	7.1E-12	1.0E-11	
39001-02-0	1,2,3,4,6,7,8,9- Octachlorodibenzofuran	ND	ND	
608-93-5	Pentachlorobenzene	ND	ND	1.3 E-03
40321-76-4	1,2,3,7,8-Pentachlorodibenzo-p- dioxin	6.0E-11	8.5E-11	
57117-41-6	1,2,3,7,8-Pentachlorodibenzofuran	1.2E-12	1.7E-12	
57117-31-4	2,3,4,7,8-Pentachlorodibenzofuran	3.3E-12	4.7E-12	
76-01-7	Pentachloroethane	ND	ND	1.3 E-03
82-68-8	Pentachloronitrobenzene	ND	ND	1.3 E-03
87-86-5	Pentachlorophenol	ND	ND	6.6 E-02
85-01-8	Phenanthrene	8.7 E-07	1.2 E-06	

TABLE A3 (cont.)

		Emission	Factor ^{b,c}	Minimum
CASRN ^a	Compound	lb per item	lb per lb NEW ^d	Detection Level mg/m ^{3,e}
108-95-2	Phenol	2.9 E-04	4.2 E-04	
7723-14-0	Phosphorus	5.1 E-07	7.3 E-07	
123-38-6	Propionaldehyde	7.9 E-07	1.1 E-06	
115-07-1	Propylene	2.3 E-04	3.2 E-04	
129-00-0	Pyrene	5.9 E-07	8.4 E-07	
110-86-1	Pyridine	ND	ND	2.0 E-03
94-59-7	Safrole	ND	ND	1.3 E-03
7782-49-2	Selenium ^f	2.9 E-08	4.1 E-08	
7440-22-4	Silver	ND	ND	1.9 E-03
100-42-5	Styrene	ND	ND	
1746-01-6	2,3,7,8-Tetrachlorodibenzo-p-dioxin	3.6E-11	5.1E-11	
51207-31-9	2,3,7,8-Tetrachlorodibenzofuran	2.0E-12	2.8E-12	
79-34-5	1,1,2,2-Tetrachloroethane	ND	ND	9.8 E-01
127-18-4	Tetrachloroethylene	ND	ND	9.7 E-01
7440-28-0	Thallium	1.1 E-07	1.6 E-07	
108-88-3	Toluene	7.3 E-05	1.0 E-04	
95-53-4	o-Toluidine	ND	ND	1.7 E-02
120-82-1	1,2,4-Trichlorobenzene	ND	ND	4.4
71-55-6	1,1,1-Trichloroethane	ND	ND	7.8 E-01
79-00-5	1,1,2-Trichloroethane	ND	ND	7.7 E-01
79-01-6	Trichloroethylene	ND	ND	7.7 E-01
75-69-4	Trichlorofluoromethane	ND	ND	8.0 E-01
95-95-4	2,4,5-Trichlorophenol ^f	4.1 E-07	5.8 E-07	
88-06-2	2,4,6-Trichlorophenol	1.1 E-05	1.6 E-05	
96-18-4	1,2,3-Trichloropropane	ND	ND	3.6
95-63-6	1,2,4-Trimethylbenzene	ND	ND	7.0 E-01
540-84-1	2,2,4-Trimethylpentane	ND	ND	8.1 E-02
108-05-4	Vinyl acetate	ND	ND	2.1
75-01-4	Vinyl chloride	ND	ND	2.1
75-35-4	Vinylidene chloride	ND	ND	5.6 E-01
106-42-3, 108-38-3	m-Xylene, p-Xylene	ND	ND	6.2 E-01
95-47-6	o-Xylene	ND	ND	6.2 E-01
7440-66-6	Zinc	1.3 E-05	1.9 E-05	

TABLE A3 (cont.)

CASRN ^a		Emission	Emission Factor ^{b,c}	Minimum	
	Compound	lb per item lb per lb NEW ^d	Detection Level mg/m ^{3,e}		
	Other Pollutants				
67-64-1	Acetone	0	0		
74-86-2	Acetylene	4.1 E-04	5.8 E-04		
35572-78-2	2-Amino-4,6-dinitrotoluene	4.6 E-08	6.5 E-08		
19406-51-0	4-Amino-2,6-dinitrotoluene ^f	2.5 E-07	3.5 E-07		
100-52-7	Benzaldehyde	8.2 E-06	1.2 E-05		
65-85-0	Benzoic acid	2.1 E-03	3.0 E-03		
74-11-3	Benzoic acid, 4-chloro ^g	1.6 E-06	2.2 E-06		
119-61-9	Benzophenone ^g	1.2 E-05	1.7 E-05		
100-51-6	Benzyl alcohol	ND	ND	9.3 E-02	
716-76-7	1,1'-Biphenyl, 3-carboxy acid ^g	5.0 E-06	7.2 E-06		
92-92-2	Biphenyl-4-carboxylic acid ^g	8.0 E-06	1.1 E-05		
580-51-8	[1,1'-Biphenyl]-3-ol ^g	3.2 E-06	4.6 E-06		
106-97-8	n-Butane	4.6 E-06	6.5 E-06		
106-98-9	1-Butene	5.0 E-05	7.2 E-05		
590-18-1	cis-2-Butene	3.7 E-06	5.2 E-06		
624-64-6	trans-2-Butene	3.7 E-06	5.2 E-06		
625-38-7	3-Butenoic acid ^g	1.8 E-04	2.6 E-04		
38851-69-3	cis-1-Butyl-2-methylcyclopropane ^g	3.3 E-06	4.6 E-06		
107-14-2	Chloroacetonitrile	ND	ND	5.3 E-02	
109-69-3	1-Chlorobutane	ND	ND	1.6 E-01	
59-50-7	4-Chloro-3-methylphenol	ND	ND	1.6 E-03	
90-13-1	1-Chloronaphthalene	ND	ND	1.3 E-03	
95-57-8	2-Chlorophenol	3.1 E-05	4.4 E-05		
287-92-3	Cyclopentane	ND	ND	5.0 E-02	
930-60-9	4-Cyclopentene-1,3-dione ^g	8.3 E-06	1.2 E-05		
124-18-5	n-Decane	ND	ND	1.0 E-01	
872-05-9	1-Decene ^g	5.8 E-06	8.2 E-06		
124-48-1	Dibromochloromethane	ND	ND	1.2	
156-59-2	cis-1,2-Dichloroethene	ND	ND	5.6 E-01	
156-60-5	trans-1,2-Dichloroethene	ND	ND	2.7	
87-65-0	2,6-Dichlorophenol	6.2 E-06	8.8 E-06		
10061-01-5	cis-1,3-Dichloropropene	ND	ND	6.5 E-01	
141-93-5	1,3-Diethylbenzene	ND	ND	9.5 E-02	
105-05-5	1,4-Diethylbenzene	ND	ND	9.5 E-02	

TABLE A3 (cont.)

		Emission		Minimum
CASRN ^a	Compound	lb per item	lb per lb NEW ^d	Detection Level mg/m ^{3,e}
5779-94-2	2,5-Dimethylbenzaldehyde	ND	ND	9.4 E-04
75-83-2	2,2-Dimethylbutane	ND	ND	6.1 E-02
79-29-8	2,3-Dimethylbutane	ND	ND	6.1 E-02
565-59-3	2,3-Dimethylpentane	ND	ND	7.1 E-02
108-08-7	2,4-Dimethylpentane	ND	ND	7.1 E-02
117-84-0	Di-n-octylphthalate	ND	ND	1.5 E-03
101-81-5	Diphenylmethane ^g	2.4 E-06	3.4 E-06	
112-41-4	1-Dodecene ^g	1.0 E-06	1.5 E-06	
74-84-0	Ethane	6.0 E-05	8.6 E-05	
64-17-5	Ethanol	ND	ND	1.1
60-29-7	Ethyl ether	ND	ND	5.2 E-02
97-63-2	Ethyl methacrylate	ND	ND	8.1 E-02
62-50-0	Ethyl methanesulfonate	ND	ND	1.3 E-03
620-14-4	m-Ethyltoluene	ND	ND	8.5 E-02
611-14-3	o-Ethyltoluene	ND	ND	8.5 E-02
622-96-8	p-Ethyltoluene	ND	ND	8.5 E-02
486-25-9	9H-Fluoren-9-one ^g	1.3 E-05	1.9 E-05	
110-00-9	Furan ^g	2.3 E-04	3.2 E-04	
98-01-1	2-Furancarboxaldehyde ^g	1.7 E-05	2.4 E-05	
534-22-5	Furan, 2-methyl- ^g	3.3 E-06	4.8 E-06	
20825-71-2	2(3H)-Furanone ^g	5.3 E-06	7.5 E-06	
591-12-8	2(3H)-Furanone, 5-methyl- ^g	4.0 E-06	5.8 E-06	
142-82-5	n-Heptane	ND	ND	5.8 E-01
1888-71-7	Hexachloropropene	ND	ND	1.9 E-03
57-10-3	Hexadecanoic acid ^g	5.2 E-06	7.4 E-06	
629-73-2	1-Hexadecene ^g	1.2 E-06	1.7 E-06	
66-25-1	Hexaldehyde ^f	1.1 E-06	1.5 E-06	
591-78-6	2-Hexanone	ND	ND	2.4
592-41-6	1-Hexene	6.4 E-05	9.1 E-05	
2691-41-0	HMX	ND	ND	2.1 E-02
92-69-3	p-Hydroxybiphenyl ^g	3.0 E-06	4.3 E-06	
1986-00-1	4-Hydroxy-9-fluorenone ^g	3.6 E-06	5.1 E-06	
75-28-5	Isobutane	ND	ND	4.1 E-02
78-79-5	Isoprene	4.6 E-06	6.5 E-06	
590-86-3	Isovaleraldehyde	ND	ND	7.1 E-04

TABLE A3 (cont.)

		Emission	Factor ^{b,c}	Minimum Detection Level mg/m ^{3,e}
CASRN ^a	Compound	lb per item	lb per lb NEW ^d	
5989-27-5	d-Limonene	ND	ND	3.3
7439-95-4	Magnesium ^f	8.8 E-06	1.3 E-05	
826-62-0	4,7-Methanoisobenzofuran-1,3-dione, 3a,4 ^g	1.3 E-06	1.9 E-06	
108-87-2	Methylcyclohexane	ND	ND	6.9 E-02
96-37-7	Methylcyclopentane	ND	ND	5.9 E-02
78-93-3	Methyl ethyl ketone	ND	ND	1.7
592-27-8	2-Methylheptane	ND	ND	7.8 E-02
589-81-1	3-Methylheptane	ND	ND	8.1 E-02
591-76-4	2-Methylhexane	ND	ND	7.1 E-02
589-34-4	3-Methylhexane	ND	ND	7.1 E-02
66-27-3	Methyl methanesulfonate	ND	ND	1.5 E-03
107-83-5	2-Methylpentane	ND	ND	6.1 E-02
96-14-0	3-Methylpentane	ND	ND	6.1 E-02
827-54-3	Naphthalene, 2-ethenyl-g	6.0 E-04	8.5 E-04	
88-74-4	2-Nitroaniline	ND	ND	1.3 E-03
99-09-2	3-Nitroaniline	ND	ND	5.3 E-03
10595-95-6	N-Nitrosomethylethylamine	ND	ND	2.2 E-03
930-55-2	N-Nitrosopyrrolidine	4.4 E-08	6.3 E-08	
88-72-2	2-Nitrotoluene	ND	ND	8.4 E-04
99-99-0	4-Nitrotoluene ^f	4.3 E-06	6.1 E-06	
111-84-2	n-Nonane	ND	ND	9.1 E-02
124-11-8	1-Nonene ^g	3.8 E-06	5.4 E-06	
57-11-4	Octadecanoic acid ^g	1.0 E-05	1.5 E-05	
111-65-9	n-Octane	ND	ND	8.1 E-02
13360-61-7	1-Pentadecene ^g	1.3 E-06	1.8 E-06	
78-78-4	i-Pentane	ND	ND	5.1 E-02
109-66-0	n-Pentane	3.5 E-06	5.0 E-06	
109-67-1	1-Pentene	2.7 E-05	3.8 E-05	
627-20-3	cis-2-Pentene	ND	ND	5.0 E-02
646-04-8	trans-2-Pentene	1.6 E-06	2.3 E-06	
14797-73-0	Perchlorate	9.2 E-06	1.3 E-05	
78-11-5	PETN	8.3 E-07	1.2 E-06	
62-44-2	Phenacetin	ND	ND	1.3 E-03
536-74-3	Phenylethyne ^g	7.4 E-06	1.0 E-05	

TABLE A3 (cont.)

		Emission Factor ^{b,c}	Minimum	
CASRN ^a	Compound	lb per item	lb per lb NEW ^d	Detection Level mg/m ^{3,e}
80-56-8	alpha-Pinene	ND	ND	3.3
127-91-3	beta-Pinene	ND	ND	3.3
74-98-6	Propane	1.9 E-05	2.8 E-05	
103-65-1	n-Propylbenzene	ND	ND	7.0 E-01
504-31-4	2H-Pyran-2-one ^g	2.6 E-04	3.7 E-04	
121-82-4	RDX^f	1.8 E-08	2.6 E-08	
95-94-3	1,2,4,5-Tetrachlorobenzene	ND	ND	1.3 E-03
58-90-2	2,3,4,6-Tetrachlorophenol	1.0 E-06	1.5 E-06	
109-99-9	Tetrahydrofuran	ND	ND	1.7
479-45-8	Tetryl ^f	3.9 E-07	5.6 E-07	
1334-78-7	o,m,p-Tolualdehyde ^f	2.2 E-05	3.2 E-05	
2437-56-1	1-Tridecene ^g	1.1 E-06	1.5 E-06	
526-73-8	1,2,3-Trimethylbenzene	ND	ND	8.5 E-02
108-67-8	1,3,5-Trimethylbenzene	ND	ND	7.0 E-01
565-75-3	2,3,4-Trimethylpentane	ND	ND	8.1 E-02
99-35-4	1,3,5-Trinitrobenzene	ND	ND	1.1 E-03
118-96-7	2,4,6-Trinitrotoluene ^f	1.4 E-06	1.9 E-06	
519-73-3	Triphenylmethane ^g	4.8 E-06	6.8 E-06	
1120-21-4	Undecane	ND	ND	1.1 E-01
110-62-3	Valeraldehyde ^f	1.4 E-05	1.9 E-05	
90-47-1	Xanthone ^g	3.6 E-06	5.1 E-06	

^a CASRN = Chemical Abstracts Service Registry Number.

^b ND = nondetected.

c Emission factors rated C unless otherwise noted.
d NEW = net explosive weight. The NEW for this ordnance is 7.02 E-01 pounds per item.
Data provided for compounds that were not detected.
Emission factor rated D because the factor is based upon C-rated test data.

^g Emission factor rated D because the factor is for a tentatively identified compound.

TABLE A4 COMPOUNDS ANALYZED AND EMISSION FACTORS DEVELOPED FOR DODIC L592, TOW BLAST SIMULATOR

		Emission Factor ^{b,c}		Minimum	
CASRN ^a	Compound	lb per item	lb per lb NEW ^d	Detection Level mg/m ^{3,e}	
Carbon	Carbon Dioxide, Criteria Pollutants, Total Nonmethane Hydrocarbons, and Total Suspended				
Particulates					
124-38-9	Carbon dioxide ^g	3.6 E-04	6.3 E-02		
630-08-0	Carbon monoxide ^g	2.5 E-05	4.3 E-03		
7439-92-1	Lead	1.6 E-05	2.9 E-03		
	Oxides of nitrogen ^g	4.9 E-05	8.7 E-03		
	PM-2.5	1.3 E-03	2.2 E-01		
	PM-10 ^g	1.5 E-03	2.6 E-01		
7446-09-5	Sulfur dioxide	3.1 E-04	5.4 E-02		
	Total nonmethane hydrocarbons	3.7 E-06	6.6 E-04		
12789-66-1	Total suspended particulate ^f	1.6 E-03	2.8 E-01		
	Hazardous Air Pollutant	s and Toxic Che	micals		
83-32-9	Acenaphthene	ND	ND	1.2 E-03	
208-96-8	Acenaphthylene	ND	ND	1.2 E-03	
75-07-0	Acetaldehyde ^h	4.4 E-07	7.8 E-05		
75-05-8	Acetonitrile ^g	ND	ND	1.9 E-02	
98-86-2	Acetophenone ^g	ND	ND	6.0 E-03	
53-96-3	2-Acetylaminofluorene	ND	ND	1.2 E-03	
107-02-8	Acrolein	1.9 E-07	3.3 E-05		
107-13-1	Acrylonitrile ^g	ND	ND	9.3 E-03	
107-05-1	Allyl chloride	ND	ND	1.3 E-02	
7429-90-5	Aluminum ^g	1.7 E-04	3.0 E-02		
92-67-1	4-Aminobiphenyl	ND	ND	2.5 E-02	
7664-41-7	Ammonia	ND	ND	3.3 E-02	
62-53-3	Aniline	ND	ND	1.8 E-02	
120-12-7	Anthracene	ND	ND	1.2 E-03	
7440-36-0	Antimony	5.9 E-08	1.0 E-05		
7440-38-2	Arsenic	ND	ND	9.1 E-04	
7440-39-3	Barium ^g	1.3 E-07	2.3 E-05		
71-43-2	Benzene	1.1 E-07	2.0 E-05		
92-87-5	Benzidine	ND	ND	1.3 E-01	
56-55-3	Benzo[a]anthracene	ND	ND	1.4 E-03	
205-99-2	Benzo[b]fluoranthene	ND	ND	2.7 E-03	
207-08-9	Benzo[k]fluoranthene	ND	ND	1.5 E-03	

TABLE A4 (cont.)

			Minimum	
CASRN ^a	Compound	lb per item	lb per lb NEW ^d	Detection Level mg/m ^{3,e}
191-24-2	Benzo[g,h,i]perylene	ND	ND	4.0 E-03
50-32-8	Benzo[a]pyrene	ND	ND	1.2 E-03
100-44-7	Benzyl chloride	ND	ND	5.8 E-03
7440-41-7	Beryllium	ND	ND	2.3 E-04
92-52-4	Biphenyl ⁱ	2.3 E-07	4.1 E-05	
75-25-2	Bromoform	ND	ND	4.4 E-02
74-83-9	Bromomethane	ND	ND	4.3 E-03
101-55-3	4-Bromophenylphenylether	ND	ND	1.2 E-03
106-99-0	1,3-Butadiene	2.6 E-08	4.5 E-06	
71-36-3	n-Butanol	8.2 E-08	1.4 E-05	
85-68-7	Butylbenzylphthalate ^g	ND	ND	1.5 E-03
123-72-8	Butyraldehyde	ND	ND	1.3 E-02
7440-43-9	Cadmium	7.1 E-09	1.3 E-06	
86-74-8	Carbazole	ND	ND	1.6 E-03
75-15-0	Carbon disulfide ^g	2.1 E-07	3.8 E-05	
56-23-5	Carbon tetrachloride	ND	ND	7.0 E-03
106-47-8	4-Chloroaniline	ND	ND	1.5 E-02
108-90-7	Chlorobenzene	ND	ND	5.2 E-03
75-00-3	Chloroethane	ND	ND	3.0 E-03
111-91-1	bis(2-Chloroethoxy)methane	ND	ND	1.2 E-03
111-44-4	bis(2-Chloroethyl)ether	ND	ND	1.4 E-03
67-66-3	Chloroform	ND	ND	5.4 E-03
108-60-1	bis(2-Chloroisopropyl)ether	ND	ND	1.9 E-03
74-87-3	Chloromethane	5.4 E-08	9.6 E-06	
91-58-7	2-Chloronaphthalene	ND	ND	1.2 E-03
7005-72-3	4-Chlorophenylphenyl ether	ND	ND	1.2 E-03
7440-47-3	Chromium	5.5 E-08	9.7 E-06	
218-01-9	Chrysene	ND	ND	1.6 E-03
7440-48-4	Cobalt	ND	ND	1.3 E-03
7440-50-8	Copper	5.8 E-07	1.0 E-04	
4170-30-3	Crotonaldehyde	0	0	
98-82-8	Cumene	ND	ND	5.5 E-03
110-82-7	Cyclohexane	ND	ND	3.8 E-03
53-70-3	Dibenz[a,h]anthracene	ND	ND	1.5 E-03
132-64-9	Dibenzofuran	6.4 E-09	1.1 E-06	

TABLE A4 (cont.)

		Emission	Factor ^{b,c}	Minimum Detection Level mg/m ^{3,e}
CASRN ^a	Compound	lb per item	lb per lb NEW ^d	
106-93-4	1,2-Dibromoethane	ND	ND	8.6 E-03
84-74-2	Dibutylphthalate	ND	ND	2.5 E-02
95-50-1	1,2-Dichlorobenzene	ND	ND	6.7 E-03
541-73-1	1,3-Dichlorobenzene	ND	ND	6.7 E-03
106-46-7	1,4-Dichlorobenzene	ND	ND	6.7 E-03
91-94-1	3,3'-Dichlorobenzidine	ND	ND	1.8 E-02
75-27-4	Dichlorobromomethane	ND	ND	7.5 E-03
75-71-8	Dichlorodifluoromethane	ND	ND	5.5 E-03
75-34-3	1,1-Dichloroethane	ND	ND	4.5 E-03
107-06-2	1,2-Dichloroethane	ND	ND	4.5 E-03
120-83-2	2,4-Dichlorophenol	ND	ND	1.2 E-03
78-87-5	1,2-Dichloropropane	ND	ND	5.2 E-03
10061-02-6	trans-1,3-Dichloro-1-propene	ND	ND	5.1 E-03
76-14-2	Dichlorotetrafluoroethane	ND	ND	7.8 E-03
60-11-7	p-Dimethylaminoazobenzene	ND	ND	1.2 E-03
57-97-6	7,12-Dimethylbenz[a]anthracene	ND	ND	1.3 E-03
119-93-7	3,3'-Dimethylbenzidine	ND	ND	1.2 E-01
105-67-9	2,4-Dimethylphenol	ND	ND	1.6 E-02
131-11-3	Dimethyl phthalate	ND	ND	1.2 E-03
99-65-0	1,3-Dinitrobenzene	7.6 E-09	1.3 E-06	
534-52-1	4,6-Dinitro-o-cresol	ND	ND	2.2 E-02
51-28-5	2,4-Dinitrophenol	ND	ND	5.5 E-02
121-14-2	2,4-Dinitrotoluene	ND	ND	1.2 E-03
606-20-2	2,6-Dinitrotoluene	ND	ND	3.8 E-04
88-85-7	Dinoseb	ND	ND	2.5 E-03
123-91-1	1,4-Dioxane	ND	ND	1.5 E-02
	Total dioxin/furan compounds	1.4E-11	2.5 E-09	
122-39-4	Diphenylamine	ND	ND	1.2 E-03
122-66-7	1,2-Diphenylhydrazine	ND	ND	1.2 E-03
100-41-4	Ethylbenzene	ND	ND	4.9 E-03
74-85-1	Ethylene ^g	ND	ND	1.3 E-01
117-81-7	bis(2-Ethylhexyl)phthalate	ND	ND	2.5 E-02
206-44-0	Fluoranthene	ND	ND	1.3 E-03
86-73-7	Fluorene	ND	ND	1.2 E-03
50-00-0	Formaldehyde	7.1 E-08	1.3 E-05	

TABLE A4 (cont.)

		Emission	Factor ^{b,c}	Minimum
CASRN ^a	Compound	lb per item	lb per lb NEW ^d	Detection Level mg/m ^{3,e}
76-13-1	Freon 113	ND	ND	8.6 E-03
35822-46-9	1,2,3,4,6,7,8-Heptachlorodibenzo-p-dioxin ^h	1.0E-12	1.8E-10	
67562-39-4	1,2,3,4,6,7,8- Heptachlorodibenzofuran ^h	2.3E-13	4.0E-11	
55673-89-7	1,2,3,4,7,8,9- Heptachlorodibenzofuran	ND	ND	5.0 E-09
118-74-1	Hexachlorobenzene	ND	ND	1.2 E-03
87-68-3	Hexachlorobutadiene	ND	ND	4.6 E-02
77-47-4	Hexachlorocyclopentadiene	ND	ND	2.5 E-02
39227-28-6	1,2,3,4,7,8-Hexachlorodibenzo-p-dioxin ^h	5.2E-14	9.3E-12	
57653-85-7	1,2,3,6,7,8-Hexachlorodibenzo-p-dioxin ^h	7.2E-14	1.3E-11	
19408-74-3	1,2,3,7,8,9-Hexachlorodibenzo-p-dioxin ^h	7.5E-14	1.3E-11	
57117-44-9	1,2,3,6,7,8- Hexachlorodibenzofuran ^h	9.0E-14	1.6E-11	
72918-21-9	1,2,3,7,8,9- Hexachlorodibenzofuran ^h	9.5E-14	-1.7E-11	
60851-34-5	2,3,4,6,7,8-Hexachlorodibenzofuran	2.7E-14	4.8E-12	
67-72-1	Hexachloroethane	ND	ND	1.3 E-03
110-54-3	Hexane	ND	ND	3.9 E-03
7647-01-0	Hydrochloric acid ^h	4.3 E-05	7.6 E-03	
74-90-8	Hydrogen cyanide	ND	ND	7.3 E-02
193-39-5	Indeno[1,2,3-cd]pyrene	ND	ND	1.3 E-03
78-59-1	Isophorone	ND	ND	1.2 E-03
67-63-0	Isopropyl alcohol	ND	ND	1.0 E-02
120-58-1	Isosafrole	ND	ND	1.2 E-03
7439-92-1	Lead	1.6 E-05	2.9 E-03	
7439-96-5	Manganese ^g	2.5 E-08	4.5 E-06	
7439-97-6	Mercury	ND	ND	3.6 E-04
126-98-7	Methacrylonitrile	ND	ND	1.2 E-02
96-33-3	Methyl acrylate	ND	ND	1.5 E-02
56-49-5	3-Methylcholanthrene	ND	ND	1.2 E-03
75-09-2	Methylene chloride	2.0 E-08	3.6 E-06	
108-10-1	Methyl isobutyl ketone	ND	ND	1.7 E-02

TABLE A4 (cont.)

		Emission	Factor ^{b,c}	Minimum
CASRN ^a	Compound	lb per item	lb per lb NEW ^d	Detection Level mg/m ^{3,e}
80-62-6	Methyl methacrylate	ND	ND	1.7 E-02
91-57-6	2-Methylnaphthalene	ND	ND	1.2 E-03
95-48-7	2-Methylphenol	ND	ND	7.5 E-03
1634-04-4	Methyl tert-butyl ether	ND	ND	1.5 E-02
91-20-3	Naphthalene	ND	ND	1.5 E-03
134-32-7	1-Naphthylamine	ND	ND	2.5 E-02
91-59-8	2-Naphthylamine	ND	ND	2.5 E-02
7440-02-0	Nickel	8.8 E-08	1.6 E-05	
100-01-6	4-Nitroaniline	ND	ND	5.0 E-03
98-95-3	Nitrobenzene	ND	ND	9.1 E-04
55-63-0	Nitroglycerin	ND	ND	7.7 E-04
88-75-5	2-Nitrophenol	ND	ND	1.2 E-03
100-02-7	4-Nitrophenol	ND	ND	8.2 E-03
79-46-9	2-Nitropropane	ND	ND	1.6 E-02
924-16-3	N-Nitroso-di-n-butylamine	ND	ND	1.2 E-03
55-18-5	N-Nitrosodiethylamine	ND	ND	1.2 E-03
62-75-9	N-Nitrosodimethylamine	ND	ND	1.2 E-03
86-30-6	N-Nitrosodiphenylamine	ND	ND	2.2 E-03
621-64-7	N-Nitroso-di-n-propylamine	ND	ND	1.2 E-03
59-89-2	N-Nitrosomorpholine	ND	ND	1.2 E-03
100-75-4	N-Nitrosopiperidine	ND	ND	1.2 E-03
99-55-8	5-Nitro-o-toluidine	ND	ND	2.0 E-02
3268-87-9	1,2,3,4,6,7,8,9-Octachlorodibenzo- p-dioxin ^h	1.2E-11	2.1 E-09	
39001-02-0	1,2,3,4,6,7,8,9- Octachlorodibenzofuran	6.9E-13	1.2E-10	3.0 E-09
608-93-5	Pentachlorobenzene	ND	ND	1.2 E-03
40321-76-4	1,2,3,7,8-Pentachlorodibenzo-p-dioxin ^h	5.3E-14	9.3E-12	
57117-41-6	1,2,3,7,8-Pentachlorodibenzofuran	ND	ND	2.5 E-09
57117-31-4	2,3,4,7,8-Pentachlorodibenzofuran	ND	ND	3.0 E-09
76-01-7	Pentachloroethane	ND	ND	1.2 E-03
82-68-8	Pentachloronitrobenzene	ND	ND	1.2 E-03
87-86-5	Pentachlorophenol	ND	ND	6.2 E-02
85-01-8	Phenanthrene	ND	ND	1.2 E-03
108-95-2	Phenol ^g	8.4 E-08	1.5 E-05	

TABLE A4 (cont.)

		Emission	Factor ^{b,c}	Minimum
CASRN ^a	Compound	lb per item	lb per lb NEW ^d	Detection Level mg/m ^{3,e}
7723-14-0	Phosphorus ^g	1.1 E-07	1.9 E-05	
123-38-6	Propionaldehyde ^h	2.7 E-08	4.7 E-06	
115-07-1	Propylene ^f	ND	ND	1.9 E-01
129-00-0	Pyrene	ND	ND	1.3 E-03
110-86-1	Pyridine	ND	ND	1.8 E-03
94-59-7	Safrole	ND	ND	1.2 E-03
7782-49-2	Selenium	ND	ND	9.1 E-04
7440-22-4	Silver	ND	ND	1.8 E-03
100-42-5	Styrene	ND	ND	4.8 E-03
1746-01-6	2,3,7,8-Tetrachlorodibenzo-p-dioxin ^g	0	0	
51207-31-9	2,3,7,8-Tetrachlorodibenzofuran	ND	ND	3.0 E-09
79-34-5	1,1,2,2-Tetrachloroethane	ND	ND	7.7 E-03
127-18-4	Tetrachloroethylene	ND	ND	7.6 E-03
7440-28-0	Thallium	1.4 E-08	2.5 E-06	
108-88-3	Toluene	ND	ND	4.2 E-03
95-53-4	o-Toluidine	ND	ND	1.6 E-02
120-82-1	1,2,4-Trichlorobenzene	ND	ND	3.2 E-02
71-55-6	1,1,1-Trichloroethane	ND	ND	6.1 E-03
79-00-5	1,1,2-Trichloroethane	ND	ND	6.1 E-03
79-01-6	Trichloroethylene	ND	ND	6.0 E-03
75-69-4	Trichlorofluoromethane	ND	ND	6.3 E-03
95-95-4	2,4,5-Trichlorophenol	ND	ND	3.2 E-03
88-06-2	2,4,6-Trichlorophenol	ND	ND	1.9 E-03
96-18-4	1,2,3-Trichloropropane	ND	ND	2.6 E-02
95-63-6	1,2,4-Trimethylbenzene	ND	ND	5.5 E-03
540-84-1	2,2,4-Trimethylpentane	ND	ND	2.0 E-02
108-05-4	Vinyl acetate	ND	ND	1.5 E-02
75-01-4	Vinyl chloride ^h	2.8 E-08	5.0 E-06	1.5 E-02
75-35-4	Vinylidene chloride	ND	ND	4.4 E-03
106-42-3, 108-38-3	m-Xylene, p-Xylene	ND	ND	4.9 E-03
95-47-6	o-Xylene	ND	ND	4.9 E-03
7440-66-6	Zinc	1.1 E-06	1.9 E-04	

TABLE A4 (cont.)

		Emission Factor ^{b,c}		Minimum
CASRN ^a	Compound	lb per item	lb per lb NEW ^d	Detection Level mg/m ^{3,e}
	Other Po	llutants		
67-64-1	Acetone ^h	1.7 E-06	3.1 E-04	
74-86-2	Acetylene ^g	ND	ND	1.2 E-01
35572-78-2	2-Amino-4,6-dinitrotoluene	ND	ND	1.7 E-04
19406-51-0	4-Amino-2,6-dinitrotoluene	ND	ND	1.5 E-04
100-52-7	Benzaldehyde ^h	3.3 E-08	5.9 E-06	
4748-78-1	Benzaldehyde, 4-ethyl ⁱ	8.3 E-08	1.5 E-05	
26974-29-8	Benzenesulfinothioic acid, 4-methoxy-, S ⁱ	3.2 E-07	5.6 E-05	
65-85-0	Benzoic acid	1.8 E-06	3.2 E-04	
100-51-6	Benzyl alcohol	ND	ND	8.7 E-02
106-97-8	n-Butane	ND	ND	1.0 E-02
106-98-9	1-Butene	ND	ND	9.8 E-03
590-18-1	cis-2-Butene	ND	ND	9.8 E-03
624-64-6	trans-2-Butene ^g	ND	ND	9.8 E-03
107-14-2	Chloroacetonitrile	ND	ND	1.3 E-02
109-69-3	1-Chlorobutane	ND	ND	4.2 E-02
59-50-7	4-Chloro-3-methylphenol	ND	ND	1.5 E-03
90-13-1	1-Chloronaphthalene	ND	ND	1.2 E-03
95-57-8	2-Chlorophenol	ND	ND	1.2 E-03
287-92-3	Cyclopentane	ND	ND	1.2 E-02
124-18-5	n-Decane	ND	ND	2.5 E-02
124-48-1	Dibromochloromethane	ND	ND	9.5 E-03
156-59-2	cis-1,2-Dichloroethene	ND	ND	4.4 E-03
156-60-5	trans-1,2-Dichloroethene	ND	ND	1.9 E-02
87-65-0	2,6-Dichlorophenol	ND	ND	1.2 E-03
10061-01-5	cis-1,3-Dichloropropene	ND	ND	5.1 E-03
141-93-5	1,3-Diethylbenzene	ND	ND	2.3 E-02
105-05-5	1,4-Diethylbenzene	ND	ND	2.3 E-02
5779-94-2	2,5-Dimethylbenzaldehyde	ND	ND	1.0 E-03
75-83-2	2,2-Dimethylbutane	ND	ND	1.5 E-02
79-29-8	2,3-Dimethylbutane	ND	ND	1.5 E-02
565-59-3	2,3-Dimethylpentane	ND	ND	1.7 E-02
108-08-7	2,4-Dimethylpentane	ND	ND	1.7 E-02
117-84-0	Di-n-octylphthalate	ND	ND	1.4 E-03

TABLE A4 (cont.)

		Emission Factor ^{b,c}		Minimum
CASRN ^a	Compound	lb per item	lb per lb NEW ^d	Detection Level mg/m ^{3,e}
74-84-0	Ethane ^g	ND	ND	1.4 E-01
64-17-5	Ethanol	ND	ND	8.0 E-03
60-29-7	Ethyl ether	ND	ND	1.3 E-02
97-63-2	Ethyl methacrylate	ND	ND	2.0 E-02
62-50-0	Ethyl methanesulfonate	ND	ND	1.2 E-03
620-14-4	m-Ethyltoluene	ND	ND	2.1 E-02
611-14-3	o-Ethyltoluene	ND	ND	2.1 E-02
622-96-8	p-Ethyltoluene	ND	ND	2.1 E-02
142-82-5	n-Heptane	ND	ND	4.6 E-03
1888-71-7	Hexachloropropene	ND	ND	1.8 E-03
66-25-1	Hexaldehyde ^h	3.1 E-08	5.4 E-06	
591-78-6	2-Hexanone	ND	ND	1.7 E-02
592-41-6	1-Hexene	ND	ND	1.5 E-02
2691-41-0	HMX ^h	4.2 E-05	7.5 E-03	
75-28-5	Isobutane	ND	ND	1.0 E-02
78-79-5	Isoprene	ND	ND	1.2 E-02
590-86-3	Isovaleraldehyde ^h	8.0 E-09	1.4 E-06	
5989-27-5	d-Limonene	ND	ND	2.4 E-02
7439-95-4	Magnesium ^g	2.3 E-07	4.1 E-05	
108-87-2	Methylcyclohexane	ND	ND	1.7 E-02
96-37-7	Methylcyclopentane	ND	ND	1.5 E-02
78-93-3	Methyl ethyl ketone	ND	ND	1.3 E-02
592-27-8	2-Methylheptane	ND	ND	1.9 E-02
589-81-1	3-Methylheptane	ND	ND	2.0 E-02
591-76-4	2-Methylhexane	ND	ND	1.7 E-02
589-34-4	3-Methylhexane	ND	ND	1.7 E-02
66-27-3	Methyl methanesulfonate	ND	ND	1.4 E-03
107-83-5	2-Methylpentane	ND	ND	1.5 E-02
96-14-0	3-Methylpentane	ND	ND	1.5 E-02
827-54-3	Napthalene, 2-ethenyl ⁱ	1.1 E-06	2.0 E-04	
88-74-4	2-Nitroaniline	ND	ND	1.2 E-03
99-09-2	3-Nitroaniline	ND	ND	5.0 E-03
10595-95-6	N-Nitrosomethylethylamine	ND	ND	2.1 E-03
930-55-2	N-Nitrosopyrrolidine	ND	ND	1.2 E-03
88-72-2	2-Nitrotoluene	7.3 E-07	1.3 E-04	

TABLE A4 (cont.)

		Emission	Factor ^{b,c}	Minimum
CASRN ^a	Compound	lb per item	lb per lb NEW ^d	Detection Level mg/m ^{3,e}
99-99-0	4-Nitrotoluene ^h	5.0 E-08	8.8 E-06	
111-84-2	n-Nonane	ND	ND	2.2 E-02
111-65-9	n-Octane	ND	ND	2.0 E-02
78-78-4	i-Pentane	ND	ND	1.3 E-02
109-66-0	n-Pentane	ND	ND	1.3 E-02
109-67-1	1-Pentene	ND	ND	1.2 E-02
627-20-3	cis-2-Pentene	ND	ND	1.2 E-02
646-04-8	trans-2-Pentene	ND	ND	1.2 E-02
14797-73-0	Perchlorate	1.5 E-06	2.7 E-04	
78-11-5	PETN	3.4 E-09	6.0 E-07	
62-44-2	Phenacetin	ND	ND	1.2 E-03
80-56-8	alpha-Pinene	ND	ND	2.4 E-02
127-91-3	beta-Pinene	ND	ND	2.4 E-02
74-98-6	Propane	ND	ND	2.0 E-01
103-65-1	n-Propylbenzene	ND	ND	5.5 E-03
121-82-4	RDX	ND	ND	1.1 E-04
95-94-3	1,2,4,5-Tetrachlorobenzene	ND	ND	1.2 E-03
58-90-2	2,3,4,6-Tetrachlorophenol	ND	ND	1.6 E-03
109-99-9	Tetrahydrofuran	ND	ND	1.3 E-02
479-45-8	Tetryl ^h	5.3 E-09	9.4 E-07	
1334-78-7	o,m,p-Tolualdehyde ^h	1.1 E-07	2.0 E-05	
526-73-8	1,2,3-Trimethylbenzene	ND	ND	2.1 E-02
108-67-8	1,3,5-Trimethylbenzene	ND	ND	5.5 E-03
565-75-3	2,3,4-Trimethylpentane	ND	ND	2.0 E-02
99-35-4	1,3,5-Trinitrobenzene	ND	ND	1.1 E-03
118-96-7	2,4,6-Trinitrotoluene	ND	ND	1.6 E-04
1120-21-4	Undecane	ND	ND	2.7 E-02
110-62-3	Valeraldehyde ^h	2.8 E-08	4.9 E-06	

TABLE A4 (cont.)

- ^a CASRN = Chemical Abstracts Service Registry Number.
- ^b ND = nondetected.
- ^c Emission factors rated C unless otherwise noted.
- ^d NEW = net explosive weight. The NEW for this ordnance is 5.65 E-03 pounds per item.
- e Data provided for compounds that were not detected.
 f Emission factor rated A because of correlation with emission factors for similar ordnance and number of test data points.
- g Emission factor rated B because of correlation with emission factors for similar ordnance and number of test data points.
- ^h Emission factor rated D because the factor is based upon C-rated test data.
- ¹ Emission factor rated D because the factor is for a tentatively identified compound.



TABLE A5 COMPOUNDS ANALYZED AND EMISSION FACTORS DEVELOPED FOR DODIC M630, M1 PULL TYPE DEMOLITION FIRING DEVICE

		Emission	Factor ^{b,c}	Minimum
CASRN ^a	Compound	lb per item	lb per lb NEW ^d	Detection Level mg/m ^{3,e}
Carbon	Dioxide, Criteria Pollutants, Total Non Particu		earbons, and Tota	al Suspended
124-38-9	Carbon dioxide ^g	0	0	
630-08-0	Carbon monoxide ^g	7.3 E-06	1.3 E-01	
7439-92-1	Lead	7.1 E-06	1.3 E-01	
	Oxides of nitrogen ^g	6.8 E-07	1.2 E-02	
	PM-2.5	3.3 E-07	5.7 E-03	
	PM-10 ^g	1.9 E-05	3.4 E-01	
7446-09-5	Sulfur dioxide	1.3 E-07	2.3 E-03	
	Total nonmethane hydrocarbons	5.8 E-08	1.0 E-03	
12789-66-1	Total suspended particulate ^f	2.7 E-05	4.7 E-01	
	Hazardous Air Pollutant	s and Toxic Che	micals	
83-32-9	Acenaphthene	ND	ND	8.4 E-04
208-96-8	Acenaphthylene	ND	ND	8.4 E-04
75-07-0	Acetaldehyde	1.5 E-08	2.7 E-04	
75-05-8	Acetonitrile ^g	ND	ND	7.2 E-03
98-86-2	Acetophenone ^g	ND	ND	4.0 E-03
53-96-3	2-Acetylaminofluorene	ND	ND	8.4 E-04
107-02-8	Acrolein	ND	ND	9.8 E-03
107-13-1	Acrylonitrile ^g	ND	ND	9.3 E-03
107-05-1	Allyl chloride	ND	ND	1.3 E-02
7429-90-5	Aluminum ^g	1.4 E-06	2.5 E-02	
92-67-1	4-Aminobiphenyl	ND	ND	1.7 E-02
7664-41-7	Ammonia	ND	ND	2.1 E-02
62-53-3	Aniline	ND	ND	1.2 E-02
120-12-7	Anthracene	ND	ND	8.4 E-04
7440-36-0	Antimony	3.5 E-06	6.2 E-02	
7440-38-2	Arsenic	ND	ND	6.0 E-04
7440-39-3	Barium ^g	2.2 E-06	3.8 E-02	
71-43-2	Benzene	ND	ND	3.6 E-03
92-87-5	Benzidine	ND	ND	8.6 E-02
56-55-3	Benzo[a]anthracene	ND	ND	9.8 E-04
205-99-2	Benzo[b]fluoranthene	ND	ND	1.8 E-03
207-08-9	Benzo[k]fluoranthene	ND	ND	1.0 E-03

TABLE A5 (cont.)

		Emission	Factor ^{b,c}	Minimum
CASRN ^a	Compound	lb per item	lb per lb NEW ^d	Detection Level mg/m ^{3,e}
191-24-2	Benzo[g,h,i]perylene	ND	ND	2.7 E-03
50-32-8	Benzo[a]pyrene	ND	ND	8.4 E-04
100-44-7	Benzyl chloride	ND	ND	5.8 E-03
7440-41-7	Beryllium	ND	ND	1.5 E-04
75-25-2	Bromoform	ND	ND	4.4 E-02
74-83-9	Bromomethane	ND	ND	4.3 E-03
101-55-3	4-Bromophenylphenylether	ND	ND	8.4 E-04
106-99-0	1,3-Butadiene	ND	ND	2.5 E-03
71-36-3	n-Butanol	ND	ND	1.3 E-02
85-68-7	Butylbenzylphthalateg	ND	ND	1.0 E-03
123-72-8	Butyraldehyde	6.4 E-09	1.1 E-04	
7440-43-9	Cadmium	ND	ND	8.6 E-05
86-74-8	Carbazole	ND	ND	1.1 E-03
75-15-0	Carbon disulfide ^g	ND	ND	1.3 E-02
56-23-5	Carbon tetrachloride	ND	ND	7.0 E-03
106-47-8	4-Chloroaniline	ND	ND	1.0 E-02
108-90-7	Chlorobenzene	ND	ND	5.2 E-03
75-00-3	Chloroethane	ND	ND	3.0 E-03
111-91-1	bis(2-Chloroethoxy)methane	ND	ND	8.4 E-04
111-44-4	bis(2-Chloroethyl)ether	ND	ND	9.4 E-04
67-66-3	Chloroform	ND	ND	5.4 E-03
108-60-1	bis(2-Chloroisopropyl)ether	ND	ND	1.3 E-03
74-87-3	Chloromethane	ND	ND	8.8 E-03
91-58-7	2-Chloronaphthalene	ND	ND	8.4 E-04
7005-72-3	4-Chlorophenylphenyl ether	ND	ND	8.4 E-04
7440-47-3	Chromium	1.7 E-07	3.1 E-03	
218-01-9	Chrysene	ND	ND	1.1 E-03
7440-48-4	Cobalt	ND	ND	8.6 E-04
7440-50-8	Copper	2.6 E-08	4.5 E-04	
4170-30-3	Crotonaldehyde ^h	1.1 E-08	1.9 E-04	
98-82-8	Cumene	ND	ND	5.5 E-03
110-82-7	Cyclohexane	ND	ND	3.8 E-03
53-70-3	Dibenz[a,h]anthracene	ND	ND	1.0 E-03
132-64-9	Dibenzofuran	ND	ND	8.4 E-04
106-93-4	1,2-Dibromoethane	ND	ND	8.6 E-03

TABLE A5 (cont.)

		Emission	Factor ^{b,c}	Minimum
CASRN ^a	Compound	lb per item	lb per lb NEW ^d	Detection Level mg/m ^{3,e}
84-74-2	Dibutylphthalate	ND	ND	1.7 E-02
95-50-1	1,2-Dichlorobenzene	ND	ND	6.7 E-03
541-73-1	1,3-Dichlorobenzene	ND	ND	6.7 E-03
106-46-7	1,4-Dichlorobenzene	ND	ND	6.7 E-03
91-94-1	3,3'-Dichlorobenzidine	ND	ND	1.2 E-02
75-27-4	Dichlorobromomethane	ND	ND	7.5 E-03
75-71-8	Dichlorodifluoromethane	ND	ND	5.5 E-03
75-34-3	1,1-Dichloroethane	ND	ND	4.5 E-03
107-06-2	1,2-Dichloroethane	ND	ND	4.5 E-03
120-83-2	2,4-Dichlorophenol	ND	ND	8.4 E-04
78-87-5	1,2-Dichloropropane	ND	ND	5.2 E-03
10061-02-6	trans-1,3-Dichloro-1-propene	ND	ND	5.1 E-03
76-14-2	Dichlorotetrafluoroethane	ND	ND	7.8 E-03
60-11-7	p-Dimethylaminoazobenzene	ND	ND	8.4 E-04
57-97-6	7,12-Dimethylbenz[a]anthracene	ND	ND	8.6 E-04
119-93-7	3,3'-Dimethylbenzidine	ND	ND	8.4 E-02
105-67-9	2,4-Dimethylphenol	ND	ND	1.1 E-02
131-11-3	Dimethyl phthalate	ND	ND	8.4 E-04
99-65-0	1,3-Dinitrobenzene	ND	ND	8.7 E-04
534-52-1	4,6-Dinitro-o-cresol	ND	ND	1.5 E-02
51-28-5	2,4-Dinitrophenol	ND	ND	3.7 E-02
121-14-2	2,4-Dinitrotoluene	6.0E-10	1.1 E-05	
606-20-2	2,6-Dinitrotoluene	ND	ND	2.5 E-04
88-85-7	Dinoseb	ND	ND	1.7 E-03
123-91-1	1,4-Dioxane	ND	ND	1.5 E-02
	Total dioxin/furan compounds	0	0	
122-39-4	Diphenylamine	ND	ND	8.4 E-04
122-66-7	1,2-Diphenylhydrazine	ND	ND	8.4 E-04
100-41-4	Ethylbenzene	ND	ND	4.9 E-03
74-85-1	Ethyleneg	ND	ND	1.3 E-01
117-81-7	bis(2-Ethylhexyl)phthalate	ND	ND	1.7 E-02
206-44-0	Fluoranthene	ND	ND	9.1 E-04
86-73-7	Fluorene	ND	ND	8.4 E-04
50-00-0	Formaldehyde ^g	0	0	
76-13-1	Freon 113	ND	ND	8.6 E-03

TABLE A5 (cont.)

		Emission	Factor ^{b,c}	Minimum
CASRN ^a	Compound	lb per item	lb per lb NEW ^d	Detection Level mg/m ^{3,e}
35822-46-9	1,2,3,4,6,7,8-Heptachlorodibenzo- p-dioxin	ND	ND	5.1 E-09
67562-39-4	1,2,3,4,6,7,8- Heptachlorodibenzofuran	ND	ND	3.4 E-09
55673-89-7	1,2,3,4,7,8,9- Heptachlorodibenzofuran	ND	ND	3.4 E-09
118-74-1	Hexachlorobenzene	ND	ND	8.4 E-04
87-68-3	Hexachlorobutadiene	ND	ND	4.6 E-02
77-47-4	Hexachlorocyclopentadiene	ND	ND	1.7 E-02
39227-28-6	1,2,3,4,7,8-Hexachlorodibenzo-p- dioxin	ND	ND	3.4 E-09
57653-85-7	1,2,3,6,7,8-Hexachlorodibenzo-p- dioxin	ND	ND	3.4 E-09
19408-74-3	1,2,3,7,8,9-Hexachlorodibenzo-p- dioxin	ND	ND	3.4 E-09
70648-26-9	1,2,3,4,7,8-Hexachlorodibenzofuran	ND	ND	1.7 E-09
57117-44-9	1,2,3,6,7,8-Hexachlorodibenzofuran	ND	ND	1.7 E-09
72918-21-9	1,2,3,7,8,9-Hexachlorodibenzofuran	ND	ND	1.7 E-09
60851-34-5	2,3,4,6,7,8-Hexachlorodibenzofuran	ND	ND	1.7 E-09
67-72-1	Hexachloroethane	ND	ND	9.1 E-04
110-54-3	Hexane	ND	ND	3.9 E-03
7647-01-0	Hydrochloric acid	ND	ND	6.3 E-02
74-90-8	Hydrogen cyanide	ND	ND	4.6 E-02
193-39-5	Indeno[1,2,3-cd]pyrene	ND	ND	9.1 E-04
78-59-1	Isophorone	ND	ND	8.4 E-04
67-63-0	Isopropyl alcohol	ND	ND	1.0 E-02
120-58-1	Isosafrole	ND	ND	8.4 E-04
7439-92-1	Lead	7.1 E-06	1.3 E-01	3.4 E-03
7439-96-5	Manganese ^g	2.3 E-08	4.1 E-04	
7439-97-6	Mercury	ND	ND	2.4 E-04
126-98-7	Methacrylonitrile	ND	ND	1.2 E-02
96-33-3	Methyl acrylate	ND	ND	1.5 E-02
56-49-5	3-Methylcholanthrene	ND	ND	8.4 E-04
75-09-2	Methylene chloride	7.5 E-08	1.3 E-03	
108-10-1	Methyl isobutyl ketone	ND	ND	1.7 E-02
80-62-6	Methyl methacrylate	ND	ND	1.7 E-02

TABLE A5 (cont.)

		Emission	Factor ^{b,c}	Minimum
CASRN ^a	Compound	lb per item	lb per lb NEW ^d	Detection Level mg/m ^{3,e}
91-57-6	2-Methylnaphthalene	0	0	
95-48-7	2-Methylphenol	ND	ND	5.0 E-03
1634-04-4	Methyl tert-butyl ether	ND	ND	1.5 E-02
91-20-3	Naphthalene	ND	ND	1.0 E-03
134-32-7	1-Naphthylamine	ND	ND	1.7 E-02
91-59-8	2-Naphthylamine	ND	ND	1.7 E-02
7440-02-0	Nickel	1.1 E-07	2.0 E-03	
100-01-6	4-Nitroaniline	ND	ND	3.4 E-03
98-95-3	Nitrobenzene	ND	ND	5.9 E-04
55-63-0	Nitroglycerin	ND	ND	5.1 E-04
88-75-5	2-Nitrophenol	ND	ND	8.4 E-04
100-02-7	4-Nitrophenol	ND	ND	5.5 E-03
79-46-9	2-Nitropropane	ND	ND	1.6 E-02
924-16-3	N-Nitroso-di-n-butylamine	ND	ND	8.4 E-04
55-18-5	N-Nitrosodiethylamine	ND	ND	8.4 E-04
62-75-9	N-Nitrosodimethylamine	ND	ND	8.4 E-04
86-30-6	N-Nitrosodiphenylamine	ND	ND	1.5 E-03
621-64-7	N-Nitroso-di-n-propylamine	ND	ND	8.4 E-04
59-89-2	N-Nitrosomorpholine	ND	ND	8.4 E-04
100-75-4	N-Nitrosopiperidine	ND	ND	8.4 E-04
99-55-8	5-Nitro-o-toluidine	ND	ND	1.3 E-02
39001-02-0	1,2,3,4,6,7,8,9- Octachlorodibenzofuran	ND	ND	1.7 E-09
608-93-5	Pentachlorobenzene	ND	ND	8.4 E-04
40321-76-4	1,2,3,7,8-Pentachlorodibenzo-p- dioxin	ND	ND	3.4 E-09
57117-41-6	1,2,3,7,8-Pentachlorodibenzofuran	ND	ND	1.7 E-09
57117-31-4	2,3,4,7,8-Pentachlorodibenzofuran	ND	ND	1.7 E-09
76-01-7	Pentachloroethane	ND	ND	8.4 E-04
82-68-8	Pentachloronitrobenzene	ND	ND	8.4 E-04
87-86-5	Pentachlorophenol	ND	ND	4.2 E-02
85-01-8	Phenanthrene	ND	ND	8.4 E-04
108-95-2	Phenol ^g	3.7E-10	6.5 E-06	
7723-14-0	Phosphorus ^g	5.4 E-09	9.4 E-05	
123-38-6	Propionaldehyde ^h	2.4 E-09	4.2 E-05	

TABLE A5 (cont.)

		Emission	Factor ^{b,c}	Minimum
CASRN ^a	Compound	lb per item	lb per lb NEW ^d	Detection Level mg/m ^{3,e}
115-07-1	Propylene ^f	ND	ND	1.9 E-01
129-00-0	Pyrene	ND	ND	8.9 E-04
110-86-1	Pyridine	ND	ND	1.2 E-03
94-59-7	Safrole	ND	ND	8.4 E-04
7782-49-2	Selenium	ND	ND	6.0 E-04
7440-22-4	Silver	ND	ND	1.2 E-03
100-42-5	Styrene	ND	ND	
1746-01-6	2,3,7,8-Tetrachlorodibenzo-p-dioxin ^g	ND	ND	1.7 E-09
51207-31-9	2,3,7,8-Tetrachlorodibenzofuran	ND	ND	1.7 E-09
71-55-6	1,1,1-Trichloroethane	ND	ND	6.1 E-03
79-34-5	1,1,2,2-Tetrachloroethane	ND	ND	7.7 E-03
127-18-4	Tetrachloroethylene	ND	ND	7.6 E-03
7440-28-0	Thallium	0	0	
108-88-3	Toluene	ND	ND	4.2 E-03
95-53-4	o-Toluidine	ND	ND	1.1 E-02
120-82-1	1,2,4-Trichlorobenzene	ND	ND	3.2 E-02
79-00-5	1,1,2-Trichloroethane	ND	ND	6.1 E-03
79-01-6	Trichloroethylene	ND	ND	6.0 E-03
75-69-4	Trichlorofluoromethane	ND	ND	6.3 E-03
95-95-4	2,4,5-Trichlorophenol	ND	ND	2.2 E-03
88-06-2	2,4,6-Trichlorophenol	ND	ND	1.3 E-03
96-18-4	1,2,3-Trichloropropane	ND	ND	2.6 E-02
95-63-6	1,2,4-Trimethylbenzene	ND	ND	5.5 E-03
540-84-1	2,2,4-Trimethylpentane	ND	ND	2.0 E-02
108-05-4	Vinyl acetate	ND	ND	1.5 E-02
75-01-4	Vinyl chloride	ND	ND	1.5 E-02
75-35-4	Vinylidene chloride	ND	ND	4.4 E-03
106-42-3, 108-38-3	m-Xylene, p-Xylene	ND	ND	4.9 E-03
95-47-6	o-Xylene	ND	ND	4.9 E-03
7440-66-6	Zinc	6.1 E-07	1.1 E-02	
	Other Po	llutants		
67-64-1	Acetone ^h	2.8 E-07	4.9 E-03	

TABLE A5 (cont.)

CASRN ^a	Compound	Emission Factor ^{b,c}		Minimum
		lb per item	lb per lb NEW ^d	Detection Level mg/m ^{3,e}
74-86-2	Acetylene ^g	ND	ND	1.2 E-01
35572-78-2	2-Amino-4,6-dinitrotoluene	ND	ND	1.1 E-04
19406-51-0	4-Amino-2,6-dinitrotoluene ^h	7.9E-10	1.4 E-05	
100-52-7	Benzaldehyde	1.8E-10	3.1 E-06	
65-85-0	Benzoic acid	5.1 E-08	9.0 E-04	
100-51-6	Benzyl alcohol	ND	ND	5.9 E-02
106-97-8	n-Butane	ND	ND	1.0 E-02
106-98-9	1-Butene	ND	ND	9.8 E-03
590-18-1	cis-2-Butene	ND	ND	9.8 E-03
624-64-6	trans-2-Butene ^g	ND	ND	9.8 E-03
107-14-2	Chloroacetonitrile	ND	ND	1.3 E-02
109-69-3	1-Chlorobutane	ND	ND	1.6 E-02
59-50-7	4-Chloro-3-methylphenol	ND	ND	1.0 E-03
90-13-1	1-Chloronaphthalene	ND	ND	8.4 E-04
95-57-8	2-Chlorophenol	ND	ND	8.4 E-04
287-92-3	Cyclopentane	ND	ND	1.2 E-02
124-18-5	n-Decane	ND	ND	2.5 E-02
124-48-1	Dibromochloromethane	ND	ND	9.5 E-03
156-59-2	cis-1,2-Dichloroethene	ND	ND	4.4 E-03
156-60-5	trans-1,2-Dichloroethene	ND	ND	1.9 E-02
87-65-0	2,6-Dichlorophenol	ND	ND	8.4 E-04
10061-01-5	cis-1,3-Dichloropropene	ND	ND	5.1 E-03
141-93-5	1,3-Diethylbenzene	ND	ND	2.3 E-02
105-05-5	1,4-Diethylbenzene	ND	ND	2.3 E-02
5779-94-2	2,5-Dimethylbenzaldehyde	ND	ND	4.2 E-04
75-83-2	2,2-Dimethylbutane	ND	ND	1.5 E-02
79-29-8	2,3-Dimethylbutane	ND	ND	1.5 E-02
565-59-3	2,3-Dimethylpentane	ND	ND	1.7 E-02
108-08-7	2,4-Dimethylpentane	ND	ND	1.7 E-02
117-84-0	Di-n-octylphthalate	ND	ND	9.4 E-04
74-84-0	Ethane ^g	ND	ND	1.4 E-01
64-17-5	Ethanol	ND	ND	8.0 E-03
60-29-7	Ethyl ether	ND	ND	1.3 E-02
97-63-2	Ethyl methacrylate	ND	ND	2.0 E-02
62-50-0	Ethyl methanesulfonate	ND	ND	8.4 E-04

TABLE A5 (cont.)

CASRN ^a	Compound	Emission Factor ^{b,c}		Minimum
		lb per item	lb per lb NEW ^d	Detection Level mg/m ^{3,e}
620-14-4	m-Ethyltoluene	ND	ND	2.1 E-02
611-14-3	o-Ethyltoluene	ND	ND	2.1 E-02
622-96-8	p-Ethyltoluene	ND	ND	2.1 E-02
593-49-7	Heptacosane ⁱ	6.0 E-08	1.1 E-03	
142-82-5	n-Heptane	ND	ND	4.6 E-03
1888-71-7	Hexachloropropene	ND	ND	1.2 E-03
66-25-1	Hexaldehyde	0	0	
591-78-6	2-Hexanone	ND	ND	1.7 E-02
592-41-6	1-Hexene	ND	ND	1.5 E-02
2691-41-0	HMX ^h	2.3 E-06	4.0 E-02	
75-28-5	Isobutane	ND	ND	1.0 E-02
78-79-5	Isoprene	ND	ND	1.2 E-02
590-86-3	Isovaleraldehyde	ND	ND	3.2 E-04
5989-27-5	d-Limonene	ND	ND	2.4 E-02
7439-95-4	Magnesium ^g	1.5 E-08	2.6 E-04	
108-87-2	Methylcyclohexane	ND	ND	1.7 E-02
96-37-7	Methylcyclopentane	ND	ND	1.5 E-02
78-93-3	Methyl ethyl ketone	ND	ND	1.3 E-02
592-27-8	2-Methylheptane	ND	ND	1.9 E-02
589-81-1	3-Methylheptane	ND	ND	2.0 E-02
591-76-4	2-Methylhexane	ND	ND	1.7 E-02
589-34-4	3-Methylhexane	ND	ND	1.7 E-02
66-27-3	Methyl methanesulfonate	ND	ND	9.2 E-04
107-83-5	2-Methylpentane	ND	ND	1.5 E-02
96-14-0	3-Methylpentane	ND	ND	1.5 E-02
1438-62-6	1-Naphthalenepropanol, alpha- ethenylde ⁱ	8.8 E-08	1.6 E-03	
88-74-4	2-Nitroaniline	ND	ND	8.4 E-04
99-09-2	3-Nitroaniline	ND	ND	3.4 E-03
10595-95-6	N-Nitrosomethylethylamine	ND	ND	1.4 E-03
930-55-2	N-Nitrosopyrrolidine	ND	ND	8.4 E-04
88-72-2	2-Nitrotoluene	ND	ND	5.2 E-04
99-99-0	4-Nitrotoluene	4.5 E-08	7.9 E-04	
629-92-5	Nonadecane ⁱ	5.1 E-08	8.9 E-04	

TABLE A5 (cont.)

CASRNa	Compound	Emission Factor ^{b,c}		Minimum
		lb per item	lb per lb NEW ^d	Detection Level mg/m ^{3,e}
111-84-2	n-Nonane	ND	ND	2.2 E-02
7206-19-1	3-Octadecene, (E)- ⁱ	5.0 E-08	8.8 E-04	
111-65-9	n-Octane	ND	ND	2.0 E-02
78-78-4	i-Pentane	ND	ND	1.3 E-02
109-66-0	n-Pentane	ND	ND	1.3 E-02
109-67-1	1-Pentene	ND	ND	1.2 E-02
627-20-3	cis-2-Pentene	ND	ND	1.2 E-02
646-04-8	trans-2-Pentene	ND	ND	1.2 E-02
14797-73-0	Perchlorate	ND	ND	6.9 E-04
78-11-5	PETN ^h	3.8 E-08	6.7 E-04	
62-44-2	Phenacetin	ND	ND	8.4 E-04
80-56-8	alpha-Pinene	ND	ND	2.4 E-02
127-91-3	beta-Pinene	ND	ND	2.4 E-02
74-98-6	Propane	ND	ND	2.0 E-01
103-65-1	n-Propylbenzene	ND	ND	5.5 E-03
121-82-4	RDX ^h	5.0E-10	8.8 E-06	
95-94-3	1,2,4,5-Tetrachlorobenzene	ND	ND	8.4 E-04
58-90-2	2,3,4,6-Tetrachlorophenol	ND	ND	1.1 E-03
109-99-9	Tetrahydrofuran	ND	ND	1.3 E-02
479-45-8	Tetryl ^h	4.4 E-09	7.8 E-05	
1334-78-7	o,m,p-Tolualdehyde	2.2 E-09	3.8 E-05	
526-73-8	1,2,3-Trimethylbenzene	ND	ND	2.1 E-02
108-67-8	1,3,5-Trimethylbenzene	ND	ND	5.5 E-03
565-75-3	2,3,4-Trimethylpentane	ND	ND	2.0 E-02
99-35-4	1,3,5-Trinitrobenzene	2.2 E-09	3.9 E-05	
118-96-7	2,4,6-Trinitrotoluene ^h	0	0	
1120-21-4	Undecane	ND	ND	2.7 E-02
110-62-3	Valeraldehyde	ND	ND	6.9 E-04

TABLE A5 (cont.)

- ^a CASRN = Chemical Abstracts Service Registry Number.
- ^b ND = nondetected.
- ^c Emission factors rated C unless otherwise noted.
- ^d NEW = net explosive weight. The NEW for this ordnance is 5.70 E-05 pounds per item.
- e Data provided for compounds that were not detected.
 f Emission factor rated A because of correlation with emission factors for similar ordnance and number of test data points.
- g Emission factor rated B because of correlation with emission factors for similar ordnance and number of test data points.
- ^h Emission factor rated D because the factor is based upon C-rated test data.
- ¹ Emission factor rated D because the factor is for a tentatively identified compound.



This page left blank intentionally.

DRAFT

APPENDIX B

NEW AP-42 SECTIONS FOR ORDNANCE INCLUDED IN PHASE V-A TESTING AT DUGWAY PROVING GROUND, UTAH

Electronic versions of the new AP-42 sections for ordnance included in Phase V-A testing at Dugway Proving Ground, Utah, are located on the EPA web site at: http://www.epa.gov/ttn/chief/ap42/index.html.

This page left blank intentionally.

DRAFT