



*Consulting Engineers
and Scientists*

PASTOR, BEHLING & WHEELER, LLC
2201 Double Creek Drive, Suite 4004
Round Rock, TX 78664

Tel (512) 671-3434
Fax (512) 671-3446

January 7, 2013
PBW Project No. 1358

Mr. Mark Arthur
MC-127
Environmental Cleanup Section I, Team 3, Remediation Division
Texas Commission on Environmental Quality
P.O. Box 13087
Austin, Texas 78711-3087

Subject: Correction Action Monitoring Report: 2012 Second Semi-Annual Event
Houston Wood Preserving Works, Houston, Texas
TCEQ SWR No. 31547; Hazardous Solid Waste Permit No. 50343

Dear Mr. Arthur:

Pastor, Behling & Wheeler, LLC (PBW), on behalf of Union Pacific Railroad Company (UPRR), is pleased to provide two copies of the Corrective Action Monitoring Report: 2012 Second Semi-Annual Event for your review. The report was prepared in accordance with Section VII.C.2 of Compliance Plan No. CP-50343, which was issued in conjunction with Post-Closure Care Permit No. HW-50343, both dated June 10, 2005.

If you have any questions or need additional information, please feel free to call me at (512) 671-3434 or Mr. Geoffrey Reeder of UPRR at (281) 350-7197.

Sincerely,

PASTOR, BEHLING & WHEELER, LLC

Eric C. Matzner, P.G.
Senior Hydrogeologist

cc: Waste Program Manager, TCEQ Region 12, Houston
Mr. Geoffrey Reeder, P.G., UPRR – Spring, TX

Hand Delivered

Received

JAN 08 2013

**TCEQ
Remediation Division**

**CORRECTIVE ACTION MONITORING REPORT
2012 SECOND SEMIANNUAL EVENT**

**FORMER HOUSTON WOOD PRESERVING WORKS
4910 LIBERTY ROAD
HOUSTON, TEXAS**

January 4, 2013

Prepared for:

Mr. Geoffrey Reeder, P.G.
UNION PACIFIC RAILROAD COMPANY


24125 Aldine Westfield Road
Spring, Texas 77373

Prepared by:

PASTOR, BEHLING & WHEELER, LLC

2201 Double Creek Drive, Suite 4004
Round Rock, Texas 78664
(512) 671-3434

PBW Project No. 1358



CERTIFICATION

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision according to a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.



Signature

1-2-2012

Date

JOEL STRAFELDA
GENERAL MANAGER
ENVIRONMENTAL MANAGEMENT

Name

Title

TABLE OF CONTENTS

	<u>Page</u>
LIST OF TABLES	iii
LIST OF FIGURES	iii
LIST OF APPENDICES	iii
1.0 EXECUTIVE SUMMARY	1
2.0 INTRODUCTION	2
3.0 2012 SECOND SEMI-ANNUAL GROUNDWATER MONITORING EVENT	4
3.1 Narrative Summary of Second Semi-Annual Monitoring Activities	4
3.1.1 Corrective Action Program	4
3.1.2 Groundwater Monitoring	5
3.2 Purge Water Management	5
3.3 Monitoring and Corrective Action System Wells	6
3.4 Analytical Results	6
3.5 Well Measurements	6
3.6 Potentiometric Surface Maps	7
3.7 Non-Aqueous Phase Liquids	7
3.8 Recovered Groundwater and NAPL	7
3.9 Contaminant Mass Recovered	8
3.10 Analytical Data Evaluation	8
3.11 Reported Concentration Maps	9
3.12 Extent of NAPL	9
3.13 Updated Compliance Schedule	9
3.14 Summary of Changes Made to Corrective Action Program	9
3.15 Modifications and Amendments to Compliance Plan	10
3.16 Corrective Measures Implementation (CMI) Report	10
3.17 Well Casing Elevations	10
3.18 Recommendation for Changes	10
3.19 Well Installation and/or Abandonment	10
3.20 Activity Within Area Subject to Institutional Control	10
3.21 Other Requested Items	11

LIST OF TABLES

<u>Table</u>	<u>Title</u>
1	Summary of Analytical Results for the A-Transmissive Zone (A-TZ)
2	Summary of Analytical Results for the B-Transmissive Zone (B-TZ)
3	Summary of Analytical Results for Quality Assurance/Quality Control Samples
4	Water Level Measurements
5	Compliance Status of Wells and Piezometers

LIST OF FIGURES

<u>Figure</u>	<u>Title</u>
1	Site Location Map
2	Corrective Action Monitoring Well Network
3	A-TZ Potentiometric Surface Contour Map – July 10-11, 2012
4	B-TZ Potentiometric Surface Contour Map – July 10-11, 2012
5	A-TZ Reported Concentrations – 2012 2 nd Semi Annual Monitoring Event
6	B-TZ Reported Concentrations – 2012 2 nd Semi Annual Monitoring Event

LIST OF APPENDICES

<u>Appendix</u>	<u>Title</u>
A	Compliance Plan Tables
B	Field Parameters
C	Laboratory Analytical Reports and Data Usability Summaries
D	Waste Manifest
E	POC Concentrations vs. Time Graphs
F	Updated Compliance Schedule
G	Laboratory Data QA/QC Report Checklist

1.0 EXECUTIVE SUMMARY

This semi-annual report presents a summary and evaluation of the Corrective Action Groundwater Monitoring for July through December 2012 for the Closed Surface Impoundment (Solid Waste Management Unit (SWMU) No. 1) at the former Wood Preserving Works facility (the Site) located in Houston, Texas. The groundwater monitoring activities for this period were performed by Pastor, Behling & Wheeler, LLC (PBW) on behalf of Union Pacific Railroad (UPRR) in July 2012.

The two uppermost groundwater bearing units, the A-Transmissive Zone (A-TZ) and the B-Transmissive Zone (B-TZ), were monitored during this period. Groundwater elevation data collected during the July 2012 sampling event show groundwater flow in the A-TZ to have an inward gradient towards MW-10A with a hydraulic gradient of approximately 0.014 ft/ft. Groundwater flow during the previous event (2012 first semi-annual monitoring event) was to the southeast.

Groundwater elevation data collected in the B-TZ show groundwater flow to have an inward gradient towards MW-10B with a hydraulic gradient of approximately 0.022 ft/ft to the east and 0.005 ft/ft to the west. Groundwater flow during the previous event (2012 first semi-annual monitoring event) was to the east-southeast.

Analytical results from the July 2012 sampling event were compared to Texas Commission on Environmental Quality Texas Risk Reduction Program Protective Concentration Limits, as designated in Section IV.D of the Compliance Plan, dated June 10, 2005. Constituent concentrations were below their respective PCLs for the twelfth consecutive semi-annual monitoring event. Monitoring wells in both the A-TZ and B-TZ are considered to be compliant for this monitoring period.

2.0 INTRODUCTION

This semi-annual report presents a summary and evaluation of groundwater monitoring data collected during the 2012 second semi-annual monitoring period (July through December) at the Union Pacific Railroad (UPRR) former Houston Wood Preserving Works facility (the Site) located at 4910 Liberty Road in Houston, Texas (Figure 1). Semi-annual groundwater monitoring is required for the Site as a condition of the Texas Commission on Environmental Quality (TCEQ) Hazardous Waste Permit No. 50343 and associated Compliance Plan (CP) No. 50343, both renewed and issued on June 10, 2005. Groundwater monitoring at the Site is performed to monitor groundwater quality beneath the Closed Surface Impoundment Unit No. 001 (Solid Waste Management Unit (SWMU) No. 1).

On behalf of UPRR, Pastor, Behling & Wheeler, LLC. (PBW) conducted groundwater monitoring activities at the Site on July 10-11, 2012. Groundwater monitoring activities included sampling and gauging the background and point of compliance (POC) wells and piezometers associated with SWMU No. 1. The sampling event, analytical data, and data evaluation provided in this report fulfill the semi-annual corrective action reporting requirements for the second half of 2012 as described in the CP, Section VII.C.2. This section requires the following reporting elements:

Semi-Annual Corrective Action Report Requirements	Report Section, Table(s) and/or Figure(s)
A narrative summary of the evaluations made in accordance with CP Sections V, VI, and VII for the preceding six-month period. These periods shall be January 1 through June 30 and July 1 through December 31 (VII.C.2.a.)	3.0
Summary of Methods utilized for management of recovered/purged water (VII.C.2.b.)	3.2
An updated table and map of the monitoring and corrective action system wells (VII.C.2.c.)	Section 3.1.1 and Figure 2
The results of the chemical analyses, submitted in a tabulated format in a form acceptable to the Executive Director, which clearly indicates each parameter that exceeds the Groundwater Protection Standard (GWPS). Copies of the original laboratory report for chemical analyses showing detection limits and quality control and quality assurance data shall be provided if requested by the Executive Director (VII.C.2.d.)	Tables 1 & 2 Appendix C
Tabulation of the water level elevations (relative to mean sea level), depth to water measurements, and total depth of well measurements collected since the data that was submitted in the previous semiannual report (VII.C.2.e.)	Table 4
Potentiometric surface maps showing the elevation of the water table at the time of sampling and direction of groundwater flow gradients (VII.C.2.f.)	Figures 3 & 4
A notation of the presence or absence of non-aqueous phase liquids (NAPLs), both light and dense phases, in each well during each sampling event since the last event covered in the previous semiannual report and tabulation of depth and thickness of NAPLs, if detected (VII.C.2.g.)	Table 4

Semi-Annual Corrective Action Report Requirements (cont'd)	Report Section, Table(s) and/or Figure(s)
Quarterly tabulations of quantities of recovered groundwater and NAPLs, and graphs of monthly recorded flow rates versus time for the recovery wells during each period. A narrative summary describing and evaluating the NAPL recovery program shall also be included (VII.C.2.h.)	Not Applicable
Tabulation of the total contaminant mass recovered from each recovery system for each reporting period, if such a system is installed (VII.C.2.i.)	Not Applicable
Tabulation of the data evaluation results pursuant to Section VI.D and status of each well listed on CP Table V with regard to compliance with the corrective action objectives and compliance with the GWPSs (VII.C.2.j.)	Table 5
Maps of the contaminated area depicting concentrations of constituents listed in Table IV and any newly detected Table III constituents as isopleths contours or discrete concentrations if isopleths contours cannot be inferred (VII.C.2.k.)	Not Applicable
Maps indicating the extent and thickness of the LNAPLs and DNAPLs, if detected (VII.C.2.l.)	Not Detected
An updated schedule summary as required by Section X (VII.C.2.m.)	Appendix D
Summary of any changes made to the monitoring/corrective action program and a summary of recovery well inspections, repairs, and any operational difficulties (VII.C.2.n.)	None
A table of the modifications and amendments made to this Compliance Plan with their corresponding approval dates by the executive director or the Commission and a brief description of each action (VII.C.2.o.)	None
Corrective Measures Implementation (CMI) Report to be submitted in accordance with Section VIII.F, if necessary (VII.C.2.p.)	Not Applicable
Tabulation of well casing elevations in accordance with Attachment B No. 16 (VII.C.2.q.)	Table 4
Recommendation for any changes (VII.C.2.r.)	None
Certification and well installation diagram for any new well installation or replacement and certification for any well plugging and abandonment (VII.C.2.s.)	Not Applicable
A summary of any activity within an area subject to institutional control (VII.C.2.t.)	None
Any other items requested by the Executive Director (VII.C.2.u.)	None

As of July 2012, a recovery system had not been installed and is not necessary for the regulated unit.

Therefore, Provisions 8, 9, and 10 that relate to recovery wells or recovery system, are not applicable for this reporting period.

Responses to each of the semi-annual report provisions required by CP Section VII.C.2 are provided in Section 3.0. Conclusions and recommendations are provided in Section 4.0.

3.0 2012 SECOND SEMI-ANNUAL GROUNDWATER MONITORING EVENT

A discussion of each of the semi-annual report provisions required by CP Section VII.C.2 is presented below by reference number to the list of provisions in Section 2.0.

3.1 Narrative Summary of Second Semi-Annual Monitoring Activities

The CP requires an evaluation of the Corrective Action Program (Section V) and Groundwater Monitoring Program summarizing the overall effectiveness of the Corrective Action Program (Section VI). This narrative summary includes provisions for response and reporting requirements as detailed in the CP Section VII, as discussed below.

3.11 Corrective Action Program

Groundwater samples were collected from the Background and POC wells (as detailed in CP Table V, which is provided in Appendix A) to assess potentially affected groundwater quality in the A-Transmissive Zone (A-TZ) and the B-Transmissive Zone (B-TZ). These water-bearing zones are defined as:

- A-TZ refers to the first sand unit encountered at approximately 13 feet below ground surface (bgs) and averages 7 feet in thickness; and
- B-TZ refers to the second sand unit encountered at approximately 30 feet bgs and averages 9 feet in thickness.

The definitions of the A-TZ and B-TZ are consistent with the Uppermost Transmissive Zone (UTZ) and Second Transmissive Zone (STZ), respectively, as defined in CP Provision I.A.

The following monitoring wells were sampled during this event (Figure 2):

- A-TZ POC wells: MW-01A, MW-02, MW-07, MW-10A, and MW-11A;
- A-TZ Background well: MW-08;
- B-TZ POC wells: MW-10B, MW-11B, and P-10; and
- B-TZ background well: P-12.

3.1.2 Groundwater Monitoring

PBW performed quarterly inspections of SWMU No. 1 in July and October, 2012 and conducted semi-annual groundwater sampling activities on July 10-11, 2012. Groundwater sampling was performed using procedures outlined in a U.S. Environmental Protection Agency (EPA) document titled *Low-Flow (Minimal Drawdown) Ground-Water Sampling Procedures* (EPA/540/S-95/504) published in April 1996 and approved in the CP application. Groundwater samples were analyzed for the Detected Hazardous and Solid Waste Constituents listed in the CP, Table III (Appendix A).

Monitoring wells are equipped with dedicated polytetrafluoroethylene (PTFE) tubing for groundwater sampling. A peristaltic pump was used to purge and collect the groundwater samples. An approximate one-foot section of disposable silicon tubing was placed around the pump head and attached to the PTFE tubing for proper operation of the pump. Groundwater was pumped from the screened interval of each well at a flow rate of less than 0.5 L/min using a flow-through cell. Field parameters including temperature, pH, specific conductivity, dissolved oxygen, and turbidity were measured during purging and sampling activities. When field parameters had stabilized to the EPA-specified criteria, a sample was then collected for analysis. The samples were also collected at a flow rate of less than 0.5 L/min. Recorded field parameters are summarized in Appendix B.

For each well, sample bottles were filled directly from the pumping apparatus described above, and were sealed and packed in coolers with sufficient ice to maintain a sample temperature of approximately 4°C. The sample coolers were delivered to ALS Laboratory, in Houston, Texas for analysis. Chain-of-Custody (COC) forms were completed and kept with their respective samples. Copies of the analytical data and COCs are included in Appendix C. Groundwater samples were then analyzed for the Detected Hazardous and Solid Waste Constituents listed in the CP, Table III (Appendix A).

3.2 Purge Water Management

Approximately 5 gallons of purge water was generated during the July 2012 low-flow groundwater sampling event. The purge water was containerized in a Department of Transportation (DOT) certified, 55-gallon steel drum and temporarily stored on site in a fenced and locked container storage area (NOR 006). Since the groundwater sampled and analyzed during this event did not contain hazardous constituents above the applicable health-based levels (i.e. PCLs discussed in Section 3.10), the purge water generated was not considered hazardous in accordance with the EPA “contained-in determination”

detailed in the 1986 EPA memorandum “RCRA Regulatory Status of Contaminated Groundwater”. However, wastes generated during the 2012 second semi-annual monitoring event (including purge water from the site-wide sampling event) were picked up from the Site by USA Environment, LP and transported to the U.S. Ecology Texas, LP facility, located in Robstown, Texas on August 22, 2012 for disposal under EPA waste code F034 and TCEQ Notice of Registration (NOR) waste codes 0914101H (purge water) and 0917406H (personal protective equipment (PPE)). The waste manifest is provided in Appendix D.

3.3 Monitoring and Corrective Action System Wells

A summary of the current monitoring and corrective action groundwater wells is discussed in Section 3.1.1. Configuration of the current monitoring and corrective action well network is presented on Figure 2.

3.4 Analytical Results

The 2012 second semi-annual groundwater analytical results from the A-TZ and B-TZ are summarized in Tables 1 and 2, respectively and the laboratory analytical report is provided in Appendix C. The analytical results were compared to the Detected Hazardous and Solid Waste Constituent limits, which are taken from the current TCEQ Texas Risk Reduction Program (TRRP) Tier 1 Protective Concentration Levels (PCLs). TRRP PCLs serve as the Groundwater Protection Standard (GWPS), as detailed in Section IV.D and Table III of the CP. If any concentrations exceeded the concentration limits of this report, the concentration is bolded within the table.

Quality assurance/quality control (QA/QC) samples (matrix spike and matrix spike duplicate results) are summarized in Table 3.

3.5 Well Measurements

During the sampling event, the following information was recorded at each monitoring well:

Before Sampling

- The presence of light NAPLs was evaluated; and
- Depth to groundwater below the top of casing was measured to the nearest 0.01 foot.

After Sampling

- The presence of dense non-aqueous phase liquids (DNAPLs) were evaluated using visual observations and an oil-water interface probe; and
- Total well depths of the wells were measured.

Table 4 provides a summary of these measurements. None of the compliance wells had measurable amounts or any indication of LNAPL or DNAPL. A discrepancy was noted for total well depth compared to completed well depth for MW-02 and MW-10A. The total well depths will be confirmed during the next scheduled sampling event (January 2013).

3.6 Potentiometric Surface Maps

Groundwater elevation data recorded during the 2012 second semi-annual monitoring event were used to create potentiometric surface maps of the A-TZ and B-TZ, presented on Figures 3 and 4, respectively.

The two uppermost groundwater bearing units, the A-Transmissive Zone (A-TZ) and the B-Transmissive Zone (B-TZ), were monitored during this period. Groundwater elevation data collected during the July 2012 sampling event show groundwater flow in the A-TZ to have an inward gradient towards MW-10A with a hydraulic gradient of approximately 0.014 ft/ft. Groundwater flow during the previous event (2012 first semi-annual monitoring event) was to the southeast.

Groundwater elevation data collected in the B-TZ show groundwater flow to have an inward gradient towards MW-10B with a hydraulic gradient of approximately 0.022 ft/ft to the east and 0.005 ft/ft to the west. Groundwater flow during the previous event (2012 first semi-annual monitoring event) was to the east-southeast.

3.7 Non-Aqueous Phase Liquids

Measurable amounts of LNAPL and/or DNAPL were not observed in any of the compliance wells.

3.8 Recovered Groundwater and NAPL

To date, a recovery system has not been installed nor is necessary at the SWMU No. 1; therefore, this provision is not applicable.

3.9 Contaminant Mass Recovered

With the groundwater analytical data for the POC wells in compliance and no groundwater recovery system installed, or necessary, this provision is not applicable for the Site.

3.10 Analytical Data Evaluation

Section VI.D of the CP describes two methods which may be used to determine the compliance status of a given well:

- 1) Analytical results may be either directly compared with PCLs (CP Table III; included in Appendix A), or
- 2) Analytical results can be statistically compared PCLs using the Confidence Interval Procedure for the mean concentration based on normal, log-normal, or non-parametric distribution, which the 95% confidence coefficient of the t-distribution will be used in construction of the confidence interval.

Direct comparison to PCLs was used to evaluate the analytical data. Tables 1 (A-TZ) and 2 (B-TZ) show the results of a direct comparison of data for this sampling event to the respective PCLs. Wells and piezometers are in compliance if each of the constituents listed in the CP Table III was reported at a concentration less than or equal to the PCL. Based on the analytical results from the July 2012 monitoring event, the compliance wells completed in both transmissive zones are compliant with GWPSs; therefore the monitoring wells are considered to be compliant for this monitoring period. Compliance status for each of the monitoring wells is provided in Table 5.

Monitoring wells in A-TZ and B-TZ have not exceeded the established CP PCLs since July 2005, at which time dibenzofuran exceeded its respective PCL of 0.098 mg/L in MW-01A (0.11 mg/L). Including the 2012 second semi-annual analytical data, the SMWU No. 1 monitoring wells have been compliant for thirteen consecutive semi-annual monitoring events (6.5 years). Concentration versus time graphs for COCs in the A-TZ (2-methylnaphthalene (Figure E-1), dibenzofuran (Figure E-2), and naphthalene (Figure E-3)) and the B-TZ (dibenzofuran (Figure E-4) and naphthalene (Figure E-5)) are provided in Appendix E. The graphs demonstrate that COC concentrations in the A-TZ and B-TZ POC wells have

shown a steady decrease over time, and are currently compliant with the TCEQ Remedy Standard A requirements for groundwater protection.

A QA/QC review and Data Usability Summary (DUS) were prepared for the July 2012 analytical data by Conestoga-Rovers & Associates (CRA) (Appendix C). The laboratory qualified analytes with concentrations above the sample detection limits (SDLs) but below the method quantitation limits (MQLs) as estimated on analytical tables (Tables 1 and 2). None of the data required further qualification by CRA based on the established QC criteria. Based on the QA/QC data review, the analytical data are usable for the intended use.

3.11 Reported Concentration Maps

Reported concentrations of each constituent analyzed for the 2012 second semi-annual monitoring event are presented on Figures 5 and 6 for the A-TZ and B-TZ compliance wells, respectively. In the event a constituent exceeded their respective PCL, the value would be highlighted on the figures. There were no exceedances of PCLs for any of the required constituents.

3.12 Extent of NAPL

Measurable amounts of LNAPL or DNAPL were not detected in any of the compliance wells.

3.13 Updated Compliance Schedule

Section X of the CP requires that the Permittee submit a schedule summarizing the activities required by the Compliance Plan issued on June 10, 2005, which was originally submitted to the TCEQ on August 4, 2004. An updated compliance schedule is included as Appendix F of this report.

3.14 Summary of Changes Made to Corrective Action Program

No changes have been made to the corrective action program.

3.15 Modifications and Amendments to Compliance Plan

A compliance plan renewal application was submitted to TCEQ on December 23, 2003 consistent with the renewal requirements for the RCRA permit at the site. The RCRA permit and CP were issued June 10, 2005. There have been no modifications or amendments to the Compliance Plan since the last permit issued.

3.16 Corrective Measures Implementation (CMI) Report

A Response Action Plan (RAP) has not been submitted; therefore, this provision does not apply.

3.17 Well Casing Elevations

In accordance with the facility Groundwater Sampling and Analysis Plan (GWSAP) dated May 13, 2004 (Revision 1), which requires SWMU No. 1 monitoring well elevations to be resurveyed every five years, the six A-TZ and four B-TZ monitoring well elevations were most recently surveyed on December 2, 2010.

3.18 Recommendation for Changes

There are no recommendations for changes to the monitoring program or to the Corrective Action Program.

3.19 Well Installation and/or Abandonment

No monitoring wells were installed or abandoned as part of the monitoring program or the Corrective Action Program during the reporting period.

3.20 Activity Within Area Subject to Institutional Control

No areas are under institutional control; therefore, this provision does not apply.

3.21 Other Requested Items

No other items have been requested by the executive director.

TABLES

Table 1
Summary of Analytical Results for the A-Transmissive Zone (A-TZ)
Semiannual Monitoring Report: 2012 Second Semiannual Event

Houston Wood Preserving Works
Houston, Texas

Analyte	PCL (mg/L)	Monitoring Well IDs (Concentrations mg/L)																				
		MW-01A			DUP-01			MW-02			MW-07			MW-08			MW-10A			MW-11A		
		7/11/2012	LQ	VQ	7/11/2012	LQ	VQ	7/10/2012	LQ	VQ	7/11/2012	LQ	VQ	7/11/2012	LQ	VQ	7/10/2012	LQ	VQ	7/10/2012	LQ	VQ
Acenaphthene	1.5	0.084			0.083			0.0088			<0.0005	U		<0.0005	U		0.0016	J		<0.0005	U	
Acenaphthylene	1.5	0.0017	J		0.002	J		<0.0005	U		<0.0005	U		<0.0005	U		<0.0005	U		<0.0005	U	
Anthracene	7.3	0.003	J		0.003	J		<0.0005	U		<0.0005	U		<0.0005	U		<0.0005	U		<0.0005	U	
bis(2-ethylhexyl)phthalate	0.006	<0.0005	U		<0.0005	U		<0.0005	U		<0.0005	U		<0.0005	U		<0.0005	U		<0.0005	U	
Dibenzofuran	0.098	0.025			0.025			0.0043	J		<0.0005	U		<0.0005	U		<0.0005	U		<0.0005	U	
Fluoranthene	0.98	0.0047	J		0.0045	J		<0.0005	U		<0.0005	U		<0.0005	U		<0.0005	U		<0.0005	U	
Fluorene	0.98	0.041			0.043			0.0043	J		<0.0005	U		<0.0005	U		<0.0005	U		<0.0005	U	
2-Methylnaphthalene	0.098	0.012			0.011			<0.0005	U		<0.0005	U		<0.0005	U		<0.0005	U		<0.0005	U	
Naphthalene	0.49	<0.0005	U		<0.0005	U		0.0033	J		<0.0005	U		<0.0005	U		<0.0005	U		<0.0005	U	
Phenanthrene	0.73	0.0033	J		0.0031	J		<0.0005	U		<0.0005	U		<0.0005	U		<0.0005	U		<0.0005	U	
Pyrene	0.73	0.0021	J		0.0019	J		<0.0005	U		<0.0005	U		<0.0005	U		<0.0005	U		<0.0005	U	

Notes:

PCL = Protective Concentration Level

The Compliance Plan Section IV.D defines the Groundwater Protection Standard (GWPS) as the PCL

DUP-01 = Duplicate sample collected at MW-01A

LQ - Lab Qualifier

J = Estimated value between the SDL and the MQL

U = Value not detected greater than the MQL

VQ - Validation Qualifier

Table 2
Summary of Analytical Results for the B-Transmissive Zone (B-TZ)
Semiannual Monitoring Report: 2012 Second Semiannual Event

Houston Wood Preserving Works
Houston, Texas

Analyte	PCL (mg/L)	Monitoring Well IDs (Concentrations mg/L)														
		MW-10B			MW-11B			P-10			DUP-02			P-12		
		7/10/2012	LQ	VQ	7/10/2012	LQ	VQ	7/11/2012	LQ	VQ	7/11/2012	LQ	VQ	7/11/2012	LQ	VQ
Acenaphthene	1.5	0.054			0.1			<0.0005	U		<0.0005	U		<0.0005	U	
Acenaphthylene	1.5	<0.0005	U		0.0013	J		<0.0005	U		<0.0005	U		<0.0005	U	
Anthracene	7.3	0.0032	J		0.0055			<0.0005	U		<0.0005	U		<0.0005	U	
bis(2-ethylhexyl)phthalate	0.006	<0.0005	U		<0.0005	U		<0.0005	U		<0.0005	U		<0.0005	U	
Dibenzofuran	0.098	0.02			0.04			<0.0005	U		<0.0005	U		<0.0005	U	
Di-n-butyl phthalate	2.4	<0.0005	U		<0.0005	U		<0.0005	U		<0.0005	U		<0.0005	U	
Fluoranthene	0.98	0.0028	J		0.0053			<0.0005	U		<0.0005	U		<0.0005	U	
Fluorene	0.98	0.031			0.054			<0.0005	U		<0.0005	U		<0.0005	U	
Naphthalene	0.49	0.004	J		0.004	J		<0.0005	U		<0.0005	U		<0.0005	U	
Phenol	7.3	<0.0005	U		<0.0005	U		<0.0005	U		<0.0005	U		<0.0005	U	
Pyrene	0.73	0.0011	J		0.0024	J		<0.0005	U		<0.0005	U		<0.0005	U	

Notes:

PCL = Protective Concentration Level

The Compliance Plan Section IV.D defines the Groundwater Protection Standard (GWPS) as the PCL

DUP-02 = Duplicate sample collected at P-10

LQ - Lab Qualifier

J = Estimated value between the SDL and the MDQ

U = Value not detected greater than the MQL

VQ - Validation Qualifier

Table 3
Summary of Analytical Results for Quality Assurance/Quality Control Samples
Semiannual Monitoring Report: 2012 Second Semiannual Event

Houston Wood Preserving Works
Houston, Texas

Analyte	PCL (mg/L)	P-12(MS) ⁽¹⁾		P-12(MSD) ⁽¹⁾	
		Matrix Spike		Matrix Spike Duplicate	
		7/11/2012		7/11/2012	
Acenaphthene	1.5	0.04572		0.04565	
Acenaphthylene	1.5	0.04712		0.04631	
Anthracene	7.3	0.05381		0.05191	
bis(2-ethylhexyl)phthalate	0.006	0.05210		0.05127	
Dibenzofuran	0.098	0.04924		0.04981	
Di-n-butyl phthalate	2.4	0.05252		0.0517	
Fluoranthene	0.98	0.05342		0.05242	
Fluorene	0.98	0.04938		0.04948	
2-Methylnaphthalene	0.098	0.04449		0.04574	
Naphthalene	0.49	0.04243		0.0428	
Phenanthrene	0.73	0.05172		0.05004	
Phenol	7.3	0.06246		0.06282	
Pyrene	0.73	0.05409		0.05295	

Notes:

PCL = Protective Concentration Level

(1) = P-12(MS) and P-12(MSD) are matrix spike and matrix spike duplicate samples collected at P-12, respectively.

U = Value not detected greater than the MQL

Table 4

Water Level Measurements
Semiannual Monitoring Report: 2012 Second Semiannual Event

Houston Wood Preserving Works
Houston, Texas

Well ID	Top of Casing Elevation (TOC) (ft MSL)*	Date Measured	Water Depth (ft. BTOC)	Depth to NAPL (ft. BTOC)	Total Well Depth as Completed (ft. BTOC)	Total Well Depth (ft. BTOC)	Potentiometric Elevation (ft. MSL)
A-TZ Monitoring Locations							
MW-01A	47.88	7/11/2012	6.94	ND	20.2	19.85	40.94
MW-02	48.00	7/10/2012	7.78	ND	20.3	24.10	40.22
MW-07	48.92	7/11/2012	7.41	ND	NA	25.25	41.51
MW-08	49.33	7/11/2012	7.76	ND	26.8	25.05	41.57
MW-10A	49.82	7/10/2012	9.12	ND	25.9	20.20	40.70
MW-11A	50.07	7/10/2012	8.89	ND	24.4	24.05	41.18
B-TZ Monitoring Locations							
MW-10B	49.95	7/10/2012	9.11	ND	48.8	46.45	40.84
MW-11B	50.23	7/10/2012	9.09	ND	46.8	46.65	41.14
P-10	47.73	7/11/2012	6.38	ND	40.0	42.85	41.35
P-12	48.80	7/11/2012	6.19	ND	40.0	42.85	42.61

Notes

BTOC = feet below the top of the well casing

ft. MSL = feet above Mean Sea Level

NA = Not Available


*TOC elevations based on December 2010 survey (see Section 3.17)

Table 5
Compliance Status of Wells and Piezometers
Semiannual Monitoring Report: 2012 Second Semiannual Event

Houston Wood Preserving Works
Houston, Texas

Zone	Monitoring Well Location	Well Designation	Compliance Status
A-TZ Monitoring Location	MW-01A	Point of Compliance	Compliant
	MW-02	Point of Compliance	Compliant
	MW-07	Point of Compliance	Compliant
	MW-08	Background Well	Compliant
	MW-10A	Point of Compliance	Compliant
	MW-11A	Point of Compliance	Compliant
B-TZ Monitoring Location	MW-10B	Point of Compliance	Compliant
	MW-11B	Point of Compliance	Compliant
	P-10	Point of Compliance	Compliant
	P-12	Background Well	Compliant


FIGURES



QUADRANGLE LOCATION



Scale in Feet



Source:
U.S.G.S. 7.5 minute quadrangle, Settegast, Texas, 1982.



UNION PACIFIC RAILROAD CO.

HOUSTON WOOD PRESERVING WORKS

Figure 1

SITE LOCATION MAP

PROJECT: 1358


BY: ZGK

REVISIONS

DATE: NOV., 2012

CHECKED: ECM



PASTOR, BEHLING & WHEELER, LLC
CONSULTING ENGINEERS AND SCIENTISTS



EXPLANATION

- Road, Parking Lot, Sidewalk
- Fence
- Railroad
- A-TZ Monitoring Well Location
- B-TZ Monitoring Well Location

Note:
* Background well.



Source:
Base map from ERM-Southwest, Inc
0014419a310.dwg, 6/19/2006.



UNION PACIFIC RAILROAD CO.


HOUSTON WOOD PRESERVING WORKS

Figure 2

**CORRECTIVE ACTION MONITORING
WELL NETWORK
TCEQ PERMIT UNIT NO. 1**

PROJECT: 1358	BY: ZGK	REVISIONS
DATE: NOV., 2012	CHECKED: ECM	

PASTOR, BEHLING & WHEELER, LLC
CONSULTING ENGINEERS AND SCIENTISTS



EXPLANATION

- Road, Parking Lot, Sidewalk
- x-x-x-x- Fence
- +—+—+—+— Railroad
- ⊕ A-TZ Monitoring Well Location (* - Compliance Well)
- (44.33) Groundwater Elevation (Ft, MSL) (** - data not used to develop potentiometric contour)
- 41 — Groundwater Elevation Contour (Ft, MSL) C.I.= 1 Ft (dashed where inferred)
- ➔ General Groundwater Flow Direction

ESTIMATED GRADIENT

$$A_{i(east)} \rightarrow A_i = \frac{0.3ft}{21ft} = 0.014 ft/ft$$

$$A_{i(west)} \rightarrow A_i = \frac{0.43ft}{30ft} = 0.014 ft/ft$$

Source:
Base map from ERM-Southwest, Inc
0014419a310.dwg, 6/19/2006.




UNION PACIFIC RAILROAD CO.

HOUSTON WOOD PRESERVING WORKS

Figure 3
**A-TZ POTENTIOMETRIC SURFACE
CONTOUR MAP
JULY 10-11, 2012**

PROJECT: 1358	BY: ZGK	REVISIONS
DATE: NOV., 2012	CHECKED: ECM	

PASTOR, BEHLING & WHEELER, LLC
CONSULTING ENGINEERS AND SCIENTISTS



EXPLANATION

- Road, Parking Lot, Sidewalk
- Fence
- Railroad
- B-TZ Monitoring Well Location (* - Compliance Well)
- (44.59)

 Groundwater Elevation (Ft, MSL) (NM= Not Measured)
- 41** Groundwater Elevation Contour (Ft, MSL) C.I.= 1 Ft (dashed where inferred)
- General Groundwater Flow Direction

ESTIMATED GRADIENT

$$B_{i(east)} \rightarrow B_i = \frac{1.16ft}{53ft} = 0.022 \text{ ft/ft}$$

$$B_{i(west)} \rightarrow B_i = \frac{0.16ft}{30ft} = 0.005 \text{ ft/ft}$$

Source:
Base map from ERM-Southwest, Inc
0014419a310.dwg, 6/19/2006.



UNION PACIFIC RAILROAD CO.

HOUSTON WOOD PRESERVING WORKS

Figure 4


**B-TZ POTENTIOMETRIC SURFACE
CONTOUR MAP
JULY 10-11, 2012**

PROJECT: 1358	BY: ZGK	REVISIONS
DATE: NOV., 2012	CHECKED: ECM	


PASTOR, BEHLING & WHEELER, LLC
CONSULTING ENGINEERS AND SCIENTISTS

Constituent	Conc. (mg/L)
Acenaphthene	0.0088
Acenaphthylene	<0.0005U
Anthracene	<0.0005U
bis(2-ethylhexyl)phthalate	<0.0005U
Dibenzofuran	0.0043J
Fluoranthene	<0.0005U
Fluorene	0.0043J
2-Methylnaphthalene	<0.0005U
Naphthalene	0.0033J
Phenathrene	<0.0005U
Pyrene	<0.0005U

Constituent	Conc. (mg/L)	Conc.* (mg/L)
Acenaphthene	0.084	0.083
Acenaphthylene	0.0017J	0.002J
Anthracene	0.003J	0.003J
bis(2-ethylhexyl)phthalate	<0.0005U	<0.0005U
Dibenzofuran	0.025	0.025
Fluoranthene	0.0047J	0.0045J
Fluorene	0.041	0.043
2-Methylnaphthalene	0.012	0.011
Naphthalene	<0.0005U	<0.0005U
Phenathrene	0.0033J	0.0031J
Pyrene	0.0021J	0.0019J



Constituent	Conc. (mg/L)
Acenaphthene	0.0016J
Acenaphthylene	<0.0005U
Anthracene	<0.0005U
bis(2-ethylhexyl)phthalate	<0.0005U
Dibenzofuran	<0.0005U
Fluoranthene	<0.0005U
Fluorene	<0.0005U
2-Methylnaphthalene	<0.0005U
Naphthalene	<0.0005U
Phenathrene	<0.0005U
Pyrene	<0.0005U



Constituent	Conc. (mg/L)
Acenaphthene	<0.0005U
Acenaphthylene	<0.0005U
Anthracene	<0.0005U
bis(2-ethylhexyl)phthalate	<0.0005U
Dibenzofuran	<0.0005U
Fluoranthene	<0.0005U
Fluorene	<0.0005U
2-Methylnaphthalene	<0.0005U
Naphthalene	<0.0005U
Phenathrene	<0.0005U
Pyrene	<0.0005U

Constituent	Conc. (mg/L)
Acenaphthene	<0.0005U
Acenaphthylene	<0.0005U
Anthracene	<0.0005U
bis(2-ethylhexyl)phthalate	<0.0005U
Dibenzofuran	<0.0005U
Fluoranthene	<0.0005U
Fluorene	<0.0005U
2-Methylnaphthalene	<0.0005U
Naphthalene	<0.0005U
Phenathrene	<0.0005U
Pyrene	<0.0005U

Constituent	Conc. (mg/L)
Acenaphthene	<0.0005U
Acenaphthylene	<0.0005U
Anthracene	<0.0005U
bis(2-ethylhexyl)phthalate	<0.0005U
Dibenzofuran	<0.0005U
Fluoranthene	<0.0005U
Fluorene	<0.0005U
2-Methylnaphthalene	<0.0005U
Naphthalene	<0.0005U
Phenathrene	<0.0005U
Pyrene	<0.0005U

Indicator Parameters	
Constituent	PCL (mg/L)
Acenaphthene	1.5
Acenaphthylene	1.5
Anthracene	7.3
bis(2-ethylhexyl)phthalate	0.006
Dibenzofuran	0.098
Fluoranthene	0.98
Fluorene	0.98
2-Methylnaphthalene	0.098
Naphthalene	0.49
Phenathrene	0.73
Pyrene	0.73

EXPLANATION

- Fence
- Railroad
- A-TZ Monitoring Well Location

- Notes:
1. * Duplicates sample taken at MW-01A.
 2. Sample collected on July 10-11, 2012.
 3. J= Estimated value between SQL and MDL.
 4. U= Value not detected greater than the MDL.




UNION PACIFIC RAILROAD CO.

HOUSTON WOOD PRESERVING WORKS

Figure 5
**A-TZ REPORTED CONCENTRATIONS
 2012 2ND SEMI ANNUAL
 MONITORING EVENT**

PROJECT: 1358	BY: ZGK	REVISIONS
DATE: NOV., 2012	CHECKED: ECM	

PASTOR, BEHLING & WHEELER, LLC
 CONSULTING ENGINEERS AND SCIENTISTS



Source:
Base map from ERM-Southwest, Inc
0014419a310.dwg, 6/19/2006.

Constituent	Conc. (mg/L)
Acenaphthene	0.054
Acenaphthylene	<0.0005U
Anthracene	0.0032J
bis(2-ethylhexyl)phthalate	<0.0005U
Dibenzofuran	0.02
Di-n-butyl Phthalate	<0.0005U
Fluoranthene	0.0028J
Fluorene	0.031
Naphthalene	0.004J
Phenol	<0.0005U
Pyrene	0.0011J

Constituent	Conc. (mg/L)
Acenaphthene	0.1
Acenaphthylene	0.0013J
Anthracene	0.0055
bis(2-ethylhexyl)phthalate	<0.0005U
Dibenzofuran	0.04
Di-n-butyl Phthalate	<0.0005U
Fluoranthene	0.0053
Fluorene	0.054
Naphthalene	0.004J
Phenol	<0.0005U
Pyrene	0.0024J

Constituent	Conc. (mg/L)	Conc.* (mg/L)
Acenaphthene	<0.0005U	<0.0005U
Acenaphthylene	<0.0005U	<0.0005U
Anthracene	<0.0005U	<0.0005U
bis(2-ethylhexyl)phthalate	<0.0005U	<0.0005U
Dibenzofuran	<0.0005U	<0.0005U
Di-n-butyl Phthalate	<0.0005U	<0.0005U
Fluoranthene	<0.0005U	<0.0005U
Fluorene	<0.0005U	<0.0005U
Naphthalene	<0.0005U	<0.0005U
Phenol	<0.0005U	<0.0005U
Pyrene	<0.0005U	<0.0005U

Constituent	Conc. (mg/L)
Acenaphthene	<0.0005U
Acenaphthylene	<0.0005U
Anthracene	<0.0005U
bis(2-ethylhexyl)phthalate	<0.0005U
Dibenzofuran	<0.0005U
Di-n-butyl Phthalate	<0.0005U
Fluoranthene	<0.0005U
Fluorene	<0.0005U
Naphthalene	<0.0005U
Phenol	<0.0005U
Pyrene	<0.0005U

Indicator Parameters	
Constituent	PCL (mg/L)
Acenaphthene	1.5
Acenaphthylene	1.5
Anthracene	7.3
bis(2-ethylhexyl)phthalate	0.006
Dibenzofuran	0.098
Di-n-butyl Phthalate	2.4
Fluoranthene	0.98
Fluorene	0.98
Naphthalene	0.49
Phenol	7.3
Pyrene	0.73



- EXPLANATION**
- Fence
 - Railroad
 - B-TZ Monitoring Well Location
 - Piezometer Location

- Notes:**
1. * Duplicates sample taken at P-10.
 2. Sample collected on July 10-11, 2012.
 3. J= Estimated value between SQL and MDL.
 4. U= Value not detected greater than the MDL.

UNION PACIFIC RAILROAD CO.
HOUSTON WOOD PRESERVING WORKS

Figure 6
**B-TZ REPORTED CONCENTRATIONS
2012 2ND SEMI ANNUAL
MONITORING EVENT**

PROJECT: 1358	BY: ZGK	REVISIONS
DATE: NOV., 2012	CHECKED: ECM	

PASTOR, BEHLING & WHEELER, LLC
CONSULTING ENGINEERS AND SCIENTISTS

APPENDIX A
COMPLIANCE PLAN TABLES

TABLE III - CORRECTIVE ACTION PROGRAM
 Table of Detected Hazardous and Solid Waste Constituents and
 Concentration Limits for the Ground-Water Protection Standard

Closed Surface Impoundment (NOR Unit No. 001, SWMU No. 01)

<u>A-Transmissive Zone</u>		<u>B-Transmissive Zone</u>	
COLUMN A Hazardous Constituents	COLUMN B Concentration Limits (mg/l)	COLUMN A Hazardous Constituents	COLUMN B Concentration Limits (mg/l)
Acenaphthene	1.5 ^{PCL}	Acenaphthene	1.5 ^{PCL}
Acenaphthylene	1.5 ^{PCL}	Acenaphthylene	1.5 ^{PCL}
Anthracene	7.3 ^{PCL}	Anthracene	7.3 ^{PCL}
Dibenzofuran	0.098 ^{PCL}	Dibenzofuran	0.098 ^{PCL}
Bis(2-ethylhexyl)phthalate	0.006 ^{PCL}	Bis(2-ethylhexyl)phthalate	0.006 ^{PCL}
Fluoranthene	0.98 ^{PCL}	Fluoranthene	0.98 ^{PCL}
Fluorene	0.98 ^{PCL}	Fluorene	0.98 ^{PCL}
2-Methylnaphthalene	0.098 ^{PCL}	Di-n-butyl phthalate	2.4 ^{PCL}
Naphthalene	0.49 ^{PCL}	Naphthalene	0.49 ^{PCL}
Phenanthrene	0.73 ^{PCL}	Phenol	7.3 ^{PCL}
Pyrene	0.73 ^{PCL}	Pyrene	0.73 ^{PCL}

PCL. Alternate Concentration Limit pursuant to 30 TAC §335.160(b) based upon the Protective Concentration Level determined under 30 TAC Chapter 350 for Residential Land Use. The PCL value, Column B, will change as updates to the rule are promulgated. Changes to the rule automatically change the concentration value established in Column B in this table.

TABLE V
Designation of Wells by Function

POINT OF COMPLIANCE WELLS

1. Closed Surface Impoundment (NOR Unit No. 001, SWMU No. 01)
A-Transmissive Zone: MW-01A, MW-02, MW-07, MW-10A, and MW-11A
B-Transmissive Zone: MW-10B, MW-11B, and P-10

POINT OF EXPOSURE WELLS

1. Closed Surface Impoundment (NOR Unit No. 001, SWMU No. 01)
None

BACKGROUND WELLS

1. Closed Surface Impoundment (NOR Unit No. 001, SWMU No. 01)
A-Transmissive Zone: MW-8
B-Transmissive Zone: P-12

Note: Wells and piezometers identified on Attachment A maps that are not listed in this table are subject to change, upon approval by the executive director, without modification to the Compliance Plan. The wells and piezometers for the Closed Surface Impoundment are depicted on Attachment A, Sheets 3 and 4.

APPENDIX B
FIELD PARAMETERS

Table B-1
Groundwater Sampling Field Parameters
Semiannual Monitoring Report: 2012 First Semiannual Event

Houston Wood Preserving Works
Houston, Texas

Field Parameter	Monitoring Well IDs									
	A-Transmissive Zone						B-Transmissive Zone			
	MW-01A	MW-02	MW-07	MW-08	MW-10A	MW-11A	MW-10B	MW-11B	P-10	P-12
	7/11/2012	7/10/2012	7/11/2012	7/11/2012	7/10/2012	7/10/2012	7/10/2012	7/10/2012	7/11/2012	7/11/2012
Time Sampled (hrs CST)	8:10	17:40	11:40	12:45	16:00	14:15	16:50	15:05	10:30	9:30
Temperature (°C)	23.4	23.7	23.6	23.7	23.4	24.1	23.5	24.4	23.6	23.1
pH (Standard Units)	6.84	6.92	6.96	6.71	6.76	6.71	6.85	6.74	6.89	6.86
Specific Conductivity (mmhos/cm)	2,960	2,810	3,090	2,860	2,560	2,870	2,910	2,610	2,820	2,890
Dissolved Oxygen (mg/L)	0.51	0.74	0.63	0.74	0.27	0.34	0.48	0.46	0.32	0.37
Turbidity (NTU)	9.2	8.1	6.7	11.0	6.3	9.1	7.7	12.0	5.7	6.2

APPENDIX C
LABORATORY ANALYTICAL REPORTS and DATA USABILITY SUMMARIES



**CONESTOGA-ROVERS
& ASSOCIATES**

E-Mail Date: August 31, 2012
E-Mail To: Eric Matzner/ Pastor, Behling & Wheeler, LLC
c.c.: Angela Bown

E-Mail and Hard Copy if Requested

**DATA USABILITY SUMMARY
UNION PACIFIC RAILROAD (UPRR)
HOUSTON WOOD PRESERVING WORKS
SEMI-ANNUAL GROUNDWATER MONITORING
HOUSTON, TEXAS
JULY 2012**

PREPARED BY:
CONESTOGA-ROVERS & ASSOCIATES
9033 Meridian Way
West Chester, Ohio 45069
Telephone: 513-942-4750 Fax: 513-942-8585
Contact: Angela Bown *AB/bow*
Date: August 31, 2012
www.CRAworld.com

Data Usability Summary

Reviewer:	Angela Bown – Conestoga-Rovers & Associates, Inc.
Contract Laboratory:	ALS Laboratory Group – Houston, Texas
Project/Area of Interest:	UPRR Houston Wood Preserving Works – Houston, Texas
Description of Data Packages Reviewed:	Groundwater sample results in data package: 1207433
Sample Collection Date(s):	July 10-11, 2012
Intended Use of Data:	To monitor the COCs in groundwater at the site and to evaluate whether migration of Chemicals of Concern (COC) could result in risk to human or ecological health.

1.0 Scope of Data Usability Summary

Data were reviewed and validated in accordance with Title 30 of the Texas Administrative Code Section 350.54 (30 TAC 350.54) as described in *Review and Reporting of COC Concentration Data*, (RG-366/TRRP-13) and the results of the review/validation are discussed in this Data Usability Summary (DUS). The review included examination of the reported data, the laboratory review checklist (LRC), and field/laboratory quality assurance/quality control (QA/QC) samples collected at the Site. Tables summarizing data qualifications discussed in this DUS can be found in Appendix A.

A sampling and analysis summary is presented in Table 1. This summary includes a cross-reference of field sample identification numbers and location codes. Each sample was assigned a unique field identification number.

Twelve (12) groundwater samples including quality control samples were analyzed for the parameters outlined in Table 2. The validated sample results are presented in Table 3.

2.0 Laboratory Qualifications

Analytical services were provided by ALS Laboratory Group (ALS) located in Houston, Texas. The laboratory's quality assurance program is consistent with the quality standards outlined in the National Environmental Laboratory Accreditation Program (NELAP). The laboratory was accredited under Texas Certification Number TX: T104704231-12-10 at the time the analyses were performed.

3.0 Project Objectives

3.1 Levels of Required Performance (LORP)

Prior to sampling, the LORP for each COC was established for the investigation. Standard available analytical methods were selected and minimal detection limits that are at or below the

Texas Risk Reduction Tier 1 Residential Protective Concentration Levels (PCLs), ^{GW} _{ING} for groundwater were sought.

3.2 Sampling/ Analytical QA/QC Objectives

Pastor, Behling & Wheeler, LLC designed the QA/QC program to identify contamination resulting from sample collection, sample transport and the analytical process.

- The trip blank is a zero headspace sample container filled by the laboratory with analyte-free water. Trip blanks were submitted and analyzed with the samples requiring volatile organic analyses. The trip blank samples were kept in the same environment in which the other field samples were collected.
- Field and equipment blanks are sample containers filled in the field with analyte-free water, which has been used to rinse sampling equipment to check effectiveness of the decontamination procedures.
- Method blanks of a similar matrix to that of the associated samples are prepared by the laboratory and analyzed to determine if laboratory contaminants are affecting the analytical results. Method blanks are prepared and analyzed with each batch.

Similarly, the QA/QC program was designed to evaluate the quality of the resulting data with respect to bias and precision. First, a laboratory control sample (LCS) or laboratory control sample duplicate (LCSD) was prepared and analyzed with each batch. The recovery ranges established by the laboratory are adopted as the acceptance criteria for the project. Second, a matrix spike/matrix spike duplicate (MS/MSD) was prepared and analyzed with each batch. The recovery ranges and RPDs established by the laboratory are adopted as the acceptance criteria for the project. Third, field duplicates were collected and submitted for analysis. The RPD acceptance criterion for the water field duplicates is 30 percent. This RPD criterion is only used when sample concentrations are above the estimated regions of detection.

4.0 Data Review/Validation Results

4.1 Analytical Results

Analytes with concentrations above the Sample Detection Limits (SDLs) but below the Method Quantitation Limits (MQL) have been qualified as estimated on the analytical tables per the TRRP-13 document.

4.2 LORP

All SDLs and unadjusted MQLs met the LORP for this investigation.

No Detectability Check Standard (DCS) results supported the laboratory Method Detection Limits (MDL). All results were greater than 3 times the MDL.

4.3 Preservation and Holding Times

Samples were properly preserved in the field and cooled to 4°C ($\pm 2^\circ\text{C}$). Samples were shipped with chains of custody, and the paperwork was filled out properly. All samples were shipped on ice. All samples were prepared and analyzed within the applicable holding times.

4.4 Sample Containers

Sample containers were certified pre-cleaned glass provided by the laboratory. These containers meet or exceed analyte specifications established in the USEPA *Specifications and Guidance for Contaminant-free Sample Containers*.

4.5 Calibrations

According to the LRCs, instrument tuning and initial calibration and continuing calibration data met the criteria for the selected methods.

4.6 Blanks

Method Blanks: As these were not discrete samples handled in the field, the method blanks are not listed on the sample identification cross-reference list found in Table 1. Results are reported in the data packages on a laboratory batch basis. All of the laboratory blank results were reported as ND (not detected).

4.7 Internal Standard and Surrogate Recoveries

Recoveries of internal standards and surrogates are addressed in the LRCs of the laboratory data packages. All surrogate recoveries and internal standard areas and retention limits were within the acceptance limits.

4.8 Laboratory Control Samples (LCS)/ Laboratory Control Sample Duplicates (LCSD)

LCS or LCS/LCSD data for all COCs were reported for each batch. LCS spike recoveries and RPDs for all COCs were within the project objectives.

4.9 Matrix Spikes

Matrix spike/matrix spike duplicates were prepared and analyzed with most batches for all requested parameters. The results are reported in the data package on a laboratory batch basis.

All recoveries and RPD met criteria.

4.10 Field Duplicate

Field duplicate samples were collected and analyzed for the target analytes as outlined in Table 1.

All relative percent differences (RPDs) were $< 30\%$ for sample results greater than 5 times the MQL indicating acceptable precision above the estimated regions of detection.

4.11 Field Procedures

Pastor, Behling & Wheeler, LLC collected groundwater samples in accordance with their Standard Operating Procedures (SOP) for sample collection.

4.12 Summary

The analytical data in this report are usable to assess the impact of COCs in groundwater at the site without qualification.

APPENDIX A

TABLES

TABLE 1

**SAMPLE AND ANALYSIS SUMMARY
SEMI-ANNUAL SITE-WIDE GROUNDWATER MONITORING
UNION PACIFIC RAILROAD (UPRR)
HOUSTON WOOD PRESERVING WORKS
HOUSTON, TEXAS
JULY 2012**

<i>Sample I.D.</i>	<i>Location I.D.</i>	<i>Matrix</i>	<i>Collection Date (mm/dd/yy)</i>	<i>Collection Time (hr:min)</i>	<u><i>Analytes/Parameters</i></u>		<i>Comment</i>
					<i>Select</i>	<i>SVOCs</i>	
WG-1620-MW11A-20120710	MW-11A	WG	07/10/12	2:15:00 PM	X		
WG-1620-MW11B-20120710	MW-11B	WG	07/10/12	3:05:00 PM	X		
WG-1620-MW10A-20120710	MW-10A	WG	07/10/12	4:00:00 PM	X		
WG-1620-MW10B-20120710	MW-10B	WG	07/10/12	4:50:00 PM	X		
WG-1620-MW02-20120710	MW-02	WG	07/10/12	5:40:00 PM	X		
WG-1620-MW01A-20120711	MW-01A	WG	07/11/12	8:10:00 AM	X		
WG-1620-FD01-20120711	MW-01A	WG	07/11/12	8:10:00 AM	X		WG-1620-MW01A-20120711
WG-1620-P12-20120711	P-12	WG	07/11/12	9:30:00 AM	X		MS/MSD
WG-1620-P10-20120711	P-10	WG	07/11/12	10:30:00 AM	X		
WG-1620-FD02-20120711	P-10	WG	07/11/12	10:30:00 AM	X		WG-1620-P10-20120711
WG-1620-MW07-20120711	MW-07	WG	07/11/12	11:40:00 AM	X		
WG-1620-MW08-20120711	MW-08	WG	07/11/12	12:45:00 PM	X		
					X		

Notes:

MS Matrix Spike.
MSD Matrix Spike Duplicate.
SVOCs Semi-Volatile Organic Compounds.

TABLE 2

**SUMMARY OF ANALYTICAL METHODOLOGIES
SEMI-ANNUAL SITE-WIDE GROUNDWATER MONITORING
UNION PACIFIC RAILROAD (UPRR)
HOUSTON WOOD PRESERVING WORKS
HOUSTON, TEXAS
JULY 2012**

<i>Parameter</i>	<i>Method</i>
Select SVOCs	SW-846 8270 ¹

Notes:

- ¹ "Test Methods for Solid Waste/Physical Chemical Methods," SW-846, 3rd Edition, September 1986 (with all subsequent revisions).
SVOCs Semi-Volatile Organic Compounds.

TABLE 3

ANALYTICAL RESULTS SUMMARY
SEMI-ANNUAL SITE-WIDE GROUNDWATER MONITORING
UNIN PACIFIC RAILROAD (UPRR)
HOUSTON WOOD PRESERVING WORKS
HOUSTON, TEXAS
JULY 2012

<i>Parameters</i>	<i>Units</i>	<i>Sample Location:</i>	<i>MW-01A</i>	<i>MW-01A</i>	<i>MW-02</i>	<i>MW-07</i>
		<i>Sample ID:</i>	<i>WG-1620-MW01A-20120711</i>	<i>WG-1620-FD01-20120711</i>	<i>WG-1620-MW02-20120710</i>	<i>WG-1620-MW07-20120711</i>
		<i>Sample Date:</i>	<i>7/11/2012</i>	<i>7/11/2012</i> <i>Duplicate</i>	<i>7/10/2012</i>	<i>7/11/2012</i>
<i>Semi-volatile Organic Compounds</i>						
2-Methylnaphthalene	mg/L		0.012	0.011	<0.00050	<0.00050
Acenaphthene	mg/L		0.084	0.083	0.0088	<0.00050
Acenaphthylene	mg/L		0.0017 J	0.0020 J	<0.00050	<0.00050
Anthracene	mg/L		0.0030 J	0.0030 J	<0.00050	<0.00050
bis(2-Ethylhexyl)phthalate (DEHP)	mg/L		<0.00050	<0.00050	<0.00050	<0.00050
Dibenzofuran	mg/L		0.025	0.025	0.0043 J	<0.00050
Di-n-butylphthalate (DBP)	mg/L		-	-	-	-
Fluoranthene	mg/L		0.0047 J	0.0045 J	<0.00050	<0.00050
Fluorene	mg/L		0.041	0.043	0.0043 J	<0.00050
Naphthalene	mg/L		<0.00050	<0.00050	0.0033 J	<0.00050
Phenanthrene	mg/L		0.0033 J	0.0031 J	<0.00050	<0.00050
Phenol	mg/L		-	-	-	-
Pyrene	mg/L		0.0021 J	0.0019 J	<0.00050	<0.00050

TABLE 3

ANALYTICAL RESULTS SUMMARY
SEMI-ANNUAL SITE-WIDE GROUNDWATER MONITORING
UNIN PACIFIC RAILROAD (UPRR)
HOUSTON WOOD PRESERVING WORKS
HOUSTON, TEXAS
JULY 2012

	<i>Sample Location:</i>	<i>MW-08</i>	<i>MW-10A</i>	<i>MW-10B</i>	<i>MW-11A</i>
	<i>Sample ID:</i>	WG-1620-MW08-20120711	WG-1620-MW10A-20120710	WG-1620-MW10B-20120710	WG-1620-MW11A-20120710
	<i>Sample Date:</i>	7/11/2012	7/10/2012	7/10/2012	7/10/2012
<i>Parameters</i>	<i>Units</i>				
<i>Semi-volatile Organic Compounds</i>					
2-Methylnaphthalene	mg/L	<0.00050	<0.00050	-	<0.00050
Acenaphthene	mg/L	<0.00050	0.0016 J	0.054	<0.00050
Acenaphthylene	mg/L	<0.00050	<0.00050	<0.00050	<0.00050
Anthracene	mg/L	<0.00050	<0.00050	0.0032 J	<0.00050
bis(2-Ethylhexyl)phthalate (DEHP)	mg/L	<0.00050	<0.00050	<0.00050	<0.00050
Dibenzofuran	mg/L	<0.00050	<0.00050	0.020	<0.00050
Di-n-butylphthalate (DBP)	mg/L	-	-	<0.00050	-
Fluoranthene	mg/L	<0.00050	<0.00050	0.0028 J	<0.00050
Fluorene	mg/L	<0.00050	<0.00050	0.031	<0.00050
Naphthalene	mg/L	<0.00050	<0.00050	0.0040 J	<0.00050
Phenanthrene	mg/L	<0.00050	<0.00050	-	<0.00050
Phenol	mg/L	-	-	<0.00050	-
Pyrene	mg/L	<0.00050	<0.00050	0.0011 J	<0.00050

TABLE 3

ANALYTICAL RESULTS SUMMARY
SEMI-ANNUAL SITE-WIDE GROUNDWATER MONITORING
UNIN PACIFIC RAILROAD (UPRR)
HOUSTON WOOD PRESERVING WORKS
HOUSTON, TEXAS
JULY 2012

<i>Parameters</i>	<i>Units</i>	<i>Sample Location:</i>	<i>P-10</i>	<i>P-10</i>	<i>P-12</i>
		<i>Sample ID:</i>	<i>WG-1620-P10-20120711</i>	<i>WG-1620-FD02-20120711</i>	<i>WG-1620-P12-20120711</i>
		<i>Sample Date:</i>	<i>7/10/2012</i>	<i>7/11/2012</i>	<i>7/11/2012</i>
				<i>Duplicate</i>	
<i>Semi-volatile Organic Compounds</i>					
2-Methylnaphthalene	mg/L	-	-	-	-
Acenaphthene	mg/L	0.10	<0.00050	<0.00050	<0.00050
Acenaphthylene	mg/L	0.0013 J	<0.00050	<0.00050	<0.00050
Anthracene	mg/L	0.0055	<0.00050	<0.00050	<0.00050
bis(2-Ethylhexyl)phthalate (DEHP)	mg/L	<0.00050	<0.00050	<0.00050	<0.00050
Dibenzofuran	mg/L	0.040	<0.00050	<0.00050	<0.00050
Di-n-butylphthalate (DBP)	mg/L	<0.00050	<0.00050	<0.00050	<0.00050
Fluoranthene	mg/L	0.0053	<0.00050	<0.00050	<0.00050
Fluorene	mg/L	0.054	<0.00050	<0.00050	<0.00050
Naphthalene	mg/L	0.0040 J	<0.00050	<0.00050	<0.00050
Phenanthrene	mg/L	-	-	-	-
Phenol	mg/L	<0.00050	<0.00050	<0.00050	<0.00050
Pyrene	mg/L	0.0024 J	<0.00050	<0.00050	<0.00050

Notes:

- Not analyzed.

J - Estimated.

APPENDIX B
LABORATORY DATA



HE-Jul-2012

Eric Matzner
Pastor, Behling & Wheeler, LLC
2201 Double Creek Drive
Suite 4004
Round Rock, TX 78664

Tel: (512) 671-3434
Fax: (512) 671-3446

Re: HWPW SWMU 1 GW

Work Order: **1207433**

Dear Eric,

ALS Environmental received 12 samples on 11-Jul-2012 02:25 PM for the analyses presented in the following report.

The analytical data provided relates directly to the samples received by ALS Environmental and for only the analyses requested. Results are expressed as "as received" unless otherwise noted.

QC sample results for this data met EPA or laboratory specifications except as noted in the Case Narrative or as noted with qualifiers in the QC batch information. Should this laboratory report need to be reproduced, it should be reproduced in full unless written approval has been obtained by ALS Environmental. Samples will be disposed in 30 days unless storage arrangements are made.

The total number of pages in this report is 29.

If you have any questions regarding this report, please feel free to call me.

Sincerely,

Electronically approved by: Kelsey N. Brown

Patricia L. Lynch
Project Manager



Certificate No: TX: T104704231-12-10

Client: Pastor, Behling & Wheeler, LLC
Project: HWPW SWMU 1 GW
Work Order: 1207433

**TRRP Laboratory Data
Package Cover Page**

This data package consists of all or some of the following as applicable:

This signature page, the laboratory review checklist, and the following reportable data:

- R1 Field chain-of-custody documentation;
- R2 Sample identification cross-reference;
- R3 Test reports (analytical data sheets) for each environmental sample that includes:
 - a) Items consistent with NELAC Chapter 5,
 - b) dilution factors,
 - c) preparation methods,
 - d) cleanup methods, and
 - e) if required for the project, tentatively identified compounds (TICs).
- R4 Surrogate recovery data including:
 - a) Calculated recovery (%R), and
 - b) The laboratory's surrogate QC limits.
- R5 Test reports/summary forms for blank samples;
- R6 Test reports/summary forms for laboratory control samples (LCSs) including:
 - a) LCS spiking amounts,
 - b) Calculated %R for each analyte, and
 - c) The laboratory's LCS QC limits.
- R7 Test reports for project matrix spike/matrix spike duplicates (MS/MSDs) including:
 - a) Samples associated with the MS/MSD clearly identified,
 - b) MS/MSD spiking amounts,
 - c) Concentration of each MS/MSD analyte measured in the parent and spiked samples,
 - d) Calculated %Rs and relative percent differences (RPDs), and
 - e) The laboratory's MS/MSD QC limits.
- R8 Laboratory analytical duplicate (if applicable) recovery and precision:
 - a) the amount of analyte measured in the duplicate,
 - b) the calculated RPD, and
 - c) the laboratory's QC limits for analytical duplicates.
- R9 List of method quantitation limits (MQLs) and detectability check sample results for each analyte for each method and matrix.
- R10 Other problems or anomalies.
The Exception Report for each "No" or "Not Reviewed (NR)" item in Laboratory Review Checklist and for each analyte, matrix, and method for which the laboratory does not hold NELAC accreditation under the Texas Laboratory Accreditation Program.

Client: Pastor, Behling & Wheeler, LLC
Project: HWPW SWMU 1 GW
Work Order: 1207433

**TRRP Laboratory Data
Package Cover Page**

Release Statement: I am responsible for the release of this laboratory data package. This laboratory is NELAC accredited under the Texas Laboratory Accreditation Program for all the methods, analytes and matrices reported in this data package except as noted in the Exception Reports. The data have been reviewed and are technically compliant with the requirements of the methods used, except where noted by the laboratory in the attached exception reports. By my signature below, I affirm to the best of my knowledge, all problems/anomalies, observed by the laboratory have been identified by the laboratory in the Laboratory Review Checklist, and no information affecting the quality of the data has been knowingly withheld.

Check, if applicable: [NA] This laboratory meets an exception under 30 TAC §25.6 and was last inspected by TCEQ or _____ on (enter date of last inspection). Any findings affecting the data in this laboratory data package are noted in the Exception Reports herein. The official signing the cover page of the report in which these data are used is responsible for releasing this data package and is by signature affirming the above release statement is true.

Patricia L. Lynch

Patricia L. Lynch
Project Manager

Laboratory Review Checklist: Reportable Data

Laboratory Name: ALS Laboratory Group		LRC Date: 07/30/2012					
Project Name: HWPW SWMU 1 GW		Laboratory Job Number: HWPW SWMU 1 GW					
Reviewer Name: Pat Lynch		Prep Batch Number(s): 62644					
# ¹	A ²	Description	Yes	No	NA ³	NR ⁴	ER# ⁵
R1	OI	Chain-of-custody (C-O-C)					
		Did samples meet the laboratory's standard conditions of sample acceptability upon receipt?	X				
		Were all departures from standard conditions described in an exception report?	X				
R2	OI	Sample and quality control (QC) identification					
		Are all field sample ID numbers cross-referenced to the laboratory ID numbers?	X				
		Are all laboratory ID numbers cross-referenced to the corresponding QC data?	X				
R3	OI	Test reports					
		Were all samples prepared and analyzed within holding times?	X				
		Other than those results < MQL, were all other raw values bracketed by calibration standards?	X				
		Were calculations checked by a peer or supervisor?	X				
		Were all analyte identifications checked by a peer or supervisor?	X				
		Were sample detection limits reported for all analytes not detected?	X				
		Were all results for soil and sediment samples reported on a dry weight basis?			X		
		Were % moisture (or solids) reported for all soil and sediment samples?			X		
		Were bulk soils/solids samples for volatile analysis extracted with methanol per SW-846 Method 5035?			X		
		If required for the project, TICs reported?			X		
R4	O	Surrogate recovery data					
		Were surrogates added prior to extraction?	X				
		Were surrogate percent recoveries in all samples within the laboratory QC limits?	X				
R5	OI	Test reports/summary forms for blank samples					
		Were appropriate type(s) of blanks analyzed?	X				
		Were blanks analyzed at the appropriate frequency?	X				
		Were method blanks taken through the entire analytical process, including preparation and, if applicable, cleanup procedures?	X				
		Were blank concentrations < MQL?	X				
R6	OI	Laboratory control samples (LCS):					
		Were all COCs included in the LCS?	X				
		Was each LCS taken through the entire analytical procedure, including prep and cleanup steps?	X				
		Were LCSs analyzed at the required frequency?	X				
		Were LCS (and LCSD, if applicable) %Rs within the laboratory QC limits?	X				
		Does the detectability data document the laboratory's capability to detect the COCs at the MDL used to calculate the SDLs?	X				
		Was the LCSD RPD within QC limits?	X				
R7	OI	Matrix spike (MS) and matrix spike duplicate (MSD) data					
		Were the project/method specified analytes included in the MS and MSD?	X				
		Were MS/MSD analyzed at the appropriate frequency?	X				
		Were MS (and MSD, if applicable) %Rs within the laboratory QC limits?	X				
		Were MS/MSD RPDs within laboratory QC limits?	X				
R8	OI	Analytical duplicate data					
		Were appropriate analytical duplicates analyzed for each matrix?	X				
		Were analytical duplicates analyzed at the appropriate frequency?	X				
		Were RPDs or relative standard deviations within the laboratory QC limits?	X				
R9	OI	Method quantitation limits (MQLs):					
		Are the MQLs for each method analyte included in the laboratory data package?			X		
		Do the MQLs correspond to the concentration of the lowest non-zero calibration standard?			X		
		Are unadjusted MQLs and DCSs included in the laboratory data package?			X		
R10	OI	Other problems/anomalies					
		Are all known problems/anomalies/special conditions noted in this LRC and ER?	X				
		Were all necessary corrective actions performed for the reported data?	X				
		Was applicable and available technology used to lower the SDL and minimize the matrix interference affects on the sample results?	X				
		Is the laboratory NELAC-accredited under the Texas Laboratory Program for the analytes, matrices and methods associated with this laboratory data package?	X				

Laboratory Review Checklist: Reportable Data

Laboratory Name: ALS Laboratory Group		LRC Date: 07/30/2012					
Project Name: HWPW SWMU 1 GW		Laboratory Job Number: HWPW SWMU 1 GW					
Reviewer Name: Pat Lynch		Prep Batch Number(s): 62644					
# ¹	A ²	Description	Yes	No	NA ³	NR ⁴	ER# ⁵
S1	OI	Initial calibration (ICAL)					
		Were response factors and/or relative response factors for each analyte within QC limits?	X				
		Were percent RSDs or correlation coefficient criteria met?	X				
		Was the number of standards recommended in the method used for all analytes?	X				
		Were all points generated between the lowest and highest standard used to calculate the curve?	X				
		Are ICAL data available for all instruments used?	X				
		Has the initial calibration curve been verified using an appropriate second source standard?	X				
S2	OI	Initial and continuing calibration verification (ICCV and CCV) and continuing calibration blank (CCB)					
		Was the CCV analyzed at the method-required frequency?	X				
		Were percent differences for each analyte within the method-required QC limits?	X				
		Was the ICAL curve verified for each analyte?	X				
		Was the absolute value of the analyte concentration in the inorganic CCB < MDL?			X		
S3	O	Mass spectral tuning:					
		Was the appropriate compound for the method used for tuning?	X				
		Were ion abundance data within the method-required QC limits?	X				
S4	O	Internal standards (IS):					
		Were IS area counts and retention times within the method-required QC limits?	X				
S5	OI	Raw data (NELAC section 1 appendix A glossary, and section 5.12 or ISO/IEC 17025 section)					
		Were the raw data (for example, chromatograms, spectral data) reviewed by an analyst?	X				
		Were data associated with manual integrations flagged on the raw data?	X				
S6	O	Dual column confirmation					
		Did dual column confirmation results meet the method-required QC?			X		
S7	O	Tentatively identified compounds (TICs):					
		If TICs were requested, were the mass spectra and TIC data subject to appropriate checks?			X		
S8	I	Interference Check Sample (ICS) results:					
		Were percent recoveries within method QC limits?			X		
S9	I	Serial dilutions, post digestion spikes, and method of standard additions					
		Were percent differences, recoveries, and the linearity within the QC limits specified in the method?			X		
S10	OI	Method detection limit (MDL) studies					
		Was a MDL study performed for each reported analyte?	X				
		Is the MDL either adjusted or supported by the analysis of DCSs?	X				
S11	OI	Proficiency test reports:					
		Was the laboratory's performance acceptable on the applicable proficiency tests or evaluation studies?	X				
S12	OI	Standards documentation					
		Are all standards used in the analyses NIST-traceable or obtained from other appropriate sources?	X				
S13	OI	Compound/analyte identification procedures					
		Are the procedures for compound/analyte identification documented?	X				
S14	OI	Demonstration of analyst competency (DOC)					
		Was DOC conducted consistent with NELAC Chapter 5C or ISO/IEC 4?	X				
		Is documentation of the analyst's competency up-to-date and on file?	X				
S15	OI	Verification/validation documentation for methods (NELAC Chap 5 or ISO/IEC 17025 Section 5)					
		Are all the methods used to generate the data documented, verified, and validated, where applicable?	X				
S16	OI	Laboratory standard operating procedures (SOPs):					
		Are laboratory SOPs current and on file for each method performed?	X				
<p>Items identified by the letter "R" must be included in the laboratory data package submitted in the TRRP-required report(s). Items identified by the letter "S" should be retained and made available upon request for the appropriate retention period.</p> <p>O = Organic Analyses; I = Inorganic Analyses (and general chemistry, when applicable); NA = Not Applicable; NR = Not Reviewed; R# = Exception Report identification number (an Exception Report should be completed for an item if "NR" or "No" is checked).</p>							

Laboratory Review Checklist: Reportable Data

Laboratory Name: ALS Laboratory Group		LRC Date: 07/30/2012	
Project Name: HWPW SWMU 1 GW		Laboratory Job Number: HWPW SWMU 1 GW	
Reviewer Name: Pat Lynch		Prep Batch Number(s): 62644	
ER#⁵	Description		
	No Exceptions		

Items identified by the letter "R" must be included in the laboratory data package submitted in the TRRP-required report(s). Items identified by the letter "S" should be retained and made available upon request for the appropriate retention period.
O = Organic Analyses; I = Inorganic Analyses (and general chemistry, when applicable);
NA = Not Applicable;
NR = Not Reviewed;
R# = Exception Report identification number (an Exception Report should be completed for an item if "NR" or "No" is checked).

Client: Pastor, Behling & Wheeler, LLC
Project: HWPW SWMU 1 GW
Work Order: 1207433

Work Order Sample Summary

<u>Lab Samp ID</u>	<u>Client Sample ID</u>	<u>Matrix</u>	<u>Tag Number</u>	<u>Collection Date</u>	<u>Date Received</u>	<u>Hold</u>
1207433-01	WG-1620-MW11A-20120710	Water		7/10/2012 14:15	7/11/2012 14:25	<input type="checkbox"/>
1207433-02	WG-1620-MW11B-20120710	Water		7/10/2012 15:05	7/11/2012 14:25	<input type="checkbox"/>
1207433-03	WG-1620-MW10A-20120710	Water		7/10/2012 16:00	7/11/2012 14:25	<input type="checkbox"/>
1207433-04	WG-1620-MW10B-20120710	Water		7/10/2012 16:50	7/11/2012 14:25	<input type="checkbox"/>
1207433-05	WG-1620-MW02-20120710	Water		7/10/2012 17:40	7/11/2012 14:25	<input type="checkbox"/>
1207433-06	WG-1620-MW01A-20120711	Water		7/11/2012 08:10	7/11/2012 14:25	<input type="checkbox"/>
1207433-07	WG-1620-FD01-20120711	Water		7/11/2012 08:10	7/11/2012 14:25	<input type="checkbox"/>
1207433-08	WG-1620-P12-20120711	Water		7/11/2012 09:30	7/11/2012 14:25	<input type="checkbox"/>
1207433-09	WG-1620-P10-20120711	Water		7/11/2012 10:30	7/11/2012 14:25	<input type="checkbox"/>
1207433-10	WG-1620-FD02-20120711	Water		7/11/2012 10:30	7/11/2012 14:25	<input type="checkbox"/>
1207433-11	WG-1620-MW07-20120711	Water		7/11/2012 11:40	7/11/2012 14:25	<input type="checkbox"/>
1207433-12	WG-1620-MW08-20120711	Water		7/11/2012 12:45	7/11/2012 14:25	<input type="checkbox"/>

ALS Environmental

Date: 30-Jul-12

Client: Pastor, Behling & Wheeler, LLC
Project: HWPW SWMU 1 GW
Sample ID: WG-1620-MW11A-20120710
Collection Date: 7/10/2012 02:15 PM

Work Order: 1207433
Lab ID: 1207433-01
Matrix: WATER

Analyses	Result	Qual	SDL	MLL	Units	Dilution Factor	Date Analyzed
SEMIVOLATILES - SW8270D		Method: SW8270		Prep: SW3510 / 7/16/12		Analyst: JLJ	
2-Methylnaphthalene	U		0.00050	0.0050	mg/L	1	7/17/2012 04:55
Acenaphthene	U		0.00050	0.0050	mg/L	1	7/17/2012 04:55
Acenaphthylene	U		0.00050	0.0050	mg/L	1	7/17/2012 04:55
Anthracene	U		0.00050	0.0050	mg/L	1	7/17/2012 04:55
Bis(2-ethylhexyl)phthalate	U		0.00050	0.0050	mg/L	1	7/17/2012 04:55
Dibenzofuran	U		0.00050	0.0050	mg/L	1	7/17/2012 04:55
Fluoranthene	U		0.00050	0.0050	mg/L	1	7/17/2012 04:55
Fluorene	U		0.00050	0.0050	mg/L	1	7/17/2012 04:55
Naphthalene	U		0.00050	0.0050	mg/L	1	7/17/2012 04:55
Phenanthrene	U		0.00050	0.0050	mg/L	1	7/17/2012 04:55
Pyrene	U		0.00050	0.0050	mg/L	1	7/17/2012 04:55
Surr: 2,4,6-Tribromophenol	78.1			42-124	%REC	1	7/17/2012 04:55
Surr: 2-Fluorobiphenyl	73.0			48-120	%REC	1	7/17/2012 04:55
Surr: 2-Fluorophenol	66.6			20-120	%REC	1	7/17/2012 04:55
Surr: 4-Terphenyl-d14	88.7			51-135	%REC	1	7/17/2012 04:55
Surr: Nitrobenzene-d5	71.4			41-120	%REC	1	7/17/2012 04:55
Surr: Phenol-d6	66.5			20-120	%REC	1	7/17/2012 04:55

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Environmental

Date: 30-Jul-12

Client: Pastor, Behling & Wheeler, LLC
Project: HWPW SWMU 1 GW
Sample ID: WG-1620-MW11B-20120710
Collection Date: 7/10/2012 03:05 PM

Work Order: 1207433
Lab ID: 1207433-02
Matrix: WATER

Analyses	Result	Qual	SDL	ML	Units	Dilution Factor	Date Analyzed
SEMIVOLATILES - SW8270D			Method: SW8270		Prep: SW3510 / 7/16/12		Analyst: JLJ
Acenaphthene	0.10		0.00050	0.0050	mg/L	1	7/17/2012 12:23
Acenaphthylene	0.0013	J	0.00050	0.0050	mg/L	1	7/17/2012 12:23
Anthracene	0.0055		0.00050	0.0050	mg/L	1	7/17/2012 12:23
Bis(2-ethylhexyl)phthalate		U	0.00050	0.0050	mg/L	1	7/17/2012 12:23
Dibenzofuran	0.040		0.00050	0.0050	mg/L	1	7/17/2012 12:23
Di-n-butyl phthalate		U	0.00050	0.0050	mg/L	1	7/17/2012 12:23
Fluoranthene	0.0053		0.00050	0.0050	mg/L	1	7/17/2012 12:23
Fluorene	0.054		0.00050	0.0050	mg/L	1	7/17/2012 12:23
Naphthalene	0.0040	J	0.00050	0.0050	mg/L	1	7/17/2012 12:23
Phenol		U	0.00050	0.0050	mg/L	1	7/17/2012 12:23
Pyrene	0.0024	J	0.00050	0.0050	mg/L	1	7/17/2012 12:23
Surr: 2,4,6-Tribromophenol	84.1			42-124	%REC	1	7/17/2012 12:23
Surr: 2-Fluorobiphenyl	65.0			48-120	%REC	1	7/17/2012 12:23
Surr: 2-Fluorophenol	55.0			20-120	%REC	1	7/17/2012 12:23
Surr: 4-Terphenyl-d14	88.7			51-135	%REC	1	7/17/2012 12:23
Surr: Nitrobenzene-d5	59.1			41-120	%REC	1	7/17/2012 12:23
Surr: Phenol-d6	56.2			20-120	%REC	1	7/17/2012 12:23

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Environmental

Date: 30-Jul-12

Client: Pastor, Behling & Wheeler, LLC
Project: HWPW SWMU 1 GW
Sample ID: WG-1620-MW10A-20120710
Collection Date: 7/10/2012 04:00 PM

Work Order: 1207433
Lab ID: 1207433-03
Matrix: WATER

Analyses	Result	Qual	SDL	MLL	Units	Dilution Factor	Date Analyzed
SEMIVOLATILES - SW8270D			Method: SW8270		Prep: SW3510 / 7/16/12		Analyst: JLJ
2-Methylnaphthalene		U	0.00050	0.0050	mg/L	1	7/17/2012 12:45
Acenaphthene	0.0016	J	0.00050	0.0050	mg/L	1	7/17/2012 12:45
Acenaphthylene		U	0.00050	0.0050	mg/L	1	7/17/2012 12:45
Anthracene		U	0.00050	0.0050	mg/L	1	7/17/2012 12:45
Bis(2-ethylhexyl)phthalate		U	0.00050	0.0050	mg/L	1	7/17/2012 12:45
Dibenzofuran		U	0.00050	0.0050	mg/L	1	7/17/2012 12:45
Fluoranthene		U	0.00050	0.0050	mg/L	1	7/17/2012 12:45
Fluorene		U	0.00050	0.0050	mg/L	1	7/17/2012 12:45
Naphthalene		U	0.00050	0.0050	mg/L	1	7/17/2012 12:45
Phenanthrene		U	0.00050	0.0050	mg/L	1	7/17/2012 12:45
Pyrene		U	0.00050	0.0050	mg/L	1	7/17/2012 12:45
Surr: 2,4,6-Tribromophenol	70.1			42-124	%REC	1	7/17/2012 12:45
Surr: 2-Fluorobiphenyl	51.1			48-120	%REC	1	7/17/2012 12:45
Surr: 2-Fluorophenol	49.0			20-120	%REC	1	7/17/2012 12:45
Surr: 4-Terphenyl-d14	74.3			51-135	%REC	1	7/17/2012 12:45
Surr: Nitrobenzene-d5	50.8			41-120	%REC	1	7/17/2012 12:45
Surr: Phenol-d6	47.8			20-120	%REC	1	7/17/2012 12:45

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Environmental

Date: 30-Jul-12

Client: Pastor, Behling & Wheeler, LLC
Project: HWPW SWMU 1 GW
Sample ID: WG-1620-MW10B-20120710
Collection Date: 7/10/2012 04:50 PM

Work Order: 1207433
Lab ID: 1207433-04
Matrix: WATER

Analyses	Result	Qual	SDL	MLL	Units	Dilution Factor	Date Analyzed
SEMIVOLATILES - SW8270D			Method: SW8270		Prep: SW3510 / 7/16/12		Analyst: JLJ
Acenaphthene	0.054		0.00050	0.0050	mg/L	1	7/17/2012 13:08
Acenaphthylene	U		0.00050	0.0050	mg/L	1	7/17/2012 13:08
Anthracene	0.0032	J	0.00050	0.0050	mg/L	1	7/17/2012 13:08
Bis(2-ethylhexyl)phthalate	U		0.00050	0.0050	mg/L	1	7/17/2012 13:08
Dibenzofuran	0.020		0.00050	0.0050	mg/L	1	7/17/2012 13:08
Di-n-butyl phthalate	U		0.00050	0.0050	mg/L	1	7/17/2012 13:08
Fluoranthene	0.0028	J	0.00050	0.0050	mg/L	1	7/17/2012 13:08
Fluorene	0.031		0.00050	0.0050	mg/L	1	7/17/2012 13:08
Naphthalene	0.0040	J	0.00050	0.0050	mg/L	1	7/17/2012 13:08
Phenol	U		0.00050	0.0050	mg/L	1	7/17/2012 13:08
Pyrene	0.0011	J	0.00050	0.0050	mg/L	1	7/17/2012 13:08
Surr: 2,4,6-Tribromophenol	83.2			42-124	%REC	1	7/17/2012 13:08
Surr: 2-Fluorobiphenyl	55.2			48-120	%REC	1	7/17/2012 13:08
Surr: 2-Fluorophenol	49.2			20-120	%REC	1	7/17/2012 13:08
Surr: 4-Terphenyl-d14	92.0			51-135	%REC	1	7/17/2012 13:08
Surr: Nitrobenzene-d5	51.2			41-120	%REC	1	7/17/2012 13:08
Surr: Phenol-d6	49.5			20-120	%REC	1	7/17/2012 13:08

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Environmental

Date: 30-Jul-12

Client: Pastor, Behling & Wheeler, LLC
Project: HWPW SWMU 1 GW
Sample ID: WG-1620-MW02-20120710
Collection Date: 7/10/2012 05:40 PM

Work Order: 1207433
Lab ID: 1207433-05
Matrix: WATER

Analyses	Result	Qual	SDL	ML	Units	Dilution Factor	Date Analyzed
SEMIVOLATILES - SW8270D			Method: SW8270		Prep: SW3510 / 7/16/12		Analyst: JLJ
2-Methylnaphthalene		U	0.00050	0.0050	mg/L	1	7/17/2012 14:39
Acenaphthene	0.0088		0.00050	0.0050	mg/L	1	7/17/2012 14:39
Acenaphthylene		U	0.00050	0.0050	mg/L	1	7/17/2012 14:39
Anthracene		U	0.00050	0.0050	mg/L	1	7/17/2012 14:39
Bis(2-ethylhexyl)phthalate		U	0.00050	0.0050	mg/L	1	7/17/2012 14:39
Dibenzofuran	0.0043	J	0.00050	0.0050	mg/L	1	7/17/2012 14:39
Fluoranthene		U	0.00050	0.0050	mg/L	1	7/17/2012 14:39
Fluorene	0.0043	J	0.00050	0.0050	mg/L	1	7/17/2012 14:39
Naphthalene	0.0033	J	0.00050	0.0050	mg/L	1	7/17/2012 14:39
Phenanthrene		U	0.00050	0.0050	mg/L	1	7/17/2012 14:39
Pyrene		U	0.00050	0.0050	mg/L	1	7/17/2012 14:39
Surr: 2,4,6-Tribromophenol	62.7			42-124	%REC	1	7/17/2012 14:39
Surr: 2-Fluorobiphenyl	54.5			48-120	%REC	1	7/17/2012 14:39
Surr: 2-Fluorophenol	54.0			20-120	%REC	1	7/17/2012 14:39
Surr: 4-Terphenyl-d14	62.8			51-135	%REC	1	7/17/2012 14:39
Surr: Nitrobenzene-d5	54.5			41-120	%REC	1	7/17/2012 14:39
Surr: Phenol-d6	54.1			20-120	%REC	1	7/17/2012 14:39

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Environmental

Date: 30-Jul-12

Client: Pastor, Behling & Wheeler, LLC
Project: HWPW SWMU 1 GW
Sample ID: WG-1620-MW01A-20120711
Collection Date: 7/11/2012 08:10 AM

Work Order: 1207433
Lab ID: 1207433-06
Matrix: WATER

Analyses	Result	Qual	SDL	MLL	Units	Dilution Factor	Date Analyzed
SEMIVOLATILES - SW8270D		Method: SW8270		Prep: SW3510 / 7/16/12		Analyst: JLJ	
2-Methylnaphthalene	0.012		0.00050	0.0050	mg/L	1	7/17/2012 15:02
Acenaphthene	0.084		0.00050	0.0050	mg/L	1	7/17/2012 15:02
Acenaphthylene	0.0017	J	0.00050	0.0050	mg/L	1	7/17/2012 15:02
Anthracene	0.0030	J	0.00050	0.0050	mg/L	1	7/17/2012 15:02
Bis(2-ethylhexyl)phthalate		U	0.00050	0.0050	mg/L	1	7/17/2012 15:02
Dibenzofuran	0.025		0.00050	0.0050	mg/L	1	7/17/2012 15:02
Fluoranthene	0.0047	J	0.00050	0.0050	mg/L	1	7/17/2012 15:02
Fluorene	0.041		0.00050	0.0050	mg/L	1	7/17/2012 15:02
Naphthalene		U	0.00050	0.0050	mg/L	1	7/17/2012 15:02
Phenanthrene	0.0033	J	0.00050	0.0050	mg/L	1	7/17/2012 15:02
Pyrene	0.0021	J	0.00050	0.0050	mg/L	1	7/17/2012 15:02
Surr: 2,4,6-Tribromophenol	83.5			42-124	%REC	1	7/17/2012 15:02
Surr: 2-Fluorobiphenyl	73.2			48-120	%REC	1	7/17/2012 15:02
Surr: 2-Fluorophenol	73.7			20-120	%REC	1	7/17/2012 15:02
Surr: 4-Terphenyl-d14	81.9			51-135	%REC	1	7/17/2012 15:02
Surr: Nitrobenzene-d5	75.8			41-120	%REC	1	7/17/2012 15:02
Surr: Phenol-d6	73.8			20-120	%REC	1	7/17/2012 15:02

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Environmental

Date: 30-Jul-12

Client: Pastor, Behling & Wheeler, LLC
 Project: HWPW SWMU 1 GW
 Sample ID: WG-1620-FD01-20120711
 Collection Date: 7/11/2012 08:10 AM

Work Order: 1207433
 Lab ID: 1207433-07
 Matrix: WATER

Analyses	Result	Qual	SDL	MLL	Units	Dilution Factor	Date Analyzed
SEMIVOLATILES - SW8270D			Method: SW8270		Prep: SW3510 / 7/16/12		Analyst: JLJ
2-Methylnaphthalene	0.011		0.00050	0.0050	mg/L	1	7/17/2012 15:25
Acenaphthene	0.083		0.00050	0.0050	mg/L	1	7/17/2012 15:25
Acenaphthylene	0.0020	J	0.00050	0.0050	mg/L	1	7/17/2012 15:25
Anthracene	0.0030	J	0.00050	0.0050	mg/L	1	7/17/2012 15:25
Bis(2-ethylhexyl)phthalate		U	0.00050	0.0050	mg/L	1	7/17/2012 15:25
Dibenzofuran	0.025		0.00050	0.0050	mg/L	1	7/17/2012 15:25
Fluoranthene	0.0045	J	0.00050	0.0050	mg/L	1	7/17/2012 15:25
Fluorene	0.043		0.00050	0.0050	mg/L	1	7/17/2012 15:25
Naphthalene		U	0.00050	0.0050	mg/L	1	7/17/2012 15:25
Phenanthrene	0.0031	J	0.00050	0.0050	mg/L	1	7/17/2012 15:25
Pyrene	0.0019	J	0.00050	0.0050	mg/L	1	7/17/2012 15:25
Surr: 2,4,6-Tribromophenol	90.3			42-124	%REC	1	7/17/2012 15:25
Surr: 2-Fluorobiphenyl	73.6			48-120	%REC	1	7/17/2012 15:25
Surr: 2-Fluorophenol	70.9			20-120	%REC	1	7/17/2012 15:25
Surr: 4-Terphenyl-d14	90.9			51-135	%REC	1	7/17/2012 15:25
Surr: Nitrobenzene-d5	72.5			41-120	%REC	1	7/17/2012 15:25
Surr: Phenol-d6	71.7			20-120	%REC	1	7/17/2012 15:25

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Environmental

Date: 30-Jul-12

Client: Pastor, Behling & Wheeler, LLC
Project: HWPW SWMU 1 GW
Sample ID: WG-1620-P12-20120711
Collection Date: 7/11/2012 09:30 AM

Work Order: 1207433
Lab ID: 1207433-08
Matrix: WATER

Analyses	Result	Qual	SDL	MLL	Units	Dilution Factor	Date Analyzed
SEMIVOLATILES - SW8270D		Method: SW8270		Prep: SW3510 / 7/16/12		Analyst: JLJ	
Acenaphthene	U		0.00050	0.0050	mg/L	1	7/17/2012 03:02
Acenaphthylene	U		0.00050	0.0050	mg/L	1	7/17/2012 03:02
Anthracene	U		0.00050	0.0050	mg/L	1	7/17/2012 03:02
Bis(2-ethylhexyl)phthalate	U		0.00050	0.0050	mg/L	1	7/17/2012 03:02
Dibenzofuran	U		0.00050	0.0050	mg/L	1	7/17/2012 03:02
Di-n-butyl phthalate	U		0.00050	0.0050	mg/L	1	7/17/2012 03:02
Fluoranthene	U		0.00050	0.0050	mg/L	1	7/17/2012 03:02
Fluorene	U		0.00050	0.0050	mg/L	1	7/17/2012 03:02
Naphthalene	U		0.00050	0.0050	mg/L	1	7/17/2012 03:02
Phenol	U		0.00050	0.0050	mg/L	1	7/17/2012 03:02
Pyrene	U		0.00050	0.0050	mg/L	1	7/17/2012 03:02
Surr: 2,4,6-Tribromophenol	67.8			42-124	%REC	1	7/17/2012 03:02
Surr: 2-Fluorobiphenyl	59.0			48-120	%REC	1	7/17/2012 03:02
Surr: 2-Fluorophenol	54.1			20-120	%REC	1	7/17/2012 03:02
Surr: 4-Terphenyl-d14	82.1			51-135	%REC	1	7/17/2012 03:02
Surr: Nitrobenzene-d5	56.3			41-120	%REC	1	7/17/2012 03:02
Surr: Phenol-d6	51.3			20-120	%REC	1	7/17/2012 03:02

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Environmental

Date: 30-Jul-12

Client: Pastor, Behling & Wheeler, LLC
Project: HWPW SWMU 1 GW
Sample ID: WG-1620-P10-20120711
Collection Date: 7/11/2012 10:30 AM

Work Order: 1207433
Lab ID: 1207433-09
Matrix: WATER

Analyses	Result	Qual	SDL	ML	Units	Dilution Factor	Date Analyzed
SEMIVOLATILES - SW8270D			Method: SW8270		Prep: SW3510 / 7/16/12		Analyst: JLJ
Acenaphthene	U		0.00050	0.0050	mg/L	1	7/17/2012 13:54
Acenaphthylene	U		0.00050	0.0050	mg/L	1	7/17/2012 13:54
Anthracene	U		0.00050	0.0050	mg/L	1	7/17/2012 13:54
Bis(2-ethylhexyl)phthalate	U		0.00050	0.0050	mg/L	1	7/17/2012 13:54
Dibenzofuran	U		0.00050	0.0050	mg/L	1	7/17/2012 13:54
Di-n-butyl phthalate	U		0.00050	0.0050	mg/L	1	7/17/2012 13:54
Fluoranthene	U		0.00050	0.0050	mg/L	1	7/17/2012 13:54
Fluorene	U		0.00050	0.0050	mg/L	1	7/17/2012 13:54
Naphthalene	U		0.00050	0.0050	mg/L	1	7/17/2012 13:54
Phenol	U		0.00050	0.0050	mg/L	1	7/17/2012 13:54
Pyrene	U		0.00050	0.0050	mg/L	1	7/17/2012 13:54
Surr: 2,4,6-Tribromophenol	56.1			42-124	%REC	1	7/17/2012 13:54
Surr: 2-Fluorobiphenyl	51.8			48-120	%REC	1	7/17/2012 13:54
Surr: 2-Fluorophenol	52.0			20-120	%REC	1	7/17/2012 13:54
Surr: 4-Terphenyl-d14	62.2			51-135	%REC	1	7/17/2012 13:54
Surr: Nitrobenzene-d5	53.5			41-120	%REC	1	7/17/2012 13:54
Surr: Phenol-d6	48.2			20-120	%REC	1	7/17/2012 13:54

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Environmental

Date: 30-Jul-12

Client: Pastor, Behling & Wheeler, LLC
Project: HWPW SWMU 1 GW
Sample ID: WG-1620-FD02-20120711
Collection Date: 7/11/2012 10:30 AM

Work Order: 1207433
Lab ID: 1207433-10
Matrix: WATER

Analyses	Result	Qual	SDL	MLL	Units	Dilution Factor	Date Analyzed
SEMIVOLATILES - SW8270D		Method: SW8270		Prep: SW3510 / 7/16/12		Analyst: JLJ	
Acenaphthene	U		0.00050	0.0050	mg/L	1	7/17/2012 15:48
Acenaphthylene	U		0.00050	0.0050	mg/L	1	7/17/2012 15:48
Anthracene	U		0.00050	0.0050	mg/L	1	7/17/2012 15:48
Bis(2-ethylhexyl)phthalate	U		0.00050	0.0050	mg/L	1	7/17/2012 15:48
Dibenzofuran	U		0.00050	0.0050	mg/L	1	7/17/2012 15:48
Di-n-butyl phthalate	U		0.00050	0.0050	mg/L	1	7/17/2012 15:48
Fluoranthene	U		0.00050	0.0050	mg/L	1	7/17/2012 15:48
Fluorene	U		0.00050	0.0050	mg/L	1	7/17/2012 15:48
Naphthalene	U		0.00050	0.0050	mg/L	1	7/17/2012 15:48
Phenol	U		0.00050	0.0050	mg/L	1	7/17/2012 15:48
Pyrene	U		0.00050	0.0050	mg/L	1	7/17/2012 15:48
Surr: 2,4,6-Tribromophenol	70.3			42-124	%REC	1	7/17/2012 15:48
Surr: 2-Fluorobiphenyl	59.8			48-120	%REC	1	7/17/2012 15:48
Surr: 2-Fluorophenol	60.9			20-120	%REC	1	7/17/2012 15:48
Surr: 4-Terphenyl-d14	75.1			51-135	%REC	1	7/17/2012 15:48
Surr: Nitrobenzene-d5	61.7			41-120	%REC	1	7/17/2012 15:48
Surr: Phenol-d6	57.0			20-120	%REC	1	7/17/2012 15:48

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Environmental

Date: 30-Jul-12

Client: Pastor, Behling & Wheeler, LLC
Project: HWPW SWMU 1 GW
Sample ID: WG-1620-MW07-20120711
Collection Date: 7/11/2012 11:40 AM

Work Order: 1207433
Lab ID: 1207433-11
Matrix: WATER

Analyses	Result	Qual	SDL	MLL	Units	Dilution Factor	Date Analyzed
SEMIVOLATILES - SW8270D		Method: SW8270		Prep: SW3510 / 7/16/12		Analyst: JLJ	
2-Methylnaphthalene	U		0.00050	0.0050	mg/L	1	7/17/2012 16:10
Acenaphthene	U		0.00050	0.0050	mg/L	1	7/17/2012 16:10
Acenaphthylene	U		0.00050	0.0050	mg/L	1	7/17/2012 16:10
Anthracene	U		0.00050	0.0050	mg/L	1	7/17/2012 16:10
Bis(2-ethylhexyl)phthalate	U		0.00050	0.0050	mg/L	1	7/17/2012 16:10
Dibenzofuran	U		0.00050	0.0050	mg/L	1	7/17/2012 16:10
Fluoranthene	U		0.00050	0.0050	mg/L	1	7/17/2012 16:10
Fluorene	U		0.00050	0.0050	mg/L	1	7/17/2012 16:10
Naphthalene	U		0.00050	0.0050	mg/L	1	7/17/2012 16:10
Phenanthrene	U		0.00050	0.0050	mg/L	1	7/17/2012 16:10
Pyrene	U		0.00050	0.0050	mg/L	1	7/17/2012 16:10
Surr: 2,4,6-Tribromophenol	81.0			42-124	%REC	1	7/17/2012 16:10
Surr: 2-Fluorobiphenyl	64.2			48-120	%REC	1	7/17/2012 16:10
Surr: 2-Fluorophenol	60.3			20-120	%REC	1	7/17/2012 16:10
Surr: 4-Terphenyl-d14	84.4			51-135	%REC	1	7/17/2012 16:10
Surr: Nitrobenzene-d5	62.6			41-120	%REC	1	7/17/2012 16:10
Surr: Phenol-d6	59.5			20-120	%REC	1	7/17/2012 16:10

Note: See Qualifiers Page for a list of qualifiers and their explanation.

ALS Environmental

Date: 30-Jul-12

Client: Pastor, Behling & Wheeler, LLC
Project: HWPW SWMU 1 GW
Sample ID: WG-1620-MW08-20120711
Collection Date: 7/11/2012 12:45 PM

Work Order: 1207433
Lab ID: 1207433-12
Matrix: WATER

Analyses	Result	Qual	SDL	MLL	Units	Dilution Factor	Date Analyzed
SEMIVOLATILES - SW8270D		Method: SW8270		Prep: SW3510 / 7/16/12		Analyst: JLJ	
2-Methylnaphthalene	U		0.00050	0.0050	mg/L	1	7/17/2012 16:33
Acenaphthene	U		0.00050	0.0050	mg/L	1	7/17/2012 16:33
Acenaphthylene	U		0.00050	0.0050	mg/L	1	7/17/2012 16:33
Anthracene	U		0.00050	0.0050	mg/L	1	7/17/2012 16:33
Bis(2-ethylhexyl)phthalate	U		0.00050	0.0050	mg/L	1	7/17/2012 16:33
Dibenzofuran	U		0.00050	0.0050	mg/L	1	7/17/2012 16:33
Fluoranthene	U		0.00050	0.0050	mg/L	1	7/17/2012 16:33
Fluorene	U		0.00050	0.0050	mg/L	1	7/17/2012 16:33
Naphthalene	U		0.00050	0.0050	mg/L	1	7/17/2012 16:33
Phenanthrene	U		0.00050	0.0050	mg/L	1	7/17/2012 16:33
Pyrene	U		0.00050	0.0050	mg/L	1	7/17/2012 16:33
Surr: 2,4,6-Tribromophenol	88.5			42-124	%REC	1	7/17/2012 16:33
Surr: 2-Fluorobiphenyl	65.2			48-120	%REC	1	7/17/2012 16:33
Surr: 2-Fluorophenol	59.2			20-120	%REC	1	7/17/2012 16:33
Surr: 4-Terphenyl-d14	96.2			51-135	%REC	1	7/17/2012 16:33
Surr: Nitrobenzene-d5	61.8			41-120	%REC	1	7/17/2012 16:33
Surr: Phenol-d6	59.8			20-120	%REC	1	7/17/2012 16:33

Note: See Qualifiers Page for a list of qualifiers and their explanation.

WorkOrder: 1207433
 InstrumentID: SV-3
 Test Code: 8270_W
 Test Number: SW8270
 Test Name: Semivolatiles - SW8270D

**METHOD DETECTION /
 REPORTING LIMITS**

Matrix: Aqueous Units: mg/L

Type	Analyte	CAS	DCS	MDL	Unadjusted MQL
A	2-Methylnaphthalene	91-57-6	0.0018	0.00050	0.0050
A	Acenaphthene	83-32-9	0.0018	0.00050	0.0050
A	Acenaphthylene	208-96-8	0.0018	0.00050	0.0050
A	Anthracene	120-12-7	0.0019	0.00050	0.0050
A	Bis(2-ethylhexyl)phthalate	117-81-7	0.0019	0.00050	0.0050
A	Dibenzofuran	132-64-9	0.0019	0.00050	0.0050
A	Di-n-butyl phthalate	84-74-2	0.0021	0.00050	0.0050
A	Fluoranthene	206-44-0	0.0021	0.00050	0.0050
A	Fluorene	86-73-7	0.0018	0.00050	0.0050
A	Naphthalene	91-20-3	0.0019	0.00050	0.0050
A	Phenanthrene	85-01-8	0.0019	0.00050	0.0050
A	Phenol	108-95-2	0.0017	0.00050	0.0050
A	Pyrene	129-00-0	0.0021	0.00050	0.0050
S	Surr: 2,4,6-Tribromophenol	118-79-6	0	0.0050	0.0050
S	Surr: 2-Fluorobiphenyl	321-60-8	0	0.0050	0.0050
S	Surr: 2-Fluorophenol	367-12-4	0	0.0050	0.0050
S	Surr: 4-Terphenyl-d14	1718-51-0	0	0.0050	0.0050
S	Surr: Nitrobenzene-d5	4165-60-0	0	0.0050	0.0050
S	Surr: Phenol-d6	13127-88-3	0	0.0050	0.0050

ALS Environmental

Date: 52-Jul-12

Client: Pastor, Behling & Wheeler, LLC
Work Order: 1207433
Project: HWPW SWMU 1 GW

QC BATCH REPORT

Batch ID: **62644** Instrument ID **SV-3** Method: **SW8270**

MBLK	Sample ID: SBLKW1-120716-62644			Units: µg/L	Analysis Date: 7/16/2012 02:37 PM					
Client ID:	Run ID: SV-3_120716A			SeqNo: 2861762	Prep Date: 7/16/2012	DF: 1				
Analyte	Result	MQL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
2-Methylnaphthalene	U	5.0								
Acenaphthene	U	5.0								
Acenaphthylene	U	5.0								
Anthracene	U	5.0								
Bis(2-ethylhexyl)phthalate	U	5.0								
Dibenzofuran	U	5.0								
Di-n-butyl phthalate	U	5.0								
Fluoranthene	U	5.0								
Fluorene	U	5.0								
Naphthalene	U	5.0								
Phenanthrene	U	5.0								
Phenol	U	5.0								
Pyrene	U	5.0								
<i>Surr: 2,4,6-Tribromophenol</i>	<i>103</i>	<i>5.0</i>	<i>100</i>	<i>0</i>	<i>103</i>	<i>42-124</i>	<i>0</i>			
<i>Surr: 2-Fluorobiphenyl</i>	<i>86.08</i>	<i>5.0</i>	<i>100</i>	<i>0</i>	<i>86.1</i>	<i>48-120</i>	<i>0</i>			
<i>Surr: 2-Fluorophenol</i>	<i>82.85</i>	<i>5.0</i>	<i>100</i>	<i>0</i>	<i>82.8</i>	<i>20-120</i>	<i>0</i>			
<i>Surr: 4-Terphenyl-d14</i>	<i>100.7</i>	<i>5.0</i>	<i>100</i>	<i>0</i>	<i>101</i>	<i>51-135</i>	<i>0</i>			
<i>Surr: Nitrobenzene-d5</i>	<i>89.36</i>	<i>5.0</i>	<i>100</i>	<i>0</i>	<i>89.4</i>	<i>41-120</i>	<i>0</i>			
<i>Surr: Phenol-d6</i>	<i>83.6</i>	<i>5.0</i>	<i>100</i>	<i>0</i>	<i>83.6</i>	<i>20-120</i>	<i>0</i>			

Note: See Qualifiers Page for a list of Qualifiers and their explanation.

Client: Pastor, Behling & Wheeler, LLC
Work Order: 1207433
Project: HWPW SWMU 1 GW

QC BATCH REPORT

Batch ID: **62644** Instrument ID **SV-3** Method: **SW8270**

LCS		Sample ID: SLCSW1-120716-62644			Units: µg/L		Analysis Date: 7/16/2012 06:45 PM			
Client ID:		Run ID: SV-3_120716A			SeqNo: 2861764		Prep Date: 7/16/2012		DF: 1	
Analyte	Result	ML	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
2-Methylnaphthalene	48	5.0	50	0	96	55-120	0			
Acenaphthene	44.22	5.0	50	0	88.4	55-120	0			
Acenaphthylene	46.04	5.0	50	0	92.1	55-120	0			
Anthracene	47.05	5.0	50	0	94.1	55-120	0			
Bis(2-ethylhexyl)phthalate	42.37	5.0	50	0	84.7	50-125	0			
Dibenzofuran	46.99	5.0	50	0	94	55-120	0			
Di-n-butyl phthalate	44.59	5.0	50	0	89.2	55-120	0			
Fluoranthene	46.19	5.0	50	0	92.4	55-120	0			
Fluorene	45.85	5.0	50	0	91.7	55-120	0			
Naphthalene	48.45	5.0	50	0	96.9	55-120	0			
Phenanthrene	45.66	5.0	50	0	91.3	55-120	0			
Phenol	70	5.0	100	0	70	50-120	0			
Pyrene	45.85	5.0	50	0	91.7	55-120	0			
<i>Surr: 2,4,6-Tribromophenol</i>	<i>92.24</i>	<i>5.0</i>	<i>100</i>	<i>0</i>	<i>92.2</i>	<i>42-124</i>	<i>0</i>			
<i>Surr: 2-Fluorobiphenyl</i>	<i>90.42</i>	<i>5.0</i>	<i>100</i>	<i>0</i>	<i>90.4</i>	<i>48-120</i>	<i>0</i>			
<i>Surr: 2-Fluorophenol</i>	<i>105.7</i>	<i>5.0</i>	<i>100</i>	<i>0</i>	<i>106</i>	<i>20-120</i>	<i>0</i>			
<i>Surr: 4-Terphenyl-d14</i>	<i>101.1</i>	<i>5.0</i>	<i>100</i>	<i>0</i>	<i>101</i>	<i>51-135</i>	<i>0</i>			
<i>Surr: Nitrobenzene-d5</i>	<i>85.3</i>	<i>5.0</i>	<i>100</i>	<i>0</i>	<i>85.3</i>	<i>41-120</i>	<i>0</i>			
<i>Surr: Phenol-d6</i>	<i>82.7</i>	<i>5.0</i>	<i>100</i>	<i>0</i>	<i>82.7</i>	<i>20-120</i>	<i>0</i>			

Note: See Qualifiers Page for a list of Qualifiers and their explanation.

Client: Pastor, Behling & Wheeler, LLC
 Work Order: 1207433
 Project: HWPW SWMU 1 GW

QC BATCH REPORT

Batch ID: **62644** Instrument ID **SV-3** Method: **SW8270**

LCSD		Sample ID: SLCSDW1-120716-62644			Units: µg/L			Analysis Date: 7/16/2012 09:46 PM		
Client ID:		Run ID: SV-3_120716A			SeqNo: 2861765		Prep Date: 7/16/2012		DF: 1	
Analyte	Result	ML	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
2-Methylnaphthalene	49.03	5.0	50	0	98.1	55-120	48	2.13	20	
Acenaphthene	44.8	5.0	50	0	89.6	55-120	44.22	1.3	20	
Acenaphthylene	46.04	5.0	50	0	92.1	55-120	46.04	0.0113	20	
Anthracene	48.36	5.0	50	0	96.7	55-120	47.05	2.76	20	
Bis(2-ethylhexyl)phthalate	45.03	5.0	50	0	90.1	50-125	42.37	6.09	20	
Dibenzofuran	47.25	5.0	50	0	94.5	55-120	46.99	0.556	20	
Di-n-butyl phthalate	46.17	5.0	50	0	92.3	55-120	44.59	3.5	20	
Fluoranthene	47.82	5.0	50	0	95.6	55-120	46.19	3.46	20	
Fluorene	46.88	5.0	50	0	93.8	55-120	45.85	2.23	20	
Naphthalene	48.58	5.0	50	0	97.2	55-120	48.45	0.27	20	
Phenanthrene	46.45	5.0	50	0	92.9	55-120	45.66	1.71	20	
Phenol	72.75	5.0	100	0	72.8	50-120	70	3.85	20	
Pyrene	47.25	5.0	50	0	94.5	55-120	45.85	3	20	
<i>Surr: 2,4,6-Tribromophenol</i>	96.11	5.0	100	0	96.1	42-124	92.24	4.11	20	
<i>Surr: 2-Fluorobiphenyl</i>	89.62	5.0	100	0	89.6	48-120	90.42	0.888	20	
<i>Surr: 2-Fluorophenol</i>	95.65	5.0	100	0	95.7	20-120	105.7	9.98	20	
<i>Surr: 4-Terphenyl-d14</i>	104.2	5.0	100	0	104	51-135	101.1	3.02	20	
<i>Surr: Nitrobenzene-d5</i>	83.39	5.0	100	0	83.4	41-120	85.3	2.27	20	
<i>Surr: Phenol-d6</i>	85.09	5.0	100	0	85.1	20-120	82.7	2.85	20	

Note: See Qualifiers Page for a list of Qualifiers and their explanation.

Client: Pastor, Behling & Wheeler, LLC
Work Order: 1207433
Project: HWPW SWMU 1 GW

QC BATCH REPORT

Batch ID: **62644** Instrument ID **SV-3** Method: **SW8270**

MS		Sample ID: 1207433-08AMS			Units: µg/L		Analysis Date: 7/17/2012 03:25 AM			
Client ID: WG-1620-P12-20120711		Run ID: SV-3_120716A			SeqNo: 2861775		Prep Date: 7/16/2012		DF: 1	
Analyte	Result	ML	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
2-Methylnaphthalene	44.49	5.0	50	0	89	55-120	0			
Acenaphthene	45.72	5.0	50	0	91.4	55-120	0			
Acenaphthylene	47.12	5.0	50	0	94.2	55-120	0			
Anthracene	53.81	5.0	50	0	108	55-120	0			
Bis(2-ethylhexyl)phthalate	52.1	5.0	50	0	104	50-125	0			
Dibenzofuran	49.24	5.0	50	0	98.5	55-120	0			
Di-n-butyl phthalate	52.52	5.0	50	0	105	55-120	0			
Fluoranthene	53.42	5.0	50	0	107	55-120	0			
Fluorene	49.38	5.0	50	0	98.8	55-120	0			
Naphthalene	42.43	5.0	50	0	84.9	55-120	0			
Phenanthrene	51.72	5.0	50	0	103	55-120	0			
Phenol	62.46	5.0	100	0	62.5	50-120	0			
Pyrene	54.09	5.0	50	0	108	55-120	0			
<i>Surr: 2,4,6-Tribromophenol</i>	<i>101.4</i>	<i>5.0</i>	<i>100</i>	<i>0</i>	<i>101</i>	<i>42-124</i>	<i>0</i>			
<i>Surr: 2-Fluorobiphenyl</i>	<i>85.83</i>	<i>5.0</i>	<i>100</i>	<i>0</i>	<i>85.8</i>	<i>48-120</i>	<i>0</i>			
<i>Surr: 2-Fluorophenol</i>	<i>79.02</i>	<i>5.0</i>	<i>100</i>	<i>0</i>	<i>79</i>	<i>20-120</i>	<i>0</i>			
<i>Surr: 4-Terphenyl-d14</i>	<i>117.9</i>	<i>5.0</i>	<i>100</i>	<i>0</i>	<i>118</i>	<i>51-135</i>	<i>0</i>			
<i>Surr: Nitrobenzene-d5</i>	<i>73.95</i>	<i>5.0</i>	<i>100</i>	<i>0</i>	<i>73.9</i>	<i>41-120</i>	<i>0</i>			
<i>Surr: Phenol-d6</i>	<i>71.72</i>	<i>5.0</i>	<i>100</i>	<i>0</i>	<i>71.7</i>	<i>20-120</i>	<i>0</i>			

Note: See Qualifiers Page for a list of Qualifiers and their explanation.

Client: Pastor, Behling & Wheeler, LLC
 Work Order: 1207433
 Project: HWPW SWMU 1 GW

QC BATCH REPORT

Batch ID: **62644** Instrument ID **SV-3** Method: **SW8270**

MSD		Sample ID: 1207433-08AMSD			Units: µg/L			Analysis Date: 7/17/2012 11:37 AM		
Client ID: WG-1620-P12-20120711		Run ID: SV-3_120716A			SeqNo: 2861796			Prep Date: 7/16/2012		DF: 1
Analyte	Result	MLL	SPK Val	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPD Limit	Qual
2-Methylnaphthalene	45.74	5.0	50	0	91.5	55-120	44.49	2.75	20	
Acenaphthene	45.65	5.0	50	0	91.3	55-120	45.72	0.139	20	
Acenaphthylene	46.31	5.0	50	0	92.6	55-120	47.12	1.74	20	
Anthracene	51.91	5.0	50	0	104	55-120	53.81	3.6	20	
Bis(2-ethylhexyl)phthalate	51.27	5.0	50	0	103	50-125	52.1	1.6	20	
Dibenzofuran	49.81	5.0	50	0	99.6	55-120	49.24	1.15	20	
Di-n-butyl phthalate	51.7	5.0	50	0	103	55-120	52.52	1.58	20	
Fluoranthene	52.42	5.0	50	0	105	55-120	53.42	1.89	20	
Fluorene	49.48	5.0	50	0	99	55-120	49.38	0.22	20	
Naphthalene	42.8	5.0	50	0	85.6	55-120	42.43	0.857	20	
Phenanthrene	50.04	5.0	50	0	100	55-120	51.72	3.31	20	
Phenol	62.82	5.0	100	0	62.8	50-120	62.46	0.569	20	
Pyrene	52.95	5.0	50	0	106	55-120	54.09	2.13	20	
<i>Surr: 2,4,6-Tribromophenol</i>	<i>100.9</i>	<i>5.0</i>	<i>100</i>	<i>0</i>	<i>101</i>	<i>42-124</i>	<i>101.4</i>	<i>0.446</i>	<i>20</i>	
<i>Surr: 2-Fluorobiphenyl</i>	<i>84.66</i>	<i>5.0</i>	<i>100</i>	<i>0</i>	<i>84.7</i>	<i>48-120</i>	<i>85.83</i>	<i>1.37</i>	<i>20</i>	
<i>Surr: 2-Fluorophenol</i>	<i>79.52</i>	<i>5.0</i>	<i>100</i>	<i>0</i>	<i>79.5</i>	<i>20-120</i>	<i>79.02</i>	<i>0.631</i>	<i>20</i>	
<i>Surr: 4-Terphenyl-d14</i>	<i>111.7</i>	<i>5.0</i>	<i>100</i>	<i>0</i>	<i>112</i>	<i>51-135</i>	<i>117.9</i>	<i>5.42</i>	<i>20</i>	
<i>Surr: Nitrobenzene-d5</i>	<i>76.03</i>	<i>5.0</i>	<i>100</i>	<i>0</i>	<i>76</i>	<i>41-120</i>	<i>73.95</i>	<i>2.77</i>	<i>20</i>	
<i>Surr: Phenol-d6</i>	<i>71.93</i>	<i>5.0</i>	<i>100</i>	<i>0</i>	<i>71.9</i>	<i>20-120</i>	<i>71.72</i>	<i>0.295</i>	<i>20</i>	

The following samples were analyzed in this batch:

1207433-01A	1207433-02A	1207433-03A
1207433-04A	1207433-05A	1207433-06A
1207433-07A	1207433-08A	1207433-09A
1207433-10A	1207433-11A	1207433-12A

Note: See Qualifiers Page for a list of Qualifiers and their explanation.

Client: Pastor, Behling & Wheeler, LLC
Project: HWPW SWMU 1 GW
WorkOrder: 1207433

**QUALIFIERS,
ACRONYMS, UNITS**

<u>Qualifier</u>	<u>Description</u>
*	Value exceeds Regulatory Limit
a	Not accredited
B	Analyte detected in the associated Method Blank above the Reporting Limit
E	Value above quantitation range
H	Analyzed outside of Holding Time
J	Analyte detected below quantitation limit
M	Manually integrated, see raw data for justification
n	Not offered for accreditation
ND	Not Detected at the Reporting Limit
O	Sample amount is > 4 times amount spiked
P	Dual Column results percent difference > 40%
R	RPD above laboratory control limit
S	Spike Recovery outside laboratory control limits
U	Analyzed but not detected above the MDL

<u>Acronym</u>	<u>Description</u>
DCS	Detectability Check Study
DUP	Method Duplicate
LCS	Laboratory Control Sample
LCSD	Laboratory Control Sample Duplicate
MBLK	Method Blank
MDL	Method Detection Limit
MQL	Method Quantitation Limit
MS	Matrix Spike
MSD	Matrix Spike Duplicate
PDS	Post Digestion Spike
PQL	Practical Quantitation Limit
SD	Serial Dilution
SDL	Sample Detection Limit
TRRP	Texas Risk Reduction Program

<u>Units Reported</u>	<u>Description</u>
mg/L	Milligrams per Liter

Sample Receipt Checklist

Client Name: **PBW**

Date/Time Received: **11-Jul-12 14:25**

Work Order: **1207433**

Received by: **PMG**

Checklist completed by Rachel D. Naran 12-Jul-12
eSignature Date

Reviewed by: Patricia L. Lynch 30-Jul-12
eSignature Date

Matrices: **WATER**

Carrier name: **Client**

- Shipping container/cooler in good condition? Yes No Not Present
- Custody seals intact on shipping container/cooler? Yes No Not Present
- Custody seals intact on sample bottles? Yes No Not Present
- Chain of custody present? Yes No
- Chain of custody signed when relinquished and received? Yes No
- Chain of custody agrees with sample labels? Yes No
- Samples in proper container/bottle? Yes No
- Sample containers intact? Yes No
- Sufficient sample volume for indicated test? Yes No
- All samples received within holding time? Yes No
- Container/Temp Blank temperature in compliance? Yes No

Temperature(s)/Thermometer(s): 2.1C U/C 2.3C U/C 1.8C U/C 2.0C U/C

Cooler(s)/Kit(s): 5027,5042,5043,5026

Date/Time sample(s) sent to storage: 7/11/12 07:35

Water - VOA vials have zero headspace? Yes No No VOA vials submitted

Water - pH acceptable upon receipt? Yes No N/A

pH adjusted? Yes No N/A

pH adjusted by:


Login Notes:

Client Contacted: Date Contacted: Person Contacted:

Contacted By: Regarding:

Comments:

CorrectiveAction:



Environmental

Chain of Custody Fo

Page 1 of 2

COC ID: 52372

ALS Project Manager:

1207433

PBW: Pastor, Behling & Wheeler, LLC

Project: HWPW SWMU 1 GW



Low SVOC (8270) Select

e City, UT 266 7700

ity, PA 348 4903

05 5280

Customer Information				Project Information												
Purchase Order	Project Name			A	B	C	D	E	F	G	H	I	J	Hold		
Work Order	Project Number															
Company Name	Bill To Company															
Send Report To	Invoice Attn															
Address	Address															
City/State/Zip	City/State/Zip															
Phone	Phone															
Fax	Fax															
e-Mail Address	e-Mail Address															
1	WG-1620-MW11A-20120710	7-10-12	1415	GW	-	2	X									
2	WG-1620-MW11B-20120710		1505	GW	-	2	X									
3	WG-1620-MW10A-20120710		1600	GW	-	2	X									
4	WG-1620-MW10B-20120710		1650	GW	-	2	X									
5	WG-1620-MW02-20120710		1740	GW	-	2	X									
6	WG-1620-MW01A-20120711	7-11-12	0810	GW	-	2	X									
7	WG-1620-FD01-20120711		0810	GW	-	2	X									
8	WG-1620-P12-20120711		0930	GW	-	2	X									
9	WG-1620-P12MS-20120711		0930	GW	-	2	X									
10	WG-1620-P12MSD-20120711		0930	GW	-	2	X									


Sampler(s) Please Print & Sign: **JOHN DEAYTON** with Brian
 Shipment Method: **HAND DELIVERED**
 Required Turnaround Time: (Check Box) Std 10 WK Days 5 WK Days 24 Hour
 Results Due Date: _____

Relinquished by: **John Deayton** Date: **7-11-12**
 Received by (Laboratory): _____
 Relinquished by: **John Deayton** Date: **7-11-12**
 Received by (Laboratory): _____

QC Package: (Check One Box Below)
 Level II Std QC TRRP Checklist
 Level III Std QC/Raw Data TRRP Level IV
 Level IV SW946/CLP Other / EDD _____

Preservative Key: 1-HCl 2-HNO₃ 3-H₂SO₄ 4-NaOH 5-Na₂S₂O₃ 6-NaHSO₄ 7-Other 8-4°C 9-5035

Note: 1. Any changes must be made in writing once samples and COC Form have been submitted to ALS Environmental.
 2. Unless otherwise agreed in a formal contract, services provided by ALS Environmental are expressly limited to the terms and conditions stated on the reverse.
 3. The Chain of Custody is a legal document. All information must be completed accurately.



Chain of Custody Form

Cincinnati, OH +1 513 733 5336
 Everett, WA +1 425 356 2600
 Fort Collins, CO +1 970 490 1511
 Holland, MI +1 616 399 6070
 Houston, TX +1 281 530 5656
 Middletown, PA +1 717 944 5541
 Salt Lake City, UT +1 801 266 7700
 Spring City, PA +1 610 948 4903
 York, PA +1 717 505 5280

Page 2 of 2
 COC ID: 52371
 ALS Work Order #: 102435

Environmental

Customer Information				Project Information													Parameter/Method Request for Analysis			
Purchase Order	Project Name			A	Low SVOC (8270) Select															
Work Order	Project Number			B	UPRR Houston Wood SWMU 1 GW															
Company Name	Bill To Company			C	1620															
Send Report To	Invoice Attn			D	Union Pacific Railroad															
Address	Address			E	1400 Douglas Street															
City/State/Zip	City/State/Zip			F	Stop 0750															
Phone	Phone			G	Omaha, NE 681790750															
Fax	Phone			H																
e-Mail Address	e-Mail Address			I																
	e-Mail Address			J																
No.	Sample Description	Date	Time	Matrix	Pres.	# Bottles	A	B	C	D	E	F	G	H	I	J	Hold			
1	WG-1620 - P10 - 20120711	7-11-12	1030	GW	-	2	X													
2	WG-1620 - FDD2 - 20120711	7-11-12	1030	GW	-	2	X													
3	WG-1620 - MW07 - 20120711	7-11-12	1140	GW	-	2	X													
4	WG-1620 - MW08 - 20120711	7-11-12	1245	GW	-	2	X													
5																				
6																				
7																				
8																				
9																				
10																				

Sampler(s) Please Print & Sign: John DeGAYTON
 Date: 7-11-12
 Relinquished by: [Signature]
 Date: 7-11-12
 Relinquished by: [Signature]
 Date: 7-11-12
 Logged by (Laboratory): [Signature]
 Date: 7-11-12
 Shipment Method: HAND DELIVERED
 Required Turnaround Time: (Check Box)
 Std 10 WK Days
 5 WK Days
 24 Hour
 Results Due Date: 10 Day TAT.
 Notes: 10 Day TAT.
 Cooler ID: 1425
 Cooler Temp: 1425
 QC Package: (Check One Box Below)
 Level II Std QC
 Level III Std QC/Raw Data
 Level IV SW846/CLP
 TRRP Checklist
 TRRP Level IV
 Preservative Key: 1-HCl 2-HNO₃ 3-H₂SO₄ 4-NaOH 5-Na₂S₂O₃ 6-NaHSO₄ 7-Other 8-4°C 9-5035

Note: 1. Any changes must be made in writing once samples and COC Form have been submitted to ALS Environmental.
 2. Unless otherwise agreed in a formal contract, services provided by ALS Environmental are expressly limited to the terms and conditions stated on the reverse.
 3. The Chain of Custody is a legal document. All information must be completed accurately.

APPENDIX D
WASTE MANIFEST

Woff 11345
 1:200# 2:800#

Please print or type. (Form designed for use on elite (12-pitch) typewriter.)

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator ID Number TXD000820266	2. Page 1 of 1	3. Emergency Response Phone 866-780-3116	4. Manifest Tracking Number 009975881 JJK			
5. Generator's Name and Mailing Address UNION PACIFIC RAILROAD c/o USA, P.O. Box 87687 Houston, TX 77287 Generator's Phone: 281-350-7197				Generator's Site Address (if different than mailing address) 4910 Liberty Road Houston, TX 77287				
6. Transporter 1 Company Name BAYOU CITY ENVIRONMENTAL SERVICES					U.S. EPA ID Number TXR000032045			
7. Transporter 2 Company Name					U.S. EPA ID Number			
8. Designated Facility Name and Site Address US ECOLOGY OF TEXAS 2.5 MILES S. ON PETRONILLA ROAD ROBSTOWN, TX 77287 Facility's Phone: 800-242-3209					U.S. EPA ID Number TXD060452340			
9a. HM	9b. U.S. DOT Description (including Proper Shipping Name, Hazard Class, ID Number, and Packing Group (if any))	10. Containers		11. Total Quantity	12. Unit Wt./Vol.	13. Waste Codes		
		No.	Type					
X	1. RCRA, HAZ WASTE, SOLID, N.O.S. (PPE), 9, NA3077, PGIII, Approval # 090056383-0	001	DM	200	P	0015 0917	001H 406H	F034
X	2. RCRA, HAZ WASTE, LIQUID, N.O.S., 9, NA3082, PGIII, Approval # 090073928-0	002	DM	800	P	0914	101H	F034
	3.							
	4.							
14. Special Handling Instructions and Additional Information USA Job Number 2469-TD-H156 ER # 866-780-3116								
15. GENERATOR'S/OFFEROR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labeled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations. If export shipment and I am the Primary Exporter, I certify that the contents of this consignment conform to the terms of the attached EPA Acknowledgment of Consent. I certify that the waste minimization statement identified in 40 CFR 262.27(a) (if I am a large quantity generator) or (b) (if I am a small quantity generator) is true.								
Generator's/Offerer's Printed/Typed Name Geoffrey Reeder					Signature <i>Geoffrey Reeder</i>		Month Day Year 18 02 12	
16. International Shipments <input type="checkbox"/> Import to U.S. <input type="checkbox"/> Export from U.S. Port of entry/exit: _____ Date leaving U.S.: _____								
17. Transporter Acknowledgment of Receipt of Materials Transporter 1 Printed/Typed Name L.D. Monie Hatch Signature <i>L.D. Monie Hatch</i> Month Day Year 18 12 12								
Transporter 2 Printed/Typed Name _____ Signature _____ Month Day Year _____								
18. Discrepancy								
18a. Discrepancy Indication Space <input type="checkbox"/> Quantity <input type="checkbox"/> Type <input type="checkbox"/> Residue <input type="checkbox"/> Partial Rejection <input type="checkbox"/> Full Rejection								
Manifest Reference Number: _____								
18b. Alternate Facility (or Generator) Facility's Phone: _____					U.S. EPA ID Number			
18c. Signature of Alternate Facility (or Generator)							Month Day Year	
19. Hazardous Waste Report Management Method Codes (i.e., codes for hazardous waste treatment, disposal, and recycling systems)								
1.	H132	2.	H132	3.		4.		
20. Designated Facility Owner or Operator: Certification of receipt of hazardous materials covered by the manifest except as noted in Item 18a Printed/Typed Name Javi Andrade Signature <i>Javi Andrade</i> Month Day Year 18 12 12								

APPENDIX E
POC CONCENTRATIONS VS. TIME GRAPHS

Figure E-1
2-Methylnaphthalene Concentrations vs Time - A-TZ Unit
UPRR HWPW Facility - RCRA SWMU No. 1




Figure E-2
Dibenzofuran Concentrations vs Time - A-TZ Unit
UPRR HWPW Facility - RCRA SWMU No. 1




Figure E-3
Naphthalene Concentrations vs Time - A-TZ Unit
UPRR HWPW Facility - RCRA SWMU No. 1




Figure E-4
Dibenzofuran Concentrations vs Time - B-TZ Unit
UPRR HWPW Facility - RCRA SWMU No. 1





Figure E-5
Naphthalene Concentrations vs Time - B-TZ Unit
UPRR HWPW Facility - RCRA SWMU No. 1



APPENDIX F
UPDATED COMPLIANCE SCHEDULE

APPENDIX G
LABORATORY DATA QA/QC REPORT CHECKLIST

**FORMER HOUSTON WOOD PRESERVING WORKS
LABORATORY DATA QA/QC REPORT CHECKLIST
ANALYTICAL REPORT 1207433
JULY 30, 2012**

Facility Name: Former Houston Wood Preserving Works SWMU 1	Permit/ISW Reg No.: 50343	For TCEQ Use Only	
Laboratory Name: ALS Environmental	EPA I.D. No.:	Project Mgr:	
Reviewer Name: Jennifer Bush	TCEQ Project Manager/Data Reviewer:		
Date: November 26, 2012	Date:		
Description	Status	More in Case Narrative (Check Box)	Technically Complete
1. Were laboratory analyses performed by a laboratory accredited by TCEQ, whose accreditation included the matrix (ces), methods, and parameters associated with the data? If not was an explanation given in the Case-Narrative (e.g., laboratory exemption, accreditation for method /parameter not available from TCEQ)?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>	<input type="checkbox"/>	Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>
2. Was a Case Narrative from laboratory (QC data description summary) submitted with the data set?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>	<input type="checkbox"/>	Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>
3. Are the sample collection, preparation and analyses methods listed in the permit, preparation and analysis methods listed in the permit or other documents specifying criteria the ones used on the final report?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>	<input type="checkbox"/>	Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>
4. Were there any modifications to the sample collection, preparation and/or analytical methodology (ies)? If so was the description included on the Case-Narrative?	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> NA <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input checked="" type="checkbox"/>	<input type="checkbox"/>	Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>
5. Were all samples prepared and analyzed within required holding times?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>	<input type="checkbox"/>	Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>
6. Were samples properly preserved according to method and QAPP requirements?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>	<input type="checkbox"/>	Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>

Description	Status	More in Case Narrative (Check Box)	Technically Complete
7. Have the method detection limits (MDL) and/or practical quantitation limit (PQL) been defined in the final report? Note: NELAC uses terms limit of detection (LOD) and Limit of Quantitation respectively.	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>	<input type="checkbox"/>	Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>
8. Do parameters listed on final report match regulatory parameters of concern (POC) specified in permit and/or Waste Analysis Plan or other required document? Note: POC may also be referred to chemicals of concern (COCs)	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>	<input type="checkbox"/>	Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>
9. Are the POC's included within the analytical method's target analyte list?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>	<input type="checkbox"/>	Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>
10. Were the appropriate type(s) of blanks analyzed?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>	<input type="checkbox"/>	
11. Did any blank samples contain POC concentrations >5x or 10x of MDL? If so, please explain potential bias?	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> NA <input type="checkbox"/>	<input type="checkbox"/>	Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>
12. Were method blanks taken through the entire preparation and analytical process?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>	<input type="checkbox"/>	Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>
13. Did the calibration curve and continuing calibration verification meet regulatory (e.g. NELAC Standards) method specifications (No. of standards, acceptance criteria, etc.)?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>	<input type="checkbox"/>	Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>
14. Do the initial calibration standards include a concentration below the regulatory limit/decision level? If not please explain? If an MDL and PQL are each used on a report then the relationship between the two must be defined for each method.	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>	<input type="checkbox"/>	Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>
15. Were manual peak integrations performed? If so pre and post chromatograms and method change histories may be requested?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>	<input type="checkbox"/>	Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>
16. Were all results bracketed by a lower and upper range calibration standard?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>	<input type="checkbox"/>	Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>
17. Was any result reported outside of the range of the calibration standards?	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> NA <input type="checkbox"/>	<input type="checkbox"/>	Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>
18. Were all matrix spike (MS) and MS duplicate (MSD) recoveries within the data decision making goals of QC data in the RCRA/UIC QAPP and/or within the laboratories control charts? If not were data flagged with explanation in case narrative?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input checked="" type="checkbox"/>	<input type="checkbox"/>	Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>
19. Were all of the MS and MSD relative percent differences (RPDs) within the data decision making goals of QC data in the RCRA/UIC QAPP? If not were data flagged with explanation in case narrative?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>	<input type="checkbox"/>	Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>
20. Were all laboratory control sample (LCS) recoveries at least within the MS and MSD ranges of recoveries and within laboratories control charts? If not were data flagged with explanation in Case Narrative?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input checked="" type="checkbox"/>	<input type="checkbox"/>	Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>

Description	Status	More in Case Narrative (Check Box)	Technically Complete
21. Were all POCs (COCs) in the LCS?	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>	<input type="checkbox"/>	Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>
22. Were the MS and MSD from samples collected for this work order or other samples in the analytical batch as defined by the NELAC Standards? <i>This information is used to identify factors contributing to matrix interferences. It should not be assumed, unless it is understood by the laboratory, that samples relating to this report were the ones selected to be fortified with the POCs.</i>	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>	<input type="checkbox"/>	Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>
23. Were any of the samples diluted? If so were appropriate calculations made to the MDL and/or PQL of the final report?	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> NA <input type="checkbox"/>	<input type="checkbox"/>	Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>

LABORATORY DATA REPORT QA/QC CHECKLIST
LABORATORY CASE-NARRATIVE
 (To accompany laboratory checklist)

	Facility Name:	Permit/ISW Reg No.:
	Laboratory Name:	EPA I.D. No.:
Method No.	Non-conformance Description	Method Modification Description
	NA	